ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 West Hastings Street
Vancouver, B.C. V6B 1L8
Telephone: 604-688-2568 Fax: 604-688-2578

ASSESSMENT REPORT

describing

GEOCHEMICAL SAMPLING, GEOLOGICAL MAPPING AND REMOTE SENSEING SURVEYS

at the

RACKLA GOLD PROPERTY

ACX, Rau, GF, Q, R, RR, S, T, Jam,
Dale, EN, IS, OS, ST, Sten Claims

NTS 105M/14, 15, 106C/01, 02, 03, 04, 05, 06, 106D/01, 02, 03, 06, 07, 08 & 106B/04
Latitude 64°11´N; Longitude 135°27´W to 131°54´W
.
in the
Mayo Mining District,
Yukon Territory

prepared by

Archer, Cathro & Associates (1981) Limited

for

ATAC RESOURCES LTD.

by
J. A. McDivitt, B.Sc, GIT

April 2012

CONTENTS

	PAGE
INTRODUCTION	1
PROPERTY LOCATION, CLAIM DATA, ACCESS AND INFRASTRUTURE	1
HISTORY AND PREVIOUS WORK	3
GEOMORHOLOGY AND CLIMATE	8
PROPERTY GEOLOGY	8
SOIL, SILT AND ROCK GEOCHEMISTRY	12
REMOTE SENSING SURVEYS	13
HERITAGE RESOURCES OVERVIEW ASSESSMENT STUDY	14
DISCUSSION AND CONCLUSIONS	14
REFERENCES	16

APPENDICIES

I STATEMENT OF QUALIFICATIONS

II SAMPLING AND ANALYTICAL PROCEDURES

III ROCK SAMPLE DESCRIPTION FORMS

IV CERTIFICATES OF ANALYSIS

V HERITATE RESOURCES OVERVIEW ASSESSMENT STUDY

FIGURES

No.	Description	Follows Page
1	Property Location, Tectonic Setting and Claim Locations	In pocket
2	Claim Locations	In pocket
3	Claim Locations	In pocket
4	Airstrip Locations	3
5	Regional Stratigraphic Setting	9
6	2011 Regional Geology Map	9
7	Cheshire Soil Sample Locations	13
8	Cheshire Southeast Soil Sample Locations	13
9	Rau West Grid One Soil Sample Locations	13
10	Rau West Grid Two Soil Sample Locations	13
11	Rau West Grid Three and Four Soil Sample Locations	13
12	Ocelot Grid Extension One Soil Sample Locations	13
13	Ocelot Grid Extension Two Soil Sample Locations	13
14	Blue Lite Soil Sample Locations	13
15	Rod North Soil Sample Locations One	13
16	Rod North Soil Sample Locations Two	13
17	Rod North Soil Sample Locations Three	13
18	Edina Grid Soil Sample Locations	13
19	Edina East Soil Sample Locations One	13
20	Edina East Soil Sample Locations Two	13
21	Edina East Soil Sample Locations Three	13

22	Edina East Soil Sample Locations Four	13
23	Edina East Soil Sample Locations Five	13
24	Trent East Soil Sample Locations	13
25	Trent West Soil Sample Locations	13
26	Sian West Soil Sample Locations	In pocket
27	Sian East Soil Sample Locations	In pocket
28	Pyramid Main Grid Soil Sample Locations	In pocket
29	Pyramid Detailed Grid Soil Sample Locations	In pocket
30	Pyramid North Soil Sample Locations	13
31	Pyramid East Soil Sample Locations One	13
32	Pyramid East Soil Sample Locations Two	13
33	Dale North Main Grid Soil Sample Locations	In pocket
34	Dale North Detailed Soil Sample Locations	In pocket
35	Dale South Soil Sample Locations	In pocket
36	Osiris South Soil Sample Locations	In pocket
37	Osiris East Soil Sample Locations	In pocket
38	Dale East Soil Sample Locations	In pocket
39	Pharaoh Area Soil Sample Locations	In pocket
40	Pharaoh West Soil Sample Locations One	13
41	Pharaoh West Soil Sample Locations Two	13
42	Rackla West Silt Sample Locations	13
43	Crag North Silt Sample Locations One	13
44	Crag North Silt Sample Locations Two	13

45	Crag North Silt Sample Locations Three	13
46	Crag North Silt Sample Locations Four	13
47	Crag North Silt Sample Locations Five	13
48	Crag North Silt Sample Locations Six	13
49	Crag North Silt Sample Locations Seven	13
50	Crag North Silt Sample Locations Eight	13
51	Trent Silt Sample Locations One	13
52	Trent Silt Sample Locations Two	13
53	Trent North Silt Sample Locations One	13
54	Trent North Silt Sample Locations Two	13
55	Pyramid Silt Sample Locations One	13
56	Pyramid Silt Sample Locations Two	13
57	Pyramid Silt Sample Locations Three	13
58	Pyramid South Silt Sample Locations	13
59	Dale South Silt Sample Locations	13
60	Dale Silt Sample Locations	13
61	Dale East Silt Sample Locations	13
62	Osiris North Silt Sample Locations	13
63	Osiris East Silt Sample Locations	13
64	Birkeland West Silt Sample Locations One	13
65	Birkeland West Silt Sample Locations Two	13
66	Birkeland South Silt Sample Locations	13
67	Birkeland North Silt Sample Locations	13

68	Birkeland Rock Sample Locations	13
69	Pharaoh Area Rock Sample Locations	13
70	Osiris East Rock Sample Locations	13
71	Pyramid Rock Sample Locations	13
72	Trent Rock Sample Locations	13
73	Crag North Rock Sample Locations	13
74	Edina Rock Sample Locations	13
75	Blue Lite Rock Sample Locations	13
76	Cheshire Rock Sample Locations	13

TABLES

		PAGE
I	Claim Information	1
II	Lithological Units	9
III	Threshold Values for Soil Samples	13
IV	Threshold Values for Silt Samples	13

INTRODUCTION

The Rackla Gold property comprises a 1600 km^2 area of highly prospective platform to basin facies sedimentary host rocks located along the northern edge of the Tintina Gold Belt at the transition from the Selwyn Basin to the Mackenzie Platform, in east central Yukon Territory. Various commodities have been explored for and discovered within the 8,117 contiguous claims that make up the property. Historically, this exploration focused on base metal mineralization, while recently the emphasis has been directed towards the gold potential. The property is owned 100% by ATAC Resources Ltd.

This report describes the methods and results of an extensive regional exploration program conducted throughout the property from May 24th to October 10th 2011. All geochemical sampling and geologic mapping was conducted by Archer, Cathro & Associated (1981) Limited on behalf of ATAC. The authors participated in and supervised the geochemical sampling and mapping programs as well as collecting ground control points used in georeferencing remote imagery. The geochemical sampling program resulted in the collection of 13,144 soil samples, 1,772 silt samples and 180 rock samples. Remote sensing data that was collected over the course of the season includes property wide, orthorectified satellite imagery, high resolution contours and aerial photos in areas of interest. The authors' statement of qualifications appears in Appendix I.

PROPERTY LOCATION, CLAIM DATA, ACCESS AND INFRASTRUTURE

The Rackla Gold property consists of 8,117 contiguous mineral claims located at a latitude of 64°11´N and longitude stretching from 135°27´W to 131°54´W on NTS map sheets 105M/14, 15, 106C/01, 02, 03, 04, 05, 06, 106D/01, 02, 03, 06, 07, 08 & 106B/04 (Figure 1). The claims are all registered with the Mayo Mining Recorder in the name of Archer Cathro, which holds them in trust for ATAC. Specifics concerning claim registration are tabulated below in Table I while the locations of individual claims are shown on Figures 1-3.

Table I: Rackla Gold Property Claim Information

Claim	Grant Number	Expiry Date*
ACX 1-234	YD08251-YD08484	28-Apr-15
235-310	YD33163-YD33238	28-Apr-15
Rau 1-64	YC50268-YC50331	28-Apr-28
65-96	YC57529-YC57560	28-Apr-21
97F-98F	YC69925-YC69926	28-Apr-22
99F-100F	YC69961-YC69962	28-Apr-22
GF 3-4	YC32305-YC32306	28-Apr-22
Q 1-13	YC92361-YC92373	28-Apr-19
14	YC92470	28-Apr-19
15-109	YC92375-YC92469	28-Apr-19
R 1-103	YC68334-YC68436	28-Apr-21
105-1295	YC68438-YC69628	28-Apr-21

ATAC RESOURCES LTD.

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

PROPERTY LOCATION

RACKLA GOLD PROPERTY

0 250 km

UTM ZONE 8, NAD 83

APRIL 2012





ATAC RESOURCES LTD.

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

TECTONIC SETTING

RACKLA GOLD PROPERTY

UTM ZONE 8, NAD 83

DATE: APRIL 2012

After Nelson and Colpron, 2007



ATAC RESOURCES LTD.

FIGURE 1

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

CLAIM LOCATIONS

Rackla Gold Project - Rackla Gold Property

Projection: UTM Zone 8 (NAD 83), Contour Interval: 100 m, 105M14,15, 106D02, 03, 06, 07

FILE:N:\.....Figures\Workspaces/ClaimLocationsF1.WOR

0 2.5 5 kilometres

April 2012


7,140,000 mN
7,130,000 mN
7,110,000 mN
530,000 mE
540,000 mE
550,000 mE
560,000 mE
570,000 mE
580,000 mE
590,000 mE
N
23.2°
100 km
Figure 2
Location of Claims Shown in Figure 2
With Respect To Claim Block
ATAC RESOURCES LTD.
FIGURE 2
ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
CLAIM LOCATIONS
Rackla Gold Project - Rackla Gold Property
Projection: UTM Zone 8 (NAD 83), Contour Interval: 100 m, 106C03,04,05,06, 106D01,08
FILE:N:\.....Figures\Workspaces/ClaimLocationsF2.WOR
0
2.5
5
kilometres
April 2012

600,000 mE

610,000 mE

620,000 mE

630,000 mE

640,000 mE

650,000 mE

7,120,000 mN

7,110,000 mN

7,100,000 mN

N

23.2°

100 km

Figure 3

Location of Claims Shown in Figure 3 With Respect To Claim Block

ATAC RESOURCES LTD.

FIGURE 3
ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

CLAIM LOCATIONS

Rackla Gold Project - Rackla Gold Property

Projection: UTM Zone 8 (NAD 83), Contour Interval: 100 m, 106B04,106C01, 02, 03

FILE:N:\...Figures\Workspaces/ClaimLocationsF3.WOR

0 2.5 5
kilometres

April 2012

1296-1337	YC70595-YC70636	28-Apr-18
RR 1-222	YC89701-YC89922	28-Apr-14
S 1-700	YC90801-YC91500	28-Apr-19
701-842	YC91901-YC92042	28-Apr-19
843	YC92355	28-Apr-19
844-1154	YC92044-YC92354	28-Apr-17
1155-1250	YD09635-YD09730	1-Mar-17
T 1-202	YD09731-YD09932	1-Mar-13
215-236	YD09945-YD09966	1-Mar-13
247-270	YD09977-YD10000	1-Mar-13
272	YD10002	1-Mar-13
274	YD10004	1-Mar-13
293-322	YD10023-YD10052	1-Mar-13
339-374	YD10069-YD10104	1-Mar-13
376	YD10106	1-Mar-13
378	YD10108	1-Mar-13
385-426	YD10115-YD10156	1-Mar-13
431-472	YD10161-YD10202	1-Mar-13
474	YD10204	1-Mar-13
477-670	YD10207-YD10400	1-Mar-13
671-747	YD22801-YD22877	1-Mar-13
748-1071	YD22878-YD23201	1-Mar-17
1072-1521	YD23202-YD23651	1-Mar-13
1522-2570	YD23652-YD24700	1-Mar-17
2571-2870	YD11401-YD11700	1-Mar-17
2871-2957	YD32901-YD32987	1-Mar-17
T 2958	YD32988	1-Mar-20
2959	YD32989	1-Mar-17
2960	YD32990	1-Mar-20
2961	YD32991	1-Mar-17
2962-3004	YD32992-YD33034	1-Mar-20
3005	YD33035	1-Mar-17
3006	YD33036	1-Mar-20
3007	YD33037	1-Mar-17
3008-3125	YD33038-YD33155	1-Mar-20
3126-3131	YD33156-YD33161	1-Mar-13
3132-3133	YD33239-YD33240	1-Mar-17
Jam 1-32	YD08501-YD08532	28-Apr-16
Dale 1-12	YD08533-YD08544	28-Apr-23
EN 1-192	YD01401-YD01592	28-Apr-16
IS 1-28	YC99751-YC99778	28-Apr-16
OS 1-576	YD69731-YD70306	28-Apr-14
641-676	YD70371-YD70406	28-Apr-16

749-770	YD70479-YD70500	28-Apr-16
841-846	YD70571-YD70576	28-Apr-16
913-1076	YD70643-YD70806	28-Apr-16
ST 1-431	YD26901-YD27331	28-Apr-20
432-517	YD27332-YD27417	28-Apr-17
Sten 1-20	YC99501-YC99520	28-Apr-25
21-38	YC99523-YC99540	28-Apr-23
39-54	YD08485-YD08500	28-Apr-23
55-142	YD10405-YD10492	28-Apr-23

* Expiry dates include 2011 work which has been filed for assessment credit but not yet accepted.

The property lies 100 km northeast of Mayo, the nearest supply centre. The closest road access is to the community of Keno City, situated about 49 km by road northeast of Mayo and 55 km by air southwest of the property. Mayo and Keno City can be reached in all seasons by two wheel drive vehicles using the Yukon highway system. The Wind River trail is also accessible via the Yukon highway system from McQuesten Lake near Keno City and crosses the western portion of the property. This winter trail has been used intermittently by various exploration companies since it was built in the late 1960s.

In 2011 the construction of two new airstrips, one in the eastern and the other on the western portion of the property, facilitated transportation to and from the camps where the regional work was based out of. The locations of these airstrips relative to the claim block can be viewed in Figure 4. Prior to the 2011 construction of the Rau Airstrip (900 m long) and Stewart Airstrip (600 m long), shuttling of supplies and personnel into the Rackla Gold Property was done using fixed wing aircraft, to the pre-existing Rackla Airstrip.

Daily transportation of employees to and from work sites was facilitated by a combination of four helicopters stationed at various camps around the property. Throughout the exploration season Fireweed Helicopters Ltd. supplied a combination of Eurocopter AS350 SD2, Hughes 500D and MD 520 N helicopters as well as a Bell 206L4. In addition Horizon Helicopters provided a Eurocopter AS350 SD2. The Eurocopter AS350 SD2 as well as Hughes 500D and MD 520 N models provided support to samplers and geologists working on the regional program out of Nadaleen camp as well as Rackla camp throughout the season. The Bell 206L4 provided transport to and from work areas for geologists and samplers working on the regional program from the Rau camp at the west end of the property.

HISTORY AND PREVIOUS WORK

WEST END

The earliest reported exploration within the area of the Rackla Gold property occurred in 1922 following the discovery of silver mineralization at Keno Hill; prospectors first identified and staked mineralized float occurrences at Carpenter Ridge in the far northwest corner of the current property. In 1924, reconnaissance work conducted by the Geological Survey of Canada



ATAC RESOURCES LTD.

FIGURE 4
ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

AIRSTRIP LOCATIONS

Rackla Gold Project - Rackla Gold Property

Projection: UTM Zone 8 (NAD 83) **APRIL 2012**

FILE:N:\....Figures\Workspaces\AirstipLocationsF4.WOR

0 30
kilometres

Symbol Legend

- Airstrip Location
- Camp Location

discovered galena-calcite-siderite in float on the southwest end of Carpenter Ridge. A sample of this float returned 8.75 oz silver and 56.0% lead (Cockfield, 1925); however, the source of this mineralization was not found. Hand pits were dug in 1927 and 1928 but little record remains of the work completed during this period. All claims were ultimately dropped.

Nearby at Grey Copper Hill, 9 km to the southeast, silver-rich tetrahedrite float was discovered in 1923 by an independent prospector. This showing and other nearby prospects were staked later that year. Several investigatory adits were dug into the hillside during follow up exploration but eventually all claim holdings lapsed.

Between 1930 and 1974 Grey Copper Hill was staked several times by independent prospectors and exploration companies, including Cypress Resources Limited and United Keno Hill Mines Limited. Little work was reported (Hilker, 1969) and all claims ultimately expired.

Hesca Resources Corporation Ltd restaked Grey Copper Hill in 1974 and conducted prospecting, soil sampling, hand trenching and adit maintenance. In addition, two shallow, small diameter diamond drill holes totalling 56.3 m were drilled; however, the results from this drilling are not documented. No further work was done by Hesca and the claims were dropped (Deklerk and Traynor, 2004).

In spring 1978 Prism Resources Limited restaked the area and conducted prospecting and geochemical sampling later that year. Soil sampling identified several lead and silver anomalies; however, follow up prospecting failed to explain them (Sivertz, 1979). A sample collected from an outcrop of dolomite yielded 0.60% lead and 51.43 g/t silver, while a tetrahedrite sample collected near an old adit assayed 7000 g/t silver (Sivertz, 1980). Prism allowed the claims to lapse.

Grey Copper Hill was again restaked in 1983 by a prospector who conducted grid soil sampling later that year. This program delineated silver anomalies coincident with surface lineations. No further work was completed and the claims expired.

In 1988 Bonventures Limited staked the area and conducted limited blast trenching, prospecting, mapping plus soil and rock sampling. A gossan zone with pyrite and strong fracture filling malachite and azurite was identified between two collapsed adits (Carlyle, 1989). These claims eventually lapsed.

The area remained open until August of 2005 when an independent prospector staked four claims over the Grey Copper Hill showing. No work on these claims has been reported and they are now surrounded by the Rackla Gold property.

Approximately 45 km to the southeast, Cominco Limited staked the Beaver claims in 1968 based on results of regional geochemical sampling done the year before. Later that year, L. Elliott staked the nearby Now claims and optioned them to Cominco, which completed mapping and soil sampling in 1968 and 1969 (Johnson and Richardson, 1969a and b).

In 1977, Prism Joint Venture (Asamera Oil Corp, Chieftain Development Company Limited, Prism Resources Ltd, Siebens Oil & Gas Limited and E & B Exploration Limited) restaked Cominco's claims as part of a larger block that extended for about 20 km along the north side of the Beaver River. In 1979, Dome Petroleum Ltd replaced Siebens in the joint venture.

Prism conducted most of its activities around the original Beaver claims. Soil sampling and mapping were performed in 1977 (Montgomery and Dewonck, 1978) and additional soil sampling and trenching were done in 1978 (Prism Joint Venture, 1979a). In 1979 Prism completed six diamond drill holes totalling 610 m (Dewonck, 1980). This work focused primarily on sedimentary exhalite and Mississippi Valley type lead-zinc mineralization, but resulted in the discovery of a narrow gold-rich vein material (the Now Showing).

NDU Resources Ltd. staked claims over the Now Showing in 1987 to cover the lead, zinc and silver soil geochemical anomalies identified by Cominco and Prism. The following year, NDU conducted a geochemical sampling program which focused on the gold vein mineralization at the Now Showing (Cathro, 1989).

In 1977, 6.25 km further to the northwest, Prism conducted mapping, soil sampling and electromagnetic surveys. Numerous samples from that program returned high zinc-in-soil values ranging from 2100 ppm to 12.2%. One sample collected from a large transported gossan (Ocelot Showing) yielded 3.8 g/t silver, 800 ppm lead and 12.2% zinc (Montgomery and Cavey, 1978), suggesting the metals were leached and remobilized in acidic groundwater before being reprecipitated when the fluids were neutralized. These promising results were not followed up. In 1977, Prism also performed minor soil sampling near a strong gossan developed along the eastern edge of the current Rau property (Kathy Showing) (Prism Joint Venture, 1979b).

In 1979 and 1980, Prism explored in two areas approximately 16 km southeast of the current Ocelot Showing and conducted prospecting, soil geochemical sampling and one diamond drill hole. This work led to the discovery of scheelite mineralization at the Blue Lite and Flat Top Showings. Well mineralized tremolite skarn specimens from the Flat Top Showing assayed up to 8.4% WO_3, but most material graded below 0.04% (Churchill, 1980). No further work was done at either showing.

ATAC's interest in the area was prompted by an isolated, high gold value (150 ppb) reported by a regional-scale stream sediment geochemical survey, conducted by the Geological Survey of Canada (Hornbrook, et al 1990). This value is in the 99th percentile of gold results from the survey and is supported by a 99th percentile tungsten value (25 ppm). The sample was collected near the Rackla Pluton, east of the Tiger Zone.

In summer 2006, ATAC staked 64 claims to cover the anomalous drainage. During the staking, a number of rock and soil samples were collected, many of which returned anomalous values for tungsten and a few were notably enriched in gold, lead, zinc, silver and copper. Cursory prospecting relocated scheelite-bearing tremolite skarn (Flat Top Showing) and discovered tungsten in diopside-actinolite skarn and highly fractionated intrusive rocks, about 1500 m to the south.

In 2007 ATAC completed geological mapping, prospecting, grid soil sampling and helicopter-borne variable time-domain electromagnetic (VTEM) surveys (Eaton and Panton, 2008). This work partially delineated a large hydrothermal system centered on the largely buried Rackla Pluton. Following that program, ATAC staked an additional 32 claims, mostly to improve coverage around a very strong gold-in-soil anomaly outlined on the western edge of the grid.

ATAC and Yankee Hat Minerals Limited signed an option agreement in spring 2008 concerning 40 claims that covered the Rackla Pluton and the tungsten-bearing skarns. During the summer of 2008 Yankee Hat conducted prospecting and a total of 437.38 m of diamond drilling in three holes (Dumala, 2008). Several narrow skarn bands with weak to moderate tungsten mineralization were identified within the carbonate host rocks. The option agreement was terminated in late 2008 following poor results and the claims were returned to ATAC.

Also in the summer of 2008, ATAC conducted geological mapping, prospecting, soil and stream sediment geochemical sampling, 3,423.21 m of diamond drilling in 18 holes and property-wide helicopter-borne magnetic variable time-domain electromagnetic (VTEM) surveys on the claims not covered by the Yankee Hat option agreement. Drilling identified three stacked, gold-bearing horizons in what is now known as the Tiger Zone (Dumala, 2009). The central horizon (Discovery Horizon) contains gold in iron carbonate replacement and hosts the most abundant mineralization. In 2008 grid soil sampling and stream sediment sampling was extended to the northwest. In response to positive results, ATAC added 1,340 claims to cover the favourable stratigraphy along the anomalous trend.

In 2009, ATAC continued to delineate the Tiger Zone with an additional 58 diamond drill holes totalling 9,578.30 m (Dumala and Lane, 2010). Drilling identified a significant oxide component to the northwest, within the Tiger Zone. Prospecting in 2009 also identified several new showings containing mineralization similar to that found at the Tiger Zone. These include the Cub, Lion, Jaguar, Panther, Cougar, Puma, Cheetah and Lynx Showings.

In 2010, ATAC continued definition drilling at the Tiger Zone resulting in the completion of a NI 43-101 compliant resource estimate of the sulphide and oxide horizons (Stroshein, et al 2011). Results of the resource estimate using a 0.3 g/t gold cut off yield an indicated resource estimate of 508,000 ounces of gold and an inferred resource estimate of 290,200 ounces of gold for the oxide and sulphide horizons combined.

Prospecting at the geochemically anomalous Ocelot Showing in 2010 resulted in the discovery of high grade Ag-Pb-Zn-In massive sulphide mineralization. Grab samples from this area included 2100 g/t Ag, 55.33% Pb and 62 g/t In (Dumala, 2011).

EAST END

The earliest recorded exploration on the eastern side of the Rackla Gold property occurred when McIntyre Mines staked the Birkeland claims, then called Tom and Mom in 1974 approximately 200 km east of Mayo. Mapping, geochemical soil sampling, trenching and 10 BQ and 22 Winkie holes were carried out in 1975. The best results were 4.4% Zinc, 0.5% Lead and 2.7 g/t Silver over 1.8 m in DDH75-31 (Shearer, 1975). In 1978 McIntyre Mines entered a joint venture

with Canadian Superior Exploration, Ltd. No further work was reported and the Birkeland claims expired.

In 1976 the Sian claims were staked approximately 37 km southwest of the Birkland claims by McIntyre Mines following prospecting of geological targets. Mapping, geochemical soil sampling and EM, mag and SP geophysical surveys were carried out in 1977. Gold was tested for in 4 grab samples; however, results did not exceed the detection limit for gold (Birkeland, 1978). After entering a joint venture with Canadian Superior Exploration, detailed mapping, trenching and sampling was completed in 1979. Results of this work found low grade Lead and Zinc throughout a folded dolomite unit. One diamond drill hole was completed in 1980 but did not intersect any mineralization. No further work was recommended and in 1982 the Sian property passed to Serem Ltd, after which the claims were voided and no further exploration was reported.

The Star claims, located approximately 12 km to the west of the Sian claims, were staked by private prospectors and optioned to Prism Resources, Ltd in 1976. Mapping and soil geochemical testing completed by Prism in 1977 had disappointing results and all claims were dropped. The Lee and Nod claims were staked to the south of the Leah claims in December of 1976 and were optioned to Tay River Mines. No work is on record for these claims and they were allowed to lapse.

McIntyre Mines staked the Jam property in 1977, 4.2 km north of its Sian property. Soil and silt sampling in conjunction with mapping later that year found a favorable dolomite breccia host rock with associated zinc and lead sulphide mineralization. No further work was reported and the Jam claims lapsed.

In 1976, the Black, Ida, Red and Eira claims, located approximately 8 km east of the Sian claims, were staked by the Ortell Syndicate (Precambrian Shield Resources Ltd, Giant Yellowknife Mines Ltd, Nemco Resources Ltd and Highwood Resources Ltd). In 1977, the Black and Ida claims were optioned by a joint venture between DeJour Mines Limited and Nova-Co Exploration Limited (Thompson, 1977). Mapping and geochemical sampling on the Ida claims later that year returned moderately anomalous zinc values, with erratic lead and silver support.

Also in 1977, prospecting and stream sediment sampling carried out on the Eira property by the Ortell Syndicate returned anomalous silver and zinc results, up to 2.4 ppm and 680 ppm respectively (Curry, 1977). This led to more detailed grid soil sampling and geological mapping. This work returned a number of moderate, non-coincident silver, zinc and lead anomalies.

In 2001, the Geological Survey of Canada completed a regional stream sediment sampling program (Heon, 2003), which included coverage of the current Sten claims, located 19 km west of the Birkland claims, in an area now referred to as the Nadaleen Trend. Creeks draining this area returned strong gold and arsenic anomalies.

ATAC's initial interest in the area was to follow up a strong arsenic silt anomaly collected by the Geological Survey of Canada in 2001. Over a three day period in 2009, 89 stream sediment, 1 rock and 9 soil samples were collected on the Sten claims. These samples returned a string of

moderately to very strongly anomalous results ranging from 12 to 1775 ppb gold and 123 to 155,000 ppm arsenic (Eaton, 2010). As a result, additional claims were staked by ATAC.

Follow-up prospecting of the anomalous creek in the summer of 2010 led to the discovery of in situ gold mineralization occurring within a folded, deformed carbonate horizon now referred to as the Osiris Zone. A follow up soil grid consisting of 50 m line spacing and 50 m sample spacing was conducted over this carbonate horizon. Results from the soil grid yielded four distinct gold anomalies known as Osiris, Conrad, Isis and Isis East.

Drilling in the fall of 2010 defined three gold bearing zones (Lane 2011). The Osiris Zone returned the most significant gold grades yielding 65.20 m of 4.65 g/t Au in OS-10-01. Five more holes were drilled within the Osiris Zone with all but one (OS-10-05) intersecting significant gold mineralization. The Conrad Zone, one kilometer to the east was drilled to target a gold bearing trench. Assay results from this hole included 8.03 g/t Au over 21.13 m in OS-10-08. A second hole drilled in the Conrad Zone intersected arsenic sulphide mineralization in a siliciclastic package (OS-10-09) with an average gold grade of 1.61 g/t over 39.76 m. Drilling in the Isis Zone one kilometer west of the Osiris Zone (OS-10-07) returned comparatively lower, albeit anomalous, gold grades averaging 0.92 g/t over 17.00 m.

GEOMORHOLOGY AND CLIMATE

The Rackla Gold Property stretches 185 km from east to west in the Selwyn and Werneke Mountains and is drained by creeks that flow into the Nadaleen, Rackla, Stewart and Beaver Rivers, all part of the Yukon River watershed. Local topography varies from low forested valleys to alpine areas and features east-west to northwest trending major valleys and ridges, north-south trending rocky spurs and valleys that flank a main east-west trending ridge. Elevations range from about 600 to 2000 m above sea level. Outcrop is most abundant near ridge crests and in actively eroding creek beds. Most hillsides are talus covered at slope breaks and are blanketed by glacial till at lower elevations. The region was glaciated in the Late Pleistocene, 22,000 years ago (Duk-Rodkin, A. 1999) with ice flow from east to west.

Treeline in the vicinity of the project is at about 1500 m. Slopes above that elevation, especially steep north facing slopes are unvegetated. Moderately steep, south facing slopes are well drained and are often lightly forested with poplar. The density and size of vegetation gradually increases on lower slopes, and the valley floors are well treed with mature black spruce. Understory vegetation typically consists of low shrubs and moss.

The climate in the Rackla Gold Project area is typical of northern continental regions with long, cold winters, truncated fall and spring seasons and short, mild summers. Although summers are relatively mild, arctic cold fronts often cover the area and snowfall can occur in any month. The property is mostly snow free from early June to late September.

PROPERTY GEOLOGY

The Geological Survey of Canada performed geological mapping in the vicinity of the Rackla Gold Property at 1:250,000 scale in the early 1970s (Blusson, 1974). In 1999, Gordey and

Makepeace completed a compilation of Yukon-wide geology and updated the lithological units named in the Rackla area. The Yukon Geological Survey completed mapping of 106C/03 and 106C/04 1:50,000 map sheets during 2010 and 2011 (Colpron, M., 2012, and Chakungal, J., Bennett, V., 2010.).

The Rackla Gold Property straddles the boundary between the deep water dominantly clastic rocks of the Selwyn Basin to the south and the shallower water shelf strata of the Mackenzie platform to the north. The Dawson Fault, which juxtaposes rocks of Selwyn Basin against rocks of the Mackenzie Platform, is a crustal break that may date back to late Neo Proterozoic rifting and was reactivated as a north directed thrust in the Cretaceous (Macdonald, Francis A. et al, 2010.). The tectonic setting of the Rackla Gold Property is shown as an inset in Figure 1, while regional relationships and the importance of the Dawson Fault system are presented in Figure 5.

Regional scale geologic mapping was conducted during the 2011 field season. The distribution of lithologies and regional scale structures determined during this mapping program (Chadwick, P., 2011) are shown on Figure 6 and the stratigraphic units, are described in Table II.

Table II – Lithological Units (after Gordey and Makepeace, 1999 and Turner, 2011)

Unit Name	Map Name	Terrane	Age	Description
Earn Group	DME		Devonian to Mississippian	Silvery-blue weathering black shale, argillite, cherty argillite and bedded chert; minor volcaniclastics and rare limestone.
Bouvette Formation-time correlative with Road River Group	ODR		Ordovician to Devonian	Thick sequences of massive to bedded, reefal, variably fossiliferous limestone and minor siltstone, siliceous argillite and chert. Calcareous to non-calcareous sedimentary gravity flows; graded, sorted chert pebble conglomerates, lithoclastic floatstones, lithic arenites. Well bedded, fossiliferous limestone, thin bedded silty limestone, black chert, light banded chert, siliceous siltstone and argillite.
Fault contacts				
Haywire Formation	OSH	Mackenzie Platform	Ordovician-Silurian	Medium to thick bedded, light grey to white dolostone, locally highly fossiliferous
Sekwi Formation	lCS	Mackenzie Platform	Lower Cambrian	Grey to bright orange weathering finely crystalline, massive to laminated dolostone; limestone, locally with stromatolite beds, white to purple bedded quartz sandstone, red mudstone, dark grey argillite, calcareous polymict conglomerate.
Fault contacts				
Hyland Group	PCH	Selwyn Basin	Upper Proterozoic to Lower Cambrian	Dominantly terrigenous clastics Distinctive, recessive, interbedded maroon and apple-green shale; locally interbeds of quartz siltstone, sandstone and quartz-pebble conglomerate. (Narchilla Fm) Grey weathering, dark grey to grey-white, thin to thick bedded, very fine crystalline limestone, locally sandy; calc-silicate and marble; carbonate debrites. (Limestone member of Yusezyu Fm=Algae Formation?) Thin to thick bedded, brown to pale green shale, fine to coarse grained quartz-rich sandstone, grit and quartz-pebble conglomerate “grits”; minor argillaceous limestone; phyllite, quartzofeldspathic and micaceous psammite, gritty psammite and minor marble.(Yusezyu Fm)

after Abbott (1997)



ATAC RESOURCES LTD.

FIGURE 5

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED.

REGIONAL STRATIGRAPHIC SECTION

NADALEEN TREND PROJECT

FILE:...Nadaleen/F_5-Regional_Strat_Sect	DATE: APRIL 2012



ATAC RESOURCES LTD.

FIGURE 5
ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

REGIONAL GEOLOGY
RACKLA GOLD PROPERTY

0 100 200 m
UTM ZONE 8W, NAD 83

FILE: ...2011/Rackla Gold/-F_5-RegionalGeo.WOR | DATE: APRIL 2012

LEGEND

Lithological Units

- DME — DEVONIAN-MISSISSIPPIAN EARN GROUP
- ORDOVICIAN-DEVONIAN ROAD RIVER GROUP
  - ODR — Conglomerate, arenites, lithic floatstones
  - ODR — Bedded fossiliferous limestone, chert, argillite
  - ODR — Massive fossiliferous limestone and lesser fine grained clastic rocks
- ODH — ORDOVICIAN-SILURIAN HAYWIRE FORMATION
- ICS — LOWER CAMBRIAN SEKWI FORMATION
- PCH — PRECAMBRIAN-LOWER CAMBRIAN HYLAND GROUP
- MESO-PROTEROZOIC PINGUICULA GROUP
  - mPP — Lime mudstone and dolostone
  - mPP — Siltstone
- PW — PROTEROZOIC WERNECKE SUPERGROUP

Structural Symbols

- Normal Fault
- Thrust Fault
- Strike-Slip Fault
- Contact
- Anticline, Plunging
- Anticline

- Claim boundary
- Airstrip
- Camp

Unconformity?				
Pinguicula Group ?	mPP	Mackenzie Platform	Meso-Proterozoic	Pale to medium grey to yellowish-orange weathering lime mudstone and dolomudstone with minor quartz silty layers and distinctive intraclast rudstones. (Pinguicula B) Terigenous maroon, green or gray siltstone. (Pinguicula A)
Fault contacts				
Wernecke Supergroup?	PW	Mackenzie Platform	Proterozoic	Rusty weathering, grey, brown, tan green and maroon siltstones, mudstones and minor coarser clastics.

The following descriptions of lithologic units exposed on the Rackla Gold Property and tectonic interpretations are taken from the Rackla Regional Program: 2011 Geological and Geochemical Report by P.Chadwick (Chadwick, P., 2011). The oldest rocks exposed on the Rackla Gold Property are a sequence of distinctive rusty weathering green, maroon, grey, brown and tan siltstones, mudstone and minor coarser clastic rocks tentatively correlated with the early Mesoproterozoic **Wernecke Supergroup**. Local exposures of this sequence of rocks are fault-bounded and are exposed exclusively on the north side of the Nadaleen fault.

A laterally consistent, non-fossiliferous sequence of rocks observed across the eastern quarter of the property has been tentatively correlated with the Meso-Proterozoic (<1.3 Ga; >1.0 Ga) **Pinguicula Group**. In its type section, Pinguicula overlies early Mesoproterozoic Wernecke Supergroup stratigraphy, while locally, relationships with these older rocks are not exposed. Pinguicula Unit A is a maroon and green to grey terrigenous siltstone with minor sandstone. It is overlain through a gradational contact by Pinguicula Unit B, a centimetrically to decimetrically layered lime mudstone and dolomudstone with minor quartz silt to very fine sand component. Silty quartz layers are associated with more dolomitic composition and commonly express current ripples and planar mechanical lamination. Unit B strata are pale to medium grey-weathering in general, with a conspicuously yellowish-orange weathering interval near its base as well as intermittently throughout the unit where quartz-silty intervals are present. Intraclastic rudstone lenses (10 cm to >1 m thick, tens to hundreds of metres wide) are a conspicuous component of unit B, and consist of randomly oriented to imbricated, tabular to equant clasts in a carbonate mudstone matrix. Clast composition is almost exclusively the same as enclosing carbonate mudstones, with the only variation being differences in the grey to buff colour of the clasts. Intraclastic floatstones are also present. This horizon is of particular interest since it is the host rock for the Osiris and Isis East mineralization

Overlying the sequence provisionally identified as Pinguicula Group is a thick section of clastic and carbonate rocks correlated with the Late Precambrian to Lower Cambrian **Hyland Group**. Although bedding appears conformable between the two groups, abrupt changes in depositional setting above and below the contact and inconsistencies in the lithologies exposed at the basal contact of the Hyland group where it overlies Pinguicula define it as an unconformable contact. Assumed age relationships between time of deposition of the Pinguicula and the Hyland Groups would require a significant time-section of stratigraphy to be missing from the stratigraphic column as exposed.

Regionally the Hyland Group consists of several kilometers of terrigenous-clastic dominated, deep-water basinal to shelf strata with unusual carbonate intervals. Pronounced lateral lithofacies variation, prevalence of debrite and turbidite facies within the carbonate intervals, and highly variable stratigraphic thicknesses of units within the Hyland Group are strong evidence

for synsedimentary tectonism during deposition of the Hyland Group, particularly in the eastern portion of the Rackla Property.

The Hyland Group has historically been broken into three subunits, but on the property these divisions are not easily discernible; rocks typical of each of the subunits are found consistently interbedded into thick, repetitive stratigraphic sequences.

The oldest of the defined Hyland sequences is the **Yusezyu Formation**. Equivalent to the historically labeled "Hadrynian Grit" unit, the Yusezyu Formation consists of fine to coarse, silt to sand grade terrigenous clastics and lesser quartz-pebble conglomerates. Grey, brown, buff, maroon and green siltstones, mudstones, lithic arenite, lithic quartz arenite, calcareous lithic arenite, flaggy brown limestone and distinctive, grey to brown, blocky weathering quartz arenite to quartz-pebble conglomerates define this unit.

The Yusezyu Formation includes carbonate intervals that are laterally heterogeneous and highly variable in thickness, character and stratigraphic succession. Consistent throughout carbonate intervals within Yusezyu are the presence of fine intraclastic floatstones and wackestone. Also indicative of the carbonates within Yusezyu are millimetre scale, angular quartz sand grains and, less commonly, millimeter scale rounded intraclasts and ooids/cortoids. The occurrence of rare "beef" calcite within bedded silty limestones is also a distinguishing characteristic. In some areas carbonate intervals are dominated by sequences of debrites and turbidites within the Yusezyu clastics. These characteristics of the limestone member are consistently found in limestones of the Hyland Group across the property, and may correlate with limestones at the **Algae Formation** type-section.

Despite the laterally variable character of this unit, the consistent presence of quartz-rich clastic "grit" interbedded within or directly underlying it strongly suggests its association with the Yusezyu formation and its inclusion within the Hyland Group. This unit is the host rock for Conrad Zone mineralization.

Regionally the upper unit of the Hyland Group is the **Narchilla Formation**. It is distinguished by recessive weathering, maroon and apple-green siltstones and shales of the upper Arrowhead Member and drab, grey to brown and tan siltstone, shale and minor sandstone of the lower Senoah Member. The contact with the underlying Yusezyu Formation is gradational to abrupt. On the property, the Narchilla formation is most commonly seen as thin, truncated slices along thrust faults, rarely exceeding a couple of hundred of meters in thickness.

Possibly overlying the Hyland Group, but in fault contact on the property are strata of the Lower Cambrian **Sekwi Formation**. It includes thin bedded, grey to distinctive, bright orange weathering dolostone and limestone, thick sections of bedded, white to purple quartz arenite, minor, dark grey, rusty weathering siltstone with rusty, bright orange weathering stromatolitic limestone beds, orange to buff weathering slump deposits of calcareous, polymictic conglomerates and medium to thick bedded dolostone and limestone with white to purple quartz arenites, lithic arenites and maroon mudstone.

The late Cambrian to early Silurian **Haywire Formation**, a thick, somewhat monotonous stratigraphic section of cliff forming, medium to thick bedded, light grey to white weathering, finely crystalline dolostone is exposed north of the Kathleen Lakes Fault. Although commonly nondescript with few sedimentary structures, the dolostone can locally be highly fossiliferous including crinoids, favosites, halysites, and bryzoans. The base of formation is defined by distinctive, yellow to cream weathering, thin planar bedded to cross-laminated sandy dolostone with decimeter scale interbeds of maroon shales. The basal rocks may resemble Pinguicula "B" group rocks in outcrop and weathering patterns.

South of the Kathleen Lakes Fault sections of thick, light grey weathering fossiliferous Cambrian to Devonian carbonates, the **Bouvette Formation**, are tentatively correlated as time equivalents with the **Road River Group**. The limestones are often interbedded with or grade abruptly into dark, recessive weathering siliceous to calcareous argillites, shales, cherts and calcareous chert-pebble conglomerates.

Devonian to Mississippian **Earn Group** silvery blue weathering black shale, argille cherty argillite and chert are the youngest strata observed on the property.

The Rackla Gold property area underwent extensive deformation as part of a Mesozoic to early Cretaceous fold and thrust event, followed by transition into a probable strike slip regime. Two major regional structures transect the property: the Dawson Thrust and the Kathleen Lakes Fault. The Dawson Thrust, historically described as defining the northern edge of the Selwyn basin, places Pre-Cambrian Hyland Group rocks over Paleozoic shelf carbonates as part of Jurassic to Cretaceous compressional tectonics. It is likely a much older structure, possibly dating back to Precambrian rifting that was reactivated during compression. The Kathleen Lakes Fault marks the contact between Paleozoic platform rocks to the north and Paleozoic shelf to basin rocks to the south in the western part of the property and runs through a complex map pattern of Precambrian Hyland Group and Meso-Proterozoic Pinguicula Group rocks on both the north and south side of the fault to the east. Movement along this structure may be dominantly strike slip. The Nadaleen Fault near the eastern end of the property appears to be a splay off the Kathleen Lakes Fault.

SOIL, SILT AND ROCK GEOCHEMISTRY

The 2011 regional program conducted across the Rackla Gold property resulted in the collection and analysis of 1,172 silt samples and 13,144 contour, ridge and spur as well as grid soil samples and 180 rock samples. The goal of the 2011 regional program was to locate low temperature gold occurrences, similar to that found at the Nadaleen Trend project in 2010. Sample collection was focused on the east-central part of the property where sparse sampling in 2010 defined geochemical anomalies. The majority of soil samples were collected in grids over areas containing silts anomalous for arsenic and other indicators in their drainage. The Pyramid and Dale targets represent the areas that received the highest density of soil sampling in 2011. In addition, contour and follow-up grid sampling was done at the Ocelot Zone, the Blue Lite showing, and the Cheshire target, while first pass silt sampling targeted as many drainages as possible.

The locations of soil, silt and rock samples, along with the sample identifier are located in Figures 7-76. Sampling and analytical procedures are explained in Appendix II, rock sample descriptions are provided in Appendix III and certificates of analysis are given in Appendix IV.

Background and anomalous values for gold and arsenic were calculated for all soil and silt samples collected across the Rackla. Background, average, weak, moderate, moderately strong and strongly anomalous thresholds approximately correspond to the 50th, 90th, 95th, 98th and 99th percentiles from these samples. The geochemical characteristics of the soil and silt samples are summarized in the following tables.

Table III – Thresholds for Soil Sample Values

Thresholds	Au (ppb)	As (ppm)	Sb(ppm)	Tl(ppm)	Hg(ppm)
Background	2	15	0.6	0.1	0.1
Weak	4	70	2.0	0.4	0.5
Moderate	5	150	3.0	0.8	1.0
Moderately Strong	8	500	6.0	2.4	2.5
Strong	11	1000	9.0	6.0	5.0
Peak Value	404	>10000	120.5	230.0	301

Table IV – Thresholds for Silt Sample Values

Thresholds	Au (ppb)	As (ppm)	Sb(ppm)	Tl(ppm)	Hg(ppm)
Background	1	14	0.8	0.1	0.1
Weak	3	30	2.0	0.5	0.4
Moderate	4	45	3.0	0.6	0.6
Moderately Strong	5	90	4.0	1.0	1.3
Strong	6	150	6.0	1.3	3.1
Peak Value	11	2420	31.4	61.9	16.6

REMOTE SENSING SURVEYS

Regional scale and focused remote sensing surveys were conducted across the majority of the Rackla Gold property. Panchromatic and multispectral satellite imagery was collected with the hopes of identifying regional scale structures and unique spectral signatures associated with disturbed vegetation and ferruginous material. Unimap Integrated Solutions INC. was contracted to facilitate acquisition and processing of satellite imagery. All received data, including imagery and contours, were orthorectified.

In addition to satellite imagery, target specific remote sensing data was collected over two areas of interest within the Rackla Gold Property. Eagle Mapping Limited was contracted to facilitate the collection and processing of data for orthorectified LiDAR, high resolution aerial photography, and contour data to an accuracy of 1 m. Results from the surveys provided detailed information specific to the target areas and allowed for geologists to map the surface distribution of rock units and structural features with a greater degree of accuracy.

494,500 mE
495,000 mE
495,500 mE
496,000 mE
496,500 mE
497,000 mE
497,500 mE

7,137,500 mN
7,137,000 mN
7,136,500 mN
7,136,000 mN
7,135,500 mN





CC110567 CC110566 CC110588 CC110565 CC110587 CC110522 CC110564 CC110586 CC110523 CC110589 CC110680 CC110563 CC110585 CC110524 CC110590 CC110679 CC110562 CC110584 CC110525 CC110591 CC110678 CC110561 CC110583 CC110526 CC110592 CC110677 CC110615 CC110560 CC110582 CC110527 CC110593 CC110676 CC110614 CC110681 CC110559 CC110581 CC110528 CC110594 CC110675 CC110613 CC110682 CC110558 CC110580 CC110529 CC110595 CC110674 CC110612 CC110625 CC110714 CC110557 CC110579 CC110651 CC110596 CC110673 CC110624 CC110683 CC110770 CC110556 CC110578 CC110652 CC110597 CC110672 CC110611 CC110623 CC110684 CC110713 CC110769 CC110715 CC110555 CC110577 CC110653 CC110598 CC110671 CC110610 CC110685 CC110712 CC110768 CC110716 CC110771 CC110554 CC110576 CC110654 CC110599 CC110670 CC110609 CC110686 CC110711 CC110767 CC110717 CC110772 CC110839 CC110553 CC110575 CC110600 CC110669 CC110608 CC110622 CC110687 CC110710 CC110766 CC110718 CC110773 CC110838 CC110809 CC110574 CC110668 CC110607 CC110621 CC110688 CC110709 CC110765 CC110719 CC110774 CC110837 CC110808 CC110552 CC110573 CC110667 CC110606 CC110708 CC110764 CC110720 CC110836 CC110807 CC110810 CC110551 CC110572 CC110655 CC110605 CC110689 CC110707 CC110763 CC110734 CC110775 CC110835 CC110806 CC110811 CC110920 CC110550 CC110656 CC110666 CC110620 CC110690 CC110706 CC110762 CC110733 CC110776 CC110834 CC110805 CC110812 CC110919 CC110549 CC110571 CC110657 CC110665 CC110619 CC110691 CC110705 CC110761 CC110732 CC110777 CC110833 CC110804 CC110813 CC110918 CC110541 CC110548 CC110570 CC110658 CC110664 CC110641 CC110642 CC110704 CC110760 CC110731 CC110778 CC110699 CC110803 CC110814 CC110917 CC110542 CC110520 CC110569 CC110659 CC110663 CC110604 CC110643 CC110759 CC110730 CC110698 CC110916 CC110543 CC110521 CC110662 CC110603 CC110618 CC110644 CC110758 CC110779 CC110802 CC110915 CC110544 CC110519 CC110601 CC110661 CC110602 CC110617 CC110645 CC110729 CC110780 CC110801 CC110547 CC110517 CC110660 CC110646 CC110757 CC110728 CC110781 CC110800 CC110815 CC110914 CC110545 CC110640 CC110516 CC110854 CC110703 CC110756 CC110727 CC110697 CC110799 CC110816 CC110913 CC110546 CC110639 CC110515 CC110853 CC110702 CC110755 CC110726 CC110798 CC110817 CC110912 CC110638 CC110616 CC110852 CC110701 CC110754 CC110725 CC110782 CC110797 CC110818 CC110911 CC110735 CC110637 CC110514 CC110851 CC110724 CC110783 CC110819 CC110796 CC110820 CC110910 CC110736 CC110636 CC110513 CC110753 CC110784 CC110795 CC110821 CC110909 CC110737 CC110635 CC110512 CC110700 CC110752 CC110723 CC110696 CC110794 CC110822 CC110908 CC110738 CC110634 CC110511 CC110751 CC110722 CC110785 CC110695 CC110793 CC110823 CC110907 CC110739 CC110721 CC110786 CC110694 CC110792 CC110906 CC110510 CC110787 CC110633 CC110788 CC110693 CC110791 CC110824 CC110905 CC110740 CC110509 CC110692 CC110790 CC110825 CC110632 CC110508 CC110789 CC110826 CC110904 CC110631 CC110507 CC110827 CC110903 CC110828 CC110630 CC110506 CC110902 CC110829 CC110629 CC110505 CC110830 CC110628 CC110504 CC110627 CC110503 CC110626 CC110502 CC110901 CC110501

Property Boundary

ATAC RESOURCES LTD.

FIGURE 7
ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

CHESHIRE SOIL SAMPLE LOCATIONS

Rackla Gold Project - Rackla Gold Property

Scale: 1:10000 Projection: UTM Zone 8 (NAD 83)

FILE:N:\...Figures\Workspaces\Cheshire_Soil_Gid.WOR

0 125 250 500
metres

498,500 mE
499,000 mE
499,500 mE
500,000 mE
500,500 mE
501,000 mE
501,500 mE

7,136,500 mN
7,136,000 mN
7,135,500 mN
7,135,000 mN
7,134,500 mN

N
M
23.2°

Property Boundary

100 km
LOCATION OF FIGURE RELATIVE TO CLAIM BLOCK

ATAC RESOURCES LTD.

FIGURE 8
ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

CHESHIRE SOUTH EAST SOIL SAMPLE LOCATIONS

Rackla Gold Project - Rackla Gold Property

Scale: 1:10000 Projection: UTM Zone 8 (NAD 83)

FILE:N\....Figures\Workspaces\Cheshire_SE_Soil.WOR

0 125 250 500
metres

507,500 mE | 508,000 mE | 508,500 mE | 509,000 mE | 509,500 mE | 510,000 mE | 510,500 mE | 511,000 mE

7,131,000 mN | 7,130,500 mN | 7,130,000 mN | 7,129,500 mN | 7,129,000 mN



ATAC RESOURCES LTD.

FIGURE 9
ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

RAU WEST SOIL GRID 1 SAMPLE LOCATIONS

Rackla Gold Project - Rackla Gold Property

Scale: 1:10000 Projection: UTM Zone 8 (NAD 83)

FILE:N\....Figures\Workspaces\RAU_WEST_G1.WOR

0 125 250 500
metres

509,500 mE
510,000 mE
510,500 mE
511,000 mE
511,500 mE
512,000 mE
512,500 mE
513,000 mE

7,128,000 mN
7,127,500 mN
7,127,000 mN
7,126,500 mN
7,126,000 mN

N
M
23.2°

ZZ03447 ZZ03407 ZZ03446 ZZ03445 ZZ03408 ZZ03980 ZZ03444 ZZ03409 ZZ03979 CC141894 ZZ03443 ZZ03410 ZZ03978 CC141895 CC141893 ZZ03442 ZZ03411 ZZ03977 CC141896 CC141892 CC141857 ZZ03441 ZZ03412 ZZ03976 CC141897 CC141891 ZZ03440 ZZ03413 ZZ03975 CC141898 CC141890 CC141858 ZZ03439 ZZ03414 ZZ03974 CC141899 CC141889 CC141859 ZZ03438 ZZ03415 ZZ03973 CC141900 CC141888 CC141860 ZZ03437 ZZ03416 ZZ03972 CC141901 CC141887 CC141861 ZZ03434 ZZ03417 ZZ03971 CC141902 CC141886 CC141862 ZZ03433 ZZ03418 ZZ03970 CC141903 CC141885 CC141863 ZZ03432 ZZ03419 ZZ03969 CC141904 CC141884 CC141864 ZZ03431 ZZ03420 ZZ03968 CC141905 CC141883 CC141865 ZZ03430 ZZ03421 ZZ03967 CC141906 CC141882 CC141866 ZZ03429 ZZ03422 ZZ03966 CC141907 CC141881 CC141867 ZZ03428 ZZ03423 ZZ03965 CC141908 CC141880 CC141868 ZZ03427 ZZ03424 ZZ03964 CC141909 CC141879 CC141869 ZZ03426 ZZ03425 ZZ03963 ZZ03959 CC141878 CC141870 ZZ03962 ZZ03960 CC141877 CC141871 CC141876 CC141872 ZZ03961 CC141875 CC141873 CC141874

Property Boundary

100 km

LOCATION OF FIGURE RELATIVE TO CLAIM BLOCK

ATAC RESOURCES LTD.

FIGURE 10
ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

RAU WEST SOIL GRID 2 SAMPLE LOCATIONS

Rackla Gold Project - Rackla Gold Property

Scale: 1:10000 Projection: UTM Zone 8 (NAD 83)

FILE:N\...Figures\Workspaces\Rau_West_G2.WOR

0 125 250 500
metres

511,500 mE | 512,000 mE | 512,500 mE | 513,000 mE | 513,500 mE | 514,000 mE | 514,500 mE | 515,000 mE

7,124,500 mN | 7,124,000 mN | 7,123,500 mN | 7,123,000 mN | 7,122,500 mN





ATAC RESOURCES LTD.

FIGURE 11
ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

RAU WEST SOIL GRIDS 3 & 4 SAMPLE LOCATIONS

Rackla Gold Project - Rackla Gold Property

Scale: 1:10000 Projection: UTM Zone 8 (NAD 83)

FILE:N\....Figures\Workspaces\Rau_West_G3&4.WOR

0 125 250 500
metres

513,500 mE | 514,000 mE | 514,500 mE | 515,000 mE | 515,500 mE | 516,000 mE | 516,500 mE | 517,000 mE

7,127,500 mN | 7,127,000 mN | 7,126,500 mN | 7,126,000 mN | 7,125,500 mN

N

23.2°

100 km

LOCATION OF FIGURE RELATIVE TO CLAIM BLOCK

ATAC RESOURCES LTD.

FIGURE 12
ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

OCELOT SOIL GRID EXTENSION 1 SAMPLE LOCATIONS

Rackla Gold Project - Rackla Gold Property

Scale: 1:10000 Projection: UTM Zone 8 (NAD 83)

FILE:N\....Figures\Workspaces\OC_EXTEN_1.WOR

0 125 250 500

metres

517,500 mE
518,000 mE
518,500 mE
519,000 mE
519,500 mE
520,000 mE
520,500 mE
521,000 mE

7,128,500 mN
7,128,000 mN
7,127,500 mN
7,127,000 mN
7,126,500 mN

CC141672 CC141671 CC141673 CC141670 ZZ01627 CC141674 CC141669 ZZ01628 CC141675 CC141668 ZZ01629 CC141676 ZZ01630 CC141667 CC141677 ZZ01631 CC141666 CC141678 ZZ01632 CC141665 CC141679 ZZ01633 CC141664 CC141680 ZZ01634 CC141663 CC141681 ZZ01635 CC141662 CC141682 CC141661 ZZ01636 CC141683 CC141660 ZZ01637 CC141684 CC141659 ZZ01638 CC141685 CC141658 ZZ01639 CC141686 CC141657 ZZ01640 CC141687 CC141656 ZZ01641 CC141688 CC141655 ZZ01642 CC141689 CC141654 ZZ01643 CC141690 CC141653 ZZ01644 CC141691 CC141652 ZZ01645 CC141692 CC141651 ZZ01646 CC141693 CC141650 ZZ01647 CC141694 CC141649 ZZ01648 CC141695 CC141648 ZZ01649 CC141696 CC141647 ZZ01650 CC141697 CC141646 ZZ01651 CC141698 CC141645 CC141641 CC141699 CC141644 CC141642 CC141643

Property Boundary

N M
23.2°

100 km
LOCATION OF FIGURE RELATIVE TO CLAIM BLOCK

ATAC RESOURCES LTD.

FIGURE 13
ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

OCELOT SOIL GRID EXTENSION 2 SAMPLE LOCATIONS

Rackla Gold Project - Rackla Gold Property

Scale: 1:10000 Projection: UTM Zone 8 (NAD 83)

FILE:N\....Figures\Workspaces\OC_EXTEN_2.WOR

0 125 250 500
metres

530,500 mE
531,000 mE
531,500 mE
532,000 mE
532,500 mE
533,000 mE
533,500 mE
534,000 mE

7,123,500 mN
7,123,000 mN
7,122,500 mN
7,122,000 mN
7,121,500 mN

N

23.2°

ZZ02059 ZZ02060 ZZ02058 ZZ02057 ZZ02061 ZZ02056 ZZ02062 ZZ02055 ZZ02063 ZZ02054 ZZ02053 ZZ02064 ZZ02052 ZZ01581 ZZ02068 ZZ02051 ZZ02049 ZZ02050 ZZ01580 ZZ02069 ZZ02048 ZZ02070 ZZ01582 ZZ02047 ZZ01579 ZZ02071 ZZ02046 ZZ01583 ZZ02072 ZZ02045 ZZ01584 ZZ02044 ZZ01585 ZZ02043 ZZ01586 ZZ02042 ZZ02041 ZZ01587

ZZ00211 ZZ00210 ZZ00212 ZZ00209 ZZ00213 ZZ01573 ZZ00208 ZZ00214 ZZ01572 ZZ01574 ZZ00215 ZZ00207 ZZ01571 ZZ01575 ZZ00206 ZZ01570 ZZ01569 ZZ00205 ZZ00216 ZZ00217 ZZ00218 ZZ01568 ZZ01578 ZZ01567 ZZ00204 ZZ01566 ZZ00203 ZZ01577 ZZ01576 ZZ01565 ZZ00202 ZZ01564 ZZ00200 ZZ00201 ZZ01563 ZZ00199 ZZ00198 ZZ01562 ZZ00197 ZZ01561 ZZ00196 ZZ01560 ZZ01559 ZZ01557 ZZ01558 ZZ00195 ZZ01556 ZZ00194



LOCATION OF FIGURE RELATIVE TO CLAIM BLOCK

ATAC RESOURCES LTD.

FIGURE 14
ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

BLUE LITE SOIL CONTOUR SAMPLES

Rackla Gold Project - Rackla Gold Property

Scale: 1:10000 Projection: UTM Zone 8 (NAD 83)

FILE:N\....Figures\Workspaces\Blue_Lite_Soil.WOR

0 125 250 500
metres

544,000 mE | 544,500 mE | 545,000 mE | 545,500 mE | 546,000 mE | 546,500 mE | 547,000 mE | 547,500 mE

7,119,500 mN | 7,119,000 mN | 7,118,500 mN | 7,118,000 mN | 7,117,500 mN



LOCATION OF FIGURE RELATIVE TO CLAIM BLOCK

ATAC RESOURCES LTD.

FIGURE 15
ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

ROD NORTH CONTOUR SOIL SAMPLE LOCATIONS 1

Rackla Gold Project - Rackla Gold Property

Scale: 1:10000 Projection: UTM Zone 8 (NAD 83)

FILE:N\....Figures\Workspaces\Rod_North_1.WOR

0 125 250 500
metres

N M
23.2°

CC129837 CC129838 CC129839 CC129840 CC129841 CC129842 CC129843 CC129844 CC129845 CC129846 CC129847 CC129848 CC129849 CC129850 CC129851 CC129852 CC129853 CC129854 CC129855 CC129856 CC129857 CC129858 CC129859 CC129860 CC129861 CC129862 CC129863 CC129864 CC129865 CC129866 CC129867 CC129868 CC129869 CC129870 CC129871 CC129872 CC129873 CC129874 CC129875 CC129876 CC129877 CC129878 CC129879 CC129880 CC115090 CC115089 CC115088 CC115087 CC115086

Property Boundary

548,000 mE

549,000 mE

550,000 mE

551,000 mE

7,119,000 mN

7,118,000 mN





CC115073 CC115072 CC115071 CC115070 CC115069 CC115068 CC115067
CC115074
CC115075
CC115076
CC115077
CC115078
CC115079
CC115080
CC115081
CC115082
CC115083
CC115084
CC115085
CC115066
CC115065
CC115064
CC115063
CC115062
CC115061
CC115060
CC115059
CC115058
CC115057
CC115056
CC115277 CC115278 CC115279 CC115280 CC115281
CC115282
CC115283 CC115284 CC115285 CC115286 CC115287 CC115288 CC115289 CC115290 CC115291 CC115292 CC115293

Property Boundary

ATAC RESOURCES LTD.

FIGURE 16
ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

ROD NORTH CONTOUR SOIL SAMPLE LOCATIONS 2

Rackla Gold Project - Rackla Gold Property

Scale: 1:10000 Projection: UTM Zone 8 (NAD 83)

FILE:N\....Figures\Workspaces\Rod_North_Soil2.WOR

0 125 250 500
metres

552,000 mE | 552,500 mE | 553,000 mE | 553,500 mE | 554,000 mE | 554,500 mE | 555,000 mE

7,119,000 mN | 7,118,500 mN | 7,118,000 mN | 7,117,500 mN | 7,117,000 mN



N

23.2°

CC115294 CC115295 CC115296 CC115297 CC115298 CC115299 CC115300
ZZ14751 ZZ14752 ZZ14753 ZZ14754 ZZ14755 ZZ14756 ZZ14777 ZZ14776 ZZ14775 ZZ14774 ZZ14773 ZZ14772 ZZ14771 ZZ14770 ZZ14769 ZZ14768 ZZ14767 ZZ14766 ZZ14765 ZZ14764 ZZ14763 ZZ14762 ZZ14761 ZZ14760 ZZ14759 ZZ14758 ZZ14757
CC129881 CC129882 CC129883 CC129884 CC129885 CC129886 CC129887 CC129888 CC129889 CC129890 CC129891

Property Boundary

ATAC RESOURCES LTD.

FIGURE 17
ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

ROD NORTH CONTOUR SOIL SAMPLE LOCATIONS 3

Rackla Gold Project - Rackla Gold Property

Scale: 1:10000 Projection: UTM Zone 8 (NAD 83)

FILE:\...Figures\Workspaces\Rod_North_Soil3.WOR

0 125 250 500
metres

556,000 mE
556,500 mE
557,000 mE
557,500 mE
558,000 mE
558,500 mE
559,000 mE
559,500 mE

7,119,000 mN
7,118,500 mN
7,118,000 mN
7,117,500 mN
7,117,000 mN



LOCATION OF FIGURE RELATIVE TO CLAIM BLOCK



Property Boundary

ATAC RESOURCES LTD.

FIGURE 18
ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

EDINA GRID AND CONTOUR SOIL SAMPLE LOCATIONS

Rackla Gold Project - Rackla Gold Property

Scale: 1:10000 Projection: UTM Zone 8 (NAD 83)

FILE:\....Figures\Workspaces\Edina_Soil.WOR

0 125 250 500
metres

560,000 mE | 560,500 mE | 561,000 mE | 561,500 mE | 562,000 mE | 562,500 mE | 563,000 mE

7,119,000 mN | 7,118,500 mN | 7,118,000 mN | 7,117,500 mN | 7,117,000 mN



CC153592 CC153593 CC153594 CC153595 CC153596 CC153597 CC153598 CC153599 CC153600

ZZ14801 ZZ14802 ZZ14803 ZZ14804

CC142649 CC142648 CC142647 CC142646 CC142645 CC142644 CC142643 CC142642 CC142641 CC142640 CC142639 CC142638 CC142637 CC142636 CC142635 CC142634 CC142633 CC142632 CC142631 CC142630 CC142629 CC142628 CC142627 CC142626 CC142625 CC142624 CC142623 CC142622 CC142621 CC142615 CC142614 CC142613 CC142612 CC142650 CC142651 CC142652 CC142653 CC142654 CC142655 CC142656 CC142657 CC142658 CC142659 CC142660 CC142661 CC142662 CC142663 CC142664

ZZ14916 ZZ14915 ZZ14913 ZZ14914 ZZ14917 ZZ14912 ZZ14911 ZZ14910 ZZ14909 ZZ14908 ZZ14907 ZZ14906 ZZ14905 ZZ14904 ZZ14903

ATAC RESOURCES LTD.

FIGURE 19
ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

EDINA EAST SOIL CONTOUR LOCATIONS 1

Rackla Gold Project - Rackla Gold Property

Scale: 1:10000 Projection: UTM Zone 8 (NAD 83)

FILE:N\....Figures\Workspaces\Edina_Soil_Contour1.WOR

0 125 250 500
metres

Property Boundary

N

23.2°

564,000 mE | 564,500 mE | 565,000 mE | 565,500 mE | 566,000 mE | 566,500 mE | 567,000 mE

7,119,500 mN | 7,119,000 mN | 7,118,500 mN | 7,118,000 mN | 7,117,500 mN



ATAC RESOURCES LTD.

FIGURE 20
ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

EDINA EAST SOIL CONTOUR LOCATIONS 2

Rackla Gold Project - Rackla Gold Property

Scale: 1:10000 Projection: UTM Zone 8 (NAD 83)

FILE:N\....Figures\Workspaces\Edina_East2.WOR

0 125 250 500
metres

N

23.2°

567,500 mE | 568,000 mE | 568,500 mE | 569,000 mE | 569,500 mE | 570,000 mE | 570,500 mE | 571,000 mE

7,119,500 mN | 7,119,000 mN | 7,118,500 mN | 7,118,000 mN | 7,117,500 mN





DD004551 DD004552 DD004553 DD004554 DD004555 DD004556 DD004557 DD004558 DD004559 DD004560 DD004561 DD004562 DD004563 DD004564 DD004565 DD004566 DD004567 DD004568 DD004569 DD004570

DD003901 DD003902 DD003903 DD003904 DD003905 DD003906 DD003907 DD003908 DD003909 DD003910 DD003911 DD003912 DD003913 DD003914 DD003915 DD003916 DD003917 DD003918 DD003919 DD003920 DD003921 DD003922 DD003923

ATAC RESOURCES LTD.

FIGURE 21
ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

EDINA EAST SOIL CONTOUR LOCATIONS 3

Rackla Gold Project - Rackla Gold Property

Scale: 1:10000 Projection: UTM Zone 8 (NAD 83)

FILE:N\....Figures\Workspaces\Edina_East3.WOR

0 125 250 500
metres

571,500 mE 572,000 mE 572,500 mE 573,000 mE 573,500 mE 574,000 mE 574,500 mE 575,000 mE

7,118,500 mN

7,118,000 mN

7,117,500 mN

7,117,000 mN

7,116,500 mN



DD004599 DD004598 DD004600 DD004597 DD004596 DD004595 DD004594 DD004593 DD004592 DD004591 DD004590 DD004589 DD004588 DD004587 DD004585 DD004586 DD004584 DD004583 DD004582

DD003804 DD003805 DD003806 DD003807 DD003808 DD003809 DD003810 DD003803 DD003801 DD003802 DD003950 DD003949 DD003948 DD003943 DD003942 DD003944 DD003941 DD003947 DD003945 DD003946 DD003940 DD003939 DD003938 DD003937 DD003936

DD003278 DD003277 DD003276 DD003275 DD003279 DD003280 DD003281 DD003282 DD003283 DD003284 DD003285 DD003274 DD003273 DD003272 DD003271 DD003270 DD003269 DD003268 DD003267 DD003266 DD003811 DD003812 DD003813 DD003814

Property Boundary

ATAC RESOURCES LTD.

FIGURE 22
ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

EDINA EAST SOIL CONTOUR LOCATIONS 4

Rackla Gold Project - Rackla Gold Property

Scale: 1:10000 Projection: UTM Zone 8 (NAD 83)

FILE:N\....Figures\Workspaces\Edina_East4.WOR

0 125 250 500
metres

N

23.2°

575,500 mE
576,000 mE
576,500 mE
577,000 mE
577,500 mE
578,000 mE
578,500 mE
579,000 mE

7,119,000 mN
7,118,500 mN
7,118,000 mN
7,117,500 mN
7,117,000 mN

N
M
23.2°

DD003017
DD003016
DD003018
DD003019
DD003020
DD003015
DD003021
DD003022
DD003014
DD003023
DD003024
DD003013
DD003025
DD003026
DD003012
DD003027
DD004406
DD003011
DD004405
DD004404
DD004403
DD003010
DD004402
DD004401
DD003009
DD003008
DD003007
DD003006
DD003005
DD003004
DD003003
DD003002
DD003001
DD004581
DD004580
DD004579
DD004578
DD004577
DD004576
DD004575
DD004574
DD004573
DD004572
DD003265
DD003264
DD003263
DD003262
DD003261
DD003260
DD003259
DD003258
DD003257
DD004571

100 km
LOCATION OF FIGURE RELATIVE TO CLAIM BLOCK

ATAC RESOURCES LTD.

FIGURE 23
ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

EDINA EAST SOIL CONTOUR LOCATIONS 5

Rackla Gold Project - Rackla Gold Property

Scale: 1:10000 Projection: UTM Zone 8 (NAD 83)

FILE:N\....Figures\Workspaces\Edina_East5.WOR

0 125 250 500
metres

589,000 mE | 589,500 mE | 590,000 mE | 590,500 mE | 591,000 mE | 591,500 mE | 592,000 mE | 592,500 mE

7,114,000 mN | 7,113,500 mN | 7,113,000 mN | 7,112,500 mN | 7,112,000 mN



LOCATION OF FIGURE RELATIVE TO CLAIM BLOCK

Property Boundary



ATAC RESOURCES LTD.

FIGURE 24
ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

Trent East Soil Sample Locations

Rackla Gold Project - Rackla Gold Property

Scale: 1:10000 Projection: UTM Zone 8 (NAD 83)

FILE:N\....Figures\Workspaces\Trent_East_Soil.WOR

0 125 250 500
metres

585,000 mE | 585,500 mE | 586,000 mE | 586,500 mE | 587,000 mE | 587,500 mE | 588,000 mE | 588,500 mE

7,114,000 mN | 7,113,500 mN | 7,113,000 mN | 7,112,500 mN | 7,112,000 mN

100 km

LOCATION OF FIGURE RELATIVE TO CLAIM BLOCK

Property Boundary

N M

23.2°

ATAC RESOURCES LTD.

FIGURE 25
ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

Trent West Soil Sample Locations

Rackla Gold Project - Rackla Gold Property

Scale: 1:10000 Projection: UTM Zone 8 (NAD 83)

FILE:N\....Figures\Workspaces\Trent_West_Soil.WOR

0 125 250 500

metres

598,000 mE | 599,000 mE | 600,000 mE | 601,000 mE | 602,000 mE | 603,000 mE | 604,000 mE | 605,000 mE | 606,000 mE

7,113,000 mN | 7,112,000 mN | 7,111,000 mN | 7,110,000 mN | 7,109,000 mN





Property Boundary

ATAC RESOURCES LTD.

FIGURE 26
ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

Sian West Soil Sample Locations

Rackla Gold Project - Rackla Gold Property

Scale: 1:10000 Projection: UTM Zone 8 (NAD 83)

FILE:N\...Figures\Workspaces\Sian_West_Soil.WOR

0 125 250 500
metres

606,000 mE | 607,000 mE | 608,000 mE | 609,000 mE | 610,000 mE | 611,000 mE | 612,000 mE | 613,000 mE | 614,000 mE

7,113,000 mN | 7,112,000 mN | 7,111,000 mN | 7,110,000 mN | 7,109,000 mN | 7,108,000 mN





ATAC RESOURCES LTD.

FIGURE 27
ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

Sian East Soil Sample Locations

Rackla Gold Project - Rackla Gold Property

Scale: 1:10000 Projection: UTM Zone 8 (NAD 83)

FILE:N\...Figures\Workspaces\Sian_East_Soil.WOR

0 125 250 500
metres

603,000 mE
604,000 mE
605,000 mE
606,000 mE
607,000 mE
608,000 mE
609,000 mE
610,000 mE
611,000 mE

7,119,000 mN
7,118,000 mN
7,117,000 mN
7,116,000 mN
7,115,000 mN
7,114,000 mN

100 km
LOCATION OF FIGURE RELATIVE TO CLAIM BLOCK

Property Boundary

23.2°

See Figure 29 For Sample Locations

ATAC RESOURCES LTD.

FIGURE 28
ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

Pyramid Soil Sample Locations

Rackla Gold Project - Rackla Gold Property

Scale: 1:10000 Projection: UTM Zone 8 (NAD 83)

FILE:N\...Figures\Workspaces\Pyramid_Main_Soil.WOR

0 125 250 500
metres

608,000 mE | 608,250 mE | 608,500 mE | 608,750 mE | 609,000 mE | 609,250 mE | 609,500 mE

7,116,000 mN | 7,115,750 mN | 7,115,500 mN | 7,115,250 mN | 7,115,000 mN





ATAC RESOURCES LTD.

FIGURE 29
ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

PYRAMID INSET SOIL SAMPLE LOCATIONS

Rackla Gold Project - Rackla Gold Property

Scale: 1:2000 Projection: UTM Zone 8 (NAD 83)

FILE:N\...Figures\Workspaces\Pyramid_Detailed_Soil.WOR

0 25 50 100
metres

605,000 mE | 605,500 mE | 606,000 mE | 606,500 mE | 607,000 mE | 607,500 mE | 608,000 mE

7,122,000 mN | 7,121,500 mN | 7,121,000 mN | 7,120,500 mN | 7,120,000 mN



LOCATION OF FIGURE RELATIVE TO CLAIM BLOCK

N M

23.2°

Property Boundary

DD003759 DD003760 DD003761 DD003762 DD003763 DD003764 DD003765 DD003766 DD003767 DD003768 DD003769 DD003770 DD003771 DD003772 DD003773 DD003774 DD003775 DD003776 DD003777 DD003778 DD003779

DD004516 DD004858 DD004517 DD004518 DD004859 DD004519 DD004860 DD004520 DD004861 DD004521 DD004862 DD004522 DD004863 DD004523 DD004864 DD004524 DD004865 DD004525 DD004866 DD004526 DD004867 DD004527 DD004528 DD004868 DD004529 DD004869 DD004530 DD004870 DD004531 DD004871 DD004872 DD004532

ATAC RESOURCES LTD.

FIGURE 30
ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

Pyramid North Soil Sample Locations

Rackla Gold Project - Rackla Gold Property

Scale: 1:10000 Projection: UTM Zone 8 (NAD 83)

FILE:N\....Figures\Workspaces\Pyramid_North_Soil.WOR

0 125 250 500

metres

611,500 mE
612,000 mE
612,500 mE
613,000 mE
613,500 mE
614,000 mE

7,118,500 mN
7,118,000 mN
7,117,500 mN
7,117,000 mN
7,116,500 mN
7,116,000 mN
7,115,500 mN

N
23.2°

DD004789
DD004788
DD004787
DD004786
DD004785
DD004784
DD004783
DD004782
DD004781
DD004779
DD004778
DD004777
DD004776
DD004775
DD004774
DD004773
DD004772
DD004771
DD004770
DD004769
DD004835
DD004837
DD004836
DD004834
DD004833
DD004832
DD004831
DD004830
DD004840
DD004839
DD004838
DD004841
DD004922
DD004921
DD004850
DD004849
DD004848
DD004847
DD004846
DD004845
DD004842
DD004843
DD004844

ZZ18277
ZZ18276
ZZ18275
ZZ18274
ZZ18273
ZZ18272
ZZ18271
ZZ18270
ZZ18269
ZZ18268
ZZ18267
ZZ18266
ZZ18265
ZZ18264
ZZ18263
ZZ18262
ZZ18261
ZZ18260
ZZ18259
ZZ18258
ZZ18255
ZZ18257
ZZ18256
ZZ18254
ZZ18253
ZZ18252
ZZ18251

100 km
LOCATION OF FIGURE RELATIVE TO CLAIM BLOCK

ATAC RESOURCES LTD.

FIGURE 31
ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

Pyramid East Soil Sample Locations 1

Rackla Gold Project - Rackla Gold Property

Scale: 1:10000 Projection: UTM Zone 8 (NAD 83)

FILE:N\....\Figures\Workspaces\Pyramid_East1.WOR

0 125 250 500
metres

614,500 mE
615,000 mE
615,500 mE
616,000 mE
616,500 mE

7,119,000 mN
7,118,500 mN
7,118,000 mN
7,117,500 mN
7,117,000 mN
7,116,500 mN
7,116,000 mN

100 km
LOCATION OF FIGURE RELATIVE TO CLAIM BLOCK

N M
23.2°

Property Boundary

DD004751
DD004752
DD004753
DD004754
DD004755
DD004756
DD004757
DD004758
DD004759
DD004760
DD004761
DD004762
DD004763
DD004764
DD004765
DD004766
DD004767
DD004768
DD004801
DD004802
DD004803
DD004804
DD004805
DD004814
DD004815
DD004816
DD004817
DD004818
DD004819
DD004820
DD004821
DD004822
DD004823
DD004824
DD004825
DD004826
DD004827
DD004828
DD004829
DD003551
DD003552
DD003553
ZZ18278
ZZ18279
ZZ18280
ZZ18281
ZZ18282
ZZ18283
ZZ18284
ZZ18285
CC115304
CC115305
CC115307
CC115308
CC115309
CC115310
CC115311
CC115312
CC115313
CC115314
CC115315
CC115316
CC115317
CC115318
CC115319
CC115320
CC115321
CC115322
CC115323
CC115324
CC115325
CC115326
CC115327
CC129912
CC129913
CC129914
CC129915
CC129916
CC129917
CC129918
CC129919
CC129920
CC129921
CC129922
CC129923
CC129924
CC129925
CC129926
CC129927
CC129928
CC129929
CC129930
CC129931
CC146795
CC146796
CC146797
CC146798
CC146799
CC146800

ATAC RESOURCES LTD.

FIGURE 32
ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

PYRAMID EAST SOIL SAMPLE LOCATIONS 2

Rackla Gold Project - Rackla Gold Property

Scale: 1:10000 Projection: UTM Zone 8 (NAD 83)

FILE:N\....Figures\Workspaces\Pyramid_East2.WOR

0 125 250 500
metres

617,000 mE | 618,000 mE | 619,000 mE | 620,000 mE | 621,000 mE | 622,000 mE | 623,000 mE | 624,000 mE | 625,000 mE

7,118,000 mN | 7,117,000 mN | 7,116,000 mN | 7,115,000 mN | 7,114,000 mN

23.2°

Property Boundary

100 km

LOCATION OF FIGURE RELATIVE TO CLAIM BLOCK

See Figure 34 For Location of Detailed Grid Samples

See Figure 38

ATAC RESOURCES LTD.

FIGURE 33
ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

DALE NORTH SOIL SAMPLE LOCATIONS

Rackla Gold Project - Rackla Gold Property

Scale: 1:10000 Projection: UTM Zone 8 (NAD 83)

FILE:N:\...Figures\Workspaces\Dale_North_Main.WOR

0 125 250 500
metres

618,500 mE

619,000 mE

619,500 mE

620,000 mE

620,500 mE

7,116,000 mN

7,115,500 mN

7,115,000 mN

7,114,500 mN

N

23.2°

ATAC RESOURCES LTD.

FIGURE 34
ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

DALE INSET SOIL SAMPLE LOCATIONS

Rackla Gold Project - Rackla Gold Property

Scale: 1:3000 Projection: UTM Zone 8 (NAD 83)

FILE:N\...Figures\Workspaces\Dale_Detailed.WOR

0 50 100 200

metres

100 km

LOCATION OF FIGURE RELATIVE TO CLAIM BLOCK

618,000 mE
619,000 mE
620,000 mE
621,000 mE
622,000 mE
623,000 mE
624,000 mE
625,000 mE
626,000 mE

7,113,000 mN
7,112,000 mN
7,111,000 mN
7,110,000 mN
7,109,000 mN
7,108,000 mN

100 km
LOCATION OF FIGURE RELATIVE TO CLAIM BLOCK

Property Boundary

N
23.2°

ATAC RESOURCES LTD.

FIGURE 35
ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

DALE SOUTH SOIL SAMPLE LOCATIONS

Rackla Gold Project - Rackla Gold Property

Scale: 1:10000 Projection: UTM Zone 8 (NAD 83)

FILE:N:\....Figures\Workspaces\Dale_South.WOR

0 125 250 500
metres

626,000 mE | 627,000 mE | 628,000 mE | 629,000 mE | 630,000 mE | 631,000 mE | 632,000 mE | 633,000 mE | 634,000 mE

7,111,000 mN | 7,110,000 mN | 7,109,000 mN | 7,108,000 mN | 7,107,000 mN

Property Boundary

N

23.2°

ATAC RESOURCES LTD.

FIGURE 36
ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

OSIRIS SOUTH SOIL SAMPLE LOCATIONS

Rackla Gold Project - Rackla Gold Property

Scale: 1:10000 Projection: UTM Zone 8 (NAD 83)

FILE:N:\...Figures\Workspaces\OSIRIS_SOUTH.WOR

0 125 250 500
metres

100 km
LOCATION OF FIGURE RELATIVE TO CLAIM BLOCK

635,000 mE
636,000 mE
637,000 mE
638,000 mE
639,000 mE
640,000 mE
641,000 mE
642,000 mE
643,000 mE

7,114,000 mN
7,113,000 mN
7,112,000 mN
7,111,000 mN
7,110,000 mN
7,109,000 mN





Property Boundary

ATAC RESOURCES LTD.

FIGURE 37
ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

OSIRIS EAST SOIL SAMPLE LOCATIONS

Rackla Gold Project - Rackla Gold Property

Scale: 1:10000 Projection: UTM Zone 8 (NAD 83)

FILE:N\...Figures\Workspaces\Osiris_East.WOR

0 125 250 500
metres



ATAC RESOURCES LTD.
FIGURE 38
ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
DALE EAST SOIL SAMPLE LOCATIONS
Rackla Gold Project - Rackla Gold Property
Scale: 1:10000
Projection: UTM Zone 8 (NAD 83)
FILE:N:\...Figures\Workspaces\Dale_East.WOR
0 125 250 500
metres
100 km
LOCATION OF FIGURE RELATIVE TO CLAIM BLOCK
626,000 mE
627,000 mE
628,000 mE
629,000 mE
630,000 mE
631,000 mE
632,000 mE
633,000 mE
634,000 mE
7,117,000 mN
7,116,000 mN
7,115,000 mN
7,114,000 mN
7,113,000 mN
7,112,000 mN
N

ATAC RESOURCES LTD.

FIGURE 39
ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

PHAROAH AREA SOIL SAMPLE LOCATIONS

Rackla Gold Project - Rackla Gold Property

Scale: 1:10000 Projection: UTM Zone 8 (NAD 83)

FILE:N\...Figures\Workspaces\Pharoah_Soil.WOR

0 125 250 500
metres



LOCATION OF FIGURE RELATIVE TO CLAIM BLOCK

632,000 mE
633,000 mE
634,000 mE
635,000 mE
636,000 mE
637,000 mE
638,000 mE
639,000 mE
640,000 mE

7,119,000 mN
7,118,000 mN
7,117,000 mN
7,116,000 mN
7,115,000 mN
7,114,000 mN



Property Boundary

ATAC RESOURCES LTD.

FIGURE 40
ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

PHAROAH WEST SOIL SAMPLE LOCATIONS

Rackla Gold Project - Rackla Gold Property

Scale: 1:10000 Projection: UTM Zone 8 (NAD 83)

FILE:N:\....Figures\Workspaces\Pharoah_West1.WOR

0 125 250 500
metres



LOCATION OF FIGURE RELATIVE TO CLAIM BLOCK



624,500 mE
625,000 mE
625,500 mE
626,000 mE
626,500 mE
627,000 mE
627,500 mE
628,000 mE

7,118,500 mN
7,118,000 mN
7,117,500 mN
7,117,000 mN
7,116,500 mN

Property Boundary

CC142722 CC142723 CC142724 CC142725 CC142726 CC142727 CC142728 CC142729 CC142730 CC142731 CC142732 CC142733 CC142734 CC142735 CC142736 CC142737 CC142738 CC142739 CC142740 CC142741 CC142742 CC142743 CC142744 CC142745 CC142746 CC142747 CC142769 CC142770 CC142771 CC142772 CC142780

ZZ07139 ZZ07138 ZZ07137 ZZ07136 ZZ07135 ZZ07134 ZZ07133 ZZ07132 ZZ07131 ZZ07130 ZZ07129 ZZ07128 ZZ07127 ZZ07126 ZZ07125 ZZ07124 ZZ07123

cc72375 cc72374 cc72373 cc72372 cc72371 cc72370 cc72369 cc72368 cc72367

ZZ07850 ZZ07997

628,500 mE 629,000 mE 629,500 mE 630,000 mE 630,500 mE 631,000 mE 631,500 mE 632,000 mE

7,118,500 mN

7,118,000 mN

7,117,500 mN

7,117,000 mN

7,116,500 mN

Property Boundary

N

23.2°

CC142757 CC142758 CC142759 CC142760 CC142756 CC142761 CC142762 CC142763 CC142764 CC142765 CC142766 CC142767 CC142768 CC142773 CC142774 CC142775 CC142776 CC142777 CC142778 CC142779 CC142781 CC142782 CC142783

CC148286 CC148287 CC148288 CC148289 CC148290 CC148269 CC148270 CC148268 CC148271 CC148272 CC148273 CC148274 CC148275 CC148276 CC148267 CC148266 CC148265 CC148264 CC148258 CC148263 CC148257 CC148262 CC148261 CC148256 CC148255 CC148260 CC148259 CC148254 CC148253 CC148252 CC148251

ATAC RESOURCES LTD.

FIGURE 41
ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

PHAROAH WEST SOIL SAMPLE LOCATIONS 2

Rackla Gold Project - Rackla Gold Property

Scale: 1:10000 Projection: UTM Zone 8 (NAD 83)

FILE:N\....Figures\Workspaces\Pharoah_West2.WOR

0 125 250 500
metres

100 km

LOCATION OF FIGURE RELATIVE TO CLAIM BLOCK

542,000 mE
543,000 mE
544,000 mE
545,000 mE
546,000 mE
547,000 mE
548,000 mE

7,122,000 mN
7,121,000 mN
7,120,000 mN
7,119,000 mN
7,118,000 mN



LOCATION OF FIGURE RELATIVE TO CLAIM BLOCK

N

23.2°

Property Boundary

CC115276
CC115275
CC115274
CC115273
CC115272
CC115271
CC115270
CC115269
CC115268
CC115267
CC115266
CC115265
CC115264
CC115263
CC115262
CC115261
CC115260
CC115259
CC115258
CC115257

ATAC RESOURCES LTD.

FIGURE 42
ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

RACKLA WEST SILT SAMPLE LOCATION

Rackla Gold Project - Rackla Gold Property

Scale: 1:10000 Projection: UTM Zone 8 (NAD 83)

FILE:N\....Figures\Workspaces\Rackla_WestSLT.WOR

0 250 500 1000
metres

559,000 mE | 560,000 mE | 561,000 mE | 562,000 mE | 563,000 mE | 564,000 mE | 565,000 mE | 566,000 mE

7,120,000 mN | 7,119,000 mN | 7,118,000 mN | 7,117,000 mN | 7,116,000 mN





CC122878 CC122745 CC122744 CC122877 CC122876 CC122743 CC122875 CC122874 CC122742 CC122873 CC141494 CC122872 CC141495 CC122871 CC122741 CC122870 CC141496 CC122740 CC122869 CC141497 CC122739 CC122868 CC141498 CC122738 CC122867 CC141499 CC122737 CC141500 CC122866 CC122736 CC122735 CC110749 CC110748 CC122734 CC110747 CC110746 CC110745 CC110744 CC110742 CC110743 CC110741

CC129174 CC129173 CC129172 CC129171 CC129170 CC129169 CC129168 CC129167 CC129166 CC129165 CC129159 CC129160 CC129161 CC129163 CC129164 CC129162 CC129158 CC129156 CC129155 CC129157 CC129154 CC129153 CC129152 CC129151

CC128600 CC128599 CC128598 CC128597 CC128596 CC128595 CC128594 CC128593 CC128592 CC128591 CC128590 CC128589 CC128588 CC128587 CC128586 CC128585 CC128584 CC128583 CC128581 CC128582

Property Boundary

ATAC RESOURCES LTD.

FIGURE 43
ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

CRAG NORTH SILT SAMPLE LOCATIONS

Rackla Gold Project - Rackla Gold Property

Scale: 1:10000 Projection: UTM Zone 8 (NAD 83)

FILE:N\...Figures\Workspaces\Crag_North1SLT.WOR

0 250 500 1000
metres

564,000 mE
565,000 mE
566,000 mE
567,000 mE
568,000 mE

7,127,000 mN
7,126,000 mN
7,125,000 mN
7,124,000 mN
7,123,000 mN
7,122,000 mN
7,121,000 mN



LOCATION OF FIGURE RELATIVE TO CLAIM BLOCK



Property Boundary

CC115471
CC115470
CC115469
CC115468
CC115467
CC129830
CC129831
CC129832
CC129829
CC129833
CC129828
CC129827
CC129834
CC129826
CC129825
CC129835
CC129200
CC129836
CC129199
CC129198
CC129197
CC115230
CC115223
CC115229
CC115224
CC115228
CC115222
CC115227
CC115225
CC115226
CC115221
CC115206
CC115220
CC115207
CC129534
CC115219
CC115208
CC115218
CC115217
CC129535
CC115209
CC115216
CC115210
CC115215
CC129536
CC115214
CC115211
CC115213
CC115212
CC129537
CC129538
CC129539
CC129540
CC129541
CC129542
CC129543
CC129544
CC129545
CC129546
CC129547
CC129548
CC129549
CC129550
CC129551

ATAC RESOURCES LTD.

FIGURE 44
ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

CRAG NORTH SILT SAMPLE LOCATIONS 2

Rackla Gold Project - Rackla Gold Property

Scale: 1:10000 Projection: UTM Zone 8 (NAD 83)

FILE:N\....Figures\Workspaces\Crag_NorthSLT2.WOR

0 250 500 1000
metres

ATAC RESOURCES LTD.

FIGURE 45
ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

CRAG NORTH SILT SAMPLE LOCATIONS 3

Rackla Gold Project - Rackla Gold Property

Scale: 1:10000 Projection: UTM Zone 8 (NAD 83)

FILE:N\....Figures\Workspaces\Crag_NorthSLT3.WOR

0 250 500 1000
metres

N

23.2°

569,000 mE 570,000 mE 571,000 mE 572,000 mE 573,000 mE

7,127,000 mN 7,126,000 mN 7,125,000 mN 7,124,000 mN 7,123,000 mN 7,122,000 mN 7,121,000 mN

Property Boundary

CC115466 CC115455 CC115458 CC115456 CC115457 CC115454 CC115459 CC115460 CC115453 CC115461 CC115462 CC115452 CC115463 CC115451 CC115464 CC115450 CC115465 CC115006 CC115007 CC115005 CC115449 CC115008 CC115004 CC115003 CC115009 CC115002 CC115010 CC115001 CC115051 CC115020 CC115052 CC115021 CC115019 CC115053 CC115012 CC115013 CC115011 CC115054 CC115030 CC115018 CC115055 CC115029 CC115016 CC115017 CC115015 CC115014

CC115447 CC115448 CC115446 CC115445 CC115443 CC115444 CC115442 CC115441 CC115440 CC115438 CC115437 CC115439 CC115436 CC115435 CC115433 CC115434 CC115432 CC115431 CC115430 CC115429 CC115428

CC129984 CC129985 CC129986 CC129987 CC129988 CC129989 CC129990 CC129991 CC129992 CC129993 CC129994 CC129996

CC115039 CC115038 CC115037 CC115034 CC115036 CC115035 CC115400 CC115033 CC115031 CC115122 CC115032 CC115123 CC115124 CC115125 CC115126 CC115127 CC115128 CC115129 CC115130

CC115396 CC115395 CC115394 CC115388 CC115389 CC115393 CC115397 CC115392 CC115391 CC115398 CC115399

CC115390 CC115386 CC115387

CC129176 CC129177 CC129175 CC129178

CC115136 CC115137 CC115138 CC115139 CC115140 CC115141 CC115142 CC115143

100 km

LOCATION OF FIGURE RELATIVE TO CLAIM BLOCK

575,000 mE 576,000 mE 577,000 mE 578,000 mE 579,000 mE

7,127,000 mN 7,126,000 mN 7,125,000 mN 7,124,000 mN 7,123,000 mN 7,122,000 mN 7,121,000 mN 7,120,000 mN





Property Boundary

CC142514 CC142515 CC142513 CC142516 CC142512 CC142517 CC142511 CC142523 CC142518 CC142519 CC142508 CC142524 CC142520 CC142507 CC142509 CC142506 CC142521 CC142525 CC142510 CC142505 CC142522 CC142526 CC142504 CC142527 CC142528 CC142502 CC142529 CC142530

CC129568 CC129569 CC129567 CC129570 CC129571 CC129572 CC129573 CC129574 CC129575 CC129577 CC129576 CC129578 CC129579 CC129580 CC129582 CC129581 CC129583 CC129584 CC129585 CC129586 CC129587 CC129588 CC129589 CC129590 CC129591 CC129593

CC115231 CC115232 CC115233 CC115234 CC115235 CC115237 CC115236 CC115238 CC115239 CC115240 CC115242 CC115243 CC115245 CC115244 CC115246 CC115247 CC115248 CC115249 CC115250 CC115251 CC115252 CC129399 CC129400 CC115413

CC129187 CC129186 CC129185 CC129184 CC129181 CC129182 CC129179 CC129180 CC129183 CC129188 CC129189 CC129190 CC129191 CC129192 CC129193 CC129196 CC129195 CC129194 CC115046 CC115040 CC115041 CC115042 CC115045 CC115044 CC115043 CC115047 CC115048 CC115049 CC115050 CC115022 CC115023 CC115024 CC115025 CC115026 CC115027 CC115028

CC115427 CC115426 CC115425

CC115646 CC115645 CC115644

ATAC RESOURCES LTD.

FIGURE 46
ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

CRAG NORTH SILT SAMPLE LOCATIONS 4

Rackla Gold Project - Rackla Gold Property

Scale: 1:10000 Projection: UTM Zone 8 (NAD 83)

FILE:N\....Figures\Workspaces\Crag_NorthSLT4.WOR

0 250 500 1000
metres

580,000 mE
581,000 mE
582,000 mE
583,000 mE
584,000 mE

7,127,000 mN
7,126,000 mN
7,125,000 mN
7,124,000 mN
7,123,000 mN
7,122,000 mN
7,121,000 mN
7,120,000 mN



LOCATION OF FIGURE RELATIVE TO CLAIM BLOCK



Property Boundary

CC129552
CC129553
CC129554
CC129555
CC129556
CC129557
CC129558
CC129559
CC129560
CC129561
CC129562
CC129563
CC129564
CC129565
CC129566
CC115414
CC115415
CC115416
CC115417
CC115418
CC115419
CC115420
CC115421
CC115422
CC115253
CC115254
CC115255

ATAC RESOURCES LTD.

FIGURE 47
ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

CRAG NORTH SILT SAMPLE LOCATIONS 5

Rackla Gold Project - Rackla Gold Property

Scale: 1:20000 Projection: UTM Zone 8 (NAD 83)

FILE:N\....Figures\Workspaces\Crag_NorthSLT5.WOR

0 250 500 1000
metres

567,000 mE | 568,000 mE | 569,000 mE | 570,000 mE | 571,000 mE | 572,000 mE | 573,000 mE | 574,000 mE

7,121,000 mN | 7,120,000 mN | 7,119,000 mN | 7,118,000 mN | 7,117,000 mN

CC129545 CC129546 CC129547 CC129548 CC129549 CC129550 CC129551
CC115538 CC115537 CC115536 CC115535 CC115534 CC115533 CC115532 CC115531 CC115530 CC115529 CC115528 CC115527 CC115526 CC115525 CC115524 CC115523 CC115522 CC115521 CC115520
CC129990 CC129991 CC129992 CC129993 CC129994 CC129996 CC129995 CC129997 CC129998 CC129999 CC130000
CC115124 CC115125 CC115126 CC115127 CC115128 CC115129 CC115130 CC115131 CC115132 CC115133 CC115134 CC115135
CC128674 CC128673 CC128672 CC128668 CC128669 CC128667 CC128670 CC128666 CC128671 CC128665 CC128664 CC128663
CC128750 CC128749 CC128748 CC128751 CC128747 CC128752 CC128746 CC128741 CC128740 CC128742 CC128739 CC128753 CC128743 CC128738 CC128754 CC128744 CC128737 CC128755 CC128745 CC128736
CC115138 CC115139 CC115140 CC115141 CC115142 CC115143 CC115144 CC115145

Property Boundary





ATAC RESOURCES LTD.

FIGURE 48
ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

CRAG NORTH SILT SAMPLE LOCATIONS 6

Rackla Gold Project - Rackla Gold Property

Scale: 1:20000 Projection: UTM Zone 8 (NAD 83)

FILE:N\...Figures\Workspaces\Crag_North6SLT.WOR

0 500 250 1000
metres

ATAC RESOURCES LTD.

FIGURE 49
ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

CRAG NORTH SILT SAMPLE LOCATIONS 7

Rackla Gold Project - Rackla Gold Property

Scale: 1:20000 Projection: UTM Zone 8 (NAD 83)

FILE:N\...Figures\Workspaces\Crag_North7SLT.WOR

0 500 250 1000
metres





577,000 mE
578,000 mE
579,000 mE
580,000 mE
581,000 mE
582,000 mE
583,000 mE
584,000 mE

7,120,000 mN
7,119,000 mN
7,118,000 mN
7,117,000 mN
7,116,000 mN

CC115423
CC115645
CC115644
CC115643
CC115642
CC115641
CC115640
CC115777
CC115778
CC115779
CC115780
CC115781
CC115782
CC115783
CC115784
CC115785
CC129903
CC129901
CC129902
CC115600
CC115599
CC115598
CC115597
CC115596
CC115595
CC115594
CC115593
CC115592
CC115501
CC128700
CC128699
CC128698
CC128697
CC128696
CC128695
CC128694
CC128693
CC128692
CC115121
CC115120
CC115119
CC115118
CC115117
CC115116
CC115115
CC115114
CC115113
CC115112
CC129381
CC129380
CC129379
CC129378
CC115105
CC129376
CC129375
CC129377
CC129383
CC115106
CC129374
CC129382
CC129384
CC115107
CC129373
CC129385
CC115108
CC129372
CC129386
CC115109
CC129371
CC129387
CC129370
CC129388
CC129369
CC129389
CC115110
CC115111
CC129368
CC129390
CC129367
CC129391
CC129392
CC129366
CC129395
CC129393
CC129394
CC129396
CC129397
CC129398

Property Boundary

577,000 mE | 578,000 mE | 579,000 mE | 580,000 mE | 581,000 mE | 582,000 mE | 583,000 mE | 584,000 mE

7,125,000 mN | 7,124,000 mN | 7,123,000 mN | 7,122,000 mN | 7,121,000 mN

N

23.2°

100 km

LOCATION OF FIGURE RELATIVE TO CLAIM BLOCK

Property Boundary

CC115231 CC115232 CC115233 CC115234 CC115235 CC115236 CC115237 CC115238 CC115239 CC115240 CC115242 CC115243 CC115244 CC115245 CC115246 CC115247 CC115248 CC115249 CC115250 CC115251 CC115252 CC115253 CC115254 CC115255 CC115413 CC115414 CC115415 CC115416 CC115417 CC115418 CC115419 CC115420 CC115421 CC115422 CC115423 CC115424 CC115425 CC115426 CC115427 CC129399 CC129400 CC129552 CC129553 CC129554 CC129555 CC129556 CC129557 CC129558 CC129559 CC129560 CC129561 CC129562 CC129563 CC129564 CC129565 CC129566

ATAC RESOURCES LTD.

FIGURE 50
ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

CRAG NORTH SILT SAMPLE LOCATIONS 8

Rackla Gold Project - Rackla Gold Property

Scale: 1:20000 Projection: UTM Zone 8 (NAD 83)

FILE:N\...Figures\Workspaces\Crag_North8SLT.WOR

0 500 250 1000

metres

586,000 mE
587,000 mE
588,000 mE
589,000 mE
590,000 mE

7,117,000 mN
7,116,000 mN
7,115,000 mN
7,114,000 mN
7,113,000 mN
7,112,000 mN
7,111,000 mN



LOCATION OF FIGURE RELATIVE TO CLAIM BLOCK

N

23.2°

CC115368
CC115369
CC115370
CC115371
CC115372
CC115373
CC115374
CC115375
CC115382
CC115383
CC115384
CC115385

CC129971
CC129972
CC129973
CC129974
CC129975
CC129976
CC129977
CC129978
CC129979
CC129980
CC129981
CC129982
CC129983

CC126720
CC126721
CC126722
CC126723
CC126724
CC126725
CC126726
CC126727
CC126728
CC126729
CC126730
CC126731
CC126732
CC126733
CC126734
CC126735
CC126736
CC126737
CC126738
CC126739
CC126740
CC126741
CC126742
CC126743
CC126744
CC126745
CC126746
CC126747
CC126748
CC126749
CC126750
CC126751
CC126752
CC126753

Property Boundary

ATAC RESOURCES LTD.

FIGURE 51
ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

TRENT SILT SAMPLE LOCATIONS 1

Rackla Gold Project - Rackla Gold Property

Scale: 1:20000 Projection: UTM Zone 8 (NAD 83)

FILE:N\....Figures\Workspaces\Trent1_SLT.WOR

0 500 250 1000
metres

591,000 mE
592,000 mE
593,000 mE
594,000 mE
595,000 mE

7,117,000 mN
7,116,000 mN
7,115,000 mN
7,114,000 mN
7,113,000 mN
7,112,000 mN
7,111,000 mN





CC115104
CC115102
CC115101
CC116000
CC115999
CC115998
CC115997
CC115996
CC115995
CC115994
CC115993
CC115991
CC126719
CC126718
CC126717
CC126716
CC126715
CC126712
CC126711
CC126710
CC126709
CC126708
CC126707
CC126706
CC126705
CC126704
CC126703
CC126702
CC126701
CC129533
CC129532
CC129531
CC129530
CC129528
CC129529
CC129527
CC129526
CC129525
CC129524
CC129523
CC129522
CC129521
CC129520
CC129519
CC129518
CC129517
CC129516

Property Boundary

ATAC RESOURCES LTD.

FIGURE 52
ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

TRENT SILT SAMPLE LOCATIONS 2

Rackla Gold Project - Rackla Gold Property

Scale: 1:20000 Projection: UTM Zone 8 (NAD 83)

FILE:N\....Figures\Workspaces\Trent2_SLT.WOR

0 500 250 1000
metres

587,000 mE
588,000 mE
589,000 mE
590,000 mE
591,000 mE

7,125,000 mN
7,124,000 mN
7,123,000 mN
7,122,000 mN
7,121,000 mN
7,120,000 mN
7,119,000 mN
7,118,000 mN



LOCATION OF FIGURE RELATIVE TO CLAIM BLOCK



CC129364
CC129363
CC129362
CC129365
CC129361
CC129360
CC129359
CC129358
CC129357
CC129356
CC129355
CC129354
CC129353
CC129352
CC129351
CC129350
CC129345
CC129346
CC129344
CC129347
CC129343
CC129348
CC129342
CC129349
CC129341
CC129340
CC129339
CC129337
CC129338
CC129515
CC129514
CC129513
CC129511
CC129510
CC129509
CC129508
CC129507
CC129506
CC129505
CC129504
CC129503
CC129502
CC129501

ATAC RESOURCES LTD.

FIGURE 53
ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

TRENT NORTH SILT SAMPLE LOCATIONS 1

Rackla Gold Project - Rackla Gold Property

Scale: 1:20000 Projection: UTM Zone 8 (NAD 83)

FILE:N\....Figures\Workspaces\TrentNorth1_SLT.WOR

0 250 500 1000
metres

592,000 mE
593,000 mE
594,000 mE
595,000 mE
596,000 mE
597,000 mE
598,000 mE
599,000 mE

7,123,000 mN
7,122,000 mN
7,121,000 mN
7,120,000 mN
7,119,000 mN





CC115205
CC115204
CC115203
CC115202
CC115201
CC129800
CC129799
CC129798
CC129797
CC129796
CC129795
CC129794
CC129793
CC129792
CC129791
CC129790
CC129789
CC129788
CC129777
CC129776
CC129775
CC129774
CC129773
CC115351
CC115350
CC115349
CC115348
CC115347
CC115343
CC115342
CC115341
CC115346
CC115344
CC115345
CC115340
CC115338
CC115337
CC129942
CC129943
CC129944
CC129512
CC129945
CC129946
CC129947
CC129948
CC129949
CC129950
CC129951
CC129952
CC129953
CC129954
CC129955
CC129956
CC129957
CC115352
CC115353
CC115354
CC115355
CC115356
CC115357
CC115358

Property Boundary

ATAC RESOURCES LTD.

FIGURE 54
ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

TRENT NORTH SILT SAMPLE LOCATIONS 2

Rackla Gold Project - Rackla Gold Property

Scale: 1:20000 Projection: UTM Zone 8 (NAD 83)

FILE:N\....Figures\Workspaces\TrentNorth2_SLT.WOR

0 250 500 1000
metres

596,000 mE | 597,000 mE | 598,000 mE | 599,000 mE | 600,000 mE | 601,000 mE | 602,000 mE | 603,000 mE

7,121,000 mN | 7,120,000 mN | 7,119,000 mN | 7,118,000 mN | 7,117,000 mN

N M

23.2°

Property Boundary

100 km

LOCATION OF FIGURE RELATIVE TO CLAIM BLOCK

CC129942 CC129943 CC129944 CC129945 CC129512 CC129946 CC129947 CC129948 CC129949 CC129950 CC129951 CC129952 CC129953 CC129954 CC129955 CC129956 CC129957

CC129958 CC129959 CC129960 CC129964 CC129961 CC129963 CC129962 CC129965 CC129966 CC129967 CC129968 CC129969 CC129970

CC115359 CC115360 CC115361 CC115362 CC115363 CC115364 CC115365 CC115367 CC115366

CC129291 CC129290 CC129280 CC129279 CC129281 CC129289 CC129278 CC129277 CC129282 CC129276 CC129283 CC129284 CC129285 CC129275 CC129274 CC129273 CC129271 CC129270 CC129272 CC129269 CC129268 CC129267 CC129265 CC129266

CC115931 CC115930 CC115932 CC115935 CC115933 CC115934 CC115929 CC115928 CC115927 CC115926 CC115925

CC115936 CC115937 CC115938 CC115939 CC115940 CC115941

ATAC RESOURCES LTD.

FIGURE 55
ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

PYRAMID SILT SAMPLE LOCATIONS 1

Rackla Gold Project - Rackla Gold Property

Scale: 1:20000 Projection: UTM Zone 8 (NAD 83)

FILE:N\....Figures\Workspaces\Pyramid1_SLT.WOR

0 250 500 1000

metres

604,000 mE 605,000 mE 606,000 mE 607,000 mE 608,000 mE 609,000 mE 610,000 mE 611,000 mE

7,121,000 mN 7,120,000 mN 7,119,000 mN 7,118,000 mN 7,117,000 mN

N M

23.2°

100 km

LOCATION OF FIGURE RELATIVE TO CLAIM BLOCK

Property Boundary

CC115984 CC115980 CC115981 CC115985 CC115982 CC115986 CC115983 CC115979 CC115987 CC115978 CC115977 CC115988 CC115976 CC115975 CC115989 CC115974 CC115990 CC115973 CC115972 CC115971 CC115970

CC129316 CC129317 CC129318 CC129319 CC129320 CC129321 CC129322 CC129327 CC129326 CC129323 CC129325 CC129324 CC129328 CC129329 CC129330 CC129332 CC129331 CC129333 CC129334 CC129335 CC129336

CC129150 CC129149 CC129148 CC129147 CC129146 CC129145 CC129144 CC129143 CC129142 CC129141 CC129140 CC129139 CC129138 CC129137 CC129136 CC129134 CC129135 CC129133 CC129132 CC129131

CC129288 CC129287 CC129286

CC128837 CC128836 CC128835 CC128838 CC128834 CC128839 CC128840 CC128833 CC128841 CC128842 CC128832 CC128831 CC128843 CC128844 CC128845 CC128829 CC128830 CC128846 CC128828 CC128847

ATAC RESOURCES LTD.

FIGURE 56
ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

PYRAMID SILT SAMPLE LOCATIONS 2

Rackla Gold Project - Rackla Gold Property

Scale: 1:20000 Projection: UTM Zone 8 (NAD 83)

FILE:N\....Figures\Workspaces\Pyramid2_SLT.WOR

0 250 500 1000

metres

610,000 mE | 611,000 mE | 612,000 mE | 613,000 mE | 614,000 mE | 615,000 mE | 616,000 mE

7,117,000 mN | 7,116,000 mN | 7,115,000 mN | 7,114,000 mN | 7,113,000 mN

N

23.2°



LOCATION OF FIGURE RELATIVE TO CLAIM BLOCK

EB01
CC126785
CC126786
CC126787
CC126788
CC126789
CC126790
CC126791
CC126792
CC126793
CC126794
CC126795
CC126796
CC126797
CC126798
CC126799
CC126800
CC127727
CC127728
CC127729
CC127730
CC127731
CC127732
CC127733
CC127734
CC127735
CC127736
CC127737
CC127738
CC127739
CC127740
CC127741
CC127901
CC127902
CC127903
CC127904
CC128476
CC128477
CC128478
CC128479
CC128480
CC128481
CC128482
CC128483
CC128484
CC128486
CC128487
CC128488
CC128489
CC128490
CC128491
CC128492
CC128493
CC128813
CC128814
CC128815
CC128816
CC128817
CC128818
CC128819
CC128820
CC128821
CC128822
CC128823
CC128824
CC128825
CC128826
CC128827

ATAC RESOURCES LTD.

FIGURE 57
ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

PYRAMID SILT SAMPLE LOCATIONS 3

Rackla Gold Project - Rackla Gold Property

Scale: 1:20000 Projection: UTM Zone 8 (NAD 83)

FILE:N\....Figures\Workspaces\Pyramid3_SLT.WOR

0 500 250 1000

metres

N

23.2°

CC126786

CC126785

CC127999

CC128000

CC128701

CC128702

CC128703

CC128704

CC128705

CC129727

CC129728

CC129729

CC129730

CC128711

CC128712

CC128713

CC128714

CC128715

CC128716

CC128717

CC128718

CC128719

CC128720

CC128506

CC128505

CC128504

CC128503

CC128502

CC128501

CC128507

CC128508

CC127800

CC127799

100 km

LOCATION OF FIGURE RELATIVE TO CLAIM BLOCK

ATAC RESOURCES LTD.

FIGURE 58
ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

PYRAMID SOUTH SILT SAMPLE LOCATIONS

Rackla Gold Project - Rackla Gold Property

Scale: 1:20000 Projection: UTM Zone 8 (NAD 83)

FILE:N\....Figures\Workspaces\PyramidSouth_SLT.WOR

0 500 250 1000

metres

618,000 mE
619,000 mE
620,000 mE
621,000 mE
622,000 mE
623,000 mE
624,000 mE
625,000 mE

7,112,000 mN
7,111,000 mN
7,110,000 mN
7,109,000 mN
7,108,000 mN

N
M
23.2°

CC127798
CC127797
CC127796
CC127795
CC127794
CC127793
CC127792
CC127937
CC127936
CC128137
CC128138
CC128140
CC128139
CC128141
CC128142
CC128143
CC128144
CC128145
CC128146
CC128147
CC128148
CC128149
CC128150
CC128151
CC128152
CC128153
CC128154
CC128155
CC72231
CC72230
CC72229
CC72228
CC72227
CC72226
CC72224
CC72223
CC128180
CC128181
CC128182
CC128183
CC128184
CC128185
CC128186
CC128187
CC128188
CC128189
CC128190
CC128191
CC128192
CC128193
CC128194
CC128195
CC128196
CC128197
CC128198
CC128199
CC128200
CC128157
CC128158
CC128159
CC128160
CC128161
CC128162
CC128163
CC128164
CC128165
CC128166
CC128167
CC128168
CC128169
CC128170
CC128171
CC128172
CC128173
CC128174
CC128175
CC128176
CC128177
CC128178
CC128179
CC128122
CC128123
CC128124
CC128125
CC128126
CC128127
CC128128
CC128129
CC128130

Property Boundary

100 km
LOCATION OF FIGURE RELATIVE TO CLAIM BLOCK

ATAC RESOURCES LTD.

FIGURE 59
ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

DALE SOUTH SILT SAMPLE LOCATIONS

Rackla Gold Project - Rackla Gold Property

Scale: 1:20000 Projection: UTM Zone 8 (NAD 83)

FILE:N\....Figures\Workspaces\DaleSouth_SLT.WOR

0 250 500 1000
metres

ATAC RESOURCES LTD.

FIGURE 60
ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

DALE SILT SAMPLE LOCATIONS

Rackla Gold Project - Rackla Gold Property

Scale: 1:20000 Projection: UTM Zone 8 (NAD 83)

FILE:N\....Figures\Workspaces\Dale_SLT.WOR

0 500 250 1000
metres





Property Boundary

619,000 mE
620,000 mE
621,000 mE
622,000 mE
623,000 mE

7,119,000 mN
7,118,000 mN
7,117,000 mN
7,116,000 mN
7,115,000 mN
7,114,000 mN
7,113,000 mN
112,000 mN

CC127920
CC127919
CC127918
CC127917
CC127916
CC127915
CC127914
CC127913
CC127912
CC127909
CC127908
CC127907
CC127910
CC127906
CC127911
CC127905
CC127900
CC127899
CC127898
CC127897
CC127896
CC127895
CC127894
CC127893
CC127892
CC127891
CC127890
CC127889
CC127888
CC127887
CC127886
CC127885
CC127884
CC127883
CC127882
CC127881
CC127880
CC127879
CC127878
CC127877
CC127876
CC127875
CC127874
CC127873
CC127872
CC128135
CC128132
CC128133
CC128134
CC128136
CC128137
CC128138
CC128140
CC128139
CC128141
CC128142
CC128144
CC128143
CC128145
CC128146
CC127760
CC127759
CC127758
CC127757
CC127756
CC127755
CC127754
CC127753
CC127752
CC127750
CC127751
CC127749
CC127748
CC127747
CC127746
CC127745
CC127744
CC127743
CC127742
CC128180
CC128181
CC127963
CC127962
CC127961
CC127960
CC127959
CC127958
CC127957
CC127956
CC127955
CC127954
CC127953
CC127952
CC127951
CC127950
CC127949
CC127948
CC127947
CC127946
CC127945
CC127944
CC127943
CC127942

ATAC RESOURCES LTD.

FIGURE 61
ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

DALE EAST SILT SAMPLE LOCATIONS

Rackla Gold Project - Rackla Gold Property

Scale: 1:20000 Projection: UTM Zone 8 (NAD 83)

FILE:N\....Figures\Workspaces\DaleEAST_SLT.WOR

0 500 250 1000
metres





624,000 mE
625,000 mE
626,000 mE
627,000 mE
628,000 mE
7,119,000 mN
7,118,000 mN
7,117,000 mN
7,116,000 mN
7,115,000 mN
7,114,000 mN
7,113,000 mN

Property Boundary

CC128119
CC128120
CC128121
CC127772
CC127770
CC127769
CC127773
CC127768
CC127774
CC127767
CC127775
CC127766
CC127776
CC127765
CC127777
CC127764
CC127778
CC127763
CC127779
CC127762
CC127780
CC127761
CC127781
CC127782
CC127783
CC127784
CC127785
CC127787
CC127788
CC127789
CC127790
CC127791
CC127941
CC127940
CC127939
CC127938
CC127937
CC127936
CC127935
CC127934
CC127933
CC127932
CC127931
CC127930
CC127929
CC127928
CC127927
CC127926
CC127925
CC127924
CC127923
CC127922
CC127921
CC142751
CC142750
CC142749
CC142748
CC142752
CC142753
CC142754
CC142755
CC148294
CC148295
CC148296
CC148297
CC148298
CC148299
CC148300
CC148301

629,000 mE | 630,000 mE | 631,000 mE | 632,000 mE | 633,000 mE | 634,000 mE | 635,000 mE | 636,000 mE

7,119,000 mN | 7,118,000 mN | 7,117,000 mN | 7,116,000 mN | 7,115,000 mN

N

23.2°

Property Boundary

CC148277
CC148278
CC148279
CC148280
CC148281
CC148282
CC148283
CC148284
CC148285
CC148291
CC148292
CC148293

CC128795
CC128796
CC128797

CC129101
CC129102
CC129103
CC129104
CC129105
CC129106
CC129107
CC129108
CC129109
CC129110
CC129111
CC129112
CC129113
CC129114
CC129115
CC129116
CC129117
CC129118

CC127523
CC127524
CC127525
CC127526
CC127527
CC128524
CC128525
CC128526
CC128527

100 km

LOCATION OF FIGURE RELATIVE TO CLAIM BLOCK

ATAC RESOURCES LTD.

FIGURE 62
ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

OSIRIS NORTH SILT SAMPLE LOCATIONS

Rackla Gold Project - Rackla Gold Property

Scale: 1:20000 Projection: UTM Zone 8 (NAD 83)

FILE:N\....Figures\Workspaces\Osiris_NorthSLT.WOR

0 250 500 1000

metres

632,000 mE
633,000 mE
634,000 mE
635,000 mE
636,000 mE

7,115,000 mN
7,114,000 mN
7,113,000 mN
7,112,000 mN
7,111,000 mN
7,110,000 mN
7,109,000 mN
7,108,000 mN

N
23.2°

CC127527
CC127526
CC127525
CC127524
CC127523
CC127522
CC127521
CC127520
CC127519
CC127518
CC127517
CC127516
CC127515
CC127514
CC127513
CC127512
CC128527
CC128526
CC128525
CC128524
CC128580
CC128579
CC128578
CC128577
CC128576
CC128575
CC128574
CC128573
CC128572
CC128571
CC128570
CC128569
CC128568
CC128567
CC128565
CC128564
CC128566
CC128563
CC128562
CC128557
CC128559
CC128561
CC128560
CC128556
CC128558
CC128555
CC128919
CC128920
CC128921
CC128922
CC128918
CC128917
CC128916
CC128915
CC128914
CC128913
CC128912
CC128911
CC128909
CC128908
CC128910
CC128907
CC128906
CC128905
CC128904
CC128903
CC129300
CC128901
CC129299
CC128902
CC129298
CC129297
CC129296
CC129295
CC129293
CC129292
CC129294
CC127531
CC127528
CC127529
CC127530
CC148637
CC148636
CC148639
CC148638
CC148640
CC148635
CC148641
CC148633
CC148634
CC128537
CC128535
CC128532
CC128533
CC128534
CC128536
CC128531
CC128530
CC128529
CC128528

Property Boundary

100 km
LOCATION OF FIGURE RELATIVE TO CLAIM BLOCK

ATAC RESOURCES LTD.

FIGURE 63
ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

OSIRIS EAST SILT SAMPLE LOCATIONS

Rackla Gold Project - Rackla Gold Property

Scale: 1:20000 Projection: UTM Zone 8 (NAD 83)

FILE:N\....Figures\Workspaces\Osiris_EastSLT.WOR

0 250 500 1000
metres

ATAC RESOURCES LTD.

FIGURE 64
ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

BIRKELAND WEST SILT SAMPLE LOCATIONS

Rackla Gold Project - Rackla Gold Property

Scale: 1:20000 Projection: UTM Zone 8 (NAD 83)

FILE:N\....Figures\Workspaces\Birkeland_WestSLT.WOR

0 250 500 1000
metres

N M
23.2°

637,000 mE 638,000 mE 639,000 mE 640,000 mE 641,000 mE

7,116,000 mN 7,115,000 mN 7,114,000 mN 7,113,000 mN 7,112,000 mN 7,111,000 mN 7,110,000 mN

CC129121 CC129122 CC129123 CC129124 CC129125 CC129126 CC127991 CC127992 CC129128 CC129127 CC127993 CC129129 CC127994 CC129130 CC127995 CC127996 CC127998 CC127997 CC128509 CC128510 CC128511 CC128512 CC128513 CC128514 CC128515 CC128516 CC128517 CC128518 CC128519 CC128520 CC128521 CC128522 CC128523 CC127986 CC127987 CC127988 CC127989 CC127990 CC127985 CC127982 CC127981 CC127983 CC127984

CC115746 CC115745 CC115747 CC148792 CC148796 CC148793 CC148797 CC148794 CC148798 CC148799 CC148795 CC148791 CC148790 CC148789 CC148788 CC148787 CC148786 CC148785 CC148689 CC148784 CC148690 CC148783 CC148691 CC148782 CC148692 CC148781 CC148693 CC148780 CC148694 CC148779 CC148778 CC148695 CC148777 CC148696 CC148697 CC148698 CC148642 CC148699 CC148646 CC148643 CC148644 CC148647 CC148645 CC148648 CC148649 CC148650 CC148501 CC148502 CC148503 CC148504 CC148505

CC148732 CC148733 CC148731 CC148730 CC148734 CC148737 CC148735 CC148738 CC148736 CC148739 CC148729 CC148728 CC148727 CC148726 CC148725 CC148724 CC148723 CC148722

LOCATION OF FIGURE RELATIVE TO CLAIM BLOCK
100 km

ATAC RESOURCES LTD.

FIGURE 65
ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

BIRKELAND WEST SILT SAMPLE LOCATIONS 2

Rackla Gold Project - Rackla Gold Property

Scale: 1:20000 Projection: UTM Zone 8 (NAD 83)

FILE:N\....Figures\Workspaces\Birkeland_West2SLT.WOR

0 250 500 1000
metres

642,000 mE
643,000 mE
644,000 mE
645,000 mE
646,000 mE

7,117,000 mN
7,116,000 mN
7,115,000 mN
7,114,000 mN
7,113,000 mN
7,112,000 mN
7,111,000 mN
7,110,000 mN

CC129119
CC129124
CC129125
CC129126
CC127991
CC127990
CC127992
CC129128
CC129127
CC127993
CC129129
CC127994
CC129130
CC127995
CC129660
CC129659
CC129658
CC129657
CC129655
CC129652
CC129653
CC129654
CC129656
CC129651
CC129650
CC129649
CC129648
CC129646
CC129645
CC129647
CC129644
CC129641
CC129640
CC129639
CC129643
CC129642
CC129638
CC129635
CC129636
CC129634
CC129637
CC115647
CC129801
CC115648
CC129802
CC115649
CC129803
CC129804
CC129805
CC115885
CC115886
CC115959
CC115887
CC115960
CC115888
CC115889
CC115890
CC115961
CC115891
CC115892
CC115895
CC115893
CC115894
CC115896
CC115401
CC115402
CC115404
CC115403
CC115407
CC115405
CC115409
CC115406
CC115897
CC115302
CC115410
CC115898
CC115899
CC115900
CC115301
CC115411
CC115412
CC148738
CC148739
CC148740
CC148741
CC148742
CC148743
CC148744
CC148745

N
23.2°

Property Boundary

100 km
LOCATION OF FIGURE RELATIVE TO CLAIM BLOCK

646,000 mE
647,000 mE
648,000 mE
649,000 mE
650,000 mE
7,116,000 mN
7,115,000 mN
7,114,000 mN
7,113,000 mN
7,112,000 mN
7,111,000 mN
7,110,000 mN
7,109,000 mN
CC115863
CC115864
CC115865
CC115866
CC115867
CC115868
CC115869
CC115870
CC115871
CC115872
CC115874
CC115875
CC115876
CC129906
CC129907
CC129683
CC129908
CC129909
CC129910
CC129911
CC129824
CC129823
CC129822
CC129821
CC129820
CC129819
CC129818
CC129817
CC129816
CC129815
CC129814
CC129813
CC129812
CC129811
CC129810
CC129809
CC129808
CC129807
CC129806
CC129805
CC129804
CC129803
CC115649
CC129802
CC115648
CC129801
CC115647
CC115959
CC115960
CC115961
CC115962
CC115963
CC115964
CC115965
CC115966
CC115967
CC115968
CC115969
CC129685
CC129686
CC129687
CC129688
CC129689
CC129690
CC129691
CC129692
CC129693
CC129694
CC129695
CC129696
CC129697
CC129698
CC129699
CC129700
CC129314
CC129315
CC115401
CC115402
CC115403
CC115404
CC115405
CC115406
CC115407
CC115408
CC129684
CC115409
CC115410
CC115411
CC115412
Property Boundary
N
M
23.2°
100 km
LOCATION OF FIGURE RELATIVE TO CLAIM BLOCK

ATAC RESOURCES LTD.

FIGURE 66
ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

BIRKELAND SOUTH SILT SAMPLE LOCATIONS

Rackla Gold Project - Rackla Gold Property

Scale: 1:20000 Projection: UTM Zone 8 (NAD 83)

FILE:N\....Figures\Workspaces\Birkeland_SouthSLT.WOR

0 250 500 1000
metres

646,000 mE 647,000 mE 648,000 mE 649,000 mE 650,000 mE

7,123,000 mN
7,122,000 mN
7,121,000 mN
7,120,000 mN
7,119,000 mN
7,118,000 mN
7,117,000 mN
7,116,000 mN

N

23.2°

100 km

LOCATION OF FIGURE RELATIVE TO CLAIM BLOCK

ATAC RESOURCES LTD.

FIGURE 67
ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

BIRKELAND NORTH SILT SAMPLE LOCATIONS

Rackla Gold Project - Rackla Gold Property

Scale: 1:20000 Projection: UTM Zone 8 (NAD 83)

FILE:N\....Figures\Workspaces\Birkeland_NorthSLT.WOR

0 250 500 1000
metres

Property Boundary

CC129661 CC129662 CC129663 CC129664 CC129665 CC129666 CC129667 CC129668 CC129669 CC129670 CC129671 CC129672 CC129673 CC129674 CC129675 CC129676 CC129677 CC129678 CC129679 CC129680 CC129681 CC129682 CC129683 CC129701 CC129702 CC129904 CC129905 CC129906 CC129907 CC129908 CC129909 CC129910 CC129911

CC115942 CC115943 CC115944 CC115945 CC115946 CC115947 CC115948 CC115949 CC115950 CC115951 CC115952 CC115953 CC115954 CC115955 CC115956 CC115957 CC115958 CC115795 CC115796 CC115797 CC115798 CC115799 CC115800 CC115794 CC115793 CC115792 CC115791 CC115786 CC115787 CC115788 CC115789 CC115790 CC115863 CC115864 CC115865 CC115866 CC115867 CC115868 CC115869 CC115870 CC115871 CC115872 CC115873 CC115874 CC115875 CC115876 CC115877 CC115878 CC115879 CC115880 CC115881 CC115882 CC115883 CC115884



ATAC RESOURCES LTD.

FIGURE 68
ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

BIRKELAND ROCK SAMPLE LOCATIONS

Rackla Gold Project - Rackla Gold Property

Scale: 1:50000 Projection: UTM Zone 8 (NAD 83)

FILE:N:\....Figures\Workspaces\Birkeland_Rocks.WOR

0 1.5 3

kilometres



ATAC RESOURCES LTD.

FIGURE 69
ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

PHAROAH AREA ROCK SAMPLE LOCATIONS

Rackla Gold Project - Rackla Gold Property

Scale: 1:50000 Projection: UTM Zone 8 (NAD 83)

FILE:N:\....Figures\Workspaces\Pharoah_Rocks.WOR

0 1.5 3

kilometres



ATAC RESOURCES LTD.

FIGURE 70
ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

OSIRIS EAST ROCK SAMPLE LOCATIONS

Rackla Gold Project - Rackla Gold Property

Scale: 1:50000 Projection: UTM Zone 8 (NAD 83)

FILE:N:\....Figures\Workspaces\OsirisEast_Rocks.WOR

0 1.5 3

kilometres



ATAC RESOURCES LTD.

FIGURE 71
ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

PYRAMID AREA ROCK SAMPLE LOCATIONS

Rackla Gold Project - Rackla Gold Property

Scale: 1:50000 Projection: UTM Zone 8 (NAD 83)

FILE:N:\....Figures\Workspaces\Pyramid_Area.WOR

0 1.5 3

kilometres



ATAC RESOURCES LTD.

FIGURE 72
ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

TRENT AREA ROCK SAMPLE LOCATIONS

Rackla Gold Project - Rackla Gold Property

Scale: 1:50000 Projection: UTM Zone 8 (NAD 83)

FILE:N:\....Figures\Workspaces\Trent_AreaRK.WOR

0 1.5 3

kilometres



ATAC RESOURCES LTD.

FIGURE 73

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

CRAG NORTH AREA ROCK SAMPLE LOCATIONS

Rackla Gold Project - Rackla Gold Property

Scale: 1:50000 Projection: UTM Zone 8 (NAD 83)

FILE:N:\....Figures\Workspaces\Crag_AreaRK.WOR

0 1.5 3

kilometres



ATAC RESOURCES LTD.

FIGURE 74
ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

EDINA AREA ROCK SAMPLE LOCATIONS

Rackla Gold Project - Rackla Gold Property

Scale: 1:50000 Projection: UTM Zone 8 (NAD 83)

FILE:N:\....Figures\Workspaces\Edina_AreaRK.WOR

0 1.5 3

kilometres



ATAC RESOURCES LTD.

FIGURE 75
ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

BLUE LITE ROCK SAMPLE LOCATIONS

Rackla Gold Project - Rackla Gold Property

Scale: 1:50000 Projection: UTM Zone 8 (NAD 83)

FILE:N:\....Figures\Workspaces\BlueLite_AreaRK.WOR

0 1.5 3

kilometres


492,000 mE
494,000 mE
496,000 mE
498,000 mE
500,000 mE
7,144,000 mN
7,142,000 mN
7,140,000 mN
7,138,000 mN
7,136,000 mN
7,134,000 mN
ATAC RESOURCES LTD.
FIGURE 76
ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
CHESHIRE ROCK SAMPLE LOCATIONS
Rackla Gold Project - Rackla Gold Property
Scale: 1:50000
Projection: UTM Zone 8 (NAD 83)
FILE:N:\....Figures\Workspaces\BlueLite_AreaRK.WOR
0
1.5
3
kilometres
N
23.2°
I357428
I357429
Property Boundary
100 km
LOCATION OF FIGURE RELATIVE TO CLAIM BLOCK

HERITAGE RESOURCES OVERVIEW ASSESSMENT STUDY

During the spring and summer, Matrix Resources Ltd. prepared and conducted a preliminary study of the Rackla Gold project to determine heritage potential of the area, assess the degrees of impact on any identified heritage resources and provide management recommendations. The entire claim block was classified into zones of heritage resources potential with moderate and high potential zones inspected on foot for above-ground heritage resources and, if deemed necessary, shovel testing to identify below-ground heritage resources. A copy of this report appears in Appendix V.

DISCUSSION AND CONCLUSIONS

Results from the 2011 regional program conducted on the Rackla Gold property have characterized multiple areas of interest that may prove favourable hosts to gold mineralization. Comprehensive sampling coupled with detailed geologic mapping has illustrated areas that share features associated with gold mineralization on both the west and west ends of the property.

Detailed analysis of geochemical results and inversion studies utilizing known gold occurrences has provided an in depth understanding of the geochemical signatures and halos found in the surficial environment that are associated with gold mineralization at depth. Knowledge of trace element fractionation in an oxidizing, alkaline environment dominated by low sulphidation mineralization and carbonate bedrock is essential when interpreting and prioritizing results from silt and soil samples. Utilizing the knowledge obtained from known gold occurrences is also key when searching for undiscovered mineralization. The structural, and stratigraphic settings associated with the gold mineralization on the Rackla Gold property are likely examples of features on a regional scale that are associated with other, currently undiscovered gold occurrences. High density soil and silt sampling, coupled with detailed geochemical analysis and inversion techniques, when viewed in a regional scale structural and stratigraphic context will result in the highest likelihood of further gold discovery.

The majority of the Rackla Gold property has experienced some degree of representative sampling. High priority areas for follow up in 2012 have been characterized in terms of favourable geochemistry and geology. It is likely that other, undiscovered gold occurrences within the Racka Gold Property will occur at depth and have a relatively subdued surface signature. The Osiris Zone within the Nadaleen Trend and the Tiger Zone within the Rau Trend are near surface gold occurrences with strong geochemical signatures. Remote sensing data collected in 2011 has resulted in the delineation of the surfaces traces of structures that may be associated with gold mineralization. Further exploration techniques should focus on the coincident presence of favourable indicator elements >90th percentile occurring in association with structural features and stratigraphic settings that appear favourable to facilitating auriferous fluid transport as well as gold deposition.

Respectfully submitted,

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

Jordan McDivitt, B.Sc., GIT

REFERENCES

Birkeland, A.O.,
1978 Mcintyre Mines Ltd, Apr/78. Assessment Report *#090309

Blusson, S.
1974 Drafts of five geological maps of northern Selwyn basin (Operation Stewart), Yukon and District of Mackenzie, N.W.T. (includes NTS 106A, B, C and 105N, O). Geological Survey of Canada, Open File 205, Scale 1:250,000

Carlyle, L.W.
1989 Assessment Report on the TAF Claims; prepared for Bonventures Ltd.

Cathro, R.J.
1989 Report on Geochemical Sampling at the Now Property, Yukon; prepared for NDU Resources Ltd.

Chakungal, J., Bennett, V.
2010 New bedrock geology of Mount Mervyn map sheet (106C/04) and mineral potential for the South Wernecke mapping project. 2010 Yukon Exploration & Geology. Yukon Geological Survey.

Churchill, S.
1980 Bluelite Assessment Report; Assessment Report filed on behalf of Prism Joint Venture, p. 20.

Cockfield, W.E.
1925 Canada Department of Mines; Summary Report, 1924, Part A; Upper Beaver River Area, May District.

Colpron, M.
2012 Preliminary geological map of Mount Ferrell (106C/3), southern Nadaleen map area. Yukon Geological Survey. Posters - Roundup 2012.

Curry, J.D.
1977 Geochemical survey and preliminary geology for parts of the Eira claim group; prepared for Ortell Syndicate.; Assessment Report #090254.

Deklerk, R. and Traynor, S. (compilers)
2004 Yukon MINFILE 2004 - A database of mineral occurrences; Yukon Geological Survey, CD-ROM.

Deklerk, R. and Traynor, S. (compilers)
2005 Yukon MINFILE – a database of mineral occurrences (Map 106C). Yukon Geological Survey, website).
logical Survey, CD-ROM.

Dewonck, B.
1980 Assessment Report for Dee Claims 1 – 174; prepared for Prism Resources Limited.

Duk-Rodkin, A.
1999 Glacial Limits Map of Yukon Territory; Geological Survey of Canada Open File 3694, Indian and Norther Affainrs Canada Geoscience Map 1999-2, scale 1:1 000 000.

Dumala, M.
2008 Assessment Report Describing Prospecting and Diamond Drilling at the Wau Property; prepared for Yankee Hat Minerals Ltd. and ATAC Resources Ltd.

2009 Assessment Report Describing Geological Mapping, Prospecting, Soil Geochemistry, Diamond Drilling and Geophysical Surveys at the Rau Property; prepared for ATAC Resources Ltd.

2011 Assessment Report Describing Geophysics, Soil Geochemistry and Diamond Drilling at the Rau Property; prepared for ATAC Resources Ltd.

Dumala, M. and Lane, J.
2010 Assessment Report Describing Geological Mapping, Prospecting, Soil Geochemistry and Diamond Drilling at the Rau Property; prepared for ATAC Resources Ltd.

Eaton, W.D. and Panton, B.
2008 Assessment Report Describing Geological Mapping, Prospecting, Soil Geochemistry and Geophysical Surveys at the Rau Property; prepared for ATAC Resources Ltd.

Eaton, S.
2010 Assessment report describing geochemical sampling at the Sten property; prepared for ATAC Resources Ltd. by Archer, Cathro & Associates (1981) Limited.

Gordey, S.P. and Makepeace, A.J. (comp.).
1999 Yukon bedrock geology in Yukon digital geology; Geological Survey of Canada Open File D3826 and Exploration and Geological Services Division, Yukon, Indian and Northern Affairs Canada, Open File 1999-1(D).

Heon, D. (compiler)
2003 Yukon regional geochemical database 2003 – stream sediment analyses. Exploration and Geological Services Division, Yukon Region, Indian and Northern Affairs Canada.

Hilker, R.G.
1969 Property Evaluation Report on the Jet Claim Group; Prepared for Mr. P. Versluce.

Hornbrook, E.H.W., Friske, P.W.B., Lynch, J.J., McCurdy, M.W., Gross, H., Galletta, A.C. and Durham, C.C.
1990 National Geochemical Reconnaissance Stream Sediment and Water Geochemical Data, East Central Yukon (106D, parts of 106C, 106E and 106F); GSC Open File 2175.

Johnson, A. A. and Richardson, J.
1969a Geological and Geochemical Report on the Beaver A Group and Beaver B Group of Mineral Claims.
1969b Geochemical Report on the Won "A" Group of Mineral Claims

Lane, J.
2011 Assessment report describing the geochemical sampling, geological mapping, diamond drilling and geophysical surverys at the Nadaleen Trend Project, Rackla Gold Property; Prepared for ATAC Resources Ltd. by Archer, Cathro & Associates (1981) Limited.

MacDonald, Francis A., Halverson, Galen P., Schmitz, Mark D., Crowley, J.L., Cox, Grant, Smith, Emily F., Strauss, Justin V., and Roots, Charles F.
2010 Timing and Geometry of the Multi-stage Breakup of Rodinia in the Yukon. (Abs). Paper No. 263-2. 2010 GSA Annual Meeting.

Montgomery, J.H and Cavey, G.
1978 Assessment Report for El 1-70 Claims, prepared for Prism Resources Limited.

Montgomery, J.H and Dewonck B.
1978 Assessment Report for Dee Claims 1-48; prepared for Prism Resources Limited.

Prism Joint Venture
1979a Assessment Report for Dee Claims 1 – 174; prepared for Prism Resources Limited.
1979b Assessment Report for Kathy Claims 1 – 8; prepared for Prism Resources Limited.

Shearer, J.T.
1975 Mcintyre Mines Ltd, Assessment Report *#090080

Sivertz, G.
1979 Assessment Report: Geology of the Silver Hawk Claims; prepared for Prism Resources Limited.
1980 Assessment Report: Geology of the Silver Hawk Claims; prepared for Prism Resources Limited.

Stroshein, R.W., Giroux, G.H., and Wengzynowski, W.A.
2011 Technical report using national instrument 43-101 guidlines for the preparation of the Tiger Zone mineral resource estimate; prepared for ATAC Resources Ltd.

Thompson, I.S.
1977 Geochemical report on Black 1-32 and Ida 1-32 claims; prepared for Dejour Mines Ltd.; Assessment Report #090255.

Turner, Elizabeth C.
2011 Lithostratigraphy of the Osiris Area. Report to ATAC Resources, August 26, 2011.

APPENDIX I

STATEMENT OF QUALIFICATIONS

STATEMENT OF QUALIFICATIONS

I, Jordan McDivitt, geologist, with a business address in Whitehorse, Yukon Territory and Vancouver, British Columbia and residential address in Vancouver, British Columbia, hereby certify that:

1. I graduated from the University of British Columbia in 2011 with a B.Sc. Honours in Earth and Environmental Science.

2. From 2010 to present, I have been actively engaged in mineral exploration in the Yukon Territory.

3. I am a Geoscientist in Training (GIT) with the Association of Professional Engineers and Geoscientists of British Columbia (Member Number 159033).

4. I have personally participated in the field work reported herein and have interpreted data resulting from this work.

Jordan McDivitt, B.Sc., GIT

APPENDIX II

SAMPLING AND ANALYTICAL PROCEDURES

2011 Rock Geochemical Samples

Rock geochemical sample sites on the property were marked with orange flagging tape labelled with the sample number. The location of each sample was determined using a handheld GPS unit. The rock samples were submitted to ALS in Whitehorse, Yukon where they were dried and fine crushed to 70% passing 2 mm. A 250 g split of the crushed material was then pulverized to better than 85% passing 75 microns. Separate splits of the pulverized fraction were analyzed for gold by fire assay and atomic absorption spectroscopy (Au-AA26) and for 49 other elements using a four acid near total digestion technique (ME-MS61m) at ALS in North Vancouver, British Columbia. Mercury was analyzed for using HG-CV41 methods by aqua regia digestion and atomic adsorption spectroscopy. Rock sample descriptions are presented in Appendix III.

2011 Soil Geochemical Samples

Soil sample types ranged from grid samples taken at lines along a constant bearing, to contour and ridge and spur samples targeting constant elevations and high elevations respectively. Soil samples were taken using an auger, targeting `C` horizon soils below organic cover; sample depths ranging from 10-90cm dependent on local soil development, vegetation and frozen ground conditions. Samples were placed in kraft soil sample bags, and sample sites were flagged and marked with stakes etched with assay tag number, line or point number and grid name. The soil samples were sent to ALS Chemex, where they were dried and screened to 180 microns. Soils samples were sent for 51 element, aqua regia digestion using ICP-MS and ICP-AES assay analysis (ME-MS41). Gold values in soils were determined using 25 gram, trace level aqua regia extraction, ICP-MS assay analysis (Au-TL43)

2011 Silt Geochemical Samples

Silt samples were taken from in-stream silt-rich sediment or from silty accumulation within the roots of overhanging moss at the creek edge where stream conditions did not allow for sufficient silt build-up. Flagging marked with the assay sample number was used to mark silt sample locations. The stream sediment samples were sent to ALS, where they were dried, screened to 180 microns, dissolved in aqua regia solution and then analyzed for 51 elements using an aqua regia digestion and a combination of ICP-MS and ICP-AES for analysis (ME-MS41). Gold in silt samples was analysed for using a 25 gram, trace level aqua regia extraction, ICP-MS assay technique (Au-ST43).

APPENDIX III

ROCK SAMPLE DESCRIPTION FORMS

Rock Sample Descriptions Project: Atac Resources - Rackla Trend Property: 2011 Regional Exploration

Sample Number:	Grid East:	E	Grid North:	N	Type:	Dimension:
I357351	UTM: 608087 E		UTM: 7115218 N		Sample Width: Grab	Abundance:
	Elevation: 1148 m					

Comments: Light grey, non-fossiliferous, thin bedded to laminated dusty limestone with minor fe-ox

Sample Number:	Grid East:	E	Grid North:	N	Type:	Dimension:
I357352	UTM: 608087 E		UTM: 7115218 N		Sample Width: Grab	Abundance:
	Elevation: 1148 m					

Comments: Light grey, non-fossiliferous, thin bedded to laminated dusty limestone with minor fe-ox

Sample Number:	Grid East:	E	Grid North:	N	Type:	Dimension:
I357353	UTM: 608121 E		UTM: 7115186 N		Sample Width: Grab	Abundance:
	Elevation: 1150 m					

Comments: Light grey, non-fossiliferous, thin bedded to laminated dusty limestone with minor fe-ox

Sample Number:	Grid East:	E	Grid North:	N	Type:	Dimension:
I357354	UTM: 608121 E		UTM: 7115186 N		Sample Width: Grab	Abundance:
	Elevation: 1150 m					

Comments: Light grey, non-fossiliferous, thin bedded to laminated dusty limestone with minor fe-ox

Sample Number:	Grid East:	E	Grid North:	N	Type:	Dimension:
I357355	UTM: 608207 E		UTM: 7115161 N		Sample Width: Grab	Abundance:
	Elevation: 1150 m					

Comments: Light grey, non-fossiliferous, thin bedded to laminated dusty limestone with minor fe-ox

Sample Number:	Grid East:	E	Grid North:	N	Type:	Dimension:
I357356	UTM: 608220 E		UTM: 7115163 N		Sample Width: Grab	Abundance:
	Elevation: 1151 m					

Comments: Light grey, non-fossiliferous, thin bedded to laminated dusty limestone with minor fe-ox and trace sooty pyrite

Rock Sample Descriptions Project: Atac Resources - Rackla Trend Property: 2011 Regional Exploration

Sample Number:	Grid East:	E	Grid North:	N	Type:	Dimension:
I357357	UTM: 608154	E	UTM: 7115167	N	Sample Width: Grab	Abundance:
	Elevation: 1150	m				

Comments: Light grey, non-fossiliferous, thin bedded to laminated dusty limestone with minor fe-ox

Sample Number:	Grid East:	E	Grid North:	N	Type:	Dimension:
I357358	UTM: 619046	E	UTM: 7115642	N	Sample Width: Grab	Abundance:
	Elevation: 1544	m				

Comments: Thin bedded limestone with fe-carb veinlets and fe-ox on fcts

Sample Number:	Grid East:	E	Grid North:	N	Type:	Dimension:
I357359	UTM: 619003	E	UTM: 7115690	N	Sample Width: Grab	Abundance:
	Elevation: 1555	m				

Comments: Light grey thin-bedded, laminated limestone with calcite and fe-ox veinlets and stockwork

Sample Number:	Grid East:	E	Grid North:	N	Type:	Dimension:
I357360	UTM: 619552	E	UTM: 7115332	N	Sample Width: Grab	Abundance:
	Elevation: 1464	m				

Comments: Debris flow (limestome) with fe-ox stained matrix and fct-fill

Sample Number:	Grid East:	E	Grid North:	N	Type:	Dimension:
I357361	UTM: 619530	E	UTM: 7115358	N	Sample Width: Grab	Abundance:
	Elevation: 1470	m				

Comments: Debris flow (limestome) with tan-org fe-ox stained matrix and fcts

Sample Number:	Grid East:	E	Grid North:	N	Type:	Dimension:
I357362	UTM: 619563	E	UTM: 7115121	N	Sample Width: Grab	Abundance:
	Elevation: 1396	m				

Comments: Debris flow (limestone) with intensely fe-oxidized yellow-orange matrix

Sample Number:	Grid East:	E	Grid North:	N	Type:	Dimension:
I357363	UTM: 619563	E UTM: 7115121	N	Sample Width: Grab		Abundance:
	Elevation: 1396	m				

Comments: Debris flow (limestone) with intensely fe-oxidized yellow-orange matrix

Sample Number:	Grid East:	E	Grid North:	N	Type:	Dimension:
I357364	UTM: 619580	E UTM: 7115119	N	Sample Width: Grab		Abundance:
	Elevation: 1404	m				

Comments: Debris flow (limestone) with intensely fe-oxidized yellow-orange matrix

Sample Number:	Grid East:	E	Grid North:	N	Type:	Dimension:
I357365	UTM: 619580	E UTM: 7115119	N	Sample Width: Grab		Abundance:
	Elevation: 1404	m				

Comments: Debris flow (limestone) with intensely fe-oxidized yellow-orange matrix

Sample Number:	Grid East:	E	Grid North:	N	Type:	Dimension:
I357366	UTM: 619406	E UTM: 7115131	N	Sample Width: Grab		Abundance:
	Elevation: 1415	m				

Comments: Fe-oxide stained gritty limestone unit

Sample Number:	Grid East:	E	Grid North:	N	Type:	Dimension:
I357367	UTM: 618099	E UTM: 7113363	N	Sample Width: Grab		Abundance:
	Elevation: 1394	m				

Comments: Calcite vugs/veins and feo-ox veinlets in grey-pink limestone with light grey, slightly dusty weathering

Sample Number:	Grid East:	E	Grid North:	N	Type:	Dimension:
I357368	UTM: 618347	E UTM: 7113210	N	Sample Width: Grab		Abundance:
	Elevation: 1416	m				

Comments: Yellow-organge fe-ox stained, strongly clay altered limestone with fine calcite veinlets

Sample Number:	Grid East:	E	Grid North:	N	Type:	Dimension:
I357369	UTM: 618456	E UTM: 7113071	N	Sample Width: Grab		Abundance:
	Elevation: 1447	m				

Comments: Leached gossan rock - goethite, hematite, liomonite boxworked and leached

Sample Number:	Grid East:	E	Grid North:	N	Type:	Dimension:
I357370	UTM: 618456 E	UTM: 7113071 N	Sample Width:	Float Train	15m	
	Elevation: 1447 m			Grab	Abundance:	

Comments: Leached gossan rock - goethite, hematite, liomonite boxworked and leached

Sample Number:	Grid East:	E	Grid North:	N	Type:	Dimension:
I357371	UTM: 615197 E	UTM: 7113893 N	Sample Width:	Outcrop	30x5m	
	Elevation: 991 m			Grab	Abundance:	

Comments: Light grey weathering dusty limestone with weak fe-ox staining

Sample Number:	Grid East:	E	Grid North:	N	Type:	Dimension:
I357372	UTM: 612251 E	UTM: 7110151 N	Sample Width:	Outcrop	2x5m	
	Elevation: 1471 m			Grab	Abundance:	

Comments: Orange weathering, finally laminated/thin bedded limestone with fe-ox veinlets and fct fill

Sample Number:	Grid East:	E	Grid North:	N	Type:	Dimension:
I357373	UTM: 612260 E	UTM: 7110160 N	Sample Width:	Outcrop	2x5m	
	Elevation: 1471 m			Grab	Abundance:	

Comments: Grey, recrystallized limestone; calcite veinlets, fe-0x vnts and fct fill

Sample Number:	Grid East:	E	Grid North:	N	Type:	Dimension:
I357374	UTM: 612260 E	UTM: 7110160 N	Sample Width:	Outcrop	10x3m	
	Elevation: 1362 m			Grab	Abundance:	

Comments: Dark grey cm to mm bedded dolostone with coarse white dolospar veining; yellow-green oxide; silicified

Sample Number:	Grid East:	E	Grid North:	N	Type:	Dimension:
I357375	UTM: 612260 E	UTM: 7110160 N	Sample Width:	Outcrop	10x3m	
	Elevation: 1362 m			Grab	Abundance:	

Comments: Dark grey cm to mm bedded dolostone with coarse white dolospar veining

Sample Number:	Grid East:	E	Grid North:	N	Type:	Dimension:
					Subcrop	5x1m

I357376 UTM: 612260 E UTM: 7110175 N Sample Width: Grab Abundance:
Elevation: 1362 m
Comments: Light grey limestone with fine quartz grit; yellow-orange feo-ox staining

Sample Number: Grid East: E Grid North: N Type: Old Trench Dimension: 20x2m
I357377 UTM: 609147 E UTM: 7110787 N Sample Width: Grab Abundance:
Elevation: 1575 m
Comments: Old Trenches at Clinker; dolostone with yellow oxide, sphalerite, dusty white coating,

Sample Number: Grid East: E Grid North: N Type: Old Trench Dimension: 20x2m
I357378 UTM: 609147 E UTM: 7110787 N Sample Width: Grab Abundance:
Elevation: 1575 m
Comments: Old Trenches at Clinker; dark grey dolostone with orange oxide, galena, dusty white coating

Sample Number: Grid East: E Grid North: N Type: Old Trench Dimension: 20x2m
I357379 UTM: 609147 E UTM: 7110787 N Sample Width: Grab Abundance:
Elevation: 1575 m
Comments: Old Trenches at Clinker; leached, veined dark grey dolostone with white-yellow oxide and trace galena

Sample Number: Grid East: E Grid North: N Type: Outcrop Dimension: 40x40m
I357380 UTM: 610696 E UTM: 7115828 N Sample Width: Grab Abundance:
Elevation: 1098 m
Comments: Crystalline limestone (possible crinoids?) with intense hematite staining; clay altered and crumbley

Sample Number: Grid East: E Grid North: N Type: Outcrop Dimension: 40x40m
I357381 UTM: 610722 E UTM: 7115841 N Sample Width: Grab Abundance:
Elevation: 1119 m
Comments: Red, silicified, jasperoidal limestone

Sample Number: Grid East: E Grid North: N Type: Outcrop Dimension: 40x40m
I357382 UTM: 610458 E UTM: 7115877 N Sample Width: Grab Abundance:
Elevation: 1091 m
Comments: Light grey, thick bedded limestone; strongly re-crystallized with red-orange feo-ox staining

Sample Number:	Grid East:	E	Grid North:	N	Type:	Dimension:
I357383	UTM: 623845 E	UTM: 7113413 N	Sample Width:	Grab	Outcrop	30x30m
	Elevation: 1542 m					

Comments: Grey lime mudstone with org-yellow fo-ox vnts; recrystallized and calcite veined.

Sample Number:	Grid East:	E	Grid North:	N	Type:	Dimension:
I357384	UTM: 640376 E	UTM: 7118452 N	Sample Width:	Grab	Outcrop	
	Elevation: 1862 m					

Comments: Tan, dusty clay altered (argillitized?) silty limestone with fine calcite veinlets

Sample Number:	Grid East:	E	Grid North:	N	Type:	Dimension:
I357385	UTM: 625914 E	UTM: 7116570 N	Sample Width:	Grab	Float	
	Elevation: m					

Comments: Red, hematite stained, silicified grey limestone

Sample Number:	Grid East:	E	Grid North:	N	Type:	Dimension:
I357386	UTM: 636413 E	UTM: 7117953 N	Sample Width:	Grab	Talus	
	Elevation: 1744 m					

Comments: Grey lime mudstone with fe-carb veinlets and grey dolospar veins

Sample Number:	Grid East:	E	Grid North:	N	Type:	Dimension:
I357387	UTM: 636413 E	UTM: 7117953 N	Sample Width:	Grab	Talus	
	Elevation: 1744 m					

Comments: Black and oraange oxide coating on thin bedded dolostone with grey dolospar veins

Sample Number:	Grid East:	E	Grid North:	N	Type:	Dimension:
I357388	UTM: 622809 E	UTM: 7113431 N	Sample Width:	Grab	Outcrop	10x10m
	Elevation: m					

Comments: Thick orange fe-carb veins in med grey limestone; fine light grey calcite veinlets

Sample Number:	Grid East:	E	Grid North:	N	Type:	Dimension:
I357389	UTM: 622737 E	UTM: 7113574 N	Sample Width:	Grab	Float	

Elevation: m

Comments: Silicified carbonate with thick veins of arsenian pyrite; rusty boulder in creek bed.

Sample Number:	Grid East:	E	Grid North:	N	Type:	Dimension:
I357390	UTM: 634185 E	UTM:	7117861 N	Sample Width:	Grab	Abundance:
	Elevation: 1850 m					

Comments: Intensely calcite veined, intraclastic floatstone with silty limestone matrix; fault zone

Sample Number:	Grid East:	E	Grid North:	N	Type:	Dimension:
I357391	UTM: 608085 E	UTM:	7110816 N	Sample Width:	Grab	Abundance:
	Elevation: m					

Comments: Rusty grey limestone with calcite veining

Sample Number:	Grid East:	E	Grid North:	N	Type:	Dimension:
I357392	UTM: 639556 E	UTM:	7115203 N	Sample Width:	Grab	Abundance:
	Elevation: 1859 m					

Comments: Light tan, dusty rock; weakly dolomitized, near vertical, north trenidng cg grey calcite veins

Sample Number:	Grid East:	E	Grid North:	N	Type:	Dimension:
I357393	UTM: 639556 E	UTM:	7115203 N	Sample Width:	Grab	Abundance:
	Elevation: 1859 m					

Comments: Light tan, dusty rock; weakly dolomitized, near vertical, north trenidng cg grey calcite veins

Sample Number:	Grid East:	E	Grid North:	N	Type:	Dimension:
I357394	UTM: 639442 E	UTM:	7115196 N	Sample Width:	Grab	Abundance:
	Elevation: 1834 m					

Comments: Dark orange-yellow weathering grey recrystallized, dolomotized limestone

Sample Number:	Grid East:	E	Grid North:	N	Type:	Dimension:
I357395	UTM: 641334 E	UTM:	7115785 N	Sample Width:	Grab	Abundance:
	Elevation: m					

Comments: Rusty pyritic siltsone

Sample Number:	Grid East:	E	Grid North:	N	Type:	Dimension:
I357396	UTM: 556214 E	UTM: 7118013 N	Sample Width:	Grab	Abundance:	
	Elevation: 1050 m					

Comments: Galena and honey brown sphalerite as fine-grained aggregates, veins and clots as replacement in carbonate. Trace malachite, pale yellow-green oxide (scordorite?)

Sample Number:	Grid East:	E	Grid North:	N	Type:	Dimension:
I357397	UTM: 556214 E	UTM: 7118013 N	Sample Width:	Grab	Abundance:	
	Elevation: 1050 m					

Comments: Galena and honey brown sphalerite as finegrained banded aggregates as replacement in carbonate and altered mafic intrusive

Sample Number:	Grid East:	E	Grid North:	N	Type:	Dimension:
I357398	UTM: 556214 E	UTM: 7118013 N	Sample Width:	Grab	Abundance:	
	Elevation: 1050 m					

Comments: Dark grey dolostone with white-grey dolospar veins

Sample Number:	Grid East:	E	Grid North:	N	Type:	Dimension:
I357399	UTM: 556263 E	UTM: 7118043 N	Sample Width:	Grab	Abundance:	
	Elevation: 1039 m					

Comments: Fine-grained galena aggregate as clots in altered mafic intrisive. Tan-cream, silicified.

Sample Number:	Grid East:	E	Grid North:	N	Type:	Dimension:
I357400	UTM: 556263 E	UTM: 7118043 N	Sample Width:	Grab	Abundance:	
	Elevation: 1039 m					

Comments: Fine-grained galena aggregate as clots in altered mafic intrisive/vein? Tan-cream, silicified with dark grey coating.

Sample Number:	Grid East:	E	Grid North:	N	Type:	Dimension:
I357401	UTM: 639258 E	UTM: 7115545 N	Sample Width:	Grab	Abundance:	
	Elevation: 1746 m					

Comments: Light tan-cream, dusty altered limestone with fine calc fracture fill

Sample Number:	Grid East:	E	Grid North:	N	Type:	Dimension:
I357402	UTM: 639258 E	UTM: 7115545 N	Sample Width:	Grab	Abundance:	
	Elevation: 1746 m					

Comments: Dark black oxide? coating, fine black laminations in recrystallized silty limestone

Sample Number:	Grid East:	E	Grid North:	N	Type:	Dimension:
I357403	UTM: 639258 E		UTM: 7115545 N		Sample Width: Grab	Abundance:
	Elevation: 1746 m					

Comments: Tan, blached limestone clasts in a calcite vein breccia

Sample Number:	Grid East:	E	Grid North:	N	Type:	Dimension:
I357404	UTM: 639115 E		UTM: 7115615 N		Sample Width: Grab	Abundance:
	Elevation: 1707 m					

Comments: Very rusty org-yellow fe-carb veins in dark grey recrystallized limestone

Sample Number:	Grid East:	E	Grid North:	N	Type:	Dimension:
I357405	UTM: 639435 E		UTM: 7115083 N		Sample Width: Grab	Abundance:
	Elevation: 1767 m					

Comments: Dusty, light grey silty limestone; clangy - possibly silicified?

Sample Number:	Grid East:	E	Grid North:	N	Type:	Dimension:
I357406	UTM: 633434 E		UTM: 7108947 N		Sample Width: Grab	Abundance:
	Elevation: 1690 m					

Comments: Grey lime mudstone, leisigang banding, org-yellow fe-ox staining on frctures/weathering surface

Sample Number:	Grid East:	E	Grid North:	N	Type:	Dimension:
I357407	UTM: 633434 E		UTM: 7108947 N		Sample Width: Grab	Abundance:
	Elevation: 1690 m					

Comments: Pervasive hematite stained, weakly jasperoidal, lime mudstone

Sample Number:	Grid East:	E	Grid North:	N	Type:	Dimension:
I357408	UTM: 633434 E		UTM: 7108947 N		Sample Width: Grab	Abundance:
	Elevation: 1690 m					

Comments: Dusty grey iintraclastic rudstone with org rusty fe-ox staining on internal fractures

Sample Number:	Grid East:	E	Grid North:	N	Type:	Dimension:
I357409	UTM: 633365 E	UTM: 7108971 N	Sample Width:		Outcrop	5x20m
	Elevation: 1637 m				Grab	Abundance:

Comments: Calcite lined vugs, calcite veins; intensely oxidized/clay altered matrix with pinkj-grey hematite stained clasts

Sample Number:	Grid East:	E	Grid North:	N	Type:	Dimension:
I357410	UTM: 633365 E	UTM: 7108971 N	Sample Width:		Outcrop	5x20m
	Elevation: 1637 m				Grab	Abundance:

Comments: Dusty, crumbley, pervasively hematite stained limestone with white-grey calcite veins

Sample Number:	Grid East:	E	Grid North:	N	Type:	Dimension:
I357411	UTM: 633429 E	UTM: 7110935 N	Sample Width:		Outcrop	5x5
	Elevation: 1700 m				Grab	Abundance:

Comments: Light grey-white dusty limestone with tan fe-ox staining

Sample Number:	Grid East:	E	Grid North:	N	Type:	Dimension:
I357412	UTM: 639819 E	UTM: 7115912 N	Sample Width:		Outcrop	3x7m
	Elevation: 1889 m				Grab	Abundance:

Comments: Grey clay gauge

Sample Number:	Grid East:	E	Grid North:	N	Type:	Dimension:
I357413	UTM: 610352 E	UTM: 7109340 N	Sample Width:		Float	
	Elevation: m				Grab	Abundance:

Comments: Tan, quartz veined and bleached dusty orange limestone

Sample Number:	Grid East:	E	Grid North:	N	Type:	Dimension:
I357414	UTM: 626522 E	UTM: 7114142 N	Sample Width:			
	Elevation: 1799 m					Abundance:

Comments: Pervasively yellow fe-ox stained conglomerate unit - aligns with geophys linear

Sample Number:	Grid East:	E	Grid North:	N	Type:	Dimension:
I357415	UTM: 643272 E	UTM: 7113407 N	Sample Width:		Float Train	2x15m
	Elevation: 1546 m				Grab	Abundance:

Comments: Dark Grey debris flow with weathered out matrix (space fill)

Sample Number:	Grid East:	E	Grid North:	N	Type:	Outcrop	Dimension:	100x100m
I357416	UTM:	354466 E	UTM:	7117587 N	Sample Width:	Grab	Abundance:	
	Elevation:	1858 m						

Comments: Light tan-orange, brecciated and leached limestone with fine boxwork

Sample Number:	Grid East:	E	Grid North:	N	Type:	Outcrop	Dimension:	100x100m
I357417	UTM:	354563 E	UTM:	7117753 N	Sample Width:	Grab	Abundance:	
	Elevation:	1767 m						

Comments: Orange-nrown leached clastic limestone

Sample Number:	Grid East:	E	Grid North:	N	Type:	Outcrop	Dimension:	100x100m
I357418	UTM:	354517 E	UTM:	7117697 N	Sample Width:	Grab	Abundance:	
	Elevation:	1808 m						

Comments: Organge-brown, fe-ox stained, brecciated and boxworked limestone

Sample Number:	Grid East:	E	Grid North:	N	Type:	Outcrop	Dimension:	20x20
I357419	UTM:	354614 E	UTM:	7116594 N	Sample Width:	Grab	Abundance:	
	Elevation:	1578 m						

Comments: Medium grey recrystallized limestone with fine diseeminations of hematite

Sample Number:	Grid East:	E	Grid North:	N	Type:	Outcrop	Dimension:	20x20
I357420	UTM:	354823 E	UTM:	7115155 N	Sample Width:	Grab	Abundance:	
	Elevation:	1929 m						

Comments: Organge-brown, fe-ox stained, brecciated and boxworked limestone with black, botryoidal goethite

Sample Number:	Grid East:	E	Grid North:	N	Type:	Outcrop	Dimension:	20x20
I357421	UTM:	354823 E	UTM:	7115155 N	Sample Width:	Grab	Abundance:	
	Elevation:	1929 m						

Comments: Leached, hematite stained, light grey dusty limestone

Sample Number:	Grid East:	E	Grid North:	N	Type:	Outcrop	Dimension:	20x30

I357422 UTM: 358505 E UTM: 7116503 N Sample Width: Grab Abundance:
Elevation: 1566 m
Comments: Old Trenches - leached, limonitic, dusty white calcite oating and fine boxwork

Sample Number: Grid East: E Grid North: N Type: Outcrop Dimension: 20x30
I357423 UTM: 358518 E UTM: 7116487 N Sample Width: Grab Abundance:
Elevation: 1578 m
Comments: Old trenches - gossan. Intensely leached and fe-ox stained boxworked crumbly rock

Sample Number: Grid East: E Grid North: N Type: Outcrop Dimension: 20x30
I357424 UTM: 358505 E UTM: 7116503 N Sample Width: Grab Abundance:
Elevation: 1566 m
Comments: Old Trenches - Galena and honey-brown sphalerite replacement in cream dolospar bands in zebra banded dolomite

Sample Number: Grid East: E Grid North: N Type: Float Dimension:
I357425 UTM: 588275 E UTM: 7116620 N Sample Width: Grab Abundance:
Elevation: m
Comments: Strongly recrystallized, partially leached, hematite stained limestone

Sample Number: Grid East: E Grid North: N Type: Subcrop Dimension: 15x15m
I357426 UTM: 607425 E UTM: 7115363 N Sample Width: Grab Abundance:
Elevation: 1141 m
Comments: Bleached, brecciated limestone in small killzone at creek

Sample Number: Grid East: E Grid North: N Type: Subcrop Dimension: 15x15m
I357427 UTM: 607425 E UTM: 7115363 N Sample Width: Grab Abundance:
Elevation: 1141 m
Comments: Bleached, rusty brecciated limestone in small killzone at creek

Sample Number: Grid East: E Grid North: N Type: Outcrop Dimension: 10x15m
I357428 UTM: 495737 E UTM: 7136774 N Sample Width: Grab Abundance:
Elevation: 979 m
Comments: Medium grained green mafic volcanic; weakly magnetic, trace pyrite disseminations with fe-ox stained on surface

Sample Number:	Grid East:	E	Grid North:	N	Type:	Dimension:
I357429	UTM: 496099 E	UTM: 7136664 N	Sample Width:	Grab	Abundance:	
	Elevation: 1005 m					

Comments: Silty, pyritic limestone with fine-grained secondary sericite flecks throughout; at contact with mafic volcanics

Sample Number:	Grid East:	E	Grid North:	N	Type:	Dimension:
I357430	UTM: 620399 E	UTM: 7114907 N	Sample Width:	Grab	Abundance:	
	Elevation: 1332 m					

Comments: Grey lime mudstone with fe-ox staining on fractures and cg white calc vug fill and veins

Sample Number:	Grid East:	E	Grid North:	N	Type:	Dimension:
I357431	UTM: 612099 E	UTM: 71110261 N	Sample Width:	Grab	Abundance:	
	Elevation: 1480 m					

Comments: Tectonic breccia in dolostone: dark grey dolostone clasts in a yellow-grey stained rock flour matrix.

Sample Number:	Grid East:	E	Grid North:	N	Type:	Dimension:
I357432	UTM: 465668 E	UTM: 7133774 N	Sample Width:	Grab	Abundance:	
	Elevation: 1550 m					

Comments: Rusty dark grey siltstone, deformed in thrust fault

Sample Number:	Grid East:	E	Grid North:	N	Type:	Dimension:
I357433	UTM: 477110 E	UTM: 7131164 N	Sample Width:	Grab	Abundance:	
	Elevation: 992 m					

Comments: Thick quartz veins in rusty, silicified dark grey-green siltstone

Sample Number:	Grid East:	E	Grid North:	N	Type:	Dimension:
I357434	UTM: 477192 E	UTM: 7131294 N	Sample Width:	Grab	Abundance:	
	Elevation: 959 m					

Comments: Folded quartz veins in highly deformed, rusty dark grey siltstone

Sample Number:	Grid East:	E	Grid North:	N	Type:	Dimension:
I357435	UTM: 465589 E	UTM: 7134159 N	Sample Width:	Grab	Abundance:	

Elevation: 1310 m

Comments: Anastomosing, discontinous quartz veins in intensely deformed, phyllitic dark grey mudstone; in thrust fault

Sample Number:	Grid East:	E	Grid North:	N	Type:	Dimension:
I357436	UTM: 465589 E	UTM: 7134159 N	Sample Width:	Grab	Abundance:	
	Elevation: 1310 m					

Comments: Rusty, brecciated, partially leached dark grey siltstone in thrust fault; strong goethite oxide coating

Sample Number:	Grid East:	E	Grid North:	N	Type:	Dimension:
I357437	UTM: 465639 E	UTM: 7134309 N	Sample Width:	Grab	Abundance:	
	Elevation: 1249 m					

Comments: Rusty brecciated siltstone in thrust fault; angular silstone clasts in leached fe-ox stained matrix

Sample Number:	Grid East:	E	Grid North:	N	Type:	Dimension:
I357438	UTM: 532531 E	UTM: 7122708 N	Sample Width:	Grab	Abundance:	
	Elevation: 1716 m					

Comments: E-W trending shear zone at contact between deformed clastics and dark grey trem-and limestone skarn; non clacareous

Sample Number:	Grid East:	E	Grid North:	N	Type:	Dimension:
I357439	UTM: 532722 E	UTM: 7122817 N	Sample Width:	Grab	Abundance:	
	Elevation: 1534 m					

Comments: At old DDH - gossaneous shear zone is upslope on cliff. Rusty, leached geo-lim gossaneous rock

Sample Number:	Grid East:	E	Grid North:	N	Type:	Dimension:
I357451	UTM: 607280 E	UTM: 7116650 N	Sample Width:	Grab	Abundance:	
	Elevation: 1036 m					

Comments: Carbonate rock with galena and calcite crystals, found in kill zone

Sample Number:	Grid East:	E	Grid North:	N	Type:	Dimension:
I357452	UTM: 605632 E	UTM: 7118600 N	Sample Width:	Grab	Abundance:	
	Elevation: m					

Comments: poorly sorted conglomerate, quartz pebbles, oxides in rock

Sample Number:	Grid East:	E	Grid North:	N	Type:	Dimension:
I357453	UTM: 568823 E	UTM: 7124438 N	Sample Width:	Grab	Abundance:	
	Elevation: 1768 m					

Comments: crumbly limestone, oxidized, leached, thick botryoidal goethite/Fe oxide coating

Sample Number:	Grid East:	E	Grid North:	N	Type:	Dimension:
I357454	UTM: 571016 E	UTM: 7125526 N	Sample Width:	Grab	Abundance:	
	Elevation: 1356 m					

Comments: dolomitized limestone, calcite crystals in fratures or fine vugs, red/orange staining on weathering surfaces.

Sample Number:	Grid East:	E	Grid North:	N	Type:	Dimension:
I357455	UTM: 642884 E	UTM: 7116486 N	Sample Width:	Grab	Abundance:	
	Elevation: 2000 m					

Comments: crumbly limestone, oxidized, leached, Fe oxide coating

Sample Number:	Grid East:	E	Grid North:	N	Type:	Dimension:
I357456	UTM: 621753 E	UTM: 7114088 N	Sample Width:	Grab	Abundance:	
	Elevation: 1414 m					

Comments: light grey, rusty, silisified limestone, with black veinlets

Sample Number:	Grid East:	E	Grid North:	N	Type:	Dimension:
CC126888	UTM: 642871 E	UTM: 7116519 N	Sample Width:	Grab	Abundance:	
	Elevation: 2000 m					

Comments: silver-grey clay/rock fragments

Sample Number:	Grid East:	E	Grid North:	N	Type:	Dimension:
I357457	UTM: 588560 E	UTM: 7112247 N	Sample Width:	Grab	Abundance:	
	Elevation: 1132 m					

Comments: malacite staining on orange and black, possible untra mafic rock

Sample Number:	Grid East:	E	Grid North:	N	Type:	Dimension:
I357458	UTM: 618942 E	UTM: 7115195 N	Sample Width:	Grab	Abundance:	
	Elevation: 1366 m					

Comments: grey dolostone, white and black staining with orange weathering. Brecciated "tectonic" . Realgar crystal found in one spot in calcite vien. 2mm

Sample Number:	Grid East:	E	Grid North:	N	Type:	Dimension:
I357459	UTM: 618858 E		UTM: 7114900 N		Sample Width: Grab	Abundance:
	Elevation: 868 m					

Comments: grey and white dolostone, vugs with black calcite crystals, vugs with white calcite crystals

Sample Number:	Grid East:	E	Grid North:	N	Type:	Dimension:
I357460	UTM: 619048 E		UTM: 7115245 N		Sample Width: Grab	Abundance:
	Elevation: 1435 m					

Comments: grey dolostone with orange weathering. Brecciated "tectonic"

Sample Number:	Grid East:	E	Grid North:	N	Type:	Dimension:
I357461	UTM: 620100 E		UTM: 7115011 N		Sample Width: Grab	Abundance:
	Elevation: 1391 m					

Comments: limestone weathering orange inside and outside, calcite crystals, realgar crystal 2mm in a few places

Sample Number:	Grid East:	E	Grid North:	N	Type:	Dimension:
I357462	UTM: 620100 E		UTM: 7115011 N		Sample Width: Grab	Abundance:
	Elevation: 1391 m					

Comments: limestone weathering orange inside and outside, calcite crystals, realgar crystal 2mm in a few places

Sample Number:	Grid East:	E	Grid North:	N	Type:	Dimension:
I357463	UTM: 620092 E		UTM: 7115022 N		Sample Width: Grab	Abundance:
	Elevation: 1407 m					

Comments: grey interclastic floatstone, with orangish weathering, realgar crystals in brownish weathered insides of rock

Sample Number:	Grid East:	E	Grid North:	N	Type:	Dimension:
I357464	UTM: 612101 E		UTM: 7110261 N		Sample Width: Grab	Abundance:
	Elevation: 1468 m					

Comments: grey dolostone with calcite viens and orange weathering

Rock Sample Descriptions Project: Atac Resources - Rackla Trend Property: 2011 Regional Exploration

Sample Number:	Grid East:	E	Grid North:	N	Type:	Dimension:
I357465	UTM: 612583	E	UTM: 7110281	N	Sample Width: Grab	Abundance:
	Elevation: 1455	m				

Comments: dark grey limestone, calcite viens

Sample Number:	Grid East:	E	Grid North:	N	Type:	Dimension:
I357466	UTM: 555901	E	UTM: 7118332	N	Sample Width: Grab	Abundance:
	Elevation: 992	m				

Comments: quartz, calcite vien, Pb + Zn mineralization

Sample Number:	Grid East:	E	Grid North:	N	Type:	Dimension:
I357467	UTM: 555901	E	UTM: 7118332	N	Sample Width: Grab	Abundance:
	Elevation: 992	m				

Comments: black siltstone, oxied staining, quartz viens.

Sample Number:	Grid East:	E	Grid North:	N	Type:	Dimension:
I357468	UTM: 608057	E	UTM: 7115380	N	Sample Width: Grab	Abundance:
	Elevation: 1129	m				

Comments: light grey decalcified limestone. Black calcite viens

Sample Number:	Grid East:	E	Grid North:	N	Type:	Dimension:
I357469	UTM: 607446	E	UTM: 7115365	N	Sample Width: Grab	Abundance:
	Elevation: 1086	m				

Comments: light grey/white altered limestone

Sample Number:	Grid East:	E	Grid North:	N	Type:	Dimension:
I357480	UTM: 618435	E	UTM: 7113070	N	Sample Width: Grab	Abundance:
	Elevation: 1438	m				

Comments: orange weathering leached rock, Pb + Zn mineralization

Sample Number:	Grid East:	E	Grid North:	N	Type:	Dimension:
I357470	UTM: 618821	E	UTM: 7113400	N	Sample Width: Grab	Abundance:
	Elevation: 1320	m				

Comments: dark grey silty limestone, calcite viens with realgar flakes

Sample Number:	Grid East:	E	Grid North:	N	Type:	Dimension:
I357471	UTM: 618821 E		UTM: 7113400 N		Type: float	Dimension: 1x1
	Elevation: 1320 m				Sample Width: Grab	Abundance:

Comments: light grey lithic arenite, rusty spots

Sample Number:	Grid East:	E	Grid North:	N	Type:	Dimension:
I357472	UTM: 618858 E		UTM: 7113451 N		Type: float	Dimension: 1x1
	Elevation: 1349 m				Sample Width: Grab	Abundance:

Comments: dark grey fossiliferous limestone, rusty on inside fresh surface, calcite viens

Sample Number:	Grid East:	E	Grid North:	N	Type:	Dimension:
I357473	UTM: 618800 E		UTM: 7112550 N		Type: float	Dimension: 2x2
	Elevation: 1580 m				Sample Width: Grab	Abundance:

Comments: fossiliferous limestone, crinoids, with orange rusty spots throughout the rock

Sample Number:	Grid East:	E	Grid North:	N	Type:	Dimension:
I357474	UTM: 618522 E		UTM: 7113227 N		Type: float	Dimension: 2x3
	Elevation: 1345 m				Sample Width: Grab	Abundance:

Comments: limestone which is altered to a pale whiteish orange color

Sample Number:	Grid East:	E	Grid North:	N	Type:	Dimension:
I357475	UTM: 617998 E		UTM: 7113466 N		Type: float	Dimension: 1x1
	Elevation: 1318 m				Sample Width: Grab	Abundance:

Comments: light grey limestone with large calcite viens, rusty spots.

Sample Number:	Grid East:	E	Grid North:	N	Type:	Dimension:
I079501	UTM: 556194 E		UTM: 7117786 N		Type: outcrop	Dimension:
	Elevation: m				Sample Width: Grab	Abundance:

Comments: Green soapy shale at Dawson Thrust

Sample Number:	Grid East:	E	Grid North:	N	Type:	Dimension:
					Type: outcrop	

I079502 UTM: 556241 E UTM: 7117842 N Sample Width: Grab Abundance:
Elevation: m
Comments: Calcite veined red-green siltstone

Sample Number: Grid East: E Grid North: N Type: outcrop Dimension:
I079503 UTM: 556223 E UTM: 7117849 N Sample Width: Grab Abundance:
Elevation: m
Comments: Mafic intrusive caught in Dawson Thrust - intense orange ferro-dolomite, calcite vug fill and Cr-mica alteration

Sample Number: Grid East: E Grid North: N Type: float Dimension:
I079504 UTM: 556232 E UTM: 7117872 N Sample Width: Grab Abundance:
Elevation: m
Comments: Quartz-chlorite veins inbrown-orange lithic arenite
creek

Sample Number: Grid East: E Grid North: N Type: outcrop Dimension:
I079505 UTM: 556502 E UTM: 7118100 N Sample Width: Grab Abundance:
Elevation: m
Comments: Mafic intrusive caught in Dawson Thrust - intense orange ferro-dolomite and Cr-mica alteration

Sample Number: Grid East: E Grid North: N Type: float Dimension:
I079506 UTM: 556118 E UTM: 7117998 N Sample Width: Grab Abundance:
Elevation: m
Comments: Mafic intrusive caught in Dawson Thrust - intense orange ferro-dolomite and Cr-mica alteration; trace sulphides

Sample Number: Grid East: E Grid North: N Type: float Dimension:
I079507 UTM: 571077 E UTM: 7117317 N Sample Width: Grab Abundance:
Elevation: m
Comments: Pervasive fe-ox stained and strongly sheared finely clastic rock

Sample Number: Grid East: E Grid North: N Type: outcrop Dimension:
I079508 UTM: 589077 E UTM: 7112330 N Sample Width: Grab Abundance:
Elevation: m
Comments: Mafic intrusive caught in Dawson Thrust - intense orange ferro-dolomite and Cr-mica alteration

Sample Number:	Grid East:	E	Grid North:	N	Type:	Dimension:
I079509	UTM: 356075	E	UTM: 7118009	N	Sample Width: Grab	Abundance:
	Elevation:	m				

Comments: Red-brown, fe-ox stained, pink-white dolospar veins in zebra banded dolostone

Sample Number:	Grid East:	E	Grid North:	N	Type:	Dimension:
I079510	UTM: 355317	E	UTM: 7117941	N	Sample Width: Grab	Abundance: others
	Elevation:	m				

Comments: Calcite and org-red fe-carb veins in silty limestone

Sample Number:	Grid East:	E	Grid North:	N	Type:	Dimension:
I079511	UTM: 355039	E	UTM: 7118033	N	Sample Width: Grab	Abundance:
	Elevation:	m				

Comments: Red-orange pervasivelt fe-ox stained, calcite veined leached limestone

Sample Number:	Grid East:	E	Grid North:	N	Type:	Dimension:
I079512	UTM: 354376	E	UTM: 7112276	N	Sample Width: Grab	Abundance:
	Elevation:	m				

Comments: Large clots of fine-grained sooty pyrite in brown-orange lifinely lithic siltstone

Sample Number:	Grid East:	E	Grid North:	N	Type:	Dimension:
I079601	UTM: 609139	E	UTM: 7115196	N	Sample Width:	Abundance: mod.
	Elevation: 1083	m				

Comments: dk blk carbonaceous rock; locally bleached, porous & highly siliceous.

Sample Number:	Grid East:	E	Grid North:	N	Type:	Dimension:
I079602	UTM: 609127	E	UTM: 7115227	N	Sample Width:	Abundance: low
	Elevation:	m				

Comments: dk blk coarse xtln lstn w/ calcite stringers & veins to 2.5 cm thickness; sparse dissem realgar along the vein selvages which are commonly slickensided. Lower end of 2-3m wide x 35m long ground spring channel in a veg kill zone.

Sample Number:	Grid East:	E	Grid North:	N	Type:	Dimension:
I079603	UTM: 609133	E	UTM: 7115187	N	Sample Width: 1m	Abundance: high

Elevation: m

Comments: dk sooty decalcified / silicified rock; local light grey patches w/ abund tiny cavities resulting in sponge-like texture.

Sample Number: I079604 | Grid East: UTM: 609111 E | Grid North: UTM: 7115191 N | Type: Comp. grab | Dimension: 1x.05m | Sample Width: 1m | Abundance: High | Elevation: 1088 m

Comments: From Pyramid Trench -01. Semi continuous rubble crop of dk sooty rock with locally abundant disseminated realgar, lesser (spotty) orpiment. Also localized siliceous breccia sections.

Sample Number: I079605 | Grid East: UTM: 609111 E | Grid North: UTM: 7115192 N | Type: Comp. grab | Dimension: 1x0.5m | Sample Width: 1m | Abundance: high | Elevation: m

Comments: From Pyramid Trench -01. Semi continuous rubble crop of dk sooty rock with locally abundant disseminated realgar, lesser (spotty) orpiment. Also localized siliceous breccia sections.

Sample Number: I079606 | Grid East: UTM: 609111 E | Grid North: UTM: 7115193 N | Type: Composite gr | Dimension: 1x0.5m | Sample Width: 1m | Abundance: high | Elevation: m

Comments: From Pyramid Trench -01. Semi continuous rubble crop of dk sooty rock with locally abundant disseminated realgar, lesser (spotty) orpiment. Also localized siliceous breccia sections.

Sample Number: I079607 | Grid East: UTM: 609111 E | Grid North: UTM: 7115194 N | Type: Comp. grab | Dimension: 1x0.5m | Sample Width: 1m | Abundance: high | Elevation: m

Comments: From Pyramid Trench -01. Semi continuous rubble crop of dk sooty rock with locally abundant disseminated realgar, lesser (spotty) orpiment. Also localized siliceous breccia sections.

Sample Number: I079608 | Grid East: UTM: 609111 E | Grid North: UTM: 7115195 N | Type: Comp. grab | Dimension: 1x0.5m | Sample Width: 1m | Abundance: high | Elevation: m

Comments: From Pyramid Trench -01. Semi continuous rubble crop of dk sooty rock with locally abundant disseminated realgar, lesser (spotty) orpiment. Also localized siliceous breccia sections.

Sample Number: I079609 | Grid East: UTM: 609111 E | Grid North: UTM: 7115196 N | Type: Comp. grab | Dimension: 1x0.5m | Sample Width: 1.3m | Abundance: high | Elevation: 1083 m

Comments: From Pyramid Trench -01. Semi continuous rubble crop of dk sooty rock with locally abundant disseminated realgar, lesser (spotty) orpiment. Also localized siliceous breccia sections.

Sample Number:	Grid East:	E	Grid North:	N	Type:	Dimension:
I079610	UTM: 609107	E	UTM: 7115183	N	Sample Width:	Abundance:
	Elevation:	m				

Type: float grab Dimension: 0.25 x 0.25m
Abundance: sparse

Comments: Angular, platy fragments of grey-green very fine grained andesitic rock cut by mm-scale calcite stringers w/ minor dissem Py and trace CuPy (?). Could be indicative of a volc interbed in the local sedimentary stratigraphy, or perhaps a dyke (?).

Sample Number:	Grid East:	E	Grid North:	N	Type:	Dimension:
I079611	UTM: 608974	E	UTM: 7115332	N	Sample Width:	Abundance:
	Elevation: 1086	m				

Type: subcrop grab Dimension: 1.5 x 1.5 m
Abundance: high

Comments: Shaly mudstone, partly argillaceous w/ mod abundant limonite on frac sfcs. Some interlaminated arenaceous & micaceous bands. Very thin bedded, strike ~130-310 / dip subvertical. Small exposure in shallow gully bank.

Sample Number:	Grid East:	E	Grid North:	N	Type:	Dimension:
I079612	UTM: 608994	E	UTM: 7115297	N	Sample Width:	Abundance:
	Elevation: 1082	m				

Type: float grab Dimension: 5 x 1 m
Abundance: mod high

Comments: Chips from several angular pcs light grey to buff weathered lstn breccia, in part siliceous, w/mm-scale calcite and lesser clear quartz stringers; sparse dissem realgar assoc w/ the calcite veinlets. SW corner of a triangular spring / kill zone measuring 20-25m along each side.

Sample Number:	Grid East:	E	Grid North:	N	Type:	Dimension:
I079613	UTM: 608154	E	UTM: 7115199	N	Sample Width:	Abundance:
	Elevation: 1175	m				

Type: outcrop grab Dimension: 2.5 m line
Abundance: very high

Comments: Light to dark grey lstn, highly fractured, locally fetid; some very fine to >5mm calcite stringers. Random chips from several spots over a 2.5m length. Near crest of prominent scarp, ~3m below (south of) soil station 126280.

Sample Number:	Grid East:	E	Grid North:	N	Type:	Dimension:
I079614	UTM: 607599	E	UTM: 7115623	N	Sample Width:	Abundance:
	Elevation: 1123	m				

Type: outcrop grab Dimension: 4 x 4 m
Abundance: very high

Comments: Argillaceous fine pebble conglomerate w/ sparse white (bull) quartz veinlets, mm-scale to 2-3 cm in width. Random chips from small outcrop patch between soil stations 126436 - 126437.

Sample Number:	Grid East:	E	Grid North:	N	Type:	Dimension:
I079615	UTM: 607554	E	UTM: 7115643	N	Sample Width:	Abundance:
	Elevation: 1149	m				

Type: float grab Dimension: 0.5 x 0.5 m
Abundance: high

Comments: Argillaceous fine pebble conglomerate w/ white & clear comb-textured quartz veinlets up to 3.5cm width; moderately abundant limonite in the vein cavities. Sampled material is very likely broken local subcrop, situated only ~3m north of a 50m long scarp face of the conglomerate unit.

Sample Number:	Grid East:	E	Grid North:	N	Type:	Dimension:
I079616	UTM: 607616	E	UTM: 7115743	N	Sample Width:	Abundance:
	Elevation: 1142	m				

Type: outcrop grab Dimension: 8 x 1 m
Abundance: high

Comments: Dark black compact lstn, locally fetid, partly recrystallized w/ mm-scale calcite stringers. Random chips from three small patches outcrop / subcrop over an 8m length.

Sample Number:	Grid East:	E	Grid North:	N	Type:	Dimension:
I079617	UTM: 607414 E	UTM: 7115741 N	Sample Width:		outcrop grab	4 x 0.5 m
	Elevation: 1165 m					Abundance: high

Comments: Dark black siliceous argillite, OR siliceous decalcified lstn (?) w/ moderately abundant very fine to mm-scale quartz stringers. Random chips from 4 spots over a 4m length.

Sample Number:	Grid East:	E	Grid North:	N	Type:	Dimension:
I079618	UTM: 607394 E	UTM: 7115681 N	Sample Width:		subcrop grab	10 x 0.3 m
	Elevation: 1192 m					Abundance: high

Comments: Argillaceous Grit Unit rock, w/ sparse mm-scale quartz stringers, some limonite on fracture sufaces. Random chips from 7 spots over a 10m length at 120 degree azimuth from soil station 126304.

Sample Number:	Grid East:	E	Grid North:	N	Type:	Dimension:
I079619	UTM: 607294 E	UTM: 7115748 N	Sample Width: 0.5 m		outcrop chip	60 x 2 m
	Elevation: 1191 m					Abundance: very high

Comments: Carbonaceous argillite w/ sparse mm-scale quartz stringers.

Sample Number:	Grid East:	E	Grid North:	N	Type:	Dimension:
I079620	UTM: 606084 E	UTM: 7116221 N	Sample Width: 2m radias		random grab	
	Elevation: 1205 m					Abundance:

Comments: Random grab, 3 spots within 2m radias. Argillaceous sfc scree directly above soil station #125124 with a weak Au anomaly. Blk shale and argillaceous sandstone, thinly bedded.

Sample Number:	Grid East:	E	Grid North:	N	Type:	Dimension:
I079621	UTM: 606074 E	UTM: 7116172 N	Sample Width:		float grab	
	Elevation: 1237 m					Abundance: >1%

Comments: sfc rubble 2.5m N of soil station 125123. Platy ferruginous sandstone with 2-3mm qtz stringers and locally abunadant limonite.

Sample Number:	Grid East:	E	Grid North:	N	Type:	Dimension:
I079622	UTM: 606062 E	UTM: 7116160 N	Sample Width:		comp. grab	
	Elevation: m					Abundance:

Comments: Argillaceous conglomerate and sandstone with moderately abundant mm scale qtz stringers carrying limonite and some yellowish secondary mineral in cavities and fractures.

Sample Number:	Grid East:	E	Grid North:	N	Type:	Dimension:
I079623	UTM: 606060	E	UTM: 7116087	N	Sample Width: 8m	Abundance:
	Elevation: 1198	m				

Comments: Composite outcrop grab. Randon chips from several spots over 8m strike length. Black shale, argillaceous siltstone / sandstone with rare qtz stringers along fracture surfaces. Dip slope of bluff/outcrop at sample site about 110/70 South.

Sample Number:	Grid East:	E	Grid North:	N	Type: Talus grab	Dimension:
I079624	UTM: 610627	E	UTM: 7117996	N	Sample Width:	Abundance:
	Elevation:	m				

Comments: Taken below prominent gossan and Fe rich seep/ feericrete layer adjacent to a highly fractured and Py mineralized crystalline dolostone. Abundant limonite, some melanterite & copiapite (?), clots of very fine-grained Py.

Sample Number:	Grid East:	E	Grid North:	N	Type: Talus grab	Dimension: 5m radius
I079625	UTM: 610783	E	UTM: 7118717	N	Sample Width:	Abundance: moderate
	Elevation: 907	m				

Comments: Dark grey siliceous dolostone w/ 1-5 mm rusty drusy quartz veinlets; also some dolomite-ankerite in the veinlets.

Sample Number:	Grid East:	E	Grid North:	N	Type: Outcrop grab	Dimension: 3 x 0.5 m
I079626	UTM: 610892	E	UTM: 7119156	N	Sample Width:	Abundance: high
	Elevation: 926	m				

Comments: Dark black argillaceous (and carbonaceous) siltstone, weakly calcareous, w/ dissem fine-grained Py & AsPy (?); in nose of local tight fold.

Sample Number:	Grid East:	E	Grid North:	N	Type: Talus grab	Dimension: 1 x 1 m
I079627	UTM: 611073	E	UTM: 7119351	N	Sample Width:	Abundance: low
	Elevation: 924	m				

Comments: Rusty weathered dark grey siliceous dolostone w/ fine-grained Py & marcasite (?) as irregular masses, wisps, disseminations.

Sample Number:	Grid East:	E	Grid North:	N	Type: Rubble Crop	Dimension: 0.4x0.3m
I079628	UTM: 619054	E	UTM: 7115246	N	Sample Width:	Abundance: common
	Elevation: 1439	m				

Comments: Highly fractured dolostone with yellow-orange and orange-brown secondary mineral (Fe- As oxides?). Pyrobitumen was noted at sample station immediately downslope.

Sample Number:	Grid East:	E	Grid North:	N	Type: float grab	Dimension: 0.4x0.3m
I079629	UTM: 618947	E	UTM: 7115198	N	Sample Width:	Abundance: rare
	Elevation: 1367	m				

Comments: Angular dolostone fragment in the expanded soil hole (CC126643). Highly fractured, siliiceous with drusy qtz stringers and abundant yellow powdery

secondary mineral on fracture planes.

Sample Number:	Grid East:	E	Grid North:	N	Type:	Dimension:
I079630	UTM: 619153 E		UTM: 7115148 N	Sample Width:	float grab	0.35x.030
	Elevation: 1378 m				Abundance:	25%

Comments: Float grab from the expanded soil site CC127432. Highly fractured light grey dolostone with some crystaline dolomite and calcite (?) stringers. Minor effervescence with acid.

Sample Number:	Grid East:	E	Grid North:	N	Type:	Dimension:
I079631	UTM: 619073 E		UTM: 7115148 N	Sample Width:	float grab	8m radius
	Elevation: 1378 m				Abundance:	2% talus?

Comments: Several small angular pieces and one larger angular 25x 15x10cm piece 8m west. Rusty orange weathered qtz flooded dolostone; partly brecciated. Abundant limonite and probable ankerite with a trace of pyrite. Groundmass is weakly calcarious (spotty effervescence on acid test).

Sample Number:	Grid East:	E	Grid North:	N	Type:	Dimension:
I079632	UTM: 619049 E		UTM: 7115051 N	Sample Width:	Talus Grab	3x2m
	Elevation: 1371 m				Abundance:	country rock

Comments: Talus grab; directly below dolostone outcrop. Dolostone in part is weakly brecciated with abundant crystalline dolomite veinlets, breccia matrix. Some pyrobitumen, also sparse disseminated blebs of Fe oxide up to 0.5cm diameter.

Sample Number:	Grid East:	E	Grid North:	N	Type:	Dimension:
I079633	UTM: 719731 E		UTM: 7115415 N	Sample Width:	float grab	13x12x7cm
	Elevation: 1494 m				Abundance:	>1%?

Comments: large angular piece of qtz vein float. Milky white qtz with abundant limonite- ankerite in clots, and on partings and as streaks. Found on ridge top partly burried in moss and overburden. Near soil station #127167.

Sample Number:	Grid East:	E	Grid North:	N	Type:	Dimension:
I079634	UTM: 619221 E		UTM: 7115448 N	Sample Width:	Grab	3x5m
	Elevation: 1501 m				over 3m	Abundance:

Comments: Thinly bedded, platy dark grey to black lstn. Moderately abundant calcite veins and wk limonite on fracture surfaces. No realgar was observed. Attitude of bedding 135/40-45 SW.

Sample Number:	Grid East:	E	Grid North:	N	Type:	Dimension:
I079635	UTM: 618869 E		UTM: 7115512 N	Sample Width:	Grab	Abundance:
	Elevation: m					

Comments: Outcrop and nearby talus grab. Dark black "debrite" lstn with sparse calcite- ankerite stringers and a few limonitic clasts. Dense specific gravity- much heavier then normal lstn with fetid smell upon breaking..

Sample Number:	Grid East:	E	Grid North:	N	Type:	Dimension:
					float grab	0.25x0.25m

I079636 UTM: 618753 E UTM: 7115238 N Sample Width: Abundance: rare
Elevation: 1335 m

Single subangular float cobble. Rusty weathered lstn with a trace of pyrite, moderate limonite on fracture surfaces and in boxwork cavities. Dark grey and in part re-crystallized.

Sample Number: Grid East: E Grid North: N Type: grab Dimension: 5x1.5m
I079637 UTM: 618963 E UTM: 7115410 N Sample Width: local Abundance:
Elevation: 1451 m

Comments: Outcrop and very local talus grab. Thinly bedded intercalated sandy lstn and ferruginous sandstone (?). Latter component does not effervese with acid test.

Sample Number: Grid East: E Grid North: N Type: Talus grab Dimension: 4x10m
I079638 UTM: 618974 E UTM: 7115467 N Sample Width: Abundance:
Elevation: 1481 m

Dark grey to black platy lstn with abundant calcite-ankerite veinlets ansd some limonite on fracture surfaces.

Sample Number: Grid East: E Grid North: N Type: Grab Dimension:
I079639 UTM: 618821 E UTM: 7115527 N Sample Width: Abundance:
Elevation: m

Comments: Compact, dense, pale green lstn with strong Fe oxide rind.

Sample Number: Grid East: E Grid North: N Type: float Dimension:
I079640 UTM: 618132 E UTM: 7115587 N Sample Width: Abundance:
Elevation: m

Comments: Dark rusty orange ferruginous sandstone. Small angular float fragments suspended in soil on a game trail.

Sample Number: Grid East: E Grid North: N Type: select scree g Dimension: 2x3m
I079641 UTM: 607429 E UTM: 7115357 N Sample Width: Abundance:
Elevation: 1125m m

Comments: Rusty orange weathered, shattered, recemented dolostone with abundant limonite-ankerite and also some small pieces of ferricrete.

Sample Number: Grid East: E Grid North: N Type: Float Dimension: 13cm
I079642 UTM: 606529 E UTM: 7115407 N Sample Width: Abundance:
Elevation: 1179 m

Comments: Chips from a single sub-rounded cobble about 13cm in diameter. Qtz-Fe-carb altered lstn (?) with a network of mm scale qtz stringers, in part as breccia matrix. Fine disseminated sulphides- more silvery then Py; possibly AsPy?

Sample Number:	Grid East:	E	Grid North:	N	Type:	Dimension:
I079643	UTM: 606707	E	UTM: 7115448	N	Sample Width:	Abundance:
	Elevation: 1172	m				

Type: Grab Dimension: 4x2m

Comments: Lstn rubble/ subcrop on the west side of gully. Dark, crystalline, locally fetid, carbonaceous fracture coatings; <1-2mm calcite stringers.

Sample Number:	Grid East:	E	Grid North:	N	Type:	Dimension:
I079551	UTM: 609143	E	UTM: 7115208	N	Sample Width:	Abundance:
	Elevation: 1086m	m				

Type: Float Abundance: Subcrop?

Comments: Blocky 10x15x20cm pcs. Possible subcrop? Wh-gy-bk weathering. Drk black, gritty, granular texture on fresh surface. Decarbonated LST or DLST? Does not effervesce. Very fg white, soft "maggoty" looking fragements <0.25mm 1-2% in black matrix. Sample taken 2.5m SE of anomalous (As, Hg) soil sample # CC125784.

Sample Number:	Grid East:	E	Grid North:	N	Type:	Dimension:
I079552	UTM:	E	UTM:	N	Sample Width:	Abundance:
	Elevation:	m				

Type: Float Abundance: 2x4m zone

Comments: Taken from talus train 2-3m wide 30m long- trends 280. From top end of talus area within 35x 25m kill zone. Sample material is from blocky lt gy-wh weathered, fine to med grained fragemental or brecciated lstn. Angular, tightly compressed fragments, may be recrystallized? Tr-vfg Py with wk rust halo around sulphide. Quenches acid. HELIPAD CUT AT SAMPLE SITE. "Jackpot Zone".

Sample Number:	Grid East:	E	Grid North:	N	Type:	Dimension:
I079553	UTM: 608956	E	UTM: 7115304	N	Sample Width:	Abundance:
	Elevation: 1093	m				

Type: Float Dimension: Ck Abundance: rare

Comments: Drk grey-green, tuffaceous, fine grained rock with 3cm thick rusty rind, 1mm scale qtz vnlts and contains minute qtz eyes. Angular 10x5x5cm isolated float in 0.5m wide recessive slot perpendicular to slope. 5m west of soil picket #1283805.

Sample Number:	Grid East:	E	Grid North:	N	Type:	Dimension:
I079554	UTM: 608980	E	UTM: 7115337	N	Sample Width: 1m	Abundance:
	Elevation: 1083	m				

Type: Chip Dimension: 1x0.1m Abundance: narrow exposure

Comments: Taken from east floor of small creek bed. Possible shear 106/80??. Rubble crop of lt brown-grey weathered, light grey-black fissile or sheared material. Weak orange limonite occurs in sporadic and sparse amounts. Clay or gauge like material in northern 0.25m section of chip. Shale or Siltstone?

Sample Number:	Grid East:	E	Grid North:	N	Type:	Dimension:
I079555	UTM: 608999	E	UTM: 7115299	N	Sample Width:	Abundance: 4%
	Elevation: 1083	m				

Type: float Dimension: 5x 10 cm

Comments: Grey-black fine grained, breciated LST. Re-crystalized, weakly effervescent, spotty blebs >0.1% of realgar in calcite vnlts on 1mm scale. From top area of a 25x10m SW trending kill zone.

Sample Number:	Grid East:	E	Grid North:	N	Type:	Dimension:
I079556	UTM: 609072	E	UTM: 7115265	N	Sample Width:	Abundance: 1%

Type: Float Dimension: 8x 12cm

Elevation: 1077 m

Comments: Light grey, weak to partially re-crystalized LST, gritty with 0.25% disseminated realgar. 1mm calicite vnlts occur oblique to slicks on one face. Realgar occurs as small blebs but not in calicte vnlts. Taken from SE corner of 30x 5m SW/ NE kill zone with spring/seeps discharging from moss coverd slope above.

Sample Number:	Grid East:	E	Grid North:	N	Type:	Dimension:
I079557	UTM: 610697 E	UTM: 7118661 N	Sample Width:		Talus Grtab	3x2m
	Elevation: 911 m				Abundance:	<5%

Comments: From pod like section in outcrop face. Yellow-orange limonite, ferrous alteration (iron rich?) with melanterite coating on weathered surface. Dominant rock in outcrop is grey-black shale, finely bedded- produces very chopped up, fine grained talus chips.

Sample Number:	Grid East:	E	Grid North:	N	Type:	Dimension:
I079558	UTM: 618989 E	UTM: 7115436 N	Sample Width:	over 4m	Comp.grab	4x0.5m
	Elevation: 1472 m				Abundance:	outcrop

Comments: Taken below ridge 50 m downslope. Aprroximately 4 x 0.5m south facing LST outcrop with coarse rounded clastic fragments; probable debris flow. Clasts are up to 5 x 8 cm or smaller. This unit weathers grey-orange and is dark grey-black on a fresh break. The clastic unit is interbedded or capped by a more platy, thinly bedded LST (1-3cm beds). Attitude of bedding and karsted Clastic outcrop is ~302/60 NW. Localized folding was observed in thinly bedded LST further downslope. Good study outcrop.

Sample Number:	Grid East:	E	Grid North:	N	Type:	Dimension:
I079559	UTM: 607431 E	UTM: 7115361 N	Sample Width:		scree grab	2.5x5m
	Elevation: 1125 m				Abundance:	common

Comments: This sample is to test the finely chopped DLST talus chips located above a subtle looking kill zone. The kill zone is mostly gravel with a spring flowing from the top with clear coloured water. Talus above this zone is east facing and approximately 5 m in length and 2.5 m high. Fine talus chips consist of lt-grey-white re-cemented "shattered" looking rock. Possibe shear zone or converging faults? S1 trends 306 degrees (?) ; S2 trends 276 (?) degrees- measured from a small recessive notch where spring water originates. Soil picket #2214736 at talus site.

Sample Number:	Grid East:	E	Grid North:	N	Type:	Dimension:
I079560	UTM: 606516 E	UTM: 7115430 N	Sample Width:	over 6m	Composite	8x4m
	Elevation: 1175 m				Abundance:	

Comments: Taken from a moss covered "whale back" style outcrop. Brittle, fractured, grey- dark grey weathering and dark grey-black on the fresh surface. Fine grained, tightly compacted rock, and weakly effervesces on acid test. Weak calcite flooding at the northern tip of exposure. Trend of outcrop is NE 072 degrees. Roughly 8x4 m in size.

APPENDIX IV

CERTIFICATES OF ANALYSIS

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 23- JUN- 2011
Account: RCM

CERTIFICATE WH11097794

Project: Rackla Gold (Nadaleen Trend)

P.O. No.: Group B

This report is for 31 Soil samples submitted to our lab in Whitehorse, YT, Canada on 8- JUN- 2011.

The following have access to data associated with this certificate:

ROB CARNE JULIA LANE	ANDREW CARNE JOAN MARIACHER	MATT DUMALA

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
SCR- 41	Screen to - 180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- TL43	Trace Level Au - 25g AR	ICP- MS
ME- MS41	51 anal. aqua regia ICPMS	

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 23- JUN- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11097794

Sample Description	Method	WEI- 21	Au- TL43	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Recvd Wt.	Au	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
CC90960		0.38	0.002	0.20	0.49	36.7	<0.2	<10	40	1.12	0.44	0.40	0.15	8.91	26.4	18
CC90961		0.42	0.001	0.33	1.64	17.0	<0.2	<10	90	1.44	0.44	0.43	0.34	24.5	57.9	29
CC90962		0.44	0.002	0.25	1.76	18.1	<0.2	<10	70	1.13	0.42	0.25	0.21	19.35	43.3	37
CC90963		0.28	0.002	0.22	1.32	31.9	<0.2	<10	60	1.17	0.37	0.54	0.17	12.95	40.9	26
CC90964		0.36	0.001	0.19	1.63	16.9	<0.2	<10	100	1.18	0.41	0.81	0.33	27.7	44.3	27
CC90965		0.30	0.001	0.16	0.96	15.6	<0.2	<10	60	1.01	0.32	1.40	0.28	15.35	28.1	18
CC90966		0.42	0.002	0.24	0.45	27.4	<0.2	<10	40	1.03	0.45	0.40	0.13	7.84	29.9	20
CC90967		0.42	0.001	0.19	1.16	15.1	<0.2	<10	50	0.98	0.36	0.18	0.13	9.31	41.4	24
CC90968		0.34	0.003	0.18	1.37	24.0	<0.2	<10	50	1.07	0.42	0.13	0.10	8.77	45.2	24
CC90969		0.32	0.002	0.30	1.28	21.3	<0.2	<10	70	1.01	0.40	0.17	0.21	9.51	52.0	25
CC90970		0.34	0.005	0.29	1.36	130.5	<0.2	<10	70	1.17	0.38	0.46	0.17	10.05	15.7	23
CC90971		0.30	0.002	0.07	1.80	18.6	<0.2	<10	80	1.01	0.38	0.08	0.14	14.00	27.4	31
CC90972		0.32	0.001	0.09	1.66	15.6	<0.2	<10	100	0.98	0.40	0.16	0.19	13.25	22.6	30
CC90984		0.30	0.001	0.07	0.42	36.4	<0.2	<10	70	0.68	0.24	0.85	0.08	18.25	21.8	21
CC90985		0.36	0.001	0.11	0.43	30.9	<0.2	<10	780	1.05	0.52	1.87	0.05	43.6	51.6	19
CC90986		0.42	0.001	0.07	0.43	13.1	<0.2	<10	50	0.89	0.41	1.76	0.07	40.2	32.6	18
CC90987		0.34	0.002	0.10	0.32	26.2	<0.2	<10	70	0.90	0.32	1.08	0.10	17.95	32.2	19
CC90988		0.44	0.002	0.12	0.27	94.4	<0.2	<10	130	0.59	0.36	7.60	0.11	8.03	30.0	15
CC90989		0.44	0.001	0.07	1.19	93.3	<0.2	<10	150	0.81	0.34	0.67	0.28	17.70	15.5	21
CC90990		0.44	0.002	0.16	0.71	152.5	<0.2	<10	120	1.19	0.37	0.42	0.18	21.7	31.2	18
CC90991		0.34	0.002	0.16	0.60	34.2	<0.2	<10	90	1.06	0.41	1.19	0.12	25.4	19.8	15
CC90992		0.36	0.001	0.11	1.02	9.1	<0.2	<10	100	1.03	0.32	1.15	0.15	45.6	27.6	23
CC90993		0.34	0.002	0.10	1.15	9.4	<0.2	<10	70	1.03	0.38	1.46	0.13	41.3	26.7	22
CC90994		0.38	0.002	0.11	1.23	7.5	<0.2	<10	70	1.09	0.28	1.00	0.12	35.6	21.7	25
CC90995		0.40	0.002	0.04	1.53	13.1	<0.2	<10	110	0.88	0.31	0.47	0.08	21.6	18.3	26
CC90996		0.46	0.002	0.13	1.43	12.8	<0.2	<10	90	1.59	0.37	0.29	0.14	32.5	46.3	28
CC90997		0.40	0.002	0.10	0.91	14.8	<0.2	<10	80	1.20	0.39	0.26	0.13	21.6	32.5	22
CC90998		0.42	0.001	0.09	1.25	13.4	<0.2	<10	80	1.16	0.35	0.31	0.21	22.7	34.7	21
CC90999		0.34	0.001	0.18	0.84	22.4	<0.2	<10	90	0.78	0.66	0.57	0.14	19.15	17.2	16
CC91000		0.28	0.002	0.24	0.99	10.4	<0.2	<10	60	1.14	0.88	2.00	0.26	23.5	17.1	17
BB34650		0.30	0.002	0.11	0.51	50.6	<0.2	<10	70	0.87	0.57	0.02	0.11	32.6	33.4	23

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 23- JUN- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11097794

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
CC90960		5.64	81.1	5.23	1.86	0.10	0.10	0.51	0.051	0.09	3.3	4.1	0.09	742	2.03	<0.01
CC90961		13.25	87.3	5.43	4.76	0.15	0.15	0.18	0.049	0.12	8.3	28.3	0.54	2910	1.42	<0.01
CC90962		8.88	92.5	5.91	5.40	0.15	0.12	0.11	0.044	0.10	6.8	37.9	0.73	1630	1.69	<0.01
CC90963		9.41	78.4	5.39	3.84	0.12	0.13	0.12	0.042	0.11	4.7	24.0	0.43	1540	1.24	<0.01
CC90964		9.77	60.5	4.73	4.89	0.13	0.13	0.08	0.048	0.12	8.7	22.3	0.41	2870	1.59	0.01
CC90965		9.22	65.0	4.44	2.62	0.11	0.14	0.16	0.040	0.09	5.9	13.8	0.33	1780	1.12	0.01
CC90966		6.38	75.6	6.69	1.53	0.14	0.14	0.16	0.047	0.10	4.3	3.8	0.16	1180	1.27	<0.01
CC90967		8.90	85.2	5.70	3.67	0.12	0.09	0.23	0.048	0.11	3.4	19.4	0.36	1220	0.78	<0.01
CC90968		10.85	98.4	6.33	4.20	0.13	0.07	0.24	0.057	0.10	3.0	25.6	0.39	1140	0.90	<0.01
CC90969		9.77	78.7	5.52	4.22	0.11	0.05	0.20	0.052	0.11	3.3	16.9	0.30	2650	1.02	<0.01
CC90970		8.78	52.6	4.30	4.09	0.10	0.17	0.25	0.045	0.13	5.0	27.0	0.41	528	1.07	<0.01
CC90971		9.82	53.7	5.70	5.65	0.11	0.04	0.07	0.051	0.10	5.1	34.0	0.47	1320	1.12	<0.01
CC90972		5.55	43.6	5.30	5.84	0.10	0.04	0.05	0.054	0.12	5.4	33.2	0.43	1160	1.37	<0.01
CC90984		1.20	51.6	4.82	1.63	0.10	0.09	0.23	0.054	0.07	7.9	3.0	0.10	716	0.44	<0.01
CC90985		4.05	68.8	7.23	1.66	0.17	0.07	0.39	0.053	0.08	22.0	3.8	0.12	584	0.54	<0.01
CC90986		2.04	96.4	5.10	1.60	0.13	0.07	0.26	0.065	0.08	20.1	2.7	0.09	334	0.56	<0.01
CC90987		2.71	71.0	5.61	1.25	0.13	0.06	0.41	0.052	0.07	6.7	2.7	0.09	940	0.98	<0.01
CC90988		3.48	59.7	4.04	1.01	0.08	0.12	0.52	0.048	0.10	3.0	1.3	0.14	866	0.86	0.01
CC90989		3.39	35.9	4.17	4.64	0.10	0.05	0.10	0.041	0.08	8.8	14.0	0.26	869	1.16	<0.01
CC90990		5.64	62.2	5.82	2.23	0.13	0.09	0.36	0.050	0.10	9.1	7.2	0.16	1990	0.93	<0.01
CC90991		3.65	59.8	4.72	1.83	0.12	0.08	0.60	0.047	0.09	13.0	5.0	0.13	511	1.69	<0.01
CC90992		3.92	49.6	5.63	2.89	0.16	0.09	0.17	0.059	0.07	25.7	12.9	0.31	878	0.61	<0.01
CC90993		3.45	63.0	5.52	3.31	0.15	0.09	0.18	0.062	0.07	23.8	16.3	0.37	702	0.55	<0.01
CC90994		3.18	54.1	5.23	3.55	0.14	0.09	0.18	0.053	0.07	16.5	16.7	0.35	856	0.66	<0.01
CC90995		2.23	43.5	4.81	4.72	0.10	0.06	0.56	0.046	0.06	7.8	24.6	0.43	566	1.00	<0.01
CC90996		12.40	66.2	6.03	4.43	0.16	0.14	0.11	0.053	0.10	11.6	20.6	0.37	2090	0.92	<0.01
CC90997		5.01	66.0	5.69	2.94	0.14	0.09	0.19	0.056	0.09	8.3	10.9	0.22	1220	0.96	<0.01
CC90998		9.10	55.4	5.40	3.78	0.13	0.08	0.10	0.051	0.09	6.7	18.6	0.25	1600	1.09	<0.01
CC90999		4.56	57.6	5.12	2.95	0.11	0.09	0.20	0.051	0.10	8.6	5.9	0.13	908	1.15	<0.01
CC91000		6.18	62.6	4.16	2.74	0.13	0.13	0.40	0.052	0.08	12.3	13.8	0.29	711	1.01	0.01
BB34650		4.60	116.5	7.83	2.00	0.16	0.03	0.98	0.058	0.08	13.2	2.8	0.08	1580	1.09	<0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 23- JUN- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11097794

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
CC90960		0.10	40.8	390	30.2	7.2	0.001	0.04	1.64	8.3	1.2	0.4	42.2	<0.01	0.06	1.9
CC90961		0.23	42.7	1180	59.2	9.8	0.001	0.08	0.88	10.6	1.5	0.4	33.9	0.01	0.09	2.3
CC90962		0.18	44.7	650	40.5	9.2	<0.001	0.04	0.83	8.9	1.1	0.5	31.9	0.01	0.09	3.0
CC90963		0.20	41.4	950	37.5	8.1	<0.001	0.08	1.10	8.6	1.1	0.4	40.6	0.01	0.06	2.0
CC90964		0.34	29.2	1660	41.4	12.6	<0.001	0.14	0.84	8.1	1.2	0.5	44.5	0.01	0.09	2.1
CC90965		0.17	32.9	1410	29.2	7.6	0.001	0.16	0.92	7.1	1.3	0.3	74.4	0.01	0.08	1.2
CC90966		0.15	43.8	660	33.2	7.1	<0.001	0.05	1.49	11.2	1.1	0.3	37.2	0.01	0.10	1.8
CC90967		0.15	41.0	510	35.1	8.6	<0.001	0.04	1.34	11.0	0.9	0.4	24.1	0.01	0.05	2.0
CC90968		0.16	47.5	440	37.8	8.9	<0.001	0.03	2.07	14.3	0.8	0.5	22.0	0.01	0.05	2.2
CC90969		0.20	35.6	760	42.2	9.7	0.001	0.06	1.87	8.2	0.8	0.5	21.5	<0.01	0.07	1.1
CC90970		0.26	33.2	790	21.4	13.7	<0.001	0.06	1.08	7.7	1.2	0.5	67.5	<0.01	0.09	2.8
CC90971		0.31	32.1	810	28.6	14.1	<0.001	0.03	1.09	5.2	0.6	0.6	16.6	<0.01	0.08	2.0
CC90972		0.39	28.0	730	25.7	14.6	<0.001	0.03	0.81	4.9	0.6	0.6	23.7	<0.01	0.08	2.2
CC90984		0.12	37.5	510	15.3	4.6	<0.001	0.04	1.08	13.0	1.0	0.3	70.3	0.01	0.04	1.6
CC90985		0.13	69.2	610	26.1	5.4	<0.001	0.04	1.76	10.6	0.9	0.2	108.0	0.01	0.04	5.0
CC90986		0.11	53.7	760	20.1	4.9	<0.001	0.03	0.72	9.2	0.8	0.4	211	0.01	0.04	3.1
CC90987		0.10	49.9	330	21.7	4.5	0.001	0.03	1.39	10.8	0.9	0.3	73.7	0.01	0.04	2.1
CC90988		0.07	45.1	100	23.6	5.6	0.001	0.06	2.60	10.5	0.6	0.7	350	<0.01	0.06	2.3
CC90989		0.38	24.9	880	23.9	12.4	<0.001	0.05	0.99	4.6	1.0	0.5	57.3	0.01	0.08	1.1
CC90990		0.16	40.3	610	34.0	8.3	0.001	0.03	1.92	12.0	1.2	0.4	41.4	0.01	0.08	2.3
CC90991		0.20	36.5	630	24.8	7.9	0.001	0.07	0.86	7.3	1.7	0.3	89.4	0.01	0.10	1.3
CC90992		0.18	41.3	840	23.1	6.4	0.001	0.06	0.70	10.0	1.2	0.3	109.0	0.01	0.05	1.3
CC90993		0.13	40.4	840	23.7	6.2	<0.001	0.06	0.55	7.7	1.1	0.3	155.0	0.01	0.06	1.3
CC90994		0.20	36.5	870	22.1	7.3	0.001	0.06	0.46	7.9	1.1	0.4	99.7	0.01	0.05	1.4
CC90995		0.36	32.6	630	18.0	10.4	<0.001	0.03	0.77	4.9	0.5	0.5	49.8	<0.01	0.05	1.9
CC90996		0.25	43.2	740	41.1	11.4	0.001	0.03	0.73	13.4	1.2	0.5	42.4	0.01	0.09	3.1
CC90997		0.21	44.1	440	27.2	8.5	<0.001	0.02	0.87	11.8	0.9	0.5	34.0	0.01	0.06	2.8
CC90998		0.23	35.5	910	32.5	12.0	<0.001	0.05	0.85	6.7	0.8	0.4	30.7	0.01	0.06	1.9
CC90999		0.28	31.2	1300	27.2	11.6	<0.001	0.10	1.22	6.3	0.9	0.4	56.2	0.01	0.12	1.4
CC91000		0.20	35.1	1140	43.6	7.0	<0.001	0.16	0.80	8.0	1.3	0.3	174.0	0.01	0.07	1.7
BB34650		0.19	53.5	580	21.3	7.0	<0.001	0.02	1.80	12.2	0.9	0.5	12.0	0.01	0.16	2.8

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 23- JUN- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11097794

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
CC90960		<0.005	0.32	0.63	26	<0.05	10.25	82	2.8
CC90961		0.008	0.19	0.89	35	0.07	24.5	98	3.3
CC90962		0.006	0.15	0.70	37	0.05	15.55	101	3.1
CC90963		0.006	0.14	0.59	33	0.05	14.90	94	3.6
CC90964		0.010	0.14	0.64	31	0.08	16.80	84	3.0
CC90965		0.005	0.15	0.66	22	0.05	19.10	96	3.3
CC90966		<0.005	0.13	0.47	31	0.05	18.65	95	3.5
CC90967		<0.005	0.16	0.47	32	<0.05	12.50	95	2.3
CC90968		<0.005	0.17	0.47	28	<0.05	12.15	101	1.4
CC90969		0.006	0.18	0.56	29	<0.05	9.43	97	0.9
CC90970		0.005	0.12	1.08	28	0.05	12.60	89	4.7
CC90971		0.009	0.12	0.49	42	0.06	6.12	96	0.9
CC90972		0.009	0.13	0.53	42	0.07	6.12	92	0.9
CC90984		<0.005	0.14	0.51	30	<0.05	18.60	89	1.8
CC90985		<0.005	0.19	0.39	27	0.06	18.90	135	1.8
CC90986		<0.005	0.13	0.72	29	<0.05	13.75	122	1.8
CC90987		<0.005	0.19	0.38	27	<0.05	13.60	97	1.5
CC90988		<0.005	0.25	0.24	22	0.06	8.85	90	5.2
CC90989		0.012	0.18	0.82	38	0.11	10.65	74	1.0
CC90990		0.005	0.40	0.44	26	0.09	17.85	91	1.7
CC90991		0.005	0.33	0.59	23	0.06	15.25	86	1.5
CC90992		0.005	0.10	0.43	32	0.08	28.1	96	1.1
CC90993		<0.005	0.08	0.40	29	0.05	23.8	100	1.6
CC90994		0.005	0.09	0.59	33	0.06	21.9	83	1.5
CC90995		0.007	0.11	0.47	38	0.08	5.43	76	1.4
CC90996		0.009	0.15	0.68	39	0.07	29.2	96	2.4
CC90997		0.005	0.12	0.47	31	0.05	18.85	93	1.8
CC90998		0.006	0.13	0.48	30	0.05	11.60	78	1.5
CC90999		0.007	0.17	0.50	26	0.05	10.20	91	2.0
CC91000		0.005	0.17	0.78	21	0.12	21.8	99	2.8
BB34650		<0.005	0.25	0.47	32	0.05	11.10	118	<0.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 23- JUN- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11097794

Method	CERTIFICATE COMMENTS
ME- MS41	Gold determinations by this method are semi- quantitative due to the small sample weight used (0.5g).

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 16- JUN- 2011
Account: RCM

CERTIFICATE WH11102909

Project: Rackla- Dale

P.O. No.:

This report is for 13 Rock samples submitted to our lab in Whitehorse, YT, Canada on 9- JUN- 2011.

The following have access to data associated with this certificate:

ROB CARNE JULIA LANE	ANDREW CARNE JOAN MARIACHER	MATT DUMALA

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
WSH- 21	"Wash" crushers
WSH- 22	"Wash" pulverizers
CRU- 31	Fine crushing - 70% < 2mm
CRU- QC	Crushing QC Test
PUL- QC	Pulverizing QC Test
SPL- 21	Split sample - riffle splitter
PUL- 31	Pulverize split to 85% < 75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- AA26	Ore Grade Au 50g FA AA finish	AAS
ME- MS61	48 element four acid ICP- MS	
Hg- CV41	Trace Hg - cold vapor/AAS	FIMS

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 16- JUN- 2011
Account: RCM

Project: Rackla- Dale

CERTIFICATE OF ANALYSIS WH11102909

Sample Description	Method / Analyte / Units / LOR	WEI- 21 Recvd Wt. kg 0.02	Au- AA26 Au ppm 0.01	ME- MS61 Ag ppm 0.01	ME- MS61 Al % 0.01	ME- MS61 As ppm 0.2	ME- MS61 Ba ppm 10	ME- MS61 Be ppm 0.05	ME- MS61 Bi ppm 0.01	ME- MS61 Ca % 0.01	ME- MS61 Cd ppm 0.02	ME- MS61 Ce ppm 0.01	ME- MS61 Co ppm 0.1	ME- MS61 Cr ppm 1	ME- MS61 Cs ppm 0.05	ME- MS61 Cu ppm 0.2
I357358		0.77	<0.01	0.01	0.46	11	5600	0.07	0.01	28.7	0.06	14.90	1.1	6	0.49	7.3
I357359		0.48	<0.01	0.01	0.44	<5	630	0.10	0.01	28.0	0.24	13.35	0.8	5	1.09	7.3
I357360		0.57	<0.01	0.06	0.86	18	40	0.21	0.03	29.4	0.07	10.85	1.4	9	0.74	3.7
I357361		0.77	<0.01	0.06	1.18	14	40	0.29	0.03	28.7	0.08	14.30	1.9	13	0.89	5.1
I357362		0.48	<0.01	0.01	0.18	<5	20	<0.05	0.01	28.4	0.03	9.43	0.5	4	0.10	22.8
I357363		0.63	<0.01	0.05	0.82	7	30	0.13	0.03	22.6	0.02	19.65	1.4	8	0.54	3.3
I357364		0.42	0.01	0.03	1.06	5	40	0.17	0.03	20.5	0.02	22.2	1.4	9	0.89	4.2
I357365		0.71	<0.01	0.05	0.85	8	40	0.13	0.03	23.7	0.02	22.3	1.4	8	0.60	3.7
I357366		0.58	<0.01	0.01	0.17	19	20	<0.05	0.01	29.9	0.02	10.40	0.5	2	<0.05	1.1
I357367		0.73	<0.01	<0.01	0.16	462	60	0.13	0.01	34.0	1.34	2.40	0.7	3	0.24	1.2
I357368		0.50	<0.01	0.29	0.11	177	20	0.13	0.01	27.7	2.77	1.70	1.0	3	0.13	1.2
I357369		0.42	<0.01	0.69	0.80	>10000	810	0.70	0.02	1.00	60.0	7.53	9.6	17	2.37	9.1
I357370		1.06	<0.01	0.69	0.84	>10000	610	0.77	0.03	0.83	61.1	9.27	9.2	18	3.17	17.7

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 16- JUN- 2011
Account: RCM

Project: Rackla- Dale

CERTIFICATE OF ANALYSIS WH11102909

Sample Description	Method Analyte Units LOR	ME- MS61 Fe % 0.01	ME- MS61 Ga ppm 0.05	ME- MS61 Ge ppm 0.05	ME- MS61 Hf ppm 0.1	Hg- CV41 Hg ppm 0.01	ME- MS61 In ppm 0.005	ME- MS61 K % 0.01	ME- MS61 La ppm 0.5	ME- MS61 Li ppm 0.2	ME- MS61 Mg % 0.01	ME- MS61 Mn ppm 5	ME- MS61 Mo ppm 0.05	ME- MS61 Na % 0.01	ME- MS61 Nb ppm 0.1	ME- MS61 Ni ppm 0.2
I357358		0.68	1.04	0.05	0.2	0.04	0.006	0.17	8.8	5.1	2.85	187	0.25	0.10	0.9	3.0
I357359		0.55	0.86	0.05	0.2	0.03	<0.005	0.27	7.1	5.5	2.61	132	0.14	0.06	0.8	2.5
I357360		0.45	1.78	<0.05	0.5	0.04	0.009	0.21	6.0	4.7	0.78	109	0.33	0.01	1.4	3.5
I357361		0.54	2.53	<0.05	0.7	0.05	0.008	0.33	7.9	6.6	1.14	103	0.37	0.01	2.1	4.7
I357362		4.20	0.43	0.09	0.1	0.01	0.009	0.06	3.0	2.1	2.67	624	<0.05	0.01	0.5	1.4
I357363		7.06	1.95	0.15	0.3	0.01	0.018	0.31	7.6	7.9	4.10	979	0.08	0.02	1.3	3.1
I357364		7.86	2.71	0.17	0.4	0.01	0.026	0.40	8.6	8.0	4.94	1190	0.06	0.02	1.6	3.6
I357365		7.24	2.10	0.17	0.3	0.01	0.023	0.31	8.5	10.2	4.45	1040	0.07	0.02	1.4	3.5
I357366		3.13	0.38	0.09	0.1	<0.01	<0.005	0.04	3.6	17.2	1.96	469	<0.05	0.01	0.5	1.4
I357367		0.37	0.37	<0.05	0.1	0.9	<0.005	0.07	1.4	0.3	0.13	173	1.74	<0.01	0.5	3.8
I357368		0.29	0.28	<0.05	<0.1	0.15	<0.005	0.04	1.1	0.4	6.31	245	0.20	0.01	0.4	8.6
I357369		>50	2.61	1.24	0.3	8.6	0.023	0.19	6.1	0.9	0.07	260	32.8	0.02	1.4	564
I357370		>50	3.02	1.14	0.3	5.56	0.025	0.22	7.0	1.0	0.07	258	34.7	0.01	1.7	510

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 16- JUN- 2011
Account: RCM

Project: Rackla- Dale

CERTIFICATE OF ANALYSIS WH11102909

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
	LOR	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02
I357358		80	3.7	6.7	<0.002	0.20	0.20	0.7	1	<0.2	2160	0.05	<0.05	0.8	0.018	0.03
I357359		70	11.2	11.2	0.002	0.35	0.26	0.6	1	<0.2	9990	<0.05	<0.05	0.7	0.017	0.13
I357360		200	12.1	8.5	0.003	0.02	0.13	1.2	1	0.2	1225	0.09	<0.05	1.5	0.035	0.09
I357361		270	5.0	12.6	0.002	0.02	0.14	1.7	1	0.3	1325	0.13	<0.05	1.9	0.052	0.10
I357362		30	1.4	2.3	0.002	0.01	0.05	0.8	1	<0.2	841	<0.05	<0.05	0.3	0.007	<0.02
I357363		110	3.6	11.5	0.003	0.06	0.12	1.6	1	0.2	490	0.08	<0.05	1.4	0.036	0.06
I357364		110	2.3	15.3	0.002	0.03	0.11	2.6	1	0.3	318	0.10	<0.05	1.7	0.046	0.07
I357365		100	3.1	12.4	0.002	0.05	0.12	1.9	1	0.3	539	0.08	<0.05	1.5	0.036	0.06
I357366		20	<0.5	1.4	0.002	0.02	0.05	0.5	1	0.2	982	<0.05	<0.05	0.2	0.007	<0.02
I357367		150	0.5	2.6	0.003	0.01	0.35	4.7	1	<0.2	108.0	<0.05	<0.05	0.2	0.007	0.22
I357368		90	15.0	1.3	0.002	0.01	0.92	0.8	1	<0.2	178.0	<0.05	<0.05	<0.2	0.005	0.05
I357369		510	3.7	7.4	0.003	0.16	5.16	3.3	13	0.2	89.1	0.05	<0.05	0.9	0.020	6.37
I357370		530	8.1	9.8	0.003	0.11	5.36	3.9	8	0.2	63.8	0.06	<0.05	1.1	0.024	2.43

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 16- JUN- 2011
Account: RCM

Project: Rackla- Dale

CERTIFICATE OF ANALYSIS WH11102909

Sample Description	Method Analyte Units LOR	ME- MS61 U ppm 0.1	ME- MS61 V ppm 1	ME- MS61 W ppm 0.1	ME- MS61 Y ppm 0.1	ME- MS61 Zn ppm 2	ME- MS61 Zr ppm 0.5
I357358		4.8	7	0.1	3.9	12	7.7
I357359		4.5	5	0.1	3.4	18	9.1
I357360		8.4	16	0.2	4.4	13	20.9
I357361		7.9	21	0.2	5.0	16	28.7
I357362		0.6	3	<0.1	10.4	5	2.6
I357363		1.4	12	0.1	14.5	7	11.9
I357364		0.9	16	0.2	15.9	8	13.9
I357365		1.4	13	0.2	16.0	9	12.8
I357366		0.5	2	<0.1	14.0	2	2.3
I357367		4.8	19	0.1	8.8	55	2.3
I357368		2.1	7	0.3	4.0	65	1.8
I357369		8.1	228	0.8	31.4	6120	15.1
I357370		11.0	172	0.8	36.5	6780	16.4

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 16- JUN- 2011
Account: RCM

Project: Rackla- Dale

CERTIFICATE OF ANALYSIS WH11102909

Method	CERTIFICATE COMMENTS
ME- MS61	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown.
ME- MS61	REE's may not be totally soluble in this method.
Hg- CV41	Detection limits on samples requiring dilutions due to interferences or high concentration levels have been increased according to the dilution factor.

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 16- JUN- 2011
Account: RCM

CERTIFICATE WH11103174

Project: Rackla Gold (Rackla - Pyramid)

P.O. No.:

This report is for 7 Rock samples submitted to our lab in Whitehorse, YT, Canada on 9- JUN- 2011.

The following have access to data associated with this certificate:

ROB CARNE JULIA LANE	ANDREW CARNE JOAN MARIACHER	MATT DUMALA

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
WSH- 21	"Wash" crushers
WSH- 22	"Wash" pulverizers
CRU- 31	Fine crushing - 70% < 2mm
CRU- QC	Crushing QC Test
PUL- QC	Pulverizing QC Test
SPL- 21	Split sample - riffle splitter
PUL- 31	Pulverize split to 85% < 75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- AA26	Ore Grade Au 50g FA AA finish	AAS
ME- MS61	48 element four acid ICP- MS	
Hg- CV41	Trace Hg - cold vapor/AAS	FIMS

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 16- JUN- 2011
Account: RCM

Project: Rackla Gold (Rackla - Pyramid)

CERTIFICATE OF ANALYSIS WH11103174

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- AA26 Au ppm 0.01	ME- MS61 Ag ppm 0.01	ME- MS61 Al % 0.01	ME- MS61 As ppm 5	ME- MS61 Ba ppm 10	ME- MS61 Be ppm 0.05	ME- MS61 Bi ppm 0.01	ME- MS61 Ca % 0.01	ME- MS61 Cd ppm 0.02	ME- MS61 Ce ppm 0.01	ME- MS61 Co ppm 0.1	ME- MS61 Cr ppm 1	ME- MS61 Cs ppm 0.05	ME- MS61 Cu ppm 0.2
I357351		0.44	<0.01	0.11	1.17	115	160	0.38	0.02	21.5	0.60	10.45	2.0	10	1.26	7.2
I357352		0.34	0.01	0.25	0.97	209	140	0.36	0.02	22.2	0.70	10.50	1.8	9	0.88	5.1
I357353		0.63	<0.01	0.06	0.13	48	70	0.22	0.01	23.3	0.33	1.70	1.0	3	0.08	1.5
I357354		0.33	0.01	0.01	0.11	12	20	0.13	0.01	22.3	0.22	1.27	0.9	2	0.08	1.2
I357355		0.75	<0.01	0.05	0.16	13	80	0.19	0.01	30.6	0.18	2.08	0.8	7	0.14	1.7
I357356		0.43	<0.01	0.43	0.25	40	90	0.39	0.01	24.8	1.42	2.99	1.1	4	0.25	2.0
I357357		0.66	<0.01	0.50	0.22	36	60	0.19	0.01	22.4	1.82	2.84	1.1	4	0.21	2.3

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 16- JUN- 2011
Account: RCM

Project: Rackla Gold (Rackla - Pyramid)

CERTIFICATE OF ANALYSIS WH11103174

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	Hg- CV41	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
	Units	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOR	0.01	0.05	0.05	0.1	0.01	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2
I357351		0.37	3.05	<0.05	0.4	0.27	0.008	0.56	5.2	3.9	10.05	160	0.50	0.02	1.9	4.3
I357352		0.44	2.34	<0.05	0.3	0.58	0.007	0.46	5.4	3.0	9.49	319	0.38	0.02	1.6	5.1
I357353		0.11	0.27	<0.05	<0.1	0.38	<0.005	0.04	0.8	0.8	10.35	68	0.12	0.01	0.3	2.8
I357354		0.08	0.28	<0.05	<0.1	0.03	<0.005	0.04	0.6	0.8	11.10	65	0.15	0.02	0.3	2.8
I357355		0.10	0.40	<0.05	0.1	0.10	<0.005	0.07	1.0	0.7	4.72	104	0.15	0.01	0.5	4.6
I357356		0.13	0.65	0.05	0.1	0.65	<0.005	0.10	1.4	1.6	9.69	61	0.29	0.02	0.6	3.6
I357357		0.11	0.60	0.06	0.1	0.96	<0.005	0.09	1.4	1.8	10.40	68	0.24	0.02	0.8	3.3

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 16- JUN- 2011
Account: RCM

Project: Rackla Gold (Rackla - Pyramid)

CERTIFICATE OF ANALYSIS WH11103174

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
	LOR	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02
I357351		80	13.0	21.3	0.003	0.03	0.68	2.0	1	0.4	213	0.10	<0.05	1.4	0.048	0.37
I357352		80	49.4	15.6	0.003	0.03	0.96	2.1	1	0.3	176.5	0.09	<0.05	1.5	0.046	0.31
I357353		40	9.5	1.4	0.003	0.01	0.18	0.4	1	<0.2	215	<0.05	<0.05	0.2	0.005	0.06
I357354		40	6.0	1.5	0.003	0.01	1.72	0.3	1	<0.2	163.5	<0.05	<0.05	<0.2	0.005	0.02
I357355		40	3.5	2.4	0.003	0.02	0.15	0.4	1	<0.2	234	<0.05	<0.05	0.2	0.007	0.13
I357356		60	57.2	4.0	0.003	0.05	0.35	0.5	1	<0.2	223	<0.05	<0.05	0.3	0.010	0.21
I357357		70	48.9	3.3	0.003	0.03	0.47	0.5	1	<0.2	215	0.05	<0.05	0.3	0.011	0.06

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 16- JUN- 2011
Account: RCM

Project: Rackla Gold (Rackla - Pyramid)

CERTIFICATE OF ANALYSIS WH11103174

Sample Description	Method Analyte Units LOR	ME- MS61 U ppm 0.1	ME- MS61 V ppm 1	ME- MS61 W ppm 0.1	ME- MS61 Y ppm 0.1	ME- MS61 Zn ppm 2	ME- MS61 Zr ppm 0.5
I357351		2.0	16	1.1	2.7	62	13.9
I357352		1.8	16	1.5	3.2	109	13.1
I357353		2.3	5	0.2	0.7	35	1.6
I357354		1.8	4	0.1	0.5	36	1.3
I357355		1.6	5	0.3	1.4	19	2.4
I357356		2.2	6	0.4	1.2	203	3.1
I357357		2.3	5	0.4	0.9	66	4.1

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 16- JUN- 2011
Account: RCM

Project: Rackla Gold (Rackla - Pyramid)

CERTIFICATE OF ANALYSIS WH11103174

Method	CERTIFICATE COMMENTS
ME- MS61	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown.
ME- MS61	REE's may not be totally soluble in this method.

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 2- JUL- 2011
Account: RCM

CERTIFICATE WH11105623

Project: Rackla - PYRAMID

P.O. No.:

This report is for 190 Soil samples submitted to our lab in Whitehorse, YT, Canada on 14- JUN- 2011.

The following have access to data associated with this certificate:

ROB CARNE JULIA LANE	ANDREW CARNE JOAN MARIACHER	MATT DUMALA

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
SCR- 41	Screen to - 180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- TL43	Trace Level Au - 25g AR	ICP- MS
ME- MS41	51 anal. aqua regia ICPMS	

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 2- JUL- 2011
Account: RCM

Project: Rackla - PYRAMID

CERTIFICATE OF ANALYSIS WH11105623

Sample Description	Method	WEI- 21	Au- TL43	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Recvd Wt.	Au	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
CC123539		0.10	0.001	0.40	0.94	68.0	<0.2	<10	250	0.61	0.24	1.02	0.74	8.49	10.0	16
CC123540		0.18	0.002	0.07	0.66	33.0	<0.2	<10	210	0.57	0.25	0.21	0.37	20.7	14.4	12
CC123541		0.22	0.002	0.14	1.23	20.8	<0.2	<10	250	0.81	0.27	1.16	0.31	15.55	10.8	19
CC123542		0.24	0.001	0.09	1.55	15.8	<0.2	<10	210	0.85	0.33	0.62	0.22	12.10	15.0	24
CC123543		0.14	0.002	0.19	1.29	213	<0.2	<10	230	0.77	0.28	0.66	0.80	13.60	11.4	21
CC123544		0.54	0.001	0.12	0.99	42.0	<0.2	<10	800	0.51	0.21	5.91	0.43	17.20	14.0	15
CC123545		0.26	0.001	0.13	1.21	46.1	<0.2	<10	800	1.05	0.35	0.58	0.34	27.9	10.8	18
CC123546		0.18	0.001	0.17	0.61	12.8	<0.2	<10	240	0.62	0.36	0.78	0.19	11.60	10.5	10
CC123547		0.20	0.001	0.05	0.93	9.2	<0.2	<10	200	0.43	0.35	0.82	0.10	11.15	7.0	14
CC123548		0.18	0.001	0.11	1.14	12.2	<0.2	<10	190	0.69	0.29	0.84	0.14	25.8	10.4	19
CC123549		0.16	0.001	0.13	1.02	15.1	<0.2	<10	200	0.58	0.32	0.80	0.19	26.8	13.0	17
CC123550		0.16	0.001	0.17	0.95	8.5	<0.2	<10	140	0.81	0.26	5.94	0.21	24.9	10.0	14
CC125061		0.40	0.002	0.34	1.98	169.5	<0.2	<10	500	0.82	0.28	0.36	0.63	25.4	19.3	31
CC125062		0.26	0.002	0.11	1.66	13.6	<0.2	<10	160	0.61	0.25	0.57	0.28	32.1	16.2	25
CC125063		0.34	0.003	0.14	1.74	20.4	<0.2	<10	200	0.64	0.26	0.83	0.29	26.6	16.6	27
CC125064		0.24	0.003	0.13	1.91	18.3	<0.2	<10	170	0.65	0.26	0.92	0.39	28.4	19.6	28
CC125065		0.28	0.003	0.12	1.80	13.9	<0.2	<10	170	0.63	0.25	0.92	0.34	27.6	17.5	27
CC125066		0.18	0.003	0.26	1.46	66.3	<0.2	<10	210	0.71	0.26	1.30	0.43	17.65	12.2	24
CC125067		0.22	0.003	0.26	1.75	74.0	<0.2	<10	210	0.84	0.32	0.72	0.19	20.6	13.9	27
CC125068		0.32	0.003	0.21	1.54	39.3	<0.2	<10	160	0.75	0.34	0.53	0.51	25.0	15.3	25
CC125069		0.16	0.003	0.21	1.47	46.9	<0.2	<10	140	0.68	0.29	0.67	0.33	20.6	14.6	23
CC125070		0.22	0.003	0.28	1.52	43.3	<0.2	<10	250	0.79	0.35	0.76	0.51	23.2	17.3	25
CC125071		0.34	0.002	0.08	1.35	29.3	<0.2	<10	120	0.74	0.28	0.26	0.33	27.5	17.6	22
CC125072		0.26	0.001	0.10	1.86	10.1	<0.2	<10	340	0.82	0.29	0.67	0.22	10.55	14.8	29
CC125073		0.16	0.001	0.07	1.88	7.2	<0.2	<10	230	0.70	0.27	0.68	0.27	10.85	16.8	29
CC125074		0.20	0.001	0.10	1.79	10.8	<0.2	<10	1130	0.78	0.29	0.49	0.37	13.70	14.9	30
CC125075		0.34	0.001	0.06	1.98	7.1	<0.2	<10	160	0.81	0.29	0.27	0.17	13.80	15.2	33
CC125076		0.30	0.001	0.03	2.04	5.7	<0.2	<10	120	0.79	0.29	0.24	0.10	11.20	11.6	33
CC125077		0.26	0.001	0.04	1.98	6.5	<0.2	<10	140	0.66	0.29	0.33	0.13	9.41	12.3	31
CC125078		0.30	0.001	0.06	1.82	10.0	<0.2	<10	220	0.75	0.28	0.29	0.17	14.50	13.8	28
CC125079		0.36	0.001	0.10	1.79	8.9	<0.2	<10	210	0.78	0.28	0.26	0.22	13.00	12.1	28
CC125080		0.16	0.001	0.09	1.53	9.7	<0.2	<10	200	0.63	0.25	0.22	0.25	14.05	13.2	24
CC125081		0.18	0.001	0.09	1.54	12.5	<0.2	<10	260	0.66	0.26	0.23	0.27	13.75	12.1	25
CC125082		0.14	0.002	1.30	1.02	1695	<0.2	<10	170	0.80	0.29	0.88	4.63	7.18	12.5	18
CC125083		0.22	0.008	1.15	0.91	2180	<0.2	<10	200	0.81	0.28	1.23	5.92	7.29	13.2	17
CC125084		0.14	0.003	0.69	1.00	1430	<0.2	<10	160	0.72	0.28	0.87	2.17	7.09	12.4	17
CC125085		0.20	0.002	0.98	1.20	1345	<0.2	<10	190	1.03	0.28	0.82	3.13	7.68	10.2	20
CC125086		0.30	0.002	0.75	1.09	2320	<0.2	<10	200	1.00	0.25	0.57	4.59	7.53	13.1	19
CC125087		0.16	0.001	0.21	0.49	61	<0.2	<10	350	0.62	0.13	11.25	1.72	21.0	6.3	9
CC125089		0.16	0.001	0.29	1.34	22.3	<0.2	<10	830	0.86	0.20	3.49	2.49	20.7	7.7	18

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 2- JUL- 2011
Account: RCM

Project: Rackla - PYRAMID

CERTIFICATE OF ANALYSIS WH11105623

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
CC123539		0.84	21.1	3.06	2.92	0.06	0.06	1.36	0.030	0.08	3.7	12.3	0.28	634	0.85	0.01
CC123540		1.29	28.9	3.53	2.47	0.08	0.05	0.09	0.036	0.11	7.1	4.9	0.13	373	8.59	<0.01
CC123541		1.15	22.9	3.21	4.18	0.07	0.06	0.12	0.037	0.09	6.3	16.3	0.34	394	2.52	0.01
CC123542		0.97	21.7	4.10	5.32	0.07	0.05	0.07	0.039	0.10	5.0	21.9	0.48	474	1.80	<0.01
CC123543		1.39	28.0	2.20	4.45	0.06	0.05	0.66	0.034	0.09	5.5	21.3	0.38	205	0.85	0.01
CC123544		1.30	44.2	3.27	3.24	0.07	0.10	0.43	0.028	0.10	7.3	16.2	3.25	1070	1.03	0.01
CC123545		1.18	29.7	4.73	3.75	0.09	0.06	0.69	0.041	0.07	12.4	9.5	0.26	940	0.93	<0.01
CC123546		1.22	22.7	3.31	1.76	0.06	0.07	0.14	0.031	0.09	4.7	5.5	0.13	424	0.72	<0.01
CC123547		0.98	14.0	2.88	3.53	0.05	0.03	0.04	0.028	0.07	5.0	10.3	0.20	233	0.96	<0.01
CC123548		0.59	21.1	3.23	3.59	0.08	0.05	0.06	0.032	0.06	11.5	13.3	0.29	378	0.83	<0.01
CC123549		0.55	32.1	3.89	2.98	0.06	0.06	0.08	0.037	0.06	6.5	13.4	0.25	475	0.77	<0.01
CC123550		0.46	27.6	2.59	2.69	0.07	0.05	0.06	0.034	0.07	8.8	10.6	0.17	340	0.58	0.01
CC125061		1.33	62.2	4.54	6.22	0.09	0.07	0.70	0.039	0.07	10.8	34.0	0.81	827	1.06	<0.01
CC125062		0.59	59.1	3.89	5.48	0.09	0.07	0.08	0.029	0.06	14.3	31.4	0.87	569	0.77	<0.01
CC125063		0.70	71.1	4.00	5.85	0.09	0.08	0.15	0.032	0.08	11.7	31.8	0.91	575	0.70	<0.01
CC125064		0.81	76.5	4.21	6.24	0.10	0.08	0.16	0.033	0.09	12.2	34.6	1.03	464	0.64	0.01
CC125065		0.81	70.1	3.82	5.75	0.09	0.08	0.15	0.030	0.09	11.7	33.9	0.96	292	0.55	0.01
CC125066		0.91	47.6	2.97	4.56	0.07	0.07	0.32	0.031	0.07	7.5	25.3	0.58	259	0.72	0.01
CC125067		1.42	49.7	4.52	5.34	0.09	0.10	0.34	0.035	0.08	9.0	34.2	0.62	228	1.39	0.01
CC125068		1.29	58.0	4.30	4.97	0.09	0.09	0.16	0.035	0.09	10.7	36.3	0.69	377	1.39	<0.01
CC125069		1.12	39.4	3.91	4.73	0.08	0.10	0.15	0.033	0.08	8.6	33.6	0.64	425	1.27	<0.01
CC125070		1.41	56.2	4.60	4.73	0.09	0.10	0.17	0.036	0.10	9.9	37.0	0.66	463	1.83	0.01
CC125071		1.15	50.7	4.15	4.38	0.10	0.07	0.11	0.031	0.07	11.6	33.2	0.66	608	1.27	<0.01
CC125072		0.75	33.7	4.06	5.64	0.07	0.06	0.04	0.039	0.08	4.5	49.8	0.66	487	1.46	0.01
CC125073		0.85	20.3	3.76	5.78	0.07	0.07	0.05	0.038	0.08	4.6	48.7	0.65	545	1.18	0.01
CC125074		0.75	29.1	3.95	5.54	0.07	0.06	0.04	0.036	0.07	5.9	40.8	0.61	448	2.14	0.01
CC125075		1.23	25.2	3.95	6.00	0.07	0.05	0.04	0.036	0.08	5.7	60.5	0.72	283	0.88	<0.01
CC125076		1.11	27.1	3.99	6.27	0.07	0.05	0.02	0.036	0.08	4.8	66.0	0.78	214	0.71	<0.01
CC125077		1.20	19.4	3.98	6.27	0.07	0.04	0.02	0.035	0.08	4.3	57.8	0.74	305	0.87	<0.01
CC125078		0.93	31.9	3.95	5.67	0.07	0.05	0.04	0.037	0.08	6.5	50.4	0.70	320	1.25	<0.01
CC125079		0.99	31.2	3.99	5.46	0.07	0.04	0.04	0.038	0.08	5.7	46.0	0.64	244	1.48	0.01
CC125080		0.87	25.7	3.38	4.88	0.06	0.04	0.06	0.034	0.08	6.0	31.6	0.51	313	1.69	0.01
CC125081		0.66	32.4	3.92	4.97	0.07	0.04	0.06	0.038	0.08	6.0	32.3	0.56	313	1.73	0.01
CC125082		5.01	32.4	3.29	3.29	0.06	0.06	8.61	0.037	0.10	2.8	19.7	0.41	278	0.78	0.01
CC125083		6.37	34.0	3.63	3.02	0.07	0.05	36.6	0.039	0.10	2.7	17.3	0.71	287	0.91	0.01
CC125084		3.51	25.7	3.25	3.43	0.06	0.06	4.87	0.038	0.11	2.8	17.1	0.36	342	0.84	0.01
CC125085		3.98	36.1	3.36	3.83	0.14	0.06	4.86	0.038	0.09	3.2	21.3	0.40	254	0.85	0.01
CC125086		5.22	33.0	3.14	3.33	0.12	0.04	4.49	0.036	0.09	2.8	20.5	0.38	238	0.74	0.01
CC125087		1.18	10.6	2.00	1.39	0.14	0.04	2.14	0.015	0.04	12.5	4.3	6.45	977	0.38	0.02
CC125089		1.42	20.1	2.88	4.75	0.13	0.04	0.66	0.025	0.06	11.0	8.9	1.76	1260	0.90	0.02

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 2- JUL- 2011
Account: RCM

Project: Rackla - PYRAMID

CERTIFICATE OF ANALYSIS WH11105623

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
CC123539		0.23	25.8	660	82.0	9.1	0.001	0.06	0.76	4.6	0.8	0.4	30.7	<0.01	0.04	2.7
CC123540		0.18	32.3	850	29.4	8.6	0.001	0.02	0.77	5.1	1.4	0.4	15.8	<0.01	0.03	5.4
CC123541		0.33	25.6	710	19.2	9.1	0.001	0.05	0.46	5.7	1.2	0.6	34.9	<0.01	0.06	3.2
CC123542		0.43	28.9	530	18.4	9.7	0.001	0.03	0.35	5.2	0.7	0.7	19.7	<0.01	0.05	4.0
CC123543		0.32	26.5	530	30.9	9.7	0.004	0.10	0.34	5.5	1.2	0.6	25.5	<0.01	0.03	3.5
CC123544		0.11	22.9	520	26.0	8.2	0.001	0.04	0.29	5.7	0.5	0.3	79.0	<0.01	0.03	4.1
CC123545		0.34	22.6	550	47.8	9.5	<0.001	0.05	0.22	6.3	0.8	0.5	22.2	0.01	0.04	3.6
CC123546		0.19	19.6	560	30.7	9.3	<0.001	0.08	0.25	4.2	0.9	0.4	39.0	<0.01	0.03	2.5
CC123547		0.54	11.1	540	21.9	9.6	<0.001	0.05	0.25	2.5	0.5	0.5	47.6	<0.01	0.03	1.3
CC123548		0.57	22.1	530	16.9	8.0	<0.001	0.05	0.36	4.9	0.8	0.4	53.8	0.01	0.04	2.5
CC123549		0.29	25.2	320	25.0	7.1	<0.001	0.04	0.30	4.9	0.6	0.4	57.3	<0.01	0.05	4.3
CC123550		0.42	18.9	480	15.3	7.3	<0.001	0.06	0.31	4.3	1.2	0.4	256	0.01	0.06	2.1
CC125061		0.20	41.0	430	56.8	9.3	<0.001	0.03	0.84	8.8	0.9	0.4	22.9	<0.01	0.05	4.8
CC125062		0.30	31.6	700	14.0	5.4	<0.001	0.02	0.40	6.7	0.7	0.3	33.3	<0.01	0.06	4.1
CC125063		0.28	32.7	600	15.9	6.0	<0.001	0.04	0.43	7.2	0.8	0.3	37.6	<0.01	0.06	3.3
CC125064		0.25	34.8	650	16.7	6.3	<0.001	0.04	0.42	7.5	0.8	0.3	39.4	<0.01	0.06	3.3
CC125065		0.23	32.4	620	16.1	6.3	<0.001	0.04	0.41	7.2	0.7	0.3	39.4	<0.01	0.06	3.3
CC125066		0.24	28.9	820	23.4	7.6	<0.001	0.08	0.44	5.0	1.2	0.4	54.7	<0.01	0.05	1.7
CC125067		0.28	32.9	860	21.8	9.0	0.001	0.06	0.49	6.3	2.2	0.4	42.8	<0.01	0.05	3.3
CC125068		0.21	35.6	790	20.5	7.4	0.001	0.04	0.62	6.5	1.4	0.3	35.6	<0.01	0.06	4.2
CC125069		0.19	29.0	750	19.1	7.6	0.001	0.05	0.51	5.7	1.6	0.3	35.3	<0.01	0.05	3.4
CC125070		0.22	39.7	840	23.7	8.4	0.004	0.08	0.75	6.4	2.1	0.4	51.9	<0.01	0.06	4.0
CC125071		0.14	35.5	780	18.3	5.6	0.001	0.03	0.55	5.7	1.0	0.3	26.6	<0.01	0.06	4.4
CC125072		0.23	48.2	460	15.6	8.3	0.001	0.04	0.36	6.1	1.2	0.5	30.5	<0.01	0.04	2.3
CC125073		0.32	41.0	680	14.5	9.8	<0.001	0.04	0.22	6.3	1.2	0.4	30.3	<0.01	0.02	2.7
CC125074		0.30	43.5	650	14.8	9.0	0.001	0.04	0.41	5.7	1.1	0.5	26.7	<0.01	0.04	2.9
CC125075		0.28	45.3	670	14.2	10.4	<0.001	0.03	0.25	6.0	0.8	0.4	18.4	<0.01	0.02	3.6
CC125076		0.17	50.0	740	11.0	9.3	<0.001	0.02	0.20	6.4	0.5	0.4	16.3	<0.01	0.02	3.6
CC125077		0.21	42.6	610	11.4	9.8	<0.001	0.02	0.21	4.8	0.4	0.4	22.1	<0.01	0.02	2.7
CC125078		0.24	41.7	720	13.3	9.3	<0.001	0.02	0.28	6.5	0.7	0.4	20.9	<0.01	0.03	3.8
CC125079		0.20	39.9	680	13.0	9.5	0.001	0.02	0.31	6.3	0.7	0.4	20.2	<0.01	0.03	3.5
CC125080		0.27	29.8	720	12.6	9.7	<0.001	0.03	0.35	4.9	0.8	0.4	18.7	<0.01	0.03	3.0
CC125081		0.21	33.7	750	14.0	8.2	0.001	0.03	0.37	5.5	0.9	0.4	20.7	<0.01	0.04	3.3
CC125082		0.15	40.9	670	155.5	12.7	0.002	0.07	1.72	5.2	1.4	0.5	27.4	<0.01	0.04	2.7
CC125083		0.13	42.0	630	187.5	13.1	0.001	0.08	1.68	5.5	1.2	0.5	27.2	<0.01	0.04	2.9
CC125084		0.18	31.7	510	89.8	11.5	0.001	0.07	1.40	4.9	1.0	0.5	27.2	<0.01	0.04	2.4
CC125085		0.13	44.9	720	108.5	12.7	0.001	0.05	2.08	5.7	1.0	0.5	27.9	<0.01	0.03	2.3
CC125086		0.10	45.1	670	100.5	13.9	0.001	0.06	2.27	5.6	1.2	0.5	20.7	<0.01	0.06	2.6
CC125087		0.18	11.5	730	50.7	4.4	<0.001	0.03	0.25	2.8	0.2	0.3	74.6	<0.01	0.04	1.7
CC125089		0.55	16.6	760	36.9	8.6	<0.001	0.05	0.40	2.7	0.3	0.5	33.8	<0.01	0.05	1.1

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 2- JUL- 2011
Account: RCM

Project: Rackla - PYRAMID

CERTIFICATE OF ANALYSIS WH11105623

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
CC123539		<0.005	0.31	0.54	24	0.07	6.51	211	2.1
CC123540		<0.005	0.18	1.98	40	<0.05	9.13	176	1.5
CC123541		<0.005	0.13	1.10	39	<0.05	9.10	130	1.8
CC123542		0.005	0.11	0.68	31	0.09	5.53	119	1.7
CC123543		<0.005	1.99	1.35	28	0.05	8.43	207	1.7
CC123544		<0.005	0.47	0.73	25	<0.05	8.38	172	5.7
CC123545		0.005	0.26	1.10	28	0.08	15.20	250	1.4
CC123546		<0.005	0.16	0.76	17	<0.05	7.33	144	3.2
CC123547		0.009	0.10	0.96	30	0.11	3.38	63	1.2
CC123548		0.010	0.09	1.15	31	0.16	13.20	64	1.8
CC123549		<0.005	0.11	0.64	28	0.05	6.07	80	2.5
CC123550		<0.005	0.09	1.53	24	0.08	12.60	64	2.1
CC125061		<0.005	1.00	0.63	46	0.07	13.80	198	3.1
CC125062		0.008	0.07	0.63	42	0.06	11.15	85	2.9
CC125063		0.007	0.11	0.57	44	0.05	11.10	92	3.0
CC125064		0.006	0.11	0.59	48	<0.05	11.50	102	3.1
CC125065		0.006	0.10	0.54	44	<0.05	10.95	93	3.1
CC125066		<0.005	0.44	1.13	36	0.05	11.05	147	2.4
CC125067		<0.005	0.27	1.85	39	0.05	11.30	121	3.7
CC125068		<0.005	0.13	1.25	37	0.05	11.30	145	3.7
CC125069		<0.005	0.12	1.28	35	<0.05	9.20	139	3.9
CC125070		<0.005	0.14	1.86	36	0.05	12.50	144	4.0
CC125071		<0.005	0.09	0.92	32	<0.05	11.10	125	2.7
CC125072		<0.005	0.10	0.71	33	<0.05	8.67	115	1.9
CC125073		<0.005	0.08	0.76	33	0.07	7.91	149	2.2
CC125074		<0.005	0.11	0.92	41	0.07	8.65	130	2.0
CC125075		0.005	0.09	0.56	32	0.06	8.85	116	1.7
CC125076		<0.005	0.07	0.38	28	<0.05	8.64	106	1.8
CC125077		<0.005	0.09	0.31	30	<0.05	5.67	104	1.3
CC125078		<0.005	0.09	0.59	34	<0.05	9.06	118	1.7
CC125079		<0.005	0.12	0.56	34	<0.05	8.34	122	1.6
CC125080		<0.005	0.13	0.57	37	0.07	6.68	109	1.2
CC125081		<0.005	0.11	0.61	38	<0.05	7.57	120	1.4
CC125082		<0.005	21.8	1.49	24	0.24	9.37	1260	2.0
CC125083		<0.005	26.1	1.19	24	0.22	9.39	1660	1.7
CC125084		<0.005	13.15	1.57	25	0.16	6.92	710	1.9
CC125085		<0.005	13.45	2.03	26	0.16	10.50	1040	1.6
CC125086		<0.005	25.1	1.94	26	0.15	9.18	1480	1.2
CC125087		0.005	0.35	1.09	13	0.12	8.20	521	0.9
CC125089		0.012	0.48	1.90	35	0.18	9.07	634	1.1

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 2- JUL- 2011
Account: RCM

Project: Rackla - PYRAMID

CERTIFICATE OF ANALYSIS WH11105623

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- TL43 Au ppm 0.001	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1
CC125090		0.24	0.001	0.16	1.11	16.1	<0.2	<10	300	0.80	0.26	0.24	0.10	24.1	11.7	18
CC125091		0.34	0.001	0.07	0.68	13.4	<0.2	<10	170	0.69	0.30	0.11	0.11	17.35	12.6	11
CC125092		0.22	0.001	0.03	1.06	11.2	<0.2	<10	110	0.37	0.28	0.13	0.14	20.0	6.3	17
CC125093		0.24	<0.001	0.04	1.40	9.8	<0.2	<10	170	0.93	0.28	0.95	0.27	24.0	10.1	16
CC125094		0.26	0.001	0.23	1.17	11.1	<0.2	<10	160	1.01	0.33	4.01	0.12	26.9	11.2	14
CC125111		0.20	0.003	2.12	1.55	13.4	<0.2	<10	580	0.86	0.27	0.65	0.45	17.60	11.3	27
CC125112		0.24	0.001	0.33	1.24	12.8	<0.2	<10	480	0.35	0.26	0.77	0.41	16.20	9.6	24
CC125113		0.24	0.003	2.14	0.71	10.4	<0.2	<10	440	0.54	0.29	0.76	0.60	5.94	6.4	18
CC125114		0.14	0.003	1.31	1.19	11.5	<0.2	<10	360	0.62	0.24	1.29	0.60	13.80	8.9	24
CC125115		0.20	0.002	0.21	0.59	9.9	<0.2	<10	780	0.19	0.28	0.26	0.24	13.40	4.6	17
CC125116		0.18	0.003	1.13	1.57	12.1	<0.2	<10	1270	0.84	0.25	0.74	0.20	19.40	13.1	26
CC125117		0.16	0.004	1.59	1.24	9.0	<0.2	<10	730	0.81	0.20	1.70	0.48	11.35	10.5	19
CC125118		0.16	0.006	3.51	1.39	8.6	<0.2	<10	560	0.87	0.19	1.70	0.57	11.15	10.2	22
CC125119		0.18	0.002	0.05	0.35	10.3	<0.2	<10	110	0.09	0.24	0.24	0.10	19.85	1.9	10
CC125120		0.14	0.004	1.36	1.14	8.3	<0.2	<10	650	0.47	0.22	0.63	0.35	12.45	8.7	22
CC125121		0.16	0.005	2.10	1.23	8.7	<0.2	<10	580	0.79	0.19	1.00	0.76	10.75	10.2	23
CC125122		0.16	0.004	1.77	1.33	6.6	<0.2	<10	730	0.68	0.20	1.43	0.80	6.99	6.5	30
CC125123		0.28	0.002	0.08	1.69	11.9	<0.2	<10	180	0.92	0.27	0.09	0.20	8.83	21.7	29
CC125124		0.28	0.002	0.07	1.40	9.9	<0.2	<10	130	0.61	0.25	0.12	0.14	9.67	10.7	26
CC125125		0.18	0.003	0.91	1.49	9.6	<0.2	<10	260	0.79	0.24	0.67	0.28	6.91	8.3	37
CC125126		0.14	0.004	0.86	1.53	9.6	<0.2	<10	350	0.75	0.21	1.10	0.45	7.56	10.3	32
CC125127		0.10	0.004	0.78	1.46	8.6	<0.2	<10	320	0.71	0.20	1.04	0.44	6.87	9.3	33
CC125128		0.24	0.003	0.58	1.46	10.4	<0.2	<10	390	0.76	0.20	1.24	0.43	9.19	10.6	29
CC125129		0.24	0.003	0.12	1.44	25.0	<0.2	<10	260	1.00	0.28	0.47	0.21	16.25	16.7	24
CC125130		0.14	0.003	0.17	1.18	14.9	<0.2	<10	3090	0.64	0.18	1.06	0.28	11.85	12.2	21
CC125131		0.16	0.003	0.15	1.47	16.4	<0.2	<10	310	0.69	0.20	0.72	0.24	17.95	12.4	24
CC125132		0.24	0.002	0.07	1.60	17.5	<0.2	<10	250	0.90	0.20	0.33	0.07	18.15	10.1	26
CC125133		0.26	0.004	0.24	1.48	16.1	<0.2	<10	330	0.78	0.23	0.83	0.29	20.4	12.0	25
CC125134		0.16	0.003	0.10	1.02	12.4	<0.2	<10	220	0.76	0.22	0.87	0.25	14.50	16.7	18
CC125136		0.18	0.002	0.08	1.30	13.7	<0.2	<10	260	1.04	0.23	0.91	0.24	10.80	19.0	19
CC125137		0.14	0.002	0.15	1.08	10.6	<0.2	<10	230	0.68	0.23	0.88	0.09	6.56	9.6	18
CC125138		0.22	0.003	0.10	1.76	8.9	<0.2	<10	290	1.32	0.31	1.11	0.13	17.55	12.1	23
CC125139		0.22	0.004	0.24	1.90	8.6	<0.2	<10	370	1.59	0.48	1.07	0.31	14.00	14.2	24
CC125140		0.20	0.002	0.40	1.44	261	<0.2	<10	230	1.04	0.25	0.55	0.35	11.00	11.7	26
CC125141		0.22	0.002	0.24	0.80	46	<0.2	<10	770	0.55	0.15	10.30	0.47	15.95	6.9	14
CC125142		0.22	0.005	0.41	1.10	35.6	<0.2	<10	660	0.81	0.19	6.24	0.28	27.4	9.6	18
CC125143		0.24	0.004	0.31	1.85	36.7	<0.2	<10	370	1.31	0.19	3.84	0.14	44.4	12.1	28
CC125144		0.28	0.002	0.05	0.69	11.3	<0.2	<10	70	0.30	0.34	0.09	0.06	17.10	3.9	11
CC125145		0.20	0.002	0.04	0.93	8.8	<0.2	<10	70	0.24	0.26	0.03	0.08	22.9	4.0	13
CC125146		0.14	0.003	0.15	1.09	6.6	<0.2	<10	210	0.98	0.24	5.00	0.59	26.6	7.0	15

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 2- JUL- 2011
Account: RCM

Project: Rackla - PYRAMID

CERTIFICATE OF ANALYSIS WH11105623

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
CC125090		1.39	25.8	3.18	3.49	0.14	0.03	0.23	0.029	0.06	11.2	14.3	0.31	324	0.89	0.01
CC125091		0.80	30.9	3.22	2.29	0.12	<0.02	0.13	0.026	0.05	7.6	9.9	0.19	499	0.66	0.01
CC125092		0.77	11.9	2.85	4.80	0.12	0.02	0.03	0.024	0.06	9.2	11.6	0.20	176	1.24	0.01
CC125093		0.70	21.0	3.36	3.71	0.13	0.06	0.06	0.042	0.06	8.6	13.0	0.20	292	0.58	0.01
CC125094		0.90	29.2	3.26	3.02	0.15	0.08	0.06	0.044	0.07	8.9	16.0	0.20	169	0.63	0.01
CC125111		10.20	33.1	3.05	4.58	0.13	0.07	0.55	0.037	0.08	8.9	17.7	0.36	480	1.86	0.01
CC125112		1.63	15.5	2.82	5.07	0.12	0.04	0.10	0.025	0.06	7.3	16.6	0.45	542	1.74	0.01
CC125113		5.27	42.3	2.82	1.87	0.12	0.05	0.72	0.035	0.08	4.4	8.0	0.21	138	1.26	0.01
CC125114		4.41	35.1	2.73	3.69	0.14	0.04	0.54	0.029	0.08	7.7	13.9	0.36	281	1.70	0.01
CC125115		2.75	21.3	2.26	4.23	0.12	<0.02	0.04	0.018	0.06	6.2	5.0	0.12	164	1.41	0.01
CC125116		1.98	24.3	2.86	4.74	0.14	0.05	0.17	0.029	0.06	9.5	19.4	0.40	836	1.84	0.01
CC125117		2.48	48.7	2.63	3.46	0.14	0.06	0.35	0.027	0.06	5.8	15.1	0.32	519	1.33	0.02
CC125118		5.50	52.5	2.92	3.54	0.14	0.08	0.59	0.032	0.10	5.8	17.4	0.40	462	1.16	0.01
CC125119		1.68	7.3	1.04	4.53	0.12	<0.02	0.02	0.008	0.03	9.9	1.2	0.06	58	1.58	0.01
CC125120		3.07	16.9	2.38	3.71	0.12	0.05	0.30	0.031	0.09	6.7	14.6	0.26	198	1.03	0.01
CC125121		3.53	42.6	2.66	2.86	0.13	0.06	0.48	0.033	0.08	6.1	13.1	0.35	344	1.24	0.01
CC125122		2.06	49.6	2.51	3.32	0.14	0.06	0.49	0.033	0.10	3.9	19.6	0.35	368	1.46	0.02
CC125123		1.60	31.5	4.56	5.11	0.12	0.04	0.05	0.041	0.09	3.5	34.6	0.45	909	1.76	0.01
CC125124		1.25	20.7	3.51	5.04	<0.05	0.02	0.03	0.031	0.08	3.9	25.9	0.38	305	1.45	<0.01
CC125125		2.29	40.0	3.45	4.02	0.13	0.06	0.26	0.043	0.09	3.6	33.7	0.51	171	1.48	0.01
CC125126		1.63	35.6	3.11	4.14	0.13	0.07	0.35	0.036	0.10	3.9	33.8	0.52	1640	1.36	0.02
CC125127		1.65	34.0	3.14	3.87	0.13	0.07	0.27	0.037	0.08	3.5	31.3	0.51	657	1.09	0.02
CC125128		1.19	33.8	3.00	4.09	0.13	0.06	0.21	0.034	0.08	4.3	29.9	0.53	541	0.93	0.01
CC125129		1.13	52.6	4.19	4.40	0.14	0.06	0.11	0.037	0.08	7.0	21.9	0.51	623	1.09	0.01
CC125130		0.65	31.4	3.20	3.55	0.13	0.04	0.09	0.029	0.07	5.1	15.2	0.37	552	1.10	0.02
CC125131		0.78	32.9	3.58	4.69	0.14	0.06	0.08	0.031	0.07	7.8	22.4	0.56	573	1.15	0.01
CC125132		0.61	40.9	4.03	5.01	0.13	0.04	0.07	0.039	0.06	8.4	26.2	0.59	178	0.88	0.01
CC125133		0.64	46.1	3.55	4.29	0.14	0.07	0.12	0.040	0.07	10.0	22.1	0.61	889	1.04	0.01
CC125134		0.70	30.5	3.57	3.40	0.13	0.08	0.08	0.032	0.09	5.8	15.5	0.36	864	0.75	0.01
CC125136		0.78	28.3	5.38	3.92	0.14	0.06	0.04	0.036	0.07	4.2	15.4	0.31	460	1.04	0.01
CC125137		0.77	17.4	3.65	3.36	0.12	0.05	0.07	0.033	0.08	2.8	11.6	0.25	594	1.03	0.01
CC125138		1.47	38.5	3.41	5.74	0.13	0.08	0.04	0.036	0.10	8.8	19.9	0.32	738	0.82	0.01
CC125139		4.02	46.5	3.62	6.14	0.14	0.17	0.10	0.046	0.18	5.3	26.7	0.34	1580	0.82	0.02
CC125140		2.25	36.0	3.18	4.51	0.14	0.05	0.60	0.042	0.08	4.6	32.7	0.48	129	1.12	0.01
CC125141		0.60	15.1	3.04	2.25	0.14	0.05	0.47	0.021	0.05	9.1	6.3	6.02	1620	0.56	0.02
CC125142		1.03	21.5	4.39	2.99	0.17	0.08	0.97	0.029	0.06	16.7	10.4	3.86	2120	0.64	0.02
CC125143		0.94	25.9	4.35	4.27	0.18	0.09	0.26	0.031	0.05	31.8	17.2	2.62	1580	2.41	0.02
CC125144		1.48	14.5	2.76	4.80	0.14	<0.02	0.02	0.024	0.06	8.5	5.3	0.12	95	1.19	0.01
CC125145		1.01	10.4	2.39	5.40	0.13	0.04	0.02	0.016	0.05	11.8	14.9	0.14	103	0.99	0.01
CC125146		0.41	22.5	2.56	2.66	0.15	0.05	0.06	0.038	0.06	11.7	8.7	0.14	189	0.36	0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 2- JUL- 2011
Account: RCM

Project: Rackla - PYRAMID

CERTIFICATE OF ANALYSIS WH11105623

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
CC125090		0.42	25.2	610	21.6	7.1	<0.001	0.01	0.47	4.5	0.7	0.4	20.6	<0.01	0.04	3.8
CC125091		0.16	24.7	300	28.4	4.6	<0.001	0.01	0.39	4.0	0.5	0.3	15.8	<0.01	0.03	3.7
CC125092		0.78	13.3	170	20.4	9.0	<0.001	<0.01	0.52	2.2	<0.2	0.5	10.8	<0.01	0.05	3.3
CC125093		0.24	21.8	210	30.5	8.1	<0.001	0.01	0.41	4.8	0.3	0.5	74.1	<0.01	0.04	3.8
CC125094		0.20	25.2	330	23.7	8.4	<0.001	0.02	0.42	7.0	0.6	0.5	137.0	<0.01	0.06	5.6
CC125111		0.53	39.8	1170	16.5	22.4	0.002	0.08	0.70	4.7	2.6	0.5	25.1	<0.01	0.05	1.3
CC125112		0.55	21.8	930	14.5	12.0	0.002	0.05	0.56	2.5	1.5	0.5	25.4	<0.01	0.05	0.9
CC125113		0.17	49.3	630	14.3	10.7	0.004	0.05	1.08	5.0	2.0	0.4	21.6	<0.01	0.06	0.6
CC125114		0.50	40.6	960	14.6	17.8	0.001	0.07	0.69	4.2	2.6	0.5	35.9	<0.01	0.06	0.7
CC125115		0.53	16.7	290	13.1	12.9	0.001	0.02	0.74	1.8	0.2	0.6	17.4	<0.01	0.07	1.2
CC125116		0.60	39.0	940	16.0	12.6	0.001	0.05	0.64	3.7	2.1	0.5	32.8	<0.01	0.05	1.7
CC125117		0.39	45.8	960	14.0	12.8	0.002	0.10	0.75	3.9	4.3	0.4	54.1	<0.01	0.05	0.9
CC125118		0.34	64.4	900	13.4	15.7	0.004	0.09	0.74	5.4	3.9	0.4	57.8	<0.01	0.05	1.2
CC125119		0.76	7.8	200	6.2	6.8	<0.001	<0.01	0.53	1.0	<0.2	0.7	10.9	<0.01	0.04	1.4
CC125120		0.37	25.5	910	14.9	14.5	0.001	0.08	0.44	4.4	1.2	0.5	48.5	<0.01	0.07	1.8
CC125121		0.34	57.7	820	15.1	16.1	0.003	0.07	0.70	5.3	3.0	0.4	40.1	<0.01	0.05	1.1
CC125122		0.23	47.8	870	12.8	14.1	0.004	0.12	0.59	4.9	3.6	0.4	75.3	<0.01	0.05	1.1
CC125123		0.16	37.3	900	18.5	10.1	0.001	0.06	0.43	5.2	0.3	0.5	21.4	<0.01	0.06	3.0
CC125124		0.25	25.6	700	18.4	10.3	<0.001	0.05	0.42	3.5	0.6	0.5	30.8	<0.01	0.03	2.2
CC125125		0.12	41.7	650	16.1	12.2	0.006	0.07	0.51	5.3	2.9	0.5	40.2	<0.01	0.05	1.8
CC125126		0.13	47.0	750	13.2	13.3	0.020	0.12	0.42	5.3	6.1	0.4	55.7	<0.01	0.06	1.9
CC125127		0.15	43.3	740	13.5	11.6	0.008	0.10	0.42	4.8	4.2	0.4	46.6	<0.01	0.06	1.7
CC125128		0.18	42.6	790	13.2	10.0	0.004	0.09	0.42	4.7	2.7	0.4	49.7	<0.01	0.03	1.6
CC125129		0.13	43.4	430	18.4	8.6	0.001	0.02	0.50	7.1	0.4	0.5	22.3	<0.01	0.07	3.4
CC125130		0.20	28.3	620	13.8	7.2	<0.001	0.12	0.40	4.7	0.6	0.3	44.6	<0.01	0.05	1.9
CC125131		0.32	29.6	780	14.2	7.5	0.001	0.03	0.48	5.6	0.7	0.4	31.7	<0.01	0.05	2.7
CC125132		0.12	31.3	410	13.8	7.7	<0.001	0.01	0.34	7.0	0.7	0.4	19.5	<0.01	0.04	3.6
CC125133		0.25	33.4	690	15.4	6.8	0.001	0.04	0.44	7.1	0.9	0.4	31.5	<0.01	0.06	2.4
CC125134		0.16	33.1	610	17.4	8.5	<0.001	0.04	0.39	5.3	0.3	0.4	37.2	<0.01	0.04	3.2
CC125136		0.21	35.5	940	15.5	9.8	0.001	0.07	0.37	4.6	0.5	0.4	37.4	<0.01	0.05	2.0
CC125137		0.17	21.4	770	16.0	10.8	0.001	0.05	0.34	4.2	0.5	0.4	35.7	<0.01	0.04	2.2
CC125138		0.50	23.6	930	19.6	15.9	0.001	0.06	0.35	5.4	0.6	0.7	44.0	<0.01	0.04	2.3
CC125139		0.25	28.1	720	27.3	28.4	<0.001	0.06	0.34	8.9	1.2	0.9	51.0	<0.01	0.05	3.5
CC125140		0.12	43.3	680	25.1	11.3	0.003	0.05	0.49	6.3	3.4	0.4	28.9	<0.01	0.06	2.6
CC125141		0.19	14.6	740	97.4	4.2	<0.001	0.03	0.38	3.3	0.6	0.3	102.0	<0.01	0.05	1.2
CC125142		0.21	22.7	1040	81.6	7.7	<0.001	0.04	0.36	5.6	1.3	0.4	53.3	<0.01	0.04	2.8
CC125143		0.23	27.3	670	24.9	8.3	0.001	0.02	0.44	10.5	1.7	0.3	25.2	<0.01	0.04	4.8
CC125144		0.43	8.8	240	21.0	9.4	<0.001	0.02	0.49	1.8	0.6	0.5	14.3	<0.01	0.06	2.5
CC125145		0.68	9.6	130	13.1	12.6	<0.001	<0.01	0.39	1.6	0.5	0.6	5.6	<0.01	0.04	3.2
CC125146		0.33	16.0	600	14.7	6.8	<0.001	0.06	0.28	3.9	1.1	0.4	218	<0.01	0.06	1.6

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 2- JUL- 2011
Account: RCM

Project: Rackla - PYRAMID

CERTIFICATE OF ANALYSIS WH11105623

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
CC125090		0.011	0.16	1.02	30	0.17	8.91	87	0.9
CC125091		0.006	0.16	0.56	20	0.05	8.40	75	0.8
CC125092		0.019	0.08	0.52	43	0.19	3.03	49	1.0
CC125093		<0.005	0.12	0.78	30	0.07	9.31	88	1.7
CC125094		<0.005	0.10	1.72	19	0.05	15.60	83	2.4
CC125111		0.010	0.30	2.10	45	0.15	15.65	158	1.4
CC125112		0.020	0.16	0.87	48	0.14	4.05	92	0.7
CC125113		0.005	0.14	2.98	29	<0.05	17.15	142	1.2
CC125114		0.012	0.20	3.47	38	0.09	17.25	155	1.0
CC125115		0.024	0.10	0.52	52	0.13	2.71	100	<0.5
CC125116		0.013	0.17	1.31	45	0.17	14.20	87	1.3
CC125117		0.006	0.15	2.56	33	0.07	17.15	99	1.7
CC125118		<0.005	0.23	2.76	35	0.11	19.85	156	2.0
CC125119		0.036	0.11	0.43	52	0.26	1.78	34	<0.5
CC125120		0.006	0.18	1.46	35	0.09	11.80	104	1.2
CC125121		0.006	0.17	2.75	33	0.08	20.4	201	1.6
CC125122		<0.005	0.15	1.88	30	0.05	14.55	154	1.8
CC125123		<0.005	0.13	0.59	32	<0.05	5.94	126	1.2
CC125124		<0.005	0.13	0.45	33	0.06	2.95	88	0.6
CC125125		<0.005	0.11	1.61	32	<0.05	12.05	139	1.8
CC125126		<0.005	0.14	2.41	30	<0.05	12.70	134	1.7
CC125127		<0.005	0.12	1.56	30	0.05	10.75	139	1.7
CC125128		<0.005	0.10	1.06	32	<0.05	10.45	139	1.5
CC125129		<0.005	0.12	0.79	38	<0.05	11.45	117	1.6
CC125130		<0.005	0.09	0.80	34	<0.05	7.38	101	1.1
CC125131		0.005	0.08	0.85	41	0.11	8.27	112	1.5
CC125132		<0.005	0.08	0.67	41	<0.05	9.83	90	1.2
CC125133		0.005	0.11	1.08	37	0.05	14.40	121	1.5
CC125134		<0.005	0.09	0.59	31	<0.05	8.89	102	1.5
CC125136		<0.005	0.11	0.64	30	<0.05	9.45	98	1.4
CC125137		<0.005	0.10	0.59	32	0.08	4.18	94	1.3
CC125138		0.006	0.13	0.84	38	0.10	11.00	66	1.9
CC125139		<0.005	0.16	0.97	28	0.07	16.80	133	4.6
CC125140		<0.005	0.82	1.35	32	<0.05	12.15	143	1.6
CC125141		0.008	0.50	1.09	21	0.08	9.91	158	1.4
CC125142		0.007	0.38	2.03	28	0.14	21.8	113	2.2
CC125143		0.007	0.17	1.56	36	0.10	27.7	77	2.4
CC125144		0.015	0.11	0.39	37	0.10	2.51	40	<0.5
CC125145		0.020	0.09	0.37	43	0.13	2.07	36	1.5
CC125146		0.005	0.07	3.46	22	<0.05	15.75	44	1.9

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 2- JUL- 2011
Account: RCM

Project: Rackla - PYRAMID

CERTIFICATE OF ANALYSIS WH11105623

Sample Description	Method	WEI- 21	Au- TL43	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Recvd Wt.	Au	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
CC125147		0.18	0.002	0.13	1.78	9.9	<0.2	<10	250	1.08	0.28	1.99	0.16	41.2	10.3	26
CC125148		0.18	0.001	0.07	1.68	10.7	<0.2	<10	210	1.01	0.28	1.20	0.11	31.8	10.5	23
CC125149		0.12	0.002	0.19	1.28	12.0	<0.2	<10	210	0.92	0.25	1.45	0.22	17.85	12.0	19
CC125150		0.10	0.002	0.14	1.18	8.5	<0.2	<10	210	0.55	0.20	1.87	0.21	13.30	9.2	18
CC125151		0.18	0.001	0.15	1.01	13.1	<0.2	<10	150	0.71	0.26	0.49	0.10	13.90	9.9	17
CC125152		0.14	0.002	0.34	1.58	13.7	<0.2	<10	690	0.97	0.24	0.54	0.65	14.60	17.5	26
CC125153		0.26	0.002	0.31	1.57	13.2	<0.2	<10	610	0.89	0.25	0.90	0.53	13.25	9.9	26
CC125154		0.22	0.001	0.40	0.56	18.5	<0.2	<10	890	0.75	0.24	0.22	1.65	9.05	7.9	14
CC125155		0.26	0.001	0.16	1.36	16.5	<0.2	<10	70	0.59	0.48	0.02	0.28	7.27	11.5	25
CC125156		0.34	0.001	0.08	1.16	14.0	<0.2	<10	330	0.93	0.45	0.29	0.56	7.07	20.1	20
CC125157		0.32	0.001	0.07	1.02	11.3	<0.2	<10	260	0.64	0.38	0.32	0.27	15.00	7.1	18
CC125158		0.28	0.001	0.28	1.57	12.8	<0.2	<10	400	1.02	0.33	0.53	0.52	10.35	12.8	26
CC125159		0.30	0.001	0.06	1.14	12.7	<0.2	<10	150	0.60	0.27	0.16	0.47	11.70	11.5	17
CC125160		0.30	0.002	0.09	1.10	24.2	<0.2	<10	100	1.07	0.31	0.06	0.66	8.11	24.3	20
CC125161		0.14	0.010	0.18	1.37	19.7	<0.2	<10	170	0.89	0.23	0.76	0.57	11.80	10.6	23
CC125162		0.20	0.004	0.28	1.49	12.6	<0.2	<10	500	1.10	0.24	1.33	1.08	9.78	13.9	21
CC125163		0.16	0.003	0.22	1.31	16.1	<0.2	<10	340	0.74	0.20	1.40	0.54	10.90	10.3	21
CC125164		0.16	0.002	0.26	1.22	15.4	<0.2	<10	310	0.75	0.21	1.33	0.50	9.45	9.8	18
CC125165		0.22	0.002	0.20	1.56	22.2	<0.2	<10	340	0.83	0.25	1.12	0.71	9.53	14.8	25
CC125166		0.22	0.003	0.14	1.49	29.9	<0.2	<10	310	0.80	0.24	0.55	0.33	18.85	15.3	25
CC125167		0.22	0.002	0.02	1.18	26.4	<0.2	<10	230	0.67	0.24	0.14	0.36	11.70	11.6	20
CC125168		0.18	0.003	0.12	1.18	22.3	<0.2	<10	260	0.91	0.21	0.56	0.47	15.10	10.8	21
CC125169		0.20	0.003	0.25	1.49	24.3	<0.2	<10	350	1.00	0.24	1.20	0.22	15.55	11.0	23
CC125170		0.18	0.003	0.31	1.36	22.7	<0.2	<10	380	1.00	0.19	1.75	0.35	14.00	10.0	21
CC125171		0.26	0.003	0.21	1.67	17.7	<0.2	<10	350	0.81	0.23	0.67	0.35	23.3	17.3	28
CC125172		0.30	0.002	0.20	1.61	25.1	<0.2	<10	380	0.82	0.23	0.57	0.35	23.1	12.6	28
CC125173		0.26	0.001	0.11	1.20	19.9	<0.2	<10	300	0.45	0.22	1.47	0.22	10.05	6.3	19
CC125174		0.26	0.002	0.13	1.62	16.1	<0.2	<10	230	0.64	0.25	0.31	0.21	27.3	8.4	23
CC125175		0.32	0.002	0.17	1.78	26.3	<0.2	<10	340	0.76	0.31	0.35	0.52	30.3	10.9	25
CC125176		0.20	0.002	0.25	1.58	13.9	<0.2	<10	450	0.69	0.23	1.68	0.60	19.65	12.4	26
CC125177		0.22	0.001	0.05	1.78	18.5	<0.2	<10	180	0.76	0.27	0.22	0.21	24.0	18.8	27
CC125178		0.20	0.003	0.18	1.84	11.1	<0.2	<10	460	1.13	0.31	0.66	0.13	10.50	12.6	27
CC125179		0.30	0.002	0.06	1.57	11.7	<0.2	<10	140	0.72	0.27	0.06	0.06	9.18	12.4	26
CC125180		0.26	0.002	0.10	1.29	13.6	<0.2	<10	300	0.82	0.31	0.20	0.14	13.30	11.7	21
CC125181		0.32	0.002	0.06	0.85	14.4	<0.2	<10	90	0.46	0.28	0.03	0.06	6.18	8.0	16
CC125182		0.24	0.002	0.03	1.15	25.0	<0.2	<10	250	1.06	0.29	0.20	0.08	19.15	16.6	18
CC125183		0.30	0.002	0.08	1.91	16.1	<0.2	<10	410	1.11	0.27	0.39	0.10	24.9	14.3	27
CC125184		0.18	0.003	0.13	1.74	15.2	<0.2	<10	240	0.89	0.27	0.85	0.19	20.1	16.0	26
CC125185		0.32	0.003	0.16	2.14	16.0	<0.2	<10	260	1.05	0.30	0.33	0.27	33.6	24.2	31
CC125186		0.22	0.003	0.32	1.31	26.2	<0.2	10	530	0.69	0.20	2.44	0.53	16.10	9.5	24

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 2- JUL- 2011
Account: RCM

Project: Rackla - PYRAMID

CERTIFICATE OF ANALYSIS WH11105623

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
CC125147		0.94	21.2	3.02	5.07	0.15	0.04	0.05	0.036	0.06	16.9	18.1	0.33	305	0.83	0.01
CC125148		1.36	19.2	3.13	5.18	0.15	0.04	0.03	0.042	0.06	13.6	21.1	0.28	302	0.77	0.01
CC125149		0.79	41.3	2.92	3.95	0.13	0.05	0.11	0.033	0.08	9.3	24.1	0.39	471	0.56	0.01
CC125150		0.78	26.6	2.35	3.64	0.14	0.06	0.11	0.030	0.07	6.0	20.3	0.35	313	0.58	0.02
CC125151		1.33	33.6	2.85	3.06	0.14	0.04	0.04	0.031	0.09	6.6	24.5	0.31	176	0.61	0.01
CC125152		1.12	33.3	3.53	5.13	0.14	0.10	0.13	0.040	0.07	7.1	30.1	0.41	1730	2.01	0.01
CC125153		1.11	30.0	2.96	4.60	0.14	0.07	0.11	0.036	0.07	6.5	29.1	0.47	262	1.59	0.02
CC125154		1.18	42.7	2.15	2.37	0.14	0.06	0.06	0.034	0.06	4.4	6.0	0.14	260	10.15	0.01
CC125155		2.36	23.6	5.47	7.33	0.12	0.02	0.03	0.049	0.06	3.4	9.4	0.20	580	4.14	0.01
CC125156		2.22	31.1	3.90	4.37	0.13	0.02	0.02	0.048	0.06	3.0	13.9	0.21	1270	3.85	0.01
CC125157		2.13	17.9	3.34	6.51	0.14	<0.02	0.02	0.031	0.06	7.2	9.0	0.21	430	2.70	0.01
CC125158		1.73	27.8	4.26	5.05	0.14	0.07	0.10	0.050	0.08	4.7	25.8	0.46	677	2.71	0.01
CC125159		1.85	27.4	3.92	4.95	0.13	0.02	0.02	0.038	0.06	5.1	11.4	0.18	510	3.01	0.01
CC125160		2.26	58.0	6.22	2.94	0.14	0.03	0.06	0.066	0.06	3.3	9.8	0.16	1160	4.78	0.01
CC125161		1.32	41.1	3.30	4.34	0.14	0.05	0.09	0.040	0.08	5.5	29.2	0.45	373	1.81	0.01
CC125162		0.83	35.9	3.26	4.27	0.14	0.05	0.13	0.041	0.09	4.8	22.1	0.34	1840	1.60	0.01
CC125163		0.74	34.2	3.00	4.13	0.14	0.05	0.10	0.034	0.07	5.0	21.0	0.44	386	1.33	0.02
CC125164		0.68	32.6	2.95	3.94	0.13	0.04	0.10	0.035	0.08	4.4	18.5	0.36	638	1.24	0.01
CC125165		0.99	38.9	4.15	5.21	0.13	0.05	0.10	0.044	0.08	4.3	26.7	0.54	1300	1.34	0.02
CC125166		1.05	32.6	3.37	4.86	0.14	0.05	0.11	0.037	0.06	8.3	27.6	0.49	683	1.18	0.01
CC125167		0.91	29.3	3.42	4.46	0.13	0.03	0.05	0.042	0.06	4.9	17.1	0.28	338	1.95	0.01
CC125168		0.87	38.3	3.85	3.81	0.14	0.04	0.08	0.037	0.06	6.8	14.4	0.34	703	1.88	0.01
CC125169		0.95	39.4	3.27	4.44	0.15	0.05	0.12	0.039	0.07	8.0	23.0	0.41	619	1.30	0.01
CC125170		0.66	60.4	3.03	3.81	0.14	0.05	0.24	0.033	0.05	6.7	16.2	0.40	551	1.31	0.01
CC125171		0.78	58.9	3.42	5.32	0.15	0.06	0.24	0.040	0.07	10.2	32.9	0.72	198	0.80	0.01
CC125172		0.76	44.3	3.96	5.18	0.15	0.06	0.14	0.036	0.07	10.9	27.3	0.67	343	1.19	0.01
CC125173		1.04	24.4	2.95	5.26	0.13	0.03	0.05	0.028	0.06	4.8	16.3	0.36	265	1.44	0.01
CC125174		1.53	19.4	2.69	5.76	0.13	0.02	0.02	0.029	0.04	12.0	16.8	0.36	313	1.31	0.01
CC125175		1.53	25.9	3.49	6.46	0.08	0.05	0.11	0.039	0.04	13.6	25.5	0.34	425	1.52	0.01
CC125176		0.95	31.8	3.21	4.68	0.08	0.09	0.21	0.036	0.07	10.1	22.8	0.57	856	0.95	0.02
CC125177		1.04	48.4	4.20	5.47	0.09	0.06	0.04	0.037	0.07	10.6	32.7	0.67	484	1.24	0.01
CC125178		1.40	35.0	3.89	5.71	0.09	0.06	0.10	0.053	0.14	4.6	22.7	0.38	438	1.04	0.02
CC125179		0.77	31.0	3.85	5.42	0.07	0.08	0.03	0.041	0.08	3.9	24.9	0.46	277	1.15	0.01
CC125180		1.10	30.8	3.68	4.68	0.08	0.04	0.06	0.042	0.11	5.4	15.1	0.27	326	1.49	0.01
CC125181		1.10	31.2	3.58	3.21	0.06	<0.02	0.03	0.045	0.09	2.7	9.9	0.17	130	1.52	0.01
CC125182		1.02	31.4	4.17	3.87	0.09	0.05	0.03	0.036	0.08	7.4	16.7	0.28	404	2.03	0.01
CC125183		1.05	57.4	3.83	5.78	0.09	0.10	0.08	0.039	0.07	11.7	27.6	0.58	606	1.15	0.01
CC125184		0.91	56.7	3.95	5.37	0.09	0.10	0.10	0.038	0.09	9.4	28.3	0.67	500	1.04	0.01
CC125185		1.23	78.9	4.70	6.75	0.13	0.12	0.13	0.040	0.10	14.9	37.3	0.97	787	1.28	0.01
CC125186		0.83	49.8	2.63	3.99	0.08	0.08	0.22	0.026	0.07	10.7	21.4	0.43	283	1.28	0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 2- JUL- 2011
Account: RCM

Project: Rackla - PYRAMID

CERTIFICATE OF ANALYSIS WH11105623

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
CC125147		0.72	21.5	380	16.2	10.6	0.001	0.02	0.43	5.7	0.8	0.5	101.0	<0.01	0.04	3.3
CC125148		0.48	24.1	360	18.9	10.9	0.001	0.01	0.35	5.3	0.7	0.5	64.8	<0.01	0.05	3.8
CC125149		0.24	28.0	550	17.2	7.3	0.001	0.04	0.39	5.3	0.8	0.3	73.2	<0.01	0.07	2.0
CC125150		0.32	22.1	550	12.2	8.3	<0.001	0.08	0.37	3.8	0.7	0.3	88.3	<0.01	0.04	1.5
CC125151		0.22	26.1	260	18.7	9.0	<0.001	0.01	0.34	4.9	0.4	0.3	28.0	<0.01	0.07	2.5
CC125152		0.26	41.2	1000	15.8	12.1	0.002	0.06	0.75	6.0	2.2	0.4	32.1	<0.01	0.08	1.8
CC125153		0.25	34.7	920	16.1	10.4	0.003	0.08	0.65	5.6	1.5	0.4	61.8	<0.01	0.04	1.9
CC125154		0.13	33.3	690	14.7	5.2	0.006	0.05	2.53	4.1	2.1	0.4	65.2	<0.01	0.06	2.2
CC125155		0.27	22.7	530	31.2	13.8	0.001	0.01	0.89	3.9	1.0	0.6	13.3	<0.01	0.06	2.8
CC125156		0.17	27.9	490	31.3	7.7	0.001	0.01	0.84	4.0	0.7	0.5	21.4	<0.01	0.03	2.5
CC125157		0.64	15.1	340	17.9	13.7	0.001	0.01	0.66	3.3	0.7	0.7	19.3	<0.01	0.05	2.4
CC125158		0.19	33.0	630	19.4	11.2	0.002	0.04	0.58	6.9	1.2	0.5	51.2	<0.01	0.03	2.6
CC125159		0.35	29.7	600	17.7	12.3	0.001	0.01	0.82	3.8	0.8	0.5	17.4	<0.01	0.06	1.9
CC125160		0.10	53.3	1110	28.9	10.5	0.001	0.03	1.18	6.5	1.8	0.4	25.1	<0.01	0.07	2.7
CC125161		0.17	44.3	930	12.3	12.4	0.001	0.07	0.82	5.6	1.6	0.4	106.5	<0.01	0.05	2.1
CC125162		0.20	51.9	1170	13.5	13.0	0.001	0.10	0.72	5.1	1.7	0.4	73.8	<0.01	0.06	1.5
CC125163		0.24	34.5	1020	11.3	8.8	0.001	0.10	0.60	4.4	1.5	0.3	80.3	<0.01	0.06	1.3
CC125164		0.18	29.9	820	12.3	8.4	0.001	0.08	0.56	4.3	1.0	0.4	84.0	<0.01	0.06	1.4
CC125165		0.15	40.8	770	14.6	10.4	0.001	0.08	0.52	6.2	1.1	0.4	69.6	<0.01	0.06	1.4
CC125166		0.36	33.2	800	15.2	9.5	0.001	0.05	0.52	5.2	1.4	0.4	40.9	<0.01	0.06	1.9
CC125167		0.33	27.3	470	15.7	10.7	0.001	0.02	0.65	4.0	1.0	0.4	20.0	<0.01	0.06	1.7
CC125168		0.25	33.8	550	13.6	7.6	0.001	0.05	0.73	4.9	1.3	0.4	26.9	<0.01	0.05	1.6
CC125169		0.37	33.5	760	13.8	9.9	0.001	0.08	0.64	5.6	1.3	0.4	64.3	<0.01	0.05	1.6
CC125170		0.29	37.3	1100	11.4	7.9	0.001	0.13	0.74	3.6	2.1	0.3	75.8	<0.01	0.07	0.7
CC125171		0.21	38.0	600	19.3	7.8	0.002	0.07	0.41	8.7	1.3	0.4	34.8	<0.01	0.08	3.5
CC125172		0.25	32.6	930	15.5	7.5	0.001	0.04	0.54	7.2	2.0	0.4	32.7	<0.01	0.08	3.8
CC125173		0.45	19.1	590	12.9	10.0	<0.001	0.08	0.55	2.7	0.7	0.4	62.4	<0.01	0.08	0.7
CC125174		0.71	21.9	430	13.9	10.0	0.001	<0.01	0.45	3.0	0.7	0.5	23.4	<0.01	0.04	2.8
CC125175		0.85	23.4	560	19.9	11.2	<0.001	0.02	0.65	4.3	0.8	0.6	23.4	0.01	0.08	3.2
CC125176		0.41	26.5	1120	13.8	12.1	0.002	0.11	0.54	5.0	3.4	0.4	69.9	0.01	0.11	1.3
CC125177		0.25	37.1	350	17.8	9.4	<0.001	0.01	0.53	5.7	0.7	0.4	16.3	<0.01	0.07	3.8
CC125178		0.17	43.0	870	17.6	15.9	<0.001	0.06	0.36	7.1	1.1	0.6	45.6	0.01	0.07	3.0
CC125179		0.20	37.5	550	14.5	9.5	<0.001	0.03	0.46	4.8	0.6	0.5	15.5	<0.01	0.05	2.9
CC125180		0.17	31.2	630	20.3	12.1	<0.001	0.04	0.53	5.2	0.9	0.6	23.0	0.01	0.08	2.4
CC125181		0.11	25.8	490	17.9	10.9	0.001	0.08	0.67	3.8	0.6	0.5	20.2	<0.01	0.07	3.1
CC125182		0.15	40.3	1010	19.5	10.7	<0.001	0.05	0.30	6.4	0.8	0.5	24.9	0.01	0.04	4.8
CC125183		0.26	37.5	380	16.1	10.7	<0.001	0.01	0.53	7.6	1.2	0.5	21.6	0.01	0.08	3.7
CC125184		0.19	37.6	570	17.2	8.5	0.001	0.04	0.59	7.0	1.0	0.4	36.8	0.01	0.09	3.1
CC125185		0.13	44.5	260	20.5	8.0	0.001	0.01	0.69	9.4	1.0	0.4	21.4	0.01	0.09	5.3
CC125186		0.37	35.8	1040	12.4	8.7	0.004	0.11	0.81	3.1	4.1	0.3	35.6	0.01	0.16	0.7

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 2- JUL- 2011
Account: RCM

Project: Rackla - PYRAMID

CERTIFICATE OF ANALYSIS WH11105623

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
CC125147		0.012	0.10	1.73	43	0.18	12.35	59	1.3
CC125148		0.008	0.11	1.29	39	0.15	12.45	69	1.5
CC125149		0.005	0.07	0.94	28	0.07	12.80	70	1.8
CC125150		0.006	0.08	1.09	26	0.05	6.08	70	2.0
CC125151		0.007	0.06	0.81	23	<0.05	7.87	80	1.8
CC125152		<0.005	0.15	1.60	47	0.06	12.40	141	2.0
CC125153		<0.005	0.15	1.63	46	0.05	10.55	139	1.9
CC125154		0.006	0.58	1.73	75	0.07	9.22	150	3.1
CC125155		<0.005	0.41	0.63	54	0.05	3.15	105	1.1
CC125156		<0.005	0.34	0.80	42	0.07	5.26	127	0.8
CC125157		0.014	0.18	0.73	49	0.16	4.02	72	<0.5
CC125158		<0.005	0.16	1.46	41	0.06	6.78	149	2.0
CC125159		0.007	0.25	0.61	48	0.09	4.25	140	0.5
CC125160		<0.005	0.39	1.02	41	<0.05	7.34	219	1.1
CC125161		<0.005	0.14	1.13	35	<0.05	11.40	141	1.6
CC125162		<0.005	0.14	0.96	38	<0.05	12.15	156	1.5
CC125163		<0.005	0.10	0.76	34	<0.05	8.63	113	1.5
CC125164		<0.005	0.09	0.62	33	<0.05	7.84	112	1.1
CC125165		<0.005	0.12	0.59	39	<0.05	7.55	159	1.5
CC125166		0.008	0.11	0.97	39	0.08	9.86	104	1.5
CC125167		0.006	0.11	0.46	41	0.08	4.08	101	0.8
CC125168		0.006	0.12	0.69	42	0.06	10.85	113	1.6
CC125169		0.006	0.12	1.55	41	0.07	12.75	94	1.3
CC125170		0.005	0.11	2.35	36	0.06	12.65	83	1.4
CC125171		0.005	0.11	0.76	48	0.06	13.05	118	1.9
CC125172		0.007	0.09	1.31	48	0.05	13.15	133	1.7
CC125173		0.009	0.11	0.44	50	0.07	3.34	76	0.7
CC125174		0.021	0.15	0.67	53	0.22	4.57	66	0.5
CC125175		0.015	0.19	1.38	57	0.18	9.10	96	1.1
CC125176		0.008	0.12	3.01	43	0.09	13.10	139	2.0
CC125177		0.005	0.11	0.50	47	0.05	7.21	107	1.7
CC125178		<0.005	0.19	0.63	39	<0.05	13.60	112	1.0
CC125179		<0.005	0.09	0.47	36	0.06	5.11	109	1.5
CC125180		<0.005	0.15	0.65	38	0.05	9.44	88	0.7
CC125181		<0.005	0.16	0.42	29	<0.05	2.86	89	0.5
CC125182		<0.005	0.17	0.80	25	<0.05	15.05	92	0.5
CC125183		<0.005	0.14	1.12	46	0.07	16.20	82	2.2
CC125184		<0.005	0.10	0.61	42	<0.05	11.80	95	2.6
CC125185		<0.005	0.11	0.54	54	<0.05	11.85	102	4.4
CC125186		0.007	0.11	5.13	35	0.07	18.75	76	1.7

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 2- JUL- 2011
Account: RCM

Project: Rackla - PYRAMID

CERTIFICATE OF ANALYSIS WH11105623

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- TL43 Au ppm 0.001	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1
CC125187		0.16	0.002	0.12	1.43	59.7	<0.2	<10	250	0.70	0.24	1.83	2.16	26.0	8.9	31
CC125188		0.16	0.001	0.11	1.38	120.5	<0.2	10	660	0.74	0.31	5.27	1.63	20.2	11.1	28
CC125189		0.22	0.002	0.17	1.01	14	<0.2	10	370	0.43	0.16	15.55	1.97	13.40	6.8	17
CC125190		0.28	0.004	0.09	1.72	567	<0.2	<10	1150	1.04	0.26	8.19	0.39	18.60	16.2	27
CC125191		0.16	0.002	0.19	1.57	11.5	<0.2	<10	270	0.64	0.25	2.30	1.93	23.8	9.2	27
CC125250		0.18	0.003	0.20	1.17	20.3	<0.2	10	320	0.74	0.25	1.74	0.38	23.2	12.2	18
CC125251		0.30	0.002	0.04	2.12	8.9	<0.2	<10	140	0.96	0.36	0.28	0.18	8.41	18.3	32
CC125252		0.20	0.002	0.04	1.97	7.6	<0.2	<10	80	0.64	0.32	0.05	0.13	5.68	10.9	27
CC125253		0.32	0.002	0.06	1.85	11.4	<0.2	<10	150	0.79	0.33	0.05	0.15	10.50	12.3	28
CC125254		0.18	0.002	0.12	1.94	11.7	<0.2	<10	300	0.92	0.33	0.21	0.20	14.95	12.9	30
CC125255		0.16	0.003	0.21	1.67	9.5	<0.2	<10	390	0.91	0.27	0.72	0.53	7.04	10.0	24
CC125256		0.18	0.005	0.07	1.78	11.2	<0.2	<10	180	0.71	0.26	0.33	0.13	11.10	9.2	29
CC125257		0.24	0.003	0.10	1.84	12.6	<0.2	<10	190	1.02	0.30	0.23	0.23	13.90	22.5	27
CC125258		0.34	0.002	0.10	1.43	16.9	<0.2	<10	210	0.67	0.28	0.20	0.14	13.40	8.9	23
CC125259		0.20	0.002	0.05	1.81	16.3	<0.2	<10	250	0.84	0.29	0.26	0.15	8.06	7.8	31
CC125260		0.14	0.002	0.07	2.06	11.8	<0.2	<10	170	0.82	0.28	0.23	0.12	7.57	9.9	32
CC125261		0.20	0.003	0.15	2.13	13.2	<0.2	<10	250	0.97	0.29	0.24	0.23	14.00	13.6	32
CC125262		0.10	0.003	0.05	1.95	9.5	<0.2	<10	100	0.73	0.28	0.11	0.15	6.88	10.7	33
CC125263		0.26	0.002	0.17	1.97	23.9	<0.2	<10	340	0.94	0.28	0.35	0.28	24.7	16.8	30
CC125264		0.30	0.002	0.12	1.94	23.1	<0.2	<10	360	1.03	0.30	0.29	0.26	22.3	21.7	29
CC125265		0.18	0.003	0.18	1.73	17.8	<0.2	<10	500	1.00	0.23	0.88	0.36	16.65	17.5	28
CC125266		0.12	0.002	0.08	1.57	13.3	<0.2	<10	310	0.72	0.22	0.61	0.09	13.65	10.2	24
CC125267		0.24	0.002	0.14	1.66	15.4	<0.2	<10	360	0.89	0.26	0.53	0.27	19.10	16.1	27
CC125268		0.18	0.002	0.15	1.68	17.0	<0.2	<10	360	0.98	0.29	0.55	0.39	17.20	18.2	26
CC125269		0.12	0.002	0.21	0.95	7.8	<0.2	<10	420	0.60	0.11	2.29	0.32	11.40	6.8	13
CC125270		0.10	0.001	0.10	1.20	7.3	<0.2	<10	390	0.67	0.16	1.55	0.22	9.57	8.4	18
CC125271		0.24	0.002	0.13	1.68	14.7	<0.2	<10	350	0.98	0.26	0.40	0.22	18.40	16.7	28
CC125272		0.20	0.002	0.18	1.72	12.5	<0.2	<10	310	0.87	0.24	0.34	0.55	24.9	11.9	31
CC125273		0.24	0.002	0.09	1.52	13.8	<0.2	<10	330	0.88	0.24	0.64	0.17	15.05	15.1	25
CC125274		0.08	0.001	0.10	1.50	11.4	<0.2	<10	250	0.72	0.23	0.45	0.40	17.10	12.6	28
CC125275		0.10	0.002	0.14	1.07	8.4	<0.2	<10	380	0.60	0.15	2.64	0.29	6.72	6.3	15
CC125276		0.12	0.002	0.11	1.34	9.2	<0.2	<10	320	0.61	0.20	1.18	0.23	11.65	11.3	21
CC125278		0.06	0.001	0.20	0.98	10.7	<0.2	<10	620	0.59	0.15	2.12	0.57	6.34	18.1	16
CC125279		0.32	0.002	0.18	1.59	25.1	<0.2	<10	300	0.82	0.23	1.20	0.34	20.4	13.6	24
CC125280		0.10	0.001	0.08	0.86	9.4	<0.2	<10	340	0.40	0.12	4.09	0.32	7.66	7.9	12
CC125281		0.40	0.003	0.19	1.19	27.3	<0.2	<10	370	0.70	0.23	3.42	0.58	14.55	14.4	19
CC125282		0.26	0.002	0.15	1.55	28.5	<0.2	<10	250	0.79	0.25	1.90	0.51	18.90	16.3	25
CC125283		0.14	0.001	0.07	0.56	8.2	<0.2	<10	560	0.25	0.08	5.28	0.63	4.28	3.6	7
CC125284		0.24	0.004	0.21	0.87	23.0	<0.2	<10	580	0.49	0.15	7.68	2.19	12.35	5.8	18
CC125285		0.40	0.003	0.55	1.19	40.4	<0.2	<10	940	0.76	0.26	0.78	0.48	17.35	10.7	24

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 2- JUL- 2011
Account: RCM

Project: Rackla - PYRAMID

CERTIFICATE OF ANALYSIS WH11105623

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
CC125187		1.19	15.5	2.56	4.05	0.08	0.06	0.07	0.037	0.04	18.7	10.4	0.25	360	7.14	0.01
CC125188		2.07	22.6	2.78	3.78	0.08	0.12	0.06	0.040	0.08	16.7	9.9	0.26	339	9.08	0.02
CC125189		0.73	13.3	1.36	2.53	0.05	0.07	0.06	0.022	0.04	14.1	5.5	0.25	551	2.18	0.02
CC125190		7.08	48.4	3.86	5.40	0.10	0.11	0.59	0.038	0.12	10.7	28.3	0.43	376	1.98	0.02
CC125191		1.09	15.6	2.46	4.64	0.06	0.04	0.07	0.028	0.04	14.6	9.4	0.32	653	1.14	0.02
CC125250		0.67	31.3	2.83	3.60	0.07	0.08	0.11	0.034	0.05	9.5	20.0	0.44	682	0.84	0.01
CC125251		1.81	27.5	4.29	6.49	0.08	0.04	0.02	0.043	0.08	3.3	68.7	0.76	534	0.87	0.01
CC125252		2.28	20.7	3.44	6.81	0.06	0.04	0.02	0.038	0.08	2.6	38.7	0.50	241	0.90	0.01
CC125253		1.68	29.3	3.91	6.14	0.08	0.04	0.03	0.038	0.07	4.7	47.2	0.55	280	1.24	0.01
CC125254		1.51	31.7	3.90	6.23	0.08	0.06	0.06	0.044	0.09	6.7	44.9	0.62	351	1.61	0.02
CC125255		1.53	26.1	3.26	5.06	0.06	0.06	0.07	0.038	0.11	3.3	37.1	0.49	385	1.39	0.02
CC125256		1.22	22.9	3.78	5.80	0.07	0.06	0.05	0.040	0.08	5.3	42.0	0.62	226	1.58	0.01
CC125257		1.57	40.0	3.98	5.33	0.08	0.06	0.06	0.041	0.10	5.8	44.6	0.57	280	2.12	0.01
CC125258		0.95	29.5	3.55	4.80	0.08	0.04	0.29	0.038	0.07	6.3	27.8	0.46	203	1.87	0.01
CC125259		1.22	32.6	4.59	6.13	0.09	0.05	0.03	0.044	0.10	4.2	39.2	0.65	279	1.57	0.02
CC125260		1.35	24.1	4.03	6.45	0.08	0.04	0.03	0.042	0.08	3.5	48.2	0.74	238	0.77	0.01
CC125261		1.57	26.1	3.86	6.55	0.09	0.06	0.09	0.044	0.08	6.7	42.8	0.69	506	1.05	0.01
CC125262		0.99	18.4	3.99	6.16	0.08	0.05	0.04	0.038	0.08	3.2	42.4	0.64	347	0.90	0.01
CC125263		1.21	54.2	4.41	5.97	0.10	0.07	0.13	0.044	0.08	11.5	33.9	0.74	303	1.17	0.01
CC125264		1.39	55.7	4.58	5.31	0.11	0.07	0.14	0.046	0.08	9.9	33.7	0.59	659	1.38	0.01
CC125265		0.82	55.1	4.43	4.80	<0.05	0.07	0.14	0.036	0.10	7.0	30.0	0.60	1340	1.34	<0.01
CC125266		0.63	23.5	3.27	4.71	0.07	0.07	0.09	0.034	0.06	6.1	22.7	0.50	366	1.37	0.01
CC125267		1.23	35.9	3.89	5.20	0.09	0.08	0.09	0.036	0.11	8.6	29.1	0.56	399	1.23	0.01
CC125268		1.04	51.8	4.12	5.32	0.11	0.11	0.12	0.041	0.10	7.7	28.0	0.57	945	1.45	0.01
CC125269		0.61	38.4	1.80	2.59	0.14	0.07	0.11	0.020	0.05	5.6	9.0	0.23	595	0.83	<0.01
CC125270		0.55	32.7	2.47	3.51	0.13	0.04	0.08	0.027	0.07	4.1	13.8	0.33	757	1.00	<0.01
CC125271		0.89	53.2	3.99	5.37	0.14	0.05	0.10	0.039	0.08	8.4	28.7	0.59	718	1.18	<0.01
CC125272		0.95	53.5	2.91	5.72	0.15	0.04	0.21	0.038	0.06	11.8	31.0	0.73	133	0.62	<0.01
CC125273		0.64	41.7	3.92	4.86	0.14	0.05	0.07	0.039	0.07	6.3	24.9	0.51	526	1.17	<0.01
CC125274		0.54	34.1	3.71	5.12	0.14	0.04	0.07	0.033	0.08	7.7	23.2	0.63	436	1.13	<0.01
CC125275		0.58	44.8	2.32	2.98	0.13	0.05	0.08	0.024	0.06	3.4	11.6	0.31	317	0.95	<0.01
CC125276		0.49	31.7	3.09	4.13	0.13	0.05	0.08	0.028	0.07	5.0	22.8	0.47	723	0.77	<0.01
CC125278		0.40	25.1	5.31	2.56	0.14	0.06	0.13	0.024	0.07	2.9	13.9	0.33	4010	1.52	0.01
CC125279		0.93	60.8	3.63	4.80	0.13	0.08	0.14	0.031	0.09	10.6	30.5	0.64	503	1.16	<0.01
CC125280		0.41	28.9	1.87	2.29	0.14	0.06	0.08	0.015	0.05	3.5	13.4	0.36	428	0.64	0.01
CC125281		1.69	56.4	3.26	3.76	0.14	0.06	0.22	0.030	0.08	6.9	22.7	0.55	633	1.39	<0.01
CC125282		0.70	52.5	3.94	4.66	0.13	0.07	0.12	0.034	0.07	10.0	26.7	0.62	538	1.37	<0.01
CC125283		0.30	21.2	0.87	1.56	0.11	0.03	0.10	0.009	0.03	3.4	4.8	0.12	361	0.52	<0.01
CC125284		0.44	21.9	1.71	2.68	0.14	0.06	0.17	0.020	0.03	16.3	12.7	0.34	210	0.33	<0.01
CC125285		0.93	47.4	3.18	3.53	0.15	0.05	0.20	0.033	0.07	9.5	16.9	0.39	486	2.02	<0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 2- JUL- 2011
Account: RCM

Project: Rackla - PYRAMID

CERTIFICATE OF ANALYSIS WH11105623

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
CC125187		0.64	36.9	620	15.4	6.0	0.001	0.04	0.77	3.2	1.6	0.5	27.8	0.01	0.12	0.9
CC125188		0.52	65.6	470	16.8	8.7	<0.001	0.04	1.29	4.2	1.7	0.6	39.3	0.01	0.17	2.1
CC125189		0.45	21.3	1280	9.6	6.0	<0.001	0.13	0.47	1.2	1.4	0.3	109.0	0.01	0.12	0.4
CC125190		0.41	72.6	620	17.2	12.7	<0.001	0.02	1.11	6.0	1.0	0.5	77.3	0.01	0.08	4.1
CC125191		0.77	18.8	1070	14.1	9.3	<0.001	0.10	0.78	1.5	1.2	0.5	26.8	0.01	0.09	0.4
CC125250		0.27	25.7	560	19.5	6.7	0.001	0.07	0.48	4.9	1.4	0.3	81.5	0.01	0.09	1.6
CC125251		0.14	52.1	710	20.3	10.6	<0.001	0.01	0.47	6.2	0.5	0.4	22.1	<0.01	0.04	3.1
CC125252		0.19	34.6	480	18.5	13.9	<0.001	0.01	0.41	4.6	0.4	0.5	6.5	<0.01	0.04	2.0
CC125253		0.21	39.5	430	19.5	13.1	<0.001	0.01	0.53	5.1	0.5	0.5	8.3	<0.01	0.05	2.8
CC125254		0.26	42.0	710	20.2	11.7	<0.001	0.08	0.57	6.3	0.9	0.5	33.6	<0.01	0.06	3.1
CC125255		0.22	39.0	680	12.7	12.4	<0.001	0.06	0.45	5.8	0.9	0.4	37.5	<0.01	0.06	2.0
CC125256		0.27	36.4	630	13.3	10.6	0.001	0.02	0.50	5.1	0.9	0.4	20.0	<0.01	0.06	2.8
CC125257		0.15	57.0	820	16.0	11.6	0.001	0.02	0.54	6.4	1.0	0.5	26.4	0.01	0.05	3.4
CC125258		0.21	31.2	690	13.9	9.1	<0.001	0.01	0.52	5.2	0.8	0.5	19.3	<0.01	0.06	3.1
CC125259		0.12	36.9	880	17.2	8.7	0.001	0.08	0.60	5.5	0.9	0.5	43.6	<0.01	0.05	3.0
CC125260		0.20	39.8	520	14.4	10.7	<0.001	0.01	0.41	5.3	0.5	0.5	15.6	<0.01	0.05	2.6
CC125261		0.25	42.2	680	14.9	13.9	<0.001	0.02	0.42	6.4	0.8	0.5	17.3	<0.01	0.06	3.2
CC125262		0.21	35.1	470	12.8	10.4	<0.001	0.02	0.40	4.8	0.5	0.5	10.1	<0.01	0.05	2.5
CC125263		0.21	43.5	740	19.6	9.4	<0.001	0.01	0.52	8.2	1.0	0.4	23.5	0.01	0.08	4.5
CC125264		0.24	47.2	690	22.0	10.5	0.001	0.02	0.64	7.4	1.1	0.5	23.1	0.01	0.07	4.2
CC125265		0.17	40.6	880	17.8	7.7	0.002	0.05	0.53	7.1	1.1	0.4	39.2	<0.01	0.07	2.6
CC125266		0.32	28.6	590	13.3	8.7	0.001	0.05	0.38	4.6	1.0	0.4	28.5	<0.01	0.07	2.1
CC125267		0.36	42.8	860	16.4	13.9	0.001	0.03	0.47	7.2	1.0	0.5	26.7	0.01	0.05	4.4
CC125268		0.26	45.8	900	18.3	10.2	0.001	0.03	0.54	7.8	1.1	0.5	30.7	0.01	0.09	3.9
CC125269		0.17	22.6	980	7.2	5.8	0.001	0.13	0.39	2.7	0.9	0.3	92.0	<0.01	0.04	0.6
CC125270		0.17	23.3	870	8.8	8.6	0.001	0.10	0.35	3.1	0.9	0.3	66.6	<0.01	0.03	0.9
CC125271		0.15	43.7	670	15.8	8.3	0.001	0.01	0.46	7.7	1.2	0.4	27.2	<0.01	0.06	4.0
CC125272		0.38	34.6	630	14.4	9.1	0.001	0.03	0.49	8.1	2.0	0.4	23.8	<0.01	0.04	4.4
CC125273		0.14	38.2	690	14.9	7.3	0.001	0.03	0.35	6.6	1.1	0.4	33.7	<0.01	0.05	2.6
CC125274		0.30	31.3	710	12.9	7.2	0.001	0.03	0.39	5.9	1.1	0.4	28.6	<0.01	0.04	3.1
CC125275		0.19	26.5	1000	8.1	7.6	0.001	0.15	0.39	2.6	1.1	0.3	97.2	<0.01	0.05	0.6
CC125276		0.20	27.7	700	12.6	6.6	0.001	0.06	0.29	4.6	0.6	0.3	51.2	<0.01	0.04	1.8
CC125278		0.10	33.5	960	9.8	6.1	0.014	0.19	0.28	3.2	2.3	0.3	76.4	<0.01	0.02	1.0
CC125279		0.13	35.0	610	14.2	6.8	0.001	0.03	0.51	5.9	1.2	0.3	38.4	<0.01	0.06	2.2
CC125280		0.11	15.7	570	8.0	3.3	0.001	0.11	0.28	1.3	0.5	0.2	89.2	<0.01	0.03	0.4
CC125281		0.13	37.2	710	14.0	6.6	0.001	0.04	0.57	4.6	1.4	0.3	79.3	<0.01	0.03	1.5
CC125282		0.11	40.2	450	16.8	5.6	0.001	0.02	0.50	6.4	1.1	0.3	40.6	<0.01	0.07	3.7
CC125283		0.15	9.4	840	4.5	2.2	<0.001	0.16	0.24	0.5	0.6	<0.2	60.7	<0.01	0.02	<0.2
CC125284		0.23	16.6	970	7.4	4.3	0.002	0.17	0.30	2.7	2.7	0.2	71.5	<0.01	0.03	0.7
CC125285		0.17	43.0	830	17.1	6.7	0.001	0.02	0.84	5.9	2.0	0.3	38.7	<0.01	0.09	3.2

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 2- JUL- 2011
Account: RCM

Project: Rackla - PYRAMID

CERTIFICATE OF ANALYSIS WH11105623

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
CC125187		0.012	0.15	1.54	55	0.17	28.3	150	0.8
CC125188		0.008	0.25	0.60	46	0.15	30.4	193	2.4
CC125189		0.010	0.10	1.34	25	0.09	29.0	126	1.3
CC125190		0.006	0.35	0.94	44	0.20	18.05	214	4.2
CC125191		0.021	0.11	1.20	44	0.23	21.1	96	0.5
CC125250		0.005	0.08	1.44	30	0.10	12.80	83	1.9
CC125251		<0.005	0.09	0.33	28	<0.05	7.24	112	1.1
CC125252		<0.005	0.13	0.25	33	<0.05	3.99	80	0.9
CC125253		<0.005	0.13	0.39	33	<0.05	5.37	99	1.0
CC125254		<0.005	0.16	0.80	37	0.06	8.91	106	1.1
CC125255		<0.005	0.15	0.61	30	<0.05	7.96	113	1.4
CC125256		<0.005	0.10	0.79	37	0.05	6.51	107	2.1
CC125257		<0.005	0.17	0.77	32	<0.05	12.10	160	1.3
CC125258		<0.005	0.11	0.63	34	0.05	7.99	98	0.8
CC125259		<0.005	0.12	0.67	33	<0.05	8.11	88	2.1
CC125260		<0.005	0.09	0.46	31	<0.05	5.36	91	1.0
CC125261		<0.005	0.15	0.65	41	0.06	8.02	118	1.1
CC125262		<0.005	0.09	0.39	34	<0.05	3.71	99	1.1
CC125263		<0.005	0.12	0.64	51	0.06	14.05	120	1.7
CC125264		0.005	0.15	0.73	46	0.06	12.60	120	1.3
CC125265		<0.005	0.11	1.72	43	<0.05	12.30	109	1.8
CC125266		<0.005	0.09	0.67	38	0.07	7.83	77	1.4
CC125267		0.006	0.14	0.65	39	0.07	12.25	125	1.9
CC125268		<0.005	0.14	0.66	39	<0.05	12.15	133	2.7
CC125269		<0.005	0.07	0.99	21	<0.05	9.94	57	1.8
CC125270		<0.005	0.08	0.63	28	<0.05	7.36	72	1.2
CC125271		<0.005	0.10	0.73	41	<0.05	12.60	118	1.7
CC125272		0.008	0.12	1.27	52	0.06	13.20	125	1.7
CC125273		<0.005	0.08	0.65	40	<0.05	10.55	114	1.4
CC125274		0.007	0.08	1.03	51	0.07	7.92	105	1.0
CC125275		<0.005	0.09	0.55	25	<0.05	7.27	104	1.4
CC125276		<0.005	0.08	0.67	35	<0.05	7.29	95	1.3
CC125278		<0.005	0.07	1.52	25	<0.05	7.70	120	1.6
CC125279		<0.005	0.11	0.77	37	<0.05	15.25	99	2.3
CC125280		<0.005	0.05	0.98	18	<0.05	4.84	43	1.5
CC125281		<0.005	0.14	0.90	32	<0.05	11.80	104	1.7
CC125282		<0.005	0.11	0.56	40	0.05	13.45	128	2.6
CC125283		0.005	0.04	1.74	11	<0.05	7.47	27	0.9
CC125284		0.008	0.06	2.49	23	0.08	42.3	82	2.1
CC125285		0.006	0.17	1.19	43	0.07	20.5	127	1.8

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 2- JUL- 2011
Account: RCM

Project: Rackla - PYRAMID

CERTIFICATE OF ANALYSIS WH11105623

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- TL43 Au ppm 0.001	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1
CC125286		0.26	0.002	0.33	1.25	13.4	<0.2	<10	230	1.29	0.40	1.24	0.16	30.5	14.2	21
CC125287		0.10	0.002	0.20	0.37	2.6	<0.2	<10	260	0.32	0.05	4.74	0.49	3.88	2.1	5
CC125288		0.08	0.001	0.18	0.57	8.8	<0.2	<10	130	0.35	0.11	3.11	0.30	9.73	4.8	9
CC125289		0.12	0.002	0.17	0.91	9.8	<0.2	<10	250	0.53	0.17	2.83	0.24	10.70	7.3	14
CC125290		0.08	0.001	0.09	0.43	2.6	<0.2	<10	180	0.28	0.08	3.99	0.19	3.63	3.1	5
CC125291		0.16	0.002	0.19	1.06	11.1	<0.2	<10	230	0.64	0.25	1.81	0.19	11.50	6.5	15
CC125292		0.10	0.001	0.26	0.81	8.5	<0.2	<10	300	0.63	0.24	2.06	0.20	8.79	6.8	12
CC125293		0.24	0.002	0.36	0.88	8.1	<0.2	<10	340	0.67	0.29	1.65	0.23	10.50	7.2	14
CC125294		0.10	0.001	0.19	0.91	6.5	<0.2	<10	270	0.65	0.25	1.88	0.36	10.40	9.5	13
CC125295		0.16	0.002	0.22	0.69	5.8	<0.2	<10	170	0.58	0.24	1.72	0.21	8.31	7.8	11
CC125296		0.26	0.002	0.04	1.54	18.3	<0.2	<10	150	0.43	0.26	0.10	0.29	20.4	8.0	23
CC125297		0.20	0.001	0.04	2.03	14.4	<0.2	<10	160	0.63	0.25	0.25	0.31	26.0	15.8	30
CC125298		0.28	0.003	0.16	1.66	13.7	<0.2	<10	330	0.76	0.21	1.31	0.34	23.9	13.9	25
CC125299		0.24	0.009	0.13	2.10	16.8	<0.2	<10	140	0.93	0.33	0.78	0.32	32.3	27.0	32
CC125300		0.28	0.005	0.14	1.93	15.2	<0.2	<10	190	0.92	0.26	1.46	0.33	24.1	20.7	28
CC125351		0.22	0.003	0.13	1.29	34.2	<0.2	<10	170	0.74	0.30	1.47	0.33	21.3	17.4	20
CC125352		0.20	0.002	0.09	1.10	68.5	<0.2	<10	340	0.57	0.20	0.57	0.36	10.15	12.6	22
CC125353		0.24	0.005	0.05	1.40	18.0	<0.2	<10	250	0.71	0.26	0.17	0.36	19.05	14.2	25
CC125354		0.14	0.007	0.33	1.00	10.2	<0.2	<10	510	0.58	0.19	2.00	0.38	13.10	8.4	18
CC125355		0.14	0.004	0.19	1.49	15.3	<0.2	<10	170	0.69	0.22	1.02	0.28	18.10	13.5	24
CC125356		0.20	0.003	0.12	1.81	14.9	<0.2	<10	240	0.89	0.26	0.73	0.19	25.6	12.7	27
CC125357		0.18	0.002	0.15	1.25	9.8	<0.2	<10	320	0.69	0.23	2.19	0.16	18.65	7.0	20
CC125358		0.22	0.002	0.15	1.16	9.3	<0.2	<10	110	1.20	0.37	1.83	0.13	23.2	12.2	17
CC125359		0.16	0.002	0.11	0.66	6.8	<0.2	<10	110	0.53	0.21	4.33	0.18	18.70	6.3	8
CC125360		0.16	0.002	0.14	0.95	6.9	<0.2	<10	180	0.82	0.17	3.80	0.24	20.6	6.4	13
CC125361		0.20	0.002	0.05	1.28	13.2	<0.2	<10	80	0.31	0.30	0.09	0.08	22.9	7.5	24
CC125362		0.18	0.002	0.07	1.66	13.9	<0.2	<10	200	1.05	0.32	0.15	0.13	32.4	11.8	23
CC125363		0.16	0.003	0.16	1.26	15.1	<0.2	<10	160	0.85	0.28	1.08	0.25	21.1	12.0	21
CC125364		0.14	0.003	0.19	1.15	9.6	<0.2	<10	210	0.81	0.24	1.69	0.18	16.20	9.1	18
CC125365		0.14	0.002	0.20	1.19	13.5	<0.2	<10	260	0.73	0.24	1.31	0.18	15.70	10.6	19

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 2- JUL- 2011
Account: RCM

Project: Rackla - PYRAMID

CERTIFICATE OF ANALYSIS WH11105623

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
CC125286		1.13	37.2	4.36	3.65	0.15	0.09	0.06	0.048	0.07	10.2	29.5	0.28	501	0.76	<0.01
CC125287		0.44	26.1	0.60	0.93	0.13	0.05	0.11	0.008	0.04	2.0	2.6	0.13	269	0.57	0.01
CC125288		0.52	16.4	1.40	1.78	0.13	0.05	0.08	0.016	0.05	4.1	8.4	0.15	184	0.60	<0.01
CC125289		0.73	32.0	2.03	2.64	0.14	0.07	0.09	0.022	0.06	4.9	16.9	0.29	234	0.61	<0.01
CC125290		0.39	17.7	0.68	1.06	0.13	0.04	0.08	0.009	0.03	2.0	2.9	0.14	113	0.51	0.01
CC125291		0.77	29.2	2.53	3.12	0.12	0.06	0.09	0.026	0.07	5.1	16.5	0.31	227	0.93	<0.01
CC125292		0.88	25.7	2.30	2.28	0.12	0.05	0.09	0.026	0.07	3.9	11.4	0.21	318	0.80	<0.01
CC125293		1.04	30.3	2.57	2.45	0.13	0.05	0.12	0.026	0.08	4.7	13.0	0.22	302	0.85	<0.01
CC125294		0.74	26.2	2.39	2.50	0.14	0.06	0.07	0.028	0.08	4.7	13.6	0.24	389	0.73	<0.01
CC125295		1.08	37.9	2.97	1.96	0.13	0.06	0.08	0.028	0.08	3.6	10.6	0.25	183	0.74	<0.01
CC125296		0.92	16.0	3.85	5.99	0.14	0.04	0.03	0.029	0.05	8.8	21.8	0.26	245	2.15	<0.01
CC125297		1.09	38.6	4.45	6.48	0.13	0.04	0.05	0.041	0.06	10.8	37.5	0.68	481	1.12	<0.01
CC125298		0.80	57.1	3.53	5.04	0.15	0.07	0.10	0.030	0.07	11.0	29.1	0.71	537	0.89	<0.01
CC125299		1.32	104.5	5.18	6.69	0.16	0.11	0.12	0.041	0.10	15.4	42.7	1.21	847	1.99	<0.01
CC125300		1.31	94.1	4.53	5.93	0.16	0.12	0.14	0.038	0.10	11.6	38.2	1.17	835	0.98	<0.01
CC125351		1.40	50.3	3.81	3.95	0.15	0.09	0.21	0.031	0.06	9.7	37.4	0.92	696	1.09	<0.01
CC125352		1.34	21.9	3.30	3.45	0.14	0.05	0.13	0.032	0.07	4.1	22.3	0.44	413	1.11	<0.01
CC125353		1.13	32.9	4.07	5.15	0.14	0.05	0.03	0.043	0.06	6.9	26.3	0.46	662	1.73	<0.01
CC125354		0.66	31.5	2.35	3.01	0.14	0.05	0.11	0.027	0.06	6.2	15.8	0.38	412	0.95	<0.01
CC125355		0.90	40.4	3.80	4.81	0.14	0.07	0.10	0.032	0.06	7.7	25.1	0.65	579	1.09	<0.01
CC125356		0.89	54.7	4.04	5.34	0.05	0.09	0.06	0.043	0.08	14.2	27.1	0.77	420	0.85	0.01
CC125357		0.91	25.5	2.31	3.97	<0.05	0.03	0.08	0.029	0.05	8.4	15.7	0.31	316	0.85	0.02
CC125358		1.03	31.7	3.36	3.26	0.05	0.06	0.05	0.052	0.09	9.0	29.1	0.33	331	0.47	0.01
CC125359		0.33	21.5	4.74	1.50	0.05	0.07	0.07	0.032	0.05	6.8	5.9	0.42	383	0.44	0.02
CC125360		0.53	17.3	2.06	2.44	<0.05	0.04	0.08	0.025	0.04	10.0	7.5	0.15	342	0.42	0.01
CC125361		1.55	19.8	3.43	6.14	<0.05	0.03	0.03	0.028	0.07	11.9	15.9	0.34	249	1.09	0.01
CC125362		2.41	34.3	3.85	4.88	0.06	0.06	0.02	0.045	0.10	14.3	36.7	0.38	285	0.69	0.01
CC125363		1.12	38.7	3.35	3.73	0.05	0.06	0.06	0.039	0.08	9.5	22.7	0.48	391	0.90	0.01
CC125364		0.85	30.1	2.49	3.26	<0.05	0.07	0.07	0.031	0.08	7.6	21.2	0.35	309	0.43	0.01
CC125365		1.11	28.3	2.67	3.50	<0.05	0.07	0.09	0.032	0.09	6.8	19.0	0.38	469	0.70	0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 2- JUL- 2011
Account: RCM

Project: Rackla - PYRAMID

CERTIFICATE OF ANALYSIS WH11105623

Sample Description	Method Analyte Units LOR	ME- MS41 Nb ppm 0.05	ME- MS41 Ni ppm 0.2	ME- MS41 P ppm 10	ME- MS41 Pb ppm 0.2	ME- MS41 Rb ppm 0.1	ME- MS41 Re ppm 0.001	ME- MS41 S % 0.01	ME- MS41 Sb ppm 0.05	ME- MS41 Sc ppm 0.1	ME- MS41 Se ppm 0.2	ME- MS41 Sn ppm 0.2	ME- MS41 Sr ppm 0.2	ME- MS41 Ta ppm 0.01	ME- MS41 Te ppm 0.01	ME- MS41 Th ppm 0.2
CC125286		0.16	36.6	740	45.1	7.6	0.001	0.01	0.53	8.1	1.4	0.4	79.7	<0.01	0.03	7.7
CC125287		0.10	10.4	930	3.9	2.7	0.001	0.23	0.36	0.5	2.0	<0.2	194.5	<0.01	0.01	0.2
CC125288		0.17	11.0	780	9.1	4.5	<0.001	0.14	0.25	1.7	0.8	0.2	126.0	<0.01	0.02	0.6
CC125289		0.18	20.1	520	10.9	6.0	0.001	0.10	0.31	2.9	0.9	0.2	99.1	<0.01	0.02	0.9
CC125290		0.12	8.3	710	4.8	2.9	<0.001	0.16	0.25	0.7	0.5	<0.2	153.5	<0.01	0.02	0.2
CC125291		0.18	18.8	510	18.3	7.6	<0.001	0.08	0.37	3.5	1.0	0.3	78.3	<0.01	0.06	1.2
CC125292		0.19	20.0	610	19.0	7.5	<0.001	0.09	0.31	2.5	1.1	0.3	84.9	<0.01	0.04	0.8
CC125293		0.22	23.6	600	24.4	8.4	0.001	0.07	0.38	3.2	1.5	0.3	73.3	<0.01	0.03	1.1
CC125294		0.24	21.6	410	18.4	8.1	<0.001	0.08	0.30	3.9	1.2	0.3	83.2	<0.01	0.03	1.6
CC125295		0.12	23.3	610	17.3	6.1	0.007	0.15	0.35	3.1	1.5	0.3	74.3	<0.01	0.02	1.3
CC125296		1.06	20.6	310	18.7	10.4	<0.001	<0.01	0.73	2.9	0.6	0.6	10.1	<0.01	0.05	3.2
CC125297		0.34	31.8	490	16.5	10.0	<0.001	<0.01	0.44	4.5	0.5	0.4	17.8	<0.01	0.07	3.3
CC125298		0.23	32.2	620	13.9	6.3	<0.001	0.03	0.51	7.2	0.7	0.3	58.7	<0.01	0.06	2.3
CC125299		0.08	43.3	660	19.7	5.6	0.001	<0.01	0.54	10.7	1.0	0.3	40.3	<0.01	0.07	4.9
CC125300		0.13	37.8	630	17.2	6.4	<0.001	0.02	0.55	9.1	1.0	0.3	56.8	<0.01	0.07	3.7
CC125351		0.11	35.0	750	20.8	4.6	0.001	0.03	0.68	5.6	1.1	0.2	61.1	<0.01	0.08	4.1
CC125352		0.10	29.1	580	15.6	8.2	0.002	0.04	0.36	4.6	1.0	0.3	38.9	<0.01	0.06	2.2
CC125353		0.27	30.1	400	19.1	10.1	0.001	0.01	0.49	4.8	0.7	0.4	19.1	<0.01	0.06	2.8
CC125354		0.26	23.6	690	12.8	6.0	0.001	0.07	0.44	4.1	1.5	0.3	84.5	<0.01	0.03	1.0
CC125355		0.14	28.8	460	15.8	6.5	<0.001	0.04	0.43	7.0	0.9	0.3	49.7	<0.01	0.05	2.6
CC125356		0.18	29.0	440	17.9	8.1	<0.001	0.03	0.54	7.0	0.6	1.0	41.0	<0.01	0.07	3.5
CC125357		0.64	18.6	740	14.7	7.9	<0.001	0.08	0.52	2.4	1.2	0.4	115.0	<0.01	0.04	0.6
CC125358		0.22	32.1	420	25.2	7.4	<0.001	0.05	0.39	6.3	0.8	0.5	82.3	<0.01	0.17	3.1
CC125359		0.18	16.6	780	23.1	4.3	<0.001	0.13	0.29	2.2	1.1	0.3	188.5	<0.01	0.08	1.0
CC125360		0.33	12.2	980	11.7	5.7	<0.001	0.11	0.28	1.9	1.0	0.3	198.0	<0.01	0.05	0.4
CC125361		0.84	17.0	220	16.0	12.5	<0.001	<0.01	0.60	3.0	0.3	0.6	9.4	<0.01	0.05	3.9
CC125362		0.25	23.9	420	15.2	12.9	<0.001	0.01	0.32	7.5	0.5	0.6	13.2	<0.01	0.07	5.1
CC125363		0.25	29.4	450	20.6	7.3	<0.001	0.03	0.56	5.2	0.7	0.4	55.3	<0.01	0.06	3.3
CC125364		0.33	22.9	550	15.8	7.9	<0.001	0.06	0.39	4.3	0.9	0.4	78.8	<0.01	0.05	1.9
CC125365		0.28	21.8	500	14.7	8.5	<0.001	0.04	0.42	4.5	0.7	0.4	63.2	<0.01	0.06	2.0

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 2- JUL- 2011
Account: RCM

Project: Rackla - PYRAMID

CERTIFICATE OF ANALYSIS WH11105623

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
CC125286		<0.005	0.10	1.35	22	<0.05	23.5	116	3.2
CC125287		<0.005	0.04	6.39	6	<0.05	5.88	40	1.7
CC125288		0.006	0.05	0.90	15	<0.05	7.25	46	1.5
CC125289		0.005	0.07	1.67	22	<0.05	9.29	57	2.0
CC125290		0.006	0.04	1.02	8	<0.05	4.00	24	1.2
CC125291		<0.005	0.09	1.59	25	<0.05	9.02	78	2.1
CC125292		<0.005	0.10	1.74	21	<0.05	7.57	85	1.6
CC125293		0.005	0.13	1.59	22	<0.05	8.94	83	1.7
CC125294		0.005	0.10	1.44	21	0.05	7.86	97	2.1
CC125295		<0.005	0.09	2.19	16	<0.05	6.88	82	2.0
CC125296		0.025	0.11	0.51	67	0.27	3.27	94	1.5
CC125297		0.008	0.09	0.48	57	0.08	3.93	86	1.3
CC125298		0.008	0.07	0.98	42	<0.05	12.75	87	2.1
CC125299		0.006	0.08	0.56	52	<0.05	14.90	104	3.9
CC125300		0.005	0.09	0.79	46	<0.05	13.50	101	4.0
CC125351		0.005	0.10	0.85	28	0.05	11.15	105	2.9
CC125352		<0.005	0.14	0.48	29	<0.05	6.37	152	1.5
CC125353		0.005	0.14	0.62	46	0.05	5.63	111	1.5
CC125354		0.006	0.10	1.98	32	<0.05	13.30	85	1.8
CC125355		<0.005	0.07	0.65	40	<0.05	9.52	85	2.3
CC125356		<0.005	0.09	0.95	45	0.05	14.65	82	2.5
CC125357		0.016	0.10	3.14	36	0.15	7.24	49	0.7
CC125358		<0.005	0.08	1.27	20	<0.05	14.05	92	1.9
CC125359		<0.005	0.07	1.62	13	0.06	11.15	125	1.9
CC125360		0.008	0.06	3.39	23	0.06	13.55	39	1.4
CC125361		0.024	0.13	0.47	57	0.19	2.92	63	1.6
CC125362		<0.005	0.10	1.69	43	0.06	18.55	57	1.5
CC125363		0.006	0.10	0.89	32	<0.05	11.40	92	2.1
CC125364		0.006	0.08	1.31	26	0.05	11.25	66	2.2
CC125365		0.006	0.09	0.86	30	0.06	7.61	68	2.0

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: Rackla - PYRAMID

Finalized Date: 2- JUL- 2011
Account: RCM

CERTIFICATE OF ANALYSIS WH11105623

Method	CERTIFICATE COMMENTS
ME- MS41	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown.
ME- MS41	Gold determinations by this method are semi- quantitative due to the small sample weight used (0.5g).

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 2- JUL- 2011
Account: RCM

CERTIFICATE WH11105624

Project: Rackla- Pyramid

P.O. No.:

This report is for 162 Soil samples submitted to our lab in Whitehorse, YT, Canada on 12- JUN- 2011.

The following have access to data associated with this certificate:

ROB CARNE JULIA LANE	ANDREW CARNE JOAN MARIACHER	MATT DUMALA

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
SCR- 41	Screen to - 180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- TL43	Trace Level Au - 25g AR	ICP- MS
ME- MS41	51 anal. aqua regia ICPMS	

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 2- JUL- 2011
Account: RCM

Project: Rackla- Pyramid

CERTIFICATE OF ANALYSIS WH11105624

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- TL43 Au ppm 0.001	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1
CC125709		0.12	<0.001	0.11	1.56	14.2	<0.2	<10	220	0.79	0.30	0.34	0.19	36.2	12.7	26
CC125710		0.12	<0.001	0.28	0.93	4.9	<0.2	<10	200	0.65	0.20	2.81	0.22	15.80	6.6	11
CC125711		0.12	0.001	0.14	1.11	7.6	<0.2	<10	150	0.58	0.24	2.13	0.24	18.05	10.0	17
CC125712		0.18	<0.001	0.12	1.76	10.3	<0.2	<10	160	1.44	0.36	0.33	0.43	24.7	12.5	23
CC125713		0.18	<0.001	0.14	1.79	14.0	<0.2	<10	80	0.83	0.44	0.06	0.15	15.00	21.3	24
CC125714		0.18	<0.001	0.44	1.21	8.5	<0.2	<10	140	0.59	0.25	1.78	0.21	12.15	11.3	17
CC125715		0.16	<0.001	0.02	1.22	3.5	<0.2	<10	100	0.59	0.17	0.31	0.12	20.8	8.1	24
CC125716		0.20	0.002	0.06	1.43	4.3	<0.2	<10	150	1.03	0.19	1.52	0.30	47.0	11.4	30
CC125717		0.18	0.004	0.06	1.08	6.2	<0.2	<10	130	0.80	0.15	2.55	0.20	33.3	10.0	27
CC125718		0.10	0.002	0.05	0.40	7.0	<0.2	<10	120	0.68	0.16	2.92	0.21	31.9	9.0	20
CC125719		0.12	0.003	0.14	1.50	11.8	<0.2	<10	250	0.73	0.27	1.32	0.37	26.0	14.9	23
CC125720		0.16	0.004	0.14	1.74	8.2	<0.2	<10	200	1.08	0.20	1.85	0.19	38.0	12.4	33
CC125726		0.24	0.001	0.17	1.48	31.1	<0.2	<10	380	0.90	0.26	1.29	0.44	14.05	14.8	22
CC125727		0.18	0.001	0.26	0.90	28.0	<0.2	<10	360	0.69	0.22	1.16	1.33	20.5	13.4	18
CC125728		0.18	0.001	0.20	0.87	28.1	<0.2	<10	330	0.75	0.19	1.59	1.06	19.95	12.7	15
CC125729		0.14	0.001	0.15	1.17	23.1	<0.2	<10	290	0.73	0.24	1.49	0.88	17.05	12.3	18
CC125730		0.10	0.001	0.17	1.45	19.2	<0.2	<10	250	0.95	0.24	1.15	0.45	14.50	11.3	21
CC125731		0.14	0.001	0.15	1.38	11.7	<0.2	<10	230	1.02	0.27	1.51	0.48	15.75	12.3	20
CC125732		0.22	0.001	0.18	1.68	16.2	<0.2	<10	240	1.17	0.33	0.93	0.26	18.70	12.6	25
CC125733		0.16	<0.001	0.25	1.15	975	<0.2	<10	330	0.74	0.23	1.49	2.13	10.50	13.0	18
CC125734		0.28	0.001	0.12	1.09	48.0	<0.2	<10	360	1.39	0.44	0.07	0.63	31.3	21.0	17
CC125735		0.30	<0.001	0.18	0.39	23.4	<0.2	<10	200	0.67	0.33	6.13	0.34	12.10	11.0	8
CC125736		0.20	0.001	0.20	0.72	17.8	<0.2	<10	220	0.72	0.32	1.64	0.39	12.45	9.3	12
CC125737		0.20	<0.001	0.11	1.18	21.8	<0.2	<10	370	0.75	0.31	1.29	0.77	24.1	9.2	19
CC125738		0.32	0.001	0.21	1.28	16.9	<0.2	<10	300	0.87	0.28	2.77	0.27	32.1	13.2	21
CC125739		0.18	<0.001	0.21	1.17	13.4	<0.2	<10	180	1.00	0.39	1.59	0.18	20.6	13.1	19
CC125740		0.40	0.001	0.21	1.02	29.0	<0.2	<10	250	0.85	0.36	4.75	0.34	21.9	15.9	15
CC125741		0.16	0.001	0.17	1.48	15.3	<0.2	<10	160	0.88	0.34	0.83	0.16	21.4	13.3	22
CC125742		0.16	0.001	0.14	1.11	10.3	<0.2	<10	220	0.70	0.28	2.56	0.27	17.95	12.9	15
CC125743		0.20	0.001	0.27	1.20	10.6	<0.2	<10	240	0.75	0.25	1.64	0.26	16.40	11.6	20
CC125744		0.18	0.001	0.60	0.98	17.4	<0.2	<10	420	0.64	0.22	1.36	0.38	10.30	10.0	22
CC125745		0.22	0.002	0.31	1.16	11.5	<0.2	<10	250	0.79	0.31	2.20	0.27	19.65	12.1	17
CC125746		0.30	0.002	0.11	1.39	12.9	<0.2	<10	140	0.67	0.26	1.09	0.20	23.9	13.8	20
CC125747		0.18	0.002	0.05	1.52	10.5	<0.2	<10	140	0.62	0.23	0.64	0.35	25.4	14.8	24
CC125748		0.24	0.002	0.13	1.53	11.4	<0.2	<10	170	0.77	0.26	1.41	0.28	23.7	14.7	23
CC125749		0.20	0.002	0.12	1.81	16.0	<0.2	<10	180	0.80	0.27	1.05	0.26	26.3	14.7	27
CC125750		0.28	0.003	0.13	1.84	14.3	<0.2	<10	180	0.81	0.27	0.77	0.31	32.0	17.8	28
CC125769		0.18	0.004	2.61	1.58	11.4	<0.2	<10	590	0.78	0.25	1.13	0.31	15.85	10.1	28
CC125770		0.16	0.003	2.99	1.16	9.6	<0.2	<10	480	0.71	0.27	0.85	0.53	14.15	7.8	26
CC125771		0.10	0.002	2.19	1.23	5.6	<0.2	<10	820	0.81	0.20	1.49	0.55	14.90	7.6	23

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 2- JUL- 2011
Account: RCM

Project: Rackla- Pyramid

CERTIFICATE OF ANALYSIS WH11105624

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
CC125709		1.15	26.2	3.72	5.12	0.09	0.07	0.05	0.041	0.07	14.1	26.2	0.43	513	1.14	0.01
CC125710		1.37	30.6	1.92	2.39	0.07	0.09	0.14	0.032	0.07	5.9	16.8	0.12	400	0.54	0.02
CC125711		0.72	20.7	2.40	3.45	0.06	0.07	0.10	0.031	0.07	7.6	25.8	0.37	407	0.57	0.02
CC125712		4.74	48.9	3.88	6.01	0.11	0.06	0.04	0.051	0.11	10.4	48.5	0.32	784	0.82	<0.01
CC125713		2.74	14.5	4.07	6.79	0.07	0.05	0.02	0.050	0.10	7.1	52.7	0.31	688	1.03	<0.01
CC125714		1.64	24.0	2.38	3.96	0.08	0.08	0.09	0.035	0.09	5.9	33.9	0.50	397	0.58	0.01
CC125715		0.49	10.2	2.12	5.63	0.05	0.02	0.01	0.026	0.07	8.1	34.8	0.50	163	0.52	<0.01
CC125716		0.47	19.3	2.67	5.28	0.10	0.08	0.04	0.035	0.09	21.4	43.0	0.94	440	0.37	0.01
CC125717		0.35	32.2	2.07	4.39	0.09	0.08	0.05	0.029	0.08	16.5	38.6	1.18	229	0.54	0.01
CC125718		0.26	41.2	1.95	1.83	0.07	0.06	0.04	0.028	0.07	14.6	5.3	0.73	374	0.34	0.01
CC125719		0.72	40.6	3.24	4.93	0.08	0.07	0.07	0.035	0.08	11.9	28.9	0.59	670	0.62	0.02
CC125720		0.59	35.7	2.93	5.91	0.11	0.09	0.07	0.037	0.09	20.2	53.4	1.14	416	0.49	0.01
CC125726		1.00	39.6	3.59	4.75	0.08	0.07	0.19	0.042	0.09	6.4	22.5	0.49	628	2.09	0.01
CC125727		1.78	28.9	2.96	3.29	0.09	0.07	0.40	0.036	0.12	8.4	11.8	0.27	537	5.33	0.01
CC125728		1.71	24.1	2.65	3.12	0.08	0.07	0.50	0.033	0.08	7.9	11.4	0.25	689	3.77	0.01
CC125729		1.20	25.9	2.93	4.04	0.08	0.07	0.16	0.038	0.10	7.1	19.1	0.37	556	2.01	0.01
CC125730		1.48	26.5	3.12	4.90	0.08	0.07	0.10	0.039	0.12	6.7	21.2	0.39	385	2.13	0.02
CC125731		1.47	31.0	2.66	4.84	0.07	0.08	0.11	0.036	0.10	6.9	23.5	0.38	506	1.36	0.01
CC125732		1.79	37.8	3.43	6.20	0.09	0.08	0.11	0.049	0.12	7.9	23.9	0.44	383	2.13	0.01
CC125733		1.06	18.3	4.31	3.79	0.08	0.07	0.67	0.038	0.10	4.8	19.2	0.42	1060	1.24	0.02
CC125734		2.05	34.8	4.99	2.91	0.12	0.06	0.82	0.053	0.09	14.0	11.5	0.17	1620	1.00	<0.01
CC125735		1.90	23.8	3.20	1.19	0.07	0.05	0.39	0.040	0.10	6.4	5.0	3.47	589	0.62	<0.01
CC125736		1.26	27.2	3.13	2.12	0.07	0.05	0.28	0.039	0.09	6.0	8.8	0.21	315	0.67	<0.01
CC125737		2.77	14.8	3.47	3.76	0.07	0.03	0.27	0.038	0.08	9.9	14.3	0.21	1060	1.07	<0.01
CC125738		0.79	25.6	3.23	3.56	0.09	0.06	0.15	0.038	0.07	13.5	15.0	0.37	768	0.70	<0.01
CC125739		1.04	33.3	3.22	3.58	0.08	0.06	0.06	0.047	0.10	7.3	32.8	0.36	301	0.91	<0.01
CC125740		0.72	37.7	4.03	2.82	0.10	0.09	0.20	0.045	0.09	9.6	16.1	1.82	729	0.79	<0.01
CC125741		0.80	34.3	3.72	4.06	0.09	0.09	0.09	0.043	0.11	9.1	29.0	0.54	438	0.66	<0.01
CC125742		0.69	25.9	3.01	2.97	0.07	0.06	0.07	0.036	0.10	6.4	21.8	0.40	3270	0.48	<0.01
CC125743		0.71	23.4	2.65	3.37	0.07	0.07	0.13	0.034	0.10	6.7	25.1	0.37	498	0.61	<0.01
CC125744		0.96	26.2	2.69	2.88	0.07	0.06	0.22	0.038	0.09	5.3	17.0	0.29	337	1.54	<0.01
CC125745		0.64	28.3	2.74	3.06	0.08	0.08	0.16	0.041	0.10	7.5	22.7	0.38	693	0.55	<0.01
CC125746		0.78	40.3	3.47	4.16	0.09	0.07	0.11	0.033	0.07	10.1	28.8	0.65	489	0.60	<0.01
CC125747		0.61	38.1	3.17	4.87	0.09	0.08	0.09	0.034	0.10	11.1	26.1	0.67	443	0.63	<0.01
CC125748		0.76	48.5	3.38	4.46	0.09	0.09	0.10	0.037	0.10	10.2	28.0	0.70	696	0.63	<0.01
CC125749		1.01	59.1	4.01	5.12	0.10	0.09	0.15	0.036	0.11	12.3	32.2	0.82	431	0.76	<0.01
CC125750		1.06	67.8	4.16	5.63	0.11	0.10	0.13	0.037	0.11	14.0	35.5	0.94	563	0.73	<0.01
CC125769		5.36	34.7	2.87	4.53	0.08	0.09	0.53	0.037	0.10	9.8	26.2	0.45	266	1.79	<0.01
CC125770		5.85	41.2	2.42	3.48	0.07	0.07	0.47	0.033	0.10	6.0	19.9	0.31	213	1.24	<0.01
CC125771		2.47	27.6	1.95	3.40	0.07	0.07	0.30	0.029	0.08	7.4	19.2	0.41	244	0.97	<0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 2- JUL- 2011
Account: RCM

Project: Rackla- Pyramid

CERTIFICATE OF ANALYSIS WH11105624

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
CC125709		0.59	30.6	580	23.5	9.2	<0.001	0.03	0.56	5.4	0.9	0.6	22.8	<0.01	0.06	4.6
CC125710		0.26	19.4	750	15.4	9.0	<0.001	0.13	0.52	3.9	2.0	0.3	146.0	<0.01	0.07	1.8
CC125711		0.44	21.8	680	16.2	8.1	0.001	0.14	0.36	3.7	1.5	0.4	114.0	<0.01	0.06	1.3
CC125712		0.39	25.9	980	22.8	16.7	<0.001	0.05	0.37	7.1	1.1	0.6	22.0	0.01	0.08	2.4
CC125713		0.57	16.3	650	36.9	19.6	<0.001	0.02	0.51	3.0	0.4	0.8	6.1	<0.01	0.07	4.4
CC125714		0.39	17.7	1090	20.8	12.0	0.001	0.15	0.24	4.6	1.9	0.4	109.0	<0.01	0.05	1.5
CC125715		0.54	19.0	180	10.3	9.8	<0.001	0.01	0.22	2.7	0.4	0.5	13.5	<0.01	0.02	3.5
CC125716		0.55	26.3	530	13.3	7.8	<0.001	0.04	0.23	5.7	1.4	0.4	39.5	<0.01	0.03	3.5
CC125717		0.50	24.7	490	11.1	8.2	<0.001	0.09	0.25	4.3	1.9	0.4	70.3	<0.01	0.02	2.5
CC125718		0.16	20.6	570	10.5	4.8	<0.001	0.08	0.16	3.3	1.9	0.3	61.9	<0.01	0.02	2.0
CC125719		0.48	28.4	620	18.8	9.9	<0.001	0.04	0.38	6.4	1.0	0.4	57.7	<0.01	0.06	3.1
CC125720		0.45	31.0	760	15.8	9.9	<0.001	0.06	0.29	5.3	1.6	0.5	55.9	<0.01	0.05	2.2
CC125726		0.25	39.4	680	20.8	9.1	0.001	0.05	0.68	5.6	1.6	0.5	38.3	<0.01	0.07	2.6
CC125727		0.25	38.6	1090	19.8	7.9	0.005	0.05	1.15	5.2	2.1	0.4	42.7	<0.01	0.05	3.8
CC125728		0.29	28.7	740	16.8	9.5	0.007	0.07	0.92	4.7	2.3	0.4	56.1	<0.01	0.04	2.9
CC125729		0.33	31.1	750	21.1	9.2	0.003	0.06	0.56	5.2	1.4	0.5	46.2	<0.01	0.05	3.7
CC125730		0.33	31.0	790	17.5	11.8	0.002	0.07	0.48	5.9	1.2	0.6	36.5	<0.01	0.05	2.9
CC125731		0.39	34.4	710	15.8	11.1	0.002	0.07	0.52	5.9	1.3	0.6	49.7	<0.01	0.05	2.9
CC125732		0.39	31.9	710	19.5	12.8	0.002	0.06	0.45	6.7	1.3	0.8	30.2	<0.01	0.05	3.4
CC125733		0.25	26.3	580	33.2	9.8	0.001	0.12	0.59	5.4	1.4	0.5	49.8	<0.01	0.05	3.0
CC125734		0.15	33.2	430	68.0	10.0	<0.001	0.02	0.42	10.3	1.2	0.6	27.4	0.01	0.06	5.9
CC125735		0.15	24.0	530	40.2	10.8	0.001	0.04	0.32	4.8	1.1	0.4	70.3	<0.01	0.05	3.4
CC125736		0.31	23.1	670	31.1	11.3	0.001	0.10	0.38	3.0	2.0	0.4	85.1	<0.01	0.07	1.0
CC125737		0.69	16.0	600	41.9	11.4	<0.001	0.06	0.46	3.2	0.9	0.6	72.1	<0.01	0.06	1.3
CC125738		0.57	25.0	800	21.9	9.5	<0.001	0.07	0.45	4.2	1.5	0.4	142.5	0.01	0.07	1.7
CC125739		0.37	35.4	350	40.6	9.2	<0.001	0.06	0.57	5.2	1.2	0.5	82.6	<0.01	0.09	2.1
CC125740		0.20	36.4	690	37.5	7.8	<0.001	0.03	0.41	7.0	1.1	0.4	101.0	0.01	0.07	5.2
CC125741		0.36	31.4	280	23.8	8.5	<0.001	0.03	0.42	6.5	0.9	0.5	42.3	<0.01	0.06	5.0
CC125742		0.23	25.6	650	19.9	7.1	<0.001	0.07	0.36	3.5	1.1	0.4	122.5	<0.01	0.07	2.2
CC125743		0.37	25.5	610	14.8	9.7	<0.001	0.08	0.34	4.3	1.4	0.4	83.9	<0.01	0.06	2.0
CC125744		0.18	29.3	430	13.9	9.3	0.001	0.07	0.47	4.3	1.6	0.4	68.6	<0.01	0.07	1.6
CC125745		0.35	27.5	620	20.5	8.0	0.001	0.10	0.43	4.4	1.7	0.4	116.0	<0.01	0.08	2.0
CC125746		0.18	27.3	550	18.7	7.4	0.001	0.06	0.43	5.4	1.1	0.3	55.4	<0.01	0.07	2.9
CC125747		0.33	27.4	460	14.8	8.5	<0.001	0.05	0.40	5.9	0.9	0.3	29.1	<0.01	0.06	2.8
CC125748		0.24	30.1	670	16.7	8.3	0.001	0.08	0.47	5.6	1.1	0.3	64.7	<0.01	0.08	2.7
CC125749		0.23	33.3	420	18.3	8.8	<0.001	0.05	0.54	6.8	1.1	0.4	44.3	<0.01	0.07	3.3
CC125750		0.22	36.2	550	18.4	8.1	<0.001	0.03	0.49	7.8	0.9	0.3	36.0	<0.01	0.07	4.3
CC125769		0.62	51.0	750	14.3	16.5	0.001	0.06	0.67	5.4	2.2	0.6	30.8	0.01	0.06	1.5
CC125770		0.49	48.2	810	15.8	16.8	0.001	0.08	0.92	4.9	3.0	0.5	27.3	0.01	0.08	1.1
CC125771		0.55	33.1	1140	11.5	13.2	0.001	0.13	0.63	3.7	2.5	0.4	74.0	0.01	0.05	1.0

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 2- JUL- 2011
Account: RCM

Project: Rackla- Pyramid

CERTIFICATE OF ANALYSIS WH11105624

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
CC125709		0.012	0.15	1.43	42	0.19	11.70	86	1.9
CC125710		<0.005	0.13	2.47	14	0.06	15.00	49	2.8
CC125711		0.008	0.10	2.70	24	0.13	9.40	104	1.9
CC125712		0.009	0.12	1.53	39	0.11	21.0	126	1.1
CC125713		0.008	0.15	0.65	49	0.14	3.01	98	1.8
CC125714		0.008	0.13	3.10	31	0.09	13.95	46	2.0
CC125715		0.013	0.08	0.44	33	0.09	2.93	52	1.0
CC125716		0.013	0.07	1.74	30	0.08	15.45	81	2.0
CC125717		0.011	0.08	2.05	26	0.05	9.52	71	2.7
CC125718		<0.005	0.04	2.73	21	<0.05	8.45	75	1.9
CC125719		0.009	0.09	0.96	38	0.12	11.55	81	1.9
CC125720		0.011	0.08	5.66	40	0.07	15.80	74	2.3
CC125726		<0.005	0.22	1.29	45	0.06	11.75	129	1.9
CC125727		<0.005	0.30	2.51	92	0.06	13.30	205	2.0
CC125728		<0.005	0.28	2.29	89	0.12	11.50	173	1.9
CC125729		<0.005	0.20	1.05	49	0.05	9.20	163	1.9
CC125730		<0.005	0.17	1.19	35	0.05	10.70	136	2.0
CC125731		<0.005	0.15	1.21	27	0.05	10.40	118	2.4
CC125732		<0.005	0.19	1.46	33	0.06	11.90	117	2.2
CC125733		<0.005	2.07	2.03	32	0.07	8.48	434	1.8
CC125734		<0.005	0.45	1.35	22	0.09	18.35	288	1.8
CC125735		<0.005	0.19	0.87	12	0.05	10.05	216	2.2
CC125736		<0.005	0.16	1.94	19	0.06	9.33	154	1.6
CC125737		0.017	0.23	2.19	37	0.21	6.57	204	0.7
CC125738		0.010	0.10	2.32	33	0.12	15.25	76	1.6
CC125739		0.006	0.10	1.43	20	0.05	10.60	95	1.8
CC125740		<0.005	0.13	1.06	21	0.06	17.95	189	2.8
CC125741		0.007	0.09	0.70	30	0.06	13.20	95	3.4
CC125742		<0.005	0.07	1.30	20	<0.05	10.50	78	1.9
CC125743		0.005	0.09	1.78	28	0.09	10.20	92	2.0
CC125744		<0.005	0.11	1.06	32	0.05	11.55	92	1.6
CC125745		<0.005	0.10	1.51	25	0.06	12.80	89	2.6
CC125746		<0.005	0.08	1.07	34	<0.05	11.05	81	2.2
CC125747		0.007	0.07	1.09	40	0.06	10.25	78	2.3
CC125748		0.005	0.09	1.35	36	<0.05	11.10	87	2.7
CC125749		0.005	0.10	1.19	45	0.05	12.30	88	2.8
CC125750		0.005	0.09	0.67	46	<0.05	12.65	95	3.8
CC125769		0.007	0.21	2.51	48	0.12	22.1	120	2.1
CC125770		0.011	0.18	1.88	38	0.15	18.60	127	1.6
CC125771		0.010	0.14	2.73	32	0.09	17.35	100	1.7

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 2- JUL- 2011
Account: RCM

Project: Rackla- Pyramid

CERTIFICATE OF ANALYSIS WH11105624

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- TL43 Au ppm 0.001	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1
CC125772		0.12	0.001	1.04	1.55	8.0	<0.2	<10	260	0.75	0.27	0.19	0.24	16.70	8.6	34
CC125773		0.16	0.001	1.99	1.43	12.0	<0.2	<10	140	0.40	0.28	0.06	0.23	18.25	6.5	26
CC125774		0.16	0.002	0.26	0.92	9.5	<0.2	<10	80	0.16	0.26	0.01	0.08	22.5	3.8	13
CC125775		0.16	0.001	0.68	1.52	9.4	<0.2	<10	90	0.29	0.35	0.10	0.28	26.4	5.1	23
CC125776		0.16	0.002	0.06	1.26	17.7	<0.2	<10	190	0.24	0.31	0.06	0.25	11.55	6.7	22
CC125777		0.10	0.001	0.60	0.93	7.1	<0.2	<10	580	0.46	0.18	1.23	0.63	10.65	3.5	18
CC125778		0.10	0.001	0.29	0.64	3.0	<0.2	<10	90	0.15	0.17	0.06	0.34	14.50	1.9	12
CC125779		0.08	0.002	0.81	1.42	8.0	<0.2	<10	700	0.54	0.25	1.54	0.39	7.34	6.9	27
CC125780		0.14	0.001	0.09	1.44	10.1	<0.2	<10	230	0.56	0.25	0.48	0.21	6.35	13.1	25
CC125781		0.08	0.007	0.64	1.48	10.1	<0.2	<10	300	1.01	0.26	1.21	1.01	10.00	34.9	24
CC125782		0.04	0.004	0.15	1.48	8.9	<0.2	<10	180	0.57	0.21	0.39	0.50	7.22	9.7	23
CC125783		0.10	0.001	0.17	1.54	14.0	<0.2	<10	100	0.45	0.23	0.08	0.19	9.94	11.6	25
CC125784		0.14	0.001	2.86	1.08	1620	<0.2	<10	370	0.33	0.25	0.04	0.34	8.83	7.8	19
CC125785		0.20	0.002	0.25	1.40	1280	<0.2	<10	590	0.94	0.30	0.37	0.58	12.40	12.6	22
CC125786		0.16	0.001	0.08	1.55	46.9	<0.2	<10	140	0.77	0.29	0.11	0.13	6.46	11.3	27
CC125787		0.08	0.002	0.21	1.24	579	<0.2	<10	110	0.46	0.28	0.13	1.16	7.30	9.5	23
CC125825		0.20	0.002	0.12	1.91	17.3	<0.2	<10	180	0.95	0.28	0.98	0.24	28.5	18.1	28
CC125826		0.16	0.002	0.11	1.64	36.7	<0.2	<10	310	0.90	0.27	1.04	0.23	14.40	13.7	26
CC125827		0.16	0.002	0.09	1.60	17.9	<0.2	<10	480	0.78	0.25	1.27	0.36	23.3	17.5	24
CC125828		0.18	0.003	0.43	1.04	24.3	<0.2	<10	590	0.86	0.26	1.20	0.53	23.2	12.4	20
CC125829		0.18	0.002	0.10	1.44	13.1	<0.2	<10	210	0.65	0.22	1.10	0.21	22.4	13.2	21
CC125830		0.40	0.001	0.03	1.90	13.7	<0.2	<10	150	0.70	0.25	0.31	0.14	30.4	16.3	27
CC125831		0.16	0.002	0.07	1.58	13.7	<0.2	<10	160	0.74	0.26	1.30	0.20	28.1	15.7	26
CC125832		0.28	0.002	0.08	2.06	12.2	<0.2	<10	180	0.75	0.25	0.45	0.16	34.3	19.0	31
CC125833		0.32	0.001	0.03	2.13	14.7	<0.2	<10	190	0.84	0.25	0.47	0.16	31.7	15.9	30
CC125834		0.10	0.001	0.04	2.32	14.8	<0.2	<10	210	0.74	0.35	0.10	0.19	29.6	15.2	33
CC125835		0.18	0.001	0.03	1.63	11.6	<0.2	<10	210	0.41	0.27	0.50	0.13	24.0	12.3	27
CC125836		0.14	0.002	0.06	1.73	15.0	<0.2	<10	140	0.63	0.26	0.89	0.33	25.2	14.4	27
CC125837		0.38	0.002	0.08	2.04	14.4	<0.2	<10	140	0.80	0.28	0.67	0.29	36.9	25.0	30
CC125838		0.30	0.002	0.08	1.93	15.8	<0.2	<10	150	0.76	0.28	0.68	0.29	35.0	21.5	29
CC125839		0.26	0.003	0.10	2.06	21.2	<0.2	<10	170	0.88	0.28	0.69	0.25	33.4	21.9	31
CC125840		0.16	0.002	1.80	2.11	11.2	<0.2	<10	1190	1.37	0.23	1.34	0.23	11.70	8.8	24
CC125841		0.12	0.001	0.09	1.89	10.7	<0.2	<10	560	0.91	0.29	0.47	0.17	13.20	11.3	30
CC125842		0.18	0.001	0.13	1.77	12.9	<0.2	<10	1010	0.76	0.31	0.37	0.42	11.65	8.7	29
CC125843		0.40	0.001	0.44	1.70	12.4	<0.2	<10	650	0.99	0.35	0.23	0.33	12.00	16.1	60
CC125844		0.26	0.001	0.15	1.50	13.0	<0.2	<10	430	0.67	0.32	0.27	0.26	13.00	19.3	25
CC125845		0.24	0.002	0.50	1.64	9.9	<0.2	<10	570	0.93	0.27	1.01	0.60	11.45	12.7	30
CC125846		0.16	0.001	0.31	1.57	9.6	<0.2	<10	430	0.76	0.26	0.66	0.69	9.97	12.9	28
CC125847		0.20	0.001	0.10	1.66	10.7	<0.2	<10	460	0.83	0.27	0.36	0.20	10.55	14.2	27
CC125848		0.46	0.001	0.09	1.89	9.1	<0.2	<10	230	0.95	0.28	0.32	0.20	10.35	10.7	30

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 2- JUL- 2011
Account: RCM

Project: Rackla- Pyramid

CERTIFICATE OF ANALYSIS WH11105624

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
CC125772		2.46	21.1	2.95	4.45	0.07	0.06	0.22	0.039	0.09	8.1	37.1	0.45	164	0.97	<0.01
CC125773		2.46	15.6	2.91	5.43	0.06	<0.02	0.09	0.029	0.07	8.7	20.1	0.27	209	1.73	<0.01
CC125774		1.40	13.3	1.61	7.91	0.05	<0.02	0.02	0.019	0.04	10.7	2.2	0.06	73	1.58	<0.01
CC125775		1.61	5.7	3.02	8.39	0.07	<0.02	0.04	0.031	0.04	13.3	14.5	0.19	252	2.00	<0.01
CC125776		1.48	13.9	3.17	6.53	0.05	<0.02	0.03	0.030	0.05	5.4	13.1	0.17	400	2.46	<0.01
CC125777		2.61	19.7	1.37	3.74	<0.05	0.03	0.08	0.025	0.07	5.9	4.7	0.21	97	1.53	<0.01
CC125778		2.23	12.7	0.65	4.44	<0.05	<0.02	0.05	0.014	0.06	7.0	2.4	0.05	36	0.92	<0.01
CC125779		1.09	32.5	2.24	4.00	0.05	0.06	0.24	0.039	0.12	3.8	17.9	0.45	225	1.51	0.01
CC125780		1.04	19.1	3.33	4.58	0.06	0.05	0.07	0.041	0.10	2.7	28.7	0.44	262	1.60	<0.01
CC125781		1.94	49.4	3.30	4.01	0.09	0.08	0.25	0.043	0.12	4.2	34.0	0.52	2170	1.64	<0.01
CC125782		0.90	21.8	2.99	4.67	0.06	0.03	0.07	0.033	0.12	3.5	26.6	0.42	238	0.97	<0.01
CC125783		1.39	13.7	3.41	5.00	0.06	0.02	0.07	0.032	0.09	4.7	23.8	0.42	492	1.02	<0.01
CC125784		3.10	11.9	2.44	4.27	0.05	<0.02	12.20	0.034	0.10	4.8	13.1	0.22	313	1.36	<0.01
CC125785		3.92	38.7	3.82	4.31	0.08	0.07	0.44	0.049	0.13	5.6	16.8	0.32	443	1.33	<0.01
CC125786		1.65	26.9	4.31	5.17	0.07	0.02	0.04	0.048	0.13	2.6	22.3	0.50	249	0.87	<0.01
CC125787		2.47	16.9	3.31	4.33	0.06	0.04	0.84	0.041	0.10	3.3	16.5	0.28	318	1.14	<0.01
CC125825		1.13	61.9	4.33	5.72	0.11	0.10	0.11	0.042	0.10	13.0	36.9	0.99	682	0.71	<0.01
CC125826		1.40	36.9	3.58	5.50	0.08	0.07	0.15	0.038	0.09	6.3	34.6	0.67	334	0.63	0.01
CC125827		0.69	47.0	3.70	5.58	0.10	0.08	0.12	0.031	0.07	9.9	30.7	0.71	2170	0.62	0.02
CC125828		1.12	50.1	3.34	3.35	0.12	0.08	0.13	0.034	0.06	12.8	16.5	0.40	625	1.63	0.02
CC125829		0.62	48.2	3.42	4.85	0.10	0.07	0.07	0.028	0.06	10.2	27.8	0.75	370	0.55	0.01
CC125830		0.87	53.6	4.17	6.37	0.10	0.07	0.03	0.034	0.05	12.6	37.1	0.88	421	0.57	<0.01
CC125831		1.10	63.6	3.60	5.78	0.11	0.10	0.08	0.029	0.08	12.1	40.5	1.22	338	0.70	0.01
CC125832		0.99	64.2	4.49	7.20	0.13	0.08	0.05	0.034	0.09	15.2	36.0	1.08	533	0.62	0.01
CC125833		0.91	59.2	4.31	6.98	0.11	0.09	0.05	0.038	0.07	13.8	37.9	0.93	474	0.65	0.01
CC125834		1.31	32.3	4.41	7.80	0.09	0.10	0.03	0.041	0.06	13.3	35.3	0.60	384	1.06	0.01
CC125835		1.21	18.9	3.26	6.73	0.08	0.04	0.01	0.029	0.05	11.2	24.1	0.56	443	0.77	0.01
CC125836		0.91	52.4	4.12	5.85	0.09	0.07	0.05	0.034	0.07	10.0	34.0	0.94	737	0.69	0.01
CC125837		1.27	83.6	4.69	7.21	0.15	0.12	0.11	0.034	0.10	16.6	41.5	1.22	817	0.56	0.01
CC125838		1.03	73.0	4.46	6.93	0.13	0.10	0.10	0.034	0.09	16.1	38.8	1.07	764	0.61	0.01
CC125839		1.20	84.1	4.59	7.57	0.14	0.11	0.16	0.036	0.11	15.3	41.5	1.13	612	0.63	0.01
CC125840		3.41	50.0	2.92	5.35	0.09	0.14	0.30	0.045	0.15	7.2	25.8	0.37	255	1.73	0.03
CC125841		1.10	30.6	3.69	6.43	0.09	0.07	0.06	0.039	0.09	5.6	39.0	0.61	307	1.46	0.01
CC125842		0.94	24.1	3.66	6.35	0.08	0.06	0.05	0.039	0.09	5.4	33.1	0.48	231	2.24	0.02
CC125843		1.83	60.2	4.70	5.49	0.11	0.06	0.23	0.057	0.09	5.3	42.0	0.62	412	1.61	0.02
CC125844		1.08	38.2	3.80	5.89	0.08	0.03	0.05	0.035	0.07	6.0	33.5	0.52	420	1.20	0.01
CC125845		1.22	36.0	3.22	5.02	0.09	0.09	0.15	0.040	0.10	5.5	39.6	0.52	382	1.30	0.02
CC125846		1.19	30.3	3.22	4.91	0.08	0.08	0.11	0.038	0.09	4.7	34.1	0.45	278	1.24	0.02
CC125847		1.12	31.4	3.87	5.46	0.08	0.05	0.06	0.039	0.07	4.4	43.7	0.62	321	1.30	0.01
CC125848		1.51	26.2	3.90	6.05	0.08	0.06	0.04	0.039	0.08	4.5	53.7	0.66	326	1.13	0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 2- JUL- 2011
Account: RCM

Project: Rackla- Pyramid

CERTIFICATE OF ANALYSIS WH11105624

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
CC125772		0.59	34.5	690	13.2	12.9	0.001	0.05	0.66	4.7	1.8	0.5	14.5	<0.01	0.07	2.4
CC125773		0.92	18.8	470	15.3	14.0	<0.001	0.03	0.70	2.4	0.8	0.6	8.0	<0.01	0.06	1.5
CC125774		0.44	8.3	310	7.4	6.1	<0.001	0.02	0.58	1.9	0.4	0.9	4.9	<0.01	0.06	1.0
CC125775		1.38	9.0	440	18.8	7.3	<0.001	0.02	0.47	2.2	0.4	1.0	7.6	<0.01	0.05	2.2
CC125776		0.51	17.9	630	15.0	10.8	<0.001	0.04	0.65	2.8	0.6	0.7	12.1	<0.01	0.08	1.2
CC125777		0.49	16.5	1090	7.4	10.4	<0.001	0.11	0.50	3.4	1.0	0.6	38.0	<0.01	0.07	0.8
CC125778		0.24	6.1	520	8.4	8.7	<0.001	0.04	0.22	1.6	0.5	0.6	7.7	<0.01	0.04	0.7
CC125779		0.38	31.2	950	11.1	13.8	0.004	0.12	0.51	4.4	3.6	0.6	56.4	<0.01	0.07	0.9
CC125780		0.19	29.8	670	15.2	9.7	0.001	0.07	0.35	4.7	1.7	0.5	28.4	<0.01	0.05	2.1
CC125781		0.15	101.5	900	16.4	13.5	0.011	0.20	0.49	5.7	4.2	0.5	88.6	0.01	0.06	1.9
CC125782		0.19	33.6	760	11.1	10.4	<0.001	0.07	0.33	4.2	0.7	0.5	31.1	<0.01	0.05	1.7
CC125783		0.26	25.9	620	15.3	12.5	<0.001	0.04	0.34	4.1	0.7	0.5	10.6	<0.01	0.05	2.4
CC125784		0.20	15.4	510	869	12.2	0.001	0.05	11.00	2.7	0.8	0.6	53.4	<0.01	0.06	1.8
CC125785		0.21	38.7	760	24.3	14.9	<0.001	0.06	0.62	6.0	1.1	0.6	28.3	<0.01	0.06	2.4
CC125786		0.16	34.8	670	16.3	11.7	<0.001	0.09	0.34	5.5	0.5	0.6	20.1	<0.01	0.05	3.1
CC125787		0.22	25.5	750	31.2	12.9	0.001	0.06	0.62	4.1	1.0	0.5	14.7	<0.01	0.05	1.9
CC125825		0.23	36.0	350	20.6	9.0	<0.001	0.03	0.48	9.1	0.9	0.4	36.7	<0.01	0.07	4.3
CC125826		0.24	43.1	550	24.2	10.3	<0.001	0.03	0.42	6.0	0.8	0.4	44.7	<0.01	0.05	2.6
CC125827		0.25	32.9	560	19.0	8.3	<0.001	0.05	0.42	5.5	1.1	0.4	57.1	<0.01	0.06	2.2
CC125828		0.25	35.7	570	25.3	8.8	<0.001	0.05	0.72	8.6	1.9	0.3	54.4	0.01	0.08	2.0
CC125829		0.16	28.5	470	13.8	6.4	<0.001	0.02	0.40	5.9	0.6	0.3	47.9	<0.01	0.06	2.1
CC125830		0.17	31.3	180	14.1	8.8	<0.001	<0.01	0.36	5.6	0.4	0.3	19.5	<0.01	0.08	4.0
CC125831		0.21	35.0	500	17.8	7.4	<0.001	0.02	0.46	6.3	0.8	0.3	44.6	<0.01	0.07	4.1
CC125832		0.21	37.1	290	15.0	8.5	<0.001	0.01	0.43	7.6	0.6	0.3	24.5	<0.01	0.08	3.6
CC125833		0.17	34.7	320	15.3	9.9	<0.001	<0.01	0.42	7.8	0.6	0.4	26.9	<0.01	0.08	4.1
CC125834		1.04	32.1	320	18.1	12.9	<0.001	<0.01	0.50	4.1	0.5	0.7	11.7	<0.01	0.07	4.7
CC125835		0.85	22.1	320	15.0	10.7	<0.001	0.01	0.39	3.4	0.3	0.6	29.8	<0.01	0.05	3.5
CC125836		0.18	31.7	480	14.3	7.9	<0.001	0.03	0.47	6.8	0.6	0.3	39.0	<0.01	0.10	2.9
CC125837		0.12	43.9	630	17.5	7.3	<0.001	0.01	0.45	8.2	0.6	0.3	36.0	<0.01	0.09	5.0
CC125838		0.16	40.2	620	17.5	7.2	<0.001	0.01	0.47	7.7	0.7	0.3	38.8	<0.01	0.08	4.1
CC125839		0.19	38.9	380	17.7	8.5	<0.001	0.02	0.49	8.7	0.8	0.3	36.6	<0.01	0.09	4.1
CC125840		0.24	45.6	910	11.4	21.2	0.004	0.10	0.59	6.7	3.7	0.6	59.1	<0.01	0.07	1.5
CC125841		0.24	38.4	710	14.1	13.4	0.002	0.03	0.39	5.4	2.2	0.5	26.0	<0.01	0.06	2.3
CC125842		0.27	31.9	770	14.5	13.1	0.001	0.03	0.53	4.6	1.8	0.6	24.3	<0.01	0.06	2.0
CC125843		0.11	50.4	500	22.6	11.1	0.003	0.06	0.67	6.7	2.1	0.5	27.4	<0.01	0.07	3.7
CC125844		0.18	42.9	580	19.3	9.2	<0.001	0.01	0.45	3.8	0.7	0.4	15.7	<0.01	0.06	2.2
CC125845		0.27	41.4	750	14.5	14.3	0.003	0.07	0.47	5.6	2.7	0.5	55.3	<0.01	0.05	1.8
CC125846		0.22	40.6	590	14.0	12.3	0.002	0.05	0.43	5.6	2.0	0.4	34.7	<0.01	0.05	2.1
CC125847		0.18	45.8	490	15.4	8.9	0.001	0.01	0.44	5.6	0.9	0.4	29.3	<0.01	0.04	2.9
CC125848		0.20	47.4	720	13.6	12.8	<0.001	0.01	0.36	5.9	0.8	0.5	20.1	<0.01	0.04	3.1

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 2- JUL- 2011
Account: RCM

Project: Rackla- Pyramid

CERTIFICATE OF ANALYSIS WH11105624

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
CC125772		0.014	0.13	2.92	43	0.11	10.50	119	1.5
CC125773		0.018	0.14	0.67	57	0.24	3.12	78	<0.5
CC125774		0.013	0.12	0.35	74	0.16	1.81	36	<0.5
CC125775		0.029	0.16	1.02	74	0.24	4.19	55	<0.5
CC125776		0.007	0.18	0.48	82	0.10	2.22	97	<0.5
CC125777		0.005	0.16	1.04	37	0.12	6.29	66	0.9
CC125778		0.007	0.10	0.59	28	0.08	1.84	33	<0.5
CC125779		<0.005	0.16	2.05	37	0.07	6.26	104	2.0
CC125780		<0.005	0.10	0.76	31	0.10	4.78	96	1.6
CC125781		<0.005	0.23	1.45	27	<0.05	20.3	263	2.1
CC125782		<0.005	0.11	0.42	32	<0.05	6.57	106	1.0
CC125783		<0.005	0.13	0.43	37	<0.05	3.55	86	0.8
CC125784		<0.005	4.14	0.64	33	0.26	2.69	90	0.5
CC125785		<0.005	5.03	1.90	36	0.06	12.35	162	1.5
CC125786		<0.005	0.16	0.37	32	0.05	5.03	97	0.8
CC125787		<0.005	3.16	0.81	33	0.07	3.86	196	1.1
CC125825		<0.005	0.11	0.64	43	<0.05	15.85	92	3.3
CC125826		0.005	0.16	1.21	32	<0.05	10.10	124	1.9
CC125827		0.005	0.08	1.59	36	0.05	11.65	90	2.0
CC125828		0.005	0.16	1.90	36	0.08	28.5	113	1.9
CC125829		<0.005	0.06	0.61	39	<0.05	10.10	75	1.7
CC125830		<0.005	0.07	0.50	46	<0.05	5.44	71	2.8
CC125831		0.006	0.07	0.62	41	<0.05	10.85	91	3.8
CC125832		0.007	0.06	0.53	52	0.05	10.55	84	2.4
CC125833		<0.005	0.08	0.73	54	<0.05	9.91	87	2.6
CC125834		0.015	0.11	0.58	65	0.16	4.04	72	3.2
CC125835		0.020	0.10	0.52	57	0.17	3.30	70	1.4
CC125836		0.005	0.06	0.62	45	0.06	6.14	93	2.2
CC125837		0.005	0.07	0.48	51	<0.05	11.70	95	4.4
CC125838		0.006	0.07	0.71	49	<0.05	13.00	93	2.8
CC125839		0.006	0.09	0.46	52	<0.05	12.10	96	3.4
CC125840		<0.005	0.21	1.42	36	0.05	17.50	104	3.6
CC125841		<0.005	0.09	1.02	39	<0.05	7.91	107	1.8
CC125842		<0.005	0.10	1.11	52	0.05	6.15	98	1.5
CC125843		<0.005	0.11	1.11	39	<0.05	11.00	137	2.3
CC125844		<0.005	0.09	0.38	37	<0.05	8.46	133	0.8
CC125845		<0.005	0.11	1.55	35	<0.05	11.40	143	2.1
CC125846		<0.005	0.11	0.96	35	<0.05	9.35	140	1.9
CC125847		<0.005	0.08	0.48	33	<0.05	6.90	114	1.4
CC125848		<0.005	0.10	0.57	33	<0.05	8.96	116	1.3

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 2- JUL- 2011
Account: RCM

Project: Rackla- Pyramid

CERTIFICATE OF ANALYSIS WH11105624

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- TL43 Au ppm 0.001	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1
CC125849		0.28	0.001	0.02	1.59	19.0	<0.2	<10	190	0.85	0.31	0.14	0.23	20.4	20.0	26
CC125850		0.30	0.001	0.02	1.25	12.8	<0.2	<10	100	0.41	0.35	0.06	0.16	17.15	6.7	20
CC125851		0.10	0.005	0.11	1.30	7.1	<0.2	<10	260	0.83	0.19	2.24	0.28	25.2	10.8	24
CC125852		0.14	0.003	0.13	1.60	10.4	<0.2	<10	230	0.80	0.23	1.72	0.26	21.0	14.7	25
CC125853		0.16	0.002	0.07	1.53	10.9	<0.2	<10	200	0.82	0.22	1.42	0.20	22.8	14.3	23
CC125854		0.12	<0.001	0.20	1.07	12.3	<0.2	<10	380	0.68	0.20	2.24	0.36	15.10	11.2	19
CC125855		0.14	0.002	0.14	1.42	36.8	<0.2	<10	270	0.74	0.32	0.74	0.27	25.5	18.5	22
CC125856		0.24	0.001	0.08	1.21	26.3	<0.2	<10	130	0.71	0.26	1.15	0.24	22.8	14.0	20
CC125857		0.14	0.002	0.11	1.47	10.4	<0.2	<10	230	0.82	0.24	1.55	0.26	19.75	14.2	23
CC125858		0.12	0.002	0.08	1.53	9.4	<0.2	<10	220	0.64	0.24	1.30	0.40	20.6	14.4	22
CC125859		0.10	0.003	0.12	1.45	8.6	<0.2	<10	200	0.73	0.23	1.74	0.32	21.1	13.9	22
CC125860		0.10	0.006	0.14	1.25	8.4	<0.2	<10	180	0.98	0.22	1.65	0.23	30.2	13.5	24
CC125861		0.14	0.002	0.14	1.26	8.7	<0.2	<10	200	0.67	0.23	2.10	0.21	18.25	12.0	19
CC125862		0.14	0.002	0.17	1.16	6.9	<0.2	<10	200	0.68	0.22	2.38	0.15	12.40	8.7	17
CC125863		0.16	0.002	0.20	1.02	8.4	<0.2	<10	180	0.67	0.26	1.83	0.18	15.20	8.8	15
CC125864		0.14	0.001	0.17	1.23	11.2	<0.2	<10	190	0.83	0.31	1.86	0.22	19.30	10.6	19
CC125865		0.10	0.001	0.14	0.99	8.1	<0.2	<10	160	0.66	0.22	3.04	0.18	16.25	9.1	14
CC125866		0.18	0.001	0.23	1.10	11.3	<0.2	<10	120	0.73	0.26	2.18	0.20	19.80	10.3	17
CC125867		0.14	0.001	0.13	0.85	8.1	<0.2	<10	150	0.59	0.18	3.06	0.20	11.05	7.3	13
CC125868		0.10	0.001	0.13	1.14	11.1	<0.2	<10	150	0.72	0.31	3.13	0.14	19.80	11.6	15
CC125869		0.20	0.002	0.13	1.33	13.6	<0.2	<10	150	0.76	0.26	1.50	0.30	18.00	11.3	20
CC125870		0.10	0.001	0.03	1.61	12.2	<0.2	<10	170	0.40	0.22	0.18	0.22	21.8	10.1	24
CC125871		0.08	0.002	0.05	1.60	16.6	<0.2	<10	180	0.71	0.21	0.98	0.29	25.0	14.1	24
CC125872		0.16	0.004	0.08	1.69	16.4	<0.2	<10	150	0.53	0.21	0.77	0.24	20.1	12.7	26
CC125873		0.10	0.003	0.14	1.58	14.1	<0.2	<10	170	0.72	0.22	1.10	0.32	25.6	14.7	25
CC125874		0.18	0.003	0.15	1.57	14.6	<0.2	<10	210	0.65	0.21	1.23	0.29	20.6	12.5	25
CC125875		0.18	0.002	0.42	1.11	115.5	<0.2	<10	210	0.58	0.24	1.15	0.52	8.63	10.5	22
CC125876		0.30	0.001	0.16	1.01	60.6	<0.2	<10	330	0.76	0.26	0.33	0.32	12.65	11.7	21
CC125877		0.10	0.002	0.45	1.22	148.0	<0.2	<10	270	0.75	0.26	0.65	0.33	11.55	10.3	23
CC125878		0.20	0.002	0.03	1.68	37.4	<0.2	<10	160	0.79	0.34	0.18	0.23	23.6	15.9	26
CC125879		0.18	0.003	0.27	1.43	30.9	<0.2	<10	180	0.85	0.30	0.62	0.46	21.5	13.7	24
CC125880		0.20	0.003	0.24	1.49	36.6	<0.2	<10	180	0.91	0.33	0.51	0.48	23.7	17.1	24
CC125881		0.16	0.002	0.26	1.45	35.0	<0.2	<10	160	0.97	0.36	0.49	0.47	24.6	16.8	24
CC125882		0.16	0.002	0.18	1.61	33.1	<0.2	<10	190	0.91	0.33	0.41	0.62	22.8	13.9	25
CC125883		0.30	0.003	0.19	1.45	36.3	<0.2	<10	170	0.92	0.31	0.47	0.33	23.8	14.2	24
CC125884		0.16	0.002	0.08	2.22	10.6	<0.2	<10	200	0.77	0.22	0.69	0.20	25.4	14.2	30
CC125885		0.24	0.002	0.10	1.54	9.3	<0.2	<10	200	0.66	0.19	2.46	0.21	16.35	10.9	21
CC125886		0.12	0.001	0.18	1.24	14.5	<0.2	<10	180	0.83	0.27	1.55	0.16	23.8	13.0	21
CC125887		0.18	0.001	0.18	1.13	9.1	<0.2	<10	210	0.68	0.25	2.24	0.14	17.15	9.4	18
CC125888		0.14	0.001	0.16	0.98	7.8	<0.2	<10	180	0.66	0.18	2.92	0.19	14.55	8.8	15

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 2- JUL- 2011
Account: RCM

Project: Rackla- Pyramid

CERTIFICATE OF ANALYSIS WH11105624

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
CC125849		0.98	41.5	4.03	5.71	0.09	0.04	0.04	0.036	0.06	8.3	35.1	0.55	573	1.39	0.01
CC125850		1.58	16.0	3.43	7.44	0.07	<0.02	<0.01	0.026	0.07	8.2	16.3	0.29	212	1.73	0.01
CC125851		1.03	40.5	2.15	4.73	0.09	0.09	0.09	0.027	0.08	12.4	31.7	0.74	333	0.43	0.02
CC125852		1.33	53.0	3.20	5.20	0.10	0.10	0.18	0.031	0.11	9.8	35.4	0.94	458	0.49	0.02
CC125853		0.86	49.5	3.02	5.33	0.09	0.10	0.10	0.028	0.07	9.8	28.0	0.72	904	0.58	0.01
CC125854		0.81	41.2	2.72	3.59	0.08	0.07	0.13	0.030	0.08	6.8	20.0	0.50	491	0.88	0.02
CC125855		1.58	33.7	4.13	4.86	0.11	0.10	0.13	0.032	0.07	11.1	40.0	0.65	657	1.03	0.01
CC125856		1.48	42.7	3.52	4.41	0.11	0.10	0.11	0.028	0.07	10.1	38.2	0.94	334	0.86	0.01
CC125857		1.07	48.7	3.02	4.99	0.08	0.08	0.08	0.031	0.09	8.8	31.7	0.70	560	0.49	0.02
CC125858		0.78	31.8	3.19	5.13	0.08	0.08	0.05	0.032	0.09	8.5	30.8	0.70	565	0.51	0.01
CC125859		1.02	47.3	2.90	4.86	0.10	0.10	0.11	0.032	0.11	9.3	31.4	0.68	443	0.42	0.02
CC125860		1.15	45.5	2.60	4.48	0.10	0.10	0.11	0.032	0.11	14.5	30.5	0.62	360	0.44	0.01
CC125861		0.95	33.3	2.62	4.02	0.08	0.06	0.09	0.026	0.09	8.3	25.7	0.53	466	0.44	0.02
CC125862		1.14	23.2	2.14	3.31	0.06	0.07	0.08	0.030	0.08	5.4	22.4	0.37	311	0.47	0.01
CC125863		0.41	22.8	2.63	3.02	0.07	0.08	0.08	0.037	0.08	5.6	17.2	0.30	338	0.62	0.01
CC125864		0.62	30.9	2.87	3.99	0.09	0.07	0.07	0.040	0.09	7.9	28.9	0.38	290	0.62	0.01
CC125865		0.56	24.3	2.32	3.02	0.07	0.06	0.07	0.032	0.07	6.6	19.1	0.28	307	0.56	0.01
CC125866		0.90	35.1	2.99	3.50	0.09	0.07	0.08	0.040	0.08	7.6	22.5	0.41	294	0.63	0.01
CC125867		0.62	26.2	2.02	2.68	0.06	0.05	0.07	0.027	0.06	5.5	17.5	0.26	265	0.57	0.01
CC125868		0.92	27.0	2.80	3.27	0.08	0.08	0.05	0.038	0.07	6.1	33.9	0.39	295	0.50	0.01
CC125869		0.84	49.6	3.21	4.08	0.08	0.08	0.10	0.037	0.08	9.0	19.3	0.64	577	0.66	0.01
CC125870		0.76	27.2	3.54	6.86	0.07	0.04	0.02	0.030	0.05	10.3	26.0	0.50	302	1.02	0.01
CC125871		0.71	52.1	3.80	4.98	0.08	0.08	0.08	0.032	0.05	9.4	28.8	0.77	636	0.75	0.01
CC125872		0.73	50.8	3.87	5.50	0.09	0.07	0.06	0.036	0.06	8.4	28.9	0.85	537	0.81	0.01
CC125873		0.78	68.5	3.58	5.47	0.11	0.09	0.14	0.033	0.07	12.1	30.1	0.86	546	0.75	0.01
CC125874		0.88	53.7	3.65	5.09	0.09	0.08	0.10	0.033	0.07	10.1	28.5	0.84	442	0.85	0.01
CC125875		1.45	24.5	2.93	3.68	0.06	0.07	0.32	0.037	0.08	4.1	20.6	0.42	437	1.25	0.01
CC125876		1.44	35.9	3.31	3.31	0.09	0.07	0.19	0.034	0.06	5.6	22.5	0.44	434	1.39	<0.01
CC125877		1.63	31.0	3.14	4.03	0.08	0.08	0.42	0.039	0.07	5.5	22.6	0.44	440	1.26	0.01
CC125878		1.88	30.0	4.50	6.07	0.10	0.08	0.07	0.041	0.06	10.6	31.9	0.57	675	1.89	<0.01
CC125879		1.54	51.8	3.79	4.50	0.10	0.10	0.16	0.038	0.08	10.0	36.6	0.65	326	1.46	0.01
CC125880		1.77	56.1	4.37	4.96	0.11	0.11	0.17	0.039	0.09	10.7	39.1	0.68	729	1.52	<0.01
CC125881		1.95	54.8	4.35	4.70	0.11	0.13	0.18	0.039	0.09	11.2	40.1	0.67	726	1.61	0.01
CC125882		1.67	49.3	4.23	5.49	0.10	0.11	0.18	0.041	0.08	10.5	37.5	0.66	554	1.36	<0.01
CC125883		1.64	51.3	4.14	4.72	0.11	0.11	0.15	0.037	0.08	11.1	38.3	0.65	385	1.34	0.01
CC125884		0.95	51.8	4.43	7.18	0.10	0.09	0.06	0.038	0.08	12.1	36.2	1.07	374	0.53	0.01
CC125885		0.74	57.1	3.18	4.95	0.09	0.07	0.10	0.031	0.06	8.6	23.6	0.74	366	0.55	0.01
CC125886		0.80	32.7	3.41	4.03	0.10	0.08	0.07	0.039	0.07	8.9	23.1	0.43	551	0.87	0.01
CC125887		0.72	25.1	2.50	3.51	0.07	0.07	0.08	0.032	0.07	7.3	19.9	0.33	340	0.56	0.01
CC125888		0.64	32.3	2.07	3.10	0.07	0.07	0.09	0.027	0.05	6.5	14.6	0.27	313	0.52	0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 2- JUL- 2011
Account: RCM

Project: Rackla- Pyramid

CERTIFICATE OF ANALYSIS WH11105624

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
CC125849		0.21	47.0	630	20.4	9.6	<0.001	<0.01	0.54	4.9	0.9	0.4	14.2	<0.01	0.06	3.5
CC125850		0.81	21.9	310	15.4	15.2	<0.001	<0.01	0.64	2.9	0.5	0.7	10.8	<0.01	0.05	2.6
CC125851		0.41	22.9	740	11.3	10.9	<0.001	0.10	0.35	4.2	1.9	0.4	67.3	<0.01	0.03	1.3
CC125852		0.24	29.3	680	14.7	10.1	<0.001	0.07	0.45	6.3	2.2	0.4	62.8	<0.01	0.07	2.2
CC125853		0.18	26.3	600	14.3	7.2	<0.001	0.06	0.42	5.0	1.2	0.3	63.9	<0.01	0.06	1.5
CC125854		0.19	26.1	590	14.4	7.5	<0.001	0.07	0.49	4.7	1.4	0.3	90.3	<0.01	0.06	1.2
CC125855		0.18	31.8	760	20.7	7.3	<0.001	0.04	0.54	5.4	1.0	0.3	46.3	<0.01	0.06	4.2
CC125856		0.15	31.8	690	18.8	5.9	<0.001	0.04	0.55	5.1	0.8	0.3	43.3	<0.01	0.05	3.9
CC125857		0.24	31.6	550	16.0	9.2	<0.001	0.06	0.36	5.7	1.0	0.3	68.5	<0.01	0.07	2.1
CC125858		0.21	27.7	340	16.1	9.1	<0.001	0.04	0.31	5.6	0.8	0.3	62.8	<0.01	0.06	2.9
CC125859		0.25	31.5	610	14.8	9.6	<0.001	0.08	0.40	5.9	1.4	0.3	80.0	<0.01	0.06	2.2
CC125860		0.36	27.1	660	13.7	10.3	<0.001	0.06	0.34	6.2	1.8	0.4	66.3	<0.01	0.05	2.7
CC125861		0.29	23.1	590	14.2	9.3	<0.001	0.07	0.32	4.1	1.0	0.3	96.6	<0.01	0.05	1.3
CC125862		0.39	20.0	600	12.6	8.7	<0.001	0.10	0.35	3.8	1.2	0.4	120.0	<0.01	0.05	1.1
CC125863		0.32	23.3	460	18.4	6.7	<0.001	0.08	0.40	4.1	1.1	0.3	93.4	<0.01	0.05	2.3
CC125864		0.44	30.6	450	19.9	7.8	<0.001	0.06	0.36	5.1	1.2	0.5	98.0	<0.01	0.07	1.8
CC125865		0.36	22.2	630	15.0	7.2	<0.001	0.11	0.33	3.3	1.1	0.3	138.5	<0.01	0.06	0.8
CC125866		0.30	29.2	520	19.4	6.8	<0.001	0.07	0.45	5.0	1.2	0.4	104.0	<0.01	0.07	1.7
CC125867		0.32	20.9	630	10.7	6.1	<0.001	0.11	0.33	2.8	1.1	0.3	142.0	<0.01	0.06	0.7
CC125868		0.25	28.5	460	18.1	7.3	<0.001	0.08	0.30	4.5	1.1	0.4	159.0	<0.01	0.08	1.4
CC125869		0.30	29.1	530	16.4	7.1	<0.001	0.05	0.42	5.8	1.1	0.4	41.3	<0.01	0.07	1.8
CC125870		0.77	21.4	230	12.5	9.3	<0.001	0.01	0.46	3.5	0.3	0.5	12.6	<0.01	0.06	3.0
CC125871		0.23	29.2	350	15.0	7.0	<0.001	0.03	0.51	5.0	0.6	0.2	38.2	<0.01	0.08	3.0
CC125872		0.28	30.3	430	14.1	6.6	<0.001	0.02	0.51	5.4	0.6	0.3	30.4	<0.01	0.07	2.4
CC125873		0.31	35.2	540	14.5	6.7	<0.001	0.03	0.55	7.1	0.9	0.3	44.4	<0.01	0.07	2.7
CC125874		0.28	32.2	610	14.6	6.6	<0.001	0.05	0.58	6.1	0.9	0.3	45.5	<0.01	0.08	2.1
CC125875		0.22	31.1	550	24.0	10.3	0.002	0.06	0.62	4.6	1.6	0.4	46.3	<0.01	0.06	1.6
CC125876		0.14	41.5	490	22.7	8.2	0.003	0.02	0.65	5.6	1.3	0.3	23.5	<0.01	0.07	3.1
CC125877		0.23	34.0	450	32.4	8.7	0.004	0.05	0.70	4.8	2.0	0.4	30.2	<0.01	0.06	2.1
CC125878		0.26	28.3	580	25.6	8.2	<0.001	0.01	0.77	4.6	0.9	0.4	21.3	<0.01	0.07	3.4
CC125879		0.19	38.3	770	21.9	7.1	0.001	0.04	0.90	5.9	1.4	0.3	40.9	<0.01	0.07	3.9
CC125880		0.21	41.2	760	23.3	8.2	0.001	0.03	0.93	6.6	1.4	0.3	38.3	<0.01	0.07	4.0
CC125881		0.20	40.1	840	26.4	7.9	0.001	0.04	0.94	6.8	1.6	0.3	38.5	<0.01	0.08	4.2
CC125882		0.22	34.6	1000	23.8	8.7	0.001	0.03	0.73	6.1	1.4	0.4	32.3	<0.01	0.07	3.1
CC125883		0.19	35.3	740	22.0	8.3	0.001	0.02	0.82	6.7	1.4	0.3	32.3	<0.01	0.07	4.1
CC125884		0.19	31.9	420	12.4	9.0	<0.001	0.03	0.30	6.6	0.6	0.3	30.3	<0.01	0.08	2.3
CC125885		0.18	24.9	720	11.4	6.3	<0.001	0.08	0.39	4.1	1.1	0.2	86.3	<0.01	0.09	0.7
CC125886		0.40	29.3	440	20.6	7.6	<0.001	0.03	0.52	5.7	0.9	0.4	67.1	<0.01	0.06	3.6
CC125887		0.49	23.2	540	16.7	8.7	<0.001	0.07	0.46	3.9	1.2	0.4	107.0	<0.01	0.06	1.5
CC125888		0.42	25.0	600	12.4	6.6	<0.001	0.11	0.44	3.1	1.4	0.3	140.0	<0.01	0.05	1.0

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 2- JUL- 2011
Account: RCM

Project: Rackla- Pyramid

CERTIFICATE OF ANALYSIS WH11105624

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
CC125849		0.005	0.09	0.59	38	0.05	8.81	117	0.9
CC125850		0.017	0.14	0.41	53	0.14	3.13	69	0.5
CC125851		0.008	0.09	3.66	29	<0.05	11.30	78	2.4
CC125852		0.006	0.09	1.36	36	<0.05	9.98	113	2.9
CC125853		<0.005	0.07	1.64	37	<0.05	11.70	61	2.6
CC125854		<0.005	0.08	1.08	32	<0.05	13.05	90	2.0
CC125855		<0.005	0.08	0.88	32	<0.05	10.05	113	2.9
CC125856		<0.005	0.07	0.80	27	<0.05	9.71	103	3.4
CC125857		0.005	0.07	1.02	34	<0.05	10.65	93	2.6
CC125858		<0.005	0.07	0.74	38	<0.05	6.22	92	2.4
CC125859		0.005	0.09	1.76	33	<0.05	10.50	97	2.8
CC125860		0.007	0.10	2.12	29	<0.05	13.00	93	3.0
CC125861		0.005	0.08	1.68	29	<0.05	9.89	82	1.8
CC125862		0.006	0.10	1.48	22	0.05	8.65	84	1.9
CC125863		<0.005	0.09	1.12	19	<0.05	9.81	76	2.6
CC125864		<0.005	0.09	1.10	22	0.06	12.45	94	2.0
CC125865		<0.005	0.07	1.81	19	0.06	9.94	65	1.7
CC125866		0.006	0.09	1.16	22	<0.05	12.85	89	1.9
CC125867		0.005	0.07	2.00	17	<0.05	7.70	71	1.8
CC125868		<0.005	0.07	1.36	19	<0.05	11.05	91	2.0
CC125869		<0.005	0.09	0.70	32	0.06	12.70	82	2.0
CC125870		0.012	0.10	0.34	59	0.14	2.62	55	1.5
CC125871		<0.005	0.08	0.66	42	<0.05	5.89	81	2.5
CC125872		0.005	0.09	0.49	44	<0.05	5.07	92	2.2
CC125873		0.007	0.08	0.73	42	0.05	11.95	86	2.6
CC125874		0.007	0.09	0.70	43	<0.05	8.85	97	2.2
CC125875		<0.005	0.28	0.93	31	<0.05	6.02	188	1.9
CC125876		<0.005	0.14	0.81	30	0.07	10.30	154	2.2
CC125877		<0.005	0.38	1.01	32	0.05	10.10	191	2.0
CC125878		<0.005	0.18	0.78	46	0.05	5.92	114	2.1
CC125879		<0.005	0.13	1.29	35	0.05	11.00	138	3.1
CC125880		0.005	0.14	1.18	34	0.05	11.95	128	3.2
CC125881		<0.005	0.14	1.52	34	0.05	12.90	136	3.6
CC125882		<0.005	0.13	1.29	35	0.05	11.15	112	2.6
CC125883		<0.005	0.11	1.22	35	0.09	11.10	132	3.0
CC125884		<0.005	0.08	0.76	54	<0.05	7.88	78	2.3
CC125885		<0.005	0.06	1.66	38	<0.05	9.46	59	1.6
CC125886		0.006	0.09	0.81	30	0.08	11.15	83	2.7
CC125887		0.007	0.08	2.10	27	0.08	9.56	78	2.0
CC125888		0.005	0.08	2.39	22	0.05	9.91	59	2.3

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 2- JUL- 2011
Account: RCM

Project: Rackla- Pyramid

CERTIFICATE OF ANALYSIS WH11105624

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- TL43 Au ppm 0.001	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1
CC125889		0.14	0.001	0.12	1.03	8.9	<0.2	<10	250	0.68	0.20	3.17	0.22	14.45	8.0	14
CC125890		0.12	0.001	0.12	1.12	8.5	<0.2	<10	170	0.78	0.25	2.13	0.18	17.50	10.5	16
CC125891		0.10	0.001	0.16	1.05	7.4	<0.2	<10	160	0.79	0.26	2.28	0.18	16.70	10.5	15
CC125892		0.10	0.001	0.13	0.85	5.6	<0.2	<10	150	0.77	0.23	2.81	0.24	15.20	8.5	13
CC125893		0.18	0.001	0.16	1.03	7.1	<0.2	<10	170	0.83	0.26	1.93	0.19	16.35	9.4	16
CC125894		0.22	0.002	0.18	0.77	10.3	<0.2	<10	160	0.81	0.27	3.08	0.23	13.25	10.6	11
CC125895		0.22	0.001	0.08	1.15	11.2	<0.2	<10	120	1.12	0.39	1.70	0.14	22.1	12.2	18
CC125896		0.22	0.001	0.17	0.94	10.5	<0.2	<10	180	0.80	0.27	2.45	0.19	23.2	10.4	13
CC125897		0.14	0.001	0.12	1.17	8.4	<0.2	<10	150	0.68	0.27	1.65	0.25	16.20	9.9	17
CC125898		0.16	0.001	0.19	0.99	8.0	<0.2	<10	220	0.79	0.24	2.28	0.23	15.10	9.5	15
CC125899		0.16	0.001	0.23	1.01	8.3	<0.2	<10	310	0.69	0.21	2.85	0.31	15.20	9.3	16
CC125900		0.16	0.002	0.23	1.11	9.5	<0.2	<10	280	0.88	0.25	1.89	0.24	21.4	11.3	20
CC124105		0.28	0.002	0.21	1.45	13.1	<0.2	<10	410	0.85	0.20	1.74	0.59	14.35	12.0	23
CC124106		0.26	0.002	0.17	1.43	15.0	<0.2	<10	500	0.78	0.22	1.08	0.29	20.0	10.9	25
CC125911		0.20	0.001	0.08	2.94	16.0	<0.2	<10	290	1.51	0.35	0.27	0.23	43.8	18.5	36
CC125912		0.20	0.001	0.16	0.74	12.1	<0.2	<10	90	1.00	0.34	2.58	0.18	25.5	13.7	11
CC125913		0.10	0.001	0.15	0.95	9.7	<0.2	<10	100	0.88	0.31	1.89	0.18	17.75	12.8	14
CC125914		0.08	0.002	0.16	0.96	7.1	<0.2	<10	150	0.63	0.20	2.88	0.21	14.40	9.2	14
CC125915		0.12	0.001	0.14	1.27	6.9	<0.2	<10	190	0.81	0.23	2.35	0.27	15.75	7.9	17
CC125916		0.08	0.002	0.17	0.90	5.6	<0.2	10	180	0.58	0.18	3.18	0.28	13.10	7.4	14
CC125917		0.08	0.003	0.16	1.16	5.3	<0.2	10	160	0.69	0.20	2.30	0.26	17.70	8.5	19
CC125918		0.10	0.003	0.20	1.27	8.3	<0.2	10	180	0.79	0.21	2.82	0.35	19.75	10.9	20
CC125919		0.16	0.002	0.14	1.83	12.5	<0.2	<10	170	0.98	0.26	1.12	0.15	27.0	16.6	27
CC125920		0.08	0.002	0.14	1.56	9.2	<0.2	<10	180	0.77	0.21	2.41	0.24	17.05	14.0	22
CC125921		0.64	0.002	0.11	1.94	12.5	<0.2	<10	140	0.81	0.25	1.11	0.29	31.8	23.6	29
CC125922		0.16	0.002	0.10	1.82	9.6	<0.2	<10	170	0.79	0.22	1.43	0.20	21.6	17.7	26
CC125923		0.28	0.001	0.02	1.31	10.9	<0.2	<10	90	0.23	0.27	0.05	0.07	25.8	3.7	19
CC125924		0.14	0.002	0.02	1.62	13.2	<0.2	<10	170	0.37	0.27	0.20	0.31	25.3	10.5	28
CC125925		0.30	0.002	0.19	1.64	16.6	<0.2	<10	180	0.80	0.25	1.34	0.32	24.3	14.1	27
CC125926		0.22	0.002	0.16	1.30	15.2	<0.2	<10	240	0.73	0.22	1.72	0.27	15.80	12.1	22
CC125927		0.12	0.002	0.16	1.53	41.2	<0.2	<10	200	1.02	0.33	0.32	0.37	31.9	23.0	25
CC125928		0.24	0.003	0.14	1.39	34.0	<0.2	<10	120	0.67	0.29	0.19	0.29	25.1	12.3	24
CC125401		0.44	0.001	0.44	1.55	9.1	<0.2	<10	350	0.67	0.18	0.24	0.20	12.70	9.2	29
CC125402		0.20	0.002	0.67	1.64	9.3	<0.2	<10	570	0.76	0.26	0.65	0.98	8.43	9.8	25
CC125403		0.24	0.002	0.17	1.55	15.6	<0.2	<10	280	0.80	0.21	0.48	0.24	11.40	10.0	25
CC125404		0.20	0.002	0.28	1.64	21.9	<0.2	<10	430	0.84	0.21	1.34	0.48	12.65	9.3	25
CC125405		0.40	0.002	0.21	1.78	25.5	<0.2	<10	340	0.98	0.23	0.71	0.19	15.00	13.5	30
CC125406		0.16	0.002	0.26	1.36	18.9	<0.2	<10	800	0.67	0.18	2.74	0.72	9.56	13.8	18
CC125407		0.30	0.002	0.12	1.74	18.3	<0.2	<10	330	0.74	0.22	0.97	0.20	19.70	13.3	27
CC125408		0.28	0.003	0.18	1.50	12.3	<0.2	<10	470	0.75	0.22	1.20	0.40	18.55	13.5	24

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 2- JUL- 2011
Account: RCM

Project: Rackla- Pyramid

CERTIFICATE OF ANALYSIS WH11105624

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
CC125889		0.64	24.1	2.27	3.07	0.07	0.06	0.06	0.032	0.07	6.5	16.1	0.23	246	0.58	0.02
CC125890		0.67	25.7	2.68	3.32	0.07	0.08	0.14	0.038	0.08	6.8	18.5	0.30	304	0.51	0.01
CC125891		0.69	24.5	2.46	3.17	0.08	0.09	0.07	0.040	0.08	6.5	20.9	0.30	309	0.38	0.01
CC125892		0.50	26.8	2.13	2.62	0.06	0.08	0.06	0.031	0.07	5.8	21.6	0.22	370	0.33	0.01
CC125893		0.68	29.7	2.49	3.33	0.07	0.08	0.07	0.038	0.09	6.2	25.4	0.30	272	0.44	0.01
CC125894		0.77	33.0	2.78	2.11	0.07	0.08	0.13	0.040	0.11	5.9	9.4	0.19	287	0.62	0.01
CC125895		0.86	29.1	3.17	3.65	0.09	0.09	0.04	0.047	0.10	8.7	28.9	0.36	253	0.54	0.01
CC125896		0.58	31.2	2.99	2.90	0.09	0.08	0.12	0.037	0.10	8.7	13.3	0.27	790	0.50	0.01
CC125897		0.47	22.8	2.84	3.48	0.07	0.08	0.09	0.040	0.10	6.5	20.7	0.37	277	0.52	0.01
CC125898		0.57	29.1	2.62	2.70	0.09	0.06	0.11	0.034	0.08	6.9	18.3	0.34	402	0.47	0.01
CC125899		0.63	36.0	2.45	2.97	0.13	0.07	0.14	0.033	0.08	6.2	17.7	0.36	387	0.55	0.01
CC125900		0.65	44.2	2.75	3.22	0.09	0.06	0.16	0.033	0.09	10.3	21.5	0.45	502	0.53	0.01
CC124105		0.69	37.4	3.38	3.97	0.09	0.07	0.10	0.041	0.09	7.4	21.3	0.55	1200	0.97	0.01
CC124106		0.80	40.0	3.37	4.20	0.10	0.05	0.14	0.034	0.07	10.7	20.0	0.52	554	1.16	0.01
CC125911		1.43	18.8	4.99	6.36	0.11	0.07	0.05	0.063	0.08	15.3	28.0	0.44	516	1.21	0.01
CC125912		0.38	31.0	3.86	1.89	0.11	0.07	0.12	0.045	0.08	9.4	10.3	0.25	387	0.57	0.01
CC125913		0.64	32.8	3.04	2.78	0.10	0.06	0.07	0.042	0.09	6.8	19.2	0.33	384	0.54	0.01
CC125914		0.41	25.9	2.50	2.65	0.09	0.06	0.10	0.026	0.08	6.0	16.6	0.32	420	0.44	0.01
CC125915		0.71	23.4	2.40	3.21	0.10	0.06	0.11	0.028	0.07	7.2	15.9	0.31	153	0.42	0.01
CC125916		0.46	24.9	2.01	2.63	0.08	0.07	0.10	0.026	0.08	5.3	18.1	0.36	346	0.62	0.01
CC125917		0.55	19.2	2.16	3.42	0.08	0.07	0.11	0.032	0.10	7.5	25.8	0.48	289	0.42	0.02
CC125918		0.66	44.8	2.61	3.90	0.11	0.08	0.13	0.031	0.09	10.0	27.4	0.58	415	0.60	0.01
CC125919		0.92	52.4	4.20	5.58	0.11	0.09	0.10	0.037	0.10	13.6	37.2	0.78	511	0.72	0.01
CC125920		0.94	57.6	3.38	4.39	0.09	0.09	0.11	0.031	0.11	8.5	28.2	0.69	568	0.60	0.02
CC125921		1.22	71.4	4.56	6.06	0.12	0.09	0.10	0.033	0.12	15.6	38.7	1.12	851	0.59	0.01
CC125922		0.95	58.4	3.96	5.23	0.11	0.08	0.08	0.031	0.11	10.4	33.5	0.85	785	0.51	0.01
CC125923		1.07	6.6	3.29	7.68	0.09	0.06	0.02	0.021	0.04	14.1	14.2	0.20	175	1.48	<0.01
CC125924		0.80	22.4	3.75	6.17	0.10	0.08	0.08	0.033	0.08	12.8	25.1	0.59	396	0.83	<0.01
CC125925		0.93	52.9	4.47	4.94	0.12	0.08	0.11	0.037	0.07	12.6	35.9	1.08	420	0.91	0.01
CC125926		0.75	43.1	3.62	4.05	0.10	0.05	0.18	0.033	0.06	7.9	26.8	0.66	480	0.87	0.01
CC125927		1.79	63.8	4.54	4.98	0.12	0.09	0.18	0.039	0.09	14.5	42.3	0.70	935	1.44	0.01
CC125928		1.68	35.3	4.20	4.58	0.12	0.10	0.15	0.034	0.07	12.9	35.3	0.63	227	1.30	0.01
CC125401		1.27	28.1	3.87	4.61	0.09	0.04	0.18	0.037	0.06	6.6	37.3	0.60	112	1.40	0.01
CC125402		1.84	29.8	3.30	4.86	0.09	0.07	0.16	0.043	0.12	4.7	28.2	0.35	392	1.49	0.01
CC125403		0.91	26.8	3.61	4.78	0.09	0.04	0.10	0.041	0.08	5.4	30.8	0.50	277	1.38	0.01
CC125404		0.82	32.8	3.26	4.81	0.10	0.08	0.16	0.042	0.09	6.4	22.1	0.57	529	1.59	0.01
CC125405		0.86	41.3	4.18	5.37	0.11	0.06	0.11	0.044	0.07	8.9	34.4	0.69	329	1.11	0.01
CC125406		0.63	28.6	3.69	3.52	0.10	0.06	0.18	0.029	0.06	4.9	14.2	0.40	2900	0.95	0.01
CC125407		0.63	29.6	4.17	5.59	0.14	0.06	0.09	0.042	0.07	9.5	32.4	0.76	340	0.98	0.01
CC125408		0.70	31.5	2.97	4.45	0.12	0.06	0.11	0.035	0.06	8.8	17.8	0.49	660	1.21	0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 2- JUL- 2011
Account: RCM

Project: Rackla- Pyramid

CERTIFICATE OF ANALYSIS WH11105624

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
CC125889		0.35	21.7	570	14.7	6.7	<0.001	0.09	0.41	3.0	1.1	0.4	147.5	<0.01	0.08	0.9
CC125890		0.31	25.0	510	17.6	8.3	<0.001	0.08	0.35	4.8	1.1	0.4	108.5	<0.01	0.08	1.8
CC125891		0.31	24.3	520	18.4	7.7	<0.001	0.08	0.30	4.5	1.1	0.4	102.5	<0.01	0.08	2.3
CC125892		0.35	22.9	570	15.4	7.5	<0.001	0.10	0.31	4.3	1.2	0.3	131.0	<0.01	0.07	2.2
CC125893		0.38	27.0	600	17.4	8.2	<0.001	0.08	0.34	5.2	1.1	0.4	93.5	<0.01	0.08	2.4
CC125894		0.18	31.2	710	27.4	6.6	<0.001	0.08	0.46	4.0	1.4	0.4	139.0	<0.01	0.11	1.5
CC125895		0.40	37.3	330	24.3	8.0	<0.001	0.04	0.39	6.1	0.9	0.5	80.5	<0.01	0.08	3.1
CC125896		0.28	24.6	1170	17.8	8.0	<0.001	0.09	0.38	4.8	1.4	0.4	112.0	<0.01	0.07	1.9
CC125897		0.36	21.9	400	19.3	7.7	<0.001	0.06	0.37	5.3	1.2	0.4	77.5	<0.01	0.07	2.8
CC125898		0.25	22.9	620	18.6	6.8	0.001	0.10	0.32	4.0	1.2	0.4	102.0	<0.01	0.04	1.6
CC125899		0.27	22.8	690	15.9	7.3	0.001	0.11	0.36	3.8	1.3	0.4	119.5	<0.01	0.04	1.0
CC125900		0.28	27.0	630	18.4	7.8	0.001	0.10	0.39	4.8	1.4	0.4	90.3	<0.01	0.04	1.5
CC124105		0.28	36.8	950	14.9	12.6	0.001	0.13	0.59	5.2	1.8	0.4	63.1	<0.01	0.06	1.2
CC124106		0.39	33.3	640	13.3	8.2	0.001	0.06	0.63	5.0	1.3	0.4	41.9	<0.01	0.06	1.7
CC125911		0.95	41.4	430	23.2	13.2	<0.001	0.02	0.53	5.5	0.8	0.8	20.2	<0.01	0.04	5.6
CC125912		0.10	36.8	320	33.5	5.4	0.001	0.05	0.38	5.5	1.9	0.4	116.5	<0.01	0.15	3.5
CC125913		0.24	32.1	460	23.0	6.6	<0.001	0.06	0.45	4.6	1.5	0.4	85.4	<0.01	0.05	2.2
CC125914		0.30	22.5	640	14.0	5.8	0.001	0.13	0.37	3.0	2.3	0.3	124.0	<0.01	0.04	1.2
CC125915		0.37	18.9	750	15.7	7.8	0.001	0.13	0.32	2.8	1.3	0.4	109.0	<0.01	0.04	0.9
CC125916		0.32	19.8	660	13.6	7.3	<0.001	0.14	0.29	3.0	1.5	0.4	140.0	<0.01	0.02	1.4
CC125917		0.43	18.8	560	13.4	11.1	<0.001	0.10	0.30	4.3	1.3	0.5	119.5	<0.01	0.04	1.7
CC125918		0.39	26.2	820	14.3	8.3	0.001	0.14	0.49	3.8	2.3	0.4	136.0	<0.01	0.04	1.1
CC125919		0.20	34.9	500	19.5	8.2	0.001	0.06	0.49	6.2	1.3	0.4	56.8	<0.01	0.05	2.7
CC125920		0.20	28.2	750	13.4	7.6	0.001	0.09	0.50	4.5	1.1	0.3	90.7	<0.01	0.06	1.6
CC125921		0.15	40.4	630	20.1	7.2	0.001	0.03	0.51	7.0	0.7	0.3	46.9	<0.01	0.06	3.8
CC125922		0.16	31.6	670	15.8	7.6	0.001	0.07	0.41	5.4	0.8	0.3	62.9	<0.01	0.06	2.3
CC125923		1.44	7.4	230	13.1	9.3	<0.001	0.01	0.59	1.7	0.3	0.9	6.5	<0.01	0.05	3.2
CC125924		0.85	23.8	280	14.6	10.0	0.001	0.01	0.48	3.2	0.5	0.6	12.8	<0.01	0.05	3.8
CC125925		0.19	34.1	610	18.0	5.7	<0.001	0.04	0.59	8.4	1.1	0.4	46.6	<0.01	0.05	3.4
CC125926		0.38	29.0	560	17.4	5.9	0.001	0.08	0.61	4.5	1.3	0.4	58.5	<0.01	0.05	1.2
CC125927		0.16	44.4	810	24.6	7.1	0.002	0.03	0.85	6.9	1.6	0.4	31.3	<0.01	0.07	4.4
CC125928		0.18	30.6	790	21.9	6.5	0.001	0.03	0.79	4.6	1.1	0.3	24.3	<0.01	0.07	4.1
CC125401		0.20	40.5	710	11.7	8.9	0.001	0.02	0.42	4.6	1.4	0.4	16.0	<0.01	0.05	2.8
CC125402		0.23	39.4	1000	12.9	18.6	0.001	0.08	0.48	5.9	1.5	0.5	37.7	<0.01	0.04	1.4
CC125403		0.18	35.7	870	14.3	9.9	0.002	0.05	0.47	5.0	1.1	0.5	27.4	<0.01	0.04	2.2
CC125404		0.24	30.6	1230	12.7	11.7	0.002	0.12	0.55	4.4	1.2	0.5	52.9	<0.01	0.04	1.3
CC125405		0.17	37.1	690	18.4	9.0	0.001	0.04	0.42	7.4	1.9	0.5	27.7	<0.01	0.06	2.4
CC125406		0.19	24.5	980	11.5	6.3	0.003	0.24	0.36	3.1	1.6	0.4	89.6	<0.01	0.05	0.7
CC125407		0.31	31.1	480	15.1	8.5	0.001	0.06	0.38	5.7	1.1	0.5	40.6	<0.01	0.05	2.3
CC125408		0.47	27.7	990	13.6	8.3	0.001	0.11	0.55	3.4	1.6	0.5	51.7	<0.01	0.05	1.3

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 2- JUL- 2011
Account: RCM

Project: Rackla- Pyramid

CERTIFICATE OF ANALYSIS WH11105624

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
CC125889		<0.005	0.09	1.84	23	<0.05	9.48	66	1.7
CC125890		<0.005	0.10	0.96	24	0.05	9.78	82	2.2
CC125891		<0.005	0.08	1.16	21	<0.05	9.61	91	2.6
CC125892		<0.005	0.07	1.64	17	<0.05	9.49	85	2.6
CC125893		<0.005	0.08	1.17	20	0.05	11.45	90	2.7
CC125894		<0.005	0.09	1.72	15	<0.05	11.20	118	2.4
CC125895		0.005	0.08	1.07	20	0.10	11.45	110	2.8
CC125896		<0.005	0.08	1.42	19	0.05	13.45	104	2.4
CC125897		<0.005	0.09	1.15	26	0.05	9.03	97	2.7
CC125898		<0.005	0.10	1.25	22	<0.05	11.20	95	2.2
CC125899		<0.005	0.10	1.33	24	<0.05	10.10	91	2.1
CC125900		<0.005	0.12	1.10	28	0.13	13.00	98	1.8
CC124105		<0.005	0.13	1.36	35	0.05	11.50	183	1.6
CC124106		0.008	0.13	1.32	41	0.08	13.50	113	1.3
CC125911		0.013	0.16	1.36	58	0.23	10.75	83	2.6
CC125912		<0.005	0.10	1.20	15	<0.05	14.90	121	2.1
CC125913		<0.005	0.09	0.98	18	<0.05	12.00	77	2.2
CC125914		0.005	0.07	1.77	19	0.06	9.53	72	2.2
CC125915		0.005	0.11	2.95	23	0.09	10.45	64	1.9
CC125916		0.006	0.11	1.42	17	0.05	6.75	92	2.4
CC125917		0.007	0.12	1.59	22	0.05	8.01	117	2.1
CC125918		0.006	0.10	2.67	28	<0.05	10.90	105	2.4
CC125919		<0.005	0.09	1.50	40	0.06	12.90	85	2.7
CC125920		<0.005	0.10	1.08	33	0.06	9.62	103	2.9
CC125921		0.006	0.09	0.48	47	<0.05	10.55	93	3.6
CC125922		<0.005	0.09	1.08	42	<0.05	8.97	94	2.5
CC125923		0.036	0.14	0.37	72	0.23	1.79	38	1.8
CC125924		0.021	0.10	0.48	56	0.17	3.37	79	2.6
CC125925		0.005	0.10	0.87	42	<0.05	13.65	110	2.4
CC125926		0.006	0.10	1.11	32	<0.05	8.57	105	1.6
CC125927		0.005	0.14	1.12	35	0.05	14.20	151	2.8
CC125928		<0.005	0.12	0.76	34	<0.05	8.07	101	2.9
CC125401		<0.005	0.08	1.13	36	0.07	8.80	136	1.4
CC125402		<0.005	0.16	1.19	40	0.06	10.75	185	1.6
CC125403		<0.005	0.13	0.95	38	<0.05	8.82	120	1.1
CC125404		<0.005	0.14	1.29	40	0.05	9.36	119	1.7
CC125405		<0.005	0.13	1.58	44	0.05	15.75	116	1.6
CC125406		<0.005	0.12	1.94	34	0.05	9.44	62	1.6
CC125407		<0.005	0.10	1.25	43	0.07	8.99	100	1.7
CC125408		0.007	0.12	2.01	42	0.10	8.88	77	1.6

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 2- JUL- 2011
Account: RCM

Project: Rackla- Pyramid

CERTIFICATE OF ANALYSIS WH11105624

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- TL43 Au ppm 0.001	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1
CC125409		0.30	0.003	0.29	1.49	12.5	<0.2	<10	490	0.86	0.21	1.61	0.64	21.6	12.5	26
CC125410		0.42	0.005	0.46	1.40	16.0	<0.2	<10	580	1.13	0.22	1.99	0.87	21.9	10.9	27

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 2- JUL- 2011
Account: RCM

Project: Rackla- Pyramid

CERTIFICATE OF ANALYSIS WH11105624

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
CC125409		0.70	57.2	3.04	4.42	0.12	0.06	0.16	0.038	0.07	10.7	25.3	0.58	352	0.90	0.01
CC125410		0.94	106.5	2.85	4.10	0.11	0.05	0.35	0.044	0.08	14.8	17.2	0.40	782	1.16	0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 2- JUL- 2011
Account: RCM

Project: Rackla- Pyramid

CERTIFICATE OF ANALYSIS WH11105624

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
CC125409		0.40	37.5	860	14.2	7.8	0.001	0.09	0.62	5.9	2.3	0.5	61.6	<0.01	0.06	1.5
CC125410		0.42	40.6	1320	14.5	11.0	0.001	0.12	0.85	5.3	2.7	0.5	73.4	<0.01	0.03	0.7

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 2- JUL- 2011
Account: RCM

Project: Rackla- Pyramid

CERTIFICATE OF ANALYSIS WH11105624

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
CC125409		0.006	0.12	2.02	39	0.08	14.85	111	1.5
CC125410		0.006	0.16	3.59	35	0.09	32.1	121	1.3

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 2- JUL- 2011
Account: RCM

Project: Rackla- Pyramid

CERTIFICATE OF ANALYSIS WH11105624

Method	CERTIFICATE COMMENTS
ME- MS41	Gold determinations by this method are semi- quantitative due to the small sample weight used (0.5g).

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 6- JUL- 2011
Account: RCM

CERTIFICATE WH11107306

Project: Rackla - PYRAMID

P.O. No.:

This report is for 191 Soil samples submitted to our lab in Whitehorse, YT, Canada on 14- JUN- 2011.

The following have access to data associated with this certificate:

ROB CARNE JULIA LANE	ANDREW CARNE JOAN MARIACHER	MATT DUMALA

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
SCR- 41	Screen to - 180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- TL43	Trace Level Au - 25g AR	ICP- MS
ME- MS41	51 anal. aqua regia ICPMS	

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 6- JUL- 2011
Account: RCM

Project: Rackla - PYRAMID

CERTIFICATE OF ANALYSIS WH11107306

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- TL43 Au ppm 0.001	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1
CC123531		0.08	0.001	0.29	1.61	11.8	<0.2	<10	320	0.68	0.28	0.10	0.41	10.30	8.2	34
CC123532		0.22	0.001	0.16	1.28	10.0	<0.2	<10	230	0.76	0.23	0.10	0.25	9.41	12.4	30
CC123533		0.24	0.001	0.03	1.92	17.0	<0.2	<10	180	0.88	0.33	0.04	0.12	8.85	15.8	29
CC123534		0.22	<0.001	0.10	1.29	14.8	<0.2	<10	140	0.66	0.21	0.09	0.12	11.60	9.0	23
CC123536		0.08	0.001	0.24	1.76	19.8	<0.2	<10	440	0.86	0.21	1.25	0.20	7.85	8.7	23
CC123537		0.12	0.001	0.16	1.87	11.1	<0.2	<10	440	1.03	0.20	1.08	0.45	8.97	11.2	21
CC123538		0.08	<0.001	0.09	1.62	10.6	<0.2	<10	360	1.01	0.18	0.74	0.31	8.16	7.5	21
CC124011		0.40	0.001	0.13	0.72	18.7	<0.2	10	170	1.06	0.31	0.75	0.31	14.70	14.6	15
CC124012		0.38	0.001	0.12	1.72	11.8	<0.2	<10	240	0.76	0.26	0.57	0.36	26.2	13.7	27
CC124014		0.32	0.003	0.10	2.32	12.5	<0.2	<10	160	1.03	0.28	0.48	0.24	36.2	25.1	34
CC124015		0.10	0.002	0.08	1.50	9.2	<0.2	<10	190	0.67	0.18	1.54	0.18	14.35	12.1	22
CC124016		0.30	0.002	0.13	1.52	11.6	<0.2	<10	190	0.85	0.24	0.76	0.30	22.4	19.3	25
CC124017		0.30	<0.001	0.04	1.30	13.7	<0.2	<10	260	0.52	0.24	0.51	0.14	20.4	10.4	24
CC124018		0.14	0.001	0.11	1.29	18.0	<0.2	<10	260	1.01	0.18	2.46	0.58	33.1	13.3	18
CC124019		0.26	0.002	0.16	1.25	33.6	<0.2	<10	140	0.77	0.27	0.47	0.34	23.8	16.5	21
CC124020		0.12	0.002	2.85	1.83	9.7	<0.2	<10	890	1.08	0.22	1.39	0.18	12.05	8.8	27
CC125001		0.10	<0.001	0.13	1.32	11.2	<0.2	<10	140	0.34	0.32	0.06	0.08	5.55	3.8	22
CC125002		0.12	0.001	0.56	1.58	8.7	<0.2	<10	370	0.64	0.30	0.20	0.13	7.38	7.9	28
CC125003		0.10	<0.001	0.18	1.29	10.5	<0.2	<10	150	0.50	0.30	0.07	0.19	7.51	5.9	25
CC125004		<0.02	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS
CC125005		0.44	<0.001	0.06	1.29	11.5	<0.2	<10	160	0.74	0.29	0.10	0.11	8.33	17.0	26
CC125006		0.22	0.001	0.59	0.78	10.0	<0.2	<10	330	0.43	0.20	0.45	0.67	4.30	8.2	24
CC125007		0.16	<0.001	0.08	2.21	16.7	<0.2	<10	120	1.20	0.33	0.01	0.15	9.35	9.1	33
CC125008		0.24	<0.001	0.04	2.18	11.3	<0.2	<10	110	1.42	0.39	0.13	0.16	7.84	28.5	36
CC125009		0.20	0.001	0.03	1.62	17.9	<0.2	<10	120	0.61	0.26	0.03	0.09	13.35	8.4	24
CC125010		0.14	0.001	0.40	1.47	48.1	<0.2	<10	220	0.55	0.27	0.09	0.27	16.05	10.3	25
CC125011		0.24	<0.001	0.10	1.46	77.8	<0.2	<10	210	0.63	0.24	0.31	0.56	13.35	11.4	26
CC125012		0.22	0.003	0.40	1.50	116.0	<0.2	<10	580	0.97	0.25	0.63	0.71	15.50	14.2	28
CC125013		0.14	0.002	0.46	1.24	119.5	<0.2	<10	830	0.81	0.18	2.13	0.87	9.20	8.4	22
CC125014		0.20	0.002	0.40	1.35	81.4	<0.2	<10	800	0.72	0.21	1.48	0.50	10.45	8.3	22
CC125015		0.22	0.002	0.42	1.03	94.0	<0.2	10	380	0.72	0.17	1.76	1.34	12.30	8.4	22
CC125016		0.08	0.001	0.40	0.85	17.1	<0.2	<10	500	0.61	0.19	1.03	0.42	13.00	8.6	20
CC125017		0.36	0.003	1.21	1.00	16.2	<0.2	10	490	0.90	0.26	1.28	1.15	13.80	10.9	24
CC125018		0.22	0.001	0.45	0.47	6.0	<0.2	<10	280	0.38	0.20	0.30	0.24	2.88	6.3	21
CC125019		0.18	0.001	0.47	0.48	8.7	<0.2	<10	280	0.55	0.21	0.24	0.29	3.74	7.5	21
CC125020		0.16	0.001	0.87	0.97	8.0	<0.2	<10	420	0.74	0.25	0.27	0.47	6.58	6.8	45
CC125021		0.20	0.001	1.08	0.84	7.6	<0.2	<10	610	0.70	0.23	0.54	0.34	4.62	8.3	36
CC125022		0.20	0.001	1.09	1.28	5.7	<0.2	<10	670	0.70	0.26	0.31	0.34	3.76	6.0	65
CC125023		0.16	0.003	1.03	0.82	9.2	<0.2	<10	1100	0.72	0.23	0.56	0.45	5.92	16.5	29
CC125721		0.26	0.002	0.48	1.58	207	<0.2	<10	480	0.81	0.27	0.89	1.11	17.55	10.2	26

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 6- JUL- 2011
Account: RCM

Project: Rackla - PYRAMID

CERTIFICATE OF ANALYSIS WH11107306

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
CC123531		1.36	50.1	3.25	5.88	0.08	0.04	0.07	0.035	0.07	5.0	22.5	0.30	193	1.82	0.01
CC123532		1.54	38.5	3.57	4.31	0.09	0.04	0.04	0.039	0.08	4.6	32.1	0.45	222	1.61	0.01
CC123533		0.93	36.1	4.54	6.05	0.09	0.03	0.05	0.040	0.05	4.0	37.9	0.59	329	1.28	0.01
CC123534		0.67	21.9	3.12	4.35	0.07	0.03	0.14	0.028	0.04	5.2	30.1	0.48	177	0.96	<0.01
CC123536		0.96	28.4	3.01	5.10	0.07	0.05	0.12	0.039	0.12	4.1	21.9	0.41	264	1.28	0.01
CC123537		0.86	28.5	3.08	4.53	0.07	0.05	0.09	0.040	0.12	3.9	24.6	0.34	1160	1.03	0.01
CC123538		0.89	25.8	2.66	4.63	0.07	0.04	0.09	0.033	0.12	3.8	20.4	0.30	176	0.89	0.01
CC124011		1.58	41.1	4.85	2.46	0.11	0.07	0.20	0.042	0.10	5.7	15.8	0.28	338	1.66	<0.01
CC124012		1.00	41.7	3.56	6.23	0.09	0.06	0.10	0.033	0.06	11.7	27.0	0.61	338	1.03	<0.01
CC124014		1.20	98.4	5.14	7.46	0.15	0.13	0.14	0.039	0.10	16.9	51.2	1.31	856	0.66	<0.01
CC124015		0.62	49.7	3.32	4.64	0.08	0.08	0.08	0.026	0.06	7.0	27.5	0.75	287	0.56	0.01
CC124016		1.05	58.8	4.06	4.80	0.10	0.09	0.10	0.034	0.08	10.3	30.4	0.80	767	0.66	<0.01
CC124017		0.87	18.9	3.05	5.19	0.07	0.03	0.02	0.025	0.04	9.5	21.9	0.40	497	1.62	<0.01
CC124018		0.91	27.9	3.33	4.03	0.10	0.07	0.10	0.036	0.04	12.5	18.4	1.11	1510	1.04	0.01
CC124019		1.53	48.4	3.69	3.94	0.11	0.09	0.14	0.029	0.06	10.8	38.3	0.72	363	1.14	<0.01
CC124020		3.78	36.8	2.68	4.98	0.08	0.12	0.43	0.035	0.09	7.8	26.7	0.38	407	1.87	0.01
CC125001		1.87	16.5	3.15	5.99	0.07	0.03	0.03	0.032	0.09	2.7	15.7	0.28	75	2.68	0.01
CC125002		2.21	22.9	3.47	5.16	0.07	0.03	0.12	0.038	0.12	3.2	26.7	0.40	264	2.19	0.01
CC125003		1.21	21.1	3.37	5.59	0.07	0.02	0.02	0.037	0.09	3.3	19.7	0.31	121	1.76	0.01
CC125004		NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS
CC125005		2.66	32.5	3.86	5.42	0.09	0.03	0.02	0.045	0.11	3.0	23.8	0.34	529	1.63	0.02
CC125006		2.86	30.3	2.62	2.21	0.07	0.07	0.19	0.035	0.08	2.4	17.6	0.24	168	1.74	0.01
CC125007		1.99	37.9	4.36	6.29	0.09	0.05	0.03	0.048	0.07	4.3	54.5	0.49	132	1.55	0.01
CC125008		2.67	30.4	4.76	6.43	0.11	0.06	0.01	0.044	0.08	3.0	63.8	0.81	617	1.06	0.01
CC125009		1.36	23.7	3.83	6.22	0.08	0.03	0.03	0.035	0.06	6.6	28.3	0.34	211	1.32	<0.01
CC125010		2.15	22.1	3.61	6.09	0.08	0.03	0.19	0.034	0.06	7.2	22.7	0.34	353	2.07	<0.01
CC125011		1.87	19.9	3.41	4.81	0.07	0.04	0.69	0.034	0.05	6.7	27.5	0.42	279	1.92	<0.01
CC125012		1.44	39.8	3.65	4.34	0.09	0.07	1.38	0.036	0.07	8.3	27.0	0.53	467	1.73	<0.01
CC125013		1.29	25.5	2.48	3.49	0.06	0.06	0.89	0.028	0.06	5.4	16.6	0.32	282	1.09	0.01
CC125014		0.98	20.9	2.66	4.10	0.06	0.06	1.00	0.030	0.05	5.2	18.8	0.34	308	1.27	0.01
CC125015		0.75	24.4	2.27	2.99	0.08	0.07	0.58	0.025	0.06	8.0	17.8	0.35	291	1.33	<0.01
CC125016		0.94	29.4	2.52	2.72	0.08	0.06	0.15	0.027	0.06	6.2	13.4	0.27	980	3.25	0.01
CC125017		1.31	43.8	2.63	3.11	0.10	0.08	0.33	0.032	0.10	6.6	16.8	0.45	153	2.44	<0.01
CC125018		3.59	29.2	2.34	1.68	0.05	0.03	0.15	0.036	0.06	1.7	6.3	0.09	67	2.12	<0.01
CC125019		3.35	35.3	2.76	1.49	0.07	0.05	0.18	0.034	0.06	2.2	7.9	0.10	87	2.01	<0.01
CC125020		3.05	37.9	3.21	2.50	0.08	0.10	0.26	0.044	0.07	4.9	19.0	0.22	107	1.99	<0.01
CC125021		3.46	43.9	3.02	2.30	0.07	0.07	0.26	0.042	0.07	3.2	18.3	0.20	140	2.38	0.01
CC125022		2.81	43.4	3.39	3.43	0.08	0.05	0.31	0.047	0.07	2.4	41.9	0.32	72	1.55	0.01
CC125023		3.04	39.9	3.97	2.25	0.10	0.07	0.35	0.038	0.07	3.7	17.1	0.19	468	1.92	0.01
CC125721		1.21	39.4	3.56	4.91	0.07	0.08	1.52	0.036	0.08	8.9	18.5	0.50	440	0.96	0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 6- JUL- 2011
Account: RCM

Project: Rackla - PYRAMID

CERTIFICATE OF ANALYSIS WH11107306

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
CC123531		0.26	30.2	760	15.8	10.7	0.001	0.04	0.52	4.0	1.7	1.8	15.3	<0.01	0.06	1.5
CC123532		0.19	39.9	590	13.4	8.9	0.002	0.06	0.61	4.6	0.9	0.4	24.3	<0.01	0.05	2.7
CC123533		0.17	41.3	440	21.2	10.9	<0.001	0.02	0.43	4.8	0.6	0.5	8.2	<0.01	0.05	2.5
CC123534		0.21	27.9	550	12.5	5.7	0.001	0.01	0.37	3.6	0.6	0.4	7.7	<0.01	0.04	2.3
CC123536		0.27	28.6	890	10.3	12.2	0.001	0.08	0.41	4.7	1.1	0.6	51.6	<0.01	0.07	1.2
CC123537		0.17	34.9	910	10.3	12.4	0.001	0.09	0.35	5.9	1.3	0.5	46.4	<0.01	0.06	1.2
CC123538		0.21	30.6	970	8.3	12.5	<0.001	0.08	0.35	4.6	1.0	0.5	37.9	<0.01	0.05	1.2
CC124011		0.14	30.2	800	24.5	5.9	0.004	0.09	0.42	8.0	1.9	0.5	46.8	<0.01	0.07	4.2
CC124012		0.59	28.0	360	16.9	8.6	0.001	0.02	0.46	5.6	1.0	0.5	27.9	<0.01	0.07	3.4
CC124014		0.18	42.6	630	18.3	6.5	<0.001	0.01	0.50	10.2	0.7	0.3	28.8	0.01	0.10	5.3
CC124015		0.21	24.6	600	10.9	5.5	<0.001	0.07	0.39	5.2	0.8	0.3	59.5	<0.01	0.07	1.4
CC124016		0.32	33.5	570	15.4	6.0	<0.001	0.03	0.43	7.8	1.0	0.3	37.9	<0.01	0.07	2.8
CC124017		0.89	18.4	470	16.4	6.6	<0.001	0.02	0.64	3.1	0.5	0.5	25.9	<0.01	0.05	2.1
CC124018		0.41	19.7	690	21.6	5.8	<0.001	0.04	0.50	5.9	1.1	0.4	49.7	0.01	0.07	1.8
CC124019		0.19	34.4	690	19.8	4.6	0.001	0.02	0.75	5.2	1.0	0.3	28.4	<0.01	0.06	4.3
CC124020		0.57	30.2	1670	12.7	15.2	0.002	0.17	0.64	4.2	4.3	0.5	67.8	0.01	0.08	1.0
CC125001		0.23	17.2	690	19.8	10.5	<0.001	0.07	0.54	3.0	0.7	0.6	15.4	<0.01	0.06	1.3
CC125002		0.18	26.8	930	19.6	13.9	0.001	0.14	0.37	5.2	1.0	0.6	26.3	<0.01	0.07	1.8
CC125003		0.21	19.8	660	21.8	9.4	<0.001	0.12	0.51	3.2	0.7	0.5	25.4	<0.01	0.06	1.6
CC125004		NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS
CC125005		0.16	28.7	770	21.5	12.4	<0.001	0.17	0.46	4.4	0.6	0.5	44.4	<0.01	0.05	2.7
CC125006		0.14	37.1	540	12.0	9.7	0.004	0.05	0.84	3.5	2.1	0.3	22.0	<0.01	0.07	1.1
CC125007		0.28	30.5	330	20.5	15.3	<0.001	0.08	0.41	5.0	1.0	0.7	17.7	<0.01	0.05	3.9
CC125008		0.14	62.4	730	30.7	10.4	<0.001	0.01	0.46	6.7	0.5	0.5	8.7	<0.01	0.04	3.6
CC125009		0.49	23.7	300	15.7	14.9	<0.001	0.01	0.43	3.9	0.5	0.6	6.7	<0.01	0.05	2.4
CC125010		0.62	27.1	470	24.3	13.2	0.001	0.02	0.57	3.6	0.9	0.6	11.1	<0.01	0.06	1.9
CC125011		0.35	34.6	330	28.5	11.3	0.001	0.01	0.51	3.5	0.9	0.5	14.7	<0.01	0.06	2.3
CC125012		0.30	42.4	380	51.1	6.7	0.001	0.02	0.93	6.0	1.2	0.4	20.7	0.01	0.07	2.6
CC125013		0.33	28.4	810	45.2	7.3	<0.001	0.09	1.15	2.9	1.9	0.4	26.7	<0.01	0.09	0.7
CC125014		0.41	24.4	940	37.2	7.9	<0.001	0.07	0.77	3.4	1.3	0.4	26.0	<0.01	0.07	1.0
CC125015		0.35	31.1	930	44.5	6.5	0.011	0.11	0.80	3.2	5.0	0.4	39.9	0.01	0.09	1.0
CC125016		0.33	27.6	710	13.4	6.4	0.005	0.04	0.79	3.9	2.9	0.4	45.0	<0.01	0.08	2.3
CC125017		0.31	41.8	990	18.3	8.3	0.006	0.10	0.87	5.5	5.4	0.4	66.0	0.01	0.11	2.7
CC125018		0.14	37.5	340	10.3	8.3	0.003	0.02	0.80	2.8	1.5	0.3	15.6	<0.01	0.06	0.9
CC125019		0.13	46.1	420	12.6	8.3	0.004	0.03	1.09	3.4	2.5	0.3	15.0	<0.01	0.07	0.9
CC125020		0.15	46.5	510	16.2	9.9	0.003	0.05	0.86	4.7	2.8	0.4	26.8	<0.01	0.06	1.5
CC125021		0.16	51.5	500	13.4	9.1	0.005	0.05	0.87	4.1	2.9	0.4	28.3	<0.01	0.07	1.2
CC125022		0.12	42.5	380	13.5	10.6	0.005	0.06	0.62	3.8	3.5	0.4	41.1	<0.01	0.05	1.5
CC125023		0.17	55.7	550	13.8	9.3	0.015	0.06	0.79	4.6	4.5	0.3	31.0	<0.01	0.08	1.4
CC125721		0.43	31.3	890	80.0	12.2	<0.001	0.05	0.99	4.4	1.5	0.5	28.4	<0.01	0.06	1.8

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 6- JUL- 2011
Account: RCM

Project: Rackla - PYRAMID

CERTIFICATE OF ANALYSIS WH11107306

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
CC123531		<0.005	0.14	0.71	50	0.07	6.95	125	1.0
CC123532		0.005	0.10	0.60	31	<0.05	7.16	134	1.3
CC123533		<0.005	0.12	0.36	39	<0.05	4.47	113	1.1
CC123534		0.005	0.06	0.42	30	0.07	6.11	81	0.8
CC123536		<0.005	0.15	0.58	37	0.06	7.95	92	1.3
CC123537		<0.005	0.16	0.77	31	<0.05	9.79	97	1.2
CC123538		<0.005	0.14	0.54	29	0.05	9.54	96	0.9
CC124011		<0.005	0.10	0.87	25	<0.05	12.60	128	2.2
CC124012		0.011	0.10	1.20	56	0.13	7.00	82	1.9
CC124014		0.005	0.08	0.52	55	<0.05	13.20	93	5.1
CC124015		<0.005	0.06	0.67	38	<0.05	7.12	73	2.3
CC124016		0.006	0.07	0.91	41	0.08	11.30	88	2.4
CC124017		0.022	0.08	0.53	50	0.26	3.39	50	0.8
CC124018		0.007	0.10	1.12	34	0.08	16.30	58	1.6
CC124019		<0.005	0.10	0.82	29	<0.05	10.35	113	3.0
CC124020		0.006	0.19	3.01	45	0.11	21.2	86	2.7
CC125001		<0.005	0.14	0.31	42	0.05	2.15	53	0.7
CC125002		<0.005	0.19	0.75	33	<0.05	6.25	71	0.9
CC125003		<0.005	0.12	0.36	36	<0.05	2.68	73	0.5
CC125004		NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS
CC125005		<0.005	0.16	0.40	30	<0.05	3.77	107	0.8
CC125006		<0.005	0.09	0.65	27	<0.05	6.54	156	2.4
CC125007		<0.005	0.26	0.81	37	<0.05	3.07	82	1.8
CC125008		<0.005	0.10	0.39	29	<0.05	7.58	127	1.8
CC125009		0.005	0.16	0.32	47	0.10	3.02	74	1.2
CC125010		0.008	0.19	0.56	52	0.14	4.99	99	0.7
CC125011		0.005	0.15	0.47	43	0.09	4.64	113	1.2
CC125012		0.005	0.36	0.91	41	0.13	13.45	184	1.8
CC125013		<0.005	0.42	2.01	33	0.14	11.45	195	1.5
CC125014		0.005	0.25	1.34	34	0.13	7.53	127	1.5
CC125015		0.005	0.37	3.80	35	0.11	19.70	208	1.7
CC125016		0.006	0.12	2.40	37	0.11	11.60	114	1.6
CC125017		0.005	0.23	2.18	38	0.07	13.70	147	2.8
CC125018		<0.005	0.06	0.52	29	<0.05	3.87	151	1.2
CC125019		<0.005	0.07	0.71	25	<0.05	5.84	161	1.5
CC125020		<0.005	0.09	1.24	35	<0.05	13.40	169	2.6
CC125021		<0.005	0.09	1.08	31	0.05	9.77	173	2.1
CC125022		<0.005	0.09	0.79	37	<0.05	8.42	171	1.7
CC125023		<0.005	0.09	1.06	28	<0.05	13.25	157	1.9
CC125721		0.009	0.51	2.44	40	0.11	10.30	207	2.0

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 6- JUL- 2011
Account: RCM

Project: Rackla - PYRAMID

CERTIFICATE OF ANALYSIS WH11107306

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- TL43 Au ppm 0.001	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1
CC125722		0.28	0.002	0.56	1.38	66.7	<0.2	<10	360	0.89	0.26	0.99	1.10	13.05	9.9	24
CC125723		0.26	0.001	0.09	1.31	42.6	<0.2	<10	140	0.62	0.31	0.12	0.22	11.30	15.5	23
CC125724		0.20	0.003	0.30	1.57	25.8	<0.2	<10	470	0.76	0.25	0.93	0.34	11.40	12.0	25
CC125725		0.16	0.002	0.18	1.28	22.7	<0.2	<10	380	0.57	0.20	1.27	0.73	10.20	10.9	22
CC125751		0.24	0.003	0.30	1.53	28.5	<0.2	<10	400	0.93	0.29	0.93	0.48	20.9	12.8	28
CC125752		0.22	<0.001	0.05	1.42	31.5	<0.2	<10	100	0.40	0.33	0.02	0.17	9.72	9.1	22
CC125753		0.22	0.001	0.10	1.62	24.0	<0.2	<10	810	0.98	0.27	0.55	0.40	19.30	12.3	25
CC125754		0.14	0.001	0.14	1.28	17.8	<0.2	<10	410	0.61	0.21	2.76	0.30	13.40	9.6	18
CC125755		0.10	0.001	0.13	1.17	9.7	<0.2	<10	330	0.44	0.16	3.60	0.36	9.97	9.6	16
CC125756		0.34	0.002	0.17	1.64	18.6	<0.2	<10	240	0.74	0.28	1.06	0.29	23.2	14.2	25
CC125757		0.14	0.001	0.11	1.21	13.2	<0.2	<10	200	0.60	0.24	1.39	0.28	16.15	12.4	19
CC125758		0.12	0.002	0.18	1.28	11.5	<0.2	<10	310	0.61	0.25	1.89	0.38	13.75	11.7	21
CC125759		0.24	0.002	0.21	1.16	23.7	<0.2	<10	280	0.66	0.25	1.19	0.52	17.65	11.2	23
CC125760		0.18	0.002	0.13	0.97	12.6	<0.2	<10	190	0.53	0.20	4.84	0.36	15.75	11.2	16
CC125761		0.20	0.002	0.13	1.15	12.6	<0.2	<10	240	0.61	0.22	2.04	0.26	13.15	9.1	18
CC125762		0.26	0.003	0.13	1.57	17.7	<0.2	<10	190	0.76	0.27	1.09	0.21	25.6	15.1	24
CC125763		0.30	0.002	0.07	2.02	16.0	<0.2	<10	160	0.95	0.29	0.44	0.25	32.4	17.5	31
CC125764		0.26	0.002	0.30	1.52	16.1	<0.2	<10	240	0.79	0.25	0.71	0.26	19.55	9.7	26
CC125765		0.24	0.001	0.28	1.88	13.4	<0.2	<10	300	0.64	0.31	0.14	0.40	21.9	12.3	26
CC125766		0.24	0.001	0.03	1.65	11.6	<0.2	<10	150	0.41	0.23	0.07	0.23	27.0	9.6	25
CC125767		0.12	0.001	0.16	0.87	15.2	<0.2	<10	90	0.69	0.22	4.34	0.73	12.25	9.8	12
CC125768		0.12	0.001	0.04	1.54	12.3	<0.2	<10	270	0.46	0.25	0.47	1.15	19.35	12.4	25
CC125901		0.20	0.001	0.18	1.56	8.0	<0.2	<10	890	0.43	0.28	0.73	0.11	11.15	8.4	27
CC125902		0.08	0.003	1.74	1.37	8.7	<0.2	<10	830	0.73	0.19	1.70	1.79	10.80	7.9	23
CC125903		0.20	0.004	2.92	1.76	11.6	<0.2	<10	770	0.91	0.24	0.71	0.68	13.40	10.4	32
CC125904		0.12	0.002	1.95	1.59	12.2	<0.2	<10	800	0.70	0.27	0.75	0.49	11.85	7.5	31
CC125905		0.12	0.001	0.19	0.65	5.7	<0.2	<10	180	0.19	0.20	0.45	0.53	9.54	3.8	16
CC125906		0.30	0.001	0.15	1.04	13.9	<0.2	<10	90	0.22	0.31	0.03	0.13	16.15	5.2	23
CC125907		0.32	0.001	0.93	1.00	16.7	<0.2	<10	570	0.32	0.41	0.04	0.17	15.35	6.0	25
CC125908		0.14	0.001	0.48	0.73	10.3	<0.2	<10	70	0.15	0.24	0.04	0.07	15.00	4.2	15
CC125909		0.12	0.001	1.90	1.40	7.1	<0.2	<10	1440	0.68	0.23	1.18	0.50	12.00	11.1	27
CC125910		0.22	0.001	0.11	1.41	9.5	<0.2	<10	210	0.72	0.28	0.03	0.24	7.85	6.9	63
CC125669		0.08	0.003	1.36	1.41	7.9	<0.2	<10	810	0.78	0.16	0.38	0.33	14.30	13.8	27
CC125670		0.12	0.002	0.77	1.30	9.1	<0.2	<10	1070	0.53	0.17	0.40	0.52	15.80	12.9	26
CC125671		0.26	0.003	0.44	1.15	10.3	<0.2	<10	540	0.62	0.20	0.29	0.30	12.05	9.9	28
CC125672		0.14	0.002	0.56	1.11	12.6	<0.2	<10	610	0.60	0.23	0.42	0.35	15.65	11.2	27
CC125673		0.20	0.002	0.50	1.19	11.0	<0.2	10	750	0.64	0.23	0.37	0.40	13.65	11.7	27
CC125674		0.06	0.002	0.39	0.83	4.7	<0.2	10	800	0.54	0.11	3.21	0.50	5.26	5.5	11
CC125675		0.12	0.001	0.25	1.30	9.5	<0.2	<10	570	0.58	0.24	1.08	0.66	6.94	9.5	34
CC125676		0.18	0.002	0.35	1.51	6.8	<0.2	<10	870	0.86	0.20	2.05	0.51	7.84	8.2	21

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 6- JUL- 2011
Account: RCM

Project: Rackla - PYRAMID

CERTIFICATE OF ANALYSIS WH11107306

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
CC125722		1.28	30.9	2.56	4.19	0.06	0.07	1.78	0.039	0.09	5.8	24.1	0.45	174	0.86	0.01
CC125723		1.03	41.6	4.49	4.36	0.06	0.03	0.13	0.040	0.07	5.0	19.0	0.41	497	1.39	<0.01
CC125724		2.38	34.4	3.62	4.74	0.07	0.08	0.27	0.038	0.10	5.0	21.5	0.48	440	1.54	0.01
CC125725		0.92	29.3	3.14	4.06	0.06	0.06	0.52	0.031	0.09	4.6	16.6	0.42	570	2.43	0.01
CC125751		1.91	45.4	3.56	4.89	0.09	0.08	0.25	0.042	0.10	11.4	30.5	0.48	721	1.47	0.01
CC125752		1.30	25.4	4.56	6.82	0.07	0.04	0.04	0.038	0.06	4.8	16.7	0.28	377	1.88	<0.01
CC125753		0.95	34.0	3.88	5.09	0.08	0.07	0.30	0.037	0.09	9.2	20.6	0.43	829	1.18	0.01
CC125754		0.65	41.8	3.14	3.66	0.07	0.08	0.19	0.027	0.08	6.9	16.4	0.83	499	0.67	0.01
CC125755		0.90	38.0	2.47	3.34	0.05	0.07	0.12	0.023	0.08	4.3	16.4	0.51	493	0.64	0.02
CC125756		1.11	52.9	3.97	5.17	0.08	0.10	0.19	0.039	0.11	10.7	26.4	0.70	450	0.87	0.01
CC125757		0.76	43.3	3.25	3.78	0.06	0.09	0.15	0.031	0.09	6.6	19.7	0.52	449	0.67	0.01
CC125758		0.66	57.9	3.03	3.64	0.06	0.09	0.16	0.030	0.10	6.0	19.6	0.48	754	0.79	0.01
CC125759		0.87	43.9	3.63	3.60	0.07	0.06	0.23	0.034	0.09	6.8	19.2	0.42	568	1.34	0.01
CC125760		0.69	44.7	2.89	3.01	0.06	0.06	0.15	0.027	0.07	7.0	16.4	0.88	521	0.73	0.01
CC125761		0.51	44.1	3.24	3.36	0.06	0.07	0.13	0.033	0.06	6.3	20.2	0.56	297	0.57	0.01
CC125762		0.82	64.6	4.04	4.83	0.09	0.11	0.28	0.034	0.09	11.7	30.3	0.95	526	0.65	<0.01
CC125763		1.04	57.8	4.23	6.52	0.09	0.08	0.10	0.038	0.10	12.8	39.4	0.89	735	0.60	0.01
CC125764		0.72	38.7	3.45	4.86	0.08	0.07	0.13	0.037	0.08	9.0	30.5	0.71	156	0.93	0.01
CC125765		1.30	14.7	4.10	6.86	0.06	0.03	0.06	0.039	0.05	10.4	38.1	0.28	242	1.68	0.01
CC125766		0.71	26.5	3.39	7.05	0.07	0.05	0.04	0.028	0.05	12.6	22.3	0.45	282	1.18	<0.01
CC125767		0.82	31.1	2.86	2.48	0.06	0.07	0.13	0.029	0.09	5.9	9.9	1.08	482	0.84	0.01
CC125768		0.97	30.4	3.36	5.75	0.06	0.04	0.06	0.033	0.07	8.8	22.2	0.47	684	0.84	0.01
CC125901		3.64	16.7	2.50	6.56	0.05	0.07	0.09	0.028	0.07	5.8	15.8	0.30	618	1.85	0.01
CC125902		2.92	36.8	2.43	3.50	0.07	0.11	0.39	0.029	0.09	6.2	19.2	0.39	372	1.41	0.01
CC125903		3.46	41.5	3.28	4.73	0.08	0.14	0.55	0.039	0.12	7.1	31.7	0.48	394	1.64	0.01
CC125904		3.54	29.3	3.05	5.01	0.06	0.08	0.35	0.037	0.11	6.5	29.1	0.41	319	1.58	0.01
CC125905		2.22	15.7	1.58	3.81	<0.05	<0.02	0.08	0.016	0.05	5.3	4.2	0.13	98	1.42	0.01
CC125906		2.71	16.4	3.01	6.15	0.06	<0.02	0.05	0.025	0.06	8.3	9.0	0.17	172	1.83	<0.01
CC125907		4.00	19.2	2.73	6.47	0.08	0.02	0.06	0.037	0.07	7.8	6.2	0.13	200	4.87	<0.01
CC125908		2.77	17.5	1.97	5.12	0.05	<0.02	0.06	0.016	0.05	7.8	5.5	0.13	120	1.69	<0.01
CC125909		2.89	40.0	2.46	3.63	0.07	0.06	0.35	0.036	0.08	6.5	16.3	0.32	403	2.11	0.02
CC125910		1.24	41.0	4.17	3.80	0.07	0.03	0.06	0.056	0.06	4.0	34.8	0.43	193	1.48	<0.01
CC125669		2.30	42.8	2.68	3.17	0.05	0.05	0.30	0.032	0.09	6.4	16.4	0.28	848	1.42	0.01
CC125670		1.93	37.8	2.56	3.52	0.06	0.05	0.25	0.030	0.08	7.4	21.7	0.41	571	1.33	0.01
CC125671		1.55	37.7	2.77	3.33	0.08	0.09	0.21	0.033	0.07	5.7	27.1	0.46	249	1.50	0.01
CC125672		2.00	33.5	2.92	3.43	0.06	0.07	0.16	0.035	0.09	7.7	22.8	0.46	360	1.70	0.01
CC125673		1.61	31.6	2.86	3.41	0.05	0.07	0.15	0.036	0.07	6.7	25.0	0.40	350	1.67	0.01
CC125674		0.78	32.4	1.30	1.99	<0.05	0.06	0.13	0.021	0.07	3.1	8.4	0.34	204	1.06	0.03
CC125675		0.88	33.2	2.90	3.68	<0.05	0.06	0.09	0.039	0.08	3.5	27.1	0.39	272	1.93	0.02
CC125676		0.76	42.5	2.31	3.88	0.05	0.09	0.14	0.039	0.10	4.1	20.8	0.31	391	0.99	0.02

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 6- JUL- 2011
Account: RCM

Project: Rackla - PYRAMID

CERTIFICATE OF ANALYSIS WH11107306

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
CC125722		0.37	34.0	640	180.0	8.4	<0.001	0.08	1.16	5.2	1.1	0.5	27.2	<0.01	0.05	2.6
CC125723		0.18	34.7	450	30.6	8.0	<0.001	0.01	0.56	4.1	0.8	0.5	11.7	<0.01	0.06	3.1
CC125724		0.20	38.2	690	17.7	11.2	0.002	0.04	0.75	5.8	1.8	0.5	31.7	<0.01	0.07	3.0
CC125725		0.23	30.3	680	16.0	9.2	0.001	0.05	0.85	4.4	1.5	0.4	37.8	<0.01	0.06	2.2
CC125751		0.49	34.4	710	22.5	18.9	<0.001	0.03	0.71	5.8	1.4	0.6	40.4	0.01	0.07	2.3
CC125752		0.43	23.1	380	18.1	16.1	<0.001	<0.01	0.60	3.3	0.6	0.7	9.0	<0.01	0.06	2.3
CC125753		0.39	29.4	730	31.7	12.8	<0.001	0.04	0.46	4.7	1.2	0.6	22.8	0.01	0.06	1.9
CC125754		0.20	23.5	580	18.1	7.1	<0.001	0.07	0.43	3.3	1.0	0.3	82.9	<0.01	0.07	1.1
CC125755		0.20	20.8	680	10.7	7.9	<0.001	0.11	0.42	2.7	1.0	0.3	127.5	<0.01	0.07	0.8
CC125756		0.24	34.2	540	20.2	8.8	<0.001	0.02	0.53	6.6	1.0	0.4	51.9	<0.01	0.08	3.8
CC125757		0.19	25.5	460	21.8	7.3	<0.001	0.04	0.41	4.7	0.8	1.0	59.1	<0.01	0.06	2.9
CC125758		0.25	26.3	650	17.6	8.6	<0.001	0.08	0.44	4.2	1.1	2.5	72.1	<0.01	0.07	2.0
CC125759		0.27	34.9	720	27.8	7.9	<0.001	0.04	0.49	4.4	1.1	0.9	55.1	<0.01	0.07	2.0
CC125760		0.19	24.7	570	17.5	6.3	<0.001	0.04	0.38	4.0	0.9	0.7	164.0	<0.01	0.06	1.6
CC125761		0.18	25.1	520	17.7	6.2	<0.001	0.05	0.34	4.7	0.9	0.6	77.2	<0.01	0.07	1.5
CC125762		0.16	33.1	450	22.9	7.2	<0.001	0.02	0.48	7.3	0.9	0.4	39.5	<0.01	0.07	4.3
CC125763		0.20	34.9	500	21.6	10.0	<0.001	<0.01	0.44	6.4	0.7	0.5	27.0	<0.01	0.07	5.3
CC125764		0.19	28.5	430	18.5	7.2	<0.001	0.04	0.48	6.2	1.2	0.4	32.2	<0.01	0.06	3.7
CC125765		0.99	21.1	390	20.4	12.4	<0.001	<0.01	0.53	3.1	0.6	0.7	14.6	<0.01	0.06	3.6
CC125766		0.69	21.1	210	12.2	7.7	<0.001	<0.01	0.46	3.4	0.4	0.6	7.8	<0.01	0.06	3.6
CC125767		0.18	22.5	690	21.0	6.0	<0.001	0.07	0.47	4.0	0.9	0.4	71.0	<0.01	0.07	1.2
CC125768		0.48	20.4	550	17.4	12.0	<0.001	0.02	0.34	3.9	0.5	0.5	29.7	<0.01	0.06	2.1
CC125901		0.51	18.7	1340	13.8	16.2	<0.001	0.06	0.49	3.4	1.0	0.7	36.4	<0.01	0.05	1.2
CC125902		0.44	40.1	1190	12.0	22.8	<0.001	0.14	0.88	4.4	2.5	0.4	87.7	<0.01	0.07	1.2
CC125903		0.42	50.7	1050	16.1	20.7	<0.001	0.06	0.89	6.6	2.6	0.5	43.5	0.01	0.08	1.9
CC125904		0.45	33.8	1370	15.3	21.0	0.001	0.07	0.73	4.8	2.2	0.6	51.5	<0.01	0.08	1.3
CC125905		0.57	19.2	900	10.0	9.2	<0.001	0.06	0.58	1.6	0.8	0.6	13.9	<0.01	0.05	0.4
CC125906		0.71	18.2	490	15.5	15.1	<0.001	0.01	0.86	2.0	0.9	0.7	9.3	<0.01	0.07	1.1
CC125907		0.71	17.8	660	21.0	14.5	0.002	0.05	1.00	2.6	2.2	0.9	26.8	<0.01	0.08	1.2
CC125908		0.57	14.3	390	10.4	9.4	<0.001	0.01	0.54	2.1	0.7	0.6	6.9	<0.01	0.05	1.7
CC125909		0.41	30.2	1260	15.7	15.7	0.002	0.11	0.60	4.2	3.7	0.6	42.9	0.01	0.07	0.9
CC125910		0.12	39.3	450	14.3	9.6	0.001	0.01	0.79	5.0	2.1	0.5	9.6	<0.01	0.06	2.8
CC125669		0.24	26.9	930	13.5	12.6	0.003	0.08	0.55	6.1	2.6	0.4	35.1	<0.01	0.05	1.3
CC125670		0.39	33.5	820	13.7	9.1	0.003	0.03	0.64	4.4	1.8	0.4	34.2	<0.01	0.06	1.7
CC125671		0.28	43.3	690	13.1	7.1	0.003	0.01	0.80	4.9	1.2	0.3	25.3	<0.01	0.07	2.0
CC125672		0.30	33.9	760	15.4	8.9	0.002	0.04	0.70	4.4	1.4	0.4	28.1	<0.01	0.06	2.2
CC125673		0.25	37.0	630	15.4	8.5	0.002	0.04	0.68	4.5	1.3	0.4	28.0	<0.01	0.06	2.1
CC125674		0.13	29.0	980	5.7	7.8	0.001	0.18	0.44	2.6	1.3	0.2	78.9	<0.01	0.03	0.7
CC125675		0.21	35.7	780	11.8	10.0	0.002	0.10	0.62	3.4	1.5	0.4	52.4	<0.01	0.06	1.4
CC125676		0.21	37.4	1200	9.4	12.3	0.002	0.15	0.53	4.5	1.7	0.4	69.7	<0.01	0.06	1.1

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 6- JUL- 2011
Account: RCM

Project: Rackla - PYRAMID

CERTIFICATE OF ANALYSIS WH11107306

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
CC125722		<0.005	0.51	1.13	36	0.10	8.75	190	1.9
CC125723		<0.005	0.16	0.41	38	<0.05	4.22	132	0.9
CC125724		<0.005	0.18	0.73	37	<0.05	9.62	133	2.2
CC125725		<0.005	0.17	1.00	60	0.05	7.19	136	1.5
CC125751		0.010	0.18	2.21	38	0.14	16.85	131	1.5
CC125752		0.006	0.17	0.32	51	0.07	2.48	118	1.6
CC125753		0.006	0.21	2.53	39	0.11	12.65	210	1.6
CC125754		<0.005	0.14	1.08	30	<0.05	9.90	103	2.2
CC125755		<0.005	0.10	1.50	27	<0.05	5.39	87	2.2
CC125756		0.005	0.14	0.73	41	0.05	11.00	121	3.3
CC125757		<0.005	0.10	0.45	31	<0.05	7.14	113	2.8
CC125758		<0.005	0.10	0.87	29	<0.05	8.29	181	2.5
CC125759		0.006	0.15	1.02	31	0.07	8.32	211	1.5
CC125760		0.005	0.12	0.95	24	<0.05	9.93	94	1.6
CC125761		<0.005	0.09	0.88	25	<0.05	8.62	94	1.8
CC125762		0.005	0.12	0.88	35	<0.05	14.45	108	3.2
CC125763		0.005	0.13	1.05	44	<0.05	8.69	91	2.7
CC125764		<0.005	0.10	0.89	46	<0.05	10.80	95	2.2
CC125765		0.016	0.15	0.68	63	0.23	4.28	65	1.1
CC125766		0.013	0.10	0.44	67	0.13	2.84	49	1.8
CC125767		<0.005	0.13	1.22	22	<0.05	10.20	238	1.6
CC125768		0.010	0.11	0.92	47	0.09	4.80	81	0.9
CC125901		0.009	0.22	0.74	61	0.14	4.10	65	1.6
CC125902		0.007	0.15	2.56	33	0.09	16.40	153	2.8
CC125903		0.007	0.19	3.32	43	0.17	16.65	190	3.3
CC125904		0.007	0.20	2.90	50	0.14	9.87	167	2.1
CC125905		0.013	0.11	0.55	39	0.14	2.93	99	<0.5
CC125906		0.015	0.17	0.48	63	0.19	2.56	69	<0.5
CC125907		0.015	0.20	0.99	73	0.19	4.68	67	<0.5
CC125908		0.015	0.12	0.43	50	0.15	2.30	60	<0.5
CC125909		0.005	0.16	1.79	32	0.10	12.85	103	1.4
CC125910		<0.005	0.07	0.80	39	<0.05	6.54	133	1.2
CC125669		<0.005	0.14	1.98	34	0.09	11.40	98	0.8
CC125670		0.008	0.10	0.93	35	0.11	9.38	119	1.1
CC125671		0.008	0.07	1.49	33	0.12	10.70	124	2.3
CC125672		0.010	0.11	1.10	35	0.18	9.46	117	1.9
CC125673		0.005	0.10	1.05	35	0.08	10.35	114	1.9
CC125674		<0.005	0.08	0.65	15	<0.05	8.81	70	2.0
CC125675		<0.005	0.10	0.85	32	0.05	6.82	147	1.9
CC125676		<0.005	0.12	1.05	28	0.05	11.35	124	2.7

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 6- JUL- 2011
Account: RCM

Project: Rackla - PYRAMID

CERTIFICATE OF ANALYSIS WH11107306

Sample Description	Method	WEI- 21	Au- TL43	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Recvd Wt.	Au	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
CC125677		0.16	0.001	0.19	1.67	11.7	<0.2	<10	420	0.71	0.28	0.77	0.21	9.35	11.6	28
CC125678		0.08	0.001	0.26	1.37	9.1	<0.2	<10	630	0.83	0.19	0.69	0.65	10.05	7.7	20
CC125679		0.18	0.001	0.23	1.63	22.3	<0.2	<10	420	0.81	0.27	1.09	0.21	11.40	11.6	28
CC125680		0.32	0.001	0.08	2.03	18.4	<0.2	<10	110	0.99	0.37	0.02	0.30	8.96	19.5	35
CC125681		0.10	0.001	0.07	1.43	14.7	<0.2	<10	130	0.39	0.27	0.08	0.22	8.56	5.2	21
CC125682		0.14	0.001	0.16	1.78	60.0	<0.2	<10	90	0.47	0.31	0.06	0.37	13.15	11.9	29
CC125683		0.22	0.001	0.15	1.83	20.6	<0.2	<10	120	0.95	0.34	0.04	0.28	10.30	25.4	30
CC125684		0.28	0.001	0.06	1.89	18.2	<0.2	<10	170	0.88	0.36	0.10	0.24	10.70	19.3	30
CC125685		0.34	0.001	0.09	1.91	28.0	<0.2	<10	130	1.08	0.39	0.23	0.43	14.15	38.6	34
CC125686		0.28	<0.001	0.04	1.83	17.5	<0.2	<10	110	0.75	0.33	0.09	0.29	6.92	14.1	30
CC125687		0.14	0.001	0.14	1.74	33.5	<0.2	<10	170	0.93	0.31	0.41	0.25	9.52	17.9	30
CC125688		0.08	0.001	0.44	1.21	280	<0.2	<10	400	0.65	0.23	0.81	0.68	9.58	12.0	26
CC125689		0.08	0.001	0.48	0.94	163.0	<0.2	<10	560	0.92	0.17	2.18	1.28	8.43	11.6	12
CC125690		0.14	0.002	0.17	1.66	27.2	<0.2	<10	310	0.90	0.27	1.05	0.28	12.95	13.5	25
CC125691		0.22	<0.001	0.03	1.84	27.0	<0.2	<10	100	1.20	0.87	0.09	0.05	14.45	27.7	26
CC125692		0.30	0.001	0.04	2.46	8.7	<0.2	<10	140	1.45	0.63	0.04	0.04	15.00	22.1	42
CC125693		0.24	0.002	0.21	1.60	42.3	<0.2	<10	380	1.02	0.32	0.97	0.38	15.85	15.6	26
CC125694		0.20	0.001	0.11	1.55	42.2	<0.2	<10	350	1.01	0.35	0.34	0.41	18.75	15.5	28
CC125695		0.32	0.001	0.10	1.87	36.6	<0.2	<10	250	1.18	0.35	0.19	0.38	17.45	23.5	32
CC125696		0.20	0.002	0.17	1.68	20.5	<0.2	<10	600	1.06	0.31	0.79	0.64	15.90	14.2	28
CC125697		0.24	0.001	0.10	1.45	24.6	<0.2	<10	240	1.02	0.35	0.25	0.45	14.85	15.8	25
CC125698		0.20	0.001	0.08	1.14	27.2	<0.2	<10	290	0.92	0.31	0.25	0.26	14.45	15.1	21
CC125699		0.34	<0.001	0.05	1.96	23.8	<0.2	<10	100	0.97	0.34	0.04	0.36	7.32	25.7	30
CC125700		0.28	0.002	0.06	1.71	32.8	<0.2	<10	410	1.02	0.32	0.16	0.55	31.8	16.4	29
CC125701		0.28	0.002	0.29	0.86	37.8	<0.2	<10	310	0.65	0.23	6.15	0.54	18.70	9.3	15
CC125702		0.16	0.001	0.15	1.08	14.6	<0.2	10	500	0.86	0.24	1.83	0.64	15.50	10.7	20
CC125703		0.36	<0.001	0.21	0.44	6.4	<0.2	<10	150	0.46	0.43	0.15	0.13	12.25	5.7	7
CC125704		0.16	0.001	0.22	0.93	13.1	<0.2	10	280	0.77	0.31	0.65	0.31	15.40	13.0	16
CC125705		0.22	0.001	0.16	1.53	79.1	<0.2	<10	320	0.76	0.26	0.60	0.27	11.75	14.5	27
CC125706		0.14	0.001	0.01	0.55	6.8	<0.2	<10	40	0.15	0.37	0.02	0.04	14.25	4.0	9
CC125707		0.16	<0.001	0.15	0.55	9.0	<0.2	10	50	0.52	0.29	4.51	0.13	18.00	10.1	8
CC125708		0.28	0.004	0.20	1.49	10.2	<0.2	<10	290	0.66	0.25	1.26	0.33	28.8	11.9	26
CC126143		0.16	0.001	1.00	0.49	6.6	<0.2	<10	140	0.13	0.22	0.06	0.96	10.10	2.4	14
CC126144		0.12	0.001	0.59	0.60	15.2	<0.2	10	240	0.40	0.17	1.66	1.26	9.94	9.4	20
CC126145		0.14	<0.001	0.31	0.38	7.7	<0.2	10	230	0.26	0.10	2.18	1.97	6.61	5.7	13
CC126146		0.20	<0.001	0.39	0.36	5.2	<0.2	<10	330	0.24	0.07	3.05	0.64	6.02	3.6	15
CC126147		0.18	<0.001	1.07	0.86	6.4	<0.2	10	660	0.37	0.17	0.73	0.40	4.75	2.9	28
CC126148		0.22	<0.001	0.23	0.77	7.2	<0.2	<10	110	0.20	0.21	0.03	0.09	6.41	3.4	21
CC126149		0.20	<0.001	0.07	1.27	12.8	<0.2	<10	100	0.42	0.23	0.03	0.07	6.73	7.8	24
CC126150		0.14	0.001	0.11	1.42	9.4	<0.2	<10	160	0.35	0.27	0.07	0.06	5.30	4.9	26

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 6- JUL- 2011
Account: RCM

Project: Rackla - PYRAMID

CERTIFICATE OF ANALYSIS WH11107306

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
CC125677		0.94	22.8	3.72	5.30	0.05	0.04	0.07	0.043	0.09	4.5	33.4	0.47	333	1.63	0.01
CC125678		1.00	30.9	2.29	3.92	0.05	0.05	0.11	0.037	0.11	4.9	12.0	0.18	100	1.47	0.01
CC125679		0.99	33.7	3.72	5.18	0.06	0.07	0.12	0.043	0.09	5.4	28.6	0.57	539	1.45	0.01
CC125680		2.51	51.0	5.56	5.97	0.08	0.05	0.03	0.076	0.09	3.8	45.4	0.58	405	2.74	0.01
CC125681		1.32	21.6	2.72	6.06	<0.05	0.02	0.45	0.034	0.07	4.2	14.0	0.27	107	1.73	0.01
CC125682		1.39	30.3	4.28	6.44	0.06	0.03	0.16	0.042	0.07	6.1	25.1	0.47	345	1.40	0.01
CC125683		3.54	41.0	5.21	5.61	0.07	0.06	0.06	0.056	0.09	4.0	34.7	0.56	732	1.96	0.01
CC125684		4.14	37.9	4.69	6.19	0.07	0.04	0.07	0.053	0.10	4.0	40.2	0.60	527	1.71	0.01
CC125685		3.07	47.6	5.03	6.22	0.08	0.05	0.07	0.055	0.10	4.5	45.0	0.74	1230	1.99	0.01
CC125686		2.00	33.1	4.58	5.99	0.06	0.03	0.04	0.050	0.09	3.0	37.8	0.61	378	1.47	0.01
CC125687		2.65	39.1	4.43	5.40	0.07	0.06	0.26	0.047	0.10	3.9	40.4	0.68	375	1.49	0.01
CC125688		1.64	33.7	3.03	3.62	0.06	0.07	0.65	0.038	0.07	4.7	28.3	0.49	297	1.70	0.01
CC125689		0.94	44.4	1.81	2.42	0.05	0.08	0.63	0.024	0.06	5.0	6.1	0.22	1400	1.44	0.02
CC125690		1.41	19.7	3.73	5.27	0.06	0.06	0.16	0.045	0.09	5.8	34.4	0.48	597	1.41	0.01
CC125691		2.32	39.9	3.70	6.01	0.06	0.03	0.02	0.033	0.11	5.6	38.5	0.42	588	1.98	0.01
CC125692		2.81	43.4	4.68	9.87	0.06	0.06	0.02	0.058	0.09	6.1	41.6	0.67	387	0.48	0.01
CC125693		1.50	38.0	3.89	5.25	0.07	0.08	0.24	0.047	0.10	8.0	33.6	0.54	497	1.35	0.01
CC125694		1.25	37.4	4.15	5.29	0.07	0.07	0.23	0.046	0.09	8.8	30.5	0.53	553	1.31	0.01
CC125695		2.32	51.1	4.76	5.67	0.09	0.06	0.26	0.055	0.09	7.2	44.6	0.71	761	1.46	0.01
CC125696		1.32	35.6	3.84	5.19	0.07	0.09	0.19	0.049	0.09	7.4	33.3	0.59	600	0.87	0.01
CC125697		1.98	40.7	4.20	5.37	0.07	0.03	0.07	0.053	0.09	6.4	30.0	0.45	475	1.67	0.01
CC125698		1.20	38.0	3.89	4.03	0.07	0.03	0.07	0.046	0.07	6.7	22.9	0.38	342	2.66	0.01
CC125699		2.08	35.5	5.15	6.12	0.07	0.06	0.04	0.061	0.08	3.2	51.5	0.49	742	1.74	0.01
CC125700		1.55	23.4	4.27	4.90	0.07	0.04	0.42	0.048	0.08	14.0	21.7	0.44	902	1.00	0.01
CC125701		0.88	26.7	5.67	2.75	0.09	0.08	1.01	0.028	0.07	10.5	10.7	3.68	1740	0.83	0.01
CC125702		1.22	29.7	3.01	3.49	0.06	0.06	0.28	0.034	0.09	7.8	19.1	0.46	519	0.75	0.01
CC125703		1.91	21.9	3.22	1.39	0.05	0.03	0.07	0.031	0.09	5.1	5.9	0.09	199	0.47	<0.01
CC125704		0.95	31.7	3.73	2.94	0.06	0.06	0.11	0.035	0.10	6.9	16.9	0.31	223	1.18	0.01
CC125705		1.43	16.7	3.79	4.81	0.05	0.06	0.34	0.043	0.08	4.9	36.1	0.55	902	1.13	0.01
CC125706		2.11	13.7	2.54	4.61	<0.05	0.02	0.01	0.018	0.08	7.5	2.0	0.05	51	0.83	<0.01
CC125707		0.82	27.8	2.56	1.58	0.06	0.05	0.07	0.036	0.07	5.9	13.4	0.28	179	0.52	0.01
CC125708		0.75	26.2	2.87	4.83	0.07	0.07	0.10	0.029	0.06	13.6	20.1	0.53	391	0.76	0.01
CC126143		4.35	16.4	1.30	4.57	<0.05	<0.02	0.07	0.018	0.06	5.4	1.3	0.04	114	2.65	0.01
CC126144		1.53	27.7	2.14	1.79	0.06	0.08	0.13	0.029	0.06	10.5	3.6	0.17	398	7.24	0.01
CC126145		1.28	18.4	1.24	1.21	0.05	0.09	0.10	0.016	0.05	8.9	2.3	0.19	221	8.63	0.02
CC126146		1.07	13.3	0.88	1.05	<0.05	0.08	0.10	0.013	0.05	10.5	1.7	0.24	320	3.00	0.02
CC126147		2.12	20.8	1.79	2.69	<0.05	0.07	0.23	0.032	0.06	4.2	7.6	0.15	30	3.25	0.01
CC126148		3.96	16.9	1.57	4.59	<0.05	0.02	0.05	0.023	0.05	3.5	2.7	0.05	29	3.11	0.01
CC126149		0.70	25.2	3.47	4.68	0.05	0.02	0.02	0.036	0.06	3.0	21.1	0.39	140	1.62	0.01
CC126150		1.48	14.9	3.53	5.60	0.05	0.02	0.05	0.032	0.09	2.5	17.8	0.38	105	2.21	0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 6- JUL- 2011
Account: RCM

Project: Rackla - PYRAMID

CERTIFICATE OF ANALYSIS WH11107306

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
CC125677		0.18	28.6	660	13.8	11.2	0.001	0.03	0.40	4.0	1.3	0.5	33.6	<0.01	0.05	2.1
CC125678		0.20	27.7	980	10.5	11.2	0.001	0.11	0.40	4.6	1.2	0.5	33.8	<0.01	0.06	1.4
CC125679		0.20	33.6	800	20.0	10.5	<0.001	0.05	0.46	4.9	1.1	0.5	38.4	<0.01	0.05	2.3
CC125680		0.14	42.7	830	27.2	13.8	0.001	0.04	0.67	5.4	1.1	0.6	14.4	<0.01	0.07	4.3
CC125681		0.19	18.1	690	18.1	11.1	<0.001	0.03	0.46	3.1	0.6	0.6	9.9	<0.01	0.05	1.3
CC125682		0.27	28.5	510	44.5	12.8	<0.001	0.01	0.76	3.8	0.6	0.6	9.1	<0.01	0.06	2.5
CC125683		0.11	50.5	880	35.1	12.5	0.001	0.04	0.59	5.6	0.9	0.5	12.8	<0.01	0.06	3.7
CC125684		0.13	44.8	850	28.2	14.5	<0.001	0.02	0.51	5.3	0.7	0.6	12.5	<0.01	0.06	3.1
CC125685		0.09	69.4	1010	38.3	11.5	<0.001	0.01	0.71	6.7	0.9	0.6	15.4	0.01	0.06	4.0
CC125686		0.12	39.1	730	22.3	12.2	<0.001	0.02	0.45	4.8	0.5	0.6	11.7	<0.01	0.05	3.0
CC125687		0.12	47.8	860	24.9	10.4	0.001	0.07	0.55	5.9	1.0	0.5	21.8	<0.01	0.06	3.5
CC125688		0.18	41.0	690	33.0	9.4	0.006	0.08	0.89	4.5	3.1	0.4	36.5	<0.01	0.06	2.1
CC125689		0.23	42.5	1690	21.7	7.5	0.002	0.19	0.85	2.7	3.1	0.3	57.5	0.01	0.07	0.6
CC125690		0.29	30.5	760	28.4	10.5	<0.001	0.05	0.50	5.2	0.9	0.6	47.3	<0.01	0.06	2.7
CC125691		0.24	41.9	350	32.0	14.7	<0.001	0.01	1.03	3.7	0.4	0.8	9.1	<0.01	0.09	4.9
CC125692		0.18	37.4	230	27.7	13.6	<0.001	<0.01	0.27	6.1	0.3	1.2	12.3	<0.01	0.05	6.0
CC125693		0.32	37.3	530	39.0	10.9	0.001	0.04	0.59	6.7	1.1	0.6	38.1	<0.01	0.06	3.4
CC125694		0.26	35.9	520	33.7	9.4	<0.001	0.02	0.53	6.7	0.9	0.6	23.2	<0.01	0.05	4.7
CC125695		0.09	60.6	820	30.1	11.3	0.001	0.01	0.54	8.3	1.1	0.6	15.1	0.01	0.05	5.5
CC125696		0.23	36.9	500	21.7	11.2	<0.001	0.03	0.39	6.8	0.9	0.6	28.1	<0.01	0.05	3.5
CC125697		0.17	37.7	680	23.1	11.0	<0.001	0.01	0.52	5.7	0.8	0.6	24.6	<0.01	0.06	3.9
CC125698		0.17	33.7	600	18.9	8.2	0.001	0.01	0.73	4.9	0.8	0.5	25.3	<0.01	0.06	3.4
CC125699		0.17	42.9	640	24.9	13.3	<0.001	0.02	0.44	4.9	0.7	0.6	11.6	<0.01	0.06	3.5
CC125700		0.51	26.9	380	40.3	12.1	<0.001	0.01	0.50	4.8	0.7	0.7	35.7	<0.01	0.05	5.9
CC125701		0.25	21.5	600	77.6	6.6	<0.001	0.06	0.31	5.3	0.9	0.4	64.6	0.01	0.05	3.3
CC125702		0.45	24.4	670	20.0	9.7	<0.001	0.08	0.41	3.9	1.3	0.5	48.2	<0.01	0.05	1.3
CC125703		0.05	13.2	270	32.7	8.0	<0.001	0.03	0.24	3.2	0.5	0.4	20.7	<0.01	0.03	4.5
CC125704		0.18	22.8	510	24.0	9.3	0.001	0.04	0.40	4.8	1.2	0.4	32.6	<0.01	0.05	3.5
CC125705		0.17	33.0	470	22.9	10.0	<0.001	0.03	0.44	4.8	1.1	0.5	32.8	<0.01	0.05	2.5
CC125706		0.37	12.4	140	8.1	13.2	<0.001	<0.01	0.46	2.0	0.3	0.7	8.9	<0.01	0.09	3.0
CC125707		0.11	21.8	510	29.2	5.6	<0.001	0.06	0.38	3.1	1.0	0.2	277	<0.01	0.05	1.8
CC125708		0.72	26.3	720	16.2	9.2	<0.001	0.05	0.52	4.8	1.3	0.4	65.5	<0.01	0.04	3.1
CC126143		0.13	12.4	1050	11.6	9.1	0.001	0.07	0.64	0.6	1.0	0.8	22.5	<0.01	0.06	<0.2
CC126144		0.21	58.3	1270	12.4	6.8	0.007	0.12	1.05	2.8	3.1	0.4	43.5	0.01	0.06	0.6
CC126145		0.19	40.4	1550	7.3	7.3	0.003	0.14	0.71	1.7	2.3	0.2	37.6	0.01	0.04	0.6
CC126146		0.17	21.1	1720	5.5	4.5	0.007	0.21	0.53	1.3	2.2	0.2	47.5	0.01	0.02	0.3
CC126147		0.17	22.3	1310	11.9	10.0	0.004	0.14	0.43	2.6	3.1	0.5	25.6	<0.01	0.03	0.7
CC126148		0.16	20.2	1040	11.7	12.8	0.001	0.02	0.48	1.4	1.1	0.7	14.5	<0.01	0.06	0.4
CC126149		0.15	27.2	460	15.7	7.9	<0.001	0.08	0.53	2.9	0.7	0.4	18.8	<0.01	0.04	2.0
CC126150		0.13	20.3	570	17.6	11.4	<0.001	0.08	0.45	3.0	0.7	0.5	14.0	<0.01	0.04	1.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 6- JUL- 2011
Account: RCM

Project: Rackla - PYRAMID

CERTIFICATE OF ANALYSIS WH11107306

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
CC125677		<0.005	0.12	0.98	38	<0.05	6.16	122	1.1
CC125678		<0.005	0.14	0.81	29	0.05	11.35	88	1.5
CC125679		<0.005	0.15	0.90	35	0.07	8.53	111	1.7
CC125680		<0.005	0.24	0.83	37	<0.05	5.15	134	2.0
CC125681		<0.005	0.16	0.46	42	0.08	3.54	69	0.5
CC125682		<0.005	0.26	0.41	46	0.08	4.03	137	0.8
CC125683		<0.005	0.21	0.67	32	<0.05	9.44	167	1.4
CC125684		<0.005	0.18	0.51	36	<0.05	10.05	151	0.8
CC125685		<0.005	0.31	0.67	35	<0.05	12.15	214	1.2
CC125686		<0.005	0.17	0.39	34	<0.05	5.15	143	1.0
CC125687		<0.005	0.22	0.60	31	<0.05	9.85	149	1.9
CC125688		<0.005	0.29	1.85	33	0.09	9.69	198	2.3
CC125689		<0.005	0.36	2.39	19	0.07	17.10	84	2.1
CC125690		<0.005	0.14	0.56	33	0.06	7.88	132	1.6
CC125691		<0.005	0.14	0.54	27	<0.05	5.59	77	1.0
CC125692		<0.005	0.10	0.57	36	<0.05	6.43	102	2.5
CC125693		<0.005	0.21	0.97	35	0.07	11.15	132	2.1
CC125694		0.005	0.17	0.85	37	0.09	10.80	160	2.0
CC125695		<0.005	0.24	0.96	35	0.05	21.5	208	1.3
CC125696		<0.005	0.17	1.25	32	0.06	12.30	189	2.7
CC125697		<0.005	0.15	0.61	35	<0.05	8.96	152	0.7
CC125698		<0.005	0.16	0.65	36	0.08	7.13	131	0.9
CC125699		<0.005	0.20	0.52	37	<0.05	4.53	199	1.9
CC125700		0.009	0.32	0.98	40	0.15	8.01	310	1.7
CC125701		0.005	0.61	1.72	22	0.07	14.60	348	2.3
CC125702		0.007	0.19	2.33	27	0.09	9.60	310	1.4
CC125703		<0.005	0.17	0.53	8	<0.05	4.56	101	1.4
CC125704		<0.005	0.10	1.26	23	<0.05	8.34	95	2.3
CC125705		<0.005	0.19	0.67	34	0.05	5.65	152	1.5
CC125706		0.011	0.10	0.30	46	0.08	1.90	33	0.9
CC125707		<0.005	0.07	1.49	9	<0.05	12.00	61	1.7
CC125708		0.016	0.10	2.89	39	0.16	10.50	81	1.9
CC126143		0.009	0.15	0.40	44	0.09	1.81	69	<0.5
CC126144		0.006	0.11	2.69	32	0.08	18.40	187	2.3
CC126145		0.008	0.08	3.39	22	0.07	14.35	258	2.9
CC126146		0.006	0.06	2.95	18	0.05	18.20	56	2.1
CC126147		<0.005	0.12	1.43	33	0.05	8.01	59	2.0
CC126148		<0.005	0.17	0.51	44	0.09	2.12	77	<0.5
CC126149		<0.005	0.09	0.38	30	<0.05	2.71	90	0.9
CC126150		<0.005	0.16	0.40	34	<0.05	2.84	64	0.7

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 6- JUL- 2011
Account: RCM

Project: Rackla - PYRAMID

CERTIFICATE OF ANALYSIS WH11107306

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- TL43 Au ppm 0.001	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1
CC126151		0.16	<0.001	0.15	1.62	8.9	<0.2	<10	160	0.42	0.25	0.10	0.07	8.08	6.1	28
CC126152		0.12	<0.001	0.24	1.54	11.0	<0.2	<10	190	0.46	0.25	0.23	0.21	7.13	11.4	25
CC126153		0.10	0.002	0.23	1.40	3.7	<0.2	<10	320	0.71	0.21	0.14	0.58	9.12	1.7	16
CC126154		0.22	<0.001	0.11	2.16	18.7	<0.2	<10	390	1.32	0.30	0.39	0.38	16.95	14.5	33
CC126155		0.24	0.001	0.26	1.60	267	<0.2	<10	360	0.66	0.25	0.84	0.51	17.90	12.7	27
CC126156		0.16	0.001	0.90	1.50	540	<0.2	<10	220	0.81	0.21	4.03	5.30	22.5	9.5	26
CC126157		0.22	<0.001	0.12	1.50	139.0	<0.2	<10	180	0.30	0.23	0.15	0.71	18.20	6.7	23
CC126158		0.18	0.001	0.10	1.66	165.0	<0.2	<10	100	0.41	0.29	0.06	0.52	19.40	9.8	24
CC126159		0.22	0.001	1.78	2.91	43.0	<0.2	<10	200	0.95	0.26	0.06	0.76	19.05	14.5	36
CC126160		0.14	0.001	0.33	1.74	86.6	<0.2	<10	240	0.37	0.25	0.08	0.36	22.2	7.8	28
CC126161		0.12	<0.001	0.24	1.50	108.5	<0.2	<10	700	0.53	0.24	1.05	1.22	14.85	10.4	22
CC126162		0.14	0.001	0.22	1.73	188.5	<0.2	<10	1000	0.69	0.24	1.09	0.72	16.90	9.4	26
CC126163		0.16	<0.001	0.15	1.42	40.1	<0.2	<10	730	0.51	0.21	1.29	0.50	11.90	10.3	24
CC126164		0.22	0.001	0.96	0.33	36.3	<0.2	10	1050	0.28	0.12	2.04	0.35	4.54	1.6	14
CC126165		0.24	0.004	0.48	0.51	51.3	<0.2	<10	690	0.47	0.17	1.27	1.40	14.00	9.8	15
CC126166		0.16	0.001	0.29	0.65	35.1	<0.2	10	760	0.58	0.15	0.94	0.45	13.65	9.2	14
CC126167		0.16	0.001	0.53	0.66	42.0	<0.2	<10	590	0.59	0.19	0.95	0.98	15.35	10.0	16
CC126168		0.20	0.001	0.39	1.09	27.3	<0.2	<10	440	0.82	0.23	1.06	0.94	15.40	12.1	21
CC126169		0.16	0.001	0.27	0.95	22.5	<0.2	<10	410	0.62	0.18	0.92	1.21	14.00	11.8	18
CC126170		0.12	0.001	0.48	0.90	32.5	<0.2	<10	530	0.70	0.20	0.96	1.03	15.90	12.0	18
CC126171		0.10	0.001	0.35	1.12	26.6	<0.2	<10	330	0.67	0.25	0.64	0.69	12.90	10.3	21
CC126172		0.14	0.001	0.30	1.09	18.0	<0.2	<10	430	1.04	0.29	0.84	0.64	14.15	15.4	19
CC126173		0.22	<0.001	0.07	1.10	4.6	<0.2	<10	270	0.70	0.33	0.23	0.17	12.15	8.0	20
CC126174		0.18	<0.001	0.06	1.30	9.3	<0.2	<10	140	0.62	0.24	0.04	0.11	15.75	7.5	19
CC126175		0.22	0.001	0.19	2.11	22.9	<0.2	<10	400	1.07	0.28	0.80	1.15	34.2	11.6	32
CC126176		0.18	0.002	0.05	2.45	13.9	<0.2	<10	360	0.84	0.30	0.21	0.28	33.3	11.4	37
CC126177		0.20	0.001	0.21	1.48	16.3	<0.2	10	500	0.95	0.27	1.18	0.25	25.3	10.8	23
CC126178		0.18	0.001	0.28	0.96	18.7	<0.2	<10	270	0.51	0.26	3.19	0.55	23.3	7.9	15
CC126179		0.14	0.001	0.30	0.82	22.4	<0.2	<10	280	0.59	0.26	2.64	0.73	17.65	8.6	14
CC126180		0.16	0.001	0.15	1.02	12.6	<0.2	<10	250	0.55	0.28	1.34	0.37	14.40	8.9	16
CC126370		0.16	0.002	2.06	0.89	3.9	<0.2	<10	490	0.35	0.24	1.05	0.25	6.63	4.7	21
CC126371		0.10	0.001	1.59	1.88	11.3	<0.2	10	690	0.57	0.33	0.13	0.58	14.65	6.2	38
CC126372		0.14	0.002	0.82	1.43	8.2	<0.2	<10	1230	0.65	0.23	1.41	0.53	13.85	9.7	22
CC126373		0.14	0.002	0.66	1.26	6.5	<0.2	<10	940	0.49	0.24	0.89	0.23	12.35	10.9	23
CC126374		0.20	0.001	0.44	1.22	9.1	<0.2	<10	810	0.41	0.24	1.16	0.27	9.33	9.3	24
CC126375		0.20	0.006	1.91	1.14	7.2	<0.2	<10	1000	0.53	0.23	1.76	0.41	8.87	7.8	18
CC126376		0.16	0.006	4.62	1.77	8.4	<0.2	<10	1140	0.78	0.27	1.12	0.40	12.05	8.7	25
CC126377		0.14	0.003	0.15	1.39	13.0	<0.2	<10	230	0.36	0.30	0.25	0.32	5.20	12.2	29
CC126378		0.10	0.010	2.77	1.53	14.5	<0.2	<10	660	0.48	0.34	0.74	0.54	12.70	31.0	23
CC126379		0.12	0.003	0.51	1.81	15.7	<0.2	<10	420	0.62	0.29	0.40	0.51	9.87	20.0	29

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 6- JUL- 2011
Account: RCM

Project: Rackla - PYRAMID

CERTIFICATE OF ANALYSIS WH11107306

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
CC126151		1.55	14.4	3.22	6.11	0.05	0.02	0.06	0.034	0.08	4.1	23.4	0.47	98	1.47	0.01
CC126152		1.72	21.2	2.93	5.84	<0.05	0.02	0.06	0.031	0.09	3.3	18.8	0.35	482	1.15	0.01
CC126153		1.64	46.5	0.99	4.15	<0.05	0.03	0.19	0.034	0.07	4.5	5.1	0.05	25	0.83	0.01
CC126154		1.42	51.0	3.89	7.41	0.07	0.06	0.09	0.053	0.12	7.7	24.7	0.44	509	1.47	0.01
CC126155		11.60	22.8	3.47	5.73	0.06	0.05	0.79	0.034	0.06	8.5	21.5	0.59	440	1.20	0.01
CC126156		2.93	15.7	2.81	5.06	0.06	0.05	2.78	0.035	0.06	10.9	12.9	2.06	641	1.35	0.01
CC126157		1.36	10.1	3.21	7.17	0.05	0.02	0.31	0.026	0.04	9.1	19.7	0.37	281	1.23	0.01
CC126158		1.76	14.4	3.65	7.57	0.06	0.02	0.80	0.032	0.05	8.6	17.6	0.29	396	1.73	0.01
CC126159		4.52	24.6	4.42	6.42	0.07	0.07	0.27	0.059	0.05	7.8	34.1	0.46	380	1.60	0.01
CC126160		1.91	15.7	3.42	6.73	0.06	0.04	0.37	0.031	0.05	10.7	19.5	0.40	281	1.55	0.01
CC126161		1.41	17.5	3.11	6.30	0.06	0.04	0.34	0.032	0.05	7.9	15.5	0.33	958	1.43	0.01
CC126162		1.97	21.0	3.07	6.57	0.06	0.04	0.25	0.034	0.05	9.1	14.9	0.28	308	2.70	0.01
CC126163		0.95	20.0	3.01	4.97	0.05	0.04	0.10	0.034	0.06	6.0	16.7	0.37	317	1.25	0.01
CC126164		2.19	16.9	0.84	1.32	<0.05	0.06	0.12	0.020	0.05	2.8	0.7	0.03	101	1.89	0.01
CC126165		0.78	26.5	2.45	1.92	0.07	0.04	0.26	0.031	0.08	6.6	3.1	0.10	250	7.86	0.01
CC126166		0.81	19.8	2.50	2.47	0.06	0.04	0.21	0.030	0.08	6.0	4.7	0.09	177	6.98	0.01
CC126167		1.16	21.9	2.53	2.64	0.06	0.05	0.22	0.033	0.09	6.9	5.4	0.11	244	6.49	0.01
CC126168		1.42	34.1	3.01	3.96	0.07	0.05	0.33	0.038	0.09	6.5	16.5	0.28	466	4.83	0.01
CC126169		1.22	22.6	2.67	3.51	0.06	0.05	0.14	0.034	0.08	5.8	15.6	0.27	498	4.50	0.01
CC126170		1.04	26.2	3.02	3.16	0.07	0.05	0.17	0.035	0.08	6.9	10.8	0.21	564	6.53	0.01
CC126171		1.43	21.1	3.12	4.21	0.06	0.04	0.18	0.038	0.08	5.6	13.8	0.25	359	4.05	0.01
CC126172		1.49	38.0	3.04	3.82	0.06	0.06	0.14	0.040	0.09	5.9	16.1	0.27	2210	2.80	0.01
CC126173		2.03	22.4	3.19	5.22	0.05	0.02	0.02	0.030	0.16	6.1	11.8	0.24	420	0.60	0.01
CC126174		1.56	12.4	3.36	4.68	0.05	0.03	0.03	0.030	0.09	7.4	12.6	0.21	423	0.68	0.01
CC126175		1.12	15.9	5.73	6.57	0.10	0.09	0.96	0.040	0.06	20.4	14.8	0.56	2140	1.14	0.01
CC126176		1.58	11.6	3.53	7.23	0.07	0.08	0.04	0.038	0.06	15.2	16.5	0.56	330	1.47	0.01
CC126177		0.94	20.8	3.85	4.88	0.08	0.06	0.26	0.036	0.09	13.0	15.6	0.50	717	0.67	0.01
CC126178		0.74	18.8	5.11	2.72	0.09	0.08	0.52	0.031	0.07	12.8	7.9	1.43	1860	0.63	0.01
CC126179		1.28	20.2	4.19	2.40	0.08	0.09	0.65	0.030	0.08	9.4	8.6	0.92	1120	0.70	0.01
CC126180		0.84	28.3	3.31	2.97	0.07	0.09	0.19	0.032	0.08	7.0	13.1	0.54	704	0.62	0.01
CC126370		6.19	23.6	1.49	2.54	0.06	0.09	0.44	0.031	0.07	4.8	10.9	0.23	88	0.61	0.01
CC126371		4.55	20.4	3.06	6.42	0.08	0.08	0.40	0.041	0.06	13.2	9.5	0.15	351	1.98	0.01
CC126372		2.07	17.5	2.26	3.63	0.06	0.09	0.17	0.030	0.04	12.3	7.6	0.29	442	0.86	0.01
CC126373		1.91	16.6	2.15	3.94	0.06	0.09	0.20	0.032	0.07	7.8	12.4	0.34	499	0.68	0.01
CC126374		1.19	21.0	2.53	3.65	0.05	0.07	0.09	0.030	0.06	5.0	14.8	0.46	383	1.24	0.01
CC126375		3.68	40.4	2.18	3.21	0.06	0.10	0.27	0.036	0.09	5.6	8.0	0.33	326	1.36	0.01
CC126376		6.39	64.8	2.82	4.52	0.08	0.13	0.54	0.047	0.11	8.7	20.1	0.42	282	2.12	0.02
CC126377		1.59	25.9	3.38	4.75	0.05	0.04	0.05	0.039	0.09	2.6	26.8	0.46	326	1.51	0.01
CC126378		2.73	41.8	6.12	3.69	0.13	0.09	0.56	0.050	0.08	5.6	16.9	0.27	1780	3.47	0.02
CC126379		1.63	28.0	6.08	4.73	0.08	0.06	0.19	0.051	0.09	4.3	28.9	0.54	1560	1.91	0.02

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 6- JUL- 2011
Account: RCM

Project: Rackla - PYRAMID

CERTIFICATE OF ANALYSIS WH11107306

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
CC126151		0.18	26.4	560	16.1	12.3	<0.001	0.02	0.38	3.5	0.6	0.6	10.4	<0.01	0.04	2.5
CC126152		0.19	24.3	810	15.4	14.0	<0.001	0.07	0.40	4.1	0.6	0.6	19.5	<0.01	0.05	1.6
CC126153		0.15	19.3	1090	16.0	10.1	<0.001	0.32	0.20	5.1	1.3	0.4	13.1	<0.01	0.02	1.1
CC126154		0.22	40.2	910	24.0	16.6	<0.001	0.03	0.42	6.1	1.0	0.7	23.0	<0.01	0.06	2.2
CC126155		0.53	33.8	540	34.8	13.5	<0.001	0.03	0.73	4.1	0.7	0.5	18.8	<0.01	0.05	2.1
CC126156		0.71	23.6	700	121.0	11.3	<0.001	0.06	2.88	3.5	0.8	0.5	36.9	<0.01	0.04	1.3
CC126157		0.69	16.1	190	38.0	12.5	<0.001	0.01	0.73	2.4	0.3	0.7	9.1	<0.01	0.04	2.5
CC126158		0.73	23.5	300	83.4	14.0	<0.001	0.01	1.97	2.8	0.5	0.8	8.0	<0.01	0.05	2.8
CC126159		0.63	42.5	500	28.6	18.6	<0.001	0.02	0.69	4.9	1.0	0.6	11.1	0.01	0.07	4.7
CC126160		0.92	22.2	430	39.8	13.9	<0.001	0.01	1.14	3.0	0.8	0.7	10.9	<0.01	0.05	3.9
CC126161		0.40	21.6	530	52.7	12.7	<0.001	0.04	0.69	3.3	0.7	0.5	21.2	<0.01	0.06	1.4
CC126162		0.57	34.2	740	29.4	11.1	<0.001	0.04	0.61	3.7	1.2	0.7	31.7	<0.01	0.06	1.8
CC126163		0.42	26.3	780	15.7	9.6	<0.001	0.05	0.49	3.5	1.1	0.5	21.2	<0.01	0.06	2.0
CC126164		0.12	12.5	980	7.4	6.5	0.005	0.14	0.78	1.4	4.3	0.3	47.4	<0.01	0.09	0.5
CC126165		0.17	37.8	1160	15.6	7.5	0.008	0.08	1.72	3.4	2.8	0.4	39.5	<0.01	0.06	2.7
CC126166		0.15	25.0	1010	13.3	7.4	0.002	0.04	1.11	3.5	1.7	0.5	27.9	<0.01	0.04	3.5
CC126167		0.20	25.5	1070	17.8	10.8	0.005	0.06	1.56	3.3	2.6	0.5	31.6	<0.01	0.05	2.6
CC126168		0.18	39.0	980	18.9	11.2	0.004	0.05	1.28	5.2	2.2	0.5	30.7	<0.01	0.05	3.4
CC126169		0.15	32.9	990	15.3	10.2	0.004	0.04	1.09	4.1	1.7	0.5	29.5	<0.01	0.04	3.3
CC126170		0.18	30.7	1000	17.1	8.8	0.004	0.05	1.43	4.6	2.4	0.5	28.7	<0.01	0.06	3.1
CC126171		0.22	23.3	770	21.7	11.5	0.003	0.05	0.93	4.4	1.7	0.5	21.4	<0.01	0.05	3.3
CC126172		0.21	39.4	780	20.1	13.6	0.008	0.05	0.89	5.3	1.5	0.6	27.3	<0.01	0.05	3.3
CC126173		0.52	14.6	180	15.4	18.9	<0.001	0.01	0.27	3.6	0.3	0.9	15.7	<0.01	0.04	3.6
CC126174		0.51	13.6	190	15.3	17.1	<0.001	0.01	0.32	2.9	0.3	0.6	13.8	<0.01	0.04	3.9
CC126175		0.61	23.9	720	52.8	11.1	<0.001	0.04	0.48	6.0	1.0	0.7	19.8	0.01	0.07	3.1
CC126176		1.18	26.3	250	16.9	13.6	<0.001	0.01	0.66	4.3	0.5	0.8	15.2	<0.01	0.04	5.8
CC126177		0.53	23.0	680	28.4	10.7	<0.001	0.04	0.38	4.4	0.9	0.6	24.4	<0.01	0.05	2.3
CC126178		0.30	18.6	880	51.2	6.3	<0.001	0.05	0.29	3.8	0.8	0.4	25.4	0.01	0.06	2.0
CC126179		0.32	20.9	520	52.6	7.2	<0.001	0.04	0.34	4.1	1.1	0.4	47.0	0.01	0.04	2.5
CC126180		0.31	21.6	570	24.4	8.1	<0.001	0.04	0.31	4.2	0.9	0.4	22.9	<0.01	0.05	2.2
CC126370		0.29	18.5	860	11.6	16.2	0.008	0.07	0.54	3.3	4.6	0.4	38.0	0.01	0.05	0.9
CC126371		0.65	25.6	1050	20.6	9.0	0.001	0.04	0.62	4.9	2.9	0.8	10.6	0.01	0.07	1.8
CC126372		0.63	19.1	1620	12.8	8.3	<0.001	0.10	0.40	3.9	1.7	0.4	32.6	0.01	0.06	0.9
CC126373		0.50	25.8	1050	13.0	9.7	0.001	0.06	0.41	4.0	1.5	0.5	25.0	0.01	0.06	1.5
CC126374		0.41	25.8	860	11.2	8.7	0.001	0.04	0.57	3.6	1.4	0.4	26.2	<0.01	0.06	1.3
CC126375		0.41	24.2	1170	11.6	14.4	0.002	0.10	0.57	4.0	1.9	0.4	36.8	0.01	0.07	1.0
CC126376		0.48	44.9	1260	14.5	23.8	0.001	0.09	0.68	5.6	2.9	0.6	33.5	0.01	0.07	1.3
CC126377		0.24	32.0	630	14.4	11.2	0.001	0.02	0.45	3.2	1.0	0.5	16.9	<0.01	0.05	1.7
CC126378		0.27	33.5	1770	15.4	11.6	0.012	0.21	0.57	4.6	6.6	0.5	39.1	0.01	0.08	1.2
CC126379		0.17	36.4	1050	17.6	13.9	0.003	0.06	0.37	4.6	1.8	0.5	32.1	<0.01	0.06	2.1

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 6- JUL- 2011
Account: RCM

Project: Rackla - PYRAMID

CERTIFICATE OF ANALYSIS WH11107306

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
CC126151		<0.005	0.14	0.44	37	<0.05	3.22	76	0.9
CC126152		<0.005	0.16	0.45	37	0.05	4.36	75	0.6
CC126153		<0.005	0.19	0.73	17	<0.05	9.99	31	0.8
CC126154		<0.005	0.16	1.18	49	0.08	12.60	115	1.1
CC126155		0.010	0.30	1.06	42	0.19	6.20	128	1.4
CC126156		0.017	0.44	1.22	48	0.33	9.15	744	1.2
CC126157		0.016	0.23	0.34	59	0.21	1.97	128	0.7
CC126158		0.014	0.47	0.41	62	0.25	2.67	198	0.9
CC126159		0.007	0.32	0.68	51	0.17	4.85	137	2.6
CC126160		0.021	0.30	0.56	54	0.23	3.20	123	1.4
CC126161		0.007	0.45	2.26	53	0.20	8.17	133	1.1
CC126162		0.009	0.92	2.13	60	0.20	13.85	157	0.9
CC126163		0.006	0.16	2.02	42	0.12	6.22	91	1.1
CC126164		<0.005	0.15	4.32	31	0.05	8.82	34	2.0
CC126165		<0.005	0.30	2.04	78	0.06	11.10	201	1.5
CC126166		<0.005	0.22	1.58	53	0.07	8.44	146	1.3
CC126167		<0.005	0.29	2.09	67	0.06	10.70	144	1.3
CC126168		<0.005	0.26	2.04	57	0.05	11.90	162	1.6
CC126169		<0.005	0.20	1.47	51	<0.05	9.28	165	1.5
CC126170		<0.005	0.22	2.24	64	0.05	10.55	172	1.5
CC126171		<0.005	0.22	1.37	50	0.05	7.87	123	1.4
CC126172		<0.005	0.19	1.48	35	0.07	11.35	146	1.6
CC126173		0.010	0.12	0.61	31	0.16	5.59	70	0.5
CC126174		0.010	0.15	0.47	33	0.14	2.69	92	1.2
CC126175		0.014	0.24	1.93	54	0.19	16.30	1140	2.0
CC126176		0.038	0.18	0.99	68	0.33	5.22	127	3.2
CC126177		0.010	0.41	1.17	35	0.14	11.00	325	1.6
CC126178		0.005	0.44	1.66	23	0.08	12.55	297	1.8
CC126179		0.005	0.46	1.16	21	0.11	12.20	338	2.2
CC126180		0.005	0.16	1.05	23	0.06	10.60	199	2.5
CC126370		<0.005	0.17	3.47	26	0.05	13.75	66	2.4
CC126371		0.006	0.21	1.35	73	0.12	17.05	75	1.5
CC126372		0.010	0.14	1.52	40	0.10	26.2	41	1.9
CC126373		0.006	0.13	1.86	39	0.08	14.85	77	2.3
CC126374		0.006	0.10	1.21	37	0.08	7.34	92	1.9
CC126375		0.005	0.15	1.49	30	0.09	14.10	96	2.5
CC126376		<0.005	0.26	2.24	38	0.10	26.4	168	2.6
CC126377		<0.005	0.11	0.44	34	0.05	2.96	141	1.0
CC126378		<0.005	0.24	1.42	40	0.09	20.4	112	1.5
CC126379		<0.005	0.16	0.71	38	<0.05	10.85	157	1.0

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 6- JUL- 2011
Account: RCM

Project: Rackla - PYRAMID

CERTIFICATE OF ANALYSIS WH11107306

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- TL43 Au ppm 0.001	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1
CC126380		0.14	0.002	0.02	1.80	15.9	<0.2	<10	100	0.42	0.28	0.12	0.10	10.55	9.1	27
CC126381		0.18	0.002	0.08	1.65	13.4	<0.2	<10	100	0.36	0.28	0.12	0.12	6.30	8.6	28
CC126382		0.18	0.002	0.09	1.81	11.9	<0.2	<10	190	0.61	0.27	0.25	0.15	9.21	12.2	29
CC126383		0.08	<0.001	0.07	1.51	13.0	<0.2	<10	180	0.45	0.22	0.50	0.26	7.47	10.6	24
CC126384		0.20	0.001	0.12	1.49	37.6	<0.2	<10	230	0.65	0.28	0.85	0.41	12.75	18.1	25
CC126385		0.20	0.001	0.16	1.58	574	<0.2	<10	260	0.74	0.26	1.13	0.66	11.15	12.6	25
CC126386		0.20	0.003	0.62	1.60	243	<0.2	<10	290	0.78	0.28	0.96	1.21	12.90	12.8	25
CC126387		0.16	0.004	0.32	1.45	164.5	<0.2	<10	390	0.77	0.24	1.27	0.78	9.14	11.1	21
CC126388		0.14	0.004	0.20	1.63	81.6	<0.2	<10	310	0.65	0.25	1.32	0.58	7.59	9.5	26
CC126389		0.12	0.004	0.17	1.45	71.5	<0.2	<10	280	0.64	0.21	1.12	0.45	8.56	13.6	22
CC126390		0.12	0.003	0.13	1.33	46.2	<0.2	<10	230	0.66	0.23	0.97	0.49	7.79	11.8	21
CC126391		0.14	0.002	0.14	1.23	51.4	<0.2	<10	270	0.75	0.27	0.72	0.33	10.20	13.5	20
CC126392		0.14	0.002	0.19	1.18	25.8	<0.2	<10	200	0.58	0.33	0.30	0.33	11.20	14.7	21
CC126393		0.12	0.002	0.03	1.27	7.6	<0.2	<10	280	0.86	0.33	0.56	0.17	15.10	14.3	18
CC126394		0.14	0.003	0.20	0.85	35.0	<0.2	<10	260	0.56	0.23	1.15	1.42	14.30	12.0	19
CC126395		0.18	0.003	0.20	1.01	43.3	<0.2	<10	300	0.63	0.26	1.16	0.94	10.80	15.3	18
CC126396		0.30	0.002	0.12	0.31	62	<0.2	<10	140	0.26	0.13	12.50	0.48	15.70	6.4	7
CC126397		0.20	0.003	0.14	2.05	168.5	<0.2	<10	2590	0.72	0.31	0.46	1.17	26.4	10.7	33
CC126398		0.14	0.001	0.04	1.82	39.5	<0.2	<10	710	0.56	0.31	0.14	0.35	20.2	8.5	26
CC126399		0.22	0.002	0.06	1.87	13.4	<0.2	<10	950	0.68	0.34	0.69	0.31	27.4	9.4	25
CC126400		0.08	0.003	0.05	0.90	11.3	<0.2	<10	230	0.30	0.26	0.33	0.40	14.55	5.7	13
CC126421		0.12	0.013	0.96	0.99	22.3	<0.2	<10	380	0.27	0.32	0.10	0.33	14.95	5.0	24
CC126422		0.12	0.006	0.41	1.03	16.0	<0.2	<10	360	0.28	0.33	0.08	0.39	10.45	6.9	25
CC126423		0.20	0.003	0.58	1.31	11.3	<0.2	<10	570	0.50	0.31	0.13	0.17	9.57	5.0	26
CC126424		0.18	0.004	1.18	1.45	15.9	<0.2	10	1940	0.54	0.35	0.43	0.61	9.34	13.6	28
CC126425		0.10	0.003	0.26	1.16	11.3	<0.2	<10	180	0.34	0.17	0.20	0.15	13.85	6.9	23
CC126426		0.22	0.001	0.18	0.95	14.2	<0.2	<10	130	0.26	0.26	0.12	0.20	9.66	5.8	22
CC126427		0.24	0.002	0.69	1.37	15.0	<0.2	<10	790	0.72	0.25	1.11	0.44	12.55	11.9	26
CC126428		0.24	0.002	1.67	1.60	13.9	<0.2	10	1350	0.77	0.26	1.24	0.42	8.78	9.5	33
CC126429		0.34	0.002	0.41	1.66	15.4	<0.2	<10	570	0.86	0.29	0.80	0.65	13.15	12.3	31
CC126430		0.10	<0.001	0.12	1.47	13.6	<0.2	<10	230	0.93	0.30	0.19	0.47	9.40	23.0	26

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 6- JUL- 2011
Account: RCM

Project: Rackla - PYRAMID

CERTIFICATE OF ANALYSIS WH11107306

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
CC126380		1.13	14.2	3.99	6.02	0.06	0.03	0.02	0.035	0.07	5.2	26.8	0.52	272	1.13	0.01
CC126381		1.04	19.2	3.84	5.54	0.05	0.03	0.03	0.034	0.08	3.1	27.1	0.56	235	1.03	0.01
CC126382		0.98	24.2	3.82	5.78	0.06	0.04	0.06	0.041	0.08	4.4	31.2	0.62	401	1.03	0.01
CC126383		1.00	20.9	3.19	4.74	0.05	0.03	0.19	0.032	0.08	3.6	23.6	0.48	412	0.84	0.01
CC126384		1.80	36.1	4.04	4.64	0.07	0.08	0.38	0.039	0.09	5.5	26.3	0.73	948	1.11	0.01
CC126385		1.26	28.8	3.45	4.68	0.06	0.08	0.64	0.038	0.09	5.2	28.3	0.59	375	0.78	0.01
CC126386		1.79	31.7	3.45	4.74	0.07	0.08	1.99	0.040	0.09	6.3	24.9	0.55	472	0.93	0.01
CC126387		1.59	29.5	3.13	4.33	0.06	0.08	0.74	0.034	0.08	4.4	19.5	0.42	519	0.92	0.01
CC126388		1.26	23.7	3.49	4.68	0.06	0.07	0.45	0.036	0.09	3.6	25.3	0.55	431	0.81	0.02
CC126389		0.77	16.3	2.99	4.47	0.05	0.05	0.30	0.033	0.07	3.4	23.5	0.51	726	0.60	0.01
CC126390		1.05	20.2	3.37	4.17	0.06	0.07	0.27	0.037	0.10	3.3	23.1	0.46	414	0.66	0.01
CC126391		0.94	24.3	3.65	3.85	0.06	0.07	0.24	0.039	0.09	4.6	17.3	0.35	792	1.30	0.01
CC126392		1.15	37.6	3.98	3.80	0.06	0.03	0.32	0.048	0.08	5.2	20.6	0.29	489	1.64	0.01
CC126393		2.59	19.9	3.28	5.03	0.08	0.04	0.05	0.045	0.15	8.4	16.9	0.23	553	1.61	0.01
CC126394		0.75	32.3	3.28	3.00	0.07	0.08	0.16	0.037	0.07	6.0	11.9	0.30	774	2.88	0.01
CC126395		1.10	28.5	3.61	3.04	0.07	0.07	0.27	0.036	0.08	5.0	13.5	0.31	1020	1.85	0.01
CC126396		1.13	10.8	3.16	1.08	0.07	0.05	0.86	0.013	0.06	10.2	2.2	7.51	1020	0.36	0.02
CC126397		1.07	19.9	4.98	5.74	0.09	0.10	1.48	0.050	0.06	15.5	14.9	0.51	1970	1.04	0.02
CC126398		1.70	10.1	5.19	6.42	0.07	0.04	0.24	0.036	0.04	10.0	13.5	0.21	1320	1.35	0.01
CC126399		1.39	12.3	3.39	7.00	0.07	0.04	0.14	0.039	0.04	14.8	11.8	0.31	962	0.97	0.01
CC126400		1.04	12.3	2.21	4.03	<0.05	0.02	0.07	0.023	0.05	6.9	6.6	0.16	341	0.91	0.01
CC126421		3.07	21.9	2.48	4.22	0.05	0.02	0.13	0.033	0.09	8.3	11.6	0.25	129	3.19	0.01
CC126422		4.39	21.3	2.47	4.50	0.05	<0.02	0.08	0.030	0.09	5.8	9.7	0.22	281	2.80	0.01
CC126423		3.48	25.2	2.69	4.37	0.05	0.03	0.16	0.042	0.10	4.7	23.2	0.30	112	2.78	0.01
CC126424		2.46	28.9	2.88	5.34	0.06	0.04	0.34	0.040	0.13	4.5	15.5	0.25	815	4.03	0.02
CC126425		0.90	16.0	2.58	4.25	0.05	0.03	0.10	0.023	0.05	6.8	18.9	0.38	187	1.18	0.01
CC126426		1.22	25.4	2.66	4.94	0.05	<0.02	0.03	0.026	0.07	4.9	11.3	0.22	139	1.71	0.01
CC126427		1.47	41.1	3.26	3.98	0.07	0.08	0.21	0.036	0.09	6.5	25.0	0.48	623	1.54	0.01
CC126428		2.19	46.6	3.03	4.22	0.07	0.12	0.47	0.043	0.11	5.6	30.2	0.41	378	2.14	0.01
CC126429		1.20	34.7	3.76	4.97	0.07	0.08	0.17	0.042	0.10	6.3	31.3	0.49	1060	1.57	0.01
CC126430		1.18	32.7	3.88	4.65	0.10	0.03	0.05	0.046	0.12	3.1	33.2	0.39	818	1.74	<0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 6- JUL- 2011
Account: RCM

Project: Rackla - PYRAMID

CERTIFICATE OF ANALYSIS WH11107306

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
CC126380		0.36	24.9	440	14.4	13.0	<0.001	<0.01	0.32	2.9	0.5	0.6	9.7	<0.01	0.04	2.3
CC126381		0.19	29.1	470	12.9	10.2	<0.001	<0.01	0.32	3.4	0.4	0.5	11.4	<0.01	0.04	2.1
CC126382		0.23	33.6	720	12.5	9.7	<0.001	<0.01	0.31	4.4	0.6	0.5	16.3	<0.01	0.04	2.7
CC126383		0.24	29.0	680	10.2	10.3	<0.001	0.03	0.29	3.9	0.6	0.4	23.1	<0.01	0.05	1.9
CC126384		0.21	42.6	740	23.1	9.4	0.001	<0.01	0.49	5.4	0.8	0.4	27.9	<0.01	0.06	3.1
CC126385		0.28	35.2	700	27.1	10.3	0.002	0.04	0.79	5.1	1.1	0.4	36.2	<0.01	0.06	2.3
CC126386		0.34	33.7	670	78.7	10.9	<0.001	0.03	1.24	5.0	1.0	0.5	28.9	<0.01	0.06	2.3
CC126387		0.31	30.2	810	59.2	12.0	0.001	0.10	1.03	3.8	1.1	0.5	34.9	<0.01	0.05	1.5
CC126388		0.31	29.6	780	43.1	11.2	0.001	0.07	0.61	3.9	0.9	0.5	32.4	<0.01	0.05	2.1
CC126389		0.28	29.6	470	39.4	8.4	0.001	0.07	0.42	3.8	0.7	0.4	28.2	<0.01	0.04	2.1
CC126390		0.22	33.8	670	34.7	10.3	0.001	0.05	0.41	4.3	0.8	0.4	33.1	<0.01	0.04	2.6
CC126391		0.22	33.1	740	30.4	10.4	<0.001	0.02	0.41	5.0	0.9	0.4	27.7	<0.01	0.05	2.9
CC126392		0.35	34.1	430	22.0	10.3	0.001	<0.01	0.57	3.9	1.0	0.5	17.5	<0.01	0.07	2.5
CC126393		0.29	24.7	410	29.4	16.6	0.002	<0.01	0.20	6.2	0.8	0.8	29.5	<0.01	0.07	4.4
CC126394		0.22	32.8	750	21.6	7.7	0.005	0.03	0.78	4.5	1.4	0.4	37.7	<0.01	0.05	2.7
CC126395		0.22	32.5	690	29.6	10.7	0.020	0.06	0.63	4.7	1.7	0.4	38.2	<0.01	0.06	2.4
CC126396		0.21	12.4	510	60.0	3.8	<0.001	<0.01	0.23	2.6	0.5	0.3	60.2	<0.01	0.03	2.9
CC126397		0.55	22.0	560	84.0	11.4	<0.001	0.01	0.44	6.2	0.8	0.8	49.0	0.01	0.08	3.5
CC126398		0.83	12.5	390	52.9	13.4	<0.001	<0.01	0.35	3.2	0.4	0.8	22.0	<0.01	0.07	3.5
CC126399		1.00	13.3	530	29.2	9.3	<0.001	<0.01	0.34	3.5	0.6	0.8	19.0	0.01	0.05	2.2
CC126400		0.50	11.2	440	17.3	8.8	<0.001	<0.01	0.26	2.1	0.4	0.5	12.4	<0.01	0.04	1.6
CC126421		0.69	18.9	1080	18.7	13.5	0.001	0.10	0.78	2.3	2.1	0.6	55.0	<0.01	0.08	0.9
CC126422		0.48	20.2	850	16.4	19.1	0.001	0.04	0.65	1.6	1.2	0.7	23.9	<0.01	0.06	0.5
CC126423		0.26	20.7	820	21.1	15.4	<0.001	0.17	0.46	3.7	1.3	0.6	39.2	<0.01	0.06	1.5
CC126424		0.26	24.4	970	20.4	16.2	0.001	0.10	0.73	4.9	2.2	0.8	58.8	<0.01	0.08	1.6
CC126425		0.35	19.3	620	10.1	7.2	0.001	0.02	0.46	2.7	0.9	0.4	17.0	<0.01	0.04	2.2
CC126426		0.25	21.0	390	10.7	12.8	0.001	0.02	0.54	3.1	0.8	0.5	12.3	<0.01	0.06	1.7
CC126427		0.24	43.0	830	16.1	10.6	0.005	0.07	0.61	5.5	3.4	0.4	58.3	<0.01	0.06	2.3
CC126428		0.21	48.4	970	14.1	16.2	0.008	0.09	0.64	6.1	4.2	0.5	68.3	<0.01	0.07	1.6
CC126429		0.23	45.9	840	15.8	12.6	0.002	0.05	0.57	6.2	1.4	0.5	46.9	<0.01	0.06	2.6
CC126430		0.11	40.5	860	19.3	9.8	0.001	0.14	0.47	4.7	0.4	0.5	44.3	<0.01	0.06	1.8

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 6- JUL- 2011
Account: RCM

Project: Rackla - PYRAMID

CERTIFICATE OF ANALYSIS WH11107306

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
CC126380		0.005	0.13	0.35	40	0.10	3.58	83	0.9
CC126381		<0.005	0.11	0.29	33	<0.05	3.09	89	0.8
CC126382		<0.005	0.12	0.48	35	<0.05	5.99	104	0.9
CC126383		<0.005	0.10	0.43	31	<0.05	5.36	96	0.7
CC126384		<0.005	0.20	0.55	33	0.06	9.05	123	2.1
CC126385		<0.005	0.48	1.48	33	0.07	8.96	292	2.1
CC126386		<0.005	21.9	1.67	36	0.14	10.10	400	1.9
CC126387		<0.005	3.31	1.42	30	0.06	8.87	178	2.0
CC126388		<0.005	0.83	0.89	31	0.05	6.90	161	1.7
CC126389		<0.005	0.36	0.59	28	<0.05	6.89	105	1.5
CC126390		<0.005	0.26	0.57	27	<0.05	7.70	135	1.9
CC126391		<0.005	0.31	0.84	28	0.05	10.65	127	1.8
CC126392		0.005	0.15	0.61	44	0.08	5.79	139	0.8
CC126393		<0.005	0.14	1.34	24	<0.05	10.10	85	1.0
CC126394		<0.005	0.22	1.19	59	0.05	9.74	169	2.5
CC126395		<0.005	0.33	1.21	42	0.05	11.20	133	1.8
CC126396		<0.005	0.63	0.81	10	0.06	8.91	380	1.4
CC126397		0.008	0.51	1.45	51	0.15	11.40	546	2.3
CC126398		0.010	0.49	1.04	56	0.18	4.59	265	1.3
CC126399		0.020	0.21	1.78	63	0.26	7.88	131	0.7
CC126400		0.010	0.17	0.72	32	0.13	3.75	87	0.5
CC126421		0.014	0.20	1.14	42	0.20	5.16	67	0.5
CC126422		0.010	0.17	0.74	46	0.12	3.21	88	<0.5
CC126423		0.005	0.23	1.15	34	0.08	5.51	73	0.8
CC126424		<0.005	0.25	1.29	47	0.11	7.44	95	1.0
CC126425		0.008	0.08	0.67	38	0.10	3.97	75	0.9
CC126426		<0.005	0.13	0.35	43	0.11	2.73	84	0.5
CC126427		<0.005	0.13	1.69	35	0.07	10.90	129	2.6
CC126428		<0.005	0.17	2.77	39	0.06	16.90	154	3.4
CC126429		<0.005	0.14	1.21	41	0.07	10.90	167	2.4
CC126430		<0.005	0.12	0.62	33	<0.05	5.38	145	0.9

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: Rackla - PYRAMID

Finalized Date: 6- JUL- 2011
Account: RCM

CERTIFICATE OF ANALYSIS WH11107306

Method	CERTIFICATE COMMENTS
ALL METHODS	NSS is non- sufficient sample.
ME- MS41	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown.
ME- MS41	Gold determinations by this method are semi- quantitative due to the small sample weight used (0.5g).

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 7- JUL- 2011
Account: RCM

CERTIFICATE WH11107307

Project: Rackla - PYRAMID

P.O. No.:

This report is for 199 Soil samples submitted to our lab in Whitehorse, YT, Canada on 14- JUN- 2011.

The following have access to data associated with this certificate:

ROB CARNE JULIA LANE	ANDREW CARNE JOAN MARIACHER	MATT DUMALA

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
SCR- 41	Screen to - 180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- TL43	Trace Level Au - 25g AR	ICP- MS
ME- MS41	51 anal. aqua regia ICPMS	

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 7- JUL- 2011
Account: RCM

Project: Rackla - PYRAMID

CERTIFICATE OF ANALYSIS WH11107307

Sample Description	Method	WEI- 21	Au- TL43	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Recvd Wt.	Au	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
CC125025		0.20	0.001	0.31	2.27	8.9	<0.2	<10	600	1.17	0.22	1.61	0.21	12.65	5.9	33
CC125026		0.38	0.002	0.25	1.89	9.7	<0.2	<10	500	1.05	0.27	0.48	0.28	12.80	14.6	34
CC125027		0.24	0.002	0.27	2.46	9.8	<0.2	<10	540	1.26	0.29	0.57	0.09	7.36	8.5	31
CC125028		0.26	0.001	0.02	2.17	12.1	<0.2	<10	150	1.52	0.36	0.07	0.12	8.19	21.8	34
CC125029		0.18	0.001	0.20	2.30	83.8	<0.2	<10	540	1.18	0.33	0.41	0.34	14.45	13.7	35
CC125030		0.24	0.001	0.15	2.01	52.9	<0.2	<10	190	0.70	0.27	0.14	0.32	20.4	11.1	29
CC125031		0.16	0.001	0.13	1.62	61.1	<0.2	<10	120	0.47	0.28	0.06	0.25	23.6	5.7	23
CC125032		0.12	0.001	0.30	1.03	14.7	<0.2	<10	160	0.25	0.22	0.10	0.14	14.35	2.2	21
CC125033		0.20	0.001	0.69	1.13	20.5	<0.2	<10	90	0.29	0.30	0.05	0.19	18.45	5.6	30
CC125034		0.34	0.001	0.50	0.48	39.7	<0.2	10	440	0.35	0.25	0.31	0.31	2.74	6.5	11
CC125035		0.26	0.002	0.73	1.42	229	<0.2	<10	730	0.74	0.23	0.85	1.29	17.10	10.7	29
CC125036		0.20	0.001	0.81	1.41	199.0	<0.2	<10	320	0.77	0.21	1.50	1.35	14.75	7.1	30
CC125037		0.20	0.001	0.57	1.49	186.0	<0.2	<10	300	0.97	0.22	1.98	1.78	19.50	9.4	35
CC125038		0.18	0.001	0.49	1.24	114.0	<0.2	<10	460	0.61	0.17	2.39	1.25	10.70	7.0	26
CC125039		0.12	0.002	0.81	0.91	106.0	<0.2	<10	670	0.71	0.18	2.42	1.28	10.95	8.1	23
CC125040		0.06	0.003	0.89	0.84	106.0	<0.2	<10	820	0.61	0.18	1.43	0.53	9.06	9.2	20
CC125041		0.22	0.002	1.44	1.31	31.1	<0.2	<10	740	0.95	0.27	0.83	0.79	17.90	12.0	30
CC125042		0.16	0.002	1.28	1.43	19.5	<0.2	10	1250	0.72	0.32	0.92	0.23	12.90	7.8	37
CC125043		0.12	<0.001	0.04	0.62	5.5	<0.2	<10	70	0.10	0.28	0.03	0.15	25.1	1.7	14
CC125044		0.14	0.003	0.16	1.09	10.2	<0.2	<10	130	0.40	0.19	0.11	0.17	12.25	5.9	26
CC125045		0.16	0.005	0.63	1.08	13.3	<0.2	<10	730	0.41	0.27	0.69	0.30	8.07	6.6	25
CC125046		0.12	0.003	0.34	1.67	13.2	<0.2	<10	860	0.86	0.24	0.63	0.45	10.45	14.3	32
CC125047		0.22	0.001	0.20	1.82	11.5	<0.2	<10	340	0.78	0.23	0.54	0.15	11.95	20.7	31
CC125048		0.10	0.006	0.11	1.48	9.2	<0.2	<10	170	0.44	0.23	0.14	0.08	7.71	6.6	28
CC125049		0.18	<0.001	0.11	1.72	10.8	<0.2	<10	150	0.51	0.25	0.05	0.10	7.06	9.5	32
CC125050		0.18	<0.001	0.05	1.34	18.3	<0.2	<10	160	0.38	0.24	0.09	0.13	12.30	9.4	26
CC125051		0.18	0.001	0.06	1.99	11.7	<0.2	<10	240	0.70	0.27	0.52	0.12	8.43	11.2	33
CC125052		0.20	0.001	0.21	1.74	14.4	<0.2	<10	260	0.83	0.27	0.63	0.20	13.30	13.1	31
CC125053		0.08	0.002	0.23	1.49	21.8	<0.2	<10	270	0.88	0.22	0.62	0.74	15.15	15.7	27
CC125054		0.22	0.002	0.33	1.67	390	<0.2	<10	680	0.82	0.27	0.85	1.85	21.3	12.8	30
CC125055		0.24	0.001	0.27	1.71	308	<0.2	<10	450	0.44	0.28	0.73	1.75	17.75	9.8	29
CC125056		0.28	0.002	1.11	1.64	709	<0.2	<10	350	0.82	0.25	0.66	3.34	20.9	12.7	31
CC125057		0.24	0.006	1.96	0.83	234	<0.2	10	710	0.62	0.31	1.24	0.65	9.86	5.3	33
CC125058		0.18	0.004	2.47	2.20	665	<0.2	<10	1170	1.00	0.30	3.61	6.03	24.4	19.4	59
CC125059		0.20	0.001	0.79	1.80	181.0	<0.2	<10	270	0.50	0.28	0.04	0.48	17.20	9.0	31
CC125060		0.22	0.001	0.94	1.45	220	<0.2	<10	550	0.42	0.28	0.12	0.74	19.05	8.5	25
CC126001		0.10	0.001	0.74	0.72	19.2	<0.2	<10	400	0.46	0.19	0.71	0.49	9.01	5.8	34
CC126002		0.22	0.002	1.00	0.94	9.7	<0.2	<10	650	0.47	0.21	1.52	0.66	7.41	5.8	27
CC126003		0.14	0.002	0.95	1.06	9.1	<0.2	<10	640	0.54	0.21	1.25	0.53	8.41	6.4	32
CC126004		0.18	0.001	0.68	0.85	9.5	<0.2	<10	380	0.44	0.20	0.59	0.61	4.70	7.6	30

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 7- JUL- 2011
Account: RCM

Project: Rackla - PYRAMID

CERTIFICATE OF ANALYSIS WH11107307

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
CC125025		1.19	35.3	2.94	5.49	0.09	0.08	0.13	0.038	0.09	5.8	20.6	0.34	253	1.15	0.03
CC125026		1.27	35.7	3.79	5.27	0.09	0.08	0.12	0.043	0.09	5.6	39.2	0.63	234	1.21	0.02
CC125027		1.53	32.3	3.69	6.22	0.08	0.06	0.11	0.051	0.15	3.7	32.5	0.44	445	1.23	0.02
CC125028		2.18	40.2	4.57	6.20	0.08	0.02	0.02	0.051	0.09	3.1	48.2	0.71	362	1.08	0.02
CC125029		2.73	33.5	4.49	6.40	0.08	0.04	0.29	0.046	0.09	6.1	26.6	0.45	715	1.49	0.02
CC125030		1.84	19.6	4.17	6.04	0.08	0.04	0.45	0.042	0.05	8.4	29.8	0.36	393	1.48	0.01
CC125031		1.73	13.8	3.38	6.05	0.08	0.02	0.76	0.030	0.04	10.6	17.4	0.21	253	1.51	0.02
CC125032		3.29	11.5	1.47	4.83	0.08	<0.02	0.22	0.018	0.05	7.0	5.3	0.13	63	1.22	0.02
CC125033		8.18	16.5	4.18	5.27	0.09	<0.02	0.06	0.034	0.07	9.2	7.8	0.29	231	2.74	0.01
CC125034		9.32	27.2	3.30	1.26	0.07	0.06	0.32	0.034	0.12	1.4	1.9	0.06	99	1.41	0.01
CC125035		1.05	25.4	3.54	3.88	0.10	0.04	1.28	0.034	0.06	8.6	15.8	0.49	563	1.97	0.02
CC125036		1.51	14.6	2.44	3.96	0.10	0.03	1.18	0.030	0.05	10.5	9.8	0.27	466	1.85	0.02
CC125037		1.62	17.7	2.75	4.16	0.10	0.03	0.64	0.034	0.06	15.0	10.3	0.32	582	1.98	0.02
CC125038		1.43	13.3	2.06	3.57	0.09	0.03	0.48	0.032	0.05	6.9	9.8	0.23	359	0.86	0.02
CC125039		1.50	28.5	1.97	2.70	0.10	0.05	0.82	0.028	0.06	7.0	8.9	0.22	540	0.90	0.02
CC125040		1.24	27.2	2.49	2.53	0.09	0.04	1.20	0.031	0.07	4.3	6.9	0.17	365	3.20	0.02
CC125041		2.28	39.6	3.27	3.32	0.09	0.07	0.27	0.042	0.09	14.6	10.1	0.36	494	3.55	0.02
CC125042		2.73	28.0	2.79	4.45	0.09	0.10	0.23	0.045	0.09	7.1	16.5	0.43	204	2.94	0.02
CC125043		0.72	8.1	1.00	6.95	0.08	<0.02	0.01	0.010	0.03	12.7	1.3	0.04	74	1.79	0.01
CC125044		0.80	19.7	2.67	3.72	0.08	0.02	0.05	0.026	0.06	5.8	13.1	0.30	153	2.04	0.02
CC125045		1.25	27.5	3.03	3.89	0.07	0.05	0.17	0.039	0.09	4.2	14.3	0.29	226	2.60	0.01
CC125046		1.15	36.0	3.50	4.21	0.07	0.09	0.15	0.042	0.09	4.8	21.6	0.35	570	1.92	<0.01
CC125047		0.96	30.4	4.07	5.15	0.07	0.07	0.07	0.044	0.07	5.3	30.4	0.53	629	1.60	<0.01
CC125048		0.76	13.7	3.49	4.54	0.06	0.03	0.04	0.031	0.07	3.7	25.2	0.44	235	1.80	<0.01
CC125049		1.09	14.3	3.97	5.47	0.06	0.03	0.02	0.033	0.08	3.2	24.1	0.49	348	1.76	0.01
CC125050		1.04	20.9	3.50	5.14	0.06	0.02	0.02	0.030	0.06	5.7	17.6	0.32	416	1.88	<0.01
CC125051		0.84	25.3	4.09	5.93	0.07	0.07	0.06	0.042	0.09	3.7	33.0	0.66	347	1.19	0.01
CC125052		1.21	35.0	3.82	5.17	0.08	0.06	0.09	0.041	0.10	6.0	32.3	0.59	471	1.47	0.01
CC125053		2.21	35.4	3.22	4.40	0.08	0.07	0.18	0.034	0.11	6.3	29.2	0.54	1320	1.25	<0.01
CC125054		1.14	27.5	3.22	5.52	0.07	0.06	2.40	0.035	0.07	8.4	21.1	0.56	775	1.28	0.02
CC125055		1.51	16.1	3.17	7.01	0.07	0.03	1.76	0.031	0.06	8.6	20.1	0.52	420	1.35	<0.01
CC125056		1.97	30.2	3.80	5.18	0.08	0.07	3.76	0.039	0.06	9.4	18.6	0.61	641	1.70	<0.01
CC125057		21.5	27.0	2.00	3.48	0.10	0.09	2.15	0.039	0.12	6.0	7.1	0.15	221	5.00	<0.01
CC125058		6.27	39.1	7.00	4.39	0.20	0.18	0.80	0.066	0.10	27.1	7.8	0.19	1840	22.7	0.01
CC125059		2.94	19.6	3.99	4.90	0.07	0.03	1.29	0.033	0.06	8.6	17.9	0.37	392	2.11	<0.01
CC125060		2.75	18.7	3.67	4.65	0.07	0.05	1.76	0.035	0.06	8.9	20.7	0.31	254	6.58	<0.01
CC126001		1.51	29.9	2.50	1.81	0.07	0.09	0.18	0.032	0.06	5.5	11.0	0.20	113	3.09	<0.01
CC126002		1.69	27.6	2.68	2.42	0.06	0.12	0.27	0.035	0.08	4.6	14.4	0.26	123	2.25	<0.01
CC126003		1.73	32.6	2.80	2.62	0.07	0.11	0.26	0.035	0.08	5.3	16.1	0.27	134	2.27	<0.01
CC126004		2.36	31.9	2.83	2.05	0.06	0.08	0.17	0.033	0.08	2.5	16.5	0.28	138	1.91	<0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 7- JUL- 2011
Account: RCM

Project: Rackla - PYRAMID

CERTIFICATE OF ANALYSIS WH11107307

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
CC125025		0.33	28.0	1240	11.6	14.2	0.003	0.21	0.31	4.5	2.7	0.7	55.6	<0.01	0.05	1.1
CC125026		0.15	47.3	630	16.7	11.1	0.008	0.07	0.31	7.0	3.3	0.5	21.0	<0.01	0.06	3.1
CC125027		0.14	34.4	1050	13.5	20.1	0.001	0.07	0.36	6.9	0.9	0.7	24.5	<0.01	0.05	1.6
CC125028		0.09	56.0	550	22.0	12.6	<0.001	0.04	0.43	6.2	0.4	0.7	9.1	<0.01	0.05	3.6
CC125029		0.24	33.0	1250	38.5	16.5	<0.001	0.06	0.60	5.4	0.7	0.7	24.1	<0.01	0.04	1.4
CC125030		0.79	27.3	480	20.8	13.2	<0.001	0.02	0.58	3.6	0.6	0.7	10.7	<0.01	0.05	2.9
CC125031		0.85	15.1	320	31.9	11.6	<0.001	0.03	0.85	2.5	0.3	0.7	8.3	<0.01	0.05	2.9
CC125032		0.42	9.9	920	12.5	9.1	<0.001	0.06	0.44	0.5	0.5	0.7	10.6	<0.01	0.05	<0.2
CC125033		1.32	23.6	420	16.1	14.9	0.002	0.04	0.92	2.8	1.4	0.7	13.0	<0.01	0.04	2.5
CC125034		<0.05	38.1	90	22.1	13.9	0.001	0.02	0.96	4.1	1.2	0.5	13.5	<0.01	0.11	1.7
CC125035		0.26	38.1	460	94.3	6.1	<0.001	0.05	1.51	5.0	1.4	0.4	24.7	<0.01	0.06	1.8
CC125036		0.33	28.6	670	105.0	8.4	<0.001	0.05	1.10	3.6	1.6	0.5	28.6	<0.01	0.06	0.8
CC125037		0.42	42.2	1200	48.4	9.5	0.001	0.06	0.79	3.4	1.9	0.5	28.8	<0.01	0.06	0.6
CC125038		0.30	26.4	790	29.8	7.2	0.001	0.10	0.54	3.2	2.1	0.5	27.2	<0.01	0.08	0.7
CC125039		0.29	43.4	840	33.7	7.4	0.001	0.11	0.74	3.7	2.6	0.4	37.7	<0.01	0.08	1.0
CC125040		0.19	27.2	810	35.7	7.6	0.003	0.07	1.09	3.6	2.6	0.4	46.3	<0.01	0.09	1.1
CC125041		0.34	79.7	2260	18.1	9.6	0.001	0.07	1.04	5.9	2.7	0.7	83.9	<0.01	0.09	1.3
CC125042		0.41	38.2	1290	17.0	11.8	0.001	0.08	0.72	5.0	1.7	0.7	96.0	<0.01	0.09	1.7
CC125043		0.64	7.0	200	6.6	3.7	<0.001	0.02	0.53	0.8	0.3	1.0	5.8	<0.01	0.04	0.8
CC125044		0.34	26.6	740	10.5	7.0	0.001	0.04	0.54	2.0	1.2	0.4	14.5	<0.01	0.06	0.7
CC125045		0.23	33.5	800	17.7	10.2	0.002	0.14	0.77	3.6	1.5	0.5	38.9	<0.01	0.07	1.3
CC125046		0.19	39.6	900	15.5	10.5	0.002	0.06	0.68	5.0	1.9	0.5	29.5	<0.01	0.08	1.6
CC125047		0.29	41.8	640	15.7	10.8	0.001	0.03	0.54	5.5	1.1	0.5	27.8	<0.01	0.05	3.0
CC125048		0.17	22.5	560	12.9	9.0	<0.001	0.01	0.47	3.1	0.6	0.5	9.9	<0.01	0.05	1.9
CC125049		0.21	31.8	540	13.5	12.8	<0.001	0.07	0.53	3.8	0.7	0.5	12.2	<0.01	0.05	1.7
CC125050		0.29	23.7	410	13.4	10.9	<0.001	0.01	0.53	2.7	0.5	0.5	13.4	<0.01	0.05	1.7
CC125051		0.20	38.1	510	14.1	9.6	<0.001	0.04	0.46	5.1	0.5	0.5	40.1	<0.01	0.05	2.4
CC125052		0.23	45.9	620	15.1	12.7	<0.001	0.03	0.59	6.5	0.8	0.5	66.4	<0.01	0.06	2.6
CC125053		0.24	55.2	710	15.2	19.2	0.001	0.06	0.58	5.8	0.9	0.4	44.6	<0.01	0.05	2.4
CC125054		0.48	30.9	810	50.5	11.7	<0.001	0.04	1.18	4.1	1.0	0.5	24.9	<0.01	0.05	1.6
CC125055		0.87	23.4	400	50.6	9.9	<0.001	0.02	1.20	3.6	0.5	0.7	19.2	<0.01	0.05	2.0
CC125056		0.47	37.1	560	160.0	10.2	<0.001	0.03	2.38	4.9	0.9	0.5	21.9	<0.01	0.06	2.1
CC125057		0.17	39.5	690	84.9	18.0	0.015	0.11	2.35	4.0	8.7	0.8	64.1	<0.01	0.11	1.4
CC125058		0.32	187.0	3940	75.6	16.2	0.002	0.08	2.19	9.2	5.3	0.8	104.0	0.02	0.24	2.1
CC125059		0.38	25.0	620	41.2	12.8	<0.001	0.03	0.99	3.0	1.6	0.6	17.0	<0.01	0.09	3.4
CC125060		0.59	32.1	570	70.1	12.7	0.001	0.03	1.97	2.8	2.0	0.6	41.7	<0.01	0.08	3.2
CC126001		0.13	50.0	520	12.1	7.2	0.002	0.04	0.88	3.5	1.7	0.3	19.4	<0.01	0.08	1.2
CC126002		0.15	39.5	840	12.8	11.1	0.002	0.10	0.76	3.3	2.2	0.3	37.7	<0.01	0.07	1.1
CC126003		0.15	43.8	800	13.3	10.2	0.003	0.08	0.78	3.6	2.3	0.4	36.6	<0.01	0.07	1.2
CC126004		0.09	43.1	430	12.6	7.8	0.004	0.04	0.98	3.1	1.8	0.3	18.7	<0.01	0.09	1.4

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 7- JUL- 2011
Account: RCM

Project: Rackla - PYRAMID

CERTIFICATE OF ANALYSIS WH11107307

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
CC125025		<0.005	0.21	8.27	47	0.06	10.25	48	2.2
CC125026		<0.005	0.12	0.91	37	<0.05	10.35	130	2.7
CC125027		<0.005	0.23	0.88	43	0.05	8.29	111	1.3
CC125028		<0.005	0.11	0.38	30	<0.05	5.70	118	0.9
CC125029		<0.005	0.23	0.66	53	0.10	7.40	144	1.0
CC125030		0.011	0.18	0.54	56	0.18	3.59	103	1.3
CC125031		0.014	0.28	0.49	60	0.25	2.73	93	0.8
CC125032		0.007	0.22	0.57	35	0.20	2.04	38	<0.5
CC125033		0.035	0.20	0.64	55	0.27	2.85	99	0.6
CC125034		<0.005	0.21	0.45	21	<0.05	5.15	153	2.3
CC125035		0.006	1.03	0.97	42	0.35	14.05	257	1.3
CC125036		0.006	1.11	2.51	46	0.38	25.6	191	0.9
CC125037		0.010	0.89	3.23	54	0.20	40.2	217	0.8
CC125038		<0.005	0.50	2.39	46	0.11	16.55	184	1.1
CC125039		<0.005	0.48	2.26	36	0.10	18.15	214	1.8
CC125040		<0.005	0.34	1.82	50	0.08	10.70	143	1.3
CC125041		0.009	0.17	2.22	46	0.11	27.7	202	2.0
CC125042		0.006	0.17	2.07	48	0.09	11.50	116	2.7
CC125043		0.021	0.09	0.37	67	0.25	1.58	29	<0.5
CC125044		0.010	0.07	0.57	34	0.22	3.79	76	<0.5
CC125045		<0.005	0.14	0.80	32	0.06	7.17	96	1.3
CC125046		<0.005	0.12	0.84	41	0.05	10.70	118	2.1
CC125047		<0.005	0.11	0.81	38	0.06	7.89	100	1.8
CC125048		<0.005	0.09	0.38	34	<0.05	3.43	66	1.0
CC125049		<0.005	0.12	0.34	39	<0.05	3.58	93	0.8
CC125050		0.006	0.13	0.33	45	0.10	3.18	89	<0.5
CC125051		<0.005	0.11	0.51	37	<0.05	4.89	112	1.7
CC125052		<0.005	0.13	0.63	37	0.06	9.37	109	1.4
CC125053		<0.005	0.23	0.50	32	0.07	11.75	136	1.7
CC125054		0.010	0.30	1.24	47	0.17	8.85	293	1.5
CC125055		0.018	0.73	0.76	60	0.24	3.24	177	0.9
CC125056		0.010	2.09	1.18	46	0.26	9.87	526	1.7
CC125057		<0.005	1.46	2.53	42	0.44	16.05	119	2.9
CC125058		<0.005	1.27	8.53	116	0.30	106.5	1080	2.5
CC125059		0.009	0.33	0.59	64	0.13	2.76	142	1.3
CC125060		0.012	1.23	0.73	70	0.18	4.39	149	2.0
CC126001		<0.005	0.11	0.91	26	0.06	16.55	145	2.3
CC126002		<0.005	0.12	0.79	27	<0.05	12.35	160	3.2
CC126003		<0.005	0.12	0.86	28	0.05	15.40	145	2.8
CC126004		<0.005	0.09	0.76	27	<0.05	8.29	162	2.4

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 7- JUL- 2011
Account: RCM

Project: Rackla - PYRAMID

CERTIFICATE OF ANALYSIS WH11107307

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- TL43 Au ppm 0.001	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1
CC126005		0.08	0.002	0.83	0.92	11.0	<0.2	<10	470	0.48	0.21	0.21	0.30	7.47	6.7	30
CC126006		0.16	0.001	0.83	0.70	8.6	<0.2	<10	1010	0.40	0.16	2.21	0.81	5.56	7.0	20
CC126007		0.10	0.003	1.81	1.11	8.1	<0.2	<10	1010	0.55	0.18	2.04	0.91	5.12	5.2	26
CC126008		0.06	0.001	0.83	0.88	7.9	<0.2	10	850	0.44	0.18	1.31	0.39	4.33	6.0	25
CC126009		0.18	0.002	0.55	2.18	104.5	<0.2	<10	990	0.99	0.26	1.31	0.76	15.85	15.3	37
CC126010		0.12	0.002	0.47	1.56	73.7	<0.2	<10	740	0.76	0.21	1.78	0.75	9.94	10.7	27
CC126011		0.12	<0.001	0.06	1.64	83.1	<0.2	<10	200	0.34	0.24	0.33	1.04	17.40	8.6	30
CC126012		0.12	0.001	0.42	1.13	125.5	<0.2	<10	580	0.61	0.19	1.60	1.20	8.69	7.7	26
CC126013		0.14	0.001	0.70	1.16	147.5	<0.2	<10	1380	0.88	0.14	4.42	2.10	9.11	8.6	21
CC126014		0.06	<0.001	0.25	0.92	16.7	<0.2	<10	160	0.26	0.13	0.43	0.55	9.23	2.8	17
CC126015		0.10	0.001	0.20	1.40	71.4	<0.2	<10	170	0.32	0.25	0.20	0.39	18.10	6.1	26
CC126016		0.18	0.002	1.35	1.29	198.5	<0.2	<10	530	0.71	0.19	2.70	2.01	14.45	10.7	30
CC126017		0.24	0.001	0.22	1.22	61.8	<0.2	<10	820	0.37	0.19	0.20	0.39	15.00	4.5	20
CC126018		0.12	0.001	0.47	1.54	112.5	<0.2	<10	580	0.64	0.24	0.67	0.71	14.70	11.3	32
CC126019		0.14	0.003	0.13	0.94	48.1	<0.2	<10	210	0.30	0.19	0.13	0.32	5.26	8.8	32
CC126020		0.06	0.005	1.15	0.94	38.0	<0.2	<10	1400	0.38	0.19	0.73	2.81	9.75	54.3	24
CC126021		0.04	NSS	0.10	0.12	1.6	<0.2	<10	520	0.08	0.02	0.75	1.45	1.33	1.4	10
CC126022		0.04	0.002	0.59	1.33	16.8	<0.2	<10	470	0.97	0.22	1.11	6.50	14.90	12.8	48
CC126023		0.10	0.002	1.43	0.64	16.9	<0.2	10	380	1.09	0.18	2.29	14.90	25.5	8.0	44
CC126024		0.10	0.001	0.16	1.40	17.0	<0.2	<10	280	0.76	0.24	1.45	0.42	8.52	12.1	24
CC126025		0.12	0.001	0.14	1.74	24.0	<0.2	<10	70	0.87	0.36	0.07	0.20	15.45	20.9	34
CC126026		0.04	0.001	0.26	1.05	14.0	<0.2	<10	240	0.69	0.20	2.01	1.94	9.78	8.8	23
CC126027		0.06	0.001	0.18	1.20	14.1	<0.2	<10	190	0.62	0.17	1.45	1.83	7.67	10.4	22
CC126028		0.06	0.001	0.19	1.35	12.9	<0.2	<10	220	0.62	0.21	1.63	0.93	7.47	9.4	24
CC126029		0.10	0.002	0.63	1.76	16.5	<0.2	<10	510	0.97	0.24	1.24	1.61	11.00	13.5	25
CC126030		0.10	0.001	0.15	1.51	23.2	<0.2	<10	70	0.51	0.39	0.02	0.16	5.36	8.1	26
CC126031		0.08	0.003	0.37	0.97	21.1	<0.2	<10	590	0.50	0.20	1.65	1.93	7.34	3.2	20
CC126032		0.12	0.002	0.24	1.37	67.2	<0.2	<10	390	0.84	0.28	0.25	0.37	12.65	12.6	30
CC126033		0.10	0.002	0.25	1.33	10.3	<0.2	<10	670	0.65	0.23	1.40	2.99	24.2	11.5	25
CC126034		0.20	0.002	0.29	1.77	74.4	<0.2	<10	500	1.25	0.22	3.55	2.70	29.8	9.1	26
CC126035		0.08	<0.001	0.08	1.86	10.9	<0.2	<10	630	0.82	0.31	0.53	1.12	29.8	10.5	28
CC126036		0.10	0.001	0.14	1.20	11.0	<0.2	<10	140	0.20	0.24	0.10	0.20	17.75	3.6	22
CC126037		0.12	0.001	0.05	1.33	13.0	<0.2	<10	160	0.41	0.30	0.09	0.52	23.5	6.4	24
CC126038		0.12	0.003	0.03	1.21	9.7	<0.2	<10	80	0.24	0.26	0.06	0.09	21.6	4.3	22
CC126039		0.14	0.001	0.04	1.59	11.7	<0.2	<10	120	0.44	0.27	0.11	0.12	23.1	6.8	28
CC126040		0.14	0.001	0.05	1.80	10.9	<0.2	<10	130	0.59	0.31	0.09	0.12	24.5	11.6	31
CC126041		0.08	0.003	0.14	1.48	9.5	<0.2	<10	170	0.95	0.30	0.89	0.35	29.5	12.5	31
CC126042		0.22	0.001	0.21	1.36	13.0	<0.2	<10	150	0.87	0.36	0.62	0.13	31.0	11.5	25
CC126043		0.16	<0.001	0.05	1.21	9.1	<0.2	<10	150	0.70	0.38	1.21	0.14	26.0	9.8	19
CC126044		0.16	0.004	0.14	1.25	6.0	<0.2	<10	200	0.94	0.22	1.78	0.27	33.6	9.3	25

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 7- JUL- 2011
Account: RCM

Project: Rackla - PYRAMID

CERTIFICATE OF ANALYSIS WH11107307

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
CC126005		2.08	33.1	2.98	2.49	0.06	0.05	0.17	0.037	0.07	4.2	10.1	0.20	97	2.26	<0.01
CC126006		1.74	31.9	2.06	1.75	0.06	0.08	0.20	0.027	0.06	3.6	9.9	0.21	161	1.28	<0.01
CC126007		2.54	44.2	2.24	2.65	0.08	0.13	0.56	0.033	0.09	4.4	13.5	0.21	102	1.11	0.01
CC126008		1.43	31.5	2.53	2.07	0.06	0.09	0.21	0.031	0.06	2.8	15.2	0.29	104	1.36	<0.01
CC126009		1.59	32.1	4.01	5.41	0.09	0.11	0.60	0.048	0.11	8.4	22.1	0.53	1190	2.22	0.01
CC126010		1.36	32.0	3.07	4.03	0.07	0.08	0.66	0.034	0.07	4.9	19.0	0.42	404	1.51	<0.01
CC126011		2.25	11.7	3.14	5.55	0.07	0.04	0.34	0.034	0.06	10.1	16.3	0.21	371	1.75	<0.01
CC126012		1.92	20.3	2.74	2.98	0.06	0.06	0.76	0.033	0.07	7.0	11.2	0.27	340	1.60	<0.01
CC126013		1.32	43.6	2.54	2.84	0.07	0.08	1.39	0.026	0.06	7.9	9.0	0.43	1460	0.92	<0.01
CC126014		1.47	10.7	1.16	4.16	<0.05	<0.02	0.12	0.016	0.06	4.5	3.8	0.10	66	1.35	0.01
CC126015		1.56	13.4	2.67	5.90	0.06	0.02	0.08	0.026	0.05	9.1	12.6	0.31	249	1.53	<0.01
CC126016		2.75	24.3	2.98	3.23	0.07	0.08	2.15	0.033	0.08	9.9	14.5	0.83	843	2.59	0.01
CC126017		1.90	12.4	2.08	4.83	0.05	0.02	0.22	0.023	0.05	7.2	9.4	0.16	177	1.71	<0.01
CC126018		1.18	24.5	3.56	4.32	0.07	0.06	0.80	0.037	0.08	7.0	21.4	0.48	375	2.73	<0.01
CC126019		1.55	20.9	3.01	3.03	0.05	0.03	0.21	0.029	0.07	2.3	13.8	0.27	493	2.41	<0.01
CC126020		0.95	36.7	4.16	2.66	0.12	0.08	0.61	0.029	0.07	4.5	6.0	0.24	6500	11.25	0.01
CC126021		0.11	10.5	0.31	0.21	0.07	<0.02	0.11	<0.005	0.04	0.5	0.5	0.12	76	1.77	0.03
CC126022		0.55	49.1	2.39	4.37	0.10	0.05	0.59	0.033	0.06	9.3	11.2	0.24	390	12.20	0.02
CC126023		0.68	84.3	1.92	2.63	0.14	0.05	0.31	0.023	0.09	18.5	6.2	0.24	323	27.5	0.01
CC126024		0.85	27.8	3.26	4.02	0.09	0.05	0.13	0.036	0.07	3.6	22.7	0.47	476	3.44	0.01
CC126025		1.63	50.0	4.83	5.50	0.10	0.05	0.07	0.044	0.09	6.1	28.4	0.59	657	1.35	<0.01
CC126026		0.62	25.1	2.51	3.11	0.09	0.05	0.16	0.028	0.08	4.5	17.1	0.39	363	3.47	0.02
CC126027		0.60	20.9	2.79	3.46	0.09	0.04	0.22	0.029	0.08	3.4	21.5	0.43	477	3.98	0.01
CC126028		0.76	23.7	2.85	3.82	0.09	0.05	0.12	0.033	0.08	3.3	22.9	0.46	434	3.23	0.02
CC126029		1.85	34.8	3.01	4.14	0.09	0.06	0.29	0.040	0.13	3.8	20.1	0.33	1520	1.93	0.01
CC126030		2.43	22.5	4.77	5.84	0.08	0.03	0.05	0.043	0.08	2.5	20.2	0.25	321	1.36	<0.01
CC126031		1.75	24.6	1.18	3.13	0.09	0.06	0.40	0.025	0.06	3.4	7.2	0.17	112	1.57	0.02
CC126032		1.33	26.9	4.18	3.87	0.10	0.06	0.58	0.040	0.07	6.0	19.5	0.35	891	1.70	0.01
CC126033		0.90	23.7	2.53	4.04	0.09	0.07	0.18	0.026	0.06	12.3	13.1	0.50	357	0.73	0.02
CC126034		0.76	19.7	9.07	3.82	0.12	0.08	0.48	0.030	0.05	18.8	11.7	1.76	4320	0.97	0.01
CC126035		1.20	19.4	3.23	6.71	0.10	0.02	0.07	0.033	0.05	15.0	14.7	0.44	1150	0.95	0.01
CC126036		0.80	11.0	2.31	5.88	0.09	<0.02	0.05	0.017	0.05	9.0	8.6	0.17	225	1.67	<0.01
CC126037		0.88	11.8	4.09	6.22	0.09	0.02	0.06	0.024	0.05	12.1	12.5	0.23	485	1.46	<0.01
CC126038		1.02	11.2	3.03	6.02	0.09	0.02	0.02	0.022	0.04	10.9	11.0	0.21	141	1.08	<0.01
CC126039		1.15	16.8	3.17	5.47	0.09	0.02	0.04	0.028	0.05	11.4	17.5	0.35	209	1.55	<0.01
CC126040		1.24	25.8	3.92	5.94	0.10	0.03	0.04	0.036	0.06	10.9	26.6	0.43	360	0.94	<0.01
CC126041		0.51	30.7	3.64	4.38	0.10	0.07	0.08	0.032	0.07	12.9	27.9	0.65	374	0.74	0.01
CC126042		0.58	23.0	3.85	3.84	0.10	0.04	0.05	0.039	0.07	13.2	12.7	0.27	312	1.05	<0.01
CC126043		0.51	17.2	2.81	3.46	0.10	0.04	0.02	0.037	0.09	9.6	13.4	0.24	228	0.83	<0.01
CC126044		0.43	23.5	2.74	3.86	0.10	0.04	0.05	0.028	0.06	14.7	16.7	0.48	406	0.56	0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 7- JUL- 2011
Account: RCM

Project: Rackla - PYRAMID

CERTIFICATE OF ANALYSIS WH11107307

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
CC126005		0.14	42.6	450	13.2	9.0	0.003	0.03	0.99	3.2	1.7	0.3	14.6	<0.01	0.08	1.2
CC126006		0.15	40.4	610	10.2	7.0	0.005	0.11	0.74	2.5	3.4	0.2	54.5	<0.01	0.06	0.7
CC126007		0.17	47.5	950	10.7	13.6	0.018	0.13	0.79	4.1	7.8	0.4	61.2	<0.01	0.07	0.9
CC126008		0.11	39.0	610	11.0	7.4	0.009	0.11	0.76	2.9	3.7	0.3	43.3	<0.01	0.06	0.9
CC126009		0.28	42.7	1000	25.9	13.6	0.003	0.07	0.86	5.8	2.1	0.6	42.5	<0.01	0.07	1.7
CC126010		0.32	39.3	940	21.9	8.4	0.002	0.07	0.92	3.3	2.4	0.4	38.5	<0.01	0.07	1.0
CC126011		0.61	21.0	420	36.2	13.8	<0.001	0.01	0.64	2.9	0.9	0.7	13.8	<0.01	0.06	2.2
CC126012		0.23	39.3	640	36.1	9.2	0.001	0.05	0.95	3.8	0.9	0.4	23.1	<0.01	0.07	1.3
CC126013		0.25	31.0	1130	47.7	7.5	0.001	0.10	1.46	2.7	2.8	0.4	39.3	0.01	0.07	0.4
CC126014		0.25	12.0	840	12.8	8.8	<0.001	0.04	0.36	1.9	0.4	0.5	11.2	<0.01	0.04	0.6
CC126015		0.67	21.0	460	32.5	8.6	<0.001	0.01	0.95	2.4	0.5	0.7	12.3	<0.01	0.06	2.5
CC126016		0.29	41.8	1290	149.0	10.9	<0.001	0.04	2.23	4.1	1.6	0.4	43.1	0.01	0.07	1.4
CC126017		0.32	15.4	450	27.3	8.2	<0.001	0.01	0.79	2.2	0.6	0.6	14.4	<0.01	0.06	1.4
CC126018		0.31	41.7	850	46.1	8.9	0.001	0.02	1.51	4.2	1.2	0.5	26.7	<0.01	0.07	2.5
CC126019		0.11	30.0	500	27.5	10.7	0.003	0.03	0.67	2.6	1.1	0.4	10.8	<0.01	0.06	1.3
CC126020		0.18	60.0	1370	17.2	8.9	0.014	0.13	2.72	3.3	15.0	0.4	99.6	<0.01	0.10	1.3
CC126021		<0.05	14.7	460	2.3	0.8	0.001	0.10	1.12	0.6	0.3	0.2	51.3	<0.01	<0.01	0.2
CC126022		0.25	66.1	530	15.5	5.1	0.003	0.07	3.48	4.1	6.5	0.6	28.9	<0.01	0.11	1.5
CC126023		0.18	141.0	930	13.4	7.8	0.004	0.10	7.32	3.2	7.3	0.5	49.0	<0.01	0.06	1.0
CC126024		0.19	40.5	680	15.8	7.8	0.004	0.06	0.70	4.1	1.9	0.4	32.8	<0.01	0.04	1.4
CC126025		0.23	35.9	490	32.9	9.9	0.001	0.02	0.54	4.7	0.3	0.6	9.6	<0.01	0.12	3.6
CC126026		0.22	44.6	680	13.9	7.0	0.011	0.10	1.22	3.2	3.2	0.4	43.5	<0.01	0.04	1.3
CC126027		0.18	40.6	710	13.2	8.4	0.010	0.09	0.88	3.5	2.5	0.4	34.0	<0.01	0.03	1.4
CC126028		0.20	41.9	730	13.2	9.0	0.008	0.10	0.71	3.8	2.2	0.4	37.1	<0.01	0.03	1.4
CC126029		0.20	41.6	1150	19.7	14.8	0.001	0.11	0.55	5.2	1.5	0.5	36.7	<0.01	0.04	1.5
CC126030		0.31	21.5	390	24.8	16.2	<0.001	0.02	0.49	3.4	0.5	0.7	6.6	<0.01	0.08	1.8
CC126031		0.18	18.8	1370	18.1	7.0	0.005	0.34	0.50	1.8	1.9	0.4	50.6	<0.01	0.02	0.5
CC126032		0.19	30.0	710	30.6	9.5	0.002	0.03	0.58	4.5	2.7	0.5	20.7	<0.01	0.04	2.4
CC126033		0.91	22.9	940	14.7	8.9	<0.001	0.08	0.54	3.4	1.2	0.4	34.0	<0.01	0.03	2.1
CC126034		0.25	25.7	1110	54.1	10.3	<0.001	0.07	0.61	5.6	1.3	0.4	28.1	0.01	0.06	1.9
CC126035		0.80	19.5	550	18.0	8.5	<0.001	0.03	0.37	4.0	0.5	0.7	19.4	<0.01	0.04	2.1
CC126036		0.55	11.7	450	14.9	5.0	<0.001	0.02	0.38	1.8	0.4	0.6	9.2	<0.01	0.03	1.1
CC126037		0.82	13.0	290	23.1	9.5	<0.001	0.01	0.45	2.1	0.2	0.6	9.1	<0.01	0.05	3.0
CC126038		0.94	11.2	220	12.6	8.9	<0.001	0.01	0.46	1.9	0.2	0.6	6.5	<0.01	0.03	2.9
CC126039		1.18	22.3	410	14.1	9.5	0.001	0.02	0.71	2.4	0.4	0.6	10.5	<0.01	0.05	3.3
CC126040		0.61	24.0	440	17.8	10.2	<0.001	0.01	0.45	3.2	0.3	0.6	10.6	<0.01	0.06	3.2
CC126041		0.48	30.9	650	18.5	7.0	<0.001	0.05	0.42	5.2	1.3	0.4	45.0	<0.01	0.03	4.5
CC126042		0.49	32.6	280	21.2	9.8	<0.001	0.02	0.54	5.7	0.7	0.6	41.5	<0.01	0.10	4.7
CC126043		0.37	22.4	420	20.6	9.2	<0.001	0.03	0.32	3.8	0.5	0.5	83.2	<0.01	0.05	2.4
CC126044		0.45	23.2	640	12.7	5.6	<0.001	0.06	0.38	3.4	0.7	0.4	86.8	<0.01	0.02	1.4

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 7- JUL- 2011
Account: RCM

Project: Rackla - PYRAMID

CERTIFICATE OF ANALYSIS WH11107307

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
CC126005		<0.005	0.11	0.76	33	<0.05	10.60	139	1.1
CC126006		<0.005	0.09	0.79	22	<0.05	11.35	120	2.5
CC126007		<0.005	0.15	3.18	28	<0.05	16.45	131	3.5
CC126008		<0.005	0.08	1.23	25	<0.05	10.30	127	2.6
CC126009		<0.005	0.29	2.17	47	0.09	16.80	146	2.5
CC126010		<0.005	0.18	1.43	33	0.10	8.94	128	1.9
CC126011		0.007	0.26	0.63	69	0.17	6.94	180	1.2
CC126012		<0.005	0.39	1.44	33	0.12	15.50	210	1.5
CC126013		<0.005	0.55	4.69	37	0.14	33.2	145	1.9
CC126014		0.006	0.25	0.50	26	0.07	2.57	42	<0.5
CC126015		0.016	0.40	0.58	62	0.23	3.58	117	<0.5
CC126016		0.005	1.78	2.09	39	0.30	30.6	325	1.5
CC126017		0.007	0.45	0.98	52	0.13	5.21	95	<0.5
CC126018		0.005	0.38	1.21	50	0.12	9.24	191	1.3
CC126019		<0.005	0.16	0.55	35	<0.05	2.98	134	0.9
CC126020		<0.005	0.35	2.42	83	0.07	13.15	205	2.0
CC126021		<0.005	0.02	0.56	4	<0.05	2.16	62	<0.5
CC126022		<0.005	0.50	4.19	499	0.14	14.50	384	1.4
CC126023		<0.005	1.17	10.20	653	0.16	31.4	943	1.9
CC126024		<0.005	0.12	2.12	73	<0.05	8.84	146	1.4
CC126025		0.005	0.17	0.42	36	0.05	4.25	114	2.0
CC126026		<0.005	0.18	4.31	204	0.07	8.06	280	1.6
CC126027		<0.005	0.14	2.18	141	0.06	6.94	257	1.3
CC126028		<0.005	0.16	1.68	95	0.06	7.38	219	1.5
CC126029		<0.005	0.31	2.45	35	0.06	10.70	170	1.5
CC126030		<0.005	0.23	0.45	37	0.05	2.12	115	1.1
CC126031		<0.005	0.23	2.87	29	<0.05	6.50	55	1.7
CC126032		<0.005	0.21	1.77	51	0.07	9.99	172	1.7
CC126033		0.021	0.19	3.34	40	0.32	10.15	668	1.7
CC126034		0.007	0.47	1.66	33	0.10	21.7	737	2.0
CC126035		0.021	0.20	1.43	60	0.19	8.78	210	0.6
CC126036		0.011	0.16	0.40	48	0.19	1.75	85	<0.5
CC126037		0.018	0.19	0.52	60	0.20	2.75	155	0.9
CC126038		0.022	0.14	0.39	58	0.22	1.84	45	0.7
CC126039		0.032	0.12	0.55	52	0.30	2.95	64	0.8
CC126040		0.011	0.15	0.63	55	0.19	3.39	80	1.0
CC126041		0.011	0.08	1.51	35	0.11	12.30	81	2.5
CC126042		0.008	0.12	1.16	34	0.13	10.40	82	1.3
CC126043		0.007	0.09	1.42	27	0.08	11.45	89	1.3
CC126044		0.012	0.06	1.59	33	0.09	10.20	65	1.0

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 7- JUL- 2011
Account: RCM

Project: Rackla - PYRAMID

CERTIFICATE OF ANALYSIS WH11107307

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- TL43 Au ppm 0.001	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1
CC126045		0.12	0.007	0.06	0.57	5.1	<0.2	<10	90	1.19	0.20	0.86	0.36	31.1	10.0	43
CC126046		0.12	0.002	0.06	1.53	12.3	<0.2	<10	110	0.79	0.29	0.40	0.20	28.4	17.2	29
CC126047		0.12	0.002	0.10	1.47	9.1	<0.2	10	200	0.80	0.23	1.87	0.34	18.25	9.1	26
CC126048		0.32	0.001	0.05	2.02	17.6	<0.2	<10	230	1.08	0.34	0.13	0.17	33.5	20.9	32
CC126049		0.06	0.003	0.17	1.71	14.2	<0.2	<10	180	0.77	0.22	1.85	0.25	15.60	13.9	26
CC126050		0.26	0.001	0.03	1.94	11.4	<0.2	<10	120	0.73	0.27	0.11	0.11	34.7	17.1	31
CC126051		0.18	0.007	0.27	1.24	8.0	<0.2	<10	380	0.64	0.25	0.99	0.21	7.11	4.8	27
CC126052		0.16	0.008	3.60	1.10	6.1	<0.2	10	860	0.69	0.21	1.98	0.48	6.75	5.3	27
CC126053		0.26	0.002	0.10	1.47	10.6	<0.2	<10	130	0.60	0.26	0.03	0.10	10.15	7.1	25
CC126054		0.14	0.002	0.23	1.33	7.8	<0.2	<10	160	0.36	0.23	0.09	0.10	7.09	5.5	26
CC126055		0.24	0.001	0.06	1.48	12.3	<0.2	<10	100	0.38	0.31	0.05	0.09	20.5	5.1	24
CC126056		0.24	0.001	0.07	1.70	18.3	<0.2	<10	130	0.88	0.29	0.14	0.20	15.85	16.3	31
CC126057		0.12	0.002	0.28	1.40	6.4	<0.2	<10	130	0.63	0.19	0.11	0.10	9.79	4.9	21
CC126058		0.14	0.001	0.11	1.55	16.9	<0.2	<10	130	0.49	0.24	0.09	0.13	8.92	9.9	26
CC126059		0.34	0.001	0.02	1.88	21.4	<0.2	<10	120	0.74	0.25	0.04	0.11	7.19	11.7	30
CC126060		0.16	0.006	0.88	0.92	140.0	<0.2	<10	670	0.91	0.21	0.66	0.45	14.85	11.0	14
CC126061		0.26	0.001	0.44	1.18	316	<0.2	<10	270	0.46	0.26	0.05	0.44	9.74	8.8	26
CC126062		0.16	<0.001	0.37	0.61	37.2	<0.2	<10	240	0.22	0.17	0.12	0.22	15.75	2.7	13
CC126063		0.20	0.001	0.40	1.49	119.5	<0.2	<10	1000	0.47	0.24	0.67	2.36	21.8	9.6	26
CC126064		0.12	0.001	0.14	0.93	32.3	<0.2	<10	230	0.15	0.20	0.12	0.76	16.80	3.4	20
CC126065		0.24	<0.001	0.04	1.35	17.9	<0.2	<10	250	0.35	0.24	0.16	0.54	20.1	7.4	21
CC126066		0.20	0.001	0.11	1.64	108.0	<0.2	<10	120	0.47	0.23	0.06	0.56	16.65	9.0	27
CC126067		0.20	<0.001	0.02	0.85	9.3	<0.2	<10	110	0.13	0.24	0.10	0.20	24.9	2.3	14
CC126068		0.14	<0.001	0.12	0.67	25.3	<0.2	<10	690	0.32	0.07	5.43	1.50	5.24	3.3	11
CC126069		0.16	0.001	0.53	0.89	229	<0.2	<10	2060	0.79	0.14	2.30	1.98	9.65	11.1	28
CC126070		0.20	0.001	0.55	0.99	140.0	<0.2	<10	1460	0.59	0.15	1.98	0.68	8.59	9.4	22
CC126071		0.18	0.001	0.28	0.55	17.6	<0.2	<10	430	0.64	0.17	1.29	0.64	22.1	9.9	14
CC126072		0.12	0.001	0.15	0.67	14.5	<0.2	<10	240	0.70	0.12	1.95	2.34	18.25	12.7	12
CC126073		0.16	0.004	0.34	1.20	35.7	<0.2	<10	1110	0.80	0.20	1.46	0.44	8.62	11.4	17
CC126074		0.16	0.004	0.59	1.21	30.8	<0.2	<10	840	1.32	0.23	2.47	0.70	9.24	8.3	16
CC126075		0.12	0.001	0.08	1.31	8.2	<0.2	<10	380	0.79	0.29	1.48	0.35	11.95	12.9	28
CC126076		0.20	0.002	0.06	0.98	11.2	<0.2	<10	140	0.91	0.35	0.29	0.09	17.85	17.8	23
CC126077		0.08	NSS	0.14	0.50	3.2	<0.2	<10	210	0.89	0.11	3.12	0.29	5.54	3.2	10
CC126078		0.28	<0.001	0.01	0.49	13.0	<0.2	<10	70	0.62	0.37	0.19	0.05	11.30	11.5	14
CC126079		0.14	0.001	0.04	1.51	7.6	<0.2	<10	160	0.86	0.33	0.48	0.21	14.05	13.0	30
CC126080		0.18	<0.001	0.01	0.56	3.0	<0.2	<10	60	0.25	0.25	0.01	0.07	4.79	6.1	16
CC126311		0.14	0.001	0.14	1.14	15.0	<0.2	<10	200	0.97	0.29	1.04	0.66	13.60	14.7	23
CC126312		0.22	0.002	0.15	1.31	11.7	<0.2	<10	220	1.00	0.30	0.97	0.59	14.20	12.6	24
CC126313		0.24	<0.001	0.05	1.16	9.4	<0.2	<10	90	0.56	0.32	0.02	0.09	7.88	18.2	29
CC126314		0.28	0.001	0.02	1.49	13.8	<0.2	<10	270	0.45	0.24	0.32	0.12	25.2	9.7	27

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 7- JUL- 2011
Account: RCM

Project: Rackla - PYRAMID

CERTIFICATE OF ANALYSIS WH11107307

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
CC126045		0.49	25.8	3.25	2.08	0.10	0.04	0.11	0.035	0.06	15.1	5.0	0.21	492	1.06	0.01
CC126046		0.70	58.8	4.46	4.62	0.11	0.08	0.09	0.030	0.07	12.6	26.0	0.78	666	0.92	<0.01
CC126047		0.77	50.4	3.31	4.36	0.10	0.07	0.11	0.028	0.08	8.7	22.0	0.65	181	0.67	0.01
CC126048		0.93	58.6	5.36	4.96	0.10	0.04	0.05	0.041	0.06	13.3	23.5	0.63	806	0.94	<0.01
CC126049		0.76	59.8	3.66	4.82	0.09	0.09	0.21	0.031	0.09	7.4	25.3	0.73	552	0.82	0.01
CC126050		0.88	56.5	4.58	6.19	0.11	0.03	0.06	0.030	0.08	15.9	30.8	0.88	544	0.64	<0.01
CC126051		0.84	29.8	3.05	3.80	0.09	0.07	0.08	0.035	0.16	2.9	20.9	0.29	127	1.92	0.02
CC126052		3.69	45.2	2.07	2.48	0.11	0.10	0.51	0.035	0.10	6.8	12.0	0.24	153	2.00	0.02
CC126053		0.97	22.7	3.32	4.79	0.08	0.02	0.03	0.030	0.05	4.8	19.5	0.30	156	1.59	<0.01
CC126054		0.96	18.4	2.58	4.74	0.08	0.02	0.08	0.025	0.08	3.4	12.7	0.24	79	1.34	<0.01
CC126055		1.26	14.6	3.10	6.74	0.09	<0.02	0.04	0.026	0.05	10.2	14.3	0.25	154	1.66	<0.01
CC126056		0.95	37.7	4.28	5.22	0.11	0.04	0.03	0.036	0.06	6.7	28.2	0.54	513	1.40	<0.01
CC126057		1.73	20.8	2.31	4.72	0.05	0.04	0.06	0.027	0.08	4.2	15.3	0.22	90	0.95	0.01
CC126058		0.99	24.8	3.47	5.66	0.06	0.03	0.32	0.029	0.07	4.1	21.5	0.39	296	1.28	0.01
CC126059		2.68	20.0	3.93	6.33	0.06	0.04	<0.01	0.031	0.07	3.4	39.1	0.52	241	0.87	0.01
CC126060		13.15	26.2	2.57	2.72	0.10	0.07	0.41	0.035	0.09	6.6	5.6	0.14	316	4.57	0.01
CC126061		10.90	26.9	3.42	4.44	0.07	0.02	0.91	0.032	0.06	4.8	15.3	0.26	202	2.05	0.01
CC126062		4.07	13.1	1.19	4.16	<0.05	<0.02	2.12	0.012	0.04	7.9	1.9	0.05	61	2.19	0.01
CC126063		2.20	12.8	2.65	6.23	0.08	0.04	1.06	0.028	0.05	11.2	14.5	0.31	425	1.65	0.01
CC126064		1.71	7.7	1.91	5.87	0.05	<0.02	0.13	0.014	0.04	8.3	9.9	0.18	119	1.52	0.01
CC126065		0.96	12.8	3.22	6.50	0.07	0.02	0.01	0.024	0.05	9.7	14.7	0.25	359	1.50	0.01
CC126066		1.54	16.0	3.74	6.03	0.07	0.04	0.10	0.029	0.04	7.9	18.7	0.22	251	3.90	0.01
CC126067		1.16	7.3	1.45	7.04	0.05	<0.02	0.01	0.010	0.03	12.4	4.5	0.10	82	1.51	0.01
CC126068		0.62	13.7	0.69	1.65	<0.05	0.06	0.15	0.009	0.02	3.5	1.9	0.06	776	0.41	0.02
CC126069		0.99	20.7	2.71	2.65	0.09	0.08	0.72	0.025	0.06	9.0	9.1	0.18	388	2.11	0.03
CC126070		0.74	18.2	2.30	3.10	0.06	0.06	1.05	0.025	0.05	5.3	10.6	0.24	294	1.48	0.02
CC126071		0.50	31.5	2.73	1.96	0.09	0.06	0.08	0.028	0.08	8.7	4.3	0.08	170	8.93	0.01
CC126072		0.56	17.8	2.67	2.15	0.08	0.08	0.06	0.021	0.08	6.6	8.7	0.23	1010	3.15	0.01
CC126073		1.87	35.3	2.44	4.38	0.06	0.05	0.34	0.027	0.08	4.1	14.5	0.28	434	1.87	0.02
CC126074		1.42	80.7	2.29	3.10	0.08	0.11	0.50	0.031	0.09	5.3	10.7	0.31	1260	1.21	0.02
CC126075		0.84	31.4	3.14	4.98	0.06	0.09	0.05	0.032	0.08	4.8	19.2	0.40	614	1.42	0.02
CC126076		0.83	30.5	4.67	3.85	0.10	0.06	0.05	0.048	0.08	7.5	15.6	0.26	630	1.10	0.01
CC126077		0.38	44.6	1.21	1.12	0.05	0.08	0.09	0.013	0.04	4.0	2.0	0.29	612	0.94	0.02
CC126078		0.43	22.2	2.95	2.30	0.05	0.03	0.01	0.034	0.07	4.6	4.3	0.13	217	0.71	0.01
CC126079		0.96	29.4	3.53	6.71	0.08	0.06	0.02	0.025	0.12	5.8	31.6	0.52	478	1.04	0.01
CC126080		2.25	7.5	2.16	2.57	<0.05	<0.02	<0.01	0.013	0.13	2.3	2.3	0.05	192	0.86	<0.01
CC126311		1.01	36.5	3.81	4.24	0.09	0.07	0.09	0.040	0.08	5.8	20.3	0.35	776	4.88	0.01
CC126312		1.34	37.0	3.21	4.64	0.08	0.08	0.10	0.039	0.08	6.0	23.0	0.36	572	3.74	0.01
CC126313		1.82	27.8	4.02	4.71	0.07	0.03	0.01	0.033	0.15	3.5	16.8	0.22	872	1.02	0.01
CC126314		1.50	11.2	3.18	5.70	0.08	0.03	0.02	0.024	0.05	11.8	18.9	0.45	416	1.19	0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 7- JUL- 2011
Account: RCM

Project: Rackla - PYRAMID

CERTIFICATE OF ANALYSIS WH11107307

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
CC126045		0.14	27.6	450	13.8	6.3	<0.001	0.05	0.26	4.7	1.8	0.5	35.3	<0.01	0.02	2.3
CC126046		0.15	35.8	190	19.8	4.7	<0.001	0.02	0.40	7.1	0.7	0.3	21.1	<0.01	0.06	4.4
CC126047		0.25	27.1	660	14.2	6.9	<0.001	0.14	0.40	4.7	2.6	0.7	73.4	<0.01	0.04	1.6
CC126048		0.25	40.3	230	22.6	8.5	<0.001	<0.01	0.51	6.4	0.7	0.5	14.4	<0.01	0.07	4.5
CC126049		0.19	30.4	590	14.8	7.2	<0.001	0.06	0.47	5.2	0.6	0.3	71.8	<0.01	0.05	1.7
CC126050		0.22	32.3	360	16.1	7.4	<0.001	0.01	0.36	5.5	0.6	0.3	11.5	<0.01	0.06	3.7
CC126051		0.12	25.0	750	15.7	10.5	0.001	0.35	0.49	3.9	0.8	0.5	38.9	<0.01	0.04	1.8
CC126052		0.17	43.7	990	13.6	13.6	0.003	0.13	0.63	4.5	2.9	0.4	70.1	<0.01	0.04	0.8
CC126053		0.25	24.8	320	13.7	9.8	<0.001	0.02	0.44	2.9	0.6	0.5	6.7	<0.01	0.05	1.7
CC126054		0.22	21.2	740	11.1	8.6	<0.001	0.04	0.34	2.6	0.7	0.5	10.0	<0.01	0.04	1.1
CC126055		0.76	16.2	310	14.2	12.3	<0.001	0.01	0.54	2.7	0.4	0.7	9.3	<0.01	0.03	2.7
CC126056		0.22	41.6	780	18.8	8.8	<0.001	0.02	0.49	5.0	1.0	0.5	14.2	<0.01	0.05	2.9
CC126057		0.24	20.0	950	13.7	16.2	<0.001	0.06	0.28	3.9	0.5	0.5	13.1	<0.01	0.04	1.0
CC126058		0.24	25.7	530	14.5	10.2	<0.001	0.03	0.46	4.1	0.4	0.5	9.8	<0.01	0.05	1.7
CC126059		0.26	32.1	350	16.7	15.5	<0.001	0.03	0.40	3.6	0.2	0.5	11.4	<0.01	0.04	2.3
CC126060		0.16	30.1	1310	21.6	25.4	<0.001	0.07	0.69	4.9	1.8	0.4	20.5	0.01	0.05	1.1
CC126061		0.29	35.1	370	52.4	20.0	<0.001	0.01	1.26	3.0	1.9	0.5	28.5	<0.01	0.06	1.7
CC126062		0.45	10.1	170	16.0	10.3	<0.001	<0.01	0.50	1.6	0.5	0.6	19.0	<0.01	0.04	1.5
CC126063		0.93	17.0	710	73.6	12.7	<0.001	0.02	0.94	3.7	0.6	0.6	25.3	<0.01	0.04	2.3
CC126064		0.86	10.3	370	23.0	8.4	<0.001	0.01	0.51	1.7	0.2	0.6	8.9	<0.01	0.04	1.0
CC126065		0.78	13.7	270	17.6	11.1	<0.001	<0.01	0.40	2.7	0.2	0.6	10.8	<0.01	0.05	2.2
CC126066		0.80	28.0	410	29.5	10.6	<0.001	0.01	0.69	3.1	0.6	0.6	8.9	0.01	0.07	2.4
CC126067		0.78	7.2	230	11.7	7.1	<0.001	0.01	0.36	1.3	<0.2	0.8	8.6	<0.01	0.03	0.8
CC126068		0.38	8.9	1090	10.1	4.4	<0.001	0.16	0.38	1.1	1.2	0.2	48.0	0.01	0.02	0.2
CC126069		0.26	101.5	1060	36.4	6.1	0.001	0.09	0.99	3.7	1.7	0.3	36.0	0.01	0.07	0.8
CC126070		0.30	39.7	690	34.3	5.0	<0.001	0.08	0.70	2.9	1.7	0.3	30.0	<0.01	0.07	0.6
CC126071		0.16	42.2	1170	16.1	7.3	0.003	0.04	1.38	4.7	1.7	0.4	30.0	<0.01	0.03	4.7
CC126072		0.20	22.9	820	11.8	9.0	0.001	0.07	1.71	3.1	1.4	0.3	48.3	<0.01	0.03	2.2
CC126073		0.48	21.2	850	32.9	12.9	<0.001	0.08	0.91	3.1	1.0	0.4	38.7	<0.01	0.05	0.9
CC126074		0.31	32.0	1070	17.7	11.5	0.001	0.13	0.94	4.4	2.3	0.5	77.1	0.01	0.06	1.3
CC126075		0.39	24.6	790	14.2	11.6	<0.001	0.07	0.29	4.2	0.6	0.8	51.4	<0.01	0.04	1.9
CC126076		0.38	20.7	480	20.4	10.5	<0.001	0.01	0.30	6.4	0.5	0.5	21.8	<0.01	0.04	4.1
CC126077		0.14	21.1	1170	4.1	4.3	<0.001	0.21	0.41	1.9	1.1	0.3	89.1	0.01	0.04	0.5
CC126078		0.21	14.0	170	16.4	7.3	<0.001	<0.01	0.26	3.8	<0.2	0.5	14.3	<0.01	0.02	4.8
CC126079		0.52	27.6	370	18.4	15.0	<0.001	0.02	0.23	4.3	0.3	0.8	20.9	<0.01	0.02	3.5
CC126080		0.46	8.6	150	9.4	16.8	<0.001	<0.01	0.22	1.7	<0.2	0.6	9.9	<0.01	0.05	2.1
CC126311		0.30	31.2	670	19.5	11.9	0.013	0.04	0.75	5.5	2.9	0.5	39.4	<0.01	0.04	2.8
CC126312		0.33	33.5	640	20.3	14.9	0.009	0.04	0.76	5.9	2.6	0.6	32.0	<0.01	0.04	2.9
CC126313		0.81	20.5	190	18.9	21.5	<0.001	<0.01	0.41	3.2	0.2	1.1	7.7	<0.01	0.05	3.9
CC126314		0.97	17.1	560	14.7	12.7	<0.001	<0.01	0.46	3.1	0.3	0.6	16.9	<0.01	0.03	3.0

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 7- JUL- 2011
Account: RCM

Project: Rackla - PYRAMID

CERTIFICATE OF ANALYSIS WH11107307

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
CC126045		0.006	0.06	1.70	37	<0.05	13.40	113	1.2
CC126046		0.005	0.08	0.54	40	<0.05	11.25	93	2.7
CC126047		0.006	0.08	6.50	35	<0.05	10.45	92	2.1
CC126048		0.005	0.12	0.80	47	0.06	6.54	88	1.7
CC126049		<0.005	0.10	1.05	40	<0.05	7.67	86	2.8
CC126050		0.007	0.07	0.43	51	<0.05	7.15	76	1.0
CC126051		<0.005	0.14	0.48	28	<0.05	5.43	84	2.3
CC126052		<0.005	0.18	2.34	29	<0.05	27.1	112	3.0
CC126053		<0.005	0.10	0.39	41	0.06	3.58	82	0.8
CC126054		<0.005	0.13	0.47	38	0.06	3.15	64	0.6
CC126055		0.014	0.16	0.49	60	0.20	2.84	56	0.5
CC126056		0.005	0.12	0.52	40	0.05	8.63	118	1.2
CC126057		<0.005	0.11	0.76	25	0.07	6.49	51	0.7
CC126058		<0.005	0.09	0.32	39	0.06	4.05	78	0.7
CC126059		<0.005	0.11	0.31	35	0.05	2.90	72	1.1
CC126060		<0.005	0.43	1.11	26	0.10	25.5	116	0.8
CC126061		0.005	0.53	0.51	41	0.44	4.08	195	0.7
CC126062		0.014	0.16	0.45	39	0.16	2.63	44	<0.5
CC126063		0.018	0.37	1.74	53	0.31	7.33	194	0.9
CC126064		0.021	0.17	0.46	47	0.24	2.30	66	<0.5
CC126065		0.013	0.11	0.48	58	0.19	2.88	59	0.6
CC126066		0.010	0.56	0.64	56	0.26	6.04	97	1.3
CC126067		0.030	0.12	0.44	50	0.20	2.06	24	<0.5
CC126068		0.010	0.11	4.35	16	0.05	13.20	51	2.2
CC126069		0.005	0.38	2.24	41	0.71	42.4	494	1.5
CC126070		<0.005	0.27	2.08	42	0.39	14.85	198	1.5
CC126071		<0.005	0.18	1.91	45	<0.05	10.45	203	1.9
CC126072		<0.005	0.10	0.79	30	<0.05	9.34	188	2.7
CC126073		0.005	0.21	0.62	33	0.11	8.29	93	1.3
CC126074		<0.005	0.22	1.45	21	0.12	22.4	110	2.4
CC126075		<0.005	0.09	0.66	27	0.07	6.97	98	2.2
CC126076		0.005	0.07	0.90	34	0.08	7.20	86	1.6
CC126077		<0.005	0.05	0.53	8	<0.05	13.80	43	2.0
CC126078		<0.005	0.06	0.54	18	<0.05	3.36	60	0.9
CC126079		0.008	0.08	0.47	28	0.06	5.97	105	1.7
CC126080		0.012	0.08	0.34	22	0.15	1.48	33	<0.5
CC126311		<0.005	0.10	1.93	53	0.06	9.42	149	1.8
CC126312		<0.005	0.14	2.11	57	0.06	9.91	146	1.9
CC126313		0.015	0.13	0.52	31	0.21	2.45	77	1.0
CC126314		0.023	0.11	0.88	51	0.27	4.70	83	0.7

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 7- JUL- 2011
Account: RCM

Project: Rackla - PYRAMID

CERTIFICATE OF ANALYSIS WH11107307

Sample Description	Method	WEI- 21	Au- TL43	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Recvd Wt.	Au	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
CC126315		0.20	0.003	0.22	1.82	32.2	<0.2	<10	540	1.20	0.25	1.84	0.25	34.2	16.7	28
CC126316		0.26	0.002	0.21	1.50	19.1	<0.2	<10	500	0.96	0.26	0.36	0.27	32.3	12.7	25
CC126317		0.20	0.002	0.12	1.27	24.7	<0.2	<10	360	0.73	0.19	5.07	0.68	20.0	11.9	18
CC126318		0.20	0.002	0.15	1.49	18.1	<0.2	<10	330	0.92	0.25	1.68	0.48	27.6	17.7	24
CC126319		0.12	0.002	0.14	1.38	18.8	<0.2	<10	240	0.80	0.23	1.27	0.36	24.0	14.9	22
CC126320		0.10	0.004	0.12	1.30	15.2	<0.2	<10	240	0.77	0.22	1.08	0.39	22.2	13.2	21
CC126321		0.28	0.002	0.08	1.39	20.1	<0.2	<10	280	1.23	0.30	0.22	0.19	35.5	26.9	26
CC126322		0.20	0.001	0.01	2.12	13.7	<0.2	<10	270	0.85	0.25	0.15	0.12	28.7	13.4	31
CC126323		0.20	0.001	0.07	2.80	19.3	<0.2	<10	310	1.68	0.29	0.22	0.27	55.0	21.1	37
CC126324		0.28	0.002	0.02	2.15	17.1	<0.2	<10	190	1.16	0.31	0.23	0.17	39.7	19.3	32
CC126325		0.16	0.002	0.18	1.39	12.5	<0.2	<10	340	0.65	0.23	0.78	0.16	29.5	7.8	28
CC126326		0.30	0.001	0.02	1.45	15.1	<0.2	<10	290	0.84	0.33	0.11	0.07	21.8	14.4	23
CC126327		0.30	0.001	0.03	2.11	16.0	<0.2	<10	250	1.34	0.31	0.16	0.07	37.5	18.9	30
CC126328		0.04	NSS	0.02	0.23	1.9	<0.2	<10	50	0.12	0.07	2.93	0.13	2.10	1.8	19
CC126329		0.14	0.005	0.05	1.53	23.2	<0.2	<10	130	0.76	0.23	0.84	0.23	21.7	14.0	25
CC126330		0.12	0.002	0.07	1.00	26.2	<0.2	<10	140	1.03	0.25	2.51	0.47	24.9	14.7	18
CC126331		0.06	0.002	0.06	1.31	8.6	<0.2	<10	170	0.71	0.18	2.78	0.27	12.40	9.4	21
CC126332		0.12	0.004	0.06	1.39	7.8	<0.2	<10	170	0.67	0.17	2.80	0.23	13.00	10.1	23
CC126333		0.32	0.004	0.09	2.29	7.9	<0.2	<10	200	0.93	0.27	1.00	0.45	32.4	21.1	34
CC126334		0.16	0.001	0.02	1.51	10.6	<0.2	<10	160	0.43	0.25	0.90	0.32	16.45	11.1	31
CC126335		0.10	0.003	0.20	1.09	22.8	<0.2	<10	310	0.96	0.27	1.26	0.42	28.3	13.9	25
CC126336		0.10	0.002	1.33	0.89	8.8	<0.2	<10	810	0.66	0.29	0.66	0.61	9.88	9.1	32
CC126337		0.08	0.002	2.48	0.97	4.0	<0.2	<10	1130	0.57	0.24	1.17	0.48	4.59	6.9	35
CC126338		0.16	0.001	0.95	1.34	9.8	<0.2	<10	560	0.64	0.27	0.31	0.22	6.21	7.7	47
CC126339		0.14	0.001	0.31	1.03	9.2	<0.2	<10	150	0.35	0.23	0.03	0.19	6.51	7.1	26
CC126340		0.14	0.001	0.30	1.37	9.2	<0.2	<10	440	0.65	0.24	0.11	0.19	10.50	9.2	31
CC126341		0.08	<0.001	0.19	1.01	11.4	<0.2	<10	180	0.33	0.24	0.05	0.17	8.37	5.5	24
CC126342		0.12	0.002	2.04	1.38	8.5	<0.2	<10	1220	0.90	0.24	0.94	0.37	10.60	5.5	34
CC126343		0.04	NSS	0.57	1.39	6.7	<0.2	<10	430	0.45	0.16	0.27	0.44	6.63	6.9	26
CC126344		0.06	NSS	0.20	1.40	8.9	<0.2	<10	380	0.48	0.20	0.27	0.24	6.21	6.3	31
CC126345		0.04	0.001	0.17	1.27	7.3	<0.2	<10	310	0.54	0.18	0.25	0.22	9.69	6.6	31
CC126346		0.32	<0.001	0.03	1.49	16.6	<0.2	<10	70	0.30	0.30	0.02	0.09	11.55	5.7	22
CC126347		0.24	0.001	0.05	1.69	17.8	<0.2	<10	100	0.66	0.31	0.03	0.12	9.58	12.5	28
CC126348		0.10	<0.001	0.11	1.34	17.7	<0.2	<10	40	0.30	0.33	0.17	0.12	5.33	7.0	29
CC126349		0.14	0.001	0.04	1.88	16.2	<0.2	<10	90	0.61	0.33	0.02	0.04	5.36	6.1	33
CC126350		0.12	0.001	0.09	1.41	193.5	<0.2	<10	200	0.44	0.27	0.13	0.71	24.0	5.7	21
CC126351		0.12	0.002	1.52	1.73	601	<0.2	<10	210	0.59	0.25	0.42	2.77	20.0	11.2	32
CC126352		0.22	0.003	1.59	1.56	925	<0.2	<10	550	0.80	0.22	0.79	6.25	16.95	9.2	28
CC126353		0.04	NSS	0.30	0.74	70.9	<0.2	<10	1440	0.46	0.12	1.44	3.03	5.89	3.4	11
CC126081		0.16	0.001	0.06	1.90	13.6	<0.2	<10	630	0.74	0.30	0.73	1.09	30.3	15.0	32

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 7- JUL- 2011
Account: RCM

Project: Rackla - PYRAMID

CERTIFICATE OF ANALYSIS WH11107307

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
CC126315		0.94	40.5	5.97	5.73	0.17	0.15	0.78	0.035	0.09	24.2	23.3	1.35	2080	1.12	0.02
CC126316		0.82	33.1	4.44	3.85	0.14	0.13	0.36	0.034	0.08	17.6	11.8	0.44	824	0.85	0.01
CC126317		0.69	33.3	4.43	3.97	0.11	0.10	0.33	0.029	0.09	10.1	20.1	2.98	1440	0.78	0.02
CC126318		1.14	48.3	3.98	5.06	0.12	0.12	0.26	0.034	0.11	12.9	27.8	1.10	1190	0.98	0.01
CC126319		0.68	41.6	4.01	4.57	0.10	0.09	0.29	0.029	0.08	10.7	24.8	0.81	910	0.93	0.01
CC126320		0.87	40.6	3.50	4.22	0.09	0.09	0.26	0.029	0.09	9.6	21.6	0.55	727	0.85	0.01
CC126321		1.39	64.0	5.41	3.98	0.15	0.09	0.08	0.046	0.08	19.7	14.8	0.35	1010	1.02	0.01
CC126322		1.37	20.5	3.65	7.14	0.09	0.07	0.01	0.034	0.05	12.9	24.0	0.44	290	1.41	0.01
CC126323		1.13	75.9	5.61	6.18	0.14	0.14	0.14	0.052	0.08	18.7	35.1	0.91	1060	0.88	<0.01
CC126324		0.90	65.6	4.91	5.55	0.12	0.09	0.11	0.042	0.07	16.1	29.2	0.82	691	0.79	<0.01
CC126325		0.71	24.7	2.87	4.15	0.08	0.08	0.10	0.027	0.06	13.5	30.3	0.53	276	1.20	0.01
CC126326		1.25	38.3	4.37	4.43	0.08	0.03	0.04	0.042	0.07	9.7	17.4	0.33	474	1.18	<0.01
CC126327		1.32	63.4	4.98	5.49	0.12	0.07	0.10	0.046	0.07	17.0	29.5	0.73	823	0.86	0.01
CC126328		0.29	69.8	0.49	0.62	<0.05	0.02	0.03	<0.005	0.03	0.9	2.6	0.09	78	1.10	0.02
CC126329		0.66	48.1	3.99	4.51	0.08	0.07	0.06	0.034	0.06	8.8	29.0	0.73	459	0.70	0.01
CC126330		0.71	42.8	3.55	2.74	0.10	0.08	0.11	0.048	0.07	12.5	11.9	0.25	540	0.61	0.01
CC126331		0.93	44.5	2.77	3.61	0.07	0.07	0.08	0.028	0.08	6.1	20.3	0.51	323	0.55	0.01
CC126332		0.78	51.0	2.72	4.04	0.07	0.07	0.09	0.028	0.06	6.8	23.3	0.62	354	0.81	0.01
CC126333		0.88	89.6	4.28	6.95	0.11	0.11	0.12	0.041	0.10	14.8	41.7	1.21	381	0.54	0.01
CC126334		0.80	19.4	3.10	5.23	0.06	0.04	0.04	0.033	0.06	7.4	31.3	0.54	643	1.46	<0.01
CC126335		1.11	71.2	3.60	3.19	0.11	0.09	0.13	0.042	0.07	12.2	19.7	0.44	764	1.65	0.01
CC126336		2.61	32.3	2.93	2.59	0.07	0.08	0.22	0.043	0.09	7.1	9.4	0.19	208	1.61	0.01
CC126337		1.82	62.1	2.08	2.52	0.06	0.07	0.37	0.040	0.09	2.6	13.4	0.24	289	1.88	0.01
CC126338		2.11	37.7	3.30	3.92	0.07	0.06	0.27	0.045	0.09	3.2	31.6	0.41	186	4.13	<0.01
CC126339		1.84	27.9	3.18	3.59	0.06	0.02	0.07	0.030	0.05	3.4	15.0	0.21	150	2.60	<0.01
CC126340		1.65	25.3	3.09	4.21	0.07	0.05	0.08	0.038	0.07	6.1	18.6	0.34	184	1.92	<0.01
CC126341		1.12	24.0	2.61	3.84	0.05	0.03	0.05	0.028	0.05	4.3	11.5	0.22	118	1.79	<0.01
CC126342		1.66	51.9	2.55	3.41	0.09	0.08	0.43	0.048	0.11	5.6	15.5	0.32	133	3.33	0.01
CC126343		1.22	25.0	2.50	4.35	0.06	0.03	0.09	0.028	0.10	3.2	10.2	0.29	207	2.10	0.01
CC126344		0.93	20.7	2.77	4.32	0.06	0.03	0.09	0.029	0.09	3.0	17.6	0.32	91	2.80	0.01
CC126345		0.81	25.5	2.60	3.69	0.06	0.03	0.08	0.031	0.08	4.5	21.1	0.36	146	2.28	0.01
CC126346		1.06	22.9	3.70	6.13	0.07	0.02	0.03	0.029	0.05	5.8	11.4	0.23	116	1.66	<0.01
CC126347		0.88	34.8	4.32	5.35	0.08	0.03	0.04	0.039	0.06	4.3	27.2	0.45	325	1.64	0.01
CC126348		1.30	26.8	4.15	6.88	0.07	0.02	0.02	0.038	0.07	2.5	13.7	0.33	204	2.25	0.01
CC126349		2.48	30.8	4.84	6.15	0.08	0.03	0.03	0.051	0.10	2.1	22.2	0.50	129	0.97	0.01
CC126350		1.59	7.9	2.69	5.61	0.07	0.03	1.20	0.028	0.04	10.9	14.3	0.22	257	1.41	<0.01
CC126351		1.44	16.2	3.53	5.49	0.08	0.04	8.44	0.034	0.06	8.6	22.7	0.57	530	1.56	0.01
CC126352		1.05	33.2	3.48	4.54	0.10	0.07	6.43	0.041	0.06	9.5	20.6	0.58	385	1.02	0.01
CC126353		1.99	19.5	1.42	1.93	0.05	0.05	0.62	0.018	0.07	2.9	3.0	0.16	72	0.85	0.02
CC126081		1.39	15.1	3.45	6.17	0.10	0.05	0.17	0.035	0.06	13.6	13.7	0.56	1820	1.28	0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 7- JUL- 2011
Account: RCM

Project: Rackla - PYRAMID

CERTIFICATE OF ANALYSIS WH11107307

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
CC126315		0.25	34.7	430	54.9	11.1	<0.001	0.01	0.43	9.9	1.1	0.5	34.9	0.01	0.07	5.5
CC126316		0.26	30.8	450	30.9	8.8	<0.001	0.01	0.29	9.9	1.1	0.6	25.7	0.01	0.04	6.0
CC126317		0.21	24.0	520	37.2	8.1	<0.001	0.06	0.33	6.0	0.7	0.3	47.5	<0.01	0.05	3.1
CC126318		0.28	35.9	490	24.8	9.7	<0.001	0.03	0.42	7.4	0.9	0.5	34.6	<0.01	0.07	3.9
CC126319		0.27	30.3	360	26.8	7.7	<0.001	0.04	0.43	5.7	0.9	0.3	32.7	<0.01	0.06	3.0
CC126320		0.30	27.7	560	23.5	9.5	<0.001	0.04	0.40	5.4	0.8	0.4	37.7	<0.01	0.05	2.8
CC126321		0.24	42.7	310	21.2	10.3	<0.001	0.01	0.42	12.6	1.1	0.4	20.8	0.01	0.07	4.6
CC126322		1.11	27.7	160	15.8	12.8	<0.001	<0.01	0.58	3.6	0.2	0.8	14.4	<0.01	0.05	4.1
CC126323		0.20	46.1	290	24.4	11.3	<0.001	0.02	0.54	10.4	1.0	1.1	25.0	0.01	0.08	5.7
CC126324		0.17	37.4	140	21.1	8.0	<0.001	0.01	0.45	9.3	0.8	0.8	23.6	<0.01	0.08	5.6
CC126325		0.96	25.0	1030	12.8	7.5	<0.001	0.04	0.54	3.8	1.0	0.5	39.0	<0.01	0.03	4.0
CC126326		0.48	27.7	180	18.5	10.9	<0.001	0.01	0.41	5.4	0.5	0.7	13.1	<0.01	0.05	3.4
CC126327		0.19	36.1	210	21.0	9.2	<0.001	0.02	0.44	9.6	0.9	0.5	15.1	0.01	0.07	5.2
CC126328		0.12	12.5	360	5.9	2.3	<0.001	0.10	0.24	0.8	0.4	4.4	117.5	<0.01	0.01	0.2
CC126329		0.20	31.0	320	15.4	5.4	<0.001	0.04	0.44	5.9	0.6	0.3	47.5	<0.01	0.07	2.1
CC126330		0.21	28.8	700	15.7	7.8	<0.001	0.09	0.37	5.5	1.4	0.4	150.5	0.01	0.10	0.8
CC126331		0.33	22.7	780	10.7	8.6	<0.001	0.14	0.39	3.8	1.2	0.7	124.5	<0.01	0.05	0.7
CC126332		0.31	24.8	730	10.2	6.8	<0.001	0.12	0.41	4.0	0.9	0.3	123.0	<0.01	0.06	0.7
CC126333		0.28	41.4	660	16.8	7.0	<0.001	0.06	0.42	9.7	1.0	0.4	48.4	<0.01	0.09	3.5
CC126334		0.70	23.8	420	14.5	9.4	<0.001	0.03	0.47	3.5	0.4	0.5	40.7	<0.01	0.05	1.6
CC126335		0.17	33.3	740	25.3	6.8	<0.001	0.08	0.72	8.1	1.6	1.4	56.8	0.01	0.06	1.7
CC126336		0.27	46.9	830	16.2	10.7	0.003	0.04	0.69	5.0	2.2	0.5	47.4	0.01	0.10	1.8
CC126337		0.15	34.4	830	12.3	13.5	0.003	0.11	0.46	4.3	2.7	1.5	49.2	<0.01	0.06	0.9
CC126338		0.17	43.1	500	14.3	11.7	0.003	0.06	0.55	4.6	2.3	0.6	32.5	<0.01	0.07	1.8
CC126339		0.29	32.4	390	12.4	10.1	0.001	0.03	0.65	2.6	1.3	0.5	7.4	<0.01	0.06	1.1
CC126340		0.28	38.7	390	14.2	10.6	<0.001	0.02	0.55	4.5	1.1	0.5	10.1	<0.01	0.06	2.0
CC126341		0.23	26.9	740	13.1	9.7	0.001	0.03	0.58	2.5	1.0	0.4	10.1	<0.01	0.06	0.9
CC126342		0.21	39.4	1070	15.2	12.3	0.008	0.14	0.66	6.0	4.3	0.5	65.8	0.01	0.06	1.4
CC126343		0.19	25.3	900	10.2	11.8	<0.001	0.06	0.36	3.9	0.9	0.5	14.7	<0.01	0.04	0.9
CC126344		0.18	31.7	710	10.2	10.0	0.001	0.05	0.42	3.7	1.0	0.5	16.2	<0.01	0.04	1.2
CC126345		0.24	33.7	710	9.9	9.1	0.001	0.05	0.39	4.0	1.0	0.4	15.1	<0.01	0.04	1.6
CC126346		0.53	18.5	270	17.0	11.7	<0.001	0.01	0.49	2.8	0.6	0.7	5.6	<0.01	0.05	1.9
CC126347		0.19	35.9	560	20.7	11.0	<0.001	0.04	0.44	3.7	0.6	0.5	13.3	<0.01	0.05	1.9
CC126348		0.33	26.0	440	14.8	13.4	<0.001	0.03	0.43	3.4	0.4	0.6	9.6	<0.01	0.06	1.5
CC126349		0.14	24.3	630	18.5	14.8	<0.001	0.11	0.31	4.7	0.4	0.7	10.5	<0.01	0.04	2.6
CC126350		0.80	13.7	260	86.7	13.8	<0.001	0.01	1.16	2.5	0.4	0.7	13.1	<0.01	0.03	2.6
CC126351		0.69	29.9	300	284	15.1	<0.001	0.02	3.49	3.6	0.6	0.5	16.2	<0.01	0.05	3.0
CC126352		0.46	31.7	540	118.5	10.3	<0.001	0.04	6.93	5.6	1.4	0.4	17.7	0.01	0.04	1.9
CC126353		0.19	17.8	1040	15.5	7.5	0.001	0.18	0.65	2.2	1.1	0.3	41.4	<0.01	0.03	0.5
CC126081		1.09	23.0	540	22.6	12.3	<0.001	0.03	0.50	3.8	0.7	0.7	18.9	0.01	0.04	2.2

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 7- JUL- 2011
Account: RCM

Project: Rackla - PYRAMID

CERTIFICATE OF ANALYSIS WH11107307

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
CC126315		<0.005	0.32	2.03	39	0.09	27.1	260	4.1
CC126316		<0.005	0.17	0.96	31	0.10	22.9	156	3.1
CC126317		<0.005	0.21	1.54	26	0.05	13.50	237	2.9
CC126318		0.005	0.19	1.20	35	0.09	14.80	132	3.4
CC126319		0.005	0.15	1.36	33	0.07	12.05	134	2.6
CC126320		0.005	0.15	1.66	31	0.06	10.60	143	2.6
CC126321		0.005	0.12	1.09	39	0.07	21.9	81	2.1
CC126322		0.022	0.11	0.52	62	0.23	4.27	61	2.8
CC126323		<0.005	0.13	0.84	55	0.06	15.25	88	3.6
CC126324		0.006	0.10	0.72	50	0.05	10.45	80	2.5
CC126325		0.032	0.09	1.47	44	0.22	8.82	91	1.8
CC126326		0.009	0.11	0.56	47	0.12	4.89	72	0.8
CC126327		0.006	0.10	0.90	49	0.06	13.05	80	1.7
CC126328		<0.005	0.02	0.09	6	0.06	0.78	33	0.6
CC126329		0.006	0.07	0.55	41	0.06	6.86	79	1.5
CC126330		<0.005	0.08	1.03	29	0.06	23.1	138	1.1
CC126331		0.007	0.07	1.95	32	0.06	8.02	92	1.6
CC126332		0.008	0.06	1.06	33	0.06	8.74	66	1.6
CC126333		0.007	0.06	0.73	56	0.06	13.85	96	3.0
CC126334		0.014	0.08	0.47	48	0.15	2.67	99	1.1
CC126335		<0.005	0.12	1.41	34	0.08	19.45	103	1.8
CC126336		0.005	0.10	2.26	34	0.08	20.2	146	1.8
CC126337		<0.005	0.13	1.55	30	0.05	11.35	104	1.6
CC126338		<0.005	0.14	1.01	35	0.05	7.79	136	1.6
CC126339		0.005	0.07	0.47	38	0.07	3.00	115	0.6
CC126340		<0.005	0.09	0.73	43	0.07	9.89	102	1.3
CC126341		<0.005	0.08	0.55	38	0.06	4.52	78	0.5
CC126342		<0.005	0.13	2.18	33	0.06	18.05	87	2.0
CC126343		<0.005	0.12	0.50	41	0.06	4.90	76	0.8
CC126344		<0.005	0.11	0.44	37	0.05	5.44	92	0.7
CC126345		<0.005	0.08	0.71	28	0.07	6.59	93	0.7
CC126346		0.006	0.12	0.32	55	0.08	1.93	58	1.0
CC126347		<0.005	0.10	0.40	39	<0.05	3.33	104	0.8
CC126348		<0.005	0.14	0.31	51	0.05	2.47	76	0.6
CC126349		<0.005	0.14	0.37	32	<0.05	2.59	63	1.2
CC126350		0.012	0.63	0.70	59	0.34	3.34	187	0.8
CC126351		0.009	1.42	0.97	49	0.37	3.68	653	1.2
CC126352		0.008	2.22	4.15	42	0.47	13.05	1200	1.3
CC126353		<0.005	0.66	0.55	15	0.08	6.12	166	1.4
CC126081		0.030	0.18	1.70	57	0.23	7.66	219	1.1

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 7- JUL- 2011
Account: RCM

Project: Rackla - PYRAMID

CERTIFICATE OF ANALYSIS WH11107307

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- TL43 Au ppm 0.001	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1
CC126082		0.16	0.001	0.04	2.09	21.7	<0.2	<10	340	0.95	0.30	0.32	0.51	31.0	10.9	30
CC126083		0.18	0.001	0.13	1.20	19.5	<0.2	<10	320	0.75	0.23	3.40	2.23	23.6	11.6	19
CC126084		0.12	0.001	0.07	0.67	7.8	<0.2	<10	280	0.36	0.12	3.37	0.65	9.00	5.3	11
CC126085		0.28	0.001	0.12	1.17	15.6	<0.2	<10	350	0.82	0.29	1.02	0.48	20.9	13.1	20
CC126086		0.10	0.001	0.07	0.52	3.0	<0.2	<10	500	0.46	0.07	4.05	0.98	7.54	3.0	7
CC126087		0.18	0.001	0.09	1.14	13.1	<0.2	<10	330	1.12	0.25	1.77	0.30	16.50	7.8	19
CC126088		0.12	0.001	0.08	0.98	10.9	<0.2	<10	260	0.59	0.20	2.68	0.33	11.80	8.0	18
CC126089		0.32	0.001	0.18	1.49	21.3	<0.2	<10	460	1.43	0.32	0.47	0.88	28.8	13.0	26
CC126090		0.24	0.001	0.07	1.45	14.8	<0.2	<10	220	1.02	0.24	1.41	0.27	22.8	12.5	25
CC126091		0.18	0.002	0.30	1.40	19.7	<0.2	<10	290	0.75	0.23	0.66	0.70	22.1	16.0	26
CC126092		0.28	0.001	0.02	2.02	13.4	<0.2	<10	200	1.04	0.28	0.37	0.11	24.6	15.4	28
CC126093		0.30	0.002	0.08	1.43	15.2	<0.2	<10	170	1.09	0.33	0.68	0.20	23.3	19.0	24
CC126094		0.12	0.001	0.14	0.86	5.7	<0.2	<10	200	0.62	0.13	3.94	0.37	12.85	7.1	15
CC126095		0.18	0.001	0.07	0.97	9.2	<0.2	<10	190	0.79	0.19	2.56	0.24	12.60	8.9	15
CC126096		0.14	0.002	0.07	1.18	14.1	<0.2	<10	230	0.79	0.23	1.60	0.27	17.30	12.5	22
CC126097		0.12	0.002	0.07	0.67	6.9	<0.2	<10	250	0.49	0.12	3.68	0.28	7.43	5.4	13
CC126098		0.40	0.001	0.29	1.21	25.6	<0.2	<10	380	0.89	0.23	0.65	0.59	15.05	11.3	26
CC126099		0.24	0.002	0.19	0.99	13.1	<0.2	<10	240	0.91	0.25	1.47	0.49	15.45	12.2	21
CC126100		0.38	0.002	0.36	1.13	22.7	<0.2	<10	220	0.90	0.25	1.03	0.72	15.15	12.6	26
CC126251		0.10	0.003	0.72	0.86	32.0	<0.2	<10	790	0.63	0.21	1.30	1.74	8.78	13.4	19
CC126252		0.14	0.003	0.69	1.13	23.5	<0.2	<10	560	0.86	0.22	0.81	2.34	11.55	8.1	24
CC126253		0.10	0.002	0.62	1.42	18.3	<0.2	<10	480	0.93	0.24	0.89	2.00	10.65	14.5	27
CC126254		0.12	0.002	0.40	1.40	22.4	<0.2	<10	410	1.08	0.24	1.28	2.08	11.40	13.3	26
CC126255		0.16	0.002	0.28	1.30	16.1	<0.2	<10	380	1.04	0.24	1.68	2.62	8.94	11.8	21
CC126256		0.14	0.002	0.56	1.63	27.3	<0.2	<10	440	1.15	0.27	1.08	0.69	10.65	10.9	26
CC126257		0.24	0.002	0.34	1.49	21.3	<0.2	<10	360	1.08	0.27	1.14	0.82	11.00	9.0	26
CC126258		0.38	0.001	0.22	1.37	21.4	<0.2	<10	320	1.04	0.25	0.81	0.91	13.65	12.6	23
CC126259		0.10	0.001	0.31	1.27	18.8	<0.2	<10	520	0.81	0.20	1.59	1.11	8.59	13.0	22
CC126260		0.18	0.002	0.29	1.64	32.7	<0.2	<10	420	1.20	0.28	0.62	0.58	14.55	13.3	29
CC126261		0.26	0.002	0.47	1.21	29.4	<0.2	<10	720	0.91	0.22	0.26	0.48	11.05	11.6	28
CC126262		0.26	0.002	0.09	1.57	17.8	<0.2	<10	270	0.93	0.27	0.79	0.35	27.4	13.0	25
CC126263		0.40	0.002	0.07	2.39	19.2	<0.2	<10	240	1.52	0.30	0.19	0.83	37.6	14.8	31
CC126264		0.36	0.001	0.02	1.95	14.9	<0.2	<10	190	1.04	0.31	0.07	0.22	33.3	14.8	27
CC126265		0.22	0.001	0.03	1.32	10.7	<0.2	<10	90	0.32	0.29	0.06	0.21	30.0	4.9	20
CC126266		0.24	0.001	0.07	1.36	30.0	<0.2	<10	300	0.72	0.31	0.12	0.90	29.5	11.7	30
CC126267		0.28	0.002	0.09	1.86	14.9	<0.2	<10	190	1.01	0.28	0.90	0.23	30.2	16.6	29
CC126268		0.18	0.002	0.10	2.18	14.4	<0.2	<10	300	1.18	0.28	0.62	0.19	33.4	18.1	32
CC126269		0.26	0.001	0.11	1.33	9.7	<0.2	<10	240	0.77	0.27	0.65	0.16	37.1	10.4	23
CC126270		0.20	0.002	1.76	1.18	13.0	<0.2	<10	190	0.39	0.41	0.04	0.14	17.55	4.7	28

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 7- JUL- 2011
Account: RCM

Project: Rackla - PYRAMID

CERTIFICATE OF ANALYSIS WH11107307

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
CC126082		1.34	13.9	4.77	6.17	0.12	0.07	0.13	0.038	0.06	15.6	16.5	0.39	1220	1.85	0.01
CC126083		0.77	28.9	3.85	3.51	0.10	0.07	0.70	0.032	0.08	10.8	13.0	1.69	1300	0.97	0.01
CC126084		0.50	18.6	1.80	1.81	0.06	0.05	0.17	0.015	0.05	4.9	5.4	0.51	560	0.57	0.01
CC126085		0.91	28.4	3.83	3.57	0.10	0.07	0.26	0.035	0.09	9.4	14.4	0.41	532	0.96	0.01
CC126086		0.58	21.1	0.76	1.39	0.05	0.06	0.12	0.010	0.03	5.3	3.1	0.41	313	0.55	0.01
CC126087		1.58	26.7	3.17	3.88	0.12	0.08	0.13	0.034	0.09	12.9	13.2	0.23	552	0.95	0.01
CC126088		0.70	27.5	2.68	3.03	0.07	0.05	0.11	0.030	0.07	4.8	13.7	0.37	326	0.90	0.01
CC126089		2.86	27.7	4.46	4.93	0.14	0.08	0.18	0.045	0.09	13.6	17.9	0.30	933	1.45	<0.01
CC126090		0.86	47.0	3.65	4.46	0.11	0.09	0.17	0.036	0.08	10.5	24.3	0.55	453	1.00	0.01
CC126091		0.93	39.7	3.44	4.53	0.11	0.09	0.30	0.034	0.08	9.2	26.7	0.60	634	1.42	<0.01
CC126092		1.08	49.0	4.20	5.97	0.12	0.08	0.05	0.037	0.06	10.1	35.2	0.65	516	0.76	<0.01
CC126093		1.03	63.6	4.41	4.51	0.13	0.11	0.14	0.039	0.10	10.1	25.3	0.61	729	0.60	<0.01
CC126094		0.47	35.8	1.58	2.39	0.07	0.05	0.13	0.018	0.04	7.3	9.8	0.32	917	0.80	0.01
CC126095		0.53	36.6	2.57	2.95	0.07	0.05	0.15	0.027	0.07	5.3	13.9	0.32	409	0.66	0.01
CC126096		0.58	42.8	3.83	3.76	0.10	0.06	0.12	0.034	0.07	7.2	19.5	0.49	700	1.09	0.01
CC126097		0.61	28.5	1.53	2.01	0.05	0.05	0.12	0.017	0.05	3.7	8.2	0.27	285	0.94	0.01
CC126098		1.26	36.7	3.11	3.79	0.10	0.09	1.49	0.039	0.09	6.1	25.7	0.41	320	1.67	0.01
CC126099		1.16	31.8	2.13	3.13	0.08	0.08	0.30	0.036	0.09	6.0	18.7	0.36	1030	1.00	<0.01
CC126100		1.81	29.5	3.16	3.50	0.09	0.09	0.32	0.040	0.10	6.0	22.9	0.41	1130	1.66	0.01
CC126251		1.23	36.0	2.63	2.88	0.08	0.08	0.42	0.032	0.08	3.9	10.7	0.23	977	6.23	0.01
CC126252		1.21	43.9	2.46	3.70	0.08	0.07	0.41	0.037	0.09	5.3	18.6	0.28	436	5.45	<0.01
CC126253		1.36	32.3	2.56	4.56	0.08	0.07	0.30	0.041	0.08	4.7	25.7	0.33	447	4.18	0.01
CC126254		1.01	39.2	3.23	4.38	0.10	0.08	0.19	0.042	0.09	4.5	26.6	0.37	1440	5.01	0.01
CC126255		0.93	44.1	2.91	3.90	0.08	0.09	0.15	0.036	0.08	4.0	21.5	0.38	2130	2.70	0.01
CC126256		1.90	29.1	3.49	4.91	0.09	0.09	0.40	0.047	0.12	4.7	30.5	0.43	418	2.33	0.01
CC126257		1.46	37.7	3.26	4.54	0.09	0.09	0.28	0.042	0.11	5.1	27.5	0.41	345	2.63	0.01
CC126258		1.19	30.1	3.48	4.33	0.09	0.08	0.42	0.042	0.10	5.4	27.5	0.38	690	2.55	<0.01
CC126259		0.93	32.4	3.09	3.78	0.09	0.07	0.25	0.033	0.09	3.8	25.0	0.38	1550	2.50	0.01
CC126260		1.40	36.7	3.49	5.17	0.10	0.08	4.09	0.046	0.09	6.2	32.2	0.42	427	3.10	<0.01
CC126261		1.16	34.2	2.85	3.44	0.09	0.07	0.59	0.039	0.08	5.2	25.9	0.34	221	2.29	<0.01
CC126262		0.85	49.6	4.00	4.85	0.13	0.11	0.15	0.036	0.09	12.1	27.5	0.69	579	0.94	<0.01
CC126263		1.29	31.7	5.05	6.27	0.15	0.10	0.57	0.047	0.07	16.0	32.0	0.58	1160	1.03	<0.01
CC126264		1.16	41.1	4.29	5.83	0.12	0.07	0.03	0.041	0.07	12.5	33.7	0.56	477	0.87	<0.01
CC126265		1.13	10.0	2.71	6.70	0.09	0.04	0.02	0.022	0.04	14.1	18.3	0.23	154	1.49	<0.01
CC126266		0.98	37.9	4.49	5.24	0.12	0.06	0.80	0.033	0.07	12.6	19.0	0.38	1300	1.17	<0.01
CC126267		0.84	62.4	4.22	5.81	0.14	0.12	0.13	0.037	0.11	12.8	36.5	0.86	686	0.92	<0.01
CC126268		0.88	64.1	4.45	6.64	0.14	0.10	0.13	0.041	0.10	14.4	39.2	0.88	869	0.80	<0.01
CC126269		0.96	20.4	2.98	3.77	0.10	0.05	0.05	0.039	0.07	10.9	14.7	0.32	417	0.76	<0.01
CC126270		5.09	18.2	2.57	6.10	0.08	0.02	0.08	0.031	0.10	8.5	9.4	0.18	180	1.35	<0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 7- JUL- 2011
Account: RCM

Project: Rackla - PYRAMID

CERTIFICATE OF ANALYSIS WH11107307

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
CC126082		0.81	21.8	390	46.4	14.1	<0.001	0.02	0.35	5.3	0.7	0.7	15.4	<0.01	0.05	4.5
CC126083		0.40	26.4	740	100.0	7.9	<0.001	0.07	0.39	4.3	1.2	0.4	51.0	0.01	0.04	1.8
CC126084		0.34	13.1	790	15.0	5.5	<0.001	0.16	0.27	1.5	1.0	0.2	60.0	<0.01	0.04	0.4
CC126085		0.40	27.2	600	29.4	8.7	<0.001	0.05	0.34	5.0	1.1	0.4	34.4	<0.01	0.04	2.5
CC126086		0.27	11.5	840	4.9	3.5	<0.001	0.18	0.41	1.1	1.0	<0.2	89.4	0.01	0.02	0.3
CC126087		0.60	22.1	570	20.9	10.9	<0.001	0.05	0.37	5.1	1.1	0.5	73.5	0.01	0.04	1.6
CC126088		0.31	21.6	690	16.0	7.2	<0.001	0.11	0.37	2.7	0.8	0.3	110.0	<0.01	0.05	0.7
CC126089		0.60	33.2	710	37.8	14.0	<0.001	0.03	0.49	7.5	1.1	0.6	28.2	0.01	0.05	3.5
CC126090		0.29	30.6	440	21.1	7.8	<0.001	0.04	0.44	5.9	1.0	0.4	54.7	<0.01	0.05	2.4
CC126091		0.19	36.2	680	20.7	8.1	0.002	0.03	0.53	5.6	1.4	0.4	31.2	<0.01	0.06	3.0
CC126092		0.22	32.4	250	21.6	9.1	<0.001	0.01	0.37	5.7	0.5	0.5	29.3	<0.01	0.06	3.7
CC126093		0.15	39.1	510	20.2	7.2	<0.001	0.02	0.41	8.1	0.7	0.4	44.1	<0.01	0.07	4.6
CC126094		0.30	17.2	1010	8.6	4.2	<0.001	0.14	0.41	1.9	1.5	0.3	143.0	0.01	0.05	0.3
CC126095		0.26	22.5	700	11.7	5.6	<0.001	0.10	0.42	3.0	1.1	0.3	93.5	<0.01	0.05	0.6
CC126096		0.20	30.3	500	17.4	6.2	<0.001	0.07	0.46	5.0	0.8	0.4	55.3	<0.01	0.06	1.1
CC126097		0.23	17.3	850	7.8	5.4	0.001	0.19	0.50	1.4	1.3	0.3	110.0	<0.01	0.04	0.3
CC126098		0.18	41.2	750	25.1	9.2	0.006	0.04	0.57	5.9	2.2	0.5	39.6	<0.01	0.05	3.5
CC126099		0.21	26.1	940	25.9	8.4	0.005	0.13	0.34	5.3	2.6	0.4	72.3	<0.01	0.05	2.3
CC126100		0.19	47.9	890	22.8	10.0	0.002	0.06	0.52	6.1	1.5	0.4	57.1	<0.01	0.05	2.4
CC126251		0.21	41.1	910	20.8	11.2	0.008	0.08	1.94	3.7	2.6	0.4	51.3	<0.01	0.08	1.6
CC126252		0.23	49.8	810	19.6	11.1	0.012	0.05	1.92	4.9	2.9	0.5	36.6	<0.01	0.07	2.3
CC126253		0.24	44.7	820	20.5	11.8	0.024	0.06	1.17	4.6	2.4	0.6	36.7	<0.01	0.06	1.8
CC126254		0.25	54.2	990	17.5	10.3	0.006	0.06	1.19	5.0	2.4	0.5	41.3	<0.01	0.07	1.7
CC126255		0.25	51.4	950	16.1	10.8	0.004	0.10	0.97	4.4	2.1	0.5	69.8	<0.01	0.06	1.6
CC126256		0.33	35.6	590	22.1	13.8	0.002	0.06	0.79	6.7	1.4	0.6	57.7	<0.01	0.05	2.6
CC126257		0.29	40.5	710	20.6	12.4	0.008	0.07	0.87	5.7	1.9	0.6	45.3	<0.01	0.06	2.2
CC126258		0.26	38.3	680	22.0	10.8	0.005	0.06	0.69	5.5	1.3	0.5	36.9	<0.01	0.04	3.1
CC126259		0.23	50.5	950	15.6	10.4	0.010	0.14	0.81	3.9	2.3	0.5	55.5	<0.01	0.04	1.4
CC126260		0.28	43.6	670	23.9	12.5	0.003	0.03	0.77	6.3	2.2	0.6	30.5	<0.01	0.05	3.2
CC126261		0.18	43.7	660	26.2	7.8	0.004	0.02	0.75	5.0	2.4	0.4	25.9	<0.01	0.06	2.3
CC126262		0.34	32.5	330	22.1	7.3	<0.001	0.02	0.47	6.6	0.8	0.4	31.8	<0.01	0.06	3.8
CC126263		0.38	34.6	290	184.5	14.7	<0.001	0.01	0.45	7.9	0.9	0.6	12.9	0.01	0.06	5.7
CC126264		0.33	31.2	190	26.0	12.5	<0.001	<0.01	0.40	4.8	0.5	0.5	11.0	<0.01	0.06	5.1
CC126265		1.47	11.7	140	14.1	10.8	<0.001	<0.01	0.61	2.1	0.3	0.8	7.9	<0.01	0.04	4.1
CC126266		0.48	33.1	310	58.4	8.9	<0.001	0.01	0.50	7.4	0.7	0.6	34.8	<0.01	0.06	4.5
CC126267		0.26	38.3	500	20.1	7.0	<0.001	0.02	0.51	7.7	0.8	0.4	44.7	<0.01	0.07	4.7
CC126268		0.33	38.2	490	19.7	8.9	<0.001	0.02	0.47	8.0	0.9	0.4	33.0	<0.01	0.07	4.1
CC126269		0.61	27.4	380	17.3	9.7	<0.001	0.01	0.38	4.1	0.7	0.4	39.4	<0.01	0.04	3.0
CC126270		0.69	15.3	510	24.5	18.1	<0.001	0.06	0.72	2.2	2.7	1.0	14.2	<0.01	0.11	1.0

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 7- JUL- 2011
Account: RCM

Project: Rackla - PYRAMID

CERTIFICATE OF ANALYSIS WH11107307

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
CC126082		0.010	0.23	1.75	52	0.21	9.80	356	1.8
CC126083		0.007	0.21	1.33	28	0.09	12.75	1650	1.5
CC126084		0.007	0.13	0.82	14	0.06	5.67	904	1.5
CC126085		0.006	0.17	1.14	27	0.09	10.55	1060	1.7
CC126086		0.008	0.05	2.33	8	<0.05	6.92	134	2.0
CC126087		0.008	0.16	1.48	29	0.14	22.3	106	1.5
CC126088		0.005	0.09	1.45	23	0.05	5.11	137	1.6
CC126089		0.011	0.19	1.29	37	0.16	18.05	382	1.2
CC126090		<0.005	0.11	2.07	33	0.06	11.55	187	2.3
CC126091		<0.005	0.10	1.24	40	0.05	10.05	145	2.3
CC126092		<0.005	0.11	0.70	42	<0.05	6.84	79	2.5
CC126093		<0.005	0.08	0.65	35	<0.05	10.50	89	3.3
CC126094		0.007	0.05	3.60	18	0.05	10.65	35	1.2
CC126095		<0.005	0.06	1.32	22	0.05	7.20	58	1.4
CC126096		<0.005	0.10	0.84	31	0.08	7.82	106	1.4
CC126097		<0.005	0.07	2.52	17	0.05	5.70	78	1.4
CC126098		<0.005	0.12	1.93	41	<0.05	11.65	195	2.6
CC126099		<0.005	0.11	1.77	32	0.05	11.00	185	1.9
CC126100		<0.005	0.14	1.06	35	0.05	10.70	219	2.3
CC126251		<0.005	0.30	2.69	84	0.06	8.77	238	2.1
CC126252		<0.005	0.31	3.68	118	0.07	11.45	310	1.8
CC126253		<0.005	0.30	3.15	108	0.06	9.41	267	1.7
CC126254		<0.005	0.21	3.98	79	0.06	10.85	282	1.9
CC126255		<0.005	0.16	3.36	47	0.06	10.45	219	1.9
CC126256		<0.005	0.28	1.91	55	0.05	9.81	204	2.3
CC126257		<0.005	0.24	4.17	50	0.05	10.70	207	2.2
CC126258		<0.005	0.18	2.07	47	0.06	9.41	183	2.0
CC126259		<0.005	0.18	3.92	40	0.05	8.96	229	1.7
CC126260		<0.005	0.21	4.69	58	0.06	11.55	204	1.9
CC126261		<0.005	0.14	3.39	47	0.06	12.15	191	1.8
CC126262		0.006	0.10	0.83	38	0.09	11.20	133	2.9
CC126263		<0.005	0.21	1.49	47	0.09	13.10	703	2.4
CC126264		<0.005	0.12	0.56	45	0.06	4.72	107	2.5
CC126265		0.028	0.12	0.53	60	0.27	2.35	42	1.6
CC126266		0.009	0.44	0.75	48	0.11	8.51	236	1.5
CC126267		0.005	0.09	0.79	44	0.05	11.35	99	4.0
CC126268		0.005	0.08	1.24	50	0.09	12.70	84	2.7
CC126269		0.011	0.10	1.56	34	0.11	8.28	79	1.1
CC126270		0.010	0.18	0.92	88	0.13	4.58	54	<0.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: Rackla - PYRAMID

Finalized Date: 7- JUL- 2011
Account: RCM

CERTIFICATE OF ANALYSIS WH11107307

Method	CERTIFICATE COMMENTS
ALL METHODS	NSS is non- sufficient sample.
ME- MS41	Gold determinations by this method are semi- quantitative due to the small sample weight used (0.5g).

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 30- JUN- 2011
Account: RCM

CERTIFICATE WH11107308

Project: Rackla - Pyramid

P.O. No.:

This report is for 117 Soil samples submitted to our lab in Whitehorse, YT, Canada on 13- JUN- 2011.

The following have access to data associated with this certificate:

ROB CARNE JULIA LANE	ANDREW CARNE JOAN MARIACHER	MATT DUMALA

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
SCR- 41	Screen to - 180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- TL43	Trace Level Au - 25g AR	ICP- MS
ME- MS41	51 anal. aqua regia ICPMS	

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 30- JUN- 2011
Account: RCM

Project: Rackla - Pyramid

CERTIFICATE OF ANALYSIS WH11107308

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- TL43 Au ppm 0.001	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1
CC126271		0.14	0.002	1.81	2.20	8.7	<0.2	<10	2510	0.73	0.30	0.77	0.26	15.15	19.3	37
CC126272		0.12	0.002	0.67	1.10	8.7	<0.2	<10	240	0.28	0.28	0.07	0.72	12.25	4.6	24
CC126273		0.18	0.002	0.86	1.21	7.0	<0.2	<10	630	0.54	0.25	0.44	0.28	8.21	6.8	34
CC126274		0.30	0.001	0.07	1.28	15.3	<0.2	<10	150	0.62	0.25	0.02	0.14	7.21	6.6	22
CC126275		0.12	0.002	0.09	1.57	6.3	<0.2	<10	190	0.53	0.24	0.07	0.19	10.75	4.5	18
CC126276		0.20	0.001	0.11	1.40	9.4	<0.2	<10	160	0.47	0.32	0.03	0.08	4.73	5.6	24
CC126277		0.28	0.001	0.07	1.38	8.7	<0.2	<10	240	0.60	0.25	0.11	0.05	7.34	9.0	25
CC126278		0.18	0.001	0.11	1.52	9.5	<0.2	<10	220	0.60	0.27	0.05	0.21	13.45	5.4	25
CC126279		0.22	0.001	0.20	1.75	14.2	<0.2	<10	270	0.82	0.28	0.17	0.28	12.40	15.3	32
CC126280		0.26	0.001	0.20	1.40	50.0	<0.2	<10	140	0.67	0.21	5.15	0.46	10.70	8.5	20
CC126281		0.16	0.001	0.43	1.42	257	<0.2	<10	180	0.59	0.27	1.88	2.25	20.3	7.4	25
CC126282		0.16	0.001	0.13	1.35	58.7	<0.2	<10	250	0.85	0.30	0.46	0.26	8.90	16.4	24
CC126283		0.22	0.004	0.36	1.47	24.8	<0.2	<10	300	0.43	0.31	0.04	0.35	12.30	10.5	25
CC126284		0.16	0.005	0.75	1.85	22.5	<0.2	<10	760	1.09	0.28	0.44	1.13	15.10	14.6	26
CC126285		0.16	0.001	0.14	0.93	23.3	<0.2	<10	630	0.58	0.18	0.48	0.31	18.60	12.5	16
CC126286		0.18	0.001	0.23	1.37	27.9	<0.2	<10	490	1.07	0.32	0.78	0.33	24.1	16.0	23
CC126287		0.14	0.001	0.12	1.58	24.6	<0.2	<10	300	1.22	0.31	0.74	0.52	19.95	16.0	25
CC126288		0.16	0.001	0.12	1.81	18.5	<0.2	<10	260	1.29	0.35	0.69	0.23	17.95	15.8	27
CC126289		0.12	0.001	0.16	1.67	14.6	<0.2	<10	220	1.26	0.34	0.78	0.25	18.40	14.4	27
CC126290		0.18	0.001	0.02	0.69	1.5	<0.2	<10	110	1.33	0.44	0.21	0.03	8.50	14.3	18
CC126291		0.12	0.001	0.12	1.09	9.5	<0.2	<10	290	0.61	0.23	2.64	0.38	14.55	11.9	17
CC126292		0.22	0.001	0.07	1.68	15.1	<0.2	<10	170	0.93	0.28	0.80	0.21	25.6	15.5	26
CC126293		0.26	<0.001	0.02	1.45	10.7	<0.2	<10	130	0.75	0.38	0.16	0.08	13.95	9.6	19
CC126294		0.20	0.001	0.04	1.03	14.0	<0.2	<10	110	0.80	0.39	0.28	0.18	16.70	13.5	13
CC126295		0.18	0.001	0.04	1.20	7.8	<0.2	<10	140	0.89	0.23	0.76	0.26	30.9	9.5	25
CC126296		0.24	0.003	0.04	0.95	8.5	<0.2	<10	160	1.07	0.26	1.39	0.15	36.3	12.6	27
CC126297		0.24	0.002	0.06	1.34	7.3	<0.2	<10	120	1.21	0.39	1.00	0.12	17.40	15.8	24
CC126298		0.16	0.003	0.10	0.95	5.3	<0.2	<10	150	0.76	0.25	2.62	0.17	11.25	8.8	17
CC126299		0.24	0.001	0.18	1.55	12.0	<0.2	<10	180	0.67	0.28	0.88	0.26	20.4	11.7	25
CC126300		0.24	0.002	0.12	1.34	15.2	<0.2	<10	130	0.75	0.28	0.52	0.22	22.1	13.2	22
CC126301		0.16	0.002	0.07	1.48	12.0	<0.2	<10	220	0.76	0.26	0.61	0.30	21.3	16.5	25
CC126302		0.32	0.001	0.06	2.17	13.9	<0.2	<10	170	0.73	0.29	0.10	0.21	27.3	13.9	29
CC126303		0.24	0.001	0.10	1.01	16.1	<0.2	<10	230	0.55	0.29	0.25	0.22	21.2	7.2	20
CC126304		0.20	0.001	0.23	0.36	18.3	<0.2	<10	420	0.13	0.14	0.02	0.16	8.76	0.5	10
CC126305		0.32	0.005	3.55	2.09	131.0	<0.2	<10	510	1.65	0.39	0.18	9.63	22.6	9.9	114
CC126306		0.18	0.001	0.50	1.37	37.9	<0.2	<10	260	0.72	0.22	0.81	7.37	20.8	7.7	47
CC126307		0.22	0.002	0.32	1.26	16.3	<0.2	<10	310	0.71	0.21	1.16	1.96	13.70	9.8	23
CC126308		0.18	0.002	0.30	1.34	15.0	<0.2	<10	330	0.92	0.27	1.43	1.77	13.45	13.3	23
CC126309		0.22	0.002	0.29	1.31	13.6	<0.2	<10	260	0.88	0.28	1.38	1.11	12.15	11.5	23
CC126310		0.16	0.001	0.30	1.27	15.1	<0.2	<10	110	1.24	0.38	0.13	0.71	15.25	14.0	24

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 30- JUN- 2011
Account: RCM

Project: Rackla - Pyramid

CERTIFICATE OF ANALYSIS WH11107308

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
CC126271		7.57	28.4	3.47	7.33	0.08	0.04	0.22	0.050	0.10	7.2	18.5	0.31	1860	2.13	0.03
CC126272		5.10	18.8	2.32	5.01	0.07	0.02	0.19	0.034	0.08	8.6	7.4	0.13	122	2.01	0.01
CC126273		2.51	31.6	2.74	3.45	0.08	0.07	0.33	0.041	0.09	4.6	25.1	0.37	156	1.96	0.01
CC126274		0.64	24.4	3.43	4.31	0.07	0.02	0.08	0.037	0.05	3.0	22.8	0.35	101	5.70	<0.01
CC126275		1.24	22.8	1.81	6.31	0.09	0.03	0.10	0.030	0.07	4.6	9.2	0.16	58	2.70	0.01
CC126276		1.57	19.5	3.49	4.98	0.07	0.02	0.05	0.032	0.11	2.2	17.2	0.32	138	2.95	<0.01
CC126277		0.58	19.0	3.88	4.79	0.09	0.02	0.05	0.034	0.11	2.9	34.3	0.55	325	1.41	0.01
CC126278		1.31	26.8	2.94	5.73	0.08	0.02	0.09	0.036	0.09	6.4	15.4	0.25	135	1.52	0.01
CC126279		1.04	35.9	4.20	5.40	0.09	0.04	0.07	0.042	0.09	5.6	33.5	0.50	505	1.57	<0.01
CC126280		0.67	13.5	2.62	4.20	0.08	0.04	0.52	0.027	0.06	4.8	17.5	3.17	331	0.82	0.01
CC126281		1.37	8.3	2.75	4.84	0.08	0.02	2.35	0.031	0.05	9.2	9.9	0.82	684	1.38	0.01
CC126282		1.46	33.5	4.14	4.22	0.08	0.04	0.88	0.036	0.10	3.5	19.8	0.46	475	1.13	0.01
CC126283		17.55	40.5	4.39	5.06	0.08	0.04	0.07	0.045	0.07	6.1	14.8	0.28	305	2.31	<0.01
CC126284		7.04	45.7	3.79	5.47	0.09	0.03	0.30	0.048	0.13	7.2	18.2	0.33	2360	3.48	0.01
CC126285		3.18	17.1	2.97	3.13	0.09	0.03	0.14	0.031	0.08	8.2	10.7	0.23	1100	3.15	<0.01
CC126286		2.09	22.3	3.64	4.88	0.10	0.07	0.22	0.047	0.11	9.6	17.8	0.35	541	2.68	0.01
CC126287		1.67	28.4	4.32	5.15	0.10	0.05	0.12	0.049	0.11	8.0	25.4	0.45	689	1.60	0.01
CC126288		1.65	26.6	3.93	6.40	0.09	0.06	0.13	0.049	0.11	7.1	29.7	0.47	674	1.12	0.01
CC126289		1.58	36.9	3.77	5.99	0.10	0.07	0.10	0.044	0.11	8.4	22.2	0.48	637	1.02	0.01
CC126290		3.97	14.9	4.15	3.50	0.08	0.04	0.04	0.044	0.19	3.6	6.4	0.17	224	0.32	<0.01
CC126291		0.85	28.5	2.94	3.07	0.09	0.05	0.13	0.026	0.07	5.3	14.5	0.45	688	0.52	0.01
CC126292		0.71	41.9	4.41	5.23	0.10	0.07	0.09	0.041	0.08	11.4	30.4	0.72	633	0.60	0.01
CC126293		0.79	25.2	3.27	4.07	0.07	0.02	0.04	0.041	0.08	5.7	28.4	0.37	237	0.57	<0.01
CC126294		0.72	23.2	3.98	3.02	0.07	0.03	0.06	0.045	0.10	3.6	16.4	0.30	247	0.72	<0.01
CC126295		0.50	16.4	2.66	3.54	0.09	0.09	0.04	0.039	0.06	9.2	8.6	0.16	201	0.66	0.01
CC126296		0.90	32.3	3.05	3.63	0.12	0.06	0.04	0.037	0.09	15.2	24.0	1.06	352	0.33	0.01
CC126297		2.02	44.1	3.72	3.90	0.10	0.07	0.07	0.038	0.09	6.2	34.3	0.61	1000	0.45	0.01
CC126298		1.57	30.5	2.49	2.50	0.09	0.06	0.11	0.028	0.08	5.1	16.5	0.36	458	0.43	0.01
CC126299		0.56	22.9	4.57	4.50	0.09	0.05	0.09	0.034	0.06	9.5	30.1	0.61	795	0.70	0.01
CC126300		0.65	48.6	4.23	4.10	0.09	0.06	0.19	0.039	0.06	10.6	22.8	0.60	425	0.75	0.01
CC126301		0.59	37.3	3.95	4.59	0.09	0.05	0.13	0.039	0.07	9.3	22.8	0.60	604	0.92	<0.01
CC126302		1.26	21.0	3.78	5.98	0.08	0.07	0.06	0.037	0.05	11.8	22.6	0.42	291	1.31	<0.01
CC126303		1.18	24.9	3.05	5.09	0.10	<0.02	0.06	0.031	0.07	9.2	12.2	0.25	333	1.09	<0.01
CC126304		3.83	9.8	0.68	2.75	0.07	<0.02	0.09	0.012	0.10	4.3	0.8	0.02	6	2.38	<0.01
CC126305		1.88	173.5	4.00	6.98	0.18	0.04	0.86	0.076	0.11	15.0	11.5	0.15	215	262	<0.01
CC126306		1.25	41.8	2.81	5.96	0.12	0.02	0.22	0.032	0.05	17.5	9.6	0.13	172	23.8	0.01
CC126307		1.04	26.0	3.19	3.98	0.10	0.04	0.14	0.034	0.08	6.7	20.9	0.41	304	8.40	0.01
CC126308		0.91	35.7	3.01	4.33	0.09	0.05	0.15	0.035	0.08	6.0	23.1	0.44	443	5.70	0.01
CC126309		1.08	34.2	3.12	4.18	0.09	0.05	0.16	0.039	0.09	5.2	21.8	0.44	373	4.82	0.01
CC126310		0.92	35.4	4.96	4.74	0.10	0.03	0.06	0.052	0.09	6.4	16.7	0.33	358	5.76	<0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 30- JUN- 2011
Account: RCM

Project: Rackla - Pyramid

CERTIFICATE OF ANALYSIS WH11107308

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
CC126271		0.45	24.5	1290	21.5	19.9	0.001	0.08	0.57	4.5	1.2	1.1	28.9	<0.01	0.06	1.2
CC126272		0.50	25.6	1090	17.3	14.8	<0.001	0.06	0.70	2.8	1.2	0.8	11.8	<0.01	0.05	0.9
CC126273		0.25	29.0	540	13.1	11.2	0.004	0.04	0.47	4.3	1.9	0.6	23.3	<0.01	0.05	1.9
CC126274		0.10	21.3	380	14.0	7.8	0.001	0.03	0.66	3.6	1.4	0.5	11.8	<0.01	0.04	1.8
CC126275		0.22	12.5	800	15.2	10.1	<0.001	0.03	0.35	2.5	0.8	0.8	12.8	<0.01	0.05	0.9
CC126276		0.12	19.4	650	20.2	12.5	0.001	0.10	0.49	3.2	0.7	0.7	17.5	<0.01	0.05	1.5
CC126277		0.08	28.9	700	16.2	8.6	0.001	0.20	0.47	3.9	0.5	0.5	27.4	<0.01	0.04	2.0
CC126278		0.33	21.8	760	13.3	14.1	0.001	0.03	0.51	3.2	0.6	0.7	11.5	<0.01	0.05	1.3
CC126279		0.21	37.1	810	17.3	10.7	0.001	0.02	0.60	4.5	0.9	0.5	15.6	<0.01	0.05	2.2
CC126280		0.28	22.4	210	88.8	7.0	0.001	0.01	0.88	3.1	0.2	0.5	34.4	<0.01	0.04	2.2
CC126281		0.87	16.3	520	108.5	12.3	0.001	0.04	1.65	2.5	0.5	0.6	22.6	<0.01	0.03	1.2
CC126282		0.13	38.8	620	35.2	9.3	0.001	0.02	0.63	4.9	0.6	0.5	17.8	<0.01	0.05	2.6
CC126283		0.48	36.8	530	19.3	14.5	0.001	0.01	1.39	3.4	1.2	0.6	17.0	<0.01	0.07	3.2
CC126284		0.21	47.1	1020	21.6	22.6	0.002	0.07	0.85	6.8	2.0	0.6	26.8	<0.01	0.05	2.0
CC126285		0.22	21.5	1040	17.7	10.8	0.002	0.02	0.80	3.4	1.8	0.4	32.9	<0.01	0.03	3.9
CC126286		0.30	26.0	1050	29.8	13.9	0.001	0.03	0.85	5.9	1.2	0.6	40.7	<0.01	0.03	4.7
CC126287		0.26	36.3	870	22.6	9.6	0.001	0.02	0.60	6.6	1.3	0.6	29.3	<0.01	0.10	4.6
CC126288		0.42	30.3	620	24.2	14.6	0.001	0.02	0.51	6.2	0.9	0.8	26.3	<0.01	0.06	3.1
CC126289		0.37	28.3	590	21.1	15.1	0.001	0.04	0.44	6.1	1.0	0.7	28.4	<0.01	0.05	3.1
CC126290		0.33	27.5	220	18.1	26.6	0.001	<0.01	0.40	6.3	0.5	0.8	19.5	<0.01	0.03	4.8
CC126291		0.29	20.3	660	19.4	7.1	0.001	0.09	0.45	2.8	0.6	0.3	97.3	<0.01	0.04	0.8
CC126292		0.24	28.7	250	20.3	7.0	<0.001	0.02	0.52	6.7	0.8	0.4	43.6	<0.01	0.07	3.8
CC126293		0.14	19.4	120	23.6	9.2	0.001	<0.01	0.36	3.4	0.3	0.5	18.1	<0.01	0.05	2.9
CC126294		0.24	25.0	200	27.0	8.3	<0.001	0.01	0.43	3.0	0.4	0.5	27.2	<0.01	0.06	3.3
CC126295		0.37	16.7	150	17.1	9.1	0.001	0.01	0.39	3.7	0.3	0.6	29.5	<0.01	0.01	5.1
CC126296		0.36	27.0	420	12.9	8.1	0.001	0.02	0.38	6.5	1.5	0.6	24.7	<0.01	0.02	5.2
CC126297		0.23	36.5	390	23.8	8.1	<0.001	0.03	0.38	6.4	1.1	0.6	46.7	<0.01	0.04	4.4
CC126298		0.24	22.5	700	14.5	9.9	0.001	0.12	0.35	3.5	1.0	0.4	100.5	<0.01	0.02	1.4
CC126299		0.46	24.9	630	15.9	6.7	<0.001	0.04	0.44	5.1	0.8	0.5	44.0	<0.01	0.05	2.3
CC126300		0.22	27.8	320	19.6	5.4	0.001	0.03	0.53	7.5	0.9	0.4	30.0	<0.01	0.06	3.5
CC126301		0.37	28.1	530	18.1	6.3	0.001	0.03	0.47	6.5	0.8	0.4	32.4	<0.01	0.06	3.3
CC126302		1.04	28.3	270	17.0	10.2	<0.001	0.01	0.70	3.8	0.6	0.6	10.2	<0.01	0.05	4.6
CC126303		0.63	22.5	510	16.9	8.3	<0.001	0.01	0.56	4.3	0.7	0.6	15.9	<0.01	0.04	2.6
CC126304		0.11	3.2	270	12.4	8.1	0.001	0.06	1.09	0.6	0.9	0.6	35.3	<0.01	0.07	0.6
CC126305		0.27	535	1160	23.4	16.8	0.008	0.03	29.4	7.4	29.5	1.1	42.4	<0.01	0.52	2.7
CC126306		0.34	99.8	970	18.0	9.5	0.003	0.03	5.92	3.8	10.5	0.8	27.8	<0.01	0.09	1.3
CC126307		0.21	46.5	1060	15.4	8.7	0.011	0.05	1.85	3.8	3.4	0.4	30.9	<0.01	0.05	2.4
CC126308		0.31	47.7	810	17.0	8.9	0.012	0.06	1.64	4.3	3.5	0.5	38.0	<0.01	0.06	2.2
CC126309		0.26	36.3	780	17.8	10.9	0.023	0.07	1.31	4.3	4.7	0.5	44.9	<0.01	0.03	2.0
CC126310		0.23	27.7	480	22.4	9.4	0.004	0.03	0.65	6.2	2.2	0.7	14.7	<0.01	0.05	4.2

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 30- JUN- 2011
Account: RCM

Project: Rackla - Pyramid

CERTIFICATE OF ANALYSIS WH11107308

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
CC126271		<0.005	0.27	1.13	72	0.13	8.93	84	1.0
CC126272		0.006	0.18	0.76	57	0.13	7.23	93	0.6
CC126273		0.005	0.09	1.28	36	0.05	7.34	122	2.1
CC126274		<0.005	0.14	0.80	31	<0.05	4.25	73	0.9
CC126275		<0.005	0.18	0.91	43	0.08	5.55	40	0.7
CC126276		<0.005	0.18	0.44	33	<0.05	2.33	59	0.7
CC126277		<0.005	0.14	0.34	24	<0.05	6.79	67	1.3
CC126278		<0.005	0.14	0.68	44	0.08	5.36	78	0.5
CC126279		<0.005	0.12	0.67	42	0.05	6.55	131	0.9
CC126280		<0.005	0.25	0.57	35	0.12	4.27	90	1.2
CC126281		0.024	1.76	1.42	52	0.52	5.39	335	0.6
CC126282		<0.005	0.31	0.47	35	<0.05	6.59	153	1.4
CC126283		0.005	0.32	0.65	63	0.08	2.94	201	1.9
CC126284		<0.005	0.66	1.61	85	0.06	14.55	194	0.9
CC126285		<0.005	0.24	1.14	50	0.05	10.20	124	1.1
CC126286		<0.005	0.25	1.45	49	0.05	11.55	155	2.3
CC126287		<0.005	0.13	0.92	31	<0.05	11.30	138	2.1
CC126288		<0.005	0.14	1.03	35	0.19	8.97	104	1.8
CC126289		<0.005	0.13	1.24	32	0.05	14.75	109	1.9
CC126290		0.010	0.14	0.86	21	0.07	6.82	71	1.7
CC126291		0.006	0.10	1.22	27	0.05	5.74	143	1.6
CC126292		<0.005	0.09	0.92	41	<0.05	9.73	92	2.5
CC126293		<0.005	0.11	0.47	27	<0.05	4.35	80	1.3
CC126294		<0.005	0.13	0.67	18	0.05	4.09	104	1.6
CC126295		0.005	0.13	5.75	39	0.06	4.32	45	5.1
CC126296		0.009	0.06	0.73	26	<0.05	12.80	83	2.2
CC126297		<0.005	0.09	1.15	19	<0.05	13.50	100	2.6
CC126298		<0.005	0.11	1.62	16	<0.05	8.75	116	2.3
CC126299		0.011	0.07	1.08	41	0.11	8.20	111	1.4
CC126300		0.006	0.09	0.54	37	0.05	11.40	107	2.1
CC126301		0.006	0.07	1.58	44	0.06	9.35	92	2.0
CC126302		0.018	0.13	0.73	59	0.20	4.23	62	3.1
CC126303		0.018	0.12	0.83	45	0.16	8.59	81	0.5
CC126304		0.005	0.19	0.65	38	<0.05	1.83	21	<0.5
CC126305		<0.005	6.15	19.05	1780	0.55	67.3	1720	2.2
CC126306		<0.005	0.54	5.16	497	0.18	23.9	514	0.6
CC126307		<0.005	0.26	4.02	198	0.05	10.65	332	1.5
CC126308		<0.005	0.21	3.68	135	0.06	11.00	278	1.8
CC126309		<0.005	0.20	2.74	109	0.06	10.15	231	1.7
CC126310		<0.005	0.11	1.43	52	0.05	7.89	144	1.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 30- JUN- 2011
Account: RCM

Project: Rackla - Pyramid

CERTIFICATE OF ANALYSIS WH11107308

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- TL43 Au ppm 0.001	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1
CC125501		0.14	0.001	0.37	1.49	11.4	<0.2	<10	400	0.75	0.27	0.43	0.26	9.04	11.3	29
CC125502		0.12	0.001	0.11	1.51	11.2	<0.2	<10	220	0.56	0.32	0.13	0.10	8.30	6.3	27
CC125503		0.18	0.001	0.14	1.24	10.5	<0.2	<10	80	0.39	0.29	0.03	0.11	7.54	9.5	26
CC125504		0.10	0.001	0.15	1.83	12.1	<0.2	<10	150	0.60	0.24	0.06	0.12	10.15	9.0	29
CC125505		0.08	<0.001	0.15	1.14	10.4	<0.2	<10	160	0.51	0.20	0.05	0.11	7.80	4.6	19
CC125506		0.22	0.001	0.08	1.61	19.3	<0.2	<10	100	0.67	0.32	0.10	0.12	7.16	15.4	36
CC125507		0.26	0.001	0.46	2.07	9.2	<0.2	<10	340	1.16	0.25	0.23	0.15	9.48	12.3	36
CC125508		0.22	0.002	0.32	2.26	31.6	<0.2	<10	750	1.43	0.23	0.69	1.47	21.0	13.8	35
CC125509		0.18	0.001	0.12	1.35	109.5	<0.2	<10	180	0.64	0.26	0.09	0.36	13.25	12.7	26
CC125510		0.22	0.001	0.10	1.32	136.5	<0.2	<10	120	0.69	0.25	0.10	0.28	16.10	12.0	25
CC125511		0.10	0.002	0.23	1.82	53.6	<0.2	<10	260	0.57	0.28	0.21	0.36	17.20	9.8	33
CC125512		0.22	0.002	0.37	1.79	32.0	<0.2	<10	750	0.91	0.24	1.21	0.73	19.50	10.1	30
CC125513		0.24	0.002	0.53	1.38	39.6	<0.2	<10	530	0.88	0.24	1.78	2.20	19.00	8.9	30
CC125514		0.08	0.001	0.24	0.92	107.0	<0.2	<10	510	0.61	0.16	3.32	1.70	11.05	6.8	24
CC125515		0.16	<0.001	0.13	1.24	127.5	<0.2	<10	420	0.82	0.19	1.98	1.86	12.15	6.8	32
CC125516		0.14	<0.001	0.15	2.14	65.6	<0.2	<10	240	1.35	0.28	1.60	4.88	37.3	10.5	42
CC125517		0.18	0.001	0.14	1.66	70.4	<0.2	<10	850	0.82	0.26	3.05	2.01	19.10	8.8	31
CC125518		0.18	0.002	1.17	1.50	52.0	<0.2	<10	220	0.37	0.32	0.10	0.24	21.7	6.1	33
CC125519		0.06	0.002	1.05	0.54	20.5	<0.2	<10	970	0.37	0.14	2.39	0.64	8.59	6.1	23
CC125520		0.08	0.002	0.80	0.92	30.2	<0.2	<10	820	0.55	0.19	1.23	0.69	12.65	11.6	22
CC125521		0.10	0.018	1.98	1.06	27.0	<0.2	<10	2590	0.25	0.31	1.21	0.37	8.72	1.9	26
CC125522		0.38	0.005	0.47	1.44	39.6	<0.2	<10	430	0.83	0.30	0.02	0.44	11.15	13.1	26
CC125523		0.26	0.001	0.36	1.12	16.6	<0.2	<10	250	0.26	0.26	0.03	0.23	18.65	5.3	18
CC125524		0.32	0.007	1.39	1.00	15.3	<0.2	<10	490	0.74	0.35	0.08	0.72	10.75	30.1	16
CC125525		0.26	0.002	0.34	0.74	11.5	<0.2	<10	520	0.26	0.31	0.04	0.25	13.40	3.5	14
CC125526		0.14	0.004	1.11	0.47	4.2	<0.2	<10	590	0.24	0.15	0.23	0.51	6.81	2.5	9
CC125527		0.24	0.001	0.76	0.47	6.7	<0.2	<10	760	0.40	0.16	1.19	0.79	4.16	5.1	17
CC125528		0.28	0.002	3.09	0.44	11.2	<0.2	<10	420	0.54	0.10	0.63	9.75	10.60	2.0	95
CC125529		0.16	0.002	1.03	0.51	6.8	<0.2	<10	760	0.39	0.14	2.26	1.22	5.00	5.6	14
CC125530		0.08	0.004	1.70	0.48	7.8	<0.2	<10	860	0.87	0.08	3.66	13.30	21.9	13.9	51
CC125531		0.06	0.001	0.11	1.41	17.0	<0.2	<10	250	0.57	0.21	1.35	0.60	5.22	9.9	24
CC125532		0.14	0.001	0.13	1.54	18.8	<0.2	<10	280	0.72	0.26	0.62	0.28	6.73	11.4	28
CC125533		0.16	0.001	0.11	1.54	18.2	<0.2	<10	240	0.59	0.28	0.83	0.23	5.58	13.9	26
CC125534		0.26	0.002	0.46	1.22	12.9	<0.2	<10	410	1.17	0.27	1.27	1.45	14.40	15.1	21
CC125535		0.18	0.001	0.19	1.39	11.7	<0.2	<10	300	0.93	0.31	0.79	0.74	16.75	15.0	25
CC125536		0.16	0.002	0.28	1.14	9.6	<0.2	10	310	1.07	0.26	1.36	1.27	12.80	10.9	20
CC125537		0.10	0.002	0.24	1.09	8.2	<0.2	10	300	0.67	0.22	1.47	1.53	9.64	9.3	19
CC125538		0.16	0.002	0.35	1.14	11.1	<0.2	10	330	0.86	0.22	1.95	1.03	10.95	8.1	18
CC125539		0.14	0.002	0.59	0.66	7.2	<0.2	10	470	0.48	0.15	0.70	0.39	7.22	5.3	24
CC125540		0.36	0.002	0.19	1.32	16.5	<0.2	<10	180	0.77	0.27	2.46	0.67	16.05	16.7	22

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 30- JUN- 2011
Account: RCM

Project: Rackla - Pyramid

CERTIFICATE OF ANALYSIS WH11107308

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
CC125501		1.34	23.2	3.66	4.69	0.09	0.04	0.16	0.039	0.09	3.8	34.2	0.46	370	2.02	<0.01
CC125502		1.07	26.3	4.01	5.32	0.09	0.02	0.04	0.045	0.16	3.2	22.1	0.34	184	2.03	0.01
CC125503		1.55	24.1	3.60	5.05	0.08	0.02	0.04	0.031	0.08	3.1	14.6	0.26	157	1.58	<0.01
CC125504		1.16	24.1	3.22	6.09	0.08	0.03	0.08	0.031	0.07	4.3	19.7	0.35	207	1.21	<0.01
CC125505		1.04	20.4	1.87	4.62	0.08	0.02	0.08	0.030	0.07	3.6	7.5	0.13	48	1.31	<0.01
CC125506		1.62	31.4	3.61	4.72	0.08	0.03	0.80	0.045	0.08	3.2	43.2	0.41	254	1.58	<0.01
CC125507		2.27	22.2	3.61	5.01	0.10	0.06	0.17	0.046	0.09	3.8	49.8	0.44	168	1.01	<0.01
CC125508		1.83	43.9	2.65	5.79	0.11	0.12	0.45	0.044	0.08	10.6	32.0	0.59	153	1.35	<0.01
CC125509		1.59	31.1	3.47	4.46	0.09	0.05	2.04	0.031	0.05	5.3	23.2	0.41	379	1.49	0.01
CC125510		1.79	27.9	3.82	4.06	0.09	0.03	2.59	0.031	0.05	7.5	21.5	0.42	351	1.72	<0.01
CC125511		2.89	25.2	3.58	6.56	0.09	0.02	0.37	0.032	0.08	8.6	20.2	0.40	375	1.96	<0.01
CC125512		1.21	28.8	2.98	5.10	0.10	0.07	0.68	0.036	0.08	10.8	29.0	0.57	328	0.85	<0.01
CC125513		1.49	35.0	1.70	3.89	0.10	0.08	0.66	0.032	0.07	12.7	12.4	0.34	287	0.46	<0.01
CC125514		0.97	16.8	1.64	2.71	0.10	0.03	0.18	0.026	0.04	10.3	6.7	0.15	331	1.02	<0.01
CC125515		1.23	17.7	2.26	3.71	0.10	0.03	0.10	0.032	0.05	13.6	7.2	0.15	270	0.86	<0.01
CC125516		1.76	14.3	3.53	5.56	0.13	0.03	0.07	0.041	0.05	26.4	11.4	0.33	390	1.31	<0.01
CC125517		1.04	17.6	2.71	4.96	0.11	0.02	0.14	0.031	0.04	17.1	10.5	0.27	324	1.07	<0.01
CC125518		2.01	14.5	5.05	6.98	0.09	<0.02	0.09	0.030	0.06	10.2	15.7	0.29	259	2.71	<0.01
CC125519		1.01	32.9	1.67	1.55	0.11	0.05	0.29	0.022	0.05	4.6	3.6	0.12	362	2.59	<0.01
CC125520		1.22	26.5	2.40	2.81	0.10	0.04	0.34	0.026	0.07	6.1	10.1	0.27	1210	2.74	0.01
CC125521		1.15	25.5	1.92	4.12	0.09	0.02	0.73	0.027	0.10	4.7	6.8	0.15	22	3.37	0.01
CC125522		1.06	43.8	4.54	3.63	0.08	0.03	0.19	0.043	0.09	5.1	18.5	0.30	221	13.05	<0.01
CC125523		0.78	23.2	3.41	5.93	0.08	<0.02	0.04	0.024	0.06	9.5	6.2	0.15	201	3.53	<0.01
CC125524		2.24	69.4	4.01	2.57	0.11	0.03	0.24	0.061	0.17	4.4	4.8	0.10	1270	5.06	<0.01
CC125525		1.27	25.4	1.94	4.39	0.08	<0.02	0.06	0.023	0.11	6.7	2.8	0.09	84	3.18	<0.01
CC125526		1.06	30.5	0.96	1.62	0.09	<0.02	0.25	0.016	0.12	2.8	1.8	0.19	35	2.20	<0.01
CC125527		2.30	29.1	2.21	1.37	0.08	0.05	0.14	0.028	0.06	3.3	2.5	0.12	119	2.33	<0.01
CC125528		0.61	77.2	0.91	2.58	0.15	<0.02	0.29	0.016	0.05	11.0	1.3	0.04	67	21.2	<0.01
CC125529		2.05	30.0	1.67	1.46	0.09	0.07	0.18	0.023	0.07	6.5	3.2	0.15	239	2.44	<0.01
CC125530		0.39	77.9	1.08	1.51	0.18	0.05	0.22	0.015	0.05	19.8	1.8	0.42	1020	14.20	0.01
CC125531		0.78	22.0	3.45	4.20	0.08	0.04	0.09	0.033	0.07	2.3	29.0	0.53	285	2.05	<0.01
CC125532		1.44	27.9	3.70	4.84	0.08	0.03	0.11	0.036	0.08	2.7	30.3	0.51	196	1.66	<0.01
CC125533		1.15	18.1	3.92	4.92	0.08	0.02	0.10	0.035	0.09	2.4	29.3	0.49	646	2.20	<0.01
CC125534		0.94	51.4	3.38	3.57	0.09	0.05	0.19	0.035	0.09	7.6	14.5	0.46	1240	4.40	<0.01
CC125535		0.70	28.5	3.75	4.59	0.09	0.05	0.09	0.038	0.10	6.4	23.7	0.40	441	4.06	<0.01
CC125536		0.93	57.9	2.86	3.99	0.08	0.08	0.11	0.034	0.12	5.6	16.7	0.36	426	3.14	0.02
CC125537		0.59	36.2	2.73	3.48	0.06	0.06	0.10	0.029	0.10	4.3	14.9	0.31	462	3.07	0.02
CC125538		0.71	42.9	2.57	3.50	0.06	0.07	0.19	0.028	0.09	5.4	13.9	0.30	465	1.93	0.02
CC125539		1.90	30.8	2.18	1.92	0.06	0.07	0.17	0.029	0.06	4.9	9.5	0.24	121	1.99	0.01
CC125540		1.32	54.2	4.16	3.99	0.09	0.08	0.21	0.043	0.09	6.6	25.3	1.31	1240	0.92	0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 30- JUN- 2011
Account: RCM

Project: Rackla - Pyramid

CERTIFICATE OF ANALYSIS WH11107308

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
CC125501		0.13	33.3	750	17.8	9.5	0.002	0.06	0.48	4.3	1.3	0.5	33.2	<0.01	0.05	1.6
CC125502		0.11	20.5	860	24.3	13.3	<0.001	0.38	0.48	4.3	0.7	0.6	50.7	<0.01	0.07	2.0
CC125503		0.21	26.1	980	20.8	10.2	<0.001	0.10	0.51	3.1	0.6	0.6	16.0	<0.01	0.05	1.4
CC125504		0.19	25.0	820	17.0	9.0	0.001	0.04	0.42	3.6	0.6	0.6	8.2	<0.01	0.03	1.2
CC125505		0.13	12.9	1040	13.9	9.2	0.001	0.04	0.50	1.8	0.7	0.6	7.3	<0.01	0.07	0.5
CC125506		0.13	31.9	1000	21.6	10.6	0.001	0.02	0.91	3.4	1.0	0.5	12.4	<0.01	0.12	1.7
CC125507		0.11	29.3	1060	18.4	17.2	<0.001	0.06	0.43	5.1	1.3	0.5	22.2	<0.01	0.06	1.9
CC125508		0.34	38.9	950	21.5	9.8	0.007	0.21	0.54	7.7	2.8	0.5	30.4	<0.01	0.05	2.6
CC125509		0.26	34.1	510	43.8	7.9	0.001	0.02	0.68	3.8	0.8	0.4	9.8	<0.01	0.05	2.4
CC125510		0.26	33.6	590	52.3	7.4	0.001	0.02	0.88	3.9	1.0	0.5	13.6	<0.01	0.05	2.6
CC125511		0.39	24.4	1150	26.4	12.8	<0.001	0.05	0.59	3.6	0.6	0.7	20.4	<0.01	0.05	1.4
CC125512		0.45	27.1	900	25.8	11.0	0.004	0.09	0.56	4.7	2.0	0.5	28.1	<0.01	0.05	1.6
CC125513		0.51	34.4	1080	55.0	8.7	0.003	0.12	0.91	3.9	2.2	0.5	22.1	<0.01	0.09	1.6
CC125514		0.38	30.0	990	19.7	5.4	0.001	0.10	0.57	1.8	1.7	0.4	23.7	<0.01	0.08	0.4
CC125515		0.42	48.2	840	23.6	6.1	0.001	0.07	0.70	2.6	1.7	0.5	18.4	<0.01	0.08	0.4
CC125516		0.97	31.3	540	53.2	8.5	<0.001	0.04	0.75	5.7	1.9	0.7	18.7	0.01	0.07	1.5
CC125517		0.93	36.8	830	21.7	4.7	<0.001	0.08	0.67	2.7	1.4	0.6	28.3	<0.01	0.06	0.6
CC125518		1.62	17.7	700	25.1	9.0	<0.001	0.03	0.95	2.4	1.0	0.7	10.4	<0.01	0.06	2.5
CC125519		0.23	38.2	1060	10.9	5.3	0.004	0.11	0.92	3.2	3.2	0.4	98.2	<0.01	0.06	1.0
CC125520		0.33	32.8	950	19.4	7.9	0.006	0.09	0.88	3.4	2.8	0.4	58.9	<0.01	0.08	1.3
CC125521		0.29	23.0	750	20.3	12.9	0.008	0.12	1.61	2.4	8.6	0.8	158.0	<0.01	0.09	1.2
CC125522		0.17	55.6	480	23.0	11.4	0.001	0.05	2.65	3.8	2.8	0.6	23.0	<0.01	0.08	3.5
CC125523		0.72	18.5	510	15.5	8.9	<0.001	0.05	1.39	2.2	1.1	0.7	32.4	<0.01	0.07	1.9
CC125524		0.16	32.5	1830	24.8	14.4	0.002	0.16	3.05	2.4	4.5	0.5	66.4	<0.01	0.16	1.3
CC125525		0.43	14.0	530	14.1	13.3	0.001	0.06	1.45	1.3	1.4	0.6	22.4	<0.01	0.10	0.6
CC125526		0.16	12.0	720	10.4	8.4	0.001	0.15	1.06	1.9	1.8	0.3	25.5	<0.01	0.06	1.1
CC125527		0.15	33.3	870	12.9	6.3	0.003	0.11	0.89	3.0	2.3	0.3	29.2	<0.01	0.05	0.5
CC125528		0.17	93.4	1110	7.3	4.4	0.005	0.13	9.93	1.9	17.2	0.4	20.5	<0.01	0.14	<0.2
CC125529		0.19	32.9	1150	9.3	6.7	0.003	0.16	0.80	2.4	2.3	0.4	43.8	<0.01	0.05	0.5
CC125530		0.13	90.0	1100	5.5	4.5	0.006	0.22	4.77	2.9	11.4	0.4	58.2	<0.01	0.06	0.5
CC125531		0.16	33.7	620	16.4	7.2	0.001	0.08	0.62	3.7	1.0	0.5	25.0	<0.01	0.05	1.6
CC125532		0.15	34.5	650	18.4	9.1	0.002	0.07	0.49	4.9	0.8	0.5	23.5	<0.01	0.04	2.1
CC125533		0.15	29.4	690	19.7	11.2	0.001	0.07	0.44	4.2	0.7	0.5	23.2	<0.01	0.05	1.8
CC125534		0.33	36.8	860	18.9	10.7	0.012	0.11	1.49	5.1	4.0	0.6	34.4	<0.01	0.06	1.9
CC125535		0.40	32.8	580	20.4	8.9	0.002	0.04	0.74	5.6	1.8	0.7	28.5	<0.01	0.04	3.7
CC125536		0.51	30.7	620	15.1	14.6	0.004	0.09	1.03	5.3	2.9	0.6	48.4	<0.01	0.04	2.4
CC125537		0.43	27.6	770	13.8	13.0	0.004	0.11	0.93	3.8	2.6	0.5	43.4	<0.01	0.04	1.4
CC125538		0.45	25.8	890	14.4	12.1	0.002	0.13	0.92	3.4	2.5	0.5	63.7	<0.01	0.04	1.0
CC125539		0.17	35.2	590	9.7	8.4	0.004	0.06	0.79	3.5	2.4	0.4	23.6	<0.01	0.05	1.0
CC125540		0.25	38.7	670	28.5	8.9	0.001	0.04	0.48	6.8	1.1	0.5	48.6	0.01	0.04	3.3

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 30- JUN- 2011
Account: RCM

Project: Rackla - Pyramid

CERTIFICATE OF ANALYSIS WH11107308

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
CC125501		<0.005	0.14	0.62	34	<0.05	7.89	111	1.0
CC125502		<0.005	0.26	0.45	37	<0.05	3.20	74	0.7
CC125503		<0.005	0.15	0.41	41	<0.05	3.12	95	0.5
CC125504		<0.005	0.14	0.51	45	0.05	4.22	76	0.7
CC125505		<0.005	0.12	0.47	37	0.05	3.62	61	0.5
CC125506		<0.005	0.09	0.62	51	<0.05	5.91	134	1.0
CC125507		<0.005	0.17	0.79	49	<0.05	10.40	97	1.6
CC125508		<0.005	0.27	2.84	52	0.08	16.65	144	3.2
CC125509		0.007	0.16	0.48	36	0.10	6.09	129	1.1
CC125510		0.007	0.19	0.59	39	0.13	6.79	153	0.8
CC125511		0.006	0.33	0.72	60	0.19	4.68	110	0.6
CC125512		0.006	0.22	2.43	46	0.08	12.55	160	2.1
CC125513		0.007	0.63	6.76	50	0.24	32.4	251	2.5
CC125514		0.006	0.55	4.28	36	0.11	41.6	158	1.3
CC125515		0.006	0.75	3.70	52	0.20	43.6	327	0.9
CC125516		0.021	0.47	2.91	75	0.19	52.0	160	0.7
CC125517		0.017	0.24	1.75	56	0.21	25.1	163	0.7
CC125518		0.036	0.24	1.08	82	0.36	4.24	75	0.5
CC125519		0.006	0.14	2.30	40	0.10	14.55	121	3.0
CC125520		0.007	0.20	1.96	51	0.08	9.80	133	1.4
CC125521		<0.005	0.82	1.44	75	0.06	4.31	58	0.9
CC125522		<0.005	0.31	1.31	95	0.05	3.73	228	1.5
CC125523		0.014	0.25	0.50	85	0.13	2.49	97	<0.5
CC125524		0.005	0.41	1.40	52	0.06	10.05	217	0.7
CC125525		0.011	0.24	0.54	62	0.12	4.02	89	<0.5
CC125526		<0.005	0.24	0.96	25	<0.05	6.38	66	<0.5
CC125527		0.005	0.06	1.07	24	<0.05	9.98	161	1.7
CC125528		0.010	0.43	5.17	547	0.29	24.6	393	<0.5
CC125529		<0.005	0.09	1.62	25	<0.05	14.95	132	2.3
CC125530		0.005	0.42	12.05	259	0.18	53.1	372	1.7
CC125531		<0.005	0.11	0.41	42	<0.05	4.39	150	1.3
CC125532		<0.005	0.14	0.54	33	<0.05	6.17	110	1.2
CC125533		<0.005	0.12	0.43	33	<0.05	3.86	104	0.9
CC125534		<0.005	0.24	2.64	119	0.07	12.75	206	1.5
CC125535		0.005	0.15	1.35	76	0.10	7.93	260	1.4
CC125536		0.005	0.17	1.73	75	0.09	13.95	228	2.3
CC125537		0.005	0.13	1.14	68	0.08	6.75	230	1.5
CC125538		0.005	0.14	1.48	46	0.07	10.95	177	1.8
CC125539		<0.005	0.06	1.45	26	<0.05	10.95	115	2.4
CC125540		<0.005	0.16	0.75	27	0.06	14.05	255	1.9

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 30- JUN- 2011
Account: RCM

Project: Rackla - Pyramid

CERTIFICATE OF ANALYSIS WH11107308

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- TL43 Au ppm 0.001	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1
CC125788		0.20	0.001	0.28	1.59	10.8	<0.2	<10	330	0.48	0.27	0.09	0.30	12.95	9.2	33
CC125789		0.20	0.002	0.15	1.87	13.5	<0.2	<10	190	0.58	0.25	0.09	0.22	18.75	12.5	34
CC125790		0.18	0.001	0.07	0.69	4.3	<0.2	<10	100	0.12	0.19	0.07	0.02	12.05	1.3	10
CC125791		0.22	0.003	0.21	0.92	11.2	<0.2	<10	60	0.18	0.27	0.03	0.07	15.55	3.7	19
CC125792		0.22	0.002	1.18	1.12	11.3	<0.2	<10	420	0.59	0.27	0.51	0.25	14.60	7.3	24
CC125793		0.22	0.004	3.09	1.73	12.9	<0.2	10	760	0.86	0.23	0.97	0.29	12.25	7.9	32
CC125794		0.26	0.001	0.64	0.76	10.1	<0.2	<10	80	0.13	0.28	0.03	0.09	21.7	3.0	16
CC125795		0.20	0.002	0.54	1.30	13.4	<0.2	<10	620	0.64	0.23	1.84	0.38	13.30	10.6	26
CC125796		0.16	0.003	1.42	1.36	9.2	<0.2	10	550	0.68	0.19	1.94	0.73	13.50	9.8	23
CC125797		0.18	0.002	1.50	1.35	8.2	<0.2	<10	500	0.63	0.20	1.31	0.60	12.75	9.2	26
CC125798		0.10	0.003	1.67	1.39	10.4	<0.2	10	790	0.50	0.18	1.60	0.44	11.40	22.0	25
CC125799		0.20	0.001	0.05	1.75	14.3	<0.2	<10	140	0.83	0.26	0.12	0.15	10.70	28.8	30
CC125800		0.14	0.001	0.10	1.61	12.2	<0.2	<10	200	0.62	0.24	0.50	0.08	9.33	9.1	28
CC125801		0.14	0.001	0.07	0.85	6.5	<0.2	<10	100	0.39	0.13	0.10	0.09	4.77	6.4	15
CC125802		0.28	0.001	0.04	1.71	10.7	<0.2	<10	80	0.67	0.25	0.04	0.12	4.40	9.0	31
CC125803		0.20	0.001	0.13	2.04	11.5	<0.2	<10	180	0.83	0.27	0.20	0.15	11.40	12.9	34
CC125804		0.22	0.002	0.34	1.82	144.5	<0.2	<10	230	0.86	0.25	0.71	1.29	8.72	13.0	29
CC125805		0.20	0.001	1.15	1.80	185.0	<0.2	<10	240	0.80	0.24	0.71	7.92	8.01	13.3	29
CC125806		0.24	0.001	0.20	1.74	504	<0.2	<10	180	0.79	0.29	0.32	0.90	7.84	15.9	31
CC125807		0.20	0.002	0.83	1.31	1240	<0.2	<10	230	0.74	0.25	0.82	4.53	8.09	10.4	23
CC125808		0.26	0.003	0.30	1.65	648	<0.2	<10	230	0.84	0.26	0.64	1.18	8.55	11.5	28
CC125809		0.18	0.002	0.39	1.63	485	<0.2	<10	240	0.83	0.24	0.64	0.92	8.68	12.9	28
CC125810		0.16	0.002	0.37	1.18	313	<0.2	<10	320	0.69	0.16	1.67	1.90	6.70	10.1	19
CC125811		0.20	0.001	0.32	1.59	301	<0.2	<10	280	0.92	0.24	0.60	1.37	11.30	15.5	26
CC125812		0.18	0.001	0.25	1.55	232	<0.2	<10	250	0.91	0.28	0.83	0.82	12.25	15.8	26
CC125813		0.22	0.001	0.57	1.69	843	<0.2	<10	200	1.23	0.35	0.50	2.48	11.25	19.3	29
CC125814		0.24	0.001	0.19	1.81	39.6	<0.2	<10	1060	0.69	0.25	1.10	2.20	32.7	10.1	31
CC125815		0.20	0.001	0.25	0.98	26.6	<0.2	<10	410	0.50	0.15	8.82	0.52	22.6	8.2	16
CC125816		0.24	0.001	0.04	1.85	15.9	<0.2	<10	180	0.73	0.26	0.08	0.17	22.3	13.2	23
CC125817		0.32	0.002	0.25	1.30	20.3	<0.2	10	350	0.92	0.36	0.38	0.25	20.9	16.1	21
CC125818		0.18	0.001	0.20	0.81	11.2	<0.2	10	280	0.68	0.26	1.36	0.45	13.55	9.6	13
CC125819		0.24	0.001	0.17	1.13	19.6	<0.2	<10	250	0.97	0.33	0.30	0.13	30.2	14.3	19
CC125820		0.22	0.001	0.16	1.41	10.7	<0.2	10	260	0.85	0.26	1.54	0.26	24.9	11.0	23
CC125821		0.26	0.002	0.20	1.19	10.8	<0.2	<10	380	0.64	0.21	2.03	0.18	18.15	8.6	19
CC125822		0.18	0.001	0.12	1.83	10.8	<0.2	<10	270	0.98	0.26	0.82	0.25	25.6	14.1	29
CC125823		0.26	0.001	0.04	1.93	17.6	<0.2	<10	180	0.89	0.28	0.11	0.15	26.7	15.6	28
CC125824		0.14	0.002	0.12	1.54	16.2	<0.2	10	130	0.66	0.26	1.36	0.25	23.7	16.5	24

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 30- JUN- 2011
Account: RCM

Project: Rackla - Pyramid

CERTIFICATE OF ANALYSIS WH11107308

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
CC125788		4.97	25.0	3.54	5.44	0.06	0.05	0.12	0.035	0.09	6.3	32.8	0.33	552	1.86	0.01
CC125789		2.03	36.5	3.97	4.90	0.08	0.07	0.08	0.041	0.07	8.4	28.4	0.53	391	1.55	0.01
CC125790		1.20	6.4	1.02	4.90	<0.05	<0.02	0.02	0.010	0.04	6.2	2.7	0.06	48	0.98	0.01
CC125791		1.94	14.4	2.53	6.04	0.05	<0.02	0.03	0.019	0.06	7.5	5.1	0.15	142	1.46	<0.01
CC125792		3.01	33.5	2.96	4.31	0.07	0.02	0.16	0.032	0.07	7.1	19.4	0.28	248	1.63	0.01
CC125793		3.51	38.2	3.06	4.38	0.08	0.11	0.60	0.040	0.11	7.0	25.9	0.47	280	1.99	0.01
CC125794		2.13	12.2	2.32	6.18	0.06	<0.02	0.05	0.016	0.04	10.7	3.2	0.08	94	2.13	0.01
CC125795		1.12	38.4	2.97	3.95	0.06	0.07	0.13	0.032	0.08	6.8	17.1	0.47	620	1.52	0.01
CC125796		1.85	38.7	2.37	3.54	0.08	0.10	0.31	0.031	0.10	7.9	16.5	0.43	394	1.47	0.01
CC125797		1.86	31.6	2.53	3.69	0.07	0.08	0.33	0.035	0.09	6.9	19.3	0.40	321	1.46	0.01
CC125798		2.60	32.3	4.16	3.56	0.08	0.07	0.34	0.029	0.08	6.2	19.4	0.46	2420	2.51	0.02
CC125799		0.88	43.2	4.68	5.08	0.08	0.04	0.03	0.042	0.09	4.1	36.0	0.59	615	1.39	0.01
CC125800		0.67	24.5	4.03	4.70	0.07	0.06	0.06	0.039	0.08	4.2	31.3	0.62	233	1.40	0.01
CC125801		0.35	14.1	2.16	2.69	<0.05	0.02	0.05	0.021	0.05	2.1	16.4	0.27	268	0.72	<0.01
CC125802		1.64	26.0	4.36	5.48	0.06	0.04	0.02	0.042	0.11	1.9	28.3	0.59	369	0.86	0.01
CC125803		1.12	27.2	4.47	6.31	0.07	0.03	0.06	0.040	0.09	5.0	39.0	0.69	328	1.03	0.01
CC125804		1.31	26.7	3.89	5.34	0.07	0.07	1.88	0.040	0.10	3.5	33.7	0.61	399	0.95	0.02
CC125805		1.13	30.4	3.96	5.40	0.07	0.07	3.74	0.039	0.10	3.3	35.5	0.63	557	0.91	0.01
CC125806		4.94	30.5	4.74	5.44	0.07	0.04	0.50	0.045	0.10	3.1	27.8	0.60	533	1.35	0.01
CC125807		2.56	35.2	3.90	3.96	0.07	0.07	2.95	0.043	0.11	3.4	20.1	0.43	320	0.99	0.01
CC125808		1.34	21.9	4.45	4.90	0.07	0.07	1.07	0.046	0.09	3.4	23.9	0.52	507	1.27	0.01
CC125809		1.90	23.7	4.40	4.90	0.07	0.07	1.21	0.042	0.10	3.7	27.0	0.55	356	1.28	0.01
CC125810		1.29	29.6	2.73	3.32	0.06	0.06	0.91	0.028	0.08	3.0	15.2	0.39	598	0.84	0.01
CC125811		1.35	30.2	3.70	4.85	0.07	0.07	0.92	0.042	0.10	4.6	23.0	0.47	931	1.03	0.01
CC125812		1.06	30.0	3.71	4.74	0.07	0.07	0.54	0.041	0.09	4.8	21.4	0.48	930	0.89	0.01
CC125813		2.98	42.9	6.47	5.84	0.06	0.06	1.91	0.045	0.11	4.4	32.9	0.65	478	1.75	0.01
CC125814		0.97	12.3	5.29	4.72	0.09	0.05	1.45	0.035	0.08	15.6	12.0	0.74	2100	1.09	0.01
CC125815		0.90	17.7	3.40	2.63	0.08	0.09	0.71	0.025	0.06	14.0	7.9	5.27	1670	0.69	0.02
CC125816		1.26	25.5	4.25	4.61	0.07	0.04	0.06	0.038	0.06	9.4	29.2	0.38	368	0.86	0.01
CC125817		1.33	53.3	4.72	3.62	0.09	0.08	0.27	0.043	0.12	9.4	19.7	0.43	625	0.89	0.01
CC125818		0.78	23.9	4.24	1.83	0.08	0.08	0.15	0.034	0.09	5.2	7.8	0.16	1200	0.61	0.01
CC125819		0.80	39.4	4.29	2.78	0.12	0.07	0.14	0.038	0.07	15.3	15.2	0.31	491	0.66	0.01
CC125820		0.78	31.5	3.08	4.14	0.08	0.06	0.10	0.032	0.06	11.1	21.4	0.39	347	0.69	0.01
CC125821		0.73	30.7	2.85	3.92	0.07	0.05	0.11	0.028	0.05	9.1	17.0	0.49	360	0.67	0.01
CC125822		0.73	45.8	3.80	5.53	0.09	0.09	0.11	0.038	0.08	12.4	32.9	0.72	569	0.69	0.01
CC125823		1.09	53.6	4.60	5.51	0.09	0.06	0.07	0.040	0.08	10.6	31.7	0.64	554	0.79	0.01
CC125824		0.80	60.6	4.18	4.74	0.10	0.09	0.10	0.032	0.09	10.7	29.8	0.89	511	0.70	0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 30- JUN- 2011
Account: RCM

Project: Rackla - Pyramid

CERTIFICATE OF ANALYSIS WH11107308

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
CC125788		0.61	30.1	950	15.4	26.9	0.001	0.04	0.68	3.6	1.1	0.6	10.3	<0.01	0.05	1.2
CC125789		0.59	43.2	570	17.5	13.0	0.001	0.02	0.85	4.7	1.2	0.5	10.6	<0.01	0.06	3.1
CC125790		0.48	4.5	210	7.2	9.0	<0.001	0.01	0.33	1.2	0.3	0.6	5.6	<0.01	0.04	0.9
CC125791		0.76	10.8	380	10.8	12.0	0.001	0.02	0.66	1.7	0.7	0.7	6.0	<0.01	0.06	0.9
CC125792		0.64	33.8	730	15.9	13.9	0.001	0.04	1.10	2.7	1.9	0.6	31.5	<0.01	0.08	0.4
CC125793		0.49	44.2	1160	13.9	18.3	0.004	0.09	0.86	6.4	3.6	0.6	45.1	0.01	0.07	1.4
CC125794		0.91	10.0	310	10.9	9.7	<0.001	0.02	0.79	1.3	0.8	0.9	5.7	<0.01	0.05	0.5
CC125795		0.49	33.6	1040	15.4	10.3	0.001	0.10	0.81	4.1	2.3	0.4	48.6	<0.01	0.06	0.9
CC125796		0.49	49.1	1080	11.7	12.4	0.002	0.13	0.86	4.3	4.0	0.4	68.3	0.01	0.06	1.0
CC125797		0.56	37.3	870	12.2	12.6	0.003	0.10	0.67	4.8	3.0	0.5	55.9	<0.01	0.05	1.3
CC125798		0.53	46.1	1060	9.8	14.4	0.010	0.14	0.89	4.5	4.3	0.5	80.3	0.01	0.06	1.3
CC125799		0.17	52.0	760	18.9	9.6	0.001	0.06	0.47	4.3	0.8	0.5	20.6	<0.01	0.05	2.6
CC125800		0.22	32.0	850	13.4	8.4	0.001	0.04	0.37	4.4	0.8	0.4	27.0	<0.01	0.04	2.7
CC125801		0.08	17.6	360	7.8	5.0	<0.001	<0.01	0.21	2.3	0.4	0.2	7.4	<0.01	0.03	1.1
CC125802		0.13	27.0	630	14.6	11.9	<0.001	0.08	0.29	4.1	0.4	0.5	18.4	<0.01	0.03	2.8
CC125803		0.24	38.5	750	15.6	12.6	<0.001	0.02	0.30	5.1	0.6	0.6	18.0	<0.01	0.04	2.6
CC125804		0.23	44.6	620	43.9	12.6	0.001	0.06	0.91	5.4	1.1	0.6	32.9	<0.01	0.04	2.1
CC125805		0.22	47.8	610	233	12.3	0.001	0.05	1.07	5.3	1.0	0.5	37.4	<0.01	0.04	2.1
CC125806		0.19	42.0	750	57.7	13.6	<0.001	0.04	0.86	4.9	0.6	0.6	20.2	<0.01	0.05	3.0
CC125807		0.20	41.4	790	135.5	12.9	0.001	0.10	1.77	4.9	1.1	0.5	37.0	<0.01	0.05	2.6
CC125808		0.23	34.8	700	76.6	12.0	0.001	0.05	1.02	5.2	0.9	0.5	21.3	<0.01	0.04	2.7
CC125809		0.24	36.6	690	83.9	12.2	<0.001	0.04	1.30	5.0	0.8	0.5	17.7	<0.01	0.05	2.8
CC125810		0.23	32.5	840	43.2	11.5	<0.001	0.10	1.36	3.2	1.1	0.4	35.1	<0.01	0.05	1.1
CC125811		0.28	37.8	760	52.4	13.8	<0.001	0.05	0.91	5.1	1.0	0.5	22.8	<0.01	0.05	2.4
CC125812		0.28	35.5	680	45.7	11.5	<0.001	0.05	0.74	5.0	1.0	0.6	25.3	<0.01	0.04	2.6
CC125813		0.19	49.2	640	128.0	11.3	0.001	0.03	1.17	7.5	0.9	0.6	15.7	<0.01	0.05	4.3
CC125814		0.82	19.0	520	80.7	12.6	<0.001	0.04	0.57	4.0	0.8	0.6	25.3	<0.01	0.05	2.9
CC125815		0.30	16.5	850	48.7	8.2	<0.001	0.05	0.31	4.3	0.8	0.3	64.4	0.01	0.04	1.8
CC125816		0.45	25.2	260	24.4	13.7	<0.001	0.02	0.18	3.2	0.4	0.5	12.5	<0.01	0.04	3.3
CC125817		0.11	37.9	560	33.5	9.8	<0.001	0.03	0.41	5.9	0.9	0.4	34.1	<0.01	0.05	5.2
CC125818		0.20	23.5	980	41.8	11.5	0.002	0.13	0.28	3.2	2.1	0.3	68.3	<0.01	0.06	1.6
CC125819		0.16	35.2	520	33.4	7.6	<0.001	0.02	0.34	6.2	0.9	0.3	26.7	0.01	0.06	5.2
CC125820		0.62	25.8	640	16.2	9.5	<0.001	0.06	0.43	4.3	1.2	0.4	80.8	0.01	0.05	1.7
CC125821		0.60	19.5	570	13.6	8.8	<0.001	0.05	0.39	3.9	1.0	0.4	84.5	0.01	0.05	1.3
CC125822		0.40	30.8	800	15.8	10.2	<0.001	0.05	0.35	6.9	1.5	0.4	44.1	<0.01	0.06	2.9
CC125823		0.26	30.5	240	21.4	10.8	<0.001	0.02	0.37	5.7	0.6	0.4	10.9	<0.01	0.06	4.1
CC125824		0.20	34.3	500	21.3	7.0	<0.001	0.04	0.45	6.6	0.8	0.3	53.0	<0.01	0.06	3.6

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 30- JUN- 2011
Account: RCM

Project: Rackla - Pyramid

CERTIFICATE OF ANALYSIS WH11107308

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
CC125788		0.008	0.19	0.90	58	0.15	4.23	148	1.1
CC125789		0.008	0.14	0.89	46	0.13	6.04	131	2.0
CC125790		0.011	0.11	0.27	43	0.11	1.37	23	<0.5
CC125791		0.017	0.11	0.44	64	0.20	2.09	51	<0.5
CC125792		0.014	0.14	1.09	47	0.18	9.80	107	<0.5
CC125793		0.005	0.25	2.75	47	0.11	18.45	139	2.8
CC125794		0.030	0.12	0.47	80	0.24	1.93	42	<0.5
CC125795		0.006	0.13	1.48	40	0.09	11.10	110	1.7
CC125796		0.005	0.16	2.79	35	0.10	20.6	145	2.6
CC125797		0.006	0.14	2.08	39	0.13	13.95	138	2.1
CC125798		0.007	0.16	2.11	38	0.11	15.15	123	1.7
CC125799		<0.005	0.10	0.63	35	<0.05	7.29	146	0.9
CC125800		<0.005	0.09	0.50	35	<0.05	6.44	106	1.8
CC125801		<0.005	0.05	0.24	19	<0.05	3.47	52	<0.5
CC125802		<0.005	0.10	0.33	28	<0.05	3.55	92	1.8
CC125803		<0.005	0.11	0.50	41	<0.05	6.61	115	0.8
CC125804		<0.005	1.49	1.38	35	0.10	9.70	247	1.9
CC125805		<0.005	1.38	0.92	33	0.11	9.33	712	1.9
CC125806		<0.005	1.44	0.51	36	0.05	5.76	370	1.0
CC125807		<0.005	5.77	1.74	29	0.13	9.70	1120	1.9
CC125808		<0.005	0.98	0.99	36	0.07	7.82	433	1.7
CC125809		<0.005	1.91	0.67	35	0.08	7.71	463	1.7
CC125810		<0.005	1.44	0.79	25	0.07	7.80	349	1.6
CC125811		<0.005	1.43	0.93	33	0.07	10.10	375	1.8
CC125812		<0.005	0.99	0.95	33	0.07	9.94	295	1.9
CC125813		<0.005	2.34	0.96	32	0.05	10.35	476	2.1
CC125814		0.019	0.49	1.02	54	0.21	9.70	1160	1.3
CC125815		0.006	0.36	1.26	25	0.14	15.30	235	1.9
CC125816		<0.005	0.18	0.49	39	0.07	4.21	82	1.7
CC125817		<0.005	0.25	0.70	30	<0.05	12.30	119	4.0
CC125818		<0.005	0.10	2.06	22	0.05	9.14	167	3.4
CC125819		<0.005	0.18	1.13	24	0.05	16.65	90	2.3
CC125820		0.011	0.08	1.87	37	0.14	11.65	65	1.7
CC125821		0.013	0.08	1.12	34	0.11	8.43	56	1.6
CC125822		0.008	0.09	1.79	43	0.08	14.00	97	2.2
CC125823		<0.005	0.12	0.54	47	0.05	6.00	95	2.2
CC125824		0.005	0.10	0.70	37	<0.05	11.85	104	3.1

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 30- JUN- 2011
Account: RCM

Project: Rackla - Pyramid

CERTIFICATE OF ANALYSIS WH11107308

Method	CERTIFICATE COMMENTS
ME- MS41	Gold determinations by this method are semi- quantitative due to the small sample weight used (0.5g).

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 5- JUL- 2011
Account: RCM

CERTIFICATE WH11107309

Project: Rackla - Pyramid

P.O. No.:

This report is for 200 Soil samples submitted to our lab in Whitehorse, YT, Canada on 14- JUN- 2011.

The following have access to data associated with this certificate:

ROB CARNE JULIA LANE	ANDREW CARNE JOAN MARIACHER	MATT DUMALA

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
SCR- 41	Screen to - 180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- TL43	Trace Level Au - 25g AR	ICP- MS
ME- MS41	51 anal. aqua regia ICPMS	

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 5- JUL- 2011
Account: RCM

Project: Rackla - Pyramid

CERTIFICATE OF ANALYSIS WH11107309

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- TL43 Au ppm 0.001	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1
CC125542		0.10	0.001	0.06	0.74	5.6	<0.2	<10	130	0.57	0.14	3.21	0.36	12.50	6.8	12
CC125543		0.14	0.003	0.08	0.66	5.7	<0.2	<10	90	1.03	0.17	2.45	0.33	30.1	9.7	21
CC125544		0.14	0.003	0.14	1.15	8.5	<0.2	<10	190	1.12	0.24	1.93	0.20	23.4	11.4	29
CC125545		0.12	0.003	0.13	1.12	9.6	<0.2	<10	180	0.88	0.22	2.48	0.31	20.1	10.6	20
CC125546		0.12	0.002	0.09	1.33	10.2	<0.2	<10	180	0.93	0.20	2.37	0.36	14.95	10.6	18
CC125547		0.16	0.002	0.11	1.17	17.2	<0.2	<10	270	0.66	0.17	2.72	0.50	13.50	9.5	17
CC125548		0.16	<0.001	0.13	0.85	8.7	<0.2	<10	220	0.44	0.15	2.98	0.35	10.40	12.5	23
CC125549		0.36	0.002	0.16	1.06	10.6	<0.2	<10	180	0.93	0.30	0.65	0.20	17.40	19.7	20
CC125550		0.20	0.001	0.09	1.33	10.6	<0.2	<10	210	0.88	0.27	0.81	0.13	21.0	10.8	23
CC125551		0.10	0.001	0.18	0.93	16.8	<0.2	<10	1430	0.63	0.12	3.21	13.35	12.60	7.2	12
CC125552		0.20	0.001	0.06	2.27	23.7	<0.2	<10	610	0.90	0.29	0.26	0.54	29.4	11.6	34
CC125553		0.18	0.002	0.34	1.64	30.7	<0.2	<10	560	1.00	0.22	3.32	2.33	32.6	8.3	23
CC125554		0.14	0.002	0.24	1.93	21.6	<0.2	<10	300	0.94	0.26	1.02	1.13	31.9	9.3	29
CC125555		0.12	0.001	0.07	1.50	16.0	<0.2	<10	90	0.32	0.27	0.05	0.51	22.6	4.9	24
CC125556		0.34	0.001	0.04	1.65	13.0	<0.2	<10	120	0.66	0.29	0.09	0.12	29.9	11.1	26
CC125557		0.28	0.001	0.03	1.78	12.1	<0.2	<10	110	0.58	0.27	0.06	0.12	27.6	8.2	25
CC125558		0.30	0.002	0.08	1.84	13.1	<0.2	<10	170	1.14	0.30	0.46	0.17	36.7	14.7	28
CC125559		0.12	0.001	0.17	1.10	9.1	<0.2	<10	160	0.86	0.26	1.60	0.19	16.10	10.0	18
CC125560		0.10	0.001	0.21	0.67	7.3	<0.2	<10	100	0.72	0.31	1.36	0.13	11.45	6.3	13
CC125561		0.08	0.001	0.13	1.26	9.7	<0.2	<10	150	0.87	0.26	1.52	0.26	21.0	12.2	21
CC125562		0.12	0.001	0.12	1.39	8.2	<0.2	<10	160	0.81	0.23	1.62	0.22	17.95	10.9	22
CC125563		0.10	0.001	0.08	0.70	3.7	<0.2	<10	190	0.59	0.11	3.89	0.40	14.85	5.5	13
CC125564		0.12	0.002	0.16	1.26	6.0	<0.2	<10	200	0.92	0.20	2.18	0.28	23.3	10.1	23
CC125565		0.18	0.002	0.13	1.52	12.5	<0.2	<10	140	1.01	0.29	0.63	0.26	25.9	13.4	26
CC125566		0.32	0.002	0.13	1.56	7.6	<0.2	<10	210	1.07	0.26	1.45	0.31	22.0	9.8	25
CC125567		0.16	0.001	0.11	1.83	11.0	<0.2	<10	310	0.91	0.25	1.27	0.38	21.8	13.9	27
CC125568		0.14	0.001	0.14	0.89	8.9	<0.2	<10	190	0.50	0.15	3.25	0.62	14.15	9.7	15
CC125569		0.26	0.009	0.09	1.36	14.7	<0.2	<10	140	0.89	0.27	0.42	0.15	20.7	16.4	24
CC125570		0.30	0.003	0.16	1.17	9.3	<0.2	<10	210	0.80	0.22	1.50	0.50	15.55	15.7	21
CC125571		0.10	0.004	1.02	0.64	53.2	<0.2	<10	1260	0.38	0.16	1.47	1.46	9.13	16.4	18
CC125572		0.12	0.002	0.08	0.72	5.3	<0.2	<10	170	0.40	0.10	3.78	0.33	7.33	6.5	10
CC125573		0.06	0.002	0.58	0.19	20.3	<0.2	<10	860	0.12	0.07	0.57	0.48	2.47	1.6	5
CC125574		0.22	<0.001	0.02	1.11	8.4	<0.2	<10	150	0.46	0.25	0.12	0.10	23.1	7.7	18
CC125575		0.34	0.003	0.73	1.72	29.4	<0.2	<10	1030	0.76	0.25	0.08	0.65	22.1	10.9	28
CC125576		0.20	0.001	0.15	1.07	8.2	<0.2	<10	270	0.77	0.18	3.09	0.46	17.05	10.5	16
CC125577		0.30	0.001	0.16	0.96	10.6	<0.2	<10	190	0.83	0.24	1.99	0.25	25.7	10.7	16
CC125578		0.26	0.001	0.08	1.82	12.2	<0.2	<10	150	0.71	0.25	0.04	0.17	9.64	9.8	30
CC125580		0.10	0.001	1.09	0.80	25.1	<0.2	<10	180	0.26	0.25	0.06	0.34	13.85	6.0	15
CC125581		0.28	0.003	0.58	0.48	7.4	<0.2	<10	430	0.36	0.18	0.07	0.22	8.25	3.7	10
CC125582		0.08	0.001	0.19	1.31	19.6	<0.2	<10	160	0.32	0.29	0.05	0.23	20.3	6.2	22

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 5- JUL- 2011
Account: RCM

Project: Rackla - Pyramid

CERTIFICATE OF ANALYSIS WH11107309

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
CC125542		0.30	26.3	1.62	2.20	<0.05	0.06	0.07	0.019	0.05	6.2	10.1	0.36	338	0.40	0.02
CC125543		0.49	32.4	2.26	2.36	<0.05	0.05	0.09	0.030	0.07	17.0	8.7	0.59	365	0.50	0.02
CC125544		1.35	43.2	3.03	3.80	0.05	0.08	0.10	0.040	0.10	12.9	18.3	0.58	304	0.51	0.01
CC125545		0.79	45.7	2.70	3.32	<0.05	0.06	0.12	0.031	0.07	9.8	15.5	0.45	638	0.58	0.02
CC125546		0.81	50.7	2.86	3.74	<0.05	0.07	0.12	0.030	0.07	7.4	16.8	0.47	543	0.68	0.02
CC125547		0.58	34.2	3.98	3.24	<0.05	0.07	0.11	0.027	0.05	6.2	15.6	0.48	1020	0.61	0.02
CC125548		0.44	28.9	2.54	2.90	<0.05	0.04	0.08	0.025	0.04	4.3	9.0	0.34	1120	0.49	0.02
CC125549		1.19	64.9	4.34	3.34	0.05	0.06	0.09	0.047	0.11	7.8	13.4	0.38	564	0.67	0.01
CC125550		1.08	29.7	3.30	4.44	<0.05	0.03	0.05	0.037	0.07	9.6	17.3	0.41	412	0.80	0.01
CC125551		0.40	21.5	2.53	2.46	<0.05	0.05	0.39	0.020	0.05	8.1	6.2	0.47	3510	0.74	0.03
CC125552		1.52	21.0	4.78	7.08	0.05	0.06	0.16	0.043	0.06	14.6	19.8	0.55	1210	1.14	0.01
CC125553		0.92	18.7	7.01	3.77	0.08	0.07	0.27	0.034	0.07	20.3	14.1	1.80	3960	1.31	0.02
CC125554		0.80	15.6	6.57	5.33	0.07	0.09	0.20	0.039	0.06	17.9	11.2	0.70	2340	1.06	0.02
CC125555		1.20	10.9	5.39	6.97	0.05	0.02	0.03	0.030	0.04	11.3	10.1	0.18	443	1.43	0.01
CC125556		1.17	30.6	3.61	5.57	<0.05	0.04	0.04	0.034	0.06	14.4	22.0	0.48	427	1.00	0.01
CC125557		1.25	17.7	3.79	6.95	0.05	0.08	0.03	0.032	0.06	13.9	28.8	0.36	219	1.50	0.01
CC125558		0.86	53.5	4.31	5.27	0.06	0.09	0.06	0.043	0.10	16.5	28.9	0.76	379	0.55	0.01
CC125559		0.71	28.8	2.89	3.41	<0.05	0.07	0.08	0.036	0.09	7.3	15.6	0.38	353	0.50	0.01
CC125560		0.54	24.9	2.38	2.12	<0.05	0.06	0.06	0.035	0.07	4.6	8.3	0.20	173	0.55	0.01
CC125561		0.66	42.0	3.25	3.78	0.05	0.07	0.10	0.036	0.10	8.9	19.5	0.53	547	0.46	0.01
CC125562		0.71	35.2	3.09	3.98	<0.05	0.09	0.08	0.034	0.10	8.0	21.7	0.56	463	0.50	0.01
CC125563		0.85	32.8	1.19	2.27	<0.05	0.05	0.09	0.018	0.05	8.2	10.4	0.40	325	0.50	0.02
CC125564		0.62	36.7	2.43	3.88	<0.05	0.06	0.12	0.030	0.08	11.5	22.0	0.61	517	0.40	0.02
CC125565		1.45	55.0	3.99	4.57	0.05	0.06	0.09	0.038	0.09	12.7	26.9	0.70	536	0.74	0.01
CC125566		1.00	63.9	2.62	4.95	<0.05	0.07	0.13	0.037	0.08	10.2	26.5	0.66	185	0.39	0.01
CC125567		0.77	42.7	4.23	5.18	0.05	0.09	0.11	0.038	0.07	10.3	28.5	0.76	667	0.57	0.02
CC125568		0.60	31.3	2.03	2.67	0.05	0.03	0.12	0.023	0.04	6.4	14.3	0.33	629	0.50	0.02
CC125569		1.30	53.8	4.37	4.39	0.08	0.08	0.06	0.047	0.08	10.4	22.0	0.49	431	0.97	0.01
CC125570		0.84	68.7	3.38	3.81	0.06	0.07	0.11	0.040	0.09	6.8	18.3	0.46	434	0.48	0.01
CC125571		0.82	24.3	10.75	1.78	0.16	0.06	0.29	0.024	0.04	4.0	4.0	0.11	1660	19.15	0.02
CC125572		0.57	40.9	1.52	2.25	0.05	0.05	0.08	0.018	0.05	3.9	10.1	0.50	455	0.57	0.02
CC125573		0.28	23.6	2.57	0.42	0.07	0.02	0.15	0.012	0.02	1.3	0.2	0.04	24	4.19	0.03
CC125574		1.06	13.8	2.77	5.22	0.05	0.04	0.01	0.026	0.05	11.0	22.7	0.23	246	0.92	0.01
CC125575		1.91	38.5	3.66	5.65	0.07	0.03	0.12	0.042	0.08	10.7	30.0	0.37	293	6.42	0.01
CC125576		1.07	42.6	5.83	3.03	0.09	0.05	0.14	0.039	0.08	8.7	8.0	0.42	1720	0.60	0.02
CC125577		1.05	38.8	3.07	3.05	0.07	0.07	0.13	0.045	0.09	11.4	10.6	0.20	108	0.56	0.01
CC125578		1.38	32.0	3.90	6.09	0.06	0.03	0.03	0.047	0.07	4.1	41.8	0.45	141	1.58	0.01
CC125580		1.24	21.8	2.41	5.95	0.05	<0.02	0.11	0.024	0.07	6.4	6.5	0.12	146	5.40	0.01
CC125581		1.03	29.4	0.98	2.87	<0.05	<0.02	0.26	0.015	0.11	3.6	4.6	0.08	38	2.41	0.01
CC125582		1.41	19.2	3.42	6.97	0.06	0.02	0.03	0.030	0.07	9.8	15.0	0.21	195	3.21	0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 5- JUL- 2011
Account: RCM

Project: Rackla - Pyramid

CERTIFICATE OF ANALYSIS WH11107309

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
CC125542		0.18	14.0	650	9.0	4.5	<0.001	0.12	0.32	2.2	0.9	0.2	148.5	<0.01	0.03	0.8
CC125543		0.20	22.1	650	11.4	5.7	<0.001	0.08	0.34	3.7	1.7	0.4	83.8	<0.01	0.03	1.4
CC125544		0.23	28.5	670	13.4	8.9	<0.001	0.08	0.46	6.6	1.7	0.4	88.9	<0.01	0.05	2.7
CC125545		0.24	23.0	910	13.6	7.8	<0.001	0.11	0.50	4.1	2.0	0.3	92.6	<0.01	0.06	1.0
CC125546		0.20	23.9	760	13.8	6.6	<0.001	0.13	0.51	4.2	1.4	0.3	85.5	<0.01	0.06	0.9
CC125547		0.24	17.6	950	11.8	5.3	0.003	0.25	0.33	3.8	2.8	0.3	96.5	<0.01	0.05	1.2
CC125548		0.28	15.0	760	10.2	3.7	<0.001	0.12	0.48	2.0	1.0	0.3	103.0	<0.01	0.05	0.4
CC125549		0.22	38.1	590	17.1	7.4	<0.001	0.01	0.48	9.0	0.6	0.4	35.0	<0.01	0.06	3.1
CC125550		0.54	21.4	570	14.1	9.1	<0.001	0.03	0.46	5.0	0.5	0.5	35.9	<0.01	0.05	1.8
CC125551		0.27	13.7	1330	45.2	5.9	<0.001	0.22	0.51	1.6	2.3	0.2	47.4	<0.01	0.05	0.4
CC125552		0.64	21.9	340	27.2	10.8	<0.001	0.01	0.64	5.6	0.5	0.8	14.2	<0.01	0.06	4.6
CC125553		0.39	20.8	1440	67.2	8.8	<0.001	0.05	0.78	4.6	0.7	0.4	42.4	0.01	0.06	2.8
CC125554		0.51	20.6	520	50.2	8.3	<0.001	0.03	0.69	5.3	0.7	0.7	19.8	0.01	0.06	4.1
CC125555		0.97	10.2	330	24.4	8.4	<0.001	0.01	0.64	2.5	0.3	0.9	10.0	<0.01	0.05	3.3
CC125556		0.54	22.1	250	18.4	9.6	<0.001	0.01	0.52	3.7	0.4	0.5	11.9	<0.01	0.05	4.7
CC125557		0.79	16.2	200	14.6	12.8	<0.001	0.01	0.57	3.0	0.3	0.7	8.4	<0.01	0.05	4.2
CC125558		0.17	34.1	470	20.9	8.4	<0.001	0.03	0.45	8.2	0.6	0.4	30.6	<0.01	0.06	6.1
CC125559		0.28	24.3	480	18.1	7.6	<0.001	0.09	0.37	4.9	0.9	0.4	64.6	<0.01	0.05	2.8
CC125560		0.13	15.5	350	28.8	5.9	<0.001	0.07	0.39	3.1	0.6	0.4	64.0	<0.01	0.04	1.4
CC125561		0.17	25.5	590	20.5	7.0	0.001	0.08	0.38	5.1	0.9	0.4	66.2	<0.01	0.06	2.3
CC125562		0.24	25.4	650	15.1	8.7	0.001	0.12	0.38	4.9	0.8	0.3	69.4	<0.01	0.06	2.5
CC125563		0.25	13.4	840	6.2	6.1	<0.001	0.18	0.34	2.1	1.6	0.2	139.0	<0.01	0.03	0.5
CC125564		0.34	22.8	700	13.4	7.6	<0.001	0.09	0.38	4.6	1.3	0.4	77.0	<0.01	0.04	1.6
CC125565		0.31	30.2	620	17.2	9.3	<0.001	0.03	0.53	7.3	0.8	0.4	35.6	<0.01	0.06	3.9
CC125566		0.31	27.4	600	17.2	7.1	<0.001	0.11	0.44	6.9	1.2	0.4	54.8	<0.01	0.05	2.4
CC125567		0.26	25.8	710	17.0	7.9	0.001	0.12	0.44	6.6	1.3	0.4	53.1	<0.01	0.07	3.2
CC125568		0.38	19.0	800	11.0	6.2	<0.001	0.16	0.43	2.3	2.7	0.3	113.0	<0.01	0.06	0.4
CC125569		0.23	36.0	290	17.5	8.1	<0.001	0.02	0.51	8.8	0.8	0.4	25.0	<0.01	0.06	3.8
CC125570		0.25	36.2	570	14.9	7.3	0.001	0.13	0.55	6.8	2.3	0.4	69.1	<0.01	0.05	1.6
CC125571		0.19	39.1	1220	13.1	6.6	0.020	0.11	1.30	3.2	8.0	0.3	85.7	<0.01	0.13	1.2
CC125572		0.18	16.7	920	6.1	6.3	0.001	0.20	0.36	1.7	1.5	0.2	140.0	<0.01	0.07	0.3
CC125573		0.08	17.9	2050	6.7	1.3	0.012	0.16	1.21	1.7	10.7	0.2	55.3	<0.01	0.06	0.2
CC125574		0.71	13.6	120	16.8	12.2	<0.001	<0.01	0.40	2.5	0.5	0.6	10.9	<0.01	0.03	3.6
CC125575		0.43	43.4	320	19.7	14.6	<0.001	0.03	1.57	4.2	1.9	0.6	23.3	<0.01	0.06	3.5
CC125576		0.21	23.2	1140	13.4	8.0	<0.001	0.11	0.40	3.5	1.7	0.4	161.5	0.01	0.09	0.5
CC125577		0.30	21.1	820	15.8	9.6	0.001	0.14	0.39	6.1	2.2	0.5	117.0	0.01	0.09	1.2
CC125578		0.21	37.1	350	18.9	13.7	<0.001	0.04	0.51	4.0	0.8	0.5	11.3	<0.01	0.05	2.4
CC125580		0.43	23.8	520	13.9	14.1	<0.001	0.02	1.36	2.1	1.2	0.6	15.2	<0.01	0.06	1.3
CC125581		0.19	15.3	420	10.8	12.8	0.002	0.03	0.92	2.2	2.3	0.4	26.7	<0.01	0.05	1.7
CC125582		0.87	18.2	450	17.3	16.6	<0.001	0.02	1.14	2.6	1.3	0.7	13.4	<0.01	0.07	2.9

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 5- JUL- 2011
Account: RCM

Project: Rackla - Pyramid

CERTIFICATE OF ANALYSIS WH11107309

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
CC125542		0.005	0.04	1.54	16	<0.05	7.45	91	2.1
CC125543		0.005	0.07	2.21	25	<0.05	12.25	89	1.4
CC125544		0.005	0.11	1.57	31	<0.05	13.20	105	2.5
CC125545		0.005	0.10	3.44	28	<0.05	12.60	93	1.7
CC125546		<0.005	0.09	4.04	30	<0.05	10.60	82	1.9
CC125547		<0.005	0.06	4.29	28	<0.05	8.41	72	2.3
CC125548		0.010	0.05	3.25	30	0.06	4.10	40	1.3
CC125549		0.006	0.08	0.54	38	<0.05	10.70	86	1.6
CC125550		0.016	0.08	0.78	43	0.12	6.89	56	0.9
CC125551		0.009	0.14	4.37	17	0.05	9.17	2830	1.3
CC125552		0.017	0.44	1.10	65	0.17	7.69	906	2.0
CC125553		0.012	0.28	3.08	38	0.13	18.40	794	1.7
CC125554		0.013	0.32	1.57	50	0.18	16.10	389	2.3
CC125555		0.023	0.27	0.50	66	0.19	2.29	594	0.8
CC125556		0.017	0.13	0.70	50	0.11	4.54	74	1.4
CC125557		0.022	0.13	0.52	62	0.18	3.29	51	3.0
CC125558		0.005	0.09	0.98	40	<0.05	14.40	93	3.2
CC125559		0.006	0.12	1.02	25	0.05	9.14	88	2.4
CC125560		<0.005	0.09	1.09	19	<0.05	6.00	70	1.8
CC125561		<0.005	0.09	1.36	29	0.07	10.05	97	2.2
CC125562		0.005	0.09	1.03	31	<0.05	8.33	85	2.6
CC125563		0.008	0.07	4.09	15	<0.05	9.52	58	1.6
CC125564		0.008	0.08	1.89	27	0.06	10.60	95	1.8
CC125565		0.010	0.10	1.33	39	0.07	11.60	109	1.9
CC125566		0.006	0.09	2.24	38	0.05	12.20	95	2.2
CC125567		<0.005	0.09	2.37	43	<0.05	10.50	103	2.5
CC125568		0.012	0.07	1.80	24	0.13	7.96	66	0.9
CC125569		0.006	0.10	0.56	39	0.06	13.05	77	2.2
CC125570		0.005	0.07	1.45	34	0.05	11.55	65	2.0
CC125571		<0.005	0.14	3.93	53	0.08	15.40	189	1.8
CC125572		0.005	0.05	2.15	17	<0.05	7.14	91	1.5
CC125573		<0.005	0.03	1.35	10	<0.05	4.94	44	0.7
CC125574		0.022	0.10	0.40	44	0.18	3.24	62	1.9
CC125575		0.010	0.28	0.98	96	0.12	8.31	160	1.2
CC125576		0.005	0.11	0.98	32	0.05	19.90	90	1.2
CC125577		0.005	0.11	1.42	29	0.05	20.1	94	1.6
CC125578		<0.005	0.12	0.43	40	0.05	3.34	97	1.2
CC125580		0.009	0.19	0.49	81	0.13	2.73	103	<0.5
CC125581		<0.005	0.24	0.56	31	<0.05	4.28	71	<0.5
CC125582		0.020	0.18	0.52	84	0.20	2.92	86	0.6

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 5- JUL- 2011
Account: RCM

Project: Rackla - Pyramid

CERTIFICATE OF ANALYSIS WH11107309

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- TL43 Au ppm 0.001	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1
CC125583		0.14	0.003	0.96	0.69	9.9	<0.2	<10	410	0.25	0.21	0.15	0.16	10.55	2.2	13
CC125584		0.08	0.006	1.81	0.63	20.5	<0.2	<10	730	0.46	0.19	0.26	3.84	12.85	1.7	18
CC125585		0.08	<0.001	1.00	0.33	3.7	<0.2	<10	810	0.46	0.04	3.03	29.7	7.23	2.8	11
CC125586		0.10	0.003	1.49	0.49	10.2	<0.2	<10	460	1.07	0.10	2.65	39.0	18.35	4.4	35
CC125587		0.06	0.002	1.29	0.57	15.5	<0.2	<10	450	1.13	0.17	1.94	14.85	20.4	8.8	35
CC125588		0.20	0.003	1.08	0.93	10.6	<0.2	<10	460	1.22	0.18	1.90	10.30	20.9	13.2	24
CC125589		0.12	0.004	0.80	1.01	11.7	<0.2	<10	160	2.22	0.21	0.74	4.17	18.50	14.1	23
CC125590		0.08	0.002	0.35	1.22	9.5	<0.2	<10	210	1.24	0.27	0.51	3.46	14.40	20.2	21
CC125591		0.10	0.002	0.39	1.32	14.6	<0.2	<10	360	1.09	0.25	1.51	0.49	9.48	8.0	19
CC125592		0.08	0.001	0.50	1.04	12.9	<0.2	<10	230	0.77	0.25	0.24	1.53	15.25	11.2	21
CC125593		0.06	0.001	0.26	1.10	14.9	<0.2	<10	270	0.76	0.21	0.42	1.55	13.75	12.4	23
CC125594		0.08	0.001	0.49	1.10	46.4	<0.2	<10	440	0.76	0.20	0.36	0.90	12.65	12.8	25
CC125595		0.26	0.001	0.20	1.81	15.7	<0.2	<10	500	0.97	0.25	0.65	0.44	35.3	13.1	28
CC125596		0.24	0.002	0.04	2.37	19.8	<0.2	<10	260	1.16	0.28	0.14	0.66	44.0	13.7	32
CC125597		0.22	0.001	0.07	1.98	43.4	<0.2	<10	620	0.75	0.25	0.30	1.33	31.0	10.3	28
CC125598		0.36	0.001	0.14	1.94	23.3	<0.2	<10	380	0.76	0.24	0.53	1.02	28.7	8.8	29
CC125599		0.18	0.001	0.26	1.44	13.2	<0.2	<10	520	0.69	0.21	1.22	0.48	25.5	9.0	22
CC125600		0.32	0.002	0.13	1.74	16.7	<0.2	<10	420	1.04	0.29	0.28	0.30	37.0	16.1	26
CC125601		0.18	<0.001	0.06	0.84	8.3	<0.2	<10	140	0.76	0.30	0.15	0.04	28.8	11.1	14
CC125602		0.28	0.002	0.05	1.71	14.7	<0.2	<10	130	1.00	0.30	0.09	0.16	43.1	21.1	26
CC125603		0.16	0.002	0.13	1.65	13.6	<0.2	<10	170	0.91	0.25	0.62	0.22	33.9	16.7	26
CC125604		0.14	0.001	0.17	0.81	12.8	<0.2	<10	90	0.60	0.23	1.06	0.14	41.8	13.2	13
CC125605		0.16	0.002	0.09	1.84	13.3	<0.2	<10	180	0.84	0.26	0.67	0.14	29.0	18.4	27
CC125606		0.16	0.003	0.23	1.50	12.5	<0.2	<10	160	0.87	0.23	2.00	0.24	19.75	14.8	22
CC125607		0.20	0.001	0.08	1.26	12.6	<0.2	<10	200	0.70	0.26	1.09	0.25	18.60	17.2	21
CC125608		0.30	0.001	0.04	2.14	13.7	<0.2	<10	160	1.06	0.29	0.63	0.16	35.7	15.6	29
CC125609		0.28	0.001	0.11	1.62	17.9	<0.2	<10	280	1.08	0.31	0.50	0.17	26.0	14.6	24
CC125610		0.16	0.001	0.06	1.09	8.7	<0.2	<10	180	0.56	0.18	2.10	0.34	17.55	12.8	24
CC125611		0.26	0.002	0.17	1.16	13.3	<0.2	<10	210	0.73	0.23	3.01	0.26	21.0	14.3	19
CC125612		0.16	0.001	0.12	1.14	13.8	<0.2	<10	160	0.66	0.21	1.96	0.26	19.40	13.5	17
CC125613		0.14	0.002	0.13	0.78	10.9	<0.2	<10	160	0.48	0.19	2.78	0.37	12.75	7.7	11
CC125614		0.28	0.002	0.23	1.31	20.0	<0.2	<10	340	0.90	0.26	0.55	0.36	34.2	12.5	23
CC125615		0.26	0.003	0.11	1.82	8.3	<0.2	<10	200	0.80	0.20	0.84	0.29	26.8	14.0	28
CC125616		0.34	0.004	0.17	1.70	11.9	<0.2	<10	190	0.79	0.19	1.55	0.27	23.1	15.4	26
CC125617		0.34	0.003	0.21	1.48	11.5	<0.2	<10	230	0.89	0.20	1.49	0.22	23.7	11.9	24
CC125618		0.38	0.003	0.13	2.17	13.5	<0.2	<10	120	0.63	0.25	0.80	0.27	31.4	20.6	31
CC125619		0.20	0.002	0.15	1.46	15.0	<0.2	<10	220	0.72	0.24	1.22	0.20	28.6	13.5	24
CC125620		0.08	0.002	0.49	1.16	6.8	<0.2	<10	360	0.67	0.20	0.13	0.13	11.00	5.6	16
CC125621		0.08	0.002	0.16	0.92	9.3	<0.2	<10	90	0.28	0.25	0.05	0.06	4.99	4.1	16
CC125622		0.08	0.001	0.39	1.38	9.8	<0.2	<10	200	0.44	0.21	0.07	0.12	7.00	7.8	28

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 5- JUL- 2011
Account: RCM

Project: Rackla - Pyramid

CERTIFICATE OF ANALYSIS WH11107309

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
CC125583		0.92	23.0	1.40	3.24	<0.05	<0.02	0.38	0.019	0.10	4.7	8.6	0.18	32	2.53	0.01
CC125584		0.91	39.0	3.12	2.75	0.09	0.02	0.37	0.025	0.09	6.1	6.3	0.29	27	31.1	0.01
CC125585		0.23	46.3	0.51	0.90	0.06	0.07	0.20	0.008	0.04	6.9	1.7	0.75	435	2.88	0.03
CC125586		0.52	82.3	0.95	1.92	0.10	0.08	0.35	0.018	0.07	15.0	4.9	0.48	185	7.28	0.02
CC125587		0.50	84.2	1.48	2.53	0.07	0.06	0.29	0.027	0.08	13.6	6.9	0.20	457	11.30	0.02
CC125588		0.82	74.4	1.72	2.90	0.07	0.07	0.26	0.032	0.07	11.7	14.1	0.23	857	4.79	0.01
CC125589		1.20	76.1	2.13	3.20	0.07	0.07	0.22	0.032	0.10	9.4	18.4	0.41	869	6.56	0.01
CC125590		1.11	41.3	2.83	4.24	0.07	0.06	0.11	0.041	0.11	6.7	20.2	0.49	1540	3.90	0.02
CC125591		1.27	50.4	2.70	3.72	0.05	0.08	0.20	0.039	0.10	4.6	19.5	0.37	299	2.47	0.02
CC125592		0.92	40.7	2.78	3.70	0.06	0.05	0.11	0.038	0.07	6.6	14.6	0.21	326	5.41	0.01
CC125593		0.90	32.8	2.73	3.71	0.05	0.05	0.76	0.034	0.08	5.9	22.5	0.30	505	5.23	0.02
CC125594		1.58	34.0	3.27	3.64	0.08	0.06	0.35	0.040	0.07	5.9	23.3	0.31	374	2.91	0.01
CC125595		1.06	24.8	3.35	6.07	0.07	0.07	0.11	0.038	0.05	17.3	19.9	0.54	1090	1.04	0.01
CC125596		1.57	16.3	3.98	5.78	0.06	0.06	0.04	0.049	0.05	12.4	28.5	0.45	1050	1.09	0.01
CC125597		1.27	18.2	6.34	6.24	0.10	0.06	0.35	0.038	0.06	14.0	18.7	0.43	2030	1.20	0.01
CC125598		1.31	16.2	5.59	6.24	0.09	0.05	0.14	0.038	0.05	14.8	18.0	0.39	1460	1.19	0.01
CC125599		0.91	20.7	3.17	4.27	0.06	0.05	0.16	0.031	0.05	12.0	15.9	0.41	542	0.82	0.01
CC125600		1.05	45.4	5.35	5.00	0.10	0.08	0.15	0.042	0.09	16.8	27.7	0.64	1560	0.73	0.01
CC125601		0.65	37.3	3.34	2.42	0.07	0.02	0.07	0.033	0.05	12.0	12.7	0.26	434	0.61	0.01
CC125602		1.14	56.8	4.11	5.31	0.10	0.05	0.11	0.039	0.07	17.0	32.5	0.58	758	0.82	0.01
CC125603		0.74	55.1	4.09	5.23	0.10	0.11	0.09	0.039	0.10	15.2	29.0	0.72	625	0.62	0.01
CC125604		0.64	28.7	2.95	2.66	0.09	0.07	0.03	0.034	0.06	14.0	18.8	0.27	238	0.63	0.01
CC125605		0.79	67.6	4.28	5.31	0.08	0.11	0.09	0.044	0.10	14.0	28.0	0.81	690	0.61	<0.01
CC125606		1.06	76.4	3.56	4.20	0.08	0.10	0.13	0.042	0.10	13.0	20.0	0.58	433	0.69	<0.01
CC125607		1.03	45.3	3.94	3.81	0.06	0.05	0.04	0.041	0.07	7.8	17.5	0.47	684	0.79	<0.01
CC125608		0.97	43.4	4.38	6.16	0.07	0.09	0.04	0.054	0.05	18.6	22.1	0.56	489	0.69	<0.01
CC125609		1.88	41.3	3.88	4.70	0.07	0.07	0.06	0.052	0.08	12.4	26.7	0.43	532	0.87	<0.01
CC125610		0.70	29.9	2.84	3.30	0.05	0.06	0.08	0.038	0.05	5.9	18.3	0.54	1320	0.59	<0.01
CC125611		0.83	43.6	3.14	3.45	0.06	0.05	0.08	0.045	0.08	10.4	15.8	0.39	482	0.89	<0.01
CC125612		1.23	49.5	2.89	3.18	0.06	0.07	0.09	0.038	0.08	9.9	15.6	0.47	227	0.54	<0.01
CC125613		1.63	41.9	1.94	2.21	<0.05	0.05	0.14	0.030	0.06	6.0	9.2	0.23	289	0.78	0.01
CC125614		0.87	46.0	3.69	4.07	0.08	0.06	0.07	0.047	0.05	19.3	15.3	0.33	916	1.65	<0.01
CC125615		0.69	72.5	3.53	5.30	0.10	0.09	0.11	0.033	0.05	13.0	31.2	0.82	714	0.59	0.01
CC125616		0.86	76.7	3.69	4.69	0.10	0.08	0.17	0.030	0.06	11.7	25.0	0.77	506	0.58	0.01
CC125617		1.02	60.6	2.96	4.26	0.08	0.07	0.13	0.029	0.06	11.9	22.1	0.53	410	0.62	0.01
CC125618		1.35	78.9	4.88	6.32	0.10	0.09	0.11	0.043	0.09	14.7	32.3	1.30	515	0.59	<0.01
CC125619		1.03	25.0	2.96	4.48	0.06	0.04	0.07	0.038	0.06	14.2	14.6	0.41	545	1.01	<0.01
CC125620		1.82	29.5	2.10	4.00	0.05	0.04	0.08	0.033	0.07	3.6	8.5	0.13	60	1.55	0.01
CC125621		1.80	14.4	2.12	5.35	<0.05	0.02	0.03	0.025	0.07	2.2	8.5	0.15	71	1.82	<0.01
CC125622		1.50	25.5	3.17	4.55	<0.05	0.03	0.09	0.039	0.08	3.3	21.2	0.28	158	1.94	<0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 5- JUL- 2011
Account: RCM

Project: Rackla - Pyramid

CERTIFICATE OF ANALYSIS WH11107309

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
CC125583		0.26	11.2	610	13.7	13.2	0.001	0.04	0.86	2.1	2.4	0.4	22.0	<0.01	0.05	2.1
CC125584		0.20	45.6	1330	17.6	10.4	0.003	0.18	3.60	3.5	8.0	0.5	52.4	<0.01	0.12	1.1
CC125585		0.10	74.3	1100	2.3	3.5	0.004	0.24	1.99	1.8	7.0	<0.2	83.3	0.01	0.03	0.7
CC125586		0.17	154.0	1140	9.1	7.1	0.030	0.28	6.19	2.7	14.0	0.3	71.6	0.01	0.08	0.7
CC125587		0.19	109.5	840	14.3	9.2	0.005	0.11	5.55	3.8	5.5	0.5	52.8	0.01	0.09	1.6
CC125588		0.24	79.9	790	13.3	10.5	0.006	0.10	2.94	4.0	4.8	0.5	50.6	0.01	0.06	1.7
CC125589		0.28	53.8	780	15.0	13.2	0.006	0.08	2.30	6.0	4.1	0.5	27.9	0.01	0.07	2.7
CC125590		0.30	49.7	730	16.0	13.4	0.002	0.10	1.14	5.1	2.2	0.6	23.1	<0.01	0.05	3.3
CC125591		0.23	43.8	940	14.8	12.5	0.004	0.16	0.84	4.7	2.0	0.5	40.4	<0.01	0.07	1.7
CC125592		0.20	33.6	590	18.1	10.2	0.004	0.04	1.10	4.7	2.7	0.5	15.2	<0.01	0.05	3.3
CC125593		0.19	41.7	700	16.2	10.5	0.005	0.04	0.93	4.4	2.1	0.4	21.4	<0.01	0.05	2.8
CC125594		0.17	42.8	760	26.2	10.1	0.006	0.05	0.87	4.7	3.0	0.4	24.1	<0.01	0.06	2.4
CC125595		0.63	27.6	590	21.5	9.2	<0.001	0.02	0.54	5.3	0.8	0.6	22.7	<0.01	0.04	2.7
CC125596		0.73	30.5	440	24.0	12.0	<0.001	0.02	0.53	3.9	0.7	0.6	10.5	0.01	0.05	4.4
CC125597		0.47	19.9	450	57.1	12.9	<0.001	0.02	0.55	5.2	0.8	0.6	12.7	<0.01	0.06	3.8
CC125598		0.64	19.8	510	32.5	10.7	<0.001	0.02	0.49	4.6	0.9	0.6	22.3	<0.01	0.05	3.0
CC125599		0.53	21.6	820	22.4	7.9	<0.001	0.05	0.44	3.5	1.1	0.5	36.4	<0.01	0.05	1.8
CC125600		0.19	35.7	380	36.9	9.1	<0.001	0.03	0.50	7.4	1.0	0.4	19.3	<0.01	0.07	5.7
CC125601		0.10	24.2	270	25.4	5.6	<0.001	<0.01	0.32	4.8	0.8	0.3	20.9	<0.01	0.04	5.5
CC125602		0.19	35.5	410	23.6	8.3	<0.001	<0.01	0.48	6.5	0.9	0.4	14.8	<0.01	0.06	5.2
CC125603		0.17	36.5	770	20.5	7.4	<0.001	0.02	0.41	7.3	0.9	0.3	37.3	<0.01	0.06	4.5
CC125604		0.20	29.2	390	28.7	6.7	<0.001	0.04	0.49	4.3	1.0	0.2	55.0	0.01	0.04	3.8
CC125605		0.19	39.9	280	19.6	6.3	<0.001	0.02	0.46	7.8	0.8	0.3	44.8	<0.01	0.07	4.1
CC125606		0.21	37.4	640	18.1	7.7	<0.001	0.07	0.56	5.2	1.5	0.3	109.0	0.01	0.09	1.2
CC125607		0.36	29.4	510	17.8	7.3	<0.001	0.04	0.50	5.3	0.8	0.4	49.1	<0.01	0.06	1.4
CC125608		0.25	30.3	210	20.4	8.4	<0.001	0.01	0.40	9.3	0.7	0.6	48.3	0.01	0.10	4.4
CC125609		0.27	32.5	390	24.1	11.4	<0.001	0.01	0.42	7.1	0.8	0.6	31.6	0.01	0.07	4.0
CC125610		0.25	22.3	550	15.0	6.3	<0.001	0.09	0.27	3.6	0.9	0.3	94.0	<0.01	0.06	1.1
CC125611		0.35	29.8	580	20.4	7.2	<0.001	0.05	0.48	4.6	1.2	0.4	186.5	<0.01	0.07	1.1
CC125612		0.25	27.6	700	15.5	8.5	<0.001	0.12	0.36	4.8	1.5	0.3	108.5	0.01	0.08	0.9
CC125613		0.27	20.6	850	14.2	7.9	0.001	0.22	0.40	2.7	2.1	0.3	137.0	<0.01	0.07	0.4
CC125614		0.27	24.9	800	27.5	5.9	<0.001	0.05	0.70	9.1	1.2	0.5	30.1	0.01	0.07	2.0
CC125615		0.34	30.4	630	12.4	5.8	0.001	0.04	0.41	7.8	1.2	0.3	40.9	<0.01	0.09	1.8
CC125616		0.27	29.5	670	13.9	6.2	<0.001	0.06	0.43	7.5	1.4	0.3	69.5	<0.01	0.09	1.2
CC125617		0.50	26.1	670	14.1	7.5	<0.001	0.06	0.46	5.7	1.4	0.4	69.2	<0.01	0.08	1.2
CC125618		0.15	39.4	510	17.5	5.5	<0.001	0.03	0.42	7.4	0.7	0.3	42.9	<0.01	0.11	3.5
CC125619		0.75	25.5	440	15.1	8.0	<0.001	0.04	0.54	4.8	0.9	0.5	71.5	<0.01	0.05	2.0
CC125620		0.17	38.0	1070	14.5	10.6	0.001	0.09	0.37	6.3	1.2	0.5	18.8	0.01	0.05	1.1
CC125621		0.14	15.7	800	18.6	13.2	<0.001	0.10	0.33	2.6	0.7	0.5	17.4	<0.01	0.06	0.9
CC125622		0.20	32.0	690	13.4	11.6	<0.001	0.06	0.48	3.4	0.9	0.5	17.5	<0.01	0.05	1.4

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 5- JUL- 2011
Account: RCM

Project: Rackla - Pyramid

CERTIFICATE OF ANALYSIS WH11107309

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
CC125583		0.005	0.33	0.81	39	0.07	3.80	38	<0.5
CC125584		<0.005	1.77	3.27	227	0.10	12.25	92	0.5
CC125585		<0.005	0.84	6.64	160	0.07	22.6	599	2.5
CC125586		0.005	0.76	10.35	499	0.09	35.6	1120	3.5
CC125587		<0.005	0.87	6.79	619	0.12	29.2	773	2.5
CC125588		<0.005	0.56	5.77	344	0.09	31.9	484	2.0
CC125589		<0.005	0.43	4.62	270	0.12	31.7	493	1.7
CC125590		0.005	0.15	2.18	76	0.09	13.45	298	1.4
CC125591		<0.005	0.18	1.47	36	0.06	12.85	167	2.2
CC125592		<0.005	0.24	2.30	118	0.06	14.15	161	1.4
CC125593		<0.005	0.18	1.75	85	0.07	12.20	200	1.5
CC125594		<0.005	0.18	2.01	47	0.06	13.25	206	1.8
CC125595		0.019	0.13	1.06	49	0.18	14.35	125	1.7
CC125596		0.019	0.15	1.10	49	0.16	6.87	166	1.6
CC125597		0.011	0.30	1.23	53	0.14	11.70	970	1.7
CC125598		0.017	0.19	1.25	55	0.17	11.55	342	1.4
CC125599		0.014	0.15	1.94	37	0.16	9.36	155	1.4
CC125600		0.006	0.17	0.83	40	0.19	17.60	126	2.5
CC125601		<0.005	0.08	0.70	21	<0.05	11.40	69	0.9
CC125602		0.007	0.09	0.89	38	0.05	12.30	73	1.6
CC125603		0.006	0.08	0.87	38	<0.05	14.35	89	3.3
CC125604		0.005	0.06	1.01	17	0.05	17.40	58	2.4
CC125605		0.006	0.09	0.64	41	<0.05	16.75	84	3.5
CC125606		<0.005	0.11	2.00	35	0.06	26.7	92	2.4
CC125607		0.011	0.07	0.63	36	0.06	6.80	79	1.1
CC125608		<0.005	0.13	1.07	55	0.07	18.35	56	2.3
CC125609		0.005	0.17	0.98	35	0.07	15.80	113	1.6
CC125610		0.006	0.08	1.50	31	<0.05	6.62	57	1.5
CC125611		0.008	0.08	2.02	32	0.07	13.45	68	1.0
CC125612		0.006	0.10	1.52	30	<0.05	14.75	101	1.6
CC125613		0.006	0.16	2.10	20	0.05	13.00	91	1.4
CC125614		0.007	0.12	1.79	44	0.10	25.8	74	1.0
CC125615		0.007	0.06	1.25	44	0.06	15.65	72	1.8
CC125616		0.006	0.07	1.11	41	0.06	17.75	79	1.7
CC125617		0.012	0.08	2.18	36	0.10	15.15	66	1.3
CC125618		0.006	0.09	0.45	54	<0.05	10.85	129	2.5
CC125619		0.021	0.10	1.25	43	0.17	13.10	78	1.0
CC125620		<0.005	0.14	0.88	28	<0.05	19.50	69	0.7
CC125621		<0.005	0.11	0.31	32	<0.05	2.10	44	<0.5
CC125622		<0.005	0.12	0.52	34	<0.05	4.20	89	0.9

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 5- JUL- 2011
Account: RCM

Project: Rackla - Pyramid

CERTIFICATE OF ANALYSIS WH11107309

Sample Description	Method	WEI- 21	Au- TL43	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Recvd Wt.	Au	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
CC125623		0.12	<0.001	0.30	1.00	9.8	<0.2	<10	220	0.47	0.22	0.07	0.10	7.69	6.1	18
CC125624		0.18	0.002	1.74	1.51	7.2	<0.2	<10	1560	1.05	0.25	0.65	1.09	6.82	16.1	42
CC125625		0.10	0.003	0.50	1.97	10.8	<0.2	<10	420	0.65	0.26	0.41	0.42	10.25	8.4	27
CC125626		0.14	0.003	0.15	1.57	10.0	<0.2	<10	320	0.59	0.19	0.65	0.23	9.69	12.2	26
CC125627		0.10	0.006	0.24	1.32	7.9	<0.2	<10	420	0.71	0.18	1.40	0.48	7.82	12.7	18
CC125628		0.12	0.002	0.18	1.64	46.8	<0.2	<10	300	0.78	0.21	0.82	0.36	12.95	12.7	27
CC125629		0.44	0.001	0.24	1.63	46.7	<0.2	<10	180	0.86	0.24	0.37	0.42	15.65	15.3	28
CC125630		0.08	0.004	1.08	1.67	83.4	<0.2	<10	590	1.03	0.20	1.78	1.54	10.10	9.2	22
CC125631		0.18	0.001	0.39	1.90	76.0	<0.2	<10	260	0.85	0.24	0.34	1.43	30.3	12.3	31
CC125632		0.26	0.001	1.31	0.45	15.1	<0.2	<10	80	0.17	0.18	0.02	0.13	7.02	4.4	14
CC125633		0.18	0.001	0.41	1.41	54.9	<0.2	<10	540	0.63	0.19	2.22	1.90	13.05	9.5	21
CC125634		0.02	NSS	0.08	0.28	8.2	<0.2	<10	180	0.14	0.05	2.82	1.55	2.91	2.7	5
CC125635		0.08	0.002	0.39	1.09	72.2	<0.2	<10	860	0.65	0.15	2.77	2.12	6.85	8.8	16
CC125636		0.12	0.002	0.90	1.16	142.0	<0.2	<10	990	0.65	0.15	3.19	1.24	8.22	9.0	21
CC125637		0.12	0.001	0.30	1.38	61.6	<0.2	<10	550	0.65	0.20	1.53	0.45	12.35	10.7	23
CC125638		0.08	<0.001	0.42	1.12	133.5	<0.2	<10	710	0.59	0.16	1.71	0.75	9.80	9.3	26
CC125639		0.06	0.001	0.60	0.92	118.0	<0.2	<10	1060	0.50	0.14	2.39	0.91	11.30	8.6	18
CC125640		0.06	0.001	0.75	0.89	106.0	<0.2	<10	1190	0.52	0.15	2.00	1.18	8.15	9.3	19
CC125641		0.12	0.001	0.56	1.16	116.0	<0.2	<10	490	0.71	0.16	0.95	1.04	11.25	10.8	22
CC125642		0.16	0.002	0.94	1.10	127.5	<0.2	<10	580	0.71	0.18	1.26	1.70	12.20	12.5	23
CC125643		0.06	NSS	0.84	0.73	101.5	<0.2	<10	760	0.53	0.14	1.99	1.13	7.58	7.0	18
CC125644		0.14	0.002	0.78	0.69	69.5	<0.2	<10	910	0.53	0.12	2.24	1.02	5.47	6.3	16
CC125645		0.24	0.002	0.75	0.84	101.5	<0.2	<10	740	0.59	0.15	1.09	0.77	8.19	6.3	19
CC125646		0.18	0.003	0.79	0.89	75.7	<0.2	<10	800	0.61	0.16	0.96	1.01	9.80	8.8	20
CC125647		0.08	0.003	0.77	0.77	30.7	<0.2	<10	910	0.66	0.15	1.48	2.22	7.65	17.0	16
CC125658		0.20	0.002	0.14	1.25	13.9	<0.2	<10	190	0.83	0.22	0.93	0.40	20.2	16.3	20
CC125659		0.14	0.002	0.11	1.84	13.3	<0.2	<10	160	0.90	0.22	1.04	0.20	26.6	17.9	27
CC125660		0.42	0.002	0.08	2.43	13.3	<0.2	<10	160	1.15	0.29	0.19	0.18	38.1	25.2	35
CC125661		0.18	0.003	0.13	1.03	7.0	<0.2	10	160	0.81	0.20	2.10	0.20	20.8	10.4	20
CC125662		0.16	0.002	0.08	1.37	8.4	<0.2	<10	180	0.83	0.20	1.54	0.23	21.9	11.2	26
CC125663		0.14	0.001	0.05	1.57	11.7	<0.2	<10	220	0.81	0.29	0.30	0.14	23.2	14.2	24
CC125664		0.16	0.001	0.08	1.14	9.8	<0.2	<10	160	0.94	0.38	0.65	0.19	24.5	13.6	14
CC125665		0.10	<0.001	0.09	0.39	2.0	<0.2	<10	90	0.25	0.07	4.73	0.42	8.58	2.4	5
CC125666		0.16	0.001	0.04	2.57	15.3	<0.2	<10	210	1.30	0.33	0.09	0.19	31.0	19.3	34
CC125667		0.20	0.002	2.59	1.06	18.6	<0.2	<10	1100	0.56	0.31	0.40	0.15	12.00	4.3	25
CC125668		0.22	0.003	1.56	1.41	9.5	<0.2	<10	740	0.93	0.29	0.70	0.32	6.78	8.3	49
CC126181		0.22	0.001	0.29	1.07	15.8	<0.2	<10	250	0.71	0.22	1.50	0.30	14.95	10.7	19
CC126182		0.26	0.001	0.05	1.61	17.0	<0.2	<10	280	0.66	0.29	0.20	0.16	31.2	10.5	27
CC126183		0.16	0.002	0.19	1.99	16.8	<0.2	<10	330	1.40	0.29	0.96	0.35	28.5	18.5	32
CC126184		0.14	0.001	0.05	1.70	14.5	<0.2	<10	150	1.03	0.30	0.57	0.24	21.3	17.0	25

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 5- JUL- 2011
Account: RCM

Project: Rackla - Pyramid

CERTIFICATE OF ANALYSIS WH11107309

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
CC125623		1.71	23.7	2.21	4.54	<0.05	0.02	0.04	0.034	0.07	3.4	9.1	0.15	97	1.51	<0.01
CC125624		3.35	41.4	3.23	3.60	0.07	0.10	0.70	0.056	0.09	3.5	38.0	0.37	355	1.55	0.01
CC125625		1.24	31.3	2.99	5.99	0.05	0.04	0.12	0.045	0.12	4.8	20.0	0.26	164	1.59	0.01
CC125626		0.89	21.7	3.20	4.62	0.05	0.05	0.06	0.040	0.08	4.5	33.4	0.49	215	0.99	<0.01
CC125627		1.13	23.8	2.37	3.63	<0.05	0.07	0.14	0.032	0.06	3.6	16.2	0.26	626	1.03	0.01
CC125628		1.03	30.4	3.73	4.66	0.05	0.09	0.42	0.038	0.07	5.6	35.6	0.60	546	1.14	<0.01
CC125629		1.71	36.9	3.25	4.94	0.06	0.07	0.53	0.049	0.10	7.3	41.8	0.59	188	0.99	<0.01
CC125630		3.03	38.4	2.67	4.08	0.05	0.08	0.80	0.048	0.10	6.0	18.6	0.45	512	1.61	0.01
CC125631		1.96	26.7	3.72	4.97	0.06	0.06	0.74	0.050	0.05	12.8	22.3	0.34	401	1.67	<0.01
CC125632		8.37	19.1	2.68	3.48	0.05	<0.02	0.09	0.027	0.06	3.5	2.2	0.02	44	4.55	<0.01
CC125633		1.88	17.0	2.41	3.94	<0.05	0.06	0.30	0.033	0.04	10.8	11.9	0.23	729	1.50	0.01
CC125634		0.87	9.5	0.43	0.87	<0.05	0.03	0.13	0.008	0.05	1.6	1.4	0.07	144	0.78	0.02
CC125635		1.14	35.7	2.08	2.83	<0.05	0.06	0.46	0.028	0.07	4.1	13.7	0.32	1140	1.12	0.01
CC125636		1.65	33.2	2.12	3.09	<0.05	0.10	1.46	0.035	0.08	5.6	11.2	0.27	419	1.10	0.01
CC125637		0.95	27.0	2.87	3.91	0.05	0.06	0.36	0.037	0.07	6.3	19.7	0.42	339	1.40	0.01
CC125638		0.77	25.8	2.47	3.12	<0.05	0.06	1.97	0.038	0.06	5.6	16.1	0.35	341	1.60	0.01
CC125639		1.11	23.3	1.91	2.54	<0.05	0.05	0.78	0.026	0.05	6.3	10.9	0.31	627	1.46	0.01
CC125640		1.48	31.1	2.16	2.66	<0.05	0.08	0.72	0.033	0.07	4.2	10.7	0.24	626	2.07	0.01
CC125641		1.86	28.2	2.82	3.28	0.07	0.06	0.59	0.029	0.06	5.9	18.8	0.36	441	2.04	0.01
CC125642		2.09	32.8	2.58	3.26	0.06	0.08	0.93	0.034	0.08	5.8	16.1	0.31	956	3.12	0.01
CC125643		1.42	29.0	1.79	2.18	<0.05	0.05	0.78	0.021	0.05	4.2	7.6	0.16	370	1.86	0.01
CC125644		1.32	34.0	1.75	1.98	<0.05	0.06	0.58	0.020	0.06	2.9	6.4	0.14	358	3.08	0.01
CC125645		1.57	28.0	2.28	2.49	0.05	0.06	1.15	0.022	0.05	4.4	9.6	0.18	332	3.08	0.01
CC125646		1.46	35.3	2.48	2.70	0.05	0.06	0.85	0.027	0.06	5.1	9.5	0.18	512	4.97	0.01
CC125647		0.99	46.1	2.46	2.17	0.05	0.09	0.37	0.025	0.07	4.1	7.3	0.16	1940	4.74	0.01
CC125658		0.68	43.2	3.95	3.72	0.09	0.08	0.12	0.036	0.07	8.8	23.0	0.44	998	0.80	0.01
CC125659		0.77	63.4	4.26	5.32	0.11	0.12	0.11	0.034	0.09	12.1	33.0	0.83	697	0.62	0.02
CC125660		1.07	86.6	5.04	8.00	0.22	0.07	0.12	0.042	0.10	16.8	38.6	1.15	790	0.68	0.01
CC125661		0.65	30.4	2.64	3.47	0.20	0.07	0.12	0.028	0.09	9.3	17.0	0.48	368	0.43	0.01
CC125662		0.55	30.3	3.09	4.86	0.16	0.05	0.08	0.033	0.06	10.1	16.2	0.49	398	0.50	0.01
CC125663		0.79	38.1	3.80	5.86	0.16	0.04	0.05	0.035	0.06	10.8	22.1	0.49	502	0.78	0.01
CC125664		0.60	18.4	3.30	3.45	0.17	0.04	0.06	0.044	0.08	8.4	8.9	0.13	259	0.57	0.01
CC125665		0.26	12.2	0.75	0.98	0.15	0.03	0.09	0.013	0.02	3.4	1.1	0.08	266	0.42	0.02
CC125666		1.35	30.1	4.52	6.63	0.17	0.09	0.04	0.055	0.06	11.7	30.6	0.62	434	1.08	0.01
CC125667		3.37	26.1	2.04	4.49	0.16	0.03	0.43	0.029	0.08	6.7	7.7	0.18	126	4.07	0.02
CC125668		2.81	58.1	3.67	3.91	0.15	0.07	0.40	0.054	0.10	3.6	32.9	0.36	190	1.48	0.02
CC126181		0.58	19.9	2.80	3.48	0.16	0.04	0.19	0.032	0.07	6.4	18.6	0.46	394	0.92	0.01
CC126182		1.08	14.0	3.08	6.73	0.16	0.02	0.05	0.031	0.05	13.6	21.5	0.36	293	1.24	0.01
CC126183		1.24	78.8	4.29	6.40	0.20	0.10	0.17	0.043	0.11	15.6	34.3	0.84	908	0.86	0.01
CC126184		0.77	56.9	4.11	5.64	0.17	0.07	0.06	0.039	0.08	8.4	28.5	0.71	632	0.63	0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 5- JUL- 2011
Account: RCM

Project: Rackla - Pyramid

CERTIFICATE OF ANALYSIS WH11107309

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
CC125623		0.14	20.8	810	15.0	10.2	<0.001	0.08	0.48	3.4	0.7	0.5	21.2	<0.01	0.06	1.3
CC125624		0.11	165.0	630	17.0	13.7	0.013	0.11	0.49	4.8	8.4	0.5	67.8	<0.01	0.06	1.6
CC125625		0.28	27.6	1110	14.0	15.3	<0.001	0.09	0.42	5.3	1.1	0.7	25.6	<0.01	0.06	1.6
CC125626		0.21	35.4	660	14.4	8.7	0.003	0.06	0.38	3.9	1.6	0.5	30.9	<0.01	0.04	2.0
CC125627		0.23	28.6	1310	11.6	11.1	0.003	0.18	0.43	3.3	1.5	0.4	65.4	<0.01	0.05	0.9
CC125628		0.18	39.1	970	24.0	9.2	<0.001	0.06	0.49	5.4	1.2	0.4	34.7	<0.01	0.06	2.5
CC125629		0.16	44.5	640	28.5	11.7	<0.001	0.03	0.39	6.8	1.1	0.5	24.6	<0.01	0.05	4.1
CC125630		0.24	39.8	1180	26.7	14.1	0.001	0.16	1.00	4.2	1.7	0.5	71.9	<0.01	0.08	1.2
CC125631		0.39	37.6	720	43.6	13.5	0.001	0.04	0.82	4.7	1.1	0.5	17.3	0.01	0.07	2.0
CC125632		0.27	27.5	500	6.8	9.6	0.003	0.02	0.87	2.5	3.6	0.7	7.6	<0.01	0.06	1.1
CC125633		0.41	22.2	1290	58.9	8.2	<0.001	0.12	0.61	2.4	1.3	0.4	44.7	0.01	0.06	0.6
CC125634		0.17	5.3	920	4.5	4.0	<0.001	0.20	0.23	1.0	1.0	<0.2	39.6	<0.01	0.02	0.2
CC125635		0.19	29.8	1020	31.3	8.2	<0.001	0.13	0.90	2.6	1.4	0.3	48.9	<0.01	0.05	0.6
CC125636		0.23	33.9	1010	67.2	9.1	0.001	0.12	1.52	3.6	2.0	0.4	47.0	<0.01	0.07	0.9
CC125637		0.29	31.7	700	31.4	7.7	<0.001	0.07	1.02	4.1	1.2	0.5	26.5	<0.01	0.06	1.5
CC125638		0.20	26.9	910	33.8	6.4	<0.001	0.08	1.09	4.3	2.6	0.4	31.4	<0.01	0.05	1.7
CC125639		0.30	29.0	980	63.6	6.3	<0.001	0.11	1.51	2.5	1.7	0.3	45.2	<0.01	0.07	0.7
CC125640		0.21	38.4	970	32.5	8.9	0.003	0.10	1.17	3.7	2.2	0.4	55.8	<0.01	0.08	1.5
CC125641		0.25	36.0	770	45.6	8.0	0.003	0.04	1.00	4.2	1.9	0.4	30.2	<0.01	0.06	1.5
CC125642		0.26	41.0	990	49.3	11.1	0.004	0.06	1.41	4.8	2.5	0.4	46.5	<0.01	0.09	1.6
CC125643		0.22	29.7	870	34.5	7.8	0.010	0.09	1.17	3.0	2.9	0.3	50.2	<0.01	0.09	0.7
CC125644		0.20	36.5	910	22.8	10.1	0.007	0.12	1.41	2.5	2.8	0.3	55.2	<0.01	0.10	0.7
CC125645		0.19	29.8	850	34.6	8.4	0.010	0.05	1.08	3.5	2.3	0.3	44.2	<0.01	0.09	1.3
CC125646		0.20	32.1	880	28.2	9.0	0.010	0.04	1.58	3.8	2.6	0.4	43.5	<0.01	0.09	1.6
CC125647		0.17	47.9	1090	16.6	8.5	0.011	0.09	2.13	3.3	3.6	0.3	51.7	<0.01	0.11	1.0
CC125658		0.37	30.0	700	19.1	5.7	0.001	0.03	0.42	6.6	1.0	0.4	45.2	<0.01	0.07	2.7
CC125659		0.24	33.7	400	16.4	6.5	0.001	0.02	0.45	7.6	0.9	0.3	46.2	<0.01	0.08	2.9
CC125660		0.13	41.9	310	20.1	8.9	0.001	<0.01	0.54	9.6	0.9	0.4	16.7	<0.01	0.11	5.2
CC125661		0.25	23.4	690	13.3	6.9	0.002	0.11	0.38	4.7	1.8	0.4	101.5	<0.01	0.03	2.1
CC125662		0.27	22.1	540	14.5	5.2	0.001	0.06	0.34	4.6	0.9	0.4	46.1	<0.01	0.05	1.4
CC125663		0.25	24.9	340	18.7	7.8	0.002	0.01	0.42	4.8	0.5	0.5	23.6	<0.01	0.08	3.5
CC125664		0.34	26.1	380	29.8	9.3	0.002	0.02	0.41	4.1	0.5	0.4	38.5	<0.01	0.05	3.1
CC125665		0.19	6.1	810	5.2	1.9	0.002	0.18	0.24	0.5	0.9	<0.2	194.5	<0.01	0.02	0.2
CC125666		0.58	42.2	230	22.9	12.6	0.001	0.01	0.61	5.1	0.6	0.6	11.4	<0.01	0.07	5.8
CC125667		0.29	16.2	1690	19.9	14.9	0.005	0.10	0.64	3.3	2.4	0.7	80.1	<0.01	0.08	0.8
CC125668		0.14	45.1	580	17.1	11.7	0.005	0.10	0.75	5.9	2.9	0.5	60.4	<0.01	0.07	2.4
CC126181		0.33	23.6	550	16.9	6.1	0.002	0.05	0.42	3.9	1.1	0.4	57.4	<0.01	0.04	1.5
CC126182		0.83	19.2	310	20.3	10.3	0.001	0.01	0.60	3.0	0.5	0.7	14.0	<0.01	0.03	3.8
CC126183		0.28	42.2	730	24.6	10.7	0.002	0.03	0.58	10.9	1.3	0.5	44.5	<0.01	0.07	3.8
CC126184		0.17	31.0	320	19.9	8.1	0.002	0.02	0.44	6.9	0.5	0.4	34.9	<0.01	0.08	3.7

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 5- JUL- 2011
Account: RCM

Project: Rackla - Pyramid

CERTIFICATE OF ANALYSIS WH11107309

Sample Description	Method Analyte Units LOR	ME- MS41 Ti % 0.005	ME- MS41 Tl ppm 0.02	ME- MS41 U ppm 0.05	ME- MS41 V ppm 1	ME- MS41 W ppm 0.05	ME- MS41 Y ppm 0.05	ME- MS41 Zn ppm 2	ME- MS41 Zr ppm 0.5
CC125623		<0.005	0.11	0.38	35	<0.05	4.69	61	0.5
CC125624		<0.005	0.16	1.05	32	<0.05	14.25	482	2.2
CC125625		<0.005	0.18	0.94	45	0.07	7.16	89	1.0
CC125626		<0.005	0.09	0.40	34	<0.05	6.47	118	1.3
CC125627		<0.005	0.12	0.55	25	<0.05	8.32	61	1.6
CC125628		<0.005	0.10	0.77	34	<0.05	10.15	140	2.2
CC125629		<0.005	0.23	0.49	36	0.05	12.25	142	2.6
CC125630		<0.005	0.33	0.72	32	0.09	16.55	171	2.0
CC125631		0.008	0.32	1.02	53	0.13	14.95	146	1.3
CC125632		0.007	0.12	0.33	52	0.10	3.92	157	<0.5
CC125633		0.008	0.16	1.63	40	0.15	16.85	73	1.3
CC125634		0.007	0.13	0.28	7	<0.05	2.05	47	1.2
CC125635		<0.005	0.45	2.09	21	0.07	11.75	176	1.8
CC125636		<0.005	1.14	2.25	30	0.16	17.30	331	2.8
CC125637		0.005	0.25	1.01	34	0.08	10.95	115	1.6
CC125638		<0.005	0.40	2.13	32	0.08	11.60	160	1.7
CC125639		0.006	0.40	1.42	33	0.09	12.15	153	1.3
CC125640		<0.005	0.35	1.31	36	0.08	9.57	192	2.4
CC125641		<0.005	0.33	1.56	40	0.10	12.70	196	1.5
CC125642		<0.005	0.50	2.10	49	0.10	13.80	243	2.0
CC125643		<0.005	0.35	2.41	48	0.05	11.65	144	1.6
CC125644		<0.005	0.32	1.31	62	0.05	7.82	197	2.0
CC125645		<0.005	0.39	1.73	60	0.11	11.15	164	1.4
CC125646		<0.005	0.37	2.20	80	0.09	11.75	172	1.5
CC125647		<0.005	0.24	2.75	59	0.05	13.70	249	2.1
CC125658		0.006	0.07	0.97	30	0.06	11.35	111	2.1
CC125659		<0.005	0.07	0.96	43	0.05	12.75	79	3.0
CC125660		0.006	0.09	0.66	60	<0.05	11.00	81	2.9
CC125661		0.006	0.10	1.72	26	0.08	11.10	85	2.2
CC125662		0.005	0.08	1.51	42	0.07	9.24	69	1.3
CC125663		0.005	0.09	0.90	44	0.07	6.64	69	1.2
CC125664		0.005	0.10	0.92	27	0.08	9.42	85	1.3
CC125665		0.007	0.04	1.59	7	<0.05	3.38	33	1.2
CC125666		0.010	0.17	0.86	51	0.14	5.61	91	3.1
CC125667		<0.005	0.23	2.05	44	0.09	10.05	46	0.6
CC125668		<0.005	0.13	1.12	40	0.05	11.55	174	2.0
CC126181		0.006	0.09	0.92	29	0.06	9.22	145	1.2
CC126182		0.016	0.14	1.11	58	0.21	4.33	66	0.8
CC126183		0.006	0.13	1.30	45	0.06	23.0	101	2.7
CC126184		<0.005	0.09	0.79	40	<0.05	5.29	74	2.0

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 5- JUL- 2011
Account: RCM

Project: Rackla - Pyramid

CERTIFICATE OF ANALYSIS WH11107309

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- TL43 Au ppm 0.001	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1
CC126185		0.12	0.001	0.18	1.95	15.5	<0.2	<10	220	1.07	0.27	0.76	0.29	29.6	18.6	29
CC126186		0.32	0.002	0.12	1.10	18.2	<0.2	<10	180	0.87	0.30	0.66	0.25	20.3	13.8	20
CC126187		0.20	0.003	0.17	1.80	13.0	<0.2	<10	270	0.98	0.27	0.80	0.38	27.3	17.1	28
CC126188		0.32	0.003	0.24	1.59	10.0	<0.2	<10	430	0.84	0.23	1.19	0.94	27.2	11.9	29
CC126189		0.28	0.002	0.14	1.54	15.6	<0.2	<10	170	0.88	0.23	0.82	0.23	26.1	12.9	24
CC126190		0.14	0.002	0.10	0.78	8.1	<0.2	10	170	0.78	0.24	1.59	0.24	8.52	16.2	14
CC126191		0.16	<0.001	0.03	1.09	12.7	<0.2	<10	220	0.51	0.29	0.10	0.27	20.3	9.4	19
CC126192		0.22	<0.001	0.08	1.71	11.5	<0.2	<10	310	1.17	0.27	0.47	0.31	22.3	12.2	21
CC126193		0.24	0.001	0.11	1.63	16.6	<0.2	<10	90	0.71	0.27	0.04	0.13	15.05	13.6	23
CC126194		0.22	0.001	0.04	0.61	20.2	<0.2	<10	180	1.00	0.36	0.15	0.22	7.06	23.7	17
CC126195		0.22	0.002	0.26	1.04	12.1	<0.2	10	230	0.82	0.18	2.32	0.39	18.80	10.3	19
CC126196		0.26	0.002	0.16	1.25	47.3	<0.2	<10	160	0.81	0.26	1.17	0.32	19.30	16.6	20
CC126197		0.22	0.001	0.28	1.02	8.5	<0.2	<10	330	0.36	0.26	0.06	0.18	16.70	5.2	20
CC126198		0.20	0.001	0.06	0.97	10.3	<0.2	<10	90	0.19	0.23	0.03	0.09	13.05	4.2	16
CC126199		0.20	0.002	0.18	0.99	13.5	<0.2	<10	70	0.16	0.24	0.03	0.09	12.40	5.5	21
CC126200		0.16	0.001	1.43	0.67	3.2	<0.2	<10	350	0.26	0.13	0.44	0.98	8.71	1.9	16
CC126201		0.22	0.002	0.83	0.75	76.7	<0.2	<10	820	0.49	0.17	0.94	0.44	8.57	8.1	18
CC126202		0.16	0.003	0.91	0.75	53.2	<0.2	<10	960	0.43	0.18	1.83	0.85	6.61	6.5	17
CC126203		0.26	0.002	1.53	0.93	25.4	<0.2	<10	450	1.22	0.21	1.43	13.75	34.5	8.8	40
CC126204		0.18	0.001	0.26	1.31	24.0	<0.2	<10	310	0.78	0.22	0.76	1.39	14.65	17.0	23
CC126205		0.16	0.001	0.21	1.45	14.5	<0.2	<10	230	0.79	0.22	1.05	0.82	10.40	12.0	25
CC126206		0.22	0.001	0.08	1.85	16.5	<0.2	<10	60	0.83	0.30	0.07	0.22	6.20	20.4	31
CC126207		0.18	0.001	0.11	1.48	11.1	<0.2	<10	100	0.66	0.22	0.08	0.18	14.60	10.1	26
CC126208		0.16	<0.001	0.05	1.48	15.1	<0.2	<10	70	0.61	0.26	0.12	0.18	4.95	8.9	24
CC126209		0.14	0.001	0.04	1.49	11.8	<0.2	<10	80	1.05	0.33	0.04	0.10	20.7	12.2	23
CC126210		0.20	0.001	0.03	0.93	15.2	<0.2	<10	110	1.07	0.33	0.08	0.16	21.4	10.7	22
CC126211		0.12	0.001	0.22	1.23	8.5	<0.2	<10	440	1.12	0.27	1.33	0.36	14.10	9.9	16
CC126212		0.26	0.002	0.09	1.38	10.4	<0.2	<10	250	1.17	0.35	0.38	0.12	18.90	13.7	26
CC126213		0.16	0.003	0.21	1.68	9.1	<0.2	<10	320	1.18	0.32	0.75	0.14	17.85	13.7	26
CC126214		0.16	0.002	0.20	0.92	91.9	<0.2	<10	420	0.44	0.22	0.36	0.55	9.33	8.3	21
CC126215		0.36	0.002	0.15	1.01	18.4	<0.2	<10	410	0.72	0.24	5.05	1.01	17.85	15.4	16
CC126216		0.12	0.002	0.14	1.30	18.0	<0.2	<10	430	0.87	0.24	0.85	0.81	24.3	12.6	20
CC126217		0.24	0.002	0.15	1.21	18.2	<0.2	<10	360	0.80	0.25	2.41	0.60	21.9	15.4	18
CC126218		0.18	0.001	0.03	1.20	18.7	<0.2	<10	230	0.62	0.33	0.09	0.23	15.25	9.9	18
CC126219		0.14	0.001	0.04	1.77	13.1	<0.2	<10	280	0.73	0.28	0.27	0.30	18.50	9.9	26
CC126220		0.22	0.001	0.16	1.09	23.7	<0.2	<10	270	0.87	0.30	1.55	0.47	16.50	10.8	18
CC126431		0.10	0.002	0.60	1.71	6.8	<0.2	<10	400	1.24	0.23	0.95	0.43	13.95	17.5	22
CC126432		0.10	0.002	0.55	1.72	9.8	<0.2	<10	360	1.13	0.24	0.87	0.35	13.80	9.8	23
CC126433		0.20	0.002	0.32	1.42	538	<0.2	<10	390	0.84	0.24	0.82	0.68	18.70	15.7	27
CC126434		0.24	0.003	0.28	1.31	1340	<0.2	<10	330	0.75	0.20	1.06	0.73	16.40	14.3	26

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 5- JUL- 2011
Account: RCM

Project: Rackla - Pyramid

CERTIFICATE OF ANALYSIS WH11107309

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
CC126185		0.82	54.5	4.26	6.53	0.17	0.07	0.12	0.039	0.08	12.4	30.6	0.82	699	1.46	0.01
CC126186		0.55	40.0	4.28	3.58	0.18	0.06	0.07	0.038	0.06	9.4	18.1	0.46	484	0.85	0.01
CC126187		0.62	58.2	3.96	5.85	0.18	0.08	0.13	0.037	0.07	12.7	29.7	0.81	598	0.57	0.01
CC126188		0.54	52.4	2.97	5.00	0.20	0.07	0.21	0.032	0.07	12.6	26.4	0.72	220	0.57	0.01
CC126189		0.68	54.8	3.96	5.03	0.18	0.08	0.13	0.032	0.07	13.2	28.0	1.03	542	0.67	0.01
CC126190		1.26	48.7	3.91	2.46	0.16	0.04	0.11	0.034	0.09	3.4	10.5	0.32	546	0.46	0.01
CC126191		1.13	17.1	3.15	5.96	0.17	0.02	0.02	0.033	0.06	9.6	13.3	0.21	469	1.51	0.01
CC126192		1.15	32.5	3.70	5.86	0.16	0.03	0.06	0.042	0.05	9.0	19.8	0.34	337	0.81	0.01
CC126193		1.63	32.6	4.13	5.57	0.15	0.04	0.03	0.035	0.05	7.4	35.1	0.43	203	0.96	0.01
CC126194		1.62	46.2	4.37	2.58	0.14	0.02	0.03	0.041	0.09	2.2	6.4	0.13	321	0.71	0.01
CC126195		1.68	47.0	2.71	3.38	0.18	0.05	0.13	0.030	0.06	8.8	19.2	0.52	485	0.90	0.02
CC126196		1.43	53.4	3.78	4.35	0.19	0.07	0.33	0.033	0.06	8.8	31.2	1.01	517	0.96	0.01
CC126197		1.86	16.0	2.49	5.30	0.16	<0.02	0.04	0.020	0.06	8.7	8.2	0.18	246	1.54	0.01
CC126198		1.29	10.7	2.75	6.08	0.17	<0.02	0.02	0.020	0.04	6.8	6.8	0.16	115	1.44	0.01
CC126199		1.48	15.2	3.43	5.43	<0.05	<0.02	0.06	0.023	0.04	5.7	7.5	0.22	157	1.57	0.01
CC126200		2.43	11.7	0.98	3.11	<0.05	0.05	0.28	0.022	0.04	4.9	2.6	0.05	28	1.09	0.01
CC126201		1.41	25.2	2.15	2.58	<0.05	0.04	1.38	0.029	0.06	4.2	6.8	0.16	374	4.08	0.01
CC126202		1.50	29.6	1.77	2.31	<0.05	0.04	0.75	0.026	0.06	3.2	5.5	0.14	282	2.86	0.01
CC126203		0.88	92.8	2.31	3.92	0.08	0.06	0.36	0.034	0.11	23.5	9.7	0.29	260	24.7	0.01
CC126204		0.86	22.9	3.76	4.42	<0.05	0.04	0.12	0.041	0.10	5.6	20.2	0.37	569	5.91	0.01
CC126205		1.46	25.4	3.44	4.38	<0.05	0.06	0.11	0.039	0.08	3.9	27.6	0.47	341	2.41	0.01
CC126206		2.48	38.1	5.04	5.91	<0.05	0.04	0.03	0.046	0.08	2.4	33.2	0.55	567	1.36	0.01
CC126207		1.75	21.7	3.38	5.24	<0.05	0.03	0.04	0.033	0.06	6.3	26.0	0.42	234	1.13	0.01
CC126208		1.77	29.3	4.03	5.32	<0.05	0.03	0.10	0.040	0.07	2.2	25.5	0.44	303	1.23	0.01
CC126209		1.17	26.3	3.79	5.30	<0.05	0.09	0.02	0.045	0.05	9.6	17.4	0.18	314	1.32	0.01
CC126210		0.74	48.0	4.52	2.98	0.05	0.04	0.12	0.054	0.06	10.4	11.5	0.23	465	0.70	0.01
CC126211		0.93	38.6	3.22	3.57	<0.05	0.07	0.16	0.044	0.09	8.9	6.5	0.23	1180	0.57	0.01
CC126212		1.02	41.0	3.99	5.29	0.05	0.06	0.09	0.043	0.09	9.5	24.7	0.51	385	0.50	0.01
CC126213		0.93	49.7	3.77	5.94	0.05	0.10	0.11	0.036	0.12	8.1	30.2	0.52	271	0.57	0.01
CC126214		1.26	19.3	2.89	3.52	<0.05	0.02	0.18	0.031	0.09	4.0	13.6	0.27	366	3.95	0.01
CC126215		0.70	43.0	4.39	3.09	0.05	0.06	0.39	0.028	0.07	7.9	17.8	2.52	1050	0.67	0.01
CC126216		0.30	36.7	4.25	3.60	0.05	0.08	0.23	0.032	0.08	11.7	19.0	0.59	629	0.62	0.01
CC126217		0.92	50.2	3.90	3.82	0.05	0.07	0.31	0.035	0.09	9.7	20.2	1.08	667	0.63	0.01
CC126218		1.80	18.1	3.92	5.14	<0.05	0.03	0.05	0.035	0.07	6.5	16.1	0.21	577	1.16	0.01
CC126219		1.57	10.2	4.01	5.86	<0.05	0.03	0.03	0.039	0.07	8.7	21.3	0.30	406	1.35	0.01
CC126220		1.62	28.4	3.76	3.90	<0.05	0.06	0.24	0.037	0.07	8.6	13.3	0.92	741	1.05	0.01
CC126431		2.52	44.3	2.69	4.65	0.06	0.03	0.13	0.038	0.13	6.1	33.4	0.37	748	1.21	0.02
CC126432		2.19	45.4	2.95	4.84	0.06	0.04	0.14	0.039	0.13	5.6	26.5	0.42	531	0.89	0.02
CC126433		1.41	38.9	3.72	4.36	0.05	0.06	0.40	0.035	0.09	8.7	25.7	0.60	1040	1.35	0.02
CC126434		1.17	33.0	3.48	3.81	<0.05	0.05	0.59	0.032	0.09	7.2	23.9	0.57	1320	1.19	0.02

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 5- JUL- 2011
Account: RCM

Project: Rackla - Pyramid

CERTIFICATE OF ANALYSIS WH11107309

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
CC126185		0.24	34.7	560	19.8	8.8	0.002	0.03	0.54	7.2	1.0	0.4	47.2	<0.01	0.08	3.2
CC126186		0.19	31.2	360	23.8	5.4	0.002	0.02	0.51	6.8	0.9	0.4	35.5	<0.01	0.05	3.7
CC126187		0.37	35.7	600	19.1	6.7	0.002	0.03	0.52	7.8	0.9	0.4	40.4	<0.01	0.08	3.7
CC126188		0.48	31.7	840	17.1	6.5	0.003	0.08	0.59	7.0	3.8	0.4	48.8	<0.01	0.05	4.3
CC126189		0.13	32.1	760	15.5	4.9	0.001	0.01	0.47	7.5	0.9	0.3	28.0	<0.01	0.08	4.7
CC126190		0.12	29.3	500	17.5	6.8	0.002	0.05	0.41	6.4	1.0	0.4	61.6	<0.01	0.05	1.2
CC126191		0.57	16.2	350	23.8	11.7	0.001	0.01	0.55	2.9	0.7	0.6	11.3	<0.01	0.04	2.8
CC126192		0.37	23.0	480	20.6	7.9	0.001	0.03	0.36	5.5	0.7	0.6	29.9	<0.01	0.07	2.4
CC126193		0.32	25.9	220	17.1	9.8	0.001	0.01	0.53	3.8	0.3	0.5	6.3	<0.01	0.06	2.7
CC126194		0.09	33.5	270	24.8	7.2	0.002	0.01	0.76	6.6	0.4	0.5	13.7	<0.01	0.08	2.4
CC126195		0.25	25.7	890	15.0	8.6	0.002	0.11	0.57	4.7	1.6	0.3	95.6	<0.01	0.03	0.8
CC126196		0.09	35.4	650	20.5	4.9	0.003	0.05	0.66	5.6	1.3	0.3	42.1	<0.01	0.09	3.8
CC126197		0.64	16.2	380	13.0	13.8	0.002	0.01	0.62	2.2	0.6	0.6	7.8	<0.01	0.04	1.4
CC126198		0.54	13.5	320	11.4	11.9	0.002	0.01	0.51	1.9	0.4	0.6	6.1	<0.01	0.05	1.5
CC126199		0.78	19.4	400	12.4	11.6	0.002	0.02	0.74	2.1	0.6	0.5	5.5	<0.01	0.06	1.2
CC126200		0.38	8.2	1970	6.7	4.5	0.001	0.18	0.44	2.3	2.0	0.5	30.9	0.01	0.05	0.3
CC126201		0.17	21.9	790	37.0	7.9	0.004	0.05	1.25	3.1	2.1	0.4	43.5	<0.01	0.08	1.2
CC126202		0.19	21.4	850	28.7	8.0	0.007	0.09	1.27	2.8	2.7	0.3	46.8	<0.01	0.08	0.9
CC126203		0.28	155.5	1450	17.3	9.5	0.006	0.05	7.91	5.4	4.2	0.6	44.3	<0.01	0.06	2.6
CC126204		0.22	35.3	850	19.0	9.9	0.005	0.04	1.20	4.6	1.9	0.5	29.9	<0.01	0.06	2.3
CC126205		0.18	42.8	610	15.5	9.4	0.002	0.03	0.68	5.2	1.1	0.4	37.0	<0.01	0.04	2.4
CC126206		0.10	48.2	780	25.1	12.3	0.001	0.05	0.50	5.3	0.8	0.5	17.6	<0.01	0.05	2.4
CC126207		0.32	27.7	580	14.9	11.4	0.001	0.03	0.41	4.2	0.5	0.5	8.7	<0.01	0.04	2.7
CC126208		0.17	29.3	520	18.0	11.9	0.002	0.03	0.46	3.9	0.4	0.5	9.0	<0.01	0.05	2.1
CC126209		0.82	17.0	290	21.3	14.2	0.001	0.04	0.63	3.9	0.3	0.7	9.6	<0.01	0.04	4.4
CC126210		0.20	24.0	550	26.1	8.0	0.001	0.04	0.35	7.1	0.9	0.5	16.2	<0.01	0.04	4.0
CC126211		0.23	24.4	960	16.8	11.1	0.001	0.09	0.29	5.4	0.8	0.6	45.2	<0.01	0.03	1.7
CC126212		0.44	30.1	230	23.6	10.1	0.001	0.03	0.36	6.6	0.4	0.7	20.1	<0.01	0.03	4.4
CC126213		0.50	30.5	460	28.0	11.8	0.001	0.06	0.33	5.6	0.5	0.6	27.4	<0.01	0.04	3.2
CC126214		0.26	33.1	410	29.9	11.4	0.001	0.04	1.40	3.0	1.3	0.5	30.9	<0.01	0.08	1.8
CC126215		0.14	29.0	570	46.7	5.2	0.001	0.04	0.45	5.8	0.6	0.3	83.3	<0.01	0.04	4.0
CC126216		0.17	28.6	380	39.3	5.2	0.001	0.03	0.36	6.8	0.6	0.3	29.8	<0.01	0.05	4.0
CC126217		0.18	31.7	560	41.1	6.7	0.001	0.04	0.46	5.9	0.7	0.4	67.4	<0.01	0.06	3.0
CC126218		0.58	19.1	260	29.5	14.1	0.001	0.01	0.46	2.8	0.2	0.6	11.9	<0.01	0.04	2.8
CC126219		0.96	16.5	330	20.0	12.5	0.001	0.01	0.53	2.6	<0.2	0.6	13.9	<0.01	0.04	2.8
CC126220		0.32	24.6	440	32.8	9.8	0.001	0.02	0.46	5.7	0.8	0.5	28.5	<0.01	0.06	2.8
CC126431		0.09	83.9	880	19.5	12.4	0.001	0.14	0.38	6.4	1.9	0.5	97.7	<0.01	0.05	1.4
CC126432		0.10	53.7	860	17.6	13.9	0.001	0.12	0.49	7.5	1.2	0.5	92.4	<0.01	0.05	1.8
CC126433		0.34	40.8	890	33.7	8.1	0.004	0.06	1.01	5.6	1.4	0.4	49.1	<0.01	0.05	2.7
CC126434		0.23	38.0	990	31.5	7.3	0.006	0.06	1.33	5.0	1.8	0.3	57.6	<0.01	0.05	2.4

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 5- JUL- 2011
Account: RCM

Project: Rackla - Pyramid

CERTIFICATE OF ANALYSIS WH11107309

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
CC126185		0.006	0.09	1.04	46	0.05	10.65	82	2.4
CC126186		<0.005	0.09	0.77	32	<0.05	9.16	108	1.8
CC126187		0.007	0.08	1.33	46	0.06	12.80	91	2.5
CC126188		0.011	0.09	3.60	44	0.09	15.15	132	2.8
CC126189		0.005	0.08	0.74	40	<0.05	13.40	97	3.1
CC126190		<0.005	0.08	0.70	26	<0.05	7.94	87	0.8
CC126191		0.013	0.11	0.58	50	0.13	4.48	62	0.6
CC126192		0.005	0.12	0.84	44	0.06	10.20	61	1.1
CC126193		0.005	0.11	0.33	47	0.08	2.61	81	1.2
CC126194		<0.005	0.07	0.59	32	<0.05	4.83	63	0.7
CC126195		0.007	0.11	1.26	28	0.05	14.70	97	1.4
CC126196		<0.005	0.13	0.76	31	<0.05	10.65	112	2.3
CC126197		0.016	0.13	0.50	50	0.20	3.55	72	<0.5
CC126198		0.013	0.11	0.34	47	0.13	1.83	45	<0.5
CC126199		0.020	0.11	0.35	52	0.15	1.86	62	<0.5
CC126200		0.008	0.14	1.57	24	0.07	4.73	46	1.1
CC126201		<0.005	0.33	1.86	50	<0.05	9.05	106	1.2
CC126202		<0.005	0.31	2.28	66	0.05	6.98	120	1.5
CC126203		0.007	1.03	6.65	638	0.14	37.6	868	2.4
CC126204		<0.005	0.17	1.57	110	0.06	7.21	248	1.2
CC126205		<0.005	0.16	1.01	48	<0.05	7.63	190	1.8
CC126206		<0.005	0.17	0.35	34	<0.05	5.05	169	1.8
CC126207		0.006	0.13	0.58	35	0.11	5.67	100	0.8
CC126208		<0.005	0.14	0.30	34	<0.05	2.84	117	0.9
CC126209		0.012	0.14	0.78	48	0.17	3.33	67	2.8
CC126210		0.005	0.09	1.10	31	0.05	11.60	136	1.3
CC126211		<0.005	0.14	1.08	24	<0.05	16.40	111	1.9
CC126212		0.012	0.13	0.66	30	0.08	9.67	124	1.9
CC126213		0.009	0.12	1.17	30	0.06	11.05	128	2.6
CC126214		0.005	0.31	0.66	69	0.08	3.88	209	0.9
CC126215		0.006	0.39	0.78	23	<0.05	10.45	484	2.6
CC126216		<0.005	0.14	0.91	28	<0.05	12.85	440	2.5
CC126217		0.006	0.19	0.70	28	<0.05	11.05	405	2.2
CC126218		0.009	0.19	0.42	42	0.11	2.78	128	1.2
CC126219		0.017	0.15	0.57	54	0.22	2.64	132	0.8
CC126220		0.006	0.22	0.68	32	0.12	10.20	224	1.8
CC126431		<0.005	0.16	0.82	26	<0.05	35.1	139	0.9
CC126432		<0.005	0.17	0.80	28	<0.05	22.7	108	1.1
CC126433		0.009	0.29	1.20	39	0.09	10.30	246	2.0
CC126434		0.005	0.50	1.21	32	0.06	10.00	720	1.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 5- JUL- 2011
Account: RCM

Project: Rackla - Pyramid

CERTIFICATE OF ANALYSIS WH11107309

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- TL43 Au ppm 0.001	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1
CC126435		0.24	0.003	1.18	1.11	1640	<0.2	<10	530	0.62	0.21	1.82	6.47	13.50	11.7	25
CC126436		0.16	0.038	2.91	0.63	35.5	<0.2	10	940	0.43	0.21	0.99	0.87	7.23	2.1	14
CC126437		0.18	0.002	0.40	0.42	17.7	<0.2	<10	360	0.28	0.21	0.04	0.22	5.33	5.5	11
CC126438		0.12	0.002	1.63	0.61	44.2	<0.2	<10	1350	0.72	0.18	1.69	14.85	10.45	4.1	49
CC126439		0.10	0.001	0.25	0.72	57.3	<0.2	<10	2100	0.34	0.14	0.12	3.57	21.1	9.6	44
CC126440		0.08	0.002	0.40	0.67	18.4	<0.2	<10	460	0.62	0.17	2.31	1.32	23.0	9.7	17
CC126441		0.22	0.001	0.06	1.40	11.0	<0.2	<10	220	0.68	0.20	1.24	0.32	6.92	12.9	23
CC126442		0.12	0.001	0.09	1.24	9.1	<0.2	<10	190	0.70	0.18	1.99	0.32	8.31	11.7	20
CC126443		0.18	0.002	0.35	1.08	14.8	<0.2	<10	610	1.05	0.21	2.31	0.28	5.43	7.3	16
CC126444		0.14	<0.001	0.15	1.21	13.8	<0.2	<10	380	1.99	0.25	1.57	0.15	35.4	12.2	14
CC126445		0.22	0.001	0.19	1.40	16.0	<0.2	<10	270	1.28	0.34	1.03	0.26	12.40	13.1	21
CC126446		0.16	0.001	0.15	1.70	10.2	<0.2	<10	260	1.69	0.44	0.83	0.12	16.10	15.0	31
CC126447		0.18	0.001	0.23	1.54	9.7	<0.2	<10	330	1.35	0.35	0.90	0.25	14.30	5.6	26
CC126448		0.18	<0.001	0.04	0.77	40.8	<0.2	<10	140	0.29	0.24	0.05	0.41	12.80	4.6	12
CC126449		0.28	0.001	0.23	1.14	42.3	<0.2	<10	270	1.03	0.30	0.24	0.70	16.95	15.0	23
CC126450		0.22	0.001	0.02	1.33	14.8	<0.2	<10	110	0.38	0.30	0.07	0.18	21.5	7.0	23
CC126451		0.12	0.001	0.23	1.18	15.3	<0.2	10	430	0.93	0.23	1.63	0.47	13.30	18.5	19
CC126452		0.18	0.002	0.29	1.07	15.0	<0.2	<10	310	0.71	0.20	1.06	0.33	14.35	14.5	20
CC126453		0.18	0.002	0.26	0.83	5.9	<0.2	<10	390	0.47	0.15	3.21	0.28	11.55	4.9	14
CC126454		0.26	0.001	0.14	1.37	18.5	<0.2	<10	250	0.69	0.24	0.55	0.25	9.87	10.1	25
CC126455		0.20	0.001	0.11	1.15	6.3	<0.2	<10	350	0.67	0.19	2.02	0.39	17.80	10.6	21
CC126456		0.22	0.001	0.23	1.04	14.6	<0.2	10	260	0.78	0.21	1.60	0.35	9.82	10.5	20
CC126457		0.26	0.001	0.13	1.29	17.2	<0.2	<10	200	0.91	0.22	0.49	0.28	15.95	10.9	25
CC126458		0.24	0.001	0.05	1.47	14.1	<0.2	<10	300	1.06	0.31	0.14	0.61	21.0	19.9	22
CC126459		0.20	0.002	0.08	1.68	78.2	<0.2	<10	190	1.10	0.30	0.87	0.20	29.6	18.0	25
CC126460		0.30	0.001	0.03	0.50	5.4	<0.2	10	80	1.20	0.51	0.40	0.04	8.05	13.1	8
CC126461		0.20	0.001	0.02	1.71	13.3	<0.2	<10	170	0.80	0.27	0.64	0.15	21.2	13.3	23
CC126462		0.20	0.002	0.07	1.69	16.5	<0.2	<10	250	0.94	0.26	0.94	0.21	30.7	16.7	26
CC126463		0.20	0.002	0.15	0.95	11.1	<0.2	<10	160	1.03	0.25	1.16	0.22	13.90	17.5	16
CC126464		0.20	0.002	0.11	1.68	12.8	<0.2	<10	190	0.77	0.20	1.58	0.21	19.45	14.5	25
CC126465		0.24	0.003	0.12	1.90	13.9	<0.2	<10	180	0.91	0.23	1.21	0.22	24.7	17.0	30
CC126466		0.24	0.002	0.34	1.04	81.4	<0.2	<10	380	0.89	0.25	0.62	0.53	14.15	14.3	22
CC126467		0.14	0.001	0.20	1.07	101.5	<0.2	<10	550	0.82	0.22	0.43	0.45	13.00	15.4	23
CC126468		0.18	0.001	0.25	1.08	134.5	<0.2	<10	190	0.57	0.24	0.45	0.57	11.00	13.1	24
CC126469		0.30	0.002	0.31	1.07	119.0	<0.2	<10	390	0.74	0.24	0.57	0.57	13.10	13.8	23
CC126470		0.22	0.001	0.15	1.20	28.4	<0.2	<10	200	0.71	0.23	1.33	0.35	19.45	16.6	20
CC126471		0.30	0.001	0.15	1.30	17.4	<0.2	<10	150	1.01	0.29	0.58	0.18	29.3	16.1	21
CC126472		0.24	0.001	0.09	1.61	13.0	<0.2	<10	330	0.93	0.28	0.37	0.13	30.4	11.8	27
CC126473		0.42	0.001	0.15	1.32	13.9	<0.2	<10	120	1.29	0.42	1.91	0.09	19.50	15.2	21
CC126474		0.20	0.001	0.22	1.22	10.6	<0.2	10	240	0.86	0.24	2.63	0.16	16.95	11.9	18

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 5- JUL- 2011
Account: RCM

Project: Rackla - Pyramid

CERTIFICATE OF ANALYSIS WH11107309

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
CC126435		3.46	34.2	2.70	3.43	<0.05	0.06	2.50	0.031	0.08	7.0	15.4	0.77	545	2.19	0.01
CC126436		14.90	41.2	2.43	2.53	0.05	0.03	0.87	0.041	0.21	3.3	2.1	0.05	19	4.95	0.02
CC126437		4.03	47.5	1.52	2.33	<0.05	<0.02	0.10	0.035	0.11	2.7	1.1	0.03	55	3.45	0.01
CC126438		0.66	103.5	2.10	3.03	0.09	0.02	0.29	0.030	0.10	9.0	4.0	0.16	74	62.2	0.02
CC126439		0.96	58.2	2.47	3.85	0.09	<0.02	0.11	0.013	0.05	18.8	1.6	0.03	118	82.1	0.01
CC126440		0.44	23.0	2.27	2.24	0.05	0.03	0.10	0.026	0.08	9.4	4.9	0.22	520	12.35	0.02
CC126441		1.21	21.1	3.40	4.38	<0.05	0.04	0.04	0.036	0.07	2.5	27.9	0.51	329	7.93	0.01
CC126442		0.74	20.6	2.81	3.65	<0.05	0.04	0.06	0.032	0.07	3.2	22.9	0.43	742	3.11	0.01
CC126443		2.95	60.6	2.10	3.13	<0.05	0.06	0.29	0.026	0.10	3.6	13.0	0.29	222	1.67	0.02
CC126444		1.11	59.3	2.18	4.78	0.09	0.03	0.06	0.021	0.06	16.4	12.6	0.18	632	1.30	0.01
CC126445		1.59	45.2	2.94	5.28	0.15	0.06	0.08	0.033	0.09	5.0	23.6	0.37	356	1.88	0.01
CC126446		1.86	52.6	3.71	7.03	0.15	0.08	0.06	0.049	0.09	6.7	24.6	0.47	535	1.43	0.01
CC126447		1.46	41.2	1.81	6.17	0.14	0.07	0.12	0.039	0.10	6.3	22.0	0.40	41	0.91	0.01
CC126448		1.04	15.0	2.51	5.87	0.14	<0.02	0.36	0.021	0.04	6.0	3.8	0.08	130	1.89	0.01
CC126449		2.36	45.1	3.37	4.51	0.17	0.04	0.29	0.036	0.09	7.3	27.6	0.41	498	2.09	0.01
CC126450		0.89	9.8	3.94	7.20	0.16	0.05	0.02	0.029	0.06	10.7	21.7	0.34	257	1.71	0.01
CC126451		0.55	31.0	3.25	3.71	0.14	0.06	0.16	0.033	0.08	5.5	19.4	0.46	979	0.71	0.01
CC126452		0.58	28.8	3.49	3.44	0.13	0.05	0.14	0.029	0.07	6.5	21.9	0.46	497	1.02	0.01
CC126453		0.56	25.7	1.59	2.76	0.14	0.02	0.14	0.016	0.03	5.1	10.5	0.35	246	0.47	0.01
CC126454		1.07	24.4	3.91	4.77	0.14	0.03	0.05	0.044	0.06	3.1	24.6	0.34	353	1.99	0.01
CC126455		0.50	18.7	2.27	3.57	0.14	0.05	0.14	0.025	0.06	7.4	24.1	0.54	693	0.31	0.01
CC126456		0.78	29.0	2.78	3.26	0.13	0.06	0.26	0.032	0.08	4.5	20.9	0.47	680	0.90	0.01
CC126457		1.36	21.3	3.37	4.23	0.16	0.05	0.14	0.032	0.09	5.8	32.0	0.53	151	1.05	0.01
CC126458		1.19	34.4	4.07	4.05	0.14	0.03	0.03	0.045	0.06	7.8	15.7	0.27	573	1.90	0.01
CC126459		0.69	54.0	4.31	4.96	0.19	0.07	0.18	0.036	0.07	14.7	25.6	0.81	775	0.84	0.01
CC126460		1.28	47.4	2.77	1.59	0.13	0.08	0.03	0.032	0.13	2.6	3.7	0.09	119	0.24	0.01
CC126461		1.01	28.8	3.53	5.81	0.16	0.04	0.04	0.035	0.05	8.9	23.2	0.45	305	1.04	0.01
CC126462		0.68	48.9	4.08	5.52	0.16	0.07	0.08	0.034	0.06	11.9	28.3	0.76	777	0.76	0.01
CC126463		1.08	68.0	4.25	2.75	0.15	0.06	0.24	0.040	0.08	6.7	13.8	0.42	393	0.70	0.01
CC126464		0.88	56.4	3.85	5.27	0.16	0.07	0.08	0.030	0.08	8.3	31.4	0.95	368	0.55	0.01
CC126465		0.97	62.7	4.55	5.87	0.18	0.08	0.09	0.036	0.08	11.4	37.2	1.04	581	0.63	0.01
CC126466		1.33	41.5	3.48	3.33	0.17	0.05	0.52	0.035	0.07	6.4	22.8	0.44	594	1.23	0.01
CC126467		1.04	31.2	3.31	3.41	0.14	0.04	0.27	0.033	0.06	5.1	22.3	0.47	545	1.11	0.01
CC126468		1.47	22.8	3.28	3.76	0.15	0.06	0.29	0.034	0.08	4.6	21.2	0.42	512	1.47	0.01
CC126469		1.28	35.0	3.31	3.49	0.15	0.05	0.38	0.035	0.07	5.6	23.4	0.48	427	1.17	0.01
CC126470		1.13	45.9	3.81	3.87	0.18	0.07	0.10	0.026	0.06	8.2	36.5	1.02	646	1.17	0.01
CC126471		0.87	48.9	3.75	4.37	0.17	0.07	0.12	0.035	0.07	11.7	27.4	0.49	515	0.77	0.01
CC126472		1.25	20.9	3.44	5.20	0.16	0.04	0.05	0.033	0.07	13.1	24.3	0.44	437	0.97	0.01
CC126473		1.20	46.5	3.50	4.20	0.15	0.08	0.06	0.051	0.08	8.0	33.4	0.40	286	0.61	0.01
CC126474		0.95	32.0	2.95	3.52	0.16	0.06	0.09	0.039	0.08	6.1	23.6	0.35	393	0.56	0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 5- JUL- 2011
Account: RCM

Project: Rackla - Pyramid

CERTIFICATE OF ANALYSIS WH11107309

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
CC126435		0.23	54.1	880	116.5	10.3	0.008	0.07	2.93	4.3	2.4	0.4	62.1	<0.01	0.06	2.1
CC126436		0.16	98.9	650	15.9	17.6	0.022	0.40	2.53	3.5	15.9	0.6	110.5	<0.01	0.11	0.6
CC126437		0.09	25.4	350	15.2	10.4	0.002	0.04	2.09	1.6	1.7	0.5	34.8	<0.01	0.10	0.7
CC126438		0.12	284	990	13.8	7.7	0.031	0.19	14.00	3.3	17.3	0.8	155.0	<0.01	0.19	1.0
CC126439		0.22	264	1430	12.6	6.5	0.004	0.02	9.09	1.4	11.2	0.6	122.5	<0.01	0.09	0.8
CC126440		0.26	32.5	1360	14.5	5.6	0.011	0.07	1.78	2.9	3.4	0.5	46.1	<0.01	0.04	1.8
CC126441		0.13	34.4	640	14.8	7.3	0.010	0.05	0.53	4.1	2.1	0.4	23.2	<0.01	0.05	1.5
CC126442		0.19	32.2	750	13.4	8.8	0.010	0.10	0.39	3.7	1.8	0.4	48.9	<0.01	0.04	1.2
CC126443		0.27	24.7	760	13.5	12.7	0.019	0.16	0.66	3.9	2.3	0.5	53.3	<0.01	0.04	1.0
CC126444		0.67	19.5	690	25.6	11.5	0.002	0.07	0.53	2.3	1.8	0.6	47.3	<0.01	0.05	1.1
CC126445		0.28	26.6	550	21.0	14.0	0.003	0.04	0.43	4.4	1.1	0.6	30.9	<0.01	0.04	1.9
CC126446		0.33	29.0	680	24.0	15.5	0.002	0.04	0.37	5.9	1.1	0.8	29.7	<0.01	0.05	2.7
CC126447		0.32	22.7	620	21.8	15.2	0.005	0.13	0.32	5.0	1.4	0.8	46.3	<0.01	0.03	2.2
CC126448		0.48	12.5	260	17.6	9.2	0.001	0.01	0.65	2.0	0.4	0.7	7.8	<0.01	0.06	1.6
CC126449		0.17	41.7	590	26.6	10.9	0.003	<0.01	0.93	5.6	1.4	0.6	28.3	<0.01	0.06	4.9
CC126450		1.25	15.4	210	19.3	12.6	0.001	<0.01	0.68	2.4	0.3	0.8	8.8	<0.01	0.05	3.4
CC126451		0.23	30.1	650	17.6	7.1	0.002	0.09	0.41	4.0	0.9	0.4	55.2	<0.01	0.05	1.5
CC126452		0.24	30.3	570	16.0	6.6	0.003	0.08	0.36	4.8	1.2	0.4	51.8	<0.01	0.04	2.8
CC126453		0.48	16.6	800	8.9	5.0	0.002	0.12	0.35	1.4	1.0	0.3	99.0	<0.01	0.02	0.4
CC126454		0.23	32.7	360	18.4	11.3	0.001	0.02	0.54	3.7	0.5	0.5	30.9	<0.01	0.06	1.9
CC126455		0.35	20.2	820	14.9	7.9	0.002	0.10	0.27	3.4	1.6	0.4	83.6	<0.01	0.03	1.0
CC126456		0.16	28.5	630	15.5	10.1	0.003	0.09	0.44	3.5	2.5	0.3	80.8	<0.01	0.04	1.1
CC126457		0.13	32.6	490	18.7	8.6	0.002	0.03	0.37	5.1	1.2	0.4	31.2	<0.01	0.05	3.1
CC126458		0.42	83.1	340	24.8	10.2	0.001	0.01	0.58	5.0	0.8	0.5	15.3	<0.01	0.05	3.5
CC126459		0.15	35.3	290	34.4	6.0	0.002	0.01	0.55	9.4	0.9	0.4	24.8	<0.01	0.08	5.2
CC126460		<0.05	26.1	290	15.1	6.2	0.001	<0.01	0.13	5.2	0.5	0.5	24.3	<0.01	0.09	4.1
CC126461		0.38	23.8	220	22.7	6.8	0.002	0.01	0.42	4.3	0.3	0.5	21.5	<0.01	0.07	3.2
CC126462		0.35	31.8	400	19.9	6.5	0.001	0.02	0.48	7.6	0.5	0.4	40.3	<0.01	0.07	3.0
CC126463		0.13	35.4	450	23.6	5.3	0.002	0.05	0.42	9.1	1.0	0.4	43.7	<0.01	0.04	2.6
CC126464		0.11	29.7	510	14.7	6.0	0.001	0.04	0.42	6.0	0.5	0.3	57.8	<0.01	0.06	1.9
CC126465		0.10	35.2	410	16.5	6.1	0.001	0.04	0.47	8.3	0.8	0.3	49.9	<0.01	0.07	2.6
CC126466		0.14	42.3	680	26.1	7.0	0.003	0.04	0.62	5.3	1.4	0.4	33.7	<0.01	0.05	2.7
CC126467		0.11	37.7	400	30.2	6.5	0.003	0.03	0.67	4.9	1.3	0.4	23.4	<0.01	0.05	2.6
CC126468		0.17	29.9	640	27.8	10.0	0.004	0.04	0.61	4.2	1.2	0.4	24.9	<0.01	0.06	2.2
CC126469		0.12	40.8	610	32.0	6.7	0.004	0.03	0.60	4.8	1.3	0.3	27.3	<0.01	0.05	2.6
CC126470		0.05	36.2	720	17.6	3.8	0.002	0.04	0.66	4.5	1.3	0.2	46.2	<0.01	0.06	4.3
CC126471		0.17	37.7	300	23.4	7.0	0.001	0.02	0.48	6.3	0.9	0.4	39.1	<0.01	0.07	4.2
CC126472		0.49	27.8	360	18.3	11.3	0.001	0.01	0.44	4.9	0.7	0.5	30.1	<0.01	0.06	3.7
CC126473		0.16	36.7	350	26.3	7.9	0.001	0.02	0.35	8.2	0.8	0.6	97.1	<0.01	0.08	5.8
CC126474		0.23	27.1	580	18.2	7.8	0.001	0.07	0.39	4.4	0.8	0.4	136.5	<0.01	0.04	1.6

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 5- JUL- 2011
Account: RCM

Project: Rackla - Pyramid

CERTIFICATE OF ANALYSIS WH11107309

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
CC126435		0.005	17.00	1.31	38	0.36	12.10	3760	1.9
CC126436		<0.005	0.46	14.75	52	<0.05	4.19	109	1.5
CC126437		<0.005	0.22	0.48	46	<0.05	3.24	158	<0.5
CC126438		<0.005	4.37	8.71	787	0.25	28.1	1820	1.4
CC126439		0.009	0.90	10.10	571	0.25	24.3	1380	<0.5
CC126440		<0.005	0.19	4.38	110	0.07	11.30	227	1.2
CC126441		<0.005	0.09	1.10	31	<0.05	5.36	118	1.1
CC126442		<0.005	0.10	0.72	25	<0.05	5.89	118	1.4
CC126443		<0.005	0.19	0.95	19	<0.05	13.45	68	2.1
CC126444		0.013	0.08	0.80	31	0.13	29.6	39	0.9
CC126445		0.006	0.09	0.89	27	0.06	12.75	91	1.5
CC126446		0.005	0.11	1.18	32	<0.05	15.90	97	2.0
CC126447		<0.005	0.11	0.99	32	<0.05	14.45	68	2.1
CC126448		0.010	0.14	0.29	60	0.10	1.69	66	<0.5
CC126449		0.006	0.23	0.86	42	<0.05	14.10	158	1.8
CC126450		0.030	0.09	0.41	54	0.23	2.37	99	1.8
CC126451		<0.005	0.10	1.68	27	<0.05	10.05	102	1.8
CC126452		<0.005	0.09	0.74	31	0.09	10.00	117	1.9
CC126453		0.012	0.07	2.73	26	0.07	5.87	37	0.9
CC126454		<0.005	0.16	0.50	42	0.06	4.16	113	1.1
CC126455		0.008	0.08	1.69	26	0.10	8.18	140	1.6
CC126456		<0.005	0.11	1.93	28	<0.05	8.59	161	1.8
CC126457		<0.005	0.09	1.03	30	<0.05	10.70	138	1.6
CC126458		0.008	0.10	0.73	38	0.10	5.70	227	1.2
CC126459		<0.005	0.17	0.84	40	<0.05	16.75	139	2.4
CC126460		<0.005	0.04	0.46	12	<0.05	8.79	47	2.8
CC126461		0.007	0.11	0.49	47	0.10	3.74	66	1.4
CC126462		0.008	0.10	0.67	46	0.09	10.85	85	1.9
CC126463		<0.005	0.14	0.84	26	<0.05	11.65	129	2.0
CC126464		<0.005	0.07	0.60	40	<0.05	8.05	84	2.2
CC126465		<0.005	0.08	0.62	50	<0.05	12.40	88	2.4
CC126466		<0.005	0.21	1.04	31	<0.05	11.55	183	1.9
CC126467		<0.005	0.14	0.61	29	0.07	9.76	179	1.6
CC126468		<0.005	0.22	0.98	34	<0.05	6.09	192	1.8
CC126469		<0.005	0.22	0.82	31	<0.05	9.95	217	1.9
CC126470		<0.005	0.08	0.78	27	<0.05	9.49	112	3.3
CC126471		<0.005	0.11	0.72	29	0.07	12.80	83	2.5
CC126472		0.010	0.12	0.99	45	0.14	12.60	67	1.2
CC126473		<0.005	0.11	0.79	22	<0.05	15.60	103	3.3
CC126474		<0.005	0.09	2.06	24	0.05	10.80	81	2.0

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 5- JUL- 2011
Account: RCM

Project: Rackla - Pyramid

CERTIFICATE OF ANALYSIS WH11107309

Method	CERTIFICATE COMMENTS
ALL METHODS	NSS is non- sufficient sample.
ME- MS41	Gold determinations by this method are semi- quantitative due to the small sample weight used (0.5g).

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 6- JUL- 2011
Account: RCM

CERTIFICATE WH11108567

Project: RAU- Cheshire

P.O. No.: L

This report is for 216 Soil samples submitted to our lab in Whitehorse, YT, Canada on 15- JUN- 2011.

The following have access to data associated with this certificate:

ROB CARNE JULIA LANE	ANDREW CARNE JOAN MARIACHER	MATT DUMALA

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
SCR- 41	Screen to - 180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- TL43	Trace Level Au - 25g AR	ICP- MS
ME- MS41	51 anal. aqua regia ICPMS	

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 6- JUL- 2011
Account: RCM

Project: RAU- Cheshire

CERTIFICATE OF ANALYSIS WH11108567

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- TL43 Au ppm 0.001	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1
CC110801		0.24	0.003	0.22	1.90	75.3	<0.2	<10	160	0.53	0.16	1.64	0.19	28.6	43.9	69
CC110802		0.30	0.004	0.20	1.89	21.8	<0.2	<10	240	0.73	0.23	0.74	0.15	32.4	16.9	57
CC110803		0.34	0.001	0.10	3.98	22.4	<0.2	<10	160	0.59	0.09	0.78	0.13	31.8	62.5	126
CC110804		0.38	0.001	0.09	3.98	8.0	<0.2	<10	90	0.59	0.09	3.75	0.75	45.2	37.6	115
CC110805		0.42	0.001	0.08	3.03	21.6	<0.2	<10	290	1.00	0.20	0.50	0.31	47.4	28.6	99
CC110806		0.26	0.001	0.14	2.17	22.4	<0.2	<10	180	0.55	0.16	1.49	1.66	33.5	26.0	95
CC110807		0.20	0.001	0.12	3.37	29.9	<0.2	<10	110	0.44	0.09	1.52	0.20	41.9	37.0	184
CC110808		0.18	0.001	0.13	2.78	17.6	<0.2	<10	180	0.44	0.08	1.76	0.25	34.3	29.6	144
CC110809		0.16	<0.001	0.13	1.18	9.7	<0.2	<10	100	0.24	0.28	0.73	0.22	20.5	5.2	22
CC110810		0.14	0.001	0.18	3.53	21.5	<0.2	<10	140	0.43	0.05	1.72	0.25	25.2	44.3	225
CC110811		0.26	0.001	0.07	3.66	12.1	<0.2	<10	120	0.58	0.12	1.62	0.14	33.3	75.0	271
CC110812		0.32	0.001	0.08	3.21	11.7	<0.2	<10	190	0.48	0.09	2.23	0.27	49.3	38.8	115
CC110813		0.22	0.001	0.10	2.45	10.3	<0.2	<10	130	0.33	0.08	8.45	0.19	32.7	45.7	99
CC110814		0.30	0.002	0.10	3.35	33.3	<0.2	<10	250	0.77	0.16	0.57	0.14	38.2	31.3	81
CC110815		0.36	0.001	0.24	2.76	16.3	<0.2	<10	280	0.92	0.18	0.57	0.18	44.9	28.0	104
CC110816		0.36	0.002	0.20	2.09	24.0	<0.2	<10	310	0.84	0.18	0.45	0.26	39.5	20.4	75
CC110817		0.34	0.026	0.32	0.93	531	<0.2	<10	90	0.31	0.09	0.76	0.48	26.2	87.8	34
CC110818		0.38	0.003	0.33	2.79	22.9	<0.2	<10	350	1.07	0.20	0.44	0.52	47.5	25.3	94
CC110819		0.38	0.015	0.14	1.92	443	<0.2	<10	210	0.81	0.14	0.81	0.42	42.6	45.6	61
CC110820		0.20	0.003	0.19	1.54	26.5	<0.2	<10	200	0.55	0.15	2.25	0.16	21.4	15.7	55
CC110821		0.30	0.001	0.01	2.32	11.9	<0.2	<10	70	0.47	0.13	0.55	0.48	19.30	46.5	180
CC110822		0.18	0.002	0.20	1.70	31.3	<0.2	<10	220	0.60	0.16	1.74	0.30	28.4	21.1	63
CC110823		0.40	0.012	0.35	1.88	279	<0.2	<10	150	0.54	0.19	2.58	0.54	32.4	25.8	83
CC110824		0.38	0.004	0.24	3.03	69.1	<0.2	<10	120	0.60	0.11	2.56	0.55	36.3	39.4	144
CC110825		0.36	0.008	0.31	2.30	108.0	<0.2	<10	110	0.59	0.13	3.45	0.63	44.3	33.9	110
CC110826		0.42	0.002	0.06	3.72	16.6	<0.2	<10	300	1.26	0.14	0.74	0.82	74.7	35.7	134
CC110827		0.56	0.001	0.18	2.66	12.7	<0.2	<10	230	0.80	0.15	3.12	0.52	58.4	27.9	124
CC110828		0.38	0.002	0.16	1.81	19.3	<0.2	<10	160	0.49	0.14	2.66	0.40	34.7	24.4	81
CC110829		0.34	0.002	0.11	2.52	13.4	<0.2	<10	210	0.93	0.20	0.55	0.59	53.3	20.2	75
CC110830		0.32	0.002	0.20	2.69	13.4	<0.2	<10	270	1.03	0.17	1.26	0.68	59.5	25.8	106
CC110831		0.22	0.002	0.30	1.37	14.2	<0.2	<10	310	0.66	0.36	2.87	0.82	30.3	14.0	29
CC110832		0.38	0.004	0.29	1.36	11.7	<0.2	<10	300	0.60	0.38	2.72	0.84	31.0	12.1	28
CC110833		0.12	0.002	0.05	3.67	3.7	<0.2	<10	220	0.89	0.08	1.58	0.28	36.4	55.5	79
CC110834		0.14	0.001	0.11	3.64	11.1	<0.2	<10	190	0.90	0.20	0.36	0.11	64.5	24.5	186
CC110835		0.20	0.002	0.19	2.14	26.9	<0.2	<10	140	0.43	0.11	1.28	0.43	37.6	42.0	85
CC110836		0.12	0.002	0.08	3.21	10.6	<0.2	<10	130	0.53	0.09	1.34	0.09	32.2	31.6	170
CC110837		0.14	0.001	0.13	3.47	13.6	<0.2	<10	120	0.50	0.03	3.58	0.17	35.7	43.1	214
CC110838		0.24	0.001	0.13	3.66	56.3	<0.2	<10	110	0.64	0.01	4.40	0.18	40.8	55.7	226
CC110839		0.10	0.001	0.20	3.62	51.0	<0.2	<10	180	0.69	0.03	2.22	0.21	29.8	45.5	226
CC110840		0.38	0.002	0.26	1.23	12.2	<0.2	<10	150	0.44	0.24	7.62	0.64	24.2	19.2	45

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 6- JUL- 2011
Account: RCM

Project: RAU- Cheshire

CERTIFICATE OF ANALYSIS WH11108567

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
CC110801		0.64	106.0	4.83	5.73	0.18	0.03	0.07	0.047	0.04	14.1	23.6	1.17	1060	1.28	0.01
CC110802		0.82	27.8	3.72	5.99	0.17	0.04	0.05	0.037	0.05	17.9	17.5	0.94	569	1.20	<0.01
CC110803		3.70	90.0	7.62	19.95	0.21	0.03	0.06	0.065	0.17	16.6	38.5	3.04	708	0.66	<0.01
CC110804		0.71	53.8	6.10	13.65	0.19	0.04	0.04	0.042	0.05	22.0	36.5	3.28	1170	0.84	<0.01
CC110805		1.27	36.3	4.75	9.09	0.17	0.05	0.04	0.046	0.05	19.9	26.5	1.38	529	1.36	<0.01
CC110806		0.82	76.9	4.14	7.00	0.15	0.04	0.09	0.034	0.05	17.5	19.3	1.38	698	1.16	0.01
CC110807		1.71	84.8	5.33	11.20	0.22	0.04	0.06	0.043	0.05	23.6	35.6	3.24	793	0.51	0.01
CC110808		1.79	95.6	4.91	9.04	0.20	0.04	0.07	0.041	0.05	18.2	34.3	2.57	522	0.80	0.01
CC110809		0.97	8.7	2.07	6.34	0.14	<0.02	0.05	0.020	0.05	11.3	17.4	0.46	301	1.20	<0.01
CC110810		1.88	74.8	7.05	11.10	0.24	0.05	0.05	0.035	0.09	14.0	43.2	4.06	900	1.54	<0.01
CC110811		1.97	95.4	6.49	15.15	0.17	0.07	0.04	0.038	0.05	17.6	43.4	2.91	1260	2.31	<0.01
CC110812		0.54	75.6	6.46	8.28	0.18	0.05	0.05	0.026	0.10	27.0	28.6	1.62	740	0.56	<0.01
CC110813		0.53	110.0	3.97	7.70	0.15	0.04	0.06	0.030	0.05	18.4	24.6	1.82	1020	0.61	0.01
CC110814		1.15	44.6	5.76	11.70	0.17	0.06	0.05	0.041	0.07	17.7	34.3	2.23	550	0.88	0.01
CC110815		1.15	44.5	5.02	8.65	0.18	0.05	0.06	0.043	0.07	24.9	23.8	1.52	684	1.41	0.01
CC110816		0.89	51.6	4.35	6.44	0.18	0.05	0.11	0.040	0.07	25.1	16.3	1.06	758	2.32	<0.01
CC110817		0.38	185.5	15.65	1.53	0.17	0.04	0.07	0.072	0.02	13.4	5.1	0.20	1540	4.61	<0.01
CC110818		0.87	48.7	5.02	7.38	0.17	0.05	0.11	0.046	0.06	26.5	18.9	1.33	850	1.48	<0.01
CC110819		0.55	42.7	8.79	5.68	0.18	0.04	0.05	0.081	0.03	21.8	12.6	0.71	979	3.32	<0.01
CC110820		0.85	56.1	2.76	4.93	0.14	0.03	0.09	0.027	0.03	10.7	13.9	0.78	709	1.36	0.01
CC110821		0.92	71.1	5.09	7.51	0.14	0.19	0.03	0.023	0.03	8.6	27.8	1.12	454	1.89	<0.01
CC110822		0.92	85.5	3.46	5.48	0.16	0.04	0.09	0.030	0.05	15.9	17.6	1.05	748	1.31	0.01
CC110823		0.74	66.3	5.48	5.97	0.17	0.03	0.09	0.044	0.06	18.9	16.5	2.21	772	2.40	0.01
CC110824		1.21	93.6	5.84	11.10	0.20	0.08	0.09	0.043	0.07	19.8	20.8	3.32	762	1.69	0.01
CC110825		1.10	88.6	5.15	8.88	0.20	0.08	0.13	0.040	0.08	23.6	18.8	2.94	546	1.99	0.01
CC110826		2.09	63.8	6.82	13.20	0.21	0.07	0.10	0.059	0.15	34.9	32.5	2.98	1240	3.49	<0.01
CC110827		1.31	47.7	5.43	10.60	0.22	0.06	0.05	0.047	0.10	31.9	22.0	3.42	947	1.31	0.01
CC110828		0.68	45.0	3.77	6.06	0.16	0.06	0.07	0.035	0.05	18.3	17.3	2.43	449	1.13	0.01
CC110829		1.28	37.9	4.43	8.69	0.18	0.04	0.06	0.035	0.08	26.6	23.0	1.37	913	2.01	<0.01
CC110830		1.62	53.5	5.38	10.40	0.19	0.04	0.10	0.051	0.11	33.4	26.6	2.21	1260	2.18	<0.01
CC110831		0.84	43.5	2.99	4.19	0.16	0.06	0.09	0.037	0.10	15.3	15.8	1.84	722	1.50	0.01
CC110832		0.75	37.6	2.66	4.09	0.16	0.07	0.08	0.036	0.10	15.4	17.0	1.81	274	1.15	0.01
CC110833		0.54	55.4	7.90	19.90	0.19	0.04	0.06	0.074	0.04	22.9	21.9	1.75	1700	2.37	0.01
CC110834		1.19	48.6	5.10	11.35	0.20	0.05	0.04	0.044	0.04	40.2	31.6	2.88	447	1.76	<0.01
CC110835		0.74	339	4.34	5.69	0.16	0.09	0.11	0.030	0.08	25.5	21.4	1.07	1080	0.83	<0.01
CC110836		1.42	70.7	5.03	9.99	0.17	0.04	0.05	0.042	0.04	17.9	29.9	2.89	580	0.56	0.01
CC110837		4.59	85.8	5.44	11.65	0.20	0.05	0.05	0.058	0.08	18.8	47.7	3.48	966	0.60	0.02
CC110838		2.85	85.3	6.78	13.60	0.28	0.06	0.02	0.069	0.09	20.2	45.4	3.35	1140	0.88	0.02
CC110839		5.89	94.2	6.26	11.75	0.22	0.06	0.04	0.057	0.13	15.5	47.4	3.55	860	0.66	0.02
CC110840		1.14	34.5	3.16	3.34	0.09	0.07	0.06	0.033	0.10	11.9	14.8	3.50	808	1.43	0.02

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 6- JUL- 2011
Account: RCM

Project: RAU- Cheshire

CERTIFICATE OF ANALYSIS WH11108567

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
CC110801		0.74	133.5	740	13.5	4.8	<0.001	0.06	1.61	8.9	1.1	0.3	62.0	<0.01	0.02	1.2
CC110802		1.35	56.0	550	19.3	8.2	<0.001	0.02	1.35	6.0	0.7	0.4	33.1	<0.01	0.02	3.0
CC110803		1.07	146.5	1770	6.1	19.9	<0.001	0.02	1.56	9.6	0.4	0.4	22.6	<0.01	0.03	2.6
CC110804		1.33	124.5	1540	9.0	5.4	<0.001	0.02	1.17	7.8	0.6	0.3	129.5	<0.01	0.01	2.7
CC110805		2.19	91.3	830	19.4	9.5	<0.001	0.02	1.18	7.6	0.3	0.6	23.2	<0.01	0.04	4.1
CC110806		2.09	101.5	860	14.0	5.6	<0.001	0.06	1.08	5.5	0.9	0.3	44.9	<0.01	0.02	1.8
CC110807		1.54	144.5	1640	7.7	6.4	<0.001	0.04	0.84	12.8	0.6	0.2	38.2	<0.01	0.02	2.5
CC110808		1.47	116.5	1910	7.4	7.3	<0.001	0.09	1.34	11.5	1.2	0.2	65.9	<0.01	0.03	2.3
CC110809		0.41	9.1	1250	14.3	9.4	<0.001	0.03	0.48	0.6	0.3	0.6	14.5	<0.01	0.03	<0.2
CC110810		2.99	183.0	2070	5.9	12.2	<0.001	0.04	1.56	10.1	0.9	0.3	73.1	<0.01	0.16	1.8
CC110811		5.89	335	1910	9.8	4.9	<0.001	0.03	1.40	7.9	1.0	0.4	51.0	0.01	0.03	3.4
CC110812		1.04	167.5	1730	8.8	7.0	<0.001	0.05	0.70	5.5	0.6	0.2	54.9	<0.01	0.02	2.9
CC110813		1.09	154.0	1450	7.3	4.0	<0.001	0.05	0.80	5.6	0.8	0.2	181.0	<0.01	0.01	1.6
CC110814		1.18	85.5	820	12.0	8.4	<0.001	0.02	0.97	6.4	0.5	0.4	27.0	<0.01	0.03	4.0
CC110815		1.96	97.1	1140	52.5	11.0	<0.001	0.02	1.07	9.6	1.0	0.6	28.6	<0.01	0.04	4.2
CC110816		1.30	68.4	1160	26.7	8.8	<0.001	0.05	1.09	7.6	0.9	0.5	36.2	<0.01	0.03	3.3
CC110817		0.36	249	1170	28.7	2.7	0.001	0.06	2.75	25.5	2.5	0.2	37.5	0.02	0.03	1.5
CC110818		1.50	89.0	940	23.3	7.5	<0.001	0.02	1.18	10.5	1.2	0.5	21.7	<0.01	0.03	4.9
CC110819		1.25	193.5	870	28.3	4.1	<0.001	0.02	12.35	15.6	1.8	0.4	40.7	0.01	0.02	3.5
CC110820		1.22	57.6	890	10.4	5.4	0.001	0.09	1.83	3.8	1.4	0.3	83.2	<0.01	0.02	0.9
CC110821		6.81	174.5	290	10.7	4.2	<0.001	0.02	1.87	3.5	0.2	0.5	23.2	0.02	0.02	2.1
CC110822		1.54	83.9	1100	16.9	7.7	<0.001	0.09	1.75	4.2	1.2	0.3	51.9	<0.01	0.01	1.2
CC110823		1.49	104.5	1070	66.2	5.9	<0.001	0.05	8.13	6.8	1.2	0.3	43.2	<0.01	0.04	1.8
CC110824		2.24	143.0	1630	30.3	8.5	0.001	0.03	4.60	10.4	0.9	1.3	89.5	<0.01	0.03	3.6
CC110825		2.63	129.0	1780	62.0	9.1	<0.001	0.02	9.34	8.4	0.8	0.4	87.2	<0.01	0.03	3.6
CC110826		1.85	95.5	2590	17.0	15.6	<0.001	0.02	1.59	10.9	1.3	0.6	80.5	<0.01	0.03	5.2
CC110827		3.37	83.6	2800	16.8	11.8	0.001	0.03	1.09	8.9	0.8	0.4	94.4	0.01	0.02	3.9
CC110828		2.15	82.9	1370	18.3	6.7	<0.001	0.02	1.23	7.0	0.9	0.3	41.2	<0.01	0.03	3.7
CC110829		3.06	51.3	1930	19.7	11.5	<0.001	0.02	1.16	6.8	0.7	0.5	57.2	<0.01	0.04	4.6
CC110830		2.48	74.6	2060	25.0	13.8	<0.001	0.04	1.35	10.2	1.2	0.5	78.7	<0.01	0.04	3.6
CC110831		0.65	37.1	800	34.8	10.1	0.003	0.07	1.43	4.5	2.3	0.4	35.1	<0.01	0.05	3.6
CC110832		0.64	35.0	760	35.9	9.3	0.002	0.05	1.28	4.4	2.2	0.4	32.2	<0.01	0.04	3.7
CC110833		3.33	129.5	2320	7.0	4.1	<0.001	0.04	1.49	6.9	0.7	0.5	57.0	0.02	<0.01	2.3
CC110834		0.79	133.5	860	14.6	7.2	<0.001	0.02	0.93	9.4	1.2	0.6	22.0	<0.01	0.02	4.8
CC110835		0.69	202	1160	12.2	6.6	<0.001	0.04	0.99	5.7	1.2	0.2	33.1	<0.01	0.02	2.5
CC110836		2.00	128.0	1100	9.1	4.2	<0.001	0.06	0.62	10.1	0.8	0.3	32.6	<0.01	0.03	2.4
CC110837		1.95	146.5	1350	5.7	7.8	<0.001	0.03	0.75	16.0	0.9	0.3	97.8	<0.01	0.05	2.0
CC110838		0.85	209	2320	5.0	5.7	<0.001	0.01	1.00	21.6	0.7	0.2	168.0	<0.01	0.03	2.7
CC110839		1.21	206	2270	5.6	9.9	<0.001	0.03	0.88	20.1	0.9	0.3	81.8	<0.01	0.04	1.8
CC110840		0.49	67.9	890	25.9	7.7	0.001	<0.01	1.48	5.0	0.8	0.3	77.4	<0.01	0.04	2.9

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 6- JUL- 2011
Account: RCM

Project: RAU- Cheshire

CERTIFICATE OF ANALYSIS WH11108567

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
CC110801		0.026	0.07	0.64	58	0.10	12.20	68	0.8
CC110802		0.060	0.11	0.87	59	0.21	10.60	87	1.0
CC110803		0.212	0.20	0.28	140	0.12	9.08	157	1.6
CC110804		0.085	0.05	0.31	77	0.13	9.00	112	1.3
CC110805		0.093	0.14	1.05	92	0.20	8.53	93	2.0
CC110806		0.071	0.08	1.67	75	0.13	8.49	94	1.5
CC110807		0.095	0.06	0.85	115	0.16	11.40	91	1.4
CC110808		0.075	0.09	0.87	98	0.13	10.25	90	1.7
CC110809		0.035	0.11	1.13	63	0.17	3.01	77	<0.5
CC110810		0.193	0.25	0.30	115	0.08	9.04	99	1.4
CC110811		0.259	0.06	0.69	140	0.33	12.35	95	2.0
CC110812		0.033	0.04	1.06	52	0.11	9.92	98	1.6
CC110813		0.037	0.03	2.36	67	0.12	9.79	81	1.5
CC110814		0.063	0.09	0.50	76	0.17	9.71	105	1.6
CC110815		0.116	0.15	0.81	83	0.18	15.15	93	1.8
CC110816		0.077	0.11	0.93	71	0.21	17.40	130	1.5
CC110817		0.012	0.04	0.49	19	0.10	28.6	113	1.2
CC110818		0.107	0.14	1.06	84	0.19	18.40	104	1.4
CC110819		0.034	0.06	0.36	59	0.26	20.7	113	1.3
CC110820		0.045	0.07	0.94	51	0.13	7.29	52	1.0
CC110821		0.359	0.05	0.37	91	0.32	4.70	59	6.3
CC110822		0.055	0.09	0.95	52	0.12	10.35	81	1.3
CC110823		0.065	0.10	0.68	62	0.18	12.90	144	0.8
CC110824		0.153	0.09	0.47	104	0.15	10.75	148	2.8
CC110825		0.152	0.09	0.40	74	0.19	11.40	178	3.2
CC110826		0.274	0.22	1.08	151	0.13	12.90	175	3.1
CC110827		0.227	0.11	0.65	110	0.20	13.65	143	2.2
CC110828		0.111	0.07	0.45	61	0.19	11.85	108	2.4
CC110829		0.167	0.15	1.05	97	0.22	9.89	109	1.8
CC110830		0.171	0.16	1.19	119	0.10	15.65	154	1.5
CC110831		0.035	0.13	1.49	48	0.39	9.99	160	2.3
CC110832		0.034	0.12	1.17	48	0.16	9.60	155	2.5
CC110833		0.180	0.04	0.38	109	0.25	11.45	169	0.9
CC110834		0.040	0.12	0.68	114	0.21	17.00	98	1.7
CC110835		0.030	0.07	3.13	59	0.09	15.55	142	3.0
CC110836		0.095	0.08	0.92	115	0.12	7.68	83	1.5
CC110837		0.115	0.11	0.25	126	0.14	11.45	81	1.2
CC110838		0.080	0.09	0.24	153	0.16	11.55	98	1.3
CC110839		0.119	0.18	0.26	152	0.15	11.30	97	1.3
CC110840		0.051	0.15	0.63	39	0.23	9.05	141	2.3

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 6- JUL- 2011
Account: RCM

Project: RAU- Cheshire

CERTIFICATE OF ANALYSIS WH11108567

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- TL43 Au ppm 0.001	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1
CC110841		0.34	0.001	0.31	0.91	11.4	<0.2	<10	190	0.31	0.59	5.84	0.62	20.2	8.6	18
CC110842		0.26	0.002	0.05	1.67	11.5	<0.2	<10	220	0.47	0.30	0.53	0.17	28.3	11.2	30
CC110843		0.18	0.003	0.14	1.41	12.8	<0.2	<10	280	0.51	0.34	2.27	0.71	26.2	10.6	24
CC110844		0.14	0.002	0.23	0.93	11.9	<0.2	<10	200	0.32	0.32	3.96	0.59	20.5	9.1	20
CC110845		0.20	0.001	0.24	1.17	11.8	<0.2	<10	230	0.44	0.31	2.08	0.64	28.9	12.3	24
CC110846		0.18	0.002	0.26	1.26	12.4	<0.2	<10	270	0.46	0.33	2.19	0.63	23.1	11.2	24
CC110847		0.22	0.002	0.31	1.28	13.6	<0.2	<10	260	0.42	0.34	3.41	0.67	28.1	12.5	25
CC110848		0.24	0.001	0.26	1.08	13.6	<0.2	<10	240	0.36	0.32	4.33	0.75	24.9	12.0	22
CC110849		0.18	0.002	0.24	1.17	15.1	<0.2	<10	260	0.39	0.29	2.40	0.42	27.4	10.6	25
CC110850		0.18	0.002	0.20	1.17	9.6	<0.2	<10	220	0.37	0.25	3.82	0.49	31.8	11.4	31
CC110851		0.38	0.004	0.17	2.74	81.3	<0.2	<10	150	0.39	0.13	1.28	0.26	34.9	30.6	120
CC110852		0.26	0.013	0.25	2.49	201	<0.2	<10	150	0.34	0.11	1.54	0.33	27.5	38.0	124
CC110853		0.24	0.010	0.20	1.74	231	<0.2	<10	130	0.29	0.13	1.28	0.36	32.1	31.6	81
CC110854		0.30	0.024	0.36	1.91	599	<0.2	<10	180	0.33	0.12	1.87	0.56	32.0	33.1	86
CC110861		0.22	0.002	0.26	0.86	13.2	<0.2	<10	160	0.27	0.25	6.18	0.56	21.2	8.5	21
CC110862		0.32	0.003	0.16	0.81	9.8	<0.2	<10	170	0.23	0.19	6.26	0.51	23.7	8.4	20
CC110863		0.40	0.002	0.27	1.19	11.6	<0.2	<10	200	0.43	0.32	3.66	0.63	27.8	10.8	25
CC110864		0.16	0.001	0.21	1.13	9.7	<0.2	<10	200	0.42	0.28	2.35	0.49	25.3	10.5	24
CC110865		0.22	0.003	0.19	1.02	12.2	<0.2	<10	220	0.38	0.24	3.13	0.49	24.5	10.2	22
CC110866		0.36	0.001	0.18	0.86	9.9	<0.2	<10	130	0.28	0.26	6.60	0.63	20.1	9.0	17
CC110867		0.20	0.002	0.24	1.17	12.8	<0.2	<10	230	0.42	0.27	2.24	0.60	23.3	10.4	25
CC110868		0.42	0.001	0.26	1.26	14.0	<0.2	<10	240	0.39	0.28	3.77	0.66	28.5	10.7	27
CC110869		0.14	0.002	0.24	1.36	14.0	<0.2	<10	220	0.50	0.35	2.15	0.43	28.3	12.7	28
CC110870		0.24	0.001	0.19	1.06	10.4	<0.2	<10	170	0.30	0.26	7.34	0.85	23.6	11.4	23
CC110871		0.18	0.002	0.17	0.98	12.0	<0.2	<10	190	0.33	0.27	4.31	0.52	24.1	10.1	21
CC110872		0.26	0.001	0.26	1.29	11.1	<0.2	<10	330	0.48	0.39	4.01	0.81	26.8	13.5	28
CC110873		0.22	0.001	0.25	1.25	12.3	<0.2	<10	230	0.43	0.34	4.92	0.83	28.9	12.5	27
CC110874		0.14	0.003	0.25	1.24	11.2	<0.2	<10	260	0.41	0.36	5.70	0.74	26.6	11.8	28
CC110875		0.20	0.001	0.18	0.98	12.8	<0.2	<10	200	0.40	0.25	2.32	0.54	28.3	10.3	22
CC110876		0.30	0.001	0.18	0.93	10.9	<0.2	<10	120	0.34	0.25	5.09	0.47	22.6	9.3	18
CC110877		0.22	0.001	0.20	1.13	11.6	<0.2	<10	220	0.36	0.28	4.94	0.66	25.6	11.9	26
CC110878		0.14	0.001	0.30	1.32	13.2	<0.2	<10	220	0.46	0.32	6.63	1.00	28.4	11.8	24
CC110879		0.32	0.001	0.31	1.29	15.5	<0.2	<10	210	0.61	0.32	7.33	0.90	28.0	13.1	24
CC110880		0.22	0.002	0.33	1.43	15.3	<0.2	<10	340	0.71	0.35	2.80	1.00	26.7	13.4	27
CC110751		0.22	<0.001	0.11	2.15	13.8	<0.2	<10	160	0.54	0.28	0.15	0.37	23.9	15.1	46
CC110752		0.28	0.003	0.09	2.22	23.5	<0.2	<10	190	0.57	0.23	0.13	0.21	32.8	11.4	49
CC110753		0.20	0.005	0.16	2.53	59.9	<0.2	<10	180	0.62	0.12	1.13	0.33	36.4	31.2	134
CC110754		0.18	0.002	0.11	1.66	78.2	<0.2	<10	170	0.36	0.10	2.69	0.34	26.0	29.4	85
CC110755		0.20	0.002	0.12	1.57	33.6	<0.2	<10	170	0.49	0.10	2.38	0.21	21.4	23.9	76
CC110756		0.28	0.002	0.07	2.00	15.9	<0.2	<10	170	0.50	0.15	1.04	0.07	26.6	31.5	123

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 6- JUL- 2011
Account: RCM

Project: RAU- Cheshire

CERTIFICATE OF ANALYSIS WH11108567

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
CC110841		0.71	28.7	2.41	2.24	<0.05	0.04	0.05	0.035	0.06	10.4	11.1	3.51	788	1.26	0.02
CC110842		0.86	17.3	3.07	4.31	0.05	0.05	0.02	0.040	0.05	12.6	19.1	0.59	559	1.16	0.01
CC110843		0.51	28.8	2.91	3.48	0.05	0.09	0.04	0.044	0.16	13.1	12.4	0.99	617	1.30	0.02
CC110844		0.82	24.8	2.49	2.35	0.05	0.04	0.07	0.037	0.06	10.4	10.2	2.16	655	1.21	0.02
CC110845		0.78	30.0	2.82	3.17	0.06	0.07	0.08	0.040	0.07	14.2	14.5	1.20	539	1.80	0.02
CC110846		0.81	35.9	2.72	3.32	0.05	0.07	0.07	0.041	0.10	11.7	13.7	1.13	569	1.45	0.02
CC110847		0.93	32.9	2.96	3.26	0.06	0.06	0.09	0.043	0.09	14.1	13.9	2.20	973	1.44	0.02
CC110848		0.98	33.4	2.87	2.75	0.05	0.05	0.06	0.042	0.08	12.4	11.4	2.72	1360	1.83	0.02
CC110849		0.71	29.1	2.79	3.26	0.05	0.04	0.06	0.044	0.07	13.6	13.9	1.30	576	1.35	0.02
CC110850		0.87	31.2	2.65	3.32	0.06	0.06	0.06	0.038	0.07	16.3	13.2	2.68	740	1.06	0.02
CC110851		1.29	67.9	5.34	8.29	0.08	0.05	0.05	0.048	0.05	17.3	19.1	2.40	968	1.29	0.02
CC110852		1.04	110.0	5.58	7.46	0.09	0.05	0.05	0.050	0.05	14.0	15.1	2.25	1160	1.63	0.02
CC110853		1.11	56.9	5.05	5.25	0.07	0.05	0.05	0.051	0.05	16.0	15.3	1.38	627	1.89	0.02
CC110854		1.59	80.8	5.35	6.03	0.08	0.04	0.06	0.052	0.04	15.8	15.5	1.79	672	1.31	0.02
CC110861		0.85	33.9	2.31	2.32	0.05	0.05	0.06	0.033	0.06	10.9	10.0	3.17	576	1.53	0.02
CC110862		0.57	24.3	2.07	2.15	0.05	0.05	0.04	0.030	0.06	12.2	8.9	3.20	643	1.26	0.02
CC110863		0.78	36.4	2.59	3.15	0.05	0.07	0.07	0.043	0.08	13.9	13.7	2.58	368	1.56	0.02
CC110864		0.74	30.1	2.45	3.14	0.05	0.06	0.05	0.041	0.07	12.8	14.5	1.40	461	0.96	0.02
CC110865		0.62	26.7	2.55	2.61	0.05	0.05	0.04	0.035	0.06	12.6	11.5	1.75	786	1.16	0.02
CC110866		0.80	22.5	2.41	2.18	0.06	0.05	0.03	0.035	0.06	10.4	10.6	4.02	734	1.54	0.02
CC110867		0.79	29.7	2.67	3.15	<0.05	0.06	0.06	0.038	0.07	12.0	13.6	1.16	631	1.26	0.02
CC110868		0.78	33.1	2.83	3.31	0.05	0.07	0.07	0.042	0.09	14.5	14.5	2.45	578	1.40	0.02
CC110869		0.76	34.1	3.04	3.67	0.05	0.06	0.06	0.043	0.08	14.5	15.0	1.49	621	1.28	0.02
CC110870		0.84	37.8	2.51	2.80	0.05	0.06	0.05	0.038	0.09	11.9	11.1	3.50	904	1.36	0.02
CC110871		0.67	27.1	2.49	2.73	0.05	0.06	0.05	0.032	0.06	12.3	12.7	2.79	840	1.31	0.02
CC110872		0.96	42.0	2.72	3.48	0.05	0.08	0.05	0.043	0.10	13.5	15.6	2.40	672	1.30	0.02
CC110873		1.03	41.4	2.82	3.31	0.05	0.07	0.05	0.042	0.10	14.5	14.1	2.83	809	1.60	0.02
CC110874		1.00	37.7	2.78	3.19	0.05	0.07	0.05	0.043	0.11	13.4	14.5	3.05	674	1.47	0.02
CC110875		0.60	23.4	2.64	2.67	0.05	0.05	0.05	0.035	0.05	14.7	12.1	1.45	748	1.43	0.01
CC110876		0.57	30.9	2.47	2.39	<0.05	0.06	0.06	0.033	0.05	11.7	11.3	3.47	635	1.24	0.02
CC110877		0.99	35.1	2.91	3.14	0.06	0.06	0.05	0.038	0.09	13.1	12.6	3.15	1020	1.40	0.02
CC110878		1.33	40.8	2.97	3.26	0.06	0.08	0.08	0.043	0.14	14.2	14.5	3.13	819	2.08	0.02
CC110879		1.05	41.8	2.94	3.75	0.11	0.07	0.09	0.038	0.13	14.3	16.3	3.16	824	1.88	0.02
CC110880		0.85	42.8	3.12	4.01	0.11	0.07	0.09	0.037	0.11	12.6	16.2	1.61	955	1.45	0.02
CC110751		1.09	17.1	4.02	7.40	0.08	<0.02	0.05	0.040	0.03	10.5	21.0	0.49	726	1.55	0.01
CC110752		0.91	18.1	3.69	6.56	0.09	0.04	0.03	0.033	0.03	14.1	17.5	0.50	600	1.37	0.01
CC110753		3.47	97.0	4.71	9.69	0.12	0.05	0.07	0.043	0.05	19.0	26.7	2.03	257	1.47	0.01
CC110754		0.86	72.7	3.90	5.53	0.10	0.02	0.07	0.032	0.04	13.3	20.3	1.26	681	0.95	0.01
CC110755		1.12	94.8	3.01	5.21	0.09	0.03	0.08	0.022	0.03	11.4	15.0	0.93	625	0.73	0.01
CC110756		1.64	107.5	3.92	6.26	0.09	0.04	0.04	0.021	0.03	13.6	23.0	1.17	542	0.89	0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 6- JUL- 2011
Account: RCM

Project: RAU- Cheshire

CERTIFICATE OF ANALYSIS WH11108567

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
CC110841		0.45	18.0	800	28.8	6.6	0.001	0.03	1.29	3.0	0.6	0.3	45.1	<0.01	0.03	0.9
CC110842		1.17	21.7	240	23.6	8.0	<0.001	<0.01	0.95	3.9	0.3	0.6	13.6	<0.01	0.03	3.9
CC110843		0.78	24.6	370	30.3	9.5	<0.001	0.01	1.43	3.9	0.4	0.5	28.5	<0.01	0.05	3.3
CC110844		0.49	19.5	890	26.3	6.9	<0.001	0.05	1.33	2.4	1.0	0.3	38.7	0.01	0.05	0.8
CC110845		0.73	26.8	710	30.3	7.7	0.001	0.04	1.42	3.6	0.8	0.4	33.1	<0.01	0.04	2.7
CC110846		0.64	26.9	770	27.4	8.5	0.001	0.05	1.60	3.1	0.7	0.4	31.4	<0.01	0.04	1.7
CC110847		0.63	26.9	920	31.4	8.8	<0.001	0.03	1.55	3.4	0.6	0.4	44.8	<0.01	0.04	1.8
CC110848		0.62	26.8	910	28.6	7.9	0.001	0.03	1.68	3.2	0.7	0.4	42.4	<0.01	0.04	1.6
CC110849		0.88	24.5	620	28.0	6.6	<0.001	0.03	1.53	3.0	0.6	0.4	29.9	<0.01	0.04	1.6
CC110850		1.62	27.4	1150	22.9	7.1	0.001	0.02	1.33	3.5	0.7	0.3	41.7	<0.01	0.03	3.0
CC110851		3.04	92.7	1420	17.0	7.5	<0.001	0.04	2.31	6.5	0.6	0.4	44.5	0.01	0.04	1.8
CC110852		3.03	130.0	1180	17.0	6.0	0.001	0.05	4.82	6.6	0.9	0.3	51.9	0.01	0.05	1.2
CC110853		2.04	98.3	1440	23.1	6.6	<0.001	0.03	5.81	6.8	0.6	0.3	44.2	0.01	0.04	1.9
CC110854		2.20	117.0	1280	49.4	6.6	<0.001	0.03	4.66	7.3	0.7	0.3	54.2	0.01	0.03	1.9
CC110861		0.90	21.4	820	28.8	6.5	0.001	0.02	1.43	2.8	0.7	0.3	73.7	<0.01	0.03	2.1
CC110862		1.11	19.9	880	18.7	4.7	0.001	0.02	1.32	2.5	0.5	0.3	75.6	<0.01	0.02	2.4
CC110863		0.83	26.5	870	29.3	7.5	0.001	0.02	1.58	3.9	0.6	0.3	34.9	<0.01	0.03	3.2
CC110864		0.81	24.7	890	23.9	7.3	0.001	0.05	1.26	3.4	0.7	0.3	35.2	<0.01	0.03	2.3
CC110865		0.80	24.6	770	24.1	5.9	<0.001	0.02	1.97	2.8	0.6	0.4	34.6	<0.01	0.03	1.9
CC110866		0.55	20.7	770	21.6	5.6	<0.001	0.02	1.41	2.8	0.5	0.3	52.0	<0.01	0.03	1.6
CC110867		0.82	25.1	910	23.6	8.1	<0.001	0.03	1.34	3.1	0.5	0.4	32.6	<0.01	0.04	1.9
CC110868		1.18	26.2	910	24.8	7.8	0.001	0.01	1.50	3.9	0.7	0.5	41.7	<0.01	0.04	3.8
CC110869		0.90	29.0	710	26.6	7.9	<0.001	0.01	1.48	3.9	0.5	0.4	27.9	<0.01	0.04	2.6
CC110870		1.14	25.3	880	20.6	7.6	<0.001	0.01	1.48	3.2	0.5	0.3	87.8	<0.01	0.03	2.3
CC110871		0.98	22.5	860	21.6	6.1	0.001	0.02	1.29	3.0	0.5	0.3	48.5	<0.01	0.03	2.9
CC110872		1.14	31.8	850	27.6	9.2	0.001	0.04	1.70	4.0	0.9	0.4	50.9	<0.01	0.04	2.8
CC110873		1.21	29.4	890	28.1	9.0	<0.001	0.01	1.76	4.0	0.6	0.4	62.3	<0.01	0.03	3.3
CC110874		1.21	28.0	890	26.4	8.5	0.001	0.03	1.66	3.8	0.8	0.4	77.2	<0.01	0.04	3.3
CC110875		0.81	23.8	950	24.3	5.4	<0.001	0.01	1.61	2.8	0.8	0.3	28.3	<0.01	0.03	2.4
CC110876		0.46	22.7	680	25.4	5.0	<0.001	<0.01	1.41	3.2	0.4	0.3	34.3	<0.01	0.03	2.4
CC110877		1.11	26.8	960	21.7	8.4	0.001	0.02	1.46	3.5	0.6	0.4	50.7	<0.01	0.04	3.1
CC110878		0.71	30.2	790	33.6	9.2	<0.001	<0.01	2.14	3.9	0.5	0.4	74.9	<0.01	0.04	3.7
CC110879		0.61	36.7	750	37.1	8.3	<0.001	0.01	1.74	4.3	0.7	0.4	84.9	<0.01	0.04	3.9
CC110880		0.59	36.3	860	36.8	8.4	<0.001	0.03	1.69	3.7	1.0	0.4	35.1	<0.01	0.05	2.1
CC110751		3.32	34.4	500	23.4	6.6	<0.001	0.01	1.26	2.9	0.4	0.8	8.5	0.01	0.04	1.7
CC110752		2.81	30.7	370	21.3	6.3	<0.001	<0.01	0.68	4.0	0.6	0.7	9.8	0.02	0.05	3.3
CC110753		3.58	122.5	1390	18.6	6.8	<0.001	0.05	2.05	9.7	1.0	0.4	43.6	<0.01	0.02	2.6
CC110754		1.89	111.5	970	14.1	5.7	<0.001	0.06	1.32	4.6	0.7	0.3	82.4	<0.01	0.02	0.8
CC110755		1.90	92.5	970	11.2	5.7	0.001	0.09	1.25	3.1	1.1	0.3	77.3	0.01	0.02	0.6
CC110756		3.20	134.5	760	10.4	5.5	<0.001	0.02	1.10	3.8	0.7	0.3	37.8	<0.01	0.02	1.7

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 6- JUL- 2011
Account: RCM

Project: RAU- Cheshire

CERTIFICATE OF ANALYSIS WH11108567

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
CC110841		0.017	0.11	0.94	34	0.14	10.80	101	0.8
CC110842		0.035	0.11	0.48	58	0.41	3.85	92	1.4
CC110843		0.018	0.10	0.39	48	0.19	9.18	122	2.3
CC110844		0.018	0.11	1.48	34	0.12	8.55	124	0.8
CC110845		0.026	0.11	1.45	42	0.21	9.93	140	1.6
CC110846		0.020	0.11	1.07	42	0.17	8.35	153	1.7
CC110847		0.024	0.12	0.80	43	0.21	9.50	154	1.2
CC110848		0.023	0.13	0.89	39	0.19	9.04	144	1.1
CC110849		0.028	0.10	0.58	44	0.22	8.47	117	1.0
CC110850		0.054	0.09	0.74	47	0.27	8.85	99	1.4
CC110851		0.110	0.08	0.53	91	0.14	9.80	119	1.0
CC110852		0.103	0.07	0.65	87	0.14	9.85	111	1.0
CC110853		0.064	0.08	0.50	62	0.27	8.54	121	1.1
CC110854		0.066	0.08	0.44	62	0.20	9.63	132	1.0
CC110861		0.033	0.11	0.80	34	0.20	7.72	122	1.4
CC110862		0.040	0.08	0.73	33	0.19	7.25	101	1.3
CC110863		0.030	0.11	0.77	43	0.17	9.85	148	1.8
CC110864		0.028	0.10	1.28	43	0.26	8.60	133	1.6
CC110865		0.030	0.09	0.76	39	0.21	8.00	104	1.2
CC110866		0.024	0.10	1.04	34	0.15	8.31	117	1.1
CC110867		0.028	0.10	0.92	41	0.19	7.65	142	1.4
CC110868		0.041	0.11	0.71	45	0.20	8.91	140	2.2
CC110869		0.031	0.11	0.64	48	0.18	9.55	105	1.4
CC110870		0.038	0.12	0.79	39	0.19	7.86	123	1.6
CC110871		0.036	0.09	0.92	38	0.50	7.78	103	1.7
CC110872		0.037	0.14	1.34	45	0.19	9.26	145	2.0
CC110873		0.041	0.13	0.73	46	0.21	9.81	143	2.0
CC110874		0.041	0.14	0.88	45	0.21	8.86	141	2.1
CC110875		0.030	0.08	0.86	40	0.40	8.47	109	1.1
CC110876		0.020	0.09	0.66	36	0.22	8.73	108	1.3
CC110877		0.046	0.14	0.64	43	0.17	8.12	126	1.6
CC110878		0.028	0.17	0.76	45	0.19	9.26	165	2.7
CC110879		0.029	0.16	0.74	44	0.19	10.10	158	3.2
CC110880		0.021	0.14	0.87	47	0.16	9.90	178	2.3
CC110751		0.082	0.14	0.41	82	0.26	3.13	107	0.6
CC110752		0.104	0.11	0.61	75	0.26	6.25	53	1.5
CC110753		0.115	0.11	0.89	92	0.20	11.75	103	1.9
CC110754		0.051	0.06	0.61	56	0.13	8.89	76	0.8
CC110755		0.048	0.08	0.81	52	0.09	7.87	57	1.0
CC110756		0.099	0.07	0.63	63	0.17	8.55	61	1.4

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 6- JUL- 2011
Account: RCM

Project: RAU- Cheshire

CERTIFICATE OF ANALYSIS WH11108567

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- TL43 Au ppm 0.001	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1
CC110757		0.22	0.003	0.14	2.24	18.8	<0.2	<10	190	0.56	0.14	1.85	0.19	31.0	25.8	89
CC110758		0.32	0.002	0.15	1.88	23.4	<0.2	<10	170	0.48	0.12	2.01	0.21	25.2	34.5	98
CC110759		0.26	0.002	0.11	2.22	41.6	<0.2	<10	120	0.41	0.07	2.37	0.19	24.5	44.0	150
CC110760		0.26	0.002	0.06	2.22	116.5	<0.2	<10	80	0.54	0.13	1.36	0.53	44.7	60.6	122
CC110761		0.18	0.004	0.30	1.05	46.1	<0.2	<10	200	0.36	0.09	2.57	0.30	13.75	19.8	39
CC110762		0.28	0.011	0.33	1.30	607	<0.2	<10	190	0.53	0.13	1.13	0.58	23.6	27.6	41
CC110763		0.26	0.004	0.39	1.69	52.6	<0.2	<10	160	0.68	0.18	0.84	0.13	30.1	16.7	51
CC110764		0.38	0.001	0.13	3.59	8.3	<0.2	<10	140	0.96	0.13	0.57	0.10	40.7	22.7	114
CC110765		0.32	0.001	0.12	2.63	13.1	<0.2	<10	240	0.81	0.25	0.25	0.06	30.7	11.9	43
CC110766		0.40	0.003	0.43	2.13	16.7	<0.2	<10	80	0.35	0.06	7.86	0.42	38.5	56.7	66
CC110767		0.32	0.001	0.12	3.11	24.5	<0.2	<10	220	0.57	0.17	0.34	0.08	32.5	25.4	111
CC110768		0.20	0.001	0.17	2.70	12.2	<0.2	<10	280	0.32	0.08	0.97	0.23	47.4	42.2	257
CC110769		0.30	<0.001	0.09	5.73	34.7	<0.2	<10	180	0.97	0.03	0.63	0.17	43.7	72.6	270
CC110770		0.26	<0.001	0.34	2.72	16.8	<0.2	<10	130	0.53	0.11	2.09	0.16	21.1	34.0	166
CC110771		0.18	0.001	0.12	2.87	32.7	<0.2	<10	280	0.60	0.05	2.31	0.19	18.60	37.8	204
CC110772		0.20	0.001	0.11	2.19	27.6	<0.2	<10	290	0.52	0.24	0.61	0.08	29.0	12.8	52
CC110773		0.34	0.001	0.10	3.81	6.5	<0.2	<10	140	0.64	0.10	0.99	0.16	41.8	38.8	197
CC110774		0.26	0.005	0.13	2.33	92.4	<0.2	<10	190	0.54	0.10	1.43	0.27	33.8	30.5	79
CC110775		0.26	0.001	0.11	3.21	14.4	<0.2	<10	200	0.49	0.10	2.35	0.18	35.4	47.0	147
CC110776		0.40	0.001	0.05	4.16	3.7	<0.2	<10	120	1.05	0.05	1.45	0.08	29.1	52.4	202
CC110777		0.22	0.001	0.10	3.66	11.6	<0.2	<10	140	0.85	0.06	1.84	0.11	28.6	49.5	172
CC110778		0.28	0.006	0.24	2.56	44.7	<0.2	<10	200	0.72	0.20	1.02	0.43	38.7	32.4	120
CC110779		0.36	0.001	0.10	3.23	28.5	<0.2	<10	260	0.92	0.19	0.57	0.60	32.1	37.4	116
CC110780		0.20	0.002	0.15	1.90	29.6	<0.2	<10	210	0.50	0.12	1.67	0.36	22.1	27.6	74
CC110781		0.22	0.005	0.17	1.98	83.9	<0.2	<10	160	0.48	0.12	1.85	0.32	31.8	40.3	94
CC110782		0.24	0.003	0.15	2.17	40.1	<0.2	<10	140	0.46	0.12	1.52	0.25	24.6	30.3	122
CC110783		0.18	0.014	0.19	1.82	427	<0.2	<10	150	0.41	0.12	2.34	0.33	32.1	31.7	92
CC110784		0.46	0.019	0.74	1.52	681	<0.2	<10	140	0.39	0.10	2.85	0.58	26.1	38.4	75
CC110785		0.28	0.001	0.03	1.65	13.3	<0.2	<10	160	0.32	0.25	0.10	0.24	21.0	6.5	29
CC110786		0.32	<0.001	0.14	2.34	15.5	<0.2	<10	250	0.70	0.24	1.48	0.79	32.4	27.2	80
CC110787		0.56	0.001	0.07	4.56	19.8	<0.2	<10	130	0.91	0.05	3.87	0.19	20.8	41.8	220
CC110788		0.32	0.001	0.06	3.27	8.2	<0.2	<10	170	0.43	0.08	3.52	0.14	33.6	30.7	96
CC110789		0.22	0.003	0.20	2.05	53.6	<0.2	<10	170	0.60	0.19	1.06	0.40	29.6	19.2	77
CC110790		0.18	0.008	0.25	1.84	146.0	<0.2	<10	140	0.43	0.13	1.61	0.32	22.7	23.5	78
CC110921		0.44	0.002	0.24	1.16	8.7	<0.2	<10	160	0.46	0.37	4.46	0.58	26.3	10.7	25
CC110922		0.18	0.002	0.26	1.36	14.1	<0.2	<10	410	0.61	0.36	1.87	0.97	27.7	13.6	29
CC110923		0.34	0.002	0.27	1.42	15.7	<0.2	<10	320	0.56	0.36	2.18	0.80	28.0	13.4	28
CC110924		0.40	0.001	0.25	1.33	15.1	<0.2	<10	260	0.53	0.36	5.22	0.72	25.5	13.8	25
CC110925		0.38	0.002	0.28	1.53	18.9	<0.2	<10	280	0.69	0.39	5.53	1.06	31.0	14.0	33
CC110926		0.42	0.001	0.20	1.32	14.6	<0.2	<10	180	0.43	0.31	6.02	0.62	27.2	12.5	28

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 6- JUL- 2011
Account: RCM

Project: RAU- Cheshire

CERTIFICATE OF ANALYSIS WH11108567

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
CC110757		0.71	90.9	3.95	6.65	0.09	0.04	0.07	0.029	0.05	15.8	22.7	1.71	967	1.11	0.01
CC110758		0.90	105.5	3.71	5.80	0.10	0.04	0.06	0.029	0.03	12.4	19.6	1.19	876	1.18	0.01
CC110759		1.97	96.8	4.37	6.90	0.10	0.04	0.04	0.026	0.03	12.7	37.9	1.68	913	0.99	0.02
CC110760		1.29	77.2	5.56	7.92	0.11	0.03	0.05	0.068	0.03	20.8	24.6	1.15	1210	1.37	0.01
CC110761		0.35	36.8	3.87	3.16	0.09	0.05	0.11	0.029	0.03	6.4	11.3	0.64	527	2.05	0.01
CC110762		0.41	37.6	5.44	3.87	0.09	0.04	0.12	0.043	0.04	12.6	14.0	0.59	804	2.15	0.02
CC110763		0.82	32.0	3.75	4.91	0.10	0.04	0.07	0.033	0.04	16.9	14.4	0.86	409	0.91	0.01
CC110764		1.64	23.7	4.98	12.10	0.11	0.02	0.03	0.056	0.03	18.4	31.2	2.42	736	0.73	0.01
CC110765		1.14	21.3	3.56	6.70	0.09	0.03	0.03	0.037	0.04	14.7	18.7	0.60	229	1.04	0.01
CC110766		0.64	282	4.09	4.65	0.12	0.15	0.07	0.041	0.06	23.1	24.6	0.90	860	0.28	0.01
CC110767		1.51	35.7	4.91	9.08	0.12	0.09	0.02	0.046	0.04	15.1	23.6	1.72	616	1.16	<0.01
CC110768		4.21	71.3	5.70	11.05	0.20	0.06	0.02	0.050	0.08	22.3	25.0	2.30	1270	0.98	0.01
CC110769		8.19	79.6	8.96	21.6	0.37	0.13	<0.01	0.086	0.28	17.2	61.7	5.63	1000	0.71	<0.01
CC110770		1.34	155.0	4.81	10.80	0.12	0.09	0.06	0.028	0.03	13.7	19.6	1.53	625	0.88	0.01
CC110771		5.35	56.9	5.40	9.89	0.14	0.04	0.05	0.046	0.08	9.2	27.3	2.92	857	0.68	0.02
CC110772		1.90	19.3	3.36	7.18	0.09	0.02	0.03	0.040	0.04	12.3	17.7	0.68	351	1.28	0.01
CC110773		2.20	117.0	5.72	11.80	0.11	0.04	0.06	0.052	0.03	22.4	36.1	3.50	1040	0.55	0.01
CC110774		0.40	499	3.74	5.47	0.10	0.06	0.07	0.056	0.04	19.4	20.4	0.76	884	0.35	0.01
CC110775		4.04	97.1	5.26	11.55	0.10	0.05	0.04	0.038	0.05	17.9	30.4	2.34	950	2.66	0.01
CC110776		2.53	59.3	7.35	18.95	0.13	0.05	0.02	0.063	0.09	15.0	30.8	3.38	981	0.51	0.01
CC110777		2.38	66.9	6.10	16.35	0.13	0.03	0.04	0.055	0.04	16.1	33.8	3.08	811	0.58	0.02
CC110778		0.98	62.7	5.35	8.83	0.11	0.06	0.14	0.047	0.08	20.1	24.9	1.83	697	3.64	0.02
CC110779		2.97	52.4	5.40	10.75	0.10	0.07	0.02	0.049	0.07	14.7	21.2	1.49	815	1.02	0.02
CC110780		1.30	46.7	3.70	6.27	0.09	0.03	0.06	0.034	0.05	11.2	17.5	1.19	729	1.17	0.02
CC110781		1.24	65.0	4.32	6.37	0.11	0.04	0.07	0.036	0.05	15.9	19.7	1.35	1030	1.73	0.02
CC110782		1.31	110.0	4.13	6.32	0.11	0.05	0.07	0.023	0.06	13.4	22.0	1.52	782	0.96	0.02
CC110783		0.73	73.0	5.12	5.76	0.11	0.03	0.06	0.034	0.05	16.7	21.0	1.82	806	1.66	0.02
CC110784		0.82	69.9	5.03	4.54	0.10	0.03	0.08	0.037	0.05	14.0	15.7	2.00	854	1.47	0.02
CC110785		0.94	9.9	3.53	6.74	0.12	0.02	0.02	0.024	0.03	10.9	16.6	0.32	194	1.54	<0.01
CC110786		0.87	29.3	4.14	6.44	0.15	0.02	0.04	0.048	0.04	16.4	15.8	1.12	1020	1.29	<0.01
CC110787		3.47	89.2	7.41	12.75	0.23	0.07	0.03	0.049	0.30	10.4	24.9	4.60	791	0.69	0.01
CC110788		2.05	97.9	7.45	9.18	0.18	0.06	0.03	0.025	0.62	16.2	23.5	2.01	459	0.49	0.01
CC110789		1.08	54.5	3.48	6.27	0.14	0.04	0.08	0.034	0.06	14.8	19.7	1.28	381	1.13	0.01
CC110790		0.86	54.3	4.10	5.64	0.14	0.03	0.08	0.032	0.05	12.9	14.5	1.43	679	1.50	0.01
CC110921		0.73	46.8	2.35	3.12	0.16	0.06	0.08	0.040	0.08	14.4	14.7	3.12	398	1.14	0.01
CC110922		0.70	39.4	3.16	3.61	0.15	0.07	0.09	0.033	0.08	13.9	15.0	1.20	1200	1.52	0.01
CC110923		0.68	41.5	3.10	4.02	0.15	0.08	0.09	0.039	0.10	14.4	13.6	1.53	622	1.45	0.01
CC110924		0.85	44.9	2.93	3.77	0.14	0.07	0.10	0.038	0.11	13.5	13.3	3.16	789	1.52	0.01
CC110925		1.07	50.2	3.28	3.93	0.15	0.07	0.10	0.037	0.14	14.8	16.0	2.85	896	3.06	0.01
CC110926		0.83	44.8	3.06	3.44	0.15	0.08	0.05	0.034	0.11	13.6	13.9	3.68	827	1.44	0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 6- JUL- 2011
Account: RCM

Project: RAU- Cheshire

CERTIFICATE OF ANALYSIS WH11108567

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
CC110757		2.50	118.5	1180	13.5	5.5	<0.001	0.03	1.11	4.4	0.8	0.3	59.2	<0.01	0.02	1.4
CC110758		2.25	136.5	1040	10.7	4.8	<0.001	0.06	1.91	4.1	0.9	0.3	67.3	<0.01	0.03	0.9
CC110759		3.25	172.0	1120	11.9	4.3	<0.001	0.04	1.74	4.4	0.7	0.3	74.0	<0.01	0.02	1.1
CC110760		1.71	145.0	750	19.9	4.9	<0.001	0.05	1.86	13.1	1.1	0.4	56.2	<0.01	0.02	2.3
CC110761		0.55	71.3	1100	13.5	3.2	0.001	0.12	1.23	3.2	1.1	0.2	133.0	<0.01	0.02	0.5
CC110762		0.61	90.9	1270	66.4	4.0	<0.001	0.10	3.29	5.6	1.3	0.3	73.5	<0.01	0.03	1.0
CC110763		1.26	84.3	530	21.1	5.5	<0.001	0.01	2.11	8.3	0.8	0.4	47.3	<0.01	0.03	2.1
CC110764		4.16	83.1	1080	9.2	5.0	<0.001	<0.01	0.76	7.0	0.6	0.7	25.9	0.01	0.02	1.9
CC110765		1.65	44.2	470	19.7	7.2	<0.001	<0.01	0.44	3.8	0.5	0.6	16.4	<0.01	0.04	3.1
CC110766		0.22	237	1140	9.6	3.9	<0.001	<0.01	0.65	6.7	2.0	<0.2	110.5	<0.01	0.03	3.5
CC110767		1.90	92.3	850	14.7	6.7	<0.001	0.02	0.77	8.4	0.6	0.5	16.2	0.01	0.02	4.0
CC110768		3.00	238	1780	8.6	7.6	<0.001	0.04	0.87	12.0	0.6	0.3	36.8	0.01	0.01	3.0
CC110769		1.98	196.0	2450	3.3	14.2	<0.001	0.02	0.91	13.6	0.6	0.5	25.5	0.01	0.01	2.4
CC110770		6.98	140.0	930	9.9	5.9	<0.001	0.08	1.61	4.4	1.0	0.5	70.4	0.02	0.02	1.1
CC110771		4.68	148.0	1180	6.2	7.0	<0.001	0.09	0.84	8.8	0.8	0.3	99.4	0.01	0.01	0.8
CC110772		1.43	41.7	510	17.7	7.7	<0.001	0.01	0.54	4.2	0.6	0.6	24.9	<0.01	0.03	2.0
CC110773		2.98	165.5	1370	7.4	5.9	<0.001	0.01	0.55	15.0	0.8	0.4	27.7	<0.01	0.03	2.8
CC110774		0.59	147.5	990	10.2	5.2	<0.001	0.03	0.36	4.9	1.4	0.2	39.6	<0.01	0.11	1.3
CC110775		3.73	171.5	2040	8.3	8.5	<0.001	0.02	1.08	5.4	0.5	0.3	107.0	<0.01	0.02	2.3
CC110776		2.92	202	2540	4.4	7.5	<0.001	<0.01	0.73	9.6	0.3	0.5	57.1	<0.01	0.01	2.3
CC110777		2.56	166.5	2360	5.3	6.0	<0.001	0.02	0.73	7.9	0.5	0.4	71.3	<0.01	<0.01	1.5
CC110778		2.43	128.5	1090	32.4	6.9	<0.001	0.03	1.67	7.1	1.1	0.4	48.7	<0.01	0.04	2.6
CC110779		3.39	88.2	290	23.1	12.6	<0.001	<0.01	1.27	8.2	0.6	0.7	28.6	<0.01	0.04	2.9
CC110780		1.59	64.1	790	15.8	6.5	<0.001	0.08	1.18	4.4	1.0	0.3	69.7	<0.01	0.03	0.8
CC110781		2.06	100.0	1040	21.3	5.6	<0.001	0.07	2.24	7.0	1.4	0.3	71.2	<0.01	0.04	1.1
CC110782		3.62	129.0	1370	12.8	8.5	<0.001	0.03	1.25	4.5	1.0	0.3	49.5	<0.01	0.03	1.7
CC110783		2.35	126.5	1200	26.1	6.3	<0.001	0.04	3.05	5.3	1.0	0.3	53.2	<0.01	0.04	1.4
CC110784		2.00	120.5	1450	115.0	5.1	<0.001	0.03	9.93	7.3	0.9	0.3	105.0	<0.01	0.07	1.4
CC110785		2.02	16.9	210	14.6	6.7	<0.001	0.01	0.71	2.2	<0.2	0.7	8.2	<0.01	0.05	2.7
CC110786		1.93	104.5	1250	20.8	7.2	<0.001	0.05	0.86	5.8	0.6	0.4	24.7	0.01	0.04	1.3
CC110787		1.17	185.0	1920	6.3	24.0	<0.001	0.01	1.02	16.2	0.3	0.4	222	0.01	0.01	2.3
CC110788		2.37	147.0	1600	4.4	42.7	<0.001	0.03	0.75	5.6	0.4	0.2	132.0	<0.01	0.02	3.2
CC110789		1.26	72.7	1100	24.0	8.6	<0.001	0.08	2.69	4.8	0.5	0.4	42.8	<0.01	0.03	1.3
CC110790		1.53	83.4	1140	32.5	6.2	0.001	0.10	5.44	4.8	0.7	0.3	66.4	<0.01	0.04	1.0
CC110921		0.58	29.7	690	27.3	7.5	<0.001	0.02	1.28	4.0	0.7	0.3	34.1	<0.01	0.05	3.6
CC110922		0.59	34.3	820	30.5	7.8	0.002	0.05	1.37	4.0	1.5	0.3	25.7	<0.01	0.06	3.1
CC110923		0.60	37.4	790	32.1	8.2	0.001	0.03	1.37	4.4	0.6	0.4	28.5	<0.01	0.04	3.1
CC110924		0.48	36.5	760	31.5	8.8	<0.001	0.02	1.54	4.6	0.4	0.4	54.4	<0.01	0.04	3.4
CC110925		0.53	44.1	790	39.6	10.0	<0.001	0.02	2.01	4.5	0.6	0.4	64.8	<0.01	0.06	4.0
CC110926		0.61	33.6	910	22.8	8.3	<0.001	0.01	1.48	3.8	0.2	0.3	56.6	<0.01	0.04	4.0

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 6- JUL- 2011
Account: RCM

Project: RAU- Cheshire

CERTIFICATE OF ANALYSIS WH11108567

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
CC110757		0.060	0.06	0.51	64	0.22	11.00	69	1.2
CC110758		0.067	0.06	0.92	62	0.16	9.43	59	1.0
CC110759		0.109	0.09	0.37	70	0.19	8.18	74	1.2
CC110760		0.044	0.08	0.58	86	0.17	13.70	80	1.1
CC110761		0.010	0.06	0.47	30	0.09	8.02	59	1.4
CC110762		0.014	0.06	0.63	38	0.11	11.55	150	1.2
CC110763		0.034	0.09	0.53	53	0.16	15.15	72	1.2
CC110764		0.147	0.09	0.44	94	0.26	8.07	83	0.5
CC110765		0.040	0.12	0.70	67	0.23	5.38	65	1.0
CC110766		0.009	0.02	2.27	90	<0.05	24.4	176	5.2
CC110767		0.069	0.13	0.58	96	0.22	7.68	86	2.6
CC110768		0.106	0.07	0.39	126	0.18	8.94	94	1.7
CC110769		0.319	0.12	0.17	192	0.23	9.39	128	4.7
CC110770		0.162	0.10	0.91	89	0.21	10.70	68	2.1
CC110771		0.167	0.12	0.56	116	0.13	7.42	92	1.1
CC110772		0.038	0.20	0.62	75	0.27	4.65	69	0.7
CC110773		0.124	0.06	0.45	128	0.23	11.75	86	1.5
CC110774		0.008	0.04	3.90	44	0.07	13.35	82	1.7
CC110775		0.078	0.07	0.79	83	0.19	7.34	118	1.8
CC110776		0.239	0.11	0.21	133	0.24	7.50	142	1.4
CC110777		0.131	0.08	0.27	126	0.17	9.05	119	1.1
CC110778		0.073	0.10	0.60	84	0.16	11.50	144	2.1
CC110779		0.092	0.17	0.68	107	0.15	8.55	119	2.4
CC110780		0.039	0.08	0.71	60	0.08	7.82	80	1.1
CC110781		0.050	0.07	0.79	68	0.15	11.45	86	1.0
CC110782		0.107	0.08	0.55	66	0.17	9.40	83	1.6
CC110783		0.064	0.07	0.51	58	0.17	9.66	107	1.0
CC110784		0.053	0.08	0.52	49	0.15	10.35	155	1.0
CC110785		0.087	0.10	0.35	79	0.26	2.00	50	0.9
CC110786		0.063	0.11	1.72	77	0.16	12.70	75	0.7
CC110787		0.294	0.13	0.28	139	0.09	6.66	111	2.3
CC110788		0.301	0.13	0.34	65	0.06	6.07	126	1.9
CC110789		0.050	0.10	0.88	64	0.11	7.88	115	1.1
CC110790		0.062	0.08	0.93	59	0.08	7.16	147	1.0
CC110921		0.038	0.13	0.64	40	0.17	9.27	149	2.3
CC110922		0.031	0.11	1.21	48	0.16	9.73	147	2.0
CC110923		0.031	0.11	0.68	48	0.22	10.70	147	2.3
CC110924		0.030	0.14	0.58	44	0.19	9.86	148	2.2
CC110925		0.034	0.18	0.76	51	0.21	10.05	177	2.6
CC110926		0.047	0.13	0.64	43	0.50	8.78	140	3.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 6- JUL- 2011
Account: RCM

Project: RAU- Cheshire

CERTIFICATE OF ANALYSIS WH11108567

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- TL43 Au ppm 0.001	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1
CC110927		0.30	0.001	0.12	1.51	12.5	<0.2	<10	190	0.57	0.28	0.52	0.27	26.7	8.5	29
CC110928		0.42	0.002	0.31	1.76	18.6	<0.2	<10	290	0.79	0.44	3.31	0.72	34.4	15.0	34
CC110929		0.48	0.001	0.26	1.28	13.5	<0.2	<10	220	0.53	0.40	8.14	0.81	23.9	11.2	24
CC110930		0.40	0.001	0.30	1.45	15.4	<0.2	<10	480	0.70	0.40	3.89	0.82	27.9	13.5	28
CC110931		0.44	0.001	0.17	0.99	12.6	<0.2	<10	130	0.44	0.23	5.50	0.44	22.4	8.4	22
CC110932		0.26	0.001	0.20	1.02	11.4	<0.2	<10	170	0.49	0.27	2.89	0.60	21.9	9.4	22
CC110933		0.34	0.001	0.17	0.97	11.2	<0.2	<10	130	0.43	0.25	4.81	0.58	22.0	9.2	19
CC110934		0.26	0.001	0.16	0.87	9.2	<0.2	<10	230	0.43	0.25	5.16	0.52	19.95	9.2	18
CC110935		0.24	0.005	0.19	1.16	10.0	<0.2	<10	290	0.45	0.30	3.06	0.70	23.5	10.7	27
CC110936		0.30	0.002	0.19	1.04	11.3	<0.2	<10	200	0.43	0.31	5.18	0.66	21.2	9.7	23
CC110937		0.44	0.002	0.27	1.05	11.2	<0.2	<10	210	0.44	0.29	5.33	0.64	23.0	10.7	23
CC110938		0.36	0.003	0.26	1.27	11.1	<0.2	<10	220	0.55	0.31	2.99	0.48	27.1	12.4	28
CC110939		0.32	0.002	0.24	1.39	13.9	<0.2	<10	260	0.63	0.31	1.87	0.34	28.1	11.6	30
CC110940		0.36	0.002	0.25	1.25	14.8	<0.2	<10	280	0.54	0.37	4.80	0.71	27.6	13.0	28
CC110941		0.48	0.001	0.20	1.15	13.3	<0.2	<10	270	0.48	0.34	4.94	0.57	26.0	10.8	27
CC110942		0.48	0.001	0.20	1.27	14.1	<0.2	<10	180	0.51	0.39	5.38	0.73	25.9	12.0	34
CC110943		0.42	0.001	0.20	1.36	13.4	<0.2	<10	460	0.54	0.33	2.62	0.39	24.2	11.9	31
CC110944		0.34	0.001	0.23	1.25	12.9	<0.2	<10	300	0.52	0.33	2.27	0.62	27.2	11.4	28
CC110945		0.44	0.001	0.23	1.17	13.1	<0.2	<10	240	0.44	0.36	6.71	0.71	24.3	11.1	30
CC110946		0.36	0.002	0.22	1.02	13.3	<0.2	<10	220	0.47	0.28	4.89	0.75	23.9	10.6	23
CC110947		0.40	0.001	0.22	1.12	13.3	<0.2	<10	210	0.46	0.31	5.61	0.72	24.2	10.2	25
CC110948		0.40	0.001	0.20	1.11	11.7	<0.2	<10	200	0.48	0.28	4.62	0.62	25.2	10.7	25
CC110949		0.30	0.001	0.21	1.68	9.9	<0.2	<10	240	0.57	0.42	2.95	0.50	38.4	16.1	38
CC110950		0.30	0.002	0.32	1.61	16.1	<0.2	<10	260	0.74	0.42	1.40	0.70	32.8	16.0	32
CC110951		0.26	0.001	0.14	2.41	6.3	<0.2	<10	180	0.36	0.23	0.10	0.27	37.0	14.4	31
CC110952		0.38	0.001	0.12	1.27	19.1	<0.2	<10	150	0.42	0.54	0.49	0.41	92.0	19.5	24
CC110953		0.44	0.002	0.35	1.72	13.1	<0.2	<10	270	0.52	0.31	1.43	0.77	44.3	18.9	39
CC110954		0.32	0.003	0.32	1.58	15.0	<0.2	<10	290	0.60	0.37	2.51	0.75	33.4	15.7	34
CC110955		0.58	0.001	0.29	1.54	13.7	<0.2	<10	200	0.50	0.35	5.74	0.81	34.7	15.2	31
CC110956		0.50	0.001	0.28	1.51	14.4	<0.2	<10	240	0.55	0.36	6.74	1.01	32.6	14.9	29
CC110957		0.38	0.001	0.38	1.59	14.5	<0.2	<10	250	0.60	0.37	3.04	0.76	32.4	13.5	33
CC110958		0.44	0.002	0.24	1.18	11.9	<0.2	<10	240	0.39	0.28	6.63	0.66	26.4	12.4	24
CC110791		0.34	0.002	0.19	1.60	32.7	<0.2	<10	90	0.36	0.16	3.44	0.45	31.5	21.7	67
CC110792		0.22	0.008	0.21	1.48	58.2	<0.2	<10	160	0.44	0.16	1.55	0.56	26.1	19.4	51
CC110793		0.34	0.027	0.54	1.69	389	<0.2	<10	220	0.48	0.16	1.65	1.17	27.6	38.6	71
CC110794		0.22	0.003	0.13	1.70	51.7	<0.2	<10	240	0.49	0.14	1.57	0.31	25.6	25.9	58
CC110795		0.28	0.016	0.22	1.79	306	<0.2	<10	110	0.39	0.12	4.03	0.25	30.5	45.4	86
CC110796		0.40	0.001	0.03	2.99	43.8	<0.2	<10	210	0.60	0.12	0.42	0.17	22.8	49.0	201
CC110797		0.32	0.003	0.17	1.48	87.1	<0.2	<10	160	0.37	0.13	2.98	0.27	15.60	43.6	54
CC110798		0.30	0.013	0.27	2.07	443	<0.2	<10	220	0.59	0.19	1.22	0.34	31.3	42.3	71

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 6- JUL- 2011
Account: RCM

Project: RAU- Cheshire

CERTIFICATE OF ANALYSIS WH11108567

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
CC110927		0.70	18.3	2.97	4.11	0.14	0.05	0.04	0.031	0.05	13.7	14.5	0.62	325	1.05	<0.01
CC110928		1.13	55.9	3.73	4.68	0.17	0.09	0.10	0.041	0.14	17.4	19.2	2.43	947	2.26	0.01
CC110929		0.92	39.7	2.77	3.33	0.14	0.06	0.07	0.043	0.13	12.9	13.7	3.87	783	1.77	0.01
CC110930		0.94	46.3	3.20	3.95	0.15	0.06	0.08	0.038	0.13	14.3	16.2	2.43	847	1.80	0.01
CC110931		0.57	28.8	2.53	2.68	0.15	0.04	0.05	0.026	0.06	11.7	10.9	2.99	578	1.32	0.01
CC110932		0.59	28.0	2.56	2.77	0.14	0.05	0.06	0.031	0.06	10.9	11.8	1.82	600	1.24	0.01
CC110933		0.53	29.6	2.42	2.60	0.14	0.04	0.05	0.029	0.06	11.4	11.1	2.78	650	1.37	0.01
CC110934		0.59	27.9	2.14	2.48	0.14	0.05	0.06	0.026	0.06	10.4	11.4	3.45	679	1.19	0.01
CC110935		0.64	34.3	2.60	3.18	0.14	0.06	0.06	0.030	0.07	11.8	13.2	1.77	376	1.11	0.01
CC110936		0.70	31.4	2.58	2.88	0.15	0.06	0.06	0.031	0.08	11.3	12.2	3.01	366	0.98	0.01
CC110937		0.71	35.2	2.49	2.96	0.14	0.04	0.05	0.029	0.08	12.0	12.2	2.99	788	1.32	0.01
CC110938		0.68	33.9	2.78	3.74	0.15	0.04	0.06	0.035	0.07	13.9	15.7	2.05	559	1.28	0.01
CC110939		0.60	39.6	3.05	3.93	0.14	0.05	0.06	0.034	0.07	14.6	15.3	1.43	608	1.20	0.01
CC110940		0.82	41.1	2.88	3.71	0.15	0.06	0.07	0.031	0.09	13.9	14.0	2.77	793	1.63	0.01
CC110941		0.71	38.8	2.76	3.28	0.15	0.08	0.05	0.032	0.09	13.5	13.2	2.85	597	1.52	0.01
CC110942		0.89	42.3	2.89	3.67	0.16	0.08	0.09	0.037	0.11	13.9	13.6	3.55	739	1.47	0.01
CC110943		0.62	31.2	3.17	3.62	0.14	0.05	0.04	0.029	0.07	12.7	14.2	1.57	1160	1.16	0.01
CC110944		0.68	36.8	2.86	3.57	0.15	0.05	0.07	0.033	0.07	14.0	14.0	1.51	769	1.22	0.01
CC110945		0.88	40.7	2.78	3.42	0.16	0.06	0.06	0.029	0.11	12.7	13.1	3.48	767	1.56	0.01
CC110946		0.62	36.9	2.63	2.96	0.15	0.05	0.06	0.030	0.07	12.2	11.8	2.89	614	1.54	0.01
CC110947		0.76	35.8	2.63	3.12	0.14	0.04	0.07	0.031	0.08	13.1	12.5	3.08	656	1.56	0.01
CC110948		0.72	31.8	2.62	3.07	0.14	0.05	0.06	0.029	0.08	12.7	12.7	3.24	655	1.46	0.01
CC110949		0.86	51.2	3.19	4.61	0.16	0.07	0.06	0.033	0.08	19.4	23.1	2.29	656	1.10	0.01
CC110950		0.81	56.7	3.51	4.89	0.15	0.08	0.10	0.040	0.11	16.1	17.2	1.18	749	1.99	<0.01
CC110951		0.72	29.7	4.20	7.93	0.09	0.05	0.02	0.027	0.05	19.3	35.2	0.72	218	2.26	0.01
CC110952		0.82	46.8	3.79	3.89	0.12	0.09	0.05	0.028	0.06	44.8	13.6	0.77	911	2.35	0.01
CC110953		1.03	62.2	4.04	5.67	0.11	0.09	0.10	0.038	0.08	22.8	18.4	1.41	488	3.29	0.02
CC110954		1.04	49.6	3.51	4.87	0.09	0.10	0.09	0.040	0.12	17.1	17.9	1.85	799	2.61	0.02
CC110955		1.43	50.2	3.42	4.33	0.09	0.11	0.09	0.037	0.16	17.7	16.6	2.79	758	2.53	0.02
CC110956		1.45	48.9	3.30	4.45	0.08	0.12	0.08	0.040	0.17	16.3	17.0	2.95	856	2.65	0.02
CC110957		1.10	49.3	3.43	4.93	0.09	0.10	0.09	0.045	0.13	16.4	18.7	2.12	608	2.14	0.02
CC110958		0.84	39.9	2.82	3.52	0.07	0.07	0.07	0.036	0.09	13.3	14.2	3.18	764	1.58	0.02
CC110791		0.71	46.3	3.95	5.55	0.11	0.07	0.05	0.032	0.05	16.8	15.3	2.94	838	1.42	0.02
CC110792		1.01	55.0	2.80	4.90	0.07	0.07	0.09	0.032	0.05	12.8	20.1	0.93	392	0.83	0.02
CC110793		1.55	105.5	4.39	5.55	0.09	0.07	0.17	0.053	0.07	14.0	18.0	1.20	592	1.31	0.02
CC110794		0.85	49.0	3.86	5.95	0.07	0.04	0.07	0.032	0.05	13.3	17.7	0.83	668	1.17	0.02
CC110795		1.67	119.0	4.36	5.69	0.09	0.06	0.09	0.036	0.06	16.2	15.1	2.50	639	1.59	0.02
CC110796		1.18	80.6	5.63	9.80	0.09	0.11	0.02	0.040	0.03	10.6	27.6	1.50	525	1.56	0.02
CC110797		0.78	102.5	3.42	4.17	0.06	0.05	0.07	0.026	0.03	8.6	12.7	0.84	753	1.40	0.02
CC110798		3.14	99.7	5.62	5.78	0.12	0.06	0.08	0.053	0.05	15.6	16.0	1.07	1010	2.19	0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 6- JUL- 2011
Account: RCM

Project: RAU- Cheshire

CERTIFICATE OF ANALYSIS WH11108567

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
CC110927		0.65	23.6	460	21.2	7.1	<0.001	0.02	0.56	3.5	0.4	0.4	15.1	<0.01	0.05	2.7
CC110928		0.59	45.1	930	42.1	11.2	<0.001	0.02	1.75	5.2	0.5	0.4	35.3	<0.01	0.05	4.4
CC110929		0.37	31.9	670	37.0	8.8	<0.001	0.02	1.49	3.9	0.2	0.4	64.1	<0.01	0.05	3.3
CC110930		0.41	36.4	780	36.5	9.5	<0.001	0.02	1.69	4.1	0.5	0.3	38.2	<0.01	0.06	2.4
CC110931		0.74	25.6	910	20.6	5.3	<0.001	0.02	1.10	2.9	<0.2	0.2	64.6	<0.01	0.04	2.3
CC110932		0.46	26.5	840	26.0	6.1	<0.001	0.03	1.07	2.9	0.5	0.2	25.7	<0.01	0.03	1.8
CC110933		0.48	25.1	700	25.0	5.0	<0.001	0.02	1.20	2.9	0.4	0.2	44.5	<0.01	0.03	2.4
CC110934		0.46	24.9	690	23.9	5.2	0.001	0.04	0.97	2.9	0.8	0.2	40.2	<0.01	0.03	2.1
CC110935		0.74	29.1	790	25.1	6.7	0.001	0.07	1.07	3.2	0.5	0.3	35.6	<0.01	0.04	2.1
CC110936		0.76	26.4	770	24.0	6.8	0.001	0.05	0.89	3.4	0.5	0.3	56.0	<0.01	0.04	2.6
CC110937		0.69	28.6	850	24.4	6.8	<0.001	0.03	1.02	3.2	0.5	0.3	58.0	<0.01	0.04	2.2
CC110938		0.81	31.0	860	24.0	7.5	<0.001	0.03	0.91	4.1	0.6	0.3	32.5	<0.01	0.05	2.6
CC110939		0.64	32.0	600	22.6	7.4	<0.001	0.02	1.01	4.2	0.5	0.4	24.0	<0.01	0.05	2.6
CC110940		0.95	36.0	960	24.0	8.1	0.001	0.02	1.25	4.3	0.4	0.3	63.5	<0.01	0.04	3.3
CC110941		0.74	31.8	850	22.9	6.9	0.001	0.01	1.18	4.0	0.3	0.3	56.3	<0.01	0.05	3.7
CC110942		1.34	34.3	1050	27.0	8.2	<0.001	0.01	1.23	3.9	0.5	0.3	52.7	<0.01	0.03	3.4
CC110943		0.77	29.4	690	23.6	7.0	<0.001	0.02	1.01	3.7	0.3	0.3	32.4	<0.01	0.03	2.8
CC110944		0.75	32.4	780	24.1	7.2	<0.001	0.03	1.06	3.6	0.9	0.3	28.0	<0.01	0.05	2.1
CC110945		1.13	31.7	950	24.7	8.5	<0.001	0.01	1.25	3.8	0.6	0.3	84.9	<0.01	0.05	3.2
CC110946		0.76	33.0	880	23.7	6.1	0.001	0.03	1.44	3.1	0.5	0.3	51.2	<0.01	0.05	2.1
CC110947		0.69	31.7	820	25.5	7.4	<0.001	0.02	1.37	3.5	0.4	0.3	63.0	<0.01	0.04	2.7
CC110948		0.68	30.9	880	25.2	6.6	<0.001	0.01	1.19	3.5	0.4	0.3	37.0	<0.01	0.04	3.1
CC110949		0.69	44.1	790	26.2	7.3	<0.001	0.02	1.24	4.2	0.4	0.3	28.3	<0.01	0.03	5.3
CC110950		0.71	45.7	760	33.6	10.3	0.001	0.03	1.57	5.1	1.2	0.4	32.9	<0.01	0.06	3.7
CC110951		0.68	27.7	190	16.1	9.7	<0.001	0.01	0.85	3.2	0.4	0.6	7.8	<0.01	0.04	4.1
CC110952		0.28	47.4	350	41.2	6.9	<0.001	0.02	1.34	2.6	0.7	0.2	13.0	0.01	0.07	11.2
CC110953		0.79	50.4	960	26.1	9.8	0.001	0.04	1.52	5.4	1.4	0.4	29.8	<0.01	0.05	4.4
CC110954		0.67	44.0	880	32.8	10.5	0.001	0.04	1.56	4.4	1.0	0.4	35.1	<0.01	0.05	3.9
CC110955		0.57	39.7	810	31.6	12.4	<0.001	0.02	1.75	4.6	0.6	0.4	66.2	<0.01	0.04	4.6
CC110956		0.52	41.0	780	34.0	12.7	<0.001	0.02	1.75	4.7	0.7	0.4	80.6	<0.01	0.04	4.5
CC110957		0.65	39.0	820	33.5	12.6	<0.001	0.03	1.90	4.9	0.8	0.4	36.1	<0.01	0.04	3.9
CC110958		0.55	31.0	760	26.2	8.6	<0.001	0.03	1.36	3.8	0.6	0.3	69.5	<0.01	0.03	2.8
CC110791		2.09	71.6	1390	26.5	5.4	<0.001	0.03	2.29	4.8	0.6	0.3	42.7	0.01	0.02	2.5
CC110792		1.69	69.9	840	32.4	8.3	0.001	0.12	6.13	4.7	1.0	0.4	59.4	0.01	0.03	2.6
CC110793		1.44	110.0	1270	202	8.8	<0.001	0.10	17.35	5.9	1.2	0.7	75.8	0.01	0.04	1.9
CC110794		1.05	69.9	1070	18.7	7.4	<0.001	0.08	1.33	3.9	0.7	0.3	58.4	0.01	0.03	0.8
CC110795		1.71	201	1280	20.9	7.3	<0.001	0.04	4.70	5.5	0.6	0.3	74.6	0.01	0.02	2.1
CC110796		3.21	212	730	13.9	5.4	<0.001	0.02	2.13	3.9	0.4	0.5	17.7	0.01	0.02	2.9
CC110797		0.92	109.0	790	12.3	3.9	<0.001	0.12	1.75	3.0	1.3	0.2	107.5	0.01	0.06	0.6
CC110798		1.13	130.0	720	32.5	7.5	<0.001	0.03	1.67	9.3	1.1	0.4	51.1	<0.01	0.09	1.3

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 6- JUL- 2011
Account: RCM

Project: RAU- Cheshire

CERTIFICATE OF ANALYSIS WH11108567

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
CC110927		0.029	0.10	0.68	52	0.27	7.24	82	1.0
CC110928		0.038	0.17	0.69	60	0.22	11.55	182	2.5
CC110929		0.032	0.15	0.70	44	0.19	8.28	156	2.1
CC110930		0.025	0.14	0.64	49	0.16	10.15	170	1.8
CC110931		0.040	0.08	0.63	39	0.15	7.33	106	1.3
CC110932		0.023	0.09	0.62	38	0.15	8.24	132	1.3
CC110933		0.029	0.09	0.59	37	0.20	7.68	120	1.3
CC110934		0.026	0.09	0.86	34	0.09	7.30	112	1.5
CC110935		0.033	0.09	1.29	44	0.14	8.21	133	1.6
CC110936		0.035	0.10	0.83	39	0.13	7.71	123	1.8
CC110937		0.036	0.10	0.74	39	0.15	8.56	120	1.4
CC110938		0.039	0.09	0.54	46	0.14	9.16	135	1.4
CC110939		0.036	0.09	0.46	48	0.19	10.40	107	1.3
CC110940		0.049	0.12	0.64	46	0.20	9.51	129	2.1
CC110941		0.051	0.12	0.60	43	0.28	8.71	125	3.1
CC110942		0.073	0.12	0.63	49	0.20	8.93	174	2.7
CC110943		0.041	0.09	0.58	49	0.22	8.27	105	1.4
CC110944		0.039	0.10	0.81	47	0.17	9.87	120	1.3
CC110945		0.067	0.13	0.63	46	0.22	7.77	136	2.4
CC110946		0.037	0.08	0.69	40	0.21	8.07	122	1.4
CC110947		0.038	0.12	0.62	41	0.21	8.34	132	1.3
CC110948		0.042	0.11	0.59	41	0.40	8.12	131	1.7
CC110949		0.036	0.09	0.69	44	0.19	8.91	139	2.2
CC110950		0.029	0.12	0.70	53	0.16	11.00	156	2.7
CC110951		0.021	0.11	0.34	62	0.23	2.59	121	1.9
CC110952		0.010	0.09	0.89	26	0.17	8.97	209	3.0
CC110953		0.036	0.13	1.12	57	0.21	12.70	173	3.2
CC110954		0.029	0.14	0.77	52	0.20	11.05	170	3.0
CC110955		0.036	0.18	0.69	49	0.21	10.50	167	4.4
CC110956		0.032	0.19	0.72	49	0.23	10.60	175	5.3
CC110957		0.030	0.16	0.64	52	0.20	11.25	175	3.1
CC110958		0.029	0.13	0.65	40	0.30	9.24	128	2.0
CC110791		0.103	0.09	0.62	57	0.18	10.20	116	2.0
CC110792		0.047	0.10	1.02	49	0.16	8.68	106	2.3
CC110793		0.043	0.11	0.93	53	0.15	11.10	189	2.0
CC110794		0.032	0.08	0.59	52	0.15	8.54	91	0.9
CC110795		0.074	0.08	0.40	59	0.23	10.50	100	1.5
CC110796		0.202	0.10	0.38	101	0.34	5.73	79	4.2
CC110797		0.031	0.06	0.95	39	0.12	9.19	59	1.3
CC110798		0.030	0.12	0.98	65	0.21	15.05	101	1.2

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 6- JUL- 2011
Account: RCM

Project: RAU- Cheshire

CERTIFICATE OF ANALYSIS WH11108567

Sample Description	Method	WEI- 21	Au- TL43	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Recvd Wt.	Au	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
CC110799		0.28	0.004	0.23	2.39	98.0	<0.2	<10	110	0.52	0.21	0.44	0.64	22.2	31.0	83
CC110800		0.22	0.004	0.23	1.91	64.4	<0.2	<10	240	0.60	0.19	1.14	0.16	25.3	20.6	47
CC110521		0.38	0.001	0.21	3.30	12.8	<0.2	<10	240	0.72	0.07	1.65	0.31	33.4	45.7	153
CC110522		0.14	0.001	0.11	3.48	13.9	<0.2	<10	410	0.86	0.08	0.95	0.17	34.1	41.7	204
CC110523		0.40	0.001	0.15	3.17	10.4	<0.2	<10	250	0.68	0.10	2.39	0.50	28.9	38.7	178
CC110524		0.40	<0.001	0.06	4.42	41.5	<0.2	<10	190	1.21	0.06	0.92	0.08	37.5	51.7	254
CC110525		0.40	0.001	0.08	3.06	14.4	<0.2	<10	280	0.61	0.15	0.42	0.08	37.9	30.6	174
CC110526		0.30	0.001	0.16	5.44	25.2	<0.2	<10	90	0.69	0.02	5.39	0.20	36.4	58.3	209
CC110527		0.32	0.001	0.08	3.12	7.1	<0.2	<10	140	0.49	0.08	2.49	0.16	35.5	48.2	220
CC110528		0.28	0.001	0.09	4.24	9.8	<0.2	<10	110	0.58	0.05	1.78	0.13	66.2	64.6	301
CC110529		0.24	0.001	0.13	1.95	24.1	<0.2	<10	200	0.54	0.19	0.97	0.18	38.0	23.0	68
CC110881		0.20	0.003	0.34	1.70	17.5	<0.2	<10	310	0.71	0.42	1.03	0.79	32.0	16.0	36
CC110882		0.24	0.002	0.21	1.84	17.5	<0.2	<10	290	0.78	0.44	0.55	0.34	36.9	16.0	38
CC110883		0.42	0.001	0.19	1.27	14.1	<0.2	<10	200	0.45	0.36	6.52	0.57	25.4	12.7	25
CC110884		0.38	0.002	0.26	1.45	14.7	<0.2	<10	210	0.53	0.39	5.20	0.86	28.9	14.3	28
CC110860		0.24	0.001	0.23	1.05	11.8	<0.2	<10	240	0.39	0.25	4.51	0.64	24.7	10.7	26
CC110901		0.36	0.002	0.17	2.44	6.0	<0.2	<10	260	0.75	0.17	1.28	0.49	57.9	25.8	128
CC110902		0.32	0.002	0.22	2.61	11.4	<0.2	<10	500	0.71	0.12	1.92	0.96	63.0	26.0	104
CC110903		0.22	0.001	0.23	2.40	13.9	<0.2	<10	230	0.54	0.14	2.26	0.88	52.3	27.3	104
CC110904		0.56	0.002	0.20	1.68	18.8	<0.2	<10	210	0.39	0.16	3.47	0.42	30.8	21.2	71
CC110905		0.34	0.004	0.26	1.55	94.8	<0.2	<10	180	0.26	0.15	4.38	0.91	24.9	25.8	74
CC110906		0.24	0.029	0.81	1.53	382	<0.2	<10	140	0.33	0.16	1.70	2.66	21.2	47.4	69
CC110907		0.32	0.018	0.43	1.38	586	<0.2	<10	180	0.39	0.17	1.84	0.43	28.4	22.6	60
CC110908		0.34	0.003	0.05	2.73	13.3	<0.2	<10	100	0.33	0.04	3.90	0.38	16.90	55.1	208
CC110909		0.32	0.001	0.05	3.14	21.8	<0.2	<10	60	0.42	0.08	0.50	0.24	25.7	59.5	297
CC110910		0.42	0.003	0.13	2.42	41.9	<0.2	<10	250	0.67	0.21	0.51	0.10	34.2	21.4	93
CC110911		0.28	0.034	0.60	1.52	305	<0.2	<10	150	0.39	0.30	0.13	1.03	23.0	16.2	24
CC110912		0.28	0.096	0.34	1.76	829	<0.2	<10	90	0.45	0.23	0.17	0.50	23.5	40.2	38
CC110913		0.30	0.001	0.04	2.55	19.0	<0.2	<10	150	0.40	0.24	0.48	0.36	21.2	14.7	71
CC110914		0.46	0.007	0.28	0.92	81.7	<0.2	<10	190	0.20	0.20	0.45	0.25	28.6	19.2	34
CC110915		0.42	0.002	0.14	2.11	17.5	<0.2	<10	170	0.43	0.19	2.23	0.23	31.3	24.6	90
CC110916		0.34	0.002	0.15	3.94	5.7	<0.2	<10	100	0.36	0.07	2.53	0.21	33.0	42.3	156
CC110917		0.30	0.001	0.10	3.55	11.5	<0.2	<10	70	0.41	0.10	1.19	0.09	36.4	59.6	245
CC110918		0.30	0.001	0.08	3.63	6.9	<0.2	<10	80	0.33	0.09	1.80	0.22	23.5	65.4	282
CC110919		0.26	<0.001	0.28	1.85	31.1	<0.2	<10	150	0.32	0.11	0.37	0.50	42.5	36.5	109
CC110920		0.20	0.003	0.21	3.22	16.6	<0.2	<10	210	0.45	0.07	1.35	0.44	27.5	49.7	162
CC110601		0.16	0.004	0.15	3.06	57.8	<0.2	<10	130	0.55	0.08	1.35	0.21	31.3	37.5	112
CC110602		0.16	0.003	0.07	3.61	137.0	<0.2	<10	80	0.43	0.05	1.70	0.12	29.8	34.8	188
CC110603		0.28	0.001	0.09	4.08	15.7	<0.2	<10	120	0.70	0.05	3.28	0.15	31.0	40.5	206
CC110604		0.12	0.001	0.04	2.65	25.1	<0.2	<10	80	0.38	0.09	1.63	0.17	28.3	30.2	138

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 6- JUL- 2011
Account: RCM

Project: RAU- Cheshire

CERTIFICATE OF ANALYSIS WH11108567

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
CC110799		2.14	34.8	4.20	8.44	0.09	0.05	0.03	0.045	0.03	11.3	18.8	0.90	744	1.33	0.01
CC110800		1.18	84.7	3.57	5.32	0.08	0.05	0.07	0.034	0.03	13.5	14.2	0.74	606	1.41	0.01
CC110521		5.12	67.8	6.49	11.55	0.20	0.08	0.06	0.056	0.13	16.6	26.3	3.25	839	1.24	0.02
CC110522		7.74	56.3	7.48	14.65	0.18	0.08	0.05	0.062	0.15	17.1	34.1	3.41	1040	0.88	0.02
CC110523		3.22	76.1	6.62	13.25	0.13	0.09	0.06	0.050	0.15	14.4	31.2	3.17	1020	1.14	0.02
CC110524		5.99	43.5	8.55	18.95	0.23	0.08	0.02	0.091	0.08	20.0	55.5	3.95	1320	0.69	0.02
CC110525		3.84	58.9	4.97	10.70	0.10	0.04	0.05	0.045	0.05	19.6	39.1	2.21	846	1.39	0.02
CC110526		1.37	88.4	8.43	19.25	0.27	0.05	0.01	0.086	0.06	18.6	57.8	5.47	1210	0.95	0.02
CC110527		1.20	77.8	5.65	12.35	0.11	0.08	0.03	0.036	0.06	20.5	29.0	2.36	839	0.83	0.02
CC110528		1.88	109.0	7.10	16.00	0.20	0.10	0.03	0.063	0.08	37.8	38.9	3.88	651	0.73	0.02
CC110529		1.07	40.0	4.04	6.32	0.08	0.05	0.07	0.035	0.06	16.9	19.7	1.08	708	1.27	0.02
CC110881		1.02	48.0	3.79	4.87	0.08	0.10	0.11	0.043	0.13	16.0	19.4	0.97	1120	2.11	0.02
CC110882		1.02	43.4	3.91	5.66	0.09	0.10	0.09	0.044	0.12	19.3	20.9	0.90	841	2.38	0.02
CC110883		0.78	43.4	2.85	3.65	0.07	0.09	0.07	0.045	0.10	13.3	13.4	4.02	757	2.09	0.02
CC110884		1.06	43.9	3.21	4.22	0.08	0.09	0.07	0.045	0.13	14.6	16.6	3.47	1080	2.29	0.02
CC110860		0.70	35.9	2.68	3.42	0.07	0.06	0.07	0.032	0.07	12.4	12.9	2.56	652	2.13	0.02
CC110901		1.91	63.7	4.74	10.05	0.17	0.11	0.07	0.041	0.12	30.4	29.2	2.10	544	1.16	0.02
CC110902		1.94	62.5	5.41	9.88	0.14	0.07	0.11	0.051	0.11	33.5	25.5	2.43	3030	2.77	0.02
CC110903		1.55	60.2	5.13	8.94	0.14	0.10	0.10	0.045	0.10	27.2	20.5	2.63	1070	2.52	0.02
CC110904		0.74	51.2	3.75	5.69	0.09	0.09	0.09	0.033	0.07	15.9	17.8	2.26	785	1.48	0.02
CC110905		1.45	59.1	4.12	4.82	0.11	0.06	0.11	0.032	0.07	12.9	13.3	1.96	1080	1.85	0.02
CC110906		3.00	158.5	5.56	4.26	0.09	0.06	0.15	0.055	0.05	11.1	14.1	1.40	384	1.83	0.02
CC110907		0.81	76.4	4.27	4.20	0.08	0.04	0.11	0.041	0.04	14.9	12.3	1.04	852	1.81	0.02
CC110908		2.47	142.5	5.31	6.19	0.10	0.04	0.03	0.009	0.05	8.9	37.4	1.71	1090	1.65	0.02
CC110909		1.61	97.9	6.46	10.95	0.12	0.17	0.02	0.055	0.02	10.4	36.9	1.79	809	1.91	0.01
CC110910		1.20	38.5	4.54	7.49	0.09	0.09	0.09	0.042	0.06	18.8	17.8	1.33	507	1.46	0.02
CC110911		0.44	29.0	7.04	4.17	0.09	0.02	0.06	0.048	0.03	11.4	6.6	0.21	379	2.99	0.02
CC110912		0.93	64.6	8.23	3.73	0.11	0.07	0.05	0.059	0.03	11.2	11.6	0.32	424	3.15	0.01
CC110913		0.86	14.1	4.07	8.02	0.06	0.04	0.02	0.043	0.03	10.1	19.1	0.89	293	1.64	0.01
CC110914		0.52	58.7	5.71	3.09	0.10	0.03	0.26	0.032	0.05	14.7	7.4	0.38	401	2.26	0.01
CC110915		0.99	55.2	4.55	6.59	0.10	0.08	0.10	0.036	0.10	16.3	16.4	2.14	691	1.74	0.02
CC110916		0.89	78.5	6.70	14.15	0.13	0.06	0.03	0.047	0.05	18.1	33.5	3.47	1100	1.06	0.02
CC110917		1.60	73.4	6.43	13.20	0.12	0.06	0.04	0.060	0.03	19.6	31.5	3.04	882	0.89	0.02
CC110918		1.74	148.0	6.93	12.15	0.12	0.05	0.02	0.026	0.03	12.7	42.0	2.78	1190	2.20	0.02
CC110919		1.42	50.9	6.49	6.56	0.11	0.04	0.04	0.040	0.13	24.2	15.9	1.09	736	3.91	0.03
CC110920		1.79	66.5	7.07	10.85	0.14	0.04	0.07	0.047	0.10	13.6	33.5	3.32	1180	2.06	0.02
CC110601		1.99	88.9	6.08	11.95	0.14	0.05	0.06	0.051	0.07	16.0	29.2	2.85	498	0.88	0.02
CC110602		1.08	33.9	6.25	14.50	0.15	0.03	0.03	0.043	0.03	15.6	36.4	3.62	656	0.77	0.02
CC110603		4.96	73.2	6.91	15.80	0.18	0.05	0.02	0.052	0.12	16.2	36.5	4.18	922	0.68	0.02
CC110604		1.00	33.9	4.76	10.60	0.10	0.03	0.03	0.045	0.03	14.2	33.5	2.34	415	0.62	0.02

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 6- JUL- 2011
Account: RCM

Project: RAU- Cheshire

CERTIFICATE OF ANALYSIS WH11108567

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
CC110799		1.77	75.4	340	21.9	6.5	<0.001	0.01	1.26	6.8	0.5	0.8	26.3	<0.01	0.05	1.9
CC110800		1.16	58.2	760	19.5	5.5	<0.001	0.04	1.29	4.9	1.1	0.4	52.7	<0.01	0.07	1.1
CC110521		4.69	152.0	1750	12.9	15.6	0.001	0.01	1.16	10.2	0.8	0.4	71.5	<0.01	0.03	2.3
CC110522		2.46	139.5	2060	8.6	13.6	<0.001	0.03	1.14	9.7	0.5	0.4	37.5	0.01	0.02	3.1
CC110523		2.60	135.5	1900	12.2	15.5	<0.001	0.03	1.09	5.0	0.6	0.3	57.3	0.01	0.02	3.1
CC110524		1.50	132.5	2110	6.2	6.3	<0.001	0.02	1.08	14.3	0.6	0.5	28.9	0.01	0.02	2.4
CC110525		3.15	95.9	960	15.2	8.0	<0.001	0.02	1.11	5.5	0.6	0.5	18.8	0.01	0.03	2.9
CC110526		0.17	201	2190	3.1	3.1	<0.001	0.05	0.99	14.5	0.5	<0.2	168.5	0.01	0.01	1.9
CC110527		3.11	193.0	2480	10.9	7.9	<0.001	0.03	0.82	7.6	0.6	0.4	81.6	0.01	0.02	4.6
CC110528		2.69	285	3210	5.7	8.2	<0.001	0.02	0.73	15.9	0.6	0.3	57.8	0.01	0.02	6.1
CC110529		1.31	81.9	930	17.7	7.5	<0.001	0.04	0.79	4.5	0.7	0.3	39.0	<0.01	0.03	2.1
CC110881		0.54	45.1	900	39.5	11.8	<0.001	0.04	1.81	4.4	0.9	0.4	25.4	<0.01	0.05	2.9
CC110882		0.65	44.4	420	41.6	11.5	<0.001	0.02	1.74	5.0	0.8	0.5	17.9	<0.01	0.06	4.3
CC110883		0.50	33.5	760	32.4	8.7	<0.001	0.03	1.55	4.0	0.6	0.4	53.6	<0.01	0.04	3.3
CC110884		0.56	38.4	830	36.9	10.4	<0.001	0.03	1.69	4.2	0.7	0.4	41.4	<0.01	0.04	3.5
CC110860		0.92	29.8	910	21.8	7.2	0.001	0.04	1.33	3.4	1.0	0.3	47.5	<0.01	0.03	2.5
CC110901		4.89	65.0	3120	12.7	14.6	0.001	0.04	1.15	6.3	1.2	0.4	106.0	0.01	0.03	3.9
CC110902		2.67	69.3	2670	13.0	14.8	<0.001	0.06	1.60	7.9	1.2	0.4	108.0	0.01	0.03	2.9
CC110903		1.86	78.5	2430	15.2	14.3	<0.001	0.02	1.59	7.4	0.7	0.4	76.8	0.01	0.03	3.9
CC110904		2.05	67.9	1300	16.5	6.9	<0.001	0.03	1.29	5.5	0.7	0.4	62.7	<0.01	0.03	3.5
CC110905		2.24	106.0	1240	27.1	7.3	<0.001	0.05	11.60	5.2	0.9	0.3	120.5	<0.01	0.03	2.7
CC110906		1.05	209	1150	107.5	7.1	0.001	0.36	34.9	9.6	1.5	0.3	110.5	0.01	0.03	1.9
CC110907		0.97	82.1	1300	103.5	4.7	<0.001	0.08	7.93	3.2	1.2	0.3	64.5	0.01	0.04	0.8
CC110908		4.75	257	1230	3.5	5.1	<0.001	0.05	2.49	2.5	0.5	0.2	108.0	0.01	0.02	0.9
CC110909		6.65	268	700	5.7	2.7	<0.001	0.02	2.74	5.4	0.6	0.6	15.2	0.04	0.02	2.5
CC110910		2.29	72.5	360	20.2	9.5	<0.001	0.02	1.44	7.5	0.7	0.5	21.7	0.01	0.04	4.3
CC110911		1.21	49.0	1200	28.5	4.6	<0.001	0.07	2.34	2.4	1.6	0.5	21.8	0.01	0.10	1.4
CC110912		1.28	115.0	700	61.2	6.1	<0.001	0.04	20.5	4.2	1.0	0.4	16.5	0.01	0.05	3.7
CC110913		2.48	33.4	290	21.1	4.7	<0.001	0.02	0.66	4.6	0.3	0.8	13.9	<0.01	0.03	2.4
CC110914		0.65	58.3	2410	14.4	4.2	<0.001	0.13	5.48	3.3	1.5	0.3	63.9	0.01	0.04	1.8
CC110915		1.85	88.6	1160	23.2	8.1	<0.001	0.03	2.03	5.5	0.7	0.3	46.5	0.01	0.04	3.1
CC110916		7.53	160.5	1840	9.0	4.2	<0.001	0.04	1.84	6.9	0.7	0.4	68.2	0.01	0.02	2.3
CC110917		3.82	244	1210	11.2	4.0	<0.001	0.04	1.03	10.3	0.7	0.3	37.1	0.01	0.03	2.7
CC110918		3.41	363	1500	9.8	4.9	<0.001	0.03	2.17	4.4	0.6	0.3	65.6	0.01	0.02	2.2
CC110919		1.25	134.5	2020	16.7	13.0	<0.001	0.13	3.17	5.9	1.4	0.3	73.3	<0.01	0.05	2.4
CC110920		4.20	162.0	1740	13.6	12.0	<0.001	0.07	1.61	7.5	1.1	0.4	79.7	0.01	0.08	1.5
CC110601		3.29	105.5	1360	12.5	7.1	0.001	0.08	1.53	8.8	1.0	0.3	54.6	0.01	0.02	2.2
CC110602		3.09	125.0	1760	8.5	3.1	<0.001	0.06	1.11	7.1	0.5	0.3	68.5	<0.01	0.02	1.7
CC110603		5.59	174.5	1950	5.6	7.5	<0.001	0.05	1.18	9.5	0.6	0.3	118.5	0.01	0.02	2.3
CC110604		2.43	107.5	430	7.8	3.9	<0.001	0.07	0.86	8.9	0.6	0.3	68.8	<0.01	0.02	1.4

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 6- JUL- 2011
Account: RCM

Project: RAU- Cheshire

CERTIFICATE OF ANALYSIS WH11108567

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
CC110799		0.040	0.13	0.50	82	0.28	5.66	63	1.2
CC110800		0.029	0.10	1.22	56	0.16	10.85	59	1.1
CC110521		0.209	0.18	0.33	117	0.20	9.82	117	2.1
CC110522		0.203	0.17	0.34	141	0.32	9.81	121	2.7
CC110523		0.158	0.19	0.53	115	0.39	10.75	130	2.4
CC110524		0.291	0.17	0.27	203	0.17	12.90	126	2.8
CC110525		0.194	0.16	0.74	112	0.24	11.45	79	1.2
CC110526		0.045	0.04	0.06	169	0.09	11.75	128	1.4
CC110527		0.164	0.07	0.92	133	0.42	13.55	111	2.7
CC110528		0.182	0.06	0.81	186	0.23	14.25	130	4.0
CC110529		0.055	0.09	0.89	64	0.19	9.51	99	1.4
CC110881		0.024	0.16	0.84	58	0.20	11.50	193	2.7
CC110882		0.028	0.15	0.80	62	0.22	11.50	160	2.9
CC110883		0.029	0.16	0.64	43	0.26	9.80	145	3.2
CC110884		0.029	0.16	0.68	49	0.22	10.25	180	3.1
CC110860		0.037	0.11	0.79	40	0.19	9.12	129	1.8
CC110901		0.186	0.10	1.78	107	0.24	13.60	129	3.7
CC110902		0.159	0.19	0.99	116	0.10	15.60	161	1.9
CC110903		0.159	0.18	0.56	99	0.16	13.45	184	3.4
CC110904		0.097	0.09	0.48	57	0.21	11.50	120	3.0
CC110905		0.080	0.09	0.37	52	0.15	9.55	228	2.1
CC110906		0.031	0.07	0.94	51	0.14	11.25	548	1.6
CC110907		0.026	0.08	1.01	44	0.15	11.10	120	0.9
CC110908		0.178	0.07	0.30	67	0.28	5.92	72	1.1
CC110909		0.413	0.06	0.52	134	0.35	8.61	91	5.5
CC110910		0.103	0.13	0.76	78	0.22	12.50	95	2.8
CC110911		0.034	0.07	0.50	45	0.24	6.94	111	0.6
CC110912		0.027	0.11	0.58	46	0.27	6.63	138	2.6
CC110913		0.067	0.15	0.47	83	0.21	3.84	82	1.3
CC110914		0.023	0.08	0.52	31	0.11	9.84	95	0.5
CC110915		0.080	0.12	0.49	68	0.15	11.20	110	2.2
CC110916		0.174	0.06	1.06	93	0.22	8.71	127	1.7
CC110917		0.126	0.08	0.78	136	0.19	12.00	100	1.9
CC110918		0.134	0.06	0.36	103	0.20	10.55	97	1.2
CC110919		0.078	0.25	0.52	90	0.12	8.47	155	1.1
CC110920		0.203	0.20	0.43	113	0.11	9.41	195	1.2
CC110601		0.163	0.09	0.91	100	0.12	10.10	113	1.6
CC110602		0.089	0.04	0.25	112	0.31	5.80	118	0.7
CC110603		0.155	0.09	0.29	128	0.27	7.83	114	1.1
CC110604		0.074	0.06	0.37	97	0.17	5.45	78	0.7

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 6- JUL- 2011
Account: RCM

Project: RAU- Cheshire

CERTIFICATE OF ANALYSIS WH11108567

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- TL43 Au ppm 0.001	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1
CC110605		0.16	0.048	0.16	1.22	366	<0.2	<10	180	0.30	0.19	1.48	0.43	19.50	27.8	28
CC110606		0.40	0.011	0.04	2.18	24.5	<0.2	<10	140	0.55	0.23	0.34	0.25	27.8	20.2	61
CC110607		0.28	0.002	0.14	2.80	14.3	<0.2	<10	230	0.54	0.16	0.96	0.14	28.6	30.0	167
CC110608		0.20	0.001	0.08	3.01	16.4	<0.2	<10	50	0.22	0.10	0.16	0.18	29.8	32.7	296
CC110609		0.28	0.001	0.10	4.25	4.9	<0.2	<10	80	0.61	0.09	0.44	1.10	48.9	72.9	323
CC110610		0.24	0.003	0.07	1.33	6.6	<0.2	<10	280	0.25	0.12	0.30	0.13	32.0	6.5	49
CC110651		0.14	0.001	0.09	3.97	7.5	<0.2	<10	200	0.59	0.07	1.68	0.11	35.1	60.7	358
CC110652		0.14	0.001	0.06	3.85	5.9	<0.2	<10	110	0.41	0.03	0.94	0.19	59.8	60.0	320
CC110653		0.12	0.002	0.10	1.88	25.8	<0.2	<10	210	0.66	0.21	0.59	0.12	32.4	25.8	58
CC110654		0.18	0.002	0.07	3.48	57.6	<0.2	<10	110	0.74	0.11	1.12	0.39	46.3	64.3	220
CC110655		0.22	0.002	0.12	3.46	48.0	<0.2	<10	120	0.35	0.06	5.12	0.21	60.3	47.7	157
CC110656		0.22	0.001	0.07	2.24	14.6	<0.2	<10	300	0.48	0.25	0.25	0.09	22.5	12.9	41
CC110657		0.26	0.001	0.14	4.43	26.5	<0.2	<10	50	0.57	0.09	0.48	0.40	35.7	78.5	238
CC110658		0.12	0.004	0.19	2.55	18.2	<0.2	<10	170	0.48	0.17	1.10	0.29	35.9	33.5	105
CC110659		0.24	0.002	0.09	4.89	28.7	<0.2	<10	130	0.72	0.03	2.79	0.09	29.0	52.7	131
CC110660		0.16	0.004	0.17	2.36	107.5	<0.2	<10	140	0.40	0.13	1.73	0.32	28.8	36.3	112

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 6- JUL- 2011
Account: RCM

Project: RAU- Cheshire

CERTIFICATE OF ANALYSIS WH11108567

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
CC110605		0.80	60.3	5.23	4.07	0.07	0.03	0.04	0.043	0.04	9.3	9.5	0.38	686	1.52	0.02
CC110606		1.32	39.0	3.96	6.33	0.06	0.03	0.02	0.039	0.04	12.7	22.9	0.87	344	1.70	0.01
CC110607		2.13	65.5	4.57	9.51	0.08	0.03	0.04	0.043	0.04	14.4	26.5	1.71	815	0.80	0.02
CC110608		2.27	18.5	6.42	16.15	0.11	0.04	0.01	0.048	0.02	15.8	36.5	2.57	361	1.31	0.01
CC110609		1.40	68.7	8.53	12.35	0.16	0.07	0.02	0.068	0.02	18.2	39.2	3.86	1340	3.05	0.01
CC110610		0.47	63.9	3.46	4.40	0.07	<0.02	0.01	0.014	0.15	17.5	10.0	0.37	128	1.06	0.02
CC110651		5.01	82.0	6.40	14.05	0.16	0.06	0.03	0.052	0.05	18.0	31.8	4.59	756	1.14	0.02
CC110652		2.58	131.5	7.58	16.30	0.25	0.06	0.02	0.066	0.14	30.1	41.5	3.10	915	1.30	0.02
CC110653		0.84	52.0	3.36	5.72	0.07	0.06	0.04	0.031	0.05	17.1	21.9	0.81	605	1.07	0.02
CC110654		1.42	69.4	6.44	16.35	0.16	0.06	0.02	0.089	0.02	21.1	39.2	3.07	1540	1.67	0.02
CC110655		0.47	72.5	6.11	13.40	0.16	0.04	0.03	0.052	0.03	30.9	40.3	3.11	1480	1.18	0.02
CC110656		1.16	11.1	3.19	7.05	0.05	0.07	0.01	0.029	0.03	10.8	18.6	0.53	371	1.40	0.02
CC110657		0.83	79.9	8.21	14.30	0.16	0.08	0.02	0.092	0.02	16.9	40.8	4.38	960	4.49	0.01
CC110658		0.72	111.0	4.62	8.23	0.09	0.06	0.06	0.039	0.04	18.6	26.2	2.11	856	1.98	0.02
CC110659		3.72	75.6	9.10	19.95	0.24	0.08	0.03	0.059	0.39	14.7	40.1	4.66	682	1.28	0.02
CC110660		0.71	87.8	5.12	8.20	0.10	0.07	0.05	0.035	0.05	14.9	23.2	2.48	495	1.74	0.02

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 6- JUL- 2011
Account: RCM

Project: RAU- Cheshire

CERTIFICATE OF ANALYSIS WH11108567

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
CC110605		0.87	45.0	840	39.0	5.8	<0.001	0.07	1.50	5.4	0.7	0.4	79.8	0.01	0.04	0.9
CC110606		2.66	60.8	300	24.1	9.3	<0.001	0.03	1.19	4.6	0.6	0.5	21.0	<0.01	0.03	3.3
CC110607		3.47	126.0	740	11.3	8.4	<0.001	0.04	0.91	8.7	0.6	0.5	46.9	0.01	0.03	2.0
CC110608		3.66	136.5	680	6.0	4.6	<0.001	0.02	0.99	10.9	0.3	0.6	6.3	<0.01	0.03	2.3
CC110609		4.17	331	1760	9.8	4.3	<0.001	0.03	1.99	12.3	0.9	0.4	17.6	0.03	0.04	3.0
CC110610		1.99	22.3	430	11.7	10.8	<0.001	0.18	0.86	2.0	0.3	0.2	18.6	<0.01	0.02	2.9
CC110651		4.37	357	2980	5.2	6.8	<0.001	0.03	0.60	12.3	0.5	0.3	66.5	0.01	0.02	3.3
CC110652		2.61	226	2150	3.9	11.0	<0.001	0.02	0.80	18.3	0.5	0.3	32.0	0.01	0.02	5.2
CC110653		0.99	91.5	560	16.1	7.4	<0.001	0.02	0.75	5.2	0.6	0.4	23.9	0.01	0.03	2.7
CC110654		2.06	218	2170	11.3	3.4	<0.001	0.03	2.20	13.8	0.6	0.3	36.1	0.01	0.05	3.4
CC110655		0.48	171.0	1140	7.0	3.1	<0.001	0.05	1.61	8.1	0.7	0.2	171.0	<0.01	0.02	1.6
CC110656		1.42	25.5	130	15.1	7.7	<0.001	0.02	0.64	3.6	0.2	0.8	15.1	<0.01	0.03	3.2
CC110657		2.09	215	1000	7.8	2.6	<0.001	0.02	3.88	14.8	0.7	0.4	14.0	0.01	0.03	2.5
CC110658		1.82	117.5	1120	12.0	5.5	<0.001	0.05	1.55	8.3	1.1	0.4	41.2	0.01	0.03	2.5
CC110659		0.84	151.5	2980	3.6	20.5	<0.001	0.02	1.65	8.6	0.5	0.4	126.5	0.01	0.02	2.0
CC110660		2.34	114.5	1380	18.2	5.0	<0.001	0.04	1.96	8.0	1.0	0.3	40.5	<0.01	0.03	2.8

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 6- JUL- 2011
Account: RCM

Project: RAU- Cheshire

CERTIFICATE OF ANALYSIS WH11108567

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
CC110605		0.025	0.08	0.54	43	0.16	9.12	91	0.6
CC110606		0.067	0.13	0.63	66	0.30	5.65	86	1.3
CC110607		0.105	0.10	0.92	105	0.22	8.13	81	0.9
CC110608		0.164	0.05	0.43	205	0.17	5.76	94	2.2
CC110609		0.183	0.07	0.47	133	0.38	11.05	93	1.9
CC110610		0.025	0.05	0.32	33	0.09	2.57	34	<0.5
CC110651		0.169	0.10	0.45	151	0.42	10.40	105	1.9
CC110652		0.189	0.07	0.51	183	0.16	12.10	119	2.5
CC110653		0.034	0.08	0.85	51	0.17	11.50	81	1.7
CC110654		0.076	0.04	0.58	124	0.19	11.20	131	1.5
CC110655		0.022	0.04	0.49	82	0.13	10.15	114	0.6
CC110656		0.049	0.15	0.46	77	0.25	2.86	53	2.3
CC110657		0.162	0.04	0.33	132	0.18	12.85	92	2.0
CC110658		0.059	0.06	0.74	78	0.24	11.95	88	1.5
CC110659		0.314	0.16	0.26	148	0.12	7.81	150	2.6
CC110660		0.090	0.06	0.49	79	0.19	11.10	105	2.2

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 6- JUL- 2011
Account: RCM

Project: RAU- Cheshire

CERTIFICATE OF ANALYSIS WH11108567

Method	CERTIFICATE COMMENTS
ME- MS41	Gold determinations by this method are semi- quantitative due to the small sample weight used (0.5g).

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 7- JUL- 2011
Account: RCM

CERTIFICATE WH11108568

Project: RAU- Cheshire

P.O. No.: L

This report is for 195 Soil samples submitted to our lab in Whitehorse, YT, Canada on 16- JUN- 2011.

The following have access to data associated with this certificate:

ROB CARNE JULIA LANE	ANDREW CARNE JOAN MARIACHER	MATT DUMALA

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
SCR- 41	Screen to - 180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- TL43	Trace Level Au - 25g AR	ICP- MS
ME- MS41	51 anal. aqua regia ICPMS	

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 7- JUL- 2011
Account: RCM

Project: RAU- Cheshire

CERTIFICATE OF ANALYSIS WH11108568

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- TL43 Au ppm 0.001	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1
CC110501		0.40	0.002	0.20	1.69	10.6	<0.2	<10	160	0.45	0.20	4.13	0.48	27.3	21.4	61
CC110502		0.14	0.002	0.12	1.96	11.9	<0.2	<10	210	0.60	0.22	0.18	0.14	31.5	10.3	35
CC110503		0.20	0.001	0.05	2.09	11.0	<0.2	<10	210	0.69	0.19	0.36	0.28	35.4	15.0	51
CC110504		0.26	0.002	0.17	1.83	12.4	<0.2	<10	190	0.59	0.16	0.91	0.50	35.6	19.7	58
CC110505		0.16	0.002	0.14	2.34	20.6	<0.2	<10	100	0.44	0.09	1.64	0.31	31.5	36.4	126
CC110506		0.48	0.001	0.18	2.17	16.9	<0.2	<10	120	0.56	0.12	1.86	0.40	36.8	30.1	106
CC110507		0.12	0.005	0.16	2.21	28.9	<0.2	<10	180	0.54	0.16	1.27	0.22	27.8	30.4	97
CC110508		0.18	0.002	0.16	1.87	27.5	<0.2	<10	180	0.47	0.14	1.21	0.22	25.7	30.4	89
CC110509		0.18	0.003	0.18	1.58	30.6	<0.2	<10	200	0.51	0.17	1.20	0.27	28.6	21.0	58
CC110510		0.08	0.001	0.17	2.33	18.4	<0.2	<10	170	0.25	0.05	1.62	2.09	31.4	38.6	166
CC110511		0.30	0.001	0.02	3.57	13.9	<0.2	<10	90	0.32	0.09	0.49	0.20	14.05	73.6	201
CC110512		0.14	0.004	0.58	1.06	103.5	<0.2	<10	160	0.44	0.14	1.81	0.34	18.85	64.4	41
CC110513		0.28	0.118	1.03	0.77	746	0.2	<10	150	0.32	0.21	2.07	0.83	14.95	59.5	31
CC110514		0.38	0.021	0.35	1.88	43.9	<0.2	<10	170	0.53	0.15	1.04	1.21	32.0	36.6	86
CC110515		0.26	0.001	0.13	1.17	17	<0.2	<10	170	0.33	0.10	12.35	0.57	14.60	15.1	47
CC110516		0.32	0.002	0.18	1.75	16.5	<0.2	<10	150	0.46	0.13	2.75	0.52	29.5	23.2	80
CC110517		0.14	0.002	0.21	2.44	13.6	<0.2	<10	240	0.65	0.16	0.88	0.47	33.6	33.5	115
CC110518		0.32	0.001	0.17	2.48	10.2	<0.2	<10	180	0.67	0.12	1.52	0.24	27.1	26.3	105
CC110519		0.44	0.001	0.11	5.01	40.1	<0.2	<10	140	0.85	0.03	9.92	0.15	25.2	60.2	193
CC110520		0.22	0.001	0.06	4.64	1.9	<0.2	<10	300	1.61	0.03	1.26	0.10	16.60	75.5	216
CC110541		0.16	0.001	0.10	4.63	38.6	<0.2	<10	230	0.65	0.06	0.89	0.14	33.1	51.5	219
CC110542		0.24	0.001	0.09	5.20	28.4	<0.2	<10	140	0.76	0.06	0.92	0.23	42.2	59.3	244
CC110543		0.22	0.001	0.06	4.07	7.0	<0.2	<10	100	0.45	0.04	1.32	0.13	37.1	44.9	192
CC110544		0.14	0.001	0.12	2.73	11.7	<0.2	<10	150	0.49	0.08	2.54	0.23	27.1	56.4	171
CC110545		0.16	0.005	0.41	2.16	60.8	<0.2	<10	160	0.47	0.11	2.03	0.43	21.4	42.7	86
CC110546		0.22	0.004	0.28	1.53	43.0	<0.2	<10	180	0.54	0.14	2.05	0.44	23.9	23.6	67
CC110547		0.26	0.003	0.22	1.72	18.7	<0.2	<10	190	0.51	0.18	1.57	0.34	25.8	24.3	69
CC110548		0.20	0.008	0.23	1.84	72.3	<0.2	<10	130	0.37	0.11	1.58	0.31	22.3	34.7	81
CC110549		0.22	0.012	0.34	1.73	171.0	<0.2	<10	140	0.44	0.13	1.57	0.40	25.5	50.4	72
CC110550		0.26	0.007	0.27	2.48	137.0	<0.2	<10	100	0.44	0.09	1.81	0.39	27.4	57.9	111
CC110551		0.34	0.016	0.16	1.91	228	<0.2	<10	170	0.41	0.11	1.49	0.41	27.7	73.1	84
CC110552		0.24	0.009	0.28	1.60	134.5	<0.2	<10	210	0.41	0.12	2.07	0.47	21.1	62.9	73
CC110553		0.26	0.003	0.17	1.52	62.5	<0.2	<10	210	0.56	0.14	2.07	0.26	34.5	33.6	52
CC110554		0.26	0.002	0.15	2.16	31.1	<0.2	<10	190	0.60	0.13	1.97	0.19	32.6	27.6	64
CC110555		0.22	0.001	0.08	4.10	23.9	<0.2	<10	120	0.81	0.07	0.99	0.09	30.6	44.0	176
CC110556		0.28	0.002	0.09	2.34	33.6	<0.2	<10	170	0.46	0.12	5.11	0.35	29.2	29.0	110
CC110557		0.30	0.002	0.07	2.78	96.5	<0.2	<10	120	0.52	0.15	0.57	0.12	33.0	24.5	93
CC110558		0.26	0.001	0.16	2.65	16.0	<0.2	<10	180	0.46	0.21	0.89	0.19	26.1	17.6	114
CC110559		0.26	0.001	0.05	5.44	2.5	<0.2	<10	90	0.68	0.05	0.99	0.06	34.9	50.6	374
CC110560		0.20	0.001	0.05	2.85	6.4	<0.2	<10	180	0.72	0.13	0.99	0.17	48.4	23.9	57

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 7- JUL- 2011
Account: RCM

Project: RAU- Cheshire

CERTIFICATE OF ANALYSIS WH11108568

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
CC110501		0.78	54.4	3.55	5.48	0.17	0.05	0.07	0.027	0.09	14.8	13.8	2.63	752	1.36	0.02
CC110502		1.05	17.2	3.08	6.28	0.14	<0.02	0.08	0.027	0.04	16.3	13.7	0.50	331	1.69	0.01
CC110503		1.06	20.5	3.71	7.24	0.15	<0.02	0.02	0.030	0.05	17.4	16.7	0.92	474	1.87	0.01
CC110504		0.82	38.2	3.57	6.28	0.14	0.04	0.07	0.028	0.06	18.9	16.2	1.14	583	1.53	0.02
CC110505		0.55	90.2	4.99	8.97	0.17	0.06	0.05	0.030	0.05	16.7	16.7	2.58	649	1.48	0.01
CC110506		0.80	86.5	4.36	8.66	0.17	0.06	0.06	0.033	0.08	20.6	17.3	2.27	621	1.28	0.01
CC110507		1.00	77.2	4.54	8.16	0.15	0.05	0.07	0.031	0.06	15.9	17.5	1.77	1060	1.60	0.01
CC110508		0.67	64.9	4.20	5.65	0.15	0.04	0.05	0.025	0.04	14.4	14.8	1.34	837	1.21	0.01
CC110509		0.52	50.6	3.45	5.21	0.14	0.05	0.07	0.027	0.04	14.8	13.6	0.86	382	2.13	0.02
CC110510		0.25	43.8	5.72	8.10	0.16	0.02	0.04	0.020	0.04	16.7	15.7	2.07	1780	2.01	0.02
CC110511		0.44	74.9	7.85	12.20	0.16	0.07	0.01	0.050	0.02	6.5	46.9	2.73	1150	1.21	0.01
CC110512		0.45	88.1	8.74	3.18	0.15	0.03	0.10	0.046	0.04	9.6	8.4	0.71	1150	2.54	0.02
CC110513		0.55	161.0	7.30	2.20	0.14	0.04	0.20	0.051	0.03	8.1	4.8	0.48	1000	3.97	0.01
CC110514		0.64	75.2	4.67	6.45	0.15	0.05	0.09	0.036	0.05	16.7	17.0	1.34	909	1.66	0.01
CC110515		0.64	39.2	2.81	3.81	0.14	0.05	0.06	0.017	0.07	7.3	9.7	1.23	634	1.15	0.02
CC110516		1.19	63.3	3.63	6.16	0.16	0.07	0.10	0.030	0.09	15.4	14.9	2.05	471	1.16	0.01
CC110517		2.04	96.8	4.46	8.76	0.17	0.06	0.14	0.037	0.09	18.5	21.1	1.76	425	0.85	0.02
CC110518		0.97	64.4	5.14	8.88	0.17	0.04	0.07	0.036	0.08	16.3	18.6	2.30	633	1.10	0.01
CC110519		2.87	84.9	7.76	17.60	0.32	0.10	0.02	0.055	0.35	12.2	37.5	4.78	1100	0.70	0.01
CC110520		4.86	109.5	9.78	18.30	0.37	0.20	0.02	0.064	0.44	8.8	35.8	4.16	1160	1.17	0.01
CC110541		2.49	56.8	7.77	16.70	0.19	0.03	0.03	0.050	0.13	17.5	45.3	4.57	939	1.56	0.01
CC110542		1.12	74.1	8.86	18.70	0.18	0.03	0.04	0.061	0.06	22.0	51.6	4.59	1100	1.57	0.01
CC110543		1.26	54.8	6.94	13.15	0.21	0.04	0.03	0.041	0.04	20.3	41.8	3.98	779	0.73	0.01
CC110544		1.53	144.0	5.06	10.65	0.16	0.04	0.06	0.043	0.04	15.1	22.0	2.05	928	0.75	0.02
CC110545		0.75	92.3	6.79	7.33	0.15	0.04	0.10	0.045	0.05	10.3	35.4	1.75	960	3.20	0.01
CC110546		0.55	37.7	4.01	5.05	0.15	0.04	0.13	0.028	0.06	12.9	12.5	1.33	698	1.49	0.01
CC110547		0.65	43.6	3.79	5.64	0.14	0.05	0.09	0.030	0.07	14.0	14.3	1.22	855	1.11	0.01
CC110548		0.66	83.0	4.38	6.33	0.14	0.04	0.06	0.030	0.04	12.7	14.9	1.47	1320	1.78	0.01
CC110549		0.69	147.0	5.92	5.74	0.15	0.04	0.10	0.045	0.04	14.6	15.1	1.40	1140	2.40	0.01
CC110550		0.63	140.5	6.41	8.87	0.18	0.03	0.06	0.054	0.03	15.0	21.1	2.62	1220	1.78	0.01
CC110551		0.61	124.0	6.63	6.56	0.15	0.02	0.04	0.065	0.03	13.6	24.4	1.22	1730	1.81	0.01
CC110552		0.62	125.0	5.77	5.22	0.14	0.03	0.07	0.044	0.03	10.1	17.7	1.02	1760	1.97	0.02
CC110553		0.79	61.0	3.94	5.38	0.14	0.02	0.08	0.028	0.04	17.9	13.4	0.97	830	1.04	0.01
CC110554		0.78	72.7	3.49	6.78	0.14	0.03	0.07	0.031	0.05	18.8	18.9	1.30	854	0.56	0.01
CC110555		2.28	53.8	6.57	18.15	0.17	0.04	0.01	0.049	0.04	14.9	43.1	3.59	814	0.47	0.01
CC110556		0.88	61.5	4.28	7.26	0.15	0.04	0.05	0.028	0.07	15.1	17.9	2.48	633	1.03	0.02
CC110557		1.44	35.4	5.45	9.15	0.09	0.04	0.02	0.063	0.03	15.4	21.0	1.25	575	1.12	<0.01
CC110558		2.15	34.5	3.52	9.70	0.07	0.03	0.05	0.043	0.03	17.8	24.8	1.10	380	0.83	<0.01
CC110559		3.48	58.0	7.88	19.50	0.19	0.04	0.02	0.065	0.03	17.4	42.6	5.31	896	0.38	0.01
CC110560		2.11	50.0	4.82	9.61	0.09	0.05	0.03	0.022	0.05	24.5	27.1	1.73	545	1.13	0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 7- JUL- 2011
Account: RCM

Project: RAU- Cheshire

CERTIFICATE OF ANALYSIS WH11108568

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
CC110501		1.30	64.2	1240	18.9	7.7	0.001	0.01	1.27	4.6	0.4	0.3	67.8	<0.01	0.01	3.4
CC110502		1.62	22.8	620	15.5	7.7	<0.001	0.01	0.65	3.2	1.5	0.6	15.6	0.01	0.05	2.2
CC110503		2.19	35.4	940	15.2	7.7	<0.001	0.01	0.70	3.9	0.7	0.5	26.4	<0.01	0.03	2.1
CC110504		2.05	59.7	1310	15.7	7.7	0.001	0.03	0.97	5.2	0.5	0.4	41.5	<0.01	0.04	3.3
CC110505		2.81	122.0	1500	12.3	4.9	<0.001	0.02	1.29	6.6	0.9	0.3	38.8	<0.01	<0.01	2.7
CC110506		3.08	107.5	1540	13.8	8.3	<0.001	0.02	1.23	5.6	0.8	0.3	52.0	<0.01	<0.01	3.1
CC110507		2.78	103.5	1110	15.3	7.1	<0.001	0.03	1.53	6.0	1.1	0.3	42.8	<0.01	0.02	2.5
CC110508		1.91	95.4	1130	15.2	5.6	<0.001	0.03	1.25	4.3	0.4	0.2	29.8	<0.01	0.02	2.0
CC110509		1.81	59.8	810	19.4	5.6	0.001	0.05	1.90	4.9	1.4	0.3	41.0	<0.01	0.02	2.5
CC110510		0.77	127.0	1980	7.5	2.7	<0.001	0.06	1.47	4.3	1.1	0.2	59.6	<0.01	0.01	1.3
CC110511		1.86	215	690	5.0	2.1	0.001	0.01	1.97	13.7	0.6	0.3	14.1	0.01	0.02	1.7
CC110512		0.61	152.5	1280	13.9	3.8	<0.001	0.09	1.99	7.9	1.8	0.2	71.5	<0.01	0.03	0.9
CC110513		0.36	189.0	1500	38.4	3.2	0.001	0.12	8.38	6.7	3.5	<0.2	86.3	<0.01	0.05	0.5
CC110514		1.78	114.5	1500	19.0	5.7	<0.001	0.03	1.58	7.3	1.4	0.3	36.5	<0.01	0.03	2.7
CC110515		1.46	52.9	820	12.8	6.0	0.003	0.33	1.26	3.3	4.3	0.2	218	<0.01	0.01	1.6
CC110516		2.63	83.2	1260	19.8	7.8	0.001	0.06	1.74	5.4	1.4	0.3	51.3	<0.01	0.02	2.9
CC110517		2.77	124.5	1250	23.0	10.3	0.001	0.06	1.75	7.6	1.6	0.4	32.8	<0.01	0.01	3.8
CC110518		3.14	98.6	1340	14.4	10.0	<0.001	0.03	1.10	6.7	1.0	0.4	40.4	<0.01	0.01	2.1
CC110519		0.46	205	2160	3.7	26.5	<0.001	0.01	1.20	9.5	0.6	0.3	652	<0.01	<0.01	1.5
CC110520		1.70	245	1790	3.5	33.8	<0.001	0.01	1.87	17.8	0.8	0.7	58.3	<0.01	<0.01	1.6
CC110541		1.68	160.5	1880	8.6	14.1	<0.001	0.02	1.03	11.5	1.0	0.4	57.8	<0.01	<0.01	2.4
CC110542		1.11	212	1760	7.8	6.1	<0.001	0.02	1.45	12.8	1.0	0.4	35.3	<0.01	0.02	2.9
CC110543		2.10	162.0	2040	7.3	4.6	<0.001	0.03	1.03	8.7	0.6	0.3	53.1	<0.01	<0.01	2.3
CC110544		3.16	211	1070	13.3	6.0	<0.001	0.07	1.28	7.0	1.0	0.3	69.7	<0.01	<0.01	1.2
CC110545		0.71	115.5	1490	33.9	4.2	<0.001	0.08	4.22	7.8	1.7	0.2	72.7	<0.01	0.05	0.9
CC110546		1.24	68.4	1100	37.9	5.7	<0.001	0.06	2.05	4.1	1.1	0.2	63.6	<0.01	0.03	1.2
CC110547		1.42	62.0	1250	18.2	6.6	<0.001	0.06	0.97	4.4	0.9	0.3	50.0	<0.01	0.03	1.5
CC110548		1.45	107.0	1380	13.0	4.3	0.002	0.08	1.72	6.8	1.8	0.2	62.3	<0.01	0.02	1.3
CC110549		0.86	152.0	1290	21.1	4.6	0.001	0.08	3.05	10.5	1.9	0.2	57.1	<0.01	0.03	1.2
CC110550		0.97	161.0	1270	15.2	2.8	0.001	0.06	2.31	15.3	1.4	0.2	69.6	<0.01	0.01	1.5
CC110551		0.44	133.5	980	18.2	4.8	<0.001	0.06	1.57	16.8	1.9	0.2	67.0	<0.01	0.03	1.2
CC110552		0.55	162.0	970	18.4	5.0	0.001	0.07	1.40	10.0	1.5	0.2	89.1	<0.01	0.02	0.8
CC110553		0.90	106.5	1030	14.8	6.2	0.001	0.05	1.18	4.3	1.0	0.3	63.8	<0.01	0.02	1.1
CC110554		0.92	91.6	1140	13.2	7.4	<0.001	0.05	1.03	3.8	1.0	0.3	47.8	<0.01	0.01	1.1
CC110555		5.32	147.5	1490	6.6	4.6	<0.001	0.02	1.02	11.1	0.5	0.5	28.7	<0.01	<0.01	3.2
CC110556		2.20	116.5	1220	14.5	6.1	<0.001	0.02	1.13	6.7	0.7	0.3	124.0	<0.01	0.02	2.8
CC110557		2.84	103.5	520	17.6	6.9	<0.001	0.02	1.60	9.6	0.4	0.5	15.9	0.01	0.02	2.8
CC110558		1.23	80.1	730	13.8	7.4	<0.001	0.04	0.53	7.9	0.6	0.6	29.3	<0.01	0.03	1.4
CC110559		3.31	232	1920	4.7	3.7	<0.001	0.02	0.30	19.0	0.4	0.4	31.1	0.01	0.02	3.4
CC110560		5.32	70.4	1940	12.4	10.8	<0.001	0.02	0.45	3.6	0.4	0.4	76.5	0.01	0.02	2.4

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 7- JUL- 2011
Account: RCM

Project: RAU- Cheshire

CERTIFICATE OF ANALYSIS WH11108568

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
CC110501		0.098	0.12	0.54	57	0.17	9.61	117	2.2
CC110502		0.059	0.14	0.84	59	0.26	5.20	65	0.5
CC110503		0.102	0.13	0.58	75	0.20	5.07	87	<0.5
CC110504		0.079	0.10	0.71	62	0.18	9.47	110	1.4
CC110505		0.120	0.06	0.35	78	0.15	9.14	104	1.9
CC110506		0.097	0.09	0.39	60	0.20	10.30	112	1.8
CC110507		0.108	0.08	0.46	69	0.18	9.76	93	1.5
CC110508		0.079	0.07	0.58	57	0.16	8.70	87	1.1
CC110509		0.055	0.07	0.80	52	0.24	9.04	72	1.5
CC110510		0.034	0.04	0.43	72	0.06	8.56	209	0.6
CC110511		0.175	0.03	0.43	131	0.11	5.94	94	2.1
CC110512		0.018	0.05	0.42	31	0.10	13.55	143	1.1
CC110513		0.012	0.06	1.30	23	0.08	14.15	196	1.1
CC110514		0.065	0.09	0.59	62	0.12	12.45	147	1.9
CC110515		0.044	0.07	1.07	37	0.09	5.46	85	2.0
CC110516		0.079	0.08	0.73	58	0.11	9.04	101	2.5
CC110517		0.083	0.14	1.50	81	0.12	10.95	133	2.8
CC110518		0.143	0.10	0.53	86	0.13	9.90	102	1.4
CC110519		0.278	0.22	0.12	160	0.30	5.32	118	2.4
CC110520		0.612	0.35	0.20	202	0.48	7.88	117	5.7
CC110541		0.187	0.20	0.41	153	0.10	10.05	124	1.4
CC110542		0.111	0.10	0.25	177	0.09	12.05	135	0.9
CC110543		0.117	0.09	0.30	124	0.11	9.20	109	1.1
CC110544		0.090	0.08	0.97	102	0.11	10.20	91	1.5
CC110545		0.025	0.05	0.72	62	0.10	12.90	128	1.3
CC110546		0.033	0.07	0.72	48	0.07	8.81	98	1.3
CC110547		0.047	0.07	0.86	54	0.09	9.67	90	1.2
CC110548		0.054	0.05	0.96	59	0.17	9.05	94	1.1
CC110549		0.029	0.06	1.03	55	0.11	12.95	108	1.1
CC110550		0.036	0.05	0.61	82	0.09	11.35	101	0.9
CC110551		0.019	0.05	0.87	63	0.09	11.80	94	0.5
CC110552		0.021	0.05	0.91	49	0.14	11.85	83	0.6
CC110553		0.025	0.08	0.96	47	0.13	11.70	84	0.9
CC110554		0.031	0.07	1.13	53	0.17	11.35	77	1.0
CC110555		0.199	0.07	0.24	117	0.18	5.40	130	1.4
CC110556		0.082	0.09	0.50	70	0.13	9.56	91	1.5
CC110557		0.062	0.12	0.66	80	0.17	8.74	81	1.5
CC110558		0.032	0.13	0.63	80	0.25	10.70	67	1.0
CC110559		0.248	0.08	0.26	184	0.20	10.60	111	1.4
CC110560		0.175	0.09	0.89	64	0.23	10.55	81	1.7

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 7- JUL- 2011
Account: RCM

Project: RAU- Cheshire

CERTIFICATE OF ANALYSIS WH11108568

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- TL43 Au ppm 0.001	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1
CC110561		0.22	0.001	0.03	4.17	6.2	<0.2	<10	70	0.64	0.07	0.87	0.11	80.9	68.7	297
CC110562		0.22	0.001	0.04	2.92	19.0	<0.2	<10	270	0.47	0.17	0.58	0.11	38.9	30.4	129
CC110563		0.20	0.005	0.18	2.06	453	<0.2	<10	340	0.54	0.20	0.46	0.15	30.4	18.4	59
CC110564		0.42	0.002	0.21	2.65	23.6	<0.2	<10	280	0.57	0.14	3.04	0.16	32.1	22.9	107
CC110565		0.22	<0.001	0.09	2.53	20.8	<0.2	<10	270	0.48	0.19	0.30	0.12	23.6	19.9	94
CC110566		0.50	0.001	0.14	5.02	32.7	<0.2	<10	860	1.28	0.06	1.49	0.17	38.6	69.4	289
CC110567		0.30	0.001	0.22	4.41	33.4	<0.2	<10	140	0.87	0.09	1.65	0.23	27.8	36.1	221
CC110569		0.26	0.003	0.15	2.00	49.2	<0.2	<10	120	0.52	0.15	0.96	0.28	39.3	27.4	78
CC110570		0.20	0.005	0.16	3.08	58.8	<0.2	<10	70	0.33	0.12	2.66	0.27	33.2	37.9	138
CC110571		0.16	0.002	0.17	3.11	43.1	<0.2	<10	110	0.33	0.08	1.73	0.27	20.7	41.3	162
CC110572		0.34	0.001	0.06	2.61	18.6	<0.2	<10	260	0.39	0.24	0.26	0.19	26.3	20.7	65
CC110573		0.38	0.004	0.16	1.59	44.9	<0.2	<10	100	0.28	0.12	4.64	0.26	30.5	26.9	62
CC110574		0.22	0.003	0.14	1.55	149.5	<0.2	<10	170	0.18	0.05	3.88	0.34	22.7	32.7	49
CC110575		0.26	0.001	0.04	3.32	44.6	<0.2	<10	280	0.60	0.13	0.47	0.22	50.5	43.7	151
CC110576		0.22	0.001	0.14	2.07	15.9	<0.2	<10	200	0.70	0.21	0.84	0.28	31.1	13.6	48
CC110577		0.32	0.001	0.17	2.05	26.3	<0.2	<10	240	0.58	0.21	0.87	0.14	31.6	16.6	59
CC110578		0.28	0.001	0.11	2.26	15.7	<0.2	<10	210	0.52	0.17	0.95	0.28	28.3	18.6	131
CC110579		0.26	0.001	0.04	3.56	5.4	<0.2	<10	160	0.49	0.11	1.07	0.14	40.7	36.6	208
CC110580		0.20	0.002	0.12	3.56	6.6	<0.2	<10	430	0.70	0.06	2.02	0.16	62.6	39.5	83
CC110581		0.20	0.001	0.02	2.00	13.0	<0.2	<10	210	0.38	0.26	0.45	0.36	21.9	11.1	43
CC110582		0.20	0.001	0.07	3.59	15.1	<0.2	<10	110	0.74	0.11	1.11	0.15	59.3	52.0	222
CC110583		0.26	0.001	0.08	4.03	10.4	<0.2	<10	120	0.63	0.09	0.71	0.07	49.3	42.9	230
CC110584		0.36	0.001	0.12	2.69	43.7	<0.2	<10	160	0.49	0.25	0.12	0.18	21.8	29.0	75
CC110585		0.26	0.001	0.15	2.11	9.1	<0.2	<10	240	0.38	0.19	0.36	0.08	22.7	12.6	95
CC110586		0.28	0.002	0.27	2.19	15.0	<0.2	<10	320	0.60	0.24	1.13	0.21	29.6	15.0	65
CC110587		0.12	<0.001	0.14	2.87	12.7	<0.2	<10	460	0.63	0.13	0.81	0.36	28.7	65.3	137
CC110588		0.30	0.001	0.10	4.12	20.9	<0.2	<10	530	0.89	0.06	2.02	0.25	31.7	39.4	211
CC110589		0.42	0.001	0.10	4.33	10.5	<0.2	<10	460	0.79	0.05	4.34	0.18	28.0	50.2	236
CC110590		0.14	0.002	0.13	3.02	8.7	<0.2	<10	340	0.53	0.11	1.32	0.32	26.8	30.5	150
CC110591		0.40	0.001	0.10	2.78	10.4	<0.2	<10	290	0.67	0.21	0.53	0.08	37.7	22.5	97
CC110592		0.20	<0.001	0.07	2.59	6.7	<0.2	<10	400	0.32	0.20	0.48	0.11	20.8	22.5	151
CC110593		0.48	<0.001	0.14	4.98	8.2	<0.2	<10	160	0.63	0.07	0.86	0.15	38.1	39.2	206
CC110594		0.18	0.002	0.11	3.84	11.5	<0.2	<10	130	0.53	0.06	1.92	0.25	55.1	46.8	221
CC110595		0.30	0.001	0.07	1.85	12.8	<0.2	<10	110	0.48	0.09	1.76	0.31	38.5	27.3	46
CC110596		0.40	0.001	0.06	2.18	13.4	<0.2	<10	130	0.37	0.07	0.87	0.15	65.2	19.1	71
CC110597		0.32	0.001	0.02	3.49	11.1	<0.2	<10	170	0.43	0.07	1.08	0.12	42.2	52.5	263
CC110598		0.28	0.002	0.15	3.20	26.9	<0.2	<10	160	0.58	0.11	1.47	0.15	53.1	30.6	125
CC110599		0.18	0.002	0.20	2.05	70.0	<0.2	<10	200	0.68	0.17	0.96	0.15	33.0	19.6	65
CC110600		0.28	0.002	0.15	2.84	67.6	<0.2	<10	150	0.58	0.12	1.71	0.17	37.4	35.9	109
CC110611		0.34	0.001	0.11	2.50	20.0	<0.2	<10	210	0.66	0.21	0.34	0.17	29.7	18.5	43

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 7- JUL- 2011
Account: RCM

Project: RAU- Cheshire

CERTIFICATE OF ANALYSIS WH11108568

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
CC110561		0.88	51.1	6.52	17.95	0.18	0.06	0.02	0.072	0.02	34.6	34.4	3.40	717	0.73	<0.01
CC110562		1.79	39.7	5.01	10.70	0.09	0.03	0.02	0.052	0.05	15.3	26.7	1.80	920	1.32	0.01
CC110563		1.27	29.5	5.25	6.40	0.09	0.04	0.05	0.054	0.04	15.4	14.4	0.78	934	0.95	0.01
CC110564		1.05	66.9	4.45	8.94	0.09	0.06	0.09	0.042	0.07	17.8	18.6	2.38	544	1.21	0.01
CC110565		4.77	24.1	4.42	10.60	0.08	0.02	0.03	0.045	0.05	11.8	23.5	1.55	590	1.13	<0.01
CC110566		16.90	76.6	9.60	25.3	0.28	0.05	0.04	0.077	0.45	17.4	57.5	4.86	1320	0.40	0.01
CC110567		7.28	71.2	6.14	15.10	0.19	0.05	0.05	0.058	0.08	13.3	67.7	5.10	952	0.51	0.01
CC110569		0.65	84.8	4.27	6.84	0.09	0.05	0.11	0.042	0.04	23.5	16.4	1.54	954	1.31	<0.01
CC110570		1.45	165.5	5.78	10.55	0.14	0.05	0.06	0.048	0.04	17.6	24.4	3.29	960	2.00	0.01
CC110571		1.36	103.5	5.67	9.68	0.11	0.04	0.04	0.048	0.04	10.8	21.9	2.87	1060	0.87	0.01
CC110572		0.96	28.9	4.27	9.49	0.07	0.05	0.02	0.042	0.03	13.0	26.6	0.92	598	1.93	<0.01
CC110573		0.64	46.5	3.84	5.64	0.09	0.05	0.06	0.031	0.05	15.9	17.4	3.47	492	1.92	0.01
CC110574		0.37	54.6	5.85	5.60	0.11	0.03	0.08	0.034	0.04	11.6	23.7	1.82	890	0.79	0.01
CC110575		0.82	32.9	5.67	16.20	0.11	0.04	0.03	0.066	0.02	23.6	30.3	1.71	609	1.40	<0.01
CC110576		1.26	56.7	3.06	6.99	0.07	0.04	0.04	0.038	0.03	19.8	14.7	0.71	505	0.71	<0.01
CC110577		1.03	44.1	3.34	6.79	0.07	0.04	0.04	0.038	0.04	16.7	15.3	0.86	675	0.77	0.01
CC110578		1.53	48.0	3.76	7.94	0.07	0.03	0.05	0.038	0.04	14.4	19.6	1.23	565	0.98	0.01
CC110579		2.65	73.0	5.53	14.45	0.11	0.04	0.02	0.055	0.04	19.7	33.2	2.79	647	0.74	<0.01
CC110580		5.12	95.1	6.78	14.25	0.14	0.04	0.06	0.055	0.10	36.1	24.5	2.99	1080	0.82	0.01
CC110581		1.23	21.2	3.29	8.47	0.06	0.03	0.01	0.030	0.04	11.1	17.7	0.63	356	1.30	<0.01
CC110582		1.44	87.7	5.72	14.55	0.13	0.08	0.03	0.062	0.04	31.3	28.4	2.77	810	0.77	0.01
CC110583		1.84	55.5	6.11	15.15	0.14	0.04	0.03	0.059	0.03	24.8	38.5	3.31	711	0.57	<0.01
CC110584		8.44	21.1	5.21	12.05	0.08	0.02	0.03	0.048	0.05	10.3	29.9	1.35	1590	2.06	<0.01
CC110585		2.00	17.4	3.32	8.35	0.07	0.02	0.04	0.029	0.04	11.7	27.5	1.09	242	1.47	<0.01
CC110586		1.23	40.1	3.82	6.76	0.07	0.06	0.09	0.046	0.06	16.8	18.4	1.27	478	2.17	0.01
CC110587		5.59	33.0	5.78	13.05	0.11	0.02	0.09	0.055	0.07	12.8	31.0	1.89	2890	1.48	0.01
CC110588		7.61	59.2	7.29	18.55	0.23	0.04	0.04	0.063	0.21	15.4	51.0	3.91	1310	0.59	0.01
CC110589		10.90	67.6	8.33	19.75	0.23	0.08	0.03	0.063	0.40	14.7	38.8	3.80	1110	0.97	0.01
CC110590		3.58	55.1	5.87	13.00	0.13	0.04	0.06	0.051	0.09	13.8	30.2	2.73	945	1.13	0.01
CC110591		4.85	24.4	4.78	10.45	0.08	0.03	0.05	0.052	0.05	18.2	26.6	1.77	675	1.23	0.01
CC110592		4.31	21.7	4.30	12.25	0.07	0.04	0.03	0.030	0.03	10.3	32.2	1.56	595	1.11	<0.01
CC110593		3.40	79.2	6.73	17.05	0.14	0.04	0.04	0.064	0.04	21.5	66.0	4.80	1160	0.42	<0.01
CC110594		2.07	79.8	5.93	14.55	0.21	0.08	0.03	0.056	0.08	29.5	41.3	3.72	1100	0.65	0.01
CC110595		0.44	71.9	4.85	5.28	0.09	0.11	0.05	0.038	0.04	21.0	16.7	0.85	935	1.65	<0.01
CC110596		0.77	88.9	4.82	7.19	0.11	0.12	0.04	0.024	0.10	31.9	19.5	0.75	260	0.58	<0.01
CC110597		3.58	78.9	6.10	12.85	0.16	0.06	0.01	0.058	0.09	22.9	31.4	2.44	504	0.61	0.01
CC110598		0.84	91.4	5.04	13.00	0.10	0.05	0.04	0.061	0.03	26.0	30.4	2.18	965	0.66	<0.01
CC110599		0.82	57.7	3.59	6.85	0.07	0.05	0.06	0.047	0.04	19.6	20.5	0.91	549	0.80	0.01
CC110600		0.73	61.2	4.61	9.85	0.09	0.06	0.04	0.054	0.04	18.9	30.8	1.70	954	0.72	<0.01
CC110611		1.29	20.9	3.35	9.13	0.06	0.02	0.03	0.045	0.03	15.1	22.6	0.65	567	0.77	<0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 7- JUL- 2011
Account: RCM

Project: RAU- Cheshire

CERTIFICATE OF ANALYSIS WH11108568

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
CC110561		3.53	246	3280	8.0	3.1	<0.001	0.01	0.89	15.5	0.5	0.4	28.5	0.01	0.02	7.6
CC110562		2.70	92.1	1590	22.4	8.6	<0.001	0.02	1.06	7.0	0.5	0.5	23.7	<0.01	0.03	3.2
CC110563		1.08	93.2	930	19.9	8.3	<0.001	0.02	1.55	9.2	0.7	0.5	30.1	0.01	0.05	2.5
CC110564		2.08	97.4	1200	18.5	7.6	<0.001	0.02	1.15	8.5	0.6	0.4	58.4	0.01	0.03	3.2
CC110565		1.95	67.7	800	21.5	10.6	<0.001	0.02	0.76	5.8	0.4	0.5	15.6	<0.01	0.03	1.5
CC110566		1.89	233	3340	6.2	22.2	<0.001	0.04	1.24	14.6	0.6	0.3	91.4	0.01	0.01	3.4
CC110567		1.07	146.0	2790	11.3	12.4	<0.001	0.02	0.65	15.5	0.5	0.3	56.2	0.01	0.01	3.5
CC110569		1.82	105.0	1450	20.3	5.0	<0.001	0.02	1.78	9.3	0.7	0.3	29.5	0.01	0.03	3.0
CC110570		3.26	183.0	1130	17.2	4.6	<0.001	0.05	2.24	10.2	0.7	0.2	66.5	0.01	0.02	2.4
CC110571		1.43	141.5	890	8.5	4.5	0.001	0.08	1.41	13.3	1.1	0.2	59.3	<0.01	0.02	1.1
CC110572		1.47	57.8	320	14.1	5.9	<0.001	0.01	0.71	5.9	0.4	0.6	18.3	0.01	0.04	3.6
CC110573		2.07	75.4	1500	19.9	5.3	<0.001	0.03	1.32	6.0	0.7	0.2	59.1	0.01	0.02	2.3
CC110574		0.33	100.5	2260	6.8	3.3	<0.001	0.06	1.26	5.0	1.0	<0.2	121.0	0.01	0.02	0.8
CC110575		1.06	148.0	800	10.4	5.4	<0.001	0.02	0.74	9.8	0.4	0.5	25.2	<0.01	0.03	3.3
CC110576		1.24	58.7	720	18.8	6.6	<0.001	0.03	0.73	5.0	0.6	0.5	30.7	0.01	0.04	1.5
CC110577		1.36	60.7	690	18.9	7.9	<0.001	0.03	0.79	5.4	0.6	0.4	31.7	0.01	0.03	1.6
CC110578		2.07	84.3	780	14.4	9.0	<0.001	0.05	0.58	6.3	0.6	0.4	36.8	0.01	0.03	1.4
CC110579		3.96	153.5	980	9.5	7.6	<0.001	0.02	0.50	14.9	0.4	0.4	36.0	0.01	0.02	3.3
CC110580		5.36	116.0	2530	7.2	6.4	<0.001	0.05	0.50	7.9	0.7	0.3	89.9	0.01	0.02	2.0
CC110581		2.23	32.8	380	16.6	10.1	<0.001	0.02	0.51	3.9	0.2	0.7	23.3	<0.01	0.03	2.8
CC110582		3.93	218	2500	11.8	5.9	<0.001	0.02	1.03	15.3	0.5	0.4	37.8	0.01	0.02	5.6
CC110583		4.62	187.5	2360	9.2	5.6	<0.001	0.01	0.64	13.5	0.5	0.4	22.3	0.01	0.02	5.0
CC110584		2.81	48.4	490	13.4	15.6	<0.001	0.01	0.78	5.4	0.5	0.7	10.3	<0.01	0.04	2.1
CC110585		5.25	48.6	630	15.2	5.7	<0.001	0.02	0.77	3.2	0.6	0.6	17.5	0.01	0.02	1.3
CC110586		1.43	61.6	1000	23.7	9.3	<0.001	0.03	1.12	6.3	0.7	0.4	23.5	0.01	0.03	2.3
CC110587		1.89	95.9	1530	13.1	10.1	<0.001	0.07	0.98	6.6	0.8	0.3	40.3	0.01	0.03	1.1
CC110588		2.25	117.5	2270	6.6	16.6	<0.001	0.03	0.86	11.9	0.6	0.3	70.3	0.01	0.01	2.1
CC110589		3.53	178.5	2400	5.7	19.1	<0.001	0.02	1.25	13.9	0.4	0.4	137.0	0.01	0.01	2.7
CC110590		3.95	112.0	1590	11.8	10.4	<0.001	0.03	1.15	7.8	0.6	0.3	37.0	0.01	0.03	2.0
CC110591		2.48	66.4	1030	19.8	7.4	<0.001	0.03	0.74	6.0	0.6	0.5	17.5	0.01	0.03	1.8
CC110592		7.12	87.0	520	15.3	8.7	<0.001	0.02	0.67	3.5	0.4	0.7	25.9	0.01	0.03	1.8
CC110593		1.28	138.5	2070	6.1	4.9	<0.001	0.02	0.65	15.3	0.5	0.3	29.7	<0.01	0.02	2.4
CC110594		3.56	210	3120	9.4	7.1	<0.001	0.02	0.81	14.0	0.8	0.3	53.7	0.01	0.01	5.4
CC110595		1.24	117.0	1030	17.3	4.2	<0.001	0.03	1.00	5.4	1.1	0.2	30.6	0.01	0.02	4.0
CC110596		4.22	69.1	1580	6.8	7.7	<0.001	0.02	0.54	3.8	1.0	0.2	34.4	0.03	0.01	4.8
CC110597		7.22	227	1320	6.2	9.5	<0.001	0.02	0.60	16.8	0.8	0.5	43.2	0.01	0.02	3.6
CC110598		1.23	144.0	1380	11.6	5.1	<0.001	0.03	1.07	7.6	0.8	0.4	41.9	<0.01	0.02	3.0
CC110599		1.03	69.6	950	15.6	6.5	<0.001	0.03	0.99	7.4	1.0	0.4	36.4	0.01	0.04	1.9
CC110600		1.00	138.0	1090	13.8	5.9	<0.001	0.02	1.05	8.9	0.8	0.3	58.4	<0.01	0.02	3.5
CC110611		1.20	44.7	520	16.4	8.3	<0.001	0.02	0.37	4.3	0.6	0.6	15.9	<0.01	0.03	1.6

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 7- JUL- 2011
Account: RCM

Project: RAU- Cheshire

CERTIFICATE OF ANALYSIS WH11108568

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
CC110561		0.207	0.05	1.20	182	0.32	12.75	133	3.3
CC110562		0.116	0.16	0.71	107	0.20	6.26	93	1.4
CC110563		0.036	0.12	0.77	61	0.17	13.50	77	1.2
CC110564		0.103	0.15	0.65	80	0.15	14.50	89	2.5
CC110565		0.081	0.18	0.52	89	0.17	5.55	74	<0.5
CC110566		0.212	0.22	0.48	201	0.32	11.95	156	2.7
CC110567		0.142	0.24	0.26	123	0.14	13.75	117	1.9
CC110569		0.100	0.09	0.76	68	0.18	18.05	93	1.5
CC110570		0.110	0.08	0.56	94	0.55	11.35	100	1.8
CC110571		0.081	0.07	0.98	100	0.07	9.04	93	1.1
CC110572		0.041	0.14	0.47	87	0.22	4.37	64	2.3
CC110573		0.062	0.09	0.85	50	0.15	10.95	98	1.7
CC110574		0.010	0.04	0.71	29	0.16	10.55	125	1.0
CC110575		0.027	0.10	0.57	109	0.18	6.48	124	1.7
CC110576		0.036	0.10	0.97	59	0.15	11.75	69	1.1
CC110577		0.038	0.09	0.97	59	0.16	11.35	68	1.2
CC110578		0.064	0.09	1.01	76	0.16	8.92	76	1.0
CC110579		0.167	0.08	0.78	142	0.15	9.77	95	2.0
CC110580		0.118	0.04	0.69	82	0.14	12.35	112	1.2
CC110581		0.060	0.15	0.54	75	0.29	3.07	69	1.3
CC110582		0.157	0.08	1.17	153	0.27	14.35	110	3.9
CC110583		0.220	0.08	0.75	143	0.24	11.70	106	1.7
CC110584		0.158	0.17	0.43	104	0.24	3.32	95	0.9
CC110585		0.156	0.12	0.60	71	0.22	4.72	49	1.0
CC110586		0.046	0.19	1.56	68	0.17	14.25	104	1.9
CC110587		0.091	0.28	0.94	114	0.26	8.40	90	0.7
CC110588		0.173	0.20	0.51	156	0.19	9.70	121	1.8
CC110589		0.329	0.21	0.23	175	0.22	8.06	136	3.2
CC110590		0.171	0.13	0.46	113	0.23	9.11	103	1.4
CC110591		0.114	0.20	1.31	90	0.18	9.60	76	0.7
CC110592		0.271	0.13	0.56	103	0.30	5.16	67	1.4
CC110593		0.092	0.05	0.43	156	0.10	12.80	101	1.3
CC110594		0.156	0.07	0.94	147	0.24	11.80	105	3.8
CC110595		0.042	0.06	1.31	36	0.11	13.80	140	4.9
CC110596		0.025	0.04	1.97	40	0.16	13.20	137	4.6
CC110597		0.354	0.10	0.64	203	0.21	13.50	82	2.5
CC110598		0.043	0.07	0.45	93	0.18	11.25	100	1.4
CC110599		0.037	0.07	0.79	60	0.16	15.30	73	1.2
CC110600		0.034	0.07	0.40	80	0.16	13.30	100	1.9
CC110611		0.032	0.13	0.75	64	0.20	8.42	69	0.7

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 7- JUL- 2011
Account: RCM

Project: RAU- Cheshire

CERTIFICATE OF ANALYSIS WH11108568

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- TL43 Au ppm 0.001	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1
CC110612		0.22	0.001	0.05	2.64	26.7	<0.2	<10	240	0.55	0.19	0.19	0.14	28.7	26.3	98
CC110613		0.48	0.001	0.06	2.37	10.9	<0.2	<10	410	0.55	0.23	0.22	0.10	23.8	9.2	45
CC110614		0.36	0.001	0.21	3.09	19.2	<0.2	<10	240	0.66	0.11	1.38	0.38	27.4	33.4	191
CC110615		0.40	0.001	0.10	4.10	14.9	<0.2	<10	150	0.76	0.06	2.77	0.31	25.1	42.2	206
CC110616		0.34	<0.001	0.03	5.05	2.0	<0.2	<10	130	0.93	0.04	1.50	0.14	59.7	44.2	144
CC110617		0.36	<0.001	0.07	2.13	18.0	<0.2	<10	470	0.65	0.24	0.64	0.21	23.8	14.1	41
CC110618		0.24	0.001	0.08	2.04	17.4	<0.2	<10	170	0.59	0.21	0.13	0.09	27.3	11.6	44
CC110619		0.20	0.014	0.04	1.56	518	<0.2	<10	90	0.44	0.16	1.28	0.35	24.6	29.8	58
CC110620		0.18	0.019	0.18	1.54	212	<0.2	<10	160	0.36	0.16	1.26	0.42	24.5	31.6	55
CC110621		0.12	0.001	0.06	1.50	26.3	<0.2	<10	170	0.36	0.09	3.02	0.36	22.0	23.8	95
CC110622		0.38	0.003	0.14	1.98	27.8	<0.2	<10	190	0.39	0.11	1.46	0.20	27.2	29.8	91
CC110623		0.22	0.002	0.15	2.77	34.4	<0.2	<10	210	0.52	0.09	1.42	0.23	35.0	28.7	183
CC110624		0.40	0.001	0.05	4.50	6.9	<0.2	<10	50	0.74	0.06	0.46	0.17	74.6	55.7	248
CC110625		0.66	0.001	0.07	3.02	11.0	<0.2	<10	230	0.66	0.15	0.53	0.07	35.5	34.8	177
CC110626		0.10	0.002	0.18	2.34	12.9	<0.2	<10	350	0.74	0.13	1.79	0.89	48.9	22.2	83
CC110627		0.38	0.001	0.09	1.65	12.6	<0.2	<10	130	0.43	0.13	0.56	0.24	34.2	17.0	65
CC110628		0.30	0.002	0.17	2.86	26.2	<0.2	<10	180	0.42	0.09	2.00	0.52	34.2	30.2	136
CC110629		0.12	0.001	0.14	1.98	18.8	<0.2	<10	140	0.41	0.12	0.84	0.32	30.2	21.9	95
CC110630		0.36	0.001	0.12	1.45	10.3	<0.2	<10	160	0.34	0.12	1.92	0.67	29.9	15.8	62
CC110631		0.42	0.002	0.15	2.13	21.1	<0.2	<10	120	0.34	0.10	4.05	0.44	28.2	26.9	103
CC110632		0.82	0.006	0.23	2.02	39.3	<0.2	<10	140	0.40	0.15	1.55	0.53	31.4	29.2	100
CC110633		0.44	0.002	0.22	2.02	34.4	<0.2	<10	240	0.52	0.15	2.02	0.40	29.0	26.0	91
CC110634		0.30	0.007	0.25	1.30	54.3	<0.2	<10	190	0.38	0.15	1.87	0.75	21.5	18.3	46
CC110635		0.16	0.003	0.25	0.52	102.0	<0.2	<10	120	0.24	0.07	1.34	0.74	17.85	12.8	21
CC110636		0.24	0.002	0.18	1.48	13.9	<0.2	<10	180	0.42	0.15	1.47	0.17	23.6	13.6	46
CC110637		0.28	0.002	0.28	1.79	24.5	<0.2	<10	190	0.52	0.19	0.92	0.30	31.0	21.9	64
CC110638		0.18	0.001	0.15	1.93	15.8	<0.2	<10	200	0.45	0.15	1.91	0.35	28.4	23.2	86
CC110639		0.24	0.002	0.21	2.27	27.7	<0.2	<10	230	0.50	0.16	1.08	0.38	29.3	25.2	97
CC110640		0.18	0.002	0.22	2.22	27.7	<0.2	<10	190	0.55	0.17	2.26	0.48	35.0	26.4	96
CC110641		0.24	0.004	0.31	1.47	74.5	<0.2	<10	180	0.45	0.15	2.13	0.86	23.7	23.5	53
CC110642		0.20	0.005	0.16	1.41	78.5	<0.2	<10	180	0.36	0.14	2.33	0.46	21.2	26.2	52
CC110643		0.16	0.002	0.06	1.64	57.4	<0.2	<10	160	0.41	0.14	1.56	0.26	25.2	24.9	69
CC110644		0.20	0.003	0.17	1.65	55.0	<0.2	<10	170	0.41	0.14	2.09	0.32	28.5	23.3	65
CC110645		0.26	0.001	0.18	1.79	39.8	<0.2	<10	160	0.33	0.10	1.75	0.32	23.7	29.8	105
CC110646		0.10	0.002	0.09	2.38	27.8	<0.2	<10	150	0.58	0.10	1.94	0.18	29.6	30.1	107
CC110661		0.22	0.009	0.16	2.24	119.5	<0.2	<10	90	0.37	0.09	2.13	0.35	31.1	33.1	111
CC110662		0.22	0.002	0.21	2.97	29.1	<0.2	<10	260	0.79	0.16	0.62	0.15	36.0	22.3	85
CC110663		0.36	0.066	0.70	0.47	1930	<0.2	<10	70	0.24	0.03	4.17	0.57	18.50	87.5	24
CC110664		0.26	0.002	0.09	3.38	47.1	<0.2	<10	80	0.67	0.05	4.18	0.21	57.1	38.0	184
CC110665		0.44	0.001	0.12	3.43	62.4	<0.2	<10	100	0.65	0.08	2.75	0.27	61.4	41.9	183

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 7- JUL- 2011
Account: RCM

Project: RAU- Cheshire

CERTIFICATE OF ANALYSIS WH11108568

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
CC110612		1.18	16.7	3.95	10.15	0.06	0.04	0.02	0.044	0.02	13.3	24.4	0.81	425	1.52	<0.01
CC110613		1.15	12.1	3.27	8.26	0.05	0.04	0.02	0.042	0.03	11.7	19.2	0.55	205	1.52	<0.01
CC110614		1.56	74.9	5.38	12.75	0.10	0.06	0.06	0.054	0.04	14.1	30.7	2.12	964	0.77	<0.01
CC110615		4.83	89.2	6.91	16.50	0.21	0.08	0.04	0.061	0.23	13.7	31.9	4.31	930	0.63	0.01
CC110616		1.96	64.4	7.65	18.65	0.21	0.07	0.01	0.059	0.17	30.2	34.4	4.45	1140	1.01	<0.01
CC110617		1.02	21.2	3.08	7.42	0.05	0.03	0.02	0.041	0.03	12.1	15.5	0.59	570	0.79	<0.01
CC110618		2.01	18.8	3.38	7.09	0.06	0.03	0.02	0.037	0.03	14.0	19.7	0.52	179	1.01	<0.01
CC110619		0.73	62.2	5.51	5.21	0.08	0.04	0.03	0.055	0.03	12.9	14.1	0.56	698	1.30	<0.01
CC110620		0.71	52.3	5.20	5.14	0.08	0.04	0.04	0.051	0.04	12.0	16.0	0.82	843	2.20	0.01
CC110621		3.61	80.8	2.63	4.80	0.07	0.04	0.09	0.028	0.03	11.4	16.6	1.19	533	0.82	0.01
CC110622		2.04	105.5	3.74	7.60	0.08	0.04	0.09	0.039	0.05	14.2	20.1	1.40	674	1.74	0.01
CC110623		3.45	123.0	5.09	11.10	0.11	0.05	0.07	0.054	0.03	20.6	29.2	1.93	667	0.78	0.01
CC110624		1.53	47.5	6.46	16.25	0.15	0.05	0.02	0.092	0.01	19.7	53.6	3.63	1360	0.59	<0.01
CC110625		2.59	43.0	5.04	11.00	0.09	0.04	0.04	0.051	0.04	18.0	28.5	2.16	588	0.78	<0.01
CC110626		1.50	78.9	4.39	8.54	0.10	0.04	0.12	0.048	0.11	25.1	35.8	1.79	1060	1.71	0.01
CC110627		0.67	51.5	3.36	5.43	0.08	0.06	0.07	0.034	0.06	18.7	14.5	0.97	533	1.14	<0.01
CC110628		0.93	88.1	5.39	10.60	0.13	0.05	0.11	0.049	0.06	18.0	22.6	2.66	878	1.58	0.01
CC110629		0.59	29.1	4.24	6.80	0.08	0.07	0.08	0.039	0.05	15.5	23.2	1.45	236	1.83	<0.01
CC110630		0.63	43.2	2.73	4.86	0.08	0.08	0.05	0.027	0.05	15.2	16.8	1.54	263	1.53	0.01
CC110631		0.89	70.4	4.25	7.61	0.10	0.06	0.07	0.034	0.09	14.9	16.1	2.80	700	1.63	0.01
CC110632		0.92	102.0	4.24	7.08	0.09	0.06	0.10	0.039	0.05	16.4	18.7	1.85	772	1.49	0.01
CC110633		0.85	69.9	4.41	6.89	0.08	0.05	0.17	0.046	0.06	15.3	18.1	1.81	583	1.10	<0.01
CC110634		0.77	48.1	3.19	4.16	0.06	0.06	0.14	0.034	0.05	11.3	13.8	0.86	615	0.72	0.01
CC110635		0.18	44.4	3.31	1.52	0.05	0.06	0.08	0.030	0.04	9.9	4.5	0.35	510	1.75	0.01
CC110636		0.62	26.6	2.69	4.94	0.05	0.04	0.09	0.030	0.04	11.5	14.8	0.74	549	0.91	0.01
CC110637		0.61	62.2	4.71	5.98	0.08	0.05	0.11	0.042	0.05	16.7	17.2	1.17	482	1.40	0.01
CC110638		0.75	34.9	3.94	6.69	0.08	0.05	0.11	0.038	0.07	14.2	16.4	1.37	1000	0.92	0.01
CC110639		0.97	38.5	4.25	7.83	0.07	0.05	0.12	0.045	0.10	15.0	21.1	1.50	1160	0.86	0.01
CC110640		1.26	55.7	4.38	6.86	0.11	0.09	0.14	0.039	0.12	17.1	19.3	2.39	529	1.41	0.01
CC110641		1.51	62.9	3.47	4.36	0.08	0.04	0.13	0.038	0.04	11.9	13.7	0.91	753	1.10	0.02
CC110642		1.12	52.2	3.40	4.38	0.07	0.04	0.08	0.035	0.04	10.0	13.5	0.80	730	1.14	0.02
CC110643		0.86	40.2	3.65	5.17	0.08	0.04	0.04	0.034	0.04	12.2	15.8	0.97	537	1.16	0.01
CC110644		1.07	71.2	3.50	4.81	0.08	0.05	0.08	0.031	0.05	14.2	14.5	1.26	666	1.10	0.01
CC110645		0.90	79.8	3.60	5.10	0.09	0.05	0.06	0.021	0.04	11.6	17.8	1.17	746	1.08	0.01
CC110646		1.77	71.0	4.20	8.70	0.10	0.05	0.06	0.034	0.04	14.0	21.6	1.92	929	0.81	0.01
CC110661		0.87	101.5	4.86	7.34	0.14	0.07	0.07	0.038	0.05	15.9	17.6	2.50	578	2.13	0.01
CC110662		2.14	75.3	4.34	8.95	0.10	0.04	0.07	0.048	0.03	20.2	19.6	1.33	1470	0.98	0.01
CC110663		0.26	119.5	10.95	0.90	0.20	0.05	0.08	0.061	0.02	8.9	1.5	1.43	2090	2.64	0.01
CC110664		1.97	58.1	5.65	13.15	0.19	0.05	0.03	0.048	0.05	28.4	40.4	3.23	942	0.53	0.02
CC110665		1.62	60.1	5.79	13.30	0.19	0.05	0.03	0.056	0.06	29.7	42.7	3.32	848	0.68	0.02

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 7- JUL- 2011
Account: RCM

Project: RAU- Cheshire

CERTIFICATE OF ANALYSIS WH11108568

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
CC110612		3.72	57.9	260	14.2	5.0	<0.001	0.01	0.58	5.7	0.7	0.7	12.5	<0.01	0.04	3.5
CC110613		2.35	27.9	200	19.4	8.4	<0.001	0.01	0.59	3.6	0.6	0.7	11.1	<0.01	0.03	3.5
CC110614		4.06	131.0	1820	12.7	7.1	<0.001	0.05	0.96	5.2	1.1	0.3	52.7	0.01	0.03	2.1
CC110615		3.15	157.5	2140	7.7	14.2	<0.001	0.02	0.85	7.5	0.7	0.3	70.7	<0.01	0.02	2.4
CC110616		3.99	139.5	2990	4.4	13.4	<0.001	0.01	0.29	9.9	0.7	0.5	93.5	0.01	0.01	4.1
CC110617		1.40	31.6	360	18.4	7.1	<0.001	0.02	0.58	4.2	0.6	0.7	29.8	<0.01	0.04	1.8
CC110618		2.71	33.8	270	17.8	9.1	<0.001	0.01	0.67	3.6	0.6	0.6	11.6	<0.01	0.03	3.3
CC110619		0.70	92.1	720	25.5	3.8	<0.001	0.05	1.42	9.0	1.0	0.3	50.2	0.01	0.04	1.2
CC110620		1.42	82.7	840	30.9	5.9	<0.001	0.05	1.78	6.4	1.2	0.2	56.7	0.01	0.04	2.0
CC110621		0.94	123.0	1200	8.8	6.7	0.005	0.15	1.00	4.2	2.7	0.2	123.0	0.01	0.03	0.7
CC110622		1.08	118.5	1230	9.7	7.5	0.001	0.09	1.10	4.9	1.6	0.3	57.2	<0.01	0.03	1.0
CC110623		1.35	133.0	1840	9.0	5.1	<0.001	0.07	1.04	9.0	1.5	0.2	49.9	0.01	0.03	2.0
CC110624		2.24	166.0	2020	8.2	2.5	<0.001	0.02	0.55	12.2	0.7	0.3	14.1	0.01	0.02	3.6
CC110625		2.96	203	1110	12.6	7.6	<0.001	0.02	0.86	7.2	0.7	0.5	24.6	0.01	0.02	3.5
CC110626		2.98	62.4	1640	14.6	11.0	<0.001	0.06	1.40	6.9	1.5	0.4	87.9	0.01	0.04	2.2
CC110627		1.84	62.7	1380	15.2	6.2	<0.001	0.01	1.08	5.6	0.7	0.3	27.6	<0.01	0.02	3.8
CC110628		2.09	120.5	1600	14.1	6.9	<0.001	0.07	1.59	8.2	1.4	0.2	65.7	<0.01	0.03	2.3
CC110629		2.90	78.5	1730	17.0	5.4	<0.001	0.07	2.03	5.4	1.6	0.3	39.1	<0.01	0.02	3.2
CC110630		2.59	62.0	1230	13.1	5.1	0.002	0.09	1.23	4.9	4.3	0.4	48.5	<0.01	0.02	3.8
CC110631		2.67	96.1	1440	16.2	8.2	<0.001	0.02	1.26	6.4	0.8	0.3	95.4	<0.01	0.02	2.6
CC110632		2.08	105.5	1270	22.9	7.4	<0.001	0.03	5.35	5.7	0.9	0.3	34.0	<0.01	0.03	2.9
CC110633		2.12	89.6	1320	24.3	7.3	<0.001	0.05	1.75	5.9	1.2	0.3	37.7	0.01	0.03	2.0
CC110634		1.23	60.2	1030	23.0	6.8	0.002	0.20	2.65	4.5	2.3	0.3	84.8	0.01	0.03	1.8
CC110635		0.37	42.5	1030	11.0	2.3	0.002	0.17	4.22	2.9	2.1	0.2	56.6	<0.01	0.02	1.1
CC110636		1.15	43.5	910	14.7	6.3	<0.001	0.06	0.87	3.5	0.9	0.4	47.4	<0.01	0.03	1.3
CC110637		1.45	68.5	1400	26.1	6.2	<0.001	0.02	1.51	5.6	1.1	0.3	27.3	0.01	0.04	3.0
CC110638		2.25	64.1	1290	24.2	7.4	0.001	0.08	1.17	4.9	1.1	0.3	58.5	0.01	0.03	1.9
CC110639		1.73	70.7	1320	25.5	8.8	<0.001	0.06	1.30	5.6	1.0	0.3	41.9	<0.01	0.03	2.5
CC110640		2.48	89.6	1280	30.5	9.7	0.001	0.04	3.35	6.6	1.0	0.3	39.8	0.01	0.03	3.5
CC110641		1.31	74.1	890	80.7	6.4	<0.001	0.09	1.64	4.4	1.3	0.3	77.2	0.01	0.05	0.7
CC110642		1.19	66.4	750	26.2	7.1	<0.001	0.10	1.42	4.5	1.2	0.3	87.1	0.01	0.05	0.6
CC110643		2.03	64.9	420	23.6	5.0	0.001	0.05	1.25	5.5	0.9	0.3	59.1	0.01	0.04	1.3
CC110644		1.67	77.2	1130	22.4	6.6	<0.001	0.06	1.53	4.3	1.1	0.3	54.7	0.01	0.05	1.0
CC110645		3.12	109.5	1030	15.4	5.9	<0.001	0.06	1.73	3.6	0.9	0.3	55.7	0.01	0.04	1.1
CC110646		4.76	103.5	990	11.5	5.2	<0.001	0.07	1.37	5.4	1.0	0.3	63.5	0.01	0.04	1.2
CC110661		2.89	112.0	1500	18.5	5.6	<0.001	0.03	2.31	7.2	1.0	0.2	52.1	0.01	0.04	2.1
CC110662		2.65	80.8	810	15.1	5.9	<0.001	0.03	1.13	9.0	1.0	0.6	35.5	0.01	0.08	1.6
CC110663		0.22	316	1270	36.8	1.5	<0.001	0.09	24.2	20.3	1.4	<0.2	278	0.01	0.06	0.7
CC110664		2.52	154.5	2020	6.5	4.0	<0.001	0.03	1.17	11.0	0.7	0.3	160.5	0.01	0.03	2.8
CC110665		1.19	161.0	1860	8.2	4.8	<0.001	0.03	1.17	12.8	0.7	0.3	89.4	0.01	0.03	3.0

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 7- JUL- 2011
Account: RCM

Project: RAU- Cheshire

CERTIFICATE OF ANALYSIS WH11108568

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
CC110612		0.094	0.12	0.48	101	0.26	3.89	59	1.8
CC110613		0.069	0.19	0.47	76	0.22	3.09	50	1.7
CC110614		0.134	0.09	1.00	109	0.25	10.15	89	1.8
CC110615		0.215	0.17	0.24	141	0.21	8.93	118	2.8
CC110616		0.317	0.10	0.41	135	0.22	13.35	112	1.9
CC110617		0.043	0.13	0.49	68	0.23	4.81	60	0.8
CC110618		0.081	0.12	0.53	66	0.26	5.14	47	0.9
CC110619		0.021	0.11	0.55	55	0.17	11.85	66	0.9
CC110620		0.045	0.06	0.57	51	0.18	8.12	100	1.4
CC110621		0.031	0.09	2.19	49	0.09	9.72	76	1.6
CC110622		0.053	0.08	3.99	73	0.13	11.25	92	1.3
CC110623		0.052	0.07	2.53	124	0.16	13.60	75	1.8
CC110624		0.107	0.05	0.26	168	0.19	11.15	99	1.3
CC110625		0.177	0.13	0.62	114	0.25	11.00	86	1.4
CC110626		0.141	0.16	1.07	98	0.11	11.90	128	1.3
CC110627		0.109	0.10	0.54	55	0.18	12.25	83	2.5
CC110628		0.087	0.08	0.81	90	0.15	10.35	118	1.7
CC110629		0.096	0.06	0.68	65	0.15	9.72	132	2.2
CC110630		0.090	0.07	0.60	48	0.17	10.30	97	3.1
CC110631		0.118	0.09	0.42	67	0.15	10.25	114	2.2
CC110632		0.084	0.08	0.47	64	0.16	11.95	104	1.8
CC110633		0.064	0.09	0.49	63	0.15	12.25	116	1.7
CC110634		0.034	0.08	0.72	39	0.10	9.52	126	2.1
CC110635		0.010	0.03	0.73	17	0.06	6.17	84	2.3
CC110636		0.033	0.07	0.69	44	0.15	7.47	64	1.3
CC110637		0.052	0.08	0.47	54	0.13	13.35	105	1.6
CC110638		0.065	0.09	0.51	63	0.13	9.72	103	1.8
CC110639		0.052	0.11	0.48	68	0.09	9.56	128	1.9
CC110640		0.067	0.11	0.53	68	0.13	11.05	129	3.0
CC110641		0.033	0.11	0.75	45	0.14	10.05	158	1.0
CC110642		0.030	0.09	0.89	46	0.09	7.48	88	0.9
CC110643		0.054	0.09	0.62	57	0.15	6.94	78	0.9
CC110644		0.048	0.09	0.92	52	0.17	10.25	83	1.0
CC110645		0.090	0.07	0.78	53	0.20	7.63	77	1.5
CC110646		0.106	0.09	0.65	74	0.28	8.66	80	1.2
CC110661		0.099	0.07	0.55	76	0.15	11.40	100	1.8
CC110662		0.101	0.13	0.84	89	0.20	15.60	77	0.6
CC110663		<0.005	0.03	0.16	16	0.08	18.40	107	<0.5
CC110664		0.101	0.08	0.29	113	0.37	10.80	100	1.0
CC110665		0.073	0.07	0.33	115	0.18	10.70	109	0.9

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 7- JUL- 2011
Account: RCM

Project: RAU- Cheshire

CERTIFICATE OF ANALYSIS WH11108568

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- TL43 Au ppm 0.001	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1
CC110666		0.18	0.002	0.08	2.83	85.3	<0.2	<10	100	0.46	0.04	5.79	0.22	44.1	40.0	207
CC110667		0.20	0.002	0.14	2.27	50.5	<0.2	<10	150	0.46	0.10	1.54	0.25	29.2	37.5	135
CC110668		0.16	0.011	0.38	0.82	107.0	<0.2	<10	170	0.34	0.12	3.14	0.57	17.45	13.7	21
CC110669		0.20	0.001	0.16	2.00	56.9	<0.2	<10	120	0.56	0.11	3.97	0.23	39.1	23.1	83
CC110670		0.22	0.001	0.15	2.64	25.9	<0.2	<10	260	0.78	0.19	0.66	0.17	40.9	22.4	81
CC110671		0.20	0.003	0.16	2.72	12.1	<0.2	<10	230	0.65	0.17	0.58	0.09	42.0	30.7	141
CC110672		0.18	0.002	0.07	5.54	8.2	<0.2	<10	110	0.52	0.02	4.23	0.12	43.2	76.0	432
CC110673		0.24	0.001	0.05	4.27	6.6	<0.2	<10	50	0.41	0.09	0.42	0.19	22.9	41.7	222
CC110674		0.24	0.003	0.05	2.36	17.7	<0.2	<10	210	0.66	0.20	0.19	0.19	34.8	22.8	53
CC110675		0.30	0.002	0.05	5.33	11.7	<0.2	<10	70	0.93	0.04	0.80	0.07	78.7	69.8	332
CC110676		0.26	0.002	0.09	2.59	19.9	<0.2	<10	230	0.81	0.22	0.22	0.21	48.0	21.6	69
CC110677		0.32	0.002	0.11	2.12	14.0	<0.2	<10	280	0.40	0.19	0.46	0.09	31.5	12.4	71
CC110678		0.16	0.002	0.16	3.20	11.1	<0.2	<10	340	0.83	0.10	1.61	0.17	30.4	36.5	164
CC110679		0.24	0.003	0.12	3.39	7.8	<0.2	<10	410	0.81	0.07	1.93	0.36	24.8	40.2	196
CC110680		0.16	0.002	0.10	3.27	8.9	<0.2	<10	380	0.75	0.06	1.75	0.21	27.0	39.9	172
CC110681		0.12	0.003	0.12	2.38	11.8	<0.2	<10	200	0.50	0.12	1.56	0.16	27.9	27.9	144
CC110682		0.26	0.003	0.08	4.99	15.9	<0.2	<10	170	0.53	0.06	1.11	0.20	20.5	63.6	346
CC110683		0.16	0.002	0.04	2.85	37.2	<0.2	<10	260	0.85	0.20	0.23	0.37	40.3	17.7	87
CC110684		0.22	0.003	0.09	2.46	18.3	<0.2	<10	260	0.70	0.23	0.20	0.09	36.6	11.3	46
CC110685		0.14	0.004	0.25	0.91	100.5	<0.2	<10	170	0.44	0.07	1.84	0.46	33.9	36.0	33
CC110686		0.16	0.003	0.12	0.39	92	<0.2	<10	80	0.32	0.04	10.15	0.78	28.5	57.6	17
CC110687		0.10	0.002	0.10	2.79	8.1	<0.2	<10	150	0.39	0.06	2.43	0.17	48.4	42.6	109
CC110688		0.14	0.002	0.10	3.99	10.1	<0.2	<10	130	0.76	0.11	0.89	0.18	42.0	38.5	171
CC110689		0.18	0.003	0.12	2.93	38.6	<0.2	<10	170	0.74	0.09	1.86	0.22	37.4	33.4	144
CC110690		0.14	0.003	0.13	1.92	45.1	<0.2	<10	150	0.55	0.13	1.82	0.14	25.9	30.2	79
CC110691		0.10	0.005	0.17	1.51	40.7	<0.2	<10	170	0.54	0.14	2.16	0.32	24.2	24.0	55
CC110692		0.12	0.003	0.10	1.40	50.3	<0.2	<10	120	0.40	0.20	1.25	0.36	18.85	9.6	32
CC110693		0.16	0.005	0.16	1.70	288	<0.2	<10	220	0.45	0.11	1.60	0.46	21.0	23.9	69
CC110694		0.26	0.006	0.20	2.41	234	<0.2	<10	340	0.71	0.16	1.23	0.54	33.1	42.0	99
CC110695		0.12	0.006	0.16	1.83	87.7	<0.2	<10	170	0.54	0.11	2.14	0.19	22.5	27.8	79
CC110696		0.12	0.009	0.18	2.26	213	<0.2	<10	170	0.59	0.10	1.63	0.49	28.2	38.6	103
CC110697		0.22	0.002	0.04	3.61	18.4	<0.2	<10	100	0.68	0.11	0.77	0.11	29.4	36.6	170
CC110698		0.14	0.003	0.05	2.47	22.4	<0.2	<10	190	0.44	0.17	0.72	0.29	20.7	23.0	73
CC110699		0.14	0.007	0.57	1.45	24.4	<0.2	<10	220	0.58	0.28	1.27	0.24	23.1	9.7	25
CC110700		0.28	0.002	0.05	1.96	9.9	<0.2	<10	210	0.51	0.22	0.13	0.13	24.5	9.7	34
CC110701		0.26	0.017	0.41	1.72	271	<0.2	<10	180	0.52	0.15	1.91	0.58	30.9	43.2	77
CC110702		0.20	0.003	0.15	2.99	72.9	<0.2	<10	140	0.59	0.07	2.00	0.33	62.8	47.8	161
CC110703		0.26	0.002	0.15	1.93	100.0	<0.2	<10	200	0.40	0.11	1.54	0.27	35.7	44.8	83
CC110704		0.26	0.001	0.09	2.11	65.8	<0.2	<10	150	0.47	0.11	1.22	0.14	25.1	32.2	124
CC110705		0.36	0.008	0.15	1.26	126.5	<0.2	<10	240	0.39	0.11	1.85	0.36	32.3	58.4	54

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 7- JUL- 2011
Account: RCM

Project: RAU- Cheshire

CERTIFICATE OF ANALYSIS WH11108568

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
CC110666		3.58	53.9	4.91	11.00	0.16	0.05	0.02	0.046	0.11	20.6	32.5	2.35	1160	0.62	0.02
CC110667		1.51	101.5	4.21	7.47	0.09	0.06	0.05	0.028	0.06	14.0	22.5	1.31	754	1.27	0.02
CC110668		0.47	54.8	2.92	2.25	0.07	0.06	0.13	0.029	0.03	9.7	6.7	0.32	398	1.86	0.02
CC110669		0.59	54.8	3.33	6.68	0.10	0.06	0.04	0.039	0.04	21.6	19.5	1.21	758	0.77	0.02
CC110670		1.10	40.2	4.13	7.42	0.10	0.07	0.04	0.045	0.04	20.5	17.9	1.10	974	1.17	0.01
CC110671		2.28	74.4	4.37	8.61	0.11	0.05	0.06	0.046	0.05	21.5	23.3	1.60	640	0.70	0.01
CC110672		2.78	83.3	7.48	17.25	0.28	0.07	0.02	0.074	0.07	22.5	43.1	6.11	924	0.20	0.01
CC110673		1.26	46.0	7.30	15.65	0.17	0.11	0.02	0.074	0.04	10.3	34.3	3.92	815	0.92	0.01
CC110674		0.95	23.3	3.71	6.55	0.08	0.04	0.03	0.038	0.04	15.6	19.1	0.80	348	1.36	0.01
CC110675		2.80	76.5	8.07	18.30	0.32	0.09	0.02	0.078	0.03	34.5	55.9	4.98	864	0.61	0.01
CC110676		1.26	28.5	4.27	6.90	0.10	0.09	0.04	0.048	0.05	20.2	17.1	0.93	674	1.80	0.01
CC110677		1.49	18.4	3.94	7.36	0.08	0.02	0.02	0.038	0.06	15.7	20.1	1.02	291	2.65	0.01
CC110678		5.30	49.9	6.41	12.05	0.15	0.07	0.07	0.071	0.09	15.6	26.4	2.78	829	0.92	0.02
CC110679		5.47	59.0	6.40	13.10	0.18	0.07	0.07	0.058	0.17	12.7	32.5	3.09	998	0.78	0.02
CC110680		4.34	35.5	6.09	12.85	0.19	0.08	0.05	0.053	0.07	13.0	31.8	2.97	883	0.65	0.02
CC110681		1.37	40.4	4.57	7.71	0.11	0.07	0.07	0.033	0.07	14.0	18.6	1.51	714	1.22	0.02
CC110682		3.53	60.8	8.47	17.55	0.24	0.17	0.02	0.022	0.17	10.6	47.9	4.01	1040	0.51	0.02
CC110683		2.62	21.6	4.88	7.23	0.10	0.09	0.03	0.058	0.06	15.7	21.9	1.07	399	1.41	0.01
CC110684		1.81	15.2	3.52	6.86	0.09	0.04	0.05	0.042	0.04	17.2	17.4	0.64	234	1.23	0.01
CC110685		0.82	47.7	9.86	2.47	0.18	0.06	0.07	0.063	0.03	16.5	6.4	0.34	1840	1.09	0.01
CC110686		0.43	88.6	4.56	1.17	0.10	0.29	0.05	0.033	0.06	12.3	2.6	0.49	887	0.53	0.02
CC110687		1.44	106.0	5.93	9.22	0.14	0.06	0.04	0.029	0.13	23.6	23.2	1.34	767	0.54	0.02
CC110688		1.79	59.5	6.37	15.95	0.16	0.06	0.04	0.057	0.04	21.2	37.4	3.66	836	0.73	0.01
CC110689		4.81	41.9	5.56	11.25	0.14	0.06	0.04	0.048	0.06	18.2	36.7	2.76	759	0.82	0.02
CC110690		1.70	45.7	4.17	7.61	0.09	0.04	0.07	0.040	0.04	13.3	24.4	1.28	776	1.11	0.01
CC110691		1.02	52.3	3.43	5.19	0.08	0.05	0.09	0.032	0.04	12.5	16.1	0.94	760	1.02	0.02
CC110692		0.97	29.5	2.77	5.30	0.05	0.02	0.05	0.028	0.05	9.2	24.3	0.59	426	1.36	0.01
CC110693		1.79	43.9	8.39	5.89	0.14	0.07	0.08	0.032	0.04	11.3	14.8	1.02	829	2.67	0.01
CC110694		2.36	83.4	5.26	8.33	0.11	0.08	0.10	0.046	0.06	17.2	26.3	1.55	1240	3.42	0.01
CC110695		1.95	64.2	3.63	6.25	0.08	0.04	0.08	0.034	0.05	12.0	19.0	1.25	736	1.08	0.01
CC110696		1.25	70.2	5.03	8.77	0.12	0.05	0.07	0.054	0.05	14.5	29.1	1.77	1000	1.14	0.01
CC110697		8.15	33.9	5.62	13.05	0.11	0.07	0.01	0.058	0.04	14.8	54.1	2.90	620	0.77	0.01
CC110698		1.35	23.0	4.17	9.95	0.08	0.05	0.03	0.041	0.05	10.6	23.7	1.13	448	1.54	0.01
CC110699		0.84	19.8	2.97	4.88	0.06	0.04	0.07	0.026	0.05	11.5	14.4	0.38	344	1.42	0.02
CC110700		1.30	11.9	3.04	7.28	0.06	0.04	0.02	0.028	0.04	12.3	17.0	0.43	262	1.45	0.01
CC110701		0.94	101.5	5.30	5.82	0.11	0.05	0.10	0.047	0.05	16.4	17.8	1.44	1190	2.50	0.01
CC110702		2.63	148.5	6.40	11.95	0.19	0.05	0.05	0.049	0.04	33.3	38.8	2.68	898	2.04	0.01
CC110703		1.11	85.6	6.46	6.40	0.13	0.05	0.05	0.038	0.04	19.9	22.4	1.23	886	1.45	0.01
CC110704		1.64	94.4	3.99	6.59	0.08	0.06	0.03	0.024	0.04	12.6	29.0	1.29	722	1.03	0.01
CC110705		0.50	83.3	8.02	4.23	0.15	0.07	0.07	0.055	0.04	17.1	15.3	0.89	1560	2.19	0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 7- JUL- 2011
Account: RCM

Project: RAU- Cheshire

CERTIFICATE OF ANALYSIS WH11108568

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
CC110666		2.53	160.0	2210	5.3	5.3	<0.001	0.03	1.16	12.5	0.7	0.2	158.5	0.01	0.03	2.7
CC110667		4.55	134.5	1120	9.3	7.7	<0.001	0.04	1.69	4.6	1.0	0.4	61.8	0.01	0.04	1.9
CC110668		0.67	54.7	1190	31.9	4.7	0.001	0.16	2.51	3.5	2.6	0.3	119.5	0.01	0.04	0.7
CC110669		1.45	99.2	1140	11.5	4.5	<0.001	0.05	1.21	7.0	0.9	0.3	119.5	0.01	0.04	1.4
CC110670		1.93	69.8	800	19.1	6.3	<0.001	0.02	1.23	7.9	0.8	0.5	28.7	0.01	0.05	3.1
CC110671		2.37	146.5	910	12.3	8.7	<0.001	0.01	0.88	10.1	0.7	0.5	27.1	0.01	0.05	3.3
CC110672		1.19	217	2080	2.1	3.9	<0.001	0.01	0.45	17.4	0.5	0.2	170.0	<0.01	0.02	2.5
CC110673		2.34	88.4	600	5.0	6.1	<0.001	0.01	0.66	18.8	0.6	0.6	15.6	0.01	0.02	1.6
CC110674		2.37	60.6	420	19.0	9.6	<0.001	0.01	0.90	4.1	0.6	0.5	11.9	0.01	0.04	4.2
CC110675		2.42	300	2620	5.0	2.8	<0.001	0.01	0.80	25.0	0.7	0.5	29.8	0.01	0.02	8.1
CC110676		2.75	63.9	470	24.2	7.9	<0.001	0.01	1.24	7.1	0.8	0.6	12.1	0.01	0.05	5.3
CC110677		2.54	40.8	1170	16.1	8.4	<0.001	0.01	0.84	4.2	0.5	0.5	22.5	<0.01	0.03	1.9
CC110678		4.60	115.0	1740	11.1	7.8	<0.001	0.02	1.19	10.9	0.6	0.4	47.1	0.01	0.03	3.0
CC110679		5.56	121.5	1680	6.9	13.2	<0.001	0.06	1.21	9.4	1.0	0.4	50.9	0.01	0.05	1.7
CC110680		6.17	132.0	1680	6.7	7.6	<0.001	0.06	0.81	8.7	0.8	0.4	54.5	0.01	0.04	1.8
CC110681		4.44	102.0	1240	13.4	9.6	<0.001	0.04	1.07	5.1	0.9	0.3	40.5	0.01	0.04	2.2
CC110682		2.89	286	2400	7.2	13.3	<0.001	0.01	0.86	5.0	0.7	0.4	41.9	0.01	0.02	2.3
CC110683		4.84	54.7	360	66.4	9.7	<0.001	0.03	1.04	5.5	0.6	0.7	15.6	0.01	0.05	4.0
CC110684		2.47	32.4	520	15.6	8.3	<0.001	0.01	0.66	4.4	0.7	0.7	14.7	0.01	0.05	3.8
CC110685		0.51	89.7	2470	8.1	4.3	<0.001	0.03	3.97	7.8	0.9	0.2	46.2	0.02	0.05	0.7
CC110686		0.99	132.5	3340	5.7	3.2	<0.001	0.02	1.82	5.7	0.9	0.2	234	0.01	0.02	2.7
CC110687		2.37	151.0	2050	4.4	7.8	<0.001	0.03	1.08	5.1	0.9	0.2	106.5	0.01	0.02	3.0
CC110688		3.67	126.5	1680	11.1	5.7	<0.001	0.01	1.00	9.3	0.8	0.5	35.4	0.01	0.03	2.9
CC110689		4.66	111.0	1490	15.4	7.3	<0.001	0.03	1.94	9.7	0.8	0.4	55.0	0.01	0.03	2.5
CC110690		1.84	72.3	730	14.6	7.9	<0.001	0.07	1.34	6.4	1.2	0.3	67.9	0.01	0.04	1.0
CC110691		1.64	61.3	760	17.8	6.3	0.001	0.10	1.21	5.2	1.4	0.3	74.3	0.01	0.04	1.0
CC110692		1.17	29.7	1010	15.1	12.4	<0.001	0.08	1.45	2.1	0.7	0.5	67.3	0.01	0.05	0.6
CC110693		1.59	66.9	1150	18.2	7.1	0.001	0.17	3.52	6.3	1.3	0.3	63.6	0.01	0.06	1.8
CC110694		2.51	93.7	1180	26.5	11.8	0.001	0.12	4.72	9.1	1.2	0.4	49.7	0.01	0.05	3.2
CC110695		1.77	70.3	930	17.4	8.3	<0.001	0.10	2.90	5.2	1.2	0.3	70.9	0.01	0.05	0.8
CC110696		1.67	105.5	1220	24.5	9.0	0.001	0.06	4.11	8.8	1.0	0.3	61.7	0.01	0.04	1.3
CC110697		9.17	90.1	640	11.7	14.2	<0.001	0.01	1.23	13.3	0.6	0.7	25.8	<0.01	0.03	2.8
CC110698		3.70	54.1	280	13.4	13.3	<0.001	0.02	0.94	5.6	0.4	0.7	30.2	<0.01	0.04	2.3
CC110699		1.12	25.1	560	20.4	11.6	<0.001	0.05	1.27	2.7	0.9	0.5	50.4	<0.01	0.05	1.5
CC110700		2.07	20.4	250	15.6	11.9	<0.001	0.01	0.56	3.6	0.4	0.7	10.4	<0.01	0.04	3.6
CC110701		1.47	135.0	1170	32.1	9.4	<0.001	0.06	4.38	10.4	1.3	0.3	60.1	0.01	0.05	1.5
CC110702		1.36	169.5	1590	12.2	7.8	<0.001	0.05	1.88	10.0	1.0	0.2	68.0	0.01	0.03	2.3
CC110703		1.08	146.0	1740	11.2	6.9	<0.001	0.05	1.35	8.8	1.1	0.3	56.5	0.01	0.04	1.8
CC110704		4.10	114.5	770	10.6	9.1	<0.001	0.03	1.71	4.5	0.7	0.4	44.1	0.01	0.04	1.7
CC110705		0.88	154.0	1050	17.2	4.5	<0.001	0.07	1.70	11.7	1.4	0.2	74.2	0.01	0.05	1.7

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 7- JUL- 2011
Account: RCM

Project: RAU- Cheshire

CERTIFICATE OF ANALYSIS WH11108568

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
CC110666		0.112	0.10	0.28	108	0.21	10.35	98	1.0
CC110667		0.143	0.09	0.64	76	0.21	8.67	68	1.6
CC110668		0.019	0.04	1.75	22	0.08	12.75	57	1.9
CC110669		0.038	0.06	0.44	63	0.13	14.35	66	1.2
CC110670		0.056	0.13	0.88	81	0.18	14.55	78	1.5
CC110671		0.096	0.12	0.76	94	0.23	12.45	85	1.0
CC110672		0.122	0.07	0.15	193	0.13	9.46	106	2.0
CC110673		0.348	0.04	0.25	176	0.16	9.61	110	2.6
CC110674		0.061	0.13	0.74	64	0.19	4.85	80	1.5
CC110675		0.293	0.07	0.77	197	0.16	13.55	109	3.7
CC110676		0.102	0.21	0.95	82	0.23	11.50	84	3.1
CC110677		0.088	0.18	0.55	82	0.18	5.75	82	<0.5
CC110678		0.225	0.15	0.59	127	0.19	9.76	118	1.9
CC110679		0.218	0.15	0.52	145	0.20	8.14	119	1.6
CC110680		0.231	0.14	0.41	125	0.16	7.52	107	2.2
CC110681		0.121	0.11	0.51	84	0.18	7.75	87	2.0
CC110682		0.414	0.15	0.36	157	0.31	9.86	116	4.6
CC110683		0.125	0.19	0.62	87	0.25	6.26	76	3.5
CC110684		0.066	0.17	0.82	71	0.28	6.33	63	0.9
CC110685		0.015	0.06	1.35	26	0.14	16.90	131	1.2
CC110686		0.016	0.03	9.18	17	0.11	14.35	201	22.9
CC110687		0.028	0.04	0.39	54	0.06	10.50	121	1.3
CC110688		0.139	0.10	0.32	117	0.16	10.40	123	1.6
CC110689		0.145	0.16	0.40	97	0.15	10.15	110	1.5
CC110690		0.049	0.11	1.20	62	0.12	8.56	81	1.3
CC110691		0.039	0.10	1.16	47	0.17	9.99	73	1.4
CC110692		0.040	0.10	1.13	51	0.18	3.79	68	0.5
CC110693		0.036	0.12	1.31	57	0.10	8.69	77	2.3
CC110694		0.053	0.14	1.25	86	0.21	10.95	103	2.5
CC110695		0.041	0.12	0.96	60	0.10	8.57	79	1.2
CC110696		0.046	0.09	0.77	71	0.22	9.85	113	1.2
CC110697		0.275	0.25	0.43	150	0.37	5.91	85	2.8
CC110698		0.098	0.18	0.35	89	0.28	3.33	93	2.0
CC110699		0.025	0.12	0.80	45	0.23	4.04	71	1.3
CC110700		0.061	0.16	0.51	69	0.29	2.89	59	1.8
CC110701		0.045	0.09	0.69	56	0.17	13.30	128	1.2
CC110702		0.046	0.12	0.41	92	0.19	11.60	119	1.1
CC110703		0.032	0.09	0.62	60	0.29	14.55	83	1.0
CC110704		0.126	0.09	0.60	65	0.24	7.14	68	1.8
CC110705		0.021	0.07	0.41	37	0.15	19.00	97	1.4

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 7- JUL- 2011
Account: RCM

Project: RAU- Cheshire

CERTIFICATE OF ANALYSIS WH11108568

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- TL43 Au ppm 0.001	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1
CC110706		0.32	0.003	0.20	1.90	94.5	<0.2	<10	220	0.71	0.18	1.37	0.75	28.6	31.0	49
CC110707		0.36	0.003	0.16	2.62	143.5	<0.2	<10	100	0.66	0.07	1.19	0.19	24.3	49.0	137
CC110708		0.52	0.002	0.24	1.57	25.6	<0.2	<10	220	0.54	0.18	2.10	0.48	35.3	20.8	54
CC110709		0.32	0.001	0.21	2.27	20.8	<0.2	<10	210	0.68	0.16	2.34	0.32	37.2	27.1	133
CC110710		0.42	<0.001	0.03	3.52	10.0	<0.2	<10	90	0.68	0.12	0.38	0.07	21.3	34.9	169
CC110711		0.32	0.002	0.19	2.32	19.5	<0.2	<10	220	1.03	0.18	0.71	0.11	43.6	21.1	73
CC110712		0.36	<0.001	0.09	4.60	20.4	<0.2	<10	100	0.60	0.08	1.08	0.11	47.2	50.0	218
CC110713		0.36	0.001	0.05	2.81	29.1	<0.2	<10	280	0.86	0.16	0.50	0.10	47.5	30.9	132
CC110714		0.26	0.002	0.13	4.26	1.1	<0.2	<10	50	1.08	0.03	0.69	0.39	38.9	157.0	504
CC110715		0.28	0.001	0.14	2.85	39.6	<0.2	<10	130	0.73	0.09	1.87	0.23	28.9	38.9	175
CC110716		0.38	0.001	0.17	3.81	26.9	<0.2	<10	320	1.02	0.09	1.61	0.17	41.4	45.2	207
CC110717		0.44	0.001	0.14	2.43	14.3	<0.2	<10	190	0.63	0.10	1.97	0.26	35.9	36.0	155
CC110718		0.28	0.001	0.10	3.30	5.8	<0.2	<10	100	0.61	0.06	2.85	0.14	46.4	52.6	240
CC110719		0.28	0.004	0.13	2.28	5.0	<0.2	<10	220	0.54	0.06	5.61	0.39	43.3	55.3	66
CC110720		0.30	<0.001	0.12	2.56	15.4	<0.2	<10	280	0.91	0.23	0.45	0.10	37.3	15.1	58
CC110721		0.56	0.001	0.15	2.06	16.6	<0.2	<10	220	0.78	0.20	1.93	0.29	37.6	20.7	63
CC110722		0.40	0.001	0.08	2.00	12.7	<0.2	<10	260	0.76	0.24	0.35	0.19	38.8	14.7	40
CC110723		0.30	0.002	0.10	2.23	13.9	<0.2	<10	190	0.74	0.21	0.16	0.26	27.7	16.0	39
CC110724		0.42	0.008	0.39	2.03	183.0	<0.2	<10	150	0.51	0.12	2.67	0.37	26.2	38.4	123
CC110725		0.30	0.002	0.07	2.46	34.4	<0.2	<10	210	0.73	0.12	0.81	0.16	30.2	51.0	166
CC110726		0.28	0.002	0.07	2.81	58.4	<0.2	<10	90	0.37	0.06	2.59	0.14	18.70	32.2	143
CC110727		0.20	0.003	0.11	3.74	51.3	<0.2	<10	100	0.30	0.05	5.10	0.18	25.5	40.1	176
CC110728		0.34	0.003	0.13	2.77	28.6	<0.2	<10	130	0.48	0.10	3.54	0.25	21.9	35.7	179
CC110729		0.40	0.007	0.33	1.95	137.5	<0.2	<10	200	0.54	0.17	1.90	0.28	29.1	41.4	72
CC110730		0.38	0.029	0.83	1.07	693	<0.2	<10	120	0.26	0.19	2.55	0.50	18.80	42.5	32
CC110731		0.30	0.004	0.09	3.01	19.6	<0.2	<10	110	0.42	0.07	1.81	0.20	18.95	28.5	128
CC110732		0.42	0.002	0.45	1.44	18.0	<0.2	<10	120	0.28	0.31	0.11	0.86	19.70	6.5	33
CC110733		0.36	0.002	0.15	3.04	19.7	<0.2	<10	170	0.55	0.13	1.07	0.22	40.4	30.8	133
CC110734		0.24	<0.001	0.16	4.77	2.7	<0.2	<10	90	0.77	0.03	1.01	0.27	51.7	39.2	233
CC110735		0.30	0.039	1.11	1.29	253	<0.2	<10	150	0.42	0.39	1.59	1.13	21.8	21.8	38
CC110736		0.46	0.001	0.01	1.80	10.2	<0.2	<10	320	0.29	0.25	0.22	0.27	23.1	12.5	58
CC110737		0.44	0.003	0.07	2.42	19.4	<0.2	<10	180	0.44	0.08	2.40	0.16	18.15	29.0	114
CC110738		0.52	0.004	0.13	2.45	50.8	<0.2	<10	100	0.39	0.07	6.64	0.19	26.0	33.3	117
CC110739		0.40	0.012	0.28	2.22	194.0	<0.2	<10	120	0.45	0.10	2.82	0.27	38.9	51.5	123
CC110740		0.64	0.012	0.21	1.92	36.1	<0.2	<10	130	0.45	0.17	1.95	0.35	28.9	22.8	82

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 7- JUL- 2011
Account: RCM

Project: RAU- Cheshire

CERTIFICATE OF ANALYSIS WH11108568

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
CC110706		1.11	73.1	5.07	5.87	0.10	0.07	0.11	0.044	0.04	14.9	16.5	0.72	941	1.74	0.01
CC110707		0.44	61.1	7.82	11.10	0.16	0.05	0.03	0.072	0.02	12.5	61.8	1.82	963	1.19	0.01
CC110708		0.99	57.7	3.44	5.57	0.09	0.07	0.08	0.032	0.07	18.4	17.5	1.65	484	1.21	0.02
CC110709		1.16	76.1	4.59	7.26	0.11	0.06	0.09	0.040	0.07	21.3	21.5	2.35	585	1.44	0.01
CC110710		8.10	46.8	6.04	12.55	0.12	0.15	0.02	0.052	0.07	9.8	35.1	2.87	613	1.01	0.01
CC110711		1.21	45.8	4.04	7.58	0.12	0.10	0.08	0.043	0.04	30.1	27.9	1.30	741	1.06	0.01
CC110712		2.20	45.4	7.31	17.00	0.17	0.06	0.03	0.066	0.03	24.2	74.8	4.07	1060	0.76	0.01
CC110713		3.47	49.1	4.93	10.10	0.11	0.05	0.05	0.048	0.06	22.4	28.7	1.80	555	1.32	0.01
CC110714		0.26	269	12.30	16.45	0.31	0.23	0.04	0.082	0.01	16.7	27.3	3.66	2320	5.11	0.01
CC110715		1.55	51.8	5.81	9.97	0.13	0.10	0.05	0.035	0.07	16.0	34.0	2.32	846	1.09	0.02
CC110716		12.10	84.7	6.63	13.25	0.19	0.06	0.05	0.063	0.19	21.8	55.7	4.19	905	0.60	0.01
CC110717		4.91	68.4	4.42	8.71	0.13	0.06	0.05	0.043	0.10	18.6	32.0	2.13	759	0.64	0.01
CC110718		2.99	71.5	5.52	12.35	0.17	0.06	0.03	0.058	0.04	25.8	38.2	3.12	1130	0.48	0.01
CC110719		0.58	74.3	3.71	5.37	0.09	0.12	0.04	0.052	0.04	25.9	23.3	0.68	1590	0.25	0.01
CC110720		3.33	26.2	3.78	8.65	0.08	0.04	0.03	0.040	0.05	18.4	22.1	0.82	407	1.19	0.01
CC110721		1.22	46.4	3.87	6.74	0.09	0.06	0.05	0.039	0.06	20.3	18.8	1.73	838	1.15	0.02
CC110722		1.29	22.2	3.42	6.74	0.08	0.04	0.03	0.033	0.06	18.9	19.6	0.67	417	1.33	0.01
CC110723		1.20	22.4	3.40	5.91	0.07	0.04	0.03	0.035	0.04	12.5	20.2	0.49	235	1.46	0.01
CC110724		1.43	91.4	4.41	6.19	0.10	0.05	0.08	0.033	0.06	14.4	24.3	1.73	789	0.98	0.02
CC110725		1.52	101.5	4.89	8.10	0.10	0.17	0.03	0.028	0.06	15.5	28.5	1.50	716	0.88	0.01
CC110726		1.95	57.6	4.81	7.63	0.09	0.05	0.03	0.016	0.07	10.3	33.7	2.20	874	0.58	0.01
CC110727		3.50	75.3	6.18	10.55	0.14	0.04	0.03	0.034	0.15	13.5	48.7	2.87	979	0.42	0.01
CC110728		1.66	83.8	5.09	8.54	0.09	0.04	0.03	0.022	0.04	11.3	36.5	1.82	1340	0.89	<0.01
CC110729		1.41	103.0	5.15	6.36	0.08	0.04	0.09	0.069	0.03	15.9	19.5	1.07	1320	1.67	<0.01
CC110730		0.65	94.7	7.24	2.78	0.09	0.04	0.10	0.048	0.03	9.9	7.7	1.03	978	1.59	0.01
CC110731		3.20	49.8	4.98	11.70	0.11	0.07	0.03	0.047	0.02	9.5	36.2	2.80	677	0.83	0.01
CC110732		0.86	11.6	2.95	7.06	<0.05	<0.02	0.03	0.024	0.04	10.6	14.4	0.40	171	1.84	<0.01
CC110733		0.92	50.7	5.23	11.05	0.10	0.06	0.05	0.042	0.04	21.0	42.3	2.50	685	0.99	<0.01
CC110734		1.34	40.5	7.47	20.3	0.14	0.03	0.02	0.067	0.05	25.6	39.4	3.76	1180	0.54	<0.01
CC110735		0.60	111.0	4.47	3.64	0.07	0.05	0.23	0.054	0.04	11.9	12.2	0.77	476	1.62	<0.01
CC110736		1.76	19.9	3.23	8.31	<0.05	0.02	0.02	0.033	0.03	11.8	15.8	0.49	561	1.64	<0.01
CC110737		2.12	68.9	4.47	6.71	0.06	0.04	0.04	0.017	0.07	9.8	33.3	1.51	828	0.62	<0.01
CC110738		3.13	125.5	5.06	7.44	0.09	0.06	0.03	0.025	0.08	14.3	30.1	1.83	811	0.80	0.01
CC110739		2.54	186.0	5.31	7.04	0.12	0.05	0.10	0.048	0.05	21.3	25.6	2.12	896	1.68	0.01
CC110740		1.18	53.6	4.29	6.16	0.07	0.04	0.08	0.042	0.05	14.3	22.9	1.93	699	1.42	<0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 7- JUL- 2011
Account: RCM

Project: RAU- Cheshire

CERTIFICATE OF ANALYSIS WH11108568

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
CC110706		1.50	91.9	800	17.5	8.8	<0.001	0.05	1.16	7.5	1.6	0.5	70.2	0.01	0.06	1.4
CC110707		0.69	148.0	1890	8.3	4.2	<0.001	0.03	1.56	15.5	0.8	0.2	63.9	0.01	0.03	1.6
CC110708		2.17	75.8	1110	18.0	10.1	<0.001	0.03	1.80	6.0	1.0	0.4	46.9	0.01	0.03	3.6
CC110709		2.29	134.0	1340	20.4	10.8	<0.001	0.03	1.27	7.4	1.0	0.4	55.4	0.01	0.05	2.5
CC110710		2.13	90.6	310	11.4	11.8	<0.001	0.01	0.62	16.2	0.6	0.7	12.6	0.01	0.03	2.9
CC110711		1.13	61.3	1200	18.5	8.3	<0.001	0.02	0.91	9.7	0.9	0.4	32.2	0.01	0.05	3.3
CC110712		1.04	178.0	2050	8.2	4.9	<0.001	0.01	0.64	19.1	0.6	0.4	24.7	0.01	0.03	4.3
CC110713		3.59	120.5	1260	16.1	11.9	<0.001	0.01	1.02	9.4	0.8	0.6	25.0	0.01	0.04	4.1
CC110714		5.76	705	3080	7.5	1.7	0.001	0.03	1.86	20.7	1.7	0.3	24.6	0.05	0.04	5.3
CC110715		6.74	153.5	1520	12.8	12.0	<0.001	0.04	1.34	6.0	0.8	0.4	56.6	0.01	0.03	3.0
CC110716		3.10	180.0	2170	9.2	21.0	<0.001	0.01	0.93	19.4	0.7	0.5	71.1	0.01	0.03	4.0
CC110717		4.27	126.5	1450	10.6	11.3	<0.001	0.03	0.93	12.7	0.9	0.4	59.8	0.01	0.03	3.4
CC110718		3.38	201	2080	5.6	4.5	<0.001	0.01	0.81	17.8	0.7	0.4	73.1	0.01	0.02	4.4
CC110719		0.36	127.0	1400	8.9	6.1	<0.001	0.03	0.29	9.8	0.8	0.2	76.5	0.01	0.03	2.5
CC110720		2.22	40.5	480	17.1	13.6	<0.001	0.01	0.67	6.0	0.7	0.8	23.6	<0.01	0.05	3.9
CC110721		2.37	58.7	920	19.8	11.3	<0.001	0.03	0.97	6.9	0.9	0.5	38.1	0.01	0.04	2.8
CC110722		2.54	34.0	590	17.1	14.5	<0.001	0.01	0.75	5.3	0.6	0.6	20.1	0.01	0.04	4.4
CC110723		2.65	38.6	320	16.8	10.2	<0.001	0.01	0.77	3.9	0.7	0.6	13.0	0.01	0.05	4.1
CC110724		3.80	150.0	1380	88.2	8.9	<0.001	0.05	7.63	5.0	1.0	0.5	79.6	0.01	0.04	1.4
CC110725		4.71	178.0	800	12.2	10.4	<0.001	0.01	1.24	6.7	0.8	0.4	31.9	0.01	0.04	4.0
CC110726		6.08	137.0	2280	8.3	6.6	<0.001	0.04	1.07	3.2	0.5	0.2	77.8	0.01	0.01	1.5
CC110727		4.10	212	1560	7.5	14.0	<0.001	0.04	1.08	8.0	0.5	0.2	175.0	0.01	0.01	2.0
CC110728		4.62	132.0	1790	13.0	7.0	<0.001	0.04	1.27	3.5	0.6	0.2	98.5	0.01	0.02	1.6
CC110729		0.99	95.7	1200	31.0	5.7	<0.001	0.07	3.44	10.2	1.1	0.3	82.3	0.01	0.04	1.1
CC110730		0.56	89.7	1140	53.9	3.9	<0.001	0.04	15.90	12.2	0.8	0.2	118.0	0.01	0.03	1.4
CC110731		3.17	57.0	690	7.5	5.1	<0.001	0.06	1.43	9.1	0.8	0.3	81.4	0.01	0.01	1.2
CC110732		2.44	22.2	370	18.6	8.4	<0.001	0.01	0.99	2.4	0.3	0.6	16.6	<0.01	0.03	1.9
CC110733		1.43	119.0	1830	19.0	6.4	<0.001	0.03	1.04	7.1	0.7	0.3	52.7	<0.01	0.02	2.4
CC110734		4.03	124.0	1710	4.5	5.7	<0.001	0.01	0.58	9.2	0.3	0.5	30.9	0.01	0.01	2.0
CC110735		0.78	78.1	1090	59.3	5.8	0.001	0.08	8.23	5.7	1.9	0.3	61.2	0.01	0.03	1.2
CC110736		4.62	32.1	240	21.3	9.5	<0.001	0.01	0.84	3.4	0.3	0.8	19.5	0.01	0.04	2.3
CC110737		5.15	108.5	1580	9.6	9.8	<0.001	0.04	1.72	2.6	0.5	0.2	78.4	0.01	0.02	1.0
CC110738		5.58	126.5	2110	9.5	10.5	<0.001	0.02	3.38	5.5	0.4	0.3	210	0.01	0.01	2.2
CC110739		1.61	189.0	1510	17.3	7.3	<0.001	0.05	3.61	10.4	1.0	0.2	88.8	0.01	0.02	1.7
CC110740		1.97	83.6	1200	26.4	7.4	<0.001	0.03	1.56	5.2	0.7	0.3	29.2	0.01	0.04	2.0

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 7- JUL- 2011
Account: RCM

Project: RAU- Cheshire

CERTIFICATE OF ANALYSIS WH11108568

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
CC110706		0.031	0.10	0.96	55	0.23	16.65	88	1.5
CC110707		0.019	0.05	0.42	82	0.11	10.20	108	1.1
CC110708		0.074	0.12	0.62	53	0.29	11.65	100	2.1
CC110709		0.080	0.12	0.59	71	0.18	13.65	104	1.6
CC110710		0.314	0.18	0.44	132	0.18	8.48	84	6.2
CC110711		0.044	0.12	0.72	64	0.20	20.9	84	2.3
CC110712		0.077	0.09	0.57	152	0.27	11.25	97	2.0
CC110713		0.138	0.18	1.00	97	0.28	10.85	86	1.4
CC110714		0.263	0.03	0.93	217	0.49	14.70	90	10.9
CC110715		0.204	0.14	0.50	92	0.23	11.15	93	4.0
CC110716		0.214	0.22	0.39	131	0.27	14.20	99	1.8
CC110717		0.151	0.12	0.50	96	0.22	10.45	77	2.0
CC110718		0.179	0.07	0.41	134	0.26	12.65	80	1.9
CC110719		0.007	0.04	14.65	40	0.09	25.0	96	3.7
CC110720		0.058	0.22	1.05	81	0.32	6.55	63	1.1
CC110721		0.075	0.13	0.80	64	0.25	13.55	84	1.4
CC110722		0.082	0.15	0.87	66	0.32	8.70	77	1.2
CC110723		0.077	0.14	0.64	59	0.30	3.81	56	1.4
CC110724		0.104	0.09	0.60	61	0.19	9.27	115	1.4
CC110725		0.200	0.10	0.57	86	0.31	10.35	76	6.4
CC110726		0.122	0.06	0.52	66	0.29	5.48	69	1.6
CC110727		0.121	0.10	0.28	90	0.16	6.92	91	1.3
CC110728		0.104	0.07	0.36	82	0.31	7.21	79	1.1
CC110729		0.028	0.08	1.11	62	0.17	15.85	87	0.9
CC110730		0.012	0.06	0.33	31	0.12	12.40	130	1.0
CC110731		0.154	0.10	0.42	113	0.11	8.75	83	2.1
CC110732		0.064	0.11	0.38	71	0.26	2.00	60	0.5
CC110733		0.043	0.07	0.64	82	0.18	9.67	106	1.7
CC110734		0.230	0.04	0.12	147	0.21	6.74	145	1.0
CC110735		0.025	0.06	0.85	37	0.18	14.05	168	1.2
CC110736		0.109	0.12	0.41	85	0.23	3.13	52	0.9
CC110737		0.122	0.09	0.38	64	0.23	6.32	67	1.0
CC110738		0.172	0.08	0.36	77	0.25	7.55	73	1.9
CC110739		0.053	0.10	0.58	77	0.16	14.90	91	1.2
CC110740		0.066	0.10	0.52	61	0.15	8.74	119	1.2

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 7- JUL- 2011
Account: RCM

Project: RAU- Cheshire

CERTIFICATE OF ANALYSIS WH11108568

Method	CERTIFICATE COMMENTS
ME- MS41	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown.
ME- MS41	Gold determinations by this method are semi- quantitative due to the small sample weight used (0.5g).

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 4- JUL- 2011
Account: RCM

CERTIFICATE WH11112531

Project: Rackla- Regional

P.O. No.:

This report is for 13 Rock samples submitted to our lab in Whitehorse, YT, Canada on 20- JUN- 2011.

The following have access to data associated with this certificate:

ROB CARNE JULIA LANE	ANDREW CARNE JOAN MARIACHER	MATT DUMALA

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
WSH- 21	"Wash" crushers
WSH- 22	"Wash" pulverizers
CRU- 31	Fine crushing - 70% < 2mm
CRU- QC	Crushing QC Test
PUL- QC	Pulverizing QC Test
SPL- 21	Split sample - riffle splitter
PUL- 31	Pulverize split to 85% < 75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- AA26	Ore Grade Au 50g FA AA finish	AAS
ME- MS61	48 element four acid ICP- MS	
Hg- CV41	Trace Hg - cold vapor/AAS	FIMS
ME- OG62	Ore Grade Elements - Four Acid	ICP- AES
Pb- OG62	Ore Grade Pb - Four Acid	VARIABLE
Zn- OG62	Ore Grade Zn - Four Acid	VARIABLE

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 4- JUL- 2011
Account: RCM

Project: Rackla- Regional

CERTIFICATE OF ANALYSIS WH11112531

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- AA26 Au ppm 0.01	ME- MS61 Ag ppm 0.01	ME- MS61 Al % 0.01	ME- MS61 As ppm 0.2	ME- MS61 Ba ppm 10	ME- MS61 Be ppm 0.05	ME- MS61 Bi ppm 0.01	ME- MS61 Ca % 0.01	ME- MS61 Cd ppm 0.02	ME- MS61 Ce ppm 0.01	ME- MS61 Co ppm 0.1	ME- MS61 Cr ppm 1	ME- MS61 Cs ppm 0.05	ME- MS61 Cu ppm 0.2
I357371		0.35	<0.01	0.03	0.13	112	30	0.18	0.01	26.2	0.41	1.79	1.2	4	0.13	1.3
I357372		0.65	<0.01	0.03	1.69	7	260	0.49	0.04	20.9	0.05	31.2	4.3	28	1.09	13.3
I357373		0.55	<0.01	0.01	0.53	10	50	0.24	0.01	33.8	0.03	11.30	1.1	6	0.44	2.1
I357374		0.57	<0.01	0.18	1.55	16.2	760	0.16	0.01	0.20	0.05	11.05	0.3	29	0.56	2.5
I357375		0.82	<0.01	0.57	2.24	25.7	1110	0.22	0.04	0.05	0.25	18.70	0.3	29	0.83	4.1
I357376		0.99	<0.01	0.03	0.38	21	370	0.11	0.01	30.4	0.16	27.1	5.0	7	0.24	3.3
I357377		1.11	<0.01	16.85	0.25	47.5	220	0.07	0.01	4.28	638	1.83	3.1	11	0.11	230
I357378		0.70	<0.01	48.1	0.34	76.5	250	0.06	0.05	0.53	539	2.92	2.2	11	0.15	356
I357379		0.45	<0.01	38.7	0.30	36.8	450	0.08	0.04	8.37	484	3.23	2.1	7	0.15	216
I357380		0.42	<0.01	0.09	0.13	86	240	0.20	0.02	33.3	1.06	3.68	1.4	7	0.31	2.8
I357381		0.37	<0.01	0.04	0.21	85	150	0.18	0.03	34.0	4.46	5.64	1.3	4	0.37	2.7
I357382		0.44	<0.01	0.11	0.06	23	270	<0.05	<0.01	38.3	0.93	1.64	0.5	2	0.11	1.4
I357383		0.45	<0.01	0.04	0.64	7	30	0.13	<0.01	27.9	0.18	13.55	1.3	7	0.12	3.0

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 4- JUL- 2011
Account: RCM

Project: Rackla- Regional

CERTIFICATE OF ANALYSIS WH11112531

Sample Description	Method Analyte Units LOR	ME- MS61 Fe % 0.01	ME- MS61 Ga ppm 0.05	ME- MS61 Ge ppm 0.05	ME- MS61 Hf ppm 0.1	Hg- CV41 Hg ppm 0.01	ME- MS61 In ppm 0.005	ME- MS61 K % 0.01	ME- MS61 La ppm 0.5	ME- MS61 Li ppm 0.2	ME- MS61 Mg % 0.01	ME- MS61 Mn ppm 5	ME- MS61 Mo ppm 0.05	ME- MS61 Na % 0.01	ME- MS61 Nb ppm 0.1	ME- MS61 Ni ppm 0.2
I357371		0.10	0.54	0.10	0.1	0.24	<0.005	0.05	0.9	0.8	9.51	197	0.16	0.02	0.4	<0.2
I357372		2.14	4.11	0.09	1.8	0.16	0.015	0.67	14.3	10.9	2.12	358	0.11	0.03	4.3	11.6
I357373		0.48	1.29	0.07	0.3	0.45	<0.005	0.20	5.6	4.1	0.24	180	0.08	0.01	1.2	<0.2
I357374		0.47	2.49	0.10	0.9	0.37	0.006	0.24	5.6	102.0	0.06	44	0.24	0.02	1.4	1.2
I357375		0.50	5.15	0.14	1.6	10.3	0.011	0.41	9.8	104.5	0.07	36	0.25	0.03	2.8	1.2
I357376		2.62	1.07	0.08	0.2	0.23	<0.005	0.09	9.1	23.6	1.41	490	0.08	0.02	0.7	5.4
I357377		0.49	6.39	<0.05	0.1	>100	0.008	0.05	0.8	35.7	0.08	203	0.21	0.01	0.2	8.0
I357378		0.75	9.94	<0.05	0.1	>100	<0.005	0.08	1.1	28.4	0.05	130	0.34	0.01	0.4	6.3
I357379		0.49	8.16	<0.05	0.1	>100	0.018	0.06	1.7	30.2	0.05	294	0.30	0.02	0.3	3.2
I357380		0.66	0.34	0.05	0.1	1.15	<0.005	0.06	8.5	1.5	0.07	146	0.27	0.01	0.5	7.2
I357381		0.49	0.64	<0.05	0.1	0.39	<0.005	0.06	12.0	1.7	0.07	97	0.24	0.01	0.6	11.4
I357382		0.06	0.25	0.14	<0.1	0.18	<0.005	0.02	4.1	0.4	0.18	85	0.05	0.01	0.2	<0.2
I357383		1.01	1.05	0.07	0.4	0.17	<0.005	0.07	6.3	6.0	2.73	146	0.14	0.07	1.0	<0.2

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 4- JUL- 2011
Account: RCM

Project: Rackla- Regional

CERTIFICATE OF ANALYSIS WH11112531

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
	LOR	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02
I357371		70	3.2	2.2	0.002	0.02	0.35	0.4	2	<0.2	151.0	<0.05	<0.05	0.2	0.006	0.30
I357372		560	11.6	36.3	<0.002	0.01	0.52	3.6	1	0.6	514	0.32	<0.05	5.8	0.109	0.11
I357373		80	7.4	11.3	<0.002	0.01	0.43	1.3	2	0.2	1005	0.08	<0.05	1.3	0.025	0.04
I357374		430	286	12.5	<0.002	0.04	4.94	0.9	1	0.3	79.6	0.12	<0.05	3.4	0.045	0.13
I357375		500	719	20.6	<0.002	0.07	7.50	1.5	2	0.8	86.8	0.24	<0.05	5.4	0.079	0.16
I357376		70	10.9	5.7	<0.002	0.14	2.71	2.6	2	<0.2	1430	<0.05	<0.05	1.2	0.018	0.04
I357377		250	>10000	2.3	<0.002	5.41	197.5	0.6	18	<0.2	46.2	<0.05	<0.05	0.2	0.006	0.07
I357378		340	>10000	4.4	<0.002	5.49	405	0.6	14	<0.2	20.7	<0.05	<0.05	0.2	0.012	0.08
I357379		280	>10000	3.1	<0.002	3.42	276	1.1	13	0.2	94.2	<0.05	<0.05	0.3	0.012	0.07
I357380		510	50.8	3.2	<0.002	0.01	1.40	1.4	2	<0.2	119.0	<0.05	<0.05	0.5	0.006	0.06
I357381		470	12.8	4.1	<0.002	<0.01	1.69	2.4	2	<0.2	81.7	<0.05	<0.05	0.5	0.011	0.06
I357382		210	29.2	1.2	<0.002	<0.01	0.42	0.5	2	<0.2	279	<0.05	<0.05	0.2	<0.005	0.02
I357383		90	28.9	4.5	<0.002	0.01	0.25	1.6	2	0.2	946	0.07	<0.05	1.3	0.025	0.02

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 4- JUL- 2011
Account: RCM

Project: Rackla- Regional

CERTIFICATE OF ANALYSIS WH11112531

Sample Description	Method Analyte Units LOR	ME- MS61 U ppm 0.1	ME- MS61 V ppm 1	ME- MS61 W ppm 0.1	ME- MS61 Y ppm 0.1	ME- MS61 Zn ppm 2	ME- MS61 Zr ppm 0.5	Pb- OG62 Pb % 0.001	Zn- OG62 Zn % 0.001
I357371		1.3	3	0.2	1.0	40	1.7		
I357372		4.4	17	0.4	16.3	36	67.9		
I357373		7.8	5	0.1	4.9	11	11.1		
I357374		2.0	9	0.3	3.2	8	33.5		
I357375		2.7	16	0.4	4.8	21	58.0		
I357376		1.3	7	0.1	17.7	47	8.0		
I357377		1.7	4	0.1	5.4	>10000	2.5	1.135	15.30
I357378		1.6	7	0.1	3.3	>10000	4.5	4.36	14.75
I357379		1.7	5	0.1	8.4	>10000	4.1	3.86	12.20
I357380		0.7	4	0.5	18.3	157	3.0		
I357381		0.9	6	0.7	43.3	85	4.2		
I357382		0.2	3	0.1	10.9	69	1.2		
I357383		5.5	12	0.1	4.8	47	14.0		

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 4- JUL- 2011
Account: RCM

Project: Rackla- Regional

CERTIFICATE OF ANALYSIS WH11112531

Method	CERTIFICATE COMMENTS
ME- MS61	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown.
ME- MS61	REE's may not be totally soluble in this method.
Hg- CV41	Detection limits on samples requiring dilutions due to interferences or high concentration levels have been increased according to the dilution factor.

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 14- JUL- 2011
Account: RCM

CERTIFICATE WH11112635

Project: Rackla - TRENT SILTS

P.O. No.:

This report is for 52 Soil samples submitted to our lab in Whitehorse, YT, Canada on 20- JUN- 2011.

The following have access to data associated with this certificate:

ROB CARNE JULIA LANE	ANDREW CARNE JOAN MARIACHER	MATT DUMALA

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
SCR- 41	Screen to - 180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- ST43	Super Trace Au - 25g AR	ICP- MS
ME- MS41	51 anal. aqua regia ICPMS	

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 14- JUL- 2011
Account: RCM

Project: Rackla - TRENT SILTS

CERTIFICATE OF ANALYSIS WH11112635

Sample Description	Method	WEI- 21	Au- ST43	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Recvd Wt.	Au	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.02	0.0001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
CC126701		0.34	0.0011	0.12	0.76	18.5	<0.2	<10	120	0.76	0.35	1.22	0.18	14.70	19.8	14
CC126702		0.34	0.0016	0.13	0.74	16.5	<0.2	<10	200	0.71	0.29	1.00	0.28	13.25	13.8	20
CC126703		0.12	0.0014	0.20	0.67	25.5	<0.2	<10	160	0.74	0.36	1.90	0.29	14.60	20.1	13
CC126704		0.30	0.0010	0.15	0.68	23.2	<0.2	<10	190	0.75	0.40	1.92	0.30	14.95	20.5	13
CC126705		0.14	0.0012	0.17	0.86	21.4	<0.2	<10	190	0.77	0.41	1.53	0.31	17.45	19.9	15
CC126706		0.30	0.0020	0.62	0.74	8.5	<0.2	<10	650	0.66	0.25	1.00	0.93	26.9	11.6	20
CC126707		0.34	0.0012	0.16	0.82	17.1	<0.2	<10	220	0.70	0.34	1.89	0.33	17.85	17.8	15
CC126708		0.30	0.0009	0.16	0.85	14.9	<0.2	<10	270	0.69	0.31	1.96	0.36	19.85	16.4	15
CC126709		0.16	0.0009	0.18	0.85	16.2	<0.2	<10	280	0.69	0.34	1.91	0.45	17.25	16.1	15
CC126710		0.26	0.0010	0.21	0.92	13.7	<0.2	<10	380	0.75	0.34	1.05	0.38	17.85	15.1	17
CC126711		0.32	0.0005	0.26	0.70	12.5	<0.2	<10	420	0.52	0.25	3.22	0.47	15.30	13.0	14
CC126712		0.20	0.0010	0.27	0.76	12.9	<0.2	<10	440	0.59	0.30	1.76	0.84	16.60	13.8	16
CC126714		0.32	0.0005	0.24	0.72	13.1	<0.2	<10	390	0.56	0.26	2.70	0.46	15.80	13.7	14
CC126715		0.30	0.0008	0.09	0.91	16.4	<0.2	<10	220	0.80	0.36	1.88	0.20	19.75	17.4	16
CC126716		0.20	0.0010	0.26	0.85	11.0	<0.2	<10	370	0.64	0.28	1.29	0.53	19.80	13.9	17
CC126717		0.24	0.0009	0.25	0.76	11.5	<0.2	<10	690	0.57	0.25	1.75	0.50	18.55	12.7	15
CC126718		0.24	0.0024	0.11	0.89	213	<0.2	<10	260	0.57	0.34	2.85	0.24	14.05	21.3	15
CC126719		0.22	0.0011	0.23	0.75	29.2	<0.2	<10	600	0.58	0.26	2.10	0.43	16.45	14.0	15
CC126720		0.18	0.0008	0.37	0.68	18.3	<0.2	<10	850	0.51	0.24	2.12	0.51	16.70	11.5	18
CC126721		0.18	0.0007	0.35	0.75	18.9	<0.2	<10	1130	0.54	0.23	2.52	0.54	17.10	12.5	17
CC126722		0.22	0.0006	0.42	0.71	19.2	<0.2	<10	950	0.49	0.20	1.32	0.40	17.40	11.3	15
CC126723		0.22	0.0009	0.58	0.71	16.0	<0.2	<10	1090	0.52	0.20	1.21	0.62	17.65	10.5	16
CC126724		0.24	0.0008	0.59	0.73	19.9	<0.2	<10	1220	0.46	0.20	1.56	0.61	17.40	11.4	17
CC126725		0.32	0.0012	0.43	0.64	14.6	<0.2	<10	980	0.40	0.17	1.64	0.39	15.70	9.9	14
CC126726		0.32	0.0007	0.51	0.70	16.5	<0.2	<10	1000	0.40	0.23	1.56	0.48	16.95	11.0	16
CC126727		0.32	0.0008	0.34	0.67	16.7	<0.2	<10	680	0.48	0.21	2.36	0.44	14.25	10.9	15
CC126728		0.24	0.0008	0.51	0.70	19.5	<0.2	<10	930	0.53	0.20	1.26	0.49	16.80	11.0	16
CC126729		0.30	0.0008	0.50	0.74	18.4	<0.2	<10	1040	0.51	0.23	2.05	0.48	16.75	11.7	16
CC126730		0.32	0.0004	0.42	0.69	15.0	<0.2	<10	1150	0.42	0.19	2.22	0.46	15.35	11.1	15
CC126731		0.22	0.0006	0.43	0.69	15.6	<0.2	<10	1140	0.48	0.20	1.75	0.57	15.70	11.9	15
CC126732		0.22	0.0007	0.53	0.68	14.6	<0.2	<10	890	0.41	0.19	1.98	0.52	15.40	10.7	16
CC126733		0.24	0.0007	0.42	0.65	13.0	<0.2	<10	1050	0.44	0.18	1.82	0.41	15.35	10.0	15
CC126734		0.20	0.0007	0.46	0.72	15.8	<0.2	<10	1070	0.46	0.20	1.96	0.54	15.35	11.0	16
CC126735		0.30	0.0008	0.45	0.71	16.2	<0.2	<10	1350	0.46	0.22	2.84	0.58	16.25	12.1	16
CC126736		0.30	0.0015	0.08	0.86	17.4	<0.2	<10	140	0.58	0.31	3.21	0.29	16.05	17.2	13
CC126737		0.32	0.0011	0.08	0.68	15.8	<0.2	<10	100	0.54	0.27	3.97	0.64	18.65	15.0	12
CC126738		0.32	0.0010	0.10	0.84	18.0	<0.2	<10	90	0.61	0.29	2.99	0.28	16.65	18.1	13
CC126739		0.26	0.0009	0.11	0.84	15.1	<0.2	10	100	0.66	0.31	3.27	0.33	16.95	15.8	14
CC126740		0.20	0.0009	0.11	0.85	14.8	<0.2	<10	100	0.69	0.31	2.54	0.29	16.05	17.0	14
CC126741		0.34	0.0006	0.09	0.79	16.0	<0.2	<10	190	0.57	0.27	3.27	0.27	14.45	15.7	15

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 14- JUL- 2011
Account: RCM

Project: Rackla - TRENT SILTS

CERTIFICATE OF ANALYSIS WH11112635

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
CC126701		4.20	69.5	3.96	2.62	0.09	0.05	0.10	0.036	0.07	6.6	18.7	0.63	698	1.27	0.01
CC126702		1.60	35.8	3.49	2.34	0.07	0.08	0.14	0.034	0.07	6.3	15.1	0.45	493	0.99	0.01
CC126703		3.23	61.0	3.92	2.27	0.08	0.06	0.15	0.039	0.08	6.5	15.5	0.78	649	1.66	0.01
CC126704		2.48	59.0	4.00	2.27	0.08	0.05	0.11	0.040	0.08	6.5	16.9	0.93	628	1.52	0.01
CC126705		2.88	57.7	4.24	2.94	0.09	0.06	0.10	0.040	0.08	7.7	18.8	0.87	690	1.72	0.01
CC126706		2.39	40.2	2.84	2.45	0.08	0.06	0.11	0.025	0.11	14.8	15.0	0.42	507	2.59	0.01
CC126707		2.31	49.3	3.84	2.72	0.08	0.05	0.08	0.033	0.07	8.0	19.1	0.89	666	1.54	0.01
CC126708		1.93	46.3	3.76	2.88	0.08	0.05	0.05	0.030	0.07	9.1	20.2	0.96	694	1.57	0.01
CC126709		2.24	46.4	3.76	2.75	0.08	0.06	0.08	0.032	0.07	8.2	18.6	0.94	641	1.54	0.01
CC126710		2.05	44.9	3.57	3.09	0.09	0.06	0.08	0.033	0.07	8.9	20.8	0.58	440	1.37	0.01
CC126711		1.65	37.0	3.04	2.30	0.08	0.05	0.07	0.026	0.07	8.2	16.3	1.13	550	1.71	0.02
CC126712		2.08	39.4	3.18	2.52	0.08	0.05	0.09	0.030	0.08	8.6	16.9	0.89	478	1.41	0.01
CC126714		1.79	37.3	3.14	2.45	0.08	0.05	0.06	0.028	0.06	8.2	17.3	1.03	535	1.65	0.01
CC126715		2.25	47.0	3.87	3.33	0.09	0.07	0.10	0.034	0.07	8.7	22.5	0.82	621	0.96	0.01
CC126716		1.98	42.6	3.19	2.86	0.08	0.05	0.26	0.032	0.08	10.1	18.2	0.71	458	1.27	0.01
CC126717		1.76	36.3	3.01	2.50	0.07	0.05	0.07	0.027	0.07	9.7	17.0	0.89	559	1.36	0.01
CC126718		2.42	80.6	4.36	2.76	0.09	0.05	0.40	0.042	0.07	6.2	19.7	1.23	591	0.90	0.02
CC126719		1.75	41.4	3.16	2.46	0.08	0.06	0.08	0.027	0.07	8.5	17.6	0.91	505	1.41	0.01
CC126720		1.55	40.8	2.85	2.22	0.07	0.06	0.08	0.028	0.08	8.6	14.8	0.89	446	1.46	0.01
CC126721		1.72	39.7	3.07	2.40	0.07	0.06	0.17	0.031	0.07	8.7	14.1	0.87	628	1.35	0.01
CC126722		1.36	35.4	2.61	2.32	0.06	0.06	0.10	0.027	0.07	9.3	13.4	0.65	363	1.02	0.01
CC126723		1.30	31.2	2.59	2.26	0.06	0.06	0.11	0.030	0.08	9.3	13.4	0.55	345	1.16	0.01
CC126724		1.51	35.5	2.90	2.20	0.07	0.06	2.41	0.027	0.08	8.8	12.7	0.68	643	1.25	0.01
CC126725		1.17	29.0	2.58	1.97	0.06	0.05	0.07	0.024	0.06	8.1	12.4	0.74	518	1.13	0.01
CC126726		1.33	33.5	2.75	2.11	0.06	0.05	0.10	0.025	0.07	9.0	12.6	0.72	396	1.10	0.01
CC126727		1.37	31.7	2.85	2.11	0.06	0.06	0.28	0.024	0.06	7.9	13.7	0.84	527	1.35	<0.01
CC126728		1.45	40.0	2.80	2.19	0.06	0.05	0.09	0.027	0.08	8.9	13.8	0.58	462	1.24	0.01
CC126729		1.51	36.2	2.90	2.37	0.07	0.06	0.09	0.029	0.07	8.6	14.7	0.76	488	1.22	0.01
CC126730		1.27	32.4	2.70	2.06	0.07	0.05	0.23	0.025	0.07	8.2	12.9	0.87	547	1.23	0.01
CC126731		1.37	34.5	2.78	2.12	0.06	0.06	0.10	0.027	0.08	8.4	13.4	0.80	527	1.20	0.01
CC126732		1.27	34.0	2.69	2.01	0.07	0.06	0.09	0.026	0.07	8.1	12.7	0.77	534	1.23	0.01
CC126733		1.23	29.6	2.56	1.99	0.07	0.05	0.08	0.022	0.07	8.1	12.0	0.83	437	1.17	0.01
CC126734		1.31	34.0	2.77	2.21	0.07	0.06	0.09	0.026	0.08	7.9	13.9	0.79	516	1.13	0.01
CC126735		1.40	36.6	2.93	2.26	0.07	0.06	0.11	0.029	0.07	8.3	14.1	1.01	606	1.19	0.01
CC126736		2.02	49.9	3.54	2.52	0.07	0.08	0.14	0.031	0.07	7.1	24.6	1.26	539	0.99	0.01
CC126737		1.47	45.7	3.26	1.97	0.08	0.08	0.12	0.030	0.06	8.7	18.6	1.68	455	1.14	0.01
CC126738		1.90	51.6	3.72	2.51	0.07	0.08	0.12	0.033	0.06	7.2	24.3	1.26	510	1.09	0.01
CC126739		2.41	49.8	3.48	2.44	0.08	0.08	0.18	0.035	0.08	7.3	22.6	1.20	460	1.04	0.01
CC126740		1.86	50.1	3.39	2.50	0.08	0.08	0.16	0.034	0.08	7.3	24.4	1.20	512	0.94	0.01
CC126741		1.57	45.7	3.41	2.33	0.07	0.07	0.10	0.030	0.06	6.4	21.5	1.38	490	0.96	0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 14- JUL- 2011
Account: RCM

Project: Rackla - TRENT SILTS

CERTIFICATE OF ANALYSIS WH11112635

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
CC126701		0.20	43.3	750	22.4	9.0	0.001	0.12	0.53	6.1	0.8	0.3	68.4	<0.01	0.07	3.6
CC126702		0.18	112.0	690	20.4	8.6	0.001	0.06	0.51	4.8	0.9	0.3	44.3	<0.01	0.05	2.9
CC126703		0.14	65.0	730	24.6	7.2	0.002	0.19	0.62	6.6	1.3	0.4	74.5	<0.01	0.07	3.8
CC126704		0.13	54.4	690	23.8	6.2	0.002	0.21	0.62	6.8	1.0	0.3	72.7	<0.01	0.07	4.3
CC126705		0.14	52.0	680	28.2	7.3	0.001	0.13	0.71	6.5	1.1	0.4	58.1	<0.01	0.06	4.8
CC126706		0.21	30.9	1040	16.4	11.8	0.001	0.06	0.92	4.1	1.8	0.3	47.6	<0.01	0.05	3.3
CC126707		0.13	42.6	640	22.6	6.1	0.001	0.09	0.66	5.8	0.8	0.3	63.3	<0.01	0.05	4.6
CC126708		0.13	39.7	650	22.0	5.9	0.001	0.06	0.70	5.3	0.7	0.3	56.7	<0.01	0.04	5.0
CC126709		0.14	41.8	670	22.4	6.8	0.001	0.09	0.67	5.3	0.9	0.3	60.5	<0.01	0.05	4.4
CC126710		0.16	41.8	660	21.8	6.7	0.001	0.06	0.66	5.4	1.1	0.3	49.0	<0.01	0.05	4.5
CC126711		0.13	38.1	690	16.8	5.1	0.002	0.11	0.67	4.4	1.0	0.2	84.7	<0.01	0.04	4.1
CC126712		0.15	43.4	720	18.2	7.2	0.002	0.08	0.61	4.6	1.3	0.3	58.6	<0.01	0.04	4.1
CC126714		0.13	39.4	640	17.5	5.5	0.002	0.10	0.64	4.6	0.9	0.3	76.7	<0.01	0.04	4.2
CC126715		0.14	38.1	530	23.4	6.5	0.001	0.06	0.42	6.0	0.7	0.3	62.8	<0.01	0.05	5.9
CC126716		0.17	38.2	800	18.7	8.4	0.002	0.05	0.59	4.9	1.4	0.3	51.2	<0.01	0.04	4.2
CC126717		0.17	36.5	730	16.8	6.6	0.002	0.09	0.58	4.4	1.1	0.3	54.3	<0.01	0.04	4.3
CC126718		0.10	48.9	610	15.8	6.2	0.001	0.09	0.53	8.6	1.1	0.2	79.5	<0.01	0.10	3.6
CC126719		0.15	38.2	660	17.1	6.2	0.002	0.08	0.59	4.8	1.1	0.2	66.6	<0.01	0.05	4.1
CC126720		0.17	35.8	810	15.9	5.8	0.002	0.11	0.65	4.0	1.4	0.3	77.8	<0.01	0.06	3.6
CC126721		0.17	36.3	790	15.5	6.2	0.002	0.10	0.63	4.2	1.3	0.3	88.2	<0.01	0.06	3.5
CC126722		0.15	35.4	760	12.7	6.5	0.002	0.08	0.53	3.8	1.5	0.3	58.8	<0.01	0.06	2.9
CC126723		0.16	36.4	780	13.1	6.9	0.003	0.11	0.61	3.5	1.6	0.3	68.2	<0.01	0.06	2.9
CC126724		0.16	41.2	800	13.8	6.9	0.002	0.13	0.61	3.5	2.0	0.3	69.5	<0.01	0.06	2.9
CC126725		0.12	33.4	780	11.6	5.4	0.002	0.09	0.51	3.2	1.2	0.2	61.4	<0.01	0.05	2.9
CC126726		0.14	37.1	780	13.1	6.3	0.003	0.11	0.56	3.5	1.6	0.3	59.1	<0.01	0.06	3.2
CC126727		0.12	34.8	770	13.7	5.3	0.002	0.08	0.58	3.5	1.3	0.2	79.2	<0.01	0.06	3.2
CC126728		0.15	37.2	790	14.0	6.4	0.002	0.09	0.60	3.6	1.7	0.3	61.5	<0.01	0.06	2.9
CC126729		0.16	36.6	740	13.6	6.6	0.002	0.10	0.61	4.0	1.7	0.3	77.6	<0.01	0.06	3.1
CC126730		0.14	38.0	770	12.5	6.0	0.002	0.11	0.57	3.4	1.3	0.2	78.5	<0.01	0.05	3.0
CC126731		0.13	42.1	780	12.8	5.7	0.002	0.11	0.58	3.5	1.8	0.2	65.5	<0.01	0.04	3.0
CC126732		0.13	41.6	770	12.5	5.9	0.003	0.10	0.60	3.4	1.7	0.2	77.5	<0.01	0.06	2.6
CC126733		0.13	35.5	750	11.3	5.5	0.002	0.10	0.52	3.1	1.5	0.2	62.4	<0.01	0.05	2.9
CC126734		0.14	41.8	770	13.1	6.2	0.003	0.11	0.56	3.5	1.6	0.2	75.8	<0.01	0.05	3.1
CC126735		0.16	43.2	780	14.9	5.8	0.002	0.13	0.60	3.7	1.7	0.2	95.9	<0.01	0.05	3.2
CC126736		0.10	34.4	590	21.7	5.3	0.001	0.07	0.58	4.6	1.2	0.3	89.0	<0.01	0.06	4.4
CC126737		0.10	33.9	640	18.6	4.9	0.001	0.06	0.52	4.6	1.1	0.2	95.6	<0.01	0.06	4.7
CC126738		0.10	39.3	580	20.3	5.1	0.001	0.06	0.62	5.0	1.0	0.3	88.2	<0.01	0.07	4.3
CC126739		0.11	59.4	620	20.8	5.9	0.001	0.08	0.54	4.8	1.4	0.3	96.2	<0.01	0.05	4.3
CC126740		0.11	63.3	610	20.9	5.8	0.001	0.08	0.56	4.6	1.2	0.3	79.5	<0.01	0.06	4.2
CC126741		0.10	51.2	570	18.4	4.5	0.001	0.08	0.55	4.3	0.8	0.2	84.4	<0.01	0.06	4.4

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 14- JUL- 2011
Account: RCM

Project: Rackla - TRENT SILTS

CERTIFICATE OF ANALYSIS WH11112635

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
CC126701		0.007	0.07	1.29	21	0.07	9.89	91	1.6
CC126702		<0.005	0.05	0.89	16	0.06	10.10	109	2.6
CC126703		<0.005	0.10	1.72	18	0.05	11.05	106	2.3
CC126704		<0.005	0.08	1.42	18	<0.05	10.75	102	1.9
CC126705		<0.005	0.09	1.48	20	0.05	11.55	104	2.1
CC126706		0.007	0.10	1.33	25	0.08	13.20	149	2.2
CC126707		<0.005	0.07	1.26	19	<0.05	10.45	101	2.1
CC126708		0.005	0.07	1.15	19	0.05	10.40	102	2.3
CC126709		<0.005	0.07	1.25	20	0.05	10.30	115	2.1
CC126710		0.005	0.07	1.27	20	0.05	10.80	110	2.6
CC126711		0.005	0.07	1.25	20	0.11	10.50	112	2.4
CC126712		<0.005	0.07	1.16	20	0.05	10.10	170	1.8
CC126714		<0.005	0.07	1.21	19	0.05	10.20	116	2.2
CC126715		0.005	0.05	1.13	18	<0.05	9.75	91	3.4
CC126716		0.005	0.08	1.40	22	<0.05	10.40	123	2.1
CC126717		0.005	0.07	1.24	21	0.05	10.25	118	2.3
CC126718		<0.005	0.09	0.77	27	0.05	10.20	90	2.2
CC126719		0.005	0.07	1.17	21	0.06	10.20	112	2.5
CC126720		0.009	0.07	1.11	22	0.05	10.75	125	2.3
CC126721		0.005	0.08	1.03	21	0.09	10.30	124	2.1
CC126722		0.005	0.07	0.83	21	0.08	9.48	112	1.9
CC126723		<0.005	0.08	1.03	22	0.11	10.35	122	2.2
CC126724		0.005	0.09	1.03	22	<0.05	10.20	132	2.0
CC126725		<0.005	0.07	0.91	19	0.11	9.19	112	2.0
CC126726		<0.005	0.08	1.05	21	0.20	9.74	127	1.9
CC126727		<0.005	0.08	1.01	20	<0.05	9.68	123	2.0
CC126728		<0.005	0.08	0.99	21	0.05	9.57	127	2.0
CC126729		0.005	0.08	0.94	22	0.07	10.15	123	2.2
CC126730		<0.005	0.07	0.96	20	<0.05	9.81	115	2.0
CC126731		<0.005	0.08	1.14	20	<0.05	9.74	121	1.9
CC126732		<0.005	0.08	0.95	21	<0.05	10.20	128	1.9
CC126733		<0.005	0.07	1.01	20	<0.05	9.11	115	1.8
CC126734		<0.005	0.08	1.12	21	<0.05	9.78	125	2.0
CC126735		0.005	0.08	1.12	21	0.17	10.40	120	2.1
CC126736		<0.005	0.05	1.29	14	<0.05	9.50	106	3.2
CC126737		<0.005	0.05	1.26	12	<0.05	9.96	98	3.4
CC126738		<0.005	0.05	1.31	14	<0.05	10.25	97	3.5
CC126739		<0.005	0.05	1.30	14	<0.05	10.00	97	3.3
CC126740		<0.005	0.05	1.18	14	<0.05	9.74	94	3.5
CC126741		<0.005	0.06	1.10	15	<0.05	8.34	96	3.2

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 14- JUL- 2011
Account: RCM

Project: Rackla - TRENT SILTS

CERTIFICATE OF ANALYSIS WH11112635

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- ST43 Au ppm 0.0001	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1
CC126742		0.32	0.0009	0.14	0.86	15.1	<0.2	<10	460	0.65	0.29	2.44	0.34	16.90	16.7	15
CC126743		0.46	0.0008	0.13	0.83	15.0	<0.2	<10	400	0.61	0.27	2.92	0.31	15.55	15.8	15
CC126744		0.30	0.0010	0.17	0.88	15.1	<0.2	<10	530	0.66	0.28	2.33	0.41	16.35	16.7	16
CC126745		0.40	0.0010	0.17	0.77	13.2	<0.2	<10	1050	0.54	0.23	3.06	0.43	15.35	14.3	17
CC126746		0.40	0.0008	0.29	0.76	12.1	<0.2	<10	1110	0.54	0.22	3.05	0.42	15.65	12.9	14
CC126747		0.50	0.0010	0.22	0.82	16.2	<0.2	10	880	0.68	0.28	2.74	0.50	16.20	15.9	15
CC126748		0.30	0.0015	0.07	1.10	14.4	<0.2	<10	90	0.54	0.27	0.67	0.18	15.15	22.3	21
CC126749		0.34	0.0011	0.07	1.10	13.5	<0.2	<10	80	0.54	0.27	0.87	0.18	14.00	20.9	22
CC126750		0.30	0.0010	0.08	1.22	13.8	<0.2	<10	110	0.58	0.28	0.84	0.21	14.65	22.0	24
CC126751		0.34	0.0010	0.08	1.20	13.8	<0.2	<10	120	0.56	0.30	0.81	0.18	15.45	22.6	25
CC126752		0.42	0.0010	0.07	1.19	11.7	<0.2	<10	160	0.60	0.28	0.64	0.18	15.50	21.6	26
CC126753		0.28	0.0013	0.10	1.24	13.1	<0.2	<10	130	0.64	0.31	0.67	0.16	16.35	23.0	31

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 14- JUL- 2011
Account: RCM

Project: Rackla - TRENT SILTS

CERTIFICATE OF ANALYSIS WH11112635

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
CC126742		1.84	50.4	3.48	2.56	0.07	0.08	0.16	0.031	0.08	7.6	21.7	1.17	503	1.02	0.01
CC126743		1.90	45.0	3.44	2.29	0.07	0.08	0.12	0.029	0.07	7.1	20.9	1.23	547	1.08	0.01
CC126744		1.84	46.4	3.45	2.60	0.07	0.08	0.16	0.032	0.08	7.7	21.9	1.16	537	1.07	0.01
CC126745		1.47	43.4	3.13	2.30	0.07	0.07	0.12	0.028	0.08	7.1	19.0	1.28	512	1.13	0.01
CC126746		1.62	41.5	2.82	2.27	0.07	0.07	0.13	0.026	0.08	7.4	18.6	1.11	463	1.02	0.01
CC126747		1.90	49.6	3.35	2.50	0.07	0.08	0.16	0.032	0.08	7.5	20.9	1.04	595	1.21	0.01
CC126748		1.43	58.2	4.42	3.46	0.09	0.09	0.09	0.032	0.05	6.5	33.1	0.73	807	0.79	<0.01
CC126749		1.52	55.7	4.27	3.41	0.09	0.09	0.09	0.031	0.05	6.2	32.9	0.75	718	0.73	0.01
CC126750		1.58	59.6	4.41	3.81	0.08	0.10	0.11	0.034	0.06	6.4	36.2	0.83	671	0.73	0.01
CC126751		1.58	57.6	4.35	3.80	0.08	0.09	0.17	0.032	0.06	7.0	35.9	0.83	715	0.72	0.01
CC126752		1.51	58.3	4.16	3.90	0.09	0.10	0.10	0.030	0.05	6.5	38.3	0.83	440	0.65	0.01
CC126753		1.72	59.3	4.46	3.76	0.10	0.10	0.13	0.035	0.07	7.0	35.8	0.94	618	0.73	<0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 14- JUL- 2011
Account: RCM

Project: Rackla - TRENT SILTS

CERTIFICATE OF ANALYSIS WH11112635

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
CC126742		0.12	57.1	660	19.9	6.5	0.001	0.08	0.61	4.6	1.2	0.3	77.4	<0.01	0.08	4.0
CC126743		0.12	49.2	660	18.5	5.5	0.001	0.08	0.60	4.1	1.1	0.2	85.4	<0.01	0.06	3.7
CC126744		0.15	52.6	700	19.6	6.0	0.001	0.09	0.61	4.7	1.2	0.3	75.6	<0.01	0.07	3.7
CC126745		0.14	54.6	720	16.4	5.5	0.001	0.11	0.61	3.9	1.0	0.2	92.9	<0.01	0.05	3.3
CC126746		0.13	48.4	700	15.7	6.6	0.002	0.14	0.57	4.1	1.5	0.2	92.4	<0.01	0.07	3.2
CC126747		0.14	55.9	670	19.3	6.9	0.001	0.10	0.67	4.6	1.7	0.3	96.4	<0.01	0.08	3.4
CC126748		0.12	43.4	460	20.5	3.8	0.001	0.10	0.40	5.6	0.7	0.2	31.8	<0.01	0.07	4.3
CC126749		0.13	43.7	450	20.0	4.3	0.001	0.10	0.38	5.2	0.7	0.2	42.1	<0.01	0.07	4.2
CC126750		0.15	49.1	520	22.3	4.7	0.001	0.09	0.38	5.3	0.9	0.3	43.2	<0.01	0.08	4.2
CC126751		0.15	52.1	510	22.1	4.7	0.001	0.10	0.39	5.6	0.9	0.2	42.1	<0.01	0.07	4.5
CC126752		0.13	51.7	480	20.1	4.4	0.001	0.08	0.34	5.3	0.9	0.3	34.8	<0.01	0.07	4.8
CC126753		0.16	62.6	550	22.3	5.8	0.001	0.07	0.45	6.1	1.2	0.3	39.4	<0.01	0.06	4.2

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 14- JUL- 2011
Account: RCM

Project: Rackla - TRENT SILTS

CERTIFICATE OF ANALYSIS WH11112635

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
CC126742		<0.005	0.06	1.11	17	<0.05	9.87	102	3.2
CC126743		<0.005	0.06	1.21	16	<0.05	9.41	98	3.0
CC126744		<0.005	0.06	1.21	17	0.06	10.25	110	3.2
CC126745		0.005	0.08	1.05	19	0.06	9.01	101	2.7
CC126746		<0.005	0.09	0.99	18	<0.05	10.15	102	2.8
CC126747		<0.005	0.08	1.31	17	<0.05	10.70	111	3.0
CC126748		0.012	0.05	0.76	31	<0.05	9.02	92	3.9
CC126749		0.013	0.05	0.75	31	<0.05	8.79	89	3.6
CC126750		0.011	0.05	0.79	31	<0.05	9.35	97	3.7
CC126751		0.012	0.06	0.80	31	<0.05	9.16	92	3.9
CC126752		0.012	0.04	0.67	30	<0.05	8.91	92	4.5
CC126753		0.010	0.06	0.92	32	<0.05	9.69	88	3.4

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 14- JUL- 2011
Account: RCM

Project: Rackla - TRENT SILTS

CERTIFICATE OF ANALYSIS WH11112635

Method	CERTIFICATE COMMENTS
ME- MS41	Gold determinations by this method are semi- quantitative due to the small sample weight used (0.5g).

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 11- JUL- 2011
Account: RCM

CERTIFICATE WH11112638

Project: Rackla - PYRAMID

P.O. No.:

This report is for 196 Soil samples submitted to our lab in Whitehorse, YT, Canada on 20- JUN- 2011.

The following have access to data associated with this certificate:

ROB CARNE JULIA LANE	ANDREW CARNE JOAN MARIACHER	MATT DUMALA

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
SCR- 41	Screen to - 180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- TL43	Trace Level Au - 25g AR	ICP- MS
ME- MS41	51 anal. aqua regia ICPMS	

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 11- JUL- 2011
Account: RCM

Project: Rackla - PYRAMID

CERTIFICATE OF ANALYSIS WH11112638

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- TL43 Au ppm 0.001	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1
CC125411		0.10	0.001	0.13	1.18	8.4	<0.2	10	170	1.05	0.36	1.49	0.13	22.6	9.5	16
CC125412		0.24	0.002	0.21	1.18	13.3	<0.2	<10	260	0.81	0.27	1.29	0.27	17.30	10.1	22
CC125413		0.28	0.002	0.10	1.13	30.2	<0.2	<10	110	0.72	0.24	1.09	0.28	18.10	12.9	19
CC125414		0.14	<0.001	0.15	0.67	6.2	<0.2	<10	420	0.59	0.10	3.45	0.32	8.11	4.9	9
CC125415		0.24	0.002	0.18	1.38	14.7	<0.2	<10	320	0.72	0.22	0.92	0.23	15.20	12.1	23
CC125416		0.18	0.003	0.21	1.32	11.8	<0.2	<10	420	0.75	0.21	1.91	0.24	11.20	9.8	20
CC125418		0.14	0.002	0.28	1.07	14.2	<0.2	<10	410	0.75	0.18	2.44	0.28	11.00	6.7	18
CC125419		0.18	0.002	0.29	1.17	11.8	<0.2	<10	590	0.76	0.18	2.62	0.54	13.05	9.1	19
CC125420		0.16	0.002	0.22	1.61	13.8	<0.2	<10	460	0.88	0.21	1.38	0.40	17.85	10.4	27
CC125421		0.28	0.001	0.18	1.52	14.3	<0.2	<10	340	0.92	0.24	0.72	0.42	18.25	15.7	26
CC125422		0.18	0.001	0.35	1.47	25.7	<0.2	<10	410	0.87	0.23	0.60	0.19	9.28	14.0	30
CC125423		0.18	0.002	0.21	1.08	12.2	<0.2	<10	180	0.76	0.32	0.72	0.14	13.60	9.1	18
CC125424		0.28	0.001	0.16	1.48	15.7	<0.2	<10	260	0.83	0.35	0.57	0.21	16.00	11.9	24
CC125425		0.20	0.002	0.21	1.45	14.0	<0.2	<10	280	0.82	0.24	1.20	0.24	18.30	15.9	23
CC125426		0.30	0.001	0.26	1.23	15.5	<0.2	<10	230	0.92	0.23	2.64	0.15	19.85	15.8	21
CC125427		0.20	0.002	0.21	1.27	16.1	<0.2	<10	220	0.98	0.27	1.58	0.24	21.1	12.6	21
CC125428		0.32	0.001	0.33	1.24	72.7	<0.2	<10	250	0.80	0.21	1.74	0.32	10.50	10.3	24
CC125429		0.22	0.001	0.29	0.91	14.5	<0.2	10	180	0.84	0.27	1.55	0.24	12.10	10.0	14
CC125430		0.22	0.002	0.32	0.99	13.3	<0.2	<10	350	0.61	0.19	2.09	0.22	10.15	8.6	17
CC125431		0.28	0.001	0.23	1.41	18.4	<0.2	<10	220	0.89	0.28	1.61	0.25	20.2	17.9	22
CC125432		0.40	0.001	0.24	0.99	20.2	<0.2	<10	230	0.81	0.25	4.88	0.21	17.45	10.1	17
CC125433		0.12	0.001	0.30	0.61	9.5	<0.2	10	720	0.51	0.16	3.35	0.30	7.15	6.4	10
CC125434		0.18	0.002	0.32	0.81	13.6	<0.2	<10	710	0.81	0.23	1.57	0.35	11.85	10.8	15
CC125435		0.24	0.002	0.70	0.55	20.8	<0.2	<10	420	0.81	0.25	1.21	0.36	11.15	8.0	13
CC125436		0.36	0.001	0.35	0.85	16.3	<0.2	<10	290	0.89	0.32	0.55	0.29	18.75	13.5	16
CC125437		0.14	<0.001	0.09	0.41	5.9	<0.2	<10	80	0.35	0.29	0.20	0.04	6.59	6.6	6
CC125438		0.22	<0.001	0.18	0.58	7.1	<0.2	<10	230	0.80	0.31	1.36	0.12	11.50	9.4	8
CC125439		0.16	<0.001	0.20	0.74	7.7	<0.2	<10	210	0.60	0.31	1.09	0.14	11.20	6.7	11
CC125440		0.34	0.001	0.09	1.74	11.2	<0.2	<10	210	0.67	0.22	0.60	0.22	22.9	14.4	26
CC125441		0.16	0.002	0.12	1.60	14.2	<0.2	<10	170	0.75	0.22	0.93	0.20	22.1	15.4	25
CC125442		0.18	0.001	0.08	1.79	12.5	<0.2	<10	170	0.80	0.21	0.82	0.21	22.9	13.4	27
CC125443		0.28	0.002	0.19	1.37	8.9	<0.2	<10	210	0.72	0.21	1.71	0.23	15.95	9.1	21
CC125444		0.36	<0.001	0.48	0.91	7.1	<0.2	<10	240	0.47	0.14	4.07	1.51	11.55	5.6	20
CC125445		0.28	0.001	0.77	0.77	15.2	<0.2	<10	340	0.49	0.16	4.68	1.43	11.75	7.5	19
CC125446		0.28	<0.001	0.63	0.59	8.2	<0.2	<10	310	0.37	0.14	3.97	0.54	10.55	5.4	21
CC125447		0.22	<0.001	1.31	0.63	24.4	<0.2	<10	740	0.28	0.18	3.12	0.26	5.17	7.5	17
CC125448		0.12	NSS	0.19	0.64	5.9	<0.2	<10	390	0.38	0.09	2.96	0.57	5.19	5.9	11
CC125449		0.22	0.005	0.51	0.91	50.5	<0.2	<10	700	0.77	0.15	2.09	0.48	8.31	37.3	14
CC125450		0.14	0.002	0.37	1.33	31.4	<0.2	<10	470	0.52	0.17	1.22	0.38	15.65	29.0	27
CC125451		0.18	0.001	0.38	1.30	13.0	<0.2	<10	90	0.17	0.26	0.06	0.13	21.3	4.1	23

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 11- JUL- 2011
Account: RCM

Project: Rackla - PYRAMID

CERTIFICATE OF ANALYSIS WH11112638

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
CC125411		0.52	28.2	2.98	3.25	0.10	0.08	0.07	0.040	0.09	8.5	25.5	0.33	221	0.41	<0.01
CC125412		0.76	34.6	3.31	3.42	0.10	0.08	0.08	0.032	0.09	8.1	23.4	0.65	292	1.13	0.01
CC125413		0.97	30.8	3.60	3.39	0.13	0.07	0.08	0.026	0.07	8.3	31.4	0.86	262	1.21	<0.01
CC125414		0.38	44.9	1.40	1.77	0.10	0.04	0.10	0.015	0.04	4.8	6.3	0.27	294	0.64	0.01
CC125415		0.64	32.2	3.43	4.16	0.09	0.05	0.21	0.033	0.06	7.8	20.6	0.55	554	1.01	<0.01
CC125416		0.67	51.5	3.05	3.96	0.09	0.07	0.15	0.032	0.07	5.8	18.2	0.49	430	0.96	0.01
CC125418		0.71	33.8	2.67	2.98	0.08	0.05	0.12	0.026	0.06	6.1	12.7	0.36	409	1.05	0.01
CC125419		0.84	56.9	2.67	3.07	0.09	0.04	0.23	0.026	0.07	7.8	14.7	0.38	693	0.66	0.01
CC125420		0.82	57.8	3.29	4.78	0.10	0.07	0.21	0.036	0.07	9.4	23.7	0.68	223	1.13	0.01
CC125421		0.79	48.4	3.55	4.41	0.11	0.08	0.12	0.037	0.09	8.4	24.3	0.55	251	1.26	<0.01
CC125422		1.39	27.2	3.75	3.90	0.09	0.05	0.10	0.038	0.08	3.8	29.3	0.51	421	1.27	0.01
CC125423		0.73	28.6	3.67	3.26	0.10	0.08	0.14	0.033	0.09	6.3	21.4	0.40	319	0.96	<0.01
CC125424		1.58	36.5	3.98	4.57	0.10	0.08	0.09	0.039	0.10	7.5	27.9	0.52	450	1.07	<0.01
CC125425		1.10	51.4	3.57	4.25	0.10	0.08	0.12	0.033	0.10	9.0	29.0	0.59	550	0.99	<0.01
CC125426		1.78	33.9	4.26	3.38	0.10	0.09	0.08	0.029	0.09	9.3	26.4	1.36	432	1.04	0.01
CC125427		1.21	43.8	3.34	3.76	0.11	0.06	0.11	0.033	0.10	10.2	22.4	0.62	373	1.01	0.01
CC125428		1.56	31.0	3.29	3.43	0.10	0.04	0.47	0.029	0.08	5.8	22.3	0.58	385	0.92	0.01
CC125429		1.08	37.5	3.25	2.64	0.09	0.07	0.27	0.031	0.10	6.5	12.8	0.37	317	0.78	<0.01
CC125430		0.71	31.1	2.94	2.63	0.08	0.06	0.16	0.024	0.08	4.5	14.8	0.51	357	1.21	0.01
CC125431		1.48	63.5	4.23	4.21	0.10	0.08	0.25	0.036	0.12	9.8	23.4	0.97	570	1.09	<0.01
CC125432		0.81	31.6	3.40	2.63	0.05	0.07	0.29	0.029	0.07	9.3	13.2	2.91	605	0.95	0.01
CC125433		0.61	21.3	1.89	1.55	<0.05	0.06	0.20	0.019	0.05	3.2	6.8	0.39	435	0.66	0.01
CC125434		0.76	31.9	2.80	2.14	<0.05	0.05	0.17	0.028	0.06	6.0	9.6	0.28	440	1.13	<0.01
CC125435		0.92	34.9	2.69	1.48	0.05	0.05	0.23	0.031	0.07	5.0	6.5	0.27	295	1.39	<0.01
CC125436		0.90	33.9	3.40	2.43	0.06	0.07	0.18	0.035	0.09	8.9	11.5	0.35	273	1.18	<0.01
CC125437		0.44	17.8	2.68	1.53	<0.05	0.02	0.02	0.023	0.07	2.7	2.7	0.07	109	0.51	<0.01
CC125438		0.69	19.1	3.29	1.51	<0.05	0.07	0.10	0.031	0.08	4.2	4.8	0.19	386	0.56	0.01
CC125439		0.55	21.1	2.83	2.14	<0.05	0.06	0.11	0.032	0.09	4.7	7.0	0.23	292	0.69	<0.01
CC125440		0.63	43.2	4.03	4.85	0.05	0.07	0.07	0.031	0.05	10.4	33.6	0.85	461	0.61	<0.01
CC125441		0.58	62.1	3.96	4.36	0.06	0.08	0.11	0.033	0.06	10.7	28.1	0.82	518	0.72	<0.01
CC125442		0.73	62.8	4.03	4.70	0.05	0.08	0.08	0.031	0.06	11.1	30.6	0.92	533	0.63	<0.01
CC125443		0.71	53.6	2.94	3.51	0.05	0.06	0.10	0.028	0.06	9.1	21.6	0.62	306	0.68	<0.01
CC125444		0.66	13.7	1.60	2.25	<0.05	0.02	0.11	0.021	0.03	14.5	5.6	0.18	430	0.85	0.01
CC125445		0.75	24.6	1.68	1.92	0.05	0.03	0.16	0.022	0.04	12.4	6.4	0.27	372	1.28	<0.01
CC125446		0.41	20.7	1.56	1.47	<0.05	0.04	0.11	0.029	0.03	8.5	5.9	0.18	447	0.59	0.01
CC125447		0.66	23.1	2.02	1.90	<0.05	0.05	0.17	0.027	0.04	2.9	3.7	0.13	306	2.78	0.01
CC125448		0.59	35.9	1.46	1.77	<0.05	0.05	0.10	0.015	0.06	2.7	8.2	0.26	125	1.23	0.01
CC125449		0.59	32.4	11.15	2.06	0.05	0.06	0.09	0.023	0.04	3.9	7.4	0.19	1810	23.1	0.01
CC125450		0.64	32.4	5.03	3.94	<0.05	0.05	0.09	0.032	0.05	7.1	18.7	0.58	1580	6.67	0.01
CC125451		1.92	12.2	3.09	6.71	<0.05	<0.02	0.07	0.021	0.03	11.8	13.0	0.22	132	1.99	<0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 11- JUL- 2011
Account: RCM

Project: Rackla - PYRAMID

CERTIFICATE OF ANALYSIS WH11112638

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
CC125411		0.21	24.5	430	19.5	5.6	<0.001	0.05	0.25	5.4	1.1	0.4	78.9	<0.01	0.06	2.3
CC125412		0.35	28.5	560	18.7	5.6	<0.001	0.03	0.52	5.9	1.2	0.4	43.5	<0.01	0.05	3.5
CC125413		0.09	27.3	630	16.7	4.4	<0.001	0.03	0.66	4.3	1.0	0.2	32.2	<0.01	0.06	3.3
CC125414		0.15	19.1	940	5.2	3.9	<0.001	0.19	0.62	1.8	1.3	0.2	123.5	<0.01	0.03	0.4
CC125415		0.23	27.6	670	13.0	6.8	0.001	0.06	0.44	5.0	1.0	0.3	39.5	<0.01	0.05	1.9
CC125416		0.20	30.1	990	10.8	6.8	<0.001	0.12	0.50	4.4	1.2	0.3	77.3	<0.01	0.06	1.1
CC125418		0.29	21.5	1070	10.4	5.8	<0.001	0.14	0.51	3.1	1.2	0.3	89.1	<0.01	0.04	0.8
CC125419		0.32	27.4	830	11.5	6.7	0.001	0.12	0.57	3.6	1.8	0.3	89.9	<0.01	0.03	0.7
CC125420		0.18	29.8	680	14.4	6.5	0.002	0.09	0.58	6.6	1.5	0.4	56.1	<0.01	0.04	2.0
CC125421		0.24	38.6	640	15.9	7.5	<0.001	0.03	0.50	6.5	1.0	0.4	33.1	<0.01	0.06	3.5
CC125422		0.09	37.9	700	14.5	9.4	0.003	0.06	0.39	5.0	1.4	0.4	34.8	<0.01	0.04	2.1
CC125423		0.12	24.4	480	27.8	6.3	<0.001	0.05	0.37	4.4	0.9	0.4	44.7	<0.01	0.06	3.3
CC125424		0.14	29.8	410	23.9	8.8	0.001	0.03	0.47	5.3	0.9	0.5	35.0	<0.01	0.05	3.0
CC125425		0.15	33.7	490	16.9	6.6	<0.001	0.05	0.56	5.6	1.0	0.3	55.1	<0.01	0.05	2.3
CC125426		0.20	31.7	540	19.4	7.2	0.001	0.05	0.54	6.1	0.7	0.3	95.0	<0.01	0.06	3.3
CC125427		0.22	30.4	740	19.3	7.6	<0.001	0.05	0.47	5.8	0.7	0.4	54.1	<0.01	0.05	2.4
CC125428		0.14	31.6	840	14.1	8.6	0.001	0.06	0.41	4.4	1.6	0.4	59.9	<0.01	0.04	1.2
CC125429		0.13	30.7	620	21.1	6.9	0.005	0.12	0.45	4.6	2.7	0.4	56.1	<0.01	0.05	1.9
CC125430		0.11	27.4	570	17.3	5.2	<0.001	0.09	0.51	3.4	1.5	0.3	59.3	<0.01	0.05	1.1
CC125431		0.10	39.0	610	28.6	6.8	0.001	0.04	0.56	6.6	1.0	0.4	50.8	<0.01	0.07	4.2
CC125432		0.21	27.4	480	39.1	5.9	0.001	0.03	0.45	5.0	0.8	0.3	44.3	<0.01	0.05	3.2
CC125433		0.16	17.8	840	18.1	4.6	0.001	0.14	0.48	1.9	1.6	0.2	72.5	<0.01	0.04	0.6
CC125434		0.18	31.0	430	19.4	5.9	0.001	0.07	0.51	3.9	1.4	0.3	41.0	<0.01	0.04	1.6
CC125435		0.10	31.1	530	23.0	6.1	0.001	0.05	0.61	4.5	2.0	0.3	40.3	<0.01	0.06	1.6
CC125436		0.17	31.0	620	33.6	6.7	<0.001	0.03	0.44	5.9	1.3	0.4	33.8	<0.01	0.05	4.1
CC125437		0.07	15.3	200	20.7	5.5	<0.001	0.02	0.23	2.1	0.3	0.3	10.6	<0.01	0.03	2.0
CC125438		0.13	20.9	450	30.2	6.2	0.001	0.08	0.26	4.0	0.9	0.3	36.1	<0.01	0.03	2.6
CC125439		0.17	17.8	510	30.1	6.4	<0.001	0.05	0.33	3.2	0.9	0.3	33.0	<0.01	0.02	1.8
CC125440		0.16	27.1	490	17.2	5.2	<0.001	0.03	0.36	5.3	0.7	0.3	22.8	<0.01	0.06	2.5
CC125441		0.15	29.9	490	18.1	4.5	<0.001	0.04	0.50	6.9	0.6	0.2	41.2	<0.01	0.08	2.4
CC125442		0.15	29.8	450	15.8	5.3	<0.001	0.03	0.40	7.3	0.6	0.3	32.1	<0.01	0.06	2.3
CC125443		0.36	24.3	650	14.2	5.4	<0.001	0.07	0.46	4.4	0.7	0.3	69.9	<0.01	0.05	1.2
CC125444		0.33	15.9	1130	9.7	5.0	<0.001	0.16	0.40	0.7	1.6	0.3	35.6	<0.01	0.03	0.2
CC125445		0.35	32.1	1170	11.5	4.9	0.001	0.15	0.60	1.2	2.9	0.3	50.1	<0.01	0.09	0.3
CC125446		0.24	20.1	980	9.5	3.8	0.003	0.17	0.48	1.5	2.3	0.2	42.8	0.01	0.07	0.3
CC125447		0.17	26.3	1020	11.9	3.8	0.004	0.18	1.04	1.9	7.4	0.3	81.2	<0.01	0.12	0.3
CC125448		0.09	19.9	690	5.1	4.2	0.002	0.15	0.54	2.1	2.7	0.2	58.7	<0.01	0.04	0.7
CC125449		0.18	26.5	970	8.2	3.8	0.006	0.13	1.06	2.9	4.3	0.3	54.3	<0.01	0.17	0.7
CC125450		0.22	28.7	970	12.3	5.2	0.004	0.08	0.68	4.3	2.7	0.3	33.6	<0.01	0.07	1.4
CC125451		1.43	12.3	410	12.4	7.6	<0.001	0.02	0.99	1.9	1.2	0.7	7.6	<0.01	0.05	1.2

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 11- JUL- 2011
Account: RCM

Project: Rackla - PYRAMID

CERTIFICATE OF ANALYSIS WH11112638

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
CC125411		<0.005	0.07	0.87	18	<0.05	13.30	84	2.2
CC125412		0.012	0.10	0.50	32	0.07	11.05	112	2.9
CC125413		<0.005	0.08	0.74	27	<0.05	7.87	111	2.8
CC125414		0.005	0.06	0.65	16	<0.05	10.25	48	1.3
CC125415		0.005	0.10	0.82	41	0.05	9.18	104	1.4
CC125416		<0.005	0.11	0.78	33	<0.05	8.77	95	1.9
CC125418		0.006	0.11	0.87	32	0.06	8.57	81	1.3
CC125419		0.006	0.14	1.26	32	0.05	13.60	94	1.1
CC125420		<0.005	0.12	1.34	46	0.05	13.50	107	2.3
CC125421		0.005	0.13	0.58	42	0.06	11.50	125	2.2
CC125422		<0.005	0.12	0.94	32	<0.05	9.82	125	1.6
CC125423		<0.005	0.10	0.82	27	<0.05	7.44	87	2.7
CC125424		<0.005	0.16	0.68	36	<0.05	5.24	101	2.4
CC125425		<0.005	0.10	0.92	36	<0.05	10.30	94	2.6
CC125426		0.005	0.11	0.97	32	<0.05	10.80	73	3.6
CC125427		0.005	0.11	1.16	34	0.05	13.25	97	2.2
CC125428		<0.005	0.25	1.01	30	0.05	11.20	131	1.3
CC125429		<0.005	0.16	0.88	23	<0.05	10.25	107	2.3
CC125430		<0.005	0.11	1.00	27	<0.05	7.50	96	1.9
CC125431		<0.005	0.18	0.56	37	<0.05	10.85	112	3.3
CC125432		0.005	0.13	0.92	28	0.06	12.25	92	2.3
CC125433		<0.005	0.09	1.03	17	<0.05	6.26	107	1.8
CC125434		<0.005	0.12	0.97	27	<0.05	11.40	94	1.6
CC125435		<0.005	0.13	1.06	24	<0.05	13.90	101	1.5
CC125436		<0.005	0.12	0.72	28	<0.05	12.80	118	2.4
CC125437		<0.005	0.06	0.21	12	<0.05	2.19	65	0.8
CC125438		<0.005	0.11	0.72	14	<0.05	7.83	99	1.8
CC125439		<0.005	0.09	0.82	18	<0.05	5.68	76	1.6
CC125440		0.005	0.07	0.57	46	<0.05	6.88	85	1.7
CC125441		0.005	0.07	0.62	41	<0.05	12.15	84	2.1
CC125442		0.005	0.06	0.71	45	<0.05	11.70	78	2.1
CC125443		0.010	0.06	1.04	33	0.05	11.70	81	1.9
CC125444		0.009	0.07	1.91	29	0.06	32.4	122	0.5
CC125445		0.009	0.16	1.38	27	0.07	26.2	184	0.7
CC125446		0.005	0.08	2.83	32	0.05	15.75	89	1.1
CC125447		<0.005	0.10	3.93	47	<0.05	11.05	97	1.5
CC125448		<0.005	0.05	0.90	18	<0.05	5.63	89	1.8
CC125449		<0.005	0.05	1.38	43	0.06	10.80	99	1.5
CC125450		0.005	0.08	1.07	52	0.05	6.85	151	1.5
CC125451		0.040	0.13	0.76	66	0.31	2.43	44	<0.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 11- JUL- 2011
Account: RCM

Project: Rackla - PYRAMID

CERTIFICATE OF ANALYSIS WH11112638

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- TL43 Au ppm 0.001	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1
CC125452		0.10	0.001	1.11	1.25	7.8	<0.2	<10	950	0.75	0.18	2.01	0.36	10.25	6.4	21
CC125453		0.14	<0.001	0.89	0.81	3.5	<0.2	<10	480	0.54	0.13	3.08	0.55	10.40	4.9	12
CC125454		0.18	0.001	1.32	0.81	6.1	<0.2	<10	770	0.50	0.19	1.64	0.32	8.98	6.5	16
CC125455		0.24	0.001	0.54	1.17	9.8	<0.2	<10	470	0.45	0.24	0.61	0.45	14.50	9.4	22
CC125456		0.20	0.001	1.51	1.16	9.3	<0.2	<10	700	0.73	0.23	0.98	0.39	11.45	8.5	19
CC125457		0.20	0.002	1.07	1.08	10.2	<0.2	<10	410	0.56	0.19	1.82	0.63	12.25	8.9	21
CC125458		0.20	0.002	0.70	1.14	10.7	<0.2	<10	430	0.66	0.19	2.14	0.52	10.50	10.0	19
CC125459		0.12	0.001	1.08	1.32	8.7	<0.2	<10	420	0.58	0.20	1.12	0.67	9.05	8.5	23
CC125460		0.10	0.002	1.23	1.61	8.4	<0.2	<10	670	0.65	0.24	1.26	0.25	5.21	7.0	32
CC125461		0.10	0.001	0.33	1.26	7.4	<0.2	<10	590	0.67	0.17	1.64	0.49	6.98	10.1	20
CC125462		0.22	0.001	0.18	1.32	9.1	<0.2	<10	330	0.54	0.20	0.69	0.26	6.64	7.5	22
CC125464		0.22	0.001	0.11	1.57	12.6	<0.2	<10	300	0.53	0.22	0.43	0.16	8.13	12.7	25
CC125465		0.16	<0.001	0.06	1.84	13.0	<0.2	<10	170	0.85	0.23	0.27	0.24	11.20	13.3	29
CC125466		0.18	<0.001	0.21	1.67	17.0	<0.2	<10	200	0.64	0.22	0.21	0.19	12.20	12.2	26
CC125467		0.16	<0.001	0.06	1.60	15.7	<0.2	<10	180	0.67	0.21	0.27	0.18	11.35	11.0	25
CC125468		0.18	0.002	0.06	1.94	17.5	<0.2	<10	280	0.90	0.24	0.34	0.16	15.00	14.6	30
CC125469		0.10	0.001	0.12	0.72	12.4	<0.2	<10	170	0.69	0.26	0.52	0.12	8.78	9.5	14
CC125470		0.14	0.001	0.07	0.62	11.1	<0.2	<10	120	0.62	0.19	0.21	0.29	4.65	10.1	11
CC125471		0.10	0.001	0.09	1.04	12.1	<0.2	<10	220	0.93	0.19	1.06	0.20	11.15	9.8	17
CC125472		0.12	0.002	0.07	1.07	9.5	<0.2	<10	170	0.68	0.21	0.55	0.19	7.25	8.8	17
CC125473		0.22	0.001	0.13	1.92	11.7	<0.2	<10	350	1.00	0.25	1.32	0.27	9.25	13.3	27
CC125474		0.22	0.001	0.08	1.77	11.8	<0.2	<10	320	0.76	0.21	0.45	0.13	13.05	13.0	28
CC125475		0.28	<0.001	0.04	1.47	12.6	<0.2	<10	230	0.94	0.38	0.18	0.15	13.35	19.5	24
CC125476		0.22	<0.001	0.03	2.02	11.7	<0.2	<10	120	1.25	0.47	0.08	0.16	13.10	19.8	35
CC125477		0.22	0.003	0.38	1.03	21.6	<0.2	<10	290	0.95	0.31	1.09	0.27	11.40	7.1	18
CC125478		0.12	<0.001	0.02	1.23	10.0	<0.2	<10	210	0.51	0.32	0.31	0.13	13.20	12.9	23
CC125479		0.10	<0.001	0.11	1.31	7.4	<0.2	<10	380	0.91	0.27	0.40	0.27	14.70	12.0	18
CC125480		0.26	0.001	0.21	1.46	353	<0.2	<10	440	1.09	0.24	0.62	0.41	13.45	15.0	26
CC125481		0.32	0.001	0.22	1.35	15.9	<0.2	<10	530	1.05	0.30	0.33	0.36	23.2	14.0	23
CC125482		0.14	0.001	0.19	0.75	8.6	<0.2	<10	150	0.65	0.29	1.35	0.10	8.70	6.6	11
CC125483		0.22	<0.001	0.13	0.78	11.8	<0.2	10	190	0.99	0.30	1.01	0.12	13.55	10.0	12
CC125484		0.16	<0.001	0.06	0.55	11.3	<0.2	<10	90	0.49	0.28	0.66	0.05	6.95	11.3	10
CC125485		0.10	<0.001	0.10	0.70	9.3	<0.2	<10	190	0.62	0.26	0.68	0.08	8.63	11.3	9
CC125486		0.10	<0.001	0.11	0.63	11.4	<0.2	<10	150	0.42	0.19	1.65	0.11	7.96	4.6	10
CC125487		0.12	0.001	0.12	0.82	9.3	<0.2	<10	210	0.71	0.22	1.77	0.15	11.85	7.0	12
CC125488		0.18	0.001	0.25	1.02	14.9	<0.2	<10	350	0.62	0.19	2.41	0.21	14.45	7.9	17
CC125489		0.16	0.001	0.33	0.96	14.3	<0.2	<10	540	0.67	0.22	2.09	0.20	12.65	8.1	17
CC125490		0.16	0.001	0.26	1.18	12.7	<0.2	<10	540	0.76	0.25	1.16	0.19	13.05	8.2	19
CC125491		0.18	0.001	0.23	1.11	15.1	<0.2	<10	180	0.92	0.30	1.18	0.23	14.95	12.3	18
CC125492		0.10	0.001	0.18	0.92	10.1	<0.2	10	250	0.74	0.28	1.33	0.26	11.55	9.0	14

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 11- JUL- 2011
Account: RCM

Project: Rackla - PYRAMID

CERTIFICATE OF ANALYSIS WH11112638

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
CC125452		1.18	19.5	2.29	3.12	<0.05	0.07	0.29	0.030	0.08	8.3	13.9	0.42	314	0.85	0.01
CC125453		2.27	27.7	1.33	1.82	<0.05	0.05	0.17	0.017	0.04	9.6	5.2	0.35	259	0.95	0.01
CC125454		3.14	28.9	2.05	2.13	<0.05	0.04	0.29	0.027	0.06	4.8	8.2	0.29	282	1.29	<0.01
CC125455		3.93	21.9	3.03	4.55	<0.05	0.03	0.10	0.030	0.06	7.0	17.3	0.32	332	1.49	<0.01
CC125456		4.03	33.4	2.90	3.33	<0.05	0.05	0.28	0.031	0.06	6.0	15.4	0.31	352	1.33	<0.01
CC125457		2.18	27.1	2.42	2.65	0.05	0.05	0.26	0.027	0.08	9.9	13.6	0.39	507	0.95	<0.01
CC125458		1.15	22.3	2.49	3.00	0.05	0.07	0.21	0.029	0.07	7.2	14.8	0.48	468	0.93	0.01
CC125459		1.49	27.8	2.72	3.49	<0.05	0.06	0.14	0.034	0.11	4.7	16.3	0.46	193	1.01	<0.01
CC125460		1.55	51.0	2.99	3.62	<0.05	0.09	0.29	0.043	0.09	2.7	22.0	0.46	224	2.03	0.01
CC125461		0.75	31.6	2.83	3.06	<0.05	0.06	0.13	0.026	0.07	3.1	21.7	0.41	1050	1.04	0.01
CC125462		0.73	19.0	3.16	3.97	<0.05	0.04	0.07	0.029	0.08	2.9	27.4	0.46	224	1.45	<0.01
CC125464		0.93	16.1	3.89	4.25	<0.05	0.03	0.07	0.035	0.08	3.5	31.7	0.50	441	1.57	<0.01
CC125465		0.86	22.1	3.78	4.84	<0.05	0.04	0.07	0.033	0.09	4.8	33.5	0.59	540	1.04	<0.01
CC125466		0.98	18.9	3.66	4.80	<0.05	0.05	0.07	0.030	0.08	5.3	30.3	0.55	461	1.03	<0.01
CC125467		0.81	20.3	3.66	4.67	<0.05	0.04	0.06	0.030	0.07	4.6	27.3	0.50	423	0.99	<0.01
CC125468		0.84	26.9	4.02	5.71	0.05	0.06	0.06	0.038	0.08	6.9	39.2	0.73	627	0.79	<0.01
CC125469		0.62	21.6	3.61	2.26	0.09	0.03	0.06	0.040	0.09	3.4	6.6	0.14	234	0.92	<0.01
CC125470		1.74	17.0	3.57	1.81	0.08	0.03	0.05	0.033	0.09	1.9	3.6	0.06	326	1.10	<0.01
CC125471		0.89	30.0	3.52	2.65	0.08	0.06	0.23	0.031	0.08	5.0	10.4	0.27	402	1.06	0.01
CC125472		0.49	20.9	3.31	3.35	0.09	0.03	0.06	0.032	0.10	2.9	11.3	0.23	220	0.96	<0.01
CC125473		0.64	30.9	3.94	5.24	0.09	0.07	0.07	0.038	0.11	3.4	27.4	0.58	973	0.80	0.01
CC125474		0.58	21.1	3.80	5.12	0.09	0.05	0.05	0.031	0.07	6.2	29.0	0.58	625	1.36	<0.01
CC125475		1.36	36.1	4.76	5.06	0.09	0.04	0.03	0.042	0.08	5.5	25.0	0.49	893	0.99	<0.01
CC125476		2.19	54.7	4.93	7.84	0.09	0.05	0.02	0.048	0.06	6.3	29.4	0.51	494	0.71	<0.01
CC125477		1.82	39.2	3.03	3.18	0.09	0.08	0.13	0.037	0.10	5.8	8.5	0.25	402	0.76	<0.01
CC125478		0.84	31.1	4.02	5.00	0.08	0.03	0.06	0.028	0.09	6.1	18.7	0.40	633	0.85	<0.01
CC125479		2.77	29.5	3.10	4.94	0.09	0.03	0.05	0.032	0.14	8.8	17.2	0.26	701	1.11	<0.01
CC125480		4.75	38.0	4.21	4.05	0.10	0.08	0.43	0.036	0.11	6.4	28.9	0.50	709	0.95	<0.01
CC125481		1.24	40.8	3.90	3.74	0.11	0.04	0.20	0.034	0.09	12.3	21.5	0.43	345	1.10	<0.01
CC125482		1.14	21.2	2.87	1.92	0.08	0.07	0.14	0.028	0.10	3.3	14.1	0.19	175	0.43	<0.01
CC125483		0.79	31.3	3.90	2.00	0.10	0.06	0.07	0.037	0.13	5.5	11.2	0.26	323	0.59	<0.01
CC125484		0.67	27.1	3.88	1.57	0.09	0.09	0.04	0.037	0.09	2.5	7.6	0.15	256	0.57	<0.01
CC125485		0.66	20.6	3.32	1.76	0.08	0.06	0.05	0.032	0.09	2.7	9.2	0.13	283	0.49	<0.01
CC125486		0.64	10.9	2.35	2.01	0.08	0.06	0.05	0.027	0.08	3.2	7.2	0.13	275	0.54	<0.01
CC125487		0.56	17.4	2.72	2.27	0.09	0.06	0.06	0.030	0.08	4.8	9.2	0.18	386	0.56	<0.01
CC125488		0.63	20.3	2.50	2.73	0.09	0.06	0.11	0.022	0.07	6.6	21.1	0.36	392	0.57	<0.01
CC125489		0.82	23.6	2.44	2.64	0.09	0.06	0.13	0.026	0.08	6.0	18.3	0.29	350	0.54	0.01
CC125490		1.18	21.3	2.48	3.08	0.09	0.06	0.10	0.028	0.10	5.9	23.3	0.33	373	0.52	<0.01
CC125491		1.31	47.0	3.86	2.99	0.10	0.06	0.12	0.034	0.12	7.5	18.9	0.55	373	0.72	<0.01
CC125492		0.95	32.5	3.24	2.53	0.09	0.06	0.08	0.028	0.09	5.0	14.7	0.35	311	0.63	<0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 11- JUL- 2011
Account: RCM

Project: Rackla - PYRAMID

CERTIFICATE OF ANALYSIS WH11112638

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
CC125452		0.35	27.1	1180	11.0	7.5	0.002	0.12	0.47	3.7	2.9	0.4	32.4	<0.01	0.04	0.9
CC125453		0.32	24.4	930	7.7	6.9	0.002	0.16	0.67	2.0	3.4	0.3	52.7	<0.01	0.03	0.5
CC125454		0.38	29.5	690	12.1	10.3	0.003	0.10	0.64	2.7	2.9	0.3	37.8	<0.01	0.04	0.5
CC125455		0.57	21.6	740	15.1	14.2	0.001	0.05	0.51	3.0	1.2	0.5	25.6	<0.01	0.06	1.1
CC125456		0.41	36.5	870	14.9	13.2	0.003	0.08	0.64	4.1	3.5	0.4	33.2	<0.01	0.04	1.1
CC125457		0.47	40.4	1040	13.6	10.0	0.002	0.08	0.53	3.8	2.1	0.4	39.2	<0.01	0.05	1.0
CC125458		0.36	33.9	770	14.0	7.4	0.002	0.11	0.56	4.0	2.6	0.4	56.0	<0.01	0.06	0.9
CC125459		0.26	25.3	600	11.5	10.7	0.001	0.08	0.53	4.6	2.0	0.4	39.1	<0.01	0.05	1.5
CC125460		0.18	35.5	850	12.1	11.6	0.007	0.10	0.68	4.4	4.0	0.5	44.6	<0.01	0.07	1.0
CC125461		0.16	31.2	900	10.2	8.3	0.006	0.12	0.46	3.3	2.3	0.3	70.1	<0.01	0.04	1.1
CC125462		0.19	24.1	760	12.7	8.4	<0.001	0.05	0.37	3.6	1.0	0.4	35.8	<0.01	0.05	1.5
CC125464		0.17	26.0	670	16.5	8.9	0.002	0.03	0.39	3.7	0.8	0.4	27.4	<0.01	0.03	1.9
CC125465		0.20	45.4	730	11.6	9.7	<0.001	0.02	0.34	4.6	0.8	0.4	17.7	<0.01	0.03	2.1
CC125466		0.22	31.4	690	14.8	9.4	0.001	0.02	0.34	4.8	1.0	0.4	17.1	<0.01	0.03	2.3
CC125467		0.27	28.8	650	13.6	8.6	0.001	0.03	0.36	4.4	1.1	0.4	17.4	<0.01	0.04	2.1
CC125468		0.20	36.4	700	17.0	8.6	<0.001	0.02	0.33	5.9	1.1	0.4	19.5	<0.01	0.05	2.7
CC125469		0.11	27.4	620	14.1	7.2	<0.001	0.04	0.36	4.9	0.8	0.4	28.0	<0.01	0.04	2.3
CC125470		0.06	22.8	610	11.9	10.5	<0.001	0.05	0.31	4.3	0.6	0.4	18.9	<0.01	0.03	1.6
CC125471		0.15	28.9	710	12.1	8.1	<0.001	0.06	0.41	4.7	0.9	0.3	38.0	<0.01	0.05	1.8
CC125472		0.13	25.0	520	11.7	9.1	<0.001	0.07	0.35	4.2	0.6	0.4	28.6	<0.01	0.06	2.0
CC125473		0.14	37.7	830	15.2	9.7	<0.001	0.08	0.34	5.3	0.5	0.5	53.8	<0.01	0.05	2.1
CC125474		0.26	31.3	700	12.2	9.1	<0.001	0.02	0.32	4.5	0.7	0.4	20.7	<0.01	0.05	2.5
CC125475		0.29	37.9	340	14.7	9.4	<0.001	0.01	0.44	5.2	0.3	0.5	15.8	<0.01	0.06	3.2
CC125476		0.25	32.9	300	19.9	11.8	<0.001	<0.01	0.32	5.0	0.5	0.8	10.6	<0.01	0.04	3.4
CC125477		0.21	23.2	1070	13.6	12.4	<0.001	0.09	0.31	5.2	0.9	0.5	49.5	<0.01	0.04	1.6
CC125478		0.42	20.6	220	19.2	11.3	<0.001	0.01	0.30	3.5	0.3	0.6	17.1	<0.01	0.05	3.0
CC125479		0.49	18.5	580	17.1	16.4	<0.001	0.03	0.36	4.5	0.6	0.6	23.2	<0.01	0.04	1.9
CC125480		0.24	42.4	700	20.0	14.1	0.001	0.03	0.43	6.7	1.6	0.4	34.0	<0.01	0.05	2.9
CC125481		0.37	37.8	740	21.0	8.2	<0.001	0.01	0.52	6.5	1.3	0.4	26.0	<0.01	0.05	3.9
CC125482		0.11	21.5	510	26.7	8.4	0.001	0.11	0.29	3.3	0.8	0.3	71.7	<0.01	0.03	1.6
CC125483		0.09	30.2	270	35.7	7.7	<0.001	0.04	0.37	5.6	0.9	0.3	65.0	<0.01	0.07	2.6
CC125484		0.05	30.8	180	38.0	7.0	<0.001	0.02	0.34	4.0	0.2	0.3	32.0	<0.01	0.06	3.6
CC125485		0.07	25.2	260	26.0	6.1	<0.001	0.03	0.25	3.9	0.5	0.3	29.2	<0.01	0.04	2.9
CC125486		0.14	9.3	510	29.2	6.7	<0.001	0.07	0.23	2.4	0.4	0.3	52.3	<0.01	0.03	1.1
CC125487		0.20	14.4	610	21.6	7.3	<0.001	0.09	0.31	2.9	0.6	0.3	61.1	<0.01	0.03	1.4
CC125488		0.25	20.0	570	12.2	6.0	<0.001	0.08	0.35	3.2	0.8	0.3	83.5	<0.01	0.04	1.1
CC125489		0.24	22.0	610	17.8	6.5	<0.001	0.09	0.39	3.2	1.3	0.3	102.5	<0.01	0.05	1.0
CC125490		0.25	20.8	490	17.9	9.5	<0.001	0.06	0.28	4.5	1.0	0.4	59.3	<0.01	0.05	1.7
CC125491		0.17	32.3	600	28.8	7.4	<0.001	0.05	0.42	5.9	1.3	0.4	49.3	<0.01	0.07	2.7
CC125492		0.15	24.1	480	33.8	6.6	<0.001	0.07	0.38	4.0	0.7	0.3	51.7	<0.01	0.04	1.7

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 11- JUL- 2011
Account: RCM

Project: Rackla - PYRAMID

CERTIFICATE OF ANALYSIS WH11112638

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
CC125452		<0.005	0.10	3.68	32	0.05	15.45	84	2.0
CC125453		0.006	0.09	3.63	20	<0.05	16.85	57	1.4
CC125454		0.008	0.11	2.80	28	0.06	9.76	107	1.0
CC125455		0.013	0.11	1.33	46	0.14	4.29	104	0.7
CC125456		0.006	0.15	2.26	33	0.09	10.80	92	1.4
CC125457		0.008	0.13	1.36	36	0.07	17.30	147	1.3
CC125458		0.005	0.09	2.12	32	0.07	13.55	133	1.9
CC125459		<0.005	0.11	1.01	34	<0.05	8.39	104	1.7
CC125460		<0.005	0.12	1.24	37	<0.05	7.69	139	2.6
CC125461		<0.005	0.08	0.55	25	0.05	8.29	123	1.4
CC125462		<0.005	0.08	0.46	29	<0.05	3.65	108	1.0
CC125464		<0.005	0.10	0.42	35	<0.05	3.97	109	0.8
CC125465		<0.005	0.10	0.49	41	<0.05	4.74	163	1.0
CC125466		<0.005	0.09	0.53	38	0.05	5.65	108	1.0
CC125467		<0.005	0.09	0.45	36	0.05	4.98	100	1.0
CC125468		<0.005	0.09	0.54	42	0.05	7.95	119	1.6
CC125469		<0.005	0.07	0.45	26	<0.05	5.92	92	0.9
CC125470		<0.005	0.10	0.30	26	<0.05	4.10	88	0.7
CC125471		<0.005	0.08	0.53	32	<0.05	9.36	104	1.3
CC125472		<0.005	0.08	0.41	29	<0.05	4.90	87	0.9
CC125473		<0.005	0.12	0.44	36	<0.05	7.45	126	1.6
CC125474		<0.005	0.10	0.54	40	0.06	5.84	101	1.1
CC125475		0.006	0.08	0.45	32	0.05	4.00	104	1.2
CC125476		<0.005	0.11	0.41	40	<0.05	4.56	103	1.8
CC125477		<0.005	0.11	0.76	28	0.06	10.15	96	1.9
CC125478		0.010	0.09	0.42	36	0.08	3.17	89	0.8
CC125479		0.008	0.13	0.70	35	0.13	8.34	79	0.7
CC125480		<0.005	0.49	1.15	33	0.07	11.85	149	2.0
CC125481		0.011	0.14	1.28	33	0.11	13.55	134	1.0
CC125482		<0.005	0.11	0.85	14	<0.05	7.15	79	2.2
CC125483		<0.005	0.08	0.99	18	<0.05	12.55	130	2.7
CC125484		<0.005	0.08	0.58	14	<0.05	4.51	202	4.4
CC125485		<0.005	0.08	1.13	14	<0.05	5.07	99	2.5
CC125486		<0.005	0.06	0.69	15	<0.05	3.80	69	2.1
CC125487		<0.005	0.07	0.85	18	0.05	7.93	63	2.2
CC125488		0.005	0.07	1.41	24	<0.05	8.83	74	1.8
CC125489		<0.005	0.08	1.33	24	<0.05	11.00	74	1.6
CC125490		<0.005	0.10	1.28	27	<0.05	9.60	79	1.8
CC125491		<0.005	0.11	0.79	28	<0.05	11.50	102	2.1
CC125492		<0.005	0.09	0.81	22	<0.05	7.83	79	1.8

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 11- JUL- 2011
Account: RCM

Project: Rackla - PYRAMID

CERTIFICATE OF ANALYSIS WH11112638

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- TL43 Au ppm 0.001	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1
CC125493		0.14	0.001	0.22	0.96	8.5	<0.2	<10	280	0.67	0.21	2.09	0.23	11.65	8.1	15
CC125494		0.24	0.001	0.24	1.19	12.2	<0.2	<10	230	0.83	0.25	1.31	0.24	14.75	8.6	19
CC125495		0.28	0.001	0.23	1.58	15.8	<0.2	<10	260	0.84	0.23	0.88	0.44	23.4	16.1	25
CC125496		0.40	0.002	0.14	1.70	17.2	<0.2	<10	200	0.77	0.23	1.18	0.32	24.7	18.3	25
CC125497		0.14	0.001	0.06	1.87	12.2	<0.2	<10	170	0.71	0.22	1.02	0.29	20.9	13.4	28
CC125498		0.14	0.002	0.10	1.80	13.0	<0.2	<10	230	0.81	0.22	1.38	0.29	20.6	16.0	26
CC125499		0.32	0.002	0.15	1.69	17.7	<0.2	<10	190	0.74	0.24	2.27	0.33	27.0	19.1	25
CC125500		0.16	0.002	0.25	1.44	18.9	<0.2	<10	300	0.97	0.25	0.62	0.42	26.3	15.6	24
CC125931		0.14	0.001	0.16	1.77	10.9	<0.2	<10	1060	0.93	0.24	0.82	0.32	10.80	9.9	28
CC125932		0.12	0.001	0.19	1.64	17.9	<0.2	<10	210	0.32	0.23	0.05	0.19	13.45	6.5	25
CC125933		0.26	0.001	0.49	1.55	13.2	<0.2	<10	80	0.17	0.23	0.03	0.11	11.50	4.8	19
CC125934		0.30	0.001	0.38	1.94	16.4	<0.2	<10	420	0.76	0.26	0.23	0.39	18.50	14.5	30
CC125935		0.20	0.001	0.05	0.85	9.1	<0.2	<10	120	0.14	0.23	0.12	0.14	19.95	2.8	16
CC125936		0.26	0.002	0.26	1.51	13.2	<0.2	<10	640	0.70	0.24	0.72	0.19	19.55	10.4	27
CC125937		0.28	0.001	0.34	0.99	9.0	<0.2	<10	200	0.21	0.20	0.03	0.26	17.50	4.2	17
CC125938		0.08	0.001	0.33	0.95	5.7	<0.2	<10	830	0.49	0.17	2.06	0.39	8.42	4.0	19
CC125939		0.14	0.001	1.06	1.24	6.7	<0.2	<10	570	0.73	0.19	1.43	0.39	4.92	6.5	44
CC125940		0.24	0.001	1.15	1.47	8.4	<0.2	<10	590	0.85	0.21	0.46	0.18	7.75	6.9	34
CC125991		0.10	0.003	0.44	1.64	14.6	<0.2	<10	620	1.06	0.23	0.84	0.47	12.15	10.0	22
CC125992		0.14	0.001	0.26	1.27	16.0	<0.2	<10	490	0.97	0.24	0.62	0.69	13.25	11.0	22
CC125993		0.06	0.003	0.66	1.53	15.3	<0.2	<10	680	0.92	0.23	1.06	0.99	12.25	8.4	23
CC125994		0.26	0.001	0.24	1.58	11.9	<0.2	<10	590	0.98	0.25	0.46	0.84	12.10	22.3	32
CC125995		0.20	0.001	0.19	1.50	20.3	<0.2	<10	330	0.93	0.22	0.61	0.64	20.8	13.4	26
CC125996		0.12	0.002	0.20	1.58	19.1	<0.2	<10	380	0.95	0.22	0.57	0.37	17.00	16.7	26
CC125997		0.16	0.001	0.18	1.48	20.4	<0.2	<10	380	0.76	0.20	0.77	0.28	12.45	8.8	25
CC125998		0.16	0.001	0.17	1.46	17.1	<0.2	<10	310	0.71	0.19	0.35	0.36	25.2	11.4	27
CC125999		0.08	0.005	1.35	1.99	22.3	<0.2	<10	960	1.49	0.24	1.25	0.51	17.85	10.4	25
CC126000		0.10	0.002	0.37	1.97	21.3	<0.2	<10	730	1.05	0.20	1.16	0.75	21.2	12.2	33
CC126354		0.10	0.003	0.35	0.41	17.2	<0.2	<10	210	0.30	0.20	0.02	0.47	7.31	5.6	15
CC126355		0.12	0.001	0.09	1.15	34.3	<0.2	<10	110	0.58	0.24	0.08	0.24	10.00	9.3	22
CC126356		0.06	0.001	0.13	1.23	53.0	<0.2	<10	250	0.80	0.21	0.21	0.86	15.20	13.6	23
CC126357		0.08	0.001	0.26	1.48	33.9	<0.2	<10	640	1.03	0.23	1.66	0.69	17.20	13.7	21
CC126358		0.04	0.001	0.13	0.37	8.4	<0.2	20	650	0.39	0.05	4.76	0.68	2.42	1.9	5
CC126359		0.06	<0.001	0.21	1.07	8.3	<0.2	<10	420	0.91	0.14	3.86	0.30	9.26	6.6	12
CC126360		0.10	0.007	0.15	1.50	13.8	<0.2	<10	370	1.11	0.23	2.02	0.15	10.90	8.3	20
CC126361		0.10	0.001	0.10	1.65	14.2	<0.2	<10	230	1.03	0.27	0.84	0.18	16.90	15.1	27
CC126362		0.04	0.001	0.19	0.93	4.6	<0.2	10	320	0.83	0.12	3.58	0.31	6.18	4.4	11
CC126363		0.12	0.002	0.11	1.69	12.2	<0.2	<10	240	1.25	0.32	0.84	0.12	14.70	13.5	27
CC126364		0.18	0.002	0.12	1.71	12.4	<0.2	<10	320	1.25	0.34	0.91	0.15	15.35	15.4	28
CC126365		0.08	0.002	0.12	1.35	9.1	<0.2	<10	280	0.82	0.25	1.52	0.26	10.20	10.8	22

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 11- JUL- 2011
Account: RCM

Project: Rackla - PYRAMID

CERTIFICATE OF ANALYSIS WH11112638

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
CC125493		0.73	31.5	2.57	2.54	0.08	0.06	0.09	0.026	0.08	4.8	14.8	0.34	396	0.65	<0.01
CC125494		0.80	39.4	3.23	3.24	0.10	0.06	0.12	0.030	0.09	7.3	20.8	0.45	242	0.71	<0.01
CC125495		1.18	61.2	4.20	4.38	0.11	0.08	0.12	0.031	0.11	11.1	29.5	0.80	860	0.96	<0.01
CC125496		1.07	77.4	4.20	5.05	0.12	0.08	0.13	0.031	0.10	11.5	31.9	1.00	633	0.79	<0.01
CC125497		0.73	56.9	4.25	5.05	0.11	0.09	0.07	0.027	0.10	10.0	32.7	0.96	344	0.75	<0.01
CC125498		0.77	61.9	4.17	4.89	0.10	0.10	0.09	0.031	0.09	9.8	30.7	0.88	746	0.78	<0.01
CC125499		0.85	77.4	4.43	4.70	0.11	0.09	0.16	0.030	0.08	12.9	34.5	1.20	826	0.80	<0.01
CC125500		0.86	57.7	4.48	3.51	0.11	0.08	0.12	0.037	0.09	11.4	22.5	0.62	944	1.12	<0.01
CC125931		0.82	32.5	3.74	4.79	0.09	0.07	0.07	0.038	0.08	4.9	30.3	0.57	410	1.43	0.01
CC125932		0.89	18.9	3.92	6.29	0.08	<0.02	0.04	0.028	0.06	7.2	15.1	0.28	253	2.25	<0.01
CC125933		0.63	19.8	4.12	6.97	0.08	0.02	0.05	0.027	0.05	5.6	6.7	0.14	177	1.65	<0.01
CC125934		1.11	33.5	4.49	5.18	0.09	0.05	0.03	0.039	0.06	7.9	33.1	0.58	521	1.56	<0.01
CC125935		1.10	7.3	1.58	5.75	<0.05	<0.02	0.03	0.012	0.04	10.3	5.8	0.16	89	1.28	<0.01
CC125936		1.31	22.9	3.17	4.86	<0.05	0.05	0.06	0.029	0.06	9.4	22.1	0.57	524	1.28	<0.01
CC125937		1.35	13.6	2.38	5.24	<0.05	0.02	0.03	0.021	0.04	8.9	10.6	0.20	89	1.32	<0.01
CC125938		0.86	15.9	1.75	2.90	<0.05	0.04	0.11	0.028	0.04	4.5	8.1	0.38	102	0.62	0.01
CC125939		1.43	54.4	2.73	2.93	<0.05	0.05	0.38	0.039	0.07	2.8	27.8	0.41	123	1.32	0.01
CC125940		2.43	34.6	3.13	3.67	<0.05	0.05	0.32	0.040	0.07	4.0	28.0	0.40	104	1.50	<0.01
CC125991		1.00	49.5	3.67	4.26	0.05	0.03	0.13	0.044	0.11	6.1	23.3	0.38	891	1.78	0.01
CC125992		1.01	51.7	3.51	3.67	<0.05	0.05	0.07	0.042	0.07	6.6	18.5	0.36	619	2.56	<0.01
CC125993		0.79	48.2	3.26	3.99	<0.05	0.06	0.22	0.043	0.07	5.3	22.1	0.42	258	1.53	0.01
CC125994		1.30	42.6	4.36	4.36	0.05	0.05	0.17	0.043	0.08	4.5	43.5	0.60	286	1.48	0.01
CC125995		0.77	46.4	3.23	4.51	0.05	0.06	0.10	0.039	0.06	10.4	28.1	0.59	142	1.61	<0.01
CC125996		1.33	36.4	3.96	4.45	<0.05	0.05	0.12	0.041	0.07	7.6	26.4	0.53	1030	1.10	<0.01
CC125997		0.73	25.8	3.34	4.29	<0.05	0.06	0.11	0.035	0.07	5.7	28.4	0.51	509	1.26	0.01
CC125998		0.82	32.4	3.00	4.39	<0.05	0.03	0.13	0.032	0.06	12.4	24.6	0.57	245	1.23	<0.01
CC125999		1.39	83.9	3.63	4.68	0.06	0.06	0.36	0.053	0.12	9.8	18.7	0.35	1040	1.70	0.01
CC126000		1.07	77.0	3.24	5.53	0.05	0.09	0.25	0.044	0.05	11.4	27.6	0.93	86	0.85	<0.01
CC126354		9.46	59.6	2.52	2.67	<0.05	<0.02	0.07	0.027	0.09	3.2	0.8	0.03	78	3.61	<0.01
CC126355		1.17	36.8	3.74	4.14	<0.05	0.03	0.16	0.035	0.06	4.3	13.7	0.29	267	1.98	<0.01
CC126356		0.89	34.2	3.98	3.80	<0.05	0.05	0.22	0.038	0.07	6.2	15.9	0.35	470	3.41	0.01
CC126357		1.23	31.3	3.44	3.91	<0.05	0.05	0.24	0.038	0.07	7.4	12.8	0.31	587	1.96	0.01
CC126358		0.35	27.1	0.59	0.70	<0.05	0.04	0.16	0.007	0.03	1.4	1.4	0.31	289	0.55	0.01
CC126359		0.71	30.0	1.81	2.92	<0.05	0.04	0.13	0.023	0.05	6.0	6.5	0.24	688	0.64	0.01
CC126360		0.83	37.1	3.21	4.45	<0.05	0.08	0.08	0.036	0.10	4.5	13.7	0.34	297	0.69	0.01
CC126361		0.86	28.1	3.85	5.57	<0.05	0.06	0.12	0.037	0.09	7.9	25.8	0.51	492	0.67	0.01
CC126362		0.71	46.2	1.40	2.33	<0.05	0.06	0.09	0.018	0.06	3.8	6.2	0.26	253	0.58	0.01
CC126363		1.46	44.6	3.74	5.70	0.05	0.10	0.06	0.037	0.09	7.8	24.3	0.50	484	0.62	0.01
CC126364		1.66	42.4	3.98	5.74	<0.05	0.09	0.06	0.044	0.11	6.6	27.0	0.53	377	0.66	0.01
CC126365		0.89	25.6	3.09	4.34	<0.05	0.06	0.06	0.031	0.09	4.2	16.6	0.45	522	0.64	0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 11- JUL- 2011
Account: RCM

Project: Rackla - PYRAMID

CERTIFICATE OF ANALYSIS WH11112638

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
CC125493		0.20	21.2	640	16.6	6.8	<0.001	0.10	0.47	3.4	1.0	0.3	77.5	<0.01	0.04	1.1
CC125494		0.18	28.3	620	18.9	6.9	<0.001	0.06	0.42	4.8	1.2	0.3	59.7	<0.01	0.06	1.9
CC125495		0.14	38.8	740	17.6	6.6	<0.001	0.03	0.53	6.4	0.9	0.3	39.7	<0.01	0.07	3.3
CC125496		0.13	36.2	640	18.1	5.5	<0.001	0.02	0.54	7.1	0.9	0.3	46.3	<0.01	0.06	3.1
CC125497		0.13	30.3	370	14.0	4.9	<0.001	0.03	0.51	6.1	0.6	0.3	39.8	<0.01	0.07	2.6
CC125498		0.15	30.5	470	15.8	6.0	<0.001	0.05	0.52	6.0	0.7	0.3	50.9	<0.01	0.07	2.2
CC125499		0.07	36.5	810	21.0	4.8	<0.001	0.03	0.54	7.8	0.7	0.2	71.4	<0.01	0.06	4.7
CC125500		0.14	40.0	650	26.6	7.1	<0.001	0.03	0.46	8.4	1.4	0.3	28.2	<0.01	0.05	4.3
CC125931		0.23	38.4	790	13.1	9.1	<0.001	0.07	0.48	5.0	1.2	0.4	30.0	<0.01	0.06	1.6
CC125932		0.52	22.0	520	12.3	12.1	<0.001	0.02	0.61	3.0	0.5	0.6	8.5	<0.01	0.05	1.8
CC125933		0.45	12.6	460	11.6	7.1	<0.001	0.02	0.52	2.9	0.7	0.6	4.3	<0.01	0.06	1.6
CC125934		0.35	38.6	860	19.0	9.2	<0.001	0.01	0.57	4.5	0.8	0.4	17.1	<0.01	0.05	2.7
CC125935		0.75	8.8	280	10.0	6.6	<0.001	0.01	0.44	1.5	0.6	0.8	8.8	<0.01	0.03	1.1
CC125936		0.59	26.0	710	16.1	9.6	<0.001	0.04	0.50	3.7	1.0	0.5	17.4	<0.01	0.06	1.4
CC125937		0.39	13.6	180	10.2	10.8	<0.001	0.01	0.34	2.1	0.6	0.6	8.6	<0.01	0.05	2.1
CC125938		0.39	16.4	1090	11.0	4.4	0.001	0.13	0.29	2.8	1.5	0.4	53.9	<0.01	0.04	0.5
CC125939		0.13	43.9	690	12.0	11.2	0.005	0.10	0.46	3.7	3.4	0.5	54.5	<0.01	0.03	0.8
CC125940		0.14	43.9	720	14.3	13.8	0.009	0.06	0.34	4.9	2.5	0.5	28.0	<0.01	0.05	1.4
CC125991		0.16	40.7	840	14.9	11.6	0.002	0.08	0.61	6.7	1.4	0.6	48.4	<0.01	0.05	1.7
CC125992		0.28	42.9	790	15.9	8.4	0.002	0.05	0.81	5.8	1.5	0.5	38.6	<0.01	0.07	1.8
CC125993		0.21	40.4	1370	16.9	9.4	0.001	0.14	0.49	5.8	1.5	0.5	48.2	<0.01	0.05	1.4
CC125994		0.13	69.4	650	24.0	8.7	0.004	0.06	0.42	6.6	2.0	0.4	41.7	<0.01	0.05	2.6
CC125995		0.37	41.0	600	17.6	7.4	0.001	0.03	0.59	6.9	1.4	0.5	30.8	<0.01	0.05	3.2
CC125996		0.19	33.8	850	19.0	10.2	0.001	0.04	0.34	5.9	0.9	0.5	31.3	<0.01	0.05	2.5
CC125997		0.21	26.8	840	14.4	7.9	<0.001	0.06	0.33	4.6	0.9	0.5	47.4	<0.01	0.04	1.9
CC125998		0.48	31.2	740	13.8	9.1	0.001	0.02	0.46	5.7	1.2	0.5	24.1	<0.01	0.05	3.8
CC125999		0.24	57.2	1240	17.7	16.4	0.002	0.11	0.64	8.5	2.6	0.6	64.3	<0.01	0.06	1.6
CC126000		0.16	40.0	810	15.9	7.8	0.002	0.13	0.44	7.9	1.7	0.4	44.5	<0.01	0.05	1.9
CC126354		0.14	55.2	500	12.6	9.7	0.003	0.01	2.08	1.7	2.3	0.6	12.2	<0.01	0.11	0.4
CC126355		0.17	30.3	560	21.5	8.3	<0.001	0.02	0.53	4.0	0.6	0.5	10.5	<0.01	0.04	2.1
CC126356		0.19	38.5	460	29.7	8.1	0.001	0.02	0.89	5.2	1.4	0.5	16.9	<0.01	0.05	3.4
CC126357		0.31	27.1	1190	24.6	8.0	<0.001	0.09	0.56	3.4	1.0	0.5	45.3	<0.01	0.04	1.1
CC126358		0.11	13.0	960	4.0	2.5	0.004	0.23	0.68	0.8	1.2	0.2	108.5	<0.01	0.02	0.3
CC126359		0.24	19.1	1170	9.9	6.6	<0.001	0.18	0.28	1.8	1.3	0.4	114.0	<0.01	0.04	0.4
CC126360		0.30	25.4	820	14.9	10.4	<0.001	0.11	0.24	5.2	1.0	0.6	67.0	<0.01	0.06	1.6
CC126361		0.39	29.7	700	21.8	9.7	0.001	0.05	0.21	5.6	0.9	0.7	39.7	<0.01	0.05	2.9
CC126362		0.23	20.2	1160	5.0	7.4	0.001	0.21	0.40	1.6	0.7	0.3	118.0	<0.01	0.03	0.4
CC126363		0.38	31.3	510	17.0	16.8	<0.001	0.05	0.22	5.5	0.8	0.7	37.0	<0.01	0.03	2.4
CC126364		0.35	31.0	390	19.5	13.3	<0.001	0.04	0.22	6.5	0.6	0.8	37.6	<0.01	0.04	3.4
CC126365		0.30	22.9	750	15.0	10.0	0.001	0.10	0.18	3.9	0.6	0.6	50.0	<0.01	0.04	1.4

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 11- JUL- 2011
Account: RCM

Project: Rackla - PYRAMID

CERTIFICATE OF ANALYSIS WH11112638

Sample Description	Method Analyte Units LOR	ME- MS41 Ti % 0.005	ME- MS41 Tl ppm 0.02	ME- MS41 U ppm 0.05	ME- MS41 V ppm 1	ME- MS41 W ppm 0.05	ME- MS41 Y ppm 0.05	ME- MS41 Zn ppm 2	ME- MS41 Zr ppm 0.5
CC125493		<0.005	0.09	1.41	24	<0.05	7.64	90	1.9
CC125494		<0.005	0.10	0.89	29	<0.05	10.60	107	1.8
CC125495		0.005	0.12	0.68	42	<0.05	11.80	119	2.5
CC125496		<0.005	0.10	0.55	43	<0.05	10.30	94	2.6
CC125497		<0.005	0.07	0.61	48	<0.05	7.76	92	2.5
CC125498		<0.005	0.08	0.79	46	<0.05	9.54	96	2.4
CC125499		0.006	0.11	0.55	42	<0.05	13.55	110	3.7
CC125500		<0.005	0.14	0.85	37	<0.05	16.40	143	2.3
CC125931		<0.005	0.11	0.87	39	0.06	9.47	117	1.8
CC125932		0.008	0.16	0.49	76	0.11	2.38	104	0.7
CC125933		0.007	0.11	0.32	70	0.10	1.33	67	0.7
CC125934		0.006	0.14	0.78	49	0.10	6.48	135	1.1
CC125935		0.027	0.11	0.48	51	0.19	1.84	34	<0.5
CC125936		0.015	0.11	1.36	46	0.21	7.12	77	1.1
CC125937		0.009	0.10	0.31	51	0.07	2.21	50	0.9
CC125938		0.006	0.09	2.37	35	0.05	8.87	40	1.1
CC125939		<0.005	0.11	1.47	29	<0.05	11.65	119	1.7
CC125940		<0.005	0.14	2.17	35	<0.05	12.15	108	1.3
CC125991		<0.005	0.18	0.97	39	0.05	13.50	119	0.8
CC125992		<0.005	0.18	1.10	41	0.15	13.25	150	1.2
CC125993		<0.005	0.15	1.50	39	0.09	12.90	122	1.6
CC125994		<0.005	0.10	0.82	34	<0.05	11.00	174	2.0
CC125995		0.006	0.12	0.91	44	0.07	12.15	134	1.8
CC125996		<0.005	0.12	0.80	44	0.05	11.65	116	1.4
CC125997		<0.005	0.13	0.74	45	0.07	7.29	107	1.3
CC125998		0.011	0.13	1.17	47	0.10	10.25	127	1.1
CC125999		<0.005	0.31	1.30	44	0.07	30.0	129	1.4
CC126000		<0.005	0.14	2.06	59	<0.05	18.60	121	2.4
CC126354		0.007	0.13	0.67	74	0.06	6.37	273	<0.5
CC126355		<0.005	0.17	0.48	42	<0.05	4.13	116	0.7
CC126356		0.006	0.20	1.29	65	0.05	9.79	155	1.6
CC126357		<0.005	0.17	1.60	40	0.06	12.60	92	1.3
CC126358		0.005	0.05	2.34	6	<0.05	3.31	54	1.4
CC126359		<0.005	0.08	1.10	17	0.09	10.40	36	1.3
CC126360		<0.005	0.11	0.73	25	<0.05	7.92	79	2.1
CC126361		0.007	0.09	0.74	32	0.06	7.55	109	1.7
CC126362		<0.005	0.07	0.84	12	<0.05	8.54	58	1.6
CC126363		0.006	0.11	0.98	29	0.06	10.35	94	2.4
CC126364		0.005	0.11	0.68	31	<0.05	8.26	98	2.9
CC126365		<0.005	0.10	0.55	25	<0.05	5.44	106	1.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 11- JUL- 2011
Account: RCM

Project: Rackla - PYRAMID

CERTIFICATE OF ANALYSIS WH11112638

Sample Description	Method	WEI- 21	Au- TL43	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Recvd Wt.	Au	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
CC126366		0.18	0.002	0.16	1.78	71.5	<0.2	<10	240	0.97	0.26	0.48	0.40	9.82	15.4	31
CC126367		0.20	0.002	0.13	1.86	45.9	<0.2	<10	330	1.20	0.24	0.33	2.09	11.40	15.9	31
CC126368		0.12	0.002	0.06	1.47	68.5	<0.2	<10	290	0.56	0.22	0.50	0.24	5.72	8.6	24
CC126369		0.08	0.006	0.09	1.58	57.5	<0.2	<10	270	0.74	0.24	0.11	0.41	6.00	11.0	26
CC126401		0.40	0.002	0.06	1.54	19.4	<0.2	<10	150	0.91	0.27	0.19	0.27	15.75	18.0	27
CC126402		0.44	0.002	0.13	1.59	23.7	<0.2	<10	220	1.31	0.28	0.22	0.86	16.35	38.8	26
CC126403		0.18	0.002	0.18	1.65	30.0	<0.2	<10	340	0.96	0.22	0.40	0.23	16.50	11.7	28
CC126404		0.18	0.002	0.12	1.56	20.9	<0.2	<10	270	0.89	0.21	0.23	0.36	15.55	13.7	28
CC126405		0.24	0.002	0.09	1.43	38.8	<0.2	<10	200	0.74	0.27	0.18	0.24	14.20	10.1	26
CC126406		0.28	0.002	0.11	1.73	16.9	<0.2	<10	330	0.94	0.28	0.42	0.32	17.50	11.2	28
CC126407		0.20	0.002	0.14	1.76	15.0	<0.2	<10	230	0.93	0.25	0.43	0.21	27.3	17.1	29
CC126408		0.40	0.002	0.20	1.68	17.7	<0.2	<10	310	0.94	0.27	0.47	0.25	23.0	13.8	29
CC126409		0.26	0.001	0.16	1.72	14.7	<0.2	<10	320	0.85	0.27	0.63	0.37	22.2	14.5	29
CC126410		0.30	0.002	0.16	1.58	21.2	<0.2	<10	700	1.00	0.26	0.61	0.82	24.1	19.3	26
CC126411		0.16	0.002	0.14	1.66	18.0	<0.2	<10	350	0.85	0.25	0.62	0.18	21.8	13.3	29
CC126412		0.18	0.002	0.12	1.40	13.9	<0.2	<10	290	0.76	0.25	0.59	0.20	15.90	13.9	24
CC126413		0.22	0.002	0.16	1.53	15.1	<0.2	<10	260	0.82	0.25	0.54	0.35	22.0	15.7	26
CC126414		0.10	0.002	0.13	1.57	11.0	<0.2	<10	360	0.82	0.24	1.05	0.36	20.5	14.5	25
CC126415		0.12	0.002	0.15	1.75	14.9	<0.2	<10	250	0.75	0.26	0.44	0.21	18.40	15.4	30
CC126416		0.34	0.002	0.11	1.44	13.8	<0.2	<10	220	0.74	0.24	0.39	0.25	22.7	12.5	24
CC126417		0.12	0.002	0.14	1.34	12.2	<0.2	<10	280	0.69	0.20	1.00	0.17	16.70	11.2	21
CC126418		0.18	0.002	0.15	1.30	14.7	<0.2	<10	360	0.73	0.21	0.74	0.30	15.70	15.7	22
CC126419		0.08	0.002	0.13	1.13	12.6	<0.2	<10	250	0.68	0.19	0.75	0.24	14.60	11.8	20
CC126420		0.14	0.002	0.26	1.62	16.2	<0.2	<10	380	0.77	0.23	0.63	0.48	21.5	15.5	29
CC126481		0.10	0.004	0.26	1.55	12.6	<0.2	<10	380	1.39	0.32	0.73	0.16	14.80	9.7	22
CC126482		0.16	0.002	0.02	0.42	3.1	<0.2	<10	130	0.33	0.26	0.27	0.34	4.62	10.2	13
CC126483		0.16	0.002	0.04	1.72	22.1	<0.2	<10	200	0.88	0.27	0.08	0.46	28.0	15.0	27
CC126484		0.18	0.002	0.17	1.30	22.7	<0.2	<10	260	0.70	0.24	0.73	0.42	25.2	18.7	21
CC126486		0.18	<0.001	0.13	1.49	22.5	<0.2	<10	230	0.87	0.27	1.29	0.16	22.7	14.5	21
CC126488		0.10	<0.001	0.04	1.58	15.4	<0.2	<10	140	0.47	0.26	0.10	0.11	20.7	9.8	22
CC126489		0.14	0.001	0.11	1.21	11.4	<0.2	<10	140	0.66	0.21	1.22	0.20	16.90	11.7	18
CC126490		0.12	0.002	0.14	1.16	7.5	<0.2	<10	160	0.65	0.20	1.13	0.20	14.90	8.4	18
CC126491		0.32	0.002	0.13	1.62	15.3	<0.2	<10	220	0.78	0.22	1.06	0.34	25.9	19.9	25
CC126492		0.24	<0.001	0.03	2.53	19.2	<0.2	<10	240	1.04	0.25	0.27	0.23	33.3	19.4	33
CC126493		0.22	<0.001	0.04	2.08	19.1	<0.2	<10	110	0.56	0.26	0.04	0.20	27.8	14.2	30
CC126494		0.24	0.002	0.15	1.91	16.7	<0.2	<10	240	0.80	0.23	0.83	0.23	28.0	16.4	29
CC126495		0.20	0.001	0.09	2.02	16.9	<0.2	<10	260	0.84	0.24	0.80	0.36	26.7	18.6	28
CC126496		0.28	0.001	0.10	1.60	15.8	<0.2	<10	180	0.64	0.21	1.09	0.26	19.55	13.5	24
CC126497		0.30	0.002	0.19	1.37	37.7	<0.2	<10	190	0.75	0.27	0.37	0.43	24.8	19.4	23
CC126498		0.18	0.002	0.17	1.25	45.8	<0.2	<10	180	0.76	0.26	0.29	0.28	22.1	16.9	21

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 11- JUL- 2011
Account: RCM

Project: Rackla - PYRAMID

CERTIFICATE OF ANALYSIS WH11112638

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
CC126366		2.04	35.9	4.39	5.15	<0.05	0.06	1.01	0.045	0.08	3.7	38.6	0.71	479	1.00	<0.01
CC126367		2.68	37.4	3.68	5.44	<0.05	0.05	0.30	0.047	0.10	4.3	44.8	0.69	320	0.79	0.01
CC126368		1.31	20.7	3.68	5.08	<0.05	0.03	0.09	0.030	0.07	2.9	30.0	0.46	214	1.09	<0.01
CC126369		2.40	22.4	3.72	5.65	<0.05	0.02	0.13	0.038	0.09	2.7	22.7	0.36	349	1.03	0.01
CC126401		1.00	47.3	4.49	4.36	<0.05	0.02	0.04	0.036	0.07	6.8	32.5	0.57	630	1.58	<0.01
CC126402		1.69	51.9	4.53	4.39	0.06	0.03	0.28	0.048	0.08	6.7	37.1	0.46	1200	2.21	<0.01
CC126403		0.81	37.0	3.84	4.89	0.05	0.04	0.13	0.039	0.07	8.0	32.7	0.61	320	1.21	<0.01
CC126404		1.02	34.0	3.93	4.89	<0.05	0.02	0.09	0.038	0.07	7.7	33.3	0.59	544	1.33	<0.01
CC126405		0.77	31.7	3.71	4.52	0.05	0.04	0.10	0.031	0.06	6.5	31.2	0.59	338	1.23	0.01
CC126406		1.28	39.0	3.85	5.34	0.05	0.05	0.19	0.036	0.08	8.2	40.3	0.55	437	1.10	0.02
CC126407		0.94	54.1	4.28	5.83	0.06	0.07	0.13	0.037	0.09	12.5	38.0	0.82	275	0.96	0.01
CC126408		0.93	42.7	4.30	5.09	0.06	0.07	0.13	0.036	0.09	11.0	32.6	0.70	512	1.16	0.01
CC126409		0.65	48.1	3.80	5.28	0.05	0.07	0.13	0.037	0.08	9.8	32.9	0.77	286	0.87	0.01
CC126410		0.95	65.1	5.28	4.71	0.06	0.07	0.89	0.044	0.10	9.3	27.7	0.69	2830	1.39	0.02
CC126411		0.59	30.4	3.94	5.24	<0.05	0.05	0.15	0.038	0.07	9.1	29.3	0.64	536	1.01	0.01
CC126412		0.68	44.0	4.11	4.32	0.05	0.06	0.11	0.031	0.07	6.8	24.3	0.57	456	1.03	0.02
CC126413		0.82	46.9	3.95	4.83	0.06	0.06	0.20	0.035	0.08	9.4	29.7	0.69	302	1.03	0.02
CC126414		0.72	37.5	3.66	4.76	0.05	0.07	0.09	0.033	0.07	8.4	28.6	0.64	1070	0.82	0.02
CC126415		1.50	43.7	4.65	5.76	0.11	0.09	0.13	0.039	0.09	8.4	30.1	0.67	520	0.98	<0.01
CC126416		1.64	36.9	3.92	5.44	0.07	0.06	0.16	0.036	0.07	9.3	26.1	0.60	327	0.94	<0.01
CC126417		0.68	37.2	3.10	5.14	0.07	0.07	0.11	0.031	0.08	7.1	25.4	0.53	242	0.79	0.01
CC126418		1.48	37.1	3.49	5.00	0.07	0.07	0.18	0.034	0.08	6.7	24.5	0.51	453	1.05	0.01
CC126419		1.62	26.3	2.86	4.50	0.06	0.06	0.14	0.030	0.08	6.1	21.2	0.41	630	0.89	0.01
CC126420		0.62	52.5	3.20	6.07	0.08	0.08	0.15	0.039	0.07	9.8	30.4	0.63	167	1.18	0.01
CC126481		1.78	33.6	2.89	6.29	0.07	0.12	0.17	0.036	0.14	6.8	18.6	0.33	587	0.63	0.01
CC126482		2.21	11.5	2.27	1.96	<0.05	0.03	0.03	0.020	0.13	1.8	3.4	0.09	526	0.41	<0.01
CC126483		1.25	15.4	3.97	6.41	0.07	0.04	0.09	0.039	0.07	9.0	20.0	0.30	1090	1.31	0.01
CC126484		0.89	52.1	3.96	4.78	0.09	0.09	0.21	0.029	0.08	10.5	23.5	0.73	741	0.96	0.01
CC126486		0.52	46.1	3.84	5.23	0.09	0.10	0.15	0.035	0.08	9.9	27.8	0.52	426	0.75	0.01
CC126488		0.75	19.0	3.76	6.78	0.07	0.05	0.02	0.031	0.06	9.1	30.5	0.35	241	1.13	<0.01
CC126489		0.48	29.5	2.75	4.42	0.07	0.08	0.07	0.027	0.07	6.9	27.7	0.52	351	0.54	<0.01
CC126490		0.57	30.5	2.32	4.32	0.06	0.08	0.08	0.028	0.07	6.1	24.2	0.47	236	0.47	0.01
CC126491		0.78	71.6	3.85	6.35	0.10	0.09	0.13	0.032	0.07	11.0	33.6	0.80	988	0.75	0.01
CC126492		0.87	46.5	4.62	7.88	0.08	0.08	0.03	0.042	0.06	12.6	40.6	0.80	549	0.94	0.01
CC126493		0.93	36.2	4.73	8.16	0.09	0.09	0.05	0.035	0.05	12.3	37.9	0.69	481	1.22	0.01
CC126494		0.60	63.0	4.24	7.09	0.10	0.10	0.11	0.034	0.07	13.0	37.8	1.03	576	0.84	0.01
CC126495		0.64	56.3	4.40	7.15	0.09	0.10	0.78	0.038	0.08	11.2	42.1	0.93	654	0.73	0.01
CC126496		0.68	48.2	3.85	5.87	0.09	0.08	0.07	0.031	0.06	8.2	32.5	0.82	483	0.77	0.01
CC126497		1.31	49.4	4.01	5.00	0.10	0.09	0.14	0.032	0.06	10.5	36.7	0.62	764	1.37	0.01
CC126498		1.42	47.0	3.89	4.61	0.09	0.10	0.16	0.031	0.06	9.4	33.1	0.56	538	1.42	0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 11- JUL- 2011
Account: RCM

Project: Rackla - PYRAMID

CERTIFICATE OF ANALYSIS WH11112638

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
CC126366		0.14	54.4	730	36.9	9.2	<0.001	0.03	0.47	6.4	0.5	0.5	21.0	<0.01	0.04	3.1
CC126367		0.16	50.8	510	51.5	11.7	<0.001	0.02	0.47	7.7	0.8	0.6	18.5	<0.01	0.04	3.1
CC126368		0.24	29.0	410	33.5	13.0	<0.001	0.04	0.50	3.6	0.5	0.6	19.9	<0.01	0.02	1.4
CC126369		0.17	29.1	560	50.8	16.6	<0.001	0.03	0.49	4.4	0.6	0.6	9.9	<0.01	0.04	1.6
CC126401		0.11	45.4	860	21.9	7.3	<0.001	0.02	0.47	5.1	0.6	0.4	16.6	<0.01	0.04	3.2
CC126402		0.16	89.5	970	23.6	10.1	0.001	0.03	0.60	6.5	1.7	0.5	23.8	<0.01	0.04	3.2
CC126403		0.23	47.9	750	13.3	8.0	0.001	0.02	0.40	6.2	1.2	0.5	23.5	<0.01	0.06	3.0
CC126404		0.19	50.3	680	12.5	8.8	0.001	0.02	0.40	5.0	1.0	0.5	17.5	<0.01	0.04	2.8
CC126405		0.15	36.6	640	14.3	6.6	0.001	0.01	0.47	4.7	1.0	0.4	15.3	<0.01	0.04	3.2
CC126406		0.32	44.1	430	17.8	10.2	<0.001	0.02	0.46	6.2	0.6	0.5	20.9	<0.01	0.04	3.0
CC126407		0.17	39.7	650	18.2	7.9	0.001	0.02	0.47	8.0	0.8	0.4	26.9	<0.01	0.06	4.5
CC126408		0.24	36.7	700	20.3	8.6	0.001	0.02	0.47	7.3	0.9	0.5	27.7	<0.01	0.05	4.2
CC126409		0.19	36.6	590	18.1	7.9	0.001	0.04	0.37	7.4	1.6	0.4	31.1	<0.01	0.07	4.0
CC126410		0.05	50.8	790	22.9	8.0	<0.001	0.03	0.49	9.7	1.1	0.4	35.6	<0.01	0.05	4.6
CC126411		0.35	31.8	370	16.7	7.2	0.001	0.03	0.49	6.4	1.0	0.5	30.3	<0.01	0.04	3.2
CC126412		0.13	37.3	530	16.2	6.4	0.001	0.03	0.45	6.1	0.7	0.4	28.7	<0.01	0.06	3.2
CC126413		0.19	38.2	690	17.9	7.2	<0.001	0.02	0.53	7.3	1.1	0.4	28.9	<0.01	0.07	3.7
CC126414		0.21	35.2	680	17.6	7.4	0.001	0.05	0.39	5.7	0.9	0.4	46.4	<0.01	0.05	2.6
CC126415		0.24	34.5	630	17.8	10.8	0.001	0.03	0.36	7.3	1.2	0.4	25.3	0.01	0.06	3.5
CC126416		0.21	28.4	520	15.5	7.1	<0.001	0.01	0.37	5.9	0.8	0.4	24.0	<0.01	0.05	3.6
CC126417		0.24	28.5	570	12.7	5.6	<0.001	0.05	0.41	5.3	0.9	0.3	41.6	<0.01	0.06	2.3
CC126418		0.24	33.6	560	13.6	6.5	0.001	0.04	0.41	5.5	0.9	0.4	35.8	<0.01	0.05	2.6
CC126419		0.26	26.0	580	13.2	7.3	<0.001	0.04	0.40	5.0	0.8	0.4	35.7	<0.01	0.05	2.5
CC126420		0.25	43.4	640	20.8	6.7	0.001	0.02	0.47	7.4	1.3	0.4	25.8	<0.01	0.06	3.7
CC126481		0.30	23.7	650	21.0	16.8	<0.001	0.05	0.27	7.0	1.0	0.7	33.1	<0.01	0.04	2.8
CC126482		0.53	7.8	310	9.7	11.9	<0.001	0.01	0.21	3.2	0.2	0.5	21.7	<0.01	0.06	2.3
CC126483		0.66	24.4	300	25.5	11.4	<0.001	0.01	0.44	3.9	0.5	0.6	14.1	<0.01	0.05	4.2
CC126484		0.15	33.8	540	22.4	5.2	<0.001	0.03	0.50	5.9	0.8	0.3	31.0	<0.01	0.06	3.7
CC126486		0.21	33.1	380	21.2	6.5	<0.001	0.03	0.43	6.2	1.0	0.3	69.5	<0.01	0.06	2.9
CC126488		0.60	20.4	260	18.5	10.4	<0.001	<0.01	0.40	3.0	0.4	0.5	10.5	<0.01	0.05	3.1
CC126489		0.25	23.8	530	14.4	5.5	<0.001	0.04	0.33	4.7	1.0	0.3	57.9	<0.01	0.05	2.6
CC126490		0.21	22.3	630	12.2	6.5	<0.001	0.06	0.29	4.5	0.9	0.3	42.3	<0.01	0.05	2.1
CC126491		0.16	36.7	570	15.4	5.4	<0.001	0.05	0.50	7.0	1.1	0.3	47.1	<0.01	0.07	2.3
CC126492		0.29	37.8	240	17.3	8.0	<0.001	0.01	0.45	6.3	0.5	0.4	21.2	<0.01	0.07	4.5
CC126493		0.73	29.0	320	17.0	9.5	<0.001	0.01	0.59	4.1	0.6	0.5	6.9	<0.01	0.07	4.1
CC126494		0.30	34.7	520	14.9	5.5	<0.001	0.02	0.49	7.9	0.9	0.3	34.6	<0.01	0.07	3.5
CC126495		0.21	33.0	320	15.8	5.8	<0.001	0.02	0.50	8.2	0.7	0.3	40.3	<0.01	0.07	4.0
CC126496		0.18	28.7	510	14.5	4.8	<0.001	0.04	0.51	6.5	0.7	0.2	45.1	<0.01	0.07	2.0
CC126497		0.16	38.6	750	19.9	5.0	0.001	0.02	0.74	5.6	1.2	0.3	30.7	<0.01	0.06	3.8
CC126498		0.14	35.0	680	21.0	5.3	0.001	0.03	0.80	5.8	1.3	0.3	27.2	<0.01	0.06	3.7

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 11- JUL- 2011
Account: RCM

Project: Rackla - PYRAMID

CERTIFICATE OF ANALYSIS WH11112638

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
CC126366		<0.005	0.34	0.50	31	<0.05	9.28	192	1.9
CC126367		<0.005	0.41	0.60	33	0.05	10.55	471	1.9
CC126368		<0.005	0.28	0.28	35	0.05	3.80	110	0.9
CC126369		<0.005	0.39	0.46	37	0.07	4.46	142	0.8
CC126401		<0.005	0.12	0.54	36	<0.05	8.84	142	0.8
CC126402		<0.005	0.17	0.89	37	<0.05	18.05	244	1.1
CC126403		0.005	0.10	0.82	40	0.05	12.65	153	1.1
CC126404		<0.005	0.10	0.59	43	<0.05	8.66	167	0.7
CC126405		0.005	0.10	0.63	33	<0.05	8.18	124	1.3
CC126406		0.006	0.13	0.90	42	0.15	11.05	132	1.3
CC126407		0.005	0.08	0.79	46	0.05	11.80	107	2.8
CC126408		0.007	0.10	0.86	45	0.07	12.20	115	2.0
CC126409		<0.005	0.09	1.05	46	<0.05	11.60	117	2.4
CC126410		<0.005	0.16	0.61	41	<0.05	17.25	149	2.7
CC126411		0.007	0.10	0.83	47	0.08	7.79	94	1.5
CC126412		<0.005	0.09	0.59	37	<0.05	8.39	110	2.0
CC126413		0.005	0.10	0.92	43	0.05	11.30	119	2.1
CC126414		<0.005	0.10	0.88	41	0.05	9.22	101	1.9
CC126415		<0.005	0.12	0.91	47	<0.05	10.20	125	2.1
CC126416		<0.005	0.10	0.72	39	0.05	8.87	104	1.6
CC126417		<0.005	0.08	0.59	35	<0.05	8.39	101	1.7
CC126418		<0.005	0.11	0.67	37	0.05	8.58	108	1.7
CC126419		<0.005	0.13	0.61	33	0.06	7.02	97	1.4
CC126420		<0.005	0.10	0.88	43	0.05	12.95	144	2.4
CC126481		<0.005	0.17	1.00	25	0.06	13.75	111	2.5
CC126482		0.015	0.07	0.43	18	0.18	1.66	57	0.8
CC126483		0.010	0.19	0.72	44	0.13	4.51	205	1.5
CC126484		0.005	0.14	0.65	34	<0.05	10.40	155	2.5
CC126486		<0.005	0.11	0.85	30	0.05	14.15	99	2.6
CC126488		0.008	0.10	0.48	50	0.13	2.67	60	2.1
CC126489		<0.005	0.07	1.44	27	0.10	8.04	81	2.4
CC126490		<0.005	0.08	2.21	25	0.07	7.95	87	1.9
CC126491		<0.005	0.07	1.05	40	0.05	12.45	91	2.5
CC126492		<0.005	0.12	0.63	58	0.08	5.10	92	3.0
CC126493		0.013	0.10	0.47	60	0.13	3.20	82	3.4
CC126494		0.008	0.07	0.71	48	0.07	12.60	95	2.5
CC126495		<0.005	0.08	0.87	47	<0.05	9.94	96	3.3
CC126496		<0.005	0.07	0.64	39	<0.05	8.34	103	2.2
CC126497		<0.005	0.11	1.00	32	<0.05	11.20	127	2.6
CC126498		<0.005	0.13	1.00	31	0.05	10.80	124	2.6

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 11- JUL- 2011
Account: RCM

Project: Rackla - PYRAMID

CERTIFICATE OF ANALYSIS WH11112638

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- TL43 Au ppm 0.001	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1
CC126499		0.12	0.002	1.68	1.52	9.6	<0.2	<10	580	0.66	0.23	0.83	0.31	18.40	10.3	25
CC126500		0.16	0.001	0.03	0.55	5.6	<0.2	<10	40	0.06	0.26	0.02	0.04	26.0	1.5	7
CC126501		0.16	0.002	0.31	1.39	21.7	<0.2	<10	400	0.69	0.24	0.99	0.72	21.7	12.4	26
CC126502		0.26	0.001	0.16	1.62	18.9	<0.2	<10	440	0.73	0.24	0.74	0.42	25.8	13.1	27
CC126503		0.06	<0.001	0.23	1.40	13.1	<0.2	<10	420	0.77	0.22	1.52	0.77	15.65	12.9	22
CC126504		0.24	<0.001	0.12	1.58	12.3	<0.2	<10	290	0.92	0.25	0.47	0.21	16.65	13.7	28
CC126505		0.10	0.001	0.27	1.59	13.2	<0.2	<10	480	0.85	0.23	0.81	0.26	19.65	15.3	26
CC126506		0.44	0.001	0.14	1.55	14.7	<0.2	<10	290	0.90	0.26	0.41	0.26	15.40	17.6	26
CC126507		0.06	0.002	0.32	1.58	12.2	<0.2	<10	440	0.83	0.24	0.80	0.13	13.95	11.3	23
CC126508		0.08	<0.001	0.11	1.26	11.2	<0.2	<10	280	0.71	0.24	0.71	0.17	8.88	12.0	22
CC126509		0.18	<0.001	0.10	1.38	11.3	<0.2	<10	260	0.77	0.25	0.54	0.11	11.00	13.4	23
CC126510		0.18	<0.001	0.07	1.58	14.6	<0.2	<10	120	0.64	0.28	0.06	0.17	14.90	11.9	25
CC126511		0.22	0.001	0.54	0.68	54.6	<0.2	<10	260	0.61	0.21	1.05	0.62	8.54	8.6	23
CC126512		0.10	<0.001	0.29	1.27	37.7	<0.2	<10	380	0.76	0.20	2.84	0.64	18.75	9.9	22
CC126513		0.36	0.001	0.17	2.12	105.0	<0.2	<10	400	1.10	0.29	1.60	0.40	31.5	20.2	30
CC126514		0.20	0.001	0.31	1.78	41.9	<0.2	<10	540	0.92	0.27	1.47	0.57	30.4	12.6	30
CC126515		0.18	<0.001	0.12	2.18	77.2	<0.2	<10	550	1.17	0.30	2.30	2.29	30.2	15.2	35
CC126516		0.28	0.001	0.77	1.14	41.1	<0.2	<10	530	0.79	0.25	2.71	1.08	21.5	15.3	30
CC126517		0.14	0.001	0.33	1.67	39.5	<0.2	<10	480	0.86	0.25	2.20	0.90	21.2	16.2	27
CC126518		0.18	0.002	0.27	1.66	28.0	<0.2	<10	370	0.88	0.28	1.57	0.51	25.1	17.3	26
CC126519		0.16	0.001	0.34	1.50	24.7	<0.2	<10	330	0.75	0.23	1.10	0.32	22.5	14.2	27
CC126520		0.18	0.002	0.57	1.29	38.3	<0.2	<10	380	0.66	0.22	0.84	0.34	21.0	11.4	26
CC126521		0.26	<0.001	0.13	1.57	62.7	<0.2	<10	700	0.89	0.27	3.53	1.73	28.1	12.3	26
CC126522		0.04	NSS	0.36	0.51	20.6	<0.2	<10	340	0.42	0.10	4.35	1.41	7.87	5.9	12
CC126523		0.10	<0.001	0.47	0.93	10.8	<0.2	<10	310	0.54	0.17	2.28	0.39	13.10	8.2	22
CC126524		0.14	<0.001	0.49	1.34	18.9	<0.2	<10	470	0.73	0.23	1.78	0.35	20.7	12.8	25
CC126525		0.08	<0.001	0.43	1.11	13.3	<0.2	<10	430	0.62	0.18	2.89	0.55	13.70	10.8	20
CC126526		0.06	<0.001	0.58	1.18	20.9	<0.2	<10	530	0.61	0.21	2.22	0.54	15.00	11.5	22
CC126527		0.06	<0.001	0.51	0.87	16.3	<0.2	<10	520	0.59	0.17	3.33	0.53	10.60	8.7	15
CC126528		0.06	<0.001	0.67	0.93	16.6	<0.2	<10	640	0.40	0.18	2.52	0.32	8.85	7.7	19
CC126529		0.04	NSS	0.28	0.36	2.0	<0.2	10	620	0.32	0.03	4.02	0.68	1.84	3.3	4
CC126530		0.36	0.001	0.25	1.58	18.1	<0.2	<10	300	0.75	0.25	0.80	0.39	25.4	15.9	27
CC126531		0.32	<0.001	0.44	1.52	14.7	<0.2	<10	190	0.70	0.27	1.16	0.46	25.3	16.7	24
CC126532		0.12	<0.001	0.21	1.45	29.2	<0.2	<10	210	0.82	0.23	1.55	0.47	21.9	15.9	23
CC126533		0.16	0.002	0.25	1.76	13.1	<0.2	<10	270	0.78	0.25	0.75	0.35	27.8	14.7	29
CC126534		0.20	<0.001	0.20	1.22	29.2	<0.2	<10	250	0.77	0.29	0.87	0.35	24.9	16.3	20

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 11- JUL- 2011
Account: RCM

Project: Rackla - PYRAMID

CERTIFICATE OF ANALYSIS WH11112638

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
CC126499		3.89	36.5	2.53	5.83	0.08	0.06	0.34	0.032	0.07	8.7	23.7	0.41	417	1.35	0.02
CC126500		0.82	5.7	0.64	9.50	0.05	<0.02	0.01	0.007	0.02	12.6	1.2	0.03	36	1.30	<0.01
CC126501		0.91	46.6	3.18	4.12	0.06	0.07	0.22	0.033	0.06	10.9	21.8	0.47	545	1.16	0.01
CC126502		0.58	36.2	3.18	4.72	0.06	0.06	0.12	0.035	0.06	12.4	22.0	0.49	553	1.39	0.01
CC126503		0.69	41.0	3.03	4.23	<0.05	0.06	0.12	0.033	0.06	6.7	19.1	0.47	1280	1.21	0.02
CC126504		0.66	39.3	3.69	5.24	0.05	0.05	0.07	0.044	0.09	6.6	27.3	0.61	435	1.02	0.02
CC126505		0.94	39.6	3.56	5.29	<0.05	0.07	0.15	0.037	0.08	8.0	23.1	0.56	1110	1.24	0.02
CC126506		0.57	53.2	4.49	4.89	0.05	0.06	0.07	0.042	0.07	6.1	29.0	0.61	532	1.36	0.01
CC126507		0.95	47.4	3.98	4.69	<0.05	0.05	0.20	0.036	0.10	5.7	23.5	0.47	504	1.11	0.02
CC126508		0.52	24.5	3.69	4.13	<0.05	0.04	0.09	0.038	0.08	3.7	21.2	0.39	370	1.38	0.02
CC126509		0.73	30.8	3.83	4.75	<0.05	0.04	0.06	0.035	0.08	4.6	24.6	0.42	225	1.17	0.01
CC126510		0.86	32.7	4.58	5.48	<0.05	0.04	0.02	0.040	0.06	6.3	32.3	0.41	239	1.20	0.01
CC126511		1.44	24.8	3.10	1.97	<0.05	0.04	0.19	0.036	0.07	4.5	8.9	0.15	207	3.16	0.01
CC126512		0.90	31.3	2.46	3.90	0.06	0.05	0.10	0.028	0.06	14.5	15.6	0.38	443	1.38	0.02
CC126513		1.30	68.2	4.33	6.56	0.07	0.10	0.14	0.038	0.14	16.0	40.1	0.90	559	1.16	0.02
CC126514		1.42	32.5	3.21	5.36	0.05	0.03	0.14	0.031	0.06	17.0	18.0	0.50	489	1.34	0.02
CC126515		1.28	33.6	3.79	6.27	0.06	0.09	0.10	0.043	0.09	19.4	23.2	0.61	546	1.17	0.02
CC126516		1.53	40.6	3.23	3.63	0.06	0.06	0.26	0.040	0.08	14.0	18.9	0.48	673	1.78	0.02
CC126517		1.38	42.7	3.45	4.75	0.05	0.07	0.17	0.030	0.11	12.0	27.4	0.59	704	0.79	0.02
CC126518		1.09	53.1	3.78	5.05	0.05	0.07	0.14	0.036	0.09	12.4	30.8	0.66	663	1.19	0.01
CC126519		0.87	38.4	3.31	4.69	<0.05	0.06	0.11	0.040	0.07	9.9	25.0	0.60	517	1.33	0.01
CC126520		0.86	40.8	3.08	4.13	0.05	0.07	0.16	0.033	0.07	9.6	22.3	0.52	331	1.72	0.01
CC126521		1.08	23.1	3.13	5.14	0.06	0.06	0.09	0.032	0.05	16.0	18.3	0.44	274	1.07	0.02
CC126522		0.71	34.9	1.15	1.64	<0.05	0.04	0.15	0.019	0.03	8.4	4.3	0.14	295	0.62	0.02
CC126523		0.61	29.8	2.13	2.84	<0.05	0.05	0.10	0.027	0.05	7.7	14.2	0.35	263	1.16	0.02
CC126524		0.89	39.1	2.92	4.21	<0.05	0.06	0.12	0.030	0.08	9.3	23.7	0.51	410	1.18	0.02
CC126525		0.74	42.2	2.29	3.22	<0.05	0.07	0.10	0.024	0.07	6.6	17.4	0.43	524	0.80	0.02
CC126526		0.86	39.7	2.50	3.84	<0.05	0.07	0.18	0.028	0.09	6.8	20.2	0.46	500	1.10	0.02
CC126527		0.84	46.3	1.90	2.75	<0.05	0.06	0.13	0.026	0.06	5.3	13.7	0.31	448	1.31	0.02
CC126528		0.75	29.0	2.03	2.70	<0.05	0.05	0.14	0.022	0.07	4.2	13.2	0.34	603	1.61	0.02
CC126529		0.16	43.2	0.52	0.53	<0.05	0.04	0.08	<0.005	0.02	1.3	0.7	0.06	1580	1.18	0.04
CC126530		1.07	57.4	4.16	5.31	0.06	0.07	0.08	0.037	0.07	10.5	32.3	0.84	487	1.81	0.01
CC126531		0.84	66.0	3.97	4.83	0.07	0.09	0.09	0.030	0.08	11.7	34.0	0.99	547	1.47	0.01
CC126532		0.97	67.9	3.79	4.59	0.05	0.10	0.12	0.031	0.08	9.7	30.9	0.83	544	1.65	0.01
CC126533		0.95	55.7	3.82	5.53	0.05	0.08	0.16	0.039	0.08	12.4	35.9	0.87	400	1.27	0.01
CC126534		1.20	45.6	4.00	3.85	0.05	0.08	0.16	0.030	0.06	10.3	38.3	0.87	379	1.47	0.02

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 11- JUL- 2011
Account: RCM

Project: Rackla - PYRAMID

CERTIFICATE OF ANALYSIS WH11112638

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
CC126499		0.58	33.6	1080	13.7	21.9	0.002	0.08	0.44	3.5	3.0	0.5	30.3	0.01	0.05	1.0
CC126500		0.51	3.7	200	6.0	3.3	<0.001	<0.01	0.36	0.9	0.2	0.8	4.4	<0.01	0.02	0.5
CC126501		0.47	31.8	810	14.5	7.7	0.001	0.06	0.66	4.7	1.5	0.4	42.9	<0.01	0.06	1.7
CC126502		0.59	34.2	700	14.4	6.6	<0.001	0.05	0.65	4.3	1.3	0.5	39.2	<0.01	0.05	1.5
CC126503		0.34	33.7	1140	12.0	9.8	0.001	0.13	0.56	4.6	1.0	0.4	65.2	<0.01	0.08	1.2
CC126504		0.20	39.5	590	16.9	8.2	<0.001	0.03	0.41	6.9	0.9	0.5	29.5	<0.01	0.07	3.4
CC126505		0.29	33.0	1010	13.2	10.3	0.001	0.09	0.42	5.4	1.3	0.4	41.0	<0.01	0.07	1.5
CC126506		0.12	44.5	490	18.2	6.1	0.001	0.04	0.40	7.6	1.0	0.4	21.8	<0.01	0.06	3.6
CC126507		0.16	38.6	940	13.7	9.5	0.002	0.19	0.34	5.8	1.2	0.4	38.0	<0.01	0.06	1.4
CC126508		0.13	29.9	630	15.1	8.1	0.001	0.05	0.36	4.2	1.0	0.5	23.3	<0.01	0.06	2.5
CC126509		0.15	31.6	570	15.9	9.1	0.001	0.05	0.36	4.6	0.6	0.5	26.4	<0.01	0.07	3.0
CC126510		0.34	30.6	430	18.2	11.9	<0.001	0.06	0.47	3.7	0.5	0.5	13.8	<0.01	0.08	2.7
CC126511		0.20	38.0	310	11.0	8.6	0.003	0.03	0.56	4.3	1.7	0.4	24.2	<0.01	0.06	1.3
CC126512		0.40	29.4	600	11.6	7.2	0.001	0.07	0.45	3.7	1.6	0.4	44.0	<0.01	0.06	0.8
CC126513		0.18	44.3	670	18.8	9.2	<0.001	0.03	0.56	7.2	1.2	0.4	48.9	<0.01	0.08	3.7
CC126514		0.82	31.2	800	15.5	10.3	<0.001	0.05	0.68	4.0	1.1	0.6	25.5	<0.01	0.08	1.3
CC126515		0.66	37.2	430	18.7	9.0	<0.001	0.03	0.86	8.1	1.4	0.6	26.8	<0.01	0.08	3.9
CC126516		0.19	46.1	1020	16.6	6.9	0.001	0.07	0.92	4.7	1.8	0.4	58.6	<0.01	0.13	1.2
CC126517		0.28	33.7	890	16.0	8.8	<0.001	0.09	0.51	4.4	1.4	0.4	35.7	<0.01	0.08	1.5
CC126518		0.20	38.9	490	18.6	7.7	<0.001	0.06	0.65	5.8	1.1	0.4	39.1	<0.01	0.09	2.2
CC126519		0.16	34.9	430	15.0	6.5	<0.001	0.04	0.54	5.9	0.9	0.4	26.4	<0.01	0.08	2.4
CC126520		0.17	39.1	370	12.8	6.4	0.001	0.03	0.61	5.7	1.5	0.4	29.4	<0.01	0.10	3.2
CC126521		0.76	30.6	290	16.6	6.8	<0.001	0.04	0.71	5.6	1.1	0.5	32.7	<0.01	0.07	3.7
CC126522		0.24	31.4	890	6.3	4.0	<0.001	0.19	0.54	1.4	2.3	0.2	46.6	<0.01	0.06	0.3
CC126523		0.20	26.7	570	10.4	5.1	0.001	0.11	0.60	2.8	1.4	0.3	35.6	<0.01	0.07	0.6
CC126524		0.22	34.5	600	14.3	7.4	0.001	0.07	0.59	5.0	1.9	0.4	39.2	<0.01	0.09	1.8
CC126525		0.18	30.4	820	10.8	7.0	0.002	0.12	0.50	3.3	1.7	0.3	57.1	<0.01	0.07	1.0
CC126526		0.19	30.0	700	12.9	7.1	0.002	0.11	0.76	4.0	1.8	0.3	54.1	<0.01	0.08	1.4
CC126527		0.16	28.6	730	10.0	6.3	0.002	0.13	1.10	2.4	2.2	0.3	72.8	<0.01	0.06	0.6
CC126528		0.13	24.3	830	10.6	5.7	0.003	0.14	0.92	2.1	1.5	0.3	57.2	<0.01	0.09	0.5
CC126529		0.09	33.9	990	1.5	0.9	0.003	0.21	1.12	0.4	1.2	<0.2	74.8	<0.01	0.05	<0.2
CC126530		0.16	37.8	510	15.3	6.4	0.001	0.04	0.71	6.8	1.0	0.3	27.4	<0.01	0.11	2.9
CC126531		0.14	36.6	750	17.4	5.0	<0.001	0.04	0.56	6.6	0.9	0.3	40.6	<0.01	0.09	3.2
CC126532		0.12	41.5	670	15.1	6.2	<0.001	0.07	0.64	7.2	1.2	0.3	54.3	<0.01	0.08	2.1
CC126533		0.20	35.8	670	13.0	7.9	<0.001	0.04	0.50	8.3	1.1	0.4	34.0	<0.01	0.08	2.5
CC126534		0.09	36.5	800	20.9	4.1	<0.001	0.04	0.79	5.0	1.4	0.3	38.7	<0.01	0.08	4.4

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 11- JUL- 2011
Account: RCM

Project: Rackla - PYRAMID

CERTIFICATE OF ANALYSIS WH11112638

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
CC126499		0.010	0.16	1.75	39	0.15	15.55	142	1.2
CC126500		0.017	0.12	0.32	39	0.15	1.34	16	<0.5
CC126501		0.010	0.12	1.27	45	0.12	12.55	127	1.5
CC126502		0.010	0.11	1.60	46	0.15	13.50	105	1.3
CC126503		0.005	0.13	0.90	39	0.07	10.05	134	1.6
CC126504		<0.005	0.09	0.83	41	<0.05	9.28	118	1.5
CC126505		<0.005	0.12	1.03	43	0.06	9.24	84	1.7
CC126506		<0.005	0.10	0.82	35	<0.05	10.10	150	1.7
CC126507		<0.005	0.14	0.86	36	<0.05	13.15	69	1.0
CC126508		<0.005	0.08	0.53	33	0.06	4.95	113	1.2
CC126509		<0.005	0.12	0.58	34	<0.05	4.93	91	1.3
CC126510		<0.005	0.10	0.41	42	0.06	4.02	92	1.4
CC126511		<0.005	0.13	1.13	33	0.05	9.02	165	1.2
CC126512		0.008	0.24	1.59	35	0.10	23.7	61	1.3
CC126513		0.005	0.23	0.73	45	<0.05	16.00	96	3.2
CC126514		0.020	0.16	1.89	50	0.18	19.50	90	1.1
CC126515		0.008	0.17	0.75	58	0.29	35.7	91	2.9
CC126516		0.005	0.38	1.83	45	0.05	29.2	144	1.4
CC126517		0.006	0.16	1.28	42	0.08	19.05	133	2.1
CC126518		<0.005	0.17	0.97	42	0.06	18.20	104	2.3
CC126519		<0.005	0.14	1.17	46	<0.05	13.70	105	1.9
CC126520		<0.005	0.13	1.19	46	<0.05	14.55	112	2.3
CC126521		0.011	0.13	0.75	47	0.24	21.5	73	2.2
CC126522		0.006	0.09	4.50	16	<0.05	20.1	81	1.4
CC126523		0.005	0.09	3.15	35	<0.05	13.80	96	1.4
CC126524		<0.005	0.11	1.83	46	0.08	14.40	104	2.2
CC126525		<0.005	0.10	1.11	32	<0.05	11.80	115	2.2
CC126526		<0.005	0.14	1.63	39	<0.05	10.25	105	2.3
CC126527		<0.005	0.13	1.51	29	<0.05	10.05	77	2.1
CC126528		<0.005	0.16	0.88	35	<0.05	5.90	106	1.6
CC126529		<0.005	0.05	0.28	4	<0.05	4.58	74	1.3
CC126530		0.005	0.11	0.88	48	<0.05	7.57	115	2.5
CC126531		0.006	0.10	0.77	42	<0.05	10.25	109	2.7
CC126532		<0.005	0.12	1.01	39	<0.05	12.15	151	2.9
CC126533		0.006	0.13	1.38	47	<0.05	13.80	121	2.1
CC126534		<0.005	0.08	0.89	29	<0.05	10.80	122	2.6

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: Rackla - PYRAMID

Finalized Date: 11- JUL- 2011
Account: RCM

CERTIFICATE OF ANALYSIS WH11112638

Method	CERTIFICATE COMMENTS
ALL METHODS	NSS is non- sufficient sample.
ME- MS41	Gold determinations by this method are semi- quantitative due to the small sample weight used (0.5g).

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 10- JUL- 2011
Account: RCM

CERTIFICATE WH11112639

Project: Rackla - PYRAMID

P.O. No.:

This report is for 98 Soil samples submitted to our lab in Whitehorse, YT, Canada on 20- JUN- 2011.

The following have access to data associated with this certificate:

ROB CARNE JULIA LANE	ANDREW CARNE JOAN MARIACHER	MATT DUMALA

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
SCR- 41	Screen to - 180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- TL43	Trace Level Au - 25g AR	ICP- MS
ME- MS41	51 anal. aqua regia ICPMS	

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 10- JUL- 2011
Account: RCM

Project: Rackla - PYRAMID

CERTIFICATE OF ANALYSIS WH11112639

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- TL43 Au ppm 0.001	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1
CC126581		0.12	0.001	0.34	1.30	18.7	<0.2	<10	550	0.85	0.25	1.45	0.51	18.65	11.0	25
CC126582		0.12	0.001	0.29	0.83	17.1	<0.2	<10	350	0.83	0.27	1.74	0.36	10.65	10.3	14
CC126583		0.20	0.001	0.27	0.75	39.4	<0.2	<10	870	0.84	0.33	1.20	0.37	10.95	11.3	14
CC126584		0.18	0.002	0.41	0.93	30.6	<0.2	<10	550	0.76	0.24	2.25	0.41	16.05	9.2	19
CC126585		0.20	0.001	0.63	1.02	35.6	<0.2	<10	1220	0.72	0.24	1.17	0.51	14.85	8.2	22
CC126586		0.18	<0.001	0.09	0.80	12.5	<0.2	<10	290	0.86	0.32	0.71	0.07	17.70	9.4	13
CC126587		0.26	0.001	0.02	1.51	14.2	<0.2	<10	80	0.55	0.29	0.04	0.10	22.4	10.7	21
CC126588		0.36	<0.001	0.04	0.51	8.3	<0.2	<10	60	0.24	0.34	0.02	0.05	11.25	5.7	8
CC126589		0.16	0.002	0.18	1.61	20.2	<0.2	<10	320	0.85	0.27	0.81	0.24	21.5	10.2	25
CC126590		0.22	0.002	0.12	1.13	12.2	<0.2	<10	100	0.59	0.19	7.52	0.22	18.55	8.6	16
CC126591		0.28	0.002	0.11	1.33	13.8	<0.2	<10	170	0.82	0.29	0.33	0.19	23.5	13.5	21
CC126592		0.10	0.002	0.26	1.41	18.3	<0.2	<10	440	0.87	0.27	0.77	0.27	20.7	12.2	22
CC126593		0.24	0.002	0.03	1.97	17.3	<0.2	<10	130	0.85	0.26	0.08	0.20	30.9	20.4	28
CC126594		0.22	0.001	0.10	1.67	15.3	<0.2	<10	150	0.82	0.24	1.63	0.21	23.0	10.7	23
CC126595		0.26	0.002	0.17	1.37	13.3	<0.2	<10	150	0.66	0.19	4.89	0.21	19.40	9.8	20
CC126596		0.12	0.001	0.18	0.91	6.2	<0.2	<10	190	0.72	0.28	1.52	0.13	15.50	7.4	13
CC126597		0.44	0.003	0.08	2.00	16.7	<0.2	<10	220	0.88	0.23	0.39	0.23	34.2	17.8	30
CC126598		0.28	0.002	0.08	1.68	11.6	<0.2	<10	170	0.71	0.23	0.92	0.24	26.1	15.0	25
CC126599		0.20	0.001	0.07	0.84	377	<0.2	<10	510	0.68	0.18	10.25	2.81	15.15	6.8	22
CC126600		0.24	<0.001	0.26	1.57	13.4	<0.2	<10	250	0.59	0.22	1.23	1.31	20.7	6.4	29
CC126801		0.12	0.001	0.16	1.40	7.3	<0.2	<10	310	0.74	0.21	1.28	0.57	8.66	10.5	22
CC126802		0.08	<0.001	0.10	1.45	6.2	<0.2	<10	250	0.64	0.22	0.83	0.40	8.60	6.8	21
CC126803		0.22	<0.001	0.07	1.87	9.0	<0.2	<10	240	0.74	0.28	0.34	0.20	8.90	14.9	30
CC126804		0.10	0.002	0.12	1.54	6.4	<0.2	<10	200	0.70	0.23	0.77	0.33	7.33	12.6	23
CC126805		0.18	0.002	0.12	1.55	6.5	<0.2	<10	250	0.81	0.22	0.99	0.30	7.32	8.2	23
CC126806		0.36	0.001	0.15	0.86	13.1	<0.2	<10	510	0.60	0.24	0.26	0.58	7.21	9.3	14
CC126807		0.16	0.001	0.14	1.27	11.6	<0.2	<10	410	0.76	0.21	1.14	0.45	7.57	13.2	20
CC126808		0.36	0.001	0.20	0.91	12.4	<0.2	<10	590	0.74	0.22	0.61	0.83	9.07	11.6	16
CC126809		0.30	0.001	0.24	1.27	12.1	<0.2	<10	420	0.99	0.26	0.69	0.91	10.05	16.4	21
CC126810		0.22	0.001	0.33	1.09	13.4	<0.2	<10	650	0.83	0.24	0.95	1.75	10.90	13.5	20
CC126811		0.24	0.001	0.41	1.16	14.5	<0.2	<10	820	0.94	0.26	0.83	2.61	11.40	14.4	22
CC126812		0.22	0.001	0.43	1.14	13.9	<0.2	<10	840	0.89	0.22	1.04	2.03	10.15	11.8	20
CC126813		0.24	<0.001	0.16	1.49	10.6	<0.2	<10	300	0.77	0.28	0.59	0.58	8.46	11.1	23
CC126814		0.18	<0.001	0.25	1.37	14.6	<0.2	<10	320	1.00	0.26	0.92	0.50	9.77	10.6	21
CC126815		0.24	0.001	0.20	1.65	25.6	<0.2	<10	330	0.99	0.24	0.84	1.01	12.70	11.2	25
CC126816		0.42	0.001	0.20	1.33	26.3	<0.2	<10	270	0.87	0.24	0.61	0.49	16.80	15.6	22
CC126817		0.36	0.001	0.20	1.55	33.4	<0.2	<10	370	0.86	0.23	0.79	0.68	15.50	16.4	24
CC126818		0.24	<0.001	0.14	1.56	20.3	<0.2	<10	280	1.01	0.23	1.16	0.50	10.50	14.3	23
CC126819		0.28	<0.001	0.21	1.65	31.6	<0.2	<10	430	1.15	0.25	0.74	0.85	10.95	17.6	25
CC126820		0.26	<0.001	0.25	1.20	13.8	<0.2	<10	550	0.82	0.23	0.67	1.14	11.05	13.4	20

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 10- JUL- 2011
Account: RCM

Project: Rackla - PYRAMID

CERTIFICATE OF ANALYSIS WH11112639

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
CC126581		1.04	42.7	3.45	3.80	<0.05	0.06	0.19	0.035	0.08	9.6	22.0	0.51	479	1.15	0.02
CC126582		0.88	35.0	2.93	2.47	<0.05	0.05	0.16	0.032	0.07	5.7	11.2	0.27	365	0.98	0.01
CC126583		0.76	33.9	3.46	2.13	<0.05	0.05	0.25	0.030	0.08	5.7	8.2	0.19	284	1.07	0.02
CC126584		0.63	45.0	2.67	2.82	0.05	0.05	0.23	0.025	0.08	8.2	15.3	0.71	277	0.91	0.02
CC126585		0.96	26.6	2.66	3.00	0.09	0.04	0.22	0.037	0.08	8.5	12.2	0.22	316	1.57	0.01
CC126586		0.63	27.6	3.33	2.31	0.10	0.04	0.06	0.040	0.08	7.2	8.7	0.14	202	0.83	0.01
CC126587		1.32	34.4	4.16	4.88	0.10	0.07	0.02	0.034	0.08	10.4	25.1	0.32	274	0.77	<0.01
CC126588		1.64	16.9	2.30	1.84	0.09	0.02	0.06	0.028	0.08	4.8	4.9	0.07	177	1.17	<0.01
CC126589		0.72	44.5	3.37	4.61	0.10	0.07	0.13	0.031	0.08	10.9	24.9	0.58	388	0.80	0.01
CC126590		0.83	21.9	2.84	3.28	0.11	0.05	0.09	0.022	0.06	10.3	16.1	4.67	1120	0.60	0.02
CC126591		0.92	41.7	3.79	3.91	0.11	0.05	0.09	0.034	0.09	10.3	26.5	0.52	369	0.73	<0.01
CC126592		0.86	39.7	3.36	4.29	0.10	0.06	0.12	0.033	0.09	9.7	23.4	0.49	459	1.01	0.01
CC126593		0.83	59.9	4.60	5.56	0.11	0.07	0.04	0.039	0.07	13.1	38.7	0.75	578	0.96	<0.01
CC126594		0.80	33.4	3.68	4.91	0.10	0.06	0.06	0.037	0.07	10.5	25.8	1.11	459	0.76	0.01
CC126595		0.76	39.0	3.02	3.77	0.10	0.07	0.13	0.025	0.08	9.6	20.3	3.19	480	0.54	0.01
CC126596		0.88	31.7	2.46	2.64	0.10	0.06	0.12	0.032	0.08	6.3	12.4	0.32	171	0.47	0.01
CC126597		0.91	68.6	4.47	5.77	0.14	0.07	0.12	0.037	0.08	14.6	38.6	0.91	752	0.81	0.01
CC126598		0.76	62.5	3.66	5.19	0.11	0.07	0.11	0.035	0.07	11.4	33.1	0.84	440	0.55	<0.01
CC126599		0.59	7.5	3.05	2.44	0.12	0.03	0.40	0.023	0.03	18.3	5.3	0.13	336	0.77	0.01
CC126600		1.58	12.8	2.53	5.07	0.10	0.02	0.07	0.027	0.04	21.1	12.2	0.33	324	1.15	0.01
CC126801		0.95	23.0	2.75	4.13	0.08	0.05	0.07	0.032	0.08	3.7	33.7	0.46	338	1.27	0.01
CC126802		1.36	22.9	2.60	4.59	0.09	0.05	0.06	0.036	0.10	3.5	25.5	0.39	174	0.86	0.01
CC126803		1.37	26.1	4.00	5.64	0.09	0.04	0.02	0.041	0.08	3.7	50.7	0.65	353	1.05	0.01
CC126804		1.07	22.9	3.03	4.58	0.08	0.05	0.04	0.036	0.07	2.9	38.3	0.50	339	0.82	0.01
CC126805		1.23	24.6	2.97	4.36	0.08	0.07	0.07	0.038	0.09	3.2	41.8	0.56	214	0.79	0.01
CC126806		1.64	38.3	3.34	3.15	0.09	<0.02	0.06	0.040	0.06	2.9	8.1	0.14	287	3.56	<0.01
CC126807		1.04	25.8	4.46	3.50	0.09	0.05	0.08	0.033	0.08	3.1	34.8	0.44	1680	1.80	0.02
CC126808		0.81	35.3	2.95	2.65	0.09	0.04	0.09	0.036	0.06	3.9	14.6	0.28	359	2.86	<0.01
CC126809		1.21	36.9	3.26	3.53	0.09	0.06	0.07	0.043	0.08	4.6	33.9	0.42	546	2.62	0.01
CC126810		0.89	37.6	2.98	3.29	0.10	0.05	0.11	0.041	0.07	5.5	22.2	0.38	372	2.89	<0.01
CC126811		0.81	40.4	3.11	3.37	0.09	0.06	0.12	0.042	0.07	6.1	20.1	0.34	380	3.46	<0.01
CC126812		0.58	36.0	2.91	3.21	0.09	0.06	0.13	0.036	0.06	5.4	22.5	0.38	240	3.26	0.01
CC126813		1.09	23.3	3.43	4.24	0.10	0.05	0.06	0.036	0.07	4.1	36.4	0.46	247	1.84	<0.01
CC126814		0.70	26.9	3.31	4.17	0.09	0.06	0.08	0.042	0.07	4.8	30.8	0.44	322	2.11	<0.01
CC126815		1.03	45.2	2.36	4.64	0.09	0.07	0.16	0.043	0.07	5.6	39.5	0.53	149	0.57	0.01
CC126816		1.01	47.6	3.61	3.93	0.10	0.06	0.12	0.038	0.07	7.1	29.3	0.50	455	1.50	<0.01
CC126817		0.77	38.2	4.14	4.51	0.10	0.06	0.14	0.043	0.06	6.9	35.4	0.60	1480	1.69	0.01
CC126818		0.82	32.7	3.49	4.73	0.09	0.09	0.08	0.040	0.08	4.8	41.0	0.53	965	0.91	0.01
CC126819		0.90	37.4	4.65	4.63	0.10	0.07	0.11	0.043	0.08	5.0	34.0	0.47	770	1.99	<0.01
CC126820		0.99	35.5	3.19	3.43	0.09	0.05	0.09	0.038	0.07	5.3	26.5	0.41	386	1.99	<0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 10- JUL- 2011
Account: RCM

Project: Rackla - PYRAMID

CERTIFICATE OF ANALYSIS WH11112639

Sample Description	Method Analyte Units LOR	ME- MS41 Nb ppm 0.05	ME- MS41 Ni ppm 0.2	ME- MS41 P ppm 10	ME- MS41 Pb ppm 0.2	ME- MS41 Rb ppm 0.1	ME- MS41 Re ppm 0.001	ME- MS41 S % 0.01	ME- MS41 Sb ppm 0.05	ME- MS41 Sc ppm 0.1	ME- MS41 Se ppm 0.2	ME- MS41 Sn ppm 0.2	ME- MS41 Sr ppm 0.2	ME- MS41 Ta ppm 0.01	ME- MS41 Te ppm 0.01	ME- MS41 Th ppm 0.2
CC126581		0.22	31.9	770	18.4	8.9	0.002	0.08	0.48	5.1	1.7	0.4	36.6	<0.01	0.06	1.9
CC126582		0.15	28.5	490	17.6	7.3	0.001	0.09	0.49	3.5	1.3	0.3	39.7	<0.01	0.05	1.1
CC126583		0.17	31.0	360	22.8	7.1	<0.001	0.06	0.53	4.2	0.9	0.4	36.0	<0.01	0.08	2.0
CC126584		0.33	33.5	690	15.4	6.0	0.003	0.08	0.61	4.7	1.8	0.3	93.0	<0.01	0.07	1.6
CC126585		0.34	28.5	520	15.3	6.8	0.001	0.06	0.66	4.7	1.3	0.4	47.3	<0.01	0.06	2.0
CC126586		0.16	26.3	620	22.8	6.7	<0.001	0.04	0.33	5.1	1.1	0.4	38.6	<0.01	0.06	3.1
CC126587		0.29	22.9	220	20.5	11.3	<0.001	0.03	0.43	3.4	0.6	0.4	10.2	<0.01	0.05	3.4
CC126588		0.11	13.1	160	21.6	8.7	<0.001	0.04	0.35	1.9	0.6	0.4	12.8	<0.01	0.04	2.6
CC126589		0.31	32.5	670	15.8	7.4	<0.001	0.05	0.48	5.9	1.1	0.4	38.7	<0.01	0.06	3.0
CC126590		0.33	17.8	710	22.4	6.5	<0.001	0.06	0.28	3.5	0.6	0.3	44.4	<0.01	0.05	1.8
CC126591		0.20	31.3	440	19.8	6.1	<0.001	0.03	0.42	5.8	0.9	0.3	23.3	<0.01	0.05	4.3
CC126592		0.25	31.1	630	17.6	8.1	<0.001	0.06	0.45	5.7	1.6	0.4	37.2	<0.01	0.05	2.8
CC126593		0.12	37.2	200	21.4	7.8	<0.001	0.03	0.51	5.2	0.7	0.3	9.1	<0.01	0.08	4.2
CC126594		0.22	26.5	540	18.5	7.9	<0.001	0.06	0.39	4.9	0.8	0.4	21.5	<0.01	0.07	2.1
CC126595		0.19	23.7	880	17.6	5.6	<0.001	0.06	0.32	5.1	1.0	0.3	43.2	<0.01	0.05	2.2
CC126596		0.16	22.4	550	24.0	6.8	0.001	0.12	0.28	4.3	0.9	0.3	58.7	<0.01	0.04	2.2
CC126597		0.12	36.7	270	17.7	6.3	<0.001	0.03	0.52	9.4	1.2	0.3	24.1	<0.01	0.08	4.2
CC126598		0.16	32.2	400	15.7	5.1	<0.001	0.05	0.45	7.0	1.0	0.3	43.4	<0.01	0.07	2.9
CC126599		0.53	37.2	550	11.6	4.8	<0.001	0.09	2.09	2.3	1.4	0.4	57.1	0.01	0.06	0.6
CC126600		0.60	25.1	760	12.4	9.2	<0.001	0.07	0.45	1.9	1.3	0.5	29.5	<0.01	0.04	0.5
CC126801		0.21	37.3	700	12.2	9.1	0.001	0.09	0.39	4.3	1.0	0.3	47.8	<0.01	0.04	1.3
CC126802		0.16	27.5	680	11.3	12.9	<0.001	0.09	0.35	4.9	0.8	0.4	47.9	<0.01	0.04	1.5
CC126803		0.13	42.9	580	17.1	9.3	<0.001	0.04	0.41	5.3	0.5	0.4	22.4	<0.01	0.04	2.2
CC126804		0.14	36.4	670	13.2	9.0	<0.001	0.08	0.34	4.8	0.6	0.3	45.1	<0.01	0.03	1.6
CC126805		0.13	40.8	630	12.5	9.9	0.001	0.12	0.34	5.5	0.9	0.3	59.8	<0.01	0.02	1.7
CC126806		0.09	33.7	640	14.6	9.4	0.001	0.04	1.13	4.1	1.3	0.4	23.2	<0.01	0.05	1.5
CC126807		0.11	37.1	830	11.3	8.2	0.005	0.17	0.44	4.8	1.5	0.3	93.3	<0.01	0.03	1.7
CC126808		0.10	36.2	730	13.8	5.1	0.002	0.05	0.86	4.6	1.9	0.3	41.6	<0.01	0.04	1.8
CC126809		0.15	46.1	780	19.2	7.5	0.005	0.14	0.85	5.7	1.4	0.4	45.3	<0.01	0.04	2.4
CC126810		0.17	45.0	1000	16.6	6.8	0.005	0.11	1.08	4.8	2.4	0.4	49.2	<0.01	0.05	1.9
CC126811		0.20	53.5	960	17.7	6.3	0.003	0.08	1.10	5.1	1.8	0.5	39.1	<0.01	0.07	1.8
CC126812		0.19	49.5	1060	16.1	4.9	0.004	0.13	1.08	4.4	2.3	0.4	63.0	<0.01	0.05	1.7
CC126813		0.16	36.1	710	16.8	8.4	0.001	0.04	0.54	4.6	0.9	0.5	40.6	<0.01	0.04	2.3
CC126814		0.17	31.9	750	17.0	7.9	0.004	0.07	0.71	5.4	1.1	0.5	57.6	<0.01	0.04	2.0
CC126815		0.24	37.6	600	17.5	10.3	0.003	0.31	0.18	7.0	1.2	0.5	48.6	<0.01	0.03	2.9
CC126816		0.23	39.4	400	17.4	7.1	0.001	0.03	0.74	6.7	1.2	0.5	33.4	<0.01	0.06	3.1
CC126817		0.19	39.3	660	17.2	7.6	0.003	0.08	0.44	6.8	1.1	0.4	48.4	<0.01	0.06	3.0
CC126818		0.17	39.2	730	15.1	11.3	0.002	0.13	0.39	5.6	1.3	0.5	64.3	<0.01	0.04	1.8
CC126819		0.19	45.8	640	18.1	10.0	<0.001	0.07	0.71	6.6	1.7	0.5	46.8	<0.01	0.05	2.5
CC126820		0.17	41.4	870	17.1	7.0	0.003	0.08	0.75	5.1	1.9	0.4	36.3	<0.01	0.06	2.3

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 10- JUL- 2011
Account: RCM

Project: Rackla - PYRAMID

CERTIFICATE OF ANALYSIS WH11112639

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
CC126581		<0.005	0.13	1.04	35	0.05	15.95	129	1.6
CC126582		<0.005	0.12	1.22	22	<0.05	10.70	95	1.5
CC126583		<0.005	0.18	0.96	22	0.07	11.55	137	1.4
CC126584		0.005	0.14	1.24	30	0.06	16.90	85	1.7
CC126585		0.007	0.16	0.93	37	0.20	14.25	97	1.0
CC126586		<0.005	0.09	0.89	21	<0.05	11.70	74	2.0
CC126587		0.005	0.12	0.38	38	0.06	2.98	57	2.2
CC126588		<0.005	0.16	0.38	19	<0.05	2.72	51	0.9
CC126589		0.008	0.12	1.26	39	0.07	14.20	84	1.9
CC126590		0.011	0.07	1.39	27	0.08	10.20	60	1.4
CC126591		0.007	0.09	0.75	31	0.05	10.85	85	2.0
CC126592		0.005	0.11	1.18	38	0.06	12.80	90	1.9
CC126593		<0.005	0.09	0.53	46	<0.05	5.08	92	2.6
CC126594		0.005	0.13	0.93	41	0.05	9.08	69	1.6
CC126595		0.005	0.14	1.06	32	0.05	12.05	80	1.8
CC126596		<0.005	0.12	0.64	21	<0.05	9.26	81	1.8
CC126597		0.005	0.10	0.55	49	<0.05	15.00	89	2.3
CC126598		0.005	0.08	0.57	41	<0.05	11.55	79	2.2
CC126599		0.014	0.26	0.80	42	0.66	41.5	66	0.7
CC126600		0.016	0.14	1.53	60	0.14	23.4	99	<0.5
CC126801		<0.005	0.09	0.66	26	<0.05	8.58	121	1.5
CC126802		<0.005	0.12	0.49	26	0.05	5.87	85	1.4
CC126803		<0.005	0.10	0.38	32	<0.05	5.34	111	1.2
CC126804		<0.005	0.09	0.39	24	<0.05	6.96	98	1.3
CC126805		<0.005	0.09	0.64	24	<0.05	8.67	104	1.9
CC126806		<0.005	0.34	0.65	42	<0.05	8.02	158	0.5
CC126807		<0.005	0.13	0.89	25	<0.05	9.08	90	1.3
CC126808		<0.005	0.16	1.17	34	<0.05	9.10	128	1.4
CC126809		<0.005	0.20	1.01	33	<0.05	9.80	141	2.0
CC126810		<0.005	0.21	1.25	40	0.06	10.80	196	1.8
CC126811		<0.005	0.25	1.48	46	0.07	14.65	241	1.8
CC126812		<0.005	0.19	1.82	43	0.05	12.45	209	1.8
CC126813		<0.005	0.13	0.79	34	<0.05	7.26	122	1.2
CC126814		<0.005	0.15	1.08	40	<0.05	8.66	118	1.7
CC126815		<0.005	0.16	1.90	34	<0.05	10.40	119	2.4
CC126816		0.005	0.15	0.71	35	0.05	11.25	117	2.1
CC126817		<0.005	0.13	0.84	41	<0.05	10.15	137	2.0
CC126818		<0.005	0.13	0.91	33	<0.05	9.52	106	2.3
CC126819		<0.005	0.15	1.52	39	<0.05	10.10	133	2.1
CC126820		<0.005	0.18	1.00	36	<0.05	9.97	150	1.7

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 10- JUL- 2011
Account: RCM

Project: Rackla - PYRAMID

CERTIFICATE OF ANALYSIS WH11112639

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- TL43 Au ppm 0.001	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1
CC126821		0.54	<0.001	0.29	1.24	15.5	<0.2	<10	790	0.89	0.24	0.55	1.42	11.30	15.7	22
CC126901		0.18	0.002	0.80	0.91	29.0	<0.2	<10	440	0.50	0.22	1.05	0.47	11.40	8.1	18
CC126902		0.38	0.003	1.08	0.70	19.4	<0.2	<10	490	0.77	0.26	0.40	1.05	11.25	9.3	16
CC126903		0.12	0.002	0.76	1.39	29.0	<0.2	<10	580	0.86	0.24	0.87	0.68	17.85	7.8	25
CC126904		0.10	<0.001	0.56	1.25	23.0	<0.2	<10	590	0.51	0.22	1.55	0.35	11.90	12.1	20
CC126905		0.36	0.001	0.11	1.70	15.3	<0.2	<10	210	0.79	0.23	0.33	0.42	25.8	15.5	27
CC126906		0.22	0.001	0.18	1.54	14.8	<0.2	<10	270	0.85	0.23	1.24	0.44	23.4	15.4	23
CC126907		0.22	0.001	0.16	1.51	16.4	<0.2	<10	180	0.59	0.22	1.01	0.27	18.80	13.8	24
CC126908		0.34	0.001	0.35	1.65	13.1	<0.2	<10	260	0.74	0.23	0.71	0.62	23.8	12.9	27
CC126909		0.28	0.001	0.18	1.24	39.6	<0.2	<10	170	0.92	0.29	0.41	0.71	22.0	19.6	19
CC126910		0.26	0.001	0.19	1.24	36.2	<0.2	<10	200	0.86	0.30	0.56	0.61	22.1	18.9	20
CC126911		0.18	0.001	0.37	1.16	18.8	<0.2	<10	470	0.82	0.23	0.76	1.37	13.60	14.7	20
CC126912		0.26	0.001	0.31	1.14	19.2	<0.2	<10	420	0.82	0.24	0.92	1.41	13.45	14.5	20
CC126921		0.30	<0.001	0.15	1.50	14.7	<0.2	<10	180	0.63	0.30	0.10	0.22	25.7	14.6	26
CC126922		0.22	<0.001	0.05	1.29	15.5	<0.2	<10	110	0.46	0.27	0.05	0.13	12.75	9.1	21
CC126923		0.24	<0.001	0.09	0.92	10.7	<0.2	<10	140	0.45	0.23	0.17	0.05	7.62	4.8	17
CC126924		0.24	<0.001	0.07	1.37	12.8	<0.2	<10	170	0.80	0.24	0.19	0.16	19.75	13.3	22
CC126925		0.20	0.001	0.05	1.89	13.2	<0.2	<10	150	0.63	0.29	0.14	0.23	23.1	10.0	26
CC126926		0.36	<0.001	0.04	1.74	11.6	<0.2	<10	110	0.96	0.27	0.06	0.12	9.50	16.8	27
CC126927		0.32	<0.001	0.04	1.76	9.4	<0.2	<10	110	1.15	0.32	0.26	0.08	10.65	16.4	28
CC126928		0.32	<0.001	0.72	1.17	15.2	<0.2	<10	900	1.06	0.24	0.28	1.77	12.85	18.4	22
CC126929		0.24	<0.001	0.28	1.18	11.6	<0.2	<10	570	0.88	0.25	0.34	0.72	11.65	8.7	21
CC126930		0.38	0.001	0.46	1.11	15.9	<0.2	<10	790	0.94	0.24	0.25	1.49	9.71	9.9	21
CC126931		0.22	0.001	0.21	1.02	12.2	<0.2	<10	680	0.74	0.19	1.08	1.43	7.72	9.7	18
CC126932		0.22	0.002	0.23	1.48	18.1	<0.2	<10	370	0.87	0.25	0.67	1.91	19.80	18.3	23
CC126933		0.46	0.001	0.17	1.58	18.5	<0.2	<10	330	0.85	0.26	0.52	0.37	24.8	20.0	26
CC126934		0.30	0.001	0.28	1.12	11.7	<0.2	<10	520	0.74	0.20	0.89	1.13	9.95	11.4	21
CC126935		0.28	0.001	0.32	1.14	12.8	<0.2	<10	550	0.89	0.24	0.77	1.47	9.10	15.4	21
CC128071		0.18	<0.001	0.04	1.31	15.5	<0.2	<10	230	0.59	0.25	0.57	0.43	16.45	8.6	19
CC128072		0.30	0.001	0.02	0.56	3.6	<0.2	<10	100	1.34	0.38	0.12	0.06	3.99	19.4	16
CC128073		0.16	<0.001	0.02	0.90	2.8	<0.2	<10	230	1.12	0.36	0.16	0.08	9.12	24.7	18
CC128074		0.24	0.003	0.11	0.47	6.5	<0.2	<10	150	1.42	0.23	2.02	0.06	14.40	29.9	13
CC128075		0.24	0.001	0.13	1.19	8.5	<0.2	<10	150	0.72	0.24	0.65	0.09	18.95	13.2	21
CC128076		0.14	0.001	0.16	0.79	15.1	<0.2	<10	130	0.84	0.26	0.66	0.18	9.96	14.3	16
CC128077		0.26	0.002	0.15	1.50	11.7	<0.2	<10	220	1.01	0.23	1.41	0.24	20.4	14.4	24
CC128078		0.22	0.001	0.09	1.43	14.7	<0.2	<10	230	0.90	0.21	0.43	0.44	28.0	11.6	23
CC128079		0.18	0.001	0.09	1.63	21.8	<0.2	<10	250	0.95	0.31	0.54	0.50	22.3	20.9	24
CC128080		0.12	0.002	1.37	1.45	7.1	<0.2	<10	660	0.56	0.23	0.33	0.20	9.66	5.1	25
CC128081		0.12	<0.001	0.64	0.94	3.9	<0.2	<10	250	0.18	0.21	0.09	0.07	15.00	1.2	14
CC128082		0.12	0.001	0.13	0.99	9.6	<0.2	<10	100	0.20	0.25	0.06	0.09	16.00	3.4	20

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 10- JUL- 2011
Account: RCM

Project: Rackla - PYRAMID

CERTIFICATE OF ANALYSIS WH11112639

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
CC126821		1.09	37.9	3.50	3.71	0.10	0.06	0.09	0.045	0.07	5.5	29.6	0.43	255	2.58	<0.01
CC126901		1.65	41.8	2.42	2.85	0.09	0.06	0.25	0.035	0.08	5.5	13.4	0.30	266	2.70	<0.01
CC126902		2.20	74.0	2.55	2.34	0.09	0.05	0.25	0.044	0.11	5.2	8.8	0.20	152	3.46	<0.01
CC126903		1.40	58.0	2.65	4.16	0.10	0.07	0.21	0.041	0.09	8.4	20.9	0.40	292	1.65	<0.01
CC126904		1.06	26.4	2.89	3.61	0.09	0.06	0.21	0.031	0.07	5.4	20.0	0.35	368	1.74	<0.01
CC126905		0.75	56.8	4.09	5.22	0.12	0.08	0.06	0.036	0.06	12.9	39.2	0.88	404	1.24	<0.01
CC126906		0.92	60.7	3.39	4.81	0.12	0.21	0.15	0.039	0.07	10.7	33.1	0.71	502	1.04	<0.01
CC126907		0.96	52.7	3.53	4.53	0.10	0.09	0.11	0.039	0.07	8.4	33.0	0.76	355	1.07	<0.01
CC126908		1.05	61.0	3.29	4.95	0.11	0.07	0.19	0.034	0.09	11.8	33.5	0.72	330	1.21	<0.01
CC126909		1.55	46.2	3.79	3.70	0.09	0.09	0.15	0.033	0.07	9.3	34.7	0.52	538	1.45	<0.01
CC126910		1.58	49.5	3.75	3.77	0.11	0.09	0.13	0.037	0.06	9.6	41.5	0.54	612	1.77	<0.01
CC126911		1.27	39.6	3.13	3.51	0.09	0.06	0.14	0.041	0.07	6.2	22.7	0.42	549	3.23	<0.01
CC126912		0.99	39.6	3.01	3.35	0.09	0.07	0.13	0.035	0.07	5.8	23.6	0.42	531	2.98	<0.01
CC126921		1.10	38.3	3.57	5.00	0.10	0.02	0.07	0.035	0.05	11.5	24.6	0.42	394	1.48	<0.01
CC126922		1.24	18.4	3.26	4.39	0.08	0.02	0.02	0.034	0.07	5.8	22.9	0.26	193	1.32	<0.01
CC126923		0.69	18.1	3.07	3.31	0.09	<0.02	0.04	0.029	0.07	3.3	12.4	0.24	71	1.18	<0.01
CC126924		0.73	39.8	3.40	4.65	0.09	0.03	0.07	0.041	0.07	8.9	27.0	0.47	257	1.08	<0.01
CC126925		1.29	13.1	3.17	6.06	0.09	0.06	0.03	0.034	0.05	11.4	26.7	0.39	239	1.54	<0.01
CC126926		1.01	30.8	3.81	5.54	0.09	0.03	0.01	0.037	0.07	3.8	39.3	0.56	277	0.89	<0.01
CC126927		1.26	27.1	3.31	6.04	0.09	0.03	0.02	0.043	0.10	4.4	42.7	0.66	268	0.80	<0.01
CC126928		1.62	40.6	3.25	3.42	0.10	0.03	0.11	0.045	0.07	6.4	20.9	0.33	239	2.85	<0.01
CC126929		1.13	32.4	2.62	3.50	0.09	0.03	0.08	0.041	0.06	5.7	19.7	0.31	152	3.04	<0.01
CC126930		0.98	36.2	3.57	3.03	0.09	0.04	0.08	0.040	0.06	5.3	14.3	0.23	270	4.48	<0.01
CC126931		0.58	25.1	2.73	2.93	0.08	0.06	0.10	0.039	0.06	4.0	20.1	0.35	330	2.67	<0.01
CC126932		0.91	62.4	4.16	4.75	0.11	0.07	0.14	0.038	0.07	9.7	25.0	0.57	696	1.16	0.01
CC126933		0.82	62.4	4.26	4.56	0.11	0.04	0.12	0.034	0.07	11.6	28.6	0.65	652	1.22	0.01
CC126934		0.85	29.1	2.55	3.33	0.10	0.06	0.10	0.032	0.06	4.5	20.9	0.38	226	2.71	0.01
CC126935		0.81	31.9	3.27	3.42	0.09	0.06	0.10	0.035	0.06	4.3	18.0	0.33	760	2.54	0.01
CC128071		0.62	21.9	3.37	5.29	0.09	0.03	0.02	0.033	0.06	7.2	19.4	0.30	308	1.21	<0.01
CC128072		1.01	60.7	6.04	1.78	0.09	0.02	0.05	0.043	0.08	2.6	3.9	0.08	632	0.67	<0.01
CC128073		2.54	44.5	4.11	3.28	0.09	<0.02	0.01	0.044	0.14	4.8	12.8	0.12	779	0.39	<0.01
CC128074		2.99	57.6	3.53	1.69	0.10	0.04	0.06	0.048	0.12	6.1	2.9	0.09	2300	1.03	0.01
CC128075		1.63	24.9	2.85	3.97	0.09	0.04	0.03	0.038	0.09	7.4	12.5	0.34	419	0.75	0.01
CC128076		1.49	37.4	3.38	2.65	0.09	0.05	0.08	0.041	0.10	2.9	10.5	0.22	481	0.99	0.01
CC128077		1.14	58.1	3.86	4.70	0.12	0.06	0.09	0.036	0.08	10.7	25.4	0.64	553	0.72	0.01
CC128078		0.78	28.4	3.70	4.26	0.10	0.05	0.04	0.033	0.06	12.0	26.1	0.50	997	1.02	0.01
CC128079		1.39	57.7	4.71	5.18	0.11	0.05	0.06	0.044	0.08	9.5	28.5	0.45	811	1.41	0.01
CC128080		3.70	19.0	2.33	5.77	0.08	0.03	0.09	0.028	0.09	4.7	10.7	0.23	298	1.41	0.01
CC128081		1.84	5.4	0.69	5.69	0.09	<0.02	0.04	0.010	0.05	8.1	2.5	0.07	31	0.94	<0.01
CC128082		2.09	11.6	1.95	5.82	0.10	<0.02	0.04	0.019	0.06	8.1	6.7	0.17	120	1.41	0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 10- JUL- 2011
Account: RCM

Project: Rackla - PYRAMID

CERTIFICATE OF ANALYSIS WH11112639

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
CC126821		0.17	49.7	860	18.3	7.3	0.002	0.09	0.85	5.2	1.4	0.5	42.9	<0.01	0.04	2.4
CC126901		0.16	29.8	520	14.6	7.9	0.002	0.04	1.52	3.6	1.9	0.4	43.3	<0.01	0.06	1.5
CC126902		0.16	39.3	400	15.1	10.4	0.003	0.02	2.04	4.8	2.5	0.5	32.9	<0.01	0.10	2.9
CC126903		0.19	30.4	530	16.8	10.4	0.004	0.06	1.26	5.5	2.7	0.5	33.9	<0.01	0.10	2.8
CC126904		0.16	22.6	680	15.4	7.8	0.005	0.07	0.74	3.4	1.5	0.4	37.5	<0.01	0.07	1.5
CC126905		0.16	37.2	270	15.8	4.9	<0.001	0.01	0.54	7.6	1.0	0.3	13.8	<0.01	0.06	3.8
CC126906		0.18	34.0	590	16.4	6.5	0.001	0.04	0.64	7.3	0.9	0.4	47.1	<0.01	0.08	2.1
CC126907		0.12	34.9	500	15.0	5.5	0.001	0.04	0.59	6.3	0.8	0.3	38.8	<0.01	0.05	2.6
CC126908		0.19	34.4	660	13.3	7.8	0.001	0.03	0.63	7.7	1.1	0.4	32.1	<0.01	0.04	2.4
CC126909		0.11	35.4	710	23.5	6.8	0.001	0.02	0.78	4.9	1.2	0.3	35.0	<0.01	0.06	3.1
CC126910		0.12	37.9	760	24.1	5.4	0.002	0.04	0.90	5.3	1.3	0.3	33.6	<0.01	0.07	3.5
CC126911		0.19	43.2	910	17.1	8.7	0.004	0.06	0.99	5.2	2.0	0.4	41.3	<0.01	0.05	2.1
CC126912		0.18	42.6	880	16.8	7.5	0.004	0.07	0.94	5.0	2.2	0.4	48.0	<0.01	0.05	2.0
CC126921		0.38	29.3	360	19.2	9.2	0.001	0.01	0.56	4.2	0.8	0.5	12.1	<0.01	0.05	3.9
CC126922		0.39	24.8	320	15.9	10.3	0.001	0.03	0.45	2.8	0.3	0.6	13.1	<0.01	0.05	2.6
CC126923		0.10	13.2	430	14.6	8.5	0.001	0.05	0.39	2.3	0.5	0.5	20.5	<0.01	0.04	2.4
CC126924		0.18	30.8	570	16.3	7.6	<0.001	0.03	0.45	5.0	0.8	0.4	19.8	<0.01	0.07	3.6
CC126925		1.28	22.7	420	16.4	10.4	<0.001	0.01	0.66	2.9	0.2	0.7	11.0	<0.01	0.04	4.2
CC126926		0.15	43.9	350	16.8	9.6	0.001	0.01	0.38	4.9	0.4	0.6	7.7	<0.01	0.05	3.1
CC126927		0.18	46.4	480	15.3	10.8	<0.001	0.01	0.30	5.2	0.3	0.7	12.8	<0.01	0.05	3.6
CC126928		0.12	50.8	1290	16.4	8.8	0.003	0.02	1.07	6.0	1.9	0.5	33.3	<0.01	0.08	2.9
CC126929		0.15	32.1	880	17.1	7.7	0.002	0.02	1.01	5.4	2.2	0.4	31.9	<0.01	0.03	2.8
CC126930		0.13	46.4	1030	15.1	7.4	0.004	0.02	1.31	5.3	2.7	0.5	34.9	<0.01	0.06	2.2
CC126931		0.14	38.2	920	13.2	7.5	0.001	0.10	0.77	4.2	1.2	0.4	53.1	<0.01	0.05	1.3
CC126932		0.15	42.3	800	72.1	6.9	0.001	0.05	0.57	7.7	1.0	0.4	36.9	<0.01	0.08	3.0
CC126933		0.12	45.6	820	20.0	5.9	<0.001	0.03	0.55	7.1	1.1	0.4	32.4	<0.01	0.06	4.3
CC126934		0.15	41.6	940	13.5	7.0	0.004	0.22	0.72	4.5	1.3	0.3	59.5	<0.01	0.03	1.8
CC126935		0.13	42.2	940	15.7	7.3	0.004	0.09	0.81	4.6	1.7	0.4	49.0	<0.01	0.05	1.5
CC128071		0.35	18.3	280	17.5	7.7	<0.001	0.03	0.48	3.3	0.6	0.5	27.0	<0.01	0.05	2.1
CC128072		0.05	62.6	250	8.4	5.6	<0.001	0.02	0.26	10.7	0.6	0.5	21.3	<0.01	0.03	1.9
CC128073		0.07	50.3	320	15.7	11.6	<0.001	0.02	0.19	8.5	0.6	0.5	13.5	<0.01	0.05	2.4
CC128074		<0.05	36.7	390	47.9	7.6	<0.001	0.05	0.64	14.4	0.6	0.4	70.1	<0.01	0.02	2.0
CC128075		0.48	22.4	220	12.6	9.0	<0.001	0.03	0.42	4.9	0.5	0.6	43.8	<0.01	0.02	2.1
CC128076		0.09	27.1	300	16.9	8.2	<0.001	0.04	0.47	9.5	0.7	0.4	45.7	<0.01	0.04	2.1
CC128077		0.18	27.8	580	16.8	7.3	<0.001	0.07	0.43	7.6	1.0	0.3	63.7	<0.01	0.05	1.9
CC128078		0.36	25.5	710	18.8	7.6	<0.001	0.05	0.47	6.2	0.9	0.3	25.1	<0.01	0.03	2.0
CC128079		0.13	32.2	540	29.4	10.3	<0.001	0.05	0.71	7.4	1.0	0.5	32.5	<0.01	0.06	3.0
CC128080		0.36	17.1	1380	10.8	17.7	0.001	0.12	0.52	2.6	0.8	0.6	20.4	<0.01	0.05	0.7
CC128081		0.24	5.1	700	7.2	8.6	<0.001	0.05	0.28	0.4	0.2	0.7	8.3	<0.01	0.01	<0.2
CC128082		0.27	12.8	880	9.6	16.7	<0.001	0.06	0.61	0.5	0.5	0.6	8.8	<0.01	0.03	<0.2

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 10- JUL- 2011
Account: RCM

Project: Rackla - PYRAMID

CERTIFICATE OF ANALYSIS WH11112639

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
CC126821		<0.005	0.16	0.95	40	0.10	11.00	186	1.8
CC126901		<0.005	0.32	1.28	44	<0.05	7.69	111	2.0
CC126902		<0.005	0.32	1.63	41	<0.05	9.35	192	2.1
CC126903		<0.005	0.28	2.28	53	<0.05	12.80	92	2.7
CC126904		<0.005	0.23	1.39	44	0.06	6.67	86	1.8
CC126905		0.006	0.09	0.65	45	<0.05	9.75	98	2.7
CC126906		0.005	0.11	1.00	39	<0.05	12.35	94	2.5
CC126907		<0.005	0.11	0.98	38	<0.05	7.42	119	3.1
CC126908		0.006	0.15	2.20	42	<0.05	14.20	113	2.2
CC126909		<0.005	0.11	1.34	28	<0.05	10.10	114	3.1
CC126910		<0.005	0.12	1.31	28	<0.05	10.15	125	3.0
CC126911		<0.005	0.21	1.45	42	<0.05	10.55	165	1.9
CC126912		<0.005	0.19	1.57	40	0.07	10.35	165	2.1
CC126921		0.008	0.13	0.66	48	0.09	6.27	85	1.1
CC126922		0.006	0.11	0.38	40	0.08	2.57	85	0.9
CC126923		<0.005	0.11	0.38	25	<0.05	1.98	43	0.6
CC126924		<0.005	0.09	0.69	33	<0.05	7.36	74	1.1
CC126925		0.025	0.15	0.66	54	0.29	3.50	66	1.9
CC126926		<0.005	0.10	0.37	31	<0.05	6.37	98	0.9
CC126927		<0.005	0.08	0.44	31	<0.05	7.95	83	1.0
CC126928		<0.005	0.25	1.53	44	0.07	13.70	194	1.5
CC126929		<0.005	0.20	1.63	45	0.08	9.77	137	1.3
CC126930		<0.005	0.20	1.83	51	0.05	12.70	198	1.3
CC126931		<0.005	0.16	1.74	34	<0.05	9.11	172	1.8
CC126932		0.006	0.11	0.70	38	<0.05	13.45	232	1.8
CC126933		0.005	0.13	0.60	41	<0.05	13.00	124	1.7
CC126934		<0.005	0.16	1.62	36	<0.05	10.30	181	1.6
CC126935		<0.005	0.15	1.04	39	<0.05	10.35	181	1.5
CC128071		0.006	0.11	0.45	53	0.08	3.75	70	1.0
CC128072		<0.005	0.06	0.52	19	<0.05	18.05	120	0.8
CC128073		<0.005	0.07	0.32	32	<0.05	11.35	76	<0.5
CC128074		<0.005	0.10	0.44	21	<0.05	15.10	65	0.9
CC128075		0.013	0.10	0.52	35	0.21	4.16	71	0.8
CC128076		<0.005	0.12	0.48	28	<0.05	5.86	87	1.1
CC128077		0.005	0.08	0.78	37	<0.05	13.30	75	1.6
CC128078		0.011	0.09	0.93	40	0.15	15.00	79	1.3
CC128079		<0.005	0.17	0.95	48	<0.05	11.15	112	1.7
CC128080		0.006	0.20	0.83	51	0.14	4.85	67	0.8
CC128081		0.012	0.11	0.42	36	0.15	1.80	20	<0.5
CC128082		0.011	0.14	0.57	47	0.19	2.03	47	<0.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 10- JUL- 2011
Account: RCM

Project: Rackla - PYRAMID

CERTIFICATE OF ANALYSIS WH11112639

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- TL43 Au ppm 0.001	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1
CC128083		0.10	0.001	1.22	1.22	8.4	<0.2	<10	2020	0.42	0.26	0.67	0.39	18.85	13.4	22
CC128084		0.24	0.002	0.09	0.47	11.1	<0.2	<10	80	0.16	0.25	0.02	0.10	7.80	3.5	12
CC128085		0.20	0.001	1.13	1.00	9.4	<0.2	<10	570	0.62	0.23	0.67	0.32	11.35	7.3	19
CC128086		0.14	<0.001	0.07	0.81	8.3	<0.2	<10	120	0.24	0.20	0.11	0.13	9.71	3.4	15
CC128087		0.14	0.002	1.45	1.20	10.7	<0.2	<10	790	0.70	0.24	0.47	0.35	13.10	8.1	25
CC128088		0.20	0.002	2.31	1.31	8.0	<0.2	<10	1190	0.64	0.21	1.41	0.61	12.60	7.2	23
CC128089		0.08	0.002	2.37	1.51	5.4	<0.2	<10	960	0.58	0.26	0.88	0.44	6.09	5.7	41
CC128090		0.08	0.001	3.05	1.36	5.7	<0.2	<10	670	0.48	0.20	0.42	0.40	4.30	3.9	27
CC128091		0.30	0.001	0.14	1.18	9.3	<0.2	<10	510	0.68	0.18	0.18	0.34	17.60	13.3	30
CC128092		0.10	<0.001	0.39	1.27	7.9	<0.2	<10	190	0.33	0.23	0.06	0.07	6.40	2.7	21
CC128093		0.14	0.001	0.32	1.59	12.2	<0.2	<10	190	0.96	0.28	0.09	0.20	11.05	15.0	25
CC128094		0.20	<0.001	0.11	1.56	9.9	<0.2	<10	130	0.63	0.29	0.06	0.06	6.39	5.5	26
CC128095		0.14	<0.001	0.06	1.60	13.4	<0.2	<10	110	0.62	0.24	0.06	0.10	9.25	9.3	25
CC128096		0.10	0.001	0.05	1.78	19.8	<0.2	<10	160	0.87	0.30	0.20	0.09	10.45	12.2	30
CC128097		0.14	0.001	0.19	1.62	28.5	<0.2	<10	200	0.78	0.23	0.48	0.19	15.40	9.6	28
CC128098		0.18	0.001	0.13	1.62	16.3	<0.2	<10	340	0.69	0.20	0.72	0.28	14.85	7.3	26
CC128099		0.12	0.001	0.31	1.55	50.0	<0.2	<10	430	0.73	0.17	1.01	0.49	19.15	7.7	28
CC128100		0.26	0.002	0.33	1.38	99.1	<0.2	<10	490	0.62	0.19	1.26	0.73	17.55	8.4	24

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 10- JUL- 2011
Account: RCM

Project: Rackla - PYRAMID

CERTIFICATE OF ANALYSIS WH11112639

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
CC128083		2.57	15.2	1.81	5.36	0.10	<0.02	0.14	0.022	0.07	9.4	7.7	0.22	1480	1.04	<0.01
CC128084		2.28	20.5	2.10	5.15	0.08	<0.02	0.04	0.022	0.04	3.8	1.5	0.03	84	1.41	<0.01
CC128085		3.29	24.3	2.50	3.93	0.09	0.02	0.08	0.030	0.07	8.2	9.3	0.18	501	1.46	0.01
CC128086		1.81	19.2	1.88	4.73	0.08	<0.02	0.03	0.020	0.04	4.7	3.7	0.10	120	1.33	<0.01
CC128087		3.16	30.6	2.59	3.69	0.10	0.05	0.21	0.035	0.09	7.5	15.2	0.30	329	1.49	0.01
CC128088		3.77	28.9	2.14	3.41	0.10	0.08	0.32	0.032	0.09	8.4	12.9	0.37	383	1.35	0.01
CC128089		2.43	37.3	2.70	4.20	0.09	0.05	0.41	0.037	0.11	3.4	23.3	0.40	136	1.58	0.01
CC128090		1.11	17.4	2.21	4.26	0.08	0.02	0.20	0.026	0.09	2.3	10.5	0.18	119	2.10	0.01
CC128091		0.80	34.1	3.23	3.70	0.11	0.04	0.08	0.033	0.05	8.7	24.8	0.46	265	1.68	<0.01
CC128092		1.03	14.9	2.82	4.57	0.10	0.02	0.05	0.025	0.08	2.4	11.8	0.25	48	1.14	0.01
CC128093		1.11	31.9	3.69	5.23	0.09	0.03	0.10	0.040	0.10	3.8	27.8	0.35	410	1.33	0.01
CC128094		1.05	22.5	3.91	5.51	0.08	0.02	0.03	0.037	0.10	2.4	23.7	0.43	121	1.01	0.01
CC128095		0.73	26.2	3.61	5.44	0.09	0.04	0.05	0.032	0.06	3.7	22.9	0.42	339	1.09	0.01
CC128096		0.77	28.5	4.35	5.59	0.09	0.04	0.07	0.038	0.07	4.2	32.4	0.59	522	1.06	<0.01
CC128097		0.78	21.8	3.48	5.06	0.10	0.04	0.36	0.030	0.06	7.5	28.3	0.57	326	0.88	0.01
CC128098		0.71	21.8	2.78	4.70	0.09	0.07	0.13	0.031	0.06	6.9	23.3	0.55	356	0.62	0.01
CC128099		1.00	24.9	2.69	4.43	0.10	0.08	0.47	0.033	0.06	9.8	20.7	0.63	441	0.91	0.01
CC128100		0.82	22.2	2.69	4.32	0.09	0.05	1.31	0.025	0.05	9.0	15.9	0.48	556	0.79	0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 10- JUL- 2011
Account: RCM

Project: Rackla - PYRAMID

CERTIFICATE OF ANALYSIS WH11112639

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
CC128083		0.37	15.0	1010	15.2	15.0	0.001	0.09	0.47	1.4	1.2	0.6	31.2	<0.01	0.04	0.2
CC128084		0.28	18.0	640	9.5	7.6	0.001	0.03	0.83	1.0	0.7	0.5	4.8	<0.01	0.07	0.2
CC128085		0.28	27.2	980	13.4	13.1	0.001	0.07	0.71	2.4	1.0	0.5	19.6	<0.01	0.06	0.6
CC128086		0.23	16.8	420	10.0	6.8	0.001	0.03	0.54	2.1	0.6	0.5	5.8	<0.01	0.06	1.0
CC128087		0.24	35.9	950	15.6	10.3	0.002	0.06	0.65	5.1	1.7	0.5	32.9	<0.01	0.06	1.5
CC128088		0.32	31.1	1130	13.4	14.7	0.003	0.13	0.59	4.7	2.3	0.4	51.3	<0.01	0.05	1.2
CC128089		0.21	35.2	790	9.5	18.3	0.005	0.09	0.63	5.0	2.2	0.5	35.6	<0.01	0.05	1.2
CC128090		0.13	17.5	1080	10.8	13.0	0.002	0.13	0.34	3.8	1.1	0.5	24.8	<0.01	0.04	0.8
CC128091		0.17	37.9	740	12.8	5.3	0.001	0.03	0.60	4.3	0.9	0.3	17.2	<0.01	0.05	2.9
CC128092		0.10	15.6	800	17.2	9.2	<0.001	0.15	0.36	3.7	0.6	0.4	24.2	<0.01	0.05	1.4
CC128093		0.11	44.8	890	19.9	10.8	<0.001	0.09	0.44	5.5	1.1	0.5	26.1	<0.01	0.04	2.0
CC128094		0.11	22.0	550	22.4	11.7	<0.001	0.21	0.38	4.2	0.5	0.5	36.5	<0.01	0.04	1.6
CC128095		0.15	29.2	690	15.8	7.9	<0.001	0.03	0.40	3.8	0.7	0.5	7.9	<0.01	0.04	1.5
CC128096		0.14	38.2	710	16.9	7.6	0.001	0.03	0.41	4.7	0.5	0.5	13.4	<0.01	0.04	2.6
CC128097		0.30	32.4	730	38.8	7.2	<0.001	0.03	0.51	4.3	0.6	0.4	19.9	<0.01	0.03	2.8
CC128098		0.33	27.5	720	14.9	7.3	<0.001	0.07	0.34	3.7	0.9	0.4	22.1	<0.01	0.02	1.7
CC128099		0.32	25.8	920	17.9	8.9	<0.001	0.10	0.49	3.7	1.1	0.4	29.7	<0.01	0.03	1.2
CC128100		0.39	21.8	1030	30.0	7.3	<0.001	0.10	0.66	2.9	1.0	0.4	33.9	<0.01	0.04	0.9

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 10- JUL- 2011
Account: RCM

Project: Rackla - PYRAMID

CERTIFICATE OF ANALYSIS WH11112639

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
CC128083		0.012	0.16	1.65	47	0.16	9.82	51	<0.5
CC128084		0.009	0.08	0.34	61	0.10	1.88	74	<0.5
CC128085		0.007	0.11	0.72	42	0.08	11.35	93	0.5
CC128086		0.006	0.08	0.30	51	0.08	2.28	67	<0.5
CC128087		0.006	0.11	1.37	38	0.07	14.55	105	1.5
CC128088		<0.005	0.15	1.96	35	0.07	18.20	97	1.8
CC128089		<0.005	0.12	0.97	39	0.07	9.57	136	1.4
CC128090		<0.005	0.14	0.62	35	<0.05	4.25	58	0.8
CC128091		0.007	0.07	0.61	36	<0.05	8.70	128	1.5
CC128092		<0.005	0.13	0.34	30	<0.05	4.80	39	<0.5
CC128093		<0.005	0.13	0.60	33	<0.05	10.30	126	0.7
CC128094		<0.005	0.13	0.25	30	<0.05	3.82	57	0.7
CC128095		<0.005	0.09	0.35	36	0.05	4.14	85	0.8
CC128096		<0.005	0.09	0.44	38	<0.05	6.09	119	0.9
CC128097		0.008	0.10	0.62	39	0.10	6.74	116	1.0
CC128098		0.007	0.10	0.92	37	0.08	5.88	89	1.4
CC128099		0.006	0.22	1.65	36	0.12	9.84	111	1.8
CC128100		0.010	0.36	2.34	37	0.10	8.40	133	1.2

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 10- JUL- 2011
Account: RCM

Project: Rackla - PYRAMID

CERTIFICATE OF ANALYSIS WH11112639

Method	CERTIFICATE COMMENTS
ME- MS41	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown.
ME- MS41	Gold determinations by this method are semi- quantitative due to the small sample weight used (0.5g).

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 11- JUL- 2011
Account: RCM

CERTIFICATE WH11112680

Project: Rackla - DALE

P.O. No.:

This report is for 195 Soil samples submitted to our lab in Whitehorse, YT, Canada on 20- JUN- 2011.

The following have access to data associated with this certificate:

ROB CARNE JULIA LANE	ANDREW CARNE JOAN MARIACHER	MATT DUMALA

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
SCR- 41	Screen to - 180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- TL43	Trace Level Au - 25g AR	ICP- MS
ME- MS41	51 anal. aqua regia ICPMS	

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 11- JUL- 2011
Account: RCM

Project: Rackla - DALE

CERTIFICATE OF ANALYSIS WH11112680

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- TL43 Au ppm 0.001	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1
CC127151		0.16	0.002	0.08	1.47	73.0	<0.2	<10	120	0.78	0.26	0.08	0.51	27.2	12.8	27
CC127152		0.26	0.001	0.07	0.76	15.2	<0.2	<10	100	0.29	0.30	0.07	0.23	10.35	5.7	16
CC127153		0.30	0.001	0.21	1.23	26.2	<0.2	<10	110	0.67	0.19	4.99	0.43	12.35	10.8	17
CC127154		0.36	0.003	0.20	1.80	85.0	<0.2	<10	250	1.07	0.31	0.27	0.30	27.0	19.7	28
CC127155		0.32	0.001	0.06	1.39	45.5	<0.2	<10	230	0.48	0.30	0.13	0.23	23.4	12.4	22
CC127156		0.26	0.001	0.19	1.06	12.0	<0.2	<10	230	0.62	0.20	2.37	0.35	27.6	9.1	18
CC127157		0.20	<0.001	0.07	1.58	14.8	<0.2	<10	220	0.72	0.28	0.42	0.13	31.5	10.9	23
CC127158		0.26	0.001	0.04	1.71	20.1	<0.2	<10	100	0.77	0.39	0.11	0.16	21.8	15.5	26
CC127159		0.30	<0.001	0.20	0.90	14.7	<0.2	<10	90	0.63	0.26	0.79	0.18	30.0	10.7	14
CC127160		0.24	<0.001	0.07	1.52	19.6	<0.2	<10	160	0.62	0.30	0.37	0.20	24.2	15.2	23
CC127161		0.30	0.001	0.09	1.94	23.4	<0.2	<10	110	0.69	0.29	0.11	0.22	35.6	14.1	28
CC127162		0.14	0.002	0.04	1.58	10.6	<0.2	<10	160	0.35	0.23	0.10	0.14	24.0	6.0	25
CC127163		0.34	0.001	0.06	1.85	17.2	<0.2	<10	170	0.69	0.31	0.22	0.24	29.7	17.0	27
CC127164		0.30	<0.001	0.06	1.55	13.7	<0.2	<10	190	0.57	0.30	0.18	0.31	34.0	12.0	25
CC127165		0.24	<0.001	0.06	1.44	10.4	<0.2	<10	180	0.39	0.26	0.08	0.09	21.0	7.5	22
CC127166		0.26	0.001	0.09	1.54	14.3	<0.2	<10	120	0.37	0.29	0.08	0.19	19.40	12.2	24
CC127167		0.44	0.001	0.04	1.79	16.4	<0.2	<10	200	0.62	0.31	0.07	0.13	24.4	16.5	25
CC127168		0.34	0.001	0.07	1.82	14.8	<0.2	<10	150	0.61	0.27	0.10	0.19	18.85	10.8	23
CC127169		0.36	0.001	0.08	2.05	14.1	<0.2	<10	230	0.78	0.28	0.58	0.26	23.6	11.8	29
CC127170		0.22	0.001	0.12	1.54	12.8	<0.2	<10	400	0.75	0.21	1.72	0.38	28.3	9.6	27
CC127171		0.16	<0.001	0.10	1.82	12.2	<0.2	<10	210	0.70	0.27	0.69	0.09	11.75	10.5	22
CC127172		0.22	<0.001	0.06	1.13	79.9	<0.2	<10	230	0.61	0.30	0.60	0.07	9.30	8.2	13
CC127173		0.24	0.002	0.15	0.73	25.0	<0.2	<10	140	0.85	0.26	1.73	0.29	14.10	11.2	12
CC127174		0.28	<0.001	0.07	0.54	28.7	<0.2	<10	130	1.12	0.42	0.62	0.30	28.6	21.6	10
CC127175		0.22	0.005	0.19	0.87	58.0	<0.2	10	170	0.85	0.30	1.00	0.24	12.95	13.2	13
CC127176		0.26	0.002	0.04	1.10	11.0	<0.2	<10	110	0.86	0.31	1.01	0.10	52.4	12.7	34
CC127177		0.26	0.003	0.10	1.19	24.2	<0.2	<10	210	0.88	0.25	1.26	0.22	32.1	13.4	30
CC127178		0.28	<0.001	0.03	0.77	29.4	<0.2	<10	300	0.69	0.18	0.27	0.16	60.4	11.5	24
CC127179		0.26	0.001	0.07	1.05	14.3	<0.2	<10	220	0.84	0.34	0.60	0.10	35.2	13.0	25
CC127180		0.24	0.002	0.06	1.90	15.7	<0.2	<10	270	0.73	0.28	0.13	0.17	28.0	15.3	28
CC127181		0.16	0.002	0.08	1.61	14.4	<0.2	<10	350	0.69	0.15	1.18	0.22	35.9	10.2	37
CC127182		0.44	0.001	0.04	1.80	16.9	<0.2	<10	240	0.63	0.27	0.13	0.13	28.7	13.6	31
CC127183		0.24	0.002	0.06	2.07	24.2	<0.2	<10	250	0.91	0.26	0.19	0.12	35.9	14.1	33
CC127184		0.24	0.001	0.10	1.71	34.4	<0.2	<10	170	1.06	0.32	0.39	0.45	22.8	14.4	26
CC127185		0.16	0.001	0.07	1.67	66.8	<0.2	<10	160	0.56	0.32	0.09	0.45	22.2	19.0	26
CC127186		0.26	0.001	0.08	1.61	25.5	<0.2	<10	280	0.62	0.27	0.37	0.12	26.0	13.0	27
CC127187		0.42	0.001	0.05	2.34	21.0	<0.2	<10	200	1.05	0.30	0.11	0.28	36.3	22.0	31
CC127188		0.20	0.001	0.05	1.75	16.9	<0.2	<10	220	0.53	0.30	0.32	0.15	27.3	15.1	28
CC127189		0.22	0.001	0.06	2.07	18.7	<0.2	<10	130	0.83	0.35	0.09	0.30	26.5	21.9	30
CC127190		0.22	0.001	0.16	1.05	16.2	<0.2	<10	100	0.76	0.29	1.49	0.46	22.9	11.4	17

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 11- JUL- 2011
Account: RCM

Project: Rackla - DALE

CERTIFICATE OF ANALYSIS WH11112680

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
CC127151		1.43	24.3	4.47	4.86	0.09	0.05	0.14	0.039	0.07	9.9	22.0	0.35	945	0.79	<0.01
CC127152		1.55	15.9	2.50	4.58	0.09	0.02	0.03	0.023	0.09	4.8	7.0	0.07	252	0.77	<0.01
CC127153		1.45	33.8	2.91	3.40	0.05	0.08	0.27	0.026	0.11	7.2	15.7	2.98	933	0.57	<0.01
CC127154		2.55	64.3	4.91	4.82	0.09	0.12	0.22	0.041	0.09	12.8	35.8	0.59	1020	0.92	<0.01
CC127155		1.47	26.8	3.39	4.86	0.07	0.07	0.07	0.036	0.09	8.4	9.9	0.28	491	0.84	<0.01
CC127156		0.83	23.6	2.47	2.96	0.08	0.07	0.08	0.031	0.07	11.8	7.5	0.23	449	0.47	0.01
CC127157		1.74	27.1	3.68	5.21	0.08	0.06	0.03	0.037	0.06	10.5	11.8	0.32	682	0.80	0.01
CC127158		5.24	35.3	4.49	5.76	0.07	0.05	0.03	0.045	0.08	5.4	21.4	0.41	587	0.69	0.01
CC127159		1.45	27.6	3.54	2.54	0.08	0.08	0.04	0.032	0.06	8.8	6.5	0.23	370	0.86	0.01
CC127160		1.56	34.5	4.10	4.75	0.08	0.05	0.05	0.036	0.10	8.0	14.4	0.42	873	0.96	0.01
CC127161		1.77	44.2	4.91	5.33	0.09	0.07	0.04	0.039	0.07	9.7	20.4	0.57	522	0.83	0.01
CC127162		1.56	13.3	2.64	5.78	0.05	<0.02	0.02	0.022	0.05	10.7	10.8	0.34	271	1.16	0.01
CC127163		1.63	43.6	4.64	5.47	0.09	0.08	0.04	0.034	0.09	9.6	25.7	0.64	772	0.82	<0.01
CC127164		2.09	30.9	3.79	5.98	0.08	0.03	0.04	0.034	0.08	12.3	13.3	0.41	672	0.93	0.01
CC127165		2.35	20.8	3.04	6.16	0.06	<0.02	0.04	0.027	0.07	9.3	8.3	0.24	488	1.10	0.01
CC127166		1.91	33.8	4.03	5.55	0.07	0.02	0.03	0.029	0.07	7.8	13.6	0.42	604	1.11	0.01
CC127167		1.81	44.5	4.99	5.62	0.09	0.07	0.03	0.038	0.08	9.1	20.3	0.52	706	0.89	<0.01
CC127168		2.37	48.4	4.08	5.80	0.08	0.10	0.06	0.032	0.12	8.0	14.8	0.36	392	0.84	0.01
CC127169		1.81	46.8	4.15	5.91	0.09	0.12	0.04	0.039	0.11	11.5	23.6	0.66	378	0.62	<0.01
CC127170		0.79	27.5	2.80	4.71	0.09	0.08	0.06	0.030	0.07	13.4	14.2	0.56	422	0.69	0.01
CC127171		2.63	22.9	3.17	5.48	0.06	0.06	0.03	0.031	0.07	4.7	15.5	0.36	613	0.87	0.01
CC127172		2.96	20.5	3.40	3.48	0.05	0.06	0.06	0.037	0.06	3.7	4.5	0.11	456	0.73	<0.01
CC127173		2.93	40.7	3.64	2.03	0.08	0.06	0.15	0.035	0.08	5.8	4.4	0.15	390	1.63	0.03
CC127174		12.20	54.6	4.54	1.50	0.12	0.04	0.66	0.053	0.14	9.1	2.8	0.04	471	3.37	0.01
CC127175		9.00	40.8	3.64	2.49	0.07	0.13	1.14	0.041	0.10	4.9	4.8	0.23	496	1.87	0.01
CC127176		14.25	30.8	3.22	4.26	0.12	0.11	0.03	0.033	0.12	20.2	16.4	0.76	330	0.23	0.01
CC127177		3.53	43.3	3.50	3.77	0.09	0.11	0.10	0.036	0.09	14.6	12.4	0.42	435	0.55	0.01
CC127178		6.27	13.2	3.59	3.54	0.10	0.04	0.10	0.034	0.10	28.2	7.9	0.21	295	0.43	<0.01
CC127179		3.77	30.5	3.53	3.73	0.08	0.07	0.03	0.039	0.09	10.2	9.0	0.27	436	0.62	0.01
CC127180		1.85	45.2	4.37	5.86	0.08	0.08	0.04	0.038	0.09	11.0	18.7	0.60	501	0.88	<0.01
CC127181		2.75	24.7	2.46	5.53	0.08	0.07	0.06	0.029	0.08	15.1	20.8	1.05	601	0.46	0.01
CC127182		2.00	33.7	4.05	5.79	0.08	0.06	0.03	0.036	0.08	11.8	21.2	0.59	466	1.21	0.01
CC127183		2.10	37.8	3.97	6.20	0.10	0.07	0.04	0.040	0.08	14.3	17.0	0.59	547	1.05	0.01
CC127184		4.87	43.6	4.01	5.39	0.10	0.10	0.06	0.038	0.14	8.9	24.2	0.54	1120	1.40	0.01
CC127185		1.69	35.1	4.25	6.00	0.07	0.05	0.13	0.039	0.11	9.0	22.0	0.52	1160	0.70	0.01
CC127186		1.73	30.5	4.03	5.39	0.08	0.04	0.07	0.034	0.07	10.3	15.4	0.52	549	1.19	0.01
CC127187		2.13	63.8	5.37	5.79	0.10	0.08	0.04	0.048	0.12	9.8	28.1	0.70	745	0.81	0.01
CC127188		1.56	35.0	4.24	6.32	0.07	0.04	0.03	0.037	0.07	10.0	20.9	0.55	570	1.10	0.01
CC127189		1.63	56.0	5.55	6.42	0.12	0.03	0.05	0.054	0.11	9.9	38.3	0.63	767	1.02	0.01
CC127190		0.59	38.9	3.54	2.84	0.14	0.06	0.08	0.042	0.09	10.0	14.9	0.33	377	0.52	0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 11- JUL- 2011
Account: RCM

Project: Rackla - DALE

CERTIFICATE OF ANALYSIS WH11112680

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
CC127151		0.37	22.1	470	60.2	10.3	<0.001	0.03	0.91	3.6	0.5	0.5	12.2	<0.01	0.05	3.0
CC127152		0.33	9.5	730	24.9	16.2	<0.001	0.05	0.33	1.7	0.6	0.5	8.0	<0.01	0.04	0.8
CC127153		0.28	18.7	710	27.3	12.8	<0.001	0.04	0.66	3.9	0.6	0.3	30.3	<0.01	0.05	1.6
CC127154		0.28	37.4	810	29.2	14.0	<0.001	0.03	0.53	8.1	0.9	0.4	21.6	0.01	0.08	3.0
CC127155		0.43	17.9	640	19.9	14.6	<0.001	0.07	0.37	3.8	0.6	0.5	13.8	<0.01	0.07	2.0
CC127156		0.40	17.5	1020	12.8	7.7	<0.001	0.11	0.30	4.1	1.1	0.4	83.9	0.01	0.06	1.4
CC127157		0.49	19.4	1040	17.7	10.4	<0.001	0.03	0.39	4.0	0.7	0.5	26.5	<0.01	0.06	2.0
CC127158		0.39	30.8	530	33.6	12.7	<0.001	0.01	0.45	4.4	0.5	0.6	11.8	<0.01	0.08	2.8
CC127159		0.18	26.2	750	19.3	8.4	<0.001	0.03	0.35	3.9	1.0	0.3	45.6	<0.01	0.07	2.3
CC127160		0.34	25.0	1220	21.6	11.5	<0.001	0.04	0.51	2.8	0.6	0.4	21.8	<0.01	0.07	1.2
CC127161		0.40	32.9	760	20.9	11.0	<0.001	0.06	0.58	4.1	0.7	0.4	10.6	<0.01	0.08	2.6
CC127162		0.31	15.2	860	10.4	13.8	<0.001	0.05	0.51	0.6	0.5	0.6	10.0	<0.01	0.04	0.2
CC127163		0.31	30.6	890	23.1	10.1	<0.001	0.05	0.58	3.8	0.6	0.3	17.9	<0.01	0.08	2.2
CC127164		0.45	21.4	1120	16.5	15.2	<0.001	0.07	0.53	2.4	0.7	0.5	14.9	<0.01	0.08	0.7
CC127165		0.30	12.8	1510	11.3	19.9	<0.001	0.08	0.51	1.0	0.6	0.6	9.2	<0.01	0.07	0.2
CC127166		0.30	20.8	1350	16.2	13.3	<0.001	0.08	0.58	1.5	0.6	0.4	7.5	<0.01	0.07	0.4
CC127167		0.30	26.6	840	21.7	11.7	<0.001	0.04	0.61	4.0	0.6	0.4	7.8	<0.01	0.08	2.0
CC127168		0.26	23.7	1220	29.0	15.9	<0.001	0.06	0.65	3.6	0.6	0.4	9.7	<0.01	0.08	1.8
CC127169		0.28	33.1	910	15.6	13.3	<0.001	0.06	0.52	5.3	0.7	0.4	30.9	<0.01	0.08	2.6
CC127170		0.56	26.9	1110	14.6	8.1	<0.001	0.12	0.55	3.0	1.0	0.4	65.9	0.01	0.04	1.2
CC127171		0.36	17.2	2000	17.2	12.8	<0.001	0.11	0.37	2.3	0.6	0.6	31.1	<0.01	0.05	1.0
CC127172		0.23	15.8	1290	13.9	12.6	<0.001	0.05	0.29	3.4	0.5	0.5	28.6	<0.01	0.06	1.1
CC127173		0.18	26.3	1170	17.3	7.5	<0.001	0.21	0.57	2.8	1.3	0.4	57.2	<0.01	0.06	0.8
CC127174		0.05	49.9	3460	18.7	13.4	0.003	0.04	0.58	5.0	1.5	0.5	76.7	0.01	0.06	3.7
CC127175		0.13	27.3	1500	17.5	14.1	0.002	0.10	0.82	5.9	1.4	0.5	48.6	<0.01	0.07	2.2
CC127176		0.18	33.6	600	16.0	11.8	<0.001	0.04	0.14	7.1	0.8	0.3	30.8	<0.01	0.03	4.4
CC127177		0.27	30.0	780	16.9	9.1	<0.001	0.07	0.40	5.6	1.1	0.4	45.3	<0.01	0.05	2.6
CC127178		0.22	27.1	360	8.0	14.7	<0.001	0.02	0.17	3.0	0.7	0.4	15.8	<0.01	0.04	5.0
CC127179		0.27	26.9	490	14.9	12.7	<0.001	0.04	0.27	4.7	0.6	0.4	30.5	<0.01	0.05	3.5
CC127180		0.42	28.5	590	53.1	11.9	<0.001	0.02	0.56	5.6	0.7	0.5	10.8	<0.01	0.08	2.8
CC127181		0.47	20.5	1000	10.1	12.7	<0.001	0.07	0.24	3.5	1.0	0.5	60.5	<0.01	0.04	1.3
CC127182		0.67	28.5	670	16.4	12.7	<0.001	0.03	0.74	4.2	0.7	0.5	13.0	<0.01	0.07	1.9
CC127183		0.62	27.7	950	17.3	11.4	<0.001	0.04	0.65	4.3	0.9	0.6	16.2	<0.01	0.07	1.4
CC127184		0.33	26.8	950	38.6	17.5	<0.001	0.09	0.70	7.4	1.0	0.5	103.5	<0.01	0.08	2.8
CC127185		0.35	25.6	500	18.7	14.9	<0.001	0.01	0.40	4.5	0.5	0.5	15.4	<0.01	0.08	3.4
CC127186		0.64	24.4	670	17.9	11.0	<0.001	0.03	0.71	3.9	0.5	0.5	26.3	<0.01	0.08	1.8
CC127187		0.21	42.8	550	24.8	12.6	<0.001	0.02	0.54	5.4	0.6	0.4	11.5	<0.01	0.09	3.3
CC127188		0.63	26.0	490	21.7	10.5	<0.001	0.01	0.58	3.8	0.5	0.6	28.1	<0.01	0.09	2.0
CC127189		0.47	37.7	640	31.6	10.6	<0.001	0.03	0.50	5.4	0.5	0.6	11.6	<0.01	0.10	3.1
CC127190		0.18	31.0	580	21.2	7.6	<0.001	0.08	0.38	5.6	0.7	0.4	64.9	<0.01	0.06	2.1

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 11- JUL- 2011
Account: RCM

Project: Rackla - DALE

CERTIFICATE OF ANALYSIS WH11112680

Sample Description	Method Analyte Units LOR	ME- MS41 Ti % 0.005	ME- MS41 Tl ppm 0.02	ME- MS41 U ppm 0.05	ME- MS41 V ppm 1	ME- MS41 W ppm 0.05	ME- MS41 Y ppm 0.05	ME- MS41 Zn ppm 2	ME- MS41 Zr ppm 0.5
CC127151		0.008	0.41	0.72	42	0.12	3.74	226	1.4
CC127152		0.007	0.12	0.38	36	0.10	2.37	81	<0.5
CC127153		<0.005	0.62	1.90	26	0.07	9.33	159	2.4
CC127154		0.007	0.77	2.08	42	0.09	17.10	128	3.0
CC127155		0.007	0.25	1.31	36	0.09	5.65	66	1.5
CC127156		0.006	0.09	2.45	27	0.06	17.40	70	2.0
CC127157		0.009	0.15	1.71	40	0.15	8.70	68	1.3
CC127158		0.005	0.16	0.66	30	0.06	5.27	110	1.1
CC127159		<0.005	0.12	1.70	20	0.07	12.10	75	2.2
CC127160		0.008	0.11	1.02	38	0.08	5.32	90	1.2
CC127161		0.007	0.13	0.82	37	0.07	6.51	92	1.6
CC127162		0.013	0.17	0.73	48	0.19	3.10	58	<0.5
CC127163		0.008	0.10	0.93	38	0.06	5.70	97	2.2
CC127164		0.014	0.12	1.24	49	0.11	7.07	88	0.5
CC127165		0.009	0.19	0.64	48	0.11	3.35	47	<0.5
CC127166		0.009	0.14	0.66	46	0.09	2.75	73	<0.5
CC127167		0.005	0.12	0.57	45	0.06	4.66	76	1.7
CC127168		<0.005	0.15	0.55	41	0.05	4.47	90	2.6
CC127169		0.005	0.12	2.68	38	0.05	9.30	102	2.9
CC127170		0.014	0.09	6.27	33	0.13	11.15	97	1.9
CC127171		0.005	0.21	0.83	34	0.09	3.58	52	1.4
CC127172		<0.005	0.43	0.70	28	0.07	2.92	57	1.2
CC127173		<0.005	0.15	1.25	22	0.05	10.40	68	1.4
CC127174		<0.005	0.33	2.42	25	<0.05	21.3	118	<0.5
CC127175		<0.005	0.53	1.08	28	0.06	12.95	83	3.2
CC127176		0.005	0.14	1.85	22	<0.05	14.35	98	2.7
CC127177		0.005	0.20	3.48	32	0.05	12.00	96	2.9
CC127178		<0.005	0.45	0.86	26	<0.05	4.01	92	1.2
CC127179		0.007	0.16	2.04	33	0.07	7.12	80	2.0
CC127180		0.009	0.12	1.23	48	0.11	6.90	117	1.8
CC127181		0.011	0.15	4.43	34	0.06	8.63	71	1.5
CC127182		0.016	0.15	1.19	48	0.16	5.67	94	1.5
CC127183		0.014	0.27	1.22	53	0.18	9.99	83	1.2
CC127184		0.006	0.25	1.68	33	0.06	14.25	135	2.2
CC127185		0.006	0.67	0.71	42	0.07	3.89	114	1.5
CC127186		0.018	1.07	1.05	50	0.13	4.50	79	1.0
CC127187		<0.005	0.17	0.76	45	<0.05	5.69	94	2.2
CC127188		0.014	0.13	0.60	57	0.20	3.19	91	0.9
CC127189		0.008	0.12	0.61	56	0.08	4.51	98	1.4
CC127190		<0.005	0.08	1.26	26	<0.05	13.70	128	1.9

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 11- JUL- 2011
Account: RCM

Project: Rackla - DALE

CERTIFICATE OF ANALYSIS WH11112680

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- TL43 Au ppm 0.001	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1
CC127191		0.24	0.001	0.12	0.48	2.4	<0.2	10	130	0.23	0.10	4.75	0.12	5.76	2.6	5
CC127192		0.26	0.002	0.22	1.50	23.2	<0.2	<10	400	1.09	0.26	1.08	0.58	23.6	13.0	25
CC127193		0.22	0.003	0.06	1.13	18.6	<0.2	<10	270	0.55	0.26	1.16	0.44	16.65	13.6	22
CC127194		0.42	0.004	0.06	1.60	17.1	<0.2	<10	290	0.92	0.30	0.48	0.36	23.5	19.3	26
CC127195		0.30	0.003	0.21	1.76	20.5	<0.2	<10	380	1.22	0.36	0.88	0.28	24.3	19.0	28
CC127196		0.28	0.003	0.14	1.59	19.8	<0.2	<10	370	0.98	0.31	1.01	0.25	21.4	17.9	25
CC127197		0.24	0.003	0.07	1.39	18.9	<0.2	<10	240	0.76	0.29	0.70	0.29	18.70	14.6	24
CC127198		0.26	0.002	0.13	1.00	8.7	<0.2	10	290	0.83	0.22	1.93	0.18	22.2	10.2	22
CC127199		0.10	0.003	0.10	0.84	10.5	<0.2	10	480	0.65	0.14	4.16	0.36	13.15	8.6	16
CC127200		0.30	0.002	0.07	0.94	13.2	<0.2	10	260	0.98	0.25	2.16	0.20	20.9	10.4	22
CC127501		0.18	0.001	0.05	0.55	47.9	<0.2	10	150	1.10	0.33	1.41	0.11	10.35	12.7	12
CC127502		0.14	0.004	0.08	0.64	4.4	<0.2	10	140	0.62	0.13	4.21	0.28	7.41	4.4	9
CC127503		0.20	0.002	0.07	0.95	13.8	<0.2	<10	170	0.98	0.28	1.60	0.27	32.7	10.1	23
CC127504		0.26	0.001	0.04	1.22	3.4	<0.2	10	110	1.12	0.26	1.21	0.15	43.9	11.3	36
CC127505		0.32	0.003	0.06	1.32	22.9	<0.2	<10	160	1.28	0.31	0.47	0.19	47.1	14.7	34
CC127506		0.24	0.001	0.04	1.43	16.6	<0.2	<10	180	1.13	0.23	0.60	0.26	46.9	10.0	31
CC127507		0.36	0.001	0.10	1.14	19.9	<0.2	<10	140	0.75	0.23	1.13	0.20	23.7	10.0	18
CC127508		0.30	0.001	0.23	0.95	52.3	<0.2	<10	160	1.14	0.23	0.70	0.20	45.2	11.4	23
CC127509		0.36	0.001	0.04	1.61	18.5	<0.2	<10	140	0.73	0.32	0.17	0.12	21.0	16.2	27
CC127510		0.42	0.002	0.06	1.80	219	<0.2	<10	210	0.92	0.35	0.15	0.19	31.5	17.2	29
CC127511		0.34	0.001	0.08	1.49	26.9	<0.2	<10	110	0.80	0.35	0.10	0.29	18.25	15.1	28
CC127601		0.24	0.002	0.09	1.09	15.6	<0.2	<10	80	0.87	0.32	0.70	0.09	13.25	11.1	18
CC127602		0.24	0.002	0.12	1.18	14.1	<0.2	<10	160	0.94	0.26	2.31	0.27	18.75	13.2	17
CC127603		0.20	0.002	0.12	1.48	12.7	<0.2	<10	190	0.92	0.28	1.37	0.21	20.3	13.1	23
CC127604		0.16	0.001	0.10	0.58	22.5	<0.2	10	100	0.78	0.23	2.19	1.15	9.60	8.9	9
CC127605		0.20	0.001	0.08	0.68	16.8	<0.2	<10	110	0.77	0.26	1.31	0.10	12.80	10.3	11
CC127606		0.28	0.002	0.23	0.77	89.0	<0.2	<10	110	1.10	0.32	0.48	0.29	14.15	21.1	22
CC127607		0.22	<0.001	0.05	0.82	25.0	<0.2	<10	170	0.70	0.32	0.10	0.32	20.1	19.4	21
CC127608		0.26	0.001	0.08	0.92	16.0	<0.2	10	310	1.00	0.26	1.97	0.23	15.40	14.1	15
CC127609		0.32	0.001	0.06	1.67	15.9	<0.2	<10	180	0.61	0.30	0.10	0.23	23.1	15.7	34
CC127610		0.26	0.001	0.06	1.88	14.1	<0.2	<10	170	0.67	0.31	0.21	0.13	23.2	13.2	27
CC127611		0.36	0.001	0.03	0.98	13.8	<0.2	<10	60	0.25	0.29	0.03	0.08	25.5	7.3	17
CC127612		0.34	0.001	0.08	1.36	43.6	<0.2	<10	540	0.79	0.30	0.20	0.19	18.00	12.6	23
CC127613		0.22	0.002	0.08	1.20	64.6	<0.2	<10	90	0.79	0.29	0.59	0.15	16.50	15.4	21
CC127614		0.28	0.002	0.13	0.83	17.9	<0.2	10	110	1.05	0.29	1.15	0.20	14.25	11.4	13
CC127615		0.16	0.001	0.04	0.44	5.6	<0.2	10	80	0.43	0.11	3.57	0.15	4.13	4.1	5
CC127616		0.18	0.001	0.09	0.87	45.0	<0.2	10	120	0.98	0.31	1.57	0.13	11.05	10.5	13
CC127617		0.14	<0.001	0.10	0.70	20.8	<0.2	10	120	0.60	0.18	2.52	0.11	6.75	6.1	9
CC127618		0.18	NSS	0.09	0.48	11.5	<0.2	10	150	0.38	0.08	3.15	0.27	4.68	3.4	6
CC127619		0.16	NSS	0.07	0.67	3.4	<0.2	<10	110	0.78	0.18	2.66	0.13	23.4	7.2	13

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 11- JUL- 2011
Account: RCM

Project: Rackla - DALE

CERTIFICATE OF ANALYSIS WH11112680

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
CC127191		0.44	19.4	0.62	1.36	0.12	0.05	0.11	0.009	0.02	2.9	2.3	0.06	250	0.58	0.02
CC127192		3.85	49.9	3.35	4.83	0.15	0.08	0.14	0.038	0.10	11.4	19.2	0.42	649	0.78	0.02
CC127193		2.84	42.9	3.52	4.15	0.12	0.04	0.06	0.034	0.09	7.0	16.7	0.41	514	0.93	0.02
CC127194		1.60	56.6	4.63	5.15	0.13	0.06	0.07	0.046	0.10	8.4	26.8	0.59	1040	0.87	0.01
CC127195		2.34	90.2	4.52	5.76	0.14	0.08	0.17	0.048	0.11	12.1	33.6	0.64	667	0.74	0.01
CC127196		4.18	57.7	4.15	5.59	0.08	0.11	0.16	0.044	0.11	9.6	31.3	0.53	897	0.86	0.01
CC127197		4.12	37.6	3.83	4.62	0.07	0.10	0.08	0.042	0.10	8.0	29.8	0.53	501	0.69	0.01
CC127198		6.79	34.0	2.89	3.07	0.14	0.07	0.05	0.032	0.09	12.2	15.6	0.36	271	0.43	0.01
CC127199		4.50	37.3	2.01	2.34	0.05	0.07	0.13	0.025	0.06	7.8	10.6	0.26	404	0.52	0.02
CC127200		5.54	30.0	2.86	3.18	0.07	0.08	0.08	0.040	0.08	10.4	15.4	0.30	359	0.46	0.02
CC127501		2.84	31.9	2.93	1.75	0.11	0.09	0.11	0.033	0.08	4.4	4.9	0.11	300	0.40	0.01
CC127502		1.71	23.8	1.03	1.91	0.12	0.07	0.09	0.016	0.04	4.3	5.8	0.15	205	0.65	0.02
CC127503		1.60	35.4	2.96	3.17	0.15	0.07	0.04	0.038	0.08	16.3	15.5	0.35	349	0.58	0.02
CC127504		5.65	32.6	2.97	4.81	0.17	0.12	0.02	0.036	0.10	21.7	34.6	0.76	310	0.29	0.01
CC127505		4.56	44.3	4.24	3.62	0.15	0.09	0.05	0.042	0.09	21.0	20.7	0.45	598	0.57	0.01
CC127506		3.30	20.0	3.80	4.39	0.13	0.04	0.02	0.040	0.09	18.0	17.2	0.27	421	0.57	0.01
CC127507		1.94	27.0	3.14	3.36	0.12	0.07	0.06	0.033	0.09	8.7	16.4	0.31	401	0.82	0.01
CC127508		1.12	29.7	3.02	3.61	0.15	0.08	0.10	0.036	0.08	20.2	12.7	0.26	399	0.94	0.01
CC127509		0.81	57.3	5.38	5.42	0.12	0.03	0.03	0.041	0.10	8.7	28.9	0.57	615	0.93	0.01
CC127510		1.26	50.4	4.43	5.84	0.13	0.08	0.06	0.041	0.09	14.6	39.5	0.71	514	0.86	0.01
CC127511		2.10	34.6	3.89	5.38	0.12	0.05	0.03	0.038	0.11	8.0	31.1	0.42	1010	0.85	0.01
CC127601		1.28	29.4	3.57	3.66	0.06	0.09	0.08	0.044	0.10	6.0	20.3	0.36	309	0.54	0.01
CC127602		1.17	57.5	3.31	3.58	0.14	0.07	0.15	0.038	0.10	7.7	19.1	0.38	556	0.72	0.01
CC127603		1.82	45.3	3.50	4.72	0.13	0.10	0.12	0.034	0.10	9.3	32.0	0.64	546	0.80	0.01
CC127604		1.23	34.8	2.19	1.97	0.12	0.09	0.23	0.029	0.07	4.1	8.7	0.29	319	1.05	0.01
CC127605		2.02	26.4	2.37	2.62	0.12	0.10	0.12	0.029	0.06	5.2	7.3	0.18	219	1.08	0.01
CC127606		8.19	61.5	5.23	2.76	0.13	0.07	0.56	0.053	0.11	4.9	9.6	0.22	581	0.79	0.01
CC127607		5.73	47.9	4.62	4.10	0.11	0.02	0.04	0.042	0.13	6.6	13.0	0.14	872	0.76	0.01
CC127608		1.37	34.0	3.99	2.81	0.11	0.04	0.07	0.039	0.09	5.6	7.3	0.21	1830	0.58	0.01
CC127609		5.69	54.7	5.15	8.98	0.13	<0.02	0.03	0.053	0.09	9.7	23.4	0.38	697	1.09	0.01
CC127610		1.96	42.6	4.22	6.79	0.12	0.04	0.04	0.035	0.11	9.7	33.8	0.51	453	0.84	0.01
CC127611		2.02	22.5	3.24	6.38	0.13	0.02	0.01	0.023	0.07	11.2	9.0	0.18	327	1.10	0.01
CC127612		2.26	39.4	4.20	4.45	0.12	0.03	0.21	0.037	0.10	7.6	19.8	0.35	495	1.31	0.01
CC127613		3.09	49.3	4.48	3.56	0.13	0.08	0.20	0.035	0.10	6.9	24.8	0.52	409	0.53	0.01
CC127614		1.88	32.1	2.96	2.22	<0.05	0.11	0.20	0.039	0.08	6.1	10.0	0.26	373	0.84	0.01
CC127615		0.69	16.8	1.07	1.03	<0.05	0.05	0.11	0.013	0.03	1.7	2.0	0.18	74	0.68	0.01
CC127616		1.18	27.4	2.80	2.41	<0.05	0.09	0.27	0.035	0.07	4.3	9.7	0.20	282	0.85	0.01
CC127617		1.17	24.1	1.95	1.75	<0.05	0.06	0.11	0.020	0.06	2.8	7.0	0.19	190	0.77	0.01
CC127618		1.01	20.4	0.89	1.16	<0.05	0.06	0.10	0.010	0.03	2.3	2.7	0.10	176	0.46	0.02
CC127619		1.39	19.0	1.81	1.99	<0.05	0.07	0.06	0.020	0.05	8.0	10.0	0.22	417	0.35	0.02

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 11- JUL- 2011
Account: RCM

Project: Rackla - DALE

CERTIFICATE OF ANALYSIS WH11112680

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
CC127191		0.31	7.6	1110	5.2	2.3	<0.001	0.26	0.50	0.4	0.8	0.2	277	0.01	0.02	<0.2
CC127192		0.39	25.7	1410	20.5	14.0	0.001	0.12	0.49	5.8	1.1	0.5	52.7	<0.01	0.05	1.3
CC127193		0.37	23.2	750	18.0	12.0	0.001	0.10	0.57	4.8	0.5	0.4	47.2	<0.01	0.07	1.2
CC127194		0.24	32.4	770	24.4	10.9	<0.001	0.05	0.54	7.6	0.9	0.4	24.0	<0.01	0.09	2.1
CC127195		0.23	41.6	700	31.6	10.3	<0.001	0.05	0.64	10.1	1.1	0.5	42.9	<0.01	0.10	2.7
CC127196		0.35	30.4	610	27.7	13.1	<0.001	0.05	0.48	7.2	1.0	0.4	47.6	0.01	0.06	2.3
CC127197		0.22	27.3	620	21.9	13.6	<0.001	0.05	0.42	6.3	0.7	0.3	32.2	<0.01	0.06	2.7
CC127198		0.23	29.2	900	14.6	10.3	<0.001	0.08	0.32	4.4	0.9	0.3	52.9	<0.01	0.01	1.5
CC127199		0.35	20.4	1090	9.3	8.1	<0.001	0.17	0.36	1.6	1.0	0.2	110.0	0.01	0.04	0.3
CC127200		0.33	31.4	960	15.0	12.1	<0.001	0.10	0.31	3.9	0.8	0.4	60.7	0.01	0.03	1.2
CC127501		0.11	32.4	600	17.1	8.5	<0.001	0.09	0.31	4.7	0.8	0.5	55.3	<0.01	0.03	1.8
CC127502		0.24	15.5	1470	6.7	5.9	<0.001	0.25	0.31	0.7	0.6	0.3	125.0	<0.01	0.02	0.3
CC127503		0.26	27.6	850	21.3	7.5	<0.001	0.09	0.37	4.1	1.3	0.4	66.1	<0.01	0.01	1.5
CC127504		0.23	32.9	670	18.8	10.9	<0.001	0.07	0.19	6.5	0.8	0.4	36.8	<0.01	0.02	2.7
CC127505		0.16	35.2	610	19.5	9.8	<0.001	0.03	0.39	7.6	1.0	0.4	20.8	<0.01	0.03	4.3
CC127506		0.35	26.4	570	12.8	15.0	<0.001	0.03	0.28	4.1	0.6	0.5	26.4	<0.01	0.02	2.6
CC127507		0.25	21.7	760	14.7	9.6	0.001	0.07	0.36	3.4	0.6	0.3	57.3	<0.01	0.03	1.5
CC127508		0.28	25.2	740	15.8	8.5	<0.001	0.05	0.38	5.2	1.4	0.5	54.5	<0.01	0.02	1.9
CC127509		0.20	28.8	390	21.4	9.2	<0.001	0.02	0.42	5.0	0.2	0.4	16.9	<0.01	0.07	2.8
CC127510		0.35	38.8	530	21.1	8.3	<0.001	0.03	0.55	6.3	0.7	0.4	19.1	<0.01	0.06	3.2
CC127511		0.48	27.0	790	20.4	13.5	<0.001	0.04	0.46	4.3	0.3	0.6	19.3	<0.01	0.06	2.9
CC127601		0.23	26.0	510	15.5	11.1	<0.001	0.05	0.24	6.4	0.6	0.5	32.2	<0.01	0.05	2.7
CC127602		0.19	29.9	810	18.2	7.6	0.001	0.11	0.58	4.9	1.1	0.4	59.5	<0.01	0.06	1.3
CC127603		0.22	30.7	820	17.7	8.4	<0.001	0.08	0.49	5.6	0.6	0.4	51.2	<0.01	0.04	2.2
CC127604		0.14	25.7	1040	15.0	8.9	0.005	0.18	0.46	3.3	2.2	0.4	73.3	<0.01	0.04	1.4
CC127605		0.18	21.6	1070	15.2	10.1	0.001	0.13	0.42	3.8	1.0	0.5	63.2	<0.01	0.03	1.6
CC127606		0.08	41.0	490	22.6	11.8	<0.001	0.05	0.86	11.5	0.9	0.4	27.2	<0.01	0.05	2.5
CC127607		0.31	30.2	470	20.7	15.7	<0.001	0.02	0.46	7.2	0.2	0.5	8.6	<0.01	0.05	2.4
CC127608		0.19	22.8	780	18.9	7.4	0.001	0.10	0.36	5.7	0.5	0.4	55.9	<0.01	0.07	1.1
CC127609		0.73	22.6	490	13.0	19.9	<0.001	0.03	0.46	6.1	0.2	0.8	9.7	<0.01	0.10	2.0
CC127610		0.33	27.3	620	18.0	12.4	<0.001	0.03	0.42	4.1	0.3	0.6	16.6	<0.01	0.06	2.2
CC127611		0.77	12.6	230	11.0	17.1	<0.001	0.01	0.46	2.6	0.2	0.6	6.2	<0.01	0.04	2.7
CC127612		0.27	28.7	550	17.3	11.3	<0.001	0.03	0.58	6.0	0.6	0.5	14.7	<0.01	0.03	2.0
CC127613		0.12	31.6	350	17.2	8.9	<0.001	0.04	0.89	6.4	0.3	0.3	26.5	<0.01	0.04	2.7
CC127614		0.22	24.5	1170	14.3	11.7	0.001	0.11	0.42	5.4	1.8	0.4	52.2	<0.01	0.05	2.0
CC127615		0.21	12.5	980	4.9	3.2	0.001	0.20	0.30	1.1	1.1	0.2	94.6	<0.01	0.02	0.5
CC127616		0.25	22.5	830	14.7	7.2	<0.001	0.08	0.35	4.2	1.0	0.4	49.8	<0.01	0.05	1.4
CC127617		0.24	14.2	1170	9.3	6.4	0.001	0.18	0.36	1.6	0.8	0.3	76.6	<0.01	0.04	0.6
CC127618		0.25	11.3	1150	3.9	3.4	<0.001	0.22	0.28	1.2	0.7	<0.2	83.0	<0.01	0.03	0.4
CC127619		0.29	19.0	1090	9.4	4.5	<0.001	0.16	0.22	2.1	0.4	0.3	84.0	<0.01	0.02	0.7

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 11- JUL- 2011
Account: RCM

Project: Rackla - DALE

CERTIFICATE OF ANALYSIS WH11112680

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
CC127191		0.008	0.06	4.05	7	0.19	4.24	19	1.9
CC127192		0.009	0.25	5.79	37	0.09	15.65	117	2.1
CC127193		0.009	0.16	1.98	39	0.09	5.99	96	1.4
CC127194		0.006	0.09	1.95	44	0.05	9.21	115	1.8
CC127195		0.005	0.13	3.56	42	0.05	17.15	105	2.5
CC127196		0.005	0.25	2.58	37	0.07	13.70	98	3.3
CC127197		<0.005	0.20	1.74	31	0.05	8.36	129	3.2
CC127198		<0.005	0.21	4.08	22	0.05	15.50	90	2.3
CC127199		0.005	0.19	10.35	19	0.05	11.15	63	2.1
CC127200		<0.005	0.21	5.19	20	0.06	15.85	83	2.2
CC127501		<0.005	0.32	2.25	14	<0.05	8.78	78	2.7
CC127502		<0.005	0.08	10.95	10	0.13	6.82	29	1.9
CC127503		0.005	0.12	5.01	22	<0.05	14.90	103	2.3
CC127504		0.007	0.07	2.40	23	<0.05	21.8	104	3.8
CC127505		<0.005	0.15	1.47	36	<0.05	16.45	116	2.5
CC127506		0.005	0.14	1.30	42	0.07	7.74	100	0.9
CC127507		0.005	0.13	2.72	30	0.05	5.97	66	2.5
CC127508		0.007	0.15	2.82	36	0.07	11.55	77	2.4
CC127509		<0.005	0.09	0.61	52	<0.05	3.87	85	1.3
CC127510		0.009	4.16	1.57	43	0.10	8.71	96	2.2
CC127511		0.009	0.19	0.82	40	0.20	4.20	97	1.5
CC127601		<0.005	0.13	0.59	23	<0.05	7.95	105	2.4
CC127602		<0.005	0.11	1.72	27	<0.05	10.55	69	2.4
CC127603		0.005	0.09	1.21	33	<0.05	9.05	86	3.0
CC127604		<0.005	0.14	2.83	14	0.06	9.16	186	2.7
CC127605		<0.005	0.14	1.44	20	0.06	10.30	65	2.7
CC127606		<0.005	0.68	0.47	44	0.05	10.40	122	2.2
CC127607		0.007	0.13	0.39	56	0.05	3.86	84	0.5
CC127608		<0.005	0.12	1.24	29	<0.05	9.89	61	1.2
CC127609		0.015	0.16	0.45	105	0.10	3.31	64	<0.5
CC127610		0.005	0.14	0.55	54	0.09	3.94	75	1.0
CC127611		0.019	0.11	0.37	63	0.11	1.94	52	0.7
CC127612		0.005	0.57	0.49	45	0.10	8.24	105	0.9
CC127613		<0.005	0.33	0.42	33	0.06	5.26	84	2.6
CC127614		<0.005	0.16	0.90	20	<0.05	13.50	106	2.9
CC127615		<0.005	0.06	0.71	9	<0.05	3.68	28	1.5
CC127616		<0.005	0.17	1.65	19	<0.05	11.55	64	2.2
CC127617		<0.005	0.13	1.04	14	<0.05	5.76	45	1.7
CC127618		<0.005	0.09	1.88	8	<0.05	4.00	20	1.8
CC127619		0.005	0.05	3.67	12	<0.05	9.87	43	2.1

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 11- JUL- 2011
Account: RCM

Project: Rackla - DALE

CERTIFICATE OF ANALYSIS WH11112680

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- TL43 Au ppm 0.001	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1
CC126822		0.26	0.003	0.08	0.73	58.8	<0.2	<10	100	1.19	0.40	0.92	0.23	23.4	16.8	21
CC126823		0.34	0.003	0.07	0.64	18.6	<0.2	<10	90	1.26	0.35	0.91	0.21	21.5	16.5	24
CC126824		0.18	0.003	0.10	1.05	12.4	<0.2	<10	270	0.98	0.26	1.35	0.24	18.65	10.7	23
CC126825		0.22	0.001	0.09	1.39	16.1	<0.2	<10	290	0.83	0.24	1.62	0.20	14.60	11.2	20
CC126826		0.22	0.001	0.08	1.13	13.6	<0.2	<10	250	0.75	0.36	0.96	0.07	8.06	7.6	14
CC126827		0.30	0.002	0.08	1.35	26.9	<0.2	<10	170	0.93	0.33	0.54	0.20	16.00	12.8	19
CC126828		0.32	0.001	0.13	1.06	14.1	<0.2	<10	90	0.45	0.25	0.06	0.32	13.30	10.2	18
CC126829		0.34	0.001	0.06	1.57	16.3	<0.2	<10	110	0.63	0.28	0.05	0.17	17.10	12.6	24
CC126830		0.38	0.001	0.02	1.83	16.2	<0.2	<10	120	0.91	0.32	0.05	0.16	22.1	18.4	24
CC126831		0.34	0.002	0.08	1.78	17.9	<0.2	<10	140	0.95	0.30	0.11	0.19	31.9	17.1	27
CC126832		0.28	0.001	0.05	1.66	15.6	<0.2	<10	160	0.71	0.31	0.06	0.17	18.55	16.4	25
CC126833		0.30	0.002	0.23	1.85	12.9	<0.2	<10	100	1.09	0.16	0.34	0.17	72.8	9.1	32
CC126834		0.32	0.001	0.05	1.83	15.6	<0.2	<10	240	0.59	0.29	0.29	0.13	21.6	10.4	25
CC126835		0.30	0.002	0.07	1.62	22.0	<0.2	<10	150	0.60	0.38	0.23	0.42	22.5	18.2	30
CC126836		0.36	0.002	0.05	2.04	15.6	<0.2	<10	120	0.72	0.30	0.04	0.13	24.8	15.3	28
CC126837		0.28	0.002	0.10	0.94	8.7	<0.2	<10	120	0.25	0.30	0.06	0.25	21.2	8.8	21
CC126838		0.38	0.002	0.06	1.56	25.9	<0.2	<10	230	0.78	0.31	0.13	0.10	16.75	12.1	21
CC126839		0.26	0.002	0.04	1.78	36.3	<0.2	<10	190	0.87	0.33	0.19	0.11	21.2	12.1	25
CC126840		0.40	0.002	0.06	1.63	19.6	<0.2	<10	270	0.78	0.32	0.16	0.09	22.8	10.6	23
CC126675		0.32	0.002	0.02	2.03	18.1	<0.2	<10	200	0.85	0.32	0.10	0.08	24.2	18.1	28
CC126676		0.30	0.002	0.07	1.67	13.0	<0.2	<10	190	0.72	0.26	0.11	0.13	22.4	9.8	26
CC126677		0.30	0.002	0.03	1.50	24.9	<0.2	<10	200	0.88	0.26	0.16	0.13	33.7	13.1	22
CC126678		0.30	0.002	0.05	1.33	16.5	<0.2	<10	130	0.60	0.29	0.06	0.25	17.55	12.3	23
CC126679		0.34	0.002	0.08	1.15	15.4	<0.2	<10	200	0.63	0.29	0.18	0.19	16.80	11.9	22
CC126680		0.28	0.003	0.06	1.61	15.3	<0.2	<10	120	0.84	0.30	0.09	0.15	29.6	19.0	23
CC126681		0.40	0.002	0.08	1.56	66.9	<0.2	<10	210	0.76	0.31	0.25	0.11	21.3	15.5	23
CC126682		0.18	0.002	0.04	1.30	13.9	<0.2	<10	90	0.45	0.28	0.07	0.17	22.3	7.8	21
CC127401		0.28	0.003	0.12	1.60	24.4	<0.2	<10	200	0.99	0.39	0.38	0.26	29.8	20.3	25
CC127402		0.24	0.005	0.14	1.14	17.9	<0.2	<10	190	1.01	0.19	1.53	0.27	33.2	9.9	20
CC127403		0.28	0.004	0.17	1.11	30.0	<0.2	<10	180	0.89	0.22	1.74	0.33	25.8	9.6	17
CC127404		0.34	0.002	0.04	1.74	19.4	<0.2	<10	130	0.73	0.32	0.07	0.18	22.4	17.7	26
CC127405		0.38	0.002	0.03	1.93	27.4	<0.2	<10	130	1.09	0.31	0.08	0.15	29.0	23.9	28
CC127406		0.34	0.001	0.04	0.60	5.1	<0.2	<10	130	0.80	0.39	0.23	0.04	15.95	10.1	8
CC127407		0.22	0.001	0.20	1.01	10.0	<0.2	<10	120	0.88	0.28	0.73	0.34	36.2	12.5	19
CC127408		0.36	0.001	0.13	0.38	48.5	<0.2	<10	130	1.06	0.41	0.36	0.11	17.10	19.8	9
CC127409		0.46	0.002	0.06	0.53	16.3	<0.2	<10	90	0.79	0.38	0.14	0.05	15.80	14.9	10
CC127410		0.42	0.002	0.16	0.69	143.5	<0.2	<10	140	0.92	0.32	1.06	0.21	17.80	10.7	11
CC127411		0.34	0.003	0.15	1.52	126.5	<0.2	<10	170	1.05	0.29	0.50	0.71	25.6	18.7	23
CC127412		0.46	0.003	0.17	1.27	463	<0.2	<10	170	0.77	0.22	5.11	1.30	16.70	12.3	17
CC127413		0.28	0.004	0.05	1.73	149.5	<0.2	<10	120	0.98	0.29	0.33	0.27	22.2	14.7	24

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 11- JUL- 2011
Account: RCM

Project: Rackla - DALE

CERTIFICATE OF ANALYSIS WH11112680

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
CC126822		2.33	36.3	3.44	2.13	0.05	0.10	0.06	0.038	0.08	11.5	9.1	0.20	192	0.49	0.01
CC126823		2.21	37.8	3.42	2.03	0.05	0.10	0.05	0.038	0.09	9.8	7.6	0.24	244	0.43	0.01
CC126824		1.87	28.5	2.98	2.94	<0.05	0.12	0.06	0.031	0.08	9.2	10.5	0.25	375	0.49	0.01
CC126825		1.89	28.0	3.19	3.97	<0.05	0.08	0.07	0.029	0.06	5.7	13.4	0.30	722	0.74	0.01
CC126826		2.30	23.6	2.75	3.15	<0.05	0.09	0.06	0.031	0.06	3.2	8.1	0.19	242	1.40	0.01
CC126827		2.44	40.0	3.75	3.90	<0.05	0.10	0.10	0.035	0.08	6.9	21.4	0.40	428	1.26	0.01
CC126828		1.68	38.3	3.77	4.33	<0.05	0.02	0.05	0.026	0.08	5.4	9.1	0.19	1030	0.77	<0.01
CC126829		20.0	33.4	3.78	5.39	<0.05	0.03	0.05	0.034	0.09	7.5	24.7	0.32	747	0.79	<0.01
CC126830		1.61	43.7	4.40	5.06	<0.05	0.06	0.04	0.035	0.08	9.0	35.5	0.53	751	0.78	<0.01
CC126831		2.19	35.4	4.23	4.76	<0.05	0.03	0.04	0.041	0.07	11.0	37.7	0.51	527	0.98	<0.01
CC126832		1.47	42.5	4.72	5.30	<0.05	0.04	0.04	0.032	0.07	7.6	31.1	0.50	796	0.79	<0.01
CC126833		2.89	19.0	2.58	5.11	0.08	0.09	0.09	0.032	0.07	18.3	55.6	1.38	351	1.05	<0.01
CC126834		1.50	23.3	3.24	6.18	<0.05	0.02	0.03	0.031	0.06	8.0	26.8	0.46	460	0.84	<0.01
CC126835		1.67	26.1	4.30	5.42	<0.05	0.02	0.03	0.033	0.08	4.6	32.8	0.50	883	0.78	<0.01
CC126836		1.46	36.0	4.35	5.59	<0.05	0.05	0.03	0.035	0.06	10.0	38.3	0.54	612	1.01	<0.01
CC126837		1.91	13.2	2.71	5.53	<0.05	<0.02	0.02	0.020	0.06	10.5	5.8	0.15	1440	1.62	<0.01
CC126838		1.58	34.9	4.04	5.55	<0.05	0.04	0.03	0.039	0.07	7.0	22.8	0.30	591	1.01	<0.01
CC126839		1.68	27.4	4.45	6.24	<0.05	0.02	0.03	0.042	0.07	8.6	27.7	0.34	710	1.32	<0.01
CC126840		1.25	25.7	3.96	5.27	<0.05	0.03	0.02	0.038	0.06	8.8	24.3	0.34	449	1.03	<0.01
CC126675		1.99	50.5	4.85	5.94	<0.05	0.06	0.03	0.035	0.08	9.8	45.2	0.66	616	0.80	<0.01
CC126676		1.58	21.0	3.25	5.39	<0.05	<0.02	0.03	0.030	0.06	9.6	21.3	0.40	534	0.87	<0.01
CC126677		3.07	32.4	3.77	4.63	<0.05	0.05	0.05	0.038	0.07	8.6	21.4	0.34	610	0.97	<0.01
CC126678		1.66	36.2	4.31	5.19	<0.05	<0.02	0.04	0.037	0.07	7.2	15.6	0.30	893	1.06	<0.01
CC126679		1.41	29.4	3.96	5.10	<0.05	<0.02	0.03	0.029	0.07	7.4	10.0	0.22	1080	1.07	<0.01
CC126680		0.96	57.8	4.26	4.62	0.06	0.05	0.10	0.026	0.06	13.0	37.7	0.66	724	0.54	<0.01
CC126681		1.51	37.6	4.33	5.25	<0.05	0.04	0.06	0.040	0.08	8.5	29.4	0.39	657	0.75	<0.01
CC126682		2.03	19.3	3.15	6.09	<0.05	0.02	0.03	0.025	0.06	11.0	17.8	0.24	356	1.39	<0.01
CC127401		1.86	56.2	4.62	4.81	0.05	0.06	0.09	0.041	0.07	13.8	28.2	0.55	944	0.83	0.01
CC127402		3.40	31.9	2.74	3.35	0.05	0.07	0.11	0.028	0.07	19.1	19.3	0.52	447	0.66	0.01
CC127403		1.21	28.4	2.92	2.82	<0.05	0.06	0.11	0.029	0.06	12.3	12.4	0.35	544	0.79	0.01
CC127404		2.46	40.4	4.33	5.43	0.10	0.05	0.05	0.040	0.06	7.7	28.8	0.47	628	1.05	<0.01
CC127405		2.18	67.0	5.28	5.28	0.13	0.05	0.05	0.044	0.07	9.8	34.0	0.62	822	0.96	<0.01
CC127406		0.68	33.0	2.76	1.72	0.10	0.02	0.06	0.047	0.06	4.2	5.3	0.07	190	0.38	<0.01
CC127407		1.14	30.3	3.41	3.60	0.14	0.08	0.03	0.037	0.07	13.7	18.5	0.33	509	0.72	<0.01
CC127408		1.33	40.4	4.62	1.38	0.12	0.08	0.29	0.045	0.11	7.4	2.8	0.06	778	0.43	<0.01
CC127409		2.59	39.2	3.33	2.03	0.12	<0.02	0.03	0.036	0.12	6.5	9.1	0.18	400	0.41	<0.01
CC127410		2.01	31.1	3.38	2.28	0.12	0.09	1.20	0.044	0.12	8.1	7.6	0.57	878	0.56	<0.01
CC127411		1.12	51.6	4.96	4.67	0.13	0.09	0.63	0.033	0.09	12.4	28.7	0.58	1260	0.75	<0.01
CC127412		1.06	28.8	3.72	3.26	0.11	0.09	4.85	0.023	0.07	8.1	17.6	3.39	1560	0.73	0.01
CC127413		1.28	33.3	4.47	5.14	0.11	0.06	4.57	0.036	0.07	9.8	26.8	0.49	821	0.80	<0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 11- JUL- 2011
Account: RCM

Project: Rackla - DALE

CERTIFICATE OF ANALYSIS WH11112680

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
CC126822		0.32	51.7	770	25.3	6.2	<0.001	0.04	1.32	6.1	0.8	0.4	65.2	<0.01	0.05	3.3
CC126823		0.32	50.2	860	20.3	6.7	<0.001	0.03	0.60	6.9	1.0	0.4	48.6	<0.01	0.03	4.3
CC126824		0.35	28.1	1100	16.0	9.3	<0.001	0.10	0.47	4.2	0.9	0.4	52.2	<0.01	0.02	1.8
CC126825		0.43	19.8	1800	13.9	9.9	<0.001	0.14	0.49	2.6	0.8	0.4	57.4	<0.01	0.05	0.7
CC126826		0.26	15.0	1190	15.6	8.8	<0.001	0.10	0.38	2.8	0.5	0.5	39.7	<0.01	0.04	1.1
CC126827		0.27	26.2	970	18.0	10.5	<0.001	0.05	0.54	4.7	1.1	0.5	27.5	<0.01	0.07	1.9
CC126828		0.33	15.7	1720	16.7	15.5	<0.001	0.13	0.64	1.0	0.5	0.3	5.9	<0.01	0.07	0.3
CC126829		0.57	20.2	870	16.0	20.3	<0.001	0.04	0.55	3.4	0.6	0.5	7.4	<0.01	0.06	1.1
CC126830		0.45	28.8	1010	21.2	10.5	<0.001	0.04	0.61	3.2	0.8	0.4	7.2	<0.01	0.06	1.5
CC126831		0.53	31.5	790	19.9	10.2	<0.001	0.03	0.68	3.1	0.7	0.4	10.5	<0.01	0.06	1.4
CC126832		0.40	25.3	1090	19.1	11.8	<0.001	0.04	0.58	2.5	0.3	0.4	6.6	<0.01	0.06	1.0
CC126833		0.49	24.4	570	11.5	12.0	<0.001	0.03	0.39	3.9	1.4	0.4	30.6	<0.01	0.03	2.4
CC126834		0.56	20.4	880	15.4	8.4	<0.001	0.04	0.46	2.2	0.4	0.5	22.2	<0.01	0.07	0.8
CC126835		0.52	26.6	920	15.2	12.5	<0.001	0.05	0.45	1.9	0.2	0.5	17.8	<0.01	0.07	0.6
CC126836		0.64	27.7	520	19.0	9.7	<0.001	0.02	0.63	3.8	0.5	0.5	6.4	<0.01	0.06	2.3
CC126837		0.40	9.7	1060	13.3	19.4	<0.001	0.06	0.52	0.5	0.5	0.7	7.5	<0.01	0.05	<0.2
CC126838		0.48	22.3	1330	16.7	18.0	<0.001	0.05	0.48	2.7	0.3	0.6	16.0	<0.01	0.08	0.9
CC126839		0.70	22.4	790	20.1	16.0	<0.001	0.03	0.56	2.6	0.6	0.7	15.5	<0.01	0.08	1.1
CC126840		0.60	22.1	560	20.3	13.4	<0.001	0.02	0.48	3.1	0.7	0.7	16.3	<0.01	0.06	1.8
CC126675		0.40	30.6	720	19.3	11.7	<0.001	0.03	0.57	3.5	0.4	0.4	10.8	<0.01	0.07	1.8
CC126676		0.44	19.5	1120	12.1	14.8	<0.001	0.05	0.54	1.2	0.4	0.5	12.3	<0.01	0.05	0.3
CC126677		0.43	24.1	1100	18.6	13.6	<0.001	0.05	0.57	2.7	0.5	0.5	13.3	<0.01	0.06	1.0
CC126678		0.37	20.0	1260	19.1	13.1	<0.001	0.08	0.69	1.0	0.4	0.5	7.6	<0.01	0.07	0.2
CC126679		0.39	17.4	1760	20.6	15.4	<0.001	0.11	0.69	1.1	0.5	0.5	14.8	<0.01	0.07	0.2
CC126680		0.24	32.1	360	22.5	5.5	<0.001	0.02	0.57	5.7	0.7	0.3	10.0	<0.01	0.07	3.3
CC126681		0.42	25.6	750	21.1	11.3	<0.001	0.04	0.55	3.5	0.6	0.5	20.2	<0.01	0.07	1.6
CC126682		0.95	15.0	530	13.6	12.5	0.001	0.02	0.75	1.8	0.5	0.7	8.4	<0.01	0.06	0.6
CC127401		0.34	32.6	780	28.1	9.6	<0.001	0.03	0.92	7.2	1.2	0.4	22.6	<0.01	0.08	2.1
CC127402		0.42	22.0	980	14.7	8.6	<0.001	0.10	0.54	3.5	1.3	0.3	69.0	<0.01	0.06	1.0
CC127403		0.36	20.1	1410	17.0	7.0	<0.001	0.13	0.58	2.3	0.9	0.3	73.9	<0.01	0.03	0.7
CC127404		0.41	26.9	620	18.6	10.2	<0.001	0.02	0.59	3.5	0.6	0.6	9.1	<0.01	0.07	1.4
CC127405		0.27	34.3	570	26.7	10.1	<0.001	0.01	0.66	5.7	0.7	0.5	9.4	<0.01	0.10	2.3
CC127406		0.10	20.7	220	18.8	5.9	<0.001	<0.01	0.31	4.1	0.6	0.5	21.6	<0.01	0.10	2.4
CC127407		0.19	25.8	790	23.1	9.1	<0.001	0.04	0.48	4.3	1.0	0.4	36.0	<0.01	0.06	2.4
CC127408		0.10	33.5	420	31.4	8.8	<0.001	0.01	0.37	5.6	0.7	0.3	19.4	<0.01	0.07	2.1
CC127409		0.14	25.1	200	17.2	10.8	<0.001	<0.01	0.31	4.9	0.6	0.4	12.7	<0.01	0.08	2.6
CC127410		0.18	25.1	570	33.5	10.8	0.001	0.02	0.83	4.9	0.9	0.4	21.8	0.01	0.06	2.0
CC127411		0.28	31.2	680	26.2	6.5	<0.001	0.02	0.90	6.3	0.9	0.4	15.5	<0.01	0.06	2.1
CC127412		0.22	23.5	680	38.7	5.8	<0.001	0.03	4.02	4.5	0.9	0.4	35.9	<0.01	0.06	2.0
CC127413		0.31	23.0	590	22.4	9.2	<0.001	0.01	0.61	5.2	0.4	0.5	11.1	<0.01	0.08	2.4

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 11- JUL- 2011
Account: RCM

Project: Rackla - DALE

CERTIFICATE OF ANALYSIS WH11112680

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
CC126822		0.006	0.24	4.71	24	0.06	14.60	110	3.1
CC126823		0.005	0.17	2.76	23	0.05	15.15	116	3.2
CC126824		<0.005	0.15	8.08	25	0.06	12.55	87	2.9
CC126825		0.006	0.13	1.71	35	0.08	6.00	60	1.7
CC126826		<0.005	0.15	0.68	27	<0.05	4.92	43	2.2
CC126827		<0.005	0.16	0.85	33	0.05	7.31	86	2.5
CC126828		0.006	0.10	0.48	38	0.05	3.13	73	0.5
CC126829		0.007	0.20	0.56	44	0.09	3.65	68	0.8
CC126830		0.008	0.11	0.55	42	0.07	4.47	75	1.5
CC126831		0.010	0.11	0.76	40	0.09	5.52	76	0.8
CC126832		0.007	0.11	0.49	44	0.06	3.78	83	1.1
CC126833		0.012	0.15	1.67	39	0.05	10.15	62	2.2
CC126834		0.011	0.15	0.98	49	0.11	3.21	54	0.7
CC126835		0.010	0.10	0.52	36	0.07	2.87	97	0.5
CC126836		0.009	0.12	0.58	46	0.11	3.83	65	1.3
CC126837		0.014	0.17	0.80	56	0.14	2.43	57	<0.5
CC126838		0.006	0.18	0.56	47	0.07	4.13	69	0.9
CC126839		0.008	0.21	0.74	51	0.11	4.37	86	0.5
CC126840		0.006	0.16	0.75	44	0.10	4.94	69	0.6
CC126675		0.005	0.12	0.59	45	0.05	4.27	69	1.6
CC126676		0.011	0.14	0.70	48	0.13	4.26	66	<0.5
CC126677		0.007	0.24	1.55	42	0.10	5.13	73	1.2
CC126678		0.008	0.12	0.65	48	0.08	3.98	77	<0.5
CC126679		0.009	0.10	0.62	52	0.09	3.93	67	<0.5
CC126680		0.005	0.08	0.57	35	<0.05	9.37	77	1.6
CC126681		0.006	0.34	0.67	43	0.07	5.16	70	1.1
CC126682		0.018	0.13	0.49	51	0.19	2.53	59	<0.5
CC127401		0.006	0.13	1.37	42	0.06	15.40	78	1.3
CC127402		0.007	0.20	4.52	30	0.05	14.15	78	2.0
CC127403		0.006	0.22	4.47	30	0.05	10.65	67	1.6
CC127404		0.008	0.18	0.66	43	0.09	3.97	76	1.2
CC127405		0.005	0.17	0.65	45	0.06	5.31	78	1.4
CC127406		<0.005	0.07	0.95	13	<0.05	5.59	72	0.5
CC127407		0.006	0.08	1.67	26	<0.05	18.80	81	2.6
CC127408		<0.005	0.13	1.08	17	<0.05	20.1	92	2.1
CC127409		0.005	0.12	0.73	18	<0.05	7.23	53	0.5
CC127410		<0.005	0.43	1.07	18	0.09	12.40	84	2.3
CC127411		0.008	0.40	1.02	36	0.11	11.65	147	2.4
CC127412		0.006	2.84	1.31	28	0.24	10.35	208	2.4
CC127413		0.006	0.46	0.88	44	0.17	7.88	89	1.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 11- JUL- 2011
Account: RCM

Project: Rackla - DALE

CERTIFICATE OF ANALYSIS WH11112680

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- TL43 Au ppm 0.001	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1
CC127414		0.34	0.004	0.26	0.98	214	<0.2	<10	150	0.66	0.17	7.42	1.35	15.50	9.2	14
CC127415		0.28	NSS	0.16	1.11	174.5	<0.2	<10	210	0.77	0.20	2.86	0.78	18.80	9.7	15
CC127416		0.34	0.002	0.19	1.57	55.3	<0.2	<10	220	0.88	0.26	1.07	0.46	24.7	15.0	25
CC127417		0.34	0.004	0.21	1.35	101.0	<0.2	<10	150	0.81	0.24	3.16	0.60	23.8	14.1	21
CC127418		0.22	0.007	0.14	1.31	117.5	<0.2	<10	200	0.80	0.22	2.08	0.76	17.10	12.1	19
CC127419		0.34	0.009	0.23	1.10	155.5	<0.2	<10	80	0.65	0.26	3.74	1.27	17.25	15.3	17
CC127420		0.20	0.011	0.25	0.95	86.1	<0.2	<10	150	0.63	0.18	4.91	1.47	14.70	8.6	14
CC127421		0.22	0.004	0.23	1.20	64.7	<0.2	<10	240	0.74	0.22	2.26	1.33	16.95	10.2	18
CC127422		0.22	0.003	0.19	1.16	79.8	<0.2	<10	290	0.89	0.23	3.00	0.79	21.1	11.9	16
CC127423		0.32	0.002	0.22	1.18	41.4	<0.2	<10	330	1.16	0.32	0.67	0.67	18.20	10.9	17
CC127424		0.38	0.003	0.18	0.92	69.6	<0.2	10	250	0.82	0.26	0.99	0.58	15.00	10.9	16
CC127425		0.28	0.003	0.20	0.92	102.5	<0.2	<10	190	0.94	0.27	1.75	0.31	14.05	10.8	16
CC127426		0.30	0.003	0.17	0.65	158.0	<0.2	10	100	1.00	0.36	1.39	0.22	10.60	12.7	12
CC127427		0.34	0.003	0.16	0.26	1500	<0.2	<10	150	0.46	0.06	14.40	1.25	6.45	3.1	4
CC127428		0.30	0.003	0.19	1.08	216	<0.2	<10	120	0.68	0.18	6.31	1.03	17.30	10.3	16
CC127429		0.32	0.003	0.20	0.88	510	<0.2	<10	90	0.73	0.25	3.50	1.36	17.50	12.2	16
CC127430		0.24	0.002	0.14	1.10	315	<0.2	<10	160	0.68	0.19	5.60	0.67	19.60	7.6	16
CC127431		0.24	0.002	0.27	1.18	1310	<0.2	<10	240	1.00	0.21	4.93	0.55	18.80	9.4	18
CC127432		0.28	0.003	0.23	1.06	710	<0.2	<10	130	0.80	0.19	6.37	0.48	21.5	9.6	17
CC127433		0.46	0.003	0.06	0.64	18.0	<0.2	<10	140	0.62	0.31	0.22	0.18	14.80	12.3	13
CC127434		0.44	0.003	0.21	0.66	22.2	<0.2	<10	220	0.87	0.29	0.50	0.13	24.7	17.9	14
CC127435		0.38	0.002	0.08	1.12	11.9	<0.2	<10	170	0.56	0.34	0.39	0.26	19.70	13.9	20
CC127436		0.44	0.002	0.04	1.67	16.7	<0.2	<10	160	0.64	0.32	0.07	0.13	17.65	16.1	25
CC127437		0.44	0.002	0.04	1.76	23.2	<0.2	<10	150	0.91	0.31	0.11	0.16	26.9	21.6	25
CC127438		0.48	0.003	0.03	1.90	15.9	<0.2	<10	140	0.80	0.28	0.09	0.12	26.4	16.4	28
CC127439		0.38	0.003	0.02	1.96	19.8	<0.2	<10	120	0.95	0.28	0.04	0.20	24.6	20.8	27
CC127440		0.26	0.002	0.05	1.67	18.6	<0.2	<10	130	0.77	0.30	0.44	0.14	19.35	16.0	25
CC127441		0.36	0.003	0.07	1.39	89.7	<0.2	<10	140	0.84	0.27	0.89	0.21	20.0	12.9	21
CC127442		0.28	0.004	0.08	1.40	15.6	<0.2	10	180	1.06	0.20	0.98	0.27	35.0	10.2	29
CC127443		0.30	0.003	0.05	0.80	16.4	<0.2	10	190	1.05	0.15	0.87	0.26	44.9	9.4	25
CC127444		0.30	0.003	0.05	0.62	23.0	<0.2	10	170	1.28	0.22	0.94	0.18	44.8	10.6	26
CC127445		0.40	0.003	0.07	1.49	25.4	<0.2	<10	220	0.98	0.28	0.58	0.24	25.0	14.3	26
CC127446		0.22	0.002	0.06	0.99	13.7	<0.2	10	230	0.93	0.22	1.56	0.15	22.6	9.0	22
CC127447		0.26	0.003	0.06	0.91	19.1	<0.2	10	220	1.11	0.24	0.93	0.12	30.5	10.3	26
CC127448		0.32	0.003	0.05	0.72	16.4	<0.2	10	130	1.11	0.26	1.17	0.15	41.9	11.6	29
CC127449		0.40	0.003	0.09	1.14	16.6	<0.2	<10	190	1.16	0.25	0.58	0.46	47.1	14.2	31
CC127450		0.26	0.002	0.03	2.04	14.7	<0.2	<10	180	0.84	0.29	0.35	0.10	20.5	15.3	28
CC127451		0.62	0.002	0.02	1.98	15.7	<0.2	<10	110	0.88	0.31	0.06	0.08	23.6	19.9	26
CC127452		0.40	0.003	0.03	1.87	22.5	<0.2	<10	140	1.10	0.34	0.10	0.14	29.5	22.8	25
CC127453		0.42	0.003	0.03	2.04	16.6	<0.2	<10	130	0.97	0.34	0.05	0.13	26.7	21.1	27

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 11- JUL- 2011
Account: RCM

Project: Rackla - DALE

CERTIFICATE OF ANALYSIS WH11112680

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
CC127414		0.87	25.7	2.89	2.92	0.10	0.05	9.53	0.019	0.06	7.8	13.8	4.31	1580	0.88	0.02
CC127415		0.78	25.6	3.90	3.31	0.12	0.05	1.30	0.027	0.05	11.0	11.2	0.83	3060	0.92	0.01
CC127416		0.92	34.6	3.66	4.64	0.11	0.05	0.97	0.033	0.07	12.8	18.8	0.61	1260	1.02	0.01
CC127417		0.96	35.9	3.74	4.07	0.11	0.08	1.84	0.030	0.08	13.3	19.8	1.96	1070	1.16	0.01
CC127418		0.78	36.1	3.45	3.76	0.11	0.06	1.11	0.027	0.07	9.0	21.1	0.90	726	0.88	0.01
CC127419		0.98	42.5	4.00	3.15	0.12	0.07	2.17	0.030	0.07	7.8	22.2	2.46	762	0.92	0.01
CC127420		0.80	31.1	3.04	2.79	0.12	0.05	3.55	0.021	0.07	8.3	12.8	2.40	1020	0.93	0.01
CC127421		0.98	34.4	3.15	3.46	0.11	0.05	2.01	0.027	0.07	8.6	13.8	0.82	962	1.16	0.01
CC127422		0.87	27.5	4.21	3.32	0.11	0.07	0.36	0.028	0.06	9.6	13.9	1.62	1900	1.08	0.01
CC127423		1.45	24.8	3.74	3.56	0.12	0.08	0.34	0.033	0.08	10.3	11.2	0.31	752	0.75	0.01
CC127424		1.02	37.1	2.53	2.94	0.10	0.07	0.70	0.027	0.11	7.3	14.1	0.44	134	0.93	0.01
CC127425		1.61	35.6	3.11	3.10	0.11	0.08	1.37	0.033	0.10	7.9	13.1	0.80	478	0.71	0.01
CC127426		2.19	30.0	3.52	2.23	0.10	0.09	1.21	0.028	0.12	5.1	7.6	0.58	479	0.72	0.01
CC127427		0.83	11.5	3.69	0.88	0.09	0.05	11.80	0.013	0.04	3.6	2.2	8.48	2120	1.52	0.02
CC127428		0.79	25.8	2.87	3.09	0.11	0.06	3.76	0.024	0.06	9.0	15.2	4.06	1100	0.89	0.01
CC127429		0.88	26.6	3.28	2.68	0.11	0.07	7.37	0.023	0.06	8.2	10.5	1.90	1180	0.95	0.01
CC127430		0.66	19.3	2.91	2.99	0.11	0.04	10.15	0.023	0.04	10.5	8.2	2.74	1960	1.20	0.01
CC127431		0.67	20.9	3.73	3.14	0.11	0.06	136.5	0.026	0.07	10.6	7.9	2.62	3150	1.03	0.01
CC127432		0.67	23.3	3.97	2.98	0.12	0.07	136.5	0.024	0.06	11.7	9.2	3.82	2300	0.88	0.02
CC127433		1.31	26.8	3.57	2.60	0.10	0.02	0.29	0.026	0.11	4.6	5.9	0.15	780	0.57	<0.01
CC127434		1.12	33.5	4.16	2.10	0.12	0.06	0.28	0.027	0.08	10.0	8.7	0.18	415	0.71	<0.01
CC127435		1.42	33.0	3.96	5.47	0.10	<0.02	0.23	0.036	0.09	8.7	14.8	0.25	828	0.97	0.01
CC127436		1.44	38.4	4.59	5.47	0.10	0.04	0.08	0.033	0.07	8.0	27.4	0.47	753	0.94	<0.01
CC127437		1.37	52.1	4.73	4.98	0.11	0.06	0.27	0.037	0.07	10.3	40.8	0.59	772	0.75	<0.01
CC127438		1.51	42.7	4.05	5.21	0.11	0.05	0.20	0.030	0.07	11.8	26.9	0.56	590	1.02	<0.01
CC127439		1.54	51.6	5.25	5.01	0.11	0.07	0.20	0.040	0.08	8.8	38.3	0.58	899	0.82	<0.01
CC127440		1.80	43.5	4.71	5.25	<0.05	0.05	0.10	0.034	0.07	6.5	31.5	0.52	606	0.75	0.01
CC127441		1.92	40.6	3.90	4.41	<0.05	0.06	0.52	0.034	0.07	8.4	24.2	0.45	533	0.93	0.01
CC127442		3.60	31.7	3.08	4.55	0.06	0.06	0.11	0.029	0.10	19.1	28.3	0.82	379	0.63	0.01
CC127443		14.45	22.3	2.75	2.97	0.08	0.07	0.30	0.028	0.12	25.2	14.5	0.59	296	0.42	0.01
CC127444		19.70	30.5	3.00	2.39	0.08	0.06	0.17	0.033	0.12	24.5	9.7	0.28	259	0.29	0.01
CC127445		2.38	35.6	4.02	4.64	0.05	0.08	0.11	0.038	0.07	9.8	23.5	0.53	674	0.67	0.01
CC127446		4.05	26.9	2.65	3.16	0.06	0.08	0.10	0.030	0.08	11.5	12.7	0.34	313	0.41	0.01
CC127447		9.16	29.6	2.92	3.31	0.06	0.07	0.12	0.035	0.10	14.5	13.5	0.31	252	0.32	0.01
CC127448		16.65	29.1	3.29	2.79	0.08	0.05	0.11	0.034	0.16	20.2	12.1	0.48	293	0.24	0.01
CC127449		12.75	41.3	3.61	4.07	0.07	0.07	0.09	0.036	0.13	22.5	20.1	0.50	514	0.52	0.01
CC127450		4.13	43.9	4.49	6.49	<0.05	0.09	0.09	0.036	0.11	8.8	32.1	0.52	588	0.86	0.01
CC127451		1.72	53.6	4.77	5.89	0.05	0.08	0.08	0.033	0.09	10.2	47.0	0.65	697	0.60	<0.01
CC127452		1.46	58.0	4.69	5.40	0.05	0.08	0.12	0.037	0.08	11.2	41.6	0.65	879	0.70	0.01
CC127453		1.72	54.6	4.91	5.60	0.05	0.09	0.08	0.036	0.10	9.7	47.6	0.65	871	0.70	<0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 11- JUL- 2011
Account: RCM

Project: Rackla - DALE

CERTIFICATE OF ANALYSIS WH11112680

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
CC127414		0.26	18.2	970	46.3	5.4	<0.001	0.05	1.54	2.7	0.8	0.3	56.3	<0.01	0.04	0.8
CC127415		0.31	16.6	1220	44.8	6.2	<0.001	0.12	0.83	2.2	0.8	0.4	32.8	<0.01	0.06	0.5
CC127416		0.49	24.2	810	25.5	8.6	<0.001	0.04	0.71	3.9	0.8	0.5	19.5	<0.01	0.06	1.2
CC127417		0.44	26.2	710	38.6	6.5	<0.001	0.03	1.11	5.5	1.1	0.4	30.8	<0.01	0.08	1.9
CC127418		0.30	22.3	660	32.0	6.2	<0.001	0.06	0.78	3.9	0.8	0.4	30.4	<0.01	0.06	1.1
CC127419		0.14	26.3	670	49.9	4.8	<0.001	0.02	0.93	5.5	0.6	0.3	30.0	<0.01	0.06	3.0
CC127420		0.25	17.4	860	40.0	5.8	<0.001	0.06	0.77	3.0	0.7	0.3	46.3	<0.01	0.04	0.7
CC127421		0.37	21.3	850	31.6	7.8	<0.001	0.07	0.80	2.8	1.1	0.4	30.8	<0.01	0.05	0.8
CC127422		0.19	20.2	690	189.5	7.4	<0.001	0.05	0.86	4.1	0.8	0.5	26.8	<0.01	0.07	1.5
CC127423		0.26	21.9	800	48.8	12.5	<0.001	0.04	0.54	4.1	0.9	0.6	18.8	<0.01	0.04	1.6
CC127424		0.25	23.5	490	27.6	7.6	0.002	0.30	0.61	4.8	1.2	0.4	38.7	<0.01	0.06	1.7
CC127425		0.24	24.0	600	28.9	8.5	<0.001	0.04	0.81	4.8	0.9	0.5	30.2	<0.01	0.07	1.3
CC127426		0.13	27.0	480	39.0	9.5	0.001	0.03	0.77	4.6	0.7	0.4	26.9	<0.01	0.05	1.7
CC127427		<0.05	9.6	630	92.9	2.9	<0.001	0.02	3.39	1.7	1.1	0.3	126.5	<0.01	0.03	0.8
CC127428		0.31	19.8	740	58.3	6.8	<0.001	0.04	2.00	4.4	0.6	0.3	43.1	<0.01	0.03	1.6
CC127429		0.19	23.3	690	95.0	4.4	<0.001	0.04	2.15	4.6	0.8	0.4	34.8	<0.01	0.07	1.4
CC127430		0.35	14.6	1280	32.8	5.6	<0.001	0.08	1.11	2.4	0.7	0.4	35.8	<0.01	0.04	0.6
CC127431		0.23	20.0	1510	52.9	5.5	<0.001	0.09	1.37	2.5	1.0	0.5	69.1	<0.01	0.04	0.6
CC127432		0.28	22.2	1050	42.0	5.1	<0.001	0.05	0.96	3.7	1.1	0.4	52.6	<0.01	0.05	1.2
CC127433		0.20	21.0	790	35.9	11.0	<0.001	0.02	0.43	1.7	0.4	0.4	10.7	<0.01	0.07	0.8
CC127434		0.19	33.5	480	37.3	6.9	<0.001	0.01	0.65	4.7	1.1	0.3	24.0	<0.01	0.05	2.4
CC127435		0.39	16.7	880	19.8	18.2	<0.001	0.03	0.48	1.8	0.5	0.6	23.9	<0.01	0.08	0.4
CC127436		0.37	23.1	920	19.7	10.2	<0.001	0.03	0.59	2.8	0.5	0.5	7.3	<0.01	0.07	1.1
CC127437		0.20	32.1	480	21.6	7.6	<0.001	<0.01	0.63	5.1	0.6	0.3	10.8	<0.01	0.09	2.7
CC127438		0.47	27.9	640	16.2	9.5	<0.001	0.01	0.58	4.3	0.8	0.5	9.0	<0.01	0.08	2.1
CC127439		0.28	29.4	720	22.9	9.2	<0.001	0.02	0.57	4.3	0.7	0.4	6.6	<0.01	0.08	2.1
CC127440		0.25	26.1	710	20.2	8.9	0.001	0.03	0.59	3.5	0.5	0.4	19.7	<0.01	0.07	1.5
CC127441		0.27	26.9	740	18.5	7.7	<0.001	0.03	0.64	3.9	0.7	0.4	37.8	<0.01	0.06	1.5
CC127442		0.37	24.7	850	14.3	9.9	<0.001	0.05	0.44	4.2	1.1	0.4	41.2	<0.01	0.03	1.4
CC127443		0.45	23.7	530	10.9	13.8	<0.001	0.04	0.29	6.1	1.5	0.4	32.7	<0.01	0.01	2.4
CC127444		0.28	29.5	800	16.8	15.3	<0.001	0.03	0.26	6.9	1.4	0.4	30.1	<0.01	<0.01	2.6
CC127445		0.26	27.5	870	18.2	13.8	<0.001	0.03	0.55	5.1	0.8	0.4	28.8	<0.01	0.04	1.6
CC127446		0.39	23.7	970	14.1	11.4	<0.001	0.09	0.35	3.4	0.7	0.4	54.8	<0.01	0.02	1.3
CC127447		0.44	28.9	670	14.9	14.3	<0.001	0.04	0.33	5.0	1.0	0.4	38.7	<0.01	0.02	2.1
CC127448		0.66	32.2	720	14.1	18.0	<0.001	0.01	0.34	7.3	0.8	0.5	42.0	<0.01	0.02	5.5
CC127449		0.35	32.5	770	15.9	17.4	<0.001	0.02	0.40	6.6	1.3	0.5	28.9	<0.01	0.04	3.2
CC127450		0.35	25.0	1040	17.3	15.7	<0.001	0.02	0.60	3.8	0.6	0.5	26.9	<0.01	0.05	1.7
CC127451		0.18	32.5	520	19.8	10.8	<0.001	0.01	0.59	3.9	0.5	0.4	8.2	<0.01	0.06	2.6
CC127452		0.12	35.2	450	25.0	8.5	<0.001	<0.01	0.56	5.0	0.7	0.3	11.1	<0.01	0.07	3.2
CC127453		0.17	34.9	490	24.4	10.2	<0.001	0.01	0.56	4.5	0.3	0.4	7.6	<0.01	0.07	3.2

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 11- JUL- 2011
Account: RCM

Project: Rackla - DALE

CERTIFICATE OF ANALYSIS WH11112680

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
CC127414		0.008	3.64	1.85	23	0.29	9.50	327	1.4
CC127415		0.009	1.86	2.06	26	0.12	10.85	148	1.4
CC127416		0.015	0.52	1.19	42	0.15	9.67	132	1.3
CC127417		0.012	1.08	1.08	35	0.16	11.55	210	1.9
CC127418		0.006	1.65	1.17	30	0.10	8.77	245	1.7
CC127419		0.005	2.09	0.75	27	0.07	8.69	585	2.4
CC127420		0.007	1.24	1.32	23	0.11	9.62	595	1.3
CC127421		0.008	0.52	1.72	36	0.12	9.13	367	1.3
CC127422		<0.005	0.49	1.93	27	0.08	9.53	281	1.7
CC127423		<0.005	0.50	1.52	26	0.12	11.70	196	1.7
CC127424		<0.005	0.95	1.49	26	0.06	9.30	148	2.3
CC127425		<0.005	1.87	1.05	23	0.09	10.75	141	2.2
CC127426		<0.005	2.66	1.00	18	0.09	8.98	147	2.4
CC127427		<0.005	32.0	2.86	8	0.54	7.88	757	1.5
CC127428		0.007	1.88	1.41	27	0.20	9.27	179	1.8
CC127429		<0.005	5.33	1.23	23	0.45	9.76	211	1.9
CC127430		0.010	0.98	1.60	29	0.19	11.35	76	1.1
CC127431		0.009	2.31	1.70	37	0.48	13.05	138	1.4
CC127432		0.010	1.43	1.56	30	0.24	13.15	116	1.6
CC127433		0.006	0.11	0.62	22	<0.05	3.61	126	0.6
CC127434		0.005	0.15	0.90	22	0.11	17.10	172	1.8
CC127435		0.010	0.10	0.61	43	0.08	4.84	87	<0.5
CC127436		0.007	0.12	0.49	45	0.08	3.25	68	1.0
CC127437		<0.005	0.12	0.57	38	0.05	5.80	74	1.8
CC127438		0.012	0.12	0.68	47	0.16	5.78	78	1.4
CC127439		0.005	0.12	0.63	40	0.06	5.06	86	1.8
CC127440		0.005	0.13	0.44	44	0.06	3.09	66	1.3
CC127441		0.006	0.28	2.25	37	0.12	5.42	71	1.6
CC127442		0.012	0.17	2.11	36	0.07	12.65	89	1.7
CC127443		0.014	0.49	1.30	27	0.09	15.30	95	1.7
CC127444		0.007	0.85	1.50	22	0.09	21.1	104	1.6
CC127445		0.006	0.16	1.88	37	0.08	10.65	92	1.9
CC127446		0.007	0.16	3.31	22	0.06	12.75	68	1.9
CC127447		0.009	0.26	4.61	24	0.09	15.55	79	2.3
CC127448		0.018	0.26	1.30	25	0.14	16.25	93	1.8
CC127449		0.010	0.36	1.26	33	0.07	13.25	155	1.7
CC127450		0.005	0.18	0.78	47	0.08	4.72	73	2.3
CC127451		<0.005	0.09	0.44	37	<0.05	3.75	73	2.6
CC127452		<0.005	0.11	0.66	37	<0.05	6.11	78	2.1
CC127453		<0.005	0.11	0.66	39	<0.05	4.53	77	2.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 11- JUL- 2011
Account: RCM

Project: Rackla - DALE

CERTIFICATE OF ANALYSIS WH11112680

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- TL43 Au ppm 0.001	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1
CC127454		0.36	0.003	0.03	2.06	24.1	<0.2	<10	130	1.11	0.31	0.06	0.15	24.6	22.1	28
CC127455		0.40	0.004	0.17	1.70	12.9	<0.2	<10	120	0.87	0.20	0.16	0.16	45.5	10.3	22
CC127456		0.24	0.002	0.15	1.02	8.4	<0.2	<10	160	0.90	0.27	2.96	0.24	21.9	9.3	14
CC127457		0.34	0.002	0.06	1.33	12.3	<0.2	<10	190	0.72	0.34	1.03	0.28	18.45	14.0	20
CC127458		0.32	0.002	0.17	0.75	13.4	<0.2	<10	160	0.82	0.29	2.36	0.24	18.90	11.0	12
CC127459		0.38	0.002	0.08	0.62	28.3	<0.2	<10	90	1.05	0.37	1.10	0.10	17.40	13.2	11
CC127460		0.32	0.002	0.18	0.52	6.1	<0.2	10	100	0.61	0.19	5.74	0.27	14.80	7.6	9
CC127461		0.22	0.002	0.16	0.66	6.1	<0.2	10	90	0.62	0.20	2.71	0.20	12.20	5.7	10
CC127462		0.24	0.003	0.18	0.61	6.6	<0.2	10	110	0.56	0.18	3.65	0.21	15.30	6.0	9
CC127463		0.34	0.002	0.16	0.93	12.0	<0.2	10	150	0.76	0.28	1.90	0.20	17.40	9.6	14
CC127464		0.34	0.004	0.26	1.41	44.4	<0.2	10	200	0.96	0.26	1.26	0.29	17.75	11.8	22
CC127465		0.32	0.003	0.16	1.14	29.2	<0.2	<10	280	0.64	0.25	0.91	0.16	13.45	9.8	18
CC127466		0.38	0.003	0.12	1.37	59.5	<0.2	<10	280	0.87	0.29	0.55	0.42	25.2	14.3	24
CC127467		0.30	0.004	0.28	1.43	21.3	<0.2	<10	330	0.72	0.23	1.01	0.72	18.05	8.2	22
CC127468		0.36	0.002	0.07	1.33	32.7	<0.2	<10	230	0.87	0.30	0.42	0.20	22.9	11.6	22
CC127469		0.42	0.002	0.05	1.44	45.7	<0.2	<10	210	0.76	0.31	0.11	0.08	23.0	10.9	24
CC127470		0.30	0.003	0.18	0.82	8.5	<0.2	<10	90	0.77	0.24	4.65	0.87	33.6	10.3	15
CC127471		0.32	0.002	0.16	1.33	9.4	<0.2	<10	80	1.09	0.31	1.32	0.14	39.1	10.8	22
CC127472		0.46	0.002	0.10	0.38	21.7	<0.2	<10	60	0.83	0.44	0.16	0.05	7.75	14.4	12
CC127473		0.34	0.002	0.33	0.41	15.7	<0.2	<10	60	0.74	0.29	1.69	0.22	32.8	11.7	10
CC127474		0.46	0.002	0.07	1.74	19.7	<0.2	<10	170	1.03	0.32	0.29	0.21	30.3	16.6	24
CC127475		0.44	0.002	0.13	0.44	15.6	<0.2	10	60	1.37	0.44	0.55	0.05	18.30	19.0	15
CC127476		0.36	0.004	0.06	1.84	16.6	<0.2	<10	150	1.46	0.27	0.23	0.94	92.0	14.3	27
CC127477		0.42	0.002	0.05	1.89	16.6	<0.2	<10	190	0.82	0.31	0.29	0.23	24.0	18.7	27
CC127478		0.40	0.002	0.04	1.95	16.9	<0.2	<10	170	0.92	0.33	0.08	0.19	30.5	18.7	26
CC127479		0.38	0.002	0.03	2.13	16.4	<0.2	<10	150	1.00	0.34	0.05	0.15	32.1	19.2	28
CC127480		0.42	0.001	0.04	1.96	16.9	<0.2	<10	140	0.92	0.31	0.07	0.17	28.7	20.0	27
CC127481		0.50	0.001	0.04	1.44	6.5	<0.2	<10	90	0.36	0.21	0.07	0.10	29.8	7.3	23
CC127482		0.38	0.001	0.07	1.64	12.8	<0.2	<10	90	0.57	0.26	0.05	0.15	17.90	12.2	22
CC127483		0.40	0.001	0.06	1.63	16.8	<0.2	<10	120	0.94	0.32	0.17	0.12	25.8	19.1	22
CC127484		0.34	0.002	0.09	1.77	16.0	<0.2	<10	150	1.34	0.31	1.10	0.27	25.5	13.9	32
CC127485		0.34	0.003	0.08	1.30	13.0	<0.2	<10	140	0.99	0.22	1.97	0.42	26.7	9.9	24
CC127486		0.30	0.001	0.05	1.42	20.9	<0.2	<10	170	0.65	0.29	0.73	0.14	15.20	13.5	21
CC127487		0.46	0.001	0.09	0.75	12.9	<0.2	<10	70	0.85	0.36	0.07	0.23	10.10	17.1	10
CC127488		0.38	0.001	0.09	1.34	32.0	<0.2	<10	160	0.85	0.29	0.13	0.10	15.40	13.6	19

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 11- JUL- 2011
Account: RCM

Project: Rackla - DALE

CERTIFICATE OF ANALYSIS WH11112680

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
CC127454		2.06	55.5	5.25	5.93	0.06	0.09	0.07	0.041	0.10	9.5	50.6	0.64	794	0.68	0.01
CC127455		1.05	27.3	2.99	3.51	0.07	0.08	0.11	0.027	0.05	15.1	21.8	0.52	474	0.79	<0.01
CC127456		0.65	22.3	3.03	3.33	0.05	0.05	0.07	0.037	0.06	9.3	7.9	0.13	481	0.65	0.01
CC127457		1.07	26.7	4.01	5.18	<0.05	0.05	0.05	0.034	0.09	7.5	19.1	0.28	805	0.81	0.01
CC127458		0.49	33.2	3.26	2.41	<0.05	0.06	0.10	0.039	0.08	7.7	10.1	0.16	401	0.62	0.01
CC127459		0.68	35.4	3.98	2.01	0.05	0.05	0.06	0.047	0.07	5.0	8.9	0.15	268	0.61	0.01
CC127460		0.56	22.4	2.35	1.40	<0.05	0.06	0.09	0.027	0.08	5.5	5.2	0.11	201	0.42	0.01
CC127461		0.42	19.9	2.17	1.90	<0.05	0.05	0.08	0.029	0.10	5.2	7.1	0.12	120	0.45	0.01
CC127462		0.89	20.6	1.83	1.71	<0.05	0.04	0.10	0.019	0.05	6.7	7.8	0.13	254	0.43	0.01
CC127463		1.04	25.8	2.88	2.75	<0.05	0.04	0.10	0.032	0.09	6.0	16.5	0.24	340	0.45	0.01
CC127464		1.46	57.7	3.85	4.26	0.05	0.09	0.33	0.033	0.10	9.5	24.2	0.51	360	0.59	0.01
CC127465		0.87	34.3	3.14	3.55	<0.05	0.07	0.22	0.025	0.09	5.7	17.1	0.38	309	0.51	0.01
CC127466		1.09	47.4	4.05	4.45	0.06	0.06	0.17	0.032	0.07	11.1	21.7	0.47	759	0.69	0.01
CC127467		1.60	20.3	2.80	4.80	<0.05	0.06	0.37	0.025	0.05	8.8	12.4	0.42	740	0.81	0.01
CC127468		1.42	27.3	3.76	4.31	<0.05	0.04	0.05	0.033	0.09	8.4	27.4	0.35	465	0.76	0.01
CC127469		1.08	26.8	3.79	4.42	<0.05	0.03	0.04	0.031	0.09	9.4	24.3	0.37	426	0.75	0.01
CC127470		0.51	20.0	2.81	2.43	0.06	0.06	0.06	0.038	0.07	13.1	9.2	0.15	363	0.40	0.01
CC127471		0.96	32.3	4.09	3.97	0.07	0.07	0.05	0.041	0.07	14.0	25.6	0.39	480	0.52	0.01
CC127472		0.81	41.5	4.66	1.26	<0.05	<0.02	<0.01	0.036	0.10	2.3	2.3	0.06	506	0.42	<0.01
CC127473		1.38	31.1	3.64	1.08	0.06	0.06	0.04	0.032	0.06	12.5	3.1	0.07	280	1.02	0.01
CC127474		1.84	37.6	4.55	5.33	<0.05	0.04	0.01	0.037	0.08	9.8	29.6	0.44	850	0.86	0.01
CC127475		1.57	51.7	3.58	1.99	0.05	0.06	0.07	0.041	0.09	7.3	5.8	0.07	387	0.17	0.01
CC127476		1.31	38.2	3.88	3.14	0.10	0.10	0.04	0.043	0.06	22.7	27.7	0.34	921	0.63	0.01
CC127477		1.40	45.6	4.84	5.64	0.06	0.06	0.04	0.041	0.10	9.0	40.1	0.63	970	0.85	0.01
CC127478		1.40	50.8	4.99	4.97	0.07	0.08	0.04	0.047	0.08	9.8	38.2	0.59	983	0.82	0.01
CC127479		1.57	63.9	5.13	5.32	0.07	0.10	0.05	0.040	0.10	11.8	48.3	0.73	678	0.65	0.01
CC127480		1.33	61.1	5.02	4.70	0.07	0.08	0.04	0.040	0.08	10.2	39.8	0.70	861	0.62	0.01
CC127481		0.82	29.0	2.54	4.78	0.06	0.03	0.04	0.022	0.04	13.3	27.4	0.47	161	0.37	<0.01
CC127482		1.55	36.8	3.69	5.39	0.09	0.07	0.04	0.031	0.08	7.6	27.4	0.43	415	0.86	<0.01
CC127483		1.18	49.7	4.17	4.83	0.11	0.06	0.11	0.029	0.07	11.2	35.7	0.59	750	0.59	<0.01
CC127484		1.27	40.8	3.28	6.17	0.12	0.14	0.04	0.042	0.11	14.2	39.2	0.83	239	0.48	<0.01
CC127485		0.79	27.4	2.51	4.44	0.12	0.06	0.05	0.036	0.07	13.9	25.3	0.55	347	0.45	<0.01
CC127486		2.11	31.0	3.69	5.40	0.09	0.06	0.03	0.034	0.08	5.9	23.8	0.44	639	0.81	<0.01
CC127487		4.96	33.5	3.85	2.90	0.10	0.02	0.03	0.037	0.08	3.5	2.8	0.04	285	2.48	<0.01
CC127488		3.55	44.6	3.97	4.58	0.09	0.05	0.09	0.032	0.08	6.5	20.7	0.33	561	0.79	<0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 11- JUL- 2011
Account: RCM

Project: Rackla - DALE

CERTIFICATE OF ANALYSIS WH11112680

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
CC127454		0.19	36.1	670	22.3	12.0	<0.001	0.01	0.62	4.6	0.7	0.4	8.8	<0.01	0.08	2.5
CC127455		0.31	22.8	640	15.7	6.5	<0.001	0.01	0.48	3.6	1.2	0.3	13.7	<0.01	0.04	3.2
CC127456		0.33	17.2	1140	17.5	9.6	<0.001	0.08	0.37	3.1	0.8	0.5	173.5	<0.01	0.06	1.2
CC127457		0.39	21.3	850	18.8	15.9	<0.001	0.03	0.43	2.9	0.4	0.5	52.7	<0.01	0.09	1.5
CC127458		0.18	28.5	660	20.3	6.4	<0.001	0.08	0.42	3.4	1.1	0.4	109.5	<0.01	0.11	1.0
CC127459		0.10	31.1	450	24.6	6.8	<0.001	0.04	0.35	5.0	1.0	0.5	63.3	<0.01	0.05	2.3
CC127460		0.08	18.6	760	13.5	5.1	<0.001	0.11	0.24	2.1	1.1	0.3	221	<0.01	0.06	1.0
CC127461		0.17	16.6	850	12.4	6.5	<0.001	0.12	0.22	1.9	0.7	0.4	122.5	<0.01	0.04	0.8
CC127462		0.16	15.7	820	12.6	5.5	<0.001	0.12	0.27	1.1	0.9	0.3	165.5	<0.01	0.03	0.4
CC127463		0.20	22.9	500	18.6	8.4	<0.001	0.06	0.39	2.7	0.6	0.4	90.9	<0.01	0.04	0.9
CC127464		0.17	29.7	520	26.9	8.4	<0.001	0.04	0.62	6.4	0.7	0.4	67.8	<0.01	0.07	1.9
CC127465		0.17	21.3	530	21.6	8.1	<0.001	0.04	0.43	3.7	0.5	0.4	34.4	<0.01	0.04	1.7
CC127466		0.31	25.4	580	26.7	8.0	<0.001	0.02	0.52	5.8	0.8	0.4	22.8	<0.01	0.05	2.3
CC127467		0.59	16.3	1500	61.9	8.1	<0.001	0.11	0.64	2.9	0.6	0.5	24.6	<0.01	0.04	1.0
CC127468		0.38	23.8	450	23.4	13.1	<0.001	0.02	0.40	3.9	0.4	0.5	34.4	<0.01	0.04	2.4
CC127469		0.32	22.0	370	24.4	11.0	<0.001	0.01	0.40	3.4	0.4	0.5	15.0	<0.01	0.03	2.3
CC127470		0.22	15.9	990	16.8	6.9	<0.001	0.08	0.24	3.6	1.0	0.4	189.5	<0.01	0.06	1.3
CC127471		0.21	29.1	740	26.5	7.6	<0.001	0.06	0.40	6.4	1.2	0.5	84.3	<0.01	0.04	2.5
CC127472		<0.05	30.7	300	32.8	6.1	<0.001	<0.01	0.40	4.4	0.3	0.4	18.6	<0.01	0.06	1.4
CC127473		0.06	31.4	590	22.0	6.2	<0.001	0.05	0.39	4.2	1.3	0.3	88.1	<0.01	0.06	2.3
CC127474		0.29	30.3	610	22.7	11.7	<0.001	0.01	0.47	4.6	0.5	0.5	25.5	<0.01	0.07	2.3
CC127475		<0.05	36.1	710	25.4	6.4	<0.001	<0.01	0.36	7.7	0.8	0.5	50.6	<0.01	0.04	4.2
CC127476		0.29	54.0	810	27.1	8.1	<0.001	0.03	0.48	5.7	1.0	0.3	22.1	0.01	0.04	3.5
CC127477		0.31	31.2	740	21.9	9.2	<0.001	0.03	0.64	3.3	0.5	0.4	17.8	<0.01	0.06	1.9
CC127478		0.24	31.6	810	25.4	9.2	<0.001	0.03	0.58	3.4	0.5	0.4	9.4	<0.01	0.08	2.1
CC127479		0.13	35.7	460	23.2	9.5	<0.001	0.02	0.60	4.7	0.5	0.3	8.4	<0.01	0.08	3.6
CC127480		0.12	34.5	580	23.0	8.2	<0.001	0.02	0.55	4.1	0.6	0.3	8.6	<0.01	0.07	3.0
CC127481		0.31	21.3	530	11.3	5.2	<0.001	0.01	0.36	3.0	0.5	0.3	7.7	<0.01	0.03	1.8
CC127482		0.31	23.8	1070	15.4	11.7	<0.001	0.03	0.61	2.9	0.6	0.4	6.4	<0.01	0.07	1.5
CC127483		0.08	32.8	460	21.7	6.5	<0.001	0.01	0.63	5.6	0.6	0.3	13.7	<0.01	0.05	3.2
CC127484		0.35	42.1	950	21.6	10.2	<0.001	0.05	0.53	6.1	0.8	0.5	49.7	<0.01	0.06	3.1
CC127485		0.38	29.2	1030	18.9	7.5	<0.001	0.10	0.48	3.0	1.6	0.4	79.2	<0.01	0.04	1.1
CC127486		0.31	23.3	930	17.2	12.0	<0.001	0.05	0.55	3.7	0.5	0.5	34.0	<0.01	0.08	1.3
CC127487		0.08	32.2	1400	19.0	10.7	0.001	0.03	0.46	3.3	1.1	0.7	16.1	<0.01	0.05	1.6
CC127488		0.17	23.9	960	19.0	13.9	<0.001	0.04	0.64	4.3	0.3	0.4	10.2	<0.01	0.08	1.4

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 11- JUL- 2011
Account: RCM

Project: Rackla - DALE

CERTIFICATE OF ANALYSIS WH11112680

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
CC127454		<0.005	0.12	0.49	40	<0.05	4.58	80	2.6
CC127455		0.008	0.08	2.05	26	0.08	8.46	54	2.6
CC127456		<0.005	0.10	2.29	29	0.07	12.90	55	1.5
CC127457		0.007	0.10	0.95	41	0.07	3.87	76	1.3
CC127458		<0.005	0.12	1.25	20	<0.05	10.65	88	1.6
CC127459		<0.005	0.08	1.08	17	<0.05	12.70	77	1.3
CC127460		<0.005	0.14	2.02	13	<0.05	12.65	98	1.9
CC127461		<0.005	0.09	1.79	14	<0.05	11.45	81	1.6
CC127462		<0.005	0.09	3.13	12	<0.05	10.70	48	1.3
CC127463		<0.005	0.12	1.09	18	<0.05	9.82	61	1.4
CC127464		<0.005	0.29	1.81	33	0.06	13.10	129	2.6
CC127465		<0.005	0.21	1.24	28	<0.05	5.46	79	2.0
CC127466		0.007	0.37	1.61	40	0.09	10.85	108	1.6
CC127467		0.013	0.51	1.32	41	0.12	7.18	218	1.6
CC127468		0.007	0.18	0.97	34	0.08	5.46	78	1.1
CC127469		0.006	0.22	1.00	38	0.08	4.57	71	1.0
CC127470		<0.005	0.11	2.73	24	<0.05	20.6	106	1.7
CC127471		<0.005	0.09	1.56	26	<0.05	21.4	82	2.0
CC127472		<0.005	0.06	0.79	16	<0.05	5.16	82	<0.5
CC127473		<0.005	0.29	2.31	14	<0.05	17.45	85	1.6
CC127474		0.005	0.15	1.03	43	0.07	8.35	85	1.2
CC127475		<0.005	0.16	0.62	21	<0.05	12.60	74	3.0
CC127476		0.007	0.12	3.73	25	0.12	20.0	173	2.1
CC127477		0.007	0.10	0.65	42	0.07	4.77	88	1.6
CC127478		<0.005	0.11	0.59	41	0.05	6.12	90	1.8
CC127479		<0.005	0.10	0.54	38	<0.05	6.74	92	2.5
CC127480		<0.005	0.09	0.66	39	<0.05	6.62	88	2.0
CC127481		0.011	0.08	0.45	30	0.07	4.93	54	0.5
CC127482		0.006	0.11	0.47	36	0.08	3.38	65	1.9
CC127483		<0.005	0.09	0.70	31	<0.05	8.66	70	1.7
CC127484		0.009	0.10	4.41	27	0.05	15.55	111	3.8
CC127485		0.011	0.08	7.47	22	0.07	12.65	92	1.8
CC127486		0.006	0.14	0.63	39	0.16	3.16	67	1.7
CC127487		<0.005	0.15	0.85	30	<0.05	7.59	89	<0.5
CC127488		<0.005	0.26	0.52	37	0.06	5.16	59	1.2

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 11- JUL- 2011
Account: RCM

Project: Rackla - DALE

CERTIFICATE OF ANALYSIS WH11112680

Method	CERTIFICATE COMMENTS
ALL METHODS	NSS is non- sufficient sample.
ME- MS41	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown.
ME- MS41	Gold determinations by this method are semi- quantitative due to the small sample weight used (0.5g).

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 11- JUL- 2011
Account: RCM

CERTIFICATE WH11112681

Project: Rackla - DALE

P.O. No.:

This report is for 185 Soil samples submitted to our lab in Whitehorse, YT, Canada on 20- JUN- 2011.

The following have access to data associated with this certificate:

ROB CARNE JULIA LANE	ANDREW CARNE JOAN MARIACHER	MATT DUMALA

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
SCR- 41	Screen to - 180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- TL43	Trace Level Au - 25g AR	ICP- MS
ME- MS41	51 anal. aqua regia ICPMS	

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 11- JUL- 2011
Account: RCM

Project: Rackla - DALE

CERTIFICATE OF ANALYSIS WH11112681

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- TL43 Au ppm 0.001	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1
CC125095		0.24	0.001	0.10	1.83	14.9	<0.2	<10	230	1.08	0.29	0.21	0.23	30.4	14.8	27
CC125096		0.12	0.001	0.11	1.31	23.5	<0.2	<10	190	0.56	0.30	0.25	0.49	19.60	10.4	26
CC125097		0.20	0.001	0.11	1.48	24.9	<0.2	<10	190	1.11	0.27	0.26	0.24	22.7	14.7	21
CC125098		0.22	0.001	0.03	1.90	25.1	<0.2	<10	90	0.60	0.30	0.04	0.14	19.70	14.6	28
CC125099		0.12	0.001	0.03	1.54	31.0	<0.2	<10	100	0.46	0.29	0.07	0.15	19.20	8.4	21
CC125100		0.20	0.001	0.04	1.57	17.3	<0.2	<10	160	0.31	0.33	0.09	0.08	22.6	5.8	23
CC125101		0.16	<0.001	0.08	1.34	29.6	<0.2	<10	170	0.45	0.25	0.10	0.08	16.70	8.1	19
CC125102		0.14	0.001	0.23	1.29	240	<0.2	<10	240	0.99	0.29	1.44	0.30	23.7	11.8	20
CC125103		0.26	0.001	0.15	1.64	14.4	<0.2	<10	290	1.41	0.39	0.40	0.13	13.25	13.4	27
CC125104		0.14	<0.001	0.08	1.74	13.3	<0.2	<10	200	1.13	0.47	0.08	0.22	13.15	15.1	30
CC125105		0.12	0.001	0.05	1.76	54.7	<0.2	<10	150	0.92	0.33	0.14	0.15	21.7	17.2	26
CC125106		0.12	0.001	0.06	1.82	42.8	<0.2	<10	240	1.17	0.37	0.12	0.15	18.20	14.6	26
CC125107		0.18	<0.001	0.07	1.14	16.5	<0.2	<10	130	0.66	0.37	0.07	0.11	14.35	7.0	15
CC125108		0.18	<0.001	0.07	1.87	28.3	<0.2	<10	80	0.94	0.48	0.06	0.14	13.95	14.2	29
CC125109		0.18	0.001	0.05	1.76	22.2	<0.2	<10	100	0.78	0.36	0.05	0.16	19.80	18.0	26
CC125110		0.12	<0.001	0.03	1.44	21.5	<0.2	<10	160	0.85	0.43	0.11	0.12	13.00	14.5	24
CC125201		0.14	0.001	0.07	1.54	29.7	<0.2	<10	170	1.21	0.36	0.17	0.15	21.9	17.9	25
CC125202		0.18	0.001	0.08	1.56	24.1	<0.2	<10	180	1.19	0.38	0.26	0.13	18.35	14.8	24
CC125203		0.08	0.001	0.17	1.43	15.7	<0.2	<10	200	1.15	0.32	1.24	0.18	11.65	10.0	22
CC125204		0.14	0.001	0.11	1.29	34.8	<0.2	<10	150	1.39	0.34	0.61	0.29	15.60	13.9	21
CC125205		0.28	0.002	0.14	1.46	23.5	<0.2	<10	200	1.30	0.35	0.85	0.23	15.00	16.2	23
CC125206		0.06	0.004	0.37	0.95	29.9	<0.2	<10	130	0.74	0.22	1.48	1.18	14.80	10.8	15
CC125207		0.20	0.001	0.37	1.05	106.5	<0.2	<10	170	1.09	0.27	2.17	1.79	21.3	9.6	19
CC125208		0.28	0.001	0.05	1.55	246	<0.2	<10	250	0.92	0.29	0.38	0.28	14.40	12.1	23
CC125209		0.26	0.001	0.13	1.02	252	<0.2	<10	160	0.93	0.24	1.65	0.49	18.95	13.1	16
CC125210		0.34	0.001	0.03	1.23	3.3	<0.2	<10	200	0.80	0.35	0.11	0.04	8.61	12.7	28
CC125211		0.16	<0.001	0.05	1.45	6.0	<0.2	<10	400	1.04	0.32	0.31	0.15	12.40	15.2	30
CC125212		0.20	0.001	0.05	1.45	25.9	<0.2	<10	140	0.78	0.26	0.51	0.34	19.20	14.1	23
CC125213		0.12	0.001	0.05	1.09	57.5	<0.2	<10	160	0.78	0.27	0.59	0.67	15.40	10.2	18
CC125214		0.24	0.004	0.17	1.41	146.0	<0.2	<10	140	1.05	0.27	0.77	0.34	21.3	15.6	22
CC125215		0.16	0.005	0.14	1.15	435	<0.2	<10	130	0.74	0.21	2.68	0.29	17.40	12.7	19
CC125216		0.12	0.002	0.16	1.24	739	<0.2	<10	170	0.92	0.19	4.12	0.34	19.30	10.0	19
CC125218		0.22	0.002	0.19	1.04	176.5	<0.2	<10	150	0.76	0.19	5.25	0.33	21.9	10.3	17
CC125219		0.14	0.002	0.18	1.23	15.8	<0.2	<10	130	0.72	0.22	1.10	0.33	19.65	14.5	21
CC125220		0.10	<0.001	0.09	0.99	13.2	<0.2	<10	130	0.54	0.21	0.65	0.76	13.25	17.3	18
CC125648		0.20	<0.001	0.06	1.25	20.9	<0.2	<10	120	0.55	0.28	0.14	0.26	17.60	14.3	22
CC125649		0.16	0.001	0.05	1.20	20.9	<0.2	<10	130	0.68	0.25	0.25	0.32	16.70	17.6	22
CC125650		0.22	0.001	0.16	1.32	29.5	<0.2	<10	170	0.97	0.30	0.32	0.45	24.2	29.2	24
CC125651		0.16	0.001	0.08	1.44	16.1	<0.2	<10	190	0.71	0.23	0.24	0.14	16.00	12.2	22
CC125941		0.10	0.002	0.14	0.89	20.5	<0.2	10	250	0.63	0.16	2.67	0.34	8.20	6.9	14

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 11- JUL- 2011
Account: RCM

Project: Rackla - DALE

CERTIFICATE OF ANALYSIS WH11112681

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
CC125095		1.84	35.9	3.51	5.93	0.12	0.07	0.05	0.040	0.08	13.4	26.2	0.51	952	0.94	<0.01
CC125096		1.92	33.9	3.50	6.06	0.09	0.02	0.02	0.035	0.09	8.5	18.1	0.37	713	0.97	<0.01
CC125097		1.54	41.7	4.05	5.14	0.10	0.09	0.06	0.036	0.07	9.1	24.1	0.44	987	0.98	<0.01
CC125098		2.33	35.1	4.83	6.60	0.09	0.06	0.03	0.038	0.07	8.4	35.3	0.52	487	0.98	<0.01
CC125099		1.92	21.2	3.33	6.15	0.08	0.02	0.05	0.027	0.05	9.5	20.5	0.32	247	1.24	<0.01
CC125100		1.64	15.6	3.00	7.59	0.10	<0.02	0.04	0.022	0.06	11.3	14.0	0.28	207	1.45	<0.01
CC125101		1.65	22.9	2.82	6.15	0.09	0.02	0.12	0.031	0.05	7.6	15.9	0.23	335	1.20	<0.01
CC125102		1.22	30.1	3.30	4.28	0.12	0.06	1.10	0.034	0.08	12.1	13.5	0.40	697	0.89	<0.01
CC125103		2.62	28.8	3.47	6.86	0.10	0.06	0.08	0.035	0.13	6.2	35.9	0.47	677	0.51	<0.01
CC125104		3.37	26.5	3.92	7.56	0.09	0.05	0.03	0.034	0.15	5.6	25.7	0.34	1120	0.67	<0.01
CC125105		1.99	26.6	4.27	5.69	0.09	0.05	0.10	0.038	0.07	7.4	34.8	0.46	838	0.90	<0.01
CC125106		1.96	33.3	3.75	6.94	0.10	0.05	0.09	0.043	0.09	7.7	22.0	0.35	631	0.89	<0.01
CC125107		1.50	16.7	2.43	6.50	0.08	<0.02	0.04	0.026	0.07	6.6	7.6	0.14	180	0.99	<0.01
CC125108		1.98	29.5	4.37	8.79	0.10	0.05	0.04	0.037	0.08	6.1	25.0	0.38	669	0.94	<0.01
CC125109		2.49	39.4	4.37	6.28	0.10	0.04	0.03	0.037	0.07	8.0	30.1	0.49	789	0.95	<0.01
CC125110		2.24	28.4	4.30	7.19	0.10	0.02	0.03	0.035	0.13	5.4	22.5	0.39	498	0.74	<0.01
CC125201		2.07	43.8	4.13	5.30	0.10	0.03	0.07	0.039	0.09	7.4	31.2	0.52	705	0.93	<0.01
CC125202		1.89	36.1	3.91	5.78	0.11	0.05	0.04	0.033	0.11	6.7	31.5	0.49	519	0.71	<0.01
CC125203		1.27	31.0	2.89	5.55	0.08	0.08	0.10	0.038	0.10	5.3	22.9	0.49	401	0.59	<0.01
CC125204		1.57	31.8	3.54	4.89	0.11	0.09	0.80	0.043	0.13	6.6	21.4	0.45	274	1.12	<0.01
CC125205		1.68	44.9	3.51	5.23	0.10	0.10	0.21	0.033	0.12	6.9	25.1	0.48	712	1.06	<0.01
CC125206		0.67	31.0	2.76	3.20	0.11	0.08	0.28	0.030	0.10	6.3	13.1	0.56	464	3.12	<0.01
CC125207		1.17	37.3	3.00	3.53	0.11	0.07	0.24	0.038	0.12	10.4	15.7	1.08	250	4.46	0.01
CC125208		1.82	20.6	3.87	4.84	<0.05	0.06	0.23	0.034	0.09	6.2	25.3	0.41	648	1.30	<0.01
CC125209		2.30	34.5	3.57	3.16	0.05	0.08	0.67	0.031	0.09	7.9	16.8	0.93	849	0.54	<0.01
CC125210		2.03	25.9	3.68	4.84	0.05	0.03	0.01	0.022	0.19	3.4	18.0	0.37	315	0.31	<0.01
CC125211		1.74	25.5	3.48	6.47	<0.05	0.03	0.03	0.026	0.20	5.1	21.3	0.43	302	0.36	<0.01
CC125212		1.06	48.0	4.31	5.06	0.05	0.05	0.17	0.030	0.09	9.8	20.9	0.40	676	0.73	<0.01
CC125213		1.30	22.1	3.95	4.17	0.05	0.05	0.44	0.027	0.11	7.1	13.9	0.26	985	0.84	<0.01
CC125214		1.04	48.1	4.85	4.02	0.06	0.08	3.02	0.036	0.06	10.6	22.6	0.56	1140	1.24	<0.01
CC125215		0.94	45.3	3.55	3.16	0.05	0.06	3.34	0.029	0.06	9.2	17.4	1.38	796	1.02	<0.01
CC125216		0.83	25.6	3.38	3.27	0.05	0.07	6.32	0.028	0.07	10.4	13.6	2.23	1600	0.96	0.01
CC125218		0.91	26.7	3.10	2.95	0.05	0.06	1.87	0.025	0.07	11.1	11.3	3.20	1340	1.41	0.01
CC125219		0.90	40.0	3.53	3.55	0.05	0.05	0.11	0.030	0.07	9.0	22.5	0.51	653	0.75	<0.01
CC125220		0.84	29.7	3.39	3.45	<0.05	0.03	0.06	0.030	0.07	4.8	17.0	0.32	905	0.76	<0.01
CC125648		1.09	33.9	4.58	5.06	<0.05	0.03	0.05	0.028	0.07	6.8	21.8	0.36	895	0.97	<0.01
CC125649		1.26	40.7	4.67	4.29	<0.05	0.05	0.06	0.031	0.07	6.9	25.9	0.45	1110	0.79	<0.01
CC125650		0.96	64.6	5.24	4.16	0.06	0.10	0.10	0.043	0.08	9.1	24.5	0.52	2180	0.89	<0.01
CC125651		1.28	40.1	3.80	4.22	<0.05	0.07	0.03	0.032	0.08	6.9	22.6	0.46	571	0.71	<0.01
CC125941		0.93	33.8	2.14	2.55	<0.05	0.06	0.34	0.021	0.08	4.0	12.4	0.40	325	0.52	<0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 11- JUL- 2011
Account: RCM

Project: Rackla - DALE

CERTIFICATE OF ANALYSIS WH11112681

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
CC125095		0.45	26.5	970	18.4	13.0	<0.001	0.04	0.56	5.5	0.8	0.5	17.7	<0.01	0.06	1.8
CC125096		0.42	20.8	1160	15.8	21.0	<0.001	0.05	0.49	2.2	0.7	0.6	18.7	<0.01	0.07	0.7
CC125097		0.27	25.4	1110	19.9	12.6	<0.001	0.06	0.57	4.7	0.7	0.4	16.3	<0.01	0.08	1.6
CC125098		0.46	26.0	330	17.9	12.6	<0.001	0.01	0.59	4.7	0.8	0.5	6.6	<0.01	0.11	3.2
CC125099		0.62	16.9	260	15.8	9.5	<0.001	0.01	0.50	3.1	0.4	0.6	8.2	<0.01	0.09	2.6
CC125100		1.02	14.2	240	12.7	11.4	<0.001	0.01	0.58	2.8	0.4	0.8	9.6	<0.01	0.06	2.1
CC125101		0.41	14.0	800	14.2	13.7	<0.001	0.02	0.46	2.5	0.3	0.6	8.9	<0.01	0.07	1.0
CC125102		0.38	26.3	720	27.2	9.2	<0.001	0.07	0.54	5.2	1.4	0.6	25.6	<0.01	0.04	1.5
CC125103		0.41	26.3	540	20.5	19.1	<0.001	0.03	0.29	6.3	0.9	0.9	33.0	<0.01	0.02	3.0
CC125104		0.45	23.5	500	25.6	27.7	<0.001	0.02	0.35	4.7	0.6	1.0	10.1	<0.01	0.03	3.2
CC125105		0.58	28.5	510	29.9	12.5	<0.001	0.01	0.56	3.9	0.5	0.6	12.5	<0.01	0.04	2.7
CC125106		0.45	24.9	550	28.1	15.7	<0.001	0.02	0.48	5.3	0.4	0.9	12.5	<0.01	0.05	3.5
CC125107		0.42	13.2	440	16.1	16.5	<0.001	0.01	0.37	2.7	0.4	0.9	10.2	<0.01	0.03	1.7
CC125108		0.45	25.1	470	24.0	16.2	<0.001	0.01	0.48	4.0	0.8	1.0	9.6	<0.01	0.07	3.4
CC125109		0.38	27.8	450	19.6	14.6	<0.001	0.01	0.58	4.4	0.8	0.5	7.2	<0.01	0.08	2.9
CC125110		0.41	24.6	480	21.0	17.1	<0.001	0.01	0.43	3.6	0.4	0.8	11.3	<0.01	0.08	2.4
CC125201		0.30	33.2	370	27.5	10.5	<0.001	0.02	0.65	5.4	0.2	0.5	15.2	<0.01	0.07	3.7
CC125202		0.23	28.1	450	23.6	11.1	<0.001	0.03	0.46	5.3	0.6	0.6	26.8	<0.01	0.07	3.9
CC125203		0.39	24.5	640	16.2	10.4	<0.001	0.07	0.34	4.7	0.7	0.7	91.0	<0.01	0.04	2.2
CC125204		0.34	31.4	320	22.6	12.3	<0.001	0.03	0.56	6.8	0.8	0.7	37.7	<0.01	0.04	3.8
CC125205		0.37	29.8	380	19.7	11.1	<0.001	0.03	0.56	6.9	0.8	0.7	37.6	<0.01	0.06	3.4
CC125206		0.23	24.0	560	18.5	7.2	0.002	0.06	1.97	4.5	2.0	0.5	42.2	<0.01	0.08	2.0
CC125207		0.25	41.3	840	30.5	10.4	0.003	0.07	2.09	5.0	2.6	0.5	48.6	<0.01	0.06	2.8
CC125208		0.28	22.1	490	24.5	17.9	<0.001	0.03	0.58	4.2	0.5	0.6	18.1	<0.01	0.05	2.4
CC125209		0.17	23.8	540	24.4	12.5	<0.001	0.07	0.47	5.3	0.8	0.4	27.8	<0.01	0.06	2.0
CC125210		0.59	23.5	170	10.7	20.1	<0.001	0.01	0.31	3.7	0.4	1.0	8.4	<0.01	0.03	3.6
CC125211		0.67	26.1	320	9.8	20.7	<0.001	0.03	0.24	4.0	0.3	1.0	15.6	<0.01	0.03	2.9
CC125212		0.25	22.6	590	16.5	10.0	<0.001	0.04	0.49	5.7	0.5	0.4	22.1	<0.01	0.08	1.8
CC125213		0.47	16.9	650	20.4	11.1	<0.001	0.06	0.65	3.3	0.4	0.4	23.7	<0.01	0.07	1.2
CC125214		0.16	27.7	820	32.3	7.2	<0.001	0.06	0.68	6.8	0.9	0.4	23.1	<0.01	0.08	1.6
CC125215		0.23	23.7	720	23.9	5.6	<0.001	0.07	0.61	5.1	0.9	0.3	30.5	<0.01	0.06	1.2
CC125216		0.25	20.5	1070	30.7	5.4	<0.001	0.07	0.59	3.5	0.9	0.4	27.2	<0.01	0.06	0.9
CC125218		0.30	22.6	930	34.9	5.6	<0.001	0.07	0.67	3.4	0.9	0.4	36.7	<0.01	0.05	1.1
CC125219		0.22	23.5	710	16.7	5.7	<0.001	0.07	0.49	5.3	1.1	0.3	41.3	<0.01	0.07	1.0
CC125220		0.28	17.4	830	16.4	7.6	<0.001	0.09	0.47	3.4	0.6	0.2	35.1	<0.01	0.07	1.2
CC125648		0.31	19.5	1080	22.2	9.5	<0.001	0.07	0.61	2.5	0.5	0.3	12.0	<0.01	0.09	0.9
CC125649		0.18	23.1	980	18.6	8.0	<0.001	0.07	0.59	3.7	0.6	0.3	16.6	<0.01	0.10	1.1
CC125650		0.14	32.0	1170	31.3	6.8	<0.001	0.07	0.73	7.8	0.9	0.3	21.9	<0.01	0.10	2.0
CC125651		0.19	21.1	1140	13.7	11.2	<0.001	0.07	0.46	4.0	0.4	0.3	16.7	<0.01	0.09	1.5
CC125941		0.22	16.6	770	12.7	8.0	<0.001	0.14	0.38	2.5	0.8	0.3	72.1	<0.01	0.04	0.7

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 11- JUL- 2011
Account: RCM

Project: Rackla - DALE

CERTIFICATE OF ANALYSIS WH11112681

Sample Description	Method Analyte Units LOR	ME- MS41 Ti % 0.005	ME- MS41 Tl ppm 0.02	ME- MS41 U ppm 0.05	ME- MS41 V ppm 1	ME- MS41 W ppm 0.05	ME- MS41 Y ppm 0.05	ME- MS41 Zn ppm 2	ME- MS41 Zr ppm 0.5
CC125095		0.011	0.16	2.18	44	0.13	11.25	69	1.6
CC125096		0.014	0.09	1.44	47	0.16	3.75	106	0.5
CC125097		0.005	0.15	0.87	39	0.08	9.32	62	1.7
CC125098		0.007	0.17	0.72	47	0.09	3.06	75	1.7
CC125099		0.012	0.34	0.63	48	0.18	2.78	50	0.7
CC125100		0.026	0.29	0.59	64	0.27	2.91	47	<0.5
CC125101		0.007	0.39	0.57	47	0.15	2.51	47	<0.5
CC125102		0.008	0.62	0.91	35	0.16	14.10	79	1.6
CC125103		0.008	0.16	0.91	28	0.08	13.95	95	1.3
CC125104		0.007	0.19	0.96	33	0.09	6.25	104	1.1
CC125105		0.010	0.27	0.67	38	0.16	4.73	83	1.2
CC125106		0.005	0.34	1.05	39	0.11	7.96	74	1.5
CC125107		0.006	0.20	0.66	33	0.12	5.19	49	<0.5
CC125108		0.007	0.18	0.50	44	0.07	3.49	86	1.4
CC125109		0.007	0.15	0.52	45	0.09	3.36	79	1.0
CC125110		0.009	0.13	0.37	35	0.06	3.37	102	0.5
CC125201		0.008	0.15	0.64	36	0.07	6.22	83	1.0
CC125202		0.005	0.12	0.65	30	<0.05	8.14	82	1.4
CC125203		0.005	0.12	1.05	26	0.06	8.47	71	1.9
CC125204		0.005	0.40	0.70	25	0.07	9.07	97	2.5
CC125205		0.005	0.20	1.26	27	0.10	11.30	81	2.5
CC125206		<0.005	0.24	1.10	34	0.05	6.33	169	2.3
CC125207		0.005	0.68	1.89	75	0.15	14.00	323	2.1
CC125208		0.005	0.98	1.13	41	0.09	5.04	120	1.5
CC125209		<0.005	1.00	1.03	26	0.06	10.15	127	1.9
CC125210		0.024	0.15	0.81	31	0.14	5.15	63	0.7
CC125211		0.017	0.14	0.79	30	0.13	7.14	78	0.9
CC125212		0.007	0.20	1.08	48	0.05	9.18	64	1.3
CC125213		0.013	0.41	0.83	41	0.11	6.06	141	1.3
CC125214		0.005	1.93	1.31	38	0.09	13.80	109	2.0
CC125215		0.007	2.68	1.61	34	0.11	12.15	74	1.6
CC125216		0.007	5.55	1.24	32	0.14	11.10	94	1.5
CC125218		0.010	2.16	2.17	31	0.14	11.30	93	1.6
CC125219		0.009	0.11	0.83	32	0.06	10.45	75	1.1
CC125220		0.010	0.12	0.56	32	0.09	2.93	62	1.0
CC125648		0.012	0.11	0.52	45	0.06	3.48	77	0.6
CC125649		0.007	0.09	0.46	39	<0.05	4.73	88	1.1
CC125650		0.006	0.15	0.67	42	<0.05	11.90	99	2.4
CC125651		0.006	0.11	0.59	37	0.07	4.16	67	1.8
CC125941		0.005	0.20	0.96	19	<0.05	7.25	111	1.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 11- JUL- 2011
Account: RCM

Project: Rackla - DALE

CERTIFICATE OF ANALYSIS WH11112681

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- TL43 Au ppm 0.001	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1
CC125942		0.20	<0.001	0.04	1.13	21.1	<0.2	<10	260	0.48	0.30	0.54	0.44	12.30	9.9	17
CC125943		0.10	0.006	0.14	0.92	36.9	<0.2	<10	200	0.58	0.13	2.84	0.83	10.70	7.1	12
CC125944		0.22	0.002	0.12	1.12	89.4	<0.2	<10	120	0.74	0.19	4.22	0.55	19.00	13.2	16
CC125945		0.20	0.003	0.19	1.24	75.2	<0.2	<10	210	0.86	0.21	1.62	0.32	18.40	14.2	21
CC125946		0.26	0.002	0.22	1.28	316	<0.2	<10	200	0.85	0.18	4.99	0.95	19.40	11.9	19
CC125947		0.24	0.002	0.18	1.03	143.0	<0.2	<10	140	0.86	0.16	9.76	0.24	17.75	9.5	16
CC125948		0.26	0.001	0.09	1.31	21.0	<0.2	<10	180	0.73	0.27	0.22	0.51	16.05	16.5	23
CC125949		0.26	<0.001	0.06	0.80	13.9	<0.2	<10	80	0.56	0.29	0.03	0.20	14.10	10.3	15
CC125950		0.16	0.001	0.16	1.37	12.4	<0.2	<10	200	0.89	0.23	1.44	0.49	17.55	8.1	20
CC126535		0.22	0.001	0.07	1.93	22.2	<0.2	<10	220	0.92	0.27	0.26	0.11	24.9	16.4	30
CC126536		0.30	0.001	0.03	1.73	16.4	<0.2	<10	180	0.99	0.23	0.13	0.18	32.1	14.9	26
CC126537		0.18	0.001	0.07	1.69	19.3	<0.2	<10	190	0.94	0.23	0.26	0.20	21.6	15.8	26
CC126538		0.14	0.001	0.05	1.81	15.6	<0.2	<10	210	0.63	0.27	0.13	0.08	21.1	9.3	27
CC126539		0.22	0.004	0.07	1.87	53.4	<0.2	<10	140	0.79	0.21	0.40	0.28	43.6	13.5	49
CC126540		0.20	0.001	0.05	1.75	45.4	<0.2	<10	160	0.83	0.26	0.10	0.11	25.5	16.2	26
CC126541		0.34	0.001	0.06	1.83	39.5	<0.2	<10	180	0.83	0.27	0.15	0.15	25.8	15.6	27
CC126542		0.22	0.002	0.09	1.53	62.0	<0.2	<10	160	0.79	0.24	0.91	0.23	19.50	13.1	23
CC126543		0.30	0.004	0.16	1.36	80.7	<0.2	<10	160	0.81	0.22	0.78	0.24	17.05	12.6	21
CC126544		0.16	0.002	0.17	0.79	76.8	<0.2	<10	90	0.54	0.19	2.31	0.50	11.90	8.1	14
CC126545		0.36	0.001	0.06	1.44	39.2	<0.2	<10	220	0.85	0.34	0.13	0.21	18.40	13.3	24
CC126546		0.50	0.002	0.15	1.41	47.5	<0.2	<10	270	1.04	0.30	0.44	0.26	18.60	12.6	21
CC126547		0.34	0.002	0.09	1.48	27.3	<0.2	<10	320	1.17	0.33	0.37	0.18	15.65	12.3	24
CC126549		0.14	<0.001	0.06	1.16	5.6	<0.2	<10	230	0.69	0.33	0.16	0.10	8.73	10.9	21
CC126550		0.34	0.001	0.03	1.40	34.2	<0.2	<10	120	0.56	0.28	0.04	0.13	17.90	11.2	23
CC126551		0.32	0.003	0.13	1.49	67.1	<0.2	<10	280	1.04	0.33	0.22	0.17	20.2	14.4	25
CC126552		0.28	0.003	0.18	1.27	48.0	<0.2	<10	450	0.84	0.26	0.83	0.37	15.60	11.9	20
CC126553		0.20	0.002	0.15	1.30	30.1	<0.2	<10	290	0.97	0.30	1.09	0.32	11.70	8.2	19
CC126554		0.36	0.002	0.04	1.56	25.2	<0.2	<10	140	1.08	0.36	0.20	0.10	15.40	12.6	28
CC126556		0.12	0.002	0.32	1.20	7.5	<0.2	<10	350	1.00	0.22	2.05	0.13	11.80	6.4	14
CC126557		0.12	0.001	0.11	1.06	32.9	<0.2	<10	360	0.49	0.29	0.74	0.69	10.70	9.5	18
CC126558		0.12	0.001	0.14	0.91	36.3	<0.2	<10	310	0.49	0.17	2.10	0.24	8.36	6.2	13
CC126559		0.20	0.002	0.13	1.53	79.2	<0.2	<10	180	0.87	0.29	0.64	0.52	22.1	15.3	22
CC126560		0.16	0.002	0.13	1.07	57.6	<0.2	<10	120	0.69	0.27	2.11	0.29	20.1	14.7	16
CC126561		0.12	0.001	0.10	0.84	40.0	<0.2	<10	130	0.55	0.16	3.29	0.60	10.20	8.7	11
CC126562		0.34	0.003	0.19	1.40	119.5	<0.2	<10	140	1.04	0.23	1.24	0.38	26.3	14.8	21
CC126563		0.28	0.001	0.07	1.37	24.9	<0.2	<10	160	0.76	0.30	0.24	0.21	15.15	17.9	22
CC126564		0.38	0.001	0.04	0.75	12.6	<0.2	<10	100	0.47	0.31	0.05	0.06	11.80	8.7	13
CC126565		0.36	0.001	0.12	0.35	11.1	<0.2	<10	80	0.57	0.31	0.22	0.05	12.35	8.9	10
CC126566		0.22	0.001	0.07	1.30	13.7	<0.2	<10	230	0.58	0.30	0.35	0.24	14.30	10.7	22
CC126567		0.22	<0.001	0.05	1.39	8.4	<0.2	<10	140	0.45	0.24	0.08	0.06	16.20	4.9	20

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 11- JUL- 2011
Account: RCM

Project: Rackla - DALE

CERTIFICATE OF ANALYSIS WH11112681

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
CC125942		0.91	18.7	3.17	5.52	<0.05	0.03	0.02	0.026	0.08	5.0	9.7	0.23	515	1.99	<0.01
CC125943		0.80	26.5	1.97	2.49	<0.05	0.05	0.45	0.017	0.05	4.9	10.1	0.48	629	0.68	0.01
CC125944		1.01	34.4	3.56	3.13	0.05	0.06	1.49	0.023	0.07	8.5	19.4	2.62	1210	0.83	0.01
CC125945		1.27	53.5	4.62	3.40	0.06	0.06	2.29	0.031	0.07	8.7	18.9	0.79	1220	1.05	<0.01
CC125946		0.94	34.1	5.97	3.34	0.05	0.08	8.52	0.036	0.06	9.9	12.4	3.11	3170	1.01	0.01
CC125947		0.83	22.6	3.17	2.73	0.05	0.09	6.48	0.023	0.07	9.5	8.8	5.72	2750	2.52	0.01
CC125948		1.27	38.7	4.70	4.58	<0.05	0.03	0.07	0.034	0.07	6.4	21.7	0.41	1180	0.91	<0.01
CC125949		4.10	31.9	3.26	3.60	<0.05	0.02	0.04	0.028	0.11	5.0	7.0	0.13	668	0.60	<0.01
CC125950		1.48	24.5	3.59	3.64	<0.05	0.10	0.06	0.032	0.08	9.1	9.9	0.23	518	0.83	<0.01
CC126535		2.06	36.6	3.94	5.84	0.05	0.06	0.05	0.034	0.09	10.3	39.7	0.75	637	0.76	<0.01
CC126536		1.58	35.0	4.05	4.37	0.05	0.08	0.04	0.033	0.08	10.4	31.7	0.67	724	0.70	<0.01
CC126537		1.96	44.4	4.07	4.97	0.05	0.06	0.04	0.036	0.08	8.3	29.4	0.48	604	0.83	<0.01
CC126538		1.89	21.1	3.48	6.25	<0.05	0.03	0.03	0.030	0.06	10.0	23.1	0.44	300	1.11	<0.01
CC126539		1.39	25.7	3.20	5.98	0.07	0.10	0.07	0.032	0.06	13.5	41.0	1.52	757	0.77	<0.01
CC126540		1.35	38.2	4.11	4.78	0.05	0.05	0.11	0.030	0.06	10.7	33.4	0.59	553	0.90	<0.01
CC126541		1.88	36.8	3.91	5.50	0.05	0.04	0.17	0.031	0.07	11.1	35.0	0.57	641	1.01	<0.01
CC126542		1.16	44.4	3.81	4.38	0.05	0.09	0.37	0.028	0.07	9.6	29.2	0.78	628	0.78	<0.01
CC126543		0.94	39.9	3.62	3.72	0.05	0.06	0.62	0.027	0.06	8.8	20.8	0.52	598	0.58	<0.01
CC126544		2.37	28.8	2.94	2.20	<0.05	0.05	0.77	0.023	0.08	5.3	11.1	1.22	584	0.59	<0.01
CC126545		2.05	37.3	3.91	4.94	0.07	0.06	0.18	0.034	0.07	7.4	22.4	0.45	691	1.03	0.01
CC126546		1.94	45.4	4.03	4.41	0.09	0.08	0.29	0.037	0.08	9.4	21.6	0.49	437	0.84	0.01
CC126547		2.11	33.7	3.46	5.83	0.08	0.06	0.10	0.035	0.11	7.5	23.3	0.43	494	0.78	0.01
CC126549		1.79	28.2	2.77	6.53	0.05	0.02	0.02	0.022	0.14	3.6	11.9	0.26	399	0.45	0.01
CC126550		1.44	20.2	3.59	5.58	0.06	0.03	0.14	0.030	0.07	8.0	22.0	0.31	611	1.10	0.01
CC126551		1.68	39.2	4.25	5.09	0.08	0.08	0.85	0.032	0.10	7.5	27.7	0.48	752	1.57	0.01
CC126552		1.38	35.5	3.30	4.13	0.07	0.08	0.82	0.030	0.10	7.3	18.5	0.45	662	0.92	0.01
CC126553		1.09	32.3	2.63	4.63	0.06	0.07	0.38	0.027	0.13	6.4	14.9	0.34	351	0.60	0.01
CC126554		1.75	24.2	3.88	6.51	0.08	0.07	0.25	0.035	0.08	5.5	28.8	0.48	543	0.65	0.01
CC126556		2.09	33.2	1.73	3.66	0.06	0.10	0.18	0.022	0.09	5.5	12.4	0.43	365	0.53	0.02
CC126557		1.25	23.6	2.96	4.81	0.05	0.04	0.05	0.028	0.10	5.1	16.8	0.27	373	6.28	0.02
CC126558		0.96	23.6	2.04	2.95	<0.05	0.06	0.33	0.019	0.05	4.7	10.3	0.46	375	0.94	0.01
CC126559		0.96	34.0	4.05	5.13	0.09	0.07	1.17	0.033	0.08	9.5	23.4	0.58	1410	1.15	0.01
CC126560		1.20	46.8	3.91	3.41	0.09	0.05	0.62	0.030	0.06	8.2	20.2	1.11	1060	0.84	0.01
CC126561		0.71	31.7	2.22	2.46	0.05	0.06	0.85	0.017	0.05	5.1	12.6	1.03	1050	0.59	0.02
CC126562		1.09	43.1	4.16	4.05	0.12	0.10	4.54	0.035	0.06	13.9	16.7	0.94	1810	1.24	0.01
CC126563		1.24	41.3	4.43	4.83	0.08	0.05	0.06	0.033	0.06	5.6	26.0	0.48	1160	0.95	0.01
CC126564		3.89	23.5	2.63	3.51	0.05	<0.02	0.04	0.025	0.12	5.7	8.2	0.15	307	0.74	0.01
CC126565		2.03	30.3	2.96	1.46	0.06	0.03	0.03	0.033	0.06	5.6	4.1	0.06	152	1.25	0.01
CC126566		2.06	25.1	3.42	5.71	0.06	<0.02	0.04	0.030	0.07	6.1	14.3	0.31	912	1.24	0.01
CC126567		1.71	12.7	2.21	5.91	0.05	<0.02	0.03	0.021	0.04	7.8	13.2	0.26	198	1.03	0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 11- JUL- 2011
Account: RCM

Project: Rackla - DALE

CERTIFICATE OF ANALYSIS WH11112681

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
CC125942		0.37	13.9	400	21.6	14.8	<0.001	0.03	0.68	2.6	0.5	0.7	16.6	<0.01	0.06	1.8
CC125943		0.24	14.4	1020	16.1	5.9	<0.001	0.16	0.66	1.6	0.8	0.3	45.2	<0.01	0.04	0.4
CC125944		0.14	22.6	640	36.8	5.9	<0.001	0.06	0.86	4.4	0.6	0.3	37.4	<0.01	0.06	1.7
CC125945		0.17	26.4	740	26.4	6.3	<0.001	0.08	0.61	6.0	1.0	0.3	33.5	<0.01	0.07	1.1
CC125946		0.16	22.4	770	53.2	5.8	<0.001	0.07	0.90	5.2	0.8	0.4	36.4	<0.01	0.07	1.2
CC125947		0.19	17.5	1190	54.4	6.0	<0.001	0.07	1.67	4.6	0.8	0.4	60.2	<0.01	0.06	1.4
CC125948		0.31	22.1	1020	24.5	10.8	<0.001	0.07	0.61	2.8	0.7	0.3	15.0	<0.01	0.11	1.1
CC125949		0.20	18.1	840	12.6	17.7	<0.001	0.06	0.43	1.8	0.5	0.4	5.9	<0.01	0.09	0.5
CC125950		0.38	19.6	2140	17.6	18.2	<0.001	0.15	0.45	3.2	0.8	0.4	71.8	<0.01	0.08	1.1
CC126535		0.30	26.6	710	16.9	13.3	<0.001	0.03	0.46	3.6	0.7	0.4	18.5	<0.01	0.06	1.8
CC126536		0.27	27.5	630	18.5	8.8	<0.001	0.03	0.54	4.5	0.8	0.3	11.6	<0.01	0.07	2.0
CC126537		0.32	24.9	830	15.6	12.2	<0.001	0.06	0.49	4.7	0.6	0.4	16.1	<0.01	0.09	1.6
CC126538		0.62	17.9	740	14.8	10.3	<0.001	0.03	0.54	2.7	0.5	0.6	12.4	<0.01	0.07	1.3
CC126539		0.26	26.6	1170	30.4	11.3	<0.001	0.07	0.59	3.3	0.8	0.3	27.7	<0.01	0.04	2.3
CC126540		0.28	29.2	490	18.9	8.6	<0.001	0.03	0.62	4.1	0.5	0.4	11.0	<0.01	0.08	2.5
CC126541		0.30	27.7	560	21.5	10.4	<0.001	0.03	0.58	4.5	0.7	0.4	14.8	<0.01	0.09	2.6
CC126542		0.25	28.1	530	20.4	9.2	<0.001	0.05	0.57	4.9	0.8	0.3	18.3	<0.01	0.08	2.5
CC126543		0.23	24.1	670	20.0	6.5	<0.001	0.06	0.53	5.0	0.8	0.3	17.8	<0.01	0.06	1.4
CC126544		0.12	17.2	460	26.3	5.8	<0.001	0.11	0.45	3.5	0.6	0.2	18.9	<0.01	0.05	1.3
CC126545		0.42	25.2	890	22.0	10.3	<0.001	0.03	0.57	4.2	0.6	0.4	11.6	<0.01	0.06	2.0
CC126546		0.30	30.9	430	24.0	9.2	<0.001	0.02	0.51	8.2	0.8	0.4	19.5	<0.01	0.06	3.9
CC126547		0.43	25.7	580	21.1	13.8	<0.001	0.02	0.39	5.6	0.6	0.6	24.6	<0.01	0.04	2.9
CC126549		0.66	18.7	370	11.6	19.0	<0.001	0.01	0.20	3.0	0.3	0.8	11.9	<0.01	0.02	2.2
CC126550		0.73	18.7	310	16.9	12.5	<0.001	<0.01	0.47	3.4	0.4	0.6	8.1	<0.01	0.04	4.2
CC126551		0.35	32.0	380	26.5	10.9	<0.001	0.01	0.70	6.0	0.6	0.5	18.5	<0.01	0.05	5.3
CC126552		0.36	23.7	680	20.9	10.0	<0.001	0.06	0.47	5.4	0.8	0.4	31.3	<0.01	0.05	2.2
CC126553		0.38	20.0	640	17.7	9.7	<0.001	0.05	0.34	4.3	0.7	0.6	37.2	<0.01	0.03	2.2
CC126554		0.42	26.6	330	21.8	10.5	<0.001	0.01	0.29	5.3	0.4	0.7	14.6	<0.01	0.03	5.4
CC126556		0.25	18.7	1040	12.0	13.2	<0.001	0.13	0.36	3.4	1.0	0.5	99.1	0.01	0.03	1.9
CC126557		0.40	26.4	600	19.5	14.8	0.002	0.05	1.56	3.0	1.5	0.6	33.0	<0.01	0.04	2.0
CC126558		0.37	15.2	1030	18.1	7.5	<0.001	0.14	0.49	2.4	0.7	0.3	44.5	<0.01	0.04	0.8
CC126559		0.42	26.7	410	33.4	8.8	<0.001	0.02	0.75	6.1	0.6	0.4	14.2	<0.01	0.06	3.7
CC126560		0.21	25.0	530	35.5	6.4	<0.001	0.05	1.30	6.6	0.7	0.2	39.5	<0.01	0.05	1.9
CC126561		0.23	16.7	1090	19.4	6.0	<0.001	0.14	0.54	2.0	1.0	0.2	39.9	<0.01	0.04	0.6
CC126562		0.27	29.0	450	30.0	7.1	<0.001	0.03	0.78	10.8	0.9	0.3	15.2	0.01	0.07	3.6
CC126563		0.35	24.6	990	22.4	9.6	<0.001	0.04	0.53	4.0	0.4	0.3	12.9	<0.01	0.06	1.6
CC126564		0.41	15.7	240	18.4	14.8	<0.001	0.01	0.38	2.8	0.3	0.4	9.1	<0.01	0.05	2.2
CC126565		0.10	22.8	200	23.3	5.9	<0.001	0.01	0.31	3.8	0.6	0.3	15.5	<0.01	0.05	3.3
CC126566		0.30	16.7	1520	17.4	13.0	<0.001	0.07	0.58	1.2	0.5	0.5	21.8	<0.01	0.05	0.2
CC126567		0.44	11.5	1040	9.6	9.0	<0.001	0.05	0.38	0.9	0.5	0.6	9.1	<0.01	0.03	0.2

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 11- JUL- 2011
Account: RCM

Project: Rackla - DALE

CERTIFICATE OF ANALYSIS WH11112681

Sample Description	Method Analyte Units LOR	ME- MS41 Ti % 0.005	ME- MS41 Tl ppm 0.02	ME- MS41 U ppm 0.05	ME- MS41 V ppm 1	ME- MS41 W ppm 0.05	ME- MS41 Y ppm 0.05	ME- MS41 Zn ppm 2	ME- MS41 Zr ppm 0.5
CC125942		0.007	0.17	0.63	54	0.10	2.87	105	0.7
CC125943		0.007	0.59	1.59	20	0.05	5.90	134	1.3
CC125944		0.005	0.94	0.98	26	0.08	8.66	207	1.9
CC125945		0.006	2.85	1.12	35	0.08	12.50	122	1.5
CC125946		0.007	6.32	0.95	37	0.15	13.90	367	1.9
CC125947		0.006	5.32	1.37	29	0.20	13.85	87	2.3
CC125948		0.011	0.15	0.55	42	0.09	3.19	108	0.8
CC125949		0.008	0.12	0.55	32	0.05	2.93	63	<0.5
CC125950		0.008	0.16	2.82	37	0.06	12.85	136	2.3
CC126535		0.009	0.15	1.08	45	0.06	3.97	70	1.7
CC126536		0.009	0.11	1.22	38	0.09	7.72	104	1.9
CC126537		0.007	0.13	1.20	46	0.08	5.45	79	1.3
CC126538		0.017	0.16	0.83	56	0.17	3.25	63	0.7
CC126539		0.012	0.09	4.36	45	0.06	7.24	125	2.3
CC126540		0.009	0.26	0.74	43	0.08	5.07	81	1.2
CC126541		0.008	0.32	0.77	45	0.09	5.28	81	1.3
CC126542		0.006	0.49	0.67	37	0.06	7.23	111	2.4
CC126543		0.008	0.50	1.01	35	0.06	9.41	90	1.7
CC126544		0.005	0.95	1.06	24	0.08	6.24	114	1.4
CC126545		0.012	0.27	0.93	40	0.17	7.91	93	1.7
CC126546		0.006	0.31	1.16	33	0.09	15.40	105	2.7
CC126547		0.007	0.20	0.98	33	0.11	11.00	75	1.8
CC126549		0.015	0.13	0.47	28	0.10	4.80	64	0.5
CC126550		0.013	0.32	0.66	43	0.17	3.49	84	1.3
CC126551		0.008	0.52	0.92	38	0.12	8.62	113	2.8
CC126552		0.006	0.53	1.40	32	0.16	10.75	104	2.6
CC126553		<0.005	0.34	1.36	27	0.08	9.34	102	2.2
CC126554		0.008	0.29	0.82	30	0.07	7.13	85	2.1
CC126556		<0.005	0.15	0.82	15	0.05	18.80	48	2.8
CC126557		0.006	0.33	1.31	92	0.16	4.47	223	1.3
CC126558		0.008	0.47	1.41	24	0.08	5.72	127	2.0
CC126559		0.008	0.90	1.02	36	0.14	10.20	146	2.4
CC126560		0.005	0.37	1.35	27	0.09	11.70	91	1.7
CC126561		0.006	0.52	1.94	18	0.08	7.14	119	2.2
CC126562		0.005	2.96	1.09	36	0.16	18.55	130	2.5
CC126563		0.009	0.16	0.51	40	0.09	4.56	70	1.5
CC126564		0.010	0.17	0.51	29	0.07	2.99	53	0.6
CC126565		<0.005	0.12	0.92	16	<0.05	6.95	70	1.2
CC126566		0.010	0.15	0.73	48	0.18	3.28	76	<0.5
CC126567		0.012	0.20	0.67	42	0.19	2.87	33	<0.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 11- JUL- 2011
Account: RCM

Project: Rackla - DALE

CERTIFICATE OF ANALYSIS WH11112681

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- TL43 Au ppm 0.001	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1
CC126568		0.36	0.001	0.04	1.60	17.5	<0.2	<10	150	0.73	0.30	0.10	0.10	21.1	14.2	26
CC126569		0.24	0.002	0.10	1.82	17.7	<0.2	<10	150	1.12	0.24	0.28	0.26	48.6	13.1	28
CC126570		0.34	0.001	0.05	1.81	14.5	<0.2	<10	210	0.95	0.27	0.24	0.13	26.0	14.0	27
CC126611		0.16	0.001	0.05	1.58	15.0	<0.2	<10	220	0.64	0.29	0.25	0.08	16.65	9.8	22
CC126612		0.22	NSS	0.05	1.33	16.4	<0.2	<10	100	0.48	0.30	0.03	0.12	13.85	11.0	24
CC126613		0.18	NSS	0.05	1.09	14.3	<0.2	<10	90	0.29	0.27	0.05	0.27	18.45	6.5	22
CC126614		0.26	<0.001	0.04	1.50	18.9	<0.2	<10	90	0.64	0.25	0.09	0.19	25.2	14.7	29
CC126615		0.26	<0.001	0.05	1.71	33.0	<0.2	<10	120	0.69	0.27	0.05	0.24	24.8	15.5	25
CC126616		0.28	<0.001	0.08	1.33	74.2	<0.2	<10	160	0.54	0.27	0.15	0.24	16.10	12.1	22
CC126617		0.26	0.001	0.22	1.58	117.0	<0.2	<10	190	0.84	0.28	0.56	0.21	23.0	13.7	25
CC126618		0.24	<0.001	0.07	1.44	58.1	<0.2	<10	180	0.73	0.28	0.23	0.19	19.95	13.0	22
CC126619		0.20	<0.001	0.05	1.45	29.5	<0.2	<10	300	0.78	0.27	0.26	0.14	17.60	11.3	23
CC126620		0.38	0.001	0.11	1.49	61.6	<0.2	<10	120	1.03	0.37	0.06	0.20	20.3	18.1	24
CC126621		0.30	<0.001	0.02	1.32	44.3	<0.2	<10	60	0.48	0.32	0.03	0.17	16.15	16.2	25
CC126622		0.22	<0.001	0.13	1.28	25.0	<0.2	<10	70	0.42	0.28	0.04	0.22	17.60	10.5	22
CC126623		0.22	<0.001	0.09	1.76	36.5	<0.2	<10	130	0.80	0.24	0.07	0.28	27.2	14.3	28
CC126624		0.30	<0.001	0.05	1.62	29.0	<0.2	<10	130	0.55	0.32	0.05	0.15	23.8	11.1	26
CC126625		0.36	<0.001	0.12	1.65	31.0	<0.2	<10	170	0.67	0.31	0.07	0.17	17.45	13.9	26
CC126626		0.34	<0.001	0.08	1.70	52.0	<0.2	<10	250	0.91	0.28	0.11	0.15	23.6	20.9	28
CC126627		0.30	<0.001	0.09	1.98	17.6	<0.2	<10	220	1.12	0.42	0.19	0.30	16.80	15.1	32
CC126628		0.28	NSS	0.16	1.47	70.4	<0.2	<10	200	1.14	0.38	1.35	0.22	17.85	15.3	25
CC126629		0.30	<0.001	0.15	1.46	54.8	<0.2	<10	200	0.95	0.29	1.12	0.17	15.45	12.0	25
CC126630		0.10	NSS	0.13	1.08	25.6	<0.2	10	250	0.83	0.19	2.19	0.30	11.80	8.4	17
CC126631		0.30	0.001	0.12	1.62	8.7	<0.2	<10	260	0.97	0.16	0.94	0.16	38.6	9.3	39
CC126632		0.22	<0.001	0.12	1.33	22.5	<0.2	<10	240	0.90	0.23	0.75	0.30	29.1	13.0	24
CC126633		0.24	NSS	0.13	1.49	12.5	<0.2	<10	180	0.88	0.17	0.86	0.24	38.3	11.3	30
CC126634		0.20	<0.001	0.21	1.03	15.7	<0.2	<10	190	0.86	0.16	1.86	0.43	41.1	9.4	19
CC126635		0.28	<0.001	0.07	1.70	13.5	<0.2	<10	270	0.67	0.25	0.68	0.18	20.2	10.7	26
CC126636		0.24	<0.001	0.05	1.67	17.6	<0.2	<10	180	0.57	0.27	0.11	0.18	20.3	15.6	27
CC126637		0.28	NSS	0.06	1.37	23.5	<0.2	<10	100	0.52	0.24	0.26	0.17	16.10	16.5	26
CC126638		0.22	0.004	0.26	0.85	9.4	<0.2	<10	120	0.81	0.21	3.76	0.26	19.50	10.6	12
CC126639		0.28	NSS	0.23	0.71	15.5	<0.2	<10	160	0.95	0.29	0.67	0.11	23.8	18.6	13
CC126640		0.38	<0.001	0.03	0.25	14.7	<0.2	<10	120	0.66	0.37	0.05	0.03	13.25	13.0	6
CC126641		0.34	<0.001	0.08	0.45	18.8	<0.2	<10	150	0.47	0.34	0.19	0.18	8.05	13.6	10
CC126642		0.42	<0.001	0.14	0.33	741	<0.2	<10	90	0.43	0.12	10.75	1.08	13.80	5.6	8
CC126643		0.24	0.001	0.28	1.09	1030	<0.2	<10	190	1.08	0.16	6.34	2.92	25.0	9.3	16
CC126644		0.26	0.001	0.21	1.39	132.5	<0.2	<10	190	1.12	0.19	3.72	1.07	22.0	9.3	20
CC126645		0.26	0.001	0.16	1.36	122.5	<0.2	<10	190	1.06	0.18	4.66	0.42	21.0	10.6	19
CC126646		0.36	0.002	0.16	1.31	81.0	<0.2	<10	100	0.88	0.24	0.86	0.31	24.0	15.2	22
CC126647		0.26	0.001	0.17	1.63	51.5	<0.2	<10	220	0.90	0.23	1.01	0.44	20.9	12.3	25

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 11- JUL- 2011
Account: RCM

Project: Rackla - DALE

CERTIFICATE OF ANALYSIS WH11112681

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
CC126568		1.62	38.9	4.00	5.01	0.07	0.05	0.05	0.034	0.07	8.4	35.9	0.67	690	1.02	0.01
CC126569		2.78	38.2	3.52	5.27	0.09	0.08	0.07	0.035	0.08	13.1	38.9	0.82	492	0.73	0.01
CC126570		1.92	35.2	3.79	5.59	0.08	0.08	0.03	0.036	0.09	9.5	36.3	0.62	554	0.65	0.01
CC126611		2.27	28.5	3.45	5.94	0.06	0.05	0.05	0.032	0.08	7.2	24.5	0.38	436	0.90	0.01
CC126612		1.48	34.9	4.65	6.37	0.07	0.02	0.04	0.031	0.06	6.3	17.4	0.35	667	0.98	0.01
CC126613		1.36	19.0	3.43	6.17	0.06	<0.02	0.03	0.026	0.04	8.5	13.7	0.18	339	1.48	0.01
CC126614		1.53	42.9	3.40	5.21	0.07	0.06	0.05	0.032	0.05	9.1	32.8	0.70	635	0.76	0.01
CC126615		1.83	35.9	4.61	5.61	0.07	0.03	0.07	0.038	0.06	7.8	26.3	0.40	817	1.16	0.01
CC126616		1.53	24.9	3.60	5.06	0.06	0.02	0.25	0.027	0.07	7.0	19.7	0.37	1460	0.95	0.01
CC126617		1.45	40.7	4.02	4.92	0.10	0.07	1.50	0.033	0.07	12.0	21.2	0.57	977	1.14	0.01
CC126618		1.66	37.7	4.10	4.54	0.07	0.06	0.41	0.030	0.06	7.8	23.1	0.47	742	1.03	0.01
CC126619		1.85	28.3	3.49	5.49	0.07	0.04	0.05	0.031	0.06	7.6	19.7	0.41	621	1.01	0.01
CC126620		1.88	44.0	4.21	4.92	0.07	0.06	0.16	0.038	0.08	7.4	28.9	0.42	876	0.92	0.01
CC126621		2.07	51.5	5.21	5.60	0.08	0.03	0.07	0.037	0.07	6.5	17.6	0.35	931	1.02	0.01
CC126622		1.72	35.6	4.01	5.73	0.06	0.02	0.04	0.032	0.07	8.0	19.7	0.35	329	1.14	0.01
CC126623		2.21	45.1	4.29	5.29	0.07	0.06	0.08	0.043	0.09	9.7	28.4	0.48	620	1.17	<0.01
CC126624		2.20	25.8	3.82	6.22	0.06	<0.02	0.02	0.036	0.09	11.4	22.8	0.39	477	1.17	<0.01
CC126625		2.23	28.3	4.04	6.53	0.06	0.02	0.04	0.038	0.11	8.0	22.2	0.37	575	0.93	<0.01
CC126626		2.11	39.4	4.71	5.15	0.07	0.04	0.36	0.045	0.11	9.7	29.6	0.48	1120	1.10	<0.01
CC126627		1.95	38.0	4.40	7.97	0.07	0.04	0.08	0.046	0.13	7.1	30.9	0.55	727	0.55	<0.01
CC126628		1.70	41.2	3.99	5.05	0.08	0.09	2.05	0.038	0.12	8.4	22.5	0.87	764	1.00	0.01
CC126629		1.85	38.1	3.72	4.98	0.07	0.09	0.64	0.037	0.11	8.3	22.6	0.68	421	0.83	<0.01
CC126630		1.44	41.1	2.41	3.29	0.05	0.08	0.36	0.026	0.09	6.3	17.5	0.50	218	0.68	<0.01
CC126631		12.55	29.4	2.39	5.31	0.09	0.13	0.07	0.030	0.12	21.9	47.8	1.48	232	0.79	<0.01
CC126632		3.71	41.4	3.34	3.98	0.07	0.12	0.09	0.035	0.09	15.2	24.5	0.43	530	1.07	<0.01
CC126633		11.85	28.0	3.07	4.85	0.08	0.07	0.12	0.033	0.10	17.9	36.1	0.88	561	0.89	<0.01
CC126634		4.65	25.4	2.38	2.98	0.06	0.06	0.13	0.030	0.09	22.0	21.8	0.46	551	1.18	<0.01
CC126635		1.78	24.0	3.31	6.00	0.06	0.03	0.03	0.033	0.06	9.0	20.8	0.43	584	1.30	<0.01
CC126636		1.75	47.9	5.52	5.30	0.07	0.03	0.05	0.040	0.07	7.5	29.2	0.56	572	0.84	<0.01
CC126637		2.08	55.6	4.75	4.92	0.07	0.02	0.05	0.037	0.09	6.4	23.0	0.49	467	1.16	<0.01
CC126638		0.55	35.5	2.96	2.27	0.07	0.11	0.07	0.035	0.10	9.1	10.4	0.21	271	0.57	0.01
CC126639		2.87	39.4	4.93	1.93	0.08	0.08	0.05	0.033	0.08	8.0	10.4	0.16	518	0.63	<0.01
CC126640		4.16	37.4	3.68	1.06	0.06	<0.02	0.03	0.032	0.13	6.2	1.5	0.05	388	0.36	<0.01
CC126641		6.47	31.0	3.33	1.97	0.05	0.02	0.03	0.028	0.17	3.5	2.2	0.06	666	0.49	<0.01
CC126642		1.88	11.3	4.74	1.35	0.07	0.05	49.8	0.017	0.05	5.7	3.2	6.25	2630	0.43	0.01
CC126643		0.86	20.0	3.88	3.01	0.07	0.05	18.95	0.025	0.05	14.0	11.2	3.76	5280	2.91	0.01
CC126644		1.09	18.7	3.64	3.59	0.06	0.05	2.22	0.027	0.06	12.6	16.0	1.63	3380	1.26	0.01
CC126645		1.27	26.1	3.53	3.71	0.06	0.06	1.40	0.030	0.06	11.5	19.4	2.61	2110	0.98	0.01
CC126646		0.81	47.6	4.51	4.12	0.09	0.08	1.19	0.038	0.07	11.3	33.4	0.88	891	0.98	<0.01
CC126647		1.45	39.3	3.67	4.77	0.06	0.06	0.70	0.033	0.08	10.6	25.7	0.54	664	0.97	<0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 11- JUL- 2011
Account: RCM

Project: Rackla - DALE

CERTIFICATE OF ANALYSIS WH11112681

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
CC126568		0.27	25.4	900	20.6	10.6	<0.001	0.03	0.57	3.4	0.6	0.3	10.9	<0.01	0.05	2.1
CC126569		0.31	33.0	660	17.9	11.5	<0.001	0.03	0.39	4.5	0.8	0.3	18.8	<0.01	0.04	2.7
CC126570		0.36	27.6	820	16.9	11.6	<0.001	0.04	0.40	5.4	0.6	0.4	16.9	<0.01	0.05	2.5
CC126611		0.44	18.2	1120	15.1	13.5	<0.001	0.05	0.45	3.0	0.4	0.5	16.6	<0.01	0.06	1.4
CC126612		0.45	17.6	1040	18.5	11.5	<0.001	0.05	0.49	2.3	0.5	0.4	5.9	<0.01	0.06	0.9
CC126613		0.85	12.5	490	15.6	8.7	<0.001	0.02	0.57	2.1	0.5	0.6	6.9	<0.01	0.05	1.2
CC126614		0.28	29.3	590	18.7	7.9	<0.001	0.01	0.46	3.7	0.4	0.3	10.2	<0.01	0.05	3.1
CC126615		0.58	25.6	600	20.9	9.7	<0.001	0.02	0.53	4.2	0.6	0.4	7.9	<0.01	0.07	2.4
CC126616		0.27	17.1	1310	21.9	19.6	<0.001	0.06	0.47	1.7	0.5	0.4	12.9	<0.01	0.06	0.5
CC126617		0.39	30.3	610	34.5	9.4	<0.001	0.03	0.60	6.3	0.7	0.4	15.6	<0.01	0.06	2.7
CC126618		0.34	24.6	610	23.1	8.4	<0.001	0.02	0.51	5.0	0.5	0.4	11.5	<0.01	0.05	2.5
CC126619		0.54	21.7	830	15.9	12.4	<0.001	0.03	0.48	3.6	0.5	0.5	16.1	<0.01	0.05	1.6
CC126620		0.37	30.4	450	29.8	10.2	<0.001	0.02	0.49	5.4	0.5	0.5	10.6	<0.01	0.05	4.8
CC126621		0.34	24.5	440	20.7	11.5	<0.001	0.01	0.54	5.2	0.5	0.4	6.7	<0.01	0.08	2.9
CC126622		0.46	19.9	350	13.0	13.2	<0.001	0.01	0.60	3.7	0.4	0.5	8.1	<0.01	0.08	2.6
CC126623		0.50	29.7	630	18.5	12.2	<0.001	0.03	0.50	6.3	0.7	0.5	10.1	<0.01	0.06	2.9
CC126624		0.93	19.3	330	15.5	17.9	<0.001	0.01	0.39	3.9	0.4	0.7	9.2	<0.01	0.06	3.0
CC126625		0.64	20.3	300	21.0	15.2	<0.001	0.01	0.33	4.7	0.4	0.8	12.8	<0.01	0.06	3.8
CC126626		0.47	28.7	400	23.5	13.7	<0.001	0.01	0.40	7.3	0.6	0.5	13.0	<0.01	0.07	4.2
CC126627		0.41	31.2	450	17.5	14.6	<0.001	0.02	0.15	6.0	0.4	0.9	18.7	<0.01	0.05	4.0
CC126628		0.41	31.1	600	33.1	10.4	<0.001	0.05	0.40	6.9	0.7	0.6	22.5	<0.01	0.05	4.0
CC126629		0.41	28.7	500	25.2	11.5	<0.001	0.04	0.37	7.1	0.7	0.6	28.2	<0.01	0.05	3.5
CC126630		0.36	20.8	830	14.2	9.3	<0.001	0.13	0.33	4.8	0.9	0.4	56.6	<0.01	0.04	1.4
CC126631		0.57	22.5	770	13.5	14.9	<0.001	0.07	0.22	5.7	1.2	0.4	44.7	<0.01	0.03	2.5
CC126632		0.34	26.7	750	20.1	10.6	<0.001	0.06	0.43	4.9	1.0	0.4	37.8	<0.01	0.06	1.9
CC126633		0.51	21.5	930	14.3	15.7	<0.001	0.06	0.31	4.7	1.0	0.4	47.9	<0.01	0.04	1.8
CC126634		0.33	19.3	1370	18.7	10.0	<0.001	0.14	0.34	2.1	1.3	0.3	112.0	0.01	0.04	0.7
CC126635		0.68	20.5	1210	14.4	11.6	<0.001	0.06	0.47	3.0	0.5	0.5	45.9	0.01	0.05	0.9
CC126636		0.34	25.1	780	23.0	11.7	<0.001	0.03	0.41	4.3	0.5	0.3	10.2	<0.01	0.08	1.9
CC126637		0.43	27.1	730	16.1	11.4	<0.001	0.04	0.46	4.1	0.5	0.4	15.6	<0.01	0.09	1.2
CC126638		0.22	24.9	920	16.7	6.6	<0.001	0.11	0.22	4.4	1.1	0.4	146.5	0.01	0.07	1.7
CC126639		0.20	37.9	770	41.5	9.1	<0.001	0.05	0.53	5.2	0.8	0.2	22.2	0.01	0.04	2.2
CC126640		0.08	26.0	340	23.9	8.7	<0.001	0.02	0.14	3.8	0.2	0.3	11.0	<0.01	0.05	3.0
CC126641		0.13	24.8	800	26.9	17.3	<0.001	0.04	0.24	2.3	0.3	0.3	12.3	<0.01	0.06	0.6
CC126642		0.18	11.3	840	76.3	4.4	<0.001	0.06	0.36	3.5	0.7	0.3	70.3	<0.01	0.02	1.8
CC126643		0.26	18.4	1670	50.8	6.5	<0.001	0.09	1.36	2.6	0.9	0.3	60.7	0.01	0.07	0.6
CC126644		0.53	19.1	1630	39.2	7.9	<0.001	0.10	0.90	2.9	0.9	0.4	37.0	0.01	0.08	0.9
CC126645		0.39	20.2	1170	36.3	8.2	<0.001	0.07	0.63	3.9	0.8	0.4	33.1	<0.01	0.07	1.0
CC126646		0.22	29.6	440	35.1	6.1	<0.001	0.03	0.70	7.8	0.6	0.3	15.6	<0.01	0.08	3.5
CC126647		0.55	23.6	810	29.3	9.5	<0.001	0.06	0.73	5.1	0.7	0.5	25.7	<0.01	0.08	1.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 11- JUL- 2011
Account: RCM

Project: Rackla - DALE

CERTIFICATE OF ANALYSIS WH11112681

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
CC126568		0.007	0.12	0.71	39	0.07	4.48	69	1.7
CC126569		0.007	0.17	3.14	33	0.06	9.69	72	2.4
CC126570		0.007	0.13	1.84	38	0.08	9.90	81	2.4
CC126611		0.008	0.17	1.60	44	0.11	4.12	58	1.5
CC126612		0.009	0.14	0.63	48	0.08	3.09	62	0.8
CC126613		0.019	0.15	0.80	50	0.18	2.44	47	<0.5
CC126614		0.007	0.15	2.04	36	0.07	4.85	76	1.9
CC126615		0.010	0.32	0.76	47	0.13	4.94	67	1.4
CC126616		0.013	0.87	0.85	41	0.16	3.60	108	<0.5
CC126617		0.009	1.35	1.47	42	0.15	13.10	86	2.2
CC126618		0.008	0.57	1.19	38	0.11	6.87	88	1.9
CC126619		0.012	0.20	0.69	45	0.16	7.39	70	1.1
CC126620		0.007	0.25	0.79	34	0.15	6.87	95	2.0
CC126621		0.006	0.19	0.46	51	0.08	3.91	92	1.4
CC126622		0.010	0.15	0.45	52	0.09	2.91	82	0.8
CC126623		0.008	0.22	0.73	49	0.12	8.79	101	1.7
CC126624		0.018	0.19	0.63	58	0.18	3.78	77	<0.5
CC126625		0.010	0.19	0.60	50	0.12	4.35	84	1.0
CC126626		0.007	0.30	1.02	47	0.14	8.92	91	1.2
CC126627		0.005	0.14	0.64	33	0.06	8.83	100	1.3
CC126628		0.006	0.59	1.13	30	0.15	13.45	108	3.1
CC126629		0.006	0.52	1.03	31	0.10	12.90	124	2.8
CC126630		0.005	0.26	1.11	22	0.09	11.10	82	2.4
CC126631		0.018	0.23	3.15	38	0.07	14.05	83	4.4
CC126632		0.007	0.30	5.56	39	0.13	11.15	98	3.6
CC126633		0.012	0.38	2.99	41	0.09	11.05	76	2.0
CC126634		0.008	0.19	7.49	29	0.08	14.20	112	1.8
CC126635		0.016	0.13	0.79	54	0.19	4.75	67	1.0
CC126636		0.007	0.12	0.48	48	0.06	3.67	80	1.0
CC126637		0.010	0.11	0.46	53	0.09	3.42	89	0.7
CC126638		<0.005	0.15	1.74	20	0.05	20.3	94	3.5
CC126639		0.005	0.15	1.16	20	0.06	18.85	136	2.5
CC126640		<0.005	0.31	0.68	11	<0.05	5.86	86	0.5
CC126641		<0.005	0.22	0.58	19	<0.05	3.36	96	0.5
CC126642		<0.005	8.30	1.50	10	0.68	8.26	520	1.7
CC126643		0.010	5.41	2.88	26	0.73	17.90	503	1.4
CC126644		0.016	2.89	2.49	34	0.28	12.90	330	1.6
CC126645		0.009	1.33	1.67	33	0.21	13.05	105	1.7
CC126646		0.005	0.61	1.09	33	0.12	10.70	142	3.1
CC126647		0.012	0.58	1.18	42	0.15	9.69	108	1.7

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 11- JUL- 2011
Account: RCM

Project: Rackla - DALE

CERTIFICATE OF ANALYSIS WH11112681

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- TL43 Au ppm 0.001	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1
CC126648		0.34	0.002	0.07	1.43	33.3	<0.2	<10	190	0.82	0.23	0.53	0.14	18.85	12.5	22
CC126649		0.30	0.001	0.16	0.89	55.7	<0.2	<10	90	0.66	0.17	7.97	0.66	19.10	10.9	14
CC126650		0.22	0.002	0.21	1.19	70.9	<0.2	<10	200	0.86	0.22	1.57	0.68	19.10	11.5	19
CC126651		0.20	0.003	0.26	0.82	110.5	<0.2	<10	210	0.76	0.20	4.06	0.65	16.35	9.2	14
CC126652		0.40	0.001	0.19	0.93	190.0	<0.2	<10	120	0.72	0.17	5.79	0.60	21.1	10.1	16
CC126653		0.18	<0.001	0.11	1.16	46.5	<0.2	<10	80	0.54	0.26	0.07	0.25	16.60	8.8	19
CC126654		0.22	0.001	0.19	1.09	14.8	<0.2	10	150	0.96	0.25	1.25	0.47	17.55	12.2	18
CC126655		0.28	<0.001	0.11	0.76	39.8	<0.2	<10	180	0.82	0.27	0.78	0.15	11.65	8.3	13
CC126656		0.22	0.002	0.15	1.46	17.9	<0.2	<10	210	0.93	0.23	0.84	0.19	25.1	11.7	22
CC126657		0.18	<0.001	0.11	0.70	33.2	<0.2	<10	200	0.57	0.14	2.18	0.19	7.87	5.6	9
CC126658		0.30	<0.001	0.11	0.66	15.6	<0.2	<10	160	0.77	0.28	0.76	0.07	6.93	5.5	9
CC126659		0.30	<0.001	0.06	0.36	12.9	<0.2	<10	70	0.62	0.45	0.09	0.03	6.81	13.4	8
CC126660		0.34	<0.001	0.03	0.35	9.2	<0.2	<10	110	0.67	0.41	0.09	0.01	5.18	11.8	7
CC126661		0.34	<0.001	0.03	0.36	8.1	<0.2	<10	110	0.63	0.47	0.07	0.02	7.19	13.5	7
CC126662		0.28	0.001	0.22	0.41	10.9	<0.2	<10	150	0.64	0.23	2.36	0.22	17.65	8.6	9
CC126663		0.24	0.001	0.17	0.65	9.9	<0.2	<10	160	0.73	0.22	2.26	0.15	17.75	8.0	11
CC126664		0.24	0.001	0.14	0.97	11.5	<0.2	<10	180	0.76	0.34	1.31	0.19	20.2	13.1	17
CC126665		0.22	<0.001	0.12	0.87	9.5	<0.2	<10	150	0.45	0.27	1.56	0.31	13.85	9.9	15
CC126666		0.38	0.001	0.09	1.65	19.5	<0.2	<10	140	0.85	0.34	0.16	0.20	30.6	19.0	24
CC126667		0.36	0.003	0.20	1.36	16.0	<0.2	<10	150	0.88	0.33	1.05	0.25	31.0	13.3	21
CC126668		0.22	NSS	0.15	1.08	9.0	<0.2	<10	140	0.40	0.19	2.02	0.30	9.95	6.8	16
CC126669		0.30	0.001	0.05	1.81	17.2	<0.2	<10	170	0.63	0.36	0.07	0.10	21.7	15.4	27
CC126670		0.28	0.003	0.12	1.46	26.1	<0.2	<10	140	0.74	0.29	0.75	0.19	22.8	14.0	23
CC126671		0.36	0.004	0.12	1.22	194.5	<0.2	<10	210	0.98	0.26	0.43	0.23	33.3	13.8	25
CC126672		0.14	0.002	0.06	0.60	31.5	<0.2	<10	220	0.65	0.14	2.09	0.29	17.25	6.7	12
CC126673		0.30	0.001	0.05	1.38	15.1	<0.2	<10	250	1.00	0.26	0.74	0.14	39.6	8.9	26
CC126674		0.16	0.001	0.07	1.20	9.9	<0.2	<10	300	0.77	0.21	1.90	0.25	23.9	8.5	24
CC126683		0.34	0.001	0.07	1.87	14.3	<0.2	<10	180	0.79	0.30	0.26	0.10	25.4	12.5	27
CC126684		0.14	0.001	0.08	0.90	10.1	<0.2	<10	180	0.50	0.20	1.90	0.26	13.95	6.7	13
CC126685		0.34	0.002	0.07	0.47	173.0	<0.2	<10	140	1.08	0.34	1.05	0.21	25.8	15.5	17
CC126686		0.24	0.002	0.06	0.49	24.8	<0.2	<10	100	0.99	0.37	0.82	0.09	12.75	12.5	12
CC126687		0.14	NSS	0.05	0.40	14.1	<0.2	10	90	0.70	0.18	2.52	0.14	7.44	6.3	7
CC126688		0.24	0.001	0.08	0.67	17.5	<0.2	<10	60	0.64	0.48	0.29	0.11	8.56	14.6	12
CC126689		0.28	<0.001	0.05	0.90	15.9	<0.2	<10	80	0.41	0.30	0.09	0.37	14.35	13.1	20
CC126690		0.30	<0.001	0.07	1.22	28.7	<0.2	<10	170	0.47	0.32	0.06	0.29	21.1	10.7	21
CC126691		0.26	0.001	0.05	1.47	14.4	<0.2	<10	100	0.39	0.32	0.02	0.11	24.6	9.5	21
CC126692		0.24	<0.001	0.03	1.05	9.3	<0.2	<10	90	0.21	0.27	0.06	0.09	19.95	4.6	19
CC126693		0.30	0.001	0.03	1.53	14.6	<0.2	<10	70	0.32	0.33	0.04	0.09	23.1	8.0	24
CC126694		0.16	0.001	0.02	1.69	14.4	<0.2	<10	100	0.53	0.30	0.02	0.12	26.0	12.4	24
CC126695		0.24	0.001	0.07	1.57	27.6	<0.2	<10	100	0.47	0.32	0.04	0.18	20.6	12.1	25

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 11- JUL- 2011
Account: RCM

Project: Rackla - DALE

CERTIFICATE OF ANALYSIS WH11112681

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
CC126648		1.28	38.7	3.66	3.94	0.06	0.06	0.32	0.033	0.08	9.4	25.1	0.49	477	0.72	<0.01
CC126649		1.05	29.4	3.11	2.36	0.05	0.08	0.96	0.026	0.07	10.0	17.0	4.96	1130	1.43	0.01
CC126650		1.27	27.9	3.54	3.36	0.06	0.06	0.77	0.034	0.08	10.0	16.9	0.50	1220	1.03	<0.01
CC126651		1.32	30.1	2.94	2.38	0.05	0.05	1.30	0.025	0.07	8.2	13.4	1.77	841	1.04	0.01
CC126652		4.84	24.2	2.95	2.74	0.06	0.07	0.36	0.027	0.08	10.3	20.5	3.86	688	0.88	0.01
CC126653		1.07	19.1	4.15	4.99	0.06	0.02	0.09	0.031	0.07	7.5	15.3	0.18	786	1.16	<0.01
CC126654		1.63	32.7	3.07	3.17	0.05	0.10	0.13	0.039	0.11	7.5	25.2	0.42	502	0.46	<0.01
CC126655		1.72	29.3	2.75	2.28	0.05	0.09	0.50	0.031	0.12	5.5	9.0	0.19	315	0.55	<0.01
CC126656		1.33	36.2	3.30	3.77	0.07	0.07	0.17	0.037	0.09	11.9	25.7	0.45	438	0.69	<0.01
CC126657		1.06	21.0	1.60	1.79	<0.05	0.07	0.39	0.018	0.06	3.5	5.6	0.17	287	0.46	<0.01
CC126658		3.47	24.5	2.14	1.96	<0.05	0.15	0.09	0.028	0.15	3.0	4.5	0.10	108	0.36	<0.01
CC126659		1.43	34.5	3.38	1.51	0.07	0.03	0.02	0.040	0.14	3.1	2.5	0.07	315	0.37	<0.01
CC126660		1.35	32.8	3.05	1.48	0.07	<0.02	0.01	0.035	0.16	2.4	2.6	0.08	366	0.28	<0.01
CC126661		1.06	40.7	3.53	1.52	0.08	0.02	0.02	0.042	0.15	3.1	2.9	0.08	492	0.36	<0.01
CC126662		0.68	24.4	2.86	1.35	0.11	0.14	0.07	0.027	0.07	8.5	4.8	0.13	236	0.97	<0.01
CC126663		0.58	22.0	2.64	2.00	0.08	0.08	0.06	0.027	0.06	7.1	9.5	0.16	257	0.81	<0.01
CC126664		1.16	28.7	3.53	3.49	0.10	0.08	0.05	0.034	0.11	7.2	18.7	0.27	632	0.59	<0.01
CC126665		0.89	22.8	2.77	3.50	0.07	0.07	0.05	0.024	0.06	5.0	13.1	0.24	1020	0.93	<0.01
CC126666		1.12	53.8	4.59	4.48	0.13	0.09	0.12	0.034	0.07	13.0	34.2	0.64	829	0.69	<0.01
CC126667		1.26	35.9	4.23	4.29	0.15	0.09	0.06	0.043	0.07	12.9	19.9	0.37	439	0.98	<0.01
CC126668		1.34	20.9	2.19	3.66	0.06	0.05	0.05	0.023	0.05	4.5	13.2	0.23	335	0.89	<0.01
CC126669		2.03	38.3	4.79	6.49	0.11	0.05	0.03	0.042	0.08	9.4	33.5	0.54	724	1.24	<0.01
CC126670		4.80	45.1	4.28	4.39	0.10	0.08	0.18	0.041	0.09	10.1	27.1	0.50	478	0.94	<0.01
CC126671		2.79	49.5	3.93	3.48	0.13	0.11	0.75	0.041	0.08	16.0	20.9	0.40	498	0.83	<0.01
CC126672		4.06	20.8	1.82	1.92	0.07	0.09	0.17	0.023	0.06	8.8	6.5	0.25	273	0.70	<0.01
CC126673		2.31	26.7	2.89	4.31	0.12	0.10	0.04	0.034	0.06	19.5	19.5	0.46	360	0.67	<0.01
CC126674		1.32	22.8	2.41	4.11	0.09	0.08	0.05	0.028	0.07	10.3	21.2	0.53	296	0.52	<0.01
CC126683		1.81	33.6	3.98	5.86	0.10	0.07	0.04	0.037	0.07	10.3	29.7	0.56	473	1.12	<0.01
CC126684		1.45	17.8	1.95	3.14	0.06	0.05	0.08	0.023	0.05	6.3	6.9	0.23	506	0.82	0.01
CC126685		3.77	33.8	3.05	1.72	0.11	0.10	0.19	0.038	0.10	8.8	5.5	0.27	518	0.45	<0.01
CC126686		2.13	30.1	3.39	1.54	0.08	0.10	0.07	0.039	0.07	5.4	4.4	0.12	360	0.34	<0.01
CC126687		1.74	19.0	1.67	1.13	0.05	0.08	0.07	0.022	0.05	3.5	3.2	0.11	204	0.46	0.01
CC126688		1.06	31.0	4.06	2.15	0.09	0.05	0.05	0.045	0.08	3.1	6.2	0.12	295	1.74	<0.01
CC126689		6.41	44.5	4.51	4.55	0.10	0.02	0.03	0.039	0.08	6.6	10.4	0.20	395	0.83	<0.01
CC126690		3.18	31.8	3.74	5.80	0.10	0.02	0.06	0.034	0.11	10.0	16.0	0.28	563	0.90	<0.01
CC126691		2.95	34.8	4.07	6.84	0.10	0.03	0.03	0.033	0.08	11.2	17.7	0.29	332	1.00	<0.01
CC126692		5.57	13.3	2.08	5.85	0.06	<0.02	0.03	0.021	0.05	10.0	8.4	0.20	210	1.20	<0.01
CC126693		4.88	21.1	4.00	6.40	0.10	0.02	0.03	0.034	0.05	11.1	23.2	0.35	241	1.29	<0.01
CC126694		2.28	37.5	4.34	6.37	0.09	0.05	0.03	0.040	0.07	11.2	29.5	0.43	476	0.96	<0.01
CC126695		2.96	33.7	4.30	5.93	0.10	0.03	0.04	0.039	0.09	9.3	26.4	0.43	564	0.92	<0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 11- JUL- 2011
Account: RCM

Project: Rackla - DALE

CERTIFICATE OF ANALYSIS WH11112681

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
CC126648		0.36	24.2	510	18.2	7.6	<0.001	0.03	0.44	5.2	0.6	0.3	22.3	<0.01	0.06	2.3
CC126649		0.19	18.9	630	42.6	5.3	<0.001	0.03	0.40	5.3	0.6	0.3	47.2	<0.01	0.05	2.6
CC126650		0.40	21.4	690	40.0	9.0	<0.001	0.06	0.63	4.2	0.7	0.4	23.3	<0.01	0.07	1.3
CC126651		0.28	19.7	820	41.7	7.5	<0.001	0.07	0.77	3.4	0.9	0.4	40.0	<0.01	0.06	0.9
CC126652		0.28	19.1	650	36.3	14.4	<0.001	0.02	0.29	5.2	0.5	0.3	35.7	<0.01	0.04	3.5
CC126653		0.58	13.6	550	38.3	10.4	<0.001	0.03	0.66	3.0	0.4	0.7	8.3	<0.01	0.05	2.3
CC126654		0.27	24.1	720	20.2	18.7	<0.001	0.15	0.22	6.2	1.5	0.5	77.3	<0.01	0.06	2.7
CC126655		0.22	19.6	650	17.5	13.3	<0.001	0.06	0.23	3.6	0.8	0.4	40.7	<0.01	0.06	1.3
CC126656		0.35	22.2	780	16.5	8.8	<0.001	0.06	0.35	5.1	0.9	0.4	44.6	<0.01	0.07	1.6
CC126657		0.21	11.0	1140	11.4	6.8	<0.001	0.17	0.21	2.0	0.9	0.3	62.5	<0.01	0.04	0.6
CC126658		0.16	16.2	690	11.4	19.7	<0.001	0.08	0.14	3.5	0.5	0.4	43.2	<0.01	0.06	1.3
CC126659		0.09	23.5	260	15.2	10.6	<0.001	0.03	0.19	3.7	<0.2	0.4	11.5	<0.01	0.08	1.7
CC126660		0.07	24.5	220	13.2	11.1	<0.001	0.02	0.15	3.1	<0.2	0.4	13.2	<0.01	0.07	1.3
CC126661		0.08	26.7	220	14.6	9.6	<0.001	0.02	0.19	3.6	<0.2	0.4	11.0	<0.01	0.08	1.9
CC126662		0.12	23.7	1050	23.1	6.3	<0.001	0.17	0.39	2.8	1.2	0.2	101.5	0.01	0.05	1.6
CC126663		0.18	19.1	970	20.8	6.2	<0.001	0.15	0.35	1.9	0.9	0.3	96.9	0.01	0.05	0.9
CC126664		0.25	22.4	930	35.9	12.0	<0.001	0.08	0.51	3.1	0.7	0.3	51.6	0.01	0.07	1.5
CC126665		0.31	16.4	1130	15.0	7.8	<0.001	0.13	0.41	1.9	0.6	0.3	73.4	<0.01	0.08	0.8
CC126666		0.12	33.9	400	24.5	6.2	<0.001	0.03	0.68	6.3	0.7	0.3	15.0	<0.01	0.08	4.7
CC126667		0.40	34.1	730	27.9	7.8	<0.001	0.05	0.62	5.9	1.1	0.5	55.9	0.01	0.12	3.1
CC126668		0.38	13.6	1420	9.2	7.4	<0.001	0.18	0.39	1.6	0.7	0.4	92.5	<0.01	0.06	0.5
CC126669		0.46	26.0	760	22.1	12.1	<0.001	0.04	0.70	3.1	0.4	0.5	9.3	<0.01	0.09	1.6
CC126670		0.21	28.4	520	21.1	9.7	<0.001	0.05	0.56	5.1	0.7	0.4	40.8	<0.01	0.08	2.6
CC126671		0.17	30.8	450	19.8	7.6	<0.001	0.04	0.53	6.2	1.0	0.4	35.0	<0.01	0.06	3.1
CC126672		0.20	14.4	1070	9.0	6.4	<0.001	0.16	0.21	2.3	1.0	0.3	65.4	<0.01	0.04	0.9
CC126673		0.32	22.0	1120	13.2	14.2	<0.001	0.08	0.27	3.4	0.8	0.4	31.9	0.01	0.05	2.0
CC126674		0.41	23.6	1080	12.4	9.9	<0.001	0.12	0.26	2.7	0.8	0.4	80.1	0.01	0.04	1.3
CC126683		0.46	26.5	740	17.7	10.4	<0.001	0.04	0.65	3.9	0.5	0.5	17.2	<0.01	0.07	2.1
CC126684		0.36	11.7	1390	9.1	7.0	<0.001	0.19	0.29	1.8	0.9	0.4	45.8	0.01	0.07	0.5
CC126685		0.13	43.3	970	16.0	6.5	<0.001	0.04	0.51	6.9	0.7	0.4	77.4	0.01	0.04	4.4
CC126686		0.08	31.6	520	19.2	6.6	<0.001	0.06	0.20	5.0	0.6	0.4	31.8	<0.01	0.05	2.1
CC126687		0.10	16.9	980	9.2	5.0	<0.001	0.18	0.16	1.7	0.7	0.4	71.1	<0.01	0.03	0.7
CC126688		0.11	26.6	560	28.0	8.7	<0.001	0.05	0.38	4.7	0.5	0.5	18.1	<0.01	0.06	2.5
CC126689		0.37	23.9	470	12.0	14.9	<0.001	0.03	0.49	4.2	0.3	0.5	8.3	<0.01	0.08	1.3
CC126690		0.39	17.8	630	15.4	17.2	<0.001	0.04	0.58	3.2	0.3	0.5	10.7	<0.01	0.09	1.4
CC126691		0.33	17.0	410	14.2	16.6	<0.001	0.02	0.51	3.7	0.3	0.6	5.7	<0.01	0.10	2.7
CC126692		0.22	9.8	770	10.8	11.4	<0.001	0.03	0.44	0.7	0.2	0.7	7.9	<0.01	0.06	<0.2
CC126693		0.92	16.1	280	17.3	9.8	<0.001	0.02	0.61	3.3	0.3	0.7	6.5	<0.01	0.08	3.2
CC126694		0.33	22.0	380	15.8	11.5	<0.001	0.02	0.54	4.0	0.3	0.5	5.7	<0.01	0.10	3.2
CC126695		0.47	21.7	450	17.7	17.9	<0.001	0.03	0.85	4.0	0.3	0.5	6.7	<0.01	0.09	2.7

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 11- JUL- 2011
Account: RCM

Project: Rackla - DALE

CERTIFICATE OF ANALYSIS WH11112681

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
CC126648		0.007	0.42	1.09	34	0.12	8.81	101	1.7
CC126649		<0.005	1.89	1.45	21	0.13	11.65	204	2.5
CC126650		0.007	1.16	1.57	31	0.15	10.30	201	1.6
CC126651		0.005	2.27	1.92	22	0.15	10.10	252	1.6
CC126652		0.007	0.82	1.23	26	0.09	11.10	269	2.3
CC126653		0.008	0.37	0.67	44	0.16	3.67	158	0.6
CC126654		<0.005	0.17	1.03	21	0.07	13.15	108	3.3
CC126655		<0.005	0.21	1.48	18	0.07	8.78	83	2.4
CC126656		0.005	0.24	2.09	30	0.09	15.40	73	2.0
CC126657		<0.005	0.26	1.52	13	0.06	5.59	42	2.2
CC126658		<0.005	0.21	0.72	14	<0.05	6.45	66	4.2
CC126659		<0.005	0.10	0.52	13	<0.05	4.14	51	0.7
CC126660		<0.005	0.09	0.48	11	<0.05	4.62	45	<0.5
CC126661		<0.005	0.09	0.52	13	<0.05	4.98	49	0.5
CC126662		<0.005	0.11	2.69	13	<0.05	17.80	59	4.1
CC126663		<0.005	0.07	1.63	15	<0.05	12.30	63	2.0
CC126664		0.007	0.08	1.16	24	0.05	10.45	84	2.2
CC126665		0.010	0.08	0.78	28	0.07	4.98	44	1.7
CC126666		<0.005	0.10	0.69	33	<0.05	10.05	84	2.3
CC126667		0.008	0.12	1.11	31	0.13	15.25	94	2.4
CC126668		0.008	0.10	0.55	27	0.08	3.27	56	1.4
CC126669		0.010	0.15	0.51	48	0.13	3.52	70	1.1
CC126670		<0.005	0.32	2.13	36	0.07	7.01	75	2.3
CC126671		<0.005	1.04	1.70	33	0.13	13.45	89	2.7
CC126672		0.005	0.26	1.30	17	0.07	7.57	65	2.3
CC126673		0.007	0.18	2.39	29	0.10	13.60	63	2.4
CC126674		0.009	0.10	2.59	22	0.07	9.10	68	2.1
CC126683		0.011	0.15	0.71	46	0.16	5.10	71	1.6
CC126684		0.010	0.12	1.47	23	0.09	6.25	50	1.5
CC126685		<0.005	0.87	2.42	17	0.07	15.10	83	2.8
CC126686		<0.005	0.15	2.17	14	<0.05	9.42	88	2.2
CC126687		<0.005	0.10	1.21	8	<0.05	6.55	48	2.0
CC126688		<0.005	0.12	0.66	21	<0.05	4.91	81	1.3
CC126689		0.009	0.11	0.34	52	0.08	3.03	64	0.5
CC126690		0.009	0.35	0.50	46	0.12	3.54	72	<0.5
CC126691		0.006	0.13	0.43	54	0.09	3.02	56	0.8
CC126692		0.012	0.18	0.51	48	0.19	1.93	41	<0.5
CC126693		0.021	0.19	0.53	57	0.24	2.59	50	0.7
CC126694		0.007	0.14	0.45	53	0.08	3.03	63	1.4
CC126695		0.009	0.36	0.50	49	0.12	3.15	82	0.9

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 11- JUL- 2011
Account: RCM

Project: Rackla - DALE

CERTIFICATE OF ANALYSIS WH11112681

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- TL43 Au ppm 0.001	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1
CC126696		0.28	0.001	0.10	1.19	29.2	<0.2	<10	130	0.83	0.33	0.26	0.28	17.25	14.7	20
CC126697		0.30	0.001	0.08	1.12	63.0	<0.2	<10	120	0.88	0.31	0.27	0.25	15.70	10.2	17
CC126698		0.22	0.002	0.15	1.43	22.3	<0.2	<10	150	0.82	0.27	1.07	0.24	17.40	14.8	22
CC126699		0.30	0.001	0.10	0.74	15.3	<0.2	<10	110	1.15	0.38	0.55	0.28	19.15	13.3	16
CC126700		0.24	0.001	0.09	0.61	26.9	<0.2	10	140	0.94	0.28	1.70	0.12	9.08	8.4	9
CC127131		0.12	0.003	0.14	0.92	217	<0.2	10	260	1.06	0.20	1.28	0.37	28.1	9.1	22
CC127132		0.12	0.003	0.10	0.93	53.6	<0.2	10	440	0.95	0.28	1.13	0.24	20.4	12.0	21
CC127133		0.38	0.001	0.07	0.52	23.6	<0.2	<10	220	0.83	0.44	0.35	0.11	14.75	14.6	11
CC127134		0.36	0.001	0.04	1.77	41.3	<0.2	<10	180	0.85	0.36	0.22	0.13	23.5	19.4	26
CC127135		0.24	0.001	0.09	0.69	14.7	<0.2	<10	130	0.88	0.44	0.65	0.11	11.20	14.3	12
CC127136		0.30	0.001	0.13	1.18	41.5	<0.2	<10	130	1.01	0.41	0.36	0.29	28.8	22.4	20
CC127137		0.32	0.001	0.03	2.10	17.9	<0.2	<10	180	0.69	0.38	0.23	0.09	25.3	21.0	28
CC127138		0.18	0.001	0.03	1.91	15.0	<0.2	<10	120	0.50	0.36	0.08	0.10	17.90	12.1	27
CC127139		0.20	0.001	0.07	1.71	17.1	<0.2	<10	120	0.73	0.36	0.08	0.10	25.1	16.2	24
CC127140		0.32	0.001	0.10	2.20	21.3	<0.2	<10	220	1.23	0.37	0.19	3.47	30.5	20.8	27
CC127141		0.22	0.007	0.37	1.02	72.0	<0.2	<10	130	1.03	0.23	2.16	0.50	22.7	12.0	19
CC127142		0.24	<0.001	0.07	1.40	15.0	<0.2	<10	130	0.74	0.38	0.13	0.16	9.69	13.8	24
CC127143		0.26	<0.001	0.04	1.29	15.3	<0.2	<10	90	0.50	0.35	0.07	0.18	18.75	10.3	22
CC127144		0.32	<0.001	0.07	1.49	17.5	<0.2	<10	150	0.85	0.36	0.56	0.14	17.70	14.7	24
CC127145		0.32	<0.001	0.06	1.34	11.8	<0.2	<10	110	0.60	0.47	0.12	0.15	8.56	14.4	22
CC127146		0.22	<0.001	0.24	0.55	20.3	<0.2	<10	90	0.78	0.30	5.35	0.26	22.7	13.6	11
CC127147		0.12	<0.001	0.09	0.51	8.0	<0.2	<10	90	0.38	0.17	2.34	0.15	7.35	7.7	9
CC127148		0.32	<0.001	0.05	0.55	18.6	<0.2	<10	90	0.73	0.59	0.13	0.07	8.76	13.8	12
CC127149		0.20	<0.001	0.19	1.04	10.3	<0.2	<10	220	0.82	0.31	2.49	0.27	23.1	11.3	15
CC127150		0.18	<0.001	0.24	0.94	18.0	<0.2	<10	150	0.76	0.28	1.85	0.35	20.3	10.7	15

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 11- JUL- 2011
Account: RCM

Project: Rackla - DALE

CERTIFICATE OF ANALYSIS WH11112681

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
CC126696		7.69	42.2	4.23	3.71	0.10	0.10	0.13	0.044	0.11	7.6	23.2	0.43	483	0.69	<0.01
CC126697		10.50	31.2	3.64	4.16	0.08	0.04	0.31	0.036	0.10	7.4	25.6	0.33	433	0.81	<0.01
CC126698		7.63	51.7	3.81	4.38	0.09	0.09	0.15	0.039	0.10	7.6	29.9	0.54	621	0.66	<0.01
CC126699		1.48	35.0	3.75	2.53	0.10	0.13	0.08	0.042	0.10	7.5	9.0	0.17	345	1.43	<0.01
CC126700		2.74	24.9	2.67	1.69	0.07	0.12	0.13	0.032	0.07	4.0	5.0	0.11	245	0.70	<0.01
CC127131		5.54	30.4	2.69	3.15	0.11	0.12	0.77	0.036	0.11	15.8	13.2	0.28	281	0.59	<0.01
CC127132		9.75	37.9	3.14	2.94	0.10	0.11	0.16	0.036	0.09	9.5	14.1	0.42	370	0.57	<0.01
CC127133		2.32	38.2	3.42	1.73	0.07	0.06	0.17	0.038	0.07	7.0	7.0	0.16	421	0.55	<0.01
CC127134		4.50	47.0	4.61	5.18	0.08	0.07	0.07	0.042	0.09	9.5	26.3	0.51	633	0.94	0.01
CC127135		4.59	41.7	4.09	2.09	0.08	0.09	0.09	0.046	0.08	4.5	7.7	0.15	373	1.53	0.01
CC127136		3.64	62.7	4.83	3.93	0.11	0.08	0.25	0.042	0.11	12.7	24.8	0.43	997	0.76	<0.01
CC127137		1.84	52.1	5.04	6.20	0.10	0.07	0.04	0.035	0.11	11.2	45.5	0.72	700	0.68	<0.01
CC127138		2.06	36.0	4.18	7.03	0.07	0.05	0.03	0.035	0.09	8.4	24.6	0.38	488	1.28	0.01
CC127139		1.23	49.5	4.10	5.50	0.09	0.10	0.08	0.032	0.07	11.2	37.0	0.54	614	0.74	<0.01
CC127140		1.54	50.5	5.07	5.26	0.11	0.11	0.10	0.036	0.10	14.4	41.5	0.65	1480	0.64	<0.01
CC127141		1.41	38.3	3.19	2.76	0.08	0.16	0.16	0.035	0.10	10.8	16.1	0.83	494	1.35	0.01
CC127142		3.76	23.4	3.65	5.89	0.05	0.02	0.03	0.032	0.12	4.1	19.3	0.36	1080	0.69	<0.01
CC127143		1.32	27.7	3.97	5.22	0.07	<0.02	0.03	0.029	0.07	9.0	20.5	0.32	397	1.11	<0.01
CC127144		1.04	47.4	4.41	4.85	0.08	0.09	0.05	0.035	0.09	7.8	29.6	0.51	672	0.77	0.01
CC127145		1.92	22.8	3.43	6.26	0.05	0.02	0.02	0.034	0.13	4.0	27.8	0.34	1050	0.59	0.01
CC127146		0.54	32.9	4.75	1.64	0.10	0.07	0.08	0.034	0.08	8.6	5.8	0.19	544	0.71	0.01
CC127147		0.86	21.5	2.12	1.71	<0.05	0.09	0.05	0.021	0.05	2.9	5.0	0.10	297	0.64	0.01
CC127148		1.86	46.3	4.65	1.94	0.06	0.02	0.02	0.036	0.12	3.0	4.9	0.11	423	0.44	<0.01
CC127149		0.60	24.0	3.17	2.74	0.07	0.06	0.08	0.040	0.08	10.3	11.1	0.18	420	0.61	0.01
CC127150		1.04	34.5	2.92	2.67	0.08	0.09	0.10	0.033	0.07	8.8	13.8	0.22	439	0.54	0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 11- JUL- 2011
Account: RCM

Project: Rackla - DALE

CERTIFICATE OF ANALYSIS WH11112681

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
CC126696		0.17	28.9	540	17.5	15.9	<0.001	0.04	0.86	7.8	0.6	0.4	18.3	<0.01	0.07	2.9
CC126697		0.22	19.2	370	25.3	13.6	<0.001	0.03	2.07	5.1	0.4	0.4	16.9	<0.01	0.08	1.8
CC126698		0.23	28.0	720	16.5	11.0	<0.001	0.07	0.60	6.2	0.8	0.4	49.6	<0.01	0.10	1.6
CC126699		0.11	32.6	1410	18.8	7.6	0.001	0.07	0.34	5.6	1.0	0.5	39.0	0.01	0.05	3.0
CC126700		0.10	20.5	840	13.5	10.3	<0.001	0.13	0.23	4.1	1.2	0.4	53.4	<0.01	0.04	1.7
CC127131		0.28	23.0	970	14.3	15.0	<0.001	0.11	0.35	4.6	1.4	0.4	60.8	<0.01	0.05	1.7
CC127132		0.22	30.6	900	17.2	13.1	<0.001	0.11	0.43	5.1	1.9	0.4	66.9	0.01	0.07	1.7
CC127133		0.14	28.0	330	20.3	8.0	<0.001	0.01	0.29	5.1	0.7	0.4	32.7	<0.01	0.05	2.2
CC127134		0.43	31.7	420	20.2	13.2	<0.001	<0.01	0.90	5.3	0.5	0.5	16.3	<0.01	0.07	2.6
CC127135		0.15	27.4	670	20.0	12.0	<0.001	0.04	0.46	5.8	0.9	0.5	30.2	<0.01	0.06	2.4
CC127136		0.21	40.4	610	23.5	7.8	<0.001	<0.01	0.75	8.3	1.0	0.5	27.6	<0.01	0.08	6.0
CC127137		0.25	34.1	440	21.8	10.6	<0.001	<0.01	0.58	4.4	0.5	0.4	13.6	<0.01	0.08	3.2
CC127138		0.58	21.6	1210	14.9	13.2	<0.001	0.03	0.66	2.3	0.6	0.6	9.6	<0.01	0.08	1.0
CC127139		0.26	28.9	650	17.2	8.0	<0.001	<0.01	0.53	4.6	0.7	0.4	9.9	<0.01	0.08	2.7
CC127140		0.20	39.8	500	25.4	12.1	<0.001	<0.01	0.58	6.6	0.9	0.3	15.5	<0.01	0.09	4.0
CC127141		0.20	27.5	800	19.5	7.4	<0.001	0.05	0.53	3.9	1.2	0.3	113.5	<0.01	0.05	1.6
CC127142		0.31	18.5	1280	18.0	22.8	<0.001	0.05	0.40	1.3	0.4	0.7	13.0	<0.01	0.07	0.4
CC127143		0.74	19.0	470	16.7	13.5	<0.001	<0.01	0.58	2.3	0.4	0.6	9.8	<0.01	0.08	1.1
CC127144		0.22	26.8	770	18.2	9.8	<0.001	0.02	0.46	4.9	0.6	0.4	33.8	<0.01	0.09	2.0
CC127145		0.39	22.1	420	16.7	16.2	<0.001	0.01	0.35	3.1	0.3	0.7	12.9	<0.01	0.10	1.4
CC127146		0.13	30.3	890	32.8	4.7	<0.001	0.08	0.48	2.7	1.4	0.3	216	0.01	0.08	0.9
CC127147		0.18	14.8	1240	12.5	5.5	<0.001	0.17	0.29	2.2	0.8	0.2	99.1	<0.01	0.05	0.8
CC127148		0.11	31.1	410	18.0	10.4	<0.001	<0.01	0.30	3.6	0.3	0.4	15.4	<0.01	0.09	1.7
CC127149		0.36	23.9	590	17.4	8.2	<0.001	0.04	0.32	4.1	0.9	0.4	111.0	<0.01	0.07	1.9
CC127150		0.25	24.3	1080	19.2	11.2	<0.001	0.10	0.36	2.8	1.6	0.3	96.7	<0.01	0.06	0.9

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 11- JUL- 2011
Account: RCM

Project: Rackla - DALE

CERTIFICATE OF ANALYSIS WH11112681

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
CC126696		<0.005	0.28	0.51	34	0.08	8.64	109	2.5
CC126697		<0.005	0.87	0.47	33	0.16	5.04	65	1.0
CC126698		0.005	0.27	0.79	35	0.08	9.19	78	2.0
CC126699		<0.005	0.13	2.10	20	<0.05	15.30	107	2.8
CC126700		<0.005	0.22	1.34	12	<0.05	9.42	58	3.1
CC127131		0.005	1.47	6.34	28	0.10	12.90	118	3.0
CC127132		<0.005	0.38	9.41	25	0.07	11.80	104	2.5
CC127133		<0.005	0.13	4.32	15	<0.05	8.71	83	1.5
CC127134		0.007	0.24	0.60	45	0.10	5.23	85	1.8
CC127135		<0.005	0.12	1.03	20	<0.05	10.10	79	1.9
CC127136		0.005	0.25	1.56	31	0.09	14.70	97	3.0
CC127137		<0.005	0.12	0.55	41	0.05	4.99	81	1.8
CC127138		0.008	0.17	0.58	50	0.10	3.15	62	1.4
CC127139		<0.005	0.11	0.60	36	0.05	7.34	66	2.5
CC127140		<0.005	0.13	0.81	35	<0.05	12.30	1160	3.4
CC127141		<0.005	0.66	3.73	29	0.08	11.45	101	3.9
CC127142		0.007	0.10	0.44	33	0.06	2.92	105	<0.5
CC127143		0.013	0.11	0.54	44	0.13	2.74	74	<0.5
CC127144		<0.005	0.09	0.63	37	<0.05	6.16	76	2.1
CC127145		0.005	0.08	0.32	28	<0.05	3.28	111	0.6
CC127146		<0.005	0.19	1.82	18	<0.05	19.10	97	1.4
CC127147		<0.005	0.07	1.11	15	<0.05	4.41	57	2.4
CC127148		<0.005	0.10	0.60	18	<0.05	4.95	63	0.6
CC127149		0.005	0.13	1.96	24	0.14	14.35	89	1.5
CC127150		<0.005	0.15	3.34	20	<0.05	16.70	125	2.0

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 11- JUL- 2011
Account: RCM

Project: Rackla - DALE

CERTIFICATE OF ANALYSIS WH11112681

Method	CERTIFICATE COMMENTS
ALL METHODS	NSS is non- sufficient sample.
ME- MS41	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown.
ME- MS41	Gold determinations by this method are semi- quantitative due to the small sample weight used (0.5g).

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 11- JUL- 2011
Account: RCM

CERTIFICATE WH11112682

Project: Rackla - DALE

P.O. No.:

This report is for 124 Soil samples submitted to our lab in Whitehorse, YT, Canada on 20- JUN- 2011.

The following have access to data associated with this certificate:

ROB CARNE JULIA LANE	ANDREW CARNE JOAN MARIACHER	MATT DUMALA

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
SCR- 41	Screen to - 180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- TL43	Trace Level Au - 25g AR	ICP- MS
ME- MS41	51 anal. aqua regia ICPMS	

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 11- JUL- 2011
Account: RCM

Project: Rackla - DALE

CERTIFICATE OF ANALYSIS WH11112682

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- TL43 Au ppm 0.001	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1
CC124107		0.22	0.001	0.10	2.00	43.2	<0.2	<10	190	0.83	0.36	0.17	0.41	25.7	18.7	31
CC124108		0.24	0.001	0.05	1.99	19.6	<0.2	<10	280	0.70	0.33	0.31	0.11	26.6	13.8	31
CC124109		0.24	0.001	0.09	1.83	27.1	<0.2	<10	240	0.64	0.31	0.12	0.10	20.4	7.7	26
CC124110		0.28	0.002	0.05	1.78	83.6	<0.2	<10	230	0.66	0.28	0.20	0.10	31.7	11.3	29
CC124111		0.28	0.002	0.08	1.82	116.5	<0.2	<10	200	0.73	0.30	0.13	0.24	31.2	10.4	30
CC124112		0.34	0.002	0.34	1.29	547	<0.2	<10	180	0.89	0.19	9.42	0.64	23.8	11.0	17
CC124113		0.40	0.001	0.05	1.83	87.1	<0.2	<10	170	0.82	0.39	0.12	0.21	19.95	17.4	27
CC124114		0.32	0.001	0.03	1.38	17.0	<0.2	<10	360	1.16	0.40	0.15	0.07	15.20	18.2	31
CC124115		0.24	<0.001	0.06	1.38	27.5	<0.2	<10	80	0.51	0.47	0.04	0.11	14.00	15.2	30
CC124116		0.30	0.002	0.08	2.01	50.5	<0.2	<10	240	1.25	0.35	0.12	0.16	37.2	16.8	29
CC124117		0.22	0.001	0.06	1.68	17.3	<0.2	<10	170	0.76	0.48	0.10	0.04	14.95	12.7	31
CC124118		0.34	0.001	0.08	1.86	34.5	<0.2	<10	110	0.84	0.39	0.09	0.26	21.1	20.6	32
CC124119		0.34	0.002	0.11	1.90	21.9	<0.2	<10	150	0.90	0.36	0.10	0.13	30.7	12.5	31
CC124120		0.32	0.002	0.19	2.23	38.0	<0.2	<10	250	1.37	0.40	0.04	0.22	31.5	25.7	33
CC125192		0.36	<0.001	0.07	1.43	13.4	<0.2	<10	280	0.79	0.48	0.02	0.19	8.65	22.8	32
CC125193		0.32	0.001	0.07	1.76	25.0	<0.2	<10	190	1.26	0.45	0.14	0.11	16.85	17.7	25
CC125194		0.24	<0.001	0.05	1.74	25.5	<0.2	<10	180	1.07	0.42	0.61	0.17	12.80	15.7	26
CC125195		0.38	<0.001	0.04	1.47	16.2	<0.2	<10	250	1.26	0.51	0.16	0.08	10.25	22.1	31
CC125196		0.32	0.001	0.65	0.96	36.0	<0.2	<10	220	0.97	0.22	0.89	1.79	15.20	12.7	17
CC125197		0.32	0.001	0.84	1.08	41.2	<0.2	<10	290	0.83	0.25	0.47	1.11	24.2	12.9	16
CC125198		0.30	0.002	0.32	0.97	30.1	<0.2	<10	290	0.77	0.17	0.43	0.74	35.0	22.3	14
CC125199		0.18	0.003	0.31	1.23	22.8	<0.2	<10	310	0.79	0.16	1.11	0.19	31.0	15.0	15
CC125200		0.36	0.001	0.04	1.89	17.0	<0.2	<10	220	1.58	0.56	0.17	0.07	12.85	24.3	32
CC126841		0.20	0.002	0.18	1.23	41.0	<0.2	<10	190	0.71	0.20	1.92	0.38	16.25	11.1	20
CC126842		0.30	0.002	0.18	1.68	59.6	<0.2	<10	200	1.09	0.26	0.96	0.39	25.7	13.0	26
CC126843		0.38	0.002	0.30	1.43	77.3	<0.2	<10	160	0.90	0.25	0.71	0.48	20.8	13.8	23
CC126844		0.18	0.001	0.15	1.32	65.4	<0.2	<10	210	0.84	0.22	1.04	0.50	16.90	12.2	19
CC126845		0.40	0.002	0.34	1.33	239	<0.2	<10	170	0.74	0.21	4.99	2.20	20.7	13.4	19
CC126846		0.30	0.001	0.09	1.60	21.9	<0.2	<10	180	0.97	0.33	0.35	0.20	22.1	18.9	25
CC126847		0.34	0.001	0.07	1.71	19.0	<0.2	<10	110	0.89	0.34	0.12	0.24	21.3	14.2	27
CC126848		0.32	0.001	0.10	1.81	16.9	<0.2	<10	210	1.12	0.25	0.63	0.50	22.5	11.4	24
CC126849		0.30	0.001	0.13	1.63	19.6	<0.2	<10	180	1.31	0.30	0.38	0.27	33.6	18.8	26
CC126850		0.26	0.001	0.04	2.12	20.1	<0.2	<10	170	0.76	0.31	0.09	0.14	26.3	18.0	32
CC126891		0.42	0.001	0.03	1.96	13.3	<0.2	<10	230	1.67	0.42	0.12	0.09	16.50	18.0	35
CC126892		0.32	0.002	0.08	1.78	13.8	<0.2	<10	170	1.44	0.38	0.59	0.07	14.25	13.6	33
CC126893		0.32	0.002	0.11	1.25	25.5	<0.2	<10	180	1.31	0.35	0.87	0.15	15.15	13.7	22
CC126894		0.32	0.001	0.05	1.97	24.7	<0.2	<10	200	1.14	0.48	0.05	0.08	13.80	17.2	31
CC126895		0.24	0.005	0.17	1.35	53.1	<0.2	<10	460	1.39	0.28	1.72	0.27	16.70	12.4	23
CC126896		0.40	0.003	0.12	1.43	26.5	<0.2	<10	260	1.35	0.36	0.35	0.16	17.15	13.9	26
CC126897		0.26	0.004	0.23	1.43	45.9	<0.2	<10	400	1.39	0.29	0.85	0.24	16.65	11.7	23

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 11- JUL- 2011
Account: RCM

Project: Rackla - DALE

CERTIFICATE OF ANALYSIS WH11112682

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
CC124107		2.73	43.3	4.90	6.20	0.08	0.06	0.07	0.047	0.10	10.6	40.6	0.62	655	0.77	<0.01
CC124108		1.95	20.1	3.58	5.93	0.07	0.08	0.07	0.036	0.07	11.9	27.5	0.53	643	0.87	0.01
CC124109		2.01	23.5	3.18	6.59	0.07	0.04	0.04	0.032	0.07	9.7	24.2	0.37	263	0.87	0.01
CC124110		1.50	28.0	3.14	5.50	0.08	0.06	0.05	0.028	0.06	15.3	25.0	0.59	331	0.94	0.01
CC124111		2.19	26.3	3.33	5.60	0.08	0.04	0.10	0.035	0.06	14.6	21.1	0.45	616	1.07	0.01
CC124112		1.18	22.8	3.81	2.44	0.09	0.09	5.53	0.025	0.06	12.9	13.1	5.71	2610	0.60	0.02
CC124113		2.09	34.2	4.52	5.94	0.07	0.05	0.25	0.043	0.08	8.1	29.8	0.43	987	0.99	<0.01
CC124114		2.83	32.7	4.17	5.67	0.08	0.03	0.03	0.031	0.18	5.6	25.2	0.40	606	0.35	<0.01
CC124115		1.89	28.0	3.74	7.29	0.06	<0.02	0.03	0.032	0.10	6.5	14.9	0.25	453	0.72	0.01
CC124116		2.11	41.4	4.17	5.36	0.09	0.10	0.16	0.041	0.09	13.7	25.0	0.52	1130	0.95	0.01
CC124117		2.88	23.5	3.73	8.08	0.06	0.02	0.03	0.033	0.08	6.8	17.5	0.31	677	1.02	0.01
CC124118		2.02	21.7	4.13	6.18	0.07	0.05	0.07	0.038	0.09	9.4	34.2	0.44	1160	1.04	<0.01
CC124119		1.83	29.4	3.66	6.28	0.08	0.05	0.07	0.035	0.08	13.0	23.1	0.44	444	1.34	0.01
CC124120		2.28	65.2	5.19	6.37	0.10	0.04	0.09	0.043	0.11	12.2	43.5	0.68	732	1.13	0.01
CC125192		1.96	20.8	4.25	6.75	0.06	<0.02	0.02	0.030	0.15	3.8	12.5	0.22	2380	1.19	0.01
CC125193		2.36	39.2	4.18	5.24	0.07	0.05	0.04	0.041	0.12	6.3	37.8	0.49	1150	1.50	<0.01
CC125194		1.48	29.6	3.80	6.32	0.06	0.05	0.04	0.041	0.12	5.1	37.3	0.45	575	0.72	0.01
CC125195		2.74	29.5	4.46	5.68	0.07	0.02	0.02	0.036	0.18	3.6	26.1	0.42	1220	1.33	0.01
CC125196		1.06	49.3	3.55	3.08	0.08	0.10	0.29	0.039	0.14	8.2	12.8	0.34	304	6.68	0.01
CC125197		1.27	57.8	4.19	4.09	0.10	0.03	0.17	0.046	0.11	12.7	18.0	0.26	373	5.72	0.01
CC125198		1.64	89.9	5.86	3.46	0.14	0.03	0.13	0.063	0.17	20.2	14.9	0.18	322	4.35	0.01
CC125199		1.04	56.0	3.75	4.18	0.09	0.07	0.15	0.048	0.11	18.0	22.9	0.42	239	1.28	0.01
CC125200		2.65	42.1	4.72	8.26	0.09	0.04	0.04	0.050	0.12	5.3	37.1	0.58	835	0.50	0.01
CC126841		0.95	30.9	3.49	3.57	0.07	0.05	0.56	0.033	0.07	8.7	19.1	0.60	783	0.86	0.01
CC126842		1.54	31.5	5.48	4.70	0.11	0.07	0.91	0.037	0.07	15.3	21.4	0.73	1790	1.00	0.01
CC126843		1.23	56.7	4.87	4.28	0.10	0.08	0.48	0.034	0.06	13.2	25.5	0.60	1100	0.72	0.01
CC126844		1.40	31.6	3.29	3.74	0.07	0.07	0.31	0.031	0.07	9.1	23.9	0.52	858	0.69	0.01
CC126845		1.45	38.0	5.37	3.92	0.09	0.07	5.20	0.034	0.08	12.0	20.5	3.11	1880	0.79	0.01
CC126846		1.83	39.9	4.80	5.25	0.09	0.05	0.08	0.041	0.07	10.7	35.6	0.56	1100	1.10	0.01
CC126847		1.45	35.6	4.97	5.14	0.08	0.03	0.04	0.039	0.06	8.6	36.1	0.59	878	1.00	0.01
CC126848		2.79	39.1	3.92	4.92	0.08	0.08	0.05	0.040	0.09	11.6	29.4	0.48	633	0.93	0.01
CC126849		1.97	50.8	4.64	4.14	0.10	0.09	0.06	0.049	0.09	14.1	25.7	0.48	912	0.79	0.01
CC126850		2.38	44.7	4.97	6.62	0.09	0.05	0.03	0.045	0.10	11.2	40.2	0.69	902	1.05	0.01
CC126891		2.56	31.0	4.50	7.85	0.07	0.06	0.07	0.041	0.11	7.0	42.4	0.57	664	0.51	0.01
CC126892		1.44	29.0	4.03	7.27	0.08	0.10	0.15	0.039	0.11	6.4	38.8	0.64	434	0.38	0.01
CC126893		1.09	35.0	3.44	4.89	0.07	0.10	0.51	0.040	0.11	7.2	21.6	0.42	568	0.49	0.01
CC126894		1.67	24.5	4.22	8.29	0.07	0.04	0.06	0.035	0.13	6.2	39.8	0.44	324	0.64	0.01
CC126895		2.18	42.1	3.44	4.48	0.07	0.09	1.31	0.032	0.14	9.5	19.8	0.85	713	0.72	0.01
CC126896		1.97	34.8	3.64	5.41	0.07	0.08	0.33	0.037	0.15	8.7	23.0	0.45	520	0.63	0.01
CC126897		2.32	43.6	3.56	4.64	0.07	0.10	0.74	0.036	0.13	9.8	20.9	0.43	663	0.76	0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 11- JUL- 2011
Account: RCM

Project: Rackla - DALE

CERTIFICATE OF ANALYSIS WH11112682

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
CC124107		0.39	27.4	490	20.6	18.3	<0.001	<0.01	0.47	4.5	0.6	0.5	14.5	<0.01	0.08	3.2
CC124108		0.88	20.6	1090	17.1	13.0	<0.001	0.03	0.48	3.7	0.7	0.6	21.2	<0.01	0.06	1.9
CC124109		0.61	16.3	990	14.1	11.4	<0.001	0.02	0.39	2.9	0.5	0.6	10.9	<0.01	0.07	1.3
CC124110		0.83	28.1	710	12.2	9.2	<0.001	<0.01	0.67	3.9	0.8	0.5	16.4	<0.01	0.04	2.6
CC124111		0.60	22.3	1140	12.6	13.0	<0.001	0.02	0.60	3.4	0.8	0.6	13.0	<0.01	0.06	1.1
CC124112		0.25	21.9	870	58.1	7.3	<0.001	0.01	0.61	6.0	0.9	0.2	50.0	0.01	0.06	3.3
CC124113		0.54	23.4	800	37.6	14.2	<0.001	0.01	0.54	3.7	0.6	0.6	9.7	<0.01	0.09	1.7
CC124114		0.65	30.7	360	18.4	23.2	<0.001	<0.01	0.26	4.4	0.3	0.9	15.2	<0.01	0.03	4.2
CC124115		0.85	15.4	290	15.3	21.8	<0.001	<0.01	0.31	3.5	0.4	1.1	7.4	<0.01	0.06	2.5
CC124116		0.56	35.4	640	24.0	12.9	<0.001	<0.01	0.63	5.9	0.9	0.6	12.3	<0.01	0.06	3.6
CC124117		0.76	16.9	620	19.7	20.5	<0.001	0.01	0.40	3.3	0.4	1.1	12.2	<0.01	0.04	1.5
CC124118		1.03	24.6	630	24.7	16.1	<0.001	<0.01	0.55	3.6	0.6	0.7	9.6	<0.01	0.05	3.7
CC124119		1.01	25.7	400	15.7	15.0	<0.001	<0.01	0.74	5.0	0.7	0.7	11.3	<0.01	0.06	5.4
CC124120		0.30	37.1	300	22.5	12.9	<0.001	<0.01	0.76	6.9	0.7	0.6	9.3	<0.01	0.09	5.0
CC125192		0.97	18.0	240	24.5	27.0	<0.001	<0.01	0.52	3.6	0.3	1.2	6.3	<0.01	0.05	3.7
CC125193		0.40	26.8	400	22.0	14.4	<0.001	<0.01	0.51	4.6	0.5	0.6	9.0	<0.01	0.06	3.2
CC125194		0.46	24.8	490	17.2	14.9	<0.001	0.01	0.32	4.5	0.4	0.7	22.9	<0.01	0.07	2.5
CC125195		1.03	31.6	380	25.1	20.2	<0.001	<0.01	0.63	4.0	0.3	1.0	11.6	<0.01	0.07	3.5
CC125196		0.26	39.5	360	17.0	8.3	0.002	0.03	3.21	6.3	2.2	0.5	34.3	<0.01	0.05	3.0
CC125197		0.23	36.8	930	22.8	9.3	0.001	0.01	2.63	4.0	2.0	0.5	26.8	<0.01	0.08	1.4
CC125198		0.30	41.2	1970	23.8	10.2	0.001	0.06	1.68	7.9	2.0	0.5	43.7	<0.01	0.06	3.6
CC125199		0.37	24.2	540	15.9	8.2	0.001	0.06	0.69	7.7	1.8	0.5	41.7	<0.01	0.05	2.2
CC125200		0.32	34.6	330	31.3	12.7	<0.001	0.01	0.28	5.6	0.4	1.0	17.1	<0.01	0.04	4.6
CC126841		0.40	21.5	980	19.6	5.7	<0.001	0.09	0.53	3.4	0.8	0.3	41.6	<0.01	0.06	0.7
CC126842		0.44	27.1	720	33.5	9.2	<0.001	0.02	0.58	6.3	0.8	0.4	14.4	<0.01	0.08	2.8
CC126843		0.30	28.7	860	37.3	6.7	<0.001	0.04	0.67	5.4	1.0	0.3	22.8	0.01	0.08	1.3
CC126844		0.33	21.2	1260	17.8	11.4	<0.001	0.08	0.46	4.2	0.8	0.3	30.9	<0.01	0.06	1.2
CC126845		0.32	25.1	760	57.8	7.1	<0.001	0.04	0.77	5.4	0.8	0.4	30.4	0.01	0.07	2.3
CC126846		0.35	25.0	1260	25.0	10.1	<0.001	0.04	0.51	3.9	0.6	0.4	21.8	<0.01	0.07	1.5
CC126847		0.32	22.0	1210	24.8	9.5	<0.001	0.05	0.52	2.1	0.6	0.3	10.8	<0.01	0.08	0.9
CC126848		0.41	27.3	1940	14.9	21.1	<0.001	0.11	0.48	3.8	1.0	0.4	35.6	0.01	0.07	1.1
CC126849		0.23	34.2	810	21.3	8.7	<0.001	0.03	0.52	6.6	0.9	0.4	21.6	<0.01	0.09	2.7
CC126850		0.48	31.2	810	20.2	14.5	<0.001	0.02	0.61	3.6	0.6	0.5	10.3	<0.01	0.09	1.6
CC126891		0.45	32.2	400	20.9	13.5	<0.001	0.01	0.25	4.9	0.4	0.9	12.6	<0.01	0.04	5.1
CC126892		0.45	31.0	340	20.1	10.2	<0.001	0.03	0.19	5.5	0.6	0.9	29.5	<0.01	0.03	4.7
CC126893		0.34	28.1	440	21.7	9.2	<0.001	0.03	0.27	5.5	0.7	0.8	32.7	<0.01	0.04	3.8
CC126894		0.43	27.2	400	44.9	13.3	<0.001	0.03	0.51	4.3	0.3	1.1	21.0	<0.01	0.03	4.7
CC126895		0.57	26.9	570	22.1	13.3	<0.001	0.04	0.45	5.8	0.9	0.6	24.3	<0.01	0.04	2.8
CC126896		0.49	27.4	380	20.5	15.1	<0.001	0.02	0.31	6.0	0.5	0.8	17.7	<0.01	0.03	4.1
CC126897		0.44	27.1	890	20.9	20.1	<0.001	0.07	0.41	5.2	1.0	0.6	72.9	<0.01	0.05	1.9

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 11- JUL- 2011
Account: RCM

Project: Rackla - DALE

CERTIFICATE OF ANALYSIS WH11112682

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
CC124107		0.005	0.23	0.91	51	0.06	4.66	95	1.7
CC124108		0.016	0.22	1.43	52	0.27	6.33	81	1.6
CC124109		0.009	0.28	1.10	49	0.18	4.48	52	0.9
CC124110		0.025	0.42	1.67	47	0.19	8.78	84	1.4
CC124111		0.017	1.02	1.41	48	0.20	9.09	90	0.7
CC124112		0.005	4.56	2.77	20	0.27	15.85	257	2.0
CC124113		0.006	0.55	0.70	48	0.13	4.64	89	1.0
CC124114		0.015	0.20	1.00	30	0.12	6.99	84	0.7
CC124115		0.013	0.23	0.67	44	0.21	3.76	60	<0.5
CC124116		0.009	0.37	1.21	44	0.15	10.95	87	2.1
CC124117		0.010	0.22	0.77	42	0.18	5.27	58	<0.5
CC124118		0.016	0.25	0.71	43	0.18	4.03	102	1.2
CC124119		0.020	0.19	1.05	52	0.21	5.96	75	1.4
CC124120		0.006	0.23	0.81	51	0.08	6.21	97	0.9
CC125192		0.014	0.18	0.78	40	0.36	2.98	64	<0.5
CC125193		0.006	0.17	0.60	33	0.10	6.61	75	1.0
CC125194		0.005	0.13	0.72	33	0.06	4.68	92	1.2
CC125195		0.014	0.16	0.64	33	0.40	4.33	79	<0.5
CC125196		0.005	0.32	1.57	40	0.06	11.55	244	2.9
CC125197		0.005	0.33	1.65	48	0.07	8.92	199	0.5
CC125198		<0.005	0.28	1.26	57	<0.05	12.30	179	0.7
CC125199		<0.005	0.19	1.07	56	<0.05	11.80	104	1.8
CC125200		0.006	0.11	0.57	30	<0.05	6.80	115	1.2
CC126841		0.010	0.63	0.99	32	0.10	8.09	107	1.1
CC126842		0.010	0.75	1.13	43	0.15	12.00	153	1.4
CC126843		0.009	0.38	1.57	37	0.12	14.60	169	1.6
CC126844		0.010	0.28	1.13	30	0.08	9.49	128	1.6
CC126845		0.009	1.39	1.41	33	0.13	11.45	523	1.6
CC126846		0.009	0.12	1.10	40	0.09	9.31	89	1.1
CC126847		0.009	0.10	0.99	38	0.08	5.08	86	0.7
CC126848		0.011	0.14	4.19	39	0.19	12.30	197	1.8
CC126849		<0.005	0.11	1.37	38	0.06	17.05	94	2.0
CC126850		0.010	0.15	0.68	52	0.16	3.84	91	1.2
CC126891		0.008	0.15	0.57	32	0.05	5.87	90	1.3
CC126892		0.007	0.16	0.79	29	<0.05	9.28	101	2.3
CC126893		<0.005	0.26	0.90	25	0.05	9.83	97	2.4
CC126894		0.006	0.23	0.58	33	0.05	4.13	85	1.3
CC126895		0.008	0.54	1.16	30	0.14	12.80	111	2.3
CC126896		0.007	0.27	0.91	30	0.09	8.42	99	1.9
CC126897		0.006	0.46	1.48	31	0.12	15.20	106	2.1

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 11- JUL- 2011
Account: RCM

Project: Rackla - DALE

CERTIFICATE OF ANALYSIS WH11112682

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- TL43 Au ppm 0.001	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1
CC126898		0.20	0.002	0.20	1.50	40.8	<0.2	<10	300	1.01	0.25	1.09	0.21	15.10	10.3	23
CC126899		0.28	0.001	0.12	1.58	22.1	<0.2	<10	200	0.92	0.28	0.84	0.51	24.1	16.3	26
CC126900		0.26	0.003	0.24	1.43	68.9	<0.2	<10	330	1.00	0.23	1.60	0.32	19.30	11.7	24
CC126572		0.26	0.003	0.16	1.00	14.6	<0.2	<10	140	1.12	0.20	1.07	0.45	38.3	10.8	24
CC126573		0.26	0.003	0.15	1.63	12.2	<0.2	<10	160	1.21	0.19	1.13	0.24	38.4	10.7	33
CC126574		0.30	0.003	0.11	1.94	11.4	<0.2	<10	140	1.48	0.18	1.08	0.20	39.9	11.7	37
CC126575		0.30	0.002	0.13	1.45	18.1	<0.2	<10	130	1.08	0.24	0.51	0.16	22.6	16.1	21
CC126576		0.34	0.001	0.05	2.09	15.0	<0.2	<10	210	0.88	0.26	0.16	0.20	36.6	14.5	33
CC126577		0.36	0.001	0.07	1.97	15.7	<0.2	<10	170	1.17	0.27	0.10	0.14	26.8	16.2	28
CC126578		0.34	0.001	0.09	1.36	16.0	<0.2	<10	170	0.67	0.32	0.50	0.17	20.1	13.0	21
CC126579		0.26	0.001	0.21	0.60	10.9	<0.2	<10	90	0.95	0.30	0.76	0.14	20.6	12.7	14
CC126580		0.30	<0.001	0.09	0.46	22.2	<0.2	<10	70	0.71	0.33	0.13	0.15	24.4	13.1	12
CC127101		0.36	<0.001	0.04	0.58	8.3	<0.2	<10	70	0.24	0.34	0.04	0.12	6.58	9.6	13
CC127102		0.26	0.002	0.25	1.10	3580	<0.2	<10	220	0.76	0.21	5.20	6.06	18.75	9.6	19
CC127103		0.32	<0.001	0.05	1.32	46.1	<0.2	<10	210	0.48	0.33	0.30	0.22	19.20	9.5	21
CC127104		0.30	0.001	0.08	1.58	45.8	<0.2	<10	160	0.98	0.31	0.83	0.21	18.60	14.8	24
CC127105		0.36	0.001	0.03	1.29	44.8	<0.2	<10	110	0.42	0.29	0.18	0.34	20.1	12.7	25
CC127106		0.22	0.001	0.06	1.60	43.0	<0.2	<10	180	0.84	0.26	1.38	1.24	21.8	15.5	23
CC127107		0.34	0.002	0.24	0.53	214	<0.2	<10	70	0.46	0.09	14.10	4.58	15.20	6.0	8
CC127108		0.28	0.001	0.12	1.65	94.2	<0.2	<10	180	1.38	0.28	2.08	1.27	30.0	13.0	25
CC127109		0.42	0.003	0.34	1.15	160.5	<0.2	<10	100	0.88	0.27	3.26	1.20	19.65	14.1	19
CC127110		0.34	0.005	0.31	0.73	286	<0.2	<10	130	0.76	0.18	7.67	1.06	15.20	8.7	12
CC127111		0.22	0.001	0.06	1.09	97.3	<0.2	<10	190	0.62	0.28	0.78	0.58	18.45	12.9	18
CC127112		0.22	0.003	0.22	0.97	51.6	<0.2	<10	440	0.99	0.21	4.06	3.03	23.0	11.0	17
CC127113		0.18	0.002	0.54	1.69	108.5	<0.2	<10	280	1.21	0.26	2.45	1.20	29.3	10.8	25
CC127114		0.36	0.001	0.17	1.01	25.9	<0.2	<10	180	0.98	0.29	1.35	0.42	16.70	9.7	15
CC127115		0.16	0.001	0.16	1.06	15.1	<0.2	<10	110	0.94	0.31	1.26	0.24	19.65	12.0	17
CC127116		0.28	<0.001	0.12	0.74	87.8	<0.2	<10	130	0.70	0.31	0.55	0.18	13.15	10.3	13
CC127117		0.32	<0.001	0.06	0.56	17.6	<0.2	<10	80	0.64	0.41	0.09	0.05	11.25	11.9	12
CC127118		0.28	0.001	0.10	0.36	31.4	<0.2	<10	170	0.81	0.43	0.17	0.04	14.65	14.5	8
CC127119		0.26	0.001	0.12	0.41	28.8	<0.2	<10	110	0.68	0.42	0.26	0.10	14.40	14.8	10
CC127120		0.26	0.001	0.18	0.52	16.4	<0.2	<10	60	0.80	0.30	0.84	0.08	31.2	13.0	12
CC127121		0.18	0.001	0.24	0.37	12.9	<0.2	<10	90	0.79	0.27	1.56	0.14	22.3	12.0	10
CC127122		0.22	0.001	0.27	0.53	13.5	<0.2	<10	90	0.84	0.31	2.20	0.18	20.5	12.0	12
CC127123		0.32	0.001	0.04	1.83	14.9	<0.2	<10	130	0.73	0.32	0.20	0.14	22.3	14.3	27
CC127124		0.20	0.001	0.10	1.45	11.6	<0.2	<10	150	0.49	0.25	0.42	0.15	21.7	7.7	20
CC127125		0.14	0.001	0.09	1.27	24.9	<0.2	<10	140	0.53	0.26	0.56	0.18	19.95	8.4	23
CC127126		0.30	0.002	0.10	1.72	15.4	<0.2	<10	190	0.87	0.29	0.57	0.19	20.6	11.5	26
CC127127		0.16	0.001	0.10	1.90	14.3	<0.2	<10	210	0.64	0.27	0.12	0.11	18.40	9.7	25
CC127128		0.18	0.002	0.13	1.64	30.6	<0.2	<10	210	0.74	0.27	0.65	0.76	17.00	12.1	24

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 11- JUL- 2011
Account: RCM

Project: Rackla - DALE

CERTIFICATE OF ANALYSIS WH11112682

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
CC126898		1.75	32.6	3.47	4.78	0.07	0.07	0.27	0.036	0.09	8.4	21.1	0.42	509	0.81	0.01
CC126899		1.52	40.7	3.69	5.40	0.07	0.05	0.13	0.042	0.08	11.0	27.1	0.50	1060	1.04	0.01
CC126900		1.44	43.4	4.03	4.18	0.08	0.08	1.27	0.036	0.09	11.5	22.6	0.75	529	1.05	0.01
CC126572		3.56	32.3	2.76	3.61	0.08	0.07	0.11	0.034	0.12	21.3	23.7	0.46	344	0.79	0.01
CC126573		4.13	33.9	2.98	5.36	0.10	0.07	0.10	0.033	0.11	23.1	48.7	1.16	381	0.81	0.01
CC126574		3.22	34.9	3.01	6.55	0.09	0.13	0.07	0.037	0.15	23.0	82.2	1.72	440	0.77	0.01
CC126575		2.58	48.6	4.10	4.27	0.08	0.10	0.09	0.034	0.07	11.5	32.8	0.57	567	0.60	0.01
CC126576		1.67	23.9	3.46	6.34	0.07	0.04	0.02	0.033	0.06	16.5	23.7	0.59	528	1.12	0.01
CC126577		1.93	43.6	4.55	5.90	0.10	0.04	0.14	0.040	0.08	11.4	29.6	0.50	900	1.09	0.01
CC126578		1.51	41.6	4.41	6.11	0.07	0.02	0.05	0.035	0.08	9.4	15.0	0.29	567	0.93	0.01
CC126579		1.00	30.6	3.70	1.76	0.07	0.08	0.03	0.035	0.06	8.8	5.6	0.13	354	0.72	0.01
CC126580		2.84	30.4	4.07	2.17	0.08	0.02	0.03	0.035	0.08	8.8	3.6	0.05	354	0.74	0.01
CC127101		3.57	31.8	3.17	3.69	0.05	<0.02	0.02	0.024	0.18	3.6	2.6	0.06	591	0.47	0.01
CC127102		1.45	17.3	4.93	3.33	0.08	0.07	67.2	0.038	0.07	10.0	9.6	2.75	2500	0.69	0.01
CC127103		1.60	20.0	3.49	6.52	0.05	<0.02	0.38	0.029	0.08	9.3	15.5	0.29	696	1.29	<0.01
CC127104		1.19	40.0	4.10	4.89	0.06	0.08	0.24	0.039	0.09	8.4	22.4	0.61	919	0.86	0.01
CC127105		1.06	31.0	4.37	5.75	0.06	0.02	0.04	0.032	0.09	9.7	20.8	0.45	653	1.01	<0.01
CC127106		0.83	43.4	4.25	4.73	0.07	0.09	0.81	0.035	0.10	9.9	23.5	0.89	1360	0.92	0.01
CC127107		0.50	13.7	2.16	1.62	<0.05	0.06	2.14	0.013	0.04	9.0	6.6	8.85	1840	1.11	0.02
CC127108		0.96	27.6	4.64	4.78	0.08	0.09	0.72	0.037	0.10	18.3	17.3	1.26	1920	1.56	0.01
CC127109		1.22	46.0	4.09	3.47	0.07	0.09	1.04	0.032	0.10	9.3	24.6	2.07	804	0.85	0.01
CC127110		1.22	28.7	3.04	2.41	0.06	0.06	2.02	0.028	0.08	7.0	12.9	4.62	1270	1.20	0.01
CC127111		0.94	19.3	3.80	4.85	<0.05	0.04	0.15	0.036	0.07	6.6	20.9	0.29	585	1.05	<0.01
CC127112		1.11	24.3	3.38	3.34	0.06	0.06	1.62	0.030	0.09	11.0	12.1	2.23	1340	1.11	0.01
CC127113		1.11	22.3	5.10	4.50	0.08	0.08	1.09	0.031	0.07	16.2	14.2	1.42	3340	1.14	0.01
CC127114		1.47	33.2	3.14	2.91	0.05	0.09	0.14	0.032	0.11	7.3	16.2	0.43	515	0.53	0.01
CC127115		1.29	34.8	3.26	3.23	0.06	0.08	0.07	0.037	0.11	8.2	20.9	0.34	434	0.49	<0.01
CC127116		2.98	24.6	3.08	2.57	0.05	0.06	0.04	0.030	0.12	5.7	6.5	0.12	430	0.50	<0.01
CC127117		3.37	28.7	3.54	2.11	0.05	<0.02	0.02	0.030	0.14	5.0	5.1	0.12	371	0.41	<0.01
CC127118		1.80	34.3	4.32	1.18	0.07	0.04	0.09	0.034	0.13	5.9	2.3	0.09	487	0.55	<0.01
CC127119		1.75	32.2	4.12	1.48	0.05	0.04	0.03	0.035	0.12	5.2	2.2	0.06	909	0.50	<0.01
CC127120		1.23	28.7	4.28	1.68	0.08	0.07	0.04	0.032	0.08	11.3	3.9	0.08	343	0.62	<0.01
CC127121		0.76	33.3	3.79	1.19	0.07	0.07	0.05	0.035	0.07	8.2	3.8	0.09	358	1.21	0.01
CC127122		0.70	32.0	3.39	1.59	0.07	0.07	0.09	0.034	0.08	8.2	4.9	0.15	302	0.89	0.01
CC127123		1.52	36.2	4.67	5.73	0.07	0.03	0.04	0.033	0.08	10.2	32.0	0.47	709	1.01	0.01
CC127124		1.35	17.6	3.20	5.02	0.05	0.02	0.05	0.031	0.06	9.7	12.1	0.29	351	1.10	0.01
CC127125		1.78	21.9	2.93	4.52	0.05	0.03	0.04	0.031	0.08	8.8	17.6	0.36	474	0.67	0.01
CC127126		2.23	32.8	3.81	4.82	0.06	0.06	0.05	0.036	0.10	9.1	24.5	0.45	644	0.75	0.01
CC127127		2.39	41.5	3.76	6.22	0.06	0.08	0.06	0.034	0.12	8.2	18.4	0.36	409	0.95	0.01
CC127128		1.97	42.7	4.41	4.71	0.06	0.07	0.21	0.037	0.11	7.8	24.6	0.48	1160	0.82	0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 11- JUL- 2011
Account: RCM

Project: Rackla - DALE

CERTIFICATE OF ANALYSIS WH11112682

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
CC126898		0.46	22.4	1260	17.1	12.0	<0.001	0.10	0.55	4.3	0.8	0.5	42.4	<0.01	0.06	1.1
CC126899		0.63	25.4	840	18.9	10.7	<0.001	0.05	0.54	5.6	0.7	0.5	39.4	<0.01	0.07	1.3
CC126900		0.41	26.3	830	25.7	8.1	<0.001	0.07	0.59	5.3	1.0	0.4	40.3	<0.01	0.06	1.3
CC126572		0.29	25.1	760	17.6	9.3	<0.001	0.07	0.36	2.9	1.2	0.4	62.7	<0.01	0.04	1.3
CC126573		0.48	26.2	770	14.6	11.6	<0.001	0.06	0.43	3.9	1.2	0.4	86.4	<0.01	0.04	1.3
CC126574		0.45	25.7	710	15.3	15.2	<0.001	0.06	0.38	4.8	1.2	0.5	57.7	<0.01	0.04	1.9
CC126575		0.13	29.7	400	18.7	6.6	<0.001	0.01	0.46	6.2	0.7	0.3	36.8	<0.01	0.07	2.6
CC126576		0.79	33.3	640	14.5	10.8	<0.001	0.01	0.70	3.5	0.7	0.6	14.0	<0.01	0.05	1.6
CC126577		0.43	29.3	1120	17.8	10.9	<0.001	0.04	0.56	3.3	0.7	0.5	9.3	<0.01	0.08	1.0
CC126578		0.39	21.6	790	18.3	9.6	<0.001	0.02	0.57	3.2	0.5	0.5	23.7	<0.01	0.10	0.9
CC126579		0.18	27.8	640	23.9	5.7	<0.001	0.04	0.42	3.7	0.8	0.3	35.0	<0.01	0.06	1.4
CC126580		0.25	28.6	740	35.5	10.4	<0.001	0.03	0.59	1.9	0.6	0.3	13.0	<0.01	0.06	0.6
CC127101		0.10	22.5	780	12.8	20.8	<0.001	0.02	0.26	1.3	0.2	0.5	7.4	<0.01	0.08	0.3
CC127102		0.39	19.5	1400	105.5	7.2	<0.001	0.06	1.57	3.4	1.1	0.5	51.2	<0.01	0.06	1.5
CC127103		0.69	14.9	610	16.1	16.9	<0.001	0.03	0.52	2.3	0.3	0.7	11.9	<0.01	0.06	0.8
CC127104		0.41	27.4	770	22.6	9.3	<0.001	0.06	0.61	5.7	0.6	0.4	14.1	<0.01	0.07	1.8
CC127105		0.67	20.3	320	16.9	14.3	<0.001	0.02	0.52	3.5	0.4	0.5	10.5	<0.01	0.07	2.5
CC127106		0.38	25.5	730	26.4	8.0	<0.001	0.08	0.63	5.6	0.7	0.4	15.9	<0.01	0.08	1.9
CC127107		0.23	10.1	940	273	4.1	<0.001	0.04	1.36	2.3	0.6	0.2	63.4	<0.01	0.03	0.9
CC127108		0.48	23.9	560	59.2	10.3	<0.001	0.04	0.95	7.0	0.8	0.5	24.7	<0.01	0.08	3.0
CC127109		0.23	27.5	510	60.4	6.0	<0.001	0.04	1.10	7.6	0.7	0.3	33.4	<0.01	0.06	3.6
CC127110		0.20	18.3	660	215	6.4	<0.001	0.04	1.14	4.6	0.7	0.3	53.2	<0.01	0.04	1.5
CC127111		0.63	14.9	910	39.5	11.2	<0.001	0.06	0.53	3.3	0.5	0.6	18.0	<0.01	0.06	1.5
CC127112		0.35	23.0	860	45.2	6.9	<0.001	0.07	0.59	4.1	0.8	0.4	30.5	<0.01	0.04	1.6
CC127113		0.48	25.2	1130	100.0	9.1	<0.001	0.06	1.96	4.6	0.8	0.5	26.4	0.01	0.08	2.1
CC127114		0.25	22.5	750	26.0	12.3	<0.001	0.11	0.37	4.7	0.9	0.4	35.1	<0.01	0.05	1.7
CC127115		0.23	27.2	770	23.1	9.9	<0.001	0.07	0.31	5.3	0.7	0.4	61.5	<0.01	0.08	2.1
CC127116		0.17	19.8	600	32.4	15.7	<0.001	0.04	0.49	3.4	0.4	0.4	31.2	<0.01	0.05	1.6
CC127117		0.14	20.4	350	18.5	11.6	<0.001	0.02	0.28	3.4	0.2	0.3	13.8	<0.01	0.07	1.7
CC127118		0.08	27.5	320	34.2	7.3	<0.001	0.03	0.52	4.7	0.4	0.3	18.1	<0.01	0.06	2.3
CC127119		0.11	29.0	500	32.8	9.5	<0.001	0.03	0.41	3.6	0.4	0.3	17.5	<0.01	0.06	1.6
CC127120		0.14	30.2	1060	35.5	8.1	<0.001	0.05	0.49	5.0	0.8	0.3	45.4	0.01	0.05	3.2
CC127121		0.10	30.4	650	31.7	6.1	<0.001	0.10	0.53	4.1	1.0	0.3	61.4	<0.01	0.05	1.8
CC127122		0.17	29.7	580	27.9	7.2	<0.001	0.07	0.46	3.7	0.9	0.3	91.7	<0.01	0.06	1.6
CC127123		0.50	23.5	490	20.6	13.4	<0.001	0.02	0.55	4.2	0.4	0.5	15.4	<0.01	0.07	3.2
CC127124		0.44	13.7	1180	14.8	8.7	<0.001	0.05	0.49	1.4	0.6	0.5	23.0	<0.01	0.05	0.4
CC127125		0.37	18.2	1060	19.0	11.5	<0.001	0.06	0.38	3.2	0.5	0.4	28.0	<0.01	0.05	1.1
CC127126		0.44	24.8	1000	19.0	12.6	<0.001	0.06	0.47	4.5	0.5	0.5	30.1	<0.01	0.06	1.9
CC127127		0.36	20.2	1580	14.4	15.7	<0.001	0.07	0.53	3.6	0.5	0.5	11.8	<0.01	0.07	1.4
CC127128		0.28	23.6	1360	17.6	12.0	<0.001	0.08	0.50	4.7	0.7	0.4	30.8	<0.01	0.07	1.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 11- JUL- 2011
Account: RCM

Project: Rackla - DALE

CERTIFICATE OF ANALYSIS WH11112682

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
CC126898		0.009	0.26	1.15	39	0.12	8.70	95	1.6
CC126899		0.017	0.21	1.20	47	0.15	9.45	105	1.0
CC126900		0.008	1.92	1.30	38	0.15	12.60	128	1.7
CC126572		0.008	0.29	4.15	30	0.06	10.80	114	1.8
CC126573		0.016	0.17	2.97	41	0.08	14.40	81	1.7
CC126574		0.014	0.14	4.20	43	0.05	13.00	82	3.2
CC126575		<0.005	0.15	2.84	33	<0.05	8.25	70	2.5
CC126576		0.028	0.15	0.98	54	0.31	6.11	102	0.8
CC126577		0.010	0.14	0.68	49	0.15	6.34	70	0.9
CC126578		0.009	0.13	0.51	54	0.10	4.51	74	<0.5
CC126579		<0.005	0.10	1.24	24	0.05	13.75	82	1.6
CC126580		0.008	0.16	0.73	25	0.07	6.74	104	<0.5
CC127101		<0.005	0.11	0.27	28	<0.05	1.57	97	<0.5
CC127102		0.010	4.84	1.61	31	0.86	10.95	662	1.6
CC127103		0.015	0.26	0.69	58	0.18	2.97	71	<0.5
CC127104		0.009	0.26	1.39	41	0.09	8.14	82	2.3
CC127105		0.015	0.27	0.53	52	0.12	2.74	101	0.7
CC127106		0.008	0.42	1.14	40	0.13	9.51	388	2.8
CC127107		0.006	1.69	2.69	13	0.17	10.15	1520	1.6
CC127108		0.009	1.04	1.37	43	0.21	16.70	537	2.4
CC127109		0.005	1.08	1.06	29	0.10	11.35	447	2.9
CC127110		<0.005	5.09	1.55	20	0.18	10.45	381	1.5
CC127111		0.011	0.33	1.84	41	0.13	4.55	158	1.0
CC127112		0.007	0.45	1.53	28	0.11	12.85	1600	1.6
CC127113		0.012	1.31	2.80	42	0.18	16.00	373	1.8
CC127114		<0.005	0.25	3.10	22	0.06	12.15	120	2.3
CC127115		<0.005	0.13	1.34	21	<0.05	13.90	112	2.3
CC127116		<0.005	0.19	0.90	22	<0.05	6.74	117	1.7
CC127117		<0.005	0.13	0.54	19	<0.05	4.75	59	<0.5
CC127118		<0.005	0.22	0.69	14	<0.05	9.41	99	1.0
CC127119		<0.005	0.13	0.77	16	<0.05	7.82	83	1.0
CC127120		<0.005	0.13	2.76	19	0.05	19.80	87	2.0
CC127121		<0.005	0.13	1.34	15	<0.05	17.30	85	1.9
CC127122		<0.005	0.13	1.38	18	0.05	16.35	83	1.8
CC127123		0.007	0.14	0.58	50	0.10	4.33	72	1.1
CC127124		0.010	0.17	1.14	44	0.12	4.32	46	0.5
CC127125		0.008	0.15	0.99	34	0.08	7.84	81	0.8
CC127126		0.006	0.14	0.92	39	0.10	9.00	86	1.7
CC127127		0.006	0.21	0.70	48	0.10	5.04	60	2.0
CC127128		0.005	0.20	0.94	39	0.06	8.25	80	1.7

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 11- JUL- 2011
Account: RCM

Project: Rackla - DALE

CERTIFICATE OF ANALYSIS WH11112682

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- TL43 Au ppm 0.001	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1
CC127129		0.26	0.005	0.13	0.69	158.5	<0.2	<10	130	1.15	0.19	1.26	0.43	31.8	8.6	17
CC127130		0.14	0.005	0.08	0.73	267	<0.2	10	310	1.11	0.17	1.62	0.32	31.4	10.2	21
CC127489		0.34	0.001	0.03	2.04	16.4	<0.2	<10	280	0.96	0.33	0.09	0.13	27.0	19.3	28
CC127490		0.34	0.001	0.05	1.80	12.3	<0.2	<10	190	0.65	0.28	0.10	0.08	20.2	10.6	27
CC127491		0.24	0.001	0.05	1.75	16.1	<0.2	<10	210	0.76	0.33	0.20	0.17	20.3	15.3	27
CC127492		0.34	0.006	0.21	0.99	217	<0.2	<10	180	1.18	0.23	1.00	0.72	22.6	10.2	18
CC127493		0.44	0.002	0.08	1.70	22.4	<0.2	<10	250	0.93	0.27	0.24	0.17	34.2	14.3	28
CC127494		0.34	0.001	0.07	1.99	15.2	<0.2	<10	170	0.84	0.29	0.09	0.20	25.8	15.4	29
CC127495		0.42	0.001	0.04	2.09	18.1	<0.2	<10	190	0.91	0.32	0.09	0.11	23.5	19.0	29
CC127496		0.32	0.001	0.04	1.37	21.9	<0.2	<10	150	0.42	0.30	0.11	0.28	21.5	9.6	29
CC127497		0.34	0.001	0.12	2.09	23.9	<0.2	<10	110	0.65	0.30	0.05	0.34	28.4	13.3	29
CC127498		0.40	0.001	0.10	1.73	111.0	<0.2	<10	280	0.87	0.31	0.13	0.19	34.9	15.7	28
CC127499		0.42	0.001	0.06	2.09	19.7	<0.2	<10	170	0.86	0.31	0.16	0.09	34.9	16.0	28
CC127500		0.30	0.003	0.04	2.34	19.3	<0.2	<10	120	0.86	0.30	0.09	0.26	40.9	20.0	30
CC127801		0.40	0.001	0.06	2.25	17.3	<0.2	<10	190	1.23	0.33	0.16	0.20	39.7	19.0	28
CC127802		0.32	0.001	0.14	2.06	22.2	<0.2	<10	130	0.67	0.27	0.13	0.22	28.6	13.7	31
CC127803		0.32	0.001	0.12	1.96	22.0	<0.2	<10	190	1.13	0.31	0.11	0.16	31.0	13.3	29
CC127804		0.36	0.002	0.07	1.89	15.8	<0.2	<10	150	0.66	0.29	0.12	0.22	24.2	13.0	27
CC127805		0.50	0.004	0.03	2.06	15.3	<0.2	<10	270	0.92	0.29	0.17	0.10	33.7	13.9	31
CC127806		0.36	0.001	0.06	1.45	37.8	<0.2	<10	80	0.41	0.27	0.06	0.18	20.9	9.7	25
CC127807		0.34	0.001	0.13	1.48	30.0	<0.2	<10	330	0.64	0.30	0.58	0.30	14.05	8.2	22
CC127808		0.32	0.002	0.33	0.76	154.5	<0.2	<10	190	0.86	0.15	2.26	1.10	26.7	8.0	14
CC127809		0.38	0.001	0.06	1.47	23.6	<0.2	<10	130	0.70	0.30	0.29	0.17	19.45	13.6	25
CC127810		0.32	0.001	0.13	1.35	17.8	<0.2	<10	200	0.78	0.23	1.27	0.32	18.90	8.9	19
CC127811		0.42	0.001	0.09	1.58	14.7	<0.2	<10	110	0.62	0.33	0.05	0.28	19.15	12.5	25
CC127812		0.30	0.001	0.05	0.46	198.5	<0.2	<10	90	1.20	0.29	1.51	0.14	28.4	10.9	17
CC127813		0.30	0.001	0.08	1.10	51.9	<0.2	<10	160	1.00	0.28	1.44	0.21	25.9	10.1	24
CC127814		0.36	0.001	0.08	0.34	12.3	<0.2	<10	90	1.07	0.43	0.24	0.05	11.85	16.7	10
CC127815		0.42	0.003	0.06	0.60	22.0	<0.2	<10	110	1.14	0.40	1.89	0.18	14.05	15.5	19
CC127816		0.34	0.001	0.08	0.82	20.8	<0.2	<10	170	1.17	0.31	1.16	0.21	15.80	12.2	17
CC127817		0.36	0.001	0.11	1.21	22.3	<0.2	<10	180	1.24	0.36	0.53	0.20	33.3	15.5	17
CC127818		0.30	0.001	0.10	1.38	14.9	<0.2	<10	110	0.70	0.30	0.25	0.37	17.15	17.1	24
CC127819		0.44	0.001	0.05	2.16	16.8	<0.2	<10	120	1.01	0.32	0.04	0.15	30.6	18.8	29
CC127820		0.42	0.002	0.03	1.96	22.8	<0.2	<10	140	1.18	0.34	0.08	0.16	33.3	21.0	27
CC127821		0.38	<0.001	0.08	1.22	17.0	<0.2	<10	130	0.61	0.30	0.13	0.15	19.95	8.6	20
CC127822		0.42	0.001	0.04	1.99	31.2	<0.2	<10	100	1.10	0.33	0.03	0.26	25.0	22.2	28
CC127823		0.46	0.001	0.04	1.38	23.2	<0.2	<10	150	1.24	0.39	0.09	0.10	22.7	24.9	21
CC127824		0.40	0.001	0.05	2.16	26.0	<0.2	<10	160	1.03	0.30	0.05	0.15	25.1	20.6	29
CC127825		0.38	0.001	0.08	1.84	14.6	<0.2	<10	130	0.63	0.32	0.06	0.13	24.9	12.7	28
CC127826		0.34	<0.001	0.07	1.89	13.2	<0.2	<10	120	0.76	0.30	0.08	0.25	28.5	10.9	25

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 11- JUL- 2011
Account: RCM

Project: Rackla - DALE

CERTIFICATE OF ANALYSIS WH11112682

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
CC127129		2.95	33.4	2.77	1.96	0.07	0.07	0.29	0.037	0.07	20.7	7.9	0.19	351	0.60	<0.01
CC127130		6.13	33.0	2.90	2.54	0.07	0.09	0.72	0.031	0.11	16.3	10.6	0.43	403	0.49	0.01
CC127489		2.56	45.6	5.02	6.10	0.08	0.04	0.05	0.040	0.10	10.6	39.1	0.59	990	0.80	<0.01
CC127490		2.44	26.4	3.90	5.55	0.06	0.03	0.03	0.031	0.08	8.7	30.2	0.53	648	0.96	<0.01
CC127491		2.49	43.8	4.85	6.21	0.07	0.03	0.03	0.035	0.09	8.9	28.0	0.56	902	1.11	<0.01
CC127492		2.78	33.9	2.79	2.56	0.06	0.10	0.60	0.034	0.09	11.5	10.6	0.24	355	0.65	<0.01
CC127493		2.39	40.1	3.69	4.53	0.07	0.07	0.04	0.033	0.08	15.3	25.4	0.57	694	0.95	0.01
CC127494		1.51	36.6	4.69	5.71	0.07	0.05	0.04	0.041	0.09	8.8	35.8	0.59	906	0.88	<0.01
CC127495		1.58	50.5	5.25	5.53	0.07	0.06	0.07	0.044	0.09	9.4	39.7	0.68	833	0.96	<0.01
CC127496		1.23	25.0	3.75	5.89	0.06	<0.02	0.03	0.030	0.06	9.8	18.8	0.47	595	1.30	<0.01
CC127497		1.75	36.7	4.75	5.92	0.09	0.07	0.04	0.042	0.07	10.5	31.8	0.48	640	1.00	<0.01
CC127498		1.41	45.1	4.79	4.58	0.10	0.06	0.08	0.046	0.06	10.0	24.3	0.44	903	0.80	<0.01
CC127499		1.51	40.5	4.38	5.46	0.09	0.06	0.03	0.040	0.08	12.2	28.3	0.54	609	0.93	<0.01
CC127500		1.63	52.3	4.69	5.10	0.10	0.11	0.04	0.051	0.07	11.5	38.6	0.70	686	0.88	<0.01
CC127801		2.18	60.7	4.59	4.43	0.10	0.09	0.03	0.063	0.08	8.5	25.4	0.49	673	0.62	<0.01
CC127802		1.57	33.8	4.43	5.89	0.10	0.05	0.05	0.047	0.06	10.9	30.2	0.56	613	1.10	<0.01
CC127803		1.71	36.1	4.13	5.76	0.11	0.04	0.06	0.044	0.05	11.7	35.2	0.45	1020	1.15	<0.01
CC127804		1.35	31.0	4.61	5.47	0.09	0.03	0.03	0.045	0.05	8.8	31.8	0.49	622	1.06	<0.01
CC127805		1.52	36.0	3.69	5.94	0.10	0.07	0.04	0.036	0.06	14.1	24.3	0.58	625	1.15	<0.01
CC127806		2.35	23.4	3.80	5.94	0.08	0.02	0.04	0.030	0.06	9.7	30.0	0.37	477	1.13	<0.01
CC127807		2.29	31.1	3.37	5.28	0.08	0.10	0.02	0.038	0.09	6.4	16.5	0.37	389	0.92	<0.01
CC127808		0.92	23.3	2.39	2.02	0.08	0.10	0.14	0.026	0.04	12.8	5.0	0.17	679	1.02	<0.01
CC127809		4.57	38.2	4.38	4.94	0.08	0.05	0.02	0.039	0.09	7.2	25.5	0.51	682	0.98	<0.01
CC127810		1.59	28.0	3.18	4.08	0.08	0.08	0.05	0.031	0.06	8.0	15.9	0.36	599	0.90	<0.01
CC127811		1.75	38.0	4.32	5.79	0.08	0.03	0.05	0.036	0.07	7.8	19.4	0.34	865	1.12	<0.01
CC127812		4.76	36.3	2.79	1.47	0.11	0.11	0.08	0.042	0.10	13.9	5.5	0.15	296	0.26	<0.01
CC127813		4.19	32.3	2.94	3.48	0.10	0.11	0.06	0.038	0.09	12.3	17.8	0.40	291	0.50	<0.01
CC127814		8.25	39.1	4.18	1.29	0.08	0.09	0.06	0.040	0.11	4.5	4.6	0.10	641	0.28	<0.01
CC127815		3.08	47.3	3.20	2.33	0.08	0.08	0.03	0.039	0.11	5.3	11.0	0.62	439	0.32	<0.01
CC127816		1.14	33.8	3.22	2.49	0.08	0.10	0.09	0.038	0.08	7.0	8.9	0.16	482	0.50	<0.01
CC127817		3.42	44.4	3.98	3.35	0.12	0.09	0.27	0.047	0.10	12.0	14.0	0.21	457	1.76	<0.01
CC127818		8.54	45.0	4.68	4.97	0.08	0.05	0.03	0.037	0.13	6.2	28.5	0.45	871	0.77	<0.01
CC127819		2.09	59.6	4.96	6.12	0.10	0.06	0.06	0.042	0.10	12.1	55.7	0.74	647	0.59	<0.01
CC127820		3.41	70.1	4.82	5.85	0.11	0.04	0.15	0.041	0.11	12.8	42.8	0.69	908	0.57	<0.01
CC127821		8.18	28.1	3.50	5.76	0.08	<0.02	0.05	0.031	0.08	8.4	15.4	0.29	464	0.86	<0.01
CC127822		6.71	57.8	5.39	5.29	0.10	0.05	0.09	0.048	0.09	10.2	37.6	0.56	728	0.69	<0.01
CC127823		6.12	70.7	4.82	4.38	0.09	0.02	0.08	0.043	0.08	9.0	29.6	0.44	654	0.61	<0.01
CC127824		2.36	49.1	5.00	6.28	0.10	0.06	0.06	0.051	0.08	9.9	42.5	0.59	771	0.94	<0.01
CC127825		3.46	33.8	4.01	6.63	0.10	0.02	0.09	0.035	0.08	10.6	30.2	0.48	490	1.24	<0.01
CC127826		1.70	33.2	3.82	6.28	0.10	0.04	0.05	0.035	0.07	11.0	29.4	0.44	431	0.89	<0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 11- JUL- 2011
Account: RCM

Project: Rackla - DALE

CERTIFICATE OF ANALYSIS WH11112682

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
CC127129		0.18	20.8	870	16.5	8.0	<0.001	0.08	0.28	4.1	1.3	0.3	49.2	<0.01	0.04	1.4
CC127130		0.29	24.6	760	14.3	10.3	<0.001	0.08	0.33	5.4	1.5	0.4	53.9	<0.01	0.04	2.1
CC127489		0.35	27.6	510	26.4	12.9	<0.001	0.02	0.51	4.8	0.5	0.4	10.1	<0.01	0.07	3.4
CC127490		0.41	19.7	1020	17.7	12.3	<0.001	0.05	0.47	2.0	0.4	0.5	9.3	<0.01	0.06	0.9
CC127491		0.40	24.9	1080	23.5	12.5	<0.001	0.05	0.55	2.8	0.5	0.4	12.3	<0.01	0.07	0.9
CC127492		0.22	24.4	780	52.7	8.4	<0.001	0.05	2.29	4.7	0.8	0.3	57.6	<0.01	0.04	1.8
CC127493		0.51	32.4	730	19.4	10.8	<0.001	0.02	0.60	5.9	0.6	0.4	21.6	<0.01	0.05	3.8
CC127494		0.42	25.8	900	22.2	11.7	<0.001	0.05	0.48	3.5	0.5	0.4	9.5	<0.01	0.07	1.9
CC127495		0.38	30.1	870	26.3	11.3	<0.001	0.04	0.55	4.1	0.5	0.4	9.8	<0.01	0.07	2.2
CC127496		0.32	18.6	960	16.3	11.9	<0.001	0.06	0.56	1.0	0.5	0.5	10.2	<0.01	0.06	0.2
CC127497		0.60	24.9	520	18.4	11.6	<0.001	0.01	0.75	3.8	0.5	0.5	7.4	<0.01	0.07	2.9
CC127498		0.33	28.5	780	21.1	10.1	<0.001	0.01	0.50	4.3	0.6	0.5	16.6	<0.01	0.07	1.9
CC127499		0.51	34.0	530	19.3	10.5	<0.001	0.01	0.57	4.1	0.7	0.5	14.6	<0.01	0.07	2.5
CC127500		0.44	35.5	740	29.7	10.5	0.001	0.01	0.59	4.8	0.9	0.4	8.9	<0.01	0.08	4.3
CC127801		0.24	40.0	430	23.3	12.1	<0.001	<0.01	0.44	6.0	0.7	0.5	16.1	<0.01	0.12	3.7
CC127802		0.70	22.2	710	19.3	13.3	<0.001	0.01	0.52	4.1	0.7	0.6	13.4	0.01	0.08	2.5
CC127803		0.51	22.4	840	21.1	11.7	<0.001	0.03	0.56	3.3	0.9	0.6	11.9	0.01	0.07	0.9
CC127804		0.72	22.9	610	20.2	8.2	<0.001	0.01	0.57	3.3	0.5	0.5	11.9	<0.01	0.08	2.0
CC127805		0.68	28.5	760	17.5	10.2	<0.001	0.01	0.73	4.1	0.7	0.5	16.5	0.01	0.06	2.1
CC127806		1.02	18.0	460	13.2	13.5	<0.001	0.01	0.57	2.7	0.5	0.6	8.5	<0.01	0.07	2.2
CC127807		0.35	20.0	1700	13.6	21.1	<0.001	0.05	0.31	4.1	0.5	0.6	39.6	<0.01	0.05	1.3
CC127808		0.23	15.8	1540	16.8	7.0	<0.001	0.13	0.31	1.7	1.1	0.3	115.0	0.01	0.03	0.7
CC127809		0.39	25.8	720	19.8	15.6	<0.001	0.02	0.53	3.1	0.4	0.4	18.2	<0.01	0.07	1.6
CC127810		0.43	17.8	1390	14.5	9.1	<0.001	0.10	0.42	2.8	0.7	0.4	52.6	0.01	0.05	1.0
CC127811		0.44	19.0	1440	21.5	13.4	<0.001	0.07	0.62	1.9	0.5	0.5	6.7	<0.01	0.08	0.7
CC127812		0.14	29.6	600	11.4	8.6	<0.001	0.03	0.18	7.2	1.0	0.2	42.1	0.01	0.03	3.1
CC127813		0.38	28.4	920	14.7	9.6	<0.001	0.06	0.37	4.7	0.9	0.4	50.7	0.01	0.04	2.0
CC127814		0.06	36.2	250	29.0	10.0	<0.001	0.02	0.31	6.0	0.5	0.5	31.7	<0.01	0.04	5.3
CC127815		0.13	46.1	500	19.1	7.3	<0.001	<0.01	0.37	6.5	0.5	0.5	81.6	<0.01	0.03	5.6
CC127816		0.20	31.6	750	16.8	7.5	<0.001	0.05	0.33	4.2	0.8	0.5	52.7	<0.01	0.04	1.6
CC127817		0.11	29.1	3270	16.2	9.7	0.001	0.03	0.47	5.1	1.5	0.5	43.9	0.01	0.06	3.4
CC127818		0.33	25.5	1000	18.4	11.6	<0.001	0.04	0.55	3.5	0.4	0.3	15.0	<0.01	0.07	1.5
CC127819		0.13	35.1	360	22.1	11.0	<0.001	0.01	0.59	5.5	0.4	0.4	7.8	<0.01	0.08	3.9
CC127820		0.09	35.4	240	20.2	11.0	<0.001	<0.01	0.65	8.3	0.8	0.4	8.8	<0.01	0.07	5.1
CC127821		0.33	16.7	750	13.1	17.2	<0.001	0.04	0.59	2.2	0.6	0.5	9.9	<0.01	0.05	0.4
CC127822		0.25	35.9	370	21.8	13.8	<0.001	0.01	0.81	6.1	0.4	0.4	10.8	<0.01	0.06	3.7
CC127823		0.09	35.3	300	24.9	13.2	<0.001	<0.01	0.73	7.9	0.7	0.4	12.4	<0.01	0.07	3.4
CC127824		0.35	31.8	440	18.3	13.0	<0.001	0.01	0.67	5.7	0.4	0.5	7.7	<0.01	0.09	2.8
CC127825		0.55	24.0	860	19.0	12.6	<0.001	0.02	0.67	2.8	0.7	0.5	11.2	<0.01	0.06	0.8
CC127826		0.44	21.7	1120	15.8	12.0	<0.001	0.04	0.58	2.4	0.6	0.6	9.3	<0.01	0.05	0.8

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 11- JUL- 2011
Account: RCM

Project: Rackla - DALE

CERTIFICATE OF ANALYSIS WH11112682

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
CC127129		<0.005	0.38	4.75	24	0.09	16.00	130	1.9
CC127130		0.006	1.42	4.81	27	0.14	13.65	98	2.8
CC127489		0.005	0.14	0.61	48	0.07	6.11	76	1.4
CC127490		0.010	0.13	0.77	44	0.09	3.94	69	0.7
CC127491		0.010	0.12	0.63	52	0.09	4.89	84	0.7
CC127492		<0.005	0.58	2.45	27	0.06	12.75	103	2.9
CC127493		0.013	0.15	1.43	41	0.16	15.20	86	1.7
CC127494		0.007	0.12	0.67	46	0.10	5.01	80	1.4
CC127495		0.006	0.14	0.64	47	0.07	5.72	76	1.6
CC127496		0.013	0.12	0.74	52	0.16	3.85	83	<0.5
CC127497		0.008	0.15	0.60	48	0.18	4.09	80	1.9
CC127498		0.007	0.48	1.32	45	0.13	7.92	78	1.5
CC127499		0.009	0.17	0.87	45	0.16	7.27	80	1.5
CC127500		0.006	0.14	4.21	39	0.09	5.79	78	4.0
CC127801		<0.005	0.18	0.73	43	0.12	6.99	93	2.6
CC127802		0.012	0.16	1.41	51	0.17	4.78	64	1.3
CC127803		0.013	0.20	1.04	51	0.18	14.55	77	<0.5
CC127804		0.012	0.13	0.62	48	0.16	3.60	65	0.8
CC127805		0.017	0.15	1.03	50	0.24	8.05	78	1.6
CC127806		0.023	0.23	0.53	48	0.21	2.57	67	0.5
CC127807		0.006	0.22	1.22	42	0.11	5.12	137	2.5
CC127808		0.005	0.22	11.10	27	0.11	11.15	91	2.8
CC127809		0.008	0.22	0.74	41	0.09	3.27	82	1.2
CC127810		0.010	0.16	2.17	35	0.09	6.74	59	2.3
CC127811		0.010	0.13	0.58	48	0.10	4.12	64	0.7
CC127812		<0.005	0.65	2.12	16	0.07	20.9	74	2.7
CC127813		0.008	0.21	3.33	25	0.10	15.45	85	2.8
CC127814		<0.005	0.26	1.29	13	<0.05	7.20	122	4.0
CC127815		<0.005	0.14	1.55	16	<0.05	10.40	114	4.3
CC127816		<0.005	0.12	3.95	19	0.06	12.75	90	2.6
CC127817		<0.005	0.20	1.87	33	0.06	24.7	77	1.5
CC127818		0.009	0.09	0.51	41	0.06	3.26	96	1.2
CC127819		<0.005	0.11	0.52	36	<0.05	5.29	77	2.0
CC127820		<0.005	0.13	0.61	37	<0.05	9.09	76	1.5
CC127821		0.009	0.16	0.51	45	0.12	4.32	54	<0.5
CC127822		0.005	0.19	0.50	41	0.06	4.34	74	2.2
CC127823		<0.005	0.18	0.50	33	<0.05	7.93	86	0.9
CC127824		0.006	0.19	0.56	48	0.09	4.49	67	1.8
CC127825		0.013	0.15	0.66	47	0.17	3.65	62	0.6
CC127826		0.011	0.13	0.73	42	0.12	4.86	69	0.8

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 11- JUL- 2011
Account: RCM

Project: Rackla - DALE

CERTIFICATE OF ANALYSIS WH11112682

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- TL43 Au ppm 0.001	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1
CC127827		0.30	0.001	0.11	0.74	122.0	<0.2	<10	110	1.33	0.43	0.22	0.29	19.25	20.1	14
CC127828		0.46	0.001	0.04	1.87	17.4	<0.2	<10	180	1.17	0.31	0.26	0.08	27.9	14.5	26
CC127829		0.40	0.001	0.05	1.40	18.4	<0.2	<10	180	0.88	0.33	0.49	0.11	20.7	15.0	21
CC127830		0.40	0.002	0.07	0.90	14.0	<0.2	<10	140	1.41	0.36	1.82	0.21	20.2	16.8	25

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 11- JUL- 2011
Account: RCM

Project: Rackla - DALE

CERTIFICATE OF ANALYSIS WH11112682

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
CC127827		3.82	65.7	4.62	2.75	0.11	0.02	1.91	0.051	0.08	7.2	6.5	0.09	371	3.68	<0.01
CC127828		2.29	39.2	4.06	6.15	0.10	0.11	0.05	0.037	0.09	11.9	31.3	0.53	536	0.99	<0.01
CC127829		1.69	34.6	3.81	5.08	0.09	0.07	0.04	0.037	0.07	8.4	22.1	0.42	561	0.77	<0.01
CC127830		3.86	43.8	3.56	3.52	0.10	0.07	0.05	0.041	0.10	8.0	19.8	0.63	387	0.39	<0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 11- JUL- 2011
Account: RCM

Project: Rackla - DALE

CERTIFICATE OF ANALYSIS WH11112682

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
CC127827		0.05	40.4	2150	21.3	10.7	0.003	0.04	0.94	5.4	1.4	0.6	52.0	<0.01	0.07	1.6
CC127828		0.32	27.2	950	21.7	12.2	<0.001	0.04	0.59	5.3	0.7	0.5	18.2	<0.01	0.07	2.0
CC127829		0.32	26.2	720	17.2	13.1	<0.001	0.03	0.58	4.3	0.4	0.5	27.0	<0.01	0.05	1.9
CC127830		0.26	47.1	880	19.3	8.4	<0.001	0.04	0.37	7.0	0.8	0.5	69.4	<0.01	0.02	3.6

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 11- JUL- 2011
Account: RCM

Project: Rackla - DALE

CERTIFICATE OF ANALYSIS WH11112682

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
CC127827		<0.005	0.32	1.54	38	0.05	19.50	100	0.5
CC127828		0.007	0.13	0.93	41	0.10	9.45	67	2.0
CC127829		0.006	0.13	0.62	36	0.08	4.04	75	1.9
CC127830		0.006	0.15	3.01	20	0.05	14.90	112	2.4

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 11- JUL- 2011
Account: RCM

Project: Rackla - DALE

CERTIFICATE OF ANALYSIS WH11112682

Method	CERTIFICATE COMMENTS
ME- MS41	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown.
ME- MS41	Gold determinations by this method are semi- quantitative due to the small sample weight used (0.5g).

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 3- JUL- 2011
Account: RCM

CERTIFICATE WH11112879

Project: Rackla Gold (Rackla)

P.O. No.:

This report is for 12 Rock samples submitted to our lab in Whitehorse, YT, Canada on 26- JUN- 2011.

The following have access to data associated with this certificate:

ROB CARNE JULIA LANE	ANDREW CARNE JOAN MARIACHER	MATT DUMALA

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
WSH- 21	"Wash" crushers
WSH- 22	"Wash" pulverizers
CRU- 31	Fine crushing - 70% < 2mm
CRU- QC	Crushing QC Test
SPL- 21	Split sample - riffle splitter
PUL- QC	Pulverizing QC Test
PUL- 31	Pulverize split to 85% < 75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- AA26	Ore Grade Au 50g FA AA finish	AAS
ME- MS61	48 element four acid ICP- MS	
Hg- CV41	Trace Hg - cold vapor/AAS	FIMS

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 3- JUL- 2011
Account: RCM

Project: Rackla Gold (Rackla)

CERTIFICATE OF ANALYSIS WH11112879

Sample Description	Method	WEI- 21	Au- AA26	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	Recvd Wt.	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs	Cu
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.02	0.01	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	0.2
I357384		0.50	0.02	0.04	0.72	238	110	0.34	0.04	20.2	0.05	11.15	2.0	8	1.28	4.5
I357385		0.67	<0.01	0.02	1.11	4.0	910	0.41	0.05	5.62	0.22	14.40	2.9	15	1.22	6.7
I357386		0.86	0.01	0.12	0.65	<5	80	0.12	0.02	30.1	0.02	9.78	1.5	6	0.60	3.9
I357387		0.60	<0.01	0.05	3.02	<5	240	0.65	0.05	11.05	0.08	39.7	4.1	35	1.82	5.3
I357388		0.48	<0.01	0.06	0.78	<5	750	0.19	0.03	24.0	<0.02	20.8	1.8	7	0.52	6.0
I357389		1.15	<0.01	0.11	0.69	50.2	680	0.16	0.09	9.73	0.04	20.2	29.0	7	1.11	44.3
I357390		0.82	<0.01	<0.01	0.30	<5	30	0.21	0.01	32.7	<0.02	5.91	0.9	4	0.20	1.2
I357391		1.20	<0.01	0.07	2.90	10	4600	0.24	0.03	11.30	0.04	15.35	25.0	139	0.40	219
I357392		0.63	<0.01	0.03	3.88	<5	270	1.00	0.20	15.75	0.04	57.2	5.7	39	1.83	3.5
I357393		0.45	<0.01	0.04	3.64	7	220	1.00	0.12	16.50	0.06	45.1	4.9	35	1.91	16.4
I357394		0.95	<0.01	0.04	3.71	<5	380	1.19	0.07	11.30	0.81	38.9	8.0	28	2.24	14.9
I357395		0.28	0.02	0.15	6.45	141.0	290	1.33	0.49	0.71	0.61	61.9	21.7	73	7.25	47.7

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 3- JUL- 2011
Account: RCM

Project: Rackla Gold (Rackla)

CERTIFICATE OF ANALYSIS WH11112879

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	Hg- CV41	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
	Units	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOR	0.01	0.05	0.05	0.1	0.01	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2
I357384		1.35	1.76	0.05	0.3	0.06	0.010	0.31	6.6	9.8	9.42	1540	1.36	0.02	1.7	4.6
I357385		0.99	3.30	<0.05	0.9	0.01	0.065	0.41	6.6	22.6	0.41	590	0.22	0.09	2.1	6.5
I357386		0.43	1.16	0.06	0.4	0.03	<0.005	0.17	5.5	3.8	1.60	118	0.16	0.28	1.2	4.5
I357387		1.56	6.26	0.08	2.8	0.03	0.023	0.91	19.4	44.4	4.35	311	0.29	0.61	5.7	12.8
I357388		8.45	1.63	0.14	0.6	0.01	0.019	0.33	8.3	8.3	3.76	580	0.12	0.02	1.5	8.1
I357389		16.05	1.67	0.32	0.5	0.27	0.101	0.28	8.4	4.1	4.96	1660	0.65	0.01	1.7	44.2
I357390		0.50	0.66	<0.05	0.2	0.01	<0.005	0.08	2.7	2.5	0.85	97	0.05	0.08	0.7	2.8
I357391		9.98	7.64	0.17	1.3	0.45	0.060	0.08	7.2	232	2.80	2590	0.06	0.06	4.7	51.7
I357392		1.54	9.47	0.08	2.5	0.02	0.034	1.34	26.6	26.9	3.41	281	0.22	0.03	8.5	13.8
I357393		1.87	8.49	0.09	2.2	0.01	0.029	1.05	23.2	30.3	4.41	220	0.17	0.02	7.3	22.7
I357394		2.91	9.68	0.11	1.8	0.01	0.029	1.47	22.7	39.7	7.03	392	0.13	0.26	6.7	28.3
I357395		6.39	16.10	0.18	3.1	3.42	0.068	2.30	30.1	86.0	0.68	553	0.62	0.02	9.3	40.9

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 3- JUL- 2011
Account: RCM

Project: Rackla Gold (Rackla)

CERTIFICATE OF ANALYSIS WH11112879

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
	LOR	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02
I357384		170	1.9	17.9	0.007	0.06	0.69	1.9	1	0.3	395	0.11	<0.05	1.7	0.035	0.15
I357385		100	4.0	21.7	<0.002	0.06	0.33	2.8	1	0.4	85.2	0.15	<0.05	2.0	0.074	0.09
I357386		180	5.4	10.4	<0.002	0.02	0.19	1.0	1	0.2	2110	0.07	<0.05	1.4	0.025	0.05
I357387		450	7.3	43.8	<0.002	0.02	0.27	5.4	2	0.9	350	0.45	<0.05	8.7	0.145	0.19
I357388		40	11.3	15.4	<0.002	4.99	0.13	1.7	2	0.2	325	0.10	<0.05	2.0	0.036	0.21
I357389		500	47.0	11.5	<0.002	>10.0	3.22	2.7	1	0.2	42.2	0.11	<0.05	2.1	0.040	2.14
I357390		310	1.5	4.8	<0.002	0.08	0.07	1.0	1	<0.2	949	<0.05	<0.05	0.7	0.013	0.03
I357391		200	2.2	4.1	<0.002	0.33	1.73	29.4	2	0.7	162.5	0.29	<0.05	0.6	1.130	0.03
I357392		460	7.6	72.3	<0.002	0.04	0.28	7.2	2	1.4	558	0.66	<0.05	10.6	0.207	0.30
I357393		390	8.4	57.0	<0.002	0.01	0.26	6.3	1	1.2	351	0.55	<0.05	9.4	0.179	0.23
I357394		720	4.1	78.7	<0.002	0.01	0.13	6.4	1	1.3	455	0.50	<0.05	8.3	0.166	0.34
I357395		450	49.0	113.5	<0.002	1.19	8.24	17.3	2	2.0	75.7	0.72	0.09	10.9	0.462	0.82

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 3- JUL- 2011
Account: RCM

Project: Rackla Gold (Rackla)

CERTIFICATE OF ANALYSIS WH11112879

Sample Description	Method Analyte Units LOR	ME- MS61 U ppm 0.1	ME- MS61 V ppm 1	ME- MS61 W ppm 0.1	ME- MS61 Y ppm 0.1	ME- MS61 Zn ppm 2	ME- MS61 Zr ppm 0.5
I357384		2.2	31	0.3	5.0	9	13.2
I357385		0.5	22	0.2	7.9	10	25.2
I357386		7.9	9	0.1	3.9	3	13.9
I357387		2.4	29	0.5	15.9	39	90.1
I357388		1.1	10	0.2	12.1	3	18.3
I357389		2.5	16	0.2	20.2	124	17.6
I357390		1.3	4	0.1	3.6	2	7.5
I357391		0.2	408	0.2	22.1	59	41.0
I357392		9.0	43	0.8	19.8	38	83.8
I357393		4.8	35	0.7	15.9	40	73.3
I357394		2.0	33	0.7	22.4	99	59.5
I357395		2.3	129	2.6	16.8	161	99.1

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 3- JUL- 2011
Account: RCM

Project: Rackla Gold (Rackla)

CERTIFICATE OF ANALYSIS WH11112879

Method	CERTIFICATE COMMENTS
ME- MS61	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown.
ME- MS61	REE's may not be totally soluble in this method.

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 14- JUL- 2011
Account: RCM

CERTIFICATE WH11115312

Project: RAU

P.O. No.: REGIONAL

This report is for 41 Soil samples submitted to our lab in Whitehorse, YT, Canada on 22- JUN- 2011.

The following have access to data associated with this certificate:

ROB CARNE JULIA LANE	ANDREW CARNE JOAN MARIACHER	MATT DUMALA

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
SCR- 41	Screen to - 180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- ST43	Super Trace Au - 25g AR	ICP- MS
ME- MS41	51 anal. aqua regia ICPMS	

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 14- JUL- 2011
Account: RCM

Project: RAU

CERTIFICATE OF ANALYSIS WH11115312

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- ST43 Au ppm 0.0001	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1
CC110741		0.60	0.0010	0.15	1.21	9.6	<0.2	<10	140	0.81	0.41	0.52	0.33	18.00	16.0	20
CC110742		0.58	0.0007	0.10	0.89	5.8	<0.2	<10	180	0.66	0.36	0.74	0.32	15.55	11.2	14
CC110743		0.60	0.0010	0.10	0.91	5.8	<0.2	<10	200	0.65	0.38	0.64	0.25	17.30	12.0	16
CC110744		0.66	0.0011	0.39	1.10	15.7	<0.2	<10	440	0.82	0.36	0.49	1.19	17.00	14.2	24
CC110745		0.50	0.0010	0.20	1.19	8.4	<0.2	<10	330	0.83	0.44	0.72	0.35	18.40	14.9	20
CC110746		0.66	0.0012	0.29	1.26	10.8	<0.2	<10	360	0.88	0.41	0.55	0.92	18.45	15.9	22
CC110747		0.56	0.0008	0.38	1.13	12.3	<0.2	<10	570	0.84	0.34	0.51	1.50	20.3	13.3	23
CC110748		0.42	0.0008	0.32	1.04	11.9	<0.2	<10	790	0.65	0.32	0.67	0.92	16.60	12.2	23
CC110749		0.48	0.0020	0.58	0.80	20.3	<0.2	<10	100	1.13	0.34	1.22	1.64	17.70	16.5	17
CC122734		0.62	0.0010	0.10	1.02	14.0	<0.2	<10	210	0.91	0.50	0.44	0.22	25.4	19.2	16
CC122735		0.62	0.0016	0.26	0.78	12.1	<0.2	<10	160	0.76	0.37	1.00	0.74	20.8	13.2	14
CC122736		0.64	0.0011	0.16	1.23	14.2	<0.2	<10	210	0.97	0.49	0.73	0.50	20.8	19.3	19
CC122737		0.58	0.0005	0.37	1.16	15.7	<0.2	<10	520	0.82	0.38	0.75	1.10	19.15	15.9	24
CC122738		0.46	0.0007	0.14	1.16	14.2	<0.2	<10	290	0.94	0.47	0.67	0.48	22.2	19.7	19
CC122739		0.48	0.0007	0.15	1.21	13.5	<0.2	<10	320	0.99	0.50	0.60	0.46	24.7	18.8	21
CC122740		0.52	0.0006	0.15	1.20	15.0	<0.2	<10	370	0.97	0.50	0.71	0.52	22.8	18.4	20
CC122741		0.56	0.0007	0.15	1.22	12.5	<0.2	<10	230	0.83	0.48	0.57	0.32	21.6	17.0	19
CC122742		0.52	0.0012	0.15	1.16	10.8	<0.2	<10	380	0.70	0.41	1.22	1.51	19.00	14.2	19
CC122743		0.50	0.0007	0.19	1.16	9.0	<0.2	<10	360	0.74	0.40	1.32	1.27	20.6	13.9	19
CC122744		0.54	0.0007	0.16	1.12	11.3	<0.2	<10	450	0.66	0.40	1.11	0.69	19.75	15.3	18
CC122745		0.52	0.0008	0.16	1.10	9.8	<0.2	<10	390	0.67	0.37	1.20	0.74	20.0	13.6	18
CC122866		0.62	0.0010	0.41	1.12	13.2	<0.2	<10	630	0.65	0.30	0.63	1.67	17.75	12.8	23
CC122867		0.58	0.0008	0.45	1.05	14.8	<0.2	<10	700	0.62	0.27	0.86	2.26	18.15	12.5	23
CC122868		0.50	0.0008	0.40	0.99	13.9	<0.2	<10	730	0.56	0.23	1.15	2.32	19.50	12.5	22
CC122869		0.46	0.0010	0.37	1.01	11.9	<0.2	<10	580	0.55	0.24	1.01	1.96	18.50	11.9	21
CC122870		0.42	0.0011	0.36	1.03	10.9	<0.2	<10	590	0.57	0.25	1.27	1.86	16.70	12.1	21
CC122871		0.50	0.0005	0.30	0.99	10.8	<0.2	<10	740	0.50	0.22	1.74	1.74	17.80	11.6	20
CC122872		0.54	0.0012	0.36	0.95	14.1	<0.2	<10	690	0.50	0.21	1.80	2.05	17.50	11.8	21
CC122873		0.42	0.0009	0.48	0.95	9.7	<0.2	<10	780	0.49	0.22	2.14	1.69	18.10	11.5	20
CC122874		0.50	0.0010	0.35	1.01	10.8	<0.2	<10	650	0.52	0.24	1.76	1.96	17.60	12.6	20
CC122875		0.46	0.0010	0.46	1.03	12.4	<0.2	<10	930	0.54	0.23	1.41	1.89	18.00	11.6	23
CC122876		0.52	0.0004	0.53	0.86	12.4	<0.2	<10	1410	0.48	0.19	1.66	3.23	17.45	9.4	22
CC122877		0.46	0.0004	0.36	0.96	11.1	<0.2	<10	760	0.49	0.22	1.69	2.25	17.10	11.6	21
CC122878		0.50	0.0005	0.43	0.91	12.1	<0.2	<10	1000	0.51	0.21	1.88	2.92	16.40	10.9	21
CC141494		0.46	0.0002	0.54	0.82	92.8	<0.2	<10	2480	0.54	0.17	2.50	7.94	18.20	13.8	22
CC141495		0.50	0.0007	0.35	0.76	17.1	<0.2	<10	2530	0.38	0.16	3.06	3.79	14.60	9.3	19
CC141496		0.56	0.0006	0.41	0.83	12.5	<0.2	<10	2740	0.40	0.16	2.66	5.27	16.65	9.6	21
CC141497		0.54	0.0010	0.47	0.86	22.3	<0.2	<10	1900	0.61	0.27	1.24	5.55	16.75	13.4	22
CC141498		0.60	0.0007	0.35	0.90	20.9	<0.2	<10	1780	0.56	0.26	0.89	4.69	19.15	13.8	21
CC141499		0.72	0.0013	0.35	0.92	13.1	<0.2	<10	220	0.62	0.32	0.64	1.18	12.20	14.3	22

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 14- JUL- 2011
Account: RCM

Project: RAU

CERTIFICATE OF ANALYSIS WH11115312

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
CC110741		1.97	36.1	3.33	3.74	0.10	0.07	0.09	0.023	0.07	8.2	30.2	0.47	617	1.05	0.01
CC110742		2.41	33.6	2.41	2.83	0.09	0.06	0.06	0.021	0.07	6.6	21.3	0.34	511	0.61	0.01
CC110743		2.35	36.6	2.55	2.89	0.10	0.06	0.06	0.025	0.07	8.3	20.3	0.34	506	0.67	0.01
CC110744		2.00	45.3	3.19	3.65	0.10	0.06	0.20	0.031	0.06	8.4	25.8	0.45	488	2.80	0.01
CC110745		2.97	37.8	3.22	3.79	0.10	0.08	0.17	0.029	0.08	8.4	27.8	0.46	446	0.99	0.01
CC110746		2.07	44.2	3.31	4.13	0.11	0.08	0.14	0.027	0.06	8.6	32.5	0.50	373	1.30	0.01
CC110747		1.56	44.4	2.99	3.54	0.10	0.06	0.20	0.026	0.06	10.3	26.5	0.43	277	2.22	0.01
CC110748		1.69	28.4	2.80	3.26	0.11	0.06	0.16	0.025	0.06	8.2	23.8	0.42	380	2.59	0.02
CC110749		7.36	123.5	2.86	2.36	0.13	0.12	0.91	0.030	0.07	8.7	13.8	0.37	381	5.02	0.02
CC122734		2.58	41.3	3.40	3.44	0.11	0.09	0.19	0.028	0.07	11.5	23.5	0.36	655	0.87	0.01
CC122735		2.35	49.5	2.90	2.38	0.11	0.09	0.21	0.029	0.07	9.7	16.1	0.34	319	1.96	0.01
CC122736		3.02	51.9	3.90	4.08	0.13	0.07	0.18	0.028	0.07	9.7	30.3	0.54	739	1.49	0.01
CC122737		1.64	50.7	3.50	3.73	0.11	0.07	0.23	0.028	0.07	9.3	23.0	0.55	548	2.48	0.01
CC122738		2.50	46.8	3.78	3.91	0.12	0.07	0.14	0.030	0.06	9.9	29.0	0.62	588	1.55	0.01
CC122739		2.25	49.7	3.79	4.19	0.13	0.08	0.14	0.032	0.06	10.7	32.3	0.60	404	1.67	0.01
CC122740		2.59	47.2	3.88	3.95	0.13	0.07	0.16	0.032	0.07	10.1	28.9	0.61	533	1.67	0.01
CC122741		2.46	41.6	3.84	3.91	0.12	0.07	0.14	0.031	0.07	9.8	28.7	0.57	495	1.42	0.01
CC122742		2.13	38.4	3.60	3.36	0.08	0.07	0.15	0.027	0.07	8.8	24.8	0.60	390	1.21	<0.01
CC122743		2.46	40.3	3.30	3.49	0.08	0.07	0.20	0.028	0.07	9.9	25.7	0.65	395	1.41	<0.01
CC122744		2.41	38.5	3.59	3.31	0.08	0.07	0.17	0.028	0.07	9.4	24.9	0.69	517	1.61	<0.01
CC122745		2.09	36.7	3.30	3.36	0.08	0.07	0.16	0.026	0.07	9.4	24.0	0.79	336	1.20	<0.01
CC122866		2.03	40.8	3.07	3.34	0.08	0.08	0.20	0.026	0.07	9.2	26.6	0.47	447	2.53	<0.01
CC122867		1.53	41.8	2.91	3.19	0.08	0.06	0.23	0.028	0.06	9.6	23.7	0.51	478	3.56	<0.01
CC122868		1.56	37.5	2.76	2.97	0.08	0.06	0.19	0.027	0.07	10.5	20.6	0.62	718	3.37	<0.01
CC122869		1.48	34.4	2.72	2.93	0.07	0.07	0.18	0.026	0.07	9.6	22.7	0.57	481	2.72	<0.01
CC122870		1.37	34.6	2.71	2.97	0.07	0.06	0.17	0.025	0.06	8.7	22.8	0.71	387	2.56	<0.01
CC122871		1.56	32.2	2.64	2.89	0.07	0.06	0.16	0.025	0.06	9.2	20.5	1.03	404	2.32	<0.01
CC122872		1.30	37.4	2.74	2.84	0.07	0.06	0.17	0.026	0.06	9.1	18.3	0.95	539	3.43	<0.01
CC122873		1.51	31.7	2.54	2.81	0.08	0.06	0.16	0.028	0.07	9.3	20.2	1.25	371	2.30	<0.01
CC122874		1.50	33.5	2.72	2.91	0.07	0.06	0.78	0.025	0.07	8.9	21.8	0.99	517	2.31	<0.01
CC122875		1.31	36.3	2.68	3.01	0.07	0.07	0.19	0.027	0.07	9.5	21.2	0.75	371	2.68	<0.01
CC122876		1.12	34.9	2.33	2.67	0.07	0.06	0.15	0.025	0.07	9.4	15.0	0.84	272	2.61	<0.01
CC122877		1.24	31.4	2.58	2.83	0.07	0.06	0.16	0.024	0.07	8.9	19.9	0.90	441	2.43	<0.01
CC122878		1.28	34.7	2.46	2.86	0.07	0.06	0.16	0.026	0.06	8.7	18.4	0.99	390	2.47	<0.01
CC141494		1.19	36.4	2.74	2.48	0.09	0.06	0.17	0.026	0.07	10.0	13.9	0.94	474	11.10	<0.01
CC141495		0.97	29.8	2.67	2.06	0.07	0.05	0.23	0.024	0.06	7.5	10.6	1.26	724	4.53	<0.01
CC141496		0.90	30.8	2.23	2.44	0.07	0.05	0.20	0.023	0.06	8.8	12.1	1.25	562	4.60	0.01
CC141497		2.15	52.9	3.04	2.73	0.09	0.06	0.52	0.027	0.06	8.6	13.3	0.49	600	4.02	<0.01
CC141498		2.08	46.4	3.20	2.76	0.08	0.05	0.44	0.024	0.05	9.5	14.3	0.47	457	2.89	<0.01
CC141499		4.22	43.9	3.77	2.77	0.08	0.05	0.36	0.025	0.05	5.6	13.6	0.41	538	2.44	<0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 14- JUL- 2011
Account: RCM

Project: RAU

CERTIFICATE OF ANALYSIS WH11115312

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
CC110741		0.14	34.0	510	29.3	6.4	0.001	0.04	0.58	3.1	0.6	0.3	43.1	<0.01	0.04	4.0
CC110742		0.26	25.9	490	16.7	7.9	<0.001	0.04	0.41	3.1	0.6	0.3	62.2	<0.01	0.04	3.0
CC110743		0.30	27.6	490	20.0	7.6	<0.001	0.02	0.43	3.4	0.7	0.3	52.7	<0.01	0.04	3.7
CC110744		0.16	44.5	700	30.8	6.5	0.002	0.04	1.43	3.6	1.6	0.3	54.4	<0.01	0.05	3.6
CC110745		0.18	33.1	560	27.0	9.6	0.001	0.06	0.67	3.5	1.0	0.4	60.4	<0.01	0.03	3.8
CC110746		0.16	44.6	570	26.6	6.6	0.001	0.04	0.88	3.7	1.2	0.3	52.1	<0.01	0.03	4.3
CC110747		0.16	44.4	800	25.7	6.4	0.003	0.04	1.16	3.2	1.5	0.3	63.4	<0.01	0.06	3.8
CC110748		0.16	40.1	830	24.1	6.2	0.002	0.05	1.17	3.0	0.9	0.3	46.7	<0.01	0.05	3.2
CC110749		0.07	42.2	1050	58.6	10.5	0.004	0.14	2.30	3.5	2.9	0.3	58.5	<0.01	0.06	1.9
CC122734		0.24	33.4	510	38.1	6.4	0.001	0.03	0.53	3.8	0.5	0.3	28.0	<0.01	0.04	3.9
CC122735		0.12	34.2	700	26.5	7.6	0.002	0.06	1.00	3.7	1.1	0.3	58.1	<0.01	0.05	2.9
CC122736		0.11	38.7	610	31.4	6.1	0.001	0.04	0.83	4.4	0.9	0.3	51.8	<0.01	0.05	4.6
CC122737		0.18	43.7	860	30.5	5.7	0.003	0.05	1.37	4.3	1.2	0.3	61.1	<0.01	0.05	4.0
CC122738		0.11	39.1	650	28.7	4.9	0.001	0.05	0.85	4.2	0.7	0.3	40.3	<0.01	0.04	5.1
CC122739		0.11	42.2	670	27.8	5.1	<0.001	0.05	0.85	4.5	1.0	0.3	42.2	<0.01	0.05	5.2
CC122740		0.11	40.6	670	29.8	6.0	0.002	0.05	0.82	4.4	0.9	0.3	46.3	<0.01	0.04	5.3
CC122741		0.10	35.9	580	27.3	5.5	0.001	0.04	0.67	4.0	1.0	0.3	38.3	<0.01	0.03	5.1
CC122742		0.13	34.2	650	23.4	4.8	0.002	0.05	0.69	3.2	1.1	0.3	46.7	<0.01	0.04	4.3
CC122743		0.15	44.2	670	22.3	6.8	0.002	0.05	0.69	3.5	1.5	0.3	47.0	<0.01	0.04	4.4
CC122744		0.14	37.9	640	23.3	5.2	0.003	0.05	0.73	3.4	1.3	0.3	44.9	<0.01	0.04	4.4
CC122745		0.16	36.1	690	22.7	5.2	0.002	0.06	0.67	3.2	1.2	0.3	42.0	<0.01	0.04	4.5
CC122866		0.19	49.2	930	24.1	6.9	0.003	0.05	1.36	2.9	1.8	0.3	61.2	<0.01	0.05	3.2
CC122867		0.20	55.1	1140	23.4	5.8	0.003	0.06	1.62	3.0	2.1	0.4	78.3	<0.01	0.05	3.2
CC122868		0.21	51.5	1240	20.0	6.3	0.005	0.06	1.49	2.9	2.0	0.3	84.4	<0.01	0.05	2.8
CC122869		0.19	49.5	1100	19.8	6.2	0.004	0.06	1.34	2.8	1.8	0.3	74.9	<0.01	0.05	2.9
CC122870		0.19	47.2	1070	20.0	5.8	0.004	0.06	1.22	2.8	1.8	0.3	73.5	<0.01	0.05	2.9
CC122871		0.20	45.5	1070	18.5	6.1	0.003	0.06	1.13	2.7	1.6	0.3	70.9	<0.01	0.04	2.9
CC122872		0.23	48.7	1090	19.8	5.9	0.004	0.07	1.57	2.8	2.5	0.3	74.7	<0.01	0.05	2.5
CC122873		0.22	45.8	1070	19.2	6.8	0.003	0.06	1.11	2.8	1.7	0.3	68.2	<0.01	0.04	2.8
CC122874		0.22	47.8	990	20.4	6.4	0.004	0.06	1.19	2.8	1.9	0.3	77.4	<0.01	0.04	2.7
CC122875		0.23	51.5	1140	19.4	6.0	0.005	0.08	1.36	2.9	2.3	0.3	86.6	<0.01	0.05	2.8
CC122876		0.26	59.6	1260	17.2	5.8	0.006	0.09	1.90	2.6	3.0	0.4	92.1	<0.01	0.05	2.6
CC122877		0.20	46.3	1030	19.0	5.7	0.005	0.07	1.36	2.7	2.0	0.3	79.9	<0.01	0.05	2.7
CC122878		0.23	54.4	1110	17.5	5.9	0.005	0.07	1.53	2.8	2.3	0.3	86.1	<0.01	0.05	2.8
CC141494		0.26	131.0	1380	16.4	6.3	0.014	0.10	3.50	2.8	6.4	0.3	81.8	<0.01	0.06	2.3
CC141495		0.27	50.1	1090	18.6	5.1	0.012	0.10	2.59	2.4	4.4	0.3	82.8	<0.01	0.05	1.7
CC141496		0.29	69.3	1040	16.5	5.5	0.012	0.08	2.80	2.5	5.9	0.3	84.7	<0.01	0.05	1.9
CC141497		0.20	56.9	960	30.2	6.5	0.003	0.09	2.48	3.4	3.1	0.3	79.7	<0.01	0.07	2.5
CC141498		0.18	52.9	1050	27.9	5.1	0.002	0.05	2.11	3.2	2.5	0.3	63.6	<0.01	0.06	2.8
CC141499		0.23	32.6	600	29.4	4.9	0.002	0.03	1.44	3.5	1.0	0.3	34.8	<0.01	0.04	3.3

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 14- JUL- 2011
Account: RCM

Project: RAU

CERTIFICATE OF ANALYSIS WH11115312

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
CC110741		0.005	0.07	1.66	18	<0.05	7.61	90	2.6
CC110742		0.007	0.08	0.79	16	0.05	7.50	68	2.0
CC110743		0.008	0.07	0.63	17	0.05	7.65	69	1.9
CC110744		0.005	0.17	1.83	49	0.07	8.31	190	1.9
CC110745		0.005	0.08	0.99	22	<0.05	7.88	116	2.7
CC110746		0.005	0.10	0.89	29	<0.05	8.50	161	2.6
CC110747		0.005	0.16	1.93	51	0.06	9.23	228	2.0
CC110748		0.005	0.15	2.47	42	0.06	6.61	190	2.0
CC110749		<0.005	0.15	2.27	17	<0.05	13.85	219	4.0
CC122734		0.007	0.07	0.98	16	0.05	9.23	90	2.7
CC122735		<0.005	0.10	1.11	16	<0.05	10.20	124	2.6
CC122736		<0.005	0.08	1.15	19	<0.05	8.69	123	2.7
CC122737		0.005	0.11	1.40	36	0.06	8.91	168	2.5
CC122738		<0.005	0.07	0.97	23	<0.05	7.84	120	3.0
CC122739		<0.005	0.06	1.13	22	<0.05	7.90	129	3.0
CC122740		<0.005	0.07	1.26	24	<0.05	7.92	131	3.2
CC122741		<0.005	0.07	1.07	20	<0.05	7.13	117	2.9
CC122742		<0.005	0.08	0.86	22	<0.05	6.82	158	2.8
CC122743		<0.005	0.17	0.93	23	<0.05	7.67	454	2.8
CC122744		<0.005	0.10	1.05	22	<0.05	7.09	189	2.8
CC122745		<0.005	0.10	0.96	22	<0.05	7.22	191	2.8
CC122866		0.005	0.17	1.61	46	0.08	8.89	255	2.3
CC122867		0.005	0.21	1.92	58	0.10	10.25	272	2.1
CC122868		0.005	0.20	1.88	51	0.19	10.50	269	1.9
CC122869		0.005	0.19	1.72	48	0.10	9.50	261	1.9
CC122870		0.005	0.17	2.04	47	0.07	9.60	229	2.0
CC122871		0.006	0.16	1.56	42	0.06	8.92	227	1.9
CC122872		0.006	0.20	1.57	54	0.11	9.41	246	1.8
CC122873		0.007	0.16	1.41	42	0.10	8.90	229	1.9
CC122874		0.006	0.17	1.37	41	0.07	8.94	241	2.0
CC122875		0.005	0.19	2.05	56	0.08	10.35	262	2.1
CC122876		0.007	0.25	1.93	63	0.09	9.76	332	1.9
CC122877		0.005	0.17	1.55	47	0.10	9.04	251	1.9
CC122878		0.006	0.21	1.65	51	0.07	9.33	293	2.0
CC141494		0.007	0.48	1.90	86	0.17	12.30	788	2.0
CC141495		0.006	0.22	1.63	57	0.08	8.98	406	1.5
CC141496		0.007	0.35	2.65	72	0.14	9.09	432	1.6
CC141497		0.005	0.36	1.40	75	0.09	8.94	489	1.9
CC141498		0.005	0.21	1.12	66	0.06	8.21	425	1.7
CC141499		0.007	0.10	0.91	26	0.06	6.12	169	1.6

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 14- JUL- 2011
Account: RCM

Project: RAU

CERTIFICATE OF ANALYSIS WH11115312

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- ST43 Au ppm 0.0001	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1
CC141500		0.64	0.0012	0.32	0.88	10.2	<0.2	<10	120	0.71	0.33	0.50	1.03	10.90	14.3	23

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 14- JUL- 2011
Account: RCM

Project: RAU

CERTIFICATE OF ANALYSIS WH11115312

Sample Description	Method Analyte Units LOR	ME- MS41 Cs ppm 0.05	ME- MS41 Cu ppm 0.2	ME- MS41 Fe % 0.01	ME- MS41 Ga ppm 0.05	ME- MS41 Ge ppm 0.05	ME- MS41 Hf ppm 0.02	ME- MS41 Hg ppm 0.01	ME- MS41 In ppm 0.005	ME- MS41 K % 0.01	ME- MS41 La ppm 0.2	ME- MS41 Li ppm 0.1	ME- MS41 Mg % 0.01	ME- MS41 Mn ppm 5	ME- MS41 Mo ppm 0.05	ME- MS41 Na % 0.01
CC141500		4.78	35.6	3.84	2.66	0.08	0.05	0.43	0.024	0.05	4.6	12.4	0.41	542	1.74	<0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 14- JUL- 2011
Account: RCM

Project: RAU

CERTIFICATE OF ANALYSIS WH11115312

Sample Description	Method Analyte Units LOR	ME- MS41 Nb ppm 0.05	ME- MS41 Ni ppm 0.2	ME- MS41 P ppm 10	ME- MS41 Pb ppm 0.2	ME- MS41 Rb ppm 0.1	ME- MS41 Re ppm 0.001	ME- MS41 S % 0.01	ME- MS41 Sb ppm 0.05	ME- MS41 Sc ppm 0.1	ME- MS41 Se ppm 0.2	ME- MS41 Sn ppm 0.2	ME- MS41 Sr ppm 0.2	ME- MS41 Ta ppm 0.01	ME- MS41 Te ppm 0.01	ME- MS41 Th ppm 0.2
CC141500		0.26	28.4	500	30.9	4.5	0.001	0.02	1.04	3.5	0.8	0.4	23.8	<0.01	0.04	3.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 14- JUL- 2011
Account: RCM

Project: RAU

CERTIFICATE OF ANALYSIS WH11115312

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
CC141500		0.007	0.06	0.72	25	0.06	5.50	143	1.6

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: RAU

Finalized Date: 14- JUL- 2011
Account: RCM

CERTIFICATE OF ANALYSIS WH11115312

Method	CERTIFICATE COMMENTS
ME- MS41	Gold determinations by this method are semi- quantitative due to the small sample weight used (0.5g).

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 11- JUL- 2011
Account: RCM

CERTIFICATE WH11115313

Project: RAU

P.O. No.: Ocelot

This report is for 154 Soil samples submitted to our lab in Whitehorse, YT, Canada on 22- JUN- 2011.

The following have access to data associated with this certificate:

ROB CARNE JULIA LANE	ANDREW CARNE JOAN MARIACHER	MATT DUMALA

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
SCR- 41	Screen to - 180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- TL43	Trace Level Au - 25g AR	ICP- MS
ME- MS41	51 anal. aqua regia ICPMS	

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 11- JUL- 2011
Account: RCM

Project: RAU

CERTIFICATE OF ANALYSIS WH11115313

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- TL43 Au ppm 0.001	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1
CC123658		0.30	0.002	0.25	1.61	20.6	<0.2	<10	230	0.52	0.38	2.47	0.30	49.8	15.8	34
CC123659		0.20	0.003	0.30	1.41	87.9	<0.2	<10	280	0.46	0.32	1.94	0.73	37.3	21.0	35
CC123660		0.22	0.004	0.41	1.33	26.3	<0.2	<10	170	0.46	0.44	3.67	0.71	43.8	17.1	31
CC123661		0.28	0.003	0.21	1.79	28.2	<0.2	<10	210	0.63	0.43	1.88	0.33	47.1	14.9	38
CC123662		0.40	0.002	0.29	1.52	18.1	<0.2	<10	270	0.44	0.42	3.13	0.52	38.6	16.8	34
CC123663		0.16	0.002	0.29	1.65	16.1	<0.2	<10	290	0.59	0.39	1.31	0.78	31.1	14.2	33
CC123664		0.48	0.003	0.25	1.51	17.8	<0.2	<10	180	0.41	0.36	3.43	0.64	37.5	16.2	34
CC123665		0.20	0.003	0.29	1.38	15.6	<0.2	<10	210	0.42	0.35	1.50	0.64	37.9	14.9	28
CC123666		0.22	0.002	0.31	1.78	17.2	<0.2	<10	320	0.77	0.40	1.65	0.72	34.2	17.3	51
CC123667		0.20	0.001	0.30	1.77	13.6	<0.2	<10	310	0.83	0.35	1.86	0.86	34.9	20.7	61
CC123668		0.24	0.001	0.15	0.95	10.0	<0.2	<10	170	0.43	0.31	5.18	0.53	26.9	10.3	22
CC123669		0.28	0.002	0.25	1.35	14.5	<0.2	<10	240	0.62	0.41	4.40	0.65	28.6	12.8	30
CC123670		0.18	0.001	0.20	1.03	10.9	<0.2	<10	200	0.50	0.33	4.44	0.67	29.2	10.1	23
CC123671		0.36	0.002	0.23	1.04	11.1	<0.2	<10	210	0.52	0.33	5.89	0.74	26.8	11.2	22
CC123672		0.30	0.001	0.23	1.23	12.2	<0.2	<10	190	0.49	0.35	4.09	0.58	27.0	11.1	25
CC123673		0.20	0.002	0.19	1.06	12.5	<0.2	<10	170	0.50	0.31	4.14	0.50	29.4	11.5	26
CC123674		0.24	0.001	0.22	1.23	13.2	<0.2	<10	230	0.55	0.29	3.57	0.55	30.8	13.4	33
CC123675		0.50	0.001	0.22	1.08	13.6	<0.2	<10	140	0.48	0.30	6.14	0.55	26.2	11.0	26
CC123676		0.18	0.002	0.16	1.81	11.8	<0.2	<10	330	0.74	0.21	1.70	0.39	32.3	16.8	73
CC123677		0.30	0.002	0.18	1.43	11.4	<0.2	<10	270	0.57	0.24	2.31	0.57	26.7	14.6	56
CC123678		0.20	0.002	0.20	1.14	13.1	<0.2	<10	210	0.48	0.30	5.57	0.66	23.7	11.6	28
CC123679		0.20	0.001	0.21	1.22	11.1	<0.2	<10	190	0.59	0.35	4.85	0.56	25.0	11.8	34
CC123680		0.08	0.003	0.17	1.31	38.2	<0.2	<10	370	0.61	0.27	1.71	0.52	27.7	29.9	44
CC123681		0.18	0.001	0.13	1.05	9.2	<0.2	<10	170	0.36	0.23	2.24	0.31	26.1	11.0	32
CC123682		0.32	0.001	0.23	1.20	14.6	<0.2	<10	200	0.50	0.42	7.94	0.72	25.8	12.0	28
CC123683		0.24	0.001	0.29	1.44	16.0	<0.2	<10	290	0.70	0.34	3.35	0.67	30.4	13.0	29
CC123684		0.20	0.003	0.26	1.65	16.7	<0.2	<10	220	0.72	0.42	1.87	0.40	31.5	12.5	33
CC123685		0.24	0.003	0.29	1.55	12.3	<0.2	<10	260	0.59	0.32	1.43	0.52	33.8	12.9	35
CC123686		0.34	0.002	0.28	1.74	16.6	<0.2	<10	310	0.64	0.38	1.03	0.47	38.2	16.3	39
CC123687		0.16	0.003	0.61	1.99	44.4	<0.2	<10	270	0.72	0.53	1.73	0.45	81.2	26.7	36
CC123688		0.32	0.003	0.20	1.84	53.4	<0.2	<10	90	0.46	0.51	0.40	0.16	70.4	19.1	33
CC123689		0.14	0.003	0.23	1.50	16.3	<0.2	<10	230	0.46	0.40	1.67	0.52	37.5	14.8	32
CC123690		0.22	0.001	0.09	1.49	8.2	<0.2	<10	160	0.25	0.22	0.44	0.20	27.7	5.4	20
CC123691		0.28	0.002	0.32	1.34	13.1	<0.2	<10	340	0.46	0.30	1.99	0.91	30.8	13.5	28
CC123692		0.58	0.003	0.32	1.63	19.5	<0.2	<10	260	0.61	0.38	2.75	0.69	39.3	17.1	33
CC123693		0.26	0.005	0.29	1.60	13.9	<0.2	<10	200	0.52	0.35	0.78	0.64	46.3	14.2	37
CC123694		0.34	0.003	0.30	1.57	17.5	<0.2	<10	220	0.63	0.36	0.75	0.62	41.7	16.3	35
CC123695		0.28	0.003	0.41	1.74	20.4	<0.2	<10	220	0.60	0.40	2.47	0.79	48.4	18.9	37
CC123696		0.64	0.003	0.34	2.20	14.1	<0.2	<10	220	0.51	0.29	3.96	0.93	43.6	23.5	65
CC123697		0.18	0.004	0.38	1.59	14.7	<0.2	<10	220	0.53	0.33	1.40	0.58	41.7	15.2	31

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 11- JUL- 2011
Account: RCM

Project: RAU

CERTIFICATE OF ANALYSIS WH11115313

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
CC123658		0.74	57.3	3.63	4.65	0.07	0.07	0.05	0.029	0.07	23.2	20.4	1.89	543	1.84	0.01
CC123659		0.63	61.1	4.11	4.00	0.05	0.08	0.08	0.040	0.06	18.7	17.2	1.55	742	3.29	0.02
CC123660		0.92	54.6	3.19	4.45	0.07	0.08	0.07	0.049	0.08	21.2	19.7	2.30	612	2.47	0.02
CC123661		0.96	53.6	3.76	5.00	0.06	0.06	0.05	0.047	0.06	22.2	20.7	1.47	599	1.92	0.01
CC123662		0.88	51.6	3.37	4.14	0.06	0.06	0.05	0.037	0.07	18.7	19.2	2.25	704	1.71	0.02
CC123663		0.97	38.2	3.47	4.38	0.05	0.10	0.07	0.034	0.12	14.4	18.2	0.98	899	1.91	0.02
CC123664		1.02	51.1	3.48	4.26	0.05	0.07	0.04	0.029	0.09	17.4	19.1	2.58	701	1.85	0.02
CC123665		0.61	51.2	3.57	3.62	0.05	0.06	0.08	0.027	0.05	18.8	17.1	1.12	838	1.73	0.01
CC123666		1.07	54.7	3.78	5.72	0.06	0.07	0.07	0.035	0.11	16.8	21.4	1.42	802	1.74	0.01
CC123667		1.42	42.3	3.40	6.26	0.07	0.07	0.09	0.037	0.13	16.8	22.1	1.74	461	0.97	0.01
CC123668		0.66	26.5	2.20	2.96	0.06	0.06	0.07	0.026	0.06	12.9	12.5	3.54	592	1.08	0.02
CC123669		0.87	36.3	3.07	4.02	<0.05	0.06	0.09	0.036	0.10	13.2	16.5	3.08	905	1.67	0.02
CC123670		0.72	31.1	2.21	3.28	0.05	0.06	0.08	0.031	0.07	13.3	14.7	3.06	362	1.09	0.02
CC123671		0.65	30.8	2.29	3.17	0.05	0.07	0.06	0.034	0.08	12.2	13.9	3.28	693	1.44	0.02
CC123672		0.71	31.8	2.84	3.40	0.05	0.06	0.08	0.037	0.09	11.9	14.7	2.94	864	1.56	0.02
CC123673		0.77	29.6	2.54	3.56	0.06	0.06	0.06	0.041	0.07	13.8	14.9	2.85	694	1.45	0.02
CC123674		0.91	33.3	2.86	4.08	0.06	0.05	0.06	0.031	0.08	14.1	15.1	2.36	793	1.29	0.02
CC123675		0.85	39.3	2.70	3.54	0.12	0.06	0.04	0.032	0.10	11.9	13.0	3.50	740	1.64	0.03
CC123676		1.21	39.9	3.68	6.76	0.15	0.04	0.04	0.036	0.12	17.3	17.2	1.43	648	1.10	0.02
CC123677		0.95	39.5	2.91	5.28	0.13	0.04	0.05	0.034	0.10	12.4	15.4	1.36	727	0.82	0.02
CC123678		0.69	33.7	2.54	3.76	0.11	0.04	0.06	0.034	0.08	10.4	12.9	3.32	832	1.35	0.03
CC123679		0.84	37.5	2.70	3.84	0.12	0.06	0.06	0.029	0.08	11.6	13.0	2.99	648	1.29	0.03
CC123680		0.81	32.7	5.94	4.66	0.13	0.04	0.04	0.036	0.07	12.6	14.7	1.16	2950	1.71	0.03
CC123681		0.66	20.6	2.49	3.58	0.13	0.03	0.03	0.027	0.06	11.5	11.8	1.49	522	0.94	0.02
CC123682		0.90	41.3	2.76	3.83	0.11	0.06	0.06	0.035	0.10	11.8	13.8	3.65	775	1.56	0.03
CC123683		0.96	40.6	3.08	4.41	0.12	0.07	0.08	0.032	0.11	14.1	16.8	2.24	792	1.67	0.02
CC123684		0.83	37.6	3.46	4.84	0.12	0.06	0.07	0.035	0.10	16.2	17.5	1.57	742	1.77	0.02
CC123685		0.87	55.9	3.19	4.80	0.11	0.08	0.07	0.030	0.09	18.9	17.0	0.97	445	1.68	0.02
CC123686		1.15	51.4	3.59	5.63	0.13	0.07	0.07	0.039	0.09	19.4	21.1	1.06	832	1.77	0.02
CC123687		0.97	84.8	3.87	6.17	0.17	0.07	0.08	0.030	0.08	59.4	32.9	0.85	647	2.39	0.02
CC123688		0.98	101.0	4.27	5.29	0.15	0.06	0.04	0.025	0.05	37.6	35.3	0.80	670	1.54	0.01
CC123689		0.63	40.5	3.25	4.84	0.11	0.06	0.06	0.034	0.07	19.4	21.7	0.97	668	1.76	0.02
CC123690		0.59	17.7	2.65	6.16	0.11	0.02	0.03	0.017	0.04	16.0	15.0	0.54	147	1.74	0.01
CC123691		0.72	49.4	2.78	4.06	0.12	0.06	0.09	0.027	0.07	13.4	16.3	1.02	391	1.80	0.02
CC123692		0.96	55.2	3.61	5.09	0.13	0.08	0.09	0.040	0.10	19.5	18.9	1.86	781	2.11	0.02
CC123693		0.76	43.4	3.35	4.81	0.12	0.07	0.07	0.031	0.09	22.5	20.2	0.83	422	2.54	0.02
CC123694		0.94	47.2	3.85	5.15	0.12	0.09	0.08	0.037	0.11	21.3	18.2	0.87	830	3.02	0.02
CC123695		1.29	70.3	4.13	5.57	0.13	0.09	0.10	0.035	0.12	27.0	20.7	1.94	769	3.00	0.02
CC123696		2.70	79.4	4.70	7.49	0.14	0.11	0.08	0.036	0.16	21.8	20.7	2.92	745	3.24	0.02
CC123697		0.87	51.6	3.78	5.04	0.11	0.07	0.07	0.035	0.10	22.8	17.0	1.11	742	2.38	0.02

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 11- JUL- 2011
Account: RCM

Project: RAU

CERTIFICATE OF ANALYSIS WH11115313

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
CC123658		0.65	46.6	810	24.5	7.5	<0.001	0.02	1.86	3.8	0.7	0.3	30.2	<0.01	0.05	6.1
CC123659		0.62	75.7	870	40.7	6.3	<0.001	0.02	3.58	5.1	0.9	0.4	47.4	<0.01	0.03	4.3
CC123660		0.81	50.0	790	36.1	8.6	<0.001	0.02	2.68	4.1	1.2	0.5	50.8	<0.01	0.05	5.3
CC123661		0.64	47.5	520	34.9	8.1	<0.001	0.02	2.38	4.5	0.7	0.5	24.5	<0.01	0.05	4.5
CC123662		0.64	47.5	710	31.0	7.5	<0.001	0.02	1.87	3.8	0.8	0.4	29.7	<0.01	0.04	4.9
CC123663		0.81	40.2	950	34.8	10.8	<0.001	0.04	1.45	4.1	0.8	0.3	29.7	<0.01	0.04	3.5
CC123664		0.65	46.6	810	28.5	7.5	<0.001	0.02	1.76	3.6	0.7	0.3	34.7	<0.01	0.06	5.1
CC123665		0.47	42.4	860	29.6	6.1	<0.001	0.03	1.38	2.9	1.1	0.2	20.5	<0.01	0.06	3.2
CC123666		1.26	50.1	910	29.2	11.3	0.001	0.05	1.53	5.0	1.5	0.4	32.2	<0.01	0.06	3.4
CC123667		2.39	51.2	1040	28.7	14.7	0.001	0.06	1.12	6.2	1.1	0.4	42.3	<0.01	0.04	3.8
CC123668		1.13	25.9	880	25.4	5.5	0.001	0.02	0.98	3.2	0.7	0.3	41.2	<0.01	0.02	3.3
CC123669		0.97	35.3	880	29.8	8.9	<0.001	0.02	1.28	4.5	0.9	0.4	40.8	<0.01	0.03	3.5
CC123670		1.02	29.0	870	24.8	6.4	0.001	0.02	1.06	3.7	1.3	0.4	38.9	<0.01	0.04	3.2
CC123671		0.81	29.5	760	26.6	6.3	0.001	0.02	1.20	3.7	0.8	0.3	59.6	<0.01	0.04	3.1
CC123672		0.71	30.5	830	29.9	6.8	0.001	0.02	1.17	3.7	1.1	0.4	33.4	<0.01	0.05	3.2
CC123673		1.19	29.9	920	24.8	7.5	0.001	0.03	1.09	3.6	0.8	0.3	43.1	<0.01	0.04	2.6
CC123674		1.85	32.7	1040	25.8	9.2	0.001	0.04	1.10	3.9	0.9	0.3	50.0	<0.01	0.05	2.2
CC123675		1.05	30.0	890	25.3	7.7	0.001	0.02	1.21	3.7	0.9	0.3	65.9	<0.01	0.05	3.3
CC123676		3.71	40.4	1420	18.8	14.5	0.001	0.06	0.77	5.2	0.5	0.4	69.3	0.01	0.03	2.5
CC123677		2.36	38.2	1100	19.5	12.1	0.001	0.06	0.81	4.5	0.6	0.3	72.8	<0.01	0.03	2.1
CC123678		1.28	30.3	960	23.4	7.1	0.001	0.03	1.13	3.4	0.9	0.4	57.5	<0.01	0.04	2.2
CC123679		1.48	32.3	1010	22.1	7.9	0.001	0.03	1.13	3.9	0.6	0.3	52.5	<0.01	0.05	2.9
CC123680		1.47	42.2	1040	20.5	8.6	0.001	0.04	0.94	4.1	0.7	0.4	46.2	<0.01	0.02	2.7
CC123681		1.48	25.5	1090	18.9	6.0	<0.001	0.03	0.71	2.8	0.6	0.3	35.8	<0.01	0.01	2.2
CC123682		1.21	32.5	960	22.9	8.8	0.001	0.02	1.32	4.0	0.6	0.4	101.5	<0.01	0.04	3.6
CC123683		0.89	37.0	920	26.1	9.3	<0.001	0.02	1.36	4.3	1.0	0.4	41.7	<0.01	0.04	3.5
CC123684		0.98	35.2	600	26.2	8.9	<0.001	0.02	1.28	4.6	0.8	0.5	22.0	<0.01	0.04	3.5
CC123685		0.80	41.0	840	22.3	9.0	<0.001	0.04	1.43	3.5	1.4	0.4	33.3	<0.01	0.04	2.9
CC123686		0.71	47.2	810	24.1	9.9	0.001	0.02	1.31	4.3	0.5	0.4	26.8	<0.01	0.05	3.5
CC123687		1.26	52.5	780	28.3	9.3	0.002	0.08	1.49	3.1	2.6	0.3	36.9	<0.01	0.05	5.1
CC123688		0.34	53.1	360	32.0	5.2	<0.001	0.02	1.80	2.9	0.8	0.2	13.6	<0.01	0.06	11.5
CC123689		0.65	39.8	630	24.3	7.7	0.002	0.05	1.59	3.3	1.0	0.4	35.6	<0.01	0.03	4.0
CC123690		1.27	15.6	260	10.0	6.7	<0.001	0.01	0.59	2.0	0.4	0.4	14.1	<0.01	0.04	3.0
CC123691		0.74	38.1	940	21.1	7.3	<0.001	0.10	1.42	3.4	1.1	0.4	42.1	<0.01	0.05	2.5
CC123692		0.75	47.5	860	27.0	8.9	<0.001	0.02	2.26	4.3	1.0	0.5	42.1	<0.01	0.04	4.9
CC123693		0.79	40.4	960	24.7	8.9	0.001	0.05	1.46	3.8	1.0	0.3	30.1	<0.01	0.02	6.0
CC123694		0.88	45.4	890	28.5	10.2	<0.001	0.02	1.57	4.6	1.2	0.4	31.8	<0.01	0.03	5.2
CC123695		0.81	56.1	960	28.2	11.0	0.001	0.02	1.94	4.6	0.8	0.5	38.3	<0.01	0.05	6.4
CC123696		1.02	68.8	1050	21.8	15.6	0.001	0.03	1.43	8.1	1.0	0.4	72.6	<0.01	0.04	5.3
CC123697		0.72	44.2	800	24.9	9.1	0.001	0.04	1.45	3.7	1.3	0.4	32.9	<0.01	0.04	3.8

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 11- JUL- 2011
Account: RCM

Project: RAU

CERTIFICATE OF ANALYSIS WH11115313

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
CC123658		0.023	0.09	0.54	38	0.16	9.05	120	2.2
CC123659		0.025	0.12	0.74	42	0.18	10.50	172	1.9
CC123660		0.028	0.11	0.72	37	1.21	8.92	154	2.3
CC123661		0.017	0.10	0.72	43	0.17	10.25	123	1.6
CC123662		0.028	0.10	0.59	41	0.18	8.12	136	1.7
CC123663		0.026	0.14	0.88	50	0.17	8.56	175	2.5
CC123664		0.031	0.12	0.58	40	0.16	7.35	155	2.5
CC123665		0.020	0.11	0.78	34	0.36	7.90	144	1.4
CC123666		0.045	0.12	1.29	58	0.16	9.38	157	2.0
CC123667		0.079	0.16	1.10	69	0.15	9.36	167	2.1
CC123668		0.041	0.08	0.66	39	0.19	7.52	96	2.1
CC123669		0.042	0.12	0.53	48	0.22	8.42	148	2.1
CC123670		0.037	0.08	0.77	38	0.16	8.29	114	2.0
CC123671		0.034	0.08	0.59	37	0.17	7.92	127	2.3
CC123672		0.035	0.09	0.50	43	0.20	7.91	140	1.9
CC123673		0.041	0.10	0.72	41	0.16	8.11	112	1.5
CC123674		0.059	0.10	0.65	49	0.17	8.23	120	1.4
CC123675		0.048	0.15	0.54	43	0.23	8.36	139	2.3
CC123676		0.125	0.10	0.96	83	0.14	7.81	114	1.5
CC123677		0.079	0.10	0.76	60	0.15	7.42	127	1.4
CC123678		0.046	0.12	0.65	42	0.20	7.38	129	1.5
CC123679		0.055	0.12	0.61	47	0.24	8.09	137	1.8
CC123680		0.056	0.10	0.53	55	0.17	8.30	125	1.3
CC123681		0.057	0.07	0.50	46	0.17	6.15	98	1.1
CC123682		0.055	0.13	0.59	45	0.21	8.10	136	3.1
CC123683		0.034	0.14	0.56	46	0.24	9.29	132	2.3
CC123684		0.034	0.15	0.53	55	0.23	10.45	136	1.8
CC123685		0.024	0.10	1.27	44	0.18	9.61	129	2.4
CC123686		0.029	0.12	0.60	51	0.28	10.00	129	1.8
CC123687		0.014	0.08	3.97	37	0.14	13.45	153	2.3
CC123688		0.012	0.07	0.63	26	0.13	6.23	115	2.1
CC123689		0.019	0.08	0.85	36	0.18	7.13	128	2.0
CC123690		0.016	0.07	0.37	49	0.15	2.46	58	0.7
CC123691		0.024	0.09	1.48	40	0.18	8.84	117	2.1
CC123692		0.029	0.15	0.75	47	0.22	9.43	149	2.7
CC123693		0.024	0.10	0.97	45	0.16	9.15	147	2.6
CC123694		0.036	0.15	0.62	52	0.19	10.80	149	3.1
CC123695		0.032	0.18	0.75	49	0.19	10.75	174	3.9
CC123696		0.085	0.31	1.08	76	0.19	10.25	177	4.0
CC123697		0.026	0.14	0.91	46	0.16	9.88	159	2.3

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 11- JUL- 2011
Account: RCM

Project: RAU

CERTIFICATE OF ANALYSIS WH11115313

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- TL43 Au ppm 0.001	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1
CC123698		0.32	0.002	0.26	1.28	65.8	<0.2	<10	250	0.44	0.30	5.33	1.39	30.9	16.8	25
CC123699		0.38	0.003	0.28	1.17	45.1	<0.2	<10	280	0.43	0.29	4.43	1.53	29.0	16.9	25
CC123700		0.24	0.003	0.19	1.00	38	<0.2	<10	310	0.47	0.20	13.55	0.63	14.70	9.7	23
CC123951		0.24	0.001	0.21	1.49	15.0	<0.2	<10	200	0.65	0.38	2.38	0.44	28.8	13.1	33
CC123952		0.18	0.001	0.26	1.45	14.7	<0.2	<10	270	0.62	0.34	1.13	0.50	30.5	12.7	31
CC123953		0.32	0.001	0.22	1.31	13.6	<0.2	<10	230	0.47	0.34	3.99	0.66	27.6	12.1	33
CC123954		0.76	0.001	0.19	1.13	13.7	<0.2	<10	180	0.43	0.29	5.48	0.62	26.8	10.8	26
CC123955		0.28	0.002	0.26	1.42	14.9	<0.2	<10	240	0.59	0.40	5.31	0.74	30.6	14.3	33
CC123956		0.24	0.005	0.24	1.48	12.2	<0.2	<10	290	0.64	0.29	0.92	0.62	35.8	14.5	41
CC123957		0.16	0.002	0.18	1.18	12.6	<0.2	<10	220	0.46	0.31	4.71	0.54	29.6	12.0	32
CC123958		0.28	0.003	0.29	1.36	11.5	<0.2	<10	300	0.55	0.31	2.81	0.49	28.7	11.5	33
CC123959		0.20	0.002	0.28	1.35	15.6	<0.2	<10	260	0.62	0.35	3.02	0.77	31.4	13.7	31
CC123960		0.28	0.002	0.29	1.50	15.0	<0.2	<10	260	0.57	0.38	2.23	0.66	29.9	13.3	35
CC123961		0.16	0.002	0.22	2.54	9.7	<0.2	<10	420	0.98	0.17	1.69	0.40	48.6	22.3	131
CC123962		0.26	0.002	0.23	1.36	13.0	<0.2	<10	250	0.58	0.28	2.96	0.65	39.4	16.6	42
CC123963		0.14	0.001	0.13	2.41	13.3	<0.2	<10	440	0.94	0.13	1.57	0.35	64.6	25.5	146
CC123964		0.24	0.011	0.34	1.51	14.8	<0.2	<10	220	0.66	0.39	2.99	0.91	35.4	15.9	38
CC123965		0.14	0.001	0.31	1.35	14.7	<0.2	<10	340	0.63	0.38	2.45	1.07	29.2	15.4	31
CC123966		0.22	0.001	0.29	1.39	12.2	<0.2	<10	290	0.56	0.35	2.85	0.64	29.4	13.3	35
CC123967		0.18	0.002	0.29	1.91	10.3	<0.2	<10	350	0.81	0.33	1.05	0.70	38.2	17.6	64
CC123968		0.30	0.001	0.24	1.19	12.0	<0.2	<10	230	0.58	0.28	4.52	0.70	30.0	13.6	31
CC123969		0.28	0.001	0.31	1.24	19.1	<0.2	<10	270	0.63	0.35	6.42	0.80	30.2	13.7	27
CC123970		0.14	0.001	0.26	1.44	12.7	<0.2	<10	260	0.65	0.27	3.62	0.66	33.4	14.9	44
CC123982		0.24	0.001	0.21	1.01	11.3	<0.2	<10	200	0.47	0.25	4.49	0.51	31.4	12.3	30
CC123983		0.22	0.001	0.23	1.21	13.3	<0.2	<10	290	0.59	0.23	4.91	0.71	31.0	14.4	38
CC123984		0.18	0.001	0.22	1.13	12.2	<0.2	<10	210	0.53	0.25	4.14	0.64	30.7	13.4	35
CC123985		0.26	0.001	0.28	1.38	14.4	<0.2	<10	360	0.63	0.31	5.22	1.01	32.6	16.7	41
CC123986		0.30	0.001	0.29	1.29	12.7	<0.2	<10	330	0.64	0.35	3.50	0.64	34.1	14.3	37
CC123987		0.24	0.002	0.33	1.39	14.2	<0.2	<10	270	0.60	0.36	2.42	0.80	30.8	13.4	33
CC123988		0.16	0.002	0.25	1.71	12.7	<0.2	<10	290	0.61	0.31	1.17	0.65	32.1	16.3	52
CC123989		0.26	0.068	0.12	2.49	9.3	<0.2	<10	300	0.82	0.10	2.05	0.34	58.7	24.1	154
CC123990		0.20	0.002	0.13	3.32	12.9	<0.2	<10	550	1.50	0.10	1.78	0.20	48.7	29.8	185
CC123991		0.14	0.002	0.21	2.79	16.9	<0.2	<10	490	1.13	0.14	1.75	0.46	47.7	29.2	147
CC123992		0.32	0.005	0.25	2.68	13.8	<0.2	<10	430	1.00	0.14	1.65	0.84	58.4	27.6	133
CC123993		0.66	0.001	0.26	1.19	30.1	<0.2	<10	250	0.44	0.29	6.94	1.09	33.3	14.8	26
CC123994		0.52	<0.001	0.28	1.19	12.8	<0.2	<10	370	0.58	0.31	9.48	0.85	28.0	12.1	23
CC123995		0.44	0.001	0.24	1.06	35.5	<0.2	<10	270	0.50	0.27	8.97	0.77	25.8	11.9	23
CC123996		0.24	0.001	0.35	1.69	16.4	<0.2	<10	320	0.73	0.35	2.89	0.92	32.9	15.4	42
CC123997		0.32	0.002	0.31	1.38	16.6	<0.2	<10	290	0.67	0.33	2.52	0.82	31.4	14.6	34
CC123998		0.14	0.002	0.27	1.51	13.5	<0.2	<10	300	0.63	0.30	2.13	0.86	30.5	14.9	40

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 11- JUL- 2011
Account: RCM

Project: RAU

CERTIFICATE OF ANALYSIS WH11115313

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
CC123698		0.97	57.8	3.36	3.76	0.11	0.07	0.14	0.035	0.09	15.6	18.1	2.67	709	4.37	0.02
CC123699		0.76	55.7	3.06	3.61	0.12	0.06	0.12	0.033	0.07	13.4	18.4	2.42	933	3.87	0.03
CC123700		0.77	27.2	2.56	2.99	0.11	0.06	0.05	0.023	0.08	7.2	11.1	1.83	623	8.32	0.03
CC123951		0.70	34.6	3.31	4.66	0.11	0.05	0.06	0.039	0.08	13.1	15.5	1.84	849	1.64	0.02
CC123952		0.73	35.9	3.32	4.44	0.11	0.05	0.06	0.036	0.08	13.7	16.1	0.99	720	1.57	0.02
CC123953		0.82	34.5	2.90	4.04	0.11	0.06	0.06	0.033	0.10	12.2	14.8	2.69	633	1.36	0.02
CC123954		0.84	34.8	2.67	3.57	0.11	0.06	0.05	0.029	0.09	12.1	12.6	3.27	748	1.47	0.02
CC123955		1.08	45.3	3.03	4.70	0.12	0.06	0.05	0.034	0.11	13.6	16.1	3.04	792	1.85	0.02
CC123956		0.86	38.4	2.72	5.66	0.12	0.06	0.06	0.035	0.07	16.9	19.0	0.87	413	1.46	0.02
CC123957		0.76	29.7	2.75	3.99	0.12	0.05	0.05	0.035	0.07	12.7	13.4	3.04	694	1.44	0.03
CC123958		0.64	34.4	2.74	4.38	0.11	0.06	0.08	0.031	0.07	13.9	16.8	1.96	498	1.25	0.02
CC123959		0.95	43.9	3.06	4.29	0.12	0.07	0.11	0.034	0.11	13.7	16.5	1.83	540	1.63	0.02
CC123960		1.03	40.6	3.32	4.61	0.12	0.06	0.12	0.032	0.12	14.6	17.6	1.61	741	1.91	0.02
CC123961		1.91	43.7	4.65	10.10	0.22	0.07	0.05	0.043	0.20	25.6	21.9	2.20	522	1.34	0.01
CC123962		1.15	38.8	3.10	4.80	0.14	0.07	0.08	0.033	0.11	20.3	16.0	2.07	828	1.79	0.01
CC123963		1.95	41.6	4.82	9.80	0.28	0.08	0.03	0.039	0.26	34.6	22.3	2.23	1370	3.29	0.01
CC123964		1.21	47.3	3.38	4.65	0.13	0.09	0.11	0.038	0.13	18.3	17.6	1.97	768	2.31	0.02
CC123965		1.21	42.8	3.12	4.22	0.12	0.09	0.10	0.035	0.14	15.0	16.6	1.47	1220	1.94	0.01
CC123966		1.14	36.4	3.08	4.13	0.11	0.08	0.09	0.034	0.12	14.7	16.6	1.81	734	1.64	0.01
CC123967		1.43	47.9	3.52	6.27	0.13	0.07	0.10	0.041	0.12	19.7	21.6	1.24	546	0.97	0.01
CC123968		1.16	36.8	2.86	3.76	0.12	0.08	0.09	0.030	0.10	15.2	14.1	2.96	808	1.38	0.01
CC123969		1.36	40.2	2.99	3.86	0.12	0.09	0.10	0.031	0.13	15.3	15.6	3.16	859	2.25	0.01
CC123970		1.08	35.6	3.37	4.84	0.13	0.09	0.07	0.039	0.09	17.0	16.8	2.64	614	1.19	0.01
CC123982		0.78	31.1	2.51	3.51	0.11	0.07	0.07	0.031	0.06	16.0	13.7	2.83	548	1.35	0.01
CC123983		1.06	32.4	2.92	4.33	0.12	0.08	0.07	0.033	0.10	15.8	15.1	3.14	936	1.46	0.02
CC123984		0.93	31.3	2.84	3.78	0.12	0.07	0.07	0.032	0.08	15.6	14.1	2.76	903	1.45	0.02
CC123985		1.16	48.0	3.24	4.54	0.12	0.08	0.09	0.036	0.12	16.5	15.2	2.71	1030	1.41	0.01
CC123986		1.02	47.1	3.06	3.90	0.11	0.08	0.10	0.033	0.10	17.3	15.5	2.34	1240	1.77	0.02
CC123987		1.07	44.8	3.14	4.37	0.13	0.08	0.10	0.036	0.11	15.7	17.4	1.69	469	1.50	0.01
CC123988		1.25	43.0	3.67	5.28	0.13	0.06	0.07	0.038	0.11	16.3	18.2	1.12	536	1.25	0.01
CC123989		1.57	39.4	4.59	9.57	0.28	0.07	0.04	0.039	0.22	31.7	20.4	2.63	771	1.24	0.01
CC123990		2.95	47.8	5.78	13.65	0.31	0.07	0.04	0.056	0.48	26.3	29.4	3.17	729	1.35	<0.01
CC123991		2.76	50.3	5.51	10.50	0.23	0.07	0.06	0.042	0.21	25.4	24.7	2.34	711	1.64	0.01
CC123992		2.91	51.5	5.05	10.40	0.28	0.08	0.07	0.042	0.30	31.1	27.1	2.40	965	3.17	0.01
CC123993		1.18	45.2	2.98	3.52	0.12	0.08	0.09	0.032	0.10	16.9	16.4	3.06	791	3.68	0.01
CC123994		1.61	36.4	2.69	3.48	0.10	0.16	0.09	0.031	0.17	14.1	15.5	3.56	755	2.55	0.01
CC123995		1.24	34.3	2.90	3.15	0.11	0.09	0.08	0.028	0.12	12.9	13.7	3.44	1090	3.62	0.02
CC123996		1.48	46.2	3.72	5.41	0.13	0.09	0.10	0.042	0.15	16.9	19.2	2.21	1120	1.69	0.01
CC123997		1.01	41.5	3.27	4.17	0.12	0.08	0.10	0.035	0.10	16.1	15.1	1.76	902	1.34	0.01
CC123998		1.28	37.7	3.35	4.80	0.13	0.07	0.09	0.037	0.14	15.6	18.7	1.67	1460	1.57	0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 11- JUL- 2011
Account: RCM

Project: RAU

CERTIFICATE OF ANALYSIS WH11115313

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
CC123698		0.37	58.7	880	33.8	6.9	<0.001	0.03	3.75	3.7	1.3	0.3	63.0	<0.01	0.07	4.6
CC123699		0.41	55.5	810	32.0	5.9	0.001	0.03	3.29	3.4	1.3	0.3	52.2	<0.01	0.04	3.8
CC123700		1.38	24.5	710	19.2	6.8	0.003	0.14	1.14	2.9	0.9	0.5	221	<0.01	0.01	2.2
CC123951		1.17	35.0	850	26.7	7.4	<0.001	0.02	1.23	4.2	0.7	0.4	29.2	<0.01	0.03	2.9
CC123952		0.85	34.3	900	24.2	8.2	0.001	0.02	1.06	4.0	0.7	0.4	25.2	<0.01	0.06	2.6
CC123953		1.21	31.7	950	24.4	7.9	0.001	0.03	1.16	3.9	1.1	0.4	39.5	<0.01	0.02	3.3
CC123954		1.13	30.0	910	20.8	7.4	0.001	0.01	1.24	3.8	1.0	0.3	56.5	<0.01	0.03	3.6
CC123955		1.79	38.0	990	25.4	10.6	<0.001	0.02	1.40	4.7	0.7	0.5	72.8	<0.01	0.05	3.8
CC123956		1.70	40.3	900	19.9	9.6	0.001	0.03	1.09	5.4	1.2	0.5	33.5	<0.01	0.04	4.1
CC123957		2.04	30.9	1070	19.5	7.4	0.001	0.03	1.03	3.8	1.0	0.4	49.4	<0.01	0.03	3.1
CC123958		1.52	31.3	970	21.4	6.9	0.001	0.03	1.10	4.4	1.1	0.4	34.2	<0.01	0.01	3.7
CC123959		0.94	35.3	930	29.4	8.3	0.002	0.03	1.27	4.3	1.0	0.4	40.8	<0.01	0.04	3.2
CC123960		0.98	38.2	960	27.6	10.2	0.001	0.03	1.32	4.4	1.1	0.4	38.1	<0.01	0.04	3.6
CC123961		6.27	56.4	1990	15.5	20.7	0.001	0.06	0.75	7.9	1.1	0.4	91.2	0.01	0.03	3.4
CC123962		2.29	39.0	1220	28.9	12.5	0.001	0.03	1.32	5.0	1.0	0.4	46.1	0.01	0.04	3.8
CC123963		7.38	73.4	2460	10.6	24.2	0.001	0.05	0.82	7.6	1.2	0.4	109.0	0.01	0.04	5.1
CC123964		1.38	44.4	790	34.8	12.1	0.001	0.03	1.69	5.3	1.6	0.4	36.7	0.01	0.05	4.4
CC123965		1.00	40.1	860	31.4	12.4	0.003	0.05	1.53	4.7	1.7	0.4	41.4	0.01	0.05	3.5
CC123966		1.12	36.1	890	28.7	11.3	0.002	0.05	1.40	4.5	1.2	0.4	39.2	0.01	0.05	3.4
CC123967		2.31	42.1	1100	29.7	12.8	0.001	0.06	1.22	6.4	1.3	0.4	46.5	0.01	0.05	3.3
CC123968		1.34	34.0	940	29.7	9.9	0.001	0.03	1.41	4.7	1.0	0.3	40.3	0.01	0.04	3.5
CC123969		1.00	35.6	800	35.3	11.8	0.001	0.02	1.68	4.8	0.8	0.4	69.2	0.01	0.04	4.3
CC123970		2.88	35.6	1150	28.6	9.7	0.001	0.03	1.33	5.2	1.1	0.4	39.1	0.01	0.03	4.2
CC123982		2.50	30.0	960	28.0	7.1	0.001	0.03	1.36	4.0	1.0	0.3	44.1	0.01	0.03	3.6
CC123983		2.83	34.5	1100	26.6	12.3	0.001	0.03	1.25	4.5	1.0	0.4	50.1	0.01	0.03	3.7
CC123984		2.70	31.8	1070	26.9	8.4	0.002	0.04	1.39	4.3	1.1	0.3	39.2	0.01	0.03	3.6
CC123985		2.12	40.8	980	33.4	12.4	<0.001	0.04	1.71	5.3	1.3	0.4	58.4	0.01	0.04	3.7
CC123986		1.28	39.6	990	32.1	9.6	0.001	0.04	1.62	4.7	1.5	0.3	36.8	0.01	0.04	3.8
CC123987		1.19	37.7	940	27.8	11.2	0.001	0.04	1.59	4.8	1.2	0.4	33.0	0.01	0.05	3.5
CC123988		1.74	41.6	1090	25.7	12.7	0.001	0.05	1.26	5.2	1.1	0.4	35.4	0.01	0.05	3.0
CC123989		6.64	65.6	2880	9.7	19.6	0.001	0.05	0.62	7.7	1.0	0.4	116.0	0.01	0.03	4.3
CC123990		8.07	73.5	2040	10.1	39.6	<0.001	0.06	0.56	11.4	1.1	0.4	113.0	0.01	0.03	3.8
CC123991		6.33	67.6	1850	13.0	22.6	0.001	0.07	0.88	8.0	1.3	0.4	109.5	0.01	0.03	3.2
CC123992		7.69	68.6	2500	12.4	27.6	0.001	0.05	0.89	8.3	1.3	0.4	115.0	0.01	0.04	4.5
CC123993		0.81	40.7	710	30.0	8.7	0.001	0.03	2.35	4.1	0.9	0.4	73.2	<0.01	0.04	5.2
CC123994		0.49	32.9	630	34.5	11.7	0.004	0.02	1.80	4.6	1.0	0.4	107.0	0.01	0.04	4.6
CC123995		0.81	31.8	670	30.0	9.6	0.001	0.02	1.58	4.1	0.8	0.3	98.6	<0.01	0.04	4.0
CC123996		1.45	42.2	980	32.0	14.3	0.001	0.04	1.63	5.8	1.2	0.5	34.5	0.01	0.05	4.1
CC123997		1.11	36.5	1020	32.7	10.5	<0.001	0.03	1.53	4.9	1.0	0.4	30.2	0.01	0.05	3.5
CC123998		1.29	40.8	1070	28.5	13.6	0.002	0.04	1.48	5.1	1.0	0.4	37.3	0.01	0.04	3.4

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 11- JUL- 2011
Account: RCM

Project: RAU

CERTIFICATE OF ANALYSIS WH11115313

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
CC123698		0.017	0.17	0.84	37	0.23	8.51	205	3.0
CC123699		0.017	0.12	0.88	34	0.21	8.08	202	2.4
CC123700		0.041	0.08	1.33	34	0.18	5.81	104	1.8
CC123951		0.043	0.10	0.61	51	0.19	8.80	123	1.6
CC123952		0.034	0.08	0.48	49	0.24	9.52	120	1.5
CC123953		0.047	0.11	0.58	49	0.18	8.20	149	1.9
CC123954		0.053	0.13	0.56	43	0.24	8.06	130	2.4
CC123955		0.062	0.15	0.54	49	0.24	8.95	136	2.6
CC123956		0.055	0.11	0.74	56	0.27	10.95	116	2.3
CC123957		0.068	0.09	0.64	46	0.21	8.32	123	2.1
CC123958		0.056	0.08	0.58	49	0.22	9.48	123	2.2
CC123959		0.033	0.13	0.63	48	0.19	9.95	144	2.5
CC123960		0.037	0.16	0.68	52	0.17	9.26	159	2.3
CC123961		0.207	0.12	0.92	119	0.09	9.88	126	2.4
CC123962		0.068	0.13	0.92	54	0.17	10.80	130	2.2
CC123963		0.221	0.15	1.09	112	0.09	10.05	107	2.7
CC123964		0.042	0.16	0.70	52	0.24	11.90	146	3.1
CC123965		0.029	0.16	1.00	46	0.26	10.15	169	3.3
CC123966		0.037	0.15	0.93	48	0.11	9.19	154	2.6
CC123967		0.077	0.14	1.21	75	0.07	11.25	159	2.0
CC123968		0.045	0.13	0.70	46	0.10	10.25	125	2.5
CC123969		0.030	0.17	0.79	43	0.19	10.70	144	3.5
CC123970		0.086	0.12	0.80	57	0.21	10.00	141	3.1
CC123982		0.069	0.10	0.78	43	0.27	9.47	106	2.6
CC123983		0.081	0.12	0.81	50	0.24	9.31	120	2.5
CC123984		0.076	0.11	0.85	48	0.56	9.40	117	2.6
CC123985		0.063	0.14	0.71	55	0.18	11.25	136	2.8
CC123986		0.043	0.12	0.86	48	0.10	11.30	120	2.8
CC123987		0.037	0.14	0.81	49	0.06	10.55	155	2.9
CC123988		0.065	0.14	0.92	65	0.07	9.47	164	1.9
CC123989		0.217	0.11	0.72	115	0.12	9.13	105	2.1
CC123990		0.279	0.17	0.92	163	<0.05	8.33	107	2.3
CC123991		0.212	0.16	1.18	129	0.05	10.25	127	2.2
CC123992		0.240	0.17	1.09	125	0.09	10.40	145	2.7
CC123993		0.031	0.15	1.19	36	0.16	9.16	162	3.9
CC123994		0.021	0.18	1.04	37	0.13	9.60	144	7.6
CC123995		0.026	0.15	0.96	35	0.24	8.79	151	3.8
CC123996		0.049	0.19	0.81	60	0.15	10.80	186	2.9
CC123997		0.041	0.12	0.71	51	0.12	10.70	146	2.6
CC123998		0.049	0.16	0.79	56	0.07	9.83	174	2.1

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 11- JUL- 2011
Account: RCM

Project: RAU

CERTIFICATE OF ANALYSIS WH11115313

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- TL43 Au ppm 0.001	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1
CC123999		0.20	0.002	0.27	1.56	14.8	<0.2	<10	300	0.71	0.32	0.97	0.65	36.8	14.5	44
CC124000		0.28	0.001	0.26	1.39	12.6	<0.2	<10	290	0.59	0.32	3.13	0.59	33.1	16.1	40
CC141251		0.56	0.001	0.23	1.26	13.2	<0.2	<10	190	0.49	0.33	6.49	0.61	30.4	13.7	27
CC141252		0.26	0.002	0.24	1.16	12.2	<0.2	<10	210	0.51	0.29	4.01	0.57	26.8	11.8	23
CC141253		0.36	0.002	0.24	1.44	14.2	<0.2	<10	280	0.69	0.35	1.49	0.72	30.7	14.1	28
CC141254		0.38	0.001	0.31	1.42	15.0	<0.2	<10	240	0.63	0.38	3.91	0.82	32.1	14.0	27
CC141255		0.66	0.001	0.24	1.28	14.8	<0.2	<10	220	0.52	0.35	5.49	0.55	30.0	12.8	26
CC141256		0.34	0.002	0.31	1.50	14.3	<0.2	<10	440	0.70	0.35	3.39	0.88	25.7	13.1	28
CC141257		0.32	0.002	0.33	1.28	13.0	<0.2	<10	370	0.67	0.31	3.53	0.90	23.2	12.4	25
CC141258		0.22	0.001	0.18	1.11	15.7	<0.2	<10	150	0.51	0.29	5.79	0.66	27.3	9.7	25
CC141259		0.10	0.002	0.19	1.10	12.2	<0.2	<10	280	0.57	0.29	2.34	0.74	22.7	10.7	34
CC141260		0.42	0.004	0.13	1.26	15.8	<0.2	<10	130	0.55	0.29	0.93	0.35	31.2	9.2	29
CC141261		0.32	0.002	0.18	0.94	11.4	<0.2	<10	210	0.45	0.26	4.63	0.62	21.9	8.4	20
CC141262		0.50	0.001	0.21	0.99	8.3	<0.2	<10	190	0.52	0.27	5.38	0.46	24.8	7.6	20
CC141263		0.26	0.002	0.26	1.28	8.7	<0.2	<10	320	0.63	0.37	2.22	0.66	24.1	9.2	28
CC141264		0.26	0.002	0.25	1.22	13.9	<0.2	<10	400	0.50	0.35	3.20	0.62	20.6	11.3	26
CC141265		0.36	0.002	0.24	1.10	11.1	<0.2	<10	260	0.54	0.30	3.39	0.60	23.2	10.0	24
CC141266		0.30	0.002	0.28	1.15	11.7	<0.2	<10	310	0.50	0.32	3.41	0.79	21.8	10.4	26
CC141267		0.26	0.003	0.27	1.19	13.1	<0.2	<10	270	0.53	0.33	4.40	0.54	25.7	10.0	26
CC141268		0.34	0.021	0.26	1.33	13.9	<0.2	<10	310	0.59	0.37	3.19	0.58	28.0	11.5	29
CC141269		0.18	0.001	0.21	0.97	9.0	<0.2	<10	380	0.39	0.24	2.77	0.72	16.70	7.7	20
CC141270		0.22	NSS	0.18	1.05	10.5	<0.2	<10	350	0.39	0.32	2.25	0.63	17.40	8.6	24
CC141271		0.46	0.002	0.25	1.28	9.9	<0.2	<10	380	0.65	0.36	2.78	0.75	27.0	9.7	29
CC141272		0.74	0.001	0.26	1.24	15.2	<0.2	<10	240	0.54	0.38	5.80	0.77	29.1	11.8	27
CC141273		0.26	0.002	0.20	1.05	12.4	<0.2	<10	280	0.47	0.28	3.85	0.67	21.6	9.0	26
CC141274		0.22	0.001	0.21	1.00	10.7	<0.2	<10	200	0.56	0.26	2.34	0.62	24.5	8.0	22
CC141275		0.26	0.001	0.23	1.13	12.3	<0.2	<10	230	0.52	0.30	3.22	0.69	24.7	9.3	23
CC141276		0.22	0.002	0.28	1.30	11.9	<0.2	<10	210	0.58	0.32	2.96	0.53	23.5	9.9	27
CC141277		0.42	0.002	0.33	1.43	14.7	<0.2	<10	260	0.64	0.38	2.87	1.02	29.3	12.1	29
CC141278		0.12	0.001	0.22	0.89	8.8	<0.2	<10	360	0.33	0.18	2.98	0.67	13.00	10.4	18
CC141279		0.20	0.001	0.26	1.08	9.9	<0.2	<10	280	0.50	0.29	3.25	0.72	17.70	8.7	25
CC141280		0.38	0.002	0.30	1.37	13.4	<0.2	<10	240	0.68	0.38	3.19	0.72	27.5	11.1	27
CC141281		0.46	0.002	0.33	1.59	17.2	<0.2	<10	240	0.72	0.46	2.59	0.73	33.7	13.4	31
CC141282		0.20	0.001	0.24	1.28	11.8	<0.2	<10	290	0.53	0.31	2.12	0.65	20.8	10.0	25
CC141283		0.30	0.001	0.21	0.99	7.6	<0.2	<10	300	0.44	0.23	2.81	0.71	16.30	6.4	21
CC141284		0.50	0.002	0.32	1.54	15.5	<0.2	<10	310	0.69	0.39	2.35	0.96	33.9	15.4	38
CC141285		0.40	0.002	0.23	1.27	11.8	<0.2	<10	240	0.51	0.34	1.80	0.45	24.0	9.4	28
CC141286		0.52	0.003	0.36	1.59	13.8	<0.2	<10	200	0.53	0.35	1.31	0.77	45.1	16.5	31
CC141287		0.24	0.002	0.29	1.19	10.3	<0.2	<10	240	0.46	0.26	2.16	0.73	29.8	9.3	23
CC141288		0.22	0.001	0.52	1.00	7.2	<0.2	<10	110	0.25	0.37	2.78	0.18	24.2	8.4	20

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 11- JUL- 2011
Account: RCM

Project: RAU

CERTIFICATE OF ANALYSIS WH11115313

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
CC123999		1.11	42.9	3.33	4.94	0.13	0.07	0.09	0.037	0.10	18.8	19.1	0.94	345	1.16	0.01
CC124000		1.07	42.7	3.27	4.37	0.13	0.07	0.09	0.032	0.11	17.0	17.1	2.23	821	1.53	0.01
CC141251		0.98	43.2	2.92	3.80	0.11	0.09	0.07	0.036	0.10	15.4	16.7	3.30	778	1.75	0.01
CC141252		0.72	32.9	2.67	3.46	0.10	0.06	0.07	0.032	0.08	13.4	14.6	2.07	711	1.43	0.02
CC141253		0.73	37.2	3.21	4.32	0.11	0.07	0.07	0.035	0.09	15.5	17.7	1.02	825	1.65	0.01
CC141254		1.06	40.0	3.18	4.22	0.11	0.09	0.07	0.039	0.13	16.3	19.5	2.42	750	2.03	0.01
CC141255		0.95	41.4	2.96	3.91	0.11	0.08	0.07	0.036	0.10	15.2	17.8	3.04	682	1.73	0.01
CC141256		0.91	46.2	3.16	4.09	0.09	0.08	0.08	0.037	0.13	13.2	18.4	1.89	811	1.90	0.01
CC141257		0.92	43.3	2.79	3.70	0.09	0.06	0.09	0.034	0.10	11.8	16.8	1.61	669	1.48	0.01
CC141258		0.71	30.2	2.64	3.40	0.12	0.05	0.05	0.031	0.07	13.6	13.3	2.73	675	1.75	<0.01
CC141259		0.69	29.6	2.57	3.55	0.12	0.04	0.07	0.029	0.08	11.6	13.0	0.98	827	1.22	<0.01
CC141260		0.54	25.2	2.90	4.11	0.11	0.05	0.04	0.037	0.06	15.5	15.3	0.84	310	1.28	<0.01
CC141261		0.56	25.1	2.37	2.88	0.11	0.05	0.06	0.024	0.06	10.9	12.1	2.50	565	1.27	<0.01
CC141262		0.61	26.1	1.99	2.92	0.11	0.06	0.07	0.025	0.06	12.5	13.9	3.40	270	0.81	<0.01
CC141263		0.70	33.8	2.32	3.73	0.11	0.06	0.07	0.031	0.08	11.5	15.8	1.26	573	0.87	<0.01
CC141264		0.68	37.1	2.99	3.54	0.10	0.06	0.08	0.032	0.09	10.2	14.3	1.36	1350	1.23	<0.01
CC141265		0.62	34.0	2.60	3.28	0.11	0.06	0.06	0.027	0.08	11.1	13.3	1.94	630	1.13	<0.01
CC141266		0.67	43.4	2.65	3.43	0.11	0.04	0.07	0.030	0.08	11.0	12.6	1.54	679	1.21	<0.01
CC141267		0.64	37.3	2.77	3.50	0.11	0.05	0.06	0.033	0.08	13.1	13.9	2.46	593	1.23	<0.01
CC141268		0.69	38.3	2.93	3.93	0.11	0.05	0.07	0.031	0.08	14.1	15.1	1.93	764	1.19	<0.01
CC141269		0.55	24.0	2.04	2.92	0.09	0.03	0.07	0.022	0.05	7.9	10.7	0.59	627	0.98	0.01
CC141270		0.61	28.5	2.35	3.06	0.11	0.04	0.06	0.048	0.07	8.6	11.2	0.74	818	1.28	<0.01
CC141271		0.71	36.7	2.46	3.91	0.11	0.06	0.08	0.032	0.08	13.2	15.4	1.54	384	0.71	<0.01
CC141272		0.93	40.5	2.87	3.79	0.12	0.06	0.07	0.031	0.11	14.3	15.0	2.89	744	1.73	<0.01
CC141273		0.57	28.6	2.50	3.19	0.09	0.03	0.07	0.026	0.06	11.0	11.7	1.99	649	1.35	<0.01
CC141274		0.51	25.4	2.15	3.08	0.10	0.05	0.09	0.030	0.05	12.2	12.5	1.32	286	1.07	<0.01
CC141275		0.71	30.3	2.59	3.22	0.10	0.05	0.06	0.031	0.09	11.7	13.2	1.61	555	1.49	<0.01
CC141276		0.88	32.6	2.71	3.76	0.11	0.08	0.09	0.031	0.11	11.3	16.2	1.61	552	1.31	<0.01
CC141277		0.96	40.6	3.07	4.11	0.11	0.09	0.09	0.035	0.12	13.9	17.2	1.86	804	1.72	<0.01
CC141278		0.53	21.2	2.24	2.46	0.09	0.05	0.07	0.017	0.06	6.3	8.9	0.62	2880	1.63	0.01
CC141279		0.64	33.4	2.27	3.19	0.10	0.05	0.07	0.032	0.07	8.8	11.3	1.23	888	1.46	<0.01
CC141280		0.80	39.0	2.80	3.94	0.12	0.06	0.09	0.034	0.09	13.6	15.3	1.85	568	1.34	<0.01
CC141281		1.05	41.2	3.43	4.71	0.12	0.08	0.08	0.042	0.13	16.9	18.4	1.91	802	1.87	<0.01
CC141282		0.77	30.6	2.67	3.66	0.10	0.06	0.07	0.032	0.10	10.3	14.2	0.79	841	1.54	<0.01
CC141283		0.57	28.4	1.81	2.77	0.10	0.04	0.06	0.021	0.06	7.8	9.4	0.64	787	1.11	<0.01
CC141284		1.00	43.7	3.40	4.53	0.13	0.08	0.08	0.036	0.12	16.8	17.5	1.79	837	2.06	<0.01
CC141285		0.67	28.8	2.72	3.59	0.12	0.05	0.05	0.033	0.08	11.6	14.2	1.10	354	1.43	<0.01
CC141286		0.94	69.8	3.57	4.58	0.15	0.10	0.07	0.027	0.08	22.4	19.3	1.22	325	2.51	<0.01
CC141287		0.75	48.2	2.64	3.37	0.11	0.05	0.07	0.027	0.07	15.2	12.5	0.74	349	1.60	<0.01
CC141288		0.72	42.2	2.19	2.81	0.11	0.03	0.03	0.009	0.08	12.0	9.3	0.70	92	2.34	<0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 11- JUL- 2011
Account: RCM

Project: RAU

CERTIFICATE OF ANALYSIS WH11115313

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
CC123999		1.60	38.1	1140	33.6	10.7	0.001	0.04	1.45	5.2	1.1	0.4	40.7	0.01	0.05	3.5
CC124000		1.51	39.1	1050	28.1	10.4	0.001	0.03	1.44	4.7	1.4	0.3	38.1	0.01	0.04	3.3
CC141251		0.90	33.3	700	29.3	9.2	0.001	0.02	1.63	4.4	0.8	0.4	60.6	0.01	0.04	4.4
CC141252		0.90	29.2	670	26.6	7.5	<0.001	0.04	1.30	3.7	0.8	0.4	41.6	<0.01	0.04	2.4
CC141253		0.77	33.9	650	31.0	9.9	<0.001	0.04	1.50	4.0	0.9	0.5	25.3	0.01	0.05	1.9
CC141254		0.83	36.2	720	35.2	10.9	<0.001	0.03	1.75	4.8	0.9	0.4	39.2	0.01	0.04	4.2
CC141255		0.87	31.0	620	30.0	10.0	<0.001	0.02	1.55	4.6	0.7	0.4	48.6	<0.01	0.04	4.0
CC141256		0.60	33.9	690	34.3	10.9	<0.001	0.05	1.94	3.9	1.0	0.4	33.8	0.01	0.06	2.0
CC141257		0.60	31.6	780	31.2	10.7	<0.001	0.07	1.71	3.3	1.2	0.4	39.1	0.01	0.05	1.2
CC141258		1.00	29.4	850	24.8	6.4	<0.001	0.01	1.40	3.4	0.7	0.3	73.1	<0.01	0.06	2.3
CC141259		1.11	29.6	750	22.8	7.9	0.004	0.09	1.06	2.9	0.6	0.3	45.0	<0.01	0.04	1.2
CC141260		1.16	28.4	480	22.3	6.2	<0.001	0.01	1.21	3.7	0.5	0.4	20.6	<0.01	0.04	2.2
CC141261		0.66	24.5	780	23.0	5.8	0.001	0.03	1.17	2.9	0.7	0.3	45.9	<0.01	0.02	1.6
CC141262		0.59	24.0	750	24.6	5.4	0.001	0.02	1.02	3.3	0.8	0.4	37.5	<0.01	0.02	2.6
CC141263		0.78	28.8	770	23.3	7.1	0.002	0.12	1.13	3.6	0.9	0.4	39.9	<0.01	0.02	2.0
CC141264		0.69	31.9	730	23.7	7.6	0.002	0.08	1.28	3.2	1.0	0.3	54.2	<0.01	0.04	1.5
CC141265		0.65	28.1	860	24.3	6.4	0.002	0.03	1.12	3.2	1.0	0.3	37.4	<0.01	0.04	1.7
CC141266		0.67	29.8	980	23.1	8.0	0.001	0.06	1.22	2.5	1.0	0.3	44.8	<0.01	0.04	0.7
CC141267		0.78	29.5	850	21.6	7.4	<0.001	0.02	1.21	3.4	0.8	0.4	47.9	<0.01	0.04	1.7
CC141268		0.95	33.1	900	24.2	7.3	<0.001	0.02	1.25	3.8	0.9	0.4	43.4	<0.01	0.04	2.2
CC141269		0.60	20.1	870	15.8	5.9	0.001	0.12	0.90	1.8	1.2	0.4	50.1	<0.01	0.03	0.5
CC141270		0.69	25.7	830	21.3	6.7	0.003	0.11	1.01	2.1	0.8	0.3	37.7	0.02	0.03	0.7
CC141271		1.03	30.2	810	25.6	7.4	0.001	0.06	1.44	3.7	1.3	0.4	37.9	<0.01	0.05	2.1
CC141272		0.93	34.1	860	28.8	8.6	<0.001	<0.01	1.57	4.0	0.8	0.3	69.7	<0.01	0.03	2.6
CC141273		0.82	27.3	900	20.5	6.0	0.001	0.04	1.18	2.5	1.0	0.3	43.2	<0.01	0.04	0.9
CC141274		0.75	25.0	850	22.2	5.5	0.001	0.03	1.45	2.6	0.6	0.4	32.1	<0.01	0.04	1.4
CC141275		0.64	28.8	830	27.5	7.3	0.001	0.03	1.42	3.0	0.7	0.4	41.4	<0.01	0.03	1.6
CC141276		0.66	30.8	870	24.7	8.8	0.002	0.08	1.41	3.5	0.9	0.4	51.6	<0.01	0.02	2.2
CC141277		0.67	36.6	860	35.2	9.2	0.002	0.04	1.61	4.1	1.3	0.4	37.4	<0.01	0.04	2.7
CC141278		0.38	22.3	970	13.6	4.7	0.007	0.24	0.99	1.6	1.5	0.3	65.0	<0.01	0.03	0.6
CC141279		0.52	26.5	900	26.9	7.4	0.004	0.13	1.16	2.4	1.5	0.4	52.6	<0.01	0.03	0.8
CC141280		0.66	33.7	810	35.3	8.3	<0.001	0.03	1.44	3.6	0.8	0.4	40.6	<0.01	0.04	1.9
CC141281		0.68	39.0	850	42.6	10.9	<0.001	0.01	1.65	4.7	0.6	0.5	32.8	<0.01	0.05	3.2
CC141282		0.61	30.9	660	26.3	9.2	0.005	0.08	1.29	2.9	1.5	0.4	48.6	<0.01	0.04	1.2
CC141283		0.46	22.3	860	16.1	5.8	0.005	0.15	0.99	1.6	2.4	0.4	54.5	<0.01	0.02	0.5
CC141284		0.74	42.3	840	36.3	10.1	0.001	0.02	1.61	4.8	0.9	0.4	30.5	<0.01	0.07	3.4
CC141285		0.63	27.6	700	26.4	7.1	0.001	0.05	1.16	3.3	0.5	0.4	26.1	<0.01	0.03	1.8
CC141286		0.88	46.6	890	24.6	8.2	<0.001	0.01	1.73	3.7	1.2	0.4	32.0	<0.01	0.06	5.1
CC141287		0.67	32.0	690	18.1	6.6	0.001	0.09	1.35	2.1	1.1	0.4	41.6	<0.01	0.04	1.2
CC141288		1.53	25.7	1150	16.2	7.9	0.001	0.15	0.98	1.2	1.8	0.7	77.1	0.01	0.08	1.3

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 11- JUL- 2011
Account: RCM

Project: RAU

CERTIFICATE OF ANALYSIS WH11115313

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
CC123999		0.054	0.13	0.96	59	0.10	10.80	155	2.3
CC124000		0.054	0.12	0.91	53	0.08	10.85	128	2.2
CC141251		0.035	0.15	0.76	41	0.14	9.28	139	3.1
CC141252		0.032	0.12	0.68	40	0.08	8.94	116	1.9
CC141253		0.026	0.11	0.78	50	0.12	9.67	160	1.7
CC141254		0.030	0.15	0.75	47	0.11	10.20	159	2.8
CC141255		0.033	0.17	0.71	42	0.17	9.49	128	2.3
CC141256		0.020	0.15	1.01	47	0.06	9.55	163	2.3
CC141257		0.017	0.13	1.91	42	<0.05	9.73	150	1.8
CC141258		0.036	0.09	0.64	42	0.24	8.71	116	1.5
CC141259		0.037	0.09	1.02	44	0.13	7.08	120	1.4
CC141260		0.038	0.08	0.45	47	0.27	6.62	108	1.3
CC141261		0.024	0.08	0.68	36	0.13	7.91	129	1.5
CC141262		0.025	0.08	0.52	36	0.12	8.61	129	1.6
CC141263		0.025	0.11	1.47	43	0.15	9.10	144	2.0
CC141264		0.024	0.11	1.14	43	0.15	8.21	146	1.7
CC141265		0.026	0.08	0.60	40	0.16	8.43	137	1.6
CC141266		0.023	0.10	1.11	40	0.17	9.22	129	1.1
CC141267		0.031	0.09	0.51	43	0.18	8.74	120	1.4
CC141268		0.037	0.10	0.67	47	0.34	10.20	122	1.5
CC141269		0.017	0.07	1.72	31	0.12	6.02	113	1.2
CC141270		0.022	0.10	1.34	37	0.16	5.55	139	1.1
CC141271		0.031	0.10	0.92	45	0.19	9.32	133	1.8
CC141272		0.036	0.12	0.57	46	0.21	9.59	145	1.8
CC141273		0.029	0.08	1.17	40	0.63	7.79	125	1.0
CC141274		0.023	0.07	0.69	38	0.51	7.66	122	1.3
CC141275		0.023	0.10	0.68	40	0.18	8.15	140	1.5
CC141276		0.022	0.11	1.43	40	0.18	7.65	170	2.2
CC141277		0.024	0.13	0.97	47	0.19	9.63	184	2.6
CC141278		0.013	0.07	3.26	26	0.07	4.16	109	1.3
CC141279		0.018	0.09	2.91	34	0.10	6.96	126	1.4
CC141280		0.024	0.11	1.14	45	0.21	10.15	141	1.8
CC141281		0.029	0.15	0.66	52	0.22	10.25	183	2.1
CC141282		0.019	0.11	2.00	40	0.15	6.41	154	1.7
CC141283		0.015	0.07	9.11	29	0.07	6.33	95	1.0
CC141284		0.031	0.13	0.77	51	0.18	11.00	172	2.5
CC141285		0.026	0.10	1.04	43	0.16	7.41	134	1.5
CC141286		0.029	0.12	0.92	43	0.15	10.70	150	3.1
CC141287		0.017	0.10	2.65	31	0.10	9.45	87	1.6
CC141288		0.018	0.07	1.09	23	0.05	3.83	44	1.2

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 11- JUL- 2011
Account: RCM

Project: RAU

CERTIFICATE OF ANALYSIS WH11115313

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- TL43 Au ppm 0.001	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1
CC141289		0.50	0.004	0.31	1.55	18.8	<0.2	<10	180	0.56	0.48	1.77	0.50	62.1	19.6	29
CC141290		0.16	0.002	0.18	1.37	14.2	<0.2	<10	200	0.54	0.30	1.20	0.47	34.7	11.6	29
CC141291		0.26	0.002	0.32	1.47	15.8	<0.2	<10	280	0.62	0.33	1.42	0.45	38.1	14.5	28
CC141292		0.10	0.001	0.18	0.75	5.4	<0.2	<10	180	0.24	0.15	2.86	0.93	10.70	4.2	14
CC141293		0.62	0.003	0.36	1.68	17.7	<0.2	<10	220	0.68	0.39	1.75	0.68	47.9	16.8	31
CC141294		0.38	0.003	0.21	1.14	9.7	<0.2	<10	270	0.35	0.21	2.31	0.45	16.50	8.9	27
CC141295		0.76	0.002	0.24	1.56	14.7	<0.2	<10	270	0.41	0.34	3.16	0.46	35.7	17.2	38
CC141296		0.38	0.002	0.15	1.86	17.0	<0.2	<10	300	0.75	0.43	0.43	0.30	35.7	16.3	40
CC141297		0.44	0.002	0.28	1.92	17.2	<0.2	<10	250	0.54	0.33	1.59	0.53	32.0	22.3	59
CC141298		0.62	0.002	0.26	1.20	12.3	<0.2	<10	160	0.39	0.34	5.42	0.76	27.6	11.9	27
CC141299		0.42	0.001	0.24	1.61	10.6	<0.2	<10	320	0.58	0.29	2.01	0.77	23.9	15.4	60
CC141300		0.22	0.002	0.25	1.40	10.0	<0.2	<10	250	0.46	0.29	2.61	0.57	25.5	12.7	48
CC141301		0.50	0.002	0.24	1.26	10.0	<0.2	<10	240	0.43	0.30	4.08	0.58	29.0	12.7	38
CC141302		0.64	0.001	0.27	1.25	11.1	<0.2	<10	180	0.41	0.29	4.35	0.55	25.5	11.2	34
CC141303		0.28	0.002	0.17	1.28	10.9	<0.2	<10	240	0.41	0.24	1.85	0.37	29.5	13.6	48
CC141304		0.32	0.001	0.28	1.45	11.8	<0.2	<10	220	0.44	0.31	2.92	0.53	28.7	13.5	44
CC141321		0.14	0.001	0.32	1.42	11.3	<0.2	<10	240	0.51	0.30	5.18	0.85	29.3	13.2	34
CC141322		0.18	0.001	0.27	1.55	10.5	<0.2	<10	320	0.54	0.26	4.69	0.57	29.6	13.2	45
CC141323		0.18	0.002	0.23	1.37	13.6	<0.2	<10	250	0.53	0.28	2.05	0.83	33.5	15.4	38
CC141324		0.18	0.002	0.27	1.35	12.2	<0.2	<10	230	0.50	0.32	1.67	0.75	31.0	13.3	33
CC141325		0.16	0.001	0.23	1.67	9.8	<0.2	<10	360	0.59	0.19	1.78	0.57	33.2	16.4	69
CC141326		0.16	0.001	0.21	1.23	11.5	<0.2	<10	210	0.40	0.30	5.34	0.67	27.2	11.7	28
CC141327		0.14	0.001	0.14	1.59	9.9	<0.2	<10	330	0.58	0.23	1.29	0.46	37.9	15.4	58
CC141328		0.10	0.001	0.19	1.66	10.0	<0.2	<10	340	0.52	0.17	1.73	0.57	31.8	18.2	70
CC141329		0.14	0.002	0.21	2.11	11.3	<0.2	<10	390	0.65	0.18	1.61	0.61	36.0	21.8	86
CC141330		0.10	0.001	0.15	2.07	10.0	<0.2	<10	350	0.59	0.14	1.39	0.32	50.2	21.3	103
CC141331		0.12	<0.001	0.11	2.16	8.4	<0.2	<10	420	0.83	0.10	2.35	0.54	35.8	22.3	122
CC141334		0.22	0.002	0.28	1.45	13.6	<0.2	<10	310	0.58	0.32	1.88	0.72	35.0	15.1	39
CC141335		0.14	0.002	0.13	1.47	10.5	<0.2	<10	300	0.38	0.20	1.47	0.44	31.4	13.8	56
CC141336		0.12	0.002	0.19	2.33	10.6	<0.2	<10	440	0.71	0.17	1.81	0.47	32.7	21.6	104
CC141337		0.14	<0.001	0.18	2.73	10.0	<0.2	<10	400	0.85	0.10	2.19	0.86	40.5	27.4	186
CC141338		0.10	<0.001	0.10	2.91	10.0	<0.2	<10	390	0.87	0.07	1.95	0.26	53.1	28.3	188
CC141339		0.16	<0.001	0.10	3.11	10.0	<0.2	<10	570	1.37	0.06	1.88	0.18	43.0	27.6	181
CC141340		0.16	<0.001	0.09	3.32	11.7	<0.2	<10	570	1.41	0.07	2.05	0.18	63.1	30.5	220

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 11- JUL- 2011
Account: RCM

Project: RAU

CERTIFICATE OF ANALYSIS WH11115313

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
CC141289		0.73	61.0	3.78	4.54	0.14	0.08	0.06	0.032	0.08	29.3	19.6	1.49	761	1.69	<0.01
CC141290		0.56	28.9	2.90	4.08	0.11	0.06	0.04	0.027	0.06	16.8	18.5	0.70	530	1.41	<0.01
CC141291		0.74	41.8	3.11	4.35	0.11	0.06	0.07	0.029	0.09	19.0	19.0	0.74	804	1.63	<0.01
CC141292		0.38	22.5	1.35	2.12	0.10	0.05	0.06	0.014	0.04	5.3	6.2	0.51	197	1.15	<0.01
CC141293		0.99	62.0	3.69	4.85	0.14	0.08	0.08	0.031	0.11	22.9	22.7	1.46	717	2.01	<0.01
CC141294		0.74	23.0	2.23	3.46	0.05	0.05	0.06	0.027	0.08	8.4	11.8	0.84	493	1.06	0.01
CC141295		1.66	45.6	3.33	4.47	0.09	0.07	0.06	0.035	0.08	17.9	19.3	2.34	798	2.03	0.01
CC141296		1.30	46.6	3.85	5.65	0.09	0.11	0.08	0.043	0.11	18.4	23.1	0.97	727	1.87	<0.01
CC141297		3.22	55.6	3.88	5.50	0.10	0.08	0.06	0.038	0.12	16.5	23.5	1.96	729	1.44	0.01
CC141298		0.96	33.5	2.79	3.53	0.09	0.07	0.06	0.036	0.10	14.0	12.7	3.08	767	1.51	0.01
CC141299		1.11	42.1	3.28	5.46	0.08	0.04	0.05	0.044	0.10	12.2	16.0	1.29	1040	1.07	0.01
CC141300		0.98	35.9	2.87	4.47	0.08	0.05	0.05	0.041	0.09	13.0	13.6	1.62	432	0.99	0.01
CC141301		0.85	35.1	2.71	3.99	0.09	0.05	0.05	0.040	0.09	14.7	13.3	2.75	703	0.94	0.01
CC141302		0.89	37.2	2.78	3.82	0.08	0.06	0.05	0.040	0.11	13.1	12.9	2.73	566	1.21	0.01
CC141303		0.79	27.5	2.85	4.56	0.09	0.04	0.04	0.034	0.07	15.0	13.6	1.17	755	1.03	0.01
CC141304		0.86	37.8	3.14	4.61	0.09	0.05	0.05	0.041	0.08	14.6	14.1	2.07	759	1.09	0.01
CC141321		1.28	35.1	3.09	4.24	0.09	0.09	0.08	0.038	0.14	14.9	14.2	3.13	824	1.42	0.01
CC141322		1.27	34.9	3.26	4.83	0.09	0.06	0.07	0.036	0.12	15.2	15.1	2.73	729	1.06	0.01
CC141323		1.11	32.9	3.23	4.42	0.09	0.06	0.08	0.035	0.12	17.0	14.7	1.59	951	1.10	0.01
CC141324		1.05	35.7	3.04	4.30	0.08	0.07	0.07	0.035	0.11	15.8	15.9	1.13	779	1.47	0.01
CC141325		1.41	30.4	3.36	6.02	0.10	0.04	0.06	0.033	0.13	17.4	16.3	1.27	948	0.92	0.01
CC141326		0.88	33.3	2.77	3.57	0.07	0.07	0.07	0.034	0.10	13.7	12.8	2.62	752	1.57	0.01
CC141327		0.92	37.2	3.22	5.79	0.10	0.05	0.05	0.036	0.09	20.2	16.9	1.10	567	1.21	0.01
CC141328		1.11	28.7	3.33	6.40	0.09	0.04	0.06	0.033	0.08	16.4	16.1	1.25	759	1.30	0.01
CC141329		1.53	33.8	4.12	7.52	0.12	0.04	0.05	0.039	0.12	17.8	19.7	1.66	1000	1.41	0.01
CC141330		1.28	26.9	4.08	8.42	0.13	0.04	0.04	0.037	0.08	27.0	20.3	1.65	855	1.18	0.01
CC141331		1.57	36.5	3.92	9.01	0.13	0.05	0.06	0.039	0.12	19.0	18.2	1.84	925	1.09	0.01
CC141334		1.30	35.1	3.26	4.79	0.09	0.07	0.08	0.036	0.13	17.7	17.4	1.27	911	1.66	0.01
CC141335		0.98	27.0	3.00	5.72	0.08	0.03	0.05	0.031	0.07	16.1	14.9	1.07	544	1.28	0.01
CC141336		1.52	38.9	4.37	8.53	0.11	0.04	0.06	0.040	0.09	17.3	20.6	1.86	1000	1.25	0.01
CC141337		1.63	58.5	4.82	10.30	0.18	0.05	0.06	0.043	0.20	21.9	20.4	2.55	1050	1.40	0.01
CC141338		1.82	37.9	5.27	11.85	0.22	0.05	0.03	0.051	0.21	28.1	23.8	2.89	922	0.98	0.01
CC141339		2.43	38.7	5.41	12.10	0.22	0.04	0.02	0.056	0.54	22.6	26.5	3.13	937	0.50	0.01
CC141340		2.96	37.3	5.92	13.80	0.27	0.06	0.02	0.057	0.56	34.0	31.3	3.32	1000	0.83	0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 11- JUL- 2011
Account: RCM

Project: RAU

CERTIFICATE OF ANALYSIS WH11115313

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
CC141289		0.83	50.4	780	35.3	6.3	0.001	0.02	1.77	3.4	0.8	0.4	26.4	<0.01	0.06	8.8
CC141290		0.67	31.2	440	21.3	6.1	0.001	0.03	1.12	3.1	0.6	0.4	30.2	<0.01	0.04	3.3
CC141291		0.69	37.4	710	25.4	8.2	0.001	0.06	1.37	3.2	0.8	0.9	42.6	<0.01	0.05	2.9
CC141292		0.41	17.0	630	10.5	4.4	0.001	0.11	0.89	1.2	0.6	0.4	50.8	<0.01	0.02	0.5
CC141293		0.71	45.6	730	30.1	8.2	<0.001	0.01	1.50	4.0	1.0	0.4	33.9	<0.01	0.05	5.2
CC141294		0.69	25.2	810	18.3	7.8	0.002	0.10	0.88	2.4	1.0	0.4	65.0	<0.01	0.03	0.9
CC141295		0.80	49.2	580	27.2	8.2	<0.001	<0.01	1.53	3.6	0.7	0.6	28.8	<0.01	0.04	4.5
CC141296		0.80	52.2	460	37.7	13.0	<0.001	<0.01	1.66	5.4	0.8	0.5	16.2	<0.01	0.05	4.6
CC141297		0.83	93.8	780	31.0	12.5	<0.001	<0.01	1.58	4.3	0.7	0.4	26.4	<0.01	0.04	3.9
CC141298		1.18	32.0	880	27.9	8.3	<0.001	<0.01	1.52	3.5	0.6	0.4	57.4	<0.01	0.03	3.5
CC141299		1.58	43.0	930	27.4	13.3	<0.001	0.05	0.99	4.1	0.9	0.4	45.9	<0.01	0.04	1.4
CC141300		1.57	33.9	1040	26.4	9.9	<0.001	0.03	1.00	4.0	0.9	0.3	46.4	0.01	0.03	1.8
CC141301		1.54	34.0	1000	26.5	8.5	<0.001	<0.01	1.17	3.8	0.7	0.4	41.1	<0.01	0.03	2.8
CC141302		1.15	32.0	920	25.2	9.5	<0.001	<0.01	1.26	3.8	0.8	0.4	41.9	<0.01	0.03	2.6
CC141303		1.95	33.0	1050	20.1	7.7	<0.001	0.01	0.90	3.7	0.8	0.4	51.3	0.01	0.03	1.9
CC141304		1.41	36.1	1030	25.5	9.2	<0.001	<0.01	1.19	4.1	0.8	0.4	34.2	<0.01	0.03	2.4
CC141321		1.21	35.9	850	35.0	10.6	<0.001	<0.01	1.47	4.1	0.8	0.4	49.9	<0.01	0.04	3.7
CC141322		1.82	34.7	990	28.1	11.5	<0.001	<0.01	1.28	4.4	0.9	0.4	52.4	<0.01	0.03	3.2
CC141323		1.43	35.9	1280	33.4	13.2	<0.001	<0.01	1.19	4.3	0.9	0.4	32.0	<0.01	0.03	3.1
CC141324		0.96	36.5	1020	28.3	12.7	<0.001	<0.01	1.37	4.2	0.9	0.4	36.8	<0.01	0.04	3.0
CC141325		2.73	38.1	1240	19.0	15.7	<0.001	0.03	0.71	4.8	0.9	0.3	74.8	0.01	0.03	1.8
CC141326		0.99	31.8	780	26.0	7.7	<0.001	<0.01	1.38	3.5	0.6	0.5	59.5	<0.01	0.03	3.3
CC141327		2.42	37.6	1160	19.9	10.2	<0.001	<0.01	0.84	4.8	1.0	0.4	57.8	0.01	0.03	2.6
CC141328		2.70	36.2	1190	14.7	13.4	<0.001	0.04	0.68	4.4	0.9	0.7	81.3	0.01	0.03	1.4
CC141329		3.21	42.5	1230	13.9	15.9	<0.001	0.02	0.72	5.8	1.0	0.5	79.1	0.01	0.03	2.1
CC141330		4.38	43.2	1820	12.1	9.4	<0.001	0.01	0.55	5.6	0.9	0.3	88.5	0.01	0.03	2.7
CC141331		6.33	51.3	1490	8.7	14.7	<0.001	0.06	0.89	5.4	0.9	0.5	127.0	0.02	0.02	1.6
CC141334		1.49	38.4	1160	32.3	14.0	0.001	<0.01	1.34	4.5	1.0	0.4	48.7	<0.01	0.04	3.2
CC141335		2.18	30.5	1320	17.6	9.2	<0.001	0.02	0.79	3.9	0.8	0.4	64.2	0.01	0.04	1.7
CC141336		3.39	46.7	1300	14.2	10.2	<0.001	0.03	0.79	6.1	1.0	0.4	77.2	0.01	0.03	1.9
CC141337		5.18	89.2	1900	8.5	21.3	<0.001	0.05	0.58	6.9	1.2	0.4	131.5	0.01	0.02	2.1
CC141338		7.17	71.8	2790	6.7	20.9	<0.001	0.02	0.43	8.7	0.7	0.4	141.5	0.01	0.02	3.1
CC141339		6.85	67.7	2310	6.0	38.4	<0.001	0.01	0.39	9.0	0.6	0.4	138.0	0.01	0.02	2.6
CC141340		8.87	76.9	2930	7.5	44.7	<0.001	0.01	0.41	9.6	0.7	0.5	153.0	0.01	0.02	3.7

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 11- JUL- 2011
Account: RCM

Project: RAU

CERTIFICATE OF ANALYSIS WH11115313

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
CC141289		0.023	0.08	0.85	35	0.16	8.97	143	2.8
CC141290		0.019	0.07	0.67	37	0.15	6.08	93	1.7
CC141291		0.023	0.09	1.01	39	0.15	8.68	115	1.8
CC141292		0.012	0.05	0.63	19	0.07	3.86	86	1.6
CC141293		0.023	0.11	0.72	42	0.14	9.47	156	2.6
CC141294		0.023	0.09	2.37	37	0.17	5.33	139	1.6
CC141295		0.037	0.13	0.63	46	0.24	8.53	132	2.3
CC141296		0.030	0.17	0.65	60	0.24	10.40	155	3.2
CC141297		0.049	0.18	0.54	55	0.18	9.31	154	2.2
CC141298		0.045	0.14	0.58	46	0.22	8.32	145	2.6
CC141299		0.061	0.14	0.64	65	0.16	7.91	179	1.3
CC141300		0.058	0.11	0.76	57	0.17	8.35	155	1.4
CC141301		0.058	0.11	0.48	51	0.20	8.87	135	1.5
CC141302		0.047	0.12	0.49	48	0.20	8.66	146	1.7
CC141303		0.069	0.09	0.62	59	0.17	8.13	106	1.1
CC141304		0.055	0.11	0.57	58	0.20	9.53	139	1.4
CC141321		0.043	0.15	0.54	53	0.24	9.47	170	2.8
CC141322		0.071	0.14	0.69	63	0.23	9.06	150	1.8
CC141323		0.054	0.13	0.63	58	0.18	10.05	144	1.9
CC141324		0.037	0.14	0.72	49	0.19	10.00	166	2.1
CC141325		0.098	0.11	0.98	74	0.16	8.17	134	1.3
CC141326		0.035	0.13	0.53	44	0.24	8.11	137	2.4
CC141327		0.083	0.09	1.00	65	0.19	9.99	121	1.4
CC141328		0.094	0.09	0.88	74	0.11	7.72	107	1.1
CC141329		0.136	0.11	0.88	93	0.21	8.15	134	1.4
CC141330		0.149	0.09	1.03	98	0.66	8.65	103	1.3
CC141331		0.185	0.09	0.82	107	0.16	6.78	101	1.8
CC141334		0.049	0.15	0.96	56	0.28	9.88	169	2.1
CC141335		0.080	0.09	0.80	68	0.13	6.57	101	1.0
CC141336		0.147	0.11	0.96	105	0.14	8.98	134	1.5
CC141337		0.190	0.12	1.08	129	0.17	8.50	120	1.6
CC141338		0.257	0.09	0.43	150	0.16	7.25	98	1.6
CC141339		0.278	0.12	0.33	165	0.14	6.06	93	1.4
CC141340		0.325	0.16	0.40	182	0.18	8.07	100	1.9

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 11- JUL- 2011
Account: RCM

Project: RAU

CERTIFICATE OF ANALYSIS WH11115313

Method	CERTIFICATE COMMENTS
ALL METHODS	NSS is non- sufficient sample.
ME- MS41	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown.
ME- MS41	Gold determinations by this method are semi- quantitative due to the small sample weight used (0.5g).

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 11- JUL- 2011
Account: RCM

CERTIFICATE WH11115314

Project: RAU

P.O. No.: Ocelot

This report is for 186 Soil samples submitted to our lab in Whitehorse, YT, Canada on 22- JUN- 2011.

The following have access to data associated with this certificate:

ROB CARNE	ANDREW CARNE	MATT DUMALA
JULIA LANE	JOAN MARIACHER	

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
EXTRA- 01	Extra Sample received in Shipment
SCR- 41	Screen to - 180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- TL43	Trace Level Au - 25g AR	ICP- MS
ME- MS41	51 anal. aqua regia ICPMS	

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 11- JUL- 2011
Account: RCM

Project: RAU

CERTIFICATE OF ANALYSIS WH11115314

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- TL43 Au ppm 0.001	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1
CC110647		0.28	0.002	0.24	1.20	17.0	<0.2	<10	280	0.55	0.30	3.07	0.95	23.3	13.1	22
CC110648		0.20	0.002	0.22	1.10	12.2	<0.2	<10	250	0.46	0.28	2.08	0.52	20.2	8.8	22
CC110649		0.18	0.002	0.33	1.20	10.1	<0.2	<10	270	0.48	0.30	2.30	0.72	22.1	8.7	23
CC110650		0.46	0.001	0.27	1.30	15.8	<0.2	<10	190	0.52	0.33	5.69	0.74	29.4	13.0	25
CC110885		0.18	0.003	0.29	1.45	15.6	<0.2	<10	330	0.62	0.38	3.15	0.88	30.9	13.7	27
CC110886		0.52	0.001	0.28	1.27	15.1	<0.2	<10	230	0.57	0.34	8.08	0.93	28.4	11.9	22
CC110887		0.46	0.002	0.30	1.21	14.3	<0.2	<10	190	0.49	0.41	6.62	0.81	26.7	12.8	23
CC110888		0.26	0.003	0.27	1.36	13.2	<0.2	<10	230	0.53	0.36	2.65	0.71	29.8	13.1	28
CC110889		0.28	0.002	0.31	1.43	16.4	<0.2	<10	250	0.63	0.38	4.61	0.89	31.5	13.6	27
CC110890		0.16	0.003	0.35	1.59	14.7	<0.2	<10	250	0.70	0.35	1.79	0.80	35.8	14.7	30
CC110891		0.18	0.004	0.40	1.37	12.5	<0.2	<10	230	0.46	0.28	1.45	0.79	45.3	17.5	24
CC110892		0.26	0.003	0.30	1.55	14.3	<0.2	<10	160	0.50	0.37	1.81	0.74	55.7	19.6	28
CC110893		0.12	0.003	0.24	1.10	11.2	<0.2	<10	180	0.33	0.23	1.84	0.56	36.4	12.8	21
CC110894		0.36	0.003	0.42	1.93	18.0	<0.2	<10	190	0.46	0.37	1.63	0.64	63.6	25.9	32
CC110895		0.12	0.003	0.37	1.46	13.9	<0.2	<10	180	0.52	0.30	1.42	0.51	39.8	15.1	27
CC110896		0.16	0.003	0.20	2.45	8.9	<0.2	<10	110	0.66	0.32	0.13	0.40	54.0	21.4	31
CC110897		0.14	0.004	0.11	1.84	11.9	<0.2	<10	90	0.32	0.31	0.30	0.17	77.8	18.0	27
CC110898		0.24	0.002	0.19	1.92	10.6	<0.2	<10	200	0.50	0.35	1.31	0.37	64.9	19.5	45
CC110899		0.32	0.002	0.24	1.79	16.6	<0.2	<10	190	0.53	0.34	3.22	0.48	43.8	22.1	52
CC110900		0.22	0.002	0.24	1.43	13.4	<0.2	<10	260	0.52	0.29	2.36	0.48	29.9	13.6	32
CC110959		0.30	0.002	0.31	1.85	22.8	<0.2	<10	300	0.62	0.34	2.27	0.56	41.8	18.2	41
CC110960		0.26	0.004	0.23	1.75	52.7	<0.2	<10	280	0.64	0.32	0.51	0.49	41.5	19.6	38
CC110961		0.20	0.001	0.18	4.68	41.9	<0.2	<10	240	0.98	0.07	1.51	0.25	44.0	62.8	395
CC110962		0.38	0.002	0.34	1.55	17.2	<0.2	<10	180	0.44	0.38	2.06	0.35	73.8	18.7	31
CC110963		0.26	0.004	0.40	1.72	24.0	<0.2	<10	200	0.44	0.36	1.47	0.47	60.4	20.0	31
CC110964		0.34	0.003	0.30	1.81	19.5	<0.2	<10	250	0.56	0.38	0.50	0.33	44.8	14.7	36
CC110965		0.40	0.003	0.28	1.87	27.5	<0.2	<10	180	0.78	0.50	1.20	0.46	46.6	20.3	39
CC110966		0.40	0.002	0.28	1.56	11.5	<0.2	<10	320	0.59	0.40	2.14	0.59	34.0	14.5	34
CC110967		0.44	0.004	0.30	1.78	15.7	<0.2	<10	290	0.55	0.34	2.12	0.59	40.4	20.4	45
CC110968		0.22	0.002	0.27	1.75	14.4	<0.2	<10	400	0.72	0.32	0.99	0.46	32.5	14.2	33
CC110969		0.30	0.002	0.29	1.66	16.1	<0.2	<10	370	0.62	0.35	2.86	0.97	32.3	19.1	39
CC110970		0.22	0.001	0.27	1.54	13.2	<0.2	<10	260	0.65	0.33	3.01	0.77	33.5	14.3	45
CC110971		0.24	0.001	0.22	1.34	12.3	<0.2	<10	220	0.50	0.36	3.98	0.87	28.9	13.2	34
CC110972		0.22	0.002	0.25	1.67	10.0	<0.2	<10	310	0.66	0.37	1.67	0.63	31.1	14.6	50
CC110973		0.22	0.002	0.19	1.36	17.2	<0.2	<10	310	0.60	0.29	1.56	0.94	30.8	21.2	45
CC110974		0.30	0.002	0.21	1.28	12.0	<0.2	<10	210	0.48	0.28	4.88	0.58	25.7	12.3	37
CC110975		0.22	0.002	0.22	1.44	10.2	<0.2	<10	260	0.58	0.29	2.38	0.50	28.1	13.1	47
CC110976		0.44	0.002	0.21	1.39	12.3	<0.2	<10	230	0.52	0.27	3.53	0.55	29.3	13.8	44
CC110977		0.20	0.002	0.16	1.65	11.2	<0.2	<10	270	0.64	0.23	1.35	0.43	32.0	15.4	65
CC110978		0.26	0.001	0.24	1.41	12.3	0.2	<10	290	0.58	0.30	3.46	0.73	28.0	14.6	38

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 11- JUL- 2011
Account: RCM

Project: RAU

CERTIFICATE OF ANALYSIS WH11115314

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
CC110647		0.69	35.8	3.48	3.31	0.05	0.05	0.08	0.029	0.08	12.0	12.2	1.68	917	1.58	0.01
CC110648		0.61	30.1	2.51	3.18	0.05	0.06	0.07	0.031	0.07	10.9	12.0	1.01	518	1.17	0.01
CC110649		0.70	35.9	2.42	3.41	0.05	0.05	0.08	0.036	0.08	11.2	12.7	0.88	442	1.04	0.01
CC110650		0.95	49.4	2.84	3.83	0.07	0.05	0.08	0.039	0.11	15.0	14.3	3.32	804	1.58	0.01
CC110885		0.82	41.5	3.26	4.15	0.06	0.09	0.07	0.041	0.12	15.5	15.5	2.11	725	1.48	0.01
CC110886		1.04	40.8	2.84	3.51	0.07	0.10	0.07	0.037	0.14	15.1	13.6	3.81	789	1.82	0.01
CC110887		0.86	44.0	2.70	3.46	0.06	0.07	0.06	0.048	0.12	13.7	13.2	3.84	593	1.47	0.01
CC110888		0.82	31.5	2.97	3.81	0.06	0.06	0.06	0.033	0.11	15.2	13.7	1.77	568	1.49	0.01
CC110889		1.03	42.5	3.09	4.01	0.06	0.07	0.08	0.039	0.13	15.5	15.4	2.86	869	1.85	0.01
CC110890		1.01	52.8	3.37	4.76	0.07	0.08	0.09	0.035	0.12	18.3	17.7	1.36	674	1.85	0.01
CC110891		1.00	68.1	3.65	4.26	0.09	0.06	0.09	0.030	0.11	24.3	15.5	0.92	732	2.88	0.01
CC110892		1.27	84.6	4.21	4.85	0.12	0.08	0.08	0.030	0.12	28.5	16.7	1.62	540	3.44	0.01
CC110893		0.53	38.3	2.99	3.37	0.07	0.04	0.05	0.021	0.06	18.4	11.7	0.70	813	2.04	0.01
CC110894		1.37	123.0	5.31	5.75	0.13	0.08	0.06	0.030	0.10	35.9	19.1	1.73	662	3.03	<0.01
CC110895		0.74	52.4	3.44	4.47	0.07	0.07	0.07	0.029	0.08	20.7	17.2	0.92	631	2.76	0.01
CC110896		0.92	98.5	5.07	6.69	0.08	0.07	0.03	0.031	0.06	29.1	30.3	0.87	306	2.63	<0.01
CC110897		0.47	48.6	3.88	5.55	0.12	0.04	0.02	0.015	0.04	38.8	33.7	0.86	326	0.88	<0.01
CC110898		1.14	74.6	3.53	6.06	0.11	0.06	0.06	0.030	0.05	34.5	30.8	1.51	584	0.95	0.01
CC110899		1.88	79.2	3.68	5.64	0.08	0.05	0.05	0.030	0.08	21.6	25.8	2.62	881	1.15	0.01
CC110900		0.88	47.2	3.07	4.24	0.06	0.05	0.06	0.032	0.08	15.5	15.9	1.69	611	1.31	0.01
CC110959		1.27	59.4	3.94	5.50	0.08	0.07	0.07	0.039	0.12	22.3	20.9	1.92	719	1.99	0.01
CC110960		1.05	68.1	4.42	5.42	0.08	0.06	0.12	0.048	0.08	23.2	19.0	1.01	579	3.63	0.01
CC110961		10.15	106.5	6.71	12.00	0.26	0.05	0.02	0.041	0.26	23.0	20.6	6.02	1140	1.45	0.01
CC110962		0.82	68.4	3.99	4.78	0.13	0.11	0.05	0.028	0.08	39.1	18.0	1.66	621	2.02	0.01
CC110963		0.68	65.0	3.85	4.90	0.08	0.07	0.06	0.039	0.07	29.0	22.9	1.27	914	1.56	<0.01
CC110964		0.89	58.9	3.99	5.15	0.08	0.08	0.07	0.035	0.09	23.5	21.8	0.92	535	1.64	<0.01
CC110965		0.93	84.1	4.12	5.19	0.08	0.10	0.13	0.042	0.11	26.9	20.3	1.37	984	2.63	<0.01
CC110966		0.82	52.3	2.77	4.50	0.07	0.08	0.08	0.035	0.10	17.3	19.0	1.63	262	1.06	0.01
CC110967		1.21	56.6	3.78	5.37	0.08	0.07	0.07	0.037	0.10	20.4	21.3	1.99	775	2.19	0.01
CC110968		1.00	45.2	3.36	5.33	0.06	0.05	0.09	0.036	0.10	17.0	19.6	0.88	611	1.28	0.01
CC110969		1.23	55.7	3.36	4.99	0.07	0.07	0.08	0.038	0.12	16.4	19.0	2.05	974	1.56	0.01
CC110970		1.07	44.3	3.12	4.98	0.07	0.05	0.09	0.035	0.12	16.8	18.0	2.28	551	0.92	0.01
CC110971		0.81	33.3	2.93	4.07	0.06	0.05	0.06	0.036	0.10	14.6	14.2	2.82	534	0.93	0.01
CC110972		1.02	42.5	3.07	5.47	0.06	0.05	0.06	0.042	0.11	15.6	16.8	1.40	430	0.63	0.01
CC110973		0.78	37.3	3.31	4.60	0.07	0.03	0.04	0.038	0.09	16.5	14.2	1.23	2130	1.46	0.01
CC110974		0.83	35.8	2.78	4.00	0.06	0.04	0.05	0.037	0.10	13.4	13.1	3.10	766	1.07	0.01
CC110975		0.87	38.3	2.75	4.68	0.08	0.04	0.06	0.036	0.09	14.5	14.5	1.63	498	0.84	0.01
CC110976		0.90	41.0	2.93	4.50	0.07	0.03	0.05	0.035	0.09	15.2	14.3	2.43	863	1.15	0.01
CC110977		1.02	39.6	3.08	5.96	0.07	0.03	0.05	0.033	0.08	16.4	16.8	1.17	431	0.68	0.01
CC110978		0.79	41.6	2.95	4.61	0.06	0.05	0.05	0.039	0.08	14.6	15.2	2.37	1280	1.18	0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 11- JUL- 2011
Account: RCM

Project: RAU

CERTIFICATE OF ANALYSIS WH11115314

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
CC110647		0.52	32.4	690	31.2	7.7	0.003	0.06	1.28	3.1	1.8	0.3	34.9	<0.01	0.04	1.8
CC110648		0.58	26.4	700	25.0	6.7	0.001	0.06	1.22	2.6	1.3	0.3	33.3	<0.01	0.05	1.2
CC110649		0.64	27.2	790	26.0	7.5	0.002	0.11	1.20	2.6	1.2	0.3	35.5	<0.01	0.03	1.2
CC110650		0.81	35.1	770	31.6	8.8	<0.001	0.01	1.57	3.9	0.6	0.4	50.7	<0.01	0.04	3.3
CC110885		0.74	35.6	720	38.2	9.2	0.001	0.03	1.54	4.2	1.3	0.5	31.3	<0.01	0.06	3.6
CC110886		0.44	34.6	730	35.7	8.9	0.001	0.01	1.75	3.8	0.4	0.4	82.5	<0.01	0.03	3.9
CC110887		0.67	35.9	750	38.6	8.6	0.001	0.02	1.65	3.7	1.3	0.5	54.5	<0.01	0.06	3.4
CC110888		0.70	36.1	860	35.0	9.8	0.002	0.03	1.33	3.5	1.1	0.4	30.2	<0.01	0.04	2.6
CC110889		0.69	38.3	780	39.6	9.9	0.001	0.01	1.73	4.0	0.8	0.4	44.8	<0.01	0.06	3.4
CC110890		0.91	38.8	920	32.5	10.1	0.001	0.03	1.58	4.5	1.0	0.4	32.8	<0.01	0.06	3.5
CC110891		0.82	46.2	960	22.7	9.2	0.002	0.05	1.54	3.0	1.4	0.3	39.0	<0.01	0.07	3.5
CC110892		1.09	56.9	1080	30.1	11.4	<0.001	0.02	1.86	4.0	1.2	0.3	28.6	<0.01	0.07	5.5
CC110893		0.56	29.9	940	18.5	6.3	<0.001	0.07	1.16	1.7	1.3	0.2	42.7	<0.01	0.04	1.3
CC110894		1.09	80.5	1290	31.9	9.1	<0.001	0.01	1.98	3.8	1.4	0.3	28.3	<0.01	0.08	6.2
CC110895		0.68	39.0	840	27.0	8.0	<0.001	0.05	1.45	3.0	1.5	0.3	34.1	<0.01	0.05	2.7
CC110896		0.68	39.6	690	22.3	11.1	<0.001	0.01	1.80	3.0	1.2	0.5	10.2	<0.01	0.08	6.3
CC110897		0.49	42.3	530	16.7	3.9	<0.001	0.01	0.96	2.2	0.9	0.2	16.0	<0.01	0.13	8.7
CC110898		0.60	53.5	690	26.2	5.5	<0.001	0.02	1.82	3.9	0.9	0.3	17.5	<0.01	0.04	8.6
CC110899		0.74	59.4	760	24.6	8.2	<0.001	0.01	2.01	4.1	0.7	0.3	32.9	<0.01	0.05	5.5
CC110900		0.90	34.7	860	23.2	7.8	<0.001	0.02	1.14	3.8	1.0	0.7	30.1	<0.01	0.05	2.7
CC110959		0.71	54.1	860	32.1	10.9	0.001	0.01	2.56	5.1	1.0	0.4	33.6	<0.01	0.03	5.0
CC110960		0.83	72.0	620	99.2	10.2	<0.001	0.02	10.05	5.6	1.4	0.5	18.3	<0.01	0.06	4.6
CC110961		1.04	375	2000	7.1	34.2	<0.001	0.04	0.73	18.0	0.9	0.3	58.3	<0.01	0.02	3.3
CC110962		0.48	53.6	830	29.5	7.3	<0.001	0.01	1.96	3.0	1.1	0.3	28.6	<0.01	0.07	8.8
CC110963		0.56	52.2	700	30.3	6.6	<0.001	0.01	2.12	3.0	1.0	0.4	24.8	<0.01	0.05	6.7
CC110964		0.70	42.3	750	31.2	8.4	<0.001	0.01	1.63	4.1	0.9	0.5	18.1	<0.01	0.05	5.7
CC110965		0.60	64.4	610	42.8	9.6	<0.001	0.02	2.31	5.3	1.4	0.4	18.4	<0.01	0.07	6.1
CC110966		1.06	40.2	820	29.5	8.5	0.001	0.03	1.45	4.4	1.6	0.4	31.0	<0.01	0.04	3.7
CC110967		0.69	60.5	730	26.2	9.5	<0.001	0.01	1.66	4.7	1.2	0.4	24.1	<0.01	0.03	5.1
CC110968		1.10	35.3	880	27.7	9.5	<0.001	0.02	1.45	4.6	0.9	0.5	27.4	<0.01	0.04	2.9
CC110969		0.85	58.0	830	32.0	10.1	<0.001	0.03	1.76	4.5	1.3	0.4	33.5	<0.01	0.05	3.6
CC110970		1.95	36.8	1090	28.9	12.0	0.002	0.04	1.20	4.7	1.3	0.4	37.3	<0.01	0.03	3.1
CC110971		1.56	30.0	990	33.8	8.7	<0.001	0.02	1.21	4.0	1.1	0.4	34.3	<0.01	0.03	3.1
CC110972		2.01	37.6	1040	31.1	11.3	<0.001	0.05	1.18	4.8	0.9	0.4	36.4	<0.01	0.05	2.3
CC110973		1.63	49.4	1080	29.2	8.4	<0.001	0.04	1.17	4.0	1.0	0.3	35.0	<0.01	0.03	2.1
CC110974		1.52	30.8	1010	28.7	8.8	<0.001	0.02	1.23	3.9	0.8	0.3	49.0	<0.01	0.04	2.3
CC110975		1.69	34.8	1040	27.9	9.6	<0.001	0.04	1.12	4.1	1.1	0.4	42.1	<0.01	0.03	2.0
CC110976		1.72	36.2	1030	25.1	9.2	<0.001	0.02	1.12	4.2	1.0	0.4	42.6	<0.01	0.03	2.4
CC110977		2.60	37.9	1080	20.4	8.6	<0.001	0.05	0.84	4.9	0.9	0.3	49.9	<0.01	0.03	2.1
CC110978		1.24	34.8	970	25.5	8.7	<0.001	0.03	1.33	4.3	1.3	0.4	35.5	<0.01	0.04	2.2

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 11- JUL- 2011
Account: RCM

Project: RAU

CERTIFICATE OF ANALYSIS WH11115314

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
CC110647		0.020	0.11	1.37	42	0.12	9.04	159	1.6
CC110648		0.022	0.10	1.41	38	0.14	7.77	129	1.5
CC110649		0.022	0.10	1.83	38	0.15	7.66	152	1.6
CC110650		0.036	0.14	0.70	45	0.22	9.49	149	2.0
CC110885		0.030	0.12	0.71	50	0.19	10.05	159	2.8
CC110886		0.036	0.17	0.73	45	0.19	9.54	159	4.9
CC110887		0.034	0.15	0.88	43	0.24	8.97	156	2.5
CC110888		0.032	0.13	1.23	48	0.17	9.62	162	1.7
CC110889		0.031	0.16	0.75	48	0.22	10.10	165	2.3
CC110890		0.032	0.14	0.92	52	0.23	10.85	164	2.7
CC110891		0.028	0.15	2.10	39	0.13	11.60	148	2.5
CC110892		0.036	0.16	0.82	48	0.19	12.05	192	3.4
CC110893		0.015	0.08	1.62	31	0.10	8.07	126	1.4
CC110894		0.033	0.17	0.86	50	0.16	14.00	175	3.0
CC110895		0.020	0.10	1.03	41	0.23	8.75	130	2.2
CC110896		0.020	0.10	0.77	54	0.15	5.38	138	2.9
CC110897		0.017	0.05	0.75	26	0.07	5.77	78	1.9
CC110898		0.026	0.08	0.55	39	0.24	9.56	142	1.9
CC110899		0.039	0.13	0.41	43	0.22	9.33	132	1.8
CC110900		0.038	0.11	0.57	48	0.21	9.73	122	1.5
CC110959		0.042	0.17	0.59	55	0.19	10.60	153	2.4
CC110960		0.038	0.16	0.93	54	0.19	13.40	188	2.3
CC110961		0.173	0.65	0.46	124	<0.05	11.35	100	2.0
CC110962		0.021	0.10	0.71	32	0.14	12.65	131	3.1
CC110963		0.016	0.08	0.66	32	0.13	8.90	123	2.2
CC110964		0.030	0.12	0.58	48	0.20	9.56	145	2.5
CC110965		0.020	0.17	0.86	51	0.18	13.50	179	3.6
CC110966		0.036	0.10	0.99	48	0.17	10.75	134	2.5
CC110967		0.044	0.13	0.45	52	0.57	10.05	140	3.1
CC110968		0.036	0.12	0.83	57	0.20	10.35	130	1.9
CC110969		0.033	0.15	0.80	51	0.22	10.45	163	2.3
CC110970		0.068	0.13	0.76	61	0.19	9.94	149	1.7
CC110971		0.057	0.12	0.48	52	0.21	9.37	161	1.8
CC110972		0.070	0.12	0.71	66	0.17	9.42	175	1.5
CC110973		0.060	0.12	0.62	59	0.26	9.13	129	1.1
CC110974		0.058	0.10	0.50	51	0.18	8.37	137	1.4
CC110975		0.060	0.11	0.62	58	0.15	9.10	135	1.2
CC110976		0.065	0.11	0.55	56	0.21	8.96	128	1.3
CC110977		0.084	0.10	0.68	69	0.14	8.83	115	1.3
CC110978		0.045	0.11	0.67	52	0.27	10.40	131	1.4

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 11- JUL- 2011
Account: RCM

Project: RAU

CERTIFICATE OF ANALYSIS WH11115314

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- TL43 Au ppm 0.001	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1
CC110979		0.22	0.001	0.17	1.53	9.9	<0.2	<10	220	0.55	0.23	2.33	0.46	32.9	14.2	59
CC110980		0.42	0.001	0.24	1.30	11.4	<0.2	<10	170	0.52	0.30	6.11	0.79	28.7	12.3	34
CC110981		0.28	0.001	0.17	1.36	10.4	<0.2	<10	240	0.52	0.22	3.56	0.61	29.2	13.9	44
CC110982		0.22	0.002	0.23	1.57	11.4	<0.2	<10	250	0.62	0.31	1.43	0.53	30.7	14.6	46
CC110983		0.40	0.001	0.29	1.33	17.1	<0.2	<10	190	0.55	0.48	6.54	0.79	29.1	12.2	25
CC110984		0.24	0.001	0.25	1.35	12.6	<0.2	<10	230	0.52	0.34	4.38	0.62	27.0	11.8	34
CC110985		0.30	0.001	0.26	1.34	13.3	<0.2	<10	340	0.64	0.41	4.65	0.64	27.6	12.4	28
CC110986		0.32	0.001	0.31	1.48	12.8	<0.2	<10	240	0.64	0.42	3.81	0.62	27.4	11.7	33
CC110987		0.28	0.001	0.06	1.64	11.6	<0.2	<10	120	0.34	0.32	0.08	0.31	30.1	9.4	35
CC110988		0.34	0.002	0.07	1.89	14.5	<0.2	<10	280	0.95	0.35	0.25	0.15	41.2	14.0	36
CC110989		0.34	0.003	0.19	1.94	11.8	<0.2	<10	290	0.68	0.33	0.31	0.29	33.4	11.1	35
CC110990		0.42	0.002	0.18	1.54	18.4	<0.2	<10	240	0.57	0.37	4.92	0.43	33.7	14.7	32
CC110991		0.40	0.003	0.20	1.82	18.4	<0.2	<10	230	0.62	0.39	0.64	0.72	34.0	17.5	47
CC110992		0.30	0.004	0.34	2.04	23.9	<0.2	<10	300	1.06	0.45	1.37	0.34	38.0	18.3	40
CC110993		0.40	0.002	0.22	1.52	16.7	<0.2	<10	170	0.42	0.30	4.02	0.57	30.1	17.9	36
CC110994		0.38	0.002	0.29	1.44	14.8	<0.2	<10	260	0.49	0.38	4.45	0.65	36.9	16.1	32
CC110995		0.34	0.002	0.36	1.72	19.5	<0.2	<10	330	0.80	0.39	1.17	0.54	38.2	14.4	34
CC110996		0.42	0.002	0.43	2.10	47.3	<0.2	<10	220	0.52	0.27	1.81	0.87	42.4	23.1	66
CC110997		0.34	0.002	0.34	1.54	25.8	<0.2	<10	200	0.44	0.47	4.69	0.68	47.1	18.8	36
CC110998		0.30	0.004	0.44	1.48	34.8	<0.2	<10	380	0.42	0.27	2.84	1.22	40.2	21.8	39
CC122551		0.36	0.001	0.23	1.03	14.8	<0.2	<10	150	0.30	0.24	6.47	0.65	53.0	14.4	21
CC122552		0.34	0.002	0.31	1.53	19.1	<0.2	<10	250	0.48	0.36	4.88	0.65	39.6	16.2	36
CC122553		0.26	0.003	0.37	1.48	16.5	<0.2	<10	280	0.56	0.33	1.50	0.42	35.4	14.5	33
CC122554		0.30	0.002	0.35	1.60	19.4	<0.2	<10	240	0.66	0.39	3.79	0.94	35.4	14.5	32
CC122555		0.38	0.001	0.29	1.52	16.5	<0.2	<10	190	0.46	0.33	5.87	0.72	33.4	15.8	33
CC122556		0.30	0.002	0.32	1.64	16.0	<0.2	<10	310	0.65	0.38	1.92	0.66	34.4	15.1	35
CC122557		0.40	0.002	0.29	1.59	15.2	<0.2	<10	300	0.56	0.34	3.21	0.66	38.0	17.2	39
CC122558		0.40	0.003	0.29	1.59	16.2	<0.2	<10	280	0.60	0.36	2.05	0.62	38.2	15.5	38
CC122559		0.28	0.001	0.29	1.44	16.0	<0.2	<10	240	0.62	0.39	3.41	0.74	33.5	13.7	36
CC122560		0.28	0.002	0.25	1.36	18.7	<0.2	<10	270	0.62	0.37	3.43	0.76	30.9	14.8	34
CC122561		0.46	0.001	0.25	1.37	12.6	<0.2	<10	200	0.54	0.32	5.57	0.67	28.3	11.9	33
CC122562		0.28	0.001	0.21	1.52	10.8	<0.2	<10	250	0.68	0.30	2.76	0.61	32.9	13.5	49
CC122563		0.28	0.002	0.28	1.43	12.0	<0.2	<10	260	0.71	0.34	2.97	0.63	30.3	13.9	37
CC122564		0.24	0.001	0.17	1.01	6.8	<0.2	<10	170	0.47	0.28	5.47	0.39	24.8	8.1	25
CC122565		0.26	0.001	0.25	1.30	12.3	<0.2	<10	240	0.59	0.37	4.23	0.70	29.4	12.9	31
CC122566		0.36	0.001	0.25	1.28	11.6	<0.2	<10	270	0.60	0.34	5.46	0.63	29.0	12.8	33
CC122567		0.32	0.001	0.26	1.43	12.5	<0.2	<10	270	0.65	0.29	3.81	0.58	29.9	13.1	38
CC122568		0.26	0.001	0.25	1.86	13.6	<0.2	<10	350	0.84	0.31	2.35	0.69	39.2	18.4	58
CC122569		0.28	0.002	0.20	2.12	14.0	<0.2	<10	490	0.95	0.28	1.33	0.40	42.5	20.5	74
CC122570		0.24	0.002	0.21	2.12	11.5	<0.2	<10	410	0.99	0.96	1.90	0.38	35.8	19.0	77

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 11- JUL- 2011
Account: RCM

Project: RAU

CERTIFICATE OF ANALYSIS WH11115314

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
CC110979		0.89	34.3	2.95	5.00	0.07	0.04	0.04	0.033	0.09	16.9	15.3	1.77	369	0.75	0.01
CC110980		0.84	38.2	2.63	4.17	0.07	0.05	0.04	0.039	0.11	15.2	13.7	3.78	513	1.09	0.01
CC110981		0.88	32.3	2.81	4.62	0.08	0.03	0.04	0.032	0.10	14.9	13.8	2.36	609	1.00	0.01
CC110982		0.92	37.1	3.25	5.00	0.07	0.04	0.05	0.042	0.09	15.5	16.0	1.26	551	0.85	0.01
CC110983		1.05	40.0	2.91	3.87	0.06	0.07	0.08	0.040	0.13	14.9	15.5	3.24	772	1.48	0.01
CC110984		0.89	32.4	3.03	3.83	0.06	0.05	0.07	0.040	0.11	14.7	13.8	2.76	675	1.24	0.01
CC110985		0.78	35.9	2.95	3.70	0.06	0.05	0.06	0.041	0.10	14.3	14.8	2.32	915	1.12	0.01
CC110986		0.87	32.2	3.29	3.80	0.06	0.07	0.08	0.040	0.11	14.4	15.6	2.68	502	1.10	0.01
CC110987		0.88	19.1	3.37	5.44	<0.05	0.04	0.01	0.028	0.05	16.1	17.6	0.55	383	1.56	<0.01
CC110988		0.86	34.7	3.49	4.83	0.07	0.07	0.06	0.039	0.09	23.0	19.3	0.81	570	1.70	0.01
CC110989		1.03	32.6	3.13	5.09	0.06	0.03	0.04	0.035	0.05	17.0	15.9	0.62	499	1.89	0.01
CC110990		1.06	53.7	3.25	3.99	0.06	0.06	0.06	0.035	0.11	18.1	16.6	3.18	749	1.37	0.01
CC110991		1.37	43.7	4.11	4.74	0.06	0.07	0.05	0.039	0.12	17.9	19.2	1.19	831	1.74	0.01
CC110992		1.08	64.7	4.05	5.28	0.07	0.12	0.13	0.046	0.14	21.0	21.6	1.41	906	2.34	0.01
CC110993		0.89	58.2	3.45	4.06	0.07	0.05	0.05	0.031	0.09	15.7	16.9	2.61	806	1.42	0.01
CC110994		0.78	58.3	3.26	3.64	0.07	0.07	0.06	0.031	0.09	19.6	15.9	2.51	868	1.40	0.01
CC110995		0.77	51.3	3.65	4.51	0.07	0.07	0.09	0.041	0.10	24.3	17.9	0.93	654	1.89	0.01
CC110996		1.66	75.6	4.78	5.54	0.08	0.06	0.09	0.046	0.08	22.9	20.0	2.27	633	3.78	0.01
CC110997		0.82	59.9	3.50	4.16	0.08	0.06	0.06	0.039	0.08	24.1	16.5	2.52	852	1.86	0.01
CC110998		0.92	70.7	3.95	3.79	0.08	0.05	0.08	0.037	0.07	21.3	14.6	1.67	835	3.72	0.01
CC122551		0.65	60.0	3.47	2.62	0.09	0.07	0.05	0.028	0.08	29.7	10.4	3.07	831	2.19	0.01
CC122552		0.82	54.4	3.56	3.84	0.08	0.05	0.06	0.042	0.08	20.5	17.5	2.64	716	1.66	0.01
CC122553		0.60	52.5	3.57	3.70	0.07	0.06	0.08	0.034	0.08	18.7	15.1	1.09	676	1.79	0.01
CC122554		1.19	51.2	3.38	4.32	0.08	0.11	0.10	0.039	0.15	18.6	17.3	2.34	792	1.99	0.01
CC122555		1.02	51.2	3.34	3.78	0.07	0.07	0.06	0.034	0.12	17.5	16.2	3.20	856	1.64	0.01
CC122556		0.96	48.6	3.54	4.31	0.07	0.06	0.09	0.035	0.11	18.1	17.6	1.51	818	1.55	0.01
CC122557		0.90	55.0	3.46	4.26	0.08	0.05	0.06	0.037	0.09	19.7	18.0	2.35	773	1.44	0.01
CC122558		0.93	48.4	3.51	4.37	0.07	0.06	0.09	0.033	0.09	19.3	18.4	1.58	812	1.59	0.01
CC122559		1.06	40.3	3.35	4.15	0.08	0.07	0.07	0.038	0.13	17.4	16.3	2.52	966	1.49	0.01
CC122560		0.85	35.5	3.85	3.92	0.08	0.06	0.07	0.039	0.09	16.4	15.4	2.41	1020	1.50	0.01
CC122561		0.91	34.9	3.05	3.75	0.07	0.05	0.06	0.038	0.12	15.6	14.3	3.18	707	1.40	0.01
CC122562		1.01	38.4	3.22	4.50	0.08	0.04	0.07	0.037	0.10	17.2	16.3	2.21	553	0.75	0.01
CC122563		0.89	39.6	3.15	4.09	0.07	0.05	0.06	0.039	0.11	16.3	15.5	2.15	791	1.30	0.01
CC122564		0.68	24.7	2.09	2.89	0.07	0.04	0.04	0.028	0.07	13.3	12.2	3.58	369	0.65	0.01
CC122565		0.94	37.6	2.93	3.77	0.06	0.05	0.06	0.035	0.11	15.9	15.7	2.84	800	1.45	0.02
CC122566		0.93	35.8	2.92	3.73	0.08	0.04	0.06	0.036	0.11	15.3	14.6	3.35	745	1.24	0.01
CC122567		0.92	36.1	3.22	4.15	0.07	0.04	0.07	0.042	0.11	15.8	15.2	2.61	891	1.22	0.01
CC122568		1.12	50.6	3.96	5.81	0.08	0.04	0.07	0.049	0.13	19.7	18.5	2.15	936	1.16	0.01
CC122569		1.36	46.2	4.51	6.86	0.10	0.05	0.06	0.047	0.11	22.8	22.6	1.74	819	0.95	0.01
CC122570		1.38	46.9	4.28	6.86	0.09	0.04	0.04	0.044	0.14	18.4	21.0	1.88	826	0.92	0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 11- JUL- 2011
Account: RCM

Project: RAU

CERTIFICATE OF ANALYSIS WH11115314

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
CC110979		2.62	35.3	1270	22.9	10.0	<0.001	0.04	0.82	4.5	0.9	0.4	52.3	<0.01	0.03	2.5
CC110980		1.79	30.8	1020	35.9	8.5	<0.001	0.01	1.43	4.1	1.0	0.4	61.0	<0.01	0.03	2.9
CC110981		2.39	32.1	1180	24.8	10.7	<0.001	0.04	0.95	4.0	0.9	0.3	52.1	<0.01	0.03	2.1
CC110982		1.93	32.2	1090	28.9	9.6	<0.001	0.04	1.07	4.4	0.7	0.4	34.7	<0.01	0.04	2.5
CC110983		0.83	29.9	790	35.3	9.5	<0.001	0.01	1.53	3.9	1.0	0.5	65.6	<0.01	0.05	3.7
CC110984		1.19	30.7	1000	27.9	9.4	<0.001	0.02	1.21	4.1	0.4	0.4	47.6	<0.01	0.03	2.8
CC110985		0.86	32.4	850	32.8	8.6	0.001	0.03	1.41	3.7	1.5	0.4	51.1	<0.01	0.03	2.4
CC110986		1.00	31.0	910	32.0	8.7	0.001	0.02	1.11	4.1	1.0	0.4	33.5	<0.01	0.04	3.4
CC110987		1.60	24.8	190	17.2	11.3	<0.001	<0.01	0.88	2.6	<0.2	0.6	5.3	<0.01	0.05	4.0
CC110988		0.73	38.6	210	29.9	10.1	<0.001	<0.01	1.31	5.3	0.6	0.5	12.7	<0.01	0.04	5.4
CC110989		1.01	30.2	230	20.4	10.0	<0.001	<0.01	0.81	4.5	0.5	0.6	14.1	<0.01	0.04	4.3
CC110990		0.73	43.1	870	28.9	8.9	<0.001	0.01	1.82	4.0	0.5	0.4	48.5	<0.01	0.05	4.4
CC110991		0.90	54.1	400	34.3	10.3	<0.001	0.01	1.71	4.8	0.3	0.4	14.3	<0.01	0.05	3.8
CC110992		0.87	60.6	540	46.8	12.0	<0.001	0.01	2.12	5.9	1.0	0.5	24.7	<0.01	0.06	4.8
CC110993		0.75	40.7	890	23.2	7.5	<0.001	0.02	1.68	3.2	0.7	0.3	43.6	<0.01	0.04	3.3
CC110994		0.78	52.9	840	33.6	6.4	<0.001	0.02	1.63	3.5	0.8	0.3	38.3	<0.01	0.06	4.8
CC110995		0.77	45.5	530	32.8	9.2	0.001	0.02	1.85	4.1	1.1	0.5	26.1	<0.01	0.06	3.3
CC110996		0.60	92.5	980	68.9	8.6	<0.001	0.02	10.90	6.4	1.2	0.4	33.3	<0.01	0.05	5.0
CC110997		0.76	58.9	890	29.1	7.0	0.001	0.01	2.81	3.8	0.8	0.5	60.5	<0.01	0.06	5.9
CC110998		0.64	87.7	900	48.0	7.4	0.001	0.08	8.33	3.6	1.2	0.3	48.2	<0.01	0.05	3.2
CC122551		0.38	38.2	880	23.4	5.8	<0.001	0.06	1.74	2.8	0.9	0.3	72.6	<0.01	0.08	5.8
CC122552		0.60	51.4	770	38.7	6.6	<0.001	0.01	2.18	3.4	0.8	0.4	46.1	<0.01	0.04	4.8
CC122553		0.63	44.4	830	34.3	7.0	<0.001	0.03	1.81	3.5	0.9	0.4	27.4	<0.01	0.05	3.0
CC122554		0.92	44.4	860	36.3	11.2	<0.001	0.01	1.82	4.8	0.8	0.5	48.4	<0.01	0.07	4.7
CC122555		0.60	44.7	820	32.7	8.0	<0.001	<0.01	1.86	3.8	0.5	0.4	58.6	<0.01	0.04	4.7
CC122556		0.76	42.7	870	31.4	9.5	<0.001	0.02	1.59	4.1	0.6	0.4	26.3	<0.01	0.05	3.3
CC122557		0.86	55.4	790	28.1	7.7	<0.001	0.01	1.55	4.1	0.7	0.4	34.8	<0.01	0.03	4.4
CC122558		0.84	46.9	840	27.6	8.7	<0.001	0.02	1.70	4.0	0.8	0.4	29.7	<0.01	0.04	3.4
CC122559		1.32	37.3	1060	29.8	11.2	<0.001	0.02	1.29	4.4	0.9	0.4	36.7	<0.01	0.04	3.8
CC122560		1.33	36.2	1030	30.4	8.2	<0.001	0.03	1.30	4.1	1.5	0.4	37.8	<0.01	0.04	3.2
CC122561		1.36	31.5	980	27.2	9.4	<0.001	0.01	1.15	4.1	0.5	0.4	56.2	<0.01	0.03	3.3
CC122562		2.29	36.4	1160	25.0	9.7	0.001	0.02	0.96	4.5	0.8	0.4	36.7	<0.01	0.03	3.3
CC122563		1.40	36.3	1030	29.0	9.9	<0.001	0.02	1.23	4.2	0.7	0.4	33.4	<0.01	0.05	2.7
CC122564		1.27	22.8	870	20.5	6.2	0.001	0.01	0.80	3.1	0.4	0.3	38.9	<0.01	0.03	2.7
CC122565		1.28	34.8	920	29.1	8.9	0.001	0.02	1.32	4.0	1.0	0.4	40.2	<0.01	0.05	3.1
CC122566		1.61	31.8	960	28.3	9.2	0.001	0.01	1.25	4.1	0.9	0.4	48.6	<0.01	0.02	3.3
CC122567		1.75	34.4	1060	29.5	9.8	<0.001	0.02	1.21	4.2	0.5	0.4	41.3	<0.01	0.02	2.7
CC122568		3.02	44.4	1310	31.0	14.4	0.001	0.02	1.19	5.9	1.0	0.4	44.6	<0.01	0.04	3.7
CC122569		4.38	45.9	1590	26.2	14.0	0.001	0.03	0.99	6.6	0.4	0.5	46.2	<0.01	0.04	4.0
CC122570		4.05	48.0	1530	22.1	16.1	<0.001	0.04	0.84	6.1	0.6	0.4	68.7	0.01	0.04	2.8

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 11- JUL- 2011
Account: RCM

Project: RAU

CERTIFICATE OF ANALYSIS WH11115314

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
CC110979		0.093	0.10	0.60	66	0.15	8.76	118	1.2
CC110980		0.068	0.12	0.54	53	0.21	9.21	167	2.0
CC110981		0.079	0.10	0.63	57	0.15	8.77	121	1.2
CC110982		0.068	0.12	0.55	62	0.58	9.28	159	1.5
CC110983		0.035	0.16	0.55	44	0.31	9.55	164	2.8
CC110984		0.051	0.13	0.48	51	0.25	8.75	162	1.5
CC110985		0.030	0.13	0.83	46	0.22	9.44	149	1.5
CC110986		0.040	0.12	0.62	53	0.19	8.91	176	2.0
CC110987		0.045	0.10	0.34	65	0.22	2.14	86	1.5
CC110988		0.032	0.13	0.75	60	0.24	10.75	109	2.8
CC110989		0.036	0.13	1.25	63	0.22	8.43	135	1.4
CC110990		0.038	0.13	0.58	45	0.21	9.45	131	2.3
CC110991		0.043	0.14	0.50	59	0.22	8.57	194	1.8
CC110992		0.028	0.18	0.72	64	0.25	13.60	163	3.5
CC110993		0.033	0.11	0.55	41	0.15	8.18	118	1.7
CC110994		0.034	0.09	0.57	40	0.17	8.48	148	2.5
CC110995		0.023	0.12	0.75	51	0.19	11.70	140	1.9
CC110996		0.050	0.20	0.63	60	0.14	10.30	201	2.3
CC110997		0.033	0.11	0.65	41	0.17	9.20	139	2.4
CC110998		0.031	0.12	1.70	41	0.16	10.10	178	1.6
CC122551		0.022	0.12	0.62	28	0.17	8.84	120	3.4
CC122552		0.028	0.11	0.62	41	0.24	9.12	151	1.6
CC122553		0.025	0.09	0.95	44	0.23	10.50	129	1.5
CC122554		0.040	0.17	0.65	54	0.21	10.35	173	3.4
CC122555		0.039	0.14	0.59	46	0.19	8.20	163	3.3
CC122556		0.031	0.14	0.66	52	0.20	10.25	154	1.9
CC122557		0.041	0.11	0.58	48	0.23	10.05	135	2.0
CC122558		0.032	0.12	0.85	49	0.19	10.25	141	1.6
CC122559		0.052	0.16	0.56	55	0.26	9.38	170	1.9
CC122560		0.049	0.12	0.90	54	0.20	9.86	150	1.9
CC122561		0.054	0.13	0.52	52	0.21	9.48	154	1.8
CC122562		0.081	0.12	0.62	64	0.17	9.58	134	1.8
CC122563		0.052	0.12	0.62	56	0.22	9.41	143	1.6
CC122564		0.049	0.08	0.54	42	0.22	7.87	103	1.6
CC122565		0.047	0.13	0.70	50	0.28	9.37	139	1.8
CC122566		0.065	0.13	0.63	53	0.20	9.17	137	1.7
CC122567		0.067	0.12	0.59	58	0.20	9.29	141	1.4
CC122568		0.113	0.13	0.63	79	0.26	11.00	143	1.6
CC122569		0.154	0.13	0.67	97	0.39	10.75	139	1.7
CC122570		0.141	0.13	0.64	98	0.17	9.67	134	1.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 11- JUL- 2011
Account: RCM

Project: RAU

CERTIFICATE OF ANALYSIS WH11115314

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- TL43 Au ppm 0.001	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1
CC122571		0.20	0.004	0.15	1.96	12.1	<0.2	<10	310	0.93	0.24	1.41	0.32	43.7	19.5	78
CC122572		0.24	0.002	0.28	1.89	16.3	<0.2	<10	340	0.75	0.32	2.22	0.65	40.1	21.3	62
CC122573		0.26	0.001	0.23	1.50	12.1	<0.2	<10	270	0.53	0.27	3.05	0.46	29.9	14.1	44
CC122574		0.26	0.001	0.26	1.16	11.9	<0.2	<10	200	0.42	0.32	3.79	0.62	24.2	10.4	24
CC122575		0.28	0.001	0.29	1.20	10.8	<0.2	<10	280	0.48	0.31	4.00	0.71	24.8	10.9	27
CC122576		0.40	0.001	0.18	0.93	10.0	<0.2	<10	160	0.36	0.26	4.98	0.47	23.3	9.8	21
CC122577		0.34	0.003	0.25	1.28	12.2	<0.2	<10	240	0.46	0.32	4.39	0.56	28.2	12.0	27
CC122578		0.32	0.001	0.21	1.14	12.7	<0.2	<10	200	0.44	0.31	4.26	0.63	25.4	12.1	26
CC122579		0.28	0.001	0.22	1.15	8.2	<0.2	<10	180	0.46	0.31	4.71	0.50	26.0	9.6	27
CC122580		0.34	0.001	0.27	1.29	11.2	<0.2	<10	200	0.51	0.33	4.56	0.64	26.7	12.2	30
CC122581		0.24	0.002	0.26	1.49	9.6	<0.2	<10	270	0.57	0.32	2.70	0.63	30.2	12.9	37
CC122582		0.24	0.001	0.22	1.39	10.7	<0.2	<10	240	0.55	0.26	2.89	0.59	32.1	14.1	42
CC122583		0.34	0.002	0.19	1.40	13.8	<0.2	<10	200	0.44	0.28	0.78	0.29	35.2	12.4	29
CC122584		0.24	0.002	0.30	1.63	14.5	<0.2	<10	290	0.59	0.33	1.61	0.68	32.8	14.4	34
CC122585		0.34	0.003	0.29	1.72	17.0	<0.2	<10	240	0.60	0.35	0.89	0.67	40.6	17.7	40
CC122586		0.20	0.002	0.23	1.47	14.7	<0.2	<10	220	0.53	0.30	1.20	0.47	29.8	13.5	31
CC122587		0.30	0.002	0.29	1.53	14.7	<0.2	<10	230	0.51	0.32	3.35	0.82	33.2	14.7	31
CC122588		0.24	0.004	0.33	1.55	17.6	<0.2	<10	190	0.42	0.29	1.79	1.02	43.9	19.1	34
CC122589		0.30	0.003	0.31	1.66	21.0	<0.2	<10	250	0.42	0.32	1.21	0.52	41.8	16.7	42
CC122590		0.36	0.002	0.34	1.41	23.4	<0.2	<10	270	0.43	0.30	4.60	0.73	32.1	15.8	30
CC122601		0.38	0.002	0.26	1.42	19.4	<0.2	<10	290	0.43	0.30	4.37	0.60	33.3	14.9	31
CC122602		0.58	0.001	0.28	1.21	26.9	<0.2	<10	160	0.39	0.27	6.76	1.15	31.4	14.8	26
CC122603		0.22	0.002	0.33	1.52	18.8	<0.2	<10	290	0.49	0.30	2.77	0.88	34.4	14.2	32
CC122604		0.20	0.002	0.30	1.33	18.9	<0.2	<10	260	0.46	0.28	2.75	1.26	32.0	15.5	28
CC122605		0.60	0.011	0.26	1.31	13.5	<0.2	<10	280	0.43	0.27	5.11	0.81	29.7	13.8	30
CC122606		0.24	0.002	0.31	1.52	17.6	<0.2	<10	300	0.60	0.30	3.16	0.72	27.3	13.8	35
CC122607		0.38	0.001	0.28	1.60	11.5	<0.2	<10	280	0.58	0.27	3.16	0.79	29.2	13.3	40
CC122608		0.12	0.002	0.17	2.35	11.4	<0.2	<10	440	0.93	0.13	2.29	0.50	32.4	20.6	126
CC122609		0.14	0.001	0.23	2.09	12.2	<0.2	<10	440	0.76	0.24	1.95	0.84	28.5	20.2	85
CC122610		0.06	0.002	0.16	1.93	9.7	<0.2	<10	440	0.69	0.14	2.47	0.47	23.0	18.8	92
CC122611		0.14	0.001	0.20	2.54	13.0	<0.2	<10	500	1.09	0.18	2.11	0.43	39.0	24.8	134
CC122612		0.16	0.002	0.21	1.53	11.9	<0.2	<10	290	0.57	0.27	2.03	0.69	28.7	13.5	46
CC122613		0.22	0.001	0.21	1.73	12.5	<0.2	<10	300	0.63	0.26	3.09	0.60	33.9	15.4	56
CC122614		0.24	0.003	0.18	2.42	13.6	<0.2	<10	470	0.91	0.17	1.67	0.25	45.7	25.7	114
CC122615		0.24	0.001	0.11	2.99	11.8	<0.2	<10	570	0.98	0.11	1.64	0.09	43.6	27.7	128
CC122616		0.30	0.005	0.43	1.07	111.0	<0.2	<10	350	0.43	0.25	4.07	1.58	21.1	14.4	20
CC122617		0.24	0.003	0.28	1.63	17.2	<0.2	<10	250	0.49	0.31	1.74	0.41	40.9	14.6	36
CC122618		0.28	0.002	0.38	1.41	40.2	<0.2	<10	200	0.48	0.32	2.87	1.32	35.7	20.8	33
CC122619		0.20	0.002	0.31	1.68	15.5	<0.2	<10	380	0.60	0.35	1.66	0.53	32.2	15.8	39
CC122620		0.54	0.002	0.21	1.42	16.8	<0.2	<10	180	0.37	0.30	5.46	0.62	36.1	18.2	38

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 11- JUL- 2011
Account: RCM

Project: RAU

CERTIFICATE OF ANALYSIS WH11115314

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
CC122571		1.22	39.1	4.13	6.36	0.10	0.04	0.04	0.039	0.11	23.0	18.5	1.62	845	0.96	0.01
CC122572		1.27	52.6	4.26	7.00	0.12	0.07	0.06	0.048	0.12	19.4	19.6	2.08	879	1.14	0.02
CC122573		0.93	39.7	3.32	5.12	0.10	0.04	0.06	0.037	0.09	14.7	15.7	2.15	736	1.04	0.02
CC122574		0.69	32.9	2.76	3.49	0.07	0.07	0.06	0.041	0.09	11.5	14.2	2.44	640	1.52	0.01
CC122575		0.80	37.8	2.76	3.75	0.08	0.06	0.07	0.038	0.09	11.8	15.3	2.45	547	1.31	0.02
CC122576		0.61	29.8	2.45	2.92	0.08	0.06	0.05	0.026	0.06	11.1	12.9	3.10	572	1.33	0.01
CC122577		0.89	35.6	2.93	3.81	0.08	0.06	0.06	0.037	0.09	13.2	15.6	2.87	674	1.39	0.02
CC122578		0.77	32.5	2.85	3.60	0.08	0.06	0.05	0.032	0.08	11.8	14.8	2.80	634	1.22	0.02
CC122579		0.82	33.7	2.55	3.59	0.09	0.06	0.06	0.035	0.08	12.4	15.2	3.13	390	0.88	0.01
CC122580		0.85	36.2	2.93	3.97	0.09	0.06	0.05	0.037	0.10	12.7	15.9	2.77	722	1.14	0.02
CC122581		0.94	38.1	2.97	4.76	0.09	0.06	0.06	0.039	0.09	14.5	19.0	2.01	678	0.74	0.02
CC122582		0.99	37.4	3.04	4.81	0.09	0.05	0.06	0.036	0.09	15.3	17.1	2.19	794	1.00	0.02
CC122583		0.63	33.6	3.17	4.12	0.08	0.06	0.05	0.025	0.07	16.1	18.4	0.71	637	1.38	0.01
CC122584		0.96	44.5	3.39	4.74	0.09	0.08	0.08	0.036	0.11	15.7	19.9	1.29	600	1.45	0.02
CC122585		0.96	45.3	3.84	5.31	0.10	0.08	0.06	0.036	0.09	19.1	24.7	0.95	920	1.73	0.01
CC122586		0.84	34.8	3.22	4.30	0.08	0.06	0.07	0.030	0.09	14.5	18.1	0.84	774	1.60	0.01
CC122587		1.10	46.8	3.37	4.49	0.09	0.10	0.07	0.034	0.12	15.7	18.0	2.21	802	1.91	0.02
CC122588		0.92	60.1	3.70	4.63	0.10	0.07	0.07	0.037	0.08	20.9	19.2	1.52	574	2.21	0.01
CC122589		0.79	51.7	4.03	4.79	0.10	0.06	0.06	0.056	0.06	20.1	20.9	1.16	572	1.87	0.01
CC122590		0.87	52.2	3.37	4.10	0.09	0.07	0.07	0.038	0.09	15.7	17.2	2.40	698	2.18	0.02
CC122601		0.89	52.9	3.22	4.30	0.08	0.06	0.06	0.035	0.07	16.0	19.0	2.44	664	1.60	0.02
CC122602		0.90	49.7	3.25	3.38	0.09	0.08	0.09	0.033	0.10	14.9	14.1	3.39	747	2.89	0.02
CC122603		0.83	54.5	3.54	4.39	0.08	0.05	0.08	0.033	0.08	17.3	18.6	1.73	648	1.83	0.02
CC122604		0.70	45.8	3.28	3.74	0.08	0.08	0.10	0.029	0.08	15.2	17.0	1.59	1070	2.34	0.02
CC122605		0.95	39.2	2.90	3.90	0.08	0.07	0.15	0.030	0.10	14.1	18.2	2.77	706	1.53	0.02
CC122606		1.04	42.7	3.26	4.44	0.08	0.07	0.09	0.036	0.13	13.0	18.9	2.08	702	1.07	0.02
CC122607		1.22	37.9	3.62	4.98	0.09	0.06	0.08	0.035	0.13	13.7	19.7	2.31	981	1.14	0.02
CC122608		1.74	47.6	4.35	8.90	0.16	0.05	0.06	0.042	0.25	16.4	20.4	2.07	972	1.17	0.02
CC122609		1.68	48.7	4.13	7.56	0.11	0.04	0.06	0.041	0.16	13.8	22.5	1.63	1160	1.40	0.02
CC122610		1.62	47.4	3.62	7.23	0.11	0.04	0.06	0.032	0.13	11.2	18.6	1.64	979	1.49	0.03
CC122611		2.06	54.0	4.82	9.68	0.16	0.05	0.04	0.045	0.20	19.5	24.1	2.36	1080	1.00	0.02
CC122612		0.99	39.7	3.29	5.08	0.09	0.06	0.07	0.037	0.11	13.8	17.3	1.36	630	1.26	0.02
CC122613		1.16	41.0	3.71	5.95	0.10	0.05	0.09	0.040	0.12	16.2	18.0	2.37	798	1.14	0.02
CC122614		1.70	39.5	4.95	9.71	0.16	0.04	0.04	0.050	0.14	21.7	23.7	2.13	1220	1.17	0.02
CC122615		2.30	39.2	5.76	12.50	0.20	0.05	0.03	0.053	0.15	22.0	27.0	2.76	1040	1.10	0.02
CC122616		0.54	57.6	3.44	2.87	0.07	0.05	0.10	0.044	0.07	10.4	10.6	1.82	634	4.58	0.02
CC122617		0.83	49.8	3.62	4.77	0.09	0.06	0.07	0.036	0.06	19.7	20.4	1.47	702	1.32	0.02
CC122618		0.76	63.2	3.85	3.79	0.07	0.05	0.12	0.035	0.09	18.8	16.5	2.03	777	3.63	0.01
CC122619		0.88	51.8	3.53	4.62	0.06	0.06	0.08	0.036	0.08	17.3	19.6	1.12	746	1.00	0.01
CC122620		1.18	53.5	3.21	3.95	0.07	0.06	0.04	0.029	0.09	18.8	16.6	3.18	709	1.38	0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 11- JUL- 2011
Account: RCM

Project: RAU

CERTIFICATE OF ANALYSIS WH11115314

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
CC122571		4.72	45.8	1920	22.5	12.5	<0.001	0.03	0.80	5.7	0.6	0.4	65.1	<0.01	0.02	3.5
CC122572		2.96	50.2	1340	33.1	16.0	<0.001	0.03	1.18	6.3	0.9	0.4	46.3	0.01	0.04	4.0
CC122573		1.89	35.1	1160	23.8	11.3	<0.001	0.04	1.00	4.5	0.8	0.3	45.9	<0.01	0.04	2.2
CC122574		0.58	29.3	730	30.8	7.9	0.001	0.03	1.27	3.5	1.1	0.4	33.3	<0.01	0.04	2.8
CC122575		0.84	29.9	870	30.5	8.9	0.001	0.04	1.18	3.7	1.3	0.3	41.9	<0.01	0.03	2.5
CC122576		0.68	26.5	840	21.4	5.6	<0.001	0.02	1.00	3.2	0.8	0.3	40.4	<0.01	0.02	2.9
CC122577		0.83	32.3	870	29.3	8.8	<0.001	0.03	1.19	4.1	0.7	0.3	38.0	<0.01	0.03	3.2
CC122578		0.85	28.9	860	26.7	7.8	0.001	0.03	1.09	3.7	0.8	0.3	37.1	<0.01	0.03	2.7
CC122579		1.07	27.4	860	24.5	8.3	0.001	0.03	1.07	3.8	0.9	0.3	37.8	<0.01	0.03	3.0
CC122580		0.93	32.1	890	27.1	10.1	<0.001	0.02	1.13	4.2	0.7	0.3	46.1	<0.01	0.03	3.0
CC122581		1.28	33.6	1040	26.2	10.1	0.001	0.04	1.09	4.6	0.9	0.4	36.1	<0.01	0.03	3.0
CC122582		1.84	36.0	1210	23.1	10.8	0.001	0.03	0.95	4.6	0.8	0.3	41.2	<0.01	0.04	3.1
CC122583		0.55	33.2	590	22.8	7.8	<0.001	0.03	1.56	3.0	0.7	0.3	19.8	<0.01	0.04	2.5
CC122584		0.78	40.6	800	28.7	12.2	<0.001	0.03	1.41	4.7	1.0	0.4	27.7	<0.01	0.04	3.8
CC122585		0.66	50.2	910	30.0	11.0	<0.001	0.04	1.44	4.4	0.9	0.4	25.9	<0.01	0.06	3.8
CC122586		0.63	37.4	670	27.2	9.5	<0.001	0.06	1.26	3.4	0.9	0.3	29.3	<0.01	0.05	2.3
CC122587		0.81	42.4	860	30.3	10.5	<0.001	0.02	1.57	4.6	0.7	0.4	40.4	<0.01	0.04	4.8
CC122588		0.70	54.2	890	41.6	9.2	<0.001	0.03	2.75	4.4	0.9	0.3	26.8	<0.01	0.05	4.5
CC122589		0.62	49.9	530	42.2	7.8	<0.001	0.03	1.98	3.7	1.2	0.4	21.2	<0.01	0.05	4.2
CC122590		0.62	45.5	810	31.3	8.6	<0.001	0.02	3.07	4.4	0.8	0.4	56.3	<0.01	0.05	4.0
CC122601		0.65	42.3	860	25.8	8.0	<0.001	0.02	1.83	3.8	0.7	0.3	51.4	<0.01	0.04	3.7
CC122602		0.46	48.4	830	38.2	7.8	<0.001	0.02	3.12	3.8	0.8	0.3	71.5	<0.01	0.04	4.4
CC122603		0.47	43.7	900	30.3	8.7	<0.001	0.05	2.07	3.4	1.1	0.3	33.9	<0.01	0.05	2.2
CC122604		0.49	46.7	840	31.9	8.1	0.003	0.07	2.15	3.5	1.0	0.3	39.7	<0.01	0.06	3.2
CC122605		0.67	38.7	800	28.1	8.4	0.002	0.04	1.33	4.0	0.9	0.3	60.3	<0.01	0.04	3.7
CC122606		0.89	40.6	960	28.6	11.3	0.004	0.08	1.31	4.0	1.2	0.4	41.1	<0.01	0.04	2.8
CC122607		1.16	36.2	980	24.5	13.7	0.001	0.06	1.13	4.8	0.8	0.4	41.4	<0.01	0.04	3.5
CC122608		4.29	61.0	1630	12.2	23.0	0.001	0.10	0.62	6.9	0.9	0.3	127.0	0.01	0.04	1.9
CC122609		2.33	52.6	1190	20.7	18.1	<0.001	0.08	0.96	5.2	1.0	0.3	74.0	0.01	0.05	2.0
CC122610		3.05	47.7	1300	14.2	16.9	0.001	0.12	0.66	4.4	0.9	0.3	106.0	0.01	0.03	1.2
CC122611		4.84	61.0	1700	16.1	21.0	<0.001	0.07	0.65	7.2	0.9	0.3	83.5	0.01	0.03	2.7
CC122612		1.93	36.6	840	22.8	12.6	<0.001	0.05	1.07	4.4	0.9	0.3	36.8	<0.01	0.03	2.5
CC122613		2.89	38.5	1120	24.8	13.4	<0.001	0.04	1.06	5.1	0.8	0.3	53.7	0.01	0.04	3.0
CC122614		4.87	52.4	1930	16.9	16.9	<0.001	0.05	0.66	7.6	0.8	0.4	102.0	0.01	0.03	3.1
CC122615		6.27	49.3	2230	9.3	17.0	<0.001	0.06	0.51	9.4	0.7	0.4	108.5	0.01	0.03	3.0
CC122616		0.44	61.2	870	75.5	6.6	<0.001	0.05	16.90	3.4	1.2	0.5	50.5	<0.01	0.06	1.7
CC122617		0.60	42.4	770	30.2	8.4	<0.001	0.03	1.64	4.1	0.7	0.3	21.7	<0.01	0.04	4.1
CC122618		0.49	64.7	970	48.4	6.4	<0.001	0.02	4.07	3.5	1.1	0.3	33.5	<0.01	0.04	3.2
CC122619		0.75	45.6	910	27.1	7.8	<0.001	0.06	1.77	3.1	1.3	0.4	27.1	<0.01	0.04	2.0
CC122620		0.70	55.5	810	27.3	7.0	<0.001	0.01	1.67	3.1	0.5	0.3	59.2	<0.01	0.03	4.7

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 11- JUL- 2011
Account: RCM

Project: RAU

CERTIFICATE OF ANALYSIS WH11115314

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
CC122571		0.160	0.11	0.61	93	0.36	9.74	119	1.4
CC122572		0.111	0.15	0.62	82	0.21	12.00	151	2.0
CC122573		0.074	0.10	0.53	62	0.21	9.58	129	1.3
CC122574		0.026	0.12	0.61	41	0.30	8.18	156	2.0
CC122575		0.033	0.12	0.80	43	0.16	8.70	157	1.9
CC122576		0.031	0.09	0.59	35	0.16	8.33	113	2.1
CC122577		0.038	0.12	0.58	45	0.18	9.13	149	1.9
CC122578		0.035	0.11	0.61	42	0.17	8.38	136	1.8
CC122579		0.042	0.10	0.65	44	0.21	8.53	126	2.0
CC122580		0.041	0.13	0.54	47	0.21	8.62	156	1.9
CC122581		0.049	0.12	0.64	56	0.23	9.36	156	1.9
CC122582		0.072	0.11	0.54	58	0.19	9.24	136	1.8
CC122583		0.022	0.08	0.56	40	0.13	7.52	124	1.4
CC122584		0.030	0.13	0.71	52	0.18	9.83	173	2.5
CC122585		0.027	0.12	0.68	49	0.17	10.35	183	2.2
CC122586		0.024	0.12	0.65	45	0.16	7.86	142	1.7
CC122587		0.038	0.14	0.56	49	0.21	9.40	171	3.9
CC122588		0.027	0.11	0.53	44	0.21	10.60	189	2.3
CC122589		0.022	0.09	0.66	45	0.16	9.08	165	1.6
CC122590		0.030	0.12	0.72	43	0.20	9.43	157	2.2
CC122601		0.029	0.11	0.62	41	0.21	8.70	140	1.9
CC122602		0.023	0.15	0.77	38	0.23	8.73	193	3.7
CC122603		0.019	0.11	0.75	40	0.25	9.45	158	1.4
CC122604		0.016	0.11	0.98	38	0.21	9.19	193	2.4
CC122605		0.028	0.12	0.82	41	0.19	8.97	147	2.5
CC122606		0.029	0.13	1.25	49	0.19	9.07	172	2.3
CC122607		0.050	0.15	0.61	56	0.15	9.34	178	1.9
CC122608		0.160	0.12	0.75	110	0.12	7.15	122	1.7
CC122609		0.098	0.17	0.71	85	0.13	8.38	160	1.5
CC122610		0.113	0.12	0.80	87	0.08	5.57	116	1.4
CC122611		0.183	0.15	0.66	128	0.11	8.45	119	1.8
CC122612		0.065	0.12	0.51	61	0.20	7.88	140	1.9
CC122613		0.104	0.12	0.62	74	0.17	8.89	128	1.8
CC122614		0.193	0.11	0.70	126	0.28	8.37	118	1.5
CC122615		0.273	0.12	0.57	166	0.12	7.06	100	1.7
CC122616		0.018	0.12	1.00	38	0.23	9.18	232	1.6
CC122617		0.028	0.09	0.53	44	0.33	9.98	139	1.7
CC122618		0.023	0.13	0.85	44	0.19	9.63	227	1.7
CC122619		0.022	0.11	1.14	46	0.17	10.40	139	1.6
CC122620		0.044	0.11	0.56	40	0.19	7.78	135	2.2

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 11- JUL- 2011
Account: RCM

Project: RAU

CERTIFICATE OF ANALYSIS WH11115314

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- TL43 Au ppm 0.001	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1
CC122621		0.30	0.002	0.30	1.75	13.7	<0.2	<10	390	0.58	0.35	2.83	0.87	34.6	17.5	44
CC122622		0.40	0.001	0.26	1.59	15.1	<0.2	<10	270	0.49	0.34	5.64	0.79	35.3	19.0	44
CC122623		0.26	0.001	0.18	1.77	13.2	<0.2	<10	340	0.86	0.26	1.44	0.49	41.1	20.1	69
CC122624		0.24	0.002	0.26	1.38	13.3	<0.2	<10	260	0.58	0.34	3.86	0.65	27.6	14.3	32
CC122625		0.14	0.005	0.19	1.40	10.9	<0.2	<10	280	0.60	0.29	2.78	0.54	26.1	12.5	35
CC122626		0.38	0.001	0.25	1.45	12.6	<0.2	<10	250	0.64	0.33	3.57	0.60	32.3	14.4	38
CC122627		0.28	0.003	0.18	1.71	11.7	<0.2	<10	250	0.74	0.25	1.43	0.30	41.7	17.2	58
CC122628		0.40	0.001	0.24	1.94	12.5	<0.2	<10	320	0.90	0.31	3.20	0.64	41.4	19.5	63
CC122629		0.44	0.002	0.47	1.55	18.8	<0.2	<10	190	0.60	0.26	5.67	1.19	34.5	21.8	46
CC122630		0.18	0.002	0.12	2.81	12.4	<0.2	<10	560	1.18	0.16	1.35	0.12	50.2	27.6	118
CC122631		0.14	0.001	0.11	2.95	13.5	<0.2	<10	580	1.43	0.13	2.20	0.17	39.0	31.6	168
CC122632		0.10	0.001	0.09	2.81	11.6	<0.2	<10	430	1.31	0.11	1.82	0.14	65.0	27.1	167
CC122633		0.16	0.001	0.16	2.95	13.5	<0.2	<10	630	1.43	0.14	2.42	0.33	37.7	32.8	178
CC122634		0.20	0.003	0.14	2.60	13.9	<0.2	<10	500	1.28	0.14	1.98	0.33	46.2	30.0	144
CC122635		0.14	0.002	0.19	2.47	13.0	<0.2	<10	470	1.08	0.18	2.01	0.41	37.8	26.9	121
CC122636		0.16	0.001	0.16	2.50	13.6	<0.2	<10	400	1.04	0.18	1.75	0.72	37.4	26.2	124
CC122637		0.26	0.002	0.17	2.02	12.2	<0.2	<10	390	0.82	0.18	1.65	0.40	42.6	20.3	94
CC122638		0.24	0.001	0.11	3.23	13.6	<0.2	<10	540	1.66	0.12	1.91	0.33	43.8	33.3	182
CC122639		0.14	0.001	0.12	2.66	11.5	<0.2	<10	410	1.11	0.15	1.77	0.15	43.2	26.5	153
CC122640		0.28	0.002	0.26	1.43	13.9	<0.2	<10	300	0.67	0.35	3.78	0.64	32.9	14.2	35
CC122641		0.12	0.001	0.19	1.30	16.7	<0.2	<10	280	0.53	0.25	7.39	0.59	24.9	13.0	35
CC122642		0.36	<0.001	0.36	1.25	15.2	<0.2	<10	280	0.58	0.30	6.90	0.88	29.8	14.0	28
CC122643		0.38	0.002	0.39	1.72	34.8	<0.2	<10	450	0.79	0.40	3.44	1.20	28.4	18.4	40
CC122644		0.24	0.002	0.28	1.35	29.4	<0.2	<10	220	0.54	0.35	2.11	1.28	33.7	14.6	28
CC122701		0.26	0.002	0.25	1.31	22.4	<0.2	<10	190	0.43	0.28	4.97	0.92	36.0	15.1	28
CC122702		0.24	0.002	0.25	1.48	23.3	<0.2	<10	190	0.47	0.33	2.61	0.73	36.2	14.1	31
CC122710		0.20	0.001	0.17	1.79	9.6	<0.2	<10	370	0.74	0.17	3.77	0.39	32.0	18.0	70
CC122711		0.26	0.001	0.23	1.55	10.0	<0.2	<10	280	0.69	0.20	2.90	0.52	35.2	16.5	56
CC122712		0.26	0.003	0.31	1.86	19.2	<0.2	<10	330	0.91	0.32	0.74	0.94	41.1	21.5	59
CC122713		0.28	0.001	0.19	2.48	11.2	<0.2	<10	410	1.20	0.23	0.92	0.44	43.9	25.5	100
CC122714		0.24	0.002	0.18	2.05	6.9	<0.2	<10	350	0.86	0.20	1.31	0.57	41.2	16.8	76
CC122715		0.48	0.001	0.31	1.35	15.0	<0.2	<10	290	0.71	0.31	9.37	0.95	30.7	12.3	25
CC122716		0.22	0.002	0.31	1.57	15.8	<0.2	<10	330	0.74	0.32	2.65	0.91	33.6	17.1	37
CC122717		0.22	0.002	0.27	1.79	12.9	<0.2	<10	320	0.66	0.28	1.07	0.54	35.6	22.8	51
CC122718		0.22	0.003	0.33	2.12	13.7	<0.2	<10	310	0.75	0.22	1.39	0.70	39.2	23.3	66
CC122719		0.30	0.002	0.35	2.18	13.7	<0.2	<10	340	0.78	0.20	1.20	0.98	48.3	22.6	97
CC122720		0.28	0.002	0.21	2.78	11.9	<0.2	<10	540	1.20	0.12	1.60	0.52	50.6	30.3	141
CC122721		0.22	0.001	0.12	2.75	9.0	<0.2	<10	690	1.05	0.10	2.22	0.22	43.7	26.8	143
CC122722		0.24	<0.001	0.10	3.48	12.2	<0.2	<10	860	1.88	0.09	2.12	0.15	51.2	34.2	204
CC122723		0.24	0.001	0.08	2.86	10.8	<0.2	<10	520	1.36	0.07	2.13	0.22	45.7	27.6	160

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 11- JUL- 2011
Account: RCM

Project: RAU

CERTIFICATE OF ANALYSIS WH11115314

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
CC122621		0.90	50.2	3.55	4.68	0.06	0.07	0.08	0.036	0.11	17.6	20.2	2.17	760	1.08	0.01
CC122622		1.49	50.8	3.32	4.63	0.07	0.08	0.06	0.033	0.13	18.1	19.5	3.13	834	1.65	0.02
CC122623		1.28	35.3	3.71	6.35	0.09	0.04	0.05	0.039	0.13	20.8	18.6	1.44	977	1.09	0.01
CC122624		0.92	34.7	3.12	4.12	0.06	0.06	0.06	0.035	0.12	13.9	15.4	2.51	774	1.36	0.01
CC122625		0.83	31.1	3.01	4.18	0.06	0.06	0.05	0.035	0.12	14.0	15.3	1.83	615	1.36	0.01
CC122626		1.11	34.4	3.16	4.72	0.08	0.06	0.06	0.038	0.13	16.6	16.4	2.56	747	1.45	0.01
CC122627		1.10	30.1	3.70	6.08	0.11	0.04	0.05	0.041	0.11	21.7	17.7	1.55	607	1.00	0.01
CC122628		1.43	50.1	3.89	6.61	0.09	0.07	0.06	0.048	0.18	21.5	20.2	2.77	519	0.90	0.01
CC122629		1.25	74.9	3.71	5.04	0.08	0.10	0.08	0.044	0.15	18.4	16.0	3.29	865	3.42	0.02
CC122630		2.07	37.6	5.63	11.30	0.12	0.04	0.04	0.051	0.14	26.6	25.1	2.56	831	0.87	0.01
CC122631		2.17	47.9	5.38	11.05	0.13	0.04	0.04	0.053	0.14	20.7	26.4	2.71	1170	1.18	0.02
CC122632		2.23	32.0	5.20	12.20	0.20	0.04	0.02	0.049	0.27	34.9	28.6	2.73	766	1.03	0.01
CC122633		2.64	51.1	5.26	11.65	0.16	0.04	0.03	0.048	0.30	19.7	29.0	2.80	1170	1.19	0.02
CC122634		2.52	45.9	4.90	10.55	0.18	0.05	0.04	0.044	0.27	23.9	27.6	2.42	1020	1.20	0.01
CC122635		2.44	49.8	4.72	9.40	0.12	0.05	0.05	0.040	0.17	19.5	25.5	2.10	1040	1.55	0.01
CC122636		2.14	38.1	4.87	9.08	0.11	0.06	0.04	0.044	0.17	19.5	22.7	2.07	936	1.47	0.01
CC122637		1.66	30.9	4.13	7.23	0.12	0.03	0.04	0.040	0.17	22.4	19.5	1.70	946	1.21	0.01
CC122638		2.48	51.1	5.87	12.65	0.17	0.05	0.04	0.052	0.39	22.9	29.4	3.15	1100	0.99	0.01
CC122639		1.24	39.8	5.03	10.35	0.08	0.04	0.05	0.045	0.12	23.4	21.9	2.39	776	1.07	0.01
CC122640		0.97	42.5	3.12	4.21	0.06	0.05	0.09	0.036	0.11	17.2	15.2	2.11	809	1.20	0.01
CC122641		0.98	32.0	2.50	4.09	0.05	0.05	0.05	0.032	0.12	13.2	15.1	2.76	720	0.90	0.02
CC122642		1.14	38.0	2.86	3.61	0.07	0.07	0.08	0.034	0.14	15.6	15.7	3.33	848	1.94	0.02
CC122643		1.15	53.1	4.11	4.71	0.05	0.08	0.12	0.041	0.15	14.1	19.1	1.31	1080	3.12	0.01
CC122644		0.78	46.1	3.39	3.81	0.06	0.05	0.13	0.032	0.09	17.2	16.6	1.56	579	3.47	0.01
CC122701		0.98	48.1	3.09	3.56	0.07	0.05	0.07	0.029	0.09	18.5	17.3	2.66	700	2.24	0.01
CC122702		0.77	42.4	3.46	4.09	0.06	0.05	0.07	0.036	0.08	19.2	18.0	1.85	583	1.91	0.01
CC122710		1.13	35.8	3.77	6.00	0.10	0.07	0.03	0.032	0.32	16.9	16.9	2.67	836	0.85	0.01
CC122711		1.03	35.7	3.33	5.39	0.09	0.05	0.05	0.034	0.14	18.5	16.4	2.22	844	0.84	0.01
CC122712		1.33	47.3	4.69	6.00	0.08	0.07	0.11	0.043	0.16	21.2	19.8	1.22	1160	1.58	0.01
CC122713		2.08	47.1	4.87	8.82	0.09	0.04	0.06	0.047	0.14	23.3	22.6	2.01	933	1.00	0.01
CC122714		1.70	41.8	3.67	6.87	0.08	0.05	0.06	0.036	0.17	21.5	19.0	1.61	528	0.62	0.01
CC122715		1.53	38.3	2.92	3.76	0.05	0.12	0.09	0.032	0.19	15.6	16.1	3.54	817	2.01	0.02
CC122716		1.14	40.7	3.59	4.60	0.07	0.05	0.10	0.032	0.14	18.0	16.9	1.69	1060	1.57	0.01
CC122717		1.02	34.6	3.98	5.90	0.12	0.04	0.08	0.034	0.09	17.3	17.4	1.10	1180	1.94	0.01
CC122718		1.38	60.5	4.18	7.21	0.14	0.03	0.11	0.037	0.08	20.4	19.2	1.43	1020	2.60	0.01
CC122719		1.87	46.8	4.47	8.04	0.17	0.04	0.12	0.037	0.12	23.9	19.2	1.64	892	2.50	0.01
CC122720		2.48	42.1	5.47	11.05	0.19	0.05	0.07	0.047	0.12	26.0	22.2	2.40	1360	1.87	0.01
CC122721		2.84	47.8	5.14	11.25	0.24	0.05	0.04	0.042	0.41	23.1	23.0	2.35	902	1.02	0.02
CC122722		2.72	61.7	6.16	14.90	0.26	0.06	0.04	0.057	0.62	28.1	30.3	3.13	1170	0.74	0.01
CC122723		1.93	38.5	5.20	12.50	0.25	0.04	0.04	0.044	0.27	24.2	24.8	2.70	1010	0.83	0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 11- JUL- 2011
Account: RCM

Project: RAU

CERTIFICATE OF ANALYSIS WH11115314

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
CC122621		0.80	53.6	840	30.0	8.4	0.001	0.04	1.58	4.1	1.5	0.4	37.1	<0.01	0.04	4.1
CC122622		0.89	58.3	830	29.3	8.8	0.001	0.01	1.80	3.9	0.6	0.4	73.5	<0.01	0.05	4.8
CC122623		3.57	45.2	1490	22.6	15.4	0.001	0.04	0.91	5.2	0.9	0.4	53.8	<0.01	0.02	2.9
CC122624		1.14	33.4	890	27.5	8.7	<0.001	0.03	1.35	3.9	0.9	0.4	40.3	<0.01	0.04	2.8
CC122625		1.44	31.1	890	24.5	9.3	0.001	0.03	1.23	3.8	0.7	0.4	40.6	<0.01	0.03	2.5
CC122626		2.06	36.3	1060	29.0	11.4	0.001	0.02	1.38	4.5	0.8	0.4	44.3	<0.01	0.03	3.3
CC122627		3.92	35.4	1440	25.2	9.5	<0.001	0.02	1.01	5.2	0.8	0.4	47.6	<0.01	0.03	3.5
CC122628		4.35	42.7	1580	35.4	17.5	<0.001	0.02	1.25	6.3	0.6	0.5	64.3	<0.01	0.03	4.3
CC122629		1.93	55.4	1320	28.2	12.1	<0.001	0.01	1.52	5.1	1.5	0.4	118.5	<0.01	0.05	4.0
CC122630		6.56	46.2	2450	12.9	15.2	0.001	0.04	0.61	9.5	0.5	0.4	89.4	0.01	0.02	3.5
CC122631		6.78	68.5	1760	10.9	17.4	0.001	0.07	0.47	8.6	0.9	0.5	130.5	0.01	0.03	2.3
CC122632		9.81	63.9	2910	8.4	27.1	<0.001	0.04	0.44	9.0	0.8	0.5	129.5	0.01	0.01	4.2
CC122633		7.49	76.4	1760	11.1	31.6	0.001	0.08	0.51	8.9	0.6	0.4	139.0	0.01	0.02	2.5
CC122634		7.92	69.4	1870	11.5	30.4	0.001	0.05	0.57	8.0	0.9	0.4	121.0	0.01	0.01	3.1
CC122635		5.94	62.3	1410	15.4	20.0	0.001	0.06	0.75	6.6	0.8	0.4	95.6	0.01	0.02	2.4
CC122636		4.66	58.0	1520	15.4	17.7	<0.001	0.05	0.74	6.6	0.6	0.4	89.5	0.01	0.04	2.5
CC122637		3.99	48.6	1790	17.6	18.1	0.001	0.04	0.88	5.3	0.6	0.4	75.3	<0.01	0.03	2.7
CC122638		7.64	82.7	1980	10.9	32.1	0.001	0.05	0.55	10.8	0.8	0.4	108.0	0.01	0.02	3.0
CC122639		6.35	65.7	1900	13.9	9.7	0.001	0.06	0.55	7.6	0.9	0.4	101.5	0.01	0.02	2.7
CC122640		1.16	35.5	950	33.3	9.3	0.001	0.02	1.36	4.2	1.2	0.4	52.9	<0.01	0.04	2.9
CC122641		1.85	34.2	990	24.4	10.0	0.001	0.07	1.13	3.5	1.3	0.4	92.2	<0.01	0.02	2.4
CC122642		1.16	37.1	830	33.3	8.6	0.002	0.02	1.59	3.9	0.8	0.3	80.4	<0.01	0.05	3.8
CC122643		1.53	56.2	1010	42.2	12.3	0.004	0.13	2.60	4.8	1.8	0.4	57.5	<0.01	0.06	3.1
CC122644		0.55	51.3	690	37.3	7.5	<0.001	0.02	3.41	3.4	1.0	0.3	26.4	<0.01	0.05	3.3
CC122701		0.53	42.0	730	38.5	6.2	0.001	0.01	2.48	3.1	0.6	0.3	51.8	<0.01	0.03	4.6
CC122702		0.51	39.8	640	36.8	6.6	<0.001	0.02	2.33	3.2	0.7	0.4	25.3	<0.01	0.04	3.7
CC122710		5.37	39.3	1850	21.3	18.0	0.001	0.03	0.71	4.5	0.8	0.4	88.7	0.01	0.02	3.4
CC122711		4.34	38.1	1550	26.5	12.9	0.001	0.04	1.01	4.4	0.8	0.4	57.9	<0.01	0.01	3.2
CC122712		2.83	54.3	1280	36.5	16.8	<0.001	0.02	1.44	6.2	1.3	0.5	34.7	<0.01	0.04	4.5
CC122713		3.75	54.1	1760	22.9	16.2	<0.001	0.02	1.00	8.6	1.2	0.9	58.4	<0.01	0.03	3.9
CC122714		3.98	40.3	1720	20.3	19.5	0.001	0.04	0.81	6.2	1.0	0.4	72.1	<0.01	0.03	3.3
CC122715		0.35	34.3	760	38.1	10.0	<0.001	<0.01	1.65	4.2	0.7	0.4	103.0	<0.01	0.03	4.3
CC122716		1.14	41.3	900	37.6	10.9	0.001	0.02	1.60	4.5	1.0	0.4	37.7	<0.01	0.04	3.3
CC122717		1.50	35.1	1230	27.0	9.5	<0.001	0.03	1.09	4.7	1.0	0.5	37.0	<0.01	0.05	2.8
CC122718		1.60	50.0	1310	21.0	12.6	<0.001	0.05	1.04	5.3	1.3	0.3	62.9	<0.01	0.04	2.0
CC122719		4.10	51.6	1660	18.7	15.9	<0.001	0.04	0.90	6.2	1.3	0.3	76.3	0.01	0.05	3.3
CC122720		6.38	50.2	2070	11.6	15.0	<0.001	0.07	0.51	8.6	1.1	0.3	121.0	0.01	0.05	2.7
CC122721		7.43	60.1	1620	8.4	35.5	<0.001	0.09	0.49	9.0	0.9	0.4	153.5	0.01	0.03	2.4
CC122722		8.81	88.3	2020	8.4	47.1	<0.001	0.06	0.47	12.9	0.8	0.4	152.0	0.01	0.01	3.2
CC122723		8.65	66.9	2080	7.1	26.5	<0.001	0.06	0.44	7.9	0.9	0.4	124.5	0.01	0.03	2.3

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 11- JUL- 2011
Account: RCM

Project: RAU

CERTIFICATE OF ANALYSIS WH11115314

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
CC122621		0.034	0.11	0.83	51	0.17	10.70	156	2.4
CC122622		0.050	0.14	0.59	47	0.19	9.37	148	3.5
CC122623		0.119	0.11	0.62	81	0.22	9.69	122	1.7
CC122624		0.044	0.12	0.54	51	0.18	8.80	154	1.9
CC122625		0.053	0.10	0.60	54	0.17	7.83	148	1.9
CC122626		0.074	0.14	0.62	59	0.51	9.24	143	1.9
CC122627		0.138	0.10	0.53	81	0.29	9.55	115	1.5
CC122628		0.152	0.13	0.58	87	0.23	10.80	150	2.9
CC122629		0.109	0.13	0.69	63	0.21	11.50	184	4.7
CC122630		0.264	0.11	0.59	153	0.16	8.65	105	1.5
CC122631		0.238	0.13	0.82	156	0.11	7.90	100	1.6
CC122632		0.276	0.11	0.59	150	0.15	8.97	98	1.9
CC122633		0.232	0.15	0.62	160	0.09	6.73	109	1.9
CC122634		0.238	0.16	0.69	133	0.15	8.71	114	2.1
CC122635		0.184	0.14	0.87	116	0.13	9.07	120	2.2
CC122636		0.179	0.13	0.81	118	0.11	9.03	130	1.7
CC122637		0.148	0.13	0.76	94	0.15	8.40	133	1.3
CC122638		0.270	0.14	0.67	166	0.11	8.00	122	1.8
CC122639		0.212	0.10	0.70	131	0.16	8.70	118	1.5
CC122640		0.044	0.13	0.73	54	0.18	11.15	133	1.7
CC122641		0.057	0.12	0.83	47	0.17	7.39	120	1.7
CC122642		0.043	0.13	0.79	45	0.20	9.78	149	3.2
CC122643		0.039	0.16	2.81	60	0.22	10.40	215	2.6
CC122644		0.021	0.12	0.68	44	0.20	9.06	204	1.8
CC122701		0.026	0.12	0.63	37	0.21	8.23	163	2.0
CC122702		0.022	0.10	0.56	41	0.20	8.03	170	1.5
CC122710		0.207	0.10	0.50	82	0.23	8.62	119	3.0
CC122711		0.143	0.10	0.64	70	0.26	9.50	120	1.9
CC122712		0.111	0.15	0.56	80	0.37	12.05	167	2.8
CC122713		0.170	0.15	0.96	117	0.21	12.85	140	1.8
CC122714		0.146	0.14	1.01	93	0.13	11.15	119	2.0
CC122715		0.029	0.18	0.78	46	0.17	9.99	162	5.8
CC122716		0.041	0.13	0.67	57	0.49	11.25	171	2.1
CC122717		0.056	0.14	0.90	65	0.22	10.10	147	1.3
CC122718		0.069	0.14	2.23	77	0.16	14.15	165	1.2
CC122719		0.138	0.18	1.56	94	0.15	10.65	186	1.5
CC122720		0.216	0.16	1.37	144	0.11	9.49	133	1.7
CC122721		0.253	0.15	0.62	138	0.10	8.08	99	2.0
CC122722		0.301	0.17	0.53	179	0.13	8.93	104	2.1
CC122723		0.253	0.11	0.59	146	0.18	7.21	96	1.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 11- JUL- 2011
Account: RCM

Project: RAU

CERTIFICATE OF ANALYSIS WH11115314

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- TL43 Au ppm 0.001	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1
CC122724		0.24	0.002	0.16	2.34	10.6	<0.2	<10	510	0.95	0.13	2.01	0.39	37.1	23.4	129
CC122725		0.26	0.002	0.26	1.60	10.8	<0.2	<10	320	0.77	0.24	1.63	0.79	27.9	15.4	41
CC122726		0.32	0.002	0.34	1.58	15.5	<0.2	<10	270	0.80	0.35	3.18	0.98	35.6	16.3	35
CC122727		0.38	0.002	0.34	1.47	14.4	<0.2	<10	300	0.82	0.33	2.29	0.78	33.8	14.8	33
CC122728		0.28	0.001	0.35	1.61	16.5	<0.2	<10	280	0.86	0.36	2.23	1.00	34.2	16.9	36
CC122729		0.32	0.001	0.26	1.16	11.7	<0.2	<10	280	0.55	0.26	6.23	0.77	25.3	13.8	26
CC122730		0.26	0.001	0.23	1.68	12.5	<0.2	<10	290	0.80	0.25	4.62	1.04	30.7	16.4	49
CC122731		0.18	0.002	0.23	1.81	10.3	<0.2	<10	320	0.82	0.24	1.16	0.47	33.4	15.3	59
CC122732		0.38	0.005	0.21	1.36	9.3	<0.2	<10	270	0.62	0.18	3.57	0.48	36.7	14.7	48
CC122733		0.32	0.001	0.27	1.75	10.0	<0.2	<10	300	0.77	0.23	2.29	0.69	37.0	18.2	61
CC122908		0.16	<0.001	0.08	2.76	9.8	<0.2	<10	510	1.25	0.07	2.19	0.23	40.6	28.2	157
CC122909		0.18	<0.001	0.12	2.12	8.3	<0.2	<10	550	1.00	0.09	2.45	0.28	31.5	20.9	109
CC122910		0.12	0.001	0.05	2.14	11.0	<0.2	<10	370	0.56	0.15	1.17	0.26	30.2	15.7	103
CC122911		0.14	0.003	0.19	2.28	12.1	<0.2	<10	430	0.85	0.17	1.76	0.50	39.4	23.6	109
CC122912		0.14	0.001	0.23	2.12	10.4	<0.2	<10	480	0.88	0.18	1.78	0.52	40.3	23.4	95
CC122913		0.14	0.001	0.10	2.55	9.5	<0.2	<10	480	1.23	0.13	1.96	0.66	40.4	24.9	126
CC122914		0.14	0.001	0.15	2.57	9.0	<0.2	<10	540	1.06	0.13	2.01	0.28	41.1	21.8	122
CC122916		0.18	0.001	0.24	1.49	13.5	<0.2	<10	340	0.60	0.29	1.70	0.69	29.4	13.0	37
CC122917		0.12	<0.001	0.23	1.11	9.5	<0.2	<10	310	0.43	0.23	2.51	0.64	19.80	9.4	26
CC122918		0.12	<0.001	0.15	0.91	8.3	<0.2	<10	390	0.44	0.17	4.55	0.52	13.95	6.3	17
CC122919		0.24	0.001	0.29	1.20	9.8	<0.2	<10	230	0.65	0.28	4.06	0.64	27.0	9.8	25
CC122920		0.32	0.001	0.21	1.03	11.1	<0.2	<10	310	0.48	0.24	6.68	0.61	24.0	12.5	25
CC122921		0.32	0.001	0.28	1.78	13.6	<0.2	<10	340	0.85	0.28	2.18	0.65	33.2	16.8	48
CC122922		0.24	0.001	0.29	1.77	14.2	<0.2	<10	310	0.80	0.26	1.97	0.69	35.1	18.0	57
CC122923		0.18	0.001	0.23	1.54	9.4	<0.2	<10	220	0.66	0.20	0.98	0.50	39.6	16.1	57
CC122591		0.32	0.001	0.28	1.39	53.8	<0.2	<10	220	0.50	0.29	4.04	0.84	39.7	18.0	29

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 11- JUL- 2011
Account: RCM

Project: RAU

CERTIFICATE OF ANALYSIS WH11115314

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
CC122724		2.07	36.2	4.40	9.01	0.18	0.04	0.05	0.040	0.16	19.3	19.2	1.96	1060	1.17	0.01
CC122725		0.88	55.8	3.16	4.98	0.13	0.05	0.10	0.035	0.08	14.7	15.7	0.95	1060	1.55	0.01
CC122726		1.22	47.8	3.49	5.07	0.13	0.08	0.11	0.038	0.15	18.0	17.6	2.18	956	1.84	0.01
CC122727		0.91	45.4	3.33	4.61	0.12	0.07	0.10	0.035	0.12	16.8	15.5	1.58	741	1.50	0.01
CC122728		1.15	49.4	3.58	5.14	0.13	0.08	0.11	0.041	0.14	17.0	17.2	1.62	761	1.93	0.01
CC122729		1.02	32.1	2.75	3.63	0.13	0.05	0.08	0.029	0.13	12.8	13.9	3.46	982	1.65	0.01
CC122730		1.27	40.7	3.51	5.92	0.15	0.04	0.08	0.037	0.14	15.5	18.5	2.91	901	1.33	0.01
CC122731		1.35	32.0	3.67	6.23	0.15	0.05	0.08	0.036	0.12	16.7	18.1	1.27	730	0.98	0.01
CC122732		0.80	30.7	2.96	5.27	0.14	0.05	0.04	0.031	0.09	18.2	14.3	2.62	901	0.88	0.01
CC122733		1.11	36.9	3.67	6.81	0.14	0.06	0.06	0.042	0.11	18.9	18.9	2.09	836	1.05	0.01
CC122908		1.79	41.1	5.06	12.25	0.23	0.04	0.04	0.038	0.28	21.4	22.6	2.49	1060	0.80	0.01
CC122909		1.33	39.2	3.92	8.58	0.17	0.04	0.05	0.031	0.12	16.6	16.2	1.79	964	0.88	0.01
CC122910		0.83	19.7	4.02	10.20	0.13	0.03	0.05	0.040	0.07	16.0	18.1	1.63	439	1.22	0.01
CC122911		1.44	37.1	4.38	8.53	0.16	0.04	0.07	0.038	0.10	20.5	19.5	1.82	1060	1.23	0.01
CC122912		1.56	52.4	4.04	7.69	0.15	0.03	0.08	0.035	0.11	20.7	18.5	1.57	1550	1.29	0.01
CC122913		1.40	38.1	4.81	10.45	0.15	0.05	0.06	0.042	0.13	20.9	20.3	2.11	932	1.16	0.01
CC122914		1.77	37.5	4.80	10.45	0.17	0.04	0.06	0.044	0.14	21.4	21.1	2.21	732	1.27	0.01
CC122916		0.77	43.1	3.21	4.65	0.12	0.05	0.09	0.036	0.10	15.2	15.7	1.02	637	1.18	0.01
CC122917		0.69	26.2	2.46	3.53	0.11	0.05	0.07	0.028	0.09	9.1	11.4	0.80	607	1.25	0.01
CC122918		0.80	28.0	2.00	2.76	0.11	0.07	0.07	0.022	0.10	6.9	10.1	1.38	263	1.08	0.01
CC122919		0.98	32.7	2.40	3.87	0.13	0.07	0.09	0.030	0.11	13.3	14.1	2.58	308	1.07	0.01
CC122920		0.78	28.4	2.53	3.23	0.13	0.05	0.08	0.025	0.10	12.2	12.0	3.41	768	1.26	0.01
CC122921		1.19	45.4	3.82	5.66	0.13	0.06	0.09	0.038	0.13	16.9	17.6	1.85	846	1.02	0.02
CC122922		1.04	39.2	3.85	6.38	0.14	0.05	0.07	0.043	0.10	16.9	17.9	1.83	1170	1.23	0.01
CC122923		1.03	24.5	3.45	5.89	0.17	0.06	0.07	0.040	0.10	20.3	16.1	1.17	864	0.82	0.01
CC122591		0.69	70.9	3.92	4.12	0.14	0.07	0.10	0.035	0.09	20.5	14.6	2.63	690	3.49	0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 11- JUL- 2011
Account: RCM

Project: RAU

CERTIFICATE OF ANALYSIS WH11115314

Sample Description	Method Analyte Units LOR	ME- MS41 Nb ppm 0.05	ME- MS41 Ni ppm 0.2	ME- MS41 P ppm 10	ME- MS41 Pb ppm 0.2	ME- MS41 Rb ppm 0.1	ME- MS41 Re ppm 0.001	ME- MS41 S % 0.01	ME- MS41 Sb ppm 0.05	ME- MS41 Sc ppm 0.1	ME- MS41 Se ppm 0.2	ME- MS41 Sn ppm 0.2	ME- MS41 Sr ppm 0.2	ME- MS41 Ta ppm 0.01	ME- MS41 Te ppm 0.01	ME- MS41 Th ppm 0.2
CC122724		4.93	55.5	1260	11.4	19.7	<0.001	0.07	0.58	7.3	1.0	0.3	102.0	0.01	0.04	1.8
CC122725		0.96	44.3	1040	21.4	9.0	<0.001	0.06	1.34	3.8	0.9	0.4	46.0	<0.01	0.05	1.7
CC122726		0.94	42.7	980	38.4	11.3	<0.001	0.01	1.64	5.1	1.1	0.4	38.1	<0.01	0.08	3.6
CC122727		0.95	37.0	1050	41.6	8.8	<0.001	0.02	1.61	4.8	1.3	0.5	32.0	<0.01	0.07	3.0
CC122728		0.96	43.6	1010	40.9	10.8	<0.001	0.02	1.57	4.9	1.1	0.5	31.5	<0.01	0.06	3.2
CC122729		0.75	32.7	870	32.1	9.4	<0.001	0.02	1.36	3.7	1.1	0.3	56.0	<0.01	0.05	2.7
CC122730		1.79	41.2	910	26.8	11.8	0.001	0.04	1.26	5.4	1.1	0.4	57.0	<0.01	0.05	2.7
CC122731		2.30	36.8	1300	26.8	13.0	<0.001	0.03	0.96	5.7	1.0	0.4	52.2	<0.01	0.04	3.2
CC122732		3.98	31.7	1710	26.2	7.6	<0.001	0.02	1.13	4.1	0.9	0.3	59.8	<0.01	0.03	3.2
CC122733		4.22	40.7	1560	30.0	10.3	0.001	0.03	1.14	5.1	1.1	0.4	47.0	<0.01	0.05	3.5
CC122908		7.49	65.9	1960	7.7	27.5	<0.001	0.06	0.49	6.7	0.9	0.3	126.5	0.01	0.03	2.0
CC122909		5.25	46.1	1370	8.5	11.4	<0.001	0.09	0.50	5.1	0.5	0.3	126.5	0.01	0.02	1.4
CC122910		4.98	36.5	770	10.7	7.0	<0.001	0.05	0.42	6.1	0.8	0.5	61.9	0.01	0.05	1.8
CC122911		4.00	53.0	1290	14.5	12.7	<0.001	0.06	0.65	6.2	1.0	0.3	91.3	0.01	0.05	2.3
CC122912		3.60	59.1	1190	16.9	14.3	<0.001	0.07	0.84	6.0	1.0	0.3	87.8	<0.01	0.03	2.0
CC122913		6.25	53.1	1330	12.6	10.1	<0.001	0.08	0.55	8.1	0.9	0.4	108.0	0.01	0.03	2.2
CC122914		5.96	50.3	1470	12.5	13.5	<0.001	0.08	0.54	8.0	0.9	0.4	110.5	0.01	0.03	2.0
CC122916		1.01	34.0	950	28.4	10.8	<0.001	0.06	1.11	3.6	1.2	0.4	38.5	<0.01	0.07	1.9
CC122917		0.85	25.2	560	23.0	7.7	0.001	0.06	1.12	2.6	0.5	0.4	38.3	<0.01	0.05	1.4
CC122918		0.42	22.5	710	16.5	6.8	0.001	0.08	1.11	2.3	0.9	0.4	48.9	<0.01	0.04	1.2
CC122919		0.69	29.8	860	32.9	8.0	<0.001	0.02	1.23	3.9	1.1	0.4	36.2	<0.01	0.06	2.8
CC122920		0.92	28.4	880	29.6	6.8	<0.001	0.01	1.24	3.3	0.9	0.3	70.9	<0.01	0.04	2.8
CC122921		1.46	41.4	1070	30.4	12.4	<0.001	0.02	1.26	5.6	0.8	0.4	33.7	<0.01	0.04	3.6
CC122922		2.47	41.3	1270	29.4	11.2	<0.001	0.03	1.32	5.4	0.9	0.4	35.6	<0.01	0.06	3.1
CC122923		4.28	33.8	1750	27.8	10.0	<0.001	0.03	0.91	4.6	0.7	0.4	47.2	<0.01	0.03	3.4
CC122591		0.51	64.0	1010	43.7	7.0	<0.001	0.01	7.06	4.4	1.2	0.3	44.5	<0.01	0.08	4.9

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 11- JUL- 2011
Account: RCM

Project: RAU

CERTIFICATE OF ANALYSIS WH11115314

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
CC122724		0.179	0.13	0.90	111	0.14	7.68	111	1.4
CC122725		0.037	0.12	1.37	53	0.13	11.10	143	1.7
CC122726		0.036	0.19	0.63	55	0.21	11.50	174	2.3
CC122727		0.033	0.13	0.73	53	0.18	11.95	161	2.1
CC122728		0.034	0.18	0.70	58	0.22	12.05	184	2.2
CC122729		0.030	0.15	0.66	42	0.18	8.45	145	1.6
CC122730		0.066	0.14	0.67	67	0.16	10.10	137	1.5
CC122731		0.092	0.15	0.65	76	0.15	9.18	149	1.8
CC122732		0.130	0.08	0.58	62	0.23	8.80	103	1.9
CC122733		0.138	0.12	0.73	75	0.23	9.35	143	2.0
CC122908		0.241	0.10	0.64	143	0.17	6.34	91	1.4
CC122909		0.165	0.10	0.70	106	0.12	5.48	81	1.4
CC122910		0.149	0.10	0.72	107	0.15	4.05	90	1.1
CC122911		0.146	0.13	1.16	103	0.13	9.11	135	1.4
CC122912		0.126	0.14	1.17	90	0.10	10.70	124	1.3
CC122913		0.198	0.10	0.91	129	0.11	8.94	111	1.8
CC122914		0.191	0.11	0.87	126	0.21	8.41	116	1.7
CC122916		0.035	0.11	1.05	56	0.22	9.24	166	1.5
CC122917		0.027	0.10	0.92	39	0.16	4.60	132	1.7
CC122918		0.012	0.10	1.01	30	0.12	5.06	115	2.2
CC122919		0.025	0.12	0.61	42	0.16	9.71	145	2.0
CC122920		0.039	0.11	0.64	41	0.22	8.00	122	1.8
CC122921		0.067	0.16	0.58	69	0.19	10.30	166	1.8
CC122922		0.094	0.14	0.64	74	0.22	9.70	160	1.5
CC122923		0.142	0.10	0.61	70	0.28	9.22	130	1.7
CC122591		0.025	0.14	0.70	43	0.22	10.35	189	2.7

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: RAU

Finalized Date: 11- JUL- 2011
Account: RCM

CERTIFICATE OF ANALYSIS WH11115314

Method	CERTIFICATE COMMENTS
ME- MS41	Gold determinations by this method are semi- quantitative due to the small sample weight used (0.5g).

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 21- JUL- 2011
Account: RCM

CERTIFICATE WH11118049

Project: Rackla- Trent

P.O. No.:

This report is for 171 Soil samples submitted to our lab in Whitehorse, YT, Canada on 26- JUN- 2011.

The following have access to data associated with this certificate:

ROB CARNE JULIA LANE	ANDREW CARNE JOAN MARIACHER	MATT DUMALA

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
SCR- 41	Screen to - 180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- TL43	Trace Level Au - 25g AR	ICP- MS
ME- MS41	51 anal. aqua regia ICPMS	

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 21- JUL- 2011
Account: RCM

Project: Rackla- Trent

CERTIFICATE OF ANALYSIS WH11118049

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- TL43 Au ppm 0.001	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1
CC126601		0.21	<0.001	0.13	1.20	10.7	<0.2	<10	80	0.28	0.31	0.03	0.09	30.0	5.4	17
CC126602		0.15	<0.001	0.09	0.57	20.2	<0.2	<10	80	0.31	0.28	0.01	0.16	39.3	10.1	10
CC126603		0.19	0.003	0.05	0.90	7.8	<0.2	<10	240	0.44	0.21	0.30	0.05	31.5	8.4	13
CC126604		0.20	0.001	0.50	1.60	11.9	<0.2	<10	720	0.86	0.27	0.22	0.13	30.2	12.7	25
CC126605		0.19	<0.001	0.08	1.37	10.0	<0.2	<10	270	0.41	0.26	0.41	0.20	21.3	6.3	21
CC126606		0.17	0.001	0.15	1.08	9.0	<0.2	<10	290	0.47	0.21	0.54	0.66	19.90	8.3	17
CC126607		0.20	<0.001	0.07	1.14	10.0	<0.2	<10	140	0.37	0.34	0.15	0.37	20.1	7.6	18
CC126608		0.13	0.001	0.14	1.11	11.8	<0.2	<10	250	0.34	0.31	0.51	0.35	19.45	6.0	17
CC126609		0.20	<0.001	0.04	1.03	4.4	<0.2	<10	110	0.25	0.27	0.04	0.12	17.25	6.4	22
CC126610		0.19	0.001	0.19	0.42	20.5	<0.2	<10	30	0.20	0.30	0.02	0.26	15.45	7.5	10
CC126936		0.14	<0.001	0.04	1.08	6.8	<0.2	20	160	0.36	0.17	0.07	0.77	16.90	74.6	331
CC126937		0.10	<0.001	0.17	0.99	4.4	<0.2	<10	310	0.47	0.19	0.87	0.20	12.65	28.4	135
CC126938		0.28	0.001	0.07	0.84	3.3	<0.2	10	130	0.34	0.16	0.98	0.19	15.40	59.7	245
CC126939		0.10	0.003	0.14	1.34	64.3	<0.2	<10	190	0.74	0.23	1.40	0.29	15.15	53.8	171
CC126940		0.17	<0.001	0.06	0.85	8.6	<0.2	10	140	0.28	0.23	0.06	0.58	10.10	39.5	297
CC126941		0.19	0.001	0.05	1.22	7.1	<0.2	<10	110	0.44	0.29	0.03	0.12	19.15	11.4	21
CC126942		0.17	0.005	0.13	2.02	2.8	<0.2	<10	490	1.10	0.29	0.51	0.24	11.70	24.6	27
CC126943		0.12	0.001	0.04	0.88	6.6	<0.2	<10	180	0.98	0.28	3.50	0.31	46.6	9.4	10
CC126944		0.20	<0.001	0.03	0.67	9.1	<0.2	<10	130	0.73	0.38	1.44	0.15	40.1	13.1	8
CC126945		0.26	0.001	0.05	1.91	18.8	<0.2	<10	240	0.92	0.30	0.09	0.15	24.0	13.0	35
CC126946		0.33	0.001	0.05	1.76	10.8	<0.2	<10	130	0.72	0.32	0.04	0.12	22.2	10.8	28
CC126947		0.17	0.002	0.04	0.96	6.5	<0.2	<10	60	0.20	0.36	0.03	0.06	21.2	3.7	18
CC126948		0.17	0.002	0.03	0.76	6.0	<0.2	<10	40	0.15	0.34	0.02	0.03	20.1	2.7	14
CC126949		0.19	0.001	0.07	1.21	10.6	<0.2	<10	190	0.67	0.27	0.10	0.13	26.0	7.1	21
CC126950		0.15	<0.001	0.12	1.39	8.8	<0.2	<10	320	0.92	0.22	0.61	0.22	20.8	8.2	27
CC126963		0.09	0.002	0.12	0.80	4.5	<0.2	10	240	0.45	0.15	2.68	0.26	8.11	17.1	74
CC126964		0.09	0.002	0.11	0.58	15.0	<0.2	<10	190	0.84	0.25	2.38	0.41	8.59	23.9	63
CC126965		0.17	0.003	0.08	0.81	4.1	<0.2	30	140	0.30	0.14	0.90	0.24	9.47	85.6	305
CC126966		0.12	0.002	0.15	0.52	34.9	<0.2	<10	70	0.78	0.22	5.27	0.59	17.45	15.4	25
CC126967		0.17	0.001	0.11	0.74	25.3	<0.2	<10	120	0.96	0.34	0.59	0.47	17.90	22.1	42
CC126968		0.24	0.001	0.04	0.76	19.2	<0.2	<10	60	0.19	0.37	0.03	0.07	23.7	3.4	14
CC126969		0.18	0.002	0.18	2.30	12.0	<0.2	<10	140	1.79	0.30	0.12	0.26	30.0	12.5	29
CC126970		0.14	0.004	0.96	0.39	18.6	<0.2	<10	150	0.73	0.23	0.69	2.62	12.55	14.7	11
CC126971		0.20	0.005	0.11	1.25	1.8	<0.2	<10	990	0.71	0.25	0.78	0.37	11.55	26.7	18
CC126972		0.22	0.003	0.04	0.63	4.2	<0.2	<10	90	0.61	0.37	0.22	0.44	6.47	36.4	12
CC126973		0.13	<0.001	0.02	1.50	1.8	<0.2	<10	120	1.49	0.31	0.80	0.25	63.4	13.1	26
CC126974		0.23	0.001	0.01	0.61	3.2	<0.2	<10	80	0.23	0.30	0.02	0.03	12.25	4.6	8
CC126975		0.21	0.001	0.09	1.05	6.8	<0.2	<10	430	0.25	0.20	0.22	0.06	22.4	4.1	17
CC126976		0.23	0.001	0.06	0.95	9.3	<0.2	<10	200	0.21	0.24	0.05	0.06	25.4	3.0	15
CC126977		0.18	<0.001	0.05	1.20	12.8	<0.2	<10	190	0.34	0.33	0.06	0.18	23.8	6.3	23

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 21- JUL- 2011
Account: RCM

Project: Rackla- Trent

CERTIFICATE OF ANALYSIS WH11118049

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
CC126601		1.18	13.6	2.55	6.36	0.10	0.02	0.01	0.019	0.04	15.0	9.4	0.13	127	1.55	<0.01
CC126602		1.81	25.9	2.49	4.15	0.10	<0.02	0.02	0.016	0.07	21.0	1.4	0.04	90	3.02	<0.01
CC126603		0.74	24.8	2.55	3.90	0.09	0.02	0.02	0.020	0.06	16.1	12.7	0.19	198	0.97	<0.01
CC126604		2.02	11.9	3.32	5.17	0.10	0.03	0.04	0.038	0.06	14.0	19.3	0.29	246	1.18	0.01
CC126605		1.11	8.6	2.81	5.49	0.08	0.03	0.02	0.027	0.03	9.4	16.4	0.16	176	1.43	<0.01
CC126606		0.99	11.2	2.37	4.29	0.07	0.04	0.05	0.027	0.03	8.0	12.9	0.14	309	1.94	<0.01
CC126607		1.33	14.7	3.29	5.74	0.09	0.04	0.01	0.020	0.04	9.9	17.3	0.22	224	1.71	<0.01
CC126608		1.22	13.6	2.92	6.38	0.09	0.03	0.03	0.020	0.04	9.6	12.2	0.22	210	1.82	<0.01
CC126609		1.44	6.5	2.91	5.26	0.09	<0.02	0.01	0.016	0.05	8.1	14.1	0.28	240	0.90	<0.01
CC126610		1.71	47.0	2.97	3.84	0.08	<0.02	0.05	0.025	0.04	7.6	1.3	0.05	139	7.83	<0.01
CC126936		0.90	12.5	4.37	3.47	0.13	0.03	0.02	0.023	0.04	6.2	11.0	8.48	853	0.91	0.01
CC126937		0.67	16.1	2.67	3.08	0.10	0.05	0.06	0.026	0.05	6.1	13.5	2.29	449	0.46	0.01
CC126938		0.67	14.5	3.60	2.57	0.12	0.03	0.03	0.021	0.04	6.2	15.4	7.98	585	0.53	0.01
CC126939		1.85	50.4	4.38	3.82	0.12	0.06	0.10	0.034	0.06	7.2	19.7	1.20	806	0.87	0.01
CC126940		0.88	11.7	5.78	3.78	0.11	<0.02	0.02	0.030	0.04	4.2	9.9	4.61	958	1.53	<0.01
CC126941		0.99	37.6	4.52	5.57	0.10	0.03	0.02	0.045	0.02	9.1	18.5	0.18	256	1.37	<0.01
CC126942		2.63	96.4	6.75	6.25	0.12	0.06	0.10	0.081	0.04	4.9	42.2	0.71	939	1.07	0.01
CC126943		0.40	16.8	2.39	2.54	0.10	0.06	0.03	0.039	0.05	17.9	5.1	0.07	229	0.38	0.01
CC126944		0.32	23.9	2.73	1.79	0.09	0.08	0.03	0.046	0.05	15.3	5.3	0.07	184	0.36	0.01
CC126945		1.64	12.3	4.70	5.85	0.08	0.07	0.04	0.048	0.05	10.9	41.0	0.34	332	1.52	<0.01
CC126946		2.54	19.0	3.92	6.09	0.08	0.07	0.03	0.036	0.05	10.6	47.3	0.38	237	1.27	<0.01
CC126947		1.86	6.9	3.17	7.87	0.07	<0.02	0.01	0.016	0.04	10.5	6.1	0.12	223	1.40	<0.01
CC126948		1.83	6.3	2.12	7.44	0.08	<0.02	0.01	0.012	0.04	9.8	4.4	0.09	212	1.07	<0.01
CC126949		1.59	13.0	2.76	4.75	0.09	0.02	0.11	0.021	0.07	12.7	20.9	0.30	229	1.20	<0.01
CC126950		0.61	11.1	2.75	4.50	0.08	0.05	0.03	0.029	0.08	10.0	12.2	0.30	381	0.65	0.01
CC126963		1.25	31.3	2.00	2.29	0.06	0.05	0.07	0.020	0.05	4.0	12.9	0.79	331	0.53	0.01
CC126964		1.11	41.6	3.95	1.62	0.06	0.06	0.17	0.044	0.04	3.6	6.8	1.21	1040	1.16	0.01
CC126965		1.30	64.0	3.70	2.33	0.09	0.03	0.06	0.021	0.05	4.2	9.2	9.94	715	0.54	0.01
CC126966		0.90	24.8	3.44	1.70	0.07	0.08	0.27	0.024	0.06	7.8	9.0	2.93	1010	0.84	0.01
CC126967		1.67	41.1	3.65	2.40	0.07	0.08	0.09	0.030	0.08	7.6	15.2	0.72	1050	1.08	0.01
CC126968		3.31	8.4	2.77	6.79	<0.05	<0.02	0.01	0.019	0.04	11.3	3.7	0.09	152	2.18	<0.01
CC126969		2.08	41.8	3.23	5.66	0.06	0.13	0.04	0.038	0.06	14.3	34.0	0.46	290	1.48	0.01
CC126970		1.40	102.0	3.03	1.29	0.06	0.05	0.28	0.033	0.06	5.7	1.6	0.10	451	15.65	0.01
CC126971		0.77	119.0	8.05	3.97	0.09	0.04	0.07	0.080	0.04	4.0	22.2	0.54	1230	0.86	0.01
CC126972		1.14	132.0	7.00	2.34	0.07	0.03	0.04	0.081	0.05	2.0	13.9	0.23	1100	0.96	<0.01
CC126973		0.35	30.2	3.10	4.10	0.10	0.13	0.02	0.032	0.05	33.8	44.2	1.35	332	0.30	<0.01
CC126974		3.61	7.8	3.22	4.51	<0.05	<0.02	0.01	0.025	0.06	6.0	1.2	0.08	74	1.06	<0.01
CC126975		0.88	7.5	1.86	4.57	<0.05	0.02	0.01	0.019	0.04	13.0	8.8	0.16	93	1.08	<0.01
CC126976		0.83	8.1	2.17	5.46	<0.05	<0.02	0.01	0.017	0.04	14.0	5.9	0.15	94	1.52	<0.01
CC126977		1.09	11.3	3.30	7.05	<0.05	0.02	0.01	0.024	0.07	13.3	12.2	0.22	252	1.33	<0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 21- JUL- 2011
Account: RCM

Project: Rackla- Trent

CERTIFICATE OF ANALYSIS WH11118049

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
CC126601		1.26	13.3	160	11.1	8.3	<0.001	0.01	0.69	2.0	0.4	0.8	5.1	0.01	0.06	3.6
CC126602		0.17	19.4	500	17.8	6.8	<0.001	0.03	0.76	1.3	0.3	0.6	5.4	<0.01	0.07	1.0
CC126603		0.43	17.9	200	10.5	9.4	<0.001	0.02	0.33	2.3	0.3	0.4	12.8	<0.01	0.06	2.7
CC126604		0.98	27.2	320	16.6	12.6	<0.001	0.02	0.47	2.8	0.5	0.6	14.2	<0.01	0.09	3.3
CC126605		1.14	17.4	170	13.3	7.2	<0.001	0.02	0.60	2.3	0.3	0.7	9.0	<0.01	0.07	2.5
CC126606		0.89	18.2	230	13.3	6.2	<0.001	0.02	1.02	2.3	0.6	0.5	8.7	<0.01	0.05	2.1
CC126607		0.92	15.9	300	16.8	9.5	<0.001	0.02	0.66	2.0	0.5	0.6	7.2	<0.01	0.06	3.8
CC126608		1.36	13.9	330	15.2	9.3	<0.001	0.03	0.77	2.2	0.6	0.7	10.8	<0.01	0.07	2.8
CC126609		0.83	22.4	140	12.5	13.9	<0.001	0.01	0.29	2.0	0.2	0.5	6.6	<0.01	0.05	2.8
CC126610		0.51	29.7	510	15.4	7.3	0.001	0.02	2.79	1.7	1.9	0.5	8.4	<0.01	0.11	0.7
CC126936		0.47	700	410	8.8	10.9	<0.001	0.02	0.34	4.9	0.3	0.4	8.3	<0.01	0.07	1.7
CC126937		0.49	315	640	10.3	5.7	<0.001	0.08	0.29	3.9	0.7	0.3	37.8	<0.01	0.06	1.3
CC126938		0.45	646	220	7.6	5.7	<0.001	0.04	0.23	4.8	0.5	0.3	28.8	<0.01	0.05	1.5
CC126939		0.62	759	700	10.0	8.2	<0.001	0.09	0.45	7.5	1.1	0.5	54.3	<0.01	0.09	1.3
CC126940		0.55	378	260	13.5	9.5	<0.001	0.02	0.58	2.4	0.5	0.4	6.4	<0.01	0.08	1.4
CC126941		0.92	19.5	200	10.8	7.2	<0.001	0.01	0.54	4.0	0.4	0.6	5.8	0.01	0.16	2.7
CC126942		0.42	36.4	750	12.9	6.7	<0.001	0.06	0.29	17.7	1.0	0.3	16.1	0.01	0.23	1.3
CC126943		0.37	15.2	480	17.8	6.2	<0.001	0.06	0.33	4.0	0.6	0.4	138.0	0.01	0.08	1.6
CC126944		0.25	20.4	400	21.3	4.6	<0.001	0.04	0.33	5.4	0.6	0.3	74.6	0.01	0.07	3.1
CC126945		1.07	36.4	300	24.5	13.3	<0.001	0.02	0.49	3.1	0.4	0.6	10.5	<0.01	0.07	4.0
CC126946		0.85	30.4	180	21.8	12.8	<0.001	0.01	0.50	2.9	0.4	0.6	7.3	<0.01	0.06	4.1
CC126947		1.55	7.2	240	9.6	8.0	<0.001	0.01	0.60	1.7	0.2	0.9	4.5	<0.01	0.06	3.0
CC126948		0.88	6.1	240	8.8	8.8	<0.001	0.01	0.26	1.6	0.2	0.8	6.3	<0.01	0.05	2.6
CC126949		1.00	17.8	200	13.4	11.6	<0.001	0.02	0.32	2.3	0.3	0.5	9.1	<0.01	0.05	3.6
CC126950		0.70	25.5	220	12.5	8.5	<0.001	0.03	0.42	4.0	0.4	0.5	11.8	<0.01	0.06	2.7
CC126963		0.43	244	770	6.9	6.2	<0.001	0.14	0.27	2.5	0.8	0.3	70.8	<0.01	0.05	0.5
CC126964		0.26	211	450	18.5	4.2	<0.001	0.07	0.48	5.1	1.0	0.3	87.0	0.01	0.07	0.8
CC126965		0.47	962	500	6.1	6.0	<0.001	0.06	0.21	5.5	0.6	0.3	35.4	<0.01	0.04	0.8
CC126966		0.26	88.7	840	78.9	4.3	<0.001	0.05	0.78	4.0	0.8	0.3	45.3	0.01	0.05	2.1
CC126967		0.25	143.0	700	32.9	8.1	<0.001	0.06	0.42	4.2	0.8	0.4	27.5	<0.01	0.07	1.7
CC126968		1.46	10.2	400	16.6	9.3	<0.001	0.02	0.69	1.6	0.4	0.8	6.2	<0.01	0.05	2.6
CC126969		1.54	35.4	450	28.8	13.8	<0.001	0.02	0.70	4.1	0.9	0.7	11.9	0.01	0.04	6.3
CC126970		0.16	59.4	710	13.8	6.3	0.004	0.06	6.00	3.1	3.9	0.3	37.0	<0.01	0.11	1.0
CC126971		0.24	38.5	510	6.2	3.3	<0.001	0.06	0.23	13.8	1.0	0.2	62.6	0.01	0.20	1.2
CC126972		0.15	44.6	530	15.0	6.7	<0.001	0.02	0.54	11.4	0.8	0.3	17.7	0.01	0.24	1.7
CC126973		0.11	32.6	380	19.0	5.1	<0.001	0.03	0.25	8.0	1.1	0.3	20.6	0.01	0.02	6.4
CC126974		0.35	18.5	340	5.4	12.5	0.001	<0.01	0.39	2.7	0.2	0.7	5.8	<0.01	0.06	2.3
CC126975		0.55	11.6	190	10.1	8.0	0.001	0.01	0.42	1.5	0.3	0.6	14.2	<0.01	0.04	2.3
CC126976		1.02	8.0	170	9.9	8.4	<0.001	<0.01	0.55	1.4	0.2	0.6	6.5	<0.01	0.04	2.9
CC126977		1.03	17.3	200	14.8	15.2	<0.001	0.01	0.69	2.0	0.2	0.8	7.5	<0.01	0.03	3.3

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 21- JUL- 2011
Account: RCM

Project: Rackla- Trent

CERTIFICATE OF ANALYSIS WH11118049

Sample Description	Method Analyte Units LOR	ME- MS41 Ti % 0.005	ME- MS41 Tl ppm 0.02	ME- MS41 U ppm 0.05	ME- MS41 V ppm 1	ME- MS41 W ppm 0.05	ME- MS41 Y ppm 0.05	ME- MS41 Zn ppm 2	ME- MS41 Zr ppm 0.5
CC126601		0.028	0.12	0.41	59	0.21	2.11	50	1.2
CC126602		0.005	0.10	0.41	33	0.08	2.98	113	<0.5
CC126603		0.006	0.09	0.28	32	0.07	2.60	42	0.8
CC126604		0.016	0.16	0.65	50	0.26	5.57	71	0.8
CC126605		0.023	0.29	0.52	67	0.20	3.24	53	1.3
CC126606		0.019	0.54	0.51	49	0.17	3.49	90	1.6
CC126607		0.019	0.11	0.46	42	0.15	2.57	70	1.9
CC126608		0.028	0.13	0.47	53	0.21	2.88	62	1.4
CC126609		0.020	0.08	0.33	35	0.13	2.14	39	0.6
CC126610		0.016	0.13	0.77	44	0.16	3.34	149	<0.5
CC126936		0.025	0.09	0.71	38	0.16	3.30	99	0.7
CC126937		0.010	0.07	0.56	28	0.07	5.46	69	1.5
CC126938		0.013	0.05	1.11	24	0.10	4.53	58	0.9
CC126939		0.011	0.21	2.54	41	0.09	9.25	80	1.5
CC126940		0.017	0.10	0.36	47	0.11	1.70	195	0.6
CC126941		0.013	0.09	0.37	61	0.18	2.44	41	1.2
CC126942		0.006	0.06	0.32	64	0.08	14.35	59	0.8
CC126943		<0.005	0.07	2.06	19	0.10	12.75	53	1.5
CC126944		<0.005	0.05	1.90	14	0.07	13.45	78	2.3
CC126945		0.014	0.13	0.78	60	0.22	4.29	74	3.2
CC126946		0.014	0.11	0.52	45	0.16	2.81	82	2.6
CC126947		0.040	0.12	0.43	68	0.25	1.80	33	<0.5
CC126948		0.021	0.10	0.39	50	0.19	1.66	26	<0.5
CC126949		0.021	0.10	0.57	37	0.19	3.15	48	0.7
CC126950		0.014	0.64	0.40	40	0.14	5.58	53	1.6
CC126963		0.009	0.08	2.56	19	0.12	5.61	68	1.4
CC126964		<0.005	0.10	0.94	22	0.06	14.30	67	1.3
CC126965		0.011	0.08	0.63	26	0.08	4.20	79	1.0
CC126966		0.005	0.20	1.28	16	0.10	12.10	532	2.3
CC126967		0.006	0.12	1.16	19	0.07	9.64	220	1.9
CC126968		0.046	0.11	0.56	66	0.28	2.75	46	<0.5
CC126969		0.036	0.17	1.22	51	0.33	5.41	87	4.4
CC126970		<0.005	0.22	1.88	46	<0.05	9.48	402	1.7
CC126971		<0.005	0.03	0.31	51	0.05	12.85	63	0.6
CC126972		<0.005	0.05	0.41	32	<0.05	6.34	57	0.6
CC126973		<0.005	0.04	0.99	12	<0.05	19.20	67	4.3
CC126974		0.007	0.08	0.29	39	0.09	1.17	32	<0.5
CC126975		0.014	0.11	0.37	47	0.14	2.11	34	0.6
CC126976		0.032	0.10	0.44	54	0.23	1.78	29	<0.5
CC126977		0.023	0.09	0.43	57	0.20	1.87	63	1.0

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 21- JUL- 2011
Account: RCM

Project: Rackla- Trent

CERTIFICATE OF ANALYSIS WH11118049

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- TL43 Au ppm 0.001	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1
CC126978		0.16	0.001	0.05	1.22	10.5	<0.2	<10	90	0.43	0.36	0.03	0.07	22.2	4.7	20
CC126979		0.22	0.001	0.08	0.93	15.4	<0.2	<10	370	0.32	0.24	0.05	0.10	27.8	7.4	20
CC126980		0.17	0.001	0.22	1.13	10.0	<0.2	<10	1820	0.86	0.26	0.91	0.22	31.5	13.0	24
CC126981		0.16	0.001	0.31	1.24	7.9	<0.2	<10	1370	0.75	0.25	2.11	0.44	27.6	10.5	21
CC126982		0.13	<0.001	0.07	1.04	7.3	<0.2	<10	640	0.22	0.23	0.49	0.19	20.5	5.1	20
CC126983		0.18	0.001	0.13	1.09	9.1	<0.2	<10	1530	0.75	0.27	0.31	0.23	19.75	11.3	19
CC126984		0.15	0.001	0.21	1.37	4.3	<0.2	<10	1870	0.95	0.31	1.11	0.19	13.95	8.7	22
CC126985		0.18	0.003	1.85	2.28	20.1	<0.2	<10	2340	6.77	0.52	1.13	0.22	42.4	21.7	24
CC126986		0.25	0.001	0.06	0.68	5.3	<0.2	<10	120	0.18	0.24	0.02	0.10	45.6	3.9	10
CC126987		0.22	<0.001	0.14	1.23	5.1	<0.2	<10	270	0.32	0.24	0.09	0.15	41.5	4.7	13
CC126988		0.27	0.001	0.10	1.05	9.0	<0.2	<10	160	0.32	0.27	0.03	0.05	31.7	4.0	14
CC126989		0.20	<0.001	0.03	0.68	8.4	<0.2	<10	70	0.14	0.26	0.03	0.06	41.2	4.1	11
CC126990		0.20	<0.001	0.22	0.76	10.0	<0.2	<10	100	0.17	0.23	0.03	0.33	21.8	3.7	14
CC126991		0.10	0.004	0.59	0.87	7.3	<0.2	<10	2000	0.50	0.17	1.89	1.85	14.55	13.3	15
CC126992		0.12	0.002	0.45	0.77	9.7	<0.2	<10	2200	0.42	0.17	1.50	0.58	10.50	20.7	15
CC126993		0.17	0.001	0.54	0.99	8.7	<0.2	<10	2170	0.36	0.18	1.23	0.65	11.55	5.5	19
CC126994		0.25	0.001	0.21	0.54	11.1	<0.2	<10	140	0.12	0.21	0.01	0.26	15.55	5.8	10
CC126995		0.12	0.001	0.33	0.80	9.4	<0.2	<10	1740	0.38	0.18	0.55	1.38	11.95	11.4	12
CC126996		0.16	0.002	0.71	0.51	8.8	<0.2	<10	1470	0.31	0.21	0.55	1.56	5.79	3.9	7
CC126997		0.18	0.001	0.68	0.82	7.2	<0.2	<10	740	0.28	0.17	0.73	0.44	13.10	5.4	19
CC126998		0.19	0.001	0.15	1.08	6.8	<0.2	10	280	0.42	0.18	0.42	0.31	15.45	33.1	230
CC126999		0.20	0.001	0.07	1.16	10.2	<0.2	<10	290	0.34	0.20	0.29	0.47	22.8	32.6	148
CC127000		0.27	0.001	0.17	0.88	13.2	<0.2	<10	300	0.40	0.27	0.25	0.60	21.3	28.2	153
CC127021		0.30	0.004	0.13	0.87	9.8	<0.2	20	230	0.52	0.20	0.36	0.35	12.60	40.9	238
CC127022		0.21	0.002	0.09	0.82	7.0	<0.2	<10	250	0.42	0.20	0.88	0.28	12.30	23.7	91
CC127023		0.25	0.002	0.21	1.11	7.0	<0.2	<10	360	0.51	0.23	1.03	0.54	18.20	22.4	75
CC127024		0.15	0.001	0.03	1.22	6.4	<0.2	<10	350	0.34	0.21	0.22	0.23	15.75	23.6	85
CC127025		0.39	0.002	0.02	0.98	7.2	<0.2	<10	660	0.36	0.28	0.06	0.15	15.60	16.9	40
CC127026		0.10	0.003	0.13	0.62	2.8	<0.2	10	810	0.43	0.18	2.52	0.47	6.37	16.3	21
CC127027		0.27	0.001	0.04	1.24	13.5	<0.2	<10	80	0.44	0.34	0.04	0.11	17.25	4.8	18
CC127028		0.20	0.001	0.05	0.57	2.2	<0.2	<10	180	0.93	0.21	2.39	0.30	17.75	7.7	10
CC127029		0.20	0.001	0.08	1.20	9.0	<0.2	<10	230	0.85	0.19	0.97	0.19	18.75	6.9	21
CC127030		0.15	0.001	0.05	1.00	7.5	<0.2	<10	310	0.28	0.24	0.25	0.28	27.0	3.9	13
CC127031		0.12	0.001	0.11	0.57	4.7	<0.2	<10	390	0.67	0.17	2.63	0.29	16.15	6.2	7
CC127032		0.21	0.001	0.08	0.78	9.1	<0.2	<10	260	0.46	0.19	1.66	0.26	16.15	7.6	8
CC127033		0.27	0.001	0.04	0.63	6.7	<0.2	<10	150	0.54	0.18	1.93	0.47	21.1	5.9	9
CC127034		0.11	0.001	0.07	0.44	11.7	<0.2	<10	200	0.52	0.19	2.41	0.14	10.35	9.1	7
CC127035		0.11	0.002	0.27	1.06	9.5	<0.2	<10	1830	0.74	0.24	2.28	0.38	20.9	9.0	16
CC127036		0.15	0.002	0.24	1.01	7.5	<0.2	<10	1710	0.76	0.21	2.18	0.41	14.35	7.2	14
CC127037		0.20	<0.001	0.08	0.66	4.3	<0.2	<10	160	0.27	0.20	0.28	0.28	14.45	3.8	6

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 21- JUL- 2011
Account: RCM

Project: Rackla- Trent

CERTIFICATE OF ANALYSIS WH11118049

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
CC126978		2.87	12.3	2.74	6.30	<0.05	0.02	0.01	0.022	0.05	11.5	11.0	0.19	206	1.02	0.01
CC126979		2.07	19.9	2.71	3.70	<0.05	0.02	0.02	0.020	0.08	16.0	13.5	0.26	144	1.15	0.01
CC126980		1.30	23.3	2.73	3.60	0.05	0.03	0.03	0.023	0.14	17.3	12.5	0.34	344	0.72	0.03
CC126981		0.79	23.2	2.44	3.85	<0.05	0.04	0.07	0.028	0.08	14.4	11.7	0.25	704	0.65	0.03
CC126982		0.85	9.8	1.94	4.52	<0.05	<0.02	0.01	0.018	0.05	10.4	10.3	0.24	188	0.97	<0.01
CC126983		1.44	19.6	2.59	3.29	<0.05	0.05	0.05	0.026	0.09	10.3	14.8	0.26	278	0.96	0.02
CC126984		3.21	25.6	2.43	4.26	<0.05	0.07	0.04	0.026	0.08	8.2	17.0	0.32	452	0.89	0.03
CC126985		10.10	223	3.39	4.49	0.14	0.10	0.16	0.044	0.13	25.3	33.4	0.26	2420	2.71	0.03
CC126986		0.97	8.5	2.20	4.99	0.05	0.02	0.01	0.013	0.08	25.7	2.5	0.07	121	1.00	<0.01
CC126987		0.86	9.0	2.02	5.23	0.05	<0.02	0.01	0.019	0.06	22.8	10.0	0.14	166	1.04	<0.01
CC126988		2.92	10.5	2.31	5.07	0.05	0.02	<0.01	0.016	0.05	17.7	7.8	0.17	111	1.39	0.01
CC126989		1.38	9.6	2.18	4.82	0.05	<0.02	<0.01	0.015	0.08	22.2	3.1	0.09	130	1.13	<0.01
CC126990		1.08	13.5	2.09	5.44	<0.05	<0.02	0.01	0.021	0.04	12.2	5.6	0.12	89	1.39	0.01
CC126991		0.60	30.9	2.45	2.50	<0.05	0.06	0.18	0.027	0.06	8.1	9.1	0.25	1740	1.79	0.03
CC126992		0.60	23.5	3.09	2.44	<0.05	0.04	0.10	0.023	0.06	5.3	7.5	0.20	1910	5.42	0.04
CC126993		0.81	27.4	2.25	2.96	<0.05	0.06	0.09	0.028	0.09	6.9	10.3	0.26	339	1.57	0.04
CC126994		1.26	13.2	1.70	4.15	<0.05	<0.02	0.02	0.020	0.05	8.0	1.0	0.03	69	2.03	<0.01
CC126995		0.92	18.2	2.90	2.22	<0.05	0.03	0.10	0.030	0.06	5.8	7.0	0.18	221	1.44	0.03
CC126996		2.39	20.7	1.68	1.51	<0.05	0.03	0.17	0.029	0.09	3.0	1.4	0.09	103	4.24	0.02
CC126997		0.67	16.2	1.99	2.86	<0.05	0.04	0.07	0.022	0.08	7.2	10.7	0.26	188	1.76	0.01
CC126998		0.76	21.7	3.25	3.31	<0.05	0.03	0.05	0.024	0.05	8.2	10.2	5.62	453	0.66	0.01
CC126999		0.69	11.3	3.75	4.17	<0.05	0.02	0.02	0.022	0.05	11.1	13.1	2.55	715	1.37	0.01
CC127000		1.11	21.5	3.94	3.83	<0.05	<0.02	0.07	0.025	0.06	10.6	8.8	2.46	473	1.83	0.01
CC127021		0.67	44.9	4.95	2.21	<0.05	0.05	0.06	0.033	0.05	5.8	10.6	6.11	734	1.29	<0.01
CC127022		0.59	26.6	5.29	2.32	<0.05	0.04	0.05	0.044	0.04	5.5	10.3	1.70	654	1.11	<0.01
CC127023		0.57	52.8	3.41	3.16	<0.05	0.05	0.14	0.036	0.05	9.0	15.8	1.36	420	0.78	<0.01
CC127024		0.87	26.4	4.30	4.15	<0.05	0.02	0.01	0.043	0.03	7.7	14.5	0.83	599	1.04	<0.01
CC127025		0.54	125.0	4.68	3.35	<0.05	<0.02	0.02	0.051	0.04	7.9	9.7	0.36	350	1.19	<0.01
CC127026		0.80	36.7	2.24	1.56	<0.05	0.05	0.13	0.035	0.04	3.2	4.5	0.49	847	0.24	0.01
CC127027		1.51	19.8	4.01	7.15	<0.05	0.02	<0.01	0.024	0.06	8.7	8.3	0.20	221	3.33	<0.01
CC127028		0.30	17.6	2.56	1.39	<0.05	0.04	0.01	0.031	0.06	7.8	2.8	0.55	384	0.31	<0.01
CC127029		0.37	10.6	4.27	3.15	<0.05	0.08	0.04	0.035	0.05	8.6	7.5	0.37	543	0.69	<0.01
CC127030		0.95	10.6	2.23	4.90	0.09	0.04	0.02	0.020	0.05	12.1	10.9	0.15	130	1.07	0.01
CC127031		0.93	19.8	2.02	1.66	0.09	0.09	0.06	0.023	0.06	6.8	4.4	0.37	404	0.53	0.02
CC127032		0.77	11.4	3.54	2.46	0.09	0.10	0.12	0.028	0.05	6.2	4.0	0.30	440	0.62	0.01
CC127033		0.65	18.8	5.35	1.57	0.10	0.11	0.11	0.029	0.07	7.9	2.0	0.37	1220	0.54	0.01
CC127034		0.84	21.1	2.84	1.15	0.08	0.13	0.11	0.025	0.06	3.9	3.3	0.34	409	0.53	0.02
CC127035		1.17	28.1	2.40	2.80	0.10	0.08	0.13	0.024	0.07	9.2	15.1	0.32	568	0.64	0.03
CC127036		1.55	41.4	2.34	2.61	0.08	0.13	0.11	0.025	0.10	7.7	12.0	0.42	390	0.77	0.03
CC127037		0.68	18.8	1.24	2.63	0.07	0.04	0.04	0.014	0.08	5.4	4.0	0.05	831	0.46	0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 21- JUL- 2011
Account: RCM

Project: Rackla- Trent

CERTIFICATE OF ANALYSIS WH11118049

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
CC126978		0.77	11.9	320	15.3	12.7	<0.001	0.03	0.46	1.8	0.4	0.7	7.0	<0.01	0.04	3.1
CC126979		0.34	26.7	220	13.4	13.0	<0.001	0.02	0.51	1.6	0.2	0.4	7.0	<0.01	0.07	2.6
CC126980		0.40	37.3	420	36.8	13.8	<0.001	0.05	0.42	2.3	0.7	0.4	28.8	<0.01	0.15	1.9
CC126981		0.70	18.6	610	14.8	9.5	<0.001	0.06	0.56	2.3	0.9	0.4	38.4	<0.01	0.07	0.9
CC126982		0.71	11.1	370	11.2	8.1	<0.001	0.01	0.39	2.0	0.2	0.5	15.6	<0.01	0.04	2.5
CC126983		0.40	21.1	590	19.4	9.5	<0.001	0.05	0.46	2.8	0.8	0.4	19.6	<0.01	0.04	2.3
CC126984		0.49	17.6	880	10.6	12.3	<0.001	0.08	0.37	3.1	0.4	0.5	28.4	<0.01	0.04	1.8
CC126985		0.36	29.8	1190	48.7	26.0	0.001	0.07	0.70	7.2	4.2	0.5	35.3	<0.01	0.07	2.5
CC126986		0.72	8.8	160	8.3	13.6	<0.001	0.01	0.60	1.2	0.2	0.7	4.3	<0.01	0.05	3.9
CC126987		0.52	9.1	190	10.6	9.0	<0.001	0.01	0.41	1.4	<0.2	0.7	6.3	<0.01	0.03	3.5
CC126988		0.74	10.6	160	12.9	13.2	<0.001	0.01	0.56	1.5	0.3	0.6	5.6	<0.01	0.06	3.2
CC126989		0.53	9.7	240	8.6	17.9	<0.001	0.01	0.47	1.2	0.3	0.6	4.8	<0.01	0.04	2.1
CC126990		0.65	10.7	220	8.3	10.2	<0.001	0.02	0.58	1.6	0.5	0.6	6.4	<0.01	0.06	2.2
CC126991		0.28	22.3	1050	10.9	7.4	0.002	0.14	0.86	3.1	1.5	0.3	50.3	<0.01	0.05	1.3
CC126992		0.25	12.6	1200	10.6	7.0	0.001	0.13	0.65	2.2	1.5	0.3	35.0	<0.01	0.06	0.8
CC126993		0.21	20.8	810	9.4	8.9	0.001	0.10	0.76	2.7	1.2	0.3	40.2	<0.01	0.07	1.2
CC126994		0.29	16.9	410	9.4	6.1	0.001	0.02	0.98	1.0	0.5	0.6	17.5	<0.01	0.04	0.5
CC126995		0.32	25.9	750	11.8	6.9	0.001	0.05	0.71	3.3	1.6	0.3	41.1	<0.01	0.05	1.5
CC126996		0.13	18.8	760	22.7	10.1	0.005	0.11	1.97	2.3	5.3	0.4	94.1	<0.01	0.07	0.9
CC126997		0.20	21.4	790	7.7	8.6	0.001	0.07	0.56	2.0	0.8	0.3	32.9	<0.01	0.06	1.4
CC126998		0.48	446	550	9.2	7.4	<0.001	0.05	0.26	4.2	0.6	0.4	21.4	<0.01	0.03	1.8
CC126999		0.70	273	250	12.0	6.9	<0.001	0.02	0.53	3.2	0.5	0.5	18.3	<0.01	0.04	2.6
CC127000		0.64	428	400	10.4	7.4	<0.001	0.02	0.90	2.8	0.5	0.6	19.8	<0.01	0.07	1.6
CC127021		0.23	569	370	10.4	4.9	0.001	0.02	0.51	6.5	0.7	0.3	23.1	<0.01	0.06	2.3
CC127022		0.34	188.0	440	10.4	5.2	0.001	0.04	0.37	5.8	0.8	0.3	33.1	<0.01	0.05	1.6
CC127023		0.57	222	760	12.1	5.4	0.001	0.07	0.47	5.4	1.8	0.4	36.8	<0.01	0.07	2.3
CC127024		0.56	124.5	240	10.0	7.9	0.001	0.01	0.37	4.2	0.3	0.5	11.5	<0.01	0.07	1.9
CC127025		0.42	72.3	270	9.0	5.9	<0.001	0.01	0.44	4.5	0.9	0.4	10.8	<0.01	0.16	2.3
CC127026		0.27	55.3	1030	7.1	6.0	0.004	0.18	0.23	3.2	2.8	0.2	96.4	<0.01	0.09	0.6
CC127027		0.72	8.1	450	13.4	8.5	<0.001	0.02	0.70	1.9	0.4	0.9	9.8	<0.01	0.07	3.9
CC127028		0.11	13.6	520	6.4	3.6	<0.001	0.04	0.23	3.8	1.2	0.3	29.5	<0.01	0.03	1.3
CC127029		0.47	17.1	380	12.8	5.3	<0.001	0.03	0.43	3.8	0.9	0.4	16.6	<0.01	0.04	2.6
CC127030		0.67	10.8	200	13.5	10.5	<0.001	0.02	0.50	1.8	0.6	0.6	11.9	<0.01	0.04	3.0
CC127031		0.28	14.4	910	8.4	6.0	<0.001	0.13	0.52	2.6	0.9	0.3	36.1	<0.01	0.03	1.1
CC127032		0.38	15.1	930	11.2	5.3	<0.001	0.14	0.49	2.4	1.0	0.3	28.9	<0.01	0.04	1.0
CC127033		0.24	21.0	1180	9.7	5.1	<0.001	0.12	0.50	2.8	1.0	0.3	22.2	<0.01	0.03	1.3
CC127034		0.15	21.6	740	10.6	4.4	<0.001	0.15	0.71	3.3	0.9	0.2	35.0	<0.01	0.03	1.4
CC127035		0.39	28.6	730	15.1	10.8	<0.001	0.12	0.51	2.7	1.6	0.3	55.0	<0.01	0.05	0.9
CC127036		0.30	26.1	580	11.4	12.1	0.001	0.10	0.50	3.9	0.8	0.3	73.0	<0.01	0.05	1.9
CC127037		0.15	7.0	350	7.2	7.6	<0.001	0.03	0.20	1.7	0.3	0.3	21.9	<0.01	0.01	2.0

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 21- JUL- 2011
Account: RCM

Project: Rackla- Trent

CERTIFICATE OF ANALYSIS WH11118049

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
CC126978		0.017	0.10	0.54	47	0.19	1.97	37	0.8
CC126979		0.008	0.08	0.35	32	0.07	2.13	50	0.6
CC126980		0.010	0.09	1.07	25	0.07	8.31	98	1.1
CC126981		0.019	0.14	0.85	35	0.14	8.57	52	1.0
CC126982		0.018	0.14	0.48	40	0.18	2.48	49	0.5
CC126983		0.009	0.09	1.54	26	0.09	7.51	64	1.6
CC126984		0.009	0.10	1.41	29	0.10	5.86	65	1.6
CC126985		<0.005	0.20	13.00	30	0.09	64.9	81	2.3
CC126986		0.024	0.09	0.27	48	0.13	1.41	41	1.1
CC126987		0.014	0.11	0.30	43	0.12	2.07	46	<0.5
CC126988		0.022	0.12	0.35	47	0.17	1.88	43	0.8
CC126989		0.015	0.11	0.31	41	0.15	1.87	41	<0.5
CC126990		0.016	0.11	0.32	50	0.15	1.74	50	<0.5
CC126991		0.006	0.10	1.09	35	0.06	9.11	147	2.0
CC126992		0.006	0.08	0.91	32	0.06	5.89	71	1.0
CC126993		<0.005	0.14	0.80	35	0.07	6.12	97	1.6
CC126994		0.010	0.12	0.35	37	0.11	1.87	78	<0.5
CC126995		0.007	0.08	1.02	26	0.08	7.64	104	0.8
CC126996		<0.005	0.33	0.95	20	<0.05	5.76	64	1.1
CC126997		<0.005	0.07	0.48	30	0.05	4.59	88	1.2
CC126998		0.015	0.07	1.00	33	0.10	4.74	61	1.0
CC126999		0.028	0.08	0.61	50	0.19	3.44	90	0.8
CC127000		0.029	0.10	0.57	50	0.17	4.15	96	<0.5
CC127021		0.010	0.06	0.87	32	0.06	4.90	84	1.3
CC127022		0.008	0.04	0.44	45	0.08	3.95	88	0.9
CC127023		0.011	0.05	0.99	38	0.13	6.12	88	1.4
CC127024		0.011	0.07	0.37	52	0.14	2.60	57	0.5
CC127025		0.011	0.06	0.47	46	0.10	3.19	54	<0.5
CC127026		<0.005	0.06	1.12	17	<0.05	4.73	36	1.5
CC127027		0.014	0.10	0.39	59	0.14	2.40	43	0.8
CC127028		<0.005	0.03	1.08	14	<0.05	10.65	31	1.1
CC127029		0.008	0.05	2.76	36	0.14	7.70	34	2.5
CC127030		0.014	0.08	0.85	39	0.16	2.09	50	0.8
CC127031		0.005	0.08	1.84	18	<0.05	9.17	47	2.4
CC127032		0.007	0.06	2.24	22	0.05	8.31	28	2.3
CC127033		0.007	0.04	3.76	32	<0.05	13.60	42	2.5
CC127034		<0.005	0.05	5.02	12	<0.05	7.70	29	3.3
CC127035		0.007	0.27	1.82	23	0.06	9.87	84	1.7
CC127036		<0.005	0.16	1.72	19	<0.05	9.94	46	2.7
CC127037		0.005	0.06	0.67	16	<0.05	5.30	37	0.6

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 21- JUL- 2011
Account: RCM

Project: Rackla- Trent

CERTIFICATE OF ANALYSIS WH11118049

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- TL43 Au ppm 0.001	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1
CC127038		0.16	0.001	0.51	2.12	9.6	<0.2	<10	1980	2.44	0.53	0.19	0.30	46.4	17.1	25
CC127039		0.22	0.001	0.15	0.82	8.6	<0.2	<10	1390	0.60	0.27	0.64	0.13	38.1	8.2	11
CC127040		0.29	0.001	0.03	1.23	5.7	<0.2	<10	110	0.25	0.21	0.05	0.05	47.3	3.6	14
CC127041		0.25	0.001	0.05	1.35	3.0	<0.2	<10	150	0.34	0.23	0.09	0.06	51.9	5.0	15
CC127042		0.24	0.001	0.02	0.67	3.3	<0.2	<10	100	0.21	0.26	0.04	0.08	67.0	3.3	7
CC127043		0.22	<0.001	0.07	0.70	5.6	<0.2	<10	60	0.36	0.40	0.02	0.10	62.4	8.2	5
CC127044		0.21	<0.001	0.05	0.66	2.5	<0.2	<10	40	0.24	0.28	0.25	0.08	78.6	6.0	7
CC127045		0.25	<0.001	0.06	0.58	2.9	<0.2	<10	150	0.34	0.30	0.08	0.30	59.2	5.3	6
CC127046		0.14	0.001	0.34	0.77	6.2	<0.2	<10	520	1.38	0.22	1.46	0.25	37.9	9.4	9
CC127047		0.14	0.001	0.18	0.80	8.9	<0.2	<10	590	0.40	0.12	0.68	0.46	18.35	5.4	11
CC127048		0.49	0.006	0.18	0.45	7.6	<0.2	<10	300	0.34	0.19	0.73	0.34	33.3	8.8	9
CC127049		0.14	0.003	0.67	0.52	8.4	<0.2	<10	670	0.28	0.11	3.48	1.35	9.85	5.1	7
CC127050		0.08	0.002	0.51	0.52	9.5	<0.2	<10	2490	0.29	0.13	1.56	1.13	15.25	6.9	10
CC127211		0.22	0.004	1.16	0.91	14.5	<0.2	<10	2020	0.60	0.22	0.82	3.77	21.6	6.4	18
CC127212		0.29	0.002	1.07	0.88	13.1	<0.2	<10	1180	0.50	0.20	1.13	1.12	24.0	8.8	18
CC127213		0.25	0.002	0.43	0.73	12.8	<0.2	<10	210	0.16	0.20	0.05	0.34	27.6	2.9	11
CC127214		0.35	0.001	0.35	1.04	14.1	<0.2	<10	190	0.28	0.20	0.02	0.24	31.4	5.1	14
CC127215		0.33	0.002	0.20	0.72	9.6	<0.2	<10	180	0.18	0.22	0.01	0.06	33.6	1.5	11
CC127216		0.44	0.002	0.32	1.39	10.9	<0.2	<10	940	1.01	0.36	0.59	0.28	24.9	12.7	24
CC127217		0.23	0.002	0.17	1.08	8.1	<0.2	<10	520	0.87	0.31	1.32	0.26	17.75	13.9	19
CC127218		0.21	0.002	0.23	1.33	10.8	<0.2	<10	1240	0.87	0.38	0.36	0.18	29.2	14.9	29
CC127219		0.28	0.002	0.20	1.30	9.9	<0.2	<10	910	0.83	0.35	0.37	0.20	26.7	12.2	25
CC127220		0.15	0.003	0.34	1.29	8.0	<0.2	<10	1100	0.95	0.30	1.04	0.18	19.75	12.3	24
CC127221		0.34	0.002	0.07	1.47	12.6	<0.2	<10	600	0.95	0.40	0.11	0.22	30.7	16.7	31
CC127222		0.25	0.003	0.15	1.02	7.4	<0.2	<10	600	0.91	0.34	0.89	0.28	17.65	13.0	21
CC127223		0.39	0.004	0.24	1.29	12.3	<0.2	<10	300	0.76	0.29	0.69	0.47	23.3	26.4	71
CC127224		0.27	0.002	0.05	1.83	15.6	<0.2	<10	160	0.43	0.34	0.08	0.35	21.3	17.0	64
CC127225		0.23	0.003	0.24	1.33	5.0	<0.2	<10	970	0.71	0.30	0.97	0.96	25.3	10.5	35
CC127226		0.32	0.003	0.19	1.19	10.0	<0.2	<10	140	0.65	0.23	0.65	0.31	17.50	22.3	77
CC127227		0.34	0.002	0.08	1.86	18.6	<0.2	<10	290	1.26	0.28	0.11	0.45	33.5	26.7	75
CC127228		0.21	0.002	0.09	1.23	9.8	<0.2	<10	160	0.57	0.21	0.47	0.20	15.35	19.8	69
CC127229		0.38	0.003	0.17	1.16	9.8	<0.2	<10	550	0.72	0.28	0.83	0.30	17.00	17.7	53
CC127230		0.14	0.004	0.47	1.64	8.0	<0.2	<10	790	1.73	0.27	1.53	0.17	19.20	11.3	27
CC127231		0.17	0.002	0.17	0.95	7.3	<0.2	<10	600	0.80	0.21	2.09	0.29	9.24	10.4	24
CC127232		0.16	0.002	0.13	1.11	14.1	<0.2	<10	520	0.90	0.35	0.95	0.46	15.60	20.7	28
CC127233		0.19	0.002	0.20	1.48	9.9	<0.2	<10	620	0.89	0.32	0.86	0.36	20.5	18.8	34
CC127234		0.24	0.005	0.61	2.00	10.1	<0.2	<10	1130	2.27	0.41	1.03	0.23	26.6	18.4	37
CC127235		0.35	0.002	0.14	1.05	9.2	<0.2	<10	250	0.53	0.30	0.06	0.16	23.6	8.5	23
CC127236		0.26	0.002	0.22	1.13	7.2	<0.2	<10	520	0.86	0.30	0.93	0.19	16.90	13.3	24
CC127237		0.24	0.002	0.16	2.00	10.9	<0.2	<10	300	0.87	0.29	0.11	0.24	28.1	17.3	34

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 21- JUL- 2011
Account: RCM

Project: Rackla- Trent

CERTIFICATE OF ANALYSIS WH11118049

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
CC127038		4.01	38.9	4.17	8.64	0.11	0.04	0.06	0.061	0.09	19.3	27.4	0.19	1350	1.68	0.02
CC127039		1.13	39.8	2.49	2.22	0.10	0.06	0.03	0.023	0.10	17.2	11.6	0.26	523	0.79	0.02
CC127040		1.08	6.5	2.05	4.84	0.10	0.05	0.01	0.018	0.05	22.9	11.6	0.21	168	0.79	0.01
CC127041		1.93	4.5	2.04	4.92	0.09	0.05	0.01	0.014	0.10	23.9	19.8	0.28	229	0.48	0.01
CC127042		0.97	4.6	1.55	3.54	0.11	0.04	<0.01	0.012	0.12	30.4	5.8	0.11	118	0.61	0.01
CC127043		2.34	22.9	2.29	3.61	0.11	0.03	0.03	0.017	0.11	28.5	3.1	0.05	133	0.68	0.01
CC127044		1.81	17.1	1.78	3.79	0.12	0.04	0.02	0.012	0.13	35.6	7.2	0.15	287	0.52	0.01
CC127045		4.25	25.9	1.75	2.96	0.11	0.03	0.02	0.017	0.12	25.7	4.3	0.07	426	0.53	0.01
CC127046		8.98	70.5	1.78	1.90	0.11	0.08	0.08	0.025	0.13	17.5	10.3	0.25	696	0.65	0.02
CC127047		1.01	20.0	1.68	2.23	0.08	0.07	0.12	0.021	0.06	8.7	6.0	0.12	66	2.43	0.01
CC127048		0.58	45.0	2.48	1.79	0.09	0.07	0.05	0.029	0.11	16.0	6.0	0.10	90	2.11	0.01
CC127049		0.58	40.5	1.10	1.49	0.08	0.07	0.20	0.018	0.04	4.7	5.2	0.16	363	0.94	0.02
CC127050		0.61	28.8	1.75	1.49	0.08	0.09	0.13	0.021	0.07	7.1	6.9	0.15	258	2.68	0.03
CC127211		1.22	91.0	2.25	2.56	0.11	0.10	0.30	0.034	0.09	10.4	12.3	0.20	288	4.14	0.02
CC127212		0.77	41.0	2.46	2.75	0.10	0.08	0.14	0.030	0.06	13.2	17.0	0.55	163	2.97	0.02
CC127213		0.80	19.5	1.74	3.69	0.08	0.03	0.03	0.018	0.04	14.9	4.6	0.09	48	3.71	0.01
CC127214		1.05	20.0	2.64	3.87	0.09	0.05	0.03	0.025	0.03	15.7	16.6	0.13	140	2.88	0.01
CC127215		1.20	16.4	2.51	2.42	0.09	0.03	0.01	0.027	0.04	18.6	4.7	0.06	30	2.50	0.01
CC127216		1.82	51.2	3.60	4.25	0.11	0.10	0.10	0.035	0.09	11.2	29.3	0.53	410	1.21	0.02
CC127217		1.86	41.1	2.99	3.27	0.10	0.09	0.07	0.033	0.08	7.0	20.0	0.49	788	0.93	0.01
CC127218		1.49	54.7	3.80	4.17	0.11	0.08	0.10	0.032	0.09	12.4	24.7	0.64	466	1.11	0.02
CC127219		1.44	38.1	3.44	4.15	0.11	0.07	0.04	0.031	0.08	12.1	25.1	0.48	426	0.94	0.02
CC127220		1.61	50.8	2.89	3.66	0.10	0.10	0.07	0.032	0.07	9.2	18.0	0.49	464	0.83	0.02
CC127221		0.97	57.8	4.38	4.34	0.10	0.04	0.04	0.037	0.06	13.8	24.9	0.52	594	1.20	0.01
CC127222		1.42	57.3	3.41	2.99	0.09	0.07	0.10	0.040	0.08	7.5	19.2	0.52	404	0.90	0.02
CC127223		0.94	113.0	5.09	3.96	0.10	0.08	0.14	0.041	0.06	9.5	25.9	2.06	784	0.98	0.01
CC127224		1.00	41.4	6.12	5.73	0.08	0.06	0.03	0.048	0.07	9.3	30.3	0.84	646	1.51	0.01
CC127225		1.12	56.3	1.93	4.00	0.10	0.09	0.14	0.030	0.06	11.0	21.3	0.60	242	0.33	0.02
CC127226		0.98	92.9	4.62	3.62	0.06	0.08	0.09	0.039	0.06	9.4	22.8	2.43	369	0.83	<0.01
CC127227		0.73	100.5	6.39	4.11	0.06	0.05	0.05	0.062	0.05	12.5	25.2	1.07	1200	1.04	<0.01
CC127228		0.41	64.9	4.39	3.35	<0.05	0.05	0.04	0.033	0.04	6.7	20.5	1.92	439	0.78	<0.01
CC127229		0.92	73.1	4.36	3.16	<0.05	0.07	0.10	0.039	0.07	8.2	18.8	1.67	473	0.97	<0.01
CC127230		2.31	77.8	3.26	3.58	0.06	0.12	0.18	0.039	0.13	15.7	21.3	0.78	323	0.85	<0.01
CC127231		0.60	53.9	3.57	2.31	<0.05	0.04	0.11	0.034	0.06	4.7	11.5	0.74	568	0.96	<0.01
CC127232		0.58	81.0	5.58	3.15	<0.05	0.05	0.07	0.055	0.06	6.6	16.7	0.62	865	1.76	0.01
CC127233		0.74	45.8	4.50	3.92	<0.05	0.06	0.09	0.043	0.07	9.9	21.5	0.73	1530	1.26	0.01
CC127234		4.44	78.8	4.17	4.59	0.06	0.09	0.21	0.044	0.13	14.9	36.0	0.79	682	1.07	<0.01
CC127235		1.43	31.4	3.60	4.14	<0.05	0.02	0.01	0.027	0.06	11.8	17.1	0.32	320	1.16	<0.01
CC127236		0.84	42.8	3.57	3.00	<0.05	0.04	0.07	0.035	0.08	8.5	14.6	0.43	522	1.01	<0.01
CC127237		2.19	35.5	3.65	4.99	<0.05	0.09	0.02	0.040	0.07	12.6	28.8	0.50	487	1.10	<0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 21- JUL- 2011
Account: RCM

Project: Rackla- Trent

CERTIFICATE OF ANALYSIS WH11118049

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
CC127038		1.16	17.5	490	30.4	21.7	<0.001	0.03	0.44	4.7	1.0	0.9	17.3	<0.01	0.04	3.5
CC127039		0.25	20.4	430	17.4	9.7	<0.001	0.05	0.57	3.1	0.7	0.2	32.6	<0.01	0.03	2.9
CC127040		0.77	8.9	140	8.4	11.2	<0.001	0.01	0.42	1.6	0.3	0.6	5.6	<0.01	0.01	4.9
CC127041		0.64	9.5	130	7.8	20.2	<0.001	0.01	0.27	1.9	0.3	0.6	7.9	<0.01	0.02	4.8
CC127042		0.48	7.2	120	8.0	13.4	<0.001	0.01	0.39	1.3	0.2	0.5	5.7	<0.01	0.03	6.3
CC127043		0.17	16.7	400	12.8	16.5	<0.001	0.02	0.49	1.9	0.2	0.4	7.4	<0.01	0.04	3.8
CC127044		0.18	10.3	280	6.7	14.8	<0.001	0.02	0.28	1.6	0.2	0.3	15.9	<0.01	0.03	5.8
CC127045		0.19	9.3	290	7.2	14.4	<0.001	0.02	0.21	2.0	0.2	0.3	10.1	<0.01	0.02	2.3
CC127046		0.29	23.7	740	12.0	17.8	0.001	0.08	0.44	4.1	1.4	0.3	63.0	<0.01	0.02	1.7
CC127047		0.27	16.3	470	8.0	6.1	<0.001	0.08	1.46	2.2	1.2	0.3	13.1	<0.01	0.05	1.3
CC127048		0.16	19.7	1340	11.5	7.4	0.001	0.03	0.77	3.2	0.8	0.3	24.3	<0.01	0.05	2.9
CC127049		0.23	14.6	830	7.8	5.6	0.001	0.17	1.15	1.4	1.2	0.2	40.5	<0.01	0.02	0.5
CC127050		0.12	23.4	610	8.9	5.8	0.003	0.13	1.41	2.3	1.8	0.2	38.4	<0.01	0.05	1.8
CC127211		0.23	37.4	1060	14.5	10.3	0.017	0.16	4.54	4.0	7.1	0.4	45.4	<0.01	0.06	2.4
CC127212		0.16	44.8	910	12.7	5.9	0.002	0.05	2.60	4.5	2.1	0.3	44.5	<0.01	0.05	2.9
CC127213		0.33	18.0	240	8.0	7.5	0.001	0.02	1.30	1.6	1.0	0.5	9.7	<0.01	0.06	2.1
CC127214		0.39	21.4	280	11.1	9.9	<0.001	0.01	0.78	1.8	0.9	0.4	7.0	<0.01	0.06	2.6
CC127215		0.32	12.3	390	10.9	7.4	0.001	0.06	1.66	1.4	2.3	0.3	35.5	<0.01	0.04	2.7
CC127216		0.32	41.8	480	16.5	8.2	0.001	0.04	0.71	5.3	1.0	0.4	28.5	<0.01	0.04	4.4
CC127217		0.33	33.1	560	16.5	9.2	<0.001	0.06	0.49	4.7	0.8	0.3	65.4	<0.01	0.08	2.2
CC127218		0.33	54.7	470	17.3	7.9	0.001	0.04	0.73	5.7	1.0	0.4	25.6	<0.01	0.05	4.8
CC127219		0.40	39.7	480	15.1	9.1	<0.001	0.03	0.49	4.4	0.7	0.4	23.0	<0.01	0.05	3.7
CC127220		0.49	43.8	780	14.7	9.6	<0.001	0.07	0.46	4.3	1.2	0.4	45.4	<0.01	0.04	2.0
CC127221		0.28	54.6	450	151.0	6.9	<0.001	0.02	0.63	4.3	0.8	0.4	12.7	<0.01	0.08	4.1
CC127222		0.27	44.7	570	16.3	8.8	0.005	0.09	0.52	6.7	1.4	0.3	49.9	<0.01	0.08	3.0
CC127223		0.15	199.0	650	16.5	8.7	<0.001	0.06	0.55	10.7	1.2	0.2	33.0	<0.01	0.10	2.9
CC127224		0.83	87.0	380	18.9	11.0	<0.001	0.02	0.79	3.8	0.6	0.5	10.0	<0.01	0.08	3.4
CC127225		0.80	62.1	530	15.3	9.5	0.005	0.26	0.47	6.3	3.7	0.4	86.4	<0.01	0.03	3.8
CC127226		0.10	191.0	570	13.4	4.7	<0.001	<0.01	0.43	9.4	0.8	0.2	25.7	<0.01	0.09	3.3
CC127227		0.16	169.5	470	23.4	7.0	<0.001	<0.01	0.40	11.6	0.9	0.3	9.5	<0.01	0.08	3.8
CC127228		0.19	160.5	420	12.0	3.4	<0.001	0.01	0.34	5.7	0.4	0.2	20.3	<0.01	0.07	2.5
CC127229		0.27	127.5	570	15.3	4.8	0.001	0.04	0.54	6.2	0.8	0.3	64.4	<0.01	0.07	2.8
CC127230		0.33	48.8	590	16.8	9.8	0.002	0.07	0.50	7.1	2.1	0.4	203	<0.01	0.06	2.0
CC127231		0.18	47.8	660	10.1	4.7	<0.001	0.11	0.44	3.8	1.3	0.2	191.0	<0.01	0.06	0.7
CC127232		0.20	57.8	450	21.7	5.1	<0.001	0.05	0.72	7.5	0.7	0.4	34.5	<0.01	0.08	2.8
CC127233		0.47	54.9	610	16.3	6.0	0.002	0.03	0.52	5.6	0.8	0.4	37.5	<0.01	0.06	3.1
CC127234		0.36	67.5	580	31.4	13.4	0.001	0.03	0.52	10.1	1.3	0.5	51.2	<0.01	0.04	3.7
CC127235		0.55	23.6	280	14.0	7.6	<0.001	<0.01	0.50	2.4	0.3	0.5	10.0	<0.01	0.04	3.5
CC127236		0.31	34.5	550	16.0	6.7	<0.001	0.03	0.34	4.6	0.9	0.3	38.7	<0.01	0.05	1.6
CC127237		1.06	38.7	310	17.4	11.5	<0.001	<0.01	0.58	3.5	0.3	0.6	12.6	<0.01	0.04	5.2

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 21- JUL- 2011
Account: RCM

Project: Rackla- Trent

CERTIFICATE OF ANALYSIS WH11118049

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
CC127038		0.019	0.18	1.84	66	0.21	11.80	57	0.6
CC127039		0.007	0.09	0.88	18	0.06	8.34	57	1.4
CC127040		0.017	0.12	0.31	37	0.15	1.80	41	0.9
CC127041		0.014	0.12	0.28	33	0.09	2.11	39	1.1
CC127042		0.015	0.09	0.27	25	0.10	1.96	30	0.7
CC127043		<0.005	0.12	0.32	22	0.05	2.93	92	<0.5
CC127044		0.005	0.07	0.32	19	<0.05	3.03	59	0.8
CC127045		0.006	0.06	0.35	14	<0.05	2.77	39	<0.5
CC127046		0.008	0.18	3.65	14	0.05	22.7	73	2.1
CC127047		0.005	0.32	1.01	37	0.11	7.15	76	1.7
CC127048		0.005	0.08	0.66	23	<0.05	9.46	97	2.0
CC127049		0.006	0.15	1.49	41	<0.05	5.27	74	1.7
CC127050		<0.005	0.19	0.76	30	0.06	7.80	129	2.3
CC127211		<0.005	0.45	3.06	68	0.10	14.25	229	2.4
CC127212		<0.005	0.15	0.91	47	0.09	16.35	168	2.4
CC127213		0.007	0.15	0.49	56	0.13	2.53	78	<0.5
CC127214		0.008	0.10	0.41	47	0.09	2.47	80	1.2
CC127215		0.005	0.09	0.31	41	0.08	2.05	57	0.6
CC127216		0.008	0.11	1.21	29	0.06	9.45	98	3.2
CC127217		0.006	0.11	2.14	24	0.06	7.64	76	2.3
CC127218		0.011	0.10	1.18	32	0.06	10.45	96	2.6
CC127219		0.011	0.08	1.24	30	0.08	8.35	92	1.4
CC127220		0.009	0.09	3.39	27	0.08	10.55	67	2.0
CC127221		0.007	0.10	0.77	35	0.06	7.41	86	0.9
CC127222		0.005	0.09	2.36	24	0.07	9.79	86	2.0
CC127223		0.009	0.09	0.94	39	<0.05	14.50	93	2.3
CC127224		0.020	0.10	0.46	61	0.17	3.52	101	1.7
CC127225		0.015	0.12	2.44	35	0.12	9.69	93	2.6
CC127226		0.010	0.07	0.80	36	<0.05	12.75	86	3.3
CC127227		<0.005	0.10	1.04	43	<0.05	17.25	78	1.6
CC127228		0.010	0.05	0.77	37	<0.05	7.62	74	1.7
CC127229		0.011	0.07	0.76	34	<0.05	9.37	95	2.2
CC127230		<0.005	0.14	1.10	29	0.07	28.1	59	3.6
CC127231		<0.005	0.05	1.09	24	<0.05	9.64	59	1.2
CC127232		<0.005	0.08	0.77	31	<0.05	8.85	100	1.8
CC127233		0.009	0.07	1.61	37	0.08	9.35	86	2.0
CC127234		0.005	0.19	1.84	37	0.07	27.3	92	2.8
CC127235		0.011	0.09	0.51	36	0.11	3.09	66	0.9
CC127236		0.008	0.07	2.61	28	0.07	10.05	73	0.9
CC127237		0.026	0.15	1.02	49	0.19	4.35	106	3.4

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 21- JUL- 2011
Account: RCM

Project: Rackla- Trent

CERTIFICATE OF ANALYSIS WH11118049

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- TL43 Au ppm 0.001	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1
CC127238		0.30	0.001	0.09	1.14	10.3	<0.2	<10	550	0.93	0.38	0.13	0.44	23.5	16.3	24
CC127239		0.27	0.004	0.68	1.56	8.0	<0.2	<10	1510	2.79	0.41	1.18	0.22	20.5	13.2	27
CC127240		0.30	<0.001	0.04	0.98	10.5	<0.2	<10	140	0.46	0.47	0.08	0.16	16.60	8.2	21
CC127241		0.35	0.001	0.12	1.38	11.3	<0.2	<10	660	1.10	0.51	0.38	0.14	14.35	14.1	24
CC127242		0.22	0.003	0.34	1.36	10.0	<0.2	<10	960	1.43	0.32	0.94	0.57	16.35	15.6	24
CC127243		0.23	0.003	0.28	0.97	7.8	<0.2	<10	1430	1.09	0.26	1.28	0.67	12.60	21.7	18
CC127244		0.34	0.002	0.21	1.11	8.7	<0.2	<10	520	1.41	0.27	1.20	0.25	17.25	13.4	21
CC127245		0.45	0.002	0.46	0.94	11.9	<0.2	<10	1010	0.84	0.22	0.10	0.71	27.9	11.6	20
CC127246		0.45	0.001	0.09	0.84	8.5	<0.2	<10	810	0.51	0.21	0.09	0.39	20.6	9.7	16
CC127247		0.28	0.002	0.51	0.83	11.2	<0.2	<10	530	0.50	0.19	1.16	0.48	16.65	7.3	18
CC127248		0.24	0.008	0.20	1.11	29.6	<0.2	<10	390	0.66	0.24	0.18	0.53	17.70	4.4	28
CC127249		0.27	0.004	0.17	0.68	22.5	<0.2	<10	250	0.33	0.23	0.05	0.44	18.90	3.4	19
CC127250		0.25	0.003	0.63	1.20	32.5	<0.2	<10	1000	0.60	0.32	0.38	0.90	23.5	5.3	27
CC127251		0.38	0.002	0.25	0.80	11.5	<0.2	<10	550	0.39	0.18	0.33	0.73	22.2	5.3	16
CC127252		0.34	0.002	0.05	0.91	5.5	<0.2	<10	170	0.30	0.15	0.11	0.23	26.6	4.3	16
CC127253		0.27	0.035	1.30	1.21	14.2	<0.2	<10	180	0.51	0.26	0.21	0.89	22.5	7.8	22
CC127254		0.29	0.002	0.61	1.04	15.5	<0.2	<10	690	0.58	0.20	0.56	0.95	23.2	8.9	22
CC127255		0.28	0.002	0.71	2.23	20.7	<0.2	<10	630	1.16	0.18	0.22	2.57	39.3	15.6	35
CC127256		0.48	0.003	0.98	0.87	13.0	<0.2	<10	580	0.61	0.18	1.25	2.16	21.3	7.7	23
CC127258		0.33	0.004	1.15	0.68	8.5	<0.2	10	840	0.59	0.13	3.76	8.43	9.87	6.0	20
CC126754		0.18	0.003	0.14	1.37	9.6	<0.2	<10	230	0.68	0.23	0.91	0.38	22.0	29.1	86
CC126755		0.15	0.006	0.17	1.94	8.4	<0.2	<10	430	0.96	0.25	1.36	0.33	17.55	18.3	39
CC126756		0.23	0.004	0.10	1.29	21.4	<0.2	<10	70	1.00	0.27	2.96	0.58	9.96	73.3	288
CC126757		0.27	0.002	0.15	0.95	4.3	<0.2	20	330	0.44	0.17	0.67	0.17	16.45	45.8	275
CC126758		0.21	0.002	0.07	1.88	14.4	<0.2	<10	240	0.62	0.29	0.13	0.47	25.4	17.0	48
CC126759		0.19	0.003	0.62	1.53	16.1	<0.2	<10	230	1.20	0.39	0.24	0.31	27.7	21.5	38
CC126760		0.26	0.002	0.14	1.25	12.4	<0.2	<10	360	0.84	0.27	0.42	0.29	19.80	28.2	117
CC126761		0.22	0.002	0.13	1.20	9.1	<0.2	<10	740	0.84	0.27	0.41	0.24	20.0	21.0	77
CC126762		0.35	0.003	0.22	1.02	10.1	<0.2	<10	920	0.55	0.22	3.14	0.32	16.60	25.1	43
CC126763		0.20	0.003	0.09	1.24	12.1	<0.2	<10	200	0.64	0.26	0.71	0.24	15.95	21.6	28
CC126764		0.14	0.003	0.22	0.78	13.0	<0.2	<10	170	0.56	0.21	0.98	0.37	17.55	15.8	42
CC126765		0.13	0.002	0.19	0.78	11.0	<0.2	<10	150	0.46	0.16	1.20	0.33	15.90	16.9	47
CC126766		0.17	0.003	0.19	0.87	9.9	<0.2	<10	180	0.66	0.23	0.56	0.48	19.55	33.5	120
CC126767		0.23	0.004	0.04	0.80	10.3	<0.2	<10	130	0.34	0.34	0.95	0.29	11.75	20.7	76
CC126768		0.16	0.006	0.11	1.16	11.1	<0.2	<10	200	0.66	0.21	0.65	0.80	13.35	28.7	112
CC126769		0.13	0.006	0.14	1.14	9.2	<0.2	<10	140	0.78	0.26	1.31	0.63	14.05	22.2	64
CC126770		0.13	0.007	0.14	1.16	9.6	<0.2	<10	160	0.77	0.25	1.25	0.68	12.60	21.6	53
CC126771		0.26	0.008	0.15	1.55	12.1	<0.2	<10	130	0.66	0.21	0.79	0.37	15.55	98.1	577
CC126772		0.19	0.004	0.07	2.31	3.9	<0.2	<10	340	0.98	0.29	0.58	0.51	14.55	48.9	92
CC126773		0.27	0.005	0.07	1.94	6.1	<0.2	<10	210	0.77	0.29	0.39	0.21	11.20	34.5	97

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 21- JUL- 2011
Account: RCM

Project: Rackla- Trent

CERTIFICATE OF ANALYSIS WH11118049

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
CC127238		4.86	43.5	3.71	4.16	<0.05	0.02	0.02	0.034	0.08	11.0	17.9	0.35	604	1.36	<0.01
CC127239		4.62	127.0	3.30	3.83	0.06	0.10	0.16	0.038	0.12	17.9	21.7	0.46	929	0.82	0.01
CC127240		2.13	25.0	3.73	4.96	<0.05	0.02	0.01	0.027	0.07	7.8	13.0	0.26	365	0.75	<0.01
CC127241		5.16	43.8	4.19	5.30	<0.05	0.02	0.03	0.039	0.07	6.9	23.8	0.35	820	0.70	0.01
CC127242		3.21	67.0	4.17	3.34	0.05	0.06	0.15	0.030	0.08	8.6	19.4	0.44	674	0.98	0.01
CC127243		2.21	57.8	3.98	2.56	<0.05	0.06	0.11	0.024	0.08	5.8	16.2	0.42	6550	1.40	<0.01
CC127244		2.12	59.5	3.09	3.26	<0.05	0.05	0.04	0.028	0.09	9.1	20.6	0.46	680	1.06	<0.01
CC127245		1.26	48.1	3.13	2.54	0.06	0.02	0.09	0.033	0.07	13.5	14.4	0.27	553	1.96	<0.01
CC127246		0.83	20.7	2.80	2.48	<0.05	<0.02	0.01	0.023	0.06	10.9	16.5	0.23	307	1.54	<0.01
CC127247		0.99	43.9	2.32	2.41	<0.05	0.05	0.09	0.028	0.08	9.1	15.0	0.30	242	3.76	<0.01
CC127248		1.58	102.0	4.78	3.56	<0.05	0.02	0.05	0.047	0.12	10.8	14.3	0.13	89	12.70	<0.01
CC127249		0.69	60.6	3.55	3.49	<0.05	<0.02	0.02	0.031	0.07	10.5	6.8	0.09	103	9.26	<0.01
CC127250		1.12	43.9	5.45	4.53	<0.05	<0.02	0.06	0.050	0.06	12.5	13.3	0.08	136	16.30	<0.01
CC127251		0.95	30.0	2.52	2.81	<0.05	<0.02	0.07	0.022	0.06	11.3	10.3	0.20	147	2.59	<0.01
CC127252		0.57	17.6	1.80	3.78	<0.05	<0.02	0.02	0.018	0.09	15.1	12.6	0.24	93	1.41	<0.01
CC127253		0.84	150.0	3.32	3.73	<0.05	0.03	0.15	0.034	0.12	12.0	18.1	0.18	168	5.86	<0.01
CC127254		0.74	41.0	3.11	3.15	0.05	0.02	0.11	0.030	0.05	13.8	10.7	0.23	225	1.91	<0.01
CC127255		0.98	26.4	3.99	3.74	0.06	0.04	0.08	0.060	0.04	17.2	16.4	0.16	575	1.86	<0.01
CC127256		0.81	48.9	2.89	1.99	0.05	0.04	0.14	0.032	0.05	14.8	13.2	0.25	297	1.70	<0.01
CC127258		2.65	144.0	2.08	1.71	0.05	0.06	0.42	0.025	0.07	9.7	9.7	0.78	237	1.53	<0.01
CC126754		0.73	76.4	4.35	3.95	<0.05	0.06	0.12	0.034	0.07	10.0	20.6	2.30	730	0.81	<0.01
CC126755		0.95	112.0	4.56	5.18	<0.05	0.08	0.16	0.048	0.11	10.3	23.1	0.89	693	0.63	<0.01
CC126756		0.44	76.3	8.65	2.93	<0.05	0.06	0.26	0.042	0.05	3.6	17.3	2.88	2020	2.01	<0.01
CC126757		0.71	34.5	3.61	2.49	<0.05	0.06	0.09	0.026	0.06	8.5	13.8	7.66	369	0.36	<0.01
CC126758		1.34	15.2	4.22	5.78	0.13	0.07	0.01	0.038	0.06	13.7	26.4	0.68	364	1.79	0.01
CC126759		11.80	103.0	3.60	4.18	0.15	0.04	0.24	0.037	0.09	14.1	21.6	0.51	435	1.52	0.01
CC126760		0.56	56.5	4.90	3.64	0.14	0.06	0.07	0.039	0.05	10.3	18.7	2.36	783	1.48	<0.01
CC126761		0.76	51.3	4.35	3.31	0.14	0.06	0.07	0.038	0.06	10.5	18.2	1.66	633	0.92	0.02
CC126762		1.35	78.3	3.99	2.99	0.14	0.06	0.10	0.032	0.07	8.0	16.2	1.53	687	1.30	0.02
CC126763		0.86	79.0	4.60	3.77	0.14	0.07	0.13	0.035	0.05	7.2	22.5	0.98	615	0.95	0.01
CC126764		0.80	36.0	4.06	2.20	0.14	0.06	0.20	0.035	0.05	8.9	10.4	0.75	412	2.16	0.01
CC126765		1.19	35.2	3.65	2.23	0.14	0.05	0.16	0.029	0.05	8.3	10.5	1.14	454	1.92	0.01
CC126766		0.66	56.1	4.40	2.50	0.14	0.05	0.10	0.036	0.05	8.9	12.1	2.91	793	1.56	0.01
CC126767		1.67	24.8	3.99	4.21	0.13	0.03	0.04	0.026	0.08	5.7	9.0	1.30	485	1.30	0.01
CC126768		0.84	59.2	4.39	3.22	0.14	0.05	0.11	0.034	0.04	5.7	16.9	1.97	1070	1.04	0.01
CC126769		1.37	63.2	3.69	3.24	0.14	0.06	0.13	0.044	0.04	5.9	15.8	1.38	431	0.88	0.01
CC126770		1.19	68.8	3.88	3.15	0.13	0.08	0.10	0.039	0.05	5.3	14.4	1.03	697	1.03	0.01
CC126771		1.50	154.0	7.92	4.05	0.15	0.05	0.08	0.039	0.06	7.0	25.4	5.34	1180	1.13	0.01
CC126772		0.69	136.5	6.75	6.70	0.17	0.06	0.15	0.049	0.04	4.7	26.8	2.63	2260	0.93	0.01
CC126773		0.94	83.4	5.83	5.45	0.12	0.05	0.09	0.043	0.05	4.4	22.0	2.93	648	1.16	0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 21- JUL- 2011
Account: RCM

Project: Rackla- Trent

CERTIFICATE OF ANALYSIS WH11118049

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
CC127238		0.33	31.7	460	19.8	9.6	<0.001	0.01	0.54	3.2	0.4	0.4	15.4	<0.01	0.05	3.1
CC127239		0.46	40.7	670	22.5	11.3	<0.001	0.04	0.48	8.5	1.6	0.5	43.5	<0.01	0.06	2.7
CC127240		0.30	17.4	220	16.0	7.6	<0.001	<0.01	0.25	2.5	<0.2	0.4	13.6	<0.01	0.03	4.2
CC127241		0.31	24.1	380	25.9	9.1	<0.001	0.01	0.25	3.6	0.5	0.5	22.4	<0.01	0.04	3.5
CC127242		0.38	30.0	780	18.0	9.9	0.003	0.12	0.45	5.3	2.8	0.4	67.2	<0.01	0.04	3.0
CC127243		0.22	30.9	650	13.5	7.6	0.007	0.15	0.43	3.9	1.5	0.3	116.0	<0.01	0.03	2.1
CC127244		0.45	30.1	580	20.6	8.2	<0.001	0.03	0.58	3.7	1.0	0.4	84.6	<0.01	0.04	2.1
CC127245		0.18	44.7	680	15.7	5.4	<0.001	0.01	0.94	4.2	1.3	0.3	19.4	<0.01	0.04	3.3
CC127246		0.18	21.5	540	12.6	5.8	0.001	<0.01	0.62	1.9	0.4	0.3	15.6	<0.01	0.04	2.5
CC127247		0.35	21.7	1140	10.0	9.0	0.001	0.04	1.29	2.2	0.9	0.4	72.7	<0.01	0.05	1.6
CC127248		0.34	39.9	2400	17.1	15.4	0.002	0.01	3.53	2.5	2.9	0.6	39.9	<0.01	0.14	2.5
CC127249		0.50	29.0	1060	14.0	8.1	0.001	0.01	2.65	1.9	2.0	0.6	28.1	<0.01	0.08	2.4
CC127250		0.56	29.5	980	21.1	8.2	0.001	0.03	3.82	2.1	3.2	0.8	25.0	<0.01	0.14	2.1
CC127251		0.40	24.6	360	10.9	7.2	0.001	<0.01	1.00	2.2	0.6	0.4	16.6	<0.01	0.05	2.3
CC127252		0.32	12.0	450	8.8	8.1	<0.001	<0.01	0.49	1.4	0.2	0.5	7.7	<0.01	0.03	1.9
CC127253		0.47	36.1	2120	17.3	10.5	0.002	<0.01	4.23	2.4	2.0	0.5	15.2	<0.01	0.12	2.5
CC127254		0.42	51.3	750	12.4	5.5	<0.001	0.01	0.91	3.7	1.8	0.4	31.2	<0.01	0.06	2.2
CC127255		0.48	44.8	1050	14.2	8.4	0.001	0.02	0.75	6.1	1.4	0.4	22.4	0.01	0.07	3.5
CC127256		0.28	49.5	1010	14.4	6.2	0.002	0.05	1.18	6.1	2.6	0.3	44.0	<0.01	0.06	1.2
CC127258		0.16	111.0	1050	8.8	8.7	0.005	0.11	1.75	7.9	3.4	0.2	100.5	<0.01	0.05	0.5
CC126754		0.29	246	610	12.9	5.2	<0.001	0.02	0.40	7.0	0.6	0.3	44.1	<0.01	0.07	2.5
CC126755		0.24	90.9	620	12.7	7.7	<0.001	0.04	0.34	9.5	0.8	0.4	50.9	<0.01	0.14	1.8
CC126756		0.08	989	530	19.8	2.8	0.001	0.06	0.50	12.1	1.3	0.4	52.9	<0.01	0.10	1.8
CC126757		0.23	691	500	8.8	4.7	0.001	0.02	0.23	6.0	0.8	0.3	29.1	<0.01	0.04	2.7
CC126758		1.15	74.0	480	17.4	9.6	<0.001	<0.01	0.69	3.1	0.6	0.7	12.9	<0.01	0.07	3.8
CC126759		0.41	74.9	760	33.6	14.4	0.001	0.05	0.47	4.7	1.8	0.5	25.8	<0.01	0.08	2.3
CC126760		0.29	253	390	17.3	5.0	0.001	0.01	0.53	6.9	0.8	0.4	24.5	<0.01	0.06	2.8
CC126761		0.21	170.0	390	16.6	5.0	<0.001	0.02	0.39	7.0	0.7	0.3	19.9	<0.01	0.07	3.3
CC126762		0.16	107.0	640	14.7	4.0	<0.001	0.04	0.57	8.0	1.0	0.2	67.5	<0.01	0.06	2.8
CC126763		0.12	51.7	500	17.3	3.5	0.001	0.06	0.40	6.7	0.9	0.2	44.4	<0.01	0.10	2.7
CC126764		0.17	73.1	450	16.3	4.3	0.001	0.04	0.75	4.4	1.4	0.2	37.7	<0.01	0.06	2.3
CC126765		0.14	105.0	700	12.1	5.8	0.001	0.06	0.74	3.2	1.0	0.2	41.5	<0.01	0.06	1.6
CC126766		0.25	296	430	15.0	4.5	<0.001	0.02	0.73	6.1	0.8	0.3	21.7	<0.01	0.09	2.3
CC126767		0.52	145.0	460	15.7	8.6	<0.001	0.04	0.51	2.4	0.7	0.5	29.4	<0.01	0.07	1.1
CC126768		0.18	234	480	13.3	3.6	<0.001	0.07	0.40	6.5	1.2	0.3	23.0	<0.01	0.08	1.8
CC126769		0.21	155.5	630	13.8	4.3	0.001	0.09	0.45	7.3	1.6	0.3	35.0	<0.01	0.08	1.2
CC126770		0.21	130.0	620	13.4	4.4	<0.001	0.07	0.47	7.1	1.1	0.3	32.8	<0.01	0.09	1.3
CC126771		0.25	1290	500	10.9	4.6	<0.001	0.03	0.36	11.8	1.0	0.4	24.2	<0.01	0.10	2.2
CC126772		0.16	244	500	12.6	3.2	<0.001	0.04	0.26	10.5	1.2	0.3	77.8	<0.01	0.20	1.8
CC126773		0.30	180.0	510	13.8	4.4	<0.001	0.03	0.32	8.5	0.9	0.3	47.4	<0.01	0.15	1.8

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 21- JUL- 2011
Account: RCM

Project: Rackla- Trent

CERTIFICATE OF ANALYSIS WH11118049

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
CC127238		0.010	0.11	1.07	34	0.07	6.21	90	0.6
CC127239		0.007	0.12	5.21	32	0.09	37.5	73	2.8
CC127240		0.006	0.06	0.51	29	<0.05	2.83	62	1.1
CC127241		0.005	0.07	1.50	28	0.05	6.94	70	0.8
CC127242		<0.005	0.11	6.05	28	0.13	13.10	100	2.0
CC127243		0.005	0.09	6.14	19	0.05	10.45	84	1.7
CC127244		0.009	0.09	3.22	32	0.09	11.25	88	1.4
CC127245		0.007	0.17	1.11	31	0.06	16.00	106	1.0
CC127246		0.005	0.08	0.67	28	0.05	4.61	77	<0.5
CC127247		0.010	0.17	1.62	44	0.11	7.35	114	1.3
CC127248		0.007	0.84	1.54	84	0.19	5.02	196	0.7
CC127249		0.015	0.60	0.87	67	0.19	3.15	163	0.8
CC127250		0.009	0.97	1.31	90	0.32	5.30	126	<0.5
CC127251		0.011	0.14	0.73	37	0.08	6.23	118	0.6
CC127252		0.010	0.10	0.43	43	0.06	2.45	56	<0.5
CC127253		0.011	0.19	1.49	78	0.12	6.73	213	0.7
CC127254		0.011	0.14	1.19	44	0.12	16.80	305	0.6
CC127255		0.006	0.14	1.63	53	0.08	24.7	182	1.6
CC127256		0.008	0.13	1.48	33	0.06	33.1	210	1.2
CC127258		<0.005	0.26	3.09	20	<0.05	40.8	435	2.1
CC126754		0.010	0.07	1.10	38	0.05	11.05	85	1.8
CC126755		0.005	0.07	1.16	49	<0.05	18.50	86	2.1
CC126756		<0.005	0.17	0.44	35	<0.05	16.20	73	2.0
CC126757		0.010	0.06	0.78	27	<0.05	8.12	63	2.0
CC126758		0.027	0.12	0.59	59	0.28	3.99	117	2.5
CC126759		0.007	0.23	1.23	34	0.07	18.45	112	1.2
CC126760		0.009	0.08	1.38	39	0.07	10.70	83	1.9
CC126761		0.008	0.07	0.96	33	0.06	9.99	75	1.9
CC126762		0.010	0.09	0.76	37	<0.05	9.18	92	3.2
CC126763		0.009	0.06	0.85	40	<0.05	9.48	95	2.4
CC126764		<0.005	0.09	0.85	29	<0.05	7.69	98	2.2
CC126765		<0.005	0.11	0.74	24	<0.05	6.05	107	1.8
CC126766		0.009	0.07	1.32	32	0.09	8.73	95	1.8
CC126767		0.020	0.06	0.39	39	0.11	2.19	103	0.9
CC126768		0.005	0.06	0.51	29	0.05	11.80	73	1.5
CC126769		0.005	0.07	0.47	27	<0.05	16.15	64	2.0
CC126770		0.005	0.07	0.52	27	0.05	15.70	74	2.1
CC126771		0.011	0.11	0.51	48	0.06	8.48	90	1.8
CC126772		0.007	0.04	0.37	59	0.05	11.00	95	1.8
CC126773		0.006	0.04	0.35	53	<0.05	6.60	82	1.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 21- JUL- 2011
Account: RCM

Project: Rackla- Trent

CERTIFICATE OF ANALYSIS WH11118049

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- TL43 Au ppm 0.001	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1
CC126774		0.29	0.005	0.04	1.63	11.5	<0.2	<10	140	0.54	0.30	0.10	0.24	25.4	17.9	71
CC126775		0.14	0.007	1.16	1.17	12.1	<0.2	<10	610	0.97	0.21	0.75	0.65	16.80	23.7	79
CC126776		0.24	0.003	0.24	1.35	10.0	<0.2	<10	220	0.63	0.29	0.49	0.57	24.2	20.5	40
CC126777		0.19	0.005	0.32	1.03	8.6	<0.2	20	250	0.63	0.22	1.26	0.67	15.60	30.7	85
CC126778		0.18	0.005	0.26	1.20	10.9	<0.2	<10	360	0.90	0.30	0.57	0.53	19.10	22.6	52
CC126779		0.18	0.006	0.41	0.84	10.4	<0.2	<10	210	0.60	0.27	1.22	0.49	16.20	18.2	37
CC126780		0.13	0.006	0.24	0.83	7.1	<0.2	<10	250	0.64	0.25	1.38	0.36	11.75	18.2	32
CC126781		0.15	0.004	0.38	1.37	14.3	<0.2	<10	230	0.64	0.23	0.69	0.78	13.80	21.7	72
CC126782		0.12	0.009	0.60	1.44	14.4	<0.2	<10	310	0.93	0.27	0.78	0.60	16.00	24.3	65
CC126783		0.10	0.007	0.94	1.06	8.5	<0.2	10	330	0.83	0.23	1.70	0.56	12.25	12.3	50
CC126784		0.17	0.004	0.27	1.27	6.5	<0.2	<10	130	0.52	0.19	0.78	0.37	18.35	16.6	74

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 21- JUL- 2011
Account: RCM

Project: Rackla- Trent

CERTIFICATE OF ANALYSIS WH11118049

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
CC126774		1.04	58.3	4.29	5.22	0.13	0.02	0.07	0.033	0.05	12.1	18.2	1.13	565	1.54	0.01
CC126775		2.85	84.1	4.10	2.94	0.13	0.08	0.50	0.035	0.10	9.8	11.4	1.40	1110	3.52	0.01
CC126776		1.45	40.5	3.91	4.22	0.14	0.07	0.11	0.032	0.07	12.6	21.5	0.81	978	3.16	<0.01
CC126777		0.67	74.2	3.83	2.75	0.13	0.06	0.21	0.030	0.06	6.6	11.9	2.63	1300	1.88	0.01
CC126778		0.79	67.1	4.88	3.56	0.13	0.06	0.16	0.046	0.06	9.4	16.1	0.93	683	1.87	0.01
CC126779		1.07	78.2	4.80	2.38	0.14	0.04	0.22	0.042	0.06	7.8	10.4	0.86	620	3.31	0.01
CC126780		0.89	75.7	3.97	2.38	0.13	0.04	0.14	0.046	0.05	5.1	9.4	0.77	569	1.52	0.01
CC126781		0.72	76.6	4.74	4.21	0.14	0.06	0.19	0.043	0.05	6.4	17.6	1.65	490	2.13	<0.01
CC126782		0.95	117.5	4.62	4.21	0.15	0.07	0.29	0.043	0.06	8.3	16.9	1.69	588	2.79	0.01
CC126783		0.71	105.0	3.59	3.11	0.14	0.07	0.39	0.040	0.05	6.2	12.4	1.21	246	1.65	<0.01
CC126784		0.70	40.7	3.42	3.84	0.12	0.05	0.16	0.035	0.06	9.3	16.6	1.63	281	1.23	<0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 21- JUL- 2011
Account: RCM

Project: Rackla- Trent

CERTIFICATE OF ANALYSIS WH11118049

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
CC126774		0.79	117.0	450	13.5	8.0	<0.001	0.01	0.57	3.3	0.8	0.6	10.0	<0.01	0.07	2.9
CC126775		0.17	178.0	620	14.1	8.7	<0.001	0.03	1.22	7.1	2.0	0.3	34.6	<0.01	0.07	1.7
CC126776		0.49	67.3	670	16.0	6.7	0.001	0.01	1.03	4.4	1.4	0.4	30.6	<0.01	0.06	4.2
CC126777		0.16	295	800	14.5	3.8	0.001	0.11	0.71	4.8	1.4	0.2	101.0	<0.01	0.06	1.1
CC126778		0.29	119.0	560	19.0	5.4	0.001	0.02	0.80	7.7	1.1	0.3	37.4	<0.01	0.11	2.4
CC126779		0.15	82.5	810	15.2	4.8	0.001	0.05	1.24	6.7	1.9	0.3	65.4	<0.01	0.10	1.3
CC126780		0.21	74.3	590	11.1	4.8	0.001	0.09	0.66	7.2	1.6	0.2	69.4	<0.01	0.11	0.9
CC126781		0.20	146.0	740	13.1	3.8	0.001	0.05	1.09	6.6	1.5	0.2	54.9	<0.01	0.10	1.7
CC126782		0.26	158.5	740	15.0	3.9	0.002	0.06	1.27	8.1	2.0	0.3	80.0	<0.01	0.14	2.0
CC126783		0.23	109.5	920	12.5	4.3	0.009	0.15	1.10	7.3	3.5	0.3	124.5	<0.01	0.10	1.1
CC126784		0.21	106.5	510	10.8	6.3	0.003	0.05	0.62	4.6	1.7	0.3	63.5	<0.01	0.08	1.7

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 21- JUL- 2011
Account: RCM

Project: Rackla- Trent

CERTIFICATE OF ANALYSIS WH11118049

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
CC126774		0.022	0.11	0.59	55	0.22	4.35	80	0.9
CC126775		<0.005	0.21	1.39	38	<0.05	13.45	138	2.3
CC126776		0.015	0.10	1.18	33	0.08	7.86	143	2.9
CC126777		<0.005	0.06	1.19	30	<0.05	8.10	105	1.6
CC126778		0.006	0.07	0.91	37	0.06	10.70	102	1.7
CC126779		<0.005	0.09	1.29	32	<0.05	10.85	110	1.3
CC126780		<0.005	0.06	0.82	30	<0.05	8.17	94	1.3
CC126781		0.005	0.08	0.75	48	<0.05	10.75	118	2.0
CC126782		0.005	0.12	0.99	50	<0.05	12.25	117	2.1
CC126783		<0.005	0.09	2.40	35	<0.05	16.50	86	2.6
CC126784		<0.005	0.09	1.12	42	<0.05	5.82	112	1.4

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 21- JUL- 2011
Account: RCM

Project: Rackla- Trent

CERTIFICATE OF ANALYSIS WH11118049

Method	CERTIFICATE COMMENTS
ME- MS41	Gold determinations by this method are semi- quantitative due to the small sample weight used (0.5g).

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 21- JUL- 2011
Account: RCM

CERTIFICATE WH11118090

Project: Rackla- Trent

P.O. No.:

This report is for 163 Soil samples submitted to our lab in Whitehorse, YT, Canada on 26- JUN- 2011.

The following have access to data associated with this certificate:

ROB CARNE JULIA LANE	ANDREW CARNE JOAN MARIACHER	MATT DUMALA

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
SCR- 41	Screen to - 180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- TL43	Trace Level Au - 25g AR	ICP- MS
ME- MS41	51 anal. aqua regia ICPMS	

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 21- JUL- 2011
Account: RCM

Project: Rackla- Trent

CERTIFICATE OF ANALYSIS WH11118090

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- TL43 Au ppm 0.001	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1
CC123833		0.22	0.004	0.07	1.60	20.6	<0.2	<10	260	1.45	0.34	0.03	0.33	20.2	27.8	52
CC123834		0.15	0.004	0.34	0.81	22.3	<0.2	<10	280	0.81	0.33	0.73	0.30	12.90	18.5	27
CC123835		0.15	0.003	0.16	0.85	6.8	<0.2	<10	320	0.74	0.26	1.29	0.29	11.25	15.3	35
CC123836		0.20	0.007	0.09	0.47	4.0	<0.2	<10	1530	0.46	0.26	1.23	0.15	5.65	26.8	7
CC123837		0.23	0.003	0.16	1.27	11.7	<0.2	<10	820	1.04	0.30	0.63	0.23	18.15	15.5	26
CC123838		0.24	0.003	0.30	1.65	11.5	<0.2	<10	830	1.22	0.32	1.38	0.21	28.7	19.1	48
CC123839		0.29	0.002	0.17	1.18	10.3	<0.2	<10	450	1.11	0.32	0.70	0.10	22.3	13.4	24
CC123840		0.18	0.001	0.15	1.23	5.2	<0.2	<10	400	0.69	0.26	1.52	0.16	16.25	9.7	26
CC123841		0.17	0.002	0.11	0.90	3.8	<0.2	<10	380	1.00	0.36	1.64	0.09	20.4	12.7	16
CC123842		0.20	0.001	0.11	0.55	7.7	<0.2	<10	280	0.70	0.28	2.22	0.20	11.90	10.1	12
CC123843		0.20	0.001	0.06	1.13	7.9	<0.2	<10	440	1.12	0.37	1.28	0.12	11.50	9.1	17
CC123844		0.23	0.003	0.21	0.88	11.6	<0.2	<10	520	1.31	0.31	1.22	0.21	18.00	12.9	16
CC123845		0.28	0.001	0.08	2.07	14.0	<0.2	<10	160	0.61	0.28	0.04	0.11	26.3	10.4	33
CC123846		0.31	0.001	0.06	1.15	7.4	<0.2	<10	160	0.25	0.24	0.05	0.06	29.1	5.3	17
CC123847		0.23	0.001	0.27	1.13	20.0	<0.2	<10	120	1.23	0.37	0.69	0.12	33.1	14.5	15
CC123848		0.24	<0.001	0.07	0.91	2.5	<0.2	<10	60	0.71	0.32	0.82	0.06	32.7	8.3	11
CC123849		0.25	<0.001	0.11	0.45	8.9	<0.2	<10	60	0.34	0.22	0.33	0.04	27.6	4.5	7
CC123850		0.28	<0.001	0.05	0.67	0.6	<0.2	<10	110	0.20	0.25	0.05	0.05	26.6	3.4	7
CC127091		0.33	0.001	1.06	0.93	18.9	<0.2	<10	170	0.14	0.26	0.23	0.19	21.6	2.8	19
CC127092		0.11	0.002	1.00	0.80	11.6	<0.2	<10	2170	0.54	0.18	1.29	3.96	13.35	35.3	17
CC127093		0.28	0.001	0.61	1.43	13.3	<0.2	<10	910	0.66	0.23	0.39	0.24	26.8	9.2	28
CC127094		0.29	<0.001	0.10	0.94	13.0	<0.2	<10	250	0.16	0.27	0.05	0.20	20.2	4.0	18
CC127095		0.42	0.001	0.47	1.82	12.8	<0.2	<10	380	0.59	0.25	0.20	0.38	25.0	7.5	26
CC127096		0.13	0.002	0.24	0.78	7.5	<0.2	10	450	0.51	0.15	1.69	0.25	10.70	31.8	217
CC127097		0.23	0.001	0.08	1.06	11.9	<0.2	10	270	0.42	0.23	0.36	0.41	14.85	53.0	312
CC127098		0.15	0.002	0.19	1.19	10.1	<0.2	10	650	0.91	0.24	0.50	0.48	17.45	36.7	150
CC127099		0.20	0.001	0.04	1.02	11.5	<0.2	<10	100	0.31	0.29	0.04	0.23	11.50	9.8	54
CC127100		0.15	<0.001	0.23	0.78	6.6	<0.2	<10	60	0.17	0.29	0.02	0.18	11.10	5.5	10
CC127201		0.39	<0.001	0.06	1.78	0.7	<0.2	<10	240	0.55	0.20	0.05	0.07	48.4	6.7	15
CC127202		0.24	0.001	0.05	1.34	9.4	<0.2	<10	160	0.93	0.35	0.08	0.20	29.0	18.7	21
CC127203		0.34	0.001	0.03	0.87	4.2	<0.2	<10	220	0.28	0.24	0.09	0.33	42.6	5.6	16
CC127204		0.23	0.002	0.02	0.70	3.0	<0.2	<10	60	0.20	0.27	0.06	0.09	54.9	4.0	9
CC127205		0.21	<0.001	0.18	1.47	9.9	<0.2	<10	230	0.75	0.24	1.19	0.58	41.1	10.1	21
CC127206		0.39	<0.001	0.02	0.44	5.1	<0.2	<10	80	0.11	0.17	0.16	0.19	17.70	1.6	9
CC127207		0.15	0.002	0.39	0.86	10.9	<0.2	<10	1440	0.43	0.16	2.75	0.43	17.90	7.7	14
CC127208		0.14	0.001	0.35	0.54	13.3	<0.2	<10	760	0.47	0.16	0.61	0.51	41.0	14.1	8
CC127209		0.14	0.002	0.40	0.83	12.8	<0.2	<10	700	0.66	0.14	1.30	0.41	33.4	9.7	11
CC127210		0.12	0.007	0.59	0.54	11.6	<0.2	<10	510	0.34	0.14	1.14	2.21	20.9	10.4	8
CC127301		0.23	0.001	0.03	1.24	11.0	<0.2	<10	210	0.23	0.21	0.15	0.10	22.0	7.4	20
CC127302		0.19	0.001	0.04	1.51	4.8	<0.2	<10	1140	0.33	0.20	0.18	0.05	20.0	6.4	21

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 21- JUL- 2011
Account: RCM

Project: Rackla- Trent

CERTIFICATE OF ANALYSIS WH11118090

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
CC123833		0.95	94.0	6.60	3.60	0.16	0.03	0.08	0.066	0.05	10.3	20.8	0.54	731	2.53	0.01
CC123834		1.06	71.4	3.62	2.81	0.12	0.02	0.12	0.038	0.05	6.6	8.7	0.44	594	3.53	0.01
CC123835		0.62	62.6	3.80	2.42	0.13	0.05	0.13	0.044	0.05	5.2	12.2	0.77	476	1.01	0.01
CC123836		0.36	116.5	4.45	1.30	0.11	0.02	0.05	0.053	0.04	2.0	2.9	0.32	651	0.51	0.02
CC123837		0.63	57.4	4.57	3.47	0.14	0.05	0.11	0.039	0.06	10.4	14.6	0.51	885	1.93	0.01
CC123838		1.48	84.7	3.75	4.76	0.15	0.06	0.12	0.034	0.07	17.4	23.4	0.93	1570	1.79	0.02
CC123839		1.28	57.4	3.31	3.22	0.14	0.06	0.06	0.031	0.07	12.0	17.2	0.48	410	1.22	0.01
CC123840		1.72	34.8	2.59	4.64	0.13	0.04	0.05	0.024	0.07	9.2	19.8	0.54	219	3.16	0.01
CC123841		2.86	30.4	3.10	3.01	0.14	0.06	0.05	0.035	0.07	9.5	15.5	0.49	294	0.63	0.02
CC123842		0.86	28.7	2.39	1.48	0.13	0.05	0.08	0.030	0.05	4.9	4.0	0.29	654	0.47	<0.01
CC123843		1.40	50.2	2.78	4.68	0.12	0.04	0.03	0.023	0.05	5.4	17.6	0.40	631	0.93	<0.01
CC123844		1.86	65.0	3.62	2.07	0.14	0.08	0.15	0.033	0.07	8.5	9.1	0.19	1180	0.70	<0.01
CC123845		1.51	16.6	4.02	5.86	0.13	0.06	0.06	0.035	0.06	13.7	40.1	0.48	221	1.34	<0.01
CC123846		1.20	8.3	2.28	4.90	0.13	0.03	0.01	0.015	0.05	14.3	15.7	0.27	128	0.80	<0.01
CC123847		3.69	70.6	2.49	3.12	0.15	0.06	0.06	0.024	0.12	17.7	20.5	0.24	1720	1.05	<0.01
CC123848		3.22	20.5	2.15	2.23	0.14	0.09	0.02	0.020	0.13	16.4	16.4	0.37	1010	0.23	<0.01
CC123849		2.36	11.2	1.57	1.36	0.14	0.04	0.03	0.011	0.13	14.9	5.6	0.10	114	0.40	<0.01
CC123850		0.68	10.9	1.44	3.33	0.13	<0.02	0.01	0.011	0.07	13.8	3.2	0.08	143	0.41	<0.01
CC127091		0.88	10.4	2.63	5.52	0.13	<0.02	0.04	0.020	0.04	11.8	5.6	0.13	71	6.55	<0.01
CC127092		0.62	35.7	3.02	2.02	0.14	0.06	0.20	0.027	0.06	7.0	9.4	0.21	3800	6.94	<0.01
CC127093		0.74	28.3	2.91	3.88	0.15	0.04	0.09	0.031	0.05	15.0	14.7	0.36	346	2.28	<0.01
CC127094		0.76	8.9	2.78	5.76	0.13	<0.02	0.01	0.019	0.04	10.3	8.6	0.16	130	2.14	<0.01
CC127095		1.00	9.1	3.30	5.69	0.14	0.03	0.02	0.032	0.03	12.4	17.9	0.24	152	1.65	<0.01
CC127096		0.76	46.4	2.78	1.85	0.14	0.04	0.20	0.021	0.04	5.7	7.0	3.89	497	0.58	0.01
CC127097		0.55	30.9	6.17	2.96	0.15	0.04	0.05	0.033	0.05	6.9	11.5	5.34	772	1.15	0.01
CC127098		0.72	53.3	4.12	2.95	0.13	0.05	0.14	0.034	0.05	8.6	14.5	3.35	2050	1.56	0.01
CC127099		0.82	34.8	3.89	4.06	0.12	0.02	0.02	0.026	0.05	5.0	11.5	0.36	315	3.44	<0.01
CC127100		0.98	21.2	2.66	4.40	0.12	<0.02	0.02	0.021	0.04	5.1	1.9	0.06	233	1.88	<0.01
CC127201		0.67	11.7	2.16	4.62	0.15	0.03	0.01	0.017	0.09	23.6	24.7	0.36	482	0.39	<0.01
CC127202		2.89	35.8	3.86	4.51	0.14	0.03	0.02	0.032	0.08	13.3	26.3	0.28	1260	1.56	<0.01
CC127203		1.33	11.6	2.50	4.53	0.15	0.02	0.04	0.019	0.07	20.6	14.2	0.24	352	0.91	<0.01
CC127204		2.18	10.9	1.29	5.18	0.15	<0.02	0.02	0.009	0.10	27.8	2.2	0.05	31	0.75	<0.01
CC127205		0.72	12.8	3.12	3.96	0.15	0.03	0.05	0.033	0.06	19.6	10.6	0.24	315	2.14	<0.01
CC127206		0.37	4.3	1.27	3.88	0.13	<0.02	0.01	0.009	0.02	9.0	1.4	0.03	53	1.09	<0.01
CC127207		0.56	23.6	2.04	2.22	0.13	0.05	0.17	0.023	0.06	9.5	6.4	0.18	797	1.77	0.01
CC127208		1.20	39.2	3.45	1.69	0.15	0.04	0.11	0.033	0.16	21.6	4.7	0.16	190	5.44	<0.01
CC127209		0.77	35.6	2.50	2.38	0.16	0.07	0.14	0.028	0.09	17.0	7.2	0.25	175	3.53	<0.01
CC127210		0.78	49.2	2.03	1.73	0.15	0.07	0.23	0.018	0.10	11.9	4.8	0.14	303	4.37	<0.01
CC127301		1.02	12.4	2.61	5.44	0.12	0.02	0.01	0.022	0.02	10.0	15.7	0.18	237	1.27	<0.01
CC127302		0.73	5.3	2.32	4.65	0.12	0.04	0.01	0.019	0.02	10.1	14.7	0.30	162	0.45	<0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 21- JUL- 2011
Account: RCM

Project: Rackla- Trent

CERTIFICATE OF ANALYSIS WH11118090

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
CC123833		0.33	97.1	390	17.2	7.2	0.001	0.01	0.89	13.8	1.7	0.4	10.0	<0.01	0.15	3.8
CC123834		0.19	66.3	780	18.2	5.5	<0.001	0.03	1.10	3.9	1.5	0.4	55.6	<0.01	0.11	1.6
CC123835		0.30	88.2	660	11.4	7.9	0.004	0.08	0.41	7.6	2.2	0.3	51.2	<0.01	0.09	1.4
CC123836		0.08	30.3	490	5.7	2.2	<0.001	0.08	0.20	9.7	1.2	<0.2	43.2	<0.01	0.24	0.5
CC123837		0.34	46.6	450	16.6	5.8	<0.001	0.02	0.54	7.3	1.1	0.4	25.2	<0.01	0.07	2.7
CC123838		0.92	67.1	740	20.4	8.9	<0.001	0.05	0.60	5.2	1.9	0.4	40.7	<0.01	0.07	1.8
CC123839		0.36	31.6	330	16.0	6.5	<0.001	0.01	0.52	4.8	1.2	0.4	24.1	<0.01	0.05	3.4
CC123840		0.68	23.3	520	13.0	8.5	<0.001	0.06	0.35	3.3	0.8	0.6	44.8	<0.01	0.05	1.7
CC123841		0.31	22.8	560	21.3	6.6	0.001	0.09	0.33	5.1	1.4	0.5	52.5	<0.01	0.06	2.8
CC123842		0.25	17.8	780	8.8	4.7	<0.001	0.08	0.34	3.5	1.3	0.3	35.8	<0.01	0.03	1.1
CC123843		0.40	16.5	480	30.6	7.2	<0.001	0.02	0.27	2.1	0.2	0.5	21.5	<0.01	0.05	1.0
CC123844		0.22	25.7	900	18.2	8.1	0.003	0.07	0.55	4.7	1.6	0.4	63.7	<0.01	0.05	2.0
CC123845		0.72	33.8	180	14.0	12.5	<0.001	<0.01	0.50	2.6	0.3	0.6	6.3	<0.01	0.03	3.3
CC123846		0.83	12.2	130	18.0	10.2	<0.001	<0.01	0.30	1.6	<0.2	0.6	6.5	<0.01	0.04	3.1
CC123847		0.24	22.4	450	49.1	14.4	<0.001	0.03	0.53	4.1	0.5	0.4	50.0	<0.01	0.02	2.9
CC123848		0.07	17.5	370	8.7	8.9	<0.001	0.02	0.17	3.6	0.2	0.3	32.7	<0.01	0.01	3.0
CC123849		0.05	8.9	430	15.0	8.9	<0.001	0.02	0.31	1.2	0.2	0.2	18.8	<0.01	0.11	2.9
CC123850		0.15	5.6	210	7.4	8.8	<0.001	<0.01	0.21	0.9	<0.2	0.3	3.8	<0.01	0.02	1.7
CC127091		0.87	13.4	390	10.6	5.8	0.001	0.01	1.70	1.4	1.6	0.8	13.3	<0.01	0.09	2.1
CC127092		0.13	47.3	860	11.5	4.6	0.021	0.14	2.37	2.8	7.0	0.3	78.0	<0.01	0.07	1.2
CC127093		0.57	35.1	690	12.0	7.1	0.001	<0.01	0.76	4.2	1.0	0.5	27.3	<0.01	0.06	3.1
CC127094		1.19	13.0	280	9.8	7.7	<0.001	<0.01	0.69	1.5	0.2	0.6	7.2	<0.01	0.07	2.4
CC127095		0.96	21.7	300	13.7	8.8	<0.001	<0.01	0.62	2.6	0.2	0.7	13.2	<0.01	0.06	2.7
CC127096		0.33	746	780	8.0	5.1	<0.001	0.08	0.45	3.6	1.2	0.3	55.3	<0.01	0.02	0.5
CC127097		0.32	625	310	13.2	6.2	<0.001	0.01	0.49	6.2	0.2	0.4	20.9	<0.01	0.07	2.1
CC127098		0.22	551	570	13.4	4.5	0.001	0.03	0.53	7.1	1.2	0.3	29.7	<0.01	0.06	2.0
CC127099		0.21	77.0	640	13.8	8.0	<0.001	<0.01	0.90	2.1	0.3	0.4	8.4	<0.01	0.07	1.7
CC127100		0.27	15.5	640	10.0	6.3	<0.001	<0.01	0.41	1.8	<0.2	0.5	10.1	<0.01	0.07	1.2
CC127201		0.15	13.1	160	6.4	9.4	<0.001	<0.01	0.19	1.6	<0.2	0.4	4.0	<0.01	0.02	3.8
CC127202		0.42	26.4	440	22.7	10.2	<0.001	<0.01	0.52	2.8	0.3	0.5	8.6	<0.01	0.05	3.5
CC127203		0.89	11.4	160	8.5	14.6	<0.001	<0.01	0.34	1.5	<0.2	0.5	9.0	<0.01	0.03	3.3
CC127204		0.24	7.8	260	5.6	11.5	<0.001	<0.01	0.29	1.1	<0.2	0.7	4.4	<0.01	0.03	2.4
CC127205		0.73	24.9	580	18.6	6.7	<0.001	0.01	0.92	3.5	0.5	0.5	35.9	<0.01	0.04	2.0
CC127206		0.74	4.8	110	6.3	3.0	<0.001	<0.01	0.51	0.7	<0.2	0.6	4.1	<0.01	0.02	1.5
CC127207		0.27	17.4	770	11.0	4.8	<0.001	0.09	0.82	1.7	0.8	0.3	44.7	<0.01	0.04	0.6
CC127208		0.17	27.1	1450	14.7	8.1	0.001	0.03	1.07	4.1	1.1	0.3	21.7	<0.01	0.04	2.7
CC127209		0.19	20.7	590	11.8	6.0	0.001	0.06	1.22	3.5	1.4	0.4	39.2	<0.01	0.04	1.7
CC127210		0.16	21.4	860	9.8	8.4	0.002	0.07	1.77	2.3	2.4	0.3	38.9	<0.01	0.06	1.6
CC127301		0.72	17.6	150	13.0	6.3	<0.001	<0.01	0.58	2.0	0.3	0.6	6.8	<0.01	0.05	2.1
CC127302		0.68	13.0	70	11.8	6.3	<0.001	<0.01	0.19	2.1	<0.2	0.6	8.1	<0.01	0.03	2.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 21- JUL- 2011
Account: RCM

Project: Rackla- Trent

CERTIFICATE OF ANALYSIS WH11118090

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
CC123833		0.005	0.09	1.19	42	0.07	15.85	95	0.9
CC123834		<0.005	0.10	0.90	30	0.05	10.75	96	0.8
CC123835		<0.005	0.06	0.86	26	0.07	10.10	107	1.4
CC123836		<0.005	0.02	0.27	27	<0.05	8.39	34	<0.5
CC123837		0.005	0.11	1.35	35	0.13	13.70	69	1.3
CC123838		0.021	0.10	14.45	37	0.09	17.90	70	1.8
CC123839		0.009	0.08	5.33	27	0.15	10.50	75	1.9
CC123840		0.009	0.08	1.69	37	0.10	7.85	46	1.3
CC123841		0.006	0.08	11.85	23	0.06	13.70	59	2.3
CC123842		0.005	0.06	7.86	14	0.05	10.05	63	1.8
CC123843		0.009	0.06	2.23	26	0.07	5.32	55	1.1
CC123844		<0.005	0.07	9.97	20	0.05	16.10	53	2.6
CC123845		0.011	0.10	0.38	44	0.18	2.60	56	2.1
CC123846		0.022	0.10	0.34	38	0.16	2.23	43	1.2
CC123847		0.007	0.12	1.18	17	0.05	16.75	86	1.9
CC123848		<0.005	0.05	0.36	9	<0.05	8.28	49	3.2
CC123849		<0.005	0.06	0.37	7	0.12	3.92	42	1.7
CC123850		0.006	0.07	0.15	17	<0.05	1.49	21	<0.5
CC127091		0.025	0.67	0.45	94	0.27	1.89	61	<0.5
CC127092		<0.005	0.22	1.71	43	0.07	14.05	236	1.7
CC127093		0.013	0.12	0.87	49	0.15	15.10	138	1.3
CC127094		0.033	0.11	0.35	66	0.28	1.99	56	0.6
CC127095		0.017	0.12	0.50	63	0.24	5.01	71	1.0
CC127096		0.010	0.08	0.77	22	0.06	10.45	62	1.1
CC127097		0.012	0.07	0.86	38	0.07	7.00	93	1.3
CC127098		0.006	0.08	1.29	32	0.06	12.55	93	1.5
CC127099		<0.005	0.08	0.40	37	<0.05	2.13	89	0.5
CC127100		0.005	0.07	0.24	39	0.08	1.31	50	<0.5
CC127201		<0.005	0.09	0.15	22	<0.05	2.29	50	1.2
CC127202		0.008	0.12	0.58	34	0.09	5.66	103	0.9
CC127203		0.027	0.06	0.33	33	0.13	2.98	78	0.8
CC127204		0.007	0.08	0.22	34	0.09	1.46	35	<0.5
CC127205		0.014	0.16	0.74	43	0.19	10.65	150	1.2
CC127206		0.027	0.61	0.19	48	0.18	1.18	19	<0.5
CC127207		0.006	0.50	0.85	32	0.05	8.82	61	1.3
CC127208		<0.005	0.17	1.40	24	<0.05	11.60	145	2.5
CC127209		<0.005	0.19	1.61	29	<0.05	14.05	76	3.1
CC127210		<0.005	0.26	3.51	35	<0.05	8.36	186	2.4
CC127301		0.015	0.67	0.35	52	0.18	2.34	45	0.9
CC127302		0.020	0.31	0.28	44	0.12	2.12	31	1.4

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 21- JUL- 2011
Account: RCM

Project: Rackla- Trent

CERTIFICATE OF ANALYSIS WH11118090

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- TL43 Au ppm 0.001	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1
CC127303		0.26	0.001	0.04	1.31	5.0	<0.2	<10	110	0.42	0.20	0.03	0.07	52.4	5.5	16
CC127304		0.20	0.001	0.17	1.61	11.9	<0.2	<10	1900	0.74	0.27	0.07	0.26	27.1	11.0	23
CC127305		0.22	0.001	0.11	1.21	8.8	<0.2	<10	230	0.25	0.26	0.02	0.12	42.5	4.2	14
CC127306		0.24	0.001	0.08	1.27	9.2	<0.2	<10	390	0.41	0.23	0.04	0.13	36.2	8.3	19
CC127307		0.12	<0.001	0.15	1.03	3.5	<0.2	<10	170	0.28	0.19	0.35	0.12	31.1	3.6	13
CC127308		0.20	0.001	0.38	1.92	15.2	<0.2	<10	3340	0.94	0.29	0.52	0.32	31.0	14.7	31
CC127309		0.15	0.002	0.55	0.95	11.0	<0.2	<10	2250	0.47	0.19	1.09	0.49	16.05	6.3	19
CC127310		0.17	0.001	0.26	0.91	10.3	<0.2	<10	150	0.14	0.24	0.03	0.11	20.0	3.4	13
CC127311		0.17	0.001	0.14	1.26	12.1	<0.2	<10	180	0.38	0.23	0.04	0.21	16.80	9.4	17
CC127312		0.15	0.001	0.91	1.01	13.7	<0.2	<10	90	0.12	0.27	0.04	0.21	25.2	2.7	16
CC127313		0.18	0.001	0.18	0.26	5.6	<0.2	<10	100	0.08	0.12	0.01	0.12	25.1	2.0	7
CC127314		0.21	0.002	0.55	0.49	11.9	<0.2	<10	230	0.24	0.20	0.14	0.31	38.7	5.0	14
CC127315		0.12	0.002	0.92	0.97	10.1	<0.2	<10	820	0.52	0.18	1.58	0.90	17.45	6.5	21
CC127316		0.17	0.002	0.51	0.96	9.3	<0.2	<10	920	0.38	0.17	1.51	0.33	13.00	6.4	20
CC127317		0.22	0.002	0.08	1.10	16.7	<0.2	10	200	0.67	0.24	0.24	0.32	21.6	42.9	212
CC127318		0.24	0.001	0.07	1.59	10.1	<0.2	<10	170	0.54	0.25	0.06	0.34	22.2	14.2	83
CC127319		0.23	0.001	0.05	1.05	8.9	<0.2	<10	230	0.40	0.27	0.17	0.32	18.80	15.1	80
CC127320		0.26	<0.001	0.03	1.27	6.4	<0.2	10	190	0.38	0.18	0.30	0.20	17.35	38.3	258
CC127321		0.17	0.003	0.06	0.68	3.2	<0.2	<10	210	0.55	0.32	0.36	0.38	11.00	35.7	95
CC127322		0.19	0.001	0.05	1.60	10.9	<0.2	<10	240	0.66	0.27	0.14	0.19	23.1	16.5	65
CC127323		0.15	0.001	0.09	1.96	15.0	<0.2	<10	90	0.50	0.40	0.05	0.14	20.7	14.4	53
CC127324		0.16	0.002	0.10	1.78	11.7	<0.2	<10	170	0.70	0.25	0.32	0.19	29.3	9.5	27
CC127325		0.21	<0.001	0.02	1.50	8.5	<0.2	<10	230	0.58	0.27	0.38	0.06	25.5	9.2	20
CC127326		0.13	<0.001	0.03	0.65	15.0	<0.2	<10	120	1.10	0.43	2.03	0.08	34.3	18.4	9
CC127327		0.10	<0.001	0.04	0.59	13.9	<0.2	<10	120	0.86	0.42	0.91	0.11	34.7	17.1	9
CC127328		0.20	<0.001	0.05	1.73	12.1	<0.2	<10	210	1.19	0.42	0.21	0.15	16.85	21.5	26
CC127329		0.24	0.001	0.32	2.06	10.6	<0.2	<10	380	1.16	0.29	0.07	0.22	20.6	15.3	28
CC127330		0.17	<0.001	0.10	1.33	8.1	<0.2	<10	620	0.66	0.27	0.38	0.11	32.0	12.3	20
CC127331		0.07	<0.001	0.25	1.13	10.5	<0.2	<10	770	0.69	0.20	2.39	0.28	18.75	8.9	19
CC127332		0.21	<0.001	0.25	1.01	6.2	<0.2	<10	860	0.78	0.31	0.14	0.13	26.4	4.4	14
CC127333		0.21	<0.001	0.13	1.13	8.7	<0.2	<10	110	0.22	0.30	0.07	0.15	23.2	3.0	18
CC127334		0.26	0.001	0.05	0.61	6.3	<0.2	40	140	0.26	0.10	0.09	0.18	8.99	112.0	571
CC127335		0.22	<0.001	0.08	0.77	3.7	<0.2	20	190	0.34	0.14	0.26	0.11	11.80	67.4	414
CC127336		0.16	<0.001	0.09	1.03	5.3	<0.2	10	220	0.36	0.16	0.55	0.15	15.75	48.1	225
CC127337		0.18	<0.001	0.04	1.01	9.6	<0.2	<10	200	0.27	0.33	0.04	0.09	27.3	5.7	19
CC127338		0.19	<0.001	0.05	0.93	5.1	<0.2	<10	210	0.23	0.21	0.04	0.16	29.9	4.6	15
CC127339		0.18	<0.001	0.08	1.06	5.0	<0.2	<10	390	0.63	0.24	0.06	0.15	39.6	4.3	13
CC127340		0.20	<0.001	0.15	1.49	10.7	<0.2	<10	160	0.40	0.30	0.03	0.08	27.2	5.0	20
CC127341		0.28	<0.001	0.20	1.08	12.0	<0.2	<10	630	0.31	0.26	0.19	0.34	20.2	6.0	18
CC127342		0.24	<0.001	0.08	1.25	12.2	<0.2	<10	120	0.28	0.33	0.04	0.32	19.90	5.7	20

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 21- JUL- 2011
Account: RCM

Project: Rackla- Trent

CERTIFICATE OF ANALYSIS WH11118090

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
CC127303		1.61	15.7	2.55	3.62	0.16	0.05	0.02	0.018	0.08	26.0	15.9	0.26	163	0.83	<0.01
CC127304		1.19	19.5	3.56	4.38	0.14	0.04	0.03	0.032	0.08	14.1	18.2	0.30	280	2.06	<0.01
CC127305		1.33	8.0	2.43	5.83	0.13	<0.02	0.02	0.013	0.05	22.7	6.5	0.11	101	1.29	<0.01
CC127306		1.16	20.6	2.66	4.34	0.15	0.02	0.02	0.019	0.05	17.8	15.3	0.21	179	1.43	<0.01
CC127307		2.81	11.8	1.91	4.65	0.13	0.03	0.05	0.014	0.10	14.9	5.0	0.12	200	0.70	<0.01
CC127308		1.05	17.7	3.65	4.93	<0.05	0.06	0.08	0.036	0.08	14.7	20.4	0.46	462	1.61	<0.01
CC127309		0.66	20.6	2.38	2.73	<0.05	0.05	0.12	0.029	0.07	9.0	13.0	0.26	181	2.39	<0.01
CC127310		0.81	9.9	2.59	5.24	<0.05	<0.02	0.02	0.017	0.03	10.4	2.7	0.07	94	1.88	<0.01
CC127311		1.83	13.9	3.68	4.33	<0.05	0.03	0.03	0.033	0.05	8.6	12.7	0.15	188	2.17	<0.01
CC127312		1.22	7.1	2.49	6.96	<0.05	<0.02	0.04	0.015	0.03	13.4	6.7	0.14	93	2.97	<0.01
CC127313		0.83	13.9	1.31	1.63	<0.05	<0.02	0.01	0.016	0.03	16.6	0.5	0.01	12	3.04	<0.01
CC127314		0.81	29.3	2.22	1.82	0.07	0.02	0.07	0.031	0.04	27.2	3.3	0.04	76	6.22	<0.01
CC127315		0.76	30.1	2.42	2.37	0.05	0.05	0.11	0.026	0.05	13.1	11.6	0.24	274	1.77	<0.01
CC127316		0.63	19.3	2.32	2.70	0.05	0.04	0.08	0.025	0.05	7.1	13.1	0.33	347	1.65	<0.01
CC127317		0.62	33.5	5.14	2.92	0.05	0.04	0.05	0.033	0.06	11.1	11.2	4.68	1180	0.90	0.01
CC127318		1.39	20.3	3.77	4.80	<0.05	0.02	0.02	0.032	0.05	10.9	23.5	0.91	372	1.48	<0.01
CC127319		0.85	19.4	3.58	4.13	<0.05	<0.02	0.02	0.031	0.05	9.3	15.4	0.96	466	1.60	<0.01
CC127320		0.48	22.6	4.30	3.53	<0.05	0.03	0.02	0.021	0.04	8.3	11.7	4.75	536	0.73	0.01
CC127321		0.52	145.5	6.93	1.80	<0.05	0.03	0.04	0.070	0.05	5.0	4.2	0.85	1070	0.72	<0.01
CC127322		1.09	27.6	4.31	4.76	<0.05	0.02	0.02	0.037	0.05	10.2	18.1	0.79	682	1.99	<0.01
CC127323		1.76	21.0	5.88	7.54	<0.05	0.04	0.02	0.040	0.09	10.4	25.9	0.47	598	1.78	<0.01
CC127324		0.69	16.2	4.29	4.58	<0.05	0.05	0.03	0.029	0.05	12.4	14.8	0.34	527	1.18	<0.01
CC127325		0.75	13.9	2.94	4.29	<0.05	0.06	0.01	0.031	0.05	10.5	13.3	0.28	192	0.75	<0.01
CC127326		0.89	36.2	3.43	1.85	0.06	0.04	0.04	0.044	0.06	13.8	4.4	0.08	386	0.42	<0.01
CC127327		0.65	30.0	3.22	1.58	0.06	0.04	0.03	0.048	0.06	13.4	4.4	0.08	290	0.47	<0.01
CC127328		1.69	39.3	4.35	5.65	<0.05	0.02	0.08	0.039	0.06	7.3	33.7	0.38	621	1.27	<0.01
CC127329		1.11	34.7	4.18	4.36	<0.05	0.06	0.04	0.036	0.06	10.0	29.0	0.30	509	1.80	<0.01
CC127330		0.81	18.6	3.09	3.66	<0.05	0.04	0.09	0.027	0.08	16.3	23.7	0.38	621	0.65	<0.01
CC127331		0.55	20.8	2.24	2.98	<0.05	0.05	0.11	0.022	0.05	10.0	12.5	0.26	767	0.57	<0.01
CC127332		1.01	15.8	2.15	4.40	<0.05	<0.02	0.03	0.018	0.07	13.5	10.9	0.17	167	0.73	<0.01
CC127333		0.92	4.2	2.30	6.35	<0.05	0.02	0.02	0.017	0.05	11.8	10.7	0.22	98	1.18	<0.01
CC127334		0.27	21.1	5.42	1.37	0.05	0.05	0.03	0.020	0.03	4.2	5.7	15.60	971	0.49	<0.01
CC127335		0.63	16.8	4.48	1.90	0.05	0.03	0.05	0.020	0.04	5.5	8.2	12.00	641	0.25	<0.01
CC127336		0.40	16.2	3.48	2.75	<0.05	0.04	0.04	0.020	0.04	6.8	11.2	6.17	632	0.42	<0.01
CC127337		1.91	12.7	3.26	5.56	<0.05	<0.02	0.01	0.018	0.06	13.6	11.1	0.22	337	1.29	<0.01
CC127338		0.73	7.5	2.67	4.45	<0.05	<0.02	0.03	0.017	0.06	14.8	11.7	0.18	374	0.89	<0.01
CC127339		0.90	12.7	2.09	4.43	0.05	<0.02	0.01	0.019	0.07	21.3	9.3	0.10	196	0.86	<0.01
CC127340		1.60	9.7	2.83	5.52	<0.05	0.02	0.02	0.023	0.05	14.6	15.2	0.16	171	1.44	<0.01
CC127341		1.03	13.6	2.90	5.15	<0.05	0.02	0.04	0.021	0.05	10.5	11.2	0.22	202	2.86	<0.01
CC127342		1.19	10.4	3.15	6.01	<0.05	0.03	0.01	0.019	0.04	11.3	12.0	0.23	223	1.70	<0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 21- JUL- 2011
Account: RCM

Project: Rackla- Trent

CERTIFICATE OF ANALYSIS WH11118090

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
CC127303		0.47	13.5	140	7.5	13.1	<0.001	<0.01	0.32	1.6	0.2	0.4	6.1	<0.01	0.03	4.7
CC127304		0.63	27.7	330	20.1	10.7	<0.001	0.01	0.90	2.5	0.8	0.5	12.5	<0.01	0.07	3.6
CC127305		0.82	7.5	230	8.6	9.0	<0.001	<0.01	0.55	1.4	0.2	0.7	4.4	<0.01	0.10	3.2
CC127306		0.73	18.4	150	12.4	9.0	<0.001	<0.01	0.62	2.0	0.5	0.6	7.6	<0.01	0.05	3.4
CC127307		0.24	7.5	520	10.0	11.1	0.001	0.04	0.26	1.6	0.2	0.6	18.5	<0.01	0.03	1.7
CC127308		0.68	34.5	430	17.8	10.4	<0.001	0.02	0.74	4.6	0.6	0.5	19.8	<0.01	0.03	3.8
CC127309		0.23	21.4	680	12.7	6.8	<0.001	0.07	0.78	3.0	1.1	0.3	31.0	<0.01	0.04	1.7
CC127310		1.02	10.1	210	9.9	7.2	<0.001	<0.01	0.72	1.4	<0.2	0.7	7.9	<0.01	0.02	2.3
CC127311		0.88	20.1	290	14.2	10.5	<0.001	<0.01	0.92	2.6	<0.2	0.6	9.6	<0.01	0.02	2.6
CC127312		1.33	6.8	270	10.1	6.9	<0.001	<0.01	0.78	1.5	0.6	0.9	6.3	<0.01	0.03	2.6
CC127313		0.12	22.9	180	4.8	4.8	0.002	<0.01	1.23	0.9	0.8	0.3	3.8	<0.01	0.06	1.6
CC127314		0.18	57.3	360	10.8	6.3	0.002	<0.01	1.39	2.3	2.8	0.4	10.9	<0.01	0.06	2.4
CC127315		0.26	35.7	710	11.7	5.7	0.006	0.07	0.77	3.7	3.4	0.3	68.6	<0.01	0.07	1.0
CC127316		0.32	26.7	880	10.2	6.2	0.002	0.07	0.58	2.4	1.6	0.3	57.0	<0.01	0.04	0.8
CC127317		0.28	654	570	19.2	5.6	<0.001	<0.01	0.43	6.8	0.5	0.4	16.1	<0.01	0.05	2.7
CC127318		0.88	110.0	220	13.9	11.5	<0.001	<0.01	0.57	2.7	0.2	0.6	9.5	<0.01	0.03	3.0
CC127319		0.53	122.5	350	13.0	10.3	<0.001	<0.01	0.50	2.6	0.2	0.5	18.5	<0.01	0.03	1.9
CC127320		0.50	573	260	10.2	5.4	<0.001	<0.01	0.31	4.5	<0.2	0.5	14.8	<0.01	0.02	2.2
CC127321		0.20	249	570	21.8	3.9	<0.001	0.02	0.45	16.2	1.0	0.3	28.9	<0.01	0.27	1.3
CC127322		0.54	107.5	360	16.0	9.7	0.001	<0.01	0.61	3.5	0.3	0.6	16.1	<0.01	0.06	2.8
CC127323		1.78	33.1	540	24.3	13.3	0.001	0.01	0.81	3.2	0.3	0.9	8.6	<0.01	0.03	3.9
CC127324		0.72	22.9	440	14.5	7.6	<0.001	<0.01	0.59	3.2	0.4	0.6	11.3	<0.01	0.03	4.3
CC127325		0.54	17.9	140	14.8	8.7	<0.001	<0.01	0.29	3.1	<0.2	0.6	33.4	<0.01	0.03	3.6
CC127326		0.19	29.4	360	25.7	5.9	0.001	<0.01	0.33	8.2	0.6	0.5	113.0	<0.01	0.05	4.6
CC127327		0.18	24.7	430	25.4	5.5	<0.001	0.01	0.31	6.6	0.4	0.4	50.8	<0.01	0.05	4.2
CC127328		0.34	25.7	370	33.8	8.8	<0.001	<0.01	0.39	3.2	<0.2	0.6	17.3	<0.01	0.03	2.8
CC127329		0.50	32.7	430	18.8	9.7	<0.001	<0.01	0.66	3.4	0.2	0.5	9.9	<0.01	0.04	3.7
CC127330		0.29	23.9	380	15.0	9.8	<0.001	<0.01	0.29	3.1	0.3	0.4	22.0	<0.01	0.04	2.9
CC127331		0.48	24.5	640	16.3	5.7	<0.001	0.06	0.42	2.1	0.9	0.3	41.2	<0.01	0.01	0.7
CC127332		0.43	10.7	160	13.4	9.5	<0.001	<0.01	0.26	2.0	<0.2	0.5	10.4	<0.01	0.05	3.5
CC127333		1.47	7.5	170	13.2	12.4	<0.001	<0.01	0.46	1.6	<0.2	0.7	7.1	<0.01	0.02	2.9
CC127334		0.09	1775	270	7.3	2.8	<0.001	<0.01	0.17	7.5	0.2	0.2	6.5	<0.01	0.01	1.5
CC127335		0.22	1230	280	7.6	4.8	<0.001	0.01	0.19	6.3	0.4	0.3	13.8	<0.01	<0.01	1.5
CC127336		0.39	629	400	9.6	4.8	<0.001	0.03	0.22	4.4	<0.2	0.4	27.0	<0.01	0.01	1.5
CC127337		0.90	11.5	290	15.5	10.5	<0.001	<0.01	0.53	1.6	<0.2	0.6	6.7	<0.01	<0.01	2.8
CC127338		0.87	10.4	190	8.0	11.2	<0.001	<0.01	0.35	1.5	<0.2	0.5	6.2	<0.01	0.02	3.0
CC127339		0.58	10.0	180	12.0	11.9	<0.001	<0.01	0.29	1.6	<0.2	0.6	9.0	<0.01	0.02	3.1
CC127340		0.94	9.5	240	14.1	14.4	<0.001	<0.01	0.54	1.6	<0.2	0.7	5.7	<0.01	0.04	3.1
CC127341		0.88	14.6	410	15.8	9.0	0.001	<0.01	1.02	2.0	0.5	0.6	12.7	<0.01	0.03	2.6
CC127342		0.95	12.1	310	18.2	8.3	<0.001	<0.01	0.64	1.7	<0.2	0.7	6.6	<0.01	0.02	3.4

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 21- JUL- 2011
Account: RCM

Project: Rackla- Trent

CERTIFICATE OF ANALYSIS WH11118090

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
CC127303		0.011	0.09	0.34	24	0.09	2.69	46	2.0
CC127304		0.013	0.14	0.64	44	0.13	4.21	92	2.0
CC127305		0.018	0.10	0.29	48	0.16	1.90	35	0.6
CC127306		0.019	0.10	0.45	44	0.16	3.35	55	0.9
CC127307		0.009	0.11	0.44	26	0.09	3.04	41	0.6
CC127308		0.013	0.24	1.09	48	0.18	10.55	103	1.5
CC127309		<0.005	0.14	0.96	38	0.06	8.89	104	1.4
CC127310		0.027	0.15	0.37	62	0.23	2.23	56	<0.5
CC127311		0.011	0.12	0.49	46	0.18	3.39	88	1.0
CC127312		0.040	0.14	0.39	72	0.30	1.85	39	<0.5
CC127313		<0.005	0.05	0.21	37	<0.05	1.72	79	0.8
CC127314		<0.005	0.10	1.19	29	0.06	12.55	165	1.1
CC127315		0.005	0.11	1.80	30	0.05	26.8	127	1.6
CC127316		0.007	0.07	1.05	30	0.06	9.69	124	1.1
CC127317		0.014	0.09	1.31	35	0.08	12.75	95	1.4
CC127318		0.020	0.11	0.51	46	0.24	2.66	139	0.8
CC127319		0.015	0.07	0.55	42	0.14	3.46	77	<0.5
CC127320		0.023	0.06	0.72	42	0.12	3.14	61	0.9
CC127321		0.005	0.03	0.39	48	<0.05	12.40	62	0.7
CC127322		0.009	0.13	0.77	56	0.16	4.32	77	0.6
CC127323		0.029	0.12	0.60	64	0.30	2.87	79	1.5
CC127324		0.012	0.10	1.02	47	0.23	5.73	52	1.5
CC127325		0.009	0.09	0.63	37	0.12	4.82	58	2.0
CC127326		<0.005	0.06	1.21	15	<0.05	18.45	96	1.5
CC127327		<0.005	0.05	1.25	14	<0.05	16.70	116	1.4
CC127328		0.005	0.06	0.68	32	0.08	4.59	77	0.7
CC127329		0.008	0.10	0.69	40	0.14	4.35	84	1.9
CC127330		0.007	0.08	1.28	26	0.06	5.71	55	1.1
CC127331		0.007	0.22	1.38	27	0.10	10.85	63	1.3
CC127332		0.009	0.07	0.71	30	0.09	4.80	28	0.5
CC127333		0.041	0.13	0.37	61	0.27	1.93	36	0.9
CC127334		0.009	0.04	0.68	22	<0.05	4.43	51	1.4
CC127335		0.010	0.05	0.57	21	<0.05	6.41	59	1.0
CC127336		0.015	0.05	0.61	30	0.07	4.89	55	1.0
CC127337		0.020	0.08	0.37	42	0.18	2.18	52	<0.5
CC127338		0.023	0.08	0.31	40	0.15	2.21	58	0.5
CC127339		0.013	0.07	0.43	38	0.14	3.59	64	<0.5
CC127340		0.017	0.13	0.41	53	0.21	2.23	49	0.9
CC127341		0.020	0.16	0.52	49	0.16	3.10	78	1.0
CC127342		0.027	0.11	0.45	52	0.17	2.20	61	1.2

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 21- JUL- 2011
Account: RCM

Project: Rackla- Trent

CERTIFICATE OF ANALYSIS WH11118090

Sample Description	Method	WEI- 21	Au- TL43	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Recvd Wt.	Au	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
CC127343		0.21	0.001	0.79	0.37	9.7	<0.2	<10	230	0.12	0.15	0.04	0.22	12.10	1.6	15
CC127344		0.23	<0.001	0.21	0.58	7.9	<0.2	<10	310	0.14	0.16	0.02	0.18	17.00	1.8	13
CC127345		0.23	<0.001	3.05	1.31	11.7	<0.2	<10	140	0.33	0.22	0.03	0.26	23.2	3.0	18
CC127346		0.29	<0.001	0.35	1.96	11.7	<0.2	<10	2420	0.68	0.24	0.06	0.37	24.6	11.1	25
CC127347		0.22	<0.001	0.21	0.97	10.0	<0.2	<10	140	0.20	0.26	0.07	0.16	22.2	2.9	15
CC127348		0.22	<0.001	1.03	0.67	29.4	<0.2	<10	150	0.54	0.17	1.26	1.19	34.0	7.1	26
CC127349		0.20	0.003	0.31	0.89	11.6	<0.2	<10	390	0.71	0.24	1.40	0.27	16.65	19.2	50
CC127350		0.15	0.003	0.24	0.96	8.0	<0.2	<10	530	0.72	0.19	3.13	0.35	11.15	15.7	41
CC127351		0.12	0.003	0.24	1.61	10.8	<0.2	<10	310	0.81	0.31	0.15	0.14	20.7	19.8	45
CC127352		0.21	0.002	0.12	1.34	11.8	<0.2	<10	530	0.91	0.32	0.25	0.26	19.15	22.1	51
CC127353		0.15	0.001	0.02	1.04	11.5	<0.2	<10	120	0.42	0.26	0.14	0.29	15.30	15.8	35
CC127354		0.06	0.002	0.32	0.94	5.9	<0.2	<10	460	0.71	0.16	1.82	0.48	11.90	10.2	21
CC127355		0.25	0.005	0.24	0.90	8.8	<0.2	<10	280	0.63	0.21	1.09	0.84	10.40	28.4	43
CC127356		0.25	0.002	0.05	1.45	10.9	<0.2	<10	300	0.79	0.30	0.14	0.18	22.4	18.6	31
CC127357		0.27	0.002	0.04	1.42	13.7	<0.2	<10	320	0.89	0.33	0.13	0.25	30.1	19.9	23
CC127358		0.16	0.002	0.04	1.54	11.4	<0.2	<10	250	0.69	0.26	0.13	0.19	22.3	16.2	31
CC127359		0.27	0.001	0.03	1.15	8.9	<0.2	<10	210	0.32	0.32	0.05	0.07	26.2	4.1	19
CC127360		0.30	<0.001	0.06	1.23	8.3	<0.2	<10	160	0.52	0.34	0.02	0.10	22.3	7.7	21
CC127361		0.20	0.001	0.04	1.40	11.0	<0.2	<10	140	0.34	0.32	0.04	0.14	19.50	6.5	24
CC127362		0.29	<0.001	0.08	1.97	13.2	<0.2	<10	200	1.01	0.51	0.03	0.16	17.70	17.4	29
CC127363		0.22	<0.001	0.05	1.12	8.0	<0.2	<10	680	0.35	0.25	0.12	0.09	25.3	6.7	20
CC127364		0.20	0.002	0.05	1.70	12.1	<0.2	<10	110	0.52	0.31	0.04	0.12	25.4	7.7	26
CC127365		0.16	<0.001	0.12	0.77	23.3	<0.2	<10	120	0.25	0.25	0.03	0.09	43.8	5.5	12
CC127366		0.21	0.002	0.25	1.78	16.5	<0.2	<10	400	0.83	0.32	0.08	0.16	33.4	12.5	30
CC127367		0.21	<0.001	0.06	0.79	9.2	<0.2	<10	90	0.20	0.24	0.02	0.11	44.7	3.2	12
CC127368		0.23	<0.001	0.12	1.25	16.5	<0.2	<10	60	0.95	0.38	0.06	0.14	15.45	25.0	17
CC127369		0.35	0.001	0.23	1.05	8.3	<0.2	<10	2980	0.87	0.27	0.36	0.16	31.7	10.2	18
CC127370		0.25	0.001	0.39	1.19	10.2	<0.2	<10	2640	1.25	0.28	0.78	0.31	38.2	12.5	21
CC127371		0.21	0.001	0.21	1.03	8.0	<0.2	<10	1460	0.85	0.25	0.57	0.25	26.3	10.6	19
CC127372		0.22	0.001	0.02	1.32	3.8	<0.2	<10	720	0.50	0.45	0.01	0.04	9.16	7.6	25
CC127373		0.20	<0.001	0.18	1.08	5.3	<0.2	<10	100	0.40	0.28	0.02	0.04	19.75	4.0	17
CC127374		0.21	0.001	0.04	1.70	14.8	<0.2	<10	120	0.40	0.32	0.05	0.16	22.2	7.7	28
CC127375		0.20	0.002	0.11	1.68	11.1	<0.2	<10	180	0.61	0.32	0.09	0.08	28.0	5.7	27
CC127376		0.17	0.001	0.03	1.30	8.3	<0.2	<10	90	0.28	0.22	0.04	0.10	30.8	4.0	16
CC127377		0.18	0.001	0.05	0.72	14.7	<0.2	<10	100	0.21	0.23	0.05	0.08	29.8	3.7	10
CC127378		0.32	0.007	0.49	1.87	23.2	<0.2	<10	520	1.02	0.28	0.90	0.80	58.7	16.8	34
CC127379		0.20	0.001	0.68	0.87	15.8	<0.2	<10	100	0.17	0.24	0.04	0.46	22.1	2.3	16
CC127380		0.13	0.001	0.78	1.06	16.0	<0.2	<10	120	0.28	0.25	0.04	0.65	21.0	3.9	18
CC127381		0.17	0.003	1.78	0.73	17.5	<0.2	<10	50	0.21	0.26	0.23	0.15	19.00	2.4	15
CC127382		0.19	0.003	1.48	1.02	12.5	<0.2	<10	140	0.32	0.21	0.16	0.64	20.9	3.5	17

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 21- JUL- 2011
Account: RCM

Project: Rackla- Trent

CERTIFICATE OF ANALYSIS WH11118090

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
CC127343		0.45	19.2	1.41	1.54	<0.05	<0.02	0.04	0.022	0.02	11.9	2.1	0.04	32	9.59	<0.01
CC127344		0.49	6.4	1.39	3.35	0.12	<0.02	0.01	<0.005	0.02	12.5	3.7	0.07	54	3.59	<0.01
CC127345		0.74	9.2	2.63	5.13	0.13	0.02	0.03	0.010	0.02	12.1	12.3	0.14	98	3.70	<0.01
CC127346		0.72	29.3	3.63	4.24	0.13	0.10	0.03	0.022	0.05	12.0	25.6	0.32	177	1.73	0.03
CC127347		0.66	7.4	2.80	6.06	0.13	0.04	0.02	0.007	0.03	11.8	6.1	0.12	98	1.24	<0.01
CC127348		1.62	49.4	2.69	1.60	0.25	0.10	0.07	0.036	0.10	25.6	7.1	0.10	136	7.59	0.01
CC127349		1.06	49.9	3.12	2.62	0.15	0.07	0.11	0.021	0.07	7.5	18.9	1.50	446	0.73	0.01
CC127350		0.63	49.9	3.11	2.38	0.12	0.04	0.13	0.017	0.05	5.5	13.4	1.45	804	0.80	<0.01
CC127351		1.61	49.0	4.36	4.73	0.13	0.05	0.22	0.032	0.07	10.2	24.3	0.57	778	1.44	0.01
CC127352		1.31	64.1	4.46	4.06	0.14	0.04	0.13	0.028	0.06	8.7	24.6	0.91	745	1.43	0.01
CC127353		0.72	49.3	5.02	4.39	0.13	0.02	0.03	0.028	0.05	6.5	15.1	0.29	558	1.73	0.01
CC127354		0.64	60.6	2.78	2.86	0.14	0.03	0.11	0.023	0.03	6.7	6.9	0.41	427	1.20	0.02
CC127355		1.00	137.0	6.40	2.49	0.14	0.03	0.20	0.050	0.04	5.0	14.2	0.41	1040	1.81	<0.01
CC127356		0.75	73.9	5.63	4.37	0.13	0.02	0.03	0.041	0.05	11.1	18.5	0.43	541	1.22	<0.01
CC127357		0.99	43.8	5.66	4.43	0.13	0.02	0.05	0.039	0.05	13.3	17.7	0.31	774	1.89	0.01
CC127358		1.03	43.7	4.67	4.48	0.12	0.02	0.02	0.041	0.05	10.4	24.7	0.45	378	1.18	0.01
CC127359		1.23	9.6	2.92	5.92	0.12	<0.02	0.01	0.010	0.04	12.7	13.5	0.17	237	1.11	<0.01
CC127360		1.63	20.6	3.25	5.62	0.12	0.04	0.02	0.014	0.04	11.3	22.2	0.22	262	1.05	0.01
CC127361		1.27	19.3	4.24	5.67	0.13	0.02	0.02	0.015	0.05	9.9	25.8	0.26	309	1.45	<0.01
CC127362		2.17	43.6	5.29	5.83	0.13	0.06	0.02	0.034	0.06	8.5	51.1	0.42	485	0.96	<0.01
CC127363		0.97	15.5	2.88	4.21	0.14	<0.02	0.01	0.010	0.06	12.9	19.9	0.31	202	0.99	0.01
CC127364		1.67	21.8	3.52	5.79	0.13	0.06	0.02	0.022	0.04	13.9	26.8	0.25	208	1.51	<0.01
CC127365		0.93	15.6	2.74	3.56	0.14	<0.02	0.06	0.007	0.07	22.1	4.1	0.08	174	1.26	<0.01
CC127366		1.85	24.2	4.01	5.19	0.15	0.05	0.06	0.024	0.07	15.4	24.8	0.37	449	1.19	0.01
CC127367		1.59	12.4	2.09	4.54	0.14	0.02	0.01	<0.005	0.08	22.7	3.6	0.07	94	1.37	<0.01
CC127368		5.02	32.1	3.34	3.38	0.13	0.04	0.05	0.016	0.09	6.3	28.1	0.40	1460	1.17	<0.01
CC127369		1.04	36.2	3.17	3.03	0.14	0.06	0.08	0.018	0.10	17.6	19.9	0.46	554	1.14	0.04
CC127370		1.25	46.3	3.47	2.97	0.15	0.07	0.07	0.021	0.11	19.6	19.2	0.42	499	1.39	0.03
CC127371		1.34	34.0	3.11	2.62	0.13	0.04	0.03	0.020	0.11	14.9	19.4	0.31	358	1.15	0.02
CC127372		3.26	22.1	4.23	5.53	0.12	0.02	0.01	0.009	0.05	4.1	22.8	0.29	308	0.68	0.01
CC127373		2.17	24.1	3.14	5.49	0.12	<0.02	0.01	0.011	0.05	10.3	10.4	0.13	123	0.97	0.01
CC127374		2.62	11.0	4.43	6.76	0.13	0.02	0.02	0.014	0.06	10.9	33.3	0.36	588	2.03	<0.01
CC127375		2.59	12.9	3.44	5.91	0.14	0.03	0.03	0.012	0.07	13.5	19.0	0.33	173	1.44	0.01
CC127376		0.82	6.4	2.42	5.31	0.13	0.03	0.01	0.006	0.04	15.5	12.4	0.13	146	1.33	<0.01
CC127377		0.72	12.7	2.11	4.26	0.12	<0.02	0.01	<0.005	0.08	16.3	2.4	0.06	63	1.16	<0.01
CC127378		3.13	93.6	2.98	5.65	0.18	0.10	0.13	0.050	0.48	33.0	44.5	0.85	92	6.52	0.01
CC127379		0.54	14.5	2.23	6.12	0.12	<0.02	0.04	<0.005	0.06	11.5	4.2	0.12	87	4.91	<0.01
CC127380		0.79	16.5	2.83	7.27	0.07	<0.02	0.02	0.019	0.05	10.6	8.5	0.18	142	5.82	0.01
CC127381		0.44	51.2	2.17	7.47	0.06	<0.02	0.09	0.018	0.03	9.6	3.1	0.07	77	3.99	0.01
CC127382		0.78	21.7	2.42	6.83	0.06	<0.02	0.08	0.018	0.05	10.5	9.9	0.17	116	4.58	0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 21- JUL- 2011
Account: RCM

Project: Rackla- Trent

CERTIFICATE OF ANALYSIS WH11118090

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
CC127343		0.26	32.5	490	7.7	3.1	0.003	<0.01	1.22	1.0	1.9	0.5	12.7	<0.01	0.02	0.9
CC127344		0.61	11.1	260	7.6	2.9	<0.001	<0.01	0.62	1.0	0.6	0.5	12.3	<0.01	0.04	1.5
CC127345		0.82	9.6	290	10.0	5.3	<0.001	<0.01	0.53	1.8	0.5	0.7	6.7	<0.01	0.03	2.6
CC127346		0.45	36.1	310	16.4	8.3	<0.001	<0.01	0.63	3.7	0.7	0.5	7.6	<0.01	0.06	3.6
CC127347		1.12	7.5	260	11.4	5.6	<0.001	<0.01	0.47	1.5	0.4	0.7	6.0	<0.01	0.05	2.5
CC127348		0.08	109.0	6220	10.5	7.5	0.005	0.02	2.07	6.2	5.0	0.4	43.5	<0.01	0.12	4.0
CC127349		0.19	157.0	570	15.9	6.1	0.001	0.04	0.44	5.4	0.9	0.3	55.7	<0.01	0.06	2.4
CC127350		0.24	129.0	630	11.2	4.6	0.001	0.06	0.52	4.8	1.0	0.2	74.9	<0.01	0.05	1.0
CC127351		0.46	61.1	520	46.6	9.2	0.001	0.02	0.56	7.0	1.1	0.4	16.2	<0.01	0.06	3.5
CC127352		0.28	101.5	590	19.1	6.6	<0.001	0.02	0.52	6.6	0.9	0.3	29.0	<0.01	0.06	3.2
CC127353		0.49	39.2	320	15.8	6.8	<0.001	0.01	0.57	5.1	0.4	0.4	16.0	<0.01	0.08	2.4
CC127354		0.29	48.8	770	12.2	4.2	<0.001	0.11	0.46	6.2	1.4	0.3	102.0	<0.01	0.06	0.6
CC127355		0.09	87.1	780	41.0	3.4	<0.001	0.05	0.91	19.5	1.4	0.2	54.7	<0.01	0.13	1.3
CC127356		0.37	49.0	240	12.6	8.0	<0.001	<0.01	0.46	8.2	0.7	0.4	11.3	<0.01	0.11	3.4
CC127357		0.70	41.5	380	17.0	9.6	0.001	0.01	0.59	5.9	1.0	0.5	11.8	<0.01	0.07	4.2
CC127358		0.51	42.1	210	11.9	10.6	<0.001	<0.01	0.48	4.9	0.4	0.4	10.8	<0.01	0.06	3.4
CC127359		0.90	8.1	230	11.2	10.2	<0.001	<0.01	0.35	2.0	<0.2	0.7	8.1	<0.01	0.02	3.6
CC127360		0.82	13.8	210	15.6	9.7	<0.001	0.01	0.37	2.2	0.4	0.7	6.8	<0.01	0.04	3.8
CC127361		0.95	15.9	280	15.1	11.8	<0.001	<0.01	0.56	2.3	0.4	0.6	6.6	<0.01	0.05	2.8
CC127362		0.21	26.1	250	15.6	11.2	<0.001	<0.01	0.34	3.5	0.4	0.5	8.0	<0.01	0.03	4.4
CC127363		0.52	16.4	230	11.7	9.3	<0.001	<0.01	0.38	2.0	0.4	0.5	10.4	<0.01	0.03	3.2
CC127364		0.89	17.4	260	16.1	11.2	<0.001	<0.01	0.69	2.5	0.5	0.7	7.0	<0.01	0.06	4.5
CC127365		0.59	11.6	200	12.5	11.0	<0.001	<0.01	0.41	1.7	0.2	0.4	4.5	<0.01	0.03	4.6
CC127366		0.97	36.9	370	18.4	12.9	0.001	0.01	0.58	3.4	0.6	0.6	10.4	<0.01	0.08	5.3
CC127367		0.61	8.2	230	12.9	11.6	<0.001	0.01	0.55	1.4	0.4	0.5	5.6	<0.01	0.05	3.8
CC127368		0.11	23.6	480	41.6	9.3	<0.001	0.02	0.30	2.5	0.3	0.3	9.2	<0.01	0.02	2.9
CC127369		0.15	26.8	250	14.9	8.5	<0.001	0.07	0.53	5.3	0.7	0.3	37.5	<0.01	0.06	3.5
CC127370		0.24	36.5	440	19.1	9.3	0.001	0.05	0.66	5.6	1.1	0.3	35.5	<0.01	0.06	4.0
CC127371		0.24	27.0	430	16.5	9.5	<0.001	0.02	0.48	3.5	0.5	0.3	21.5	<0.01	0.06	2.9
CC127372		0.50	14.2	240	10.7	9.2	<0.001	0.02	0.25	2.0	0.2	0.6	19.7	<0.01	0.03	2.7
CC127373		0.61	8.5	240	14.6	9.8	<0.001	0.01	0.32	1.7	0.2	0.6	3.9	<0.01	0.02	2.8
CC127374		1.43	14.4	430	16.8	14.3	<0.001	<0.01	0.81	2.4	0.4	0.7	7.2	<0.01	0.05	3.6
CC127375		1.43	13.2	280	13.1	13.3	<0.001	0.01	0.58	2.3	0.4	0.7	8.6	<0.01	0.05	4.2
CC127376		1.15	8.9	160	13.7	8.7	<0.001	<0.01	0.67	1.5	0.2	0.7	5.3	<0.01	0.02	3.4
CC127377		0.57	8.7	250	11.8	9.2	<0.001	0.03	0.57	1.1	0.2	0.5	5.2	<0.01	0.03	2.4
CC127378		0.24	43.4	3770	21.4	34.1	0.003	0.02	2.09	5.5	1.8	0.7	33.7	<0.01	0.14	4.7
CC127379		0.96	7.5	590	11.4	7.4	<0.001	0.01	3.05	1.3	1.4	0.7	5.8	<0.01	0.06	2.0
CC127380		1.16	11.9	850	13.1	8.0	<0.001	0.01	2.29	2.0	1.6	0.9	6.2	<0.01	0.05	2.4
CC127381		0.91	12.1	2000	12.1	4.1	0.001	0.01	2.16	1.5	2.4	1.0	15.3	<0.01	0.09	0.7
CC127382		1.12	10.5	870	11.7	7.0	0.001	0.01	1.94	2.1	1.6	0.9	9.0	<0.01	0.04	1.6

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 21- JUL- 2011
Account: RCM

Project: Rackla- Trent

CERTIFICATE OF ANALYSIS WH11118090

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
CC127343		0.006	0.09	0.80	42	0.19	2.53	102	0.5
CC127344		0.018	0.12	0.33	65	0.18	1.31	58	<0.5
CC127345		0.014	0.13	0.39	61	0.21	1.82	66	0.9
CC127346		0.007	0.10	0.56	44	0.09	5.75	93	3.6
CC127347		0.027	0.10	0.28	65	0.22	1.48	36	0.8
CC127348		<0.005	0.34	11.65	51	0.13	108.0	310	5.8
CC127349		<0.005	0.08	0.87	23	0.15	13.15	92	2.5
CC127350		<0.005	0.07	1.54	24	<0.05	10.25	73	1.5
CC127351		0.008	0.09	1.41	42	0.11	8.03	85	1.5
CC127352		0.008	0.08	1.20	34	0.09	9.84	89	1.3
CC127353		0.007	0.07	0.43	52	0.16	3.06	83	0.9
CC127354		<0.005	0.07	1.09	33	0.06	15.15	55	0.9
CC127355		<0.005	0.29	1.18	54	<0.05	16.95	168	0.9
CC127356		0.005	0.09	0.47	54	0.09	8.01	71	0.9
CC127357		0.011	0.11	0.75	44	0.19	9.83	74	1.0
CC127358		0.008	0.09	0.49	47	0.12	4.00	66	0.9
CC127359		0.018	0.11	0.48	49	0.20	2.48	34	0.5
CC127360		0.015	0.09	0.48	44	0.15	2.52	49	1.5
CC127361		0.015	0.10	0.39	51	0.20	2.10	74	0.8
CC127362		<0.005	0.08	0.57	31	0.05	3.63	71	2.4
CC127363		0.012	0.08	0.44	35	0.12	2.86	53	<0.5
CC127364		0.012	0.12	0.52	54	0.18	2.62	63	2.2
CC127365		0.015	0.12	0.33	34	0.11	2.39	61	0.9
CC127366		0.017	0.15	0.78	44	0.19	4.51	74	2.0
CC127367		0.017	0.10	0.69	39	0.11	2.18	41	0.6
CC127368		<0.005	0.09	0.61	14	<0.05	5.36	145	1.3
CC127369		<0.005	0.12	0.69	24	<0.05	13.10	89	2.1
CC127370		0.005	0.17	0.96	28	<0.05	19.40	99	2.2
CC127371		0.005	0.12	0.75	25	0.05	9.74	74	1.2
CC127372		0.011	0.09	0.68	33	0.14	1.59	47	0.7
CC127373		0.012	0.10	0.60	34	0.12	2.30	31	<0.5
CC127374		0.032	0.11	0.41	71	0.26	2.14	85	0.9
CC127375		0.032	0.14	0.48	61	0.29	2.54	67	1.2
CC127376		0.024	0.12	0.34	59	0.21	1.70	47	1.0
CC127377		0.014	0.10	0.29	44	0.14	1.63	63	<0.5
CC127378		0.008	0.31	3.16	137	<0.05	32.9	155	5.1
CC127379		0.029	0.21	0.70	127	0.21	1.79	75	<0.5
CC127380		0.025	0.23	0.77	117	0.24	2.10	100	0.5
CC127381		0.031	0.14	0.78	101	0.29	3.20	64	<0.5
CC127382		0.030	0.18	0.83	100	0.25	2.64	98	<0.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 21- JUL- 2011
Account: RCM

Project: Rackla- Trent

CERTIFICATE OF ANALYSIS WH11118090

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- TL43 Au ppm 0.001	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1
CC127383		0.22	0.004	2.22	1.05	18.0	<0.2	<10	140	0.38	0.21	0.08	0.61	19.30	3.2	20
CC127384		0.19	0.003	1.94	0.99	19.4	<0.2	<10	530	0.43	0.19	0.26	1.56	18.40	4.9	18
CC127385		0.19	0.001	0.87	1.29	15.1	<0.2	<10	730	0.74	0.14	0.71	1.85	20.6	6.4	36
CC127386		0.23	0.002	1.17	0.96	19.6	<0.2	<10	480	0.41	0.19	0.40	0.71	19.25	4.0	22
CC127387		0.16	0.001	0.10	1.07	11.4	<0.2	<10	200	0.65	0.23	0.57	0.25	18.55	17.3	26
CC127388		0.09	0.002	0.21	0.91	7.3	<0.2	10	340	0.65	0.17	2.13	0.31	13.35	13.7	29
CC127389		0.13	0.001	0.15	1.06	12.5	<0.2	<10	450	0.53	0.22	1.07	0.25	15.00	17.8	39
CC127390		0.11	0.001	0.07	0.76	9.6	<0.2	<10	160	0.41	0.17	0.55	0.33	8.74	15.9	30
CC127391		0.16	0.002	0.09	0.82	6.6	<0.2	<10	210	0.49	0.14	1.09	0.30	10.05	22.2	37
CC127392		0.15	0.002	0.12	1.24	10.2	<0.2	<10	730	0.75	0.26	0.42	0.22	20.5	16.5	31
CC127393		0.21	0.001	0.15	1.60	9.6	<0.2	<10	1000	1.14	0.30	0.17	0.23	22.0	13.2	28
CC127394		0.16	<0.001	0.02	1.36	9.9	<0.2	<10	170	0.73	0.32	0.02	0.25	17.75	13.2	26
CC127395		0.22	0.001	0.09	1.34	13.8	<0.2	<10	1040	0.99	0.36	0.11	0.22	22.6	15.8	30
CC127396		0.19	0.001	0.02	1.45	8.7	<0.2	<10	380	0.79	0.25	0.04	0.20	22.7	14.8	33
CC127397		0.14	0.001	0.08	0.93	8.1	<0.2	<10	490	0.60	0.26	0.66	0.13	15.05	7.5	17
CC127398		0.20	0.001	0.09	1.13	10.6	<0.2	<10	60	0.45	0.41	0.01	0.09	17.20	7.4	22
CC127399		0.27	0.001	0.06	1.26	13.1	<0.2	<10	250	0.67	0.29	0.04	0.21	21.3	12.5	22
CC127400		0.22	0.001	0.08	1.23	10.9	<0.2	<10	220	0.68	0.29	0.05	0.12	26.5	7.7	19
CC127701		0.13	0.001	0.05	0.79	10.9	<0.2	<10	110	0.19	0.30	0.08	0.04	22.9	2.2	14
CC127702		0.14	0.001	0.31	0.84	6.9	<0.2	<10	410	0.71	0.18	1.69	0.53	17.10	9.4	14
CC127703		0.29	0.001	0.10	1.07	8.9	<0.2	<10	970	1.05	0.34	0.13	0.16	19.90	14.9	20
CC127704		0.22	<0.001	0.17	0.96	2.9	<0.2	<10	910	1.39	0.28	1.06	0.13	14.35	11.8	17
CC127705		0.20	0.002	0.33	1.11	6.6	<0.2	<10	1110	1.33	0.23	1.11	0.27	17.80	9.4	18
CC127706		0.20	0.001	0.09	1.26	7.4	<0.2	<10	150	0.39	0.27	0.04	0.10	26.1	4.3	16
CC127707		0.17	0.001	0.06	1.47	15.9	<0.2	<10	170	0.64	0.39	0.05	0.25	19.00	11.6	24
CC127708		0.16	0.001	0.18	1.14	8.2	<0.2	<10	700	0.57	0.33	0.13	0.25	17.80	8.5	17
CC127709		0.25	0.001	0.06	0.62	10.2	<0.2	<10	290	0.40	0.20	0.07	0.35	30.7	7.0	12
CC127710		0.20	<0.001	0.16	1.43	13.5	<0.2	<10	410	0.62	0.38	0.03	0.22	19.40	9.1	22
CC127711		0.28	0.001	0.06	1.84	13.3	<0.2	<10	280	0.71	0.20	0.55	0.22	31.3	7.8	29
CC127712		0.17	0.002	0.05	1.51	12.2	<0.2	<10	260	0.63	0.19	0.55	0.27	24.7	7.5	24
CC127713		0.18	0.001	0.08	1.52	10.9	<0.2	<10	260	0.56	0.19	0.67	0.33	24.1	7.0	25
CC127714		0.14	0.001	0.21	1.53	11.3	<0.2	<10	280	0.59	0.20	0.68	0.46	26.2	8.5	25
CC127715		0.22	0.005	0.36	0.46	14.3	<0.2	<10	120	0.32	0.16	0.06	0.26	15.40	3.2	10
CC127716		0.19	0.001	0.31	0.87	15.5	<0.2	<10	330	0.31	0.21	0.07	0.56	23.1	5.3	19
CC127717		0.22	0.006	0.97	0.73	18.5	<0.2	<10	200	0.36	0.22	0.05	0.51	20.0	7.2	15
CC127718		0.21	0.008	0.86	0.60	18.8	<0.2	<10	200	0.38	0.21	0.05	0.48	20.3	7.3	13
CC127719		0.20	0.005	0.87	0.71	15.2	<0.2	<10	1060	0.47	0.18	0.44	2.84	19.05	10.0	15
CC127720		0.19	0.002	0.37	1.55	17.8	<0.2	<10	180	0.46	0.24	0.06	0.40	16.00	6.9	31
CC127721		0.24	0.001	0.18	1.78	14.1	<0.2	<10	130	0.47	0.25	0.05	0.21	22.8	5.7	28
CC127722		0.15	0.001	0.11	1.67	16.1	<0.2	<10	270	0.66	0.20	0.04	0.32	18.70	8.6	30

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 21- JUL- 2011
Account: RCM

Project: Rackla- Trent

CERTIFICATE OF ANALYSIS WH11118090

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
CC127383		0.77	27.8	2.46	6.04	0.06	<0.02	0.10	0.021	0.07	10.1	12.7	0.22	98	5.55	0.01
CC127384		0.74	36.5	2.58	5.66	0.07	0.02	0.13	0.021	0.06	9.3	12.3	0.20	139	6.65	0.01
CC127385		0.59	17.6	2.30	3.13	0.07	0.04	0.09	0.029	0.03	11.7	8.6	0.23	119	3.46	0.01
CC127386		0.80	20.6	2.39	5.67	0.07	0.02	0.12	0.020	0.05	11.9	9.9	0.18	106	6.23	0.01
CC127387		0.90	50.7	4.07	3.58	0.09	0.08	0.10	0.033	0.04	7.1	24.2	0.78	694	1.00	0.01
CC127388		0.90	45.4	2.96	2.89	0.07	0.07	0.11	0.031	0.06	6.0	15.3	0.79	506	0.88	0.01
CC127389		0.53	30.4	4.68	3.37	0.08	0.05	0.08	0.044	0.05	6.2	16.8	0.78	718	1.51	0.01
CC127390		0.27	52.1	4.61	2.59	0.08	0.03	0.08	0.048	0.05	3.7	10.0	0.37	395	2.11	0.01
CC127391		0.91	75.5	4.59	2.50	0.08	0.04	0.07	0.054	0.04	4.1	10.4	0.57	692	0.99	0.01
CC127392		0.72	52.1	4.22	3.86	0.08	0.06	0.07	0.044	0.06	8.8	19.5	0.59	650	1.22	0.01
CC127393		1.10	43.7	3.97	4.57	0.08	0.03	0.04	0.036	0.05	9.8	25.6	0.45	372	1.14	0.01
CC127394		1.28	47.1	4.80	4.98	0.07	0.03	0.02	0.042	0.05	7.4	26.5	0.32	348	1.21	0.01
CC127395		1.16	53.5	5.22	4.64	0.10	0.05	0.07	0.041	0.05	11.1	16.5	0.38	893	1.85	0.01
CC127396		1.07	31.4	3.91	4.72	0.08	0.04	0.01	0.034	0.05	10.8	28.8	0.47	386	1.16	0.01
CC127397		1.63	27.7	2.51	4.56	0.06	0.04	0.05	0.022	0.05	7.0	11.4	0.21	379	0.91	0.01
CC127398		2.48	37.8	3.99	6.47	0.08	0.06	0.03	0.026	0.04	8.3	15.4	0.27	229	1.35	<0.01
CC127399		1.56	25.8	3.65	4.71	0.07	0.05	0.02	0.027	0.06	10.2	22.6	0.36	421	1.46	0.01
CC127400		1.52	17.8	2.80	6.55	0.07	0.02	0.03	0.022	0.05	12.6	17.7	0.19	234	1.33	0.01
CC127701		1.36	6.5	2.57	8.10	0.06	<0.02	0.02	0.013	0.04	11.2	3.2	0.08	150	1.28	0.01
CC127702		1.00	22.0	2.21	2.76	0.06	0.06	0.16	0.021	0.07	8.2	15.1	0.33	406	1.08	0.01
CC127703		2.69	50.9	3.92	3.53	0.08	0.05	0.03	0.026	0.07	8.9	24.3	0.36	755	1.04	0.01
CC127704		3.06	37.9	2.77	2.96	0.08	0.09	0.05	0.022	0.09	6.7	22.5	0.39	977	0.59	0.01
CC127705		3.49	66.8	2.54	3.17	0.07	0.09	0.09	0.025	0.10	9.6	26.3	0.48	442	0.76	0.02
CC127706		1.28	8.9	2.89	6.59	0.06	0.04	0.01	0.018	0.04	12.7	29.3	0.15	165	1.34	<0.01
CC127707		3.05	29.5	4.48	6.56	0.08	0.03	0.02	0.038	0.06	9.0	26.1	0.29	292	1.90	0.01
CC127708		1.99	24.7	3.35	5.50	0.06	0.02	0.02	0.023	0.07	8.9	17.2	0.22	215	1.14	<0.01
CC127709		0.98	26.8	2.87	2.44	0.07	0.03	0.02	0.022	0.10	16.1	8.1	0.16	124	2.34	<0.01
CC127710		2.69	28.2	5.08	6.61	0.09	0.03	0.01	0.037	0.06	9.1	24.0	0.23	352	1.59	0.01
CC127711		1.02	11.2	2.78	6.10	0.07	0.06	0.04	0.029	0.03	13.7	14.7	0.33	305	1.11	0.01
CC127712		0.85	10.8	2.40	5.65	0.06	0.04	0.04	0.027	0.03	10.6	14.1	0.27	268	0.99	0.01
CC127713		0.77	9.4	2.47	5.89	0.06	0.03	0.04	0.028	0.03	11.2	11.8	0.26	564	0.80	0.01
CC127714		0.75	11.3	2.52	5.55	0.06	0.04	0.04	0.026	0.03	11.3	12.0	0.27	963	1.04	0.01
CC127715		0.80	64.2	1.90	3.20	0.05	0.02	0.10	0.018	0.08	7.1	6.2	0.08	52	4.20	<0.01
CC127716		0.84	18.7	2.79	4.80	0.07	0.02	0.07	0.026	0.03	10.7	8.2	0.10	204	2.00	0.01
CC127717		0.92	72.5	2.96	4.12	0.07	0.06	0.46	0.024	0.07	10.2	7.1	0.12	268	5.80	0.01
CC127718		0.75	87.8	2.83	2.96	0.06	0.06	0.56	0.027	0.07	10.6	6.6	0.10	215	8.72	0.01
CC127719		0.76	83.1	2.28	2.72	0.07	0.06	0.33	0.029	0.08	10.0	9.4	0.17	241	5.78	0.01
CC127720		0.99	19.5	4.52	4.98	0.07	0.06	0.03	0.043	0.04	8.1	18.0	0.24	217	1.98	<0.01
CC127721		1.17	11.5	3.43	6.53	0.12	0.07	0.02	0.029	0.04	11.6	19.6	0.28	200	1.92	<0.01
CC127722		1.00	15.8	3.69	4.23	0.13	0.09	0.03	0.040	0.03	9.4	15.1	0.17	264	1.80	0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 21- JUL- 2011
Account: RCM

Project: Rackla- Trent

CERTIFICATE OF ANALYSIS WH11118090

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
CC127383		0.79	12.0	1620	13.7	7.7	0.002	0.01	3.82	1.7	2.7	0.8	7.7	<0.01	0.07	0.9
CC127384		0.90	20.4	1300	13.0	7.2	0.005	0.03	3.69	2.5	3.7	0.7	17.0	<0.01	0.06	1.5
CC127385		0.47	40.6	480	9.4	4.2	<0.001	0.03	0.96	3.8	1.6	0.5	32.0	<0.01	0.04	1.9
CC127386		0.94	21.0	630	11.1	6.1	0.001	0.02	2.01	3.0	2.4	0.7	25.3	<0.01	0.06	1.8
CC127387		0.20	55.5	570	18.3	4.1	0.001	0.04	0.46	5.4	0.9	0.3	25.4	<0.01	0.06	2.6
CC127388		0.35	68.1	570	12.6	5.3	0.001	0.10	0.53	5.2	1.0	0.3	101.0	<0.01	0.04	1.2
CC127389		0.28	67.7	400	17.2	4.3	<0.001	0.04	0.61	5.8	0.6	0.3	45.3	<0.01	0.06	2.4
CC127390		0.21	50.2	320	20.5	3.1	<0.001	0.03	0.72	6.3	0.6	0.3	23.7	<0.01	0.07	1.8
CC127391		0.22	73.3	560	9.7	3.9	0.002	0.06	0.39	10.0	0.9	0.2	38.5	<0.01	0.06	1.1
CC127392		0.55	51.1	430	16.0	5.5	<0.001	0.02	0.59	6.0	0.7	0.5	22.6	<0.01	0.06	3.0
CC127393		0.33	43.5	210	20.1	6.8	<0.001	0.01	0.48	3.8	0.5	0.5	10.4	<0.01	0.04	3.5
CC127394		0.34	33.2	230	17.0	9.3	<0.001	0.01	0.44	3.6	0.4	0.5	7.9	<0.01	0.05	3.5
CC127395		0.36	50.2	270	23.5	7.8	<0.001	0.02	0.65	6.0	0.8	0.6	9.9	0.01	0.06	4.2
CC127396		0.51	49.6	190	15.7	8.4	<0.001	0.01	0.45	3.3	0.4	0.5	8.5	<0.01	0.04	3.5
CC127397		0.56	16.6	430	11.8	8.9	<0.001	0.03	0.49	2.8	0.6	0.5	25.1	<0.01	0.04	1.9
CC127398		0.43	20.1	310	17.5	7.2	<0.001	0.01	0.53	2.6	0.5	0.6	8.2	<0.01	0.05	3.7
CC127399		0.52	24.8	250	29.6	7.7	<0.001	0.01	0.54	2.4	0.4	0.5	7.5	<0.01	0.03	3.7
CC127400		1.02	18.3	250	14.3	9.5	<0.001	0.01	0.54	2.2	0.4	0.9	6.6	<0.01	0.04	3.4
CC127701		1.26	5.3	310	10.7	8.1	<0.001	0.01	0.51	1.4	0.3	1.0	7.2	<0.01	0.03	2.2
CC127702		0.37	21.6	510	12.9	6.8	0.001	0.07	0.63	2.7	1.3	0.3	63.6	<0.01	0.02	1.3
CC127703		0.30	28.2	450	25.6	6.3	<0.001	0.03	0.51	3.2	0.5	0.4	13.8	<0.01	0.03	4.2
CC127704		0.29	22.3	520	21.2	7.9	<0.001	0.06	0.31	4.2	0.7	0.4	51.7	<0.01	0.02	2.6
CC127705		0.33	28.3	590	15.0	14.8	<0.001	0.06	0.45	4.4	1.1	0.4	135.0	0.01	0.03	1.6
CC127706		0.76	9.0	190	12.2	7.7	<0.001	<0.01	0.40	2.0	0.3	0.8	6.7	<0.01	0.03	3.4
CC127707		0.65	25.0	440	22.2	9.2	<0.001	0.01	0.70	2.8	0.6	0.6	9.2	<0.01	0.05	3.1
CC127708		0.32	17.4	380	13.2	10.2	<0.001	0.02	0.38	2.2	0.4	0.6	10.6	<0.01	0.04	2.6
CC127709		0.20	20.5	380	12.6	7.8	<0.001	<0.01	1.12	2.0	0.6	0.3	9.5	<0.01	0.07	2.9
CC127710		0.43	18.5	470	24.5	10.6	<0.001	0.02	0.48	2.5	0.5	0.6	8.0	<0.01	0.05	2.7
CC127711		1.25	19.1	160	15.1	6.4	<0.001	0.01	0.54	3.8	0.4	0.7	10.4	<0.01	0.02	3.4
CC127712		1.14	17.5	170	14.0	5.6	<0.001	0.01	0.54	3.6	0.4	0.6	10.6	<0.01	0.03	2.9
CC127713		1.07	14.8	160	15.4	4.6	<0.001	0.01	0.46	3.2	0.4	0.7	9.7	<0.01	0.03	2.3
CC127714		1.06	15.8	210	16.1	5.0	<0.001	0.01	0.53	3.4	0.5	0.7	10.7	<0.01	0.03	2.4
CC127715		0.25	19.8	890	11.7	6.5	0.001	<0.01	2.73	1.6	1.8	0.5	7.9	<0.01	0.08	1.8
CC127716		0.59	23.9	770	13.1	6.9	<0.001	0.01	1.00	2.3	1.1	0.6	10.8	0.01	0.06	1.5
CC127717		0.61	27.8	760	12.5	8.9	0.001	<0.01	2.89	3.2	1.5	0.5	12.3	<0.01	0.08	2.7
CC127718		0.33	28.8	1010	13.5	7.2	0.001	<0.01	3.97	2.7	1.6	0.4	18.2	<0.01	0.11	2.7
CC127719		0.25	43.6	1010	12.3	8.1	0.007	0.05	3.28	3.5	3.7	0.4	32.0	<0.01	0.08	2.4
CC127720		1.01	26.6	1400	15.0	10.9	<0.001	0.01	0.66	3.0	1.0	0.5	14.2	<0.01	0.08	3.1
CC127721		1.34	17.0	430	14.5	10.0	<0.001	<0.01	0.72	2.5	0.4	0.7	8.1	0.01	0.05	3.9
CC127722		0.68	32.4	640	14.6	8.2	<0.001	<0.01	0.69	3.1	0.9	0.5	10.3	0.01	0.06	4.4

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 21- JUL- 2011
Account: RCM

Project: Rackla- Trent

CERTIFICATE OF ANALYSIS WH11118090

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
CC127383		0.024	0.21	1.23	115	0.20	2.63	136	<0.5
CC127384		0.021	0.24	1.59	102	0.22	5.46	168	0.6
CC127385		0.007	0.13	1.62	65	0.18	14.20	192	1.2
CC127386		0.022	0.16	1.35	81	0.26	9.31	123	0.5
CC127387		0.008	0.05	0.99	31	<0.05	7.79	79	2.4
CC127388		0.007	0.06	1.25	26	0.08	9.38	71	2.0
CC127389		0.005	0.06	0.90	35	0.06	6.04	92	1.8
CC127390		<0.005	0.05	0.66	37	0.09	3.81	104	0.9
CC127391		<0.005	0.04	1.31	41	<0.05	8.01	75	0.8
CC127392		0.011	0.07	0.57	38	0.12	6.64	82	1.5
CC127393		0.005	0.10	0.74	34	0.07	4.80	65	0.9
CC127394		<0.005	0.07	0.52	35	0.06	3.04	82	1.6
CC127395		0.005	0.13	1.05	37	0.08	10.45	65	1.5
CC127396		0.008	0.09	0.52	36	0.10	3.44	59	1.7
CC127397		0.009	0.07	2.17	35	0.10	3.93	46	1.4
CC127398		0.007	0.08	0.53	37	0.08	2.52	56	2.8
CC127399		0.009	0.09	0.47	33	0.08	2.64	74	2.2
CC127400		0.020	0.11	0.52	53	0.19	3.07	41	0.8
CC127701		0.027	0.09	0.44	63	0.23	1.61	24	<0.5
CC127702		0.007	0.33	2.29	21	0.07	7.25	88	2.0
CC127703		0.007	0.09	0.77	22	0.07	7.65	80	1.6
CC127704		0.006	0.07	1.70	16	0.08	11.45	61	2.5
CC127705		0.006	0.09	3.95	21	0.08	14.55	83	2.5
CC127706		0.011	0.12	0.42	48	0.15	2.06	46	1.5
CC127707		0.007	0.11	0.53	43	0.09	2.87	87	1.5
CC127708		0.005	0.08	0.51	28	0.06	2.42	55	0.8
CC127709		<0.005	0.13	0.43	25	<0.05	2.87	76	1.6
CC127710		<0.005	0.10	0.46	34	0.07	2.60	64	1.0
CC127711		0.023	0.53	0.98	57	0.23	6.66	54	2.1
CC127712		0.021	0.49	0.56	51	0.21	4.37	55	1.6
CC127713		0.023	0.51	0.53	55	0.16	5.01	51	1.3
CC127714		0.025	0.50	0.62	55	0.19	5.59	58	1.3
CC127715		0.006	0.18	0.54	46	0.09	2.74	110	0.8
CC127716		0.013	0.13	0.81	46	0.13	6.82	106	<0.5
CC127717		0.013	0.19	1.08	55	0.15	7.67	143	2.3
CC127718		0.006	0.24	1.48	51	0.09	8.72	156	2.4
CC127719		<0.005	0.29	1.99	47	0.08	12.20	226	2.3
CC127720		0.011	0.13	0.63	61	0.17	3.99	123	2.3
CC127721		0.027	0.15	0.54	68	0.27	2.43	89	2.4
CC127722		0.011	0.15	0.85	55	0.14	4.39	111	3.0

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 21- JUL- 2011
Account: RCM

Project: Rackla- Trent

CERTIFICATE OF ANALYSIS WH11118090

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- TL43 Au ppm 0.001	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1
CC127723		0.27	0.002	0.13	1.97	14.2	<0.2	<10	330	0.71	0.22	0.05	0.25	36.9	9.6	34
CC127724		0.23	0.001	0.03	1.32	9.5	<0.2	<10	1180	0.34	0.20	0.08	0.33	20.6	6.7	21
CC127725		0.20	0.001	0.12	1.68	12.9	<0.2	<10	340	0.48	0.24	0.48	0.32	18.45	8.5	25

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 21- JUL- 2011
Account: RCM

Project: Rackla- Trent

CERTIFICATE OF ANALYSIS WH11118090

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
CC127723		0.95	17.9	3.43	5.24	0.14	0.12	0.04	0.034	0.04	18.5	18.3	0.39	231	2.11	0.01
CC127724		0.76	6.7	2.94	4.78	0.12	0.05	0.02	0.027	0.04	9.8	21.8	0.27	202	1.26	0.01
CC127725		0.75	12.9	3.49	5.34	0.13	0.03	0.04	0.035	0.04	9.1	17.3	0.30	245	1.69	0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 21- JUL- 2011
Account: RCM

Project: Rackla- Trent

CERTIFICATE OF ANALYSIS WH11118090

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
CC127723		1.09	25.6	290	14.7	9.7	<0.001	<0.01	0.80	5.1	0.7	0.6	8.0	<0.01	0.04	5.7
CC127724		0.75	13.1	170	12.6	9.5	<0.001	<0.01	0.36	1.9	0.2	0.5	7.4	<0.01	0.03	3.2
CC127725		1.12	20.0	410	15.2	7.4	<0.001	<0.01	0.65	2.3	0.4	0.6	22.9	0.01	0.04	2.8

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 21- JUL- 2011
Account: RCM

Project: Rackla- Trent

CERTIFICATE OF ANALYSIS WH11118090

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
CC127723		0.029	0.12	1.41	55	0.24	8.08	80	4.1
CC127724		0.017	0.11	0.45	48	0.16	2.47	132	1.7
CC127725		0.023	0.11	1.32	61	0.23	2.84	83	1.0

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 21- JUL- 2011
Account: RCM

Project: Rackla- Trent

CERTIFICATE OF ANALYSIS WH11118090

Method	CERTIFICATE COMMENTS
ME- MS41	Gold determinations by this method are semi- quantitative due to the small sample weight used (0.5g).

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 22- JUL- 2011
Account: RCM

CERTIFICATE WH11118091

Project: Rackla- Dale

P.O. No.:

This report is for 190 Soil samples submitted to our lab in Whitehorse, YT, Canada on 26- JUN- 2011.

The following have access to data associated with this certificate:

ROB CARNE JULIA LANE	ANDREW CARNE JOAN MARIACHER	MATT DUMALA

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
SCR- 41	Screen to - 180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- TL43	Trace Level Au - 25g AR	ICP- MS
ME- MS41	51 anal. aqua regia ICPMS	

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 22- JUL- 2011
Account: RCM

Project: Rackla- Dale

CERTIFICATE OF ANALYSIS WH11118091

Sample Description	Method	WEI- 21	Au- TL43	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Recvd Wt.	Au	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
CC128311		0.14	0.003	0.54	0.72	139.5	<0.2	<10	150	0.92	0.29	2.88	0.47	20.8	21.1	11
CC128312		0.16	0.003	0.31	1.26	66.9	<0.2	<10	170	0.88	0.27	1.76	0.39	16.85	17.5	18
CC128313		0.18	0.002	0.11	0.96	16.9	<0.2	<10	220	0.45	0.15	2.44	0.33	9.36	10.2	15
CC128314		0.17	0.003	0.13	1.25	19.1	<0.2	<10	310	0.56	0.18	1.94	0.30	13.05	10.1	19
CC128315		0.25	0.001	0.09	1.95	13.3	<0.2	<10	110	0.59	0.23	0.07	0.24	17.85	20.2	31
CC128316		0.22	0.001	0.09	1.72	17.1	<0.2	<10	90	0.80	0.27	0.07	0.31	15.45	21.9	29
CC128317		0.23	0.002	0.03	1.90	19.5	<0.2	<10	90	0.61	0.27	0.02	0.23	17.40	32.7	31
CC128318		0.28	0.003	0.04	1.72	32.3	<0.2	<10	140	0.69	0.25	0.14	0.49	17.10	25.3	32
CC128319		0.14	0.007	0.20	1.10	21.6	<0.2	<10	440	0.61	0.14	2.59	0.28	10.15	10.1	18
CC128320		0.15	0.004	0.18	1.49	79.3	<0.2	<10	300	0.91	0.25	1.09	0.36	14.40	13.3	22
CC128321		0.11	0.002	0.19	1.30	70.0	<0.2	<10	160	0.68	0.24	1.38	0.23	14.70	15.6	19
CC128322		0.17	0.002	0.17	1.50	38.9	<0.2	<10	190	0.58	0.26	1.25	0.23	16.85	13.3	22
CC128323		0.26	0.003	0.30	1.05	50.2	<0.2	<10	160	0.67	0.24	2.18	0.93	17.35	13.5	17
CC128324		0.25	0.002	0.47	0.69	31.2	<0.2	<10	170	0.55	0.20	3.17	0.59	15.05	10.8	10
CC128325		0.27	0.002	0.26	1.17	35.7	<0.2	<10	220	0.62	0.20	2.32	1.05	14.75	11.1	16
CC128326		0.16	0.003	0.20	1.77	15.3	<0.2	<10	320	0.85	0.22	1.19	0.30	14.65	13.7	25
CC128327		0.31	0.002	0.07	2.21	13.2	<0.2	<10	320	1.36	0.28	0.24	0.17	33.8	14.7	31
CC128328		0.32	0.001	0.06	1.62	12.1	<0.2	<10	190	0.60	0.27	0.10	0.15	18.15	9.3	22
CC128329		0.28	0.004	0.02	1.90	7.6	<0.2	<10	80	0.39	0.27	0.02	0.21	7.11	9.5	36
CC128330		0.23	0.006	0.11	1.37	23.5	<0.2	<10	160	1.08	0.45	0.46	0.14	14.20	21.4	21
CC128331		0.28	0.002	0.03	1.11	13.5	<0.2	<10	110	0.96	0.32	0.55	0.11	14.60	14.1	19
CC128332		0.30	0.001	0.06	0.80	14.9	<0.2	<10	110	1.07	0.33	0.72	0.09	13.55	13.4	14
CC128333		0.20	0.002	0.05	1.63	8.7	<0.2	<10	70	1.50	0.32	0.89	0.21	35.7	18.1	40
CC128334		0.27	0.001	0.07	1.57	10.2	<0.2	<10	150	1.02	0.30	0.80	0.18	27.4	11.0	35
CC128335		0.32	0.005	0.04	1.71	5.6	<0.2	<10	170	1.28	0.16	1.07	0.31	47.3	10.3	34
CC128336		0.26	0.002	0.11	1.13	38.8	<0.2	<10	120	0.87	0.26	0.56	0.39	15.70	11.5	18
CC128337		0.29	0.003	0.12	1.05	441	<0.2	<10	120	0.86	0.32	1.38	0.36	16.40	19.0	17
CC128338		0.28	0.002	0.11	0.96	69.6	<0.2	<10	140	0.96	0.31	1.03	0.26	13.85	16.8	16
CC128339		0.25	0.003	0.13	1.23	33.7	<0.2	<10	210	0.83	0.22	1.74	0.20	12.55	13.8	19
CC128340		0.29	0.003	0.12	1.01	36.4	<0.2	<10	190	1.05	0.27	1.49	0.43	11.45	15.4	15
CC128341		0.22	0.004	0.25	1.02	169.0	<0.2	<10	230	0.87	0.28	0.86	0.87	10.20	18.3	19
CC128342		0.14	0.003	0.09	0.75	20.8	<0.2	<10	190	0.78	0.21	1.75	0.49	4.77	11.2	13
CC128343		0.28	0.002	0.16	2.03	14.5	<0.2	<10	100	1.93	0.41	0.37	0.58	14.20	32.8	23
CC128344		0.28	0.002	0.14	2.83	8.6	<0.2	<10	450	1.02	0.24	0.60	0.51	22.2	28.8	40
CC128345		0.28	0.001	0.07	2.13	18.3	<0.2	<10	210	0.71	0.30	0.24	0.23	22.8	17.4	35
CC128346		0.23	0.005	0.14	1.83	20.4	<0.2	<10	340	0.79	0.25	1.00	0.31	14.45	17.0	28
CC128347		0.20	0.003	0.17	1.62	15.0	<0.2	<10	260	0.77	0.25	1.26	0.23	19.35	14.0	26
CC128348		0.23	0.004	0.16	1.51	13.4	<0.2	<10	300	0.73	0.17	2.31	0.28	10.55	10.8	21
CC128349		0.19	0.002	0.10	1.63	12.0	<0.2	<10	180	0.73	0.21	1.33	0.15	12.80	14.1	24
CC128350		0.31	0.004	0.14	2.09	16.7	<0.2	<10	210	0.97	0.28	0.87	0.22	20.3	19.4	32

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 22- JUL- 2011
Account: RCM

Project: Rackla- Dale

CERTIFICATE OF ANALYSIS WH11118091

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
CC128311		2.02	74.6	4.05	2.35	0.12	0.08	0.53	0.054	0.09	7.7	7.4	0.87	933	2.33	<0.01
CC128312		1.47	59.7	3.70	3.84	0.10	0.08	0.38	0.040	0.09	7.4	19.7	0.48	532	1.00	<0.01
CC128313		2.90	32.4	2.26	3.21	0.08	0.04	0.17	0.025	0.06	4.5	12.9	0.36	510	0.63	0.01
CC128314		2.47	33.6	2.50	4.02	0.09	0.05	0.34	0.027	0.05	6.5	15.0	0.53	423	0.59	<0.01
CC128315		4.19	47.7	4.90	7.41	0.08	0.03	0.06	0.051	0.06	7.4	28.3	0.61	869	0.99	<0.01
CC128316		2.90	88.5	5.13	7.28	0.09	0.03	0.12	0.053	0.05	5.9	25.6	0.59	1130	0.99	<0.01
CC128317		3.71	70.7	5.95	8.37	0.09	0.06	0.08	0.059	0.06	7.0	31.9	0.68	1200	0.83	<0.01
CC128318		8.47	80.3	6.99	7.50	0.09	0.03	0.71	0.069	0.05	5.9	28.5	0.63	1590	0.72	<0.01
CC128319		8.52	83.6	2.51	3.71	0.12	0.03	0.52	0.028	0.05	9.6	14.5	0.58	538	0.53	0.01
CC128320		4.30	51.7	3.66	4.46	0.09	0.07	0.31	0.042	0.08	6.8	19.4	0.52	484	0.86	<0.01
CC128321		1.98	36.7	3.46	3.99	0.08	0.08	0.23	0.035	0.07	6.8	14.3	0.40	586	1.04	<0.01
CC128322		1.68	28.9	3.53	5.41	0.08	0.05	0.17	0.037	0.06	7.1	16.5	0.41	522	0.90	<0.01
CC128323		1.95	48.5	3.18	3.21	0.10	0.05	0.42	0.037	0.06	8.7	12.3	0.33	425	1.07	<0.01
CC128324		3.30	35.4	2.31	2.08	0.09	0.04	0.37	0.029	0.07	7.7	5.8	0.17	487	1.09	0.01
CC128325		2.97	34.0	2.73	3.47	0.09	0.07	0.20	0.029	0.08	6.9	13.3	0.30	784	0.69	<0.01
CC128326		2.68	54.6	3.69	5.44	0.08	0.07	0.14	0.041	0.08	7.1	21.0	0.52	874	0.70	<0.01
CC128327		1.70	42.8	3.55	6.58	0.11	0.03	0.06	0.042	0.05	17.4	20.1	0.42	992	1.14	<0.01
CC128328		2.62	37.6	3.59	7.20	0.08	0.03	0.03	0.035	0.06	8.5	19.3	0.28	298	1.16	<0.01
CC128329		1.70	27.0	4.87	8.62	0.07	0.03	0.02	0.038	0.07	3.6	27.8	0.45	306	0.75	<0.01
CC128330		2.23	74.3	4.14	4.59	0.11	0.10	0.08	0.047	0.11	6.5	28.4	0.56	636	1.34	<0.01
CC128331		2.09	31.6	3.82	4.15	0.09	0.05	0.04	0.037	0.09	6.6	20.9	0.30	520	0.72	<0.01
CC128332		1.02	31.3	3.73	2.49	0.08	0.06	0.09	0.038	0.07	5.3	11.6	0.21	504	0.52	<0.01
CC128333		1.04	43.6	3.87	5.80	0.13	0.11	0.04	0.043	0.08	11.8	36.1	0.87	371	0.26	<0.01
CC128334		2.00	33.8	3.19	5.48	0.14	0.08	0.03	0.036	0.10	18.0	27.1	0.84	231	0.56	<0.01
CC128335		13.75	35.8	2.57	6.23	0.15	0.09	0.04	0.033	0.16	30.8	39.6	1.63	263	0.39	<0.01
CC128336		9.27	41.6	3.76	3.31	0.10	0.09	0.24	0.033	0.09	7.8	18.6	0.40	369	1.17	<0.01
CC128337		2.82	67.5	4.21	3.35	0.10	0.10	0.89	0.041	0.10	7.9	18.4	0.36	485	1.37	<0.01
CC128338		2.97	61.3	4.28	2.74	0.09	0.06	0.34	0.040	0.11	7.6	12.1	0.28	520	1.13	<0.01
CC128339		5.89	52.9	3.56	3.92	0.09	0.08	0.16	0.035	0.10	6.2	20.2	0.45	275	0.67	<0.01
CC128340		4.34	63.2	3.52	3.09	0.11	0.09	0.21	0.041	0.10	5.5	13.3	0.39	482	0.81	<0.01
CC128341		4.27	70.1	4.96	3.28	0.09	0.07	0.40	0.046	0.09	4.5	13.1	0.43	465	1.74	<0.01
CC128342		3.68	48.0	2.87	2.45	0.08	0.07	0.19	0.035	0.09	2.5	7.1	0.39	236	0.89	<0.01
CC128343		9.32	82.2	5.74	6.16	0.12	0.08	0.12	0.063	0.08	3.5	28.5	0.79	1100	1.64	<0.01
CC128344		9.22	83.5	6.14	8.59	0.11	0.05	0.07	0.079	0.10	6.1	41.0	1.01	2280	0.76	0.03
CC128345		4.11	61.4	5.77	6.77	0.10	0.04	0.05	0.053	0.22	8.2	33.0	0.64	1020	0.94	0.03
CC128346		5.98	68.9	5.56	5.54	0.10	0.09	0.12	0.050	0.11	6.5	27.4	0.77	982	0.75	0.02
CC128347		2.17	58.4	3.81	4.95	0.09	0.07	0.15	0.039	0.08	9.8	27.2	0.72	662	0.72	0.02
CC128348		2.83	61.2	3.28	4.30	0.07	0.08	0.13	0.034	0.08	5.0	17.8	0.56	523	0.92	0.03
CC128349		1.92	59.6	3.66	4.84	0.08	0.07	0.09	0.037	0.09	6.0	22.9	0.62	421	0.73	0.02
CC128350		2.63	101.0	5.10	6.36	0.11	0.10	0.16	0.046	0.13	10.7	36.1	0.89	473	0.72	0.02

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 22- JUL- 2011
Account: RCM

Project: Rackla- Dale

CERTIFICATE OF ANALYSIS WH11118091

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
CC128311		0.17	40.5	1230	47.7	6.9	0.003	0.07	3.93	9.0	2.2	0.3	122.5	<0.01	0.07	1.7
CC128312		0.22	32.6	910	26.7	6.7	<0.001	0.08	2.22	6.1	1.1	0.3	101.5	<0.01	0.09	1.4
CC128313		0.31	17.4	850	8.1	6.3	<0.001	0.14	0.37	2.7	0.6	0.2	138.0	<0.01	0.05	0.4
CC128314		0.50	19.5	810	8.2	7.7	<0.001	0.10	0.53	4.4	0.6	0.3	80.4	<0.01	0.07	0.9
CC128315		0.64	20.1	310	10.4	10.3	<0.001	0.01	0.35	5.0	0.4	0.6	5.7	<0.01	0.10	2.4
CC128316		0.34	27.6	760	10.7	9.2	<0.001	0.04	0.40	6.2	0.7	0.5	5.9	<0.01	0.16	1.4
CC128317		0.35	27.2	330	14.4	10.8	<0.001	0.01	0.46	6.2	0.3	0.5	4.6	<0.01	0.14	2.3
CC128318		0.30	27.0	490	14.0	9.8	<0.001	0.03	0.97	9.6	0.4	0.4	7.8	<0.01	0.14	1.8
CC128319		0.32	18.4	980	6.8	7.1	<0.001	0.13	0.71	7.7	3.0	0.2	48.6	<0.01	0.07	0.4
CC128320		0.34	25.2	1020	17.9	11.4	<0.001	0.09	0.71	6.3	1.4	0.4	38.2	<0.01	0.10	1.0
CC128321		0.32	23.4	1020	34.5	8.5	0.001	0.10	1.37	4.8	0.7	0.4	79.5	<0.01	0.06	0.9
CC128322		0.40	18.9	890	32.8	7.7	0.001	0.07	0.95	4.0	0.6	0.5	79.3	<0.01	0.07	0.9
CC128323		0.35	26.1	870	62.7	6.5	0.001	0.11	2.04	4.2	1.6	0.3	132.0	<0.01	0.06	0.7
CC128324		0.29	18.8	1200	44.6	6.3	0.002	0.15	1.37	2.8	1.9	0.3	171.0	<0.01	0.04	0.4
CC128325		0.36	19.2	1240	29.7	13.0	<0.001	0.14	0.76	4.1	1.0	0.3	130.5	<0.01	0.06	0.7
CC128326		0.34	24.6	1230	13.7	10.7	<0.001	0.10	0.44	6.8	0.9	0.4	68.5	<0.01	0.07	1.1
CC128327		0.55	22.0	1310	16.6	9.2	<0.001	0.08	0.61	4.2	1.3	0.5	21.2	<0.01	0.04	0.9
CC128328		0.53	17.0	420	14.4	13.6	<0.001	0.02	0.44	4.1	0.4	0.7	12.1	<0.01	0.08	1.9
CC128329		0.64	16.3	360	10.2	15.3	<0.001	0.01	0.35	4.4	0.2	0.7	3.8	<0.01	0.05	1.6
CC128330		0.16	45.3	450	16.2	9.0	<0.001	0.05	0.62	12.0	1.0	0.4	36.9	<0.01	0.16	4.0
CC128331		0.31	27.0	660	19.4	10.1	<0.001	0.04	0.39	4.7	0.6	0.5	26.1	<0.01	0.05	2.3
CC128332		0.19	29.6	550	19.2	6.5	<0.001	0.05	0.32	5.8	0.8	0.5	30.0	<0.01	0.06	2.4
CC128333		0.43	52.9	810	20.8	6.8	0.001	0.04	0.29	9.3	0.8	0.6	27.6	<0.01	0.03	4.3
CC128334		0.50	33.6	700	18.5	11.7	<0.001	0.04	0.39	7.1	1.0	0.4	28.1	<0.01	0.02	3.6
CC128335		0.56	27.6	880	11.4	23.0	<0.001	0.07	0.26	6.5	1.5	0.5	32.6	<0.01	0.04	1.9
CC128336		0.21	26.6	1020	15.8	16.9	0.001	0.06	0.51	5.9	1.2	0.3	27.6	<0.01	0.06	2.0
CC128337		0.15	36.3	570	21.7	6.4	0.001	0.06	1.12	7.2	1.5	0.3	95.3	<0.01	0.07	1.6
CC128338		0.16	34.2	570	20.9	7.1	<0.001	0.05	0.85	7.1	1.7	0.3	71.3	<0.01	0.07	1.2
CC128339		0.18	28.1	780	11.9	11.5	<0.001	0.10	0.87	6.6	0.8	0.3	78.5	<0.01	0.06	1.0
CC128340		0.18	29.0	580	16.3	7.9	<0.001	0.07	1.11	7.3	1.1	0.3	55.9	<0.01	0.10	1.3
CC128341		0.18	32.9	580	65.7	8.2	<0.001	0.07	4.66	10.4	1.3	0.3	25.6	<0.01	0.13	1.4
CC128342		0.24	20.4	720	9.4	8.0	<0.001	0.11	0.41	5.8	1.0	0.3	33.5	<0.01	0.12	1.0
CC128343		0.17	37.5	580	30.9	9.3	0.001	0.04	0.37	12.4	1.6	0.5	8.4	<0.01	0.20	2.7
CC128344		0.34	32.1	920	17.1	14.2	<0.001	0.06	0.30	15.8	1.0	0.6	15.8	0.01	0.15	1.4
CC128345		0.41	29.5	470	15.1	14.4	<0.001	0.03	0.51	6.7	0.7	0.6	11.2	<0.01	0.11	2.5
CC128346		0.27	30.2	850	14.7	11.2	<0.001	0.07	0.45	10.4	1.1	0.4	27.1	<0.01	0.10	2.0
CC128347		0.37	28.7	810	13.5	8.8	<0.001	0.08	0.49	7.1	1.6	0.4	35.1	<0.01	0.09	1.3
CC128348		0.37	24.0	1060	9.0	8.9	<0.001	0.16	0.49	5.3	1.4	0.4	70.5	<0.01	0.10	0.7
CC128349		0.33	26.7	860	10.6	9.0	<0.001	0.11	0.43	7.0	1.1	0.4	49.6	<0.01	0.10	1.3
CC128350		0.28	40.1	580	15.0	10.4	<0.001	0.05	0.56	11.0	1.2	0.5	37.3	<0.01	0.11	2.6

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 22- JUL- 2011
Account: RCM

Project: Rackla- Dale

CERTIFICATE OF ANALYSIS WH11118091

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
CC128311		<0.005	0.23	1.63	24	0.09	26.0	102	2.0
CC128312		<0.005	0.16	1.09	31	0.06	15.20	103	2.2
CC128313		0.007	0.18	0.83	28	0.06	5.82	56	1.2
CC128314		0.011	0.13	0.71	36	0.10	8.52	58	1.4
CC128315		0.014	0.12	0.37	74	0.09	3.18	60	1.1
CC128316		0.008	0.10	0.36	69	0.06	3.88	73	0.7
CC128317		0.008	0.11	0.30	79	0.06	3.32	79	2.2
CC128318		0.007	0.14	0.29	93	0.05	5.90	79	0.8
CC128319		0.008	0.17	0.66	35	<0.05	24.0	48	1.0
CC128320		0.007	0.25	1.33	37	0.08	13.35	100	1.7
CC128321		0.006	0.23	1.57	37	0.10	12.70	115	1.8
CC128322		0.009	0.18	1.14	49	0.11	7.58	95	1.4
CC128323		0.007	0.22	1.72	30	0.07	18.90	183	1.3
CC128324		0.006	0.27	3.67	18	<0.05	20.4	123	1.5
CC128325		0.007	0.21	1.58	29	0.06	13.35	152	1.7
CC128326		0.006	0.13	1.41	47	0.06	12.75	64	1.8
CC128327		0.015	0.17	2.15	53	0.18	19.85	64	0.9
CC128328		0.009	0.14	0.46	61	0.13	3.58	50	0.8
CC128329		0.009	0.10	0.23	73	0.07	1.96	86	1.0
CC128330		<0.005	0.12	0.72	33	<0.05	12.45	72	2.7
CC128331		<0.005	0.10	0.88	27	0.05	8.32	85	1.5
CC128332		<0.005	0.10	1.36	17	<0.05	9.08	81	1.8
CC128333		0.011	0.10	2.22	25	<0.05	22.8	112	3.4
CC128334		0.018	0.13	1.76	29	0.11	22.8	94	2.5
CC128335		0.019	0.19	1.21	30	0.10	25.7	93	2.6
CC128336		<0.005	0.28	0.81	30	0.07	13.15	128	2.2
CC128337		<0.005	0.67	1.17	28	0.07	19.05	97	2.3
CC128338		<0.005	0.29	1.01	27	0.06	20.5	95	1.7
CC128339		<0.005	0.21	0.64	34	0.05	11.30	79	1.8
CC128340		<0.005	0.18	0.80	27	0.05	18.55	67	2.2
CC128341		<0.005	0.26	0.37	40	0.10	15.50	110	1.7
CC128342		<0.005	0.13	0.47	28	0.05	9.83	73	1.7
CC128343		<0.005	0.15	0.45	33	<0.05	19.90	73	2.3
CC128344		0.021	0.13	0.35	100	0.08	13.50	77	1.0
CC128345		0.052	0.15	0.43	87	0.09	7.15	79	1.1
CC128346		0.006	0.12	0.56	61	0.06	12.30	110	2.4
CC128347		0.009	0.11	0.81	48	0.09	13.60	73	1.7
CC128348		0.008	0.10	0.89	40	0.06	9.19	60	2.7
CC128349		0.007	0.09	0.58	48	0.07	8.89	70	2.2
CC128350		0.008	0.11	0.76	60	0.08	15.20	97	2.7

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 22- JUL- 2011
Account: RCM

Project: Rackla- Dale

CERTIFICATE OF ANALYSIS WH11118091

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- TL43 Au ppm 0.001	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1
CC128351		0.26	0.002	0.06	1.23	43.5	<0.2	<10	140	0.83	0.28	0.96	0.40	19.55	20.0	20
CC128352		0.26	0.001	0.16	2.50	5.8	<0.2	<10	250	0.82	0.29	0.16	0.87	16.00	30.6	39
CC128353		0.33	0.003	0.11	2.16	6.4	<0.2	<10	230	0.92	0.27	0.23	0.55	25.0	18.3	34
CC128354		0.24	0.003	0.11	1.70	13.0	<0.2	<10	220	0.83	0.24	1.47	0.24	20.2	18.6	24
CC128355		0.26	0.003	0.11	1.13	50.5	<0.2	<10	110	0.75	0.28	0.89	0.33	19.90	19.5	20
CC128356		0.27	0.003	0.11	1.46	11.1	<0.2	<10	180	0.75	0.22	1.28	0.26	15.10	14.1	21
CC128357		0.23	0.003	0.13	1.74	14.7	<0.2	<10	160	0.81	0.27	0.98	0.22	16.90	16.7	27
CC128358		0.23	0.003	0.12	1.68	14.4	<0.2	<10	160	0.80	0.25	1.23	0.29	16.85	19.4	26
CC128359		0.18	0.003	0.13	1.96	15.7	<0.2	<10	230	0.92	0.26	1.00	0.25	16.35	19.3	29
CC128360		0.23	0.004	0.15	1.88	15.6	<0.2	<10	260	0.92	0.24	1.12	0.27	15.95	17.2	29
CC128361		0.21	0.004	0.21	1.54	11.7	<0.2	<10	320	0.68	0.20	1.98	0.31	14.25	14.0	23
CC128362		0.33	0.004	0.16	1.90	15.7	<0.2	<10	260	0.86	0.26	0.24	0.32	25.1	18.8	31
CC128363		0.30	0.005	0.22	2.05	18.4	<0.2	<10	320	0.92	0.26	0.56	0.21	26.2	20.0	34
CC128364		0.39	0.005	0.28	2.09	16.2	<0.2	<10	400	0.84	0.28	0.31	0.78	80.5	21.6	34
CC128365		0.32	0.003	0.21	2.00	12.7	<0.2	<10	360	0.98	0.28	0.54	0.37	32.4	16.9	31
CC128366		0.46	0.007	0.13	1.61	13.2	<0.2	<10	610	0.99	0.25	0.79	0.76	27.5	29.1	29
CC128367		0.24	0.001	0.08	1.02	9.0	<0.2	<10	260	1.12	0.32	0.50	0.18	10.10	16.7	20
CC128368		0.36	0.001	0.09	1.47	12.9	<0.2	<10	550	0.56	0.24	0.53	0.49	15.30	14.6	24
CC128369		0.34	0.001	0.10	1.52	37.9	<0.2	<10	90	0.81	0.32	0.06	0.30	16.65	17.5	25
CC128370		0.16	0.002	0.13	0.85	95.8	<0.2	<10	110	0.82	0.25	1.98	0.35	8.35	10.0	12
CC128371		0.22	0.002	0.19	1.04	73.7	<0.2	<10	170	0.94	0.31	1.59	0.34	21.2	19.1	17
CC128372		0.32	0.001	0.14	1.28	134.5	<0.2	<10	200	1.00	0.39	0.81	0.31	20.3	20.6	19
CC128373		0.31	0.002	0.08	1.30	24.5	<0.2	<10	100	0.47	0.32	0.05	0.14	14.20	12.7	26
CC128374		0.31	0.001	0.04	0.90	31.5	<0.2	<10	120	0.24	0.31	0.05	0.12	19.35	7.6	14
CC128375		0.37	0.001	0.05	2.23	29.3	<0.2	<10	110	0.73	0.30	0.03	0.22	27.0	17.5	34
CC128376		0.37	0.001	0.05	1.79	12.0	<0.2	<10	210	0.55	0.28	0.20	0.12	25.0	8.8	26
CC128377		0.31	0.001	0.06	1.38	8.7	<0.2	<10	110	0.33	0.30	0.04	0.20	21.7	9.8	27
CC128378		0.39	0.001	0.06	1.92	12.9	<0.2	<10	150	0.65	0.35	0.10	0.24	19.80	18.2	28
CC128379		0.40	0.002	0.07	1.60	10.1	<0.2	<10	320	0.51	0.28	0.26	0.18	24.0	10.0	25
CC128380		0.29	0.002	0.09	1.73	9.0	<0.2	<10	190	0.61	0.28	0.19	0.27	24.6	12.7	27
CC128381		0.37	0.004	0.17	1.96	11.4	<0.2	<10	310	0.85	0.28	0.26	0.33	40.3	15.7	32
CC128382		0.20	0.002	0.12	0.64	21.7	<0.2	<10	280	0.46	0.17	2.44	0.53	8.39	10.4	11
CC128383		0.28	0.004	0.16	1.65	15.7	<0.2	<10	330	0.82	0.26	0.97	0.19	17.15	14.1	24
CC128384		0.29	0.004	0.15	1.56	20.9	<0.2	<10	220	0.82	0.27	0.67	0.33	17.55	17.6	26
CC128385		0.31	0.004	0.14	1.61	14.9	<0.2	<10	270	0.66	0.23	1.40	0.32	14.50	16.8	25
CC128386		0.23	0.003	0.14	1.37	10.7	<0.2	<10	190	0.65	0.18	1.75	0.23	11.15	12.4	20
CC128387		0.30	0.002	0.08	1.92	11.6	<0.2	<10	170	0.88	0.26	0.20	0.29	21.3	18.6	29
CC128388		0.27	0.003	0.08	1.87	12.6	<0.2	<10	170	0.78	0.29	0.64	0.22	20.2	19.3	26
CC128389		0.23	0.002	0.06	1.85	14.1	<0.2	<10	80	0.83	0.32	0.18	0.25	31.3	21.3	26
CC128390		0.21	0.003	0.10	1.60	12.9	<0.2	<10	130	0.75	0.26	1.17	0.19	18.95	16.2	23

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 22- JUL- 2011
Account: RCM

Project: Rackla- Dale

CERTIFICATE OF ANALYSIS WH11118091

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
CC128351		3.36	68.3	4.33	3.75	0.10	0.11	0.17	0.040	0.10	7.9	22.4	0.61	841	1.07	0.02
CC128352		10.35	89.8	6.97	9.87	0.11	0.03	0.04	0.075	0.08	5.9	31.0	0.82	3200	0.91	0.02
CC128353		7.42	60.7	5.37	7.71	0.11	0.04	0.05	0.065	0.07	9.6	37.7	0.52	1060	0.98	0.02
CC128354		1.82	81.9	4.10	4.95	0.10	0.10	0.13	0.035	0.13	9.4	32.9	0.74	683	0.57	0.02
CC128355		5.16	65.5	4.29	3.61	0.10	0.08	0.22	0.038	0.10	8.2	22.8	0.66	617	1.11	0.02
CC128356		2.22	61.0	3.43	4.27	0.09	0.08	0.13	0.033	0.09	7.8	25.3	0.62	547	0.58	0.02
CC128357		2.49	77.3	4.51	5.23	0.10	0.10	0.15	0.041	0.11	7.6	34.7	0.79	359	0.64	0.02
CC128358		2.05	79.3	4.35	5.19	0.10	0.09	0.12	0.039	0.10	7.0	29.9	0.77	636	0.86	0.02
CC128359		3.76	77.6	4.53	5.92	0.10	0.09	0.14	0.044	0.11	7.5	32.8	0.84	594	0.82	0.02
CC128360		4.49	78.6	4.39	5.89	0.10	0.08	0.16	0.045	0.11	7.8	29.0	0.78	564	0.92	0.02
CC128361		8.35	63.3	3.47	4.52	0.10	0.08	0.24	0.037	0.08	7.7	24.9	0.73	595	0.74	0.03
CC128362		8.18	64.7	4.83	5.83	0.11	0.06	0.11	0.051	0.09	10.7	29.9	0.69	593	0.99	0.02
CC128363		10.20	77.0	5.31	6.23	0.14	0.08	0.10	0.052	0.09	13.2	33.6	0.89	911	0.71	0.02
CC128364		9.80	84.5	5.61	6.72	0.23	0.12	0.09	0.058	0.07	23.5	35.2	0.94	3710	0.77	0.01
CC128365		16.25	63.9	4.74	5.79	0.13	0.07	0.08	0.055	0.11	13.5	33.1	0.67	1500	0.81	0.02
CC128366		11.40	65.9	5.94	4.69	0.14	0.11	0.66	0.063	0.08	9.8	21.8	0.49	2780	0.83	0.02
CC128367		6.89	60.1	3.90	3.40	0.08	0.04	0.06	0.047	0.11	4.0	11.7	0.33	480	1.59	0.01
CC128368		3.51	70.0	4.25	5.73	0.07	0.03	0.06	0.043	0.08	6.5	24.2	0.43	1010	0.82	0.02
CC128369		4.58	62.0	5.45	5.33	0.10	0.04	0.05	0.052	0.09	7.1	27.1	0.40	685	0.88	0.01
CC128370		1.96	48.2	4.01	2.39	0.08	0.08	0.25	0.037	0.07	4.2	8.0	0.26	368	2.20	0.02
CC128371		5.11	54.4	4.14	2.95	0.10	0.07	0.48	0.046	0.10	10.6	11.9	0.34	742	0.99	0.02
CC128372		4.14	66.4	4.76	3.44	0.12	0.11	0.66	0.050	0.11	11.4	21.0	0.34	614	1.13	0.02
CC128373		5.99	35.1	5.21	5.47	0.09	0.04	0.03	0.048	0.10	6.1	17.3	0.17	453	1.24	0.01
CC128374		2.79	29.8	2.94	4.31	0.07	<0.02	0.03	0.030	0.05	9.2	3.3	0.12	157	3.34	<0.01
CC128375		3.69	56.8	6.42	4.98	0.13	0.06	0.04	0.069	0.09	10.3	27.9	0.67	798	1.63	<0.01
CC128376		3.85	21.1	3.87	4.56	0.08	0.05	0.03	0.047	0.06	9.5	17.0	0.44	504	1.02	<0.01
CC128377		2.94	40.1	4.24	6.22	0.09	<0.02	0.06	0.042	0.08	9.6	8.3	0.29	658	1.30	<0.01
CC128378		3.65	59.9	5.70	4.84	0.10	0.03	0.03	0.059	0.08	8.1	24.6	0.67	682	1.01	<0.01
CC128379		2.84	32.5	4.00	4.37	0.09	0.05	0.04	0.046	0.07	10.0	15.9	0.55	542	0.95	<0.01
CC128380		7.62	52.8	4.18	6.05	0.08	0.04	0.04	0.055	0.08	9.0	24.2	0.42	734	0.94	<0.01
CC128381		10.10	63.1	4.31	5.91	0.15	0.09	0.07	0.054	0.07	17.3	27.9	0.64	884	0.87	<0.01
CC128382		3.38	47.1	2.56	2.00	0.05	0.07	0.16	0.030	0.06	3.5	5.8	0.45	817	3.30	0.01
CC128383		4.17	69.7	3.94	4.80	0.08	0.11	0.13	0.041	0.10	8.7	26.1	0.71	498	0.94	<0.01
CC128384		4.83	78.1	4.55	4.93	0.10	0.10	0.13	0.049	0.09	7.1	23.8	0.72	477	1.85	<0.01
CC128385		2.34	73.9	4.07	4.92	0.08	0.07	0.10	0.046	0.08	5.3	23.6	0.88	600	0.74	<0.01
CC128386		2.46	62.8	3.18	4.06	0.06	0.08	0.12	0.034	0.10	4.9	19.4	0.68	363	0.84	0.01
CC128387		3.76	83.6	4.76	6.28	0.10	0.08	0.05	0.051	0.10	7.9	34.2	0.70	815	0.66	<0.01
CC128388		1.77	71.8	4.45	5.68	0.08	0.09	0.09	0.043	0.10	7.5	38.0	0.79	665	0.61	<0.01
CC128389		1.39	73.4	4.60	5.79	0.10	0.08	0.07	0.041	0.09	11.7	37.8	0.71	672	0.73	<0.01
CC128390		1.31	68.0	3.78	4.79	0.08	0.10	0.11	0.036	0.10	8.3	31.9	0.68	451	0.60	<0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 22- JUL- 2011
Account: RCM

Project: Rackla- Dale

CERTIFICATE OF ANALYSIS WH11118091

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
CC128351		0.20	34.4	790	20.5	8.9	0.001	0.07	0.67	9.1	1.0	0.4	42.7	<0.01	0.09	2.7
CC128352		0.62	26.4	750	16.8	13.3	<0.001	0.05	0.35	9.0	0.8	0.8	7.6	<0.01	0.19	1.4
CC128353		0.79	24.7	620	11.4	11.9	<0.001	0.04	0.37	10.1	1.0	0.7	10.4	<0.01	0.14	2.0
CC128354		0.19	35.3	570	13.1	9.3	<0.001	0.07	0.50	8.0	1.4	0.3	46.8	<0.01	0.08	2.3
CC128355		0.23	34.9	850	19.4	11.5	0.001	0.06	0.67	8.1	1.1	0.4	42.4	<0.01	0.08	3.1
CC128356		0.24	24.6	770	11.7	8.4	<0.001	0.09	0.42	6.7	1.3	0.3	37.8	<0.01	0.09	1.4
CC128357		0.21	34.4	570	15.2	9.3	0.001	0.06	0.47	9.3	1.3	0.4	33.1	<0.01	0.11	2.5
CC128358		0.28	33.8	600	13.8	9.9	<0.001	0.07	0.51	9.0	1.3	0.4	37.8	<0.01	0.11	1.9
CC128359		0.32	33.8	690	14.3	12.1	<0.001	0.07	0.46	9.4	1.6	0.5	24.5	<0.01	0.11	1.9
CC128360		0.35	32.2	830	12.9	12.3	0.001	0.09	0.49	9.1	1.7	0.5	26.7	<0.01	0.11	1.5
CC128361		0.36	23.6	970	11.0	11.1	<0.001	0.13	0.43	9.1	2.8	0.3	38.2	0.01	0.09	1.1
CC128362		0.39	29.8	620	13.2	12.0	<0.001	0.05	0.38	12.5	1.3	0.5	12.2	<0.01	0.10	2.3
CC128363		0.35	35.3	700	15.2	13.0	<0.001	0.04	0.42	15.1	1.5	0.4	16.3	0.01	0.11	2.2
CC128364		0.34	36.4	530	19.5	10.2	0.001	0.03	0.44	24.6	2.2	0.4	11.4	0.01	0.11	2.9
CC128365		0.45	28.2	1090	19.0	14.0	<0.001	0.06	0.44	13.9	1.5	0.5	16.5	0.01	0.10	1.5
CC128366		0.32	35.9	780	17.0	11.7	<0.001	0.05	0.41	23.3	1.9	0.5	16.8	0.01	0.13	1.8
CC128367		0.49	28.8	680	10.2	12.6	<0.001	0.04	0.27	6.2	1.0	0.8	18.1	<0.01	0.22	1.6
CC128368		0.32	23.6	770	12.2	12.3	<0.001	0.05	0.43	5.4	0.7	0.5	21.1	<0.01	0.10	1.1
CC128369		0.32	26.0	550	16.6	13.1	<0.001	0.03	0.70	5.0	0.7	0.5	7.9	<0.01	0.14	2.2
CC128370		0.20	23.4	1030	17.1	8.4	<0.001	0.16	0.82	4.9	1.2	0.3	48.2	<0.01	0.09	0.6
CC128371		0.29	35.4	700	25.1	10.4	<0.001	0.07	0.80	6.8	1.4	0.4	92.7	0.01	0.08	0.9
CC128372		0.18	41.0	540	26.8	9.9	<0.001	0.05	1.19	8.6	1.2	0.4	66.0	0.01	0.10	2.4
CC128373		0.64	21.0	360	21.8	16.8	<0.001	0.02	0.51	5.2	0.5	0.6	6.5	<0.01	0.08	3.0
CC128374		0.61	14.6	370	10.7	9.0	<0.001	0.02	0.70	2.2	0.6	0.6	7.1	<0.01	0.09	1.0
CC128375		0.38	32.3	350	18.1	12.2	<0.001	0.01	1.40	5.7	0.6	0.5	5.9	<0.01	0.12	3.4
CC128376		0.58	16.2	800	13.2	9.6	<0.001	0.03	0.55	3.0	0.5	0.6	9.6	<0.01	0.07	1.7
CC128377		0.73	13.2	510	8.8	12.4	<0.001	0.02	0.66	3.0	0.5	0.8	5.5	<0.01	0.12	0.6
CC128378		0.44	28.4	460	19.3	10.4	<0.001	0.01	0.62	4.1	0.6	0.6	7.3	<0.01	0.18	2.4
CC128379		0.53	21.3	460	12.7	7.6	<0.001	0.02	0.65	4.3	0.6	0.5	8.8	<0.01	0.09	2.6
CC128380		0.59	21.3	720	13.1	11.9	<0.001	0.03	0.40	5.9	0.7	0.6	8.2	<0.01	0.09	1.9
CC128381		0.58	31.1	760	14.7	11.9	<0.001	0.03	0.48	12.8	1.4	0.5	11.8	0.01	0.09	2.5
CC128382		0.23	19.7	860	12.6	6.0	<0.001	0.12	0.39	4.3	1.6	0.2	36.2	0.01	0.06	0.6
CC128383		0.29	29.0	850	15.5	9.5	<0.001	0.06	0.47	7.4	1.4	0.4	21.5	0.01	0.08	1.6
CC128384		0.30	34.7	610	15.4	9.3	<0.001	0.05	0.43	10.1	1.4	0.4	19.2	0.01	0.12	1.9
CC128385		0.27	31.2	710	12.5	6.7	<0.001	0.07	0.36	7.0	1.6	0.4	33.7	<0.01	0.12	1.0
CC128386		0.20	25.7	940	10.1	8.5	0.001	0.12	0.36	5.2	1.7	0.3	39.6	<0.01	0.09	0.8
CC128387		0.27	30.7	570	15.2	9.6	<0.001	0.02	0.36	9.4	0.7	0.4	10.3	<0.01	0.11	2.6
CC128388		0.23	35.3	490	16.6	7.8	<0.001	0.02	0.43	6.9	0.7	0.4	25.0	<0.01	0.08	3.1
CC128389		0.19	34.2	380	19.9	8.4	<0.001	0.01	0.46	6.5	0.6	0.4	14.4	<0.01	0.09	4.6
CC128390		0.22	33.4	500	16.0	7.1	<0.001	0.05	0.49	5.8	1.1	0.3	42.6	<0.01	0.08	2.3

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 22- JUL- 2011
Account: RCM

Project: Rackla- Dale

CERTIFICATE OF ANALYSIS WH11118091

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
CC128351		0.006	0.18	0.57	40	0.07	14.10	87	2.9
CC128352		0.021	0.12	0.37	112	0.10	6.79	80	0.7
CC128353		0.022	0.12	0.52	84	0.13	12.25	64	1.0
CC128354		0.005	0.08	0.96	39	<0.05	11.90	80	3.4
CC128355		0.007	0.19	0.81	38	0.09	12.70	96	2.4
CC128356		0.007	0.08	0.59	37	0.05	11.80	70	2.2
CC128357		0.006	0.10	0.57	47	0.06	10.15	93	3.3
CC128358		0.007	0.10	0.78	50	0.06	10.20	92	2.6
CC128359		0.007	0.12	0.64	55	0.07	11.35	87	2.7
CC128360		0.008	0.12	0.60	56	0.08	11.95	91	2.1
CC128361		0.009	0.12	0.80	47	0.06	15.20	87	1.9
CC128362		0.009	0.15	0.59	67	0.09	16.95	80	1.5
CC128363		0.010	0.13	0.67	70	0.09	22.9	92	1.6
CC128364		0.012	0.12	0.64	72	0.11	41.0	79	1.6
CC128365		0.021	0.12	0.74	63	0.12	24.8	81	1.2
CC128366		0.008	0.19	0.55	87	0.11	35.8	80	1.6
CC128367		0.012	0.12	0.55	42	0.13	6.64	61	0.9
CC128368		0.009	0.09	0.37	62	0.08	4.52	67	0.9
CC128369		0.006	0.17	0.38	54	0.07	3.75	96	1.2
CC128370		<0.005	0.64	0.59	31	0.05	10.30	53	2.0
CC128371		0.006	0.56	0.86	32	0.14	24.3	91	1.4
CC128372		<0.005	0.44	1.05	31	0.09	24.0	109	3.0
CC128373		0.012	0.20	0.41	61	0.11	2.81	64	2.0
CC128374		0.015	0.32	0.40	60	0.16	2.35	43	<0.5
CC128375		0.005	0.21	0.42	65	0.08	3.57	90	2.4
CC128376		0.011	0.19	0.59	52	0.18	3.87	60	0.9
CC128377		0.016	0.16	0.44	89	0.15	2.40	64	<0.5
CC128378		0.007	0.13	0.39	53	0.10	3.08	86	0.9
CC128379		0.012	0.13	0.53	49	0.13	5.30	66	1.1
CC128380		0.013	0.14	0.47	66	0.20	7.48	63	0.8
CC128381		0.014	0.16	0.85	63	0.16	27.6	78	1.2
CC128382		0.007	0.17	0.61	23	<0.05	10.05	44	1.9
CC128383		0.006	0.13	0.88	43	0.06	13.80	79	2.4
CC128384		0.007	0.14	0.61	52	0.07	13.25	91	2.4
CC128385		0.008	0.08	0.51	50	0.05	8.04	83	1.9
CC128386		0.005	0.08	0.57	35	<0.05	9.68	64	2.3
CC128387		0.006	0.08	0.46	55	0.06	9.90	70	2.0
CC128388		0.005	0.07	0.60	43	<0.05	6.31	83	2.9
CC128389		<0.005	0.09	0.51	43	<0.05	8.05	71	3.0
CC128390		0.005	0.08	0.63	34	<0.05	9.43	72	3.0

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 22- JUL- 2011
Account: RCM

Project: Rackla- Dale

CERTIFICATE OF ANALYSIS WH11118091

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- TL43 Au ppm 0.001	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1
CC128391		0.23	0.002	0.11	1.72	12.4	<0.2	<10	140	0.90	0.27	0.97	0.25	26.8	16.1	23
CC128392		0.23	0.003	0.07	1.94	12.4	<0.2	<10	220	0.85	0.29	0.63	0.21	22.7	18.9	28
CC128393		0.22	0.004	0.15	1.86	12.5	<0.2	<10	230	0.94	0.26	1.11	0.34	20.1	15.9	26
CC128394		0.21	0.003	0.13	1.60	8.9	<0.2	<10	190	0.69	0.24	1.60	0.19	14.15	12.1	22
CC128395		0.24	0.006	0.19	1.70	8.8	<0.2	<10	310	0.78	0.21	1.79	0.33	16.50	16.9	25
CC128396		0.24	0.001	0.07	1.69	10.9	<0.2	<10	100	0.52	0.33	0.05	0.20	21.0	12.2	26
CC128397		0.26	0.001	0.06	1.34	10.9	<0.2	<10	90	0.30	0.30	0.04	0.17	19.60	16.5	22
CC128398		0.30	0.002	0.09	2.28	15.5	<0.2	<10	280	1.01	0.29	0.53	0.53	29.4	29.6	30
CC128399		0.30	0.003	0.15	1.52	15.5	<0.2	<10	230	0.75	0.24	1.30	0.37	14.25	13.9	22
CC128400		0.24	0.001	0.04	1.05	12.8	<0.2	<10	80	0.29	0.28	0.10	0.11	18.15	10.5	18
CC128401		0.37	0.001	0.04	2.14	32.2	<0.2	<10	130	0.73	0.35	0.07	0.21	25.5	17.2	30
CC128402		0.17	0.001	0.05	1.17	23.6	<0.2	<10	90	0.27	0.32	0.07	0.16	16.50	11.2	20
CC128403		0.31	0.001	0.06	1.12	38.0	<0.2	<10	120	0.33	0.31	0.16	0.17	20.5	9.0	20
CC128404		0.18	0.001	0.08	1.43	12.1	<0.2	<10	100	0.34	0.34	0.03	0.17	21.3	7.9	19
CC128405		0.25	0.001	0.08	2.30	15.4	<0.2	<10	160	0.84	0.32	0.08	0.24	21.7	20.3	32
CC128406		0.21	0.001	0.07	1.62	7.8	<0.2	<10	310	0.55	0.27	0.48	0.09	18.80	10.9	25
CC128407		0.29	0.003	0.16	1.74	14.4	<0.2	<10	260	0.77	0.28	0.28	0.29	33.6	17.1	30
CC128408		0.28	0.004	0.12	2.06	18.5	<0.2	<10	280	0.80	0.29	0.14	0.34	45.5	22.8	35
CC128409		0.30	0.003	0.07	1.87	13.1	<0.2	<10	140	0.76	0.29	0.09	0.33	28.9	18.8	31
CC128410		0.07	0.003	0.22	1.37	8.7	<0.2	<10	420	0.68	0.22	1.02	0.24	19.85	11.6	21
CC128411		0.11	0.003	0.14	1.67	12.7	<0.2	<10	330	0.74	0.24	0.94	0.41	20.8	14.9	23
CC128412		0.17	0.002	0.08	1.45	10.8	<0.2	<10	230	0.45	0.25	0.32	0.21	16.60	10.5	25
CC128413		0.13	0.003	0.15	1.59	10.9	<0.2	<10	400	1.01	0.27	1.10	0.16	22.4	15.0	24
CC128414		0.18	0.001	0.07	1.74	13.6	<0.2	<10	130	0.63	0.29	0.08	0.40	21.7	21.2	27
CC128415		0.26	0.003	0.11	1.77	11.0	<0.2	<10	170	0.74	0.27	0.98	0.17	20.9	15.9	26
CC128416		0.09	0.003	0.12	1.80	13.2	<0.2	<10	170	0.97	0.28	1.03	0.17	21.0	15.9	28
CC128417		0.22	0.004	0.13	1.84	12.5	<0.2	<10	190	0.98	0.28	1.22	0.28	21.2	19.6	27
CC128418		0.16	0.006	0.20	1.94	13.0	<0.2	<10	290	1.16	0.27	1.40	0.35	20.3	19.1	29
CC128419		0.13	0.003	0.14	1.76	10.7	<0.2	<10	250	0.93	0.27	0.91	0.36	20.2	16.1	28
CC128420		0.20	0.002	0.12	1.78	13.0	<0.2	<10	260	0.92	0.28	1.09	0.48	19.50	16.3	27
CC128421		0.18	0.003	0.10	1.67	12.3	<0.2	<10	190	0.86	0.25	0.72	0.18	20.3	14.9	29
CC128422		0.15	0.002	0.14	1.32	8.5	<0.2	<10	310	0.70	0.21	2.09	0.40	16.45	13.0	19
CC128423		0.17	0.003	0.09	1.62	12.9	<0.2	<10	250	0.84	0.27	0.83	0.32	18.95	15.2	26
CC128424		0.15	NSS	0.17	1.42	10.9	<0.2	<10	350	0.67	0.23	1.33	0.26	16.50	13.8	25
CC128425		0.34	0.008	0.24	2.01	13.3	<0.2	<10	330	1.31	0.29	0.38	0.41	38.2	22.2	36
CC128426		0.16	0.001	0.06	1.84	12.9	<0.2	<10	280	0.72	0.29	0.57	0.53	18.80	16.3	30
CC128427		0.18	0.003	0.09	1.44	8.5	<0.2	<10	150	0.57	0.26	0.13	0.62	16.90	14.0	26
CC128428		0.15	0.002	0.25	1.04	8.1	<0.2	<10	230	0.64	0.21	0.30	0.82	20.8	10.7	21
CC128429		0.09	0.003	0.13	1.25	35.0	<0.2	<10	340	0.88	0.25	0.92	0.49	14.05	14.1	22
CC128430		0.13	0.003	0.16	1.24	47.5	<0.2	<10	560	0.69	0.22	1.28	0.23	11.10	11.8	20

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 22- JUL- 2011
Account: RCM

Project: Rackla- Dale

CERTIFICATE OF ANALYSIS WH11118091

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
CC128391		1.62	65.5	3.86	4.99	0.08	0.11	0.10	0.041	0.12	10.1	36.4	0.61	956	0.63	<0.01
CC128392		1.99	61.5	4.31	5.84	0.09	0.08	0.09	0.047	0.09	8.7	34.0	0.73	711	0.90	<0.01
CC128393		2.24	72.7	3.95	5.49	0.11	0.11	0.19	0.046	0.11	11.5	28.5	0.65	762	0.85	0.01
CC128394		1.50	65.4	3.29	4.64	0.08	0.09	0.13	0.035	0.09	7.3	29.3	0.70	318	0.66	0.01
CC128395		2.66	112.0	4.39	4.79	0.10	0.09	0.17	0.046	0.09	6.8	27.3	0.84	1000	0.87	<0.01
CC128396		3.57	36.9	4.68	7.76	0.07	0.03	0.05	0.051	0.07	8.8	23.1	0.28	649	1.25	<0.01
CC128397		3.58	52.7	3.70	8.13	0.07	0.02	0.05	0.041	0.07	8.3	11.4	0.21	613	1.11	<0.01
CC128398		10.05	107.5	5.33	8.38	0.11	0.06	0.06	0.074	0.08	8.4	32.5	0.58	1880	1.09	<0.01
CC128399		3.21	60.0	3.55	4.96	0.07	0.08	0.11	0.042	0.10	5.9	25.2	0.66	402	1.33	0.01
CC128400		4.01	43.5	3.33	6.44	0.06	<0.02	0.04	0.032	0.06	7.6	11.2	0.23	324	1.27	<0.01
CC128401		3.89	47.0	4.80	7.03	0.08	0.04	0.06	0.056	0.07	9.8	32.3	0.48	466	1.35	<0.01
CC128402		2.11	45.0	4.02	6.58	0.06	<0.02	0.04	0.037	0.07	7.0	9.2	0.25	369	1.24	<0.01
CC128403		2.78	32.8	3.66	6.56	0.06	<0.02	0.03	0.036	0.06	9.1	15.4	0.26	236	1.67	<0.01
CC128404		3.09	22.0	4.04	7.14	0.06	0.03	0.05	0.033	0.05	9.3	22.7	0.24	257	1.30	<0.01
CC128405		6.57	65.9	5.38	7.21	0.09	0.05	0.05	0.066	0.08	6.8	32.3	0.60	802	0.94	<0.01
CC128406		6.36	46.5	3.42	7.08	0.06	0.03	0.04	0.042	0.07	7.6	22.1	0.50	435	1.00	<0.01
CC128407		4.31	61.2	4.03	5.89	0.10	0.07	0.07	0.043	0.07	13.7	30.8	0.75	660	1.01	<0.01
CC128408		4.52	102.0	5.01	7.15	0.16	0.09	0.10	0.061	0.07	14.0	32.0	0.96	1340	0.90	<0.01
CC128409		14.25	61.2	4.64	6.65	0.10	0.06	0.05	0.055	0.07	10.2	30.1	0.61	1040	1.02	<0.01
CC128410		5.14	58.8	2.79	4.75	0.10	0.08	0.12	0.035	0.06	11.4	15.8	0.40	567	0.81	0.01
CC128411		6.62	71.1	3.45	5.40	0.10	0.11	0.14	0.044	0.08	11.5	21.4	0.49	834	1.16	0.01
CC128412		3.74	40.5	3.23	5.50	0.06	0.05	0.07	0.037	0.06	7.6	20.0	0.46	250	0.85	<0.01
CC128413		2.40	74.4	3.36	5.48	0.11	0.08	0.12	0.040	0.06	11.5	24.2	0.56	677	1.05	<0.01
CC128414		2.57	49.3	4.89	6.27	0.08	0.05	0.04	0.050	0.08	8.5	34.2	0.47	830	0.95	<0.01
CC128415		1.53	57.5	3.83	5.42	0.08	0.11	0.14	0.036	0.12	9.0	38.9	0.81	435	0.70	<0.01
CC128416		1.39	64.3	4.05	5.46	0.05	0.10	0.14	0.036	0.09	9.9	41.8	0.74	433	0.65	0.01
CC128417		1.30	70.4	4.22	5.15	<0.05	0.10	0.15	0.038	0.09	10.2	35.6	0.78	996	0.58	0.01
CC128418		2.26	101.5	4.20	5.82	0.07	0.08	0.21	0.042	0.10	11.7	29.8	0.80	1120	1.09	0.01
CC128419		2.67	59.1	3.80	5.20	<0.05	0.07	0.13	0.040	0.08	10.2	29.3	0.67	710	0.90	0.01
CC128420		1.71	56.0	4.05	5.35	<0.05	0.08	0.07	0.041	0.08	9.0	29.9	0.68	865	0.83	0.01
CC128421		1.07	58.6	4.13	5.09	<0.05	0.07	0.10	0.038	0.07	10.4	28.9	0.71	547	0.74	0.01
CC128422		3.80	42.7	2.88	3.80	0.05	0.05	0.10	0.030	0.05	8.1	15.1	0.56	1240	0.81	0.01
CC128423		2.77	54.4	3.95	4.87	0.05	0.05	0.06	0.036	0.06	9.4	24.7	0.62	777	0.82	0.01
CC128424		3.49	56.1	3.78	4.60	<0.05	0.05	0.07	0.036	0.07	7.3	19.8	0.62	732	0.90	0.01
CC128425		13.85	96.5	5.46	6.72	0.10	0.04	0.06	0.066	0.06	16.2	27.8	0.65	1560	0.88	0.01
CC128426		4.53	63.9	5.47	10.45	<0.05	<0.02	0.05	0.057	0.05	7.9	22.8	0.44	464	1.35	0.01
CC128427		8.80	50.8	3.91	6.44	<0.05	<0.02	0.04	0.047	0.08	7.4	19.6	0.37	592	0.83	0.01
CC128428		5.56	46.3	3.13	3.75	<0.05	<0.02	0.06	0.041	0.06	6.3	10.7	0.20	933	0.88	0.01
CC128429		10.35	48.7	3.73	4.23	<0.05	0.06	0.12	0.043	0.10	5.6	16.0	0.46	825	0.92	0.01
CC128430		3.82	57.5	3.54	3.74	<0.05	0.07	0.15	0.033	0.07	5.3	16.6	0.53	383	1.08	0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 22- JUL- 2011
Account: RCM

Project: Rackla- Dale

CERTIFICATE OF ANALYSIS WH11118091

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
CC128391		0.24	31.8	500	15.8	8.5	<0.001	0.04	0.43	6.7	0.8	0.3	39.4	0.01	0.07	2.9
CC128392		0.41	30.5	620	18.1	10.5	<0.001	0.03	0.40	7.5	1.5	0.5	28.0	<0.01	0.09	2.1
CC128393		0.36	33.2	830	14.3	11.0	<0.001	0.07	0.46	8.0	2.7	0.4	45.7	0.01	0.10	1.6
CC128394		0.33	27.9	610	12.6	7.6	<0.001	0.08	0.44	5.9	2.7	0.3	50.3	<0.01	0.08	1.4
CC128395		0.27	29.7	750	12.7	7.1	<0.001	0.08	0.43	9.3	3.7	0.3	41.7	0.01	0.10	1.2
CC128396		0.95	16.1	480	14.6	11.4	<0.001	0.01	0.46	4.3	0.6	0.8	6.0	<0.01	0.09	2.7
CC128397		0.52	14.8	530	17.5	10.9	<0.001	0.02	0.42	4.4	0.6	0.7	5.9	<0.01	0.12	2.1
CC128398		0.59	27.2	550	19.4	12.8	<0.001	0.03	0.47	11.3	1.1	0.7	13.8	0.01	0.14	2.3
CC128399		0.36	28.7	730	14.8	11.5	0.001	0.08	0.44	6.7	1.4	0.4	30.5	<0.01	0.09	1.5
CC128400		0.50	16.1	450	13.1	9.5	<0.001	0.01	0.41	4.1	0.4	0.6	6.8	<0.01	0.09	1.5
CC128401		0.79	30.1	260	22.1	12.7	<0.001	<0.01	0.68	5.5	0.6	0.7	9.8	<0.01	0.09	3.6
CC128402		0.45	18.3	670	15.5	13.0	<0.001	0.02	0.52	2.8	0.5	0.6	6.6	<0.01	0.11	0.8
CC128403		1.11	17.1	290	13.8	13.7	<0.001	0.01	0.74	3.3	0.5	0.7	10.5	<0.01	0.09	2.4
CC128404		0.99	15.2	260	15.7	11.1	<0.001	<0.01	0.61	2.9	0.4	0.7	5.8	<0.01	0.06	3.5
CC128405		0.39	33.7	440	15.3	13.7	<0.001	0.01	0.36	6.9	0.7	0.7	6.5	<0.01	0.16	2.3
CC128406		0.58	21.6	720	11.5	11.9	<0.001	0.03	0.32	5.7	0.7	0.6	17.9	<0.01	0.09	1.4
CC128407		0.65	37.8	430	17.1	10.5	<0.001	0.01	0.58	9.8	0.9	0.5	15.1	0.01	0.08	3.9
CC128408		0.44	40.2	510	15.7	9.1	<0.001	0.01	0.52	15.1	1.5	0.5	10.3	0.01	0.13	3.7
CC128409		0.76	30.1	520	15.7	11.8	<0.001	0.02	0.47	9.3	0.9	0.5	9.3	0.01	0.10	3.0
CC128410		0.50	20.1	1190	11.3	9.3	<0.001	0.10	0.37	6.9	1.6	0.4	26.7	0.01	0.07	1.0
CC128411		0.52	29.1	1010	13.1	11.0	<0.001	0.08	0.45	8.3	1.6	0.4	30.2	0.01	0.08	1.5
CC128412		0.56	21.8	660	13.5	7.8	<0.001	0.04	0.39	5.0	0.8	0.5	12.9	<0.01	0.07	1.7
CC128413		0.62	25.1	1060	14.4	9.3	<0.001	0.07	0.45	6.7	1.9	0.4	25.6	0.01	0.09	1.3
CC128414		0.59	26.0	380	17.2	11.8	<0.001	0.01	0.45	4.9	0.6	0.5	8.7	<0.01	0.09	3.1
CC128415		0.32	32.6	550	15.7	7.9	<0.001	0.04	0.44	7.0	1.4	0.3	31.0	<0.01	0.08	2.7
CC128416		0.25	32.7	600	15.6	7.4	<0.001	0.04	0.52	7.3	1.5	0.4	41.4	<0.01	0.08	2.3
CC128417		0.22	33.7	640	17.0	6.9	<0.001	0.03	0.50	6.9	1.3	0.3	44.1	<0.01	0.07	2.0
CC128418		0.35	33.7	920	14.6	8.8	0.001	0.07	0.60	8.4	2.2	0.4	36.1	<0.01	0.08	1.3
CC128419		0.42	25.3	850	14.5	8.9	<0.001	0.05	0.41	7.3	1.8	0.4	25.8	<0.01	0.08	1.5
CC128420		0.40	27.4	790	16.7	9.0	<0.001	0.06	0.50	5.8	1.7	0.4	29.7	<0.01	0.10	1.4
CC128421		0.36	30.7	580	12.7	6.5	<0.001	0.02	0.47	6.5	1.3	0.4	22.9	<0.01	0.08	2.2
CC128422		0.39	18.2	1160	12.0	7.7	0.001	0.14	0.41	4.9	3.2	0.3	38.7	<0.01	0.06	0.6
CC128423		0.42	26.4	800	15.1	8.5	<0.001	0.04	0.49	6.7	1.5	0.4	20.7	<0.01	0.08	1.4
CC128424		0.45	25.6	850	10.6	9.0	<0.001	0.05	0.40	6.2	0.9	0.4	24.0	<0.01	0.07	1.0
CC128425		0.59	33.1	740	18.0	11.4	<0.001	<0.01	0.47	20.7	2.0	0.6	14.0	<0.01	0.14	2.4
CC128426		0.77	17.8	480	11.6	9.9	<0.001	<0.01	0.55	5.6	0.7	0.9	14.0	<0.01	0.15	1.6
CC128427		0.52	19.4	680	11.0	14.4	<0.001	0.02	0.41	4.0	0.5	0.6	7.8	<0.01	0.11	0.6
CC128428		0.36	21.1	1130	10.0	8.0	<0.001	0.09	0.40	4.1	0.7	0.4	10.9	<0.01	0.07	<0.2
CC128429		0.31	22.9	1500	13.0	17.6	<0.001	0.12	0.68	7.2	0.9	0.4	39.8	<0.01	0.09	0.9
CC128430		0.26	25.9	940	13.6	8.6	<0.001	0.11	0.85	5.3	1.2	0.3	31.8	<0.01	0.09	1.0

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 22- JUL- 2011
Account: RCM

Project: Rackla- Dale

CERTIFICATE OF ANALYSIS WH11118091

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
CC128391		<0.005	0.09	0.73	35	0.05	12.05	65	3.3
CC128392		0.008	0.10	1.14	49	0.08	9.98	91	2.2
CC128393		0.007	0.11	1.95	44	0.07	19.35	98	2.6
CC128394		0.007	0.08	0.76	36	0.06	10.40	70	2.6
CC128395		0.007	0.08	1.30	51	0.07	17.35	70	2.2
CC128396		0.014	0.13	0.48	72	0.16	3.22	55	0.9
CC128397		0.010	0.14	0.45	73	0.08	3.91	40	0.9
CC128398		0.010	0.17	0.42	83	0.12	12.80	65	1.4
CC128399		0.007	0.15	0.51	41	0.05	8.94	93	2.1
CC128400		0.012	0.16	0.40	59	0.10	2.92	45	<0.5
CC128401		0.011	0.24	0.53	69	0.14	4.11	68	1.5
CC128402		0.010	0.15	0.33	61	0.10	2.21	53	<0.5
CC128403		0.019	0.18	0.46	61	0.21	2.62	51	<0.5
CC128404		0.016	0.12	0.45	53	0.15	2.94	46	1.4
CC128405		0.006	0.15	0.41	71	0.08	7.60	73	1.1
CC128406		0.011	0.13	0.60	62	0.11	6.20	46	0.6
CC128407		0.018	0.12	0.71	55	0.19	14.35	81	1.8
CC128408		0.015	0.12	0.72	73	0.13	20.8	80	1.6
CC128409		0.017	0.18	0.57	66	0.12	9.79	94	1.4
CC128410		0.011	0.12	0.72	38	0.10	20.0	45	1.5
CC128411		0.010	0.17	0.80	45	0.10	20.1	60	2.5
CC128412		0.012	0.12	0.62	49	0.11	6.13	60	1.1
CC128413		0.013	0.10	0.73	45	0.15	22.8	54	1.5
CC128414		0.010	0.11	0.54	56	0.11	4.76	85	1.5
CC128415		0.007	0.08	0.93	38	0.06	10.25	84	3.4
CC128416		0.006	0.08	1.29	41	0.05	11.70	82	3.0
CC128417		0.006	0.07	0.75	42	<0.05	12.95	87	2.7
CC128418		0.008	0.10	1.18	49	0.07	21.8	76	2.1
CC128419		0.011	0.09	0.99	45	0.10	14.75	92	1.7
CC128420		0.010	0.08	0.92	46	0.07	10.60	100	1.9
CC128421		0.010	0.07	0.67	49	0.08	10.45	75	1.9
CC128422		0.011	0.09	0.96	36	0.09	17.90	55	1.3
CC128423		0.013	0.10	0.74	47	0.11	12.10	75	1.3
CC128424		0.013	0.10	0.55	50	0.08	10.05	74	1.2
CC128425		0.019	0.12	0.74	76	0.17	28.3	77	1.0
CC128426		0.013	0.14	0.34	121	0.14	3.67	58	<0.5
CC128427		0.011	0.12	0.40	64	0.10	5.23	57	<0.5
CC128428		0.010	0.10	0.51	49	0.07	8.94	65	<0.5
CC128429		0.008	0.21	0.66	45	0.07	10.55	96	1.4
CC128430		0.006	0.23	0.44	39	0.06	12.20	70	1.8

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 22- JUL- 2011
Account: RCM

Project: Rackla- Dale

CERTIFICATE OF ANALYSIS WH11118091

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- TL43 Au ppm 0.001	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1
CC128431		0.30	0.002	0.10	1.12	73.4	<0.2	<10	190	1.37	0.34	0.60	0.67	26.1	23.9	27
CC128432		0.10	0.001	0.19	0.55	126.5	<0.2	<10	90	0.83	0.28	2.57	0.57	20.8	14.8	8
CC128433		0.20	0.001	0.03	2.21	24.1	<0.2	<10	130	0.81	0.32	0.06	0.30	25.0	19.3	32
CC128434		0.26	0.001	0.07	1.81	15.4	<0.2	<10	170	0.65	0.33	0.10	0.12	29.1	10.3	29
CC128435		0.24	0.001	0.07	2.06	13.4	<0.2	<10	160	0.94	0.30	0.14	0.61	36.7	26.3	36
CC128436		0.13	0.001	0.20	0.68	15.4	<0.2	10	210	0.47	0.13	3.17	0.50	14.15	11.7	14
CC128437		0.26	0.002	0.06	2.84	13.2	<0.2	<10	290	1.16	0.25	0.32	0.67	28.1	42.0	48
CC128438		0.36	0.001	0.09	0.97	20.9	<0.2	<10	80	1.33	0.38	0.03	0.30	6.43	23.6	18
CC128439		0.24	0.001	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS
CC128440		0.20	0.001	0.15	1.76	11.8	<0.2	<10	160	0.91	0.28	0.21	0.37	28.9	16.8	29
CC128441		0.19	0.002	0.13	2.88	9.2	<0.2	<10	410	1.98	0.25	1.16	1.99	71.1	65.0	41
CC128442		0.21	0.002	0.14	3.21	15.6	<0.2	<10	320	1.90	0.31	0.34	0.75	46.9	70.9	48
CC128443		0.28	0.004	0.11	1.23	12.7	<0.2	<10	180	1.11	0.28	0.16	0.74	29.9	32.1	29
CC128444		0.28	0.001	0.04	1.08	12.1	<0.2	<10	110	0.36	0.29	0.20	0.25	19.55	8.6	20
CC128445		0.30	0.006	0.13	2.25	11.5	<0.2	<10	520	1.37	0.23	1.10	1.37	26.4	21.9	34
CC128446		0.26	0.007	0.19	1.47	10.9	<0.2	<10	280	0.87	0.22	1.22	0.43	18.20	14.4	25
CC128447		0.20	0.004	0.13	1.44	10.1	<0.2	<10	280	0.68	0.23	1.57	0.50	14.50	10.8	22
CC128448		0.18	0.001	0.10	1.52	9.5	<0.2	<10	300	0.76	0.26	1.53	0.89	17.85	15.0	25
CC128449		0.11	0.002	0.12	1.32	12.6	<0.2	10	430	0.80	0.22	2.08	0.30	10.05	10.7	18
CC128450		0.14	0.001	0.12	1.26	6.4	<0.2	<10	210	0.51	0.21	1.93	0.87	15.70	10.8	19
CC128451		0.07	0.004	0.16	1.41	8.6	<0.2	<10	240	0.85	0.19	2.61	0.32	11.15	10.3	19
CC128452		0.11	0.003	0.19	1.35	10.3	<0.2	<10	250	0.86	0.25	1.78	0.57	18.00	15.3	21
CC128453		0.11	0.001	0.18	0.98	8.4	<0.2	<10	370	0.82	0.16	2.59	0.77	11.20	10.9	13
CC128454		0.23	0.005	0.24	1.66	8.4	<0.2	<10	270	1.05	0.25	1.27	0.45	19.00	14.4	25
CC128455		0.26	0.007	0.26	1.55	6.9	<0.2	<10	290	0.96	0.22	1.72	0.33	18.25	14.3	23
CC128456		0.23	0.004	0.10	1.87	12.2	<0.2	<10	410	1.32	0.30	0.27	0.71	30.4	19.3	29
CC128457		0.16	0.005	0.10	1.91	13.0	<0.2	<10	410	1.29	0.28	0.50	0.47	21.5	20.0	33
CC128458		0.21	0.001	0.07	1.91	10.5	<0.2	<10	260	0.65	0.28	0.13	0.28	19.15	16.1	30
CC128459		0.17	0.001	0.14	1.74	5.7	<0.2	<10	450	0.68	0.26	0.30	1.15	10.25	23.2	31
CC128460		0.21	0.004	0.18	1.53	8.4	<0.2	<10	250	0.91	0.25	1.03	0.31	18.65	13.8	26
CC128461		0.22	0.003	0.22	2.05	17.9	<0.2	<10	260	1.39	0.30	0.16	0.59	40.9	25.5	33
CC128462		0.12	0.001	0.11	0.52	4.2	<0.2	<10	180	0.38	0.12	2.87	0.34	4.24	6.1	7
CC128463		0.13	0.004	0.47	1.49	5.4	<0.2	<10	430	2.50	0.19	2.02	0.37	16.75	10.2	13
CC128464		0.27	0.004	0.16	1.43	24.3	<0.2	<10	200	0.80	0.23	0.93	0.21	14.30	13.9	23
CC128465		0.09	0.001	0.11	0.37	4.2	<0.2	10	90	0.25	0.06	3.85	0.28	3.26	2.4	5
CC128466		0.26	0.004	0.25	1.84	18.3	<0.2	<10	230	1.22	0.25	0.65	0.45	46.4	30.4	34
CC129001		0.17	0.007	0.07	1.69	13.0	<0.2	<10	410	1.61	0.22	1.14	0.16	42.2	11.2	38
CC129002		0.11	0.001	0.05	0.98	8.4	<0.2	<10	100	0.70	0.18	2.43	0.42	19.65	7.2	17
CC129003		0.27	0.001	0.08	0.48	16.2	<0.2	<10	110	1.33	0.40	0.48	0.06	15.85	17.1	9
CC129004		0.28	0.002	0.26	1.12	8.1	<0.2	<10	160	1.11	0.31	0.92	0.09	16.75	10.9	18

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 22- JUL- 2011
Account: RCM

Project: Rackla- Dale

CERTIFICATE OF ANALYSIS WH11118091

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
CC128431		7.60	84.5	6.90	3.97	0.06	0.04	0.18	0.065	0.09	8.2	18.0	0.53	1360	3.64	0.01
CC128432		0.76	41.0	3.59	1.49	0.05	0.04	0.27	0.039	0.05	10.2	3.5	0.08	522	1.62	0.01
CC128433		2.09	49.7	5.53	6.29	<0.05	0.07	0.03	0.049	0.07	10.1	35.4	0.53	851	1.18	0.01
CC128434		2.47	16.6	3.59	5.83	<0.05	0.02	0.04	0.032	0.05	11.7	18.3	0.39	657	1.32	0.01
CC128435		9.26	83.2	5.84	8.72	0.06	0.05	0.03	0.066	0.07	11.6	40.3	0.64	1180	0.98	0.01
CC128436		6.00	61.4	2.49	2.33	<0.05	0.02	0.10	0.030	0.06	5.8	6.8	0.46	762	0.68	0.02
CC128437		6.11	139.5	7.11	9.90	0.06	0.04	0.05	0.082	0.07	6.6	55.0	1.41	2020	0.68	0.01
CC128438		9.67	92.2	5.57	4.32	<0.05	0.02	0.03	0.067	0.10	2.8	11.4	0.16	425	0.96	0.01
CC128439		NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS
CC128440		5.31	41.5	3.98	6.24	<0.05	0.02	0.04	0.049	0.06	12.3	27.7	0.44	1080	1.50	0.01
CC128441		8.52	121.5	6.07	9.50	0.11	0.03	0.10	0.102	0.05	15.8	31.4	0.91	5550	0.78	0.01
CC128442		15.40	174.0	7.26	11.55	0.08	0.04	0.07	0.112	0.07	10.9	40.2	1.26	3780	0.87	0.01
CC128443		10.70	95.7	6.86	4.20	0.06	0.02	0.06	0.083	0.07	8.1	23.5	0.26	2130	0.86	0.01
CC128444		1.74	46.3	3.27	6.36	<0.05	<0.02	0.02	0.034	0.06	9.1	7.5	0.25	167	1.55	0.01
CC128445		4.04	150.5	5.93	6.79	0.11	0.05	0.06	0.062	0.06	10.9	30.3	1.08	3750	0.67	0.01
CC128446		4.09	80.1	3.35	4.50	0.06	0.06	0.12	0.038	0.07	8.4	24.3	0.67	841	0.72	0.01
CC128447		2.08	39.1	3.04	4.12	<0.05	0.04	0.09	0.030	0.06	6.3	22.2	0.65	615	0.74	0.01
CC128448		1.77	50.2	3.20	4.90	<0.05	0.04	0.05	0.034	0.06	7.9	20.0	0.58	1160	0.99	0.01
CC128449		1.58	59.1	3.22	3.61	<0.05	0.09	0.15	0.032	0.10	5.1	22.5	0.63	405	1.31	0.01
CC128450		1.97	41.9	2.31	3.85	<0.05	0.04	0.08	0.027	0.07	7.0	19.6	0.43	655	0.54	0.01
CC128451		3.80	114.0	2.65	4.02	0.05	0.06	0.14	0.029	0.09	6.1	23.4	0.68	496	0.70	0.02
CC128452		2.09	58.3	2.78	4.52	0.11	0.05	0.10	0.032	0.06	8.0	21.4	0.52	1080	1.03	0.01
CC128453		1.56	79.7	2.02	3.22	0.12	0.04	0.14	0.025	0.06	6.4	11.4	0.43	802	1.31	0.02
CC128454		2.94	91.7	2.94	5.64	0.12	0.05	0.17	0.038	0.07	9.5	23.3	0.63	865	0.87	0.01
CC128455		3.94	104.5	2.78	5.16	0.13	0.06	0.21	0.033	0.06	11.7	20.6	0.65	804	0.88	0.02
CC128456		7.68	80.9	4.31	7.23	0.16	0.05	0.10	0.058	0.07	14.9	26.3	0.52	1880	1.14	0.01
CC128457		7.09	82.4	5.41	7.38	0.12	0.03	0.06	0.059	0.07	9.3	25.5	0.70	1840	1.19	0.01
CC128458		2.64	50.1	4.87	9.08	0.09	0.02	0.05	0.046	0.09	7.8	30.8	0.56	689	0.92	0.01
CC128459		2.07	74.3	5.19	8.40	0.09	0.02	0.08	0.053	0.09	3.6	22.6	0.59	1580	0.92	0.01
CC128460		5.01	55.9	3.57	5.42	0.12	0.06	0.11	0.039	0.07	7.9	25.5	0.76	625	0.83	0.01
CC128461		13.95	78.4	6.37	6.80	0.16	0.04	0.10	0.061	0.08	14.5	32.7	0.59	1980	0.97	0.01
CC128462		2.66	25.7	1.36	1.82	0.08	0.05	0.14	0.021	0.05	1.7	3.4	0.35	320	0.68	0.02
CC128463		8.62	108.5	2.20	3.73	0.16	0.09	0.25	0.036	0.10	7.7	13.3	0.50	492	0.75	0.01
CC128464		5.75	65.4	3.97	4.99	0.11	0.07	0.14	0.043	0.08	6.3	23.7	0.72	377	1.18	0.01
CC128465		1.03	23.6	0.59	0.98	0.08	0.03	0.10	0.009	0.03	1.9	2.0	0.37	202	0.66	0.02
CC128466		14.45	121.5	5.21	6.78	0.18	0.04	0.09	0.065	0.08	17.6	33.4	0.75	1450	0.82	0.01
CC129001		25.8	39.4	3.01	6.27	0.16	0.11	0.06	0.038	0.14	24.9	36.7	1.42	235	0.37	0.01
CC129002		1.53	18.9	2.21	3.14	0.09	0.05	0.06	0.023	0.06	7.1	13.0	0.30	284	0.49	0.01
CC129003		2.44	39.7	3.93	1.52	0.10	0.07	0.22	0.040	0.08	6.4	6.2	0.13	599	0.45	0.01
CC129004		1.17	38.1	3.07	3.90	0.11	0.08	0.14	0.038	0.09	5.7	20.1	0.35	268	1.13	0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 22- JUL- 2011
Account: RCM

Project: Rackla- Dale

CERTIFICATE OF ANALYSIS WH11118091

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
CC128431		0.18	39.5	690	25.4	9.6	0.001	<0.01	0.82	14.9	1.3	0.4	18.5	<0.01	0.10	2.8
CC128432		0.12	26.7	990	21.7	4.7	0.001	0.09	1.16	3.5	1.5	0.2	112.0	<0.01	0.07	0.4
CC128433		0.60	32.0	370	24.4	11.7	0.001	<0.01	0.59	5.2	0.7	0.5	8.1	<0.01	0.09	3.4
CC128434		0.80	22.3	620	20.4	8.7	<0.001	<0.01	0.71	2.6	0.7	0.6	10.0	<0.01	0.05	1.3
CC128435		0.48	30.5	530	16.8	12.1	<0.001	<0.01	0.53	9.4	0.9	0.6	8.4	<0.01	0.11	2.5
CC128436		0.16	20.1	1190	7.3	5.4	<0.001	0.16	0.32	3.2	1.5	0.3	69.5	<0.01	0.09	0.2
CC128437		0.18	50.9	700	17.3	11.1	0.001	0.01	0.29	23.8	1.2	0.6	12.6	<0.01	0.14	1.7
CC128438		0.37	36.2	540	10.1	12.4	<0.001	<0.01	0.37	6.4	1.1	0.9	8.5	<0.01	0.32	1.6
CC128439		NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS
CC128440		0.95	25.6	600	12.9	12.1	<0.001	<0.01	0.73	4.7	0.7	0.6	11.5	<0.01	0.05	2.2
CC128441		0.27	33.7	1570	25.8	9.3	<0.001	0.07	0.35	17.2	1.9	0.6	23.1	<0.01	0.16	0.8
CC128442		0.33	44.1	920	25.1	14.6	<0.001	0.02	0.43	24.6	1.7	0.7	9.5	<0.01	0.19	2.0
CC128443		0.32	44.5	860	19.8	10.4	<0.001	<0.01	0.40	15.3	1.3	0.5	7.4	<0.01	0.17	1.6
CC128444		0.60	14.4	270	10.4	9.9	<0.001	<0.01	0.40	3.5	0.3	0.7	9.0	<0.01	0.16	1.8
CC128445		0.28	35.5	990	24.3	5.9	<0.001	0.04	0.34	16.7	2.4	0.4	28.1	<0.01	0.14	1.3
CC128446		0.39	24.9	780	10.9	8.8	0.001	0.05	0.40	9.6	1.5	0.4	21.2	<0.01	0.07	1.1
CC128447		0.50	19.6	750	12.3	8.9	<0.001	0.08	0.37	5.2	1.0	0.4	25.5	<0.01	0.05	0.9
CC128448		0.61	19.8	950	13.5	8.6	<0.001	0.08	0.41	4.0	1.1	0.4	35.4	<0.01	0.07	0.8
CC128449		0.17	24.8	740	12.4	8.4	<0.001	0.09	0.55	5.3	2.3	0.3	54.5	<0.01	0.06	1.1
CC128450		0.43	17.5	820	11.3	8.5	<0.001	0.09	0.30	4.4	1.1	0.3	55.9	<0.01	0.03	0.8
CC128451		0.25	21.4	930	9.9	8.1	<0.001	0.14	0.61	5.2	3.3	0.3	62.3	<0.01	0.05	0.7
CC128452		0.48	21.0	890	15.7	8.9	<0.001	0.12	0.51	6.2	1.9	0.3	40.5	<0.01	0.04	0.9
CC128453		0.31	15.8	970	10.7	7.7	0.001	0.18	0.70	4.0	2.5	0.2	57.0	<0.01	0.02	0.4
CC128454		0.55	24.3	960	13.5	9.2	<0.001	0.10	0.46	7.0	1.7	0.5	27.5	<0.01	0.06	1.1
CC128455		0.48	23.6	1070	10.3	7.9	0.001	0.14	0.47	7.8	1.8	0.4	33.0	<0.01	0.06	0.9
CC128456		0.52	24.0	1070	17.0	11.0	<0.001	0.08	0.42	13.6	1.9	0.5	11.7	<0.01	0.09	1.3
CC128457		0.54	29.8	870	16.1	10.1	<0.001	0.06	0.49	12.9	1.3	0.6	14.6	<0.01	0.15	1.3
CC128458		0.57	23.2	460	12.7	12.7	<0.001	0.04	0.45	5.9	0.4	0.8	6.9	<0.01	0.13	1.9
CC128459		0.48	28.4	610	14.1	10.3	<0.001	0.05	0.34	7.3	0.7	0.7	11.6	<0.01	0.20	1.0
CC128460		0.48	28.0	800	11.4	8.9	0.001	0.08	0.41	10.3	1.4	0.5	25.7	<0.01	0.08	1.1
CC128461		0.41	38.2	840	21.6	10.6	<0.001	0.04	0.50	21.7	1.9	0.5	8.7	<0.01	0.09	2.5
CC128462		0.22	9.6	670	5.9	5.4	<0.001	0.16	0.27	3.4	1.0	0.3	42.9	<0.01	0.03	0.5
CC128463		0.30	22.4	1110	9.3	12.8	0.001	0.15	0.41	7.8	3.1	0.5	41.3	<0.01	0.10	1.2
CC128464		0.19	28.7	650	13.1	11.9	0.002	0.08	0.44	10.3	1.4	0.4	25.4	<0.01	0.06	1.1
CC128465		0.16	5.8	890	3.0	2.2	<0.001	0.25	0.21	0.9	0.7	<0.2	57.7	<0.01	<0.01	<0.2
CC128466		0.34	41.2	930	14.2	13.7	<0.001	0.07	0.43	21.6	2.4	0.5	22.7	<0.01	0.12	1.6
CC129001		0.72	30.5	730	17.4	21.9	<0.001	0.08	0.27	8.6	1.6	0.6	43.5	<0.01	<0.01	2.7
CC129002		0.38	18.7	990	13.4	7.8	<0.001	0.13	0.34	2.1	0.4	0.3	89.9	<0.01	0.02	0.7
CC129003		0.06	38.3	350	24.5	6.2	<0.001	0.05	0.34	7.9	0.6	0.5	29.7	<0.01	0.06	3.4
CC129004		0.21	22.9	830	16.4	6.9	0.001	0.09	0.39	6.2	0.9	0.5	37.6	<0.01	0.04	2.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 22- JUL- 2011
Account: RCM

Project: Rackla- Dale

CERTIFICATE OF ANALYSIS WH11118091

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
CC128431		0.006	0.36	0.46	63	0.06	17.85	124	1.0
CC128432		<0.005	0.18	1.57	18	<0.05	28.5	80	1.3
CC128433		0.009	0.19	0.51	62	0.11	3.69	74	2.3
CC128434		0.023	0.23	0.83	55	0.26	4.72	68	<0.5
CC128435		0.011	0.12	0.40	101	0.09	10.70	75	0.8
CC128436		0.005	0.22	0.45	36	<0.05	13.50	48	0.6
CC128437		0.007	0.14	0.28	118	0.05	17.85	82	0.9
CC128438		0.007	0.14	0.52	57	0.09	3.79	90	0.5
CC128439		NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS
CC128440		0.025	0.13	0.56	61	0.24	5.33	75	<0.5
CC128441		0.010	0.11	0.42	103	0.06	25.8	77	0.7
CC128442		0.011	0.18	0.37	132	0.08	20.5	85	0.8
CC128443		0.009	0.16	0.43	86	0.06	13.20	97	<0.5
CC128444		0.016	0.11	0.42	71	0.13	2.34	41	<0.5
CC128445		0.014	0.07	0.48	74	0.07	36.1	84	1.3
CC128446		0.011	0.10	0.79	44	0.10	16.70	73	1.3
CC128447		0.010	0.08	0.60	39	0.07	8.00	89	1.2
CC128448		0.019	0.08	0.73	47	0.10	9.69	85	1.0
CC128449		<0.005	0.12	0.76	26	<0.05	10.80	89	2.5
CC128450		0.010	0.08	0.79	31	0.05	9.43	96	1.3
CC128451		0.006	0.09	0.81	32	0.05	15.10	59	1.6
CC128452		0.013	0.11	0.96	36	0.12	14.15	76	1.3
CC128453		0.010	0.07	0.73	21	0.05	16.00	59	1.3
CC128454		0.014	0.10	1.04	42	0.12	17.65	67	1.4
CC128455		0.013	0.12	0.82	39	0.08	24.9	52	1.6
CC128456		0.017	0.11	0.77	58	0.11	29.0	57	1.1
CC128457		0.020	0.10	0.57	81	0.16	19.05	76	0.6
CC128458		0.011	0.10	0.35	83	0.11	3.54	59	0.8
CC128459		0.017	0.06	0.34	95	0.08	3.57	62	0.7
CC128460		0.014	0.11	0.70	50	0.11	12.95	74	1.4
CC128461		0.011	0.23	0.61	71	0.08	32.1	83	1.0
CC128462		0.006	0.08	0.56	14	<0.05	4.31	25	1.5
CC128463		<0.005	0.17	1.10	21	0.08	44.4	38	2.0
CC128464		0.006	0.20	0.45	48	0.05	13.95	78	1.5
CC128465		0.006	0.07	0.37	7	0.12	4.72	18	1.0
CC128466		0.011	0.24	0.65	75	0.09	40.5	76	0.8
CC129001		0.018	0.50	2.44	32	0.11	20.7	106	3.3
CC129002		0.010	0.09	4.36	21	0.05	6.26	117	1.4
CC129003		<0.005	0.16	1.14	12	<0.05	13.40	94	1.9
CC129004		<0.005	0.12	1.39	25	<0.05	12.30	52	1.9

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 22- JUL- 2011
Account: RCM

Project: Rackla- Dale

CERTIFICATE OF ANALYSIS WH11118091

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- TL43 Au ppm 0.001	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1
CC129005		0.20	<0.001	0.07	1.19	10.5	<0.2	<10	90	0.82	0.32	0.24	0.11	8.58	9.9	22
CC129006		0.27	0.001	0.07	0.87	13.6	<0.2	<10	170	2.24	0.50	0.22	0.22	9.18	23.7	14
CC129007		0.23	0.002	0.08	1.32	28.4	<0.2	<10	170	1.07	0.28	0.44	0.21	18.85	15.2	22
CC129008		0.20	<0.001	0.08	1.09	13.1	<0.2	<10	140	0.63	0.31	0.46	0.29	17.35	9.5	17
CC129009		0.22	0.001	0.06	1.28	53.0	<0.2	<10	150	0.70	0.35	0.76	0.32	25.6	14.4	19
CC129010		0.22	0.002	0.13	0.74	134.5	<0.2	<10	140	1.32	0.40	1.27	0.36	21.9	20.9	11
CC129011		0.15	0.002	0.15	0.83	180.5	<0.2	<10	180	1.01	0.34	1.85	0.36	15.15	18.2	12
CC129012		0.27	0.001	0.07	1.66	24.4	<0.2	<10	270	0.99	0.30	0.97	0.45	15.75	14.8	22
CC129013		0.27	0.002	0.08	1.01	30.6	<0.2	<10	170	0.92	0.36	0.54	0.36	9.06	15.5	17
CC129014		0.21	0.005	0.08	1.66	19.2	<0.2	<10	230	0.79	0.25	0.53	0.37	15.80	15.5	27
CC129015		0.24	0.002	0.09	1.89	47.4	<0.2	<10	160	0.88	0.29	0.15	0.24	22.4	21.8	30
CC129016		0.18	0.001	0.07	1.27	11.5	<0.2	<10	180	0.44	0.25	0.64	0.53	13.45	13.3	24
CC129017		0.23	0.004	0.16	1.04	42.3	<0.2	<10	640	0.98	0.25	0.98	0.93	23.0	24.5	25
CC129018		0.22	0.001	0.06	1.30	13.0	<0.2	<10	360	0.63	0.28	0.13	0.44	17.15	14.3	24
CC129019		0.28	0.002	0.15	2.05	11.1	<0.2	<10	210	1.19	0.27	0.48	0.56	24.3	21.1	32
CC129020		0.30	0.001	0.07	1.85	11.0	<0.2	<10	120	0.69	0.31	0.10	0.18	17.55	16.1	30
CC129021		0.16	0.002	0.19	1.52	6.9	<0.2	<10	410	0.99	0.21	0.98	0.33	26.3	11.5	21
CC129022		0.21	0.001	0.09	1.96	7.0	<0.2	<10	290	0.60	0.25	0.49	0.17	26.4	10.9	27
CC129023		0.30	0.001	0.07	2.33	12.5	<0.2	<10	210	0.66	0.27	0.11	0.35	23.8	19.8	36
CC129024		0.21	0.001	0.14	2.30	5.7	<0.2	<10	200	1.05	0.33	0.13	0.56	7.14	19.8	28
CC129025		0.20	0.003	0.35	1.10	52.2	<0.2	<10	140	1.21	0.36	0.87	1.00	8.81	22.4	16
CC129026		0.29	<0.001	0.05	0.73	183.0	<0.2	<10	270	0.73	0.31	0.48	0.27	7.33	21.9	19
CC129027		0.17	<0.001	0.07	0.79	14.4	<0.2	10	120	0.66	0.21	2.63	0.45	14.20	14.1	13
CC129028		0.20	<0.001	0.05	0.94	16.4	<0.2	<10	130	0.74	0.29	0.51	0.97	9.99	15.0	17
CC129029		0.15	<0.001	0.12	1.42	28.6	<0.2	<10	260	0.95	0.22	1.69	0.29	11.55	15.0	21
CC129030		0.21	0.001	0.08	1.07	12.9	<0.2	<10	130	1.07	0.31	0.91	0.10	18.55	10.2	21
CC129031		0.24	0.001	0.04	0.84	14.7	<0.2	<10	80	0.68	0.37	0.32	0.25	11.90	17.3	16
CC129032		0.26	<0.001	0.15	1.22	12.0	<0.2	<10	210	0.80	0.30	0.47	0.07	15.75	8.8	21
CC129033		0.11	0.003	0.07	0.82	17.3	<0.2	<10	200	0.87	0.24	1.76	0.13	19.10	8.6	16
CC129034		0.27	0.001	0.07	1.10	15.4	<0.2	<10	160	1.00	0.30	0.82	0.18	35.7	13.8	26

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 22- JUL- 2011
Account: RCM

Project: Rackla- Dale

CERTIFICATE OF ANALYSIS WH11118091

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
CC129005		1.23	21.3	3.23	5.14	0.08	0.03	0.03	0.032	0.09	2.9	20.9	0.40	212	1.72	0.01
CC129006		1.69	75.6	5.86	3.14	0.10	0.03	0.04	0.057	0.09	3.0	13.5	0.29	1390	2.82	0.01
CC129007		1.93	54.0	4.28	4.64	0.10	0.07	0.24	0.034	0.10	7.1	23.9	0.45	655	0.97	0.01
CC129008		1.14	26.9	3.20	6.18	0.08	<0.02	0.03	0.028	0.07	7.6	16.3	0.26	774	1.22	0.01
CC129009		1.15	37.4	3.87	5.23	0.09	0.05	0.07	0.039	0.09	10.8	13.7	0.26	706	1.06	0.01
CC129010		0.74	59.6	4.55	2.12	0.10	0.11	0.61	0.047	0.09	11.3	7.0	0.21	809	2.08	0.01
CC129011		2.16	62.3	3.58	2.56	0.11	0.08	0.98	0.041	0.10	7.4	8.5	0.24	465	1.74	0.01
CC129012		2.85	40.0	4.15	6.19	0.09	0.04	0.07	0.045	0.07	6.2	20.0	0.38	728	0.93	0.01
CC129013		8.27	55.5	4.17	6.07	0.09	0.03	0.07	0.040	0.09	4.0	12.8	0.33	400	1.35	0.01
CC129014		6.69	64.2	4.53	5.64	0.11	0.05	0.11	0.041	0.07	6.3	27.5	0.78	570	0.60	0.01
CC129015		9.86	70.2	5.07	6.61	0.12	0.04	0.17	0.052	0.07	7.6	31.2	0.69	1140	0.80	0.01
CC129016		5.73	62.2	4.12	7.89	0.09	<0.02	0.19	0.043	0.06	5.0	12.8	0.38	651	0.86	0.01
CC129017		7.82	82.2	6.60	3.80	0.13	0.04	0.65	0.055	0.07	7.0	9.7	0.41	3440	10.80	0.01
CC129018		7.71	38.5	3.99	5.99	0.09	<0.02	0.19	0.038	0.06	7.3	16.9	0.41	891	1.06	0.01
CC129019		16.75	101.0	5.18	8.50	0.13	0.02	0.07	0.062	0.06	9.0	24.6	0.62	1460	1.64	0.01
CC129020		4.35	71.6	5.76	9.60	0.10	0.03	0.11	0.049	0.07	6.3	25.1	0.61	517	0.89	0.01
CC129021		4.96	45.1	2.91	4.51	0.12	0.03	0.09	0.033	0.05	12.8	15.5	0.45	1110	0.94	0.01
CC129022		13.10	44.1	4.25	6.43	0.10	0.04	0.08	0.060	0.06	10.9	17.5	0.50	878	1.00	<0.01
CC129023		14.10	61.1	5.84	6.64	0.10	0.04	0.13	0.070	0.09	9.1	26.6	0.72	2240	1.16	<0.01
CC129024		5.62	65.3	5.76	5.76	0.08	0.04	0.06	0.074	0.14	2.6	19.7	0.59	1020	0.71	<0.01
CC129025		7.92	69.4	5.60	3.18	0.05	0.05	0.14	0.058	0.09	2.7	14.4	0.46	696	1.05	0.01
CC129026		3.47	41.3	4.88	3.66	<0.05	0.06	0.07	0.038	0.13	2.5	8.9	0.11	954	0.59	0.01
CC129027		1.16	46.4	3.08	2.36	<0.05	0.05	0.12	0.032	0.07	6.1	11.4	0.29	596	0.61	0.01
CC129028		1.91	33.2	3.67	3.39	<0.05	0.05	0.08	0.035	0.09	3.1	16.4	0.33	425	1.02	0.01
CC129029		2.88	73.9	3.97	4.01	<0.05	0.08	0.19	0.037	0.11	5.3	18.5	0.52	490	0.61	0.01
CC129030		1.66	28.4	3.13	3.40	<0.05	0.10	0.08	0.031	0.07	7.9	18.6	0.42	283	0.55	0.01
CC129031		2.19	48.6	4.39	3.19	<0.05	0.06	0.04	0.047	0.08	4.5	11.7	0.26	699	1.43	0.01
CC129032		2.07	21.1	2.99	4.71	<0.05	0.06	0.03	0.029	0.07	7.5	11.9	0.28	384	1.14	0.01
CC129033		0.91	25.5	2.41	2.56	<0.05	0.09	0.05	0.027	0.08	8.8	8.9	0.23	345	0.37	0.01
CC129034		1.58	32.6	3.01	3.73	0.06	0.06	0.05	0.033	0.08	16.3	18.0	0.50	394	0.42	0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 22- JUL- 2011
Account: RCM

Project: Rackla- Dale

CERTIFICATE OF ANALYSIS WH11118091

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
CC129005		0.26	20.1	670	14.1	8.2	<0.001	0.08	0.39	3.1	0.2	0.7	22.3	<0.01	0.03	2.1
CC129006		0.12	49.2	530	25.7	6.4	0.001	0.11	0.74	10.1	0.6	0.9	21.0	<0.01	0.07	4.8
CC129007		0.19	29.0	550	18.3	10.4	<0.001	0.05	0.57	7.9	0.8	0.4	26.2	<0.01	0.06	2.2
CC129008		0.59	16.0	640	15.7	10.2	<0.001	0.06	0.60	1.7	<0.2	0.6	23.2	<0.01	0.04	0.5
CC129009		0.53	24.8	450	36.1	8.0	<0.001	0.06	0.56	6.0	0.5	0.5	52.3	<0.01	0.06	2.0
CC129010		0.13	40.9	540	57.7	4.1	0.001	0.07	1.13	9.4	1.5	0.4	88.2	<0.01	0.09	1.6
CC129011		0.16	36.6	1010	35.8	7.1	0.001	0.13	1.09	5.3	1.5	0.4	128.5	<0.01	0.09	0.9
CC129012		0.43	23.3	670	17.0	9.8	<0.001	0.05	0.62	6.2	0.8	0.6	53.9	<0.01	0.10	1.6
CC129013		0.41	23.0	570	16.9	13.5	<0.001	0.05	0.71	5.3	0.5	0.6	15.9	<0.01	0.18	1.5
CC129014		0.25	30.2	590	11.9	7.7	<0.001	0.06	0.71	12.5	1.0	0.3	13.7	<0.01	0.12	1.7
CC129015		0.39	29.8	490	15.6	9.7	<0.001	0.04	0.88	11.0	0.7	0.5	7.1	<0.01	0.09	2.5
CC129016		0.37	17.2	630	10.2	8.4	<0.001	0.06	0.58	4.3	0.3	0.6	14.1	<0.01	0.12	0.4
CC129017		0.16	37.6	900	25.6	6.2	<0.001	0.09	0.93	17.8	1.6	0.3	28.0	<0.01	0.10	0.9
CC129018		0.79	19.1	490	12.1	9.4	<0.001	0.05	0.48	4.3	0.5	0.5	11.5	<0.01	0.09	1.3
CC129019		0.50	23.9	1050	15.5	10.2	<0.001	0.08	0.42	7.6	1.1	0.6	13.1	<0.01	0.12	0.5
CC129020		0.52	23.9	390	10.3	10.3	<0.001	0.03	0.52	6.4	0.3	0.7	5.2	<0.01	0.16	2.0
CC129021		0.47	18.3	1290	10.6	7.6	<0.001	0.13	0.49	4.6	1.0	0.4	26.4	<0.01	0.01	0.6
CC129022		0.68	16.3	880	9.3	8.8	<0.001	0.05	0.55	4.2	0.9	0.7	10.7	0.01	0.13	0.7
CC129023		0.62	25.1	590	14.0	12.9	<0.001	0.02	0.94	6.0	0.7	0.7	7.0	<0.01	0.14	2.2
CC129024		0.38	26.7	810	15.4	12.7	<0.001	0.03	0.50	4.9	0.7	0.8	6.1	<0.01	0.28	1.3
CC129025		0.11	31.9	750	77.2	8.9	0.001	0.04	1.88	11.6	1.8	0.5	15.3	<0.01	0.16	2.3
CC129026		0.19	29.6	630	18.6	9.7	<0.001	0.01	0.97	5.5	0.4	0.5	21.4	<0.01	0.07	1.3
CC129027		0.15	23.7	590	12.7	5.0	<0.001	0.08	0.56	5.4	1.1	0.3	85.3	<0.01	0.08	0.9
CC129028		0.19	24.8	550	15.5	8.4	<0.001	0.04	0.44	5.8	0.9	0.5	25.8	<0.01	0.06	2.3
CC129029		0.15	28.3	690	12.8	8.6	<0.001	0.06	0.78	7.2	1.0	0.4	58.5	<0.01	0.09	1.1
CC129030		0.26	27.5	740	15.9	8.6	<0.001	0.05	0.34	4.9	0.8	0.5	31.3	<0.01	0.03	2.3
CC129031		0.18	34.0	770	19.3	10.0	0.001	0.02	0.57	6.1	0.7	0.5	16.3	<0.01	0.09	2.0
CC129032		0.43	16.6	970	14.2	12.0	<0.001	0.02	0.38	3.1	0.7	0.6	22.4	<0.01	0.06	1.5
CC129033		0.22	26.0	1200	13.1	5.1	<0.001	0.11	0.27	2.3	0.9	0.5	52.5	<0.01	0.03	1.1
CC129034		0.33	31.7	530	15.7	8.5	<0.001	<0.01	0.37	5.3	0.8	0.5	40.7	<0.01	0.03	2.9

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 22- JUL- 2011
Account: RCM

Project: Rackla- Dale

CERTIFICATE OF ANALYSIS WH11118091

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
CC129005		0.006	0.10	0.45	30	<0.05	3.33	80	0.8
CC129006		<0.005	0.12	0.78	20	<0.05	12.30	103	1.3
CC129007		0.005	0.15	0.77	39	0.05	9.67	70	1.8
CC129008		0.014	0.09	0.38	50	0.17	3.90	47	<0.5
CC129009		0.013	0.15	0.71	50	0.13	12.15	92	1.3
CC129010		<0.005	0.43	1.03	21	0.05	30.0	70	2.8
CC129011		<0.005	0.61	3.18	24	<0.05	26.3	101	2.1
CC129012		0.006	0.13	0.63	48	0.09	7.49	59	1.0
CC129013		0.012	0.11	0.39	45	0.08	7.26	73	0.9
CC129014		0.009	0.09	0.41	56	0.05	9.69	74	1.3
CC129015		0.010	0.15	0.47	64	0.09	8.24	70	1.0
CC129016		0.012	0.08	0.30	89	0.08	3.22	39	<0.5
CC129017		0.008	0.25	0.30	83	<0.05	25.2	79	0.8
CC129018		0.023	0.14	0.42	59	0.18	3.97	62	<0.5
CC129019		0.017	0.13	0.61	79	0.14	16.75	69	<0.5
CC129020		0.014	0.12	0.35	90	0.11	3.53	68	1.0
CC129021		0.016	0.14	0.74	40	0.11	18.75	45	0.8
CC129022		0.015	0.12	0.47	75	0.15	8.21	52	<0.5
CC129023		0.014	0.18	0.37	89	0.10	3.56	74	0.9
CC129024		0.005	0.11	0.32	64	0.10	2.96	86	0.9
CC129025		<0.005	0.15	0.36	32	<0.05	17.35	168	1.5
CC129026		<0.005	0.28	0.31	54	0.07	3.17	59	1.7
CC129027		<0.005	0.09	0.64	24	<0.05	12.55	97	1.3
CC129028		<0.005	0.09	0.49	30	<0.05	5.65	193	1.6
CC129029		<0.005	0.14	1.12	39	<0.05	12.45	74	2.0
CC129030		0.005	0.12	1.28	20	0.05	10.70	78	2.1
CC129031		<0.005	0.11	0.50	32	0.06	4.24	89	1.5
CC129032		0.007	0.19	1.04	39	0.12	4.57	57	1.2
CC129033		<0.005	0.09	2.26	15	<0.05	12.05	64	2.0
CC129034		0.008	0.12	1.55	26	0.08	13.30	83	1.6

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 22- JUL- 2011
Account: RCM

Project: Rackla- Dale

CERTIFICATE OF ANALYSIS WH11118091

Method	CERTIFICATE COMMENTS
ALL METHODS	NSS is non- sufficient sample.
ME- MS41	Gold determinations by this method are semi- quantitative due to the small sample weight used (0.5g).

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 24- JUL- 2011
Account: RCM

CERTIFICATE WH11118092

Project: Rackla- Dale

P.O. No.:

This report is for 181 Soil samples submitted to our lab in Whitehorse, YT, Canada on 26- JUN- 2011.

The following have access to data associated with this certificate:

ROB CARNE JULIA LANE	ANDREW CARNE JOAN MARIACHER	MATT DUMALA

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
SCR- 41	Screen to - 180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- TL43	Trace Level Au - 25g AR	ICP- MS
ME- MS41	51 anal. aqua regia ICPMS	

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 24- JUL- 2011
Account: RCM

Project: Rackla- Dale

CERTIFICATE OF ANALYSIS WH11118092

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- TL43 Au ppm 0.001	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1
CC125221		0.17	0.001	0.08	1.27	16.2	<0.2	<10	160	1.10	0.34	0.75	0.24	17.10	15.9	21
CC125222		0.16	0.002	0.13	1.42	15.0	<0.2	<10	200	0.95	0.27	1.34	0.18	13.90	12.6	21
CC125223		0.22	0.002	0.06	1.38	20.8	<0.2	<10	140	0.98	0.33	0.37	0.32	18.90	16.8	25
CC125224		0.33	0.001	0.03	1.50	18.9	<0.2	<10	100	0.70	0.31	0.29	0.29	15.75	19.9	27
CC125225		0.19	0.002	0.31	0.85	95.7	<0.2	10	220	0.70	0.19	1.85	0.23	7.76	10.2	14
CC125226		0.13	0.001	0.13	1.13	17.8	<0.2	<10	200	0.65	0.19	2.38	0.25	13.65	12.4	18
CC125228		0.17	0.001	0.16	1.24	50.8	<0.2	<10	260	0.73	0.21	2.71	0.48	16.55	11.3	18
CC125229		0.12	0.001	0.10	1.03	28.2	<0.2	<10	160	0.64	0.21	2.12	0.30	13.15	11.9	16
CC125230		0.09	<0.001	0.13	0.70	351	<0.2	10	180	1.02	0.31	2.54	0.39	25.8	19.9	12
CC125231		0.15	0.002	0.14	1.25	80.2	<0.2	<10	210	0.87	0.24	2.53	0.35	18.75	15.1	19
CC125232		0.13	0.002	0.17	0.97	93.2	<0.2	<10	170	0.63	0.21	2.02	0.35	23.8	13.1	18
CC125233		0.15	0.001	0.15	1.26	34.0	<0.2	<10	280	0.96	0.36	0.83	0.27	19.15	18.1	22
CC125234		0.26	0.001	0.06	1.36	21.4	<0.2	<10	220	0.56	0.36	0.06	0.19	24.9	14.9	23
CC125235		0.24	0.001	0.09	2.23	18.2	<0.2	<10	100	0.81	0.35	0.06	0.22	22.3	17.4	36
CC125236		0.31	0.001	0.02	1.95	12.7	<0.2	<10	90	0.74	0.32	0.03	0.16	15.70	17.8	30
CC125237		0.15	0.001	0.16	1.66	12.2	<0.2	<10	380	0.76	0.30	0.78	0.18	14.30	10.3	24
CC125239		0.31	<0.001	0.05	1.35	14.7	<0.2	<10	210	0.91	0.40	0.58	0.18	13.20	10.1	23
CC125240		0.27	<0.001	0.03	1.19	14.7	<0.2	<10	120	1.13	0.36	0.26	0.11	20.4	15.8	20
CC125241		0.08	0.001	0.06	1.60	9.7	<0.2	<10	240	1.08	0.27	1.26	0.25	29.5	11.0	33
CC125242		0.20	0.001	0.08	1.80	14.5	<0.2	<10	270	1.00	0.32	0.73	0.23	36.4	15.4	38
CC125243		0.14	0.001	0.05	1.51	16.7	<0.2	<10	260	0.73	0.27	0.56	0.28	35.9	9.9	32
CC125244		0.28	0.001	0.07	1.97	16.9	<0.2	<10	260	0.98	0.32	0.32	0.30	36.1	16.9	33
CC125245		0.27	0.001	0.05	1.76	15.1	<0.2	<10	240	1.02	0.30	0.45	0.24	28.5	13.1	27
CC125541		0.15	<0.001	0.06	1.82	19.6	<0.2	<10	170	0.89	0.32	0.15	0.15	27.1	19.1	27
CC125652		0.14	0.001	0.09	1.84	23.0	<0.2	<10	170	0.91	0.33	0.12	0.46	32.0	17.7	28
CC125653		0.24	<0.001	0.05	1.75	14.6	<0.2	<10	190	0.74	0.30	0.43	0.16	20.8	16.0	26
CC125654		0.27	0.004	0.06	1.89	9.6	<0.2	<10	330	1.10	0.25	0.60	0.22	49.9	14.9	42
CC125655		0.14	0.002	0.05	1.60	6.3	<0.2	<10	210	0.99	0.21	1.28	0.22	46.8	11.4	37
CC125656		0.13	0.001	0.07	1.11	4.9	<0.2	<10	330	0.61	0.17	2.71	0.25	17.40	8.3	22
CC125657		0.14	0.001	0.07	1.19	13.7	<0.2	<10	220	0.81	0.26	1.10	0.15	17.45	14.0	20
CC126886		0.27	<0.001	0.06	1.72	14.2	<0.2	<10	250	0.67	0.25	0.20	0.08	26.2	10.3	29
CC127299		0.19	0.002	0.07	1.20	14.3	<0.2	<10	150	0.92	0.20	1.12	0.29	38.9	9.9	27
CC127300		0.32	0.001	0.05	1.72	5.9	<0.2	<10	200	1.17	0.24	0.76	0.19	52.3	13.0	41
CC127662		0.30	0.001	0.04	1.91	14.2	<0.2	<10	140	0.74	0.28	0.10	0.13	29.2	16.0	28
CC127663		0.18	0.002	0.09	1.83	16.0	<0.2	<10	150	0.93	0.25	0.15	0.22	35.1	14.2	30
CC127664		0.27	0.001	0.04	1.86	19.8	<0.2	<10	160	0.96	0.29	0.11	0.14	34.6	19.4	28
CC127665		0.27	0.002	0.12	1.75	18.0	<0.2	<10	210	1.04	0.30	0.28	0.25	29.0	20.3	27
CC127666		0.23	0.006	0.08	1.67	21.2	<0.2	<10	210	1.10	0.21	0.70	0.23	47.4	12.3	37
CC127667		0.11	0.010	0.07	1.19	22.2	<0.2	<10	420	0.87	0.16	1.70	0.25	27.6	8.5	26
CC127668		0.16	0.004	0.06	1.40	18.8	<0.2	<10	250	0.94	0.18	1.10	0.22	44.0	10.3	35

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 24- JUL- 2011
Account: RCM

Project: Rackla- Dale

CERTIFICATE OF ANALYSIS WH11118092

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
CC125221		0.82	41.4	4.18	4.10	<0.05	0.08	0.06	0.044	0.08	5.3	19.1	0.41	430	1.38	0.01
CC125222		1.16	41.9	3.44	4.52	<0.05	0.08	0.10	0.039	0.07	5.2	20.2	0.49	382	0.99	0.02
CC125223		1.09	55.2	4.59	4.19	0.05	0.09	0.08	0.039	0.08	7.8	22.9	0.54	563	0.92	0.01
CC125224		1.73	60.7	5.12	5.42	<0.05	0.03	0.04	0.043	0.07	5.4	25.9	0.55	701	0.82	0.01
CC125225		7.76	36.6	3.06	2.44	<0.05	0.08	0.45	0.028	0.10	3.3	12.1	0.50	701	0.56	0.01
CC125226		1.07	33.4	2.89	3.44	<0.05	0.04	0.12	0.028	0.05	4.8	13.6	0.35	631	0.60	0.01
CC125228		1.27	44.5	2.96	3.30	<0.05	0.05	0.26	0.034	0.05	7.3	11.7	0.32	769	0.73	0.01
CC125229		1.52	40.3	3.19	3.02	<0.05	0.04	0.12	0.030	0.06	5.3	14.8	0.38	456	0.68	0.01
CC125230		2.87	55.1	3.93	1.84	0.06	0.06	0.65	0.050	0.08	13.3	5.0	0.13	756	1.94	0.01
CC125231		1.50	61.4	3.78	3.47	0.05	0.05	0.30	0.035	0.09	8.9	14.8	0.47	926	0.89	0.01
CC125232		1.12	34.6	3.37	3.06	0.06	0.03	0.27	0.030	0.05	11.3	11.6	0.57	829	1.01	0.01
CC125233		4.32	39.1	3.75	4.50	<0.05	0.04	0.15	0.043	0.08	7.8	12.5	0.28	1000	0.91	0.01
CC125234		2.00	37.0	4.31	6.67	<0.05	0.02	0.07	0.037	0.06	9.2	15.4	0.29	621	1.21	0.01
CC125235		3.39	38.8	5.93	6.80	<0.05	0.05	0.05	0.059	0.08	8.3	36.3	0.58	753	1.51	0.01
CC125236		1.85	42.7	5.01	6.74	<0.05	0.03	0.03	0.041	0.07	7.0	38.3	0.52	520	0.93	0.01
CC125237		2.36	21.4	3.33	5.89	<0.05	0.06	0.05	0.035	0.07	6.9	13.2	0.31	911	1.29	0.01
CC125239		1.26	30.8	3.64	4.57	<0.05	0.06	0.03	0.035	0.09	4.7	18.7	0.38	358	1.68	0.01
CC125240		1.36	35.4	4.00	3.65	<0.05	0.06	0.04	0.030	0.07	8.3	25.2	0.40	546	0.59	0.01
CC125241		2.54	31.4	3.16	5.51	0.06	0.10	0.04	0.039	0.08	14.1	25.6	0.75	289	0.58	0.01
CC125242		3.54	40.5	3.51	6.16	0.06	0.08	0.04	0.039	0.10	16.2	28.8	0.89	483	0.69	0.01
CC125243		4.17	29.2	3.06	5.51	0.05	0.03	0.04	0.031	0.09	16.0	26.2	0.76	415	0.74	0.01
CC125244		4.23	35.8	4.00	6.09	0.05	0.05	0.05	0.037	0.09	15.2	28.0	0.69	611	1.22	0.01
CC125245		2.15	40.5	4.12	5.32	0.05	0.07	0.07	0.035	0.08	12.3	34.1	0.67	640	0.71	0.01
CC125541		1.84	46.4	5.48	5.60	0.09	0.06	0.05	0.046	0.07	8.5	41.4	0.56	927	0.94	0.01
CC125652		1.91	45.1	4.80	5.82	0.10	0.07	0.04	0.043	0.07	10.6	32.9	0.56	888	0.95	0.01
CC125653		1.76	44.6	4.48	6.24	0.09	0.08	0.03	0.037	0.10	8.5	33.1	0.55	698	0.90	0.01
CC125654		6.72	41.0	3.72	6.56	0.13	0.14	0.04	0.038	0.17	27.6	41.2	1.35	511	0.65	0.02
CC125655		4.30	30.6	2.81	5.46	0.12	0.12	0.05	0.035	0.15	27.3	33.7	1.20	384	0.49	0.02
CC125656		1.29	25.9	1.83	3.74	0.07	0.10	0.05	0.024	0.08	10.4	17.3	0.60	358	0.48	0.02
CC125657		0.80	33.5	3.30	3.86	0.07	0.07	0.05	0.033	0.07	6.0	20.4	0.39	638	0.72	0.01
CC126886		2.36	27.3	3.91	6.30	0.08	0.04	0.04	0.033	0.07	9.5	28.6	0.64	457	1.01	0.01
CC127299		4.24	28.8	2.82	3.94	0.12	0.11	0.06	0.030	0.11	22.0	23.6	0.74	342	0.57	0.01
CC127300		7.14	37.3	3.19	6.16	0.14	0.12	0.03	0.039	0.14	26.6	34.4	1.10	422	0.45	0.01
CC127662		1.60	35.9	4.20	5.96	0.09	0.07	0.03	0.033	0.07	11.7	34.3	0.56	612	1.05	0.01
CC127663		2.50	40.1	4.25	5.66	0.10	0.08	0.05	0.037	0.10	13.6	36.8	0.74	564	0.86	0.01
CC127664		2.60	51.3	5.08	5.47	0.10	0.06	0.04	0.041	0.08	10.9	33.3	0.65	879	0.77	0.01
CC127665		1.65	62.8	5.00	5.22	0.11	0.07	0.14	0.039	0.10	12.8	33.0	0.65	834	0.64	0.01
CC127666		11.50	41.3	3.50	5.59	0.14	0.15	0.07	0.035	0.14	26.0	39.9	1.31	389	0.46	0.01
CC127667		8.52	37.5	2.47	3.95	0.09	0.10	0.12	0.029	0.11	17.6	20.9	0.73	295	0.47	0.02
CC127668		7.85	30.6	2.85	4.86	0.12	0.11	0.06	0.033	0.13	24.8	30.6	1.02	320	0.49	0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 24- JUL- 2011
Account: RCM

Project: Rackla- Dale

CERTIFICATE OF ANALYSIS WH11118092

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
CC125221		0.24	29.8	1020	18.3	6.8	0.001	0.03	0.50	6.5	1.0	0.6	31.0	<0.01	0.08	2.6
CC125222		0.26	24.7	1040	14.8	7.9	<0.001	0.07	0.47	6.1	1.2	0.5	51.1	<0.01	0.08	1.5
CC125223		0.21	28.8	650	20.2	7.4	<0.001	0.01	0.60	8.2	1.0	0.5	20.1	<0.01	0.09	2.6
CC125224		0.25	27.5	460	19.2	8.5	<0.001	<0.01	0.54	5.7	0.5	0.5	16.6	<0.01	0.09	2.0
CC125225		0.12	17.9	710	15.1	11.8	<0.001	0.10	0.54	6.0	1.0	0.3	88.3	<0.01	0.05	1.2
CC125226		0.28	18.5	930	11.9	6.4	<0.001	0.10	0.44	3.6	1.0	0.3	110.5	<0.01	0.07	0.6
CC125228		0.31	20.7	1520	15.9	6.9	<0.001	0.17	0.68	2.2	2.0	0.4	159.5	<0.01	0.07	0.3
CC125229		0.19	22.6	760	14.9	5.7	<0.001	0.08	0.59	3.3	1.1	0.3	109.5	<0.01	0.07	0.5
CC125230		0.14	33.7	820	19.4	6.6	0.001	0.06	1.00	6.9	2.3	0.4	138.0	<0.01	0.10	1.0
CC125231		0.21	29.4	1150	19.9	5.9	0.001	0.08	0.80	4.8	1.6	0.3	162.5	<0.01	0.09	0.7
CC125232		0.43	26.2	680	19.3	5.4	<0.001	0.06	0.81	3.1	1.2	0.3	93.1	<0.01	0.05	0.6
CC125233		0.51	30.7	780	18.7	12.4	<0.001	0.02	0.63	6.6	1.1	0.6	55.4	<0.01	0.07	1.2
CC125234		0.56	19.4	520	19.3	11.3	<0.001	<0.01	0.69	4.3	0.8	0.7	11.4	<0.01	0.09	1.7
CC125235		1.09	27.6	700	25.4	14.0	<0.001	<0.01	0.79	5.1	0.9	0.7	9.1	<0.01	0.06	3.5
CC125236		0.46	24.4	380	17.6	12.8	<0.001	<0.01	0.55	5.0	0.7	0.7	5.9	<0.01	0.10	2.5
CC125237		0.46	15.1	2220	15.7	10.7	<0.001	0.11	0.49	3.1	0.7	0.7	32.4	<0.01	0.06	0.8
CC125239		0.34	18.3	880	23.6	8.5	<0.001	0.08	0.54	3.8	0.5	0.6	30.8	<0.01	0.05	2.0
CC125240		0.26	31.8	430	22.6	7.0	<0.001	<0.01	0.48	5.2	0.6	0.5	20.2	<0.01	0.05	3.6
CC125241		0.55	29.5	860	15.6	12.6	<0.001	0.06	0.41	4.9	1.0	0.5	35.8	<0.01	0.05	2.3
CC125242		0.54	32.3	790	21.3	14.9	<0.001	0.01	0.52	6.0	0.9	0.6	24.0	<0.01	0.05	2.9
CC125243		0.62	22.9	980	16.1	14.0	<0.001	0.05	0.50	3.7	1.0	0.5	20.0	<0.01	0.05	1.5
CC125244		0.73	34.7	690	18.9	12.0	<0.001	<0.01	0.92	5.2	1.1	0.6	18.6	<0.01	0.06	2.9
CC125245		0.37	27.6	890	18.5	11.3	<0.001	0.03	0.57	4.9	1.0	0.4	21.5	<0.01	0.06	2.1
CC125541		0.25	29.0	930	26.2	12.8	<0.001	0.04	0.59	4.2	0.7	0.4	12.5	<0.01	0.09	2.2
CC125652		0.31	29.4	1100	23.9	12.9	<0.001	0.05	0.63	4.6	0.8	0.4	12.0	<0.01	0.08	1.9
CC125653		0.29	27.5	950	18.7	14.1	<0.001	0.05	0.56	4.3	0.6	0.4	21.8	<0.01	0.08	2.1
CC125654		0.57	33.3	840	16.4	20.5	<0.001	0.04	0.39	8.6	1.3	0.6	23.2	0.01	0.06	4.5
CC125655		0.63	29.2	970	14.2	17.3	<0.001	0.07	0.32	7.4	1.3	0.5	32.1	0.01	0.04	3.0
CC125656		0.44	18.3	1120	9.2	10.7	<0.001	0.15	0.27	2.9	1.2	0.3	67.4	0.01	0.03	1.0
CC125657		0.24	26.3	800	16.9	7.2	<0.001	0.08	0.36	4.0	0.9	0.4	36.4	<0.01	0.06	1.3
CC126886		0.49	19.6	1060	16.4	15.1	<0.001	0.03	0.44	3.0	0.6	0.6	14.7	<0.01	0.06	1.3
CC127299		0.43	24.3	840	13.2	14.3	<0.001	0.08	0.34	5.3	1.6	0.4	33.1	0.01	0.04	2.1
CC127300		0.57	33.3	900	14.8	20.0	<0.001	0.05	0.29	8.4	1.2	0.5	22.4	0.01	0.04	4.2
CC127662		0.53	29.0	840	17.3	11.9	<0.001	0.03	0.62	3.3	0.7	0.4	11.6	<0.01	0.06	2.1
CC127663		0.33	28.5	960	17.3	15.2	<0.001	0.05	0.46	4.5	0.8	0.4	13.1	<0.01	0.06	2.3
CC127664		0.29	33.2	660	23.3	13.4	<0.001	0.03	0.50	4.9	0.7	0.4	11.7	<0.01	0.08	2.7
CC127665		0.16	36.3	310	20.6	11.0	<0.001	0.02	0.45	9.0	0.9	0.5	19.6	<0.01	0.06	5.2
CC127666		0.36	29.3	870	14.8	17.8	<0.001	0.05	0.29	9.2	1.6	0.4	28.8	0.01	0.04	4.3
CC127667		0.42	21.1	990	11.0	14.7	<0.001	0.12	0.29	5.4	2.3	0.3	54.8	0.01	0.04	1.3
CC127668		0.46	25.9	860	11.7	16.6	<0.001	0.07	0.26	7.1	1.7	0.4	37.9	0.01	0.03	3.0

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 24- JUL- 2011
Account: RCM

Project: Rackla- Dale

CERTIFICATE OF ANALYSIS WH11118092

Sample Description	Method Analyte Units LOR	ME- MS41 Ti % 0.005	ME- MS41 Tl ppm 0.02	ME- MS41 U ppm 0.05	ME- MS41 V ppm 1	ME- MS41 W ppm 0.05	ME- MS41 Y ppm 0.05	ME- MS41 Zn ppm 2	ME- MS41 Zr ppm 0.5
CC125221		0.005	0.09	0.96	35	0.05	10.55	87	1.9
CC125222		<0.005	0.09	0.82	36	<0.05	10.70	66	2.2
CC125223		0.006	0.09	0.77	41	0.05	11.05	108	2.1
CC125224		0.006	0.09	0.39	54	<0.05	4.07	83	0.9
CC125225		<0.005	0.53	0.47	24	<0.05	11.80	69	2.1
CC125226		0.007	0.10	1.88	32	0.05	6.82	52	1.2
CC125228		0.007	0.15	2.95	31	0.05	14.80	62	1.1
CC125229		0.005	0.11	0.94	28	<0.05	9.43	90	1.1
CC125230		<0.005	0.42	1.05	24	0.05	37.6	97	1.3
CC125231		0.005	0.20	1.87	34	0.05	23.0	75	1.6
CC125232		0.013	0.23	2.74	32	0.17	17.10	65	1.0
CC125233		0.013	0.14	1.03	43	0.12	10.85	73	1.0
CC125234		0.012	0.14	0.45	65	0.11	4.10	54	<0.5
CC125235		0.023	0.18	0.69	66	0.20	3.88	88	1.4
CC125236		0.007	0.10	0.37	63	0.08	3.39	68	1.1
CC125237		0.010	0.19	1.29	52	0.11	5.26	56	1.3
CC125239		0.008	0.14	0.74	33	0.06	4.94	70	1.5
CC125240		0.005	0.07	0.82	27	0.06	8.19	86	1.6
CC125241		0.013	0.14	2.67	33	0.08	15.10	88	2.9
CC125242		0.016	0.15	2.56	40	0.09	16.20	98	2.2
CC125243		0.019	0.13	0.93	42	0.12	10.05	90	0.8
CC125244		0.021	0.18	0.95	51	0.22	9.54	100	1.2
CC125245		0.008	0.12	1.00	41	0.07	9.70	89	1.7
CC125541		0.006	0.13	0.68	42	0.16	4.97	84	1.6
CC125652		0.008	0.15	0.74	43	0.10	6.90	139	1.6
CC125653		0.005	0.12	0.64	45	0.08	4.15	73	2.1
CC125654		0.020	0.19	1.13	40	0.11	18.95	104	3.3
CC125655		0.020	0.15	1.12	27	0.13	22.0	82	2.8
CC125656		0.012	0.09	4.33	21	0.07	10.90	63	2.7
CC125657		0.005	0.08	1.24	26	0.05	8.45	61	1.6
CC126886		0.013	0.18	0.92	53	0.14	4.09	66	0.9
CC127299		0.013	0.22	1.35	28	0.10	16.75	87	2.3
CC127300		0.020	0.17	1.77	31	0.11	25.3	95	2.5
CC127662		0.014	0.14	0.58	46	0.15	4.76	75	1.6
CC127663		0.008	0.15	1.36	42	0.07	8.28	90	1.9
CC127664		0.007	0.15	0.68	42	0.08	6.14	78	1.5
CC127665		<0.005	0.12	0.69	37	<0.05	14.15	90	1.8
CC127666		0.011	0.25	1.05	34	0.08	20.1	101	3.7
CC127667		0.010	0.21	3.15	25	0.07	18.15	81	2.3
CC127668		0.014	0.22	1.85	29	0.08	17.85	93	2.7

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 24- JUL- 2011
Account: RCM

Project: Rackla- Dale

CERTIFICATE OF ANALYSIS WH11118092

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- TL43 Au ppm 0.001	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1
CC127669		0.11	0.003	0.09	1.40	10.2	<0.2	<10	490	0.87	0.18	1.81	0.22	27.2	9.4	29
CC127670		0.15	0.005	0.12	1.57	16.1	<0.2	<10	270	0.89	0.25	0.89	0.21	22.1	15.0	26
CC127671		0.27	0.003	0.07	1.50	11.6	<0.2	<10	160	0.89	0.32	0.37	0.18	19.50	12.9	26
CC127672		0.13	0.003	0.15	1.20	8.1	<0.2	<10	220	0.72	0.19	2.19	0.16	11.60	8.7	17
CC127673		0.12	0.002	0.11	1.03	14.0	<0.2	10	120	0.76	0.24	1.51	0.43	12.40	11.9	17
CC127674		0.22	0.002	0.22	1.36	53.4	<0.2	<10	180	0.88	0.26	1.28	0.34	15.15	17.9	22
CC127675		0.14	0.002	0.09	0.92	269	<0.2	10	200	0.64	0.27	2.77	0.23	9.54	16.0	12
CC127676		0.12	0.002	0.08	0.64	36.1	<0.2	<10	220	0.60	0.16	2.66	0.39	8.34	10.3	10
CC127677		0.22	0.002	0.16	1.79	12.7	<0.2	<10	180	1.38	0.28	1.09	0.47	12.05	19.5	24
CC127678		0.14	0.005	0.23	1.38	4.0	<0.2	<10	570	0.85	0.14	3.10	0.56	15.20	15.3	18
CC127679		0.25	0.004	0.12	1.61	33.7	<0.2	<10	170	0.80	0.26	0.68	0.22	21.1	17.5	27
CC127680		0.14	0.003	0.12	1.31	72.9	<0.2	<10	190	0.71	0.19	2.32	0.22	11.40	12.7	19
CC127681		0.10	0.002	0.13	1.44	45.6	<0.2	<10	260	0.88	0.20	2.13	0.25	11.75	11.4	20
CC127682		0.19	0.001	0.06	0.97	11.1	<0.2	<10	150	0.35	0.22	1.94	0.31	11.15	10.2	17
CC127683		0.26	0.002	0.12	1.58	9.8	<0.2	<10	140	0.91	0.27	1.17	0.22	15.15	11.0	24
CC127684		0.13	0.002	0.12	1.57	9.5	<0.2	<10	180	0.94	0.26	1.07	0.17	14.75	10.9	24
CC127685		0.22	0.002	0.10	1.59	11.5	<0.2	<10	110	0.96	0.28	0.65	0.21	17.85	14.2	25
CC127686		0.15	0.002	0.10	1.47	8.9	<0.2	<10	130	0.90	0.25	0.91	0.11	15.75	11.7	22
CC127687		0.15	0.001	0.10	1.10	11.0	<0.2	<10	140	0.92	0.24	1.55	0.17	14.45	10.7	17
CC127688		0.19	0.003	0.09	0.84	8.5	<0.2	<10	180	1.10	0.23	1.66	0.23	21.7	11.1	18
CC127689		0.18	0.001	0.05	0.52	3.3	<0.2	10	370	0.40	0.09	4.41	0.31	9.87	3.6	10
CC127690		0.24	0.003	0.05	1.11	7.0	<0.2	<10	180	1.24	0.28	0.89	0.22	55.7	13.1	36
CC127691		0.22	0.003	0.07	1.43	10.1	<0.2	10	270	1.22	0.19	0.93	0.25	49.5	12.0	38
CC127692		0.41	0.015	0.07	1.88	19.0	<0.2	<10	170	1.12	0.34	0.38	0.15	32.9	21.7	31
CC127693		0.17	<0.001	0.12	1.47	10.7	<0.2	<10	160	0.40	0.26	0.54	0.14	14.75	8.5	24
CC127694		0.27	<0.001	0.04	1.86	17.2	<0.2	<10	210	0.93	0.29	0.15	0.15	28.8	15.5	28
CC127695		0.31	<0.001	0.05	1.61	12.6	<0.2	<10	170	0.54	0.29	0.12	0.15	23.9	7.3	26
CC127696		0.23	0.005	0.06	0.94	31.7	<0.2	<10	50	0.35	0.29	0.03	0.37	15.90	11.1	20
CC127697		0.23	<0.001	0.19	1.29	36.9	<0.2	<10	150	0.74	0.26	0.15	0.18	17.30	11.5	55
CC127698		0.29	0.001	0.11	1.21	44.6	<0.2	<10	170	0.95	0.29	1.34	0.26	20.9	16.6	21
CC127699		0.12	<0.001	0.13	1.09	24.1	<0.2	<10	220	0.73	0.20	2.53	0.31	13.45	12.3	17
CC127700		0.09	0.002	0.11	1.08	112.0	<0.2	10	200	0.72	0.25	2.26	0.29	12.25	18.3	16
CC127831		0.36	0.001	0.08	0.79	23.3	<0.2	<10	250	1.22	0.31	0.90	0.18	25.6	15.1	28
CC127832		0.29	<0.001	0.04	0.58	4.2	<0.2	<10	90	1.06	0.39	2.17	0.10	29.8	14.1	21
CC128001		0.11	0.002	0.13	1.34	26.3	<0.2	10	250	0.78	0.23	2.12	0.28	14.15	13.4	21
CC128002		0.08	0.003	0.14	1.45	24.5	<0.2	<10	260	0.90	0.23	2.01	0.32	13.65	14.4	23
CC128023		0.12	0.001	0.13	1.27	19.8	<0.2	<10	310	0.70	0.19	2.10	0.30	12.10	12.3	19
CC128024		0.43	0.003	0.07	1.64	28.8	<0.2	<10	140	0.85	0.28	0.48	0.32	26.6	24.2	29
CC128025		0.09	<0.001	0.11	1.04	9.7	<0.2	<10	230	0.45	0.16	2.35	0.51	12.50	9.7	19
CC128026		0.11	<0.001	0.14	2.01	17.2	<0.2	<10	240	0.98	0.25	1.11	0.25	18.50	19.7	30

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 24- JUL- 2011
Account: RCM

Project: Rackla- Dale

CERTIFICATE OF ANALYSIS WH11118092

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
CC127669		4.34	37.9	2.36	4.54	0.09	0.10	0.06	0.032	0.10	16.2	23.4	0.82	298	0.49	0.02
CC127670		1.54	56.2	4.25	4.87	0.10	0.09	0.08	0.040	0.08	10.4	25.1	0.65	594	0.81	0.01
CC127671		0.97	47.3	3.97	5.01	0.09	0.08	0.08	0.039	0.11	8.4	29.6	0.60	321	1.21	0.01
CC127672		0.92	32.8	2.37	3.56	0.06	0.07	0.11	0.026	0.07	5.3	16.5	0.38	390	0.99	0.02
CC127673		1.99	36.9	3.32	3.29	0.08	0.09	0.09	0.035	0.10	5.3	19.5	0.48	402	1.03	0.01
CC127674		2.83	63.6	4.30	4.00	0.09	0.07	0.29	0.038	0.11	7.3	19.6	0.43	623	0.88	0.01
CC127675		0.83	49.6	3.23	2.43	0.07	0.10	0.31	0.042	0.10	5.9	8.7	0.20	268	1.69	0.01
CC127676		1.20	30.9	2.39	1.87	0.06	0.07	0.18	0.027	0.07	3.8	6.8	0.18	483	0.80	0.02
CC127677		4.60	107.5	4.21	6.01	0.11	0.08	0.12	0.048	0.08	5.4	32.6	0.58	663	1.14	0.01
CC127678		1.81	141.5	2.68	4.34	0.12	0.07	0.12	0.042	0.04	9.1	15.2	0.60	1660	0.74	0.02
CC127679		1.72	55.8	4.56	5.05	0.11	0.08	0.12	0.041	0.08	8.8	30.0	0.65	544	0.90	0.01
CC127680		2.07	56.2	3.43	3.78	0.08	0.08	0.32	0.033	0.07	5.7	18.2	0.47	288	0.86	0.01
CC127681		2.45	65.0	3.42	4.19	0.08	0.09	0.21	0.038	0.10	6.4	16.3	0.38	360	0.70	0.02
CC127682		1.09	28.2	2.63	4.68	0.05	0.04	0.06	0.026	0.06	4.9	9.4	0.26	608	1.04	0.01
CC127683		1.03	42.1	3.46	4.89	0.09	0.11	0.09	0.037	0.10	7.3	36.1	0.65	296	0.81	0.02
CC127684		1.26	38.2	3.28	4.90	0.08	0.10	0.09	0.037	0.09	6.6	33.0	0.57	286	0.86	0.01
CC127685		1.25	40.5	3.89	5.09	0.09	0.09	0.09	0.039	0.10	7.3	34.8	0.61	375	1.05	0.01
CC127686		1.13	35.4	3.23	4.61	0.08	0.10	0.10	0.037	0.10	6.2	30.0	0.53	299	0.85	0.01
CC127687		0.88	30.6	3.18	3.35	0.08	0.09	0.07	0.035	0.08	6.9	19.6	0.36	443	0.62	0.01
CC127688		0.96	41.7	3.24	2.75	0.06	0.08	0.08	0.036	0.08	10.4	15.1	0.28	622	0.48	0.02
CC127689		1.24	20.7	0.94	1.53	<0.05	0.05	0.07	0.015	0.06	5.4	5.7	0.27	174	0.44	0.02
CC127690		6.77	39.6	3.12	4.30	0.08	0.08	0.06	0.040	0.14	29.5	21.4	0.67	384	0.34	0.01
CC127691		12.25	36.2	3.21	4.93	0.07	0.11	0.04	0.033	0.15	27.8	32.9	1.16	305	0.49	0.01
CC127692		1.62	60.4	4.69	5.81	0.05	0.08	0.09	0.040	0.09	13.6	35.8	0.77	787	0.56	0.01
CC127693		1.67	27.5	3.38	5.70	<0.05	0.02	0.04	0.028	0.05	7.2	13.3	0.28	540	1.05	0.01
CC127694		1.86	32.6	4.53	5.47	<0.05	0.03	0.03	0.038	0.07	10.6	30.1	0.48	942	1.01	0.01
CC127695		1.75	17.1	3.36	6.61	<0.05	<0.02	0.06	0.027	0.06	11.7	17.6	0.31	452	1.15	0.01
CC127696		2.80	37.2	4.33	4.59	<0.05	<0.02	0.05	0.030	0.08	6.7	12.9	0.24	518	0.82	0.01
CC127697		11.80	43.5	3.83	4.33	<0.05	0.04	0.17	0.040	0.09	6.9	11.8	0.24	392	1.45	0.01
CC127698		4.54	51.0	4.10	3.72	<0.05	0.07	0.29	0.044	0.10	10.7	16.9	0.30	557	0.74	0.02
CC127699		2.42	46.7	2.84	3.03	<0.05	0.05	0.16	0.030	0.09	6.4	13.2	0.30	559	0.74	0.02
CC127700		2.92	64.3	3.51	3.20	<0.05	0.06	0.29	0.039	0.09	5.5	12.2	0.30	405	0.86	0.02
CC127831		4.64	40.0	3.62	2.63	0.05	0.07	0.07	0.040	0.11	11.1	8.5	0.25	351	0.38	0.01
CC127832		15.80	35.6	3.44	1.68	0.05	0.04	0.01	0.040	0.14	11.2	8.2	0.36	307	0.16	0.01
CC128001		2.88	55.3	3.36	3.73	<0.05	0.05	0.15	0.037	0.10	6.2	15.0	0.39	433	0.69	0.02
CC128002		2.55	51.8	3.42	4.10	<0.05	0.05	0.16	0.037	0.09	6.1	16.8	0.43	456	0.72	0.02
CC128023		1.60	43.5	2.98	3.60	<0.05	0.05	0.12	0.030	0.07	5.1	13.7	0.37	522	0.59	0.02
CC128024		2.31	96.8	5.35	5.06	0.07	0.07	0.10	0.046	0.08	11.5	30.3	0.85	784	0.68	0.01
CC128025		1.36	39.9	2.45	3.16	<0.05	0.05	0.10	0.026	0.05	5.9	14.6	0.44	589	0.61	0.02
CC128026		2.06	85.5	4.59	5.77	0.05	0.08	0.14	0.046	0.11	9.2	23.8	0.65	745	0.80	0.02

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 24- JUL- 2011
Account: RCM

Project: Rackla- Dale

CERTIFICATE OF ANALYSIS WH11118092

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
CC127669		0.49	23.9	1060	10.6	13.7	<0.001	0.11	0.31	4.5	2.0	0.4	54.9	0.01	0.04	1.3
CC127670		0.31	29.5	780	15.9	8.8	<0.001	0.06	0.46	7.1	1.1	0.4	35.1	0.01	0.08	1.8
CC127671		0.35	28.8	590	15.2	8.5	<0.001	0.04	0.44	7.9	0.9	0.5	23.4	<0.01	0.07	3.9
CC127672		0.36	20.2	1440	9.3	8.0	<0.001	0.17	0.38	3.2	1.4	0.4	75.3	<0.01	0.06	0.9
CC127673		0.27	26.1	880	14.0	15.9	0.001	0.14	0.35	5.7	2.2	0.4	60.0	<0.01	0.06	1.7
CC127674		0.23	31.8	480	22.3	11.7	<0.001	0.06	0.85	7.1	1.1	0.4	80.6	<0.01	0.09	1.4
CC127675		0.18	30.7	760	17.0	6.1	0.001	0.12	0.87	5.0	1.6	0.3	150.5	0.01	0.10	1.0
CC127676		0.19	16.8	920	9.9	7.5	<0.001	0.16	0.59	3.5	1.3	0.2	151.0	<0.01	0.08	0.5
CC127677		0.37	29.4	740	15.4	14.6	<0.001	0.07	0.42	8.0	2.1	0.5	33.4	0.01	0.16	1.8
CC127678		0.36	16.4	1370	8.9	6.0	0.001	0.16	0.27	7.6	6.3	0.3	76.6	0.01	0.09	0.3
CC127679		0.32	31.9	510	16.3	8.6	<0.001	0.04	0.57	8.8	1.0	0.4	41.4	<0.01	0.09	2.3
CC127680		0.24	26.4	830	11.3	7.3	<0.001	0.11	0.65	5.0	1.4	0.3	127.5	<0.01	0.09	0.7
CC127681		0.24	25.5	950	10.3	10.9	<0.001	0.12	0.50	6.2	1.3	0.4	116.5	0.01	0.10	1.0
CC127682		0.45	12.4	1050	11.4	10.7	<0.001	0.12	0.33	2.9	0.8	0.4	108.5	<0.01	0.08	0.5
CC127683		0.31	26.1	920	13.0	11.2	0.001	0.10	0.35	6.6	1.9	0.5	51.0	<0.01	0.06	2.2
CC127684		0.32	25.6	870	12.8	11.7	0.001	0.11	0.32	6.2	1.5	0.5	45.4	<0.01	0.06	2.1
CC127685		0.30	29.3	780	14.6	11.6	<0.001	0.06	0.36	7.2	1.1	0.5	32.6	<0.01	0.06	2.8
CC127686		0.27	25.2	840	12.6	11.8	0.001	0.11	0.31	6.4	1.7	0.5	42.0	<0.01	0.05	2.5
CC127687		0.24	26.2	880	14.0	7.9	<0.001	0.09	0.29	4.7	1.1	0.4	43.2	<0.01	0.05	1.5
CC127688		0.17	35.3	990	15.1	5.9	<0.001	0.11	0.38	4.6	0.8	0.4	47.5	<0.01	0.01	1.5
CC127689		0.20	10.8	1180	5.0	4.3	<0.001	0.23	0.23	0.8	0.6	0.2	100.0	<0.01	0.01	0.3
CC127690		0.40	35.6	830	17.3	17.9	<0.001	0.04	0.26	8.2	1.1	0.5	26.9	<0.01	0.02	4.1
CC127691		0.54	32.1	780	15.1	20.4	<0.001	0.06	0.30	8.8	1.3	0.5	29.9	<0.01	0.01	3.7
CC127692		0.22	38.7	560	21.8	10.1	<0.001	0.03	0.54	6.8	0.7	0.5	21.2	<0.01	0.07	3.2
CC127693		0.36	14.8	1770	13.4	8.8	<0.001	0.09	0.55	1.7	0.3	0.6	22.4	<0.01	0.05	0.4
CC127694		0.38	25.5	1040	21.1	12.3	<0.001	0.05	0.64	2.5	0.5	0.5	13.0	<0.01	0.06	0.8
CC127695		0.43	15.8	840	14.7	11.1	<0.001	0.06	0.61	0.8	0.3	0.7	10.9	<0.01	0.04	0.2
CC127696		0.34	18.9	630	15.4	14.3	<0.001	0.05	0.75	2.4	0.2	0.4	5.7	<0.01	0.07	0.6
CC127697		0.21	42.5	1360	13.9	16.5	<0.001	0.09	0.64	7.4	0.4	0.5	12.5	<0.01	0.07	1.4
CC127698		0.28	30.7	720	21.2	11.8	<0.001	0.07	0.83	7.7	1.0	0.4	81.7	<0.01	0.07	1.7
CC127699		0.29	24.2	880	12.6	8.5	<0.001	0.13	0.63	3.8	1.0	0.4	133.5	<0.01	0.05	0.7
CC127700		0.22	30.7	830	15.8	7.4	<0.001	0.11	0.92	5.0	1.1	0.4	126.0	<0.01	0.09	0.7
CC127831		0.21	43.7	860	19.0	10.2	<0.001	0.04	0.36	7.1	0.8	0.5	51.6	<0.01	0.02	3.4
CC127832		0.05	37.0	810	13.8	14.0	<0.001	0.02	0.17	7.6	0.6	0.3	57.8	<0.01	0.01	6.0
CC128001		0.27	25.9	890	13.0	9.6	<0.001	0.11	0.53	5.3	0.9	0.4	126.0	<0.01	0.07	0.7
CC128002		0.37	25.5	1010	14.1	9.2	<0.001	0.12	0.62	5.3	0.9	0.4	96.6	<0.01	0.10	0.7
CC128023		0.33	21.9	990	11.7	7.8	<0.001	0.13	0.49	3.8	0.8	0.4	92.5	<0.01	0.07	0.5
CC128024		0.14	40.6	530	20.8	5.9	<0.001	0.03	0.67	11.1	0.9	0.4	21.8	<0.01	0.10	3.4
CC128025		0.39	20.4	910	8.5	5.9	<0.001	0.13	0.48	3.9	0.4	0.3	81.7	<0.01	0.04	0.7
CC128026		0.24	36.4	930	13.0	9.5	<0.001	0.09	0.48	9.5	0.7	0.5	41.0	<0.01	0.11	1.6

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 24- JUL- 2011
Account: RCM

Project: Rackla- Dale

CERTIFICATE OF ANALYSIS WH11118092

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
CC127669		0.011	0.15	3.64	27	0.10	16.85	78	2.6
CC127670		0.008	0.10	1.45	43	0.09	14.30	81	2.1
CC127671		0.009	0.09	0.85	37	0.06	12.00	88	2.0
CC127672		0.006	0.08	0.92	27	0.07	8.98	50	1.9
CC127673		0.005	0.13	1.04	28	0.05	9.63	113	2.0
CC127674		<0.005	0.17	1.03	38	0.06	11.20	86	1.4
CC127675		<0.005	0.34	3.71	22	0.05	17.35	126	2.3
CC127676		0.005	0.11	0.98	20	0.05	10.20	100	1.6
CC127677		0.006	0.12	1.38	44	0.07	15.75	58	1.9
CC127678		0.012	0.06	0.57	42	0.06	23.7	31	0.9
CC127679		0.009	0.12	0.54	46	0.06	9.66	90	1.7
CC127680		0.005	0.15	0.80	35	0.05	10.75	62	1.8
CC127681		<0.005	0.15	0.82	36	0.05	12.90	58	2.1
CC127682		0.012	0.08	0.67	41	0.07	3.32	51	1.0
CC127683		0.006	0.10	0.85	34	0.06	11.60	103	2.4
CC127684		0.005	0.12	1.06	32	0.06	11.25	81	2.5
CC127685		0.006	0.12	0.86	37	0.06	10.25	103	2.3
CC127686		<0.005	0.11	0.87	30	0.05	11.15	72	2.5
CC127687		<0.005	0.10	0.99	21	<0.05	12.15	73	2.0
CC127688		<0.005	0.07	2.89	18	<0.05	17.75	81	2.2
CC127689		0.006	0.06	3.47	9	<0.05	6.72	75	1.4
CC127690		0.013	0.17	1.36	27	0.07	20.6	104	2.3
CC127691		0.016	0.21	1.14	31	0.08	17.10	110	3.1
CC127692		0.006	0.10	0.80	43	0.06	9.36	84	2.1
CC127693		0.009	0.17	0.60	59	0.11	2.33	51	0.6
CC127694		0.012	0.13	0.76	49	0.10	5.71	76	0.7
CC127695		0.017	0.15	0.65	59	0.18	3.79	57	<0.5
CC127696		0.010	0.11	0.39	45	0.08	2.28	67	<0.5
CC127697		0.005	0.23	0.78	45	0.10	8.15	65	1.0
CC127698		0.006	0.18	0.98	35	0.09	16.70	95	1.8
CC127699		0.006	0.17	1.85	30	0.05	11.60	86	1.6
CC127700		<0.005	0.29	1.43	33	0.06	13.40	96	1.7
CC127831		0.005	0.19	1.79	26	0.06	19.25	115	2.2
CC127832		<0.005	0.18	1.82	18	<0.05	15.45	98	1.8
CC128001		0.005	0.19	1.41	38	0.08	10.80	99	1.4
CC128002		0.007	0.15	1.21	42	0.07	9.44	95	1.3
CC128023		0.006	0.10	0.93	38	0.05	8.59	74	1.2
CC128024		0.007	0.11	0.56	56	<0.05	13.95	98	2.3
CC128025		0.013	0.08	0.63	31	0.06	7.26	83	1.7
CC128026		0.005	0.11	0.67	58	0.05	14.90	78	2.2

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 24- JUL- 2011
Account: RCM

Project: Rackla- Dale

CERTIFICATE OF ANALYSIS WH11118092

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- TL43 Au ppm 0.001	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1
CC128027		0.28	0.002	0.07	1.47	29.7	<0.2	<10	180	0.78	0.26	0.83	0.29	21.3	18.5	26
CC128028		0.22	0.002	0.11	1.17	42.0	<0.2	10	140	0.77	0.26	1.23	0.34	17.80	19.1	21
CC128029		0.19	0.059	0.15	3.30	8.6	<0.2	<10	290	1.21	0.28	0.45	1.02	26.4	38.3	50
CC128030		0.22	0.001	0.12	3.02	11.4	<0.2	<10	180	0.63	0.31	0.07	0.28	17.40	20.0	46
CC128031		0.20	0.001	0.14	2.40	12.0	<0.2	<10	140	0.95	0.29	0.10	0.52	22.3	39.8	39
CC128032		0.29	<0.001	0.06	1.83	12.2	<0.2	<10	470	0.70	0.34	0.42	0.37	21.2	16.4	33
CC128033		0.23	<0.001	0.11	1.38	10.7	<0.2	<10	120	0.37	0.30	0.12	0.38	16.55	23.6	31
CC128034		0.22	0.001	0.18	3.10	15.2	<0.2	<10	380	1.17	0.31	0.29	0.54	22.5	44.6	44
CC128035		0.17	<0.001	0.26	1.86	10.0	<0.2	<10	610	1.11	0.19	1.35	1.29	23.3	33.1	29
CC128036		0.38	0.006	0.17	2.24	15.5	<0.2	<10	210	1.02	0.29	0.25	0.30	23.7	31.6	39
CC128037		0.27	0.002	0.10	1.16	46.0	<0.2	<10	120	0.85	0.26	1.26	0.30	17.65	18.4	21
CC128038		0.11	<0.001	0.18	0.98	9.4	<0.2	<10	250	0.62	0.17	2.83	0.45	12.95	8.1	15
CC128039		0.11	0.010	0.12	0.98	10.9	<0.2	10	220	0.63	0.13	3.15	0.39	7.65	8.3	15
CC128040		0.07	0.003	0.14	1.14	14.2	<0.2	<10	230	0.60	0.16	2.18	0.57	12.85	10.8	18
CC128041		0.07	0.001	0.12	1.21	15.6	<0.2	<10	240	0.55	0.20	2.01	0.36	12.45	11.3	20
CC128042		0.11	<0.001	0.14	0.41	5.1	<0.2	<10	160	0.25	0.07	5.01	0.34	4.66	3.8	6
CC128043		Not Recvd														
CC128044		0.11	<0.001	0.09	0.60	6.9	<0.2	<10	160	0.39	0.09	3.95	0.40	4.73	5.7	7
CC128045		0.26	0.001	0.10	1.54	32.0	<0.2	<10	250	1.01	0.26	0.89	0.66	25.7	15.8	22
CC128046		0.31	0.001	0.04	1.65	30.6	<0.2	<10	100	0.70	0.29	0.10	0.23	21.3	16.2	25
CC128047		0.27	0.002	0.05	1.83	26.0	<0.2	<10	110	0.97	0.28	0.12	0.26	26.3	17.3	26
CC128048		0.31	0.001	0.05	1.48	27.2	<0.2	<10	120	0.51	0.26	0.07	0.08	16.10	10.2	23
CC128049		0.43	0.001	0.03	1.69	147.0	<0.2	<10	170	0.90	0.32	0.05	0.23	23.4	21.3	22
CC128050		0.29	0.001	0.03	1.71	33.0	<0.2	<10	120	0.71	0.30	0.05	0.16	21.2	12.9	27
CC128201		0.32	0.001	0.09	1.49	16.8	<0.2	<10	160	0.92	0.25	0.93	0.21	23.2	14.3	23
CC128202		0.30	0.002	0.12	1.39	17.2	<0.2	<10	150	0.84	0.25	0.81	0.22	23.6	13.6	24
CC128203		0.29	0.001	0.06	1.87	18.4	<0.2	<10	200	1.02	0.27	0.55	0.16	23.8	14.9	27
CC128204		0.21	0.001	0.06	1.70	14.3	<0.2	<10	280	1.09	0.27	0.35	0.08	32.2	9.6	30
CC128205		0.28	0.002	0.08	1.64	22.0	<0.2	<10	170	1.03	0.28	1.21	0.27	23.4	18.6	26
CC128206		0.20	0.003	0.08	1.72	19.6	<0.2	<10	180	0.93	0.25	0.57	0.19	21.5	16.9	27
CC128207		0.26	0.001	0.06	1.63	15.3	<0.2	<10	140	0.52	0.23	0.14	0.18	27.5	10.9	28
CC128208		0.23	<0.001	0.05	1.24	16.4	<0.2	<10	70	0.42	0.28	0.04	0.15	23.6	9.4	19
CC128209		0.28	0.001	0.06	1.73	23.5	<0.2	<10	160	1.04	0.27	0.48	0.33	26.8	17.1	25
CC128210		0.14	0.001	0.08	1.04	34.2	<0.2	<10	200	0.76	0.18	1.80	0.35	16.85	13.3	16
CC128211		0.24	0.003	0.09	1.22	32.5	<0.2	<10	330	1.37	0.33	0.37	0.34	7.64	21.1	19
CC128212		0.20	0.003	0.27	2.16	6.8	<0.2	<10	810	1.70	0.18	1.99	0.99	43.3	60.2	23
CC128213		0.22	0.019	0.29	2.83	12.2	<0.2	<10	400	1.44	0.20	1.99	0.99	54.9	69.3	36
CC128214		0.31	0.002	0.09	2.27	10.5	<0.2	<10	180	1.12	0.26	0.15	0.19	30.9	15.7	31
CC128215		0.24	<0.001	0.07	1.75	9.3	<0.2	<10	130	0.43	0.29	0.19	0.41	16.55	15.9	35
CC128216		0.28	0.001	0.13	1.59	10.0	<0.2	<10	300	0.96	0.24	0.87	0.38	19.60	13.7	26

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 24- JUL- 2011
Account: RCM

Project: Rackla- Dale

CERTIFICATE OF ANALYSIS WH11118092

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
CC128027		1.41	67.5	4.70	4.67	0.05	0.06	0.09	0.045	0.08	8.2	25.7	0.66	609	0.66	0.01
CC128028		5.01	73.7	3.94	3.42	0.05	0.06	0.26	0.037	0.09	7.5	20.2	0.69	423	0.81	0.01
CC128029		7.02	123.5	7.06	11.90	0.05	0.04	0.04	0.083	0.10	6.7	42.2	1.51	2260	0.88	0.02
CC128030		4.73	56.8	7.13	12.30	<0.05	0.03	0.03	0.061	0.07	6.4	44.4	0.79	513	1.00	0.01
CC128031		6.55	58.2	6.70	9.21	<0.05	0.02	0.05	0.079	0.05	8.8	32.1	0.35	1940	1.35	0.01
CC128032		2.62	54.3	4.36	6.90	<0.05	0.03	0.03	0.040	0.07	9.1	22.8	0.52	881	1.18	0.02
CC128033		3.53	74.7	5.47	10.55	<0.05	<0.02	0.04	0.044	0.06	6.3	6.3	0.22	1860	1.30	0.01
CC128034		6.49	129.0	6.83	9.91	<0.05	0.05	0.09	0.079	0.10	5.1	34.6	0.98	2800	5.06	0.01
CC128035		10.15	90.9	4.83	5.89	<0.05	0.03	0.16	0.065	0.08	6.3	22.0	0.70	3310	0.80	0.02
CC128036		4.24	120.0	6.43	7.95	0.07	0.04	0.17	0.069	0.09	12.2	38.3	0.98	1360	0.72	0.01
CC128037		2.09	69.6	3.92	3.60	0.05	0.06	0.15	0.034	0.08	7.9	23.0	0.77	455	0.67	0.01
CC128038		1.19	42.3	2.01	2.72	<0.05	0.04	0.14	0.022	0.06	6.8	7.6	0.27	629	0.65	0.02
CC128039		1.82	66.1	2.32	2.63	<0.05	0.06	0.13	0.024	0.07	4.0	11.5	0.37	293	0.64	0.02
CC128040		3.14	41.0	2.50	3.18	<0.05	0.04	0.13	0.030	0.07	6.2	14.3	0.40	562	0.53	0.02
CC128041		2.34	37.7	2.92	3.51	<0.05	0.04	0.10	0.029	0.07	5.6	15.0	0.40	497	0.66	0.02
CC128042		0.72	29.6	0.79	1.12	0.08	0.03	0.13	0.014	0.04	2.4	2.6	0.13	269	0.52	0.02
CC128043																
CC128044		1.83	31.3	1.15	1.75	0.08	0.04	0.14	0.018	0.07	2.7	4.1	0.09	317	0.79	0.02
CC128045		1.55	46.9	4.41	4.24	0.11	0.06	0.14	0.046	0.09	11.8	21.5	0.40	1010	0.91	0.01
CC128046		1.71	50.5	5.03	5.20	0.09	0.04	0.05	0.041	0.08	7.6	34.3	0.50	692	0.93	0.01
CC128047		1.48	53.7	5.05	4.99	0.09	0.05	0.07	0.038	0.08	9.3	38.2	0.60	699	0.74	0.01
CC128048		3.58	32.0	3.66	5.60	0.09	0.02	0.04	0.032	0.09	6.7	20.3	0.29	365	0.99	0.01
CC128049		2.65	54.7	5.18	4.77	0.10	0.04	0.38	0.042	0.07	8.8	31.9	0.49	766	0.88	0.01
CC128050		3.01	33.1	4.63	6.27	0.10	0.03	0.07	0.043	0.07	7.7	28.4	0.33	585	1.32	0.01
CC128201		2.04	44.1	3.98	4.56	0.11	0.06	0.06	0.035	0.09	8.5	27.2	0.51	602	0.81	0.01
CC128202		1.23	51.4	3.80	4.50	0.10	0.07	0.10	0.033	0.09	10.3	28.2	0.60	439	0.69	0.01
CC128203		2.08	45.2	4.43	5.30	0.09	0.08	0.04	0.038	0.10	9.1	36.9	0.59	644	0.84	0.01
CC128204		4.54	27.8	3.31	5.30	0.10	0.10	0.03	0.035	0.10	15.2	22.9	0.57	285	0.66	0.01
CC128205		2.85	64.8	4.26	5.13	0.10	0.12	0.15	0.034	0.15	10.9	35.9	0.84	607	0.67	0.01
CC128206		1.43	70.8	4.78	5.20	0.10	0.08	0.10	0.040	0.11	9.3	32.0	0.75	534	0.63	0.01
CC128207		1.43	27.3	3.48	5.00	0.10	0.03	0.04	0.026	0.06	12.4	19.1	0.50	431	1.15	0.01
CC128208		2.10	26.0	3.65	7.05	0.10	<0.02	0.04	0.022	0.06	10.1	19.6	0.24	489	1.40	0.01
CC128209		1.83	65.0	5.39	4.52	0.10	0.05	0.09	0.040	0.09	9.7	32.6	0.62	1120	1.08	0.01
CC128210		1.33	46.9	3.19	3.07	0.12	0.07	0.11	0.032	0.07	7.1	15.6	0.36	681	0.64	0.01
CC128211		5.55	79.8	5.05	3.99	0.11	0.04	0.22	0.052	0.09	2.8	16.3	0.39	462	1.81	0.01
CC128212		5.48	185.5	3.95	6.38	0.15	0.05	0.21	0.081	0.07	9.6	19.2	0.87	6570	0.82	0.01
CC128213		23.7	246	5.44	9.73	0.18	0.12	0.29	0.081	0.09	17.0	38.7	1.65	5310	1.20	0.01
CC128214		8.63	58.3	4.31	6.94	0.12	0.04	0.05	0.050	0.07	11.2	30.9	0.67	804	1.14	0.01
CC128215		5.75	66.3	6.62	9.59	0.09	<0.02	0.06	0.056	0.09	6.8	27.2	0.49	658	1.55	0.01
CC128216		14.25	81.5	4.32	7.38	0.11	0.02	0.28	0.046	0.06	9.9	15.1	0.33	725	1.33	0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 24- JUL- 2011
Account: RCM

Project: Rackla- Dale

CERTIFICATE OF ANALYSIS WH11118092

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
CC128027		0.17	32.7	620	18.5	5.9	<0.001	0.06	0.61	8.2	0.7	0.4	33.6	<0.01	0.11	1.7
CC128028		0.17	33.5	900	18.4	9.6	<0.001	0.10	0.60	8.3	1.1	0.3	50.0	<0.01	0.08	2.2
CC128029		0.36	43.9	470	17.9	16.8	<0.001	0.03	0.61	17.7	0.7	0.9	9.8	<0.01	0.21	1.8
CC128030		0.67	27.9	450	15.0	11.3	<0.001	0.02	0.59	6.6	0.2	1.1	4.9	<0.01	0.21	1.9
CC128031		1.00	22.6	740	18.4	11.8	<0.001	0.03	0.68	5.5	0.7	0.8	6.5	<0.01	0.14	2.2
CC128032		0.62	21.5	610	15.2	12.7	<0.001	0.04	0.43	5.5	0.6	0.7	14.8	<0.01	0.10	2.0
CC128033		0.54	13.0	950	12.2	12.9	<0.001	0.05	0.52	3.4	0.6	1.0	7.0	<0.01	0.22	0.3
CC128034		0.32	43.2	730	25.0	15.1	<0.001	0.04	0.44	12.8	0.7	0.9	8.2	<0.01	0.22	1.9
CC128035		0.30	30.1	1420	15.3	9.7	<0.001	0.11	0.37	8.7	0.8	0.4	22.6	<0.01	0.11	0.5
CC128036		0.25	42.4	960	18.0	9.3	<0.001	0.04	0.58	17.6	1.1	0.6	13.8	<0.01	0.17	2.2
CC128037		0.16	31.8	630	20.0	7.9	<0.001	0.07	0.66	7.5	0.8	0.3	47.1	<0.01	0.06	2.2
CC128038		0.38	16.2	1540	10.3	6.2	<0.001	0.22	0.53	2.3	1.1	0.3	99.7	<0.01	0.05	0.4
CC128039		0.21	22.3	1060	7.1	6.5	<0.001	0.20	0.52	2.8	0.7	0.3	97.8	<0.01	0.04	0.4
CC128040		0.35	19.3	960	11.0	9.0	<0.001	0.14	0.50	3.9	1.0	0.3	89.6	<0.01	0.05	0.5
CC128041		0.34	20.4	930	12.0	8.2	<0.001	0.13	0.49	3.7	0.6	0.4	94.8	<0.01	0.05	0.6
CC128042		0.16	9.8	1010	5.0	3.2	0.001	0.22	0.28	0.5	0.6	<0.2	267	0.01	0.04	0.2
CC128043																
CC128044		0.19	13.5	830	5.1	6.0	<0.001	0.19	0.30	1.0	1.2	0.2	222	<0.01	0.02	0.2
CC128045		0.29	30.7	740	18.8	12.1	<0.001	0.07	0.62	7.5	0.9	0.4	62.7	<0.01	0.07	1.8
CC128046		0.23	29.9	480	21.5	11.1	<0.001	0.04	0.61	4.9	<0.2	0.4	9.6	<0.01	0.07	3.0
CC128047		0.16	34.7	570	22.7	8.1	<0.001	0.04	0.62	5.3	0.7	0.3	10.8	<0.01	0.08	3.7
CC128048		0.41	20.0	970	13.9	16.6	<0.001	0.06	0.58	2.8	0.4	0.6	8.5	<0.01	0.06	0.9
CC128049		0.19	35.1	420	35.9	10.7	0.001	0.03	3.59	5.1	0.8	0.4	8.9	<0.01	0.10	2.7
CC128050		0.71	23.9	630	18.0	13.2	<0.001	0.05	0.79	3.6	0.4	0.6	7.5	<0.01	0.08	1.5
CC128201		0.28	30.2	860	17.2	9.6	<0.001	0.08	0.52	6.6	0.8	0.4	36.2	<0.01	0.07	1.8
CC128202		0.24	30.5	670	16.7	7.5	<0.001	0.07	0.52	6.3	0.6	0.4	35.4	<0.01	0.09	1.9
CC128203		0.29	29.3	1010	19.6	13.4	<0.001	0.08	0.56	5.2	0.8	0.5	27.0	<0.01	0.05	1.7
CC128204		0.36	24.9	950	14.5	18.2	<0.001	0.06	0.32	5.9	0.7	0.6	21.0	<0.01	0.04	2.6
CC128205		0.18	38.5	570	18.1	9.9	0.001	0.06	0.64	8.0	0.6	0.4	44.6	<0.01	0.07	3.6
CC128206		0.13	35.0	480	16.6	7.3	<0.001	0.05	0.47	9.4	0.2	0.4	24.6	<0.01	0.10	3.1
CC128207		0.81	27.7	600	14.6	8.8	<0.001	0.03	0.73	3.8	0.4	0.5	11.6	<0.01	0.05	3.2
CC128208		0.69	15.8	450	16.2	11.2	<0.001	0.04	0.60	2.9	0.2	0.8	7.2	<0.01	0.07	1.6
CC128209		0.13	32.2	620	22.9	9.1	<0.001	0.05	0.57	9.0	0.6	0.3	18.8	<0.01	0.08	3.0
CC128210		0.18	25.2	780	15.7	6.7	0.001	0.12	0.55	4.7	0.7	0.3	94.0	<0.01	0.08	1.0
CC128211		0.23	41.8	450	18.3	8.4	<0.001	0.05	0.65	8.1	0.7	0.6	14.1	<0.01	0.36	2.2
CC128212		0.17	29.6	1960	25.0	5.4	<0.001	0.19	0.31	25.3	1.7	0.3	30.2	<0.01	0.14	0.8
CC128213		0.28	52.1	1120	18.2	9.5	0.001	0.14	0.37	34.1	3.5	0.5	23.1	<0.01	0.19	1.1
CC128214		0.71	29.3	530	14.0	11.1	<0.001	0.05	0.50	7.0	1.0	0.6	9.3	<0.01	0.09	2.4
CC128215		0.83	21.6	600	10.0	14.4	<0.001	0.05	0.51	5.5	0.3	0.7	7.9	<0.01	0.14	1.4
CC128216		0.45	16.7	1300	9.5	9.7	<0.001	0.10	0.60	3.9	2.1	0.7	18.3	<0.01	0.15	0.2

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 24- JUL- 2011
Account: RCM

Project: Rackla- Dale

CERTIFICATE OF ANALYSIS WH11118092

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
CC128027		0.006	0.09	0.74	47	<0.05	8.82	92	1.6
CC128028		0.006	0.18	0.62	38	<0.05	11.70	88	1.9
CC128029		0.016	0.11	0.31	129	0.14	9.48	88	1.3
CC128030		0.013	0.17	0.32	134	0.09	1.87	70	1.2
CC128031		0.026	0.13	0.44	109	0.17	4.53	81	0.9
CC128032		0.019	0.11	0.61	73	0.13	5.07	62	0.8
CC128033		0.018	0.11	0.40	113	0.12	3.40	58	<0.5
CC128034		0.008	0.24	0.34	112	0.06	8.24	75	1.4
CC128035		0.013	0.09	0.33	68	0.06	10.55	79	0.6
CC128036		0.009	0.10	0.45	85	0.05	20.1	92	1.0
CC128037		0.006	0.11	0.78	37	0.09	11.10	91	1.9
CC128038		0.011	0.08	1.11	26	0.06	10.25	56	1.2
CC128039		0.005	0.08	0.73	27	<0.05	7.47	73	1.5
CC128040		0.008	0.11	1.19	31	0.08	10.05	118	1.2
CC128041		0.009	0.10	1.21	38	0.05	7.50	80	1.0
CC128042		0.006	0.08	2.12	8	<0.05	5.98	46	1.1
CC128043									
CC128044		<0.005	0.16	3.73	11	<0.05	7.15	45	1.3
CC128045		0.005	0.19	1.50	40	0.09	17.60	125	1.7
CC128046		<0.005	0.15	0.48	42	0.06	4.21	83	1.2
CC128047		<0.005	0.14	0.65	37	<0.05	6.31	76	1.9
CC128048		0.007	0.21	0.59	45	0.19	3.18	54	0.7
CC128049		<0.005	0.41	0.45	36	0.17	5.10	93	1.4
CC128050		0.010	0.25	0.58	48	0.16	3.82	65	0.7
CC128201		0.008	0.11	1.16	36	0.06	9.83	88	1.9
CC128202		0.008	0.09	1.38	35	0.06	10.65	81	1.8
CC128203		0.006	0.15	1.61	42	0.08	8.56	100	2.1
CC128204		0.006	0.27	2.74	36	0.10	13.45	100	2.3
CC128205		0.005	0.17	0.72	35	0.05	11.15	101	3.7
CC128206		<0.005	0.12	0.56	47	<0.05	9.55	92	2.6
CC128207		0.026	0.13	0.81	51	0.22	5.18	84	0.9
CC128208		0.018	0.17	0.47	54	0.18	3.01	53	<0.5
CC128209		<0.005	0.18	0.86	41	<0.05	14.05	121	2.0
CC128210		0.006	0.11	1.05	28	0.05	13.00	81	2.1
CC128211		0.005	0.11	0.44	37	0.06	10.05	81	1.2
CC128212		0.011	0.12	0.30	59	0.05	28.6	50	1.2
CC128213		0.012	0.36	0.48	88	0.06	44.6	76	3.4
CC128214		0.021	0.16	0.65	61	0.16	8.54	62	0.9
CC128215		0.022	0.13	0.41	98	0.16	3.05	85	<0.5
CC128216		0.010	0.15	0.53	73	0.10	16.35	50	<0.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 24- JUL- 2011
Account: RCM

Project: Rackla- Dale

CERTIFICATE OF ANALYSIS WH11118092

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- TL43 Au ppm 0.001	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1
CC128217		0.25	0.002	0.13	1.90	12.9	<0.2	<10	240	1.04	0.25	0.24	0.60	33.3	16.8	31
CC128218		0.31	0.010	0.16	2.18	11.3	<0.2	<10	270	1.22	0.24	0.67	0.33	26.0	18.1	33
CC128219		0.34	0.002	0.04	2.49	9.6	<0.2	<10	210	0.68	0.23	0.10	0.12	19.80	14.6	36
CC128220		0.25	0.009	0.23	1.80	4.8	<0.2	<10	610	1.30	0.13	2.62	1.25	25.0	24.8	26
CC128221		0.16	0.003	0.11	1.24	3.3	<0.2	<10	220	0.29	0.16	2.70	0.56	7.40	12.1	22
CC128222		0.17	0.001	0.06	1.20	39.7	<0.2	<10	170	0.59	0.25	0.67	0.14	14.15	15.5	20
CC128223		0.12	0.007	0.29	1.63	14.6	<0.2	<10	320	0.83	0.21	1.04	0.18	17.65	14.3	28
CC128224		0.31	0.002	0.09	1.81	13.7	<0.2	<10	170	0.73	0.28	0.16	0.32	22.7	16.6	30
CC128225		0.33	0.001	0.05	1.97	20.3	<0.2	<10	130	0.57	0.27	0.05	0.22	21.0	21.7	34
CC128226		0.29	0.001	0.04	1.97	13.0	<0.2	<10	100	0.63	0.26	0.04	0.16	21.6	13.9	26
CC128227		0.32	0.001	0.05	1.82	12.9	<0.2	<10	330	0.49	0.30	0.25	0.25	17.25	13.5	27
CC128228		0.33	<0.001	0.03	1.59	7.9	<0.2	<10	170	0.34	0.26	0.15	0.26	18.55	13.6	34
CC128229		0.28	0.001	0.19	1.35	114.5	<0.2	<10	520	0.99	0.27	0.47	0.23	19.30	14.8	23
CC128230		0.33	<0.001	0.05	1.52	13.5	<0.2	<10	160	0.47	0.33	0.22	0.14	18.20	15.0	31
CC128231		0.28	0.001	0.17	0.97	47.6	<0.2	<10	190	1.10	0.32	0.37	0.30	15.90	16.7	19
CC128232		0.24	0.001	0.11	1.91	14.1	<0.2	<10	320	0.82	0.28	1.10	0.20	24.7	16.7	30
CC128233		0.37	<0.001	0.07	1.67	12.0	<0.2	<10	160	0.79	0.31	0.28	0.49	24.6	16.7	29
CC128234		0.24	0.001	0.10	1.19	11.0	<0.2	<10	250	0.40	0.26	0.89	0.26	13.20	8.8	18
CC128235		0.41	0.001	0.06	1.48	12.0	<0.2	<10	260	0.58	0.29	0.16	0.28	18.75	12.5	29
CC128236		0.32	0.001	0.08	1.05	7.5	<0.2	<10	80	0.31	0.28	0.03	0.11	18.05	6.6	16
CC128237		0.33	0.001	0.05	1.86	11.0	<0.2	<10	190	0.64	0.30	0.11	0.17	23.2	10.3	27
CC128238		0.33	0.001	0.02	1.43	11.3	<0.2	<10	150	0.46	0.29	0.09	0.14	20.4	8.2	20
CC128239		0.34	0.002	0.20	2.30	8.9	<0.2	<10	340	1.08	0.29	0.42	0.09	23.5	9.2	34
CC128240		0.45	0.004	0.11	1.82	33.6	<0.2	<10	260	1.03	0.31	0.36	0.30	32.9	25.2	31
CC128241		0.28	0.001	0.03	1.62	13.8	<0.2	<10	90	0.59	0.28	0.04	0.14	22.3	16.7	24
CC128242		0.34	0.001	0.05	1.51	12.0	<0.2	<10	160	0.56	0.29	0.09	0.19	18.85	12.8	25
CC128243		0.41	0.003	0.15	1.96	12.4	<0.2	<10	420	1.22	0.27	0.62	0.33	28.5	18.9	31
CC128244		0.45	0.010	0.18	2.53	12.4	<0.2	<10	310	1.46	0.26	0.49	0.27	18.05	28.3	41
CC128245		0.32	0.006	0.13	2.00	10.4	<0.2	<10	320	1.09	0.26	1.15	0.33	19.25	21.8	31
CC128246		0.26	0.003	0.17	1.49	8.6	<0.2	<10	300	0.78	0.21	2.09	0.25	11.30	11.6	21
CC128247		0.31	0.003	0.13	1.88	12.4	<0.2	<10	370	1.06	0.26	1.45	0.62	16.70	28.7	25
CC128248		0.29	0.001	0.05	1.74	13.1	<0.2	<10	80	0.38	0.33	0.06	0.12	21.7	14.0	33
CC128249		0.19	0.002	0.10	1.60	5.4	<0.2	<10	160	0.72	0.21	1.72	0.44	18.75	15.4	24
CC128251		0.24	0.003	0.18	1.50	9.0	<0.2	<10	250	0.82	0.20	2.52	0.27	14.25	16.8	21
CC128252		0.29	0.004	0.16	1.99	10.8	<0.2	<10	240	1.06	0.25	1.24	0.48	28.4	25.2	29
CC128253		0.35	0.001	0.22	1.61	7.4	<0.2	<10	260	0.70	0.23	1.78	0.67	17.45	18.3	23
CC128254		0.34	0.001	0.09	1.77	9.7	<0.2	<10	210	0.73	0.26	1.01	0.46	19.60	17.7	27
CC128255		0.26	0.003	0.28	1.57	9.1	<0.2	<10	300	1.09	0.22	2.13	0.22	12.65	12.1	21
CC128256		0.31	0.009	0.21	1.67	5.7	<0.2	<10	370	0.94	0.21	1.43	0.44	18.60	20.2	27
CC128257		0.40	0.008	0.16	1.60	9.0	<0.2	<10	350	1.07	0.25	0.35	0.36	21.5	21.6	30

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 24- JUL- 2011
Account: RCM

Project: Rackla- Dale

CERTIFICATE OF ANALYSIS WH11118092

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
CC128217		7.91	72.6	3.67	6.49	0.14	0.03	0.22	0.037	0.08	13.0	24.4	0.53	1540	6.33	0.01
CC128218		7.31	100.0	4.13	7.13	0.14	0.04	0.10	0.050	0.08	12.5	30.1	0.86	1200	1.08	0.01
CC128219		3.55	55.2	4.94	9.65	0.09	0.03	0.03	0.054	0.07	8.2	37.0	0.70	386	1.12	0.01
CC128220		4.42	167.5	3.33	6.25	0.14	0.06	0.15	0.035	0.09	8.5	22.5	1.13	3240	0.76	0.01
CC128221		1.59	67.8	2.40	6.70	0.10	0.02	0.18	0.021	0.05	2.5	10.9	0.68	651	0.45	0.01
CC128222		2.16	47.3	3.79	4.07	0.10	0.08	0.10	0.031	0.10	5.9	19.1	0.44	604	0.81	0.01
CC128223		9.84	76.0	3.80	5.60	0.13	0.07	0.19	0.039	0.10	13.4	27.7	0.81	445	0.85	0.02
CC128224		8.94	71.0	4.91	7.30	0.09	0.03	0.06	0.052	0.09	8.2	29.9	0.60	838	0.95	0.01
CC128225		9.31	50.5	5.98	8.28	0.09	0.03	0.05	0.049	0.09	8.1	34.8	0.55	1320	0.99	0.01
CC128226		2.14	41.0	4.94	6.40	0.08	0.05	0.05	0.040	0.07	9.1	33.4	0.50	812	0.95	0.01
CC128227		2.52	44.6	4.71	7.72	0.09	0.02	0.05	0.035	0.09	7.6	25.2	0.51	404	1.10	0.01
CC128228		7.53	57.9	4.89	9.80	0.09	<0.02	0.08	0.036	0.10	7.2	18.7	0.52	651	1.06	0.01
CC128229		2.42	38.1	4.60	3.85	0.14	0.05	0.18	0.044	0.08	8.8	14.1	0.41	794	1.88	<0.01
CC128230		3.31	32.0	4.76	7.17	0.10	<0.02	0.03	0.042	0.09	8.2	15.0	0.33	1140	1.34	<0.01
CC128231		1.48	55.3	6.58	2.65	0.12	0.04	0.45	0.045	0.07	8.0	11.0	0.30	1150	1.95	<0.01
CC128232		2.80	27.5	3.65	5.99	0.09	0.06	0.06	0.039	0.08	10.1	21.6	0.59	1040	1.05	<0.01
CC128233		5.83	34.4	3.98	6.05	0.10	0.03	0.05	0.037	0.10	9.9	20.3	0.47	979	1.19	<0.01
CC128234		2.67	31.7	2.89	6.00	0.08	0.02	0.04	0.032	0.08	5.9	8.3	0.29	474	1.11	<0.01
CC128235		4.04	44.7	4.38	6.90	0.09	<0.02	0.05	0.043	0.08	8.0	15.7	0.41	583	1.01	<0.01
CC128236		1.97	27.5	3.17	6.05	0.09	<0.02	0.02	0.024	0.08	7.8	2.7	0.10	194	0.98	<0.01
CC128237		2.00	22.4	3.83	6.31	0.10	0.04	0.02	0.032	0.06	10.7	33.7	0.46	342	1.38	<0.01
CC128238		1.43	21.3	3.77	6.07	0.10	0.02	0.03	0.027	0.06	9.5	26.0	0.33	297	0.94	<0.01
CC128239		4.24	36.5	3.37	7.09	0.12	0.08	0.16	0.041	0.07	12.0	26.6	0.59	382	1.09	<0.01
CC128240		12.40	77.1	6.93	5.65	0.17	0.06	0.11	0.057	0.09	13.0	34.4	0.55	1640	0.74	<0.01
CC128241		2.53	38.4	4.22	5.79	0.09	0.02	0.03	0.038	0.07	9.1	24.1	0.44	625	0.96	<0.01
CC128242		2.98	51.0	4.88	7.57	0.10	0.02	0.04	0.039	0.07	7.7	18.2	0.29	687	1.19	<0.01
CC128243		4.52	81.8	4.16	6.26	0.12	0.05	0.09	0.043	0.09	11.4	29.5	0.68	1090	1.05	<0.01
CC128244		8.74	147.0	7.41	7.76	0.17	0.06	0.11	0.069	0.07	8.3	35.2	1.16	1090	0.80	<0.01
CC128245		4.41	88.6	5.02	6.04	0.13	0.08	0.12	0.050	0.10	7.7	35.0	0.97	1210	0.73	<0.01
CC128246		1.54	50.4	3.30	3.81	0.11	0.07	0.17	0.028	0.10	5.5	21.3	0.66	488	0.56	0.01
CC128247		1.48	65.1	4.44	4.89	0.12	0.13	0.18	0.038	0.11	8.4	24.5	0.56	1840	0.86	<0.01
CC128248		1.67	32.4	6.22	8.10	0.10	0.04	0.03	0.040	0.07	9.7	27.1	0.44	856	1.32	<0.01
CC128249		2.52	57.3	2.90	4.81	0.12	0.05	0.10	0.034	0.09	7.3	27.9	0.71	653	0.45	0.01
CC128251		2.26	97.0	2.97	4.43	0.13	0.05	0.13	0.036	0.08	6.8	24.0	0.68	640	0.71	0.01
CC128252		3.80	80.5	4.14	5.86	0.15	0.07	0.12	0.049	0.09	10.4	36.7	0.93	1200	0.62	<0.01
CC128253		3.70	56.7	3.27	4.65	0.13	0.05	0.07	0.039	0.09	7.9	24.2	0.59	1310	0.65	<0.01
CC128254		1.46	38.1	3.89	4.83	0.10	0.06	0.09	0.031	0.09	7.5	31.6	0.70	993	0.77	<0.01
CC128255		2.24	81.4	3.04	4.16	0.14	0.10	0.19	0.036	0.11	9.8	21.2	0.68	459	0.75	0.01
CC128256		5.90	78.1	3.23	5.14	0.15	0.06	0.26	0.040	0.09	8.1	23.0	0.84	1710	0.98	<0.01
CC128257		6.85	93.0	5.11	4.33	0.16	0.06	0.13	0.054	0.09	10.4	21.7	0.58	1010	0.73	<0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 24- JUL- 2011
Account: RCM

Project: Rackla- Dale

CERTIFICATE OF ANALYSIS WH11118092

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
CC128217		0.68	29.1	880	16.1	10.5	0.001	0.06	0.53	9.8	2.3	0.6	13.6	<0.01	0.07	1.8
CC128218		0.52	30.3	1070	13.3	12.5	<0.001	0.08	0.45	11.3	2.2	0.5	19.4	<0.01	0.07	1.5
CC128219		0.69	25.1	330	9.4	14.5	0.001	0.03	0.44	5.7	<0.2	0.8	6.4	<0.01	0.15	2.6
CC128220		0.18	30.1	1330	10.3	4.8	<0.001	0.17	0.23	15.1	1.4	0.3	21.3	<0.01	0.14	0.5
CC128221		0.17	16.5	610	7.1	4.9	<0.001	0.13	0.25	3.8	0.9	0.4	25.7	<0.01	0.12	0.3
CC128222		0.20	23.7	730	18.0	11.0	0.001	0.08	0.52	5.7	<0.2	0.3	39.8	<0.01	0.06	1.9
CC128223		0.49	34.3	780	12.1	12.9	<0.001	0.10	0.52	13.4	2.3	0.5	33.8	<0.01	0.10	1.7
CC128224		0.40	27.2	560	14.0	12.6	<0.001	0.05	0.44	8.6	1.1	0.5	8.6	<0.01	0.12	2.5
CC128225		0.56	26.4	480	15.5	13.3	<0.001	0.04	0.47	5.2	0.3	0.6	5.8	<0.01	0.12	2.7
CC128226		0.47	26.9	420	17.1	9.6	<0.001	0.03	0.47	4.3	0.6	0.5	5.9	<0.01	0.10	3.4
CC128227		0.52	24.2	370	15.9	13.8	<0.001	0.03	0.39	4.8	<0.2	0.8	9.7	<0.01	0.14	2.4
CC128228		0.50	18.4	500	8.5	20.2	0.001	0.04	0.30	4.8	<0.2	0.8	7.1	<0.01	0.16	0.9
CC128229		0.32	25.8	690	19.1	10.6	<0.001	0.03	0.82	8.1	0.9	0.4	17.8	<0.01	0.08	1.9
CC128230		0.78	17.4	490	16.0	16.6	<0.001	0.02	0.48	4.2	0.3	0.6	12.2	<0.01	0.10	1.6
CC128231		0.31	33.4	570	20.8	8.5	0.001	0.03	0.90	7.4	0.9	0.3	22.8	<0.01	0.09	2.0
CC128232		0.67	23.1	1310	15.8	14.2	<0.001	0.09	0.51	4.4	0.6	0.5	42.9	<0.01	0.07	1.1
CC128233		0.66	20.4	900	14.9	19.2	0.001	0.05	0.56	5.7	0.3	0.5	16.2	<0.01	0.07	1.2
CC128234		0.56	13.8	660	12.1	16.2	<0.001	0.04	0.41	2.9	0.2	0.7	23.5	<0.01	0.10	0.6
CC128235		0.67	19.0	560	10.3	17.1	<0.001	0.03	0.36	5.9	0.2	0.7	10.9	<0.01	0.10	1.4
CC128236		0.67	9.8	290	9.3	13.8	0.001	0.01	0.39	2.5	0.2	0.8	6.1	<0.01	0.14	1.8
CC128237		0.86	18.6	280	14.0	12.3	<0.001	0.01	0.50	3.5	0.4	0.6	9.9	<0.01	0.04	3.5
CC128238		0.62	15.3	230	13.6	10.0	<0.001	0.01	0.50	2.5	<0.2	0.5	7.7	<0.01	0.07	2.8
CC128239		0.64	20.4	1870	11.5	12.4	<0.001	0.08	0.40	5.7	1.7	0.6	18.0	<0.01	0.06	1.3
CC128240		0.24	37.8	700	16.9	13.1	<0.001	0.03	0.42	15.8	1.4	0.4	10.2	<0.01	0.14	2.4
CC128241		0.40	20.9	400	14.9	10.6	<0.001	0.02	0.44	4.0	<0.2	0.5	7.0	<0.01	0.07	2.3
CC128242		0.59	16.0	540	12.4	12.9	<0.001	0.02	0.56	4.1	0.2	0.7	6.9	<0.01	0.16	1.7
CC128243		0.64	30.8	800	14.3	11.8	<0.001	0.06	0.54	10.4	1.3	0.5	18.8	<0.01	0.11	1.6
CC128244		0.33	38.2	800	17.1	8.3	<0.001	0.04	0.34	23.9	1.8	0.5	10.7	<0.01	0.20	1.6
CC128245		0.24	33.3	600	14.1	8.1	<0.001	0.06	0.42	13.0	1.3	0.4	24.5	<0.01	0.14	1.6
CC128246		0.25	21.9	940	11.4	8.5	<0.001	0.13	0.47	4.3	0.8	0.3	45.3	<0.01	0.07	0.6
CC128247		0.27	26.1	1460	14.9	10.4	<0.001	0.12	0.52	5.4	1.8	0.4	41.5	<0.01	0.09	1.1
CC128248		0.96	16.7	420	17.8	10.8	<0.001	0.01	0.65	3.4	<0.2	0.6	6.8	<0.01	0.08	3.0
CC128249		0.40	21.1	720	10.1	9.2	0.001	0.10	0.31	7.0	1.1	0.3	52.2	<0.01	0.05	1.0
CC128251		0.33	21.6	860	9.2	8.1	0.001	0.14	0.41	6.9	3.7	0.3	62.7	<0.01	0.06	0.6
CC128252		0.35	29.5	700	14.3	9.8	<0.001	0.07	0.35	13.1	2.0	0.4	31.8	<0.01	0.09	1.5
CC128253		0.40	18.4	920	12.6	11.2	<0.001	0.11	0.35	8.0	1.2	0.3	43.3	<0.01	0.07	0.8
CC128254		0.44	21.7	630	14.8	9.5	<0.001	0.06	0.46	4.5	0.4	0.4	28.1	<0.01	0.08	1.2
CC128255		0.35	23.6	990	9.6	9.8	<0.001	0.13	0.56	6.2	1.6	0.3	47.4	<0.01	0.07	0.9
CC128256		0.44	23.2	1000	9.8	9.9	0.002	0.12	0.39	11.7	2.7	0.4	25.4	<0.01	0.11	0.9
CC128257		0.30	30.6	680	11.2	9.2	<0.001	0.03	0.35	18.7	1.6	0.4	11.9	<0.01	0.17	2.0

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 24- JUL- 2011
Account: RCM

Project: Rackla- Dale

CERTIFICATE OF ANALYSIS WH11118092

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
CC128217		0.024	0.15	0.89	56	0.14	17.90	74	0.9
CC128218		0.020	0.12	1.03	61	0.13	22.8	79	1.1
CC128219		0.015	0.15	0.39	88	0.11	3.08	49	1.1
CC128220		0.011	0.09	0.30	55	0.05	28.4	61	1.5
CC128221		0.009	0.07	0.21	53	<0.05	2.37	46	0.7
CC128222		0.006	0.14	0.64	37	0.05	4.88	93	2.3
CC128223		0.011	0.18	0.49	53	0.10	27.3	79	1.8
CC128224		0.010	0.14	0.41	71	0.09	6.36	69	1.0
CC128225		0.013	0.17	0.37	74	0.10	2.52	79	1.1
CC128226		0.009	0.13	0.43	47	0.09	3.42	76	1.5
CC128227		0.010	0.16	0.40	64	0.12	4.11	74	0.7
CC128228		0.018	0.11	0.34	115	0.10	2.59	78	<0.5
CC128229		0.007	0.61	0.55	42	0.09	16.85	80	1.3
CC128230		0.017	0.21	0.44	84	0.13	3.13	61	<0.5
CC128231		0.007	0.37	0.70	40	0.08	12.10	109	1.4
CC128232		0.015	0.26	1.07	56	0.14	8.36	70	1.3
CC128233		0.021	0.16	0.69	61	0.11	7.31	92	0.7
CC128234		0.011	0.14	0.48	61	0.11	3.30	49	<0.5
CC128235		0.016	0.16	0.49	85	0.13	4.89	62	<0.5
CC128236		0.016	0.11	0.37	66	0.13	1.88	42	<0.5
CC128237		0.015	0.13	0.51	56	0.16	3.67	59	1.4
CC128238		0.011	0.10	0.38	48	0.11	2.93	49	0.9
CC128239		0.013	0.17	1.53	59	0.16	11.40	64	1.7
CC128240		0.005	0.25	0.51	80	0.06	20.8	86	1.4
CC128241		0.007	0.12	0.43	56	0.08	3.11	65	0.7
CC128242		0.012	0.11	0.36	80	0.10	3.01	68	0.6
CC128243		0.014	0.10	0.73	57	0.13	16.35	75	1.4
CC128244		0.013	0.10	0.36	98	0.06	23.8	80	1.2
CC128245		0.006	0.09	0.69	59	<0.05	13.85	79	1.9
CC128246		0.005	0.10	1.02	34	<0.05	7.75	91	1.9
CC128247		0.005	0.12	2.10	43	0.05	12.50	103	2.8
CC128248		0.022	0.13	0.44	77	0.16	2.40	61	1.5
CC128249		0.009	0.10	0.78	41	<0.05	9.89	95	1.4
CC128251		0.007	0.09	0.91	39	0.05	14.20	64	1.5
CC128252		0.009	0.11	0.55	51	<0.05	19.25	79	1.5
CC128253		0.011	0.13	0.61	41	0.09	14.00	86	1.2
CC128254		0.012	0.07	0.72	44	0.06	5.71	133	1.4
CC128255		0.006	0.10	0.85	34	<0.05	20.5	61	2.6
CC128256		0.011	0.13	0.72	50	0.06	20.5	59	1.3
CC128257		0.009	0.09	0.45	67	0.06	24.8	73	1.1

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 24- JUL- 2011
Account: RCM

Project: Rackla- Dale

CERTIFICATE OF ANALYSIS WH11118092

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- TL43 Au ppm 0.001	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1
CC128258		0.39	0.001	0.07	1.52	11.7	<0.2	<10	180	0.75	0.30	0.07	0.40	22.0	19.6	28
CC128259		0.37	0.005	0.12	1.35	9.6	<0.2	<10	270	0.70	0.23	0.74	0.37	17.80	15.5	28
CC128260		0.40	0.001	0.03	1.71	17.1	<0.2	<10	170	0.73	0.30	0.06	0.22	23.7	15.6	28
CC128261		0.23	0.012	0.05	1.49	17.8	<0.2	<10	150	0.88	0.31	0.21	0.24	16.60	15.8	23
CC128262		0.28	0.003	0.21	1.66	22.1	<0.2	<10	210	1.79	0.33	0.87	0.34	41.7	18.8	25
CC128263		0.20	0.002	0.12	1.34	10.3	<0.2	<10	140	1.05	0.32	1.38	0.14	23.4	10.9	21
CC128264		0.35	0.004	0.14	1.63	28.5	<0.2	<10	200	1.21	0.29	0.67	0.23	26.3	18.8	27
CC128265		0.33	0.005	0.09	1.17	35.0	<0.2	<10	190	0.96	0.24	0.79	0.14	28.9	12.5	28
CC128266		0.27	0.001	0.10	1.19	12.0	<0.2	<10	160	1.28	0.28	0.95	0.32	38.2	13.5	26
CC128267		0.22	0.001	0.06	0.65	26.7	<0.2	<10	170	0.75	0.17	2.33	0.21	22.2	6.3	17
CC128268		0.18	0.002	0.08	1.06	57.4	<0.2	<10	330	1.00	0.21	1.94	0.14	21.0	9.6	23
CC128301		0.14	0.001	0.07	0.93	11.8	<0.2	<10	270	0.90	0.21	1.99	0.22	21.0	8.4	22
CC128302		0.17	<0.001	0.05	1.16	8.5	<0.2	<10	180	0.80	0.20	1.64	0.25	22.0	9.5	23
CC128303		0.29	<0.001	0.06	1.54	9.8	<0.2	<10	250	0.58	0.24	0.80	0.12	14.75	8.5	22
CC128304		0.22	<0.001	0.03	1.26	8.6	<0.2	<10	160	0.57	0.31	0.36	0.09	11.80	6.8	20
CC128305		0.29	0.001	0.05	2.38	15.2	<0.2	<10	180	0.89	0.28	0.07	0.16	22.7	16.1	31
CC128306		0.26	0.001	0.05	1.76	10.8	<0.2	<10	60	0.41	0.32	0.05	0.14	15.80	10.7	33
CC128307		0.22	0.001	0.07	2.03	10.2	0.2	<10	100	0.68	0.36	0.03	0.15	13.85	12.2	28
CC128308		0.25	0.001	0.09	1.12	14.0	<0.2	<10	170	0.79	0.31	1.24	0.27	18.40	17.3	16
CC128309		0.30	0.002	0.55	1.39	274	<0.2	<10	190	0.88	0.25	1.81	0.71	19.90	15.3	21
CC128310		0.11	<0.001	0.10	0.62	56.2	<0.2	<10	120	0.52	0.10	4.20	0.50	6.80	6.2	7

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 24- JUL- 2011
Account: RCM

Project: Rackla- Dale

CERTIFICATE OF ANALYSIS WH11118092

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
CC128258		2.00	48.5	5.60	5.56	0.10	0.03	0.06	0.054	0.07	8.5	24.0	0.38	1380	0.87	<0.01
CC128259		3.47	46.1	4.12	4.83	0.11	0.05	0.06	0.038	0.07	7.0	18.9	0.53	816	0.80	<0.01
CC128260		5.21	39.2	4.78	6.28	0.11	0.02	0.03	0.046	0.08	9.4	28.1	0.39	653	0.99	<0.01
CC128261		2.06	43.6	4.32	5.22	0.09	0.04	0.05	0.041	0.09	6.6	24.4	0.45	463	0.88	<0.01
CC128262		1.94	54.9	5.06	3.86	0.15	0.11	0.10	0.049	0.10	14.9	25.0	0.51	1030	1.09	<0.01
CC128263		1.91	31.6	3.62	4.24	0.11	0.10	0.08	0.047	0.09	9.0	24.4	0.37	467	0.63	<0.01
CC128264		3.20	63.1	4.49	5.17	0.14	0.11	0.17	0.043	0.10	11.7	32.0	0.73	501	0.89	<0.01
CC128265		7.51	34.1	3.71	3.46	0.12	0.08	0.13	0.031	0.09	11.8	18.2	0.48	384	0.80	<0.01
CC128266		4.78	46.8	3.54	4.22	0.17	0.09	0.06	0.039	0.08	19.8	19.2	0.41	476	0.55	0.01
CC128267		2.92	26.6	1.93	2.26	0.10	0.07	0.10	0.023	0.06	10.6	4.6	0.14	310	0.42	0.01
CC128268		7.01	29.2	2.45	3.52	0.12	0.11	0.19	0.031	0.09	11.2	15.3	0.48	199	0.37	0.01
CC128301		0.98	22.0	2.62	3.26	0.12	0.08	0.06	0.027	0.06	9.4	12.9	0.31	379	0.42	0.01
CC128302		1.82	24.6	2.49	3.98	0.10	0.08	0.05	0.026	0.07	8.6	17.9	0.50	360	0.56	0.01
CC128303		1.60	22.8	3.00	5.47	0.08	0.04	0.02	0.027	0.06	6.0	19.3	0.38	514	0.88	0.01
CC128304		1.60	23.7	3.05	6.59	0.08	<0.02	0.02	0.026	0.08	5.4	12.2	0.35	252	1.50	0.01
CC128305		2.31	45.3	4.50	6.52	0.10	0.06	0.04	0.045	0.06	8.3	30.7	0.58	495	1.44	0.01
CC128306		2.18	21.4	5.46	7.75	0.11	<0.02	0.03	0.037	0.07	7.5	26.5	0.39	710	1.49	0.01
CC128307		3.17	39.6	4.73	9.33	0.06	0.04	0.02	0.049	0.10	5.9	44.1	0.48	471	0.90	0.01
CC128308		1.99	48.4	4.04	3.53	0.11	0.06	0.16	0.042	0.07	6.3	12.2	0.24	669	0.80	0.01
CC128309		1.57	47.8	4.61	4.06	0.14	0.09	0.35	0.041	0.07	9.5	17.1	0.78	1220	0.87	0.01
CC128310		1.49	24.3	1.44	1.72	0.06	0.06	0.26	0.015	0.05	3.9	3.8	0.13	383	0.70	0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 24- JUL- 2011
Account: RCM

Project: Rackla- Dale

CERTIFICATE OF ANALYSIS WH11118092

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
CC128258		0.63	22.5	360	15.4	10.9	<0.001	0.01	0.56	6.9	0.3	0.5	11.0	<0.01	0.13	2.4
CC128259		0.54	24.5	790	10.9	9.1	<0.001	0.07	0.42	9.2	1.0	0.4	18.3	<0.01	0.10	1.3
CC128260		0.63	22.8	480	14.7	14.2	<0.001	0.02	0.51	5.5	0.5	0.6	8.6	<0.01	0.09	2.4
CC128261		0.33	23.9	490	15.0	13.2	<0.001	0.03	0.42	4.2	0.3	0.5	20.0	<0.01	0.14	2.0
CC128262		0.22	41.3	490	24.9	8.8	0.001	0.04	0.44	11.0	1.0	0.4	40.7	<0.01	0.09	5.5
CC128263		0.34	25.1	760	19.9	10.0	<0.001	0.07	0.38	5.5	0.9	0.5	60.2	<0.01	0.06	2.0
CC128264		0.27	35.3	460	17.0	8.7	<0.001	0.03	0.54	10.7	1.2	0.4	34.6	<0.01	0.08	3.1
CC128265		0.32	25.4	510	12.3	10.0	<0.001	0.04	0.40	6.8	0.7	0.4	34.9	0.01	0.04	2.9
CC128266		0.31	29.8	740	15.5	10.2	<0.001	0.04	0.29	7.1	1.2	0.4	37.1	0.01	0.07	2.3
CC128267		0.32	16.3	1020	10.3	8.1	<0.001	0.14	0.21	2.4	1.0	0.3	61.3	0.01	0.05	0.7
CC128268		0.42	25.3	820	11.3	11.8	<0.001	0.09	0.23	5.6	1.1	0.4	56.3	0.01	0.03	1.6
CC128301		0.36	24.1	1130	14.2	6.6	<0.001	0.12	0.25	3.7	1.1	0.4	59.3	0.01	0.03	1.0
CC128302		0.51	23.2	860	12.3	9.5	<0.001	0.12	0.32	3.4	0.9	0.4	52.3	<0.01	0.04	1.3
CC128303		0.60	16.0	1330	13.0	12.0	<0.001	0.08	0.41	2.4	0.4	0.5	29.3	<0.01	0.06	0.6
CC128304		0.62	15.6	380	13.5	12.2	<0.001	0.02	0.43	2.6	0.2	0.8	17.4	<0.01	0.06	0.6
CC128305		0.73	28.5	630	16.8	11.7	<0.001	0.02	0.54	5.0	0.5	0.6	8.8	<0.01	0.11	2.2
CC128306		1.33	17.2	590	19.8	13.3	<0.001	0.02	0.74	3.3	0.4	0.7	7.1	<0.01	0.08	1.6
CC128307		0.58	18.8	370	20.2	20.6	<0.001	0.04	0.37	5.2	0.4	0.9	6.5	<0.01	0.07	2.8
CC128308		0.36	24.5	690	21.2	8.1	<0.001	0.07	0.46	5.5	0.9	0.5	65.6	<0.01	0.12	1.1
CC128309		0.39	27.5	740	46.6	7.5	<0.001	0.07	1.84	7.0	1.2	0.4	64.8	0.01	0.10	1.2
CC128310		0.23	12.0	970	19.0	4.7	<0.001	0.18	0.71	1.5	1.4	0.2	215	0.01	0.05	0.2

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 24- JUL- 2011
Account: RCM

Project: Rackla- Dale

CERTIFICATE OF ANALYSIS WH11118092

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
CC128258		0.011	0.11	0.38	78	0.10	4.46	71	0.8
CC128259		0.016	0.09	0.50	64	0.08	9.56	70	1.2
CC128260		0.010	0.18	0.46	66	0.10	5.25	67	0.7
CC128261		0.005	0.12	0.60	46	0.06	3.60	71	1.3
CC128262		<0.005	0.24	1.43	33	<0.05	19.80	84	2.8
CC128263		<0.005	0.12	1.93	28	0.05	13.60	84	2.3
CC128264		0.005	0.26	1.49	44	<0.05	14.20	76	2.8
CC128265		0.008	0.45	1.75	38	0.06	8.74	77	1.9
CC128266		0.007	0.12	3.39	33	0.06	17.20	79	1.9
CC128267		0.008	0.13	3.38	19	0.06	11.15	85	1.7
CC128268		0.006	0.26	4.49	20	0.08	16.50	76	2.8
CC128301		0.006	0.09	4.31	22	0.08	14.35	81	1.7
CC128302		0.008	0.11	1.49	25	0.08	9.34	77	2.2
CC128303		0.010	0.16	0.61	46	0.16	3.45	58	0.8
CC128304		0.012	0.13	0.40	42	0.14	3.22	54	<0.5
CC128305		0.009	0.16	0.58	58	0.17	4.37	67	1.3
CC128306		0.026	0.12	0.47	61	0.21	2.43	82	<0.5
CC128307		0.008	0.14	0.39	64	0.09	3.98	64	1.3
CC128308		0.006	0.14	0.93	32	0.07	8.72	86	1.3
CC128309		0.007	0.23	1.24	38	0.09	17.80	140	1.7
CC128310		<0.005	0.49	3.43	13	0.11	13.60	39	1.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 24- JUL- 2011
Account: RCM

Project: Rackla- Dale

CERTIFICATE OF ANALYSIS WH11118092

Method	CERTIFICATE COMMENTS
ME- MS41	Gold determinations by this method are semi- quantitative due to the small sample weight used (0.5g).

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 22- JUL- 2011
Account: RCM

CERTIFICATE WH11118096

Project: Rackla- Dale Silts

P.O. No.:

This report is for 153 Stream Sediment samples submitted to our lab in Whitehorse, YT, Canada on 26- JUN- 2011.

The following have access to data associated with this certificate:

ROB CARNE JULIA LANE	ANDREW CARNE JOAN MARIACHER	MATT DUMALA

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
SCR- 41	Screen to - 180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- ST43	Super Trace Au - 25g AR	ICP- MS
ME- MS41	51 anal. aqua regia ICPMS	

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 22- JUL- 2011
Account: RCM

Project: Rackla- Dale Silts

CERTIFICATE OF ANALYSIS WH11118096

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- ST43 Au ppm 0.0001	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1
CC127905		0.23	0.0036	0.08	0.88	29.5	<0.2	<10	190	0.98	0.29	1.37	0.25	21.3	15.8	18
CC127906		0.28	0.0029	0.09	0.90	27.3	<0.2	<10	160	0.98	0.28	1.51	0.32	19.15	16.2	17
CC127907		0.23	0.0039	0.11	1.17	31.6	<0.2	<10	130	0.83	0.25	1.14	0.35	19.10	16.7	20
CC127908		0.26	0.0030	0.09	1.00	55.4	<0.2	<10	110	0.93	0.27	1.37	0.26	19.30	17.9	19
CC127909		0.24	0.0028	0.14	0.85	64.1	<0.2	<10	110	1.10	0.30	1.14	0.36	19.90	19.5	15
CC127910		0.26	0.0027	0.13	0.68	83.2	<0.2	<10	100	1.20	0.31	1.43	0.38	18.25	18.4	12
CC127911		0.24	0.0024	0.17	0.61	110.5	<0.2	<10	100	1.19	0.31	1.08	0.38	18.70	18.8	11
CC127912		0.21	0.0037	0.12	1.00	55.3	<0.2	<10	130	0.98	0.26	1.70	0.36	18.20	17.8	17
CC127913		0.30	0.0030	0.11	0.96	56.4	<0.2	<10	120	0.97	0.27	1.87	0.34	19.10	18.5	17
CC127914		0.22	0.0030	0.11	1.01	49.2	<0.2	<10	130	0.94	0.26	1.13	0.35	17.85	17.8	18
CC127915		0.20	0.0037	0.12	1.03	45.5	<0.2	<10	130	0.93	0.26	2.07	0.39	17.30	17.2	18
CC127916		0.16	0.0044	0.14	1.15	35.7	<0.2	10	140	0.94	0.25	2.48	0.40	16.65	17.0	19
CC127917		0.19	0.0035	0.10	1.20	34.8	<0.2	<10	140	0.88	0.23	1.91	0.34	16.90	18.2	21
CC127918		0.23	0.0032	0.11	1.23	27.5	<0.2	<10	120	0.96	0.24	1.61	0.39	18.80	18.9	21
CC127919		0.30	0.0034	0.09	1.31	28.9	<0.2	<10	110	0.81	0.22	0.74	0.26	18.90	17.9	22
CC127920		0.28	0.0029	0.08	1.30	27.8	<0.2	<10	110	0.73	0.21	0.69	0.26	20.8	17.3	22
CC127872		0.18	0.0013	0.25	1.12	9.0	<0.2	<10	500	0.95	0.22	1.37	1.04	17.60	8.9	20
CC127873		0.24	0.0017	0.48	0.79	13.4	<0.2	<10	490	0.86	0.23	1.51	1.18	18.20	9.9	16
CC127874		0.33	0.0012	0.86	0.39	103.5	<0.2	<10	230	0.62	0.22	6.24	2.56	14.30	7.2	8
CC127875		0.41	0.0015	0.91	0.65	39.3	<0.2	<10	470	1.00	0.29	2.25	1.80	17.40	8.9	14
CC127876		0.25	0.0015	0.26	0.83	18.4	<0.2	<10	260	0.91	0.23	2.41	1.31	20.5	9.9	16
CC127877		0.30	0.0013	0.83	0.57	41.3	<0.2	<10	520	0.80	0.25	3.86	0.96	16.50	7.1	13
CC127878		0.27	0.0013	0.18	0.77	26.4	<0.2	<10	280	0.93	0.28	2.14	0.87	20.2	12.5	15
CC127879		0.31	0.0012	0.82	0.55	42.9	<0.2	<10	380	0.75	0.23	3.98	1.61	15.20	10.1	12
CC127880		0.28	0.0010	0.16	0.72	30.8	<0.2	<10	170	0.77	0.28	1.15	0.47	19.30	8.2	13
CC127881		0.32	0.0011	0.69	0.58	72.6	<0.2	<10	450	0.81	0.25	4.04	1.28	16.75	8.6	13
CC127882		0.21	0.0013	0.55	0.70	20.4	<0.2	<10	500	0.79	0.21	1.46	1.84	12.90	5.9	13
CC127883		0.20	0.0014	0.56	0.65	102.0	<0.2	<10	420	0.81	0.26	3.62	3.32	16.45	9.6	13
CC127884		0.37	0.0013	0.73	0.59	52.5	<0.2	<10	460	0.79	0.23	3.37	1.12	15.80	7.5	13
CC127885		0.33	0.0017	0.53	0.58	1195	<0.2	<10	360	0.73	0.22	3.80	0.80	15.30	7.8	13
CC127886		0.28	0.0014	0.40	0.73	163.5	<0.2	<10	380	0.83	0.24	3.19	2.15	16.90	9.8	15
CC127887		0.38	0.0012	0.64	0.71	56.8	<0.2	<10	400	0.97	0.28	1.92	1.48	18.65	12.2	15
CC127888		0.30	0.0016	0.30	0.86	77.4	<0.2	<10	230	0.77	0.22	2.29	0.94	16.45	9.8	16
CC127889		0.25	0.0014	0.48	0.69	147.5	<0.2	<10	370	0.74	0.24	3.13	1.20	15.40	9.5	14
CC127890		0.19	0.0016	0.37	0.81	110.0	<0.2	<10	320	0.79	0.24	2.34	2.12	16.25	10.0	16
CC127891		0.31	0.0020	0.20	1.24	28.1	<0.2	<10	210	0.78	0.27	2.37	0.56	21.2	18.0	22
CC127892		0.28	0.0016	0.33	0.94	62.3	<0.2	<10	240	0.80	0.24	2.64	0.85	18.70	14.2	17
CC127893		0.34	0.0020	0.33	0.99	86.4	<0.2	<10	310	0.78	0.25	2.97	1.02	18.15	12.9	18
CC127894		0.28	0.0015	0.31	1.00	85.2	<0.2	<10	320	0.77	0.24	2.57	0.86	17.80	13.0	18
CC127895		0.30	0.0013	0.33	1.07	47.0	<0.2	<10	220	0.84	0.27	2.16	0.70	19.25	11.2	19

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 22- JUL- 2011
Account: RCM

Project: Rackla- Dale Silts

CERTIFICATE OF ANALYSIS WH11118096

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
CC127905		6.25	44.0	3.65	2.72	0.11	0.07	0.17	0.034	0.10	8.8	16.0	0.54	478	0.55	0.01
CC127906		5.35	49.2	3.59	2.79	0.09	0.07	0.16	0.033	0.09	8.1	18.0	0.59	482	0.51	0.01
CC127907		3.16	59.8	3.86	3.48	0.10	0.09	0.18	0.036	0.10	8.2	23.0	0.68	404	0.63	0.01
CC127908		5.23	55.7	3.85	3.38	0.10	0.06	0.15	0.034	0.08	7.9	20.3	0.75	374	0.60	0.01
CC127909		12.60	60.5	4.11	2.56	0.10	0.07	0.70	0.038	0.11	7.3	13.8	0.46	460	1.63	0.01
CC127910		17.45	51.5	4.17	1.94	0.11	0.06	0.76	0.038	0.11	6.1	9.7	0.34	551	1.86	0.01
CC127911		19.65	49.9	4.05	1.83	0.11	0.06	0.89	0.040	0.12	6.7	8.2	0.26	512	1.85	0.01
CC127912		7.68	63.2	3.87	3.10	0.11	0.07	0.37	0.035	0.10	7.7	18.0	0.68	512	0.98	0.01
CC127913		8.82	59.5	4.04	2.98	0.12	0.07	0.39	0.036	0.09	7.3	17.3	0.65	517	1.12	0.01
CC127914		6.77	57.3	3.86	3.13	0.11	0.07	0.35	0.034	0.09	6.4	18.3	0.67	502	0.86	<0.01
CC127915		7.62	61.7	3.78	3.23	0.10	0.07	0.38	0.035	0.10	7.0	18.2	0.70	510	1.00	0.01
CC127916		6.36	69.3	3.65	3.58	0.10	0.07	0.42	0.039	0.11	7.0	20.6	0.71	513	0.90	0.01
CC127917		5.21	66.3	3.94	3.67	0.11	0.07	0.26	0.038	0.10	7.0	22.0	0.78	461	0.78	0.01
CC127918		4.27	66.6	3.79	3.99	0.11	0.07	0.30	0.038	0.10	7.1	24.6	0.77	582	0.66	0.01
CC127919		2.35	55.3	4.07	3.92	0.11	0.06	0.20	0.034	0.08	7.6	24.7	0.77	556	0.48	<0.01
CC127920		2.28	50.2	3.99	4.04	0.10	0.06	0.17	0.032	0.08	8.7	25.8	0.75	543	0.54	<0.01
CC127872		0.68	25.1	2.52	3.54	0.11	0.07	0.15	0.030	0.10	7.7	20.8	0.48	138	0.71	0.01
CC127873		1.03	28.2	2.89	2.46	0.11	0.06	0.17	0.029	0.10	8.3	11.6	0.71	404	2.05	0.01
CC127874		3.89	18.9	2.59	1.31	0.09	0.07	0.50	0.020	0.08	5.9	4.1	3.46	668	0.43	0.01
CC127875		1.24	34.3	2.74	2.40	0.10	0.07	0.30	0.033	0.10	7.6	7.3	1.10	271	3.05	0.01
CC127876		1.07	24.3	3.09	2.83	0.10	0.10	0.20	0.031	0.10	8.9	12.8	0.82	504	0.53	0.01
CC127877		1.39	26.0	2.63	2.15	0.09	0.05	0.24	0.027	0.10	7.2	7.4	2.09	332	2.28	0.02
CC127878		1.53	31.5	3.23	2.66	0.10	0.08	0.20	0.035	0.10	9.0	9.7	1.05	875	0.74	0.01
CC127879		1.30	26.6	1.93	1.98	0.09	0.05	0.25	0.028	0.10	6.6	7.0	2.19	270	2.46	0.01
CC127880		1.68	22.8	2.80	2.42	0.10	0.07	0.15	0.032	0.09	7.5	10.8	0.27	259	0.41	0.01
CC127881		1.48	24.0	2.77	2.11	0.10	0.06	0.29	0.032	0.10	7.1	7.7	2.19	514	1.69	0.01
CC127882		0.55	24.4	1.12	2.28	0.08	0.07	0.22	0.025	0.07	5.5	6.4	0.30	79	0.87	0.01
CC127883		2.36	24.2	2.85	2.33	0.10	0.07	0.30	0.029	0.10	7.1	8.7	1.89	734	1.52	0.01
CC127884		1.35	26.3	2.68	2.13	0.09	0.05	0.20	0.031	0.10	6.8	7.4	1.79	293	2.02	0.02
CC127885		1.22	22.4	2.64	2.06	0.10	0.07	0.18	0.028	0.09	6.6	7.9	2.02	438	1.63	0.01
CC127886		2.06	27.0	2.83	2.57	0.09	0.07	0.24	0.032	0.10	7.8	11.1	1.61	690	1.24	0.02
CC127887		1.04	36.8	2.71	2.61	0.10	0.06	0.23	0.038	0.11	7.8	9.5	1.03	200	2.86	0.01
CC127888		1.19	33.4	2.70	3.04	0.10	0.08	0.16	0.030	0.09	6.9	15.2	0.95	292	0.84	0.01
CC127889		1.42	25.8	2.85	2.33	0.10	0.06	0.22	0.028	0.10	6.9	9.8	1.66	645	1.36	0.01
CC127890		1.97	32.3	2.85	2.84	0.10	0.07	0.23	0.030	0.10	7.2	12.9	1.06	707	1.05	0.01
CC127891		2.29	59.7	3.59	4.22	0.12	0.08	0.15	0.035	0.10	9.5	22.6	1.06	571	0.81	0.01
CC127892		1.54	46.8	3.02	3.33	0.09	0.07	0.19	0.029	0.09	7.9	16.6	1.57	348	1.03	0.01
CC127893		1.83	41.4	3.27	3.48	0.10	0.08	0.19	0.034	0.10	8.4	17.6	1.50	560	1.20	0.01
CC127894		1.46	38.9	3.33	3.37	0.10	0.06	0.17	0.032	0.10	7.7	17.1	1.48	497	1.25	0.01
CC127895		1.37	46.3	2.71	3.65	0.10	0.08	0.20	0.031	0.11	8.4	18.0	1.41	187	0.75	0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 22- JUL- 2011
Account: RCM

Project: Rackla- Dale Silts

CERTIFICATE OF ANALYSIS WH11118096

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
CC127905		0.21	30.8	660	20.2	17.4	<0.001	0.06	0.45	6.1	1.4	0.4	51.3	<0.01	0.04	2.9
CC127906		0.20	31.1	660	20.0	17.1	<0.001	0.08	0.46	6.2	1.1	0.4	56.0	<0.01	0.04	2.7
CC127907		0.20	31.1	700	19.9	10.9	0.001	0.08	0.58	7.4	1.0	0.3	51.2	<0.01	0.06	2.5
CC127908		0.18	31.7	610	21.3	11.1	<0.001	0.05	0.58	7.1	1.1	0.4	53.7	<0.01	0.07	2.9
CC127909		0.13	37.6	1600	20.9	13.4	0.001	0.09	0.66	8.5	1.6	0.4	60.9	<0.01	0.06	3.7
CC127910		0.10	38.3	1880	21.4	15.3	0.002	0.10	0.65	7.4	1.5	0.4	68.9	<0.01	0.04	3.9
CC127911		0.11	40.6	2000	21.2	18.3	0.002	0.10	0.70	7.6	2.3	0.5	66.9	<0.01	0.04	3.8
CC127912		0.18	33.5	1060	19.2	12.3	0.001	0.09	0.60	7.9	1.3	0.4	69.6	<0.01	0.05	2.9
CC127913		0.14	33.7	1110	19.1	12.6	0.001	0.07	0.59	7.5	1.2	0.4	69.6	<0.01	0.06	3.2
CC127914		0.16	31.6	910	18.8	12.3	0.001	0.08	0.57	7.6	1.6	0.3	54.8	<0.01	0.06	2.7
CC127915		0.18	31.9	980	18.2	11.7	0.001	0.10	0.55	8.4	1.3	0.4	81.2	<0.01	0.06	2.7
CC127916		0.19	31.2	900	17.3	11.1	0.001	0.11	0.53	9.2	2.7	0.4	101.0	<0.01	0.06	2.3
CC127917		0.17	31.4	840	17.2	10.3	0.001	0.09	0.55	8.3	2.1	0.3	93.1	<0.01	0.05	2.4
CC127918		0.20	31.7	760	16.7	10.6	0.002	0.09	0.47	8.3	2.3	0.4	83.7	<0.01	0.08	2.7
CC127919		0.16	29.4	590	16.6	7.5	0.002	0.06	0.39	7.3	1.3	0.3	48.3	<0.01	0.07	2.8
CC127920		0.17	29.2	610	16.1	7.0	0.002	0.05	0.41	6.7	1.1	0.3	44.5	<0.01	0.06	2.8
CC127872		0.39	21.9	670	31.5	18.0	0.005	0.17	0.36	4.3	4.0	0.5	60.2	<0.01	0.01	2.2
CC127873		0.27	31.4	860	30.4	10.9	0.002	0.07	0.86	4.4	2.1	0.4	46.7	<0.01	0.04	2.5
CC127874		0.13	17.8	690	192.5	9.2	0.001	0.12	1.67	3.5	1.0	0.3	58.8	<0.01	0.02	2.1
CC127875		0.16	42.1	800	98.9	9.9	0.001	0.06	1.35	5.0	2.6	0.5	48.5	<0.01	0.06	2.8
CC127876		0.28	21.1	890	40.7	20.2	0.002	0.13	0.35	4.8	2.3	0.4	58.9	<0.01	0.03	2.3
CC127877		0.15	30.6	790	110.5	8.9	0.002	0.06	1.17	4.3	2.1	0.4	54.6	<0.01	0.07	2.9
CC127878		0.21	26.3	760	35.5	13.3	<0.001	0.07	0.44	5.2	1.3	0.4	37.5	<0.01	0.02	2.7
CC127879		0.14	33.6	690	143.5	8.8	0.002	0.19	1.50	4.1	2.1	0.4	44.9	<0.01	0.04	2.8
CC127880		0.17	21.9	740	32.7	20.1	0.001	0.09	0.30	4.2	1.3	0.4	55.3	<0.01	0.03	1.8
CC127881		0.17	27.8	710	99.2	10.8	0.003	0.06	0.93	4.4	1.8	0.4	50.0	<0.01	0.03	3.1
CC127882		0.16	23.8	870	61.9	5.1	0.002	0.20	0.77	2.8	2.8	0.4	50.9	<0.01	0.03	1.1
CC127883		0.18	27.4	810	82.9	13.5	0.001	0.08	0.95	4.2	1.8	0.4	47.0	<0.01	0.05	2.5
CC127884		0.16	30.9	800	64.4	9.3	0.002	0.07	1.00	4.2	2.0	0.4	55.2	<0.01	0.05	2.8
CC127885		0.14	24.7	810	62.3	13.1	0.002	0.07	0.82	3.9	1.9	0.3	87.9	<0.01	0.03	2.3
CC127886		0.18	26.7	780	57.7	13.9	0.001	0.08	0.73	4.7	1.6	0.4	61.8	<0.01	0.04	2.4
CC127887		0.15	40.7	760	76.9	8.4	0.002	0.26	1.28	5.8	2.8	0.4	46.3	<0.01	0.06	3.0
CC127888		0.21	26.0	810	35.2	11.4	0.001	0.17	0.51	4.9	2.1	0.3	69.9	<0.01	0.04	2.0
CC127889		0.15	26.6	760	58.7	11.0	0.002	0.07	0.71	4.4	1.8	0.3	52.8	<0.01	0.03	2.5
CC127890		0.19	26.7	820	47.6	12.4	0.002	0.11	0.67	4.9	2.5	0.4	62.6	<0.01	0.03	2.0
CC127891		0.33	34.6	760	23.2	7.9	0.003	0.10	0.61	7.2	1.3	0.3	77.2	<0.01	0.06	3.2
CC127892		0.15	31.2	670	39.0	9.1	0.003	0.08	0.69	6.2	1.9	0.3	50.4	<0.01	0.08	2.8
CC127893		0.17	31.4	750	39.4	10.5	0.001	0.09	0.76	6.0	2.0	0.4	66.0	<0.01	0.05	2.7
CC127894		0.15	31.7	770	34.4	10.2	0.002	0.07	0.66	5.5	1.9	0.3	56.6	<0.01	0.05	2.6
CC127895		0.16	29.3	690	42.4	9.6	0.007	0.09	0.48	6.3	3.0	0.4	43.7	<0.01	0.04	3.4

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 22- JUL- 2011
Account: RCM

Project: Rackla- Dale Silts

CERTIFICATE OF ANALYSIS WH11118096

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
CC127905		0.005	0.19	1.19	25	0.12	10.05	95	2.0
CC127906		<0.005	0.16	0.93	25	0.05	9.97	94	2.1
CC127907		0.006	0.15	0.82	33	0.06	10.15	95	2.2
CC127908		0.005	0.13	0.75	30	<0.05	9.88	92	2.0
CC127909		<0.005	0.28	0.79	30	<0.05	15.60	99	2.0
CC127910		<0.005	0.32	0.86	26	0.06	16.50	104	1.9
CC127911		<0.005	0.40	0.90	23	<0.05	18.00	99	1.8
CC127912		0.005	0.20	0.67	30	0.09	11.80	95	2.0
CC127913		<0.005	0.19	0.69	30	0.10	11.80	94	2.0
CC127914		0.005	0.18	0.62	31	<0.05	11.15	90	2.1
CC127915		<0.005	0.18	0.65	31	0.06	11.85	92	2.1
CC127916		0.005	0.16	0.60	32	0.05	12.00	92	2.1
CC127917		0.005	0.13	0.52	35	0.05	10.65	95	2.0
CC127918		0.005	0.12	0.40	35	<0.05	10.85	94	2.2
CC127919		0.005	0.12	0.38	39	<0.05	9.13	90	1.9
CC127920		0.006	0.11	0.41	39	<0.05	8.91	93	1.7
CC127872		0.005	0.13	1.15	28	0.06	11.20	177	2.2
CC127873		0.006	0.17	1.01	37	0.10	12.70	239	1.8
CC127874		<0.005	1.52	1.26	10	0.05	8.75	482	1.6
CC127875		<0.005	0.39	1.41	40	0.05	15.35	328	1.9
CC127876		0.006	0.15	0.87	22	0.06	11.00	233	2.7
CC127877		<0.005	0.44	1.43	32	0.05	13.25	268	1.5
CC127878		0.006	0.26	0.90	23	0.08	10.55	212	2.2
CC127879		<0.005	0.53	2.74	31	0.05	11.90	327	1.5
CC127880		<0.005	0.26	0.84	17	0.08	10.95	169	2.0
CC127881		<0.005	0.58	1.16	32	<0.05	12.10	327	1.6
CC127882		<0.005	0.29	4.82	32	<0.05	11.25	209	1.8
CC127883		<0.005	0.94	1.18	26	0.05	11.25	531	1.9
CC127884		<0.005	0.41	1.32	32	0.05	12.35	306	1.6
CC127885		<0.005	3.52	1.53	25	0.05	10.70	259	1.9
CC127886		<0.005	0.71	1.25	25	0.05	10.85	367	1.9
CC127887		<0.005	0.31	2.85	37	0.05	14.65	286	1.8
CC127888		<0.005	0.30	1.22	26	<0.05	10.80	193	2.4
CC127889		<0.005	0.47	1.27	28	0.05	11.30	281	1.9
CC127890		0.005	0.57	1.25	25	0.05	10.60	312	2.1
CC127891		0.014	0.16	0.75	37	0.13	10.30	134	2.4
CC127892		<0.005	0.26	0.96	32	<0.05	11.15	192	2.1
CC127893		0.005	0.33	0.97	31	<0.05	10.75	231	2.2
CC127894		<0.005	0.32	0.90	32	<0.05	10.25	225	2.2
CC127895		<0.005	0.27	1.68	34	<0.05	10.65	195	2.2

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 22- JUL- 2011
Account: RCM

Project: Rackla- Dale Silts

CERTIFICATE OF ANALYSIS WH11118096

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- ST43 Au ppm 0.0001	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1
CC127896		0.43	0.0010	0.33	0.82	67.7	<0.2	<10	270	0.76	0.24	2.85	0.75	17.00	9.4	15
CC127897		0.34	0.0010	0.28	1.13	60.1	<0.2	<10	290	0.83	0.27	2.11	0.81	22.2	13.4	21
CC127898		0.31	0.0027	0.27	0.98	72.6	<0.2	<10	250	0.73	0.23	2.62	0.84	17.55	12.5	17
CC127899		0.28	0.0010	0.25	0.99	73.1	<0.2	<10	260	0.75	0.23	2.76	0.88	17.05	11.9	18
CC127900		0.31	0.0014	0.25	0.97	63.7	<0.2	<10	280	0.72	0.23	2.91	0.73	17.50	12.3	17
CC127921		0.23	0.0083	0.13	1.61	17.2	<0.2	<10	170	1.18	0.29	0.55	0.44	25.5	29.9	31
CC127922		0.25	0.0074	0.17	1.73	15.8	<0.2	<10	150	1.17	0.28	0.73	0.42	23.9	27.9	33
CC127923		0.27	0.0092	0.18	1.93	16.3	<0.2	<10	140	1.22	0.31	0.55	0.49	27.1	30.8	33
CC127924		0.31	0.0092	0.16	1.77	14.5	<0.2	<10	140	1.05	0.29	0.68	0.51	24.2	29.4	31
CC127925		0.26	0.0103	0.18	1.93	14.5	<0.2	<10	160	1.20	0.27	0.64	0.49	24.7	29.3	34
CC127926		0.27	0.0080	0.15	1.90	14.4	<0.2	<10	150	1.09	0.29	0.50	0.45	25.4	27.9	34
CC127927		0.27	0.0070	0.13	1.85	10.8	<0.2	<10	170	0.98	0.24	0.92	0.57	24.0	28.7	32
CC127928		0.29	0.0065	0.11	2.24	10.7	<0.2	<10	110	0.99	0.28	1.01	0.35	30.0	35.4	37
CC127929		0.31	0.0067	0.10	2.27	8.2	<0.2	<10	110	0.89	0.25	1.39	0.32	28.0	30.3	37
CC127930		0.35	0.0078	0.13	2.17	9.3	<0.2	<10	140	1.00	0.26	1.31	0.37	25.8	34.8	36
CC127931		0.38	0.0050	0.11	2.05	9.8	<0.2	<10	130	0.97	0.26	0.92	0.31	26.6	29.8	34
CC127932		0.33	0.0045	0.10	2.19	8.7	<0.2	<10	120	0.99	0.25	1.56	0.32	23.6	32.5	35
CC127933		0.35	0.0067	0.10	2.11	9.5	<0.2	<10	130	0.96	0.25	1.04	0.33	25.9	30.6	35
CC127934		0.40	0.0063	0.10	2.12	9.4	<0.2	<10	130	0.99	0.25	0.93	0.32	28.2	30.6	35
CC127935		0.30	0.0063	0.10	2.13	8.9	<0.2	<10	150	0.96	0.25	1.39	0.33	24.8	31.7	34
CC127936		0.44	0.0020	2.55	0.46	18.3	<0.2	<10	780	0.83	0.18	1.85	3.06	8.39	12.0	25
CC127937		0.35	0.0036	1.85	0.42	14.9	<0.2	<10	770	0.63	0.18	1.05	2.66	10.85	9.0	20
CC127938		0.32	0.0027	2.12	0.46	18.5	<0.2	<10	750	0.81	0.18	1.97	4.30	9.25	13.5	23
CC127939		0.33	0.0013	2.72	0.42	20.2	<0.2	<10	790	0.67	0.17	2.09	3.43	8.69	7.7	28
CC127940		0.29	0.0026	2.22	0.43	20.2	<0.2	<10	820	0.72	0.18	1.78	4.11	9.63	10.2	23
CC127941		0.24	0.0025	1.83	0.39	17.2	<0.2	<10	790	0.67	0.16	2.30	3.89	9.46	8.4	21
CC127942		0.21	0.0028	1.60	0.28	12.1	<0.2	<10	690	0.40	0.12	1.86	2.69	3.15	2.9	20
CC127943		0.26	0.0027	2.38	0.41	19.7	<0.2	<10	810	0.68	0.17	1.76	4.19	8.97	7.6	25
CC127944		0.33	0.0026	1.75	0.38	20.8	<0.2	<10	800	0.65	0.16	1.94	3.66	10.10	8.0	20
CC127945		0.42	0.0028	1.61	0.48	31.8	<0.2	<10	890	1.00	0.17	0.79	2.00	6.28	9.9	25
CC127946		0.32	0.0024	1.56	0.42	21.0	<0.2	<10	850	0.72	0.16	2.22	4.29	8.00	9.7	21
CC127947		0.34	0.0026	2.14	0.42	21.7	<0.2	<10	830	0.85	0.17	2.24	3.84	7.99	8.8	23
CC127948		0.37	0.0021	1.31	0.41	32.2	<0.2	<10	610	0.97	0.17	2.95	2.86	9.13	13.1	17
CC127949		0.30	0.0022	6.40	0.43	24.6	<0.2	<10	810	0.97	0.17	3.15	4.71	8.39	12.4	19
CC127950		0.33	0.0019	1.29	0.41	29.0	<0.2	<10	780	0.84	0.17	3.19	3.18	8.42	10.3	18
CC127951		0.25	0.0020	1.43	0.43	28.3	<0.2	<10	810	0.81	0.17	2.44	3.21	8.53	10.8	19
CC127952		0.32	0.0038	0.49	0.77	16.1	<0.2	<10	330	0.84	0.24	1.92	2.80	17.70	10.5	21
CC127953		0.38	0.0018	1.65	0.48	33.4	<0.2	<10	920	0.97	0.19	3.30	3.95	10.30	12.6	21
CC127954		0.40	0.0012	1.36	0.42	28.9	<0.2	<10	870	0.73	0.17	3.46	3.01	8.93	10.3	18
CC127955		0.38	0.0017	1.33	0.42	30.4	<0.2	<10	790	0.85	0.16	3.68	4.42	9.48	14.3	18

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 22- JUL- 2011
Account: RCM

Project: Rackla- Dale Silts

CERTIFICATE OF ANALYSIS WH11118096

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
CC127896		1.09	37.6	2.80	2.89	0.09	0.06	0.15	0.029	0.08	7.2	12.9	1.63	275	1.24	0.01
CC127897		1.53	47.6	3.23	3.89	0.11	0.07	0.16	0.032	0.11	9.3	19.1	1.39	312	0.93	0.01
CC127898		1.60	37.2	3.11	3.42	0.09	0.07	0.17	0.029	0.09	7.4	17.6	1.47	466	0.96	0.01
CC127899		1.71	35.2	3.19	3.30	0.10	0.07	0.18	0.027	0.09	7.1	17.3	1.59	381	0.90	0.01
CC127900		2.09	40.1	3.14	3.34	0.10	0.06	0.17	0.028	0.09	7.5	17.1	1.60	399	1.01	0.01
CC127921		4.66	138.5	6.01	6.42	0.12	0.06	0.16	0.058	0.08	7.8	17.3	1.02	816	2.68	0.01
CC127922		7.39	131.5	5.95	6.52	0.13	0.06	0.22	0.053	0.11	7.7	18.5	1.15	672	2.14	0.01
CC127923		5.82	138.5	5.93	7.47	0.13	0.06	0.19	0.055	0.10	9.3	22.1	1.17	808	2.04	0.01
CC127924		4.63	133.0	5.47	6.75	0.13	0.06	0.16	0.059	0.10	8.0	20.3	1.13	822	1.71	0.01
CC127925		5.35	141.0	5.77	7.18	0.13	0.07	0.17	0.052	0.10	9.0	22.0	1.23	889	1.69	0.01
CC127926		4.48	136.0	5.74	6.98	0.12	0.06	0.14	0.057	0.10	9.6	20.7	1.15	801	1.57	0.01
CC127927		5.78	137.0	5.15	6.69	0.12	0.06	0.15	0.046	0.10	9.2	19.8	1.25	956	1.20	0.01
CC127928		3.11	153.5	5.87	8.36	0.14	0.06	0.12	0.051	0.09	11.1	27.3	1.66	905	0.97	0.01
CC127929		2.48	138.0	5.65	8.02	0.15	0.06	0.12	0.048	0.08	9.8	26.3	1.75	792	0.72	0.01
CC127930		2.79	148.5	5.69	7.62	0.17	0.06	0.12	0.049	0.09	9.4	31.5	1.64	1020	1.00	0.01
CC127931		2.68	133.5	5.49	6.70	0.16	0.06	0.13	0.040	0.08	10.3	27.9	1.43	792	0.93	0.01
CC127932		2.16	136.5	5.64	7.68	0.17	0.06	0.10	0.048	0.07	9.2	32.6	1.72	837	0.83	0.01
CC127933		2.62	137.5	5.62	7.17	0.16	0.05	0.12	0.047	0.07	9.5	29.2	1.58	801	0.89	0.01
CC127934		2.53	133.5	5.67	7.49	0.18	0.06	0.10	0.049	0.07	10.4	31.3	1.61	730	0.91	0.01
CC127935		2.71	133.5	5.62	7.04	0.17	0.06	0.10	0.049	0.08	9.6	29.6	1.63	971	0.88	0.01
CC127936		0.72	126.0	2.25	1.37	0.15	0.05	0.23	0.036	0.09	7.4	2.2	0.08	199	9.73	0.01
CC127937		0.65	75.4	2.06	1.34	0.15	0.05	0.21	0.033	0.11	7.0	2.2	0.08	157	6.83	0.01
CC127938		0.79	105.5	2.30	1.36	0.13	0.04	0.25	0.034	0.10	7.3	2.3	0.13	286	8.84	0.01
CC127939		0.83	103.5	2.13	1.38	0.15	0.03	0.26	0.030	0.09	7.9	1.7	0.09	109	11.90	0.01
CC127940		0.81	84.5	2.16	1.40	0.16	0.04	4.08	0.033	0.10	7.4	2.1	0.15	213	9.74	0.01
CC127941		0.85	73.8	2.08	1.29	0.15	0.03	0.24	0.030	0.10	6.9	1.9	0.16	183	8.65	0.01
CC127942		0.45	37.7	1.54	0.91	0.14	0.07	0.21	0.023	0.07	2.6	1.6	0.07	42	3.89	0.01
CC127943		0.80	84.5	2.14	1.34	0.16	0.04	0.23	0.033	0.10	6.4	2.1	0.13	147	9.91	0.01
CC127944		1.09	69.2	2.09	1.35	0.15	0.03	0.71	0.033	0.10	6.7	1.9	0.18	163	8.69	0.01
CC127945		1.37	127.5	4.21	1.56	0.14	0.03	0.24	0.057	0.08	3.4	2.2	0.14	191	6.40	0.01
CC127946		1.12	94.6	2.56	1.31	0.15	0.03	0.26	0.038	0.09	5.2	1.8	0.25	208	7.70	0.01
CC127947		1.04	106.5	2.56	1.34	0.14	0.03	0.41	0.044	0.09	5.6	2.0	0.20	165	8.92	0.01
CC127948		2.23	77.3	3.40	1.13	0.14	0.03	0.23	0.038	0.11	5.7	1.8	0.93	369	3.70	0.01
CC127949		1.33	81.7	3.09	1.13	0.15	0.03	0.23	0.038	0.11	5.6	1.9	0.49	284	5.30	0.01
CC127950		1.37	73.9	2.97	1.16	0.14	0.03	0.19	0.036	0.10	5.4	1.9	0.85	289	5.23	0.01
CC127951		1.54	75.6	2.94	1.21	0.15	0.04	0.25	0.040	0.11	5.4	1.9	0.64	249	4.81	0.01
CC127952		1.04	39.2	2.81	2.69	0.14	0.07	0.24	0.031	0.10	8.4	14.6	0.76	474	3.29	0.01
CC127953		1.75	85.8	3.38	1.33	0.16	0.04	0.28	0.046	0.11	6.6	2.5	0.76	342	5.59	0.01
CC127954		1.30	66.8	2.84	1.22	0.14	0.04	0.23	0.035	0.10	5.5	2.4	1.01	299	4.83	0.01
CC127955		1.60	77.6	3.07	1.16	0.15	0.03	0.27	0.039	0.10	5.8	2.3	0.86	386	4.94	0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 22- JUL- 2011
Account: RCM

Project: Rackla- Dale Silts

CERTIFICATE OF ANALYSIS WH11118096

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
CC127896		0.15	28.5	700	40.7	8.9	0.004	0.07	0.68	5.3	2.1	0.3	52.6	<0.01	0.05	2.6
CC127897		0.16	31.4	720	37.8	9.8	0.002	0.09	0.58	6.5	2.0	0.3	44.7	<0.01	0.06	3.2
CC127898		0.15	29.7	700	33.5	10.2	0.001	0.08	0.59	5.6	1.6	0.3	55.3	<0.01	0.06	3.2
CC127899		0.13	28.0	680	32.8	9.2	0.002	0.07	0.57	5.3	1.6	0.3	52.7	<0.01	0.05	2.6
CC127900		0.14	29.0	710	31.1	9.6	0.002	0.08	0.57	5.4	1.5	0.3	56.3	<0.01	0.06	2.5
CC127921		0.15	48.1	810	17.0	8.4	0.001	0.06	0.34	16.2	1.9	0.5	29.6	<0.01	0.28	1.7
CC127922		0.14	46.0	790	16.8	10.6	<0.001	0.07	0.38	16.2	2.8	0.5	34.2	<0.01	0.21	1.7
CC127923		0.20	46.4	850	26.8	10.6	<0.001	0.07	0.49	18.3	2.5	0.5	52.5	<0.01	0.19	1.8
CC127924		0.16	44.2	800	21.9	10.2	<0.001	0.08	0.44	15.5	1.6	0.4	61.3	<0.01	0.20	1.7
CC127925		0.16	45.9	820	20.7	10.1	<0.001	0.07	0.42	17.1	2.8	0.5	53.0	<0.01	0.18	1.7
CC127926		0.16	43.0	830	20.2	9.4	0.001	0.07	0.41	15.9	2.1	0.4	44.3	<0.01	0.20	1.7
CC127927		0.17	42.3	990	17.5	10.2	0.001	0.12	0.37	14.9	1.8	0.4	71.8	<0.01	0.14	1.4
CC127928		0.13	51.8	780	15.8	6.3	<0.001	0.06	0.35	14.1	1.2	0.4	38.2	<0.01	0.22	2.4
CC127929		0.15	46.7	750	14.0	5.8	<0.001	0.10	0.27	12.4	1.0	0.4	39.0	<0.01	0.18	2.2
CC127930		0.19	47.6	750	16.6	5.2	<0.001	0.09	0.35	13.3	1.2	0.4	42.1	<0.01	0.16	2.1
CC127931		0.17	41.6	730	15.1	5.5	<0.001	0.08	0.34	12.0	1.0	0.4	37.7	<0.01	0.14	2.2
CC127932		0.15	46.2	680	14.2	4.5	<0.001	0.09	0.31	12.1	0.9	0.4	42.2	<0.01	0.17	2.1
CC127933		0.15	44.4	660	14.9	5.1	<0.001	0.08	0.32	13.0	1.2	0.4	36.8	<0.01	0.17	2.1
CC127934		0.16	44.6	660	13.7	5.3	<0.001	0.09	0.32	12.1	1.1	0.4	34.5	<0.01	0.16	2.3
CC127935		0.17	42.6	710	14.4	5.4	<0.001	0.09	0.30	12.0	1.2	0.4	40.3	<0.01	0.19	2.2
CC127936		0.06	173.5	1950	10.5	5.4	0.014	0.14	1.81	5.4	9.7	0.4	77.6	<0.01	0.13	1.7
CC127937		0.08	121.0	1670	10.5	6.1	0.006	0.13	1.99	4.4	6.3	0.4	64.4	<0.01	0.09	1.6
CC127938		0.07	175.0	1850	13.4	6.3	0.011	0.14	2.12	4.8	7.5	0.4	81.4	<0.01	0.13	1.6
CC127939		0.05	131.0	2100	9.7	6.4	0.022	0.16	2.07	4.9	11.8	0.4	92.5	<0.01	0.12	2.1
CC127940		0.07	142.5	1830	10.6	6.9	0.011	0.13	2.31	4.5	8.8	0.4	79.9	<0.01	0.11	1.7
CC127941		0.07	125.0	1780	9.9	6.6	0.011	0.13	2.12	3.9	7.1	0.4	82.9	<0.01	0.09	1.8
CC127942		0.06	99.5	1660	6.8	6.2	0.010	0.25	1.23	2.9	10.1	0.3	128.5	<0.01	0.06	0.5
CC127943		0.06	145.5	1820	9.9	7.4	0.017	0.16	2.17	4.4	9.2	0.4	88.4	<0.01	0.11	1.7
CC127944		0.07	118.5	1750	10.3	7.5	0.009	0.12	2.37	4.2	7.0	0.4	87.4	<0.01	0.10	1.8
CC127945		0.06	164.5	1480	13.8	7.3	0.005	0.16	1.57	8.2	8.6	0.4	116.5	<0.01	0.09	1.2
CC127946		0.06	146.0	1640	10.6	7.7	0.010	0.15	1.90	5.5	7.0	0.4	102.0	<0.01	0.08	1.6
CC127947		0.06	144.0	1630	10.7	7.2	0.011	0.16	2.01	6.2	8.3	0.4	107.0	<0.01	0.11	1.6
CC127948		0.07	143.5	2050	50.7	8.4	0.006	0.23	1.32	4.8	5.5	0.3	103.5	<0.01	0.10	1.8
CC127949		0.06	170.5	1930	39.3	7.6	0.006	0.20	1.50	4.8	5.8	0.3	109.0	<0.01	0.10	1.7
CC127950		0.10	123.0	1820	24.5	6.8	0.008	0.19	1.48	4.8	5.8	0.3	102.0	<0.01	0.11	1.8
CC127951		0.07	151.5	1730	24.0	7.6	0.007	0.17	1.44	4.8	7.1	0.3	94.2	<0.01	0.09	1.7
CC127952		0.21	55.4	1010	21.6	11.4	0.002	0.11	1.35	4.7	2.7	0.4	67.2	<0.01	0.05	2.2
CC127953		0.08	155.5	1860	33.5	9.3	0.006	0.20	1.56	5.7	6.9	0.4	111.0	<0.01	0.12	1.9
CC127954		0.07	129.5	1630	68.2	8.2	0.006	0.18	1.43	4.6	6.0	0.3	104.0	<0.01	0.11	1.9
CC127955		0.07	162.5	1840	24.4	8.2	0.006	0.19	1.49	5.1	5.8	0.3	112.5	<0.01	0.10	1.7

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 22- JUL- 2011
Account: RCM

Project: Rackla- Dale Silts

CERTIFICATE OF ANALYSIS WH11118096

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
CC127896		<0.005	0.26	1.04	31	0.06	11.05	200	1.9
CC127897		0.005	0.27	1.06	35	0.05	10.75	199	2.1
CC127898		<0.005	0.30	0.85	29	<0.05	9.74	217	2.0
CC127899		<0.005	0.26	0.78	29	<0.05	8.65	213	2.0
CC127900		<0.005	0.28	0.78	30	<0.05	9.03	213	2.0
CC127921		0.006	0.13	0.41	71	<0.05	13.00	99	1.6
CC127922		0.006	0.12	0.28	72	<0.05	12.85	95	1.3
CC127923		0.007	0.13	0.42	73	0.05	16.40	98	1.5
CC127924		0.006	0.13	0.34	67	<0.05	13.85	92	1.5
CC127925		0.007	0.13	0.39	72	0.06	15.00	95	1.5
CC127926		0.007	0.13	0.43	73	<0.05	14.05	97	1.4
CC127927		0.007	0.10	0.31	67	<0.05	14.80	91	1.5
CC127928		0.011	0.07	0.29	76	<0.05	11.85	94	1.7
CC127929		0.013	0.07	0.26	75	<0.05	11.15	88	1.7
CC127930		0.016	0.08	0.29	74	<0.05	12.60	97	1.7
CC127931		0.010	0.08	0.29	69	0.09	12.40	89	1.7
CC127932		0.011	0.06	0.25	72	<0.05	12.25	86	1.7
CC127933		0.010	0.07	0.25	72	0.05	11.60	88	1.6
CC127934		0.011	0.06	0.25	73	<0.05	11.25	87	1.7
CC127935		0.012	0.07	0.26	71	<0.05	11.40	87	1.7
CC127936		<0.005	0.21	5.86	52	0.10	52.6	606	1.6
CC127937		<0.005	0.22	4.39	50	0.07	35.3	504	1.5
CC127938		<0.005	0.24	4.81	57	0.09	44.8	763	1.4
CC127939		<0.005	0.20	7.19	54	0.12	45.0	582	1.6
CC127940		<0.005	0.24	4.79	62	0.09	37.3	666	1.3
CC127941		<0.005	0.24	4.39	57	0.07	33.2	616	1.2
CC127942		<0.005	0.23	3.26	33	<0.05	22.4	214	2.3
CC127943		<0.005	0.24	5.05	58	0.10	39.0	636	1.4
CC127944		<0.005	0.26	3.98	61	0.07	33.8	545	1.2
CC127945		<0.005	0.23	7.27	50	0.05	40.5	514	0.9
CC127946		<0.005	0.24	4.52	52	0.07	34.8	720	1.0
CC127947		<0.005	0.23	5.18	54	0.08	37.8	645	1.3
CC127948		<0.005	0.29	3.13	36	<0.05	42.4	663	1.0
CC127949		<0.005	0.24	3.57	44	0.05	41.2	868	1.2
CC127950		<0.005	0.25	3.75	44	0.06	36.9	620	0.9
CC127951		<0.005	0.24	3.49	43	0.05	37.6	651	1.0
CC127952		0.005	0.33	1.70	54	0.05	16.40	368	2.1
CC127953		<0.005	0.31	3.58	47	0.06	44.7	742	1.1
CC127954		<0.005	0.23	3.28	42	0.05	37.1	603	1.0
CC127955		<0.005	0.24	3.22	42	0.05	40.8	784	1.2

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 22- JUL- 2011
Account: RCM

Project: Rackla- Dale Silts

CERTIFICATE OF ANALYSIS WH11118096

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- ST43 Au ppm 0.0001	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1
CC127956		0.32	0.0020	1.09	0.44	28.9	<0.2	<10	780	0.82	0.16	3.97	3.96	9.49	11.1	18
CC127957		0.31	0.0017	1.18	0.41	20.5	<0.2	<10	650	0.72	0.16	1.98	2.03	9.17	6.5	18
CC127958		0.28	0.0026	1.19	0.37	23.5	<0.2	<10	800	0.64	0.17	3.38	2.00	8.42	7.3	15
CC127959		0.38	0.0015	0.61	0.65	14.9	<0.2	<10	560	0.62	0.16	1.81	1.74	11.00	9.0	16
CC127960		0.36	0.0014	0.72	0.56	14.6	<0.2	<10	630	0.63	0.15	2.15	1.50	9.97	7.8	15
CC127742		0.30	0.0013	0.14	0.57	12.2	<0.2	<10	160	1.77	0.29	0.59	0.46	8.96	16.4	11
CC127743		0.29	0.0019	0.26	0.65	46.8	<0.2	<10	420	1.62	0.30	0.67	0.41	9.33	16.4	11
CC127744		0.17	0.0016	0.12	0.94	12.2	<0.2	<10	330	1.05	0.27	1.40	0.87	11.95	9.4	16
CC127745		0.33	0.0022	0.17	0.90	16.0	<0.2	<10	180	0.99	0.24	1.53	1.03	14.55	13.7	17
CC127746		0.23	0.0021	0.17	0.89	14.5	<0.2	<10	200	0.84	0.23	1.24	0.91	12.35	10.1	17
CC127747		0.26	0.0025	0.18	0.93	24.2	<0.2	<10	180	0.88	0.26	2.56	2.01	13.75	19.2	17
CC127748		0.25	0.0021	0.17	0.84	27.6	<0.2	<10	200	0.77	0.25	2.82	5.02	12.95	16.8	15
CC127749		0.34	0.0018	0.17	0.87	23.0	<0.2	<10	140	0.83	0.25	2.07	2.46	14.60	17.4	16
CC127750		0.10	0.0035	0.13	1.21	8.7	<0.2	<10	210	0.65	0.18	2.02	0.77	12.00	14.3	17
CC127751		0.10	0.0021	0.17	1.16	9.7	<0.2	10	290	0.51	0.18	2.41	1.00	10.80	19.9	17
CC127752		0.29	0.0021	0.17	0.93	20.7	<0.2	<10	130	0.82	0.25	1.65	1.73	15.25	17.3	16
CC127753		0.29	0.0019	0.14	0.92	23.1	<0.2	<10	160	0.78	0.24	2.04	1.70	14.75	16.9	16
CC127754		0.30	0.0019	0.14	0.93	19.0	<0.2	<10	140	0.77	0.23	2.13	1.45	14.60	16.3	16
CC127755		0.30	0.0023	0.15	0.98	21.2	<0.2	<10	130	0.84	0.25	1.63	1.73	16.95	17.8	18
CC127756		0.36	0.0018	0.10	1.08	17.6	<0.2	<10	120	0.73	0.22	1.19	0.97	15.85	17.4	19
CC127757		0.31	0.0016	0.12	0.92	21.8	<0.2	<10	140	0.74	0.23	0.94	1.46	15.70	20.1	17
CC127758		0.33	0.0016	0.13	1.04	16.7	<0.2	<10	110	0.78	0.24	1.08	1.05	15.75	15.9	18
CC127759		0.29	0.0021	0.13	1.15	16.5	<0.2	<10	130	0.85	0.25	0.86	1.00	16.15	15.9	19
CC127760		0.21	0.0020	0.14	1.26	22.0	<0.2	<10	160	0.91	0.27	1.09	0.99	17.60	16.9	20
CC127761		0.27	0.0039	0.14	1.51	14.6	<0.2	<10	130	1.01	0.26	0.37	0.26	31.8	25.7	29
CC127762		0.28	0.0036	0.12	1.29	16.6	<0.2	<10	110	0.98	0.25	0.47	0.30	29.7	26.6	27
CC127763		0.27	0.0038	0.12	1.33	15.5	<0.2	<10	90	1.01	0.27	0.69	0.29	29.4	27.4	27
CC127764		0.30	0.0033	0.11	1.46	13.3	<0.2	<10	100	0.86	0.25	0.66	0.25	27.0	21.4	25
CC127765		0.36	0.0026	0.10	1.41	15.4	<0.2	<10	100	0.97	0.26	1.24	0.30	28.6	28.6	28
CC127766		0.39	0.0041	0.10	1.39	13.8	<0.2	<10	90	0.92	0.25	1.12	0.27	28.3	26.5	28
CC127767		0.24	0.0028	0.11	1.47	14.1	<0.2	<10	100	0.88	0.25	0.65	0.24	29.6	23.1	28
CC127768		0.23	0.0026	0.10	1.32	15.4	<0.2	<10	80	0.91	0.25	0.72	0.28	31.1	27.6	27
CC127769		0.32	0.0016	0.48	0.71	15.8	<0.2	<10	430	0.73	0.22	1.72	1.16	13.30	14.4	17
CC127770		0.30	0.0015	0.44	0.72	15.1	<0.2	<10	420	0.76	0.22	2.22	1.25	11.60	13.9	17
CC127772		0.21	0.0014	0.46	0.69	13.4	<0.2	<10	420	0.71	0.20	2.20	1.73	11.40	12.2	16
CC127773		0.36	0.0014	0.45	0.63	14.4	<0.2	<10	370	0.75	0.19	2.27	1.34	10.25	10.7	15
CC127774		0.52	0.0010	0.10	0.68	14.7	<0.2	<10	110	0.98	0.30	2.28	1.48	11.45	18.7	15
CC127775		0.38	0.0015	0.10	0.70	14.5	<0.2	<10	100	0.95	0.31	2.10	0.51	10.90	18.8	15
CC127776		0.19	0.0017	0.11	0.86	14.0	<0.2	<10	100	0.94	0.30	1.29	0.42	13.50	20.1	18
CC127777		0.38	0.0016	0.11	0.73	15.7	<0.2	<10	120	1.05	0.32	2.18	0.61	11.60	19.9	16

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 22- JUL- 2011
Account: RCM

Project: Rackla- Dale Silts

CERTIFICATE OF ANALYSIS WH11118096

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
CC127956		1.36	77.0	3.03	1.19	0.13	0.03	4.70	0.035	0.10	5.7	2.8	0.98	339	4.10	0.01
CC127957		1.10	56.7	2.24	1.22	0.13	0.04	0.20	0.031	0.09	5.7	2.3	0.68	209	3.44	0.01
CC127958		1.13	48.5	2.42	1.19	0.14	0.04	0.25	0.027	0.09	5.0	2.6	0.80	349	4.17	0.01
CC127959		1.17	37.7	2.45	2.02	0.13	0.05	0.16	0.027	0.09	5.3	11.4	0.71	344	1.83	0.01
CC127960		1.08	35.4	2.20	1.67	0.13	0.05	0.17	0.027	0.09	5.0	8.6	0.78	229	2.08	0.01
CC127742		1.68	42.5	3.60	1.93	0.12	0.08	0.06	0.044	0.12	3.5	5.3	0.25	381	2.04	0.01
CC127743		4.43	35.2	3.71	2.24	0.11	0.07	0.11	0.036	0.12	4.3	9.1	0.27	2020	1.29	0.01
CC127744		1.02	35.2	3.12	2.83	0.12	0.08	0.09	0.031	0.10	5.7	10.7	0.37	284	1.09	0.01
CC127745		1.62	51.2	3.54	2.90	0.13	0.07	0.12	0.034	0.10	6.8	12.4	0.68	302	1.05	0.01
CC127746		1.03	39.7	2.96	2.87	0.14	0.06	0.11	0.028	0.10	6.0	11.3	0.57	304	0.82	0.01
CC127747		1.58	63.9	3.74	2.81	0.05	0.10	0.15	0.033	0.09	5.4	12.8	0.73	543	0.95	0.01
CC127748		2.72	54.8	3.45	2.62	<0.05	0.09	0.17	0.031	0.08	4.9	12.2	0.80	428	0.76	0.01
CC127749		2.02	57.9	3.52	2.83	0.05	0.09	0.16	0.032	0.08	5.8	13.8	0.78	394	0.67	0.01
CC127750		1.69	37.3	3.37	3.26	<0.05	0.10	0.16	0.027	0.08	5.3	21.9	0.62	1600	0.48	0.01
CC127751		5.33	39.3	3.88	2.97	0.10	0.08	0.19	0.026	0.15	4.9	22.9	0.60	2360	0.77	0.03
CC127752		2.34	50.2	3.58	2.96	0.05	0.09	0.18	0.033	0.09	5.9	15.5	0.76	410	0.72	0.01
CC127753		1.72	52.6	3.63	2.87	0.06	0.09	0.14	0.030	0.08	5.7	14.6	0.85	330	0.70	<0.01
CC127754		1.53	52.7	3.44	2.98	0.05	0.09	0.15	0.032	0.08	5.6	14.9	0.83	357	0.60	0.01
CC127755		1.69	53.3	3.77	3.15	0.05	0.09	0.19	0.033	0.09	7.3	16.0	0.86	375	0.63	0.01
CC127756		1.52	45.9	3.77	3.27	0.05	0.10	0.13	0.032	0.07	6.3	19.3	0.70	435	0.61	<0.01
CC127757		1.51	46.2	3.81	2.93	0.05	0.08	0.11	0.029	0.08	6.2	15.6	0.72	671	0.67	<0.01
CC127758		1.39	48.8	3.54	3.13	<0.05	0.09	0.15	0.032	0.08	7.0	17.9	0.67	372	0.54	<0.01
CC127759		1.37	50.3	3.71	3.39	<0.05	0.10	0.16	0.031	0.09	7.6	19.7	0.61	509	0.58	0.01
CC127760		2.97	58.3	4.03	3.66	0.05	0.10	0.15	0.031	0.10	7.5	24.8	0.68	660	0.94	0.01
CC127761		4.22	114.5	5.42	4.94	0.07	0.09	0.07	0.045	0.07	12.9	18.8	0.87	677	0.96	<0.01
CC127762		4.18	109.5	5.29	4.59	0.06	0.08	0.07	0.048	0.07	11.8	18.0	0.78	710	1.13	<0.01
CC127763		5.55	119.5	5.22	4.65	0.07	0.09	0.09	0.051	0.07	10.7	18.1	0.92	718	1.01	<0.01
CC127764		2.66	91.4	4.66	4.41	0.07	0.09	0.07	0.038	0.07	12.2	26.4	0.87	553	0.69	<0.01
CC127765		3.94	110.0	5.44	4.87	0.07	0.08	0.07	0.050	0.07	11.5	21.1	1.07	788	0.91	0.01
CC127766		3.75	104.5	5.21	4.49	0.07	0.08	0.09	0.046	0.07	10.9	19.1	1.06	628	0.85	<0.01
CC127767		3.37	104.0	5.22	4.75	0.07	0.08	0.08	0.046	0.08	11.6	20.6	1.00	513	0.83	<0.01
CC127768		3.41	108.5	5.30	4.63	0.07	0.07	0.08	0.047	0.07	11.9	18.9	0.99	699	0.97	<0.01
CC127769		1.59	54.1	3.21	2.25	0.05	0.08	0.14	0.033	0.08	5.5	11.1	0.73	470	1.65	0.01
CC127770		1.49	52.9	3.06	2.14	0.05	0.08	0.22	0.032	0.09	5.0	11.3	0.77	495	1.49	0.01
CC127772		1.34	44.9	2.85	2.00	<0.05	0.08	0.17	0.030	0.10	4.9	11.1	0.68	656	1.38	0.01
CC127773		1.40	40.8	2.79	1.93	<0.05	0.08	0.13	0.028	0.08	4.6	10.7	0.69	419	1.47	0.01
CC127774		1.58	50.7	3.98	2.25	0.05	0.07	0.11	0.036	0.08	3.8	12.8	0.57	727	1.18	0.01
CC127775		1.61	56.0	3.85	2.23	0.05	0.07	0.11	0.033	0.09	3.7	12.3	0.61	620	1.14	0.01
CC127776		1.92	63.7	3.83	2.83	<0.05	0.09	0.15	0.038	0.10	4.7	15.0	0.64	532	1.00	0.01
CC127777		1.87	61.1	4.12	2.46	0.05	0.07	0.12	0.036	0.10	4.1	13.2	0.61	697	1.18	0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 22- JUL- 2011
Account: RCM

Project: Rackla- Dale Silts

CERTIFICATE OF ANALYSIS WH11118096

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
CC127956		0.08	131.5	1790	28.1	8.1	0.006	0.18	1.27	4.6	5.6	0.3	105.5	<0.01	0.09	1.8
CC127957		0.06	78.8	1570	20.8	7.0	0.004	0.16	1.22	4.4	5.9	0.3	79.5	<0.01	0.10	1.9
CC127958		0.07	84.7	1400	29.7	7.2	0.004	0.14	1.38	4.0	4.9	0.3	98.1	<0.01	0.11	1.8
CC127959		0.14	77.3	1140	18.5	8.0	0.004	0.11	0.74	4.1	3.1	0.3	67.8	<0.01	0.07	2.0
CC127960		0.13	54.0	1130	19.4	7.0	0.002	0.12	0.74	3.8	3.1	0.3	74.1	<0.01	0.09	2.0
CC127742		0.11	32.2	540	18.0	9.0	0.002	0.09	0.47	6.8	1.3	0.6	27.8	<0.01	0.02	2.5
CC127743		0.12	25.2	430	18.5	16.6	0.001	0.12	0.30	8.2	2.0	0.5	36.8	<0.01	0.03	2.7
CC127744		0.22	23.1	740	22.2	13.5	0.001	0.12	0.42	5.5	1.7	0.4	37.8	<0.01	0.04	2.0
CC127745		0.24	27.9	740	40.6	10.2	0.001	0.10	0.52	6.6	1.7	0.4	38.9	<0.01	0.03	2.3
CC127746		0.29	25.1	790	35.0	18.8	0.001	0.14	0.53	5.2	2.8	0.3	43.7	<0.01	0.06	1.4
CC127747		0.17	33.9	700	65.7	7.8	0.001	0.17	0.72	7.1	1.5	0.3	53.4	<0.01	0.09	2.3
CC127748		0.15	30.3	670	67.0	7.5	0.002	0.13	0.72	6.3	1.3	0.3	69.0	<0.01	0.08	2.4
CC127749		0.14	32.0	640	63.4	7.4	0.002	0.09	0.62	6.9	1.2	0.3	52.2	<0.01	0.07	2.6
CC127750		0.16	23.9	890	13.4	9.6	0.001	0.19	0.29	4.5	2.7	0.2	79.9	<0.01	0.07	0.9
CC127751		0.20	22.2	1250	11.5	13.6	0.016	0.32	0.31	5.7	9.6	0.2	94.9	<0.01	0.10	1.1
CC127752		0.16	30.4	670	55.3	7.1	0.001	0.10	0.62	6.4	1.5	0.3	43.4	<0.01	0.06	2.3
CC127753		0.13	31.0	630	56.0	6.2	0.002	0.09	0.63	6.6	1.3	0.3	51.0	<0.01	0.08	2.7
CC127754		0.13	28.8	610	51.9	6.6	0.001	0.09	0.54	6.2	1.1	0.2	47.2	<0.01	0.05	2.6
CC127755		0.15	30.6	640	61.0	6.6	0.003	0.08	0.60	6.7	1.5	0.3	42.1	<0.01	0.08	3.0
CC127756		0.14	30.0	580	37.8	6.7	0.002	0.07	0.51	6.1	1.3	0.3	39.1	<0.01	0.07	2.2
CC127757		0.15	31.0	630	51.4	6.1	0.002	0.08	0.57	6.2	1.4	0.2	30.1	<0.01	0.07	2.4
CC127758		0.16	28.3	580	39.9	7.4	0.002	0.07	0.45	6.5	1.7	0.3	33.6	<0.01	0.07	2.4
CC127759		0.19	27.5	650	34.8	8.1	0.001	0.08	0.43	7.1	2.3	0.3	33.6	<0.01	0.08	2.4
CC127760		0.18	31.9	680	33.2	8.7	0.001	0.08	0.65	7.0	2.1	0.3	41.9	<0.01	0.08	2.3
CC127761		0.16	39.2	700	18.5	6.5	0.001	0.05	0.49	12.4	0.9	0.3	14.1	<0.01	0.15	2.2
CC127762		0.14	40.0	620	20.0	6.2	<0.001	0.06	0.53	12.1	1.3	0.3	17.3	<0.01	0.14	2.1
CC127763		0.13	39.8	590	20.1	6.2	<0.001	0.07	0.48	13.4	1.2	0.3	21.7	<0.01	0.12	2.3
CC127764		0.17	35.0	570	18.0	5.6	<0.001	0.05	0.49	10.3	0.9	0.3	21.6	<0.01	0.11	2.9
CC127765		0.07	42.2	540	19.4	5.7	<0.001	0.09	0.50	12.4	1.2	0.3	30.5	<0.01	0.15	2.5
CC127766		0.08	38.4	560	18.5	5.8	<0.001	0.07	0.43	11.3	1.2	0.3	27.8	<0.01	0.10	2.5
CC127767		0.10	37.7	580	18.1	6.8	0.001	0.07	0.42	11.5	1.1	0.3	21.8	<0.01	0.11	2.5
CC127768		0.08	40.6	550	18.2	5.6	0.001	0.07	0.50	11.7	1.4	0.3	20.6	<0.01	0.14	2.4
CC127769		0.15	60.2	900	24.4	7.1	0.002	0.10	0.73	5.7	2.7	0.3	57.5	<0.01	0.09	2.4
CC127770		0.14	61.1	900	24.9	6.8	0.003	0.13	0.70	5.4	2.3	0.3	61.2	<0.01	0.06	2.3
CC127772		0.16	71.3	930	21.8	7.3	0.002	0.13	0.64	4.8	2.0	0.3	64.2	<0.01	0.05	2.1
CC127773		0.14	63.3	930	22.1	7.0	0.002	0.13	0.64	4.6	1.9	0.3	66.1	<0.01	0.06	2.1
CC127774		0.12	33.9	610	29.7	5.8	0.002	0.21	0.56	6.5	0.9	0.4	54.5	<0.01	0.08	3.4
CC127775		0.15	33.4	580	30.3	6.0	0.001	0.18	0.60	6.8	0.9	0.4	51.7	<0.01	0.08	3.3
CC127776		0.24	35.6	590	27.9	7.9	0.001	0.13	0.58	7.6	1.3	0.4	46.9	<0.01	0.08	2.8
CC127777		0.17	35.8	620	33.2	7.2	0.001	0.21	0.62	7.3	1.1	0.4	54.9	<0.01	0.09	3.4

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 22- JUL- 2011
Account: RCM

Project: Rackla- Dale Silts

CERTIFICATE OF ANALYSIS WH11118096

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
CC127956		<0.005	0.24	3.18	41	<0.05	37.1	729	1.1
CC127957		<0.005	0.21	3.23	40	<0.05	30.4	454	1.1
CC127958		<0.005	0.23	2.53	39	<0.05	25.4	396	1.3
CC127959		<0.005	0.16	1.80	31	<0.05	19.05	329	1.5
CC127960		<0.005	0.16	1.65	32	0.06	19.35	310	1.6
CC127742		<0.005	0.09	0.77	24	<0.05	12.20	117	2.0
CC127743		<0.005	0.11	1.07	22	<0.05	16.15	119	1.5
CC127744		<0.005	0.09	0.83	26	0.05	11.50	184	1.9
CC127745		0.006	0.10	0.58	29	0.05	12.40	289	1.9
CC127746		0.007	0.09	0.65	27	0.06	12.25	284	1.8
CC127747		0.005	0.11	0.59	31	0.05	10.10	356	1.8
CC127748		0.005	0.14	0.54	27	<0.05	9.02	828	1.6
CC127749		0.005	0.11	0.44	29	0.05	9.30	472	1.8
CC127750		<0.005	0.08	0.63	28	<0.05	8.48	171	1.9
CC127751		0.015	0.10	0.66	29	<0.05	8.25	159	2.4
CC127752		0.005	0.09	0.46	29	<0.05	8.54	378	1.9
CC127753		0.005	0.09	0.44	30	<0.05	8.20	394	1.8
CC127754		0.005	0.08	0.41	29	<0.05	8.12	342	1.8
CC127755		0.005	0.08	0.44	32	<0.05	8.74	335	1.9
CC127756		0.005	0.07	0.40	33	<0.05	7.64	258	1.7
CC127757		0.005	0.09	0.48	31	0.06	8.15	285	1.6
CC127758		0.005	0.08	0.37	30	<0.05	8.52	248	1.7
CC127759		0.005	0.09	0.45	34	<0.05	9.50	233	1.8
CC127760		0.005	0.11	0.54	33	<0.05	9.72	210	1.9
CC127761		0.008	0.13	0.29	64	<0.05	12.60	88	1.3
CC127762		0.006	0.13	0.30	62	<0.05	13.35	84	1.5
CC127763		0.006	0.13	0.25	63	<0.05	12.55	83	1.4
CC127764		0.007	0.09	0.34	48	<0.05	12.15	79	1.6
CC127765		<0.005	0.11	0.24	64	<0.05	11.40	86	1.5
CC127766		<0.005	0.10	0.22	62	<0.05	10.40	83	1.4
CC127767		0.005	0.10	0.25	62	<0.05	11.00	83	1.3
CC127768		<0.005	0.10	0.23	62	<0.05	10.95	82	1.4
CC127769		<0.005	0.14	1.31	34	0.05	14.95	238	1.3
CC127770		<0.005	0.15	1.22	32	0.05	13.90	259	1.3
CC127772		<0.005	0.15	1.17	30	<0.05	14.40	305	1.4
CC127773		<0.005	0.14	1.28	28	0.06	14.15	269	1.5
CC127774		<0.005	0.11	0.61	24	0.06	8.68	175	1.7
CC127775		<0.005	0.12	0.58	25	0.06	8.85	164	1.5
CC127776		0.005	0.13	0.48	28	0.07	8.97	139	1.8
CC127777		<0.005	0.13	0.60	25	0.06	10.00	189	1.6

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 22- JUL- 2011
Account: RCM

Project: Rackla- Dale Silts

CERTIFICATE OF ANALYSIS WH11118096

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- ST43 Au ppm 0.0001	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1
CC127778		0.31	0.0013	0.11	0.70	15.5	<0.2	<10	100	0.99	0.32	1.19	0.49	12.20	18.8	16
CC127779		0.31	0.0019	0.15	0.83	16.3	<0.2	<10	110	1.11	0.34	1.08	0.58	14.00	20.1	18
CC127780		0.31	0.0015	0.11	0.67	15.0	<0.2	<10	130	0.98	0.33	1.45	0.54	12.00	20.0	15
CC127781		0.44	0.0013	0.11	0.65	15.7	<0.2	<10	130	0.97	0.33	2.05	0.57	11.45	18.5	15
CC127782		0.30	0.0016	0.12	0.69	14.8	<0.2	<10	110	0.92	0.34	1.39	0.62	10.80	19.2	16
CC127783		0.34	0.0014	0.13	0.64	17.8	<0.2	<10	140	1.08	0.35	0.87	0.52	11.95	22.0	15
CC127784		0.43	0.0012	0.13	0.71	16.9	<0.2	<10	120	0.84	0.37	1.77	0.63	10.65	19.9	16
CC127785		0.44	0.0013	0.18	0.70	15.5	<0.2	<10	120	0.92	0.37	0.72	0.52	12.70	15.2	16
CC127787		0.42	0.0010	0.13	0.66	17.0	<0.2	<10	130	0.93	0.38	0.84	0.65	13.00	20.0	15
CC127788		0.45	0.0011	0.13	0.74	16.6	<0.2	<10	150	0.93	0.38	0.62	0.63	13.85	18.1	17
CC127789		0.34	0.0010	0.14	0.71	16.9	<0.2	<10	160	0.96	0.36	0.72	0.89	13.75	18.5	16
CC127790		0.41	0.0010	0.14	0.66	15.5	<0.2	<10	160	0.94	0.36	0.62	0.86	12.75	17.5	16
CC127791		0.24	0.0010	0.18	0.72	14.9	<0.2	<10	150	1.04	0.35	0.92	1.21	13.95	17.8	18
CC127792		0.09	0.0012	0.11	0.66	6.2	<0.2	<10	630	0.33	0.10	3.24	1.82	7.45	3.1	22
CC127793		0.15	0.0027	0.19	1.07	14.4	<0.2	<10	390	0.39	0.16	1.17	1.64	20.4	9.4	23
CC127794		0.23	0.0028	0.18	1.10	20.9	<0.2	<10	310	0.46	0.16	1.31	1.13	20.3	9.1	24
CC127795		0.27	0.0021	0.21	1.12	23.0	<0.2	<10	450	0.45	0.16	1.51	0.98	16.00	8.1	24
CC127796		0.49	0.0021	0.19	1.04	13.7	<0.2	<10	320	0.44	0.17	1.30	0.64	24.0	10.6	23
CC127797		0.27	0.0025	0.26	0.84	8.0	<0.2	<10	280	0.45	0.16	2.22	1.27	14.80	7.6	21
CC127798		0.26	0.0018	0.23	1.05	11.6	<0.2	<10	320	0.47	0.16	1.42	1.06	17.85	9.1	22
CC127799		0.23	0.0021	0.26	1.02	12.1	<0.2	<10	320	0.45	0.17	1.46	1.29	18.60	9.2	21
CC127800		0.33	0.0018	0.21	0.79	17.0	<0.2	<10	360	0.46	0.16	2.06	1.29	15.70	9.1	17
CC127961		0.45	0.0016	0.75	0.53	16.7	<0.2	<10	700	0.53	0.16	2.46	1.40	9.86	8.3	16
CC127962		0.33	0.0011	0.71	0.53	15.7	<0.2	<10	730	0.55	0.15	1.84	1.58	9.23	8.1	16
CC127963		0.35	0.0017	0.52	0.60	13.7	<0.2	<10	610	0.47	0.16	1.92	1.40	9.83	8.7	15
CC128501		0.34	0.0037	0.25	0.86	15.1	<0.2	<10	320	0.50	0.17	1.74	1.66	15.40	9.4	18
CC128502		0.36	0.0024	0.22	0.79	21.7	<0.2	<10	460	0.50	0.15	1.59	1.10	16.25	8.9	16
CC128503		0.29	0.0025	0.23	0.81	21.4	<0.2	<10	460	0.50	0.15	1.58	0.99	16.35	8.5	17
CC128504		0.23	0.0052	0.22	0.80	22.4	<0.2	<10	450	0.47	0.15	1.60	0.91	15.35	8.2	17
CC128505		0.37	0.0015	0.18	0.69	24.4	<0.2	<10	380	0.45	0.14	2.89	1.27	14.05	8.6	15
CC128506		0.45	0.0024	0.35	1.01	15.0	<0.2	<10	480	0.66	0.18	0.96	1.84	17.00	8.8	22
CC128507		0.31	0.0027	0.21	0.72	17.6	<0.2	<10	410	0.48	0.13	1.40	1.05	15.05	7.9	15
CC128508		0.29	0.0016	0.23	0.71	26.7	<0.2	<10	410	0.46	0.14	1.38	1.10	15.55	7.8	15

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 22- JUL- 2011
Account: RCM

Project: Rackla- Dale Silts

CERTIFICATE OF ANALYSIS WH11118096

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
CC127778		1.64	54.1	4.06	2.30	0.05	0.07	0.13	0.038	0.10	4.1	12.4	0.58	613	1.21	0.01
CC127779		1.77	60.7	4.16	2.82	0.05	0.08	0.14	0.043	0.11	4.6	15.3	0.58	573	1.27	0.01
CC127780		1.56	56.0	3.99	2.17	0.05	0.07	0.13	0.036	0.10	3.9	11.6	0.56	691	1.15	0.01
CC127781		1.78	48.4	3.92	2.11	0.05	0.07	0.12	0.035	0.10	3.7	11.5	0.54	618	1.13	0.01
CC127782		1.54	52.6	4.03	2.09	<0.05	0.08	0.14	0.033	0.10	3.7	11.6	0.52	631	1.18	0.01
CC127783		1.60	60.2	4.21	2.17	0.05	0.06	0.14	0.038	0.09	4.0	11.4	0.51	692	1.45	<0.01
CC127784		2.24	50.1	4.41	2.44	0.10	0.05	0.13	0.045	0.11	4.3	12.8	0.51	864	1.53	0.01
CC127785		1.88	48.1	4.01	2.40	0.09	0.08	0.14	0.044	0.12	5.8	12.5	0.35	469	1.77	0.01
CC127787		1.99	46.5	4.14	2.26	0.10	0.06	0.13	0.043	0.11	5.2	12.0	0.40	988	1.68	0.01
CC127788		1.82	46.0	4.11	2.57	0.10	0.06	0.12	0.043	0.12	5.6	11.9	0.34	855	1.87	0.01
CC127789		1.95	47.0	3.93	2.56	0.09	0.06	0.09	0.041	0.12	5.4	11.4	0.35	997	2.00	0.01
CC127790		2.00	42.7	3.71	2.53	0.10	0.05	0.09	0.037	0.13	5.2	10.4	0.27	968	2.18	0.01
CC127791		1.98	44.7	3.52	2.64	0.10	0.05	0.10	0.037	0.13	6.0	10.5	0.36	950	2.48	0.01
CC127792		0.41	13.8	0.99	2.26	0.07	0.08	0.11	0.020	0.05	11.5	3.5	0.11	150	0.95	0.02
CC127793		0.75	23.2	2.25	3.54	0.08	0.06	0.09	0.025	0.08	12.6	11.3	0.37	286	1.33	0.02
CC127794		0.88	27.1	2.52	3.48	0.08	0.06	0.10	0.026	0.08	12.5	13.5	0.38	325	1.13	0.02
CC127795		0.85	24.8	2.49	3.33	0.07	0.05	0.14	0.027	0.08	10.4	13.4	0.40	240	1.15	0.02
CC127796		0.86	22.2	2.51	3.45	0.08	0.06	0.13	0.025	0.08	13.2	14.0	0.59	406	1.02	0.02
CC127797		0.52	18.9	1.98	2.64	0.07	0.05	0.16	0.029	0.07	10.6	9.5	0.26	342	2.28	0.02
CC127798		0.63	21.6	2.29	3.28	0.08	0.05	0.14	0.026	0.07	10.7	12.5	0.37	356	1.35	0.02
CC127799		0.63	23.5	2.34	3.35	0.08	0.05	0.16	0.028	0.09	10.9	13.0	0.42	267	1.39	0.02
CC127800		0.61	23.6	2.32	2.54	0.07	0.05	0.20	0.029	0.08	8.6	10.1	0.56	430	2.02	0.02
CC127961		1.50	36.7	2.40	1.64	0.07	0.05	0.17	0.032	0.10	5.6	7.4	0.87	327	2.66	0.02
CC127962		1.42	37.3	2.22	1.74	0.08	0.05	0.15	0.030	0.10	5.4	8.4	0.77	277	2.44	0.02
CC127963		1.27	33.4	2.31	1.87	0.07	0.06	0.14	0.029	0.09	5.4	10.1	0.77	327	1.80	0.02
CC128501		0.73	24.5	2.41	2.59	0.07	0.05	0.20	0.030	0.09	8.6	10.5	0.41	298	1.66	0.02
CC128502		0.67	21.0	2.25	2.67	0.07	0.05	0.18	0.028	0.08	8.7	10.9	0.50	300	1.69	0.02
CC128503		0.65	21.3	2.26	2.67	0.07	0.05	0.46	0.028	0.07	8.7	10.4	0.51	312	1.68	0.02
CC128504		0.67	20.8	2.21	2.62	0.07	0.05	0.19	0.028	0.08	8.1	11.1	0.54	243	1.77	0.02
CC128505		0.77	23.3	2.24	2.32	0.08	0.04	0.18	0.029	0.08	7.6	9.1	0.71	360	2.42	0.02
CC128506		1.02	34.5	2.36	3.37	0.08	0.06	0.21	0.033	0.08	9.5	14.6	0.30	227	2.18	0.02
CC128507		0.82	23.2	2.05	2.43	0.08	0.05	0.18	0.023	0.07	8.0	10.7	0.46	225	1.32	0.02
CC128508		0.81	23.7	2.03	2.41	0.08	0.05	0.16	0.023	0.07	8.2	10.7	0.42	310	1.44	0.02

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 22- JUL- 2011
Account: RCM

Project: Rackla- Dale Silts

CERTIFICATE OF ANALYSIS WH11118096

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
CC127778		0.15	34.5	620	32.8	6.8	0.001	0.17	0.58	7.0	0.9	0.4	40.5	<0.01	0.08	3.6
CC127779		0.20	38.1	670	34.6	8.1	0.001	0.15	0.62	8.4	1.2	0.5	44.0	<0.01	0.09	3.2
CC127780		0.16	34.0	620	34.6	6.9	0.001	0.15	0.60	7.2	1.5	0.4	44.3	<0.01	0.07	3.4
CC127781		0.16	32.8	620	36.9	7.3	0.001	0.18	0.60	6.5	0.9	0.4	51.5	<0.01	0.07	3.3
CC127782		0.18	33.8	640	36.0	7.4	0.002	0.20	0.62	6.5	1.1	0.4	42.7	<0.01	0.07	3.4
CC127783		0.16	39.3	660	43.2	6.4	0.001	0.21	0.66	7.6	0.9	0.4	36.7	<0.01	0.08	3.4
CC127784		0.21	38.9	620	34.0	8.4	0.002	0.27	0.67	6.5	0.9	0.5	52.7	<0.01	0.07	4.1
CC127785		0.21	36.9	710	36.4	9.1	0.001	0.11	0.76	6.3	1.1	0.5	44.5	<0.01	0.06	3.4
CC127787		0.20	39.8	640	33.5	7.8	0.002	0.21	0.75	6.0	0.9	0.5	36.3	<0.01	0.07	4.1
CC127788		0.27	36.2	670	33.5	9.0	0.001	0.13	0.77	6.2	1.0	0.6	31.6	<0.01	0.06	3.8
CC127789		0.28	37.0	660	32.8	9.6	0.001	0.08	0.87	5.5	1.0	0.6	35.7	<0.01	0.06	4.1
CC127790		0.32	36.0	680	44.6	10.4	0.001	0.11	0.92	5.2	1.0	0.6	33.7	<0.01	0.06	4.5
CC127791		0.40	35.7	660	24.9	12.7	0.001	0.04	1.02	5.0	1.1	0.6	42.7	<0.01	0.06	4.1
CC127792		0.26	102.0	1940	10.0	4.2	0.001	0.20	0.64	1.6	1.9	0.3	35.8	0.01	0.04	0.5
CC127793		0.78	47.4	1130	10.5	10.5	<0.001	0.06	0.79	3.3	1.0	0.4	29.1	<0.01	0.04	1.7
CC127794		0.77	30.2	950	10.8	8.8	0.001	0.08	0.74	3.6	1.1	0.4	30.8	<0.01	0.04	2.6
CC127795		0.59	33.6	1050	10.7	12.4	0.001	0.09	0.70	3.1	1.4	0.4	29.9	<0.01	0.04	1.4
CC127796		0.83	33.6	960	11.5	7.6	0.001	0.03	0.64	3.8	1.1	0.4	34.3	<0.01	0.03	3.5
CC127797		0.45	30.6	1000	11.2	6.7	0.006	0.11	0.61	3.3	2.4	0.4	30.0	0.01	0.04	1.1
CC127798		0.57	35.9	1000	11.2	6.8	0.003	0.07	0.60	3.3	1.5	0.4	30.9	0.01	0.04	1.7
CC127799		0.61	35.4	1200	11.2	7.6	0.002	0.07	0.71	3.4	1.6	0.5	36.5	<0.01	0.04	2.1
CC127800		0.39	35.3	1120	13.5	6.7	0.002	0.06	0.98	3.2	1.6	0.4	42.1	<0.01	0.04	2.4
CC127961		0.14	56.5	1210	20.3	8.4	0.003	0.09	0.91	3.7	3.0	0.3	79.8	0.01	0.06	2.2
CC127962		0.14	68.7	1140	17.0	8.9	0.003	0.08	0.87	3.7	3.1	0.3	70.0	<0.01	0.06	2.1
CC127963		0.15	64.9	1060	16.4	8.2	0.002	0.09	0.70	3.6	2.5	0.3	65.6	<0.01	0.06	2.2
CC128501		0.42	40.1	1110	12.9	8.0	0.003	0.07	0.88	3.4	1.7	0.4	40.4	<0.01	0.04	2.1
CC128502		0.40	34.0	1040	12.8	7.4	0.003	0.06	0.85	3.3	1.6	0.4	40.6	<0.01	0.03	2.6
CC128503		0.41	32.2	1050	12.8	6.5	0.003	0.06	0.89	3.1	1.6	0.4	39.8	<0.01	0.03	2.5
CC128504		0.37	32.1	1030	12.6	6.7	0.003	0.07	0.95	3.1	1.8	0.4	41.6	<0.01	0.03	2.4
CC128505		0.32	34.7	1020	12.3	7.0	0.003	0.04	1.15	3.0	1.5	0.3	53.5	<0.01	0.04	2.5
CC128506		0.51	41.6	920	13.7	9.2	0.004	0.05	1.26	4.6	2.1	0.4	36.8	<0.01	0.05	3.0
CC128507		0.36	32.3	1010	11.5	6.7	0.004	0.05	0.94	3.1	1.6	0.3	40.2	<0.01	0.03	2.8
CC128508		0.39	32.3	1050	11.5	7.1	0.005	0.05	0.96	3.2	1.7	0.3	42.0	<0.01	0.03	2.9

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 22- JUL- 2011
Account: RCM

Project: Rackla- Dale Silts

CERTIFICATE OF ANALYSIS WH11118096

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
CC127778		<0.005	0.11	0.59	25	0.06	9.24	168	1.4
CC127779		0.005	0.13	0.64	28	0.07	10.25	192	1.8
CC127780		<0.005	0.11	0.62	24	0.07	9.84	176	1.4
CC127781		<0.005	0.17	0.63	23	0.08	9.45	209	1.4
CC127782		0.005	0.15	0.59	24	0.08	9.05	214	1.6
CC127783		<0.005	0.11	0.63	25	0.06	10.35	167	1.4
CC127784		0.005	0.20	0.69	24	0.08	9.26	236	1.9
CC127785		<0.005	0.16	0.90	23	0.08	11.30	199	2.4
CC127787		<0.005	0.13	0.78	21	0.09	10.00	239	1.7
CC127788		0.005	0.13	0.80	24	0.12	10.10	196	1.7
CC127789		0.006	0.14	0.92	24	0.13	9.65	293	1.7
CC127790		0.007	0.16	1.02	23	0.15	9.27	285	1.8
CC127791		0.008	0.14	1.02	26	0.19	9.70	213	1.9
CC127792		0.005	0.09	5.50	52	0.07	33.4	493	1.9
CC127793		0.025	0.12	1.22	45	0.23	13.80	237	1.6
CC127794		0.026	0.11	0.71	42	0.19	14.15	114	1.8
CC127795		0.017	0.12	0.76	39	0.14	13.05	164	1.4
CC127796		0.030	0.10	0.74	42	0.20	10.90	135	2.0
CC127797		0.007	0.11	1.91	43	0.12	19.35	123	1.3
CC127798		0.013	0.11	1.12	44	0.26	13.95	161	1.3
CC127799		0.014	0.13	0.90	43	0.09	13.75	164	1.5
CC127800		0.008	0.13	1.19	44	0.20	12.85	159	1.3
CC127961		<0.005	0.18	1.87	35	0.06	19.00	309	1.4
CC127962		<0.005	0.18	2.03	33	0.05	18.30	325	1.4
CC127963		<0.005	0.16	1.65	30	0.05	15.70	282	1.6
CC128501		0.007	0.14	1.03	43	0.11	13.50	191	1.5
CC128502		0.008	0.13	1.12	43	0.07	12.95	163	1.4
CC128503		0.008	0.13	1.16	45	0.09	12.50	150	1.4
CC128504		0.007	0.13	1.12	46	0.30	12.15	155	1.4
CC128505		0.006	0.13	1.31	50	0.09	12.75	174	1.3
CC128506		0.007	0.19	1.58	64	0.17	15.20	191	2.1
CC128507		0.007	0.15	1.29	52	0.09	12.55	151	1.5
CC128508		0.008	0.16	1.35	54	0.17	12.55	153	1.6

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 22- JUL- 2011
Account: RCM

Project: Rackla- Dale Silts

CERTIFICATE OF ANALYSIS WH11118096

Method	CERTIFICATE COMMENTS
ME- MS41	Gold determinations by this method are semi- quantitative due to the small sample weight used (0.5g).

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 27- JUL- 2011
Account: RCM

CERTIFICATE WH11118097

Project: Rackla - Eira Silts

P.O. No.:

This report is for 108 Other samples submitted to our lab in Whitehorse, YT, Canada on 27- JUN- 2011.

The following have access to data associated with this certificate:

ROB CARNE JULIA LANE	ANDREW CARNE JOAN MARIACHER	MATT DUMALA

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
SCR- 41	Screen to - 180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- ST43	Super Trace Au - 25g AR	ICP- MS
ME- MS41	51 anal. aqua regia ICPMS	

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 27- JUL- 2011
Account: RCM

Project: Rackla - Eira Silts

CERTIFICATE OF ANALYSIS WH11118097

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg .02	Au- ST43 Au ppm 0.0001	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1
CC128101		0.17	0.0019	0.15	1.31	314	<0.2	<10	180	1.00	0.26	1.00	0.57	22.8	12.7	21
CC128102		0.12	0.0024	0.12	1.11	351	<0.2	<10	140	0.86	0.25	1.70	0.87	18.75	11.0	17
CC128103		0.35	0.0022	0.12	1.05	410	<0.2	<10	130	0.88	0.26	1.34	0.45	17.55	10.6	18
CC128104		0.19	0.0114	0.18	1.15	547	<0.2	10	190	1.19	0.23	1.78	1.11	17.00	12.5	21
CC128105		0.17	0.0041	0.13	1.10	379	<0.2	10	160	0.88	0.23	1.36	0.73	16.70	11.9	20
CC128106		0.14	0.0028	0.12	1.07	386	<0.2	10	140	0.93	0.24	1.44	0.36	16.95	11.0	19
CC128107		0.24	0.0038	0.12	1.25	203	<0.2	10	150	0.85	0.23	1.41	0.50	15.45	14.0	22
CC128108		0.18	0.0027	0.12	1.16	246	<0.2	10	180	0.83	0.22	1.73	0.58	15.15	13.4	21
CC128109		0.21	0.0031	0.11	1.17	199.0	<0.2	10	160	0.80	0.21	2.03	0.99	14.30	12.1	21
CC128110		0.20	0.0031	0.12	1.26	183.5	<0.2	10	150	0.88	0.20	2.10	0.40	16.50	13.8	22
CC128111		0.24	0.0036	0.10	1.86	82.8	<0.2	10	170	0.95	0.24	1.47	0.23	23.5	18.3	29
CC128112		0.15	0.0023	0.13	1.30	133.5	<0.2	10	160	0.80	0.19	2.43	0.63	14.95	13.2	22
CC128113		0.13	0.0024	0.07	1.35	130.0	<0.2	10	110	0.67	0.21	0.82	0.27	18.85	12.7	24
CC128114		0.22	0.0029	0.10	1.45	195.0	<0.2	10	170	0.76	0.23	1.06	0.29	17.70	15.7	24
CC128115		0.44	0.0023	0.09	1.44	149.5	<0.2	10	150	0.72	0.19	1.90	0.24	16.45	12.7	24
CC128116		0.23	0.0025	0.10	1.38	157.5	<0.2	10	150	0.70	0.20	1.90	0.31	16.70	13.5	23
CC128117		0.25	0.0027	0.07	1.38	153.0	<0.2	10	130	0.71	0.20	0.86	0.27	20.6	13.8	23
CC128118		0.11	0.0033	0.10	1.38	157.5	<0.2	10	160	0.80	0.21	1.27	0.42	17.15	14.6	23
CC128119		0.29	0.0013	0.13	0.78	13.8	<0.2	<10	180	1.08	0.29	0.71	0.26	23.4	13.3	18
CC128120		0.25	0.0005	0.13	0.71	12.2	<0.2	<10	190	0.99	0.27	0.88	0.61	21.5	13.5	16
CC128121		0.33	0.0006	0.14	0.80	11.3	<0.2	<10	190	1.01	0.27	0.83	0.38	20.6	9.9	16
CC128122		0.29	0.0005	0.12	0.76	11.4	<0.2	<10	210	0.96	0.27	0.87	0.48	19.00	10.5	16
CC128123		0.28	0.0015	0.12	0.70	10.5	<0.2	10	190	0.87	0.25	1.42	0.43	19.50	10.5	15
CC128124		0.35	0.0023	0.10	1.03	11.7	<0.2	<10	210	0.87	0.24	0.85	0.37	26.3	10.0	24
CC128125		0.39	0.0015	0.15	0.99	8.7	<0.2	<10	240	0.90	0.23	1.02	1.01	17.65	9.8	19
CC128126		0.29	0.0009	0.17	0.85	9.4	<0.2	<10	270	0.85	0.23	1.62	0.69	16.75	10.3	16
CC128127		0.34	0.0015	0.19	0.84	8.4	<0.2	10	230	0.72	0.22	1.74	0.74	16.70	9.2	17
CC128128		0.34	0.0015	0.20	0.87	7.6	<0.2	10	240	0.81	0.21	3.76	1.13	16.20	9.2	17
CC128129		0.40	0.0016	0.16	0.98	10.5	<0.2	<10	270	0.67	0.22	2.23	0.72	20.3	10.5	20
CC128130		0.31	0.0013	0.16	0.87	9.0	<0.2	<10	250	0.78	0.20	3.17	0.81	16.95	9.1	17
CC128131		0.42	0.0013	0.17	0.91	9.4	<0.2	10	300	0.80	0.22	3.41	0.73	18.85	9.7	18
CC128132		0.41	0.0006	0.15	1.37	11.6	<0.2	<10	1050	1.60	0.20	0.88	0.72	51.6	10.9	14
CC128133		0.18	0.0015	0.76	0.80	116.5	<0.2	<10	390	0.82	0.13	1.89	18.10	36.8	12.8	16
CC128134		0.32	0.0015	1.10	0.91	116.5	<0.2	<10	440	0.93	0.15	2.43	11.60	36.3	10.9	20
CC128135		0.33	0.0017	1.25	0.89	186.0	<0.2	<10	450	1.01	0.16	1.76	15.50	38.7	12.9	23
CC128136		0.37	0.0017	1.35	0.48	48.3	<0.2	<10	1160	0.80	0.21	1.47	13.45	9.90	9.3	23
CC128137		0.43	0.0011	1.46	0.46	53.8	<0.2	<10	1270	0.67	0.19	1.98	16.10	10.45	6.6	22
CC128138		0.30	0.0022	0.80	0.68	31.5	<0.2	<10	750	0.81	0.23	2.19	7.20	15.35	13.1	17
CC128139		0.34	0.0018	0.42	0.80	26.0	<0.2	<10	530	0.84	0.25	3.08	6.10	18.05	14.8	17
CC128140		0.25	0.0012	0.47	0.93	20.1	<0.2	<10	250	0.81	0.18	2.43	6.69	25.6	10.2	23

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 27- JUL- 2011
Account: RCM

Project: Rackla - Eira Silts

CERTIFICATE OF ANALYSIS WH11118097

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
CC128101		1.90	41.3	3.75	4.32	0.13	0.08	0.50	0.031	0.09	9.4	26.8	0.67	570	0.69	0.01
CC128102		2.75	36.2	3.59	3.39	0.13	0.06	0.71	0.031	0.10	8.6	20.1	0.89	670	0.62	0.01
CC128103		2.44	38.9	3.45	3.36	0.11	0.08	0.49	0.034	0.11	7.3	19.0	0.79	343	0.53	0.01
CC128104		31.0	50.6	3.58	3.53	0.14	0.12	0.72	0.039	0.13	7.9	21.7	0.75	279	0.78	0.01
CC128105		19.40	39.4	3.38	3.42	0.12	0.10	0.40	0.039	0.10	7.1	21.0	0.71	357	0.72	0.01
CC128106		9.86	38.6	3.38	3.44	0.13	0.09	0.32	0.036	0.09	7.1	20.2	0.72	212	0.66	0.01
CC128107		7.07	63.3	3.90	4.15	0.12	0.08	0.26	0.039	0.08	6.2	22.5	0.72	331	0.85	0.01
CC128108		10.45	50.1	3.61	3.81	0.12	0.07	0.26	0.037	0.09	6.8	22.2	0.71	340	0.77	0.01
CC128109		9.41	47.9	3.44	3.60	0.12	0.08	0.29	0.034	0.10	6.0	20.8	0.72	374	0.69	0.01
CC128110		5.37	53.8	3.65	4.14	0.13	0.08	0.26	0.038	0.09	6.5	23.3	0.80	323	0.68	0.01
CC128111		2.96	86.9	4.74	5.82	0.14	0.11	0.15	0.038	0.14	10.4	38.1	1.09	568	0.61	0.01
CC128112		6.95	60.2	3.55	4.00	0.12	0.06	0.28	0.031	0.10	6.2	24.1	0.85	446	0.70	0.02
CC128113		2.14	52.7	3.95	4.71	0.13	0.06	0.12	0.034	0.08	7.6	27.2	0.87	223	0.69	0.01
CC128114		2.65	59.3	4.20	4.53	0.14	0.07	0.18	0.037	0.09	7.1	27.6	0.86	590	0.69	0.01
CC128115		3.26	47.7	4.04	4.47	0.12	0.06	0.18	0.035	0.08	6.7	27.4	0.89	258	0.61	0.01
CC128116		3.85	52.8	3.90	4.52	0.13	0.07	0.15	0.032	0.09	6.9	26.6	0.84	334	0.65	0.01
CC128117		2.87	49.1	3.93	4.62	0.13	0.07	0.18	0.032	0.08	8.4	28.5	0.81	380	0.67	0.01
CC128118		2.36	59.3	3.82	4.39	0.12	0.07	0.15	0.035	0.09	7.1	25.9	0.79	576	0.80	0.01
CC128119		1.03	38.3	3.34	2.91	0.12	0.10	0.19	0.037	0.10	9.0	17.4	0.34	344	0.87	0.01
CC128120		1.04	34.7	3.23	2.43	0.14	0.08	0.19	0.031	0.11	7.8	15.6	0.34	747	1.01	0.01
CC128121		0.69	31.2	3.02	2.69	0.12	0.10	0.16	0.039	0.10	7.7	16.5	0.30	231	0.91	0.01
CC128122		0.80	30.3	3.11	2.53	0.12	0.08	0.20	0.030	0.10	7.2	15.1	0.33	340	1.00	0.01
CC128123		1.48	32.1	2.98	2.36	0.13	0.08	0.19	0.032	0.10	7.2	14.2	0.62	261	0.94	0.01
CC128124		0.92	24.8	3.25	3.76	0.12	0.08	0.14	0.034	0.11	9.8	24.0	0.55	200	0.90	0.01
CC128125		0.78	28.5	2.87	3.33	0.12	0.07	0.13	0.028	0.11	7.1	20.3	0.52	247	1.58	0.01
CC128126		1.07	26.8	2.94	3.14	0.10	0.07	0.18	0.027	0.11	6.8	16.0	0.70	452	1.60	0.01
CC128127		0.98	26.7	2.72	2.96	0.12	0.07	0.17	0.026	0.11	7.0	16.9	0.76	378	1.27	0.02
CC128128		1.08	26.7	2.62	3.13	0.11	0.06	0.19	0.030	0.11	6.8	17.7	0.83	391	1.30	0.02
CC128129		1.03	28.7	2.86	3.45	0.12	0.06	0.13	0.034	0.11	8.5	18.9	1.07	435	1.49	0.02
CC128130		0.91	25.7	2.65	2.99	0.11	0.05	0.14	0.025	0.11	6.9	17.7	1.13	421	1.31	0.02
CC128131		1.09	28.5	2.73	3.23	0.13	0.07	0.18	0.029	0.11	7.6	19.7	1.13	394	1.44	0.02
CC128132		0.72	19.8	4.64	4.66	0.17	0.09	0.03	0.064	0.19	25.9	14.8	0.41	495	2.07	0.02
CC128133		1.70	135.0	3.80	2.65	0.17	0.06	0.11	0.045	0.14	18.3	8.0	0.25	356	12.30	0.02
CC128134		1.30	115.5	3.94	3.01	0.15	0.06	0.09	0.049	0.17	19.0	9.1	0.45	224	12.90	0.02
CC128135		1.77	147.0	3.98	3.34	0.16	0.06	0.23	0.051	0.16	20.4	9.1	0.36	272	20.1	0.02
CC128136		1.43	83.8	2.90	1.84	0.14	0.03	0.21	0.042	0.12	6.3	3.8	0.46	255	23.8	0.02
CC128137		1.07	82.8	2.60	1.76	0.16	0.03	0.24	0.041	0.11	7.1	2.6	0.40	116	22.5	0.02
CC128138		1.85	65.3	3.14	2.30	0.15	0.03	0.16	0.040	0.13	7.0	9.2	0.87	415	8.60	0.02
CC128139		1.44	54.0	3.38	2.77	0.14	0.05	0.12	0.038	0.11	7.9	11.5	1.20	671	7.09	0.02
CC128140		0.54	50.5	3.29	3.11	0.15	0.07	0.17	0.039	0.12	13.7	12.1	0.59	370	9.64	0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 27- JUL- 2011
Account: RCM

Project: Rackla - Eira Silts

CERTIFICATE OF ANALYSIS WH11118097

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
CC128101		0.28	29.7	900	23.6	11.6	<0.001	0.07	0.50	4.3	1.2	0.4	26.5	<0.01	0.04	1.9
CC128102		0.22	25.1	820	25.5	15.4	0.001	0.08	0.41	4.2	1.3	0.3	35.6	<0.01	0.05	1.7
CC128103		0.20	24.6	620	21.1	14.0	0.001	0.07	0.37	4.6	1.5	0.3	28.3	<0.01	0.06	1.8
CC128104		0.18	34.1	820	20.2	16.4	<0.001	0.10	0.65	6.0	3.5	0.4	174.5	<0.01	0.04	2.0
CC128105		0.20	27.9	760	18.0	15.5	0.001	0.09	0.44	5.5	2.3	0.4	107.0	<0.01	0.03	2.1
CC128106		0.20	25.5	680	18.1	22.8	0.002	0.09	0.39	5.4	2.6	0.4	104.5	<0.01	0.06	2.0
CC128107		0.21	30.0	720	15.0	13.6	0.002	0.12	0.49	7.6	2.1	0.4	88.6	<0.01	0.09	1.7
CC128108		0.21	28.4	760	16.3	15.4	0.002	0.10	0.48	6.6	2.3	0.4	97.8	<0.01	0.07	1.7
CC128109		0.21	25.9	820	16.0	15.1	0.001	0.13	0.43	6.0	3.1	0.4	112.5	<0.01	0.06	1.6
CC128110		0.22	27.7	730	14.7	14.7	0.002	0.10	0.43	7.1	2.1	0.3	105.5	<0.01	0.04	1.8
CC128111		0.14	36.3	670	15.2	9.4	0.001	0.06	0.60	8.5	2.0	0.3	79.3	<0.01	0.09	3.0
CC128112		0.19	27.9	820	14.7	12.6	0.001	0.13	0.47	6.3	3.5	0.3	118.5	<0.01	0.05	1.6
CC128113		0.17	29.4	580	13.7	9.0	0.002	0.06	0.37	6.0	1.9	0.3	54.5	<0.01	0.07	2.1
CC128114		0.19	29.8	660	15.7	12.2	0.002	0.07	0.47	6.7	1.9	0.4	76.6	<0.01	0.08	1.9
CC128115		0.17	27.6	600	12.9	11.2	0.003	0.07	0.41	5.9	1.6	0.3	72.2	<0.01	0.08	2.0
CC128116		0.18	27.1	660	13.7	13.9	0.001	0.09	0.42	6.2	2.3	0.3	84.5	<0.01	0.06	1.9
CC128117		0.18	28.1	660	12.7	11.6	<0.001	0.05	0.43	6.0	1.8	0.3	61.7	<0.01	0.07	2.2
CC128118		0.21	28.2	790	14.4	11.5	0.002	0.08	0.44	6.5	2.3	0.3	93.6	<0.01	0.09	1.7
CC128119		0.20	31.6	720	24.0	8.7	<0.001	0.05	0.52	5.5	1.6	0.4	61.8	<0.01	0.03	2.7
CC128120		0.16	30.3	810	22.6	9.8	<0.001	0.06	0.54	4.7	2.0	0.4	65.5	<0.01	0.03	2.6
CC128121		0.19	27.4	830	21.3	8.8	<0.001	0.07	0.46	4.5	1.3	0.4	63.4	<0.01	0.03	2.3
CC128122		0.18	26.8	810	20.8	9.7	<0.001	0.06	0.51	4.5	1.5	0.4	64.4	<0.01	0.02	2.3
CC128123		0.16	28.3	790	19.4	11.5	<0.001	0.06	0.52	4.7	2.2	0.4	83.7	<0.01	0.03	2.4
CC128124		0.34	27.7	780	16.8	10.1	0.001	0.14	0.51	4.7	2.3	0.5	66.2	<0.01	0.02	3.4
CC128125		0.26	29.4	790	15.8	9.9	0.001	0.08	0.82	4.0	2.2	0.4	65.3	<0.01	0.04	2.3
CC128126		0.26	28.8	680	19.4	10.0	0.002	0.05	0.77	3.9	1.3	0.5	63.7	<0.01	0.04	2.8
CC128127		0.30	27.5	740	16.7	9.1	0.001	0.08	0.69	3.8	1.2	0.4	76.1	<0.01	0.04	2.7
CC128128		0.29	27.2	710	16.2	11.4	<0.001	0.10	0.70	3.8	1.6	0.5	123.5	<0.01	0.02	2.5
CC128129		0.48	28.4	760	17.1	7.6	0.001	0.04	0.84	3.8	1.1	0.4	65.4	<0.01	0.04	3.6
CC128130		0.30	26.4	740	15.9	8.8	<0.001	0.07	0.73	3.6	1.6	0.4	96.6	<0.01	0.02	2.6
CC128131		0.36	28.8	750	16.9	10.0	0.001	0.07	0.81	4.0	2.1	0.4	107.5	<0.01	0.03	3.0
CC128132		0.43	36.8	1330	14.7	8.3	<0.001	0.08	0.54	5.0	2.1	0.9	42.9	<0.01	0.04	3.4
CC128133		0.28	280	2710	15.0	9.7	0.006	0.17	3.90	4.1	3.4	0.5	82.5	<0.01	0.07	1.7
CC128134		0.24	149.5	2690	16.8	9.8	0.005	0.10	4.59	4.3	3.7	0.6	85.6	<0.01	0.08	2.2
CC128135		0.27	202	2750	19.8	10.0	0.004	0.12	6.97	4.8	6.2	0.6	80.5	<0.01	0.13	1.9
CC128136		0.08	153.0	1560	18.7	7.7	0.005	0.12	7.95	4.2	10.3	0.5	118.0	<0.01	0.16	1.8
CC128137		0.08	198.0	1430	18.3	8.1	0.005	0.11	7.48	4.5	8.9	0.5	130.0	<0.01	0.16	1.8
CC128138		0.17	110.5	1200	25.3	10.3	0.006	0.11	3.55	4.5	4.7	0.4	69.8	<0.01	0.09	3.0
CC128139		0.21	84.1	930	27.1	8.8	0.004	0.09	2.55	4.9	2.7	0.5	67.6	<0.01	0.08	3.1
CC128140		0.25	93.9	1380	18.3	11.0	0.003	0.07	3.56	3.9	2.2	0.5	64.3	<0.01	0.07	1.6

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 27- JUL- 2011
Account: RCM

Project: Rackla - Eira Silts

CERTIFICATE OF ANALYSIS WH11118097

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
CC128101		0.007	1.24	0.90	31	0.10	9.62	135	2.1
CC128102		0.005	2.44	1.21	25	0.10	10.05	202	2.0
CC128103		<0.005	1.36	0.82	26	0.08	8.92	140	2.1
CC128104		<0.005	3.09	3.22	28	0.08	12.05	173	3.6
CC128105		0.005	1.31	2.27	26	0.06	10.35	147	2.7
CC128106		0.005	1.09	2.06	27	0.05	9.80	118	2.4
CC128107		0.006	0.47	1.36	36	<0.05	12.70	104	2.1
CC128108		0.006	0.73	1.34	31	0.14	10.70	120	2.1
CC128109		0.005	0.70	1.27	30	<0.05	9.42	126	2.0
CC128110		0.006	0.53	0.95	32	<0.05	10.55	101	2.4
CC128111		0.005	0.19	0.88	45	<0.05	10.15	97	3.3
CC128112		0.005	0.47	1.02	33	<0.05	8.78	112	2.2
CC128113		0.006	0.27	1.53	39	<0.05	8.11	90	2.0
CC128114		0.006	0.40	1.38	40	<0.05	9.50	107	2.0
CC128115		0.006	0.33	0.78	39	<0.05	7.53	98	2.0
CC128116		0.006	0.37	0.93	38	<0.05	8.26	101	2.0
CC128117		0.006	0.39	0.90	39	0.05	8.24	101	2.0
CC128118		0.006	0.38	3.87	39	<0.05	9.85	109	2.1
CC128119		<0.005	0.10	1.72	23	<0.05	13.40	112	2.4
CC128120		<0.005	0.11	1.45	24	<0.05	12.10	141	2.3
CC128121		<0.005	0.12	1.72	24	<0.05	13.40	123	2.9
CC128122		<0.005	0.11	1.33	24	<0.05	10.80	132	2.6
CC128123		<0.005	0.10	1.52	22	<0.05	10.60	124	2.4
CC128124		0.007	0.11	1.62	29	<0.05	10.45	117	2.4
CC128125		<0.005	0.13	1.52	42	<0.05	9.99	155	2.1
CC128126		0.005	0.14	0.87	37	0.05	9.66	148	2.1
CC128127		0.006	0.13	0.94	34	0.06	9.27	137	2.2
CC128128		0.006	0.14	0.80	32	0.06	9.68	146	2.0
CC128129		0.015	0.15	0.96	37	0.16	8.89	132	2.1
CC128130		0.007	0.13	0.95	33	0.08	9.25	132	1.9
CC128131		0.008	0.13	1.05	34	0.08	9.74	132	2.1
CC128132		<0.005	0.27	0.93	28	0.07	19.80	250	2.7
CC128133		<0.005	0.66	2.46	122	0.06	17.55	4250	1.6
CC128134		<0.005	0.54	2.88	166	0.06	20.4	2620	1.6
CC128135		<0.005	0.99	3.64	236	0.21	25.5	2950	1.7
CC128136		<0.005	0.94	4.89	228	0.10	30.1	1190	1.2
CC128137		<0.005	0.68	4.00	229	0.10	30.3	1840	1.2
CC128138		<0.005	0.52	2.14	94	0.06	19.10	867	1.3
CC128139		0.005	0.37	1.69	80	0.08	15.20	617	1.5
CC128140		0.005	0.40	1.97	161	0.09	17.85	887	2.0

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 27- JUL- 2011
Account: RCM

Project: Rackla - Eira Silts

CERTIFICATE OF ANALYSIS WH11118097

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg .02	Au- ST43 Au ppm 0.0001	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1
CC128141		0.29	0.0021	1.17	0.92	155.0	<0.2	<10	540	0.89	0.16	2.74	15.95	31.4	11.6	22
CC128142		0.31	0.0017	0.86	0.85	172.0	<0.2	<10	430	0.83	0.16	1.53	12.90	30.2	10.6	22
CC128143		0.38	0.0019	0.88	0.78	23.0	<0.2	10	990	0.75	0.21	1.23	1.34	8.66	9.2	21
CC128144		0.43	0.0072	0.36	0.82	31.4	<0.2	<10	430	0.86	0.23	2.95	4.92	20.6	14.5	17
CC128145		0.40	0.0019	0.64	0.68	43.7	<0.2	<10	690	0.72	0.19	2.72	6.41	15.40	10.1	17
CC128146		0.37	0.0017	0.29	1.10	10.5	<0.2	<10	350	0.72	0.20	1.85	0.63	8.56	11.5	22
CC128147		0.36	0.0023	0.45	0.79	34.0	<0.2	<10	610	0.77	0.21	2.82	5.09	17.85	11.7	17
CC128148		0.29	0.0049	0.52	0.79	33.5	<0.2	<10	560	0.72	0.22	2.46	6.08	14.50	11.3	17
CC128149		0.23	0.0014	0.44	0.88	32.2	<0.2	<10	600	0.69	0.16	1.31	2.27	12.70	8.8	19
CC128150		0.33	0.0016	0.41	0.81	29.7	<0.2	<10	570	0.75	0.21	2.83	4.55	15.50	11.3	18
CC128151		0.44	0.0020	0.49	0.80	34.1	<0.2	<10	580	0.74	0.21	2.88	4.28	14.70	12.0	17
CC128152		0.44	0.0012	0.26	1.06	18.6	<0.2	<10	410	0.82	0.21	1.82	1.26	16.85	13.3	21
CC128153		0.33	0.0012	0.39	0.88	24.7	<0.2	<10	530	0.75	0.19	2.48	2.44	15.50	11.4	18
CC128154		0.42	0.0011	0.22	0.93	17.1	<0.2	<10	420	0.65	0.17	3.14	1.55	14.65	10.7	18
CC128155		0.33	0.0012	0.25	0.95	19.8	<0.2	<10	410	0.68	0.17	2.45	2.05	17.10	11.7	19
CC128157		0.23	0.0014	1.41	0.42	16.8	<0.2	<10	560	0.49	0.19	2.29	1.36	7.19	6.9	19
CC128158		0.30	0.0017	1.32	0.43	15.7	<0.2	<10	520	0.44	0.18	2.95	1.29	6.66	6.5	19
CC128159		0.35	0.0015	1.23	0.41	14.8	<0.2	<10	540	0.47	0.18	1.72	1.13	6.95	6.1	18
CC128160		0.23	0.0036	1.07	1.15	27.9	<0.2	<10	1630	1.25	0.25	0.92	17.20	22.7	20.9	20
CC128161		0.27	0.0028	0.99	0.70	18.7	<0.2	<10	1180	0.69	0.20	1.75	6.58	13.95	11.9	17
CC128162		0.31	0.0026	1.18	0.66	18.4	<0.2	<10	1190	0.69	0.19	1.75	5.96	11.95	10.3	19
CC128163		0.28	0.0016	0.80	0.76	14.8	<0.2	<10	860	0.68	0.20	1.61	3.64	13.30	10.4	20
CC128164		0.17	0.0015	0.39	0.74	8.7	<0.2	10	670	0.59	0.17	4.38	1.84	14.40	8.1	18
CC128165		0.34	0.0017	0.82	0.63	14.7	<0.2	<10	1000	0.62	0.18	2.71	3.97	12.30	9.4	17
CC128166		0.32	0.0016	0.62	0.98	13.0	<0.2	<10	840	0.86	0.21	1.76	2.54	23.8	12.2	24
CC128167		0.32	0.0013	0.61	0.63	11.0	<0.2	<10	820	0.56	0.16	2.81	2.94	12.35	8.5	16
CC128168		0.27	0.0016	0.66	0.62	11.4	<0.2	<10	870	0.59	0.16	2.49	2.57	11.35	8.3	16
CC128169		0.22	0.0018	0.65	0.70	12.4	<0.2	<10	940	0.61	0.18	3.16	2.73	12.75	9.1	17
CC128170		0.21	0.0019	0.51	0.80	11.3	<0.2	<10	810	0.64	0.19	3.56	2.25	15.45	8.9	18
CC128171		0.36	0.0013	0.49	0.72	9.9	<0.2	10	770	0.57	0.16	3.59	2.04	13.90	8.1	17
CC128172		0.32	0.0014	0.60	0.61	11.0	<0.2	10	790	0.54	0.17	3.41	1.61	11.35	7.5	16
CC128173		0.32	0.0011	0.43	0.70	9.8	<0.2	10	720	0.59	0.17	3.91	1.78	13.55	7.6	16
CC128174		0.31	0.0016	0.53	0.68	9.9	<0.2	10	760	0.69	0.17	5.62	2.74	13.45	8.6	16
CC128175		0.33	0.0013	0.54	0.63	9.7	<0.2	<10	700	0.64	0.17	4.21	2.08	12.65	8.1	15
CC128176		0.25	0.0017	0.52	0.69	10.4	<0.2	10	820	0.62	0.17	3.58	1.70	13.90	8.6	16
CC128177		0.25	0.0017	0.47	0.77	8.1	<0.2	10	700	0.69	0.18	4.76	2.29	15.05	8.9	17
CC128178		0.24	0.0014	0.51	0.69	9.1	<0.2	10	730	0.62	0.19	5.86	2.72	12.30	7.9	16
CC128179		0.12	0.0018	0.45	0.77	10.0	<0.2	10	720	0.80	0.22	5.85	3.32	15.80	9.8	17
CC128180		0.23	0.0019	1.67	0.52	17.7	<0.2	10	830	0.60	0.16	1.29	1.54	5.51	5.1	23
CC128181		0.30	0.0033	1.63	0.45	17.6	<0.2	<10	990	0.62	0.18	0.98	1.14	5.22	5.5	21

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 27- JUL- 2011
Account: RCM

Project: Rackla - Eira Silts

CERTIFICATE OF ANALYSIS WH11118097

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
CC128141		1.38	133.5	3.79	2.99	0.16	0.07	0.23	0.049	0.16	17.9	9.3	0.42	281	15.60	0.02
CC128142		1.46	110.0	3.58	2.90	0.17	0.06	0.21	0.044	0.15	16.5	8.6	0.30	256	16.40	0.02
CC128143		1.15	45.6	2.88	2.36	0.13	0.07	0.22	0.041	0.12	5.2	10.9	0.30	171	3.65	0.02
CC128144		1.03	50.7	3.47	2.80	0.14	0.05	0.09	0.033	0.11	9.0	11.7	1.20	673	6.43	0.02
CC128145		1.45	53.1	2.92	2.28	0.14	0.05	0.15	0.033	0.11	7.5	8.5	0.92	402	7.31	0.02
CC128146		0.69	31.3	3.26	3.08	0.12	0.06	0.07	0.035	0.11	4.7	16.9	0.68	563	1.22	0.02
CC128147		1.14	48.9	3.20	2.70	0.14	0.05	0.11	0.031	0.11	8.0	10.9	1.13	510	5.63	0.02
CC128148		0.99	45.8	2.95	2.58	0.12	0.04	0.15	0.037	0.11	7.1	11.0	0.87	571	4.83	0.02
CC128149		0.72	36.8	2.87	2.63	0.12	0.05	0.14	0.035	0.09	6.5	11.2	0.41	316	3.83	0.02
CC128150		1.00	44.4	3.04	2.65	0.13	0.04	0.11	0.031	0.11	7.3	11.6	1.10	504	4.45	0.02
CC128151		1.06	48.9	3.06	2.78	0.13	0.05	0.14	0.035	0.10	7.3	12.5	0.97	633	5.27	0.02
CC128152		1.07	36.6	3.60	3.38	0.12	0.05	0.14	0.034	0.11	7.5	18.8	0.97	484	3.07	0.02
CC128153		1.05	40.0	3.04	2.90	0.13	0.05	0.15	0.031	0.11	7.2	14.6	0.99	435	4.13	0.02
CC128154		0.96	30.1	3.07	2.77	0.12	0.05	0.12	0.028	0.10	6.6	14.8	1.13	547	2.31	0.02
CC128155		0.90	34.2	3.07	3.17	0.13	0.05	0.17	0.033	0.10	7.6	16.6	0.99	427	2.71	0.02
CC128157		0.92	54.1	2.54	1.32	0.13	0.03	0.19	0.038	0.12	4.2	4.4	0.12	122	5.27	0.02
CC128158		0.94	51.4	2.51	1.35	0.12	0.03	0.19	0.035	0.13	3.8	4.5	0.12	122	5.12	0.02
CC128159		1.00	49.3	2.33	1.31	0.13	0.04	0.19	0.035	0.12	4.0	4.2	0.11	117	4.66	0.02
CC128160		1.18	124.5	4.26	2.32	0.17	0.04	0.15	0.053	0.18	9.6	8.9	0.24	464	13.25	0.03
CC128161		1.16	70.2	2.98	1.87	0.15	0.04	0.17	0.039	0.14	6.6	8.1	0.19	329	8.03	0.03
CC128162		1.08	65.5	2.90	1.82	0.14	0.04	0.21	0.039	0.13	6.3	7.9	0.19	225	7.05	0.03
CC128163		0.95	52.1	3.03	2.63	0.13	0.03	0.12	0.036	0.13	6.3	10.6	0.24	318	5.27	0.02
CC128164		0.85	29.9	2.46	2.29	0.14	0.05	0.13	0.030	0.11	7.3	11.7	0.33	215	2.52	0.02
CC128165		1.09	51.2	2.62	1.97	0.16	0.04	0.15	0.039	0.12	6.4	8.3	0.22	251	5.65	0.02
CC128166		1.08	46.8	3.20	3.59	0.15	0.07	0.15	0.046	0.13	11.2	17.2	0.48	316	4.35	0.02
CC128167		1.00	40.1	2.41	1.92	0.13	0.04	0.14	0.030	0.11	6.1	9.7	0.37	256	3.86	0.02
CC128168		0.95	40.9	2.39	1.87	0.14	0.04	0.13	0.028	0.11	5.9	9.1	0.32	245	3.90	0.02
CC128169		1.02	43.8	2.60	2.11	0.14	0.05	0.14	0.031	0.12	6.4	11.1	0.40	276	4.27	0.03
CC128170		1.08	38.6	2.72	2.50	0.13	0.05	0.16	0.036	0.13	7.1	13.7	0.67	329	3.43	0.03
CC128171		0.95	34.0	2.45	2.23	0.13	0.04	0.47	0.028	0.12	6.5	12.5	0.63	298	2.87	0.02
CC128172		0.97	36.4	2.38	1.85	0.13	0.04	0.14	0.028	0.12	5.6	9.7	0.47	258	3.32	0.02
CC128173		0.89	31.4	2.44	2.16	0.13	0.05	0.14	0.030	0.11	6.1	11.9	0.67	304	2.73	0.02
CC128174		1.07	33.2	2.28	2.25	0.05	0.08	0.17	0.027	0.11	6.2	12.0	0.55	292	2.92	0.02
CC128175		1.01	31.0	2.21	2.10	<0.05	0.07	0.20	0.028	0.11	5.9	11.1	0.56	247	2.85	0.02
CC128176		0.92	32.5	2.32	2.31	0.05	0.10	0.17	0.027	0.12	6.6	12.3	0.68	274	2.67	0.03
CC128177		0.96	31.6	2.40	2.56	0.05	0.09	0.21	0.027	0.11	6.6	13.9	0.75	283	2.09	0.02
CC128178		0.95	31.6	2.26	2.15	<0.05	0.07	0.20	0.024	0.11	5.8	11.3	0.56	276	2.70	0.02
CC128179		1.03	39.3	2.39	2.75	<0.05	0.09	0.21	0.032	0.12	7.3	14.7	0.62	344	2.61	0.02
CC128180		0.32	49.0	2.57	1.50	0.05	0.08	0.16	0.035	0.10	4.3	2.9	0.08	139	4.96	0.02
CC128181		0.53	45.7	2.47	1.36	0.06	0.10	0.20	0.035	0.11	3.7	2.8	0.07	127	4.44	0.02

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 27- JUL- 2011
Account: RCM

Project: Rackla - Eira Silts

CERTIFICATE OF ANALYSIS WH11118097

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
CC128141		0.27	205	2270	18.8	11.0	0.003	0.12	5.68	4.7	4.6	0.6	89.1	<0.01	0.10	1.8
CC128142		0.25	195.5	2380	19.5	11.6	0.007	0.11	6.01	4.3	4.1	0.6	63.5	<0.01	0.11	1.8
CC128143		0.16	62.9	860	16.5	10.3	0.010	0.12	1.20	4.7	3.4	0.5	53.8	<0.01	0.10	1.7
CC128144		0.24	73.8	950	27.0	7.8	0.004	0.07	2.22	4.7	1.8	0.4	60.5	<0.01	0.06	3.0
CC128145		0.18	87.8	1060	22.3	9.1	0.005	0.09	2.76	4.2	4.2	0.4	79.3	<0.01	0.09	2.5
CC128146		0.13	50.6	880	15.5	9.6	0.002	0.11	0.51	3.9	2.3	0.4	38.4	<0.01	0.06	2.3
CC128147		0.20	69.5	990	23.7	8.7	0.003	0.08	2.08	4.3	2.6	0.4	61.5	<0.01	0.06	2.9
CC128148		0.19	79.2	990	21.0	8.7	0.003	0.09	1.77	4.2	2.8	0.4	62.9	<0.01	0.06	2.5
CC128149		0.15	52.9	1070	17.9	8.4	0.003	0.07	1.47	3.5	2.9	0.4	48.4	<0.01	0.07	2.1
CC128150		0.19	65.2	1000	22.3	8.3	0.003	0.08	1.91	4.3	2.5	0.4	58.6	<0.01	0.07	2.7
CC128151		0.19	70.4	930	22.9	9.2	0.003	0.08	1.95	4.3	3.5	0.4	71.4	<0.01	0.08	2.6
CC128152		0.16	50.9	1000	19.0	8.9	0.005	0.10	1.10	4.8	1.9	0.5	47.4	<0.01	0.05	3.5
CC128153		0.19	54.6	950	18.2	8.7	0.003	0.10	1.57	4.3	2.2	0.4	61.1	<0.01	0.09	2.7
CC128154		0.19	42.2	840	17.3	7.9	0.004	0.11	0.93	3.8	1.4	0.4	68.2	<0.01	0.06	2.9
CC128155		0.19	47.4	920	17.3	8.6	0.003	0.11	1.08	4.1	2.2	0.5	61.8	<0.01	0.05	2.7
CC128157		<0.05	125.0	1170	12.8	8.6	0.006	0.22	1.31	3.9	6.6	0.4	85.1	<0.01	0.16	2.7
CC128158		<0.05	112.5	1140	12.5	8.7	0.008	0.25	1.26	4.0	5.8	0.4	91.5	<0.01	0.16	3.0
CC128159		<0.05	92.1	1160	11.5	8.6	0.010	0.19	1.17	3.8	5.3	0.4	62.4	<0.01	0.13	2.9
CC128160		0.18	358	2120	18.9	11.2	0.008	0.20	4.54	6.0	7.6	0.5	90.5	<0.01	0.14	3.4
CC128161		0.14	160.0	1550	14.2	9.5	0.008	0.18	2.69	4.4	6.3	0.5	76.7	<0.01	0.12	2.8
CC128162		0.09	160.0	1460	13.4	9.5	0.009	0.18	2.19	4.4	5.6	0.5	77.4	<0.01	0.16	2.7
CC128163		0.15	104.5	1310	13.5	9.0	0.007	0.16	1.67	4.2	4.1	0.5	69.7	<0.01	0.12	2.9
CC128164		0.15	44.4	1260	11.8	9.8	0.003	0.13	0.98	3.3	3.5	0.4	81.0	<0.01	0.06	2.1
CC128165		0.13	96.7	1460	12.1	9.2	0.009	0.17	1.88	3.9	5.2	0.4	82.9	<0.01	0.11	2.4
CC128166		0.24	73.4	1250	15.1	10.9	0.005	0.10	1.49	4.8	3.8	0.6	71.6	<0.01	0.06	3.0
CC128167		0.13	62.8	1220	11.6	8.6	0.005	0.14	1.35	3.4	3.6	0.4	82.9	<0.01	0.08	2.7
CC128168		0.13	68.4	1180	11.5	8.7	0.005	0.12	1.37	3.4	3.3	0.4	80.3	<0.01	0.08	2.5
CC128169		0.16	69.7	1240	12.3	10.0	0.004	0.15	1.52	3.7	3.6	0.5	105.0	<0.01	0.13	2.5
CC128170		0.21	57.7	1120	13.8	10.8	0.004	0.13	1.24	4.0	3.1	0.5	107.0	<0.01	0.05	2.6
CC128171		0.18	50.2	1070	12.0	9.7	0.004	0.13	1.10	3.6	2.6	0.4	102.5	<0.01	0.08	2.4
CC128172		0.14	50.8	1080	11.3	8.3	0.008	0.12	1.16	3.4	3.1	0.4	91.7	<0.01	0.07	2.8
CC128173		0.18	45.0	1070	12.4	8.5	0.003	0.12	1.00	3.3	2.8	0.4	106.0	<0.01	0.06	2.5
CC128174		0.19	50.7	1020	12.4	8.6	0.005	0.15	1.28	3.3	2.3	0.4	139.5	<0.01	0.08	2.3
CC128175		0.17	46.4	1050	12.0	8.3	0.006	0.13	1.26	3.3	3.0	0.4	112.5	<0.01	0.07	2.6
CC128176		0.20	46.5	1080	13.0	8.5	0.005	0.13	1.25	3.2	3.0	0.4	108.0	<0.01	0.07	2.3
CC128177		0.22	48.2	1020	13.6	9.1	0.004	0.12	0.96	3.3	2.5	0.4	122.5	<0.01	0.06	2.5
CC128178		0.18	48.3	1070	12.5	8.3	0.004	0.17	1.14	3.1	2.3	0.4	149.5	<0.01	0.07	2.1
CC128179		0.26	55.6	960	14.5	9.3	0.003	0.17	1.27	3.9	3.2	0.4	169.0	<0.01	0.08	2.0
CC128180		0.08	112.5	1540	11.0	5.7	0.002	0.15	1.41	3.9	5.5	0.4	97.6	<0.01	0.11	0.7
CC128181		0.08	74.7	1480	11.0	6.9	0.006	0.13	1.36	3.8	6.0	0.4	80.1	<0.01	0.12	0.9

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 27- JUL- 2011
Account: RCM

Project: Rackla - Eira Silts

CERTIFICATE OF ANALYSIS WH11118097

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
CC128141		<0.005	0.92	2.98	206	0.10	23.9	2710	1.7
CC128142		<0.005	0.96	3.42	212	0.11	21.8	2420	1.8
CC128143		<0.005	0.20	1.08	46	0.08	17.90	277	2.1
CC128144		0.006	0.32	1.56	77	0.08	13.95	570	1.5
CC128145		<0.005	0.41	1.82	83	0.07	17.10	765	1.3
CC128146		<0.005	0.11	0.64	31	<0.05	13.50	167	1.4
CC128147		0.005	0.33	1.53	72	0.08	14.20	587	1.4
CC128148		<0.005	0.27	1.25	65	0.06	15.05	642	1.4
CC128149		<0.005	0.21	1.29	66	0.05	14.65	402	1.5
CC128150		<0.005	0.27	1.29	69	0.06	13.60	512	1.4
CC128151		<0.005	0.30	1.43	66	0.06	15.00	511	1.6
CC128152		<0.005	0.18	1.18	48	0.10	13.90	246	1.6
CC128153		<0.005	0.22	1.28	57	0.11	14.25	343	1.6
CC128154		<0.005	0.17	0.98	42	<0.05	10.60	269	1.4
CC128155		<0.005	0.17	1.14	46	<0.05	12.75	284	1.5
CC128157		<0.005	0.24	3.36	34	<0.05	22.5	294	1.3
CC128158		<0.005	0.24	3.42	34	<0.05	21.9	293	1.2
CC128159		<0.005	0.21	3.25	33	<0.05	20.6	260	1.4
CC128160		<0.005	1.29	4.17	125	0.08	37.3	2460	1.4
CC128161		<0.005	0.70	3.65	73	0.06	24.0	881	1.1
CC128162		<0.005	0.59	3.71	66	0.06	23.6	812	1.4
CC128163		<0.005	0.42	2.91	52	<0.05	19.50	498	1.2
CC128164		<0.005	0.17	1.56	38	<0.05	14.70	184	1.7
CC128165		<0.005	0.43	2.89	53	0.05	20.6	551	1.5
CC128166		<0.005	0.32	1.91	56	<0.05	17.90	356	2.1
CC128167		<0.005	0.28	2.43	43	<0.05	16.70	400	1.3
CC128168		<0.005	0.31	2.57	44	<0.05	17.35	409	1.2
CC128169		<0.005	0.37	2.88	48	0.05	17.35	423	1.5
CC128170		0.005	0.28	2.09	44	0.05	15.00	334	1.5
CC128171		<0.005	0.23	1.98	40	0.06	14.30	298	1.4
CC128172		<0.005	0.23	2.50	39	<0.05	16.20	261	1.5
CC128173		0.005	0.23	1.94	38	<0.05	13.15	266	1.4
CC128174		<0.005	0.24	1.99	35	0.06	14.50	293	1.5
CC128175		<0.005	0.21	2.21	34	0.05	14.40	259	1.4
CC128176		0.005	0.23	2.03	40	0.05	14.20	232	1.9
CC128177		0.005	0.22	1.71	34	<0.05	13.55	276	1.6
CC128178		<0.005	0.23	2.00	36	0.05	14.25	288	1.4
CC128179		0.005	0.24	1.82	36	0.05	15.05	275	2.1
CC128180		<0.005	0.14	2.36	46	<0.05	25.0	286	2.1
CC128181		<0.005	0.19	2.22	39	<0.05	21.9	265	1.9

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 27- JUL- 2011
Account: RCM

Project: Rackla - Eira Silts

CERTIFICATE OF ANALYSIS WH11118097

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg .02	Au- ST43 Au ppm 0.0001	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1
CC128182		0.38	0.0021	0.96	0.70	17.8	<0.2	<10	880	0.62	0.20	0.99	1.51	8.38	9.2	21
CC128183		0.38	0.0022	0.97	0.68	14.7	<0.2	<10	950	0.68	0.20	1.01	1.15	7.28	8.2	20
CC128184		0.25	0.0019	1.19	0.66	17.5	<0.2	10	940	0.60	0.20	1.09	1.24	7.31	7.8	21
CC128185		0.31	0.0018	0.42	1.20	13.3	<0.2	<10	740	0.81	0.23	0.93	0.82	10.45	14.7	26
CC128186		0.31	0.0017	0.25	1.57	12.3	<0.2	<10	370	1.03	0.28	0.71	0.95	11.40	15.1	28
CC128187		0.22	0.0022	0.32	1.31	10.2	<0.2	<10	310	0.84	0.20	1.51	5.82	7.87	8.6	24
CC128188		0.43	0.0019	0.17	1.75	15.2	<0.2	<10	380	1.22	0.31	0.55	0.89	12.60	22.2	31
CC128189		0.30	0.0020	0.42	1.42	12.2	<0.2	<10	480	1.19	0.28	0.98	1.49	16.45	17.2	24
CC128190		0.29	0.0022	0.49	1.05	10.3	<0.2	<10	790	0.80	0.21	2.23	1.43	16.50	10.7	22
CC128191		0.30	0.0013	0.30	1.44	7.9	<0.2	<10	190	0.47	0.22	0.96	0.68	10.20	15.3	25
CC128192		0.27	0.0019	0.27	1.15	12.1	<0.2	<10	410	0.85	0.24	1.19	1.08	15.60	15.9	22
CC128193		0.32	0.0018	0.24	1.13	12.7	<0.2	<10	480	0.85	0.26	1.13	0.98	14.85	16.0	22
CC128194		0.30	0.0013	0.22	1.13	12.5	<0.2	<10	420	0.85	0.24	1.06	0.86	16.05	15.7	22
CC128195		0.27	0.0017	0.36	1.39	8.8	<0.2	<10	190	0.85	0.19	1.22	0.99	40.5	15.3	30
CC128196		0.28	0.0014	0.18	1.60	9.5	<0.2	<10	200	0.89	0.19	1.34	0.48	38.3	16.0	34
CC128197		0.31	0.0016	0.24	1.29	12.0	<0.2	<10	350	1.00	0.23	1.31	0.82	26.4	16.4	25
CC128198		0.36	0.0017	0.22	1.24	10.5	<0.2	<10	360	0.81	0.21	1.18	0.90	22.9	14.6	23
CC128199		0.32	0.0040	0.23	1.09	11.0	<0.2	<10	390	0.85	0.20	1.15	0.66	20.7	13.8	22
CC128200		0.32	0.0017	0.21	1.20	10.9	<0.2	<10	340	0.84	0.22	1.55	0.70	18.75	14.4	23
CC72223		0.36	0.0026	0.24	0.94	22.2	<0.2	<10	400	0.72	0.19	2.66	1.82	15.65	12.6	19
CC72224		0.42	0.0034	0.24	0.90	24.6	<0.2	<10	460	0.69	0.19	3.23	1.95	17.75	12.6	18
CC72225		Not Recvd														
CC72226		0.40	0.0015	0.25	0.94	24.0	<0.2	<10	440	0.74	0.19	2.94	2.00	17.35	13.4	19
CC72227		0.48	0.0017	0.26	0.93	24.5	<0.2	<10	430	0.72	0.20	3.11	2.13	17.25	13.1	19
CC72228		0.40	0.0011	0.24	0.92	23.0	<0.2	<10	440	0.73	0.20	3.02	1.97	16.70	12.5	18
CC72229		0.35	0.0012	0.24	0.97	21.7	<0.2	<10	430	0.79	0.19	2.99	2.21	17.45	12.8	19
CC72230		0.51	0.0011	0.21	0.91	21.5	<0.2	<10	470	0.65	0.19	2.67	1.93	19.90	12.9	19
CC72231		0.44	0.0015	0.25	1.00	22.8	<0.2	<10	430	0.78	0.19	2.58	1.96	17.60	13.0	20

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 27- JUL- 2011
Account: RCM

Project: Rackla - Eira Silts

CERTIFICATE OF ANALYSIS WH11118097

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
CC128182		0.87	44.5	2.90	2.15	0.05	0.08	0.21	0.038	0.11	6.6	8.1	0.16	214	4.15	0.02
CC128183		0.87	42.9	2.73	2.08	<0.05	0.10	0.23	0.038	0.11	4.9	8.7	0.16	131	3.71	0.02
CC128184		0.62	43.6	2.76	2.04	0.05	0.09	0.20	0.037	0.11	5.4	7.3	0.15	189	4.12	0.02
CC128185		1.13	37.5	3.80	3.43	<0.05	0.09	0.18	0.040	0.12	5.4	19.9	0.39	302	2.23	0.03
CC128186		1.50	38.6	4.33	4.74	<0.05	0.10	0.10	0.045	0.13	4.8	28.9	0.53	350	2.20	0.05
CC128187		0.49	36.2	3.01	4.08	<0.05	0.10	0.11	0.037	0.11	3.8	20.2	0.47	193	3.29	0.02
CC128188		1.83	40.0	4.92	5.21	<0.05	0.08	0.05	0.048	0.14	4.5	33.1	0.56	573	2.25	0.07
CC128189		1.39	39.5	3.78	4.36	0.06	0.10	0.15	0.043	0.13	7.1	26.4	0.43	662	2.71	0.03
CC128190		0.95	35.1	3.21	3.03	0.06	0.10	0.22	0.037	0.13	8.5	14.6	0.38	343	2.62	0.03
CC128191		1.04	20.8	2.94	4.98	<0.05	0.06	0.06	0.028	0.10	4.4	11.6	0.35	508	1.53	0.03
CC128192		1.04	38.8	3.69	3.63	0.06	0.09	0.22	0.041	0.12	6.6	20.5	0.45	380	2.36	0.02
CC128193		1.16	37.8	3.94	3.38	0.05	0.08	0.21	0.037	0.12	6.4	19.7	0.49	405	2.58	0.02
CC128194		1.17	37.9	3.89	3.61	0.05	0.09	0.18	0.048	0.12	6.7	20.0	0.49	307	2.55	0.02
CC128195		0.79	32.9	4.01	4.88	0.07	0.11	0.20	0.045	0.15	17.7	23.3	0.76	359	2.02	0.02
CC128196		0.80	31.5	4.19	5.54	0.07	0.09	0.16	0.040	0.13	18.9	26.1	0.93	481	1.67	0.02
CC128197		1.07	37.1	3.90	4.53	0.07	0.10	0.18	0.046	0.12	11.6	23.8	0.59	376	2.04	0.02
CC128198		1.01	32.4	3.79	3.91	<0.05	0.09	0.18	0.042	0.12	10.0	21.1	0.55	381	1.95	0.02
CC128199		0.92	31.8	3.52	3.60	0.05	0.09	0.17	0.037	0.11	9.0	18.8	0.65	342	2.00	0.02
CC128200		1.08	33.1	3.62	3.85	0.05	0.10	0.26	0.039	0.12	8.1	21.0	0.77	395	1.77	0.02
CC72223		0.88	30.6	3.06	3.09	<0.05	0.08	0.15	0.030	0.11	6.9	15.4	1.08	445	2.31	0.02
CC72224		0.94	31.7	3.14	2.99	0.05	0.07	0.17	0.028	0.10	7.6	15.0	1.32	507	2.83	0.02
CC72225																
CC72226		0.95	32.1	3.18	3.11	0.05	0.08	0.18	0.032	0.11	7.5	16.2	1.19	645	2.77	0.02
CC72227		0.97	31.8	3.13	3.08	0.05	0.08	0.61	0.032	0.11	7.6	15.9	1.25	534	2.75	0.02
CC72228		0.97	31.4	3.13	3.06	0.05	0.08	0.19	0.031	0.10	7.4	16.1	1.18	550	2.65	0.02
CC72229		0.93	40.5	3.14	3.33	0.05	0.08	0.17	0.031	0.11	7.5	17.2	1.07	632	2.38	0.02
CC72230		0.88	30.8	3.23	3.10	0.05	0.08	0.33	0.034	0.10	8.5	14.7	1.39	536	2.88	0.02
CC72231		0.96	31.5	3.19	3.31	<0.05	0.08	0.16	0.034	0.10	7.7	17.0	0.98	538	2.53	0.02

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 27- JUL- 2011
Account: RCM

Project: Rackla - Eira Silts

CERTIFICATE OF ANALYSIS WH11118097

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
CC128182		0.12	72.3	1360	13.5	8.2	0.003	0.13	1.20	3.6	4.2	0.4	69.0	<0.01	0.14	1.1
CC128183		0.10	67.7	1250	13.2	7.8	0.002	0.11	1.04	3.8	3.7	0.4	66.2	<0.01	0.12	1.3
CC128184		0.12	68.7	1360	12.8	7.3	0.003	0.12	1.21	3.7	4.5	0.4	72.6	<0.01	0.12	1.1
CC128185		0.13	57.5	1070	16.5	9.9	0.003	0.14	0.88	4.4	2.9	0.5	46.6	<0.01	0.09	2.8
CC128186		0.13	67.6	990	19.8	11.2	0.002	0.24	0.94	5.3	1.6	0.6	58.8	<0.01	0.06	3.1
CC128187		0.19	56.0	1280	13.2	10.6	0.007	0.19	2.00	3.1	3.7	0.5	77.4	<0.01	0.07	1.2
CC128188		0.10	88.7	950	21.9	12.1	0.001	0.31	0.87	5.7	1.6	0.6	63.4	<0.01	0.06	3.6
CC128189		0.18	85.5	1150	19.5	13.1	0.002	0.17	1.28	4.7	2.2	0.6	43.0	<0.01	0.07	2.5
CC128190		0.17	43.6	1210	14.8	9.9	0.001	0.12	1.16	4.0	1.7	0.5	47.8	<0.01	0.09	2.4
CC128191		0.19	22.3	1450	15.4	14.2	0.001	0.22	0.52	2.5	0.4	0.6	40.7	<0.01	0.05	1.1
CC128192		0.15	53.5	1120	17.3	10.2	0.003	0.13	0.95	4.8	2.4	0.5	51.0	<0.01	0.08	2.8
CC128193		0.13	52.6	1090	18.1	9.3	0.003	0.13	0.97	4.7	2.7	0.5	47.2	<0.01	0.07	3.2
CC128194		0.12	51.6	1070	17.7	9.6	0.003	0.12	0.94	4.8	1.9	0.5	44.4	<0.01	0.09	3.5
CC128195		0.26	37.9	1330	18.8	10.5	0.001	0.08	0.85	5.2	1.4	0.6	61.2	<0.01	0.03	3.8
CC128196		0.31	38.5	1150	17.0	9.5	<0.001	0.06	0.65	5.1	0.8	0.6	50.2	<0.01	0.03	3.2
CC128197		0.25	49.9	1130	18.5	10.6	0.004	0.11	0.92	5.4	1.8	0.6	55.2	<0.01	0.07	3.4
CC128198		0.19	46.0	1120	17.7	9.8	0.004	0.11	0.79	4.7	1.1	0.5	47.0	<0.01	0.03	3.1
CC128199		0.23	42.6	1100	15.8	8.2	0.003	0.10	0.85	4.6	1.5	0.5	45.8	<0.01	0.05	3.2
CC128200		0.19	45.4	990	20.8	9.2	0.002	0.12	0.75	4.7	1.5	0.5	49.0	<0.01	0.07	3.3
CC72223		0.20	46.4	890	17.3	7.8	0.003	0.10	1.05	3.8	1.5	0.4	60.1	<0.01	0.04	2.8
CC72224		0.20	44.6	910	18.7	7.4	0.002	0.10	1.24	3.9	1.8	0.4	68.0	<0.01	0.06	3.0
CC72225																
CC72226		0.21	47.4	930	19.3	7.8	0.005	0.10	1.19	4.0	1.4	0.4	66.9	<0.01	0.05	2.9
CC72227		0.21	46.3	940	19.2	7.9	0.002	0.11	1.23	3.8	2.0	0.4	69.6	<0.01	0.04	3.0
CC72228		0.23	46.4	910	18.2	7.9	0.002	0.11	1.16	3.8	1.6	0.4	73.1	<0.01	0.04	2.9
CC72229		0.21	47.9	890	18.3	8.4	0.002	0.12	1.12	4.0	1.5	0.4	74.2	<0.01	0.06	2.7
CC72230		0.21	42.8	960	20.7	7.0	0.001	0.10	1.27	3.8	1.4	0.4	55.5	<0.01	0.04	3.5
CC72231		0.23	48.3	930	18.6	8.3	0.002	0.12	1.08	3.9	1.9	0.5	67.1	<0.01	0.07	2.6

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 27- JUL- 2011
Account: RCM

Project: Rackla - Eira Silts

CERTIFICATE OF ANALYSIS WH11118097

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
CC128182		<0.005	0.18	1.98	37	<0.05	22.2	250	1.9
CC128183		<0.005	0.19	1.45	34	<0.05	21.0	226	2.0
CC128184		<0.005	0.17	1.66	39	<0.05	22.5	251	2.2
CC128185		<0.005	0.17	1.18	40	<0.05	16.65	213	1.7
CC128186		<0.005	0.19	0.71	42	<0.05	14.25	219	1.9
CC128187		<0.005	0.29	2.73	84	<0.05	11.00	271	1.8
CC128188		<0.005	0.20	0.73	42	<0.05	15.40	273	1.7
CC128189		<0.005	0.27	1.12	40	<0.05	18.65	235	1.7
CC128190		<0.005	0.20	1.08	46	<0.05	16.65	196	1.9
CC128191		<0.005	0.15	0.48	38	<0.05	3.75	85	0.7
CC128192		<0.005	0.15	1.11	38	<0.05	14.90	210	1.8
CC128193		<0.005	0.14	1.16	39	<0.05	14.25	221	1.9
CC128194		<0.005	0.15	1.16	40	<0.05	13.90	216	1.8
CC128195		0.006	0.16	0.73	54	<0.05	12.85	166	2.2
CC128196		0.005	0.15	0.67	54	<0.05	11.55	145	1.8
CC128197		<0.005	0.14	0.95	43	<0.05	14.70	186	2.2
CC128198		<0.005	0.14	0.89	41	<0.05	13.95	193	1.9
CC128199		<0.005	0.14	0.90	39	<0.05	12.90	161	1.9
CC128200		<0.005	0.13	0.77	38	<0.05	12.50	176	2.1
CC72223		<0.005	0.17	0.92	45	0.05	11.30	287	1.6
CC72224		<0.005	0.17	1.00	48	<0.05	11.80	286	1.5
CC72225									
CC72226		<0.005	0.19	1.08	47	0.08	12.20	285	1.6
CC72227		<0.005	0.20	1.09	48	0.11	12.50	290	1.6
CC72228		<0.005	0.19	0.99	45	0.05	11.75	282	1.6
CC72229		<0.005	0.18	1.07	44	<0.05	12.75	294	1.6
CC72230		<0.005	0.18	1.17	51	0.05	12.45	271	1.6
CC72231		<0.005	0.17	0.99	47	0.20	12.30	291	1.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 27- JUL- 2011
Account: RCM

Project: Rackla - Eira Silts

CERTIFICATE OF ANALYSIS WH11118097

Method	CERTIFICATE COMMENTS
ME- MS41	Gold determinations by this method are semi- quantitative due to the small sample weight used (0.5g).

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 18- JUL- 2011
Account: RCM

CERTIFICATE WH11118893

Project: Rackla Gold (Rackla)

P.O. No.:

This report is for 18 Rock samples submitted to our lab in Whitehorse, YT, Canada on 29- JUN- 2011.

The following have access to data associated with this certificate:

ROB CARNE JULIA LANE	ANDREW CARNE JOAN MARIACHER	MATT DUMALA

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
WSH- 21	"Wash" crushers
WSH- 22	"Wash" pulverizers
CRU- 31	Fine crushing - 70% < 2mm
CRU- QC	Crushing QC Test
SPL- 21	Split sample - riffle splitter
PUL- QC	Pulverizing QC Test
PUL- 31	Pulverize split to 85% < 75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- AA26	Ore Grade Au 50g FA AA finish	AAS
ME- MS61	48 element four acid ICP- MS	
Hg- CV41	Trace Hg - cold vapor/AAS	FIMS
Ag- OG62	Ore Grade Ag - Four Acid	VARIABLE
ME- OG62	Ore Grade Elements - Four Acid	ICP- AES
Pb- OG62	Ore Grade Pb - Four Acid	VARIABLE
Zn- OG62	Ore Grade Zn - Four Acid	VARIABLE
Pb- VOL70	Pb by Titration	
Zn- VOL50	Zn by titration	
As- OG62	Ore Grade As - Four Acid	VARIABLE
Hg- CV42	High Grade Hg - cold vapor/AA	FIMS

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 18- JUL- 2011
Account: RCM

Project: Rackla Gold (Rackla)

CERTIFICATE OF ANALYSIS WH11118893

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- AA26 Au ppm 0.01	ME- MS61 Ag ppm 0.01	ME- MS61 Al % 0.01	ME- MS61 As ppm 0.2	ME- MS61 Ba ppm 10	ME- MS61 Be ppm 0.05	ME- MS61 Bi ppm 0.01	ME- MS61 Ca % 0.01	ME- MS61 Cd ppm 0.02	ME- MS61 Ce ppm 0.01	ME- MS61 Co ppm 0.1	ME- MS61 Cr ppm 1	ME- MS61 Cs ppm 0.05	ME- MS61 Cu ppm 0.2
I357396		0.62	0.02	>100	0.39	>10000	60	0.08	0.06	0.69	>1000	5.71	4.8	117	0.36	1920
I357397		1.07	0.03	>100	0.21	8790	70	0.07	0.06	0.27	>1000	3.27	4.1	55	0.21	1220
I357398		0.41	<0.01	2.41	0.85	66.3	880	0.53	0.03	0.10	15.25	8.19	0.6	107	0.73	11.7
I357399		0.51	<0.01	13.05	0.18	886	240	0.08	0.03	6.14	98.2	1.13	18.8	448	0.24	24.5
I357400		0.44	0.01	76.2	0.28	>10000	110	0.10	0.02	0.38	750	2.20	2.1	32	0.22	1010
I357401		0.37	<0.01	0.14	0.72	10	50	0.26	0.06	19.85	0.42	8.63	1.4	7	0.12	7.8
I357402		0.56	<0.01	0.18	2.22	13.1	490	0.84	0.05	9.43	0.55	36.4	3.2	25	1.28	9.6
I357403		0.24	<0.01	0.01	2.69	15	120	0.87	0.06	15.35	0.23	33.2	5.7	37	1.09	13.8
I357404		0.49	<0.01	0.08	0.39	9	40	0.10	0.01	26.7	0.26	5.17	1.3	6	0.06	1.9
I357405		0.63	<0.01	0.05	0.85	7	140	0.29	0.02	32.4	0.15	21.2	1.8	9	0.30	4.7
I357406		0.52	<0.01	0.11	0.49	<5	40	0.20	0.02	34.1	0.14	13.80	1.0	4	0.14	2.7
I357407		0.46	<0.01	0.23	1.26	7	100	0.55	0.03	26.2	0.17	24.7	1.7	11	0.63	5.2
I357408		0.78	<0.01	0.04	0.39	6	30	0.15	0.01	34.9	0.32	6.92	1.2	5	0.22	2.7
I357409		0.60	<0.01	0.04	0.73	<5	40	0.27	0.02	33.8	0.17	16.90	2.7	10	0.44	6.4
I357410		0.77	<0.01	0.04	1.50	6	70	1.09	0.04	28.0	0.19	26.4	2.2	17	0.57	4.5
I357411		0.45	<0.01	0.01	0.12	<5	10	0.14	<0.01	24.5	0.09	0.99	0.8	2	<0.05	1.0
I357412		0.48	<0.01	0.04	10.55	30.1	460	2.69	0.44	0.29	0.03	108.5	1.9	83	11.70	23.6
I357413		0.29	<0.01	0.01	3.68	2.3	110	1.31	0.08	0.19	0.10	33.8	20.2	30	1.12	6.6

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 18- JUL- 2011
Account: RCM

Project: Rackla Gold (Rackla)

CERTIFICATE OF ANALYSIS WH11118893

Sample Description	Method Analyte Units LOR	ME- MS61 Fe % 0.01	ME- MS61 Ga ppm 0.05	ME- MS61 Ge ppm 0.05	ME- MS61 Hf ppm 0.1	Hg- CV41 Hg ppm 0.01	ME- MS61 In ppm 0.005	ME- MS61 K % 0.01	ME- MS61 La ppm 0.5	ME- MS61 Li ppm 0.2	ME- MS61 Mg % 0.01	ME- MS61 Mn ppm 5	ME- MS61 Mo ppm 0.05	ME- MS61 Na % 0.01	ME- MS61 Nb ppm 0.1	ME- MS61 Ni ppm 0.2
I357396		3.62	4.57	0.09	0.2	>100	0.072	0.13	3.4	1.5	1.12	1480	1.03	0.01	0.8	92.6
I357397		1.68	8.13	0.10	0.1	>100	0.040	0.07	2.1	1.1	0.58	678	1.05	0.01	0.5	87.6
I357398		0.92	2.78	0.08	0.4	2.23	<0.005	0.30	8.0	6.2	0.08	114	0.70	<0.01	1.4	5.6
I357399		3.75	0.99	0.12	<0.1	27.0	0.012	0.04	0.6	3.9	9.28	3710	1.39	0.01	0.3	207
I357400		3.33	2.65	0.05	0.1	>100	0.068	0.07	1.1	4.7	4.19	1030	0.34	0.02	0.9	25.7
I357401		0.64	1.80	0.05	0.4	0.35	<0.005	0.07	4.7	7.3	8.54	69	0.45	0.08	1.0	3.0
I357402		1.27	5.40	0.09	2.2	0.19	<0.005	1.27	18.7	26.3	4.85	313	0.37	0.35	4.3	6.3
I357403		1.75	7.23	0.10	2.0	0.10	0.008	0.67	17.0	32.1	5.36	179	0.27	0.04	6.3	11.8
I357404		1.14	0.82	0.06	0.2	0.10	<0.005	0.03	2.8	20.2	3.54	111	0.40	0.09	0.5	3.6
I357405		0.33	2.04	0.11	0.4	0.05	<0.005	0.27	12.5	10.1	0.67	140	0.29	0.30	1.5	<0.2
I357406		0.24	1.16	0.12	0.6	0.09	<0.005	0.13	7.9	5.7	0.22	68	0.11	0.01	0.9	<0.2
I357407		0.75	3.42	0.11	1.4	0.16	<0.005	0.62	13.4	16.9	1.44	92	0.27	0.02	2.4	1.5
I357408		0.17	1.00	0.12	0.3	0.07	<0.005	0.11	4.8	3.7	0.21	63	0.14	0.01	0.8	<0.2
I357409		0.42	2.10	0.13	0.3	0.09	<0.005	0.24	9.6	6.2	0.31	128	0.07	0.01	1.3	1.1
I357410		2.31	4.12	0.09	0.9	0.06	<0.005	0.43	12.7	13.9	0.29	212	0.09	0.01	2.5	5.7
I357411		0.31	0.27	0.19	<0.1	0.02	<0.005	0.01	0.5	2.1	9.87	109	<0.05	0.09	0.2	<0.2
I357412		2.80	32.5	0.23	2.9	0.18	0.059	3.31	56.2	109.5	0.37	33	1.32	0.81	12.9	4.2
I357413		3.45	9.72	0.13	1.0	0.16	0.010	0.75	16.1	161.5	0.17	394	0.13	0.02	5.1	40.4

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 18- JUL- 2011
Account: RCM

Project: Rackla Gold (Rackla)

CERTIFICATE OF ANALYSIS WH11118893

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
	LOR	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02
I357396		50	>10000	6.8	0.002	>10.0	3280	0.5	15	14.2	63.1	<0.05	<0.05	0.5	0.012	0.32
I357397		30	>10000	4.3	<0.002	>10.0	1870	0.6	37	14.0	28.8	<0.05	0.05	0.3	0.009	0.20
I357398		210	1130	14.9	0.006	0.07	11.40	2.5	3	0.4	28.8	0.07	<0.05	0.9	0.037	0.22
I357399		20	>10000	3.1	<0.002	0.88	46.8	2.3	3	1.0	317	<0.05	<0.05	<0.2	<0.005	0.04
I357400		40	2310	4.6	<0.002	7.65	1020	0.8	10	32.7	23.2	<0.05	<0.05	0.3	0.012	0.07
I357401		160	29.9	3.7	<0.002	0.04	1.13	1.1	1	0.4	307	0.08	<0.05	1.7	0.027	0.07
I357402		810	12.8	59.7	<0.002	0.01	1.29	4.0	2	0.6	526	0.30	<0.05	5.8	0.112	0.27
I357403		400	11.1	44.0	<0.002	<0.01	0.45	5.4	2	0.9	513	0.43	<0.05	7.0	0.168	0.16
I357404		90	8.1	1.9	<0.002	0.01	0.45	0.6	2	<0.2	1525	<0.05	<0.05	0.9	0.011	0.02
I357405		130	6.2	13.9	<0.002	0.04	0.31	1.7	2	0.2	2630	0.10	<0.05	1.9	0.035	0.07
I357406		80	4.7	6.8	<0.002	0.01	0.26	1.2	2	<0.2	2410	0.06	<0.05	1.3	0.020	0.03
I357407		260	8.4	32.1	<0.002	0.01	0.36	2.3	2	0.4	1640	0.15	<0.05	3.0	0.058	0.11
I357408		270	4.0	5.8	<0.002	0.01	0.20	0.9	2	<0.2	1945	<0.05	<0.05	0.8	0.017	0.03
I357409		100	7.1	14.7	<0.002	<0.01	0.16	1.5	2	0.3	998	0.08	<0.05	1.6	0.031	0.06
I357410		220	7.3	25.3	<0.002	<0.01	0.69	3.0	2	0.5	1005	0.17	<0.05	3.3	0.067	0.11
I357411		100	2.7	0.4	<0.002	<0.01	0.10	0.4	2	<0.2	891	<0.05	<0.05	<0.2	0.005	<0.02
I357412		320	30.3	166.0	0.007	0.04	0.68	19.5	2	2.8	173.5	0.96	0.06	18.7	0.408	0.86
I357413		320	17.6	33.2	<0.002	<0.01	0.43	6.8	1	1.0	24.2	0.34	<0.05	6.0	0.157	0.11

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 18- JUL- 2011
Account: RCM

Project: Rackla Gold (Rackla)

CERTIFICATE OF ANALYSIS WH11118893

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	Ag- OG62	Pb- OG62	Zn- OG62	Pb- VOL70	Zn- VOL50	As- OG62	Hg- CV42
	Analyte	U	V	W	Y	Zn	Zr	Ag	Pb	Zn	Pb	Zn	As	Hg
	Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	%	%	%	%	ppm
	LOR	0.1	1	0.1	0.1	2	0.5	1	0.001	0.001	0.01	0.01	0.001	0.1
I357396		0.4	9	0.7	1.2	>10000	5.3	353	>20.0	25.3	21.81		2.70	436
I357397		0.5	5	0.3	0.7	>10000	3.2	287	13.50	>30.0		43.82		750
I357398		3.6	144	0.2	4.1	788	19.8							
I357399		0.2	9	0.1	1.1	>10000	0.9		1.705	1.340				
I357400		0.1	6	1.3	0.9	>10000	2.7			13.40			1.555	249
I357401		13.4	11	0.1	5.0	64	14.2							
I357402		2.3	29	0.5	13.2	91	87.9							
I357403		3.9	37	0.6	13.3	69	83.1							
I357404		6.9	6	0.1	5.9	40	8.7							
I357405		6.9	10	0.2	7.7	49	16.8							
I357406		5.5	7	0.2	4.9	17	24.9							
I357407		4.7	17	0.3	8.5	29	52.7							
I357408		6.1	8	0.1	4.3	11	10.8							
I357409		3.4	15	0.2	6.0	14	12.2							
I357410		5.0	21	0.4	11.5	36	32.0							
I357411		0.2	1	0.1	0.8	7	1.5							
I357412		4.4	100	1.6	12.8	29	103.0							
I357413		0.8	36	0.9	6.6	76	38.5							

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 18- JUL- 2011
Account: RCM

Project: Rackla Gold (Rackla)

CERTIFICATE OF ANALYSIS WH11118893

Method	CERTIFICATE COMMENTS
ME- MS61	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown.
ME- MS61	REE's may not be totally soluble in this method.
Hg- CV41	Detection limits on samples requiring dilutions due to interferences or high concentration levels have been increased according to the dilution factor.
Hg- CV42	Detection limits on samples requiring dilutions due to interferences or high concentration levels have been increased according to the dilution factor.

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 18- JUL- 2011
Account: RCM

CERTIFICATE WH11120095

Project: Rackla- Regional

P.O. No.:

This report is for 23 Rock samples submitted to our lab in Whitehorse, YT, Canada on 4- JUL- 2011.

The following have access to data associated with this certificate:

ROB CARNE JULIA LANE	ANDREW CARNE JOAN MARIACHER	MATT DUMALA

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
WSH- 21	"Wash" crushers
WSH- 22	"Wash" pulverizers
CRU- 31	Fine crushing - 70% < 2mm
CRU- QC	Crushing QC Test
SPL- 21	Split sample - riffle splitter
PUL- QC	Pulverizing QC Test
PUL- 31	Pulverize split to 85% < 75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- AA26	Ore Grade Au 50g FA AA finish	AAS
ME- MS61	48 element four acid ICP- MS	
Hg- CV41	Trace Hg - cold vapor/AAS	FIMS
ME- OG62	Ore Grade Elements - Four Acid	ICP- AES
Pb- OG62	Ore Grade Pb - Four Acid	VARIABLE
Zn- OG62	Ore Grade Zn - Four Acid	VARIABLE
Zn- VOL50	Zn by titration	
Hg- CV42	High Grade Hg - cold vapor/AA	FIMS

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 18- JUL- 2011
Account: RCM

Project: Rackla- Regional

CERTIFICATE OF ANALYSIS WH11120095

Sample Description	Method / Analyte / Units / LOR	WEI- 21 Recvd Wt. kg 0.02	Au- AA26 Au ppm 0.01	ME- MS61 Ag ppm 0.01	ME- MS61 Al % 0.01	ME- MS61 As ppm 0.2	ME- MS61 Ba ppm 10	ME- MS61 Be ppm 0.05	ME- MS61 Bi ppm 0.01	ME- MS61 Ca % 0.01	ME- MS61 Cd ppm 0.02	ME- MS61 Ce ppm 0.01	ME- MS61 Co ppm 0.1	ME- MS61 Cr ppm 1	ME- MS61 Cs ppm 0.05	ME- MS61 Cu ppm 0.2
I357414		0.39	0.01	0.02	0.75	11	20	0.62	0.03	19.55	0.03	6.81	3.5	9	0.73	12.7
I357415		0.60	0.01	0.08	7.73	16.8	340	3.59	0.43	0.17	0.05	90.3	8.5	69	8.48	110.5
I357416		0.43	0.06	1.56	0.10	10	20	0.07	0.01	12.80	213	6.70	0.7	2	0.11	93.5
I357417		0.53	<0.01	0.02	0.20	130	20	0.29	0.04	30.2	0.12	5.88	1.2	4	0.22	8.3
I357418		0.60	<0.01	0.02	0.23	59	170	0.26	0.01	31.9	1.35	3.53	2.4	3	0.45	2.9
I357419		0.36	<0.01	0.02	0.26	<5	10	0.17	0.03	32.9	0.06	16.45	1.0	2	0.14	3.1
I357420		1.02	0.04	0.55	0.28	122.0	30	0.18	0.03	0.26	0.33	5.43	3.1	6	0.23	15.5
I357421		0.25	<0.01	0.06	1.24	7	160	0.19	0.06	33.3	1.21	14.85	14.1	11	0.93	6.3
I357422		0.47	0.11	1.47	0.09	55.7	20	0.05	0.03	3.03	99.5	2.96	0.7	<1	0.21	7.9
I357423		0.46	0.11	0.52	0.46	103.0	100	0.16	0.04	1.01	43.4	4.53	1.6	3	0.68	8.7
I357424		1.02	0.03	0.27	0.02	10.6	<10	<0.05	0.05	5.81	291	0.56	0.4	<1	<0.05	11.2
I079501		1.03	0.01	0.22	6.03	20	960	1.87	0.04	16.45	0.36	98.1	43.0	390	3.77	73.5
I079502		1.80	<0.01	0.10	4.47	8	1360	0.98	0.02	17.55	0.49	234	13.7	50	1.63	38.9
I079503		0.29	<0.01	2.05	2.25	255	910	0.93	0.03	15.35	0.62	113.0	35.1	66	7.23	22.3
I079504		0.13	<0.01	0.03	2.21	1.9	80	0.28	0.06	0.74	0.31	15.90	6.1	16	0.90	2.4
I079505		0.76	0.01	0.09	0.35	106.5	130	0.29	0.03	2.54	0.54	1.34	75.3	1420	1.96	12.3
I079506		1.08	<0.01	0.13	0.26	302	240	0.36	0.01	0.17	1.39	0.75	61.8	1100	1.45	2.9
I079507		0.50	<0.01	0.03	0.37	2.7	60	0.88	0.01	2.90	0.11	0.60	84.0	1420	1.58	4.5
I079508		0.15	<0.01	0.03	0.32	59.8	30	0.08	0.01	6.62	0.06	0.20	82.5	1760	1.17	2.8
I079509		0.45	<0.01	0.01	0.11	<5	10	0.10	0.01	21.5	0.07	2.93	1.3	6	0.08	1.5
I079510		0.60	<0.01	0.03	0.31	8	40	0.14	0.01	34.5	0.51	8.69	0.9	6	0.30	2.4
I079511		0.15	<0.01	0.02	0.29	69	20	0.54	0.02	33.5	0.61	12.85	1.0	8	0.38	6.1
I079512		0.41	0.01	0.06	4.06	2.2	210	0.76	0.09	2.52	0.04	40.6	6.4	36	1.64	5.4

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 18- JUL- 2011
Account: RCM

Project: Rackla- Regional

CERTIFICATE OF ANALYSIS WH11120095

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	Hg- CV41	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
	Units	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOR	0.01	0.05	0.05	0.1	0.01	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2
I357414		3.41	2.51	0.05	0.2	0.03	0.010	0.12	2.8	4.5	8.84	434	0.09	0.07	1.5	5.3
I357415		9.28	21.6	0.24	2.7	0.13	0.068	2.43	50.4	65.5	0.76	284	1.02	0.47	11.1	26.9
I357416		1.26	23.1	0.48	<0.1	>100	0.022	0.04	3.2	2.4	7.93	1050	0.06	<0.01	0.3	1.2
I357417		2.70	0.58	0.10	0.1	0.19	<0.005	0.05	2.5	1.3	3.73	230	0.26	0.01	0.4	4.2
I357418		0.99	0.91	<0.05	<0.1	0.45	<0.005	0.06	2.3	2.9	2.07	997	0.14	<0.01	0.5	4.5
I357419		0.27	0.65	<0.05	<0.1	0.22	0.006	0.11	11.0	3.9	0.19	268	0.09	<0.01	0.6	2.7
I357420		>50	1.48	1.82	<0.1	1.49	0.005	0.09	3.7	2.7	0.21	30	3.93	<0.01	1.8	12.9
I357421		0.56	2.91	0.09	0.5	1.63	0.011	0.54	9.2	12.6	0.20	380	0.08	0.01	2.5	11.1
I357422		14.70	4.56	20.6	<0.1	>100	0.018	0.03	1.8	2.7	1.77	372	0.14	0.01	0.3	1.3
I357423		39.3	4.44	31.1	0.2	35.0	0.008	0.18	2.8	7.6	0.61	205	0.17	0.01	1.3	7.1
I357424		0.62	0.93	4.60	<0.1	58.3	<0.005	<0.01	<0.5	1.8	3.40	167	0.07	0.01	0.1	0.9
I079501		5.40	15.35	0.21	3.5	0.14	0.062	1.20	47.6	21.5	1.79	1720	0.46	1.48	44.6	290
I079502		3.74	11.35	0.23	3.5	0.17	0.029	0.41	133.5	21.0	1.85	1240	0.22	2.54	92.3	36.4
I079503		7.37	8.87	0.29	1.6	0.40	0.054	1.03	58.9	24.1	3.47	13750	0.33	0.03	43.4	70.0
I079504		3.05	4.99	0.10	0.6	0.26	0.010	0.23	5.8	30.1	0.36	911	0.30	0.73	1.7	8.9
I079505		3.45	1.00	0.19	<0.1	0.19	<0.005	0.07	0.7	3.9	10.75	833	0.40	0.01	0.4	1600
I079506		4.55	0.65	0.12	<0.1	0.20	<0.005	0.05	<0.5	6.2	16.40	1300	0.21	0.01	0.3	994
I079507		4.69	0.73	0.21	<0.1	0.61	0.005	0.02	<0.5	15.7	16.60	810	0.35	0.01	0.5	1690
I079508		5.34	0.50	0.22	<0.1	0.32	<0.005	0.01	<0.5	25.5	5.98	584	0.30	0.01	0.5	1240
I079509		0.85	0.41	0.06	0.1	0.07	<0.005	0.03	1.5	2.1	11.45	832	0.07	0.01	0.5	5.7
I079510		0.25	0.64	0.05	0.2	0.16	<0.005	0.12	5.1	2.8	0.20	90	0.07	0.01	0.8	5.8
I079511		1.40	0.99	<0.05	0.3	0.09	<0.005	0.08	7.1	4.8	0.55	723	0.07	<0.01	0.9	5.3
I079512		1.80	8.80	0.06	2.0	0.02	0.020	1.05	20.8	24.4	0.24	394	0.27	1.19	5.0	14.7

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 18- JUL- 2011
Account: RCM

Project: Rackla- Regional

CERTIFICATE OF ANALYSIS WH11120095

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
	LOR	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02
I357414		190	2.0	7.2	<0.002	<0.01	0.10	3.8	1	0.2	319	0.09	<0.05	0.7	0.064	0.05
I357415		310	21.3	141.5	0.002	0.07	0.91	14.0	2	2.4	107.0	0.85	0.10	14.9	0.365	0.69
I357416		120	23.3	1.5	<0.002	0.02	2.98	0.2	9	0.6	41.4	<0.05	<0.05	0.3	0.006	<0.02
I357417		990	45.9	1.7	<0.002	<0.01	3.83	0.4	1	<0.2	27.0	<0.05	<0.05	0.5	0.008	<0.02
I357418		270	29.7	3.4	<0.002	<0.01	1.35	0.5	1	<0.2	28.2	<0.05	<0.05	0.3	0.005	0.07
I357419		290	6.7	3.6	<0.002	<0.01	0.49	1.5	1	<0.2	406	<0.05	<0.05	0.6	0.010	<0.02
I357420		510	182.5	4.2	<0.002	0.01	17.65	0.8	2	0.3	8.3	<0.05	<0.05	0.7	0.008	0.10
I357421		930	23.8	18.5	<0.002	<0.01	0.41	1.5	1	0.4	390	0.14	<0.05	3.3	0.049	0.09
I357422		380	>10000	1.1	<0.002	6.37	15.75	0.1	15	0.4	10.2	<0.05	<0.05	0.2	<0.005	1.45
I357423		550	6590	6.7	<0.002	2.54	31.9	0.7	9	0.2	10.1	<0.05	<0.05	1.4	0.017	0.61
I357424		30	>10000	0.3	<0.002	>10.0	4.03	0.1	33	<0.2	18.5	<0.05	<0.05	<0.2	<0.005	0.32
I079501		1920	28.6	57.0	<0.002	0.05	0.17	16.2	1	1.4	626	2.77	<0.05	5.2	1.210	0.22
I079502		1660	192.5	16.3	<0.002	0.04	0.19	5.7	2	0.9	884	5.05	<0.05	8.6	0.578	0.04
I079503		1800	26.2	80.1	<0.002	0.74	20.8	10.3	2	0.8	817	2.47	<0.05	3.2	0.760	0.64
I079504		290	173.0	14.9	<0.002	0.02	0.17	1.8	1	0.3	27.0	0.12	<0.05	2.9	0.034	0.06
I079505		20	9.7	9.7	<0.002	0.43	5.70	4.4	3	<0.2	272	<0.05	<0.05	<0.2	0.007	0.06
I079506		10	16.2	6.1	<0.002	0.09	14.85	3.7	1	<0.2	7.4	<0.05	<0.05	<0.2	<0.005	0.04
I079507		40	4.3	1.6	<0.002	<0.01	6.67	4.5	1	<0.2	59.2	<0.05	<0.05	<0.2	0.012	0.03
I079508		20	13.1	0.6	<0.002	0.01	0.15	6.2	<1	<0.2	188.5	<0.05	<0.05	<0.2	0.005	0.03
I079509		90	6.8	1.4	<0.002	0.01	0.75	0.4	1	<0.2	47.7	<0.05	<0.05	0.3	0.005	<0.02
I079510		130	19.4	4.2	<0.002	0.01	0.58	1.1	1	<0.2	1015	<0.05	<0.05	0.8	0.012	0.02
I079511		1290	34.5	3.5	<0.002	<0.01	4.71	1.6	1	<0.2	46.2	<0.05	<0.05	0.9	0.014	0.02
I079512		80	28.8	49.9	<0.002	0.31	0.26	4.3	1	0.9	152.5	0.40	<0.05	9.0	0.156	0.28

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 18- JUL- 2011
Account: RCM

Project: Rackla- Regional

CERTIFICATE OF ANALYSIS WH11120095

Sample Description	Method Analyte Units LOR	ME- MS61 U ppm 0.1	ME- MS61 V ppm 1	ME- MS61 W ppm 0.1	ME- MS61 Y ppm 0.1	ME- MS61 Zn ppm 2	ME- MS61 Zr ppm 0.5	Pb- OG62 Pb % 0.001	Zn- OG62 Zn % 0.001	Zn- VOL50 Zn % 0.01	Hg- CV42 Hg ppm 0.1
I357414		0.2	46	0.1	8.4	16	17.6				
I357415		3.8	76	1.3	18.5	184	92.7				
I357416		0.5	1	0.1	4.3	>10000	5.1		12.85		121.5
I357417		0.9	4	0.3	2.8	408	4.7				
I357418		0.3	1	0.3	3.5	488	3.7				
I357419		0.5	1	0.1	8.7	28	8.1				
I357420		28.9	5	0.6	4.3	796	6.9				
I357421		5.1	7	0.3	7.5	205	18.2				
I357422		1.2	1	0.1	1.5	>10000	1.7	2.28	>30.0	31.50	179.5
I357423		3.0	4	0.1	2.4	>10000	7.6		11.20		
I357424		0.2	<1	<0.1	0.3	>10000	<0.5	11.25	>30.0	38.56	
I079501		3.2	206	0.9	17.2	441	155.0				
I079502		0.9	94	0.7	22.6	597	204				
I079503		0.9	100	1.9	13.6	219	66.7				
I079504		0.5	8	0.3	5.5	662	19.4				
I079505		0.1	17	<0.1	0.7	216	1.3				
I079506		0.1	13	0.1	0.3	233	3.7				
I079507		<0.1	29	0.1	0.7	84	1.2				
I079508		0.1	24	0.1	0.3	92	3.6				
I079509		0.9	1	0.1	1.7	78	2.5				
I079510		1.6	4	0.1	5.7	69	7.6				
I079511		2.5	3	0.5	11.8	228	15.4				
I079512		1.4	26	0.5	9.9	54	73.2				

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 18- JUL- 2011
Account: RCM

Project: Rackla- Regional

CERTIFICATE OF ANALYSIS WH11120095

Method	CERTIFICATE COMMENTS
ME- MS61	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown.
ME- MS61	REE's may not be totally soluble in this method.
Hg- CV41	Detection limits on samples requiring dilutions due to interferences or high concentration levels have been increased according to the dilution factor.

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 30- JUL- 2011
Account: RCM

CERTIFICATE WH11121179

Project: Rackla- Pharoah Silts

P.O. No.:

This report is for 140 Stream Sediment samples submitted to our lab in Whitehorse, YT, Canada on 29- JUN- 2011.

The following have access to data associated with this certificate:

ROB CARNE JULIA LANE	ANDREW CARNE JOAN MARIACHER	MATT DUMALA

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
SCR- 41	Screen to - 180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- ST43	Super Trace Au - 25g AR	ICP- MS
ME- MS41	51 anal. aqua regia ICPMS	

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 30- JUL- 2011
Account: RCM

Project: Rackla- Pharoah Silts

CERTIFICATE OF ANALYSIS WH11121179

Sample Description	Method	WEI- 21	Au- ST43	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Recvd Wt.	Au	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.02	0.0001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
CC129101		0.35	0.0042	0.18	1.02	26.5	<0.2	<10	60	0.96	0.41	0.89	0.17	17.30	17.6	21
CC129102		0.39	0.0021	0.14	1.23	27.0	<0.2	<10	50	1.15	0.48	0.28	0.11	24.2	23.4	23
CC129103		0.30	0.0017	0.12	1.09	25.9	<0.2	<10	40	1.08	0.46	0.31	0.11	23.5	23.9	23
CC129104		0.35	0.0025	0.14	1.17	27.4	<0.2	<10	50	1.11	0.46	0.34	0.10	21.8	22.3	23
CC129105		0.47	0.0023	0.09	1.22	21.6	<0.2	<10	60	0.88	0.37	0.36	0.18	23.3	17.3	22
CC129106		0.42	0.0024	0.12	0.95	63.5	<0.2	<10	80	1.03	0.46	0.40	0.13	24.1	22.3	19
CC129107		0.43	0.0029	0.13	1.19	75.1	<0.2	<10	100	1.20	0.50	0.28	0.14	28.3	24.7	22
CC129108		0.52	0.0024	0.10	0.89	111.5	<0.2	<10	70	0.88	0.42	0.24	0.10	21.5	18.2	19
CC129109		0.26	0.0050	0.20	1.26	48.2	<0.2	<10	150	1.02	0.31	1.26	0.18	19.65	17.1	26
CC129110		0.48	0.0024	0.12	1.12	36.5	<0.2	<10	70	1.03	0.45	0.34	0.12	20.5	21.4	22
CC129111		0.37	0.0021	0.13	1.06	35.7	<0.2	<10	60	0.97	0.40	0.37	0.12	19.90	20.3	21
CC129112		0.29	0.0023	0.09	1.16	27.1	<0.2	<10	70	0.93	0.37	0.41	0.09	21.6	15.0	21
CC129113		0.34	0.0024	0.14	1.38	24.2	<0.2	<10	70	1.04	0.34	0.61	0.20	30.0	16.8	24
CC129114		0.54	0.0029	0.12	1.30	24.7	<0.2	<10	60	1.02	0.35	0.62	0.17	28.8	18.1	22
CC129115		0.30	0.0022	0.12	1.32	23.6	<0.2	<10	70	0.97	0.35	0.63	0.15	25.9	17.8	23
CC129116		0.33	0.0026	0.12	1.40	22.6	<0.2	<10	70	1.03	0.34	0.47	0.15	28.1	17.6	25
CC129117		0.37	0.0024	0.12	1.41	22.4	<0.2	<10	70	0.97	0.34	0.58	0.15	26.1	17.3	24
CC129118		0.28	0.0027	0.11	1.37	21.6	<0.2	<10	80	0.96	0.33	0.64	0.11	24.8	16.2	23
CC129119		0.36	0.0005	0.09	1.24	10.5	<0.2	<10	60	0.80	0.30	0.19	0.21	15.05	12.1	19
CC129120		0.24	0.0010	0.14	1.28	23.6	<0.2	<10	70	0.99	0.39	0.53	0.14	13.70	10.3	19
CC129121		0.30	0.0080	0.15	1.01	32.2	<0.2	<10	50	0.67	0.31	0.56	0.17	15.75	10.9	16
CC129122		0.29	0.0090	0.32	1.76	42.6	<0.2	<10	90	0.96	0.33	0.59	0.16	19.95	14.2	31
CC129123		0.50	0.0036	0.17	1.71	50.7	<0.2	<10	60	0.93	0.32	0.21	0.18	34.3	21.5	27
CC129124		0.40	0.0054	0.14	1.30	42.1	<0.2	<10	50	0.83	0.35	0.22	0.18	30.8	21.9	22
CC129125		0.32	0.0023	0.11	0.93	28.8	<0.2	<10	40	1.06	0.41	0.33	0.15	20.8	21.8	15
CC129126		0.35	0.0041	0.11	1.20	47.7	<0.2	<10	40	0.82	0.32	0.21	0.15	28.8	22.9	20
CC129127		0.37	0.0042	0.09	1.69	34.5	<0.2	<10	50	1.06	0.42	0.22	0.12	18.20	25.1	23
CC129128		0.32	0.0009	0.09	0.79	58.3	<0.2	<10	40	0.95	0.38	0.32	0.08	15.20	18.6	14
CC129129		0.45	0.0029	0.10	1.59	38.8	<0.2	<10	50	1.13	0.40	0.20	0.12	20.0	24.6	23
CC129130		0.35	0.0030	0.08	1.60	34.4	<0.2	<10	50	1.08	0.40	0.20	0.11	18.60	23.5	23
CC127981		0.22	0.0011	0.20	1.73	16.9	<0.2	<10	110	8.86	0.34	0.57	0.82	36.6	147.5	17
CC127982		0.33	0.0005	0.08	1.25	13.8	<0.2	<10	40	1.18	0.42	0.29	0.13	14.55	20.5	17
CC127983		0.30	0.0009	0.13	1.39	17.8	<0.2	<10	40	1.46	0.45	0.48	0.10	17.20	21.4	19
CC127984		0.56	0.0014	0.07	1.99	22.2	<0.2	<10	50	1.51	0.47	0.12	0.09	22.2	34.0	27
CC127985		0.35	0.0017	0.10	1.96	20.0	<0.2	<10	50	1.37	0.48	0.26	0.09	21.6	30.1	27
CC127986		0.26	0.0010	0.14	1.17	17.6	<0.2	<10	70	1.14	0.43	0.47	0.16	15.25	18.4	19
CC127987		0.32	0.0106	0.14	1.34	39.7	<0.2	<10	40	1.24	0.43	0.23	0.38	16.75	26.8	20
CC127988		0.28	0.0026	0.10	1.70	22.6	<0.2	<10	50	1.39	0.41	0.23	0.12	17.00	27.7	23
CC127989		0.35	0.0043	0.10	1.58	29.1	<0.2	<10	40	1.25	0.42	0.18	0.12	16.70	25.5	22
CC127990		0.32	0.0039	0.08	1.64	26.4	<0.2	<10	40	1.18	0.38	0.18	0.12	17.20	25.4	23

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 30- JUL- 2011
Account: RCM

Project: Rackla- Pharoah Silts

CERTIFICATE OF ANALYSIS WH11121179

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
CC129101		4.08	44.1	4.01	3.19	0.12	0.07	0.18	0.030	0.10	7.5	29.1	0.36	509	0.69	<0.01
CC129102		2.48	53.7	4.67	3.91	0.11	0.05	0.14	0.033	0.07	10.1	38.9	0.62	475	0.73	<0.01
CC129103		2.50	50.3	4.50	3.45	0.11	0.05	0.15	0.035	0.06	9.9	34.3	0.65	457	0.67	<0.01
CC129104		3.27	49.6	4.61	3.74	0.12	0.05	0.18	0.033	0.07	9.6	37.6	0.62	550	0.68	<0.01
CC129105		1.72	38.9	3.99	3.76	0.11	0.11	0.06	0.023	0.06	10.1	32.7	0.59	565	0.54	<0.01
CC129106		2.06	48.4	4.75	3.10	0.13	0.05	0.14	0.031	0.07	9.4	25.9	0.49	558	0.55	<0.01
CC129107		2.13	51.4	5.01	3.91	0.13	0.05	0.11	0.034	0.06	11.4	34.0	0.57	581	0.66	<0.01
CC129108		1.55	46.6	4.39	2.82	0.10	0.03	0.16	0.029	0.06	8.2	20.3	0.36	414	0.50	<0.01
CC129109		4.47	43.5	3.57	3.80	0.12	0.17	0.13	0.034	0.11	9.7	29.5	0.85	632	0.71	<0.01
CC129110		3.03	48.5	4.60	3.47	0.10	0.05	0.17	0.029	0.07	9.2	33.5	0.61	515	0.66	<0.01
CC129111		2.72	43.7	4.34	3.26	0.10	0.05	0.13	0.030	0.06	8.3	31.9	0.58	528	0.54	<0.01
CC129112		2.12	35.2	3.74	3.56	0.12	0.11	0.10	0.029	0.06	9.0	31.9	0.53	328	0.52	<0.01
CC129113		2.04	40.9	3.75	4.23	0.11	0.12	0.08	0.030	0.07	12.8	39.0	0.77	555	0.68	<0.01
CC129114		2.41	42.7	3.85	4.09	0.12	0.08	0.07	0.031	0.07	13.2	43.7	0.84	565	0.66	<0.01
CC129115		2.27	40.3	3.93	3.90	0.11	0.08	0.08	0.030	0.07	11.5	40.0	0.86	614	0.61	<0.01
CC129116		1.85	39.0	3.94	4.16	0.12	0.09	0.06	0.029	0.07	12.9	40.2	0.86	635	0.62	<0.01
CC129117		2.17	42.9	3.95	4.23	0.11	0.09	0.07	0.028	0.07	12.0	43.4	0.88	729	0.63	<0.01
CC129118		1.80	37.2	3.65	4.19	0.11	0.13	0.09	0.030	0.07	11.0	37.4	0.73	482	0.59	<0.01
CC129119		4.51	28.1	3.16	3.76	0.11	0.06	0.35	0.035	0.07	5.9	41.4	0.51	202	0.77	<0.01
CC129120		7.75	33.5	3.91	3.62	0.10	0.12	0.42	0.036	0.07	6.2	35.7	0.47	230	1.05	<0.01
CC129121		6.39	33.6	3.94	2.79	0.10	0.11	0.95	0.031	0.08	7.7	20.5	0.35	193	0.85	<0.01
CC129122		27.6	47.2	4.31	4.79	0.11	0.15	1.14	0.037	0.16	10.1	33.9	0.53	293	0.70	<0.01
CC129123		10.15	54.1	4.77	4.97	0.11	0.08	2.99	0.032	0.10	16.8	39.5	0.64	605	0.61	<0.01
CC129124		10.35	57.3	4.91	3.93	0.12	0.06	0.94	0.031	0.09	13.7	30.3	0.54	616	0.87	<0.01
CC129125		6.87	47.4	4.82	2.91	0.10	0.05	2.73	0.039	0.06	8.7	28.7	0.35	586	0.85	<0.01
CC129126		9.22	49.8	4.69	3.71	0.11	0.06	2.85	0.030	0.07	13.7	29.8	0.51	527	0.74	<0.01
CC129127		4.72	50.2	5.08	4.96	0.11	0.05	0.34	0.033	0.06	7.2	54.6	0.76	1580	0.66	<0.01
CC129128		9.85	39.7	3.97	2.65	0.10	0.06	16.55	0.031	0.07	5.9	24.6	0.31	792	0.58	<0.01
CC129129		5.08	49.5	4.86	4.93	0.11	0.06	0.41	0.036	0.07	8.4	52.7	0.71	1280	0.68	<0.01
CC129130		4.22	46.5	4.83	4.80	0.11	0.05	0.58	0.034	0.07	7.7	51.6	0.72	1300	0.59	<0.01
CC127981		5.63	120.0	4.01	3.95	0.15	0.10	0.10	0.045	0.08	15.4	69.2	0.51	6500	0.97	<0.01
CC127982		4.01	37.8	4.12	3.84	0.10	0.05	0.07	0.042	0.06	5.4	49.9	0.45	473	0.52	<0.01
CC127983		5.55	43.4	4.45	4.24	0.11	0.08	0.09	0.040	0.07	6.5	46.4	0.55	893	0.68	<0.01
CC127984		4.23	56.5	5.26	6.09	0.10	0.05	0.04	0.040	0.06	7.8	73.3	0.86	2400	0.60	<0.01
CC127985		4.45	54.3	5.04	6.11	0.11	0.07	0.03	0.039	0.07	7.9	72.3	0.86	1990	0.54	<0.01
CC127986		10.55	35.2	4.47	3.44	0.09	0.09	0.10	0.038	0.09	5.4	38.6	0.40	630	0.47	<0.01
CC127987		7.61	59.0	5.23	3.89	0.10	0.08	0.85	0.041	0.06	6.3	42.7	0.51	928	1.87	<0.01
CC127988		3.93	48.1	4.84	5.34	0.11	0.08	0.09	0.039	0.06	6.4	73.2	0.74	1980	0.64	<0.01
CC127989		3.80	48.8	4.85	4.96	0.11	0.06	0.30	0.035	0.05	6.3	68.3	0.69	1710	0.77	<0.01
CC127990		3.68	48.2	4.98	4.79	0.10	0.05	0.27	0.039	0.06	6.6	61.0	0.72	1590	0.73	<0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 30- JUL- 2011
Account: RCM

Project: Rackla- Pharoah Silts

CERTIFICATE OF ANALYSIS WH11121179

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
CC129101		0.20	37.8	830	32.3	8.1	0.001	0.09	1.64	3.4	2.4	0.3	59.4	<0.01	0.06	2.4
CC129102		0.12	47.0	710	34.3	5.1	<0.001	0.03	0.89	5.5	0.9	0.3	37.3	<0.01	0.05	6.2
CC129103		0.09	43.5	720	34.5	5.1	0.001	0.05	0.79	5.4	1.1	0.3	41.8	<0.01	0.05	6.9
CC129104		0.11	42.4	680	35.3	5.9	<0.001	0.05	0.88	5.4	1.3	0.3	44.0	<0.01	0.05	6.0
CC129105		0.17	35.7	680	26.7	5.9	<0.001	0.03	0.71	4.0	0.8	0.2	33.1	<0.01	0.04	4.1
CC129106		0.10	41.6	590	32.3	5.4	<0.001	0.02	1.46	4.3	1.2	0.2	44.4	<0.01	0.07	5.7
CC129107		0.12	43.6	630	34.1	5.9	<0.001	0.01	1.58	5.3	1.2	0.3	38.0	<0.01	0.04	5.6
CC129108		0.08	36.3	540	27.2	5.4	0.001	0.01	2.15	3.3	0.9	0.2	34.3	<0.01	0.07	3.1
CC129109		0.13	33.7	810	27.6	10.6	0.001	0.09	0.80	5.9	2.0	0.3	104.5	<0.01	0.03	4.1
CC129110		0.09	41.5	640	32.5	5.4	<0.001	0.06	1.00	5.2	1.0	0.3	42.0	<0.01	0.06	5.4
CC129111		0.09	38.4	590	30.2	5.4	<0.001	0.05	0.94	4.7	1.3	0.2	43.0	<0.01	0.06	5.3
CC129112		0.14	31.0	700	25.8	6.1	<0.001	0.04	0.71	4.2	1.2	0.2	43.7	<0.01	0.05	3.7
CC129113		0.21	34.9	970	25.5	7.1	<0.001	0.05	0.65	4.8	1.1	0.3	58.1	<0.01	0.04	3.5
CC129114		0.15	37.3	830	26.8	5.6	0.001	0.03	0.71	5.0	0.8	0.3	54.1	<0.01	0.06	5.5
CC129115		0.15	35.0	810	26.0	5.6	<0.001	0.04	0.66	4.8	0.9	0.2	53.7	<0.01	0.08	5.3
CC129116		0.19	35.1	880	25.1	5.5	0.001	0.03	0.62	5.0	1.0	0.3	48.9	<0.01	0.06	5.1
CC129117		0.17	35.8	820	25.8	5.8	<0.001	0.04	0.67	4.9	1.1	0.3	53.2	<0.01	0.06	5.0
CC129118		0.22	32.2	790	23.8	6.5	<0.001	0.05	0.65	4.5	0.9	0.3	63.5	<0.01	0.03	3.8
CC129119		0.16	26.7	500	23.1	6.3	0.001	0.09	1.28	4.9	1.6	0.3	23.3	<0.01	0.03	5.7
CC129120		0.22	26.4	850	22.7	10.1	0.001	0.07	2.21	5.0	1.6	0.3	46.9	<0.01	0.04	3.4
CC129121		0.16	25.0	820	21.1	8.5	0.001	0.09	7.04	4.8	1.2	0.2	58.2	<0.01	0.04	2.3
CC129122		0.28	32.4	1020	21.1	17.5	<0.001	0.08	11.85	8.4	1.4	0.4	74.6	<0.01	0.05	2.6
CC129123		0.15	36.8	720	21.2	9.7	<0.001	0.03	25.0	6.7	0.9	0.3	26.2	<0.01	0.05	3.5
CC129124		0.12	39.1	640	24.3	7.1	0.001	0.03	8.40	6.5	0.8	0.2	28.4	<0.01	0.07	4.0
CC129125		0.08	41.1	630	27.6	5.9	<0.001	0.03	3.25	6.0	0.9	0.3	35.6	<0.01	0.07	4.1
CC129126		0.10	36.3	550	23.4	6.4	0.001	0.03	7.20	5.8	0.9	0.2	27.0	<0.01	0.07	3.9
CC129127		0.06	41.4	530	31.9	4.5	<0.001	0.08	2.63	5.2	0.8	0.3	29.9	<0.01	0.07	4.4
CC129128		0.09	35.5	530	25.6	6.8	<0.001	0.03	3.23	4.7	1.0	0.3	36.2	<0.01	0.05	4.0
CC129129		0.09	43.7	510	30.6	5.6	0.001	0.05	3.00	5.5	1.0	0.3	30.8	<0.01	0.07	4.7
CC129130		0.09	41.5	500	29.2	5.3	<0.001	0.05	2.31	5.1	0.4	0.3	29.1	<0.01	0.06	4.7
CC127981		0.13	218	1050	37.4	9.4	<0.001	0.06	0.38	6.5	2.7	0.4	47.5	<0.01	0.07	4.2
CC127982		0.17	37.4	600	31.3	6.9	0.001	0.04	0.31	5.9	1.0	0.4	19.5	<0.01	0.05	3.7
CC127983		0.19	37.0	870	39.0	8.5	<0.001	0.05	0.42	5.9	1.0	0.4	50.5	<0.01	0.05	3.0
CC127984		0.07	47.1	590	48.5	5.0	0.001	0.02	0.85	5.6	0.7	0.4	32.0	<0.01	0.08	4.5
CC127985		0.11	45.8	590	44.3	5.5	<0.001	0.04	0.76	5.5	0.5	0.4	40.7	<0.01	0.09	4.6
CC127986		0.21	32.1	750	30.1	11.6	<0.001	0.06	0.51	5.3	1.0	0.4	48.7	<0.01	0.08	3.5
CC127987		0.14	47.3	740	33.1	6.1	<0.001	0.05	8.42	5.7	1.3	0.3	25.6	<0.01	0.08	3.5
CC127988		0.10	42.2	580	40.2	4.7	<0.001	0.06	1.43	5.0	0.8	0.3	36.8	<0.01	0.07	3.5
CC127989		0.09	42.7	520	37.0	4.2	<0.001	0.07	1.94	4.9	1.0	0.3	28.6	<0.01	0.07	3.7
CC127990		0.08	40.7	530	34.3	4.4	<0.001	0.08	2.38	5.1	1.0	0.3	29.0	<0.01	0.07	3.7

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 30- JUL- 2011
Account: RCM

Project: Rackla- Pharoah Silts

CERTIFICATE OF ANALYSIS WH11121179

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
CC129101		0.006	0.07	1.96	17	0.08	14.25	97	2.0
CC129102		<0.005	0.07	1.49	18	<0.05	11.10	115	2.1
CC129103		<0.005	0.06	1.64	17	<0.05	10.15	117	2.5
CC129104		<0.005	0.07	1.80	18	0.05	10.65	112	2.1
CC129105		0.005	0.06	1.86	19	0.05	9.84	106	3.3
CC129106		<0.005	0.05	1.66	17	0.05	10.25	110	2.1
CC129107		<0.005	0.06	2.25	20	0.05	13.50	116	2.2
CC129108		<0.005	0.06	1.59	17	0.06	8.85	105	0.8
CC129109		<0.005	0.08	3.67	18	<0.05	15.25	127	6.1
CC129110		<0.005	0.06	1.58	17	0.09	11.05	112	2.1
CC129111		<0.005	0.06	1.68	16	0.05	10.05	101	2.2
CC129112		<0.005	0.06	2.23	17	<0.05	9.85	84	3.2
CC129113		0.006	0.06	2.23	21	0.05	12.90	105	3.9
CC129114		0.006	0.07	1.60	20	<0.05	12.35	102	3.2
CC129115		0.006	0.06	1.52	20	<0.05	11.35	101	2.9
CC129116		0.007	0.06	1.80	22	<0.05	11.65	100	3.1
CC129117		0.006	0.06	1.90	21	<0.05	11.30	104	3.2
CC129118		0.006	0.06	2.93	20	0.05	11.25	89	3.9
CC129119		<0.005	0.06	0.50	18	<0.05	7.51	92	3.0
CC129120		<0.005	0.11	2.06	21	0.05	9.05	90	3.4
CC129121		<0.005	0.12	0.78	20	0.07	7.55	114	3.1
CC129122		0.006	0.14	1.92	30	0.06	12.40	102	3.9
CC129123		<0.005	0.09	0.72	32	0.05	9.18	104	2.3
CC129124		<0.005	0.09	0.73	26	0.05	9.11	108	2.0
CC129125		<0.005	0.10	0.68	16	<0.05	9.79	109	1.7
CC129126		<0.005	0.09	0.57	23	<0.05	8.06	98	2.0
CC129127		<0.005	0.10	0.95	20	<0.05	8.05	110	2.0
CC129128		<0.005	0.08	0.80	14	<0.05	7.53	86	2.0
CC129129		<0.005	0.09	0.95	19	<0.05	8.64	106	2.2
CC129130		<0.005	0.09	0.89	20	<0.05	8.03	104	2.2
CC127981		<0.005	0.14	2.76	14	0.05	37.2	436	2.8
CC127982		0.005	0.08	1.04	14	<0.05	10.65	110	1.7
CC127983		0.005	0.10	1.76	16	<0.05	13.00	114	2.4
CC127984		<0.005	0.08	1.28	19	<0.05	10.15	117	1.9
CC127985		<0.005	0.08	1.46	19	<0.05	10.30	115	2.4
CC127986		0.005	0.08	1.21	18	<0.05	12.45	106	2.4
CC127987		0.005	0.14	1.21	21	0.06	10.15	119	2.0
CC127988		<0.005	0.08	1.54	17	<0.05	9.32	105	2.4
CC127989		<0.005	0.09	1.21	17	<0.05	8.79	102	2.3
CC127990		<0.005	0.09	1.09	19	<0.05	8.29	105	1.8

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 30- JUL- 2011
Account: RCM

Project: Rackla- Pharoah Silts

CERTIFICATE OF ANALYSIS WH11121179

Sample Description	Method	WEI- 21	Au- ST43	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Recvd Wt.	Au	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.02	0.0001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
CC127991		0.34	0.0044	0.10	1.60	30.8	<0.2	<10	50	1.19	0.37	0.21	0.12	18.25	24.2	22
CC127992		0.40	0.0044	0.07	1.50	28.7	<0.2	<10	40	0.98	0.36	0.17	0.10	14.85	20.8	21
CC127993		0.36	0.0038	0.08	1.51	33.5	<0.2	<10	40	1.06	0.34	0.25	0.11	14.80	20.6	22
CC127994		0.42	0.0042	0.07	1.44	31.8	<0.2	<10	40	0.99	0.33	0.20	0.12	15.30	20.6	20
CC127995		0.33	0.0039	0.07	1.42	35.4	<0.2	<10	40	0.96	0.37	0.27	0.14	15.35	20.2	21
CC127996		0.36	0.0023	0.08	1.33	31.6	<0.2	<10	40	1.15	0.39	0.25	0.12	16.50	29.6	20
CC127997		0.50	0.0018	0.07	1.29	30.4	<0.2	<10	40	1.15	0.35	0.20	0.10	14.55	25.3	20
CC127998		0.43	0.0014	0.13	1.64	19.4	<0.2	<10	50	1.42	0.38	0.58	0.10	14.95	25.5	23
CC128509		0.46	0.0020	0.07	1.31	32.4	<0.2	<10	40	1.15	0.36	0.19	0.11	16.25	26.1	20
CC128510		0.33	0.0002	0.08	1.14	14.8	<0.2	<10	130	3.90	0.33	0.42	0.18	10.10	21.7	16
CC128511		0.48	0.0010	0.05	1.27	13.5	<0.2	<10	40	0.68	0.38	0.20	0.05	8.55	14.8	17
CC128512		0.38	0.0019	0.07	1.35	29.4	<0.2	<10	30	1.16	0.37	0.26	0.11	15.45	25.5	20
CC128513		0.37	0.0017	0.08	1.49	30.6	<0.2	<10	50	1.45	0.38	0.27	0.13	15.30	28.1	22
CC128514		0.51	0.0018	0.08	1.47	28.1	<0.2	<10	40	1.16	0.36	0.18	0.10	14.65	25.0	22
CC128515		0.53	0.0023	0.06	2.11	17.1	<0.2	<10	60	1.38	0.37	0.23	0.12	15.55	24.8	34
CC128516		0.42	0.0013	0.07	1.49	24.8	<0.2	<10	40	1.24	0.36	0.30	0.09	13.65	25.7	21
CC128517		0.29	0.0011	0.10	1.70	10.7	<0.2	<10	40	1.02	0.30	0.83	0.10	12.50	13.4	27
CC128518		0.21	0.0016	0.13	1.51	7.4	<0.2	<10	40	0.95	0.28	1.11	0.13	11.35	11.6	26
CC128519		0.41	0.0017	0.16	1.52	26.7	<0.2	<10	50	1.17	0.37	0.21	0.10	14.40	25.4	22
CC128520		0.19	0.0025	0.42	2.60	8.3	<0.2	<10	300	17.25	0.23	1.72	1.26	13.90	80.1	12
CC128521		0.36	0.0034	0.41	2.63	19.8	<0.2	<10	110	4.93	0.37	0.37	0.43	11.95	28.0	23
CC128522		0.35	0.0018	0.08	1.52	25.8	<0.2	<10	40	1.26	0.34	0.26	0.09	13.30	24.8	22
CC128523		0.17	0.0020	0.09	1.57	21.1	<0.2	<10	50	1.10	0.35	0.67	0.16	13.05	22.0	23
CC128555		0.43	0.0001	0.06	1.06	12.8	<0.2	<10	80	1.05	0.36	0.54	0.17	13.85	13.3	15
CC128556		0.55	0.0011	0.12	1.17	14.4	<0.2	<10	80	1.16	0.37	0.52	0.27	22.5	14.4	19
CC128557		0.21	0.0006	0.07	1.07	9.2	<0.2	<10	80	0.88	0.28	1.33	0.14	14.95	8.6	14
CC128558		0.29	0.0001	0.08	0.67	11.9	<0.2	<10	60	1.05	0.33	1.39	0.13	12.85	15.3	12
CC128559		0.52	0.0002	0.09	1.21	16.9	<0.2	<10	60	1.14	0.40	2.14	0.16	20.5	19.2	15
CC128560		0.68	0.0005	0.09	1.27	20.1	<0.2	<10	70	1.36	0.55	1.51	0.10	14.40	27.0	17
CC128561		0.39	0.0005	0.08	1.03	12.9	<0.2	<10	80	1.08	0.38	0.95	0.12	18.20	17.0	15
CC128562		0.58	0.0008	0.09	1.09	13.2	<0.2	<10	80	1.11	0.39	0.60	0.17	18.35	14.2	17
CC128563		0.46	0.0008	0.11	0.92	16.8	<0.2	<10	80	1.28	0.46	0.35	0.28	33.9	20.6	19
CC128564		0.53	0.0008	0.06	1.02	13.0	<0.2	<10	60	0.93	0.42	0.12	0.14	16.90	13.4	15
CC128565		0.31	0.0007	0.08	1.01	13.0	<0.2	<10	70	0.92	0.38	0.63	0.10	17.60	14.8	14
CC128566		0.62	0.0002	0.09	0.91	13.9	<0.2	<10	40	0.68	0.40	7.54	0.09	14.00	22.0	12
CC128567		0.42	0.0004	0.11	1.24	13.2	<0.2	<10	80	1.06	0.40	0.64	0.22	20.9	13.9	18
CC128568		0.50	0.0005	0.09	0.95	13.4	<0.2	<10	60	1.00	0.41	0.74	0.11	16.40	17.0	15
CC128569		0.39	0.0001	0.10	0.89	13.7	<0.2	<10	90	0.96	0.36	0.78	0.11	15.85	11.9	13
CC128570		0.40	0.0010	0.09	1.05	13.7	<0.2	<10	60	0.92	0.38	0.81	0.21	16.25	14.7	14
CC128571		0.36	0.0002	0.07	0.81	12.3	<0.2	<10	50	0.72	0.30	4.50	0.13	12.60	14.1	11

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 30- JUL- 2011
Account: RCM

Project: Rackla- Pharoah Silts

CERTIFICATE OF ANALYSIS WH11121179

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
CC127991		4.17	47.7	4.92	4.94	0.11	0.08	0.30	0.036	0.06	7.5	60.8	0.70	1360	0.67	<0.01
CC127992		3.84	42.7	4.67	4.18	0.10	0.05	13.25	0.032	0.05	6.2	56.6	0.67	1460	0.58	<0.01
CC127993		4.40	42.5	4.72	4.38	0.10	0.07	0.34	0.035	0.07	6.2	55.7	0.69	1100	0.60	<0.01
CC127994		4.16	42.2	4.48	4.21	0.10	0.05	0.32	0.031	0.06	6.5	54.0	0.65	1220	0.63	<0.01
CC127995		3.75	43.5	4.67	4.30	0.11	0.08	0.37	0.032	0.06	6.7	53.8	0.66	954	0.67	<0.01
CC127996		4.63	50.4	4.24	4.14	0.12	0.07	0.82	0.030	0.07	6.7	53.6	0.58	1100	0.55	0.02
CC127997		3.72	47.8	4.70	3.86	0.09	0.06	0.65	0.033	0.04	6.2	48.5	0.57	1120	0.54	<0.01
CC127998		4.51	53.4	4.71	4.55	0.10	0.11	0.06	0.041	0.08	5.9	57.5	0.69	1400	0.71	<0.01
CC128509		4.20	52.2	4.76	4.26	0.11	0.05	4.25	0.037	0.05	6.9	52.6	0.58	1020	0.58	<0.01
CC128510		9.15	35.9	4.38	3.64	0.10	0.08	0.07	0.033	0.06	9.3	48.8	0.43	5530	0.48	<0.01
CC128511		3.83	29.8	4.10	5.24	0.08	0.04	0.06	0.033	0.05	4.2	33.3	0.31	708	0.53	<0.01
CC128512		3.98	45.8	4.43	4.18	0.10	0.07	0.81	0.038	0.05	6.7	52.9	0.61	1000	0.51	<0.01
CC128513		4.14	54.2	4.93	4.39	0.10	0.06	0.26	0.039	0.05	6.7	59.3	0.65	1290	0.57	<0.01
CC128514		3.85	51.4	4.79	4.23	0.10	0.06	0.26	0.033	0.05	6.6	54.0	0.64	1260	0.54	<0.01
CC128515		3.46	58.5	4.62	6.22	0.12	0.09	0.10	0.031	0.06	6.7	81.5	1.28	1360	0.53	<0.01
CC128516		3.45	52.2	4.61	4.54	0.11	0.07	0.73	0.035	0.05	5.9	62.3	0.68	1080	0.52	<0.01
CC128517		5.87	32.6	3.86	5.05	0.09	0.11	0.09	0.034	0.06	6.1	66.3	0.68	709	0.45	<0.01
CC128518		8.61	30.1	3.29	4.25	0.09	0.11	0.13	0.029	0.07	5.7	52.3	0.60	384	0.44	<0.01
CC128519		3.30	55.6	4.82	4.35	0.09	0.07	0.24	0.037	0.06	6.6	56.5	0.68	1260	0.61	<0.01
CC128520		11.55	144.0	2.20	3.15	0.13	0.09	0.23	0.024	0.06	12.9	234	0.49	22000	0.73	0.01
CC128521		7.77	144.5	4.61	6.28	0.10	0.07	0.16	0.038	0.05	7.3	227	0.42	19100	0.86	<0.01
CC128522		3.12	51.5	4.63	4.69	0.10	0.07	0.25	0.035	0.05	5.9	58.6	0.69	1080	0.52	<0.01
CC128523		2.45	47.1	4.43	4.62	0.09	0.11	0.14	0.033	0.06	5.7	53.6	0.71	1190	0.50	<0.01
CC128555		1.30	23.6	4.37	3.21	0.09	0.06	0.07	0.052	0.07	4.9	25.7	0.26	549	0.58	<0.01
CC128556		1.02	32.2	4.60	3.45	0.12	0.11	0.08	0.047	0.06	10.6	31.9	0.36	545	0.72	<0.01
CC128557		3.67	21.6	3.23	2.90	0.09	0.08	0.04	0.037	0.05	5.5	43.2	0.32	266	0.57	<0.01
CC128558		1.42	29.0	4.24	2.04	0.09	0.04	0.19	0.049	0.06	5.0	21.0	0.27	456	0.47	<0.01
CC128559		0.98	40.6	4.69	3.28	0.11	0.05	0.11	0.048	0.06	7.5	38.2	0.42	897	0.54	<0.01
CC128560		1.54	52.0	5.09	3.93	0.09	0.09	0.10	0.057	0.07	5.3	48.1	0.45	745	0.62	<0.01
CC128561		0.78	34.8	4.67	3.03	0.10	0.09	0.12	0.047	0.06	6.9	32.7	0.33	652	0.45	<0.01
CC128562		1.05	32.9	4.55	3.10	0.10	0.09	0.13	0.055	0.06	7.3	32.7	0.30	477	0.54	<0.01
CC128563		0.85	38.5	5.15	2.56	0.10	0.11	0.33	0.057	0.06	8.1	16.7	0.21	835	0.70	<0.01
CC128564		1.61	34.5	4.14	3.05	0.06	0.06	0.12	0.054	0.06	4.9	24.4	0.19	594	0.67	0.01
CC128565		1.18	34.2	4.17	3.00	0.07	0.11	0.11	0.053	0.06	5.7	32.4	0.30	364	0.56	0.02
CC128566		0.83	37.2	3.72	2.45	0.06	0.09	0.08	0.048	0.07	4.3	31.8	0.33	785	0.49	0.02
CC128567		0.87	34.0	4.53	3.47	0.08	0.12	0.10	0.058	0.07	7.5	31.5	0.33	492	0.57	0.02
CC128568		1.31	40.5	4.50	2.79	0.08	0.10	0.16	0.053	0.07	5.3	27.8	0.28	430	0.53	0.02
CC128569		1.92	26.7	4.40	2.55	0.07	0.05	0.31	0.056	0.05	4.8	22.4	0.20	319	0.72	0.02
CC128570		0.80	35.9	4.40	3.02	0.08	0.13	0.11	0.052	0.09	5.3	30.2	0.30	504	0.57	0.02
CC128571		1.44	29.9	3.50	2.22	0.06	0.06	0.10	0.041	0.06	3.9	29.8	0.36	506	0.46	0.02

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 30- JUL- 2011
Account: RCM

Project: Rackla- Pharoah Silts

CERTIFICATE OF ANALYSIS WH11121179

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
CC127991		0.10	40.6	500	30.3	5.3	<0.001	0.08	2.84	5.3	0.9	0.3	30.3	<0.01	0.05	3.7
CC127992		0.06	35.6	470	29.0	4.0	<0.001	0.09	2.51	4.5	0.7	0.3	24.9	<0.01	0.05	3.6
CC127993		0.09	35.0	470	28.1	5.2	<0.001	0.10	2.67	4.6	0.9	0.3	28.9	<0.01	0.06	4.2
CC127994		0.07	35.4	460	26.1	4.4	<0.001	0.10	6.69	4.5	0.9	0.3	25.0	<0.01	0.05	3.7
CC127995		0.09	37.3	500	26.5	4.4	<0.001	0.07	2.98	4.7	0.8	0.3	29.3	<0.01	0.04	3.8
CC127996		0.11	47.3	410	25.0	6.1	<0.001	0.10	1.75	5.3	0.9	0.3	34.4	<0.01	0.06	4.3
CC127997		0.06	43.6	420	27.2	3.7	<0.001	0.08	1.60	4.4	0.8	0.3	28.0	<0.01	0.05	4.1
CC127998		0.12	32.5	900	37.9	6.7	<0.001	0.09	0.57	4.9	1.6	0.3	73.5	<0.01	0.04	2.7
CC128509		0.07	46.5	430	27.7	4.4	0.001	0.09	1.90	4.8	0.9	0.3	30.8	<0.01	0.06	4.2
CC128510		0.07	109.0	600	29.9	5.8	<0.001	0.10	0.48	4.0	2.3	0.3	71.0	<0.01	0.05	2.0
CC128511		0.23	24.7	850	22.1	8.5	<0.001	0.05	0.45	2.2	0.6	0.5	36.9	<0.01	0.05	1.1
CC128512		0.08	41.8	410	27.1	5.0	<0.001	0.07	1.56	4.4	1.0	0.3	40.5	<0.01	0.05	4.0
CC128513		0.08	49.0	470	30.1	4.6	0.001	0.09	1.88	4.9	0.9	0.3	36.0	<0.01	0.05	4.0
CC128514		0.07	44.0	430	28.6	4.3	0.001	0.07	1.46	4.6	1.0	0.3	28.4	<0.01	0.05	4.2
CC128515		0.08	46.3	410	33.3	4.7	<0.001	0.06	0.72	4.9	0.8	0.3	34.3	<0.01	0.06	4.9
CC128516		0.07	47.3	440	28.3	3.9	<0.001	0.17	1.19	4.7	0.8	0.3	36.7	<0.01	0.05	4.5
CC128517		0.19	30.9	620	21.0	8.5	<0.001	0.10	0.37	3.6	2.2	0.4	62.5	<0.01	0.02	2.3
CC128518		0.19	27.9	780	19.2	9.8	0.002	0.20	0.32	3.7	2.7	0.3	76.6	<0.01	0.03	2.2
CC128519		0.07	47.6	430	28.6	4.4	<0.001	0.13	1.28	4.7	0.5	0.3	33.6	<0.01	0.06	4.1
CC128520		0.11	1085	1030	20.9	9.7	0.001	0.21	0.47	2.2	5.4	0.2	355	<0.01	0.03	0.7
CC128521		0.15	328	790	27.0	10.6	<0.001	0.09	0.46	2.3	2.7	0.4	106.0	<0.01	0.09	1.7
CC128522		0.07	45.3	410	26.8	4.4	<0.001	0.15	1.17	4.5	0.8	0.3	34.3	<0.01	0.04	3.8
CC128523		0.13	42.5	590	26.5	5.6	<0.001	0.10	1.05	4.4	0.8	0.3	66.5	<0.01	0.06	2.8
CC128555		0.14	25.4	1300	23.3	11.1	<0.001	0.06	0.24	4.9	1.0	0.5	43.4	<0.01	0.03	1.7
CC128556		0.36	33.9	1000	22.9	6.8	<0.001	0.06	0.42	6.7	1.3	0.5	39.1	<0.01	0.04	2.6
CC128557		0.29	21.8	850	17.8	10.1	<0.001	0.13	0.34	5.1	1.4	0.4	82.2	<0.01	0.02	1.6
CC128558		0.09	29.5	810	24.8	6.0	<0.001	0.15	0.29	6.1	1.2	0.4	81.1	<0.01	0.04	3.2
CC128559		0.10	41.5	690	30.9	4.6	<0.001	0.05	0.29	7.9	1.2	0.4	105.0	<0.01	0.04	4.4
CC128560		0.11	55.1	620	37.5	4.3	<0.001	0.08	0.34	8.5	1.1	0.5	77.5	<0.01	0.06	6.1
CC128561		0.14	34.9	770	26.2	4.2	<0.001	0.05	0.27	7.3	1.3	0.4	46.2	<0.01	0.06	3.8
CC128562		0.21	32.0	770	24.9	5.7	<0.001	0.05	0.28	7.1	1.3	0.4	41.2	<0.01	0.04	2.7
CC128563		0.22	39.5	940	26.8	5.8	<0.001	0.06	0.37	8.5	1.4	0.5	30.7	<0.01	0.05	2.5
CC128564		0.12	26.8	860	22.8	8.1	<0.001	0.03	0.28	5.6	0.8	0.5	13.2	<0.01	0.06	2.1
CC128565		0.16	30.8	720	25.3	6.3	<0.001	0.06	0.29	6.9	1.2	0.5	45.9	<0.01	0.05	3.5
CC128566		0.09	42.6	620	29.1	3.8	0.001	0.29	0.27	7.0	0.7	0.4	375	<0.01	0.06	5.5
CC128567		0.21	33.2	850	24.8	6.2	<0.001	0.04	0.29	8.7	1.0	0.5	44.8	<0.01	0.05	3.5
CC128568		0.15	36.7	760	26.9	5.2	<0.001	0.05	0.29	7.4	1.2	0.5	46.6	<0.01	0.05	3.7
CC128569		0.17	29.4	1110	25.5	6.0	0.001	0.07	0.29	4.1	1.0	0.5	50.1	0.01	0.04	1.3
CC128570		0.17	32.2	840	26.1	4.7	<0.001	0.09	0.35	6.6	1.3	0.5	50.5	<0.01	0.05	3.6
CC128571		0.12	28.0	710	26.5	4.4	0.001	0.28	0.24	5.4	1.1	0.4	202	<0.01	0.05	3.7

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 30- JUL- 2011
Account: RCM

Project: Rackla- Pharoah Silts

CERTIFICATE OF ANALYSIS WH11121179

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
CC127991		<0.005	0.09	1.06	18	<0.05	8.66	97	2.5
CC127992		<0.005	0.09	0.84	17	<0.05	7.00	98	2.1
CC127993		<0.005	0.08	0.86	18	<0.05	7.45	95	2.3
CC127994		<0.005	0.08	0.78	17	<0.05	7.24	94	2.0
CC127995		<0.005	0.08	0.97	18	<0.05	7.34	100	2.5
CC127996		<0.005	0.08	0.99	15	0.06	8.84	115	2.9
CC127997		<0.005	0.07	1.08	16	<0.05	7.70	114	2.3
CC127998		<0.005	0.09	3.81	15	<0.05	9.64	102	3.1
CC128509		<0.005	0.07	1.12	16	<0.05	8.33	114	2.5
CC128510		<0.005	0.09	1.59	11	<0.05	23.8	282	2.1
CC128511		<0.005	0.06	0.55	21	<0.05	3.28	86	0.9
CC128512		<0.005	0.07	1.09	15	<0.05	7.62	110	2.1
CC128513		<0.005	0.07	1.18	17	<0.05	8.86	126	2.3
CC128514		<0.005	0.08	1.15	17	<0.05	7.91	123	2.6
CC128515		0.005	0.06	0.86	19	<0.05	8.96	119	4.8
CC128516		<0.005	0.07	0.97	15	<0.05	7.65	120	3.4
CC128517		<0.005	0.06	2.10	16	<0.05	7.15	91	3.2
CC128518		<0.005	0.05	2.04	14	<0.05	7.51	74	3.2
CC128519		0.005	0.07	1.11	17	<0.05	7.79	119	2.4
CC128520		<0.005	0.27	11.25	9	<0.05	56.8	1540	1.8
CC128521		<0.005	0.19	3.32	21	<0.05	18.80	562	1.6
CC128522		<0.005	0.05	1.20	16	<0.05	7.41	123	2.7
CC128523		<0.005	0.06	1.90	17	<0.05	7.43	131	3.4
CC128555		<0.005	0.09	0.62	16	<0.05	10.00	125	1.5
CC128556		0.007	0.07	1.34	23	0.08	17.75	132	3.1
CC128557		<0.005	0.07	1.00	14	<0.05	12.45	61	2.0
CC128558		<0.005	0.06	0.51	12	<0.05	10.65	102	1.3
CC128559		<0.005	0.10	0.81	15	<0.05	17.35	127	1.4
CC128560		<0.005	0.09	0.57	15	<0.05	13.00	118	3.8
CC128561		<0.005	0.06	0.47	15	<0.05	13.45	105	2.6
CC128562		<0.005	0.07	0.76	19	<0.05	15.65	110	2.2
CC128563		<0.005	0.09	1.57	23	0.05	19.40	160	2.9
CC128564		<0.005	0.12	0.87	16	0.05	11.80	110	1.4
CC128565		<0.005	0.06	0.74	14	<0.05	14.95	98	3.2
CC128566		<0.005	0.07	0.62	10	<0.05	12.30	93	4.6
CC128567		<0.005	0.08	0.75	19	0.06	18.50	119	3.0
CC128568		<0.005	0.08	0.45	14	<0.05	13.95	112	2.8
CC128569		<0.005	0.11	0.56	15	0.07	14.50	100	1.0
CC128570		<0.005	0.06	0.82	14	<0.05	13.40	122	3.8
CC128571		<0.005	0.07	0.66	10	<0.05	10.75	102	2.2

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 30- JUL- 2011
Account: RCM

Project: Rackla- Pharoah Silts

CERTIFICATE OF ANALYSIS WH11121179

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- ST43 Au ppm 0.0001	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1
CC128572		0.33	0.0004	0.08	0.99	12.6	<0.2	<10	60	0.90	0.34	0.72	0.10	16.20	11.5	13
CC128573		0.38	0.0001	0.09	0.80	15.0	<0.2	<10	40	0.91	0.35	1.07	0.27	14.60	16.0	11
CC128574		0.38	0.0005	0.09	0.96	14.1	<0.2	<10	40	0.88	0.35	0.97	0.13	15.60	17.0	14
CC128575		0.38	0.0004	0.07	0.89	13.0	<0.2	<10	40	0.81	0.31	3.59	0.12	14.40	15.0	12
CC128576		0.48	0.0010	0.12	1.25	17.3	<0.2	<10	60	1.19	0.41	0.57	0.18	17.45	14.5	18
CC128577		0.36	0.0004	0.08	0.90	14.0	<0.2	<10	40	0.80	0.34	2.23	0.14	14.65	16.0	12
CC128578		0.33	0.0003	0.07	0.92	12.2	<0.2	<10	40	0.80	0.30	3.52	0.13	14.35	14.7	12
CC128579		0.48	0.0008	0.10	1.16	14.7	<0.2	<10	60	1.00	0.36	0.38	0.12	16.45	15.9	16
CC128580		0.41	0.0002	0.06	0.91	12.4	<0.2	<10	40	0.81	0.29	3.61	0.12	14.00	14.6	12
CC128524		0.40	0.0003	0.08	0.97	13.3	<0.2	<10	40	0.85	0.33	2.26	0.13	14.45	15.7	13
CC128525		0.30	0.0005	0.06	0.87	12.2	<0.2	<10	30	0.77	0.28	3.53	0.12	14.05	14.1	11
CC128526		0.33	0.0006	0.07	0.96	13.2	<0.2	<10	40	0.84	0.33	1.88	0.14	14.70	15.3	13
CC128527		0.34	0.0006	0.07	0.97	12.5	<0.2	<10	30	0.78	0.31	1.67	0.13	14.55	15.8	14
CC129292		0.51	0.0004	0.15	0.90	16.9	<0.2	<10	130	1.11	0.36	0.43	0.51	26.5	24.0	15
CC129293		0.50	0.0021	0.16	1.18	23.0	<0.2	<10	90	1.12	0.50	0.56	0.36	17.90	22.3	18
CC129294		0.47	0.0018	0.14	1.23	20.8	<0.2	<10	80	1.16	0.52	0.48	0.32	15.75	21.7	18
CC129295		0.61	0.0014	0.08	0.73	19.0	<0.2	<10	50	0.96	0.38	2.45	0.25	15.80	18.0	10
CC129296		0.48	0.0014	0.13	1.06	17.9	<0.2	<10	90	1.44	0.36	0.69	0.52	26.4	31.6	15
CC129297		0.60	0.0011	0.09	0.85	17.6	<0.2	<10	70	1.13	0.36	2.42	0.41	20.1	25.3	12
CC129298		0.40	0.0012	0.15	1.27	23.2	<0.2	<10	180	1.18	0.41	1.13	1.13	26.1	130.0	16
CC129299		0.52	0.0014	0.12	0.98	16.9	<0.2	<10	90	1.51	0.35	0.54	0.51	25.6	33.0	14
CC129300		0.48	0.0009	0.10	0.94	15.9	<0.2	<10	80	1.40	0.35	0.41	0.49	24.6	35.7	13
CC128901		0.46	0.0021	0.15	1.11	18.3	<0.2	<10	90	1.32	0.41	0.53	0.23	13.10	23.8	17
CC128902		0.47	0.0018	0.12	1.06	17.2	<0.2	<10	90	1.42	0.37	0.59	0.46	23.8	33.9	16
CC128903		0.51	0.0019	0.15	1.24	18.6	<0.2	<10	90	1.41	0.42	0.32	0.30	12.75	38.0	19
CC128904		0.47	0.0019	0.14	1.07	15.7	<0.2	<10	70	1.07	0.32	0.56	0.22	15.95	16.0	18
CC128905		0.42	0.0018	0.12	1.36	17.2	<0.2	<10	70	1.49	0.33	0.42	0.43	18.10	34.3	19
CC128906		0.44	0.0015	0.11	1.41	16.4	<0.2	<10	80	1.73	0.32	0.51	0.45	20.8	33.3	19
CC128907		0.47	0.0020	0.18	0.88	21.8	<0.2	<10	50	1.00	0.34	0.44	0.11	5.45	19.4	22
CC128908		0.55	0.0017	0.12	1.28	16.1	<0.2	<10	70	1.74	0.37	0.38	0.44	16.55	32.5	17
CC128909		0.41	0.0033	0.21	0.86	19.9	<0.2	<10	50	0.96	0.35	0.50	0.13	7.15	21.3	19
CC128910		0.40	0.0027	0.24	0.91	19.5	<0.2	<10	50	0.99	0.38	0.43	0.13	7.65	22.0	19
CC128911		0.44	0.0012	0.11	1.03	17.5	<0.2	<10	70	1.51	0.37	0.34	0.39	17.35	31.2	16
CC128912		0.37	0.0012	0.12	1.40	16.7	<0.2	<10	70	1.81	0.37	0.38	0.44	16.50	36.2	19
CC128913		0.40	0.0015	0.11	1.32	15.4	<0.2	<10	60	1.80	0.34	0.32	0.41	15.50	31.8	18
CC128914		0.43	0.0015	0.11	1.27	15.1	<0.2	<10	70	1.59	0.34	0.47	0.36	15.65	31.1	18
CC128915		0.41	0.0019	0.12	1.08	14.4	<0.2	<10	70	1.22	0.36	0.52	0.22	13.40	20.8	18
CC128916		0.45	0.0013	0.09	1.23	16.7	<0.2	<10	60	1.92	0.34	0.39	0.32	14.35	28.6	19
CC128917		0.48	0.0020	0.10	1.16	28.8	<0.2	<10	80	1.28	0.37	0.74	0.44	14.80	29.0	20
CC128918		0.42	0.0015	0.10	1.28	15.6	<0.2	<10	70	1.48	0.35	0.75	0.32	13.70	27.0	19

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 30- JUL- 2011
Account: RCM

Project: Rackla- Pharoah Silts

CERTIFICATE OF ANALYSIS WH11121179

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
CC128572		0.60	30.1	3.82	2.90	0.07	0.12	0.11	0.050	0.07	5.3	31.3	0.34	313	0.51	0.01
CC128573		1.37	33.7	3.87	2.28	0.06	0.07	0.09	0.045	0.08	4.2	27.6	0.33	428	0.62	0.02
CC128574		1.63	36.3	3.89	2.80	0.07	0.08	0.09	0.046	0.06	4.6	36.5	0.41	537	0.53	0.02
CC128575		1.36	29.7	3.53	2.49	0.06	0.06	0.09	0.041	0.06	4.1	36.2	0.41	529	0.51	0.02
CC128576		1.57	43.6	4.54	3.42	0.08	0.15	0.11	0.054	0.06	6.7	34.1	0.38	638	0.96	0.02
CC128577		1.44	34.8	3.76	2.62	0.07	0.07	0.11	0.042	0.07	4.3	34.5	0.41	507	0.58	0.02
CC128578		1.30	31.2	3.47	2.59	0.07	0.06	0.10	0.041	0.06	4.2	35.8	0.43	517	0.55	0.02
CC128579		0.78	36.6	4.27	3.29	0.07	0.11	0.14	0.048	0.07	5.3	35.9	0.40	677	0.82	0.02
CC128580		1.31	30.3	3.50	2.57	0.06	0.06	0.10	0.038	0.06	4.0	35.8	0.42	545	0.54	0.02
CC128524		1.31	34.1	3.77	2.78	0.07	0.08	0.11	0.044	0.06	4.3	35.6	0.44	529	0.59	0.02
CC128525		1.25	29.2	3.35	2.49	0.06	0.07	0.10	0.039	0.05	4.0	35.2	0.41	535	0.50	0.02
CC128526		1.36	32.4	3.67	2.83	0.06	0.08	0.11	0.045	0.06	4.3	37.3	0.43	584	0.54	0.02
CC128527		1.53	35.4	3.60	2.88	0.07	0.07	0.11	0.044	0.06	4.3	38.7	0.43	489	0.56	0.02
CC129292		1.66	73.2	3.64	2.77	0.08	0.09	0.13	0.042	0.24	9.0	22.6	0.41	971	0.97	0.02
CC129293		2.40	61.2	5.20	3.38	0.07	0.08	0.24	0.062	0.12	5.8	26.6	0.35	833	3.01	0.02
CC129294		2.27	65.7	5.49	3.58	0.08	0.09	0.29	0.058	0.10	5.0	27.0	0.34	630	4.00	0.02
CC129295		1.63	39.3	3.82	2.13	0.07	0.05	0.14	0.046	0.08	4.8	22.0	0.26	544	0.66	0.02
CC129296		1.76	76.3	4.07	2.87	0.08	0.07	0.16	0.047	0.14	8.7	26.3	0.43	1190	1.01	0.02
CC129297		1.90	50.5	3.89	2.41	0.08	0.06	0.13	0.049	0.10	6.1	26.6	0.34	945	0.85	0.02
CC129298		2.59	55.5	5.12	3.71	0.10	0.12	0.29	0.052	0.10	8.4	32.4	0.45	7720	1.18	0.02
CC129299		1.58	79.2	3.72	2.75	0.10	0.08	0.14	0.046	0.13	8.3	26.1	0.35	1220	1.00	0.02
CC129300		1.53	71.5	3.53	2.71	0.07	0.07	0.17	0.041	0.10	7.8	22.1	0.32	1190	1.16	0.02
CC128901		3.37	64.9	5.26	3.38	0.09	0.09	0.27	0.053	0.10	4.3	27.3	0.48	850	2.51	0.02
CC128902		2.39	75.9	4.24	3.07	0.09	0.09	0.19	0.045	0.13	7.6	27.7	0.38	1340	1.16	0.02
CC128903		5.45	77.1	6.29	3.66	0.09	0.06	0.34	0.060	0.11	3.8	34.0	0.53	1260	2.56	0.02
CC128904		4.44	49.8	3.91	3.26	0.07	0.11	0.21	0.045	0.10	5.4	24.8	0.40	381	1.06	0.02
CC128905		3.87	78.6	4.67	3.31	0.08	0.09	0.26	0.051	0.10	5.4	32.7	0.43	1070	1.20	0.02
CC128906		3.15	80.7	4.46	3.30	0.10	0.08	0.22	0.046	0.11	6.6	32.9	0.47	1070	0.91	0.02
CC128907		10.85	61.7	4.71	2.71	0.07	0.06	0.57	0.048	0.09	2.6	14.0	0.30	419	0.72	0.01
CC128908		3.19	74.7	4.36	3.07	0.08	0.09	0.21	0.047	0.09	6.0	28.2	0.39	1100	1.13	0.01
CC128909		12.45	57.3	4.38	2.72	0.07	0.07	0.38	0.044	0.10	2.8	15.0	0.37	551	0.71	0.01
CC128910		14.10	59.0	4.45	2.81	0.06	0.07	0.41	0.046	0.11	3.0	16.5	0.37	474	0.70	0.01
CC128911		3.08	71.5	4.21	2.92	0.09	0.08	0.21	0.042	0.10	6.4	25.4	0.36	1220	1.12	0.02
CC128912		4.31	84.6	4.76	3.43	0.09	0.09	0.24	0.050	0.09	5.9	33.4	0.44	1300	1.12	0.02
CC128913		3.72	77.1	4.43	3.23	0.10	0.08	0.26	0.047	0.08	5.5	29.3	0.41	736	1.03	0.02
CC128914		3.48	71.9	4.32	3.22	0.08	0.08	0.25	0.047	0.09	5.6	29.9	0.44	941	0.97	0.01
CC128915		2.87	57.8	4.20	3.16	0.07	0.11	0.28	0.045	0.08	5.0	23.3	0.41	601	1.09	0.01
CC128916		4.09	67.7	4.55	3.54	0.08	0.07	0.30	0.047	0.09	5.2	40.1	0.45	759	1.02	0.01
CC128917		3.76	69.0	4.80	3.32	0.09	0.07	0.31	0.045	0.10	5.5	26.2	0.48	997	1.02	0.01
CC128918		4.35	66.7	4.43	3.32	0.09	0.07	0.25	0.045	0.10	4.9	29.8	0.57	731	0.87	0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 30- JUL- 2011
Account: RCM

Project: Rackla- Pharoah Silts

CERTIFICATE OF ANALYSIS WH11121179

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
CC128572		0.16	25.7	770	27.2	4.3	<0.001	0.07	0.22	6.3	1.1	0.4	54.7	<0.01	0.04	3.2
CC128573		0.10	31.6	790	46.3	5.3	0.001	0.10	0.28	5.9	1.2	0.4	65.1	<0.01	0.03	4.5
CC128574		0.12	31.5	760	28.9	4.8	0.001	0.10	0.31	5.9	1.0	0.4	66.0	<0.01	0.05	4.1
CC128575		0.10	29.0	720	26.6	4.2	0.001	0.14	0.26	5.6	1.0	0.4	179.0	<0.01	0.05	4.6
CC128576		0.17	32.4	930	25.2	5.6	<0.001	0.06	0.44	6.8	1.0	0.5	58.7	<0.01	0.08	3.2
CC128577		0.12	32.0	740	29.6	4.9	<0.001	0.12	0.33	5.8	1.1	0.4	116.0	<0.01	0.05	4.4
CC128578		0.10	27.6	720	24.7	4.4	0.001	0.13	0.30	5.4	1.0	0.4	172.0	<0.01	0.05	4.2
CC128579		0.13	31.1	780	25.9	4.9	0.001	0.04	0.32	6.1	0.9	0.4	39.8	<0.01	0.06	3.7
CC128580		0.10	28.2	690	23.2	3.8	0.001	0.13	0.29	5.4	0.8	0.3	175.0	<0.01	0.05	4.1
CC128524		0.12	30.0	700	26.7	5.0	0.001	0.08	0.31	5.7	1.1	0.4	125.0	<0.01	0.06	4.1
CC128525		0.09	26.9	660	22.9	3.7	0.001	0.11	0.29	5.2	0.9	0.3	174.5	<0.01	0.04	4.1
CC128526		0.11	28.6	740	25.6	4.9	<0.001	0.09	0.31	5.6	1.0	0.4	105.0	<0.01	0.05	4.2
CC128527		0.10	29.8	660	24.7	4.6	0.001	0.09	0.30	5.3	1.0	0.3	91.4	<0.01	0.05	4.3
CC129292		0.14	50.7	1330	44.0	11.8	0.002	0.37	0.41	5.4	2.3	0.4	79.9	<0.01	0.06	6.9
CC129293		0.16	40.2	1010	42.1	7.7	0.002	0.15	1.34	7.0	1.7	0.6	67.6	<0.01	0.08	4.1
CC129294		0.15	36.9	970	39.3	6.5	0.002	0.09	0.98	7.3	2.0	0.6	56.1	<0.01	0.08	4.6
CC129295		0.09	35.0	770	36.7	5.2	0.001	0.07	0.91	6.1	0.8	0.4	90.6	<0.01	0.06	4.5
CC129296		0.15	58.4	1230	38.1	8.6	0.001	0.17	0.75	6.0	1.9	0.4	73.3	0.01	0.06	4.8
CC129297		0.11	49.1	930	35.4	6.3	0.001	0.13	0.81	6.0	1.2	0.4	102.0	<0.01	0.06	5.0
CC129298		0.21	199.5	1260	31.3	7.9	0.001	0.12	0.79	7.1	1.8	0.5	111.0	0.01	0.09	3.0
CC129299		0.16	67.8	1150	38.1	8.0	0.001	0.18	0.63	5.3	1.9	0.4	65.7	<0.01	0.06	4.2
CC129300		0.14	68.6	1030	33.7	7.0	0.001	0.10	0.61	5.3	1.6	0.4	47.4	<0.01	0.05	4.1
CC128901		0.14	41.0	870	28.2	7.2	0.003	0.16	0.93	7.3	1.6	0.5	75.1	<0.01	0.07	3.7
CC128902		0.16	66.6	1080	36.2	8.2	0.001	0.16	0.76	6.2	1.7	0.5	65.2	<0.01	0.07	3.9
CC128903		0.13	51.0	800	33.1	8.0	0.003	0.26	0.91	9.3	1.5	0.6	63.9	<0.01	0.08	4.2
CC128904		0.18	29.9	920	27.4	9.8	0.001	0.09	0.65	6.6	1.6	0.5	68.3	<0.01	0.06	2.9
CC128905		0.16	58.8	850	30.5	7.1	0.001	0.11	0.77	8.3	1.5	0.4	55.3	<0.01	0.06	3.6
CC128906		0.15	56.4	940	32.4	8.3	0.001	0.14	0.63	8.3	1.5	0.4	63.4	0.01	0.06	4.4
CC128907		0.17	36.8	410	22.5	12.3	<0.001	0.07	1.14	7.8	1.0	0.4	62.4	<0.01	0.06	1.2
CC128908		0.16	63.1	820	34.1	6.5	0.001	0.11	0.73	7.4	1.3	0.4	53.5	<0.01	0.06	3.6
CC128909		0.17	34.0	520	27.7	11.8	<0.001	0.07	1.21	8.2	1.4	0.4	63.7	<0.01	0.07	1.6
CC128910		0.18	34.4	530	31.4	11.8	<0.001	0.06	1.16	8.6	1.1	0.4	57.4	<0.01	0.08	1.8
CC128911		0.14	64.7	800	35.4	6.7	0.001	0.10	0.77	6.4	1.4	0.4	51.9	<0.01	0.08	3.7
CC128912		0.15	73.1	720	33.1	7.1	0.001	0.10	0.84	8.6	1.4	0.4	52.4	0.01	0.06	4.1
CC128913		0.16	61.3	730	30.1	6.8	0.001	0.10	0.73	8.1	1.2	0.4	48.0	<0.01	0.06	3.5
CC128914		0.16	58.9	700	30.9	7.6	0.001	0.10	0.70	7.5	1.3	0.4	60.5	<0.01	0.06	3.3
CC128915		0.17	43.4	720	28.6	7.1	0.001	0.08	0.75	6.5	1.2	0.4	61.3	<0.01	0.07	2.4
CC128916		0.13	53.7	730	28.5	7.1	0.001	0.10	0.76	8.1	1.1	0.4	49.6	<0.01	0.05	3.3
CC128917		0.15	51.8	600	29.2	7.0	0.001	0.11	0.87	7.8	1.0	0.4	63.4	<0.01	0.08	3.6
CC128918		0.14	50.3	680	30.0	7.5	0.001	0.15	0.68	7.4	1.3	0.4	61.2	<0.01	0.07	3.3

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 30- JUL- 2011
Account: RCM

Project: Rackla- Pharoah Silts

CERTIFICATE OF ANALYSIS WH11121179

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
CC128572		<0.005	0.06	0.81	13	<0.05	14.85	91	3.4
CC128573		<0.005	0.09	0.87	9	<0.05	12.40	164	2.2
CC128574		<0.005	0.07	0.71	12	<0.05	12.70	110	2.5
CC128575		<0.005	0.07	0.68	10	<0.05	11.40	104	2.2
CC128576		<0.005	0.07	1.03	18	<0.05	18.55	109	4.0
CC128577		<0.005	0.08	0.64	11	<0.05	11.85	109	2.4
CC128578		<0.005	0.06	0.60	11	<0.05	11.15	97	2.3
CC128579		<0.005	0.06	0.97	14	<0.05	14.30	104	3.3
CC128580		<0.005	0.06	0.60	10	<0.05	10.80	94	2.3
CC128524		<0.005	0.07	0.60	12	<0.05	11.45	101	2.5
CC128525		<0.005	0.06	0.60	10	<0.05	10.60	92	2.4
CC128526		<0.005	0.06	0.60	12	<0.05	11.70	105	2.6
CC128527		<0.005	0.06	0.67	12	<0.05	10.85	100	2.5
CC129292		<0.005	0.22	2.35	11	<0.05	16.70	219	4.5
CC129293		<0.005	0.16	1.50	19	<0.05	12.60	157	2.4
CC129294		<0.005	0.15	2.01	20	<0.05	12.65	144	2.9
CC129295		<0.005	0.09	0.66	10	<0.05	11.90	152	1.7
CC129296		<0.005	0.16	2.33	13	<0.05	21.3	269	1.9
CC129297		<0.005	0.12	0.96	11	<0.05	14.95	208	2.2
CC129298		0.005	0.15	1.56	20	0.06	29.7	252	2.9
CC129299		<0.005	0.16	1.77	12	<0.05	22.9	302	2.2
CC129300		<0.005	0.13	1.63	12	<0.05	20.2	279	1.9
CC128901		<0.005	0.13	1.13	22	<0.05	15.35	117	2.7
CC128902		<0.005	0.16	1.48	16	<0.05	20.3	269	2.3
CC128903		<0.005	0.19	0.96	25	<0.05	13.50	134	1.8
CC128904		<0.005	0.11	1.47	19	<0.05	13.25	129	3.0
CC128905		<0.005	0.13	1.37	21	<0.05	16.90	194	2.2
CC128906		<0.005	0.13	1.53	19	<0.05	17.55	193	2.0
CC128907		<0.005	0.13	0.40	32	<0.05	7.10	84	1.5
CC128908		<0.005	0.12	1.26	18	<0.05	17.10	212	2.4
CC128909		<0.005	0.14	0.61	26	<0.05	9.33	85	1.8
CC128910		<0.005	0.15	0.45	27	<0.05	9.39	92	1.7
CC128911		<0.005	0.12	1.40	18	<0.05	17.60	236	2.0
CC128912		<0.005	0.13	1.62	21	<0.05	17.25	214	2.2
CC128913		<0.005	0.12	1.26	20	<0.05	15.80	180	2.2
CC128914		<0.005	0.11	1.09	20	<0.05	16.05	186	2.3
CC128915		<0.005	0.11	1.19	22	<0.05	11.85	116	2.8
CC128916		<0.005	0.11	0.80	22	<0.05	13.15	159	1.9
CC128917		<0.005	0.14	0.66	25	<0.05	11.15	132	2.0
CC128918		<0.005	0.11	0.87	21	<0.05	12.70	153	1.9

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 30- JUL- 2011
Account: RCM

Project: Rackla- Pharoah Silts

CERTIFICATE OF ANALYSIS WH11121179

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- ST43 Au ppm 0.0001	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1
CC128919		0.52	0.0013	0.11	1.13	39.0	<0.2	<10	90	1.86	0.40	0.17	0.59	17.60	36.1	18
CC128920		0.51	0.0015	0.11	0.75	33.8	<0.2	<10	80	1.10	0.36	0.34	0.25	16.90	29.0	18
CC128921		0.43	0.0017	0.11	0.69	29.0	<0.2	<10	50	0.99	0.38	0.22	0.15	18.95	28.0	17
CC128922		0.43	0.0019	0.10	0.71	28.2	<0.2	<10	60	1.03	0.37	0.35	0.13	16.65	26.2	17
CC127512		0.41	0.0006	0.16	0.98	18.5	<0.2	<10	90	1.39	0.54	0.42	0.13	26.4	21.3	17
CC127513		0.48	0.0020	0.13	0.69	33.4	<0.2	<10	80	1.18	0.56	1.09	0.26	20.0	25.0	14
CC127514		0.34	0.0025	0.11	1.09	15.8	<0.2	<10	60	1.13	0.48	0.85	0.10	15.35	18.8	15
CC127515		0.36	0.0013	0.11	0.98	17.2	<0.2	<10	60	1.22	0.45	1.59	0.14	14.50	25.0	14
CC127516		0.39	0.0009	0.13	1.23	18.2	<0.2	<10	80	2.12	0.46	0.59	1.15	18.95	39.2	16
CC127517		0.37	0.0010	0.13	1.69	18.1	<0.2	<10	80	4.01	0.41	0.49	3.13	16.25	54.8	17
CC127518		0.40	0.0016	0.14	1.31	16.5	<0.2	<10	50	1.77	0.45	0.39	0.73	12.75	27.0	18
CC127519		0.38	0.0009	0.14	1.70	17.8	<0.2	<10	70	3.84	0.41	0.41	2.91	17.00	58.1	17
CC127520		0.43	0.0014	0.13	1.61	18.2	<0.2	<10	60	3.33	0.42	0.42	1.86	14.55	43.7	18
CC127521		0.36	0.0017	0.13	1.49	18.2	<0.2	<10	70	2.63	0.44	0.40	1.45	13.55	40.3	18
CC127522		0.38	0.0021	0.09	1.74	18.0	<0.2	<10	70	1.54	0.45	0.49	0.31	13.45	19.0	21
CC127523		0.36	0.0009	0.12	1.50	17.0	<0.2	<10	60	2.88	0.38	0.64	1.75	13.30	42.9	17
CC127524		0.31	0.0014	0.13	1.40	16.6	<0.2	<10	60	1.98	0.43	0.58	0.89	13.65	30.8	18
CC127525		0.37	0.0014	0.13	1.40	17.3	<0.2	<10	60	2.15	0.42	0.59	0.94	12.40	32.5	18
CC127526		0.43	0.0009	0.11	1.40	15.9	<0.2	<10	60	2.12	0.41	1.32	1.01	12.90	34.1	17
CC127527		0.46	0.0008	0.12	1.30	16.3	<0.2	<10	50	1.50	0.43	0.83	0.51	11.75	25.0	18

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 30- JUL- 2011
Account: RCM

Project: Rackla- Pharoah Silts

CERTIFICATE OF ANALYSIS WH11121179

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
CC128919		6.52	75.1	5.64	2.41	0.11	0.05	0.41	0.047	0.07	6.5	20.8	0.28	2020	1.31	0.01
CC128920		5.22	68.9	5.46	2.26	0.08	0.04	0.35	0.044	0.07	6.3	14.7	0.25	1160	1.11	0.01
CC128921		4.40	67.1	5.34	2.19	0.09	0.05	0.36	0.048	0.06	7.4	13.2	0.29	723	1.00	0.01
CC128922		3.66	64.4	5.18	2.23	0.09	0.07	0.30	0.044	0.06	6.7	13.9	0.33	853	1.03	0.01
CC127512		3.02	48.8	4.86	3.18	0.09	0.06	0.15	0.061	0.09	9.4	30.6	0.35	705	0.59	0.01
CC127513		1.69	53.3	4.43	2.23	0.08	0.09	0.19	0.050	0.07	7.3	13.4	0.20	784	0.84	0.01
CC127514		2.04	43.1	4.48	3.19	0.08	0.11	0.13	0.055	0.07	5.5	42.7	0.43	559	0.60	0.02
CC127515		2.51	42.6	4.25	2.87	0.07	0.08	0.17	0.053	0.07	5.4	35.7	0.38	730	0.62	0.02
CC127516		3.61	47.2	4.84	3.43	0.10	0.12	0.15	0.053	0.07	8.0	43.8	0.48	4090	1.00	0.02
CC127517		4.27	66.2	5.31	3.77	0.11	0.10	0.25	0.053	0.06	7.9	59.1	0.59	6020	2.51	0.01
CC127518		3.46	67.6	5.09	3.37	0.08	0.10	0.26	0.053	0.06	4.6	35.8	0.53	975	2.42	0.02
CC127519		3.70	65.4	5.21	3.59	0.11	0.11	0.23	0.051	0.06	8.0	60.6	0.54	5260	2.56	0.02
CC127520		4.08	63.8	5.29	3.67	0.10	0.09	0.22	0.050	0.06	6.3	53.7	0.57	4000	2.70	0.02
CC127521		3.43	65.8	5.36	3.65	0.11	0.10	0.22	0.054	0.06	5.6	48.2	0.55	3290	2.61	0.01
CC127522		1.49	57.5	4.70	4.62	0.08	0.07	0.17	0.044	0.08	4.9	41.4	0.63	833	1.60	0.01
CC127523		3.36	60.5	5.06	3.50	0.11	0.10	0.22	0.051	0.05	5.6	48.9	0.55	3660	2.49	0.02
CC127524		2.37	55.7	4.79	3.64	0.09	0.11	0.21	0.046	0.07	5.2	43.4	0.57	2040	1.90	0.02
CC127525		2.78	60.8	5.08	3.67	0.09	0.09	0.22	0.046	0.07	4.8	43.1	0.58	2130	2.25	0.02
CC127526		2.86	56.1	4.79	3.61	0.09	0.09	0.22	0.045	0.06	5.1	45.8	0.55	2180	1.89	0.02
CC127527		2.43	56.2	4.92	3.62	0.08	0.08	0.21	0.047	0.06	4.3	41.0	0.60	1310	1.99	0.02

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 30- JUL- 2011
Account: RCM

Project: Rackla- Pharoah Silts

CERTIFICATE OF ANALYSIS WH11121179

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
CC128919		0.09	80.4	460	27.9	5.6	0.001	0.06	1.60	8.0	0.9	0.3	29.9	0.01	0.08	3.5
CC128920		0.08	55.2	410	25.6	5.3	0.001	0.06	1.37	7.5	0.7	0.3	38.1	<0.01	0.07	3.4
CC128921		0.10	47.5	400	27.4	5.3	0.001	0.07	1.23	7.4	0.7	0.3	34.4	<0.01	0.08	3.2
CC128922		0.10	45.4	390	25.8	5.4	0.001	0.09	1.18	7.1	0.8	0.3	41.3	<0.01	0.08	2.7
CC127512		0.14	42.1	620	38.3	7.9	<0.001	0.04	0.45	8.6	1.0	0.5	56.6	<0.01	0.08	5.2
CC127513		0.18	46.2	1170	36.6	4.8	<0.001	0.06	1.87	5.6	1.1	0.5	111.5	<0.01	0.13	2.6
CC127514		0.15	40.9	760	34.0	5.6	0.001	0.08	0.35	7.2	1.0	0.4	69.5	<0.01	0.06	4.5
CC127515		0.14	44.9	830	32.3	7.2	0.001	0.07	0.56	6.5	1.1	0.4	108.0	<0.01	0.07	3.8
CC127516		0.14	121.0	860	33.0	6.7	0.001	0.09	0.61	6.5	1.3	0.4	88.7	0.01	0.07	4.2
CC127517		0.11	241	690	29.0	4.4	0.002	0.14	0.93	6.5	1.5	0.4	69.5	0.01	0.09	4.5
CC127518		0.13	82.7	690	29.1	5.3	0.002	0.09	0.90	6.7	1.7	0.4	50.7	<0.01	0.09	3.9
CC127519		0.11	224	760	28.0	4.6	0.002	0.11	0.95	6.5	1.6	0.4	72.2	0.01	0.09	4.3
CC127520		0.11	195.0	760	28.1	4.5	0.002	0.11	0.94	6.0	1.4	0.4	64.5	0.01	0.09	4.1
CC127521		0.11	153.0	720	28.8	4.4	0.002	0.10	0.94	6.5	1.4	0.4	59.4	0.01	0.09	4.3
CC127522		0.23	56.1	730	24.9	6.7	0.001	0.06	0.89	4.6	1.0	0.4	56.4	<0.01	0.08	3.2
CC127523		0.11	187.0	670	25.4	4.1	0.002	0.12	0.97	5.8	1.3	0.4	71.4	0.01	0.08	4.0
CC127524		0.14	103.5	730	27.4	4.8	0.002	0.09	0.86	5.7	1.2	0.4	63.7	0.01	0.09	3.9
CC127525		0.12	114.5	690	27.7	4.7	0.002	0.10	0.90	6.0	1.2	0.4	66.5	<0.01	0.10	4.2
CC127526		0.12	122.5	630	27.6	4.6	0.002	0.13	0.82	5.9	1.2	0.4	95.3	<0.01	0.08	4.6
CC127527		0.11	65.8	620	27.9	4.6	0.002	0.11	0.83	5.8	1.1	0.4	72.4	<0.01	0.08	4.7

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 30- JUL- 2011
Account: RCM

Project: Rackla- Pharoah Silts

CERTIFICATE OF ANALYSIS WH11121179

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
CC128919		<0.005	0.24	0.61	28	<0.05	18.05	142	1.5
CC128920		<0.005	0.20	0.46	27	<0.05	9.93	106	1.6
CC128921		<0.005	0.16	0.45	25	<0.05	9.14	98	1.6
CC128922		<0.005	0.16	0.57	24	<0.05	9.12	95	2.0
CC127512		<0.005	0.13	0.87	17	<0.05	15.60	102	1.9
CC127513		<0.005	0.11	0.88	19	0.05	14.10	113	2.2
CC127514		<0.005	0.08	0.76	13	<0.05	12.65	109	3.0
CC127515		<0.005	0.10	0.65	13	<0.05	12.55	116	2.2
CC127516		<0.005	0.12	0.99	16	0.05	32.0	191	2.4
CC127517		<0.005	0.18	1.29	20	<0.05	44.0	381	2.4
CC127518		<0.005	0.13	0.98	20	<0.05	18.35	175	2.6
CC127519		<0.005	0.15	1.12	20	<0.05	43.6	378	2.5
CC127520		<0.005	0.14	1.27	22	<0.05	31.2	321	2.1
CC127521		<0.005	0.15	1.15	22	<0.05	25.8	256	2.3
CC127522		<0.005	0.12	0.77	25	0.05	11.40	118	1.7
CC127523		<0.005	0.13	0.96	21	<0.05	27.1	302	2.4
CC127524		<0.005	0.12	0.84	21	<0.05	18.90	185	2.8
CC127525		<0.005	0.12	0.91	21	<0.05	18.85	197	2.4
CC127526		<0.005	0.11	0.85	19	<0.05	19.85	205	2.3
CC127527		<0.005	0.10	0.78	21	<0.05	13.65	132	2.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 30- JUL- 2011
Account: RCM

Project: Rackla- Pharoah Silts

CERTIFICATE OF ANALYSIS WH11121179

Method	CERTIFICATE COMMENTS
ME- MS41	Gold determinations by this method are semi- quantitative due to the small sample weight used (0.5g).

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 4- AUG- 2011
Account: RCM

CERTIFICATE WH11121830

Project: Rackla - Dale

P.O. No.:

This report is for 114 Soil samples submitted to our lab in Whitehorse, YT, Canada on 29- JUN- 2011.

The following have access to data associated with this certificate:

ROB CARNE JULIA LANE	ANDREW CARNE JOAN MARIACHER	MATT DUMALA

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
SCR- 41	Screen to - 180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- TL43	Trace Level Au - 25g AR	ICP- MS
ME- MS41	51 anal. aqua regia ICPMS	

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 4- AUG- 2011
Account: RCM

Project: Rackla - Dale

CERTIFICATE OF ANALYSIS WH11121830

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- TL43 Au ppm 0.001	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1
CC127840		0.12	0.003	0.10	0.90	18.4	<0.2	<10	390	0.65	0.24	1.62	0.15	22.2	6.5	21
CC127841		0.18	0.004	0.13	1.28	31.4	<0.2	<10	280	1.20	0.28	1.66	0.16	20.9	12.9	21
CC127842		0.24	0.003	0.14	1.35	23.3	<0.2	<10	150	1.05	0.31	0.93	0.21	16.80	10.9	20
CC127843		0.28	0.002	0.06	2.00	25.5	<0.2	<10	180	1.04	0.32	0.14	0.21	30.7	17.8	28
CC127844		0.27	0.003	0.04	1.84	21.6	<0.2	<10	150	0.84	0.30	0.12	0.16	30.2	14.4	28
CC127845		0.46	0.004	0.05	2.17	53.5	<0.2	<10	130	1.04	0.34	0.05	0.17	25.9	24.9	29
CC127846		0.30	0.004	0.06	2.77	70.1	<0.2	<10	140	1.20	0.34	0.06	0.27	25.0	30.3	32
CC127847		0.38	0.003	0.06	2.23	13.5	<0.2	<10	250	0.86	0.29	0.16	0.25	22.1	18.2	35
CC127848		0.31	0.010	0.03	1.89	10.5	<0.2	<10	150	0.61	0.31	0.07	0.15	20.8	10.5	24
CC127849		0.30	0.003	0.08	2.05	11.0	<0.2	<10	360	1.06	0.31	0.16	0.25	19.70	18.6	30
CC127850		0.38	0.004	0.10	3.05	11.4	<0.2	<10	140	0.86	0.29	0.04	0.15	22.2	20.8	44
CC127851		0.26	0.004	0.10	2.53	8.8	<0.2	<10	310	1.05	0.27	0.33	0.63	48.0	16.4	39
CC127852		0.39	0.005	0.15	2.60	19.5	<0.2	<10	310	1.57	0.25	0.50	0.51	48.6	24.7	36
CC127853		0.34	0.003	0.08	2.45	17.2	<0.2	<10	350	1.06	0.23	0.62	0.20	37.7	18.6	35
CC127854		0.32	0.003	0.04	3.35	17.2	<0.2	<10	160	1.17	0.26	0.07	0.29	25.5	30.3	47
CC127855		0.27	0.002	0.04	2.77	10.3	<0.2	<10	140	1.70	0.31	0.19	0.37	15.80	16.3	29
CC127856		0.27	0.003	0.08	2.66	19.7	<0.2	<10	280	1.34	0.27	0.26	0.24	27.2	20.7	37
CC127857		0.33	0.003	0.18	2.23	26.6	<0.2	<10	330	2.13	0.28	0.51	0.14	41.4	15.5	33
CC127858		0.19	0.002	0.11	1.72	80.8	<0.2	<10	230	0.94	0.24	1.27	0.35	19.05	15.2	23
CC127859		0.31	0.003	0.15	1.97	47.6	<0.2	<10	360	1.29	0.32	0.87	0.22	31.6	21.7	30
CC127860		0.37	0.004	0.09	1.91	36.0	<0.2	<10	220	1.29	0.32	0.28	0.47	37.3	25.6	30
CC127861		0.13	NSS	0.11	0.84	14.1	<0.2	<10	150	0.82	0.21	2.23	0.22	10.60	7.5	13
CC127862		0.17	0.003	0.09	1.18	30.9	<0.2	<10	270	1.16	0.31	1.04	0.18	17.70	12.5	21
CC127863		0.14	0.004	0.12	1.22	26.9	<0.2	<10	470	1.20	0.24	1.32	0.18	28.1	10.6	25
CC127864		0.17	0.007	0.08	0.95	26.7	<0.2	10	460	1.24	0.14	1.99	0.16	29.1	8.8	27
CC127865		0.30	0.003	0.06	1.40	5.7	<0.2	<10	130	1.13	0.17	1.19	0.24	45.2	7.8	36
CC127866		0.25	0.005	0.07	1.50	8.7	<0.2	<10	280	0.85	0.17	1.45	0.24	40.4	6.8	36
CC127867		0.37	0.003	0.08	1.83	21.0	<0.2	<10	190	1.12	0.28	0.21	0.19	21.9	18.5	26
CC127868		0.24	0.003	0.10	1.07	11.2	<0.2	<10	170	0.66	0.17	1.69	0.20	28.3	7.2	22
CC127869		0.33	0.004	0.18	1.44	21.5	<0.2	<10	140	1.20	0.30	0.45	0.18	35.9	14.1	25
CC127870		0.37	0.003	0.05	1.64	13.9	<0.2	<10	150	0.75	0.28	0.11	0.19	31.5	15.5	24
CC127871		0.36	0.002	0.05	1.92	13.3	<0.2	<10	230	1.04	0.34	0.18	0.18	36.4	12.7	25
CC127620		0.30	0.003	0.12	1.63	16.1	<0.2	<10	230	0.97	0.29	0.81	0.36	23.1	15.3	24
CC127621		0.29	0.002	0.06	1.41	23.1	<0.2	<10	100	0.74	0.30	0.36	0.15	18.50	15.6	22
CC127622		0.16	0.004	0.16	1.09	28.5	<0.2	10	120	0.81	0.28	2.12	0.22	15.70	9.6	16
CC127623		0.34	0.003	0.15	1.60	247	<0.2	<10	230	0.84	0.35	0.63	0.24	26.1	16.5	25
CC127624		0.16	0.002	0.06	1.48	18.4	<0.2	<10	290	0.69	0.30	0.56	0.17	18.10	10.9	23
CC127625		0.29	0.003	0.11	1.85	12.6	<0.2	<10	380	1.18	0.28	1.33	0.33	22.7	13.2	27
CC127626		0.21	0.002	0.05	1.54	13.3	<0.2	<10	100	0.42	0.36	0.07	0.12	20.4	9.9	24
CC127627		0.20	0.002	0.08	1.48	9.2	<0.2	<10	230	0.65	0.30	0.88	0.09	14.90	9.4	22

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 4- AUG- 2011
Account: RCM

Project: Rackla - Dale

CERTIFICATE OF ANALYSIS WH11121830

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
CC127840		7.17	30.4	1.92	3.87	0.10	0.05	0.08	0.028	0.07	12.1	13.2	0.55	239	0.44	0.01
CC127841		1.72	47.7	3.76	3.86	0.10	0.08	0.14	0.038	0.07	8.3	19.7	0.65	660	0.67	<0.01
CC127842		1.51	50.3	3.91	4.84	0.10	0.07	0.14	0.039	0.06	8.4	36.8	0.44	481	1.09	<0.01
CC127843		1.50	50.2	4.73	6.48	0.10	0.06	0.08	0.051	0.05	11.1	29.2	0.50	714	1.09	<0.01
CC127844		1.80	46.6	3.93	5.26	0.08	0.06	0.04	0.038	0.06	11.9	27.9	0.55	531	1.19	<0.01
CC127845		3.23	79.3	5.31	6.15	0.10	0.04	0.39	0.049	0.07	10.1	33.9	0.68	917	0.97	<0.01
CC127846		3.43	78.4	5.32	5.79	0.10	0.06	0.13	0.061	0.08	8.9	31.8	0.72	903	1.18	<0.01
CC127847		2.37	56.5	4.76	6.74	0.09	0.06	0.05	0.048	0.07	9.6	30.6	0.92	867	1.12	0.01
CC127848		1.98	35.4	3.77	6.95	0.07	0.03	0.04	0.035	0.05	10.1	23.9	0.40	292	1.48	<0.01
CC127849		3.14	56.8	5.07	6.77	0.10	0.02	0.05	0.054	0.07	8.4	29.3	0.70	1010	1.21	0.01
CC127850		4.62	72.1	5.78	9.63	0.12	0.05	0.07	0.066	0.06	8.5	37.8	0.99	737	1.13	0.01
CC127851		6.76	54.0	5.29	8.16	0.12	0.05	0.06	0.063	0.05	12.4	27.0	0.63	2050	1.05	0.01
CC127852		12.00	110.0	5.53	7.96	0.18	0.09	0.13	0.066	0.07	17.5	29.6	0.96	2010	1.00	0.01
CC127853		6.13	75.6	4.85	7.93	0.10	0.05	0.08	0.050	0.06	11.4	30.0	0.99	1340	0.85	0.01
CC127854		5.27	110.0	6.76	9.98	0.11	0.06	0.07	0.083	0.07	7.7	51.1	1.27	1350	0.93	0.01
CC127855		3.19	36.5	4.93	8.04	0.09	0.06	0.04	0.054	0.09	5.5	30.6	0.78	661	0.85	0.01
CC127856		3.50	82.4	5.49	9.26	0.11	0.05	0.11	0.054	0.09	11.6	35.3	0.88	746	1.20	0.01
CC127857		2.85	88.4	3.84	6.51	0.16	0.11	0.18	0.035	0.07	23.3	21.1	0.68	785	1.28	0.01
CC127858		1.89	59.9	4.23	5.43	0.10	0.09	0.27	0.034	0.09	10.4	20.7	0.39	1020	0.82	0.01
CC127859		1.26	64.8	5.76	4.76	0.13	0.09	0.13	0.052	0.09	13.9	22.5	0.61	855	0.97	0.01
CC127860		1.95	99.9	5.83	5.49	0.15	0.05	0.37	0.049	0.09	17.4	29.7	0.78	1180	1.01	0.01
CC127861		1.43	31.7	2.41	2.59	0.09	0.05	0.10	0.028	0.07	4.7	12.1	0.39	232	1.13	0.01
CC127862		2.33	39.6	3.59	3.75	0.11	0.07	0.09	0.042	0.08	7.8	16.7	0.45	482	1.04	0.01
CC127863		6.09	34.4	2.92	4.01	0.11	0.08	0.14	0.041	0.09	14.9	17.1	0.52	376	0.64	0.01
CC127864		17.45	33.0	2.50	3.50	0.12	0.09	0.10	0.028	0.14	18.4	16.7	0.59	230	0.41	0.01
CC127865		7.89	25.5	2.56	4.96	0.14	0.08	0.07	0.031	0.09	25.9	32.0	1.24	328	0.45	0.01
CC127866		11.55	23.9	2.41	4.83	0.16	0.09	0.08	0.030	0.10	24.0	30.3	1.35	272	0.44	0.02
CC127867		2.80	59.4	5.12	5.48	0.08	0.04	0.05	0.049	0.08	6.7	27.7	0.54	836	0.96	<0.01
CC127868		7.12	20.2	2.06	4.12	0.12	0.06	0.15	0.023	0.06	13.2	26.9	0.64	566	0.55	<0.01
CC127869		1.48	38.6	3.75	4.23	0.13	0.11	0.13	0.032	0.07	16.0	27.0	0.62	488	0.70	<0.01
CC127870		1.56	34.8	3.75	4.22	0.11	0.04	0.05	0.028	0.06	9.4	23.2	0.51	771	0.80	<0.01
CC127871		1.53	28.4	4.73	5.75	0.11	0.03	0.05	0.039	0.06	11.8	26.1	0.45	1050	1.06	<0.01
CC127620		1.20	41.6	3.87	4.67	0.10	0.05	0.07	0.031	0.08	8.6	29.3	0.49	619	0.76	0.01
CC127621		0.96	39.6	4.11	4.15	0.10	0.07	0.06	0.032	0.07	6.6	28.3	0.56	491	0.68	<0.01
CC127622		0.70	32.7	3.07	2.90	0.11	0.06	0.09	0.031	0.08	6.7	13.0	0.25	323	0.47	0.01
CC127623		1.58	41.4	3.84	5.25	0.11	0.05	0.28	0.032	0.09	9.7	38.7	0.57	575	0.85	0.01
CC127624		1.53	27.3	3.16	5.51	0.09	0.04	0.03	0.028	0.06	6.9	19.7	0.40	424	0.82	0.01
CC127625		2.43	60.2	3.66	4.70	0.11	0.09	0.10	0.031	0.12	11.1	26.4	0.64	589	0.50	0.01
CC127626		1.42	27.1	4.19	6.44	0.09	0.02	0.03	0.029	0.07	7.9	22.1	0.38	383	1.11	<0.01
CC127627		1.70	23.4	2.90	5.35	0.09	0.05	0.07	0.026	0.06	6.7	17.6	0.35	306	0.96	0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 4- AUG- 2011
Account: RCM

Project: Rackla - Dale

CERTIFICATE OF ANALYSIS WH11121830

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
CC127840		0.55	16.7	1050	12.3	9.8	0.001	0.13	0.23	3.3	0.9	0.4	72.3	<0.01	0.03	0.9
CC127841		0.31	29.3	930	15.3	8.1	<0.001	0.06	0.36	5.7	1.5	0.5	45.1	<0.01	0.08	1.3
CC127842		0.41	27.1	700	18.2	12.9	0.002	0.07	0.42	6.8	2.5	0.5	43.1	<0.01	0.08	1.6
CC127843		0.74	31.1	390	18.6	9.5	0.001	0.01	0.49	6.3	0.8	0.6	14.6	<0.01	0.07	2.9
CC127844		0.72	30.3	580	16.3	10.2	<0.001	0.01	0.66	5.1	0.7	0.5	12.4	<0.01	0.07	3.0
CC127845		0.28	36.7	240	18.0	11.5	<0.001	<0.01	0.57	7.5	0.7	0.5	8.2	<0.01	0.12	4.0
CC127846		0.41	48.2	380	19.2	12.3	<0.001	0.01	0.72	8.1	0.8	0.5	9.9	<0.01	0.12	3.9
CC127847		0.56	32.6	680	12.8	10.7	<0.001	0.02	0.44	7.3	0.9	0.5	11.4	<0.01	0.10	2.0
CC127848		0.98	19.6	300	11.3	12.1	<0.001	0.01	0.49	4.2	0.6	0.7	7.6	<0.01	0.10	2.9
CC127849		0.77	26.2	660	15.0	11.2	<0.001	0.02	0.41	5.5	0.6	0.6	10.3	<0.01	0.10	1.6
CC127850		0.84	30.2	400	11.2	13.6	<0.001	0.01	0.38	9.5	0.8	0.8	5.7	<0.01	0.13	3.0
CC127851		0.65	25.9	1090	15.0	10.8	<0.001	0.05	0.41	8.7	1.1	0.7	11.7	0.01	0.09	1.0
CC127852		0.47	34.5	1050	16.6	11.0	<0.001	0.05	0.43	13.0	1.9	0.5	15.3	0.01	0.13	1.3
CC127853		0.50	34.1	1000	12.7	10.7	<0.001	0.03	0.39	8.4	1.1	0.6	18.6	<0.01	0.11	1.5
CC127854		0.52	43.5	470	16.1	14.9	<0.001	0.02	0.39	9.7	0.8	0.7	6.4	<0.01	0.16	2.9
CC127855		0.41	29.4	380	19.5	18.5	<0.001	0.02	0.23	6.7	0.7	0.8	7.8	<0.01	0.14	2.9
CC127856		0.48	32.0	490	15.1	16.1	<0.001	0.01	0.47	8.9	0.8	0.8	14.1	<0.01	0.14	2.8
CC127857		0.74	35.5	920	18.5	14.3	<0.001	0.04	0.66	8.0	1.9	0.7	30.3	0.01	0.07	2.1
CC127858		0.27	28.6	860	16.7	14.2	<0.001	0.05	0.61	7.3	1.1	0.5	68.2	0.01	0.12	1.6
CC127859		0.25	38.5	500	24.9	8.3	<0.001	0.05	0.47	10.3	1.0	0.4	75.8	<0.01	0.11	3.1
CC127860		0.15	45.4	770	29.1	7.8	<0.001	0.01	0.68	12.6	1.3	0.4	22.2	<0.01	0.11	5.2
CC127861		0.23	20.1	1030	11.1	11.3	<0.001	0.17	0.41	2.9	3.2	0.4	74.7	<0.01	0.03	0.9
CC127862		0.23	30.5	770	18.0	11.0	<0.001	0.07	0.41	5.4	1.5	0.5	38.4	<0.01	0.01	1.4
CC127863		0.33	27.5	980	15.3	14.0	<0.001	0.09	0.40	5.5	2.4	0.5	51.8	<0.01	0.03	1.4
CC127864		0.39	26.2	820	9.5	17.5	<0.001	0.11	0.24	4.7	3.2	0.4	72.4	<0.01	<0.01	1.8
CC127865		0.34	22.0	910	11.1	13.0	<0.001	0.09	0.20	4.5	1.5	0.3	40.3	<0.01	<0.01	1.6
CC127866		0.49	19.9	1050	10.9	15.8	<0.001	0.12	0.23	4.2	1.7	0.4	49.7	<0.01	0.02	1.4
CC127867		0.23	31.2	550	19.5	10.4	<0.001	0.03	0.49	6.0	0.4	0.5	12.8	<0.01	0.11	2.4
CC127868		0.36	13.1	1100	9.3	7.9	0.001	0.10	0.25	2.8	1.7	0.4	85.6	<0.01	0.01	1.0
CC127869		0.24	29.5	450	17.5	8.0	<0.001	0.03	0.41	7.3	0.9	0.4	32.1	<0.01	0.04	3.9
CC127870		0.39	27.2	690	17.1	7.9	<0.001	0.02	0.62	3.8	<0.2	0.4	9.3	<0.01	0.07	2.4
CC127871		0.55	23.7	820	15.6	9.5	<0.001	0.03	0.57	4.2	0.7	0.6	17.1	<0.01	0.06	1.3
CC127620		0.36	25.8	780	18.9	9.5	<0.001	0.05	0.55	5.5	0.7	0.4	65.2	<0.01	0.06	1.4
CC127621		0.15	26.9	340	17.4	7.2	<0.001	0.01	0.45	5.7	0.7	0.3	29.7	<0.01	0.05	3.4
CC127622		0.19	20.5	840	16.0	6.6	<0.001	0.10	0.34	3.9	0.8	0.4	106.5	<0.01	0.07	1.1
CC127623		0.39	27.0	590	18.5	9.8	<0.001	0.04	0.50	4.9	1.5	0.4	70.3	<0.01	0.07	1.6
CC127624		0.48	16.9	880	14.1	9.7	0.001	0.04	0.44	3.4	0.5	0.5	28.5	<0.01	0.05	1.2
CC127625		0.29	27.6	720	14.4	8.9	<0.001	0.04	0.42	7.3	1.0	0.4	41.3	<0.01	0.04	2.2
CC127626		0.80	17.9	330	16.3	10.0	0.001	0.01	0.56	3.2	0.2	0.6	7.2	<0.01	0.05	2.6
CC127627		0.60	16.6	950	13.5	9.1	0.001	0.08	0.44	3.4	0.4	0.5	38.1	<0.01	0.02	1.0

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 4- AUG- 2011
Account: RCM

Project: Rackla - Dale

CERTIFICATE OF ANALYSIS WH11121830

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
CC127840		0.012	0.17	7.45	23	0.05	9.99	52	1.6
CC127841		<0.005	0.13	2.76	30	<0.05	16.85	73	1.8
CC127842		0.005	0.15	2.62	38	0.06	15.30	66	1.7
CC127843		0.009	0.14	0.62	59	0.13	7.48	62	1.4
CC127844		0.014	0.15	0.70	48	0.19	6.38	68	1.4
CC127845		0.007	0.16	0.48	58	0.05	4.98	71	2.0
CC127846		0.007	0.19	0.56	55	0.07	6.31	72	2.5
CC127847		0.014	0.12	0.68	66	0.12	6.80	83	1.3
CC127848		0.016	0.15	0.45	61	0.17	3.74	46	0.9
CC127849		0.015	0.12	0.48	69	0.18	6.12	65	<0.5
CC127850		0.015	0.17	0.48	104	0.11	5.80	66	1.4
CC127851		0.020	0.07	0.53	91	0.14	17.00	86	0.6
CC127852		0.017	0.07	0.79	74	0.13	29.8	72	0.9
CC127853		0.014	0.05	0.56	74	0.13	11.40	69	1.0
CC127854		0.009	0.09	0.39	93	0.08	5.15	79	2.1
CC127855		<0.005	0.13	0.41	47	0.06	9.13	76	1.9
CC127856		0.006	0.09	0.68	80	0.09	9.97	72	1.2
CC127857		0.017	0.13	2.93	55	0.27	43.3	85	1.5
CC127858		0.005	0.12	2.06	46	0.07	18.45	87	2.4
CC127859		<0.005	0.15	1.87	47	0.05	18.25	106	2.3
CC127860		0.006	0.22	0.87	52	0.05	21.3	98	2.0
CC127861		<0.005	0.12	6.59	19	<0.05	10.35	67	1.6
CC127862		0.005	0.18	5.48	29	0.10	15.05	89	1.7
CC127863		0.007	0.26	5.94	29	0.06	18.35	92	2.1
CC127864		0.007	0.38	6.46	25	0.06	14.95	93	2.9
CC127865		0.012	0.14	2.99	30	<0.05	18.45	105	2.1
CC127866		0.016	0.17	2.50	30	0.08	17.35	96	2.2
CC127867		<0.005	0.21	0.49	54	0.05	4.83	67	1.1
CC127868		0.011	0.21	5.59	32	0.10	7.92	62	2.0
CC127869		0.005	0.16	3.90	32	<0.05	13.80	71	3.0
CC127870		0.011	0.14	0.65	37	0.18	5.45	76	1.0
CC127871		0.014	0.16	1.03	47	0.19	9.05	74	0.9
CC127620		0.010	0.11	1.52	40	0.09	8.74	82	1.2
CC127621		<0.005	0.09	0.65	35	<0.05	5.41	98	1.9
CC127622		<0.005	0.13	3.28	23	<0.05	12.30	89	1.6
CC127623		0.010	3.67	3.53	41	0.15	8.13	82	1.4
CC127624		0.012	0.19	0.89	46	0.12	3.64	73	0.9
CC127625		0.005	0.14	2.15	34	<0.05	15.40	87	2.7
CC127626		0.015	0.12	0.46	55	0.15	2.23	77	0.7
CC127627		0.013	0.14	1.74	42	0.14	5.21	66	1.1

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 4- AUG- 2011
Account: RCM

Project: Rackla - Dale

CERTIFICATE OF ANALYSIS WH11121830

Sample Description	Method	WEI- 21	Au- TL43	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Recvd Wt.	Au	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
CC127628		0.14	0.004	0.11	1.15	8.3	<0.2	<10	350	0.48	0.23	1.99	0.14	9.25	8.5	17
CC127629		0.19	0.003	0.09	1.03	38.0	<0.2	10	180	1.05	0.34	1.08	0.19	19.95	16.1	20
CC127630		0.17	0.004	0.11	1.10	19.8	<0.2	10	270	0.98	0.28	1.38	0.18	22.4	12.6	23
CC127631		0.13	0.003	0.08	1.21	8.3	<0.2	10	140	0.75	0.29	1.54	0.14	10.85	12.9	17
CC127632		0.10	0.005	0.11	0.54	4.7	<0.2	10	120	0.49	0.12	3.74	0.20	6.95	6.5	7
CC127633		0.13	0.004	0.11	1.01	6.3	<0.2	10	80	0.75	0.27	1.62	0.16	12.55	9.1	15
CC127634		0.12	0.003	0.07	0.98	16.4	<0.2	<10	100	0.66	0.28	1.03	0.20	13.00	12.8	17
CC127635		0.22	0.002	0.06	1.63	16.0	<0.2	<10	140	0.69	0.31	0.73	0.31	23.4	14.2	22
CC127636		0.13	0.005	0.12	1.13	26.6	<0.2	10	140	0.65	0.26	1.66	0.20	9.73	9.2	16
CC127637		0.12	0.003	0.08	1.14	11.6	<0.2	<10	150	0.45	0.25	1.44	0.26	10.60	8.9	17
CC127638		0.24	<0.001	0.12	1.34	15.1	<0.2	<10	150	0.83	0.26	1.23	0.32	13.95	13.3	20
CC127639		0.28	0.001	0.09	1.24	15.1	<0.2	<10	180	0.75	0.29	1.40	0.13	14.25	12.0	18
CC127640		0.16	0.002	0.13	0.71	36.8	<0.2	10	90	0.71	0.28	1.81	0.28	7.59	16.7	11
CC127641		0.24	0.001	0.04	2.68	9.4	<0.2	<10	80	0.68	0.31	0.08	0.27	26.4	38.4	48
CC127642		0.18	0.002	0.11	1.69	8.6	<0.2	<10	130	0.69	0.28	0.39	0.35	31.0	21.5	26
CC127643		0.29	0.003	0.12	0.83	21.8	<0.2	10	80	0.87	0.31	1.35	0.26	9.88	17.8	11
CC127644		0.13	0.002	0.13	0.35	2.3	<0.2	10	210	0.24	0.05	4.50	0.42	3.16	3.1	5
CC127645		0.21	0.001	0.11	1.28	20.1	<0.2	<10	130	0.66	0.25	1.21	0.29	15.45	13.9	19
CC127646		0.24	0.002	0.14	1.36	18.1	<0.2	<10	130	0.72	0.25	0.97	0.30	20.0	13.6	23
CC127647		0.22	0.001	0.12	1.06	9.6	<0.2	10	90	0.76	0.22	1.98	0.30	12.90	9.4	18
CC127648		0.36	0.002	0.18	1.63	17.0	<0.2	<10	140	0.92	0.29	0.83	0.37	25.2	16.8	27
CC127649		0.31	0.003	0.18	1.53	13.5	<0.2	<10	100	0.74	0.25	1.53	0.33	21.6	12.5	24
CC127650		0.18	0.003	0.10	0.93	16.8	<0.2	<10	220	0.96	0.24	1.61	0.16	15.05	10.0	19
CC127651		0.12	<0.001	0.12	0.51	4.8	<0.2	<10	250	0.34	0.09	3.81	0.18	5.86	3.7	7
CC127652		0.19	0.001	0.11	0.83	20.1	<0.2	<10	180	0.79	0.25	1.30	0.20	11.25	8.9	15
CC127653		0.17	0.002	0.05	0.73	49.7	<0.2	<10	230	0.95	0.26	1.90	0.15	24.5	11.8	18
CC127654		0.16	0.001	0.11	0.90	9.7	<0.2	<10	380	0.68	0.16	3.29	0.23	13.95	8.0	15
CC127655		0.21	0.001	0.08	0.95	10.8	<0.2	<10	330	0.86	0.22	1.84	0.19	22.3	10.4	18
CC127656		0.29	0.001	0.06	1.78	23.7	<0.2	<10	180	0.71	0.26	0.14	0.28	30.4	13.1	28
CC127657		0.29	0.002	0.06	1.59	142.5	<0.2	<10	180	0.70	0.26	0.26	0.18	26.3	14.4	25
CC127658		0.28	0.002	0.19	1.56	699	<0.2	<10	240	0.76	0.31	0.65	0.28	21.9	12.7	28
CC127659		0.11	NSS	0.19	0.78	36.6	<0.2	<10	140	0.66	0.21	2.60	0.29	14.25	8.2	13
CC127660		0.17	0.001	0.22	0.89	18.2	<0.2	<10	120	0.63	0.18	3.01	0.36	15.25	9.3	12
CC128261		0.32	0.001	0.10	3.06	12.7	<0.2	<10	570	0.88	0.26	0.37	1.29	17.35	39.0	44
CC128262		0.44	0.001	0.10	1.76	22.1	<0.2	<10	250	0.77	0.29	0.07	0.64	25.4	14.5	29
CC128263		0.32	<0.001	0.10	2.04	7.5	<0.2	<10	260	0.71	0.29	0.27	0.62	20.4	18.0	38
CC128264		0.40	0.001	0.04	1.84	12.6	<0.2	<10	130	0.61	0.30	0.05	0.25	22.8	10.8	27
CC128265		0.35	0.001	0.09	1.54	11.7	<0.2	<10	160	0.90	0.27	0.46	0.22	20.5	11.0	23
CC128266		0.41	<0.001	0.09	2.26	11.4	<0.2	<10	350	0.91	0.30	0.19	0.30	21.7	15.6	30
CC128267		0.38	0.001	0.07	3.19	9.6	<0.2	<10	200	1.36	0.22	0.15	0.35	39.2	53.6	48

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 4- AUG- 2011
Account: RCM

Project: Rackla - Dale

CERTIFICATE OF ANALYSIS WH11121830

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
CC127628		2.94	35.5	2.65	3.89	0.09	0.05	0.07	0.026	0.08	4.5	16.8	0.30	310	0.63	0.01
CC127629		5.25	45.8	3.75	3.28	0.12	0.09	0.22	0.033	0.08	8.8	18.1	0.34	412	0.50	<0.01
CC127630		5.70	38.2	2.95	3.18	0.11	0.08	0.09	0.031	0.10	8.6	18.9	0.40	357	0.41	0.01
CC127631		0.90	36.3	2.94	3.59	0.09	0.07	0.09	0.029	0.08	4.1	23.5	0.46	474	0.51	0.01
CC127632		0.48	45.4	1.30	1.54	0.09	0.05	0.10	0.014	0.05	3.6	7.3	0.25	335	0.55	0.02
CC127633		0.85	29.8	2.46	2.79	0.10	0.06	0.09	0.023	0.08	5.0	18.5	0.48	348	0.44	0.01
CC127634		0.74	29.0	3.42	3.07	0.09	0.06	0.08	0.029	0.07	4.7	19.3	0.44	449	0.57	0.01
CC127635		1.03	34.8	4.58	5.24	0.10	0.04	0.08	0.036	0.06	6.4	26.0	0.34	734	1.00	<0.01
CC127636		1.43	24.0	2.61	3.20	0.09	0.06	0.23	0.024	0.07	4.1	16.2	0.42	421	0.83	0.01
CC127637		1.06	22.9	2.82	4.03	0.08	0.04	0.07	0.023	0.05	4.7	21.4	0.41	378	0.74	0.01
CC127638		8.21	39.3	3.40	4.08	0.10	0.06	0.06	0.028	0.10	5.8	20.7	0.46	768	0.72	0.01
CC127639		2.02	37.2	3.22	3.39	0.09	0.04	0.07	0.028	0.09	5.5	16.3	0.37	432	0.58	0.01
CC127640		1.48	54.9	3.45	1.93	0.10	0.06	0.26	0.036	0.08	3.5	8.3	0.27	389	4.30	0.01
CC127641		9.45	105.5	8.16	13.10	0.11	0.02	0.04	0.067	0.09	7.5	37.3	0.95	1470	0.82	<0.01
CC127642		2.68	62.9	3.96	5.37	0.12	0.04	0.07	0.046	0.09	8.5	21.2	0.47	865	1.67	0.01
CC127643		0.88	58.0	3.69	2.06	0.10	0.06	0.16	0.036	0.09	4.7	7.8	0.21	365	4.67	0.01
CC127644		0.54	39.8	0.56	1.05	0.08	0.03	0.16	0.008	0.02	1.5	1.8	0.20	420	0.53	0.02
CC127645		1.08	46.3	3.64	4.29	0.07	0.07	0.10	0.036	0.06	6.6	23.0	0.52	502	0.68	0.02
CC127646		1.08	46.4	3.72	4.14	0.08	0.06	0.11	0.035	0.08	8.2	23.2	0.56	588	0.92	0.02
CC127647		1.47	32.0	2.70	3.21	0.07	0.09	0.09	0.030	0.10	6.0	17.9	0.52	275	0.55	0.03
CC127648		1.09	54.6	4.17	4.90	0.10	0.09	0.10	0.038	0.11	11.2	28.5	0.73	715	1.02	0.03
CC127649		0.81	46.0	3.22	4.63	0.07	0.06	0.12	0.033	0.10	9.8	23.7	0.64	646	1.06	0.02
CC127650		2.36	38.3	2.63	2.92	0.07	0.09	0.07	0.034	0.08	6.7	14.0	0.37	284	0.45	0.03
CC127651		0.66	28.6	0.95	1.63	<0.05	0.04	0.10	0.011	0.03	3.2	3.0	0.11	231	0.46	0.02
CC127652		6.66	36.5	2.74	2.40	0.06	0.08	0.11	0.030	0.08	5.2	11.9	0.51	244	0.51	0.01
CC127653		1.23	29.0	2.92	2.27	0.08	0.08	0.08	0.038	0.07	9.0	6.4	0.12	386	0.31	0.02
CC127654		2.40	37.8	2.10	2.62	0.06	0.08	0.09	0.025	0.08	6.9	10.5	0.27	273	0.41	0.02
CC127655		1.75	38.1	2.94	2.74	0.07	0.08	0.07	0.031	0.09	9.8	13.2	0.32	321	0.35	0.02
CC127656		1.48	32.0	3.89	5.57	0.07	0.03	0.03	0.038	0.06	9.7	23.8	0.45	660	1.15	0.02
CC127657		1.17	43.5	4.01	4.97	0.06	0.06	0.05	0.035	0.07	8.4	27.9	0.60	518	0.82	0.01
CC127658		2.38	36.4	3.79	4.90	0.08	0.06	0.85	0.036	0.09	9.7	24.2	0.43	523	0.84	0.02
CC127659		0.71	32.3	2.39	2.33	0.10	0.07	0.28	0.029	0.06	5.8	9.1	0.22	341	0.57	0.02
CC127660		0.99	33.9	2.21	2.52	0.10	0.06	0.15	0.028	0.07	6.7	12.3	0.21	476	0.50	0.01
CC128261		16.55	85.3	6.83	11.70	0.13	0.04	0.07	0.086	0.07	5.5	42.7	1.06	3180	0.95	0.01
CC128262		3.54	40.1	5.51	6.00	0.12	0.02	0.08	0.045	0.07	10.4	33.8	0.46	877	0.91	0.01
CC128263		6.71	71.7	6.28	9.17	0.12	0.02	0.04	0.063	0.08	8.4	32.6	0.64	1160	1.02	0.01
CC128264		2.07	28.4	4.51	6.69	0.11	0.03	0.03	0.040	0.08	10.9	38.9	0.43	456	0.92	0.01
CC128265		4.34	49.0	3.59	5.36	0.11	0.04	0.05	0.035	0.07	10.5	36.7	0.54	421	0.94	0.01
CC128266		3.07	48.3	4.48	8.10	0.13	0.04	0.06	0.050	0.07	9.6	28.7	0.51	821	1.07	0.01
CC128267		12.50	169.0	8.09	11.20	0.14	0.06	0.06	0.105	0.09	7.5	43.7	1.49	2040	0.53	0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 4- AUG- 2011
Account: RCM

Project: Rackla - Dale

CERTIFICATE OF ANALYSIS WH11121830

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
CC127628		0.39	17.2	650	9.5	9.8	<0.001	0.09	0.43	2.8	1.1	0.4	64.0	<0.01	0.04	0.8
CC127629		0.17	40.0	540	17.5	7.9	<0.001	0.03	0.39	7.9	0.8	0.5	38.7	<0.01	0.06	3.3
CC127630		0.25	30.4	910	14.4	8.8	<0.001	0.06	0.37	5.8	1.3	0.4	44.9	<0.01	0.02	1.9
CC127631		0.19	24.8	640	14.6	6.8	<0.001	0.08	0.39	5.0	0.6	0.4	77.3	<0.01	0.06	1.5
CC127632		0.09	15.0	820	7.8	2.9	0.001	0.16	0.44	1.7	0.6	0.2	105.0	<0.01	0.03	0.4
CC127633		0.22	21.1	710	12.2	7.2	0.001	0.11	0.32	3.7	1.5	0.3	58.4	<0.01	0.03	1.1
CC127634		0.14	24.1	600	14.8	5.3	0.002	0.06	0.32	4.5	0.5	0.3	34.5	<0.01	0.05	1.9
CC127635		0.56	21.1	650	20.9	9.2	<0.001	0.04	0.75	3.8	0.8	0.4	29.6	<0.01	0.06	1.8
CC127636		0.27	15.7	990	12.6	8.5	<0.001	0.13	0.40	2.8	0.8	0.3	59.2	<0.01	0.03	0.8
CC127637		0.52	14.5	710	11.7	7.4	<0.001	0.09	0.44	2.6	0.6	0.4	55.6	<0.01	0.04	0.8
CC127638		0.29	25.1	770	12.2	11.3	0.001	0.06	0.54	6.3	1.0	0.4	42.1	<0.01	0.05	1.3
CC127639		0.24	22.6	610	12.6	7.4	<0.001	0.06	0.40	4.5	1.0	0.4	42.3	<0.01	0.04	1.0
CC127640		0.15	27.1	670	12.9	7.1	0.003	0.09	0.93	5.0	1.3	0.4	50.1	<0.01	0.07	0.9
CC127641		0.42	28.3	730	12.2	16.7	0.001	0.03	0.43	9.8	0.6	0.9	6.1	<0.01	0.13	2.0
CC127642		0.34	24.6	790	11.4	10.1	0.001	0.07	0.38	8.8	1.5	0.5	17.5	<0.01	0.10	1.1
CC127643		0.13	30.5	500	13.1	5.1	0.001	0.06	0.80	5.6	1.5	0.3	42.1	<0.01	0.07	1.3
CC127644		0.13	10.2	850	2.5	1.8	<0.001	0.21	0.66	0.6	1.6	<0.2	128.5	<0.01	0.01	<0.2
CC127645		0.25	25.2	690	17.1	9.2	<0.001	0.08	0.49	4.7	1.2	0.3	50.7	<0.01	0.07	1.2
CC127646		0.29	27.6	780	18.3	9.0	0.001	0.08	0.50	5.2	1.4	0.3	37.2	<0.01	0.07	1.4
CC127647		0.29	24.8	840	12.3	15.9	0.001	0.17	0.37	4.0	2.9	0.4	75.9	<0.01	0.04	1.2
CC127648		0.39	37.0	660	19.9	10.3	<0.001	0.05	0.64	7.2	1.2	0.4	40.3	<0.01	0.08	2.3
CC127649		0.55	30.2	1040	14.5	11.7	<0.001	0.09	0.59	3.4	1.6	0.4	68.1	<0.01	0.07	1.0
CC127650		0.22	31.0	730	13.3	9.0	<0.001	0.11	0.32	4.3	1.3	0.4	51.9	<0.01	0.04	1.4
CC127651		0.18	11.8	980	5.4	3.4	<0.001	0.19	0.27	0.7	1.7	<0.2	102.5	<0.01	0.04	0.2
CC127652		0.20	24.8	730	15.0	15.5	0.001	0.12	0.30	3.8	2.4	0.3	123.5	<0.01	0.05	1.3
CC127653		0.13	34.5	580	16.9	6.9	<0.001	0.10	0.27	4.0	1.0	0.4	47.0	<0.01	0.04	1.7
CC127654		0.23	21.4	880	9.9	8.9	<0.001	0.14	0.30	2.4	1.2	0.2	88.4	<0.01	0.05	0.7
CC127655		0.20	27.1	520	13.4	9.6	<0.001	0.06	0.28	4.7	0.9	0.3	40.4	<0.01	0.05	1.8
CC127656		0.64	26.8	780	20.0	11.1	<0.001	0.03	0.55	3.5	0.7	0.5	12.2	<0.01	0.06	1.5
CC127657		0.34	29.6	430	17.6	9.8	<0.001	0.02	0.47	4.4	0.6	0.4	26.2	<0.01	0.07	2.6
CC127658		0.49	26.2	890	19.7	14.0	<0.001	0.05	0.48	4.6	1.3	0.6	46.4	<0.01	0.06	1.7
CC127659		0.23	20.8	920	15.1	6.9	<0.001	0.16	0.38	3.3	1.9	0.3	169.0	<0.01	0.05	0.8
CC127660		0.25	23.0	960	15.7	8.2	<0.001	0.16	0.35	3.1	1.6	0.3	192.0	<0.01	0.05	0.6
CC128261		0.44	32.4	830	19.7	17.4	<0.001	0.05	0.35	11.7	0.6	0.7	13.8	<0.01	0.13	1.4
CC128262		0.73	27.1	320	15.5	11.8	<0.001	0.01	0.44	6.5	0.7	0.5	9.5	<0.01	0.06	3.4
CC128263		0.60	24.4	640	13.1	16.5	<0.001	0.03	0.33	8.3	0.6	0.6	11.1	<0.01	0.10	1.6
CC128264		0.76	19.2	250	15.2	13.5	<0.001	0.01	0.37	4.5	0.3	0.5	7.3	<0.01	0.06	3.8
CC128265		0.66	22.3	510	14.5	14.3	<0.001	0.02	0.44	4.8	0.9	0.5	19.3	<0.01	0.07	2.3
CC128266		0.63	22.4	450	14.4	15.3	<0.001	0.02	0.31	6.9	0.5	0.7	10.6	<0.01	0.08	2.3
CC128267		0.26	45.8	900	22.6	16.4	<0.001	0.03	0.19	20.1	1.0	0.8	10.4	<0.01	0.16	1.9

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 4- AUG- 2011
Account: RCM

Project: Rackla - Dale

CERTIFICATE OF ANALYSIS WH11121830

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
CC127628		0.007	0.14	4.70	29	0.05	5.09	77	1.8
CC127629		<0.005	0.22	2.57	26	<0.05	14.60	106	2.7
CC127630		<0.005	0.22	3.43	21	<0.05	14.80	96	2.1
CC127631		<0.005	0.15	1.74	22	<0.05	6.62	78	2.2
CC127632		<0.005	0.07	3.20	10	<0.05	7.24	46	1.5
CC127633		<0.005	0.11	1.12	18	<0.05	8.31	73	1.6
CC127634		<0.005	0.09	0.70	22	<0.05	5.35	108	1.9
CC127635		0.014	0.08	1.59	44	0.10	4.33	76	1.1
CC127636		0.005	0.19	1.35	26	0.10	5.56	85	1.3
CC127637		0.011	0.10	0.89	36	0.10	3.35	58	1.1
CC127638		0.006	0.17	0.77	37	0.05	8.88	68	1.6
CC127639		0.005	0.13	1.29	29	0.05	7.29	60	1.3
CC127640		<0.005	0.51	0.86	24	<0.05	8.21	98	1.6
CC127641		0.011	0.13	0.29	148	<0.05	3.68	92	0.7
CC127642		0.007	0.13	0.58	56	0.05	15.85	79	0.9
CC127643		<0.005	0.17	0.80	23	0.06	11.85	80	1.7
CC127644		<0.005	0.07	3.98	6	<0.05	3.23	43	1.0
CC127645		0.005	0.12	1.23	35	0.06	8.94	78	1.8
CC127646		0.008	0.11	1.15	36	0.06	10.30	103	1.5
CC127647		0.005	0.13	1.57	21	0.05	9.13	99	2.5
CC127648		0.012	0.12	0.83	40	0.09	12.05	112	2.1
CC127649		0.014	0.14	1.12	38	0.12	10.00	96	1.4
CC127650		<0.005	0.15	4.54	18	0.05	12.05	85	2.4
CC127651		<0.005	0.07	19.10	9	<0.05	4.66	35	1.3
CC127652		<0.005	0.43	9.14	18	0.07	9.79	98	2.0
CC127653		<0.005	0.27	5.61	19	<0.05	14.30	80	2.0
CC127654		<0.005	0.13	5.84	16	<0.05	10.75	66	2.1
CC127655		<0.005	0.15	2.93	22	0.06	12.35	89	1.9
CC127656		0.014	0.17	0.84	48	0.16	5.94	92	0.7
CC127657		0.008	1.98	1.06	42	0.09	5.24	90	1.6
CC127658		0.009	30.1	2.91	41	0.15	9.44	123	1.7
CC127659		<0.005	0.23	3.22	20	0.08	8.49	73	1.9
CC127660		<0.005	0.15	3.41	21	0.06	10.70	84	1.7
CC128261		0.010	0.19	0.32	129	0.08	6.20	105	0.9
CC128262		0.012	0.16	0.54	62	0.11	4.52	80	0.8
CC128263		0.015	0.10	0.50	111	0.11	5.53	87	0.5
CC128264		0.012	0.12	0.53	58	0.12	3.05	75	1.3
CC128265		0.013	0.13	0.68	45	0.19	10.00	83	0.9
CC128266		0.009	0.16	0.56	73	0.12	8.01	58	0.9
CC128267		0.008	0.13	0.36	134	0.07	12.80	83	0.9

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 4- AUG- 2011
Account: RCM

Project: Rackla - Dale

CERTIFICATE OF ANALYSIS WH11121830

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- TL43 Au ppm 0.001	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1
CC128268		0.38	<0.001	0.07	2.45	9.7	<0.2	<10	110	0.80	0.25	0.21	0.38	31.5	27.8	41
CC127259		0.23	<0.001	0.03	1.34	25.2	<0.2	<10	130	0.46	0.28	0.14	0.12	21.4	10.6	23
CC127260		0.25	0.002	0.15	1.53	17.4	<0.2	<10	240	1.14	0.25	1.12	0.21	19.10	11.6	21
CC127261		0.26	<0.001	0.07	0.84	30.0	<0.2	<10	90	0.81	0.32	0.44	0.53	26.7	21.1	16
CC127269		0.31	0.002	0.13	1.34	13.4	<0.2	<10	290	0.98	0.25	1.88	0.14	14.25	11.3	19
CC127270		0.26	0.002	0.06	2.58	37.5	<0.2	<10	140	1.22	0.29	0.05	0.39	30.4	26.0	32
CC127271		0.15	0.001	0.08	0.64	32.9	<0.2	<10	120	0.47	0.16	3.19	0.28	16.05	7.9	9
CC127272		0.22	0.002	0.17	1.22	19.1	<0.2	10	160	0.83	0.25	1.42	0.29	16.60	13.1	19
CC127273		0.30	0.001	0.03	1.76	22.9	<0.2	<10	80	0.48	0.31	0.03	0.10	17.45	12.0	25
CC127274		0.25	0.001	0.06	1.48	9.6	<0.2	<10	90	0.43	0.34	0.14	0.19	11.90	7.8	26
CC127275		0.39	0.002	0.06	2.47	14.8	<0.2	<10	240	1.05	0.27	0.11	0.23	21.4	17.9	34
CC127276		0.33	0.003	0.13	2.24	9.7	<0.2	<10	750	1.32	0.26	0.32	0.84	33.0	49.6	35
CC127277		0.36	0.002	0.07	1.71	10.1	<0.2	<10	110	0.62	0.31	0.08	0.15	16.35	12.8	28
CC127278		0.43	0.001	0.04	1.74	8.6	<0.2	<10	210	0.41	0.27	0.08	0.14	26.5	8.8	23
CC127279		0.27	0.002	0.07	2.30	18.7	<0.2	<10	110	0.60	0.30	0.02	0.27	15.60	22.2	35
CC127280		0.35	0.001	0.06	2.17	8.0	<0.2	<10	110	0.99	0.30	0.05	0.15	15.65	14.0	26
CC127281		0.37	0.002	0.10	1.94	9.9	<0.2	<10	520	1.16	0.28	0.39	0.24	20.9	16.4	30
CC127282		0.27	0.001	0.04	2.22	13.7	<0.2	<10	150	0.55	0.26	0.03	0.16	20.4	14.4	31
CC127283		0.27	0.002	0.09	2.25	16.5	<0.2	<10	90	1.47	0.27	0.16	0.59	22.1	48.5	37
CC127284		0.43	0.002	0.07	1.82	42.0	<0.2	<10	180	0.90	0.30	0.15	0.29	28.6	18.7	27
CC127285		0.31	0.001	0.05	1.72	19.7	<0.2	<10	60	0.79	0.36	0.03	0.13	13.55	18.8	26
CC127286		0.27	0.001	0.15	1.89	12.9	<0.2	<10	260	1.01	0.31	0.51	0.08	19.50	15.0	24
CC127287		0.35	<0.001	0.02	1.96	25.2	<0.2	<10	120	0.63	0.31	0.05	0.30	26.2	18.5	26
CC127288		0.26	0.002	0.07	1.46	18.3	<0.2	<10	160	0.90	0.29	0.94	0.12	15.55	14.5	22
CC127289		0.30	0.002	0.07	1.60	15.2	<0.2	10	130	1.09	0.28	0.86	0.17	21.2	15.3	27
CC127290		0.34	0.003	0.09	1.11	56.2	<0.2	10	180	1.01	0.28	0.93	0.15	21.6	13.3	25
CC127291		0.34	0.001	0.07	1.45	11.8	<0.2	10	190	0.99	0.27	1.06	0.18	34.0	11.1	31
CC127292		0.32	0.001	0.04	1.66	11.5	<0.2	<10	140	0.75	0.26	0.64	0.21	25.8	12.0	26
CC127293		0.28	0.008	0.23	1.01	34.6	<0.2	10	190	1.16	0.22	0.85	0.16	39.1	11.4	25
CC127294		0.41	0.001	0.04	1.49	49.0	<0.2	<10	140	0.95	0.30	0.31	0.19	18.45	18.0	25
CC127295		0.25	0.001	0.14	1.53	15.4	<0.2	<10	170	0.76	0.27	0.13	0.17	21.6	10.9	24
CC127296		0.36	0.002	0.02	2.02	17.6	<0.2	<10	210	0.99	0.29	0.18	0.11	22.6	16.0	27
CC127297		0.29	0.001	0.07	1.80	15.2	<0.2	<10	230	0.86	0.28	0.21	0.15	21.6	11.1	25
CC127298		0.43	0.001	0.09	1.74	24.7	<0.2	<10	280	1.08	0.28	0.44	0.24	28.2	16.8	26

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 4- AUG- 2011
Account: RCM

Project: Rackla - Dale

CERTIFICATE OF ANALYSIS WH11121830

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
CC128268		21.1	72.4	6.72	11.00	0.11	0.04	0.04	0.067	0.09	9.9	37.5	0.82	1040	0.93	0.01
CC127259		2.20	38.2	3.74	6.88	0.08	0.03	0.04	0.021	0.09	9.1	20.0	0.31	346	1.15	0.01
CC127260		2.45	46.3	3.43	4.67	0.10	0.08	0.13	0.040	0.08	8.9	20.5	0.37	409	0.80	0.01
CC127261		1.26	45.3	5.64	2.90	0.11	0.06	0.03	0.043	0.08	7.4	15.9	0.30	678	0.69	0.01
CC127269		1.25	44.7	3.25	3.93	0.10	0.05	0.14	0.034	0.07	7.2	15.9	0.37	421	0.87	0.02
CC127270		1.68	72.5	5.62	5.78	0.11	0.10	0.10	0.063	0.07	10.6	42.4	0.62	791	0.88	0.01
CC127271		0.45	27.6	1.93	1.77	0.10	0.04	0.10	0.027	0.05	7.4	4.9	0.13	282	0.58	0.01
CC127272		1.41	45.1	3.22	3.90	0.10	0.06	0.16	0.036	0.07	8.0	20.1	0.52	504	1.19	0.02
CC127273		1.64	33.9	4.97	7.82	0.10	0.05	0.02	0.048	0.06	8.0	28.9	0.28	305	1.25	0.01
CC127274		2.95	18.8	3.83	7.69	0.09	<0.02	0.02	0.038	0.07	5.7	21.1	0.37	213	1.32	0.01
CC127275		2.95	93.4	5.32	8.50	0.10	0.06	0.06	0.059	0.08	7.8	37.9	0.86	634	0.93	0.01
CC127276		9.64	112.0	6.88	8.88	0.14	0.05	0.08	0.083	0.09	10.9	36.6	0.68	3840	0.88	0.02
CC127277		3.78	50.8	5.13	8.52	0.10	0.03	0.04	0.047	0.08	6.4	17.0	0.29	504	1.10	0.01
CC127278		2.59	27.2	3.18	7.98	0.09	0.02	0.10	0.032	0.05	12.0	13.9	0.28	245	1.44	0.01
CC127279		5.02	70.8	5.95	11.20	0.10	0.05	0.07	0.059	0.07	6.5	23.6	0.54	879	1.16	0.01
CC127280		3.04	37.5	4.35	7.39	0.09	0.04	0.03	0.050	0.07	6.8	21.0	0.37	347	1.15	0.01
CC127281		5.09	55.1	4.00	7.04	0.10	0.04	0.06	0.052	0.07	10.2	24.0	0.55	953	1.15	0.01
CC127282		2.63	54.1	5.01	9.34	0.09	0.05	0.04	0.046	0.06	8.8	30.9	0.61	405	1.06	0.01
CC127283		6.69	87.2	5.45	7.17	0.09	0.04	0.04	0.079	0.07	7.3	29.2	0.50	2210	1.30	0.01
CC127284		2.84	57.7	4.69	6.40	0.10	0.03	0.08	0.047	0.06	9.6	25.4	0.51	732	1.11	0.01
CC127285		1.83	52.0	5.58	5.82	0.09	0.05	0.03	0.053	0.07	5.3	32.7	0.50	799	1.19	0.01
CC127286		3.40	28.8	3.56	5.74	0.10	0.09	0.11	0.042	0.07	8.4	29.2	0.39	916	1.31	0.01
CC127287		1.70	56.5	4.82	7.53	0.10	0.05	0.05	0.044	0.06	10.9	34.3	0.50	482	1.21	0.01
CC127288		1.13	41.6	3.91	4.69	0.08	0.07	0.11	0.039	0.07	6.1	22.1	0.52	455	1.02	0.01
CC127289		4.64	44.1	3.70	5.41	0.11	0.08	0.05	0.045	0.09	8.0	35.6	0.65	591	0.57	0.01
CC127290		8.62	44.5	3.43	3.49	0.12	0.07	0.19	0.037	0.10	11.9	17.4	0.39	314	0.52	0.01
CC127291		12.45	37.1	3.25	5.35	0.13	0.11	0.05	0.040	0.10	19.1	26.1	0.81	309	0.60	0.01
CC127292		11.50	36.3	3.89	6.60	0.10	0.05	0.04	0.038	0.08	11.2	25.4	0.60	491	0.79	0.01
CC127293		5.83	38.4	3.25	3.61	0.12	0.07	0.19	0.034	0.08	21.2	14.8	0.35	354	0.88	0.01
CC127294		2.69	54.5	4.53	5.09	0.09	0.08	0.06	0.047	0.10	6.3	25.6	0.54	557	1.11	0.01
CC127295		2.40	33.9	3.32	5.99	0.09	0.04	0.06	0.037	0.07	9.5	23.8	0.39	379	1.11	0.01
CC127296		2.87	48.3	4.38	6.48	0.10	0.05	0.03	0.047	0.08	9.1	42.3	0.54	443	0.95	0.01
CC127297		2.82	31.8	3.58	6.45	0.09	0.07	0.06	0.042	0.08	9.0	25.8	0.32	553	0.89	0.01
CC127298		2.27	46.3	4.29	5.16	0.11	0.07	0.06	0.038	0.09	10.1	29.7	0.56	899	0.82	0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 4- AUG- 2011
Account: RCM

Project: Rackla - Dale

CERTIFICATE OF ANALYSIS WH11121830

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
CC128268		0.58	26.5	640	14.7	16.1	<0.001	0.03	0.45	8.2	0.7	0.8	9.5	<0.01	0.11	2.2
CC127259		0.52	18.4	400	13.9	16.9	<0.001	0.02	0.43	4.4	0.5	0.7	12.8	<0.01	0.09	2.2
CC127260		0.31	24.6	1120	16.6	12.3	<0.001	0.08	0.43	5.0	1.1	0.4	59.4	<0.01	0.08	1.4
CC127261		0.14	39.0	670	33.2	8.0	<0.001	<0.01	0.61	6.3	0.8	0.3	33.3	<0.01	0.09	4.3
CC127269		0.28	24.3	1080	14.3	7.6	<0.001	0.09	0.46	3.1	1.3	0.4	57.2	<0.01	0.05	0.8
CC127270		0.21	40.8	280	27.4	11.9	<0.001	<0.01	0.66	9.2	0.9	0.4	11.5	<0.01	0.09	5.2
CC127271		0.17	15.4	1140	13.8	4.0	0.001	0.11	0.32	1.9	1.0	0.2	192.0	<0.01	0.05	0.4
CC127272		0.39	24.9	990	18.1	10.0	0.003	0.10	0.54	4.4	2.7	0.4	67.6	<0.01	0.06	1.2
CC127273		0.60	19.1	270	16.3	14.4	<0.001	<0.01	0.54	4.1	0.4	0.7	6.1	<0.01	0.09	3.5
CC127274		0.87	14.9	400	12.0	12.8	<0.001	<0.01	0.39	2.8	0.6	0.8	8.7	<0.01	0.16	1.8
CC127275		0.30	33.3	760	12.0	11.1	<0.001	<0.01	0.32	8.3	0.8	0.5	10.7	<0.01	0.14	2.2
CC127276		0.36	47.3	700	14.9	13.6	<0.001	0.01	0.35	28.8	2.1	0.6	16.7	<0.01	0.16	2.2
CC127277		0.62	18.8	400	9.3	15.7	<0.001	<0.01	0.43	6.4	0.4	0.8	7.9	<0.01	0.17	2.3
CC127278		0.89	13.0	230	10.2	12.7	<0.001	<0.01	0.39	3.9	0.6	0.8	8.8	<0.01	0.08	3.6
CC127279		0.68	23.0	490	15.1	15.4	<0.001	<0.01	0.50	7.0	0.6	0.9	5.5	<0.01	0.17	2.8
CC127280		0.57	20.3	290	12.0	17.5	<0.001	<0.01	0.37	4.8	0.8	0.8	7.0	<0.01	0.17	3.3
CC127281		0.59	25.4	1120	12.3	13.9	<0.001	0.02	0.52	7.5	1.0	0.7	16.8	<0.01	0.14	1.6
CC127282		0.51	22.9	250	10.3	13.0	0.001	<0.01	0.40	5.8	0.3	0.7	5.5	<0.01	0.12	3.0
CC127283		0.67	32.6	1170	25.5	11.0	<0.001	0.04	0.69	10.0	0.8	0.6	12.3	<0.01	0.13	2.9
CC127284		0.48	30.7	470	16.2	11.7	<0.001	<0.01	0.63	7.7	0.8	0.5	12.6	<0.01	0.10	3.6
CC127285		0.26	31.1	670	23.7	11.2	<0.001	<0.01	0.52	5.3	0.7	0.5	10.4	<0.01	0.09	3.8
CC127286		0.33	19.8	1340	27.0	14.3	<0.001	0.06	0.36	5.4	2.1	0.6	33.6	<0.01	0.03	2.2
CC127287		0.50	29.7	210	20.3	10.9	<0.001	<0.01	0.55	5.3	0.4	0.6	8.8	<0.01	0.09	4.0
CC127288		0.23	25.4	730	17.3	7.9	<0.001	0.04	0.39	5.5	0.7	0.5	38.4	<0.01	0.07	2.0
CC127289		0.30	37.7	580	17.5	10.3	<0.001	0.02	0.36	7.7	1.0	0.5	35.5	<0.01	0.04	3.3
CC127290		0.28	33.0	650	14.7	12.1	<0.001	0.02	0.36	8.2	1.3	0.4	32.0	<0.01	0.03	3.5
CC127291		0.34	28.2	960	15.0	14.2	<0.001	0.05	0.30	7.4	1.3	0.4	47.4	<0.01	0.06	3.0
CC127292		0.50	20.1	760	14.6	19.1	<0.001	0.02	0.36	4.3	0.5	0.5	21.5	<0.01	0.08	2.0
CC127293		0.27	26.3	590	15.9	10.2	<0.001	0.02	0.37	7.9	1.5	0.4	45.7	<0.01	0.03	3.6
CC127294		0.20	34.1	490	22.8	12.1	<0.001	<0.01	0.53	6.9	0.8	0.5	26.7	<0.01	0.06	3.8
CC127295		0.51	22.4	950	12.8	14.1	<0.001	0.03	0.47	4.5	0.8	0.6	15.0	<0.01	0.07	1.7
CC127296		0.36	29.6	540	18.6	11.2	<0.001	<0.01	0.48	5.3	0.5	0.5	18.2	<0.01	0.10	2.6
CC127297		0.39	18.3	1460	13.1	16.1	<0.001	0.06	0.36	4.9	1.0	0.6	18.2	<0.01	0.05	1.8
CC127298		0.31	28.5	830	19.9	11.6	<0.001	0.02	0.55	6.5	1.0	0.4	29.0	<0.01	0.09	2.4

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 4- AUG- 2011
Account: RCM

Project: Rackla - Dale

CERTIFICATE OF ANALYSIS WH11121830

Sample Description	Method Analyte Units LOR	ME- MS41 Ti % 0.005	ME- MS41 Tl ppm 0.02	ME- MS41 U ppm 0.05	ME- MS41 V ppm 1	ME- MS41 W ppm 0.05	ME- MS41 Y ppm 0.05	ME- MS41 Zn ppm 2	ME- MS41 Zr ppm 0.5
CC128268		0.014	0.10	0.33	119	0.07	6.56	77	1.0
CC127259		0.015	0.12	0.60	60	0.11	3.35	74	1.2
CC127260		0.006	0.15	3.62	35	0.07	12.60	68	1.8
CC127261		<0.005	0.07	0.96	25	<0.05	11.65	130	1.9
CC127269		0.006	0.10	10.75	31	0.05	11.40	66	1.3
CC127270		<0.005	0.13	0.82	49	0.05	9.97	77	2.9
CC127271		0.005	0.11	1.94	17	<0.05	16.95	62	1.0
CC127272		0.010	0.10	4.17	31	0.07	11.20	77	1.5
CC127273		0.010	0.11	0.42	62	0.11	2.49	64	2.0
CC127274		0.022	0.09	0.38	64	0.16	1.89	58	0.5
CC127275		0.006	0.11	0.44	76	0.06	5.45	67	1.2
CC127276		0.012	0.13	0.49	112	0.07	26.5	113	1.3
CC127277		0.011	0.11	0.42	79	0.11	3.88	55	0.7
CC127278		0.019	0.16	0.57	72	0.18	3.40	39	0.7
CC127279		0.017	0.16	0.37	110	0.08	2.58	58	1.8
CC127280		0.008	0.14	0.44	58	0.10	3.87	56	1.4
CC127281		0.014	0.13	1.03	57	0.17	10.75	65	0.9
CC127282		0.010	0.11	0.36	83	0.07	2.57	59	1.8
CC127283		0.021	0.15	0.58	68	0.11	7.13	80	0.9
CC127284		0.011	0.13	0.61	55	0.13	8.44	81	1.0
CC127285		<0.005	0.11	0.43	41	<0.05	3.59	83	1.4
CC127286		0.005	0.25	3.37	40	0.12	11.35	81	2.0
CC127287		0.009	0.12	0.45	61	0.10	3.92	66	2.0
CC127288		0.005	0.11	1.83	38	0.07	8.49	71	1.5
CC127289		0.007	0.11	3.23	27	<0.05	14.05	86	2.1
CC127290		0.007	0.25	2.30	29	0.05	16.65	90	2.2
CC127291		0.010	0.13	3.80	31	<0.05	17.30	92	2.5
CC127292		0.014	0.12	0.93	55	0.11	7.24	74	1.1
CC127293		0.006	0.43	2.29	35	0.06	14.95	71	1.9
CC127294		<0.005	0.29	1.57	40	0.05	5.25	77	2.3
CC127295		0.011	0.13	1.24	42	0.14	6.13	65	1.0
CC127296		0.007	0.15	0.95	50	0.10	4.70	68	1.2
CC127297		0.005	0.20	2.11	46	0.08	6.40	66	1.6
CC127298		0.007	0.13	2.20	41	0.07	9.78	78	1.6

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 4- AUG- 2011
Account: RCM

Project: Rackla - Dale

CERTIFICATE OF ANALYSIS WH11121830

Method	CERTIFICATE COMMENTS
ALL METHODS	NSS is non- sufficient sample.
ME- MS41	Gold determinations by this method are semi- quantitative due to the small sample weight used (0.5g).

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 1- AUG- 2011
Account: RCM

CERTIFICATE WH11121831

Project: Sian - Contour

P.O. No.:

This report is for 140 Soil samples submitted to our lab in Whitehorse, YT, Canada on 29- JUN- 2011.

The following have access to data associated with this certificate:

ROB CARNE JULIA LANE	ANDREW CARNE JOAN MARIACHER	MATT DUMALA

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
SCR- 41	Screen to - 180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- TL43	Trace Level Au - 25g AR	ICP- MS
ME- MS41	51 anal. aqua regia ICPMS	

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 1- AUG- 2011
Account: RCM

Project: Sian - Contour

CERTIFICATE OF ANALYSIS WH11121831

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- TL43 Au ppm 0.001	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1
CC128269		0.43	0.003	0.20	0.90	37.2	<0.2	<10	400	0.85	0.28	0.34	0.24	15.90	8.9	15
CC128270		0.34	0.002	0.08	1.21	15.9	<0.2	<10	390	0.62	0.23	0.44	0.47	24.0	9.1	25
CC128271		0.26	0.002	0.05	1.62	15.8	<0.2	<10	290	0.72	0.24	0.30	0.30	38.2	11.7	30
CC128272		0.46	0.002	0.38	1.15	13.6	<0.2	<10	500	0.75	0.24	0.48	0.50	24.4	8.7	22
CC128273		0.34	0.006	0.40	1.34	13.2	<0.2	<10	960	0.92	0.24	0.67	2.13	22.6	12.3	25
CC128274		0.39	0.003	0.36	1.35	20.9	<0.2	<10	730	0.87	0.24	0.96	0.93	21.6	8.8	29
CC128275		0.31	0.003	0.18	1.37	46.8	<0.2	<10	430	1.05	0.27	0.60	0.36	27.4	12.7	23
CC128276		0.37	0.004	0.29	1.33	47.7	<0.2	<10	550	0.84	0.23	0.88	1.47	20.6	8.4	29
CC128277		0.43	0.003	0.28	1.42	18.1	<0.2	<10	1090	0.92	0.24	0.81	1.08	23.4	12.5	31
CC128278		0.31	<0.001	0.09	1.36	16.7	<0.2	<10	340	0.66	0.28	0.37	0.27	19.80	6.8	25
CC128279		0.32	0.001	0.09	1.74	12.6	<0.2	<10	510	0.57	0.26	0.39	0.12	21.9	7.3	29
CC128280		0.35	0.001	0.08	1.37	10.0	<0.2	<10	540	0.62	0.27	0.55	0.13	18.60	7.0	21
CC128281		0.25	<0.001	0.08	1.25	14.4	<0.2	<10	400	0.45	0.31	0.26	0.30	13.85	9.2	23
CC128282		0.28	0.001	0.06	1.41	18.4	<0.2	<10	210	0.47	0.32	0.03	0.24	15.25	7.2	25
CC128283		0.41	0.001	0.05	1.19	11.2	<0.2	<10	260	1.29	0.44	0.16	0.12	17.20	15.6	19
CC128284		0.30	0.002	0.04	1.81	121.0	<0.2	<10	180	0.99	0.47	0.18	0.36	12.50	12.0	30
CC128285		0.39	0.001	0.16	1.95	312	<0.2	<10	640	1.29	0.32	0.42	0.13	14.35	10.1	28
CC128286		0.39	0.001	0.09	1.68	22.9	<0.2	<10	690	0.86	0.30	0.48	0.11	17.05	9.9	26
CC128287		0.34	0.001	0.03	1.50	20.1	<0.2	<10	110	0.51	0.25	0.03	0.15	17.40	9.8	25
CC128288		0.47	0.001	0.04	1.51	11.4	<0.2	<10	320	0.98	0.40	0.18	0.21	20.4	13.6	27
CC128289		0.40	0.001	0.13	1.70	8.5	<0.2	<10	380	1.46	0.38	0.60	0.12	11.50	8.4	28
CC128290		0.32	0.001	0.03	1.50	19.0	<0.2	<10	110	0.45	0.24	0.04	0.16	18.95	8.0	26
CC128291		0.36	0.001	0.13	1.63	15.8	<0.2	<10	820	2.31	0.30	0.27	0.11	19.25	8.7	26
CC128292		0.33	0.001	0.22	1.59	22.6	<0.2	<10	120	0.81	0.26	0.07	0.40	20.6	10.3	26
CC128293		0.30	0.001	0.05	1.40	14.1	<0.2	<10	110	0.41	0.23	0.06	0.22	22.0	6.4	25
CC128294		0.33	0.001	0.04	1.42	11.5	<0.2	<10	90	0.27	0.28	0.06	0.09	24.3	6.4	30
CC128295		0.37	0.001	0.11	1.30	12.0	<0.2	<10	80	0.45	0.31	0.03	0.15	16.35	8.6	22
CC128296		0.38	0.001	0.06	1.40	15.1	<0.2	<10	110	0.35	0.35	0.05	0.44	20.8	9.1	27
CC128297		0.40	0.001	0.09	1.74	14.1	<0.2	<10	160	0.49	0.27	0.09	0.40	32.8	11.2	27
CC128298		0.29	0.001	0.04	0.75	18.5	<0.2	<10	140	0.35	0.25	0.05	0.40	30.9	9.5	17
CC128299		0.39	0.001	0.11	1.44	11.4	<0.2	<10	170	0.44	0.25	0.07	0.18	37.7	8.9	23
CC128300		0.36	0.001	0.12	1.33	10.6	<0.2	<10	150	0.32	0.27	0.05	0.14	18.40	6.7	22
CC128250		0.33	0.002	0.29	0.45	25.8	<0.2	<10	200	0.82	0.44	0.43	0.71	9.18	12.7	7
CC128851		0.39	0.001	0.23	1.04	36.1	<0.2	<10	1430	0.79	0.34	0.40	3.30	28.2	12.2	19
CC128852		0.36	0.002	0.45	0.66	57.9	<0.2	<10	300	0.51	0.23	3.67	1.12	17.60	7.9	14
CC128853		0.30	0.001	0.18	1.30	23.0	<0.2	<10	620	0.73	0.28	2.38	1.00	20.9	7.4	18
CC128854		0.49	0.001	0.07	1.00	20.2	<0.2	<10	730	0.67	0.40	0.24	0.25	19.70	13.1	16
CC128855		0.24	0.001	0.09	1.31	5.4	<0.2	<10	110	1.04	0.52	0.07	0.20	14.95	12.9	20
CC128856		0.39	<0.001	0.04	0.64	3.2	<0.2	<10	90	0.41	0.42	0.20	0.10	21.2	12.8	13
CC128857		0.50	0.001	0.02	0.50	6.6	<0.2	<10	250	1.42	0.33	0.06	0.02	23.6	20.0	11

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 1- AUG- 2011
Account: RCM

Project: Sian - Contour

CERTIFICATE OF ANALYSIS WH11121831

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
CC128269		2.14	17.2	3.22	2.59	<0.05	0.06	1.71	0.034	0.06	7.9	11.6	0.20	158	0.98	<0.01
CC128270		2.81	17.1	3.30	4.16	<0.05	0.08	0.11	0.034	0.08	10.1	15.6	0.43	348	2.31	<0.01
CC128271		1.21	17.9	3.58	5.00	<0.05	0.03	0.05	0.034	0.07	12.8	20.5	0.53	482	1.99	<0.01
CC128272		2.45	24.4	3.05	3.74	0.05	0.11	0.55	0.031	0.08	14.4	19.2	0.41	189	2.45	<0.01
CC128273		1.23	30.9	2.88	3.92	0.05	0.16	0.59	0.032	0.06	11.3	16.2	0.35	446	2.23	<0.01
CC128274		1.86	24.5	3.17	4.07	0.05	0.11	0.42	0.033	0.08	12.3	15.3	0.45	457	3.19	<0.01
CC128275		0.75	29.9	3.90	4.10	0.05	0.09	2.08	0.032	0.08	14.3	17.9	0.44	701	1.65	<0.01
CC128276		2.66	28.1	2.92	3.99	0.05	0.11	1.26	0.027	0.07	12.2	15.7	0.43	385	1.39	<0.01
CC128277		1.52	30.8	1.99	4.06	<0.05	0.14	0.40	0.029	0.06	12.9	18.8	0.46	122	3.20	<0.01
CC128278		4.79	12.5	3.02	4.52	<0.05	0.05	0.06	0.026	0.07	10.3	17.8	0.43	247	1.69	<0.01
CC128279		1.30	12.8	3.19	5.70	<0.05	0.04	0.06	0.024	0.05	10.9	16.7	0.50	305	1.57	<0.01
CC128280		1.28	14.2	2.81	5.03	<0.05	0.04	0.07	0.025	0.06	8.8	23.0	0.36	411	1.27	<0.01
CC128281		1.42	21.8	3.69	5.54	<0.05	0.02	0.05	0.026	0.08	6.3	17.7	0.38	515	1.49	<0.01
CC128282		1.69	18.7	4.28	6.14	<0.05	0.02	0.09	0.028	0.06	6.6	10.5	0.24	440	1.40	<0.01
CC128283		2.02	34.1	3.60	4.13	<0.05	0.04	0.08	0.034	0.08	7.1	18.6	0.32	710	0.80	<0.01
CC128284		2.63	24.9	4.36	7.72	<0.05	0.06	0.04	0.033	0.06	5.4	16.1	0.34	802	0.90	<0.01
CC128285		3.48	17.1	4.08	6.18	<0.05	0.15	0.11	0.027	0.06	7.3	24.9	0.52	702	0.65	<0.01
CC128286		1.90	20.6	3.40	6.00	<0.05	0.05	0.04	0.028	0.05	7.6	20.5	0.48	568	1.28	<0.01
CC128287		2.02	22.3	3.32	5.57	<0.05	<0.02	0.04	0.027	0.05	8.1	17.2	0.38	513	1.50	<0.01
CC128288		2.74	24.7	3.46	5.53	<0.05	0.04	0.04	0.027	0.05	9.4	20.9	0.51	609	0.98	<0.01
CC128289		2.80	21.6	3.43	6.30	0.05	0.15	0.07	0.029	0.07	6.1	23.7	0.47	354	0.55	<0.01
CC128290		1.54	18.2	3.50	5.83	<0.05	<0.02	0.66	0.033	0.06	9.8	14.3	0.32	448	1.61	<0.01
CC128291		6.13	37.0	3.20	5.42	0.05	0.06	0.04	0.031	0.07	11.0	25.4	0.47	459	1.55	<0.01
CC128292		1.38	31.9	3.82	4.93	<0.05	0.02	0.08	0.032	0.07	8.5	17.9	0.35	591	2.22	<0.01
CC128293		1.41	13.8	2.85	5.41	<0.05	<0.02	0.05	0.024	0.06	10.7	14.2	0.32	376	1.52	<0.01
CC128294		1.72	12.8	3.65	6.98	<0.05	<0.02	0.04	0.026	0.08	13.1	9.8	0.30	506	1.82	<0.01
CC128295		2.73	16.6	3.62	5.60	<0.05	<0.02	0.14	0.023	0.06	6.8	13.6	0.28	429	1.60	<0.01
CC128296		1.93	23.6	4.14	6.36	0.07	<0.02	0.03	0.031	0.06	10.0	10.1	0.31	427	4.09	<0.01
CC128297		1.49	24.1	4.00	5.84	0.07	0.02	0.06	0.034	0.06	16.0	18.1	0.37	434	3.16	<0.01
CC128298		1.10	37.6	4.29	3.39	0.07	<0.02	0.04	0.037	0.07	17.9	3.2	0.09	211	6.59	<0.01
CC128299		1.44	26.6	3.91	5.31	0.07	0.02	0.05	0.033	0.06	19.2	11.8	0.29	259	3.33	<0.01
CC128300		1.84	18.9	3.28	5.12	0.05	<0.02	0.05	0.029	0.06	9.2	8.4	0.19	490	2.48	<0.01
CC128250		1.21	56.8	5.42	1.12	0.08	0.08	1.54	0.053	0.06	4.7	2.4	0.09	324	2.40	<0.01
CC128851		1.28	26.5	4.24	3.39	0.08	0.05	10.95	0.036	0.09	13.1	8.7	0.24	1560	2.10	<0.01
CC128852		2.92	25.4	2.77	2.07	0.07	0.14	6.69	0.024	0.07	8.8	5.1	1.73	570	1.08	<0.01
CC128853		0.92	15.2	3.06	3.69	0.06	0.06	2.45	0.028	0.06	11.6	8.8	1.15	879	0.97	<0.01
CC128854		1.60	32.6	3.69	3.89	0.06	0.03	0.82	0.034	0.08	9.5	8.3	0.18	516	2.16	<0.01
CC128855		2.70	24.9	4.74	5.12	0.07	0.04	0.05	0.031	0.17	6.0	16.3	0.22	1060	0.93	<0.01
CC128856		2.21	22.7	3.68	2.76	0.06	<0.02	0.04	0.024	0.15	8.7	2.4	0.06	940	1.20	<0.01
CC128857		9.74	15.6	3.88	2.09	0.07	0.02	0.89	0.034	0.19	8.0	4.1	0.06	1160	0.63	<0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 1- AUG- 2011
Account: RCM

Project: Sian - Contour

CERTIFICATE OF ANALYSIS WH11121831

Sample Description	Method Analyte Units LOR	ME- MS41 Nb ppm 0.05	ME- MS41 Ni ppm 0.2	ME- MS41 P ppm 10	ME- MS41 Pb ppm 0.2	ME- MS41 Rb ppm 0.1	ME- MS41 Re ppm 0.001	ME- MS41 S % 0.01	ME- MS41 Sb ppm 0.05	ME- MS41 Sc ppm 0.1	ME- MS41 Se ppm 0.2	ME- MS41 Sn ppm 0.2	ME- MS41 Sr ppm 0.2	ME- MS41 Ta ppm 0.01	ME- MS41 Te ppm 0.01	ME- MS41 Th ppm 0.2
CC128269		0.19	18.1	590	71.1	10.2	<0.001	0.02	1.40	4.9	0.9	0.5	23.5	<0.01	0.06	2.4
CC128270		0.41	25.2	930	22.2	14.0	<0.001	0.04	0.95	3.4	0.9	0.4	31.2	<0.01	0.06	1.7
CC128271		0.66	28.5	740	18.7	11.2	<0.001	0.03	0.91	2.6	0.6	0.5	14.6	<0.01	0.05	1.4
CC128272		0.28	32.0	900	16.4	9.3	<0.001	0.03	1.00	4.8	1.1	0.4	25.2	<0.01	0.03	2.7
CC128273		0.43	32.5	1230	22.1	9.6	0.005	0.13	0.89	4.4	1.8	0.4	27.3	<0.01	0.04	2.1
CC128274		0.48	30.9	1360	18.1	13.7	0.001	0.09	1.12	4.2	1.4	0.4	34.0	<0.01	0.05	1.7
CC128275		0.36	31.9	580	40.1	7.4	<0.001	0.01	1.78	5.0	1.2	0.4	34.8	<0.01	0.06	4.1
CC128276		0.50	26.4	1170	28.6	12.4	0.002	0.09	2.09	3.9	1.4	0.4	33.2	<0.01	0.05	1.6
CC128277		0.68	37.3	950	23.1	8.0	0.008	0.35	0.96	5.5	2.2	0.5	29.1	<0.01	0.04	3.0
CC128278		0.50	20.7	780	13.3	17.6	<0.001	0.03	0.60	2.3	0.5	0.5	17.1	<0.01	0.03	1.3
CC128279		0.60	20.5	1110	13.5	9.6	<0.001	0.05	0.52	1.9	0.6	0.5	16.4	<0.01	0.05	1.0
CC128280		0.57	16.9	760	15.3	11.7	<0.001	0.04	0.46	2.0	0.6	0.5	19.7	<0.01	0.02	1.1
CC128281		0.30	19.9	1230	15.6	19.3	<0.001	0.05	0.46	2.0	0.5	0.5	18.4	<0.01	0.06	0.6
CC128282		0.53	17.2	910	21.5	13.6	<0.001	0.05	0.63	1.4	0.6	0.6	6.5	<0.01	0.07	0.4
CC128283		0.23	24.1	420	27.4	10.2	<0.001	0.02	0.36	3.7	0.7	0.4	15.0	<0.01	0.03	2.7
CC128284		0.36	19.4	1040	27.7	15.8	<0.001	0.06	0.31	2.8	0.7	0.6	8.2	<0.01	0.04	1.8
CC128285		0.40	21.1	710	15.0	14.0	<0.001	0.05	0.25	4.2	0.5	0.5	12.9	<0.01	0.02	3.1
CC128286		0.44	22.2	1150	16.7	11.7	<0.001	0.05	0.49	2.4	0.8	0.5	20.1	<0.01	0.05	1.2
CC128287		0.39	20.9	630	15.4	9.2	<0.001	0.02	0.61	1.4	0.5	0.5	6.3	<0.01	0.06	0.5
CC128288		0.31	26.3	480	26.3	9.3	<0.001	0.01	0.38	3.6	0.7	0.6	16.5	<0.01	0.05	2.8
CC128289		0.30	23.6	710	18.4	13.9	<0.001	0.06	0.70	4.4	0.9	0.5	26.7	<0.01	0.02	2.8
CC128290		0.34	18.3	810	14.1	13.4	<0.001	0.03	0.59	0.9	0.7	0.5	7.2	<0.01	0.06	0.2
CC128291		0.41	21.9	1090	16.1	15.3	<0.001	0.04	0.54	3.9	1.3	0.5	39.3	<0.01	0.06	1.2
CC128292		0.34	24.9	1420	18.3	11.3	<0.001	0.05	0.86	1.1	0.9	0.4	8.6	<0.01	0.07	0.4
CC128293		0.33	16.7	650	11.1	14.5	<0.001	0.03	0.63	0.6	0.5	0.6	7.4	<0.01	0.05	0.2
CC128294		0.52	15.1	600	10.3	15.4	<0.001	0.05	0.77	0.8	0.7	0.7	7.7	<0.01	0.04	<0.2
CC128295		0.54	19.2	500	17.7	10.6	<0.001	0.03	0.74	1.1	0.8	0.6	5.8	<0.01	0.04	0.3
CC128296		0.52	23.0	700	21.2	9.8	0.001	0.03	1.55	0.9	1.1	0.7	8.3	<0.01	0.05	0.2
CC128297		0.54	25.0	1410	16.4	13.8	<0.001	0.02	1.06	1.5	1.0	0.6	10.4	<0.01	0.04	0.5
CC128298		0.16	30.6	1530	21.1	11.5	0.001	0.02	1.19	0.7	0.9	0.5	5.6	<0.01	0.06	0.2
CC128299		0.36	27.9	1440	15.8	15.1	<0.001	0.03	0.69	1.2	0.7	0.6	7.7	<0.01	0.04	0.3
CC128300		0.20	15.0	2290	15.0	19.7	<0.001	0.06	0.60	0.6	0.7	0.6	8.0	<0.01	0.04	<0.2
CC128250		0.15	38.4	820	33.2	7.8	0.001	0.03	1.24	7.3	1.2	0.5	22.1	<0.01	0.07	1.3
CC128851		0.33	28.3	1390	147.5	11.7	<0.001	0.05	1.61	2.0	1.0	3.3	17.9	0.01	0.06	0.7
CC128852		0.28	29.4	1690	74.6	6.9	<0.001	0.05	1.76	3.5	1.4	0.4	41.8	0.01	0.03	2.5
CC128853		0.57	18.1	1230	100.5	11.1	<0.001	0.06	0.70	2.8	0.7	0.4	22.1	0.01	0.03	1.1
CC128854		0.42	27.4	690	64.4	11.4	<0.001	0.02	1.04	2.8	0.6	0.5	12.6	<0.01	0.05	1.0
CC128855		0.46	23.2	900	29.0	18.3	<0.001	0.04	0.45	1.8	0.4	0.6	11.3	<0.01	0.04	1.1
CC128856		0.33	18.8	440	16.5	16.5	<0.001	0.01	0.55	2.0	0.3	0.5	14.1	<0.01	0.05	1.1
CC128857		0.20	27.5	250	16.1	17.6	<0.001	<0.01	0.30	6.5	0.2	0.4	15.6	<0.01	0.03	3.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 1- AUG- 2011
Account: RCM

Project: Sian - Contour

CERTIFICATE OF ANALYSIS WH11121831

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
CC128269		<0.005	0.19	0.53	26	0.12	6.93	278	1.3
CC128270		0.013	0.17	0.66	49	0.15	4.67	229	1.6
CC128271		0.023	0.17	0.82	55	0.23	4.40	295	0.6
CC128272		0.010	0.22	0.94	43	0.22	13.90	155	2.3
CC128273		0.010	0.22	5.59	57	0.12	11.75	183	3.5
CC128274		0.015	0.29	2.70	60	0.15	16.25	400	2.5
CC128275		0.011	0.31	1.84	41	0.13	12.15	167	2.0
CC128276		0.016	0.37	4.23	39	0.16	12.15	596	2.6
CC128277		0.015	0.23	4.95	53	0.16	15.30	183	3.6
CC128278		0.019	0.17	1.08	46	0.16	4.52	225	0.9
CC128279		0.018	0.17	0.76	54	0.23	3.46	86	0.7
CC128280		0.015	0.12	1.04	43	0.16	4.07	90	0.7
CC128281		0.010	0.10	0.45	46	0.10	2.77	101	0.5
CC128282		0.012	0.16	0.63	45	0.13	2.95	77	<0.5
CC128283		0.006	0.09	0.85	23	0.07	7.03	85	0.9
CC128284		0.006	0.09	1.26	32	0.08	4.62	96	1.5
CC128285		0.008	0.17	2.72	36	0.11	8.82	122	3.1
CC128286		0.012	0.13	0.79	45	0.13	4.45	83	1.1
CC128287		0.014	0.17	0.48	48	0.16	2.86	69	<0.5
CC128288		0.012	0.08	0.84	33	0.09	6.64	111	0.7
CC128289		0.005	0.06	1.51	25	0.06	8.76	121	3.2
CC128290		0.014	0.16	0.52	51	0.14	3.10	74	<0.5
CC128291		0.011	0.14	1.94	45	0.13	14.05	82	1.0
CC128292		0.010	0.15	0.76	48	0.14	5.26	101	<0.5
CC128293		0.019	0.14	0.58	47	0.22	2.87	73	<0.5
CC128294		0.032	0.16	0.66	55	0.24	2.72	65	<0.5
CC128295		0.026	0.12	0.55	46	0.18	2.38	74	<0.5
CC128296		0.018	0.21	0.81	63	0.18	4.00	130	<0.5
CC128297		0.012	0.20	0.81	57	0.18	5.06	103	<0.5
CC128298		0.005	0.20	0.84	48	0.09	3.69	114	<0.5
CC128299		0.007	0.20	0.63	48	0.11	5.43	78	<0.5
CC128300		0.006	0.18	0.70	49	0.11	2.50	59	<0.5
CC128250		<0.005	0.23	0.82	18	0.05	11.30	225	1.8
CC128851		0.010	0.16	1.50	37	0.14	13.30	702	0.7
CC128852		0.005	0.34	2.08	19	0.13	14.80	764	4.5
CC128853		0.011	0.12	1.08	32	0.11	10.10	315	1.3
CC128854		0.007	0.14	0.68	38	0.11	7.39	171	<0.5
CC128855		0.011	0.11	0.64	23	0.05	4.68	65	0.9
CC128856		0.011	0.09	0.61	25	0.09	3.94	54	<0.5
CC128857		0.008	0.18	0.72	18	<0.05	4.92	43	<0.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 1- AUG- 2011
Account: RCM

Project: Sian - Contour

CERTIFICATE OF ANALYSIS WH11121831

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- TL43 Au ppm 0.001	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1
CC128858		0.40	0.001	0.02	0.78	2.9	<0.2	<10	90	1.05	0.62	0.04	0.03	15.30	17.5	10
CC128859		0.46	0.001	0.03	1.56	10.0	<0.2	<10	110	0.68	0.36	0.12	0.12	24.0	12.9	24
CC128860		0.44	<0.001	0.06	0.50	8.8	<0.2	<10	70	0.38	0.49	0.03	0.09	17.80	6.5	7
CC128861		0.33	0.001	0.04	0.75	7.9	<0.2	<10	110	0.72	0.59	0.19	0.22	16.45	10.9	14
CC128862		0.40	0.001	0.05	1.75	6.3	<0.2	<10	60	0.89	0.64	0.05	0.07	16.70	19.4	29
CC128863		0.41	0.001	0.07	1.64	7.0	<0.2	<10	80	1.06	0.66	0.02	0.05	15.50	19.0	24
CC128864		0.48	0.001	0.06	0.90	9.1	<0.2	<10	90	0.50	0.45	0.10	0.05	19.40	11.3	13
CC128865		0.44	0.001	0.10	1.15	13.8	<0.2	<10	240	0.70	0.39	0.22	0.38	16.95	12.4	20
CC128866		0.38	0.001	0.12	0.63	11.5	<0.2	<10	150	0.85	0.52	0.34	0.02	29.5	24.6	13
CC128867		0.44	0.003	0.29	0.79	18.0	<0.2	<10	170	1.04	0.78	0.25	0.02	37.9	30.7	14
CC128868		0.50	0.001	0.15	2.17	9.8	<0.2	<10	70	1.49	0.78	0.07	0.07	24.4	24.0	37
CC128869		0.37	0.002	0.11	2.22	12.6	<0.2	<10	90	1.54	0.78	0.03	0.08	24.7	28.7	33
CC128870		0.32	0.002	0.07	1.89	11.0	<0.2	<10	60	0.82	0.62	0.06	0.13	19.00	14.4	35
CC128871		0.44	0.001	0.05	1.29	8.4	<0.2	<10	110	1.30	0.62	0.04	0.15	10.20	21.9	28
CC128873		0.29	0.001	0.13	0.88	8.3	<0.2	<10	70	0.37	0.46	0.02	0.07	10.00	6.7	18
CC128874		0.43	0.001	0.11	1.32	9.0	<0.2	<10	120	1.23	0.53	0.38	0.20	16.95	10.4	22
CC128875		0.49	0.002	0.30	0.85	13.2	<0.2	<10	250	1.10	0.34	0.38	0.56	23.1	10.2	17
CC128876		0.41	0.001	0.29	1.15	15.8	<0.2	<10	270	1.16	0.40	0.46	0.26	26.5	11.9	20
CC128877		0.38	0.002	0.20	1.15	16.1	<0.2	<10	240	1.21	0.41	0.42	0.34	26.6	13.7	19
CC128878		0.52	0.001	0.06	1.46	10.9	<0.2	<10	80	1.06	0.58	0.06	0.14	20.4	13.5	26
CC128879		0.45	0.001	0.14	0.98	33.7	<0.2	<10	160	0.87	0.48	2.11	0.19	17.45	12.7	13
CC128880		0.37	0.001	0.12	0.82	19.0	<0.2	<10	190	1.02	0.43	0.89	0.24	19.00	16.8	14
CC128881		0.32	0.001	0.33	1.18	11.0	<0.2	<10	250	1.16	0.38	0.49	1.23	23.2	13.3	20
CC128882		0.39	0.002	0.37	1.02	14.2	<0.2	<10	240	0.97	0.32	0.95	1.08	14.20	9.7	17
CC128883		0.35	0.001	0.08	1.35	10.8	<0.2	<10	210	0.48	0.31	0.25	0.37	18.60	11.0	24
CC128884		0.47	0.002	0.27	1.21	19.9	<0.2	<10	220	0.51	0.27	0.51	3.52	18.20	12.4	23
CC128885		0.41	0.002	0.19	1.02	18.2	<0.2	<10	90	0.49	0.28	0.08	1.28	24.7	10.6	21
CC128886		0.52	0.001	0.14	1.09	43.0	<0.2	<10	90	0.43	0.34	0.05	0.29	16.00	12.6	20
CC128887		0.31	0.002	1.96	1.10	43.2	<0.2	<10	150	0.36	0.31	0.56	3.17	16.75	9.1	19
CC128888		0.29	0.001	0.41	0.90	40.2	<0.2	<10	210	0.58	0.18	7.74	0.85	16.00	7.5	16
CC128889		0.36	0.001	0.04	1.07	29.3	<0.2	<10	110	0.42	0.33	0.05	0.26	13.55	11.5	19
CC128890		0.42	0.001	0.05	1.01	10.8	<0.2	<10	110	0.93	0.35	0.07	0.23	24.6	14.0	17
CC128891		0.51	0.002	0.19	1.30	21.4	<0.2	<10	260	0.85	0.32	0.44	0.51	27.1	16.4	24
CC128892		0.37	0.001	0.08	1.48	16.3	<0.2	<10	70	0.38	0.34	0.05	0.23	15.50	9.2	24
CC128893		0.34	0.001	0.10	1.47	15.8	<0.2	<10	250	0.52	0.28	0.47	0.21	13.85	8.0	21
CC128894		0.29	0.001	0.10	1.08	24.3	<0.2	<10	250	0.59	0.34	0.51	0.31	14.65	13.6	18
CC128895		0.32	0.002	0.07	1.20	15.6	<0.2	<10	200	0.65	0.31	0.34	0.23	12.90	12.1	19
CC128896		0.32	0.001	0.13	0.81	16.5	<0.2	<10	160	0.79	0.33	1.03	0.11	9.96	11.6	11
CC128897		0.48	0.001	0.28	0.29	10.2	<0.2	<10	140	0.84	0.39	1.36	0.14	11.55	12.9	4
CC128898		0.38	0.001	0.14	1.36	81.7	<0.2	<10	280	0.61	0.28	1.06	0.96	26.4	9.9	23

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 1- AUG- 2011
Account: RCM

Project: Sian - Contour

CERTIFICATE OF ANALYSIS WH11121831

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
CC128858		1.66	52.3	3.36	2.25	0.06	0.02	0.02	0.024	0.22	5.4	11.8	0.17	134	0.28	<0.01
CC128859		3.18	28.9	3.37	5.07	0.06	0.03	0.03	0.026	0.09	11.2	18.2	0.40	605	1.43	<0.01
CC128860		2.06	33.3	2.00	2.18	<0.05	<0.02	0.03	0.017	0.16	8.0	1.6	0.04	322	0.47	<0.01
CC128861		2.67	31.2	3.34	3.09	0.05	0.02	0.03	0.029	0.12	7.7	18.8	0.20	323	0.71	<0.01
CC128862		2.47	30.5	4.52	7.79	0.07	0.04	0.04	0.041	0.09	6.8	27.9	0.39	1640	0.49	<0.01
CC128863		2.78	38.3	4.74	6.43	0.07	0.05	0.04	0.032	0.11	6.6	34.3	0.24	842	0.64	<0.01
CC128864		1.79	22.6	3.93	4.16	0.06	0.02	0.03	0.024	0.13	8.4	6.4	0.11	852	0.98	<0.01
CC128865		1.60	36.4	3.92	3.74	0.06	0.04	0.05	0.033	0.09	7.6	19.0	0.29	714	3.77	<0.01
CC128866		2.71	41.5	3.79	2.59	0.08	0.08	0.04	0.025	0.23	12.0	9.6	0.17	1260	1.04	<0.01
CC128867		5.83	43.8	3.90	3.12	0.11	0.11	0.10	0.030	0.27	14.3	20.2	0.23	825	0.73	<0.01
CC128868		5.07	42.2	5.28	8.70	0.09	0.08	0.03	0.054	0.09	9.4	35.3	0.59	1260	0.72	<0.01
CC128869		3.82	42.4	6.48	8.89	0.10	0.11	0.05	0.049	0.07	9.1	35.3	0.45	2210	0.71	<0.01
CC128870		3.65	28.6	4.98	7.89	0.08	0.03	0.06	0.042	0.07	9.1	25.7	0.43	927	1.48	<0.01
CC128871		4.59	39.0	4.70	5.03	0.08	0.02	0.03	0.036	0.07	3.7	19.6	0.34	1880	1.20	<0.01
CC128873		3.74	19.0	3.45	6.61	0.06	<0.02	0.05	0.023	0.06	5.1	3.8	0.09	873	1.35	<0.01
CC128874		4.34	50.9	3.43	4.81	0.06	0.08	0.08	0.034	0.10	7.8	21.3	0.34	532	1.04	<0.01
CC128875		4.67	34.8	3.79	2.87	0.08	0.09	0.79	0.047	0.06	12.1	12.1	0.18	416	1.96	<0.01
CC128876		4.16	30.3	3.94	3.84	0.09	0.11	0.66	0.039	0.07	13.7	16.5	0.29	826	1.32	<0.01
CC128877		3.67	32.4	3.85	4.06	0.09	0.09	0.44	0.038	0.06	13.1	15.1	0.29	782	1.21	<0.01
CC128878		2.36	31.2	4.52	6.56	0.08	0.03	0.10	0.038	0.07	8.7	18.8	0.27	830	0.84	<0.01
CC128879		1.28	57.6	3.53	3.12	0.07	0.09	3.25	0.037	0.07	10.9	8.2	1.04	492	0.62	<0.01
CC128880		2.74	34.5	3.56	2.86	0.07	0.11	1.22	0.033	0.07	9.2	11.8	0.47	1020	0.86	<0.01
CC128881		5.72	37.6	3.03	3.73	0.07	0.10	0.44	0.033	0.08	11.0	21.6	0.32	744	1.12	<0.01
CC128882		3.23	39.4	2.85	3.16	0.07	0.09	0.84	0.030	0.07	8.3	15.4	0.29	382	1.17	<0.01
CC128883		2.08	24.5	3.27	5.72	0.06	<0.02	0.12	0.027	0.07	9.0	18.2	0.32	604	1.42	<0.01
CC128884		1.39	25.6	3.12	4.50	0.06	0.04	4.01	0.031	0.06	8.7	14.2	0.37	528	1.29	<0.01
CC128885		1.14	24.1	3.69	3.89	0.07	0.02	2.45	0.030	0.05	7.7	10.3	0.23	710	1.37	<0.01
CC128886		1.29	24.6	4.11	3.68	0.07	0.02	0.23	0.035	0.05	6.7	14.2	0.18	592	1.12	<0.01
CC128887		1.41	12.5	4.06	7.14	0.08	<0.02	61.7	0.031	0.05	7.3	8.1	0.35	1940	1.20	<0.01
CC128888		0.55	16.1	3.37	2.48	0.08	0.07	1.58	0.023	0.03	9.8	8.6	4.52	1480	1.06	<0.01
CC128889		1.75	29.7	3.98	4.37	0.06	0.02	0.12	0.031	0.05	6.2	12.9	0.19	561	2.37	<0.01
CC128890		1.56	28.0	3.91	3.13	0.08	0.04	0.26	0.036	0.05	9.0	13.1	0.18	617	1.14	<0.01
CC128891		1.27	35.4	4.04	4.21	0.09	0.09	0.17	0.034	0.07	12.0	21.6	0.47	856	2.52	<0.01
CC128892		2.00	23.2	4.33	5.51	0.07	<0.02	0.12	0.031	0.05	7.6	25.9	0.24	399	1.86	<0.01
CC128893		2.03	18.2	2.86	5.49	0.06	0.02	0.05	0.028	0.05	6.9	19.0	0.25	346	1.79	<0.01
CC128894		2.12	33.6	3.55	4.09	0.07	0.05	0.08	0.030	0.06	7.3	22.3	0.27	596	2.04	<0.01
CC128895		3.63	27.6	3.29	4.36	0.06	0.03	0.04	0.032	0.06	6.6	21.6	0.21	597	2.71	<0.01
CC128896		3.85	33.9	3.25	2.29	0.06	0.08	0.05	0.032	0.08	6.5	14.5	0.13	406	0.59	<0.01
CC128897		1.95	34.5	4.46	0.75	0.09	0.07	0.10	0.031	0.05	4.7	4.8	0.08	389	0.80	<0.01
CC128898		2.46	15.0	4.88	4.88	0.09	0.03	1.47	0.034	0.03	11.9	8.0	0.45	2010	1.17	<0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 1- AUG- 2011
Account: RCM

Project: Sian - Contour

CERTIFICATE OF ANALYSIS WH11121831

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
CC128858		0.12	26.2	290	17.2	15.3	<0.001	<0.01	0.18	3.2	0.3	0.5	20.4	<0.01	0.03	3.7
CC128859		0.90	25.2	560	23.1	14.8	<0.001	0.01	0.77	2.7	0.7	0.6	14.7	<0.01	0.03	2.1
CC128860		0.11	14.9	290	14.7	13.4	<0.001	0.01	0.31	1.4	0.3	0.6	13.6	<0.01	0.03	2.4
CC128861		0.42	21.5	300	25.2	16.0	<0.001	<0.01	0.46	2.5	0.3	0.6	36.2	<0.01	0.03	2.3
CC128862		0.33	23.9	360	40.2	12.2	<0.001	0.01	0.27	3.7	0.4	0.7	13.9	<0.01	0.03	4.1
CC128863		0.39	20.5	380	44.0	17.6	<0.001	<0.01	0.39	2.8	0.4	0.8	9.9	<0.01	0.05	4.6
CC128864		0.45	18.7	270	24.9	17.0	<0.001	0.01	0.34	2.6	0.4	0.6	12.6	<0.01	0.03	3.8
CC128865		0.31	38.6	610	38.7	11.2	<0.001	0.02	1.25	2.7	1.2	0.5	21.1	<0.01	0.05	1.9
CC128866		0.16	34.0	370	34.0	13.0	<0.001	0.08	0.39	4.3	0.5	0.4	37.9	<0.01	0.03	5.9
CC128867		0.10	35.2	690	77.0	17.3	<0.001	0.27	0.37	4.2	0.6	0.5	94.7	<0.01	0.03	16.1
CC128868		0.36	32.4	540	63.9	13.0	<0.001	0.02	0.28	4.3	0.5	0.8	17.9	<0.01	0.04	4.7
CC128869		0.39	25.8	680	40.9	15.8	<0.001	0.01	0.46	4.4	0.7	0.6	11.9	<0.01	0.07	4.2
CC128870		0.84	21.5	810	32.5	14.8	<0.001	0.03	0.74	2.4	0.8	0.6	9.6	<0.01	0.06	1.0
CC128871		0.23	20.3	910	46.5	10.8	<0.001	0.03	0.46	1.1	0.3	0.6	7.1	<0.01	0.07	0.5
CC128873		0.33	10.1	870	19.5	12.6	<0.001	0.06	0.59	0.8	0.4	0.7	5.7	<0.01	0.06	<0.2
CC128874		0.40	22.6	1390	26.0	16.7	<0.001	0.05	0.50	2.7	0.6	0.5	24.0	<0.01	0.05	1.4
CC128875		0.32	28.8	1470	29.6	11.8	<0.001	0.04	0.91	3.8	1.0	0.5	31.3	0.01	0.05	1.5
CC128876		0.36	24.7	1140	40.1	12.2	<0.001	0.04	0.74	4.0	1.1	0.5	35.6	0.01	0.05	1.9
CC128877		0.34	26.3	1130	41.7	11.7	<0.001	0.04	0.67	3.8	1.1	0.5	35.1	0.01	0.05	1.7
CC128878		0.50	22.6	700	31.2	12.7	<0.001	0.02	0.43	2.4	0.5	0.6	15.3	<0.01	0.05	1.1
CC128879		0.34	23.0	940	53.6	8.6	<0.001	0.06	0.95	4.3	0.7	0.5	47.6	<0.01	0.05	1.5
CC128880		0.29	26.9	900	45.4	10.1	<0.001	0.05	0.68	3.8	0.7	0.4	30.2	<0.01	0.04	1.7
CC128881		0.49	30.3	870	41.4	15.3	<0.001	0.05	0.95	4.3	1.0	0.4	23.2	0.01	0.05	1.8
CC128882		0.47	26.6	940	42.1	13.9	<0.001	0.07	1.49	3.4	1.0	0.3	36.3	0.01	0.04	1.4
CC128883		0.52	19.6	700	20.2	15.1	<0.001	0.02	0.80	1.2	0.5	0.6	15.0	<0.01	0.04	0.2
CC128884		0.62	25.3	900	135.5	16.5	<0.001	0.04	3.17	2.9	0.6	0.4	31.6	<0.01	0.04	1.1
CC128885		0.49	24.0	710	340	10.4	<0.001	0.01	2.54	1.9	0.6	0.4	10.9	<0.01	0.04	0.9
CC128886		0.46	28.3	710	81.7	11.6	<0.001	<0.01	1.92	2.3	0.6	0.5	10.2	<0.01	0.05	1.3
CC128887		0.65	12.2	570	262	15.5	<0.001	0.02	8.84	1.6	0.6	0.8	12.3	<0.01	0.06	0.7
CC128888		0.30	20.7	1040	93.0	5.4	<0.001	0.03	4.88	3.4	0.9	0.3	40.8	0.01	0.04	1.4
CC128889		0.41	25.8	790	52.5	12.5	<0.001	0.01	2.12	2.2	0.8	0.5	10.2	<0.01	0.06	1.0
CC128890		0.32	30.4	780	33.6	10.3	<0.001	0.01	0.67	3.2	0.8	0.5	13.7	<0.01	0.03	1.8
CC128891		0.58	40.2	680	32.8	9.3	<0.001	0.02	1.34	4.2	1.0	0.4	36.1	<0.01	0.05	3.1
CC128892		0.89	20.5	730	39.4	12.3	<0.001	0.02	1.14	1.5	0.8	0.5	8.7	<0.01	0.05	0.6
CC128893		0.44	19.2	1140	18.4	14.6	<0.001	0.03	0.70	1.4	0.6	0.5	30.6	<0.01	0.05	0.5
CC128894		0.52	29.5	680	31.7	11.2	<0.001	0.02	0.94	2.8	0.8	0.4	28.3	<0.01	0.06	1.3
CC128895		0.40	24.9	890	25.5	13.6	<0.001	0.03	0.95	1.9	0.8	0.5	22.9	<0.01	0.06	0.7
CC128896		0.24	27.3	570	27.1	8.8	<0.001	0.05	0.37	4.5	0.9	0.2	46.2	<0.01	0.07	1.4
CC128897		0.07	40.0	270	30.0	4.8	0.001	0.05	0.30	4.6	1.2	0.4	65.7	0.01	0.02	4.7
CC128898		0.49	22.1	1390	261	9.8	<0.001	0.05	4.77	2.7	1.0	0.6	18.6	0.01	0.05	0.6

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 1- AUG- 2011
Account: RCM

Project: Sian - Contour

CERTIFICATE OF ANALYSIS WH11121831

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
CC128858		<0.005	0.10	0.53	10	<0.05	7.85	64	<0.5
CC128859		0.026	0.14	0.75	40	0.21	5.22	70	0.7
CC128860		<0.005	0.08	0.45	13	<0.05	2.87	68	<0.5
CC128861		0.008	0.08	0.54	24	0.07	4.30	104	<0.5
CC128862		0.005	0.09	0.71	27	<0.05	5.33	98	0.9
CC128863		0.005	0.12	0.60	26	<0.05	5.00	83	1.8
CC128864		0.008	0.13	0.53	25	0.05	6.02	49	0.6
CC128865		0.006	0.16	0.76	44	0.10	4.93	156	0.8
CC128866		<0.005	0.13	0.96	13	<0.05	10.60	69	2.1
CC128867		<0.005	0.21	1.24	11	<0.05	12.10	94	6.3
CC128868		0.006	0.09	1.24	29	<0.05	9.02	118	1.8
CC128869		0.005	0.09	1.07	27	<0.05	9.51	90	2.8
CC128870		0.021	0.11	0.81	41	0.19	4.65	81	0.6
CC128871		0.009	0.07	1.04	32	0.13	3.90	75	<0.5
CC128873		0.015	0.10	0.69	41	0.13	2.10	44	<0.5
CC128874		0.008	0.09	1.25	29	0.13	9.33	118	1.9
CC128875		0.005	0.14	1.12	31	0.07	14.70	147	2.2
CC128876		0.008	0.12	1.81	30	0.12	15.60	142	2.6
CC128877		0.006	0.12	1.48	27	0.08	14.45	148	2.3
CC128878		0.009	0.08	0.88	31	0.09	6.86	88	0.6
CC128879		0.005	0.25	1.12	19	0.06	10.65	83	2.2
CC128880		0.006	0.14	1.03	19	0.06	10.80	113	2.9
CC128881		0.011	0.11	1.72	28	0.11	12.50	538	2.3
CC128882		0.011	0.08	1.47	23	0.12	11.60	355	2.7
CC128883		0.019	0.12	0.61	53	0.23	4.16	109	<0.5
CC128884		0.019	0.10	2.53	42	0.35	4.77	1300	1.0
CC128885		0.011	0.10	0.72	39	0.18	4.38	1000	0.5
CC128886		0.008	0.16	0.64	37	0.15	4.04	179	<0.5
CC128887		0.013	0.17	0.86	44	0.15	3.45	1940	<0.5
CC128888		0.006	0.18	1.72	28	0.09	13.00	689	1.8
CC128889		0.006	0.22	0.63	48	0.11	3.62	153	0.6
CC128890		0.006	0.13	0.83	28	0.10	9.67	129	0.6
CC128891		0.014	0.16	1.68	45	0.13	10.80	155	2.2
CC128892		0.018	0.14	0.70	48	0.21	3.11	114	<0.5
CC128893		0.008	0.21	0.80	50	0.13	3.53	80	0.5
CC128894		0.013	0.12	0.92	38	0.13	8.97	106	1.3
CC128895		0.008	0.17	0.75	51	0.13	4.29	99	0.7
CC128896		<0.005	0.07	1.84	16	<0.05	15.15	85	2.4
CC128897		<0.005	0.14	0.69	5	<0.05	17.00	117	2.7
CC128898		0.018	0.63	1.64	56	0.19	12.60	664	0.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 1- AUG- 2011
Account: RCM

Project: Sian - Contour

CERTIFICATE OF ANALYSIS WH11121831

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- TL43 Au ppm 0.001	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1
CC128899		0.54	0.002	0.16	0.77	183.5	<0.2	<10	240	0.42	0.15	9.40	1.38	18.85	9.7	14
CC128900		0.40	0.001	0.13	0.76	192.5	<0.2	<10	250	0.77	0.28	2.14	0.39	15.35	11.7	14
CC128551		0.44	0.002	0.17	0.72	123.0	<0.2	<10	310	1.01	0.34	1.82	0.33	18.70	16.2	14
CC128552		0.52	0.001	0.08	1.30	8.6	<0.2	<10	70	1.05	0.51	0.11	0.09	11.20	18.7	18
CC128553		0.37	0.002	0.08	1.50	11.1	<0.2	<10	60	0.65	0.44	0.04	0.15	16.50	12.0	24
CC128554		0.31	0.001	0.18	1.59	30.6	<0.2	<10	230	0.98	0.33	0.11	0.41	28.5	14.3	26
CC128494		0.26	<0.001	0.22	0.60	66.6	<0.2	<10	90	0.55	0.17	1.95	0.51	18.80	8.4	11
CC128495		0.27	0.002	0.18	0.84	13.3	<0.2	<10	350	1.26	0.38	0.39	0.16	15.85	12.8	14
CC128496		0.29	0.001	0.07	1.03	10.6	<0.2	<10	120	0.54	0.51	0.05	0.16	18.75	8.9	19
CC128497		0.35	0.002	0.04	0.39	5.0	<0.2	<10	150	1.21	0.43	0.14	0.02	10.30	17.7	8
CC128498		0.39	0.001	0.10	0.36	17.9	<0.2	<10	310	1.05	0.41	6.11	0.02	16.65	15.0	6
CC128499		0.31	0.001	0.11	0.58	34.2	<0.2	<10	210	0.73	0.27	5.86	0.47	21.2	11.9	8
CC128500		0.44	0.001	0.04	0.24	66	<0.2	<10	200	0.26	0.13	15.30	0.30	12.00	9.5	5
CC128620		0.22	0.001	0.13	0.78	41.6	<0.2	<10	160	0.60	0.17	6.94	0.58	16.75	8.7	11
CC128621		0.31	0.001	0.22	0.60	10.2	<0.2	<10	150	0.96	0.27	0.88	0.18	41.6	10.3	10
CC128622		0.30	0.001	0.13	0.86	17.3	<0.2	<10	220	0.98	0.32	0.36	0.28	24.2	12.5	14
CC128623		0.40	0.001	0.02	0.40	8.7	<0.2	<10	70	0.64	0.46	0.03	0.14	15.85	9.0	7
CC128624		0.24	0.001	0.13	0.88	14.1	<0.2	<10	560	0.58	0.33	0.19	0.38	16.65	9.3	17
CC128625		0.51	0.002	0.31	0.60	56.4	<0.2	<10	300	0.83	0.42	0.41	2.82	12.90	16.5	13
CC128626		0.32	0.004	2.67	0.83	75.4	<0.2	<10	360	1.04	0.30	1.06	14.95	11.60	10.8	14
CC128627		0.36	0.001	0.17	0.50	62.4	<0.2	<10	290	1.12	0.43	0.31	0.50	8.32	15.3	8
CC128628		0.32	0.001	0.10	0.74	21.1	<0.2	<10	280	0.94	0.37	0.31	0.42	15.75	16.7	13
CC128629		0.44	0.002	0.35	0.96	57.8	<0.2	<10	330	1.29	0.38	0.86	0.92	25.6	17.7	15
CC128630		0.34	0.002	0.24	1.13	24.4	<0.2	<10	350	0.94	0.33	0.38	4.30	19.90	13.3	20
CC128631		0.33	0.002	0.13	1.53	16.4	<0.2	<10	240	0.79	0.31	0.16	0.70	25.6	9.4	26
CC128632		0.43	0.002	0.12	1.24	18.8	<0.2	<10	940	0.76	0.27	0.61	1.08	21.3	11.1	21
CC128633		0.45	0.002	0.14	1.72	14.1	<0.2	<10	500	1.10	0.32	0.25	0.54	32.0	11.7	31
CC129035		0.43	0.001	0.08	1.69	16.8	<0.2	<10	240	0.55	0.26	0.09	0.81	28.9	21.9	29
CC129036		0.60	0.001	0.33	0.98	19.2	<0.2	<10	90	0.50	0.26	0.12	1.07	15.25	13.0	21
CC129037		0.37	0.001	1.16	0.99	18.0	<0.2	<10	130	0.62	0.23	0.14	2.49	12.30	12.1	16
CC129038		0.26	0.001	0.40	1.18	5.9	<0.2	<10	290	0.50	0.24	0.27	0.16	16.65	7.8	21
CC129039		0.57	0.001	0.08	1.46	23.1	<0.2	<10	230	0.53	0.29	0.07	0.23	20.8	9.5	26
CC129040		0.48	0.002	0.20	1.80	23.2	<0.2	<10	250	0.96	0.32	0.14	0.31	27.3	14.9	28
CC129041		0.40	0.001	0.53	1.56	18.3	<0.2	<10	450	0.72	0.29	0.42	0.65	17.15	10.7	25
CC129042		0.45	0.001	0.35	1.72	18.2	<0.2	<10	390	0.79	0.25	0.64	0.52	27.3	14.3	28
CC129043		0.40	0.001	0.33	1.33	12.2	<0.2	<10	290	0.53	0.21	0.33	0.82	19.45	9.2	23
CC129044		0.56	0.001	0.35	0.62	22.0	<0.2	<10	50	0.51	0.25	0.02	0.57	12.70	10.2	11
CC129045		0.42	0.001	0.06	1.33	11.4	<0.2	<10	280	0.60	0.29	0.04	0.34	15.00	9.9	21
CC129046		0.51	0.001	0.26	1.23	15.6	<0.2	<10	220	0.57	0.25	0.40	1.28	12.80	8.4	24
CC129047		0.45	0.001	0.19	0.49	21.4	<0.2	<10	180	0.98	0.34	0.17	1.14	12.40	13.7	9

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 1- AUG- 2011
Account: RCM

Project: Sian - Contour

CERTIFICATE OF ANALYSIS WH11121831

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
CC128899		0.68	17.6	2.92	2.10	0.08	0.07	2.61	0.019	0.03	10.7	6.3	5.68	1500	0.74	<0.01
CC128900		10.45	34.4	3.03	2.80	0.07	0.05	0.98	0.025	0.10	8.8	8.0	0.82	815	0.79	<0.01
CC128551		5.03	33.0	3.96	2.26	0.09	0.07	0.65	0.033	0.11	11.1	8.1	0.97	945	1.03	<0.01
CC128552		3.95	51.9	3.76	5.06	0.06	0.05	0.04	0.028	0.10	5.0	30.5	0.24	892	1.04	<0.01
CC128553		2.94	23.7	3.90	6.52	0.07	0.02	0.04	0.027	0.09	8.2	30.5	0.27	636	1.45	<0.01
CC128554		2.04	24.1	3.71	5.76	0.08	0.03	0.91	0.033	0.07	11.0	30.2	0.39	496	1.17	<0.01
CC128494		1.52	14.7	2.49	1.65	0.07	0.05	1.04	0.030	0.04	7.9	3.3	0.08	679	0.57	<0.01
CC128495		13.80	40.6	2.83	2.78	0.07	0.07	0.23	0.024	0.12	6.9	16.7	0.22	440	0.77	<0.01
CC128496		1.95	20.4	4.20	4.98	0.07	<0.02	0.08	0.022	0.11	8.5	8.2	0.19	348	1.80	<0.01
CC128497		4.17	60.4	2.82	1.52	0.06	0.02	0.03	0.020	0.18	4.0	6.0	0.08	297	0.54	<0.01
CC128498		1.90	40.4	3.24	1.16	0.08	0.05	0.32	0.024	0.11	8.4	2.6	3.35	1360	0.60	<0.01
CC128499		1.27	24.1	3.67	1.82	0.09	0.11	0.65	0.025	0.07	12.0	5.1	3.07	1620	0.73	<0.01
CC128500		0.73	14.0	1.79	0.79	0.05	0.06	0.93	0.012	0.04	7.3	2.6	8.79	1460	0.22	<0.01
CC128620		0.97	20.7	2.85	2.22	0.06	0.06	0.55	0.018	0.05	9.1	6.1	3.70	2000	0.80	<0.01
CC128621		0.72	22.1	2.83	1.76	0.08	0.08	0.34	0.030	0.06	15.4	8.3	0.18	404	0.75	<0.01
CC128622		1.43	24.5	3.65	2.88	0.07	0.09	0.51	0.034	0.07	9.9	11.6	0.22	706	1.14	<0.01
CC128623		2.62	23.1	1.80	2.45	<0.05	<0.02	0.04	0.017	0.12	7.6	3.1	0.04	216	0.94	<0.01
CC128624		1.49	23.4	2.68	4.68	0.05	<0.02	0.36	0.026	0.08	8.4	8.1	0.16	533	2.17	<0.01
CC128625		2.76	55.1	4.26	2.14	0.07	0.06	1.32	0.051	0.06	6.2	7.2	0.19	909	2.11	<0.01
CC128626		3.02	131.0	3.88	4.31	<0.05	0.08	51.3	0.057	0.08	5.5	5.8	0.22	454	1.26	<0.01
CC128627		0.91	65.0	5.69	1.21	<0.05	0.04	2.31	0.054	0.05	4.0	3.1	0.09	326	1.89	<0.01
CC128628		1.05	54.9	4.84	1.85	<0.05	0.04	0.62	0.040	0.05	7.0	6.1	0.18	522	1.55	<0.01
CC128629		0.90	45.4	4.56	2.46	0.05	0.07	0.64	0.047	0.06	15.2	7.1	0.14	691	1.32	<0.01
CC128630		3.99	37.9	4.17	3.42	0.05	0.04	0.86	0.034	0.07	9.8	13.0	0.30	807	1.75	<0.01
CC128631		1.50	17.9	3.45	4.83	<0.05	<0.02	0.71	0.032	0.06	10.5	15.2	0.32	520	1.64	<0.01
CC128632		1.51	22.6	3.56	3.19	0.10	0.08	0.62	0.031	0.09	9.1	11.4	0.33	864	1.14	<0.01
CC128633		2.42	24.8	3.56	5.11	<0.05	0.05	0.59	0.031	0.06	13.7	30.1	0.54	494	1.06	0.01
CC129035		1.90	22.9	4.09	5.31	<0.05	0.02	0.30	0.034	0.07	11.8	25.0	0.42	1000	3.23	<0.01
CC129036		2.27	48.2	3.92	3.30	0.05	0.02	0.09	0.032	0.07	6.0	12.5	0.28	477	6.88	<0.01
CC129037		3.14	54.6	2.96	3.33	<0.05	0.03	0.09	0.030	0.08	4.9	14.4	0.25	327	8.65	<0.01
CC129038		5.07	13.2	2.35	4.07	<0.05	0.02	0.08	0.025	0.06	7.7	9.2	0.25	1050	1.43	0.01
CC129039		2.02	23.0	3.57	5.32	<0.05	<0.02	0.05	0.025	0.07	10.3	16.3	0.32	408	1.86	<0.01
CC129040		2.36	34.7	4.29	4.71	<0.05	0.04	0.09	0.029	0.08	12.1	24.0	0.51	602	1.63	0.01
CC129041		2.47	33.5	3.52	5.35	<0.05	0.03	0.14	0.030	0.08	7.3	17.3	0.38	834	3.30	0.01
CC129042		1.58	33.0	3.85	5.58	<0.05	0.06	0.07	0.038	0.08	12.2	19.5	0.42	509	5.22	0.01
CC129043		1.59	23.5	2.59	4.06	<0.05	0.04	0.08	0.025	0.06	10.0	15.1	0.36	585	3.10	<0.01
CC129044		1.46	31.8	3.63	2.18	<0.05	<0.02	0.06	0.028	0.06	4.8	3.2	0.05	213	15.60	<0.01
CC129045		2.04	21.6	4.16	4.61	<0.05	<0.02	0.05	0.022	0.10	6.2	16.7	0.22	381	1.67	<0.01
CC129046		1.20	20.4	3.37	4.35	<0.05	<0.02	0.06	0.029	0.07	5.6	15.1	0.34	532	2.64	0.01
CC129047		2.14	63.5	3.94	1.44	<0.05	0.03	0.04	0.047	0.11	5.2	2.3	0.07	422	9.12	0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 1- AUG- 2011
Account: RCM

Project: Sian - Contour

CERTIFICATE OF ANALYSIS WH11121831

Sample Description	Method Analyte Units LOR	ME- MS41 Nb ppm 0.05	ME- MS41 Ni ppm 0.2	ME- MS41 P ppm 10	ME- MS41 Pb ppm 0.2	ME- MS41 Rb ppm 0.1	ME- MS41 Re ppm 0.001	ME- MS41 S % 0.01	ME- MS41 Sb ppm 0.05	ME- MS41 Sc ppm 0.1	ME- MS41 Se ppm 0.2	ME- MS41 Sn ppm 0.2	ME- MS41 Sr ppm 0.2	ME- MS41 Ta ppm 0.01	ME- MS41 Te ppm 0.01	ME- MS41 Th ppm 0.2
CC128899		0.36	22.6	850	86.8	4.0	<0.001	0.03	3.72	2.6	0.9	0.3	62.3	0.01	0.04	0.8
CC128900		0.42	21.6	890	49.3	12.1	<0.001	0.07	2.19	3.1	0.9	0.4	24.1	<0.01	0.06	0.9
CC128551		0.34	28.1	670	69.1	9.2	<0.001	0.05	2.57	5.5	0.8	0.4	35.3	<0.01	0.05	2.5
CC128552		0.29	25.6	730	31.5	14.0	<0.001	0.03	0.58	2.3	0.5	0.5	11.3	<0.01	0.04	1.9
CC128553		0.95	18.5	690	35.6	17.3	<0.001	0.02	0.79	1.9	0.6	0.7	6.7	<0.01	0.04	1.4
CC128554		0.76	28.2	530	64.6	11.4	<0.001	0.01	1.27	3.2	0.6	0.6	11.3	<0.01	0.04	2.3
CC128494		0.16	24.9	1380	107.5	4.5	<0.001	0.05	2.95	1.9	1.0	0.3	44.3	<0.01	0.02	0.7
CC128495		0.34	23.6	700	23.8	27.5	<0.001	0.03	0.49	3.3	0.7	0.4	30.5	<0.01	0.04	1.6
CC128496		0.71	17.3	830	20.8	19.3	<0.001	0.02	0.87	1.3	0.6	0.6	9.7	<0.01	0.05	0.5
CC128497		0.20	24.0	360	19.4	15.1	<0.001	0.01	0.29	3.1	0.3	0.4	22.6	<0.01	0.03	2.8
CC128498		0.17	23.7	480	26.1	8.0	<0.001	0.03	0.43	4.9	0.6	0.4	34.4	0.01	0.04	4.3
CC128499		0.26	20.6	1220	39.7	7.2	<0.001	0.06	0.64	4.1	0.9	0.3	30.8	0.01	0.05	1.7
CC128500		0.16	13.0	550	22.8	2.8	<0.001	0.03	0.64	2.5	0.5	0.2	72.4	<0.01	0.04	1.2
CC128620		0.29	19.4	1650	42.0	6.1	<0.001	0.11	0.72	1.8	0.9	0.3	38.7	0.01	0.04	0.6
CC128621		0.19	24.6	590	33.7	6.0	<0.001	0.02	0.37	3.7	0.8	0.3	29.8	<0.01	0.02	2.6
CC128622		0.35	26.8	980	52.2	9.5	<0.001	0.03	0.76	3.3	0.8	0.4	16.3	0.01	0.03	2.1
CC128623		0.18	16.7	450	12.9	13.3	<0.001	<0.01	0.52	1.0	0.3	0.5	17.6	<0.01	0.03	0.4
CC128624		0.15	23.3	1170	30.7	15.8	<0.001	0.04	0.96	0.6	0.6	0.6	11.4	<0.01	0.04	<0.2
CC128625		0.24	39.2	860	67.9	12.4	<0.001	0.03	3.62	7.1	1.1	0.3	25.8	<0.01	0.06	1.5
CC128626		0.35	32.9	1100	1045	11.2	<0.001	0.09	8.47	6.8	2.1	0.7	41.7	<0.01	0.09	1.3
CC128627		0.15	42.5	520	48.4	5.6	0.001	0.01	3.01	9.0	1.4	0.7	26.8	<0.01	0.08	1.7
CC128628		0.28	38.5	500	28.4	6.2	<0.001	0.01	1.12	6.9	0.9	0.7	21.3	<0.01	0.07	2.2
CC128629		0.29	35.5	690	52.7	7.5	<0.001	0.04	2.93	7.4	1.6	0.6	45.5	<0.01	0.09	1.9
CC128630		0.42	34.5	840	146.5	11.4	<0.001	0.03	2.33	3.9	0.7	0.5	23.2	<0.01	0.04	1.1
CC128631		0.58	21.8	830	80.1	10.8	<0.001	0.03	1.47	1.6	0.6	0.6	15.4	<0.01	0.03	0.6
CC128632		0.46	23.8	780	99.1	12.9	<0.001	0.06	1.86	3.9	0.8	0.3	26.0	<0.01	0.04	1.6
CC128633		0.72	32.9	410	49.5	10.2	<0.001	0.01	0.92	4.3	0.8	0.6	15.6	<0.01	0.05	3.2
CC129035		0.45	29.3	1310	17.8	13.2	<0.001	0.04	0.90	1.6	0.7	0.5	11.3	<0.01	0.04	0.5
CC129036		0.31	34.6	1430	24.5	8.3	0.003	0.03	4.18	1.6	3.1	0.4	10.2	<0.01	0.05	0.7
CC129037		0.28	32.0	920	21.8	8.7	0.006	0.02	6.18	2.4	3.3	0.4	9.9	<0.01	0.04	1.2
CC129038		0.39	13.7	1780	14.4	11.7	<0.001	0.10	0.55	1.3	0.6	0.5	19.1	<0.01	0.01	0.3
CC129039		0.49	20.2	760	21.3	14.1	<0.001	0.03	0.74	1.5	0.5	0.5	11.4	<0.01	0.06	0.5
CC129040		0.57	36.3	600	31.4	10.4	<0.001	0.03	0.96	4.2	0.7	0.5	20.7	<0.01	0.05	3.5
CC129041		0.39	24.8	870	16.2	13.7	<0.001	0.02	1.08	3.0	1.0	0.6	25.2	<0.01	0.05	1.0
CC129042		0.43	29.7	1220	17.2	12.2	0.001	0.05	1.69	3.7	2.2	0.6	33.4	<0.01	0.04	1.3
CC129043		0.53	23.0	920	12.3	12.4	<0.001	0.03	1.23	2.9	1.1	0.5	19.9	<0.01	0.05	1.4
CC129044		0.30	33.9	720	16.2	9.7	0.001	0.01	8.41	1.7	2.2	0.4	5.8	<0.01	0.06	0.5
CC129045		0.50	20.1	710	17.0	12.8	<0.001	0.03	0.77	1.8	0.3	0.5	7.2	<0.01	0.10	0.9
CC129046		0.34	21.7	1190	15.8	11.0	<0.001	0.03	1.16	0.9	0.6	0.5	19.6	<0.01	0.05	0.2
CC129047		0.10	39.9	850	17.5	7.8	0.001	0.02	5.29	3.9	1.9	0.4	24.2	<0.01	0.05	1.3

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 1- AUG- 2011
Account: RCM

Project: Sian - Contour

CERTIFICATE OF ANALYSIS WH11121831

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
CC128899		0.011	0.98	1.27	25	0.16	16.00	623	1.3
CC128900		0.010	0.72	1.51	25	0.11	10.70	199	1.2
CC128551		0.007	0.48	0.81	23	0.10	14.45	156	1.8
CC128552		0.007	0.11	0.71	21	0.05	5.53	72	1.4
CC128553		0.021	0.14	0.70	42	0.19	2.94	74	<0.5
CC128554		0.014	0.18	0.87	41	0.21	6.57	187	0.5
CC128494		<0.005	0.19	0.90	15	0.09	13.35	232	1.2
CC128495		0.008	0.10	0.92	21	0.08	11.80	90	1.7
CC128496		0.032	0.11	0.69	44	0.19	3.09	77	<0.5
CC128497		0.008	0.09	0.76	12	<0.05	6.96	37	<0.5
CC128498		<0.005	0.17	0.85	9	<0.05	14.45	20	1.5
CC128499		<0.005	0.13	1.25	15	0.07	17.30	130	2.9
CC128500		<0.005	0.39	1.14	6	<0.05	8.61	264	1.7
CC128620		0.007	0.16	1.63	17	0.07	12.35	157	1.7
CC128621		<0.005	0.14	0.62	15	0.05	13.00	92	2.1
CC128622		0.007	0.23	1.09	23	0.12	10.30	151	2.4
CC128623		0.007	0.10	0.43	20	0.07	3.16	74	<0.5
CC128624		0.007	0.15	0.80	41	0.19	3.68	158	<0.5
CC128625		0.005	0.18	0.84	34	0.10	9.92	612	1.4
CC128626		<0.005	0.25	1.83	25	0.08	16.20	4300	1.7
CC128627		<0.005	0.25	0.78	17	<0.05	11.05	236	1.1
CC128628		0.006	0.20	1.02	24	0.08	8.34	157	1.1
CC128629		<0.005	0.14	1.04	27	0.06	25.0	313	1.7
CC128630		0.010	0.19	1.11	34	0.13	11.65	1620	0.9
CC128631		0.014	0.13	0.85	46	0.21	4.77	426	<0.5
CC128632		0.014	0.10	1.20	35	0.09	9.66	415	1.3
CC128633		0.019	0.12	1.45	41	0.25	10.00	248	1.3
CC129035		0.011	0.21	0.74	58	0.12	4.01	123	<0.5
CC129036		0.008	0.19	1.24	47	0.07	5.57	245	0.6
CC129037		0.006	0.30	1.54	62	0.05	8.05	338	0.6
CC129038		0.011	0.18	1.54	38	0.14	4.48	55	<0.5
CC129039		0.009	0.16	0.64	53	0.13	3.98	93	<0.5
CC129040		0.015	0.17	0.95	48	0.13	8.24	119	1.3
CC129041		0.006	0.28	1.64	56	0.10	6.15	127	0.7
CC129042		0.008	0.23	4.08	67	0.08	5.68	128	1.6
CC129043		0.011	0.18	0.87	47	0.17	6.01	125	1.0
CC129044		0.006	0.29	1.01	36	0.07	4.55	168	<0.5
CC129045		0.009	0.10	0.52	44	0.10	2.99	76	<0.5
CC129046		0.008	0.16	0.67	49	0.09	3.35	127	<0.5
CC129047		<0.005	0.20	1.40	30	<0.05	7.52	305	0.8

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 1- AUG- 2011
Account: RCM

Project: Sian - Contour

CERTIFICATE OF ANALYSIS WH11121831

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- TL43 Au ppm 0.001	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1
CC129048		0.43	0.002	1.29	1.55	21.2	<0.2	<10	270	0.77	0.24	0.14	1.91	39.0	17.1	20
CC129049		0.57	0.001	0.54	1.50	20.1	<0.2	<10	90	0.59	0.28	0.05	0.65	14.40	12.8	24
CC129050		0.40	<0.001	0.06	1.40	10.9	<0.2	<10	140	0.71	0.33	0.03	0.59	19.05	11.8	24
CC129051		0.37	<0.001	0.11	1.53	8.4	<0.2	<10	200	1.15	0.38	0.10	0.24	19.75	17.3	21
CC129052		0.46	0.001	0.06	1.08	10.0	<0.2	<10	120	0.78	0.30	0.02	0.37	10.25	12.2	15
CC129053		0.50	0.001	0.12	1.56	17.1	<0.2	<10	460	1.64	0.31	0.28	0.18	19.00	9.2	25
CC129054		0.31	0.001	0.07	1.25	15.3	<0.2	<10	170	0.64	0.37	0.08	0.12	12.10	6.9	21
CC129055		0.38	0.001	0.03	1.66	6.7	<0.2	<10	170	0.82	0.39	0.05	0.10	12.25	11.8	27
CC129056		0.38	0.001	0.07	0.60	10.4	<0.2	<10	100	0.81	0.51	0.05	0.67	9.01	16.4	23
CC129057		0.42	0.002	0.08	0.79	153	<0.2	<10	550	0.55	0.08	11.70	2.09	10.50	9.6	8
CC129058		0.40	0.002	0.13	1.77	67.7	<0.2	<10	210	0.99	0.22	2.80	1.07	30.7	9.3	23
CC129059		0.42	0.001	0.21	1.71	461	<0.2	<10	330	1.00	0.25	2.59	0.19	17.20	13.1	26
CC129060		0.39	0.001	0.22	2.62	82.1	<0.2	<10	330	1.79	0.27	0.89	0.86	40.5	12.9	36
CC129061		0.44	0.001	0.17	1.63	196.0	<0.2	<10	340	0.87	0.17	7.23	1.16	30.3	8.8	18
CC129062		0.36	0.001	0.02	2.20	31.9	<0.2	<10	250	0.79	0.29	0.09	0.32	23.8	10.7	30
CC129063		0.36	<0.001	0.16	0.60	307	<0.2	<10	850	0.23	0.38	0.09	0.14	11.65	4.2	12
CC129064		0.46	<0.001	0.06	0.50	6.4	<0.2	<10	90	0.46	0.37	0.04	0.12	14.55	5.6	9
CC129065		0.40	0.001	0.07	0.85	18.0	<0.2	<10	120	0.41	0.30	0.10	0.26	11.10	8.7	14
CC129066		0.45	<0.001	0.08	1.21	6.7	<0.2	<10	490	1.50	0.33	0.25	0.39	17.90	9.8	17
CC129067		0.49	0.001	0.18	1.58	9.3	<0.2	<10	750	1.56	0.29	0.66	0.16	15.00	7.8	20

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 1- AUG- 2011
Account: RCM

Project: Sian - Contour

CERTIFICATE OF ANALYSIS WH11121831

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
CC129048		4.25	70.2	4.68	4.76	0.06	0.04	0.11	0.040	0.10	17.7	23.1	0.33	589	6.12	0.01
CC129049		1.54	40.7	4.44	3.89	<0.05	0.04	0.09	0.035	0.07	6.3	24.8	0.32	345	4.67	<0.01
CC129050		2.24	21.1	4.25	5.03	<0.05	<0.02	0.03	0.032	0.12	8.1	15.5	0.28	1140	2.06	<0.01
CC129051		2.98	32.9	3.75	4.14	<0.05	0.03	0.04	0.032	0.14	7.0	23.0	0.39	1940	0.87	<0.01
CC129052		2.04	38.1	3.26	2.96	<0.05	0.02	0.04	0.026	0.08	4.3	13.0	0.19	1120	1.13	<0.01
CC129053		3.58	32.7	3.05	4.78	<0.05	0.03	0.04	0.028	0.07	8.7	14.8	0.31	821	2.08	<0.01
CC129054		2.60	26.3	2.90	5.08	<0.05	0.02	0.02	0.028	0.07	5.1	8.4	0.19	291	1.96	<0.01
CC129055		2.45	22.1	3.72	6.63	<0.05	0.02	0.03	0.034	0.06	4.9	18.5	0.37	534	0.77	<0.01
CC129056		4.47	42.3	4.04	1.87	<0.05	0.03	0.36	0.037	0.07	3.9	3.1	0.07	756	1.58	<0.01
CC129057		0.34	14.7	5.20	1.36	<0.05	0.03	1.14	0.012	0.03	5.9	3.4	6.64	2620	0.39	0.02
CC129058		1.01	14.8	5.58	3.88	<0.05	0.04	1.00	0.029	0.04	17.3	10.9	1.35	2840	0.87	0.01
CC129059		1.29	21.6	4.44	4.25	<0.05	0.06	1.26	0.026	0.07	10.1	11.6	1.41	1670	0.88	0.01
CC129060		1.50	23.8	6.04	5.37	0.07	0.07	2.40	0.054	0.06	15.6	22.0	0.50	2450	1.52	0.01
CC129061		0.75	16.6	5.80	3.92	0.05	0.06	0.90	0.027	0.07	17.7	15.2	3.86	5620	0.74	0.02
CC129062		1.26	20.5	4.95	6.25	<0.05	0.04	0.10	0.034	0.06	10.2	27.1	0.40	982	1.34	<0.01
CC129063		8.18	12.3	3.61	4.34	0.09	<0.02	3.94	0.034	0.08	5.1	2.4	0.05	99	1.09	<0.01
CC129064		8.09	24.0	2.76	3.07	0.09	<0.02	0.03	0.035	0.08	6.2	3.4	0.07	284	1.09	<0.01
CC129065		1.20	22.5	3.40	3.57	0.07	<0.02	0.12	0.028	0.06	4.8	7.4	0.14	371	1.92	<0.01
CC129066		7.54	23.8	2.45	4.66	0.09	0.02	0.05	0.029	0.09	9.8	11.4	0.16	1370	1.33	<0.01
CC129067		11.40	27.9	3.25	3.99	0.08	0.09	0.10	0.037	0.09	7.2	17.8	0.42	610	1.19	<0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 1- AUG- 2011
Account: RCM

Project: Sian - Contour

CERTIFICATE OF ANALYSIS WH11121831

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
CC129048		0.36	34.1	1760	23.9	9.9	0.001	0.09	2.52	2.7	3.4	0.6	32.5	<0.01	0.07	1.2
CC129049		0.53	33.0	640	23.3	10.1	0.001	0.02	2.03	3.0	1.8	0.5	8.2	<0.01	0.06	1.9
CC129050		0.56	21.1	660	17.4	15.0	<0.001	0.01	0.88	2.1	0.4	0.6	6.2	<0.01	0.04	0.9
CC129051		0.37	23.9	690	29.0	12.9	<0.001	0.02	0.53	3.2	0.5	0.5	9.3	<0.01	0.02	2.0
CC129052		0.46	21.1	440	19.9	11.1	<0.001	0.01	0.58	2.3	0.4	0.4	7.2	<0.01	0.02	1.2
CC129053		0.33	19.5	1780	16.9	14.8	<0.001	0.06	0.68	1.9	0.8	0.6	21.8	<0.01	0.06	0.5
CC129054		0.43	16.8	800	17.3	14.8	<0.001	0.02	0.70	1.8	0.7	0.6	11.6	<0.01	0.04	0.8
CC129055		0.45	21.5	500	16.7	11.3	<0.001	0.02	0.36	3.5	0.5	0.6	10.9	<0.01	0.02	2.3
CC129056		0.14	26.0	700	37.6	7.6	<0.001	0.03	0.66	3.2	0.4	0.4	17.0	<0.01	0.04	1.6
CC129057		0.16	15.3	1380	38.7	3.0	<0.001	0.12	9.26	2.3	0.5	0.2	44.4	<0.01	0.02	0.2
CC129058		0.41	18.7	1270	84.5	6.4	<0.001	0.07	4.75	3.6	1.0	0.4	19.7	<0.01	0.02	0.9
CC129059		0.45	24.6	1350	30.4	8.9	<0.001	0.06	3.16	3.3	0.9	0.5	28.0	<0.01	0.05	1.0
CC129060		0.52	28.7	940	60.2	10.8	<0.001	0.03	4.12	6.5	1.2	0.7	11.8	<0.01	0.06	2.9
CC129061		0.34	18.4	2010	46.3	10.7	<0.001	0.12	6.67	2.5	1.3	0.4	30.3	<0.01	0.06	0.5
CC129062		0.61	23.8	400	34.4	10.8	<0.001	0.01	1.42	4.3	0.5	0.7	7.8	<0.01	0.05	2.8
CC129063		0.28	10.9	900	66.0	11.2	<0.001	0.11	2.53	1.6	0.5	0.7	30.2	<0.01	0.04	1.8
CC129064		0.33	10.5	410	9.6	21.0	<0.001	<0.01	0.42	2.7	0.4	0.6	17.9	<0.01	0.03	0.8
CC129065		0.30	19.9	450	23.2	10.9	<0.001	0.01	0.82	1.4	0.6	0.5	11.4	<0.01	0.05	0.4
CC129066		0.53	13.2	860	12.8	24.4	<0.001	0.04	0.50	2.6	1.1	0.6	34.4	<0.01	0.05	0.7
CC129067		0.41	18.7	1630	19.2	24.6	<0.001	0.09	0.53	4.8	0.6	0.4	52.9	<0.01	0.03	1.6

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 1- AUG- 2011
Account: RCM

Project: Sian - Contour

CERTIFICATE OF ANALYSIS WH11121831

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
CC129048		0.007	0.21	1.33	54	0.06	8.26	214	1.2
CC129049		0.008	0.16	0.95	53	0.08	4.31	184	1.1
CC129050		0.013	0.12	0.46	42	0.09	2.73	115	<0.5
CC129051		0.010	0.10	0.56	27	0.06	4.34	121	0.7
CC129052		0.009	0.09	0.47	27	0.07	2.31	95	0.5
CC129053		0.009	0.19	2.14	49	0.12	10.15	82	<0.5
CC129054		0.006	0.15	0.70	43	0.09	3.24	78	0.5
CC129055		0.007	0.09	0.89	29	0.08	3.90	75	0.8
CC129056		<0.005	0.08	0.77	14	<0.05	3.77	86	0.7
CC129057		0.006	0.92	2.07	23	<0.05	11.90	1490	0.8
CC129058		0.011	0.55	2.33	46	0.11	17.65	533	0.8
CC129059		0.011	0.46	1.27	47	0.17	13.20	275	1.3
CC129060		0.006	0.29	1.52	48	0.12	17.35	469	1.6
CC129061		0.010	0.28	1.71	40	0.08	25.2	383	1.7
CC129062		0.007	0.27	0.69	62	0.14	4.47	113	1.1
CC129063		0.006	2.15	0.44	30	0.09	2.53	143	<0.5
CC129064		0.008	0.08	0.55	27	0.08	1.86	72	<0.5
CC129065		0.007	0.17	0.39	35	0.10	2.46	102	<0.5
CC129066		0.011	0.12	0.91	38	0.13	11.75	66	<0.5
CC129067		0.007	0.13	1.43	32	0.08	14.20	92	1.9

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 1- AUG- 2011
Account: RCM

Project: Sian - Contour

CERTIFICATE OF ANALYSIS WH11121831

Method	CERTIFICATE COMMENTS
ME- MS41	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown.
ME- MS41	Gold determinations by this method are semi- quantitative due to the small sample weight used (0.5g).

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 4- AUG- 2011
Account: RCM

CERTIFICATE WH11123194

Project: Rackla Gold (Rackla)

P.O. No.:

This report is for 114 Soil samples submitted to our lab in Whitehorse, YT, Canada on 2- JUL- 2011.

The following have access to data associated with this certificate:

ROB CARNE	ANDREW CARNE	MATT DUMALA
JULIA LANE	JOAN MARIACHER	

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
SCR- 41	Screen to - 180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME- OG46	Ore Grade Elements - AquaRegia	ICP- AES
Pb- OG46	Ore Grade Pb - Aqua Regia	VARIABLE
Au- TL43	Trace Level Au - 25g AR	ICP- MS
ME- MS41	51 anal. aqua regia ICPMS	

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 4- AUG- 2011
Account: RCM

Project: Rackla Gold (Rackla)

CERTIFICATE OF ANALYSIS WH11123194

Sample Description	Method	WEI- 21	Au- TL43	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Recvd Wt.	Au	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
CC128923		0.25	0.005	1.85	1.52	46.3	<0.2	<10	>10000	1.00	0.16	1.35	10.25	16.45	8.8	67
CC128924		0.36	0.002	1.00	1.45	23.6	<0.2	<10	>10000	0.72	0.21	0.70	3.13	25.4	8.9	39
CC128925		0.32	0.002	0.93	1.02	13.8	<0.2	<10	510	0.12	0.32	0.06	0.32	27.1	2.2	16
CC128926		0.26	0.001	0.72	1.18	14.2	<0.2	<10	2540	0.32	0.26	0.21	1.22	25.4	2.6	23
CC128927		0.41	0.001	1.06	1.31	57.0	<0.2	<10	380	0.40	0.23	0.04	0.79	26.3	5.7	31
CC128928		0.37	0.002	1.33	1.13	32.8	<0.2	<10	170	0.21	0.23	0.05	0.25	25.7	3.4	23
CC128929		0.46	0.003	4.77	0.71	125.0	<0.2	<10	3310	0.76	0.21	4.44	5.69	23.1	9.3	47
CC128930		0.42	0.003	1.50	1.22	55.1	<0.2	<10	1130	0.69	0.25	0.24	1.14	29.6	7.3	25
CC128931		0.33	0.013	1.91	0.21	41.6	<0.2	<10	840	0.18	0.27	0.16	0.20	29.1	1.4	4
CC128932		0.42	0.002	0.20	0.95	20.5	<0.2	<10	330	0.76	0.45	0.68	0.79	30.9	17.0	22
CC128933		0.42	0.002	0.17	2.05	40.1	<0.2	<10	310	0.86	0.17	1.22	0.61	115.0	29.2	81
CC128934		0.40	0.002	0.08	3.00	35.7	<0.2	<10	470	1.35	0.18	0.61	0.54	94.9	27.8	106
CC128935		0.26	0.002	0.11	2.34	21.3	<0.2	<10	550	0.72	0.09	1.39	0.14	98.0	31.1	149
CC128936		0.38	0.002	0.13	4.05	5.1	<0.2	<10	440	0.98	0.08	2.01	0.31	122.0	38.8	145
CC128937		0.35	0.001	0.14	0.69	17.4	<0.2	<10	240	0.58	0.38	1.25	0.86	26.5	15.4	17
CC128938		0.41	0.003	0.39	1.70	114.0	<0.2	<10	580	0.78	0.29	0.20	1.42	33.1	22.8	36
CC128939		0.32	0.001	4.35	0.53	99.7	<0.2	<10	540	0.37	0.24	0.69	1.02	18.20	3.9	39
CC128940		0.37	0.001	1.11	1.16	50.5	<0.2	<10	350	0.27	0.25	0.21	0.55	23.9	13.4	28
CC128941		0.41	0.002	1.14	2.08	25.4	<0.2	<10	3140	0.59	0.27	0.21	3.43	29.0	8.4	36
CC128942		0.37	0.002	0.53	1.62	21.0	<0.2	<10	8180	0.48	0.27	0.25	6.54	28.6	7.6	35
CC128943		0.27	0.002	0.74	1.19	26.4	<0.2	<10	3880	0.33	0.18	1.03	0.73	22.7	7.4	38
CC128944		0.21	0.001	0.80	1.03	20.5	<0.2	<10	8900	0.43	0.15	2.07	9.40	15.55	7.6	35
CC128945		0.33	0.002	0.98	1.28	86.8	<0.2	<10	1330	0.51	0.26	0.43	2.46	28.0	5.8	33
CC128946		0.28	0.005	2.15	1.29	143.0	<0.2	<10	2120	0.48	0.25	0.70	5.64	24.5	9.4	34
CC128947		0.34	0.005	2.44	1.59	39.5	<0.2	<10	700	0.61	0.26	0.26	0.89	36.2	14.7	31
CC128948		0.36	0.003	2.61	1.28	350	<0.2	<10	1620	0.63	0.28	0.43	3.94	26.6	13.8	55
CC128949		0.39	0.002	0.30	0.98	21.2	<0.2	<10	310	0.66	0.45	0.67	0.82	27.0	16.9	21
CC128950		0.15	0.003	0.29	3.63	14.4	<0.2	<10	410	1.12	0.07	2.15	1.71	104.5	30.0	97
CC128951		0.17	0.002	0.20	2.89	14.2	<0.2	<10	290	0.94	0.06	2.17	1.08	101.5	26.0	83
CC128952		0.20	0.002	0.18	2.87	11.0	<0.2	<10	430	1.15	0.10	2.14	0.28	117.0	29.8	123
CC128721		0.18	0.001	0.67	0.96	21.2	<0.2	<10	7270	0.44	0.14	2.77	24.0	15.95	9.7	32
CC128722		0.28	0.005	1.74	1.41	36.9	<0.2	<10	>10000	0.71	0.17	1.21	33.2	21.8	10.4	56
CC128723		0.30	0.001	1.38	1.89	22.5	<0.2	<10	>10000	0.67	0.27	0.94	3.06	32.4	9.0	37
CC128724		0.39	0.008	2.80	1.47	25.1	<0.2	<10	>10000	1.99	0.06	4.40	15.95	11.70	4.3	228
CC128725		0.15	0.003	1.02	1.18	51.1	<0.2	<10	2050	0.54	0.21	1.00	3.06	21.5	11.1	34
CC128726		0.35	0.002	0.20	0.47	59.8	<0.2	<10	1060	0.25	0.25	0.36	1.77	17.70	13.7	10
CC128727		0.12	0.002	0.74	0.43	115.0	<0.2	<10	650	0.33	0.09	1.25	1.59	13.10	24.0	8
CC128728		0.14	0.007	0.82	0.96	63.1	<0.2	<10	860	0.42	0.21	0.63	1.40	16.95	10.9	20
CC128729		0.14	0.009	2.08	0.76	96.2	<0.2	<10	1570	0.47	0.15	2.21	4.45	13.30	8.7	12
CC128730		0.38	0.005	41.2	1.07	1385	<0.2	<10	310	0.59	0.33	0.15	14.10	23.3	21.6	46

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 4- AUG- 2011
Account: RCM

Project: Rackla Gold (Rackla)

CERTIFICATE OF ANALYSIS WH11123194

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
CC128923		3.35	104.5	2.38	6.76	0.05	0.05	0.39	0.028	0.06	13.2	15.5	0.92	1180	15.65	0.18
CC128924		0.82	47.5	2.61	4.63	0.05	0.04	0.18	0.027	0.07	14.8	13.8	0.39	304	5.88	0.10
CC128925		1.10	6.3	1.81	8.22	<0.05	<0.02	0.08	0.015	0.04	13.6	6.0	0.16	96	7.01	0.01
CC128926		0.85	7.7	2.32	6.22	<0.05	<0.02	0.05	0.020	0.04	13.2	11.4	0.18	86	3.13	0.03
CC128927		0.89	23.7	3.29	4.80	<0.05	0.02	0.03	0.024	0.06	14.6	8.9	0.16	228	5.19	0.01
CC128928		0.98	10.8	2.39	6.32	<0.05	<0.02	0.04	0.020	0.04	13.3	6.4	0.16	131	5.54	0.02
CC128929		0.84	131.0	2.45	2.56	0.07	<0.02	3.21	0.028	0.09	13.6	5.8	2.29	869	8.98	0.05
CC128930		0.89	31.7	3.20	3.97	<0.05	<0.02	0.60	0.035	0.06	15.1	10.0	0.19	296	6.01	0.02
CC128931		0.33	9.0	1.13	0.69	<0.05	0.13	1.61	0.010	0.06	16.8	1.0	0.02	59	58.6	0.01
CC128932		3.92	53.6	3.70	2.89	0.07	0.10	0.31	0.031	0.05	14.6	17.9	0.42	332	1.02	0.01
CC128933		10.70	38.9	6.26	8.00	0.14	0.05	0.07	0.063	0.09	59.8	24.0	1.00	1520	6.34	0.01
CC128934		5.68	52.8	6.28	10.55	0.14	0.16	0.07	0.063	0.07	48.9	27.4	1.86	1060	2.02	0.02
CC128935		6.72	21.7	5.30	11.70	0.15	0.12	0.13	0.053	0.12	51.0	24.4	2.43	1110	1.75	0.02
CC128936		8.27	53.1	8.15	19.00	0.25	0.29	0.09	0.055	0.18	68.6	41.1	4.68	1660	2.30	0.02
CC128937		2.02	41.5	2.68	2.30	0.06	0.09	0.28	0.027	0.05	13.0	14.7	0.55	205	0.65	0.01
CC128938		1.12	38.2	4.87	3.04	0.08	0.06	0.52	0.052	0.05	16.1	15.2	0.27	831	7.57	<0.01
CC128939		0.39	70.9	2.73	1.84	0.09	0.02	1.70	0.044	0.04	12.8	2.0	0.04	127	6.23	<0.01
CC128940		0.96	9.7	2.80	4.63	0.06	0.02	0.37	0.025	0.04	12.6	9.7	0.26	623	10.30	0.01
CC128941		1.28	21.4	3.32	6.25	0.07	0.04	0.10	0.032	0.03	15.5	16.4	0.37	248	4.25	0.02
CC128942		1.63	38.9	3.01	5.75	0.06	0.02	0.08	0.026	0.04	15.2	12.6	0.35	312	4.86	0.05
CC128943		0.71	13.0	2.24	4.52	0.07	0.05	0.20	0.026	0.06	12.8	15.1	0.41	210	5.67	0.03
CC128944		0.73	37.3	1.88	3.36	0.07	0.06	0.24	0.026	0.08	9.5	9.2	0.37	360	2.25	0.06
CC128945		0.86	33.6	2.84	4.43	0.07	0.03	0.53	0.033	0.06	16.0	11.0	0.33	159	10.05	0.01
CC128946		0.76	49.0	2.57	4.26	0.08	0.04	1.11	0.033	0.07	13.6	11.5	0.37	444	3.19	0.02
CC128947		0.85	47.2	3.75	4.59	0.08	0.07	0.46	0.042	0.05	18.2	12.1	0.26	541	4.36	0.02
CC128948		1.06	58.9	3.78	4.54	0.09	0.02	0.93	0.038	0.05	15.9	8.0	0.17	707	17.50	0.02
CC128949		2.78	44.1	3.86	3.10	0.07	0.10	0.41	0.030	0.05	12.5	16.2	0.42	389	1.50	0.02
CC128950		13.30	42.2	6.47	16.45	0.21	0.28	0.18	0.049	0.09	63.1	48.7	3.82	1340	0.92	0.02
CC128951		11.40	30.2	5.58	12.60	0.18	0.17	0.14	0.047	0.11	59.8	29.9	3.11	1360	1.16	0.02
CC128952		10.40	24.9	5.90	14.30	0.18	0.17	0.09	0.057	0.14	70.1	25.8	3.08	1560	1.26	0.02
CC128721		0.87	49.0	2.09	3.06	0.07	0.06	0.19	0.021	0.06	9.7	9.4	0.88	541	3.96	0.06
CC128722		2.79	91.7	2.36	4.57	0.09	0.05	0.31	0.030	0.07	14.4	11.6	0.63	597	15.15	0.15
CC128723		1.14	34.1	3.01	6.23	0.06	0.03	0.15	0.038	0.04	17.6	12.6	0.41	390	3.58	0.07
CC128724		4.75	179.0	1.02	9.29	0.08	0.10	0.42	0.040	0.08	16.0	66.2	1.17	159	8.34	0.65
CC128725		0.75	43.3	3.12	3.76	0.07	0.07	0.39	0.031	0.08	12.5	10.9	0.39	942	6.80	0.02
CC128726		0.73	22.5	1.35	2.12	<0.05	0.02	0.05	0.019	0.05	11.5	1.7	0.08	1140	7.17	0.02
CC128727		0.17	43.0	4.06	1.14	0.08	0.04	0.29	0.022	0.01	6.6	0.8	0.15	718	9.34	0.02
CC128728		0.69	31.1	3.51	2.95	0.06	0.05	0.53	0.042	0.04	9.6	8.0	0.26	476	11.05	0.01
CC128729		0.64	47.1	2.12	1.86	0.07	0.07	2.10	0.026	0.04	7.3	2.5	0.33	1040	16.70	0.02
CC128730		1.65	85.3	4.81	4.01	0.06	<0.02	75.9	0.047	0.05	11.4	8.8	0.46	886	7.73	0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 4- AUG- 2011
Account: RCM

Project: Rackla Gold (Rackla)

CERTIFICATE OF ANALYSIS WH11123194

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
CC128923		0.46	238	2860	10.1	19.8	0.006	0.03	9.93	4.4	6.7	0.5	461	<0.01	0.15	0.6
CC128924		0.79	62.7	1180	18.7	7.7	0.002	0.05	2.76	3.7	2.4	0.6	91.8	<0.01	0.07	1.9
CC128925		1.81	6.3	200	13.3	10.0	<0.001	0.02	3.13	1.4	1.5	0.9	8.4	<0.01	0.05	2.7
CC128926		1.26	9.9	410	16.7	6.9	<0.001	0.03	0.73	1.8	1.5	0.7	29.6	<0.01	0.04	2.2
CC128927		0.79	33.4	670	33.1	9.3	<0.001	0.02	2.64	1.8	2.0	0.6	13.3	<0.01	0.07	2.7
CC128928		1.08	14.7	490	19.8	7.5	<0.001	0.02	1.37	1.6	1.5	0.7	7.8	<0.01	0.04	1.7
CC128929		0.28	187.5	4600	35.9	8.7	0.002	0.09	10.75	5.1	8.7	0.6	524	<0.01	0.22	1.6
CC128930		0.59	34.5	810	120.0	9.1	<0.001	0.03	3.73	2.9	1.6	0.6	24.0	<0.01	0.06	2.3
CC128931		0.07	19.8	130	92.2	3.3	0.002	0.06	12.50	0.8	2.1	<0.2	16.6	<0.01	0.08	3.6
CC128932		1.19	36.0	770	47.5	6.6	<0.001	0.03	0.94	5.3	1.1	0.2	43.2	0.01	0.04	6.0
CC128933		1.84	53.1	2770	51.1	13.6	<0.001	0.06	2.33	6.3	0.8	0.4	124.0	0.01	0.04	3.8
CC128934		10.65	64.6	1770	41.8	12.8	<0.001	0.01	1.72	6.7	1.0	0.7	80.0	0.02	0.03	5.2
CC128935		13.05	67.0	2070	18.1	24.5	<0.001	0.10	1.08	8.3	0.8	0.5	163.0	0.03	0.02	2.4
CC128936		15.80	67.1	4510	11.4	15.6	<0.001	0.10	0.29	6.1	0.9	0.5	336	0.02	0.02	4.3
CC128937		1.16	32.9	790	40.6	5.1	<0.001	0.04	0.91	4.1	0.9	0.2	56.9	<0.01	0.04	5.7
CC128938		0.69	88.5	1120	704	9.6	<0.001	0.01	6.85	3.3	3.1	0.4	37.2	<0.01	0.06	5.3
CC128939		0.27	177.5	4720	17.7	8.6	0.002	0.01	9.51	2.8	7.6	0.9	224	<0.01	0.13	2.1
CC128940		0.88	152.0	1650	31.6	9.5	0.001	0.02	2.85	1.8	3.7	0.5	33.1	<0.01	0.06	1.6
CC128941		1.67	76.1	720	19.9	11.0	<0.001	0.04	1.57	3.4	2.3	0.6	35.7	0.01	0.04	4.1
CC128942		1.34	50.1	880	16.8	11.2	<0.001	0.06	1.75	3.0	2.2	0.6	42.0	<0.01	0.05	2.5
CC128943		0.97	39.0	1390	18.8	9.2	0.006	0.08	1.99	3.3	4.4	0.5	168.0	<0.01	0.06	2.8
CC128944		0.46	152.0	1220	14.2	9.3	0.023	0.06	4.16	2.8	7.0	0.4	295	<0.01	0.09	1.2
CC128945		0.81	39.4	1460	69.9	10.2	0.004	0.04	4.27	3.5	4.8	0.6	49.6	<0.01	0.07	2.7
CC128946		0.86	64.5	2030	355	9.9	0.006	0.06	3.63	4.4	6.4	0.5	102.5	<0.01	0.06	3.3
CC128947		1.13	59.6	1570	93.5	9.9	<0.001	0.02	2.67	3.7	2.3	0.6	65.0	<0.01	0.07	4.8
CC128948		0.65	320	2120	130.0	9.8	0.002	0.03	7.68	1.8	4.4	0.7	134.5	0.01	0.17	0.6
CC128949		1.30	36.7	770	42.0	6.6	<0.001	0.05	1.03	4.8	1.5	0.2	52.8	0.01	0.04	6.5
CC128950		15.05	61.6	3250	46.9	11.6	0.002	0.15	1.23	7.1	1.7	0.4	392	0.03	0.01	3.6
CC128951		10.75	49.6	3260	26.9	13.5	0.001	0.09	1.15	5.7	1.1	0.4	446	0.02	0.02	3.0
CC128952		13.25	58.4	2620	35.1	16.2	<0.001	0.09	0.87	7.6	1.0	0.5	298	0.02	0.02	4.1
CC128721		0.72	454	1120	19.9	9.0	0.012	0.05	5.29	2.9	6.6	0.3	337	0.01	0.06	1.3
CC128722		0.65	672	1810	18.6	13.8	0.005	0.02	8.53	3.6	7.2	0.5	319	0.01	0.11	0.6
CC128723		1.08	48.9	1340	22.6	6.9	0.002	0.05	2.25	3.0	2.8	0.7	80.3	0.01	0.05	1.1
CC128724		0.25	296	9810	5.2	24.8	<0.001	0.02	27.2	5.7	4.0	3.1	1025	0.01	0.21	1.0
CC128725		0.69	80.3	1730	32.8	8.4	0.002	0.07	4.01	4.2	2.7	0.5	70.4	<0.01	0.07	2.8
CC128726		0.17	28.7	570	15.6	7.5	0.002	0.03	2.25	1.8	1.9	0.3	37.8	<0.01	0.11	1.2
CC128727		0.31	32.0	1230	24.4	1.6	0.011	0.17	4.26	2.7	5.3	<0.2	71.3	0.01	0.05	0.7
CC128728		0.73	41.3	1190	172.0	7.1	0.005	0.06	4.19	3.2	3.8	0.3	64.7	<0.01	0.08	3.1
CC128729		0.36	84.2	1270	81.6	4.9	0.002	0.15	8.31	2.3	6.3	0.3	70.0	0.01	0.08	0.5
CC128730		0.70	237	600	>10000	11.0	0.001	0.02	120.5	4.2	1.9	3.5	17.3	<0.01	0.05	3.3

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 4- AUG- 2011
Account: RCM

Project: Rackla Gold (Rackla)

CERTIFICATE OF ANALYSIS WH11123194

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	Pb- OG46
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr	Pb
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5	0.001
CC128923		0.016	1.00	7.28	311	0.33	29.0	1160	1.2	
CC128924		0.020	0.53	3.50	141	0.25	14.45	339	1.2	
CC128925		0.069	0.31	0.55	85	0.29	2.14	76	0.5	
CC128926		0.033	0.15	0.89	88	0.35	3.46	57	<0.5	
CC128927		0.016	0.37	0.91	167	0.17	3.23	235	0.9	
CC128928		0.024	0.21	0.73	89	0.24	2.38	84	<0.5	
CC128929		0.011	0.61	3.67	188	0.23	27.4	861	0.7	
CC128930		0.010	0.31	1.33	72	0.17	7.47	246	0.5	
CC128931		<0.005	2.06	3.51	29	0.17	4.69	46	6.9	
CC128932		0.010	0.07	0.95	26	0.09	11.15	175	3.9	
CC128933		0.023	0.19	0.78	98	0.13	11.15	222	1.2	
CC128934		0.267	0.19	1.04	137	0.34	10.15	157	6.1	
CC128935		0.139	0.17	0.75	133	0.23	10.45	86	2.9	
CC128936		0.267	0.16	1.02	189	0.33	14.85	155	7.4	
CC128937		0.012	0.05	0.83	23	0.06	9.07	158	3.9	
CC128938		<0.005	0.39	1.79	72	0.16	8.39	997	1.9	
CC128939		<0.005	0.60	4.32	49	0.26	15.80	545	<0.5	
CC128940		0.014	0.35	1.64	86	0.28	5.98	746	<0.5	
CC128941		0.027	0.28	1.93	247	0.33	7.49	903	1.2	
CC128942		0.033	0.25	3.80	114	0.36	9.87	339	<0.5	
CC128943		0.016	0.44	2.26	207	0.29	8.86	297	1.6	
CC128944		0.008	0.93	2.77	254	0.19	11.65	916	2.2	
CC128945		0.009	0.35	3.27	168	0.23	11.25	408	0.8	
CC128946		0.011	0.26	3.21	76	0.28	12.20	866	1.3	
CC128947		0.016	0.27	1.89	74	0.27	11.45	312	2.2	
CC128948		0.012	0.42	7.30	244	0.43	16.10	848	<0.5	
CC128949		0.011	0.10	0.89	27	0.08	9.61	172	3.9	
CC128950		0.268	0.17	1.94	169	0.23	12.65	301	8.9	
CC128951		0.190	0.18	1.41	145	0.17	11.65	265	5.0	
CC128952		0.217	0.18	1.07	158	0.24	13.05	165	5.4	
CC128721		0.013	1.18	2.22	195	0.17	12.85	2240	2.0	
CC128722		0.018	2.06	6.40	396	0.31	22.0	2630	1.0	
CC128723		0.024	0.22	3.76	104	0.26	13.65	224	<0.5	
CC128724		0.010	0.92	11.00	919	0.34	33.2	1600	8.2	
CC128725		0.010	0.37	2.34	124	0.33	14.15	516	2.2	
CC128726		0.005	0.16	1.27	47	0.09	4.56	253	<0.5	
CC128727		0.011	0.05	4.45	28	0.12	13.40	114	1.4	
CC128728		0.012	0.23	3.36	43	0.20	8.72	644	1.4	
CC128729		0.007	0.49	6.37	75	0.18	19.70	380	2.8	
CC128730		0.010	0.12	0.96	51	0.18	4.66	2840	<0.5	1.050

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 4- AUG- 2011
Account: RCM

Project: Rackla Gold (Rackla)

CERTIFICATE OF ANALYSIS WH11123194

Sample Description	Method	WEI- 21	Au- TL43	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Recvd Wt.	Au	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
CC128731		0.15	0.001	0.30	0.64	26.4	<0.2	<10	220	0.57	0.45	1.10	0.54	16.25	16.2	9
CC128732		0.21	0.001	0.12	0.77	21.9	<0.2	<10	220	0.54	0.44	0.63	0.38	17.85	18.1	12
CC128733		0.30	<0.001	0.06	0.52	20.3	<0.2	<10	130	0.41	0.43	0.62	0.71	21.0	16.2	8
CC128734		0.40	0.001	0.06	2.63	4.1	<0.2	10	1270	1.09	0.04	3.58	0.37	92.8	30.1	93
CC128735		0.18	<0.001	0.21	1.19	21.5	<0.2	<10	300	0.62	0.30	1.30	0.70	34.1	16.9	33
CC128848		0.11	0.001	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS
CC128849		0.10	<0.001	1.30	0.44	23.0	<0.2	<10	1310	0.35	0.07	4.03	6.16	8.21	3.3	42
CC128850		0.21	<0.001	1.36	0.40	94.5	<0.2	<10	580	0.35	0.07	7.46	4.31	10.15	3.8	41
CC128601		0.14	0.002	1.34	0.94	26.2	<0.2	<10	2150	0.63	0.14	1.78	1.70	14.85	5.0	28
CC128602		0.14	0.002	1.36	1.13	50.9	<0.2	<10	1920	0.79	0.20	1.38	3.87	16.45	13.3	31
CC128603		0.15	<0.001	0.24	0.25	7.0	<0.2	<10	840	0.13	0.04	4.11	1.86	2.03	2.3	4
CC128604		0.14	0.001	0.70	1.16	24.5	<0.2	<10	2200	0.73	0.18	2.49	3.90	21.6	11.2	28
CC128605		0.46	0.002	0.63	1.18	26.1	<0.2	<10	1500	0.73	0.21	2.63	2.00	24.9	12.5	28
CC128606		0.30	0.001	0.22	0.67	23.7	<0.2	<10	280	0.68	0.35	1.18	1.72	17.75	14.3	15
CC128607		0.25	0.001	0.27	1.72	36.1	<0.2	<10	710	1.02	0.24	1.23	1.64	45.0	19.0	51
CC128608		0.05	<0.001	0.08	0.24	5.3	<0.2	<10	170	0.27	0.03	0.95	0.52	13.60	4.0	4
CC128609		0.07	0.001	1.12	1.21	78.4	<0.2	10	500	1.26	0.06	2.94	2.27	56.9	24.2	51
CC128610		0.11	<0.001	0.17	0.84	14.0	<0.2	<10	290	0.75	0.06	3.18	0.53	36.0	19.1	50
CC128611		0.25	0.002	1.78	1.49	17.3	<0.2	<10	110	0.47	0.23	0.10	0.53	38.9	7.5	33
CC128612		0.16	0.001	0.15	0.42	26.5	<0.2	<10	460	0.56	0.35	1.54	1.10	10.90	32.6	6
CC128613		0.43	0.001	0.16	0.48	35.3	<0.2	<10	130	0.66	0.45	0.53	1.25	19.10	16.2	7
CC128614		0.18	<0.001	0.04	1.68	57.5	<0.2	<10	190	0.46	0.22	0.10	0.34	77.0	8.4	40
CC128615		0.23	<0.001	0.11	4.41	2.6	<0.2	<10	450	2.72	0.07	2.11	0.37	152.5	33.8	105
CC128616		0.12	0.008	0.09	0.32	1.7	<0.2	<10	320	0.77	0.02	2.96	0.69	26.0	2.4	5
CC128617		0.16	0.002	1.57	2.78	30.0	<0.2	<10	360	1.64	0.06	2.23	1.20	68.5	35.3	83
CC128618		0.21	0.001	0.23	0.65	27.9	<0.2	<10	290	0.57	0.43	0.80	0.28	21.1	17.0	14
CC128619		0.17	0.003	0.53	0.92	75.8	<0.2	<10	1060	0.62	0.19	1.76	6.69	18.10	15.6	25
CC115502		0.42	0.002	1.31	1.27	51.9	<0.2	<10	3160	0.84	0.23	2.97	3.11	25.9	12.5	36
CC115503		0.15	0.002	0.76	0.74	25.3	<0.2	<10	2070	0.46	0.11	4.49	2.67	9.56	6.7	19
CC115504		0.17	0.001	0.55	0.31	4.7	<0.2	<10	420	0.07	0.07	0.54	0.49	7.19	1.4	10
CC115505		0.16	0.001	1.23	1.28	51.1	<0.2	<10	1400	0.57	0.21	0.93	1.28	23.8	13.5	40
CC115506		0.10	0.001	0.77	0.89	37.7	<0.2	<10	1000	0.38	0.18	1.08	2.53	18.10	43.2	30
CC115507		0.37	0.001	1.97	1.41	89.1	<0.2	<10	1510	0.85	0.25	0.93	3.21	30.4	13.2	43
CC115508		0.15	<0.001	1.10	0.82	26.4	<0.2	<10	820	0.40	0.15	0.41	1.52	20.4	4.4	26
CC115509		0.17	0.001	0.84	0.75	17.6	<0.2	<10	740	0.31	0.13	0.52	1.50	15.80	2.6	27
CC115510		0.05	0.001	1.10	0.67	40.7	<0.2	<10	2030	0.69	0.09	1.10	6.62	20.3	21.1	14
CC115511		0.03	<0.001	0.54	0.40	13.9	<0.2	<10	500	0.14	0.10	0.58	1.11	7.52	2.1	15
CC115512		0.11	0.001	1.21	0.35	9.1	<0.2	<10	490	0.15	0.10	0.37	4.94	10.60	0.8	14
CC115513		0.05	0.001	0.33	0.48	9.9	<0.2	<10	1700	0.53	0.06	2.77	3.34	4.87	2.6	10
CC115514		0.14	0.001	0.96	0.44	5.3	<0.2	<10	680	0.15	0.07	0.30	0.67	16.00	1.0	19

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 4- AUG- 2011
Account: RCM

Project: Rackla Gold (Rackla)

CERTIFICATE OF ANALYSIS WH11123194

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
CC128731		1.44	33.7	3.46	1.72	0.05	0.09	0.61	0.026	0.05	7.7	13.2	0.23	608	0.72	0.01
CC128732		1.38	31.3	3.69	2.27	0.05	0.09	0.27	0.026	0.04	8.2	18.0	0.27	638	0.68	<0.01
CC128733		1.40	27.8	3.35	1.56	0.06	0.07	0.29	0.025	0.05	9.6	11.5	0.18	574	0.57	0.01
CC128734		18.85	66.3	3.54	11.20	0.15	0.22	0.06	0.037	0.57	55.4	49.8	3.36	1320	0.41	0.03
CC128735		3.68	40.7	3.85	4.60	0.08	0.07	0.20	0.032	0.09	19.5	17.2	0.86	807	2.00	0.02
CC128848		NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS
CC128849		0.58	31.3	0.61	1.82	0.06	0.05	0.32	0.010	0.03	15.2	4.3	0.22	267	1.54	0.04
CC128850		0.32	16.9	1.00	1.84	0.06	0.04	0.36	0.012	0.03	19.0	2.2	0.82	262	11.65	0.03
CC128601		0.52	29.7	1.48	3.23	0.06	0.06	0.56	0.025	0.05	8.2	8.1	0.34	152	3.05	0.04
CC128602		0.68	41.6	3.04	3.74	0.07	0.06	0.45	0.025	0.07	9.2	8.7	0.35	1100	8.58	0.05
CC128603		0.14	21.2	0.41	0.70	<0.05	0.02	0.13	0.005	0.01	1.2	0.8	0.41	489	1.42	0.04
CC128604		0.64	52.8	2.57	3.56	0.08	0.07	0.32	0.026	0.07	11.3	12.5	0.93	730	3.53	0.05
CC128605		0.86	43.2	3.07	3.70	0.07	0.05	0.25	0.027	0.10	13.1	12.9	1.55	475	4.64	0.03
CC128606		2.11	35.1	2.90	2.12	0.07	0.07	0.35	0.025	0.06	8.8	9.8	0.33	437	0.92	<0.01
CC128607		2.72	39.2	4.75	6.05	0.11	0.07	0.17	0.038	0.09	23.3	21.0	0.92	1120	3.72	0.03
CC128608		0.26	12.4	1.01	1.02	<0.05	0.02	0.10	0.009	0.02	7.1	0.2	0.05	60	1.16	0.02
CC128609		2.66	37.5	4.30	4.41	0.11	0.05	1.00	0.047	0.09	29.8	8.8	0.66	1620	1.78	0.03
CC128610		3.12	26.3	2.53	3.57	0.08	0.04	0.14	0.030	0.08	18.1	9.2	0.45	854	0.91	0.03
CC128611		2.06	37.1	2.52	7.92	0.07	0.03	0.15	0.024	0.04	20.4	15.6	0.36	180	4.70	0.01
CC128612		1.98	36.3	4.23	1.19	0.06	0.10	0.27	0.019	0.06	5.0	5.5	0.15	2910	1.18	0.02
CC128613		1.97	41.5	4.38	1.35	0.08	0.08	0.31	0.025	0.06	8.7	9.4	0.20	225	0.84	0.02
CC128614		3.10	15.7	4.15	12.90	0.10	0.02	0.05	0.035	0.06	43.8	11.4	0.29	234	2.92	0.01
CC128615		18.55	33.1	7.81	18.45	0.26	0.18	0.05	0.079	0.60	88.9	36.3	4.45	1620	0.57	0.03
CC128616		0.90	59.7	0.59	0.80	0.05	0.04	0.11	0.008	0.02	16.7	0.4	0.21	54	0.48	0.02
CC128617		7.81	62.8	5.87	12.15	0.19	0.09	0.25	0.076	0.08	34.6	32.8	2.60	1140	2.05	0.02
CC128618		3.69	34.9	3.07	2.28	0.06	0.05	0.46	0.029	0.06	10.1	7.1	0.19	369	1.54	0.01
CC128619		0.72	48.3	2.95	2.89	0.08	0.05	0.31	0.029	0.07	9.2	10.0	0.57	617	3.82	0.03
CC115502		0.81	59.7	3.42	3.62	0.07	0.08	0.59	0.033	0.12	14.8	12.3	1.76	572	7.82	0.06
CC115503		0.41	35.9	1.64	2.21	<0.05	0.04	0.36	0.017	0.05	5.4	5.6	1.39	608	2.81	0.04
CC115504		0.58	9.4	0.79	1.66	<0.05	<0.02	0.27	0.007	0.03	4.0	1.6	0.09	31	1.71	0.02
CC115505		0.70	23.6	2.90	4.56	0.07	0.07	0.45	0.030	0.09	13.2	12.4	0.41	880	8.80	0.03
CC115506		0.66	14.9	2.40	3.48	0.06	0.04	0.41	0.022	0.05	8.8	8.8	0.31	1980	11.85	0.03
CC115507		0.95	39.1	3.21	4.69	0.09	0.07	0.81	0.040	0.12	18.0	15.4	0.40	586	9.77	0.03
CC115508		0.76	13.7	1.33	3.86	0.05	0.02	0.58	0.012	0.09	12.2	7.8	0.20	153	2.37	0.01
CC115509		0.69	15.7	1.22	3.49	<0.05	0.03	0.46	0.013	0.07	9.0	6.5	0.18	59	1.66	0.02
CC115510		0.23	44.5	2.70	1.07	0.09	0.05	0.33	0.035	0.02	14.0	0.7	0.05	788	3.91	0.05
CC115511		0.46	10.0	1.10	1.70	<0.05	0.02	0.23	0.010	0.04	5.1	1.7	0.06	98	1.90	0.02
CC115512		0.85	30.8	0.39	1.92	<0.05	0.02	0.56	0.010	0.03	5.9	1.2	0.05	29	1.03	0.02
CC115513		0.39	44.0	0.82	1.19	0.05	0.04	0.19	0.009	0.04	3.3	2.2	0.40	96	2.18	0.05
CC115514		0.60	19.7	0.78	2.42	0.05	0.02	0.50	0.007	0.05	8.8	2.9	0.09	21	2.61	0.02

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 4- AUG- 2011
Account: RCM

Project: Rackla Gold (Rackla)

CERTIFICATE OF ANALYSIS WH11123194

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
CC128731		0.18	29.0	620	75.0	5.3	<0.001	0.05	1.23	3.5	0.8	<0.2	53.0	<0.01	0.05	3.4
CC128732		0.25	29.2	370	44.6	5.0	<0.001	0.02	0.66	3.7	0.7	<0.2	35.1	<0.01	0.04	4.6
CC128733		0.14	26.2	490	37.7	5.5	<0.001	0.04	0.55	3.7	0.7	<0.2	30.9	<0.01	0.03	4.5
CC128734		14.90	89.4	4740	8.6	38.2	<0.001	0.06	0.34	6.2	0.9	0.4	532	0.03	0.01	1.5
CC128735		2.74	42.2	1120	31.5	10.4	<0.001	0.07	0.88	4.0	1.1	0.2	116.5	0.01	0.04	2.1
CC128848		NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS
CC128849		0.24	86.1	1520	5.5	4.0	0.002	0.15	2.11	1.2	5.2	0.2	139.0	0.01	0.05	0.2
CC128850		0.25	84.7	1960	6.1	3.4	0.002	0.11	2.40	1.4	5.4	0.2	236	0.01	0.06	0.2
CC128601		0.46	37.1	1000	27.0	6.1	0.001	0.10	2.61	3.0	3.7	0.5	72.6	<0.01	0.07	1.0
CC128602		0.53	70.4	1700	48.0	7.1	0.005	0.10	5.31	2.8	4.3	0.5	71.1	<0.01	0.10	1.2
CC128603		0.17	28.3	820	2.9	0.8	0.003	0.22	1.67	0.5	4.3	<0.2	82.4	<0.01	0.03	<0.2
CC128604		0.70	57.8	1120	25.5	7.5	0.004	0.13	2.99	3.0	4.6	0.4	58.8	<0.01	0.06	1.0
CC128605		0.65	56.8	940	42.0	8.5	<0.001	0.05	2.45	4.2	1.7	0.4	57.9	<0.01	0.06	3.1
CC128606		0.59	62.7	630	35.8	8.1	0.004	0.07	1.10	3.4	1.8	0.2	62.8	<0.01	0.04	2.5
CC128607		2.53	41.3	1570	38.9	13.0	0.001	0.07	2.05	5.3	1.2	0.4	90.6	0.01	0.04	2.8
CC128608		0.39	7.4	840	26.4	0.7	<0.001	0.20	2.08	1.4	0.8	<0.2	83.0	0.01	<0.01	0.2
CC128609		2.11	49.6	2100	197.5	9.9	<0.001	0.16	18.65	6.8	1.0	0.3	166.0	0.01	<0.01	1.1
CC128610		0.94	35.0	1080	19.3	12.4	0.001	0.19	1.89	4.9	1.3	0.2	169.5	<0.01	0.01	0.6
CC128611		1.99	25.3	670	16.1	9.0	0.001	0.02	1.56	2.6	1.7	0.9	13.0	<0.01	0.06	2.6
CC128612		0.10	36.2	860	26.8	5.3	0.013	0.17	1.18	2.5	1.1	<0.2	79.5	<0.01	0.06	2.2
CC128613		0.18	27.9	550	40.1	5.5	0.001	0.15	1.10	3.5	0.9	<0.2	29.9	<0.01	0.05	5.0
CC128614		5.66	19.8	450	50.2	10.2	<0.001	0.02	3.09	3.3	0.5	1.1	13.5	0.01	0.04	3.2
CC128615		8.85	50.2	4940	9.0	46.1	<0.001	0.05	0.43	8.9	0.9	0.8	391	0.01	0.01	5.6
CC128616		0.45	27.6	880	3.1	1.1	<0.001	0.26	1.17	1.5	1.0	<0.2	242	0.01	<0.01	0.2
CC128617		6.10	50.0	2780	80.6	9.8	<0.001	0.15	4.77	7.6	1.1	0.4	239	0.02	0.01	1.2
CC128618		0.47	25.4	670	49.2	9.3	0.001	0.08	0.95	3.7	0.9	0.2	57.2	<0.01	0.04	3.0
CC128619		0.55	332	1120	34.4	8.8	0.005	0.10	3.13	3.1	3.2	0.3	79.9	<0.01	0.06	1.4
CC115502		0.56	84.3	1640	51.5	9.8	0.001	0.09	4.30	4.6	2.4	0.5	106.5	<0.01	0.09	3.5
CC115503		0.38	44.9	1170	21.4	4.7	0.001	0.13	2.45	1.4	3.0	0.3	95.4	<0.01	0.04	0.3
CC115504		0.26	13.8	920	10.0	3.6	0.004	0.14	1.03	1.4	4.2	0.2	35.1	<0.01	0.04	0.4
CC115505		0.65	45.4	1570	41.2	9.2	0.003	0.06	3.39	3.6	2.5	0.6	69.0	<0.01	0.09	2.1
CC115506		0.61	29.0	1620	44.3	7.0	0.004	0.12	2.44	2.4	3.9	0.4	61.9	<0.01	0.05	1.4
CC115507		0.68	74.3	2210	67.5	12.6	0.003	0.04	6.35	4.1	3.9	0.7	115.5	<0.01	0.13	3.3
CC115508		0.43	17.4	1130	23.8	10.3	0.003	0.05	1.81	2.0	2.5	0.5	47.3	<0.01	0.05	2.0
CC115509		0.44	19.4	950	18.6	9.0	0.003	0.08	1.78	2.1	2.6	0.5	39.8	<0.01	0.04	1.4
CC115510		0.30	71.3	1510	26.4	1.7	0.001	0.19	3.22	3.7	9.0	0.2	59.3	0.01	0.05	1.0
CC115511		0.29	26.6	1260	13.2	3.8	0.001	0.12	1.10	1.3	3.1	0.2	37.0	<0.01	0.03	0.4
CC115512		0.39	35.2	760	8.9	4.3	0.003	0.10	0.92	2.2	3.9	0.5	48.6	<0.01	0.03	0.7
CC115513		0.18	61.1	750	6.6	3.8	0.003	0.15	2.63	1.2	4.7	0.2	97.0	<0.01	0.04	0.4
CC115514		0.45	12.2	520	9.4	6.6	0.007	0.08	1.84	1.5	6.5	0.3	31.6	<0.01	0.04	1.2

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 4- AUG- 2011
Account: RCM

Project: Rackla Gold (Rackla)

CERTIFICATE OF ANALYSIS WH11123194

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	Pb- OG46
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr	Pb
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5	0.001
CC128731		<0.005	0.05	1.05	11	0.05	8.39	150	3.0	
CC128732		<0.005	0.05	0.72	13	<0.05	7.29	133	3.2	
CC128733		<0.005	0.04	0.71	9	<0.05	8.09	147	2.6	
CC128734		0.225	0.19	1.12	124	0.26	18.20	93	7.8	
CC128735		0.028	0.08	1.84	41	0.09	9.54	153	2.0	
CC128848		NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	
CC128849		0.006	0.27	9.19	87	0.14	23.5	254	1.6	
CC128850		0.007	0.21	10.15	80	0.29	23.6	331	1.1	
CC128601		0.006	0.24	3.44	137	0.14	8.83	237	1.8	
CC128602		0.009	0.28	2.46	130	0.24	10.35	489	1.9	
CC128603		0.005	0.03	0.61	7	<0.05	1.72	135	0.9	
CC128604		0.012	0.23	2.22	72	0.15	10.75	207	1.8	
CC128605		0.012	0.35	1.32	76	0.14	10.65	206	1.7	
CC128606		0.006	0.07	1.03	19	<0.05	7.54	323	2.1	
CC128607		0.026	0.18	1.54	82	0.11	9.86	190	2.0	
CC128608		0.015	0.02	0.18	6	<0.05	3.05	56	0.6	
CC128609		0.020	0.12	0.72	66	0.07	8.48	359	1.2	
CC128610		0.010	0.09	0.97	42	0.05	5.54	63	1.0	
CC128611		0.029	0.18	1.16	84	0.25	3.40	160	0.8	
CC128612		<0.005	0.06	2.63	7	<0.05	5.86	137	3.2	
CC128613		<0.005	0.05	0.70	9	<0.05	7.47	214	3.5	
CC128614		0.068	0.16	0.48	149	0.20	2.35	96	0.9	
CC128615		0.332	0.21	0.77	208	0.14	17.50	156	5.0	
CC128616		0.011	0.06	0.16	5	<0.05	6.80	26	1.1	
CC128617		0.099	0.19	0.57	141	0.11	13.10	160	2.2	
CC128618		0.005	0.11	1.07	31	0.05	5.88	81	1.7	
CC128619		0.009	0.23	3.77	62	0.13	10.40	801	1.6	
CC115502		0.009	0.46	2.29	117	0.17	16.40	399	2.5	
CC115503		0.007	0.16	3.62	53	0.08	6.99	185	1.4	
CC115504		0.007	0.12	1.09	21	0.10	2.28	49	<0.5	
CC115505		0.009	0.32	2.29	189	0.17	9.77	309	1.9	
CC115506		0.012	0.21	2.91	81	0.24	8.01	207	1.1	
CC115507		0.010	0.60	3.81	187	0.29	16.00	613	2.0	
CC115508		0.006	0.44	1.60	100	0.15	5.67	109	0.7	
CC115509		0.006	0.46	1.71	98	0.10	4.73	107	1.0	
CC115510		0.011	0.05	10.70	52	0.14	18.35	268	1.8	
CC115511		0.005	0.19	2.07	33	0.16	4.00	153	0.6	
CC115512		0.008	0.18	1.91	15	0.07	3.22	198	0.7	
CC115513		0.005	0.13	1.18	32	0.06	5.38	264	1.6	
CC115514		0.009	0.24	1.24	52	0.09	3.81	51	0.6	

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 4- AUG- 2011
Account: RCM

Project: Rackla Gold (Rackla)

CERTIFICATE OF ANALYSIS WH11123194

Sample Description	Method	WEI- 21	Au- TL43	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Recvd Wt.	Au	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
CC115515		0.14	0.001	0.33	0.18	4.0	<0.2	<10	510	0.16	0.03	2.70	1.08	2.24	2.4	3
CC115516		0.29	0.004	0.97	0.76	110.5	<0.2	<10	250	0.33	0.32	0.12	0.54	34.0	5.0	21
CC115517		0.34	0.005	0.78	0.82	68.8	<0.2	<10	1120	0.71	0.28	0.99	1.86	18.45	17.1	26
CC115518		0.48	0.002	0.23	0.85	17.9	<0.2	<10	250	0.78	0.36	0.77	0.50	21.3	14.7	21
CC115519		0.12	0.001	0.12	1.45	8.2	<0.2	<10	660	1.08	0.06	3.37	0.58	47.9	20.2	72
CC128634		0.11	0.002	0.18	0.76	9.2	<0.2	<10	420	0.91	0.12	3.37	0.98	19.80	11.9	26
CC128635		0.20	0.001	0.09	0.98	8.8	<0.2	<10	200	0.61	0.43	1.42	0.33	14.75	14.3	13
CC128636		0.42	0.001	0.06	1.19	10.1	<0.2	<10	90	0.87	0.50	0.87	0.19	18.05	16.5	16
CC128637		0.23	0.002	1.81	0.65	117.5	<0.2	<10	400	0.25	0.42	0.53	0.21	18.95	2.7	29
CC128638		0.13	0.001	0.74	0.33	4.4	<0.2	<10	1820	0.38	0.07	3.38	7.48	3.62	3.6	9
CC128639		0.20	0.001	0.20	0.97	26.1	<0.2	<10	250	0.57	0.32	1.20	1.97	13.35	12.8	16
CC128640		0.29	0.001	0.43	1.20	23.5	<0.2	<10	250	0.89	0.45	0.41	0.83	20.8	14.6	20
CC128641		0.22	0.001	0.96	0.52	10	<0.2	<10	2170	0.26	0.07	15.35	7.49	7.68	2.4	33
CC128642		0.31	0.003	2.90	1.47	218	<0.2	<10	2290	1.15	0.24	0.53	2.18	27.8	11.4	78
CC128643		0.19	0.004	1.18	1.02	47.5	<0.2	<10	>10000	0.63	0.13	1.43	11.55	15.60	9.4	32
CC128644		0.14	0.003	0.69	0.98	19.4	<0.2	<10	2960	0.49	0.17	1.27	3.20	19.35	6.8	30
CC128645		0.28	0.003	0.87	1.08	26.9	<0.2	<10	3440	0.65	0.16	1.51	3.89	19.20	9.5	40
CC128646		0.11	0.001	0.69	0.80	18.4	<0.2	10	3520	0.46	0.09	2.77	3.33	11.20	4.0	51
CC128647		0.17	0.002	0.51	1.15	21.9	<0.2	<10	4490	0.68	0.16	1.73	2.17	19.80	9.0	39
CC128648		0.15	0.002	0.55	0.95	25.2	<0.2	<10	5310	0.60	0.15	1.80	5.39	15.10	8.7	31
CC128649		0.20	0.003	0.83	1.18	27.5	<0.2	<10	8000	0.79	0.17	1.35	8.97	19.90	7.6	37
CC128650		0.14	0.004	1.53	1.29	35.0	<0.2	<10	>10000	0.81	0.15	1.23	33.9	15.80	8.0	33
CC128651		0.06	0.003	2.26	0.46	39.5	<0.2	<10	1950	0.62	0.07	3.33	21.5	7.14	16.3	18
CC128652		0.27	0.002	0.43	1.65	26.7	<0.2	<10	700	0.75	0.24	0.29	0.82	27.1	6.6	26
CC128653		0.25	0.002	9.42	0.72	41.5	<0.2	<10	2250	0.65	0.21	0.66	1.61	14.15	2.1	76
CC128654		0.26	0.002	0.11	1.28	12.9	<0.2	<10	280	1.09	0.41	1.02	0.33	23.8	16.4	25
CC128655		0.27	0.001	0.08	1.50	12.5	<0.2	<10	190	0.84	0.37	0.36	0.42	43.1	15.0	39
CC128656		0.18	0.001	0.16	1.84	21.1	<0.2	<10	370	1.59	0.14	1.88	1.66	52.3	21.4	98
CC128657		0.10	0.001	0.10	2.76	52.7	<0.2	<10	400	1.21	0.09	1.73	0.75	68.9	36.7	175
CC128658		0.13	0.002	1.50	0.64	113.5	<0.2	<10	850	0.40	0.11	3.06	19.00	11.90	4.8	31
CC128659		0.29	0.004	1.47	1.12	95.2	<0.2	<10	3190	1.01	0.24	0.49	8.24	33.7	13.1	42
CC128660		0.34	0.002	0.72	2.31	27.9	<0.2	<10	3500	0.96	0.21	0.55	7.24	29.0	7.3	37
CC128661		0.13	0.006	2.16	1.61	22.8	<0.2	<10	9230	0.99	0.15	1.67	9.21	18.60	5.3	54
CC128662		0.06	0.003	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 4- AUG- 2011
Account: RCM

Project: Rackla Gold (Rackla)

CERTIFICATE OF ANALYSIS WH11123194

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
CC115515		0.13	16.6	0.36	0.45	<0.05	0.02	0.17	0.005	0.01	1.1	0.2	0.33	48	2.70	0.03
CC115516		0.96	57.3	4.84	4.88	0.12	<0.02	0.18	0.041	0.09	19.2	3.8	0.10	239	20.7	0.01
CC115517		0.95	49.6	3.41	2.41	0.12	0.04	0.42	0.032	0.06	9.1	8.3	0.36	457	4.47	0.02
CC115518		2.87	39.0	3.34	2.64	0.10	0.06	0.25	0.028	0.07	11.1	12.5	0.37	673	1.13	0.01
CC115519		6.39	38.9	2.94	6.14	0.15	0.08	0.08	0.033	0.14	26.2	20.0	1.37	961	0.80	0.03
CC128634		3.92	49.0	1.80	2.76	0.11	0.06	0.18	0.018	0.04	10.0	8.8	0.56	925	0.71	0.02
CC128635		1.28	27.6	3.25	3.06	0.10	0.07	0.13	0.029	0.05	6.2	21.1	0.28	478	0.48	0.01
CC128636		1.62	33.3	3.93	3.55	0.10	0.09	0.13	0.031	0.05	8.2	29.2	0.59	517	0.61	0.01
CC128637		1.12	19.3	3.38	6.31	0.11	<0.02	0.42	0.028	0.07	11.9	1.9	0.05	117	6.80	0.01
CC128638		0.33	47.0	0.64	0.75	0.12	0.03	0.19	0.007	0.02	1.8	1.2	0.22	162	0.57	0.02
CC128639		0.74	21.9	3.08	3.18	0.09	0.06	0.16	0.024	0.05	6.0	20.5	0.38	617	2.10	0.01
CC128640		1.31	41.6	3.61	3.57	0.10	0.06	0.27	0.033	0.05	10.0	27.0	0.44	488	2.61	0.01
CC128641		1.07	6.4	0.60	2.81	0.10	0.02	0.13	0.015	0.02	11.5	5.7	2.50	202	6.91	0.03
CC128642		0.61	73.5	3.71	3.60	0.11	0.04	0.75	0.042	0.09	18.6	11.4	0.14	402	28.1	0.02
CC128643		0.99	59.1	2.09	3.16	0.11	0.03	0.50	0.022	0.08	9.0	8.4	0.28	923	10.60	0.10
CC128644		0.57	32.2	2.03	3.46	0.10	0.04	0.15	0.021	0.06	10.6	9.5	0.35	461	4.47	0.03
CC128645		0.62	38.4	2.39	3.69	0.10	0.04	0.18	0.022	0.09	11.1	10.8	0.38	513	8.78	0.03
CC128646		0.84	21.6	0.82	2.90	0.07	0.06	0.15	0.016	0.05	8.2	9.0	0.64	310	8.51	0.02
CC128647		0.77	29.2	2.08	3.37	0.07	0.06	0.19	0.025	0.06	11.1	14.2	0.56	614	4.18	0.01
CC128648		0.65	31.9	3.14	2.90	0.08	0.05	0.19	0.024	0.06	8.4	8.6	0.33	696	13.50	0.01
CC128649		0.82	32.8	2.21	3.47	0.07	0.07	0.28	0.033	0.09	11.6	11.6	0.36	218	9.91	0.01
CC128650		0.97	66.8	2.15	5.14	0.10	0.08	0.43	0.029	0.08	9.9	8.2	0.23	349	14.55	0.03
CC128651		0.40	69.2	0.97	0.95	0.07	0.07	1.38	0.013	0.02	9.6	0.9	0.14	2700	8.46	0.03
CC128652		1.23	18.1	2.80	5.08	0.06	0.04	0.17	0.035	0.05	13.5	15.3	0.30	203	4.60	0.01
CC128653		0.88	33.5	1.90	4.37	0.08	0.02	0.61	0.033	0.05	10.7	2.1	0.06	42	7.94	0.01
CC128654		2.48	32.1	3.80	3.95	0.08	0.10	0.18	0.039	0.05	11.7	24.5	0.71	596	0.81	0.01
CC128655		3.29	48.0	4.01	5.14	0.11	0.07	0.14	0.041	0.06	21.6	11.4	0.79	267	1.49	0.01
CC128656		8.37	46.8	3.76	7.41	0.12	0.11	0.22	0.051	0.06	29.5	18.9	1.40	1100	0.92	0.02
CC128657		9.60	19.2	5.80	12.00	0.15	0.14	0.09	0.065	0.08	35.3	35.9	3.00	1830	1.35	0.02
CC128658		0.50	40.0	1.13	1.90	0.06	0.07	1.29	0.018	0.03	9.6	5.6	0.17	302	2.72	0.02
CC128659		0.69	81.4	3.23	3.19	0.10	0.07	1.27	0.039	0.11	20.3	11.1	0.27	545	12.25	0.01
CC128660		9.99	19.2	2.45	8.50	0.08	0.04	0.14	0.032	0.09	16.3	30.3	2.43	318	22.0	0.01
CC128661		3.14	55.3	1.80	6.09	0.11	0.05	0.51	0.043	0.10	13.8	11.4	0.77	175	8.57	0.02
CC128662		NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 4- AUG- 2011
Account: RCM

Project: Rackla Gold (Rackla)

CERTIFICATE OF ANALYSIS WH11123194

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
CC115515		0.12	13.0	580	2.0	0.6	0.001	0.19	2.31	0.6	3.3	<0.2	139.0	<0.01	0.01	0.2
CC115516		0.87	43.6	1630	21.2	16.0	<0.001	0.03	5.47	2.9	4.4	0.6	39.1	<0.01	0.16	2.8
CC115517		0.57	422	1000	49.2	5.5	0.001	0.05	4.30	4.6	2.3	0.3	63.3	<0.01	0.07	3.0
CC115518		0.75	33.3	710	31.7	7.5	0.001	0.03	0.83	4.7	0.7	0.2	46.8	<0.01	0.05	3.7
CC115519		6.95	50.5	1660	17.1	10.6	<0.001	0.14	1.08	4.7	0.6	0.4	348	0.04	0.01	0.8
CC128634		1.34	27.7	1100	22.2	5.8	<0.001	0.16	1.33	2.0	0.7	<0.2	201	0.01	0.02	0.5
CC128635		0.20	25.6	500	25.8	5.3	<0.001	0.04	0.32	3.3	0.3	0.2	67.7	<0.01	0.03	2.7
CC128636		0.20	29.5	490	26.3	3.4	<0.001	0.03	0.33	4.0	0.5	0.2	42.0	<0.01	0.03	4.3
CC128637		0.65	14.8	6460	35.1	7.0	0.007	0.05	3.06	1.1	7.3	1.0	270	<0.01	0.23	0.5
CC128638		0.19	77.0	750	6.1	2.1	0.006	0.17	2.32	0.9	4.2	<0.2	175.0	<0.01	0.02	0.3
CC128639		0.42	38.3	500	23.9	4.2	<0.001	0.07	0.86	2.8	0.9	0.2	85.4	<0.01	0.02	2.4
CC128640		0.37	43.5	600	35.0	4.0	0.002	0.01	1.42	4.1	1.7	0.2	36.8	<0.01	0.05	4.7
CC128641		0.44	50.5	1410	7.5	3.6	0.001	0.07	0.63	1.1	1.2	0.2	630	<0.01	0.05	0.4
CC128642		0.42	169.5	4360	49.2	12.5	0.001	0.05	8.99	3.9	6.3	0.7	112.0	<0.01	0.18	3.8
CC128643		0.39	170.0	1680	22.3	9.3	0.020	0.04	6.16	2.5	7.0	0.3	184.5	<0.01	0.10	0.6
CC128644		0.72	46.1	1020	15.6	6.2	0.003	0.06	2.80	2.6	2.0	0.4	64.6	<0.01	0.04	1.6
CC128645		0.48	84.2	1930	21.7	7.0	0.002	0.06	4.06	2.8	2.4	0.4	98.6	<0.01	0.08	1.2
CC128646		0.38	57.5	1840	6.4	9.6	0.005	0.13	3.99	1.6	5.8	0.4	118.0	0.01	0.09	0.4
CC128647		0.70	83.7	1590	19.5	8.4	0.017	0.12	2.79	3.4	5.9	0.5	176.5	0.01	0.07	1.3
CC128648		0.51	65.9	1490	17.7	7.5	0.010	0.11	7.00	2.2	10.8	0.5	202	0.01	0.09	0.7
CC128649		0.52	119.5	1580	22.4	11.1	0.011	0.06	7.04	3.5	7.3	0.6	269	<0.01	0.10	1.6
CC128650		0.62	804	1240	18.3	11.7	0.013	0.03	10.50	3.0	10.9	0.5	333	0.01	0.10	0.6
CC128651		0.18	265	1330	21.2	2.1	0.021	0.20	4.61	1.7	9.9	0.2	139.5	0.01	0.06	0.3
CC128652		1.17	30.7	760	35.8	10.9	0.001	<0.01	1.58	2.8	2.7	0.7	22.3	<0.01	0.05	2.6
CC128653		0.24	38.0	4260	24.9	8.5	0.003	0.06	3.00	0.6	6.6	1.7	164.0	0.01	0.36	<0.2
CC128654		1.44	32.8	660	27.0	6.8	0.001	0.05	0.46	4.5	1.0	0.3	68.9	0.01	0.04	3.4
CC128655		2.47	33.1	980	24.9	8.3	<0.001	<0.01	0.93	5.6	0.8	0.4	39.8	0.01	0.03	5.4
CC128656		5.59	46.4	1910	33.4	8.2	<0.001	0.18	1.98	5.8	1.7	0.4	177.0	0.04	0.02	1.2
CC128657		9.87	71.8	2250	33.9	12.5	<0.001	0.07	1.31	7.6	1.0	0.6	180.5	0.02	0.02	1.9
CC128658		0.47	124.5	1300	168.5	4.9	0.004	0.09	7.49	2.1	4.9	0.4	136.5	0.01	0.05	0.7
CC128659		0.40	105.0	2660	84.2	10.0	0.001	0.06	9.12	5.3	4.6	0.6	137.5	0.01	0.12	4.0
CC128660		1.06	140.5	1040	18.3	23.4	0.001	0.05	5.60	5.2	3.0	0.8	163.0	<0.01	0.08	2.7
CC128661		0.40	115.5	1770	17.1	17.8	0.020	0.09	7.72	1.9	12.9	0.8	293	0.01	0.14	<0.2
CC128662		NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 4- AUG- 2011
Account: RCM

Project: Rackla Gold (Rackla)

CERTIFICATE OF ANALYSIS WH11123194

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	Pb- OG46
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr	Pb
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5	0.001
CC115515		0.005	0.02	1.23	9	<0.05	3.28	39	1.1	
CC115516		0.019	0.43	1.41	163	0.29	6.07	276	0.8	
CC115517		0.008	0.16	1.27	50	0.19	9.34	509	1.6	
CC115518		0.007	0.04	1.15	24	<0.05	8.92	130	2.0	
CC115519		0.101	0.07	0.53	69	0.12	8.97	67	2.6	
CC128634		0.017	0.05	1.24	26	<0.05	8.86	92	1.9	
CC128635		<0.005	<0.02	1.04	11	<0.05	5.34	110	2.5	
CC128636		<0.005	<0.02	1.11	12	<0.05	6.80	101	3.3	
CC128637		0.018	0.20	4.23	94	0.28	11.00	71	<0.5	
CC128638		0.006	<0.02	14.50	21	<0.05	3.51	222	1.6	
CC128639		<0.005	0.02	2.97	23	<0.05	4.49	192	2.2	
CC128640		<0.005	0.06	1.76	30	<0.05	7.37	176	2.4	
CC128641		0.016	0.21	2.17	185	0.23	13.60	436	1.0	
CC128642		0.006	0.80	8.22	315	0.41	21.5	846	1.8	
CC128643		0.007	1.43	5.91	148	0.17	17.75	1140	1.0	
CC128644		0.016	0.30	2.91	161	0.19	8.26	252	1.5	
CC128645		0.009	0.47	4.10	268	0.18	12.15	429	1.4	
CC128646		0.012	0.48	4.45	636	0.19	7.89	471	2.6	
CC128647		0.013	0.37	4.14	225	0.16	11.75	441	1.9	
CC128648		0.012	0.41	3.42	184	0.20	8.75	355	1.7	
CC128649		0.011	0.86	3.58	179	0.26	12.55	631	2.3	
CC128650		0.012	2.32	5.89	216	0.36	14.25	2740	1.9	
CC128651		0.005	0.48	14.00	98	0.20	29.4	1120	2.2	
CC128652		0.021	0.25	2.43	67	0.29	5.35	197	1.0	
CC128653		0.007	0.75	13.10	242	0.28	18.65	101	<0.5	
CC128654		0.015	0.06	0.96	26	0.05	8.01	116	3.1	
CC128655		0.041	0.05	1.28	44	0.10	7.77	117	2.5	
CC128656		0.089	0.11	1.54	82	0.12	12.05	135	2.8	
CC128657		0.178	0.13	0.82	151	0.19	9.38	181	4.0	
CC128658		0.013	0.42	8.58	71	0.20	14.65	2290	2.5	
CC128659		0.010	0.71	3.77	213	0.26	22.9	630	2.1	
CC128660		0.038	2.01	2.18	408	0.37	13.35	828	1.3	
CC128661		0.010	1.95	10.05	271	0.27	25.6	564	0.9	
CC128662		NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 4- AUG- 2011
Account: RCM

Project: Rackla Gold (Rackla)

CERTIFICATE OF ANALYSIS WH11123194

Method	CERTIFICATE COMMENTS
ALL METHODS	NSS is non- sufficient sample.
ME- MS41	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown.
ME- MS41	Gold determinations by this method are semi- quantitative due to the small sample weight used (0.5g).

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 4- AUG- 2011
Account: RCM

CERTIFICATE WH11123199

Project: Rackla- Pyramid Silts

P.O. No.:

This report is for 35 Stream Sediment samples submitted to our lab in Whitehorse, YT, Canada on 2- JUL- 2011.

The following have access to data associated with this certificate:

ROB CARNE JULIA LANE	ANDREW CARNE JOAN MARIACHER	MATT DUMALA

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
SCR- 41	Screen to - 180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- ST43	Super Trace Au - 25g AR	ICP- MS
ME- MS41	51 anal. aqua regia ICPMS	

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 4- AUG- 2011
Account: RCM

Project: Rackla- Pyramid Silts

CERTIFICATE OF ANALYSIS WH11123199

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- ST43 Au ppm 0.0001	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1
CC127726		0.27	0.0014	0.26	1.30	19.0	<0.2	<10	780	0.83	0.31	0.83	0.88	18.05	11.9	25
CC127727		0.23	0.0018	0.33	1.32	13.7	<0.2	<10	580	0.95	0.28	0.87	1.04	17.80	11.9	25
CC127728		0.19	0.0023	0.34	1.05	12.8	<0.2	<10	460	0.77	0.23	0.81	0.88	12.65	10.0	21
CC127729		0.19	0.0018	0.27	1.09	11.7	<0.2	<10	530	0.80	0.22	0.78	0.94	12.35	9.6	21
CC127730		0.16	0.0019	0.30	1.17	12.6	<0.2	<10	490	0.82	0.25	0.80	1.05	15.40	11.8	21
CC127731		0.31	0.0013	0.27	0.85	13.5	<0.2	<10	490	0.62	0.20	0.65	1.44	12.50	10.3	17
CC127733		0.26	0.0011	0.26	0.83	18.8	<0.2	<10	460	0.61	0.19	0.66	1.49	11.70	11.0	16
CC127734		0.25	0.0015	0.28	0.88	18.6	<0.2	<10	440	0.66	0.20	0.77	1.58	12.30	10.6	17
CC127735		0.36	0.0016	0.29	0.88	32.7	<0.2	<10	460	0.55	0.19	1.21	1.26	13.60	10.3	18
CC127736		0.18	0.0011	0.23	0.85	17.7	<0.2	<10	510	0.57	0.18	0.71	1.31	13.30	10.3	17
CC127737		0.22	0.0014	0.26	0.97	20.2	<0.2	<10	360	0.65	0.20	0.87	1.11	13.05	10.3	18
CC127738		0.14	0.0011	0.19	1.02	12.4	<0.2	<10	620	0.57	0.17	0.73	0.80	14.05	10.9	19
CC127739		0.24	0.0009	0.22	1.08	13.7	<0.2	<10	610	0.61	0.18	0.76	0.92	14.25	11.7	20
CC127740		0.30	0.0013	0.21	1.09	13.7	<0.2	<10	580	0.64	0.20	0.79	1.06	14.15	13.0	20
CC127741		0.22	0.0013	0.23	1.09	18.9	<0.2	<10	530	0.70	0.20	0.85	1.11	14.05	13.5	20
CC126785		0.18	0.0021	0.38	1.05	12.0	<0.2	<10	1060	0.63	0.21	1.31	3.14	13.60	11.0	21
CC126786		0.18	0.0019	0.38	1.13	12.9	<0.2	<10	920	0.65	0.23	1.40	4.94	14.50	12.6	23
CC126787		0.32	0.0010	0.41	1.04	10.1	<0.2	<10	1010	0.63	0.20	1.04	2.78	11.90	11.7	21
CC126788		0.23	0.0016	0.41	1.12	10.9	<0.2	<10	890	0.66	0.21	1.27	2.42	12.50	11.6	23
CC126789		0.17	0.0014	0.36	1.04	11.2	<0.2	<10	950	0.68	0.20	1.13	2.24	11.15	11.3	21
CC126790		0.22	0.0010	0.23	1.09	10.7	<0.2	<10	830	0.72	0.22	0.81	1.33	12.00	12.8	20
CC126791		0.24	0.0010	0.25	1.17	11.2	<0.2	<10	660	0.72	0.22	0.90	1.32	12.05	13.5	21
CC126792		0.23	0.0006	0.22	1.11	12.3	<0.2	<10	740	0.78	0.22	0.89	1.25	13.05	14.1	20
CC126793		0.30	0.0002	0.18	1.16	12.8	<0.2	<10	710	0.68	0.20	0.71	0.92	12.10	13.4	21
CC126794		0.32	0.0004	0.20	1.13	12.0	<0.2	<10	670	0.71	0.19	0.69	0.95	11.70	12.7	21
CC126795		0.27	0.0004	0.19	1.11	10.7	<0.2	<10	790	0.66	0.18	0.67	0.92	13.00	12.4	20
CC126796		0.28	0.0003	0.18	1.08	10.3	<0.2	<10	740	0.64	0.18	0.61	0.85	11.35	11.9	20
CC126797		0.26	0.0003	0.21	1.09	10.7	<0.2	<10	930	0.66	0.17	0.60	0.97	12.80	12.2	20
CC126798		0.27	0.0003	0.19	1.10	10.3	<0.2	<10	730	0.67	0.18	0.63	0.86	12.05	12.1	20
CC126799		0.25	0.0006	0.19	0.99	13.9	<0.2	<10	620	0.61	0.16	0.73	0.97	12.70	11.9	18
CC126800		0.25	0.0006	0.20	1.05	15.0	<0.2	<10	560	0.63	0.18	0.77	0.99	12.85	12.1	19
CC127901		0.19	0.0005	0.23	1.06	15.0	<0.2	<10	530	0.69	0.19	0.85	1.00	13.25	12.3	19
CC127902		0.18	0.0006	0.24	1.16	12.3	<0.2	<10	620	0.67	0.19	0.91	1.19	13.50	12.6	21
CC127903		0.28	0.0008	0.26	1.15	15.5	<0.2	<10	560	0.71	0.20	0.88	1.23	13.70	13.3	21
CC127904		0.23	0.0006	0.24	1.12	16.4	<0.2	<10	510	0.71	0.20	0.85	1.05	13.35	12.5	21

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 4- AUG- 2011
Account: RCM

Project: Rackla- Pyramid Silts

CERTIFICATE OF ANALYSIS WH11123199

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
CC127726		1.51	31.1	3.14	4.27	0.07	0.07	0.09	0.034	0.08	9.2	13.3	0.43	344	2.54	<0.01
CC127727		1.62	33.7	2.95	4.16	0.09	0.07	0.12	0.033	0.08	8.5	18.6	0.46	349	2.54	0.01
CC127728		1.09	31.3	2.83	3.05	0.09	0.06	0.14	0.030	0.08	6.0	14.6	0.33	444	2.75	0.01
CC127729		0.89	27.2	2.77	3.09	0.08	0.06	0.11	0.027	0.06	5.9	14.9	0.34	276	2.65	0.01
CC127730		1.04	29.8	2.94	3.42	0.11	0.07	0.12	0.030	0.08	6.8	18.4	0.40	422	2.48	0.01
CC127731		0.91	27.0	2.52	2.70	0.06	0.06	0.09	0.029	0.07	5.8	9.6	0.30	354	3.43	<0.01
CC127733		0.87	26.8	2.64	2.65	0.06	0.05	0.09	0.029	0.07	5.5	9.6	0.29	474	5.27	<0.01
CC127734		0.91	29.3	2.65	2.77	0.07	0.05	0.09	0.031	0.07	5.9	10.7	0.30	432	5.15	<0.01
CC127735		1.14	33.6	2.79	2.78	0.07	0.06	0.17	0.028	0.07	6.5	10.1	0.41	425	4.58	<0.01
CC127736		0.90	27.2	2.61	2.69	0.06	0.05	0.10	0.028	0.07	6.4	10.4	0.36	362	3.76	<0.01
CC127737		0.92	30.9	2.75	3.07	0.07	0.05	0.12	0.029	0.07	6.3	11.8	0.36	424	3.92	<0.01
CC127738		0.76	23.7	2.76	3.21	0.06	0.05	0.13	0.027	0.07	6.7	15.7	0.43	285	2.14	<0.01
CC127739		0.87	28.1	2.96	3.38	0.07	0.05	0.10	0.029	0.07	6.7	16.3	0.45	412	2.37	<0.01
CC127740		0.85	27.2	3.04	3.45	0.07	0.05	0.15	0.031	0.08	6.7	17.7	0.50	692	2.29	<0.01
CC127741		0.86	30.7	3.12	3.49	0.07	0.06	0.11	0.030	0.08	6.6	17.1	0.47	626	2.41	<0.01
CC126785		0.59	33.2	2.98	3.12	0.07	0.07	0.21	0.032	0.09	7.6	13.8	0.38	286	2.39	<0.01
CC126786		0.73	31.4	2.87	3.48	0.08	0.07	0.20	0.034	0.08	8.4	13.0	0.37	421	2.43	<0.01
CC126787		0.78	27.3	2.93	3.07	0.06	0.06	0.12	0.033	0.07	6.5	11.9	0.34	325	2.64	<0.01
CC126788		0.82	30.6	3.00	3.17	0.07	0.06	0.13	0.032	0.08	6.7	15.0	0.38	352	2.33	<0.01
CC126789		0.73	32.5	2.90	3.11	0.06	0.05	0.12	0.032	0.08	5.8	14.5	0.38	402	2.49	<0.01
CC126790		0.79	28.2	3.03	3.39	0.06	0.05	0.09	0.033	0.07	5.7	17.7	0.43	349	2.58	<0.01
CC126791		0.90	30.0	3.17	3.52	0.06	0.05	0.09	0.033	0.08	5.8	20.0	0.45	389	2.23	<0.01
CC126792		0.86	31.0	3.21	3.55	0.07	0.05	0.08	0.033	0.08	6.3	21.1	0.46	495	2.41	<0.01
CC126793		0.85	29.7	3.41	3.65	0.07	0.05	0.08	0.033	0.07	5.6	20.9	0.47	501	2.04	<0.01
CC126794		0.78	27.1	3.29	3.45	0.07	0.05	0.07	0.032	0.07	5.7	20.4	0.44	442	1.97	<0.01
CC126795		0.83	26.0	3.12	3.32	0.06	0.05	0.07	0.030	0.07	6.2	20.2	0.43	496	1.81	<0.01
CC126796		0.86	24.2	3.00	3.33	0.06	0.05	0.07	0.028	0.07	5.3	20.8	0.40	412	1.72	<0.01
CC126797		0.84	26.1	3.17	3.44	0.07	0.05	0.07	0.029	0.07	6.2	20.1	0.42	406	1.90	<0.01
CC126798		0.76	25.6	3.09	3.39	0.06	0.05	1.45	0.029	0.06	5.7	20.1	0.42	478	1.66	<0.01
CC126799		0.73	26.0	2.83	3.09	0.07	0.05	0.09	0.028	0.07	6.0	16.8	0.42	573	2.36	<0.01
CC126800		0.81	27.6	2.95	3.30	0.06	0.05	0.09	0.028	0.07	6.2	17.9	0.43	639	2.43	<0.01
CC127901		0.80	29.0	2.95	3.35	0.07	0.06	0.87	0.030	0.08	6.1	19.3	0.44	529	2.43	<0.01
CC127902		0.88	28.1	3.10	3.41	0.06	0.06	0.12	0.030	0.09	6.3	19.8	0.50	649	1.93	<0.01
CC127903		0.89	32.4	3.16	3.65	0.07	0.06	0.50	0.031	0.08	6.6	20.4	0.47	697	2.38	<0.01
CC127904		0.89	31.1	3.18	3.47	0.07	0.06	0.11	0.032	0.08	6.3	19.9	0.46	601	2.42	<0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 4- AUG- 2011
Account: RCM

Project: Rackla- Pyramid Silts

CERTIFICATE OF ANALYSIS WH11123199

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
CC127726		0.42	33.5	1150	19.0	10.2	0.003	0.06	31.4	4.3	1.6	0.4	32.6	<0.01	0.04	2.2
CC127727		0.39	34.8	1110	16.5	10.6	0.004	0.07	1.16	4.4	1.6	0.5	35.9	<0.01	0.04	2.2
CC127728		0.25	31.0	950	15.0	8.4	0.005	0.06	1.05	3.7	2.0	0.4	34.1	<0.01	0.04	1.8
CC127729		0.22	29.5	880	14.3	7.1	0.006	0.06	0.99	3.5	1.8	0.4	34.3	<0.01	0.04	2.0
CC127730		0.24	33.4	920	15.3	8.3	0.007	0.06	0.92	4.2	2.3	0.4	35.0	<0.01	0.01	2.4
CC127731		0.22	33.8	970	13.7	6.7	0.004	0.03	1.34	3.7	2.0	0.3	41.1	<0.01	0.04	2.3
CC127733		0.19	37.6	960	13.6	6.8	0.006	0.04	1.30	3.8	2.3	0.3	45.2	<0.01	0.04	2.3
CC127734		0.22	36.6	990	14.4	7.3	0.005	0.05	1.61	4.0	2.6	0.3	47.4	<0.01	0.04	2.2
CC127735		0.22	36.3	1040	14.4	6.4	0.004	0.04	1.23	4.1	2.3	0.3	52.0	<0.01	0.05	2.5
CC127736		0.20	33.7	970	12.6	5.9	0.003	0.04	1.06	3.8	2.0	0.3	41.8	<0.01	0.04	2.4
CC127737		0.24	34.7	890	14.1	7.5	0.005	0.06	0.89	4.3	2.8	0.3	41.0	<0.01	0.04	2.2
CC127738		0.21	34.0	960	12.0	6.4	0.002	0.05	0.64	3.8	2.0	0.3	37.5	<0.01	0.04	2.4
CC127739		0.23	36.9	970	13.1	6.9	0.003	0.05	0.64	4.3	2.0	0.3	39.0	<0.01	0.04	2.5
CC127740		0.21	39.0	970	13.9	6.7	0.004	0.06	0.60	4.4	1.8	0.3	40.6	<0.01	0.04	2.7
CC127741		0.23	39.4	960	14.2	7.8	0.003	0.06	0.65	4.5	2.1	0.3	42.7	<0.01	0.04	2.3
CC126785		0.31	45.4	1300	13.9	7.3	0.002	0.13	0.71	4.4	2.6	0.3	43.5	<0.01	0.05	1.6
CC126786		0.41	62.9	1370	14.2	8.1	0.002	0.10	0.74	4.2	2.8	0.4	43.6	<0.01	0.06	1.5
CC126787		0.23	51.0	1410	13.1	6.8	0.002	0.08	0.70	4.2	2.3	0.3	42.1	<0.01	0.05	2.0
CC126788		0.27	47.7	1290	14.0	7.4	0.002	0.09	0.71	4.5	2.4	0.4	43.0	<0.01	0.05	1.9
CC126789		0.24	42.7	1280	13.6	6.8	0.002	0.11	0.68	4.2	2.4	0.3	41.6	<0.01	0.05	1.7
CC126790		0.20	42.2	1100	14.6	6.3	0.002	0.07	0.59	4.4	1.6	0.3	39.1	<0.01	0.04	2.4
CC126791		0.22	44.4	1020	15.0	7.2	0.002	0.08	0.57	4.7	1.8	0.3	37.3	<0.01	0.05	2.2
CC126792		0.21	44.3	1030	15.0	6.8	0.002	0.08	0.68	4.7	1.7	0.3	42.0	<0.01	0.05	2.5
CC126793		0.19	41.7	1060	14.2	6.6	0.002	0.05	0.50	4.7	1.5	0.3	37.0	<0.01	0.04	2.6
CC126794		0.20	41.7	1090	13.9	6.0	0.002	0.05	0.48	4.4	1.7	0.3	37.4	<0.01	0.04	2.5
CC126795		0.19	40.0	1050	12.8	6.4	0.002	0.05	0.52	4.2	1.5	0.3	36.3	<0.01	0.04	2.5
CC126796		0.19	38.2	970	12.5	6.5	0.002	0.04	0.47	4.1	1.4	0.3	34.1	<0.01	0.04	2.3
CC126797		0.19	41.7	1120	12.1	6.1	0.001	0.05	0.54	4.2	1.5	0.3	38.1	<0.01	0.04	2.5
CC126798		0.19	38.9	1020	12.6	6.1	0.002	0.05	0.44	4.1	1.5	0.3	36.0	<0.01	0.03	2.4
CC126799		0.20	36.4	1000	11.9	5.7	0.003	0.05	0.56	3.8	1.7	0.3	38.1	<0.01	0.04	2.3
CC126800		0.21	37.5	980	12.6	6.4	0.003	0.05	0.58	4.1	1.8	0.3	38.4	<0.01	0.04	2.4
CC127901		0.24	38.5	960	13.4	6.8	0.003	0.06	0.60	4.5	2.2	0.3	42.1	<0.01	0.04	2.4
CC127902		0.22	39.1	1010	12.6	7.7	0.003	0.07	0.52	4.5	2.1	0.3	39.1	<0.01	0.04	2.4
CC127903		0.23	41.4	1000	13.9	7.6	0.003	0.06	0.58	4.7	2.3	0.3	41.8	<0.01	0.04	2.4
CC127904		0.23	39.3	970	13.6	7.8	0.003	0.06	0.59	4.6	2.3	0.3	40.4	<0.01	0.04	2.2

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 4- AUG- 2011
Account: RCM

Project: Rackla- Pyramid Silts

CERTIFICATE OF ANALYSIS WH11123199

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
CC127726		0.008	0.17	1.49	51	0.12	11.25	157	2.0
CC127727		0.010	0.26	1.25	48	0.09	11.60	152	2.2
CC127728		0.006	0.20	1.57	45	0.06	9.75	152	1.8
CC127729		0.005	0.17	1.18	44	0.06	8.61	143	1.8
CC127730		0.005	0.18	1.26	44	0.06	9.97	147	2.0
CC127731		<0.005	0.28	1.13	56	0.10	8.93	163	1.7
CC127733		<0.005	0.26	1.25	55	0.06	8.47	177	1.8
CC127734		<0.005	0.28	1.39	57	0.06	9.20	177	1.7
CC127735		<0.005	0.26	1.36	54	0.06	9.59	168	1.8
CC127736		<0.005	0.22	1.05	51	0.07	8.48	167	1.7
CC127737		<0.005	0.22	1.39	52	0.07	9.34	159	1.7
CC127738		<0.005	0.16	0.92	41	0.11	8.33	152	1.4
CC127739		<0.005	0.18	0.93	45	0.06	9.16	157	1.6
CC127740		<0.005	0.17	0.94	43	0.09	9.19	160	1.7
CC127741		<0.005	0.17	0.86	44	0.06	9.36	167	1.8
CC126785		<0.005	0.21	1.03	43	0.09	13.40	218	2.0
CC126786		0.006	0.34	1.28	46	0.18	14.55	549	1.9
CC126787		<0.005	0.25	1.13	45	0.06	11.45	379	1.7
CC126788		<0.005	0.25	1.03	46	0.06	11.50	307	1.8
CC126789		<0.005	0.23	0.96	42	0.09	10.10	258	1.6
CC126790		<0.005	0.18	0.93	42	0.05	9.46	193	1.6
CC126791		<0.005	0.20	0.83	41	0.05	9.73	203	1.7
CC126792		<0.005	0.17	0.89	39	0.05	10.00	186	1.8
CC126793		<0.005	0.14	0.90	39	0.05	9.34	164	1.7
CC126794		<0.005	0.14	0.91	39	<0.05	9.19	170	1.7
CC126795		<0.005	0.14	0.84	38	0.05	8.92	167	1.6
CC126796		<0.005	0.14	0.77	36	0.05	8.45	159	1.5
CC126797		<0.005	0.15	0.86	38	0.05	8.87	169	1.6
CC126798		<0.005	0.14	0.99	37	0.05	8.85	159	1.6
CC126799		<0.005	0.15	0.95	42	<0.05	8.69	154	1.6
CC126800		<0.005	0.17	0.93	42	0.05	8.73	158	1.6
CC127901		<0.005	0.17	0.99	41	0.13	9.60	155	1.8
CC127902		<0.005	0.18	0.74	42	0.05	8.78	170	1.7
CC127903		<0.005	0.19	0.92	44	0.11	9.85	173	1.8
CC127904		<0.005	0.17	0.90	44	0.05	9.30	171	1.8

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 4- AUG- 2011
Account: RCM

Project: Rackla- Pyramid Silts

CERTIFICATE OF ANALYSIS WH11123199

Method	CERTIFICATE COMMENTS
ME- MS41	Gold determinations by this method are semi- quantitative due to the small sample weight used (0.5g).

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 28- JUL- 2011
Account: RCM

CERTIFICATE WH11123610

Project: Rackla- Pharoah Silts

P.O. No.:

This report is for 33 Stream Sediment samples submitted to our lab in Whitehorse, YT, Canada on 2- JUL- 2011.

The following have access to data associated with this certificate:

ROB CARNE JULIA LANE	ANDREW CARNE JOAN MARIACHER	MATT DUMALA

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
SCR- 41	Screen to - 180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- ST43	Super Trace Au - 25g AR	ICP- MS
ME- MS41	51 anal. aqua regia ICPMS	

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 28- JUL- 2011
Account: RCM

Project: Rackla- Pharoah Silts

CERTIFICATE OF ANALYSIS WH11123610

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- ST43 Au ppm 0.0001	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1
CC115745		0.48	0.0028	0.16	2.00	7.1	<0.2	<10	150	1.32	0.31	0.50	0.25	52.3	15.2	50
CC115746		0.61	0.0017	0.11	1.99	7.5	<0.2	<10	90	1.52	0.29	0.19	0.19	45.5	16.5	44
CC115747		0.25	0.0015	0.15	3.40	13.7	<0.2	<10	260	14.65	0.25	0.69	1.31	47.7	62.8	33
CC128795		0.33	0.0030	0.23	1.28	15.7	<0.2	<10	110	1.17	0.26	0.56	0.28	41.4	14.2	30
CC128796		0.27	0.0026	0.24	1.35	16.6	<0.2	<10	110	1.18	0.27	0.66	0.28	39.7	13.4	30
CC128797		0.21	0.0028	0.19	1.17	15.7	<0.2	<10	100	1.00	0.27	0.65	0.26	38.5	11.3	24
CC129634		0.42	0.0009	0.18	1.41	19.7	<0.2	<10	70	1.92	0.35	0.33	0.29	27.5	59.5	20
CC129635		0.43	<0.0001	0.10	0.75	18.1	<0.2	<10	50	1.18	0.37	0.24	0.12	17.65	17.9	14
CC129636		0.48	0.0014	0.14	4.28	13.9	<0.2	<10	60	7.96	0.31	0.15	0.27	49.6	64.4	34
CC129637		0.68	0.0021	0.17	3.08	14.1	<0.2	<10	80	6.07	0.33	0.20	0.34	46.9	73.2	36
CC129638		0.54	0.0014	0.18	3.90	20.7	<0.2	<10	90	8.33	0.36	0.23	0.53	47.8	156.5	32
CC129639		0.50	0.0013	0.12	1.85	23.5	<0.2	<10	70	2.33	0.35	0.30	0.14	22.9	42.6	26
CC129640		0.38	0.0013	0.16	1.42	23.9	<0.2	<10	60	1.27	0.38	0.28	0.06	18.90	12.0	27
CC129641		0.44	0.0001	0.08	1.10	19.5	<0.2	<10	40	1.40	0.35	0.24	0.10	16.15	29.6	16
CC129642		0.51	<0.0001	0.08	1.14	20.2	<0.2	<10	40	1.49	0.39	0.23	0.09	17.00	28.8	17
CC129643		0.37	0.0002	0.13	1.12	17.6	<0.2	<10	50	1.17	0.41	1.62	0.09	10.65	13.4	17
CC129644		0.44	0.0014	0.12	1.57	43.9	<0.2	<10	70	2.05	0.36	0.16	0.23	23.5	45.0	25
CC129645		0.58	0.0010	0.12	2.05	49.1	<0.2	<10	80	3.53	0.38	0.28	0.34	28.9	97.1	23
CC129646		0.37	0.0002	0.12	0.85	48.5	<0.2	<10	50	0.96	0.36	0.37	0.10	13.90	14.4	14
CC129647		0.37	0.0002	0.13	0.81	30.6	<0.2	<10	50	1.03	0.34	0.35	0.09	14.20	13.7	14
CC129648		0.56	0.0008	0.12	2.35	36.0	<0.2	<10	80	4.71	0.34	0.35	0.34	30.9	110.0	21
CC129649		0.41	0.0013	0.10	1.07	47.4	<0.2	<10	60	2.12	0.45	0.13	0.20	19.55	55.7	16
CC129650		0.41	0.0009	0.12	2.00	47.4	<0.2	<10	80	4.30	0.35	0.40	0.35	30.1	106.5	21
CC129651		0.61	0.0008	0.11	1.86	44.7	<0.2	<10	80	3.45	0.40	0.41	0.28	25.3	89.1	21
CC129652		0.44	0.0011	0.08	1.26	24.0	<0.2	<10	50	1.11	0.38	0.31	0.18	16.70	43.8	21
CC129653		0.42	0.0011	0.11	1.46	22.3	<0.2	<10	50	1.15	0.38	0.19	0.14	18.75	40.6	25
CC129654		0.47	0.0007	0.12	1.30	30.1	<0.2	<10	70	1.50	0.49	0.36	0.19	12.05	34.8	19
CC129655		0.60	0.0011	0.10	1.26	28.3	<0.2	<10	60	1.15	0.38	0.29	0.32	19.95	86.0	21
CC129656		0.53	0.0014	0.08	1.44	18.5	<0.2	<10	30	0.98	0.36	0.14	0.05	17.75	19.2	26
CC129657		0.34	0.0009	0.12	0.84	25.7	<0.2	<10	40	1.14	0.40	0.50	0.09	14.35	17.7	14
CC129658		0.30	0.0014	0.15	1.15	45.9	<0.2	<10	110	1.95	0.37	0.56	1.03	26.3	256	16
CC129659		0.43	0.0012	0.16	1.97	15.1	<0.2	<10	170	2.87	0.32	0.71	1.81	39.4	514	20
CC129660		0.35	0.0007	0.14	1.53	15.0	<0.2	<10	70	1.75	0.36	0.32	0.47	22.3	134.5	21

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 28- JUL- 2011
Account: RCM

Project: Rackla- Pharoah Silts

CERTIFICATE OF ANALYSIS WH11123610

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
CC115745		2.06	52.6	3.57	6.37	0.11	0.24	0.07	0.046	0.10	25.9	48.4	1.60	430	0.49	0.01
CC115746		3.44	46.8	3.50	6.06	0.11	0.11	0.04	0.035	0.09	21.6	54.6	1.48	591	0.50	0.01
CC115747		3.40	95.8	2.87	5.19	0.23	0.24	0.09	0.028	0.09	39.6	178.5	1.19	24700	1.63	0.01
CC128795		2.46	39.6	3.11	4.09	0.09	0.12	0.07	0.028	0.09	21.3	30.2	0.95	614	0.95	0.01
CC128796		2.66	42.0	3.25	3.97	0.09	0.13	0.08	0.038	0.11	20.6	31.7	0.95	468	0.92	0.01
CC128797		1.39	38.7	3.03	3.54	0.09	0.16	0.05	0.033	0.09	19.9	28.3	0.83	266	1.07	0.01
CC129634		3.88	67.4	4.89	3.35	0.06	0.13	0.08	0.045	0.07	10.0	54.0	0.44	3650	0.79	0.01
CC129635		2.76	36.2	4.47	2.37	0.06	0.05	0.10	0.041	0.06	6.5	21.1	0.23	689	0.71	0.01
CC129636		3.45	164.0	4.57	4.29	0.13	0.21	0.06	0.040	0.07	18.6	67.9	0.94	1820	0.63	<0.01
CC129637		4.30	121.5	4.59	4.79	0.11	0.16	0.09	0.047	0.08	20.2	80.6	1.01	2340	0.66	0.01
CC129638		10.45	153.0	5.28	4.74	0.14	0.13	0.09	0.049	0.08	17.8	117.5	0.79	6300	0.77	0.01
CC129639		3.98	64.5	4.41	3.76	0.07	0.10	0.13	0.043	0.07	10.5	50.9	0.64	1720	0.56	0.01
CC129640		16.75	49.3	4.26	4.36	0.07	0.09	0.27	0.043	0.07	9.2	47.5	0.61	381	0.50	0.01
CC129641		2.96	40.4	4.51	3.31	0.05	0.07	0.04	0.039	0.06	5.9	43.7	0.34	1180	0.75	0.01
CC129642		3.19	41.7	4.71	3.40	0.06	0.08	0.05	0.039	0.06	6.3	43.5	0.35	1180	0.78	0.01
CC129643		28.6	30.3	4.13	2.92	0.05	0.11	0.10	0.042	0.08	4.9	37.2	0.47	321	0.55	0.01
CC129644		10.90	68.0	4.75	3.99	0.06	0.05	0.27	0.043	0.07	9.4	57.2	0.54	2020	0.77	0.01
CC129645		9.43	95.9	5.00	3.36	0.11	0.09	0.35	0.037	0.07	10.2	75.5	0.60	4270	0.65	0.01
CC129646		15.80	31.1	4.13	2.51	0.05	0.10	0.63	0.042	0.07	5.7	23.5	0.24	519	0.58	0.01
CC129647		39.5	29.6	4.19	2.24	<0.05	0.06	0.34	0.033	0.07	5.5	22.7	0.25	475	0.49	0.01
CC129648		9.69	93.7	4.50	3.40	0.09	0.12	0.36	0.039	0.08	10.9	83.8	0.58	4910	0.53	0.01
CC129649		9.35	68.4	4.35	2.20	0.07	0.06	0.33	0.032	0.08	6.7	32.8	0.29	2240	0.47	0.01
CC129650		9.61	95.9	4.74	3.66	0.10	0.10	0.42	0.043	0.08	10.1	80.9	0.56	4480	0.61	0.01
CC129651		10.00	83.2	4.81	3.31	0.09	0.08	0.39	0.041	0.08	8.9	66.8	0.55	3840	0.53	0.01
CC129652		8.66	60.2	5.19	3.59	0.09	0.06	0.18	0.038	0.05	6.5	49.0	0.54	1760	0.53	0.01
CC129653		5.96	68.8	5.51	4.33	0.06	0.06	0.15	0.042	0.06	7.9	52.9	0.62	1660	0.59	0.01
CC129654		12.25	56.6	6.01	3.02	0.06	0.07	0.31	0.045	0.06	3.9	48.1	0.46	1490	0.67	0.01
CC129655		8.64	68.1	5.07	3.60	0.07	0.07	0.18	0.032	0.06	7.8	53.7	0.55	3810	0.59	0.01
CC129656		3.00	70.0	5.51	4.26	0.08	0.08	0.10	0.037	0.05	7.5	48.0	0.63	1080	0.53	0.01
CC129657		16.35	37.6	4.68	2.25	0.05	0.07	0.18	0.043	0.07	5.4	25.2	0.31	592	0.66	0.01
CC129658		8.61	78.3	4.43	2.74	0.07	0.07	0.43	0.039	0.07	10.2	80.1	0.49	11400	0.80	0.01
CC129659		5.47	130.5	4.18	3.74	0.11	0.13	0.11	0.032	0.07	17.1	157.5	0.75	24000	1.24	0.01
CC129660		4.14	54.2	4.09	3.98	0.09	0.07	0.15	0.039	0.07	8.6	80.8	0.72	4890	0.78	0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 28- JUL- 2011
Account: RCM

Project: Rackla- Pharoah Silts

CERTIFICATE OF ANALYSIS WH11123610

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
CC115745		0.27	39.3	940	24.4	11.3	<0.001	0.03	0.38	9.1	1.8	0.4	33.0	<0.01	0.03	4.7
CC115746		0.30	40.4	580	22.6	9.2	<0.001	0.02	0.39	7.5	1.2	0.4	18.1	<0.01	0.03	4.1
CC115747		0.22	977	890	18.9	9.3	<0.001	0.07	0.45	5.9	6.1	0.3	70.2	<0.01	0.02	3.7
CC128795		0.28	32.6	1040	20.8	7.0	<0.001	0.03	0.55	6.1	1.0	0.3	50.4	<0.01	0.05	3.5
CC128796		0.27	29.1	1060	21.6	7.6	<0.001	0.05	0.55	6.2	1.4	0.4	58.7	<0.01	0.04	2.9
CC128797		0.18	26.4	890	20.0	5.9	<0.001	0.04	0.46	5.4	1.2	0.3	31.2	<0.01	0.04	3.0
CC129634		0.13	114.0	740	37.0	6.6	<0.001	0.06	0.62	5.8	1.4	0.4	38.3	<0.01	0.06	3.6
CC129635		0.11	33.8	540	25.5	5.3	<0.001	0.05	0.43	6.0	1.0	0.4	31.9	<0.01	0.07	3.2
CC129636		0.13	94.2	700	28.0	6.1	<0.001	0.18	0.45	10.1	3.2	0.3	28.5	<0.01	0.03	7.0
CC129637		0.16	108.5	690	28.0	7.8	<0.001	0.20	0.48	10.8	2.1	0.4	40.5	<0.01	0.05	6.9
CC129638		0.20	201	730	40.2	8.0	<0.001	0.17	0.59	10.7	2.8	0.4	41.5	<0.01	0.05	5.6
CC129639		0.13	60.3	530	22.9	6.2	<0.001	0.09	0.50	6.0	1.7	0.4	42.7	<0.01	0.05	3.6
CC129640		0.15	27.6	500	22.8	9.3	0.001	0.08	2.24	6.0	0.9	0.5	46.3	<0.01	0.06	3.2
CC129641		0.07	45.0	540	25.0	4.1	<0.001	0.07	0.45	6.3	1.1	0.4	22.4	<0.01	0.06	4.3
CC129642		0.08	44.3	570	29.3	4.0	0.001	0.07	0.45	6.5	1.2	0.4	21.9	<0.01	0.05	4.6
CC129643		0.16	33.0	680	24.6	10.0	<0.001	0.12	0.46	5.6	1.0	0.4	56.5	<0.01	0.06	3.1
CC129644		0.17	72.3	610	28.6	7.7	<0.001	0.07	2.07	5.6	1.1	0.4	33.7	<0.01	0.05	3.1
CC129645		0.12	135.5	570	28.2	5.5	<0.001	0.16	1.55	7.1	1.9	0.3	39.0	<0.01	0.06	4.8
CC129646		0.13	27.9	580	23.1	8.1	<0.001	0.06	2.34	5.2	0.9	0.4	38.3	<0.01	0.04	2.5
CC129647		0.11	26.4	520	22.6	8.1	<0.001	0.06	1.50	5.3	1.1	0.4	42.5	<0.01	0.05	2.5
CC129648		0.12	165.5	530	25.2	6.2	<0.001	0.12	1.71	7.4	2.2	0.4	44.2	<0.01	0.05	4.3
CC129649		0.08	77.6	440	26.4	6.0	<0.001	0.06	1.86	4.8	0.8	0.3	29.5	<0.01	0.06	4.8
CC129650		0.11	152.5	480	26.3	6.0	<0.001	0.15	1.67	7.7	1.9	0.4	49.5	<0.01	0.08	4.8
CC129651		0.09	133.5	480	28.6	5.9	<0.001	0.16	1.58	6.9	1.5	0.3	48.4	<0.01	0.06	5.0
CC129652		0.05	69.6	480	29.7	4.5	<0.001	0.08	0.97	4.6	0.8	0.3	42.5	<0.01	0.06	4.0
CC129653		0.07	62.2	420	30.9	4.8	<0.001	0.06	0.92	4.7	1.3	0.3	40.4	<0.01	0.09	4.1
CC129654		0.08	53.2	750	32.9	5.5	<0.001	0.11	0.88	7.3	1.0	0.3	41.3	<0.01	0.08	4.6
CC129655		0.06	153.5	450	28.7	4.7	0.001	0.07	1.39	4.3	1.0	0.3	41.9	<0.01	0.08	3.6
CC129656		0.05	30.6	370	31.0	3.8	<0.001	0.04	0.72	3.9	0.9	0.3	33.6	<0.01	0.05	3.9
CC129657		0.07	31.9	650	30.2	6.3	<0.001	0.06	0.67	5.8	1.0	0.3	43.1	<0.01	0.04	3.4
CC129658		0.06	465	570	26.6	5.1	<0.001	0.17	2.81	5.1	1.4	0.3	64.3	<0.01	0.06	3.4
CC129659		0.07	845	720	23.7	5.4	<0.001	0.10	0.52	5.2	2.6	0.3	84.9	<0.01	0.03	3.9
CC129660		0.10	203	620	22.7	6.2	<0.001	0.13	0.43	5.3	3.0	0.3	43.7	<0.01	0.02	4.4

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 28- JUL- 2011
Account: RCM

Project: Rackla- Pharoah Silts

CERTIFICATE OF ANALYSIS WH11123610

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
CC115745		0.009	0.10	3.34	30	0.06	25.9	135	6.7
CC115746		0.015	0.08	2.49	29	0.06	24.0	126	3.2
CC115747		0.009	0.10	9.80	22	0.08	142.0	1990	6.4
CC128795		0.013	0.09	2.62	28	0.07	18.05	126	3.6
CC128796		0.011	0.09	2.90	28	0.07	18.90	110	3.7
CC128797		0.008	0.08	2.21	23	<0.05	16.55	97	4.4
CC129634		0.008	0.12	1.09	18	<0.05	14.60	196	3.5
CC129635		<0.005	0.09	1.14	15	<0.05	9.28	106	1.1
CC129636		0.008	0.09	10.05	21	<0.05	48.4	387	9.0
CC129637		0.008	0.12	6.64	22	<0.05	32.2	314	7.9
CC129638		0.009	0.14	14.40	22	<0.05	44.5	590	4.0
CC129639		0.005	0.09	5.20	19	<0.05	17.95	213	2.7
CC129640		<0.005	0.09	2.52	18	<0.05	10.55	96	2.9
CC129641		<0.005	0.09	1.10	12	<0.05	10.65	108	3.1
CC129642		<0.005	0.09	1.12	12	<0.05	11.25	110	3.2
CC129643		<0.005	0.09	0.60	14	<0.05	8.54	102	3.7
CC129644		0.006	0.19	3.05	20	0.05	11.50	186	1.6
CC129645		0.005	0.22	4.71	17	<0.05	27.3	352	3.2
CC129646		<0.005	0.14	0.85	15	<0.05	9.04	106	2.5
CC129647		<0.005	0.12	0.54	15	<0.05	9.10	87	1.8
CC129648		<0.005	0.14	5.01	16	<0.05	32.1	412	3.5
CC129649		<0.005	0.13	2.44	15	<0.05	14.20	223	2.3
CC129650		0.005	0.13	4.08	16	<0.05	28.0	363	3.9
CC129651		0.005	0.16	3.20	16	<0.05	23.5	317	3.2
CC129652		<0.005	0.07	1.02	15	<0.05	8.51	195	2.1
CC129653		<0.005	0.06	1.10	17	<0.05	7.61	174	2.5
CC129654		<0.005	0.13	0.78	15	<0.05	12.25	146	2.0
CC129655		<0.005	0.09	1.21	16	<0.05	10.90	306	2.0
CC129656		<0.005	0.06	0.91	17	<0.05	4.75	107	3.9
CC129657		<0.005	0.11	0.82	13	<0.05	8.88	109	2.4
CC129658		<0.005	0.12	1.72	14	<0.05	26.8	802	2.2
CC129659		<0.005	0.13	3.26	16	<0.05	49.3	1610	3.0
CC129660		<0.005	0.10	4.42	15	<0.05	19.30	374	2.4

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 28- JUL- 2011
Account: RCM

Project: Rackla- Pharoah Silts

CERTIFICATE OF ANALYSIS WH11123610

Method	CERTIFICATE COMMENTS
ME- MS41	Gold determinations by this method are semi- quantitative due to the small sample weight used (0.5g).

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 5- AUG- 2011
Account: RCM

CERTIFICATE WH11123611

Project: Rackla- Pharoah Soils

P.O. No.:

This report is for 220 Soil samples submitted to our lab in Whitehorse, YT, Canada on 2- JUL- 2011.

The following have access to data associated with this certificate:

ROB CARNE JULIA LANE	ANDREW CARNE JOAN MARIACHER	MATT DUMALA

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
SCR- 41	Screen to - 180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- TL43	Trace Level Au - 25g AR	ICP- MS
ME- MS41	51 anal. aqua regia ICPMS	

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 5- AUG- 2011
Account: RCM

Project: Rackla- Pharoah Soils

CERTIFICATE OF ANALYSIS WH11123611

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- TL43 Au ppm 0.001	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1
CC115748		0.22	0.001	0.07	0.85	4.0	<0.2	<10	70	0.33	0.24	0.36	0.20	24.5	4.9	24
CC115749		0.25	0.001	0.04	1.73	6.5	<0.2	<10	140	0.86	0.37	0.28	0.33	69.3	8.2	36
CC115750		0.35	0.001	0.10	1.81	6.7	<0.2	<10	70	1.22	0.36	0.33	0.21	22.5	12.5	38
CC115751		0.33	0.002	0.09	1.78	12.1	<0.2	<10	60	0.74	0.37	0.05	0.22	13.65	17.8	30
CC115752		0.22	0.001	0.06	1.56	10.7	<0.2	<10	70	0.36	0.34	0.05	0.13	20.7	5.9	26
CC115753		0.33	0.002	0.12	1.59	15.3	<0.2	<10	60	0.54	0.33	0.06	0.25	22.9	10.6	29
CC115754		0.27	0.002	0.08	1.38	8.3	<0.2	<10	120	0.71	0.28	1.45	0.45	21.1	12.4	28
CC115755		0.23	0.002	0.05	1.10	4.0	<0.2	<10	100	0.45	0.17	1.24	0.18	25.5	6.4	38
CC115756		0.38	0.001	0.14	1.61	9.3	<0.2	<10	90	0.82	0.36	0.30	0.65	13.75	24.5	24
CC115757		0.34	0.001	0.11	1.86	6.2	<0.2	<10	80	1.14	0.38	0.06	0.19	11.25	47.3	27
CC115758		0.36	0.002	0.08	2.20	4.8	<0.2	<10	50	0.71	0.37	0.04	0.12	11.60	10.4	34
CC115759		0.28	0.001	0.08	1.38	6.8	<0.2	<10	50	0.49	0.35	0.05	0.13	13.00	8.8	35
CC115760		0.29	0.001	0.12	1.83	8.5	<0.2	<10	60	1.05	0.32	0.04	0.18	16.85	11.3	34
CC115761		0.30	0.001	0.14	1.43	7.2	<0.2	<10	60	0.57	0.33	0.03	0.14	12.70	10.4	26
CC115762		0.32	0.001	0.07	2.00	11.1	<0.2	<10	70	0.61	0.33	0.07	0.16	19.15	10.9	31
CC115763		0.32	0.001	0.10	1.60	8.0	<0.2	<10	90	0.56	0.30	0.09	0.14	22.4	6.9	27
CC115764		0.31	0.003	0.08	2.82	18.3	<0.2	<10	100	3.80	0.37	0.07	0.21	37.9	72.0	37
CC115765		0.29	0.001	0.10	1.41	4.8	<0.2	<10	50	0.43	0.28	0.05	0.14	8.11	7.2	23
CC115766		0.32	0.003	0.10	2.30	17.3	<0.2	<10	80	0.86	0.40	0.04	0.28	20.6	25.6	36
CC115767		0.40	0.002	0.11	2.60	20.2	<0.2	<10	80	1.23	0.37	0.04	0.17	27.4	32.8	34
CC115768		0.50	0.004	0.24	3.51	25.9	<0.2	<10	170	4.87	0.38	0.16	1.01	52.2	133.0	41
CC115769		0.49	0.002	0.14	2.20	18.4	<0.2	<10	60	1.94	0.37	0.15	0.14	22.8	32.6	32
CC115770		0.33	0.001	0.09	1.96	17.9	<0.2	<10	60	0.87	0.40	0.04	0.14	13.55	22.7	29
CC115771		0.29	0.003	0.30	2.25	35.3	<0.2	<10	50	1.87	0.43	0.07	0.07	17.80	61.2	32
CC115772		0.38	0.002	0.04	1.92	12.7	<0.2	<10	50	0.60	0.40	0.02	0.10	18.50	8.8	28
CC115773		0.24	0.003	0.19	2.19	14.3	<0.2	<10	130	1.87	0.33	0.73	0.15	27.2	20.3	36
CC115774		0.33	0.001	0.18	1.51	7.0	<0.2	<10	80	0.73	0.28	0.07	0.25	10.50	20.6	29
CC115775		0.26	0.001	0.08	2.04	13.0	<0.2	<10	80	2.38	0.32	0.09	0.12	27.6	32.8	32
CC115776		0.27	0.004	0.07	1.36	4.1	<0.2	<10	380	1.30	0.24	1.40	0.33	34.1	10.6	26
CC128798		0.21	0.004	0.16	1.26	12.6	<0.2	<10	110	0.93	0.42	0.66	0.47	36.9	11.6	25
CC128799		0.12	0.002	0.09	0.76	2.2	<0.2	<10	300	0.64	0.10	2.98	0.77	17.95	6.6	12
CC128800		0.27	0.001	0.14	1.58	7.2	<0.2	<10	140	0.99	0.33	0.13	0.22	16.35	18.0	30
CC115901		0.22	0.001	0.10	1.42	4.6	<0.2	<10	170	0.90	0.47	0.23	0.20	6.91	13.0	26
CC115902		0.18	0.004	0.13	1.18	2.6	<0.2	<10	260	1.69	0.21	2.19	0.50	13.05	17.2	16
CC115903		0.39	0.003	0.05	1.71	2.6	<0.2	<10	330	3.11	0.38	0.35	0.11	31.2	17.6	30
CC115904		0.36	0.002	0.06	2.08	5.5	<0.2	<10	250	1.97	0.37	0.34	0.20	18.80	22.4	37
CC115905		0.25	0.007	0.08	2.22	7.7	<0.2	<10	180	1.50	0.41	0.24	0.19	35.1	34.3	46
CC115906		0.34	0.004	0.26	2.31	40.9	<0.2	<10	80	1.82	0.50	0.05	0.15	26.7	120.5	32
CC115907		0.31	0.006	0.29	2.49	44.9	<0.2	<10	110	3.34	0.58	0.10	0.26	45.2	124.0	33
CC115908		0.28	0.003	0.13	2.59	19.9	<0.2	<10	70	2.35	0.75	0.07	0.08	33.7	63.9	35

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 5- AUG- 2011
Account: RCM

Project: Rackla- Pharoah Soils

CERTIFICATE OF ANALYSIS WH11123611

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
CC115748		1.70	11.4	1.74	4.98	0.09	0.02	0.03	0.020	0.07	13.4	13.4	0.47	383	1.09	0.01
CC115749		1.31	20.4	2.57	5.34	0.11	0.06	0.04	0.032	0.05	23.6	28.6	0.89	475	0.68	0.01
CC115750		3.25	30.2	3.79	7.36	0.10	0.03	0.05	0.037	0.07	10.5	38.2	0.79	1080	1.08	0.01
CC115751		2.22	33.0	4.08	6.09	0.08	0.04	0.08	0.026	0.06	5.8	30.9	0.51	1580	0.89	0.01
CC115752		2.58	20.2	2.69	6.46	0.09	<0.02	0.04	0.026	0.05	9.9	23.9	0.36	308	1.41	0.01
CC115753		2.87	35.7	3.69	5.92	0.09	<0.02	0.07	0.035	0.06	9.2	24.6	0.39	548	1.60	0.01
CC115754		2.31	31.6	2.63	4.90	0.11	0.11	0.07	0.026	0.06	11.4	25.6	0.62	746	0.82	0.02
CC115755		0.96	16.4	1.65	4.39	0.12	0.14	0.04	0.023	0.05	12.2	21.9	0.88	400	0.51	0.01
CC115756		2.63	38.9	3.37	4.70	0.09	0.04	0.06	0.027	0.07	5.1	25.8	0.40	2560	0.92	0.01
CC115757		7.29	40.8	4.70	6.36	0.07	0.03	0.08	0.036	0.06	4.3	35.7	0.39	3890	1.28	<0.01
CC115758		2.96	28.0	5.62	9.34	0.10	0.09	0.06	0.029	0.06	5.4	31.2	0.36	1280	1.31	<0.01
CC115759		4.67	23.8	6.16	10.30	0.08	<0.02	0.08	0.031	0.06	5.8	10.9	0.18	1760	1.08	<0.01
CC115760		4.16	29.2	5.15	9.31	0.10	0.02	0.08	0.033	0.05	6.9	20.1	0.27	1880	1.37	<0.01
CC115761		7.44	31.0	4.86	8.31	0.08	0.02	0.08	0.024	0.05	5.4	18.9	0.26	1490	1.17	<0.01
CC115762		4.19	31.5	4.01	6.35	0.09	<0.02	0.06	0.027	0.05	8.2	33.4	0.48	632	1.67	<0.01
CC115763		2.74	23.3	2.78	5.47	0.08	<0.02	0.06	0.025	0.05	10.3	24.6	0.48	375	1.15	<0.01
CC115764		6.80	137.0	4.37	6.02	0.15	0.10	0.14	0.035	0.09	14.0	97.9	0.98	3860	1.52	<0.01
CC115765		3.04	24.4	2.86	6.00	0.08	0.03	0.09	0.023	0.05	4.0	21.7	0.34	379	1.15	<0.01
CC115766		5.71	51.0	5.98	8.97	0.10	0.03	0.13	0.042	0.06	7.7	27.9	0.40	3730	1.94	<0.01
CC115767		6.05	112.0	4.87	6.56	0.09	0.06	0.08	0.045	0.08	9.8	56.5	0.70	1520	1.63	<0.01
CC115768		5.99	370	4.83	7.01	0.16	0.14	0.11	0.053	0.12	23.3	111.5	1.27	4280	1.92	0.01
CC115769		5.75	89.6	4.90	6.30	0.11	0.12	0.10	0.038	0.07	9.1	84.5	0.91	1250	0.79	<0.01
CC115770		2.50	53.3	4.93	6.43	0.08	0.07	0.06	0.034	0.07	5.5	46.8	0.65	1450	0.78	<0.01
CC115771		6.81	117.0	5.50	6.07	0.10	0.06	0.05	0.048	0.05	7.3	69.0	0.68	1670	2.20	<0.01
CC115772		2.69	41.2	4.54	7.46	0.08	0.04	0.03	0.029	0.05	8.4	41.5	0.50	491	1.35	<0.01
CC115773		8.01	64.7	3.71	6.24	0.11	0.09	0.08	0.039	0.08	15.9	60.9	0.82	1220	1.02	0.01
CC115774		3.18	28.2	5.04	6.83	0.07	0.02	0.08	0.024	0.05	4.5	21.2	0.29	3620	1.04	<0.01
CC115775		9.18	72.6	4.12	6.17	0.10	0.02	0.06	0.037	0.06	8.9	55.9	0.62	2340	1.58	<0.01
CC115776		1.98	41.0	2.40	3.80	0.11	0.10	0.07	0.039	0.06	16.9	27.6	0.78	779	0.45	0.01
CC128798		1.25	38.4	3.02	3.69	0.12	0.18	0.07	0.035	0.08	19.6	32.4	0.84	349	1.17	<0.01
CC128799		0.59	21.5	0.96	2.18	0.09	0.10	0.11	0.013	0.04	8.5	6.7	0.43	645	0.76	0.01
CC128800		3.02	33.8	3.62	5.87	0.09	0.03	0.07	0.025	0.06	5.7	38.7	0.64	1660	0.91	<0.01
CC115901		4.52	30.5	4.24	6.15	0.08	0.03	0.13	0.023	0.09	3.1	29.9	0.47	1370	0.78	<0.01
CC115902		1.40	55.5	1.75	2.98	0.09	0.23	0.11	0.017	0.04	3.4	26.0	0.78	3700	1.00	0.01
CC115903		5.00	94.5	3.75	4.69	0.10	0.17	0.04	0.027	0.08	13.6	53.7	0.97	934	0.46	<0.01
CC115904		5.04	69.4	3.94	6.15	0.10	0.13	0.06	0.028	0.08	6.2	69.6	1.15	1780	0.73	<0.01
CC115905		3.67	73.0	3.73	6.75	0.14	0.18	0.04	0.030	0.08	14.0	79.8	1.69	1660	1.06	0.01
CC115906		7.09	120.0	5.61	7.05	0.13	0.11	0.05	0.036	0.06	8.3	93.9	1.01	6940	1.39	0.01
CC115907		16.15	189.5	5.31	7.20	0.17	0.12	0.10	0.044	0.07	13.6	90.8	0.90	9560	2.46	<0.01
CC115908		12.80	113.0	5.33	7.45	0.13	0.07	0.03	0.031	0.07	10.8	87.2	1.15	3630	1.20	0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 5- AUG- 2011
Account: RCM

Project: Rackla- Pharoah Soils

CERTIFICATE OF ANALYSIS WH11123611

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
CC115748		0.17	11.2	1930	11.1	12.5	0.001	0.10	0.32	0.5	0.3	0.4	20.3	<0.01	0.03	0.2
CC115749		0.38	22.5	1190	42.6	9.5	0.002	0.05	0.40	3.3	1.0	0.4	18.7	<0.01	0.02	1.6
CC115750		0.24	24.9	1810	27.4	12.3	0.001	0.10	0.41	1.1	0.7	0.5	21.3	<0.01	0.05	0.4
CC115751		0.33	22.9	1620	31.7	7.4	0.002	0.11	0.50	0.9	0.7	0.4	7.7	<0.01	0.06	0.4
CC115752		0.78	16.7	500	12.9	13.7	0.002	0.04	0.63	1.3	0.7	0.8	8.5	<0.01	0.05	0.4
CC115753		0.66	24.2	720	17.9	9.8	0.001	0.06	0.88	1.4	1.3	0.6	10.7	<0.01	0.06	0.4
CC115754		0.36	22.0	2000	20.4	8.9	0.002	0.16	0.43	2.4	0.8	0.4	60.9	<0.01	0.04	1.0
CC115755		0.21	15.1	1730	14.0	5.5	0.001	0.13	0.24	2.8	0.6	0.3	54.7	<0.01	0.03	1.5
CC115756		0.29	22.0	1680	36.0	9.8	0.001	0.13	0.44	0.9	0.8	0.3	17.6	<0.01	0.03	0.4
CC115757		0.32	28.2	1570	54.2	9.5	<0.001	0.11	0.51	1.1	0.7	0.4	7.8	<0.01	0.04	0.3
CC115758		0.38	17.7	1890	19.6	12.2	<0.001	0.07	0.51	1.4	0.6	0.4	7.4	0.01	0.11	1.0
CC115759		0.23	15.1	1550	11.0	11.5	<0.001	0.11	0.50	0.6	0.8	0.6	10.9	<0.01	0.05	0.2
CC115760		0.29	16.7	1730	16.8	11.5	<0.001	0.15	0.70	0.7	1.3	0.5	8.3	<0.01	0.05	0.2
CC115761		0.31	17.0	1500	27.5	11.0	<0.001	0.07	0.63	1.2	0.5	0.5	10.2	<0.01	0.05	0.4
CC115762		0.34	24.7	1160	21.5	9.2	<0.001	0.06	0.81	0.9	0.7	0.6	9.8	<0.01	0.03	0.3
CC115763		0.35	19.9	1060	20.1	8.8	<0.001	0.08	0.51	0.9	0.6	0.5	11.9	<0.01	0.02	0.2
CC115764		0.59	123.0	700	40.2	10.7	<0.001	0.03	0.77	6.9	2.6	0.5	14.5	<0.01	0.02	2.9
CC115765		0.33	16.7	1260	13.7	9.5	<0.001	0.10	0.44	1.1	0.8	0.5	7.4	<0.01	0.03	0.4
CC115766		0.24	22.5	1610	43.2	11.8	<0.001	0.07	0.89	1.6	1.7	0.7	9.4	<0.01	0.05	0.4
CC115767		0.58	49.3	820	34.0	11.4	<0.001	0.05	0.86	3.9	1.3	0.6	12.0	<0.01	0.07	1.7
CC115768		0.47	195.5	850	44.5	12.3	<0.001	0.04	0.87	11.9	2.1	0.5	29.9	<0.01	0.08	5.7
CC115769		0.18	48.8	730	43.0	9.5	<0.001	0.04	0.53	5.1	1.1	0.4	42.5	<0.01	0.07	3.0
CC115770		0.27	27.0	1110	38.1	8.9	0.001	0.06	0.58	1.8	0.3	0.4	13.4	<0.01	0.06	1.1
CC115771		0.22	50.3	520	81.3	8.1	<0.001	0.03	1.16	4.8	1.0	0.4	45.0	<0.01	0.03	2.8
CC115772		0.48	22.3	460	22.5	11.5	0.001	0.01	0.67	2.5	0.6	0.6	20.8	<0.01	0.05	2.7
CC115773		0.44	35.3	1390	33.8	14.7	<0.001	0.09	0.60	3.9	1.5	0.5	55.6	<0.01	0.04	1.2
CC115774		0.24	16.9	1730	32.6	8.0	<0.001	0.10	0.47	1.0	0.6	0.4	9.0	<0.01	0.04	0.3
CC115775		0.31	37.7	950	51.8	10.5	<0.001	0.05	0.67	2.1	0.8	0.5	14.2	<0.01	0.04	0.7
CC115776		0.17	24.5	1570	22.9	6.9	<0.001	0.13	0.27	4.4	1.7	0.3	52.0	<0.01	0.02	1.1
CC128798		0.17	29.7	950	20.5	5.7	<0.001	0.04	0.52	5.3	1.0	0.3	30.6	<0.01	0.03	2.5
CC128799		0.21	9.9	2190	9.3	3.2	<0.001	0.29	0.22	2.0	1.5	0.2	105.5	0.01	<0.01	0.6
CC128800		0.32	29.1	1100	33.7	9.4	<0.001	0.08	0.37	1.3	0.6	0.4	10.7	<0.01	0.04	0.6
CC115901		0.24	20.3	1640	25.3	10.5	<0.001	0.10	0.38	1.3	0.4	1.9	12.4	<0.01	0.08	0.5
CC115902		0.14	20.3	1780	58.2	3.5	<0.001	0.21	0.22	4.2	0.8	0.2	68.8	<0.01	0.01	1.2
CC115903		0.22	42.2	710	51.8	7.0	<0.001	0.03	0.29	5.8	0.8	0.4	23.3	<0.01	0.02	4.4
CC115904		0.21	46.2	950	35.4	8.3	<0.001	0.04	0.29	5.4	0.8	0.4	29.0	<0.01	0.01	2.9
CC115905		0.21	52.4	780	70.6	6.7	<0.001	0.05	0.26	7.3	0.9	0.3	19.3	0.01	0.05	8.1
CC115906		0.08	74.8	440	94.0	7.1	<0.001	0.04	1.08	5.7	0.6	0.4	39.7	<0.01	0.15	4.6
CC115907		0.29	68.8	880	113.5	12.6	<0.001	0.06	1.22	8.2	1.6	0.4	32.9	0.01	0.18	3.6
CC115908		0.08	49.3	580	142.5	10.0	<0.001	0.04	0.49	5.9	0.6	0.3	29.9	0.01	0.12	5.2

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 5- AUG- 2011
Account: RCM

Project: Rackla- Pharoah Soils

CERTIFICATE OF ANALYSIS WH11123611

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
CC115748		0.007	0.07	0.97	26	0.08	3.47	54	0.5
CC115749		0.015	0.11	1.18	32	0.09	18.30	81	1.5
CC115750		0.009	0.08	1.24	35	0.06	7.92	95	0.5
CC115751		0.010	0.07	0.84	26	0.05	2.59	75	1.0
CC115752		0.029	0.16	0.70	46	0.21	2.60	74	1.8
CC115753		0.030	0.10	0.91	38	0.18	3.13	81	<0.5
CC115754		0.011	0.06	2.13	23	0.07	11.85	107	2.7
CC115755		0.008	0.05	2.48	21	<0.05	10.35	51	3.8
CC115756		0.010	0.09	1.13	22	0.05	4.83	94	1.0
CC115757		0.018	0.10	0.81	31	0.09	2.91	94	0.7
CC115758		0.013	0.11	0.63	35	0.07	3.52	68	2.4
CC115759		0.011	0.06	0.70	36	0.06	1.87	64	<0.5
CC115760		0.014	0.10	0.96	41	0.09	4.81	57	0.6
CC115761		0.012	0.11	0.70	38	0.06	2.86	60	0.6
CC115762		0.019	0.15	0.73	46	0.19	3.43	83	<0.5
CC115763		0.019	0.14	0.89	39	0.19	4.34	68	<0.5
CC115764		0.028	0.14	6.07	33	0.11	33.0	258	2.8
CC115765		0.012	0.09	0.62	32	0.07	2.62	56	1.0
CC115766		0.022	0.15	0.98	45	0.12	5.32	84	0.6
CC115767		0.030	0.16	1.40	38	0.16	7.07	132	1.4
CC115768		0.030	0.20	6.83	36	0.13	31.6	327	5.2
CC115769		0.009	0.10	2.67	21	<0.05	13.65	134	3.0
CC115770		0.011	0.08	0.69	25	<0.05	3.00	109	1.7
CC115771		0.008	0.17	1.39	25	<0.05	4.95	146	1.8
CC115772		0.014	0.12	0.60	35	0.08	2.80	85	1.2
CC115773		0.015	0.12	2.64	31	0.10	22.6	91	2.5
CC115774		0.015	0.08	0.80	32	0.06	2.53	91	0.5
CC115775		0.025	0.13	1.32	38	0.16	7.34	97	<0.5
CC115776		0.008	0.08	2.71	16	<0.05	25.6	92	2.9
CC128798		0.007	0.08	2.08	22	0.06	18.15	99	4.6
CC128799		0.009	0.05	1.58	10	<0.05	14.85	50	3.2
CC128800		0.014	0.07	0.77	26	0.10	3.43	73	1.0
CC115901		0.012	0.08	0.66	30	0.06	2.86	71	0.9
CC115902		0.007	0.05	0.86	11	<0.05	14.85	52	5.1
CC115903		0.010	0.06	1.72	20	0.07	20.1	108	5.2
CC115904		0.010	0.08	1.59	24	0.05	15.95	107	3.9
CC115905		0.009	0.07	1.89	24	0.07	22.3	123	6.4
CC115906		0.007	0.21	3.05	24	0.05	8.70	126	6.8
CC115907		0.018	0.23	4.62	34	0.15	26.0	122	2.1
CC115908		0.006	0.14	2.86	24	0.05	10.20	114	2.8

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 5- AUG- 2011
Account: RCM

Project: Rackla- Pharoah Soils

CERTIFICATE OF ANALYSIS WH11123611

Sample Description	Method	WEI- 21	Au- TL43	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Recvd Wt.	Au	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
CC115909		0.31	0.001	0.11	2.76	19.4	<0.2	<10	60	2.68	0.72	0.09	0.07	48.6	47.5	37
CC115910		0.32	0.007	0.13	0.86	13	<0.2	<10	50	0.68	0.21	10.05	0.26	41.4	14.4	22
CC115911		0.29	0.004	0.11	2.54	25.2	<0.2	<10	40	1.77	0.56	0.05	0.07	34.5	62.6	34
CC115912		0.26	0.002	0.13	1.84	17.2	<0.2	<10	50	1.27	0.56	0.10	0.11	15.70	35.0	24
CC115913		0.34	0.002	0.50	1.67	23.6	<0.2	<10	110	2.38	0.58	0.22	0.64	48.6	79.4	26
CC115914		0.31	0.002	0.06	1.32	42.7	<0.2	<10	90	0.65	0.57	0.09	0.08	18.95	17.2	20
CC115915		0.25	0.002	0.20	1.80	22.1	<0.2	<10	80	1.76	0.47	1.14	0.22	27.4	31.1	25
CC115916		0.27	0.001	0.04	1.27	27.0	<0.2	<10	60	0.56	0.36	0.10	0.16	22.9	13.7	24
CC115917		0.36	0.003	0.17	0.94	16.5	<0.2	<10	60	0.79	0.27	8.55	0.23	39.1	19.8	21
CC115918		0.31	0.002	0.15	1.47	17.3	<0.2	<10	60	1.19	0.38	0.45	0.19	28.3	24.6	25
CC115919		0.28	0.001	0.25	2.28	26.2	<0.2	<10	80	2.84	0.54	0.40	0.36	19.25	43.7	25
CC115920		0.31	0.002	0.09	1.40	24.7	<0.2	<10	80	1.08	0.47	0.26	0.13	44.4	27.4	23
CC115921		0.22	0.002	0.12	0.83	23.7	<0.2	<10	90	0.66	0.34	0.66	0.20	17.40	19.4	12
CC115922		0.29	0.002	0.16	1.20	42.5	<0.2	<10	70	1.36	0.55	0.30	0.20	31.2	27.6	19
CC115923		0.24	0.001	0.23	1.45	21.9	<0.2	<10	90	0.89	0.51	0.14	0.12	32.0	20.6	20
CC115924		0.35	0.003	0.39	1.65	65.3	<0.2	<10	110	2.12	0.80	0.89	0.31	96.4	43.6	18
CC115588		0.23	0.001	0.06	2.66	8.8	<0.2	<10	40	1.30	0.51	0.02	0.04	25.3	26.0	36
CC115589		0.22	0.002	0.12	2.34	16.9	<0.2	<10	50	1.10	0.45	0.04	0.22	23.5	39.7	35
CC115590		0.23	0.003	0.12	2.07	21.7	<0.2	<10	90	1.18	0.38	0.04	0.14	13.85	34.7	30
CC115591		0.27	0.003	0.30	1.92	36.7	<0.2	<10	90	1.11	0.41	0.05	0.22	11.80	47.3	27
CC115540		0.28	0.002	0.10	2.28	17.3	<0.2	<10	80	1.51	0.45	0.08	0.15	13.70	28.0	32
CC115541		0.22	0.003	0.16	1.77	12.4	<0.2	<10	120	1.59	0.33	0.89	0.18	37.5	14.7	34
CC115542		0.20	0.001	0.11	1.55	30.2	<0.2	<10	70	1.68	0.49	0.31	0.23	15.95	17.9	24
CC115543		0.16	0.004	0.18	1.84	9.2	<0.2	<10	120	1.19	0.21	0.99	0.14	38.1	9.2	45
CC115544		0.23	0.001	0.05	1.38	9.1	<0.2	<10	80	1.41	0.24	0.32	0.16	42.6	9.6	18
CC115545		0.26	0.002	0.06	1.61	22.2	<0.2	<10	50	0.99	0.50	0.10	0.18	17.65	19.2	27
CC115546		0.18	0.002	0.16	1.22	16.3	<0.2	<10	80	1.37	0.34	1.42	0.31	29.2	12.9	16
CC115547		0.31	0.002	0.10	1.90	8.1	<0.2	<10	60	1.26	0.41	0.04	0.19	14.60	18.9	28
CC115548		0.23	0.001	0.14	1.65	10.9	<0.2	<10	50	0.82	0.39	0.04	0.20	14.35	14.4	32
CC115549		0.18	0.002	0.14	1.94	17.3	<0.2	<10	80	1.07	0.45	0.05	0.26	15.05	31.1	36
CC115550		0.18	0.001	0.15	0.75	27.0	<0.2	<10	50	1.33	0.24	1.72	0.20	34.3	14.6	9
CC128675		0.17	0.005	0.12	0.91	9.7	<0.2	<10	60	1.58	0.21	3.05	0.21	21.2	12.7	12
CC128676		0.24	0.003	0.32	1.35	29.1	<0.2	<10	80	1.61	0.37	0.78	0.19	41.6	16.7	20
CC128677		0.39	0.002	0.05	0.99	187.0	<0.2	<10	80	1.05	0.29	0.09	0.17	43.1	15.5	21
CC128678		0.38	0.001	0.04	1.27	20.1	<0.2	<10	50	0.58	0.34	0.03	0.12	19.30	12.1	20
CC128679		0.25	0.001	0.03	1.63	17.4	<0.2	<10	90	0.64	0.35	0.06	0.14	25.5	9.8	25
CC128680		0.20	0.002	0.14	1.46	14.6	<0.2	<10	70	0.92	0.32	1.19	0.13	15.50	8.3	22
CC128681		0.38	0.002	0.05	1.06	32.8	<0.2	<10	40	0.94	0.46	0.05	0.17	20.5	21.6	19
CC128682		0.35	0.001	0.04	1.69	14.3	<0.2	<10	70	0.63	0.30	0.06	0.13	23.6	9.5	25
CC128683		0.12	0.002	0.05	1.18	14.9	<0.2	<10	110	0.87	0.18	1.65	0.22	26.0	8.2	35

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 5- AUG- 2011
Account: RCM

Project: Rackla- Pharoah Soils

CERTIFICATE OF ANALYSIS WH11123611

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
CC115909		16.35	82.7	5.59	8.03	0.16	0.10	0.05	0.041	0.07	14.6	94.3	1.16	2450	1.03	0.01
CC115910		1.34	34.4	2.24	2.87	0.11	0.30	0.08	0.025	0.08	18.1	24.7	2.46	459	1.04	0.01
CC115911		8.48	80.6	5.59	7.46	0.15	0.08	0.04	0.037	0.06	12.3	102.5	1.13	2300	0.86	0.01
CC115912		8.82	52.4	5.32	5.06	0.10	0.08	0.04	0.046	0.07	5.7	66.0	0.63	1700	0.87	0.01
CC115913		16.95	82.5	5.45	5.10	0.14	0.08	0.17	0.042	0.08	10.9	46.8	0.43	4600	1.12	<0.01
CC115914		4.50	31.7	4.42	4.49	0.09	0.03	0.05	0.030	0.05	6.9	31.6	0.30	371	1.48	<0.01
CC115915		3.23	58.6	5.98	4.40	0.17	0.24	0.10	0.065	0.06	8.4	68.9	0.65	958	1.11	0.01
CC115916		2.55	37.2	4.01	4.19	0.09	0.02	0.04	0.026	0.05	9.7	23.4	0.38	390	1.26	<0.01
CC115917		2.14	42.2	2.66	3.05	0.11	0.31	0.10	0.027	0.07	16.4	30.9	2.23	548	1.44	0.01
CC115918		1.80	55.3	4.55	4.27	0.13	0.13	0.12	0.038	0.07	11.0	53.1	0.93	874	1.08	0.01
CC115919		11.90	84.4	5.88	4.98	0.14	0.18	0.06	0.050	0.07	5.7	63.2	0.53	1140	2.56	0.01
CC115920		7.68	52.0	5.13	4.60	0.13	0.03	0.06	0.026	0.07	16.5	29.7	0.35	625	1.49	<0.01
CC115921		2.89	30.8	3.49	2.95	0.08	0.04	0.20	0.024	0.08	6.1	6.2	0.11	1500	0.94	0.01
CC115922		7.38	46.9	5.87	3.36	0.13	0.09	0.10	0.031	0.09	9.5	24.4	0.30	1320	0.87	<0.01
CC115923		5.54	36.4	4.69	4.64	0.11	0.05	0.11	0.030	0.09	11.8	32.2	0.39	916	0.91	<0.01
CC115924		5.04	71.0	9.46	4.49	0.29	0.29	0.59	0.060	0.07	30.7	43.2	0.52	2350	1.50	<0.01
CC115588		9.16	97.1	5.39	8.25	0.12	0.06	0.02	0.040	0.07	9.8	94.9	0.99	3930	0.66	<0.01
CC115589		8.81	44.0	5.95	8.10	0.12	0.07	0.08	0.041	0.06	8.8	54.3	0.58	3130	1.53	<0.01
CC115590		3.60	56.3	4.61	6.32	0.09	0.05	0.05	0.031	0.06	5.3	49.0	0.61	2540	1.05	<0.01
CC115591		5.44	77.1	5.14	6.14	0.10	0.05	0.08	0.035	0.06	5.0	43.2	0.48	3320	1.44	0.01
CC115540		4.97	49.3	4.65	6.67	0.09	0.08	0.03	0.040	0.08	4.7	55.5	0.73	2290	1.11	0.01
CC115541		2.64	48.0	3.36	5.27	0.14	0.22	0.06	0.037	0.09	17.9	45.6	1.10	511	0.87	0.01
CC115542		3.71	34.0	5.81	5.34	0.11	0.06	0.05	0.048	0.08	4.6	29.5	0.28	1320	1.05	0.01
CC115543		1.86	27.8	2.53	5.99	0.11	0.23	0.07	0.035	0.07	23.4	49.0	1.41	241	0.70	<0.01
CC115544		2.56	15.6	2.90	4.01	0.09	0.06	0.03	0.033	0.04	9.4	29.4	0.22	624	1.09	<0.01
CC115545		8.02	34.4	4.85	6.42	0.10	<0.02	0.03	0.036	0.06	8.1	29.4	0.33	879	1.65	<0.01
CC115546		2.54	28.2	3.52	3.31	0.11	0.12	0.06	0.040	0.05	12.0	21.6	0.29	633	0.95	<0.01
CC115547		5.15	32.5	4.49	6.29	0.09	0.09	0.07	0.036	0.06	6.8	41.6	0.38	1320	0.96	<0.01
CC115548		2.82	23.3	6.29	8.50	0.11	0.03	0.08	0.029	0.05	6.6	12.0	0.16	1440	1.15	<0.01
CC115549		5.86	20.5	6.17	6.61	0.11	0.14	0.09	0.037	0.06	5.1	22.4	0.26	3180	1.04	<0.01
CC115550		1.42	35.4	3.02	1.97	0.11	0.11	0.07	0.039	0.03	15.5	10.2	0.17	674	0.91	<0.01
CC128675		2.09	33.7	1.82	2.40	0.07	0.13	0.07	0.025	0.04	9.4	18.3	0.26	831	0.65	<0.01
CC128676		3.36	53.3	3.91	3.87	0.13	0.20	0.15	0.039	0.08	22.9	35.1	0.54	533	0.94	0.01
CC128677		0.74	36.5	3.41	2.76	0.11	0.03	0.24	0.023	0.05	19.3	22.8	0.39	543	0.50	<0.01
CC128678		1.61	29.6	3.63	4.52	0.08	<0.02	0.04	0.022	0.05	7.0	29.7	0.32	334	0.78	<0.01
CC128679		2.11	23.7	3.41	5.62	0.09	<0.02	0.05	0.028	0.05	10.0	23.7	0.32	351	1.28	<0.01
CC128680		2.33	22.7	3.02	3.70	0.09	0.14	0.09	0.033	0.07	7.5	25.0	0.35	274	0.65	0.01
CC128681		1.47	46.0	4.67	3.25	0.09	0.03	0.04	0.029	0.04	6.7	32.9	0.30	596	0.72	<0.01
CC128682		1.97	23.9	3.04	5.68	0.08	0.02	0.04	0.025	0.05	9.9	29.8	0.39	351	1.09	<0.01
CC128683		0.94	25.2	2.28	3.93	0.10	0.11	0.06	0.026	0.04	11.6	27.3	0.81	248	0.55	0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 5- AUG- 2011
Account: RCM

Project: Rackla- Pharoah Soils

CERTIFICATE OF ANALYSIS WH11123611

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
CC115909		0.14	45.4	960	91.9	11.4	<0.001	0.06	0.56	5.7	0.9	0.4	37.8	0.01	0.17	4.7
CC115910		0.08	24.4	920	19.7	5.1	0.001	0.03	0.35	5.1	0.9	0.2	261	0.01	0.04	8.0
CC115911		0.07	51.3	540	66.3	7.1	<0.001	0.04	0.86	6.5	0.5	0.3	28.7	<0.01	0.12	5.6
CC115912		0.13	39.5	700	47.5	8.3	<0.001	0.05	0.45	6.0	0.6	0.3	12.4	<0.01	0.10	3.8
CC115913		0.17	46.9	1360	180.5	12.1	<0.001	0.08	1.00	4.7	1.0	0.4	26.1	0.01	0.09	1.9
CC115914		0.42	31.2	320	30.1	9.0	<0.001	0.04	3.54	2.8	0.3	0.5	16.6	<0.01	0.09	4.6
CC115915		0.17	51.4	1310	40.6	5.6	<0.001	0.11	0.68	12.2	1.6	0.3	52.5	0.01	0.09	6.6
CC115916		0.33	30.6	660	27.1	7.4	<0.001	0.05	1.52	2.0	0.4	0.4	15.1	<0.01	0.06	1.3
CC115917		0.07	27.7	1000	25.9	5.2	0.001	0.06	0.44	5.2	1.1	0.2	313	0.01	0.04	8.4
CC115918		0.09	46.1	990	35.0	5.2	<0.001	0.07	0.52	7.5	1.1	0.3	35.1	0.01	0.05	7.8
CC115919		0.23	62.5	1450	72.0	11.7	0.001	0.10	1.07	6.4	1.4	0.4	32.3	0.01	0.11	4.4
CC115920		0.32	37.9	670	56.0	11.1	<0.001	0.05	2.74	2.0	0.5	0.4	24.9	0.01	0.07	1.9
CC115921		0.24	21.0	1450	61.3	8.9	<0.001	0.13	1.95	1.5	0.7	0.3	40.8	<0.01	0.07	0.7
CC115922		0.17	39.8	1030	64.6	7.8	<0.001	0.07	3.52	3.4	0.7	0.3	30.6	0.01	0.10	3.7
CC115923		0.23	27.5	850	38.2	12.5	<0.001	0.07	1.39	2.6	0.5	0.3	17.0	<0.01	0.09	2.9
CC115924		0.16	59.6	1780	93.3	6.8	0.001	0.17	4.99	11.0	2.4	0.2	56.7	0.02	0.23	4.5
CC115588		0.09	73.1	360	47.1	8.5	<0.001	0.02	0.73	4.8	0.3	0.5	22.5	<0.01	0.15	3.7
CC115589		0.60	28.8	890	48.3	10.8	<0.001	0.04	0.97	3.7	0.6	0.5	13.3	0.01	0.11	3.1
CC115590		0.28	32.7	1160	50.8	8.8	<0.001	0.08	0.73	1.7	0.5	0.4	12.6	<0.01	0.09	0.7
CC115591		0.38	26.6	1090	50.5	12.6	<0.001	0.09	1.02	2.4	0.7	0.4	14.5	<0.01	0.14	1.3
CC115540		0.27	33.8	1300	45.5	12.1	<0.001	0.07	0.59	2.4	0.6	0.5	14.0	<0.01	0.09	1.2
CC115541		0.25	34.3	1240	31.1	8.4	<0.001	0.09	0.49	5.6	1.3	0.3	55.1	0.01	0.05	2.8
CC115542		0.25	25.2	2040	49.2	10.9	<0.001	0.12	0.78	2.2	0.7	0.4	27.2	0.01	0.12	1.1
CC115543		0.35	24.0	1300	17.7	12.2	<0.001	0.09	0.42	5.0	1.5	0.4	81.9	0.01	0.04	2.4
CC115544		0.31	12.9	1530	20.3	10.8	<0.001	0.06	0.41	1.5	0.8	0.4	24.5	0.01	0.06	0.8
CC115545		0.43	28.0	840	39.9	11.2	<0.001	0.03	0.96	1.5	0.7	0.6	14.7	<0.01	0.11	0.4
CC115546		0.37	27.1	1580	27.9	9.2	<0.001	0.13	0.63	3.7	1.3	0.3	108.5	0.01	0.09	1.4
CC115547		0.48	25.3	1810	27.8	12.0	<0.001	0.09	0.58	1.5	0.8	0.4	10.8	0.01	0.10	1.3
CC115548		0.47	13.9	1890	31.0	10.2	<0.001	0.12	0.66	0.7	1.0	0.5	8.2	0.01	0.13	0.3
CC115549		0.36	16.5	3770	58.9	10.0	<0.001	0.14	0.62	1.2	1.0	0.4	9.7	0.01	0.14	1.4
CC115550		0.17	26.0	1490	23.5	5.2	<0.001	0.12	0.54	4.4	1.4	0.2	137.5	0.01	0.07	1.0
CC128675		0.26	17.9	1390	21.0	4.5	<0.001	0.16	0.30	3.1	1.1	0.2	199.5	0.01	0.05	1.1
CC128676		0.17	36.1	1370	32.6	7.1	<0.001	0.06	0.98	6.4	1.0	0.3	76.0	<0.01	0.05	3.0
CC128677		0.08	33.7	340	19.8	4.7	<0.001	0.01	3.18	4.8	1.2	0.2	26.5	<0.01	0.04	6.0
CC128678		0.29	27.6	580	18.6	9.2	<0.001	0.04	0.89	1.3	<0.2	0.4	8.8	<0.01	0.03	0.8
CC128679		0.48	23.6	570	16.1	9.0	0.001	0.04	0.98	1.6	0.5	0.6	8.8	<0.01	0.05	0.6
CC128680		0.40	22.1	1950	18.1	11.9	<0.001	0.15	0.97	3.6	0.9	0.3	93.1	0.01	0.04	1.8
CC128681		0.12	42.7	590	32.1	4.9	<0.001	0.02	1.20	3.0	0.4	0.3	15.3	<0.01	0.05	3.3
CC128682		0.41	23.1	560	16.2	9.0	<0.001	0.03	0.70	1.3	0.5	0.5	9.6	<0.01	0.03	0.5
CC128683		0.22	23.7	1000	17.0	4.9	<0.001	0.13	0.27	2.5	1.4	0.3	84.5	<0.01	0.01	1.1

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 5- AUG- 2011
Account: RCM

Project: Rackla- Pharoah Soils

CERTIFICATE OF ANALYSIS WH11123611

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
CC115909		0.006	0.11	1.68	26	0.06	14.10	112	2.5
CC115910		<0.005	0.07	3.30	15	0.10	12.85	72	16.4
CC115911		<0.005	0.11	1.82	23	0.06	8.44	122	3.8
CC115912		0.005	0.09	1.45	18	0.05	8.43	114	1.7
CC115913		0.008	0.22	2.08	27	0.07	14.75	142	1.4
CC115914		0.011	0.13	0.78	35	0.17	4.07	79	1.2
CC115915		<0.005	0.09	1.11	23	0.09	30.0	138	6.6
CC115916		0.023	0.08	0.96	38	0.17	4.59	92	<0.5
CC115917		<0.005	0.07	4.27	15	0.07	13.50	81	17.7
CC115918		<0.005	0.09	1.69	16	0.05	16.45	130	5.1
CC115919		0.008	0.18	2.22	26	0.09	22.2	160	4.4
CC115920		0.016	0.10	1.29	33	0.14	7.35	104	0.6
CC115921		0.009	0.09	1.05	22	0.12	6.18	67	0.8
CC115922		0.006	0.13	1.56	21	0.10	10.45	115	2.2
CC115923		0.006	0.11	0.97	24	0.08	5.86	88	1.0
CC115924		0.006	0.15	2.00	23	0.15	51.9	143	5.3
CC115588		<0.005	0.04	1.33	23	<0.05	6.65	103	2.1
CC115589		0.021	0.11	1.08	39	0.15	4.61	89	2.0
CC115590		0.013	0.09	1.32	28	0.09	3.58	91	1.1
CC115591		0.015	0.12	1.47	28	0.08	3.45	104	1.4
CC115540		0.009	0.10	1.10	29	0.08	5.79	101	2.0
CC115541		0.008	0.08	3.20	24	0.09	23.0	98	5.2
CC115542		0.008	0.10	1.04	30	0.07	6.10	121	1.3
CC115543		0.009	0.10	5.30	32	0.07	21.7	91	5.8
CC115544		0.009	0.09	2.45	25	0.07	8.52	60	1.3
CC115545		0.023	0.09	0.92	39	0.15	4.49	110	<0.5
CC115546		0.009	0.08	3.09	21	0.09	20.8	96	2.4
CC115547		0.012	0.09	1.00	30	0.08	3.61	86	2.4
CC115548		0.012	0.07	0.98	37	0.09	3.41	61	0.7
CC115549		0.013	0.08	0.94	33	0.06	3.97	78	3.8
CC115550		<0.005	0.06	1.89	11	0.05	24.9	67	2.2
CC128675		0.008	0.05	1.95	11	<0.05	15.50	63	3.7
CC128676		0.006	0.12	3.60	21	0.06	25.8	92	6.1
CC128677		<0.005	0.07	1.02	19	0.06	11.00	80	1.4
CC128678		0.008	0.10	0.64	25	0.09	4.35	74	<0.5
CC128679		0.016	0.18	0.81	40	0.20	5.57	71	<0.5
CC128680		0.011	0.09	4.45	23	0.08	15.50	91	3.8
CC128681		0.005	0.07	0.85	18	0.07	6.37	93	1.0
CC128682		0.017	0.15	0.80	38	0.18	4.08	68	<0.5
CC128683		0.007	0.08	3.89	26	0.05	10.05	70	3.3

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 5- AUG- 2011
Account: RCM

Project: Rackla- Pharoah Soils

CERTIFICATE OF ANALYSIS WH11123611

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- TL43 Au ppm 0.001	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1
CC128684		0.19	0.002	0.06	1.27	15.3	<0.2	<10	40	0.88	0.16	1.06	0.21	48.9	9.8	52
CC128685		0.14	0.001	0.16	1.00	7.1	<0.2	<10	90	0.82	0.14	1.81	0.41	33.0	5.7	24
CC128686		0.27	0.002	0.24	1.52	10.9	<0.2	<10	100	1.16	0.21	0.75	0.32	47.5	8.9	31
CC128687		0.24	0.002	0.16	1.60	18.0	<0.2	<10	80	1.26	0.28	0.30	0.19	59.0	12.7	31
CC128688		0.27	0.001	0.08	1.23	7.7	<0.2	<10	40	0.58	0.34	0.09	0.16	6.85	9.7	23
CC128689		0.16	0.001	0.20	1.05	11.9	<0.2	<10	80	1.14	0.21	2.29	0.18	21.0	9.0	13
CC128690		0.22	0.001	0.06	1.43	15.1	<0.2	<10	60	1.02	0.39	0.16	0.18	14.90	12.9	28
CC128691		0.23	0.002	0.11	1.09	17.1	<0.2	<10	60	0.69	0.33	0.08	0.17	13.35	8.3	21
CC115619		0.32	0.008	0.16	0.88	20.8	<0.2	<10	60	1.04	0.28	1.79	0.36	41.2	14.5	19
CC115620		0.15	0.005	0.07	1.57	3.8	<0.2	<10	550	1.16	0.22	1.37	0.30	18.70	12.6	34
CC115621		0.34	0.002	0.10	1.20	11.6	<0.2	<10	70	1.04	0.33	0.08	0.19	13.55	11.6	24
CC115622		0.43	0.002	0.11	2.15	14.8	<0.2	<10	60	1.90	0.42	0.05	0.12	29.6	35.3	37
CC115623		0.42	0.001	0.07	2.06	19.6	<0.2	<10	40	1.39	0.53	0.03	0.13	16.65	11.4	31
CC115624		0.41	0.001	0.27	2.02	16.7	<0.2	<10	70	1.18	0.41	0.05	0.23	16.25	36.9	34
CC115625		0.29	0.002	0.09	2.01	13.2	<0.2	<10	100	1.96	0.55	0.11	0.20	19.45	36.9	30
CC115626		0.42	0.004	0.21	2.14	21.3	<0.2	<10	70	1.78	0.39	0.05	0.13	23.0	69.8	32
CC115627		0.41	0.004	0.12	2.01	34.0	<0.2	<10	110	1.32	0.64	0.05	0.11	15.10	33.1	30
CC115628		0.27	0.002	0.08	1.47	3.1	<0.2	<10	490	1.63	0.27	0.59	0.18	34.9	12.2	30
CC115629		0.29	0.002	0.11	2.26	14.0	<0.2	<10	150	1.40	0.29	0.60	0.30	60.0	15.4	54
CC115630		0.45	0.004	0.07	2.02	8.6	<0.2	<10	80	1.22	0.23	1.31	0.33	52.0	11.9	49
CC115631		0.48	0.003	0.08	2.36	9.1	<0.2	<10	50	1.33	0.23	0.49	0.32	55.1	10.3	58
CC115632		0.32	0.009	0.79	1.50	17.8	<0.2	<10	90	1.00	0.21	1.33	0.32	45.9	7.6	27
CC115633		0.27	0.002	0.20	1.29	28.3	<0.2	<10	60	1.39	0.39	0.73	0.14	34.0	23.9	20
CC115634		0.36	0.003	0.23	0.69	42.7	<0.2	<10	70	0.84	0.27	1.25	0.44	36.6	11.8	14
CC115635		0.25	0.005	0.20	1.81	17.4	<0.2	<10	130	1.42	0.21	1.16	0.26	44.8	10.0	43
CC115636		0.32	0.002	0.10	2.11	11.0	<0.2	<10	110	1.38	0.23	0.79	0.15	48.4	9.7	46
CC115637		0.26	0.002	0.19	1.62	12.4	<0.2	<10	170	1.20	0.25	1.47	0.48	43.2	10.9	32
CC115638		0.33	0.005	0.18	2.10	11.6	<0.2	<10	100	1.30	0.25	0.67	0.19	46.0	11.3	46
CC115639		0.25	0.003	0.17	2.20	10.9	<0.2	<10	180	1.11	0.31	0.93	0.51	50.4	14.2	45
CC128986		0.30	0.001	0.06	1.29	21.8	<0.2	<10	70	0.84	0.39	0.56	0.25	43.5	14.1	17
CC128987		0.33	0.001	0.10	1.23	31.9	<0.2	<10	50	0.83	0.55	0.26	0.10	10.85	28.2	20
CC128988		0.41	0.001	0.13	1.27	32.0	<0.2	<10	40	0.81	0.53	0.41	0.10	12.65	21.8	19
CC128989		0.40	0.002	0.20	1.65	46.6	<0.2	<10	70	1.25	0.67	0.55	0.16	14.70	47.5	24
CC128990		0.47	0.001	0.08	1.24	23.8	<0.2	<10	50	0.73	0.52	0.37	0.10	12.70	23.8	20
CC128991		0.33	0.002	0.13	1.53	31.1	<0.2	<10	60	0.93	0.57	0.46	0.11	14.55	28.8	21
CC128992		0.37	0.001	0.13	1.66	21.8	<0.2	<10	50	0.99	0.54	0.51	0.12	12.65	21.2	23
CC128993		0.37	0.001	0.14	1.74	26.9	<0.2	<10	60	1.03	0.57	0.76	0.15	23.7	29.1	21
CC128994		0.41	0.002	0.12	1.12	27.6	<0.2	<10	60	0.85	0.60	0.38	0.10	15.75	27.4	19
CC128995		0.48	0.001	0.10	0.95	27.4	<0.2	<10	60	0.79	0.59	0.23	0.08	12.70	27.3	18
CC128996		0.36	0.002	0.13	1.23	29.9	<0.2	<10	80	0.98	0.50	0.48	0.11	19.40	20.4	19

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 5- AUG- 2011
Account: RCM

Project: Rackla- Pharoah Soils

CERTIFICATE OF ANALYSIS WH11123611

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
CC128684		0.97	23.8	2.47	5.01	0.15	0.14	0.07	0.029	0.06	22.4	35.0	1.44	229	0.52	0.01
CC128685		0.67	20.1	1.81	3.20	0.10	0.15	0.09	0.023	0.07	18.4	17.6	0.71	243	0.62	0.01
CC128686		0.66	26.2	2.64	4.78	0.12	0.12	0.08	0.029	0.06	26.1	32.8	0.91	398	0.82	0.01
CC128687		3.03	35.1	3.32	5.08	0.11	0.23	0.09	0.036	0.09	23.2	42.6	0.92	379	0.97	0.01
CC128688		2.51	22.2	3.29	5.58	0.08	0.02	0.05	0.025	0.07	3.1	22.6	0.32	649	1.06	0.01
CC128689		1.20	23.0	2.62	2.76	0.10	0.06	0.07	0.030	0.04	8.0	14.2	0.17	873	0.76	0.01
CC128690		5.65	23.6	4.19	7.17	0.09	<0.02	0.04	0.030	0.07	6.5	18.6	0.24	1370	1.59	0.01
CC128691		4.43	19.8	3.27	5.59	0.08	<0.02	0.08	0.025	0.06	5.6	9.2	0.13	1120	1.28	0.01
CC115619		1.19	40.0	2.72	2.98	0.12	0.14	0.06	0.030	0.09	18.0	24.5	1.04	492	1.74	0.01
CC115620		2.17	39.7	2.63	4.87	0.09	0.16	0.04	0.028	0.10	8.4	34.7	1.06	613	0.61	0.02
CC115621		7.13	39.9	3.50	6.84	0.09	0.02	0.05	0.026	0.07	5.7	14.2	0.23	1020	1.76	0.01
CC115622		9.17	55.8	4.84	7.29	0.09	0.03	0.03	0.032	0.06	10.9	59.9	0.71	2170	1.33	<0.01
CC115623		7.11	47.1	5.02	8.14	0.09	0.08	0.04	0.041	0.06	7.2	59.1	0.59	749	1.03	0.01
CC115624		7.62	36.8	5.05	7.61	0.08	0.03	0.07	0.028	0.07	6.4	45.8	0.50	3250	1.35	0.01
CC115625		9.14	51.7	4.23	6.63	0.09	<0.02	0.04	0.036	0.07	6.6	46.9	0.59	3950	1.57	0.01
CC115626		7.52	65.7	4.16	6.03	0.08	0.04	0.10	0.031	0.06	8.2	63.9	0.74	3110	1.46	0.01
CC115627		7.00	56.6	4.09	6.33	0.09	0.04	0.06	0.026	0.05	5.7	58.9	0.81	1890	1.78	0.01
CC115628		1.74	36.9	2.67	4.43	0.11	0.14	0.02	0.034	0.09	13.2	29.5	0.70	504	0.78	0.02
CC115629		1.94	37.9	2.96	8.25	0.14	0.21	0.03	0.039	0.11	27.2	54.2	2.16	475	0.73	0.01
CC115630		1.14	40.2	2.62	7.76	0.16	0.18	0.05	0.034	0.08	25.4	48.9	2.57	249	0.63	0.01
CC115631		1.60	36.7	2.78	9.43	0.17	0.24	0.02	0.035	0.11	28.6	63.6	2.98	205	0.56	0.01
CC115632		0.99	29.1	2.34	4.76	0.13	0.18	0.12	0.035	0.13	24.7	40.0	1.04	179	0.93	0.01
CC115633		0.92	50.8	4.37	4.04	0.11	0.15	0.07	0.051	0.10	16.2	34.6	0.42	514	0.98	0.01
CC115634		0.96	40.1	2.59	2.32	0.10	0.11	0.05	0.029	0.09	17.3	14.1	0.66	402	2.89	0.01
CC115635		2.85	34.6	2.67	5.87	0.12	0.14	0.11	0.036	0.09	22.1	39.3	1.42	305	0.90	0.01
CC115636		1.54	30.0	2.78	7.46	0.13	0.15	0.04	0.035	0.09	24.2	50.4	1.85	344	0.68	0.01
CC115637		1.26	31.9	2.60	5.01	0.12	0.13	0.05	0.038	0.10	20.0	35.7	1.18	546	1.28	0.01
CC115638		1.65	31.4	2.85	7.24	0.14	0.17	0.05	0.033	0.11	23.2	54.5	2.12	320	0.76	0.01
CC115639		1.73	30.5	3.16	7.32	0.11	0.17	0.03	0.049	0.10	24.1	43.1	1.69	792	0.95	<0.01
CC128986		3.01	26.3	4.32	3.30	0.12	0.09	0.06	0.054	0.03	11.2	19.8	0.26	1460	0.82	<0.01
CC128987		4.02	51.1	5.34	3.11	0.09	0.17	0.09	0.039	0.08	3.8	29.5	0.42	1120	0.77	<0.01
CC128988		2.84	44.0	5.38	3.41	0.10	0.13	0.18	0.053	0.06	4.1	30.6	0.41	1020	1.07	0.01
CC128989		5.93	66.6	6.22	4.08	0.13	0.18	0.11	0.050	0.06	5.1	35.7	0.51	3370	1.17	<0.01
CC128990		2.47	47.8	5.14	3.38	0.10	0.14	0.07	0.041	0.06	4.5	33.8	0.46	828	0.72	<0.01
CC128991		4.41	51.2	5.56	3.94	0.10	0.14	0.13	0.052	0.07	4.9	42.1	0.55	1010	0.84	<0.01
CC128992		2.86	43.4	5.43	4.58	0.11	0.17	0.08	0.050	0.05	4.5	51.2	0.61	481	0.72	<0.01
CC128993		4.30	48.2	6.24	4.46	0.14	0.19	0.14	0.051	0.06	7.1	52.2	0.67	1080	0.76	<0.01
CC128994		4.23	51.2	5.46	3.16	0.10	0.11	0.08	0.043	0.08	5.0	29.2	0.39	1130	0.63	<0.01
CC128995		3.37	54.7	5.34	2.73	0.09	0.18	0.06	0.040	0.09	4.1	24.3	0.34	816	0.57	<0.01
CC128996		9.22	42.1	4.70	3.66	0.10	0.14	0.14	0.038	0.12	6.7	25.1	0.35	992	0.61	<0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 5- AUG- 2011
Account: RCM

Project: Rackla- Pharoah Soils

CERTIFICATE OF ANALYSIS WH11123611

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
CC128684		0.18	27.2	650	16.9	5.8	<0.001	0.06	0.31	4.4	1.0	0.3	65.6	<0.01	<0.01	2.7
CC128685		0.16	15.7	1680	11.4	6.3	<0.001	0.16	0.24	2.6	1.1	0.2	103.0	<0.01	0.01	1.4
CC128686		0.26	25.9	1140	16.7	8.0	<0.001	0.08	0.42	3.6	1.0	0.3	52.1	<0.01	0.03	1.7
CC128687		0.24	34.2	640	20.8	11.2	<0.001	0.04	0.48	6.1	1.0	0.4	35.3	<0.01	0.02	4.4
CC128688		0.25	16.4	1220	16.8	8.6	<0.001	0.10	0.43	0.7	0.2	0.5	8.4	<0.01	0.02	0.2
CC128689		0.23	17.5	2100	17.8	5.4	<0.001	0.23	0.49	1.9	0.9	0.3	166.5	<0.01	0.03	0.7
CC128690		0.24	17.9	1010	28.7	11.1	<0.001	0.07	0.81	0.5	0.4	0.8	15.2	<0.01	0.07	0.2
CC128691		0.21	12.0	1380	19.5	9.2	<0.001	0.11	0.70	0.3	0.5	0.6	9.9	<0.01	0.06	<0.2
CC115619		0.12	30.3	970	22.2	5.0	0.001	0.06	0.52	5.0	0.9	0.3	57.5	<0.01	0.04	3.5
CC115620		0.27	31.4	960	21.7	8.8	<0.001	0.13	0.29	4.1	1.4	0.3	67.0	<0.01	0.03	1.6
CC115621		0.25	18.0	1010	26.5	13.2	<0.001	0.10	0.82	0.7	0.4	0.5	10.6	<0.01	0.07	0.2
CC115622		0.25	39.8	1090	41.0	7.9	<0.001	0.06	0.60	1.9	0.9	0.5	21.3	<0.01	0.09	0.8
CC115623		0.28	26.7	880	34.7	10.0	<0.001	0.07	0.58	2.9	0.5	0.5	14.0	<0.01	0.07	1.7
CC115624		0.34	27.7	1260	54.2	11.2	<0.001	0.09	0.60	1.2	0.6	0.4	12.3	<0.01	0.07	0.6
CC115625		0.27	34.0	1110	108.0	9.4	0.001	0.09	0.71	1.7	0.4	0.4	18.0	<0.01	0.06	0.4
CC115626		0.48	50.6	610	57.5	8.8	<0.001	0.05	0.73	2.8	0.6	0.4	13.5	<0.01	0.06	1.8
CC115627		0.39	35.1	620	85.2	6.8	<0.001	0.05	0.53	1.8	0.6	0.4	15.2	<0.01	0.06	1.1
CC115628		0.40	40.8	960	15.5	8.9	<0.001	0.08	0.36	6.1	0.7	0.4	26.6	<0.01	0.02	2.9
CC115629		0.32	32.1	1090	19.9	12.4	<0.001	0.08	0.40	8.3	2.0	0.5	34.2	<0.01	0.01	3.7
CC115630		0.21	30.6	900	16.9	7.8	<0.001	0.04	0.31	6.0	1.0	0.4	37.7	<0.01	0.01	5.1
CC115631		0.25	31.6	740	15.8	13.5	<0.001	0.04	0.27	5.8	1.0	0.5	27.8	<0.01	0.02	4.9
CC115632		0.32	26.6	1080	26.4	10.0	0.001	0.07	0.53	2.6	0.5	0.4	118.5	<0.01	0.02	1.7
CC115633		0.20	48.3	830	31.3	4.4	<0.001	0.07	0.66	8.2	1.1	0.3	52.0	<0.01	0.08	2.1
CC115634		0.11	27.8	1020	22.5	4.4	0.001	0.04	0.65	4.6	0.9	0.3	32.5	<0.01	0.06	2.6
CC115635		0.32	26.5	1280	16.3	12.1	<0.001	0.11	0.54	4.4	2.4	0.4	74.9	<0.01	0.02	1.6
CC115636		0.37	26.7	1010	16.2	11.7	<0.001	0.07	0.46	5.3	1.4	0.5	56.1	<0.01	0.02	2.3
CC115637		0.29	23.0	1260	19.4	9.3	<0.001	0.12	0.44	4.2	2.4	0.4	82.8	<0.01	0.02	1.5
CC115638		0.29	29.7	870	16.7	10.5	<0.001	0.05	0.41	5.1	1.3	0.5	52.4	<0.01	0.03	2.4
CC115639		0.50	25.3	1200	20.0	15.7	<0.001	0.06	0.55	6.6	1.8	0.6	66.4	0.01	0.04	2.3
CC128986		0.20	24.2	1400	21.9	4.6	<0.001	0.05	0.57	4.7	1.0	0.3	41.7	0.01	0.09	1.4
CC128987		0.10	45.3	570	33.7	4.5	<0.001	0.01	0.63	6.1	0.7	0.4	42.4	0.01	0.08	7.1
CC128988		0.15	40.5	680	35.6	3.8	0.001	0.03	0.55	8.2	1.2	0.4	47.2	0.04	0.08	5.6
CC128989		0.20	49.0	860	65.5	4.7	<0.001	0.03	0.86	9.0	1.4	0.4	49.3	0.01	0.13	4.5
CC128990		0.13	42.5	610	31.8	3.5	<0.001	0.01	0.72	6.2	0.7	0.3	38.0	0.01	0.07	6.9
CC128991		0.16	47.4	550	39.6	4.6	<0.001	0.01	0.74	7.7	0.9	0.4	47.7	0.01	0.08	6.6
CC128992		0.22	42.6	390	33.6	4.9	<0.001	0.01	0.47	8.0	0.9	0.4	49.0	0.01	0.08	5.7
CC128993		0.25	46.3	620	39.4	5.0	<0.001	0.04	0.63	8.9	1.3	0.4	56.0	0.01	0.09	4.7
CC128994		0.18	43.4	570	41.1	5.9	<0.001	0.02	0.89	6.4	0.8	0.4	47.6	0.01	0.08	6.0
CC128995		0.10	44.8	450	35.6	5.4	<0.001	0.01	0.79	5.9	0.5	0.4	40.8	0.01	0.07	7.9
CC128996		0.23	34.1	760	35.2	10.9	<0.001	0.02	2.29	5.2	0.8	0.4	39.9	0.01	0.07	3.3

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 5- AUG- 2011
Account: RCM

Project: Rackla- Pharoah Soils

CERTIFICATE OF ANALYSIS WH11123611

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
CC128684		0.008	0.06	1.93	32	0.05	15.90	89	4.1
CC128685		0.006	0.06	4.36	21	0.06	17.40	73	4.1
CC128686		0.010	0.10	4.63	30	0.08	21.8	75	3.0
CC128687		0.007	0.13	4.05	25	0.07	19.30	92	6.7
CC128688		0.008	0.08	0.48	29	0.08	2.39	55	<0.5
CC128689		0.006	0.07	2.02	17	0.05	17.55	48	1.7
CC128690		0.011	0.12	0.70	47	0.13	3.61	55	<0.5
CC128691		0.008	0.12	0.74	40	0.12	2.96	48	<0.5
CC115619		0.005	0.11	2.03	19	<0.05	16.25	82	4.2
CC115620		0.008	0.09	5.91	21	0.05	13.35	105	5.0
CC115621		0.011	0.11	0.79	35	0.08	3.61	59	0.8
CC115622		0.010	0.09	1.62	31	0.09	7.67	88	0.8
CC115623		0.008	0.08	0.89	28	0.05	3.31	74	2.2
CC115624		0.013	0.11	0.97	31	0.13	2.99	94	0.8
CC115625		0.018	0.10	1.10	36	0.12	5.01	81	<0.5
CC115626		0.018	0.14	1.53	28	0.11	6.06	88	0.9
CC115627		0.016	0.09	0.81	29	0.11	3.95	81	1.0
CC115628		0.013	0.09	2.16	24	0.10	21.7	91	3.9
CC115629		0.013	0.11	2.73	40	0.08	27.7	98	5.5
CC115630		0.011	0.08	2.11	39	0.05	17.90	100	5.5
CC115631		0.014	0.12	3.26	46	0.06	18.55	111	6.8
CC115632		0.013	0.16	4.45	33	0.08	16.20	74	5.6
CC115633		0.018	0.07	1.34	22	0.05	29.5	113	3.8
CC115634		0.006	0.12	1.48	19	0.06	15.25	77	2.8
CC115635		0.011	0.19	4.55	37	0.07	27.1	85	3.5
CC115636		0.015	0.12	4.23	43	0.11	21.1	79	3.9
CC115637		0.010	0.12	3.80	31	0.07	21.9	83	3.5
CC115638		0.013	0.14	2.51	40	0.07	21.6	88	4.4
CC115639		0.013	0.13	4.37	43	0.10	21.1	112	4.0
CC128986		0.006	0.06	0.89	19	0.06	22.3	69	1.6
CC128987		<0.005	0.07	0.89	17	<0.05	11.00	113	8.8
CC128988		<0.005	0.08	0.91	15	<0.05	15.35	105	4.1
CC128989		<0.005	0.10	1.45	22	0.07	27.4	126	4.7
CC128990		<0.005	0.06	0.73	16	<0.05	11.90	112	7.2
CC128991		<0.005	0.08	0.85	16	<0.05	14.65	120	5.5
CC128992		<0.005	0.06	0.82	17	<0.05	16.35	111	6.3
CC128993		0.005	0.09	1.02	18	<0.05	22.6	122	5.7
CC128994		<0.005	0.09	1.10	17	<0.05	14.80	115	4.3
CC128995		<0.005	0.08	0.89	16	<0.05	11.20	114	9.3
CC128996		<0.005	0.10	1.05	16	0.06	16.65	95	4.0

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 5- AUG- 2011
Account: RCM

Project: Rackla- Pharoah Soils

CERTIFICATE OF ANALYSIS WH11123611

Sample Description	Method	WEI- 21	Au- TL43	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Recvd Wt.	Au	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
CC128997		0.25	0.002	0.13	0.94	28.8	<0.2	<10	70	0.84	0.43	0.36	0.05	13.45	13.7	15
CC128998		0.38	0.002	0.16	1.32	30.4	<0.2	<10	80	1.14	0.62	0.56	0.10	23.1	23.6	19
CC128999		0.23	0.002	0.10	0.83	35.8	<0.2	<10	70	0.62	0.41	0.40	0.10	9.62	16.4	16
CC129000		0.32	0.002	0.04	1.05	19.2	<0.2	<10	60	0.54	0.36	0.04	0.08	13.60	13.1	17
CC129601		0.36	0.001	0.05	1.29	18.2	<0.2	<10	60	0.60	0.40	0.11	0.10	10.55	15.1	20
CC129602		0.28	0.001	0.08	1.11	17.3	<0.2	<10	60	0.67	0.41	0.04	0.17	9.46	16.3	18
CC129603		0.27	0.001	0.08	0.98	15.1	<0.2	<10	60	0.46	0.35	0.07	0.32	8.56	12.6	19
CC129604		0.30	0.001	0.10	1.34	18.9	<0.2	<10	60	0.77	0.44	0.14	0.17	12.00	16.4	22
CC129605		0.32	0.001	0.15	1.63	19.0	<0.2	<10	100	1.05	0.41	0.85	0.22	16.80	17.2	24
CC129606		0.26	0.002	0.08	1.30	19.0	<0.2	<10	60	0.85	0.38	0.46	0.17	14.25	15.6	20
CC129607		0.31	0.001	0.06	1.49	10.9	<0.2	<10	40	0.63	0.45	0.04	0.15	9.58	12.5	26
CC129608		0.29	0.006	0.07	1.51	17.2	<0.2	<10	60	0.90	0.41	0.48	0.12	16.10	15.8	24
CC129609		0.28	0.003	0.30	1.49	18.9	<0.2	<10	80	0.94	0.38	0.90	0.15	12.35	12.9	22
CC129610		0.38	0.002	0.16	1.70	17.5	<0.2	<10	70	1.09	0.48	0.40	0.14	11.95	15.7	24
CC129611		0.25	0.002	0.06	1.56	12.4	<0.2	<10	40	0.35	0.47	0.05	0.19	13.70	9.8	30
CC129612		0.16	0.003	0.14	2.16	14.2	<0.2	<10	160	1.34	0.39	0.48	0.27	31.8	33.7	38
CC129613		0.20	0.002	0.10	1.28	6.9	<0.2	<10	80	0.80	0.16	0.74	0.27	42.0	8.6	29
CC129614		0.27	0.002	0.07	1.84	10.2	<0.2	<10	150	0.85	0.45	0.30	0.17	27.7	13.5	36
CC129615		0.29	0.002	0.07	1.88	14.0	<0.2	<10	90	1.08	0.45	0.15	0.15	23.2	24.6	32
CC129616		0.33	<0.001	0.15	1.28	24.1	<0.2	<10	40	1.25	0.43	0.37	0.12	21.1	32.1	17
CC129617		0.32	0.001	0.10	2.20	17.9	<0.2	<10	30	1.24	0.47	0.11	0.07	27.3	41.3	28
CC129618		0.40	<0.001	0.17	1.51	24.4	<0.2	<10	40	1.07	0.59	0.16	0.08	19.55	41.9	20
CC129619		0.40	0.001	0.14	1.24	23.1	<0.2	<10	40	1.02	0.49	0.40	0.11	18.15	28.8	16
CC129620		0.41	0.001	0.11	0.58	24.5	<0.2	<10	40	0.70	0.38	3.11	0.09	11.90	17.4	8
CC129621		0.65	0.002	0.18	2.42	25.5	<0.2	<10	70	1.94	0.49	0.08	0.07	33.3	58.1	31
CC129622		0.44	0.002	0.16	2.36	36.5	<0.2	<10	40	2.05	0.61	0.03	0.07	31.4	81.6	31
CC129623		0.41	0.002	0.09	2.58	12.6	<0.2	<10	70	2.32	0.39	0.11	0.05	26.9	38.2	34
CC129624		0.38	0.002	0.11	2.48	19.8	<0.2	<10	50	2.00	0.48	0.04	0.08	31.0	54.1	31
CC129625		0.47	0.002	0.15	2.41	26.9	<0.2	<10	50	1.85	0.46	0.04	0.10	33.8	66.0	30
CC129626		0.40	0.004	0.16	2.43	44.3	<0.2	<10	40	1.43	0.64	0.03	0.08	21.6	39.9	32
CC129627		0.36	0.006	1.48	2.53	53.9	<0.2	<10	60	3.17	0.64	0.11	0.21	26.5	47.7	35
CC129628		0.41	0.008	0.24	2.20	48.2	<0.2	<10	110	1.40	0.62	0.30	0.12	32.1	40.4	34
CC129629		0.40	0.005	0.17	2.39	46.6	<0.2	<10	100	2.30	0.46	0.26	0.24	32.3	91.7	30
CC129630		0.19	0.002	0.08	1.68	6.8	<0.2	<10	110	1.10	0.23	1.25	0.32	43.2	12.2	40
CC129631		0.35	0.003	0.09	2.28	26.0	<0.2	<10	120	2.32	0.41	0.13	0.23	31.8	42.1	32
CC129632		0.42	0.005	0.20	2.37	33.4	<0.2	<10	140	3.37	0.64	0.13	0.08	26.0	56.5	31
CC129633		0.34	0.002	0.08	2.24	19.6	<0.2	<10	100	1.75	0.42	0.12	0.27	27.5	42.5	32
CC127571		0.32	0.001	0.06	2.23	3.6	<0.2	<10	30	0.97	0.29	0.04	0.10	13.10	17.0	29
CC127572		0.39	0.001	0.11	1.88	5.2	<0.2	<10	80	0.94	0.32	0.07	0.19	11.45	22.9	28
CC127573		0.41	0.001	0.10	2.54	9.8	<0.2	<10	90	1.50	0.43	0.04	0.15	20.9	32.7	33

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 5- AUG- 2011
Account: RCM

Project: Rackla- Pharoah Soils

CERTIFICATE OF ANALYSIS WH11123611

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
CC128997		6.30	35.1	3.54	2.93	0.07	0.09	0.05	0.028	0.12	5.7	16.5	0.22	324	0.46	<0.01
CC128998		10.60	49.6	5.50	3.66	0.12	0.16	0.10	0.042	0.11	8.4	29.0	0.37	1070	0.68	<0.01
CC128999		7.52	37.5	3.74	2.65	0.06	0.15	0.04	0.027	0.09	4.2	13.6	0.20	527	0.55	<0.01
CC129000		1.75	34.8	3.92	3.31	0.06	0.04	0.02	0.024	0.06	5.7	20.4	0.24	281	0.63	<0.01
CC129601		2.10	35.6	4.45	3.97	0.07	0.04	0.02	0.030	0.06	4.1	30.1	0.34	413	0.62	<0.01
CC129602		2.25	34.2	4.37	3.98	0.08	0.05	0.03	0.030	0.07	3.3	22.7	0.24	691	0.56	<0.01
CC129603		2.15	31.9	4.14	4.01	0.07	0.02	0.03	0.026	0.09	3.3	13.9	0.19	476	0.62	<0.01
CC129604		3.04	38.0	4.75	4.76	0.08	0.03	0.04	0.035	0.09	4.5	23.8	0.27	743	0.93	<0.01
CC129605		5.17	42.6	4.13	4.60	0.10	0.12	0.06	0.038	0.10	6.6	39.5	0.37	793	0.89	<0.01
CC129606		4.27	31.0	3.75	4.15	0.08	0.11	0.03	0.031	0.08	5.5	36.5	0.37	546	0.86	<0.01
CC129607		4.47	30.1	4.58	6.19	0.07	0.06	0.05	0.033	0.07	4.0	23.4	0.27	701	0.75	<0.01
CC129608		4.14	30.6	3.88	4.98	0.08	0.07	0.02	0.034	0.06	6.1	49.8	0.49	549	0.78	<0.01
CC129609		8.44	37.6	3.71	4.10	0.09	0.17	0.06	0.035	0.10	6.4	38.5	0.44	404	0.67	<0.01
CC129610		8.62	40.0	4.29	4.98	0.10	0.17	0.08	0.046	0.08	6.4	59.4	0.52	411	0.75	<0.01
CC129611		3.57	21.9	5.78	7.28	0.09	<0.02	0.04	0.036	0.05	6.8	21.2	0.29	440	1.19	<0.01
CC129612		4.91	68.0	3.51	7.14	0.10	0.13	0.33	0.044	0.09	15.0	60.3	1.28	1060	1.02	0.01
CC129613		0.71	20.9	1.95	4.59	0.09	0.17	0.07	0.028	0.06	19.9	35.3	1.07	454	0.56	<0.01
CC129614		4.10	38.3	3.55	6.79	0.09	0.09	0.04	0.043	0.07	12.4	55.7	1.07	624	0.85	<0.01
CC129615		6.71	49.2	3.94	6.64	0.08	0.07	0.05	0.038	0.07	9.4	54.1	0.80	1280	0.92	<0.01
CC129616		4.22	52.7	5.55	3.64	0.14	0.12	0.07	0.052	0.05	7.3	48.9	0.49	1110	1.18	<0.01
CC129617		6.29	65.0	5.02	6.67	0.12	0.10	0.04	0.036	0.05	10.2	79.9	0.88	2360	0.60	<0.01
CC129618		7.86	55.3	5.42	4.81	0.11	0.13	0.11	0.048	0.06	7.7	58.7	0.42	1410	1.16	<0.01
CC129619		4.64	45.5	5.08	3.54	0.12	0.12	0.08	0.049	0.06	7.0	38.1	0.29	890	1.19	<0.01
CC129620		3.37	34.6	4.35	1.71	0.08	0.19	0.15	0.039	0.07	4.6	10.3	0.14	539	1.14	0.01
CC129621		10.15	68.8	5.13	7.50	0.17	0.08	0.03	0.034	0.05	9.9	105.0	0.98	2950	0.91	0.01
CC129622		15.20	87.0	5.34	7.17	0.18	0.06	0.06	0.038	0.05	9.0	91.3	0.91	3010	1.08	0.01
CC129623		8.69	70.7	4.69	7.67	0.18	0.11	0.04	0.025	0.06	8.7	101.5	1.04	2150	0.81	0.01
CC129624		12.65	74.2	4.97	7.44	0.17	0.13	0.06	0.039	0.06	8.3	76.7	0.82	3900	1.28	0.01
CC129625		12.05	86.9	4.95	6.90	0.18	0.15	0.09	0.045	0.06	8.4	70.0	0.74	4950	1.37	0.01
CC129626		9.97	130.0	5.94	7.17	0.16	0.11	0.05	0.053	0.06	7.4	70.3	0.78	1880	1.50	0.01
CC129627		12.00	164.0	6.49	7.05	0.17	0.19	0.09	0.061	0.07	11.2	78.8	0.85	2200	1.61	0.01
CC129628		8.89	117.0	5.82	6.64	0.19	0.17	0.05	0.049	0.07	15.1	61.4	1.03	1490	1.45	0.01
CC129629		11.95	141.5	5.28	7.03	0.19	0.13	0.06	0.043	0.07	10.2	58.7	0.79	3900	2.27	0.01
CC129630		1.96	32.4	2.42	5.57	0.21	0.12	0.03	0.027	0.06	23.5	40.4	1.77	346	0.69	0.01
CC129631		4.26	94.2	4.64	6.54	0.15	0.08	0.04	0.042	0.07	10.5	65.3	0.82	1890	1.31	0.01
CC129632		8.20	152.5	5.19	6.85	0.18	0.11	0.03	0.033	0.06	7.4	77.0	0.94	2670	2.55	0.01
CC129633		5.29	54.8	4.94	7.64	0.13	0.03	0.06	0.042	0.07	10.2	54.5	0.69	2460	1.33	0.01
CC127571		3.71	45.4	4.26	6.99	0.14	0.06	0.02	0.029	0.04	4.4	77.7	0.75	729	0.52	0.01
CC127572		4.85	28.5	5.09	7.15	0.14	0.05	0.06	0.022	0.04	3.9	32.7	0.35	3270	0.78	0.01
CC127573		5.19	50.9	5.06	8.39	0.16	0.03	0.04	0.041	0.07	6.9	59.9	0.70	4990	1.46	0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 5- AUG- 2011
Account: RCM

Project: Rackla- Pharoah Soils

CERTIFICATE OF ANALYSIS WH11123611

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
CC128997		0.18	28.6	470	26.6	10.9	<0.001	0.01	1.06	3.5	0.6	0.4	40.8	0.01	0.06	3.4
CC128998		0.22	37.9	740	44.9	10.5	<0.001	0.02	1.49	6.7	1.0	0.4	39.4	0.01	0.09	4.3
CC128999		0.25	30.7	670	24.1	10.3	<0.001	0.03	1.44	2.6	0.5	0.4	48.2	<0.01	0.05	2.3
CC129000		0.24	28.6	470	18.6	7.8	<0.001	<0.01	0.79	2.0	0.3	0.3	10.9	<0.01	0.05	1.7
CC129601		0.28	30.7	550	20.1	8.2	<0.001	<0.01	0.63	2.1	0.4	0.4	19.4	<0.01	0.06	1.4
CC129602		0.26	26.6	900	24.9	9.3	<0.001	0.02	0.58	1.9	0.4	0.4	10.1	<0.01	0.07	1.2
CC129603		0.33	23.4	960	18.8	8.2	<0.001	0.04	0.63	1.1	0.5	0.4	10.8	<0.01	0.06	0.4
CC129604		0.34	28.4	1030	27.0	9.3	<0.001	0.04	0.71	1.6	0.6	0.5	19.0	<0.01	0.07	0.7
CC129605		0.38	31.0	1420	27.6	15.5	<0.001	0.08	0.69	3.6	1.4	0.5	82.6	0.01	0.06	1.4
CC129606		0.38	28.6	940	23.7	10.3	<0.001	0.05	0.59	2.9	0.6	0.4	46.2	0.01	0.06	1.7
CC129607		0.32	19.7	1250	22.5	13.0	<0.001	0.04	0.54	1.3	0.5	0.5	8.4	<0.01	0.06	0.7
CC129608		0.48	29.2	900	26.7	7.6	<0.001	0.04	0.55	2.6	0.6	0.4	51.8	0.01	0.05	1.3
CC129609		0.40	31.5	1050	22.8	13.1	<0.001	0.06	0.55	4.3	1.2	0.4	87.0	0.01	0.05	2.0
CC129610		0.35	34.7	830	23.0	15.1	0.001	0.02	0.49	6.5	1.1	0.5	54.5	0.01	0.06	2.9
CC129611		0.61	18.4	920	30.8	8.6	<0.001	0.04	0.66	0.9	0.6	0.6	9.4	<0.01	0.07	0.2
CC129612		0.48	40.7	1080	39.4	14.6	<0.001	0.07	0.51	4.4	1.3	0.5	51.4	0.01	0.06	1.7
CC129613		0.34	18.5	860	13.5	9.1	<0.001	0.05	0.29	3.6	1.3	0.3	65.4	0.01	0.03	1.6
CC129614		0.35	31.7	1390	30.6	11.4	<0.001	0.08	0.47	3.4	0.8	0.4	22.4	0.01	0.06	1.4
CC129615		0.35	31.0	1380	38.8	10.1	<0.001	0.09	0.58	2.8	0.7	0.4	19.0	<0.01	0.09	1.1
CC129616		0.17	45.9	1190	41.8	4.5	0.001	0.05	0.43	8.8	1.6	0.3	29.8	0.01	0.06	5.9
CC129617		0.18	49.4	650	50.4	5.5	<0.001	0.02	0.64	4.8	0.7	0.3	35.8	0.01	0.08	2.7
CC129618		0.11	53.3	490	46.8	5.5	0.001	0.02	0.43	7.7	1.1	0.4	27.6	<0.01	0.07	7.0
CC129619		0.13	47.3	790	35.3	4.5	0.001	0.06	0.41	7.8	1.3	0.4	33.4	0.01	0.07	6.4
CC129620		0.09	37.6	800	31.8	4.3	0.002	0.16	0.34	5.9	1.3	0.4	77.5	<0.01	0.05	6.6
CC129621		0.08	49.8	480	91.6	6.0	<0.001	0.01	0.89	7.0	0.8	0.3	36.7	<0.01	0.07	3.5
CC129622		0.14	43.4	770	85.5	6.8	<0.001	0.01	0.99	7.7	0.8	0.3	20.7	<0.01	0.10	4.4
CC129623		0.09	47.8	550	67.3	7.2	<0.001	0.02	0.37	4.6	0.6	0.3	66.8	<0.01	0.06	2.9
CC129624		0.21	39.2	1090	74.6	9.1	<0.001	0.03	0.76	5.5	1.1	0.4	20.5	<0.01	0.13	3.3
CC129625		0.25	35.6	1280	86.2	9.4	<0.001	0.05	0.97	5.8	1.8	0.4	19.2	<0.01	0.13	3.1
CC129626		0.21	34.8	730	85.3	8.4	<0.001	0.05	1.14	6.9	1.4	0.3	26.1	<0.01	0.21	3.7
CC129627		0.16	56.9	1130	88.3	9.2	<0.001	0.10	1.28	8.2	1.6	0.3	45.6	<0.01	0.21	3.1
CC129628		0.17	34.7	900	72.3	7.8	<0.001	0.05	1.57	8.1	1.3	0.3	35.6	<0.01	0.19	4.4
CC129629		0.29	45.4	1090	75.6	10.7	<0.001	0.06	1.15	5.8	1.6	0.4	33.1	<0.01	0.14	2.3
CC129630		0.15	25.6	880	14.9	7.8	<0.001	0.07	0.29	4.9	2.2	0.3	58.3	<0.01	0.01	1.7
CC129631		0.39	53.7	710	42.8	9.1	<0.001	0.04	0.80	4.3	0.9	0.4	26.6	<0.01	0.10	2.9
CC129632		0.22	46.1	670	110.0	7.8	<0.001	0.02	1.25	5.6	1.7	0.4	35.6	<0.01	0.10	2.9
CC129633		0.41	32.5	1030	48.8	11.3	<0.001	0.05	0.80	3.2	0.5	0.5	20.1	<0.01	0.09	1.8
CC127571		0.27	32.4	910	14.4	5.0	<0.001	0.03	0.34	2.0	0.4	0.3	9.4	<0.01	0.06	1.2
CC127572		0.23	20.6	2290	59.0	7.3	<0.001	0.11	0.44	0.8	0.5	0.3	11.3	<0.01	0.07	0.6
CC127573		0.34	32.4	1500	66.3	13.5	<0.001	0.03	0.81	3.8	0.9	0.5	12.3	<0.01	0.08	1.0

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 5- AUG- 2011
Account: RCM

Project: Rackla- Pharoah Soils

CERTIFICATE OF ANALYSIS WH11123611

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
CC128997		<0.005	0.09	0.88	14	<0.05	12.30	71	3.1
CC128998		<0.005	0.11	1.32	15	<0.05	21.6	111	4.6
CC128999		<0.005	0.07	0.90	15	<0.05	8.42	83	6.0
CC129000		0.005	0.07	0.69	19	<0.05	5.17	77	1.2
CC129601		0.005	0.06	0.61	21	<0.05	4.90	88	1.0
CC129602		0.005	0.07	0.53	19	<0.05	5.04	79	1.5
CC129603		0.009	0.05	0.62	21	0.05	3.58	98	0.6
CC129604		0.008	0.08	0.85	25	0.06	7.02	91	0.7
CC129605		0.007	0.09	9.49	22	0.07	17.40	120	3.0
CC129606		0.010	0.07	1.49	21	0.06	9.02	87	3.0
CC129607		0.008	0.08	0.60	28	<0.05	3.80	80	1.5
CC129608		0.015	0.06	1.07	25	0.09	6.42	79	1.9
CC129609		0.008	0.08	1.56	21	0.08	16.10	102	4.7
CC129610		0.007	0.08	1.75	21	0.05	16.30	112	4.7
CC129611		0.020	0.08	0.50	43	0.13	3.00	75	<0.5
CC129612		0.012	0.16	4.47	34	0.08	13.95	116	4.0
CC129613		0.010	0.09	3.95	28	0.05	14.70	70	5.4
CC129614		0.011	0.09	1.60	28	0.05	6.75	105	2.5
CC129615		0.010	0.08	1.16	25	0.05	5.37	91	1.9
CC129616		<0.005	0.12	1.42	12	0.06	18.60	132	4.1
CC129617		<0.005	0.08	1.43	18	<0.05	11.50	98	2.6
CC129618		<0.005	0.13	1.39	12	<0.05	10.80	106	7.6
CC129619		<0.005	0.11	1.23	10	<0.05	12.55	116	6.2
CC129620		<0.005	0.13	0.81	6	<0.05	10.00	115	10.7
CC129621		<0.005	0.13	1.50	22	<0.05	10.80	107	2.3
CC129622		0.006	0.13	2.06	23	<0.05	7.96	102	2.1
CC129623		0.005	0.09	2.03	21	<0.05	11.10	102	3.0
CC129624		0.010	0.12	2.02	26	0.05	9.23	97	3.6
CC129625		0.012	0.14	2.14	27	0.06	10.85	93	3.9
CC129626		0.008	0.14	1.78	23	<0.05	6.40	95	3.3
CC129627		0.007	0.12	2.75	21	<0.05	22.4	134	4.9
CC129628		0.008	0.11	2.87	22	<0.05	13.65	101	5.4
CC129629		0.012	0.14	4.73	25	0.06	13.80	118	3.4
CC129630		0.007	0.09	2.07	24	0.06	21.7	86	3.3
CC129631		0.013	0.11	2.24	29	0.08	7.92	102	1.9
CC129632		0.009	0.21	3.11	25	0.06	14.70	108	3.0
CC129633		0.017	0.11	1.38	33	0.10	6.06	95	1.0
CC127571		0.009	0.04	0.69	26	<0.05	3.53	85	1.8
CC127572		0.010	0.06	0.96	29	0.05	2.68	70	1.3
CC127573		0.020	0.11	1.05	39	0.10	5.27	95	0.9

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 5- AUG- 2011
Account: RCM

Project: Rackla- Pharoah Soils

CERTIFICATE OF ANALYSIS WH11123611

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- TL43 Au ppm 0.001	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1
CC127574		0.41	0.006	0.16	1.67	33.7	<0.2	<10	130	1.81	0.33	0.04	0.31	30.2	122.0	24
CC127575		0.34	0.003	0.16	2.22	34.3	<0.2	<10	70	1.32	0.54	0.01	0.09	21.4	55.6	30
CC127576		0.43	0.003	0.05	2.26	16.1	<0.2	<10	60	0.95	0.35	0.02	0.13	15.35	23.1	31
CC127577		0.40	0.003	0.12	1.92	29.4	<0.2	<10	40	0.87	0.41	0.02	0.08	17.70	19.4	27
CC127578		0.34	0.002	0.11	2.27	11.4	<0.2	<10	60	0.83	0.50	0.05	0.15	11.80	19.5	31
CC127579		0.33	0.002	0.09	1.95	7.5	<0.2	<10	80	0.88	0.45	0.04	0.14	9.48	15.9	30
CC127580		0.35	0.002	0.09	2.16	4.9	<0.2	<10	150	1.42	0.31	0.14	0.19	7.88	14.3	34
CC127581		0.29	0.003	0.08	2.75	10.4	<0.2	<10	160	2.26	0.34	0.26	0.42	28.0	22.5	41
CC127582		0.28	0.002	0.10	2.72	9.6	<0.2	<10	90	2.51	0.44	0.06	0.23	19.10	33.4	38
CC127583		0.37	0.002	0.12	2.41	31.0	<0.2	<10	120	2.43	0.45	0.05	0.14	24.7	61.6	29
CC127584		0.33	0.003	0.07	2.30	31.1	<0.2	<10	50	1.37	0.42	0.02	0.09	17.65	42.6	27
CC127585		0.34	0.008	0.05	2.02	16.5	<0.2	<10	50	1.02	0.36	0.02	0.08	18.15	21.7	26
CC127586		0.29	0.002	0.11	2.16	18.9	<0.2	<10	40	1.18	0.38	0.01	0.05	15.25	18.8	27
CC127587		0.33	0.002	0.05	1.79	18.5	<0.2	<10	30	1.11	0.36	0.02	0.04	16.00	20.5	24
CC127588		0.35	0.001	0.06	2.05	15.4	<0.2	<10	60	1.07	0.34	0.10	0.09	19.25	18.6	29
CC127589		0.37	0.002	0.04	2.04	15.3	<0.2	<10	60	1.10	0.39	0.03	0.11	20.9	24.4	28
CC127590		0.39	0.002	0.03	1.90	18.6	<0.2	<10	40	0.87	0.40	0.02	0.10	19.15	22.5	26
CC127591		0.28	0.001	0.09	1.94	17.9	<0.2	<10	40	0.92	0.38	0.02	0.08	19.40	29.9	28
CC127592		0.40	0.001	0.07	2.00	17.5	<0.2	<10	50	1.28	0.37	0.03	0.10	22.1	45.3	28
CC127593		0.39	0.002	0.05	1.47	15.0	<0.2	<10	30	0.77	0.41	0.01	0.05	16.55	18.6	23
CC127594		0.32	0.001	0.12	1.70	27.7	<0.2	<10	100	1.16	0.42	0.49	0.12	18.70	17.5	23
CC127595		0.24	0.001	0.11	1.89	12.4	<0.2	<10	120	1.18	0.27	0.43	0.12	43.2	8.3	37
CC127596		0.36	0.001	0.05	1.29	54.1	<0.2	<10	50	0.95	0.46	0.02	0.17	28.2	20.1	21
CC127597		0.32	0.002	0.08	1.31	51.6	<0.2	<10	50	1.10	0.38	0.05	0.19	32.1	22.7	22
CC127598		0.36	0.001	0.06	1.95	27.7	<0.2	<10	40	0.87	0.31	0.02	0.16	21.0	15.3	28
CC127600		0.25	0.001	0.08	1.94	17.8	<0.2	<10	50	0.89	0.36	0.04	0.14	20.3	19.6	29
CC115829		0.37	0.002	0.28	1.57	45.4	<0.2	<10	50	2.19	0.58	0.10	0.71	18.70	78.8	24
CC115830		0.29	0.001	0.11	0.74	46.2	<0.2	<10	40	0.81	0.45	0.40	0.13	17.00	20.7	16
CC115831		0.26	0.001	0.07	0.78	48.3	<0.2	<10	60	0.76	0.40	0.30	0.08	22.1	9.8	14
CC115832		0.23	0.002	0.13	0.54	52.9	<0.2	<10	50	0.77	0.44	0.49	0.19	21.3	15.8	12
CC115833		0.21	0.001	0.14	0.53	59.9	<0.2	<10	50	0.85	0.43	0.85	0.31	27.7	19.5	11
CC115834		0.32	0.001	0.14	0.83	53.4	<0.2	<10	50	1.07	0.41	0.26	0.45	38.5	21.5	13
CC115835		0.28	0.002	0.14	0.55	53.8	<0.2	<10	50	0.82	0.42	0.63	0.24	27.9	15.7	11
CC115836		0.23	0.001	0.09	0.98	34.7	<0.2	<10	50	0.95	0.44	0.28	0.11	19.25	13.8	20
CC115837		0.22	0.001	0.05	1.26	60.0	<0.2	<10	90	0.92	0.35	0.21	0.15	28.2	16.2	22
CC115838		0.29	0.002	0.16	1.18	43.5	<0.2	<10	60	1.03	0.37	0.56	0.18	23.5	11.5	18
CC115839		0.18	0.001	0.12	0.87	50.9	<0.2	<10	50	0.93	0.38	0.50	0.16	17.10	14.9	15
CC115840		0.23	0.001	0.06	0.78	56.2	<0.2	<10	50	0.65	0.34	0.10	0.12	19.05	8.8	13
CC115841		0.13	0.002	0.18	0.94	118.0	<0.2	<10	60	0.90	0.36	0.86	0.16	16.40	12.1	15
CC115842		0.21	0.001	0.10	1.02	72.9	<0.2	<10	60	0.85	0.38	0.18	0.11	22.8	11.1	16

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 5- AUG- 2011
Account: RCM

Project: Rackla- Pharoah Soils

CERTIFICATE OF ANALYSIS WH11123611

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
CC127574		5.05	117.0	4.68	4.93	0.16	0.03	0.05	0.031	0.04	8.8	56.2	0.55	4480	1.68	0.01
CC127575		7.67	103.0	5.72	6.92	0.16	0.05	0.03	0.040	0.07	8.1	61.8	0.70	2260	1.40	0.01
CC127576		2.44	47.8	4.44	7.18	0.15	0.08	0.01	0.025	0.05	5.5	75.5	0.92	1190	0.83	0.01
CC127577		3.14	63.7	4.40	6.15	0.17	0.03	0.03	0.031	0.06	6.7	51.3	0.64	1110	1.34	0.01
CC127578		4.46	48.0	5.36	8.95	0.16	0.06	0.06	0.027	0.07	4.8	42.2	0.52	1780	1.48	0.01
CC127579		5.14	37.5	5.41	7.95	0.14	0.03	0.04	0.033	0.06	4.3	34.6	0.46	1280	1.34	0.01
CC127580		3.21	35.3	3.73	7.53	0.13	0.07	0.05	0.028	0.05	3.1	67.8	0.98	956	0.83	0.01
CC127581		5.95	47.3	3.97	8.04	0.16	0.14	0.06	0.038	0.09	8.5	69.4	1.09	2140	1.01	0.01
CC127582		6.29	53.8	5.03	8.35	0.16	0.09	0.06	0.044	0.06	5.2	68.6	0.92	2930	1.04	0.01
CC127583		5.94	93.6	5.10	7.63	0.18	0.06	0.04	0.029	0.06	6.9	86.2	0.80	5290	1.34	0.01
CC127584		4.83	71.2	4.78	6.61	0.14	0.07	0.03	0.034	0.05	6.9	61.1	0.68	2430	1.11	0.01
CC127585		2.65	33.8	4.67	6.44	0.14	0.06	0.02	0.032	0.06	6.5	66.0	0.55	957	0.80	0.01
CC127586		3.16	50.2	4.57	7.11	0.16	0.13	0.03	0.029	0.05	5.8	78.3	0.68	863	0.65	0.01
CC127587		2.56	45.3	4.40	5.56	0.16	0.13	0.03	0.028	0.04	6.1	68.8	0.65	1100	0.63	0.01
CC127588		3.06	38.2	4.38	6.31	0.15	0.07	0.02	0.030	0.06	7.1	71.5	0.70	1760	0.80	0.01
CC127589		4.22	36.8	4.66	6.59	0.14	0.04	0.02	0.025	0.05	7.4	66.9	0.67	1380	0.88	0.01
CC127590		4.44	40.6	4.51	5.92	0.14	0.06	0.01	0.028	0.05	6.9	59.4	0.64	1430	0.91	0.01
CC127591		5.53	43.9	4.89	6.98	0.14	0.09	0.02	0.038	0.06	6.6	53.6	0.51	1720	1.15	0.01
CC127592		8.99	44.9	4.63	7.05	0.16	0.05	0.01	0.034	0.06	7.5	74.6	0.63	2200	1.18	0.01
CC127593		6.69	36.2	4.33	5.59	0.13	0.02	<0.01	0.031	0.06	6.3	42.5	0.39	976	0.87	0.01
CC127594		2.29	42.7	4.81	5.55	<0.05	0.10	0.04	0.039	0.07	7.9	44.2	0.48	787	0.81	0.01
CC127595		2.21	24.5	2.78	6.35	0.06	0.15	0.03	0.036	0.07	23.7	45.7	1.12	169	0.66	0.01
CC127596		2.67	61.0	5.37	3.25	0.05	0.06	0.17	0.043	0.05	12.0	25.5	0.28	664	0.93	0.01
CC127597		3.30	59.1	5.51	3.76	0.05	0.04	0.32	0.036	0.07	14.3	29.7	0.35	684	0.93	0.01
CC127598		2.91	40.6	4.74	5.92	<0.05	0.06	0.31	0.031	0.05	9.8	46.8	0.45	648	0.89	0.01
CC127600		3.44	40.9	4.62	6.13	<0.05	0.06	0.40	0.029	0.06	9.0	49.3	0.55	1300	0.86	0.01
CC115829		5.01	117.5	7.80	4.01	0.08	0.04	0.26	0.068	0.05	4.1	39.3	0.47	3040	4.16	0.02
CC115830		2.64	46.2	4.67	2.14	<0.05	0.07	0.45	0.037	0.04	5.9	22.2	0.21	679	0.78	0.01
CC115831		3.78	29.7	3.64	2.46	<0.05	0.07	0.70	0.034	0.05	11.0	14.0	0.16	191	1.82	0.01
CC115832		3.16	40.6	4.10	1.70	<0.05	0.04	0.77	0.037	0.06	10.4	8.9	0.11	451	2.66	0.01
CC115833		5.14	49.2	4.29	1.68	0.05	0.03	0.72	0.037	0.06	14.8	9.0	0.15	495	3.12	0.01
CC115834		6.36	49.8	4.80	2.34	0.05	0.03	0.53	0.039	0.06	19.6	17.2	0.21	683	3.35	0.01
CC115835		5.13	43.7	3.91	1.78	0.05	0.06	0.79	0.031	0.06	14.2	9.3	0.15	364	2.54	0.01
CC115836		3.72	39.2	4.32	2.84	<0.05	0.07	0.61	0.034	0.05	7.4	35.6	0.31	279	1.42	0.01
CC115837		3.72	43.9	4.64	3.75	<0.05	0.08	0.81	0.037	0.06	13.6	19.6	0.33	473	1.48	0.01
CC115838		8.56	49.2	4.49	3.21	<0.05	0.15	1.30	0.037	0.06	13.1	23.9	0.35	327	1.32	0.01
CC115839		8.05	40.0	4.54	2.36	0.06	0.12	0.47	0.040	0.05	7.3	21.7	0.24	460	1.17	0.01
CC115840		10.80	26.4	3.74	2.34	<0.05	0.07	0.45	0.032	0.05	8.3	17.0	0.16	270	1.25	<0.01
CC115841		16.40	46.2	3.80	2.55	<0.05	0.15	1.32	0.038	0.07	8.0	19.5	0.27	325	1.00	0.01
CC115842		8.46	32.0	4.08	2.92	0.05	0.07	1.24	0.034	0.07	10.7	26.8	0.26	311	1.26	0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 5- AUG- 2011
Account: RCM

Project: Rackla- Pharoah Soils

CERTIFICATE OF ANALYSIS WH11123611

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
CC127574		0.47	65.5	450	80.0	4.5	<0.001	0.01	1.30	5.3	1.3	0.4	18.8	<0.01	0.10	2.9
CC127575		0.22	42.4	590	64.2	8.9	<0.001	0.01	1.04	7.7	1.2	0.4	22.6	<0.01	0.14	4.5
CC127576		0.24	38.6	580	31.8	7.3	<0.001	0.01	0.53	3.1	0.8	0.3	13.3	<0.01	0.05	1.8
CC127577		0.28	29.1	480	34.0	6.5	<0.001	0.01	1.03	5.2	1.4	0.4	13.9	<0.01	0.10	2.8
CC127578		0.40	25.4	1600	32.6	13.0	<0.001	0.06	0.89	1.8	0.9	0.5	10.3	<0.01	0.10	1.0
CC127579		0.31	23.4	1700	15.3	12.5	<0.001	0.05	0.92	1.4	0.6	0.5	7.3	<0.01	0.09	0.6
CC127580		0.28	33.6	1430	29.8	8.1	<0.001	0.09	0.41	2.0	0.3	0.4	15.7	<0.01	0.06	0.9
CC127581		0.48	38.2	1500	42.9	13.0	<0.001	0.05	0.73	6.8	1.4	0.5	27.7	<0.01	0.06	2.5
CC127582		0.36	33.0	1760	47.8	11.0	<0.001	0.06	0.71	3.8	1.3	0.4	11.5	<0.01	0.08	1.8
CC127583		0.21	48.9	700	80.6	8.4	<0.001	0.01	0.77	5.9	1.3	0.4	27.0	<0.01	0.08	2.8
CC127584		0.28	34.6	770	56.3	7.9	<0.001	0.02	0.78	3.6	0.6	0.4	20.5	<0.01	0.08	2.2
CC127585		0.30	31.3	420	31.5	7.8	<0.001	0.01	0.65	3.8	0.5	0.4	10.1	<0.01	0.06	3.4
CC127586		0.11	35.8	580	30.9	7.5	<0.001	0.02	0.83	4.1	0.4	0.4	12.4	<0.01	0.06	2.7
CC127587		0.11	35.1	410	32.3	4.1	<0.001	0.01	0.78	3.8	0.5	0.3	12.5	<0.01	0.06	3.0
CC127588		0.22	33.2	810	29.4	7.2	<0.001	0.01	0.68	3.0	0.7	0.4	26.3	<0.01	0.05	1.8
CC127589		0.32	33.0	710	36.3	6.6	<0.001	0.01	0.80	3.1	0.4	0.3	12.6	<0.01	0.07	1.6
CC127590		0.23	34.6	710	32.3	5.9	<0.001	<0.01	0.76	3.4	0.7	0.4	11.1	<0.01	0.07	2.0
CC127591		0.23	28.9	1290	43.3	10.1	<0.001	0.02	1.04	4.7	1.1	0.4	9.8	<0.01	0.07	1.5
CC127592		0.29	36.1	840	53.0	7.9	<0.001	0.01	0.96	5.8	0.8	0.4	13.3	<0.01	0.08	2.1
CC127593		0.24	24.1	600	37.1	7.3	0.001	<0.01	0.62	5.2	0.5	0.4	9.3	<0.01	0.06	2.9
CC127594		0.22	33.2	970	26.5	8.7	<0.001	0.05	0.82	3.3	0.6	0.4	41.1	<0.01	0.08	2.3
CC127595		0.28	29.7	920	15.0	13.7	<0.001	0.05	0.42	4.6	1.4	0.4	36.5	<0.01	0.03	2.7
CC127596		0.19	38.8	660	28.9	8.3	<0.001	0.03	1.67	3.6	0.9	0.3	13.7	<0.01	0.08	2.6
CC127597		0.11	39.2	620	27.6	6.8	<0.001	0.03	7.18	3.7	0.7	0.3	13.6	<0.01	0.06	2.4
CC127598		0.31	30.1	1130	22.8	7.2	<0.001	0.06	9.71	1.6	0.5	0.3	8.8	<0.01	0.05	1.0
CC127600		0.21	30.0	1510	37.5	8.5	<0.001	0.05	12.30	1.9	0.6	0.3	10.0	<0.01	0.04	1.2
CC115829		0.10	95.3	1300	45.7	3.7	<0.001	0.10	1.54	9.0	1.7	0.4	41.6	<0.01	0.13	6.7
CC115830		0.06	41.2	710	29.6	3.9	<0.001	0.03	4.86	4.8	0.9	0.2	60.8	<0.01	0.08	5.1
CC115831		0.08	27.5	750	19.2	7.1	<0.001	0.03	4.61	3.0	0.6	0.3	38.6	<0.01	0.07	2.8
CC115832		0.05	35.2	810	26.6	4.8	0.001	0.06	3.76	3.4	0.8	0.3	54.8	<0.01	0.08	3.5
CC115833		0.05	41.5	860	26.2	4.5	0.001	0.07	5.72	3.5	1.1	0.3	81.9	<0.01	0.05	5.0
CC115834		0.06	43.8	1190	26.4	5.4	0.002	0.04	3.30	2.8	1.1	0.3	42.2	<0.01	0.05	3.0
CC115835		0.05	37.0	910	24.7	5.8	0.001	0.07	4.67	3.2	1.2	0.2	68.7	<0.01	0.06	3.6
CC115836		0.05	36.9	620	25.5	5.5	<0.001	0.03	1.17	4.4	0.7	0.2	36.7	<0.01	0.05	5.2
CC115837		0.22	34.2	880	23.1	9.3	<0.001	0.05	6.64	3.5	0.7	0.3	24.1	<0.01	0.07	2.0
CC115838		0.12	32.8	1150	21.4	8.7	0.001	0.08	3.12	4.8	1.2	0.3	46.9	<0.01	0.05	2.7
CC115839		0.10	33.9	890	25.6	6.8	0.001	0.06	4.71	4.6	1.2	0.3	40.7	<0.01	0.08	2.9
CC115840		0.11	21.3	680	19.3	7.5	<0.001	0.03	6.65	3.1	0.7	0.3	17.4	<0.01	0.05	2.4
CC115841		0.13	32.1	1320	21.1	9.3	<0.001	0.12	11.75	4.3	1.7	0.3	73.1	<0.01	0.05	2.2
CC115842		0.11	27.0	730	18.1	9.2	<0.001	0.03	3.66	3.8	0.8	0.3	29.1	<0.01	0.05	2.9

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 5- AUG- 2011
Account: RCM

Project: Rackla- Pharoah Soils

CERTIFICATE OF ANALYSIS WH11123611

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
CC127574		0.030	0.20	1.93	29	0.14	8.46	109	0.8
CC127575		0.014	0.14	2.41	26	0.05	5.97	117	3.0
CC127576		0.009	0.07	0.96	25	0.05	5.62	95	2.3
CC127577		0.016	0.09	1.19	26	<0.05	5.18	93	1.2
CC127578		0.017	0.12	0.98	39	0.09	3.17	87	1.6
CC127579		0.016	0.11	0.97	41	0.09	3.09	79	1.0
CC127580		0.010	0.07	0.81	26	<0.05	4.45	81	1.8
CC127581		0.019	0.11	1.64	37	0.10	18.30	94	3.1
CC127582		0.017	0.10	1.30	32	0.08	9.12	80	2.1
CC127583		0.012	0.11	2.06	27	0.07	12.50	106	1.6
CC127584		0.012	0.11	1.20	27	0.08	4.56	103	1.9
CC127585		0.007	0.07	0.72	26	0.06	3.85	78	2.0
CC127586		<0.005	0.07	0.76	20	<0.05	4.09	83	3.5
CC127587		<0.005	0.05	0.83	17	<0.05	4.27	80	3.4
CC127588		0.011	0.07	1.11	25	0.07	4.66	85	1.9
CC127589		0.015	0.07	1.00	28	0.09	4.52	86	1.1
CC127590		0.010	0.06	1.04	24	0.07	4.42	89	1.5
CC127591		0.010	0.10	1.00	28	0.06	5.33	81	2.6
CC127592		0.013	0.09	1.08	28	0.07	6.39	91	1.5
CC127593		0.008	0.08	0.92	21	0.06	4.16	74	0.7
CC127594		<0.005	0.09	0.64	27	0.06	4.20	102	2.7
CC127595		0.008	0.11	2.55	27	0.05	16.80	89	4.1
CC127596		<0.005	0.13	0.84	24	0.06	4.75	116	1.4
CC127597		<0.005	0.09	0.81	27	0.07	5.45	112	1.1
CC127598		0.010	0.07	0.65	29	0.10	3.79	83	1.6
CC127600		0.011	0.08	0.66	30	0.09	3.94	89	1.6
CC115829		<0.005	0.25	1.95	29	<0.05	15.15	177	1.2
CC115830		<0.005	0.08	0.75	14	<0.05	10.00	102	2.4
CC115831		<0.005	0.10	0.76	17	0.05	7.12	72	1.8
CC115832		<0.005	0.14	0.98	16	<0.05	9.31	88	1.4
CC115833		<0.005	0.15	0.88	16	0.05	9.15	101	1.3
CC115834		<0.005	0.17	1.08	20	<0.05	10.00	120	0.7
CC115835		<0.005	0.12	0.78	16	0.05	8.76	94	2.1
CC115836		<0.005	0.09	0.94	15	<0.05	10.55	94	2.6
CC115837		0.006	0.16	1.33	28	0.08	7.33	90	1.9
CC115838		<0.005	0.17	1.05	21	0.06	10.65	116	4.1
CC115839		<0.005	0.13	1.10	17	0.05	12.00	112	3.1
CC115840		<0.005	0.21	0.60	18	0.07	5.71	84	1.7
CC115841		<0.005	0.20	1.53	18	0.07	12.25	98	4.3
CC115842		<0.005	0.17	0.71	21	0.09	7.97	95	1.9

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 5- AUG- 2011
Account: RCM

Project: Rackla- Pharoah Soils

CERTIFICATE OF ANALYSIS WH11123611

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- TL43 Au ppm 0.001	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1
CC115843		0.24	0.001	0.07	1.02	97.5	<0.2	<10	70	0.88	0.39	0.15	0.10	23.3	15.0	18
CC115844		0.15	0.002	0.41	1.46	356	<0.2	<10	80	0.96	0.37	0.95	0.18	15.55	15.6	22
CC115845		0.20	0.001	0.06	1.04	58.3	<0.2	<10	40	0.77	0.35	0.03	0.17	22.8	14.9	18
CC115846		0.24	0.002	0.07	0.76	100.0	<0.2	<10	40	0.83	0.34	0.18	0.14	40.9	20.4	15
CC115847		0.22	0.002	0.12	0.90	46.5	<0.2	<10	40	0.82	0.32	0.35	0.10	23.5	14.0	16
CC115848		0.21	<0.001	0.04	1.60	29.2	<0.2	<10	110	0.66	0.32	0.26	0.05	21.3	7.6	23
CC115849		0.31	0.001	0.12	1.09	29.1	<0.2	<10	60	0.68	0.24	0.75	0.15	19.20	11.5	19
CC115850		0.22	0.002	0.08	1.05	42.4	<0.2	<10	60	0.65	0.29	0.17	0.19	23.1	15.4	23
CC115851		0.23	0.008	0.08	1.14	85.8	<0.2	<10	60	0.78	0.26	0.11	0.16	42.0	32.9	23
CC115852		0.25	0.003	0.07	0.96	35.1	<0.2	<10	40	0.72	0.27	0.49	0.12	28.4	14.0	19
CC115853		0.13	0.014	0.14	0.50	143.5	<0.2	<10	30	0.81	0.36	0.77	0.08	19.65	16.8	16
CC115854		0.50	0.012	0.12	0.52	278	<0.2	<10	30	0.83	0.36	0.23	0.12	35.9	28.0	19
CC115855		0.25	0.001	0.07	1.10	30.3	<0.2	<10	70	0.61	0.29	0.21	0.11	28.4	13.4	20
CC115856		0.17	0.004	0.08	1.36	46.0	<0.2	<10	60	0.79	0.28	0.19	0.20	36.0	24.4	24
CC115857		0.20	0.002	0.07	1.01	47.7	<0.2	<10	40	0.61	0.31	0.01	0.11	33.9	17.2	19
CC115858		0.13	0.001	0.08	1.31	28.4	<0.2	<10	70	0.70	0.35	0.10	0.13	27.6	12.8	23
CC115859		0.16	0.001	0.07	1.50	18.5	<0.2	<10	60	0.61	0.42	0.36	0.09	13.60	9.4	23
CC115860		0.29	0.007	0.12	1.10	74.7	<0.2	<10	60	0.81	0.34	0.09	0.18	47.1	28.7	23
CC115861		0.24	0.003	0.09	1.42	38.2	<0.2	<10	50	0.69	0.36	0.06	0.13	26.2	24.1	24
CC115862		0.20	0.002	0.07	1.67	20.9	<0.2	<10	60	0.56	0.35	0.05	0.18	14.75	15.3	29

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 5- AUG- 2011
Account: RCM

Project: Rackla- Pharoah Soils

CERTIFICATE OF ANALYSIS WH11123611

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
CC115843		12.15	36.2	4.54	3.04	<0.05	0.11	1.95	0.033	0.07	11.7	21.0	0.23	415	1.26	0.01
CC115844		58.9	49.0	4.11	3.58	0.05	0.14	2.71	0.037	0.14	8.2	19.7	0.44	589	0.98	0.01
CC115845		3.57	39.1	4.27	3.55	<0.05	0.02	0.80	0.028	0.06	11.5	18.0	0.20	511	1.21	0.01
CC115846		1.92	50.0	4.53	2.49	0.07	0.04	2.59	0.029	0.06	20.4	20.8	0.26	615	1.03	0.01
CC115847		4.73	41.8	3.94	2.57	0.06	0.12	1.55	0.030	0.07	11.5	19.4	0.29	379	1.10	0.01
CC115848		4.25	18.8	3.52	5.58	<0.05	0.05	0.11	0.030	0.06	9.5	23.0	0.31	254	1.06	0.01
CC115849		4.99	44.6	3.31	3.71	<0.05	0.05	0.27	0.025	0.08	9.4	13.6	0.31	480	0.80	0.01
CC115850		3.92	44.9	4.50	4.99	<0.05	<0.02	0.42	0.026	0.10	11.1	10.6	0.21	981	0.85	0.01
CC115851		9.13	76.8	4.77	3.82	0.06	0.03	9.21	0.023	0.08	20.1	25.4	0.35	1140	0.65	0.01
CC115852		3.32	44.4	3.84	2.93	0.05	0.08	0.39	0.026	0.08	14.8	23.1	0.32	354	0.73	0.01
CC115853		15.35	48.2	3.66	1.60	<0.05	0.06	1.27	0.031	0.10	9.0	8.0	0.21	305	0.55	0.01
CC115854		11.40	72.0	4.74	1.97	0.06	0.04	2.33	0.030	0.13	17.5	9.5	0.20	354	0.67	0.01
CC115855		3.49	40.0	3.94	4.60	0.05	<0.02	0.11	0.022	0.07	14.4	13.2	0.23	552	1.05	0.01
CC115856		3.77	49.0	4.56	4.46	0.06	0.04	0.23	0.034	0.09	17.4	23.7	0.37	892	0.73	0.01
CC115857		2.96	47.8	4.46	3.71	0.05	0.02	0.31	0.027	0.07	17.4	10.5	0.18	479	1.19	0.01
CC115858		5.03	34.7	3.70	5.00	<0.05	0.02	0.11	0.030	0.08	13.3	28.9	0.28	552	1.31	0.01
CC115859		4.73	25.5	3.74	5.30	0.06	0.07	0.10	0.035	0.06	6.2	63.9	0.45	244	0.70	0.01
CC115860		6.75	79.2	5.20	3.79	0.10	0.04	2.09	0.027	0.09	20.8	18.6	0.40	1100	0.81	0.01
CC115861		3.61	49.6	5.05	5.00	0.08	0.06	0.16	0.036	0.07	11.1	37.4	0.38	1670	0.93	0.01
CC115862		2.95	31.4	5.47	7.12	0.07	0.04	0.09	0.033	0.06	6.4	29.0	0.34	1690	0.93	0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 5- AUG- 2011
Account: RCM

Project: Rackla- Pharoah Soils

CERTIFICATE OF ANALYSIS WH11123611

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
CC115843		0.15	31.6	800	21.0	9.2	<0.001	0.03	7.31	3.4	0.5	0.3	25.2	<0.01	0.06	3.0
CC115844		0.21	30.5	1630	20.4	20.4	<0.001	0.13	7.73	5.3	1.4	0.4	100.0	<0.01	0.05	1.8
CC115845		0.20	29.5	970	21.5	9.1	<0.001	0.04	6.09	1.6	0.5	0.3	10.6	<0.01	0.06	0.9
CC115846		0.07	37.6	610	21.5	4.2	<0.001	0.02	8.21	4.7	0.7	0.2	27.1	<0.01	0.05	6.4
CC115847		0.10	31.0	740	18.8	5.7	<0.001	0.05	5.72	4.0	1.1	0.2	38.8	<0.01	0.05	2.9
CC115848		0.29	18.4	920	15.3	11.6	<0.001	0.05	1.51	2.7	0.3	0.5	36.5	<0.01	0.05	1.7
CC115849		0.29	22.7	1400	17.2	9.1	<0.001	0.13	10.35	1.8	0.7	0.3	87.6	<0.01	0.04	0.7
CC115850		0.19	23.2	1370	23.6	10.0	<0.001	0.08	17.15	0.9	0.4	0.3	22.9	<0.01	0.07	0.3
CC115851		0.14	42.0	550	27.2	7.5	<0.001	0.03	18.25	4.5	0.7	0.2	24.6	<0.01	0.04	3.2
CC115852		0.11	31.8	620	15.5	7.7	<0.001	0.06	10.35	3.6	0.7	0.2	56.6	<0.01	0.05	2.2
CC115853		0.07	32.8	630	24.7	8.1	<0.001	0.11	26.5	4.2	1.5	0.2	97.3	<0.01	0.06	2.1
CC115854		<0.05	47.3	270	25.3	9.3	0.001	0.05	26.6	6.0	1.1	0.2	45.7	<0.01	0.06	3.0
CC115855		0.15	25.0	1140	16.3	14.0	<0.001	0.06	6.47	1.2	0.5	0.4	24.9	<0.01	0.05	0.5
CC115856		0.16	33.6	980	23.3	10.1	<0.001	0.05	8.55	3.7	0.6	0.3	23.7	<0.01	0.04	1.5
CC115857		0.17	30.0	920	17.9	10.3	<0.001	0.04	11.05	2.0	0.3	0.3	9.2	<0.01	0.04	1.2
CC115858		0.37	25.0	1010	16.6	13.4	<0.001	0.06	7.36	1.7	0.5	0.5	12.3	<0.01	0.06	0.6
CC115859		0.28	25.7	840	15.6	10.5	<0.001	0.04	2.30	2.8	0.5	0.4	20.7	<0.01	0.04	1.4
CC115860		0.20	38.4	650	31.7	6.7	<0.001	0.02	16.70	4.5	0.5	0.2	15.5	<0.01	0.05	3.0
CC115861		0.29	34.4	980	25.9	8.4	<0.001	0.05	24.9	3.5	0.6	0.3	12.3	<0.01	0.05	1.4
CC115862		0.29	21.0	1890	31.2	9.3	<0.001	0.10	6.68	0.9	0.7	0.4	8.9	0.01	0.06	0.4

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 5- AUG- 2011
Account: RCM

Project: Rackla- Pharoah Soils

CERTIFICATE OF ANALYSIS WH11123611

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
CC115843		<0.005	0.18	0.74	24	0.09	6.37	93	2.8
CC115844		0.005	0.24	1.64	29	0.13	13.70	95	3.2
CC115845		0.007	0.12	0.55	27	0.09	3.63	82	0.6
CC115846		<0.005	0.10	0.55	20	0.08	8.68	87	1.7
CC115847		<0.005	0.08	0.88	19	0.06	9.99	82	3.1
CC115848		0.005	0.14	0.46	38	0.08	3.19	57	1.3
CC115849		0.009	0.10	0.68	28	0.07	6.10	60	1.3
CC115850		0.008	0.12	0.42	38	0.09	2.71	74	0.5
CC115851		0.007	0.13	0.56	32	0.12	8.10	84	1.1
CC115852		<0.005	0.08	0.70	24	0.06	7.81	77	2.0
CC115853		<0.005	0.11	0.62	17	0.10	9.44	76	1.9
CC115854		<0.005	0.27	0.39	26	0.27	7.54	92	1.1
CC115855		0.006	0.10	0.49	34	0.10	3.70	69	<0.5
CC115856		0.006	0.10	0.49	33	0.08	6.12	88	1.0
CC115857		0.005	0.12	0.46	31	0.11	3.14	78	0.7
CC115858		0.012	0.11	1.44	35	0.18	4.53	84	0.5
CC115859		0.006	0.07	2.09	25	0.07	5.29	81	1.8
CC115860		0.009	0.16	0.62	34	0.23	9.82	93	0.6
CC115861		0.008	0.10	0.78	30	0.11	4.84	97	1.5
CC115862		0.010	0.07	0.72	33	0.09	2.58	87	0.9

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 5- AUG- 2011
Account: RCM

Project: Rackla- Pharoah Soils

CERTIFICATE OF ANALYSIS WH11123611

Method	CERTIFICATE COMMENTS
ME- MS41	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown.
ME- MS41	Gold determinations by this method are semi- quantitative due to the small sample weight used (0.5g).

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 1- AUG- 2011
Account: RCM

CERTIFICATE WH11123612

Project: Rackla- Edina East Silts

P.O. No.:

This report is for 95 Stream Sediment samples submitted to our lab in Whitehorse, YT, Canada on 2- JUL- 2011.

The following have access to data associated with this certificate:

ROB CARNE JULIA LANE	ANDREW CARNE JOAN MARIACHER	MATT DUMALA

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
SCR- 41	Screen to - 180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- ST43	Super Trace Au - 25g AR	ICP- MS
ME- MS41	51 anal. aqua regia ICPMS	

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 1- AUG- 2011
Account: RCM

Project: Rackla- Edina East Silts

CERTIFICATE OF ANALYSIS WH11123612

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- ST43 Au ppm 0.0001	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1
CC128581		0.32	0.0007	0.08	1.39	12.1	<0.2	<10	120	1.09	0.50	0.75	0.60	19.45	25.9	19
CC128582		0.21	0.0020	0.29	1.00	17.8	<0.2	<10	170	0.72	0.26	1.14	2.72	23.9	21.3	70
CC128583		0.50	0.0017	0.21	1.14	19.3	<0.2	<10	160	0.80	0.36	0.51	1.94	20.0	21.4	39
CC128584		0.17	0.0011	0.12	1.37	12.5	<0.2	<10	150	1.00	0.42	0.74	1.38	19.75	24.5	27
CC128585		0.25	0.0010	0.19	1.27	17.4	<0.2	<10	190	0.86	0.41	0.87	1.54	19.30	22.0	34
CC128586		0.17	0.0011	0.21	1.02	16.7	<0.2	<10	330	0.64	0.30	1.64	1.99	17.80	17.4	26
CC128587		0.20	0.0013	0.13	1.24	17.2	<0.2	<10	270	0.83	0.41	1.36	1.41	18.20	24.3	26
CC128588		0.24	0.0016	0.20	1.24	21.6	<0.2	<10	200	0.85	0.37	0.85	2.32	19.45	24.4	37
CC128589		0.23	0.0013	0.15	1.01	18.8	<0.2	<10	190	0.66	0.31	0.82	1.82	15.90	19.7	29
CC128590		0.19	0.0016	0.17	1.28	16.7	<0.2	<10	230	0.89	0.39	1.27	1.65	19.05	22.3	28
CC128591		0.46	0.0007	0.35	0.87	16.9	<0.2	<10	710	0.54	0.19	3.56	1.54	22.5	12.7	33
CC128592		0.30	0.0007	0.16	1.15	18.5	<0.2	<10	260	0.79	0.36	2.14	1.54	18.85	22.3	28
CC128593		0.37	0.0013	0.18	1.15	18.9	<0.2	<10	320	0.84	0.35	2.41	2.22	19.20	23.3	29
CC128594		0.35	0.0010	0.17	1.13	16.9	<0.2	<10	320	0.82	0.33	2.66	1.62	18.10	20.2	29
CC128595		0.16	0.0007	0.17	1.13	16.2	<0.2	<10	340	0.71	0.33	2.56	1.74	18.75	19.0	26
CC128596		0.23	0.0010	0.20	1.19	16.2	<0.2	<10	460	0.78	0.31	2.16	1.46	21.7	19.5	31
CC128597		0.17	0.0013	0.23	1.17	17.4	<0.2	<10	390	0.81	0.32	2.48	2.10	19.80	21.2	31
CC128598		0.32	0.0010	0.21	1.13	18.5	<0.2	<10	420	0.81	0.28	2.78	2.15	18.40	20.1	33
CC128599		0.42	0.0007	0.20	0.95	16.9	<0.2	<10	470	0.61	0.27	2.68	1.16	19.80	15.9	39
CC128600		0.27	0.0011	0.16	1.13	14.9	<0.2	<10	360	0.74	0.30	3.02	2.11	18.80	19.8	30
CC129151		0.41	0.0011	0.08	1.53	18.4	<0.2	<10	110	1.02	0.47	0.22	0.36	10.50	23.9	28
CC129152		0.51	0.0011	0.07	1.50	19.0	<0.2	<10	110	0.99	0.45	0.20	0.32	11.05	22.2	28
CC129153		0.35	0.0013	0.09	1.51	16.5	<0.2	<10	130	0.97	0.45	0.19	0.59	10.95	22.0	27
CC129154		0.41	0.0010	0.07	1.59	11.7	<0.2	<10	90	0.96	0.43	0.14	0.34	10.05	22.3	26
CC129155		0.42	0.0011	0.09	1.61	15.2	<0.2	<10	120	1.04	0.46	0.17	0.78	11.85	23.5	29
CC129156		0.35	0.0010	0.58	0.92	16.4	<0.2	<10	640	0.60	0.18	1.62	4.38	17.25	11.2	26
CC129157		0.35	0.0014	0.42	0.79	13.6	<0.2	<10	510	0.48	0.15	3.43	3.46	15.90	10.0	24
CC129158		0.33	0.0010	0.15	1.52	14.7	<0.2	<10	170	0.92	0.43	0.30	1.15	13.15	22.1	28
CC129159		0.29	0.0010	0.27	1.32	17.7	<0.2	<10	290	0.83	0.36	0.78	3.02	15.45	19.8	33
CC129160		0.21	0.0013	0.24	1.27	10.9	<0.2	<10	550	0.60	0.16	2.35	2.19	19.00	11.9	26
CC129161		0.22	0.0013	0.27	1.37	13.2	<0.2	<10	510	0.75	0.19	2.10	2.07	18.65	14.2	27
CC129162		0.28	0.0011	0.20	1.33	10.7	<0.2	<10	450	0.62	0.17	1.73	1.51	18.35	12.8	26
CC129163		0.17	0.0019	0.37	1.36	13.1	<0.2	10	650	0.56	0.18	2.04	3.25	17.75	13.9	29
CC129164		0.32	0.0025	0.35	1.60	12.1	<0.2	<10	570	0.68	0.17	1.36	2.76	21.9	16.3	32
CC129165		0.43	0.0009	0.10	1.69	16.9	<0.2	<10	170	0.86	0.45	0.29	0.70	12.05	21.9	32
CC129166		0.51	0.0007	0.10	1.66	16.8	<0.2	<10	230	0.87	0.46	0.25	0.65	12.45	22.6	32
CC129167		0.31	0.0021	0.19	1.49	16.4	<0.2	<10	520	0.71	0.34	3.07	1.96	15.50	18.3	29
CC129168		0.48	0.0014	0.12	1.56	15.6	<0.2	<10	400	0.69	0.40	1.92	1.41	13.20	18.7	32
CC129169		0.42	0.0011	0.18	1.19	15.5	<0.2	<10	480	0.51	0.25	5.12	1.65	14.50	15.2	29
CC129170		0.34	0.0015	0.12	1.46	14.1	<0.2	<10	350	0.72	0.36	1.79	1.07	13.00	18.2	29

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 1- AUG- 2011
Account: RCM

Project: Rackla- Edina East Silts

CERTIFICATE OF ANALYSIS WH11123612

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
CC128581		2.59	52.3	4.20	4.14	0.06	0.07	0.12	0.030	0.05	8.2	38.8	0.69	825	0.80	<0.01
CC128582		2.06	47.9	3.61	3.03	0.06	0.05	0.19	0.023	0.05	11.9	18.7	1.67	550	2.70	<0.01
CC128583		1.31	47.2	4.06	3.34	<0.05	0.09	0.16	0.026	0.05	9.0	27.0	0.91	702	2.82	<0.01
CC128584		2.23	45.5	3.90	3.73	0.06	0.06	0.13	0.028	0.06	9.0	35.0	0.86	671	1.31	<0.01
CC128585		1.80	46.6	3.95	3.56	0.06	0.06	0.15	0.025	0.05	9.1	31.5	0.94	550	2.68	<0.01
CC128586		1.28	39.8	3.20	2.90	0.05	0.07	0.16	0.023	0.05	8.5	22.2	0.98	776	2.60	<0.01
CC128587		1.75	41.6	3.94	3.67	0.05	0.06	0.12	0.028	0.05	8.3	31.4	0.89	903	2.28	<0.01
CC128588		1.66	46.0	3.84	3.52	0.05	0.07	0.19	0.026	0.05	9.0	30.1	1.03	1060	2.91	<0.01
CC128589		1.53	38.4	3.20	2.96	0.05	0.05	0.16	0.024	0.04	7.4	24.3	0.84	741	2.58	<0.01
CC128590		2.14	44.7	3.71	3.70	0.05	0.08	0.19	0.025	0.06	8.7	31.7	0.99	817	1.99	<0.01
CC128591		0.99	37.1	2.42	2.69	0.05	0.06	0.16	0.019	0.08	11.5	14.5	2.23	331	2.79	<0.01
CC128592		1.89	42.1	3.72	3.55	0.06	0.07	0.12	0.028	0.05	8.8	29.0	1.27	960	2.74	<0.01
CC128593		1.98	41.7	3.60	3.26	0.05	0.07	0.17	0.025	0.05	8.7	27.0	1.38	1020	2.68	<0.01
CC128594		1.69	37.1	3.43	3.30	0.05	0.06	0.14	0.023	0.05	8.6	27.0	1.68	783	2.34	<0.01
CC128595		1.76	39.4	3.39	3.30	0.05	0.07	0.18	0.022	0.07	8.5	26.5	1.40	777	2.26	0.01
CC128596		1.75	40.0	3.33	3.56	0.05	0.06	0.16	0.023	0.07	10.1	26.8	1.59	446	2.25	<0.01
CC128597		1.88	41.7	3.31	3.42	0.05	0.05	0.29	0.022	0.06	9.8	25.9	1.61	742	2.46	0.01
CC128598		1.78	39.2	3.36	2.96	0.05	0.05	0.21	0.023	0.06	8.8	23.8	1.77	830	2.81	0.01
CC128599		0.98	38.7	3.13	2.80	<0.05	0.05	0.14	0.023	0.04	9.7	21.1	2.05	388	2.75	<0.01
CC128600		1.64	35.6	3.33	3.05	0.05	0.06	0.16	0.021	0.07	8.5	24.6	1.83	840	2.19	<0.01
CC129151		2.61	55.0	4.70	4.66	0.06	0.03	0.05	0.026	0.03	4.3	34.8	0.68	994	1.37	<0.01
CC129152		2.42	50.5	4.67	4.51	0.07	0.02	0.06	0.027	0.03	4.4	35.5	0.67	916	1.40	<0.01
CC129153		2.35	47.7	4.53	4.42	0.07	0.03	0.05	0.024	0.03	4.5	33.9	0.67	801	2.34	<0.01
CC129154		2.35	43.7	4.45	4.63	0.07	0.03	0.03	0.024	0.03	4.2	37.2	0.65	748	1.16	<0.01
CC129155		2.39	51.1	4.68	4.94	0.06	0.03	0.05	0.027	0.03	4.9	37.4	0.70	933	1.65	<0.01
CC129156		0.90	36.5	2.62	2.50	0.05	0.05	0.20	0.027	0.05	9.5	21.0	0.81	434	8.19	<0.01
CC129157		0.69	32.7	2.18	2.25	0.05	0.04	0.18	0.020	0.05	8.4	16.8	1.98	327	5.97	<0.01
CC129158		2.31	46.7	4.41	4.61	0.07	0.05	0.06	0.025	0.04	5.4	33.6	0.68	896	2.00	<0.01
CC129159		2.26	44.6	3.93	4.00	<0.05	0.06	0.14	0.027	0.05	6.9	29.1	0.86	758	3.39	<0.01
CC129160		0.67	23.9	2.78	3.41	<0.05	0.06	0.10	0.025	0.08	9.4	24.8	1.51	411	3.21	<0.01
CC129161		0.67	27.5	3.08	3.83	<0.05	0.06	0.10	0.026	0.07	9.5	27.9	1.40	622	3.44	<0.01
CC129162		0.67	21.7	2.99	3.58	<0.05	0.05	0.08	0.025	0.07	8.7	28.4	1.30	380	2.94	<0.01
CC129163		0.61	30.3	3.01	3.69	0.07	0.08	0.14	0.027	0.09	9.3	27.3	1.13	801	3.45	0.01
CC129164		0.70	28.6	3.38	4.47	0.08	0.08	0.13	0.030	0.08	11.5	36.4	1.02	358	2.73	0.01
CC129165		2.40	49.5	5.23	5.14	0.12	0.05	0.06	0.029	0.04	5.1	40.1	0.83	996	1.78	0.01
CC129166		2.45	52.1	5.30	5.10	0.12	0.04	0.06	0.029	0.04	5.2	38.6	0.77	1100	1.84	0.01
CC129167		1.90	41.0	4.29	4.30	0.09	0.06	0.10	0.027	0.05	7.1	31.8	2.20	818	3.49	0.01
CC129168		2.09	41.0	4.68	4.46	0.11	0.06	0.07	0.026	0.04	5.9	34.4	1.60	883	2.25	0.01
CC129169		1.55	35.3	3.47	3.26	0.08	0.05	0.09	0.022	0.05	6.8	23.5	3.21	766	3.23	0.02
CC129170		1.99	40.3	4.37	4.31	0.12	0.05	0.06	0.024	0.05	5.7	33.0	1.53	846	2.10	0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 1- AUG- 2011
Account: RCM

Project: Rackla- Edina East Silts

CERTIFICATE OF ANALYSIS WH11123612

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
CC128581		0.06	50.5	450	29.3	3.9	<0.001	0.04	0.39	3.9	0.6	0.2	41.6	<0.01	0.05	4.6
CC128582		0.13	155.0	1030	21.5	5.5	0.001	0.06	1.18	3.4	1.4	0.2	50.3	<0.01	0.06	2.8
CC128583		0.10	111.0	620	30.2	4.0	<0.001	0.03	1.05	3.8	1.5	0.2	32.2	<0.01	0.07	3.1
CC128584		0.09	79.2	600	27.3	5.0	<0.001	0.06	0.53	3.5	0.8	0.2	43.4	<0.01	0.04	3.9
CC128585		0.09	99.2	630	27.1	4.0	0.001	0.04	0.92	3.5	1.4	0.2	39.9	<0.01	0.05	4.0
CC128586		0.20	76.6	760	23.6	4.5	0.004	0.06	1.00	3.0	1.7	0.2	57.2	<0.01	0.05	2.6
CC128587		0.09	75.3	590	28.0	4.0	0.002	0.05	0.75	3.4	1.3	0.2	54.1	<0.01	0.04	3.8
CC128588		0.10	114.0	660	26.8	4.5	0.003	0.05	0.97	3.5	1.7	0.2	43.3	<0.01	0.05	3.5
CC128589		0.09	92.8	550	26.3	4.3	0.002	0.03	0.92	2.9	1.3	0.2	41.7	<0.01	0.03	3.0
CC128590		0.12	91.4	650	28.1	5.3	0.002	0.06	0.80	3.5	0.9	0.2	57.5	<0.01	0.05	3.6
CC128591		0.40	70.2	950	25.0	4.8	0.004	0.03	1.91	3.2	1.9	0.3	58.1	<0.01	0.05	3.1
CC128592		0.10	88.2	610	25.7	4.2	0.001	0.04	0.91	3.4	1.4	0.2	65.8	<0.01	0.05	3.8
CC128593		0.12	97.2	700	26.6	4.6	0.002	0.06	0.94	3.4	1.5	0.2	72.5	<0.01	0.05	3.4
CC128594		0.12	82.2	680	24.5	4.4	0.001	0.04	0.90	3.2	0.9	0.2	62.1	<0.01	0.04	3.3
CC128595		0.14	81.1	730	26.0	5.3	0.001	0.07	0.86	3.3	1.0	0.2	77.9	<0.01	0.06	3.0
CC128596		0.19	83.9	780	24.6	6.0	0.003	0.06	0.85	3.4	1.7	0.2	55.7	<0.01	0.05	3.2
CC128597		0.16	96.3	730	25.2	6.1	0.002	0.06	0.95	3.3	1.6	0.2	66.4	<0.01	0.05	3.3
CC128598		0.14	103.5	750	23.9	5.2	0.002	0.06	1.00	3.1	1.9	0.2	67.2	<0.01	0.05	3.0
CC128599		0.15	88.7	820	23.1	3.3	0.002	0.03	1.19	3.2	1.3	0.2	57.3	<0.01	0.06	3.0
CC128600		0.17	90.2	740	23.5	4.6	0.001	0.05	0.82	3.0	1.3	0.2	66.4	<0.01	0.04	3.3
CC129151		0.08	48.5	550	32.2	3.1	<0.001	0.02	0.62	3.7	0.4	0.2	22.6	<0.01	0.05	3.4
CC129152		0.06	48.7	530	29.2	3.0	<0.001	0.01	0.63	3.7	0.5	0.2	21.7	<0.01	0.03	3.4
CC129153		0.08	54.4	540	32.5	3.0	<0.001	0.01	0.64	3.7	0.5	0.2	18.6	<0.01	0.03	3.4
CC129154		0.07	41.9	430	29.8	3.0	<0.001	0.01	0.48	3.4	0.4	0.2	16.1	<0.01	0.04	3.4
CC129155		0.08	54.5	500	33.4	3.1	<0.001	0.01	0.65	3.8	0.7	0.2	19.5	<0.01	0.06	3.7
CC129156		0.12	60.3	1880	14.8	5.0	0.013	0.05	2.22	3.0	3.4	0.3	58.1	<0.01	0.07	2.5
CC129157		0.14	56.9	1590	13.8	4.2	0.005	0.03	1.82	2.7	2.2	0.3	62.3	<0.01	0.06	2.4
CC129158		0.12	55.2	630	30.5	3.6	<0.001	0.01	0.74	3.7	0.8	0.2	24.3	<0.01	0.04	3.6
CC129159		0.13	85.5	960	27.0	4.9	0.003	0.04	1.16	3.6	1.5	0.3	42.5	<0.01	0.05	3.3
CC129160		0.28	44.2	1310	14.2	6.5	0.003	0.06	1.00	3.2	1.4	0.3	49.6	<0.01	0.03	1.9
CC129161		0.27	48.9	1300	17.1	6.7	0.005	0.06	1.07	3.7	1.6	0.3	52.4	<0.01	0.05	1.8
CC129162		0.24	43.4	1340	14.3	5.9	0.002	0.04	0.82	3.2	1.2	0.3	45.2	<0.01	0.04	2.1
CC129163		0.34	54.6	1420	17.1	8.1	0.008	0.10	1.20	3.7	2.1	0.3	54.6	<0.01	0.04	2.0
CC129164		0.36	56.8	1730	15.8	9.2	0.008	0.09	1.18	4.3	2.4	0.4	51.8	<0.01	0.04	2.4
CC129165		0.11	58.8	630	31.6	3.7	0.001	0.02	0.72	3.9	0.6	0.3	23.2	<0.01	0.04	4.1
CC129166		0.11	58.0	660	32.4	3.7	0.001	0.02	0.74	4.0	0.6	0.3	19.4	<0.01	0.04	4.3
CC129167		0.20	66.1	970	26.7	4.6	0.002	0.04	0.94	3.7	1.0	0.3	51.9	<0.01	0.04	3.6
CC129168		0.13	63.6	820	26.6	3.9	0.001	0.03	0.80	3.6	0.7	0.3	37.5	<0.01	0.04	4.0
CC129169		0.17	63.6	880	23.7	4.3	0.001	0.04	1.03	3.2	1.0	0.2	61.5	<0.01	0.03	2.8
CC129170		0.15	55.5	740	26.6	3.7	0.001	0.03	0.75	3.4	0.7	0.2	33.0	<0.01	0.04	3.8

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 1- AUG- 2011
Account: RCM

Project: Rackla- Edina East Silts

CERTIFICATE OF ANALYSIS WH11123612

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
CC128581		<0.005	0.03	1.26	14	<0.05	7.52	168	2.9
CC128582		0.005	0.09	1.14	31	0.06	9.48	400	1.9
CC128583		<0.005	0.07	1.62	27	<0.05	8.17	387	2.8
CC128584		<0.005	0.06	1.35	17	<0.05	8.55	260	2.5
CC128585		<0.005	0.09	1.33	30	<0.05	7.80	363	2.6
CC128586		0.006	0.13	1.60	27	0.05	7.48	261	2.1
CC128587		<0.005	0.08	1.35	22	<0.05	7.25	264	2.5
CC128588		<0.005	0.10	1.65	29	<0.05	8.20	404	2.4
CC128589		<0.005	0.10	1.18	26	<0.05	6.86	361	2.0
CC128590		<0.005	0.10	1.28	23	<0.05	8.64	335	2.4
CC128591		0.018	0.21	1.15	44	0.14	8.93	192	2.1
CC128592		<0.005	0.10	1.40	25	<0.05	7.71	326	2.6
CC128593		<0.005	0.11	1.45	26	0.05	8.30	397	2.3
CC128594		<0.005	0.10	1.24	26	<0.05	7.52	335	2.2
CC128595		<0.005	0.11	1.54	24	<0.05	7.48	306	2.4
CC128596		0.005	0.11	1.61	27	0.08	8.54	288	2.1
CC128597		<0.005	0.14	1.41	29	0.05	9.02	378	2.1
CC128598		<0.005	0.15	1.49	30	<0.05	8.50	440	1.9
CC128599		0.005	0.09	1.31	32	<0.05	7.87	240	2.0
CC128600		<0.005	0.10	1.25	25	<0.05	7.71	375	1.9
CC129151		<0.005	0.05	0.96	23	<0.05	5.42	119	1.4
CC129152		<0.005	0.05	0.88	23	<0.05	5.35	124	1.3
CC129153		<0.005	0.06	1.08	24	<0.05	5.31	160	1.4
CC129154		<0.005	0.04	0.84	23	<0.05	4.55	117	1.2
CC129155		<0.005	0.07	1.02	26	<0.05	5.25	165	1.3
CC129156		<0.005	0.39	2.17	61	0.10	12.70	237	1.7
CC129157		<0.005	0.26	1.73	52	0.09	11.40	208	1.6
CC129158		0.005	0.08	1.11	29	<0.05	6.09	179	1.7
CC129159		<0.005	0.18	1.52	39	0.06	7.98	355	1.8
CC129160		0.007	0.16	1.06	56	0.08	10.55	160	1.6
CC129161		0.006	0.14	1.27	58	0.05	11.50	148	1.7
CC129162		0.006	0.12	1.03	51	<0.05	10.15	141	1.4
CC129163		0.006	0.20	1.24	69	0.08	12.75	193	1.9
CC129164		0.005	0.24	1.73	82	0.07	15.50	185	1.9
CC129165		<0.005	0.06	0.90	28	<0.05	6.19	189	1.9
CC129166		0.005	0.07	1.01	29	<0.05	6.36	179	2.0
CC129167		0.006	0.12	1.17	40	0.07	8.08	289	1.8
CC129168		0.005	0.09	0.99	32	0.06	6.62	288	2.0
CC129169		0.006	0.13	1.23	39	0.05	7.20	271	1.6
CC129170		0.006	0.08	1.02	31	0.05	6.32	220	1.8

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 1- AUG- 2011
Account: RCM

Project: Rackla- Edina East Silts

CERTIFICATE OF ANALYSIS WH11123612

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- ST43 Au ppm 0.0001	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1
CC128663		0.54	0.0047	0.24	1.10	153.0	<0.2	10	300	0.64	0.29	0.96	0.73	17.75	49.4	130
CC128664		0.44	0.0047	0.42	1.03	59.9	<0.2	10	850	0.46	0.22	0.94	0.66	25.4	25.5	104
CC128665		0.43	0.0036	0.27	1.15	60.8	<0.2	10	490	0.49	0.24	1.04	0.95	21.5	31.3	105
CC128666		0.58	0.0030	0.50	1.08	50.6	<0.2	10	580	0.46	0.23	1.19	1.91	27.9	29.2	82
CC128667		0.39	0.0043	0.45	1.18	63.7	<0.2	10	720	0.46	0.25	1.22	1.31	24.6	30.9	111
CC128668		0.40	0.0040	0.62	1.01	94.3	<0.2	10	650	0.50	0.21	1.52	3.45	23.8	22.2	61
CC128669		0.50	0.0017	0.19	1.23	19.7	<0.2	<10	210	0.71	0.36	0.68	0.61	24.2	19.6	36
CC128670		0.30	0.0029	0.41	1.18	21.5	<0.2	10	250	0.73	0.31	1.32	1.27	21.4	17.0	34
CC128671		0.37	0.0015	0.19	1.35	20.7	<0.2	<10	350	0.66	0.38	0.45	0.81	24.3	20.5	42
CC128672		0.48	0.0011	0.19	1.26	16.4	<0.2	<10	250	0.73	0.36	0.43	0.59	25.5	18.3	39
CC128673		0.38	0.0023	0.29	1.15	27.9	<0.2	<10	290	0.63	0.30	0.75	0.94	25.2	22.3	51
CC128674		0.49	0.0012	0.34	1.06	22.3	<0.2	<10	380	0.63	0.31	0.78	1.33	22.3	20.1	46
CC128736		0.20	0.0032	0.62	0.71	30.5	<0.2	10	750	0.44	0.17	1.77	3.15	20.5	31.4	197
CC128737		0.22	0.0026	0.68	0.73	31.4	<0.2	10	660	0.45	0.18	1.83	3.08	21.8	34.0	202
CC128738		0.22	0.0026	0.65	0.73	30.6	<0.2	10	680	0.46	0.17	2.27	3.02	22.8	28.5	165
CC128739		0.25	0.0026	0.66	0.76	29.6	<0.2	10	760	0.47	0.17	1.99	4.34	23.3	31.7	185
CC128740		0.22	0.0022	0.64	0.74	29.8	<0.2	10	780	0.46	0.16	2.08	3.44	21.7	30.3	188
CC128741		0.19	0.0018	0.55	0.76	35.3	<0.2	10	710	0.46	0.18	2.17	2.96	23.2	33.5	208
CC128742		0.22	0.0016	0.36	0.76	26.7	<0.2	<10	410	0.42	0.20	1.10	1.64	24.7	28.7	135
CC128743		0.28	0.0015	0.17	0.57	34.2	<0.2	<10	150	0.57	0.33	0.53	0.70	19.55	26.7	72
CC128744		0.20	0.0024	0.28	0.61	30.0	<0.2	<10	270	0.57	0.30	0.69	0.99	23.4	30.2	102
CC128745		0.18	0.0024	0.36	0.72	28.5	<0.2	<10	240	0.54	0.30	0.85	1.60	18.70	36.0	138
CC128746		0.31	0.0015	0.27	0.59	31.2	<0.2	<10	280	0.51	0.26	0.79	1.24	18.20	31.5	139
CC128747		0.33	0.0017	0.26	0.61	30.6	<0.2	<10	340	0.47	0.27	0.89	1.65	21.3	36.6	162
CC128748		0.21	0.0021	0.32	0.66	30.8	<0.2	<10	400	0.51	0.25	1.01	1.87	21.6	30.0	130
CC128749		0.27	0.0021	0.23	0.63	31.3	<0.2	<10	310	0.50	0.26	0.86	1.54	18.55	29.0	116
CC128750		0.20	0.0031	0.37	0.82	31.1	<0.2	<10	490	0.53	0.22	1.65	1.50	30.7	17.6	44
CC128751		0.20	0.0027	0.33	0.80	28.2	<0.2	<10	360	0.53	0.22	1.13	1.36	26.6	18.5	42
CC128752		0.18	0.0018	0.50	0.84	28.0	<0.2	<10	350	0.60	0.22	1.36	1.68	26.2	20.5	40
CC128753		0.19	0.0024	0.49	0.88	23.7	<0.2	<10	490	0.60	0.21	1.37	1.45	27.3	17.8	39
CC128754		0.17	0.0022	0.37	0.85	28.8	<0.2	<10	480	0.56	0.22	1.17	1.52	25.6	17.2	37
CC128755		0.21	0.0021	0.33	0.86	28.3	<0.2	<10	440	0.58	0.22	1.11	1.58	27.0	19.8	43
CC115520		0.15	0.0022	0.47	1.14	39.7	<0.2	<10	250	0.82	0.33	0.85	2.61	22.6	21.8	76
CC115521		0.34	0.0010	0.19	1.33	27.9	<0.2	<10	190	0.81	0.37	0.43	1.51	22.7	22.0	57
CC115522		0.44	0.0010	0.16	1.20	33.9	<0.2	<10	160	0.78	0.33	0.81	2.00	19.75	26.6	61
CC115523		0.23	0.0013	0.28	1.21	32.1	<0.2	<10	220	0.81	0.32	0.56	2.28	22.6	25.3	72
CC115524		0.32	0.0014	0.23	1.34	28.7	<0.2	<10	330	0.82	0.33	1.44	2.26	21.6	26.2	56
CC115525		0.20	0.0015	0.31	1.20	32.5	<0.2	<10	420	0.81	0.30	1.16	2.10	20.7	23.8	61
CC115526		0.13	0.0029	0.32	1.17	29.2	<0.2	<10	390	0.79	0.32	1.65	2.59	19.80	22.4	49
CC115527		0.25	0.0015	0.22	1.37	29.0	<0.2	<10	310	0.77	0.35	0.85	2.39	22.3	27.6	55

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 1- AUG- 2011
Account: RCM

Project: Rackla- Edina East Silts

CERTIFICATE OF ANALYSIS WH11123612

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
CC128663		3.86	124.5	5.77	3.23	0.12	0.06	0.52	0.044	0.07	7.9	17.5	4.14	864	2.25	0.01
CC128664		1.98	78.7	3.87	2.80	0.09	0.07	0.84	0.032	0.09	13.4	14.0	2.83	290	2.60	0.01
CC128665		2.02	87.6	4.63	3.18	0.10	0.07	0.37	0.035	0.08	10.9	16.7	3.03	532	2.35	0.01
CC128666		2.34	92.0	4.25	2.90	0.10	0.08	0.45	0.035	0.11	14.7	14.9	2.35	621	3.90	0.01
CC128667		2.27	88.1	4.46	3.17	0.10	0.07	0.48	0.034	0.11	12.9	16.0	3.08	509	2.67	0.02
CC128668		2.62	106.5	4.10	2.68	0.09	0.10	0.36	0.032	0.11	12.9	13.9	1.61	662	4.38	0.01
CC128669		3.00	59.1	4.34	3.64	0.10	0.08	0.21	0.028	0.07	11.7	29.4	1.03	465	1.48	0.01
CC128670		2.35	65.1	3.45	3.26	0.08	0.11	0.29	0.027	0.09	11.3	24.1	0.89	501	1.64	0.01
CC128671		2.64	54.7	4.72	3.81	0.09	0.08	0.22	0.027	0.07	11.9	31.1	1.10	619	1.62	0.01
CC128672		2.67	66.3	4.04	3.73	0.10	0.08	0.16	0.028	0.06	12.5	31.9	1.01	273	1.18	0.01
CC128673		2.40	63.1	4.33	3.37	0.10	0.08	0.26	0.028	0.08	12.4	25.1	1.39	721	2.21	0.01
CC128674		2.09	63.5	4.00	3.02	0.08	0.07	0.23	0.027	0.07	11.4	23.2	1.21	506	2.30	0.01
CC128736		2.23	56.8	3.96	1.93	0.10	0.07	0.43	0.024	0.10	11.2	9.3	5.88	601	3.37	0.02
CC128737		2.18	62.6	3.88	2.09	0.12	0.06	0.67	0.024	0.10	11.9	10.2	6.24	665	3.11	0.02
CC128738		2.59	59.2	3.49	2.16	0.10	0.07	0.85	0.024	0.10	12.5	10.4	5.22	784	3.35	0.02
CC128739		2.40	59.4	3.81	2.20	0.10	0.07	0.60	0.025	0.11	12.9	10.4	5.46	715	3.70	0.02
CC128740		2.36	55.9	4.01	2.04	0.11	0.06	0.57	0.024	0.10	12.0	10.1	5.47	712	3.08	0.02
CC128741		2.35	60.9	4.07	2.26	0.11	0.06	0.39	0.027	0.11	12.7	11.2	6.60	848	4.65	0.01
CC128742		2.02	46.6	3.95	2.28	0.10	0.07	4.07	0.026	0.09	12.9	13.7	4.13	563	2.42	0.01
CC128743		1.64	68.2	4.77	1.66	0.10	0.06	0.37	0.033	0.07	8.9	12.1	2.36	547	2.59	0.01
CC128744		1.61	62.4	4.33	1.83	0.10	0.06	0.65	0.030	0.08	11.5	12.3	3.26	590	2.53	0.01
CC128745		2.31	60.0	4.21	2.13	0.10	0.07	1.00	0.030	0.09	8.8	13.7	4.57	902	2.57	0.01
CC128746		1.72	60.3	4.67	1.73	0.11	0.05	0.32	0.029	0.07	8.6	12.0	4.27	616	2.53	0.01
CC128747		1.86	63.8	4.77	1.87	0.11	0.06	0.39	0.031	0.08	10.0	11.7	4.83	607	2.48	0.01
CC128748		1.90	60.0	4.21	2.00	0.10	0.06	0.75	0.028	0.08	11.1	12.6	4.00	692	2.69	0.01
CC128749		1.76	62.0	4.49	1.83	0.11	0.06	0.43	0.029	0.08	8.8	12.2	3.54	720	2.58	0.02
CC128750		2.14	51.0	3.50	2.57	0.09	0.07	0.29	0.026	0.08	15.6	16.8	1.26	724	2.28	0.02
CC128751		1.93	51.1	3.41	2.36	0.09	0.06	0.44	0.025	0.08	13.3	16.3	1.07	781	2.63	0.01
CC128752		1.80	54.5	3.39	2.26	<0.05	0.05	0.26	0.032	0.10	13.3	14.3	1.08	960	2.97	0.02
CC128753		1.68	51.1	3.07	2.19	0.05	0.06	0.47	0.032	0.10	13.9	14.2	1.07	746	2.16	0.02
CC128754		1.80	51.3	3.24	2.19	0.05	0.05	1.19	0.031	0.09	13.2	14.1	0.98	702	2.27	0.01
CC128755		1.79	49.4	3.51	2.24	0.05	0.04	0.23	0.030	0.08	13.2	14.4	1.04	931	2.78	0.02
CC115520		1.59	66.7	3.82	3.21	0.05	0.09	0.34	0.028	0.08	12.0	25.7	1.91	260	3.29	0.01
CC115521		2.59	46.4	4.06	3.82	<0.05	0.06	0.19	0.025	0.07	10.6	38.3	1.39	461	1.73	0.02
CC115522		2.46	44.9	5.25	3.29	<0.05	0.05	0.14	0.023	0.07	9.7	33.4	1.71	889	2.46	0.01
CC115523		2.03	49.2	4.06	3.45	<0.05	0.07	0.24	0.026	0.07	10.9	30.8	1.71	499	2.27	0.01
CC115524		2.24	47.9	4.59	3.69	<0.05	0.06	0.18	0.023	0.08	10.1	35.7	1.88	932	2.47	0.01
CC115525		1.96	44.8	3.92	3.37	<0.05	0.07	0.22	0.025	0.08	10.6	27.9	1.72	703	2.33	0.01
CC115526		2.07	51.7	3.50	3.35	<0.05	0.10	0.26	0.025	0.09	9.7	28.7	1.65	709	2.16	0.02
CC115527		2.51	45.7	4.71	3.67	<0.05	0.06	0.19	0.024	0.08	10.7	38.5	1.48	859	2.08	0.02

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 1- AUG- 2011
Account: RCM

Project: Rackla- Edina East Silts

CERTIFICATE OF ANALYSIS WH11123612

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
CC128663		0.11	381	730	25.6	5.7	0.001	0.09	2.75	8.9	1.3	0.2	33.3	<0.01	0.15	2.7
CC128664		0.20	259	1030	21.1	7.7	0.003	0.09	2.32	5.7	2.1	0.2	61.5	<0.01	0.09	2.7
CC128665		0.18	279	920	21.8	6.9	0.001	0.07	1.77	6.1	1.4	0.2	50.2	<0.01	0.11	2.7
CC128666		0.18	218	1280	22.0	8.7	0.004	0.09	2.06	5.7	2.4	0.2	61.3	<0.01	0.12	2.9
CC128667		0.32	282	1130	25.1	8.9	0.003	0.10	2.00	6.1	2.3	0.2	64.0	<0.01	0.11	2.7
CC128668		0.20	166.5	1550	54.9	8.9	0.007	0.15	5.55	4.6	3.3	0.2	73.8	<0.01	0.11	2.8
CC128669		0.15	77.5	750	28.8	6.4	0.001	0.04	0.99	4.4	1.1	0.2	43.9	<0.01	0.07	4.4
CC128670		0.26	88.0	870	38.3	9.4	0.004	0.13	1.23	3.9	2.4	0.3	92.9	<0.01	0.07	2.4
CC128671		0.14	90.0	790	26.4	5.6	0.002	0.04	1.01	4.0	1.0	0.2	33.8	<0.01	0.06	4.6
CC128672		0.16	77.0	790	31.5	5.6	0.001	0.04	0.91	4.3	1.4	0.2	34.2	<0.01	0.06	5.1
CC128673		0.16	128.0	900	28.3	7.6	0.002	0.07	1.41	4.4	1.4	0.2	43.5	<0.01	0.07	3.8
CC128674		0.13	114.5	860	34.3	6.9	0.002	0.11	1.49	3.9	1.6	0.2	49.4	<0.01	0.07	3.5
CC128736		0.29	481	990	53.7	8.8	0.001	0.10	2.05	4.1	1.8	0.3	75.5	<0.01	0.06	2.4
CC128737		0.31	498	1030	54.3	9.2	0.002	0.09	2.03	4.4	1.7	0.3	72.9	<0.01	0.07	2.4
CC128738		0.30	430	1110	51.9	9.9	0.002	0.09	2.30	4.4	1.8	0.3	78.5	<0.01	0.07	2.4
CC128739		0.32	442	1150	60.2	10.2	0.002	0.10	2.18	4.3	1.8	0.3	80.5	<0.01	0.07	2.5
CC128740		0.32	438	1180	67.5	9.7	0.002	0.11	2.32	4.3	1.9	0.3	75.6	<0.01	0.06	2.3
CC128741		0.30	491	1230	47.9	9.5	0.003	0.13	2.39	4.4	2.2	0.3	84.1	<0.01	0.07	2.7
CC128742		0.23	330	1200	40.7	9.3	0.001	0.08	1.38	4.0	1.2	0.3	63.4	<0.01	0.07	3.1
CC128743		0.10	220	600	26.5	5.1	0.001	0.06	0.96	4.8	1.2	0.2	41.9	<0.01	0.10	3.7
CC128744		0.16	291	750	29.5	6.2	0.001	0.08	1.15	4.8	1.3	0.2	51.8	<0.01	0.09	3.5
CC128745		0.15	373	750	35.1	8.3	0.001	0.09	1.23	5.1	1.4	0.3	61.2	<0.01	0.08	2.9
CC128746		0.11	350	720	31.3	5.6	0.001	0.09	1.14	4.6	1.1	0.2	46.3	<0.01	0.09	3.3
CC128747		0.16	382	820	46.4	7.0	0.001	0.11	1.24	4.9	1.3	0.2	50.2	<0.01	0.08	3.8
CC128748		0.17	334	940	39.4	7.3	0.001	0.08	1.63	4.7	1.3	0.2	55.0	<0.01	0.08	3.3
CC128749		0.14	307	790	31.3	6.1	0.002	0.09	1.23	4.5	1.3	0.2	49.5	<0.01	0.09	3.1
CC128750		0.31	121.0	1190	31.6	8.0	0.001	0.07	1.32	4.0	1.4	0.3	76.3	<0.01	0.07	3.9
CC128751		0.20	103.0	1100	31.9	8.6	0.001	0.05	1.28	3.5	1.4	0.2	67.0	<0.01	0.06	3.0
CC128752		0.21	105.5	1150	37.5	7.8	0.002	0.07	1.24	3.4	1.6	0.3	75.0	<0.01	0.05	2.4
CC128753		0.23	98.3	1170	31.8	7.7	0.002	0.08	1.23	3.4	1.7	0.3	77.7	<0.01	0.05	2.4
CC128754		0.19	95.5	1100	28.6	7.7	0.001	0.08	1.03	3.4	1.3	0.3	73.3	<0.01	0.04	2.4
CC128755		0.20	101.0	1180	32.8	7.5	0.002	0.08	1.21	3.2	1.4	0.2	66.4	<0.01	0.06	2.3
CC115520		0.16	189.5	1040	67.5	6.3	0.006	0.13	2.51	3.7	2.5	0.3	56.4	<0.01	0.05	2.8
CC115521		0.10	119.5	660	40.3	5.7	0.002	0.05	1.00	3.5	1.4	0.2	33.6	<0.01	0.06	4.0
CC115522		0.07	155.5	620	33.0	5.2	<0.001	0.06	1.01	3.1	1.0	0.2	40.8	<0.01	0.05	4.0
CC115523		0.13	161.5	750	40.6	6.3	0.003	0.06	1.15	3.5	2.3	0.3	44.5	<0.01	0.04	3.4
CC115524		0.14	147.5	740	39.0	6.0	0.001	0.05	1.28	3.5	1.2	0.3	49.8	<0.01	0.04	3.5
CC115525		0.19	151.0	850	44.6	7.1	0.002	0.07	1.42	3.4	1.5	0.3	67.7	<0.01	0.04	2.8
CC115526		0.19	146.0	840	42.5	7.1	0.003	0.09	1.41	3.4	1.5	0.3	64.0	<0.01	0.06	2.9
CC115527		0.13	146.0	730	39.5	7.1	0.001	0.06	1.01	3.3	1.3	0.2	47.4	<0.01	0.05	3.7

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 1- AUG- 2011
Account: RCM

Project: Rackla- Edina East Silts

CERTIFICATE OF ANALYSIS WH11123612

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
CC128663		<0.005	0.16	0.74	36	<0.05	10.75	127	1.6
CC128664		0.006	0.17	1.69	36	0.06	12.00	144	1.7
CC128665		0.005	0.14	1.10	36	0.27	11.45	157	2.0
CC128666		0.006	0.19	1.98	39	0.05	15.10	234	2.3
CC128667		0.011	0.17	1.88	42	0.06	13.70	197	2.1
CC128668		0.006	0.20	2.77	49	0.06	13.75	427	3.2
CC128669		<0.005	0.09	1.53	26	0.05	9.61	178	2.7
CC128670		0.005	0.13	4.30	30	0.05	13.75	209	3.3
CC128671		0.005	0.08	1.51	28	<0.05	10.30	200	2.7
CC128672		0.005	0.07	1.59	26	<0.05	9.36	180	3.3
CC128673		0.005	0.11	1.33	33	0.22	10.20	191	2.6
CC128674		<0.005	0.14	1.99	43	0.07	10.35	216	2.3
CC128736		0.011	0.20	3.11	43	0.27	10.65	567	1.9
CC128737		0.011	0.21	3.31	45	0.12	11.25	527	1.9
CC128738		0.010	0.21	2.95	46	0.10	12.25	483	2.1
CC128739		0.010	0.22	3.20	48	0.11	12.35	540	1.9
CC128740		0.011	0.22	3.08	49	0.19	11.45	503	1.8
CC128741		0.010	0.25	4.08	54	0.10	12.65	518	2.0
CC128742		0.007	0.13	2.13	38	0.17	11.00	293	2.1
CC128743		<0.005	0.08	1.45	21	<0.05	8.27	157	2.3
CC128744		<0.005	0.12	1.92	40	0.05	9.80	155	2.1
CC128745		<0.005	0.12	2.07	31	0.05	9.73	238	2.0
CC128746		<0.005	0.10	2.24	26	0.05	8.42	219	2.1
CC128747		0.005	0.12	2.53	28	0.05	9.37	235	2.3
CC128748		0.005	0.14	2.24	34	0.05	10.05	267	2.0
CC128749		<0.005	0.11	2.05	30	0.12	8.77	238	2.1
CC128750		0.009	0.13	1.53	32	0.14	12.75	273	2.3
CC128751		0.006	0.15	1.31	31	0.07	12.15	239	1.7
CC128752		0.008	0.14	1.27	33	<0.05	13.50	268	1.6
CC128753		0.007	0.15	1.34	33	<0.05	13.90	221	2.2
CC128754		0.006	0.15	1.22	30	0.05	12.85	246	1.8
CC128755		0.006	0.14	1.32	33	0.05	12.60	249	1.5
CC115520		<0.005	0.13	4.70	45	<0.05	11.85	356	2.8
CC115521		<0.005	0.08	2.34	23	<0.05	8.50	266	2.4
CC115522		<0.005	0.13	2.30	23	<0.05	7.98	357	2.2
CC115523		<0.005	0.13	3.36	30	<0.05	9.55	344	2.2
CC115524		0.005	0.11	1.79	30	<0.05	9.42	358	2.3
CC115525		0.005	0.12	2.37	36	<0.05	9.63	349	2.5
CC115526		<0.005	0.11	3.00	30	<0.05	9.70	354	3.4
CC115527		<0.005	0.13	1.80	28	<0.05	8.86	384	2.0

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 1- AUG- 2011
Account: RCM

Project: Rackla- Edina East Silts

CERTIFICATE OF ANALYSIS WH11123612

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- ST43 Au ppm 0.0001	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1
CC115528		0.39	0.0010	0.23	1.16	31.2	<0.2	<10	420	0.72	0.31	1.07	2.35	24.1	27.0	63
CC115529		0.35	0.0020	0.37	0.96	21.0	<0.2	<10	1030	0.56	0.16	3.77	1.60	22.4	10.3	31
CC115530		0.20	0.0015	0.23	1.07	28.6	<0.2	<10	340	0.71	0.28	0.84	2.84	21.6	21.3	57
CC115531		0.29	0.0008	0.26	1.06	31.0	<0.2	<10	410	0.72	0.28	1.06	2.31	22.1	22.4	56
CC115532		0.18	0.0013	0.34	0.83	19.9	<0.2	<10	400	0.47	0.20	3.80	2.24	14.70	12.2	38
CC115533		0.26	0.0012	0.27	1.14	29.7	<0.2	<10	520	0.68	0.28	1.25	2.38	21.4	23.4	54
CC115534		0.41	0.0011	0.27	0.98	28.6	<0.2	<10	500	0.65	0.28	1.43	2.26	22.5	22.2	54
CC115535		0.15	0.0014	0.24	1.35	26.9	<0.2	<10	370	0.80	0.34	1.19	2.38	22.4	26.8	52
CC115536		0.27	0.0013	0.25	1.27	29.3	<0.2	<10	370	0.76	0.32	1.07	2.39	22.7	25.0	55
CC115537		0.27	0.0020	0.43	1.16	34.4	<0.2	<10	410	0.72	0.30	1.37	2.40	23.7	23.3	56
CC115538		0.30	0.0013	0.35	0.85	17.9	<0.2	<10	450	0.57	0.18	4.04	1.73	21.0	13.5	50
CC129171		0.33	0.0009	0.13	1.52	15.4	<0.2	<10	410	0.88	0.36	1.80	1.78	15.30	19.2	30
CC129172		0.38	0.0008	0.20	1.10	15.4	<0.2	<10	540	0.61	0.21	4.67	2.84	17.30	14.6	28
CC129173		0.35	0.0008	0.11	1.51	16.6	<0.2	<10	360	0.78	0.38	1.96	1.75	15.05	20.3	30
CC129174		0.41	0.0011	0.18	1.54	18.9	<0.2	<10	320	0.96	0.40	1.56	2.29	16.40	23.4	31

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 1- AUG- 2011
Account: RCM

Project: Rackla- Edina East Silts

CERTIFICATE OF ANALYSIS WH11123612

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
CC115528		2.13	43.6	4.26	3.19	0.05	0.05	0.20	0.022	0.08	11.2	29.4	1.79	797	2.68	0.02
CC115529		1.10	34.7	2.23	2.72	<0.05	0.05	0.18	0.021	0.10	12.0	12.1	2.05	395	2.05	0.03
CC115530		1.69	44.2	3.23	3.05	<0.05	0.07	0.23	0.027	0.08	10.8	24.9	1.38	321	2.38	0.02
CC115531		1.93	46.6	3.91	3.17	<0.05	0.06	0.18	0.025	0.07	11.2	28.2	1.63	531	2.77	0.01
CC115532		1.15	27.7	2.50	2.33	<0.05	0.05	0.19	0.023	0.07	7.6	16.7	2.54	374	2.15	0.02
CC115533		1.90	41.8	3.98	3.11	<0.05	0.06	0.21	0.026	0.08	10.8	26.1	1.60	665	2.63	0.01
CC115534		1.81	43.8	3.55	2.87	0.05	0.06	0.20	0.024	0.07	11.3	23.5	1.75	455	2.79	0.01
CC115535		2.25	46.2	4.01	3.90	<0.05	0.07	0.20	0.027	0.09	11.0	35.5	1.59	690	2.16	0.01
CC115536		1.92	47.0	4.27	3.44	<0.05	0.07	0.19	0.025	0.08	11.3	33.4	1.64	847	2.59	0.01
CC115537		2.21	49.6	3.81	3.21	0.05	0.08	0.28	0.027	0.09	12.1	25.5	1.71	587	2.75	0.02
CC115538		1.38	38.6	2.31	2.45	<0.05	0.05	0.21	0.025	0.08	10.8	14.8	3.27	281	1.57	0.02
CC129171		1.97	42.9	4.36	4.35	<0.05	0.04	0.05	0.026	0.05	6.9	32.9	1.50	883	2.64	0.02
CC129172		1.21	31.2	3.12	3.22	0.05	0.04	0.10	0.022	0.05	8.6	24.3	3.05	580	4.44	0.02
CC129173		1.94	43.7	4.33	4.38	0.05	0.04	0.06	0.028	0.05	6.6	34.4	1.62	868	2.47	0.02
CC129174		2.25	51.0	4.45	4.88	0.06	0.06	0.08	0.032	0.05	7.3	36.9	1.40	813	2.85	0.02

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 1- AUG- 2011
Account: RCM

Project: Rackla- Edina East Silts

CERTIFICATE OF ANALYSIS WH11123612

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
CC115528		0.11	154.5	840	41.6	6.2	0.002	0.05	1.37	3.1	1.3	0.2	44.1	<0.01	0.04	3.6
CC115529		0.40	68.2	1140	34.6	7.8	0.001	0.07	1.72	2.7	1.2	0.3	53.4	<0.01	0.04	1.7
CC115530		0.16	130.0	850	37.9	6.6	0.003	0.09	1.35	3.0	1.7	0.3	63.2	<0.01	0.04	2.8
CC115531		0.13	141.0	750	36.1	6.5	0.002	0.06	1.34	3.0	1.5	0.3	52.3	<0.01	0.05	3.3
CC115532		0.18	80.3	970	32.0	6.7	0.003	0.09	1.36	2.1	2.1	0.3	87.1	<0.01	0.03	1.2
CC115533		0.15	135.5	880	38.1	6.4	0.003	0.06	1.30	2.9	1.7	0.3	50.8	<0.01	0.06	3.1
CC115534		0.13	135.5	850	40.4	6.4	0.003	0.05	1.44	2.9	1.8	0.2	54.8	<0.01	0.05	3.2
CC115535		0.16	138.0	790	43.7	7.0	0.002	0.06	1.16	3.5	1.5	0.3	53.7	<0.01	0.05	3.5
CC115536		0.13	146.0	760	40.1	6.3	0.003	0.06	1.22	3.3	1.4	0.3	51.5	<0.01	0.06	3.5
CC115537		0.18	157.5	940	46.8	8.1	0.006	0.07	1.73	3.4	1.8	0.3	65.3	<0.01	0.05	3.0
CC115538		0.31	112.0	960	29.0	6.1	0.003	0.06	1.21	3.4	1.7	0.3	67.9	<0.01	0.04	2.3
CC129171		0.13	61.7	840	28.0	3.9	0.001	0.04	0.74	3.5	1.1	0.3	37.1	<0.01	0.03	3.7
CC129172		0.18	74.9	1200	21.0	4.2	0.002	0.05	1.15	3.1	1.3	0.3	65.7	<0.01	0.03	3.0
CC129173		0.11	67.5	790	30.2	3.7	0.001	0.04	0.77	3.7	0.8	0.3	37.5	<0.01	0.03	3.9
CC129174		0.15	76.6	800	31.8	4.3	0.001	0.06	0.90	4.3	1.0	0.3	40.2	<0.01	0.05	3.9

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 1- AUG- 2011
Account: RCM

Project: Rackla- Edina East Silts

CERTIFICATE OF ANALYSIS WH11123612

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
CC115528		<0.005	0.12	2.28	33	0.05	8.86	411	2.0
CC115529		0.010	0.30	1.72	53	0.18	10.85	274	1.9
CC115530		<0.005	0.16	3.52	35	0.05	9.40	332	2.2
CC115531		<0.005	0.29	1.92	35	<0.05	9.19	357	2.2
CC115532		0.005	0.14	3.81	43	<0.05	8.59	287	1.7
CC115533		<0.005	0.25	2.21	38	<0.05	9.16	396	2.1
CC115534		<0.005	0.29	2.29	36	<0.05	9.50	356	2.1
CC115535		<0.005	0.15	2.21	31	0.05	9.47	373	2.5
CC115536		<0.005	0.22	2.05	34	<0.05	9.31	376	2.3
CC115537		0.005	0.23	2.15	42	<0.05	10.60	452	2.4
CC115538		0.007	0.19	1.57	39	<0.05	11.40	231	2.0
CC129171		0.006	0.09	1.13	35	<0.05	7.19	289	1.6
CC129172		0.005	0.16	1.40	47	0.05	9.50	381	1.6
CC129173		0.005	0.09	1.12	33	<0.05	7.08	291	1.5
CC129174		0.005	0.10	1.22	34	<0.05	8.33	307	2.0

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 1- AUG- 2011
Account: RCM

Project: Rackla- Edina East Silts

CERTIFICATE OF ANALYSIS WH11123612

Method	CERTIFICATE COMMENTS
ME- MS41	Gold determinations by this method are semi- quantitative due to the small sample weight used (0.5g).

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 1- AUG- 2011
Account: RCM

CERTIFICATE WH11123614

Project: Rackla- Dale Silts

P.O. No.:

This report is for 54 Silt samples submitted to our lab in Whitehorse, YT, Canada on 2- JUL- 2011.

The following have access to data associated with this certificate:

ROB CARNE JULIA LANE	ANDREW CARNE JOAN MARIACHER	MATT DUMALA

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
SCR- 41	Screen to - 180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- ST43	Super Trace Au - 25g AR	ICP- MS
ME- MS41	51 anal. aqua regia ICPMS	

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 1- AUG- 2011
Account: RCM

Project: Rackla- Dale Silts

CERTIFICATE OF ANALYSIS WH11123614

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg .02	Au- ST43 Au ppm 0.0001	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1
CC127999		0.18	0.0038	0.73	0.45	18.0	<0.2	<10	890	0.57	0.19	0.61	3.31	9.63	5.0	12
CC128000		0.28	0.0028	0.57	0.59	16.7	<0.2	<10	760	0.53	0.17	0.51	2.60	13.05	5.8	14
CC128701		0.15	0.0034	0.55	0.54	17.2	<0.2	<10	770	0.52	0.16	0.50	1.94	10.70	5.3	14
CC128702		0.36	0.0031	0.51	0.57	14.7	<0.2	<10	930	0.43	0.15	0.52	2.69	10.25	5.6	14
CC128703		0.32	0.0026	0.49	0.55	13.9	<0.2	<10	980	0.49	0.15	0.52	2.84	10.50	6.6	13
CC128704		0.29	0.0029	0.67	0.68	17.5	<0.2	<10	850	0.56	0.18	0.74	2.68	13.55	7.9	15
CC128705		0.29	0.0029	0.58	0.70	14.9	<0.2	<10	940	0.55	0.18	0.79	3.22	12.40	7.1	16
CC128706		Destroyed														
CC128707		Destroyed														
CC128708		Destroyed														
CC128709		Destroyed														
CC128710		Destroyed														
CC128711		0.28	0.0015	0.31	0.77	12.2	<0.2	<10	930	0.60	0.17	0.94	2.17	14.60	10.3	16
CC128712		0.27	0.0018	0.31	0.79	12.8	<0.2	<10	800	0.59	0.18	0.93	2.06	14.05	10.5	16
CC128713		0.32	0.0014	0.27	0.78	11.3	<0.2	<10	820	0.56	0.16	1.02	2.00	13.95	10.3	15
CC128714		0.35	0.0019	0.31	0.77	13.9	<0.2	<10	730	0.59	0.18	1.05	2.21	12.30	10.6	15
CC128715		0.20	0.0015	0.32	0.79	13.1	<0.2	<10	680	0.66	0.19	1.07	2.10	12.15	9.3	16
CC128716		0.29	0.0014	0.28	0.79	14.1	<0.2	<10	700	0.64	0.18	1.05	1.75	13.45	9.9	16
CC128717		0.21	0.0018	0.33	1.09	14.9	<0.2	<10	380	0.80	0.22	1.95	1.07	14.60	9.3	19
CC128718		0.37	0.0014	0.28	0.84	12.9	<0.2	<10	780	0.75	0.16	0.91	2.01	13.20	9.9	17
CC128719		0.29	0.0013	0.20	0.80	13.6	<0.2	<10	650	0.59	0.16	1.16	1.68	12.30	9.6	15
CC128720		0.30	0.0011	0.23	0.75	13.1	<0.2	<10	620	0.57	0.17	0.98	1.54	11.75	9.4	15
CC128813		0.17	0.0030	0.97	1.00	24.7	<0.2	<10	380	0.81	0.17	1.37	14.90	14.55	7.8	20
CC128814		0.29	0.0020	0.63	0.95	22.5	<0.2	<10	240	0.68	0.17	1.32	9.95	14.40	8.5	21
CC128815		0.27	0.0030	0.87	1.03	24.4	<0.2	<10	280	0.94	0.19	1.45	7.94	16.50	8.1	21
CC128816		0.25	0.0021	0.70	0.96	22.9	<0.2	<10	310	0.81	0.18	1.32	5.32	14.50	8.4	19
CC128817		0.24	0.0015	0.24	0.99	21.9	<0.2	10	330	0.85	0.20	1.16	4.30	15.80	11.2	17
CC128818		0.32	0.0024	0.75	0.63	33.8	<0.2	<10	1010	0.60	0.18	0.61	3.05	11.05	8.0	16
CC128819		0.21	0.0023	1.02	0.57	34.3	<0.2	<10	1430	0.60	0.19	0.62	2.32	8.68	7.9	21
CC128820		0.36	0.0024	0.75	0.55	27.6	<0.2	<10	960	0.61	0.17	0.75	2.79	9.29	6.8	16
CC128821		0.19	0.0027	0.81	0.61	25.5	<0.2	<10	900	0.61	0.16	0.94	3.46	10.35	7.4	16
CC128822		0.41	0.0015	0.65	0.57	29.8	<0.2	<10	910	0.64	0.16	0.87	2.54	10.00	7.4	15
CC128823		0.31	0.0011	0.68	0.51	24.2	<0.2	<10	900	0.51	0.13	0.79	1.73	7.53	6.1	15
CC128824		0.46	0.0009	0.91	0.49	24.8	<0.2	<10	910	0.53	0.13	0.94	1.60	6.67	5.6	15
CC128825		0.34	0.0012	0.93	0.51	29.6	<0.2	<10	1020	0.54	0.13	0.99	1.39	6.79	5.8	17
CC128826		0.51	0.0007	0.77	0.43	31.8	<0.2	<10	960	0.46	0.13	0.91	0.96	4.96	4.8	16
CC128827		0.36	0.0007	0.59	0.43	32.7	<0.2	<10	990	0.54	0.12	0.84	0.93	5.18	5.1	15
CC128476		0.22	0.0021	1.92	0.57	24.3	<0.2	10	1210	0.63	0.17	0.98	1.07	4.23	7.4	22
CC128477		0.26	0.0018	1.37	0.49	10.8	<0.2	10	1140	0.43	0.13	1.10	0.56	2.86	3.2	18
CC128478		0.53	0.0011	0.98	0.25	19.2	<0.2	<10	910	0.45	0.16	0.41	0.46	5.73	3.5	21

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 1- AUG- 2011
Account: RCM

Project: Rackla- Dale Silts

CERTIFICATE OF ANALYSIS WH11123614

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
CC127999		1.36	44.4	1.70	1.64	0.09	0.03	0.36	0.030	0.09	5.1	3.8	0.10	223	10.90	0.02
CC128000		1.04	35.9	1.84	2.10	0.10	0.02	0.22	0.028	0.08	6.6	6.6	0.16	211	8.89	0.02
CC128701		1.05	34.6	1.77	1.90	0.09	0.03	0.24	0.028	0.08	5.7	5.4	0.13	208	9.24	0.02
CC128702		1.02	31.3	1.79	1.67	0.10	0.03	0.26	0.025	0.07	5.6	5.4	0.15	210	7.46	0.02
CC128703		1.04	33.2	1.75	1.70	0.10	0.04	0.20	0.024	0.07	5.7	6.0	0.15	268	7.17	0.02
CC128704		1.13	37.0	2.14	2.25	0.10	0.05	0.30	0.025	0.08	6.9	8.6	0.21	305	7.52	0.02
CC128705		1.05	31.1	2.16	2.07	0.10	0.05	0.31	0.029	0.08	6.2	8.6	0.25	298	6.95	0.02
CC128706																
CC128707																
CC128708																
CC128709																
CC128710																
CC128711		0.95	26.9	2.46	2.40	0.10	0.05	0.17	0.029	0.08	7.0	12.4	0.40	405	3.38	0.02
CC128712		0.92	28.6	2.56	2.47	0.11	0.06	0.21	0.028	0.07	6.5	12.6	0.37	486	3.44	0.02
CC128713		0.90	26.2	2.51	2.40	0.10	0.05	0.16	0.025	0.07	6.5	12.8	0.42	394	2.88	0.02
CC128714		0.90	28.5	2.58	2.29	0.10	0.05	0.18	0.026	0.07	5.9	11.2	0.38	568	4.51	0.02
CC128715		0.90	28.5	2.51	2.29	0.09	0.05	0.20	0.025	0.07	5.8	11.7	0.36	494	4.28	0.02
CC128716		0.81	27.3	2.61	2.47	0.09	0.06	0.17	0.023	0.07	6.2	12.6	0.41	515	4.11	0.02
CC128717		0.73	34.1	2.69	3.39	0.09	0.06	0.29	0.029	0.08	7.5	18.6	0.47	495	1.23	0.02
CC128718		0.86	28.0	2.60	2.43	0.10	0.04	0.39	0.025	0.07	5.9	13.4	0.37	321	3.08	0.02
CC128719		0.78	26.2	2.62	2.36	0.09	0.05	0.14	0.026	0.07	5.7	12.3	0.42	508	3.72	0.02
CC128720		0.77	25.4	2.49	2.25	0.09	0.05	0.21	0.025	0.07	5.6	11.8	0.39	540	3.91	0.02
CC128813		1.50	48.5	2.28	3.03	0.10	0.08	0.44	0.033	0.10	7.3	12.4	0.36	273	6.42	0.01
CC128814		1.07	37.6	2.56	2.94	0.09	0.06	0.26	0.033	0.13	6.7	13.7	0.38	200	6.21	0.01
CC128815		1.24	43.4	2.54	3.22	0.09	0.07	0.34	0.031	0.11	7.9	14.4	0.41	196	6.38	0.01
CC128816		1.17	39.2	2.46	2.91	0.11	0.07	0.27	0.027	0.10	6.8	13.2	0.34	324	6.33	0.01
CC128817		1.59	38.2	3.03	3.13	0.10	0.07	0.17	0.032	0.12	6.6	16.3	0.57	375	5.95	0.02
CC128818		2.42	51.6	2.53	2.04	0.11	0.02	0.29	0.035	0.10	5.3	7.9	0.19	254	5.79	0.02
CC128819		2.26	56.7	2.63	1.89	0.10	0.04	0.31	0.032	0.10	4.7	6.6	0.17	144	5.45	0.02
CC128820		1.97	48.0	2.11	1.70	0.09	0.04	0.32	0.031	0.10	4.6	6.1	0.19	161	4.88	0.02
CC128821		1.97	49.3	2.16	1.88	0.11	0.05	0.32	0.029	0.10	5.1	7.2	0.23	250	4.70	0.02
CC128822		2.15	47.8	2.34	1.87	0.11	0.04	0.27	0.032	0.09	4.9	6.8	0.23	293	5.65	0.02
CC128823		1.23	38.0	1.99	1.54	0.10	0.03	0.20	0.026	0.08	4.0	5.4	0.17	217	3.71	0.02
CC128824		1.12	36.8	1.90	1.49	0.11	0.04	0.22	0.027	0.08	3.5	4.9	0.20	213	2.94	0.02
CC128825		1.11	37.6	1.99	1.56	0.11	0.03	0.26	0.025	0.08	3.6	4.7	0.22	230	3.23	0.01
CC128826		1.08	38.0	1.77	1.36	0.09	0.03	0.19	0.023	0.07	2.9	3.3	0.17	193	3.22	0.02
CC128827		1.05	31.1	1.86	1.35	0.09	0.03	0.17	0.023	0.07	2.8	3.7	0.20	213	3.35	0.02
CC128476		0.65	37.2	2.39	1.40	0.10	0.05	0.19	0.028	0.07	2.5	2.2	0.05	257	4.18	0.02
CC128477		0.58	28.3	2.57	1.23	0.10	0.05	0.15	0.023	0.06	1.7	2.0	0.06	198	2.29	0.02
CC128478		1.13	53.4	2.26	0.76	0.12	0.06	0.16	0.026	0.08	2.7	1.1	0.02	37	2.74	0.02

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 1- AUG- 2011
Account: RCM

Project: Rackla- Dale Silts

CERTIFICATE OF ANALYSIS WH11123614

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
CC127999		0.12	56.7	1120	15.0	8.7	0.009	0.14	3.96	2.6	4.5	0.4	62.5	<0.01	0.11	0.5
CC128000		0.23	39.9	1080	12.1	9.0	0.007	0.09	3.12	2.7	3.2	0.4	52.7	<0.01	0.10	0.7
CC128701		0.17	31.1	1050	11.9	7.8	0.006	0.10	3.18	2.4	2.8	0.4	50.3	<0.01	0.10	0.6
CC128702		0.18	37.2	1080	11.2	7.8	0.006	0.09	2.76	2.4	3.1	0.3	49.6	<0.01	0.08	0.7
CC128703		0.15	36.4	1060	11.2	7.7	0.007	0.09	2.85	2.6	3.1	0.3	54.2	<0.01	0.05	0.8
CC128704		0.22	43.5	1220	13.0	8.9	0.009	0.11	3.20	3.2	4.0	0.4	69.3	<0.01	0.10	0.9
CC128705		0.22	43.5	1130	13.4	9.1	0.006	0.12	2.83	3.0	3.0	0.4	65.9	<0.01	0.09	1.0
CC128706																
CC128707																
CC128708																
CC128709																
CC128710																
CC128711		0.24	41.4	1010	12.3	7.6	0.002	0.07	1.43	3.5	1.9	0.3	46.4	<0.01	0.04	1.9
CC128712		0.25	42.2	980	13.2	6.7	0.006	0.07	1.33	3.5	2.4	0.3	43.6	<0.01	0.04	1.7
CC128713		0.26	40.8	970	12.4	7.7	0.004	0.06	1.25	3.5	2.0	0.3	45.2	<0.01	0.07	1.8
CC128714		0.22	42.4	960	13.6	7.2	0.006	0.07	1.37	3.5	2.2	0.4	48.1	<0.01	0.04	1.6
CC128715		0.20	39.4	960	13.1	7.2	0.009	0.08	1.25	3.5	2.7	0.4	47.8	<0.01	0.03	1.5
CC128716		0.25	36.4	900	13.7	6.8	0.005	0.07	1.18	3.5	1.9	0.3	45.6	<0.01	0.05	1.9
CC128717		0.41	27.4	920	15.2	8.0	0.006	0.12	0.87	4.5	2.7	0.4	61.1	<0.01	0.05	1.3
CC128718		0.24	36.5	960	13.5	7.1	0.006	0.08	1.22	3.5	3.2	0.3	45.2	<0.01	0.04	1.8
CC128719		0.22	35.0	900	13.1	6.5	0.004	0.07	1.11	3.4	2.1	0.3	46.1	<0.01	0.05	1.8
CC128720		0.22	34.0	830	13.0	6.4	0.003	0.06	1.17	3.3	2.1	0.3	43.5	<0.01	0.04	1.7
CC128813		0.26	278	1100	13.3	13.8	0.023	0.11	3.98	4.0	6.4	0.4	57.3	<0.01	0.07	1.1
CC128814		0.23	88.1	1150	14.4	11.4	0.014	0.09	3.17	3.9	4.4	0.4	53.4	<0.01	0.08	1.5
CC128815		0.28	132.5	1110	14.2	11.6	0.029	0.09	3.33	4.4	5.6	0.5	60.7	<0.01	0.07	1.4
CC128816		0.28	78.6	1000	15.3	10.2	0.012	0.08	3.06	4.0	3.5	0.4	55.6	<0.01	0.06	1.4
CC128817		0.28	62.5	710	15.3	13.9	0.004	0.06	1.53	5.6	2.2	0.4	50.3	<0.01	0.06	2.3
CC128818		0.14	57.7	1010	14.3	9.9	0.006	0.08	2.46	4.4	4.3	0.4	73.8	<0.01	0.09	1.9
CC128819		0.11	69.5	1020	14.3	8.0	0.004	0.08	2.16	5.3	4.9	0.4	101.0	<0.01	0.11	1.7
CC128820		0.13	56.0	990	12.7	8.6	0.006	0.08	2.29	4.2	4.1	0.4	75.5	<0.01	0.09	1.8
CC128821		0.16	60.5	950	12.8	9.7	0.009	0.09	2.30	4.3	3.8	0.4	73.0	<0.01	0.10	1.7
CC128822		0.14	56.5	960	13.8	9.3	0.007	0.08	2.48	4.2	2.9	0.4	76.9	<0.01	0.09	1.9
CC128823		0.10	49.3	1010	10.5	6.8	0.006	0.07	1.71	3.7	4.6	0.3	88.3	<0.01	0.06	1.4
CC128824		0.09	49.2	1000	9.5	6.9	0.006	0.07	1.31	3.8	4.2	0.3	96.8	<0.01	0.08	1.3
CC128825		0.10	49.5	990	10.5	6.9	0.007	0.08	1.33	4.0	4.2	0.3	102.5	<0.01	0.10	1.3
CC128826		0.06	47.1	1010	10.1	6.4	0.009	0.06	1.22	3.7	3.9	0.3	115.0	<0.01	0.12	1.2
CC128827		0.07	44.0	990	10.2	6.4	0.006	0.05	1.19	3.3	3.7	0.3	107.5	<0.01	0.07	1.3
CC128476		0.10	64.2	2030	9.6	6.4	0.028	0.29	1.28	5.1	9.0	0.4	146.0	<0.01	0.15	0.9
CC128477		0.06	28.3	940	7.5	6.4	0.023	0.16	0.80	3.9	8.7	0.3	126.5	<0.01	0.10	0.7
CC128478		<0.05	68.9	1190	8.6	6.3	0.009	0.10	1.27	4.8	5.0	0.3	76.7	<0.01	0.26	2.2

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 1- AUG- 2011
Account: RCM

Project: Rackla- Dale Silts

CERTIFICATE OF ANALYSIS WH11123614

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
CC127999		0.005	1.18	2.71	108	0.10	9.14	162	1.0
CC128000		0.010	0.79	2.15	86	0.13	8.78	156	0.9
CC128701		0.008	0.88	2.27	95	0.13	8.19	141	0.8
CC128702		0.009	0.82	1.80	84	0.11	8.02	177	0.9
CC128703		0.007	0.72	1.79	85	0.08	8.22	168	1.3
CC128704		0.008	0.73	1.75	87	0.10	10.40	216	1.7
CC128705		0.008	0.77	1.41	86	0.11	8.90	212	1.5
CC128706									
CC128707									
CC128708									
CC128709									
CC128710									
CC128711		0.007	0.36	1.22	51	0.12	8.52	261	1.5
CC128712		0.006	0.33	1.35	51	0.29	8.64	255	1.5
CC128713		0.006	0.35	1.10	49	0.07	8.36	281	1.5
CC128714		0.005	0.41	1.22	56	0.06	8.65	281	1.5
CC128715		0.005	0.40	1.45	53	0.07	8.38	265	1.5
CC128716		0.005	0.34	1.16	49	0.07	8.39	234	1.6
CC128717		0.006	0.15	1.24	39	0.07	11.65	134	1.8
CC128718		0.006	0.33	1.20	51	0.09	8.52	234	1.6
CC128719		0.005	0.32	1.13	48	0.07	7.95	232	1.4
CC128720		0.005	0.30	1.19	47	0.05	7.76	221	1.6
CC128813		0.005	1.46	3.64	204	0.09	17.45	2380	2.1
CC128814		0.012	0.61	2.07	161	0.07	10.40	984	2.3
CC128815		0.005	0.68	2.01	171	0.12	13.85	1280	2.2
CC128816		0.005	0.64	3.29	161	0.09	11.85	718	1.9
CC128817		0.005	0.39	1.27	69	0.07	8.95	577	2.3
CC128818		<0.005	0.42	1.74	69	0.06	15.85	376	1.0
CC128819		<0.005	0.37	1.88	65	0.06	18.80	323	1.3
CC128820		<0.005	0.38	1.52	71	0.05	15.55	372	1.4
CC128821		<0.005	0.44	1.52	74	0.06	15.20	397	1.5
CC128822		<0.005	0.38	1.71	74	0.06	14.00	373	1.3
CC128823		<0.005	0.23	1.83	57	<0.05	15.20	268	1.3
CC128824		<0.005	0.19	1.38	48	<0.05	15.30	236	1.5
CC128825		<0.005	0.20	1.68	55	<0.05	15.45	245	1.5
CC128826		<0.005	0.17	1.61	46	<0.05	14.75	215	1.4
CC128827		<0.005	0.15	1.45	48	<0.05	13.35	228	1.4
CC128476		<0.005	0.16	4.46	61	0.05	23.1	192	2.1
CC128477		<0.005	0.10	4.82	41	<0.05	17.20	75	2.0
CC128478		<0.005	0.15	3.63	37	<0.05	27.6	203	3.3

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 1- AUG- 2011
Account: RCM

Project: Rackla- Dale Silts

CERTIFICATE OF ANALYSIS WH11123614

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg .02	Au- ST43 Au ppm 0.0001	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1
CC128479		0.25	0.0022	0.87	0.54	14.8	<0.2	<10	1080	0.45	0.14	0.92	0.67	5.15	2.4	17
CC128480		0.23	0.0021	0.98	0.82	15.3	<0.2	10	710	0.54	0.18	1.13	0.80	11.40	8.1	20
CC128481		0.19	0.0031	1.12	0.83	12.6	<0.2	10	740	0.55	0.19	1.34	0.59	10.80	5.6	20
CC128482		0.27	0.0025	0.90	0.82	16.2	<0.2	10	780	0.47	0.18	1.45	0.82	9.72	7.6	20
CC128483		0.57	0.0035	0.40	1.71	63.7	<0.2	10	810	0.73	0.25	1.28	1.05	18.80	18.8	29
CC128484		0.39	0.0026	0.18	1.81	10.3	<0.2	<10	480	0.86	0.28	1.39	0.38	26.5	13.6	27
CC128486		0.71	0.0030	0.46	2.07	19.9	<0.2	<10	680	0.92	0.30	0.44	0.60	36.0	23.9	35
CC128487		0.42	0.0030	0.61	1.54	32.7	<0.2	10	540	0.77	0.27	1.15	0.78	17.30	13.4	29
CC128488		0.26	0.0029	0.64	1.62	38.2	<0.2	<10	500	0.75	0.26	1.08	0.65	18.20	13.3	29
CC128489		0.37	0.0025	0.46	1.45	28.3	<0.2	<10	460	0.64	0.24	1.13	0.66	15.40	12.5	25
CC128490		0.29	0.0019	0.23	1.46	12.4	<0.2	<10	610	0.69	0.21	2.50	0.97	16.40	10.3	21
CC128491		0.16	0.0019	0.33	1.14	26.2	<0.2	20	420	0.60	0.19	2.45	0.86	11.85	11.1	21
CC128492		0.25	0.0026	0.40	1.38	17.1	<0.2	20	400	0.66	0.20	2.45	0.85	15.70	10.5	24
CC128493		0.15	0.0028	0.32	1.05	13.0	<0.2	20	350	0.47	0.14	2.78	0.72	9.71	7.3	23

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 1- AUG- 2011
Account: RCM

Project: Rackla- Dale Silts

CERTIFICATE OF ANALYSIS WH11123614

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
CC128479		0.65	35.0	1.98	1.54	0.12	0.06	0.17	0.025	0.06	2.8	3.8	0.08	38	2.18	0.02
CC128480		0.62	43.4	2.38	2.46	0.05	0.07	0.18	0.029	0.09	5.4	11.5	0.33	258	1.77	0.01
CC128481		0.83	45.3	2.01	2.34	0.05	0.07	0.21	0.026	0.08	5.0	10.5	0.28	344	1.48	0.01
CC128482		0.65	42.3	2.34	2.23	0.05	0.07	0.18	0.026	0.09	4.9	10.2	0.31	437	1.40	<0.01
CC128483		1.10	48.9	4.49	4.58	<0.05	0.08	0.28	0.031	0.11	10.0	24.8	0.73	3040	1.61	0.01
CC128484		0.81	69.6	3.10	4.66	<0.05	0.10	0.12	0.030	0.10	12.1	30.8	0.74	129	0.65	0.01
CC128486		1.72	100.0	4.66	6.15	0.06	0.14	0.17	0.040	0.14	17.2	31.4	1.04	690	2.35	0.01
CC128487		0.90	50.9	3.61	4.12	0.05	0.08	0.22	0.036	0.11	8.1	21.4	0.60	1140	1.72	0.01
CC128488		1.00	51.7	3.80	4.48	<0.05	0.09	0.23	0.037	0.11	8.9	23.2	0.63	758	1.62	<0.01
CC128489		0.83	44.1	3.58	4.01	<0.05	0.09	0.19	0.032	0.10	7.3	21.8	0.58	413	1.32	<0.01
CC128490		0.82	46.6	2.90	3.94	<0.05	0.08	0.15	0.028	0.08	7.9	19.7	0.53	337	1.15	0.01
CC128491		0.71	50.0	2.87	3.22	<0.05	0.06	0.21	0.023	0.10	6.3	16.8	0.54	1860	1.65	0.01
CC128492		0.82	55.6	2.99	3.75	<0.05	0.08	0.25	0.029	0.10	7.8	24.1	0.72	1300	0.87	0.01
CC128493		0.69	44.0	2.33	2.85	<0.05	0.07	0.27	0.021	0.09	5.8	14.8	0.59	545	0.85	0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 1- AUG- 2011
Account: RCM

Project: Rackla- Dale Silts

CERTIFICATE OF ANALYSIS WH11123614

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
CC128479		0.10	30.3	740	9.5	6.5	0.028	0.17	0.95	4.6	11.6	0.3	93.8	<0.01	0.10	1.3
CC128480		0.12	44.5	930	12.1	6.6	0.015	0.14	0.78	4.3	6.5	0.3	90.1	<0.01	0.09	1.7
CC128481		0.13	33.3	870	12.4	7.0	0.025	0.17	0.76	4.4	9.1	0.3	98.6	<0.01	0.10	1.7
CC128482		0.12	41.0	890	11.5	6.3	0.019	0.16	0.76	4.2	7.0	0.3	100.0	<0.01	0.08	1.4
CC128483		0.25	40.2	950	17.1	9.3	0.005	0.11	0.53	6.0	3.2	0.4	49.2	<0.01	0.09	1.9
CC128484		0.19	33.8	640	19.0	6.8	0.002	0.08	0.53	5.9	1.3	0.3	58.3	<0.01	0.08	2.4
CC128486		0.12	54.9	730	18.8	8.0	0.001	0.02	0.72	9.3	1.4	0.4	44.0	<0.01	0.10	4.8
CC128487		0.22	37.1	1020	16.6	8.9	0.004	0.09	0.59	5.3	3.2	0.4	57.2	<0.01	0.09	1.6
CC128488		0.22	38.1	980	17.0	9.7	0.003	0.08	0.58	5.8	3.0	0.4	53.8	<0.01	0.11	1.9
CC128489		0.21	34.4	930	14.9	9.7	0.005	0.13	0.52	5.4	3.4	0.4	51.9	<0.01	0.08	1.9
CC128490		0.20	25.6	1160	13.1	6.4	0.001	0.14	0.62	3.2	1.6	0.3	96.3	<0.01	0.06	1.0
CC128491		0.21	31.2	1240	11.5	10.4	0.009	0.22	0.72	4.0	7.4	0.3	90.1	<0.01	0.08	0.8
CC128492		0.22	33.6	1030	13.8	11.8	0.009	0.22	0.49	4.9	4.5	0.3	97.5	<0.01	0.08	1.1
CC128493		0.15	24.6	1050	9.5	10.1	0.007	0.28	0.41	4.4	4.3	0.2	101.5	<0.01	0.04	0.7

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 1- AUG- 2011
Account: RCM

Project: Rackla- Dale Silts

CERTIFICATE OF ANALYSIS WH11123614

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
CC128479		<0.005	0.12	4.45	41	<0.05	16.10	94	2.4
CC128480		<0.005	0.12	3.47	43	<0.05	14.65	152	2.4
CC128481		<0.005	0.14	4.87	44	<0.05	14.60	109	2.3
CC128482		<0.005	0.12	3.56	44	<0.05	14.50	152	2.2
CC128483		0.005	0.19	1.31	57	0.05	12.80	186	2.2
CC128484		<0.005	0.07	1.51	39	<0.05	12.65	80	3.4
CC128486		0.006	0.14	0.92	61	<0.05	15.60	135	6.2
CC128487		<0.005	0.14	1.92	58	0.05	13.50	162	2.2
CC128488		<0.005	0.15	2.25	58	0.05	13.10	177	2.6
CC128489		<0.005	0.12	1.48	48	0.05	10.50	160	2.6
CC128490		0.006	0.08	2.01	39	<0.05	9.19	77	2.5
CC128491		<0.005	0.11	2.88	38	<0.05	12.85	154	2.2
CC128492		0.005	0.12	1.44	38	0.13	13.10	135	2.4
CC128493		<0.005	0.09	3.83	30	<0.05	12.25	121	2.1

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 1- AUG- 2011
Account: RCM

Project: Rackla- Dale Silts

CERTIFICATE OF ANALYSIS WH11123614

Method	CERTIFICATE COMMENTS
ME- MS41	Gold determinations by this method are semi- quantitative due to the small sample weight used (0.5g).

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 4- AUG- 2011
Account: RCM

CERTIFICATE WH11124870

Project: Rackla- Trent Silts

P.O. No.:

This report is for 38 Silt samples submitted to our lab in Whitehorse, YT, Canada on 4- JUL- 2011.

The following have access to data associated with this certificate:

ROB CARNE JULIA LANE	ANDREW CARNE JOAN MARIACHER	MATT DUMALA

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
SCR- 41	Screen to - 180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- ST43	Super Trace Au - 25g AR	ICP- MS
ME- MS41	51 anal. aqua regia ICPMS	

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 4- AUG- 2011
Account: RCM

Project: Rackla- Trent Silts

CERTIFICATE OF ANALYSIS WH11124870

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- ST43 Au ppm 0.0001	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1
CC115777		0.54	0.0010	0.42	0.61	11.5	<0.2	<10	410	0.31	0.10	4.51	1.73	8.79	4.4	15
CC115778		0.51	0.0011	0.66	0.66	11.5	<0.2	<10	460	0.37	0.12	1.69	1.31	11.55	5.4	15
CC115779		0.60	0.0009	0.52	0.69	6.7	<0.2	<10	530	0.34	0.10	1.19	0.90	11.25	4.0	15
CC115780		0.43	0.0012	0.70	0.71	12.6	<0.2	<10	450	0.39	0.13	1.50	2.85	11.55	6.5	17
CC115781		0.41	0.0017	0.99	0.58	16.2	<0.2	<10	470	0.38	0.14	1.36	2.27	12.75	6.7	15
CC115782		0.51	0.0012	0.67	0.88	14.2	<0.2	<10	430	0.46	0.17	1.28	1.70	11.35	7.6	18
CC115783		0.55	0.0018	1.94	0.89	15.8	<0.2	<10	440	0.49	0.22	0.64	0.89	20.7	6.6	23
CC115784		0.62	0.0013	0.61	1.39	16.0	<0.2	<10	540	0.64	0.22	1.20	1.09	9.80	8.8	27
CC115785		0.78	0.0011	0.92	0.55	15.0	<0.2	<10	360	0.30	0.12	7.79	2.27	10.90	5.5	15
CC115640		0.63	0.0009	0.36	0.60	16	<0.2	<10	530	0.27	0.10	12.40	1.30	13.00	5.3	16
CC115641		0.59	0.0014	0.40	0.76	15.4	<0.2	10	470	0.41	0.15	2.66	2.12	21.2	32.8	187
CC115642		0.67	0.0017	0.38	0.72	15.7	<0.2	10	470	0.33	0.14	2.95	1.86	21.3	35.1	192
CC115643		0.53	0.0011	0.40	0.71	15.5	<0.2	10	570	0.37	0.13	2.63	1.91	21.9	27.7	135
CC115644		0.50	0.0007	0.26	0.54	11.1	<0.2	10	430	0.27	0.10	5.93	1.60	13.60	26.4	148
CC115645		0.55	0.0010	0.32	0.59	10.4	<0.2	10	520	0.27	0.11	3.21	1.78	15.35	38.2	195
CC115646		0.56	0.0007	0.22	0.43	6.9	<0.2	30	300	0.20	0.07	3.29	1.33	10.20	61.2	350
CC115592		0.42	0.0016	0.47	0.68	13.1	<0.2	<10	760	0.38	0.14	1.50	2.85	22.8	9.7	35
CC115593		0.52	0.0013	0.28	0.58	9.4	<0.2	20	320	0.25	0.11	1.19	1.70	15.55	61.5	305
CC115594		0.42	0.0011	0.23	0.41	6.5	<0.2	30	240	0.18	0.07	0.88	1.68	10.85	68.4	374
CC115595		0.45	0.0010	0.24	0.46	7.6	<0.2	30	270	0.20	0.08	1.17	1.61	11.45	63.0	369
CC115596		0.39	0.0013	0.33	0.63	11.7	<0.2	20	330	0.29	0.13	1.56	2.20	15.75	57.0	299
CC115597		0.35	0.0010	0.29	0.55	9.2	<0.2	20	320	0.26	0.10	1.18	1.69	15.15	58.6	310
CC115598		0.33	0.0009	0.29	0.51	7.7	<0.2	20	320	0.23	0.09	1.21	1.78	14.10	65.5	329
CC115599		0.37	0.0006	0.22	0.39	6.2	<0.2	30	270	0.14	0.05	1.67	1.50	9.34	73.1	377
CC115600		0.36	0.0014	0.54	0.97	11.9	<0.2	<10	490	0.51	0.15	2.07	1.86	15.20	8.2	24
CC128692		0.25	0.0024	1.42	0.44	14.1	<0.2	<10	960	0.24	0.13	1.21	9.17	14.60	3.5	24
CC128693		0.52	0.0031	1.92	0.54	21.8	<0.2	<10	1070	0.28	0.17	0.87	7.43	17.40	4.0	26
CC128694		0.53	0.0025	1.47	0.76	36.5	<0.2	<10	1540	0.50	0.21	0.63	4.10	19.35	9.0	27
CC128695		0.28	0.0026	1.42	0.48	28.4	<0.2	<10	2620	0.24	0.16	1.11	9.87	14.15	5.9	24
CC128696		0.34	0.0014	0.69	0.71	20.4	<0.2	<10	1420	0.45	0.19	1.53	4.39	26.0	11.2	30
CC128697		0.44	0.0020	0.73	0.76	17.4	<0.2	<10	1370	0.44	0.19	1.49	4.13	24.6	12.2	35
CC128698		0.32	0.0014	0.51	0.81	15.9	<0.2	<10	870	0.44	0.19	1.19	3.34	28.4	14.0	53
CC128699		0.47	0.0013	0.63	0.70	15.9	<0.2	<10	840	0.43	0.18	1.47	3.99	23.0	11.3	32
CC128700		0.43	0.0019	0.76	0.72	17.3	<0.2	<10	740	0.40	0.18	1.39	3.77	21.7	8.9	28
CC115501		0.29	0.0052	0.79	0.80	18.7	<0.2	<10	420	0.44	0.14	1.32	2.78	21.7	12.8	41
CC129901		0.34	0.0011	0.40	0.84	16.7	<0.2	10	400	0.44	0.14	1.68	2.17	20.6	51.3	256
CC129902		0.43	0.0010	0.98	0.47	18.5	<0.2	<10	660	0.26	0.12	2.50	4.92	16.45	5.8	12
CC129903		0.44	0.0008	0.31	0.50	9.8	<0.2	30	340	0.20	0.08	2.05	1.69	10.40	67.6	367

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 4- AUG- 2011
Account: RCM

Project: Rackla- Trent Silts

CERTIFICATE OF ANALYSIS WH11124870

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
CC115777		1.06	17.7	1.66	1.76	0.06	0.06	0.29	0.020	0.06	5.3	11.5	1.62	113	2.22	0.02
CC115778		1.45	18.4	1.77	2.07	0.06	0.06	0.23	0.021	0.05	7.0	14.0	0.46	158	1.48	0.01
CC115779		1.41	14.4	1.40	1.99	0.05	0.06	0.23	0.017	0.05	6.7	14.7	0.37	101	1.02	0.01
CC115780		1.68	24.4	1.90	2.20	0.06	0.07	0.31	0.021	0.05	7.4	14.8	0.28	516	1.71	0.01
CC115781		2.62	24.8	2.16	1.75	0.08	0.07	0.18	0.023	0.05	7.8	10.8	0.17	383	1.93	0.01
CC115782		2.13	23.8	2.44	2.68	0.07	0.08	0.18	0.027	0.07	6.5	21.9	0.45	257	2.67	0.01
CC115783		4.96	26.2	2.18	2.84	0.08	0.08	0.22	0.036	0.07	13.2	17.9	0.22	124	2.48	0.01
CC115784		1.09	23.4	3.20	4.16	0.07	0.09	0.22	0.034	0.06	6.2	31.8	0.61	302	3.23	0.01
CC115785		11.65	19.5	2.20	1.60	0.06	0.08	0.13	0.023	0.05	7.9	9.1	0.49	413	2.15	0.01
CC115640		1.03	17.8	1.51	1.83	0.05	0.06	0.28	0.019	0.07	7.3	8.8	2.98	229	3.23	0.02
CC115641		1.25	39.4	3.84	2.67	0.10	0.06	0.17	0.027	0.06	10.5	10.9	6.15	505	3.28	0.01
CC115642		1.19	36.2	4.05	2.57	0.10	0.06	0.17	0.025	0.07	10.8	9.9	6.30	513	3.18	0.02
CC115643		1.18	33.5	3.60	2.54	0.09	0.06	0.15	0.025	0.07	11.1	9.6	4.44	420	3.37	0.01
CC115644		1.04	25.6	2.93	1.78	0.09	0.06	0.14	0.019	0.06	7.1	8.0	6.04	417	2.37	0.02
CC115645		1.00	29.3	4.35	1.92	0.10	0.05	0.14	0.021	0.06	8.1	7.8	6.42	425	2.37	0.01
CC115646		0.71	20.4	5.75	1.31	0.13	0.04	0.09	0.014	0.04	5.2	5.0	11.90	578	1.52	0.02
CC115592		1.09	32.3	2.12	2.40	0.06	0.06	0.14	0.024	0.08	12.1	10.1	0.86	248	4.11	0.01
CC115593		1.00	30.4	6.28	1.86	0.13	0.05	0.10	0.018	0.06	7.6	6.9	9.87	654	2.06	0.01
CC115594		0.63	24.7	6.28	1.27	0.14	0.04	0.09	0.012	0.04	5.5	4.6	13.50	637	1.82	0.01
CC115595		0.77	26.4	5.76	1.42	0.13	0.04	0.09	0.015	0.05	5.8	5.4	12.60	528	2.06	0.01
CC115596		1.07	35.1	5.90	2.05	0.13	0.05	0.14	0.022	0.06	7.7	8.0	9.61	646	2.18	0.01
CC115597		0.88	32.5	5.76	1.76	0.12	0.05	0.10	0.018	0.06	7.6	6.9	10.15	550	2.23	0.01
CC115598		0.88	26.6	6.71	1.59	0.13	0.04	0.09	0.016	0.05	7.2	5.9	10.85	567	1.93	0.01
CC115599		0.64	18.1	6.87	1.16	0.14	0.04	0.07	0.011	0.04	4.8	4.4	12.40	612	1.71	0.01
CC115600		1.14	28.4	2.28	3.04	0.06	0.07	0.21	0.025	0.07	8.4	18.8	0.83	243	2.08	0.01
CC128692		3.62	52.3	1.46	1.46	0.07	0.07	0.11	0.026	0.07	10.8	4.3	0.23	84	4.68	0.01
CC128693		1.97	38.6	1.98	1.69	0.08	0.07	0.13	0.034	0.11	11.3	3.8	0.20	96	9.14	0.01
CC128694		2.14	91.8	4.25	1.47	0.10	0.07	0.19	0.048	0.10	11.0	3.9	0.09	126	11.75	0.01
CC128695		1.79	50.0	2.19	1.50	0.07	0.06	0.13	0.035	0.08	8.8	2.9	0.10	223	8.57	0.01
CC128696		1.30	45.1	2.69	2.48	0.08	0.06	0.17	0.032	0.10	13.7	9.3	0.93	345	6.76	0.01
CC128697		1.20	40.4	2.63	2.70	0.08	0.06	0.15	0.029	0.09	12.8	10.1	0.89	507	5.96	0.01
CC128698		1.31	41.0	2.81	2.73	0.08	0.06	0.13	0.028	0.09	14.4	10.9	1.12	475	4.82	0.01
CC128699		1.34	37.4	2.38	2.17	0.10	0.06	0.17	0.027	0.08	13.1	10.7	0.89	382	4.87	0.03
CC128700		1.20	44.1	2.24	2.34	0.12	0.04	0.15	0.023	0.08	13.2	10.1	0.59	268	7.40	0.02
CC115501		0.86	45.8	2.11	2.37	0.09	0.05	0.29	0.024	0.07	12.3	9.6	0.48	463	4.39	0.02
CC129901		1.22	46.2	4.75	2.75	0.11	0.05	0.16	0.020	0.06	11.1	11.0	6.96	551	2.97	0.02
CC129902		1.83	26.0	1.71	1.34	0.10	0.05	0.15	0.026	0.07	10.2	5.2	0.58	173	4.61	0.03
CC129903		0.79	25.3	5.12	1.42	0.11	0.04	0.50	0.013	0.05	5.6	6.0	11.95	528	2.01	0.02

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 4- AUG- 2011
Account: RCM

Project: Rackla- Trent Silts

CERTIFICATE OF ANALYSIS WH11124870

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
CC115777		0.20	25.8	1110	11.0	7.1	0.021	0.15	1.27	2.0	4.3	0.2	67.1	<0.01	0.02	1.1
CC115778		0.22	32.5	1020	14.4	7.9	0.010	0.10	1.20	2.1	4.4	0.2	48.5	<0.01	0.04	1.1
CC115779		0.19	24.1	1090	14.5	6.8	0.008	0.09	0.93	2.0	4.2	0.2	43.6	<0.01	0.02	1.3
CC115780		0.19	33.3	1090	19.4	7.8	0.014	0.11	1.35	2.2	5.6	0.2	48.3	<0.01	0.04	1.0
CC115781		0.15	33.8	990	34.8	8.4	0.016	0.14	2.16	2.2	9.9	0.2	53.7	<0.01	0.05	1.3
CC115782		0.21	40.7	1040	23.9	13.5	0.007	0.09	1.46	2.7	4.4	0.3	50.2	<0.01	0.05	1.7
CC115783		0.19	40.6	930	58.6	12.3	0.004	0.05	2.02	3.5	3.5	0.4	49.4	<0.01	0.08	2.4
CC115784		0.21	40.6	880	15.7	6.5	0.002	0.06	1.05	3.8	1.9	0.3	31.3	<0.01	0.04	1.8
CC115785		0.22	39.6	1120	24.9	16.1	0.006	0.14	1.64	2.2	4.8	0.2	84.9	<0.01	0.05	1.3
CC115640		0.38	28.2	930	9.8	5.4	0.005	0.05	1.55	2.5	1.9	0.2	148.0	<0.01	0.03	1.9
CC115641		0.81	464	1070	85.9	5.5	0.004	0.06	1.88	4.8	1.9	0.3	71.6	<0.01	0.03	2.1
CC115642		0.82	469	1140	63.4	5.5	0.004	0.07	1.57	4.4	1.7	0.3	70.7	<0.01	0.03	2.2
CC115643		0.82	328	1200	67.8	5.9	0.003	0.06	2.04	4.0	1.7	0.3	66.9	<0.01	0.04	2.2
CC115644		0.44	380	890	45.1	4.3	0.003	0.06	1.31	3.5	1.3	0.2	94.5	<0.01	0.02	1.6
CC115645		0.43	526	980	49.8	4.6	0.003	0.07	1.37	3.8	1.4	0.2	68.0	<0.01	0.03	1.7
CC115646		0.22	988	560	45.3	3.2	0.001	0.06	0.71	3.9	0.9	0.2	59.8	<0.01	0.02	1.3
CC115592		0.31	79.7	1500	26.3	7.2	0.004	0.06	1.80	2.9	2.1	0.3	55.3	<0.01	0.04	2.3
CC115593		0.41	901	750	95.8	4.8	0.002	0.06	1.29	4.3	1.1	0.2	44.4	<0.01	0.02	1.7
CC115594		0.24	1120	550	49.2	3.2	0.002	0.06	0.74	4.1	1.0	0.2	34.4	<0.01	0.02	1.2
CC115595		0.25	1045	620	35.1	3.8	0.002	0.06	1.03	4.2	1.3	0.2	41.5	<0.01	0.02	1.3
CC115596		0.42	811	850	111.0	4.7	0.002	0.06	1.53	4.7	1.2	0.2	54.3	<0.01	0.03	1.7
CC115597		0.37	883	750	88.5	4.4	0.002	0.06	1.33	4.3	1.2	0.2	44.5	<0.01	0.02	1.7
CC115598		0.29	961	670	55.4	4.4	0.002	0.06	0.85	4.0	1.2	0.2	43.5	<0.01	0.02	1.5
CC115599		0.25	1145	550	45.6	3.1	0.002	0.05	0.67	3.7	1.0	0.2	47.7	<0.01	0.02	1.1
CC115600		0.36	47.9	1160	12.7	6.7	0.003	0.07	1.21	3.2	1.9	0.3	46.0	<0.01	0.04	1.8
CC128692		0.16	80.8	1790	18.4	7.8	0.004	0.10	3.29	2.1	4.5	0.3	62.7	<0.01	0.06	1.0
CC128693		0.17	72.2	1830	21.8	8.8	0.005	0.24	4.64	2.1	7.5	0.4	103.5	<0.01	0.09	1.5
CC128694		0.12	86.4	1780	28.4	9.3	0.007	0.23	6.47	3.0	8.6	0.4	111.0	0.01	0.10	2.9
CC128695		0.14	82.3	1670	24.6	8.2	0.007	0.19	5.92	2.1	5.8	0.4	98.9	<0.01	0.09	1.5
CC128696		0.23	81.7	1830	56.2	7.8	0.004	0.08	2.77	3.0	2.9	0.4	66.6	<0.01	0.06	2.2
CC128697		0.25	85.0	1730	39.7	7.1	0.005	0.09	2.81	2.9	3.9	0.4	65.9	<0.01	0.06	2.0
CC128698		0.27	112.0	1490	34.0	7.7	0.004	0.07	2.02	3.2	2.3	0.3	52.5	<0.01	0.05	2.4
CC128699		0.23	78.3	1540	38.0	6.8	0.005	0.06	2.09	3.0	2.4	0.3	50.9	<0.01	0.06	2.3
CC128700		0.27	70.5	1540	27.1	6.8	0.005	0.06	2.70	2.9	3.7	0.4	54.5	<0.01	0.07	1.7
CC115501		0.44	114.0	1370	18.8	6.8	0.008	0.08	2.05	4.2	2.8	0.4	55.0	<0.01	0.07	1.6
CC129901		0.88	669	1110	76.9	4.7	0.005	0.07	1.73	5.3	2.7	0.3	55.9	<0.01	0.04	2.2
CC129902		0.12	51.7	1070	13.0	7.6	0.007	0.10	2.70	1.7	3.8	0.2	86.2	<0.01	0.08	1.9
CC129903		0.26	1005	690	30.1	3.6	0.003	0.05	0.82	4.3	1.3	0.2	49.1	<0.01	0.03	1.4

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 4- AUG- 2011
Account: RCM

Project: Rackla- Trent Silts

CERTIFICATE OF ANALYSIS WH11124870

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
CC115777		<0.005	0.21	2.09	26	0.05	11.05	176	1.9
CC115778		0.005	0.20	1.33	26	<0.05	11.55	204	1.8
CC115779		<0.005	0.18	1.36	25	0.28	11.00	175	1.6
CC115780		<0.005	0.22	1.66	29	<0.05	13.60	195	2.0
CC115781		<0.005	0.27	2.34	29	0.44	13.85	240	2.2
CC115782		<0.005	0.24	1.40	28	0.08	11.65	263	2.4
CC115783		<0.005	0.51	1.83	40	0.08	16.40	290	2.2
CC115784		<0.005	0.17	1.78	35	0.05	14.65	141	2.2
CC115785		<0.005	0.40	1.32	26	0.08	17.75	267	2.2
CC115640		0.010	0.36	1.93	33	0.10	11.80	129	1.9
CC115641		0.018	0.23	3.18	55	0.06	10.95	515	1.9
CC115642		0.026	0.23	3.14	56	0.07	10.80	422	2.2
CC115643		0.018	0.25	2.62	54	0.10	11.00	456	1.8
CC115644		0.011	0.18	2.79	37	0.07	9.45	334	1.8
CC115645		0.011	0.19	2.99	44	0.06	10.10	420	1.5
CC115646		0.010	0.13	4.91	34	0.05	5.88	279	1.2
CC115592		0.008	0.31	1.67	62	0.08	13.00	468	1.8
CC115593		0.014	0.16	3.71	46	<0.05	7.10	419	1.5
CC115594		0.009	0.13	5.47	40	0.05	5.69	307	1.3
CC115595		0.010	0.16	5.29	41	<0.05	6.16	362	1.3
CC115596		0.013	0.17	3.87	47	<0.05	7.81	533	1.6
CC115597		0.013	0.16	4.18	49	0.05	7.60	368	1.6
CC115598		0.010	0.16	4.43	45	0.05	6.93	348	1.4
CC115599		0.010	0.13	5.71	39	<0.05	5.49	272	1.3
CC115600		0.007	0.25	1.82	40	0.18	14.25	204	2.1
CC128692		0.006	0.84	2.36	45	0.14	17.70	768	1.8
CC128693		0.007	1.27	3.23	72	0.16	14.95	879	1.9
CC128694		<0.005	1.52	3.66	62	0.17	18.25	567	1.8
CC128695		0.005	1.09	3.45	69	0.15	12.20	826	1.9
CC128696		0.006	0.47	2.48	71	0.18	15.95	709	1.7
CC128697		0.007	0.40	2.26	79	0.10	14.60	574	1.9
CC128698		0.008	0.33	1.88	64	0.09	13.20	478	1.7
CC128699		0.008	0.37	1.75	58	0.11	13.00	545	1.7
CC128700		0.008	0.40	2.12	107	0.09	14.60	488	1.5
CC115501		0.008	0.30	2.49	83	0.07	14.75	374	1.7
CC129901		0.027	0.26	3.38	60	0.05	9.25	550	2.0
CC129902		<0.005	0.62	1.55	39	0.07	8.90	358	1.6
CC129903		0.011	0.17	5.91	46	<0.05	5.97	325	1.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 4- AUG- 2011
Account: RCM

Project: Rackla- Trent Silts

CERTIFICATE OF ANALYSIS WH11124870

Method	CERTIFICATE COMMENTS
ME- MS41	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown.
ME- MS41	Gold determinations by this method are semi- quantitative due to the small sample weight used (0.5g).

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 4- AUG- 2011
Account: RCM

CERTIFICATE WH11124872

Project: Rackla- Pyramid West Silts

P.O. No.:

This report is for 84 Soil samples submitted to our lab in Whitehorse, YT, Canada on 4- JUL- 2011.

The following have access to data associated with this certificate:

ROB CARNE JULIA LANE	ANDREW CARNE JOAN MARIACHER	MATT DUMALA

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
SCR- 41	Screen to - 180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- ST43	Super Trace Au - 25g AR	ICP- MS
ME- MS41	51 anal. aqua regia ICPMS	

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 4- AUG- 2011
Account: RCM

Project: Rackla- Pyramid West Silts

CERTIFICATE OF ANALYSIS WH11124872

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- ST43 Au ppm 0.0001	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1
CC129131		0.30	0.0010	2.26	0.38	25.7	<0.2	<10	1300	0.43	0.16	0.87	2.04	5.37	8.2	21
CC129132		0.31	0.0013	1.90	0.48	22.1	<0.2	<10	1000	0.54	0.17	1.06	1.84	7.14	8.7	24
CC129133		0.33	0.0011	1.45	1.49	18.9	<0.2	<10	1830	1.79	0.16	1.26	2.40	12.75	11.3	34
CC129134		0.27	0.0020	1.69	0.84	20.4	<0.2	<10	1810	0.71	0.18	1.03	4.86	15.10	14.9	24
CC129135		0.39	0.0013	1.08	0.76	17.2	<0.2	<10	1500	0.63	0.18	1.10	3.76	9.77	12.6	22
CC129136		0.38	0.0012	0.63	0.91	11.8	<0.2	<10	1190	0.53	0.15	1.03	2.59	20.7	10.9	22
CC129137		0.36	0.0004	1.22	0.22	8.0	<0.2	<10	590	0.35	0.15	0.27	2.13	5.72	4.0	8
CC129138		0.37	0.0012	1.07	0.62	15.1	<0.2	<10	1490	0.63	0.16	0.80	4.24	11.25	11.1	17
CC129139		0.30	0.0011	1.19	0.57	16.0	<0.2	<10	1620	0.59	0.15	0.84	4.49	10.00	10.5	17
CC129140		0.30	0.0009	1.03	0.54	13.4	<0.2	<10	1360	0.55	0.15	0.81	3.72	9.29	8.9	16
CC129141		0.25	0.0024	1.04	0.68	15.5	<0.2	<10	1700	0.58	0.16	0.93	4.08	13.55	11.7	19
CC129142		0.25	0.0024	0.95	0.75	14.0	<0.2	<10	1710	0.64	0.18	1.16	3.97	13.75	10.7	20
CC129143		0.28	0.0019	0.94	0.73	16.5	<0.2	<10	1420	0.62	0.17	1.05	3.52	13.20	8.9	20
CC129144		0.23	0.0017	1.03	0.65	14.4	<0.2	<10	1470	0.61	0.18	1.15	2.99	11.65	9.3	18
CC129145		0.27	0.0013	0.76	0.68	13.0	<0.2	<10	1460	0.60	0.16	1.38	2.47	12.90	9.3	17
CC129146		0.16	0.0019	0.99	0.73	14.7	<0.2	<10	1480	0.68	0.19	1.35	3.71	13.20	11.1	19
CC129147		0.32	0.0015	0.72	0.70	12.2	<0.2	<10	1470	0.60	0.17	1.13	2.29	13.35	9.6	17
CC129148		0.27	0.0015	0.73	0.72	13.4	<0.2	<10	1530	0.56	0.17	1.03	2.34	13.10	10.4	18
CC129149		0.26	0.0011	0.69	0.66	12.8	<0.2	<10	1420	0.60	0.17	1.17	1.90	11.95	8.9	17
CC129150		0.28	0.0016	0.84	0.72	13.6	<0.2	<10	1570	0.68	0.18	1.19	2.67	13.20	10.1	19
CC129265		0.47	0.0024	2.84	0.90	31.8	<0.2	<10	2620	0.61	0.23	0.71	4.85	12.80	8.4	23
CC129266		0.38	0.0010	0.85	0.55	15.3	<0.2	<10	1580	0.46	0.15	0.87	0.93	8.11	6.3	19
CC129267		0.41	0.0012	1.02	0.64	15.0	<0.2	<10	2230	0.53	0.17	0.82	2.21	10.30	8.9	18
CC129268		0.36	0.0012	0.82	0.61	12.5	<0.2	<10	1970	0.46	0.15	0.76	1.34	9.01	6.5	18
CC129269		0.35	0.0014	0.94	0.73	11.2	<0.2	<10	1970	0.53	0.16	0.86	3.65	11.25	8.3	18
CC129270		0.53	0.0011	0.84	0.71	12.9	<0.2	<10	1890	0.52	0.17	0.80	1.85	11.35	8.6	19
CC129271		0.35	0.0021	1.02	0.89	14.1	<0.2	<10	1690	0.63	0.20	0.86	4.11	13.10	12.5	20
CC129272		0.53	0.0019	0.44	1.34	11.0	<0.2	<10	600	0.80	0.24	0.79	2.00	19.45	13.9	23
CC129273		0.38	0.0013	0.60	0.79	13.0	<0.2	<10	1460	0.59	0.18	1.50	2.82	13.85	10.2	18
CC129274		0.44	0.0013	0.78	0.78	14.2	<0.2	<10	1690	0.62	0.18	1.36	4.19	14.25	10.6	20
CC129275		0.48	0.0010	0.76	0.79	13.6	<0.2	<10	1790	0.64	0.17	1.09	3.80	14.35	9.4	20
CC129276		0.37	0.0011	0.79	0.78	21.3	<0.2	<10	1580	0.65	0.17	1.52	5.69	15.65	10.5	23
CC129277		0.39	0.0012	0.88	0.72	14.2	<0.2	<10	2150	0.56	0.17	0.86	3.25	12.75	9.3	19
CC129278		0.46	0.0008	0.47	0.89	12.9	<0.2	<10	1290	0.67	0.18	1.08	2.92	16.65	11.0	19
CC129279		0.43	0.0011	0.72	0.82	15.1	<0.2	<10	1680	0.63	0.17	1.03	3.74	15.25	10.1	20
CC129280		0.36	0.0019	1.05	0.86	16.0	<0.2	<10	1590	0.76	0.21	0.93	2.07	13.75	10.0	22
CC129281		0.25	0.0016	0.67	1.05	14.2	<0.2	10	870	1.01	0.23	0.94	1.39	14.25	11.5	21
CC129282		0.28	0.0019	0.28	1.24	7.7	<0.2	10	350	1.25	0.26	0.91	0.77	15.90	11.3	21
CC129283		0.31	0.0010	0.19	1.21	7.7	<0.2	<10	340	1.08	0.24	0.73	0.62	14.60	13.8	20
CC129284		0.31	0.0015	0.39	1.10	8.6	<0.2	<10	360	1.45	0.25	0.93	1.09	14.05	10.5	21

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 4- AUG- 2011
Account: RCM

Project: Rackla- Pyramid West Silts

CERTIFICATE OF ANALYSIS WH11124872

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
CC129131		0.83	63.2	2.70	0.97	0.14	0.06	0.25	0.033	0.09	3.4	2.1	0.05	118	5.24	0.03
CC129132		1.11	78.8	2.61	0.99	0.14	0.08	0.21	0.035	0.08	4.6	2.6	0.07	166	4.44	0.02
CC129133		0.70	291	4.05	1.85	0.17	0.16	0.19	0.059	0.08	6.7	5.6	0.13	209	6.77	0.03
CC129134		0.89	130.0	3.51	1.86	0.15	0.09	0.21	0.044	0.09	7.1	8.6	0.16	270	6.74	0.04
CC129135		0.86	83.8	2.67	1.66	0.13	0.09	0.64	0.032	0.08	4.9	7.1	0.19	253	5.41	0.03
CC129136		0.87	59.2	2.44	2.87	0.13	0.08	0.10	0.028	0.08	9.6	14.4	0.53	265	4.08	0.04
CC129137		0.54	38.3	0.70	1.46	0.07	0.05	0.16	0.024	0.07	3.0	2.8	0.05	90	8.91	0.01
CC129138		0.79	80.7	2.35	1.75	0.13	0.06	0.16	0.031	0.09	5.3	7.4	0.15	245	8.40	0.03
CC129139		0.84	79.6	2.19	1.69	0.14	0.06	0.17	0.031	0.09	4.9	6.2	0.16	243	8.85	0.04
CC129140		0.84	65.6	1.90	1.72	0.13	0.05	0.14	0.026	0.09	4.4	6.9	0.18	247	8.22	0.03
CC129141		0.82	74.3	2.51	2.04	0.12	0.06	0.17	0.033	0.09	6.3	9.3	0.23	273	6.56	0.04
CC129142		0.95	68.1	2.56	2.18	0.12	0.07	0.19	0.032	0.09	6.5	12.1	0.33	432	4.85	0.04
CC129143		0.93	65.4	2.62	2.28	0.13	0.07	0.18	0.034	0.09	6.2	12.4	0.33	175	5.10	0.03
CC129144		0.90	63.2	2.32	1.97	0.13	0.06	0.19	0.031	0.09	5.5	11.1	0.28	495	5.23	0.03
CC129145		0.99	53.7	2.38	2.17	0.12	0.06	0.16	0.030	0.08	6.0	13.5	0.49	363	3.72	0.03
CC129146		0.97	68.3	2.60	2.18	0.13	0.07	0.20	0.036	0.09	6.1	13.4	0.36	707	4.16	0.03
CC129147		0.91	50.1	2.41	2.16	0.12	0.06	0.15	0.028	0.08	6.1	14.7	0.39	417	3.30	0.03
CC129148		0.95	52.5	2.66	2.26	0.13	0.06	0.14	0.031	0.08	5.9	14.1	0.36	567	3.75	0.03
CC129149		0.94	49.6	2.32	2.04	0.12	0.06	0.14	0.030	0.09	5.6	12.6	0.41	388	3.69	0.03
CC129150		1.00	61.0	2.43	2.18	0.12	0.07	0.17	0.032	0.09	6.1	13.3	0.36	461	3.84	0.03
CC129265		0.82	60.8	2.88	2.73	0.12	0.06	0.31	0.040	0.09	6.8	11.6	0.14	325	16.70	0.05
CC129266		0.58	36.5	2.19	1.64	0.11	0.05	0.13	0.028	0.07	4.1	7.0	0.12	248	3.45	0.03
CC129267		0.68	46.1	2.11	1.90	0.11	0.05	0.15	0.030	0.08	5.1	9.7	0.14	283	5.38	0.04
CC129268		0.64	32.6	1.89	2.00	0.11	0.04	0.13	0.025	0.07	4.4	9.2	0.13	158	3.45	0.04
CC129269		0.70	35.8	2.01	2.23	0.12	0.06	0.17	0.028	0.08	5.7	12.8	0.19	355	3.77	0.04
CC129270		0.73	35.9	2.12	2.32	0.11	0.05	0.14	0.028	0.09	5.4	12.5	0.18	309	4.36	0.03
CC129271		0.72	43.7	2.68	2.85	0.12	0.07	0.19	0.031	0.09	5.8	15.2	0.23	722	6.19	0.03
CC129272		0.91	41.8	3.54	4.38	0.13	0.08	0.12	0.031	0.10	8.2	26.9	0.48	779	5.62	0.02
CC129273		0.77	41.0	2.45	2.53	0.11	0.05	0.12	0.028	0.08	6.4	15.5	0.47	516	5.26	0.03
CC129274		0.78	46.2	2.43	2.51	0.12	0.06	0.14	0.027	0.09	7.0	14.9	0.42	487	6.83	0.03
CC129275		0.77	44.2	2.33	2.59	0.12	0.06	0.14	0.028	0.09	6.8	15.1	0.35	348	5.49	0.04
CC129276		0.80	49.5	2.47	2.72	0.13	0.06	0.15	0.028	0.09	8.5	15.3	0.52	505	11.10	0.03
CC129277		0.73	44.2	2.13	2.38	0.12	0.05	0.14	0.029	0.08	6.2	12.7	0.23	324	5.62	0.04
CC129278		0.95	42.5	2.58	3.03	0.11	0.06	0.10	0.028	0.09	7.7	19.4	0.45	459	6.56	0.03
CC129279		0.81	41.4	2.37	2.75	0.12	0.05	0.12	0.028	0.09	7.4	16.0	0.37	441	7.33	0.03
CC129280		0.99	60.0	2.78	2.83	0.13	0.08	0.18	0.034	0.08	6.5	16.6	0.23	468	2.45	0.03
CC129281		0.95	53.5	2.87	3.17	0.05	0.06	0.15	0.030	0.09	6.5	17.5	0.35	1190	2.41	0.03
CC129282		1.42	54.4	2.42	3.68	0.05	0.07	0.09	0.025	0.09	6.7	21.7	0.46	319	0.75	0.02
CC129283		1.20	42.9	2.77	3.63	<0.05	0.05	0.07	0.024	0.09	6.3	22.9	0.48	923	0.89	0.02
CC129284		2.10	45.3	2.35	3.09	0.05	0.06	0.09	0.031	0.10	6.6	17.2	0.32	320	1.19	0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 4- AUG- 2011
Account: RCM

Project: Rackla- Pyramid West Silts

CERTIFICATE OF ANALYSIS WH11124872

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
CC129131		0.06	116.0	1630	10.2	7.0	0.010	0.25	1.65	5.8	8.5	0.3	216	0.01	0.13	1.3
CC129132		0.08	185.0	1610	11.0	7.3	0.008	0.16	1.56	6.4	8.2	0.3	135.0	0.01	0.13	1.6
CC129133		0.16	136.0	1540	10.8	6.8	0.008	0.23	1.42	11.8	8.1	0.4	192.0	0.02	0.10	2.1
CC129134		0.22	130.5	1600	12.9	7.6	0.009	0.21	2.12	6.3	7.4	0.3	157.5	0.01	0.12	2.3
CC129135		0.16	178.5	1430	11.7	7.2	0.009	0.12	1.59	5.7	5.6	0.3	155.5	0.01	0.10	2.4
CC129136		0.67	75.4	1260	10.5	7.1	0.005	0.11	1.76	4.6	3.1	0.3	90.1	0.01	0.06	3.7
CC129137		0.06	35.2	370	11.7	5.3	0.033	0.10	5.64	2.7	9.8	0.4	78.5	<0.01	0.12	1.5
CC129138		0.17	99.5	1110	12.5	7.1	0.016	0.18	3.58	4.7	7.4	0.3	131.0	0.01	0.10	2.2
CC129139		0.15	106.0	1120	12.3	7.4	0.018	0.19	4.13	4.6	8.1	0.4	130.0	0.01	0.11	2.1
CC129140		0.15	82.0	930	12.5	7.1	0.020	0.15	4.15	4.2	7.4	0.3	110.5	<0.01	0.10	2.1
CC129141		0.25	90.9	1270	12.4	7.2	0.011	0.18	2.66	4.5	6.1	0.4	131.5	0.01	0.09	2.3
CC129142		0.24	81.7	1390	14.9	8.7	0.009	0.16	1.98	4.7	5.6	0.4	127.0	<0.01	0.09	2.6
CC129143		0.24	66.4	1360	14.2	8.3	0.008	0.22	1.99	4.7	6.6	0.4	120.0	0.01	0.09	2.6
CC129144		0.20	66.1	1150	15.2	8.0	0.015	0.15	2.48	4.7	7.4	0.4	129.0	<0.01	0.09	2.4
CC129145		0.20	65.8	1320	14.9	8.2	0.008	0.12	1.51	4.5	4.5	0.3	116.0	<0.01	0.08	2.9
CC129146		0.22	83.7	1190	16.3	8.5	0.010	0.14	1.89	5.0	6.0	0.4	124.5	<0.01	0.08	2.7
CC129147		0.19	59.4	1230	14.7	7.6	0.006	0.11	1.44	4.3	4.5	0.3	108.5	<0.01	0.07	2.9
CC129148		0.18	58.6	1220	14.7	7.6	0.007	0.12	1.65	4.3	4.6	0.3	111.5	<0.01	0.08	2.7
CC129149		0.17	56.1	1260	15.1	7.6	0.008	0.11	1.61	4.2	4.5	0.3	112.0	<0.01	0.08	2.8
CC129150		0.22	73.2	1220	14.9	8.7	0.008	0.13	1.62	4.8	5.3	0.3	117.5	0.01	0.08	2.7
CC129265		0.17	57.4	2210	14.8	11.4	0.015	0.17	3.63	3.7	5.7	0.5	126.0	<0.01	0.12	1.4
CC129266		0.10	47.8	1390	10.5	6.3	0.008	0.10	1.13	3.7	5.0	0.3	129.5	<0.01	0.10	2.0
CC129267		0.13	53.9	1450	11.8	7.5	0.014	0.13	1.68	3.7	6.0	0.3	125.5	<0.01	0.09	2.1
CC129268		0.13	38.9	1310	10.6	7.0	0.009	0.10	1.14	3.5	4.3	0.3	113.5	<0.01	0.08	2.0
CC129269		0.15	45.3	1290	11.7	8.0	0.015	0.13	1.39	3.8	4.6	0.3	111.5	<0.01	0.08	2.1
CC129270		0.15	40.3	1340	12.1	8.0	0.011	0.10	1.45	3.8	4.3	0.3	106.0	<0.01	0.08	2.3
CC129271		0.20	51.3	1010	13.3	8.5	0.010	0.10	2.23	4.3	4.7	0.4	88.5	<0.01	0.08	2.3
CC129272		0.28	44.9	760	18.9	9.3	0.005	0.05	2.46	4.8	2.7	0.4	48.2	<0.01	0.08	3.0
CC129273		0.17	47.0	1290	14.9	7.2	0.008	0.11	1.97	3.8	3.8	0.3	104.0	<0.01	0.08	2.7
CC129274		0.17	57.0	1360	15.1	7.8	0.009	0.11	2.45	4.2	4.5	0.3	107.0	<0.01	0.07	2.6
CC129275		0.17	54.5	1290	15.9	7.8	0.010	0.10	2.06	4.2	4.7	0.3	99.8	<0.01	0.07	2.5
CC129276		0.16	76.1	1410	14.6	7.9	0.009	0.11	3.64	4.1	4.9	0.4	102.0	<0.01	0.09	2.7
CC129277		0.15	55.3	1410	12.4	8.0	0.010	0.12	1.81	3.8	4.8	0.4	110.5	<0.01	0.09	2.4
CC129278		0.21	52.8	1260	14.0	8.3	0.006	0.08	2.07	3.8	3.0	0.4	87.8	<0.01	0.07	3.1
CC129279		0.18	58.9	1340	13.3	8.3	0.008	0.10	2.34	3.9	4.0	0.4	94.4	<0.01	0.08	2.7
CC129280		0.31	52.3	1090	15.5	9.3	0.015	0.19	1.62	5.4	8.3	0.4	102.5	<0.01	0.09	2.9
CC129281		0.40	43.0	850	16.3	7.8	0.009	0.19	1.17	4.8	3.9	0.5	93.8	<0.01	0.08	2.5
CC129282		0.48	30.1	600	18.0	9.3	0.002	0.36	0.62	4.9	1.4	0.5	81.2	<0.01	0.04	2.7
CC129283		0.49	30.0	560	16.2	8.1	0.003	0.07	0.52	4.2	1.0	0.5	74.8	<0.01	0.06	3.0
CC129284		0.57	28.3	670	18.1	11.0	0.009	0.11	0.82	4.9	1.9	0.5	48.1	<0.01	0.05	2.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 4- AUG- 2011
Account: RCM

Project: Rackla- Pyramid West Silts

CERTIFICATE OF ANALYSIS WH11124872

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
CC129131		0.005	0.20	3.00	49	0.05	38.5	378	1.8
CC129132		<0.005	0.21	3.97	43	0.08	45.4	526	2.0
CC129133		<0.005	0.23	15.80	48	0.16	83.3	471	2.7
CC129134		0.005	0.38	4.78	52	0.17	43.8	559	2.1
CC129135		<0.005	0.22	3.71	47	0.06	39.0	589	2.6
CC129136		0.026	0.23	2.66	60	0.14	20.5	348	2.8
CC129137		<0.005	0.78	2.09	80	0.10	9.03	138	2.5
CC129138		<0.005	0.55	3.84	75	0.10	26.2	490	1.6
CC129139		<0.005	0.60	3.42	77	0.10	26.2	476	1.8
CC129140		<0.005	0.58	2.96	81	0.10	21.1	402	1.8
CC129141		0.007	0.41	3.51	69	0.11	24.3	481	1.5
CC129142		0.005	0.36	2.94	66	0.09	23.8	539	1.8
CC129143		0.005	0.32	3.12	63	0.07	23.0	450	2.0
CC129144		<0.005	0.40	2.74	68	0.09	22.3	389	2.1
CC129145		<0.005	0.27	2.28	56	0.08	20.8	431	2.2
CC129146		<0.005	0.32	2.36	62	0.07	24.2	469	2.3
CC129147		<0.005	0.24	2.34	55	0.06	18.95	380	1.8
CC129148		<0.005	0.25	2.58	55	0.12	19.25	377	1.9
CC129149		<0.005	0.24	2.56	57	0.08	19.20	362	2.0
CC129150		<0.005	0.27	2.69	59	0.08	22.8	426	2.2
CC129265		<0.005	0.95	4.98	112	0.12	17.55	293	1.3
CC129266		<0.005	0.13	2.38	47	<0.05	18.85	202	1.6
CC129267		<0.005	0.33	3.62	58	0.06	18.60	260	1.2
CC129268		<0.005	0.18	2.51	50	<0.05	15.45	195	1.3
CC129269		<0.005	0.25	2.76	50	0.06	17.55	251	1.5
CC129270		<0.005	0.25	2.85	59	0.06	15.65	223	1.4
CC129271		<0.005	0.25	2.92	71	0.08	17.55	332	1.9
CC129272		0.006	0.25	2.02	78	0.09	12.70	272	2.4
CC129273		<0.005	0.23	2.35	72	0.10	16.10	308	1.9
CC129274		<0.005	0.31	2.96	91	0.09	18.75	397	1.7
CC129275		<0.005	0.27	2.92	85	0.07	17.45	398	1.7
CC129276		<0.005	0.41	4.25	137	0.09	19.75	560	1.9
CC129277		<0.005	0.30	3.48	67	0.07	17.70	330	1.3
CC129278		<0.005	0.25	2.54	87	0.07	15.40	403	1.9
CC129279		<0.005	0.30	3.41	90	0.07	17.05	408	1.7
CC129280		0.005	0.25	3.16	66	0.08	20.4	264	2.6
CC129281		0.005	0.14	2.72	54	0.08	15.40	207	2.2
CC129282		0.006	0.11	2.04	36	0.09	11.75	130	2.5
CC129283		0.007	0.09	1.94	33	0.23	9.06	117	1.8
CC129284		0.006	0.14	2.46	43	0.14	14.70	146	2.0

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 4- AUG- 2011
Account: RCM

Project: Rackla- Pyramid West Silts

CERTIFICATE OF ANALYSIS WH11124872

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- ST43 Au ppm 0.0001	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1
CC129285		0.37	0.0011	0.26	1.16	12.1	<0.2	<10	350	1.98	0.25	1.07	1.22	17.65	14.1	21
CC129286		0.39	0.0016	1.37	0.50	15.7	<0.2	<10	1750	0.64	0.18	0.71	1.63	8.14	4.3	20
CC129287		0.41	0.0013	1.32	0.49	21.7	<0.2	10	1620	0.67	0.20	0.47	2.34	9.23	11.2	18
CC129288		0.38	0.0014	1.10	0.52	15.4	<0.2	<10	1820	0.60	0.17	0.65	1.89	9.98	7.8	19
CC129289		0.37	0.0018	1.13	0.75	14.0	<0.2	<10	1690	0.63	0.18	0.64	1.77	11.10	4.1	22
CC129290		0.38	0.0011	0.71	0.73	12.6	<0.2	<10	1600	0.56	0.15	0.72	2.46	12.20	7.7	19
CC129291		0.45	0.0016	0.72	0.83	13.1	<0.2	<10	1480	0.68	0.17	0.77	2.80	14.00	8.3	20
CC128828		0.22	0.0021	1.85	0.69	18.3	<0.2	10	1010	0.83	0.17	0.90	3.01	6.06	18.4	22
CC128829		0.34	0.0027	1.32	0.85	19.1	<0.2	10	2650	0.79	0.19	0.77	2.37	11.10	10.8	23
CC128830		0.27	0.0016	1.69	1.80	21.1	<0.2	10	650	1.70	0.16	0.39	2.37	12.05	10.7	29
CC128831		0.54	0.0012	0.51	0.82	14.0	<0.2	<10	700	0.75	0.19	1.56	3.20	14.75	12.2	18
CC128832		0.43	0.0007	0.54	0.93	14.9	<0.2	<10	880	0.94	0.17	1.27	3.99	14.15	16.2	17
CC128833		0.54	0.0008	0.48	0.75	14.9	<0.2	<10	880	0.74	0.18	1.53	3.13	13.90	12.5	16
CC128834		0.47	0.0010	0.56	0.84	14.6	<0.2	<10	890	0.88	0.20	1.39	3.84	15.35	14.3	18
CC128835		0.59	0.0008	0.45	0.76	15.1	<0.2	<10	840	0.79	0.19	1.43	3.71	14.20	13.7	17
CC128836		0.39	0.0020	0.92	0.93	22.2	<0.2	<10	1340	0.88	0.19	0.83	2.65	13.15	12.3	21
CC128837		0.25	0.0014	0.74	0.90	19.6	<0.2	<10	1020	0.74	0.16	4.77	4.02	12.50	17.5	16
CC128838		0.30	0.0021	0.99	0.92	14.6	<0.2	<10	1410	0.65	0.20	0.65	1.89	12.80	8.8	22
CC128839		0.28	0.0021	0.74	0.87	16.3	<0.2	<10	1280	0.70	0.18	0.67	1.48	13.85	8.6	19
CC128840		0.32	0.0022	0.56	0.79	11.7	<0.2	<10	990	0.70	0.18	0.67	1.33	14.05	8.8	17
CC128841		0.29	0.0016	0.51	0.74	13.7	<0.2	<10	800	0.71	0.21	0.71	1.10	9.96	6.6	16
CC128842		0.36	0.0018	0.60	0.80	10.5	<0.2	<10	920	0.75	0.18	0.80	1.88	15.90	9.3	17
CC128843		0.34	0.0019	0.66	0.81	11.1	<0.2	<10	1240	0.71	0.15	0.57	4.57	12.05	16.0	16
CC128844		0.43	0.0025	0.84	0.83	13.4	<0.2	<10	1430	0.74	0.16	0.55	5.22	10.75	19.4	16
CC128845		0.34	0.0023	0.94	0.76	13.7	<0.2	<10	1700	0.63	0.16	0.52	2.63	10.30	13.9	17
CC128846		0.23	0.0020	0.99	0.71	14.0	<0.2	<10	1620	0.58	0.17	0.57	1.75	10.70	12.0	16
CC128847		0.28	0.0015	0.92	0.88	14.7	<0.2	<10	2160	0.83	0.14	0.80	2.16	10.10	12.6	19
CC115925		0.32	0.0015	1.41	0.82	13.2	<0.2	<10	1760	0.63	0.17	0.64	2.89	13.85	8.5	24
CC115926		0.28	0.0017	1.48	0.90	14.4	<0.2	<10	1600	0.86	0.18	0.79	9.16	13.40	13.6	25
CC115927		0.25	0.0020	1.26	0.95	14.5	<0.2	<10	1130	0.76	0.17	0.76	5.38	15.10	11.6	24
CC115928		0.35	0.0018	0.81	1.21	11.7	<0.2	<10	560	0.81	0.17	0.74	3.70	19.15	11.7	24
CC115929		0.32	0.0022	0.82	1.21	16.7	<0.2	<10	630	0.78	0.19	1.03	3.89	17.40	13.3	25
CC115930		0.30	0.0018	0.68	1.21	15.5	<0.2	<10	490	0.66	0.18	0.93	3.29	19.25	11.9	23
CC115931		0.30	0.0029	0.73	1.23	27.3	<0.2	<10	530	0.85	0.21	1.29	3.54	18.90	12.9	24
CC115932		0.31	0.0024	0.63	1.25	20.8	<0.2	<10	470	0.74	0.19	0.86	2.77	19.95	11.7	23
CC115933		0.30	0.0025	0.61	1.26	19.8	<0.2	<10	430	0.84	0.19	1.11	2.60	19.65	11.4	23
CC115934		0.25	0.0014	0.37	1.26	18.6	<0.2	<10	330	0.66	0.17	0.96	1.70	20.6	11.1	21
CC115935		0.30	0.0029	0.34	1.20	11.7	<0.2	<10	280	0.59	0.16	0.77	1.96	23.2	9.6	20
CC115936		0.29	0.0013	0.90	0.74	13.0	<0.2	<10	1220	0.54	0.14	0.71	2.30	13.55	6.9	19
CC115937		0.28	0.0013	0.93	0.74	12.6	<0.2	<10	1400	0.41	0.14	0.83	2.42	13.85	6.5	20

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 4- AUG- 2011
Account: RCM

Project: Rackla- Pyramid West Silts

CERTIFICATE OF ANALYSIS WH11124872

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
CC129285		2.58	45.2	2.92	3.35	0.06	0.06	0.08	0.035	0.12	8.7	16.5	0.33	3630	3.39	0.02
CC129286		0.79	65.2	1.86	1.50	0.06	0.04	0.17	0.026	0.08	4.5	4.7	0.10	310	5.65	0.03
CC129287		1.01	65.4	2.66	1.60	0.07	0.05	0.23	0.035	0.10	4.9	4.6	0.08	268	8.34	0.03
CC129288		0.80	57.2	2.00	1.56	0.06	0.06	0.16	0.024	0.08	5.5	5.1	0.12	163	4.14	0.03
CC129289		0.72	51.2	2.20	2.13	0.06	0.05	0.18	0.028	0.07	5.4	7.3	0.15	124	2.67	0.03
CC129290		0.55	37.0	2.01	2.13	0.05	0.04	0.94	0.025	0.08	6.0	9.7	0.23	297	4.48	0.03
CC129291		0.62	41.5	2.26	2.44	0.05	0.04	0.13	0.022	0.09	6.5	11.6	0.27	240	4.15	0.03
CC128828		0.79	95.1	2.58	1.09	0.07	0.05	0.25	0.038	0.08	3.8	2.9	0.08	266	4.68	0.02
CC128829		0.75	81.1	2.53	2.02	0.05	0.03	0.25	0.026	0.09	5.5	7.2	0.18	185	4.61	0.05
CC128830		0.97	279	3.63	1.46	0.11	0.08	0.25	0.048	0.10	5.3	4.9	0.07	130	5.98	0.02
CC128831		0.77	66.9	2.69	2.21	0.06	0.04	0.16	0.031	0.09	6.5	11.7	0.55	497	8.10	0.02
CC128832		0.75	86.8	2.73	2.01	0.06	0.03	0.17	0.034	0.09	6.3	10.7	0.46	544	7.48	0.02
CC128833		0.78	70.6	2.67	2.05	0.07	0.04	0.14	0.028	0.09	6.0	10.3	0.51	473	7.55	0.02
CC128834		0.82	77.6	2.73	2.26	0.08	0.04	0.17	0.030	0.09	6.8	11.5	0.50	538	7.64	0.02
CC128835		0.75	72.0	2.64	2.15	0.07	0.03	0.19	0.031	0.09	6.4	10.8	0.50	502	8.50	0.02
CC128836		0.75	70.5	2.92	2.42	0.05	0.06	0.23	0.037	0.09	6.0	11.0	0.23	567	3.84	0.03
CC128837		0.77	58.7	3.33	1.73	0.05	0.04	0.24	0.028	0.09	5.7	8.3	2.55	1350	3.17	0.03
CC128838		0.72	44.6	2.49	2.66	<0.05	0.04	0.29	0.028	0.09	5.7	10.5	0.21	426	3.74	0.03
CC128839		0.74	42.5	2.56	2.62	0.05	0.05	0.20	0.026	0.09	6.1	11.7	0.23	341	3.53	0.03
CC128840		0.62	42.0	2.09	2.42	0.05	0.04	0.43	0.025	0.09	6.3	11.9	0.26	334	2.83	0.02
CC128841		0.68	39.6	2.57	2.38	<0.05	0.03	0.17	0.030	0.09	4.7	9.4	0.18	183	3.71	0.02
CC128842		0.74	45.9	1.96	2.46	0.05	0.05	0.15	0.027	0.10	7.0	11.4	0.27	181	2.72	0.02
CC128843		0.58	41.8	1.74	1.97	0.05	0.03	0.22	0.021	0.09	5.4	10.1	0.20	629	3.02	0.02
CC128844		0.65	52.7	1.77	1.78	<0.05	0.03	0.21	0.026	0.08	4.9	10.6	0.17	833	3.74	0.03
CC128845		0.77	57.4	1.79	1.90	0.05	0.03	0.24	0.027	0.08	4.9	8.9	0.16	505	3.69	0.03
CC128846		0.67	59.6	1.75	1.89	0.06	0.03	0.25	0.031	0.08	4.8	8.3	0.13	415	3.74	0.03
CC128847		0.58	57.7	1.80	1.76	0.05	0.04	0.21	0.024	0.07	5.3	8.8	0.14	241	3.01	0.04
CC115925		0.60	47.4	2.19	2.58	0.05	0.03	0.16	0.028	0.09	6.6	10.1	0.20	336	6.70	0.03
CC115926		0.57	47.7	2.20	2.61	0.05	0.03	0.25	0.028	0.08	7.2	10.7	0.21	676	6.84	0.03
CC115927		0.59	46.1	2.13	2.81	0.06	0.04	0.27	0.026	0.09	7.6	12.4	0.25	553	4.48	0.02
CC115928		0.66	43.0	2.35	3.50	0.05	0.05	0.24	0.024	0.09	9.1	18.4	0.44	391	1.79	0.02
CC115929		0.66	48.7	2.66	3.47	0.05	0.05	0.30	0.027	0.10	8.7	18.3	0.50	668	3.06	0.02
CC115930		0.64	46.5	2.71	3.99	0.12	0.06	0.33	0.030	0.09	8.4	19.3	0.48	631	2.43	0.01
CC115931		0.65	56.9	2.81	4.02	0.13	0.06	0.33	0.033	0.08	8.8	18.9	0.46	616	3.00	0.02
CC115932		0.65	45.5	2.83	4.25	0.13	0.05	0.36	0.029	0.08	9.0	20.3	0.49	508	2.41	0.01
CC115933		0.68	48.2	2.66	4.06	0.13	0.06	0.29	0.030	0.09	8.7	20.1	0.49	589	2.07	0.01
CC115934		0.60	36.2	2.82	4.24	0.12	0.05	0.70	0.024	0.08	8.6	23.2	0.56	917	1.83	0.01
CC115935		0.59	36.2	2.41	4.06	0.12	0.05	0.42	0.022	0.08	11.2	21.4	0.51	296	1.39	0.01
CC115936		0.54	37.8	2.17	2.62	0.12	0.05	0.14	0.026	0.08	6.0	10.8	0.26	247	4.59	0.01
CC115937		0.50	38.7	2.10	2.53	0.13	0.04	0.28	0.025	0.07	6.1	9.9	0.28	221	4.44	0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 4- AUG- 2011
Account: RCM

Project: Rackla- Pyramid West Silts

CERTIFICATE OF ANALYSIS WH11124872

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
CC129285		0.54	35.6	720	21.1	12.7	0.005	0.08	1.29	4.9	1.8	0.6	54.3	<0.01	0.07	2.4
CC129286		0.21	48.6	1120	12.2	7.5	0.011	0.10	1.93	4.6	6.6	0.4	102.5	<0.01	0.11	2.3
CC129287		0.22	68.3	1090	12.5	8.2	0.012	0.08	2.38	4.7	7.8	0.4	82.4	<0.01	0.13	2.6
CC129288		0.26	66.4	1370	11.0	6.9	0.010	0.12	2.23	4.4	7.3	0.3	101.5	<0.01	0.11	2.7
CC129289		0.30	44.3	1150	12.9	7.4	0.016	0.11	1.42	4.1	7.6	0.4	77.2	<0.01	0.09	2.1
CC129290		0.21	50.1	1300	11.1	6.3	0.007	0.08	1.49	3.3	3.7	0.3	82.4	<0.01	0.09	2.1
CC129291		0.26	62.5	1150	12.4	7.0	0.011	0.09	1.60	3.8	4.2	0.4	78.0	<0.01	0.09	2.3
CC128828		0.13	314	1460	10.4	7.1	0.008	0.18	1.50	6.9	9.1	0.3	146.5	<0.01	0.12	1.3
CC128829		0.29	130.0	1320	11.5	7.6	0.007	0.16	1.58	4.9	6.6	0.4	152.5	<0.01	0.14	2.1
CC128830		0.18	204	1710	10.2	8.4	0.012	0.45	1.85	10.5	12.3	0.3	166.5	<0.01	0.12	2.5
CC128831		0.22	76.1	1190	14.5	6.9	0.007	0.15	2.80	5.0	3.6	0.3	79.6	<0.01	0.07	3.5
CC128832		0.22	101.5	1160	14.2	6.7	0.008	0.18	2.60	4.8	3.8	0.3	80.3	<0.01	0.09	3.2
CC128833		0.20	75.4	1150	15.7	6.5	0.006	0.15	2.67	4.6	3.8	0.3	83.6	<0.01	0.09	3.4
CC128834		0.25	89.0	1080	15.3	7.2	0.010	0.14	2.59	5.2	4.2	0.4	82.3	<0.01	0.08	3.5
CC128835		0.22	89.1	1140	14.4	7.0	0.010	0.14	2.91	5.0	4.1	0.3	85.6	<0.01	0.10	3.5
CC128836		0.31	71.0	1170	14.5	8.4	0.013	0.17	1.56	5.1	5.5	0.4	85.0	<0.01	0.09	2.3
CC128837		0.22	99.4	1100	39.5	6.8	0.007	0.24	1.18	4.0	4.3	0.3	96.5	<0.01	0.09	2.2
CC128838		0.30	42.0	1100	14.5	8.7	0.008	0.11	1.44	4.3	4.5	0.4	67.1	<0.01	0.09	1.9
CC128839		0.32	42.2	990	13.9	8.6	0.011	0.09	1.26	4.0	4.4	0.4	60.8	<0.01	0.05	2.4
CC128840		0.30	41.6	930	13.6	7.5	0.007	0.07	1.13	3.9	3.4	0.4	63.7	<0.01	0.06	2.7
CC128841		0.26	37.8	820	13.4	8.9	0.009	0.08	1.25	3.3	3.3	0.4	58.7	<0.01	0.06	2.0
CC128842		0.32	47.4	990	13.6	8.2	0.005	0.07	1.33	4.1	3.1	0.4	60.3	<0.01	0.08	2.6
CC128843		0.24	76.7	940	11.4	7.5	0.007	0.07	1.05	3.0	3.4	0.3	64.2	<0.01	0.08	2.0
CC128844		0.20	87.8	1020	11.5	7.6	0.010	0.09	1.21	3.1	4.8	0.3	83.1	<0.01	0.09	1.6
CC128845		0.23	66.2	1060	11.7	8.5	0.009	0.09	1.20	3.2	5.1	0.3	85.5	<0.01	0.09	1.5
CC128846		0.21	58.1	1050	12.0	7.8	0.010	0.09	1.18	3.2	4.6	0.3	90.5	<0.01	0.09	1.5
CC128847		0.32	80.1	1110	9.2	7.5	0.015	0.11	1.07	3.2	5.1	0.3	113.0	<0.01	0.08	1.5
CC115925		0.23	48.7	1250	12.5	7.7	0.010	0.08	2.03	3.9	4.1	0.4	95.9	<0.01	0.10	2.2
CC115926		0.23	110.0	1230	12.2	8.1	0.009	0.08	2.33	4.0	4.6	0.4	87.2	<0.01	0.08	2.0
CC115927		0.26	77.2	1070	12.4	8.2	0.011	0.07	1.83	3.9	3.8	0.4	63.6	<0.01	0.08	2.2
CC115928		0.30	56.5	940	12.3	8.3	0.009	0.08	1.18	4.3	2.7	0.4	49.6	<0.01	0.05	2.7
CC115929		0.31	59.0	880	13.7	8.4	0.008	0.08	1.33	4.9	2.6	0.4	53.5	<0.01	0.06	2.5
CC115930		0.23	55.7	780	13.5	7.4	0.008	0.07	1.29	5.1	2.4	0.4	52.0	<0.01	0.06	2.4
CC115931		0.29	60.9	780	14.4	7.7	0.012	0.12	1.61	5.7	3.9	0.4	58.1	<0.01	0.09	2.2
CC115932		0.23	54.1	770	13.2	7.5	0.007	0.08	1.36	5.0	3.0	0.4	47.7	<0.01	0.07	2.6
CC115933		0.29	51.7	720	13.9	7.8	0.011	0.09	1.25	5.3	2.9	0.4	51.5	<0.01	0.07	2.5
CC115934		0.27	42.8	640	12.4	6.6	0.009	0.07	0.90	4.6	2.6	0.3	45.4	<0.01	0.06	2.6
CC115935		0.27	39.4	680	11.2	6.2	0.005	0.11	0.84	4.5	2.0	0.3	39.0	<0.01	0.04	3.1
CC115936		0.13	46.8	1260	10.1	5.8	0.009	0.06	1.62	3.7	3.4	0.3	101.0	<0.01	0.08	2.2
CC115937		0.14	45.9	1340	9.8	5.6	0.008	0.08	1.58	3.6	3.4	0.3	106.5	<0.01	0.08	2.2

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 4- AUG- 2011
Account: RCM

Project: Rackla- Pyramid West Silts

CERTIFICATE OF ANALYSIS WH11124872

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
CC129285		0.006	0.14	2.37	61	0.18	16.85	181	2.2
CC129286		<0.005	0.23	3.66	64	0.07	22.1	204	2.1
CC129287		<0.005	0.23	2.57	64	0.06	20.8	285	2.7
CC129288		<0.005	0.24	3.99	66	0.10	19.20	246	2.9
CC129289		<0.005	0.20	3.41	58	0.10	17.75	172	1.6
CC129290		<0.005	0.19	2.69	68	0.05	13.80	316	1.4
CC129291		<0.005	0.19	2.53	77	0.07	14.70	418	1.7
CC128828		<0.005	0.19	3.77	45	<0.05	52.9	810	1.8
CC128829		0.005	0.45	3.56	56	0.06	26.2	469	1.7
CC128830		<0.005	0.37	12.40	56	0.05	107.0	708	3.0
CC128831		<0.005	0.39	3.03	99	0.12	22.4	361	1.8
CC128832		<0.005	0.35	3.61	86	0.08	28.1	529	1.7
CC128833		<0.005	0.35	2.90	88	0.06	21.9	375	1.8
CC128834		<0.005	0.37	3.00	90	0.06	24.2	433	1.7
CC128835		<0.005	0.35	2.93	94	0.08	22.9	430	1.8
CC128836		<0.005	0.25	2.97	70	<0.05	23.4	339	1.9
CC128837		<0.005	0.35	2.62	51	0.06	24.8	736	1.5
CC128838		<0.005	0.24	2.73	78	0.06	15.65	231	1.4
CC128839		<0.005	0.25	2.39	65	0.09	14.30	209	1.6
CC128840		<0.005	0.17	2.06	62	<0.05	13.80	199	1.8
CC128841		<0.005	0.20	1.71	61	<0.05	9.64	217	1.0
CC128842		<0.005	0.22	1.62	64	<0.05	13.35	241	1.8
CC128843		<0.005	0.20	2.14	52	0.05	14.90	476	1.2
CC128844		<0.005	0.21	2.92	48	0.07	18.15	527	1.1
CC128845		<0.005	0.22	3.11	47	0.05	16.60	335	1.0
CC128846		<0.005	0.21	3.44	45	<0.05	16.75	254	1.0
CC128847		0.006	0.18	3.21	45	0.07	15.70	529	1.6
CC115925		<0.005	0.31	2.97	80	0.08	17.00	246	1.4
CC115926		<0.005	0.29	3.63	105	0.08	18.95	692	1.6
CC115927		<0.005	0.26	3.20	97	0.07	18.05	467	1.4
CC115928		<0.005	0.21	2.50	83	0.07	15.80	316	1.8
CC115929		<0.005	0.23	2.32	85	0.07	15.15	327	1.9
CC115930		0.008	0.20	2.12	74	0.07	15.30	272	1.8
CC115931		<0.005	0.24	3.34	84	0.08	17.20	278	2.4
CC115932		<0.005	0.25	2.51	80	0.08	15.50	264	1.9
CC115933		0.005	0.24	2.46	76	0.06	15.25	251	2.2
CC115934		0.005	0.17	1.55	63	0.06	10.55	191	1.8
CC115935		0.006	0.17	1.64	57	0.08	10.50	191	1.8
CC115936		<0.005	0.23	2.19	53	0.06	15.50	212	1.8
CC115937		<0.005	0.24	2.20	52	0.06	15.70	208	1.6

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 4- AUG- 2011
Account: RCM

Project: Rackla- Pyramid West Silts

CERTIFICATE OF ANALYSIS WH11124872

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- ST43 Au ppm 0.0001	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1
CC115938		0.29	0.0017	1.54	0.83	16.9	<0.2	<10	1460	0.57	0.18	0.90	3.50	14.85	8.3	23
CC115939		0.26	0.0018	0.94	0.87	13.1	<0.2	<10	1120	0.54	0.17	0.87	1.99	13.40	7.6	20
CC115940		0.20	0.0013	1.05	0.75	14.5	<0.2	<10	1270	0.60	0.17	0.89	1.56	9.70	7.1	19
CC115941		0.29	0.0005	0.87	0.65	13.6	<0.2	<10	1440	0.43	0.14	0.77	1.07	7.56	5.2	18

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 4- AUG- 2011
Account: RCM

Project: Rackla- Pyramid West Silts

CERTIFICATE OF ANALYSIS WH11124872

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
CC115938		0.69	53.9	2.44	2.95	0.13	0.05	0.19	0.032	0.09	6.9	11.6	0.27	292	5.41	0.01
CC115939		0.55	41.1	2.30	2.82	0.13	0.05	0.16	0.028	0.08	6.1	11.4	0.27	338	3.98	0.01
CC115940		0.50	38.8	2.17	2.48	0.12	0.05	0.14	0.029	0.08	5.1	9.3	0.20	312	4.02	0.01
CC115941		0.43	31.7	1.88	2.10	0.11	0.03	0.13	0.024	0.07	4.0	6.6	0.14	193	3.96	0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 4- AUG- 2011
Account: RCM

Project: Rackla- Pyramid West Silts

CERTIFICATE OF ANALYSIS WH11124872

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
CC115938		0.17	65.8	1230	11.7	7.1	0.011	0.08	2.11	5.0	4.4	0.3	114.0	<0.01	0.09	2.3
CC115939		0.18	44.9	1070	11.9	6.6	0.011	0.06	1.49	4.2	3.5	0.3	91.1	<0.01	0.07	2.2
CC115940		0.15	48.6	990	10.6	6.1	0.007	0.06	1.34	4.1	3.8	0.3	91.3	<0.01	0.09	1.9
CC115941		0.11	40.2	1100	9.1	5.9	0.007	0.06	1.09	3.3	3.6	0.3	103.0	<0.01	0.07	1.6

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 4- AUG- 2011
Account: RCM

Project: Rackla- Pyramid West Silts

CERTIFICATE OF ANALYSIS WH11124872

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
CC115938		<0.005	0.29	2.86	59	0.08	18.55	261	2.2
CC115939		<0.005	0.24	2.40	57	0.07	15.15	204	2.1
CC115940		<0.005	0.16	2.04	51	0.05	15.95	194	1.7
CC115941		<0.005	0.12	1.89	47	<0.05	15.20	170	1.4

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 4- AUG- 2011
Account: RCM

Project: Rackla- Pyramid West Silts

CERTIFICATE OF ANALYSIS WH11124872

Method	CERTIFICATE COMMENTS
ME- MS41	Gold determinations by this method are semi- quantitative due to the small sample weight used (0.5g).

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 3- AUG- 2011
Account: RCM

CERTIFICATE WH11124873

Project: Rackla- Sian Soil

P.O. No.:

This report is for 20 Soil samples submitted to our lab in Whitehorse, YT, Canada on 4- JUL- 2011.

The following have access to data associated with this certificate:

ROB CARNE JULIA LANE	ANDREW CARNE JOAN MARIACHER	MATT DUMALA

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
SCR- 41	Screen to - 180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- TL43	Trace Level Au - 25g AR	ICP- MS
ME- MS41	51 anal. aqua regia ICPMS	

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 3- AUG- 2011
Account: RCM

Project: Rackla- Sian Soil

CERTIFICATE OF ANALYSIS WH11124873

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- TL43 Au ppm 0.001	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1
CC129422		0.30	<0.001	0.07	1.40	14.7	<0.2	<10	140	0.25	0.31	0.06	0.14	20.3	5.7	21
CC129423		0.41	0.001	0.07	1.38	29.5	<0.2	<10	450	0.50	0.32	0.49	0.11	21.8	10.7	23
CC129424		0.27	0.001	0.22	1.43	104.5	<0.2	<10	230	0.80	0.29	1.24	0.81	40.5	11.9	26
CC129425		0.37	0.001	0.21	0.50	82.9	<0.2	<10	100	0.51	0.21	3.16	0.31	25.4	7.7	13
CC129426		0.27	<0.001	0.13	1.43	44.1	<0.2	<10	180	0.62	0.28	1.80	0.36	21.1	10.3	20
CC129427		0.51	0.001	0.05	0.35	48	<0.2	<10	100	0.38	0.27	12.80	0.22	22.9	9.7	9
CC129428		0.53	<0.001	0.02	0.23	20	<0.2	<10	70	0.31	0.17	13.20	0.05	22.6	7.2	7
CC129429		0.35	0.002	0.08	0.46	102.0	<0.2	<10	130	0.43	0.25	5.76	0.64	16.50	11.7	10
CC129430		0.31	<0.001	0.04	0.61	17.7	<0.2	<10	120	0.53	0.34	0.90	0.13	15.55	9.8	10
CC129431		0.45	0.058	0.09	0.65	25.9	<0.2	<10	100	0.83	0.49	0.03	0.11	13.35	14.6	10
CC129432		0.47	<0.001	0.06	0.58	19.1	<0.2	<10	180	0.62	0.40	0.18	0.08	13.85	9.2	8
CC129433		0.34	<0.001	0.19	1.16	20.9	<0.2	<10	460	0.43	0.34	0.12	0.22	16.30	10.3	22
CC129434		0.29	<0.001	0.04	0.85	15.3	<0.2	<10	560	0.44	0.36	1.08	0.65	10.60	10.1	12
CC129435		0.31	0.002	0.21	1.13	27.6	<0.2	<10	410	0.89	0.38	0.81	0.52	20.6	12.0	19
CC129436		0.46	0.001	0.13	1.09	61.7	<0.2	<10	580	1.01	0.36	0.78	0.15	15.00	9.7	16
CC129437		0.33	0.001	0.21	0.74	48.8	<0.2	<10	300	1.09	0.33	1.34	0.22	25.4	13.9	12
CC129438		0.37	0.011	0.21	0.48	155	<0.2	<10	120	0.60	0.05	14.05	0.55	11.20	3.5	6
CC129439		0.40	0.001	0.10	0.38	32.2	<0.2	<10	130	0.75	0.48	0.69	0.22	11.40	10.0	9
CC129440		0.39	<0.001	0.08	0.59	49.8	<0.2	<10	90	1.10	0.46	0.22	0.13	20.9	18.5	12
CC129441		0.37	0.001	0.11	0.71	26.5	<0.2	<10	240	0.97	0.39	0.88	0.15	17.35	12.6	13

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 3- AUG- 2011
Account: RCM

Project: Rackla- Sian Soil

CERTIFICATE OF ANALYSIS WH11124873

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
CC129422		1.35	17.6	2.94	7.31	<0.05	<0.02	0.08	0.023	0.04	9.9	9.8	0.18	231	2.93	0.01
CC129423		1.89	20.3	3.18	5.14	0.05	0.05	0.42	0.027	0.05	9.9	11.6	0.34	765	1.52	0.01
CC129424		1.01	24.1	5.53	4.08	0.11	0.13	1.60	0.035	0.06	25.7	6.3	0.46	3870	1.08	0.02
CC129425		2.07	19.5	2.65	1.62	0.06	0.09	1.65	0.026	0.05	13.5	3.1	1.41	476	0.53	0.01
CC129426		1.09	20.0	3.92	4.22	0.06	0.07	0.79	0.028	0.07	10.7	8.5	0.62	1680	0.91	0.02
CC129427		0.67	21.7	2.45	1.29	0.06	0.05	1.11	0.021	0.04	15.5	3.1	7.39	1270	0.37	0.03
CC129428		1.09	11.6	1.81	0.81	0.05	0.04	0.32	0.018	0.04	16.3	2.4	7.72	704	0.15	0.03
CC129429		1.19	22.4	3.30	1.36	0.06	0.07	0.95	0.024	0.05	9.1	3.7	3.05	952	0.39	0.02
CC129430		1.84	16.2	2.66	2.65	<0.05	0.03	0.06	0.023	0.17	6.2	5.4	0.12	891	0.77	0.01
CC129431		9.47	32.6	2.98	2.57	<0.05	<0.02	0.05	0.027	0.13	5.8	7.7	0.08	896	0.83	0.01
CC129432		2.80	25.4	2.78	2.05	<0.05	0.04	0.37	0.028	0.10	6.8	4.9	0.11	282	0.63	0.01
CC129433		1.06	25.5	3.89	6.10	<0.05	<0.02	0.05	0.028	0.07	7.7	12.9	0.23	689	2.06	0.01
CC129434		1.42	19.5	2.58	4.03	<0.05	0.04	0.11	0.032	0.05	5.2	5.3	0.09	891	1.57	0.01
CC129435		5.00	27.1	3.29	3.27	0.06	0.08	1.15	0.041	0.06	9.6	11.5	0.27	485	1.14	0.02
CC129436		3.19	27.9	4.29	3.33	0.06	0.08	0.58	0.040	0.06	7.8	7.5	0.18	748	0.87	0.01
CC129437		1.88	37.3	4.65	1.94	0.08	0.06	0.49	0.053	0.05	11.5	4.6	0.08	511	0.87	0.01
CC129438		0.36	8.5	4.84	1.33	0.08	0.04	1.14	0.012	0.01	6.8	2.9	8.18	3390	0.39	0.03
CC129439		24.3	38.8	3.74	1.11	<0.05	0.05	0.72	0.045	0.05	5.8	3.4	0.19	595	0.51	0.01
CC129440		4.01	49.8	6.34	1.36	0.07	0.04	0.74	0.057	0.05	5.7	5.3	0.08	650	1.09	0.01
CC129441		2.63	32.3	3.54	2.25	0.05	0.06	0.41	0.045	0.05	8.3	5.7	0.11	485	0.75	0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 3- AUG- 2011
Account: RCM

Project: Rackla- Sian Soil

CERTIFICATE OF ANALYSIS WH11124873

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
CC129422		0.87	18.2	440	20.8	7.0	<0.001	0.02	0.72	1.6	0.7	0.7	8.7	<0.01	0.04	0.6
CC129423		0.64	25.7	760	40.0	10.8	<0.001	0.04	1.50	3.3	0.5	0.5	12.8	<0.01	0.05	1.9
CC129424		0.34	29.8	1510	107.5	8.4	<0.001	0.10	7.08	4.7	1.2	0.4	22.8	0.01	0.07	2.1
CC129425		0.14	22.6	800	61.9	4.9	<0.001	0.06	4.50	3.3	0.9	0.3	44.7	<0.01	0.04	1.5
CC129426		0.42	21.9	1600	54.2	8.2	<0.001	0.12	3.08	2.6	0.9	0.4	20.4	0.01	0.06	1.0
CC129427		0.14	21.6	550	47.9	3.3	<0.001	0.05	4.87	4.3	0.5	0.2	81.2	<0.01	0.10	1.3
CC129428		0.09	11.6	620	37.9	2.6	<0.001	0.02	1.15	5.2	0.4	0.2	55.0	<0.01	0.04	3.1
CC129429		0.15	19.8	1050	67.8	3.4	<0.001	0.08	15.45	3.7	0.7	0.3	41.4	<0.01	0.07	1.2
CC129430		0.29	14.6	430	13.1	12.8	<0.001	0.04	0.43	2.6	0.4	0.4	19.6	<0.01	0.04	1.2
CC129431		0.25	20.5	460	21.6	18.0	<0.001	0.04	0.64	2.1	0.3	0.6	12.0	<0.01	0.04	1.0
CC129432		0.18	16.7	440	15.1	10.8	<0.001	0.03	0.54	2.6	0.3	0.4	21.1	<0.01	0.02	2.0
CC129433		0.38	18.9	660	19.7	18.8	<0.001	0.04	0.85	0.9	0.6	0.5	12.4	<0.01	0.05	0.2
CC129434		0.49	14.0	840	15.5	8.3	<0.001	0.06	0.51	2.6	0.4	0.5	44.2	<0.01	0.06	1.0
CC129435		0.42	23.0	900	93.1	14.2	<0.001	0.07	1.90	4.5	1.0	0.4	40.4	<0.01	0.06	1.7
CC129436		0.33	27.7	1240	29.5	12.9	<0.001	0.07	1.99	5.0	0.7	0.4	27.1	0.01	0.06	1.9
CC129437		0.23	38.4	740	27.6	7.0	<0.001	0.06	0.59	6.4	1.0	0.4	52.1	0.01	0.08	2.4
CC129438		0.16	11.1	1390	34.5	2.3	<0.001	0.05	7.70	3.9	0.7	0.2	94.5	<0.01	0.04	0.3
CC129439		0.11	22.1	430	19.2	11.7	<0.001	0.06	1.10	5.5	0.7	0.2	47.6	<0.01	0.08	1.2
CC129440		0.14	52.5	480	52.9	6.1	<0.001	0.03	0.70	6.2	0.7	0.2	13.6	<0.01	0.07	2.3
CC129441		0.30	26.7	640	28.7	7.6	<0.001	0.05	0.69	5.5	0.7	0.3	39.1	<0.01	0.06	1.6

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 3- AUG- 2011
Account: RCM

Project: Rackla- Sian Soil

CERTIFICATE OF ANALYSIS WH11124873

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
CC129422		0.016	0.21	0.64	61	0.25	2.84	64	<0.5
CC129423		0.011	0.32	0.90	44	0.22	5.50	74	1.3
CC129424		0.010	0.78	2.55	40	0.15	29.6	462	3.8
CC129425		<0.005	0.64	0.86	15	0.09	15.65	223	2.6
CC129426		0.010	0.36	2.07	33	0.16	14.15	191	1.8
CC129427		<0.005	0.37	0.87	10	0.13	13.00	115	1.3
CC129428		<0.005	0.22	0.51	10	0.08	12.15	13	1.3
CC129429		<0.005	0.24	0.88	15	0.08	14.70	197	1.9
CC129430		0.011	0.09	0.61	23	0.08	4.55	78	0.9
CC129431		0.008	0.22	0.57	21	0.06	3.75	79	<0.5
CC129432		<0.005	0.09	0.57	13	<0.05	5.35	61	1.1
CC129433		0.010	0.13	0.54	55	0.17	3.17	84	<0.5
CC129434		0.007	0.09	0.48	34	0.12	3.33	82	1.1
CC129435		0.006	0.14	3.25	31	0.10	14.45	565	2.2
CC129436		0.005	0.32	1.27	30	0.12	16.10	142	2.1
CC129437		<0.005	0.26	1.73	22	0.09	21.6	93	1.5
CC129438		<0.005	0.77	2.48	13	0.08	15.10	98	1.1
CC129439		<0.005	0.10	1.13	19	<0.05	8.23	145	1.5
CC129440		<0.005	0.31	0.76	19	<0.05	11.00	179	0.8
CC129441		<0.005	0.10	1.11	21	0.09	17.00	95	1.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 3- AUG- 2011
Account: RCM

Project: Rackla- Sian Soil

CERTIFICATE OF ANALYSIS WH11124873

Method	CERTIFICATE COMMENTS
ME- MS41	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown.
ME- MS41	Gold determinations by this method are semi- quantitative due to the small sample weight used (0.5g).

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 3- AUG- 2011
Account: RCM

CERTIFICATE WH11124874

Project: Rackla- Pyramid Soil

P.O. No.:

This report is for 11 Soil samples submitted to our lab in Whitehorse, YT, Canada on 4- JUL- 2011.

The following have access to data associated with this certificate:

ROB CARNE JULIA LANE	ANDREW CARNE JOAN MARIACHER	MATT DUMALA

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
SCR- 41	Screen to - 180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- TL43	Trace Level Au - 25g AR	ICP- MS
ME- MS41	51 anal. aqua regia ICPMS	

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 3- AUG- 2011
Account: RCM

Project: Rackla- Pyramid Soil

CERTIFICATE OF ANALYSIS WH11124874

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- TL43 Au ppm 0.001	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1
CC126951		0.38	0.002	0.33	1.68	23.7	<0.2	<10	280	0.73	0.27	0.38	0.49	33.7	19.1	28
CC126952		0.36	0.002	0.24	1.68	17.2	<0.2	<10	260	0.70	0.25	0.62	0.38	30.6	18.8	26
CC126953		0.32	0.002	0.18	1.72	12.9	<0.2	<10	380	0.74	0.23	1.54	0.31	20.9	14.2	25
CC126954		0.37	0.003	0.24	1.77	9.1	<0.2	<10	260	0.68	0.24	0.65	1.05	29.6	14.0	30
CC126955		0.27	0.003	0.26	1.66	20.2	<0.2	<10	260	0.72	0.26	1.38	0.62	18.95	13.5	25
CC126956		0.43	0.003	0.26	1.57	23.5	<0.2	<10	230	0.82	0.26	0.81	0.64	27.2	22.3	26
CC126957		0.24	0.001	0.06	1.84	24.1	<0.2	<10	160	0.62	0.25	0.24	0.38	15.30	10.0	31
CC126958		0.34	0.005	0.48	0.92	31.2	<0.2	<10	440	0.64	0.22	3.08	0.72	17.05	15.3	20
CC126959		0.19	0.002	0.18	1.16	19.2	<0.2	<10	270	0.58	0.23	0.55	0.46	18.35	12.0	20
CC126960		0.23	0.001	0.12	1.24	21.2	<0.2	<10	170	0.57	0.26	0.66	0.55	20.3	13.7	20
CC126961		0.42	0.002	0.18	1.11	26.1	<0.2	<10	330	0.61	0.24	0.87	0.48	16.95	12.2	19

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 3- AUG- 2011
Account: RCM

Project: Rackla- Pyramid Soil

CERTIFICATE OF ANALYSIS WH11124874

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
CC126951		1.42	88.1	4.43	5.63	0.09	0.14	0.14	0.039	0.10	15.9	33.3	0.83	606	1.77	0.01
CC126952		1.02	75.5	4.24	5.30	0.07	0.09	0.11	0.034	0.09	13.9	33.8	0.87	611	1.45	0.02
CC126953		0.81	58.8	3.52	5.12	0.06	0.07	0.11	0.031	0.07	9.9	29.8	0.69	673	0.98	0.02
CC126954		0.86	66.9	3.62	5.59	0.07	0.06	0.12	0.035	0.07	14.7	32.8	0.83	782	1.49	0.02
CC126955		1.17	70.0	4.32	5.18	0.07	0.10	0.15	0.035	0.09	11.5	33.0	0.64	318	1.99	0.02
CC126956		1.31	68.5	5.34	4.88	0.09	0.11	0.11	0.039	0.08	10.5	36.1	0.77	557	2.76	0.01
CC126957		1.33	34.5	4.04	5.47	0.05	0.04	0.03	0.042	0.06	7.7	34.7	0.53	229	2.01	0.01
CC126958		1.15	83.0	3.49	2.92	0.07	0.08	0.25	0.034	0.07	8.1	18.4	1.12	760	2.18	0.02
CC126959		1.10	40.7	3.20	3.54	0.06	0.07	0.12	0.027	0.06	8.5	34.1	0.53	424	1.26	0.01
CC126960		0.98	36.4	3.82	3.74	0.07	0.08	0.09	0.025	0.05	9.1	39.3	0.65	348	1.19	0.01
CC126961		1.06	40.2	3.63	3.37	0.07	0.08	0.10	0.029	0.07	8.0	32.0	0.57	368	1.68	0.02

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 3- AUG- 2011
Account: RCM

Project: Rackla- Pyramid Soil

CERTIFICATE OF ANALYSIS WH11124874

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
CC126951		0.10	49.5	830	16.9	6.3	0.001	0.02	0.71	8.7	1.2	0.3	29.0	<0.01	0.08	5.5
CC126952		0.17	41.5	700	17.0	5.3	<0.001	0.03	0.61	7.5	0.9	0.3	29.4	<0.01	0.07	4.5
CC126953		0.24	32.2	580	13.5	6.4	0.001	0.08	0.51	5.8	1.1	0.3	54.1	<0.01	0.07	2.0
CC126954		0.44	49.6	640	11.2	6.8	<0.001	0.03	0.44	8.3	0.9	0.3	30.2	<0.01	0.06	3.3
CC126955		0.38	78.3	610	16.6	8.6	<0.001	0.05	0.78	6.7	1.1	0.3	53.3	<0.01	0.07	2.5
CC126956		0.17	118.5	690	19.8	7.7	<0.001	0.04	0.93	8.6	1.1	0.3	38.7	<0.01	0.06	3.5
CC126957		0.73	32.6	610	15.5	11.3	<0.001	0.03	0.76	3.4	0.7	0.5	18.1	<0.01	0.06	2.9
CC126958		0.24	36.0	900	22.8	4.9	0.001	0.08	1.09	7.1	1.9	0.2	78.6	<0.01	0.06	2.6
CC126959		0.12	33.3	770	16.1	4.5	0.001	0.05	0.63	4.0	1.1	0.2	35.2	<0.01	0.05	3.3
CC126960		0.10	31.7	850	16.3	4.1	0.001	0.04	0.60	3.9	1.0	0.2	37.0	<0.01	0.05	3.8
CC126961		0.11	34.1	890	15.8	5.2	0.002	0.06	0.72	4.1	1.3	0.2	44.2	<0.01	0.05	2.9

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 3- AUG- 2011
Account: RCM

Project: Rackla- Pyramid Soil

CERTIFICATE OF ANALYSIS WH11124874

Sample Description	Method Analyte Units LOR	ME- MS41 Ti % 0.005	ME- MS41 Tl ppm 0.02	ME- MS41 U ppm 0.05	ME- MS41 V ppm 1	ME- MS41 W ppm 0.05	ME- MS41 Y ppm 0.05	ME- MS41 Zn ppm 2	ME- MS41 Zr ppm 0.5
CC126951		0.005	0.14	0.73	48	<0.05	15.85	121	6.7
CC126952		0.006	0.10	0.63	45	0.05	12.50	102	3.9
CC126953		<0.005	0.10	0.96	42	0.06	12.05	84	2.4
CC126954		0.013	0.13	0.86	49	0.13	15.85	295	2.1
CC126955		0.006	0.20	1.18	48	0.08	17.15	301	3.7
CC126956		<0.005	0.19	1.26	48	0.05	13.35	403	4.4
CC126957		0.008	0.15	0.50	59	0.14	3.92	90	1.5
CC126958		<0.005	0.18	1.08	42	0.06	16.10	135	3.0
CC126959		<0.005	0.09	0.93	31	<0.05	9.95	134	2.4
CC126960		<0.005	0.07	0.65	27	<0.05	8.91	139	3.0
CC126961		<0.005	0.10	0.92	30	<0.05	9.95	140	2.7

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 3- AUG- 2011
Account: RCM

Project: Rackla- Pyramid Soil

CERTIFICATE OF ANALYSIS WH11124874

Method	CERTIFICATE COMMENTS
ME- MS41	Gold determinations by this method are semi- quantitative due to the small sample weight used (0.5g).

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 5- AUG- 2011
Account: RCM

CERTIFICATE WH11124875

Project: Rackla- Osiris

P.O. No.:

This report is for 3 Silt samples submitted to our lab in Whitehorse, YT, Canada on 4- JUL- 2011.

The following have access to data associated with this certificate:

ROB CARNE JULIA LANE	ANDREW CARNE JOAN MARIACHER	MATT DUMALA

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
SCR- 41	Screen to - 180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- ST43	Super Trace Au - 25g AR	ICP- MS
ME- MS41	51 anal. aqua regia ICPMS	

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 5- AUG- 2011
Account: RCM

Project: Rackla- Osiris

CERTIFICATE OF ANALYSIS WH11124875

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- ST43 Au ppm 0.0001	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1
CC128528		0.54	0.0015	0.23	1.36	23.2	<0.2	<10	90	1.20	0.35	0.37	0.11	22.7	21.9	20
CC128529		0.32	0.0018	0.17	1.49	15.2	<0.2	<10	100	1.47	0.41	1.13	0.11	19.95	16.2	21
CC128530		0.43	0.0029	0.19	1.47	13.5	<0.2	<10	120	1.37	0.33	0.92	0.20	31.9	14.3	24

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 5- AUG- 2011
Account: RCM

Project: Rackla- Osiris

CERTIFICATE OF ANALYSIS WH11124875

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
CC128528		2.39	45.5	4.45	4.20	0.10	0.11	0.07	0.046	0.08	8.9	51.1	0.50	676	0.82	0.01
CC128529		1.77	38.9	3.58	4.47	0.14	0.11	0.07	0.040	0.09	8.1	48.4	0.50	499	0.40	0.01
CC128530		1.42	38.9	3.23	4.63	0.14	0.14	0.06	0.041	0.10	14.9	44.0	0.87	234	0.63	0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 5- AUG- 2011
Account: RCM

Project: Rackla- Osiris

CERTIFICATE OF ANALYSIS WH11124875

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
CC128528		0.28	38.4	620	46.6	6.8	<0.001	0.03	0.72	7.6	0.7	0.5	43.5	0.01	0.08	4.5
CC128529		0.32	34.9	720	38.7	6.6	<0.001	0.08	0.43	6.7	1.3	0.5	86.0	<0.01	0.08	2.4
CC128530		0.38	33.4	790	28.5	8.5	0.001	0.05	0.43	6.3	1.4	0.5	55.8	<0.01	0.07	3.6

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 5- AUG- 2011
Account: RCM

Project: Rackla- Osiris

CERTIFICATE OF ANALYSIS WH11124875

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
CC128528		0.007	0.10	1.26	20	0.05	17.45	115	3.8
CC128529		<0.005	0.07	0.90	20	<0.05	17.75	108	3.0
CC128530		0.007	0.11	1.87	24	0.07	16.90	104	4.2

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 5- AUG- 2011
Account: RCM

Project: Rackla- Osiris

CERTIFICATE OF ANALYSIS WH11124875

Method	CERTIFICATE COMMENTS
ME- MS41	Gold determinations by this method are semi- quantitative due to the small sample weight used (0.5g).

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 5- AUG- 2011
Account: RCM

CERTIFICATE WH11124876

Project: Rackla- Trent Ex

P.O. No.:

This report is for 10 Soil samples submitted to our lab in Whitehorse, YT, Canada on 4- JUL- 2011.

The following have access to data associated with this certificate:

ROB CARNE JULIA LANE	ANDREW CARNE JOAN MARIACHER	MATT DUMALA

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
SCR- 41	Screen to - 180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- TL43	Trace Level Au - 25g AR	ICP- MS
ME- MS41	51 anal. aqua regia ICPMS	

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 5- AUG- 2011
Account: RCM

Project: Rackla- Trent Ex

CERTIFICATE OF ANALYSIS WH11124876

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- TL43 Au ppm 0.001	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1
CC129071		0.27	0.003	0.11	0.87	8.9	<0.2	<10	140	0.69	0.24	1.40	0.28	12.55	27.2	61
CC129072		0.14	0.003	0.19	0.80	6.8	<0.2	<10	210	0.55	0.21	2.21	0.33	12.05	89.4	57
CC129073		0.29	0.002	0.19	1.41	17.0	<0.2	<10	110	0.57	0.38	0.03	0.23	27.5	17.2	24
CC129074		0.23	0.001	0.50	0.71	9.7	<0.2	<10	160	0.65	0.23	1.14	0.54	27.9	13.2	13
CC129075		0.21	0.002	0.53	0.89	10.5	<0.2	<10	220	0.77	0.27	0.86	0.48	23.1	10.5	16
CC129076		0.20	0.003	0.26	1.19	12.3	<0.2	<10	250	0.87	0.27	1.52	0.46	18.40	16.3	23
CC129077		0.22	0.003	0.24	0.97	14.8	<0.2	<10	360	0.86	0.29	1.46	0.36	14.95	17.1	21
CC129078		0.25	0.004	0.17	0.93	9.7	<0.2	<10	430	0.88	0.31	1.13	0.36	13.25	19.9	18
CC129079		0.19	0.002	0.17	1.05	31.7	<0.2	<10	400	0.89	0.28	1.67	0.31	18.05	16.4	25
CC129080		0.22	0.001	0.32	0.98	12.7	<0.2	<10	480	0.58	0.19	1.76	0.41	18.30	12.8	19

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 5- AUG- 2011
Account: RCM

Project: Rackla- Trent Ex

CERTIFICATE OF ANALYSIS WH11124876

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
CC129071		0.72	105.5	2.86	2.26	0.11	0.06	0.11	0.033	0.07	5.8	10.6	1.31	416	0.73	0.01
CC129072		0.81	98.7	2.77	2.19	0.10	0.05	0.12	0.028	0.06	4.9	8.5	1.12	2230	0.97	0.01
CC129073		1.76	48.2	4.68	5.51	0.12	0.03	0.06	0.040	0.06	13.3	15.3	0.18	1240	3.23	0.01
CC129074		1.11	28.2	2.81	2.94	0.13	0.06	0.17	0.028	0.06	16.1	6.9	0.22	866	5.25	0.01
CC129075		1.06	34.3	2.78	2.81	0.12	0.07	0.17	0.041	0.08	12.1	11.1	0.31	384	3.65	0.01
CC129076		0.78	45.9	3.66	3.31	0.11	0.08	0.14	0.033	0.07	8.8	17.7	0.65	713	1.12	0.01
CC129077		0.89	66.5	3.97	2.85	0.11	0.06	0.26	0.043	0.06	7.2	14.3	0.46	598	1.15	0.01
CC129078		1.07	65.9	4.43	2.70	0.12	0.06	0.17	0.052	0.07	6.2	12.4	0.41	789	0.88	0.01
CC129079		0.77	34.1	3.72	3.19	0.12	0.07	0.12	0.031	0.07	8.1	14.0	0.54	668	0.87	0.01
CC129080		0.86	24.4	2.77	2.66	0.12	0.05	0.11	0.023	0.08	8.7	15.0	0.54	756	1.01	0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 5- AUG- 2011
Account: RCM

Project: Rackla- Trent Ex

CERTIFICATE OF ANALYSIS WH11124876

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
CC129071		0.43	352	590	12.2	5.3	<0.001	0.08	0.31	4.9	1.0	0.4	57.0	<0.01	0.06	1.8
CC129072		0.45	411	970	10.4	6.5	<0.001	0.14	0.36	2.8	1.1	0.4	93.7	<0.01	0.07	0.6
CC129073		0.60	33.8	950	18.7	12.7	<0.001	0.04	1.44	2.9	1.0	0.6	12.3	<0.01	0.13	2.8
CC129074		0.44	27.2	650	14.9	7.0	0.001	0.06	1.30	3.5	1.6	0.4	46.6	<0.01	0.06	2.2
CC129075		0.49	25.9	800	14.5	7.7	0.003	0.05	1.55	4.0	1.8	0.4	34.9	0.02	0.06	3.1
CC129076		0.45	52.3	780	17.4	5.8	<0.001	0.06	0.74	5.0	1.1	0.3	43.4	<0.01	0.10	1.9
CC129077		0.42	59.5	720	15.2	6.0	0.002	0.08	0.65	6.1	2.2	0.3	50.5	<0.01	0.13	1.7
CC129078		0.36	48.8	720	13.9	6.5	0.002	0.07	0.51	7.7	1.7	0.3	44.6	<0.01	0.17	2.1
CC129079		0.45	75.7	560	18.1	7.7	<0.001	0.07	0.61	4.0	1.3	0.3	47.5	<0.01	0.05	1.8
CC129080		0.40	39.4	790	13.5	5.9	0.001	0.07	0.58	2.9	0.6	0.2	52.6	<0.01	0.07	1.7

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 5- AUG- 2011
Account: RCM

Project: Rackla- Trent Ex

CERTIFICATE OF ANALYSIS WH11124876

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
CC129071		0.006	0.08	3.95	24	0.12	7.80	81	1.8
CC129072		0.006	0.09	4.46	23	0.05	6.01	55	1.3
CC129073		0.008	0.15	0.80	52	0.12	3.52	119	0.7
CC129074		0.006	0.15	2.05	31	0.06	11.15	95	2.5
CC129075		0.007	0.15	1.36	31	0.15	7.62	123	2.5
CC129076		0.007	0.09	1.44	28	0.07	11.00	119	2.1
CC129077		0.006	0.08	1.49	26	0.07	11.60	84	1.9
CC129078		0.005	0.06	0.89	28	0.05	9.87	88	1.6
CC129079		0.006	0.11	3.47	25	0.07	9.35	83	2.1
CC129080		0.009	0.10	2.86	26	0.07	8.57	95	1.7

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 5- AUG- 2011
Account: RCM

Project: Rackla- Trent Ex

CERTIFICATE OF ANALYSIS WH11124876

Method	CERTIFICATE COMMENTS
ME- MS41	Gold determinations by this method are semi- quantitative due to the small sample weight used (0.5g).

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 3- AUG- 2011
Account: RCM

CERTIFICATE WH11124932

Project: Rackla- Osiris Silts

P.O. No.:

This report is for 11 Silt samples submitted to our lab in Whitehorse, YT, Canada on 5- JUL- 2011.

The following have access to data associated with this certificate:

ROB CARNE JULIA LANE	ANDREW CARNE JOAN MARIACHER	MATT DUMALA

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
SCR- 41	Screen to - 180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- ST43	Super Trace Au - 25g AR	ICP- MS
ME- MS41	51 anal. aqua regia ICPMS	

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 3- AUG- 2011
Account: RCM

Project: Rackla- Osiris Silts

CERTIFICATE OF ANALYSIS WH11124932

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- ST43 Au ppm 0.0001	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1
CC127531		0.35	0.0014	0.12	1.77	15.2	<0.2	<10	90	1.39	0.37	0.20	0.21	17.15	32.0	28
CC128531		0.48	0.0014	0.13	0.84	16.8	<0.2	<10	100	1.05	0.35	0.44	0.30	19.00	21.0	13
CC128532		0.41	0.0015	0.11	1.23	17.6	<0.2	<10	100	1.42	0.33	1.61	0.36	18.65	24.0	18
CC128533		0.42	0.0015	0.09	1.06	16.6	<0.2	<10	80	1.39	0.32	2.22	0.31	18.45	19.3	16
CC128534		0.44	0.0016	0.10	1.04	15.9	<0.2	<10	80	1.14	0.30	1.78	0.31	21.0	18.3	17
CC128535		0.54	0.0019	0.12	1.12	16.2	<0.2	<10	90	1.29	0.36	1.21	0.33	25.1	18.7	20
CC128536		0.44	0.0035	0.13	1.91	8.2	<0.2	10	120	1.34	0.28	1.43	0.30	45.6	14.6	41
CC128537		0.50	0.0015	0.10	1.00	17.3	<0.2	<10	80	1.22	0.37	1.60	0.38	20.5	19.1	17
CC127528		0.44	0.0022	0.12	1.19	18.4	<0.2	<10	70	1.36	0.34	0.37	0.39	9.88	31.9	18
CC127529		0.42	0.0016	0.13	1.24	16.9	<0.2	<10	70	1.33	0.33	0.36	0.39	10.25	30.6	19
CC127530		0.39	0.0018	0.14	1.21	20.1	<0.2	<10	80	1.53	0.35	0.29	0.43	12.45	33.6	19

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 3- AUG- 2011
Account: RCM

Project: Rackla- Osiris Silts

CERTIFICATE OF ANALYSIS WH11124932

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
CC127531		6.92	69.3	5.35	5.76	0.13	0.06	0.10	0.044	0.10	5.1	44.7	0.57	1440	1.30	0.01
CC128531		2.42	38.6	3.84	2.84	0.13	0.05	0.08	0.042	0.14	5.7	21.5	0.25	798	0.57	0.01
CC128532		2.18	52.2	4.45	4.23	0.14	0.07	0.17	0.043	0.11	6.4	37.6	0.66	835	1.80	0.02
CC128533		1.73	46.9	3.95	3.67	0.13	0.06	0.15	0.039	0.10	6.7	32.2	0.63	572	1.14	0.02
CC128534		1.45	43.4	3.62	3.57	0.14	0.07	0.12	0.035	0.11	7.5	30.1	0.65	530	0.60	0.02
CC128535		1.63	50.1	3.63	4.07	0.13	0.07	0.12	0.045	0.14	9.3	30.5	0.70	523	0.66	0.02
CC128536		1.80	42.6	3.08	7.09	0.16	0.14	0.09	0.035	0.22	21.7	52.3	1.94	337	0.63	0.02
CC128537		1.65	49.7	3.77	3.39	0.13	0.05	0.18	0.040	0.15	7.3	25.0	0.57	682	0.63	0.02
CC127528		2.60	66.0	5.24	3.76	0.14	0.05	0.28	0.053	0.08	3.7	34.3	0.55	1120	2.03	0.02
CC127529		2.88	64.1	5.23	3.94	0.14	0.05	0.23	0.046	0.08	3.7	35.1	0.50	1100	1.63	0.02
CC127530		2.93	68.2	5.41	3.89	0.13	0.04	0.23	0.046	0.08	4.2	34.3	0.50	1280	1.99	0.02

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 3- AUG- 2011
Account: RCM

Project: Rackla- Osiris Silts

CERTIFICATE OF ANALYSIS WH11124932

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
CC127531		0.24	38.2	780	38.0	11.4	0.001	0.05	0.96	9.8	1.2	0.5	35.1	<0.01	0.10	2.4
CC128531		0.12	38.7	710	62.4	7.7	0.001	0.12	0.39	6.8	1.3	0.4	41.4	<0.01	0.06	3.7
CC128532		0.16	47.9	660	28.6	7.2	0.003	0.11	0.80	6.9	1.4	0.4	134.5	<0.01	0.07	4.2
CC128533		0.14	41.2	670	28.3	7.1	0.002	0.10	0.71	6.4	1.4	0.4	142.5	<0.01	0.04	4.5
CC128534		0.17	39.4	680	31.5	6.9	0.001	0.07	0.59	6.0	1.2	0.4	109.5	<0.01	0.04	4.3
CC128535		0.21	41.8	750	35.0	9.1	0.001	0.08	0.60	6.9	1.1	0.5	88.1	<0.01	0.06	4.7
CC128536		0.50	40.5	840	25.1	16.1	0.001	0.04	0.31	6.7	1.6	0.5	68.4	<0.01	0.03	6.2
CC128537		0.13	45.3	690	36.7	8.4	0.002	0.12	0.64	7.0	1.5	0.4	91.3	<0.01	0.06	5.4
CC127528		0.10	62.2	500	26.2	6.1	0.003	0.10	1.02	8.1	0.7	0.4	51.5	<0.01	0.08	2.9
CC127529		0.11	59.8	540	26.4	6.7	0.003	0.09	0.99	8.1	1.2	0.4	51.5	<0.01	0.07	2.9
CC127530		0.12	66.5	560	28.2	6.3	0.003	0.11	1.17	8.8	1.1	0.4	49.2	<0.01	0.07	3.0

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 3- AUG- 2011
Account: RCM

Project: Rackla- Osiris Silts

CERTIFICATE OF ANALYSIS WH11124932

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
CC127531		0.010	0.18	0.76	40	0.06	12.55	104	1.8
CC128531		<0.005	0.15	1.06	11	<0.05	12.00	146	1.6
CC128532		0.005	0.15	1.15	20	<0.05	10.55	144	2.4
CC128533		<0.005	0.12	0.98	16	<0.05	9.96	147	2.5
CC128534		0.005	0.13	1.16	15	<0.05	10.40	153	2.5
CC128535		0.006	0.16	1.23	16	<0.05	11.95	167	2.6
CC128536		0.016	0.19	1.85	28	<0.05	14.00	133	4.7
CC128537		<0.005	0.17	0.95	13	<0.05	10.15	204	2.3
CC127528		<0.005	0.19	0.58	24	<0.05	9.41	122	1.6
CC127529		<0.005	0.18	0.58	25	<0.05	9.67	123	1.6
CC127530		0.005	0.19	0.61	25	<0.05	10.60	126	1.6

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: Rackla- Osiris Silts

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 3- AUG- 2011
Account: RCM

CERTIFICATE OF ANALYSIS WH11124932

Method	CERTIFICATE COMMENTS
ME- MS41	Gold determinations by this method are semi- quantitative due to the small sample weight used (0.5g).

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 8- AUG- 2011
Account: RCM

CERTIFICATE WH11125935

Project: Rackla- Trent Ex

P.O. No.:

This report is for 145 Soil samples submitted to our lab in Whitehorse, YT, Canada on 5- JUL- 2011.

The following have access to data associated with this certificate:

ROB CARNE JULIA LANE	ANDREW CARNE JOAN MARIACHER	MATT DUMALA

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
SCR- 41	Screen to - 180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- TL43	Trace Level Au - 25g AR	ICP- MS
ME- MS41	51 anal. aqua regia ICPMS	

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 8- AUG- 2011
Account: RCM

Project: Rackla- Trent Ex

CERTIFICATE OF ANALYSIS WH11125935

Sample Description	Method	WEI- 21	Au- TL43	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Recvd Wt.	Au	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
CC129068		0.20	0.001	0.13	0.72	13.8	<0.2	<10	100	0.74	0.28	1.24	0.22	17.90	12.9	12
CC129069		0.23	0.003	0.13	0.71	18.1	<0.2	<10	130	0.71	0.21	1.90	0.43	10.95	12.5	15
CC129070		0.31	<0.001	0.12	0.79	16.8	<0.2	<10	120	0.69	0.20	1.48	0.44	11.80	46.1	120
CC129081		0.31	<0.001	0.26	0.96	15.2	<0.2	<10	600	0.60	0.19	1.58	0.26	15.80	11.7	20
CC129083		0.31	<0.001	0.35	0.89	9.2	<0.2	<10	780	0.51	0.17	1.64	0.29	16.25	9.8	16
CC129084		0.44	<0.001	0.44	1.40	9.2	<0.2	<10	730	0.93	0.27	0.88	0.32	21.2	13.7	24
CC129085		0.42	<0.001	0.28	1.16	8.8	<0.2	<10	570	0.75	0.25	0.82	0.26	21.2	11.6	20
CC129086		0.45	<0.001	0.25	1.20	9.6	<0.2	<10	630	1.08	0.34	0.94	0.36	20.8	13.6	21
CC129087		0.26	<0.001	0.49	1.15	12.0	<0.2	<10	2370	0.92	0.30	1.09	0.44	18.20	12.5	22
CC129088		0.26	<0.001	0.47	0.79	9.8	<0.2	<10	2160	0.63	0.21	1.53	0.42	17.95	10.9	17
CC129089		0.34	<0.001	0.35	0.88	12.0	<0.2	<10	1440	0.85	0.33	1.09	0.86	24.7	14.3	17
CC129090		0.52	<0.001	0.28	1.28	15.0	<0.2	<10	2000	1.18	0.31	0.22	0.21	41.8	25.6	21
CC129091		0.33	0.003	0.33	0.73	5.6	<0.2	<10	1410	0.44	0.23	0.58	0.45	18.75	8.1	16
CC129092		0.41	0.007	0.24	0.61	7.1	<0.2	<10	820	0.71	0.30	0.93	0.28	31.1	10.0	12
CC129093		0.45	<0.001	0.21	0.83	4.2	<0.2	<10	1070	0.97	0.34	0.78	0.24	14.85	10.8	16
CC129094		0.50	0.001	0.43	0.90	3.5	<0.2	<10	830	1.17	0.27	0.76	0.21	27.8	10.3	23
CC129095		0.33	0.005	0.36	0.78	3.7	<0.2	<10	660	0.94	0.28	1.21	0.22	30.4	9.5	18
CC129096		0.23	0.002	0.41	1.02	29.6	<0.2	<10	4250	1.07	0.20	0.92	5.83	18.05	11.7	21
CC129097		0.30	0.002	0.20	0.31	5.0	<0.2	<10	2080	0.22	0.20	0.49	0.65	28.9	2.3	6
CC129099		0.31	<0.001	1.21	1.10	13.7	<0.2	<10	2060	0.59	0.23	1.48	1.86	17.15	11.4	21
CC129100		0.33	0.001	1.10	0.73	8.1	<0.2	<10	2170	0.44	0.19	1.71	2.10	16.80	8.4	22
CC115701		0.17	0.001	0.72	0.45	2.9	<0.2	<10	640	0.13	0.12	1.13	0.91	7.38	1.0	11
CC115702		0.37	0.001	0.80	1.43	22.0	<0.2	<10	3260	1.03	0.26	0.73	0.53	38.8	10.3	27
CC115703		0.34	0.002	0.93	0.66	13.0	<0.2	<10	240	0.19	0.26	0.06	0.19	21.1	3.3	17
CC115704		0.43	0.002	0.12	1.30	11.6	<0.2	<10	190	0.43	0.31	0.18	0.25	16.00	9.5	25
CC115705		0.32	0.041	1.34	1.06	10.6	<0.2	<10	500	0.52	0.33	1.37	0.28	10.10	11.8	26
CC115706		0.47	0.001	0.55	0.96	13.3	<0.2	<10	310	0.53	0.32	0.21	0.40	20.1	9.9	22
CC115539		0.21	0.001	0.16	0.65	21.8	<0.2	<10	210	0.82	0.30	1.51	1.74	18.95	11.4	12
CC115551		0.07	0.004	0.11	0.36	5.3	<0.2	10	340	0.58	0.10	3.76	0.44	5.44	5.0	10
CC115552		0.27	0.004	0.32	0.65	15.3	<0.2	<10	390	0.85	0.37	1.18	0.43	10.70	17.6	13
CC115553		0.30	0.002	0.19	0.59	14.9	<0.2	<10	290	0.75	0.37	1.02	0.31	10.15	19.4	12
CC115554		0.29	NSS	0.18	0.52	55.6	<0.2	<10	360	0.81	0.32	2.17	0.72	12.85	23.0	16
CC115555		0.14	0.004	0.17	0.62	120.5	<0.2	<10	500	0.70	0.25	1.64	0.97	6.69	23.5	42
CC115556		0.17	NSS	0.17	0.45	92.2	<0.2	<10	870	0.51	0.18	2.91	1.16	5.62	28.3	23
CC115557		0.20	0.002	0.17	0.71	14.7	<0.2	<10	570	0.60	0.25	1.78	0.44	16.35	17.0	11
CC115558		0.28	0.009	0.16	0.65	12.1	<0.2	<10	240	0.55	0.30	1.24	0.23	11.10	19.5	12
CC115559		0.25	0.004	0.13	0.71	10.3	<0.2	<10	310	0.68	0.31	1.56	0.19	10.75	15.1	11
CC115560		0.31	0.001	0.16	0.93	10.1	<0.2	<10	200	1.03	0.35	1.37	0.16	15.20	11.4	14
CC115561		0.39	0.004	0.04	0.83	9.1	<0.2	<10	40	0.24	0.47	0.02	0.06	17.80	4.0	13
CC115562		0.29	0.003	0.05	0.93	9.5	<0.2	<10	40	0.33	0.54	0.02	0.06	13.15	5.8	16

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 8- AUG- 2011
Account: RCM

Project: Rackla- Trent Ex

CERTIFICATE OF ANALYSIS WH11125935

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
CC129068		1.57	39.0	3.06	2.21	0.10	0.09	0.18	0.036	0.07	7.4	16.1	0.31	399	1.25	0.01
CC129069		0.84	44.1	2.77	1.99	0.10	0.07	0.15	0.031	0.06	5.1	8.0	0.31	406	1.26	0.01
CC129070		1.02	54.2	3.97	2.17	0.14	0.06	0.11	0.035	0.07	5.4	14.6	2.29	592	1.16	0.01
CC129081		0.84	26.8	2.62	2.97	0.11	0.07	0.10	0.027	0.07	8.4	16.8	0.44	425	0.96	0.02
CC129083		0.93	30.5	2.24	2.86	0.10	0.06	0.08	0.022	0.07	8.1	16.1	0.40	319	1.32	0.02
CC129084		1.68	43.3	3.47	4.18	0.12	0.12	0.08	0.029	0.12	11.9	26.0	0.49	540	1.75	0.02
CC129085		1.48	30.8	3.18	3.43	0.11	0.11	0.08	0.026	0.10	10.7	19.6	0.39	395	1.40	0.02
CC129086		1.59	42.8	3.17	3.51	0.07	0.09	0.09	0.029	0.13	11.2	23.7	0.44	665	1.20	0.02
CC129087		3.56	54.8	2.91	3.18	0.07	0.11	0.14	0.030	0.13	10.9	22.3	0.51	445	1.32	0.04
CC129088		1.13	35.6	2.41	2.31	0.06	0.09	0.18	0.025	0.10	9.3	12.9	0.35	633	1.76	0.03
CC129089		1.63	62.5	3.52	2.72	0.08	0.10	0.10	0.031	0.10	12.7	19.1	0.64	468	2.60	0.02
CC129090		7.40	34.8	4.50	3.86	0.08	0.03	0.09	0.034	0.17	20.3	21.2	0.24	1080	2.31	0.03
CC129091		1.14	21.3	2.04	2.41	<0.05	0.07	0.12	0.020	0.08	11.2	10.6	0.29	410	1.25	0.02
CC129092		2.07	35.7	2.40	1.83	0.05	0.08	0.08	0.024	0.11	16.0	11.4	0.33	752	1.08	0.01
CC129093		5.05	36.0	2.52	2.31	<0.05	0.08	0.08	0.019	0.08	7.0	16.7	0.38	514	0.44	0.02
CC129094		4.75	63.0	1.96	2.63	0.06	0.08	0.15	0.029	0.12	16.0	15.1	0.41	760	0.69	0.01
CC129095		4.98	51.4	1.93	2.37	0.08	0.07	0.14	0.032	0.16	17.1	10.8	0.41	993	0.59	0.01
CC129096		0.55	33.7	3.12	2.38	0.07	0.03	0.15	0.035	0.05	13.1	9.5	0.11	988	7.09	0.05
CC129097		1.35	10.5	0.91	1.05	0.07	0.04	0.10	0.025	0.09	15.9	2.3	0.06	88	1.19	0.03
CC129099		0.81	24.8	2.47	3.21	0.06	0.05	0.14	0.033	0.07	9.5	16.7	0.35	489	6.67	0.03
CC129100		0.93	41.7	2.08	2.20	0.07	0.09	0.14	0.021	0.07	10.3	12.5	0.76	231	3.46	0.03
CC115701		0.97	16.9	0.90	1.80	<0.05	0.03	0.20	0.009	0.05	4.3	2.6	0.08	14	3.44	0.02
CC115702		1.03	84.2	3.94	3.85	0.08	0.02	0.15	0.043	0.09	23.7	13.8	0.20	177	4.88	0.04
CC115703		1.13	13.3	1.84	3.96	0.05	<0.02	0.07	0.024	0.05	13.9	5.3	0.12	114	10.25	0.01
CC115704		0.90	22.5	3.27	3.52	<0.05	0.04	0.06	0.031	0.05	8.4	29.6	0.40	192	1.49	0.01
CC115705		1.15	47.0	3.24	2.43	<0.05	0.06	0.26	0.034	0.05	4.7	30.5	0.45	260	1.45	0.01
CC115706		1.81	37.0	3.60	2.96	0.05	0.02	0.09	0.043	0.06	11.9	19.2	0.19	207	2.50	0.01
CC115539		1.16	33.2	2.89	1.73	0.05	0.10	0.12	0.031	0.07	7.3	9.9	0.34	622	1.23	0.01
CC115551		0.41	60.5	1.18	0.83	<0.05	0.05	0.31	0.013	0.02	3.1	2.2	0.50	128	0.61	0.02
CC115552		1.06	99.3	6.18	1.71	0.06	0.04	0.26	0.066	0.06	5.2	6.0	0.31	646	1.76	0.01
CC115553		0.91	103.5	5.31	1.61	<0.05	0.05	0.24	0.066	0.05	4.5	5.9	0.38	511	1.46	0.01
CC115554		1.41	87.0	4.72	1.47	0.05	0.06	0.44	0.054	0.05	4.8	5.8	0.70	794	1.35	0.01
CC115555		2.05	72.9	3.44	1.67	<0.05	0.06	1.45	0.041	0.05	3.2	6.6	0.56	473	0.94	0.02
CC115556		1.43	58.9	2.24	1.22	<0.05	0.04	0.44	0.026	0.04	2.2	3.5	0.47	3580	0.74	0.02
CC115557		0.53	53.1	5.46	1.96	0.05	0.06	0.12	0.048	0.05	6.3	8.8	0.44	1280	0.94	0.02
CC115558		2.05	89.0	4.52	1.83	0.06	0.04	0.23	0.054	0.05	5.2	6.0	0.38	511	1.07	0.01
CC115559		0.80	62.0	3.68	1.89	<0.05	0.05	0.17	0.043	0.05	4.9	7.0	0.30	394	0.83	0.01
CC115560		1.27	38.0	3.12	2.76	0.06	0.06	0.16	0.032	0.06	7.1	14.4	0.35	551	0.68	0.01
CC115561		1.52	13.7	3.30	6.77	0.05	<0.02	0.02	0.020	0.05	9.6	3.5	0.07	219	1.30	<0.01
CC115562		2.16	20.1	3.95	7.11	<0.05	<0.02	0.02	0.031	0.05	6.4	5.4	0.10	342	0.94	0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 8- AUG- 2011
Account: RCM

Project: Rackla- Trent Ex

CERTIFICATE OF ANALYSIS WH11125935

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
CC129068		0.22	29.5	590	18.3	6.6	<0.001	0.05	0.38	5.4	1.1	0.3	63.6	<0.01	0.07	3.0
CC129069		0.29	59.6	640	14.8	5.9	<0.001	0.09	0.46	4.1	1.3	0.3	76.2	<0.01	0.07	1.3
CC129070		0.33	503	540	12.9	6.8	<0.001	0.07	0.41	6.8	1.2	0.3	57.5	<0.01	0.08	1.7
CC129081		0.33	48.1	530	14.5	7.4	<0.001	0.08	0.58	3.6	1.2	0.3	46.9	<0.01	0.06	1.6
CC129083		0.34	33.8	800	11.5	7.4	0.001	0.08	0.87	2.6	1.2	0.3	51.8	<0.01	0.06	1.1
CC129084		0.29	36.9	500	17.6	9.4	0.001	0.06	0.94	4.9	1.3	0.4	35.5	<0.01	0.06	3.3
CC129085		0.25	28.2	490	16.8	10.1	0.001	0.06	0.78	4.2	1.1	0.3	29.6	<0.01	0.06	3.0
CC129086		0.25	32.9	690	18.3	10.1	0.001	0.07	0.65	4.1	1.0	0.4	114.0	<0.01	0.04	2.9
CC129087		0.33	40.0	860	16.8	9.7	0.002	0.10	0.86	4.8	1.1	0.3	51.5	<0.01	0.08	3.1
CC129088		0.16	24.6	940	13.1	7.1	0.002	0.09	0.93	3.5	1.0	0.3	53.9	<0.01	0.06	2.2
CC129089		0.17	36.0	980	19.5	6.4	0.001	0.08	1.17	4.4	1.2	0.4	39.0	<0.01	0.05	4.5
CC129090		0.39	32.4	880	35.8	16.2	<0.001	0.16	0.86	3.6	0.8	0.5	40.1	<0.01	0.09	2.9
CC129091		0.25	14.5	680	11.3	9.3	<0.001	0.06	0.45	2.6	0.7	0.4	47.7	<0.01	0.04	2.3
CC129092		0.19	21.3	580	15.1	8.5	0.001	0.05	0.61	3.8	0.6	0.3	57.8	<0.01	0.06	3.5
CC129093		0.45	20.4	440	18.6	8.8	<0.001	0.04	0.35	3.0	0.7	0.4	44.9	<0.01	0.04	3.6
CC129094		0.41	26.1	520	11.2	19.2	<0.001	0.04	0.34	5.2	1.2	0.4	46.2	<0.01	0.02	2.3
CC129095		0.27	22.9	600	12.6	16.8	<0.001	0.07	0.38	3.9	0.8	0.3	58.5	<0.01	0.03	1.6
CC129096		0.17	78.0	780	11.4	6.0	<0.001	0.07	1.34	3.5	3.1	0.3	50.1	<0.01	0.07	0.7
CC129097		0.08	9.6	310	9.9	7.7	0.002	0.08	0.85	1.4	0.9	0.4	49.2	<0.01	0.03	2.2
CC129099		0.43	34.9	700	13.0	7.0	0.019	0.10	12.75	3.6	6.1	0.4	96.7	<0.01	0.06	1.6
CC129100		0.27	89.0	780	9.6	5.5	0.008	0.09	1.36	3.7	3.1	0.3	71.7	<0.01	0.07	2.6
CC115701		0.19	11.6	540	5.8	6.5	0.005	0.10	0.87	1.5	5.9	0.3	81.2	<0.01	0.06	1.0
CC115702		0.25	44.2	1730	18.3	9.9	0.001	0.05	1.80	4.2	1.8	0.6	39.1	<0.01	0.08	2.2
CC115703		0.58	23.3	730	12.0	7.8	0.002	0.04	1.16	1.5	1.8	0.7	32.1	<0.01	0.09	1.4
CC115704		0.48	33.2	250	17.6	7.7	0.001	0.01	0.72	2.4	0.7	0.4	10.1	<0.01	0.09	2.8
CC115705		0.08	59.6	530	17.8	5.0	0.002	0.05	1.15	4.0	1.7	0.3	40.9	<0.01	0.14	1.6
CC115706		0.23	53.9	720	17.2	8.0	0.001	0.05	1.15	3.1	1.4	0.3	61.1	<0.01	0.12	2.3
CC115539		0.19	26.9	880	27.9	6.3	0.001	0.11	0.45	3.3	1.0	0.4	58.7	<0.01	0.05	1.5
CC115551		0.15	110.5	960	5.4	2.0	<0.001	0.26	0.41	1.7	1.4	<0.2	151.5	<0.01	0.03	0.2
CC115552		0.12	49.3	450	26.2	3.6	<0.001	0.05	0.71	12.0	1.4	0.2	56.4	<0.01	0.14	1.8
CC115553		0.07	47.3	400	21.5	2.9	0.001	0.05	0.70	12.1	1.7	0.2	68.6	<0.01	0.16	2.0
CC115554		0.08	122.5	650	30.7	3.3	<0.001	0.08	0.77	9.6	1.3	0.2	59.7	<0.01	0.15	1.6
CC115555		0.12	216	620	23.6	3.8	0.001	0.09	0.67	8.9	1.5	0.2	81.7	<0.01	0.11	1.1
CC115556		0.09	133.5	800	14.4	2.9	<0.001	0.15	0.59	4.0	1.1	<0.2	86.7	<0.01	0.11	0.4
CC115557		0.13	27.1	560	20.8	4.6	<0.001	0.09	0.51	9.8	1.2	0.2	49.9	<0.01	0.09	1.4
CC115558		0.17	40.5	460	23.0	8.4	<0.001	0.07	0.82	8.2	1.3	0.2	45.5	<0.01	0.16	1.3
CC115559		0.19	32.3	590	19.1	5.4	0.001	0.07	0.65	7.4	0.9	0.2	51.5	<0.01	0.14	1.4
CC115560		0.33	28.0	580	20.4	7.9	0.001	0.07	0.59	4.1	1.1	0.4	55.0	<0.01	0.06	1.7
CC115561		0.83	7.5	270	15.1	11.3	<0.001	0.01	0.46	1.8	0.4	0.8	7.2	<0.01	0.06	3.1
CC115562		0.33	8.4	470	16.5	9.9	<0.001	0.01	0.34	2.1	0.3	0.7	8.5	<0.01	0.05	2.1

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 8- AUG- 2011
Account: RCM

Project: Rackla- Trent Ex

CERTIFICATE OF ANALYSIS WH11125935

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
CC129068		<0.005	0.10	1.67	17	0.05	12.80	86	3.1
CC129069		<0.005	0.10	2.83	21	0.05	9.85	68	2.2
CC129070		0.006	0.10	2.01	27	0.07	9.64	84	1.9
CC129081		0.007	0.10	1.49	23	0.08	9.73	73	2.1
CC129083		0.008	0.09	1.96	23	0.08	8.25	88	2.0
CC129084		0.006	0.12	1.65	31	0.07	14.00	111	3.9
CC129085		0.006	0.14	1.45	28	0.05	8.95	103	3.3
CC129086		0.006	0.11	1.71	28	0.06	11.35	105	3.0
CC129087		0.010	0.13	1.11	31	0.08	12.70	124	4.1
CC129088		0.005	0.08	1.12	36	<0.05	7.98	83	2.8
CC129089		0.007	0.13	1.06	27	<0.05	11.90	129	4.2
CC129090		0.008	0.14	0.90	30	0.05	9.99	110	1.0
CC129091		0.006	0.10	1.17	33	0.05	6.52	46	1.8
CC129092		0.006	0.09	0.81	20	0.05	8.26	80	2.9
CC129093		0.015	0.09	2.33	20	0.10	8.19	60	2.6
CC129094		0.014	0.18	3.64	23	0.05	16.65	60	2.3
CC129095		0.009	0.18	4.13	18	0.07	12.20	62	1.8
CC129096		0.005	0.49	2.11	90	0.09	31.3	422	1.0
CC129097		<0.005	0.28	0.64	14	<0.05	4.64	36	1.2
CC129099		0.009	0.23	2.49	69	0.16	12.10	117	1.8
CC129100		0.010	0.16	0.98	28	0.10	12.55	184	4.0
CC115701		0.005	0.13	1.12	20	0.06	3.26	40	1.1
CC115702		0.005	0.32	2.24	70	0.06	20.7	171	0.6
CC115703		0.022	0.20	1.50	44	0.25	5.55	107	<0.5
CC115704		0.013	0.08	0.43	37	0.12	3.30	119	1.7
CC115705		<0.005	0.08	1.83	23	<0.05	10.50	140	2.2
CC115706		0.005	0.11	0.85	37	0.05	10.65	191	0.9
CC115539		<0.005	0.09	5.81	16	0.05	9.17	182	2.8
CC115551		0.005	0.05	0.51	7	<0.05	10.80	38	1.4
CC115552		0.005	0.08	0.86	39	<0.05	13.45	97	1.2
CC115553		<0.005	0.07	0.74	31	<0.05	10.70	87	1.7
CC115554		<0.005	0.11	1.40	25	<0.05	12.40	106	1.6
CC115555		<0.005	0.20	0.65	22	0.05	8.34	117	1.6
CC115556		<0.005	0.11	1.33	16	<0.05	6.15	78	1.1
CC115557		<0.005	0.05	0.83	24	<0.05	16.85	65	1.6
CC115558		<0.005	0.06	1.10	25	<0.05	10.00	95	1.3
CC115559		<0.005	0.06	1.10	22	<0.05	9.17	69	1.7
CC115560		0.006	0.07	0.97	19	0.07	11.30	56	2.0
CC115561		0.018	0.08	0.45	48	0.15	2.15	31	<0.5
CC115562		0.007	0.10	0.53	35	0.08	2.38	36	<0.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 8- AUG- 2011
Account: RCM

Project: Rackla- Trent Ex

CERTIFICATE OF ANALYSIS WH11125935

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- TL43 Au ppm 0.001	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1
CC115563		0.27	0.001	0.03	0.86	9.8	<0.2	<10	80	0.35	0.43	0.24	0.09	20.2	5.4	14
CC115564		0.22	0.004	0.05	1.07	6.6	<0.2	<10	160	0.90	0.43	1.17	0.14	13.65	12.5	16
CC115565		0.30	0.001	0.05	1.02	8.3	<0.2	<10	200	0.48	0.31	0.93	0.21	16.45	9.0	17
CC115566		0.18	0.005	0.64	0.78	4.8	<0.2	<10	220	0.69	0.15	2.91	1.16	9.11	4.5	10
CC115567		0.45	0.002	0.29	1.09	12.3	<0.2	<10	170	0.67	0.25	0.67	0.51	20.7	7.4	21
CC115568		0.44	0.002	0.27	1.14	7.4	<0.2	<10	130	0.50	0.28	0.05	0.49	33.7	7.8	19
CC115569		0.39	0.002	0.08	0.98	8.9	<0.2	<10	100	0.24	0.23	0.05	0.07	24.9	2.3	14
CC115570		0.23	0.002	0.06	1.17	9.2	<0.2	<10	260	0.38	0.30	0.08	0.14	15.35	8.6	19
CC115571		0.30	0.001	0.09	0.75	11.1	<0.2	<10	110	0.18	0.27	0.04	0.11	28.2	4.0	10
CC115572		0.18	0.004	0.38	0.58	4.5	<0.2	<10	1910	0.48	0.11	2.51	0.74	9.33	5.3	10
CC115573		0.44	0.001	0.15	1.63	10.5	<0.2	<10	1320	0.68	0.28	0.22	0.22	34.0	9.2	24
CC115574		0.30	0.001	0.07	0.94	5.6	<0.2	<10	270	0.20	0.26	0.05	0.10	29.7	3.6	13
CC115575		0.21	0.001	0.26	0.89	5.4	<0.2	<10	1770	0.77	0.25	0.14	0.26	24.3	10.4	14
CC115576		0.34	0.001	0.03	0.72	2.1	<0.2	<10	570	0.51	0.27	0.14	0.09	8.79	14.3	19
CC115577		0.25	0.001	0.08	0.36	13.8	<0.2	<10	860	0.34	0.20	0.68	0.08	25.5	3.0	8
CC115578		0.19	0.003	1.36	0.59	17.7	<0.2	<10	2690	0.52	0.17	1.88	0.84	14.80	42.1	12
CC115579		0.17	0.004	3.42	0.85	8.9	<0.2	<10	1400	0.48	0.17	1.63	4.85	15.50	16.8	20
CC115580		0.23	0.002	0.87	0.90	9.3	<0.2	<10	1270	0.57	0.17	0.61	1.26	17.05	13.1	21
CC115581		0.23	0.002	0.40	1.17	8.5	<0.2	<10	990	0.77	0.18	1.05	1.03	19.65	9.5	24
CC115582		0.17	0.001	0.60	0.77	8.5	<0.2	<10	680	0.40	0.16	1.58	0.69	13.35	7.1	19
CC115583		0.37	0.002	0.57	0.63	7.6	<0.2	<10	440	0.40	0.14	1.12	0.50	14.15	5.3	15
CC115584		0.27	0.003	0.69	0.78	15.0	<0.2	<10	610	0.49	0.17	1.12	0.46	16.80	10.8	16
CC115585		0.30	0.002	0.58	0.64	7.0	<0.2	<10	600	0.44	0.15	0.94	0.40	14.95	7.1	13
CC115586		0.23	0.002	0.58	0.80	7.4	<0.2	<10	680	0.44	0.16	1.31	0.20	13.50	6.0	16
CC115587		0.19	0.002	0.57	0.74	8.1	<0.2	<10	700	0.48	0.15	1.27	0.41	13.30	6.2	15
CC128538		0.32	0.003	0.07	1.85	20.6	<0.2	<10	160	0.68	0.31	0.31	0.40	21.2	27.6	60
CC128539		0.21	0.002	0.05	1.72	49.9	<0.2	<10	370	0.73	0.28	0.17	0.70	18.80	31.6	93
CC128540		0.20	0.004	0.09	1.96	311	<0.2	<10	460	0.94	0.23	0.81	4.11	20.4	57.0	166
CC128541		0.18	0.002	0.07	2.21	2.2	<0.2	<10	120	0.55	0.26	0.06	0.21	35.3	23.6	35
CC128542		0.20	0.002	0.07	1.95	14.6	<0.2	<10	100	0.47	0.31	0.08	0.40	23.4	12.2	29
CC128543		0.33	0.004	0.04	0.29	65.1	<0.2	190	170	0.28	0.03	0.17	0.66	2.94	142.5	586
CC128544		0.29	0.005	0.05	0.48	57.8	<0.2	170	180	0.46	0.07	0.22	0.65	4.45	128.5	504
CC128545		0.21	0.008	0.19	1.72	13.0	<0.2	<10	190	1.49	0.24	1.06	0.58	25.3	23.4	27
CC128546		0.33	0.006	0.22	1.14	14.4	<0.2	<10	170	1.14	0.29	0.88	0.33	17.60	18.4	19
CC128547		0.19	0.004	0.16	0.46	10.3	<0.2	<10	80	0.91	0.33	0.93	0.25	14.85	15.2	11
CC128548		0.22	0.004	0.05	1.27	4.7	<0.2	<10	790	0.55	0.29	0.12	0.32	9.67	29.2	21
CC128549		0.32	0.007	0.14	0.71	6.3	<0.2	<10	310	0.69	0.39	0.51	0.37	7.24	30.2	12
CC128550		0.23	0.002	0.13	2.47	33.2	<0.2	<10	250	1.16	0.19	2.98	0.36	33.2	9.7	30
CC115801		0.12	0.001	0.10	1.59	28.5	<0.2	<10	210	0.66	0.19	1.55	0.32	17.95	6.7	21
CC115802		0.21	0.002	0.08	1.38	13.0	<0.2	<10	160	0.79	0.29	0.60	0.10	24.2	7.9	22

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 8- AUG- 2011
Account: RCM

Project: Rackla- Trent Ex

CERTIFICATE OF ANALYSIS WH11125935

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
CC115563		1.53	8.8	2.89	6.70	<0.05	<0.02	0.03	0.017	0.05	10.6	6.9	0.13	423	1.49	<0.01
CC115564		1.25	24.4	3.21	3.69	<0.05	0.10	0.05	0.032	0.06	5.8	17.1	0.39	592	0.51	0.01
CC115565		1.54	13.1	2.44	4.05	<0.05	0.03	0.03	0.022	0.07	8.5	14.8	0.34	451	0.93	0.01
CC115566		1.44	28.4	1.35	2.21	0.14	0.05	0.10	0.017	0.04	4.9	6.5	0.18	316	1.00	0.01
CC115567		1.49	21.4	2.41	4.13	0.12	0.03	0.05	0.020	0.07	9.5	40.9	0.36	277	1.25	0.01
CC115568		1.80	15.0	3.34	5.19	0.13	0.02	0.01	0.026	0.10	17.0	16.1	0.18	250	1.15	<0.01
CC115569		1.03	5.5	2.06	6.00	0.12	0.04	0.01	0.014	0.04	12.3	8.0	0.11	83	1.47	<0.01
CC115570		1.56	19.7	3.79	5.84	0.12	0.03	0.01	0.026	0.08	7.3	15.8	0.18	465	1.70	0.01
CC115571		1.36	9.0	1.90	5.92	0.12	<0.02	0.01	0.012	0.04	13.8	4.9	0.08	125	2.04	<0.01
CC115572		0.57	34.8	1.38	1.60	0.12	0.06	0.09	0.015	0.07	5.5	7.0	0.43	459	1.16	0.04
CC115573		1.75	14.9	3.06	6.18	0.12	0.02	0.02	0.032	0.05	13.7	18.0	0.23	460	1.42	0.02
CC115574		1.14	10.2	2.17	6.20	0.13	<0.02	0.01	0.016	0.04	14.3	6.5	0.09	163	1.18	<0.01
CC115575		2.54	21.1	2.36	3.81	0.12	0.02	0.04	0.017	0.06	11.2	14.0	0.21	826	0.98	0.02
CC115576		6.84	13.8	2.94	2.63	0.13	0.02	<0.01	0.015	0.06	4.0	22.5	0.36	661	0.60	0.01
CC115577		1.15	11.8	1.11	1.93	0.12	0.05	0.13	0.013	0.13	12.2	1.8	0.08	101	1.20	0.01
CC115578		0.74	40.2	3.42	1.94	0.14	0.03	0.20	0.028	0.03	6.5	3.5	0.14	1920	8.22	0.05
CC115579		1.09	62.4	2.24	2.44	0.15	0.04	0.31	0.034	0.05	7.9	10.2	0.16	792	3.60	0.03
CC115580		0.88	33.2	2.36	2.77	0.14	0.04	0.13	0.025	0.06	8.7	12.7	0.20	721	2.75	0.02
CC115581		0.85	38.0	2.62	3.10	0.13	0.04	0.07	0.030	0.04	12.8	13.1	0.19	583	1.66	0.02
CC115582		0.68	27.0	2.11	2.40	0.14	0.04	0.09	0.024	0.04	7.3	11.0	0.20	332	0.99	0.02
CC115583		0.58	22.8	1.80	1.97	0.14	0.04	0.07	0.023	0.05	7.8	9.4	0.18	243	1.38	0.01
CC115584		0.85	24.8	3.27	2.44	0.14	0.05	0.10	0.028	0.06	8.9	11.6	0.21	441	2.53	0.01
CC115585		0.67	25.3	2.08	2.00	0.14	0.05	0.08	0.025	0.05	8.2	10.0	0.18	206	1.59	0.01
CC115586		0.74	20.6	1.99	2.15	0.12	0.05	0.09	0.023	0.06	7.3	10.7	0.22	229	1.13	0.01
CC115587		0.65	24.2	1.98	2.25	0.12	0.06	0.09	0.021	0.06	7.5	11.4	0.23	278	1.30	0.01
CC128538		2.03	67.4	5.15	6.26	0.12	0.04	0.05	0.041	0.06	8.2	35.9	1.44	694	1.12	0.01
CC128539		1.63	54.5	5.91	6.30	0.13	0.04	0.16	0.042	0.06	6.9	26.2	1.45	1060	1.10	0.01
CC128540		2.27	72.2	7.99	5.65	0.13	0.04	1.65	0.042	0.05	6.1	28.4	1.73	1820	1.18	0.01
CC128541		1.40	80.1	5.35	10.45	0.14	0.03	0.04	0.042	0.05	15.2	24.0	0.90	1030	0.82	0.01
CC128542		2.65	35.4	4.53	8.32	0.14	0.03	0.02	0.036	0.07	10.6	27.8	0.45	397	1.88	<0.01
CC128543		2.63	14.9	5.09	0.74	0.19	<0.02	1.74	0.010	0.02	1.2	47.4	18.55	1160	0.22	0.01
CC128544		2.91	38.3	5.17	1.36	0.18	0.02	0.99	0.017	0.02	2.0	44.6	16.10	1190	0.31	0.01
CC128545		3.93	103.0	6.53	4.26	0.16	0.07	0.08	0.051	0.05	9.6	17.9	0.76	1740	0.96	0.01
CC128546		1.69	93.3	4.29	3.53	0.14	0.08	0.19	0.047	0.05	7.2	13.3	0.45	810	0.85	0.01
CC128547		1.36	59.9	3.14	1.54	0.12	0.08	0.18	0.044	0.05	6.1	5.2	0.29	278	0.84	0.01
CC128548		1.93	90.7	6.51	5.45	0.14	0.02	0.05	0.069	0.04	4.1	17.5	0.38	1080	0.90	0.01
CC128549		0.94	133.5	6.36	2.25	0.12	0.04	0.16	0.090	0.04	2.7	9.9	0.32	1050	1.33	0.01
CC128550		0.88	10.2	10.15	4.58	0.16	0.07	0.09	0.031	0.02	16.8	10.7	1.37	3780	0.96	0.01
CC115801		0.51	9.6	10.45	4.67	0.15	0.03	0.07	0.041	0.03	8.6	7.4	0.44	1720	0.73	0.01
CC115802		1.58	19.8	2.57	4.81	<0.05	0.04	0.03	0.024	0.06	11.8	15.7	0.39	310	1.35	<0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 8- AUG- 2011
Account: RCM

Project: Rackla- Trent Ex

CERTIFICATE OF ANALYSIS WH11125935

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
CC115563		1.31	8.3	390	14.8	10.1	<0.001	0.01	0.55	1.6	0.3	0.7	9.9	0.01	0.04	2.9
CC115564		0.27	22.1	580	20.4	6.8	<0.001	0.05	0.23	3.3	0.5	0.4	20.2	<0.01	0.02	2.6
CC115565		0.67	13.6	580	14.1	10.5	<0.001	0.05	0.37	2.2	0.4	0.5	19.7	<0.01	0.04	1.5
CC115566		0.50	15.7	990	10.1	7.8	0.001	0.16	0.56	1.2	2.0	0.3	93.0	<0.01	0.04	0.4
CC115567		0.91	16.0	430	13.1	13.2	0.001	0.03	0.56	2.6	1.0	0.4	28.5	<0.01	0.04	1.7
CC115568		0.66	17.2	370	17.0	15.1	<0.001	0.01	0.51	2.1	0.7	0.6	6.5	<0.01	0.07	3.1
CC115569		1.16	5.9	150	12.9	9.6	<0.001	0.01	0.48	1.3	0.6	0.6	6.0	<0.01	0.04	3.4
CC115570		0.56	14.8	410	16.2	12.6	<0.001	0.01	0.67	2.0	0.5	0.5	10.3	<0.01	0.03	2.2
CC115571		0.93	8.5	240	8.1	9.9	<0.001	<0.01	0.60	1.2	0.5	0.6	5.6	<0.01	0.03	2.6
CC115572		0.24	20.2	810	6.1	4.8	0.001	0.19	0.87	1.8	3.7	0.2	128.5	<0.01	0.02	0.7
CC115573		1.12	20.8	510	15.9	9.7	<0.001	0.02	0.57	2.8	0.8	0.6	14.8	<0.01	0.04	2.5
CC115574		0.75	8.6	310	11.7	8.7	<0.001	0.01	0.46	1.2	0.4	0.6	4.8	<0.01	0.02	1.4
CC115575		0.45	16.3	630	16.1	8.5	<0.001	0.06	0.42	1.3	0.5	0.4	9.6	<0.01	0.05	1.5
CC115576		0.46	18.6	210	16.6	6.8	<0.001	<0.01	0.19	1.8	0.4	0.4	12.4	<0.01	0.01	3.9
CC115577		0.25	8.1	410	12.6	9.3	<0.001	0.10	0.48	1.3	0.6	0.3	50.6	<0.01	0.02	1.9
CC115578		0.32	20.4	1090	16.2	5.7	0.007	0.13	1.27	3.6	4.7	0.2	116.0	<0.01	0.05	1.0
CC115579		0.41	41.4	1640	10.0	7.9	0.005	0.11	1.26	4.3	9.0	0.3	97.7	<0.01	0.06	0.9
CC115580		0.28	35.8	800	10.4	7.4	0.002	0.05	0.86	3.4	2.8	0.3	56.9	<0.01	0.08	1.9
CC115581		0.39	48.2	880	10.9	6.8	0.002	0.04	0.64	3.9	1.8	0.3	44.9	<0.01	0.05	1.9
CC115582		0.37	31.7	690	10.0	5.6	0.002	0.06	0.77	2.5	2.2	0.3	52.8	<0.01	0.05	0.9
CC115583		0.25	28.0	830	8.7	4.8	0.002	0.05	0.68	2.5	1.7	0.2	44.7	<0.01	0.05	1.1
CC115584		0.26	31.2	670	10.7	6.2	0.001	0.05	0.69	3.2	1.9	0.2	43.9	<0.01	0.07	1.9
CC115585		0.22	27.1	600	9.0	5.2	0.002	0.04	0.67	2.5	2.1	0.2	36.5	<0.01	0.07	1.5
CC115586		0.23	23.6	680	10.5	5.5	0.003	0.06	0.59	2.7	1.8	0.2	43.9	<0.01	0.07	1.4
CC115587		0.23	27.4	720	9.9	5.8	0.003	0.06	0.62	2.5	1.7	0.2	42.9	<0.01	0.06	1.2
CC128538		0.46	125.5	370	18.2	7.9	<0.001	0.02	0.48	6.7	0.7	0.4	18.4	<0.01	0.12	2.8
CC128539		0.65	187.0	570	27.3	8.7	<0.001	0.02	0.42	6.1	0.9	0.4	15.5	<0.01	0.08	2.0
CC128540		0.34	480	550	76.8	8.9	<0.001	0.05	0.45	9.0	1.1	0.3	22.5	<0.01	0.11	2.2
CC128541		0.62	38.0	570	12.4	7.9	<0.001	0.03	0.34	6.1	0.7	0.6	4.8	<0.01	0.15	2.1
CC128542		1.57	29.2	430	16.9	12.2	<0.001	0.01	0.69	3.7	0.9	0.7	8.3	<0.01	0.10	3.0
CC128543		0.11	2250	200	50.9	1.8	<0.001	0.03	0.08	6.6	0.9	<0.2	11.1	<0.01	0.01	0.3
CC128544		0.12	1900	290	46.7	2.5	<0.001	0.03	0.09	7.9	0.8	<0.2	10.8	<0.01	0.05	0.5
CC128545		0.30	45.9	1140	31.7	6.0	<0.001	0.05	0.88	10.7	1.7	0.3	28.2	<0.01	0.11	2.4
CC128546		0.21	38.3	730	22.9	5.2	<0.001	0.04	0.65	8.5	1.4	0.3	37.9	<0.01	0.13	2.6
CC128547		0.17	33.9	600	19.0	6.8	0.001	0.04	0.75	7.4	1.1	0.2	40.9	<0.01	0.10	3.5
CC128548		0.52	32.4	600	13.7	7.6	<0.001	0.03	0.31	9.2	1.0	0.3	28.7	<0.01	0.19	2.0
CC128549		0.13	51.7	630	14.5	2.7	<0.001	0.03	0.59	17.5	1.7	0.2	22.4	<0.01	0.22	1.8
CC128550		0.85	39.3	1020	28.3	5.4	<0.001	0.06	1.41	4.8	1.1	0.4	17.1	0.02	0.05	2.5
CC115801		0.77	31.8	1020	17.0	5.8	<0.001	0.06	1.35	3.2	1.5	0.4	15.1	0.01	0.03	1.5
CC115802		1.02	17.1	600	17.6	10.0	<0.001	0.03	0.61	2.7	0.5	0.6	18.3	<0.01	0.03	2.3

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 8- AUG- 2011
Account: RCM

Project: Rackla- Trent Ex

CERTIFICATE OF ANALYSIS WH11125935

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
CC115563		0.045	0.11	0.51	60	0.25	2.61	42	0.6
CC115564		0.006	0.05	0.88	17	<0.05	5.90	60	2.8
CC115565		0.020	0.08	0.92	34	0.13	3.62	57	0.9
CC115566		0.012	0.25	3.33	17	0.06	8.23	67	2.0
CC115567		0.027	0.44	2.45	39	0.26	5.56	75	1.1
CC115568		0.011	0.11	0.40	36	0.09	2.40	60	0.9
CC115569		0.025	0.11	0.39	50	0.21	1.80	28	1.8
CC115570		0.008	0.07	0.36	37	0.06	1.99	91	1.1
CC115571		0.023	0.10	0.33	46	0.16	1.90	39	<0.5
CC115572		0.005	0.07	3.58	17	<0.05	8.59	68	1.9
CC115573		0.021	0.12	0.77	52	0.27	6.06	77	0.6
CC115574		0.016	0.09	0.31	47	0.14	2.10	40	<0.5
CC115575		0.011	0.07	0.48	27	0.10	4.38	77	0.6
CC115576		0.020	0.03	0.76	18	0.06	4.26	74	0.8
CC115577		0.006	0.14	0.45	15	<0.05	3.85	31	1.7
CC115578		0.007	0.30	3.51	65	0.10	13.35	48	1.1
CC115579		0.007	0.33	4.28	37	0.11	29.9	149	1.4
CC115580		<0.005	0.15	1.92	34	0.09	17.20	134	1.3
CC115581		0.006	0.10	2.35	40	0.10	24.4	154	1.3
CC115582		0.007	0.08	1.85	34	0.08	11.15	155	1.4
CC115583		0.005	0.08	1.59	24	<0.05	12.50	102	1.4
CC115584		<0.005	0.09	1.26	27	<0.05	12.25	105	1.7
CC115585		<0.005	0.07	1.30	22	<0.05	10.95	83	1.7
CC115586		<0.005	0.08	1.38	27	<0.05	11.80	91	1.6
CC115587		<0.005	0.07	1.14	25	<0.05	10.55	113	1.6
CC128538		0.014	0.11	0.46	51	0.08	6.14	102	1.4
CC128539		0.014	0.11	0.48	61	0.10	6.03	90	1.0
CC128540		0.006	0.16	0.49	65	<0.05	7.88	322	1.2
CC128541		0.020	0.09	0.40	97	0.06	5.45	62	1.1
CC128542		0.031	0.17	0.50	67	0.27	3.26	71	1.1
CC128543		0.006	0.23	0.27	19	<0.05	1.64	231	0.5
CC128544		0.006	0.21	0.35	25	<0.05	3.48	209	0.6
CC128545		0.006	0.11	2.48	49	<0.05	25.2	103	2.2
CC128546		<0.005	0.08	3.64	35	<0.05	16.85	90	2.9
CC128547		<0.005	0.05	0.91	18	<0.05	11.05	86	3.4
CC128548		0.010	0.04	0.35	54	0.08	5.84	71	0.5
CC128549		<0.005	0.04	0.40	32	<0.05	15.55	68	1.2
CC128550		0.019	0.25	2.21	43	0.20	17.20	53	1.8
CC115801		0.019	0.12	1.69	40	0.12	17.25	93	1.1
CC115802		0.024	0.12	1.11	44	0.25	6.91	52	1.1

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 8- AUG- 2011
Account: RCM

Project: Rackla- Trent Ex

CERTIFICATE OF ANALYSIS WH11125935

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- TL43 Au ppm 0.001	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1
CC115803		0.17	0.002	0.48	1.38	33.7	<0.2	<10	80	0.92	0.38	1.30	0.53	15.65	17.0	22
CC115804		0.21	<0.001	0.05	0.38	3.9	<0.2	<10	50	0.19	0.35	0.03	0.15	5.19	4.9	15
CC115805		0.32	<0.001	0.08	0.67	6.4	<0.2	<10	80	0.15	0.28	0.02	0.13	25.5	3.0	10
CC115806		0.28	0.003	0.20	1.36	8.6	<0.2	<10	80	0.43	0.28	0.08	0.12	32.4	5.4	17
CC115807		0.20	0.001	0.11	0.96	4.6	<0.2	<10	60	0.26	0.31	0.02	0.26	66.1	6.2	12
CC115808		0.31	0.002	0.05	1.11	8.9	<0.2	<10	100	0.30	0.28	0.09	0.08	25.6	2.9	15
CC115809		0.22	0.001	0.10	1.37	6.3	<0.2	<10	60	0.42	0.38	0.02	0.16	13.40	5.5	21
CC115810		0.27	0.001	0.06	1.59	13.8	<0.2	<10	200	0.76	0.31	0.48	0.29	27.2	12.0	29
CC115811		0.25	0.001	0.09	1.21	11.3	<0.2	<10	190	0.53	0.26	0.04	0.39	30.3	10.4	20
CC115812		0.22	<0.001	0.12	0.49	8.6	<0.2	<10	160	0.91	0.32	0.02	0.14	20.5	3.7	12
CC115813		0.24	0.001	0.03	1.19	12.9	<0.2	<10	60	0.18	0.38	0.04	0.10	22.2	4.6	21
CC115814		0.19	0.002	0.03	0.98	10.1	<0.2	<10	80	0.20	0.35	0.06	0.11	22.0	3.6	17
CC115815		0.23	0.003	0.04	0.54	10.8	<0.2	<10	270	0.48	0.21	0.22	0.32	24.6	12.1	16
CC115816		0.27	0.003	0.99	0.54	9.9	<0.2	<10	590	0.27	0.22	0.49	0.72	15.30	26.7	13
CC115817		0.22	0.002	0.61	0.70	6.9	<0.2	<10	3080	0.18	0.24	0.21	0.45	17.70	2.8	14
CC115818		0.26	0.003	0.96	0.73	12.6	<0.2	<10	2140	0.43	0.20	0.90	1.32	16.30	9.3	19
CC115819		0.18	0.002	0.82	0.78	10.2	<0.2	<10	1960	0.41	0.19	0.89	2.01	15.55	9.7	17
CC115820		0.19	0.002	0.76	0.85	9.4	<0.2	<10	1140	0.46	0.19	0.74	2.92	14.50	18.0	19
CC115821		0.19	0.002	0.71	1.06	10.9	<0.2	<10	890	0.55	0.21	0.80	1.39	18.35	11.8	22
CC115822		0.27	0.001	0.48	1.01	8.7	<0.2	<10	800	0.46	0.18	0.71	0.47	17.00	8.2	19
CC115823		0.18	<0.001	0.43	0.59	7.2	<0.2	<10	530	0.30	0.16	0.58	0.43	15.65	6.6	12
CC115824		0.19	0.001	0.50	0.90	6.8	<0.2	<10	710	0.39	0.17	0.83	0.40	14.10	6.2	17
CC115825		0.41	0.001	0.49	0.94	8.3	<0.2	<10	670	0.45	0.17	0.91	0.33	15.55	8.2	18
CC115826		0.24	0.001	0.58	1.06	7.4	<0.2	<10	1140	0.54	0.19	0.91	1.26	14.70	7.2	19
CC115827		0.29	0.002	0.69	0.99	10.5	<0.2	<10	830	0.51	0.19	0.78	0.39	17.60	10.3	19
CC115828		0.23	0.001	0.40	0.83	20.5	<0.2	<10	820	0.68	0.31	0.87	0.35	17.35	12.9	17
CC127532		0.44	0.007	0.09	1.68	10.5	<0.2	10	190	0.74	0.29	0.52	0.34	22.0	34.1	98
CC127533		0.42	0.007	0.12	0.80	10.5	<0.2	10	210	0.70	0.29	1.34	0.31	13.75	29.4	55
CC127534		0.40	0.006	0.11	0.76	10.6	<0.2	10	170	0.71	0.32	1.22	0.22	12.25	27.5	63
CC127535		0.34	0.003	0.12	0.74	39.9	<0.2	<10	200	0.59	0.52	2.73	0.34	11.10	41.7	114
CC127536		0.37	0.002	0.06	0.65	976	<0.2	10	600	2.01	0.10	0.90	21.8	7.00	179.0	697
CC127537		0.38	0.035	0.22	0.86	47.6	<0.2	<10	890	0.74	0.35	0.65	0.64	8.06	37.5	23
CC127538		0.39	0.002	0.08	0.76	32.1	<0.2	<10	170	0.44	0.26	0.04	0.58	10.80	28.2	52
CC127539		0.30	0.004	0.12	1.56	7.6	<0.2	<10	910	0.41	0.31	0.50	0.29	19.35	31.8	53
CC127540		0.27	0.003	0.22	0.43	14.5	<0.2	<10	160	0.65	0.27	3.08	0.42	10.25	14.5	8
CC127541		0.29	0.004	0.13	1.11	10.0	<0.2	<10	560	0.86	0.36	0.85	0.26	12.80	20.5	16
CC127542		0.39	0.005	0.10	0.72	6.7	<0.2	<10	260	0.71	0.31	0.77	0.16	12.20	21.9	13
CC127543		0.35	0.001	0.07	0.95	19.4	<0.2	<10	140	1.29	0.44	0.26	0.15	24.3	14.2	13
CC127544		0.37	0.001	0.18	0.76	30.6	<0.2	<10	100	0.48	0.10	6.18	0.09	10.50	9.8	14
CC127545		0.44	0.008	0.04	0.36	17	<0.2	<10	70	0.27	0.03	14.85	0.10	10.00	3.5	6

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 8- AUG- 2011
Account: RCM

Project: Rackla- Trent Ex

CERTIFICATE OF ANALYSIS WH11125935

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
CC115803		1.51	34.9	3.50	4.98	<0.05	0.15	0.09	0.037	0.05	5.9	28.2	0.47	439	4.90	<0.01
CC115804		3.75	6.4	1.80	4.21	<0.05	<0.02	<0.01	0.011	0.07	2.6	7.5	0.07	122	0.61	<0.01
CC115805		1.18	6.6	1.63	5.06	<0.05	<0.02	<0.01	0.010	0.05	13.6	4.3	0.09	133	0.90	<0.01
CC115806		1.96	9.7	2.53	5.51	<0.05	0.04	0.01	0.023	0.08	17.4	20.9	0.16	152	1.10	<0.01
CC115807		2.38	13.0	2.72	5.31	0.06	<0.02	<0.01	0.019	0.12	36.5	3.2	0.08	137	0.77	<0.01
CC115808		1.26	4.5	2.13	5.68	<0.05	0.02	0.01	0.016	0.05	12.9	16.6	0.16	154	1.18	<0.01
CC115809		2.81	13.1	4.16	6.69	<0.05	0.02	0.02	0.019	0.05	6.7	18.1	0.15	260	1.42	<0.01
CC115810		1.87	21.5	3.18	5.47	<0.05	0.04	0.03	0.031	0.09	13.4	42.0	0.56	615	1.66	<0.01
CC115811		0.89	40.2	4.15	4.03	<0.05	0.03	0.02	0.030	0.11	15.8	20.1	0.23	227	2.92	<0.01
CC115812		3.72	49.5	1.15	5.38	0.05	<0.02	0.01	0.015	0.05	11.6	12.0	0.04	78	1.14	<0.01
CC115813		2.23	10.6	4.03	7.90	<0.05	<0.02	0.01	0.018	0.05	11.8	9.4	0.18	238	2.19	<0.01
CC115814		2.16	11.3	3.10	6.87	<0.05	<0.02	<0.01	0.016	0.04	11.4	6.3	0.12	183	1.86	<0.01
CC115815		1.44	57.1	2.67	3.09	<0.05	0.02	0.01	0.030	0.18	14.6	9.1	0.16	398	2.34	<0.01
CC115816		1.00	39.0	1.75	2.82	<0.05	0.02	0.34	0.016	0.07	9.2	5.2	0.14	930	3.98	<0.01
CC115817		1.34	19.8	1.79	4.63	<0.05	<0.02	0.18	0.014	0.05	9.9	5.1	0.09	96	1.49	0.01
CC115818		1.06	43.6	2.92	2.30	<0.05	0.05	0.19	0.033	0.07	8.4	8.9	0.22	415	3.12	0.01
CC115819		0.94	33.8	2.38	2.31	<0.05	0.05	0.16	0.028	0.07	8.4	11.4	0.24	453	2.22	<0.01
CC115820		1.20	39.9	2.54	2.41	<0.05	0.06	0.11	0.025	0.08	8.1	11.5	0.25	507	2.94	<0.01
CC115821		1.23	33.0	2.71	2.86	<0.05	0.06	0.12	0.027	0.10	10.3	16.5	0.29	378	1.62	<0.01
CC115822		0.85	23.7	2.36	2.70	<0.05	0.06	0.08	0.024	0.09	9.5	15.2	0.31	290	1.18	<0.01
CC115823		0.94	19.0	1.96	1.58	<0.05	0.05	0.07	0.024	0.06	9.8	8.6	0.18	201	1.38	<0.01
CC115824		0.86	22.8	1.97	2.32	<0.05	0.06	0.08	0.023	0.09	8.2	13.3	0.29	166	0.85	<0.01
CC115825		0.98	25.4	2.28	2.48	<0.05	0.06	0.08	0.023	0.09	9.1	13.1	0.29	322	1.05	<0.01
CC115826		0.91	38.0	2.26	2.59	<0.05	0.06	0.08	0.024	0.10	8.5	14.4	0.27	229	0.88	<0.01
CC115827		1.00	27.6	2.73	2.54	<0.05	0.07	0.08	0.025	0.09	9.6	14.7	0.29	668	1.75	<0.01
CC115828		1.69	38.8	2.91	2.69	<0.05	0.07	0.46	0.032	0.07	8.8	18.3	0.50	231	1.20	<0.01
CC127532		1.66	110.5	5.41	4.76	0.05	0.07	0.12	0.048	0.05	10.2	26.6	3.19	864	1.08	<0.01
CC127533		0.78	94.1	4.75	2.15	<0.05	0.06	0.15	0.052	0.05	5.5	11.0	1.85	753	1.10	<0.01
CC127534		1.46	94.3	4.78	2.00	<0.05	0.07	0.12	0.053	0.05	4.9	12.8	2.14	549	1.06	<0.01
CC127535		0.74	68.1	5.88	2.08	<0.05	0.04	0.28	0.048	0.04	4.8	9.4	1.44	1120	1.54	<0.01
CC127536		1.78	18.4	9.19	1.69	0.05	0.04	25.4	0.020	0.04	3.1	16.0	6.69	1820	0.67	<0.01
CC127537		7.31	146.0	6.79	2.47	<0.05	0.06	5.68	0.063	0.07	3.6	9.5	0.43	1540	1.28	<0.01
CC127538		4.38	99.9	6.66	3.76	<0.05	<0.02	2.94	0.048	0.05	4.7	6.8	0.22	1530	1.04	<0.01
CC127539		2.65	109.0	6.43	7.25	<0.05	0.02	0.34	0.045	0.06	8.1	18.5	0.89	1180	0.82	<0.01
CC127540		0.93	51.9	3.86	1.00	<0.05	0.06	0.29	0.048	0.05	4.3	2.2	0.82	601	0.86	<0.01
CC127541		0.80	91.6	5.65	3.78	0.15	0.11	0.13	0.068	0.05	5.8	16.1	0.38	768	1.55	0.01
CC127542		1.01	99.9	5.10	2.40	0.14	0.09	0.18	0.070	0.04	5.4	7.8	0.34	557	1.11	<0.01
CC127543		1.15	31.6	4.98	3.07	0.14	0.11	0.08	0.043	0.06	10.4	6.9	0.17	983	0.83	<0.01
CC127544		0.64	11.0	5.69	1.80	0.12	0.09	0.13	0.022	0.03	4.3	3.9	3.51	1180	0.47	0.01
CC127545		0.33	7.7	3.30	0.80	0.07	0.04	0.05	0.009	0.02	6.1	1.8	8.79	1380	0.30	0.02

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 8- AUG- 2011
Account: RCM

Project: Rackla- Trent Ex

CERTIFICATE OF ANALYSIS WH11125935

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
CC115803		0.26	36.5	370	23.5	4.9	0.001	0.04	1.68	4.5	1.4	0.5	31.8	<0.01	0.03	3.2
CC115804		0.49	7.6	140	16.4	12.2	<0.001	<0.01	0.38	1.0	<0.2	0.6	4.3	<0.01	0.04	3.7
CC115805		0.60	6.3	200	11.0	12.8	<0.001	<0.01	0.33	1.0	<0.2	0.7	5.5	<0.01	0.02	2.0
CC115806		0.94	12.0	250	12.9	15.3	<0.001	<0.01	0.53	1.9	0.8	0.7	7.4	<0.01	0.03	4.0
CC115807		0.42	13.9	400	10.5	21.1	<0.001	<0.01	0.43	1.9	0.4	1.0	5.7	<0.01	0.05	2.5
CC115808		1.15	7.0	140	12.9	14.3	<0.001	<0.01	0.49	1.5	0.2	0.7	9.4	<0.01	0.03	3.3
CC115809		0.85	11.8	500	13.3	10.8	<0.001	0.01	0.73	1.6	0.4	0.7	4.1	<0.01	0.04	3.4
CC115810		0.97	25.5	520	22.7	14.6	<0.001	0.03	0.80	3.4	0.7	0.6	32.8	<0.01	0.03	2.2
CC115811		0.30	27.1	830	17.9	10.3	<0.001	0.04	1.21	2.5	1.3	0.5	19.1	<0.01	0.05	3.1
CC115812		0.57	7.5	270	18.1	9.8	<0.001	<0.01	0.47	1.9	0.9	0.7	6.3	<0.01	0.03	1.9
CC115813		1.76	11.2	380	13.9	11.0	<0.001	0.01	1.05	1.7	0.6	0.9	5.8	<0.01	0.05	2.3
CC115814		1.23	9.0	340	11.8	9.3	<0.001	0.01	0.88	1.3	0.5	0.9	6.8	<0.01	0.04	1.5
CC115815		0.23	27.0	670	14.0	13.9	0.001	0.01	1.09	2.7	0.6	0.5	16.2	<0.01	0.07	1.8
CC115816		0.34	11.5	790	21.0	8.0	0.005	0.05	1.14	2.2	2.4	0.5	38.8	<0.01	0.07	1.7
CC115817		0.83	8.3	380	8.9	9.1	<0.001	0.09	0.69	1.5	0.7	0.6	25.4	<0.01	0.04	1.8
CC115818		0.21	28.9	970	13.4	8.3	0.004	0.10	1.51	3.1	2.9	0.4	71.5	<0.01	0.05	2.3
CC115819		0.20	24.6	710	11.7	9.1	0.003	0.07	1.26	3.2	2.5	0.4	67.5	<0.01	0.05	2.2
CC115820		0.18	45.7	870	11.3	7.4	0.006	0.07	1.14	3.3	1.9	0.3	52.3	<0.01	0.06	1.9
CC115821		0.20	34.6	730	12.9	9.2	0.003	0.04	0.92	3.8	2.1	0.3	50.6	<0.01	0.07	2.6
CC115822		0.16	27.1	650	11.3	7.2	0.002	0.04	0.62	3.1	1.3	0.3	37.9	<0.01	0.05	2.2
CC115823		0.08	27.7	450	9.6	5.4	0.002	0.02	0.72	2.5	1.2	0.2	32.5	<0.01	0.07	2.0
CC115824		0.12	27.0	560	9.8	6.8	0.004	0.04	0.53	2.7	1.1	0.3	35.9	<0.01	0.05	2.1
CC115825		0.15	26.1	600	10.8	7.7	0.001	0.04	0.57	3.1	1.5	0.3	38.0	<0.01	0.06	2.2
CC115826		0.15	41.3	620	10.5	7.4	0.001	0.04	0.65	3.0	1.5	0.3	44.9	<0.01	0.06	2.0
CC115827		0.14	30.9	730	11.5	8.2	0.003	0.04	0.74	3.3	1.4	0.3	42.3	<0.01	0.06	2.0
CC115828		0.15	34.8	680	16.8	6.3	0.002	0.07	0.60	4.7	2.7	0.3	42.9	<0.01	0.04	3.7
CC127532		0.22	262	380	16.3	5.1	<0.001	0.03	0.43	11.8	1.2	0.3	23.8	<0.01	0.12	2.3
CC127533		0.13	207	510	17.8	3.5	0.001	0.06	0.72	10.4	1.3	0.2	130.5	<0.01	0.11	1.6
CC127534		0.09	234	440	16.8	3.7	<0.001	0.08	0.73	10.7	1.1	0.3	72.3	<0.01	0.09	1.8
CC127535		0.19	460	570	15.6	3.7	<0.001	0.16	0.74	6.5	1.1	0.5	65.7	<0.01	0.10	0.7
CC127536		0.32	3300	660	484	4.4	<0.001	0.13	0.66	10.7	0.8	0.2	21.5	<0.01	0.04	0.6
CC127537		0.12	96.4	590	16.8	5.4	<0.001	0.05	0.67	19.3	1.2	0.2	14.3	<0.01	0.21	1.5
CC127538		0.42	66.4	530	9.4	5.7	<0.001	0.02	0.46	9.0	0.7	0.4	5.4	<0.01	0.17	1.3
CC127539		0.26	75.3	560	8.6	6.0	<0.001	0.01	0.30	8.0	0.5	0.5	15.2	<0.01	0.17	1.4
CC127540		0.12	38.2	730	39.8	4.1	<0.001	0.07	1.34	6.2	1.2	0.2	76.0	<0.01	0.08	1.0
CC127541		0.30	40.3	490	22.6	5.8	<0.001	0.02	0.60	10.8	1.2	0.3	34.3	0.01	0.17	2.5
CC127542		0.20	39.6	470	15.9	5.6	<0.001	0.03	0.59	11.1	1.5	0.2	52.7	0.01	0.21	2.0
CC127543		0.30	30.2	430	30.5	9.5	<0.001	0.01	0.71	6.5	0.9	0.5	13.3	0.01	0.07	4.9
CC127544		0.30	46.3	710	26.5	2.9	<0.001	0.02	3.27	4.0	0.8	0.3	26.9	0.01	0.05	2.6
CC127545		0.15	14.1	960	16.5	2.1	<0.001	0.01	0.76	1.7	0.6	<0.2	44.2	<0.01	0.04	1.1

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 8- AUG- 2011
Account: RCM

Project: Rackla- Trent Ex

CERTIFICATE OF ANALYSIS WH11125935

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
CC115803		<0.005	0.11	1.45	26	<0.05	9.09	160	5.2
CC115804		0.013	0.05	0.43	24	0.11	1.89	43	<0.5
CC115805		0.022	0.09	0.33	38	0.18	1.56	38	<0.5
CC115806		0.020	0.13	0.44	43	0.19	2.45	52	1.4
CC115807		0.010	0.11	0.24	37	0.06	1.63	46	<0.5
CC115808		0.028	0.10	0.49	51	0.25	2.83	37	0.9
CC115809		0.014	0.10	0.50	48	0.17	1.85	42	0.7
CC115810		0.037	0.13	0.93	51	0.29	4.15	106	1.0
CC115811		0.006	0.12	0.56	50	0.05	3.46	117	1.2
CC115812		0.014	0.09	4.36	38	0.14	10.25	30	<0.5
CC115813		0.051	0.11	0.50	72	0.32	1.93	54	<0.5
CC115814		0.041	0.10	0.53	61	0.26	1.90	43	<0.5
CC115815		0.012	0.13	0.80	37	0.05	3.83	150	0.5
CC115816		0.011	0.27	1.29	61	0.09	4.45	71	0.5
CC115817		0.020	0.29	0.63	43	0.15	2.23	42	<0.5
CC115818		0.005	0.29	1.66	37	0.06	8.62	121	1.4
CC115819		0.005	0.22	1.36	37	0.09	7.95	144	1.4
CC115820		<0.005	0.13	1.45	32	0.05	9.74	224	1.5
CC115821		<0.005	0.13	1.73	35	0.05	12.30	180	1.9
CC115822		<0.005	0.08	1.01	31	<0.05	8.99	97	1.7
CC115823		<0.005	0.07	0.78	21	<0.05	7.17	106	1.7
CC115824		<0.005	0.09	0.88	27	<0.05	7.32	99	1.6
CC115825		<0.005	0.08	0.83	28	<0.05	9.77	84	2.0
CC115826		<0.005	0.09	0.96	30	<0.05	11.30	111	1.9
CC115827		<0.005	0.08	1.00	30	<0.05	11.45	99	1.9
CC115828		<0.005	0.08	1.83	21	<0.05	10.10	106	2.5
CC127532		0.009	0.06	0.81	47	<0.05	13.60	82	1.7
CC127533		<0.005	0.06	0.67	27	<0.05	12.75	62	1.5
CC127534		<0.005	0.08	0.64	22	<0.05	16.25	65	2.0
CC127535		<0.005	0.41	0.82	28	<0.05	9.11	56	0.9
CC127536		0.014	1.81	0.24	44	0.05	3.85	4120	1.0
CC127537		<0.005	0.34	0.40	70	<0.05	13.95	105	1.5
CC127538		0.017	0.13	0.42	85	0.08	3.91	102	<0.5
CC127539		0.014	0.12	0.58	93	<0.05	5.01	90	0.5
CC127540		<0.005	0.07	2.90	18	<0.05	13.10	130	1.8
CC127541		<0.005	0.07	0.95	34	0.08	14.60	60	2.3
CC127542		<0.005	0.05	0.85	32	0.06	12.45	67	1.7
CC127543		<0.005	0.10	1.19	22	0.08	15.80	51	2.4
CC127544		<0.005	0.12	1.42	20	0.07	11.30	23	2.5
CC127545		0.005	0.09	1.68	10	0.05	8.66	24	1.1

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 8- AUG- 2011
Account: RCM

Project: Rackla- Trent Ex

CERTIFICATE OF ANALYSIS WH11125935

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- TL43 Au ppm 0.001	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1
CC127546		0.20	0.005	0.10	0.81	14.4	<0.2	<10	220	0.66	0.23	2.41	0.29	17.80	10.1	13
CC127547		0.32	0.002	0.08	1.11	10.5	<0.2	<10	190	1.09	0.35	1.13	0.25	14.60	12.2	17
CC127548		0.37	0.001	0.03	0.76	5.2	<0.2	<10	170	0.57	0.26	0.13	0.25	48.9	6.9	10
CC127549		0.33	0.002	0.08	1.75	15.0	<0.2	<10	100	0.46	0.35	0.03	0.22	27.0	8.4	27
CC127550		0.21	0.001	1.27	0.77	5.5	<0.2	<10	710	0.53	0.16	1.83	2.26	13.60	5.7	11
CC127551		0.43	0.001	0.13	1.02	14.7	<0.2	<10	70	0.38	0.32	0.02	0.12	24.0	6.4	14
CC127552		0.45	0.001	0.03	1.19	8.9	<0.2	<10	140	0.50	0.33	0.02	0.14	27.7	7.7	20
CC127553		0.28	<0.001	0.06	0.93	5.6	<0.2	<10	280	0.39	0.37	0.25	0.47	17.20	4.1	16
CC127554		0.41	0.001	0.04	1.22	11.0	<0.2	<10	320	0.27	0.32	0.05	0.24	23.4	4.8	20
CC127555		0.39	<0.001	0.09	1.54	13.7	<0.2	<10	2250	1.11	0.26	0.16	0.55	31.3	12.8	26
CC127556		0.33	0.003	0.14	1.94	15.0	<0.2	<10	1810	0.99	0.23	0.09	0.41	29.3	12.9	28
CC127557		0.33	0.001	0.06	1.70	16.8	<0.2	<10	260	0.76	0.38	0.06	0.12	23.0	6.5	25
CC127558		0.37	0.001	0.06	1.40	13.6	<0.2	<10	80	0.68	0.42	0.03	0.14	10.95	15.8	26
CC127559		0.16	0.002	0.84	0.94	11.2	<0.2	<10	770	0.76	0.28	0.15	0.14	21.4	4.5	20
CC127560		0.29	0.001	1.03	0.35	6.7	<0.2	<10	580	0.12	0.21	0.07	0.12	19.40	0.3	13
CC127561		0.23	<0.001	0.44	0.27	2.6	<0.2	<10	540	0.25	0.07	0.16	0.14	13.10	0.4	6
CC127562		0.17	<0.001	0.54	0.34	12.2	<0.2	<10	1260	0.22	0.14	0.25	0.41	14.60	2.2	7
CC127563		0.39	0.001	0.53	0.41	9.9	<0.2	<10	1310	0.32	0.12	0.66	1.01	16.55	4.3	10
CC127564		0.15	0.001	0.71	0.50	8.3	<0.2	<10	930	0.13	0.16	0.31	0.69	13.70	1.4	13
CC127565		0.32	0.001	0.53	0.57	6.8	<0.2	<10	1170	0.32	0.12	0.92	1.00	14.50	6.4	14
CC127566		0.26	0.001	0.29	0.50	6.2	<0.2	<10	1000	0.20	0.09	0.67	0.45	10.55	5.0	12
CC127567		0.23	0.001	0.49	0.59	6.1	<0.2	<10	770	0.24	0.11	0.53	0.31	13.40	3.3	13
CC127568		0.32	0.001	0.40	0.57	6.8	<0.2	<10	710	0.38	0.12	0.85	0.61	15.05	5.4	13
CC127569		0.39	0.001	0.52	0.77	9.0	<0.2	<10	760	0.53	0.15	1.19	0.55	18.75	7.6	17
CC127570		0.34	0.001	0.55	0.78	7.2	<0.2	<10	990	0.32	0.10	1.45	0.38	13.20	5.6	18

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 8- AUG- 2011
Account: RCM

Project: Rackla- Trent Ex

CERTIFICATE OF ANALYSIS WH11125935

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
CC127546		0.84	22.8	3.30	2.63	0.09	0.09	0.13	0.025	0.05	9.3	8.8	0.50	867	0.60	0.01
CC127547		2.50	31.4	3.23	3.93	0.09	0.08	0.08	0.027	0.06	7.0	17.2	0.39	590	0.63	<0.01
CC127548		1.36	13.9	2.09	3.65	0.09	0.03	0.01	0.021	0.09	24.8	7.2	0.09	877	0.77	<0.01
CC127549		1.61	15.3	4.36	6.57	0.10	0.12	0.03	0.037	0.07	13.9	30.6	0.31	276	2.10	<0.01
CC127550		1.07	25.4	1.88	2.52	0.09	0.08	0.13	0.019	0.08	6.8	9.4	0.24	371	1.52	0.01
CC127551		1.34	16.1	2.98	4.34	0.08	0.05	0.02	0.021	0.09	12.7	12.2	0.14	150	1.43	<0.01
CC127552		1.22	26.9	3.56	5.34	0.09	0.04	0.01	0.025	0.06	14.7	17.4	0.19	254	1.90	<0.01
CC127553		2.41	16.8	1.82	6.33	0.06	0.02	0.02	0.026	0.05	8.7	7.4	0.17	125	1.68	<0.01
CC127554		1.29	7.6	3.17	6.84	0.07	0.03	0.01	0.021	0.05	12.2	17.2	0.27	177	1.92	<0.01
CC127555		1.19	56.5	3.62	3.68	0.11	0.08	0.08	0.037	0.07	16.4	19.1	0.25	384	2.20	<0.01
CC127556		1.15	42.0	3.55	4.40	0.10	0.10	0.07	0.041	0.06	14.3	19.3	0.23	332	2.83	<0.01
CC127557		8.50	41.9	3.23	7.27	0.08	0.05	0.03	0.030	0.06	11.9	26.2	0.28	237	1.73	<0.01
CC127558		3.76	34.0	5.29	4.56	0.09	0.06	0.03	0.030	0.04	5.3	22.6	0.19	1950	2.47	<0.01
CC127559		3.16	43.2	2.00	4.33	0.08	0.04	0.26	0.024	0.06	11.6	11.2	0.17	188	2.02	<0.01
CC127560		0.66	25.8	0.92	2.70	0.06	0.02	0.61	0.017	0.05	12.3	1.8	0.03	35	0.71	<0.01
CC127561		0.73	24.4	0.35	1.62	0.05	0.02	0.23	0.005	0.03	8.3	1.3	0.06	8	1.01	<0.01
CC127562		0.70	23.2	1.16	1.63	0.05	0.03	0.25	0.014	0.04	8.7	1.7	0.04	43	2.66	0.01
CC127563		0.81	34.3	1.42	1.68	0.07	0.04	0.22	0.019	0.05	9.8	5.1	0.12	160	2.16	0.01
CC127564		1.05	16.3	0.97	2.10	<0.05	0.03	0.25	0.015	0.06	8.4	3.6	0.08	43	2.79	0.01
CC127565		0.86	29.7	1.57	1.93	0.06	0.06	0.16	0.022	0.06	9.2	7.7	0.20	374	1.77	0.01
CC127566		0.62	17.2	1.59	1.31	0.05	0.04	0.11	0.015	0.05	6.5	5.2	0.17	316	1.79	<0.01
CC127567		0.81	17.5	1.30	2.11	0.05	0.04	0.13	0.016	0.05	8.4	6.3	0.14	98	2.18	0.01
CC127568		0.76	25.6	1.77	1.80	0.06	0.06	0.11	0.022	0.06	9.2	8.7	0.27	189	1.25	<0.01
CC127569		0.95	34.0	2.22	2.40	0.08	0.08	0.12	0.027	0.08	11.1	13.4	0.40	339	1.21	0.01
CC127570		0.99	24.8	2.21	1.78	0.06	0.07	0.09	0.020	0.10	7.6	10.0	0.62	249	0.95	0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 8- AUG- 2011
Account: RCM

Project: Rackla- Trent Ex

CERTIFICATE OF ANALYSIS WH11125935

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
CC127546		0.45	26.6	920	24.2	7.0	<0.001	0.09	0.85	3.0	1.1	0.4	53.5	0.01	0.06	1.4
CC127547		0.52	26.6	700	21.6	10.2	<0.001	0.05	0.57	2.8	0.8	0.5	32.4	0.01	0.06	1.4
CC127548		0.45	12.7	270	11.2	19.4	<0.001	<0.01	0.27	2.8	0.3	0.5	10.8	<0.01	0.02	3.3
CC127549		1.42	20.4	310	20.8	20.9	<0.001	<0.01	0.77	2.8	0.6	0.7	8.3	<0.01	0.07	4.5
CC127550		0.40	18.2	1000	11.2	11.7	0.008	0.18	0.81	1.9	8.6	0.3	108.5	0.01	0.04	0.8
CC127551		0.75	17.2	260	30.7	15.9	<0.001	0.06	0.64	1.9	0.5	0.5	16.6	<0.01	0.05	4.0
CC127552		0.50	18.4	360	16.0	14.1	<0.001	<0.01	0.67	2.3	0.5	0.6	9.2	<0.01	0.04	4.2
CC127553		0.66	9.5	370	17.2	12.0	<0.001	0.01	0.24	2.6	0.3	0.7	35.0	<0.01	0.03	2.3
CC127554		1.51	11.6	320	16.4	15.6	<0.001	<0.01	0.49	2.0	0.5	0.8	9.0	<0.01	0.04	3.3
CC127555		0.50	41.9	1020	18.0	11.7	<0.001	0.04	1.06	3.8	1.3	0.4	29.1	0.01	0.06	5.6
CC127556		0.93	38.3	740	15.9	10.9	<0.001	0.04	1.21	3.9	1.7	0.5	23.6	0.01	0.07	4.9
CC127557		1.41	13.4	340	17.6	18.0	<0.001	<0.01	0.43	2.8	0.7	0.8	10.3	<0.01	0.05	4.5
CC127558		0.99	18.1	480	31.6	15.5	<0.001	0.01	0.65	2.7	0.8	0.5	11.2	0.01	0.05	4.7
CC127559		0.58	10.5	890	15.5	12.3	0.001	0.05	0.31	3.8	1.3	0.6	22.5	<0.01	0.03	2.5
CC127560		0.20	2.4	1120	16.3	10.7	0.002	0.02	0.56	1.6	3.5	0.4	47.8	<0.01	0.10	2.7
CC127561		0.06	5.1	280	7.6	5.7	0.005	0.04	0.40	1.0	1.7	0.3	38.9	<0.01	0.03	1.6
CC127562		0.13	7.5	570	9.6	6.6	0.003	0.06	0.68	1.8	2.1	0.3	39.6	<0.01	0.07	1.8
CC127563		0.12	20.9	740	9.9	7.2	0.004	0.06	1.07	2.2	2.3	0.3	65.2	<0.01	0.07	2.4
CC127564		0.15	6.3	610	9.1	8.7	0.004	0.09	0.80	1.9	2.5	0.3	37.7	<0.01	0.08	1.7
CC127565		0.16	21.4	760	8.8	8.1	0.004	0.08	0.81	2.8	1.8	0.3	71.5	<0.01	0.06	2.0
CC127566		0.09	14.4	750	6.9	5.7	0.004	0.06	0.61	1.8	1.3	0.2	46.2	<0.01	0.04	1.5
CC127567		0.13	12.4	600	5.9	5.6	0.002	0.04	0.65	2.0	1.2	0.3	42.0	<0.01	0.05	1.6
CC127568		0.12	27.2	680	8.9	6.5	0.003	0.04	0.67	2.6	1.5	0.2	48.4	<0.01	0.05	2.1
CC127569		0.19	36.0	750	11.5	7.5	0.002	0.04	0.72	3.7	1.5	0.3	51.2	<0.01	0.07	2.5
CC127570		0.10	28.1	830	10.2	5.9	0.003	0.07	0.59	2.8	1.9	0.2	44.2	<0.01	0.05	2.1

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 8- AUG- 2011
Account: RCM

Project: Rackla- Trent Ex

CERTIFICATE OF ANALYSIS WH11125935

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
CC127546		0.007	0.15	1.44	19	0.09	10.35	70	2.2
CC127547		0.013	0.10	1.85	23	0.11	8.42	76	1.9
CC127548		0.009	0.08	0.50	24	0.09	6.08	44	<0.5
CC127549		0.019	0.12	0.57	53	0.24	2.73	75	3.9
CC127550		0.008	0.12	6.83	20	0.06	6.24	39	2.3
CC127551		0.011	0.10	0.48	33	0.12	3.09	63	1.9
CC127552		0.009	0.09	0.61	44	0.10	2.84	68	1.3
CC127553		0.016	0.07	0.94	34	0.17	3.09	28	0.5
CC127554		0.030	0.11	0.59	58	0.26	2.18	50	1.1
CC127555		0.008	0.12	1.17	39	0.12	10.50	109	2.1
CC127556		0.013	0.13	1.11	50	0.18	7.56	107	3.0
CC127557		0.017	0.13	1.05	58	0.28	3.06	48	1.5
CC127558		0.013	0.08	2.30	39	0.21	4.76	87	1.9
CC127559		0.009	0.16	2.86	54	0.17	11.65	35	0.6
CC127560		<0.005	0.18	2.06	23	0.05	3.39	11	0.6
CC127561		<0.005	0.20	0.83	14	0.05	3.11	9	1.1
CC127562		<0.005	0.15	1.47	27	0.06	4.57	15	0.8
CC127563		<0.005	0.19	1.61	28	0.09	8.72	87	1.2
CC127564		<0.005	0.28	1.18	28	0.07	3.04	35	1.0
CC127565		<0.005	0.12	1.36	25	0.06	10.10	81	1.7
CC127566		<0.005	0.09	0.88	27	<0.05	6.57	80	1.1
CC127567		<0.005	0.12	0.88	27	<0.05	6.73	52	1.1
CC127568		<0.005	0.08	0.95	21	0.09	10.85	107	1.7
CC127569		<0.005	0.08	1.14	27	0.05	13.95	111	2.3
CC127570		<0.005	0.07	0.66	26	<0.05	10.10	128	2.3

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 8- AUG- 2011
Account: RCM

Project: Rackla- Trent Ex

CERTIFICATE OF ANALYSIS WH11125935

Method	CERTIFICATE COMMENTS
ALL METHODS	NSS is non- sufficient sample.
ME- MS41	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown.
ME- MS41	Gold determinations by this method are semi- quantitative due to the small sample weight used (0.5g).

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 9- AUG- 2011
Account: RCM

CERTIFICATE WH11125936

Project: Rackla- Trent Ex

P.O. No.:

This report is for 192 Soil samples submitted to our lab in Whitehorse, YT, Canada on 5- JUL- 2011.

The following have access to data associated with this certificate:

ROB CARNE JULIA LANE	ANDREW CARNE JOAN MARIACHER	MATT DUMALA

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
SCR- 41	Screen to - 180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- TL43	Trace Level Au - 25g AR	ICP- MS
ME- MS41	51 anal. aqua regia ICPMS	

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 9- AUG- 2011
Account: RCM

Project: Rackla- Trent Ex

CERTIFICATE OF ANALYSIS WH11125936

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg .02	Au- TL43 Au ppm 0.001	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1
CC128756		0.27	0.002	0.12	0.34	21.9	<0.2	<10	80	0.81	0.29	5.10	0.71	20.7	12.1	12
CC128757		0.27	0.001	0.10	0.72	15.8	<0.2	<10	110	0.84	0.35	1.39	1.88	12.35	13.0	13
CC128758		0.23	0.002	0.11	0.95	11.5	<0.2	20	200	0.56	0.24	2.30	0.26	11.60	29.5	120
CC128759		0.22	0.002	0.11	0.87	18.5	<0.2	20	160	0.55	0.27	1.35	0.24	14.50	35.9	137
CC128760		0.22	<0.001	0.03	0.48	27.2	<0.2	<10	290	0.28	0.08	2.86	0.43	5.91	50.6	168
CC128761		0.20	0.002	0.17	1.21	641	<0.2	<10	280	0.68	0.24	0.84	0.31	21.2	117.0	119
CC128762		0.24	0.001	0.07	1.01	24.6	<0.2	<10	110	0.79	0.37	0.34	0.23	19.05	22.6	19
CC128763		0.23	0.002	0.07	0.77	29.9	<0.2	<10	130	0.61	0.28	2.12	0.29	13.40	16.3	20
CC128764		0.19	0.002	0.11	0.64	8.7	<0.2	10	250	0.54	0.26	5.05	0.34	11.20	11.1	12
CC128765		0.29	0.003	0.17	0.85	11.4	<0.2	<10	290	0.79	0.33	1.72	0.25	15.75	21.2	15
CC128766		0.42	0.001	0.19	0.88	30.6	<0.2	<10	260	0.90	0.29	3.35	0.38	22.9	16.7	19
CC128767		0.26	0.001	0.16	0.94	10.9	<0.2	<10	310	0.81	0.33	1.39	0.14	16.05	11.2	16
CC128768		0.28	<0.001	0.05	0.67	5.7	<0.2	<10	50	0.19	0.36	0.06	0.04	18.10	3.2	14
CC128769		0.36	0.001	0.03	1.10	11.2	<0.2	<10	50	0.43	0.57	0.02	0.10	16.10	11.0	21
CC128770		0.32	0.002	0.05	1.40	10.0	<0.2	<10	170	0.82	0.49	0.19	0.44	18.65	14.8	26
CC128771		0.20	0.002	0.32	1.02	10.0	<0.2	<10	440	1.02	0.34	1.32	0.34	16.85	10.7	19
CC128772		0.26	0.001	0.12	2.01	15.7	<0.2	<10	100	0.74	0.54	0.02	0.23	14.00	11.2	29
CC128773		0.28	0.001	0.09	1.85	14.3	<0.2	<10	120	0.63	0.64	0.05	0.16	14.80	14.9	27
CC128774		0.31	<0.001	0.08	1.02	14.1	<0.2	<10	50	0.14	0.33	0.04	0.07	21.6	3.2	17
CC128775		0.30	0.001	0.09	1.56	10.4	<0.2	<10	120	0.48	0.29	0.06	0.17	21.7	6.0	22
CC128776		0.26	0.001	0.23	0.81	6.0	<0.2	<10	1580	0.34	0.16	1.31	0.27	14.35	7.3	15
CC128777		0.27	0.001	0.22	0.70	8.6	<0.2	<10	2480	0.59	0.25	1.04	0.17	31.0	13.0	16
CC128778		0.24	<0.001	0.10	0.50	18.0	<0.2	<10	2550	0.35	0.28	0.04	0.16	26.6	7.7	14
CC128779		0.27	<0.001	0.12	0.50	8.0	<0.2	<10	2680	0.20	0.21	0.09	0.15	27.8	4.4	10
CC128780		0.34	<0.001	0.04	0.86	7.2	<0.2	<10	110	0.20	0.30	0.04	0.09	37.9	3.7	14
CC128781		0.30	<0.001	0.06	1.13	3.2	<0.2	<10	170	0.68	0.28	0.50	0.23	35.5	10.5	15
CC128782		0.28	<0.001	0.04	0.60	3.2	<0.2	<10	440	0.76	0.33	0.28	0.13	50.4	8.4	9
CC128783		0.20	<0.001	0.09	0.35	10.2	<0.2	<10	250	0.39	0.21	0.89	0.07	48.2	7.3	7
CC128784		0.22	<0.001	0.20	0.71	5.5	<0.2	<10	2400	0.31	0.13	1.98	0.17	17.85	6.4	17
CC128785		0.20	0.002	0.61	0.73	4.7	<0.2	<10	2190	0.37	0.13	1.26	0.33	18.45	6.1	20
CC128786		0.14	0.003	1.02	1.19	20.0	<0.2	<10	1330	0.73	0.24	1.43	1.92	17.70	11.2	23
CC128787		0.23	<0.001	0.23	0.72	11.7	<0.2	<10	150	0.17	0.27	0.25	0.38	23.6	2.2	16
CC128788		0.11	0.001	0.52	0.85	7.3	<0.2	<10	790	0.39	0.15	1.50	0.29	10.65	6.4	18
CC128789		0.13	0.002	0.52	1.08	7.9	<0.2	<10	820	0.49	0.19	1.05	0.59	15.60	8.3	20
CC128790		0.12	0.001	0.55	0.99	8.0	<0.2	<10	840	0.59	0.16	1.48	0.50	13.25	7.9	19
CC128791		0.11	0.001	0.54	0.95	11.0	<0.2	<10	880	0.49	0.18	1.49	0.22	12.80	10.4	18
CC128792		0.21	0.002	0.73	1.22	9.9	<0.2	<10	920	0.72	0.22	1.01	0.39	20.1	9.1	24
CC128793		0.20	0.001	0.60	1.04	8.6	<0.2	<10	700	0.47	0.18	0.91	0.27	17.15	7.1	21
CC128794		0.16	0.002	0.69	1.07	8.1	<0.2	<10	940	0.57	0.18	1.31	0.30	15.20	7.8	22
CC115707		0.34	0.006	0.08	2.91	4.6	<0.2	<10	100	0.94	0.35	0.05	0.33	45.5	37.1	33

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 9- AUG- 2011
Account: RCM

Project: Rackla- Trent Ex

CERTIFICATE OF ANALYSIS WH11125936

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
CC128756		0.87	43.4	2.87	1.11	0.11	0.05	0.09	0.037	0.06	7.9	5.2	2.49	253	2.92	0.01
CC128757		1.99	40.3	3.27	2.23	0.10	0.09	0.09	0.033	0.07	5.1	20.4	0.37	292	1.00	0.01
CC128758		0.92	46.4	3.61	2.71	0.09	0.07	0.11	0.025	0.06	5.0	17.4	2.10	579	0.87	0.02
CC128759		0.71	40.3	4.18	2.60	0.09	0.05	0.09	0.031	0.06	6.0	16.2	4.51	622	0.92	0.01
CC128760		0.18	7.1	3.86	1.59	0.07	0.02	0.26	0.015	0.01	2.7	0.5	1.03	765	0.78	0.01
CC128761		1.27	37.1	5.95	3.51	0.10	0.05	0.92	0.032	0.06	9.6	15.5	0.78	1060	1.95	0.01
CC128762		1.28	43.2	4.48	2.98	0.10	0.08	0.13	0.033	0.05	6.9	29.2	0.54	803	1.45	0.01
CC128763		1.08	42.7	3.38	2.38	0.10	0.09	0.14	0.027	0.06	5.2	23.8	0.97	505	1.03	0.01
CC128764		1.18	51.0	2.97	2.10	0.10	0.07	0.18	0.034	0.07	4.7	13.0	0.74	263	0.72	0.01
CC128765		1.04	97.8	5.26	2.77	0.09	0.05	0.14	0.058	0.07	6.5	13.0	0.63	711	0.85	0.01
CC128766		0.90	45.8	4.59	2.70	0.12	0.05	0.16	0.037	0.07	10.9	12.7	1.76	1040	1.02	0.01
CC128767		1.03	35.1	3.59	2.89	0.09	0.06	0.14	0.039	0.06	7.2	12.5	0.34	432	0.68	0.01
CC128768		1.87	17.9	2.41	7.06	0.09	<0.02	0.01	0.016	0.05	8.2	3.4	0.07	200	1.02	0.01
CC128769		3.57	41.7	5.61	8.73	0.10	0.03	0.02	0.031	0.06	6.8	15.8	0.23	434	0.93	0.01
CC128770		4.62	26.5	4.05	6.45	0.10	0.02	0.02	0.028	0.09	8.5	25.9	0.43	751	1.21	0.01
CC128771		3.59	48.1	3.19	3.23	0.10	0.06	0.11	0.031	0.09	7.8	14.9	0.29	462	0.94	0.01
CC128772		3.85	23.7	4.84	7.60	<0.05	0.06	0.04	0.041	0.05	6.8	33.7	0.35	435	1.46	<0.01
CC128773		4.20	22.3	5.22	7.94	<0.05	0.05	0.05	0.034	0.07	7.2	28.0	0.38	887	1.52	<0.01
CC128774		1.58	6.9	2.90	8.13	<0.05	0.02	0.03	0.016	0.03	11.9	6.4	0.17	166	1.85	<0.01
CC128775		2.01	13.3	2.79	6.20	<0.05	0.04	0.03	0.025	0.05	12.0	20.2	0.23	254	1.45	<0.01
CC128776		0.51	12.1	1.89	2.39	<0.05	0.06	0.08	0.015	0.07	7.3	10.5	0.35	882	1.17	<0.01
CC128777		1.43	20.2	2.61	2.12	0.05	0.06	0.07	0.027	0.14	14.8	9.2	0.33	531	1.00	<0.01
CC128778		0.99	28.5	2.82	1.89	<0.05	0.02	0.04	0.019	0.08	14.5	4.6	0.07	146	2.65	<0.01
CC128779		0.64	10.5	1.77	2.69	<0.05	<0.02	0.02	0.011	0.07	15.3	3.3	0.09	161	1.40	<0.01
CC128780		2.08	10.7	2.65	6.44	<0.05	<0.02	0.02	0.018	0.09	21.6	4.0	0.12	121	1.54	<0.01
CC128781		1.48	23.6	2.34	3.34	0.05	0.07	0.05	0.021	0.09	19.7	15.9	0.46	1080	0.40	<0.01
CC128782		1.34	13.9	1.90	2.21	0.06	0.04	0.03	0.021	0.13	26.8	5.3	0.09	786	0.42	<0.01
CC128783		1.46	12.8	1.62	1.26	0.06	0.08	0.08	0.017	0.12	26.4	1.7	0.13	272	1.11	<0.01
CC128784		0.77	18.8	1.54	2.19	<0.05	0.08	0.13	0.017	0.08	9.5	5.0	0.36	306	0.76	<0.01
CC128785		0.85	27.0	1.58	3.16	<0.05	0.07	0.26	0.017	0.07	10.2	5.6	0.27	326	1.02	<0.01
CC128786		1.60	55.1	3.73	3.14	<0.05	0.07	0.21	0.040	0.11	11.6	13.8	0.29	671	2.17	<0.01
CC128787		1.38	9.4	2.03	6.62	<0.05	<0.02	0.04	0.015	0.04	12.2	5.3	0.11	83	3.97	<0.01
CC128788		0.54	18.0	2.02	2.37	<0.05	0.07	0.08	0.021	0.06	5.8	10.6	0.25	609	1.99	<0.01
CC128789		0.81	23.5	2.55	2.76	<0.05	0.08	0.10	0.026	0.08	8.5	16.3	0.33	458	1.08	<0.01
CC128790		0.88	25.6	2.38	2.54	<0.05	0.08	0.18	0.024	0.08	7.4	13.9	0.30	383	0.93	<0.01
CC128791		0.79	20.2	2.70	2.70	<0.05	0.07	0.10	0.024	0.07	7.0	12.1	0.25	940	1.89	<0.01
CC128792		1.02	40.4	2.75	3.13	<0.05	0.08	0.11	0.029	0.10	12.2	17.8	0.35	258	0.91	<0.01
CC128793		0.80	24.1	2.45	2.90	<0.05	0.07	0.10	0.028	0.08	9.8	15.9	0.34	255	1.02	<0.01
CC128794		0.82	27.4	2.36	2.97	<0.05	0.07	0.11	0.027	0.07	9.2	16.1	0.36	328	0.82	<0.01
CC115707		2.30	120.0	5.77	7.86	0.06	0.07	0.03	0.043	0.07	21.4	45.8	1.27	849	1.05	<0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 9- AUG- 2011
Account: RCM

Project: Rackla- Trent Ex

CERTIFICATE OF ANALYSIS WH11125936

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
CC128756		0.05	33.1	810	19.1	3.6	<0.001	0.07	0.42	5.9	1.6	0.4	87.3	<0.01	0.03	4.5
CC128757		0.10	35.2	520	22.7	5.9	<0.001	0.09	0.29	4.3	0.7	0.3	53.4	<0.01	0.07	2.4
CC128758		0.29	363	680	15.5	5.7	<0.001	0.11	0.41	4.1	1.1	0.3	76.3	<0.01	0.05	1.1
CC128759		0.23	393	470	21.3	4.7	<0.001	0.07	0.43	4.5	1.0	0.3	43.7	<0.01	0.07	1.5
CC128760		0.27	678	680	8.9	0.7	<0.001	0.15	0.19	3.9	0.7	0.2	69.5	<0.01	0.03	0.3
CC128761		0.47	1385	680	24.7	6.2	<0.001	0.05	1.10	7.4	0.9	0.4	32.1	<0.01	0.05	2.4
CC128762		0.10	61.4	560	26.1	4.9	<0.001	0.04	0.52	4.4	0.8	0.3	22.5	<0.01	0.09	4.1
CC128763		0.10	81.5	600	18.3	4.5	<0.001	0.08	0.47	3.8	0.8	0.2	50.1	<0.01	0.07	2.2
CC128764		0.14	33.0	560	14.3	8.1	<0.001	0.18	0.42	5.2	1.4	0.3	101.5	<0.01	0.07	2.6
CC128765		0.21	44.3	700	17.4	5.8	<0.001	0.06	0.56	9.7	1.3	0.3	60.2	<0.01	0.11	2.3
CC128766		0.20	62.9	680	28.8	5.9	<0.001	0.05	0.64	5.3	1.1	0.4	47.8	<0.01	0.08	2.6
CC128767		0.28	28.4	550	18.1	6.8	<0.001	0.07	0.44	4.2	1.2	0.4	45.4	<0.01	0.06	1.8
CC128768		0.31	7.3	270	10.7	9.1	<0.001	0.02	0.26	1.4	0.2	0.7	9.1	<0.01	0.04	2.2
CC128769		0.38	17.4	410	24.9	9.9	<0.001	0.03	0.35	2.6	0.6	0.6	8.7	<0.01	0.08	4.4
CC128770		0.36	23.8	410	23.0	12.7	<0.001	0.03	0.37	2.8	0.3	0.6	14.2	<0.01	0.06	3.9
CC128771		0.32	26.7	790	19.9	13.4	<0.001	0.10	0.54	3.9	1.7	0.4	54.2	<0.01	0.08	1.4
CC128772		0.80	20.5	530	26.3	10.7	<0.001	0.01	0.61	3.1	0.3	0.6	7.6	<0.01	0.05	3.5
CC128773		0.47	21.8	1060	25.5	13.5	<0.001	0.02	0.51	2.8	0.2	0.7	10.7	<0.01	0.05	3.4
CC128774		1.90	7.5	390	12.6	7.8	<0.001	<0.01	0.76	1.6	0.3	0.9	6.2	<0.01	0.06	2.8
CC128775		1.53	11.8	340	13.9	12.1	<0.001	0.01	0.59	2.2	0.5	0.7	9.0	<0.01	0.03	3.3
CC128776		0.42	11.8	690	10.2	6.9	<0.001	0.08	0.39	1.6	0.5	0.3	97.6	<0.01	0.03	1.0
CC128777		0.35	26.9	520	17.3	10.1	0.001	0.09	0.53	2.9	1.0	0.4	95.1	<0.01	0.06	2.5
CC128778		0.24	20.6	460	25.0	7.8	<0.001	0.08	0.81	1.6	0.3	0.2	20.1	<0.01	0.03	2.7
CC128779		0.38	10.2	320	9.7	9.8	<0.001	0.05	0.44	0.8	0.3	0.3	13.2	<0.01	0.02	1.0
CC128780		1.13	9.3	270	9.4	17.5	<0.001	0.01	0.60	1.6	0.2	0.9	5.6	<0.01	0.03	2.3
CC128781		0.32	20.8	510	13.2	8.9	<0.001	0.03	0.29	2.5	0.5	0.3	25.3	<0.01	0.03	2.4
CC128782		0.30	14.0	410	8.4	10.6	<0.001	0.01	0.20	3.1	0.2	0.3	15.6	<0.01	0.03	2.9
CC128783		0.17	10.6	350	15.4	9.0	<0.001	0.04	0.39	1.5	0.5	0.2	32.7	<0.01	0.04	2.6
CC128784		0.31	12.2	830	9.6	7.8	<0.001	0.10	0.41	1.5	0.3	0.3	71.3	<0.01	0.04	1.1
CC128785		0.44	17.0	1330	8.6	7.5	0.001	0.09	0.48	2.3	0.9	0.5	56.9	<0.01	0.03	1.5
CC128786		0.41	56.8	850	18.1	8.9	0.004	0.07	2.02	5.1	3.2	0.4	70.1	<0.01	0.08	1.7
CC128787		1.21	9.0	310	9.6	7.0	<0.001	0.01	0.81	1.4	2.2	0.8	23.5	<0.01	0.04	2.1
CC128788		0.30	16.8	850	9.8	5.7	0.003	0.07	0.54	2.1	1.8	0.2	62.9	<0.01	0.06	1.1
CC128789		0.28	29.6	720	11.9	7.6	0.001	0.04	0.59	3.2	1.3	0.3	48.2	<0.01	0.08	2.2
CC128790		0.24	27.5	710	10.2	6.7	0.002	0.07	0.61	3.0	0.7	0.3	55.3	<0.01	0.06	1.6
CC128791		0.28	20.6	840	10.9	7.8	0.002	0.07	0.55	2.4	1.4	0.3	56.8	<0.01	0.06	1.1
CC128792		0.34	34.2	710	13.8	8.2	0.001	0.04	0.68	4.2	1.6	0.3	37.1	<0.01	0.09	2.4
CC128793		0.28	27.3	720	10.6	6.6	0.001	0.04	0.62	3.1	1.0	0.3	34.0	<0.01	0.06	1.8
CC128794		0.30	30.2	760	11.4	6.4	0.001	0.06	0.67	3.3	1.1	0.3	42.0	<0.01	0.08	1.6
CC115707		0.35	46.4	440	16.1	7.4	<0.001	0.01	0.45	5.7	0.7	0.3	9.5	<0.01	0.18	3.3

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 9- AUG- 2011
Account: RCM

Project: Rackla- Trent Ex

CERTIFICATE OF ANALYSIS WH11125936

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
CC128756		<0.005	0.11	1.82	14	<0.05	13.30	95	2.8
CC128757		<0.005	0.08	1.91	13	<0.05	9.95	106	3.5
CC128758		0.006	0.07	1.12	22	<0.05	7.06	91	2.2
CC128759		0.007	0.08	1.32	21	0.14	6.93	104	1.7
CC128760		0.013	0.04	0.40	23	<0.05	3.02	43	1.0
CC128761		0.013	0.81	1.04	34	0.13	8.43	129	1.5
CC128762		<0.005	0.08	1.18	17	<0.05	8.69	91	2.9
CC128763		<0.005	0.07	1.58	13	<0.05	7.78	81	3.1
CC128764		<0.005	0.05	0.62	14	<0.05	7.02	74	2.8
CC128765		<0.005	0.07	1.20	27	<0.05	12.50	77	1.6
CC128766		0.006	0.10	1.29	22	0.06	14.85	100	1.5
CC128767		0.005	0.09	2.38	22	0.18	8.86	70	1.8
CC128768		0.009	0.07	0.53	39	0.10	1.98	23	<0.5
CC128769		0.006	0.06	0.57	33	0.06	3.43	64	1.4
CC128770		0.008	0.08	0.78	31	0.07	4.18	89	0.7
CC128771		0.005	0.12	4.76	24	0.06	11.65	102	1.9
CC128772		0.008	0.11	0.58	41	0.11	3.13	76	2.4
CC128773		0.005	0.09	0.52	40	0.06	3.01	75	1.4
CC128774		0.058	0.14	0.40	82	0.29	1.81	38	0.5
CC128775		0.025	0.12	0.73	53	0.29	2.58	61	1.2
CC128776		0.008	0.08	1.02	26	0.12	3.64	59	1.3
CC128777		0.007	0.10	1.49	22	<0.05	6.30	72	1.6
CC128778		0.005	0.10	0.93	21	<0.05	3.61	97	0.8
CC128779		0.012	0.08	0.30	29	0.09	2.22	61	<0.5
CC128780		0.035	0.09	0.38	50	0.22	1.84	45	<0.5
CC128781		0.010	0.05	0.82	16	<0.05	9.42	62	1.9
CC128782		0.008	0.06	0.77	16	<0.05	8.01	38	0.7
CC128783		<0.005	0.11	0.59	8	<0.05	4.43	50	1.9
CC128784		0.005	0.12	0.71	27	<0.05	3.93	53	1.9
CC128785		0.007	0.15	1.31	28	<0.05	6.88	58	1.7
CC128786		0.006	0.24	1.28	41	0.08	20.1	125	2.2
CC128787		0.034	0.13	0.54	56	0.25	2.23	39	<0.5
CC128788		0.005	0.06	0.77	27	<0.05	5.78	65	1.6
CC128789		<0.005	0.09	0.85	30	<0.05	8.70	116	2.0
CC128790		<0.005	0.08	0.72	28	<0.05	8.75	107	2.2
CC128791		<0.005	0.07	0.81	31	<0.05	8.02	74	1.6
CC128792		<0.005	0.11	1.42	36	0.06	15.95	103	2.0
CC128793		0.005	0.09	0.98	30	<0.05	10.20	96	1.6
CC128794		<0.005	0.09	0.94	30	<0.05	11.60	90	1.9
CC115707		0.008	0.10	0.40	57	<0.05	10.65	91	1.7

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 9- AUG- 2011
Account: RCM

Project: Rackla- Trent Ex

CERTIFICATE OF ANALYSIS WH11125936

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg .02	Au- TL43 Au ppm 0.001	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1
CC115708		0.28	0.003	0.04	2.31	11.6	<0.2	<10	110	0.69	0.33	0.07	0.32	26.8	24.3	32
CC115709		0.28	0.001	0.15	2.71	4.9	<0.2	<10	220	0.63	0.34	0.05	0.63	31.6	26.2	38
CC115710		0.26	0.002	0.04	2.30	12.9	<0.2	<10	120	0.47	0.37	0.08	0.19	25.0	10.3	35
CC115711		0.26	0.004	0.11	2.80	3.6	<0.2	<10	600	0.95	0.32	0.18	0.71	9.72	32.0	37
CC115712		0.27	0.030	0.24	2.92	3.8	<0.2	<10	290	1.68	0.37	0.42	0.67	36.6	36.8	38
CC115713		0.33	0.004	0.15	2.43	3.2	<0.2	<10	210	1.04	0.29	0.19	0.52	33.5	31.1	36
CC115714		0.42	0.005	0.13	0.77	10.2	<0.2	<10	130	0.85	0.46	0.49	0.16	26.6	21.1	13
CC115715		0.43	0.006	0.17	1.22	4.2	<0.2	<10	210	0.75	0.29	1.54	0.37	14.80	17.9	15
CC115716		0.28	0.003	0.17	0.51	9.6	<0.2	<10	140	0.71	0.36	1.00	0.19	14.40	20.4	11
CC115717		0.30	0.003	0.12	0.58	9.1	<0.2	<10	170	0.79	0.36	0.95	0.26	15.40	24.8	13
CC115718		0.38	0.004	0.16	1.91	27.4	<0.2	<10	250	1.24	0.20	1.96	0.35	31.0	9.7	27
CC115719		0.40	0.003	0.12	1.31	20.9	<0.2	<10	200	0.66	0.22	1.83	0.39	13.85	7.6	14
CC115720		0.44	0.001	0.23	0.89	35.4	<0.2	<10	180	0.65	0.19	1.90	0.38	14.80	11.2	10
CC115721		0.22	0.002	0.23	0.83	37.0	<0.2	<10	170	0.85	0.31	1.28	0.20	23.3	19.0	13
CC115722		0.36	0.001	0.02	1.25	9.7	<0.2	<10	60	0.52	0.49	0.04	0.08	18.95	8.2	19
CC115723		0.39	0.001	0.10	1.30	9.2	<0.2	<10	150	1.27	0.36	0.73	0.08	21.4	7.9	19
CC115724		0.39	0.001	0.12	1.37	12.6	<0.2	<10	60	0.46	0.49	0.02	0.21	18.65	12.1	26
CC115725		0.37	0.001	0.12	0.97	13.4	<0.2	<10	50	0.19	0.31	0.04	0.05	30.9	3.3	16
CC115726		0.38	0.001	0.10	1.60	9.3	<0.2	<10	110	0.53	0.31	0.04	0.08	29.6	7.6	20
CC115727		0.35	0.001	0.06	1.73	15.8	<0.2	<10	110	0.63	0.34	0.10	0.13	24.1	12.9	27
CC115728		0.34	0.001	0.05	1.24	10.3	<0.2	<10	120	0.43	0.28	0.01	0.16	26.5	8.3	20
CC115729		0.36	0.002	0.14	1.90	15.1	<0.2	<10	210	0.73	0.26	0.08	0.38	31.5	13.5	27
CC115730		0.35	0.001	0.06	0.54	8.4	<0.2	<10	90	0.15	0.21	0.09	0.26	22.7	3.8	14
CC115731		0.44	0.001	0.04	1.10	13.1	<0.2	<10	90	0.48	0.35	0.05	0.07	22.0	6.5	18
CC115732		0.45	0.014	0.55	1.17	25.5	<0.2	<10	690	1.37	0.36	0.45	0.89	56.4	10.3	36
CC115733		0.36	0.005	0.07	0.59	15.3	<0.2	<10	200	0.31	0.19	0.15	0.07	22.1	8.3	12
CC115734		0.40	0.002	0.20	0.65	16.0	<0.2	<10	2840	0.24	0.22	0.05	0.24	18.85	5.8	16
CC115735		0.28	0.004	0.38	0.65	7.5	<0.2	<10	2590	0.43	0.17	1.55	0.87	20.1	8.3	13
CC115736		0.30	0.001	0.16	0.28	12.1	<0.2	<10	930	0.15	0.12	0.22	0.22	24.5	4.5	15
CC115737		0.33	0.002	0.37	0.82	21.6	<0.2	<10	1240	0.30	0.25	0.39	0.76	18.65	4.5	17
CC115738		0.38	0.002	0.76	0.78	10.3	<0.2	<10	1030	0.45	0.17	0.53	2.07	16.60	13.3	19
CC115739		0.30	0.002	0.67	1.02	11.4	<0.2	<10	850	0.57	0.19	1.16	0.31	19.40	9.3	22
CC115740		0.35	0.002	0.63	1.04	9.7	<0.2	<10	750	0.67	0.23	1.36	0.25	19.40	10.4	20
CC115741		0.35	0.001	0.51	1.10	8.5	<0.2	<10	690	0.62	0.20	1.16	0.25	17.25	8.1	21
CC115742		0.37	0.002	0.63	1.09	9.9	<0.2	<10	860	0.61	0.19	1.02	0.49	18.85	10.2	20
CC115743		0.34	0.002	0.58	0.91	7.2	<0.2	<10	1020	0.47	0.16	0.57	0.70	15.50	5.9	19
CC115744		0.33	0.002	0.74	0.86	10.5	<0.2	<10	950	0.58	0.21	1.25	2.26	18.05	16.2	18
CC128953		0.34	0.002	0.14	1.14	7.6	<0.2	<10	220	0.57	0.50	0.12	0.12	13.15	11.6	13
CC128954		0.30	0.002	0.09	2.02	8.4	<0.2	<10	140	0.51	0.32	0.10	0.60	28.1	24.6	29
CC128955		0.35	0.003	0.11	2.19	5.8	<0.2	<10	100	0.65	0.29	0.47	0.32	27.0	30.1	32

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 9- AUG- 2011
Account: RCM

Project: Rackla- Trent Ex

CERTIFICATE OF ANALYSIS WH11125936

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
CC115708		1.66	79.6	5.57	7.53	<0.05	0.05	0.04	0.041	0.07	12.5	32.9	0.88	763	1.24	<0.01
CC115709		1.60	57.1	6.15	11.05	0.05	0.03	0.05	0.042	0.07	15.8	32.0	0.83	1220	1.22	<0.01
CC115710		2.37	19.8	4.69	8.11	<0.05	0.02	0.04	0.037	0.07	12.7	26.1	0.52	537	1.61	<0.01
CC115711		2.83	110.0	6.18	10.05	<0.05	0.04	0.06	0.050	0.05	4.9	40.4	1.52	2060	0.98	<0.01
CC115712		4.98	222	6.70	9.83	0.08	0.05	0.12	0.057	0.07	17.4	40.0	1.46	2410	1.50	0.01
CC115713		3.07	156.0	7.73	8.28	0.07	0.04	0.09	0.055	0.06	13.4	28.1	1.12	2570	1.38	<0.01
CC115714		1.63	84.1	3.66	2.62	<0.05	0.10	0.08	0.044	0.06	12.7	8.7	0.35	641	0.89	<0.01
CC115715		2.14	84.8	3.74	4.11	0.05	0.10	0.12	0.038	0.06	7.0	14.7	0.62	860	1.01	<0.01
CC115716		0.83	58.9	4.45	1.38	<0.05	0.10	0.16	0.055	0.05	6.6	5.3	0.35	625	1.07	<0.01
CC115717		0.57	86.8	5.10	1.61	<0.05	0.09	0.16	0.053	0.05	6.9	6.3	0.30	821	1.12	<0.01
CC115718		0.91	13.9	11.30	4.52	0.07	0.08	0.18	0.030	0.04	21.1	11.0	1.17	7390	1.07	0.01
CC115719		0.69	17.3	9.43	3.53	<0.05	0.07	0.13	0.033	0.05	7.1	4.4	0.37	1730	0.66	0.01
CC115720		1.02	23.4	5.28	2.49	0.12	0.06	0.22	0.024	0.05	8.2	3.4	0.31	1520	0.55	0.02
CC115721		1.33	29.1	4.68	2.82	0.14	0.07	0.24	0.036	0.07	12.9	7.6	0.27	880	0.63	0.02
CC115722		2.54	20.0	3.96	8.15	0.10	0.03	0.03	0.037	0.05	9.3	18.8	0.17	469	1.50	0.01
CC115723		3.03	37.0	2.99	5.68	0.12	0.06	0.04	0.032	0.06	14.1	20.5	0.31	388	0.89	0.01
CC115724		3.38	24.9	4.86	6.82	0.09	0.02	0.03	0.034	0.06	9.6	19.8	0.24	475	1.50	0.01
CC115725		1.87	6.9	2.81	6.79	0.11	<0.02	0.02	0.017	0.07	17.5	8.4	0.19	113	1.57	0.01
CC115726		1.23	11.9	2.73	6.39	0.11	0.03	0.03	0.024	0.06	15.6	18.8	0.26	174	1.22	0.01
CC115727		2.11	18.4	3.39	5.54	0.11	0.05	0.05	0.028	0.06	11.5	25.6	0.40	405	1.19	0.01
CC115728		1.30	22.7	3.48	4.55	0.11	0.02	0.02	0.023	0.08	14.7	19.0	0.22	201	2.02	0.01
CC115729		1.34	29.2	4.26	6.01	0.11	0.07	0.03	0.037	0.08	16.0	37.1	0.36	245	2.63	0.01
CC115730		0.98	14.0	1.79	4.00	0.10	<0.02	0.04	0.012	0.05	12.8	5.5	0.10	76	4.75	0.01
CC115731		4.93	22.9	2.54	6.89	0.11	<0.02	0.03	0.016	0.05	12.6	19.4	0.21	316	1.59	0.01
CC115732		1.24	341	4.15	6.45	0.16	0.02	0.25	0.073	0.18	34.9	9.6	0.12	84	10.65	0.01
CC115733		1.72	52.4	2.72	4.56	0.11	<0.02	0.05	0.027	0.17	15.2	7.0	0.10	57	4.08	0.01
CC115734		0.93	42.7	2.42	4.40	0.10	<0.02	0.03	0.023	0.07	11.0	8.1	0.09	148	6.01	0.01
CC115735		0.56	31.6	1.88	2.40	0.10	0.04	0.18	0.022	0.05	11.3	8.9	0.23	656	1.93	0.02
CC115736		1.17	17.2	1.55	1.90	0.11	<0.02	0.05	0.016	0.06	13.2	2.2	0.06	85	7.09	0.01
CC115737		1.34	16.3	2.02	3.47	0.11	0.03	0.11	0.019	0.08	10.6	9.0	0.18	316	3.80	0.01
CC115738		1.18	27.5	2.11	2.43	0.09	0.04	0.12	0.025	0.07	10.0	9.0	0.17	604	2.68	0.01
CC115739		0.93	33.4	2.81	2.84	0.12	0.05	0.09	0.033	0.10	11.6	15.4	0.51	357	1.22	0.02
CC115740		0.98	20.5	2.63	3.29	0.11	0.05	0.10	0.032	0.09	10.2	17.3	0.38	531	1.09	0.02
CC115741		0.88	22.5	2.56	3.26	0.11	0.07	0.10	0.027	0.10	9.7	17.3	0.39	383	0.87	0.02
CC115742		1.10	29.6	2.72	3.20	0.10	0.06	0.10	0.024	0.11	11.1	18.4	0.37	394	1.26	0.02
CC115743		0.86	23.0	1.95	2.70	0.10	0.04	0.12	0.025	0.08	8.6	12.5	0.23	115	1.02	0.01
CC115744		1.10	40.7	2.26	2.71	0.12	0.05	0.14	0.025	0.10	9.7	13.9	0.28	1210	1.93	0.01
CC128953		2.87	45.4	3.63	4.44	0.09	0.02	0.07	0.035	0.09	6.2	7.4	0.13	277	1.75	0.01
CC128954		1.89	78.3	4.76	9.53	0.10	<0.02	0.06	0.053	0.09	12.9	28.9	0.63	1340	1.35	0.01
CC128955		2.00	93.8	4.74	8.74	0.11	<0.02	0.07	0.046	0.06	13.2	28.7	0.84	1420	1.01	0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 9- AUG- 2011
Account: RCM

Project: Rackla- Trent Ex

CERTIFICATE OF ANALYSIS WH11125936

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
CC115708		0.69	34.1	690	16.2	10.1	<0.001	0.01	0.46	5.1	0.8	0.4	11.9	<0.01	0.16	3.1
CC115709		0.91	28.4	540	14.8	15.3	<0.001	0.01	0.49	5.8	0.4	0.7	8.0	<0.01	0.13	2.6
CC115710		2.00	16.6	550	16.2	13.3	<0.001	0.01	0.60	3.7	0.7	0.8	10.0	<0.01	0.08	3.3
CC115711		0.55	37.4	1220	16.1	9.6	<0.001	0.05	0.33	8.2	0.5	0.5	14.4	<0.01	0.20	1.1
CC115712		0.43	45.0	1170	35.2	7.3	<0.001	0.05	0.32	16.1	1.4	0.4	13.6	<0.01	0.23	1.7
CC115713		0.39	39.4	1240	19.6	6.8	<0.001	0.04	0.23	11.8	1.0	0.4	11.5	<0.01	0.19	1.2
CC115714		0.13	28.6	390	20.5	4.5	<0.001	0.02	0.36	7.5	0.7	0.3	43.1	<0.01	0.13	4.7
CC115715		0.28	31.7	780	13.2	6.5	<0.001	0.07	0.40	8.2	1.0	0.3	46.2	<0.01	0.13	1.7
CC115716		0.14	73.5	670	20.0	3.3	0.001	0.05	1.17	9.5	0.8	0.2	34.0	<0.01	0.11	2.7
CC115717		0.19	68.4	700	17.3	3.0	<0.001	0.04	1.01	10.8	0.7	0.2	37.7	<0.01	0.12	3.3
CC115718		0.63	48.2	810	21.5	6.0	0.001	0.04	1.12	5.1	1.4	0.4	16.0	0.01	0.07	2.3
CC115719		0.65	29.5	1080	12.0	4.5	<0.001	0.09	1.09	2.7	0.8	0.4	19.7	0.01	0.06	0.9
CC115720		0.47	40.0	1070	21.9	5.4	<0.001	0.11	1.34	2.6	0.9	0.3	19.2	0.04	0.05	0.7
CC115721		0.50	44.5	1130	29.4	7.4	<0.001	0.07	1.25	5.6	1.4	0.5	22.2	0.01	0.07	2.0
CC115722		0.87	11.3	380	23.9	12.0	<0.001	0.01	0.51	2.9	0.4	0.7	8.9	<0.01	0.03	4.2
CC115723		0.86	17.3	520	16.5	15.3	<0.001	0.04	0.41	3.5	0.7	0.6	23.6	0.01	0.03	2.2
CC115724		0.85	18.6	420	24.8	13.8	<0.001	0.02	0.62	2.5	0.4	0.7	6.9	<0.01	0.06	3.6
CC115725		1.73	8.3	170	12.7	18.8	<0.001	0.01	0.65	1.6	0.4	0.8	5.9	<0.01	0.17	3.2
CC115726		1.05	18.4	190	15.8	13.1	<0.001	0.02	0.42	2.4	0.4	0.7	10.3	<0.01	0.03	4.4
CC115727		1.36	25.3	600	26.9	11.5	<0.001	0.02	0.62	2.7	0.5	0.6	10.2	0.01	0.04	4.2
CC115728		0.37	20.5	400	15.3	13.2	<0.001	0.01	0.83	1.9	0.3	0.5	6.8	<0.01	0.04	2.9
CC115729		0.65	32.5	660	15.9	12.5	<0.001	0.01	1.10	3.4	0.8	0.7	11.7	<0.01	0.06	4.1
CC115730		0.57	12.1	280	6.5	8.2	<0.001	0.01	1.14	1.4	0.4	0.4	10.5	<0.01	0.04	2.2
CC115731		1.20	10.4	360	24.0	11.4	<0.001	0.01	0.45	1.7	0.3	0.7	7.3	<0.01	0.05	2.7
CC115732		0.64	75.7	4760	17.0	15.1	0.004	0.02	4.24	6.6	5.6	1.5	103.5	<0.01	0.13	5.5
CC115733		0.24	21.3	1490	16.2	15.1	0.003	0.03	1.17	2.4	1.1	0.5	17.7	<0.01	0.05	1.1
CC115734		0.49	22.3	860	12.7	10.1	0.001	0.08	1.48	1.8	0.9	0.6	26.3	<0.01	0.07	1.7
CC115735		0.43	15.9	1050	10.9	6.1	0.001	0.09	1.04	2.4	1.6	0.3	56.8	<0.01	0.05	1.5
CC115736		0.14	16.2	450	8.5	6.4	0.001	0.04	1.48	1.3	0.8	0.3	45.5	<0.01	0.05	2.1
CC115737		0.34	11.8	810	14.6	11.1	0.001	0.05	0.62	2.4	1.0	0.4	29.2	<0.01	0.06	2.0
CC115738		0.23	40.0	590	10.3	7.9	0.003	0.05	1.09	3.0	1.8	0.3	33.3	<0.01	0.06	1.8
CC115739		0.25	36.7	570	12.7	6.9	0.001	0.05	0.89	4.0	1.5	0.3	37.9	<0.01	0.07	2.6
CC115740		0.22	24.0	610	14.5	8.3	0.001	0.06	0.59	3.8	1.1	0.3	50.8	<0.01	0.09	1.7
CC115741		0.23	23.8	640	12.3	7.4	<0.001	0.06	0.52	3.5	1.3	0.3	41.6	<0.01	0.05	1.8
CC115742		0.23	30.2	710	12.8	8.5	0.001	0.05	0.69	3.9	1.4	0.3	48.9	<0.01	0.05	2.3
CC115743		0.20	22.3	460	9.6	6.4	0.002	0.06	0.66	2.9	1.3	0.3	39.0	<0.01	0.05	2.0
CC115744		0.21	35.9	620	12.7	9.8	0.005	0.07	1.12	3.5	1.3	0.3	60.9	<0.01	0.05	2.0
CC128953		0.34	20.8	1010	18.5	15.0	<0.001	0.05	0.51	2.4	0.5	0.5	16.1	<0.01	0.06	0.5
CC128954		0.87	27.0	900	15.9	12.7	<0.001	0.06	0.65	4.0	0.9	0.7	9.8	<0.01	0.12	0.7
CC128955		0.56	27.8	1010	15.4	10.8	<0.001	0.06	0.44	5.3	0.9	0.6	22.8	<0.01	0.10	0.7

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 9- AUG- 2011
Account: RCM

Project: Rackla- Trent Ex

CERTIFICATE OF ANALYSIS WH11125936

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
CC115708		0.015	0.10	0.46	66	0.10	6.34	89	1.1
CC115709		0.016	0.11	0.44	101	0.09	8.24	94	0.9
CC115710		0.034	0.17	0.65	76	0.27	3.68	61	0.7
CC115711		0.016	0.07	0.45	80	0.07	10.25	87	1.0
CC115712		0.014	0.10	0.37	79	0.05	29.0	84	1.1
CC115713		0.014	0.07	0.43	95	<0.05	17.35	89	0.7
CC115714		<0.005	0.04	0.77	30	<0.05	10.55	88	2.9
CC115715		<0.005	0.05	0.63	36	<0.05	12.00	66	2.3
CC115716		<0.005	0.04	0.63	22	<0.05	10.20	53	2.4
CC115717		<0.005	0.03	0.55	27	<0.05	10.40	64	2.5
CC115718		0.018	0.52	3.82	42	0.20	23.3	59	1.4
CC115719		0.014	0.11	1.03	28	0.08	12.25	69	1.4
CC115720		0.011	0.23	1.41	18	0.05	11.40	58	2.0
CC115721		0.007	0.28	1.56	21	0.07	16.30	59	1.9
CC115722		0.013	0.10	0.61	45	0.18	2.94	50	1.0
CC115723		0.014	0.08	1.65	34	0.14	14.00	48	1.6
CC115724		0.013	0.10	0.58	42	0.16	3.01	58	0.5
CC115725		0.041	0.13	0.42	52	0.26	1.86	32	<0.5
CC115726		0.021	0.13	0.51	44	0.18	2.71	41	1.5
CC115727		0.026	0.12	0.62	43	0.28	3.53	86	1.8
CC115728		0.007	0.12	0.41	42	0.07	2.31	72	0.7
CC115729		0.012	0.18	0.68	58	0.11	4.43	96	3.4
CC115730		0.012	0.09	0.43	41	0.12	2.17	57	<0.5
CC115731		0.027	0.13	0.58	49	0.27	2.38	42	<0.5
CC115732		<0.005	0.39	4.36	120	0.05	17.75	586	0.7
CC115733		0.010	0.18	0.73	38	<0.05	3.90	83	<0.5
CC115734		0.009	0.46	0.64	57	0.13	3.16	92	<0.5
CC115735		0.009	0.14	3.43	39	0.12	10.00	69	1.2
CC115736		<0.005	0.18	0.54	39	0.06	2.93	80	<0.5
CC115737		0.005	0.23	1.26	63	0.09	5.49	58	0.8
CC115738		<0.005	0.17	1.86	38	0.06	10.60	207	1.2
CC115739		0.005	0.10	0.88	34	0.05	12.00	102	2.0
CC115740		<0.005	0.10	1.63	32	<0.05	11.80	80	1.5
CC115741		<0.005	0.08	1.17	31	<0.05	10.70	85	1.8
CC115742		<0.005	0.10	1.34	32	<0.05	11.55	101	2.1
CC115743		<0.005	0.11	1.48	33	<0.05	8.22	78	1.3
CC115744		<0.005	0.16	1.87	34	<0.05	12.15	150	1.7
CC128953		<0.005	0.18	0.73	31	0.07	5.94	55	<0.5
CC128954		0.017	0.13	0.42	84	0.15	3.68	79	<0.5
CC128955		0.016	0.13	0.37	90	0.10	9.14	75	<0.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 9- AUG- 2011
Account: RCM

Project: Rackla- Trent Ex

CERTIFICATE OF ANALYSIS WH11125936

Sample Description	Method	WEI- 21	Au- TL43	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Recvd Wt.	Au	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
CC128956		0.34	0.005	0.21	2.78	5.5	<0.2	<10	130	1.30	0.37	0.23	0.53	49.7	70.1	34
CC128957		0.43	0.005	0.14	2.79	4.0	<0.2	<10	110	1.47	0.43	0.15	0.50	52.2	59.4	32
CC128958		0.33	0.004	0.16	3.00	4.1	<0.2	<10	230	1.15	0.33	0.33	0.27	33.7	35.4	36
CC128959		0.34	0.002	0.07	0.74	11.5	<0.2	<10	200	0.46	0.39	0.25	0.19	19.20	14.0	13
CC128960		0.40	0.001	0.38	0.39	33.0	<0.2	<10	140	1.07	0.27	0.35	1.31	27.1	27.9	6
CC128961		0.35	0.004	0.17	0.49	12.4	<0.2	<10	160	0.80	0.33	0.46	0.26	13.50	41.7	41
CC128962		0.30	0.004	0.13	0.74	8.8	<0.2	<10	480	0.64	0.29	0.55	0.24	12.30	27.4	17
CC128963		0.21	0.004	0.11	0.59	6.0	<0.2	<10	440	0.47	0.25	1.12	0.23	9.44	22.5	11
CC128964		0.26	0.002	0.13	0.45	11.0	<0.2	<10	240	0.55	0.28	0.75	0.33	12.85	27.1	16
CC128965		0.29	0.003	0.14	0.53	10.9	<0.2	<10	220	0.54	0.27	1.04	0.22	11.40	20.0	13
CC128966		0.30	0.003	0.11	0.68	10.7	<0.2	<10	260	0.55	0.28	0.89	0.33	13.95	16.4	12
CC128967		0.54	0.001	0.04	1.60	10.6	<0.2	<10	200	0.79	0.35	0.32	0.25	21.6	20.3	24
CC128968		0.31	<0.001	0.15	1.68	11.3	<0.2	<10	220	0.74	0.50	0.43	0.36	14.80	10.7	27
CC128969		0.37	<0.001	0.04	1.86	8.9	<0.2	<10	80	0.54	0.31	0.02	0.12	32.7	9.2	22
CC128970		0.33	<0.001	0.11	0.74	38.9	<0.2	<10	70	0.18	0.35	0.01	0.03	25.2	2.2	10
CC128971		0.32	<0.001	0.03	0.97	8.1	<0.2	<10	60	0.20	0.32	0.03	0.04	39.5	3.5	15
CC128972		0.43	<0.001	0.04	0.74	6.1	<0.2	<10	50	0.48	0.33	0.03	0.11	60.8	8.3	11
CC128973		0.36	0.001	0.14	1.75	7.1	<0.2	<10	260	1.17	0.38	0.42	0.14	29.6	10.9	26
CC128974		0.34	0.010	1.35	3.44	12.0	<0.2	<10	450	1.61	0.26	0.31	1.74	40.0	24.4	41
CC128975		0.33	<0.001	0.08	1.23	7.1	<0.2	<10	50	0.34	0.89	0.02	0.08	18.15	7.0	17
CC128976		0.33	<0.001	0.08	0.87	8.4	<0.2	<10	140	0.25	0.24	0.13	0.07	29.8	4.2	13
CC128977		0.33	0.002	0.44	0.70	17.2	<0.2	<10	320	0.50	0.21	0.39	0.40	45.5	9.0	24
CC128978		0.14	0.003	0.39	0.86	9.7	<0.2	<10	210	0.28	0.17	0.70	0.27	29.2	9.4	20
CC128979		0.22	0.004	0.63	0.69	14.0	<0.2	<10	480	0.32	0.19	0.86	0.28	22.5	12.3	18
CC128980		0.30	0.003	1.04	0.83	8.6	<0.2	<10	1020	0.46	0.17	0.59	0.67	22.1	3.1	16
CC128981		0.28	0.002	0.85	0.69	15.6	<0.2	<10	520	0.33	0.23	0.27	0.61	20.6	3.8	16
CC128982		0.30	0.001	0.63	0.79	7.5	<0.2	<10	1130	0.35	0.20	0.28	0.51	22.5	3.4	16
CC128983		0.28	0.001	0.95	0.72	9.9	<0.2	<10	2600	0.57	0.21	0.41	1.53	23.6	8.6	15
CC128984		0.26	0.002	1.06	0.84	11.6	<0.2	<10	2600	0.55	0.25	0.68	0.46	19.10	9.4	17
CC128985		0.16	0.001	0.80	0.67	12.5	<0.2	<10	2460	0.49	0.19	0.73	0.81	16.40	6.9	17
CC129462		0.21	0.002	0.23	0.62	12.4	<0.2	<10	200	0.78	0.20	2.29	0.48	12.55	12.7	18
CC129463		0.33	0.003	0.19	1.12	5.5	<0.2	<10	180	0.65	0.20	2.25	0.33	14.10	44.8	186
CC129464		0.37	0.002	0.30	2.05	86.4	<0.2	<10	210	0.70	0.33	0.05	0.71	22.1	19.7	61
CC129465		0.40	0.001	0.14	1.30	13.4	<0.2	<10	120	0.31	0.27	0.04	0.39	25.6	6.7	22
CC129466		0.36	0.002	0.08	1.49	12.9	<0.2	<10	80	0.48	0.32	0.04	0.17	21.0	9.8	26
CC129467		0.38	0.003	0.04	1.34	4.9	<0.2	<10	230	0.51	0.27	0.05	0.34	10.30	26.1	24
CC129468		0.28	0.001	0.06	2.06	4.5	<0.2	<10	360	0.65	0.25	0.63	0.45	12.55	27.1	29
CC129469		0.34	0.005	0.21	0.82	14.9	<0.2	<10	330	0.63	0.30	0.72	0.24	13.75	30.2	17
CC129470		0.28	0.002	0.19	1.10	10.9	<0.2	<10	200	0.87	0.36	0.33	0.26	20.7	14.9	22
CC129471		0.28	0.001	0.17	1.43	14.6	<0.2	<10	430	1.00	0.28	0.83	0.18	27.3	13.8	25

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 9- AUG- 2011
Account: RCM

Project: Rackla- Trent Ex

CERTIFICATE OF ANALYSIS WH11125936

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
CC128956		3.96	169.5	6.28	9.58	0.18	0.07	0.07	0.053	0.09	22.8	45.3	1.40	2190	1.53	0.01
CC128957		3.42	160.5	6.35	9.56	0.17	0.07	0.04	0.045	0.09	22.9	51.7	1.47	1500	1.84	0.01
CC128958		3.91	121.5	5.40	10.05	0.14	0.05	0.04	0.051	0.08	17.2	38.0	1.16	1060	1.15	0.01
CC128959		2.51	58.1	3.87	4.71	0.10	0.02	0.04	0.040	0.06	8.9	7.8	0.16	579	1.17	0.01
CC128960		3.32	69.1	5.24	1.47	0.13	0.07	0.25	0.054	0.08	12.7	4.3	0.08	549	7.82	0.01
CC128961		1.41	145.0	6.08	1.47	0.12	0.03	0.18	0.074	0.05	5.5	5.0	0.18	866	3.02	0.01
CC128962		0.77	113.5	6.64	2.31	0.10	0.05	0.13	0.087	0.05	5.2	6.8	0.24	1060	1.12	0.01
CC128963		0.45	96.8	4.56	1.81	0.10	0.06	0.12	0.062	0.04	4.0	4.7	0.30	693	0.98	0.01
CC128964		0.68	93.1	6.05	1.38	0.09	0.10	0.16	0.071	0.04	5.7	3.3	0.22	1120	2.33	0.01
CC128965		0.54	78.3	4.45	1.50	0.07	0.10	0.14	0.060	0.05	5.4	3.8	0.26	525	1.43	0.01
CC128966		0.55	58.3	4.36	2.05	0.06	0.10	0.11	0.047	0.05	6.2	6.0	0.27	587	1.14	0.01
CC128967		1.29	27.6	3.95	4.48	<0.05	0.05	0.04	0.029	0.07	10.5	33.5	0.47	555	1.06	0.01
CC128968		2.28	24.4	4.48	6.90	<0.05	0.02	0.02	0.033	0.06	6.8	28.8	0.39	372	1.14	0.02
CC128969		1.51	16.6	3.31	5.38	<0.05	0.04	0.01	0.025	0.06	16.1	27.7	0.36	316	0.96	0.01
CC128970		1.38	8.5	2.63	3.47	<0.05	<0.02	0.03	0.015	0.16	14.5	2.5	0.04	54	3.25	0.02
CC128971		2.75	7.1	1.90	6.79	0.05	<0.02	0.02	0.014	0.10	22.1	3.7	0.12	121	1.09	0.01
CC128972		2.24	16.7	2.70	3.80	0.14	<0.02	<0.01	0.021	0.12	31.3	5.2	0.07	415	0.73	0.01
CC128973		2.18	30.4	2.98	5.20	<0.05	0.10	0.05	0.031	0.09	15.0	24.4	0.45	434	0.88	0.01
CC128974		1.19	15.5	3.22	5.24	0.06	0.10	0.07	0.042	0.07	17.6	20.5	0.26	572	1.95	0.01
CC128975		3.41	10.7	3.24	6.30	<0.05	<0.02	0.02	0.018	0.06	8.2	12.5	0.15	333	2.43	0.01
CC128976		0.95	9.9	2.01	4.69	<0.05	0.04	0.01	0.014	0.05	16.6	7.9	0.11	116	1.11	0.01
CC128977		0.59	31.4	2.88	2.81	0.05	0.03	0.17	0.033	0.10	23.3	5.3	0.12	163	7.11	0.01
CC128978		1.08	19.9	2.10	3.06	0.05	0.05	0.16	0.024	0.09	15.8	10.2	0.30	256	2.53	0.02
CC128979		0.50	23.4	2.41	2.72	<0.05	0.05	0.18	0.022	0.09	11.6	7.6	0.16	578	5.42	0.01
CC128980		0.84	38.6	1.40	2.79	<0.05	0.03	0.27	0.029	0.06	12.4	7.2	0.15	106	1.24	0.01
CC128981		0.89	28.5	2.15	2.76	0.05	0.03	0.25	0.021	0.08	11.9	7.0	0.14	111	7.59	0.01
CC128982		1.01	15.7	1.51	3.05	<0.05	0.02	0.11	0.016	0.08	12.1	8.8	0.19	86	2.29	0.01
CC128983		0.71	42.0	1.92	2.43	<0.05	0.03	0.16	0.026	0.06	13.7	9.6	0.16	458	3.03	0.01
CC128984		0.77	36.7	2.35	2.45	<0.05	0.04	0.19	0.032	0.07	10.9	9.6	0.20	568	3.53	0.02
CC128985		0.82	30.8	2.39	2.11	<0.05	0.05	0.14	0.027	0.07	9.9	9.0	0.19	326	3.42	0.02
CC129462		0.59	36.5	2.51	1.61	<0.05	0.07	0.12	0.030	0.05	5.3	5.7	0.34	374	1.87	0.02
CC129463		1.09	56.9	3.33	2.78	<0.05	0.04	0.13	0.026	0.05	6.7	15.2	1.68	751	0.72	0.02
CC129464		1.69	35.4	4.50	6.02	<0.05	0.06	0.18	0.044	0.05	11.7	23.8	0.69	353	4.20	0.01
CC129465		1.23	18.5	2.99	5.33	<0.05	0.03	0.02	0.022	0.05	13.9	9.1	0.18	273	2.67	0.01
CC129466		2.03	21.3	3.94	5.50	<0.05	0.03	0.03	0.027	0.05	10.2	15.7	0.22	307	2.14	0.01
CC129467		1.98	110.5	7.11	5.05	<0.05	0.02	0.03	0.068	0.04	4.4	15.2	0.32	814	0.98	0.02
CC129468		0.82	77.1	5.47	6.16	<0.05	0.03	0.08	0.058	0.04	4.9	32.0	0.80	752	0.95	0.01
CC129469		0.53	105.0	6.18	2.26	<0.05	0.04	0.18	0.059	0.04	6.2	8.3	0.33	1000	1.63	0.02
CC129470		0.50	52.8	4.55	3.22	<0.05	0.05	0.24	0.054	0.06	10.5	13.7	0.32	526	3.16	0.01
CC129471		0.75	22.3	4.20	3.86	<0.05	0.06	0.06	0.039	0.06	12.7	11.8	0.44	689	1.10	0.02

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 9- AUG- 2011
Account: RCM

Project: Rackla- Trent Ex

CERTIFICATE OF ANALYSIS WH11125936

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
CC128956		0.21	52.6	1020	30.7	7.6	<0.001	0.03	0.58	12.2	1.8	0.4	25.3	0.01	0.20	2.7
CC128957		0.12	58.9	880	28.5	6.8	<0.001	0.02	0.54	9.2	1.4	0.3	18.3	<0.01	0.23	3.5
CC128958		0.27	39.8	1380	18.4	10.7	<0.001	0.06	0.41	9.8	1.0	0.5	21.1	<0.01	0.15	1.7
CC128959		0.42	21.4	450	13.1	9.7	<0.001	0.02	0.44	5.6	0.6	0.5	24.0	<0.01	0.12	2.3
CC128960		0.07	76.8	1630	48.8	5.9	0.001	0.03	2.55	6.9	1.5	0.3	69.1	<0.01	0.03	5.0
CC128961		0.10	136.0	610	16.7	4.2	0.001	0.03	0.97	18.5	1.0	0.2	23.7	<0.01	0.21	1.9
CC128962		0.21	56.6	610	11.6	4.0	<0.001	0.04	0.76	17.9	1.4	0.2	21.9	0.02	0.15	1.6
CC128963		0.21	47.3	780	8.6	4.3	<0.001	0.10	0.73	11.5	1.3	0.2	35.0	<0.01	0.15	0.9
CC128964		0.16	74.8	640	60.9	4.0	0.001	0.02	0.92	14.2	1.3	0.2	28.5	0.01	0.09	2.0
CC128965		0.21	53.6	560	15.0	4.4	0.001	0.03	0.86	10.7	1.2	0.2	31.4	<0.01	0.09	1.8
CC128966		0.25	37.6	580	30.9	5.3	0.001	0.03	0.59	7.6	1.1	0.3	32.5	<0.01	0.07	2.4
CC128967		0.56	29.4	310	22.9	8.1	<0.001	<0.01	0.54	2.9	0.4	0.5	15.3	<0.01	0.04	3.9
CC128968		0.80	19.5	490	19.2	9.9	<0.001	<0.01	0.52	2.7	0.5	0.6	20.9	<0.01	0.05	2.5
CC128969		0.59	19.6	200	12.7	14.4	<0.001	<0.01	0.46	2.1	0.4	0.5	6.1	<0.01	0.04	4.2
CC128970		0.34	4.5	340	83.3	11.8	0.001	0.23	1.18	0.8	0.5	0.5	21.2	<0.01	0.04	2.6
CC128971		1.02	7.9	310	9.4	17.0	<0.001	<0.01	0.52	1.2	<0.2	0.9	5.5	<0.01	0.05	1.3
CC128972		0.41	19.8	310	9.0	13.9	<0.001	0.01	0.34	2.1	0.2	0.6	6.7	<0.01	0.04	4.0
CC128973		0.59	26.2	690	15.5	11.9	<0.001	0.01	0.47	4.6	0.9	0.5	28.1	<0.01	0.05	3.7
CC128974		1.53	31.5	610	15.5	14.2	0.001	<0.01	0.78	5.6	1.3	0.6	11.4	0.01	0.07	5.1
CC128975		0.79	9.7	510	21.5	11.8	<0.001	<0.01	0.50	1.4	0.4	0.6	5.1	<0.01	0.06	3.1
CC128976		0.79	9.8	140	13.2	9.4	<0.001	<0.01	0.56	1.2	0.3	0.6	8.1	<0.01	0.07	3.5
CC128977		0.25	22.8	1380	17.4	8.4	0.004	<0.01	1.26	3.3	1.3	0.5	36.3	<0.01	0.05	3.8
CC128978		0.75	15.8	1160	11.2	8.9	0.002	0.02	0.96	3.4	0.9	0.4	34.7	<0.01	0.04	2.9
CC128979		0.23	10.0	1820	14.4	8.7	0.001	0.02	1.50	2.2	1.3	0.4	37.8	<0.01	0.09	2.5
CC128980		0.21	13.1	770	12.2	8.1	0.002	0.03	1.09	2.5	1.3	0.4	48.8	<0.01	0.10	2.5
CC128981		0.25	12.2	930	15.3	8.0	0.005	0.01	1.99	1.9	2.3	0.4	42.9	<0.01	0.11	2.9
CC128982		0.27	10.9	770	10.2	8.7	0.001	0.01	0.70	1.7	1.0	0.4	29.9	<0.01	0.04	2.4
CC128983		0.18	19.4	530	13.2	7.6	0.003	0.03	2.10	2.8	2.6	0.4	49.6	<0.01	0.10	3.1
CC128984		0.18	22.0	630	16.2	6.5	0.003	0.03	2.44	3.2	2.3	0.4	48.2	<0.01	0.13	2.8
CC128985		0.16	22.9	780	11.1	6.6	0.004	0.06	2.02	2.4	2.0	0.3	49.0	<0.01	0.13	2.3
CC129462		0.27	58.8	760	14.4	4.1	0.001	0.09	0.46	3.0	1.6	0.3	60.6	<0.01	0.06	1.2
CC129463		0.51	426	790	9.9	5.0	<0.001	0.08	0.38	4.1	1.1	0.4	67.9	<0.01	0.05	0.7
CC129464		1.15	136.5	210	24.3	11.2	<0.001	<0.01	1.70	3.2	1.4	1.0	16.0	<0.01	0.08	4.9
CC129465		1.30	17.8	290	13.4	13.5	<0.001	<0.01	0.90	1.8	0.7	0.7	6.3	<0.01	0.06	3.2
CC129466		1.22	34.8	320	16.8	12.6	<0.001	<0.01	0.93	2.5	0.8	0.6	8.4	<0.01	0.07	3.3
CC129467		0.45	34.2	700	8.7	8.6	<0.001	<0.01	0.42	9.1	0.7	0.3	10.5	<0.01	0.23	1.7
CC129468		0.42	34.1	620	10.6	6.1	0.001	0.01	0.37	9.0	0.9	0.4	26.1	<0.01	0.16	1.7
CC129469		0.22	48.4	380	28.7	3.5	<0.001	0.02	1.11	13.8	1.7	0.3	25.4	<0.01	0.14	1.9
CC129470		0.52	46.4	670	15.8	4.4	0.001	0.01	0.71	8.5	1.7	0.5	18.4	<0.01	0.11	3.5
CC129471		0.59	29.2	420	16.6	6.8	<0.001	0.01	0.72	4.8	1.0	0.5	18.1	<0.01	0.06	3.0

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 9- AUG- 2011
Account: RCM

Project: Rackla- Trent Ex

CERTIFICATE OF ANALYSIS WH11125936

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
CC128956		0.010	0.21	0.46	70	0.05	26.1	93	1.4
CC128957		0.006	0.13	0.40	54	<0.05	17.00	94	2.2
CC128958		0.006	0.15	0.45	74	<0.05	14.30	73	1.3
CC128959		0.009	0.08	0.39	42	0.09	6.61	62	0.5
CC128960		<0.005	0.41	1.30	28	<0.05	14.55	261	5.4
CC128961		<0.005	0.08	0.41	41	<0.05	14.60	70	1.0
CC128962		<0.005	0.04	0.27	45	<0.05	15.20	48	1.2
CC128963		<0.005	0.04	0.33	29	<0.05	11.50	41	1.5
CC128964		<0.005	0.05	0.52	36	0.29	14.45	66	1.7
CC128965		<0.005	0.04	0.87	27	0.26	11.25	58	1.6
CC128966		<0.005	0.13	1.24	25	0.24	9.13	167	1.7
CC128967		0.010	0.10	0.63	35	0.10	3.80	96	1.8
CC128968		0.012	0.07	0.73	37	0.16	3.47	92	0.8
CC128969		0.008	0.13	0.41	34	0.09	2.80	59	2.0
CC128970		0.005	0.11	0.31	20	0.05	1.72	32	<0.5
CC128971		0.029	0.13	0.38	55	0.18	1.81	29	<0.5
CC128972		0.010	0.10	0.42	28	0.08	3.11	45	<0.5
CC128973		0.009	0.11	1.99	31	0.15	14.80	76	2.9
CC128974		0.024	0.14	1.47	59	0.22	15.10	77	3.3
CC128975		0.012	0.11	0.54	44	0.15	2.15	41	<0.5
CC128976		0.023	0.11	0.45	49	0.13	2.18	35	1.5
CC128977		0.005	0.18	1.34	55	0.07	8.39	112	1.5
CC128978		0.021	0.15	1.13	52	0.36	6.76	85	1.8
CC128979		0.005	0.14	1.86	81	0.05	8.01	90	1.3
CC128980		<0.005	0.17	1.41	43	<0.05	6.55	54	1.0
CC128981		0.005	0.24	1.32	55	0.09	5.46	58	1.2
CC128982		0.007	0.19	0.76	34	0.08	4.97	58	0.6
CC128983		<0.005	0.17	1.29	33	0.07	11.15	89	1.3
CC128984		<0.005	0.17	1.51	37	0.07	10.50	94	1.4
CC128985		<0.005	0.14	1.12	34	0.06	9.46	117	1.4
CC129462		<0.005	0.11	3.98	21	<0.05	9.10	87	2.4
CC129463		0.009	0.09	5.79	27	0.09	9.37	68	1.2
CC129464		0.019	0.29	0.81	77	0.20	3.77	150	2.8
CC129465		0.020	0.15	0.48	57	0.19	2.06	67	1.3
CC129466		0.018	0.12	0.59	51	0.20	2.66	76	1.2
CC129467		0.007	0.06	0.33	66	0.07	5.36	80	0.6
CC129468		0.008	0.05	0.43	63	0.06	5.34	88	0.8
CC129469		<0.005	0.05	0.50	43	<0.05	13.55	59	1.2
CC129470		0.008	0.07	1.01	33	0.09	13.35	97	1.7
CC129471		0.010	0.08	2.00	38	0.10	11.90	58	2.0

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 9- AUG- 2011
Account: RCM

Project: Rackla- Trent Ex

CERTIFICATE OF ANALYSIS WH11125936

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg .02	Au- TL43 Au ppm 0.001	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1
CC129472		0.41	0.001	0.05	2.34	12.3	<0.2	<10	520	0.81	0.25	0.16	0.13	29.4	13.2	33
CC129473		0.39	0.001	0.08	2.48	13.5	<0.2	<10	320	0.92	0.32	0.08	0.37	27.9	16.1	37
CC129474		0.44	0.005	0.16	1.42	13.9	<0.2	<10	630	0.95	0.33	0.08	0.11	26.5	7.6	25
CC129475		0.37	0.001	0.06	1.22	6.0	<0.2	<10	460	0.39	0.24	0.03	0.14	33.7	6.4	16
CC129476		0.27	0.001	0.13	1.15	9.7	<0.2	<10	3110	0.51	0.26	0.31	0.38	23.7	11.0	21
CC129477		0.37	0.001	0.43	0.93	8.2	<0.2	<10	1530	0.72	0.31	0.51	1.17	21.5	9.8	17
CC129478		0.15	0.002	0.21	0.48	5.5	<0.2	<10	1080	0.45	0.19	0.95	0.26	20.6	7.7	8
CC129479		0.18	0.001	0.35	0.79	8.4	<0.2	<10	790	0.59	0.17	1.73	0.23	23.0	8.0	17
CC129480		0.35	0.001	0.56	0.92	8.5	<0.2	<10	1360	0.40	0.17	0.75	0.34	15.30	7.3	19
CC129481		0.47	0.001	0.73	1.03	10.2	<0.2	<10	1370	0.46	0.20	0.98	0.33	17.50	11.6	21
CC129482		0.24	0.002	0.72	1.11	9.4	<0.2	<10	870	0.54	0.21	1.15	0.44	14.75	11.6	22
CC129483		0.29	0.001	0.13	0.85	13.4	<0.2	<10	1070	0.65	0.28	0.83	0.26	13.65	14.2	14
CC129484		0.40	0.001	0.10	0.99	14.9	<0.2	<10	1110	0.70	0.31	0.53	0.22	14.45	18.2	15
CC129485		0.37	0.002	0.12	2.56	5.8	<0.2	<10	80	0.70	0.39	0.05	0.51	27.9	25.0	33
CC129486		0.39	0.002	0.04	1.87	5.8	<0.2	<10	160	0.34	0.36	0.04	0.25	32.4	16.8	27
CC129487		0.43	0.001	0.06	1.53	6.3	<0.2	<10	80	0.31	0.35	0.07	0.19	32.5	9.3	19
CC129488		0.37	0.001	0.09	1.89	5.6	<0.2	<10	80	0.47	0.30	0.06	0.23	24.7	9.8	26
CC129489		0.29	<0.001	0.11	2.15	1.7	<0.2	<10	260	0.57	0.33	0.29	0.34	26.8	19.7	31
CC129490		0.34	0.005	0.15	1.38	6.4	<0.2	<10	220	0.81	0.33	0.53	0.27	15.10	21.0	21
CC129491		0.45	0.003	0.13	0.73	9.7	<0.2	<10	90	0.78	0.40	0.54	0.12	13.20	28.0	19
CC129492		0.33	0.005	0.10	1.03	6.4	<0.2	<10	160	0.76	0.33	0.72	0.19	11.25	20.3	16
CC129493		0.30	0.003	0.14	0.50	9.1	<0.2	<10	140	0.71	0.34	0.61	0.17	11.25	26.2	13
CC129494		0.34	0.002	0.07	2.42	11.1	<0.2	<10	120	0.66	0.33	0.06	0.12	19.60	11.9	33
CC129495		0.22	0.001	0.14	1.14	64.0	<0.2	<10	180	0.61	0.19	4.44	0.20	16.10	10.5	12
CC129496		0.32	0.002	0.10	0.77	26.3	<0.2	<10	130	0.50	0.23	3.54	0.18	15.65	11.7	12
CC129497		0.35	0.001	0.08	2.11	4.2	<0.2	<10	70	0.88	0.56	0.03	0.15	12.90	13.7	26
CC129498		0.47	0.002	0.07	2.04	11.7	<0.2	<10	130	0.66	0.32	0.07	0.14	24.6	9.3	28
CC129499		0.42	<0.001	0.18	1.26	6.9	<0.2	<10	90	0.51	0.33	0.09	0.19	24.1	9.5	22
CC129500		0.50	0.001	0.05	1.37	9.8	<0.2	<10	80	0.43	0.37	0.02	0.22	29.0	8.5	19
CC152915		0.23	0.003	0.12	0.54	27.1	<0.2	<10	90	0.90	0.36	0.85	0.21	19.85	14.5	13
CC152916		0.25	0.002	0.07	0.51	16.5	<0.2	<10	60	0.94	0.33	1.11	0.23	25.1	13.5	12
CC152917		0.16	0.003	0.05	1.63	6.9	<0.2	<10	60	0.62	0.36	0.05	0.36	21.2	23.2	21
CC152918		0.15	0.004	0.04	1.98	5.0	<0.2	<10	180	0.76	0.32	0.09	0.33	20.2	24.6	28
CC152919		0.18	0.006	0.09	1.82	3.1	<0.2	<10	160	0.80	0.32	0.11	0.46	15.55	34.0	25
CC152920		0.22	0.001	0.06	0.69	12.7	<0.2	<10	100	0.97	0.41	0.16	0.16	14.90	20.2	15
CC152921		0.18	0.004	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS
CC152922		0.25	0.001	0.10	0.65	11.2	<0.2	<10	110	1.16	0.39	0.33	0.10	17.85	21.5	25
CC152923		0.17	0.003	0.04	1.11	10.2	<0.2	<10	1020	0.75	0.35	0.10	0.26	13.80	35.0	15
CC152924		0.21	0.004	0.03	1.16	6.7	<0.2	<10	320	0.42	0.31	0.28	0.23	12.85	26.1	18
CC152925		0.17	0.002	0.03	1.97	11.0	<0.2	<10	120	0.50	0.32	0.05	0.08	25.4	7.6	29

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 9- AUG- 2011
Account: RCM

Project: Rackla- Trent Ex

CERTIFICATE OF ANALYSIS WH11125936

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
CC129472		1.43	13.9	3.44	6.13	<0.05	0.05	0.02	0.036	0.06	14.5	20.6	0.47	244	1.07	0.01
CC129473		2.23	29.9	3.72	5.74	<0.05	0.11	0.02	0.037	0.07	13.4	33.2	0.49	334	1.29	0.01
CC129474		3.22	27.7	3.27	6.10	0.05	0.02	0.02	0.023	0.06	13.8	15.7	0.31	396	1.53	0.01
CC129475		0.90	13.7	2.98	4.22	<0.05	0.03	0.02	0.018	0.10	18.0	20.6	0.18	244	1.15	0.01
CC129476		1.27	17.6	2.88	4.38	0.10	0.03	0.03	0.032	0.09	12.4	13.0	0.21	939	1.31	0.02
CC129477		4.05	39.5	2.28	3.24	0.10	0.07	0.06	0.025	0.13	11.4	14.7	0.28	246	4.16	0.02
CC129478		0.97	18.2	1.56	1.53	0.09	0.05	0.08	0.015	0.11	10.6	4.1	0.16	270	0.98	0.02
CC129479		1.45	16.9	2.11	2.39	0.10	0.04	0.19	0.021	0.11	12.6	8.9	0.19	548	0.74	0.02
CC129480		0.84	20.0	2.11	2.84	0.09	0.05	0.09	0.025	0.09	9.0	12.8	0.29	256	1.17	0.02
CC129481		1.07	28.3	2.80	3.08	0.10	0.04	0.10	0.030	0.09	9.7	16.0	0.46	519	1.49	0.02
CC129482		1.06	30.9	2.68	3.14	0.11	0.07	0.12	0.032	0.11	8.2	18.9	0.39	484	1.09	0.02
CC129483		0.69	38.6	3.16	2.65	0.11	0.07	0.09	0.028	0.06	6.5	21.1	0.49	414	1.01	0.02
CC129484		1.07	42.9	3.70	3.00	0.12	0.08	0.10	0.030	0.06	6.4	30.2	0.51	369	1.13	0.02
CC129485		2.02	74.2	6.53	10.05	0.13	0.03	0.05	0.048	0.10	13.6	30.1	0.68	1000	1.74	0.02
CC129486		1.51	46.5	5.10	10.35	0.13	0.02	0.05	0.034	0.09	15.6	16.4	0.44	938	1.48	0.02
CC129487		1.47	37.2	3.33	8.41	0.11	<0.02	0.03	0.026	0.07	15.8	14.2	0.21	290	1.59	0.02
CC129488		2.43	46.2	3.86	7.99	0.11	<0.02	0.04	0.032	0.06	12.2	16.9	0.41	400	1.40	0.02
CC129489		2.54	85.4	5.12	10.00	0.13	0.02	0.05	0.041	0.07	12.8	23.3	0.88	1200	1.03	0.02
CC129490		2.23	90.1	4.61	4.55	0.12	0.06	0.07	0.044	0.07	7.6	15.9	0.47	844	1.11	0.02
CC129491		2.13	80.2	4.42	2.46	0.12	0.05	0.10	0.058	0.07	6.4	10.2	0.33	483	1.09	0.02
CC129492		1.62	74.8	4.47	3.28	0.12	0.07	0.07	0.048	0.07	5.1	12.4	0.44	712	0.93	0.02
CC129493		0.59	66.7	4.22	1.51	0.11	0.06	0.15	0.060	0.06	5.1	4.3	0.16	644	0.85	0.02
CC129494		2.68	14.6	4.45	7.21	0.12	0.07	0.04	0.047	0.08	9.8	30.3	0.34	393	1.25	0.02
CC129495		0.52	37.9	5.02	3.08	0.12	0.04	0.07	0.026	0.05	9.7	6.4	1.82	2990	0.54	0.03
CC129496		0.67	25.5	5.72	2.37	0.13	0.05	0.06	0.033	0.06	8.1	5.9	1.67	1460	0.51	0.03
CC129497		3.27	21.0	5.43	8.53	0.12	0.07	0.02	0.048	0.07	6.0	41.9	0.21	684	0.83	0.02
CC129498		2.10	16.2	3.40	7.13	0.10	0.05	0.03	0.032	0.06	12.3	21.4	0.33	288	1.27	0.02
CC129499		2.22	14.9	2.58	5.74	0.10	<0.02	0.02	0.022	0.08	12.6	24.2	0.38	350	0.82	0.02
CC129500		1.40	22.6	3.52	6.21	0.10	0.02	0.01	0.024	0.10	15.2	13.5	0.24	206	1.80	0.02
CC152915		0.96	48.5	3.35	1.68	0.11	0.08	0.07	0.037	0.09	9.2	8.2	0.17	314	0.73	0.02
CC152916		0.91	45.2	3.10	1.50	0.10	0.09	0.04	0.036	0.09	11.7	9.3	0.38	346	0.72	0.02
CC152917		2.15	73.8	4.95	5.13	0.11	0.02	0.04	0.038	0.07	9.9	20.6	0.40	618	1.32	0.02
CC152918		2.33	71.5	5.04	7.16	0.12	0.02	0.05	0.041	0.07	8.5	23.7	0.55	1040	1.10	0.02
CC152919		2.66	124.0	6.32	6.12	0.14	0.03	0.10	0.051	0.06	5.3	20.8	0.64	1140	0.86	0.02
CC152920		1.70	53.4	4.11	2.39	0.11	<0.02	0.06	0.039	0.09	6.4	10.9	0.19	999	1.29	0.02
CC152921		NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS
CC152922		3.82	41.8	3.69	2.35	0.13	0.03	0.10	0.040	0.09	8.4	7.9	0.13	1260	0.90	0.01
CC152923		0.57	137.5	6.92	2.92	0.13	0.03	0.07	0.078	0.05	5.5	13.6	0.24	920	0.97	0.02
CC152924		0.68	83.8	6.54	4.19	0.12	0.02	0.03	0.069	0.06	5.0	16.2	0.33	1060	1.15	0.02
CC152925		1.66	11.7	2.96	7.15	0.11	0.04	0.03	0.025	0.06	12.8	15.2	0.34	312	1.94	0.02

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 9- AUG- 2011
Account: RCM

Project: Rackla- Trent Ex

CERTIFICATE OF ANALYSIS WH11125936

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
CC129472		1.12	30.6	310	14.1	11.9	<0.001	<0.01	0.60	3.2	0.7	0.7	13.2	<0.01	0.06	4.1
CC129473		1.45	35.4	340	15.8	14.5	0.001	<0.01	0.76	3.4	0.8	0.7	9.7	<0.01	0.06	5.6
CC129474		1.33	15.9	410	14.1	13.3	<0.001	<0.01	0.61	2.3	0.8	0.6	11.3	<0.01	0.04	3.2
CC129475		0.55	14.5	230	8.8	14.0	<0.001	<0.01	0.59	1.7	0.4	0.5	5.5	<0.01	0.04	3.3
CC129476		0.48	18.7	550	15.0	13.6	<0.001	0.06	0.49	2.7	0.8	0.4	20.4	<0.01	0.04	2.2
CC129477		0.24	19.7	600	19.1	16.0	<0.001	0.06	1.06	3.4	1.3	0.3	37.4	<0.01	0.04	2.3
CC129478		0.16	13.3	580	13.0	8.1	<0.001	0.09	0.39	1.9	0.9	0.2	59.3	<0.01	0.02	1.9
CC129479		0.24	14.5	540	10.3	11.8	<0.001	0.07	0.40	3.0	1.1	0.3	31.4	<0.01	0.03	1.3
CC129480		0.16	20.1	570	9.7	6.9	0.001	0.04	0.58	2.8	1.4	0.3	29.3	<0.01	0.05	2.1
CC129481		0.16	30.2	610	12.1	7.3	0.002	0.05	0.69	3.8	2.0	0.6	39.3	<0.01	0.06	2.8
CC129482		0.18	31.8	680	11.5	8.0	0.002	0.06	0.71	4.1	2.0	0.3	42.0	<0.01	0.07	2.2
CC129483		0.13	32.8	350	16.6	4.4	0.001	0.06	0.54	3.8	1.2	0.2	32.3	<0.01	0.05	2.5
CC129484		0.13	34.1	510	19.3	4.4	0.001	0.05	0.49	4.1	1.0	0.2	27.1	<0.01	0.05	3.8
CC129485		0.68	24.7	890	16.6	16.9	<0.001	0.04	0.51	4.2	0.8	0.5	9.3	<0.01	0.14	1.7
CC129486		1.09	17.9	490	12.8	15.4	<0.001	0.01	0.57	3.9	0.7	0.7	8.2	<0.01	0.12	3.1
CC129487		1.12	13.0	350	11.0	13.6	<0.001	0.02	0.65	2.5	0.6	0.7	10.5	<0.01	0.10	1.9
CC129488		0.67	16.2	900	11.2	12.7	<0.001	0.06	0.55	1.2	0.8	0.6	8.9	<0.01	0.09	<0.2
CC129489		0.47	23.1	1140	14.2	9.7	<0.001	0.07	0.29	3.1	0.7	0.5	11.9	<0.01	0.11	0.4
CC129490		0.42	31.6	790	15.0	6.9	<0.001	0.05	0.44	7.8	1.1	0.3	26.7	<0.01	0.13	2.0
CC129491		0.16	61.2	530	16.3	5.8	<0.001	0.04	0.85	10.9	0.9	0.3	28.4	<0.01	0.13	2.9
CC129492		0.20	34.2	590	13.5	5.6	<0.001	0.05	0.44	8.2	1.0	0.2	25.9	<0.01	0.12	2.1
CC129493		0.11	55.8	510	15.2	3.9	<0.001	0.04	0.94	11.0	1.0	0.2	25.4	<0.01	0.09	2.3
CC129494		1.75	19.6	470	29.8	17.0	<0.001	0.02	0.61	3.6	0.9	0.6	10.2	0.01	0.04	4.5
CC129495		0.31	36.6	1630	18.2	5.2	<0.001	0.11	2.48	2.8	1.0	0.3	21.9	0.01	0.04	0.7
CC129496		0.28	32.5	880	14.1	5.6	<0.001	0.05	1.02	5.0	0.9	0.3	22.3	<0.01	0.04	1.5
CC129497		0.63	12.7	560	16.1	18.1	<0.001	0.03	0.29	3.4	0.6	0.6	8.0	<0.01	0.04	3.3
CC129498		1.35	16.8	310	17.2	14.1	<0.001	0.01	0.51	3.3	0.7	0.7	10.5	<0.01	0.03	4.6
CC129499		0.91	15.1	260	13.3	16.6	<0.001	0.01	0.27	2.2	0.5	0.6	11.8	<0.01	0.03	1.3
CC129500		0.52	17.2	280	18.0	16.8	<0.001	0.02	0.66	2.2	0.8	0.5	7.7	<0.01	0.04	3.3
CC152915		0.11	29.0	880	23.7	5.3	<0.001	0.08	0.34	4.9	1.4	0.3	65.7	<0.01	0.04	3.6
CC152916		0.10	26.3	750	19.9	4.6	<0.001	0.06	0.32	5.1	1.2	0.3	52.7	<0.01	0.03	4.0
CC152917		0.48	26.8	830	15.0	9.0	<0.001	0.04	0.49	2.2	1.0	0.4	13.0	<0.01	0.16	0.6
CC152918		0.66	25.8	790	12.6	10.6	<0.001	0.03	0.40	4.8	0.7	0.4	11.6	0.01	0.13	1.3
CC152919		0.31	38.0	870	11.5	6.2	<0.001	0.04	0.24	9.4	1.0	0.3	11.8	0.01	0.18	1.6
CC152920		0.16	29.8	420	21.8	6.5	<0.001	0.05	0.45	4.7	0.6	0.2	24.9	<0.01	0.07	2.7
CC152921		NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS
CC152922		0.13	94.2	410	20.5	10.5	<0.001	0.03	0.50	7.1	0.5	0.3	24.3	<0.01	0.06	2.8
CC152923		0.18	45.0	440	13.6	5.6	<0.001	0.03	0.34	10.6	1.0	0.2	25.7	<0.01	0.15	2.3
CC152924		0.27	31.2	510	11.3	6.7	<0.001	0.01	0.28	8.1	0.7	0.2	19.4	<0.01	0.14	1.8
CC152925		1.69	14.4	180	12.6	13.9	<0.001	0.01	0.62	3.4	0.7	0.8	9.5	<0.01	0.04	4.4

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 9- AUG- 2011
Account: RCM

Project: Rackla- Trent Ex

CERTIFICATE OF ANALYSIS WH11125936

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
CC129472		0.026	0.13	0.74	61	0.22	4.19	68	2.0
CC129473		0.032	0.16	0.83	56	0.27	3.61	124	4.1
CC129474		0.025	0.12	0.79	55	0.27	3.69	60	0.6
CC129475		0.008	0.10	0.32	33	0.09	2.07	49	0.9
CC129476		0.010	0.11	0.77	39	0.09	7.70	96	0.8
CC129477		<0.005	0.23	1.54	28	0.07	8.94	112	2.1
CC129478		<0.005	0.08	0.72	11	<0.05	8.62	47	1.9
CC129479		0.005	1.01	1.24	21	0.05	10.95	61	1.3
CC129480		<0.005	0.08	0.67	32	0.05	9.88	87	1.6
CC129481		<0.005	0.10	0.73	33	0.08	11.65	103	1.6
CC129482		<0.005	0.10	1.31	31	0.05	12.10	127	2.5
CC129483		<0.005	0.05	1.19	16	<0.05	10.50	74	2.3
CC129484		<0.005	0.06	0.97	15	<0.05	10.60	82	3.2
CC129485		0.010	0.13	0.39	76	0.10	5.92	65	0.9
CC129486		0.024	0.12	0.38	86	0.13	4.18	62	0.7
CC129487		0.019	0.14	0.40	74	0.18	3.08	48	<0.5
CC129488		0.017	0.12	0.50	60	0.17	4.39	56	<0.5
CC129489		0.012	0.08	0.39	79	0.07	9.11	63	<0.5
CC129490		0.009	0.07	0.60	41	0.23	14.15	76	1.6
CC129491		<0.005	0.06	0.61	31	0.05	13.35	60	1.4
CC129492		<0.005	0.05	0.62	34	0.05	10.85	66	2.0
CC129493		<0.005	0.04	0.48	24	<0.05	14.30	50	1.8
CC129494		0.023	0.13	0.70	51	0.32	3.78	83	2.4
CC129495		0.007	0.11	3.18	24	0.08	13.55	73	1.2
CC129496		0.006	0.16	0.90	22	0.08	13.65	51	1.1
CC129497		0.006	0.09	0.58	32	0.08	3.78	115	2.9
CC129498		0.023	0.15	0.76	51	0.23	4.08	62	1.9
CC129499		0.024	0.09	0.63	40	0.19	5.86	73	<0.5
CC129500		0.007	0.11	0.49	38	0.09	3.46	84	1.0
CC152915		<0.005	0.08	2.44	13	<0.05	13.75	90	2.9
CC152916		<0.005	0.07	1.48	11	<0.05	14.85	95	3.1
CC152917		0.009	0.11	0.45	43	0.08	6.05	76	0.5
CC152918		0.014	0.10	0.48	62	0.12	8.58	70	<0.5
CC152919		0.007	0.09	0.37	60	0.06	14.80	83	0.6
CC152920		<0.005	0.10	0.65	22	<0.05	7.63	82	<0.5
CC152921		NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS
CC152922		<0.005	0.08	0.93	20	<0.05	11.40	66	0.8
CC152923		<0.005	0.05	0.75	40	<0.05	10.70	54	0.6
CC152924		<0.005	0.05	0.47	45	0.06	6.47	72	0.5
CC152925		0.034	0.16	0.78	66	0.31	3.74	57	1.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 9- AUG- 2011
Account: RCM

Project: Rackla- Trent Ex

CERTIFICATE OF ANALYSIS WH11125936

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg .02	Au- TL43 Au ppm 0.001	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1
CC152926		0.10	0.002	0.14	1.20	17.3	<0.2	<10	210	0.65	0.21	3.19	1.14	26.2	9.7	19
CC152927		0.17	0.001	0.05	0.76	6.9	<0.2	<10	40	0.12	0.34	0.02	0.04	22.9	2.9	10
CC152928		0.38	0.002	0.20	2.14	28.6	<0.2	<10	80	2.29	0.72	0.03	0.09	20.8	29.9	31
CC152929		0.14	0.004	0.38	1.79	10.7	<0.2	<10	950	3.08	0.45	0.44	0.23	29.4	12.3	25
CC152930		0.20	0.001	0.04	0.83	6.7	<0.2	<10	60	0.10	0.35	0.03	0.04	24.4	2.2	13
CC152931		0.17	0.002	0.43	2.12	11.4	<0.2	<10	100	0.50	0.28	0.06	0.20	21.8	11.4	30
CC152932		0.14	NSS	0.18	0.65	2.5	<0.2	<10	50	0.14	0.22	0.03	0.08	10.65	2.2	12
CC152933		0.28	0.001	0.09	1.41	8.0	<0.2	<10	160	0.98	0.43	0.12	0.13	18.95	13.0	25
CC152934		0.29	0.001	0.30	0.98	16.2	<0.2	<10	180	0.63	0.24	0.70	0.82	23.7	9.2	23
CC152935		Not Recvd														
CC152895		0.27	<0.001	0.04	0.67	7.4	<0.2	<10	70	0.39	0.29	0.02	0.03	72.3	11.1	15
CC152896		0.15	0.007	0.28	0.95	12.2	<0.2	<10	390	0.43	0.20	1.32	0.09	40.1	12.9	19
CC152897		0.12	0.003	0.42	0.82	7.7	<0.2	<10	800	0.62	0.22	0.96	0.50	25.8	8.7	18
CC152898		0.14	0.002	0.72	0.96	12.6	<0.2	<10	2170	0.62	0.23	0.62	1.03	25.5	11.7	22
CC115601		0.44	0.001	0.45	1.30	12.6	<0.2	<10	160	0.45	0.32	0.03	0.56	26.3	9.1	23
CC115602		0.34	0.001	0.05	1.33	7.8	<0.2	<10	80	0.26	0.36	0.03	0.11	21.1	3.9	19
CC115603		0.30	0.001	0.20	1.60	9.3	<0.2	<10	540	1.89	0.50	0.46	0.13	22.5	11.9	25
CC115604		0.37	0.001	0.11	1.53	10.3	<0.2	<10	150	0.47	0.29	0.05	0.26	26.2	8.3	24
CC115605		0.48	0.001	0.13	1.51	10.9	<0.2	<10	300	0.82	0.23	0.23	0.39	86.8	11.2	20
CC115606		0.29	0.001	0.70	0.90	11.1	<0.2	<10	230	0.30	0.23	0.21	1.22	20.2	3.7	18
CC115607		0.36	0.022	0.25	0.68	18.7	<0.2	<10	470	0.49	0.33	0.27	0.40	24.1	16.4	34
CC115608		0.41	0.006	0.94	0.80	18.2	<0.2	<10	450	0.78	0.24	1.33	1.72	44.1	11.5	27
CC115609		0.26	0.006	0.49	0.76	12.8	<0.2	<10	490	0.54	0.20	0.76	0.76	35.4	11.6	21
CC115610		0.48	0.007	1.19	0.83	17.1	<0.2	<10	620	0.53	0.22	1.09	1.67	31.9	11.5	25
CC115611		0.35	0.006	1.08	0.91	10.1	<0.2	<10	1290	0.33	0.26	0.58	0.94	22.1	7.0	24
CC115612		0.32	0.001	0.45	0.56	15.7	<0.2	<10	1240	0.14	0.24	0.14	0.26	20.5	2.1	14
CC115613		0.31	0.002	0.96	0.53	12.4	<0.2	<10	1300	0.30	0.17	0.78	1.26	15.10	14.2	29
CC115614		0.43	0.002	0.52	1.02	10.6	<0.2	<10	1080	0.56	0.22	0.85	0.58	19.75	9.4	24
CC115615		0.39	0.001	0.45	1.02	10.5	<0.2	<10	740	0.58	0.19	0.83	0.67	17.75	15.4	24
CC115616		0.28	0.001	0.46	1.07	8.8	<0.2	<10	1070	0.57	0.19	1.06	0.75	17.00	9.2	23
CC115617		0.25	0.002	0.45	0.97	7.8	<0.2	<10	880	0.51	0.19	1.43	0.34	13.75	7.9	20
CC115618		0.20	0.001	0.44	0.95	9.2	<0.2	<10	780	0.51	0.19	0.82	0.46	18.55	8.3	22

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 9- AUG- 2011
Account: RCM

Project: Rackla- Trent Ex

CERTIFICATE OF ANALYSIS WH11125936

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
CC152926		0.79	17.6	8.92	3.47	0.09	0.03	0.18	0.030	0.05	11.0	7.9	0.88	2120	0.75	0.01
CC152927		1.37	10.2	2.22	5.80	0.07	<0.02	0.01	0.015	0.04	12.5	2.9	0.07	113	0.93	0.01
CC152928		6.49	46.5	5.05	8.48	0.08	0.11	0.05	0.049	0.06	8.7	36.7	0.44	1260	0.96	0.01
CC152929		7.82	93.3	3.29	5.06	0.12	0.10	0.10	0.034	0.12	13.1	21.2	0.34	1340	1.59	0.02
CC152930		1.67	6.2	1.92	6.44	0.08	<0.02	0.02	0.009	0.04	13.2	1.8	0.06	126	1.28	0.01
CC152931		1.20	14.5	3.45	5.98	0.08	0.04	0.06	0.033	0.06	10.9	16.7	0.24	548	1.75	0.01
CC152932		1.49	13.4	1.34	4.68	0.07	<0.02	0.02	0.013	0.05	5.3	2.1	0.06	99	0.78	0.01
CC152933		3.37	26.5	4.70	6.63	0.09	0.02	0.02	0.032	0.08	9.4	24.7	0.30	886	1.27	0.01
CC152934		1.37	30.3	2.69	3.39	0.10	0.08	0.06	0.027	0.10	13.6	24.7	0.47	380	3.66	0.01
CC152935																
CC152895		3.43	21.0	2.18	4.03	0.11	<0.02	0.02	0.023	0.22	38.9	2.4	0.08	67	0.62	0.01
CC152896		1.22	23.0	3.52	3.72	0.10	0.06	0.16	0.031	0.13	22.6	9.3	0.32	480	2.31	0.01
CC152897		1.58	30.4	2.28	2.41	0.09	0.07	0.13	0.027	0.12	13.7	12.1	0.32	580	1.03	0.01
CC152898		1.33	56.9	3.20	2.99	0.10	0.04	0.23	0.031	0.12	14.2	13.4	0.28	593	3.70	0.02
CC115601		1.89	26.7	3.61	5.40	0.09	0.02	0.03	0.025	0.12	15.0	11.3	0.23	242	3.68	0.01
CC115602		1.95	12.2	3.21	6.66	0.08	<0.02	0.03	0.021	0.05	11.4	7.5	0.15	151	1.50	0.01
CC115603		7.27	71.8	3.29	5.40	0.10	0.04	0.05	0.031	0.09	12.3	26.5	0.49	586	1.16	0.01
CC115604		1.31	15.7	3.37	5.23	0.09	0.03	0.02	0.027	0.07	14.2	20.4	0.28	280	1.77	0.01
CC115605		1.95	30.9	4.16	5.55	0.14	0.04	0.02	0.043	0.21	40.6	20.8	0.30	312	2.04	0.01
CC115606		1.61	20.1	1.84	3.39	0.08	0.03	0.17	0.019	0.09	11.6	11.4	0.23	88	5.30	0.01
CC115607		1.14	207	3.01	4.33	0.09	<0.02	0.20	0.043	0.15	12.5	5.8	0.10	439	6.62	0.01
CC115608		0.59	79.2	3.39	2.97	0.12	0.11	0.20	0.050	0.14	23.6	9.4	0.22	206	10.65	0.01
CC115609		1.69	57.4	2.84	3.20	0.11	0.04	0.16	0.034	0.22	19.2	9.8	0.15	582	4.89	0.01
CC115610		1.04	81.0	3.14	3.44	0.10	0.04	0.31	0.035	0.18	18.6	10.1	0.19	439	6.96	0.01
CC115611		0.97	38.8	2.03	3.80	0.09	0.03	0.28	0.026	0.09	12.7	10.7	0.22	517	3.95	0.01
CC115612		1.30	13.2	3.31	2.44	0.09	0.02	0.12	0.023	0.07	10.1	3.8	0.10	77	2.31	0.01
CC115613		0.75	46.1	2.50	1.66	0.10	0.04	0.14	0.035	0.06	11.4	4.3	0.10	324	10.70	0.01
CC115614		1.00	32.0	3.01	2.77	0.08	0.05	0.09	0.030	0.09	11.2	13.6	0.32	417	2.12	0.01
CC115615		1.36	44.1	2.94	3.04	0.09	0.05	0.07	0.038	0.10	10.3	13.3	0.29	464	2.52	0.01
CC115616		1.18	26.3	2.65	2.86	0.09	0.05	0.11	0.030	0.10	10.4	13.8	0.33	479	1.00	0.01
CC115617		0.96	25.8	2.51	2.59	0.08	0.06	0.09	0.022	0.09	7.7	12.2	0.34	706	1.01	0.02
CC115618		1.12	21.5	2.64	2.70	0.09	0.06	0.09	0.031	0.10	10.8	13.6	0.32	455	1.21	0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 9- AUG- 2011
Account: RCM

Project: Rackla- Trent Ex

CERTIFICATE OF ANALYSIS WH11125936

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
CC152926		0.40	110.5	2690	20.9	6.1	0.001	0.06	1.51	2.9	0.6	0.4	53.4	0.01	0.05	1.3
CC152927		0.59	6.0	170	8.0	7.6	<0.001	<0.01	0.37	1.4	<0.2	0.7	5.6	<0.01	0.04	3.3
CC152928		0.36	27.0	670	47.8	12.2	<0.001	0.03	0.27	4.2	0.6	0.6	9.5	<0.01	0.07	3.7
CC152929		0.48	29.7	1340	25.3	18.4	0.001	0.07	0.41	6.0	1.6	0.5	31.9	<0.01	0.07	2.3
CC152930		1.12	5.8	260	11.1	5.8	<0.001	0.01	0.48	1.1	<0.2	0.9	5.3	<0.01	0.03	1.5
CC152931		1.48	14.5	520	15.2	10.6	<0.001	0.02	0.65	2.4	0.7	0.7	7.3	0.01	0.03	3.5
CC152932		0.23	6.8	600	8.4	4.6	<0.001	0.02	0.23	0.8	0.2	0.5	5.2	<0.01	0.03	0.5
CC152933		0.62	16.8	670	21.7	11.5	0.001	0.02	0.49	2.4	<0.2	0.6	10.1	<0.01	0.04	3.0
CC152934		0.15	24.7	610	17.2	9.7	0.002	0.06	1.52	2.4	0.9	0.3	51.8	<0.01	0.07	2.4
CC152935																
CC152895		0.10	21.8	290	8.6	14.7	<0.001	0.01	0.27	1.9	<0.2	0.6	4.6	<0.01	0.01	3.3
CC152896		0.50	11.2	1500	12.3	11.5	0.001	0.06	0.38	3.5	0.7	0.5	42.7	<0.01	0.05	2.9
CC152897		0.25	24.2	840	14.9	10.4	0.003	0.06	0.49	3.7	1.1	0.3	44.8	<0.01	0.08	2.8
CC152898		0.24	30.1	1310	14.5	9.5	0.003	0.06	1.33	4.1	2.8	0.3	42.2	<0.01	0.10	2.8
CC115601		0.34	30.5	900	15.7	13.8	<0.001	0.01	1.09	2.5	0.6	0.6	10.3	<0.01	0.07	3.4
CC115602		0.60	9.5	370	14.8	9.1	<0.001	0.01	0.60	1.6	<0.2	0.7	6.4	<0.01	0.05	3.1
CC115603		0.34	24.4	830	25.2	12.6	<0.001	0.05	0.30	4.1	0.5	0.5	27.9	<0.01	0.04	2.8
CC115604		0.87	19.4	340	16.1	11.3	<0.001	0.02	0.61	2.2	0.4	0.6	10.1	<0.01	0.05	4.0
CC115605		0.38	26.4	1460	16.3	12.1	0.001	0.08	1.07	3.6	0.7	0.8	39.1	<0.01	0.04	5.7
CC115606		0.26	15.0	800	13.4	10.3	0.002	0.06	1.07	1.9	1.0	0.4	15.6	<0.01	0.04	1.4
CC115607		0.14	46.9	3150	18.9	11.0	0.004	0.02	2.47	3.0	1.6	0.8	127.0	<0.01	0.16	2.4
CC115608		0.18	52.6	2530	20.1	7.6	0.003	0.04	2.12	7.2	3.2	0.5	64.1	<0.01	0.07	4.5
CC115609		0.13	26.0	3200	15.2	13.4	0.003	0.04	1.89	4.0	1.4	0.5	55.1	<0.01	0.07	3.1
CC115610		0.17	26.9	3550	17.1	11.7	0.002	0.04	3.58	4.4	2.5	0.5	60.9	<0.01	0.11	3.5
CC115611		0.42	13.8	1610	14.7	9.8	0.003	0.07	1.13	3.1	1.4	0.5	30.2	<0.01	0.06	1.9
CC115612		0.23	7.2	830	14.5	9.0	0.002	0.06	2.71	1.6	1.5	0.3	33.2	<0.01	0.06	3.1
CC115613		0.09	131.0	1220	8.4	4.6	0.004	0.04	1.64	3.2	3.9	0.5	86.8	<0.01	0.10	1.8
CC115614		0.18	43.2	560	13.5	6.9	0.002	0.05	0.70	3.9	1.2	0.3	35.9	<0.01	0.08	2.7
CC115615		0.21	46.4	710	11.9	9.1	0.002	0.05	0.59	3.9	1.4	0.3	42.4	<0.01	0.07	2.0
CC115616		0.18	30.1	680	12.2	8.3	0.002	0.06	0.56	3.5	0.9	0.3	38.3	<0.01	0.08	2.0
CC115617		0.20	25.5	750	11.4	7.3	0.002	0.09	0.52	2.7	0.7	0.3	42.7	<0.01	0.05	1.3
CC115618		0.15	26.3	750	11.4	8.2	0.002	0.05	0.54	3.3	0.8	0.3	32.0	<0.01	0.07	2.2

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 9- AUG- 2011
Account: RCM

Project: Rackla- Trent Ex

CERTIFICATE OF ANALYSIS WH11125936

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
CC152926		0.016	0.09	1.63	34	0.11	11.90	370	1.0
CC152927		0.014	0.10	0.40	50	0.14	2.05	27	<0.5
CC152928		0.006	0.10	0.93	31	0.08	5.94	75	3.1
CC152929		0.008	0.11	2.92	38	0.12	31.2	86	2.5
CC152930		0.047	0.12	0.37	67	0.27	1.50	27	<0.5
CC152931		0.027	0.10	0.71	55	0.25	2.71	68	1.6
CC152932		0.009	0.06	0.31	27	0.08	1.37	22	<0.5
CC152933		0.012	0.09	0.59	43	0.14	4.90	74	0.5
CC152934		0.005	0.09	1.53	50	<0.05	6.08	159	2.3
CC152935									
CC152895		<0.005	0.11	0.23	24	<0.05	2.10	58	<0.5
CC152896		0.008	0.12	1.06	50	0.11	10.30	54	1.6
CC152897		0.006	0.11	1.42	29	0.06	10.40	108	2.1
CC152898		0.006	0.15	1.59	47	0.06	12.25	185	1.2
CC115601		0.008	0.17	0.70	60	0.08	3.98	142	0.8
CC115602		0.012	0.10	0.46	56	0.14	2.08	47	0.5
CC115603		0.007	0.09	1.81	30	0.09	16.60	68	1.0
CC115604		0.019	0.12	0.60	52	0.18	3.05	75	1.2
CC115605		0.014	0.17	0.76	48	0.06	13.10	89	1.5
CC115606		0.005	0.22	1.06	43	0.06	4.86	77	0.9
CC115607		0.007	0.28	2.29	121	0.06	11.10	201	<0.5
CC115608		0.005	0.21	3.22	77	<0.05	23.5	568	5.3
CC115609		0.006	0.21	2.78	79	<0.05	14.30	233	1.3
CC115610		0.006	0.22	3.75	127	0.05	15.15	265	1.6
CC115611		0.009	0.22	1.66	89	0.12	6.94	91	0.8
CC115612		<0.005	0.20	0.60	35	0.08	3.04	42	0.6
CC115613		<0.005	0.18	2.19	44	0.14	11.65	400	1.6
CC115614		<0.005	0.11	1.31	36	0.06	11.95	121	1.9
CC115615		<0.005	0.10	2.13	38	0.07	17.10	147	1.3
CC115616		<0.005	0.11	1.09	37	0.05	13.15	123	1.8
CC115617		<0.005	0.09	0.96	31	0.05	9.87	94	1.5
CC115618		<0.005	0.10	0.91	34	<0.05	11.55	115	1.8

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 9- AUG- 2011
Account: RCM

Project: Rackla- Trent Ex

CERTIFICATE OF ANALYSIS WH11125936

Method	CERTIFICATE COMMENTS
ALL METHODS	NSS is non- sufficient sample.
ME- MS41	Gold determinations by this method are semi- quantitative due to the small sample weight used (0.5g).

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 9- AUG- 2011
Account: RCM

CERTIFICATE WH11127774

Project: Rackla- Trent North Silts

P.O. No.:

This report is for 31 Silt samples submitted to our lab in Whitehorse, YT, Canada on 8- JUL- 2011.

The following have access to data associated with this certificate:

ROB CARNE JULIA LANE	ANDREW CARNE JOAN MARIACHER	MATT DUMALA

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
SCR- 41	Screen to - 180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- ST43	Super Trace Au - 25g AR	ICP- MS
ME- MS41	51 anal. aqua regia ICPMS	

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 9- AUG- 2011
Account: RCM

Project: Rackla- Trent North Silts

CERTIFICATE OF ANALYSIS WH11127774

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg .02	Au- ST43 Au ppm 0.0001	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1
CC115991		0.31	0.0014	1.43	0.41	12.3	<0.2	<10	1270	0.24	0.13	0.76	1.15	19.00	5.3	18
CC115992		Destroyed														
CC115993		0.37	0.0014	1.01	0.48	9.6	<0.2	<10	1030	0.34	0.13	1.02	0.99	16.50	5.2	17
CC115994		0.35	0.0018	1.09	0.67	12.3	<0.2	<10	930	0.41	0.15	1.36	0.94	16.65	7.8	20
CC115995		0.39	0.0017	1.20	0.70	9.8	<0.2	<10	780	0.46	0.17	0.99	0.69	19.45	8.1	19
CC115996		0.44	0.0013	0.84	0.67	8.2	<0.2	<10	660	0.41	0.16	1.17	0.56	17.75	8.0	17
CC115997		0.36	0.0018	0.83	0.84	8.8	<0.2	<10	610	0.49	0.17	1.29	0.55	16.85	9.5	19
CC115998		0.32	0.0012	0.66	0.89	8.4	<0.2	<10	570	0.46	0.18	1.84	0.39	15.90	9.3	20
CC115999		0.29	0.0016	0.70	0.95	8.0	<0.2	<10	540	0.41	0.18	1.60	0.51	16.80	9.5	20
CC116000		0.37	0.0009	0.63	0.84	7.8	<0.2	<10	660	0.41	0.16	1.33	0.37	16.75	8.7	18
CC115101		0.37	0.0008	0.71	0.69	8.2	<0.2	<10	480	0.35	0.12	1.21	0.37	15.70	7.4	15
CC115102		0.38	0.0008	0.65	0.69	7.8	<0.2	<10	540	0.32	0.12	1.07	0.40	16.15	6.7	15
CC115104		0.43	0.0007	0.75	0.68	9.0	<0.2	<10	470	0.34	0.13	1.42	0.42	16.20	7.2	15
CC129516		0.62	0.0008	1.36	0.21	17.1	<0.2	<10	450	0.17	0.16	0.39	0.42	15.40	4.4	10
CC129517		0.11	0.0012	1.09	0.39	14.4	<0.2	<10	650	0.31	0.13	0.59	0.59	15.75	5.6	13
CC129518		0.60	0.0013	1.15	0.73	13.8	<0.2	<10	690	0.41	0.19	1.10	0.62	17.00	9.0	17
CC129519		0.44	0.0008	0.95	0.45	12.8	<0.2	<10	660	0.29	0.15	0.92	0.53	16.15	6.8	13
CC129520		0.38	0.0019	1.51	0.37	12.1	<0.2	<10	1160	0.27	0.16	0.77	0.90	15.80	7.5	14
CC129521		0.40	0.0011	1.16	0.43	14.5	<0.2	<10	600	0.29	0.17	0.94	0.72	14.25	7.9	13
CC129522		0.60	0.0016	0.69	1.56	10.1	<0.2	<10	360	0.75	0.26	1.06	0.39	22.8	16.7	27
CC129523		0.36	0.0008	0.95	0.57	11.6	<0.2	<10	680	0.32	0.16	0.58	0.47	13.85	7.4	16
CC129524		0.87	0.0011	0.61	1.23	9.8	<0.2	<10	550	0.72	0.22	3.85	0.38	17.75	14.2	21
CC129525		0.51	0.0007	0.91	0.52	11.0	<0.2	<10	730	0.27	0.15	0.71	0.36	14.15	6.7	14
CC129526		0.53	0.0016	0.89	0.70	11.2	<0.2	<10	710	0.39	0.17	1.55	0.52	14.60	8.9	16
CC129527		0.66	0.0010	1.27	1.01	12.5	<0.2	<10	520	0.58	0.20	1.36	0.53	18.10	10.4	19
CC129528		0.80	0.0013	0.46	1.10	7.4	<0.2	<10	430	0.53	0.17	1.07	0.46	18.20	11.0	21
CC129529		0.35	0.0010	0.36	1.05	7.0	<0.2	<10	450	0.45	0.17	0.89	0.32	17.20	9.3	21
CC129530		0.38	0.0017	0.52	1.10	7.5	<0.2	<10	460	0.55	0.18	1.48	0.48	16.10	10.5	20
CC129531		0.36	0.0008	0.77	0.70	9.1	<0.2	<10	610	0.38	0.17	0.99	0.42	14.90	7.6	16
CC129532		0.45	0.0010	0.69	0.71	9.4	<0.2	<10	920	0.38	0.16	2.55	0.44	15.20	8.6	15
CC129533		0.43	0.0008	0.61	0.70	9.0	<0.2	<10	570	0.34	0.15	2.23	0.43	13.95	8.5	15

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 9- AUG- 2011
Account: RCM

Project: Rackla- Trent North Silts

CERTIFICATE OF ANALYSIS WH11127774

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
CC115991		0.89	32.8	1.94	1.33	<0.05	0.04	0.11	0.025	0.06	14.0	4.8	0.24	141	2.92	0.01
CC115992																
CC115993		1.14	29.5	1.94	1.44	<0.05	0.05	0.11	0.027	0.07	11.2	6.5	0.34	139	2.26	0.01
CC115994		0.90	36.0	2.43	1.97	<0.05	0.06	0.15	0.028	0.09	10.2	9.5	0.40	217	2.00	0.01
CC115995		1.05	32.7	2.26	2.02	0.05	0.06	0.11	0.026	0.09	12.2	10.9	0.36	261	1.51	0.01
CC115996		0.99	26.7	2.14	1.94	<0.05	0.05	0.10	0.022	0.08	10.1	11.9	0.49	220	1.23	0.01
CC115997		0.95	32.5	2.41	2.46	<0.05	0.07	0.13	0.025	0.09	9.5	16.0	0.51	337	1.19	0.01
CC115998		1.14	28.7	2.59	2.46	0.14	0.06	0.10	0.023	0.08	8.4	21.2	0.73	341	1.12	0.01
CC115999		1.13	29.8	2.56	2.72	0.14	0.07	0.12	0.030	0.10	9.0	20.2	0.73	301	1.01	0.01
CC116000		0.99	25.7	2.40	2.53	0.14	0.06	0.11	0.025	0.08	9.0	18.2	0.68	221	0.90	0.01
CC115101		0.88	22.3	1.98	2.14	0.15	0.05	0.11	0.022	0.08	9.2	13.6	0.49	228	0.92	0.01
CC115102		0.73	19.9	2.01	2.07	0.13	0.05	0.09	0.022	0.08	9.1	12.4	0.51	187	1.10	0.01
CC115104		0.94	23.2	2.06	2.03	0.14	0.05	0.10	0.022	0.07	9.2	12.5	0.51	189	1.49	0.01
CC129516		0.97	44.7	1.97	0.62	0.15	<0.02	0.14	0.024	0.05	10.3	1.4	0.03	81	3.14	0.01
CC129517		0.69	35.0	1.88	1.23	0.15	0.02	0.09	0.029	0.06	9.3	5.9	0.13	403	2.27	0.01
CC129518		1.14	41.2	2.70	2.14	0.15	0.05	0.11	0.028	0.10	9.5	10.7	0.40	222	2.44	0.01
CC129519		0.87	32.9	2.08	1.36	0.14	0.02	0.08	0.025	0.07	9.7	7.7	0.31	213	2.26	0.01
CC129520		1.07	40.1	2.28	1.06	0.15	0.04	0.14	0.028	0.06	10.2	4.7	0.15	129	2.48	0.01
CC129521		1.06	37.4	2.34	1.19	0.14	0.02	0.11	0.027	0.07	8.3	6.8	0.31	212	2.43	0.01
CC129522		1.37	51.3	3.86	4.59	0.16	0.10	0.13	0.037	0.15	11.3	31.7	0.87	433	1.26	0.01
CC129523		0.93	31.3	2.25	1.58	0.14	0.05	0.10	0.027	0.06	8.0	12.7	0.27	148	1.80	0.01
CC129524		1.31	44.0	3.23	3.56	0.15	0.07	0.10	0.027	0.13	8.9	23.1	0.92	438	1.18	0.01
CC129525		0.84	29.3	2.19	1.53	0.14	0.05	0.10	0.024	0.06	7.9	9.8	0.24	150	1.80	0.01
CC129526		0.97	38.7	2.50	2.13	0.14	0.06	0.11	0.027	0.07	8.5	13.4	0.50	287	1.83	0.01
CC129527		1.02	43.5	2.91	2.98	0.16	0.08	0.11	0.032	0.11	10.1	16.2	0.59	350	2.27	0.01
CC129528		0.92	29.8	2.86	3.22	0.13	0.06	0.11	0.027	0.08	8.9	24.3	0.62	365	1.05	0.01
CC129529		0.89	25.0	2.71	3.00	0.14	0.06	0.10	0.027	0.08	8.2	23.7	0.56	279	0.83	0.01
CC129530		0.79	33.0	2.85	3.13	0.14	0.07	0.11	0.026	0.09	8.3	20.5	0.56	349	1.01	0.01
CC129531		0.95	29.8	2.18	2.01	0.14	0.05	0.11	0.026	0.07	8.4	14.8	0.46	148	1.38	0.01
CC129532		0.98	29.1	2.45	2.05	0.14	0.04	0.09	0.024	0.08	8.5	14.2	0.78	231	1.49	0.02
CC129533		1.00	28.3	2.35	2.03	0.14	0.04	0.08	0.023	0.07	7.6	14.8	0.62	306	1.44	0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 9- AUG- 2011
Account: RCM

Project: Rackla- Trent North Silts

CERTIFICATE OF ANALYSIS WH11127774

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
CC115991		0.18	59.2	1420	8.2	6.8	0.003	0.07	1.27	2.7	2.7	0.3	48.5	<0.01	0.10	1.4
CC115992																
CC115993		0.14	47.7	1210	8.7	8.0	0.002	0.08	1.06	2.7	2.3	0.3	45.4	<0.01	0.08	1.4
CC115994		0.15	45.9	1330	10.2	7.8	0.004	0.13	0.97	3.0	2.6	0.3	52.9	<0.01	0.05	1.6
CC115995		0.14	42.8	1050	10.8	8.7	0.003	0.08	0.83	3.2	1.9	0.3	46.3	<0.01	0.06	2.0
CC115996		0.11	36.4	920	10.6	7.6	0.002	0.06	0.73	2.7	1.4	0.2	42.4	<0.01	0.07	1.9
CC115997		0.13	40.8	860	11.7	7.2	0.002	0.08	0.78	3.4	1.6	0.3	38.3	<0.01	0.09	1.8
CC115998		0.12	39.0	720	13.4	6.4	0.002	0.06	0.68	3.3	1.2	0.2	49.3	<0.01	0.05	2.3
CC115999		0.13	38.7	820	12.2	7.3	0.002	0.08	0.63	3.6	1.1	0.3	45.0	<0.01	0.04	2.2
CC116000		0.11	33.7	750	11.2	6.4	0.002	0.07	0.56	3.2	1.1	0.2	38.9	<0.01	0.04	2.2
CC115101		0.09	29.5	850	8.8	6.7	0.002	0.06	0.57	2.6	1.2	0.2	46.1	<0.01	0.03	2.0
CC115102		0.09	28.2	890	8.5	5.5	0.003	0.06	0.53	2.4	1.5	0.2	43.0	<0.01	0.03	2.1
CC115104		0.09	32.9	860	8.9	5.8	0.003	0.05	0.63	2.6	1.4	0.2	54.2	<0.01	0.03	2.0
CC129516		<0.05	56.1	1190	8.7	3.8	0.004	0.04	1.29	1.7	3.3	0.2	95.4	<0.01	0.16	1.7
CC129517		0.07	34.2	1150	8.5	5.8	0.005	0.08	0.87	2.3	2.3	0.3	75.8	<0.01	0.08	1.6
CC129518		0.11	45.4	1110	12.6	6.3	0.004	0.09	1.02	3.5	3.0	0.3	88.0	<0.01	0.08	2.4
CC129519		0.06	41.5	990	9.6	4.8	0.007	0.07	0.94	2.6	2.8	0.2	75.2	<0.01	0.09	2.1
CC129520		0.06	71.6	1380	10.5	6.6	0.005	0.10	1.13	2.6	3.8	0.2	85.5	<0.01	0.10	1.7
CC129521		0.05	57.7	1210	10.4	5.5	0.005	0.10	1.03	2.7	3.5	0.2	77.4	<0.01	0.09	2.0
CC129522		0.14	47.8	790	18.3	8.3	0.002	0.06	0.74	6.1	1.4	0.3	47.6	<0.01	0.05	3.4
CC129523		0.06	45.2	990	10.3	5.0	0.004	0.06	0.89	2.8	2.6	0.3	57.7	<0.01	0.09	2.0
CC129524		0.14	36.4	710	16.3	6.8	0.002	0.06	0.61	5.1	1.7	0.3	127.0	<0.01	0.03	3.0
CC129525		0.06	38.3	940	10.0	4.5	0.005	0.06	0.84	2.5	2.6	0.2	57.3	<0.01	0.07	1.9
CC129526		0.09	43.4	900	12.8	5.4	0.003	0.06	0.82	3.4	2.3	0.2	71.1	<0.01	0.08	2.1
CC129527		0.11	41.8	930	13.9	6.5	0.003	0.04	0.82	4.3	2.6	0.3	77.6	<0.01	0.06	2.9
CC129528		0.13	51.0	690	12.8	6.2	0.001	0.05	0.58	3.7	1.2	0.2	41.2	<0.01	0.04	2.2
CC129529		0.12	32.4	640	11.7	5.7	0.001	0.05	0.49	3.4	0.8	0.2	32.2	<0.01	0.02	2.2
CC129530		0.14	35.4	810	12.4	6.5	0.002	0.09	0.59	3.8	1.4	0.3	51.5	<0.01	0.03	1.8
CC129531		0.08	42.0	870	10.9	5.7	0.003	0.06	0.68	3.1	2.1	0.2	54.9	<0.01	0.06	2.2
CC129532		0.08	38.9	950	11.4	5.0	0.002	0.12	0.71	3.0	1.6	0.2	93.3	<0.01	0.03	2.5
CC129533		0.07	39.2	800	10.9	4.9	0.003	0.06	0.66	3.0	1.8	0.2	77.2	<0.01	0.03	2.2

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 9- AUG- 2011
Account: RCM

Project: Rackla- Trent North Silts

CERTIFICATE OF ANALYSIS WH11127774

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
CC115991		0.007	0.13	1.36	28	0.10	19.95	185	1.3
CC115992									
CC115993		<0.005	0.11	1.12	24	0.06	15.55	147	1.4
CC115994		<0.005	0.12	0.95	26	<0.05	14.30	134	1.6
CC115995		<0.005	0.12	0.74	25	<0.05	14.15	132	1.7
CC115996		<0.005	0.10	0.64	22	<0.05	10.20	123	1.4
CC115997		<0.005	0.10	0.71	26	<0.05	12.60	119	2.0
CC115998		0.006	0.08	0.69	24	<0.05	10.75	124	2.0
CC115999		<0.005	0.09	0.69	25	<0.05	12.25	130	2.0
CC116000		<0.005	0.08	0.58	23	<0.05	9.85	105	1.9
CC115101		<0.005	0.08	0.70	21	<0.05	9.68	104	1.6
CC115102		<0.005	0.07	0.79	22	<0.05	8.85	114	1.4
CC115104		<0.005	0.09	0.76	22	<0.05	9.77	116	1.5
CC129516		<0.005	0.10	0.92	20	<0.05	11.65	173	0.5
CC129517		<0.005	0.13	1.08	19	<0.05	10.50	125	0.7
CC129518		<0.005	0.15	1.12	26	0.06	13.60	152	1.6
CC129519		<0.005	0.11	1.01	20	<0.05	12.15	141	0.8
CC129520		<0.005	0.16	1.22	20	<0.05	15.60	205	1.2
CC129521		<0.005	0.13	1.18	19	<0.05	13.75	184	0.9
CC129522		<0.005	0.13	0.76	34	<0.05	13.05	138	3.3
CC129523		<0.005	0.10	1.20	21	<0.05	12.35	148	1.5
CC129524		<0.005	0.12	0.72	28	<0.05	11.50	120	2.5
CC129525		<0.005	0.11	1.16	20	<0.05	11.25	134	1.6
CC129526		<0.005	0.10	0.86	21	<0.05	12.55	139	1.9
CC129527		<0.005	0.12	0.84	28	<0.05	11.55	132	2.8
CC129528		<0.005	0.08	0.80	27	<0.05	10.15	133	2.0
CC129529		<0.005	0.07	0.70	25	<0.05	8.83	110	1.9
CC129530		<0.005	0.07	1.00	28	<0.05	10.75	122	2.1
CC129531		<0.005	0.10	0.90	21	<0.05	11.05	139	1.5
CC129532		<0.005	0.10	0.87	22	<0.05	11.45	136	1.5
CC129533		<0.005	0.09	0.80	20	<0.05	9.86	131	1.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 9- AUG- 2011
Account: RCM

Project: Rackla- Trent North Silts

CERTIFICATE OF ANALYSIS WH11127774

Method	CERTIFICATE COMMENTS
ME- MS41	Gold determinations by this method are semi- quantitative due to the small sample weight used (0.5g).

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 15- AUG- 2011
Account: RCM

CERTIFICATE WH11127775

Project: Rackla- Sian Soil

P.O. No.:

This report is for 49 Soil samples submitted to our lab in Whitehorse, YT, Canada on 8- JUL- 2011.

The following have access to data associated with this certificate:

ROB CARNE JULIA LANE	ANDREW CARNE JOAN MARIACHER	MATT DUMALA

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
SCR- 41	Screen to - 180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- TL43	Trace Level Au - 25g AR	ICP- MS
ME- MS41	51 anal. aqua regia ICPMS	

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 15- AUG- 2011
Account: RCM

Project: Rackla- Sian Soil

CERTIFICATE OF ANALYSIS WH11127775

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- TL43 Au ppm 0.001	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1
CC115655		0.22	0.001	0.91	1.27	19.1	<0.2	<10	1530	0.83	0.22	1.87	6.47	18.75	15.6	26
CC115656		0.27	0.003	1.50	1.26	19.0	<0.2	<10	2810	0.77	0.22	0.89	3.33	17.75	10.1	34
CC115657		0.23	0.002	1.56	0.96	17.6	<0.2	<10	2560	0.54	0.20	1.80	1.41	11.30	8.3	27
CC115658		0.32	0.001	0.31	1.54	27.7	<0.2	<10	710	0.77	0.22	0.12	1.70	13.35	7.1	30
CC115659		0.46	0.001	0.83	1.32	15.3	<0.2	<10	380	0.36	0.26	0.05	0.33	14.80	5.0	23
CC115660		0.38	0.001	0.13	1.42	23.6	<0.2	<10	160	0.33	0.28	0.05	0.29	14.95	9.5	26
CC115661		0.43	0.001	0.16	1.71	15.1	<0.2	<10	410	0.49	0.27	0.06	0.22	16.10	7.3	27
CC115662		0.24	0.007	0.81	0.33	14.3	<0.2	<10	240	0.73	0.20	2.12	1.88	17.75	13.5	7
CC115663		0.40	0.011	0.76	0.34	14.9	<0.2	<10	220	0.82	0.22	1.52	0.72	23.4	14.6	8
CC115664		0.44	0.004	0.66	0.43	17.5	<0.2	<10	270	0.73	0.18	1.20	0.80	24.3	11.8	8
CC115665		0.36	0.004	0.36	0.87	13.4	<0.2	<10	450	0.76	0.21	0.77	0.32	24.0	9.2	14
CC115666		0.36	0.003	0.46	0.70	15.6	<0.2	<10	290	0.64	0.20	0.71	0.42	24.7	9.0	10
CC115667		0.28	0.002	0.36	0.60	13.0	<0.2	<10	210	0.72	0.14	1.21	0.37	59.6	16.5	10
CC115668		0.25	0.002	0.31	0.98	13.1	<0.2	<10	200	0.70	0.15	1.13	0.32	63.6	20.8	16
CC115669		0.35	0.001	0.49	0.92	29.3	<0.2	<10	220	0.86	0.21	0.79	0.42	82.9	21.1	17
CC115670		0.32	0.001	0.10	1.04	17.9	<0.2	<10	240	0.66	0.19	0.96	0.19	54.3	19.2	24
CC115671		0.35	0.001	1.21	1.17	12.4	<0.2	<10	240	0.80	0.23	0.50	1.27	22.6	7.9	20
CC115672		0.35	0.001	0.13	1.43	17.9	<0.2	<10	180	0.63	0.28	0.08	0.44	20.7	9.9	24
CC115673		0.43	0.001	0.41	0.83	23.6	<0.2	<10	280	0.42	0.23	0.20	0.49	16.35	7.0	17
CC115674		0.38	0.001	0.25	1.74	13.9	<0.2	<10	250	0.70	0.23	0.30	1.03	60.8	19.1	21
CC115675		0.49	0.001	0.07	1.53	10.9	<0.2	<10	110	0.53	0.22	0.10	0.26	27.6	9.7	23
CC115676		0.39	0.001	0.14	1.82	14.3	<0.2	<10	130	0.70	0.20	0.35	0.66	63.5	31.6	29
CC115677		0.55	0.001	0.14	1.11	13.2	<0.2	<10	80	0.43	0.23	0.08	0.31	33.1	12.9	18
CC115678		0.40	0.001	0.19	1.63	12.8	<0.2	<10	170	0.66	0.18	0.31	0.47	39.5	19.2	21
CC115679		0.49	0.001	0.11	1.77	11.1	<0.2	<10	160	0.58	0.16	0.08	0.48	35.9	16.4	37
CC129703		0.49	0.002	1.57	0.96	44	<0.2	<10	3210	0.76	0.15	15.55	48.0	9.17	49.6	27
CC129704		0.36	0.001	0.38	0.74	19.9	<0.2	<10	370	0.26	0.28	0.07	0.58	11.70	3.7	17
CC129705		0.42	0.001	0.25	1.10	12.5	<0.2	<10	480	0.27	0.22	0.14	0.32	10.80	3.2	17
CC129706		0.38	<0.001	0.28	1.02	12.6	<0.2	<10	530	0.37	0.26	0.12	0.83	13.55	4.3	20
CC129707		0.33	0.001	0.26	0.96	13.0	<0.2	<10	290	0.39	0.22	0.07	0.42	14.50	4.8	17
CC129708		0.36	0.001	0.19	0.78	17.1	<0.2	<10	320	0.52	0.24	0.46	0.65	13.65	6.2	15
CC129709		0.34	0.006	0.94	0.34	30.4	<0.2	<10	150	0.91	0.25	0.91	1.52	23.3	16.8	9
CC129710		0.44	0.006	0.75	0.35	20.0	<0.2	<10	190	0.63	0.18	1.17	1.21	25.5	15.2	10
CC129711		0.38	0.001	0.13	0.66	15.8	<0.2	<10	300	0.52	0.20	0.17	0.43	14.55	11.4	14
CC129712		0.40	0.002	0.13	0.87	18.9	<0.2	<10	190	0.48	0.21	0.08	0.42	25.9	8.4	14
CC129713		0.44	0.001	0.16	0.97	16.9	<0.2	<10	120	0.43	0.22	0.19	0.54	22.1	9.8	18
CC129714		0.48	0.002	0.08	1.97	12.8	<0.2	<10	170	0.59	0.22	0.06	0.38	29.2	16.6	27
CC129715		0.48	0.005	0.42	0.68	22.2	<0.2	<10	370	0.64	0.19	0.54	0.67	36.2	11.3	15
CC129716		0.40	0.001	0.06	1.59	10.8	<0.2	<10	110	0.28	0.21	0.06	0.13	24.2	8.5	26
CC129717		0.38	0.002	0.08	1.59	16.3	<0.2	<10	190	0.63	0.23	0.11	0.44	32.8	11.0	24

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 15- AUG- 2011
Account: RCM

Project: Rackla- Sian Soil

CERTIFICATE OF ANALYSIS WH11127775

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
CC115655		0.74	32.9	3.02	3.69	0.08	0.06	0.18	0.036	0.07	12.6	12.3	0.30	382	5.03	0.01
CC115656		1.15	38.3	2.90	3.78	0.08	0.07	0.30	0.039	0.07	11.5	13.2	0.29	279	6.35	0.01
CC115657		0.84	37.3	2.22	2.96	0.06	0.08	0.42	0.034	0.06	7.7	10.6	0.24	291	5.67	0.01
CC115658		1.82	31.7	2.63	5.15	0.06	<0.02	0.05	0.031	0.07	6.8	8.9	0.18	313	7.38	0.01
CC115659		1.93	16.0	2.50	5.84	0.05	<0.02	0.08	0.029	0.05	7.2	7.2	0.11	206	6.79	<0.01
CC115660		1.45	23.0	4.01	6.23	0.06	0.02	0.08	0.031	0.05	6.5	12.9	0.34	504	2.84	<0.01
CC115661		1.84	20.8	3.23	6.23	0.05	<0.02	0.04	0.032	0.06	7.2	14.3	0.30	370	2.40	0.01
CC115662		0.66	66.2	2.88	1.00	0.08	0.10	0.21	0.042	0.06	8.8	2.4	0.21	342	5.84	0.01
CC115663		0.69	103.0	3.27	1.01	0.08	0.10	0.23	0.046	0.08	11.9	2.5	0.18	251	5.73	0.01
CC115664		0.31	61.6	2.89	1.20	0.07	0.10	0.18	0.039	0.06	10.8	4.0	0.12	302	6.23	<0.01
CC115665		0.46	46.0	2.88	2.68	0.07	0.10	0.12	0.037	0.06	11.6	10.5	0.21	336	3.57	<0.01
CC115666		0.56	35.5	2.78	2.02	0.07	0.06	0.08	0.036	0.05	10.5	5.7	0.10	230	6.43	<0.01
CC115667		1.10	38.7	3.99	2.05	0.11	0.10	0.15	0.041	0.15	30.6	7.3	0.16	401	2.63	0.01
CC115668		1.87	43.6	4.37	3.54	0.13	0.11	0.08	0.044	0.15	31.0	16.3	0.40	393	3.21	0.01
CC115669		5.55	42.2	5.40	3.66	0.15	0.06	0.19	0.051	0.15	41.0	12.7	0.23	558	3.78	0.01
CC115670		1.38	28.2	4.83	4.52	0.10	0.04	0.06	0.038	0.09	21.6	10.5	0.16	1250	9.52	0.01
CC115671		2.70	28.6	3.02	4.03	0.07	0.02	0.19	0.034	0.08	10.6	16.8	0.32	285	4.29	<0.01
CC115672		3.06	25.2	3.81	5.38	0.06	<0.02	0.04	0.033	0.07	8.8	17.4	0.33	712	2.11	<0.01
CC115673		1.39	28.0	2.76	4.26	0.05	<0.02	0.10	0.028	0.09	7.9	4.4	0.11	343	4.46	<0.01
CC115674		2.63	36.3	5.43	6.24	0.12	0.03	0.07	0.047	0.08	25.6	29.8	0.58	687	2.67	<0.01
CC115675		1.90	22.3	3.11	5.06	0.06	<0.02	0.04	0.030	0.05	12.6	15.9	0.34	389	1.90	0.01
CC115676		3.06	54.6	5.79	5.24	0.12	0.06	0.07	0.053	0.07	27.0	27.4	0.72	611	2.93	0.01
CC115677		1.12	41.4	4.64	4.30	0.07	0.02	0.04	0.041	0.06	17.6	9.4	0.22	273	3.02	<0.01
CC115678		1.26	40.8	4.58	5.19	0.08	0.04	0.03	0.043	0.08	18.3	23.8	0.52	716	2.71	0.01
CC115679		1.82	29.0	4.21	5.53	0.08	0.02	0.04	0.037	0.06	16.1	18.5	0.45	656	3.85	0.01
CC129703		0.75	53.1	6.20	1.16	0.18	0.14	1.16	0.042	0.04	11.2	2.1	0.04	686	74.9	0.04
CC129704		1.47	17.5	2.46	4.42	0.06	<0.02	0.06	0.038	0.08	6.0	3.5	0.08	101	13.60	0.01
CC129705		1.24	15.7	2.01	4.84	<0.05	<0.02	0.07	0.023	0.03	5.8	5.4	0.12	85	4.64	0.01
CC129706		1.26	14.1	2.09	4.89	<0.05	<0.02	0.04	0.023	0.06	7.1	7.5	0.21	261	4.93	0.01
CC129707		1.32	21.8	2.14	3.81	<0.05	<0.02	0.07	0.028	0.04	7.5	8.8	0.17	132	6.43	0.01
CC129708		0.93	28.6	2.61	3.51	<0.05	0.02	0.06	0.031	0.07	7.2	5.0	0.17	176	6.31	0.01
CC129709		1.06	80.1	4.00	1.35	0.10	0.19	0.38	0.055	0.08	12.8	2.0	0.07	316	7.43	<0.01
CC129710		0.80	78.9	3.55	1.08	0.08	0.13	0.25	0.042	0.09	13.4	2.6	0.11	283	6.03	0.01
CC129711		0.75	41.0	3.43	2.27	0.05	0.04	0.03	0.038	0.05	7.1	2.9	0.07	257	5.89	0.01
CC129712		0.58	50.7	3.33	2.90	0.05	0.02	0.04	0.037	0.06	12.3	5.9	0.11	273	6.42	0.01
CC129713		0.95	24.6	2.98	4.08	0.06	0.02	0.06	0.029	0.05	9.4	13.2	0.27	560	3.85	0.01
CC129714		1.78	20.1	4.18	6.11	0.06	0.02	0.05	0.033	0.06	13.8	14.4	0.29	879	3.46	0.01
CC129715		0.60	58.5	3.40	2.15	0.08	0.08	0.21	0.037	0.09	19.7	6.3	0.14	250	5.76	0.01
CC129716		1.68	17.4	2.80	6.10	0.05	<0.02	0.04	0.027	0.05	12.3	12.1	0.31	258	2.87	0.01
CC129717		1.47	31.0	4.09	4.72	0.08	0.03	0.04	0.040	0.06	15.3	15.2	0.28	372	4.84	0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 15- AUG- 2011
Account: RCM

Project: Rackla- Sian Soil

CERTIFICATE OF ANALYSIS WH11127775

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
CC115655		0.49	80.3	2300	13.3	8.7	0.001	0.11	1.57	3.6	3.4	0.4	44.1	0.01	0.10	0.9
CC115656		0.39	68.3	2150	13.9	12.0	0.002	0.12	2.16	3.6	3.6	0.5	85.2	0.01	0.11	1.0
CC115657		0.30	49.2	1730	11.8	8.3	0.003	0.14	1.17	3.5	4.0	0.4	73.3	0.01	0.16	0.9
CC115658		0.22	53.7	3340	10.9	20.9	<0.001	0.11	2.35	0.5	2.4	0.6	91.9	<0.01	0.04	<0.2
CC115659		0.16	14.6	2170	12.3	13.2	<0.001	0.07	2.15	0.4	2.3	0.8	18.8	<0.01	0.07	<0.2
CC115660		0.50	20.2	1240	18.2	15.3	<0.001	0.07	0.72	1.3	1.1	0.5	8.6	<0.01	0.06	0.3
CC115661		0.35	17.5	1860	13.4	16.9	<0.001	0.08	0.61	0.9	1.0	0.6	9.8	<0.01	0.05	0.2
CC115662		0.16	36.4	1810	19.9	4.8	0.003	0.13	2.36	4.6	2.6	0.3	64.2	<0.01	0.07	1.0
CC115663		0.12	43.7	1930	19.7	4.7	0.001	0.07	2.07	7.4	2.1	0.3	55.5	0.01	0.08	1.9
CC115664		0.15	35.8	1280	18.8	4.2	0.001	0.06	1.90	5.8	1.7	0.2	41.5	0.01	0.07	1.8
CC115665		0.22	27.4	1200	14.0	8.6	<0.001	0.08	1.11	4.7	1.4	0.3	36.6	<0.01	0.06	1.4
CC115666		0.15	25.7	1530	17.5	8.0	0.001	0.04	1.58	3.1	1.2	0.3	27.4	<0.01	0.06	1.0
CC115667		0.20	34.3	1960	18.2	8.9	0.001	0.09	0.87	6.7	1.5	0.3	34.9	0.01	0.03	2.3
CC115668		0.25	45.7	1610	19.4	11.0	0.001	0.10	0.91	6.9	1.3	0.4	36.7	0.01	0.02	2.8
CC115669		0.28	45.7	2000	26.3	14.0	0.001	0.07	0.98	5.9	1.7	0.5	33.4	0.01	0.03	1.8
CC115670		0.43	39.2	1330	17.4	13.8	<0.001	0.08	0.66	3.3	1.0	0.5	41.4	0.01	0.03	0.8
CC115671		0.36	27.3	990	12.8	15.2	0.001	0.05	1.53	1.6	1.5	0.5	18.9	<0.01	0.03	0.4
CC115672		0.35	21.2	820	18.4	16.6	<0.001	0.06	0.85	0.8	0.9	0.5	9.8	<0.01	0.06	<0.2
CC115673		0.17	20.4	1880	14.2	14.8	0.001	0.10	1.42	0.4	1.4	0.5	13.3	<0.01	0.05	<0.2
CC115674		0.55	27.7	1920	25.3	10.6	0.001	0.05	0.79	3.1	1.2	0.5	19.7	<0.01	0.04	1.7
CC115675		0.17	20.3	1770	12.7	12.6	<0.001	0.04	0.70	0.4	0.9	0.5	10.1	<0.01	0.03	<0.2
CC115676		0.37	60.6	2090	26.8	7.7	0.001	0.02	1.14	3.9	1.5	0.4	22.8	<0.01	0.03	2.4
CC115677		0.54	31.7	1340	18.9	13.6	<0.001	0.01	0.87	3.0	1.0	0.5	10.3	<0.01	0.04	2.2
CC115678		0.34	30.6	2130	19.8	9.5	0.001	0.05	0.93	1.7	1.0	0.4	20.7	<0.01	0.03	0.8
CC115679		0.23	35.8	1810	14.8	12.0	0.001	0.07	0.93	0.5	1.1	0.4	13.6	<0.01	0.03	<0.2
CC129703		0.09	495	2910	10.3	3.7	0.001	0.08	3.51	4.3	26.4	0.7	117.5	0.01	0.23	1.9
CC129704		0.45	17.4	810	15.3	12.8	0.001	0.16	2.35	0.9	6.9	0.5	80.4	<0.01	0.09	<0.2
CC129705		0.26	15.9	1070	10.0	7.1	<0.001	0.05	0.98	0.4	1.4	0.5	20.2	<0.01	0.05	<0.2
CC129706		0.23	15.8	1200	10.0	11.6	0.001	0.09	1.04	0.5	1.1	0.6	21.4	<0.01	0.04	<0.2
CC129707		0.21	20.4	1100	12.2	9.5	0.001	0.05	1.41	0.5	1.5	0.4	23.3	<0.01	0.06	<0.2
CC129708		0.25	24.8	1350	13.9	10.0	0.001	0.06	1.43	1.1	1.4	0.4	36.6	<0.01	0.06	0.2
CC129709		0.11	50.1	1860	27.2	7.2	0.002	0.08	2.60	7.1	2.7	0.3	40.2	0.01	0.12	2.1
CC129710		0.10	45.1	2050	17.7	5.5	0.003	0.11	1.93	6.6	2.5	0.2	47.7	<0.01	0.07	1.7
CC129711		0.16	32.7	1650	15.3	8.8	<0.001	0.04	1.06	1.8	1.1	0.3	14.2	<0.01	0.06	0.4
CC129712		0.19	28.7	1370	14.4	9.4	0.001	0.04	1.31	0.9	1.0	0.3	8.1	<0.01	0.07	0.2
CC129713		0.34	23.7	1310	15.8	7.3	0.001	0.05	1.02	1.3	1.1	0.4	17.4	<0.01	0.06	0.3
CC129714		0.44	23.9	1720	12.8	11.0	<0.001	0.07	0.92	0.8	0.9	0.5	24.4	<0.01	0.04	0.3
CC129715		0.26	39.5	1750	15.8	6.7	0.002	0.06	1.56	4.0	1.8	0.3	36.9	<0.01	0.06	1.2
CC129716		0.38	20.9	1070	9.4	10.2	<0.001	0.06	0.56	0.7	0.9	0.6	15.4	<0.01	0.03	<0.2
CC129717		0.31	29.1	1730	15.1	10.1	0.001	0.05	1.28	1.0	1.6	0.5	21.0	<0.01	0.05	0.3

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 15- AUG- 2011
Account: RCM

Project: Rackla- Sian Soil

CERTIFICATE OF ANALYSIS WH11127775

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
CC115655		0.010	0.28	2.63	80	0.16	29.3	430	1.4
CC115656		0.009	0.57	4.14	91	0.19	25.5	380	1.4
CC115657		0.005	0.21	4.52	51	0.12	21.7	195	2.2
CC115658		0.006	0.27	3.95	106	0.14	9.61	330	<0.5
CC115659		0.006	0.53	2.20	143	0.14	3.65	72	<0.5
CC115660		0.008	0.21	0.57	66	0.13	2.62	78	<0.5
CC115661		0.007	0.27	1.09	65	0.14	3.45	78	<0.5
CC115662		<0.005	0.12	1.74	23	<0.05	18.45	217	3.1
CC115663		<0.005	0.10	1.58	31	<0.05	23.6	187	3.0
CC115664		<0.005	0.10	1.26	29	<0.05	20.4	161	3.1
CC115665		<0.005	0.10	1.21	36	0.06	14.90	92	2.4
CC115666		<0.005	0.16	1.36	32	0.05	11.30	129	1.3
CC115667		<0.005	0.13	0.84	27	<0.05	18.05	104	2.5
CC115668		<0.005	0.16	0.64	31	<0.05	18.00	114	2.9
CC115669		0.006	0.32	0.82	38	0.06	22.2	142	0.9
CC115670		0.007	0.15	0.67	52	0.08	10.70	84	0.6
CC115671		0.007	0.22	1.89	39	0.11	8.59	152	<0.5
CC115672		0.009	0.14	0.71	50	0.13	4.28	99	<0.5
CC115673		<0.005	0.22	0.89	52	0.09	3.38	119	<0.5
CC115674		0.008	0.13	0.71	51	0.08	10.95	145	0.6
CC115675		0.010	0.12	0.71	44	0.17	4.59	82	<0.5
CC115676		0.008	0.12	0.63	47	0.06	13.95	156	1.2
CC115677		0.010	0.17	0.51	46	0.08	4.21	118	0.5
CC115678		0.008	0.11	0.77	48	0.18	7.26	120	0.7
CC115679		0.005	0.16	0.79	53	0.07	6.68	108	<0.5
CC129703		<0.005	0.99	15.35	129	0.28	85.1	2770	5.0
CC129704		0.014	1.05	1.54	126	0.26	3.73	82	<0.5
CC129705		0.009	0.44	0.98	86	0.19	3.51	62	<0.5
CC129706		0.011	0.43	1.27	79	0.15	3.97	89	<0.5
CC129707		0.009	0.55	1.25	74	0.14	5.21	79	<0.5
CC129708		0.009	0.35	1.24	75	0.12	6.57	109	<0.5
CC129709		<0.005	0.17	1.61	27	0.05	20.6	206	5.9
CC129710		<0.005	0.10	1.93	32	<0.05	19.20	179	3.3
CC129711		<0.005	0.13	1.01	41	0.07	6.36	123	0.7
CC129712		0.006	0.14	1.22	44	0.09	7.36	125	<0.5
CC129713		0.011	0.21	1.01	58	0.12	5.32	81	<0.5
CC129714		0.015	0.19	0.77	55	0.15	4.56	92	<0.5
CC129715		0.006	0.13	1.83	37	0.07	15.10	145	1.7
CC129716		0.015	0.19	0.79	54	0.16	3.16	61	<0.5
CC129717		0.010	0.23	1.24	63	0.16	7.77	109	<0.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 15- AUG- 2011
Account: RCM

Project: Rackla- Sian Soil

CERTIFICATE OF ANALYSIS WH11127775

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- TL43 Au ppm 0.001	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1
CC129718		0.37	0.002	0.09	1.77	14.0	<0.2	<10	290	0.81	0.21	0.53	0.19	43.2	14.4	26
CC129719		0.49	0.001	0.06	1.68	12.7	<0.2	<10	230	0.51	0.23	0.10	0.16	30.5	10.0	29
CC129720		0.41	0.001	0.11	0.81	10.6	<0.2	<10	100	0.30	0.21	0.04	0.48	14.80	5.2	17
CC129721		0.44	0.001	0.08	1.28	11.4	<0.2	<10	170	0.52	0.20	0.25	1.08	33.0	19.6	40
CC129722		0.31	0.001	0.05	1.11	14.3	<0.2	<10	100	0.28	0.24	0.03	0.25	23.3	10.2	23
CC129723		0.42	0.001	0.09	1.70	14.7	<0.2	<10	120	0.44	0.23	0.05	0.48	33.6	11.0	37
CC129724		0.34	0.002	0.04	1.76	15.6	<0.2	<10	90	0.61	0.17	0.07	0.54	37.7	16.2	33
CC129725		0.35	0.001	0.07	1.61	13.5	<0.2	<10	100	0.55	0.21	0.18	0.22	30.5	15.0	25
CC129726		0.36	0.001	0.42	1.26	12.7	<0.2	<10	270	0.61	0.20	0.71	1.01	38.4	17.7	40

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 15- AUG- 2011
Account: RCM

Project: Rackla- Sian Soil

CERTIFICATE OF ANALYSIS WH11127775

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
CC129718		1.24	33.8	4.81	5.82	0.09	0.06	0.04	0.046	0.08	18.1	27.2	0.56	608	3.92	0.01
CC129719		1.86	21.8	3.60	6.53	0.06	0.02	0.03	0.035	0.06	13.8	15.3	0.31	576	3.78	0.01
CC129720		1.72	18.0	2.31	4.26	<0.05	<0.02	0.04	0.021	0.06	7.4	3.8	0.11	405	4.63	0.01
CC129721		2.29	41.4	4.75	5.29	0.09	0.02	0.03	0.041	0.09	15.3	12.1	0.38	699	2.96	0.01
CC129722		1.44	29.7	4.57	5.96	0.06	<0.02	0.05	0.036	0.07	11.0	5.7	0.18	528	3.67	0.01
CC129723		1.49	22.5	4.43	6.23	0.07	0.02	0.04	0.040	0.06	14.6	17.0	0.39	491	3.01	0.01
CC129724		1.70	37.7	4.70	5.44	0.08	0.05	0.04	0.040	0.06	17.4	22.9	0.52	351	4.24	0.01
CC129725		1.88	32.1	4.23	5.76	0.07	0.03	0.04	0.038	0.06	14.1	19.4	0.43	408	3.42	0.01
CC129726		1.70	41.5	3.63	4.61	0.09	0.05	0.08	0.035	0.06	21.5	17.6	0.44	581	3.69	0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 15- AUG- 2011
Account: RCM

Project: Rackla- Sian Soil

CERTIFICATE OF ANALYSIS WH11127775

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
CC129718		0.35	39.7	1460	21.9	12.8	0.001	0.06	0.83	2.3	1.2	0.5	33.7	<0.01	0.03	1.0
CC129719		0.34	23.8	1460	11.8	14.0	<0.001	0.07	0.85	0.8	1.1	0.6	15.5	<0.01	0.04	0.2
CC129720		0.15	16.3	1330	8.9	13.9	<0.001	0.06	1.20	0.3	0.9	0.5	7.8	<0.01	0.03	<0.2
CC129721		0.21	42.3	1980	19.5	13.8	0.001	0.08	1.59	0.8	1.5	0.5	14.5	<0.01	0.04	<0.2
CC129722		0.19	23.8	1900	18.7	15.2	<0.001	0.06	1.04	0.6	1.0	0.6	5.9	<0.01	0.05	<0.2
CC129723		0.38	24.2	1210	14.7	13.1	<0.001	0.04	1.03	1.0	1.1	0.6	8.6	<0.01	0.04	0.2
CC129724		0.38	39.3	1490	15.0	10.8	0.001	0.03	1.58	2.1	1.5	0.5	9.2	<0.01	0.04	0.8
CC129725		0.44	34.5	1450	17.6	13.0	<0.001	0.03	0.91	1.5	1.0	0.5	14.2	<0.01	0.03	0.5
CC129726		0.35	50.3	1610	17.8	9.6	0.001	0.06	1.73	2.7	1.8	0.6	37.1	<0.01	0.03	0.6

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 15- AUG- 2011
Account: RCM

Project: Rackla- Sian Soil

CERTIFICATE OF ANALYSIS WH11127775

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
CC129718		0.006	0.13	1.22	48	0.06	8.68	93	1.0
CC129719		0.011	0.27	0.96	67	0.12	4.63	79	<0.5
CC129720		0.006	0.20	0.72	41	0.10	2.38	87	<0.5
CC129721		0.008	0.12	0.79	63	0.05	6.63	160	<0.5
CC129722		0.007	0.14	0.71	59	0.08	3.25	101	<0.5
CC129723		0.013	0.17	0.92	60	0.14	6.18	104	<0.5
CC129724		0.011	0.17	0.83	53	0.09	6.75	145	0.8
CC129725		0.012	0.16	0.65	46	0.12	4.28	94	0.5
CC129726		0.010	0.20	0.93	54	0.11	16.35	136	0.8

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 15- AUG- 2011
Account: RCM

Project: Rackla- Sian Soil

CERTIFICATE OF ANALYSIS WH11127775

Method	CERTIFICATE COMMENTS
ME- MS41	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown.
ME- MS41	Gold determinations by this method are semi- quantitative due to the small sample weight used (0.5g).

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 15- AUG- 2011
Account: RCM

CERTIFICATE WH11127776

Project: Rackla- Dale Soil

P.O. No.:

This report is for 62 Soil samples submitted to our lab in Whitehorse, YT, Canada on 8- JUL- 2011.

The following have access to data associated with this certificate:

ROB CARNE JULIA LANE	ANDREW CARNE JOAN MARIACHER	MATT DUMALA

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
SCR- 41	Screen to - 180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- TL43	Trace Level Au - 25g AR	ICP- MS
ME- MS41	51 anal. aqua regia ICPMS	

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 15- AUG- 2011
Account: RCM

Project: Rackla- Dale Soil

CERTIFICATE OF ANALYSIS WH11127776

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- TL43 Au ppm 0.001	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1
CC115304		0.10	0.002	0.18	1.50	13.8	<0.2	<10	310	0.83	0.23	2.40	3.78	16.15	13.4	23
CC115305		0.33	0.003	0.14	1.84	11.0	<0.2	<10	190	0.95	0.29	0.84	0.41	27.4	17.8	30
CC115307		0.26	0.002	0.11	1.73	13.0	<0.2	<10	190	1.00	0.28	1.04	0.29	21.7	16.4	27
CC115308		0.18	0.001	0.04	2.01	12.0	<0.2	<10	130	0.94	0.31	0.31	0.20	32.9	17.7	28
CC115309		0.28	0.002	0.09	1.96	9.6	<0.2	<10	190	1.17	0.31	0.33	0.23	35.8	21.4	30
CC115310		0.47	0.002	0.10	1.97	12.9	<0.2	<10	120	1.02	0.31	0.37	0.22	32.1	19.4	31
CC115311		0.37	0.002	0.14	1.97	15.6	<0.2	<10	170	1.15	0.30	0.70	0.40	28.4	20.6	32
CC115312		0.17	0.002	0.16	1.65	14.1	<0.2	<10	210	0.99	0.27	1.52	0.24	19.00	16.1	26
CC115313		0.18	0.001	0.04	0.73	11.3	<0.2	<10	40	0.14	0.27	0.03	0.06	19.40	4.7	14
CC115314		0.23	0.001	0.05	1.17	12.8	<0.2	<10	100	1.03	0.38	0.34	0.09	17.45	12.1	20
CC115315		0.24	0.001	0.05	1.82	7.9	<0.2	<10	240	1.39	0.45	0.31	0.07	16.70	16.0	29
CC115316		0.47	0.002	0.09	1.94	20.1	<0.2	<10	160	1.02	0.32	1.77	0.25	25.1	23.7	29
CC115317		0.30	0.003	0.14	1.73	23.9	<0.2	<10	140	0.94	0.31	0.97	0.34	24.7	23.6	28
CC115318		0.13	0.002	0.17	1.13	13.6	<0.2	<10	130	0.69	0.21	1.57	0.31	41.5	9.2	18
CC115319		0.17	0.001	0.04	1.07	10.3	<0.2	<10	160	1.00	0.27	1.19	0.19	51.2	9.5	27
CC115320		0.26	0.001	0.05	2.03	16.7	<0.2	<10	190	1.25	0.33	0.83	0.16	19.15	19.1	32
CC115321		0.13	0.001	0.07	1.43	9.5	<0.2	<10	130	0.73	0.23	0.80	0.23	16.00	15.7	21
CC115322		0.25	0.003	0.09	2.13	14.7	<0.2	<10	170	1.03	0.28	0.50	0.14	27.3	20.2	31
CC115323		0.29	0.002	0.06	1.99	14.0	<0.2	<10	120	0.91	0.29	0.65	0.13	24.0	18.8	28
CC115324		0.14	0.002	0.15	1.78	11.9	<0.2	<10	180	0.72	0.25	1.60	0.40	21.7	13.3	27
CC115325		0.16	0.003	0.12	1.88	10.5	<0.2	<10	200	0.82	0.26	1.59	0.31	16.80	15.9	26
CC115326		0.07	0.005	0.29	1.68	8.9	<0.2	<10	180	0.78	0.21	2.32	0.27	12.40	12.3	21
CC115327		0.19	0.002	0.12	1.62	11.8	<0.2	<10	180	0.61	0.27	0.08	0.27	19.70	15.0	27
CC115328		0.24	0.003	0.15	1.22	16.1	<0.2	<10	250	0.83	0.27	1.25	0.44	16.25	11.0	21
CC115329		0.17	0.001	0.16	1.75	10.2	<0.2	<10	110	0.65	0.29	0.08	0.27	28.9	10.8	23
CC115330		0.28	0.002	0.18	2.16	12.0	<0.2	<10	360	1.85	0.30	0.22	0.23	39.6	17.9	27
CC115331		0.23	0.004	0.30	1.82	9.9	<0.2	<10	150	1.43	0.27	1.45	0.28	13.20	13.0	24
CC115332		0.29	0.002	0.20	1.98	12.6	<0.2	<10	370	0.88	0.28	1.42	0.22	20.7	15.8	29
CC115333		0.31	0.006	0.24	1.46	20.7	<0.2	<10	580	1.00	0.26	1.79	0.67	26.9	24.2	24
CC115334		0.13	0.004	0.15	1.51	11.6	<0.2	<10	200	0.72	0.22	2.03	0.47	16.40	13.5	22
CC115335		0.20	0.003	0.21	1.82	10.4	<0.2	<10	180	0.81	0.27	0.84	0.25	26.0	16.6	29
CC115336		0.31	0.003	0.11	2.03	13.8	<0.2	<10	160	0.96	0.28	0.70	0.23	23.5	21.1	31
CC129912		0.40	0.001	0.24	2.00	35.0	<0.2	<10	270	1.34	0.29	0.82	2.74	28.5	15.5	45
CC129913		0.27	0.004	0.49	1.06	15.7	<0.2	<10	260	0.74	0.17	3.24	0.99	16.25	7.0	32
CC129914		0.31	0.001	0.15	0.64	12.1	<0.2	<10	250	0.90	0.12	2.07	0.75	34.2	11.0	27
CC129915		0.36	0.001	0.83	0.82	20.0	<0.2	<10	310	1.00	0.15	3.23	2.72	32.9	11.2	42
CC129916		0.32	<0.001	0.13	1.17	13.6	<0.2	<10	370	0.95	0.17	1.65	0.15	35.3	9.0	19
CC129917		0.30	0.003	0.80	0.79	36.6	<0.2	<10	150	0.69	0.11	6.34	2.43	9.58	5.7	12
CC129918		0.29	0.001	0.36	1.19	15.5	<0.2	<10	480	1.06	0.23	1.59	1.54	20.1	12.1	17
CC129919		0.25	<0.001	0.10	0.89	9.5	<0.2	<10	150	1.36	0.23	1.92	0.37	25.9	14.8	15

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 15- AUG- 2011
Account: RCM

Project: Rackla- Dale Soil

CERTIFICATE OF ANALYSIS WH11127776

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
CC115304		0.79	54.4	3.16	4.49	0.14	0.07	0.19	0.035	0.07	7.0	24.5	0.59	697	6.57	<0.01
CC115305		1.04	58.8	3.96	5.87	0.14	0.12	0.15	0.038	0.11	12.0	42.7	0.79	677	4.22	<0.01
CC115307		1.45	55.1	4.17	5.16	0.14	0.09	0.17	0.037	0.12	10.6	31.9	0.70	918	0.86	<0.01
CC115308		1.09	46.9	4.40	6.22	0.13	0.06	0.08	0.033	0.10	13.4	42.8	0.69	624	0.70	<0.01
CC115309		2.32	71.3	4.39	6.04	0.15	0.17	0.09	0.031	0.15	15.1	49.0	0.93	522	0.87	0.01
CC115310		1.65	60.8	4.79	6.31	0.15	0.12	0.17	0.045	0.14	14.0	43.9	0.86	516	0.68	0.01
CC115311		1.49	66.8	4.89	6.49	0.15	0.11	0.18	0.046	0.13	11.1	42.6	0.79	268	1.26	0.01
CC115312		0.92	57.3	4.04	4.95	0.12	0.07	0.17	0.041	0.11	8.7	28.6	0.64	737	0.99	0.01
CC115313		0.94	14.3	2.65	6.54	0.11	<0.02	0.05	0.017	0.03	9.0	5.1	0.10	124	1.50	<0.01
CC115314		0.69	34.2	3.62	4.07	<0.05	0.04	0.04	0.031	0.08	7.5	16.9	0.40	355	0.59	<0.01
CC115315		2.11	31.7	4.00	6.56	<0.05	0.05	0.03	0.038	0.14	6.6	35.1	0.59	644	0.46	0.01
CC115316		1.47	81.4	4.99	5.52	0.06	0.09	0.18	0.044	0.14	11.9	36.2	1.00	790	0.83	0.01
CC115317		1.02	83.2	4.99	5.50	0.06	0.06	0.23	0.048	0.10	11.6	28.8	1.11	802	0.84	0.01
CC115318		0.53	16.9	2.57	3.16	0.05	0.05	0.09	0.038	0.06	17.0	11.1	0.21	395	0.96	0.01
CC115319		0.25	20.7	2.90	3.65	0.06	0.06	0.04	0.040	0.10	27.7	15.5	0.48	233	0.29	0.01
CC115320		0.91	35.7	4.61	6.03	0.05	0.07	0.03	0.036	0.11	7.5	48.4	0.80	918	0.45	0.01
CC115321		0.75	38.5	3.63	4.36	<0.05	0.07	0.10	0.034	0.08	6.9	29.4	0.67	800	0.47	0.01
CC115322		0.95	77.8	4.88	5.92	0.06	0.08	0.10	0.043	0.08	11.8	34.5	0.91	689	0.65	<0.01
CC115323		1.03	64.0	4.45	5.37	0.06	0.10	0.10	0.037	0.10	12.0	41.5	0.86	594	0.54	0.01
CC115324		0.94	45.0	3.40	4.79	<0.05	0.05	0.16	0.033	0.06	10.4	21.6	0.64	498	0.69	0.01
CC115325		1.24	71.0	3.97	5.25	<0.05	0.07	0.15	0.036	0.10	8.1	32.8	0.88	721	0.58	0.01
CC115326		1.55	68.4	3.15	4.33	<0.05	0.07	0.12	0.029	0.13	6.4	26.0	0.79	547	0.60	0.01
CC115327		4.36	47.1	5.02	5.15	<0.05	<0.02	0.03	0.059	0.06	9.0	22.9	0.32	1040	1.14	0.01
CC115328		5.86	54.1	3.27	3.29	<0.05	0.03	0.14	0.033	0.06	8.7	18.4	0.53	650	0.95	0.01
CC115329		1.33	27.7	3.63	6.87	<0.05	0.03	0.08	0.033	0.05	13.1	27.4	0.33	516	1.03	<0.01
CC115330		2.70	67.5	4.24	5.63	0.08	0.05	0.12	0.040	0.07	18.3	36.1	0.71	775	0.74	0.01
CC115331		18.05	113.5	3.55	4.42	0.06	0.06	0.22	0.037	0.09	7.3	31.5	0.92	384	0.70	<0.01
CC115332		1.55	70.8	3.83	5.39	0.05	0.06	0.17	0.038	0.09	11.8	28.4	0.79	942	0.94	0.01
CC115333		9.45	68.2	4.62	3.90	0.07	0.03	1.17	0.050	0.06	11.7	20.9	0.58	1970	0.82	0.02
CC115334		2.26	51.1	3.35	4.04	0.05	0.04	0.15	0.036	0.08	7.8	22.0	0.71	774	1.05	0.01
CC115335		1.60	79.8	3.62	5.12	0.06	0.06	0.14	0.037	0.09	13.0	33.1	0.80	523	1.00	0.01
CC115336		1.21	81.9	4.95	5.81	0.05	0.08	0.12	0.043	0.10	10.2	33.0	0.99	660	0.66	0.01
CC129912		0.97	47.5	3.91	5.52	0.06	0.05	0.12	0.042	0.08	15.7	22.3	0.37	476	6.09	0.01
CC129913		0.53	32.0	2.13	2.88	<0.05	0.03	0.22	0.025	0.06	11.2	9.3	0.32	273	1.50	0.01
CC129914		0.37	17.7	3.64	2.09	0.06	0.03	0.10	0.045	0.08	16.3	5.1	0.17	425	2.19	0.01
CC129915		0.49	42.6	3.61	2.75	0.07	0.03	0.23	0.042	0.07	17.2	7.1	0.62	507	4.81	<0.01
CC129916		0.98	14.7	3.75	3.17	0.06	0.03	0.05	0.049	0.07	18.8	9.5	0.25	478	1.21	0.01
CC129917		0.68	35.9	1.60	1.98	<0.05	0.05	0.17	0.018	0.08	4.9	6.5	2.80	272	5.04	0.01
CC129918		0.90	31.9	3.41	3.17	0.05	0.08	0.09	0.038	0.15	8.9	12.8	0.34	481	6.73	<0.01
CC129919		0.83	19.7	3.39	2.33	0.05	0.05	0.04	0.045	0.19	11.5	8.1	0.19	491	2.17	0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 15- AUG- 2011
Account: RCM

Project: Rackla- Dale Soil

CERTIFICATE OF ANALYSIS WH11127776

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
CC115304		0.40	95.2	920	14.2	8.0	0.010	0.14	1.41	4.4	5.6	0.4	89.6	<0.01	0.05	0.8
CC115305		0.44	36.8	700	16.2	8.0	0.004	0.04	0.48	7.1	1.6	0.4	43.0	<0.01	0.06	3.7
CC115307		0.26	29.8	710	18.4	9.0	0.001	0.05	0.39	6.8	1.0	0.4	50.7	<0.01	0.06	2.0
CC115308		0.24	29.1	480	18.0	9.2	<0.001	0.02	0.35	5.1	0.4	0.4	24.3	<0.01	0.07	4.1
CC115309		0.27	36.0	670	20.1	14.2	<0.001	0.06	0.40	6.1	0.3	0.4	38.0	<0.01	0.08	6.2
CC115310		0.17	35.7	690	18.9	11.3	<0.001	0.02	0.34	8.5	0.6	0.5	28.2	<0.01	0.07	5.5
CC115311		0.33	36.3	720	18.2	11.4	0.001	0.05	0.42	8.5	1.2	0.5	36.0	<0.01	0.09	3.2
CC115312		0.34	30.0	670	20.5	7.4	<0.001	0.06	0.44	5.5	1.2	0.5	63.3	<0.01	0.08	1.6
CC115313		1.30	8.8	190	11.0	6.4	<0.001	0.01	0.63	1.7	<0.2	0.8	4.9	<0.01	0.05	2.0
CC115314		0.22	26.6	470	19.0	8.3	<0.001	0.02	0.31	4.6	0.3	0.5	18.0	<0.01	0.05	3.4
CC115315		0.40	31.8	370	18.5	17.7	<0.001	0.02	0.18	5.6	0.7	0.9	21.4	<0.01	0.04	4.0
CC115316		0.12	41.8	590	19.8	7.9	0.001	0.03	0.51	9.7	1.2	0.4	72.3	<0.01	0.09	4.0
CC115317		0.23	39.6	560	20.1	7.1	0.001	0.02	0.45	10.8	1.1	0.5	29.8	<0.01	0.09	3.7
CC115318		0.49	18.8	590	17.5	8.1	<0.001	0.07	0.36	3.3	1.0	0.4	81.4	<0.01	0.03	1.4
CC115319		0.35	20.9	550	12.6	9.0	<0.001	0.05	0.18	5.3	1.3	0.4	34.6	<0.01	0.02	3.7
CC115320		0.36	42.8	540	21.8	9.1	0.001	0.05	0.33	6.3	1.1	0.6	34.5	<0.01	0.05	3.8
CC115321		0.16	28.8	520	14.5	8.0	0.001	0.07	0.28	5.7	1.3	0.4	47.1	<0.01	0.06	2.1
CC115322		0.17	37.8	350	17.4	7.1	<0.001	0.02	0.47	7.7	0.6	0.4	31.6	<0.01	0.07	3.2
CC115323		0.14	35.5	300	16.8	6.9	0.001	0.03	0.49	7.2	0.7	0.3	40.0	<0.01	0.06	3.3
CC115324		0.59	29.3	760	12.8	8.3	0.001	0.10	0.48	4.6	1.5	0.4	98.3	<0.01	0.04	1.4
CC115325		0.24	32.7	750	12.2	7.6	0.003	0.11	0.48	7.2	1.8	0.3	82.7	<0.01	0.09	1.6
CC115326		0.19	28.1	750	10.3	8.3	0.001	0.11	0.50	4.8	2.0	0.3	96.0	<0.01	0.05	1.1
CC115327		0.87	18.9	470	11.9	10.6	0.001	0.03	1.70	4.4	0.7	0.5	8.7	<0.01	0.07	1.9
CC115328		0.48	23.5	850	17.0	8.4	<0.001	0.09	0.70	6.3	1.9	0.3	97.1	<0.01	0.05	1.0
CC115329		0.86	16.0	320	15.1	10.1	<0.001	0.01	0.48	3.7	0.5	0.7	7.5	<0.01	0.07	3.0
CC115330		0.42	37.9	640	18.0	8.8	<0.001	0.02	0.49	7.4	1.8	0.4	17.0	<0.01	0.06	3.0
CC115331		0.26	29.7	880	16.4	11.1	0.002	0.11	0.46	8.7	3.5	0.3	123.0	<0.01	0.12	1.2
CC115332		0.51	27.1	870	16.3	9.4	0.001	0.09	0.70	5.9	2.2	0.4	47.6	<0.01	0.06	1.1
CC115333		0.42	30.8	1000	23.0	8.4	<0.001	0.11	0.69	9.0	2.7	0.3	46.9	<0.01	0.07	0.7
CC115334		0.42	23.1	850	17.1	9.9	0.003	0.12	0.56	5.5	3.2	0.3	64.4	<0.01	0.05	0.8
CC115335		0.57	31.8	720	13.5	8.8	0.001	0.05	0.58	6.9	1.4	0.4	31.6	<0.01	0.07	2.1
CC115336		0.15	37.9	410	15.0	7.0	0.001	0.04	0.52	8.7	0.8	0.3	21.3	<0.01	0.08	2.3
CC129912		0.35	66.7	360	19.7	11.7	0.001	0.04	2.08	6.3	2.6	0.7	41.1	<0.01	0.05	2.9
CC129913		0.35	47.6	760	10.1	5.3	0.002	0.10	1.25	2.7	2.0	0.4	113.5	<0.01	0.04	0.6
CC129914		0.38	35.1	690	8.0	4.5	0.001	0.08	0.77	4.8	1.0	0.6	41.3	<0.01	0.04	1.7
CC129915		0.31	85.3	1020	9.2	4.6	0.001	0.09	2.19	4.8	2.6	0.7	68.0	<0.01	0.05	1.3
CC129916		0.52	20.4	540	11.9	5.0	<0.001	0.05	0.47	4.2	1.1	0.6	27.5	<0.01	0.04	2.4
CC129917		0.21	36.2	1870	24.5	5.9	0.001	0.11	2.79	1.6	3.3	0.3	58.6	<0.01	0.08	0.5
CC129918		0.34	32.0	790	15.2	10.1	0.002	0.06	2.57	5.1	2.2	0.5	35.6	<0.01	0.03	2.3
CC129919		0.44	34.3	710	15.4	11.2	0.001	0.07	0.37	5.0	0.8	0.5	73.9	<0.01	0.01	2.3

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 15- AUG- 2011
Account: RCM

Project: Rackla- Dale Soil

CERTIFICATE OF ANALYSIS WH11127776

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
CC115304		0.007	0.26	11.45	58	0.07	10.80	773	1.7
CC115305		0.009	0.13	2.83	46	0.07	11.90	148	3.4
CC115307		0.006	0.11	1.13	41	<0.05	14.65	101	2.5
CC115308		<0.005	0.10	0.71	43	<0.05	7.04	79	1.8
CC115309		0.009	0.12	0.98	41	0.08	10.60	88	5.9
CC115310		0.006	0.10	0.58	44	<0.05	12.15	109	4.4
CC115311		0.006	0.12	1.94	47	0.05	12.55	118	2.7
CC115312		0.006	0.10	1.37	39	0.07	11.70	93	2.0
CC115313		0.026	0.09	0.33	65	0.21	1.52	36	<0.5
CC115314		0.005	0.07	0.58	29	0.06	8.07	72	1.2
CC115315		0.009	0.11	0.65	27	0.05	10.45	86	1.5
CC115316		0.005	0.09	0.58	45	<0.05	13.15	95	3.4
CC115317		0.008	0.12	0.62	50	0.06	13.90	93	2.6
CC115318		0.011	0.09	6.96	31	0.19	9.01	58	1.7
CC115319		0.006	0.08	1.83	26	0.08	13.40	85	1.9
CC115320		0.006	0.07	2.17	26	<0.05	11.85	92	2.7
CC115321		<0.005	0.06	0.96	33	<0.05	8.87	84	2.0
CC115322		0.005	0.08	0.53	51	<0.05	7.83	73	2.6
CC115323		<0.005	0.06	0.60	41	<0.05	11.00	79	3.6
CC115324		0.015	0.10	3.78	46	0.27	9.97	73	1.5
CC115325		0.007	0.07	1.32	43	0.05	10.85	91	2.3
CC115326		0.005	0.07	1.04	34	<0.05	10.30	67	2.7
CC115327		0.018	0.12	0.41	61	0.18	5.04	62	<0.5
CC115328		0.016	0.10	0.80	34	0.08	15.90	78	1.1
CC115329		0.014	0.12	0.50	60	0.16	5.21	51	1.1
CC115330		0.011	0.10	0.86	41	0.10	24.2	73	1.4
CC115331		0.008	0.09	0.71	31	0.10	21.2	66	1.8
CC115332		0.012	0.10	1.51	51	0.12	14.00	68	1.5
CC115333		0.014	0.16	1.00	55	0.09	26.2	80	0.8
CC115334		0.010	0.09	1.19	39	0.05	10.50	115	1.3
CC115335		0.022	0.08	0.81	47	0.18	12.85	75	1.4
CC115336		0.005	0.07	0.39	54	<0.05	9.69	83	2.2
CC129912		<0.005	0.35	1.70	202	0.12	17.95	293	1.8
CC129913		0.007	0.09	3.08	84	0.10	17.65	123	1.2
CC129914		<0.005	0.16	0.76	56	<0.05	13.10	116	1.0
CC129915		<0.005	0.16	1.46	157	0.08	19.10	324	1.1
CC129916		0.005	0.08	0.66	36	0.08	11.35	66	1.0
CC129917		<0.005	0.32	2.92	80	0.11	8.90	313	1.7
CC129918		<0.005	0.19	2.36	62	0.07	13.45	230	3.3
CC129919		<0.005	0.12	0.52	22	<0.05	12.85	91	3.2

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 15- AUG- 2011
Account: RCM

Project: Rackla- Dale Soil

CERTIFICATE OF ANALYSIS WH11127776

Sample Description	Method	WEI- 21	Au- TL43	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Recvd Wt.	Au	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
CC129920		0.28	<0.001	0.06	1.07	3.8	<0.2	<10	190	1.42	0.18	2.01	0.10	23.2	12.3	19
CC129921		0.11	0.001	0.11	0.79	7.5	<0.2	<10	160	0.54	0.16	3.20	0.20	11.10	6.1	13
CC129922		0.25	0.001	0.18	0.91	4.1	<0.2	<10	160	0.73	0.16	2.64	0.32	16.85	6.1	12
CC129923		0.33	<0.001	0.07	1.10	9.0	<0.2	<10	160	0.86	0.28	0.89	0.24	16.20	8.0	18
CC129924		0.23	0.002	0.15	1.70	23.1	<0.2	<10	330	1.20	0.26	1.74	0.30	12.85	12.3	23
CC129925		0.33	0.002	0.30	1.68	31.4	<0.2	<10	400	1.43	0.36	0.91	0.20	19.75	15.4	28
CC129926		0.36	0.003	0.11	1.74	12.6	<0.2	<10	200	1.09	0.39	0.78	0.12	21.1	13.8	30
CC129927		0.37	0.002	0.07	1.75	39.3	<0.2	<10	260	1.16	0.39	0.33	0.21	27.3	20.7	29
CC129928		0.48	0.002	0.11	1.69	17.2	<0.2	<10	220	1.43	0.43	0.64	0.10	19.00	15.0	29
CC129929		0.25	0.002	0.17	1.46	12.9	<0.2	<10	200	1.09	0.35	1.11	0.27	20.8	15.3	24
CC129930		0.30	0.002	0.12	1.03	19.6	<0.2	<10	150	0.76	0.31	1.15	0.25	17.50	12.5	17
CC129931		0.57	0.003	0.13	1.64	223	<0.2	<10	150	0.87	0.26	1.00	0.47	21.0	19.3	27
CC129932		0.39	0.001	0.07	1.37	35.6	<0.2	<10	110	1.05	0.31	0.03	0.07	19.05	13.1	21
CC129933		0.52	0.002	0.14	1.49	24.1	<0.2	<10	220	0.99	0.31	1.21	0.30	20.4	20.0	23
CC129934		0.24	0.002	0.08	1.50	5.3	<0.2	<10	260	0.89	0.18	2.48	0.30	36.2	9.7	32
CC129935		0.35	<0.001	0.17	1.46	3.0	<0.2	<10	240	0.86	0.22	0.54	0.43	15.70	10.6	21
CC129936		0.47	0.002	0.05	2.85	14.1	<0.2	<10	140	1.18	0.26	0.05	0.20	24.1	25.3	37
CC129937		0.39	0.001	0.06	1.86	11.7	<0.2	<10	250	0.61	0.26	0.60	0.17	22.2	9.8	28
CC129938		0.41	0.002	0.35	2.37	8.9	<0.2	<10	280	1.18	0.24	1.18	0.47	26.0	18.2	33
CC129939		0.51	0.002	0.20	2.34	12.0	<0.2	<10	410	1.04	0.27	0.85	0.21	25.1	18.2	31
CC129940		0.20	0.007	0.14	0.73	23.6	<0.2	<10	210	0.58	0.19	3.19	0.55	7.03	10.2	10
CC129941		0.02	0.003	0.12	1.42	11.7	<0.2	<10	180	0.62	0.20	1.56	0.21	13.55	9.9	22

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 15- AUG- 2011
Account: RCM

Project: Rackla- Dale Soil

CERTIFICATE OF ANALYSIS WH11127776

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
CC129920		0.92	16.8	3.45	2.68	0.06	0.06	0.04	0.045	0.17	12.3	11.9	0.29	387	1.08	0.01
CC129921		0.53	16.1	1.79	2.31	<0.05	0.06	0.08	0.021	0.06	5.3	7.8	0.23	308	0.62	0.01
CC129922		2.31	17.3	1.77	2.04	0.06	0.04	0.08	0.021	0.08	7.4	12.0	0.30	801	0.44	0.01
CC129923		1.20	14.7	2.96	3.47	<0.05	0.03	0.04	0.033	0.08	5.2	17.6	0.20	1300	0.95	0.01
CC129924		1.47	61.5	3.63	4.69	<0.05	0.07	0.19	0.041	0.11	6.4	22.4	0.50	526	0.86	0.01
CC129925		2.44	67.7	4.05	5.49	0.05	0.09	0.21	0.045	0.11	11.8	23.4	0.56	560	1.06	0.01
CC129926		1.93	33.5	3.60	6.97	<0.05	0.05	0.05	0.036	0.08	10.9	21.3	0.47	608	1.03	0.01
CC129927		1.15	57.6	4.88	5.67	<0.05	0.05	0.16	0.040	0.07	11.3	25.6	0.60	1020	1.05	0.01
CC129928		1.64	41.5	3.74	6.83	<0.05	0.07	0.07	0.038	0.11	8.8	30.8	0.57	453	0.62	0.01
CC129929		1.90	41.9	3.37	4.85	<0.05	0.06	0.11	0.033	0.10	9.1	24.7	0.55	482	0.88	0.01
CC129930		7.24	35.1	3.19	3.29	<0.05	0.04	0.15	0.035	0.08	7.0	17.0	0.38	593	0.81	0.01
CC129931		2.43	75.0	4.40	4.82	0.05	0.04	0.25	0.035	0.09	8.4	24.9	0.82	754	0.70	0.01
CC129932		3.48	32.3	4.97	3.13	<0.05	0.03	0.03	0.039	0.07	7.2	17.9	0.14	679	1.13	<0.01
CC129933		1.26	89.9	4.64	4.45	<0.05	0.06	0.24	0.044	0.08	9.2	22.2	0.60	879	1.03	0.01
CC129934		1.43	35.5	2.67	4.82	0.06	0.12	0.09	0.031	0.08	20.4	31.0	1.29	1380	0.47	0.01
CC129935		0.98	50.8	2.85	4.80	0.05	0.04	0.06	0.030	0.08	7.7	14.0	0.27	955	0.45	0.01
CC129936		1.56	83.4	5.47	6.27	<0.05	0.05	0.07	0.051	0.07	7.4	30.2	0.89	753	0.90	<0.01
CC129937		1.59	26.1	3.72	5.79	<0.05	0.02	0.02	0.037	0.06	9.4	22.4	0.40	341	1.15	0.01
CC129938		2.51	116.0	4.17	6.69	0.06	0.05	0.19	0.048	0.08	13.3	29.2	0.83	676	0.91	0.01
CC129939		1.48	68.2	4.51	6.26	<0.05	0.03	0.09	0.045	0.07	11.0	24.1	0.70	811	0.84	0.01
CC129940		1.22	60.8	3.69	1.83	<0.05	0.04	0.38	0.028	0.06	3.7	6.9	0.67	674	1.36	0.01
CC129941		1.07	38.6	3.05	4.06	<0.05	0.04	0.15	0.028	0.06	6.0	17.6	0.51	384	0.66	0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 15- AUG- 2011
Account: RCM

Project: Rackla- Dale Soil

CERTIFICATE OF ANALYSIS WH11127776

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
CC129920		0.35	33.1	610	12.0	10.3	<0.001	0.08	0.20	4.9	0.6	0.5	82.0	<0.01	0.01	1.5
CC129921		0.35	13.0	790	11.7	7.7	<0.001	0.13	0.34	2.1	0.9	0.3	113.0	<0.01	0.04	0.6
CC129922		0.25	14.1	950	11.8	10.3	0.001	0.15	0.27	2.9	1.3	0.3	93.7	<0.01	0.02	0.8
CC129923		0.49	18.4	610	17.9	10.7	<0.001	0.06	0.41	2.9	0.5	0.5	22.1	<0.01	0.02	1.3
CC129924		0.32	29.2	800	14.6	11.6	<0.001	0.08	0.44	5.3	1.2	0.5	79.4	<0.01	0.08	1.2
CC129925		0.52	30.5	670	18.7	14.2	<0.001	0.06	0.50	8.3	1.2	0.6	46.0	<0.01	0.05	2.6
CC129926		0.75	21.2	740	18.0	17.8	<0.001	0.05	0.34	5.0	0.9	0.7	34.6	<0.01	0.03	2.2
CC129927		0.39	36.3	380	23.9	9.5	<0.001	0.02	0.43	6.4	0.8	0.6	26.1	<0.01	0.07	3.3
CC129928		0.53	29.6	480	21.4	14.2	<0.001	0.04	0.27	6.4	1.1	0.8	35.8	<0.01	0.03	3.5
CC129929		0.47	27.2	580	18.0	14.0	<0.001	0.06	0.39	5.3	0.9	0.6	52.8	<0.01	0.04	2.2
CC129930		0.40	20.7	590	15.9	20.1	0.001	0.07	0.38	5.7	1.3	0.4	50.1	<0.01	0.07	1.4
CC129931		0.28	32.2	780	15.9	17.2	0.001	0.07	0.42	8.9	1.1	0.4	34.7	<0.01	0.09	1.4
CC129932		0.22	28.0	520	82.4	14.8	0.001	0.02	0.39	4.0	0.5	0.4	4.7	<0.01	0.05	3.6
CC129933		0.20	35.6	770	16.9	7.4	0.002	0.07	0.50	9.8	1.8	0.4	72.2	<0.01	0.11	1.6
CC129934		0.41	24.1	1200	11.0	11.7	0.002	0.25	0.18	5.3	2.6	0.4	70.1	<0.01	0.02	1.7
CC129935		0.24	20.5	1110	12.7	9.0	<0.001	0.09	0.17	4.6	1.3	0.4	36.4	<0.01	0.04	0.8
CC129936		0.27	38.9	270	14.4	11.5	0.001	0.02	0.33	7.2	0.6	0.5	11.2	<0.01	0.09	3.1
CC129937		0.88	20.6	500	10.3	9.5	0.002	0.03	0.37	4.0	0.6	0.6	44.4	<0.01	0.05	1.8
CC129938		0.44	29.9	1010	11.8	11.5	0.001	0.08	0.36	11.7	3.3	0.5	31.4	<0.01	0.08	1.1
CC129939		0.51	29.6	790	14.3	9.0	0.001	0.05	0.38	7.7	1.2	0.5	32.6	<0.01	0.09	1.7
CC129940		0.19	22.7	710	13.3	5.5	0.001	0.18	0.81	3.8	1.4	0.3	122.5	<0.01	0.05	0.4
CC129941		0.37	19.9	870	8.9	7.3	0.001	0.10	0.37	4.3	0.7	0.4	78.1	<0.01	0.06	0.7

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 15- AUG- 2011
Account: RCM

Project: Rackla- Dale Soil

CERTIFICATE OF ANALYSIS WH11127776

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
CC129920		<0.005	0.16	0.93	22	<0.05	12.40	74	4.1
CC129921		0.006	0.07	0.79	18	0.07	7.23	61	1.7
CC129922		0.007	0.08	1.05	15	0.05	17.00	63	1.1
CC129923		0.011	0.08	0.50	31	0.10	6.94	73	0.8
CC129924		<0.005	0.15	3.27	36	0.07	12.75	73	1.9
CC129925		0.008	0.18	3.01	39	0.14	17.80	89	2.4
CC129926		0.012	0.11	1.12	45	0.13	10.50	75	1.2
CC129927		0.009	0.18	0.81	44	0.08	8.58	85	1.2
CC129928		0.008	0.14	0.90	32	0.06	14.80	81	2.3
CC129929		0.007	0.14	1.32	32	0.06	10.35	84	1.6
CC129930		0.008	0.27	0.94	30	0.08	9.90	72	1.0
CC129931		0.009	0.21	0.94	49	0.06	12.10	125	1.2
CC129932		<0.005	0.34	0.74	28	0.05	4.55	232	1.1
CC129933		0.005	0.14	1.24	44	0.05	17.40	82	1.5
CC129934		0.010	0.08	5.64	24	<0.05	19.10	88	2.9
CC129935		0.009	0.05	0.52	35	<0.05	20.9	50	0.9
CC129936		0.005	0.11	0.50	68	0.05	4.64	70	1.7
CC129937		0.016	0.12	1.03	59	0.17	4.18	98	0.6
CC129938		0.010	0.09	1.67	61	0.07	24.1	66	1.0
CC129939		0.010	0.10	1.12	63	0.15	10.90	60	0.9
CC129940		<0.005	0.49	0.78	22	<0.05	9.70	71	1.2
CC129941		0.009	0.08	0.74	39	0.07	7.11	68	1.0

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 15- AUG- 2011
Account: RCM

Project: Rackla- Dale Soil

CERTIFICATE OF ANALYSIS WH11127776

Method	CERTIFICATE COMMENTS
ME- MS41	Gold determinations by this method are semi- quantitative due to the small sample weight used (0.5g).

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 11- AUG- 2011
Account: RCM

CERTIFICATE WH11127778

Project: Rackla- Pyramid Soil

P.O. No.:

This report is for 69 Soil samples submitted to our lab in Whitehorse, YT, Canada on 8- JUL- 2011.

The following have access to data associated with this certificate:

ROB CARNE JULIA LANE	ANDREW CARNE JOAN MARIACHER	MATT DUMALA

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
SCR- 41	Screen to - 180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- TL43	Trace Level Au - 25g AR	ICP- MS
ME- MS41	51 anal. aqua regia ICPMS	

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 11- AUG- 2011
Account: RCM

Project: Rackla- Pyramid Soil

CERTIFICATE OF ANALYSIS WH11127778

Sample Description	Method	WEI- 21	Au- TL43	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Recvd Wt.	Au	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
CC115680		0.34	0.001	0.20	1.73	11.0	<0.2	<10	880	0.98	0.28	0.65	0.26	11.00	11.4	30
CC115681		0.59	0.001	0.21	1.58	10.2	<0.2	<10	370	0.80	0.27	0.42	0.20	8.69	11.2	28
CC115682		0.33	0.001	0.29	1.44	10.9	<0.2	<10	530	0.71	0.25	1.08	0.41	8.51	8.5	24
CC115683		0.56	0.001	0.24	1.82	11.8	<0.2	<10	330	0.98	0.31	0.30	0.22	11.15	13.3	30
CC115684		0.33	0.001	0.09	1.56	13.8	<0.2	<10	230	0.36	0.30	0.07	0.19	16.15	6.6	24
CC115685		0.30	0.001	0.04	0.98	8.6	<0.2	<10	120	0.17	0.25	0.09	0.13	18.15	3.6	17
CC115686		0.37	0.002	0.25	1.46	11.2	<0.2	<10	660	0.72	0.26	0.94	0.22	16.85	9.5	26
CC115687		0.32	0.001	0.23	0.96	6.9	<0.2	<10	140	0.16	0.25	0.04	0.12	18.05	3.6	17
CC115688		0.19	0.001	0.54	1.10	7.1	<0.2	<10	720	0.60	0.18	2.23	0.60	9.69	6.3	17
CC115689		0.35	0.003	1.17	1.37	6.9	<0.2	<10	560	0.87	0.25	1.36	0.44	5.53	7.4	48
CC115690		0.47	0.001	0.76	1.38	7.0	<0.2	<10	600	0.80	0.24	0.35	0.13	7.89	7.9	35
CC115691		0.25	0.001	0.95	1.52	9.5	<0.2	<10	950	0.90	0.24	0.70	0.67	13.75	9.1	27
CC115692		0.36	0.003	1.01	1.67	10.1	<0.2	<10	700	0.92	0.27	0.86	0.63	8.65	9.1	28
CC115693		0.58	0.002	0.12	1.48	16.4	<0.2	<10	210	0.74	0.21	0.31	0.27	14.30	12.3	27
CC115694		0.47	0.002	0.23	1.69	34.5	<0.2	<10	380	1.05	0.28	0.64	0.53	17.90	16.1	31
CC115695		0.33	0.002	0.28	1.50	22.6	<0.2	<10	450	0.88	0.24	1.25	0.33	10.45	8.9	23
CC115696		0.48	0.002	0.18	1.74	26.6	<0.2	<10	320	1.00	0.25	0.70	0.26	14.65	13.8	31
CC115697		0.27	0.002	0.24	1.43	6.4	<0.2	<10	580	0.86	0.21	2.17	0.42	11.45	7.1	23
CC115698		0.56	0.002	0.20	1.65	18.8	<0.2	<10	390	0.88	0.27	1.14	0.23	20.2	12.1	28
CC115699		0.63	0.003	0.20	1.65	19.2	<0.2	<10	330	0.92	0.25	1.11	0.27	18.00	13.1	28
CC115700		0.58	0.001	0.15	1.50	13.4	<0.2	<10	420	0.69	0.26	0.97	0.31	15.85	12.4	25
CC129778		0.46	0.003	0.20	1.59	12.5	<0.2	<10	420	0.84	0.26	0.90	0.37	23.2	13.8	27
CC129779		0.38	0.005	0.40	1.26	17.6	<0.2	<10	480	1.03	0.24	1.48	0.65	19.65	9.6	25
CC129780		0.31	0.001	0.21	1.37	13.5	<0.2	<10	400	0.90	0.21	1.74	0.57	12.60	10.9	21
CC129781		0.35	0.002	0.19	1.35	15.6	<0.2	<10	330	0.71	0.24	1.33	0.27	19.35	11.0	24
CC129782		0.40	0.004	0.22	1.49	12.9	<0.2	<10	410	0.78	0.25	1.06	0.30	20.1	11.6	26
CC129783		0.38	0.002	0.15	1.53	13.2	<0.2	<10	420	0.95	0.25	1.15	0.32	14.85	14.8	26
CC129731		0.44	0.002	0.17	1.69	13.0	<0.2	<10	330	0.96	0.26	0.50	0.69	14.80	18.7	29
CC129732		0.33	0.001	0.25	1.58	11.0	<0.2	<10	460	0.92	0.27	0.57	0.39	10.15	14.4	31
CC129733		0.27	0.003	0.31	2.04	35.2	<0.2	<10	520	1.15	0.29	0.65	0.55	22.5	15.6	35
CC129734		0.25	0.001	0.23	1.40	14.1	<0.2	<10	190	0.58	0.21	0.52	0.12	12.40	7.3	21
CC129735		0.37	0.001	0.06	1.91	8.1	<0.2	<10	130	0.89	0.29	0.33	0.10	9.72	22.1	33
CC129736		0.32	0.001	0.17	1.61	20.2	<0.2	<10	110	0.62	0.26	0.11	0.22	7.69	12.3	27
CC129737		0.48	0.002	0.17	1.29	16.0	<0.2	<10	280	0.71	0.21	0.81	0.31	11.45	13.0	23
CC129738		0.20	0.005	0.12	1.32	13.6	<0.2	<10	300	0.55	0.17	0.93	0.24	10.80	10.4	24
CC129739		0.37	0.002	0.11	1.51	13.4	<0.2	<10	260	0.67	0.21	0.51	0.14	10.05	12.5	27
CC129740		0.36	0.001	0.04	0.58	14.5	<0.2	<10	90	0.78	0.31	0.29	0.06	7.13	12.1	17
CC129741		0.36	0.002	0.04	1.18	11.2	<0.2	<10	180	0.73	0.22	0.38	0.07	9.13	10.1	22
CC129742		0.30	0.002	0.08	1.56	14.3	<0.2	<10	320	0.60	0.19	0.38	0.19	14.65	12.5	29
CC129743		0.24	0.002	0.18	1.56	15.5	<0.2	<10	450	0.79	0.20	1.22	0.29	14.40	13.2	26

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 11- AUG- 2011
Account: RCM

Project: Rackla- Pyramid Soil

CERTIFICATE OF ANALYSIS WH11127778

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
CC115680		0.86	34.5	3.81	5.10	0.09	0.09	0.22	0.038	0.07	5.1	36.2	0.60	304	1.50	0.01
CC115681		1.09	29.1	3.86	4.80	0.09	0.07	0.36	0.035	0.06	3.7	36.5	0.60	311	1.55	0.01
CC115682		0.79	26.0	3.20	4.44	0.08	0.07	0.11	0.034	0.08	3.9	25.7	0.48	298	1.38	0.01
CC115683		0.89	33.8	4.36	5.73	0.10	0.08	0.07	0.042	0.08	4.6	39.9	0.63	347	1.29	0.01
CC115684		1.31	12.7	3.69	6.97	0.08	0.02	0.07	0.027	0.05	7.8	17.5	0.34	270	1.55	0.01
CC115685		1.05	8.2	2.14	5.61	0.06	<0.02	0.02	0.016	0.03	8.9	10.0	0.21	127	1.33	<0.01
CC115686		1.20	23.4	2.95	4.76	0.08	0.06	0.08	0.029	0.06	8.1	20.8	0.56	461	1.30	0.01
CC115687		1.33	10.3	2.16	5.71	0.07	0.03	0.05	0.017	0.04	8.8	7.9	0.15	95	1.37	<0.01
CC115688		1.14	18.6	1.88	3.07	0.07	0.06	0.14	0.025	0.05	5.4	9.4	0.43	251	0.78	0.01
CC115689		1.20	55.4	2.98	3.41	0.09	0.09	0.48	0.046	0.08	2.9	32.5	0.47	146	1.58	0.01
CC115690		2.19	31.7	3.11	3.67	0.08	0.07	0.24	0.040	0.06	4.1	29.3	0.41	124	1.49	0.01
CC115691		1.65	40.1	3.23	4.04	0.11	0.08	0.23	0.039	0.08	7.4	27.4	0.39	273	1.80	0.01
CC115692		1.37	37.1	3.31	4.51	0.08	0.09	0.23	0.041	0.10	4.8	29.1	0.38	455	1.82	0.01
CC115693		0.79	27.9	4.02	4.69	0.10	0.06	0.07	0.038	0.06	6.3	31.4	0.59	261	1.61	0.01
CC115694		0.96	52.3	4.33	5.11	0.11	0.08	0.18	0.041	0.08	8.2	33.4	0.67	473	1.77	0.01
CC115695		0.82	36.3	3.02	4.38	0.08	0.09	0.17	0.035	0.07	5.2	21.0	0.41	461	1.50	0.01
CC115696		0.77	37.8	4.67	5.26	0.12	0.08	0.10	0.043	0.07	7.2	36.7	0.69	458	1.72	0.01
CC115697		0.67	37.8	2.09	4.05	0.08	0.10	0.17	0.030	0.06	5.8	20.8	0.45	810	0.77	0.01
CC115698		0.99	35.9	3.61	4.92	0.11	0.08	0.07	0.037	0.07	9.3	28.9	0.61	443	1.23	0.01
CC115699		0.71	48.2	3.96	4.99	0.11	0.09	0.14	0.038	0.07	8.1	30.7	0.69	477	1.25	0.01
CC115700		0.63	28.0	3.23	4.79	0.08	0.06	0.07	0.035	0.06	7.2	22.2	0.51	563	1.57	<0.01
CC129778		0.67	36.7	3.24	4.90	0.10	0.07	0.13	0.034	0.06	10.7	26.6	0.56	772	1.04	0.01
CC129779		0.95	74.5	2.99	3.66	0.11	0.09	0.25	0.035	0.07	11.4	18.1	0.40	530	1.25	0.01
CC129780		0.60	38.0	3.16	3.78	0.09	0.08	0.11	0.034	0.07	6.5	22.7	0.50	1160	0.94	0.01
CC129781		0.63	30.9	3.26	4.23	0.09	0.07	0.12	0.033	0.06	8.5	23.5	0.52	352	1.00	0.01
CC129782		0.72	43.5	3.37	4.72	0.10	0.08	0.11	0.035	0.08	9.9	25.2	0.55	704	1.06	0.01
CC129783		0.48	46.8	3.87	4.74	0.10	0.08	0.10	0.037	0.07	6.6	26.5	0.57	1110	1.24	0.01
CC129731		0.86	41.5	4.48	5.17	0.11	0.08	0.08	0.040	0.08	5.9	43.9	0.68	466	1.29	0.01
CC129732		0.95	34.1	4.17	4.61	0.10	0.08	0.10	0.042	0.07	4.4	45.3	0.62	442	1.39	0.01
CC129733		1.02	52.3	5.18	6.12	0.13	0.10	0.16	0.047	0.08	10.5	36.3	0.84	469	1.98	0.02
CC129734		2.40	24.8	3.03	4.87	0.08	0.04	0.07	0.031	0.10	5.1	17.0	0.34	210	1.61	0.01
CC129735		1.69	29.4	4.30	5.84	0.08	0.06	0.03	0.043	0.09	3.4	45.7	0.75	859	0.81	0.01
CC129736		1.91	33.1	4.36	6.01	0.07	0.03	0.03	0.038	0.07	3.2	28.1	0.48	343	1.61	0.01
CC129737		1.06	35.3	3.64	3.96	0.07	0.06	0.09	0.034	0.08	5.4	24.7	0.45	577	1.21	0.01
CC129738		0.65	22.6	3.09	4.10	0.06	0.05	0.09	0.030	0.08	4.6	25.6	0.47	969	1.06	0.02
CC129739		0.60	21.8	3.74	4.75	0.06	0.04	0.06	0.034	0.08	4.2	28.5	0.50	569	1.36	0.01
CC129740		0.50	26.6	4.71	2.22	0.07	0.02	0.03	0.041	0.07	2.7	7.2	0.14	331	1.12	0.01
CC129741		0.57	25.7	4.04	4.21	0.07	0.05	0.04	0.035	0.08	4.0	17.3	0.36	311	0.85	0.01
CC129742		0.52	28.3	3.86	4.85	0.07	0.06	0.06	0.032	0.07	6.0	28.0	0.59	750	1.35	0.01
CC129743		0.62	43.8	3.62	4.87	0.07	0.07	0.10	0.033	0.08	6.9	27.2	0.58	612	1.14	0.02

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 11- AUG- 2011
Account: RCM

Project: Rackla- Pyramid Soil

CERTIFICATE OF ANALYSIS WH11127778

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
CC115680		0.27	41.5	770	33.3	10.1	<0.001	0.06	0.43	5.3	0.8	0.4	26.5	<0.01	0.05	2.1
CC115681		0.19	37.7	470	57.3	8.7	0.001	0.04	0.40	4.7	0.7	0.4	20.1	<0.01	0.05	2.1
CC115682		0.30	31.1	990	20.0	12.4	0.001	0.10	0.44	4.0	1.0	0.4	43.4	<0.01	0.05	1.3
CC115683		0.19	42.3	690	18.9	9.5	<0.001	0.03	0.41	5.8	0.7	0.5	18.7	<0.01	0.06	2.8
CC115684		0.91	16.8	420	17.5	11.8	<0.001	0.02	0.38	3.0	0.3	0.6	9.8	<0.01	0.05	2.0
CC115685		0.82	10.6	280	10.7	8.3	<0.001	0.02	0.44	2.0	0.3	0.6	8.2	<0.01	0.04	2.1
CC115686		0.59	24.1	800	14.6	10.1	<0.001	0.06	0.50	3.4	0.8	0.5	18.6	<0.01	0.05	1.4
CC115687		0.56	10.2	200	11.1	13.2	<0.001	0.02	0.33	2.1	0.2	0.6	9.8	<0.01	0.04	2.7
CC115688		0.43	20.4	1140	9.6	7.2	<0.001	0.14	0.38	2.9	1.9	0.4	53.9	0.01	0.05	0.6
CC115689		0.16	47.4	690	13.8	11.2	0.005	0.11	0.55	4.5	3.2	0.4	59.9	0.01	0.06	1.1
CC115690		0.16	37.0	700	14.1	14.2	0.009	0.06	0.34	4.4	1.9	0.4	24.3	<0.01	0.05	1.6
CC115691		0.27	47.0	940	12.8	13.0	0.001	0.07	0.45	5.9	1.7	0.4	37.0	0.01	0.06	1.6
CC115692		0.24	47.7	1060	14.1	15.6	0.001	0.08	0.45	6.2	1.7	0.5	45.5	0.01	0.08	1.5
CC115693		0.23	33.8	740	14.5	8.3	0.001	0.03	0.46	4.9	0.8	0.4	19.8	<0.01	0.05	3.3
CC115694		0.27	49.0	860	17.1	8.7	0.001	0.03	0.54	7.4	1.0	0.4	29.1	0.01	0.07	3.5
CC115695		0.26	32.7	1230	12.2	11.3	0.001	0.12	0.47	4.4	1.3	0.4	51.4	<0.01	0.07	1.2
CC115696		0.24	40.5	700	17.6	8.8	0.001	0.04	0.38	7.2	1.2	0.4	27.9	0.01	0.06	2.7
CC115697		0.25	28.5	690	13.2	7.9	0.002	0.19	0.27	4.3	1.6	0.4	76.1	0.01	0.04	1.3
CC115698		0.56	35.9	580	15.3	10.3	<0.001	0.06	0.56	5.5	1.1	0.4	46.2	0.01	0.06	2.1
CC115699		0.26	36.3	860	15.6	7.9	0.001	0.07	0.43	6.1	1.1	0.4	46.6	<0.01	0.06	2.3
CC115700		0.54	27.5	690	13.3	8.9	<0.001	0.05	0.50	4.3	1.0	0.5	44.0	<0.01	0.06	1.7
CC129778		0.59	33.0	670	14.8	8.8	0.001	0.07	0.50	5.3	1.2	0.4	37.3	0.01	0.06	2.1
CC129779		0.41	36.2	1110	14.7	10.2	0.001	0.08	0.66	6.4	1.8	0.4	57.2	0.01	0.07	1.1
CC129780		0.31	35.2	970	13.6	11.9	0.001	0.14	0.40	4.9	1.5	0.4	65.1	0.01	0.07	1.1
CC129781		0.45	26.0	840	16.0	8.1	0.001	0.08	0.48	4.8	1.2	0.4	52.9	0.01	0.06	1.7
CC129782		0.54	35.0	820	13.5	9.2	0.001	0.05	0.51	5.6	1.2	0.4	46.5	0.01	0.06	2.7
CC129783		0.26	38.0	680	14.9	6.9	0.001	0.08	0.42	5.5	1.4	0.4	48.1	0.01	0.06	1.8
CC129731		0.20	50.6	790	16.9	8.5	0.002	0.05	0.39	6.6	1.4	0.4	31.6	<0.01	0.06	3.4
CC129732		0.17	50.3	640	16.7	8.3	0.002	0.05	0.39	5.8	1.7	0.4	59.3	<0.01	0.04	2.6
CC129733		0.34	43.6	850	17.9	10.3	0.001	0.07	0.53	7.9	1.1	0.4	34.2	0.01	0.07	3.1
CC129734		0.42	29.8	700	15.9	15.2	<0.001	0.07	0.36	6.1	0.8	0.5	29.0	0.01	0.04	1.6
CC129735		0.13	55.6	850	19.4	10.1	<0.001	0.02	0.19	6.8	0.5	0.5	17.8	<0.01	0.05	3.9
CC129736		0.28	37.0	610	18.9	12.7	<0.001	0.02	0.39	4.9	0.7	0.5	14.3	<0.01	0.05	2.3
CC129737		0.25	40.2	670	14.6	7.8	0.001	0.04	0.35	6.1	1.0	0.4	35.9	<0.01	0.05	2.3
CC129738		0.25	32.8	800	13.9	6.8	0.001	0.09	0.29	4.5	0.9	0.4	49.2	<0.01	0.04	1.9
CC129739		0.23	30.3	760	13.7	8.8	0.001	0.03	0.23	4.6	0.8	0.4	29.0	<0.01	0.05	2.5
CC129740		0.13	40.0	590	15.6	6.8	<0.001	0.01	0.23	6.4	0.5	0.4	13.8	<0.01	0.04	2.7
CC129741		0.25	34.4	520	13.9	8.5	<0.001	0.02	0.24	6.2	0.6	0.4	22.8	<0.01	0.04	3.0
CC129742		0.28	36.4	510	12.7	7.2	<0.001	0.03	0.28	6.0	0.8	0.4	21.9	<0.01	0.05	2.5
CC129743		0.30	39.0	660	14.6	7.9	0.001	0.06	0.37	6.3	1.3	0.4	49.4	<0.01	0.05	2.3

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 11- AUG- 2011
Account: RCM

Project: Rackla- Pyramid Soil

CERTIFICATE OF ANALYSIS WH11127778

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
CC115680		<0.005	0.11	0.69	36	0.14	8.63	164	1.9
CC115681		<0.005	0.10	0.47	32	<0.05	5.21	162	1.7
CC115682		<0.005	0.11	1.11	33	0.07	5.83	137	1.6
CC115683		<0.005	0.09	0.46	36	<0.05	7.12	125	1.7
CC115684		0.012	0.15	0.44	62	0.18	2.71	98	<0.5
CC115685		0.018	0.11	0.49	50	0.19	1.92	46	<0.5
CC115686		0.011	0.11	1.52	42	0.15	7.33	76	1.2
CC115687		0.010	0.12	0.36	52	0.11	2.15	56	0.9
CC115688		0.006	0.10	1.85	36	0.07	14.10	73	1.2
CC115689		<0.005	0.11	1.64	30	<0.05	12.90	136	2.1
CC115690		<0.005	0.13	2.11	32	0.05	11.90	108	1.4
CC115691		<0.005	0.13	1.80	33	0.08	22.7	148	1.1
CC115692		<0.005	0.15	1.51	36	0.07	13.55	182	1.9
CC115693		<0.005	0.09	0.82	39	<0.05	7.97	120	1.4
CC115694		<0.005	0.13	0.86	42	0.06	12.25	147	1.9
CC115695		<0.005	0.14	1.36	36	0.06	10.30	108	1.7
CC115696		<0.005	0.10	1.31	42	0.05	12.40	133	1.6
CC115697		<0.005	0.11	3.59	27	0.05	12.05	51	2.3
CC115698		0.008	0.14	1.04	39	0.14	12.30	107	1.4
CC115699		<0.005	0.10	1.30	41	0.06	11.30	112	1.8
CC115700		0.008	0.11	1.27	43	0.12	6.74	104	1.2
CC129778		0.009	0.11	1.88	44	0.12	11.65	107	1.4
CC129779		0.007	0.16	2.28	34	0.11	25.0	122	1.3
CC129780		<0.005	0.12	1.48	33	0.07	11.60	176	1.6
CC129781		0.008	0.10	1.39	39	0.09	10.55	122	1.3
CC129782		0.008	0.11	1.20	41	0.15	11.45	111	1.7
CC129783		<0.005	0.09	1.24	39	0.05	10.60	111	1.5
CC129731		<0.005	0.09	0.81	36	<0.05	10.10	144	2.0
CC129732		<0.005	0.09	0.78	33	<0.05	9.67	159	1.9
CC129733		<0.005	0.15	1.41	58	0.09	13.25	127	1.9
CC129734		<0.005	0.17	0.57	35	0.18	8.98	73	1.0
CC129735		<0.005	0.09	0.37	27	0.11	10.50	111	2.3
CC129736		<0.005	0.17	0.42	40	0.12	4.77	112	1.2
CC129737		<0.005	0.11	0.79	31	0.13	9.87	128	2.0
CC129738		<0.005	0.08	0.61	32	0.13	7.93	99	1.3
CC129739		<0.005	0.07	0.42	36	0.12	7.60	112	1.1
CC129740		<0.005	0.07	0.42	30	0.08	5.73	112	<0.5
CC129741		<0.005	0.08	0.38	30	0.10	8.27	97	1.3
CC129742		<0.005	0.08	0.56	39	0.10	7.09	113	1.7
CC129743		<0.005	0.10	1.16	39	0.12	11.95	109	2.0

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 11- AUG- 2011
Account: RCM

Project: Rackla- Pyramid Soil

CERTIFICATE OF ANALYSIS WH11127778

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- TL43 Au ppm 0.001	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1
CC129744		0.34	0.003	0.22	1.50	20.0	<0.2	<10	300	0.79	0.22	0.65	0.17	21.1	12.2	27
CC129745		0.33	0.001	0.10	1.46	11.8	<0.2	<10	260	0.74	0.24	0.48	0.08	8.21	8.9	26
CC129746		0.36	0.002	0.09	1.01	12.3	<0.2	<10	270	0.78	0.23	0.46	0.12	11.25	9.3	21
CC129747		0.47	0.002	0.10	1.21	22.1	<0.2	<10	290	0.78	0.23	0.27	0.42	16.75	17.9	24
CC129748		0.38	0.002	0.10	1.32	14.8	<0.2	<10	270	0.84	0.24	0.56	0.12	11.85	13.2	22
CC129749		0.49	0.001	0.09	1.65	12.1	<0.2	<10	210	0.81	0.22	0.37	0.11	12.15	10.1	31
CC129750		0.46	0.002	0.17	1.70	17.3	<0.2	<10	190	0.83	0.22	0.31	0.34	30.2	16.6	27
CC129751		0.38	0.003	0.61	1.76	9.2	<0.2	<10	460	0.95	0.24	0.67	0.33	14.60	9.4	31
CC129752		0.26	0.002	0.36	1.06	10.9	<0.2	<10	630	0.54	0.15	1.78	0.32	6.14	10.0	25
CC129753		0.32	0.002	0.49	1.01	11.2	<0.2	<10	650	0.70	0.14	2.76	0.24	8.93	6.9	22
CC129754		0.42	0.003	0.30	1.40	17.3	<0.2	<10	420	0.79	0.20	1.31	0.36	14.40	11.1	27
CC129755		0.22	0.002	0.20	1.28	34.1	<0.2	<10	570	0.66	0.17	2.79	0.68	12.40	9.6	22
CC129756		0.36	<0.001	0.08	2.23	59.6	<0.2	<10	430	0.87	0.26	0.67	4.71	27.3	14.6	34
CC129757		0.44	0.002	0.31	1.78	64.6	<0.2	<10	330	0.87	0.21	3.23	0.60	23.3	13.7	29
CC129758		0.35	0.002	0.20	1.42	69.9	<0.2	<10	460	0.69	0.20	2.13	0.99	22.5	11.4	25
CC129759		0.27	0.002	0.20	1.32	132.0	<0.2	<10	640	0.79	0.17	3.45	1.01	13.40	9.6	24
CC129760		0.31	0.001	0.30	0.92	83.6	<0.2	<10	1280	0.46	0.13	2.49	1.17	15.50	4.4	22
CC129761		0.44	0.003	0.56	1.23	76.0	<0.2	<10	1050	0.62	0.17	1.25	0.50	22.2	8.3	28
CC129762		0.41	0.002	0.91	1.04	32.1	<0.2	<10	580	0.64	0.17	0.52	0.51	19.10	8.4	25
CC129763		0.33	0.004	0.77	1.25	29.8	<0.2	<10	860	0.69	0.21	0.91	0.52	18.80	8.3	29
CC129764		0.44	0.002	0.27	1.24	23.0	<0.2	<10	640	0.74	0.21	1.76	0.58	20.9	9.1	22
CC129765		0.24	0.003	0.11	1.49	10.6	<0.2	<10	230	0.98	0.18	1.44	0.33	34.8	9.9	32
CC129766		0.39	0.003	0.11	1.81	6.4	<0.2	<10	190	1.10	0.16	1.62	0.29	48.0	11.7	52
CC129767		0.41	0.002	0.10	1.62	5.1	<0.2	<10	270	1.18	0.27	1.51	0.15	28.9	10.9	33
CC129768		0.32	0.003	0.10	1.80	4.7	<0.2	<10	240	1.24	0.25	1.21	0.19	33.7	11.7	38
CC129769		0.23	0.002	0.11	0.74	8.2	<0.2	<10	300	0.59	0.13	3.84	0.29	15.00	5.8	10
CC129770		0.37	0.002	0.20	1.25	12.0	<0.2	<10	340	0.66	0.23	2.02	0.88	19.55	10.8	21
CC129771		0.31	0.004	0.29	1.36	17.3	<0.2	<10	260	0.69	0.24	1.40	0.43	22.8	12.3	25
CC129772		0.44	0.002	0.13	1.90	15.0	<0.2	<10	160	0.75	0.24	0.35	0.35	37.0	21.4	29

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 11- AUG- 2011
Account: RCM

Project: Rackla- Pyramid Soil

CERTIFICATE OF ANALYSIS WH11127778

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
CC129744		0.82	41.8	3.34	4.65	0.08	0.06	0.13	0.034	0.07	10.5	26.2	0.56	384	1.24	0.01
CC129745		0.89	26.7	3.89	4.97	0.07	0.05	0.05	0.039	0.09	3.3	22.6	0.42	268	1.26	0.01
CC129746		0.52	30.9	3.82	3.40	0.07	0.05	0.06	0.039	0.08	4.7	13.7	0.27	216	1.19	0.01
CC129747		0.65	55.6	4.88	3.94	0.09	0.04	0.06	0.040	0.07	6.4	23.3	0.44	969	1.60	0.01
CC129748		0.73	27.9	3.69	4.45	0.07	0.05	0.05	0.034	0.08	4.9	24.7	0.41	446	1.43	0.01
CC129749		0.80	26.1	4.29	5.37	0.07	0.05	0.05	0.037	0.08	4.9	28.9	0.53	354	1.72	0.01
CC129750		0.68	60.9	4.50	4.71	0.10	0.08	0.08	0.035	0.06	12.8	32.9	0.68	674	1.00	0.01
CC129751		0.98	36.5	3.58	4.71	0.11	0.12	0.29	0.038	0.10	7.0	32.8	0.45	595	1.51	0.01
CC129752		0.43	27.1	3.40	2.80	0.06	0.05	0.17	0.027	0.08	2.9	19.4	0.35	639	1.83	0.01
CC129753		0.79	28.4	2.40	2.71	0.05	0.05	0.23	0.024	0.06	5.0	11.3	0.22	260	1.40	0.01
CC129754		0.53	40.6	3.46	4.13	0.07	0.05	0.14	0.032	0.07	8.8	23.1	0.47	324	1.88	0.01
CC129755		0.48	31.4	2.88	3.66	0.06	0.05	0.13	0.027	0.06	7.9	18.1	0.35	310	1.36	0.01
CC129756		1.52	19.0	4.02	6.66	0.08	0.05	0.06	0.038	0.04	14.6	20.4	0.39	1720	5.06	0.01
CC129757		1.02	37.5	3.56	5.18	0.09	0.07	0.16	0.031	0.08	17.6	28.4	0.56	555	1.20	0.01
CC129758		0.87	33.0	3.09	4.29	0.08	0.05	0.16	0.025	0.07	14.9	22.6	0.49	471	0.82	0.01
CC129759		0.80	27.6	2.65	4.11	0.07	0.06	0.32	0.023	0.05	11.7	18.3	0.35	511	0.60	0.01
CC129760		0.75	11.1	1.87	2.88	0.06	0.04	0.33	0.019	0.02	13.3	7.3	0.13	350	0.97	0.02
CC129761		0.87	29.8	2.43	3.72	0.06	0.05	0.55	0.024	0.05	13.4	15.8	0.38	237	1.36	0.02
CC129762		1.11	51.5	2.73	3.30	0.07	0.09	0.19	0.029	0.08	9.6	20.0	0.43	128	2.86	0.01
CC129763		0.83	34.2	2.36	4.12	0.07	0.07	0.42	0.030	0.07	9.2	19.7	0.37	319	1.92	0.01
CC129764		0.79	31.7	3.14	3.66	0.07	0.04	0.17	0.030	0.06	10.1	20.4	0.38	710	1.35	0.02
CC129765		0.34	31.5	2.66	4.81	0.08	0.12	0.09	0.029	0.11	16.4	53.7	1.19	298	0.75	0.01
CC129766		1.10	31.5	2.61	5.77	0.10	0.14	0.06	0.030	0.11	22.8	82.0	1.98	391	0.23	0.01
CC129767		0.72	32.1	2.83	5.29	0.09	0.13	0.04	0.030	0.11	13.4	54.0	1.02	301	0.22	0.01
CC129768		0.65	35.6	2.97	5.98	0.10	0.15	0.04	0.031	0.11	13.8	67.9	1.29	279	0.18	0.01
CC129769		0.32	28.6	2.04	1.96	0.05	0.07	0.09	0.018	0.04	6.2	10.1	0.25	908	0.41	0.01
CC129770		0.88	45.9	2.69	4.35	0.07	0.05	0.06	0.030	0.07	8.9	20.1	0.38	552	1.08	0.01
CC129771		1.31	65.9	3.55	4.34	0.10	0.07	0.16	0.035	0.09	11.3	22.6	0.53	426	1.07	<0.01
CC129772		1.38	78.2	5.12	6.43	0.14	0.15	0.11	0.039	0.09	16.5	37.2	1.02	735	1.05	<0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 11- AUG- 2011
Account: RCM

Project: Rackla- Pyramid Soil

CERTIFICATE OF ANALYSIS WH11127778

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
CC129744		0.47	34.1	660	16.4	8.2	<0.001	0.03	0.44	6.7	1.2	0.4	33.9	<0.01	0.06	2.9
CC129745		0.24	32.7	580	13.5	10.7	<0.001	0.04	0.25	6.1	0.6	0.5	36.4	<0.01	0.05	2.9
CC129746		0.20	35.5	670	15.9	8.1	<0.001	0.02	0.26	6.6	1.0	0.4	29.6	<0.01	0.05	3.2
CC129747		0.19	44.6	810	20.6	6.3	<0.001	0.02	0.37	6.5	0.9	0.4	25.5	<0.01	0.06	3.7
CC129748		0.29	40.3	790	15.5	8.6	<0.001	0.03	0.25	5.7	0.8	0.5	32.6	<0.01	0.05	3.1
CC129749		0.28	33.2	630	14.9	10.0	<0.001	0.02	0.19	5.9	0.7	0.5	26.2	<0.01	0.04	3.4
CC129750		0.22	42.3	630	18.9	6.1	<0.001	0.02	0.34	7.8	0.9	0.3	20.3	<0.01	0.06	4.1
CC129751		0.34	45.4	890	13.4	12.8	0.004	0.08	0.30	6.9	5.0	0.5	29.0	0.01	0.06	1.9
CC129752		0.18	31.7	570	10.6	7.3	0.011	0.10	0.37	3.3	2.4	0.3	46.2	<0.01	0.05	0.9
CC129753		0.33	31.9	570	9.6	7.2	0.001	0.08	0.45	2.7	2.1	0.3	44.9	<0.01	0.04	0.6
CC129754		0.40	41.1	610	13.4	7.2	0.001	0.04	0.39	5.1	1.2	0.4	28.4	<0.01	0.05	1.6
CC129755		0.35	30.8	600	12.3	6.2	<0.001	0.07	0.44	3.3	1.3	0.3	35.5	<0.01	0.05	0.6
CC129756		0.90	37.3	260	20.0	9.0	<0.001	0.02	0.54	5.1	0.9	0.6	15.4	<0.01	0.08	2.9
CC129757		0.40	37.3	880	17.6	8.8	<0.001	0.04	0.51	5.2	1.2	0.4	36.0	0.01	0.06	1.7
CC129758		0.68	32.7	790	15.0	6.8	<0.001	0.07	0.60	3.4	1.1	0.4	27.6	<0.01	0.05	0.8
CC129759		0.55	34.5	910	11.8	6.0	<0.001	0.10	0.78	2.8	1.5	0.3	34.6	0.01	0.05	0.5
CC129760		0.73	18.3	750	9.7	4.0	<0.001	0.08	0.67	2.2	1.7	0.5	25.9	0.01	0.04	0.3
CC129761		0.82	36.8	740	10.4	6.0	0.001	0.05	0.70	4.7	1.8	0.4	33.0	<0.01	0.05	1.8
CC129762		0.20	55.9	820	12.5	7.1	0.002	0.02	0.64	6.4	3.0	0.3	47.9	<0.01	0.08	3.1
CC129763		0.48	31.4	570	14.4	7.7	0.004	0.07	0.69	5.0	5.8	0.5	42.9	<0.01	0.07	2.4
CC129764		0.54	32.4	780	14.7	8.1	0.001	0.07	0.70	4.4	2.7	0.4	48.0	<0.01	0.05	0.8
CC129765		0.41	27.5	560	13.8	8.6	<0.001	0.07	0.39	5.0	1.6	0.4	54.0	<0.01	0.03	2.4
CC129766		0.52	30.8	850	14.3	10.9	<0.001	0.06	0.24	6.0	1.4	0.4	49.4	<0.01	0.02	3.4
CC129767		0.37	37.0	570	14.9	8.2	<0.001	0.05	0.21	6.2	1.4	0.4	49.2	<0.01	0.03	2.8
CC129768		0.47	38.8	650	15.3	8.8	<0.001	0.04	0.20	6.6	1.0	0.4	41.6	<0.01	0.03	4.1
CC129769		0.31	15.2	1100	10.9	4.0	<0.001	0.16	0.39	2.1	1.8	0.2	150.5	<0.01	0.05	0.6
CC129770		0.75	24.3	690	14.9	11.6	<0.001	0.07	0.64	3.3	1.6	0.5	72.7	0.01	0.05	0.8
CC129771		0.43	29.7	730	15.6	10.7	<0.001	0.06	0.76	5.5	1.8	0.4	57.7	0.01	0.08	1.4
CC129772		0.16	35.6	750	16.0	7.8	<0.001	0.01	0.56	9.3	0.7	0.3	25.3	0.01	0.08	5.2

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 11- AUG- 2011
Account: RCM

Project: Rackla- Pyramid Soil

CERTIFICATE OF ANALYSIS WH11127778

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
CC129744		0.005	0.11	1.01	45	0.13	12.95	111	1.7
CC129745		<0.005	0.11	0.51	32	0.08	5.14	98	1.5
CC129746		<0.005	0.08	0.61	36	0.08	9.11	115	1.4
CC129747		<0.005	0.10	0.60	38	0.08	9.63	180	1.6
CC129748		<0.005	0.10	0.56	31	0.10	10.05	113	1.5
CC129749		<0.005	0.11	0.61	35	0.08	6.93	101	1.6
CC129750		<0.005	0.10	0.72	38	0.09	14.80	114	2.5
CC129751		<0.005	0.14	1.35	40	0.10	15.70	140	3.2
CC129752		<0.005	0.06	1.01	30	0.08	6.75	111	1.5
CC129753		<0.005	0.10	1.97	30	0.09	10.75	76	1.4
CC129754		<0.005	0.10	0.63	37	0.11	14.85	117	1.4
CC129755		<0.005	0.11	1.21	34	0.12	14.35	93	1.3
CC129756		0.011	0.26	1.21	70	0.16	13.35	211	1.8
CC129757		0.006	0.13	1.68	44	0.15	29.2	92	1.8
CC129758		0.013	0.09	0.83	39	0.27	21.1	105	1.3
CC129759		0.006	0.19	2.13	37	0.20	31.7	99	1.6
CC129760		0.017	0.18	1.15	39	0.31	28.6	68	0.8
CC129761		0.018	0.23	1.44	45	0.24	21.1	100	1.5
CC129762		<0.005	0.09	1.68	44	0.08	16.80	164	4.0
CC129763		0.005	0.16	3.65	56	0.13	10.60	100	2.2
CC129764		0.010	0.10	2.30	39	0.16	12.85	123	1.2
CC129765		0.007	0.09	2.68	30	0.08	11.40	114	3.9
CC129766		0.013	0.09	1.50	32	0.08	14.80	105	4.9
CC129767		0.006	0.07	1.71	21	0.07	19.45	92	4.2
CC129768		0.009	0.07	1.41	26	0.08	17.20	103	5.1
CC129769		<0.005	0.06	5.20	17	0.09	9.89	47	2.2
CC129770		0.014	0.10	2.65	38	0.19	9.83	134	1.2
CC129771		0.010	0.13	1.67	38	0.11	13.75	126	1.7
CC129772		0.005	0.10	0.65	51	<0.05	13.30	111	6.4

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 11- AUG- 2011
Account: RCM

Project: Rackla- Pyramid Soil

CERTIFICATE OF ANALYSIS WH11127778

Method	CERTIFICATE COMMENTS
ME- MS41	Gold determinations by this method are semi- quantitative due to the small sample weight used (0.5g).

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 11- AUG- 2011
Account: RCM

CERTIFICATE WH11127779

Project: Rackla- Pyramid Silts

P.O. No.:

This report is for 42 Silt samples submitted to our lab in Whitehorse, YT, Canada on 8- JUL- 2011.

The following have access to data associated with this certificate:

ROB CARNE JULIA LANE	ANDREW CARNE JOAN MARIACHER	MATT DUMALA

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
SCR- 41	Screen to - 180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- ST43	Super Trace Au - 25g AR	ICP- MS
ME- MS41	51 anal. aqua regia ICPMS	

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 11- AUG- 2011
Account: RCM

Project: Rackla- Pyramid Silts

CERTIFICATE OF ANALYSIS WH11127779

Sample Description	Method	WEI- 21	Au- ST43	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Recvd Wt.	Au	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.02	0.0001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
CC115970		0.27	0.0010	0.12	1.36	8.2	<0.2	<10	130	0.65	0.26	4.30	0.32	19.15	20.8	21
CC115971		0.43	0.0008	0.09	1.20	8.6	<0.2	<10	120	0.61	0.24	3.25	0.24	20.5	20.7	19
CC115972		0.32	0.0025	0.15	1.80	3.3	<0.2	<10	200	0.63	0.22	1.94	0.47	20.0	17.7	26
CC115973		0.36	0.0033	0.13	1.78	3.9	<0.2	<10	190	0.69	0.22	1.19	0.40	22.7	18.3	27
CC115974		0.32	0.0024	0.11	1.78	3.1	<0.2	<10	160	0.62	0.20	1.01	0.34	23.1	17.7	26
CC115975		0.43	0.0044	0.13	1.80	2.7	<0.2	<10	170	0.66	0.21	1.52	0.33	22.4	18.8	27
CC115976		0.40	0.0025	0.11	1.75	3.4	<0.2	<10	140	0.61	0.19	1.27	0.37	23.1	17.9	26
CC115977		0.32	0.0022	0.10	1.59	3.8	<0.2	<10	130	0.63	0.21	1.55	0.35	20.2	16.9	23
CC115978		0.29	0.0023	0.09	1.53	6.7	<0.2	<10	170	0.62	0.21	1.73	0.42	17.95	15.7	23
CC115979		0.34	0.0022	0.08	1.60	5.0	<0.2	<10	150	0.60	0.18	1.72	0.44	19.85	15.5	25
CC115980		0.33	0.0018	0.10	1.67	5.1	<0.2	<10	150	0.63	0.18	1.99	0.47	17.45	15.0	25
CC115981		0.32	0.0018	0.10	1.53	6.4	<0.2	<10	150	0.65	0.20	1.31	0.41	20.7	16.1	24
CC115982		0.42	0.0016	0.08	1.55	5.4	<0.2	<10	180	0.57	0.17	1.84	0.37	18.45	15.8	24
CC115983		0.43	0.0028	0.12	1.58	5.0	<0.2	<10	120	0.54	0.19	1.57	0.45	25.9	16.1	25
CC115984		0.40	0.0016	0.09	1.23	8.6	<0.2	<10	90	0.62	0.23	3.49	0.25	21.3	20.0	20
CC115985		0.34	0.0017	0.10	1.22	8.5	<0.2	<10	110	0.60	0.23	4.34	0.27	18.55	20.1	19
CC115986		0.47	0.0015	0.12	1.34	9.5	<0.2	<10	120	0.67	0.25	4.05	0.31	21.8	22.7	21
CC115987		0.41	0.0014	0.10	1.27	8.8	<0.2	<10	110	0.63	0.24	3.62	0.26	20.1	20.6	20
CC115988		0.54	0.0017	0.10	1.23	6.9	<0.2	<10	110	0.59	0.22	4.77	0.28	18.35	18.4	20
CC115989		0.45	0.0013	0.10	1.24	8.7	<0.2	<10	110	0.62	0.24	3.94	0.26	20.7	21.2	19
CC115990		0.46	0.0012	0.12	1.27	9.0	<0.2	<10	120	0.68	0.25	3.23	0.25	22.3	21.7	20
CC129316		0.47	0.0050	0.14	1.54	12.6	<0.2	<10	180	0.89	0.27	0.76	0.40	23.6	24.0	26
CC129317		0.45	0.0056	0.13	1.45	11.6	<0.2	<10	180	0.86	0.26	0.73	0.36	25.1	22.8	25
CC129318		0.46	0.0040	0.13	1.54	11.3	<0.2	<10	250	0.84	0.26	0.74	0.30	27.7	23.1	26
CC129319		0.30	0.0054	0.13	1.59	11.0	<0.2	<10	180	0.90	0.26	0.68	0.38	25.4	23.7	27
CC129320		0.37	0.0039	0.10	1.50	9.3	<0.2	<10	260	0.77	0.23	0.68	0.26	25.8	21.8	26
CC129321		0.29	0.0057	0.13	1.68	7.9	<0.2	<10	260	0.80	0.23	1.14	0.39	22.6	22.6	28
CC129322		0.35	0.0052	0.12	1.60	8.6	<0.2	<10	190	0.79	0.24	0.84	0.25	25.9	21.7	27
CC129323		0.39	0.0040	0.11	1.62	7.7	<0.2	<10	140	0.74	0.23	0.72	0.22	26.9	22.6	27
CC129324		0.38	0.0051	0.11	1.64	9.1	<0.2	<10	150	0.66	0.21	1.02	0.39	30.5	25.1	28
CC129325		0.43	0.0047	0.11	1.74	8.7	<0.2	<10	160	0.69	0.21	1.09	0.38	31.5	25.8	29
CC129326		0.32	0.0042	0.12	1.67	9.6	<0.2	<10	130	0.72	0.22	0.94	0.38	30.3	24.7	29
CC129327		0.42	0.0036	0.11	1.54	10.3	<0.2	<10	140	0.66	0.20	1.87	0.46	27.6	25.9	27
CC129328		0.44	0.0044	0.07	1.64	10.8	<0.2	<10	180	0.68	0.21	1.08	0.44	27.7	22.5	27
CC129329		0.40	0.0032	0.05	1.65	9.3	<0.2	<10	190	0.65	0.21	0.77	0.34	26.2	20.2	28
CC129330		0.37	0.0040	0.07	1.66	8.4	<0.2	<10	160	0.71	0.22	0.98	0.31	24.3	19.6	27
CC129331		0.45	0.0027	0.06	1.91	3.1	<0.2	<10	190	0.52	0.16	1.16	0.30	21.2	14.6	29
CC129332		0.47	0.0037	0.12	1.64	9.7	<0.2	<10	180	0.75	0.22	1.08	0.36	23.8	18.8	27
CC129333		0.41	0.0034	0.06	1.66	9.3	<0.2	<10	150	0.67	0.21	0.79	0.33	26.0	20.5	27
CC129334		0.55	0.0038	0.06	1.68	8.2	<0.2	<10	180	0.69	0.21	1.09	0.37	22.6	18.6	27

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 11- AUG- 2011
Account: RCM

Project: Rackla- Pyramid Silts

CERTIFICATE OF ANALYSIS WH11127779

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
CC115970		2.51	62.8	4.44	4.07	0.11	0.09	0.10	0.049	0.10	8.4	23.9	1.18	882	0.84	0.01
CC115971		1.88	55.5	4.14	3.69	0.11	0.08	0.07	0.042	0.08	8.8	22.9	1.07	665	0.79	0.01
CC115972		1.43	68.3	3.70	5.98	0.11	0.09	0.12	0.043	0.09	8.9	29.4	1.13	880	0.34	0.01
CC115973		1.50	74.2	3.80	5.84	0.11	0.09	0.11	0.043	0.08	10.0	29.4	1.08	511	0.30	<0.01
CC115974		1.36	55.1	3.82	5.82	0.10	0.08	0.09	0.040	0.08	10.0	30.9	1.13	688	0.31	<0.01
CC115975		1.47	60.7	3.75	5.96	0.10	0.09	0.11	0.041	0.08	9.8	31.1	1.14	725	0.32	<0.01
CC115976		1.43	62.4	3.90	5.87	0.11	0.08	0.09	0.041	0.07	10.0	29.0	1.19	494	0.35	<0.01
CC115977		1.62	59.5	3.89	5.04	0.09	0.08	0.10	0.040	0.08	8.7	27.7	1.17	603	0.40	<0.01
CC115978		1.87	69.7	4.02	5.04	0.10	0.07	0.12	0.039	0.07	8.2	24.1	1.09	505	0.68	0.01
CC115979		3.57	71.3	3.74	5.70	0.10	0.07	0.07	0.040	0.08	9.6	26.6	1.11	452	0.55	0.01
CC115980		7.34	61.6	3.71	5.49	0.10	0.08	0.09	0.040	0.09	8.3	29.6	1.07	349	0.62	<0.01
CC115981		1.26	57.7	3.76	5.09	0.09	0.07	0.07	0.035	0.09	9.2	26.1	0.98	452	0.63	<0.01
CC115982		1.23	57.4	3.73	5.26	0.10	0.07	0.07	0.037	0.08	8.3	25.7	1.04	383	0.59	<0.01
CC115983		1.35	62.0	3.81	5.27	0.10	0.08	0.09	0.036	0.07	11.7	25.5	1.19	528	0.54	0.01
CC115984		1.76	57.2	4.14	3.81	0.11	0.08	0.07	0.041	0.07	9.3	25.3	1.07	701	0.81	<0.01
CC115985		1.96	59.0	4.17	3.64	0.10	0.08	0.08	0.040	0.08	8.2	23.8	1.11	803	0.88	<0.01
CC115986		2.03	67.7	4.51	4.30	0.12	0.09	0.10	0.047	0.09	9.6	25.5	1.16	808	0.95	0.01
CC115987		1.92	62.0	4.28	3.86	0.11	0.08	0.09	0.044	0.09	8.8	23.8	1.07	729	0.85	0.01
CC115988		1.95	57.6	4.01	3.60	0.10	0.08	0.10	0.041	0.09	8.0	23.1	1.08	856	0.77	0.01
CC115989		2.07	61.9	4.22	3.92	0.10	0.08	0.11	0.042	0.09	8.9	25.0	1.09	703	0.85	<0.01
CC115990		1.77	69.2	4.23	4.23	0.11	0.08	0.10	0.046	0.09	9.7	25.6	1.13	584	0.83	0.01
CC129316		6.07	102.5	5.28	5.45	0.12	0.09	0.09	0.048	0.07	9.1	23.7	1.06	704	1.40	0.01
CC129317		5.18	91.2	4.85	5.17	0.12	0.08	0.08	0.043	0.06	10.0	25.3	1.02	568	1.27	<0.01
CC129318		4.63	90.2	4.92	5.35	0.13	0.09	0.09	0.041	0.07	11.3	28.5	1.08	607	1.26	<0.01
CC129319		5.21	88.5	5.07	5.47	0.13	0.09	0.09	0.045	0.08	10.1	27.2	1.05	772	1.27	0.01
CC129320		3.29	81.0	4.50	5.05	0.12	0.08	0.08	0.038	0.06	10.4	27.1	1.01	486	1.09	<0.01
CC129321		3.88	94.1	4.64	5.69	0.11	0.09	0.11	0.042	0.08	9.5	28.2	1.21	605	0.99	0.01
CC129322		3.57	82.9	4.67	5.55	0.12	0.08	0.09	0.040	0.07	10.6	28.4	1.18	409	0.98	<0.01
CC129323		2.95	73.1	4.56	5.74	0.12	0.08	0.09	0.039	0.06	11.0	30.3	1.16	367	0.88	<0.01
CC129324		2.24	87.4	4.54	5.95	0.12	0.08	0.10	0.039	0.07	13.1	28.2	1.25	652	0.95	<0.01
CC129325		2.32	91.5	4.67	6.21	0.13	0.08	0.10	0.040	0.07	13.6	30.6	1.32	681	0.90	<0.01
CC129326		2.68	94.0	4.69	6.11	0.12	0.09	0.13	0.042	0.07	13.0	29.2	1.33	449	0.89	0.01
CC129327		3.03	92.3	4.64	5.56	0.12	0.08	0.13	0.040	0.07	12.0	25.8	1.40	582	0.97	<0.01
CC129328		2.09	89.1	4.28	5.57	0.11	0.09	0.11	0.035	0.06	11.9	23.4	1.25	644	0.92	0.01
CC129329		1.95	82.9	4.35	5.22	0.11	0.09	0.08	0.037	0.06	10.9	25.1	1.16	473	0.86	0.01
CC129330		2.39	79.5	4.27	5.21	0.11	0.09	0.10	0.036	0.06	9.7	23.9	1.27	433	0.82	0.01
CC129331		0.80	54.2	3.59	5.61	0.10	0.08	0.08	0.032	0.06	9.3	27.8	1.23	579	0.33	0.01
CC129332		3.48	85.9	4.28	5.03	0.12	0.11	0.10	0.037	0.06	9.9	24.0	1.21	557	1.04	0.01
CC129333		1.96	79.1	4.39	5.30	0.13	0.09	0.07	0.034	0.05	10.2	24.3	1.21	564	0.98	0.01
CC129334		2.98	83.2	4.20	5.15	0.12	0.09	0.11	0.034	0.07	9.4	24.6	1.24	476	0.82	0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 11- AUG- 2011
Account: RCM

Project: Rackla- Pyramid Silts

CERTIFICATE OF ANALYSIS WH11127779

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
CC115970		0.22	28.8	690	19.3	9.3	0.002	0.12	0.54	7.3	1.4	0.4	172.5	<0.01	0.07	3.0
CC115971		0.20	28.0	620	17.2	7.6	0.002	0.09	0.46	6.7	1.1	0.3	135.5	0.01	0.06	3.2
CC115972		0.34	26.1	740	13.0	8.9	0.004	0.16	0.26	8.7	2.6	0.5	53.6	<0.01	0.07	2.1
CC115973		0.34	26.3	670	14.5	8.5	0.004	0.15	0.31	9.3	2.3	0.4	41.0	<0.01	0.08	2.4
CC115974		0.31	25.5	630	12.4	8.1	0.002	0.09	0.25	8.1	1.7	0.4	35.6	<0.01	0.07	2.3
CC115975		0.34	26.5	640	12.6	9.2	0.002	0.10	0.25	9.1	1.7	0.4	42.5	<0.01	0.06	2.5
CC115976		0.31	25.9	620	12.4	8.0	0.002	0.08	0.28	8.3	1.5	0.4	36.0	<0.01	0.07	2.3
CC115977		0.25	23.6	590	15.1	10.2	0.002	0.09	0.30	8.3	1.6	0.4	40.0	<0.01	0.07	2.0
CC115978		0.30	24.1	670	14.2	10.9	0.002	0.14	0.52	8.5	3.0	0.3	54.7	<0.01	0.08	1.2
CC115979		0.38	24.9	700	11.1	13.1	0.001	0.10	0.37	8.8	1.9	0.4	56.3	0.01	0.07	1.1
CC115980		0.34	25.4	650	10.9	11.9	<0.001	0.13	0.46	7.5	2.8	0.4	51.8	<0.01	0.07	1.6
CC115981		0.36	24.4	660	12.8	9.1	0.001	0.09	0.46	6.4	2.1	0.3	42.8	<0.01	0.07	1.6
CC115982		0.32	24.6	630	11.4	9.4	<0.001	0.10	0.42	6.4	1.9	0.3	47.9	<0.01	0.07	1.5
CC115983		0.47	25.1	820	11.9	7.9	0.001	0.07	0.45	7.4	1.3	0.4	36.4	0.01	0.07	2.7
CC115984		0.19	28.1	590	17.0	6.8	0.001	0.07	0.52	6.9	1.0	0.3	146.5	<0.01	0.07	3.1
CC115985		0.20	27.3	610	17.7	7.3	0.002	0.09	0.52	6.9	1.2	0.3	170.5	<0.01	0.07	3.0
CC115986		0.22	31.6	700	19.6	8.4	0.002	0.11	0.53	7.9	1.2	0.4	166.5	0.01	0.07	3.2
CC115987		0.20	28.6	660	18.1	8.1	0.002	0.10	0.49	7.1	1.1	0.4	151.5	<0.01	0.07	3.1
CC115988		0.20	25.6	650	16.7	8.1	0.002	0.15	0.43	6.6	1.3	0.3	183.0	<0.01	0.06	2.9
CC115989		0.20	30.0	650	17.5	8.3	0.002	0.11	0.49	7.3	1.2	0.3	167.0	<0.01	0.07	3.1
CC115990		0.21	30.6	710	18.1	8.6	0.002	0.10	0.49	7.6	1.3	0.4	140.0	<0.01	0.06	3.3
CC129316		0.29	32.4	750	20.5	7.9	0.001	0.06	0.76	9.0	1.1	0.4	29.0	0.01	0.13	2.6
CC129317		0.29	31.1	710	19.1	7.1	0.001	0.05	0.71	8.6	1.2	0.4	33.3	0.01	0.12	3.2
CC129318		0.34	32.1	790	18.8	7.6	0.002	0.05	0.71	8.9	1.5	0.4	42.2	0.01	0.12	3.3
CC129319		0.34	31.9	800	18.8	9.0	0.001	0.06	0.71	9.2	1.2	0.4	33.6	0.01	0.12	3.0
CC129320		0.32	30.3	710	15.6	7.1	0.003	0.05	0.56	7.9	1.2	0.3	44.1	<0.01	0.10	3.0
CC129321		0.32	30.8	840	15.3	9.4	0.002	0.09	0.53	9.3	1.7	0.3	62.1	0.01	0.10	2.1
CC129322		0.31	30.6	720	15.8	7.4	0.002	0.05	0.55	8.4	1.3	0.3	40.8	<0.01	0.10	3.1
CC129323		0.31	30.9	720	14.9	7.0	0.002	0.04	0.49	8.0	1.6	0.3	34.7	<0.01	0.10	3.4
CC129324		0.38	32.9	730	15.0	6.8	<0.001	0.04	0.66	8.5	0.9	0.4	40.4	<0.01	0.09	3.3
CC129325		0.36	33.7	730	15.1	7.3	0.001	0.04	0.61	8.8	0.9	0.4	44.7	<0.01	0.09	3.3
CC129326		0.36	32.8	790	15.9	7.8	0.001	0.05	0.67	8.9	1.3	0.4	45.1	0.01	0.09	3.2
CC129327		0.34	33.7	710	15.5	6.8	0.001	0.04	0.78	8.6	1.0	0.4	54.5	0.01	0.10	3.2
CC129328		0.33	37.4	750	16.1	5.6	<0.001	0.03	0.62	8.6	1.2	0.3	49.8	<0.01	0.09	2.9
CC129329		0.27	34.6	690	15.1	5.2	0.001	0.03	0.50	7.8	1.1	0.3	42.3	<0.01	0.08	2.9
CC129330		0.29	34.7	750	15.5	5.8	0.002	0.04	0.47	8.1	1.6	0.3	46.0	<0.01	0.08	3.0
CC129331		0.23	30.2	660	9.8	8.2	0.006	0.08	0.17	6.6	2.4	0.3	54.1	<0.01	0.05	1.8
CC129332		0.32	34.4	770	16.6	6.5	0.001	0.05	0.52	8.6	2.0	0.3	49.0	<0.01	0.09	3.0
CC129333		0.26	36.4	710	15.7	4.2	0.001	0.02	0.51	7.7	1.0	0.3	28.2	<0.01	0.09	3.0
CC129334		0.26	34.8	730	15.3	5.9	0.001	0.06	0.47	7.9	1.7	0.3	47.3	<0.01	0.09	2.6

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 11- AUG- 2011
Account: RCM

Project: Rackla- Pyramid Silts

CERTIFICATE OF ANALYSIS WH11127779

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
CC115970		0.005	0.09	0.56	34	<0.05	11.70	101	2.5
CC115971		<0.005	0.07	0.53	31	<0.05	10.85	91	2.5
CC115972		0.007	0.08	0.35	44	0.09	11.20	98	2.2
CC115973		0.008	0.08	0.56	48	0.06	11.55	94	2.3
CC115974		0.008	0.07	0.35	47	0.05	9.90	95	1.9
CC115975		0.008	0.07	0.33	44	0.05	11.30	94	2.2
CC115976		0.008	0.07	0.33	45	0.07	10.45	89	2.0
CC115977		0.007	0.07	0.34	40	<0.05	10.45	94	2.0
CC115978		0.008	0.08	0.48	41	0.08	10.85	110	1.7
CC115979		0.010	0.07	0.38	43	0.06	11.05	97	1.5
CC115980		0.008	0.07	0.37	42	0.07	7.77	88	2.1
CC115981		0.009	0.06	0.47	42	0.08	8.94	80	1.9
CC115982		0.008	0.06	0.35	41	0.06	8.42	86	2.0
CC115983		0.017	0.07	0.42	46	0.09	9.76	88	1.9
CC115984		0.005	0.07	0.53	32	<0.05	10.35	88	2.6
CC115985		<0.005	0.07	0.58	31	<0.05	11.45	88	2.6
CC115986		0.005	0.08	0.56	34	0.05	12.05	96	2.9
CC115987		<0.005	0.08	0.56	33	<0.05	11.35	93	2.5
CC115988		<0.005	0.07	0.53	31	<0.05	10.85	88	2.3
CC115989		0.005	0.07	0.60	32	<0.05	11.45	94	2.5
CC115990		0.005	0.08	0.59	33	0.05	11.95	91	2.7
CC129316		0.010	0.09	0.50	52	0.07	12.25	101	2.2
CC129317		0.011	0.08	0.53	49	0.09	11.20	90	2.2
CC129318		0.014	0.08	0.60	50	0.10	12.00	91	2.3
CC129319		0.012	0.09	0.50	52	0.08	11.80	94	2.4
CC129320		0.012	0.06	0.45	47	0.06	10.40	84	2.4
CC129321		0.010	0.07	0.44	51	0.07	12.60	90	2.1
CC129322		0.012	0.06	0.41	50	0.07	10.70	87	2.4
CC129323		0.012	0.06	0.42	48	0.10	9.80	85	2.4
CC129324		0.017	0.07	0.45	54	0.09	10.65	87	2.4
CC129325		0.017	0.07	0.46	56	0.11	10.75	89	2.3
CC129326		0.015	0.07	0.47	55	0.08	11.35	90	2.5
CC129327		0.016	0.07	0.41	53	0.21	10.50	93	2.4
CC129328		0.014	0.05	0.45	52	0.11	11.50	87	2.3
CC129329		0.011	0.04	0.35	51	0.08	10.05	85	2.2
CC129330		0.012	0.04	0.39	49	0.05	10.75	87	2.2
CC129331		0.008	0.04	0.35	48	<0.05	8.47	95	1.6
CC129332		0.012	0.04	0.43	49	0.11	11.30	88	2.6
CC129333		0.012	0.04	0.38	51	0.06	10.55	86	2.3
CC129334		0.011	0.04	0.39	49	0.18	10.40	91	2.2

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 11- AUG- 2011
Account: RCM

Project: Rackla- Pyramid Silts

CERTIFICATE OF ANALYSIS WH11127779

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- ST43 Au ppm 0.0001	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1
CC129335		0.49	0.0031	0.08	1.76	8.3	<0.2	<10	200	0.74	0.24	1.19	0.37	24.2	20.7	28
CC129336		0.38	0.0044	0.07	1.75	8.9	<0.2	<10	190	0.73	0.22	1.13	0.35	23.7	19.8	28

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 11- AUG- 2011
Account: RCM

Project: Rackla- Pyramid Silts

CERTIFICATE OF ANALYSIS WH11127779

Sample Description	Method Analyte Units LOR	ME- MS41 Cs ppm 0.05	ME- MS41 Cu ppm 0.2	ME- MS41 Fe % 0.01	ME- MS41 Ga ppm 0.05	ME- MS41 Ge ppm 0.05	ME- MS41 Hf ppm 0.02	ME- MS41 Hg ppm 0.01	ME- MS41 In ppm 0.005	ME- MS41 K % 0.01	ME- MS41 La ppm 0.2	ME- MS41 Li ppm 0.1	ME- MS41 Mg % 0.01	ME- MS41 Mn ppm 5	ME- MS41 Mo ppm 0.05	ME- MS41 Na % 0.01
CC129335		2.98	85.0	4.35	5.72	0.11	0.09	0.11	0.038	0.07	10.4	26.1	1.31	486	0.85	0.01
CC129336		2.97	83.9	4.45	5.07	0.11	0.09	0.10	0.038	0.07	9.9	25.2	1.29	522	0.85	0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 11- AUG- 2011
Account: RCM

Project: Rackla- Pyramid Silts

CERTIFICATE OF ANALYSIS WH11127779

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
CC129335		0.29	35.2	740	15.8	6.9	0.001	0.06	0.46	7.9	2.1	0.3	59.1	<0.01	0.10	2.7
CC129336		0.30	33.3	760	15.4	6.6	0.003	0.05	0.47	7.6	1.8	0.3	48.9	<0.01	0.09	2.6

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 11- AUG- 2011
Account: RCM

Project: Rackla- Pyramid Silts

CERTIFICATE OF ANALYSIS WH11127779

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
CC129335		0.010	0.05	0.38	51	0.05	10.45	94	2.1
CC129336		0.011	0.05	0.36	51	0.05	10.30	91	2.1

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 11- AUG- 2011
Account: RCM

Project: Rackla- Pyramid Silts

CERTIFICATE OF ANALYSIS WH11127779

Method	CERTIFICATE COMMENTS
ME- MS41	Gold determinations by this method are semi- quantitative due to the small sample weight used (0.5g).

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 13- AUG- 2011
Account: RCM

CERTIFICATE WH11129390

Project: Rackla- Crag North Silts

P.O. No.:

This report is for 75 Silt samples submitted to our lab in Whitehorse, YT, Canada on 8- JUL- 2011.

The following have access to data associated with this certificate:

ROB CARNE JULIA LANE	ANDREW CARNE JOAN MARIACHER	MATT DUMALA

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
SCR- 41	Screen to - 180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- ST43	Super Trace Au - 25g AR	ICP- MS
ME- MS41	51 anal. aqua regia ICPMS	

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 13- AUG- 2011
Account: RCM

Project: Rackla- Crag North Silts

CERTIFICATE OF ANALYSIS WH11129390

Sample Description	Method	WEI- 21	Au- ST43	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Recvd Wt.	Au	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.02	0.0001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
CC115105		0.37	0.0012	0.78	0.68	13.3	<0.2	<10	400	0.44	0.15	1.34	1.40	12.20	6.8	16
CC115106		0.48	0.0013	0.83	0.66	14.6	<0.2	<10	480	0.49	0.15	0.77	1.28	13.45	6.9	15
CC115107		0.41	0.0009	0.22	1.32	11.0	<0.2	<10	300	0.85	0.21	0.87	0.58	9.64	14.5	22
CC115108		0.27	0.0019	0.89	1.25	11.1	<0.2	<10	360	0.81	0.21	1.06	2.71	9.50	16.9	21
CC115109		0.35	0.0016	1.58	1.33	22.2	<0.2	<10	760	1.19	0.12	1.24	27.1	15.70	92.6	20
CC115110		0.38	0.0010	3.15	0.48	25.2	<0.2	<10	560	0.37	0.18	0.90	2.19	18.70	7.2	21
CC129366		0.45	0.0010	1.33	0.47	14.2	<0.2	<10	270	0.36	0.14	0.84	1.10	14.60	5.0	22
CC129367		0.39	0.0009	1.10	0.44	16.9	<0.2	<10	380	0.37	0.14	2.69	1.57	11.45	5.9	20
CC129368		0.33	0.0008	1.24	0.44	16.9	<0.2	<10	560	0.34	0.14	3.04	1.20	12.15	5.3	20
CC129369		0.45	0.0017	1.85	0.44	17.5	<0.2	<10	650	0.36	0.17	1.89	2.61	16.20	5.5	17
CC129370		0.45	0.0013	1.52	0.39	17.1	<0.2	<10	520	0.30	0.15	1.96	2.68	15.00	6.1	15
CC129371		0.34	0.0021	1.66	0.45	16.4	<0.2	<10	510	0.34	0.17	2.22	4.16	15.30	6.1	18
CC129372		0.34	0.0012	1.17	0.43	17.0	<0.2	<10	500	0.32	0.15	1.16	1.54	14.70	5.1	16
CC129373		0.38	0.0012	1.02	0.52	16.0	<0.2	<10	430	0.39	0.16	1.37	1.88	14.05	6.1	16
CC129374		0.45	0.0009	0.65	0.89	17.1	<0.2	<10	430	0.62	0.16	3.57	1.27	16.25	7.5	20
CC129375		0.39	0.0017	1.08	0.43	12.8	<0.2	<10	470	0.33	0.16	1.32	2.21	15.55	4.7	13
CC129376		0.41	0.0016	0.70	0.58	12.5	<0.2	<10	550	0.39	0.15	2.56	0.78	15.20	5.4	16
CC129377		0.48	0.0009	0.74	0.59	12.2	<0.2	<10	500	0.40	0.15	2.14	0.88	14.35	5.2	18
CC129378		0.38	0.0016	0.83	0.59	14.0	<0.2	<10	420	0.44	0.16	1.92	1.57	14.10	6.1	17
CC129379		0.42	0.0010	0.97	0.46	12.4	<0.2	<10	490	0.35	0.14	1.77	1.53	15.05	4.8	13
CC129380		0.35	0.0013	0.82	0.54	12.9	<0.2	<10	460	0.37	0.14	2.42	1.29	15.45	5.7	16
CC129381		0.37	0.0020	0.98	0.43	13.7	<0.2	<10	510	0.31	0.14	2.75	1.63	14.75	4.4	13
CC129382		0.38	0.0007	0.76	0.61	11.4	<0.2	<10	550	0.37	0.15	1.88	0.82	12.55	5.0	19
CC129383		0.43	0.0009	0.95	0.70	13.2	<0.2	<10	560	0.43	0.18	1.77	0.84	14.05	6.2	22
CC129384		0.43	0.0008	1.04	0.75	12.6	<0.2	<10	420	0.43	0.19	1.38	1.00	13.55	6.3	23
CC129385		0.35	0.0008	0.97	0.76	13.6	<0.2	<10	350	0.45	0.20	1.08	0.80	14.25	5.5	25
CC129386		0.47	0.0007	0.99	0.63	9.5	<0.2	<10	340	0.38	0.17	1.95	0.80	12.65	4.9	21
CC129387		0.41	0.0006	1.19	0.64	12.1	<0.2	<10	460	0.38	0.18	1.49	0.97	12.35	4.8	24
CC129388		0.47	0.0006	1.28	0.66	13.8	<0.2	<10	520	0.43	0.19	1.73	0.93	12.45	5.4	24
CC129389		0.38	0.0009	1.14	0.50	12.0	<0.2	<10	420	0.33	0.16	2.14	0.83	11.35	4.9	21
CC129390		0.42	0.0006	1.60	0.61	14.6	<0.2	<10	480	0.40	0.19	1.33	1.22	12.80	4.9	24
CC129391		0.36	0.0005	1.50	0.68	13.8	<0.2	<10	520	0.39	0.22	0.97	1.36	10.45	4.7	28
CC129392		0.35	0.0004	1.82	0.38	14.3	<0.2	<10	430	0.29	0.15	0.64	0.29	14.40	2.7	17
CC129393		0.37	0.0012	1.69	0.48	16.9	<0.2	<10	480	0.41	0.20	1.69	0.89	18.05	5.9	17
CC129394		0.55	0.0011	0.96	0.69	15.2	<0.2	<10	580	0.61	0.26	0.43	0.44	24.7	9.1	15
CC129395		0.48	0.0012	1.27	0.76	14.8	<0.2	<10	290	0.42	0.22	0.79	0.77	11.35	5.0	30
CC129396		0.40	0.0009	0.95	0.85	12.4	<0.2	<10	260	0.43	0.26	0.52	0.48	8.99	4.8	32
CC129397		0.47	0.0012	0.87	1.03	16.1	<0.2	<10	230	0.58	0.30	0.48	0.68	8.94	6.3	39
CC129398		0.56	0.0007	0.57	1.12	15.7	<0.2	<10	190	0.56	0.30	0.32	0.35	6.35	5.9	43
CC115368		0.44	0.0014	0.70	1.07	16.4	<0.2	<10	520	0.68	0.29	1.05	5.55	8.10	10.1	25

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 13- AUG- 2011
Account: RCM

Project: Rackla- Crag North Silts

CERTIFICATE OF ANALYSIS WH11129390

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
CC115105		1.57	23.5	2.02	2.02	0.12	0.06	0.16	0.026	0.06	7.8	16.2	0.47	153	2.64	0.01
CC115106		1.76	24.7	2.13	2.05	0.12	0.06	0.10	0.028	0.06	8.6	16.9	0.26	179	3.27	0.01
CC115107		0.74	25.2	2.93	4.02	0.12	0.07	0.09	0.035	0.07	5.3	37.1	0.43	475	1.67	0.01
CC115108		2.13	36.3	2.68	3.65	0.11	0.09	0.14	0.036	0.09	5.4	38.5	0.41	332	2.62	0.02
CC115109		5.03	265	9.40	1.09	0.20	0.11	0.12	0.047	0.07	10.0	5.0	0.21	645	8.25	0.02
CC115110		6.76	46.5	2.52	1.45	0.15	0.04	0.14	0.034	0.07	14.0	7.5	0.24	117	6.11	0.01
CC129366		1.64	26.3	1.82	1.45	0.12	0.06	0.09	0.026	0.05	10.8	6.6	0.22	145	1.66	0.01
CC129367		5.42	24.9	1.88	1.25	0.11	0.06	0.10	0.024	0.06	9.0	6.5	1.35	130	1.75	0.02
CC129368		5.74	23.9	1.81	1.25	0.11	0.06	0.14	0.026	0.06	9.7	6.6	1.51	108	1.85	0.02
CC129369		3.56	29.5	1.70	1.40	0.12	0.05	0.16	0.026	0.06	11.5	5.6	0.83	105	3.08	0.02
CC129370		3.75	29.7	1.70	1.22	0.11	0.05	0.14	0.025	0.05	10.5	5.7	0.88	138	3.36	0.02
CC129371		4.47	32.9	1.87	1.39	0.13	0.06	0.17	0.026	0.06	10.8	6.7	0.89	138	3.31	0.02
CC129372		3.36	20.4	1.74	1.32	0.12	0.05	0.12	0.023	0.05	10.5	7.0	0.44	82	2.70	0.01
CC129373		3.06	23.3	1.79	1.61	0.11	0.06	0.15	0.024	0.05	9.5	10.3	0.59	114	2.69	0.02
CC129374		0.77	27.0	2.08	2.66	0.13	0.07	0.31	0.025	0.06	10.8	14.1	1.77	399	2.15	0.02
CC129375		1.74	24.1	1.54	1.31	0.09	0.05	0.14	0.024	0.05	9.9	7.7	0.56	115	2.82	0.01
CC129376		0.97	23.1	1.63	1.73	0.11	0.05	0.19	0.024	0.05	9.3	10.0	1.17	106	1.93	0.01
CC129377		1.10	22.8	1.71	1.68	0.11	0.05	0.15	0.024	0.06	9.5	10.7	0.97	114	1.89	0.01
CC129378		1.64	22.8	1.95	1.60	0.09	0.05	0.17	0.025	0.06	8.8	11.7	0.86	169	1.90	0.01
CC129379		1.32	23.5	1.58	1.44	0.10	0.05	0.15	0.022	0.05	9.9	8.3	0.77	113	2.66	0.01
CC129380		1.56	22.4	1.69	1.59	0.11	0.05	0.17	0.022	0.05	9.7	9.3	1.13	101	2.16	0.01
CC129381		1.25	22.6	1.43	1.36	0.10	0.04	0.21	0.020	0.05	9.7	7.4	1.15	111	2.82	0.01
CC129382		1.25	22.8	1.95	1.63	0.10	0.05	0.13	0.026	0.05	7.8	12.8	0.90	115	1.72	0.01
CC129383		1.19	27.3	2.25	1.86	0.10	0.06	3.58	0.025	0.06	9.4	14.2	0.82	163	1.92	0.01
CC129384		1.63	29.4	2.32	2.08	0.11	0.07	0.17	0.029	0.06	8.5	16.4	0.58	154	2.07	0.01
CC129385		1.57	31.2	2.55	2.02	0.12	0.06	0.14	0.029	0.06	8.4	17.5	0.53	62	1.95	0.01
CC129386		1.48	23.5	1.97	1.71	0.08	0.06	0.13	0.029	0.06	8.5	14.7	0.96	98	1.54	0.01
CC129387		1.85	29.3	2.13	1.70	0.10	0.06	0.14	0.029	0.06	7.8	14.4	0.67	88	2.12	0.01
CC129388		1.58	32.3	2.24	1.76	0.10	0.06	0.13	0.032	0.06	8.3	13.8	0.83	103	2.19	0.01
CC129389		1.80	32.6	2.01	1.39	0.10	0.10	0.12	0.026	0.06	7.8	10.3	0.79	136	2.15	0.01
CC129390		2.38	35.0	2.31	1.71	0.10	0.06	0.17	0.033	0.06	8.9	13.1	0.62	100	2.65	0.01
CC129391		2.80	38.3	2.55	1.85	0.10	0.07	0.19	0.037	0.06	6.8	15.9	0.40	97	2.57	0.01
CC129392		2.00	18.7	2.22	0.99	0.10	0.05	0.10	0.025	0.05	10.9	4.9	0.20	32	1.97	<0.01
CC129393		3.01	30.4	2.07	1.18	0.10	0.07	0.14	0.030	0.08	12.1	5.4	0.74	120	1.49	<0.01
CC129394		3.91	31.8	2.65	1.65	0.10	0.09	0.13	0.038	0.10	13.9	9.9	0.19	137	1.00	<0.01
CC129395		1.84	42.0	2.91	2.06	0.11	0.07	0.15	0.038	0.07	6.9	17.6	0.31	99	3.14	<0.01
CC129396		2.81	40.0	2.87	2.40	0.10	0.07	0.18	0.041	0.07	5.3	21.3	0.25	78	3.22	0.01
CC129397		2.61	57.6	3.77	2.88	0.10	0.09	0.19	0.048	0.09	4.5	29.2	0.32	112	4.27	0.01
CC129398		2.39	61.4	4.13	3.08	0.11	0.07	0.19	0.051	0.08	3.1	33.4	0.36	85	4.42	0.01
CC115368		2.72	75.0	3.96	2.96	0.11	0.06	0.18	0.052	0.09	4.4	27.1	0.47	273	7.97	0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 13- AUG- 2011
Account: RCM

Project: Rackla- Crag North Silts

CERTIFICATE OF ANALYSIS WH11129390

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
CC115105		0.16	39.5	800	13.9	7.4	0.004	0.09	1.34	2.8	2.7	0.3	45.5	<0.01	0.05	1.9
CC115106		0.13	38.5	830	14.3	7.5	0.004	0.08	1.49	2.7	3.0	0.3	45.2	<0.01	0.06	1.9
CC115107		0.25	47.4	760	13.5	9.1	<0.001	0.07	0.61	3.7	1.2	0.4	32.1	<0.01	0.05	1.5
CC115108		0.19	78.0	980	15.4	12.6	0.002	0.11	0.96	4.4	2.3	0.3	56.8	<0.01	0.06	1.9
CC115109		0.09	587	1070	15.1	9.1	0.003	0.14	4.11	5.3	5.4	0.2	96.2	0.01	0.10	2.1
CC115110		0.15	102.5	1310	21.4	10.5	0.003	0.09	2.81	3.6	6.0	0.4	71.8	<0.01	0.10	1.3
CC129366		0.18	36.9	1100	19.0	6.7	0.003	0.08	1.29	2.3	2.6	0.2	27.3	<0.01	0.07	0.9
CC129367		0.12	38.0	940	24.2	8.5	0.002	0.07	1.40	2.6	2.6	0.2	33.2	<0.01	0.07	1.3
CC129368		0.13	40.6	1090	22.6	12.2	0.002	0.09	1.34	2.6	2.7	0.2	42.6	<0.01	0.07	1.4
CC129369		0.13	44.9	1000	19.3	8.2	0.007	0.08	2.50	2.6	4.4	0.3	49.3	<0.01	0.11	1.5
CC129370		0.12	47.3	1000	16.8	8.2	0.005	0.09	2.45	2.5	4.5	0.3	48.0	<0.01	0.09	1.6
CC129371		0.16	61.0	1110	17.9	11.3	0.007	0.12	2.50	2.7	4.2	0.3	52.1	<0.01	0.10	1.6
CC129372		0.15	39.3	870	19.5	8.3	0.005	0.09	1.64	2.5	3.9	0.2	35.3	<0.01	0.07	1.6
CC129373		0.15	39.1	820	17.0	8.9	0.005	0.08	1.43	2.6	3.4	0.3	37.4	<0.01	0.07	1.7
CC129374		0.30	36.0	1080	15.4	6.8	0.001	0.07	1.16	3.7	1.7	0.3	44.2	<0.01	0.06	1.2
CC129375		0.13	37.2	880	12.2	6.0	0.005	0.06	1.83	1.9	2.4	0.2	38.8	<0.01	0.09	1.6
CC129376		0.25	33.3	950	9.9	5.4	0.004	0.08	1.05	2.4	2.6	0.3	52.3	<0.01	0.04	1.6
CC129377		0.22	34.1	950	10.1	6.0	0.003	0.08	0.92	2.3	2.6	0.3	45.5	<0.01	0.03	1.6
CC129378		0.18	37.5	910	11.2	6.7	0.004	0.08	0.99	2.2	2.4	0.3	41.4	<0.01	0.06	1.5
CC129379		0.17	32.8	890	10.8	5.7	0.005	0.07	1.65	2.0	2.4	0.3	44.2	<0.01	0.07	1.7
CC129380		0.23	35.7	920	11.2	6.2	0.003	0.09	1.35	2.3	1.8	0.3	43.8	<0.01	0.05	1.8
CC129381		0.18	32.8	920	10.3	5.5	0.006	0.08	1.82	2.0	2.4	0.2	52.6	<0.01	0.06	1.6
CC129382		0.16	31.5	900	10.7	6.2	0.004	0.09	0.76	2.2	2.5	0.2	39.4	<0.01	0.05	1.6
CC129383		0.19	36.4	1000	12.0	6.0	0.003	0.10	0.81	2.5	2.3	0.3	43.3	<0.01	0.05	1.8
CC129384		0.19	40.0	890	12.6	7.4	0.003	0.11	0.81	2.6	2.7	0.3	43.3	<0.01	0.06	1.8
CC129385		0.14	37.0	930	13.6	6.5	0.003	0.08	0.73	2.7	3.8	0.3	32.4	<0.01	0.08	2.2
CC129386		0.12	33.7	860	11.7	7.0	0.004	0.09	0.67	2.2	2.2	0.2	39.5	<0.01	0.06	1.8
CC129387		0.11	36.9	870	12.3	7.3	0.004	0.11	0.83	2.4	2.9	0.2	41.7	<0.01	0.05	1.7
CC129388		0.10	38.2	880	12.7	6.4	0.003	0.10	0.82	2.5	2.7	0.3	44.8	<0.01	0.06	1.8
CC129389		0.09	40.1	1080	10.6	6.7	0.002	0.15	1.04	2.1	2.5	0.2	42.6	<0.01	0.06	1.2
CC129390		0.09	43.4	990	13.2	8.2	0.003	0.11	0.93	2.5	2.7	0.3	52.7	<0.01	0.07	1.7
CC129391		0.08	40.7	1010	15.3	9.0	0.003	0.13	0.90	2.5	3.7	0.3	49.9	<0.01	0.08	1.7
CC129392		0.08	31.7	950	12.1	6.8	0.002	0.08	1.02	2.1	2.3	0.2	39.9	<0.01	0.07	1.8
CC129393		0.09	44.0	1030	16.5	8.0	0.002	0.09	1.46	3.0	2.2	0.3	38.4	<0.01	0.08	1.6
CC129394		0.11	46.8	660	17.4	10.3	0.004	0.06	0.95	4.1	1.8	0.3	18.5	<0.01	0.10	2.0
CC129395		0.07	40.2	1080	14.1	7.5	0.004	0.13	1.01	2.4	3.3	0.3	49.4	<0.01	0.06	1.7
CC129396		0.09	32.8	820	15.4	8.5	0.004	0.10	0.69	2.6	2.4	0.3	34.5	<0.01	0.06	1.9
CC129397		0.07	45.4	930	18.6	9.6	0.004	0.16	0.88	3.0	3.0	0.3	44.5	<0.01	0.07	2.4
CC129398		<0.05	33.0	730	18.0	8.1	0.004	0.17	0.77	3.2	3.2	0.3	46.2	<0.01	0.05	3.3
CC115368		0.08	99.9	1190	16.4	9.4	0.006	0.20	3.07	3.6	3.6	0.4	81.8	<0.01	0.07	2.0

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 13- AUG- 2011
Account: RCM

Project: Rackla- Crag North Silts

CERTIFICATE OF ANALYSIS WH11129390

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
CC115105		<0.005	0.24	0.98	27	0.06	11.75	175	2.2
CC115106		<0.005	0.25	1.22	28	0.05	11.70	176	2.1
CC115107		<0.005	0.11	1.53	31	0.07	12.55	178	1.9
CC115108		<0.005	0.33	2.54	27	0.07	16.30	284	2.7
CC115109		<0.005	1.48	9.77	33	0.09	46.1	2810	2.7
CC115110		0.005	0.53	2.01	37	0.11	25.2	335	1.1
CC129366		0.006	0.31	1.82	25	0.08	19.20	210	1.6
CC129367		<0.005	0.36	1.20	20	<0.05	18.30	311	1.6
CC129368		<0.005	0.44	1.10	21	0.05	18.75	332	1.7
CC129369		<0.005	0.43	1.48	34	0.09	16.60	320	1.7
CC129370		<0.005	0.42	1.44	30	0.06	15.90	310	1.7
CC129371		<0.005	0.48	1.43	31	0.06	16.70	395	2.1
CC129372		<0.005	0.33	1.65	25	0.05	14.70	277	1.7
CC129373		<0.005	0.35	1.50	26	0.07	14.40	250	1.9
CC129374		0.007	0.21	1.40	36	0.07	20.3	169	2.0
CC129375		<0.005	0.32	1.21	31	0.08	11.35	212	1.6
CC129376		0.007	0.21	1.25	29	0.31	13.85	131	1.6
CC129377		0.006	0.21	1.19	26	0.07	14.15	137	1.7
CC129378		0.005	0.27	1.03	26	0.06	13.15	206	1.7
CC129379		0.005	0.26	1.09	30	0.06	11.80	165	1.6
CC129380		0.007	0.27	1.08	29	0.15	13.60	191	1.8
CC129381		0.005	0.28	1.16	31	0.08	12.10	163	1.5
CC129382		<0.005	0.19	1.09	23	0.05	13.55	146	1.7
CC129383		0.005	0.20	1.14	27	0.15	15.05	162	2.0
CC129384		<0.005	0.24	1.31	26	0.05	15.20	163	2.2
CC129385		<0.005	0.22	1.05	25	0.05	15.40	168	2.2
CC129386		<0.005	0.23	0.89	21	<0.05	13.75	160	1.9
CC129387		<0.005	0.25	1.27	22	<0.05	14.40	158	2.0
CC129388		<0.005	0.23	1.25	24	<0.05	15.15	164	2.1
CC129389		<0.005	0.23	1.37	21	0.08	17.40	143	3.1
CC129390		<0.005	0.33	1.15	23	<0.05	16.10	198	2.2
CC129391		<0.005	0.37	1.76	22	<0.05	14.50	207	2.3
CC129392		<0.005	0.27	0.96	19	<0.05	14.95	164	1.6
CC129393		<0.005	0.42	1.13	21	<0.05	19.25	205	2.3
CC129394		<0.005	0.26	2.00	20	<0.05	17.20	171	2.6
CC129395		<0.005	0.22	1.65	25	<0.05	14.00	159	2.2
CC129396		<0.005	0.19	2.21	23	<0.05	11.15	155	2.3
CC129397		<0.005	0.22	1.85	28	<0.05	11.70	147	3.1
CC129398		<0.005	0.17	1.66	28	<0.05	8.94	118	2.8
CC115368		<0.005	0.31	2.58	57	0.05	12.00	687	2.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 13- AUG- 2011
Account: RCM

Project: Rackla- Crag North Silts

CERTIFICATE OF ANALYSIS WH11129390

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- ST43 Au ppm 0.0001	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1
CC115369		0.30	0.0014	1.07	1.17	14.5	<0.2	<10	500	0.61	0.29	0.97	2.14	14.95	10.4	25
CC115370		0.42	0.0013	0.49	1.30	27	<0.2	<10	370	0.86	0.28	16.95	1.63	25.2	12.8	27
CC115371		0.46	0.0014	0.51	1.00	14.0	<0.2	<10	370	0.61	0.20	3.12	1.27	18.00	8.9	21
CC115372		0.48	0.0014	0.52	0.80	17.4	<0.2	<10	300	0.51	0.17	5.27	1.36	14.95	8.9	17
CC115373		0.35	0.0012	0.05	0.33	19	<0.2	<10	70	0.44	0.16	17.90	0.39	16.20	5.7	10
CC115374		0.47	0.0011	0.35	0.68	13.7	<0.2	<10	240	0.42	0.16	5.92	1.59	11.85	7.2	14
CC115375		0.24	0.0012	0.63	1.00	15.0	<0.2	<10	380	0.60	0.21	3.72	1.84	18.10	10.3	21
CC115382		0.39	0.0022	0.43	0.77	16.8	<0.2	<10	300	0.48	0.18	5.69	1.25	14.25	8.9	16
CC115383		0.31	0.0017	0.35	0.69	14.6	<0.2	<10	280	0.42	0.15	4.80	1.07	14.55	8.1	15
CC115384		0.38	0.0012	0.41	0.85	17.8	<0.2	<10	330	0.51	0.18	5.70	1.35	18.35	10.0	18
CC115385		0.25	0.0011	0.33	0.66	13.9	<0.2	<10	260	0.39	0.13	4.53	1.02	14.00	7.7	14
CC129971		0.45	0.0008	1.13	0.23	9.1	<0.2	<10	290	0.16	0.12	2.87	0.54	16.20	2.6	12
CC129972		0.48	0.0013	0.87	0.44	9.6	<0.2	<10	650	0.27	0.13	0.87	0.44	17.15	4.8	13
CC129973		0.37	0.0021	1.20	0.58	8.9	<0.2	<10	620	0.32	0.15	1.78	0.94	15.20	5.9	17
CC129974		0.53	0.0021	1.53	0.36	21.2	<0.2	<10	890	0.30	0.14	1.92	0.67	14.00	4.3	13
CC129975		0.51	0.0016	1.61	0.37	25.4	<0.2	<10	950	0.32	0.15	1.91	0.58	14.35	4.7	13
CC129976		0.44	0.0018	1.36	0.34	20.0	<0.2	<10	680	0.31	0.14	1.52	0.77	13.90	4.4	11
CC129977		0.52	0.0017	2.32	0.47	11.6	<0.2	<10	660	0.31	0.14	2.66	0.85	15.00	6.0	17
CC129978		0.53	0.0005	2.20	0.40	14.3	<0.2	<10	730	0.30	0.13	2.71	0.92	14.40	5.0	15
CC129979		0.41	0.0005	1.46	0.30	9.9	<0.2	<10	520	0.21	0.12	2.37	0.69	12.05	3.5	11
CC129980		0.41	0.0013	1.62	0.33	11.2	<0.2	<10	550	0.27	0.12	2.66	0.76	14.20	4.1	12
CC129981		0.38	0.0009	1.72	0.30	10.2	<0.2	<10	580	0.22	0.10	2.42	0.58	13.85	3.4	12
CC129982		0.41	0.0015	2.12	0.35	13.4	<0.2	<10	650	0.26	0.12	2.07	0.57	13.70	4.0	14
CC129983		0.38	0.0014	2.02	0.27	11.5	<0.2	<10	540	0.21	0.10	2.16	0.63	13.30	3.4	12
CC115111		0.39	0.0013	2.90	0.57	43.5	<0.2	<10	810	0.59	0.22	0.39	1.96	21.4	9.8	32
CC115112		0.41	0.0013	1.75	0.39	22.5	<0.2	<10	410	0.48	0.15	3.34	4.82	15.80	5.7	20
CC115113		0.37	0.0017	1.12	0.40	19.6	<0.2	<10	390	0.41	0.14	4.23	2.07	12.40	12.8	17
CC115114		0.39	0.0014	0.83	0.35	15.5	<0.2	<10	330	0.40	0.12	4.09	2.16	9.89	8.7	16
CC115115		0.38	0.0012	0.79	0.37	12.3	<0.2	<10	410	0.35	0.12	3.66	4.66	10.25	5.7	15
CC115116		0.37	0.0013	0.95	0.44	12.1	<0.2	<10	420	0.38	0.14	3.16	5.91	12.65	6.3	17
CC115117		0.47	0.0008	0.80	0.53	8.9	<0.2	<10	470	0.40	0.14	2.77	3.96	13.45	5.8	17
CC115118		0.46	0.0006	0.51	0.78	10.9	<0.2	<10	400	0.51	0.16	2.22	1.96	12.10	8.5	19
CC115119		0.42	0.0011	0.44	0.78	9.4	<0.2	<10	370	0.55	0.15	2.34	2.62	12.00	8.5	18
CC115120		0.32	0.0014	0.50	0.71	9.8	<0.2	<10	420	0.53	0.14	4.12	3.50	11.40	7.2	18
CC115121		0.39	0.0009	0.50	0.69	13.7	<0.2	<10	490	0.51	0.13	6.63	2.67	11.55	7.1	17

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 13- AUG- 2011
Account: RCM

Project: Rackla- Crag North Silts

CERTIFICATE OF ANALYSIS WH11129390

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
CC115369		2.26	47.6	3.46	3.46	0.11	0.08	0.16	0.046	0.10	8.2	28.1	0.55	279	6.04	0.01
CC115370		1.29	39.1	3.41	3.43	0.11	0.09	3.03	0.038	0.11	12.5	22.7	9.20	336	4.73	0.03
CC115371		1.36	31.1	2.73	2.85	0.10	0.05	0.18	0.032	0.07	10.0	19.9	1.68	231	3.68	0.01
CC115372		1.29	28.1	2.16	2.30	0.09	0.05	0.38	0.026	0.06	7.6	16.1	2.78	229	3.09	0.01
CC115373		0.75	13.1	1.52	1.04	0.09	0.04	1.17	0.017	0.06	7.3	3.7	9.43	143	1.42	0.03
CC115374		0.96	21.1	1.76	1.83	0.09	0.06	0.75	0.020	0.07	5.7	12.2	3.22	211	2.05	0.02
CC115375		1.17	34.0	2.58	2.85	0.11	0.06	0.34	0.030	0.07	10.1	19.0	1.86	259	3.00	0.01
CC115382		1.16	26.0	2.21	2.19	0.09	0.05	0.67	0.028	0.07	7.2	14.9	3.04	234	3.29	0.02
CC115383		1.06	21.7	2.03	2.00	0.09	0.04	0.26	0.024	0.06	7.1	14.4	2.44	190	3.00	0.01
CC115384		1.16	26.8	2.46	2.54	0.11	0.06	0.59	0.030	0.07	9.7	17.7	3.11	238	3.60	0.02
CC115385		0.92	20.7	1.90	1.92	0.09	0.05	0.27	0.018	0.06	7.0	13.7	2.40	183	2.78	0.01
CC129971		1.66	26.7	1.25	0.79	0.12	0.06	0.12	0.020	0.06	11.1	2.4	0.48	61	1.64	0.02
CC129972		0.83	19.2	1.52	1.38	0.11	0.05	0.10	0.019	0.06	10.8	6.9	0.15	157	1.00	0.02
CC129973		0.81	29.7	1.77	1.66	0.11	0.08	0.17	0.023	0.07	10.0	9.0	0.37	233	1.01	0.01
CC129974		1.30	31.7	1.80	1.08	0.11	0.06	0.12	0.024	0.08	9.6	4.6	0.52	81	1.93	0.02
CC129975		1.36	32.9	1.90	1.09	0.12	0.07	0.13	0.024	0.08	9.7	4.9	0.54	101	2.05	0.02
CC129976		1.61	33.2	1.71	0.97	0.11	0.07	0.12	0.023	0.08	8.9	3.6	0.37	75	1.70	0.02
CC129977		1.30	32.0	1.87	1.37	0.11	0.07	0.15	0.023	0.07	9.8	7.5	0.45	129	1.92	0.02
CC129978		1.40	32.5	1.85	1.20	0.12	0.07	0.13	0.022	0.07	9.4	6.1	0.52	109	1.94	0.02
CC129979		1.07	20.7	1.36	0.88	0.10	0.05	0.09	0.019	0.06	8.0	4.7	0.46	86	1.43	0.01
CC129980		1.32	24.3	1.47	1.05	0.11	0.05	0.10	0.020	0.06	9.4	6.3	0.48	95	1.65	0.02
CC129981		1.09	21.0	1.26	0.97	0.10	0.05	0.09	0.017	0.06	9.1	4.9	0.53	63	1.51	0.02
CC129982		1.20	29.0	1.60	1.08	0.11	0.06	0.13	0.020	0.07	9.0	5.8	0.49	62	1.73	0.02
CC129983		1.16	22.4	1.38	0.83	0.11	0.05	0.10	0.018	0.06	8.9	4.1	0.44	72	1.68	0.02
CC115111		7.06	72.7	3.84	1.50	0.19	0.10	0.14	0.046	0.17	14.1	5.9	0.07	146	7.19	0.02
CC115112		14.15	35.6	1.97	1.25	0.12	0.07	0.26	0.026	0.08	11.9	5.1	1.68	243	4.72	0.02
CC115113		6.55	27.9	2.17	1.11	0.12	0.06	0.14	0.026	0.07	9.1	8.2	2.37	250	2.69	0.02
CC115114		5.49	22.1	1.86	0.95	0.10	0.06	0.10	0.021	0.07	7.3	8.0	2.37	204	2.44	0.02
CC115115		5.53	23.3	1.72	1.05	0.10	0.06	0.14	0.021	0.06	7.4	8.4	2.00	118	2.22	0.02
CC115116		6.25	26.2	1.84	1.33	0.11	0.06	0.15	0.023	0.07	8.6	9.9	1.51	122	2.38	0.02
CC115117		4.95	23.0	1.76	1.58	0.11	0.07	0.15	0.023	0.07	8.7	14.0	1.29	102	2.19	0.02
CC115118		3.03	22.2	2.29	2.30	0.10	0.07	0.12	0.027	0.06	7.5	24.2	1.18	214	2.16	0.02
CC115119		2.66	21.7	2.20	2.32	0.10	0.07	0.58	0.027	0.07	7.4	24.6	1.15	189	1.87	0.02
CC115120		2.39	24.3	1.79	2.20	0.11	0.08	0.30	0.024	0.08	7.0	20.3	1.55	179	2.30	0.02
CC115121		2.04	22.3	1.90	2.08	0.11	0.07	0.34	0.021	0.08	7.0	17.2	2.36	236	2.73	0.02

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 13- AUG- 2011
Account: RCM

Project: Rackla- Crag North Silts

CERTIFICATE OF ANALYSIS WH11129390

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
CC115369		0.24	56.3	1120	18.7	9.2	0.006	0.22	1.95	3.5	3.8	0.4	84.5	<0.01	0.08	2.8
CC115370		0.39	52.7	1350	17.7	7.3	0.004	0.18	1.72	4.0	1.9	0.5	170.0	<0.01	0.06	2.8
CC115371		0.32	38.7	1050	11.9	6.1	0.003	0.10	1.28	2.9	1.7	0.4	64.2	<0.01	0.04	2.4
CC115372		0.30	37.9	840	10.4	5.7	0.002	0.09	1.15	2.5	1.9	0.3	71.8	<0.01	0.06	1.7
CC115373		0.24	19.5	280	9.1	3.5	<0.001	0.11	0.58	2.5	0.5	0.2	133.0	<0.01	0.02	1.6
CC115374		0.24	30.5	730	9.5	5.0	0.003	0.12	0.91	2.0	1.6	0.3	70.9	<0.01	0.04	1.3
CC115375		0.38	42.7	1030	11.9	7.0	0.002	0.10	1.25	3.0	2.0	0.4	66.1	<0.01	0.05	1.8
CC115382		0.24	35.3	850	10.7	5.6	0.003	0.09	1.24	2.3	1.7	0.3	72.2	<0.01	0.05	1.8
CC115383		0.23	31.0	800	9.4	5.0	0.002	0.07	1.07	2.0	1.3	0.2	63.6	<0.01	0.03	1.8
CC115384		0.30	38.3	1010	11.5	5.8	0.003	0.09	1.34	2.5	2.0	0.3	81.0	<0.01	0.04	2.3
CC115385		0.23	29.4	780	8.7	4.5	0.002	0.07	1.03	2.0	1.5	0.2	62.7	<0.01	0.04	1.9
CC129971		0.09	28.9	1170	7.0	9.9	0.005	0.06	1.04	2.0	4.2	0.2	62.7	<0.01	0.07	1.6
CC129972		0.15	24.2	840	7.6	6.8	0.002	0.04	0.71	1.9	1.7	0.2	35.9	<0.01	0.06	1.4
CC129973		0.21	32.4	920	9.2	8.7	0.004	0.13	0.85	2.3	3.3	0.2	47.4	0.01	0.06	1.3
CC129974		0.11	40.1	1020	8.5	9.0	0.002	0.10	1.14	2.4	2.7	0.2	70.9	<0.01	0.08	1.6
CC129975		0.10	42.7	1000	8.9	9.1	0.002	0.10	1.19	2.5	2.8	0.2	71.1	<0.01	0.08	1.6
CC129976		0.09	45.5	970	8.6	9.2	0.001	0.10	1.09	2.4	2.4	0.2	56.7	<0.01	0.07	1.7
CC129977		0.17	39.6	1010	8.0	7.3	0.004	0.10	1.04	2.5	3.9	0.2	70.0	<0.01	0.06	2.0
CC129978		0.15	40.2	1010	8.0	7.7	0.003	0.10	1.08	2.6	3.3	0.2	73.2	<0.01	0.06	2.1
CC129979		0.09	27.8	920	5.7	6.1	0.003	0.06	0.77	1.8	2.4	0.2	57.1	<0.01	0.05	1.6
CC129980		0.14	32.6	940	6.5	7.4	0.003	0.07	0.92	2.4	2.9	0.2	63.8	<0.01	0.06	1.9
CC129981		0.12	32.1	960	6.3	6.2	0.003	0.07	0.79	2.0	2.6	0.2	57.2	<0.01	0.04	2.1
CC129982		0.13	33.5	940	7.2	7.6	0.005	0.10	0.98	2.2	4.0	0.2	64.1	<0.01	0.05	1.8
CC129983		0.09	30.1	1000	6.0	5.8	0.003	0.08	0.94	1.9	3.3	0.2	59.1	<0.01	0.05	1.9
CC115111		0.07	99.7	2170	28.5	22.8	0.003	0.44	2.62	4.8	15.2	0.4	114.0	0.01	0.24	3.9
CC115112		0.14	59.1	1050	74.8	13.0	0.002	0.08	4.52	3.1	3.6	0.3	45.4	<0.01	0.09	1.4
CC115113		0.08	50.2	950	23.3	13.9	0.002	0.08	2.34	2.6	3.7	0.2	49.4	<0.01	0.08	1.5
CC115114		0.07	38.6	930	18.4	13.0	0.002	0.09	1.97	2.1	2.8	0.2	45.3	<0.01	0.07	1.2
CC115115		0.10	38.4	880	18.3	12.8	0.002	0.09	1.81	2.1	2.5	0.2	47.2	<0.01	0.06	1.3
CC115116		0.18	47.7	1000	20.1	15.8	0.002	0.10	1.96	2.4	3.1	0.3	51.2	<0.01	0.07	1.4
CC115117		0.21	39.7	940	17.0	15.1	0.003	0.08	1.64	2.4	2.3	0.3	47.9	<0.01	0.05	2.0
CC115118		0.18	37.4	930	16.3	12.8	0.002	0.05	1.21	2.8	2.0	0.3	40.8	<0.01	0.06	2.1
CC115119		0.22	39.3	940	16.0	14.9	0.002	0.06	1.13	2.9	2.0	0.3	45.0	<0.01	0.04	2.1
CC115120		0.26	42.7	1100	14.0	15.6	0.004	0.12	1.55	3.0	3.0	0.3	75.2	<0.01	0.04	1.8
CC115121		0.29	37.6	1010	13.5	12.9	0.005	0.06	1.61	3.0	2.5	0.3	91.1	<0.01	0.04	1.8

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 13- AUG- 2011
Account: RCM

Project: Rackla- Crag North Silts

CERTIFICATE OF ANALYSIS WH11129390

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
CC115369		0.005	0.35	1.64	49	0.09	12.25	226	3.0
CC115370		0.010	0.30	2.22	50	0.21	16.10	208	2.9
CC115371		0.008	0.18	1.36	43	0.17	11.10	169	2.0
CC115372		0.007	0.20	1.27	33	0.09	10.15	154	2.0
CC115373		0.007	0.16	1.03	14	0.06	6.29	54	1.3
CC115374		0.006	0.17	1.37	26	0.16	7.06	132	1.9
CC115375		0.009	0.17	1.34	41	0.10	12.90	178	1.9
CC115382		0.006	0.19	1.33	34	0.09	8.82	158	1.8
CC115383		0.006	0.17	1.10	31	0.10	7.67	138	1.5
CC115384		0.008	0.19	1.40	38	0.16	10.35	171	2.0
CC115385		0.006	0.14	1.08	30	0.24	7.56	130	1.5
CC129971		<0.005	0.13	1.30	19	<0.05	13.30	99	2.1
CC129972		<0.005	0.10	0.87	20	<0.05	10.25	109	1.7
CC129973		0.005	0.11	0.72	21	0.05	12.90	140	2.6
CC129974		<0.005	0.17	0.79	21	<0.05	14.65	144	1.9
CC129975		<0.005	0.20	0.87	22	0.09	15.80	144	2.0
CC129976		<0.005	0.19	0.83	18	<0.05	14.95	145	2.0
CC129977		<0.005	0.17	0.81	21	<0.05	13.60	146	2.3
CC129978		<0.005	0.17	0.79	20	<0.05	14.60	143	2.3
CC129979		<0.005	0.11	0.67	16	<0.05	11.35	110	1.6
CC129980		<0.005	0.15	0.73	17	<0.05	12.35	118	2.1
CC129981		<0.005	0.10	0.71	17	<0.05	12.15	103	2.1
CC129982		<0.005	0.16	0.74	19	0.06	13.70	107	2.0
CC129983		<0.005	0.12	0.79	16	0.10	12.90	110	1.8
CC115111		<0.005	1.82	2.55	50	0.06	41.0	393	3.0
CC115112		<0.005	0.97	1.97	35	0.13	20.3	832	1.8
CC115113		<0.005	0.44	1.81	23	0.06	16.70	412	1.9
CC115114		<0.005	0.33	1.44	19	<0.05	14.10	351	1.7
CC115115		<0.005	0.26	1.11	19	0.05	12.75	347	1.8
CC115116		0.005	0.33	1.17	22	0.10	13.45	372	2.1
CC115117		0.006	0.29	1.02	22	0.07	11.35	281	2.0
CC115118		<0.005	0.22	1.05	26	0.05	12.20	247	2.2
CC115119		<0.005	0.21	1.17	25	0.05	11.75	244	2.3
CC115120		0.005	0.31	1.35	28	0.07	12.95	236	2.6
CC115121		0.006	0.31	1.58	33	0.06	12.70	213	2.2

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 13- AUG- 2011
Account: RCM

Project: Rackla- Crag North Silts

CERTIFICATE OF ANALYSIS WH11129390

Method	CERTIFICATE COMMENTS
ME- MS41	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown.
ME- MS41	Gold determinations by this method are semi- quantitative due to the small sample weight used (0.5g).

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 13- AUG- 2011
Account: RCM

CERTIFICATE WH11129391

Project: Rackla- Sian Silt

P.O. No.:

This report is for 4 Silt samples submitted to our lab in Whitehorse, YT, Canada on 8- JUL- 2011.

The following have access to data associated with this certificate:

ROB CARNE JULIA LANE	ANDREW CARNE JOAN MARIACHER	MATT DUMALA

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
SCR- 41	Screen to - 180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- ST43	Super Trace Au - 25g AR	ICP- MS
ME- MS41	51 anal. aqua regia ICPMS	

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 13- AUG- 2011
Account: RCM

Project: Rackla- Sian Silt

CERTIFICATE OF ANALYSIS WH11129391

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- ST43 Au ppm 0.0001	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1
CC129727		0.35	0.0036	0.50	0.81	11.8	<0.2	<10	170	0.77	0.17	0.86	1.50	38.0	11.7	15
CC129728		0.50	0.0031	0.34	1.00	11.3	<0.2	<10	200	0.71	0.16	0.69	0.76	40.2	10.5	19
CC129729		0.33	0.0025	0.47	0.76	11.7	<0.2	<10	280	0.68	0.16	1.46	2.30	33.8	13.2	16
CC129730		0.46	0.0017	0.39	1.12	14.8	<0.2	<10	240	0.74	0.17	1.02	1.59	41.5	17.5	23

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 13- AUG- 2011
Account: RCM

Project: Rackla- Sian Silt

CERTIFICATE OF ANALYSIS WH11129391

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
CC129727		1.28	41.8	2.86	2.55	0.12	0.07	0.17	0.034	0.08	18.5	13.2	0.26	228	4.40	0.01
CC129728		1.20	34.6	2.83	3.40	0.12	0.06	0.11	0.035	0.07	20.1	18.7	0.30	156	3.52	0.01
CC129729		1.65	47.4	3.20	2.49	0.13	0.08	0.18	0.032	0.08	16.6	13.1	0.33	294	4.06	0.01
CC129730		2.11	46.4	4.00	3.89	0.13	0.05	0.13	0.037	0.07	20.8	20.0	0.47	444	4.82	0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 13- AUG- 2011
Account: RCM

Project: Rackla- Sian Silt

CERTIFICATE OF ANALYSIS WH11129391

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
CC129727		0.20	36.1	1560	13.9	10.6	0.002	0.10	1.56	2.7	2.5	0.3	32.9	<0.01	0.04	0.7
CC129728		0.30	31.6	1520	13.3	10.7	0.002	0.08	1.20	2.6	1.5	0.4	38.8	<0.01	0.04	0.6
CC129729		0.26	39.5	1480	15.1	11.9	0.003	0.16	1.75	3.5	3.1	0.3	54.8	<0.01	0.05	1.2
CC129730		0.28	44.5	1450	15.5	10.3	0.002	0.09	1.89	3.9	1.8	0.4	45.9	<0.01	0.04	1.2

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 13- AUG- 2011
Account: RCM

Project: Rackla- Sian Silt

CERTIFICATE OF ANALYSIS WH11129391

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
CC129727		<0.005	0.13	1.17	27	0.07	15.90	146	1.1
CC129728		0.006	0.12	1.17	33	0.07	15.20	133	0.8
CC129729		0.006	0.12	0.70	28	0.06	14.00	156	1.8
CC129730		0.009	0.16	0.84	43	0.07	13.85	198	0.8

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 13- AUG- 2011
Account: RCM

Project: Rackla- Sian Silt

CERTIFICATE OF ANALYSIS WH11129391

Method	CERTIFICATE COMMENTS
ME- MS41	Gold determinations by this method are semi- quantitative due to the small sample weight used (0.5g).

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 14- AUG- 2011
Account: RCM

CERTIFICATE WH11129392

Project: Rackla- McKelvie Silts

P.O. No.:

This report is for 22 Silt samples submitted to our lab in Whitehorse, YT, Canada on 8- JUL- 2011.

The following have access to data associated with this certificate:

ROB CARNE JULIA LANE	ANDREW CARNE JOAN MARIACHER	MATT DUMALA

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
SCR- 41	Screen to - 180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- ST43	Super Trace Au - 25g AR	ICP- MS
ME- MS41	51 anal. aqua regia ICPMS	

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 14- AUG- 2011
Account: RCM

Project: Rackla- McKelvie Silts

CERTIFICATE OF ANALYSIS WH11129392

Sample Description	Method	WEI- 21	Au- ST43	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Recvd Wt.	Au	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.02	0.0001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
CC115359		0.31	0.0023	0.17	1.31	5.3	<0.2	10	160	1.25	0.26	2.16	0.25	17.10	8.3	25
CC115360		0.21	0.0011	0.14	0.68	7.8	<0.2	20	150	0.84	0.22	2.78	0.26	9.57	5.4	14
CC115361		0.31	0.0023	0.15	0.99	9.2	<0.2	10	120	0.92	0.24	1.86	0.21	13.70	10.1	17
CC115362		0.47	0.0018	0.09	1.11	8.0	<0.2	<10	110	0.77	0.23	1.14	0.20	14.40	10.1	18
CC115363		0.35	0.0016	0.12	1.07	7.6	<0.2	10	120	0.82	0.25	1.50	0.25	17.10	11.3	18
CC115364		0.29	0.0010	0.09	1.07	6.2	<0.2	<10	80	0.77	0.22	1.62	0.23	16.90	11.1	17
CC115365		0.27	0.0019	0.12	1.04	6.6	<0.2	10	90	0.84	0.27	1.51	0.26	17.90	11.1	17
CC115366		0.44	0.0006	0.07	0.96	5.9	<0.2	<10	60	0.62	0.20	3.70	0.37	15.15	11.2	14
CC115367		0.39	0.0008	0.09	0.99	6.4	<0.2	<10	70	0.68	0.22	3.10	0.34	15.95	11.7	15
CC129958		0.45	0.0012	0.07	0.97	7.2	<0.2	<10	130	0.91	0.22	4.49	0.82	16.00	10.4	17
CC129959		0.42	0.0012	0.07	0.95	6.9	<0.2	<10	120	0.87	0.22	4.50	0.97	16.50	10.5	17
CC129960		0.52	0.0013	0.06	0.77	5.8	<0.2	<10	120	0.65	0.15	6.63	0.75	13.90	7.6	13
CC129961		0.54	0.0010	0.07	0.97	7.2	<0.2	<10	130	0.92	0.22	4.36	0.90	16.50	10.6	17
CC129962		0.51	0.0063	0.07	0.98	7.8	<0.2	<10	120	0.90	0.22	3.97	0.64	17.95	10.7	17
CC129963		0.40	0.0014	0.09	1.10	10.0	<0.2	<10	160	1.09	0.25	2.79	0.58	17.55	12.0	18
CC129964		0.39	0.0021	0.10	1.17	10.1	<0.2	<10	180	1.21	0.28	1.64	0.38	16.65	11.7	20
CC129965		0.37	0.0015	0.09	1.03	8.5	<0.2	<10	150	1.01	0.24	2.98	0.82	16.40	10.8	18
CC129966		0.48	0.0010	0.06	0.89	6.1	<0.2	<10	100	0.80	0.20	4.86	0.60	15.15	9.3	15
CC129967		0.35	0.0013	0.08	1.04	8.2	<0.2	<10	150	1.00	0.25	3.08	0.87	16.35	11.0	18
CC129968		0.50	0.0009	0.06	0.97	8.0	<0.2	<10	120	0.89	0.23	4.44	0.70	15.20	11.1	16
CC129969		0.48	0.0018	0.13	1.14	7.5	<0.2	<10	120	0.94	0.28	1.84	0.58	18.65	12.4	18
CC129970		0.51	0.0016	0.15	1.25	29.8	<0.2	<10	140	0.74	0.25	0.77	0.34	22.0	15.6	21

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 14- AUG- 2011
Account: RCM

Project: Rackla- McKelvie Silts

CERTIFICATE OF ANALYSIS WH11129392

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
CC115359		2.92	131.5	2.34	4.23	0.12	0.18	0.15	0.028	0.08	10.6	38.5	0.82	255	0.54	0.01
CC115360		3.25	128.0	2.05	2.18	0.09	0.13	0.18	0.024	0.08	5.5	15.2	0.40	136	0.72	0.01
CC115361		2.99	56.1	2.88	3.20	0.09	0.11	0.17	0.030	0.07	7.1	26.7	0.54	363	0.85	0.01
CC115362		0.96	32.5	2.86	3.63	0.08	0.09	0.08	0.030	0.06	6.2	33.8	0.52	333	0.64	0.01
CC115363		0.93	34.8	2.88	3.39	0.09	0.11	0.12	0.031	0.06	7.3	30.9	0.53	680	0.60	0.01
CC115364		0.78	23.5	2.96	3.41	0.09	0.10	0.06	0.030	0.07	7.1	33.0	0.57	439	0.43	0.01
CC115365		0.86	30.2	2.92	3.27	0.08	0.11	0.10	0.031	0.07	7.6	29.9	0.56	522	0.46	0.01
CC115366		0.60	22.0	2.82	3.00	0.08	0.09	0.05	0.024	0.06	6.3	25.3	1.62	559	0.48	0.01
CC115367		0.64	25.6	2.90	3.17	0.08	0.09	0.05	0.026	0.06	6.7	26.6	1.24	518	0.52	0.01
CC129958		1.31	26.3	2.54	3.21	0.07	0.08	0.06	0.021	0.09	6.9	18.4	2.59	854	0.79	0.01
CC129959		1.31	26.0	2.54	3.14	0.08	0.08	0.05	0.021	0.09	7.4	18.6	2.61	627	0.73	0.01
CC129960		0.99	18.7	2.27	2.44	0.07	0.07	0.06	0.018	0.08	6.2	15.4	4.17	605	0.64	0.01
CC129961		1.29	26.4	2.56	3.22	0.07	0.08	0.06	0.023	0.08	7.1	19.3	2.53	817	0.77	0.01
CC129962		1.24	25.1	2.74	3.24	0.07	0.09	0.05	0.021	0.08	7.6	21.5	2.34	743	0.88	0.01
CC129963		1.36	32.7	3.01	3.54	0.08	0.10	0.06	0.026	0.10	7.9	23.1	1.47	839	1.12	0.01
CC129964		1.73	39.6	3.01	3.94	0.07	0.11	0.06	0.029	0.09	7.6	26.7	0.81	688	0.98	0.01
CC129965		1.70	35.9	2.72	3.46	0.08	0.11	0.07	0.025	0.09	7.5	21.9	1.50	721	0.87	0.01
CC129966		1.12	22.0	2.42	3.01	0.07	0.08	0.05	0.021	0.08	6.5	19.2	2.84	622	0.68	0.01
CC129967		1.40	34.1	2.76	3.46	0.08	0.10	0.07	0.026	0.09	7.4	22.3	1.56	786	0.82	0.01
CC129968		1.28	25.7	2.73	3.18	0.07	0.09	0.05	0.023	0.08	6.4	21.8	2.49	837	0.83	0.01
CC129969		1.07	36.6	3.09	3.63	0.08	0.11	0.10	0.034	0.09	8.1	28.6	0.78	453	0.68	0.01
CC129970		1.46	46.0	3.62	4.12	0.11	0.09	0.12	0.030	0.06	9.6	34.2	0.85	441	1.00	0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 14- AUG- 2011
Account: RCM

Project: Rackla- McKelvie Silts

CERTIFICATE OF ANALYSIS WH11129392

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
CC115359		0.22	29.8	820	17.1	15.4	<0.001	0.15	0.39	5.9	7.7	0.3	122.5	0.01	0.11	1.6
CC115360		0.19	22.9	840	17.9	17.2	<0.001	0.19	0.42	3.9	11.0	0.3	139.5	0.01	0.12	1.0
CC115361		0.23	28.3	700	16.6	9.7	0.001	0.12	0.48	6.3	6.4	0.3	102.0	0.01	0.09	2.1
CC115362		0.27	24.3	570	17.0	9.4	0.001	0.08	0.30	4.1	2.8	0.4	73.0	<0.01	0.06	2.1
CC115363		0.27	25.2	650	17.6	9.6	0.002	0.11	0.31	4.6	3.9	0.3	98.7	0.01	0.07	2.2
CC115364		0.24	24.5	570	16.6	7.7	0.001	0.08	0.20	4.5	2.3	0.3	93.2	<0.01	0.04	3.5
CC115365		0.26	24.8	600	20.0	8.5	0.002	0.11	0.24	5.0	3.0	0.3	83.4	<0.01	0.06	3.2
CC115366		0.17	21.3	490	22.6	5.6	0.001	0.06	0.20	3.9	1.3	0.3	87.5	<0.01	0.04	3.0
CC115367		0.19	22.7	520	22.4	6.0	0.001	0.07	0.23	4.2	1.7	0.3	88.9	<0.01	0.05	3.1
CC129958		0.44	19.9	620	67.9	9.4	0.001	0.05	0.35	4.0	1.0	0.4	54.1	<0.01	0.04	3.3
CC129959		0.43	19.6	610	81.1	9.5	0.001	0.05	0.34	4.0	1.1	0.4	53.7	<0.01	0.03	3.2
CC129960		0.35	15.1	610	93.8	7.2	0.002	0.05	0.26	3.4	1.0	0.3	58.2	<0.01	0.03	3.0
CC129961		0.44	19.3	610	68.8	8.7	0.001	0.05	0.35	4.0	1.1	0.4	53.9	<0.01	0.04	3.3
CC129962		0.37	20.4	590	60.6	8.3	<0.001	0.05	0.34	3.9	1.0	0.4	48.6	<0.01	0.03	3.4
CC129963		0.38	23.6	650	65.8	9.4	<0.001	0.06	0.42	4.2	1.0	0.4	62.2	<0.01	0.04	2.9
CC129964		0.43	23.9	640	47.0	10.6	<0.001	0.06	0.44	4.5	1.1	0.5	64.8	0.01	0.05	2.9
CC129965		0.41	21.7	640	59.4	10.2	<0.001	0.07	0.41	4.4	1.3	0.4	66.5	<0.01	0.05	3.0
CC129966		0.38	17.9	570	65.6	8.0	0.001	0.05	0.29	3.7	1.0	0.4	51.4	<0.01	0.03	3.1
CC129967		0.40	21.5	630	62.4	9.7	0.001	0.06	0.39	4.3	1.2	0.4	71.3	<0.01	0.04	2.9
CC129968		0.35	20.4	520	63.7	8.5	<0.001	0.05	0.34	3.8	0.9	0.4	61.5	<0.01	0.04	3.2
CC129969		0.32	26.5	660	32.2	9.4	0.001	0.10	0.34	5.2	2.4	0.4	83.4	0.01	0.06	3.1
CC129970		0.14	33.4	700	20.9	5.5	0.001	0.04	0.62	5.4	1.3	0.3	30.4	<0.01	0.07	4.0

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 14- AUG- 2011
Account: RCM

Project: Rackla- McKelvie Silts

CERTIFICATE OF ANALYSIS WH11129392

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
CC115359		0.006	0.08	7.09	13	0.06	21.8	113	5.3
CC115360		<0.005	0.10	3.89	10	0.05	13.85	127	4.0
CC115361		<0.005	0.09	4.58	17	0.06	13.15	97	3.4
CC115362		0.005	0.06	2.39	19	0.06	8.89	102	2.4
CC115363		0.005	0.07	2.44	18	0.06	10.55	107	2.8
CC115364		0.005	0.07	1.07	18	0.05	9.45	160	2.7
CC115365		0.005	0.08	1.27	18	0.05	10.65	157	3.1
CC115366		<0.005	0.07	0.79	17	<0.05	8.24	267	2.3
CC115367		<0.005	0.08	0.84	18	<0.05	8.91	245	2.5
CC129958		0.010	0.18	1.09	21	0.15	8.84	1100	1.9
CC129959		0.010	0.19	1.11	20	0.14	9.01	1210	1.9
CC129960		0.009	0.18	1.07	17	0.15	7.64	982	1.8
CC129961		0.010	0.16	1.29	20	0.16	9.28	1010	1.9
CC129962		0.008	0.15	1.05	20	0.13	8.88	606	2.2
CC129963		0.008	0.18	1.19	21	0.14	10.30	297	2.7
CC129964		0.007	0.13	1.70	23	0.13	11.40	201	2.6
CC129965		0.009	0.15	1.40	21	0.13	10.50	756	2.6
CC129966		0.009	0.14	1.11	18	0.13	8.24	728	2.1
CC129967		0.008	0.15	1.34	21	0.13	10.65	794	2.4
CC129968		0.007	0.13	1.06	19	0.14	8.67	750	2.2
CC129969		0.007	0.12	1.30	21	0.07	11.00	500	3.0
CC129970		<0.005	0.09	0.76	31	0.05	10.55	126	2.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 14- AUG- 2011
Account: RCM

Project: Rackla- McKelvie Silts

CERTIFICATE OF ANALYSIS WH11129392

Method	CERTIFICATE COMMENTS
ME- MS41	Gold determinations by this method are semi- quantitative due to the small sample weight used (0.5g).

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 18- AUG- 2011
Account: RCM

CERTIFICATE WH11130474

Project: Rackla- Birk Silts

P.O. No.:

This report is for 162 Silt samples submitted to our lab in Whitehorse, YT, Canada on 10- JUL- 2011.

The following have access to data associated with this certificate:

ROB CARNE JULIA LANE	ANDREW CARNE JOAN MARIACHER	MATT DUMALA

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
SCR- 41	Screen to - 180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- ST43	Super Trace Au - 25g AR	ICP- MS
ME- MS41	51 anal. aqua regia ICPMS	

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 18- AUG- 2011
Account: RCM

Project: Rackla- Birk Silts

CERTIFICATE OF ANALYSIS WH11130474

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- ST43 Au ppm 0.0001	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1
CC129661		0.41	0.0007	0.08	1.37	12.7	<0.2	<10	30	0.54	0.30	0.67	0.08	29.8	15.5	19
CC129662		0.42	0.0016	0.09	1.38	13.8	<0.2	<10	30	0.59	0.30	0.53	0.10	28.7	15.9	19
CC129663		0.43	0.0027	0.09	1.53	16.2	<0.2	<10	50	0.62	0.45	0.33	0.10	21.0	21.8	21
CC129664		0.45	0.0028	0.08	1.60	16.0	<0.2	<10	50	0.66	0.42	0.35	0.11	20.3	21.1	21
CC129665		0.45	0.0014	0.07	1.33	14.8	<0.2	<10	30	0.55	0.35	1.46	0.09	25.9	16.7	19
CC129666		0.32	0.0005	0.08	1.35	13.1	<0.2	<10	30	0.56	0.36	0.73	0.10	29.1	17.2	20
CC129667		0.45	0.0005	0.07	1.33	12.6	<0.2	<10	30	0.44	0.34	0.81	0.10	27.8	16.0	19
CC129668		0.42	0.0006	0.08	1.31	13.8	<0.2	<10	30	0.43	0.33	0.80	0.08	28.4	15.8	19
CC129669		0.36	0.0011	0.07	1.26	13.8	<0.2	<10	30	0.43	0.35	1.10	0.09	25.2	16.4	18
CC129670		0.31	0.0014	0.06	1.23	13.5	<0.2	<10	30	0.46	0.33	0.66	0.08	26.5	16.9	17
CC129671		0.37	0.0013	0.08	1.33	14.4	<0.2	<10	30	0.55	0.37	0.64	0.09	30.0	17.7	19
CC129672		0.33	0.0009	0.09	1.26	15.3	<0.2	<10	30	0.53	0.33	0.36	0.08	28.6	16.7	19
CC129673		0.37	0.0005	0.09	1.29	20.2	<0.2	<10	30	0.60	0.35	0.86	0.10	27.7	16.9	18
CC129674		0.37	<0.0001	0.06	1.19	18.4	<0.2	<10	30	0.49	0.35	1.30	0.08	23.3	16.5	17
CC129675		0.32	0.0001	0.08	1.26	16.3	<0.2	<10	30	0.53	0.34	0.65	0.07	26.9	15.9	18
CC129676		0.29	0.0009	0.07	1.23	16.9	<0.2	<10	30	0.52	0.33	0.54	0.08	28.5	16.6	17
CC129677		0.43	0.0016	0.19	1.08	30.5	<0.2	<10	50	0.90	0.39	0.79	0.10	21.8	20.5	16
CC129678		0.39	0.0013	0.25	1.23	22.5	<0.2	<10	40	0.64	0.39	0.60	0.09	24.7	18.0	17
CC129679		0.38	0.0006	0.10	1.22	16.9	<0.2	<10	20	0.56	0.36	0.71	0.07	26.4	15.0	18
CC129680		0.32	0.0006	0.09	1.19	23.8	<0.2	<10	30	0.56	0.37	0.73	0.08	25.0	16.7	17
CC129681		0.43	0.0010	0.07	1.22	14.9	<0.2	<10	30	0.50	0.35	1.56	0.08	23.1	13.5	17
CC129682		0.38	0.0008	0.08	1.19	19.3	<0.2	<10	30	0.55	0.36	0.86	0.09	24.1	15.1	17
CC129683		0.50	0.0006	0.07	1.36	16.1	<0.2	<10	60	1.21	0.45	1.16	0.09	20.3	19.7	21
CC129904		0.43	0.0015	0.11	1.29	29.2	<0.2	<10	40	0.93	0.55	0.02	0.07	19.45	26.6	19
CC129905		0.26	0.0020	0.28	0.98	39.8	<0.2	<10	90	1.22	0.41	0.55	0.12	15.05	25.6	15
CC129906		0.38	0.0008	0.08	1.51	14.9	<0.2	<10	80	1.47	0.48	1.07	0.09	18.95	21.4	24
CC129907		0.44	0.0007	0.06	1.28	37.0	<0.2	<10	60	1.16	0.42	1.53	0.09	16.20	19.2	19
CC129908		0.51	0.0004	0.07	1.39	15.6	<0.2	<10	70	1.36	0.49	1.05	0.07	17.75	19.4	22
CC129909		0.40	0.0004	0.06	1.35	10.4	<0.2	<10	60	1.22	0.44	1.28	0.09	17.65	19.3	21
CC129910		0.40	0.0005	0.06	1.30	11.7	<0.2	<10	70	1.35	0.47	1.32	0.09	19.25	19.8	21
CC129911		0.37	0.0006	0.06	1.27	11.9	<0.2	<10	60	1.26	0.44	1.85	0.08	17.65	19.5	20
CC129801		0.46	0.0002	0.15	1.16	11.5	<0.2	<10	70	1.18	0.55	0.44	0.11	21.8	16.0	18
CC129802		0.46	0.0004	0.16	0.78	9.7	<0.2	<10	50	0.92	0.41	1.29	0.11	25.4	14.4	12
CC129803		0.41	0.0010	0.17	0.77	11.8	<0.2	<10	60	1.01	0.42	2.35	0.20	30.4	16.6	11
CC129804		0.47	0.0009	0.08	0.76	10.8	<0.2	<10	60	0.59	0.31	8.79	0.29	17.20	9.3	9
CC129805		0.41	0.0014	0.09	0.48	9	<0.2	<10	40	0.57	0.25	10.15	0.29	15.55	9.4	7
CC129806		0.40	0.0020	0.08	0.31	19	<0.2	<10	40	0.52	0.24	10.25	0.52	17.45	7.2	4
CC129807		0.38	0.0028	0.11	0.43	16.6	<0.2	<10	40	0.68	0.28	8.93	0.41	20.7	10.4	6
CC129808		0.50	0.0019	0.07	0.35	12	<0.2	<10	30	0.40	0.19	13.45	0.27	12.75	6.6	5
CC129809		0.38	0.0017	0.08	0.41	15	<0.2	<10	40	0.57	0.25	10.75	0.33	18.80	8.9	5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 18- AUG- 2011
Account: RCM

Project: Rackla- Birk Silts

CERTIFICATE OF ANALYSIS WH11130474

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
CC129661		1.31	35.4	3.60	4.67	0.09	0.09	0.06	0.023	0.05	14.0	67.3	0.83	542	0.39	0.01
CC129662		1.63	38.5	3.62	4.61	0.10	0.09	0.08	0.023	0.05	13.3	65.4	0.78	573	0.39	0.01
CC129663		3.52	41.5	4.22	4.24	0.10	0.15	0.06	0.026	0.08	8.3	57.3	0.65	834	0.43	<0.01
CC129664		4.35	42.6	4.28	4.68	0.10	0.14	0.08	0.025	0.09	8.5	59.0	0.68	765	0.48	<0.01
CC129665		2.52	32.9	3.58	3.69	0.11	0.08	0.06	0.022	0.07	11.1	53.6	0.81	518	0.34	<0.01
CC129666		3.64	31.9	3.64	4.03	0.12	0.08	0.04	0.025	0.05	13.1	57.7	0.83	595	0.35	<0.01
CC129667		2.69	31.3	3.50	3.83	0.11	0.08	0.08	0.020	0.06	12.0	53.3	0.79	556	0.34	<0.01
CC129668		2.38	30.9	3.63	3.79	0.13	0.08	0.05	0.019	0.05	11.7	54.3	0.80	544	0.36	<0.01
CC129669		2.54	30.5	3.59	3.69	0.12	0.08	0.04	0.022	0.04	11.2	55.9	0.79	651	0.34	<0.01
CC129670		1.79	30.5	3.48	3.78	0.13	0.06	0.03	0.022	0.04	12.0	53.4	0.78	616	0.33	<0.01
CC129671		2.99	34.4	3.59	4.10	0.11	0.08	0.05	0.022	0.05	13.7	59.3	0.81	631	0.35	<0.01
CC129672		1.41	31.6	3.62	3.64	0.11	0.11	0.08	0.022	0.04	13.6	53.1	0.66	476	0.34	<0.01
CC129673		2.17	32.4	3.76	3.77	0.11	0.10	0.13	0.022	0.05	12.6	56.3	0.83	540	0.36	<0.01
CC129674		1.41	27.9	3.60	3.25	0.12	0.07	4.58	0.018	0.04	11.1	50.0	0.83	589	0.34	<0.01
CC129675		1.99	30.9	3.49	3.67	0.11	0.09	0.43	0.021	0.05	12.8	53.0	0.80	372	0.30	<0.01
CC129676		1.62	30.2	3.69	3.54	0.12	0.09	0.14	0.020	0.04	13.4	51.6	0.73	474	0.37	<0.01
CC129677		17.25	41.2	3.84	3.01	0.10	0.13	0.29	0.024	0.08	10.3	38.5	0.69	557	0.60	<0.01
CC129678		1.86	33.9	3.96	3.49	0.10	0.11	1.59	0.023	0.06	11.8	48.3	0.66	547	0.46	<0.01
CC129679		1.95	31.1	3.45	3.63	0.12	0.09	1.03	0.021	0.04	12.4	52.4	0.81	228	0.31	<0.01
CC129680		1.63	31.8	3.73	3.49	0.11	0.09	3.36	0.022	0.04	11.6	50.0	0.79	295	0.40	<0.01
CC129681		2.82	28.3	3.59	3.19	0.11	0.09	0.11	0.018	0.05	11.0	48.9	1.05	529	0.30	<0.01
CC129682		1.65	29.1	3.64	3.28	0.10	0.09	4.71	0.019	0.04	10.6	44.8	0.86	442	0.35	<0.01
CC129683		2.78	42.1	4.15	4.79	0.11	0.07	0.10	0.029	0.05	8.7	40.2	1.00	893	0.39	0.01
CC129904		5.65	56.0	5.32	3.70	0.10	0.04	0.06	0.029	0.04	8.1	40.3	0.41	1640	0.74	<0.01
CC129905		29.3	53.3	3.82	2.59	0.09	0.18	0.31	0.031	0.12	6.8	27.6	0.50	775	0.83	<0.01
CC129906		3.07	52.2	4.37	4.97	0.10	0.06	0.10	0.034	0.06	7.5	43.9	0.91	1240	0.43	0.01
CC129907		2.63	38.6	3.97	4.27	0.10	0.06	0.10	0.027	0.05	7.1	37.2	1.00	1080	0.35	0.01
CC129908		3.17	47.8	4.13	4.78	0.10	0.06	0.08	0.029	0.05	7.3	39.6	0.88	1150	0.47	<0.01
CC129909		3.07	43.6	4.11	4.51	0.10	0.06	0.10	0.027	0.05	7.2	36.8	0.99	1140	0.38	0.01
CC129910		3.17	46.2	4.01	4.48	0.12	0.06	0.10	0.030	0.05	8.4	39.0	0.98	1180	0.44	<0.01
CC129911		3.16	43.4	3.94	4.36	0.11	0.06	0.09	0.029	0.05	7.6	37.3	1.10	1030	0.42	0.01
CC129801		1.38	32.8	4.52	3.25	0.11	0.11	0.07	0.049	0.05	7.4	43.3	0.33	378	0.65	<0.01
CC129802		2.95	29.8	3.45	2.37	0.09	0.07	0.10	0.036	0.07	11.6	31.1	0.77	203	0.45	<0.01
CC129803		3.43	30.3	3.72	2.25	0.11	0.07	0.11	0.036	0.08	14.2	26.4	1.16	463	0.51	0.01
CC129804		1.45	18.5	2.72	2.38	0.08	0.04	0.13	0.027	0.06	7.4	21.6	2.12	490	0.44	0.01
CC129805		1.09	16.7	2.32	1.30	0.08	0.07	0.14	0.020	0.06	7.0	16.1	2.91	408	0.27	0.01
CC129806		1.72	15.1	1.99	0.91	0.08	0.06	0.27	0.019	0.08	7.9	7.5	4.20	391	0.26	0.01
CC129807		1.63	20.6	2.35	1.36	0.09	0.05	0.32	0.019	0.08	8.8	10.2	4.38	522	0.33	0.01
CC129808		0.99	13.9	1.74	0.99	0.08	0.04	0.12	0.016	0.05	5.8	11.7	4.11	439	0.18	0.01
CC129809		1.22	16.5	2.14	1.18	0.08	0.06	0.19	0.017	0.07	9.0	11.8	3.90	435	0.23	0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 18- AUG- 2011
Account: RCM

Project: Rackla- Birk Silts

CERTIFICATE OF ANALYSIS WH11130474

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
CC129661		0.08	33.5	640	24.5	3.6	<0.001	0.02	1.38	4.0	0.5	<0.2	58.7	<0.01	0.04	6.6
CC129662		0.08	33.7	630	23.9	3.8	<0.001	0.03	1.90	4.4	0.6	<0.2	52.5	<0.01	0.04	6.2
CC129663		0.07	34.1	630	25.9	6.0	<0.001	0.02	2.68	3.4	0.6	0.2	36.8	<0.01	0.05	3.7
CC129664		0.06	35.1	640	25.4	6.3	<0.001	0.02	3.16	3.6	0.5	0.2	39.4	<0.01	0.04	3.7
CC129665		<0.05	31.2	590	23.8	3.8	<0.001	0.02	1.58	3.6	0.6	<0.2	80.1	<0.01	0.03	5.2
CC129666		<0.05	32.1	620	23.8	3.5	<0.001	0.02	1.44	3.7	0.8	<0.2	55.5	<0.01	0.04	5.4
CC129667		<0.05	31.0	620	21.4	3.5	<0.001	0.03	1.42	3.5	0.7	<0.2	57.1	<0.01	0.04	5.0
CC129668		<0.05	30.5	610	21.8	3.3	<0.001	0.02	2.40	3.4	0.5	<0.2	56.0	<0.01	0.03	5.4
CC129669		<0.05	30.1	570	21.6	3.0	<0.001	0.02	1.92	3.2	0.3	<0.2	72.6	<0.01	0.03	5.1
CC129670		0.05	30.9	570	22.0	2.5	0.001	0.01	1.75	3.3	0.3	<0.2	47.4	<0.01	0.05	5.5
CC129671		<0.05	32.9	630	23.8	3.6	<0.001	0.02	1.95	3.9	0.8	<0.2	54.5	<0.01	0.04	5.5
CC129672		<0.05	30.2	660	21.5	2.8	<0.001	0.01	1.74	3.3	0.9	<0.2	38.4	<0.01	0.04	5.4
CC129673		0.05	31.8	700	22.9	4.1	<0.001	0.02	1.54	3.5	0.6	<0.2	51.6	<0.01	0.04	5.6
CC129674		<0.05	29.0	650	21.1	2.6	<0.001	0.01	1.33	2.9	0.5	<0.2	68.6	<0.01	0.04	5.6
CC129675		<0.05	29.1	650	20.3	3.6	<0.001	0.02	1.60	3.2	0.8	<0.2	44.9	<0.01	0.05	5.5
CC129676		<0.05	30.0	650	20.7	3.1	<0.001	0.01	1.66	3.3	0.9	<0.2	36.9	<0.01	0.05	5.6
CC129677		0.05	33.4	550	31.2	6.9	<0.001	0.04	1.35	4.4	1.0	0.2	67.1	<0.01	0.04	5.1
CC129678		0.07	31.6	630	25.9	4.0	<0.001	0.02	1.87	3.6	0.6	<0.2	47.5	<0.01	0.05	5.5
CC129679		<0.05	28.7	660	22.4	3.2	<0.001	0.01	1.32	3.4	0.7	<0.2	40.7	<0.01	0.03	5.9
CC129680		0.05	31.2	690	23.6	3.1	<0.001	0.02	1.53	3.4	0.7	<0.2	41.0	<0.01	0.05	6.2
CC129681		<0.05	26.3	620	24.2	3.4	<0.001	0.03	1.41	3.0	0.3	<0.2	66.0	0.01	0.05	5.9
CC129682		0.05	28.0	650	23.3	3.1	<0.001	0.02	1.24	3.1	0.6	<0.2	39.4	<0.01	0.05	6.1
CC129683		0.10	35.3	320	37.6	5.0	<0.001	0.03	0.48	4.7	0.5	0.3	26.7	<0.01	0.04	4.6
CC129904		0.17	37.2	850	39.1	5.8	<0.001	0.01	1.01	3.0	0.6	0.2	12.3	<0.01	0.09	2.0
CC129905		0.06	38.7	460	37.5	10.4	<0.001	0.05	1.00	5.3	1.4	0.3	72.4	<0.01	0.05	4.1
CC129906		0.12	37.8	330	35.3	5.4	<0.001	0.02	0.35	5.6	0.7	0.3	31.1	<0.01	0.03	4.2
CC129907		0.08	33.1	290	32.1	4.7	<0.001	0.02	0.40	4.5	0.5	0.3	31.9	<0.01	0.03	4.1
CC129908		0.11	34.8	310	34.1	5.2	<0.001	0.02	0.56	5.1	0.4	0.3	30.2	<0.01	0.02	4.3
CC129909		0.10	34.2	300	29.5	5.1	<0.001	0.02	0.36	4.8	0.4	0.3	27.8	<0.01	0.03	4.1
CC129910		0.11	35.3	320	33.8	5.1	<0.001	0.01	0.43	4.9	0.8	0.3	31.1	<0.01	0.02	4.6
CC129911		0.09	34.6	310	32.4	4.8	<0.001	0.01	0.50	4.6	0.4	0.3	39.4	<0.01	0.04	4.4
CC129801		0.17	32.9	700	37.7	7.1	<0.001	0.02	0.37	5.4	0.9	0.5	41.4	<0.01	0.06	3.2
CC129802		0.13	27.8	590	31.8	9.7	<0.001	0.04	0.43	5.0	0.9	0.3	71.5	<0.01	0.03	4.8
CC129803		0.15	31.8	620	38.0	8.6	0.001	0.03	0.57	5.0	1.2	0.4	96.2	<0.01	0.05	4.2
CC129804		0.25	20.3	860	30.3	5.8	<0.001	0.10	0.65	2.0	0.6	0.3	341	<0.01	0.05	1.3
CC129805		0.10	18.9	640	31.2	4.0	<0.001	0.08	0.70	2.8	0.7	0.2	314	<0.01	0.02	2.8
CC129806		0.09	15.9	610	36.7	7.0	<0.001	0.06	1.38	2.7	0.8	0.2	208	<0.01	0.02	3.5
CC129807		0.13	20.6	730	47.6	5.1	<0.001	0.05	1.45	3.1	0.8	0.2	107.5	<0.01	0.05	3.6
CC129808		0.07	14.0	490	25.8	3.3	<0.001	0.08	0.67	2.3	0.5	<0.2	411	<0.01	0.02	3.0
CC129809		0.10	17.9	610	60.4	4.3	<0.001	0.04	1.25	2.6	0.6	0.2	248	<0.01	0.03	3.8

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 18- AUG- 2011
Account: RCM

Project: Rackla- Birk Silts

CERTIFICATE OF ANALYSIS WH11130474

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
CC129661		<0.005	0.03	1.18	13	<0.05	9.70	87	3.7
CC129662		<0.005	0.04	1.43	13	<0.05	10.50	89	3.7
CC129663		<0.005	0.06	0.99	16	<0.05	7.56	97	4.3
CC129664		<0.005	0.06	1.21	16	<0.05	7.71	100	4.1
CC129665		<0.005	0.04	1.01	14	<0.05	8.14	87	3.1
CC129666		<0.005	0.04	1.06	13	<0.05	8.65	90	3.4
CC129667		<0.005	0.04	1.16	13	<0.05	8.35	89	3.2
CC129668		<0.005	0.03	1.00	13	<0.05	7.98	87	3.2
CC129669		<0.005	0.04	0.95	12	<0.05	7.68	85	3.6
CC129670		<0.005	0.03	0.93	12	<0.05	7.77	79	3.3
CC129671		<0.005	0.04	1.27	13	<0.05	9.46	87	3.9
CC129672		<0.005	0.03	1.30	13	<0.05	9.26	87	4.1
CC129673		<0.005	0.03	1.02	13	<0.05	9.29	92	4.0
CC129674		<0.005	0.03	0.87	12	<0.05	7.94	86	3.6
CC129675		<0.005	0.03	0.96	13	<0.05	8.72	85	4.3
CC129676		<0.005	0.03	1.36	12	<0.05	8.48	85	4.0
CC129677		<0.005	0.08	1.88	13	<0.05	9.81	107	6.2
CC129678		<0.005	0.04	1.57	13	<0.05	8.93	105	4.2
CC129679		<0.005	0.02	1.10	12	<0.05	9.19	87	4.5
CC129680		<0.005	0.03	1.39	13	<0.05	8.86	93	4.3
CC129681		0.007	0.04	0.92	12	<0.05	7.63	103	2.7
CC129682		<0.005	0.03	1.12	13	<0.05	7.73	94	3.9
CC129683		<0.005	0.05	0.76	16	<0.05	7.82	119	3.4
CC129904		0.006	0.10	1.17	20	0.06	6.02	104	1.0
CC129905		<0.005	0.14	3.46	14	<0.05	10.65	113	8.1
CC129906		0.005	0.06	0.79	17	<0.05	9.52	121	2.7
CC129907		<0.005	0.05	0.65	14	<0.05	7.13	119	3.3
CC129908		<0.005	0.05	0.78	16	<0.05	9.09	109	2.7
CC129909		<0.005	0.05	0.70	16	<0.05	7.90	120	2.9
CC129910		<0.005	0.05	0.83	15	<0.05	8.47	112	3.0
CC129911		<0.005	0.06	0.76	15	<0.05	8.11	109	3.2
CC129801		<0.005	0.11	1.09	17	<0.05	17.20	122	2.9
CC129802		<0.005	0.09	1.29	11	<0.05	12.30	118	3.2
CC129803		<0.005	0.10	0.97	11	<0.05	13.50	149	2.7
CC129804		0.007	0.09	1.01	15	0.07	7.02	173	1.1
CC129805		<0.005	0.06	0.98	7	<0.05	8.48	171	2.6
CC129806		<0.005	0.05	0.93	5	<0.05	6.89	274	2.7
CC129807		<0.005	0.08	0.99	7	0.05	9.08	237	2.4
CC129808		<0.005	0.04	0.87	5	<0.05	6.77	140	2.0
CC129809		<0.005	0.06	0.92	6	0.05	7.56	226	2.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 18- AUG- 2011
Account: RCM

Project: Rackla- Birk Silts

CERTIFICATE OF ANALYSIS WH11130474

Sample Description	Method	WEI- 21	Au- ST43	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Recvd Wt.	Au	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.02	0.0001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
CC129810		0.55	0.0017	0.07	0.38	13	<0.2	<10	30	0.46	0.19	13.65	0.28	12.85	7.1	5
CC129811		0.47	0.0017	0.06	0.34	12	<0.2	<10	30	0.43	0.18	13.45	0.26	13.65	6.5	5
CC129812		0.49	0.0018	0.07	0.54	10	<0.2	<10	30	0.57	0.25	12.05	0.25	16.35	10.3	7
CC129813		0.49	0.0019	0.08	0.49	14	<0.2	<10	40	0.62	0.24	11.15	0.31	17.20	9.3	7
CC129814		0.59	0.0015	0.06	0.45	12	<0.2	<10	30	0.53	0.20	12.55	0.27	14.45	8.2	6
CC129815		0.50	0.0018	0.07	0.44	11	<0.2	<10	30	0.45	0.21	12.75	0.27	13.95	7.4	6
CC129816		0.50	0.0017	0.05	0.47	11	<0.2	<10	40	0.49	0.21	11.80	0.24	15.15	7.9	6
CC129817		0.80	0.0021	0.06	0.44	6	<0.2	<10	30	0.39	0.16	12.25	0.23	12.70	7.6	7
CC129818		0.61	0.0018	0.06	0.48	11	<0.2	<10	30	0.50	0.17	12.50	0.30	13.80	8.0	7
CC129819		0.64	0.0019	0.05	0.48	9	<0.2	<10	30	0.49	0.17	11.85	0.29	13.50	7.8	7
CC129820		0.57	0.0014	0.08	1.40	16.5	<0.2	<10	50	1.02	0.40	1.27	0.11	20.8	18.5	21
CC129821		0.46	0.0013	0.07	1.38	16.2	<0.2	<10	50	1.01	0.37	1.16	0.10	19.35	17.7	21
CC129822		0.57	0.0013	0.07	1.37	14.4	<0.2	<10	50	0.99	0.39	1.05	0.08	19.85	17.7	20
CC129823		0.27	0.0015	0.07	1.26	24.7	<0.2	<10	30	0.71	0.36	0.74	0.08	19.40	16.4	18
CC129824		0.52	0.0012	0.07	1.33	13.5	<0.2	<10	50	1.00	0.40	0.98	0.08	19.10	18.3	20
CC115647		0.48	0.0016	0.23	0.86	17.6	<0.2	<10	60	1.04	0.38	2.18	0.19	28.4	16.9	12
CC115648		0.61	0.0013	0.11	0.41	7.3	<0.2	<10	40	0.61	0.28	8.51	0.23	19.75	11.1	6
CC115649		0.26	0.0016	0.11	0.36	9.6	<0.2	<10	40	0.61	0.27	7.10	0.34	19.85	10.1	5
CC129701		0.47	0.0013	0.10	1.23	34.2	<0.2	<10	40	0.66	0.38	1.14	0.11	20.9	17.8	17
CC129702		0.64	0.0012	0.08	1.09	30.2	<0.2	<10	30	0.59	0.35	1.57	0.10	19.40	15.8	16
CC115863		0.32	0.0012	0.08	0.25	12.9	<0.2	<10	20	0.41	0.22	8.25	0.15	29.7	10.2	5
CC115864		0.28	0.0006	0.21	1.10	11.4	<0.2	<10	100	1.20	0.44	0.45	0.17	72.9	12.4	13
CC115865		0.31	0.0009	0.26	0.74	15.3	<0.2	<10	70	0.87	0.36	3.60	0.45	52.5	12.5	11
CC115866		0.33	0.0012	0.07	0.22	9	<0.2	<10	20	0.23	0.09	12.15	0.33	16.65	4.0	4
CC115867		0.22	0.0015	0.16	0.50	16.4	<0.2	<10	40	0.72	0.27	5.76	0.51	35.2	10.7	8
CC115868		0.48	0.0027	0.10	0.48	15	<0.2	<10	60	0.48	0.15	12.45	0.48	19.00	7.6	7
CC115869		0.28	0.0059	0.12	0.47	17	<0.2	<10	50	0.45	0.22	12.20	0.52	22.2	8.3	7
CC115870		0.23	0.0020	0.16	0.50	18.7	<0.2	<10	50	0.71	0.30	7.03	0.55	32.9	15.1	8
CC115871		0.23	0.0022	0.18	0.52	19.4	<0.2	<10	60	0.75	0.30	7.16	0.86	30.5	16.6	8
CC115872		0.15	0.0039	0.15	0.47	15.0	<0.2	<10	40	0.64	0.26	5.29	2.23	25.4	10.0	8
CC115873		0.17	0.0023	0.16	0.58	19.6	<0.2	<10	60	0.75	0.31	4.63	0.66	30.8	13.4	9
CC115874		0.32	0.0017	0.20	1.42	10.3	<0.2	<10	90	1.13	0.39	0.16	0.44	41.4	19.6	21
CC115875		0.30	0.0009	0.15	0.66	39.6	<0.2	<10	60	0.95	0.37	1.90	0.65	28.9	24.8	10
CC115876		0.18	0.0006	0.17	0.71	16.4	<0.2	<10	70	0.91	0.35	3.00	1.47	26.5	12.1	10
CC115877		0.24	0.0009	0.14	0.59	18.7	<0.2	<10	50	0.92	0.33	4.08	0.80	26.9	13.8	9
CC115878		0.24	0.0010	0.16	0.84	23.1	<0.2	<10	60	1.21	0.40	0.53	0.14	35.4	13.6	13
CC115879		0.44	0.0009	0.08	1.30	6.3	<0.2	<10	50	1.75	0.43	0.13	0.12	23.8	39.8	19
CC115880		0.32	0.0009	0.10	1.08	8.2	<0.2	<10	60	1.42	0.41	0.55	0.17	40.2	22.5	15
CC115881		0.18	0.0011	0.14	1.40	10.7	<0.2	<10	60	1.55	0.44	0.87	0.24	23.0	26.8	20
CC115882		0.25	0.0017	0.12	1.38	10.7	<0.2	<10	60	1.38	0.42	1.72	0.36	20.2	24.4	19

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 18- AUG- 2011
Account: RCM

Project: Rackla- Birk Silts

CERTIFICATE OF ANALYSIS WH11130474

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
CC129810		1.08	13.8	1.82	1.00	0.07	0.04	0.13	0.015	0.05	5.8	11.4	4.23	457	0.18	0.01
CC129811		1.10	13.3	1.70	0.98	0.08	0.05	0.12	0.016	0.05	6.0	10.9	4.56	449	0.18	0.01
CC129812		1.31	18.2	2.08	1.74	0.08	0.06	0.13	0.018	0.06	7.3	17.6	4.07	572	0.21	0.01
CC129813		1.45	18.4	2.09	1.57	0.10	0.05	0.16	0.017	0.07	7.8	14.7	4.16	484	0.23	0.01
CC129814		1.16	15.9	1.91	1.42	0.08	0.04	0.13	0.018	0.05	6.4	14.6	4.11	473	0.20	0.01
CC129815		1.13	15.0	1.85	1.29	0.09	0.05	0.12	0.018	0.06	6.3	13.3	4.26	457	0.17	0.01
CC129816		1.11	14.8	1.91	1.44	0.08	0.07	0.12	0.014	0.06	6.5	13.5	4.71	501	0.16	0.01
CC129817		1.12	12.9	1.78	1.34	0.07	0.06	0.09	0.016	0.06	5.7	14.6	4.37	451	0.19	0.02
CC129818		1.20	13.6	1.91	1.47	0.07	0.06	0.10	0.016	0.06	6.3	15.4	4.28	459	0.19	0.02
CC129819		1.18	13.5	1.86	1.48	0.06	0.06	0.10	0.018	0.05	6.1	15.6	4.14	433	0.19	0.02
CC129820		2.52	38.3	4.02	4.61	0.12	0.09	0.81	0.030	0.07	9.3	47.3	1.03	767	0.44	0.02
CC129821		2.54	36.8	3.97	4.35	0.12	0.08	0.08	0.026	0.06	8.5	43.9	0.99	790	0.39	0.01
CC129822		2.15	38.8	3.91	4.36	0.11	0.09	0.09	0.027	0.06	8.6	44.8	0.98	713	0.43	0.01
CC129823		1.56	29.7	3.82	3.73	0.13	0.10	0.53	0.022	0.06	8.2	49.9	0.80	426	0.35	0.01
CC129824		2.61	37.6	3.93	4.36	0.12	0.08	0.07	0.028	0.06	8.3	43.7	0.89	935	0.37	0.01
CC115647		1.68	27.5	3.49	2.37	0.13	0.13	0.28	0.038	0.10	12.6	24.5	0.83	399	0.45	0.01
CC115648		1.75	20.1	2.64	1.18	0.08	0.17	0.11	0.024	0.07	8.9	18.1	1.89	352	0.33	0.01
CC115649		1.37	18.5	2.35	1.07	0.08	0.10	0.13	0.022	0.08	9.8	11.2	2.01	365	0.36	0.02
CC129701		1.53	33.6	3.98	3.58	0.14	0.11	1.98	0.023	0.06	8.2	51.1	0.88	581	0.42	0.01
CC129702		1.39	30.4	3.74	3.15	0.12	0.09	3.54	0.021	0.05	7.7	44.4	0.95	440	0.40	0.01
CC115863		0.89	16.3	1.82	0.99	0.08	0.15	0.55	0.019	0.07	15.2	4.8	2.62	275	0.30	0.01
CC115864		1.47	27.3	3.84	3.25	0.20	0.14	0.10	0.046	0.09	38.3	20.7	0.25	351	0.54	0.01
CC115865		1.39	28.6	3.41	2.23	0.14	0.10	0.34	0.033	0.12	27.3	10.1	1.27	292	0.74	0.02
CC115866		0.53	7.7	0.91	0.66	0.05	0.04	0.39	0.012	0.05	8.2	3.8	4.50	241	0.18	0.02
CC115867		1.30	20.2	2.56	1.60	0.10	0.10	0.46	0.026	0.10	18.4	8.0	3.18	483	0.43	0.02
CC115868		0.69	11.9	2.72	1.38	0.08	0.07	0.20	0.017	0.06	10.2	6.1	7.71	1800	0.40	0.02
CC115869		0.50	14.8	2.31	1.38	0.08	0.09	0.25	0.017	0.06	12.7	6.2	7.52	977	0.35	0.03
CC115870		1.69	22.6	2.75	1.64	0.11	0.08	0.52	0.028	0.11	17.4	8.0	4.18	578	0.45	0.02
CC115871		1.78	23.1	2.73	1.70	0.11	0.08	0.70	0.027	0.13	15.7	8.3	3.93	632	0.44	0.02
CC115872		1.38	19.4	2.28	1.54	0.10	0.10	0.55	0.026	0.10	13.2	7.6	2.71	434	0.40	0.02
CC115873		1.35	22.0	2.91	1.74	0.10	0.13	0.62	0.029	0.11	15.4	8.2	2.27	601	0.42	0.02
CC115874		2.16	27.3	4.05	4.52	0.13	0.05	2.70	0.034	0.08	16.0	22.3	0.34	932	0.95	0.01
CC115875		2.61	26.0	3.53	2.11	0.11	0.09	0.81	0.032	0.11	14.2	8.3	0.93	843	0.47	0.01
CC115876		2.16	28.6	3.09	2.12	0.12	0.11	0.59	0.031	0.10	13.4	11.5	1.55	338	0.48	0.02
CC115877		1.99	23.7	2.88	1.79	0.11	0.09	0.58	0.027	0.10	13.4	10.3	2.25	486	0.39	0.02
CC115878		1.99	37.4	3.49	2.56	0.12	0.11	0.54	0.031	0.09	16.5	15.0	0.22	393	1.03	0.01
CC115879		3.47	57.0	3.66	4.19	0.13	0.07	0.11	0.028	0.06	9.4	37.7	0.44	970	0.54	0.01
CC115880		1.78	42.6	3.42	3.73	0.14	0.11	0.16	0.023	0.11	18.5	25.8	0.45	613	0.35	0.01
CC115881		3.13	51.8	4.10	4.19	0.12	0.12	0.23	0.030	0.11	10.8	32.6	0.79	727	0.56	0.01
CC115882		2.63	47.5	3.74	4.17	0.11	0.11	0.29	0.028	0.09	9.2	35.8	1.26	645	0.42	0.02

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 18- AUG- 2011
Account: RCM

Project: Rackla- Birk Silts

CERTIFICATE OF ANALYSIS WH11130474

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
CC129810		0.08	14.2	520	31.4	3.4	<0.001	0.08	0.68	2.2	0.5	<0.2	407	<0.01	0.03	3.1
CC129811		0.07	12.9	470	29.2	3.6	<0.001	0.07	0.69	2.2	0.5	0.2	361	<0.01	0.02	3.3
CC129812		0.08	18.2	430	31.1	3.9	<0.001	0.06	0.58	2.7	0.8	0.2	324	<0.01	0.03	3.7
CC129813		0.11	17.8	510	43.6	4.9	<0.001	0.04	1.06	2.8	0.9	0.2	248	<0.01	0.04	3.6
CC129814		0.07	15.5	460	28.6	3.9	<0.001	0.06	0.62	2.5	0.7	0.2	358	<0.01	0.02	3.1
CC129815		0.08	14.1	470	30.6	3.9	<0.001	0.07	0.60	2.3	0.4	0.2	345	<0.01	0.02	3.2
CC129816		0.07	14.4	420	36.8	3.5	<0.001	0.05	0.72	2.3	0.4	0.2	252	<0.01	0.02	3.6
CC129817		0.13	11.8	410	25.0	3.4	0.001	0.09	0.52	2.3	0.3	<0.2	304	<0.01	0.02	3.3
CC129818		0.13	12.4	430	30.3	3.9	<0.001	0.09	0.56	2.5	0.3	0.2	321	<0.01	0.02	3.5
CC129819		0.14	12.4	410	25.9	3.6	<0.001	0.09	0.54	2.4	0.2	<0.2	302	<0.01	0.02	3.6
CC129820		0.13	32.7	420	29.7	5.1	<0.001	0.05	0.85	4.7	0.5	0.3	43.0	<0.01	0.04	5.2
CC129821		0.13	30.6	430	28.5	4.6	<0.001	0.05	0.78	4.3	0.4	0.3	38.2	<0.01	0.03	4.7
CC129822		0.14	32.5	420	32.2	4.3	<0.001	0.05	0.67	4.3	0.4	0.3	34.8	<0.01	0.02	4.8
CC129823		0.11	29.4	550	25.7	3.9	<0.001	0.04	0.90	3.6	0.4	<0.2	35.1	<0.01	0.04	5.9
CC129824		0.13	31.7	360	29.4	4.5	<0.001	0.04	0.54	4.5	0.4	0.3	32.6	<0.01	0.03	5.2
CC115647		0.21	35.9	1240	44.6	7.3	<0.001	0.06	1.34	4.0	0.9	0.4	95.1	0.01	0.05	3.9
CC115648		0.09	23.1	480	31.2	3.9	0.001	0.14	0.46	3.3	0.5	0.2	288	<0.01	0.04	6.7
CC115649		0.15	21.6	600	33.4	4.2	<0.001	0.11	0.70	2.8	0.7	0.2	229	<0.01	0.03	3.4
CC129701		0.10	30.9	770	29.2	3.9	<0.001	0.04	0.69	3.9	0.6	<0.2	42.7	<0.01	0.05	6.6
CC129702		0.08	28.2	720	27.2	3.4	<0.001	0.04	0.65	3.3	0.4	<0.2	54.2	<0.01	0.04	6.6
CC115863		0.12	20.9	640	22.1	3.5	<0.001	0.06	0.87	2.4	0.6	0.2	135.0	<0.01	0.02	6.4
CC115864		0.22	31.0	840	31.0	8.0	<0.001	0.04	0.33	5.1	1.0	0.4	44.8	0.01	0.04	4.8
CC115865		0.26	33.3	1350	45.2	7.3	<0.001	0.06	0.73	4.0	1.1	0.4	84.0	0.01	0.04	3.6
CC115866		0.17	8.1	840	22.4	2.8	<0.001	0.03	0.53	1.3	0.4	0.2	135.0	<0.01	0.02	1.8
CC115867		0.27	23.8	1210	50.5	5.6	<0.001	0.06	1.06	3.2	0.9	0.3	44.7	0.01	0.04	3.2
CC115868		0.27	12.2	1320	40.2	3.6	<0.001	0.05	1.12	2.3	0.5	0.2	42.7	0.01	0.04	1.2
CC115869		0.33	15.9	1170	42.8	3.4	<0.001	0.05	1.83	2.7	0.6	0.3	56.3	<0.01	0.08	2.2
CC115870		0.26	25.2	1490	72.4	5.8	0.001	0.07	1.62	3.6	0.8	0.4	50.2	0.01	0.04	3.9
CC115871		0.27	26.0	1570	88.0	7.0	<0.001	0.09	1.65	3.5	1.1	0.4	66.4	0.01	0.06	3.5
CC115872		0.25	17.9	1350	62.6	7.8	<0.001	0.18	1.16	2.9	1.4	0.3	70.1	<0.01	0.04	2.6
CC115873		0.25	23.9	1460	71.4	6.5	<0.001	0.11	1.22	3.2	1.0	0.4	51.6	0.01	0.05	3.0
CC115874		0.52	28.0	780	182.0	11.3	<0.001	0.05	0.56	3.1	0.6	0.5	9.5	0.01	0.04	2.1
CC115875		0.24	27.1	740	52.3	10.1	<0.001	0.10	0.87	4.2	0.9	0.4	22.5	0.01	0.04	2.7
CC115876		0.22	21.6	1030	52.2	10.4	<0.001	0.13	0.74	3.7	1.2	0.3	43.7	<0.01	0.04	2.8
CC115877		0.22	22.0	1070	65.6	8.0	<0.001	0.09	0.92	3.5	1.0	0.3	36.4	<0.01	0.04	3.3
CC115878		0.22	20.5	670	73.0	9.3	<0.001	0.09	0.69	4.2	1.2	0.4	35.0	0.01	0.03	2.9
CC115879		0.19	39.4	370	42.6	5.1	<0.001	0.03	0.28	3.9	0.7	0.3	12.0	0.01	0.02	4.6
CC115880		0.23	31.6	480	38.3	7.3	<0.001	0.06	0.30	3.7	0.6	0.3	17.5	0.01	0.03	4.9
CC115881		0.24	35.3	690	52.7	7.5	<0.001	0.08	0.49	4.4	0.7	0.3	22.5	<0.01	0.03	4.4
CC115882		0.22	32.2	670	48.1	7.6	<0.001	0.08	0.53	4.3	0.8	0.3	29.7	0.01	0.02	4.3

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 18- AUG- 2011
Account: RCM

Project: Rackla- Birk Silts

CERTIFICATE OF ANALYSIS WH11130474

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
CC129810		<0.005	0.04	0.86	5	<0.05	7.06	177	1.9
CC129811		<0.005	0.04	0.83	5	<0.05	6.48	143	2.8
CC129812		<0.005	0.05	0.85	7	<0.05	6.99	147	3.0
CC129813		<0.005	0.05	0.85	6	<0.05	7.16	199	3.0
CC129814		<0.005	0.04	0.81	6	<0.05	7.25	159	2.2
CC129815		<0.005	0.04	0.81	6	<0.05	6.44	172	2.4
CC129816		<0.005	0.04	0.78	6	<0.05	5.85	159	3.3
CC129817		0.005	0.04	0.73	7	<0.05	6.60	139	2.8
CC129818		<0.005	0.04	0.76	7	<0.05	6.92	151	2.6
CC129819		<0.005	0.04	0.73	7	<0.05	6.66	148	2.9
CC129820		<0.005	0.05	0.84	16	<0.05	8.58	154	3.5
CC129821		<0.005	0.05	0.81	16	<0.05	8.26	162	3.3
CC129822		<0.005	0.04	0.75	16	<0.05	7.86	136	3.4
CC129823		<0.005	0.04	0.81	14	<0.05	7.50	128	4.1
CC129824		<0.005	0.05	0.70	16	<0.05	8.17	122	3.4
CC115647		<0.005	0.14	1.41	11	0.08	14.95	197	3.8
CC115648		<0.005	0.07	1.00	6	<0.05	9.52	144	9.1
CC115649		<0.005	0.08	1.08	6	0.05	8.39	191	3.5
CC129701		<0.005	0.04	0.92	15	0.06	9.28	112	4.0
CC129702		<0.005	0.04	0.76	13	<0.05	8.37	102	3.7
CC115863		<0.005	0.07	1.48	6	0.05	7.32	138	8.3
CC115864		<0.005	0.15	1.63	18	0.10	20.6	120	2.9
CC115865		0.007	0.15	1.49	14	0.11	18.15	314	2.7
CC115866		<0.005	0.06	0.94	5	0.06	6.67	175	1.5
CC115867		0.006	0.10	1.32	11	0.11	12.85	301	2.6
CC115868		0.008	0.08	1.44	12	0.09	10.20	291	1.7
CC115869		0.008	0.07	1.61	13	0.13	11.10	319	2.3
CC115870		0.006	0.12	1.61	11	0.12	12.95	449	2.4
CC115871		0.005	0.14	1.91	11	0.12	13.10	542	2.3
CC115872		0.005	0.10	2.98	9	0.10	11.20	583	3.2
CC115873		<0.005	0.12	1.84	11	0.10	12.25	451	3.4
CC115874		0.015	0.12	0.85	29	0.13	8.37	452	0.8
CC115875		0.005	0.14	0.92	14	0.09	12.50	232	2.2
CC115876		<0.005	0.09	1.36	11	0.07	11.20	322	3.1
CC115877		<0.005	0.11	1.39	10	0.09	10.80	461	2.6
CC115878		<0.005	0.11	2.14	13	0.17	13.85	209	2.8
CC115879		0.006	0.07	1.18	14	0.05	11.60	116	2.1
CC115880		<0.005	0.08	0.78	13	0.05	10.85	134	3.1
CC115881		0.005	0.08	1.14	17	0.10	11.00	237	3.6
CC115882		0.005	0.08	1.17	16	0.06	10.60	281	3.4

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 18- AUG- 2011
Account: RCM

Project: Rackla- Birk Silts

CERTIFICATE OF ANALYSIS WH11130474

Sample Description	Method	WEI- 21	Au- ST43	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Recvd Wt.	Au	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.02	0.0001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
CC115883		0.19	0.0014	0.12	1.39	10.8	<0.2	<10	60	1.43	0.41	1.86	0.39	19.90	24.7	19
CC115884		0.23	0.0012	0.10	1.25	11.5	<0.2	<10	50	1.15	0.38	1.42	0.26	21.3	21.2	17
CC115885		0.28	0.0038	0.20	1.55	27.8	<0.2	<10	110	1.60	0.39	0.36	0.18	39.6	33.0	31
CC115886		0.36	0.0024	0.11	1.39	17.9	<0.2	<10	60	0.97	0.37	0.27	0.16	24.4	17.2	29
CC115887		0.55	0.0013	0.08	1.46	25.2	<0.2	<10	50	1.49	0.53	0.15	0.11	20.1	33.1	21
CC115888		0.50	0.0014	0.08	1.40	25.5	<0.2	<10	30	1.32	0.49	0.05	0.09	18.80	34.4	22
CC115889		0.48	0.0018	0.08	1.36	24.6	<0.2	<10	50	1.40	0.49	0.15	0.11	22.8	31.2	22
CC115890		0.36	0.0016	0.08	1.40	21.4	<0.2	<10	50	1.46	0.44	0.18	0.11	20.2	28.1	22
CC115891		0.36	0.0019	0.09	1.34	20.3	<0.2	<10	50	1.46	0.42	0.38	0.16	26.0	26.8	22
CC115892		0.33	0.0045	0.18	1.27	13.6	<0.2	<10	70	1.14	0.27	0.82	0.41	49.8	13.5	25
CC115893		0.23	0.0019	0.09	1.38	16.6	<0.2	<10	50	1.21	0.37	0.40	0.12	22.1	20.4	23
CC115894		0.22	0.0035	0.18	1.23	15.4	<0.2	<10	90	1.19	0.26	1.11	0.31	37.6	13.4	25
CC115895		0.38	0.0025	0.13	1.53	22.4	<0.2	<10	80	1.13	0.30	0.80	0.25	36.6	16.6	30
CC115896		0.37	0.0018	0.09	1.40	20.2	<0.2	<10	60	1.40	0.41	0.41	0.14	22.3	24.4	22
CC115897		0.42	0.0020	0.08	1.38	19.3	<0.2	<10	60	1.30	0.39	0.64	0.13	23.7	23.3	22
CC115898		0.43	0.0014	0.10	1.49	19.3	<0.2	<10	60	1.48	0.43	0.36	0.14	23.5	24.3	23
CC115899		0.19	0.0018	0.22	0.92	36.0	<0.2	<10	130	1.00	0.24	1.33	0.42	19.05	10.1	19
CC115900		0.20	0.0025	0.22	0.95	31.7	<0.2	<10	140	1.03	0.23	1.61	0.35	20.6	9.6	20
CC115301		0.32	0.0015	0.08	1.36	21.7	<0.2	<10	70	1.26	0.40	0.62	0.13	19.80	24.4	22
CC115302		0.39	0.0015	0.09	1.44	20.6	<0.2	<10	70	1.29	0.41	0.55	0.13	21.9	22.4	22
CC115942		0.21	0.0007	0.27	0.96	34.5	<0.2	<10	60	0.61	0.33	0.96	0.18	12.20	16.4	16
CC115943		0.24	0.0012	0.22	1.55	32.1	<0.2	<10	50	0.93	0.45	0.37	0.08	15.15	22.7	23
CC115944		0.32	0.0011	0.11	1.44	46.4	<0.2	<10	40	0.81	0.43	0.27	0.10	20.5	23.6	21
CC115945		0.33	0.0013	0.10	1.38	58.3	<0.2	<10	40	0.81	0.46	0.22	0.09	22.6	23.3	20
CC115946		0.38	0.0012	0.12	1.38	53.2	<0.2	<10	40	0.78	0.44	0.29	0.10	19.35	22.7	21
CC115947		0.41	0.0013	0.12	1.30	47.6	<0.2	<10	30	0.76	0.39	0.41	0.11	18.15	19.8	20
CC115948		0.41	0.0011	0.10	1.26	43.5	<0.2	<10	30	0.70	0.38	0.31	0.09	17.40	19.9	19
CC115949		0.38	0.0011	0.11	1.27	46.4	<0.2	<10	30	0.72	0.40	0.38	0.09	20.1	19.3	20
CC115950		0.31	0.0010	0.11	1.22	42.5	<0.2	<10	30	0.70	0.38	0.35	0.09	18.85	19.0	20
CC115951		0.27	0.0007	0.13	0.59	24.9	<0.2	<10	30	0.73	0.29	4.29	0.11	28.3	12.9	12
CC115952		0.28	0.0005	0.08	0.48	10.7	<0.2	<10	30	0.54	0.20	8.61	0.10	16.85	9.3	7
CC115953		0.39	0.0006	0.15	0.59	30.7	<0.2	<10	30	0.77	0.32	2.02	0.10	26.1	14.6	9
CC115954		0.28	0.0008	0.17	0.60	42.0	<0.2	<10	40	0.88	0.35	1.34	0.15	29.6	16.7	10
CC115955		0.40	0.0009	0.24	0.80	84.2	<0.2	<10	70	1.27	0.43	1.57	0.25	37.3	22.7	13
CC115956		0.26	0.0012	0.20	0.95	78.2	<0.2	<10	90	1.28	0.40	0.87	0.25	31.9	22.5	23
CC115957		0.19	0.0012	0.20	0.78	151.5	<0.2	<10	80	1.16	0.43	3.26	0.37	43.2	14.8	13
CC115958		0.37	0.0010	0.08	0.37	69.3	<0.2	<10	50	0.64	0.22	9.70	0.26	23.6	9.4	5
CC115786		0.49	0.0021	0.05	0.55	35.4	<0.2	<10	50	0.74	0.36	3.91	1.33	38.9	14.1	7
CC115787		0.92	0.0010	0.10	0.47	30.9	<0.2	<10	70	0.63	0.33	1.58	0.44	37.7	11.3	6
CC115788		0.38	0.0012	0.13	0.79	35.7	<0.2	<10	110	0.65	0.18	3.58	3.22	21.4	7.0	11

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 18- AUG- 2011
Account: RCM

Project: Rackla- Birk Silts

CERTIFICATE OF ANALYSIS WH11130474

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
CC115883		2.69	47.3	3.81	4.13	0.10	0.10	0.29	0.026	0.09	9.2	35.4	1.35	718	0.42	0.01
CC115884		1.97	41.1	3.63	3.86	0.11	0.12	0.25	0.025	0.09	10.0	30.9	1.07	574	0.39	0.01
CC115885		7.15	59.4	4.57	5.28	0.14	0.18	0.07	0.038	0.08	18.7	46.2	1.01	1160	1.53	<0.01
CC115886		2.15	55.8	4.40	4.56	0.09	0.08	0.07	0.041	0.06	12.4	32.9	0.59	946	0.99	<0.01
CC115887		3.10	57.6	5.23	4.99	0.11	0.05	0.04	0.048	0.04	9.4	57.6	0.58	1490	0.69	<0.01
CC115888		2.54	70.4	5.35	4.97	0.11	0.03	0.07	0.045	0.04	8.4	53.0	0.56	1380	0.70	<0.01
CC115889		2.68	63.0	5.09	4.75	0.11	0.06	0.06	0.044	0.04	10.6	54.1	0.58	1340	0.71	<0.01
CC115890		2.58	62.1	5.07	4.47	0.11	0.05	0.06	0.042	0.05	9.7	49.1	0.60	1600	0.66	<0.01
CC115891		2.33	56.5	4.62	4.63	0.11	0.10	0.07	0.042	0.05	12.8	48.5	0.71	1220	0.67	<0.01
CC115892		0.79	45.2	3.17	4.38	0.14	0.17	0.10	0.042	0.09	23.6	27.0	1.03	396	1.03	<0.01
CC115893		2.16	48.9	4.36	4.60	0.10	0.11	0.07	0.042	0.06	11.0	46.9	0.65	758	0.57	<0.01
CC115894		2.02	42.2	2.99	4.37	0.12	0.19	0.15	0.039	0.08	18.6	30.3	0.77	483	0.89	<0.01
CC115895		1.07	45.5	3.76	4.89	0.13	0.14	0.10	0.036	0.08	17.9	40.7	0.84	758	0.68	<0.01
CC115896		2.71	54.9	4.69	4.73	0.11	0.08	0.06	0.042	0.05	10.9	51.3	0.69	1180	0.63	<0.01
CC115897		2.62	50.8	4.53	4.65	0.11	0.11	0.06	0.043	0.05	11.6	52.2	0.69	954	0.64	<0.01
CC115898		3.17	53.3	4.54	5.08	0.12	0.09	0.08	0.046	0.06	11.8	57.4	0.73	1160	0.64	<0.01
CC115899		3.43	33.4	2.76	3.24	0.09	0.14	0.43	0.038	0.07	11.9	23.0	0.52	260	0.70	<0.01
CC115900		2.80	32.4	2.66	3.05	0.09	0.12	0.36	0.035	0.07	12.1	22.4	0.60	266	0.68	<0.01
CC115301		2.75	52.5	4.79	4.43	0.09	0.07	0.09	0.040	0.05	9.5	49.0	0.64	1020	0.60	<0.01
CC115302		2.88	52.1	4.69	4.55	0.10	0.08	0.10	0.041	0.06	10.8	50.9	0.71	1000	0.61	<0.01
CC115942		3.05	35.7	3.54	3.73	0.05	0.09	0.17	0.023	0.06	4.8	23.0	0.36	1120	0.67	<0.01
CC115943		4.54	52.7	4.79	4.29	0.10	0.10	0.12	0.034	0.07	5.4	54.8	0.58	563	0.62	<0.01
CC115944		2.80	53.1	4.87	4.54	0.12	0.07	1.07	0.027	0.05	7.7	55.3	0.61	800	0.55	<0.01
CC115945		2.28	51.5	4.96	4.28	0.14	0.06	0.44	0.029	0.04	8.6	55.3	0.56	777	0.54	<0.01
CC115946		2.21	50.0	4.72	4.28	0.12	0.06	0.96	0.028	0.04	7.3	52.3	0.55	744	0.58	<0.01
CC115947		2.25	44.8	4.46	3.93	0.12	0.08	9.40	0.027	0.05	6.8	50.4	0.52	653	0.54	<0.01
CC115948		2.05	44.5	4.30	3.93	0.13	0.07	0.75	0.025	0.04	6.4	49.1	0.51	658	0.51	<0.01
CC115949		1.90	43.9	4.31	3.97	0.14	0.07	6.41	0.028	0.04	7.9	49.5	0.51	546	0.54	<0.01
CC115950		1.89	41.1	4.24	3.92	0.12	0.07	0.28	0.025	0.04	7.1	49.9	0.50	493	0.54	<0.01
CC115951		1.50	26.2	2.94	1.99	0.08	0.07	0.15	0.027	0.07	14.1	19.3	0.86	315	0.33	<0.01
CC115952		0.98	18.1	2.34	1.41	<0.05	0.06	0.07	0.020	0.06	8.2	19.4	1.37	372	0.25	0.01
CC115953		1.48	36.5	3.29	1.95	0.08	0.06	0.16	0.027	0.06	11.9	18.8	0.48	322	0.37	<0.01
CC115954		1.85	32.4	3.79	1.99	0.08	0.08	0.20	0.029	0.07	13.9	16.9	0.51	451	0.43	<0.01
CC115955		2.53	42.8	5.03	2.70	0.12	0.06	0.38	0.035	0.08	17.6	20.9	0.82	766	0.78	<0.01
CC115956		2.46	40.9	4.70	2.81	0.10	0.10	0.27	0.035	0.09	14.5	21.7	0.45	875	0.69	<0.01
CC115957		3.01	33.6	5.04	2.71	0.10	0.09	0.71	0.038	0.13	20.6	14.5	1.63	912	0.60	0.02
CC115958		1.63	18.5	2.65	1.36	0.06	0.06	0.35	0.021	0.07	11.5	8.5	4.57	717	0.31	0.02
CC115786		1.49	22.3	3.27	2.03	0.07	0.10	1.11	0.031	0.12	19.6	5.0	2.12	979	0.23	0.01
CC115787		1.96	25.7	4.88	1.53	0.08	0.08	0.51	0.032	0.14	17.0	4.7	0.75	1800	0.38	0.01
CC115788		1.22	19.0	3.21	2.47	0.06	0.16	0.65	0.022	0.14	10.0	8.1	1.24	1260	0.55	0.02

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 18- AUG- 2011
Account: RCM

Project: Rackla- Birk Silts

CERTIFICATE OF ANALYSIS WH11130474

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
CC115883		0.22	31.7	680	45.8	7.3	<0.001	0.09	0.53	4.4	0.8	0.3	29.2	<0.01	0.04	4.1
CC115884		0.20	29.8	690	43.0	5.6	<0.001	0.06	0.56	3.9	0.7	0.3	17.4	<0.01	0.03	3.9
CC115885		0.21	43.4	780	48.0	11.3	<0.001	0.05	0.93	5.9	1.7	0.4	56.7	0.01	0.09	3.6
CC115886		0.20	33.2	830	31.1	6.6	<0.001	0.04	0.53	3.6	1.1	0.4	36.9	<0.01	0.07	2.1
CC115887		0.11	57.2	440	39.9	5.0	<0.001	0.03	0.58	7.3	0.7	0.4	40.9	<0.01	0.08	5.3
CC115888		0.13	52.5	440	37.3	4.8	<0.001	0.02	0.76	6.7	0.7	0.3	27.7	<0.01	0.09	4.3
CC115889		0.12	54.9	460	38.3	5.1	<0.001	0.02	0.61	7.0	0.8	0.3	39.6	<0.01	0.08	5.3
CC115890		0.11	61.1	440	34.5	5.4	<0.001	0.03	0.54	6.1	0.9	0.3	38.0	<0.01	0.07	4.5
CC115891		0.13	56.8	520	31.8	5.7	<0.001	0.03	0.56	6.6	0.9	0.4	48.9	<0.01	0.07	5.0
CC115892		0.20	30.8	950	22.1	7.5	<0.001	0.03	0.49	6.2	1.4	0.3	57.2	0.01	0.05	4.7
CC115893		0.21	45.1	570	27.2	6.2	<0.001	0.05	0.47	5.7	0.9	0.4	52.5	<0.01	0.06	4.3
CC115894		0.31	33.2	910	21.3	9.3	0.001	0.08	0.62	5.4	2.4	0.3	106.5	0.01	0.05	3.1
CC115895		0.32	37.3	710	22.4	6.8	<0.001	0.04	0.52	6.5	1.0	0.4	63.5	0.01	0.05	3.9
CC115896		0.13	57.5	520	29.5	6.0	<0.001	0.04	0.51	6.3	1.0	0.4	52.7	<0.01	0.07	4.7
CC115897		0.17	53.2	530	28.8	6.5	0.001	0.04	0.48	6.5	1.0	0.4	69.9	<0.01	0.07	4.5
CC115898		0.17	54.9	500	30.8	7.5	<0.001	0.03	0.50	6.5	1.1	0.4	53.1	<0.01	0.07	4.7
CC115899		0.27	25.5	1020	20.0	17.6	0.001	0.12	0.45	5.3	2.8	0.4	128.0	0.01	0.05	2.0
CC115900		0.27	24.0	1100	19.0	13.8	<0.001	0.14	0.44	5.0	2.6	0.3	148.0	0.01	0.04	1.8
CC115301		0.12	47.1	460	29.4	6.0	<0.001	0.03	0.52	6.2	0.9	0.3	62.3	<0.01	0.07	4.5
CC115302		0.14	47.2	500	30.2	6.6	<0.001	0.03	0.52	6.2	0.8	0.4	62.9	<0.01	0.07	4.6
CC115942		0.19	24.7	2470	25.6	9.3	<0.001	0.13	0.57	1.9	0.6	0.2	110.5	0.01	0.05	1.3
CC115943		0.11	37.8	620	40.2	7.1	<0.001	0.05	0.47	4.8	1.1	0.2	60.7	0.01	0.08	4.9
CC115944		0.09	42.7	740	35.6	4.0	<0.001	0.02	0.80	4.3	0.7	<0.2	62.5	<0.01	0.07	5.7
CC115945		0.09	43.3	670	35.2	3.4	<0.001	0.01	1.03	4.8	0.7	<0.2	54.4	0.01	0.07	8.6
CC115946		0.08	41.9	710	34.3	3.6	<0.001	0.01	0.86	4.8	0.7	<0.2	56.5	<0.01	0.07	8.2
CC115947		0.10	37.7	840	32.6	4.2	<0.001	0.03	0.82	4.4	0.8	<0.2	64.6	<0.01	0.06	6.7
CC115948		0.08	37.2	740	30.5	3.3	<0.001	0.02	0.73	4.3	0.6	<0.2	54.1	0.01	0.07	7.4
CC115949		0.09	37.2	820	30.7	3.5	<0.001	0.03	0.83	4.3	0.7	<0.2	59.4	<0.01	0.07	8.0
CC115950		0.09	36.8	800	29.9	3.5	<0.001	0.02	0.76	4.4	0.8	<0.2	55.8	<0.01	0.07	8.0
CC115951		0.13	26.6	720	35.3	6.2	<0.001	0.10	1.17	3.5	0.9	0.2	160.5	<0.01	0.04	6.0
CC115952		0.11	19.0	500	24.3	3.9	<0.001	0.17	0.48	2.9	0.5	<0.2	312	<0.01	0.02	5.0
CC115953		0.10	30.1	800	43.1	5.1	<0.001	0.10	1.50	3.7	0.9	0.2	90.5	<0.01	0.04	5.7
CC115954		0.12	34.2	970	55.2	5.6	<0.001	0.09	2.16	3.7	0.9	0.2	54.9	0.01	0.04	4.8
CC115955		0.20	43.3	1350	68.5	6.7	<0.001	0.08	4.50	5.0	1.0	0.3	48.9	0.01	0.08	5.7
CC115956		0.22	39.2	1360	58.7	7.4	<0.001	0.08	3.65	4.4	1.1	0.3	43.7	0.01	0.07	3.5
CC115957		0.33	33.2	1980	70.8	8.6	<0.001	0.05	8.70	4.4	1.2	0.5	57.8	0.01	0.08	7.0
CC115958		0.20	17.7	1140	41.6	4.1	<0.001	0.04	4.56	3.1	0.7	0.2	58.9	0.01	0.04	4.6
CC115786		0.16	17.9	1190	35.2	6.6	<0.001	0.09	1.66	3.7	0.8	0.5	20.9	0.01	0.05	2.4
CC115787		0.12	20.6	840	34.8	7.7	<0.001	0.16	0.94	4.6	0.8	0.4	32.1	0.01	0.04	3.9
CC115788		0.31	16.3	1980	32.4	7.4	<0.001	0.17	2.18	2.6	2.5	0.4	124.5	0.01	0.06	2.0

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 18- AUG- 2011
Account: RCM

Project: Rackla- Birk Silts

CERTIFICATE OF ANALYSIS WH11130474

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
CC115883		0.005	0.07	1.12	16	0.05	10.65	285	3.2
CC115884		<0.005	0.07	1.02	15	0.05	9.94	220	3.7
CC115885		0.006	0.20	4.42	25	0.07	19.30	127	4.9
CC115886		0.007	0.10	1.83	21	0.06	11.40	108	1.9
CC115887		<0.005	0.10	1.59	17	<0.05	11.75	144	2.5
CC115888		<0.005	0.11	0.90	19	<0.05	7.16	133	0.8
CC115889		<0.005	0.10	1.55	18	<0.05	10.55	134	2.3
CC115890		<0.005	0.08	1.58	18	<0.05	9.55	164	2.0
CC115891		<0.005	0.08	1.57	18	<0.05	11.50	148	3.0
CC115892		0.006	0.11	2.08	22	0.06	19.10	114	5.3
CC115893		0.005	0.07	2.28	19	0.05	9.72	121	3.6
CC115894		0.007	0.16	7.67	21	0.08	17.90	100	6.1
CC115895		0.009	0.09	1.62	25	0.10	17.30	109	3.6
CC115896		<0.005	0.08	1.54	18	<0.05	10.35	156	2.9
CC115897		<0.005	0.07	1.72	18	<0.05	11.10	131	3.6
CC115898		<0.005	0.08	1.63	19	0.05	10.95	140	2.8
CC115899		0.005	0.12	2.36	16	0.06	15.55	107	3.8
CC115900		<0.005	0.11	3.47	18	0.07	15.35	104	3.5
CC115301		<0.005	0.08	1.17	18	<0.05	9.13	136	2.4
CC115302		<0.005	0.08	1.47	19	<0.05	9.88	134	2.4
CC115942		0.005	0.07	1.38	18	0.06	7.24	83	2.8
CC115943		<0.005	0.06	2.43	20	0.05	11.50	125	3.0
CC115944		<0.005	0.04	1.34	18	0.06	10.40	115	2.3
CC115945		<0.005	0.05	1.16	18	0.06	11.50	113	2.5
CC115946		<0.005	0.05	1.15	17	0.05	11.40	112	2.7
CC115947		<0.005	0.04	1.21	16	0.05	11.40	105	2.9
CC115948		<0.005	0.04	1.05	16	<0.05	10.40	103	3.0
CC115949		<0.005	0.04	1.05	16	<0.05	10.65	102	3.0
CC115950		<0.005	0.04	1.05	15	0.05	10.85	99	3.4
CC115951		<0.005	0.06	0.85	8	0.10	10.65	106	3.2
CC115952		<0.005	0.04	0.69	6	0.05	8.68	78	3.3
CC115953		<0.005	0.06	0.82	8	0.12	11.15	121	2.6
CC115954		<0.005	0.07	1.04	9	0.16	12.00	159	2.4
CC115955		0.006	0.11	1.62	12	0.35	16.50	281	2.2
CC115956		0.006	0.10	1.86	14	0.32	16.10	269	2.9
CC115957		0.010	0.15	2.07	12	0.70	14.50	462	3.5
CC115958		0.005	0.07	1.20	6	0.34	9.37	246	3.4
CC115786		<0.005	0.10	1.79	11	0.07	10.75	676	2.7
CC115787		<0.005	0.13	1.36	9	<0.05	13.50	220	2.3
CC115788		<0.005	0.12	5.77	12	0.06	11.40	856	4.9

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 18- AUG- 2011
Account: RCM

Project: Rackla- Birk Silts

CERTIFICATE OF ANALYSIS WH11130474

Sample Description	Method	WEI- 21	Au- ST43	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Recvd Wt.	Au	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.02	0.0001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
CC115789		0.52	0.0020	0.12	0.76	38.6	<0.2	<10	80	0.67	0.19	5.86	2.26	23.3	6.8	10
CC115790		0.54	0.0013	0.09	0.46	25.0	<0.2	<10	50	0.54	0.24	6.41	1.11	24.0	9.8	6
CC115791		0.51	0.0013	0.08	0.46	23.3	<0.2	<10	50	0.53	0.25	6.40	1.03	23.8	9.1	6
CC115792		0.39	0.0037	0.12	2.55	8.4	<0.2	<10	130	3.06	0.73	0.10	0.06	27.1	34.6	36
CC115793		0.48	0.0033	0.15	2.45	10.1	<0.2	<10	110	2.63	0.72	0.11	0.08	33.4	71.9	37
CC115794		0.39	0.0026	0.26	2.51	8.5	<0.2	<10	100	2.19	0.66	0.33	0.13	36.4	61.2	37
CC115795		0.38	0.0015	0.08	0.73	19.7	<0.2	<10	60	0.80	0.29	3.69	0.26	24.6	14.0	9
CC115796		0.54	0.0014	0.07	0.61	12.1	<0.2	<10	50	0.64	0.24	7.72	0.18	22.1	13.2	8
CC115797		0.62	0.0006	0.11	0.56	19.4	<0.2	<10	30	0.54	0.29	4.50	0.10	22.8	12.1	8
CC115798		0.55	0.0006	0.12	0.66	20.9	<0.2	<10	40	0.69	0.32	4.48	0.14	25.8	14.8	9
CC115799		0.60	0.0008	0.09	1.10	30.6	<0.2	<10	30	0.55	0.38	0.96	0.07	20.3	15.9	16
CC115800		0.60	0.0009	0.10	1.23	34.2	<0.2	<10	40	0.58	0.38	1.26	0.10	19.35	16.8	17
CC115959		0.22	0.0011	0.17	1.04	7.9	<0.2	<10	90	0.78	0.32	1.33	0.21	22.6	11.0	16
CC115960		0.33	0.0009	0.10	1.71	7.9	<0.2	<10	70	1.04	0.42	0.21	0.08	26.2	20.4	31
CC115961		0.38	0.0009	0.15	1.37	14.4	<0.2	<10	80	1.03	0.39	0.62	0.13	17.35	20.2	22
CC115962		0.33	0.0012	0.10	1.09	6.8	<0.2	<10	100	0.80	0.36	1.18	0.20	20.1	15.7	20
CC115963		0.35	0.0012	0.10	0.88	9.6	<0.2	<10	60	0.69	0.29	4.59	0.29	17.30	13.5	14
CC115964		0.45	0.0012	0.11	0.92	9.1	<0.2	<10	60	0.71	0.32	3.12	0.33	19.15	13.3	14
CC115965		0.31	0.0027	0.11	0.53	17.6	<0.2	<10	60	0.59	0.21	7.66	0.25	13.45	9.2	7
CC115966		0.32	0.0025	0.11	0.51	26.9	<0.2	<10	50	0.53	0.17	8.13	0.41	16.85	7.6	9
CC115967		0.27	0.0072	0.19	0.63	62.0	<0.2	<10	100	0.85	0.25	7.49	0.61	23.7	12.1	9
CC115968		0.27	0.0050	0.13	0.80	23.9	<0.2	<10	90	0.74	0.22	5.08	0.62	24.8	9.4	13
CC115969		0.37	0.0062	0.10	0.73	25.3	<0.2	<10	100	0.76	0.21	4.75	1.10	19.80	9.4	10
CC129684		0.49	0.0009	0.08	1.23	16.6	<0.2	<10	60	1.13	0.34	1.08	0.13	22.0	18.5	19
CC129685		0.38	0.0007	0.08	0.97	14.4	<0.2	<10	50	0.94	0.29	3.39	0.22	18.80	14.7	15
CC129686		0.40	0.0008	0.09	1.06	14.3	<0.2	<10	60	0.93	0.29	2.38	0.16	19.40	15.6	16
CC129687		0.33	0.0007	0.07	1.04	15.5	<0.2	<10	50	0.95	0.31	2.36	0.14	19.30	17.1	16
CC129688		0.45	0.0018	0.07	0.89	13.8	<0.2	<10	50	0.89	0.25	3.93	0.18	17.80	13.4	13
CC129689		0.37	0.0008	0.06	0.98	15.1	<0.2	<10	50	0.97	0.28	3.03	0.14	17.65	15.8	15
CC129690		0.39	0.0008	0.07	1.03	15.7	<0.2	<10	70	1.00	0.30	1.52	0.16	20.5	15.3	16
CC129691		0.41	0.0007	0.07	1.12	13.4	<0.2	<10	80	0.83	0.27	1.66	0.15	18.85	14.4	18
CC129692		0.48	0.0009	0.09	1.15	9.4	<0.2	<10	60	0.88	0.31	1.88	0.11	21.2	14.1	18
CC129693		0.42	0.0006	0.05	0.92	11.3	<0.2	<10	50	0.80	0.25	3.61	0.14	17.90	13.3	14
CC129694		0.45	0.0008	0.07	1.21	11.5	<0.2	<10	70	0.99	0.30	1.86	0.12	22.8	14.5	19
CC129695		0.39	0.0007	0.05	0.91	11.8	<0.2	<10	50	0.75	0.25	3.87	0.12	16.00	12.6	14
CC129696		0.42	0.0006	0.07	1.17	10.3	<0.2	<10	70	0.88	0.28	1.84	0.10	20.3	15.3	19
CC129697		0.37	0.0006	0.06	0.92	11.2	<0.2	<10	50	0.77	0.25	3.03	0.14	17.20	13.1	14
CC129698		0.29	0.0005	0.06	1.11	11.8	<0.2	<10	60	0.83	0.27	2.72	0.12	20.4	14.4	17
CC129699		0.58	0.0007	0.06	1.08	11.7	<0.2	<10	50	0.82	0.27	3.85	0.12	18.20	14.7	16
CC129700		0.45	0.0010	0.07	1.23	11.9	<0.2	<10	60	0.82	0.29	2.92	0.12	21.2	14.7	19

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 18- AUG- 2011
Account: RCM

Project: Rackla- Birk Silts

CERTIFICATE OF ANALYSIS WH11130474

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
CC115789		1.85	19.9	3.15	2.17	0.06	0.15	0.63	0.022	0.14	10.8	7.9	3.05	1060	0.48	0.02
CC115790		2.60	18.2	3.07	1.51	0.06	0.08	0.49	0.023	0.10	11.2	5.4	3.63	925	0.29	0.02
CC115791		2.63	17.9	3.03	1.43	0.06	0.09	0.48	0.023	0.11	11.0	5.7	3.60	805	0.27	0.02
CC115792		10.75	130.0	5.49	8.74	0.09	0.12	0.08	0.042	0.07	8.4	53.6	0.81	535	1.31	0.01
CC115793		7.96	134.0	5.52	8.66	0.10	0.09	0.08	0.041	0.07	9.9	55.4	0.83	1480	1.37	0.01
CC115794		8.26	88.6	5.37	9.45	0.10	0.18	0.10	0.050	0.08	12.2	56.5	0.84	1820	0.89	0.01
CC115795		1.61	27.9	2.54	2.29	0.06	0.10	0.18	0.022	0.09	11.8	11.2	1.75	573	0.29	0.02
CC115796		2.50	25.0	2.40	1.92	0.05	0.07	0.18	0.017	0.07	10.1	12.6	4.03	686	0.24	0.02
CC115797		1.39	25.2	2.84	1.67	0.06	0.06	0.12	0.022	0.07	10.4	18.6	0.91	306	0.35	0.01
CC115798		2.03	29.7	3.08	2.00	0.07	0.07	0.15	0.023	0.07	11.7	19.5	1.28	496	0.38	0.02
CC115799		1.47	35.0	3.92	3.21	0.09	0.07	1.81	0.022	0.04	8.3	41.7	0.72	463	0.43	0.01
CC115800		1.74	37.7	4.13	3.49	0.09	0.08	0.46	0.024	0.05	7.7	43.4	0.84	548	0.47	0.01
CC115959		2.22	31.5	3.31	3.10	0.08	0.11	0.06	0.040	0.13	9.9	27.5	0.43	271	0.60	0.02
CC115960		3.65	44.4	4.59	6.33	0.08	0.08	0.02	0.037	0.06	10.8	63.4	0.61	586	0.53	0.01
CC115961		6.28	43.0	4.32	4.96	0.08	0.07	0.05	0.039	0.09	7.2	50.7	0.48	568	0.66	0.01
CC115962		3.54	35.4	3.60	4.48	0.06	0.06	0.05	0.029	0.06	8.0	34.2	0.55	917	0.56	0.01
CC115963		2.62	27.9	3.27	2.90	0.06	0.06	0.14	0.030	0.07	7.1	32.6	1.88	530	0.49	0.02
CC115964		2.32	29.1	3.16	3.18	0.07	0.08	0.13	0.033	0.08	7.9	34.7	1.52	381	0.44	0.01
CC115965		2.17	18.1	2.40	1.48	0.09	0.06	0.17	0.023	0.09	5.8	11.1	4.15	448	0.48	0.02
CC115966		1.28	17.3	1.84	1.79	<0.05	0.06	0.28	0.020	0.07	7.0	7.0	5.01	510	0.47	<0.01
CC115967		2.63	27.4	3.66	1.89	0.05	0.06	0.32	0.028	0.11	8.9	7.6	4.06	716	0.66	0.01
CC115968		1.41	20.6	2.46	2.47	<0.05	0.07	0.49	0.024	0.09	11.5	8.7	2.81	643	0.63	0.01
CC115969		1.56	18.5	2.47	2.02	<0.05	0.08	0.46	0.025	0.09	8.9	6.5	2.68	763	0.57	0.01
CC129684		2.86	41.1	3.66	4.03	<0.05	0.07	1.56	0.033	0.07	8.7	49.2	0.90	597	0.52	<0.01
CC129685		2.41	32.1	3.41	3.08	<0.05	0.06	0.15	0.031	0.07	7.4	37.1	1.53	518	0.44	<0.01
CC129686		2.30	33.8	3.45	3.44	0.05	0.06	0.14	0.032	0.07	7.6	40.9	1.41	609	0.46	<0.01
CC129687		2.45	35.8	3.56	3.45	0.06	0.07	0.11	0.033	0.06	7.7	40.8	1.17	579	0.47	<0.01
CC129688		2.27	30.4	3.15	2.96	0.06	0.07	0.15	0.027	0.06	6.9	34.6	1.73	368	0.41	<0.01
CC129689		2.40	33.0	3.41	3.15	<0.05	0.06	0.14	0.030	0.06	7.1	38.2	1.33	614	0.44	<0.01
CC129690		2.05	31.3	3.35	3.31	<0.05	0.10	0.17	0.030	0.08	7.8	33.5	0.92	569	0.45	<0.01
CC129691		2.17	29.1	3.70	3.07	<0.05	0.06	0.13	0.027	0.09	7.4	33.4	1.01	627	0.39	<0.01
CC129692		1.84	29.8	3.22	3.69	0.05	0.08	0.13	0.028	0.07	8.9	40.9	1.37	247	0.40	<0.01
CC129693		1.89	26.6	3.01	3.07	0.07	0.06	0.12	0.028	0.06	6.9	32.1	1.66	477	0.32	<0.01
CC129694		2.02	31.7	3.32	4.06	0.05	0.08	0.15	0.030	0.07	9.1	41.3	1.28	339	0.42	<0.01
CC129695		1.78	25.3	2.94	3.00	<0.05	0.06	0.12	0.024	0.06	6.3	30.3	1.80	419	0.31	<0.01
CC129696		2.04	29.8	3.12	4.04	0.05	0.07	0.12	0.027	0.07	8.2	38.8	1.37	281	0.38	<0.01
CC129697		1.83	25.8	2.94	2.96	0.05	0.07	0.20	0.025	0.07	6.6	29.7	1.72	390	0.32	<0.01
CC129698		1.93	28.3	3.29	3.50	0.05	0.06	0.13	0.026	0.07	8.2	35.9	1.52	557	0.37	<0.01
CC129699		1.81	29.7	3.31	3.60	<0.05	0.06	0.10	0.028	0.06	7.0	36.6	1.60	577	0.37	<0.01
CC129700		1.92	31.6	3.56	4.24	0.05	0.07	0.11	0.027	0.07	8.4	39.4	1.40	513	0.42	<0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 18- AUG- 2011
Account: RCM

Project: Rackla- Birk Silts

CERTIFICATE OF ANALYSIS WH11130474

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
CC115789		0.29	16.8	1990	35.5	8.2	<0.001	0.10	2.70	2.9	1.9	0.4	77.5	0.01	0.07	2.5
CC115790		0.16	14.8	1040	32.3	7.8	<0.001	0.09	1.25	3.7	1.1	0.3	40.0	0.01	0.04	3.0
CC115791		0.16	13.8	1000	32.7	8.2	<0.001	0.10	1.09	3.8	1.1	0.3	41.4	<0.01	0.04	2.8
CC115792		0.36	39.7	510	111.5	13.4	<0.001	0.04	0.45	7.5	1.1	0.6	21.9	0.01	0.04	5.2
CC115793		0.27	49.1	420	94.2	10.9	<0.001	0.03	0.50	6.8	1.0	0.6	27.7	0.01	0.04	6.9
CC115794		0.27	43.6	550	87.1	12.9	<0.001	0.04	0.43	8.0	1.0	0.7	30.7	0.01	0.04	5.6
CC115795		0.24	18.8	850	33.1	7.9	<0.001	0.08	0.67	3.0	0.9	0.3	49.1	0.01	0.04	2.6
CC115796		0.16	15.6	670	30.6	7.1	<0.001	0.05	0.54	3.3	0.8	0.2	52.7	<0.01	0.03	3.3
CC115797		0.10	23.2	680	32.3	4.7	<0.001	0.11	0.96	3.3	0.9	0.2	164.5	<0.01	0.04	5.7
CC115798		0.12	25.3	710	36.2	5.9	<0.001	0.09	1.04	3.8	1.1	0.2	120.5	0.01	0.04	5.3
CC115799		0.07	29.5	730	27.6	3.2	<0.001	0.03	0.67	3.9	0.6	<0.2	44.7	<0.01	0.05	7.2
CC115800		0.08	31.4	780	29.1	4.0	<0.001	0.04	0.78	4.1	0.7	<0.2	58.3	0.01	0.05	7.1
CC115959		0.27	27.2	940	28.0	12.2	<0.001	0.12	0.44	5.2	2.3	0.4	100.5	0.01	0.04	3.1
CC115960		0.23	39.2	410	30.3	6.0	<0.001	0.02	0.26	5.5	0.6	0.6	40.5	0.01	0.04	6.2
CC115961		0.30	37.4	600	33.1	8.8	<0.001	0.07	0.43	6.0	1.3	0.5	82.1	0.01	0.06	3.0
CC115962		0.27	28.2	770	28.4	11.2	<0.001	0.07	0.35	2.9	0.8	0.5	97.5	<0.01	0.04	1.9
CC115963		0.18	27.0	530	29.3	6.6	<0.001	0.07	0.63	4.4	0.8	0.4	138.5	<0.01	0.03	4.0
CC115964		0.21	28.3	560	30.1	7.4	<0.001	0.06	0.59	4.7	0.9	0.4	96.5	0.01	0.03	4.2
CC115965		0.25	20.1	880	27.5	7.6	<0.001	0.08	1.31	3.1	0.7	0.3	100.5	<0.01	0.03	1.9
CC115966		0.22	16.4	1040	30.1	4.9	<0.001	0.03	2.21	2.6	0.3	0.3	61.2	<0.01	0.05	1.6
CC115967		0.19	31.8	1520	46.0	6.5	<0.001	0.03	3.48	3.7	0.7	0.4	87.4	<0.01	0.05	3.5
CC115968		0.33	20.8	1420	34.8	6.0	<0.001	0.05	2.57	3.1	0.7	0.4	41.5	<0.01	0.07	1.6
CC115969		0.26	16.6	1240	33.2	6.8	<0.001	0.07	1.70	3.0	0.6	0.4	23.8	<0.01	0.06	1.3
CC129684		0.12	36.4	480	27.9	6.2	<0.001	0.04	0.55	5.0	0.7	0.4	65.0	<0.01	0.06	3.8
CC129685		0.10	29.0	420	27.0	5.1	<0.001	0.04	0.58	4.1	0.7	0.3	114.0	<0.01	0.06	3.9
CC129686		0.12	31.3	470	28.4	5.4	<0.001	0.04	0.61	4.3	0.8	0.3	71.6	<0.01	0.05	3.7
CC129687		0.11	32.1	430	27.9	5.4	<0.001	0.03	0.54	4.4	0.7	0.4	97.0	<0.01	0.07	3.9
CC129688		0.10	26.5	420	25.6	4.7	<0.001	0.04	0.57	3.9	0.4	0.3	108.0	<0.01	0.07	3.7
CC129689		0.09	29.7	410	28.3	4.7	<0.001	0.04	0.56	4.0	0.2	0.3	107.0	<0.01	0.05	4.0
CC129690		0.16	28.7	500	31.4	5.7	<0.001	0.05	0.68	4.2	0.6	0.4	71.7	<0.01	0.04	3.2
CC129691		0.11	26.2	550	29.4	5.6	<0.001	0.06	0.70	3.9	0.3	0.3	92.6	<0.01	0.05	4.2
CC129692		0.20	27.9	490	24.1	6.4	<0.001	0.04	0.48	4.6	0.9	0.3	45.2	<0.01	0.04	4.5
CC129693		0.11	24.7	400	25.4	4.5	<0.001	0.03	0.56	3.6	0.5	0.3	98.9	<0.01	0.07	3.9
CC129694		0.16	28.7	510	26.4	6.3	<0.001	0.05	0.50	4.5	0.6	0.4	59.7	<0.01	0.06	4.6
CC129695		0.10	22.8	380	23.6	4.4	<0.001	0.05	0.55	3.3	0.3	0.3	94.0	<0.01	0.05	3.8
CC129696		0.16	27.9	440	25.2	5.7	<0.001	0.11	0.51	4.2	0.8	0.3	47.9	<0.01	0.04	4.3
CC129697		0.12	23.7	400	25.9	4.6	<0.001	0.03	0.57	3.5	0.3	0.3	64.4	<0.01	0.05	3.8
CC129698		0.14	27.5	440	28.7	5.7	<0.001	0.04	0.54	3.9	0.3	0.3	73.8	<0.01	0.05	4.4
CC129699		0.09	26.7	380	25.6	4.4	<0.001	0.04	0.50	3.6	0.3	0.3	116.0	<0.01	0.06	4.2
CC129700		0.15	28.0	450	25.7	5.5	<0.001	0.04	0.48	4.0	0.5	0.4	96.8	<0.01	0.04	4.2

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 18- AUG- 2011
Account: RCM

Project: Rackla- Birk Silts

CERTIFICATE OF ANALYSIS WH11130474

Sample Description	Method Analyte Units LOR	ME- MS41 Ti % 0.005	ME- MS41 Tl ppm 0.02	ME- MS41 U ppm 0.05	ME- MS41 V ppm 1	ME- MS41 W ppm 0.05	ME- MS41 Y ppm 0.05	ME- MS41 Zn ppm 2	ME- MS41 Zr ppm 0.5
CC115789		0.005	0.13	2.70	11	0.10	12.00	816	4.4
CC115790		<0.005	0.09	1.26	8	<0.05	9.13	577	2.6
CC115791		<0.005	0.09	1.16	8	<0.05	9.04	598	2.7
CC115792		0.007	0.16	3.32	28	<0.05	20.4	126	3.9
CC115793		0.009	0.13	3.18	27	<0.05	19.30	120	3.3
CC115794		0.007	0.12	2.70	27	<0.05	22.2	130	6.1
CC115795		<0.005	0.07	1.38	9	<0.05	10.75	177	3.4
CC115796		<0.005	0.06	0.85	7	<0.05	9.27	158	2.6
CC115797		<0.005	0.06	0.77	7	<0.05	9.92	101	2.9
CC115798		<0.005	0.07	1.05	8	<0.05	11.00	135	2.7
CC115799		<0.005	0.04	0.91	13	<0.05	9.04	100	3.3
CC115800		<0.005	0.05	1.02	14	<0.05	9.95	109	3.6
CC115959		0.007	0.09	1.08	16	<0.05	16.50	114	3.2
CC115960		0.010	0.07	1.21	23	<0.05	11.00	108	4.1
CC115961		0.008	0.08	1.19	20	<0.05	12.55	118	2.5
CC115962		0.007	0.09	1.11	20	<0.05	7.29	121	1.9
CC115963		0.005	0.08	0.95	12	<0.05	10.30	211	2.4
CC115964		0.005	0.08	0.96	12	<0.05	10.90	230	3.0
CC115965		0.005	0.11	1.08	11	0.08	9.46	144	1.6
CC115966		0.008	0.10	1.19	13	0.07	8.74	186	1.5
CC115967		0.007	0.16	1.55	13	0.13	11.75	335	2.2
CC115968		0.013	0.13	1.46	21	0.11	12.25	225	1.8
CC115969		0.008	0.09	0.93	17	0.08	10.55	275	2.5
CC129684		0.005	0.08	1.26	17	<0.05	8.76	110	2.4
CC129685		0.005	0.06	0.99	14	<0.05	7.66	158	2.2
CC129686		0.005	0.06	1.04	15	<0.05	8.39	131	2.3
CC129687		0.005	0.05	0.96	14	<0.05	7.94	123	2.5
CC129688		<0.005	0.05	0.79	12	<0.05	7.68	138	2.6
CC129689		<0.005	0.06	0.84	14	<0.05	7.38	123	2.2
CC129690		0.005	0.07	1.11	15	<0.05	8.79	114	2.9
CC129691		0.005	0.06	0.87	17	<0.05	7.79	128	2.3
CC129692		0.005	0.06	1.20	16	<0.05	8.37	109	2.9
CC129693		<0.005	0.05	0.76	13	<0.05	6.86	103	2.5
CC129694		0.005	0.05	1.24	17	<0.05	8.79	104	2.7
CC129695		<0.005	0.04	0.70	12	<0.05	6.28	101	2.6
CC129696		0.006	0.05	1.19	16	<0.05	7.88	101	2.9
CC129697		0.005	0.04	0.76	13	<0.05	7.11	115	2.5
CC129698		0.005	0.05	0.78	15	<0.05	7.37	106	2.5
CC129699		0.005	0.05	0.73	14	<0.05	6.68	102	2.5
CC129700		0.006	0.05	0.81	16	<0.05	7.78	114	2.6

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 18- AUG- 2011
Account: RCM

Project: Rackla- Birk Silts

CERTIFICATE OF ANALYSIS WH11130474

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- ST43 Au ppm 0.0001	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1
CC129314		0.44	0.0006	0.06	1.24	11.6	<0.2	<10	70	0.94	0.32	2.97	0.13	21.1	14.8	18
CC129315		0.43	0.0004	0.05	1.07	9.9	<0.2	<10	60	0.81	0.26	3.59	0.13	17.65	13.0	16

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 18- AUG- 2011
Account: RCM

Project: Rackla- Birk Silts

CERTIFICATE OF ANALYSIS WH11130474

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
CC129314		1.90	31.0	3.52	4.14	0.05	0.07	0.13	0.029	0.07	8.4	39.0	1.58	501	0.36	<0.01
CC129315		1.92	27.1	3.08	3.51	<0.05	0.07	0.13	0.027	0.07	6.9	33.6	1.69	412	0.31	<0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 18- AUG- 2011
Account: RCM

Project: Rackla- Birk Silts

CERTIFICATE OF ANALYSIS WH11130474

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
CC129314		0.14	28.3	440	28.8	5.3	<0.001	0.04	0.53	4.2	0.3	0.4	87.5	<0.01	0.04	4.8
CC129315		0.12	24.3	380	24.1	5.1	<0.001	0.04	0.47	3.5	0.2	0.3	98.1	<0.01	0.05	4.1

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 18- AUG- 2011
Account: RCM

Project: Rackla- Birk Silts

CERTIFICATE OF ANALYSIS WH11130474

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
CC129314		0.006	0.05	0.84	16	<0.05	7.83	114	2.7
CC129315		0.005	0.05	0.80	14	<0.05	6.56	115	2.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 18- AUG- 2011
Account: RCM

Project: Rackla- Birk Silts

CERTIFICATE OF ANALYSIS WH11130474

Method	CERTIFICATE COMMENTS
ME- MS41	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown.
ME- MS41	Gold determinations by this method are semi- quantitative due to the small sample weight used (0.5g).

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 28- JUL- 2011
Account: RCM

CERTIFICATE WH11132644

Project: Rackla- Pyramid

P.O. No.:

This report is for 18 Rock samples submitted to our lab in Whitehorse, YT, Canada on 13- JUL- 2011.

The following have access to data associated with this certificate:

ROB CARNE JULIA LANE	ANDREW CARNE JOAN MARIACHER	MATT DUMALA

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
WSH- 21	"Wash" crushers
WSH- 22	"Wash" pulverizers
CRU- 31	Fine crushing - 70% < 2mm
CRU- QC	Crushing QC Test
SPL- 21	Split sample - riffle splitter
PUL- QC	Pulverizing QC Test
PUL- 31	Pulverize split to 85% < 75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- AA26	Ore Grade Au 50g FA AA finish	AAS
ME- MS61	48 element four acid ICP- MS	
Hg- CV41	Trace Hg - cold vapor/AAS	FIMS
ME- OG62	Ore Grade Elements - Four Acid	ICP- AES
As- OG62	Ore Grade As - Four Acid	VARIABLE
Hg- CV42	High Grade Hg - cold vapor/AA	FIMS

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 28- JUL- 2011
Account: RCM

Project: Rackla- Pyramid

CERTIFICATE OF ANALYSIS WH11132644

Sample Description	Method / Analyte / Units / LOR	WEI- 21 Recvd Wt. kg 0.02	Au- AA26 Au ppm 0.01	ME- MS61 Ag ppm 0.01	ME- MS61 Al % 0.01	ME- MS61 As ppm 0.2	ME- MS61 Ba ppm 10	ME- MS61 Be ppm 0.05	ME- MS61 Bi ppm 0.01	ME- MS61 Ca % 0.01	ME- MS61 Cd ppm 0.02	ME- MS61 Ce ppm 0.01	ME- MS61 Co ppm 0.1	ME- MS61 Cr ppm 1	ME- MS61 Cs ppm 0.05	ME- MS61 Cu ppm 0.2
I079551		0.67	<0.01	0.36	0.87	18.4	850	0.10	0.06	0.07	0.15	4.32	0.4	30	1.28	5.8
I079552		0.56	<0.01	0.17	0.37	33	50	0.66	0.02	23.1	0.77	3.69	1.5	4	0.40	2.6
I079553		0.70	<0.01	0.07	4.60	22.2	250	1.10	0.15	1.40	7.11	42.8	15.6	59	2.97	45.2
I079554		0.77	<0.01	0.13	8.42	1680	640	1.94	0.24	0.42	10.25	76.4	9.9	97	19.15	32.5
I079555		1.05	<0.01	0.07	0.22	333	50	0.14	0.01	22.9	1.07	1.79	1.1	4	0.20	2.0
I079556		0.69	<0.01	0.18	0.09	228	30	0.14	0.01	22.7	0.32	0.90	1.1	2	0.10	1.3
I079601		0.69	0.01	4.04	2.36	>10000	4160	0.49	0.13	0.28	6.03	27.1	0.7	51	7.11	7.1
I079602		1.22	<0.01	0.06	0.06	133	40	0.08	<0.01	34.1	0.31	1.16	1.5	<1	0.07	1.9
I079603		1.09	<0.01	0.21	0.30	40.1	470	0.12	0.03	0.17	0.06	8.03	0.4	36	0.79	3.9
I079604		2.40	<0.01	0.17	0.29	2340	940	0.13	0.03	0.13	0.07	6.14	0.6	32	0.75	9.8
I079605		2.15	<0.01	0.25	0.35	2940	1380	0.16	0.04	0.04	0.09	9.01	1.5	43	0.95	9.1
I079606		2.53	<0.01	0.22	0.38	2380	2080	0.15	0.03	0.04	0.12	7.56	1.1	34	0.95	10.8
I079607		1.97	<0.01	0.46	0.48	8550	1190	0.17	0.04	0.04	0.97	9.06	0.7	45	1.44	9.1
I079608		1.88	<0.01	0.54	0.50	8340	880	0.17	0.05	0.06	1.63	7.72	0.5	40	1.38	7.6
I079610		0.87	<0.01	0.09	5.87	23.3	150	0.68	0.12	6.23	0.37	38.4	31.3	78	1.46	122.0
I079609		2.05	<0.01	0.36	0.57	1810	5470	0.18	0.04	0.06	0.52	9.40	0.6	44	1.17	6.8
I079611		0.87	<0.01	0.05	4.47	983	370	1.11	0.09	0.23	10.85	41.4	8.8	59	5.63	34.1
I079612		0.76	<0.01	0.09	0.09	144	30	0.10	0.01	25.0	1.23	1.74	1.0	3	0.10	1.3

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 28- JUL- 2011
Account: RCM

Project: Rackla- Pyramid

CERTIFICATE OF ANALYSIS WH11132644

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	Hg- CV41	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
	Units	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOR	0.01	0.05	0.05	0.1	0.01	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2
I079551		0.57	1.66	<0.05	0.2	6.4	<0.005	0.14	5.7	9.7	0.04	62	0.63	<0.01	0.9	1.8
I079552		0.24	0.92	<0.05	0.1	0.32	<0.005	0.16	1.7	4.1	11.15	69	0.23	0.03	0.8	3.8
I079553		4.27	12.55	0.13	1.9	0.20	0.046	1.28	20.0	57.4	0.91	626	0.29	0.24	5.8	28.5
I079554		4.79	22.0	0.18	2.8	0.4	0.071	2.39	37.1	75.6	0.89	337	1.08	0.38	11.8	41.9
I079555		0.16	0.53	0.05	0.1	3.04	<0.005	0.08	0.9	1.6	10.40	343	0.44	0.01	0.4	3.0
I079556		0.22	0.29	0.06	<0.1	0.3	<0.005	0.03	0.5	0.7	11.25	610	0.20	0.01	0.3	2.9
I079601		3.06	5.95	0.09	1.0	18.4	0.044	0.66	18.5	30.4	0.14	65	2.70	0.03	6.7	4.3
I079602		0.19	0.17	<0.05	<0.1	0.4	<0.005	0.02	0.6	0.4	2.12	162	0.13	0.01	0.2	1.0
I079603		0.54	1.00	<0.05	0.1	7.9	<0.005	0.07	16.0	5.2	0.03	60	0.38	<0.01	0.6	1.9
I079604		0.41	0.93	<0.05	0.1	8.9	<0.005	0.07	11.0	4.0	0.03	65	0.35	<0.01	0.6	2.2
I079605		0.82	1.22	0.05	0.2	7.46	0.006	0.09	14.4	4.7	0.02	166	0.65	<0.01	0.9	3.4
I079606		0.57	1.25	0.05	0.2	7.71	0.005	0.10	12.6	5.8	0.03	110	0.48	0.01	0.8	3.1
I079607		0.88	1.57	0.05	0.2	>100	0.018	0.13	12.1	6.2	0.03	97	0.70	0.01	1.2	3.0
I079608		0.73	1.49	<0.05	0.2	>100	0.019	0.12	9.4	7.1	0.03	72	0.47	0.01	1.1	2.2
I079610		7.22	15.60	0.21	2.2	0.42	0.076	0.60	16.8	43.7	3.30	1540	0.22	1.18	8.3	58.7
I079609		0.79	1.86	0.05	0.3	23.1	0.007	0.15	12.9	6.0	0.03	87	0.67	<0.01	1.5	2.9
I079611		3.52	10.95	0.14	2.4	0.14	0.060	0.99	18.8	42.0	0.62	961	0.56	0.45	8.5	38.1
I079612		0.11	0.29	<0.05	<0.1	1.15	<0.005	0.03	0.9	0.7	9.53	376	0.17	0.01	0.3	1.3

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 28- JUL- 2011
Account: RCM

Project: Rackla- Pyramid

CERTIFICATE OF ANALYSIS WH11132644

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
	LOR	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02
I079551		90	18.9	7.4	0.002	0.03	0.37	0.4	1	0.4	62.9	0.05	<0.05	0.6	0.027	0.65
I079552		60	33.2	6.5	<0.002	0.15	0.81	0.7	1	0.2	206	<0.05	<0.05	0.5	0.018	0.51
I079553		370	22.6	62.5	<0.002	0.18	0.45	13.1	1	1.3	110.5	0.40	<0.05	6.2	0.357	0.60
I079554		700	28.4	141.0	<0.002	0.03	2.84	17.4	1	2.5	83.6	0.78	0.05	11.5	0.444	29.0
I079555		30	64.2	2.9	<0.002	0.04	3.07	0.4	1	<0.2	136.0	<0.05	<0.05	0.3	0.008	2.31
I079556		10	52.2	1.2	0.004	0.04	0.24	0.2	1	<0.2	127.5	<0.05	<0.05	<0.2	<0.005	2.69
I079601		790	4060	35.1	0.007	0.08	30.8	3.6	3	1.0	373	0.37	<0.05	3.8	0.126	84.3
I079602		10	3.1	0.8	<0.002	0.09	0.26	0.2	1	<0.2	210	<0.05	<0.05	<0.2	<0.005	0.97
I079603		410	14.8	3.9	0.002	0.02	0.37	0.3	1	0.3	323	<0.05	<0.05	0.7	0.015	2.70
I079604		200	5.6	4.1	0.015	0.14	0.40	0.5	1	0.3	142.0	<0.05	<0.05	0.7	0.017	0.90
I079605		280	10.4	4.9	0.016	0.16	0.52	0.5	1	0.3	202	0.05	<0.05	1.0	0.023	1.36
I079606		230	8.0	5.7	0.020	0.17	0.49	0.6	1	0.3	160.0	<0.05	<0.05	0.9	0.023	1.46
I079607		270	22.1	6.9	0.011	0.46	0.84	0.7	2	0.4	183.5	0.06	<0.05	1.1	0.029	3.17
I079608		250	26.0	6.3	0.009	0.46	0.98	0.7	2	0.3	163.5	0.06	<0.05	1.1	0.028	6.87
I079610		450	6.4	32.1	<0.002	0.07	0.26	26.6	1	1.5	93.8	0.53	0.14	3.6	0.765	0.16
I079609		290	28.3	9.4	0.009	0.17	0.56	0.9	<1	0.4	212	0.07	<0.05	1.3	0.034	3.11
I079611		700	6.4	63.0	<0.002	0.02	1.65	11.2	1	1.4	46.3	0.56	<0.05	7.7	0.307	61.2
I079612		30	14.4	1.3	<0.002	0.02	1.45	0.3	1	<0.2	185.5	<0.05	<0.05	<0.2	<0.005	1.68

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 28- JUL- 2011
Account: RCM

Project: Rackla- Pyramid

CERTIFICATE OF ANALYSIS WH11132644

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	As- OG62	Hg- CV42
	Analyte	U	V	W	Y	Zn	Zr	As	Hg
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
	LOR	0.1	1	0.1	0.1	2	0.5	0.001	0.1
I079551		0.8	27	0.9	1.2	6	6.8		
I079552		1.8	8	0.5	1.0	147	4.9		
I079553		1.3	109	0.7	12.1	700	65.7		
I079554		3.8	166	1.4	17.1	2280	98.5		
I079555		2.6	10	1.1	1.2	179	2.2		
I079556		1.1	5	0.2	0.4	67	1.1		
I079601		2.6	67	2.0	7.1	187	35.8	2.58	
I079602		0.9	3	0.1	0.7	47	1.8		
I079603		1.5	12	0.6	2.0	3	5.1		
I079604		1.3	13	0.4	1.9	6	5.3		
I079605		1.6	17	0.8	2.4	8	7.0		
I079606		1.4	16	0.5	2.2	8	6.6		
I079607		1.6	20	0.8	2.7	28	9.5		248
I079608		1.4	20	0.7	2.5	112	9.4		190.0
I079610		0.9	257	0.6	20.1	105	75.1		
I079609		1.8	22	0.9	3.0	14	10.0		
I079611		2.3	78	1.0	18.7	2660	80.9		
I079612		1.3	4	0.3	0.7	164	1.3		

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 28- JUL- 2011
Account: RCM

Project: Rackla- Pyramid

CERTIFICATE OF ANALYSIS WH11132644

Method	CERTIFICATE COMMENTS
ME- MS61	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown.
ME- MS61	REE's may not be totally soluble in this method.
Hg- CV41	Detection limits on samples requiring dilutions due to interferences or high concentration levels have been increased according to the dilution factor.

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 24- AUG- 2011
Account: RCM

CERTIFICATE WH11132855

Project: Rackla- Val East Silts

P.O. No.:

This report is for 61 Silt samples submitted to our lab in Whitehorse, YT, Canada on 13- JUL- 2011.

The following have access to data associated with this certificate:

ROB CARNE JULIA LANE	ANDREW CARNE JOAN MARIACHER	MATT DUMALA

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
SCR- 41	Screen to - 180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- ST43	Super Trace Au - 25g AR	ICP- MS
ME- MS41	51 anal. aqua regia ICPMS	

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 24- AUG- 2011
Account: RCM

Project: Rackla- Val East Silts

CERTIFICATE OF ANALYSIS WH11132855

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- ST43 Au ppm 0.0001	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1
CC115001		0.35	0.0008	0.05	0.31	13	<0.2	<10	80	0.34	0.07	16.50	0.25	10.65	5.8	9
CC115002		0.37	0.0010	0.04	0.20	11	<0.2	<10	100	0.27	0.04	19.25	0.25	8.28	3.9	6
CC115003		0.50	0.0011	0.03	0.18	8	<0.2	<10	90	0.29	0.04	19.15	0.20	7.66	3.3	5
CC115004		0.52	0.0012	0.05	0.37	11	<0.2	<10	80	0.34	0.06	17.95	0.25	9.47	4.5	7
CC115005		0.58	0.0011	0.04	0.24	8	<0.2	<10	60	0.28	0.06	18.50	0.22	7.71	3.7	5
CC115006		0.53	0.0010	0.04	0.25	7	<0.2	<10	60	0.22	0.05	18.30	0.21	7.76	3.7	5
CC115007		0.47	0.0010	0.03	0.23	9	<0.2	<10	50	0.25	0.05	18.45	0.19	7.20	3.6	5
CC115008		0.37	0.0012	0.03	0.21	8	<0.2	<10	110	0.21	0.07	18.10	0.16	8.03	3.9	5
CC115009		0.44	0.0012	0.02	0.17	6	<0.2	<10	40	0.22	0.07	18.60	0.13	9.27	3.8	5
CC115010		0.46	0.0011	0.02	0.17	8	<0.2	<10	40	0.21	0.08	19.20	0.12	10.20	3.7	5
CC115011		0.34	0.0011	0.02	0.17	8	<0.2	<10	70	0.28	0.04	19.20	0.14	8.81	4.1	4
CC115012		0.32	0.0016	0.10	0.47	10	<0.2	<10	130	0.35	0.07	15.45	0.37	10.20	4.8	8
CC115013		0.40	0.0007	0.04	0.26	8	<0.2	<10	70	0.30	0.05	18.50	0.24	9.61	3.7	6
CC115014		0.51	0.0008	0.02	0.12	11	<0.2	<10	100	0.24	0.03	20.4	0.22	7.81	3.0	3
CC115015		0.39	0.0010	0.03	0.21	11	<0.2	<10	70	0.28	0.04	18.85	0.24	10.10	4.1	5
CC115016		0.41	0.0008	0.03	0.24	11	<0.2	<10	80	0.28	0.05	18.70	0.26	10.80	4.2	5
CC115017		0.48	0.0006	0.03	0.28	7	<0.2	<10	50	0.23	0.04	17.95	0.17	7.31	2.9	4
CC115018		0.44	0.0006	0.03	0.19	10	<0.2	<10	50	0.27	0.04	18.60	0.22	8.66	3.4	4
CC115019		0.46	0.0006	0.05	0.23	7	<0.2	<10	50	0.28	0.03	18.45	0.27	6.10	2.5	4
CC115020		0.32	0.0005	0.03	0.23	9	<0.2	<10	60	0.26	0.05	18.80	0.21	10.15	4.0	6
CC115021		0.41	0.0005	0.04	0.30	11	<0.2	<10	60	0.31	0.06	18.25	0.25	10.65	4.2	7
CC115051		0.45	0.0005	0.04	0.26	10	<0.2	<10	50	0.25	0.08	18.25	0.15	10.00	4.4	6
CC115052		0.43	0.0002	0.02	0.21	10	<0.2	<10	50	0.22	0.09	18.10	0.22	9.57	4.2	6
CC115053		0.50	0.0006	0.02	0.16	7	<0.2	<10	30	0.18	0.08	19.20	0.13	10.15	3.8	5
CC115054		0.38	0.0008	0.03	0.27	12	<0.2	<10	70	0.28	0.10	17.80	0.17	12.35	5.0	7
CC115055		0.47	0.0002	0.02	0.14	7	<0.2	<10	40	0.17	0.07	19.15	0.12	10.75	3.6	4
CC115449		0.55	0.0007	0.04	0.25	8	<0.2	<10	120	0.21	0.07	18.25	0.47	9.28	3.5	6
CC115450		0.40	0.0007	0.04	0.28	8	<0.2	<10	120	0.26	0.09	16.65	0.43	10.50	4.3	7
CC115451		0.52	0.0007	0.03	0.25	6	<0.2	<10	90	0.26	0.08	17.55	0.56	10.25	3.8	6
CC115452		0.41	0.0017	0.04	0.30	9	<0.2	<10	160	0.24	0.08	18.50	0.40	9.69	4.0	7
CC115453		0.57	0.0009	0.05	0.31	9	<0.2	<10	140	0.25	0.10	16.25	0.49	10.45	4.3	7
CC115454		0.52	0.0009	0.04	0.25	10	<0.2	<10	130	0.26	0.09	17.80	0.44	9.61	4.0	7
CC115455		0.49	0.0005	0.04	0.23	6	<0.2	<10	100	0.22	0.07	17.65	0.20	8.90	4.0	5
CC115456		0.44	0.0008	0.05	0.25	10	<0.2	<10	80	0.22	0.08	17.55	0.22	9.15	4.2	5
CC115457		0.49	0.0011	0.07	0.37	8	<0.2	<10	90	0.34	0.12	13.35	0.21	10.35	5.7	6
CC115458		0.56	0.0017	0.08	0.38	8	<0.2	<10	80	0.40	0.13	13.15	0.23	10.15	6.4	6
CC115459		0.50	0.0003	0.04	0.17	8	<0.2	<10	100	0.21	0.07	17.20	0.16	7.21	2.9	5
CC115460		0.49	0.0006	0.03	0.19	7	<0.2	<10	90	0.21	0.06	16.90	0.15	7.59	2.8	5
CC115461		0.46	0.0003	0.03	0.24	9	<0.2	<10	90	0.28	0.09	16.65	0.20	8.64	3.8	6
CC115462		0.40	0.0004	0.03	0.14	8	<0.2	<10	100	0.22	0.05	18.00	0.14	6.86	2.4	4

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 24- AUG- 2011
Account: RCM

Project: Rackla- Val East Silts

CERTIFICATE OF ANALYSIS WH11132855

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
CC115001		1.66	7.5	1.53	0.86	0.05	0.04	0.06	0.014	0.06	6.1	3.0	9.00	381	1.89	0.01
CC115002		0.96	5.2	0.79	0.60	0.05	0.03	0.06	0.009	0.03	5.0	2.0	10.60	385	0.91	0.01
CC115003		0.74	4.5	0.70	0.53	0.06	0.03	0.05	0.008	0.03	4.6	2.0	10.45	349	0.82	0.01
CC115004		1.00	8.0	0.91	1.04	0.05	0.04	0.04	0.009	0.05	5.4	4.3	9.67	341	0.90	0.01
CC115005		1.72	6.9	0.66	0.70	0.07	0.03	0.05	0.007	0.04	3.5	2.9	10.05	96	1.38	0.02
CC115006		1.61	6.5	0.65	0.72	0.08	0.03	0.05	0.007	0.04	3.6	3.0	10.10	88	1.32	0.02
CC115007		1.55	6.5	0.64	0.67	0.08	0.03	0.04	0.008	0.04	3.3	2.4	10.20	86	1.48	0.01
CC115008		1.61	6.6	0.75	0.65	0.08	0.03	0.02	0.008	0.04	3.7	2.3	9.71	89	1.73	0.01
CC115009		1.46	5.2	0.76	0.54	0.08	0.03	0.02	0.009	0.05	4.2	1.7	9.56	108	1.36	0.02
CC115010		1.65	5.5	0.78	0.48	0.06	0.03	0.03	0.010	0.05	4.6	1.3	9.86	115	1.35	0.02
CC115011		0.44	4.0	0.53	0.57	0.10	0.04	0.06	0.007	0.03	6.3	1.4	10.95	584	0.67	0.01
CC115012		0.48	7.0	1.02	1.33	0.07	0.04	0.03	0.010	0.03	5.4	4.2	9.01	695	0.61	0.01
CC115013		0.49	5.1	0.67	0.79	0.08	0.04	0.05	0.008	0.03	6.4	2.3	10.40	521	0.69	0.01
CC115014		0.35	3.1	0.49	0.45	0.11	0.03	0.10	0.006	0.02	6.0	1.1	11.60	677	0.67	0.01
CC115015		0.53	4.9	0.62	0.71	0.11	0.04	0.06	0.008	0.03	6.9	1.8	10.60	567	0.76	0.01
CC115016		0.55	5.2	0.65	0.77	0.10	0.04	0.06	0.008	0.03	7.3	2.1	10.55	587	0.72	0.01
CC115017		0.32	5.4	0.57	0.86	0.10	0.03	0.03	0.006	0.02	5.0	2.3	10.45	470	0.50	0.01
CC115018		0.43	4.5	0.55	0.64	0.11	0.04	0.05	0.007	0.02	5.9	1.7	10.50	520	0.63	0.01
CC115019		0.36	3.8	0.54	0.65	0.09	0.04	0.05	0.006	0.03	4.2	1.8	10.45	385	0.48	0.01
CC115020		1.07	5.4	0.85	0.71	0.09	0.04	0.06	0.010	0.03	6.2	1.7	10.35	423	1.07	0.01
CC115021		0.90	6.2	0.89	0.90	0.09	0.04	0.05	0.010	0.04	6.6	2.2	10.15	447	1.02	0.01
CC115051		2.41	9.3	0.85	0.72	0.05	0.03	0.03	0.010	0.06	4.6	1.9	9.60	114	1.63	0.02
CC115052		1.89	7.2	0.98	0.60	0.06	0.03	0.03	0.011	0.05	4.2	1.5	9.53	116	1.29	0.02
CC115053		1.56	5.5	0.80	0.49	0.08	0.03	0.03	0.010	0.05	4.6	1.2	9.85	113	1.41	0.02
CC115054		2.26	8.4	1.02	0.77	0.07	0.04	0.03	0.013	0.06	5.5	1.8	9.15	137	1.46	0.02
CC115055		1.42	4.8	0.73	0.44	0.09	0.03	0.03	0.010	0.04	4.8	1.1	9.75	117	1.23	0.02
CC115449		0.77	5.4	0.78	0.78	0.09	0.04	0.03	0.013	0.04	4.6	1.8	9.41	126	0.94	0.02
CC115450		1.03	6.6	0.99	0.83	0.07	0.04	0.03	0.011	0.05	4.9	2.0	8.60	160	0.74	0.01
CC115451		1.02	6.1	0.87	0.78	0.07	0.03	0.04	0.011	0.05	4.8	1.9	8.84	160	0.62	0.02
CC115452		0.98	6.8	0.89	0.86	0.07	0.04	0.04	0.011	0.05	4.6	2.2	7.37	139	0.76	0.01
CC115453		1.58	7.8	1.02	0.89	0.06	0.04	0.05	0.012	0.05	4.9	2.3	8.17	143	0.90	0.01
CC115454		1.40	6.4	0.92	0.73	0.07	0.03	0.05	0.010	0.05	4.5	1.7	8.74	137	0.87	0.02
CC115455		1.49	7.1	0.83	0.70	0.08	0.03	0.04	0.011	0.04	4.2	2.6	9.34	188	0.86	0.01
CC115456		1.79	7.4	0.83	0.74	0.08	0.03	0.05	0.011	0.04	4.4	2.6	9.26	170	1.00	0.02
CC115457		1.83	10.7	1.16	1.05	0.06	0.04	0.07	0.015	0.04	4.6	5.6	7.35	213	0.63	0.01
CC115458		2.25	12.6	1.29	1.08	0.07	0.04	0.08	0.017	0.04	4.4	6.2	7.20	233	0.63	0.01
CC115459		1.18	4.8	0.65	0.47	0.08	0.02	0.04	0.007	0.04	3.6	1.5	9.64	157	1.11	0.02
CC115460		1.35	5.0	0.64	0.50	0.08	<0.02	0.03	0.006	0.04	3.7	1.7	9.60	133	1.16	0.03
CC115461		1.65	6.5	0.80	0.64	0.08	0.02	0.04	0.010	0.05	4.1	2.1	9.55	161	1.21	0.03
CC115462		0.75	3.6	0.56	0.37	0.08	0.02	0.03	<0.005	0.03	3.9	1.2	10.40	228	0.93	0.02

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 24- AUG- 2011
Account: RCM

Project: Rackla- Val East Silts

CERTIFICATE OF ANALYSIS WH11132855

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
CC115001		0.22	11.9	570	8.9	3.6	0.002	0.11	0.67	2.1	0.5	0.2	99.9	<0.01	0.01	0.7
CC115002		0.17	4.6	480	16.0	2.6	0.001	0.05	0.85	1.6	0.5	<0.2	107.5	<0.01	<0.01	0.6
CC115003		0.17	3.4	450	11.4	2.3	0.001	0.05	0.58	1.4	0.4	<0.2	107.5	<0.01	<0.01	0.5
CC115004		0.34	7.6	470	11.0	3.7	0.001	0.02	0.79	1.8	0.4	0.2	101.5	<0.01	0.01	1.1
CC115005		0.22	7.0	210	9.0	3.6	0.001	0.03	0.86	1.5	0.4	<0.2	109.0	<0.01	<0.01	0.9
CC115006		0.24	6.9	240	9.0	3.4	0.001	0.02	0.91	1.5	0.4	<0.2	108.0	<0.01	<0.01	1.0
CC115007		0.21	6.5	200	7.4	3.3	0.001	0.02	0.71	1.5	0.3	<0.2	103.5	<0.01	<0.01	0.9
CC115008		0.22	7.1	220	5.1	3.3	0.001	0.03	0.52	1.6	0.4	<0.2	108.0	<0.01	<0.01	1.0
CC115009		0.16	5.4	120	4.6	3.5	0.001	0.03	0.31	1.9	0.4	<0.2	123.5	<0.01	0.01	1.3
CC115010		0.11	6.7	110	4.6	3.5	0.001	0.03	0.29	1.8	0.4	<0.2	127.0	<0.01	0.01	1.3
CC115011		0.16	5.3	850	7.0	1.9	<0.001	0.02	0.44	1.2	0.5	<0.2	98.3	<0.01	0.01	0.4
CC115012		0.27	8.1	420	50.1	3.6	<0.001	0.04	1.28	1.1	0.6	0.2	60.0	<0.01	0.01	0.4
CC115013		0.22	6.5	730	8.4	2.7	<0.001	0.02	0.40	1.3	0.5	<0.2	98.2	<0.01	0.01	0.5
CC115014		0.14	5.1	800	8.8	1.3	0.001	0.01	0.60	1.0	0.4	<0.2	115.5	<0.01	<0.01	0.4
CC115015		0.19	8.1	850	8.2	2.3	0.001	0.02	0.43	1.3	0.5	<0.2	103.5	<0.01	0.01	0.5
CC115016		0.23	8.5	890	8.8	2.6	<0.001	0.02	0.45	1.3	0.5	<0.2	107.0	<0.01	0.01	0.5
CC115017		0.27	5.3	370	5.0	2.3	<0.001	0.02	0.35	1.0	0.4	<0.2	76.8	<0.01	<0.01	0.4
CC115018		0.21	6.7	700	7.2	2.0	<0.001	0.01	0.38	1.2	0.5	<0.2	100.5	<0.01	0.01	0.5
CC115019		0.19	5.6	640	14.3	2.3	<0.001	0.02	0.56	0.9	0.4	<0.2	98.7	<0.01	<0.01	0.3
CC115020		0.22	8.2	600	7.4	2.8	0.001	0.07	0.45	1.6	0.5	<0.2	111.0	<0.01	0.01	0.6
CC115021		0.26	9.0	610	9.0	3.1	0.001	0.04	0.53	1.6	0.5	0.2	104.5	<0.01	0.01	0.6
CC115051		0.20	10.3	180	6.5	4.8	0.001	0.03	0.53	1.8	0.5	0.2	128.0	<0.01	0.01	1.3
CC115052		0.17	8.9	150	6.0	4.0	0.001	0.04	0.64	1.8	0.5	0.2	114.5	<0.01	0.01	1.1
CC115053		0.15	7.6	100	4.5	3.4	0.001	0.03	0.23	1.9	0.4	<0.2	127.0	<0.01	0.01	1.3
CC115054		0.21	11.4	170	6.4	4.8	0.001	0.03	0.33	2.0	0.5	0.2	125.5	<0.01	0.01	1.4
CC115055		0.14	6.6	80	4.2	3.1	0.001	0.03	0.18	1.8	0.4	<0.2	125.5	<0.01	0.01	1.4
CC115449		0.21	7.2	170	31.7	3.3	<0.001	0.03	1.81	1.8	0.4	0.2	119.5	<0.01	<0.01	1.0
CC115450		0.24	8.9	250	18.8	3.6	0.001	0.03	1.16	1.9	0.5	0.2	93.2	<0.01	0.01	1.2
CC115451		0.25	7.9	190	19.9	3.4	<0.001	0.03	2.15	1.9	0.4	<0.2	110.5	<0.01	0.01	1.3
CC115452		0.27	8.1	210	18.6	3.7	<0.001	0.07	1.52	1.8	0.5	0.2	111.5	<0.01	0.01	1.0
CC115453		0.26	10.1	240	19.8	4.4	0.001	0.04	1.51	1.9	0.5	0.2	100.5	<0.01	0.02	1.2
CC115454		0.21	9.2	180	19.9	3.8	0.001	0.05	1.29	1.8	0.5	0.2	107.5	<0.01	0.01	1.0
CC115455		0.20	7.7	240	10.0	3.2	0.001	0.03	0.76	1.8	0.4	<0.2	106.5	<0.01	0.02	1.0
CC115456		0.21	9.1	240	11.3	3.7	0.001	0.04	0.88	1.8	0.5	<0.2	107.5	<0.01	0.02	1.0
CC115457		0.22	11.0	320	16.4	3.5	0.001	0.02	1.03	2.5	0.4	<0.2	84.1	<0.01	0.04	1.3
CC115458		0.19	12.3	330	18.3	3.8	0.001	0.03	1.08	2.8	0.5	<0.2	86.7	<0.01	0.06	1.2
CC115459		0.08	7.7	180	8.7	2.3	<0.001	0.04	0.71	1.4	0.2	<0.2	108.5	<0.01	0.02	1.0
CC115460		0.10	8.2	190	8.3	2.6	<0.001	0.04	0.73	1.4	0.2	<0.2	105.5	<0.01	0.01	1.0
CC115461		0.11	10.3	220	13.9	3.3	0.001	0.04	1.32	1.6	0.5	0.2	105.0	<0.01	0.02	1.1
CC115462		0.07	6.3	250	8.7	1.7	<0.001	0.04	0.67	1.2	0.2	<0.2	114.0	<0.01	<0.01	0.8

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 24- AUG- 2011
Account: RCM

Project: Rackla- Val East Silts

CERTIFICATE OF ANALYSIS WH11132855

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
CC115001		0.010	0.94	0.89	12	0.05	7.89	54	1.1
CC115002		0.005	0.57	0.85	8	<0.05	7.24	47	0.9
CC115003		<0.005	0.48	0.82	7	<0.05	6.51	37	0.8
CC115004		0.012	0.45	0.80	12	0.05	6.83	49	1.2
CC115005		0.006	0.30	1.22	9	<0.05	3.61	35	1.1
CC115006		0.007	0.28	1.24	9	0.07	3.49	35	1.2
CC115007		0.006	0.26	1.29	8	0.05	3.32	31	1.1
CC115008		0.006	0.26	1.20	8	<0.05	3.56	28	1.1
CC115009		<0.005	0.30	0.65	7	<0.05	4.10	23	1.2
CC115010		<0.005	0.30	0.65	7	<0.05	4.31	22	1.1
CC115011		<0.005	0.43	1.04	6	<0.05	10.20	26	1.0
CC115012		0.012	0.29	0.68	15	0.08	7.61	96	0.9
CC115013		0.007	0.39	0.88	9	<0.05	8.75	38	1.0
CC115014		<0.005	0.48	1.05	5	<0.05	9.63	32	0.8
CC115015		0.005	0.45	0.97	8	<0.05	9.79	32	1.0
CC115016		0.006	0.49	0.99	8	<0.05	10.40	35	1.0
CC115017		0.009	0.56	0.86	8	0.08	7.54	28	0.9
CC115018		0.005	0.39	0.90	7	<0.05	8.65	29	1.0
CC115019		0.005	0.28	0.90	6	<0.05	6.08	51	1.1
CC115020		0.005	0.59	0.87	8	<0.05	8.05	34	1.0
CC115021		0.007	0.51	0.84	11	0.05	8.37	40	1.1
CC115051		0.005	0.42	0.92	9	<0.05	4.28	31	1.0
CC115052		<0.005	0.39	0.85	8	<0.05	4.28	30	0.9
CC115053		<0.005	0.28	0.57	6	<0.05	4.33	20	1.2
CC115054		0.005	0.48	0.80	9	<0.05	5.12	29	1.2
CC115055		<0.005	0.23	0.60	6	<0.05	4.53	18	1.3
CC115449		0.005	0.34	0.42	8	<0.05	4.42	115	0.8
CC115450		0.007	0.32	0.58	12	<0.05	4.81	102	1.0
CC115451		0.007	0.30	0.49	10	<0.05	4.28	128	0.9
CC115452		0.007	0.33	0.87	10	0.05	4.24	117	0.8
CC115453		0.007	0.51	0.56	11	0.08	4.55	146	1.0
CC115454		0.005	0.43	0.54	9	<0.05	4.25	126	0.9
CC115455		<0.005	0.24	0.80	8	<0.05	4.55	41	0.9
CC115456		0.005	0.29	0.92	9	<0.05	4.59	42	0.9
CC115457		0.006	0.12	0.90	11	<0.05	4.85	53	1.0
CC115458		<0.005	0.12	0.84	11	<0.05	5.35	58	1.1
CC115459		<0.005	0.33	0.90	7	<0.05	3.86	31	0.8
CC115460		0.005	0.29	1.00	8	<0.05	3.68	30	0.8
CC115461		<0.005	0.39	0.97	9	<0.05	4.50	48	0.8
CC115462		<0.005	0.30	0.86	6	<0.05	4.54	28	0.6

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 24- AUG- 2011
Account: RCM

Project: Rackla- Val East Silts

CERTIFICATE OF ANALYSIS WH11132855

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- ST43 Au ppm 0.0001	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1
CC115463		0.44	0.0012	0.04	0.29	6	<0.2	<10	80	0.28	0.09	15.70	0.22	10.00	3.8	7
CC115464		0.56	0.0007	0.03	0.18	9	<0.2	<10	80	0.23	0.08	17.80	0.18	8.58	3.3	5
CC115465		0.61	0.0008	0.58	0.19	6	<0.2	<10	70	0.18	0.10	17.00	0.14	7.77	3.0	5
CC115466		0.41	0.0008	0.12	0.22	9	<0.2	<10	80	0.26	0.09	16.40	0.18	8.00	3.8	5
CC115467		0.46	0.0010	0.08	0.25	9	<0.2	<10	90	0.32	0.08	16.80	0.19	8.99	3.8	6
CC115468		0.47	0.0010	0.08	0.52	7.9	<0.2	<10	140	0.56	0.17	9.58	0.22	12.40	9.6	9
CC115469		0.45	0.0010	0.04	0.23	6	<0.2	<10	110	0.28	0.08	16.60	0.19	8.62	3.6	5
CC115470		0.47	0.0008	0.04	0.22	6	<0.2	<10	90	0.24	0.08	16.65	0.17	7.82	3.5	5
CC115471		0.60	0.0009	0.04	0.23	5	<0.2	<10	100	0.23	0.08	16.55	0.19	7.32	3.5	5
EB01		0.56	0.0026	0.61	0.93	2420	<0.2	<10	200	0.94	0.29	1.61	7.97	6.80	17.1	17
CC115040		0.41	0.0017	0.09	0.45	49	<0.2	<10	180	0.40	0.13	13.20	0.33	15.20	11.8	14
CC115041		0.49	0.0012	0.07	0.39	36	<0.2	<10	160	0.45	0.17	14.45	0.24	14.55	8.5	11
CC115042		0.47	0.0010	0.03	0.23	10	<0.2	<10	50	0.25	0.09	17.60	0.12	10.70	3.8	6
CC115043		0.47	0.0010	0.03	0.30	20	<0.2	<10	140	0.28	0.09	16.30	0.16	10.60	4.4	7
CC115044		0.47	0.0007	0.04	0.26	9	<0.2	<10	170	0.23	0.06	17.30	0.15	8.61	3.5	7
CC115045		0.42	0.0011	0.03	0.23	10	<0.2	<10	160	0.24	0.06	17.00	0.15	7.85	3.4	6
CC115046		0.59	0.0011	0.07	0.41	10	<0.2	<10	200	0.32	0.09	14.65	0.28	12.35	5.7	9
CC115047		0.42	0.0009	0.04	0.26	13	<0.2	<10	160	0.28	0.07	16.65	0.18	9.32	3.8	7
CC115048		0.42	0.0012	0.04	0.25	11	<0.2	<10	150	0.23	0.06	16.70	0.18	9.00	3.6	7
CC115049		0.36	0.0008	0.04	0.27	11	<0.2	<10	160	0.25	0.08	16.30	0.19	9.34	4.2	7
CC115050		0.35	0.0015	0.04	0.24	12	<0.2	<10	160	0.23	0.06	17.05	0.18	8.97	3.9	6

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 24- AUG- 2011
Account: RCM

Project: Rackla- Val East Silts

CERTIFICATE OF ANALYSIS WH11132855

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
CC115463		1.58	7.0	0.85	0.77	0.07	0.03	0.04	0.009	0.05	4.7	2.5	9.00	221	0.94	0.02
CC115464		1.28	5.2	0.69	0.51	0.08	0.02	0.05	0.006	0.04	4.3	1.6	9.84	178	1.22	0.02
CC115465		1.23	6.4	0.68	0.47	0.08	0.02	0.03	0.008	0.05	3.8	1.5	9.56	121	1.44	0.03
CC115466		1.28	6.6	0.82	0.56	0.09	0.02	0.05	0.008	0.04	3.9	3.1	9.06	198	0.96	0.03
CC115467		1.29	6.9	0.80	0.69	0.09	0.02	0.05	0.008	0.04	4.3	3.2	9.43	204	0.92	0.03
CC115468		1.49	15.7	1.69	1.56	0.07	0.04	0.05	0.018	0.08	5.6	8.4	4.87	459	0.67	0.02
CC115469		1.42	6.3	0.77	0.63	0.08	0.02	0.04	0.009	0.05	4.0	2.8	9.14	179	0.99	0.03
CC115470		1.34	6.2	0.72	0.60	0.08	0.02	0.04	0.008	0.04	3.8	2.6	9.27	175	0.96	0.03
CC115471		1.29	6.2	0.76	0.60	0.07	0.02	0.04	0.010	0.04	3.5	2.7	9.14	175	0.93	0.02
EB01		8.72	31.3	4.03	2.71	0.08	0.05	6.01	0.041	0.10	2.6	16.8	0.83	884	1.07	0.01
CC115040		0.69	16.9	2.15	1.32	0.09	0.06	0.13	0.021	0.07	7.3	3.5	7.10	201	8.50	0.02
CC115041		0.86	15.2	1.78	1.12	0.09	0.06	0.11	0.017	0.07	6.3	2.8	7.68	179	7.27	0.02
CC115042		0.65	8.1	0.81	0.68	0.08	0.04	0.04	0.008	0.06	4.8	2.0	9.60	107	1.99	0.03
CC115043		0.67	9.4	1.03	0.84	0.08	0.04	0.05	0.010	0.05	4.9	3.1	8.90	125	4.30	0.02
CC115044		0.99	7.0	0.84	0.65	0.08	0.02	0.04	0.009	0.05	4.1	2.3	9.61	142	2.94	0.03
CC115045		0.94	6.9	0.82	0.62	0.08	0.02	0.04	0.008	0.04	4.0	2.0	9.77	136	3.13	0.03
CC115046		1.12	11.7	1.06	1.25	0.09	0.03	0.05	0.013	0.05	5.9	5.1	7.86	210	3.23	0.03
CC115047		1.07	8.1	0.82	0.78	0.08	0.02	0.04	0.010	0.05	4.5	2.5	9.49	138	2.83	0.03
CC115048		0.90	7.7	0.84	0.68	0.08	0.02	0.06	0.010	0.04	4.3	2.6	9.46	145	3.21	0.02
CC115049		1.07	8.6	0.86	0.78	0.09	0.03	0.05	0.010	0.05	4.7	2.7	9.17	145	3.48	0.03
CC115050		0.92	7.8	0.85	0.67	0.09	0.02	0.04	0.008	0.04	4.5	2.4	9.41	133	3.69	0.03

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 24- AUG- 2011
Account: RCM

Project: Rackla- Val East Silts

CERTIFICATE OF ANALYSIS WH11132855

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
CC115463		0.15	10.4	310	11.1	3.3	<0.001	0.04	0.95	1.6	0.5	0.2	95.7	<0.01	0.02	0.9
CC115464		0.08	8.8	220	10.0	2.6	0.001	0.05	0.75	1.4	0.4	<0.2	113.0	<0.01	0.02	1.1
CC115465		0.10	9.5	160	8.0	2.5	0.001	0.05	0.67	1.3	0.3	<0.2	104.5	<0.01	0.02	1.1
CC115466		0.09	8.5	230	11.1	2.4	0.001	0.04	0.73	1.8	0.3	<0.2	100.5	<0.01	0.01	1.1
CC115467		0.11	9.4	270	12.8	2.8	<0.001	0.03	0.84	1.9	0.3	0.2	105.0	<0.01	0.01	1.1
CC115468		0.18	13.6	400	24.5	4.6	<0.001	0.04	1.02	3.2	0.5	0.2	68.4	<0.01	0.03	1.8
CC115469		0.11	8.8	230	11.9	2.7	<0.001	0.05	0.89	1.7	0.3	<0.2	107.5	<0.01	0.03	1.1
CC115470		0.09	8.4	210	11.4	2.6	0.001	0.04	0.77	1.6	0.2	<0.2	105.5	<0.01	0.02	1.0
CC115471		0.10	8.5	230	12.1	2.5	<0.001	0.04	0.83	1.5	0.2	<0.2	101.0	<0.01	0.02	1.0
EB01		0.07	46.1	700	142.0	11.4	0.001	0.09	2.26	5.1	1.2	0.5	29.1	<0.01	0.05	2.7
CC115040		0.20	29.7	480	11.9	3.6	0.001	0.05	3.18	2.8	0.4	0.3	104.0	<0.01	0.04	1.2
CC115041		0.13	23.1	310	13.5	3.9	<0.001	0.04	2.17	2.4	0.6	0.3	114.5	<0.01	0.04	1.3
CC115042		0.09	10.9	180	5.3	3.0	<0.001	0.03	0.53	1.6	0.2	0.2	153.0	<0.01	0.02	1.1
CC115043		0.17	13.3	240	6.1	2.8	0.001	0.04	1.05	1.8	0.3	0.2	126.0	<0.01	0.03	1.2
CC115044		0.14	10.8	260	4.6	2.5	0.001	0.04	0.61	1.5	0.5	0.2	118.0	<0.01	0.02	1.0
CC115045		0.13	10.4	250	4.5	2.4	0.001	0.05	0.65	1.5	0.2	<0.2	118.5	<0.01	0.02	1.0
CC115046		0.29	16.5	380	6.6	3.7	0.001	0.04	0.83	2.2	0.6	0.2	111.5	<0.01	0.01	1.7
CC115047		0.16	11.8	270	4.8	2.9	<0.001	0.04	0.66	1.6	0.4	0.2	123.0	<0.01	0.02	1.0
CC115048		0.15	11.3	260	5.0	2.6	<0.001	0.04	0.72	1.6	0.2	0.2	124.0	<0.01	0.02	1.1
CC115049		0.18	12.5	270	5.5	2.9	<0.001	0.04	0.80	1.7	0.2	0.2	123.5	<0.01	0.02	1.2
CC115050		0.14	11.5	240	5.0	2.6	0.001	0.04	1.00	1.6	0.6	0.2	131.5	<0.01	0.02	1.1

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 24- AUG- 2011
Account: RCM

Project: Rackla- Val East Silts

CERTIFICATE OF ANALYSIS WH11132855

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
CC115463		0.006	0.41	0.95	11	<0.05	5.10	50	0.8
CC115464		<0.005	0.41	1.03	8	<0.05	4.48	34	0.8
CC115465		0.005	0.30	0.92	8	<0.05	3.54	31	0.8
CC115466		<0.005	0.24	0.87	9	<0.05	4.42	38	0.8
CC115467		0.005	0.30	0.91	9	<0.05	4.98	41	0.8
CC115468		0.006	0.17	0.57	14	0.05	6.66	62	1.5
CC115469		<0.005	0.29	0.90	9	<0.05	4.29	43	0.8
CC115470		<0.005	0.27	0.87	8	<0.05	4.16	40	0.7
CC115471		0.005	0.27	0.87	9	<0.05	4.03	43	0.7
EB01		<0.005	61.9	1.15	26	0.14	8.30	4030	1.3
CC115040		0.007	1.21	1.34	18	0.07	7.98	79	1.7
CC115041		0.005	1.25	1.28	14	<0.05	6.41	46	1.8
CC115042		<0.005	0.30	1.19	9	0.05	4.16	25	1.2
CC115043		0.007	0.54	1.31	12	<0.05	4.54	31	1.5
CC115044		0.007	0.45	1.09	11	<0.05	4.19	28	0.8
CC115045		0.006	0.40	1.08	10	<0.05	4.16	26	0.9
CC115046		0.013	0.46	1.22	15	0.06	5.63	40	1.3
CC115047		0.006	0.45	1.15	10	<0.05	4.61	28	0.9
CC115048		0.006	0.43	1.21	11	0.05	4.45	30	0.9
CC115049		0.007	0.49	1.28	11	<0.05	4.69	29	1.0
CC115050		0.006	0.49	1.25	10	<0.05	4.43	27	0.9

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 24- AUG- 2011
Account: RCM

Project: Rackla- Val East Silts

CERTIFICATE OF ANALYSIS WH11132855

Method	CERTIFICATE COMMENTS
ME- MS41	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown.
ME- MS41	Gold determinations by this method are semi- quantitative due to the small sample weight used (0.5g).

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 24- AUG- 2011
Account: RCM

CERTIFICATE WH11132856

Project: Rackla- Val East Silts

P.O. No.:

This report is for 118 Silt samples submitted to our lab in Whitehorse, YT, Canada on 13- JUL- 2011.

The following have access to data associated with this certificate:

ROB CARNE JULIA LANE	ANDREW CARNE JOAN MARIACHER	MATT DUMALA

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
SCR- 41	Screen to - 180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- ST43	Super Trace Au - 25g AR	ICP- MS
ME- MS41	51 anal. aqua regia ICPMS	

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 24- AUG- 2011
Account: RCM

Project: Rackla- Val East Silts

CERTIFICATE OF ANALYSIS WH11132856

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- ST43 Au ppm 0.0001	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1
CC115428		0.47	0.0011	0.02	0.20	7	<0.2	<10	70	0.27	0.08	18.00	0.11	13.05	3.3	6
CC115429		0.58	0.0010	0.02	0.21	7	<0.2	<10	50	0.22	0.08	18.65	0.10	14.05	3.6	5
CC115430		0.43	0.0009	0.02	0.19	9	<0.2	<10	70	0.38	0.07	18.95	0.09	11.90	3.1	5
CC115431		0.47	0.0008	0.02	0.17	7	<0.2	<10	70	0.18	0.07	18.40	0.09	7.68	2.7	5
CC115432		0.48	0.0009	0.02	0.20	7	<0.2	<10	60	0.17	0.07	18.50	0.10	8.32	2.7	5
CC115433		0.32	0.0016	0.09	0.86	13	<0.2	<10	160	0.49	0.14	12.20	0.58	14.90	6.0	14
CC115434		0.40	0.0016	0.13	1.12	18	<0.2	<10	190	0.83	0.17	10.45	0.76	17.65	6.6	17
CC115435		0.42	0.0009	0.02	0.19	9	<0.2	<10	50	0.19	0.07	17.30	0.10	8.39	2.7	5
CC115436		0.41	0.0010	0.03	0.20	8	<0.2	<10	50	0.18	0.07	18.25	0.11	8.44	2.8	5
CC115437		0.49	0.0006	0.02	0.21	7	<0.2	<10	50	0.17	0.07	17.55	0.13	8.55	2.7	5
CC115438		0.48	0.0007	0.02	0.20	5	<0.2	<10	40	0.19	0.04	17.90	0.11	7.48	1.9	4
CC115439		0.46	0.0008	0.07	0.42	6	<0.2	<10	50	0.29	0.06	17.60	0.49	9.01	3.1	7
CC115440		0.65	0.0008	0.03	0.28	8	<0.2	<10	70	0.24	0.09	16.90	0.18	10.50	3.8	7
CC115441		0.44	0.0007	0.02	0.22	8	<0.2	<10	60	0.20	0.07	18.75	0.12	9.58	2.7	5
CC115442		0.53	0.0008	0.02	0.19	8	<0.2	<10	60	0.15	0.06	19.30	0.12	9.38	2.4	5
CC115443		0.44	0.0008	0.04	0.30	5	<0.2	<10	30	0.13	0.05	16.55	0.24	8.86	2.2	6
CC115444		0.39	0.0013	0.04	0.31	6	<0.2	<10	30	0.16	0.05	17.20	0.33	9.24	2.2	7
CC115445		0.41	0.0009	0.03	0.22	7	<0.2	<10	50	0.22	0.06	17.75	0.15	9.77	2.5	5
CC115446		0.41	0.0007	0.03	0.20	5	<0.2	<10	40	0.22	0.06	17.80	0.13	10.10	2.6	5
CC115447		0.50	0.0005	0.02	0.19	6	<0.2	<10	60	0.16	0.06	18.20	0.13	10.25	2.5	5
CC115448		0.54	0.0009	0.04	0.32	4	<0.2	<10	50	0.21	0.06	15.60	0.23	11.00	2.7	6
CC129197		0.39	0.0010	0.07	0.28	13	<0.2	<10	40	0.21	0.06	16.50	0.78	10.15	3.4	7
CC129198		0.38	0.0015	0.08	0.38	16	<0.2	<10	60	0.31	0.07	14.65	0.71	12.70	4.4	9
CC129199		0.51	0.0009	0.09	0.40	15	<0.2	<10	70	0.24	0.07	15.05	0.82	11.85	3.9	9
CC129200		0.38	0.0011	0.08	0.34	13	<0.2	<10	80	0.26	0.07	14.95	0.67	12.70	4.3	8
CC129825		0.42	0.0022	0.14	0.88	9.6	<0.2	<10	180	0.59	0.17	5.03	0.41	23.6	9.3	16
CC129826		0.46	0.0014	0.10	0.51	4.5	<0.2	<10	140	0.42	0.12	9.89	0.31	14.75	6.5	9
CC129827		0.46	0.0014	0.09	0.43	13	<0.2	<10	120	0.47	0.09	13.00	0.59	16.30	5.1	9
CC129828		0.37	0.0022	0.09	0.49	17	<0.2	<10	120	0.41	0.09	12.00	0.66	12.10	5.5	10
CC129829		0.42	0.0019	0.07	0.38	13	<0.2	<10	100	0.31	0.09	13.25	0.57	11.55	5.2	8
CC129830		0.31	0.0021	0.09	0.58	12	<0.2	10	260	0.52	0.12	10.20	0.30	20.9	6.4	15
CC129831		0.36	0.0019	0.08	0.57	14	<0.2	<10	190	0.51	0.12	11.00	0.24	20.3	6.2	15
CC129832		0.39	0.0022	0.10	0.61	16	<0.2	<10	730	0.61	0.12	10.65	0.30	21.0	7.0	15
CC129833		0.32	0.0013	0.09	0.55	13	<0.2	<10	170	0.54	0.11	10.30	0.30	22.1	6.7	15
CC129834		0.33	0.0019	0.12	0.71	15.7	<0.2	10	250	0.66	0.13	8.67	0.35	26.0	8.1	19
CC129835		0.41	0.0021	0.08	0.46	14	<0.2	<10	140	0.46	0.09	12.50	0.32	19.75	5.9	13
CC129836		0.36	0.0029	0.12	0.74	10.8	<0.2	10	280	0.97	0.20	3.64	0.23	38.0	9.8	22
CC142501		0.36	0.0009	0.03	0.28	14	<0.2	<10	50	0.24	0.06	17.80	0.12	8.51	3.5	6
CC142502		0.40	0.0012	0.03	0.25	8	<0.2	<10	40	0.20	0.06	17.90	0.14	7.90	3.0	5
CC142503		0.46	0.0008	0.03	0.25	7	<0.2	<10	50	0.23	0.06	18.85	0.15	8.24	3.2	6

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 24- AUG- 2011
Account: RCM

Project: Rackla- Val East Silts

CERTIFICATE OF ANALYSIS WH11132856

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
CC115428		1.85	7.2	0.69	0.49	0.07	0.03	0.04	0.011	0.06	6.5	1.6	9.77	98	1.42	0.02
CC115429		1.79	7.8	0.74	0.53	0.10	0.03	0.04	0.011	0.06	7.0	1.6	10.00	99	1.36	0.02
CC115430		1.58	6.6	0.66	0.47	0.11	0.03	0.03	0.010	0.05	5.9	1.4	10.20	96	1.25	0.02
CC115431		0.99	5.2	0.64	0.42	0.06	0.02	0.03	0.008	0.05	3.7	1.4	10.35	90	1.24	0.02
CC115432		1.14	5.7	0.65	0.48	0.07	0.03	0.03	0.010	0.05	4.1	1.5	10.05	84	1.21	0.02
CC115433		1.04	14.3	1.48	2.14	0.06	0.08	0.09	0.019	0.07	8.0	5.4	6.63	197	1.84	0.02
CC115434		0.95	16.9	1.80	2.65	0.06	0.12	0.12	0.021	0.07	10.2	6.8	5.85	242	2.24	0.02
CC115435		1.13	5.3	0.65	0.42	0.05	0.02	0.04	0.009	0.05	4.1	1.3	9.88	91	1.26	0.02
CC115436		1.21	5.6	0.65	0.47	0.07	0.02	0.03	0.009	0.05	4.1	1.5	9.93	91	1.23	0.02
CC115437		1.10	5.4	0.65	0.49	0.07	0.03	0.03	0.010	0.05	4.2	1.5	9.56	94	1.16	0.02
CC115438		0.64	4.6	0.46	0.51	0.10	0.03	0.03	0.008	0.04	3.8	1.6	9.87	82	0.61	0.02
CC115439		0.50	7.7	0.60	0.89	0.10	0.05	0.08	0.010	0.03	4.9	2.7	10.35	113	1.42	0.02
CC115440		1.61	7.9	0.87	0.62	0.07	0.03	0.04	0.012	0.06	5.1	1.9	9.37	114	1.58	0.02
CC115441		1.36	5.4	0.65	0.47	0.08	0.02	0.03	0.010	0.05	4.7	1.5	10.20	94	1.14	0.02
CC115442		1.26	5.0	0.60	0.44	0.10	0.02	0.03	0.009	0.05	4.7	1.3	10.50	88	1.07	0.02
CC115443		0.40	5.3	0.56	0.59	0.09	0.03	0.04	0.007	0.02	4.7	2.1	10.00	100	0.66	0.02
CC115444		0.41	5.4	0.58	0.63	0.10	0.03	0.04	0.008	0.03	4.9	2.1	9.98	105	0.69	0.02
CC115445		1.13	7.9	0.61	0.48	0.05	0.03	0.03	0.010	0.04	4.9	1.4	9.71	92	1.03	0.02
CC115446		1.23	5.5	0.60	0.45	0.08	0.03	0.03	0.010	0.04	5.1	1.3	9.86	93	0.99	0.02
CC115447		1.29	5.4	0.57	0.43	0.10	0.02	0.03	0.009	0.04	5.1	1.4	10.05	87	1.00	0.02
CC115448		0.77	6.9	0.63	0.76	0.09	0.03	0.03	0.009	0.03	5.8	2.7	9.19	106	0.71	0.02
CC129197		1.05	8.6	0.66	0.63	0.09	0.03	0.44	0.010	0.04	5.5	2.3	9.66	121	2.25	0.02
CC129198		1.71	11.4	1.13	0.89	0.07	0.04	0.41	0.014	0.06	6.9	3.0	8.48	173	1.83	0.02
CC129199		1.35	11.9	1.01	0.87	0.06	0.04	0.44	0.012	0.05	6.4	2.9	8.63	165	2.32	0.02
CC129200		1.52	12.3	1.05	0.80	0.05	0.04	0.36	0.013	0.05	6.8	2.7	8.16	195	1.98	0.02
CC129825		3.56	39.3	2.53	2.52	0.08	0.07	0.15	0.029	0.15	12.7	7.7	3.02	365	1.30	0.01
CC129826		3.16	20.8	1.62	1.38	0.06	0.05	0.09	0.023	0.10	7.4	5.7	4.98	334	0.62	0.01
CC129827		2.64	19.9	1.37	1.06	0.09	0.04	0.37	0.015	0.07	8.8	4.5	6.99	248	1.55	0.01
CC129828		1.94	18.0	1.56	1.42	<0.05	0.05	0.34	0.016	0.07	5.6	5.9	6.38	260	1.55	0.01
CC129829		1.53	13.6	1.68	1.17	<0.05	0.04	0.27	0.014	0.06	5.1	4.9	6.96	269	1.49	0.01
CC129830		4.46	17.4	1.50	1.92	0.05	0.08	0.05	0.016	0.11	10.3	7.7	5.71	231	1.03	0.01
CC129831		3.73	16.3	1.45	1.87	0.05	0.06	0.06	0.016	0.10	10.0	7.3	6.29	211	0.95	0.01
CC129832		7.38	20.6	1.56	2.08	0.05	0.06	0.09	0.018	0.11	10.9	8.3	5.81	254	1.12	0.01
CC129833		4.71	16.2	1.47	1.97	0.05	0.06	0.06	0.016	0.09	11.3	7.4	5.89	236	1.18	0.01
CC129834		8.19	25.1	1.80	2.44	0.05	0.08	0.10	0.019	0.13	13.3	8.9	5.01	246	1.26	0.01
CC129835		3.24	15.3	1.37	1.54	0.05	0.06	0.05	0.015	0.08	9.6	5.6	7.14	235	1.26	0.01
CC129836		6.56	42.5	2.26	2.70	0.06	0.11	0.06	0.027	0.19	19.0	8.2	1.92	236	0.49	0.01
CC142501		1.77	7.1	0.69	0.78	<0.05	0.04	<0.01	0.009	0.05	3.6	2.2	9.74	80	1.25	0.02
CC142502		1.40	6.6	0.59	0.72	<0.05	0.03	0.02	0.008	0.04	3.5	2.2	9.82	69	0.99	0.02
CC142503		1.45	7.3	0.65	0.70	<0.05	0.04	0.01	0.006	0.04	3.6	2.2	10.30	77	1.10	0.02

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 24- AUG- 2011
Account: RCM

Project: Rackla- Val East Silts

CERTIFICATE OF ANALYSIS WH11132856

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
CC115428		0.16	9.5	120	5.1	3.6	0.001	0.04	0.37	1.4	0.3	<0.2	126.0	<0.01	0.03	1.3
CC115429		0.18	10.8	130	5.6	3.8	0.001	0.04	0.38	1.5	0.2	<0.2	132.0	<0.01	0.03	1.3
CC115430		0.17	9.6	110	4.8	3.2	0.001	0.04	0.31	1.4	0.2	<0.2	126.5	<0.01	0.03	1.2
CC115431		0.12	5.9	100	4.8	3.8	<0.001	0.04	0.32	1.1	<0.2	<0.2	132.5	<0.01	0.01	1.4
CC115432		0.14	6.4	120	5.1	4.2	<0.001	0.05	0.34	1.1	<0.2	<0.2	129.5	<0.01	0.01	1.4
CC115433		0.52	26.1	530	16.5	10.4	<0.001	0.06	1.02	2.2	1.0	0.3	81.4	<0.01	0.02	1.6
CC115434		0.56	34.8	680	25.9	11.8	0.001	0.07	1.48	2.4	1.1	0.4	63.4	0.01	0.03	1.7
CC115435		0.15	6.1	120	5.0	3.8	<0.001	0.04	0.32	1.0	<0.2	<0.2	123.5	<0.01	0.01	1.3
CC115436		0.16	7.2	120	5.1	4.2	<0.001	0.04	0.36	1.1	<0.2	<0.2	126.0	<0.01	0.01	1.4
CC115437		0.19	7.0	130	6.1	3.9	0.001	0.04	0.42	1.1	<0.2	<0.2	119.5	<0.01	0.01	1.4
CC115438		0.21	5.5	130	4.7	3.0	<0.001	0.03	0.26	0.9	<0.2	<0.2	127.0	<0.01	0.01	1.3
CC115439		0.35	18.2	310	13.8	3.6	0.001	0.03	0.93	1.0	0.4	0.2	90.8	<0.01	0.02	0.9
CC115440		0.21	11.4	190	7.3	5.0	0.001	0.05	0.58	1.2	0.2	0.2	115.5	<0.01	0.02	1.4
CC115441		0.18	7.4	140	5.2	3.8	0.001	0.04	0.41	1.1	<0.2	<0.2	119.5	<0.01	0.02	1.3
CC115442		0.17	6.5	110	4.7	3.4	<0.001	0.04	0.35	1.0	<0.2	<0.2	120.0	<0.01	0.01	1.3
CC115443		0.30	7.2	300	4.7	2.4	0.001	0.02	0.41	0.6	<0.2	<0.2	93.7	<0.01	0.02	0.8
CC115444		0.30	7.6	340	5.0	2.7	0.001	0.03	0.45	0.7	<0.2	<0.2	83.9	<0.01	0.02	0.7
CC115445		0.21	8.7	150	6.7	3.5	<0.001	0.04	0.38	1.0	<0.2	<0.2	108.5	<0.01	0.02	1.0
CC115446		0.20	7.7	130	5.0	3.2	<0.001	0.03	0.37	1.0	<0.2	<0.2	110.5	<0.01	0.02	1.2
CC115447		0.21	7.9	130	4.7	3.1	<0.001	0.03	0.39	1.0	0.2	<0.2	113.5	<0.01	0.02	1.1
CC115448		0.39	9.4	290	5.0	2.9	<0.001	0.02	0.43	0.9	<0.2	<0.2	84.5	<0.01	0.02	1.1
CC129197		0.25	26.7	320	25.2	3.6	0.001	0.03	1.39	0.9	0.3	0.2	87.4	<0.01	0.03	0.8
CC129198		0.31	28.2	430	21.2	5.8	<0.001	0.04	1.05	1.6	0.7	0.2	73.8	<0.01	0.04	1.0
CC129199		0.29	28.9	420	23.3	5.1	0.001	0.04	1.20	1.2	0.8	0.2	75.0	<0.01	0.03	0.9
CC129200		0.30	25.2	390	22.0	4.8	0.001	0.04	1.06	1.3	0.5	0.2	75.5	<0.01	0.03	1.1
CC129825		0.58	23.4	600	24.9	12.9	<0.001	0.06	1.02	4.2	1.3	0.4	42.0	<0.01	0.05	2.8
CC129826		0.32	13.9	440	23.5	9.5	<0.001	0.07	0.88	2.9	1.7	0.2	71.6	<0.01	0.04	1.9
CC129827		0.32	23.9	440	23.1	5.7	0.001	0.04	0.89	2.4	1.9	0.2	75.6	<0.01	0.04	1.2
CC129828		0.28	20.0	500	21.8	6.0	0.003	0.06	1.10	2.6	2.2	0.2	75.8	<0.01	0.01	1.2
CC129829		0.27	16.6	400	22.4	4.5	0.001	0.04	1.08	2.3	0.7	0.2	84.6	<0.01	0.03	1.3
CC129830		0.28	16.4	630	16.3	10.5	<0.001	0.07	0.69	3.2	1.4	0.3	71.5	<0.01	0.01	1.9
CC129831		0.26	15.6	570	16.3	11.1	<0.001	0.05	0.67	3.2	1.1	0.3	69.9	<0.01	0.02	2.0
CC129832		0.27	17.2	610	17.4	11.7	<0.001	0.07	0.78	3.7	1.5	0.3	82.0	<0.01	0.03	2.0
CC129833		0.28	17.1	630	18.3	10.8	<0.001	0.05	0.86	3.3	1.0	0.3	71.7	<0.01	0.02	1.9
CC129834		0.31	21.5	710	19.6	13.6	<0.001	0.06	0.81	3.9	1.6	0.4	60.0	<0.01	0.01	2.1
CC129835		0.22	15.7	540	18.0	8.7	<0.001	0.04	0.86	2.9	0.6	0.2	77.0	<0.01	<0.01	1.6
CC129836		0.48	25.0	780	15.2	19.3	<0.001	0.08	0.30	5.0	1.5	0.4	37.0	<0.01	0.01	3.1
CC142501		0.13	10.8	230	4.6	4.0	<0.001	0.03	0.79	1.4	0.2	0.2	124.0	<0.01	0.02	1.0
CC142502		0.14	9.4	210	4.1	3.2	0.001	0.04	0.58	1.3	<0.2	<0.2	129.5	<0.01	0.01	0.9
CC142503		0.14	10.1	220	4.2	3.2	0.001	0.04	0.66	1.4	<0.2	<0.2	137.0	<0.01	0.02	1.0

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 24- AUG- 2011
Account: RCM

Project: Rackla- Val East Silts

CERTIFICATE OF ANALYSIS WH11132856

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
CC115428		0.005	0.34	0.71	8	<0.05	3.75	22	0.9
CC115429		<0.005	0.32	0.70	7	<0.05	3.88	23	0.9
CC115430		<0.005	0.28	0.68	7	<0.05	3.41	21	0.8
CC115431		<0.005	0.27	0.84	6	<0.05	4.10	20	1.0
CC115432		<0.005	0.29	0.91	7	<0.05	4.29	22	0.9
CC115433		0.014	0.61	1.72	26	0.10	9.08	110	3.0
CC115434		0.014	0.62	2.22	35	0.15	11.75	154	3.7
CC115435		<0.005	0.28	0.89	7	<0.05	3.99	24	0.9
CC115436		<0.005	0.31	0.91	7	<0.05	4.10	22	0.9
CC115437		<0.005	0.27	0.89	8	<0.05	3.93	26	0.9
CC115438		0.006	0.19	0.79	8	<0.05	3.66	23	1.3
CC115439		0.009	0.19	1.80	17	0.05	6.01	74	2.0
CC115440		0.006	0.41	1.00	10	<0.05	4.54	36	1.0
CC115441		<0.005	0.29	0.91	7	0.05	3.76	25	0.8
CC115442		<0.005	0.25	0.86	7	<0.05	3.45	22	0.8
CC115443		0.011	0.08	1.00	15	0.06	2.91	35	0.8
CC115444		0.012	0.08	1.09	15	0.07	3.03	42	0.8
CC115445		0.005	0.21	0.79	8	<0.05	3.55	28	0.9
CC115446		<0.005	0.23	0.81	8	<0.05	3.35	22	0.8
CC115447		<0.005	0.23	0.82	7	<0.05	3.34	23	0.8
CC115448		0.013	0.10	0.92	13	0.19	3.45	33	0.9
CC129197		0.006	0.45	1.47	15	0.06	4.27	147	1.0
CC129198		0.010	0.41	1.60	18	0.06	5.63	150	1.1
CC129199		0.009	0.56	1.57	18	0.06	5.01	166	1.1
CC129200		0.008	0.42	1.46	16	0.06	5.02	138	1.1
CC129825		0.014	0.24	1.69	25	0.09	11.05	96	2.3
CC129826		0.007	0.10	0.75	13	0.05	6.94	61	1.6
CC129827		0.010	0.40	1.31	17	0.06	5.53	137	1.1
CC129828		0.011	0.43	1.32	18	0.05	5.99	149	1.4
CC129829		0.011	0.31	1.20	16	0.06	5.26	129	1.3
CC129830		0.009	0.30	2.20	15	0.05	7.78	91	2.3
CC129831		0.009	0.29	1.80	14	0.08	7.64	81	2.2
CC129832		0.009	0.35	1.89	14	0.05	8.87	90	2.3
CC129833		0.008	0.36	2.12	14	0.05	7.95	91	2.3
CC129834		0.010	0.48	2.42	17	0.06	9.82	103	2.8
CC129835		0.008	0.33	1.75	14	<0.05	7.73	88	1.9
CC129836		0.011	0.30	5.28	17	0.06	12.50	95	3.8
CC142501		0.005	0.44	1.12	8	<0.05	3.46	23	1.3
CC142502		0.005	0.32	1.01	9	<0.05	3.24	21	1.1
CC142503		0.006	0.36	1.09	9	<0.05	3.31	23	1.3

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 24- AUG- 2011
Account: RCM

Project: Rackla- Val East Silts

CERTIFICATE OF ANALYSIS WH11132856

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- ST43 Au ppm 0.0001	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1
CC142504		0.41	0.0007	0.05	0.26	11	<0.2	<10	50	0.23	0.06	18.30	0.13	8.69	3.3	6
CC142505		0.35	0.0007	0.04	0.26	10	<0.2	<10	50	0.21	0.06	18.00	0.16	7.83	3.2	5
CC142506		0.37	0.0012	0.03	0.32	10	<0.2	<10	50	0.24	0.07	17.05	0.19	8.85	3.6	7
CC142507		0.34	0.0011	0.03	0.33	13	<0.2	<10	50	0.24	0.06	17.65	0.16	9.05	3.6	7
CC142508		0.40	0.0011	0.03	0.25	7	<0.2	<10	40	0.19	0.06	18.15	0.16	7.22	3.0	5
CC142509		0.35	0.0005	0.04	0.34	5	<0.2	<10	60	0.28	0.06	17.20	0.30	7.36	2.5	6
CC142510		0.39	0.0009	0.07	0.76	14	<0.2	<10	140	0.50	0.11	14.00	0.47	14.55	4.8	13
CC142511		0.43	0.0011	0.04	0.26	4	<0.2	<10	50	0.23	0.06	18.45	0.18	7.34	3.0	6
CC142512		0.36	0.0010	0.04	0.29	9	<0.2	<10	50	0.21	0.06	18.15	0.17	7.15	2.9	6
CC142513		0.38	0.0007	0.04	0.27	6	<0.2	<10	50	0.23	0.05	18.65	0.19	6.81	2.7	5
CC142514		0.38	0.0009	0.04	0.36	10	<0.2	<10	60	0.26	0.07	17.40	0.22	8.13	3.4	7
CC142515		0.38	0.0007	0.05	0.32	9	<0.2	<10	60	0.24	0.05	17.55	0.31	6.50	2.6	6
CC142516		0.39	0.0006	0.05	0.32	9	<0.2	<10	50	0.23	0.04	17.60	0.32	7.11	2.7	6
CC142517		0.43	0.0008	0.04	0.28	8	<0.2	<10	50	0.21	0.04	18.40	0.31	6.13	2.4	5
CC142518		0.41	0.0009	0.06	0.30	6	<0.2	<10	80	0.22	0.05	17.50	0.41	6.30	2.8	6
CC142519		0.38	0.0011	0.07	0.38	9	<0.2	<10	60	0.31	0.06	16.40	0.56	7.36	3.4	7
CC142520		0.37	0.0010	0.07	0.34	7	<0.2	<10	60	0.25	0.05	16.80	0.51	6.93	3.2	6
CC142521		0.36	0.0012	0.07	0.38	9	<0.2	<10	60	0.32	0.06	16.70	0.59	8.08	3.6	7
CC142522		0.37	0.0014	0.13	0.63	13	<0.2	<10	100	0.51	0.10	14.90	0.65	12.30	5.7	12
CC142523		0.27	0.0006	0.05	0.32	7	<0.2	<10	50	0.21	0.05	18.25	0.30	6.89	2.5	6
CC142524		0.41	0.0008	0.05	0.28	7	<0.2	<10	60	0.20	0.05	18.50	0.26	6.05	2.4	5
CC142525		0.49	0.0009	0.03	0.32	7	<0.2	<10	50	0.29	0.05	18.30	0.35	7.53	2.8	6
CC142526		0.41	0.0004	0.04	0.33	7	<0.2	<10	50	0.26	0.05	18.90	0.30	7.68	2.8	6
CC142527		0.36	0.0008	0.05	0.48	11	<0.2	<10	80	0.39	0.06	18.45	0.55	8.71	3.3	7
CC142528		0.41	0.0006	0.04	0.29	11	<0.2	<10	40	0.26	0.05	17.75	0.24	7.38	2.4	6
CC142529		0.42	0.0009	0.04	0.26	9	<0.2	<10	40	0.20	0.04	17.90	0.24	6.45	2.3	4
CC142530		0.41	0.0008	0.05	0.33	10	<0.2	<10	40	0.27	0.05	18.90	0.33	7.38	2.6	6
CC129181		0.37	0.0011	0.03	0.32	16	<0.2	<10	80	0.33	0.07	16.75	0.18	11.00	4.9	10
CC129182		0.35	0.0007	0.04	0.41	14	<0.2	<10	100	0.35	0.09	16.35	0.24	12.75	5.4	10
CC129183		0.45	0.0005	0.03	0.24	13	<0.2	<10	200	0.24	0.06	18.00	0.15	8.05	3.3	6
CC129184		0.47	0.0003	0.04	0.27	12	<0.2	<10	60	0.26	0.06	18.15	0.15	9.55	4.0	6
CC129185		0.37	0.0037	0.08	0.40	22	<0.2	<10	250	0.35	0.10	15.70	0.24	11.40	5.2	9
CC129186		0.36	0.0011	0.04	0.35	13	<0.2	<10	70	0.36	0.07	17.45	0.25	9.91	3.7	7
CC129187		0.40	0.0014	0.07	0.59	15	<0.2	<10	110	0.46	0.09	16.55	0.43	12.95	4.2	11
CC129188		0.41	0.0007	0.04	0.35	20	<0.2	<10	70	0.30	0.08	17.10	0.19	11.40	4.3	8
CC129189		0.34	0.0008	0.05	0.38	15	<0.2	<10	70	0.31	0.08	17.75	0.28	11.85	4.4	9
CC129190		0.35	0.0019	0.07	0.51	20	<0.2	<10	170	0.46	0.12	12.20	0.23	21.8	8.0	13
CC129567		0.56	0.0004	0.03	0.23	5	<0.2	<10	40	0.17	0.04	19.45	0.26	5.39	1.8	5
CC129568		0.48	0.0006	0.04	0.20	<2	<0.2	<10	40	0.21	0.03	18.45	0.27	5.15	1.8	4
CC129569		0.66	0.0006	0.03	0.19	5	<0.2	<10	40	0.16	0.03	19.55	0.28	4.73	1.6	4

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 24- AUG- 2011
Account: RCM

Project: Rackla- Val East Silts

CERTIFICATE OF ANALYSIS WH11132856

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
CC142504		1.68	6.7	0.63	0.76	<0.05	0.03	0.01	0.006	0.05	3.8	2.3	9.98	72	1.17	0.02
CC142505		1.35	7.1	0.64	0.71	<0.05	0.02	0.03	0.006	0.04	3.6	2.3	9.92	86	1.03	0.02
CC142506		1.37	7.4	0.72	0.92	<0.05	0.04	0.02	0.007	0.05	3.9	2.9	9.40	93	1.10	0.02
CC142507		1.39	7.6	0.73	0.92	<0.05	0.03	0.01	0.008	0.05	3.9	2.8	9.69	93	1.10	0.02
CC142508		1.20	6.4	0.60	0.66	<0.05	0.04	0.01	0.006	0.04	3.3	2.2	9.94	79	1.00	0.02
CC142509		0.39	6.8	0.61	0.87	<0.05	0.05	0.02	0.008	0.03	3.4	3.4	9.60	102	0.88	0.02
CC142510		0.65	11.0	1.27	1.86	<0.05	0.05	0.02	0.012	0.05	6.7	6.8	8.01	195	1.21	0.02
CC142511		1.21	6.6	0.61	0.72	<0.05	0.03	0.02	0.007	0.04	3.4	2.3	10.15	80	1.08	0.02
CC142512		1.23	6.4	0.61	0.72	<0.05	0.02	0.01	0.006	0.04	3.3	2.5	10.00	82	1.01	0.02
CC142513		1.07	6.2	0.59	0.68	<0.05	0.03	<0.01	0.007	0.04	3.1	2.2	10.25	81	0.98	0.02
CC142514		1.06	7.1	0.72	0.94	<0.05	0.05	0.01	0.007	0.04	3.8	3.1	9.65	100	0.90	0.02
CC142515		0.46	6.9	0.60	0.75	<0.05	0.04	0.03	0.007	0.03	3.2	2.8	9.91	97	1.53	0.02
CC142516		0.44	7.8	0.56	0.82	<0.05	0.04	0.04	0.007	0.03	3.3	2.9	9.98	88	1.49	0.02
CC142517		0.37	6.5	0.53	0.70	<0.05	0.03	0.03	0.005	0.02	3.0	2.3	10.40	80	1.73	0.02
CC142518		0.44	7.1	0.56	0.77	<0.05	0.04	0.03	0.007	0.03	3.1	2.7	9.61	93	1.37	0.02
CC142519		0.50	8.6	0.68	1.00	<0.05	0.04	0.06	0.009	0.03	3.7	3.1	9.55	110	1.48	0.02
CC142520		0.45	8.1	0.63	0.86	<0.05	0.04	0.06	0.006	0.03	3.3	2.7	9.72	113	1.35	0.02
CC142521		0.53	9.3	0.70	0.96	<0.05	0.04	0.06	0.009	0.03	3.9	3.2	9.66	114	1.47	0.02
CC142522		0.86	16.8	1.14	1.58	<0.05	0.06	0.13	0.013	0.04	5.9	4.8	8.66	185	2.85	0.02
CC142523		0.42	7.2	0.55	0.78	<0.05	0.07	0.09	0.006	0.03	3.4	2.7	10.40	88	1.53	0.02
CC142524		0.50	6.8	0.53	0.66	<0.05	0.03	0.04	0.006	0.02	2.9	2.5	10.60	64	2.21	0.02
CC142525		0.44	7.7	0.57	0.82	0.05	0.04	0.04	0.007	0.03	3.7	2.9	10.35	92	1.54	0.02
CC142526		0.44	7.8	0.61	0.81	0.05	0.04	0.03	0.007	0.03	3.6	2.9	10.75	93	1.91	0.02
CC142527		0.69	10.2	0.74	1.13	<0.05	0.04	0.06	0.011	0.04	4.2	3.9	10.45	120	1.62	0.02
CC142528		0.32	6.6	0.53	0.69	0.10	0.03	0.04	0.006	0.02	3.7	2.6	10.20	80	1.73	0.02
CC142529		0.32	6.2	0.48	0.61	0.09	0.03	0.06	<0.005	0.02	3.1	2.3	10.10	76	1.50	0.02
CC142530		0.38	7.8	0.56	0.77	0.11	0.03	0.08	0.007	0.03	3.6	3.0	10.65	90	1.13	0.02
CC129181		0.84	7.9	1.17	0.84	0.09	0.03	0.10	0.012	0.05	6.0	2.1	9.30	211	1.63	0.01
CC129182		0.90	10.2	1.19	1.11	0.10	0.04	0.06	0.014	0.05	6.6	3.3	9.01	251	1.92	0.02
CC129183		1.05	7.6	0.72	0.65	0.09	0.03	0.04	0.009	0.04	3.9	2.2	9.81	117	1.69	0.02
CC129184		1.26	8.7	0.81	0.70	0.11	0.03	0.03	0.010	0.05	4.8	2.4	9.92	147	1.64	0.02
CC129185		0.88	13.6	1.00	1.09	0.10	0.05	0.04	0.008	0.05	5.2	3.6	8.67	93	2.89	0.02
CC129186		0.85	9.1	0.80	0.94	0.10	0.05	0.03	0.009	0.05	4.4	3.1	9.62	93	1.25	0.02
CC129187		0.57	12.5	1.06	1.37	0.10	0.07	0.02	0.010	0.05	6.0	4.8	9.18	98	1.77	0.02
CC129188		1.17	9.0	0.89	0.90	0.10	0.04	0.03	0.008	0.05	5.0	2.9	9.45	98	2.08	0.02
CC129189		1.71	11.6	0.84	1.06	0.11	0.03	0.06	0.011	0.06	5.4	3.5	9.84	74	2.23	0.02
CC129190		1.25	17.6	1.74	1.57	0.11	0.04	0.04	0.014	0.09	10.5	5.0	6.52	190	6.75	0.02
CC129567		0.25	5.1	0.39	0.54	0.11	0.03	0.02	<0.005	0.02	2.8	2.4	10.85	60	0.66	0.02
CC129568		0.24	4.9	0.37	0.48	0.11	0.02	0.01	<0.005	0.02	2.5	2.2	10.40	61	0.66	0.02
CC129569		0.23	5.1	0.38	0.46	0.11	0.02	0.04	<0.005	0.02	2.4	2.0	11.00	60	0.72	0.02

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 24- AUG- 2011
Account: RCM

Project: Rackla- Val East Silts

CERTIFICATE OF ANALYSIS WH11132856

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
CC142504		0.14	10.4	200	4.1	3.8	0.001	0.04	0.66	1.4	0.4	0.2	135.5	<0.01	0.02	1.0
CC142505		0.14	9.9	220	3.9	3.1	<0.001	0.03	0.64	1.3	<0.2	<0.2	130.5	<0.01	0.02	0.9
CC142506		0.19	11.6	260	4.4	3.7	0.001	0.04	0.65	1.5	0.4	0.2	127.5	<0.01	<0.01	0.9
CC142507		0.20	11.0	270	4.4	3.5	0.001	0.03	0.65	1.4	0.4	0.2	125.0	<0.01	0.02	0.9
CC142508		0.14	9.2	220	4.0	3.0	<0.001	0.03	0.60	1.2	0.2	<0.2	128.0	<0.01	0.02	0.8
CC142509		0.18	10.5	340	4.7	2.6	<0.001	0.04	0.78	1.0	<0.2	<0.2	125.5	<0.01	0.02	0.6
CC142510		0.36	18.4	640	9.1	5.1	<0.001	0.05	1.11	1.7	0.3	0.3	99.5	<0.01	0.02	0.8
CC142511		0.15	9.9	220	4.3	3.0	0.001	0.03	0.71	1.2	0.3	<0.2	131.0	<0.01	0.03	0.8
CC142512		0.16	9.6	230	4.4	3.3	0.001	0.04	0.64	1.2	0.5	<0.2	128.5	<0.01	0.01	0.8
CC142513		0.15	9.6	220	4.3	3.0	<0.001	0.02	0.61	1.1	0.3	<0.2	123.5	<0.01	0.02	0.8
CC142514		0.19	11.2	300	5.1	3.6	0.001	0.04	0.64	1.3	0.2	0.2	119.5	<0.01	0.01	0.7
CC142515		0.19	12.8	300	5.2	2.4	0.001	0.03	1.03	1.1	0.2	<0.2	102.5	<0.01	0.01	0.6
CC142516		0.20	13.2	290	3.9	2.4	0.002	0.03	1.04	1.1	0.4	<0.2	108.0	<0.01	0.01	0.6
CC142517		0.18	11.7	260	3.6	2.0	0.001	0.03	1.08	1.0	0.3	<0.2	113.0	<0.01	0.01	0.6
CC142518		0.20	16.1	250	6.0	2.3	0.001	0.03	1.41	1.1	0.2	<0.2	98.5	<0.01	0.02	0.7
CC142519		0.21	23.5	310	7.8	2.9	0.001	0.03	1.58	1.4	0.3	0.2	86.1	<0.01	0.02	0.6
CC142520		0.19	20.3	290	7.2	2.6	0.001	0.03	1.75	1.2	0.4	<0.2	88.2	<0.01	0.02	0.6
CC142521		0.23	23.1	330	7.8	2.9	0.001	0.03	1.81	1.4	0.2	0.2	89.1	<0.01	0.02	0.7
CC142522		0.30	43.5	500	14.4	4.5	0.002	0.03	2.90	2.0	0.8	0.3	84.3	<0.01	0.03	0.8
CC142523		0.20	12.7	290	3.9	2.4	0.001	0.03	1.03	1.1	<0.2	<0.2	110.5	<0.01	0.01	0.7
CC142524		0.18	12.7	260	4.0	2.2	0.001	0.03	0.92	1.0	0.2	<0.2	108.5	<0.01	0.02	0.6
CC142525		0.23	13.5	310	3.8	2.5	0.002	0.03	1.07	1.2	0.6	<0.2	115.0	<0.01	0.02	0.7
CC142526		0.24	12.9	300	3.8	2.4	0.001	0.03	1.13	1.2	0.4	<0.2	113.5	<0.01	0.01	0.7
CC142527		0.25	25.1	350	5.5	3.5	0.001	0.03	1.37	1.5	0.4	0.2	120.5	<0.01	0.02	0.8
CC142528		0.21	10.0	280	3.8	2.1	0.001	0.03	0.87	1.0	0.5	<0.2	101.5	<0.01	<0.01	0.8
CC142529		0.19	9.8	220	3.1	1.8	0.001	0.02	0.83	0.9	0.4	<0.2	107.5	<0.01	0.02	0.7
CC142530		0.22	12.7	280	3.7	2.3	0.001	0.03	1.37	1.1	0.4	<0.2	118.0	<0.01	0.02	0.7
CC129181		0.16	15.0	420	5.8	3.1	<0.001	0.04	0.56	2.0	0.6	0.2	105.5	<0.01	0.02	0.7
CC129182		0.20	15.4	400	6.5	4.1	<0.001	0.04	0.59	2.0	0.8	0.2	108.5	<0.01	0.03	0.8
CC129183		0.13	10.2	190	4.3	2.9	0.001	0.04	0.52	1.4	0.7	<0.2	127.5	<0.01	0.02	1.0
CC129184		0.14	12.1	240	5.0	3.5	<0.001	0.05	0.40	1.6	0.4	0.2	129.5	<0.01	<0.01	1.0
CC129185		0.25	17.5	310	7.2	3.4	0.003	0.04	1.43	1.7	0.8	0.2	116.0	<0.01	0.02	1.2
CC129186		0.21	14.7	360	4.8	4.3	0.001	0.04	0.90	1.4	0.4	0.2	129.0	<0.01	0.02	0.9
CC129187		0.24	22.3	500	6.3	4.1	0.001	0.04	1.07	1.8	0.9	0.2	127.5	<0.01	0.02	1.1
CC129188		0.15	15.6	310	5.0	3.9	<0.001	0.04	0.59	1.5	0.6	0.2	134.0	<0.01	0.01	1.1
CC129189		0.18	21.7	340	5.1	4.7	0.001	0.05	0.85	1.7	0.7	0.2	150.0	<0.01	0.02	1.2
CC129190		0.35	24.1	500	8.2	5.5	0.002	0.05	0.78	2.7	1.0	0.3	122.5	<0.01	0.03	2.5
CC129567		0.15	6.9	280	2.3	1.7	<0.001	0.04	0.48	0.7	0.5	<0.2	127.5	<0.01	0.01	0.5
CC129568		0.15	7.4	240	2.1	1.7	0.001	0.03	0.48	0.7	0.4	<0.2	121.5	<0.01	0.01	0.5
CC129569		0.14	7.0	230	2.3	1.4	0.001	0.03	0.57	0.7	0.4	<0.2	126.0	<0.01	<0.01	0.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 24- AUG- 2011
Account: RCM

Project: Rackla- Val East Silts

CERTIFICATE OF ANALYSIS WH11132856

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
CC142504		0.006	0.37	1.05	9	<0.05	3.44	22	1.2
CC142505		0.006	0.35	1.06	9	<0.05	3.32	23	1.0
CC142506		0.008	0.35	1.02	11	<0.05	3.64	30	1.2
CC142507		0.009	0.32	1.04	11	<0.05	3.56	29	1.1
CC142508		0.006	0.29	1.06	9	<0.05	3.00	24	1.1
CC142509		0.008	0.17	1.43	12	<0.05	3.37	41	1.3
CC142510		0.014	0.22	1.47	26	0.07	5.80	80	1.7
CC142511		0.006	0.29	1.11	10	<0.05	3.15	27	1.1
CC142512		0.007	0.29	1.02	10	<0.05	3.08	28	0.9
CC142513		0.007	0.28	1.11	10	<0.05	2.96	30	1.2
CC142514		0.008	0.29	1.10	12	<0.05	3.70	37	1.2
CC142515		0.008	0.19	1.36	13	<0.05	3.69	47	1.1
CC142516		0.008	0.26	1.42	13	0.05	3.77	45	1.2
CC142517		0.007	0.20	1.43	11	<0.05	3.48	39	1.0
CC142518		0.008	0.18	1.08	16	<0.05	3.95	64	1.1
CC142519		0.008	0.24	1.06	19	0.05	4.96	95	1.3
CC142520		0.008	0.23	1.05	18	0.05	4.52	83	1.3
CC142521		0.009	0.24	1.07	19	0.06	5.10	92	1.3
CC142522		0.011	0.57	1.52	30	0.10	8.73	164	1.9
CC142523		0.008	0.21	1.39	13	<0.05	3.56	45	1.2
CC142524		0.007	0.25	1.50	12	<0.05	3.17	39	1.1
CC142525		0.009	0.22	1.40	13	<0.05	3.86	43	1.2
CC142526		0.009	0.24	1.55	13	0.05	3.87	41	1.3
CC142527		0.007	0.30	1.64	19	<0.05	6.04	81	1.8
CC142528		0.009	0.19	1.52	12	0.05	3.24	33	1.0
CC142529		0.007	0.21	1.52	10	0.09	3.04	29	0.9
CC142530		0.008	0.16	1.54	13	0.06	3.84	41	1.2
CC129181		0.005	0.93	0.83	12	0.05	8.44	30	1.0
CC129182		0.008	0.75	0.94	14	0.07	7.35	40	1.2
CC129183		0.006	0.42	1.07	9	<0.05	4.06	25	1.0
CC129184		0.005	0.46	1.03	9	<0.05	4.87	25	1.1
CC129185		0.010	0.65	1.43	16	0.07	4.78	43	1.5
CC129186		0.007	0.44	1.29	13	0.05	4.48	38	1.7
CC129187		0.008	0.38	1.29	21	0.07	6.71	73	2.2
CC129188		0.006	0.38	1.40	13	0.11	4.39	41	1.3
CC129189		0.007	0.60	1.45	15	0.05	5.27	54	1.4
CC129190		0.015	0.46	2.02	22	0.31	7.82	49	1.5
CC129567		0.007	0.09	1.40	10	<0.05	2.40	28	0.8
CC129568		0.006	0.09	1.26	9	0.05	2.32	29	0.7
CC129569		0.006	0.09	1.43	9	0.05	2.23	29	0.7

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 24- AUG- 2011
Account: RCM

Project: Rackla- Val East Silts

CERTIFICATE OF ANALYSIS WH11132856

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- ST43 Au ppm 0.0001	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1
CC129570		0.53	0.0006	0.03	0.22	<2	<0.2	<10	50	0.18	0.04	18.45	0.35	4.96	2.0	4
CC129571		0.64	0.0005	0.03	0.23	<2	<0.2	<10	50	0.18	0.03	18.50	0.31	5.24	1.9	4
CC129572		0.55	0.0008	0.03	0.22	7	<0.2	<10	50	0.20	0.03	17.45	0.30	5.31	1.9	4
CC129573		0.47	0.0008	0.04	0.33	9	<0.2	<10	80	0.24	0.05	18.15	0.37	6.93	2.5	6
CC129574		0.47	0.0007	0.03	0.20	3	<0.2	<10	50	0.19	0.04	18.25	0.34	4.78	1.8	4
CC129575		0.57	0.0007	0.05	0.30	6	<0.2	<10	70	0.26	0.05	17.00	0.74	6.95	3.9	7
CC129576		0.55	0.0007	0.05	0.28	9	<0.2	<10	70	0.27	0.05	18.60	0.79	6.38	3.7	7
CC129577		0.50	0.0009	0.05	0.26	5	<0.2	<10	60	0.25	0.04	19.25	0.65	5.78	3.3	6
CC129578		0.44	0.0005	0.03	0.25	3	<0.2	<10	60	0.19	0.04	17.20	0.50	5.85	2.5	5
CC129579		0.50	0.0005	0.04	0.26	5	<0.2	<10	60	0.22	0.04	18.55	0.57	6.63	2.9	6
CC129580		0.38	0.0026	0.19	1.53	13.9	<0.2	<10	240	0.77	0.26	1.15	1.56	26.0	10.4	28
CC129581		0.35	0.0019	0.28	0.99	17.5	<0.2	<10	190	0.70	0.18	6.38	3.38	20.0	11.0	20
CC129582		0.49	0.0004	0.05	0.27	3	<0.2	<10	60	0.21	0.05	17.75	0.46	5.94	2.8	6
CC129583		0.44	0.0016	0.05	0.31	5	<0.2	<10	80	0.22	0.05	17.60	0.51	6.61	3.0	6
CC129584		0.46	0.0014	0.06	0.32	4	<0.2	<10	80	0.28	0.05	17.40	0.57	6.75	3.3	7
CC129585		0.47	0.0004	0.05	0.27	6	<0.2	<10	60	0.24	0.05	17.90	0.65	6.22	3.5	6
CC129586		0.49	0.0007	0.04	0.29	4	<0.2	<10	80	0.24	0.05	17.10	0.54	6.06	3.2	6
CC129587		0.53	0.0007	0.06	0.34	10	<0.2	<10	90	0.30	0.06	16.75	0.59	6.84	3.7	7
CC129588		0.44	0.0011	0.20	0.75	7.9	<0.2	<10	220	1.20	0.24	3.63	0.47	13.20	16.5	12
CC129589		0.39	0.0016	0.27	0.74	8.5	<0.2	<10	210	1.30	0.24	3.85	0.42	13.00	18.3	11
CC129590		0.48	0.0011	0.16	0.74	11.3	<0.2	<10	230	1.20	0.22	2.32	0.40	13.00	21.5	12
CC129591		0.42	0.0018	0.17	0.71	10.4	<0.2	<10	220	1.08	0.20	2.34	0.41	13.05	20.3	12
CC129592		0.55	0.0014	0.20	0.84	10.3	<0.2	<10	250	1.26	0.21	4.05	0.41	13.10	21.8	14
CC129593		0.51	0.0016	0.32	1.06	8.8	<0.2	<10	430	1.25	0.18	0.62	0.34	16.00	9.7	18
CC129175		0.47	0.0005	0.02	0.17	8	<0.2	<10	30	0.22	0.01	18.45	0.11	7.88	3.5	6
CC129176		0.39	0.0012	0.03	0.31	10	<0.2	<10	60	0.26	0.04	17.15	0.18	11.40	4.3	6
CC129177		0.46	0.0005	0.02	0.20	12	<0.2	<10	40	0.19	0.03	18.25	0.12	8.61	3.8	5
CC129178		0.38	0.0003	0.02	0.24	14	<0.2	<10	80	0.24	0.01	17.35	0.17	9.78	5.1	8
CC129179		0.43	0.0012	0.02	0.21	11	<0.2	<10	50	0.21	<0.01	18.40	0.14	8.40	3.9	6
CC129180		0.40	0.0008	0.03	0.31	8	<0.2	<10	80	0.17	0.03	16.95	0.20	8.28	3.4	7
CC129191		0.33	0.0013	0.04	0.36	14	<0.2	<10	110	0.23	0.09	15.25	0.22	11.70	5.0	8
CC129192		0.46	0.0015	0.02	0.23	10	<0.2	<10	120	0.19	0.03	17.55	0.16	9.38	3.9	6
CC129193		0.36	0.0013	0.02	0.23	11	<0.2	<10	150	0.16	0.02	16.10	0.16	8.90	3.7	6
CC129194		0.37	0.0014	0.04	0.36	15	<0.2	<10	270	0.25	0.03	15.60	0.17	11.25	4.3	9
CC129195		0.43	0.0017	0.05	0.44	12	<0.2	<10	70	0.27	0.04	14.20	0.26	14.50	5.8	11
CC129196		0.37	0.0017	0.05	0.46	15	<0.2	<10	70	0.31	0.04	14.75	0.33	16.70	6.1	11
CC115029		0.46	0.0012	0.01	0.14	9	<0.2	<10	60	0.15	<0.01	18.90	0.10	8.07	2.9	3
CC115030		0.47	0.0008	0.04	0.27	8	<0.2	<10	60	0.25	0.01	17.90	0.31	10.30	3.5	5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 24- AUG- 2011
Account: RCM

Project: Rackla- Val East Silts

CERTIFICATE OF ANALYSIS WH11132856

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
CC129570		0.27	8.0	0.41	0.50	0.09	0.02	0.03	0.005	0.02	2.6	2.1	10.30	69	0.88	0.02
CC129571		0.27	5.8	0.40	0.53	0.10	0.03	0.02	0.005	0.02	2.7	2.2	10.45	62	0.75	0.02
CC129572		0.24	5.7	0.41	0.54	0.10	0.02	0.03	0.006	0.02	2.7	2.2	9.80	67	0.75	0.01
CC129573		0.33	6.8	0.58	0.79	0.10	0.03	0.03	0.006	0.03	3.6	3.1	10.20	81	0.94	0.02
CC129574		0.24	5.4	0.39	0.49	0.10	0.02	0.02	<0.005	0.02	2.5	2.0	10.25	63	0.78	0.02
CC129575		0.42	9.5	0.59	0.74	0.11	0.04	0.04	0.009	0.03	3.8	2.5	9.54	103	1.79	0.02
CC129576		0.43	9.2	0.53	0.69	0.11	0.03	0.03	0.007	0.03	3.5	2.4	10.35	102	1.76	0.02
CC129577		0.41	7.9	0.49	0.61	0.12	0.02	0.02	0.006	0.02	3.1	2.3	10.65	95	1.55	0.02
CC129578		0.32	6.6	0.46	0.63	0.11	0.02	0.01	0.005	0.02	3.2	2.2	9.79	72	1.09	0.02
CC129579		0.38	7.5	0.51	0.67	0.12	0.03	0.02	0.007	0.02	3.5	2.4	10.45	84	1.43	0.02
CC129580		1.09	17.4	2.94	4.44	0.12	0.06	0.06	0.028	0.06	14.1	13.2	0.52	429	2.65	0.01
CC129581		0.86	24.3	2.13	2.82	0.12	0.07	0.07	0.022	0.08	11.1	9.3	3.46	342	7.30	0.01
CC129582		0.32	6.6	0.48	0.65	0.09	0.02	0.04	0.006	0.03	3.2	2.4	10.15	82	1.30	0.02
CC129583		0.37	7.4	0.55	0.70	0.11	0.03	0.04	0.006	0.03	3.6	2.7	9.99	97	1.29	0.02
CC129584		0.42	8.4	0.53	0.76	0.11	0.04	0.03	0.006	0.03	3.5	2.8	9.86	93	1.35	0.02
CC129585		0.40	8.3	0.56	0.68	0.11	0.03	0.03	0.007	0.03	3.2	2.7	10.00	127	1.58	0.02
CC129586		0.41	7.9	0.56	0.73	0.10	0.03	0.03	0.006	0.02	3.2	2.7	9.70	114	1.34	0.02
CC129587		0.45	9.0	0.61	0.85	0.10	0.04	0.04	0.009	0.03	3.5	3.2	9.51	133	1.15	0.02
CC129588		3.85	22.3	2.77	2.15	0.09	0.07	0.23	0.031	0.09	6.4	9.1	1.86	708	0.88	0.01
CC129589		5.52	25.6	2.83	2.16	0.10	0.06	0.14	0.035	0.10	6.2	9.1	2.03	723	0.98	0.01
CC129590		5.45	30.7	3.28	2.34	<0.05	0.07	0.11	0.031	0.09	6.2	9.1	1.32	974	1.15	0.02
CC129591		4.63	27.8	2.96	2.17	<0.05	0.06	0.12	0.027	0.08	6.1	8.5	1.29	942	1.18	0.02
CC129592		3.39	28.3	2.94	2.41	<0.05	0.08	0.09	0.030	0.09	6.3	9.9	2.35	745	1.08	0.02
CC129593		5.72	21.0	2.49	3.17	<0.05	0.10	0.10	0.025	0.10	8.4	15.5	0.44	519	0.93	0.02
CC129175		0.86	5.0	0.84	0.46	<0.05	0.02	0.07	0.007	0.03	3.8	1.4	10.20	135	1.69	0.03
CC129176		1.38	7.2	0.93	0.76	<0.05	0.04	0.03	0.008	0.05	5.3	2.3	9.10	165	1.26	0.03
CC129177		1.88	6.3	0.79	0.50	<0.05	0.03	0.04	0.008	0.04	3.9	1.5	9.74	116	1.27	0.03
CC129178		0.75	7.5	1.02	0.63	<0.05	0.04	0.06	0.011	0.04	5.6	1.6	9.90	318	1.80	0.03
CC129179		0.86	5.5	0.79	0.52	<0.05	0.03	0.06	0.007	0.03	4.8	1.3	10.55	250	1.45	0.03
CC129180		0.39	6.4	0.75	0.79	<0.05	0.04	0.03	0.008	0.03	4.4	2.3	9.85	150	2.97	0.03
CC129191		1.18	10.2	0.92	0.99	<0.05	0.04	0.06	0.010	0.05	5.6	3.2	8.49	104	2.66	0.03
CC129192		1.27	7.4	0.75	0.63	<0.05	0.03	0.04	0.007	0.04	4.6	1.9	9.77	134	2.34	0.03
CC129193		1.17	7.0	0.78	0.58	<0.05	0.03	0.04	0.007	0.04	4.2	2.0	8.91	117	2.59	0.03
CC129194		0.81	8.2	1.20	0.87	<0.05	0.05	0.07	0.010	0.04	5.9	3.0	8.74	175	2.87	0.03
CC129195		0.92	10.6	1.32	1.17	<0.05	0.04	0.04	0.014	0.04	7.5	4.1	7.91	198	3.75	0.03
CC129196		1.04	9.8	1.46	1.20	<0.05	0.05	0.06	0.014	0.05	8.6	3.5	7.97	222	3.89	0.03
CC115029		0.35	2.9	0.47	0.34	0.05	0.03	0.06	<0.005	0.02	5.6	0.9	11.10	554	0.62	0.03
CC115030		0.46	4.3	0.57	0.67	0.07	0.05	0.05	0.006	0.02	7.3	2.1	10.60	528	0.61	0.03

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 24- AUG- 2011
Account: RCM

Project: Rackla- Val East Silts

CERTIFICATE OF ANALYSIS WH11132856

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
CC129570		0.14	10.4	250	4.1	1.6	0.001	0.03	0.71	0.8	0.5	<0.2	118.5	<0.01	0.02	0.5
CC129571		0.15	9.0	240	3.1	1.7	<0.001	0.03	0.62	0.8	0.5	<0.2	117.0	<0.01	0.02	0.5
CC129572		0.16	9.5	250	3.1	1.7	0.001	0.02	0.66	0.8	0.2	<0.2	111.0	<0.01	0.02	0.5
CC129573		0.21	12.7	340	4.1	2.4	0.001	0.04	0.73	1.0	0.5	<0.2	113.0	<0.01	0.01	0.6
CC129574		0.13	9.1	240	2.9	1.6	0.001	0.03	0.64	0.8	0.4	<0.2	113.0	<0.01	<0.01	0.5
CC129575		0.17	28.4	350	5.2	2.3	<0.001	0.02	1.26	1.1	0.8	<0.2	87.3	<0.01	0.04	0.7
CC129576		0.17	27.1	310	5.0	2.3	0.002	0.03	1.20	1.1	0.4	<0.2	98.8	<0.01	0.02	0.6
CC129577		0.16	22.8	270	4.3	2.1	0.001	0.03	1.16	1.0	0.5	<0.2	108.0	<0.01	0.01	0.6
CC129578		0.16	17.3	270	4.0	2.0	0.001	0.02	0.73	0.9	0.4	<0.2	92.8	<0.01	0.02	0.6
CC129579		0.20	19.6	300	4.5	2.1	0.001	0.03	1.00	1.0	0.6	<0.2	107.0	<0.01	0.01	0.7
CC129580		0.67	38.8	1100	17.7	11.9	<0.001	0.07	1.17	2.9	1.5	0.5	24.9	<0.01	0.04	1.3
CC129581		0.54	70.4	1010	19.6	6.7	<0.001	0.06	2.60	3.0	2.0	0.4	61.4	<0.01	0.06	1.5
CC129582		0.17	18.2	310	4.2	2.1	0.001	0.03	0.85	0.9	0.4	<0.2	101.0	<0.01	0.02	0.6
CC129583		0.19	19.5	360	4.9	2.3	0.001	0.03	0.88	1.1	0.4	<0.2	98.4	<0.01	0.02	0.8
CC129584		0.20	22.7	350	5.7	2.6	0.001	0.03	0.89	1.1	0.6	0.2	99.9	<0.01	0.02	0.7
CC129585		0.18	21.8	300	4.9	2.5	0.002	0.03	1.03	1.1	0.5	<0.2	102.5	<0.01	0.01	0.7
CC129586		0.17	20.5	310	4.6	2.4	0.001	0.03	0.87	1.1	0.7	<0.2	101.0	<0.01	0.02	0.6
CC129587		0.18	22.0	330	5.0	2.9	0.001	0.03	0.75	1.3	0.6	<0.2	99.9	<0.01	0.02	0.7
CC129588		0.33	20.4	560	22.4	13.2	<0.001	0.06	0.86	4.0	0.8	0.4	36.5	<0.01	0.04	1.5
CC129589		0.31	21.3	540	24.3	13.3	<0.001	0.05	1.02	4.3	1.0	0.4	38.4	<0.01	0.02	1.6
CC129590		0.33	25.6	540	27.7	14.8	<0.001	0.04	1.22	4.0	0.9	0.4	34.9	<0.01	0.03	1.9
CC129591		0.34	26.7	590	24.5	12.7	<0.001	0.05	1.28	3.8	0.9	0.3	31.3	<0.01	0.03	1.6
CC129592		0.35	26.5	620	31.6	12.7	<0.001	0.05	0.95	3.2	0.8	0.4	37.7	<0.01	0.03	1.4
CC129593		0.52	21.8	600	48.7	17.0	<0.001	0.06	0.84	3.5	0.8	0.4	26.5	<0.01	0.02	1.5
CC129175		0.12	8.5	150	2.8	2.1	<0.001	0.04	0.42	1.4	0.6	<0.2	140.5	<0.01	0.06	0.7
CC129176		0.17	9.3	200	5.4	4.0	<0.001	0.05	0.25	1.6	0.8	<0.2	130.0	<0.01	0.06	1.0
CC129177		0.11	7.7	130	6.2	3.2	<0.001	0.04	0.28	1.3	0.7	<0.2	141.0	<0.01	0.06	1.0
CC129178		0.15	12.9	460	6.0	2.5	<0.001	0.03	0.65	1.4	0.8	<0.2	106.0	<0.01	0.06	0.5
CC129179		0.14	9.4	290	3.8	2.4	<0.001	0.03	0.41	1.1	0.9	<0.2	116.0	<0.01	0.06	0.5
CC129180		0.19	10.2	280	4.1	2.6	<0.001	0.04	0.64	1.0	0.9	<0.2	92.7	<0.01	0.07	0.5
CC129191		0.27	14.3	340	5.9	4.0	0.001	0.05	0.85	1.5	0.9	0.2	128.0	<0.01	0.07	1.2
CC129192		0.17	10.5	210	4.4	3.2	0.001	0.04	0.58	1.3	0.9	<0.2	126.5	<0.01	0.07	0.8
CC129193		0.15	9.8	210	4.4	2.7	<0.001	0.05	0.59	1.3	0.6	<0.2	112.0	<0.01	0.05	0.8
CC129194		0.24	11.6	440	5.7	3.3	0.002	0.05	0.90	1.6	0.9	0.2	100.5	<0.01	0.06	0.8
CC129195		0.33	15.5	400	5.7	3.7	<0.001	0.04	0.77	2.0	0.8	0.2	100.5	<0.01	0.07	1.0
CC129196		0.27	16.9	420	5.8	3.9	<0.001	0.05	0.77	1.9	0.8	0.2	106.0	<0.01	0.07	0.6
CC115029		0.09	4.8	810	5.7	1.2	<0.001	0.04	0.37	0.7	0.7	<0.2	85.6	<0.01	0.06	0.4
CC115030		0.17	6.3	730	22.7	2.3	<0.001	0.03	0.67	0.9	0.8	<0.2	85.5	<0.01	0.07	0.4

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 24- AUG- 2011
Account: RCM

Project: Rackla- Val East Silts

CERTIFICATE OF ANALYSIS WH11132856

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
CC129570		0.007	0.12	1.34	11	<0.05	2.99	42	0.9
CC129571		0.007	0.11	1.37	10	<0.05	2.86	36	0.8
CC129572		0.007	0.11	1.20	10	0.08	2.88	37	0.8
CC129573		0.009	0.16	1.30	15	0.05	3.88	57	1.0
CC129574		0.006	0.10	1.24	10	<0.05	2.80	38	0.8
CC129575		0.008	0.27	1.25	20	0.11	5.99	102	1.0
CC129576		0.007	0.24	1.28	19	0.05	6.06	95	0.9
CC129577		0.007	0.25	1.37	15	<0.05	5.16	79	0.8
CC129578		0.007	0.17	1.15	15	0.08	4.19	67	0.8
CC129579		0.008	0.21	1.32	15	<0.05	4.50	71	0.9
CC129580		0.022	0.28	1.56	59	0.24	12.85	220	1.3
CC129581		0.019	0.55	1.84	56	0.22	16.75	269	2.0
CC129582		0.007	0.18	1.21	15	<0.05	4.50	71	0.9
CC129583		0.009	0.21	1.27	17	0.06	4.75	76	1.0
CC129584		0.008	0.23	1.32	17	0.05	5.21	83	1.0
CC129585		0.007	0.20	1.28	15	<0.05	5.07	81	1.0
CC129586		0.007	0.22	1.18	16	0.05	4.77	76	1.0
CC129587		0.007	0.21	1.20	16	<0.05	5.45	82	1.0
CC129588		0.008	0.12	0.69	21	0.14	10.50	106	1.8
CC129589		0.008	0.12	0.76	20	0.10	10.45	81	2.4
CC129590		0.009	0.12	1.01	23	0.09	11.10	82	1.9
CC129591		0.010	0.11	1.02	24	0.08	10.65	92	1.8
CC129592		0.010	0.09	1.39	26	0.08	11.75	86	2.1
CC129593		0.015	0.09	1.57	31	0.11	14.65	83	2.4
CC129175		<0.005	0.43	0.72	8	<0.05	5.10	18	0.8
CC129176		0.007	0.32	0.76	11	<0.05	5.46	30	1.2
CC129177		<0.005	0.39	0.72	8	<0.05	4.19	25	0.9
CC129178		0.005	0.52	0.89	11	<0.05	9.46	28	1.1
CC129179		<0.005	0.44	0.76	8	<0.05	6.80	22	0.8
CC129180		0.008	0.33	0.65	11	<0.05	4.32	36	1.2
CC129191		0.010	0.42	1.44	15	0.19	4.80	40	1.3
CC129192		0.005	0.37	0.99	9	0.11	5.13	24	0.9
CC129193		0.005	0.37	0.96	10	<0.05	4.35	26	0.8
CC129194		0.009	0.67	0.95	13	0.05	6.16	31	1.2
CC129195		0.013	0.38	0.70	17	0.08	6.67	41	1.3
CC129196		0.010	0.45	0.85	17	0.11	8.60	44	1.3
CC115029		<0.005	0.31	0.96	7	<0.05	8.77	18	0.7
CC115030		0.007	0.30	0.94	9	<0.05	10.10	57	1.1

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 24- AUG- 2011
Account: RCM

Project: Rackla- Val East Silts

CERTIFICATE OF ANALYSIS WH11132856

Method	CERTIFICATE COMMENTS
ME- MS41	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown.
ME- MS41	Gold determinations by this method are semi- quantitative due to the small sample weight used (0.5g).

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 25- AUG- 2011
Account: RCM

CERTIFICATE WH11132857

Project: Rackla - Val Easts

P.O. No.:

This report is for 171 Silt samples submitted to our lab in Whitehorse, YT, Canada on 13- JUL- 2011.

The following have access to data associated with this certificate:

ROB CARNE JULIA LANE	ANDREW CARNE JOAN MARIACHER	MATT DUMALA

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
SCR- 41	Screen to - 180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- ST43	Super Trace Au - 25g AR	ICP- MS
ME- MS41	51 anal. aqua regia ICPMS	

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 25- AUG- 2011
Account: RCM

Project: Rackla - Val Easts

CERTIFICATE OF ANALYSIS WH11132857

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- ST43 Au ppm 0.0001	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1
CC129984		0.42	0.0015	0.12	0.58	13	<0.2	<10	160	0.26	0.04	11.80	1.69	12.90	7.4	11
CC129985		0.39	0.0016	0.11	0.47	7	<0.2	<10	160	0.23	0.03	13.35	0.90	11.20	4.8	10
CC129986		0.38	0.0019	0.16	0.63	12	<0.2	<10	220	0.33	0.05	10.90	1.06	13.70	6.3	13
CC129987		0.39	0.0018	0.19	0.71	11.1	<0.2	<10	230	0.30	0.06	8.58	1.06	15.95	6.9	15
CC129988		0.27	0.0026	0.52	0.88	14.2	<0.2	<10	510	0.39	0.09	5.09	1.53	15.40	8.7	23
CC129989		0.26	0.0038	0.59	0.93	15.3	<0.2	<10	590	0.44	0.09	3.84	1.52	16.25	7.4	25
CC129990		0.29	0.0026	0.63	0.93	19.0	<0.2	<10	570	0.46	0.10	3.97	1.56	16.05	8.6	25
CC129991		0.18	0.0030	0.80	0.85	16.7	<0.2	<10	750	0.55	0.09	4.48	1.67	13.95	7.2	26
CC129992		0.35	0.0034	0.92	0.80	18.7	<0.2	<10	850	0.49	0.09	5.22	2.43	14.00	6.7	26
CC129993		0.37	0.0027	0.62	0.67	14.8	<0.2	<10	800	0.37	0.05	8.94	1.69	12.05	5.3	20
CC129994		0.36	0.0024	0.44	0.63	13.9	<0.2	<10	650	0.40	0.06	9.02	1.64	12.10	5.7	18
CC129995		0.33	0.0024	0.72	0.68	15.5	<0.2	<10	750	0.53	0.12	8.86	1.89	11.40	6.3	20
CC129996		0.47	0.0024	0.34	0.53	12	<0.2	<10	540	0.38	0.08	11.45	1.05	9.41	4.9	14
CC129997		0.29	0.0029	0.61	0.68	13.9	<0.2	<10	660	0.49	0.11	8.52	1.62	11.70	6.1	19
CC129998		0.35	0.0039	0.46	0.83	15.5	<0.2	<10	420	0.61	0.13	6.98	1.38	12.75	7.4	19
CC129999		0.34	0.0024	0.39	0.82	14.1	<0.2	<10	400	0.49	0.08	8.00	1.64	13.45	7.7	18
CC130000		0.19	0.0039	0.97	0.75	17.0	<0.2	<10	800	0.50	0.08	5.51	1.85	11.90	6.4	25
CC115386		0.41	0.0050	0.48	0.91	67	<0.2	<10	690	1.13	0.13	11.60	4.28	24.7	20.2	22
CC115387		0.44	0.0024	1.52	0.43	22	<0.2	10	570	0.59	0.11	13.65	1.66	16.00	5.4	35
CC115388		0.32	0.0032	1.44	0.84	14.4	<0.2	<10	750	0.59	0.18	2.59	1.30	19.90	6.2	28
CC115389		0.24	0.0055	1.19	0.93	14.2	<0.2	<10	600	0.50	0.20	2.24	0.97	24.9	7.9	25
CC115390		0.43	0.0015	0.09	0.29	53	<0.2	<10	350	0.32	0.11	17.25	0.18	14.90	7.8	10
CC115391		0.20	0.0028	1.68	0.62	10.8	<0.2	10	790	0.47	0.17	3.64	2.72	15.50	5.3	30
CC115392		0.26	0.0031	2.04	0.56	16.6	<0.2	10	820	0.59	0.16	4.54	1.49	14.80	5.0	28
CC115393		0.20	0.0036	1.29	0.59	12.8	<0.2	10	1040	0.54	0.16	4.25	6.22	12.65	4.8	26
CC115394		0.19	0.0040	1.82	0.40	23.5	<0.2	10	1150	0.55	0.16	8.29	12.15	11.90	4.1	26
CC115395		0.45	0.0023	0.65	0.30	23	<0.2	<10	930	0.44	0.09	14.15	4.14	10.65	6.0	15
CC115396		0.44	0.0029	0.22	0.23	44	<0.2	<10	350	0.46	0.06	15.90	15.45	8.80	19.5	10
CC115397		0.39	0.0030	1.04	0.35	20	<0.2	<10	1160	0.51	0.10	13.30	4.78	11.45	5.0	21
CC115398		0.22	0.0032	1.12	0.42	18.8	<0.2	10	1150	0.57	0.13	8.61	5.31	12.20	4.7	21
CC115399		0.27	0.0029	1.03	0.37	20	<0.2	10	1300	0.49	0.11	10.80	4.15	10.70	4.3	20
CC115400		0.48	0.0029	0.39	0.27	15	<0.2	<10	640	0.33	0.07	16.05	1.60	8.66	4.1	10
CC115031		0.25	0.0031	1.21	0.41	18	<0.2	10	1230	0.50	0.12	10.55	6.61	11.10	4.7	21
CC115032		0.20	0.0035	1.21	0.44	16	<0.2	10	1290	0.51	0.12	10.25	5.91	11.80	4.1	22
CC115033		0.51	0.0028	0.31	0.21	14	<0.2	<10	770	0.25	0.07	16.90	1.21	7.74	2.9	9
CC115034		0.48	0.0029	0.37	0.29	14	<0.2	<10	590	0.30	0.08	15.50	1.53	8.48	4.0	10
CC115035		0.25	0.0028	0.32	0.69	26	<0.2	<10	220	0.59	0.13	12.10	2.54	14.35	11.1	15
CC115036		0.38	0.0025	0.59	0.34	18	<0.2	<10	950	0.39	0.10	15.10	2.07	10.30	4.7	15
CC115037		0.42	0.0029	0.41	0.30	15	<0.2	<10	770	0.33	0.08	16.50	1.74	9.40	3.9	12
CC115038		0.36	0.0025	0.21	0.16	13	<0.2	<10	510	0.23	0.05	18.20	1.42	6.75	2.7	7

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 25- AUG- 2011
Account: RCM

Project: Rackla - Val Easts

CERTIFICATE OF ANALYSIS WH11132857

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
CC129984		0.69	13.8	1.12	1.50	<0.05	0.04	0.08	0.011	0.04	7.1	5.3	6.18	272	2.77	0.02
CC129985		0.51	10.9	0.94	1.27	<0.05	0.04	0.07	0.008	0.03	5.9	4.6	7.54	173	2.08	0.03
CC129986		0.69	15.5	1.24	1.75	<0.05	0.05	0.11	0.012	0.05	7.5	6.1	6.21	203	2.58	0.03
CC129987		0.74	16.5	1.43	2.03	<0.05	0.05	0.26	0.013	0.05	8.6	7.3	5.01	168	2.53	0.03
CC129988		0.66	21.7	1.88	2.47	<0.05	0.06	0.23	0.018	0.07	8.9	8.5	2.53	729	2.57	0.02
CC129989		0.68	23.1	1.73	2.80	<0.05	0.07	0.25	0.019	0.07	9.8	8.8	1.67	230	1.79	0.02
CC129990		0.72	24.1	1.81	2.76	<0.05	0.06	0.27	0.021	0.07	9.4	9.3	1.77	247	2.31	0.02
CC129991		0.62	25.5	1.66	2.63	<0.05	0.07	0.35	0.018	0.07	8.5	8.4	1.84	222	2.33	0.02
CC129992		0.73	29.5	1.69	2.58	<0.05	0.06	0.42	0.020	0.08	8.8	7.6	2.40	195	5.40	0.02
CC129993		0.63	20.6	1.34	1.93	<0.05	0.06	0.40	0.014	0.07	7.8	6.3	4.35	128	4.57	0.03
CC129994		0.60	18.6	1.35	1.92	<0.05	0.06	1.05	0.015	0.07	7.3	6.4	4.40	147	3.47	0.03
CC129995		0.61	21.5	1.53	2.07	0.07	0.07	0.36	0.020	0.08	7.3	7.6	4.14	192	6.06	0.03
CC129996		0.50	13.7	1.17	1.54	0.06	0.05	0.24	0.014	0.06	5.6	6.6	5.54	138	3.29	0.03
CC129997		0.55	19.3	1.55	2.05	0.05	0.06	0.32	0.018	0.08	7.0	7.9	4.13	189	4.89	0.03
CC129998		0.60	19.6	1.83	2.40	0.05	0.06	0.27	0.021	0.09	7.4	10.2	4.09	217	3.95	0.02
CC129999		0.71	22.3	1.79	2.37	<0.05	0.06	0.20	0.018	0.09	7.7	9.5	4.23	252	3.42	0.02
CC130000		0.77	30.7	1.88	2.31	0.05	0.10	0.35	0.022	0.09	7.4	7.4	2.70	206	5.69	0.02
CC115386		1.19	57.4	2.90	2.10	0.09	0.20	0.16	0.040	0.16	21.0	4.2	5.33	339	53.8	0.03
CC115387		0.68	29.0	2.14	1.32	0.14	0.07	0.17	0.023	0.13	18.8	3.9	6.71	193	6.85	0.01
CC115388		0.61	32.8	2.29	2.44	0.11	0.07	0.11	0.026	0.09	14.2	6.8	1.22	169	3.97	<0.01
CC115389		0.91	37.3	2.41	2.95	0.13	0.07	0.09	0.026	0.10	13.6	9.9	1.07	214	3.23	<0.01
CC115390		0.54	8.1	1.16	0.81	0.10	0.07	0.14	0.009	0.06	9.5	1.6	9.56	491	3.56	0.01
CC115391		0.81	37.2	1.87	1.79	0.13	0.07	0.16	0.028	0.10	13.0	5.1	1.05	149	4.02	<0.01
CC115392		0.69	38.9	1.86	1.72	0.12	0.07	0.18	0.032	0.11	11.7	3.9	2.00	116	6.88	<0.01
CC115393		0.72	36.5	1.60	1.68	0.11	0.07	0.24	0.026	0.10	9.9	4.2	0.98	122	11.65	<0.01
CC115394		0.90	36.5	1.84	1.25	0.13	0.08	0.39	0.029	0.12	8.4	2.6	3.96	162	14.95	<0.01
CC115395		0.74	22.1	1.26	0.85	0.11	0.05	2.24	0.018	0.07	7.0	2.3	7.81	303	8.82	0.01
CC115396		0.94	24.2	1.99	0.61	0.09	0.03	0.79	0.014	0.04	5.5	1.6	9.23	443	10.20	0.01
CC115397		0.72	26.3	1.29	1.15	0.11	0.04	1.74	0.020	0.08	8.7	2.6	6.95	242	13.00	0.01
CC115398		0.62	31.5	1.40	1.44	0.12	0.06	0.66	0.023	0.10	8.9	3.3	4.23	161	18.00	<0.01
CC115399		0.71	27.6	1.33	1.21	0.12	0.04	6.37	0.019	0.09	8.4	2.9	5.06	194	15.90	<0.01
CC115400		0.73	13.9	0.97	0.86	0.09	0.02	0.25	0.014	0.05	5.2	2.7	7.93	222	5.68	<0.01
CC115031		0.85	32.0	1.37	1.31	0.10	0.05	0.45	0.021	0.10	8.2	3.3	4.27	201	10.55	<0.01
CC115032		0.78	28.0	1.28	1.40	0.12	0.06	3.82	0.021	0.09	8.4	3.5	4.92	178	9.70	<0.01
CC115033		0.59	10.4	0.89	0.65	0.09	0.02	0.22	0.009	0.05	4.7	2.1	8.30	200	4.64	<0.01
CC115034		0.71	13.6	1.02	0.89	0.09	0.03	1.29	0.010	0.05	5.2	2.9	7.64	228	4.92	<0.01
CC115035		0.96	25.7	1.51	1.77	0.10	0.06	0.41	0.021	0.06	9.1	5.5	5.62	206	4.98	0.01
CC115036		0.88	18.0	1.21	1.05	0.11	0.04	0.29	0.014	0.08	6.6	2.9	7.67	215	7.10	0.01
CC115037		0.80	14.6	1.08	0.92	0.10	0.03	0.53	0.013	0.06	5.7	2.9	8.25	227	5.65	0.01
CC115038		0.63	9.0	0.76	0.47	0.08	0.02	0.23	0.011	0.04	4.2	1.3	9.66	202	4.28	0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 25- AUG- 2011
Account: RCM

Project: Rackla - Val Easts

CERTIFICATE OF ANALYSIS WH11132857

Sample Description	Method Analyte Units LOR	ME- MS41 Nb ppm 0.05	ME- MS41 Ni ppm 0.2	ME- MS41 P ppm 10	ME- MS41 Pb ppm 0.2	ME- MS41 Rb ppm 0.1	ME- MS41 Re ppm 0.001	ME- MS41 S % 0.01	ME- MS41 Sb ppm 0.05	ME- MS41 Sc ppm 0.1	ME- MS41 Se ppm 0.2	ME- MS41 Sn ppm 0.2	ME- MS41 Sr ppm 0.2	ME- MS41 Ta ppm 0.01	ME- MS41 Te ppm 0.01	ME- MS41 Th ppm 0.2
CC129984		0.36	40.1	690	5.8	4.3	0.001	0.04	0.95	1.4	1.1	0.2	79.8	<0.01	0.06	0.6
CC129985		0.34	22.1	610	4.6	3.6	<0.001	0.04	0.78	1.2	0.9	0.2	87.6	<0.01	0.06	0.7
CC129986		0.37	30.6	760	6.2	4.7	0.001	0.05	0.94	1.7	1.1	0.2	73.8	<0.01	0.06	0.8
CC129987		0.45	32.6	880	6.9	5.5	0.001	0.05	0.97	1.9	1.2	0.3	65.0	<0.01	0.05	1.0
CC129988		0.50	38.0	1310	8.5	7.1	0.003	0.09	1.27	2.2	2.1	0.3	54.6	<0.01	0.05	0.9
CC129989		0.48	39.8	1560	9.3	7.0	0.003	0.08	1.30	2.3	2.1	0.4	55.5	0.01	0.05	1.1
CC129990		0.53	42.4	1300	9.8	7.3	0.003	0.09	1.52	2.3	2.6	0.4	54.7	<0.01	0.06	1.0
CC129991		0.45	39.7	1460	9.6	7.1	0.002	0.11	1.73	2.2	2.9	0.4	67.4	<0.01	0.06	1.0
CC129992		0.40	48.7	1560	10.0	7.2	0.005	0.10	2.63	2.4	3.5	0.4	80.6	0.01	0.07	1.0
CC129993		0.32	38.9	1500	7.9	5.6	0.006	0.08	2.09	2.1	2.7	0.3	95.8	<0.01	0.06	0.9
CC129994		0.31	33.5	1290	7.9	5.8	0.003	0.07	1.68	2.0	2.2	0.3	87.2	<0.01	0.06	0.9
CC129995		0.38	41.0	1120	9.2	6.0	0.004	0.09	2.08	2.5	2.9	0.3	85.7	<0.01	0.04	1.1
CC129996		0.35	24.8	900	7.5	4.5	0.004	0.06	1.14	2.0	1.5	0.2	91.7	<0.01	0.03	1.0
CC129997		0.41	35.3	1090	9.5	5.7	0.003	0.08	1.70	2.3	2.4	0.3	78.9	<0.01	0.03	1.1
CC129998		0.44	35.6	1000	11.5	6.3	0.002	0.07	1.42	2.6	1.8	0.3	64.0	<0.01	0.03	1.2
CC129999		0.34	34.3	950	11.2	7.4	0.001	0.06	1.50	2.5	1.8	0.3	71.7	<0.01	0.05	1.0
CC130000		0.32	48.3	1650	9.8	8.7	0.016	0.15	3.10	2.4	9.5	0.4	86.2	<0.01	0.08	1.1
CC115386		0.19	317	2430	15.1	8.2	0.004	0.19	8.44	3.2	7.5	0.6	110.5	0.01	0.17	1.5
CC115387		0.10	73.2	2430	10.7	6.5	0.002	0.21	1.79	2.8	5.0	0.2	163.5	<0.01	0.08	1.4
CC115388		0.33	52.0	1780	11.3	6.2	0.002	0.07	1.55	3.0	2.7	0.3	58.6	<0.01	0.07	1.5
CC115389		0.56	44.7	1600	11.3	7.1	0.001	0.05	1.61	3.8	2.2	0.5	62.3	<0.01	0.07	2.8
CC115390		0.08	19.8	2260	21.0	2.9	0.001	0.05	2.20	1.4	0.8	<0.2	246	<0.01	0.02	1.2
CC115391		0.22	80.0	2110	10.6	8.8	0.005	0.15	1.32	2.9	6.0	0.3	117.0	<0.01	0.05	1.2
CC115392		0.16	68.1	2350	10.3	6.7	0.009	0.13	2.12	3.4	5.2	0.3	120.5	<0.01	0.09	1.6
CC115393		0.21	80.6	1940	9.3	8.3	0.015	0.16	2.22	2.2	6.2	0.4	136.0	<0.01	0.11	0.9
CC115394		0.08	153.5	2370	11.4	7.8	0.016	0.19	4.65	2.6	9.1	0.4	171.0	<0.01	0.09	1.2
CC115395		0.11	67.8	1650	8.4	4.4	0.004	0.09	3.38	1.9	3.9	0.2	127.5	<0.01	0.04	1.0
CC115396		0.08	118.5	1380	7.1	2.6	0.015	0.11	4.31	1.7	3.3	0.2	103.5	<0.01	0.02	0.8
CC115397		0.10	87.0	1920	8.6	5.4	0.012	0.13	3.77	2.2	5.1	0.3	153.5	<0.01	0.07	1.0
CC115398		0.14	96.8	1850	9.5	5.9	0.011	0.13	3.75	2.3	7.5	0.4	138.0	<0.01	0.11	1.0
CC115399		0.12	77.4	1960	8.3	5.9	0.011	0.13	3.61	2.2	5.9	0.3	152.0	<0.01	0.10	0.9
CC115400		0.12	28.2	1010	7.2	3.3	0.003	0.05	1.85	2.0	1.8	0.2	129.5	<0.01	0.03	1.1
CC115031		0.14	85.6	2140	8.3	6.1	0.008	0.15	3.12	2.2	5.9	0.3	161.5	<0.01	0.07	0.9
CC115032		0.15	74.1	1970	8.6	6.5	0.010	0.13	2.81	2.3	5.9	0.3	138.5	<0.01	0.08	1.1
CC115033		0.09	20.9	1110	6.7	2.7	0.002	0.06	1.57	1.6	1.4	0.2	131.0	<0.01	0.01	1.3
CC115034		0.13	26.6	970	7.8	3.2	0.003	0.05	1.70	1.9	1.3	0.2	123.0	<0.01	0.03	1.3
CC115035		0.28	99.9	1090	11.0	5.3	0.001	0.07	1.45	1.9	1.5	0.3	74.1	<0.01	0.03	1.0
CC115036		0.12	46.5	1390	9.7	4.7	0.004	0.11	2.31	2.0	2.4	0.3	126.0	<0.01	0.01	1.0
CC115037		0.12	28.6	1080	8.5	3.6	0.001	0.06	1.93	2.0	1.5	0.2	128.5	<0.01	0.01	1.3
CC115038		0.05	20.8	660	6.8	2.3	0.003	0.05	1.36	1.5	1.1	<0.2	126.0	<0.01	0.01	0.7

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 25- AUG- 2011
Account: RCM

Project: Rackla - Val Easts

CERTIFICATE OF ANALYSIS WH11132857

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
CC129984		0.015	0.24	1.21	29	0.10	8.66	169	1.0
CC129985		0.015	0.20	1.06	27	0.12	5.47	96	1.0
CC129986		0.017	0.25	1.15	35	0.13	7.67	119	1.3
CC129987		0.019	0.23	1.43	40	0.16	9.15	130	1.4
CC129988		0.015	0.30	1.89	62	0.22	11.40	164	1.5
CC129989		0.013	0.33	2.20	73	0.19	13.85	185	1.7
CC129990		0.014	0.33	2.12	70	0.11	12.45	180	1.9
CC129991		0.011	0.37	2.33	76	0.19	13.55	166	2.0
CC129992		0.010	0.51	2.93	93	0.12	15.10	205	1.9
CC129993		0.009	0.37	2.41	71	0.09	13.55	176	1.8
CC129994		0.010	0.27	1.97	60	0.07	11.25	163	1.7
CC129995		0.009	0.56	2.25	69	0.11	12.10	194	2.2
CC129996		0.009	0.30	1.81	45	0.18	8.88	117	1.5
CC129997		0.010	0.44	2.09	61	0.18	11.30	163	1.8
CC129998		0.010	0.39	1.84	59	0.14	10.75	171	2.0
CC129999		0.009	0.27	1.55	52	0.08	10.85	143	1.7
CC130000		0.008	0.54	3.37	75	0.09	13.40	215	2.9
CC115386		0.005	2.27	8.61	121	0.14	43.9	702	5.8
CC115387		0.007	0.43	3.69	35	0.10	38.5	295	2.2
CC115388		0.014	0.25	2.37	50	0.15	22.7	207	2.0
CC115389		0.028	0.20	1.58	47	0.46	17.50	157	2.2
CC115390		<0.005	1.14	4.35	10	<0.05	15.95	30	2.4
CC115391		0.008	0.36	2.90	35	0.12	28.3	279	1.9
CC115392		0.006	0.40	3.63	57	0.09	26.9	222	2.3
CC115393		0.007	1.09	3.29	52	0.09	21.4	300	2.1
CC115394		<0.005	1.35	4.21	107	0.11	21.3	794	1.8
CC115395		0.005	0.84	3.59	65	0.10	15.90	341	2.3
CC115396		<0.005	1.21	4.29	65	0.07	14.00	1000	1.0
CC115397		<0.005	0.98	4.14	85	0.09	18.90	412	1.7
CC115398		0.005	1.24	3.85	76	0.09	20.4	348	2.0
CC115399		<0.005	1.00	4.03	73	0.11	18.90	299	1.6
CC115400		0.005	0.47	2.12	39	0.06	9.20	118	1.1
CC115031		0.005	0.92	4.17	70	0.10	18.80	360	1.7
CC115032		0.005	0.98	3.56	68	0.10	18.80	308	1.9
CC115033		0.005	0.42	2.25	35	0.32	8.64	101	1.1
CC115034		0.006	0.48	2.07	37	0.05	8.78	110	1.2
CC115035		0.011	0.56	2.62	47	0.10	16.35	358	1.8
CC115036		0.006	0.73	2.72	54	0.07	12.15	200	1.4
CC115037		0.006	0.52	2.30	43	0.16	9.45	125	1.2
CC115038		<0.005	0.47	1.86	25	<0.05	7.19	94	0.8

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 25- AUG- 2011
Account: RCM

Project: Rackla - Val Easts

CERTIFICATE OF ANALYSIS WH11132857

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- ST43 Au ppm 0.0001	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1
CC115039		0.28	0.0022	0.10	0.39	14	<0.2	<10	200	0.40	0.08	14.65	0.59	11.30	3.9	9
CC115206		0.41	0.0025	0.11	0.36	7	<0.2	<10	90	0.28	0.06	15.95	0.69	7.94	3.0	7
CC115207		0.46	0.0027	0.08	0.25	7	<0.2	<10	90	0.20	0.06	17.30	0.65	6.45	2.4	6
CC115208		0.42	0.0028	0.09	0.29	7	<0.2	<10	90	0.24	0.06	16.75	0.74	6.69	2.8	6
CC115209		0.54	0.0026	0.07	0.27	6	<0.2	<10	80	0.20	0.05	17.05	0.68	5.26	2.5	5
CC115210		0.47	0.0029	0.08	0.32	5	<0.2	<10	80	0.24	0.06	15.95	0.59	7.64	2.8	6
CC115211		0.47	0.0028	0.08	0.30	5	<0.2	<10	80	0.21	0.05	16.55	0.67	6.36	2.6	6
CC115212		0.45	0.0030	0.08	0.35	6	<0.2	<10	100	0.23	0.07	16.75	0.74	6.75	2.9	7
CC115213		0.31	0.0031	0.08	0.30	5	<0.2	<10	80	0.22	0.06	16.90	0.64	6.41	2.7	6
CC115214		0.38	0.0029	0.10	0.34	6	<0.2	<10	90	0.27	0.07	15.45	0.64	7.91	3.0	7
CC115215		0.50	0.0030	0.09	0.36	7	<0.2	<10	100	0.26	0.07	15.75	0.63	7.93	3.2	7
CC115216		0.46	0.0031	0.07	0.28	6	<0.2	<10	80	0.21	0.06	15.90	0.63	5.82	2.6	6
CC115217		0.56	0.0023	0.08	0.40	6	<0.2	<10	110	0.31	0.08	15.40	0.44	10.15	4.2	7
CC115218		0.65	0.0028	0.06	0.26	5	<0.2	<10	90	0.24	0.06	16.05	0.34	8.49	3.7	5
CC115219		0.59	0.0026	0.06	0.24	6	<0.2	<10	90	0.22	0.04	14.35	0.29	6.46	3.4	5
CC115220		0.56	0.0024	0.05	0.23	8	<0.2	<10	90	0.19	0.04	14.80	0.27	6.74	3.4	5
CC115221		0.52	0.0036	0.05	0.24	6	<0.2	<10	100	0.24	0.05	15.40	0.34	5.83	2.9	5
CC115222		0.58	0.0031	0.05	0.21	9	<0.2	<10	100	0.18	0.03	15.75	0.32	4.90	2.4	4
CC115223		0.36	0.0014	0.09	0.54	9	<0.2	<10	120	0.43	0.09	10.25	0.48	9.43	5.5	9
CC115224		0.42	0.0016	0.12	0.69	9.1	<0.2	<10	170	0.56	0.11	5.69	0.62	11.45	5.7	12
CC115225		0.60	0.0020	0.07	0.34	7	<0.2	<10	70	0.38	0.08	13.10	0.24	8.98	5.5	6
CC115226		0.55	0.0015	0.16	0.73	12.7	<0.2	<10	140	0.67	0.13	9.06	0.49	13.50	6.5	13
CC115227		0.32	0.0017	0.08	0.49	6	<0.2	<10	140	0.40	0.07	14.00	0.78	8.38	3.8	9
CC115228		0.60	0.0013	0.06	0.43	6	<0.2	<10	100	0.37	0.08	12.20	0.37	8.41	4.2	8
CC115229		0.53	0.0018	0.05	0.30	7	<0.2	<10	50	0.31	0.06	14.05	0.20	8.32	3.7	6
CC115230		0.61	0.0024	0.05	0.30	6	<0.2	<10	50	0.33	0.07	14.85	0.22	7.96	4.2	5
CC129534		0.52	0.0035	0.18	0.95	11.7	<0.2	<10	280	0.51	0.12	3.60	0.60	24.8	8.5	18
CC129535		0.64	0.0020	0.11	0.47	12	<0.2	<10	110	0.35	0.06	12.60	0.53	10.85	3.9	9
CC129536		0.55	0.0026	0.08	0.31	13	<0.2	<10	70	0.32	0.05	15.05	0.67	8.58	3.4	7
CC129537		0.43	0.0014	0.18	0.80	9.3	<0.2	<10	150	0.33	0.09	4.39	0.67	15.25	6.0	16
CC129538		0.41	0.0018	0.18	0.65	11.5	<0.2	<10	120	0.47	0.09	9.58	0.73	14.40	5.5	12
CC129539		0.49	0.0020	0.12	0.43	7	<0.2	<10	140	0.31	0.06	12.25	0.46	11.10	4.1	9
CC129540		0.43	0.0019	0.14	0.54	9	<0.2	<10	130	0.34	0.08	11.50	0.44	11.70	4.6	10
CC129541		0.58	0.0018	0.28	0.72	11.1	<0.2	<10	200	0.40	0.10	8.71	0.75	14.45	6.3	15
CC129542		0.45	0.0015	0.17	0.59	6	<0.2	<10	220	0.30	0.06	10.80	0.53	10.25	4.3	12
CC129543		0.35	0.0017	0.44	0.76	10.6	<0.2	<10	370	0.50	0.09	8.21	1.01	12.55	5.6	17
CC129544		0.52	0.0023	0.13	0.40	10	<0.2	<10	130	0.25	0.06	13.10	0.56	8.56	3.3	9
CC129545		0.72	0.0017	0.27	0.52	10	<0.2	<10	290	0.39	0.08	12.10	0.83	11.80	4.8	12
CC129546		0.68	0.0039	0.19	0.57	9	<0.2	<10	310	0.36	0.08	10.40	0.65	12.95	5.4	13
CC129547		0.67	0.0017	0.16	0.39	7	<0.2	<10	230	0.31	0.06	13.35	0.51	9.03	3.4	9

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 25- AUG- 2011
Account: RCM

Project: Rackla - Val Easts

CERTIFICATE OF ANALYSIS WH11132857

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
CC115039		0.52	8.0	1.02	1.00	0.08	0.05	0.32	0.011	0.05	7.3	2.9	8.14	407	2.12	0.01
CC115206		0.55	8.4	0.62	0.98	0.09	0.04	0.11	0.008	0.03	4.1	3.3	9.26	91	1.71	0.01
CC115207		0.42	6.6	0.52	0.69	0.09	0.03	0.11	0.007	0.02	3.4	2.4	9.89	88	1.98	0.01
CC115208		0.45	7.5	0.53	0.78	0.08	0.03	0.13	0.009	0.03	3.4	2.8	9.77	82	1.86	0.01
CC115209		0.40	6.3	0.47	0.68	0.09	0.03	0.11	0.007	0.02	2.7	2.4	9.88	96	1.69	0.01
CC115210		0.49	7.2	0.58	0.85	0.09	0.03	0.10	0.007	0.03	3.9	3.0	9.31	82	1.76	0.01
CC115211		0.44	7.4	0.53	0.79	0.09	0.03	0.12	0.008	0.03	3.2	2.8	9.62	79	1.60	0.01
CC115212		0.49	8.5	0.60	0.84	0.08	0.04	0.13	0.009	0.03	3.5	3.1	9.71	97	1.59	0.02
CC115213		0.44	7.0	0.54	0.81	0.09	0.03	0.10	0.008	0.03	3.4	2.8	9.80	93	1.64	0.01
CC115214		0.55	8.0	0.61	0.97	0.09	0.04	0.10	0.009	0.03	4.1	3.5	9.03	79	1.48	0.01
CC115215		0.52	7.9	0.65	0.97	0.09	0.04	0.13	0.008	0.03	4.2	3.6	9.20	110	1.69	0.01
CC115216		0.43	6.7	0.50	0.72	0.08	0.03	0.10	0.006	0.03	3.0	2.6	9.28	92	1.50	0.01
CC115217		0.83	10.0	0.92	1.13	0.09	0.03	0.08	0.011	0.06	4.8	4.8	8.15	190	1.43	0.01
CC115218		0.54	7.2	0.71	0.78	0.09	0.02	0.06	0.006	0.04	4.1	3.4	8.10	188	1.00	0.01
CC115219		0.45	6.9	0.69	0.65	0.08	0.02	0.07	0.008	0.04	3.2	3.0	7.53	185	0.90	0.02
CC115220		0.45	6.9	0.69	0.64	0.08	0.02	0.05	0.006	0.03	3.4	3.0	7.56	180	0.94	0.02
CC115221		0.46	6.9	0.67	0.61	0.09	0.02	0.07	0.007	0.03	2.9	2.8	7.89	156	1.04	0.02
CC115222		0.40	5.8	0.62	0.53	0.08	0.02	0.16	0.006	0.03	2.5	2.6	8.52	138	1.01	0.02
CC115223		1.38	14.7	1.55	1.42	0.09	0.05	0.10	0.014	0.08	4.5	5.9	4.86	231	1.37	0.02
CC115224		0.76	16.5	1.91	1.78	0.10	0.05	0.13	0.018	0.07	5.5	7.1	2.93	202	1.14	0.02
CC115225		0.73	11.5	1.20	1.05	0.09	0.03	0.07	0.013	0.05	4.1	4.6	6.16	256	1.06	0.02
CC115226		1.05	17.3	1.73	2.07	0.08	0.06	0.16	0.021	0.07	6.4	7.3	4.95	191	1.49	0.02
CC115227		1.37	13.6	1.17	1.29	0.09	0.04	0.19	0.012	0.08	4.4	5.2	5.94	175	1.38	0.02
CC115228		1.06	13.2	1.09	1.27	0.09	0.04	0.11	0.011	0.07	4.3	4.9	6.66	189	1.33	0.02
CC115229		0.65	9.4	0.91	0.93	0.08	0.03	0.05	0.011	0.05	4.0	4.1	7.87	169	1.26	0.02
CC115230		0.76	11.4	0.91	0.90	0.10	0.04	0.07	0.010	0.05	3.7	4.2	7.31	201	1.09	0.02
CC129534		0.62	23.0	1.92	3.13	0.12	0.07	0.11	0.017	0.05	13.7	10.7	2.22	276	1.85	0.02
CC129535		0.44	8.9	0.96	1.20	0.08	0.04	0.15	0.010	0.04	6.1	3.9	7.26	312	1.65	0.02
CC129536		0.37	7.2	0.75	0.84	0.09	0.04	0.13	0.006	0.03	5.4	3.0	8.65	380	1.95	0.02
CC129537		0.53	13.9	1.70	2.08	0.09	0.04	0.09	0.013	0.05	8.4	6.8	2.66	236	1.82	0.02
CC129538		0.54	14.5	1.25	2.01	0.09	0.05	0.23	0.014	0.04	8.1	6.6	5.42	236	1.87	0.02
CC129539		0.43	9.9	0.94	1.33	0.09	0.04	0.88	0.009	0.03	6.2	4.7	7.08	268	1.57	0.02
CC129540		0.51	12.4	0.99	1.46	0.09	0.06	0.12	0.008	0.04	5.9	5.5	6.65	175	1.53	0.02
CC129541		0.70	18.2	1.48	2.11	0.11	0.06	0.16	0.014	0.06	7.5	7.8	4.94	222	2.41	0.02
CC129542		0.52	12.7	1.13	1.46	0.09	0.04	0.11	0.009	0.05	5.4	5.4	6.20	184	1.45	0.02
CC129543		0.62	16.8	1.42	2.11	0.09	0.05	0.23	0.016	0.06	6.8	6.9	4.40	211	2.07	0.02
CC129544		0.40	9.1	0.83	1.13	0.09	0.05	0.08	0.008	0.04	4.6	4.1	7.52	163	1.47	0.02
CC129545		0.67	16.2	1.08	1.58	0.09	0.05	0.31	0.011	0.05	6.1	5.9	5.91	150	2.42	0.02
CC129546		0.55	15.5	1.26	1.72	0.10	0.04	0.14	0.012	0.06	6.9	6.7	5.07	203	1.62	0.02
CC129547		0.44	10.3	0.88	1.17	0.10	0.04	0.14	0.008	0.04	5.1	4.3	7.17	188	1.82	0.02

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 25- AUG- 2011
Account: RCM

Project: Rackla - Val Easts

CERTIFICATE OF ANALYSIS WH11132857

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
CC115039		0.15	20.0	1000	8.0	3.2	<0.001	0.05	0.90	1.1	0.6	<0.2	85.5	<0.01	<0.01	0.6
CC115206		0.21	17.1	360	4.6	3.2	<0.001	0.02	0.65	1.2	0.5	<0.2	85.7	<0.01	<0.01	0.7
CC115207		0.18	13.9	300	4.0	2.2	<0.001	0.02	0.66	0.9	0.5	<0.2	91.7	<0.01	0.01	0.7
CC115208		0.18	16.1	310	4.1	2.5	0.001	0.02	0.64	1.0	0.5	<0.2	89.3	<0.01	0.02	0.6
CC115209		0.15	14.2	270	3.6	2.3	<0.001	0.02	0.55	0.9	0.5	<0.2	90.1	<0.01	0.01	0.5
CC115210		0.21	15.5	330	4.1	2.7	0.001	0.02	0.60	1.1	0.5	<0.2	83.3	<0.01	<0.01	0.7
CC115211		0.18	15.0	310	4.0	2.5	<0.001	0.03	0.57	1.0	0.6	<0.2	86.6	<0.01	0.01	0.6
CC115212		0.18	16.7	350	4.4	2.8	0.001	0.04	0.61	1.1	0.6	<0.2	84.8	<0.01	<0.01	0.6
CC115213		0.18	14.7	300	3.9	2.5	0.001	0.02	0.58	1.0	0.4	<0.2	87.6	<0.01	<0.01	0.6
CC115214		0.23	16.3	340	4.7	2.9	<0.001	0.02	0.56	1.3	0.5	<0.2	83.9	<0.01	0.01	0.9
CC115215		0.22	17.1	370	4.8	3.0	0.001	0.02	0.60	1.2	0.5	<0.2	82.8	<0.01	<0.01	0.8
CC115216		0.17	13.7	280	3.8	2.4	0.001	0.02	0.52	1.0	0.3	<0.2	83.0	<0.01	0.01	0.5
CC115217		0.23	12.9	340	10.2	3.8	<0.001	0.02	0.62	1.8	0.3	0.2	94.8	<0.01	<0.01	1.2
CC115218		0.18	8.6	260	9.2	2.5	0.001	0.02	0.47	1.5	0.4	<0.2	103.5	<0.01	0.01	1.1
CC115219		0.18	8.1	280	9.2	2.1	0.001	0.02	0.48	1.2	0.4	<0.2	98.0	<0.01	0.01	0.9
CC115220		0.17	8.3	270	9.0	2.1	0.001	0.02	0.50	1.3	0.4	<0.2	100.5	<0.01	0.02	1.0
CC115221		0.19	8.3	280	8.1	2.2	0.001	0.02	0.51	1.2	0.4	<0.2	99.5	<0.01	0.02	0.8
CC115222		0.13	7.4	230	7.3	1.9	0.001	0.03	0.48	1.0	0.2	<0.2	104.0	<0.01	0.02	0.8
CC115223		0.24	12.9	470	13.9	6.0	0.001	0.06	0.71	2.2	0.6	0.2	72.1	<0.01	0.02	1.2
CC115224		0.27	15.2	530	15.8	6.5	0.003	0.10	0.70	2.4	1.0	0.3	41.6	<0.01	0.03	1.3
CC115225		0.22	9.9	300	12.4	3.3	0.001	0.03	0.58	1.9	0.6	0.2	108.0	<0.01	0.02	1.3
CC115226		0.30	16.6	650	20.7	6.0	<0.001	0.06	0.83	2.5	0.6	0.3	67.3	<0.01	0.02	1.1
CC115227		0.26	12.8	420	9.8	6.5	<0.001	0.09	0.59	2.0	1.0	0.2	94.4	<0.01	0.01	1.1
CC115228		0.26	11.3	460	11.8	5.4	0.001	0.05	0.70	1.9	0.8	0.2	79.7	<0.01	0.02	0.9
CC115229		0.23	8.3	330	10.7	3.4	0.001	0.02	0.55	1.8	0.4	<0.2	92.3	<0.01	0.01	1.1
CC115230		0.23	8.9	270	11.1	2.8	<0.001	0.01	0.64	2.0	0.3	<0.2	104.5	<0.01	0.02	1.4
CC129534		0.90	29.3	960	10.0	5.2	<0.001	0.02	1.10	3.2	0.8	0.4	42.4	<0.01	0.03	3.1
CC129535		0.27	18.5	950	8.9	3.0	<0.001	0.03	0.95	1.2	0.5	0.2	71.1	<0.01	0.01	0.7
CC129536		0.22	15.1	800	8.0	2.6	<0.001	0.02	1.00	1.0	0.5	<0.2	85.5	<0.01	0.03	0.6
CC129537		0.56	23.6	1050	6.7	4.6	<0.001	0.03	0.75	2.0	0.5	0.2	37.3	<0.01	0.04	1.3
CC129538		0.47	23.2	960	9.0	4.3	0.001	0.04	0.99	1.7	0.7	0.2	64.7	<0.01	0.02	0.9
CC129539		0.37	15.9	760	7.7	3.6	0.001	0.02	0.79	1.5	0.5	0.2	74.8	<0.01	0.02	1.1
CC129540		0.34	18.6	670	6.6	3.9	0.001	0.03	0.70	1.6	0.7	0.2	70.2	<0.01	0.03	1.1
CC129541		0.52	26.3	820	8.0	5.0	0.001	0.03	1.05	2.3	1.0	0.3	63.1	<0.01	0.04	1.5
CC129542		0.34	17.6	750	5.9	4.2	<0.001	0.03	0.73	1.6	0.7	0.2	64.7	<0.01	0.03	0.9
CC129543		0.36	24.5	980	8.9	5.7	0.002	0.06	1.14	1.8	1.1	0.3	59.1	<0.01	0.05	0.8
CC129544		0.27	14.2	610	5.8	3.2	0.002	0.02	0.70	1.3	0.6	0.2	78.8	<0.01	0.03	0.9
CC129545		0.36	23.5	710	9.4	4.3	0.001	0.02	1.17	2.0	0.6	0.2	97.3	<0.01	0.03	1.4
CC129546		0.52	18.9	790	7.9	4.8	0.001	0.03	0.99	2.0	1.3	0.2	83.2	<0.01	0.03	1.7
CC129547		0.29	15.1	710	7.5	3.0	0.001	0.03	0.98	1.4	0.6	0.2	88.6	<0.01	0.03	0.9

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 25- AUG- 2011
Account: RCM

Project: Rackla - Val Easts

CERTIFICATE OF ANALYSIS WH11132857

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
CC115039		0.007	0.32	1.39	17	0.05	10.20	90	1.4
CC115206		0.011	0.23	1.23	22	0.07	4.17	78	1.1
CC115207		0.010	0.18	1.34	18	0.07	3.33	69	0.9
CC115208		0.009	0.22	1.29	18	0.06	3.64	77	1.0
CC115209		0.008	0.19	1.21	17	<0.05	3.10	73	0.9
CC115210		0.011	0.19	1.20	20	0.06	3.73	74	1.0
CC115211		0.010	0.19	1.19	19	0.07	3.55	75	1.1
CC115212		0.010	0.21	1.21	22	0.05	3.88	92	1.1
CC115213		0.009	0.19	1.16	19	0.05	3.37	74	1.0
CC115214		0.012	0.20	1.14	20	0.05	3.97	79	1.1
CC115215		0.012	0.21	1.22	21	0.07	4.04	83	1.0
CC115216		0.008	0.19	1.12	17	0.05	3.25	72	0.9
CC115217		0.011	0.16	1.21	17	0.09	4.45	64	0.9
CC115218		0.009	0.11	1.20	12	<0.05	3.73	52	0.8
CC115219		0.008	0.12	1.06	11	0.06	3.34	48	0.8
CC115220		0.008	0.10	1.05	11	<0.05	3.36	48	0.9
CC115221		0.008	0.12	1.09	12	<0.05	3.21	60	0.8
CC115222		0.006	0.10	1.08	11	<0.05	2.74	56	0.7
CC115223		0.008	0.43	1.07	15	0.08	5.12	170	1.3
CC115224		0.009	0.42	1.04	19	0.05	5.54	201	1.5
CC115225		0.008	0.19	1.18	12	0.22	4.77	62	1.1
CC115226		0.008	0.29	1.25	24	0.12	7.88	108	1.6
CC115227		0.009	0.67	1.44	14	0.05	4.66	70	1.3
CC115228		0.009	0.46	2.31	14	0.05	4.52	61	1.2
CC115229		0.009	0.13	1.29	12	0.08	4.02	40	1.0
CC115230		0.009	0.17	1.31	10	<0.05	4.30	39	1.8
CC129534		0.038	0.20	0.94	41	0.17	9.90	95	1.9
CC129535		0.014	0.39	1.24	23	0.07	7.38	96	1.1
CC129536		0.010	0.32	1.36	17	0.07	7.18	73	1.2
CC129537		0.028	0.22	0.88	36	0.12	7.98	124	1.1
CC129538		0.018	0.28	1.22	28	0.09	8.64	104	1.4
CC129539		0.015	0.26	1.59	22	0.12	6.82	76	1.1
CC129540		0.014	0.30	1.38	22	0.19	5.79	79	1.4
CC129541		0.023	0.32	1.20	33	0.09	7.52	112	1.5
CC129542		0.016	0.34	1.22	26	0.08	5.79	88	1.2
CC129543		0.012	0.30	1.57	46	0.07	8.45	122	1.4
CC129544		0.012	0.22	1.26	20	0.05	5.23	64	1.2
CC129545		0.015	0.39	1.68	32	0.11	6.62	102	1.5
CC129546		0.020	0.36	1.58	30	0.17	6.54	80	1.4
CC129547		0.012	0.23	1.52	23	0.12	6.17	67	1.2

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 25- AUG- 2011
Account: RCM

Project: Rackla - Val Easts

CERTIFICATE OF ANALYSIS WH11132857

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- ST43 Au ppm 0.0001	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1
CC129548		0.47	0.0021	0.18	0.65	9.0	<0.2	<10	330	0.35	0.08	9.34	0.61	13.50	5.2	13
CC129549		0.60	0.0016	0.48	0.35	8	<0.2	<10	180	0.27	0.05	13.40	0.51	9.07	3.5	8
CC129550		0.57	0.0013	0.18	0.37	10	<0.2	<10	190	0.27	0.05	12.95	0.46	7.93	3.1	9
CC129551		0.48	0.0023	0.15	0.35	9	<0.2	<10	180	0.25	0.05	13.90	0.50	6.54	2.8	8
CC129552		0.51	0.0010	0.11	0.49	60	<0.2	<10	70	0.85	0.07	14.05	0.44	9.48	3.8	9
CC129553		0.66	0.0023	0.11	0.63	42	<0.2	<10	90	0.64	0.10	10.35	0.39	13.20	5.9	11
CC129554		0.57	0.0015	0.12	0.71	22.0	<0.2	<10	100	0.61	0.10	9.81	0.28	12.55	6.3	12
CC129555		0.65	0.0012	0.10	0.76	17.9	<0.2	<10	130	0.64	0.14	9.65	0.41	16.80	8.2	13
CC129556		0.49	0.0014	0.09	0.51	41	<0.2	<10	110	0.55	0.08	12.05	0.57	9.46	4.3	10
CC129557		0.66	0.0014	0.12	0.66	29	<0.2	<10	100	0.63	0.11	11.00	0.33	12.30	6.7	11
CC129558		0.47	0.0018	0.12	0.42	37	<0.2	<10	80	0.42	0.08	13.15	0.35	8.30	3.3	9
CC129559		0.59	0.0014	0.09	0.91	25	<0.2	<10	130	0.68	0.15	10.00	0.48	17.50	8.0	14
CC129560		0.56	0.0012	0.08	0.67	40	<0.2	<10	120	0.51	0.11	11.90	0.43	13.05	4.9	11
CC129561		0.50	0.0022	0.12	0.47	22	<0.2	<10	380	0.61	0.11	14.20	2.91	9.93	10.9	11
CC129562		0.44	0.0024	0.16	0.69	28	<0.2	<10	480	0.71	0.13	12.45	3.06	13.85	12.7	14
CC129563		0.41	0.0027	0.13	0.57	22	<0.2	<10	420	0.59	0.12	13.00	2.82	11.45	11.2	12
CC129564		0.43	0.0033	0.23	1.02	39.2	<0.2	<10	390	1.09	0.18	8.80	4.16	20.1	15.4	19
CC129565		0.52	0.0035	0.22	1.02	30.1	<0.2	<10	350	0.90	0.18	7.58	2.96	18.50	12.4	18
CC129566		0.43	0.0028	0.21	1.00	29.4	<0.2	<10	350	0.97	0.18	6.94	3.44	18.05	14.2	18
CC115122		0.41	0.0014	0.66	0.38	16	<0.2	<10	790	0.32	0.08	12.90	2.70	10.55	4.3	16
CC115123		0.44	0.0015	0.83	0.50	18	<0.2	<10	870	0.39	0.10	10.45	2.85	11.85	4.7	20
CC115124		0.35	0.0027	0.72	0.47	16	<0.2	<10	1000	0.31	0.10	11.00	2.68	11.90	4.3	19
CC115125		0.40	0.0017	0.65	0.42	19	<0.2	<10	990	0.33	0.09	12.60	2.99	11.00	4.3	16
CC115126		0.37	0.0020	0.71	0.41	13	<0.2	<10	890	0.36	0.09	11.90	3.24	11.50	4.2	16
CC115127		0.36	0.0021	0.68	0.44	14	<0.2	<10	880	0.34	0.09	11.60	2.95	11.30	4.1	18
CC115128		0.35	0.0018	0.71	0.46	18	<0.2	<10	980	0.33	0.09	10.75	2.77	12.45	4.2	18
CC115129		0.49	0.0014	0.61	0.38	14	<0.2	<10	830	0.23	0.08	11.90	2.18	9.50	3.4	16
CC115130		0.29	0.0027	0.65	0.45	17	<0.2	<10	1060	0.34	0.09	12.05	2.74	11.90	4.0	18
CC115131		0.37	0.0018	0.70	0.40	15	<0.2	<10	1140	0.36	0.09	12.65	2.59	11.20	4.1	16
CC115132		0.46	0.0012	0.73	0.50	18	<0.2	<10	990	0.33	0.10	10.20	2.29	12.20	4.2	19
CC115133		0.36	0.0020	0.69	0.44	16	<0.2	<10	870	0.33	0.10	11.60	2.60	10.80	4.4	17
CC115134		0.33	0.0015	0.71	0.42	17	<0.2	<10	840	0.32	0.09	10.95	2.61	11.80	4.2	16
CC115135		0.43	0.0009	0.47	0.34	13	<0.2	<10	920	0.28	0.07	14.40	2.19	9.06	3.4	13
CC115231		0.52	0.0011	0.09	0.41	7	<0.2	<10	90	0.40	0.08	15.90	0.83	7.69	3.1	9
CC115232		0.45	0.0013	0.07	0.36	7	<0.2	<10	90	0.32	0.06	17.45	0.51	7.64	2.5	8
CC115233		0.46	0.0013	0.07	0.43	8	<0.2	<10	70	0.25	0.07	14.85	0.37	9.88	3.1	9
CC115234		0.50	0.0013	0.16	1.48	13.9	<0.2	<10	160	0.60	0.23	3.37	0.75	25.4	9.2	25
CC115235		0.57	0.0016	0.06	0.39	10	<0.2	<10	70	0.32	0.06	16.60	0.32	9.16	2.9	8
CC115236		0.41	0.0016	0.07	0.48	11	<0.2	<10	90	0.37	0.07	16.40	0.41	11.40	3.4	9
CC115237		0.58	0.0013	0.05	0.29	3	<0.2	<10	60	0.19	0.04	17.10	0.38	6.47	2.4	6

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 25- AUG- 2011
Account: RCM

Project: Rackla - Val Easts

CERTIFICATE OF ANALYSIS WH11132857

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
CC129548		0.59	16.2	1.35	1.89	0.10	0.05	0.15	0.012	0.06	6.5	7.3	4.68	192	1.71	0.02
CC129549		0.40	9.9	0.80	1.03	0.09	0.04	0.12	0.008	0.04	4.9	4.0	7.09	204	1.77	0.02
CC129550		0.41	9.1	0.82	1.07	0.08	0.03	0.15	0.007	0.04	4.5	3.9	7.08	148	1.57	0.02
CC129551		0.33	8.3	0.75	0.84	0.08	0.03	0.14	0.007	0.04	3.7	3.3	7.40	177	1.49	0.02
CC129552		0.77	8.6	1.04	1.23	0.10	0.05	0.15	0.012	0.05	4.3	4.2	8.19	214	0.70	0.02
CC129553		0.89	14.0	1.38	1.86	0.09	0.05	0.11	0.015	0.07	6.0	6.8	6.02	276	0.82	0.02
CC129554		0.90	16.1	1.43	2.10	0.09	0.07	0.06	0.014	0.10	5.9	8.5	5.55	222	0.89	0.02
CC129555		1.45	19.1	1.81	2.29	0.09	0.06	0.10	0.020	0.09	7.8	8.9	4.99	303	1.09	0.02
CC129556		1.53	11.6	1.14	1.44	0.09	0.05	0.15	0.013	0.07	4.5	5.5	6.76	184	0.68	0.02
CC129557		1.39	14.9	1.49	1.88	0.08	0.07	0.13	0.016	0.09	5.5	7.2	5.68	221	0.94	0.02
CC129558		0.94	8.8	0.98	1.16	0.08	0.04	0.09	0.012	0.05	4.1	4.3	7.78	128	0.69	0.03
CC129559		1.19	18.6	1.87	2.56	0.09	0.07	0.11	0.024	0.09	8.0	10.9	5.72	322	1.10	0.02
CC129560		0.99	10.7	1.34	1.85	0.08	0.05	0.09	0.017	0.06	5.7	6.4	7.12	212	0.80	0.03
CC129561		1.03	22.8	1.38	1.27	0.10	0.04	0.13	0.017	0.05	5.8	4.3	6.84	283	8.38	0.03
CC129562		1.46	29.8	1.69	1.76	0.10	0.05	0.16	0.022	0.07	7.5	5.5	6.49	311	9.35	0.03
CC129563		1.23	25.0	1.40	1.41	0.10	0.05	0.13	0.018	0.06	6.5	4.7	7.14	265	7.80	0.03
CC129564		1.61	39.1	2.28	2.61	0.11	0.08	0.20	0.029	0.09	10.9	8.3	5.06	365	11.40	0.03
CC129565		1.35	33.8	2.23	2.68	0.12	0.09	0.15	0.025	0.11	10.3	10.0	4.31	360	7.28	0.02
CC129566		1.39	34.1	2.29	2.72	0.11	0.09	0.16	0.031	0.09	10.3	9.7	4.01	372	8.34	0.02
CC115122		0.74	20.5	1.16	1.18	0.09	0.04	0.32	0.017	0.07	6.6	3.5	6.47	190	6.75	0.03
CC115123		0.71	25.4	1.34	1.49	0.10	0.05	11.90	0.018	0.08	7.4	4.1	4.96	187	6.45	0.03
CC115124		0.73	21.6	1.27	1.39	0.10	0.03	0.29	0.018	0.08	7.4	4.2	5.31	175	6.50	0.03
CC115125		0.69	21.3	1.26	1.26	0.10	0.03	0.36	0.017	0.08	7.2	3.6	5.54	178	7.90	0.03
CC115126		0.76	22.0	1.15	1.39	0.10	0.03	0.35	0.016	0.07	7.2	3.9	4.84	168	6.88	0.03
CC115127		0.71	22.9	1.20	1.37	0.10	0.04	0.79	0.018	0.07	7.4	3.9	4.75	152	6.99	0.03
CC115128		0.69	22.0	1.26	1.46	0.11	0.03	0.48	0.018	0.07	7.7	4.1	4.41	152	7.38	0.03
CC115129		0.54	18.8	1.10	1.14	0.10	0.04	2.21	0.013	0.06	6.3	3.2	4.87	151	6.13	0.03
CC115130		0.65	20.5	1.20	1.41	0.10	0.03	0.79	0.018	0.08	7.7	4.0	5.08	149	7.38	0.03
CC115131		0.68	21.8	1.20	1.28	0.09	0.03	0.65	0.020	0.08	7.3	3.7	5.81	175	7.61	0.03
CC115132		0.60	21.6	1.31	1.56	0.10	0.03	0.33	0.016	0.09	7.4	4.5	4.02	157	7.74	0.03
CC115133		0.72	21.7	1.24	1.37	0.11	0.04	0.32	0.017	0.09	7.0	4.2	4.87	174	7.57	0.03
CC115134		0.67	22.2	1.20	1.44	0.09	0.03	0.35	0.019	0.07	7.6	4.3	4.22	156	7.91	0.03
CC115135		0.58	16.7	1.04	1.03	0.09	0.03	0.19	0.012	0.07	6.3	3.2	5.32	155	7.27	0.03
CC115231		0.43	11.4	0.68	0.93	0.08	0.06	0.05	0.011	0.05	3.9	3.1	9.71	78	1.55	0.04
CC115232		0.47	9.5	0.54	0.76	0.09	0.05	0.04	0.009	0.04	3.8	2.8	10.60	86	1.21	0.04
CC115233		0.44	9.5	0.70	1.09	0.09	0.04	0.03	0.009	0.03	4.9	3.8	9.04	110	1.16	0.03
CC115234		0.84	18.7	2.42	3.72	0.09	0.04	0.04	0.027	0.05	12.2	11.5	2.02	472	2.29	0.03
CC115235		0.44	9.2	0.66	0.94	0.08	0.03	0.07	0.009	0.04	4.5	3.5	10.15	87	1.56	0.03
CC115236		0.61	11.6	0.79	1.11	0.09	0.04	0.05	0.010	0.04	5.4	4.1	10.05	101	2.00	0.03
CC115237		0.41	7.9	0.50	0.68	0.09	0.04	0.02	0.006	0.03	3.3	2.7	10.45	80	1.23	0.03

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 25- AUG- 2011
Account: RCM

Project: Rackla - Val Easts

CERTIFICATE OF ANALYSIS WH11132857

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
CC129548		0.51	19.8	800	8.2	4.9	0.001	0.03	0.91	2.1	1.2	0.2	73.2	<0.01	0.04	1.7
CC129549		0.27	14.5	640	6.7	2.9	0.001	0.02	0.83	1.3	0.7	0.2	89.1	<0.01	0.02	0.9
CC129550		0.27	14.5	620	6.2	2.9	0.001	0.03	0.76	1.3	0.7	<0.2	84.3	<0.01	0.02	0.8
CC129551		0.21	13.8	560	5.7	2.3	<0.001	0.02	0.74	1.0	0.7	<0.2	88.4	<0.01	0.01	0.7
CC129552		0.19	9.2	610	21.1	5.2	<0.001	0.04	3.76	1.4	0.4	0.2	91.5	<0.01	0.02	0.6
CC129553		0.44	13.7	560	28.4	5.6	<0.001	0.02	2.44	2.4	0.6	0.2	82.5	<0.01	0.03	1.7
CC129554		0.48	15.5	590	20.4	6.2	<0.001	0.02	1.41	2.5	0.3	0.2	77.4	<0.01	0.03	1.9
CC129555		0.39	19.0	520	26.4	6.4	<0.001	0.02	0.97	3.2	0.5	0.3	83.4	<0.01	0.05	1.9
CC129556		0.26	11.3	460	27.2	7.1	<0.001	0.03	2.01	1.9	0.6	0.2	85.9	<0.01	0.03	1.1
CC129557		0.28	14.6	420	19.9	6.1	<0.001	0.03	1.43	2.6	0.3	0.3	88.2	<0.01	0.02	1.5
CC129558		0.20	10.1	380	19.4	4.1	0.001	0.01	1.86	1.6	0.6	0.2	94.8	<0.01	0.01	0.9
CC129559		0.32	18.4	510	22.3	6.8	<0.001	0.01	1.42	3.5	1.0	0.3	83.9	<0.01	0.01	1.7
CC129560		0.25	12.7	450	26.3	5.6	<0.001	0.01	1.85	2.3	0.9	0.2	88.5	<0.01	0.03	1.2
CC129561		0.19	106.5	870	13.8	4.2	0.002	0.02	2.40	2.4	2.2	0.2	105.0	<0.01	0.06	1.3
CC129562		0.28	129.0	1050	16.5	6.0	0.001	0.02	2.94	3.1	2.8	0.3	100.0	<0.01	0.07	1.6
CC129563		0.24	109.5	880	13.2	5.0	0.002	0.01	2.46	2.5	2.0	0.3	98.5	<0.01	0.05	1.3
CC129564		0.35	177.0	1280	21.3	8.0	0.001	0.02	3.40	3.9	3.4	0.4	93.4	<0.01	0.09	1.6
CC129565		0.32	131.0	1020	23.8	7.2	0.001	0.02	2.54	3.9	2.4	0.4	73.9	<0.01	0.06	1.7
CC129566		0.37	135.5	1170	24.1	7.8	0.001	0.13	2.71	3.6	2.3	0.4	74.6	<0.01	0.05	1.4
CC115122		0.17	44.7	1650	7.0	4.3	0.005	0.07	2.44	2.0	3.7	0.3	144.0	<0.01	0.06	1.1
CC115123		0.21	49.6	1980	8.9	4.7	0.008	0.07	2.44	2.2	4.2	0.3	140.0	<0.01	0.05	1.4
CC115124		0.20	44.5	1890	7.7	4.8	0.007	0.07	2.45	2.3	3.7	0.3	138.5	<0.01	0.05	1.3
CC115125		0.17	45.0	1830	7.2	4.3	0.007	0.07	2.77	2.1	3.7	0.3	146.0	<0.01	0.03	1.2
CC115126		0.19	44.8	1740	7.6	4.5	0.008	0.07	2.55	2.2	3.9	0.3	141.5	<0.01	0.05	1.3
CC115127		0.18	45.8	1850	6.9	4.5	0.007	0.05	2.62	2.2	4.0	0.3	146.5	<0.01	0.06	1.2
CC115128		0.21	43.9	1970	6.8	4.6	0.009	0.06	2.82	2.3	3.7	0.3	149.5	<0.01	0.05	1.3
CC115129		0.15	34.6	1840	6.2	3.5	0.007	0.05	2.33	1.9	3.3	0.2	144.5	<0.01	0.06	1.3
CC115130		0.19	43.5	1830	6.7	4.6	0.007	0.12	2.74	2.2	3.7	0.3	149.5	<0.01	0.05	1.1
CC115131		0.17	45.2	1750	7.2	4.7	0.005	0.08	2.85	2.0	3.6	0.3	147.0	<0.01	0.05	1.0
CC115132		0.22	43.8	1790	7.0	4.8	0.009	0.07	2.67	2.2	4.1	0.3	142.5	<0.01	0.05	1.3
CC115133		0.18	46.1	1770	7.5	4.7	0.006	0.07	2.67	2.2	4.1	0.3	145.5	<0.01	0.05	1.2
CC115134		0.20	45.6	1670	7.1	4.7	0.009	0.07	2.83	2.2	4.0	0.3	137.0	<0.01	0.05	1.2
CC115135		0.12	34.3	1830	5.9	3.6	0.006	0.05	2.53	1.8	2.8	0.2	164.5	<0.01	0.05	1.0
CC115231		0.17	26.1	660	6.2	3.1	0.001	0.02	1.11	1.3	0.9	0.2	121.0	<0.01	0.01	0.7
CC115232		0.15	22.5	460	3.9	2.6	<0.001	0.01	0.89	1.1	0.8	<0.2	132.5	<0.01	0.02	0.6
CC115233		0.28	15.2	510	4.5	2.6	0.001	<0.01	0.52	1.4	0.7	0.2	93.2	<0.01	0.01	0.9
CC115234		0.47	32.2	960	13.6	6.7	<0.001	0.06	1.18	1.8	1.0	0.4	34.6	<0.01	0.04	0.8
CC115235		0.25	18.0	400	4.0	2.5	0.001	0.03	0.82	1.3	0.9	0.2	124.0	<0.01	0.01	0.9
CC115236		0.29	24.1	470	4.9	3.2	<0.001	0.01	1.05	1.5	0.8	0.2	126.0	<0.01	0.01	1.1
CC115237		0.18	15.4	310	3.2	2.1	<0.001	<0.01	0.64	1.0	0.5	<0.2	115.5	<0.01	0.02	0.6

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 25- AUG- 2011
Account: RCM

Project: Rackla - Val Easts

CERTIFICATE OF ANALYSIS WH11132857

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
CC129548		0.022	0.33	1.43	31	0.09	6.42	90	1.6
CC129549		0.011	0.25	1.34	20	0.07	5.81	66	1.1
CC129550		0.011	0.23	1.48	22	0.06	5.17	68	1.2
CC129551		0.010	0.21	1.34	22	<0.05	4.56	70	1.0
CC129552		0.008	1.70	1.37	17	0.13	4.60	125	1.4
CC129553		0.016	0.91	0.99	21	0.13	5.82	142	1.5
CC129554		0.018	0.42	1.17	22	0.11	5.48	119	1.9
CC129555		0.012	0.29	0.77	22	0.08	8.22	86	1.8
CC129556		0.009	1.46	1.03	15	0.08	4.93	363	1.4
CC129557		0.008	0.75	0.98	17	0.07	6.20	146	1.9
CC129558		0.010	0.64	1.01	14	0.08	4.23	168	1.1
CC129559		0.009	0.52	0.94	22	0.19	7.97	145	1.9
CC129560		0.009	0.67	0.90	19	0.26	5.60	178	1.4
CC129561		0.007	0.99	2.31	40	0.07	16.10	372	1.7
CC129562		0.010	1.38	2.72	50	0.09	20.1	496	1.8
CC129563		0.009	1.13	2.47	42	0.08	16.70	406	1.9
CC129564		0.009	1.51	3.07	69	0.12	28.7	679	2.7
CC129565		0.009	1.10	2.86	54	0.10	21.1	510	2.9
CC129566		0.009	1.10	2.68	56	0.11	21.0	550	2.9
CC115122		0.007	0.60	2.23	54	0.10	12.90	202	1.4
CC115123		0.009	0.68	2.70	65	0.29	15.05	223	1.5
CC115124		0.009	0.61	2.54	64	0.08	13.60	212	1.2
CC115125		0.007	0.64	2.69	63	0.13	13.50	214	1.1
CC115126		0.007	0.66	2.63	57	0.07	13.95	195	1.3
CC115127		0.007	0.58	2.70	65	0.08	15.05	209	1.5
CC115128		0.008	0.55	2.75	68	0.18	15.00	207	1.3
CC115129		0.007	0.50	2.63	61	0.12	12.60	167	1.4
CC115130		0.007	0.55	2.75	68	0.08	15.10	204	1.3
CC115131		0.007	0.61	2.56	60	0.08	14.65	194	1.4
CC115132		0.009	0.59	2.72	72	0.24	14.15	204	1.1
CC115133		0.007	0.64	2.91	62	0.10	13.75	209	1.3
CC115134		0.007	0.60	2.75	61	0.10	13.75	189	1.3
CC115135		0.005	0.46	2.56	55	0.08	13.20	174	1.1
CC115231		0.007	0.31	1.35	20	<0.05	6.43	114	1.8
CC115232		0.006	0.24	1.36	16	<0.05	5.41	76	1.6
CC115233		0.015	0.14	1.21	19	0.07	4.92	60	1.3
CC115234		0.019	0.25	1.09	48	0.16	9.20	124	0.9
CC115235		0.011	0.23	1.56	16	0.08	4.57	55	1.3
CC115236		0.012	0.36	1.58	20	0.08	5.72	75	1.4
CC115237		0.009	0.17	1.18	14	<0.05	3.90	51	1.0

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 25- AUG- 2011
Account: RCM

Project: Rackla - Val Easts

CERTIFICATE OF ANALYSIS WH11132857

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- ST43 Au ppm 0.0001	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1
CC115238		0.72	0.0019	0.09	0.47	11	<0.2	<10	90	0.31	0.08	14.60	0.49	12.65	4.1	10
CC115239		0.77	0.0015	0.05	0.29	7	<0.2	<10	60	0.20	0.05	16.85	0.37	6.77	2.7	6
CC115240		0.45	0.0011	0.07	0.51	10	<0.2	<10	110	0.31	0.09	13.55	0.49	10.90	3.7	10
CC115242		0.55	0.0011	0.04	0.32	5	<0.2	<10	80	0.23	0.05	16.70	0.48	7.56	3.4	7
CC115243		0.64	0.0013	0.06	0.38	11	<0.2	<10	90	0.24	0.06	15.55	0.38	8.00	3.1	8
CC115244		0.47	0.0018	0.04	0.37	13	<0.2	<10	80	0.28	0.09	14.85	0.19	12.15	4.2	9
CC115245		0.65	0.0017	0.06	0.33	17	<0.2	<10	70	0.25	0.09	15.00	0.16	10.65	4.5	9
CC115246		0.55	0.0015	0.06	0.30	7	<0.2	<10	60	0.24	0.06	15.30	0.40	7.08	3.1	7
CC115247		0.68	0.0014	0.05	0.33	6	<0.2	<10	70	0.29	0.06	14.40	0.37	8.15	3.3	7
CC115248		0.68	0.0015	0.05	0.34	7	<0.2	<10	80	0.28	0.06	15.20	0.38	8.51	3.3	7
CC115249		0.63	0.0012	0.06	0.36	11	<0.2	<10	80	0.27	0.07	15.30	0.39	8.42	3.5	7
CC115250		0.62	0.0016	0.06	0.32	8	<0.2	<10	80	0.27	0.06	15.70	0.38	7.35	3.3	7
CC115251		0.66	0.0018	0.06	0.34	8	<0.2	<10	110	0.29	0.07	15.10	0.37	8.39	3.6	7
CC115252		0.54	0.0017	0.06	0.32	10	<0.2	<10	70	0.28	0.07	14.85	0.39	8.34	3.6	7
CC115253		0.56	0.0012	0.06	0.33	9	<0.2	<10	100	0.26	0.06	15.70	0.39	7.95	3.5	7
CC115254		0.53	0.0010	0.06	0.39	11	<0.2	<10	100	0.29	0.08	14.75	0.42	8.77	3.7	8
CC115255		0.35	0.0010	0.30	0.46	11	<0.2	<10	110	0.34	0.08	14.70	0.45	10.25	4.1	9
CC129399		0.30	0.0014	0.17	0.45	7	<0.2	<10	110	0.32	0.09	12.75	1.19	11.70	4.8	11
CC129400		0.44	0.0013	0.16	0.49	10	<0.2	<10	130	0.44	0.10	12.50	1.14	11.50	5.6	11
CC115413		0.26	0.0018	0.18	0.59	8	<0.2	<10	160	0.44	0.12	10.50	1.21	13.35	6.5	13
CC115414		0.33	0.0017	0.20	0.74	12.8	<0.2	<10	250	0.58	0.14	9.00	1.34	14.15	8.0	15
CC115415		0.36	0.0024	0.20	0.69	12.9	<0.2	<10	290	0.57	0.13	9.35	1.30	13.75	7.1	14
CC115416		0.30	0.0016	0.17	0.62	10	<0.2	<10	210	0.45	0.11	10.60	1.02	11.65	6.1	12
CC115417		0.30	0.0027	0.18	0.62	11.9	<0.2	<10	260	0.50	0.11	9.86	1.13	12.20	6.5	13
CC115418		0.39	0.0019	0.21	0.73	13.4	<0.2	<10	260	0.56	0.13	9.80	1.07	14.20	7.1	15
CC115419		0.37	0.0023	0.17	0.78	12.3	<0.2	<10	270	0.61	0.14	8.98	1.16	14.10	7.9	14
CC115420		0.36	0.0020	0.18	0.64	14	<0.2	<10	260	0.57	0.12	11.05	1.58	12.05	8.1	12
CC115421		0.38	0.0021	0.20	0.82	17.3	<0.2	<10	340	0.75	0.14	9.79	1.71	14.10	8.6	15
CC115422		0.38	0.0022	0.18	0.78	16.4	<0.2	<10	290	0.71	0.14	9.22	1.35	13.95	7.8	15
CC115423		0.34	0.0009	0.05	0.36	13	<0.2	<10	160	0.33	0.10	15.00	0.24	9.89	4.7	7
CC115424		0.51	0.0012	0.09	0.79	10	<0.2	<10	140	0.51	0.13	13.40	0.43	15.10	8.3	12
CC115425		0.45	0.0011	0.04	0.33	14	<0.2	<10	120	0.31	0.10	14.60	0.17	9.04	4.4	7
CC115426		0.46	0.0013	0.04	0.17	12	<0.2	<10	120	0.19	0.07	17.85	0.12	5.79	2.3	4
CC115427		0.36	0.0009	0.02	0.20	17	<0.2	<10	110	0.22	0.09	16.55	0.13	6.81	2.9	5
CC115136		0.29	0.0017	0.79	0.87	14.0	<0.2	<10	440	0.60	0.22	1.92	1.42	23.4	9.2	27
CC115137		0.34	0.0033	2.23	0.54	15.4	<0.2	<10	1000	0.47	0.17	2.85	5.67	14.75	4.6	36
CC115138		0.34	0.0032	5.29	0.75	23.1	<0.2	<10	960	0.63	0.19	3.17	14.70	15.45	4.6	95
CC115139		0.24	0.0037	2.49	0.61	15.8	<0.2	<10	740	0.46	0.17	2.73	10.90	11.20	4.3	40
CC115140		0.19	0.0029	1.48	0.55	14.0	<0.2	<10	650	0.48	0.15	2.97	6.68	10.55	2.6	27
CC115141		0.40	0.0027	0.94	0.55	26.0	<0.2	<10	580	0.45	0.13	3.85	9.06	11.05	3.4	23

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 25- AUG- 2011
Account: RCM

Project: Rackla - Val Easts

CERTIFICATE OF ANALYSIS WH11132857

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
CC115238		0.60	12.1	0.86	1.28	0.09	0.04	0.03	0.009	0.04	5.7	4.5	8.92	122	2.06	0.03
CC115239		0.44	7.8	0.54	0.69	0.08	0.03	0.03	0.007	0.03	3.4	2.6	10.05	90	1.61	0.03
CC115240		0.49	10.4	0.90	1.35	0.08	0.05	0.01	0.014	0.04	5.3	4.8	7.56	141	1.51	0.04
CC115242		0.52	9.3	0.63	0.81	0.09	0.03	0.02	0.008	0.03	3.8	3.0	9.71	107	1.98	0.03
CC115243		0.46	9.1	0.68	0.93	0.09	0.04	0.04	0.008	0.03	4.0	3.4	9.47	103	1.45	0.03
CC115244		1.11	9.2	0.89	1.06	0.09	0.04	0.05	0.009	0.05	5.4	3.5	8.62	105	1.46	0.03
CC115245		1.39	9.1	0.85	0.92	0.09	0.04	0.09	0.010	0.05	5.0	3.0	8.65	99	1.45	0.03
CC115246		0.52	8.1	0.59	0.73	0.09	0.03	0.05	0.008	0.03	3.7	2.7	9.07	90	1.63	0.03
CC115247		0.59	9.1	0.62	0.84	0.08	0.03	0.04	0.008	0.04	4.1	3.3	8.61	89	1.57	0.02
CC115248		0.64	9.0	0.64	0.87	0.09	0.03	0.05	0.009	0.04	4.3	3.3	9.07	97	1.45	0.03
CC115249		0.72	9.3	0.71	0.86	0.09	0.03	0.05	0.008	0.04	4.4	3.4	9.10	98	1.71	0.03
CC115250		0.65	8.7	0.65	0.77	0.09	0.03	0.04	0.007	0.03	3.9	2.9	9.28	93	1.67	0.03
CC115251		0.75	9.9	0.68	0.89	0.10	0.03	0.05	0.010	0.03	4.4	3.4	9.03	86	1.73	0.02
CC115252		0.68	9.8	0.65	0.86	0.10	0.03	0.05	0.009	0.03	4.3	3.3	8.83	95	1.65	0.03
CC115253		0.72	9.3	0.66	0.83	0.09	0.03	0.04	0.009	0.03	4.1	3.2	9.33	92	1.67	0.03
CC115254		0.83	10.0	0.73	1.00	0.09	0.03	0.05	0.009	0.04	4.5	3.7	8.87	96	1.75	0.03
CC115255		0.89	11.8	0.82	1.15	0.10	0.04	0.05	0.010	0.05	5.1	4.5	8.88	107	1.69	0.03
CC129399		0.56	11.5	0.98	1.16	0.09	0.03	0.03	0.011	0.05	6.0	4.2	7.61	141	3.10	0.03
CC129400		0.67	14.5	1.04	1.28	0.09	0.03	0.05	0.012	0.04	5.9	4.8	7.28	142	3.07	0.03
CC115413		0.72	17.1	1.26	1.55	0.11	0.04	0.07	0.014	0.05	7.2	6.0	6.17	172	3.31	0.03
CC115414		0.85	21.3	1.57	1.92	0.10	0.05	0.09	0.020	0.06	7.5	7.8	5.26	204	4.19	0.03
CC115415		0.80	20.2	1.54	1.88	0.10	0.05	0.07	0.020	0.07	7.5	7.7	5.30	183	4.03	0.02
CC115416		0.62	15.6	1.26	1.51	0.09	0.04	0.07	0.014	0.05	6.0	6.2	6.21	179	3.46	0.02
CC115417		0.66	18.3	1.45	1.63	0.09	0.05	0.07	0.017	0.06	6.4	6.9	5.55	192	3.87	0.02
CC115418		0.86	19.3	1.51	1.90	0.10	0.05	0.07	0.017	0.07	7.2	7.6	5.63	173	4.14	0.03
CC115419		0.94	21.4	1.64	2.08	0.10	0.06	0.08	0.020	0.07	7.2	9.2	5.02	206	3.04	0.03
CC115420		1.01	19.9	1.44	1.63	0.11	0.05	0.09	0.018	0.06	6.3	7.0	5.93	232	3.98	0.03
CC115421		1.32	25.2	1.66	2.09	0.11	0.05	0.14	0.024	0.09	7.5	8.6	5.36	196	4.45	0.03
CC115422		1.03	21.9	1.74	2.03	0.09	0.05	0.09	0.018	0.08	7.5	9.0	4.98	218	4.20	0.03
CC115423		0.73	9.8	1.03	0.98	0.09	0.04	0.05	0.012	0.06	4.5	4.0	8.33	171	1.38	0.03
CC115424		1.10	20.8	1.85	2.04	0.11	0.06	0.07	0.017	0.09	7.1	11.5	5.12	381	1.08	0.03
CC115425		0.71	9.0	0.89	0.89	0.09	0.03	0.07	0.011	0.05	4.3	3.8	8.30	151	1.31	0.02
CC115426		0.47	4.7	0.55	0.45	0.08	0.02	0.05	0.007	0.03	2.8	1.7	10.25	85	1.12	0.03
CC115427		0.58	5.7	0.68	0.50	0.09	0.03	0.05	0.009	0.04	3.2	1.7	9.67	91	1.42	0.03
CC115136		0.77	29.1	2.19	2.36	0.13	0.06	0.18	0.033	0.08	21.9	8.0	0.36	295	2.64	0.02
CC115137		0.56	40.0	1.57	1.66	0.13	0.05	0.23	0.026	0.12	10.4	3.3	0.51	150	7.36	0.02
CC115138		0.59	56.7	1.71	2.79	0.16	0.05	0.35	0.031	0.09	14.1	5.3	0.67	102	12.85	0.02
CC115139		0.41	38.4	1.47	1.82	0.13	0.07	0.50	0.027	0.11	9.2	4.6	0.50	119	8.35	0.02
CC115140		0.47	28.1	1.06	1.67	0.12	0.07	0.57	0.021	0.09	7.4	4.1	0.68	75	4.52	0.02
CC115141		0.62	28.5	1.19	1.69	0.12	0.06	3.19	0.023	0.10	8.4	4.2	1.23	81	8.01	0.02

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 25- AUG- 2011
Account: RCM

Project: Rackla - Val Easts

CERTIFICATE OF ANALYSIS WH11132857

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
CC115238		0.32	23.6	550	5.5	3.4	0.001	<0.01	0.92	1.6	1.1	0.2	110.0	<0.01	0.02	1.1
CC115239		0.21	15.3	320	3.6	2.0	0.001	<0.01	0.67	1.0	0.6	<0.2	116.5	<0.01	0.01	0.8
CC115240		0.29	17.3	560	6.0	3.6	<0.001	0.03	0.91	1.4	0.8	0.2	96.2	<0.01	0.02	0.8
CC115242		0.21	18.9	360	4.1	2.3	0.001	<0.01	0.76	1.2	0.8	<0.2	117.0	<0.01	0.01	0.8
CC115243		0.22	17.6	400	4.4	2.5	<0.001	<0.01	0.69	1.2	0.7	0.2	108.0	<0.01	0.01	0.8
CC115244		0.25	14.0	380	5.5	3.2	<0.001	<0.01	0.65	1.6	0.7	0.2	133.0	<0.01	<0.01	1.3
CC115245		0.22	12.4	320	5.1	3.6	0.001	0.02	0.58	1.6	0.6	0.2	136.5	<0.01	0.01	1.3
CC115246		0.22	14.4	330	3.9	2.4	0.001	0.01	0.64	1.1	0.9	<0.2	106.5	<0.01	0.02	0.8
CC115247		0.26	15.9	350	4.4	2.7	0.001	0.01	0.70	1.2	0.6	<0.2	104.5	<0.01	0.02	0.9
CC115248		0.25	15.7	380	4.4	2.8	0.001	0.02	0.65	1.3	0.7	<0.2	110.5	<0.01	0.01	0.9
CC115249		0.25	15.9	380	4.9	2.8	0.001	0.02	0.74	1.3	0.5	<0.2	111.5	<0.01	0.01	0.9
CC115250		0.22	15.1	340	4.3	2.5	0.001	0.02	0.68	1.1	0.6	<0.2	109.5	<0.01	0.01	0.9
CC115251		0.22	16.8	350	5.0	3.0	0.001	0.02	0.77	1.3	0.9	0.2	113.0	<0.01	0.02	1.0
CC115252		0.23	16.4	350	4.5	2.7	0.001	0.02	0.73	1.2	0.6	0.2	110.5	<0.01	0.02	0.9
CC115253		0.23	15.8	340	4.4	2.7	0.001	0.02	0.75	1.2	0.4	<0.2	115.5	<0.01	0.02	0.8
CC115254		0.25	18.2	380	5.1	3.4	0.001	0.02	0.79	1.4	0.7	0.2	108.5	<0.01	0.03	0.9
CC115255		0.28	19.9	440	5.8	4.0	0.001	0.03	0.79	1.5	0.7	0.2	108.5	<0.01	0.03	1.0
CC129399		0.28	24.1	600	6.4	3.5	0.001	0.02	0.96	1.5	1.2	0.2	76.1	<0.01	0.03	1.0
CC129400		0.31	30.3	610	6.7	3.5	0.001	0.02	1.24	1.8	0.9	0.2	91.4	<0.01	0.04	1.1
CC115413		0.37	32.6	730	8.1	3.9	0.001	0.02	1.26	2.0	0.9	0.2	80.1	<0.01	0.03	1.4
CC115414		0.34	39.3	770	10.7	4.9	0.001	0.03	1.37	2.4	1.5	0.3	77.0	<0.01	0.04	1.3
CC115415		0.33	34.8	750	10.7	4.8	0.001	0.03	1.32	2.5	1.7	0.3	79.3	<0.01	0.04	1.2
CC115416		0.28	27.9	650	8.6	3.9	0.001	0.03	1.08	1.9	1.2	0.2	82.0	<0.01	0.02	0.9
CC115417		0.29	31.4	670	10.2	4.0	0.001	0.03	1.27	2.2	1.4	0.2	83.0	<0.01	0.06	1.0
CC115418		0.33	37.5	730	10.0	5.2	0.002	0.03	1.47	2.4	1.6	0.3	84.0	<0.01	0.04	1.2
CC115419		0.35	34.0	720	12.1	5.7	0.002	0.03	1.24	2.7	1.2	0.3	80.2	<0.01	0.05	1.4
CC115420		0.28	55.8	690	11.5	5.0	0.002	0.03	1.57	2.4	1.5	0.3	94.9	<0.01	0.04	1.3
CC115421		0.32	70.9	810	12.3	7.0	0.006	0.04	1.79	3.0	2.0	0.3	90.4	<0.01	0.07	1.4
CC115422		0.32	48.4	770	12.8	6.0	0.002	0.04	1.54	2.7	1.9	0.3	81.1	<0.01	0.04	1.3
CC115423		0.13	10.4	260	8.0	3.6	0.001	0.03	0.91	1.9	0.9	0.2	121.0	<0.01	0.03	1.1
CC115424		0.21	16.3	450	16.3	5.2	0.001	0.01	0.78	3.3	0.6	0.2	200	<0.01	0.02	2.6
CC115425		0.13	9.6	220	7.6	3.3	0.001	0.02	0.94	1.7	0.5	0.2	119.0	<0.01	0.03	1.1
CC115426		0.06	5.2	130	4.2	1.9	0.001	0.02	0.86	1.0	0.6	<0.2	129.5	<0.01	0.01	0.7
CC115427		0.08	7.0	160	5.3	2.3	<0.001	0.02	1.01	1.2	0.6	<0.2	122.5	<0.01	0.02	0.8
CC115136		0.39	44.5	1280	12.9	7.4	0.002	0.06	1.00	2.9	2.6	0.4	43.4	<0.01	0.10	1.1
CC115137		0.14	101.5	2690	9.2	7.4	0.008	0.17	2.03	2.8	7.0	0.4	137.5	<0.01	0.11	1.7
CC115138		0.27	112.0	3560	10.1	7.2	0.019	0.09	5.17	3.4	10.1	0.5	167.0	<0.01	0.12	1.6
CC115139		0.22	96.8	2010	9.2	6.5	0.057	0.16	3.63	2.2	11.7	0.4	105.5	<0.01	0.11	0.9
CC115140		0.19	59.7	1530	8.0	6.0	0.034	0.12	3.26	2.2	7.9	0.4	90.5	<0.01	0.10	1.0
CC115141		0.16	156.5	1650	8.2	7.5	0.034	0.11	3.46	2.1	7.4	0.4	85.8	<0.01	0.10	1.1

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 25- AUG- 2011
Account: RCM

Project: Rackla - Val Easts

CERTIFICATE OF ANALYSIS WH11132857

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
CC115238		0.015	0.29	1.40	21	0.08	5.95	78	1.4
CC115239		0.010	0.24	1.49	14	0.06	3.84	50	1.0
CC115240		0.013	0.22	1.43	23	0.08	5.07	71	1.5
CC115242		0.010	0.28	1.51	16	0.10	4.65	60	1.1
CC115243		0.011	0.24	1.27	17	0.05	4.48	60	1.1
CC115244		0.011	0.40	1.16	14	0.06	4.24	36	1.3
CC115245		0.010	0.53	1.20	12	0.07	4.10	30	1.1
CC115246		0.010	0.27	1.43	15	0.05	4.10	54	1.0
CC115247		0.011	0.30	1.44	16	0.06	4.49	58	1.2
CC115248		0.010	0.32	1.44	16	0.05	4.59	58	1.1
CC115249		0.011	0.37	1.48	16	0.07	4.65	58	1.1
CC115250		0.010	0.34	1.45	15	0.05	4.21	54	1.1
CC115251		0.009	0.42	1.49	16	0.05	4.68	55	1.2
CC115252		0.010	0.47	1.40	14	0.05	4.62	55	1.3
CC115253		0.009	0.38	1.48	15	0.05	4.43	54	1.1
CC115254		0.010	0.44	1.46	17	0.06	4.88	67	1.1
CC115255		0.012	0.48	1.71	19	0.08	5.28	74	1.3
CC129399		0.014	0.23	1.45	28	0.10	6.39	112	1.0
CC129400		0.014	0.33	1.44	29	0.07	7.95	125	1.2
CC115413		0.017	0.39	1.43	33	0.13	8.85	136	1.4
CC115414		0.014	0.46	1.63	37	0.09	10.55	156	1.7
CC115415		0.012	0.38	1.45	36	0.10	10.05	139	1.6
CC115416		0.012	0.33	1.33	30	0.10	7.99	112	1.4
CC115417		0.011	0.29	1.43	32	0.08	8.99	126	1.4
CC115418		0.013	0.45	1.52	35	0.13	10.00	146	1.7
CC115419		0.012	0.47	1.34	32	0.10	9.77	132	1.7
CC115420		0.010	0.88	1.92	32	0.09	10.80	217	1.6
CC115421		0.010	1.36	1.90	40	0.09	13.55	278	1.8
CC115422		0.011	0.74	2.01	39	0.15	11.50	206	1.7
CC115423		0.005	0.57	1.00	12	0.07	4.51	41	1.2
CC115424		0.007	0.26	1.15	19	<0.05	7.06	96	3.0
CC115425		0.005	0.60	1.12	11	<0.05	4.29	34	1.1
CC115426		<0.005	0.55	1.29	7	<0.05	2.72	20	0.8
CC115427		<0.005	0.73	1.20	8	<0.05	3.07	25	0.9
CC115136		0.013	0.22	1.46	34	0.19	37.1	167	1.6
CC115137		<0.005	0.68	3.61	117	0.13	25.9	492	1.7
CC115138		0.006	0.83	13.30	242	0.25	34.3	534	2.0
CC115139		0.005	0.72	4.19	116	0.22	21.5	532	2.1
CC115140		<0.005	0.76	4.24	112	0.10	15.05	341	2.2
CC115141		<0.005	2.41	3.55	134	0.09	17.45	568	2.1

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 25- AUG- 2011
Account: RCM

Project: Rackla - Val Easts

CERTIFICATE OF ANALYSIS WH11132857

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- ST43 Au ppm 0.0001	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1
CC115142		0.18	0.0024	1.06	0.52	15.4	<0.2	<10	610	0.41	0.13	3.59	4.11	10.50	3.8	21
CC115143		0.27	0.0025	0.94	0.55	13.0	<0.2	<10	480	0.45	0.12	3.55	3.84	10.20	3.8	20
CC115144		0.29	0.0027	0.67	0.54	12.2	<0.2	<10	350	0.37	0.11	4.76	12.05	10.50	4.1	18
CC115145		0.34	0.0017	0.43	0.52	9.4	<0.2	<10	420	0.34	0.08	5.40	1.94	11.30	4.0	14
CC115022		0.37	0.0017	0.12	1.06	11.6	<0.2	<10	220	0.67	0.18	4.34	0.79	17.70	9.5	19
CC115023		0.34	0.0011	0.04	1.56	9.6	<0.2	<10	180	0.48	0.22	1.07	0.30	21.7	8.6	25
CC115024		0.31	0.0017	0.12	1.32	12.7	<0.2	<10	230	0.73	0.21	2.56	0.62	20.8	10.4	20
CC115025		0.25	0.0012	0.13	0.86	12	<0.2	<10	100	0.46	0.12	10.10	0.34	18.20	6.5	16
CC115026		0.48	0.0018	0.03	0.21	9	<0.2	<10	150	0.17	0.05	17.40	0.21	10.05	3.5	6
CC115027		0.49	0.0013	0.03	0.20	8	<0.2	<10	140	0.16	0.05	17.50	0.18	9.37	3.2	5
CC115028		0.42	0.0023	0.03	0.21	10	<0.2	<10	140	0.18	0.05	17.45	0.19	9.92	3.4	5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 25- AUG- 2011
Account: RCM

Project: Rackla - Val Easts

CERTIFICATE OF ANALYSIS WH11132857

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
CC115142		0.49	27.1	1.16	1.61	0.11	0.06	0.31	0.019	0.07	6.8	4.3	1.00	118	3.77	0.02
CC115143		0.42	26.6	1.10	1.62	0.11	0.06	0.34	0.019	0.07	6.6	4.7	0.85	163	2.34	0.02
CC115144		0.42	31.4	1.18	1.82	<0.05	0.06	0.31	0.020	0.08	6.5	6.4	1.89	128	3.60	0.01
CC115145		0.45	16.2	1.06	1.75	<0.05	0.06	0.17	0.017	0.06	6.4	7.0	2.53	130	1.97	0.01
CC115022		0.77	22.9	2.44	3.16	<0.05	0.05	0.05	0.028	0.08	8.6	12.5	1.54	388	1.87	0.01
CC115023		0.77	9.2	2.70	5.54	<0.05	0.05	0.02	0.029	0.04	10.4	16.9	0.84	372	1.16	0.01
CC115024		0.84	23.0	2.63	3.87	<0.05	0.07	0.07	0.030	0.08	10.4	13.8	1.00	499	1.48	0.01
CC115025		0.65	11.1	1.61	2.51	<0.05	0.07	0.06	0.020	0.05	9.7	8.3	5.65	300	1.52	0.02
CC115026		0.73	6.9	0.79	0.69	<0.05	0.03	0.03	0.010	0.04	4.9	2.7	9.04	144	3.41	0.02
CC115027		0.64	6.5	0.74	0.64	<0.05	0.03	0.03	0.008	0.03	4.5	2.5	9.02	133	3.31	0.02
CC115028		0.73	6.7	0.74	0.69	<0.05	0.04	0.04	0.009	0.03	4.8	2.6	9.04	137	3.10	0.02

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 25- AUG- 2011
Account: RCM

Project: Rackla - Val Easts

CERTIFICATE OF ANALYSIS WH11132857

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
CC115142		0.17	61.6	1310	8.0	5.4	0.019	0.10	2.61	2.0	5.3	0.3	79.0	<0.01	0.09	1.1
CC115143		0.20	55.7	1110	8.1	4.6	0.023	0.11	2.68	1.8	7.0	0.3	68.9	<0.01	0.06	0.8
CC115144		0.21	85.6	1180	9.2	6.5	0.028	0.10	3.13	2.0	6.0	0.3	69.9	<0.01	0.05	0.9
CC115145		0.22	31.9	820	7.6	5.1	0.010	0.08	1.64	1.9	4.1	0.3	62.5	<0.01	0.04	1.2
CC115022		0.34	30.3	700	16.1	7.7	0.001	0.09	0.95	2.1	1.0	0.4	34.0	<0.01	0.04	0.7
CC115023		0.84	16.9	180	17.1	8.0	<0.001	0.02	0.54	3.5	0.3	0.6	13.8	<0.01	0.03	3.2
CC115024		0.44	23.0	740	18.1	8.2	<0.001	0.09	0.91	2.5	0.9	0.4	25.1	<0.01	0.04	0.8
CC115025		0.36	13.4	710	11.2	7.5	0.001	0.05	0.64	2.5	0.6	0.3	75.9	<0.01	0.03	1.0
CC115026		0.25	7.6	240	4.7	2.8	0.001	0.11	0.66	1.6	0.4	<0.2	133.0	<0.01	0.02	1.4
CC115027		0.24	6.8	220	4.3	2.4	0.001	0.10	0.62	1.5	0.4	<0.2	133.5	<0.01	0.02	1.1
CC115028		0.25	7.4	230	4.4	2.5	0.001	0.10	0.67	1.6	0.4	<0.2	133.0	<0.01	0.02	1.1

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 25- AUG- 2011
Account: RCM

Project: Rackla - Val Easts

CERTIFICATE OF ANALYSIS WH11132857

Sample Description	Method Analyte Units LOR	ME- MS41 Ti % 0.005	ME- MS41 Tl ppm 0.02	ME- MS41 U ppm 0.05	ME- MS41 V ppm 1	ME- MS41 W ppm 0.05	ME- MS41 Y ppm 0.05	ME- MS41 Zn ppm 2	ME- MS41 Zr ppm 0.5
CC115142		0.005	0.87	3.03	114	0.11	13.60	343	2.7
CC115143		0.005	0.61	3.44	89	0.07	12.75	257	2.1
CC115144		0.007	1.05	3.50	79	0.07	12.00	297	2.0
CC115145		0.006	0.36	1.88	58	0.06	9.33	188	1.7
CC115022		0.008	0.18	1.30	34	0.11	8.96	118	1.4
CC115023		0.020	0.15	0.72	49	0.17	3.89	101	1.5
CC115024		0.010	0.19	1.51	35	0.10	10.40	101	1.7
CC115025		0.010	0.16	1.07	27	0.13	10.60	49	1.6
CC115026		0.006	0.26	1.25	11	0.07	4.85	25	1.1
CC115027		0.005	0.25	1.20	10	0.05	4.59	24	1.0
CC115028		0.006	0.30	1.18	10	<0.05	4.63	24	1.1

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 25- AUG- 2011
Account: RCM

Project: Rackla - Val Easts

CERTIFICATE OF ANALYSIS WH11132857

Method	CERTIFICATE COMMENTS
ME- MS41	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown.
ME- MS41	Gold determinations by this method are semi- quantitative due to the small sample weight used (0.5g).

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 23- AUG- 2011
Account: RCM

CERTIFICATE WH11132858

Project: Rackla- Rackla Silts

P.O. No.:

This report is for 105 Silt samples submitted to our lab in Whitehorse, YT, Canada on 13- JUL- 2011.

The following have access to data associated with this certificate:

ROB CARNE JULIA LANE	ANDREW CARNE JOAN MARIACHER	MATT DUMALA

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
SCR- 41	Screen to - 180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- ST43	Super Trace Au - 25g AR	ICP- MS
ME- MS41	51 anal. aqua regia ICPMS	

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 23- AUG- 2011
Account: RCM

Project: Rackla- Rackla Silts

CERTIFICATE OF ANALYSIS WH11132858

Sample Description	Method	WEI- 21	Au- ST43	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Recvd Wt.	Au	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.02	0.0001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
CC129773		0.30	0.0017	1.12	0.85	6.0	<0.2	<10	280	0.76	0.24	1.40	3.94	17.35	9.4	27
CC129774		0.41	0.0012	0.93	0.70	5.7	<0.2	<10	300	0.62	0.22	1.03	1.88	13.85	8.2	21
CC129775		0.49	0.0030	0.92	0.79	6.0	<0.2	<10	310	0.63	0.21	1.63	1.66	13.05	8.1	22
CC129776		0.53	0.0019	0.96	0.70	6.2	<0.2	<10	340	0.52	0.18	1.44	1.16	11.60	7.0	19
CC129777		0.45	0.0022	0.92	0.71	7.7	<0.2	<10	350	0.58	0.19	1.39	1.02	11.80	7.0	19
CC129788		0.28	0.0030	1.01	0.76	7.3	<0.2	<10	320	0.57	0.20	1.48	1.22	11.75	7.3	20
CC129789		0.35	0.0018	0.29	0.96	8.3	<0.2	<10	380	0.57	0.20	0.90	0.80	13.00	8.5	22
CC129790		0.45	0.0019	0.69	1.00	7.7	<0.2	<10	360	0.62	0.21	1.83	0.99	15.10	10.1	21
CC129791		0.41	0.0018	0.45	1.01	7.1	<0.2	<10	300	0.58	0.21	2.84	0.77	13.95	10.5	20
CC129792		0.43	0.0021	0.49	0.97	8.7	<0.2	<10	310	0.64	0.21	1.80	0.87	15.10	10.4	20
CC129793		0.50	0.0009	0.17	0.66	6	<0.2	<10	130	0.53	0.14	11.35	0.52	16.30	6.6	13
CC129794		0.45	0.0011	0.06	0.65	10	<0.2	<10	130	0.50	0.11	12.00	0.32	17.60	6.5	12
CC129795		0.47	0.0008	0.07	0.51	8	<0.2	<10	130	0.40	0.10	15.05	0.52	13.15	5.3	10
CC129796		0.67	0.0008	0.06	0.48	6	<0.2	<10	130	0.39	0.09	15.70	0.40	12.95	4.8	9
CC129797		0.51	0.0008	0.05	0.37	8	<0.2	<10	90	0.32	0.08	17.10	0.41	11.70	4.2	8
CC129798		0.55	0.0016	0.07	0.54	11	<0.2	<10	120	0.43	0.10	13.70	0.34	14.40	5.0	11
CC129799		0.47	0.0006	0.05	0.39	6	<0.2	<10	100	0.37	0.07	16.10	0.42	12.35	4.2	8
CC129800		0.56	0.0043	0.07	0.44	6	<0.2	<10	110	0.39	0.08	15.80	0.42	13.70	4.6	9
CC115201		0.44	0.0010	0.07	0.48	9	<0.2	<10	100	0.39	0.09	14.15	0.50	13.35	4.9	10
CC115202		0.39	0.0006	0.05	0.37	8	<0.2	<10	90	0.30	0.07	16.35	0.35	11.30	4.0	8
CC115203		0.42	0.0014	0.06	0.45	8	<0.2	<10	100	0.38	0.08	15.00	0.49	12.70	4.6	9
CC115204		0.47	0.0005	0.05	0.27	5	<0.2	<10	70	0.27	0.05	18.00	0.33	9.40	3.3	6
CC115205		0.53	0.0007	0.08	0.70	8	<0.2	<10	120	0.51	0.13	12.20	0.51	16.50	7.3	12
CC115337		0.38	0.0020	1.30	1.22	6.6	<0.2	<10	390	0.77	0.28	0.57	0.76	11.45	9.4	43
CC115338		0.23	0.0017	1.15	1.05	5.1	<0.2	<10	280	0.74	0.25	0.80	1.45	9.66	10.5	36
CC115339		0.23	0.0021	1.64	1.08	5.6	<0.2	10	520	0.71	0.20	1.60	1.77	11.30	11.8	27
CC115340		0.19	0.0017	0.95	0.69	5.4	<0.2	10	400	0.40	0.18	1.18	0.74	12.95	7.1	19
CC115341		0.16	0.0017	0.90	0.56	6.3	<0.2	10	410	0.35	0.16	1.03	0.63	10.15	5.6	15
CC115342		0.27	0.0011	0.65	0.61	7.8	<0.2	10	400	0.33	0.15	0.79	0.55	11.35	6.2	16
CC115343		0.33	0.0013	0.62	0.63	8.4	<0.2	10	400	0.36	0.15	1.11	0.57	12.40	5.8	16
CC115344		0.21	0.0016	0.84	0.96	7.3	<0.2	10	300	0.49	0.16	1.45	0.67	15.35	8.1	22
CC115345		0.23	0.0016	0.70	1.05	5.5	<0.2	10	280	0.48	0.17	1.20	0.64	13.25	6.7	24
CC115346		0.28	0.0002	0.60	0.92	5.9	<0.2	<10	260	0.44	0.14	0.76	0.51	14.35	7.3	22
CC115347		0.22	0.0013	0.71	0.93	6.0	<0.2	<10	280	0.41	0.14	0.91	0.55	13.30	7.1	22
CC115348		0.28	0.0010	0.53	0.88	5.1	<0.2	<10	270	0.34	0.13	0.79	0.41	11.35	6.0	20
CC115349		0.38	0.0013	0.56	0.96	7.0	<0.2	<10	310	0.46	0.17	1.42	0.50	14.35	7.6	23
CC115350		0.32	0.0008	0.47	0.85	6.8	<0.2	<10	290	0.40	0.17	0.82	0.49	12.95	7.5	21
CC115351		0.35	0.0008	0.54	0.90	6.2	<0.2	<10	310	0.42	0.15	1.20	0.47	14.05	6.9	22
CC115352		0.52	0.0012	0.08	1.25	8.3	<0.2	<10	130	0.41	0.19	6.32	0.24	19.00	17.1	19
CC115353		0.54	0.0011	0.06	1.29	8.8	<0.2	<10	140	0.48	0.19	6.72	0.22	19.80	16.0	20

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 23- AUG- 2011
Account: RCM

Project: Rackla- Rackla Silts

CERTIFICATE OF ANALYSIS WH11132858

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
CC129773		1.18	48.5	2.46	2.45	<0.05	0.08	0.35	0.041	0.11	20.3	11.2	0.30	172	2.67	0.01
CC129774		1.16	38.8	2.32	1.88	<0.05	0.06	0.28	0.037	0.09	13.4	9.5	0.27	162	2.57	0.01
CC129775		0.98	37.6	2.36	2.16	<0.05	0.07	0.24	0.036	0.09	12.1	11.5	0.36	165	2.35	0.01
CC129776		0.73	33.7	2.14	1.95	<0.05	0.07	0.22	0.034	0.08	9.7	9.9	0.35	150	2.13	0.01
CC129777		0.63	37.4	2.21	1.99	<0.05	0.08	0.17	0.034	0.08	10.0	9.8	0.30	145	2.59	0.01
CC129788		0.63	33.5	2.21	2.19	<0.05	0.07	0.18	0.030	0.09	9.4	10.5	0.37	189	2.44	0.01
CC129789		0.50	26.9	2.55	2.73	<0.05	0.08	0.10	0.029	0.09	8.5	14.0	0.34	248	2.28	0.01
CC129790		0.67	33.9	2.59	2.82	<0.05	0.07	0.15	0.033	0.09	9.9	15.6	0.81	302	1.83	0.01
CC129791		0.61	35.1	2.60	2.85	<0.05	0.07	0.11	0.027	0.08	8.7	15.6	1.16	334	1.50	0.01
CC129792		0.62	35.9	2.63	2.92	<0.05	0.08	0.11	0.028	0.08	8.9	16.8	0.84	355	1.98	0.01
CC129793		0.65	17.8	1.69	1.96	<0.05	0.05	0.07	0.020	0.07	9.1	10.4	5.68	175	1.70	0.02
CC129794		0.53	13.2	1.60	1.87	<0.05	0.04	0.03	0.017	0.06	9.6	9.2	6.10	338	1.45	0.02
CC129795		0.72	11.5	1.23	1.39	<0.05	0.05	0.04	0.016	0.07	7.7	7.2	7.06	237	1.47	0.02
CC129796		0.71	10.5	1.14	1.37	<0.05	0.04	0.02	0.013	0.06	7.3	7.2	7.55	213	1.37	0.02
CC129797		0.74	9.4	0.99	1.08	<0.05	0.02	0.02	0.012	0.06	6.7	5.5	8.16	195	1.91	0.02
CC129798		0.63	12.3	1.31	1.55	<0.05	0.04	0.03	0.014	0.07	7.9	8.2	6.98	187	1.25	0.02
CC129799		0.60	9.2	0.98	1.12	<0.05	0.04	0.02	0.015	0.06	7.0	5.5	8.21	179	1.59	0.01
CC129800		0.68	16.2	1.04	1.29	<0.05	0.04	0.02	0.014	0.06	7.5	6.3	8.12	191	1.57	0.02
CC115201		0.66	11.7	1.23	1.33	<0.05	0.05	0.02	0.015	0.07	7.6	6.1	7.38	207	1.78	0.02
CC115202		0.60	9.3	0.95	1.05	<0.05	0.04	0.02	0.013	0.06	6.6	5.0	8.45	176	1.75	0.02
CC115203		0.62	10.7	1.16	1.20	<0.05	0.04	0.02	0.014	0.07	7.3	5.7	7.68	213	1.77	0.02
CC115204		0.57	7.6	0.75	0.72	<0.05	0.03	0.01	0.010	0.05	5.8	3.6	9.46	155	2.14	0.02
CC115205		0.77	16.5	1.64	2.07	<0.05	0.05	0.03	0.018	0.07	8.9	11.7	6.46	276	1.35	0.02
CC115337		1.97	47.3	3.25	3.34	<0.05	0.08	0.36	0.057	0.09	8.1	27.9	0.35	181	2.25	0.01
CC115338		1.98	45.4	2.83	2.88	<0.05	0.08	0.42	0.047	0.09	7.2	30.0	0.35	216	2.15	0.01
CC115339		1.12	39.9	2.58	2.86	<0.05	0.09	0.39	0.037	0.10	9.7	22.3	0.35	236	2.97	0.02
CC115340		0.89	33.3	2.12	2.06	0.11	0.07	0.20	0.032	0.08	7.7	12.1	0.21	174	1.28	0.01
CC115341		0.70	33.3	1.86	1.67	0.10	0.06	0.18	0.027	0.07	6.1	9.4	0.18	117	1.39	0.01
CC115342		0.65	27.9	2.01	1.89	0.10	0.05	0.13	0.029	0.07	6.2	10.0	0.22	162	1.78	0.01
CC115343		0.60	28.8	1.85	2.11	0.10	0.04	0.12	0.023	0.07	6.0	9.9	0.26	206	1.60	0.01
CC115344		0.74	33.6	2.17	3.20	0.10	0.07	0.17	0.030	0.08	8.5	17.4	0.35	306	1.13	0.01
CC115345		0.77	28.2	2.15	3.15	0.11	0.07	0.22	0.027	0.07	7.8	21.2	0.34	162	1.23	0.01
CC115346		0.75	22.5	2.07	3.19	0.10	0.06	0.16	0.025	0.07	7.6	22.0	0.30	174	1.10	<0.01
CC115347		0.80	25.1	2.06	2.87	0.10	0.07	0.16	0.026	0.06	7.4	21.0	0.29	164	1.15	0.01
CC115348		0.71	18.7	1.99	2.56	0.09	0.06	0.15	0.023	0.06	6.0	18.6	0.29	145	1.03	<0.01
CC115349		0.77	28.9	2.43	2.94	0.10	0.06	0.14	0.029	0.07	7.1	19.4	0.71	204	1.40	<0.01
CC115350		0.79	25.7	2.26	2.90	0.10	0.06	0.14	0.029	0.06	6.7	19.5	0.43	169	1.42	0.01
CC115351		0.77	25.0	2.27	2.86	0.09	0.06	0.14	0.028	0.06	6.8	19.2	0.56	177	1.36	0.01
CC115352		0.62	34.9	3.22	4.06	0.12	0.10	0.04	0.020	0.05	6.9	26.8	1.83	696	0.65	0.01
CC115353		0.77	39.3	3.37	4.55	0.13	0.15	0.05	0.021	0.06	7.6	28.1	1.84	668	0.69	0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 23- AUG- 2011
Account: RCM

Project: Rackla- Rackla Silts

CERTIFICATE OF ANALYSIS WH11132858

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
CC129773		0.32	91.8	1190	15.4	12.1	0.005	0.13	0.86	5.1	3.9	0.5	59.3	<0.01	0.05	1.7
CC129774		0.22	74.0	940	13.5	11.0	0.005	0.09	0.79	4.3	3.5	0.4	46.6	<0.01	0.04	1.7
CC129775		0.24	69.3	900	13.0	10.2	0.004	0.09	0.73	4.3	3.6	0.4	55.1	<0.01	0.05	1.7
CC129776		0.18	55.3	910	11.3	9.2	0.006	0.09	0.69	3.6	2.3	0.3	58.7	<0.01	0.05	1.6
CC129777		0.21	60.3	960	11.9	7.7	0.008	0.10	0.78	3.6	3.3	0.4	62.4	<0.01	0.07	1.3
CC129788		0.21	56.3	970	12.2	8.4	0.005	0.09	0.74	3.7	3.0	0.3	63.2	<0.01	0.10	1.5
CC129789		0.22	44.5	840	14.0	8.1	0.003	0.06	0.64	4.0	2.0	0.4	44.8	<0.01	0.04	2.0
CC129790		0.23	44.8	880	14.5	7.3	0.004	0.07	0.68	4.1	2.6	0.3	51.7	<0.01	0.04	2.1
CC129791		0.22	37.9	810	15.3	5.9	0.004	0.06	0.66	3.8	1.8	0.3	56.5	<0.01	0.04	1.9
CC129792		0.23	44.8	810	15.2	6.6	0.004	0.06	0.72	4.2	2.3	0.3	48.6	<0.01	0.04	2.1
CC129793		0.27	23.9	660	10.3	5.0	0.001	0.03	0.42	2.8	1.0	0.3	78.0	<0.01	0.02	1.9
CC129794		0.24	18.1	650	9.5	4.1	<0.001	0.03	0.35	2.3	0.5	0.3	74.9	<0.01	<0.01	1.2
CC129795		0.23	20.2	640	8.1	5.0	0.002	0.05	0.37	2.0	0.8	0.2	106.0	<0.01	0.01	1.3
CC129796		0.20	16.6	530	7.8	4.4	0.001	0.04	0.32	2.0	0.5	0.2	104.5	<0.01	0.03	1.5
CC129797		0.17	15.6	460	6.1	4.2	0.001	0.06	0.38	1.6	0.4	0.2	114.5	<0.01	<0.01	1.2
CC129798		0.25	17.6	590	8.3	4.8	0.001	0.04	0.35	2.2	0.7	0.2	84.2	<0.01	<0.01	1.5
CC129799		0.18	15.9	510	6.0	4.3	0.001	0.03	0.36	1.7	0.5	0.2	97.0	<0.01	0.02	1.0
CC129800		0.21	18.4	550	6.4	4.5	0.001	0.04	0.38	2.0	0.4	0.2	98.6	<0.01	<0.01	1.2
CC115201		0.22	19.0	630	7.5	4.7	0.001	0.05	0.40	2.1	1.0	0.2	85.2	<0.01	<0.01	1.2
CC115202		0.16	15.0	490	5.8	3.8	0.002	0.03	0.36	1.9	0.5	0.2	91.5	<0.01	0.01	1.1
CC115203		0.20	18.2	610	7.1	4.5	0.002	0.05	0.40	1.9	0.4	0.2	89.9	<0.01	<0.01	1.2
CC115204		0.13	12.7	390	4.6	3.1	0.001	0.05	0.39	1.3	0.4	0.2	104.5	<0.01	0.01	1.0
CC115205		0.30	23.6	660	10.2	5.3	0.002	0.03	0.39	2.9	0.5	0.3	86.6	<0.01	0.01	2.0
CC115337		0.25	57.5	740	16.0	10.1	0.005	0.06	0.77	4.9	2.5	0.5	30.6	<0.01	0.06	1.7
CC115338		0.17	111.0	720	14.1	14.1	0.005	0.09	0.74	4.5	3.3	0.4	55.9	<0.01	0.04	1.5
CC115339		0.30	98.1	810	12.1	12.5	0.010	0.14	0.68	4.2	5.7	0.4	103.5	<0.01	0.03	1.3
CC115340		0.21	56.4	670	11.5	8.2	0.004	0.06	0.70	3.4	2.2	0.3	54.6	<0.01	0.07	1.3
CC115341		0.20	43.1	640	9.7	7.6	0.003	0.05	0.76	3.1	2.9	0.3	61.0	<0.01	0.08	1.4
CC115342		0.13	37.7	780	9.2	7.0	0.003	0.04	0.72	2.8	2.6	0.3	57.6	<0.01	0.07	1.7
CC115343		0.13	38.6	830	9.3	6.9	0.003	0.04	0.68	2.9	2.5	0.3	70.5	<0.01	0.08	1.8
CC115344		0.30	45.1	820	10.8	8.4	0.006	0.07	0.58	3.6	3.6	0.4	64.6	<0.01	0.04	1.5
CC115345		0.27	38.0	670	11.5	8.2	0.012	0.10	0.44	3.5	4.1	0.4	52.7	<0.01	0.04	1.9
CC115346		0.22	36.8	600	8.9	7.4	0.007	0.04	0.38	3.1	2.3	0.4	41.2	<0.01	0.04	1.6
CC115347		0.24	37.7	620	9.1	7.8	0.009	0.05	0.42	3.2	3.2	0.3	46.2	<0.01	0.05	1.5
CC115348		0.19	32.4	620	8.3	7.0	0.007	0.04	0.36	2.7	2.2	0.3	42.9	<0.01	0.02	1.7
CC115349		0.21	39.4	680	12.0	6.6	0.004	0.03	0.53	3.6	2.3	0.3	44.3	<0.01	0.05	2.2
CC115350		0.16	39.6	590	10.0	6.8	0.003	0.02	0.52	3.1	2.2	0.3	36.6	<0.01	0.06	2.0
CC115351		0.19	37.8	660	10.2	6.9	0.007	0.03	0.50	3.1	1.9	0.3	43.0	<0.01	0.06	1.9
CC115352		0.11	29.4	620	19.2	3.0	0.001	0.02	0.40	3.8	0.7	0.2	173.5	<0.01	0.04	3.3
CC115353		0.10	29.8	620	19.9	3.4	0.001	0.03	0.46	4.2	0.8	0.2	191.5	<0.01	0.03	3.8

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 23- AUG- 2011
Account: RCM

Project: Rackla- Rackla Silts

CERTIFICATE OF ANALYSIS WH11132858

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
CC129773		0.008	0.21	2.04	27	0.10	39.6	257	2.9
CC129774		0.005	0.18	1.56	23	0.06	27.5	222	2.2
CC129775		<0.005	0.15	1.58	25	0.06	25.1	201	2.5
CC129776		<0.005	0.12	1.49	25	0.06	20.1	163	2.2
CC129777		<0.005	0.12	2.53	27	0.05	22.9	174	2.9
CC129788		<0.005	0.11	2.04	29	0.05	21.1	177	2.7
CC129789		<0.005	0.12	1.52	34	0.05	13.95	179	2.4
CC129790		0.005	0.11	1.25	30	0.05	16.00	151	2.5
CC129791		0.005	0.11	1.24	30	0.05	14.15	133	2.3
CC129792		0.005	0.10	1.51	31	0.05	15.05	152	2.8
CC129793		0.007	0.14	1.46	22	0.06	11.15	91	1.9
CC129794		0.007	0.13	1.21	22	0.08	8.89	67	1.2
CC129795		0.006	0.25	1.58	18	0.07	8.34	81	1.7
CC129796		0.006	0.19	1.39	17	0.05	7.43	63	1.4
CC129797		0.005	0.22	1.48	15	<0.05	7.28	59	1.2
CC129798		0.007	0.17	1.38	19	0.21	8.08	66	1.5
CC129799		0.005	0.19	1.37	15	<0.05	7.69	67	1.4
CC129800		0.006	0.22	1.51	17	0.08	8.46	67	1.5
CC115201		0.006	0.25	1.50	18	<0.05	8.12	79	1.5
CC115202		0.005	0.20	1.37	15	0.08	7.37	56	1.3
CC115203		0.006	0.24	1.48	18	0.05	7.99	78	1.5
CC115204		<0.005	0.19	1.37	13	<0.05	6.66	46	1.0
CC115205		0.009	0.19	1.40	22	0.05	9.45	87	1.8
CC115337		0.006	0.11	2.45	36	0.06	17.55	196	2.7
CC115338		<0.005	0.11	1.38	27	0.06	18.65	264	3.0
CC115339		<0.005	0.13	1.89	28	0.06	23.5	265	3.2
CC115340		0.005	0.09	1.34	24	<0.05	19.25	173	2.6
CC115341		<0.005	0.07	1.00	22	<0.05	16.05	124	2.3
CC115342		<0.005	0.07	0.93	24	<0.05	12.15	149	2.1
CC115343		<0.005	0.07	0.97	25	<0.05	13.50	125	2.1
CC115344		0.005	0.12	1.57	29	0.06	14.95	138	2.4
CC115345		<0.005	0.10	1.54	29	0.07	14.45	128	2.4
CC115346		<0.005	0.08	1.17	26	<0.05	12.55	137	2.1
CC115347		<0.005	0.09	1.35	26	0.05	13.75	134	2.1
CC115348		<0.005	0.09	1.02	25	0.18	11.55	132	1.9
CC115349		<0.005	0.08	1.22	29	<0.05	12.85	151	2.2
CC115350		<0.005	0.09	0.98	26	<0.05	10.80	149	2.0
CC115351		<0.005	0.09	1.11	27	0.17	12.15	147	2.3
CC115352		0.006	0.05	0.65	29	<0.05	7.70	89	4.7
CC115353		0.007	0.05	0.66	30	<0.05	8.07	91	6.9

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 23- AUG- 2011
Account: RCM

Project: Rackla- Rackla Silts

CERTIFICATE OF ANALYSIS WH11132858

Sample Description	Method	WEI- 21	Au- ST43	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Recvd Wt.	Au	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.02	0.0001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
CC115354		0.23	0.0018	0.24	1.42	3.3	<0.2	<10	290	0.60	0.20	1.49	0.25	16.25	5.5	20
CC115355		0.28	0.0019	0.60	1.09	7.3	<0.2	<10	350	0.53	0.21	2.01	0.49	17.20	9.2	19
CC115356		0.27	0.0021	0.46	0.91	7.2	<0.2	<10	300	0.43	0.16	1.21	0.31	15.75	8.1	15
CC115357		0.26	0.0022	0.49	1.19	7.5	<0.2	<10	240	0.48	0.20	1.47	0.36	17.90	10.4	19
CC115358		0.21	0.0021	0.63	1.19	6.3	<0.2	<10	350	0.53	0.20	1.69	0.47	22.8	12.2	23
CC129337		0.30	0.0027	0.39	0.92	24.6	<0.2	<10	330	0.61	0.16	7.75	4.59	18.25	10.6	18
CC129338		0.60	0.0019	0.45	1.01	13.2	<0.2	<10	490	0.53	0.18	8.09	1.31	22.6	11.7	19
CC129339		0.35	0.0029	1.30	0.95	22.4	<0.2	<10	700	0.56	0.19	2.26	5.69	18.15	5.9	27
CC129340		0.34	0.0026	0.41	0.91	23.8	<0.2	<10	330	0.66	0.16	8.17	7.01	16.65	9.5	19
CC129341		0.35	0.0027	0.75	0.86	25.7	<0.2	<10	450	0.65	0.16	6.55	5.70	18.45	11.0	20
CC129342		0.35	0.0041	1.43	1.24	37.6	<0.2	<10	720	1.35	0.20	3.24	9.47	19.90	17.9	24
CC129343		0.40	0.0037	1.08	1.03	28.2	<0.2	<10	740	0.91	0.17	4.84	5.32	16.75	12.5	23
CC129344		0.35	0.0028	0.78	0.80	20.2	<0.2	<10	460	0.59	0.15	6.46	3.69	16.95	10.1	19
CC129345		0.33	0.0019	0.89	0.55	19	<0.2	<10	390	0.52	0.12	12.25	3.52	12.25	9.6	16
CC129346		0.41	0.0025	1.14	0.61	22	<0.2	<10	560	0.53	0.12	11.45	3.65	11.80	9.8	19
CC129347		0.40	0.0024	0.67	0.55	19	<0.2	<10	290	0.48	0.10	13.40	3.47	10.60	9.4	15
CC129348		0.33	0.0020	0.65	0.53	19	<0.2	<10	300	0.48	0.10	13.60	3.45	11.25	9.8	14
CC129349		0.55	0.0025	1.40	0.60	28	<0.2	<10	730	0.58	0.12	10.05	5.28	12.35	8.6	25
CC129350		0.35	0.0022	0.98	0.70	20.6	<0.2	<10	490	0.61	0.14	9.83	5.61	13.80	11.0	20
CC129351		0.40	0.0023	0.95	0.59	19	<0.2	<10	480	0.56	0.12	10.75	3.40	11.85	8.6	18
CC129352		0.34	0.0012	1.11	0.65	19.6	<0.2	<10	550	0.58	0.13	9.07	2.68	13.05	9.3	19
CC129353		0.29	0.0020	1.07	0.72	19.5	<0.2	<10	540	0.54	0.15	7.09	2.67	14.60	9.7	21
CC129354		0.42	0.0022	1.12	0.72	18.0	<0.2	<10	600	0.67	0.14	6.14	3.10	13.95	9.4	20
CC129355		0.39	0.0018	0.86	0.67	13.9	<0.2	<10	500	0.51	0.13	8.63	2.91	11.45	8.2	18
CC129356		0.35	0.0020	0.96	0.69	15.8	<0.2	<10	520	0.60	0.13	8.48	3.02	12.75	8.3	19
CC129357		0.29	0.0020	0.96	0.72	12.8	<0.2	<10	520	0.60	0.14	7.11	2.30	13.20	7.9	19
CC129358		0.36	0.0020	0.89	0.64	13.2	<0.2	<10	510	0.54	0.13	6.76	2.81	10.80	6.8	18
CC129359		0.30	0.0016	0.92	0.76	12.1	<0.2	<10	500	0.59	0.14	5.70	2.53	12.80	7.9	19
CC129360		0.34	0.0019	0.90	0.71	14.6	<0.2	<10	510	0.57	0.15	7.86	3.06	13.25	8.2	19
CC129361		0.38	0.0014	0.74	0.88	13.5	<0.2	<10	490	0.60	0.15	5.91	2.12	16.60	9.3	20
CC129362		0.37	0.0016	0.63	0.88	12.9	<0.2	<10	410	0.56	0.15	5.33	1.79	15.75	9.1	19
CC129363		0.37	0.0018	0.55	0.86	8.8	<0.2	<10	320	0.48	0.12	4.40	1.32	15.30	7.1	18
CC129364		0.28	0.0030	1.04	1.16	13.9	<0.2	<10	460	0.69	0.19	1.56	1.94	21.0	9.8	28
CC129365		0.36	0.0014	0.23	1.14	14.9	<0.2	<10	270	0.48	0.15	4.06	1.20	21.7	10.7	19
CC129501		0.35	0.0020	1.02	0.86	7.7	<0.2	10	450	0.52	0.17	1.32	1.78	14.15	7.0	22
CC129502		0.42	0.0031	0.47	1.21	9.2	<0.2	<10	360	0.52	0.19	0.97	1.05	25.2	10.5	25
CC129503		0.59	0.0034	0.32	1.20	9.0	<0.2	<10	250	0.56	0.20	1.35	0.86	23.9	12.9	23
CC129504		0.44	0.0023	0.32	1.16	7.1	<0.2	<10	280	0.57	0.18	2.27	0.78	21.4	10.9	22
CC129505		0.48	0.0026	0.36	1.24	7.6	<0.2	<10	290	0.56	0.19	1.57	0.68	23.9	10.7	24
CC129506		0.45	0.0020	0.33	1.01	6.3	<0.2	<10	320	0.54	0.16	3.02	0.54	20.8	9.7	20

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 23- AUG- 2011
Account: RCM

Project: Rackla- Rackla Silts

CERTIFICATE OF ANALYSIS WH11132858

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
CC115354		0.66	60.0	2.28	4.69	0.10	0.09	0.17	0.028	0.05	8.6	23.7	0.54	98	0.68	0.01
CC115355		0.62	39.7	2.43	3.36	0.11	0.07	0.13	0.030	0.07	7.9	16.3	0.40	322	0.51	0.01
CC115356		0.60	30.2	2.13	3.00	0.11	0.05	0.12	0.028	0.06	7.3	15.3	0.37	276	0.76	<0.01
CC115357		0.65	35.2	2.82	3.81	0.10	0.06	0.12	0.029	0.06	9.2	19.4	0.61	390	0.79	0.01
CC115358		0.76	32.8	2.74	4.19	0.12	0.06	0.15	0.027	0.07	12.3	21.4	0.82	367	0.71	0.01
CC129337		0.91	34.4	2.14	2.79	0.10	0.09	0.20	0.024	0.07	9.7	11.0	2.74	344	2.86	0.02
CC129338		1.13	39.6	2.55	3.42	0.11	0.08	0.10	0.025	0.10	10.2	15.5	2.20	495	3.31	0.02
CC129339		0.76	36.8	2.40	2.82	0.11	0.08	0.18	0.034	0.09	10.4	9.4	0.76	164	6.38	0.01
CC129340		0.95	37.2	2.09	2.64	0.12	0.09	0.23	0.023	0.08	9.0	10.6	2.92	299	2.75	0.02
CC129341		0.97	42.7	2.29	2.76	0.11	0.08	0.23	0.025	0.09	10.3	10.5	2.48	315	4.84	0.02
CC129342		0.67	97.8	2.72	2.48	0.14	0.13	0.34	0.043	0.12	13.4	6.6	0.99	207	23.3	0.01
CC129343		0.72	67.4	2.53	2.49	0.13	0.10	0.25	0.031	0.10	9.7	8.4	1.70	227	12.35	0.01
CC129344		0.78	39.5	2.11	2.50	0.12	0.08	0.19	0.025	0.07	7.9	10.0	2.33	252	4.86	0.01
CC129345		0.87	37.8	1.45	1.56	0.11	0.05	0.19	0.018	0.06	6.9	4.3	5.10	167	6.11	0.02
CC129346		0.92	41.2	1.61	1.60	0.11	0.05	0.22	0.023	0.06	7.0	4.5	4.76	169	6.14	0.02
CC129347		0.82	33.7	1.24	1.47	0.10	0.06	0.27	0.017	0.05	5.7	4.2	6.06	170	4.91	0.02
CC129348		0.78	34.1	1.23	1.49	0.10	0.05	0.26	0.020	0.05	6.1	4.0	6.19	176	4.97	0.02
CC129349		0.81	49.5	1.92	1.62	0.11	0.06	0.30	0.027	0.06	7.7	4.2	4.78	138	8.21	0.02
CC129350		0.80	43.8	1.75	1.94	0.11	0.08	0.27	0.026	0.07	7.9	6.0	3.82	234	6.04	0.02
CC129351		0.74	38.1	1.61	1.69	0.11	0.06	0.22	0.023	0.07	6.9	5.0	4.23	175	6.06	0.02
CC129352		0.75	39.3	1.71	1.71	0.10	0.06	0.20	0.024	0.07	7.7	4.9	3.33	168	7.02	0.01
CC129353		0.79	35.2	1.87	2.04	0.12	0.07	0.22	0.026	0.07	8.3	6.9	3.39	212	4.58	0.02
CC129354		0.72	43.4	1.91	1.86	0.06	0.07	0.18	0.027	0.07	9.1	6.7	2.92	189	5.38	0.03
CC129355		0.61	34.3	1.75	1.62	0.05	0.06	0.20	0.023	0.07	7.2	6.5	3.14	215	3.68	0.03
CC129356		0.66	37.5	1.82	1.76	<0.05	0.05	0.18	0.025	0.07	8.4	6.6	3.04	183	4.51	0.02
CC129357		0.59	36.2	1.67	1.77	<0.05	0.06	0.18	0.023	0.08	8.3	7.2	2.83	150	4.02	0.03
CC129358		0.55	34.7	1.73	1.59	<0.05	0.06	0.20	0.023	0.08	6.8	6.2	2.21	189	3.85	0.03
CC129359		0.67	34.9	1.79	1.99	<0.05	0.06	0.17	0.023	0.07	8.0	8.1	2.20	170	3.35	0.03
CC129360		0.63	36.1	1.79	1.90	<0.05	0.06	0.17	0.023	0.08	7.9	7.6	2.64	230	3.67	0.03
CC129361		0.69	35.9	2.21	2.41	0.05	0.06	0.13	0.023	0.07	9.1	10.9	2.07	286	3.03	0.02
CC129362		0.57	32.4	2.19	2.46	0.05	0.07	0.12	0.023	0.07	9.2	11.4	2.19	391	2.64	0.02
CC129363		0.51	24.7	1.93	2.40	<0.05	0.06	0.10	0.020	0.06	9.1	11.4	1.86	239	1.49	0.02
CC129364		0.94	39.5	2.84	3.43	0.10	0.11	0.14	0.032	0.09	11.9	14.5	0.54	284	2.08	0.03
CC129365		0.58	29.1	2.71	3.59	0.07	0.07	0.08	0.024	0.06	10.6	18.0	1.84	449	1.26	0.03
CC129501		1.42	36.0	2.23	2.46	0.08	0.10	0.33	0.031	0.09	10.7	9.5	0.27	178	2.53	0.03
CC129502		0.96	34.2	2.85	3.79	0.09	0.09	0.14	0.026	0.09	13.9	16.8	0.58	308	1.45	0.03
CC129503		0.78	38.0	2.89	3.57	0.05	0.09	0.09	0.026	0.10	13.8	17.7	0.76	523	1.08	0.02
CC129504		0.73	33.8	2.61	3.40	<0.05	0.08	0.11	0.023	0.09	11.8	16.6	1.15	369	1.02	0.02
CC129505		0.75	35.9	2.76	3.72	0.05	0.08	0.15	0.026	0.08	13.6	18.2	0.95	279	1.04	0.02
CC129506		0.64	28.9	2.20	3.10	<0.05	0.08	0.10	0.023	0.08	11.5	14.5	1.30	308	1.01	0.02

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 23- AUG- 2011
Account: RCM

Project: Rackla- Rackla Silts

CERTIFICATE OF ANALYSIS WH11132858

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
CC115354		0.26	33.7	1010	16.6	6.4	0.006	0.13	0.38	4.1	2.8	0.4	53.4	<0.01	0.04	1.3
CC115355		0.34	33.6	720	13.8	6.5	0.007	0.13	0.56	4.1	3.9	0.4	57.0	<0.01	0.05	1.5
CC115356		0.24	30.7	620	11.4	5.8	0.003	0.06	0.54	3.2	3.0	0.3	43.9	<0.01	0.05	1.3
CC115357		0.25	35.3	640	13.5	6.3	0.002	0.04	0.50	3.7	1.6	0.3	43.5	<0.01	0.05	1.3
CC115358		0.35	39.7	770	12.8	5.7	0.001	0.04	0.45	4.6	1.3	0.4	35.9	<0.01	0.07	2.4
CC129337		0.39	110.0	1200	13.5	6.5	0.002	0.05	2.07	2.9	1.9	0.4	96.5	<0.01	0.07	1.1
CC129338		0.36	47.1	940	18.9	6.4	0.001	0.01	1.76	4.1	1.4	0.4	171.0	<0.01	0.04	3.7
CC129339		0.36	135.5	2270	14.7	8.9	0.011	0.13	3.41	3.4	7.1	0.4	116.0	<0.01	0.08	1.2
CC129340		0.39	118.5	1300	13.2	6.9	0.002	0.06	2.15	2.8	2.8	0.4	106.0	<0.01	0.04	1.2
CC129341		0.40	112.0	1530	14.0	7.7	0.009	0.08	2.53	3.3	4.7	0.4	106.5	<0.01	0.06	1.3
CC129342		0.26	196.0	1830	14.6	7.3	0.008	0.22	7.26	3.9	9.5	0.6	141.5	<0.01	0.22	1.7
CC129343		0.31	135.0	1670	13.9	6.5	0.006	0.16	4.59	3.4	6.0	0.4	120.0	<0.01	0.13	1.6
CC129344		0.36	95.3	1310	12.5	7.0	0.005	0.09	2.40	3.2	5.3	0.4	111.0	<0.01	0.05	1.4
CC129345		0.23	90.0	1310	7.4	5.0	0.006	0.06	2.50	2.4	3.8	0.3	125.5	<0.01	0.07	1.0
CC129346		0.23	98.7	1500	8.0	5.3	0.006	0.06	2.62	2.6	5.7	0.3	122.0	<0.01	0.05	1.0
CC129347		0.20	93.2	1000	6.8	4.2	0.006	0.06	2.27	1.9	3.5	0.3	108.0	<0.01	0.05	0.7
CC129348		0.24	88.3	960	6.6	4.0	0.006	0.06	2.16	2.0	3.2	0.3	105.5	<0.01	0.05	0.8
CC129349		0.21	113.5	1490	8.4	5.1	0.003	0.05	3.42	3.6	4.7	0.4	124.0	<0.01	0.08	1.1
CC129350		0.27	106.5	1520	10.1	6.2	0.007	0.07	2.78	2.5	4.7	0.4	123.0	<0.01	0.07	1.1
CC129351		0.23	90.9	1470	8.1	5.1	0.008	0.07	2.38	2.6	4.7	0.3	128.5	<0.01	0.09	1.0
CC129352		0.25	90.0	1470	9.1	4.9	0.007	0.07	2.65	2.7	4.7	0.4	128.5	<0.01	0.07	1.3
CC129353		0.30	87.0	1430	10.2	5.6	0.008	0.06	2.13	3.1	4.9	0.4	105.0	<0.01	0.09	1.5
CC129354		0.24	81.1	1520	10.9	5.8	0.006	0.09	2.29	3.2	5.9	0.3	121.0	<0.01	0.09	1.5
CC129355		0.23	69.6	1320	9.9	5.6	0.005	0.08	1.68	2.6	4.0	0.3	135.0	<0.01	0.05	1.3
CC129356		0.25	73.8	1380	9.9	5.4	0.005	0.08	1.90	2.7	3.5	0.3	132.0	<0.01	0.09	1.2
CC129357		0.25	69.3	1320	10.2	5.5	0.007	0.08	1.72	2.8	4.5	0.3	123.0	<0.01	0.06	1.4
CC129358		0.21	61.0	1310	10.1	5.7	0.005	0.09	1.70	2.5	4.2	0.3	129.0	<0.01	0.07	1.2
CC129359		0.27	67.7	1270	10.2	7.0	0.007	0.09	1.58	2.8	4.4	0.3	108.0	<0.01	0.05	1.3
CC129360		0.25	70.9	1280	10.5	6.1	0.005	0.08	1.73	2.8	4.2	0.3	132.5	<0.01	0.07	1.2
CC129361		0.34	56.6	1090	12.7	5.7	0.005	0.06	1.53	3.3	4.5	0.3	111.5	<0.01	0.06	1.8
CC129362		0.33	47.7	1110	13.1	5.6	0.005	0.06	1.32	3.1	3.0	0.3	93.7	<0.01	0.08	1.7
CC129363		0.33	37.1	1080	10.8	5.7	0.005	0.05	0.91	2.9	2.4	0.3	81.6	<0.01	0.05	2.0
CC129364		0.42	60.9	1220	15.9	10.8	0.011	0.10	1.47	5.3	5.0	0.4	60.7	0.01	0.06	3.0
CC129365		0.29	39.5	770	13.4	6.4	0.002	0.06	0.87	4.1	1.4	0.3	60.9	<0.01	0.04	2.3
CC129501		0.31	74.3	1010	16.8	18.1	0.004	0.14	0.76	4.0	5.0	0.4	54.7	0.01	0.07	1.1
CC129502		0.61	42.6	1010	13.9	11.0	0.002	0.07	0.70	4.8	2.1	0.4	43.4	<0.01	0.04	3.1
CC129503		0.62	38.7	940	18.7	7.2	0.001	0.04	0.72	4.0	1.0	0.4	44.7	<0.01	0.02	2.7
CC129504		0.63	38.0	900	15.6	7.6	0.001	0.06	0.59	3.8	1.7	0.4	55.3	<0.01	0.04	2.7
CC129505		0.65	38.2	900	15.9	7.0	0.001	0.05	0.63	4.1	1.7	0.4	43.6	<0.01	0.05	2.9
CC129506		0.53	33.7	820	12.9	6.4	0.002	0.06	0.50	3.6	1.8	0.3	67.6	<0.01	0.02	2.3

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 23- AUG- 2011
Account: RCM

Project: Rackla- Rackla Silts

CERTIFICATE OF ANALYSIS WH11132858

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
CC115354		0.005	0.08	1.46	30	<0.05	14.00	92	2.6
CC115355		0.006	0.09	1.57	29	0.05	15.75	118	2.4
CC115356		0.005	0.09	1.30	26	<0.05	10.45	107	1.7
CC115357		0.005	0.11	1.12	30	0.06	14.45	120	1.8
CC115358		0.008	0.12	0.80	30	0.06	17.25	124	2.1
CC129337		0.010	0.70	1.81	57	0.12	19.85	490	2.7
CC129338		0.016	0.33	1.31	46	0.15	12.80	171	5.1
CC129339		0.008	0.83	2.68	104	0.23	22.9	713	2.9
CC129340		0.011	0.75	1.86	60	0.13	19.20	581	2.5
CC129341		0.009	0.65	2.43	61	0.37	23.5	526	2.6
CC129342		0.006	2.11	4.69	142	0.15	48.4	701	4.9
CC129343		0.008	1.27	3.22	102	0.12	31.8	548	3.6
CC129344		0.009	0.52	2.11	59	0.11	19.75	402	3.1
CC129345		0.007	0.53	2.52	54	0.10	20.5	387	2.0
CC129346		0.007	0.51	2.76	61	0.13	23.4	431	2.0
CC129347		0.007	0.53	2.09	49	0.08	18.20	396	2.0
CC129348		0.007	0.49	2.00	48	0.08	16.20	377	1.9
CC129349		0.007	0.51	2.99	78	0.12	25.6	482	2.2
CC129350		0.007	0.60	2.65	62	0.15	23.8	483	2.5
CC129351		0.007	0.49	2.51	58	0.12	22.1	402	2.1
CC129352		0.007	0.57	2.60	66	0.15	23.2	389	2.3
CC129353		0.009	0.41	2.26	60	0.12	21.9	384	2.6
CC129354		0.007	0.47	2.39	64	0.09	23.3	361	2.5
CC129355		0.007	0.36	2.10	50	0.08	17.50	338	2.0
CC129356		0.007	0.36	2.07	53	0.15	19.15	344	1.9
CC129357		0.007	0.39	2.09	50	0.10	19.35	309	2.1
CC129358		0.005	0.33	2.08	49	0.10	17.30	291	1.9
CC129359		0.007	0.36	1.92	47	0.11	19.45	285	2.3
CC129360		0.007	0.32	2.05	48	0.08	18.30	326	2.1
CC129361		0.010	0.24	1.81	48	0.09	16.85	256	2.1
CC129362		0.008	0.21	1.87	45	0.12	14.85	221	2.5
CC129363		0.008	0.18	1.61	40	0.05	13.40	183	2.1
CC129364		0.011	0.31	2.49	56	0.13	18.85	275	3.5
CC129365		0.008	0.14	1.30	42	0.13	10.75	169	2.0
CC129501		0.009	0.21	2.06	30	0.09	23.1	223	2.7
CC129502		0.027	0.12	1.00	40	0.24	13.80	157	2.6
CC129503		0.024	0.12	0.95	38	0.14	13.20	151	2.6
CC129504		0.023	0.10	0.96	34	0.12	12.85	139	2.5
CC129505		0.023	0.10	0.91	37	0.11	14.60	128	2.7
CC129506		0.017	0.09	0.99	31	0.20	13.55	117	2.3

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 23- AUG- 2011
Account: RCM

Project: Rackla- Rackla Silts

CERTIFICATE OF ANALYSIS WH11132858

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- ST43 Au ppm 0.0001	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1
CC129507		0.38	0.0019	0.38	1.02	6.3	<0.2	<10	300	0.53	0.16	2.08	0.53	19.50	8.6	21
CC129508		0.40	0.0019	0.42	0.97	7.5	<0.2	<10	320	0.49	0.16	1.35	0.62	18.15	8.5	20
CC129509		0.30	0.0029	0.48	1.05	8.0	<0.2	10	480	0.60	0.17	1.40	0.65	16.60	8.0	22
CC129510		0.47	0.0021	0.59	1.04	7.3	<0.2	10	430	0.60	0.16	2.20	0.88	18.90	8.4	22
CC129511		0.33	0.0023	0.50	1.01	6.0	<0.2	<10	370	0.56	0.15	2.44	0.77	18.90	7.8	21
CC129512		0.50	0.0031	0.44	0.97	6.4	<0.2	<10	340	0.56	0.15	2.40	0.82	18.00	8.0	20
CC129513		0.44	0.0021	0.48	0.98	7.1	<0.2	<10	410	0.51	0.16	2.03	0.62	16.90	7.8	21
CC129514		0.38	0.0020	0.31	1.01	7.8	<0.2	<10	310	0.54	0.16	0.71	0.66	18.75	8.3	22
CC129515		0.59	0.0018	0.42	0.90	8.6	<0.2	<10	370	0.49	0.15	1.97	0.45	18.65	7.7	20
CC129942		0.44	0.0014	0.25	0.58	27.7	<0.2	10	210	0.75	0.14	6.86	1.05	41.2	10.8	12
CC129943		0.36	0.0014	0.15	0.90	13.7	<0.2	<10	180	0.87	0.17	6.29	0.74	28.2	9.0	16
CC129944		0.32	0.0016	0.13	0.98	10.9	<0.2	<10	180	0.84	0.17	5.47	0.55	28.4	9.4	17
CC129945		0.27	0.0015	0.15	0.99	12.9	<0.2	10	180	0.95	0.17	5.57	0.89	27.5	9.7	17
CC129946		0.27	0.0012	0.14	0.85	13.0	<0.2	<10	200	0.86	0.16	6.44	0.76	25.8	8.8	15
CC129947		0.35	0.0018	0.09	0.78	9.4	<0.2	<10	130	0.78	0.15	8.65	0.53	25.9	7.3	13
CC129948		0.33	0.0017	0.14	0.75	18.3	<0.2	10	220	0.75	0.14	7.34	0.73	31.1	9.1	14
CC129949		0.29	0.0017	0.19	0.78	19.1	<0.2	10	240	0.79	0.15	6.69	0.87	32.2	9.7	14
CC129950		0.28	0.0018	0.17	0.87	14.6	<0.2	10	220	0.85	0.16	6.32	0.76	27.8	8.9	16
CC129951		0.43	0.0020	0.18	0.69	16.2	<0.2	<10	190	0.67	0.15	6.52	0.75	31.3	9.5	13
CC129952		0.41	0.0020	0.09	0.77	10.0	<0.2	<10	150	0.68	0.15	8.31	0.64	23.3	8.3	14
CC129953		0.36	0.0016	0.09	0.90	7.7	<0.2	<10	150	0.77	0.16	5.90	0.67	23.3	8.1	16
CC129954		0.45	0.0016	0.10	0.71	10.5	<0.2	<10	130	0.65	0.14	7.77	0.59	26.7	8.2	12
CC129955		0.36	0.0014	0.11	0.81	8.9	<0.2	<10	160	0.74	0.16	6.55	0.66	26.6	8.3	14
CC129956		0.32	0.0015	0.15	0.73	15.5	<0.2	<10	180	0.69	0.16	6.13	0.70	29.9	9.4	13
CC129957		0.28	0.0015	0.12	0.80	11.2	<0.2	<10	180	0.73	0.16	6.72	0.71	24.3	8.6	14

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 23- AUG- 2011
Account: RCM

Project: Rackla- Rackla Silts

CERTIFICATE OF ANALYSIS WH11132858

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
CC129507		0.53	27.7	2.16	2.99	<0.05	0.07	0.11	0.024	0.08	11.0	14.3	0.95	276	0.98	0.02
CC129508		0.49	27.3	2.14	3.04	<0.05	0.07	0.12	0.025	0.07	9.7	13.8	0.55	182	1.12	0.02
CC129509		0.53	34.0	2.31	3.03	<0.05	0.08	0.11	0.027	0.07	9.4	14.7	0.45	210	1.12	0.02
CC129510		0.58	31.4	2.22	3.03	<0.05	0.07	0.14	0.024	0.08	10.7	14.1	0.96	185	1.07	0.02
CC129511		0.57	28.4	1.98	3.00	<0.05	0.06	0.13	0.025	0.08	10.4	14.3	1.10	183	1.03	0.02
CC129512		0.49	27.0	2.00	2.82	<0.05	0.06	0.12	0.024	0.07	10.8	13.2	1.15	209	1.07	0.02
CC129513		0.48	28.3	2.05	2.81	<0.05	0.06	0.13	0.024	0.08	9.7	13.4	0.93	182	1.19	0.02
CC129514		0.53	22.3	2.25	3.14	<0.05	0.06	0.09	0.024	0.07	10.1	14.2	0.37	277	1.17	0.02
CC129515		0.50	26.7	2.17	2.76	<0.05	0.06	0.09	0.024	0.07	10.7	13.2	1.04	226	1.25	0.02
CC129942		1.14	33.4	2.90	2.13	0.07	0.07	0.06	0.029	0.17	19.1	6.3	3.41	286	4.09	0.02
CC129943		1.07	27.0	2.35	2.77	0.05	0.07	0.07	0.028	0.13	14.4	12.3	3.49	295	2.41	0.02
CC129944		0.81	25.0	2.44	2.92	<0.05	0.06	0.07	0.028	0.11	14.6	13.4	2.82	407	2.29	0.02
CC129945		1.06	28.0	2.38	2.90	0.06	0.07	0.08	0.029	0.13	13.5	13.8	2.80	389	2.17	0.02
CC129946		0.97	25.5	2.28	2.58	<0.05	0.07	0.08	0.024	0.13	13.5	11.6	3.06	424	2.15	0.02
CC129947		0.82	20.6	1.97	2.28	0.05	0.06	0.05	0.023	0.11	13.1	10.8	4.20	243	1.79	0.02
CC129948		0.97	26.8	2.59	2.31	0.06	0.06	0.05	0.027	0.15	15.3	9.1	3.27	372	2.70	0.02
CC129949		0.94	28.5	2.74	2.28	0.05	0.06	0.06	0.027	0.16	15.9	8.7	3.16	416	2.95	0.02
CC129950		0.99	26.6	2.53	2.39	0.05	0.07	0.07	0.025	0.15	13.9	10.2	3.11	392	2.33	0.02
CC129951		1.24	24.6	2.31	2.35	0.08	0.07	0.06	0.029	0.14	14.5	9.4	2.92	333	3.09	0.02
CC129952		1.07	21.7	2.05	2.49	0.07	0.06	0.05	0.023	0.10	11.4	12.3	3.21	397	2.30	0.02
CC129953		1.05	20.3	2.02	2.81	0.07	0.08	0.07	0.027	0.10	11.8	15.1	2.98	344	1.63	0.02
CC129954		0.92	19.1	2.05	2.33	0.08	0.07	0.05	0.025	0.11	12.9	11.7	3.71	241	2.30	0.02
CC129955		1.05	22.8	2.02	2.62	0.07	0.07	0.07	0.026	0.11	12.7	13.4	2.97	231	1.83	0.02
CC129956		0.99	25.6	2.40	2.40	0.08	0.08	0.06	0.029	0.13	14.0	10.6	2.87	342	2.73	0.01
CC129957		1.09	23.8	2.14	2.50	0.06	0.07	0.07	0.025	0.11	11.6	12.2	2.62	375	2.02	0.02

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 23- AUG- 2011
Account: RCM

Project: Rackla- Rackla Silts

CERTIFICATE OF ANALYSIS WH11132858

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
CC129507		0.48	32.3	820	14.1	6.2	0.003	0.06	0.53	3.4	2.0	0.3	52.1	<0.01	0.03	2.0
CC129508		0.51	33.0	820	12.3	5.8	0.004	0.08	0.61	3.3	2.1	0.4	50.5	<0.01	0.05	1.8
CC129509		0.39	33.2	920	13.1	6.6	0.004	0.10	0.65	3.5	2.2	0.3	54.6	<0.01	0.04	1.7
CC129510		0.49	36.0	910	12.4	6.6	0.004	0.08	0.65	3.8	3.0	0.3	63.4	<0.01	0.03	2.0
CC129511		0.46	33.8	890	11.2	6.6	0.004	0.08	0.61	3.5	2.3	0.3	63.1	<0.01	0.03	1.9
CC129512		0.46	32.4	920	11.6	6.0	0.003	0.07	0.62	3.3	2.4	0.3	57.0	<0.01	0.04	1.9
CC129513		0.44	33.9	890	12.0	6.5	0.005	0.08	0.67	3.2	2.7	0.3	57.5	<0.01	0.03	1.8
CC129514		0.51	28.7	650	12.1	7.0	0.002	0.04	0.59	3.4	1.3	0.3	34.2	<0.01	0.04	2.1
CC129515		0.44	31.9	860	11.8	5.7	0.004	0.05	0.65	3.2	2.1	0.3	51.7	<0.01	0.03	2.1
CC129942		0.40	31.3	3220	17.2	9.3	0.001	0.06	1.25	5.2	1.4	0.5	85.6	<0.01	0.03	3.6
CC129943		0.53	31.7	1520	15.5	9.8	0.002	0.07	0.58	3.7	1.0	0.5	66.7	<0.01	0.03	2.0
CC129944		0.57	26.6	1300	14.7	8.2	0.003	0.07	0.44	3.7	1.0	0.5	65.3	<0.01	0.03	2.2
CC129945		0.55	31.2	1400	15.8	10.4	0.002	0.08	0.57	3.8	1.5	0.5	69.1	<0.01	0.03	2.0
CC129946		0.50	27.8	1550	15.0	9.6	0.003	0.08	0.57	3.6	1.7	0.4	85.6	<0.01	0.02	2.0
CC129947		0.49	23.1	1070	12.9	7.7	0.004	0.05	0.44	3.0	1.1	0.4	76.4	<0.01	0.02	2.1
CC129948		0.43	26.9	2260	15.7	8.9	0.002	0.06	0.82	4.1	1.1	0.4	84.7	<0.01	0.02	2.6
CC129949		0.43	28.5	2330	16.4	9.7	0.001	0.07	0.88	4.2	1.8	0.5	82.0	<0.01	0.03	2.5
CC129950		0.47	27.9	2050	15.8	9.1	0.001	0.08	0.69	3.7	1.5	0.5	75.6	<0.01	0.01	2.3
CC129951		0.46	25.8	2150	15.3	9.6	0.002	0.05	0.76	4.4	1.6	0.4	78.9	<0.01	0.03	2.8
CC129952		0.46	24.0	1150	13.6	8.3	0.002	0.05	0.47	3.4	1.4	0.4	88.1	<0.01	0.03	2.0
CC129953		0.51	25.0	970	12.6	9.5	0.007	0.07	0.37	3.6	1.6	0.4	62.9	<0.01	0.04	2.0
CC129954		0.46	23.5	1190	12.8	8.1	0.003	0.04	0.53	3.6	1.1	0.4	71.7	<0.01	0.03	2.5
CC129955		0.47	24.1	1290	13.7	9.0	0.003	0.05	0.45	3.9	1.5	0.4	70.2	<0.01	0.03	2.3
CC129956		0.45	25.5	1840	15.8	9.1	0.003	0.05	0.73	4.3	1.5	0.4	72.9	<0.01	0.03	2.8
CC129957		0.45	23.8	1380	14.2	9.4	0.002	0.07	0.56	3.6	1.8	0.4	77.8	<0.01	0.03	2.0

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 23- AUG- 2011
Account: RCM

Project: Rackla- Rackla Silts

CERTIFICATE OF ANALYSIS WH11132858

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
CC129507		0.014	0.09	1.05	31	0.20	13.30	129	2.1
CC129508		0.014	0.09	1.22	34	0.12	12.00	125	2.3
CC129509		0.008	0.12	1.28	36	0.07	13.55	116	2.4
CC129510		0.012	0.11	1.20	37	0.20	15.05	145	2.7
CC129511		0.013	0.11	1.14	33	0.08	13.65	154	2.3
CC129512		0.012	0.10	1.26	33	0.09	13.60	140	2.1
CC129513		0.011	0.10	1.31	35	0.21	14.05	148	2.1
CC129514		0.014	0.09	1.04	37	0.13	11.15	170	1.9
CC129515		0.013	0.10	1.16	36	0.15	12.60	127	2.0
CC129942		0.005	0.27	5.60	32	0.05	16.45	184	3.8
CC129943		0.008	0.31	3.13	28	0.10	13.80	148	2.4
CC129944		0.010	0.20	2.26	27	0.09	12.15	116	2.3
CC129945		0.008	0.32	2.63	28	0.10	13.45	138	2.4
CC129946		0.008	0.30	2.87	26	0.09	12.60	135	2.5
CC129947		0.008	0.22	1.97	22	0.07	11.60	114	2.2
CC129948		0.006	0.25	3.69	30	0.10	13.55	157	2.5
CC129949		0.006	0.32	3.90	31	0.08	13.95	173	2.6
CC129950		0.007	0.30	3.47	29	0.09	12.75	159	2.3
CC129951		0.007	0.29	3.83	26	0.18	14.05	143	2.6
CC129952		0.007	0.27	2.23	22	0.18	11.50	116	2.2
CC129953		0.008	0.29	1.89	22	0.20	12.00	109	2.7
CC129954		0.007	0.25	2.21	22	0.17	11.50	117	2.4
CC129955		0.007	0.27	2.27	22	0.18	12.40	122	2.6
CC129956		0.006	0.27	3.30	26	0.17	13.45	138	2.8
CC129957		0.007	0.30	2.39	23	0.19	12.00	129	2.4

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 23- AUG- 2011
Account: RCM

Project: Rackla- Rackla Silts

CERTIFICATE OF ANALYSIS WH11132858

Method	CERTIFICATE COMMENTS
ME- MS41	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown.
ME- MS41	Gold determinations by this method are semi- quantitative due to the small sample weight used (0.5g).

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 23- AUG- 2011
Account: RCM

CERTIFICATE WH11132859

Project: Rackla- Birkland Silt

P.O. No.:

This report is for 12 Silt samples submitted to our lab in Whitehorse, YT, Canada on 13- JUL- 2011.

The following have access to data associated with this certificate:

ROB CARNE JULIA LANE	ANDREW CARNE JOAN MARIACHER	MATT DUMALA

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
SCR- 41	Screen to - 180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- ST43	Super Trace Au - 25g AR	ICP- MS
ME- MS41	51 anal. aqua regia ICPMS	

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 23- AUG- 2011
Account: RCM

Project: Rackla- Birkland Silt

CERTIFICATE OF ANALYSIS WH11132859

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- ST43 Au ppm 0.0001	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1
CC115401		0.67	0.0029	0.20	1.11	20.7	<0.2	<10	80	1.31	0.44	0.51	0.13	25.1	21.7	20
CC115402		0.74	0.0017	0.16	1.10	22.7	<0.2	<10	90	1.28	0.44	0.67	0.16	23.8	23.5	19
CC115403		0.57	0.0016	0.16	1.17	22.8	<0.2	<10	90	1.38	0.47	0.61	0.15	23.6	23.7	20
CC115404		0.54	0.0027	0.12	1.29	21.5	<0.2	<10	80	1.30	0.43	0.82	0.15	23.3	22.8	20
CC115405		0.44	0.0021	0.10	1.32	18.8	<0.2	<10	70	1.18	0.40	0.89	0.15	23.2	20.6	21
CC115406		0.54	0.0021	0.09	1.35	18.7	<0.2	<10	70	1.25	0.38	0.89	0.13	24.4	20.8	21
CC115407		0.53	0.0021	0.10	1.34	18.6	<0.2	<10	70	1.23	0.40	1.00	0.12	24.3	20.0	21
CC115408		0.52	0.0022	0.10	1.20	17.4	<0.2	<10	70	1.10	0.36	0.95	0.16	21.7	17.7	19
CC115409		0.46	0.0019	0.10	1.37	20.2	<0.2	<10	60	1.21	0.44	0.67	0.14	24.5	24.5	21
CC115410		0.85	0.0027	0.13	0.50	29.1	<0.2	<10	80	0.79	0.32	5.11	0.14	15.80	14.1	8
CC115411		0.48	0.0027	0.16	0.79	25.5	<0.2	<10	100	1.04	0.33	2.45	0.29	18.75	13.6	13
CC115412		0.47	0.0028	0.34	0.85	32.7	<0.2	<10	110	1.23	0.44	1.25	0.23	21.9	22.0	15

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 23- AUG- 2011
Account: RCM

Project: Rackla- Birkland Silt

CERTIFICATE OF ANALYSIS WH11132859

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
CC115401		4.85	47.4	4.48	3.93	0.15	0.07	0.09	0.042	0.08	10.6	35.8	0.42	622	0.74	<0.01
CC115402		6.55	49.6	4.59	3.78	0.14	0.08	0.08	0.042	0.08	9.6	37.9	0.47	697	0.77	<0.01
CC115403		8.50	50.5	4.71	4.19	0.16	0.06	0.12	0.042	0.08	9.5	41.9	0.51	710	0.76	<0.01
CC115404		4.13	48.5	4.71	4.30	0.15	0.06	0.10	0.041	0.07	10.4	47.0	0.74	934	0.65	<0.01
CC115405		3.20	43.1	4.33	4.35	0.15	0.08	0.13	0.040	0.07	10.2	47.8	0.82	868	0.58	<0.01
CC115406		3.52	44.5	4.33	4.37	0.15	0.07	0.11	0.039	0.08	10.7	51.8	0.89	799	0.57	<0.01
CC115407		3.48	45.2	4.30	4.32	0.15	0.06	0.12	0.037	0.07	10.9	54.2	0.89	745	0.59	<0.01
CC115408		2.93	39.5	4.13	3.70	0.16	0.08	0.12	0.033	0.07	9.9	42.3	0.81	658	0.62	<0.01
CC115409		3.15	49.6	4.60	4.58	0.15	0.06	0.09	0.039	0.06	10.8	53.9	0.74	1080	0.62	<0.01
CC115410		3.66	28.6	3.29	1.57	0.14	0.04	0.22	0.034	0.09	5.5	12.4	1.94	464	0.44	<0.01
CC115411		3.60	31.5	3.48	2.63	0.13	0.06	0.25	0.036	0.09	7.4	16.1	0.97	379	0.52	<0.01
CC115412		5.41	45.1	5.32	2.68	0.16	0.08	0.21	0.052	0.10	7.9	20.3	0.48	536	1.19	<0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 23- AUG- 2011
Account: RCM

Project: Rackla- Birkland Silt

CERTIFICATE OF ANALYSIS WH11132859

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
CC115401		0.25	42.1	610	37.6	6.6	<0.001	0.03	0.49	5.9	1.2	0.4	68.4	<0.01	0.09	2.5
CC115402		0.21	42.9	670	38.0	8.3	<0.001	0.04	0.54	5.9	1.3	0.4	85.0	<0.01	0.10	2.8
CC115403		0.20	44.5	610	41.2	9.2	<0.001	0.04	0.54	6.3	1.3	0.5	80.1	<0.01	0.10	3.0
CC115404		0.15	47.9	550	34.1	7.0	<0.001	0.03	0.54	5.6	0.9	0.4	74.6	<0.01	0.07	3.7
CC115405		0.15	44.4	540	30.3	6.5	<0.001	0.04	0.49	5.1	0.9	0.4	73.6	<0.01	0.07	3.7
CC115406		0.15	43.9	520	28.2	7.6	<0.001	0.03	0.45	5.4	1.0	0.4	67.8	<0.01	0.07	3.8
CC115407		0.13	42.8	510	29.1	7.0	<0.001	0.04	0.46	5.5	1.0	0.4	75.7	<0.01	0.08	4.0
CC115408		0.15	36.2	560	28.0	6.8	<0.001	0.04	0.45	4.9	1.2	0.4	74.5	<0.01	0.04	3.5
CC115409		0.12	51.4	500	30.4	6.2	<0.001	0.03	0.51	5.6	1.2	0.4	69.9	<0.01	0.08	4.1
CC115410		0.10	30.0	470	29.4	7.2	<0.001	0.05	0.69	4.6	0.8	0.4	147.5	<0.01	0.03	3.4
CC115411		0.25	31.6	820	32.1	9.0	<0.001	0.05	0.86	4.5	1.0	0.5	83.2	<0.01	0.03	2.2
CC115412		0.19	48.2	830	54.6	10.3	<0.001	0.10	1.02	7.3	1.6	0.5	81.1	<0.01	0.05	3.3

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 23- AUG- 2011
Account: RCM

Project: Rackla- Birkland Silt

CERTIFICATE OF ANALYSIS WH11132859

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
CC115401		0.010	0.09	0.99	24	0.05	13.30	127	2.2
CC115402		0.006	0.10	1.09	21	<0.05	13.25	128	2.6
CC115403		0.006	0.10	0.96	22	<0.05	11.30	128	2.0
CC115404		0.005	0.09	1.14	19	<0.05	9.76	136	2.4
CC115405		<0.005	0.08	1.62	19	<0.05	8.67	128	2.5
CC115406		0.005	0.07	1.38	19	<0.05	8.86	127	2.4
CC115407		<0.005	0.07	1.10	19	<0.05	9.22	118	2.4
CC115408		0.005	0.07	1.28	18	<0.05	9.31	121	2.6
CC115409		<0.005	0.08	1.51	18	<0.05	9.23	134	2.6
CC115410		<0.005	0.13	0.66	10	<0.05	8.37	122	1.7
CC115411		0.006	0.14	0.83	16	0.09	11.25	171	2.2
CC115412		0.005	0.22	1.05	17	0.06	17.30	177	2.6

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 23- AUG- 2011
Account: RCM

Project: Rackla- Birkland Silt

CERTIFICATE OF ANALYSIS WH11132859

Method	CERTIFICATE COMMENTS
ME- MS41	Gold determinations by this method are semi- quantitative due to the small sample weight used (0.5g).

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 25- AUG- 2011
Account: RCM

CERTIFICATE WH11135446

Project: Rackla- Rod to Crag

P.O. No.:

This report is for 191 Soil samples submitted to our lab in Whitehorse, YT, Canada on 17- JUL- 2011.

The following have access to data associated with this certificate:

ROB CARNE JULIA LANE	ANDREW CARNE JOAN MARIACHER	MATT DUMALA

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
SCR- 41	Screen to - 180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- TL43	Trace Level Au - 25g AR	ICP- MS
ME- MS41	51 anal. aqua regia ICPMS	

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 25- AUG- 2011
Account: RCM

Project: Rackla- Rod to Crag

CERTIFICATE OF ANALYSIS WH11135446

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- TL43 Au ppm 0.001	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1
CC115146		0.18	0.001	0.24	1.45	13.7	<0.2	<10	180	0.57	0.21	4.42	1.73	26.3	9.1	27
CC115147		0.18	0.001	0.18	0.85	17.4	<0.2	<10	210	0.46	0.18	7.17	1.45	22.3	6.8	21
CC115148		0.24	0.001	0.33	1.38	17.9	<0.2	<10	200	0.61	0.20	3.69	1.37	33.2	10.2	31
CC115149		0.22	0.002	0.28	1.13	17.5	<0.2	<10	250	0.57	0.17	4.03	1.12	23.8	7.4	25
CC115150		0.20	0.001	0.41	1.15	21.1	<0.2	<10	590	0.61	0.19	3.80	2.37	23.4	8.6	27
CC115151		0.30	0.001	0.30	0.65	16.9	<0.2	<10	430	0.45	0.15	9.52	0.99	21.2	6.0	19
CC115152		0.24	0.001	0.34	1.43	25.1	<0.2	<10	470	0.74	0.23	2.68	1.13	32.1	8.8	32
CC115153		0.28	0.002	0.45	0.90	22.3	<0.2	<10	350	0.49	0.14	6.85	0.87	24.2	7.7	22
CC115154		0.22	0.001	0.25	1.35	20.1	<0.2	<10	820	0.74	0.22	1.95	0.85	28.1	9.9	26
CC115155		0.26	<0.001	0.09	1.94	17.5	<0.2	<10	460	0.72	0.24	0.86	0.97	32.2	9.6	33
CC115156		0.30	0.001	0.19	1.38	13.3	<0.2	<10	330	0.65	0.17	6.55	0.99	25.1	8.5	24
CC115157		0.32	0.002	0.25	1.34	18.7	<0.2	<10	430	0.57	0.17	4.18	0.59	31.4	8.6	26
CC115158		0.28	0.001	0.21	1.64	15.4	<0.2	<10	840	0.73	0.21	1.16	0.33	35.3	11.0	30
CC115159		0.22	0.001	0.14	1.55	14.1	<0.2	<10	710	0.68	0.24	4.51	0.52	33.0	9.2	28
CC115160		0.30	0.001	0.11	0.83	11	<0.2	<10	180	0.36	0.13	13.70	0.99	16.25	6.1	17
CC115161		0.30	0.001	0.21	0.94	24	<0.2	<10	1570	0.60	0.15	10.05	1.45	23.3	7.7	19
CC115162		0.32	0.001	0.16	0.65	24	<0.2	<10	3110	0.57	0.13	11.10	1.00	26.7	7.3	16
CC115163		0.30	0.001	0.30	0.51	21.7	<0.2	<10	1680	0.83	0.19	8.90	0.42	17.50	10.4	17
CC115164		0.32	0.001	0.43	1.15	14.6	<0.2	<10	530	0.63	0.16	6.52	0.98	32.5	9.1	21
CC115165		0.26	0.001	0.24	1.15	14.3	<0.2	<10	370	0.75	0.17	7.06	1.52	29.4	7.9	22
CC115166		0.26	0.001	0.23	0.80	14.5	<0.2	<10	500	0.59	0.15	9.67	0.92	24.9	6.4	19
CC115167		0.24	0.001	0.21	1.31	16.4	<0.2	<10	810	0.89	0.21	4.48	2.16	30.1	12.0	26
CC115168		0.22	0.001	0.32	1.26	21.8	<0.2	<10	780	0.77	0.20	3.51	1.78	32.3	10.6	26
CC115169		0.24	0.002	0.23	1.54	23.9	<0.2	<10	810	0.88	0.22	1.26	1.18	30.4	10.7	28
CC115170		0.36	<0.001	0.09	0.53	14	<0.2	<10	160	0.36	0.12	13.40	0.87	24.5	5.8	12
CC129594		0.30	<0.001	0.18	1.84	12.9	<0.2	<10	480	0.71	0.26	1.36	0.47	28.0	12.1	29
CC129595		0.30	<0.001	0.13	1.33	18.0	<0.2	<10	230	0.94	0.23	6.00	1.65	35.2	7.2	27
CC129596		0.30	0.001	0.22	1.51	20.2	<0.2	<10	160	0.96	0.20	6.66	0.82	45.1	8.1	28
CC129597		0.28	0.002	0.23	1.70	18.6	<0.2	<10	440	0.88	0.26	1.67	0.41	38.4	10.9	31
CC129598		0.22	0.004	0.19	1.36	15.5	<0.2	<10	1230	0.75	0.24	3.09	0.90	29.6	9.4	24
CC129599		0.22	0.001	0.16	1.57	17.3	<0.2	<10	360	0.87	0.29	1.29	0.97	39.5	10.3	28
CC129600		0.24	0.001	0.09	1.57	14.5	<0.2	<10	320	0.80	0.26	1.03	0.68	36.2	10.1	27
CC142601		0.22	0.001	0.28	0.95	13.4	<0.2	<10	510	0.53	0.14	7.23	1.07	23.7	7.4	20
CC142602		0.20	0.001	0.06	0.89	8	<0.2	<10	180	0.50	0.13	12.15	3.75	17.70	5.1	14
CC142603		0.28	0.002	0.36	1.11	15.6	<0.2	<10	850	0.66	0.17	2.95	1.40	21.4	9.4	25
CC142604		0.30	0.001	0.16	1.01	10.9	<0.2	<10	270	0.51	0.13	8.79	0.92	22.7	8.3	19
CC142605		0.44	0.001	0.12	1.21	7.8	<0.2	<10	430	0.57	0.08	9.10	0.81	36.3	13.2	26
CC142606		0.18	0.001	0.13	1.00	2.5	<0.2	<10	650	0.36	0.07	2.75	0.17	18.50	10.1	16
CC142607		0.38	0.002	0.28	1.30	14.4	<0.2	<10	700	0.66	0.12	4.29	1.20	34.0	13.9	27
CC142608		0.22	0.001	0.19	1.54	18.3	<0.2	<10	400	0.81	0.18	2.00	1.33	24.0	8.8	28

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 25- AUG- 2011
Account: RCM

Project: Rackla- Rod to Crag

CERTIFICATE OF ANALYSIS WH11135446

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
CC115146		0.96	12.4	2.66	3.79	0.07	0.05	0.10	0.031	0.07	12.8	10.3	2.52	472	2.63	0.01
CC115147		0.69	15.1	2.06	2.24	0.06	0.05	0.09	0.025	0.09	10.5	5.5	2.98	455	2.43	0.01
CC115148		0.80	15.8	3.02	3.98	0.09	0.06	0.12	0.031	0.07	16.8	11.8	2.16	381	1.82	0.01
CC115149		0.72	16.0	2.41	3.01	0.07	0.07	0.11	0.026	0.08	13.3	7.4	1.91	307	2.22	<0.01
CC115150		0.67	21.9	2.76	3.02	0.08	0.06	0.14	0.030	0.09	13.5	7.2	1.49	357	2.76	<0.01
CC115151		0.73	14.7	2.05	1.65	0.06	0.05	0.10	0.023	0.09	11.2	4.7	4.85	236	2.16	0.01
CC115152		0.94	14.1	3.01	4.02	0.08	0.07	0.09	0.035	0.09	17.3	9.7	1.39	360	2.18	<0.01
CC115153		0.83	14.8	2.11	2.42	0.07	0.06	0.14	0.024	0.09	13.1	7.7	4.10	282	2.59	<0.01
CC115154		1.17	19.2	2.90	3.73	0.07	0.06	0.12	0.031	0.09	13.8	9.0	0.74	523	1.66	<0.01
CC115155		1.39	9.7	3.21	5.94	0.07	0.06	0.03	0.034	0.07	14.5	14.1	0.72	384	1.28	<0.01
CC115156		0.79	11.2	2.30	3.47	0.07	0.04	0.06	0.025	0.06	11.9	10.6	3.90	362	1.07	0.01
CC115157		1.10	14.1	2.53	3.69	0.08	0.05	0.05	0.027	0.08	15.0	10.7	2.62	330	1.93	0.01
CC115158		1.09	15.4	2.98	4.92	0.09	0.05	0.07	0.031	0.06	16.5	14.3	0.78	501	1.32	<0.01
CC115159		0.92	10.6	2.70	4.18	0.07	0.04	0.06	0.031	0.06	13.8	10.8	2.56	362	2.75	0.01
CC115160		0.50	9.9	1.48	1.82	<0.05	0.03	0.05	0.018	0.05	7.1	5.4	7.58	351	2.45	0.01
CC115161		0.80	14.2	2.04	2.37	0.06	0.06	0.09	0.022	0.09	11.1	6.7	5.26	363	2.62	0.01
CC115162		0.65	12.4	1.88	1.75	0.06	0.05	0.08	0.024	0.09	12.2	4.2	5.80	276	2.58	0.02
CC115163		0.79	21.8	2.08	1.49	0.10	0.05	0.12	0.031	0.09	7.7	4.9	4.67	350	3.21	0.02
CC115164		0.80	18.7	2.15	3.16	0.10	0.07	0.19	0.024	0.07	13.8	12.2	3.62	420	2.18	0.02
CC115165		0.79	14.0	2.35	2.92	0.09	0.05	0.08	0.028	0.07	13.2	9.2	3.83	439	2.43	0.02
CC115166		0.59	15.2	1.88	2.01	0.09	0.04	0.09	0.023	0.06	11.5	7.6	4.92	388	1.92	0.02
CC115167		0.86	19.9	2.59	3.92	0.09	0.05	0.11	0.029	0.08	12.7	11.5	2.19	694	2.19	0.01
CC115168		0.98	20.7	2.67	3.66	0.11	0.05	0.14	0.030	0.07	13.7	12.4	1.75	558	2.59	0.01
CC115169		1.09	22.6	2.89	4.39	0.10	0.06	0.17	0.032	0.08	14.7	13.3	0.52	466	2.54	0.01
CC115170		1.09	11.2	1.38	1.38	0.09	0.04	0.05	0.015	0.07	10.6	5.3	6.83	195	1.57	0.02
CC129594		1.55	18.1	2.93	5.95	0.11	0.04	0.06	0.032	0.06	11.6	15.0	0.63	846	1.05	0.01
CC129595		0.58	13.1	2.71	3.40	0.10	0.06	0.07	0.034	0.08	17.9	10.6	3.19	391	1.12	0.01
CC129596		1.00	13.8	2.65	3.57	0.10	0.07	0.06	0.037	0.06	19.3	12.0	3.55	245	1.61	0.01
CC129597		1.12	17.5	3.12	4.98	0.11	0.05	0.11	0.033	0.08	16.4	16.5	1.01	426	1.38	0.01
CC129598		0.87	16.0	2.54	4.17	0.09	0.04	0.09	0.028	0.06	12.7	11.5	1.15	578	1.28	0.02
CC129599		1.15	23.3	3.30	4.58	0.11	0.04	0.06	0.041	0.08	15.6	12.9	0.70	446	1.46	0.01
CC129600		0.88	14.6	3.15	4.61	0.10	0.05	0.05	0.034	0.10	15.5	12.6	0.65	403	1.40	0.01
CC142601		0.66	14.8	2.05	2.47	0.09	0.05	0.09	0.022	0.08	11.7	8.8	3.61	322	1.65	0.02
CC142602		0.66	7.1	1.39	1.79	0.07	0.03	0.06	0.022	0.04	8.4	5.2	6.35	495	0.72	0.02
CC142603		0.67	23.2	2.32	3.08	0.11	0.07	0.14	0.029	0.10	11.7	12.0	0.95	293	1.13	0.01
CC142604		0.70	15.1	2.01	2.72	0.08	0.06	0.09	0.023	0.09	11.0	12.6	4.92	271	1.12	0.02
CC142605		1.06	18.5	2.87	3.39	0.09	0.05	0.07	0.030	0.12	16.3	20.2	5.54	368	0.89	0.02
CC142606		1.98	20.0	1.45	3.16	0.09	0.06	0.09	0.020	0.05	10.3	9.4	0.76	395	0.62	0.01
CC142607		0.72	26.4	2.79	3.79	0.10	0.06	0.16	0.029	0.10	16.2	15.1	2.26	486	3.96	0.01
CC142608		0.82	14.9	2.53	4.29	0.09	0.05	0.11	0.031	0.06	11.9	12.9	0.70	602	9.61	0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 25- AUG- 2011
Account: RCM

Project: Rackla- Rod to Crag

CERTIFICATE OF ANALYSIS WH11135446

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
CC115146		0.71	23.9	740	32.4	12.4	<0.001	0.06	0.98	3.4	0.8	0.5	34.0	<0.01	0.04	1.4
CC115147		0.40	22.4	570	16.5	11.0	0.001	0.08	1.04	2.6	0.9	0.4	66.6	<0.01	0.04	0.8
CC115148		0.73	31.8	660	23.3	8.7	<0.001	0.04	1.07	4.2	1.0	0.5	34.5	<0.01	0.05	1.9
CC115149		0.44	27.6	960	27.4	9.3	<0.001	0.07	1.19	2.7	1.1	0.4	35.4	<0.01	0.05	0.9
CC115150		0.39	34.6	1070	29.2	8.0	<0.001	0.09	1.43	2.5	1.3	0.4	37.7	<0.01	0.06	0.6
CC115151		0.27	24.0	700	24.1	7.9	0.001	0.05	1.39	2.7	1.0	0.3	70.6	<0.01	0.04	1.2
CC115152		0.56	28.7	620	32.3	11.6	<0.001	0.04	1.44	4.2	1.1	0.5	28.8	<0.01	0.06	2.0
CC115153		0.39	33.1	910	26.9	8.4	0.001	0.04	1.70	3.2	1.1	0.3	71.3	<0.01	0.04	1.8
CC115154		0.59	29.5	650	19.7	12.8	<0.001	0.06	1.06	3.3	1.3	0.5	23.9	<0.01	0.06	1.4
CC115155		0.82	29.8	210	23.9	11.5	<0.001	0.02	0.97	4.3	0.5	0.7	14.2	<0.01	0.05	4.0
CC115156		0.59	23.8	720	13.5	10.1	<0.001	0.06	0.79	2.7	0.8	0.4	55.2	<0.01	0.04	1.1
CC115157		0.67	31.5	570	16.8	9.8	<0.001	0.04	1.21	3.4	1.0	0.5	44.9	<0.01	0.05	2.4
CC115158		0.83	29.0	500	14.9	9.0	<0.001	0.03	0.85	3.8	0.8	0.5	22.1	<0.01	0.05	2.2
CC115159		0.79	23.7	460	15.7	10.6	<0.001	0.05	0.83	3.4	0.9	0.5	36.6	<0.01	0.05	1.8
CC115160		0.34	20.8	720	9.3	6.8	<0.001	0.06	0.73	1.7	1.5	0.2	87.4	<0.01	0.03	0.6
CC115161		0.30	29.6	700	31.0	9.1	<0.001	0.07	1.40	2.8	0.9	0.3	80.1	<0.01	0.04	1.4
CC115162		0.21	25.9	590	23.2	7.5	<0.001	0.11	1.63	3.0	0.8	0.3	98.8	<0.01	0.04	1.5
CC115163		0.13	42.5	700	20.5	6.6	0.001	0.05	1.65	3.6	1.0	0.3	106.0	<0.01	0.04	2.4
CC115164		0.75	40.9	630	18.7	8.2	<0.001	0.02	1.10	3.6	0.7	0.4	64.4	<0.01	0.03	2.7
CC115165		0.60	30.1	710	23.9	10.7	<0.001	0.05	1.49	2.9	1.0	0.4	61.2	<0.01	0.04	1.3
CC115166		0.35	26.8	620	22.4	7.2	<0.001	0.05	1.17	2.4	0.9	0.3	84.5	<0.01	0.04	1.0
CC115167		0.75	45.6	690	24.5	9.1	<0.001	0.04	1.38	3.1	1.3	0.5	42.0	<0.01	0.04	1.4
CC115168		0.71	40.1	730	41.5	10.0	0.001	0.04	1.62	3.3	1.0	0.4	42.3	<0.01	0.04	1.6
CC115169		0.77	38.9	680	50.8	11.7	<0.001	0.05	1.61	3.5	1.3	0.5	24.4	<0.01	0.05	1.6
CC115170		0.29	16.2	350	12.7	6.8	0.001	0.05	0.57	2.1	0.7	0.3	139.5	<0.01	0.02	1.2
CC129594		1.03	21.9	1000	17.1	11.2	<0.001	0.05	0.52	2.8	0.8	0.6	22.2	0.01	0.04	1.1
CC129595		0.58	24.8	740	20.5	10.5	<0.001	0.05	1.08	3.6	0.8	0.5	43.9	<0.01	0.03	1.7
CC129596		0.72	36.0	480	17.5	11.3	<0.001	0.03	0.98	4.6	0.8	0.5	49.5	<0.01	0.03	3.0
CC129597		0.91	36.4	620	18.4	10.9	<0.001	0.03	0.87	3.9	1.0	0.6	26.0	<0.01	0.04	2.0
CC129598		0.90	25.7	750	18.4	9.5	<0.001	0.07	0.89	2.7	1.0	0.5	33.5	<0.01	0.04	1.0
CC129599		0.86	28.0	560	22.0	11.9	<0.001	0.04	0.86	3.4	0.7	0.6	18.4	<0.01	0.04	1.7
CC129600		0.85	27.0	500	19.4	11.1	<0.001	0.04	0.72	3.8	0.8	0.5	16.1	<0.01	0.05	2.1
CC142601		0.50	29.2	880	21.0	7.4	<0.001	0.05	1.01	2.4	0.9	0.3	57.9	<0.01	0.03	0.9
CC142602		0.39	15.9	850	12.7	4.3	<0.001	0.07	0.68	1.3	0.7	0.2	63.0	<0.01	0.03	0.3
CC142603		0.53	48.7	1530	23.9	8.3	<0.001	0.10	1.22	2.8	1.2	0.4	28.5	<0.01	0.04	0.9
CC142604		0.63	32.9	700	21.9	7.1	<0.001	0.05	0.78	3.0	0.7	0.3	55.8	<0.01	0.02	1.4
CC142605		0.61	41.8	1030	17.4	7.0	<0.001	0.04	0.52	4.3	0.7	0.4	68.1	<0.01	0.02	2.2
CC142606		0.41	17.8	1250	4.7	6.9	<0.001	0.21	0.36	3.9	1.1	0.3	46.5	<0.01	0.03	0.5
CC142607		0.66	50.5	1300	21.7	8.1	0.001	0.07	1.26	4.1	1.4	0.4	44.1	<0.01	0.03	1.2
CC142608		0.96	30.7	880	27.9	6.9	<0.001	0.08	1.12	2.7	1.0	0.5	19.1	<0.01	0.05	0.9

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 25- AUG- 2011
Account: RCM

Project: Rackla- Rod to Crag

CERTIFICATE OF ANALYSIS WH11135446

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
CC115146		0.024	0.21	0.75	50	0.21	9.05	203	1.3
CC115147		0.008	0.25	0.77	38	0.09	8.96	102	1.3
CC115148		0.023	0.24	0.78	52	0.16	12.35	152	1.3
CC115149		0.011	0.27	1.10	62	0.12	13.60	168	1.5
CC115150		0.009	0.29	1.47	66	0.09	15.25	180	1.3
CC115151		0.006	0.29	1.03	47	0.07	10.90	156	1.2
CC115152		0.012	0.31	1.14	76	0.13	14.25	188	1.4
CC115153		0.011	0.29	1.41	59	0.14	13.10	157	1.6
CC115154		0.013	0.48	2.76	52	0.12	11.80	131	1.7
CC115155		0.022	0.31	1.05	85	0.17	5.65	260	1.7
CC115156		0.019	0.15	0.81	43	0.15	8.44	177	1.0
CC115157		0.020	0.22	1.21	53	0.19	9.38	165	1.2
CC115158		0.026	0.15	1.33	57	0.25	9.59	109	1.2
CC115159		0.025	0.20	0.82	52	0.19	8.59	129	0.9
CC115160		0.013	0.16	0.83	30	0.08	5.09	165	0.8
CC115161		0.008	0.29	1.12	40	0.07	9.95	200	1.5
CC115162		0.005	0.27	1.33	30	0.06	10.15	116	1.3
CC115163		0.005	0.17	0.93	33	0.14	11.20	135	1.6
CC115164		0.018	0.18	1.10	44	0.27	10.80	151	1.7
CC115165		0.015	0.18	1.32	43	0.21	9.41	222	1.2
CC115166		0.008	0.17	1.55	39	0.17	9.02	137	1.0
CC115167		0.016	0.20	1.33	49	0.24	9.47	370	1.2
CC115168		0.016	0.19	1.45	54	0.24	10.45	239	1.4
CC115169		0.013	0.30	3.02	65	0.21	11.45	193	1.7
CC115170		0.007	0.24	2.06	23	0.15	7.42	71	1.1
CC129594		0.028	0.14	1.15	57	0.28	6.61	92	0.9
CC129595		0.011	0.24	0.81	43	0.22	12.25	143	1.5
CC129596		0.015	0.31	0.74	48	0.22	14.55	94	1.8
CC129597		0.020	0.25	0.89	56	0.33	11.20	124	1.1
CC129598		0.017	0.18	1.91	45	0.21	8.65	94	1.2
CC129599		0.019	0.30	1.42	55	0.22	9.02	98	1.0
CC129600		0.019	0.37	0.85	53	0.26	9.38	118	1.3
CC142601		0.011	0.25	1.13	44	0.18	10.60	159	1.2
CC142602		0.012	0.16	1.19	32	0.13	6.32	210	0.7
CC142603		0.010	0.34	1.40	55	0.15	12.05	315	2.0
CC142604		0.016	0.24	0.68	36	0.17	8.61	248	1.7
CC142605		0.013	0.29	0.71	48	0.12	10.70	152	1.4
CC142606		0.012	0.11	0.61	39	0.10	8.60	34	1.5
CC142607		0.011	0.23	1.61	65	0.19	13.15	159	1.6
CC142608		0.018	0.23	2.75	86	0.29	9.05	204	1.4

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 25- AUG- 2011
Account: RCM

Project: Rackla- Rod to Crag

CERTIFICATE OF ANALYSIS WH11135446

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- TL43 Au ppm 0.001	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1
CC142609		0.22	0.001	0.19	1.65	18.1	<0.2	<10	490	0.88	0.20	1.61	1.39	23.7	9.7	41
CC142610		0.28	0.001	0.13	1.80	16.3	<0.2	<10	290	1.00	0.25	0.91	1.36	28.2	10.1	35
CC142611		0.20	<0.001	0.04	1.39	14.2	<0.2	<10	330	0.57	0.21	0.94	0.52	26.1	7.5	26
CC142612		0.30	0.005	0.10	0.82	9	<0.2	<10	480	0.54	0.11	10.65	0.55	17.05	5.6	17
CC142613		0.28	0.002	0.12	0.82	11.7	<0.2	<10	390	0.65	0.10	6.95	0.83	16.15	5.8	21
CC142614		0.20	<0.001	0.09	1.25	21.3	<0.2	<10	680	0.94	0.18	1.85	1.37	20.4	8.7	30
CC142615		0.20	<0.001	0.08	1.10	9.6	<0.2	<10	440	0.58	0.16	2.89	0.82	16.45	6.4	20
CC115056		0.32	0.001	2.35	1.19	36.2	<0.2	<10	1530	0.98	0.21	1.04	9.44	32.3	8.3	90
CC115057		0.16	0.001	2.18	1.13	32.4	<0.2	<10	1590	0.79	0.21	1.19	7.23	33.5	12.1	77
CC115058		0.28	0.003	1.63	1.10	46.8	<0.2	<10	2500	0.81	0.19	1.37	4.76	30.4	11.9	70
CC115059		0.20	0.002	1.70	1.00	46.9	<0.2	<10	1500	0.78	0.26	1.27	5.30	26.4	13.9	46
CC115060		0.22	0.001	1.38	1.09	34.6	<0.2	<10	2140	0.79	0.19	0.85	3.42	30.1	15.8	51
CC115061		0.20	0.001	1.70	1.19	21.3	<0.2	<10	2460	0.87	0.19	1.16	8.08	25.2	8.1	51
CC115062		0.24	0.001	1.11	1.11	41.0	<0.2	<10	2340	0.66	0.20	0.77	1.94	20.7	18.3	47
CC115063		0.26	0.001	1.25	1.19	30.9	<0.2	<10	2640	0.73	0.23	0.79	5.44	23.6	9.7	55
CC115064		0.08	0.001	1.30	1.06	24.6	<0.2	<10	2730	0.73	0.19	1.31	6.23	21.1	9.0	52
CC115065		0.16	<0.001	1.20	1.09	38.3	<0.2	<10	2800	0.74	0.20	1.25	5.16	22.9	10.3	53
CC115066		0.18	<0.001	1.20	0.82	27.4	<0.2	<10	2400	0.58	0.21	1.32	6.78	20.5	7.8	34
CC115067		0.24	0.002	1.45	1.14	47.0	<0.2	<10	2100	0.74	0.19	2.21	2.77	24.4	12.8	46
CC115068		0.08	0.002	1.04	0.84	52.9	<0.2	<10	2550	0.62	0.13	3.47	4.16	13.00	10.2	32
CC115069		0.10	<0.001	1.31	0.91	47.6	<0.2	<10	2360	0.67	0.16	2.91	7.57	16.65	11.6	35
CC115070		0.18	0.001	0.84	0.68	20.2	<0.2	<10	1620	0.51	0.13	2.85	4.14	15.50	6.2	31
CC115071		0.26	0.003	1.57	0.97	40.8	<0.2	<10	1260	0.76	0.19	1.49	7.43	26.0	10.6	46
CC115072		0.34	0.003	1.59	1.10	42.6	<0.2	<10	1410	0.83	0.20	1.59	10.95	25.6	11.1	48
CC115073		0.14	0.001	0.89	1.15	34.4	<0.2	<10	2670	0.61	0.18	1.51	2.40	19.20	13.2	37
CC115074		0.12	0.002	0.94	1.15	21.7	<0.2	<10	1790	0.60	0.18	1.29	2.01	22.8	8.8	38
CC115075		0.24	0.001	0.34	0.33	40.5	<0.2	<10	230	0.23	0.29	0.04	0.46	32.6	0.5	13
CC115076		0.14	0.001	0.59	0.28	36.6	<0.2	<10	310	0.23	0.13	1.50	0.29	21.3	2.4	18
CC115077		0.22	0.001	0.54	0.20	31.0	<0.2	<10	230	0.18	0.12	1.22	0.32	19.35	2.6	17
CC115078		0.22	0.003	1.47	1.07	29.5	<0.2	<10	1990	0.73	0.19	1.82	3.38	24.9	10.7	39
CC115079		0.18	0.003	1.18	0.91	30.6	<0.2	<10	1530	0.61	0.18	2.01	2.72	21.1	7.4	34
CC115080		0.22	0.002	1.09	1.00	52.3	<0.2	<10	1570	0.79	0.32	0.62	6.88	22.7	17.1	29
CC115081		0.18	0.002	1.02	1.16	35.6	<0.2	<10	1350	0.66	0.25	0.64	6.95	23.5	15.2	37
CC115082		0.24	0.002	1.13	1.37	55.7	<0.2	<10	2390	0.97	0.28	1.22	4.50	30.3	17.1	46
CC115083		0.16	0.001	1.27	1.24	32.0	<0.2	<10	2280	0.73	0.20	1.35	2.43	23.8	9.6	47
CC115084		0.22	0.002	1.05	1.19	24.1	<0.2	<10	2150	0.80	0.22	1.32	3.28	25.6	8.9	37
CC115085		0.08	0.001	0.76	0.98	25.9	<0.2	<10	2150	0.56	0.16	1.77	4.05	16.80	10.6	30
CC115086		0.12	0.002	1.03	1.00	24.1	<0.2	<10	1890	0.58	0.16	1.86	20.3	18.45	11.2	34
CC115087		0.26	0.002	0.72	1.20	14.8	<0.2	<10	1180	0.60	0.24	1.00	1.57	17.80	7.7	35
CC115088		0.12	0.002	0.72	1.05	14.4	<0.2	<10	1560	0.62	0.18	1.27	1.93	15.20	8.0	30

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 25- AUG- 2011
Account: RCM

Project: Rackla- Rod to Crag

CERTIFICATE OF ANALYSIS WH11135446

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
CC142609		1.04	15.3	2.88	4.79	0.10	0.05	0.09	0.030	0.07	12.2	14.0	0.69	657	5.59	0.01
CC142610		1.39	12.1	3.24	5.25	0.09	0.04	0.05	0.032	0.06	12.3	15.9	0.70	653	2.26	0.01
CC142611		1.08	7.2	2.55	5.25	0.09	0.02	0.03	0.025	0.04	10.9	15.4	0.41	429	1.10	0.01
CC142612		0.53	9.0	1.34	2.13	0.08	0.03	0.06	0.015	0.05	7.8	7.3	6.12	652	1.01	0.01
CC142613		0.64	11.3	1.45	2.20	0.08	0.03	0.06	0.014	0.05	7.8	7.6	3.60	607	1.32	0.01
CC142614		0.95	16.8	2.51	3.77	0.09	0.04	0.07	0.023	0.05	9.5	12.4	0.53	717	1.91	0.01
CC142615		0.72	16.6	1.61	3.34	0.08	0.04	0.08	0.019	0.05	8.1	8.3	0.83	585	0.65	0.02
CC115056		1.64	79.7	2.48	5.32	0.15	0.05	0.45	0.033	0.13	18.6	15.1	0.74	288	14.25	0.01
CC115057		1.43	82.5	3.05	4.35	0.14	0.05	0.36	0.039	0.14	18.4	14.5	0.79	542	13.25	0.01
CC115058		1.00	54.3	2.80	4.12	0.12	0.06	0.38	0.031	0.11	16.7	12.0	0.61	671	12.25	0.02
CC115059		0.91	67.6	3.15	3.46	0.12	0.05	0.40	0.045	0.08	13.9	14.7	0.44	922	8.22	0.01
CC115060		0.74	65.0	3.11	3.68	0.12	0.05	0.26	0.036	0.10	16.0	13.5	0.44	1070	12.40	0.01
CC115061		0.98	77.4	2.29	3.92	0.12	0.05	0.45	0.030	0.11	13.4	12.7	0.42	402	5.06	0.02
CC115062		1.09	33.1	2.74	3.75	<0.05	0.02	0.29	0.030	0.09	12.0	10.5	0.45	1080	12.20	0.01
CC115063		0.94	44.7	2.56	4.08	<0.05	0.04	0.35	0.030	0.11	14.1	12.1	0.43	436	5.92	<0.01
CC115064		0.93	64.0	2.24	3.37	0.05	0.07	0.39	0.035	0.10	12.1	10.7	0.52	401	4.84	0.01
CC115065		0.79	53.3	2.52	3.66	0.06	0.06	0.39	0.029	0.10	13.3	10.9	0.54	512	7.58	0.01
CC115066		0.70	72.7	2.08	2.65	0.06	0.05	0.40	0.028	0.08	12.0	7.2	0.38	408	7.36	<0.01
CC115067		0.78	25.1	2.78	3.56	0.06	0.04	0.50	0.037	0.10	17.9	10.4	0.35	1040	10.20	<0.01
CC115068		0.49	51.8	2.76	2.36	<0.05	0.04	0.41	0.023	0.06	7.5	6.2	0.26	891	8.00	0.01
CC115069		0.64	55.2	2.55	2.68	0.05	0.03	0.45	0.029	0.08	10.1	7.5	0.27	1620	9.73	0.01
CC115070		0.53	34.9	1.74	2.06	<0.05	0.06	0.28	0.023	0.08	9.5	6.2	0.31	312	2.11	0.01
CC115071		0.75	72.8	2.68	3.37	0.06	0.04	0.52	0.034	0.11	16.9	8.8	0.34	401	8.80	<0.01
CC115072		0.71	79.2	2.83	3.53	0.05	0.04	0.51	0.033	0.12	16.8	9.6	0.36	368	9.97	<0.01
CC115073		0.65	29.1	3.42	3.60	<0.05	0.04	0.26	0.028	0.06	11.6	9.1	0.26	1040	7.97	0.01
CC115074		0.83	25.8	2.27	3.76	<0.05	0.04	0.36	0.030	0.08	12.8	10.0	0.28	380	3.98	0.01
CC115075		0.57	21.0	1.13	3.06	0.06	<0.02	0.10	0.027	0.05	19.8	1.4	0.02	18	43.4	<0.01
CC115076		0.36	15.9	1.15	0.89	<0.05	0.03	0.56	0.021	0.02	14.9	1.8	0.04	94	1.30	<0.01
CC115077		0.32	16.9	1.20	0.62	<0.05	0.02	0.51	0.018	0.02	13.5	1.2	0.02	152	1.19	<0.01
CC115078		0.62	62.4	2.90	3.34	0.05	0.05	0.51	0.041	0.06	15.6	13.3	0.52	409	5.20	<0.01
CC115079		0.48	58.2	2.51	2.76	0.05	0.05	0.36	0.038	0.06	14.7	9.4	0.58	249	5.08	<0.01
CC115080		0.82	75.3	3.57	2.75	0.05	0.05	0.32	0.049	0.05	12.1	16.1	0.36	789	6.88	<0.01
CC115081		1.04	57.8	3.38	3.45	<0.05	0.04	0.38	0.043	0.07	13.1	12.3	0.36	654	12.00	<0.01
CC115082		1.81	84.5	4.23	4.32	0.06	0.09	0.52	0.040	0.17	16.9	14.8	0.88	830	8.26	0.01
CC115083		1.07	37.2	2.72	3.53	0.05	0.09	0.45	0.030	0.13	14.1	12.4	0.49	389	4.87	0.01
CC115084		0.71	49.3	2.45	3.48	0.05	0.08	0.37	0.036	0.08	14.2	15.2	0.47	571	3.73	0.01
CC115085		0.71	29.5	2.19	3.00	<0.05	0.05	0.27	0.028	0.07	9.6	11.2	0.40	1540	6.33	0.01
CC115086		0.73	56.2	2.20	3.33	0.09	0.06	0.31	0.028	0.07	10.6	10.8	0.43	875	6.37	0.01
CC115087		1.19	34.1	2.26	3.42	<0.05	0.05	0.24	0.030	0.07	9.6	25.3	0.46	286	3.31	<0.01
CC115088		0.81	34.6	1.96	2.90	<0.05	0.06	0.21	0.025	0.05	8.2	17.1	0.37	530	3.35	0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 25- AUG- 2011
Account: RCM

Project: Rackla- Rod to Crag

CERTIFICATE OF ANALYSIS WH11135446

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
CC142609		0.94	42.5	800	22.6	8.7	<0.001	0.06	1.09	3.3	0.8	0.5	16.8	<0.01	0.04	1.2
CC142610		1.07	29.9	620	25.0	13.3	<0.001	0.03	0.92	3.4	0.5	0.6	13.3	<0.01	0.03	1.8
CC142611		1.01	15.6	950	21.2	7.3	<0.001	0.04	0.80	2.2	0.5	0.5	13.6	<0.01	0.04	0.9
CC142612		0.41	16.3	1770	12.9	5.3	<0.001	0.06	0.71	1.3	0.6	0.3	41.5	<0.01	0.02	0.5
CC142613		0.41	21.3	2480	17.3	6.5	<0.001	0.11	0.92	1.0	0.8	0.2	33.3	<0.01	0.02	0.3
CC142614		0.67	29.0	1450	33.6	8.5	<0.001	0.10	1.59	1.8	0.9	0.4	14.7	<0.01	0.04	0.5
CC142615		0.66	14.9	3050	22.6	6.2	<0.001	0.13	0.68	1.7	1.0	0.3	23.6	0.01	0.03	0.5
CC115056		0.77	200	3800	81.3	17.2	0.013	0.05	6.81	4.4	8.7	0.8	128.0	<0.01	0.15	3.1
CC115057		0.71	157.5	3020	46.6	15.1	0.008	0.05	6.20	5.0	7.2	0.7	115.5	<0.01	0.11	3.4
CC115058		0.96	110.0	2960	66.7	11.8	0.003	0.05	5.90	4.8	4.9	0.5	122.0	<0.01	0.12	2.5
CC115059		0.62	108.5	1980	87.4	10.2	0.005	0.06	5.95	4.5	4.1	0.5	114.5	<0.01	0.09	2.8
CC115060		0.55	117.0	2320	60.1	11.8	0.006	0.04	5.08	3.9	6.5	0.6	87.6	<0.01	0.10	2.4
CC115061		0.86	89.0	1840	124.5	10.7	0.012	0.08	4.99	4.5	8.7	0.5	87.7	<0.01	0.08	2.1
CC115062		0.76	43.9	1950	95.9	9.4	0.007	0.06	3.20	3.1	4.3	0.4	76.8	<0.01	0.06	1.9
CC115063		0.92	74.4	1980	67.6	11.2	0.009	0.04	2.70	3.5	3.8	0.5	82.1	<0.01	0.08	2.8
CC115064		0.73	86.0	2030	58.4	9.2	0.018	0.07	4.06	3.8	6.4	0.4	100.5	<0.01	0.08	2.1
CC115065		0.73	83.0	2090	60.9	8.6	0.019	0.06	4.67	3.8	5.9	0.5	109.5	<0.01	0.08	2.4
CC115066		0.56	80.5	1600	37.9	7.9	0.011	0.07	5.90	3.1	8.4	0.5	92.2	<0.01	0.09	2.1
CC115067		0.46	58.3	2820	46.6	9.9	0.002	0.07	2.99	2.6	2.3	0.5	107.5	<0.01	0.10	1.1
CC115068		0.25	61.0	1980	32.6	5.2	0.004	0.15	3.77	1.2	4.7	0.3	76.3	<0.01	0.07	0.2
CC115069		0.29	72.8	2210	41.4	7.5	0.004	0.11	3.65	1.5	3.8	0.4	91.7	<0.01	0.09	0.5
CC115070		0.43	56.7	1660	36.0	6.7	0.006	0.08	2.55	2.3	2.7	0.3	77.0	<0.01	0.08	1.2
CC115071		0.54	107.0	2520	48.5	9.6	0.001	0.04	4.58	3.8	2.2	0.5	98.4	<0.01	0.11	1.7
CC115072		0.51	119.5	2620	50.7	10.0	0.001	0.05	4.26	3.5	2.3	0.5	95.2	<0.01	0.09	1.3
CC115073		0.51	43.2	1860	36.2	8.2	0.003	0.07	2.56	2.8	2.5	0.5	62.5	<0.01	0.06	1.3
CC115074		0.59	35.5	1920	37.9	9.5	0.003	0.05	2.03	3.0	2.1	0.5	72.7	<0.01	0.05	1.8
CC115075		0.35	3.2	270	23.6	5.1	0.001	0.09	1.61	1.0	2.4	0.8	9.8	<0.01	0.14	2.1
CC115076		0.17	17.6	450	11.1	2.4	0.001	0.05	1.35	0.9	2.2	0.2	32.3	<0.01	0.05	0.7
CC115077		0.19	16.6	430	9.5	2.1	0.001	0.04	1.35	0.9	1.4	<0.2	25.7	<0.01	0.03	0.7
CC115078		1.19	77.1	1640	40.4	6.6	0.001	0.05	4.58	3.8	2.2	0.4	75.9	<0.01	0.07	1.4
CC115079		0.54	71.3	1030	36.1	6.5	<0.001	0.06	4.80	3.3	2.4	0.4	57.2	<0.01	0.06	1.1
CC115080		0.45	164.5	1550	73.4	7.1	0.003	0.04	7.00	3.4	3.9	0.5	75.2	<0.01	0.07	2.9
CC115081		0.83	98.4	1630	58.9	9.2	0.009	0.08	5.21	3.9	4.8	0.5	67.8	<0.01	0.08	2.4
CC115082		1.41	89.3	2060	93.7	10.1	0.003	0.08	5.03	6.2	3.7	1.0	116.5	<0.01	0.07	5.1
CC115083		0.85	54.3	1930	68.3	10.0	0.004	0.04	3.18	4.0	2.3	0.5	84.7	<0.01	0.06	2.6
CC115084		0.77	45.1	1690	55.2	8.0	0.003	0.06	3.79	3.6	3.4	0.4	81.1	<0.01	0.07	2.3
CC115085		0.57	36.0	1770	37.5	8.1	0.005	0.09	3.02	2.2	2.3	0.4	87.2	<0.01	0.06	1.1
CC115086		0.63	190.5	1580	42.7	8.5	0.016	0.10	4.20	3.0	7.9	0.4	89.6	0.01	0.07	1.2
CC115087		0.47	38.6	1290	21.5	7.6	0.002	0.06	1.52	2.7	2.2	0.3	52.7	<0.01	0.07	2.2
CC115088		0.42	33.4	1180	18.6	5.6	0.001	0.08	1.66	2.2	2.4	0.3	56.9	<0.01	0.04	1.3

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 25- AUG- 2011
Account: RCM

Project: Rackla- Rod to Crag

CERTIFICATE OF ANALYSIS WH11135446

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
CC142609		0.017	0.23	2.08	87	0.19	9.31	173	1.5
CC142610		0.025	0.25	1.24	83	0.24	6.70	273	1.1
CC142611		0.026	0.14	1.35	67	0.25	5.52	189	0.5
CC142612		0.015	0.35	1.64	33	0.17	6.60	143	0.9
CC142613		0.012	0.44	2.09	37	0.17	7.91	158	0.9
CC142614		0.017	0.58	2.71	66	0.18	8.71	274	1.0
CC142615		0.018	0.25	3.48	40	0.13	6.97	173	1.3
CC115056		0.026	0.69	6.67	613	0.36	20.8	1360	2.0
CC115057		0.017	0.45	4.46	452	0.26	19.00	855	2.5
CC115058		0.018	0.45	4.29	368	0.25	16.45	655	2.1
CC115059		0.011	0.37	4.86	254	0.22	15.05	736	2.0
CC115060		0.010	0.31	3.92	334	0.23	16.55	763	1.4
CC115061		0.011	0.45	4.12	274	0.20	15.50	594	1.6
CC115062		0.012	0.39	2.92	356	0.30	10.00	260	0.8
CC115063		0.014	0.40	3.44	341	0.30	11.45	456	1.5
CC115064		0.011	0.39	4.50	290	0.19	15.15	509	2.5
CC115065		0.012	0.39	4.65	416	0.30	14.15	615	2.4
CC115066		0.013	0.52	3.55	196	0.31	13.15	428	2.0
CC115067		0.011	0.43	3.52	242	0.20	19.40	434	1.2
CC115068		0.006	0.24	4.27	180	0.13	11.20	291	1.2
CC115069		0.006	0.37	4.54	200	0.17	14.10	374	1.2
CC115070		0.009	0.34	2.17	174	0.14	11.30	372	2.3
CC115071		0.012	0.58	2.91	287	0.26	20.1	672	2.0
CC115072		0.012	0.55	3.60	304	0.25	20.7	687	1.5
CC115073		0.010	0.30	3.29	225	0.19	12.30	304	1.5
CC115074		0.010	0.45	3.10	223	0.24	11.80	289	1.6
CC115075		0.014	1.67	1.51	54	1.03	2.84	24	<0.5
CC115076		<0.005	0.12	1.61	29	0.05	9.94	53	0.8
CC115077		0.005	0.08	1.29	15	<0.05	10.05	49	0.9
CC115078		0.017	0.27	2.55	158	0.15	18.10	403	1.9
CC115079		0.010	0.27	2.25	150	0.19	19.55	373	1.8
CC115080		0.008	0.17	6.87	140	0.12	13.40	1450	2.1
CC115081		0.011	0.31	4.37	174	0.22	13.00	693	1.4
CC115082		0.025	0.52	1.89	179	0.17	13.75	447	4.5
CC115083		0.013	0.40	3.18	236	0.19	14.20	360	2.8
CC115084		0.011	0.25	3.81	160	0.17	15.75	271	2.5
CC115085		0.009	0.28	2.93	159	0.20	9.58	259	1.7
CC115086		0.011	0.41	6.01	174	0.18	12.15	1630	2.2
CC115087		0.009	0.21	2.45	164	0.15	9.45	222	2.0
CC115088		0.008	0.19	2.48	150	0.11	9.42	168	1.7

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 25- AUG- 2011
Account: RCM

Project: Rackla- Rod to Crag

CERTIFICATE OF ANALYSIS WH11135446

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- TL43 Au ppm 0.001	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1
CC115089		0.14	0.001	0.66	0.88	27.7	<0.2	<10	1000	0.46	0.23	0.58	6.62	20.7	17.7	28
CC115090		0.18	<0.001	0.89	1.11	23.9	<0.2	<10	1590	0.57	0.24	0.73	3.02	22.8	10.0	34
CC129837		0.28	0.003	12.55	1.06	99.0	<0.2	<10	1190	1.11	0.24	0.55	32.6	34.6	9.0	87
CC129838		0.20	<0.001	1.35	0.41	6.2	<0.2	<10	1480	0.25	0.41	0.41	6.05	13.70	1.3	24
CC129839		0.20	0.001	1.96	1.39	55.2	<0.2	<10	1790	0.76	0.32	0.53	4.94	22.1	6.4	57
CC129840		0.22	<0.001	0.93	1.06	55.1	<0.2	<10	1210	0.51	0.19	0.50	2.46	22.7	4.3	41
CC129841		0.20	0.002	4.08	1.05	49.8	<0.2	<10	2110	0.61	0.23	1.06	12.35	33.7	9.4	31
CC129842		0.26	0.001	2.05	0.79	60.8	<0.2	<10	1550	0.55	0.18	1.53	11.70	19.85	11.5	40
CC129843		0.30	0.002	2.42	0.92	78.5	<0.2	<10	1810	0.53	0.21	1.02	6.42	23.4	15.5	46
CC129844		0.30	0.002	1.87	1.01	43.3	<0.2	<10	1990	0.71	0.16	0.79	6.60	24.1	15.2	48
CC129845		0.28	0.001	2.95	0.95	61.0	<0.2	<10	2000	0.77	0.18	0.93	9.58	24.0	12.7	55
CC129846		0.30	0.002	1.13	1.06	31.6	<0.2	<10	1210	0.60	0.17	1.33	3.28	22.6	9.5	49
CC129847		0.20	<0.001	1.44	1.20	23.8	<0.2	<10	1750	0.72	0.21	0.92	5.32	22.5	10.7	49
CC129848		0.30	0.001	1.39	1.09	43.9	<0.2	<10	960	0.53	0.22	0.58	2.08	24.3	10.7	49
CC129849		0.24	0.001	0.92	1.06	27.7	<0.2	<10	1030	0.58	0.18	0.57	2.70	24.2	13.3	42
CC129850		0.30	<0.001	1.28	1.27	41.3	<0.2	<10	2140	0.91	0.22	0.85	6.92	26.7	16.0	53
CC129851		0.24	0.003	4.21	0.64	74.7	<0.2	<10	1490	0.49	0.21	1.64	4.54	18.50	7.0	44
CC129852		0.14	0.002	1.56	0.76	35.8	<0.2	<10	2150	0.47	0.13	2.66	2.13	12.90	6.8	38
CC129853		0.30	0.001	1.62	1.21	37.3	<0.2	<10	1470	0.92	0.22	1.28	4.11	23.1	12.9	53
CC129854		0.18	<0.001	1.00	1.27	24.4	<0.2	<10	1470	0.76	0.22	1.07	8.92	22.9	14.7	41
CC129855		0.18	0.001	1.40	1.00	42.3	<0.2	<10	860	0.36	0.19	0.80	1.80	19.30	20.1	57
CC129856		0.28	0.004	0.71	1.37	18.4	<0.2	<10	470	0.85	0.21	0.69	11.55	35.0	14.6	21
CC129857		0.30	0.003	1.73	0.92	66.8	<0.2	<10	1510	0.69	0.29	0.80	5.76	23.0	12.6	31
CC129858		0.16	0.001	3.53	0.59	58.1	<0.2	<10	1420	0.67	0.21	3.32	19.60	8.65	5.7	39
CC129859		0.34	0.009	6.05	0.71	143.0	<0.2	<10	1590	1.15	0.39	1.54	14.75	29.8	10.5	61
CC129860		0.40	<0.001	1.57	1.14	27.5	<0.2	<10	3370	0.73	0.17	0.86	4.43	26.5	10.9	56
CC129861		0.16	0.001	0.58	1.42	9.7	<0.2	<10	4270	0.50	0.08	3.59	2.24	15.30	12.7	74
CC129862		0.28	0.005	2.57	0.95	36.2	<0.2	<10	1320	0.87	0.20	2.54	6.18	20.0	11.0	47
CC129863		0.18	0.002	0.41	0.80	4.9	<0.2	<10	1120	0.39	0.08	4.20	1.27	11.25	8.0	31
CC129864		0.32	0.001	0.49	1.51	20.6	<0.2	<10	2640	0.80	0.17	1.00	1.43	21.1	9.7	50
CC129865		0.26	0.001	0.66	1.04	16.4	<0.2	<10	1280	0.50	0.17	0.91	1.22	16.70	7.0	31
CC129866		0.24	0.001	1.33	1.03	19.4	<0.2	<10	970	0.41	0.21	0.40	3.77	16.70	12.1	34
CC129867		0.22	0.001	1.43	0.88	19.9	<0.2	<10	960	0.37	0.24	0.60	6.33	15.30	5.9	29
CC129868		0.18	<0.001	1.14	0.73	11.2	<0.2	<10	540	0.25	0.16	0.24	2.34	14.65	1.9	29
CC129869		0.14	<0.001	0.82	0.55	7.1	<0.2	<10	430	0.22	0.10	0.21	1.54	13.20	1.3	25
CC129870		0.18	<0.001	0.63	0.82	17.4	<0.2	<10	480	0.22	0.16	0.27	1.83	14.25	2.0	29
CC129871		0.20	<0.001	0.94	0.87	16.9	<0.2	<10	1050	0.71	0.17	1.13	18.40	17.80	11.3	28
CC129872		0.20	0.003	0.83	1.09	20.7	<0.2	<10	1880	0.82	0.19	0.81	3.89	19.35	9.1	31
CC129873		0.18	0.001	0.47	0.72	10.4	<0.2	<10	960	0.31	0.16	0.45	3.33	14.40	2.1	22
CC129874		0.20	<0.001	0.56	0.43	3.9	<0.2	<10	580	0.25	0.09	0.21	2.60	8.02	1.6	11

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 25- AUG- 2011
Account: RCM

Project: Rackla- Rod to Crag

CERTIFICATE OF ANALYSIS WH11135446

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
CC115089		1.01	28.6	3.42	3.34	0.06	0.02	0.23	0.034	0.06	11.3	9.6	0.23	732	40.6	<0.01
CC115090		0.87	42.0	2.51	3.53	0.06	0.05	0.38	0.033	0.08	12.6	19.9	0.35	422	7.42	<0.01
CC129837		1.69	294	2.37	3.81	0.14	0.02	2.43	0.184	0.11	22.7	4.5	0.22	396	47.1	<0.01
CC129838		0.76	113.0	0.58	1.37	0.09	<0.02	0.67	0.019	0.05	8.5	1.5	0.11	24	2.28	<0.01
CC129839		1.06	69.5	3.36	4.56	0.07	0.06	0.52	0.063	0.13	13.1	10.5	0.41	205	11.45	<0.01
CC129840		0.97	32.8	2.87	4.03	0.05	0.02	0.35	0.032	0.10	13.3	9.7	0.34	75	7.27	<0.01
CC129841		0.84	115.5	2.49	2.59	0.06	0.07	1.25	0.167	0.10	18.5	9.0	0.46	195	8.50	<0.01
CC129842		1.00	117.5	2.73	2.61	0.08	0.08	0.51	0.059	0.10	11.8	8.8	0.57	847	9.34	<0.01
CC129843		1.00	90.6	2.94	3.18	0.07	0.05	0.62	0.081	0.09	14.1	9.9	0.44	799	10.80	<0.01
CC129844		0.99	70.6	2.13	3.78	0.16	0.05	0.40	0.055	0.09	14.1	11.5	0.45	678	11.70	0.02
CC129845		1.07	103.0	2.25	3.48	0.16	0.04	0.58	0.073	0.10	14.8	10.1	0.50	629	11.65	0.02
CC129846		0.69	33.6	2.46	3.84	0.11	0.05	0.28	0.033	0.08	12.6	14.0	0.50	330	7.96	0.02
CC129847		0.96	54.9	2.35	4.42	0.12	0.04	0.31	0.035	0.10	13.4	14.7	0.48	655	7.12	0.02
CC129848		0.91	32.7	2.55	4.42	0.12	0.03	0.35	0.030	0.09	14.6	15.0	0.44	666	10.65	0.02
CC129849		0.73	31.7	2.77	4.17	0.12	0.03	0.26	0.034	0.07	13.7	14.5	0.43	522	10.35	0.01
CC129850		1.33	51.7	3.22	4.62	0.15	0.06	0.29	0.034	0.15	16.0	18.1	0.57	620	8.86	0.02
CC129851		0.59	61.1	1.96	2.57	0.15	0.07	0.69	0.080	0.07	11.2	6.6	0.39	398	8.64	0.02
CC129852		0.48	23.9	1.35	2.79	0.11	0.04	0.30	0.029	0.04	7.1	7.2	0.48	940	4.10	0.02
CC129853		0.78	80.5	2.91	4.29	0.13	0.06	0.38	0.048	0.09	13.6	15.6	0.71	344	8.55	0.02
CC129854		0.88	64.7	3.09	4.20	0.13	0.08	0.25	0.039	0.10	13.0	16.5	0.64	485	5.56	0.02
CC129855		1.15	43.0	3.29	3.79	0.14	0.04	0.20	0.028	0.07	10.3	12.9	0.56	820	22.4	0.02
CC129856		4.98	109.0	3.13	4.84	0.19	0.14	0.18	0.031	0.35	19.7	34.8	1.05	553	7.99	0.01
CC129857		0.80	62.7	3.17	3.04	0.12	0.07	0.33	0.072	0.07	12.3	13.9	0.41	576	7.75	0.01
CC129858		0.66	176.5	1.71	2.06	0.14	0.08	0.75	0.058	0.07	5.5	4.6	0.86	385	8.89	0.02
CC129859		0.61	197.5	3.74	3.00	0.19	0.02	1.55	0.078	0.12	18.3	4.6	0.64	639	29.1	0.01
CC129860		0.79	61.2	2.65	4.03	0.14	0.07	0.29	0.031	0.10	15.6	17.8	0.59	175	13.15	0.02
CC129861		0.63	41.2	2.45	4.74	0.11	0.03	0.14	0.029	0.04	8.4	14.3	0.91	308	1.23	0.03
CC129862		0.43	99.1	2.18	3.44	0.13	0.04	0.43	0.057	0.06	11.8	10.9	0.51	441	6.41	0.02
CC129863		0.36	34.5	1.39	2.56	0.10	0.03	0.11	0.023	0.02	6.4	8.1	0.39	413	0.73	0.02
CC129864		0.84	41.7	2.72	5.23	0.10	0.04	0.11	0.035	0.07	12.5	21.4	0.43	256	7.96	0.01
CC129865		0.64	26.3	2.08	3.70	0.09	0.03	0.20	0.028	0.05	9.6	11.6	0.28	196	6.28	0.01
CC129866		1.15	29.3	2.21	4.44	0.10	0.02	0.28	0.027	0.06	10.2	12.7	0.32	404	11.95	0.01
CC129867		1.10	42.7	1.76	4.45	0.11	0.02	0.35	0.024	0.07	9.3	11.2	0.22	225	14.45	0.01
CC129868		1.17	18.6	1.24	4.33	0.11	<0.02	0.25	0.013	0.07	9.1	9.8	0.23	35	3.89	0.01
CC129869		0.83	25.8	1.00	3.30	0.10	<0.02	0.23	0.010	0.06	8.1	6.7	0.13	27	2.21	0.01
CC129870		0.91	19.2	1.76	3.99	0.11	0.02	0.20	0.018	0.06	8.5	10.7	0.22	39	4.76	0.01
CC129871		0.65	104.0	2.12	3.14	0.14	0.04	0.22	0.027	0.06	11.4	13.6	0.24	601	9.69	0.01
CC129872		0.71	48.3	2.63	3.56	0.11	0.05	0.20	0.029	0.07	11.1	17.2	0.30	292	6.32	0.01
CC129873		0.76	22.8	1.45	3.25	0.11	0.02	0.12	0.018	0.06	8.5	9.6	0.16	60	3.04	0.01
CC129874		0.43	38.5	0.90	1.53	0.10	<0.02	0.15	0.022	0.02	4.8	1.1	0.03	19	5.58	0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 25- AUG- 2011
Account: RCM

Project: Rackla- Rod to Crag

CERTIFICATE OF ANALYSIS WH11135446

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
CC115089		0.51	58.5	1190	28.3	10.2	0.003	0.04	4.05	2.7	8.7	0.5	36.1	<0.01	0.09	2.2
CC115090		0.52	57.1	1420	32.5	8.3	0.010	0.05	2.90	2.9	4.5	0.5	59.8	<0.01	0.09	2.3
CC129837		0.26	221	4140	140.5	14.1	0.012	0.10	26.1	1.7	30.4	1.9	132.0	<0.01	0.22	0.3
CC129838		0.37	59.9	580	17.4	8.0	0.041	0.08	4.46	1.4	24.6	9.8	45.2	<0.01	0.05	0.8
CC129839		0.71	66.2	2160	46.7	12.0	0.007	0.08	5.60	3.8	11.3	1.6	70.5	<0.01	0.10	2.3
CC129840		0.73	37.0	1990	34.5	11.1	0.013	0.04	2.55	2.8	4.7	1.4	51.2	<0.01	0.08	2.0
CC129841		0.38	169.0	2560	296	10.9	0.013	0.10	11.25	3.8	8.7	2.7	170.5	<0.01	0.13	2.4
CC129842		0.58	128.5	2880	57.3	8.5	0.020	0.10	11.10	4.0	12.2	0.7	146.0	<0.01	0.08	2.1
CC129843		0.63	125.5	2660	49.0	9.4	0.018	0.05	9.48	5.0	8.5	1.0	120.5	<0.01	0.09	2.9
CC129844		0.45	118.5	2650	56.2	10.8	0.015	0.06	7.02	3.9	10.0	0.9	118.5	<0.01	0.08	1.9
CC129845		0.39	145.0	3130	63.6	10.7	0.028	0.07	9.70	4.2	10.5	2.4	133.0	<0.01	0.09	2.0
CC129846		0.44	76.0	1870	38.0	7.4	0.002	0.05	5.01	3.6	2.5	0.9	76.4	<0.01	0.09	1.9
CC129847		0.48	81.9	1600	35.8	10.1	0.010	0.05	3.41	4.2	5.1	0.6	74.7	<0.01	0.08	2.3
CC129848		0.47	59.7	2060	60.3	9.9	0.007	0.03	4.55	2.9	5.5	0.7	70.0	<0.01	0.09	2.6
CC129849		0.53	55.3	1780	40.5	8.3	0.005	0.02	2.98	3.4	4.7	0.5	62.6	<0.01	0.08	2.8
CC129850		0.65	92.9	2090	47.1	12.6	0.024	0.07	4.41	4.5	9.1	0.6	109.0	<0.01	0.09	3.4
CC129851		0.29	84.4	2930	65.4	7.7	0.005	0.08	10.10	3.9	10.2	1.3	186.0	<0.01	0.10	1.6
CC129852		0.32	39.0	1850	24.4	6.5	0.010	0.12	4.84	1.8	7.1	0.4	134.5	<0.01	0.06	0.5
CC129853		0.50	120.0	1990	59.5	8.3	0.018	0.06	5.99	4.8	8.6	0.8	88.9	<0.01	0.08	2.7
CC129854		0.60	132.5	1370	32.0	8.0	0.011	0.06	3.36	4.5	5.0	0.5	68.2	<0.01	0.07	3.0
CC129855		0.38	76.4	1560	36.5	10.9	0.013	0.06	6.73	3.0	16.2	0.5	67.9	<0.01	0.06	1.9
CC129856		0.34	142.5	1750	17.4	27.9	0.006	0.05	3.01	4.9	4.2	0.4	50.3	<0.01	0.08	5.1
CC129857		0.32	89.1	2100	116.5	7.3	0.007	0.06	8.28	3.6	4.4	0.8	96.8	<0.01	0.07	2.2
CC129858		0.18	166.0	1820	31.6	6.6	0.015	0.13	11.15	2.5	9.5	1.0	151.5	<0.01	0.10	0.8
CC129859		0.22	252	4830	58.8	9.5	0.003	0.04	19.65	6.4	10.1	1.3	167.0	<0.01	0.17	3.1
CC129860		0.46	89.0	2330	67.6	9.6	0.004	0.07	4.76	4.6	5.1	0.5	105.5	<0.01	0.08	3.3
CC129861		0.31	66.3	880	12.5	4.7	0.001	0.14	1.47	4.5	1.9	0.4	121.5	<0.01	0.02	0.4
CC129862		0.34	122.5	1960	31.7	5.8	0.003	0.08	6.06	4.1	4.1	0.7	119.5	<0.01	0.08	1.1
CC129863		0.28	36.0	980	7.9	2.5	0.001	0.13	1.12	1.9	2.1	0.2	114.5	<0.01	<0.01	0.2
CC129864		0.44	70.9	680	22.2	7.4	<0.001	0.03	3.36	4.5	2.0	0.6	53.1	<0.01	0.09	1.8
CC129865		0.56	35.4	1320	18.8	7.0	0.002	0.05	2.48	2.3	3.0	0.5	62.0	<0.01	0.06	1.6
CC129866		0.55	50.4	1250	23.1	10.3	0.006	0.04	3.71	2.3	5.6	0.6	50.4	<0.01	0.08	1.3
CC129867		0.35	36.6	1060	21.1	9.4	0.002	0.05	4.68	1.9	6.1	0.7	59.2	<0.01	0.13	1.1
CC129868		0.33	25.9	1400	18.1	10.4	0.006	0.03	1.83	1.2	3.8	0.5	45.2	<0.01	0.05	0.9
CC129869		0.30	17.9	910	15.3	7.6	0.009	0.04	1.23	1.2	6.2	0.4	29.2	<0.01	0.04	0.9
CC129870		0.33	29.6	1610	17.9	8.8	0.006	0.04	1.44	1.1	5.0	0.4	38.9	<0.01	0.07	0.7
CC129871		0.28	97.1	1340	24.8	7.4	0.010	0.06	3.58	2.7	8.6	0.4	82.3	<0.01	0.06	1.4
CC129872		0.42	65.2	1450	25.5	7.1	0.007	0.05	3.43	3.2	7.3	0.4	64.7	<0.01	0.04	2.5
CC129873		0.31	29.6	1160	16.6	6.7	0.002	0.05	1.56	1.8	5.4	0.4	38.9	<0.01	0.05	1.5
CC129874		0.15	26.7	1230	13.3	2.3	0.015	0.11	1.98	0.9	8.7	0.2	17.7	<0.01	0.05	0.2

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 25- AUG- 2011
Account: RCM

Project: Rackla- Rod to Crag

CERTIFICATE OF ANALYSIS WH11135446

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
CC115089		0.009	0.52	3.41	169	0.38	7.49	370	1.0
CC115090		0.008	0.43	3.05	166	0.29	11.55	316	1.8
CC129837		0.011	1.22	21.6	671	0.76	32.9	1150	0.9
CC129838		0.009	0.30	5.54	81	0.11	11.95	220	0.6
CC129839		0.011	0.46	7.62	329	0.34	12.75	352	2.3
CC129840		0.013	0.32	3.01	216	0.23	8.86	208	0.9
CC129841		0.011	0.43	9.53	126	0.21	22.3	1260	3.0
CC129842		0.012	0.37	6.69	175	0.21	17.70	889	3.2
CC129843		0.013	0.40	4.81	183	0.24	16.90	767	2.6
CC129844		0.013	0.44	5.32	227	0.16	17.40	805	2.0
CC129845		0.012	0.57	6.95	245	0.26	21.1	906	2.0
CC129846		0.012	0.41	3.06	264	0.19	12.05	510	2.0
CC129847		0.012	0.49	7.66	224	0.19	13.80	489	1.9
CC129848		0.012	0.48	3.63	309	0.23	11.45	375	1.3
CC129849		0.013	0.33	2.97	227	0.22	10.95	369	1.3
CC129850		0.015	0.68	4.24	341	0.26	14.95	580	3.1
CC129851		0.010	0.41	4.90	236	0.26	18.30	509	2.9
CC129852		0.010	0.31	2.46	203	0.13	9.28	248	1.5
CC129853		0.014	0.36	4.19	232	0.20	18.60	656	2.4
CC129854		0.018	0.34	3.35	144	0.23	15.35	842	3.1
CC129855		0.012	0.36	3.14	185	0.18	7.68	293	1.2
CC129856		0.034	0.30	3.41	77	0.08	27.9	1620	8.9
CC129857		0.010	0.25	4.96	148	0.28	13.45	792	2.1
CC129858		0.008	0.58	16.00	167	0.18	12.50	895	3.7
CC129859		0.009	0.96	8.28	343	0.41	29.5	1620	1.5
CC129860		0.013	0.42	3.37	250	0.23	17.25	516	3.1
CC129861		0.014	0.13	2.53	124	0.08	8.92	232	1.2
CC129862		0.011	0.25	4.85	160	0.16	19.70	566	1.9
CC129863		0.010	0.07	3.13	56	<0.05	6.51	100	1.0
CC129864		0.008	0.35	1.58	261	0.19	10.40	419	1.6
CC129865		0.011	0.33	2.36	169	0.15	8.69	218	1.2
CC129866		0.012	0.71	2.93	193	0.22	7.02	428	0.5
CC129867		0.009	1.09	2.61	277	0.39	6.45	343	0.6
CC129868		0.009	0.64	1.45	130	0.14	5.71	185	<0.5
CC129869		0.009	0.47	1.95	106	0.09	5.08	81	<0.5
CC129870		0.008	0.47	1.67	125	0.12	5.86	178	0.5
CC129871		0.006	0.27	5.03	181	0.14	16.35	833	1.2
CC129872		0.008	0.30	3.16	157	0.15	13.20	327	1.9
CC129873		0.008	0.25	1.25	91	0.12	6.91	103	0.6
CC129874		0.007	0.31	3.95	37	0.15	6.46	60	<0.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 25- AUG- 2011
Account: RCM

Project: Rackla- Rod to Crag

CERTIFICATE OF ANALYSIS WH11135446

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- TL43 Au ppm 0.001	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1
CC129875		0.30	<0.001	0.41	0.80	13.1	<0.2	<10	700	0.27	0.18	0.35	1.12	16.30	3.2	27
CC129876		0.16	<0.001	0.25	0.13	1.7	<0.2	<10	290	0.08	0.07	0.14	1.67	3.78	0.3	7
CC129877		0.20	<0.001	0.71	0.35	4.3	<0.2	<10	630	0.14	0.10	0.11	1.38	13.00	0.3	20
CC129878		0.32	<0.001	0.63	0.49	7.4	<0.2	<10	420	0.18	0.11	0.20	1.41	13.00	0.8	21
CC129879		0.18	<0.001	0.67	0.52	13.1	<0.2	<10	1050	0.36	0.12	0.91	3.20	18.55	9.0	18
CC129880		0.18	0.003	0.73	1.09	21.3	<0.2	<10	1730	0.67	0.20	1.35	1.25	17.55	13.8	33
CC115171		0.18	0.002	0.38	1.31	23.4	<0.2	<10	920	0.80	0.22	1.76	2.24	25.5	9.9	26
CC115172		0.16	0.002	0.28	1.53	16.2	<0.2	<10	910	0.74	0.26	1.44	2.33	24.7	10.1	27
CC115173		0.30	0.002	0.34	1.31	32.9	<0.2	<10	1060	0.86	0.19	4.72	0.86	28.7	7.2	27
CC115174		0.32	0.002	0.23	1.08	41.4	<0.2	<10	880	0.78	0.20	5.07	1.74	24.8	7.2	23
CC115175		0.24	0.001	0.48	1.41	28.5	<0.2	<10	510	0.96	0.23	1.34	0.56	34.2	8.4	31
CC115176		0.28	0.002	0.23	1.49	17.9	<0.2	<10	520	0.79	0.29	1.40	0.73	36.7	12.9	27
CC115177		0.18	0.001	0.18	1.44	17.7	<0.2	<10	660	0.76	0.24	1.16	0.90	30.8	12.1	27
CC115178		0.20	0.001	0.61	1.57	33.9	<0.2	<10	750	0.89	0.27	2.68	0.75	36.6	13.6	28
CC115179		0.30	0.001	0.13	1.79	13.2	<0.2	<10	510	0.54	0.26	0.66	0.16	31.4	7.5	28
CC115180		0.26	0.002	0.31	1.17	17.7	<0.2	<10	560	0.67	0.19	5.26	0.75	26.0	8.4	22
CC115181		0.28	0.001	0.10	1.87	22.1	<0.2	<10	500	0.67	0.26	0.27	0.19	33.3	9.4	30
CC115182		0.26	0.003	0.15	2.02	16.4	<0.2	<10	660	0.94	0.22	5.36	1.39	39.6	10.9	28
CC115183		0.28	0.002	0.20	1.35	19.8	<0.2	<10	330	0.65	0.25	1.70	0.44	38.3	10.2	28
CC115184		0.20	<0.001	0.09	1.89	14.9	<0.2	<10	310	0.93	0.30	1.26	1.20	33.5	15.6	29
CC115185		0.26	0.001	0.25	1.42	26.2	<0.2	<10	430	0.78	0.24	1.22	0.79	32.2	8.2	26
CC115186		0.22	0.001	0.18	1.63	18.6	<0.2	<10	370	0.76	0.26	0.94	0.77	27.3	8.6	30
CC115187		0.16	0.002	0.31	1.36	20.8	<0.2	<10	650	0.77	0.23	1.37	1.00	29.9	10.8	27
CC115188		0.18	0.001	0.30	1.80	17.0	<0.2	<10	450	0.84	0.27	1.40	2.03	27.8	12.1	29
CC115189		0.22	0.002	0.34	0.93	15.1	<0.2	<10	370	0.53	0.14	5.09	1.20	20.1	6.7	20
CC115190		0.24	0.002	0.41	1.21	16.5	<0.2	<10	420	0.62	0.22	1.94	1.37	25.4	9.2	25
CC115191		0.26	0.001	0.34	2.00	24.8	<0.2	<10	250	1.08	0.30	1.00	1.09	31.6	8.9	38
CC115192		0.28	0.001	0.26	0.60	18.6	<0.2	<10	210	0.40	0.16	8.21	0.90	18.05	6.0	15
CC115193		0.26	0.001	0.14	0.45	17	<0.2	<10	90	0.48	0.18	10.75	0.51	21.9	7.4	12
CC115194		0.28	0.001	0.12	1.27	47.2	<0.2	<10	180	0.72	0.29	9.72	0.98	33.2	7.2	21
CC115195		0.28	0.001	0.10	0.67	9	<0.2	<10	90	0.40	0.13	11.90	0.50	11.45	3.9	11
CC115196		0.20	0.001	0.18	1.27	14.5	<0.2	<10	180	0.74	0.31	3.02	1.04	27.8	10.1	25
CC115197		0.28	0.001	0.07	0.35	22	<0.2	<10	70	0.38	0.07	14.15	0.83	15.00	6.7	18
CC115198		0.28	0.001	0.07	1.45	4.3	<0.2	10	470	0.92	0.04	4.96	0.14	74.4	37.9	176
CC115199		0.26	0.001	0.13	0.60	26.5	<0.2	<10	150	0.53	0.10	9.45	0.79	29.1	14.4	35
CC115200		0.30	0.001	0.18	1.31	21.4	<0.2	<10	380	0.75	0.21	3.60	0.92	28.1	11.1	29
ZZ14901		0.28	0.001	0.05	0.36	10	<0.2	<10	90	0.23	0.12	15.55	0.30	11.30	4.7	20
ZZ14902		0.26	0.001	0.03	0.40	10	<0.2	<10	90	0.26	0.13	14.65	0.18	11.30	4.0	17
CC142616		0.48	0.003	0.14	1.60	16.2	<0.2	<10	440	0.68	0.25	1.52	0.41	33.2	10.5	29
CC142617		0.36	0.001	0.32	0.78	12.3	<0.2	<10	220	0.24	0.20	0.16	0.20	9.01	2.9	18

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 25- AUG- 2011
Account: RCM

Project: Rackla- Rod to Crag

CERTIFICATE OF ANALYSIS WH11135446

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
CC129875		0.75	13.2	1.43	3.87	0.12	<0.02	0.17	0.011	0.06	10.1	12.8	0.29	137	9.86	0.01
CC129876		0.47	23.1	0.33	0.43	0.12	<0.02	0.08	0.011	0.02	2.4	0.5	0.02	12	2.82	0.02
CC129877		0.94	29.8	0.57	3.37	0.13	<0.02	0.23	0.011	0.03	8.6	2.4	0.08	9	4.80	0.01
CC129878		0.79	13.2	0.84	3.56	0.10	<0.02	0.17	0.013	0.06	8.3	6.3	0.10	19	2.53	0.01
CC129879		0.43	29.3	2.59	2.06	0.12	0.02	0.15	0.021	0.07	10.1	3.7	0.15	238	13.70	0.01
CC129880		0.94	31.6	2.38	3.30	<0.05	0.04	0.29	0.033	0.06	12.2	12.9	0.21	791	6.42	<0.01
CC115171		0.96	25.4	2.61	4.24	<0.05	0.04	0.12	0.027	0.06	13.4	11.6	0.50	530	2.04	<0.01
CC115172		1.26	18.3	2.66	5.11	<0.05	0.03	0.11	0.031	0.05	11.7	13.5	0.45	630	1.37	0.01
CC115173		1.17	16.9	2.39	3.80	<0.05	0.05	0.12	0.030	0.07	15.9	9.3	2.52	315	2.69	0.01
CC115174		0.67	16.0	2.12	3.32	<0.05	0.04	0.09	0.025	0.06	12.8	9.7	2.39	381	2.44	0.01
CC115175		1.18	18.6	2.76	4.21	<0.05	0.05	0.13	0.024	0.07	17.6	11.5	0.61	245	2.96	0.01
CC115176		0.94	19.0	2.81	4.68	0.05	0.05	0.09	0.031	0.06	16.2	11.7	0.58	629	1.82	0.01
CC115177		1.05	17.8	2.72	4.61	<0.05	0.04	0.07	0.029	0.06	14.7	11.7	0.49	603	1.74	0.01
CC115178		1.24	18.3	2.85	4.77	0.05	0.04	0.10	0.033	0.08	15.6	12.4	1.38	709	2.27	0.01
CC115179		1.43	9.3	2.87	6.25	<0.05	0.03	0.02	0.028	0.05	13.9	15.6	0.59	236	1.51	0.01
CC115180		0.69	16.1	2.11	3.28	<0.05	0.04	0.12	0.022	0.06	13.5	10.1	3.09	366	1.68	0.02
CC115181		1.53	14.2	3.04	5.56	<0.05	0.04	0.05	0.028	0.05	14.8	14.3	0.45	332	1.81	0.01
CC115182		1.17	11.8	2.42	4.40	<0.05	0.03	0.05	0.031	0.04	19.3	11.1	3.16	473	1.26	0.01
CC115183		0.96	16.5	2.77	4.16	0.05	0.04	0.08	0.030	0.06	17.0	12.5	1.18	444	2.21	0.01
CC115184		1.56	14.8	3.05	5.73	0.05	0.03	0.06	0.039	0.05	16.6	12.8	0.59	1190	1.12	0.01
CC115185		1.41	14.2	2.70	4.64	0.06	0.05	0.08	0.031	0.06	16.7	10.6	0.50	316	1.56	0.01
CC115186		0.93	13.6	2.86	5.11	<0.05	0.05	0.05	0.030	0.06	14.7	12.3	0.48	373	1.37	0.01
CC115187		0.81	23.0	2.55	4.11	<0.05	0.04	0.11	0.024	0.06	14.2	12.0	0.53	512	1.31	0.01
CC115188		1.31	23.0	2.92	6.07	<0.05	0.02	0.06	0.033	0.06	14.7	12.3	0.55	622	1.09	0.01
CC115189		0.70	19.0	1.85	2.60	<0.05	0.04	0.12	0.018	0.06	11.3	7.9	2.44	315	1.50	0.02
CC115190		0.74	22.5	2.37	3.62	<0.05	0.04	0.12	0.025	0.06	13.7	9.7	0.54	412	1.78	0.01
CC115191		1.07	12.6	3.19	5.85	0.05	0.04	0.06	0.038	0.06	17.0	13.1	0.58	421	1.45	0.01
CC115192		0.61	21.0	1.56	1.62	<0.05	0.03	0.09	0.014	0.07	10.1	5.3	4.26	205	1.55	0.01
CC115193		0.94	25.4	1.67	1.11	<0.05	0.05	0.04	0.018	0.08	10.7	3.2	5.37	222	2.52	0.01
CC115194		0.71	14.2	2.60	3.11	<0.05	0.05	0.05	0.028	0.07	19.3	9.8	5.49	502	11.45	0.02
CC115195		0.58	10.6	1.06	1.47	<0.05	0.02	0.06	0.016	0.03	6.2	4.0	6.45	462	2.33	0.02
CC115196		0.74	21.3	2.65	3.26	0.05	0.05	0.10	0.034	0.09	15.4	8.9	1.32	573	2.87	0.01
CC115197		0.76	10.7	2.27	0.92	<0.05	0.03	0.04	0.017	0.08	7.3	2.0	7.37	176	2.20	0.02
CC115198		1.94	31.4	3.54	5.65	0.10	0.05	0.04	0.052	0.26	40.5	27.3	1.41	576	0.42	0.01
CC115199		0.65	16.3	3.02	1.72	0.05	0.03	0.07	0.026	0.08	15.0	4.0	4.88	346	1.85	0.02
CC115200		0.73	16.4	2.96	3.97	<0.05	0.03	0.11	0.030	0.07	13.4	10.2	1.60	470	2.37	0.01
ZZ14901		0.57	9.3	1.60	0.87	<0.05	0.03	0.03	0.012	0.05	5.5	2.4	8.15	170	2.28	0.02
ZZ14902		0.40	9.1	1.41	0.97	<0.05	0.04	0.02	0.013	0.06	5.4	2.4	7.91	196	2.43	0.02
CC142616		1.03	17.0	2.86	4.87	<0.05	0.04	0.07	0.028	0.06	15.8	14.7	1.05	465	1.26	0.01
CC142617		1.18	10.6	1.68	3.42	<0.05	<0.02	0.04	0.017	0.07	4.3	4.7	0.11	51	2.58	<0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 25- AUG- 2011
Account: RCM

Project: Rackla- Rod to Crag

CERTIFICATE OF ANALYSIS WH11135446

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
CC129875		0.60	19.2	1230	20.6	7.5	0.005	0.03	2.19	1.3	3.9	0.5	47.5	<0.01	0.08	1.0
CC129876		0.23	13.1	400	4.7	1.7	0.009	0.06	2.87	1.1	11.8	0.2	14.4	<0.01	0.05	<0.2
CC129877		0.21	10.2	1010	9.3	6.0	0.017	0.07	2.42	0.1	14.9	0.5	32.4	<0.01	0.09	<0.2
CC129878		0.31	11.4	600	14.0	7.3	0.006	0.04	1.17	1.1	4.1	0.4	25.7	<0.01	0.05	0.9
CC129879		0.22	37.8	1410	8.4	7.8	0.002	0.11	3.29	2.9	8.7	0.3	60.5	<0.01	0.04	1.2
CC129880		0.36	64.6	1150	22.9	7.5	0.002	0.09	3.23	2.8	3.8	0.5	49.8	<0.01	0.08	1.2
CC115171		0.67	37.0	840	45.2	8.3	<0.001	0.07	1.62	2.9	1.1	0.5	29.3	<0.01	0.04	1.0
CC115172		0.79	27.1	1050	23.8	13.3	<0.001	0.08	0.89	2.5	1.1	0.5	25.8	<0.01	0.05	1.0
CC115173		0.38	35.7	570	55.3	10.4	<0.001	0.04	1.95	3.7	0.8	0.5	47.7	<0.01	0.03	1.9
CC115174		0.46	39.5	920	23.3	8.0	<0.001	0.08	1.36	2.4	1.1	0.5	59.4	<0.01	0.02	1.0
CC115175		0.62	47.3	710	42.7	10.3	0.001	0.05	1.82	3.7	1.1	0.5	25.3	<0.01	0.03	1.9
CC115176		0.73	30.3	950	18.3	9.6	<0.001	0.07	0.95	2.8	0.8	0.5	24.9	<0.01	0.04	1.2
CC115177		0.70	28.6	930	18.1	11.8	<0.001	0.07	0.86	2.9	0.7	0.5	21.7	<0.01	0.04	1.2
CC115178		0.72	38.4	910	21.1	11.9	<0.001	0.06	1.06	3.1	0.8	0.6	33.9	<0.01	0.05	1.5
CC115179		1.16	19.1	190	16.4	10.1	<0.001	0.01	0.59	3.2	0.4	0.7	15.0	<0.01	0.03	3.9
CC115180		0.55	29.7	880	18.1	7.0	<0.001	0.05	0.94	2.6	0.9	0.4	50.7	<0.01	0.05	1.3
CC115181		0.88	29.2	700	19.9	9.5	<0.001	0.02	0.93	2.9	0.6	0.6	14.6	<0.01	0.05	1.8
CC115182		0.76	32.4	790	14.5	7.5	<0.001	0.06	0.89	3.4	0.9	0.5	45.1	0.01	0.02	1.1
CC115183		0.74	37.6	450	20.3	8.9	<0.001	0.03	1.22	3.6	0.7	0.5	21.8	<0.01	0.04	2.3
CC115184		0.72	26.6	960	19.7	12.3	<0.001	0.05	0.68	2.8	1.0	0.6	23.1	<0.01	0.03	1.0
CC115185		0.71	42.4	690	27.9	10.9	<0.001	0.04	1.26	3.5	0.8	0.6	21.7	<0.01	0.04	1.7
CC115186		0.76	34.0	540	25.1	8.7	<0.001	0.04	1.03	3.6	0.6	0.6	18.5	<0.01	0.04	2.0
CC115187		0.63	41.5	900	20.6	7.8	<0.001	0.06	1.05	2.3	1.0	0.5	23.7	<0.01	0.04	0.9
CC115188		0.88	33.1	770	19.6	9.5	<0.001	0.05	0.86	2.9	0.9	0.6	27.7	<0.01	0.03	0.8
CC115189		0.45	29.8	810	21.2	6.3	<0.001	0.08	1.22	1.9	1.0	0.3	60.1	<0.01	0.03	0.7
CC115190		0.60	32.9	820	25.8	7.5	<0.001	0.08	1.14	2.4	1.0	0.4	27.0	<0.01	0.04	0.8
CC115191		0.67	29.1	810	40.7	12.4	<0.001	0.06	1.05	3.7	0.7	0.7	16.6	<0.01	0.05	1.4
CC115192		0.24	26.3	900	22.0	5.6	<0.001	0.06	1.35	1.8	0.6	0.3	80.6	<0.01	0.03	0.8
CC115193		0.16	22.2	480	16.5	5.4	0.001	0.07	0.57	2.1	0.8	0.2	88.3	<0.01	0.02	1.1
CC115194		0.31	25.2	980	23.8	9.0	<0.001	0.07	1.18	2.1	0.8	0.5	68.4	<0.01	0.09	0.8
CC115195		0.18	10.6	1030	11.8	7.5	<0.001	0.12	0.59	0.6	0.3	0.2	54.7	<0.01	0.03	0.2
CC115196		0.42	29.5	1400	25.8	8.7	<0.001	0.15	0.98	2.0	0.9	0.5	25.3	<0.01	0.06	0.6
CC115197		0.13	24.5	480	11.5	3.5	<0.001	0.06	1.19	2.9	0.5	0.2	84.9	<0.01	0.02	0.7
CC115198		1.47	133.5	2200	3.1	12.3	<0.001	0.07	0.13	15.6	0.8	0.6	48.5	<0.01	0.01	1.4
CC115199		0.30	38.1	1100	28.6	4.4	<0.001	0.16	1.33	4.8	0.9	0.3	54.9	<0.01	0.02	0.6
CC115200		0.59	32.1	920	24.9	5.9	<0.001	0.08	1.13	2.7	0.8	0.5	31.4	<0.01	0.04	0.7
ZZ14901		0.12	22.4	360	6.6	3.1	0.001	0.05	0.27	2.8	0.5	0.2	103.5	<0.01	0.02	0.3
ZZ14902		0.13	18.8	390	5.6	3.4	<0.001	0.06	0.39	2.4	0.5	0.2	87.9	<0.01	0.01	0.5
CC142616		0.83	29.0	390	23.9	8.8	<0.001	0.02	0.79	4.0	0.6	0.6	22.6	<0.01	0.04	2.7
CC142617		0.39	8.3	570	10.3	11.5	<0.001	0.03	0.72	1.2	0.5	0.4	6.8	<0.01	0.05	0.9

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 25- AUG- 2011
Account: RCM

Project: Rackla- Rod to Crag

CERTIFICATE OF ANALYSIS WH11135446

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
CC129875		0.012	0.73	1.93	222	0.21	6.24	146	<0.5
CC129876		0.008	0.37	2.07	38	0.05	3.60	38	<0.5
CC129877		0.007	1.45	2.91	117	0.09	5.14	42	<0.5
CC129878		0.006	0.71	1.50	74	0.09	4.61	58	0.5
CC129879		<0.005	0.71	2.29	75	0.12	9.33	109	1.1
CC129880		0.006	0.35	4.45	177	0.23	19.00	309	1.7
CC115171		0.015	0.17	1.47	61	0.15	11.00	236	1.3
CC115172		0.020	0.16	2.22	54	0.16	7.58	200	1.1
CC115173		0.008	0.21	1.40	73	0.10	12.00	212	1.5
CC115174		0.011	0.18	1.35	40	0.09	8.29	214	1.2
CC115175		0.013	0.23	1.69	60	0.14	11.40	188	1.6
CC115176		0.021	0.17	2.17	50	0.21	9.82	98	1.3
CC115177		0.022	0.20	2.15	49	0.14	9.33	130	1.2
CC115178		0.025	0.25	1.73	52	0.23	10.10	169	1.4
CC115179		0.031	0.17	0.76	62	0.25	3.90	74	1.1
CC115180		0.018	0.18	1.19	45	0.16	9.93	116	1.3
CC115181		0.027	0.29	0.95	67	0.26	6.14	106	1.0
CC115182		0.018	0.23	1.52	49	0.21	12.90	341	1.0
CC115183		0.028	0.21	1.34	53	0.25	10.30	157	1.2
CC115184		0.024	0.15	2.13	60	0.17	10.45	228	0.8
CC115185		0.016	0.40	1.60	61	0.13	9.87	229	1.3
CC115186		0.019	0.25	1.71	72	0.20	8.90	211	1.4
CC115187		0.019	0.21	2.67	58	0.18	10.60	193	1.2
CC115188		0.025	0.18	3.86	69	0.16	9.61	276	0.7
CC115189		0.014	0.19	2.02	50	0.09	10.25	154	1.2
CC115190		0.015	0.21	2.06	61	0.18	11.25	149	1.3
CC115191		0.017	0.26	1.76	105	0.16	13.05	212	1.3
CC115192		0.009	0.20	1.37	43	0.06	8.74	153	1.0
CC115193		0.006	0.39	0.93	21	<0.05	8.91	76	1.4
CC115194		0.011	0.42	0.87	40	0.10	13.35	156	1.4
CC115195		0.008	0.15	0.73	20	0.06	5.09	113	0.7
CC115196		0.015	0.44	1.12	43	0.15	12.30	204	1.7
CC115197		<0.005	0.25	0.70	19	<0.05	5.90	92	0.9
CC115198		0.022	0.04	0.42	72	<0.05	18.65	71	1.1
CC115199		0.008	0.29	0.74	33	0.07	11.20	140	1.0
CC115200		0.015	0.20	1.50	59	0.11	10.90	99	0.9
ZZ14901		<0.005	0.63	0.51	15	<0.05	4.54	58	0.9
ZZ14902		0.005	0.46	0.50	15	<0.05	4.14	50	1.2
CC142616		0.027	0.17	0.70	54	0.29	9.55	123	1.2
CC142617		0.007	0.10	0.39	46	0.09	2.39	64	<0.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 25- AUG- 2011
Account: RCM

Project: Rackla- Rod to Crag

CERTIFICATE OF ANALYSIS WH11135446

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- TL43 Au ppm 0.001	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1
CC142618		0.32	0.001	0.30	1.15	107.5	<0.2	<10	800	0.77	0.19	2.95	1.15	21.5	8.7	24
CC142619		0.38	0.002	0.28	1.19	11.7	<0.2	<10	370	0.72	0.17	4.95	0.78	22.5	7.8	22
CC142620		0.22	0.001	0.29	1.10	15.2	<0.2	<10	760	0.65	0.17	2.14	1.13	17.80	6.8	22
CC142621		0.28	0.001	0.18	1.33	9.8	<0.2	<10	300	0.79	0.18	4.56	0.95	24.6	7.3	23
CC142622		0.32	0.001	0.13	1.32	13.1	<0.2	<10	270	0.78	0.20	3.36	1.15	22.9	7.6	30
CC142623		0.18	0.001	0.18	1.46	11.9	<0.2	<10	1170	0.73	0.12	2.51	1.27	24.9	12.4	26
CC142624		0.54	0.001	0.19	2.22	9.4	<0.2	<10	860	0.90	0.06	4.97	0.59	54.8	26.2	34
CC142625		0.34	0.002	0.24	1.63	16.7	<0.2	<10	970	0.82	0.14	3.13	1.16	32.8	13.6	31
CC142626		0.36	0.003	0.25	0.94	12.2	<0.2	<10	310	0.55	0.11	7.62	0.86	26.7	8.8	24
CC142627		0.38	0.004	0.22	1.51	13.5	<0.2	<10	500	0.90	0.17	2.04	0.62	22.0	9.0	30
CC142628		0.46	0.002	0.20	1.25	13.2	<0.2	<10	430	0.75	0.14	5.60	0.71	25.4	8.6	29
CC142629		0.38	0.001	0.12	1.60	12.4	<0.2	<10	300	1.03	0.21	2.30	0.69	23.7	8.2	30
CC142630		0.30	0.001	0.17	0.94	13.6	<0.2	<10	570	0.68	0.12	4.24	0.81	19.80	7.2	24
CC142631		0.32	0.001	0.10	1.34	14.5	<0.2	<10	470	0.93	0.16	4.56	0.84	22.8	8.1	26
CC142632		0.28	0.001	0.15	1.07	10.4	<0.2	<10	450	0.69	0.14	2.75	0.56	17.60	6.8	23
CC142633		0.32	0.001	0.06	0.72	10	<0.2	<10	130	0.60	0.06	13.15	0.34	10.95	3.2	11
CC142634		0.28	0.001	0.18	1.29	13.2	<0.2	<10	270	0.94	0.16	3.22	0.43	20.2	7.7	24
CC115277		0.30	0.001	2.72	0.90	14.3	<0.2	<10	630	0.41	0.15	0.39	3.03	17.00	2.8	78
CC115278		0.18	0.001	1.55	0.29	5.7	<0.2	<10	880	0.26	0.09	0.33	2.42	6.58	2.2	15
CC115279		0.30	0.001	2.45	1.01	27.5	<0.2	<10	1110	0.70	0.18	0.95	4.89	21.6	12.1	85
CC115280		0.26	0.001	2.67	1.03	39.6	<0.2	<10	1900	0.87	0.21	0.92	6.75	26.3	11.7	70
CC115281		0.18	0.001	1.53	1.08	36.1	<0.2	<10	1480	0.68	0.23	0.37	5.93	22.1	15.0	51
CC115282		0.18	0.001	1.35	1.09	25.0	<0.2	<10	3860	0.84	0.24	1.02	2.85	23.1	7.3	47
CC115283		0.28	0.004	1.27	1.06	36.8	<0.2	<10	3350	0.91	0.17	1.33	2.93	22.8	9.2	37
CC115284		0.30	0.005	1.84	1.10	49.5	<0.2	10	3570	0.96	0.18	2.00	5.06	22.0	11.3	38
CC115285		0.30	0.003	1.35	0.86	45.1	<0.2	<10	3630	0.78	0.16	2.02	4.98	22.7	10.4	34
CC115286		0.36	0.001	1.00	0.84	34.3	<0.2	<10	2340	0.66	0.17	0.72	2.50	24.0	8.8	33
CC115287		0.28	0.001	1.63	0.75	24.6	<0.2	<10	3130	0.39	0.18	0.39	1.95	21.4	3.6	41
CC115288		0.28	0.001	1.11	0.92	45.9	<0.2	<10	1650	0.60	0.20	0.44	3.20	24.1	22.1	41
CC115289		0.36	0.001	0.96	1.15	38.5	<0.2	<10	1770	0.89	0.21	0.43	2.98	27.7	17.9	43
CC115290		0.36	0.003	1.69	1.23	35.5	<0.2	<10	2830	1.03	0.24	1.20	4.15	28.8	14.3	51

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 25- AUG- 2011
Account: RCM

Project: Rackla- Rod to Crag

CERTIFICATE OF ANALYSIS WH11135446

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
CC142618		1.03	25.2	2.29	3.29	<0.05	0.05	0.14	0.028	0.06	11.0	12.4	1.13	349	1.51	0.01
CC142619		0.83	16.3	2.12	3.49	0.08	<0.02	0.09	0.027	0.05	11.2	11.7	2.47	407	1.14	<0.01
CC142620		0.80	19.6	2.17	3.31	0.07	0.02	0.13	0.026	0.05	9.7	9.6	0.47	344	1.34	<0.01
CC142621		0.71	13.6	2.34	3.74	0.07	0.02	0.06	0.027	0.05	13.0	10.4	2.43	403	1.64	<0.01
CC142622		0.78	11.5	2.75	3.79	0.07	0.02	0.07	0.028	0.05	11.3	10.2	1.58	280	1.98	<0.01
CC142623		0.72	20.1	2.67	4.44	0.08	0.03	0.15	0.031	0.06	12.8	19.3	1.24	353	1.39	<0.01
CC142624		0.38	32.9	4.78	6.81	0.14	0.06	0.09	0.055	0.10	27.2	28.8	4.41	564	8.10	0.01
CC142625		0.71	21.4	3.11	4.98	0.10	0.04	0.13	0.033	0.06	15.2	18.8	2.05	579	7.54	<0.01
CC142626		0.53	14.1	2.22	2.66	0.07	0.03	0.08	0.023	0.06	13.3	10.5	4.61	392	4.28	0.01
CC142627		0.82	15.9	2.66	4.78	0.07	0.04	0.11	0.031	0.05	12.6	13.0	0.80	461	2.85	<0.01
CC142628		0.73	15.1	2.37	3.58	0.07	0.02	0.09	0.028	0.05	12.9	12.2	3.40	504	2.87	0.01
CC142629		0.84	17.1	2.60	5.01	0.08	0.02	0.06	0.029	0.04	12.2	11.3	1.12	642	1.47	<0.01
CC142630		0.60	16.2	1.90	2.80	0.06	<0.02	0.11	0.019	0.04	9.5	7.7	2.01	634	2.17	<0.01
CC142631		0.59	18.2	2.14	3.95	0.06	<0.02	0.05	0.025	0.04	10.9	9.2	2.45	921	2.11	<0.01
CC142632		0.61	21.8	1.82	3.26	0.06	<0.02	0.10	0.019	0.03	8.7	8.3	0.78	614	1.16	<0.01
CC142633		0.54	6.1	0.78	1.87	<0.05	<0.02	0.04	0.010	0.03	5.2	4.2	7.33	507	0.51	0.01
CC142634		0.67	17.1	2.16	3.87	0.06	0.02	0.11	0.023	0.04	10.0	9.4	1.02	984	1.19	<0.01
CC115277		1.12	38.3	1.28	5.84	0.11	<0.02	0.57	0.018	0.05	10.2	8.1	0.58	84	3.69	<0.01
CC115278		0.29	35.8	1.35	1.04	0.08	<0.02	0.22	0.018	0.01	3.9	0.5	0.05	50	4.13	<0.01
CC115279		1.04	54.1	1.74	5.24	0.11	<0.02	0.48	0.023	0.07	12.9	10.7	0.72	434	7.25	<0.01
CC115280		0.69	65.8	2.69	4.51	0.15	0.04	0.62	0.036	0.10	15.8	11.8	0.57	528	17.35	<0.01
CC115281		0.86	61.1	2.99	4.14	0.14	0.03	0.59	0.033	0.06	12.1	9.4	0.40	858	9.48	<0.01
CC115282		1.37	66.7	2.75	3.78	0.14	0.04	0.52	0.030	0.07	12.9	13.5	0.50	388	5.77	0.01
CC115283		0.72	53.3	2.78	3.55	0.09	0.05	0.45	0.030	0.09	13.3	11.9	0.44	363	6.32	0.01
CC115284		1.03	106.0	3.08	3.58	0.11	0.08	0.87	0.037	0.13	12.9	10.9	0.57	643	8.78	0.01
CC115285		0.95	59.8	2.65	2.99	0.10	0.06	0.56	0.028	0.12	12.7	9.0	0.68	540	7.18	0.01
CC115286		0.75	37.3	2.22	3.44	0.09	0.02	0.34	0.025	0.08	13.4	7.6	0.23	375	6.81	<0.01
CC115287		1.02	41.3	1.94	3.91	0.12	0.02	0.57	0.024	0.06	12.8	6.5	0.26	103	7.48	<0.01
CC115288		1.12	34.0	3.41	4.13	0.13	<0.02	0.30	0.037	0.08	12.9	9.8	0.37	1720	13.05	<0.01
CC115289		1.05	41.1	3.44	4.17	0.12	0.03	0.41	0.034	0.08	15.0	13.3	0.42	984	7.88	<0.01
CC115290		1.14	90.1	3.18	4.37	0.14	0.05	0.57	0.044	0.08	16.7	15.3	0.62	618	6.88	<0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 25- AUG- 2011
Account: RCM

Project: Rackla- Rod to Crag

CERTIFICATE OF ANALYSIS WH11135446

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
CC142618		0.53	32.4	880	17.7	9.3	<0.001	0.09	1.07	2.5	1.5	0.5	38.9	<0.01	0.04	0.9
CC142619		0.69	20.9	770	13.9	7.2	<0.001	0.05	0.60	2.3	0.8	0.4	41.3	<0.01	0.03	0.9
CC142620		0.59	24.2	820	21.3	7.5	<0.001	0.09	0.81	2.2	1.0	0.4	27.5	<0.01	0.04	0.6
CC142621		0.68	20.9	570	20.9	7.1	<0.001	0.05	0.75	2.7	0.7	0.5	34.2	<0.01	0.03	1.1
CC142622		0.70	25.8	550	17.5	7.9	<0.001	0.05	0.81	3.1	0.9	0.5	30.6	<0.01	0.03	1.1
CC142623		0.67	41.8	770	18.0	6.7	0.001	0.10	0.96	3.0	1.0	0.4	32.4	<0.01	0.03	0.7
CC142624		0.46	76.8	1480	10.3	5.5	0.001	0.07	0.89	8.1	1.0	0.7	51.6	0.01	0.01	1.6
CC142625		0.71	44.5	790	23.6	6.9	0.001	0.06	1.13	3.9	1.0	0.6	29.8	<0.01	0.04	1.1
CC142626		0.53	32.2	980	20.1	6.4	0.001	0.04	1.01	2.9	0.7	0.3	63.5	<0.01	0.02	1.2
CC142627		0.75	28.9	1090	25.6	7.4	<0.001	0.08	0.87	2.9	0.9	0.5	21.9	0.01	0.04	0.9
CC142628		0.58	27.8	1190	22.4	7.3	<0.001	0.05	0.86	2.5	0.7	0.4	37.3	<0.01	0.03	0.9
CC142629		0.79	21.2	1080	27.3	6.8	<0.001	0.05	0.71	2.5	0.6	0.5	18.6	0.01	0.03	0.9
CC142630		0.48	21.8	1380	24.8	7.0	<0.001	0.08	0.93	1.6	0.7	0.3	28.3	<0.01	0.03	0.5
CC142631		0.51	20.0	1430	36.8	5.5	<0.001	0.07	1.08	1.6	0.6	0.4	22.4	0.01	0.03	0.6
CC142632		0.58	18.3	1440	20.7	6.1	<0.001	0.10	0.68	1.4	0.8	0.4	20.1	0.01	0.03	0.5
CC142633		0.28	7.7	5810	12.7	5.8	<0.001	0.08	0.46	0.8	0.5	0.2	49.1	0.01	0.01	0.4
CC142634		0.57	18.2	3240	21.1	7.9	<0.001	0.11	0.75	1.5	0.9	0.4	24.8	0.01	0.03	0.5
CC115277		0.45	54.2	1920	21.0	11.6	0.006	0.06	2.15	2.3	6.7	0.6	44.0	<0.01	0.05	0.8
CC115278		0.13	41.2	1600	13.3	1.8	0.005	0.14	3.24	0.6	6.2	0.3	30.8	<0.01	0.06	<0.2
CC115279		0.46	111.0	2480	27.5	12.3	0.013	0.06	3.13	3.3	6.6	0.6	109.5	<0.01	0.11	1.5
CC115280		0.71	108.5	3170	45.6	9.2	0.021	0.07	4.71	4.8	10.7	0.6	140.0	<0.01	0.12	2.6
CC115281		0.73	70.3	1840	64.8	9.0	0.007	0.08	3.20	4.6	11.2	0.4	56.4	0.01	0.09	2.1
CC115282		1.00	84.9	1860	68.5	8.9	0.025	0.10	3.23	4.7	6.2	0.4	136.5	<0.01	0.07	2.4
CC115283		0.53	76.8	1510	42.7	8.4	0.003	0.07	3.72	4.0	2.7	0.4	86.6	<0.01	0.10	2.0
CC115284		0.45	101.5	1740	58.1	10.7	0.002	0.12	5.64	4.4	4.0	0.5	124.5	<0.01	0.12	1.8
CC115285		0.46	82.0	2120	53.4	9.3	0.003	0.11	4.84	3.9	3.1	0.4	140.5	<0.01	0.08	2.1
CC115286		0.45	46.2	1790	50.2	9.2	0.002	0.05	2.56	2.8	2.9	0.5	72.4	<0.01	0.08	2.2
CC115287		0.65	36.5	2280	34.9	9.0	0.008	0.10	2.50	2.9	7.7	0.5	91.3	<0.01	0.08	1.8
CC115288		0.70	63.5	2570	65.8	11.4	0.001	0.04	4.16	3.3	3.2	0.4	79.1	<0.01	0.09	2.5
CC115289		0.88	67.8	1870	77.4	11.0	0.002	0.04	3.11	4.3	3.5	0.4	68.7	<0.01	0.09	3.1
CC115290		0.69	124.0	2010	56.2	11.0	0.004	0.07	3.79	6.2	4.2	0.6	96.3	0.01	0.13	2.8

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 25- AUG- 2011
Account: RCM

Project: Rackla- Rod to Crag

CERTIFICATE OF ANALYSIS WH11135446

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
CC142618		0.012	0.22	1.01	43	0.11	10.45	177	1.4
CC142619		0.019	0.10	0.93	40	0.34	8.66	104	1.0
CC142620		0.014	0.18	1.47	43	0.25	9.79	139	1.2
CC142621		0.016	0.14	0.68	50	0.26	10.50	108	1.2
CC142622		0.011	0.23	0.82	56	0.25	8.51	97	1.3
CC142623		0.013	0.18	1.92	62	0.19	10.55	155	1.6
CC142624		0.007	0.23	2.18	86	0.23	16.05	106	1.5
CC142625		0.015	0.24	2.24	77	0.22	11.65	138	1.5
CC142626		0.014	0.17	1.67	50	0.20	10.75	111	1.3
CC142627		0.015	0.23	2.89	64	0.19	10.95	146	1.7
CC142628		0.015	0.17	1.69	57	0.20	10.65	124	1.1
CC142629		0.019	0.13	1.88	61	0.22	9.06	144	1.1
CC142630		0.014	0.28	2.46	48	0.17	8.37	170	1.1
CC142631		0.014	0.21	1.58	55	0.22	8.03	147	0.9
CC142632		0.015	0.19	2.33	42	0.23	7.42	141	1.1
CC142633		0.008	0.11	2.53	24	0.14	4.83	62	0.9
CC142634		0.016	0.31	4.13	48	0.18	8.80	126	1.2
CC115277		0.016	0.59	3.85	311	0.24	8.58	324	0.5
CC115278		<0.005	0.20	3.28	29	0.13	6.80	125	<0.5
CC115279		0.015	0.57	4.33	511	0.31	15.05	926	1.2
CC115280		0.014	0.46	5.97	447	0.38	17.40	829	2.3
CC115281		0.010	0.39	4.90	227	0.24	13.55	388	1.8
CC115282		0.013	0.45	3.45	230	0.22	11.80	493	2.0
CC115283		0.012	0.39	2.97	174	0.21	14.80	417	2.3
CC115284		0.009	0.60	3.60	176	0.22	16.40	500	3.1
CC115285		0.011	0.50	2.38	164	0.20	14.55	468	3.0
CC115286		0.011	0.31	2.68	169	0.19	11.80	256	1.3
CC115287		0.009	0.48	3.07	206	0.17	9.01	215	1.4
CC115288		0.017	0.44	2.82	203	0.29	9.02	442	1.0
CC115289		0.013	0.38	3.23	203	0.21	11.45	451	1.5
CC115290		0.012	0.74	5.28	244	0.22	21.5	732	2.2

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 25- AUG- 2011
Account: RCM

Project: Rackla- Rod to Crag

CERTIFICATE OF ANALYSIS WH11135446

Method	CERTIFICATE COMMENTS
ME- MS41	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown.
ME- MS41	Gold determinations by this method are semi- quantitative due to the small sample weight used (0.5g).

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 22- AUG- 2011
Account: RCM

CERTIFICATE WH11135447

Project: Rackla- Rod to Crag

P.O. No.:

This report is for 153 Soil samples submitted to our lab in Whitehorse, YT, Canada on 17- JUL- 2011.

The following have access to data associated with this certificate:

ROB CARNE JULIA LANE	ANDREW CARNE JOAN MARIACHER	MATT DUMALA

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
SCR- 41	Screen to - 180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- TL43	Trace Level Au - 25g AR	ICP- MS
ME- MS41	51 anal. aqua regia ICPMS	

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 22- AUG- 2011
Account: RCM

Project: Rackla- Rod to Crag

CERTIFICATE OF ANALYSIS WH11135447

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- TL43 Au ppm 0.001	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1
ZZ14751		0.24	0.003	1.74	1.07	30.2	<0.2	<10	3030	0.86	0.15	1.99	11.50	22.0	10.7	52
ZZ14752		0.36	0.002	1.95	1.75	15.7	<0.2	<10	3140	1.15	0.14	1.55	6.25	23.9	8.0	141
ZZ14753		0.46	0.002	1.82	1.38	16.8	<0.2	<10	3780	0.96	0.16	1.02	4.68	19.40	5.7	149
ZZ14754		0.36	0.002	1.92	0.99	59.9	<0.2	<10	2710	0.60	0.22	0.63	6.19	27.3	9.5	49
ZZ14755		0.28	0.003	0.98	0.80	25.6	<0.2	<10	1630	0.36	0.22	0.37	3.32	27.8	13.4	25
ZZ14756		0.38	0.002	1.19	1.14	33.5	<0.2	<10	4440	0.74	0.19	1.05	7.08	29.6	12.3	34
CC129881		0.16	0.002	0.75	1.07	53.5	<0.2	<10	2640	0.70	0.18	1.59	2.21	18.65	12.5	31
CC129882		0.24	0.003	1.11	1.22	55.3	<0.2	<10	3130	0.85	0.21	1.04	4.51	26.8	10.6	39
CC129883		0.16	0.001	0.73	0.99	39.1	<0.2	<10	3270	0.51	0.21	0.98	1.77	22.6	8.7	31
CC129884		0.36	0.001	1.10	0.94	42.1	<0.2	<10	4050	0.81	0.18	0.41	3.62	25.0	13.5	75
CC129885		0.14	0.001	0.76	0.39	29.6	<0.2	<10	2870	0.13	0.09	0.28	0.52	8.71	0.9	65
CC129886		0.28	0.002	1.80	1.39	31.9	<0.2	<10	3480	1.26	0.18	1.05	11.85	24.6	20.5	70
CC129887		0.18	0.001	1.78	0.87	38.0	<0.2	<10	8310	0.64	0.19	1.25	16.10	17.65	16.3	38
CC129888		0.44	0.003	1.96	1.77	33.1	<0.2	<10	>10000	1.10	0.16	0.98	13.90	33.6	10.1	69
CC129889		0.20	0.004	0.56	0.89	58.9	<0.2	<10	630	0.79	0.37	1.03	2.12	18.80	15.5	16
CC129890		0.38	0.002	0.20	1.28	18.0	<0.2	<10	430	1.27	0.51	0.60	0.28	22.9	17.2	18
CC129891		0.42	0.001	0.13	1.21	11.8	<0.2	<10	190	0.90	0.46	0.32	0.31	20.8	15.0	16
CC129892		0.26	0.002	0.77	1.14	35.7	<0.2	<10	2190	0.86	0.32	1.42	2.79	23.8	13.8	27
CC129893		0.40	0.001	1.13	1.01	44.2	<0.2	<10	3480	0.74	0.22	3.66	5.61	24.2	12.2	35
CC129894		0.38	0.003	1.34	1.32	49.7	<0.2	<10	3710	0.80	0.21	0.96	4.14	29.7	12.6	40
CC129895		0.16	0.002	0.53	0.92	23.8	<0.2	<10	5430	0.41	0.14	2.27	1.94	12.55	6.4	24
CC129896		0.26	0.004	2.85	2.35	24.0	<0.2	<10	>10000	1.11	0.14	0.55	25.1	22.3	10.3	39
CC129897		0.32	0.004	1.22	1.11	40.1	<0.2	<10	>10000	0.73	0.16	1.15	33.2	18.55	9.6	42
CC129898		0.30	0.004	1.87	1.89	25.8	<0.2	<10	>10000	0.66	0.15	0.81	4.48	19.85	6.1	84
CC129899		0.42	0.002	1.21	1.17	61.9	<0.2	<10	8560	0.77	0.22	0.70	9.10	30.7	10.9	48
CC129900		0.18	0.002	0.94	0.89	42.3	<0.2	<10	4360	0.54	0.15	2.92	6.39	13.60	8.6	28
CC116951		0.26	0.001	1.10	1.03	79.4	<0.2	<10	740	0.40	0.10	1.43	7.17	14.70	5.2	50
CC116952		0.18	0.002	0.91	1.11	69.8	<0.2	<10	1940	0.65	0.18	1.61	11.50	17.95	11.8	29
CC116953		0.20	0.002	1.07	0.63	7.6	<0.2	<10	610	0.30	0.13	0.40	0.91	18.25	1.5	20
CC116954		0.38	0.004	0.92	1.06	41.0	<0.2	<10	2250	0.68	0.21	2.95	2.15	22.7	12.0	26
CC116955		0.18	0.002	0.21	0.79	20.7	<0.2	<10	270	0.70	0.32	0.95	0.53	20.7	15.0	21
CC116956		0.16	0.004	0.48	2.38	88.1	<0.2	<10	400	2.00	0.07	1.84	5.42	83.7	35.9	88
CC116957		0.30	0.001	0.16	1.50	24.9	<0.2	<10	210	0.60	0.42	0.67	0.20	33.1	31.8	71
CC116958		0.24	0.003	0.13	2.43	20.2	<0.2	<10	190	1.15	0.08	1.41	0.21	59.9	28.9	81
CC116959		0.20	0.005	0.23	1.92	11.7	<0.2	<10	460	0.97	0.06	2.67	0.54	55.9	27.7	165
CC116960		0.10	0.003	0.48	1.60	144.0	<0.2	<10	480	0.90	0.13	2.19	2.32	45.5	24.3	87
CC116961		0.28	0.009	0.28	2.10	1125	<0.2	<10	340	1.26	0.13	1.68	0.59	67.6	28.9	111
CC116962		0.36	0.003	0.34	1.60	30.2	<0.2	<10	1180	0.89	0.25	1.10	1.27	37.5	20.4	43
CC116963		0.34	0.001	0.16	1.35	14.3	<0.2	<10	220	1.76	0.42	0.12	0.32	28.5	16.4	21
ZZ14903		0.32	0.003	0.29	1.26	13.4	<0.2	<10	980	0.56	0.10	7.54	1.36	24.6	13.6	27

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 22- AUG- 2011
Account: RCM

Project: Rackla- Rod to Crag

CERTIFICATE OF ANALYSIS WH11135447

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
ZZ14751		0.97	88.1	2.05	3.97	0.09	0.08	0.30	0.027	0.11	14.3	12.6	0.56	1000	10.40	0.05
ZZ14752		2.38	59.5	1.53	5.20	0.08	0.04	0.29	0.021	0.09	16.5	26.0	1.60	110	5.28	0.05
ZZ14753		1.22	75.3	1.86	7.17	0.08	0.05	0.21	0.026	0.06	13.0	18.4	0.44	118	8.21	0.06
ZZ14754		1.02	49.7	2.81	4.39	0.10	0.07	0.39	0.036	0.11	15.6	10.4	0.36	312	11.50	0.05
ZZ14755		1.17	39.6	2.05	3.44	0.07	0.03	0.26	0.020	0.10	15.5	9.6	0.23	609	8.60	0.03
ZZ14756		0.82	99.0	2.89	3.89	0.08	0.07	0.37	0.033	0.09	16.7	13.7	0.37	888	5.72	0.07
CC129881		0.82	34.3	2.73	3.61	0.06	0.05	0.31	0.028	0.07	9.7	12.5	0.42	736	5.71	0.05
CC129882		1.05	59.9	2.88	4.06	0.08	0.08	0.56	0.034	0.12	14.9	14.8	0.42	376	5.07	0.05
CC129883		0.87	23.0	1.84	3.80	0.07	0.06	0.54	0.031	0.09	12.3	9.9	0.25	297	7.95	0.06
CC129884		1.62	62.1	1.90	5.89	0.12	0.03	0.38	0.028	0.11	18.4	8.7	0.23	684	30.6	0.07
CC129885		0.95	62.0	2.38	2.38	0.08	<0.02	0.20	0.016	0.03	4.7	1.8	0.05	17	2.82	0.05
CC129886		1.17	125.5	2.42	4.58	0.10	0.09	0.37	0.030	0.07	14.4	14.0	0.38	1570	17.85	0.06
CC129887		0.87	70.2	2.00	2.76	0.08	0.08	0.57	0.031	0.06	10.5	7.6	0.21	1200	6.51	0.13
CC129888		1.86	77.7	2.40	5.62	0.10	0.08	0.40	0.031	0.08	17.5	24.1	0.60	269	28.6	0.26
CC129889		1.88	44.2	3.09	3.06	0.07	0.10	0.67	0.033	0.05	9.1	19.2	0.29	540	2.91	0.02
CC129890		2.31	53.2	4.04	4.43	0.10	0.13	0.24	0.040	0.05	11.5	31.9	0.40	493	1.42	0.01
CC129891		1.63	36.2	3.85	3.74	0.07	0.09	0.21	0.035	0.05	9.5	26.6	0.35	562	0.87	0.01
CC129892		1.18	50.2	3.17	3.79	0.08	0.09	0.33	0.035	0.07	12.5	19.7	0.58	692	5.59	0.04
CC129893		1.18	68.5	3.15	3.54	0.10	0.06	0.32	0.031	0.11	13.5	14.2	2.01	358	11.05	0.06
CC129894		1.01	59.7	3.24	4.61	0.08	0.07	0.33	0.035	0.10	16.4	15.0	0.49	510	9.10	0.06
CC129895		0.47	28.6	1.70	3.17	0.07	0.05	0.16	0.019	0.05	7.3	8.9	0.31	430	7.71	0.10
CC129896		5.37	344	2.10	6.55	0.14	0.09	0.76	0.031	0.07	14.2	26.0	0.83	589	35.0	0.25
CC129897		0.91	88.6	2.37	3.94	0.11	0.07	0.36	0.030	0.11	11.7	10.5	0.34	442	18.55	0.17
CC129898		6.76	61.2	1.97	8.86	0.08	0.03	0.15	0.029	0.08	12.8	30.7	1.66	1130	19.80	0.23
CC129899		1.37	69.4	3.14	4.51	0.11	0.07	0.28	0.032	0.09	19.3	12.3	0.42	466	14.85	0.02
CC129900		0.61	48.1	2.24	2.81	0.07	0.06	0.34	0.022	0.08	8.8	9.4	0.86	583	6.29	0.08
CC116951		1.08	12.5	1.23	3.24	0.05	0.03	0.21	0.027	0.03	15.5	10.2	0.14	488	3.74	0.01
CC116952		0.67	47.1	2.50	3.73	0.07	0.06	0.35	0.026	0.08	10.3	11.7	0.43	3400	7.49	0.03
CC116953		0.79	19.4	0.79	3.85	0.06	<0.02	0.49	0.020	0.05	10.6	5.0	0.12	25	0.86	0.01
CC116954		0.72	64.6	3.15	3.09	0.08	0.06	0.48	0.030	0.10	12.7	11.3	1.67	594	5.76	0.04
CC116955		5.12	33.7	2.95	2.79	0.07	0.07	0.27	0.026	0.07	10.4	12.9	0.39	512	0.94	0.01
CC116956		6.73	100.5	5.30	10.55	0.16	0.06	0.36	0.070	0.10	46.5	34.6	2.03	1600	1.36	0.02
CC116957		7.18	27.8	3.71	8.03	0.08	0.02	0.07	0.032	0.07	18.3	19.3	0.84	1210	2.47	0.01
CC116958		4.00	49.2	5.02	11.70	0.15	0.04	0.09	0.070	0.06	32.3	36.9	2.04	869	2.75	0.02
CC116959		10.25	43.3	4.35	10.55	0.19	0.24	0.09	0.046	0.11	31.6	22.6	1.96	780	2.32	0.03
CC116960		9.02	35.4	3.75	7.02	0.09	0.10	0.31	0.042	0.08	24.5	20.4	1.29	1580	0.78	0.02
CC116961		8.04	40.6	4.84	9.31	0.13	0.06	0.17	0.064	0.13	35.0	33.1	1.62	1320	2.30	0.02
CC116962		2.74	48.7	3.78	5.30	0.09	0.06	0.16	0.032	0.07	19.9	20.7	1.02	843	2.35	0.02
CC116963		6.28	121.5	3.06	4.38	0.08	0.04	0.10	0.026	0.06	12.2	19.5	0.28	1040	1.54	0.01
ZZ14903		0.67	29.4	2.58	3.77	0.07	0.07	0.14	0.025	0.09	13.0	20.7	4.63	667	3.61	0.04

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 22- AUG- 2011
Account: RCM

Project: Rackla- Rod to Crag

CERTIFICATE OF ANALYSIS WH11135447

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
ZZ14751		0.55	136.5	2480	17.7	10.8	0.007	0.12	6.83	4.1	5.6	0.6	140.0	0.01	0.12	1.8
ZZ14752		0.78	171.0	5280	9.4	18.4	0.001	0.05	3.91	4.2	2.6	0.7	165.5	0.01	0.11	1.8
ZZ14753		0.62	157.5	8190	11.6	11.9	0.002	0.08	24.9	4.1	5.7	2.4	126.0	0.01	0.14	2.3
ZZ14754		0.60	89.2	3590	37.8	12.8	0.006	0.09	5.43	4.2	7.4	0.6	118.0	0.01	0.11	2.5
ZZ14755		0.45	40.8	1450	22.0	12.3	0.002	0.06	3.10	3.1	2.8	0.4	50.7	<0.01	0.08	2.3
ZZ14756		0.67	104.0	1910	50.6	10.1	0.002	0.08	3.80	4.8	3.2	0.5	97.8	0.01	0.09	2.6
CC129881		0.59	61.5	1260	52.1	7.8	0.002	0.09	2.95	3.3	2.7	0.4	72.5	<0.01	0.07	1.4
CC129882		0.61	75.0	1620	48.4	11.3	0.001	0.07	3.91	5.0	2.9	0.6	80.0	0.01	0.10	3.4
CC129883		0.48	32.0	1080	47.6	10.0	0.007	0.07	2.10	3.6	3.6	0.5	103.0	0.01	0.07	2.5
CC129884		0.46	77.2	1550	22.6	15.6	0.017	0.10	7.96	4.0	13.0	0.8	108.5	<0.01	0.16	1.1
CC129885		0.39	19.8	1770	12.7	4.8	0.004	0.14	1.24	2.6	8.9	0.3	74.2	<0.01	0.07	0.7
CC129886		0.54	215	1930	31.4	11.2	0.006	0.11	6.49	4.4	5.5	0.6	102.5	0.01	0.09	1.6
CC129887		0.39	119.5	1470	85.7	8.0	0.003	0.09	4.81	4.1	5.9	0.5	138.5	0.01	0.08	1.5
CC129888		0.62	420	3850	18.0	14.4	0.004	0.02	10.25	5.8	4.6	0.8	444	0.01	0.15	2.7
CC129889		0.43	45.5	710	74.9	6.9	0.004	0.06	2.68	4.4	2.4	0.3	77.1	0.01	0.06	3.3
CC129890		0.21	42.4	570	32.3	6.1	0.001	0.03	0.93	6.2	1.3	0.3	43.9	0.01	0.05	4.9
CC129891		0.12	35.1	530	24.2	5.1	0.001	0.02	0.51	5.1	0.9	0.2	26.6	<0.01	0.04	5.8
CC129892		0.35	77.9	1410	32.6	7.7	0.003	0.08	2.77	4.7	2.8	0.4	90.3	0.01	0.08	3.4
CC129893		0.46	134.5	1730	27.5	9.2	0.008	0.10	6.12	5.0	4.1	0.5	123.5	0.01	0.09	3.9
CC129894		0.69	96.2	1820	39.1	9.7	0.001	0.08	5.24	4.9	2.4	0.6	94.3	0.01	0.09	2.8
CC129895		0.55	61.2	960	15.7	5.0	0.020	0.14	3.36	2.6	8.4	0.4	379	<0.01	0.09	0.8
CC129896		0.41	535	1790	9.8	21.6	0.028	0.06	12.65	6.2	11.8	0.4	268	0.02	0.17	0.4
CC129897		0.41	1010	1870	18.8	10.0	0.007	0.11	8.78	4.1	6.6	0.5	183.0	0.01	0.11	1.6
CC129898		0.53	116.5	2640	8.7	22.0	0.001	0.07	8.56	5.3	5.2	0.5	324	<0.01	0.16	1.0
CC129899		0.62	244	2610	32.3	12.1	0.001	0.07	6.87	6.4	3.9	0.6	149.5	0.01	0.10	3.3
CC129900		0.37	292	1370	21.7	7.4	0.006	0.13	4.88	2.8	4.6	0.4	143.5	<0.01	0.09	1.0
CC116951		0.36	89.2	1680	27.1	6.5	0.001	0.04	1.98	2.5	2.5	0.3	106.5	<0.01	0.05	0.6
CC116952		0.50	137.0	1320	31.2	8.1	0.007	0.07	3.44	3.3	4.2	0.4	64.4	<0.01	0.08	1.1
CC116953		0.36	19.7	790	20.2	7.7	0.004	0.08	1.39	2.4	6.5	0.4	36.3	<0.01	0.05	0.9
CC116954		0.47	65.9	1440	45.7	7.8	0.001	0.05	3.13	5.3	1.9	0.4	84.5	0.01	0.07	3.5
CC116955		0.99	30.6	760	30.6	12.9	0.002	0.05	0.83	4.3	1.4	0.2	66.1	<0.01	0.05	3.1
CC116956		5.29	67.1	2790	136.5	12.1	<0.001	0.08	3.62	8.9	1.2	0.4	178.5	0.02	0.03	1.1
CC116957		2.91	26.8	1750	56.4	10.6	<0.001	0.09	0.48	3.1	0.9	0.4	55.9	0.01	0.05	0.8
CC116958		2.42	32.4	2290	13.2	7.1	<0.001	0.12	0.63	8.1	1.3	0.4	124.0	0.01	0.04	0.9
CC116959		14.55	64.1	2370	7.8	9.0	0.001	0.11	0.71	6.3	1.4	0.4	236	0.05	0.03	1.8
CC116960		4.78	45.3	1650	91.5	11.8	<0.001	0.09	4.17	7.0	1.2	0.4	107.5	0.02	0.04	1.6
CC116961		3.10	52.8	2020	17.7	18.0	<0.001	0.05	1.32	9.2	1.3	0.4	170.5	0.01	0.04	2.0
CC116962		1.71	56.5	1120	35.6	8.6	<0.001	0.01	1.80	6.6	1.3	0.4	37.5	0.01	0.06	4.6
CC116963		0.42	25.3	590	39.7	11.7	<0.001	<0.01	0.60	4.5	0.9	0.3	11.6	0.01	0.05	4.0
ZZ14903		0.45	56.4	1240	19.0	8.6	0.001	0.09	1.35	4.4	1.7	0.4	67.5	<0.01	0.03	1.1

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 22- AUG- 2011
Account: RCM

Project: Rackla- Rod to Crag

CERTIFICATE OF ANALYSIS WH11135447

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
ZZ14751		0.013	0.64	6.59	362	0.24	20.6	738	2.9
ZZ14752		0.033	1.20	9.35	1100	0.26	21.9	1440	0.9
ZZ14753		0.023	0.51	6.53	288	0.29	18.50	913	1.1
ZZ14754		0.013	0.77	4.81	289	0.27	14.40	561	1.9
ZZ14755		0.009	0.64	2.40	150	0.16	7.71	230	0.9
ZZ14756		0.012	0.47	4.21	165	0.18	17.85	559	2.0
CC129881		0.007	0.21	1.84	99	0.13	9.06	272	1.4
CC129882		0.008	0.45	3.25	186	0.21	15.35	380	2.6
CC129883		0.006	0.38	2.81	135	0.14	9.14	142	1.8
CC129884		0.016	2.70	7.65	1780	0.49	15.35	391	0.7
CC129885		0.012	0.83	7.47	103	0.11	2.73	36	<0.5
CC129886		0.011	1.05	14.95	424	0.38	24.8	1270	2.2
CC129887		0.005	0.46	7.57	137	0.16	16.25	1000	2.3
CC129888		0.019	2.74	8.85	558	0.39	26.1	2940	2.5
CC129889		<0.005	0.21	2.47	29	0.06	8.68	318	3.2
CC129890		<0.005	0.09	2.33	21	0.05	13.00	120	4.1
CC129891		<0.005	0.05	1.19	15	<0.05	7.85	114	3.0
CC129892		<0.005	0.40	3.36	119	0.12	12.75	430	2.9
CC129893		0.009	0.79	3.25	148	0.22	15.00	856	2.7
CC129894		0.018	0.68	2.60	156	0.37	16.55	450	1.6
CC129895		0.011	0.33	2.65	125	0.14	7.42	222	1.6
CC129896		0.015	7.91	22.3	305	0.36	58.9	1540	1.1
CC129897		0.010	1.28	6.02	241	0.29	17.05	2050	2.0
CC129898		0.033	0.98	2.67	416	0.28	12.15	660	0.6
CC129899		0.024	1.53	5.06	291	0.34	22.4	963	1.8
CC129900		0.007	0.63	2.75	116	0.16	11.45	1480	1.9
CC116951		0.011	0.26	6.91	227	0.17	15.60	2280	0.7
CC116952		0.008	0.31	2.82	111	0.12	11.60	720	1.5
CC116953		0.010	0.30	1.88	53	0.07	4.95	78	<0.5
CC116954		0.008	0.45	1.78	83	0.13	14.50	279	2.1
CC116955		0.011	0.09	1.19	26	<0.05	7.37	138	2.1
CC116956		0.116	0.16	0.85	124	0.08	16.00	363	1.2
CC116957		0.049	0.13	0.79	92	0.11	4.31	86	<0.5
CC116958		0.068	0.20	0.60	143	0.05	9.04	75	0.8
CC116959		0.259	0.17	0.82	126	0.25	8.46	116	7.3
CC116960		0.078	0.18	0.89	83	0.16	10.30	323	2.7
CC116961		0.069	0.26	1.09	117	0.13	11.80	130	1.6
CC116962		0.039	0.26	1.24	79	0.14	13.50	180	2.1
CC116963		0.005	0.09	1.69	33	0.08	12.65	86	0.6
ZZ14903		0.011	0.19	1.85	55	0.08	10.95	163	2.1

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 22- AUG- 2011
Account: RCM

Project: Rackla- Rod to Crag

CERTIFICATE OF ANALYSIS WH11135447

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- TL43 Au ppm 0.001	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1
ZZ14904		0.20	0.002	0.25	1.22	13.9	<0.2	<10	690	0.53	0.11	5.21	0.92	21.4	11.7	24
ZZ14905		0.42	0.002	0.24	1.00	14.7	<0.2	<10	830	0.50	0.10	9.04	0.87	19.85	9.8	23
ZZ14906		0.28	0.002	0.25	1.02	14.6	<0.2	<10	650	0.48	0.10	8.34	0.83	21.8	9.5	22
ZZ14907		0.26	0.002	0.24	1.14	16.2	<0.2	<10	530	0.66	0.15	4.31	0.96	20.7	10.7	23
ZZ14908		0.22	0.001	0.19	1.10	13.2	<0.2	<10	580	0.53	0.15	2.12	0.55	17.95	8.7	21
ZZ14909		0.32	0.001	0.14	0.92	9.2	<0.2	<10	140	0.51	0.12	9.94	0.45	14.95	7.9	15
ZZ14910		0.16	0.001	0.07	0.41	6.9	<0.2	<10	150	0.23	0.08	4.00	0.52	5.55	2.9	5
ZZ14911		0.14	0.002	0.18	1.22	22.1	<0.2	<10	260	0.74	0.18	3.05	0.73	17.10	8.6	20
ZZ14912		0.26	0.002	0.19	0.75	44.1	<0.2	<10	190	0.58	0.12	7.80	0.41	12.75	8.8	13
ZZ14913		0.24	0.001	0.09	0.94	11.6	<0.2	<10	540	0.59	0.12	2.45	0.64	15.00	7.2	18
ZZ14914		0.30	0.001	0.12	1.59	13.2	<0.2	<10	290	0.90	0.20	1.90	0.96	21.0	9.5	24
ZZ14915		0.24	0.001	0.15	0.87	10.2	<0.2	<10	370	0.51	0.12	3.33	0.68	11.05	6.4	12
ZZ14916		0.26	0.001	0.08	0.54	4.2	<0.2	<10	100	0.37	0.07	9.43	0.34	7.69	3.8	9
ZZ14917		0.32	0.001	0.10	0.93	17	<0.2	<10	130	0.59	0.10	10.30	0.27	13.05	5.2	14
ZZ14918		0.34	0.001	0.07	0.40	21	<0.2	<10	110	0.49	0.06	14.85	0.17	6.32	2.9	6
ZZ14919		0.32	0.001	0.13	0.54	44	<0.2	<10	1250	0.63	0.08	11.85	0.25	8.57	5.3	11
ZZ14920		0.34	0.001	0.17	0.40	43	<0.2	<10	340	0.41	0.07	14.20	0.29	7.08	5.1	8
ZZ14921		0.20	0.001	0.08	0.69	20.8	<0.2	<10	160	0.64	0.11	7.86	0.36	10.55	4.6	10
ZZ14922		0.36	0.001	0.13	0.88	19	<0.2	<10	350	0.57	0.10	11.80	0.26	13.25	5.3	15
ZZ14923		0.26	0.002	0.14	0.84	12.1	<0.2	<10	800	0.76	0.11	4.81	0.72	12.50	6.0	17
ZZ14924		0.24	0.003	0.38	0.96	21.1	<0.2	<10	790	0.64	0.17	3.64	1.38	22.4	9.7	26
ZZ14757		0.30	0.003	0.90	1.06	47.8	<0.2	<10	1760	0.76	0.21	1.71	1.98	19.50	11.0	31
ZZ14758		0.42	0.003	0.90	1.21	47.8	<0.2	<10	1500	0.81	0.23	1.13	2.51	23.7	13.0	33
ZZ14759		0.32	0.002	1.11	0.92	64.2	<0.2	<10	1260	0.72	0.23	0.79	3.35	23.5	13.6	29
ZZ14760		0.44	0.002	1.56	0.94	58.1	<0.2	<10	790	0.39	0.25	0.31	0.86	21.8	4.2	38
ZZ14761		0.30	0.002	1.41	0.97	72.2	<0.2	<10	2760	0.66	0.25	0.53	3.66	24.7	11.4	37
ZZ14762		0.40	0.003	1.17	1.20	66.7	<0.2	<10	1880	0.90	0.26	0.84	2.97	24.9	13.3	38
ZZ14763		0.40	0.001	0.51	1.15	39.1	<0.2	<10	900	0.85	0.28	0.69	1.56	24.6	15.9	29
ZZ14764		0.36	0.003	0.60	0.98	52.1	<0.2	<10	650	0.76	0.28	0.94	0.90	20.7	12.9	25
ZZ14765		0.54	0.001	0.23	1.14	25.8	<0.2	<10	360	0.94	0.35	1.06	0.71	30.0	18.6	30
ZZ14766		0.42	0.004	0.74	0.78	71.0	<0.2	<10	880	0.65	0.31	1.33	0.38	32.7	16.3	17
ZZ14767		0.50	0.003	0.58	0.64	48.1	<0.2	<10	780	0.37	0.26	0.39	0.55	30.9	12.7	18
ZZ14768		0.28	0.003	0.68	1.09	44.3	<0.2	<10	890	0.80	0.24	1.28	2.84	21.4	14.9	31
ZZ14769		0.36	0.002	0.78	1.28	46.0	<0.2	<10	1530	0.87	0.25	0.70	2.62	24.6	12.9	37
ZZ14770		0.22	0.002	1.23	1.14	28.3	<0.2	<10	3440	0.65	0.20	1.07	4.86	43.1	13.7	38
ZZ14771		0.46	0.002	1.69	1.18	74.9	<0.2	<10	4640	0.87	0.22	2.19	9.85	25.4	11.8	52
ZZ14772		0.30	0.001	0.66	1.14	38.7	<0.2	<10	1620	0.90	0.19	2.01	2.90	14.80	12.2	31
ZZ14773		0.48	0.001	0.88	1.23	58.3	<0.2	<10	3460	0.82	0.26	1.53	8.27	29.4	24.5	46
ZZ14774		0.40	0.002	1.05	0.88	33.0	<0.2	<10	2640	0.56	0.22	1.34	5.12	39.1	55.3	29
ZZ14775		0.46	0.002	1.07	0.41	7.4	<0.2	<10	2560	0.27	0.18	0.25	0.38	23.3	0.9	12

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 22- AUG- 2011
Account: RCM

Project: Rackla- Rod to Crag

CERTIFICATE OF ANALYSIS WH11135447

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
ZZ14904		0.55	23.9	2.26	3.52	0.05	0.06	0.12	0.021	0.08	11.1	17.6	3.12	427	2.56	0.03
ZZ14905		0.69	19.2	2.03	2.82	0.05	0.05	0.08	0.019	0.08	10.6	13.4	5.33	391	6.78	0.03
ZZ14906		0.62	22.7	2.08	2.91	0.05	0.06	0.14	0.020	0.08	11.4	14.2	4.66	287	2.54	0.03
ZZ14907		0.68	21.3	2.34	3.31	<0.05	0.06	0.10	0.023	0.08	10.6	14.0	2.30	440	2.48	0.02
ZZ14908		0.61	17.0	1.81	3.53	<0.05	0.05	0.08	0.019	0.05	9.0	13.7	0.63	387	0.79	0.02
ZZ14909		0.40	14.5	1.68	2.41	<0.05	0.03	0.05	0.015	0.04	7.4	8.9	5.87	916	1.45	0.02
ZZ14910		0.45	10.8	0.62	1.20	<0.05	0.04	0.15	0.009	0.03	2.7	2.0	1.11	459	1.81	0.02
ZZ14911		0.61	22.4	2.04	3.55	<0.05	0.04	0.12	0.022	0.04	8.7	11.0	0.87	774	3.98	0.01
ZZ14912		0.55	14.5	1.67	2.03	<0.05	0.03	0.10	0.014	0.05	6.1	6.6	4.06	549	23.4	0.02
ZZ14913		0.48	10.1	1.39	3.03	<0.05	0.04	0.09	0.016	0.04	7.4	10.6	0.55	402	0.80	0.02
ZZ14914		0.76	9.5	2.40	4.73	<0.05	0.04	0.11	0.027	0.04	10.5	15.0	0.86	868	1.28	0.02
ZZ14915		0.60	14.2	1.42	2.53	<0.05	0.03	0.08	0.016	0.03	5.9	6.2	0.63	646	1.06	0.02
ZZ14916		0.41	7.2	0.89	1.37	<0.05	0.03	0.09	0.010	0.03	4.0	4.6	4.78	544	1.05	0.02
ZZ14917		0.62	9.7	1.40	2.44	<0.05	0.03	0.04	0.013	0.05	6.9	8.3	5.40	513	3.60	0.03
ZZ14918		0.31	6.8	0.72	0.85	<0.05	0.04	0.06	0.008	0.03	2.8	2.7	8.13	694	2.66	0.03
ZZ14919		0.36	10.2	1.40	1.38	<0.05	0.03	0.07	0.008	0.04	4.3	4.6	6.39	591	9.62	0.04
ZZ14920		0.38	11.5	1.42	0.99	<0.05	0.04	0.05	0.010	0.04	3.5	2.5	8.00	551	12.80	0.02
ZZ14921		0.45	9.6	1.77	1.50	<0.05	0.05	0.10	0.016	0.04	4.7	3.8	3.38	857	3.77	0.01
ZZ14922		0.44	9.7	1.45	2.24	<0.05	0.04	0.05	0.014	0.06	6.9	6.3	6.42	440	2.02	0.01
ZZ14923		0.57	23.0	1.40	2.18	<0.05	0.04	0.08	0.014	0.05	7.0	7.3	1.95	427	1.92	0.02
ZZ14924		0.72	30.0	2.26	2.66	0.06	0.06	0.18	0.023	0.08	12.0	10.7	1.69	339	1.90	0.01
ZZ14757		0.62	38.1	3.08	3.07	0.06	0.06	0.38	0.030	0.08	10.9	11.5	0.52	540	5.01	0.02
ZZ14758		0.80	39.8	3.46	3.56	0.08	0.07	0.34	0.032	0.07	13.1	14.1	0.61	609	4.73	0.01
ZZ14759		0.76	44.5	3.19	2.79	0.08	0.07	0.50	0.031	0.06	12.7	10.8	0.38	1080	5.35	0.01
ZZ14760		0.93	22.8	1.92	5.33	0.07	<0.02	0.45	0.022	0.04	12.5	8.8	0.28	125	8.90	<0.01
ZZ14761		0.90	57.5	3.23	3.04	0.08	0.05	0.78	0.033	0.11	14.0	9.5	0.30	589	10.65	0.02
ZZ14762		0.98	60.4	3.62	3.52	0.09	0.09	0.45	0.035	0.12	14.1	13.0	0.45	575	7.80	0.02
ZZ14763		1.01	42.5	3.96	3.36	0.08	0.08	0.38	0.033	0.09	12.7	15.2	0.43	924	3.14	0.01
ZZ14764		0.85	38.8	4.01	2.97	0.08	0.07	0.32	0.035	0.06	10.9	11.9	0.38	590	3.18	0.01
ZZ14765		2.32	46.1	4.15	3.85	0.09	0.11	0.16	0.032	0.09	15.0	19.1	0.80	786	1.22	0.01
ZZ14766		1.19	37.8	3.27	2.42	0.08	0.05	0.30	0.033	0.09	17.1	7.9	0.34	500	1.74	0.01
ZZ14767		1.49	32.5	3.40	2.78	0.08	0.02	0.14	0.036	0.06	17.1	6.9	0.19	348	6.76	<0.01
ZZ14768		1.22	49.4	3.51	3.32	0.08	0.07	0.33	0.031	0.08	11.5	12.0	0.50	827	3.68	0.01
ZZ14769		0.86	38.5	3.63	4.10	0.08	0.06	0.35	0.032	0.08	13.3	13.8	0.43	783	7.53	0.01
ZZ14770		1.36	31.8	3.51	5.27	0.10	0.08	0.19	0.025	0.11	22.2	19.8	0.80	622	11.75	0.03
ZZ14771		1.36	84.5	3.27	4.07	0.10	0.11	0.66	0.034	0.18	15.7	12.5	1.15	536	15.65	0.04
ZZ14772		1.60	62.4	3.00	3.22	0.07	0.08	0.29	0.027	0.15	8.2	12.4	0.69	600	3.35	0.02
ZZ14773		1.60	48.6	4.33	3.92	0.10	0.08	0.38	0.034	0.09	15.5	15.7	1.25	1180	13.65	0.03
ZZ14774		1.41	55.8	3.47	2.95	0.11	0.07	0.45	0.042	0.15	21.3	10.3	0.50	1500	8.65	0.02
ZZ14775		0.82	34.5	1.35	1.32	0.06	0.02	0.76	0.052	0.09	16.3	3.0	0.05	28	2.11	0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 22- AUG- 2011
Account: RCM

Project: Rackla- Rod to Crag

CERTIFICATE OF ANALYSIS WH11135447

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
ZZ14904		0.57	41.0	1200	20.5	6.5	0.001	0.05	0.98	3.3	1.1	0.3	48.4	<0.01	0.03	0.9
ZZ14905		0.45	43.5	1040	22.2	6.7	<0.001	0.02	1.11	3.6	0.9	0.3	67.7	<0.01	0.03	1.4
ZZ14906		0.48	35.5	1130	19.5	6.8	<0.001	0.03	0.95	3.4	1.0	0.3	69.5	<0.01	0.03	1.0
ZZ14907		0.59	33.3	1370	26.1	7.9	<0.001	0.04	1.17	3.2	1.1	0.3	31.6	<0.01	0.03	1.1
ZZ14908		0.75	22.1	1090	17.2	8.3	<0.001	0.06	0.64	2.4	1.0	0.3	20.5	<0.01	0.04	0.8
ZZ14909		0.40	15.4	1090	19.8	4.6	<0.001	0.03	0.56	1.7	0.7	0.2	40.6	<0.01	0.02	0.6
ZZ14910		0.29	6.3	1330	8.4	3.6	<0.001	0.15	0.45	1.0	1.1	<0.2	24.4	<0.01	0.03	0.2
ZZ14911		0.73	20.4	1650	41.2	8.0	<0.001	0.65	1.01	1.8	1.3	0.4	20.4	0.01	0.04	0.5
ZZ14912		0.44	22.2	1820	34.0	6.4	0.001	0.41	1.53	1.4	1.4	0.2	34.9	<0.01	0.05	0.4
ZZ14913		0.65	14.8	1440	19.3	4.4	<0.001	0.15	0.55	2.0	1.0	0.3	18.6	<0.01	0.03	0.6
ZZ14914		0.81	17.9	1050	41.1	4.7	<0.001	0.05	0.68	3.0	0.9	0.5	15.1	<0.01	0.05	0.9
ZZ14915		0.46	14.7	1250	14.9	3.5	<0.001	0.12	0.64	1.2	1.1	0.2	21.1	<0.01	0.04	0.3
ZZ14916		0.32	7.1	2170	9.6	7.2	<0.001	0.06	0.33	1.0	0.7	0.2	31.2	<0.01	0.03	0.3
ZZ14917		0.41	11.9	4770	17.2	6.9	<0.001	0.05	0.84	1.4	0.7	0.2	41.9	<0.01	0.04	0.4
ZZ14918		0.23	7.7	1450	8.7	3.1	0.001	0.07	0.83	0.8	0.8	<0.2	53.8	<0.01	0.03	0.3
ZZ14919		0.26	14.3	3230	15.0	3.9	<0.001	0.08	1.32	1.0	0.9	0.2	42.0	<0.01	0.03	0.3
ZZ14920		0.24	19.2	1610	23.3	5.1	<0.001	0.06	1.95	0.7	0.6	<0.2	52.1	<0.01	0.03	0.4
ZZ14921		0.42	15.7	1360	11.6	5.8	<0.001	0.12	0.83	0.9	0.8	0.2	35.9	0.01	0.04	0.3
ZZ14922		0.37	14.7	3160	13.1	6.8	0.001	0.05	0.83	1.3	0.6	0.2	47.2	<0.01	0.02	0.5
ZZ14923		0.50	20.8	1230	18.3	7.4	<0.001	0.12	0.82	1.2	1.0	0.3	30.4	<0.01	0.04	0.4
ZZ14924		0.52	51.8	890	33.5	7.9	<0.001	0.07	1.47	2.8	1.1	0.3	38.9	<0.01	0.05	1.1
ZZ14757		0.47	57.8	1360	78.0	7.4	0.001	0.07	3.68	3.4	2.4	0.4	61.8	<0.01	0.08	1.2
ZZ14758		0.68	74.6	1100	114.5	7.9	0.001	0.05	3.39	4.3	1.9	0.4	50.7	<0.01	0.07	2.5
ZZ14759		0.66	57.3	1450	104.5	7.0	0.002	0.04	4.36	4.1	2.7	0.4	77.3	<0.01	0.06	2.6
ZZ14760		0.90	28.3	730	62.3	8.8	0.002	0.05	5.65	2.0	3.9	0.7	42.8	<0.01	0.08	0.7
ZZ14761		0.40	84.7	1510	73.2	9.6	0.005	0.07	6.49	4.4	4.4	0.4	77.5	<0.01	0.09	3.1
ZZ14762		0.56	90.3	1460	85.0	9.6	<0.001	0.04	4.85	4.8	3.0	0.4	63.9	<0.01	0.08	3.6
ZZ14763		0.68	50.8	1000	78.8	7.5	0.002	0.03	2.42	4.9	2.3	0.3	53.6	<0.01	0.05	3.7
ZZ14764		0.81	40.8	910	61.0	6.3	0.001	0.04	2.74	5.0	1.6	0.3	55.9	<0.01	0.05	3.2
ZZ14765		1.54	39.2	920	37.2	7.1	0.001	0.02	1.57	5.5	0.8	0.3	52.6	<0.01	0.04	5.0
ZZ14766		0.72	36.2	890	45.1	9.9	<0.001	0.07	3.72	5.0	1.2	0.3	82.1	0.01	0.07	2.5
ZZ14767		0.67	44.2	1310	38.5	8.5	<0.001	0.03	2.87	3.3	1.4	0.3	63.1	<0.01	0.06	1.8
ZZ14768		0.97	66.0	1220	70.8	8.9	0.002	0.05	3.22	4.3	2.2	0.3	64.7	<0.01	0.06	2.3
ZZ14769		0.79	46.5	1160	92.5	9.2	0.001	0.04	3.26	4.3	2.4	0.4	46.8	<0.01	0.07	2.3
ZZ14770		0.26	90.1	2200	25.7	15.2	0.003	0.05	7.56	5.4	3.7	0.6	105.0	0.01	0.10	2.9
ZZ14771		0.48	144.0	2310	59.3	13.5	0.008	0.08	10.60	4.8	5.0	0.6	189.0	0.01	0.12	3.8
ZZ14772		0.64	61.2	1100	65.2	10.8	0.005	0.10	3.21	3.6	3.3	0.3	72.2	<0.01	0.06	1.8
ZZ14773		2.62	213	1760	92.3	8.8	0.003	0.09	4.20	5.4	3.1	0.4	130.0	0.01	0.06	3.4
ZZ14774		0.66	86.5	3240	47.2	12.2	0.005	0.13	4.01	4.3	3.2	0.4	170.0	0.01	0.09	4.2
ZZ14775		0.18	11.5	2970	19.6	9.5	0.006	0.08	1.23	2.9	3.2	0.2	123.5	<0.01	0.08	2.3

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 22- AUG- 2011
Account: RCM

Project: Rackla- Rod to Crag

CERTIFICATE OF ANALYSIS WH11135447

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
ZZ14904		0.012	0.20	1.68	56	0.07	10.20	149	1.5
ZZ14905		0.011	0.32	1.76	51	0.08	10.45	148	1.5
ZZ14906		0.010	0.21	1.40	50	0.07	11.15	121	1.5
ZZ14907		0.013	0.31	2.11	46	0.12	10.20	181	1.6
ZZ14908		0.016	0.22	2.39	45	0.11	6.72	144	1.4
ZZ14909		0.014	0.15	2.09	33	0.08	6.60	86	0.8
ZZ14910		0.013	0.23	2.46	11	<0.05	2.62	109	1.2
ZZ14911		0.014	0.67	3.23	40	0.15	7.44	193	1.0
ZZ14912		0.011	1.48	3.31	27	0.17	5.28	111	0.9
ZZ14913		0.016	0.40	2.51	37	0.12	5.57	102	1.2
ZZ14914		0.017	0.31	2.21	53	0.12	8.07	173	1.1
ZZ14915		0.011	0.17	2.97	27	0.09	6.05	61	1.0
ZZ14916		0.009	0.11	2.24	23	0.05	4.11	80	0.8
ZZ14917		0.013	0.52	3.29	33	0.10	6.71	74	0.8
ZZ14918		0.008	0.39	1.92	10	<0.05	3.38	73	1.4
ZZ14919		0.008	0.74	3.00	23	0.08	4.79	45	0.9
ZZ14920		0.007	1.21	1.89	17	0.10	4.18	85	1.2
ZZ14921		0.011	0.53	1.20	18	0.08	5.72	78	1.6
ZZ14922		0.010	0.17	1.96	28	0.09	7.17	48	1.1
ZZ14923		0.012	0.45	2.96	26	0.12	6.62	117	1.2
ZZ14924		0.010	0.25	1.60	46	0.12	11.35	185	1.9
ZZ14757		0.007	0.26	2.05	87	0.13	11.30	314	1.5
ZZ14758		0.011	0.30	1.55	86	0.17	11.75	375	1.8
ZZ14759		0.012	0.20	2.64	77	0.16	13.45	404	1.9
ZZ14760		0.022	0.33	2.40	261	0.31	4.63	142	<0.5
ZZ14761		0.009	0.42	2.52	154	0.32	10.95	424	1.4
ZZ14762		0.009	0.39	2.00	112	0.23	13.25	365	3.0
ZZ14763		0.009	0.13	1.55	49	0.10	10.20	222	2.4
ZZ14764		0.010	0.11	1.55	46	0.10	8.89	248	2.1
ZZ14765		0.031	0.09	0.75	37	0.11	8.31	152	4.7
ZZ14766		0.006	0.11	1.02	29	0.11	12.00	117	1.4
ZZ14767		0.013	0.18	1.20	49	0.10	8.68	220	<0.5
ZZ14768		0.012	0.19	2.01	58	0.10	9.74	407	2.1
ZZ14769		0.009	0.21	2.17	121	0.15	10.10	329	1.4
ZZ14770		0.010	0.62	2.75	112	0.17	17.50	856	2.2
ZZ14771		0.011	1.14	2.82	296	0.29	18.90	806	4.8
ZZ14772		0.006	0.24	3.78	77	0.09	8.65	276	2.9
ZZ14773		0.045	0.41	2.40	134	0.17	13.60	1360	2.8
ZZ14774		0.018	0.58	2.98	133	0.13	16.50	531	2.8
ZZ14775		0.006	0.29	6.94	27	<0.05	8.33	24	0.6

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 22- AUG- 2011
Account: RCM

Project: Rackla- Rod to Crag

CERTIFICATE OF ANALYSIS WH11135447

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- TL43 Au ppm 0.001	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1
ZZ14776		0.36	0.002	0.76	1.07	25.5	<0.2	<10	1340	0.45	0.23	0.47	1.08	37.7	12.3	22
ZZ14777		0.52	0.009	1.94	1.51	42.5	<0.2	<10	6190	0.96	0.26	0.93	5.61	36.7	14.7	40
CC115091		0.30	0.001	0.19	0.35	31.8	<0.2	<10	150	0.58	0.52	0.15	0.33	11.90	14.0	5
CC115092		0.24	0.001	0.18	0.40	22.8	<0.2	<10	150	0.53	0.47	0.26	0.22	10.25	13.5	5
CC115093		0.28	0.002	0.23	0.63	24.6	<0.2	<10	200	0.64	0.47	1.82	0.26	21.4	12.7	8
CC115094		0.24	<0.001	0.10	1.33	12.6	<0.2	<10	90	0.26	0.31	0.05	0.11	25.6	4.3	20
CC115095		0.16	0.002	0.28	1.11	36.0	<0.2	<10	580	0.86	0.21	1.30	1.39	25.3	14.8	36
CC115096		0.30	0.001	0.13	1.83	14.9	<0.2	<10	720	0.72	0.26	0.27	0.46	38.4	11.0	32
CC115097		0.20	0.003	0.36	1.94	23.4	<0.2	<10	1360	1.27	0.18	1.84	2.01	58.4	22.5	94
CC115098		0.20	0.004	0.20	3.76	30.4	<0.2	<10	260	1.79	0.09	2.01	0.31	78.9	41.5	294
CC153581		0.10	0.002	0.35	0.92	18.3	<0.2	<10	250	0.65	0.26	1.94	1.16	13.75	10.7	29
CC153582		0.12	0.001	0.34	0.97	39.6	<0.2	<10	380	0.69	0.20	2.41	1.23	17.60	13.1	47
CC153583		0.08	0.002	0.51	1.07	18.2	<0.2	<10	1180	0.61	0.16	2.35	1.26	22.3	13.4	39
CC153584		0.10	0.003	0.28	1.01	62.2	<0.2	<10	520	0.84	0.25	2.14	6.43	25.0	14.5	31
CC153585		0.14	0.002	0.67	1.13	45.7	<0.2	<10	490	1.20	0.21	1.99	12.55	37.0	18.5	38
CC153587		0.12	0.007	0.09	2.95	5.6	<0.2	<10	710	1.45	0.06	2.00	0.20	79.8	33.2	121
CC153588		0.14	0.011	0.11	1.88	13.6	<0.2	<10	500	1.66	0.08	3.00	0.32	62.8	25.1	78
CC153589		0.16	0.003	0.24	0.98	16.6	<0.2	<10	360	0.93	0.30	1.49	0.31	18.20	11.9	20
CC153590		0.20	0.002	0.28	1.15	19.3	<0.2	<10	560	0.90	0.30	1.69	0.45	27.0	15.5	23
CC153591		0.30	0.002	0.38	1.29	19.9	<0.2	<10	860	0.85	0.34	0.50	0.70	19.35	15.6	24
CC153592		0.22	0.004	5.07	0.88	76.3	<0.2	<10	1050	0.71	0.35	0.24	1.88	29.8	4.7	46
CC153593		0.14	0.003	0.68	1.61	12.5	<0.2	<10	720	2.00	0.34	1.50	2.07	24.6	14.8	22
CC153594		0.16	0.002	1.02	0.88	9.4	<0.2	<10	430	1.07	0.26	0.60	0.69	19.45	6.8	12
CC153595		0.18	0.002	0.93	0.98	12.7	<0.2	<10	320	0.81	0.33	0.43	0.66	17.05	8.3	14
CC153596		0.26	0.003	0.27	1.42	13.2	<0.2	<10	470	1.15	0.39	0.47	1.39	26.5	19.2	31
CC153597		0.16	0.002	0.34	0.87	15.9	<0.2	<10	190	0.70	0.30	1.61	0.65	11.05	13.3	12
CC153598		0.24	0.001	3.77	1.47	73.4	<0.2	<10	1550	1.33	0.26	1.11	6.21	42.3	8.2	96
CC153599		0.16	0.002	0.44	1.11	22.3	<0.2	<10	880	0.37	0.22	0.41	1.29	23.9	4.1	23
CC153600		0.18	0.003	0.30	0.95	33.6	<0.2	<10	1390	0.54	0.26	0.34	1.39	29.1	8.3	16
ZZ14801		0.24	0.006	2.06	0.78	62.1	<0.2	<10	6410	0.52	0.20	1.36	15.55	15.10	7.3	16
ZZ14802		0.36	0.003	0.24	0.90	7.9	<0.2	<10	470	0.82	0.33	1.52	0.40	18.75	14.8	11
ZZ14803		0.46	0.002	1.30	1.19	19.9	<0.2	<10	>10000	0.66	0.25	0.71	3.18	20.6	9.4	33
ZZ14804		0.24	0.003	1.61	1.49	27.7	<0.2	<10	>10000	1.13	0.35	0.32	8.32	19.65	13.6	30
CC142635		0.42	0.002	0.12	1.93	10.3	<0.2	<10	1070	0.62	0.07	6.18	0.64	31.2	19.3	29
CC142636		0.40	0.002	0.20	1.48	12.7	<0.2	<10	920	0.55	0.06	9.82	0.94	31.8	17.4	25
CC142637		0.52	0.002	0.67	1.36	23.3	<0.2	<10	930	0.91	0.22	2.30	1.37	24.2	12.0	38
CC142638		0.28	0.001	0.10	0.94	31.8	<0.2	<10	1180	0.66	0.15	4.65	0.63	11.15	6.9	13
CC142639		0.32	0.002	0.24	0.76	10.5	<0.2	<10	470	0.64	0.21	3.80	0.48	18.15	9.7	15
CC142640		0.30	0.002	0.25	0.97	12.6	<0.2	<10	540	0.69	0.19	2.98	0.66	22.4	10.5	18
CC142641		0.20	0.006	0.14	1.02	4.7	<0.2	<10	330	0.79	0.23	2.05	0.43	17.15	19.4	13

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 22- AUG- 2011
Account: RCM

Project: Rackla- Rod to Crag

CERTIFICATE OF ANALYSIS WH11135447

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
ZZ14776		0.66	29.9	3.05	3.67	0.08	0.04	0.25	0.030	0.10	20.2	15.8	0.30	502	6.64	0.01
ZZ14777		0.93	136.5	3.89	4.26	0.09	0.09	0.63	0.040	0.07	21.5	20.5	0.56	1270	6.05	0.05
CC115091		2.03	36.7	3.25	0.80	0.06	0.04	0.25	0.024	0.05	5.1	9.2	0.06	473	0.69	<0.01
CC115092		1.90	33.2	3.28	0.95	0.07	0.07	0.28	0.023	0.06	4.6	11.0	0.09	467	0.60	<0.01
CC115093		2.49	38.3	3.14	1.83	0.08	0.07	0.16	0.025	0.07	11.3	9.1	0.12	398	0.62	<0.01
CC115094		1.43	9.0	3.12	7.58	0.06	0.03	0.02	0.020	0.04	13.2	15.0	0.20	164	1.79	<0.01
CC115095		5.37	44.3	3.33	3.59	0.08	0.05	0.18	0.030	0.09	13.3	16.0	0.66	801	2.09	0.01
CC115096		1.52	16.6	2.91	5.74	0.07	0.03	0.06	0.028	0.05	18.9	18.9	0.49	387	1.23	0.01
CC115097		3.64	40.3	4.49	7.75	0.13	0.08	0.15	0.044	0.12	30.6	28.0	1.53	903	2.21	0.02
CC115098		13.50	34.9	7.55	15.90	0.27	0.27	0.09	0.082	0.16	35.9	53.5	4.95	1240	3.12	0.01
CC153581		3.35	31.1	2.44	2.68	0.05	0.07	0.22	0.021	0.06	6.9	16.2	0.45	615	1.76	0.01
CC153582		3.26	39.6	2.43	3.10	0.06	0.05	0.20	0.023	0.05	8.9	15.9	0.52	621	1.19	0.01
CC153583		1.80	25.4	2.40	3.71	0.16	0.06	0.17	0.022	0.07	10.7	14.9	0.61	843	1.77	0.03
CC153584		5.49	41.9	2.80	3.63	0.17	0.06	0.39	0.031	0.07	13.4	14.8	0.51	773	1.33	0.02
CC153585		7.90	44.3	3.33	4.06	0.17	0.04	0.88	0.040	0.07	19.4	15.3	0.53	1780	2.19	0.02
CC153587		10.35	24.9	5.37	14.80	0.23	0.14	0.05	0.022	0.15	45.7	47.5	2.68	1430	0.57	0.03
CC153588		4.15	23.6	4.25	9.35	0.22	0.09	0.08	0.029	0.04	34.5	21.5	1.22	1760	1.49	0.03
CC153589		1.79	44.9	2.96	3.00	0.15	0.08	0.19	0.028	0.05	8.6	17.0	0.37	446	1.57	0.02
CC153590		1.97	51.5	3.26	3.97	0.18	0.06	0.19	0.027	0.06	11.8	18.4	0.51	673	2.08	0.03
CC153591		0.98	42.5	4.32	4.18	0.18	0.06	0.24	0.037	0.06	10.1	21.4	0.50	930	3.38	0.02
CC153592		0.59	71.0	3.13	4.11	0.20	0.03	1.82	0.037	0.11	19.9	6.5	0.12	85	19.55	0.02
CC153593		3.41	73.1	2.99	3.73	0.18	0.07	0.32	0.033	0.05	11.8	18.7	0.36	2200	1.75	0.02
CC153594		3.99	87.4	3.17	2.01	0.18	0.03	0.43	0.036	0.04	8.4	5.5	0.14	519	2.29	0.02
CC153595		4.39	64.4	3.54	2.67	0.16	0.03	0.37	0.037	0.05	7.4	10.7	0.23	587	3.14	0.01
CC153596		3.22	28.8	4.06	4.44	0.19	0.05	0.22	0.027	0.06	10.2	21.9	0.58	3430	2.31	0.02
CC153597		1.81	46.2	3.10	2.59	0.15	0.05	0.48	0.026	0.04	5.3	11.9	0.30	518	1.98	0.02
CC153598		1.71	96.7	2.88	6.78	0.23	0.03	0.84	0.043	0.13	29.7	15.3	0.54	254	19.35	0.02
CC153599		0.84	15.9	2.23	4.26	0.15	0.02	0.27	0.023	0.05	11.1	13.2	0.31	215	3.75	0.02
CC153600		0.53	29.3	2.80	3.36	0.16	<0.02	0.20	0.026	0.07	16.3	10.3	0.20	385	9.63	0.02
ZZ14801		0.54	48.5	1.56	2.82	0.18	0.04	3.74	0.024	0.04	7.6	6.0	0.27	929	8.34	0.06
ZZ14802		1.83	52.2	2.82	2.59	0.17	0.05	0.27	0.024	0.05	9.2	13.9	0.30	698	1.15	0.01
ZZ14803		0.85	62.5	2.42	3.85	0.18	0.04	0.78	0.030	0.06	10.5	15.9	0.46	351	5.08	0.10
ZZ14804		1.72	73.9	3.23	5.07	0.18	0.02	0.47	0.031	0.07	9.5	21.7	0.37	588	11.55	0.12
CC142635		0.45	23.7	3.31	5.41	0.15	0.07	0.06	0.031	0.11	15.5	32.2	5.31	428	2.62	0.03
CC142636		0.46	25.9	2.97	4.65	0.16	0.06	0.09	0.029	0.11	16.0	27.4	6.55	306	2.69	0.04
CC142637		0.67	38.1	3.17	4.02	0.16	0.06	0.22	0.033	0.09	13.1	16.4	1.45	390	4.90	0.03
CC142638		0.69	9.1	1.80	3.04	0.13	0.02	0.04	0.020	0.04	5.3	7.1	2.70	969	2.99	0.03
CC142639		0.56	21.4	2.47	2.06	0.16	0.06	0.10	0.023	0.07	8.5	8.4	1.50	611	1.67	0.02
CC142640		0.64	22.7	2.54	2.83	0.17	0.06	0.09	0.024	0.08	10.4	12.8	1.38	487	2.33	0.02
CC142641		0.36	50.2	3.07	2.99	0.15	0.04	0.08	0.030	0.06	7.1	13.2	0.86	820	0.90	0.02

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 22- AUG- 2011
Account: RCM

Project: Rackla- Rod to Crag

CERTIFICATE OF ANALYSIS WH11135447

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
ZZ14776		0.57	34.2	1410	32.3	12.6	0.003	0.04	1.88	3.6	2.0	0.4	35.7	<0.01	0.06	2.7
ZZ14777		0.73	92.8	1560	77.0	9.5	0.001	0.07	3.95	6.7	3.5	0.5	75.9	0.01	0.10	2.4
CC115091		<0.05	31.8	340	37.9	4.9	<0.001	0.03	0.60	3.5	0.5	<0.2	15.6	<0.01	0.07	3.7
CC115092		0.05	31.7	420	33.9	4.6	<0.001	0.03	0.57	3.5	0.6	<0.2	17.0	<0.01	0.06	3.0
CC115093		0.26	29.0	1280	40.6	6.8	<0.001	0.03	0.89	3.6	0.8	0.3	52.8	0.01	0.07	3.0
CC115094		1.87	10.4	200	13.2	10.7	<0.001	0.01	0.77	2.1	0.4	0.8	6.9	<0.01	0.05	3.5
CC115095		0.74	40.4	980	29.3	14.6	0.001	0.07	2.26	3.8	1.5	0.3	83.0	<0.01	0.05	1.1
CC115096		1.11	23.1	430	22.0	12.0	<0.001	0.01	0.69	3.9	0.7	0.6	16.2	<0.01	0.03	3.7
CC115097		3.28	71.6	2130	22.7	14.5	0.003	0.09	1.65	6.0	2.0	0.5	121.5	0.01	0.04	2.2
CC115098		15.30	115.5	3700	21.7	13.8	<0.001	0.05	1.43	11.8	1.0	0.8	168.0	0.02	0.03	2.5
CC153581		0.45	25.8	830	20.1	12.4	0.001	0.11	1.23	2.9	1.5	0.2	101.5	<0.01	0.05	1.0
CC153582		0.91	38.1	760	22.4	9.7	0.001	0.12	1.41	3.1	1.7	0.2	85.6	0.01	0.04	0.8
CC153583		0.80	39.8	1190	26.8	10.5	<0.001	0.09	1.63	2.7	1.0	0.3	94.9	<0.01	0.04	1.0
CC153584		0.99	33.7	740	59.3	9.3	0.001	0.10	1.81	4.3	1.2	0.2	87.1	<0.01	0.05	1.4
CC153585		0.98	38.6	1140	152.5	14.2	0.001	0.09	3.27	4.7	1.3	0.3	101.0	0.01	0.07	1.2
CC153587		15.00	73.5	2810	13.6	22.1	<0.001	0.07	0.25	3.6	0.4	0.4	230	0.03	0.02	2.2
CC153588		5.93	45.4	1400	21.2	5.4	<0.001	0.13	0.40	3.7	0.7	0.3	159.0	0.03	0.02	1.1
CC153589		0.16	31.9	850	20.8	6.0	0.001	0.07	0.90	3.9	1.2	0.2	68.3	<0.01	0.05	2.1
CC153590		0.42	34.6	1010	29.5	7.7	0.001	0.08	1.06	4.7	1.1	0.2	78.7	<0.01	0.05	1.9
CC153591		0.18	39.9	700	31.8	5.7	0.001	<0.01	1.73	4.9	1.8	0.3	35.4	<0.01	0.06	3.6
CC153592		0.28	78.5	2740	195.0	9.7	0.001	0.20	8.80	3.7	8.6	0.8	130.0	<0.01	0.16	3.2
CC153593		0.30	57.7	1160	23.2	14.3	0.001	0.07	1.15	4.3	1.6	0.3	49.2	<0.01	0.07	1.5
CC153594		0.16	28.4	1750	65.0	7.1	0.001	0.09	0.90	4.7	3.5	0.2	35.7	<0.01	0.04	1.9
CC153595		0.16	27.1	1490	59.3	7.8	0.002	0.07	0.97	4.0	2.3	0.2	30.5	0.01	0.06	2.4
CC153596		0.33	38.5	800	36.5	8.5	0.001	0.02	0.92	5.4	1.0	0.4	33.9	<0.01	0.04	3.3
CC153597		0.14	25.1	620	38.9	4.6	<0.001	0.06	1.23	3.3	1.0	0.2	51.8	<0.01	0.06	1.3
CC153598		0.35	144.0	5410	14.1	18.8	0.004	0.02	9.36	5.0	6.1	1.4	182.5	<0.01	0.17	2.7
CC153599		0.73	19.4	920	22.1	8.8	0.001	0.05	1.43	2.8	0.9	0.5	37.0	<0.01	0.04	2.6
CC153600		0.36	23.9	1220	37.3	8.7	<0.001	0.04	2.17	3.0	1.2	0.4	43.7	<0.01	0.06	2.0
ZZ14801		0.53	59.1	1370	840	6.0	0.004	0.10	11.25	2.1	4.7	0.4	193.5	<0.01	0.08	1.1
ZZ14802		0.15	25.9	650	28.5	6.4	<0.001	0.05	0.68	3.3	1.0	0.2	46.6	<0.01	0.07	1.3
ZZ14803		0.54	75.7	1590	22.5	8.6	0.006	0.05	3.21	3.4	5.0	0.4	124.5	<0.01	0.08	1.7
ZZ14804		0.41	121.0	990	24.7	9.3	0.003	0.03	2.95	3.7	4.5	0.5	103.0	<0.01	0.13	1.5
CC142635		0.53	63.7	1210	12.7	6.5	0.001	0.07	0.76	5.5	0.7	0.5	63.3	<0.01	0.02	1.1
CC142636		0.48	61.5	1140	14.1	5.9	0.001	0.05	1.02	5.5	0.8	0.4	98.2	<0.01	0.01	1.4
CC142637		0.39	69.9	1020	24.0	8.1	<0.001	0.04	2.03	4.3	2.1	0.5	43.8	<0.01	0.06	1.9
CC142638		0.41	20.2	800	19.2	5.0	<0.001	0.06	1.30	1.4	0.3	0.3	18.9	<0.01	0.05	0.4
CC142639		0.26	28.2	870	22.1	6.4	0.001	0.07	0.97	2.6	0.9	0.3	38.0	<0.01	0.04	1.1
CC142640		0.41	30.1	920	24.6	7.9	0.001	0.07	0.98	3.0	1.4	0.3	35.8	<0.01	0.04	1.2
CC142641		0.30	20.6	650	25.1	5.3	<0.001	0.08	0.39	6.3	1.3	0.2	44.0	<0.01	0.11	0.9

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 22- AUG- 2011
Account: RCM

Project: Rackla- Rod to Crag

CERTIFICATE OF ANALYSIS WH11135447

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
ZZ14776		0.011	0.27	2.23	72	0.13	11.15	202	1.0
ZZ14777		0.015	0.39	5.60	125	0.15	26.3	426	2.3
CC115091		<0.005	0.07	0.57	6	<0.05	8.73	102	1.0
CC115092		<0.005	0.06	0.71	5	<0.05	9.55	94	1.8
CC115093		0.007	0.06	1.08	14	0.07	15.55	95	1.5
CC115094		0.042	0.13	0.47	71	0.32	2.20	52	1.3
CC115095		0.013	0.20	1.88	65	0.07	9.69	198	1.0
CC115096		0.026	0.14	1.34	60	0.27	7.81	103	0.7
CC115097		0.048	0.26	1.99	133	0.18	13.45	220	2.2
CC115098		0.374	0.22	0.59	207	0.15	13.15	155	9.7
CC153581		0.012	0.10	2.82	33	0.05	7.26	150	1.8
CC153582		0.011	0.14	2.48	45	0.07	7.54	147	1.5
CC153583		0.016	0.21	1.34	98	0.11	8.38	214	1.8
CC153584		0.012	0.14	1.57	45	0.06	9.20	590	2.0
CC153585		0.012	0.18	1.08	52	0.06	11.00	977	1.7
CC153587		0.215	0.16	0.96	136	0.22	9.68	123	5.4
CC153588		0.087	0.13	1.12	92	0.11	9.26	86	3.1
CC153589		<0.005	0.07	1.40	25	<0.05	10.30	88	2.9
CC153590		0.008	0.10	1.58	44	0.05	11.30	119	2.4
CC153591		0.005	0.09	1.14	46	0.08	9.69	181	2.2
CC153592		0.007	1.00	5.74	263	0.46	17.25	366	1.2
CC153593		0.005	0.18	4.09	48	0.09	28.3	204	2.8
CC153594		<0.005	0.14	2.12	18	<0.05	12.70	55	1.2
CC153595		<0.005	0.16	1.60	25	0.05	9.71	68	1.3
CC153596		0.008	0.11	1.23	44	0.08	6.69	164	1.6
CC153597		<0.005	0.07	0.77	20	<0.05	6.26	121	1.9
CC153598		0.016	0.61	6.57	474	0.73	40.3	1030	1.7
CC153599		0.013	0.18	1.51	63	0.19	5.75	178	0.9
CC153600		0.008	0.17	1.84	46	0.21	7.77	222	0.5
ZZ14801		0.013	0.19	4.84	50	0.13	8.30	3210	1.6
ZZ14802		<0.005	0.07	0.99	18	<0.05	10.10	109	1.8
ZZ14803		0.017	0.32	4.35	85	0.33	12.60	430	1.5
ZZ14804		0.010	0.99	6.19	164	0.19	13.80	494	0.7
CC142635		0.014	0.18	1.62	65	0.05	10.40	126	1.8
CC142636		0.015	0.16	1.46	60	0.05	10.80	119	2.1
CC142637		0.009	0.27	2.11	112	0.25	13.95	218	1.8
CC142638		0.013	0.12	1.43	34	0.16	4.49	147	0.8
CC142639		0.007	0.23	1.40	29	0.05	8.42	111	2.5
CC142640		0.011	0.20	1.76	40	0.13	9.63	129	1.9
CC142641		0.010	0.08	1.37	26	0.05	10.65	62	1.1

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 22- AUG- 2011
Account: RCM

Project: Rackla- Rod to Crag

CERTIFICATE OF ANALYSIS WH11135447

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- TL43 Au ppm 0.001	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1
CC142642		0.26	0.003	0.20	0.99	8.9	<0.2	<10	580	0.60	0.19	2.44	0.72	16.85	11.1	15
CC142643		0.32	0.002	0.24	1.24	13.1	<0.2	<10	550	0.61	0.23	1.33	0.56	26.4	10.7	22
CC142644		0.30	0.008	0.19	1.17	6.2	<0.2	<10	330	0.59	0.17	2.54	0.34	15.75	14.7	16
CC142645		0.48	0.005	0.15	1.60	3.9	<0.2	<10	200	0.66	0.24	1.23	0.25	18.60	17.5	18
CC142646		0.32	0.006	0.13	1.00	4.0	<0.2	<10	210	0.59	0.19	2.60	0.29	12.35	14.6	12
CC142647		0.30	0.002	0.19	1.07	10.3	<0.2	<10	390	0.72	0.17	3.81	0.72	17.35	9.1	17
CC142648		0.28	0.002	0.20	1.16	7.8	<0.2	<10	330	0.47	0.30	1.40	0.22	26.9	12.8	16
CC142649		0.18	0.004	0.15	0.92	3.6	<0.2	<10	580	0.44	0.15	2.79	0.25	14.35	30.4	15
CC142650		0.26	0.001	0.07	1.00	3.9	<0.2	<10	200	0.18	0.28	0.26	0.35	25.6	3.6	17
CC142651		0.34	0.007	0.16	1.22	6.4	<0.2	<10	450	0.78	0.29	1.83	0.33	27.9	14.3	21
CC142652		0.28	0.003	0.09	1.00	3.0	<0.2	<10	350	0.49	0.22	2.86	0.26	11.45	9.8	15
CC142653		0.22	0.004	0.15	1.25	6.1	<0.2	<10	350	0.67	0.22	2.29	0.39	14.30	10.4	19
CC142654		0.28	0.003	0.24	1.29	12.5	<0.2	10	970	0.73	0.17	3.61	0.92	18.15	11.7	23
CC142655		0.36	0.004	0.15	1.32	6.8	<0.2	<10	450	0.73	0.19	2.09	0.48	20.1	12.3	21
CC142656		0.42	0.004	0.19	1.28	8.8	<0.2	<10	290	0.66	0.19	4.07	0.49	20.1	10.7	21
CC142657		0.50	0.002	0.11	0.86	14.3	<0.2	<10	500	0.73	0.17	8.43	0.56	28.8	9.1	18
CC142658		0.50	0.002	0.24	1.85	18.7	<0.2	<10	200	1.18	0.26	0.44	3.07	27.7	16.1	41
CC142659		0.34	0.002	0.62	1.12	16.2	<0.2	<10	780	0.68	0.21	1.53	4.26	15.65	10.3	26
CC142660		0.40	0.002	0.83	1.04	25.4	<0.2	<10	1040	0.69	0.25	0.90	3.68	19.90	12.0	28
CC142661		0.22	0.002	0.45	1.06	15.0	<0.2	<10	2390	0.60	0.21	1.33	5.15	16.45	10.6	22
CC142662		0.56	0.001	0.56	1.16	17.3	<0.2	<10	1660	0.59	0.25	0.40	1.83	34.2	14.4	27
CC142663		0.44	0.003	0.88	0.89	17.3	<0.2	<10	1720	0.54	0.20	0.36	1.29	40.0	9.3	17
CC142664		0.32	0.002	1.81	0.95	22.5	<0.2	<10	3070	1.06	0.19	0.96	9.02	28.7	9.2	38
CC115291		0.18	0.001	1.21	0.96	54.4	<0.2	<10	3110	0.74	0.25	2.26	5.54	24.8	15.7	37
CC115292		0.32	0.001	1.41	0.84	27.9	<0.2	<10	1950	0.42	0.22	1.16	4.25	21.1	10.6	39
CC115293		0.30	0.003	1.57	1.09	48.2	<0.2	<10	3770	0.79	0.20	1.13	6.49	24.7	11.4	46
CC115294		0.42	0.001	2.22	0.67	24.0	<0.2	<10	1770	0.55	0.15	0.72	10.35	13.00	13.5	49
CC115295		0.40	0.002	1.23	1.06	31.0	<0.2	<10	3320	0.89	0.19	2.40	5.64	18.80	9.9	40
CC115296		0.30	0.001	1.74	1.15	44.9	<0.2	<10	3350	0.91	0.20	1.45	6.00	24.3	14.9	48
CC115297		0.38	0.001	1.84	1.13	42.6	<0.2	10	3650	0.98	0.21	1.50	8.64	28.3	12.6	51
CC115298		0.36	0.001	1.59	1.05	22.5	<0.2	<10	2440	0.81	0.14	1.72	8.59	23.7	6.5	100
CC115299		0.18	<0.001	1.62	1.36	34.5	<0.2	<10	2500	0.67	0.22	0.61	7.59	23.2	7.9	84
CC115300		0.48	<0.001	1.99	0.73	3.5	<0.2	<10	930	0.54	0.10	0.66	5.69	18.45	2.4	125

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 22- AUG- 2011
Account: RCM

Project: Rackla- Rod to Crag

CERTIFICATE OF ANALYSIS WH11135447

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
CC142642		0.48	25.7	2.29	3.05	0.15	0.05	0.10	0.023	0.05	7.4	10.6	0.62	680	1.06	0.02
CC142643		0.65	19.2	2.83	4.00	0.16	0.05	0.10	0.025	0.06	11.7	13.5	0.65	439	1.25	0.02
CC142644		0.96	45.3	2.27	3.48	0.15	0.04	0.10	0.028	0.10	7.0	10.9	0.96	571	0.76	0.02
CC142645		1.06	42.4	3.42	4.95	0.17	0.05	0.09	0.032	0.16	9.2	16.9	0.97	729	0.50	0.02
CC142646		0.68	31.6	2.44	2.83	0.16	0.03	0.09	0.030	0.08	5.7	9.5	0.87	778	0.61	0.02
CC142647		0.54	19.3	2.10	3.23	0.15	0.03	0.09	0.022	0.05	8.0	11.4	1.66	630	1.51	0.03
CC142648		0.57	27.5	3.44	3.82	0.17	0.03	0.08	0.030	0.09	11.7	12.4	0.68	1140	0.95	0.02
CC142649		0.85	46.1	3.60	2.87	0.17	0.03	0.07	0.026	0.06	8.1	6.1	0.58	4410	0.68	0.02
CC142650		0.42	9.2	3.24	6.54	0.11	<0.02	0.03	0.018	0.03	14.0	5.7	0.24	868	1.19	0.02
CC142651		0.53	60.3	5.28	3.36	0.12	0.03	0.10	0.036	0.08	12.6	12.4	0.90	1180	1.12	0.03
CC142652		0.48	48.5	3.16	2.79	0.10	0.03	0.07	0.026	0.05	6.2	10.9	0.94	767	0.80	0.03
CC142653		0.68	43.5	3.13	3.56	0.12	0.03	0.09	0.035	0.06	7.8	13.8	0.79	456	0.96	0.03
CC142654		0.95	44.9	2.96	3.47	0.11	0.05	0.17	0.030	0.13	10.2	14.3	1.45	502	2.60	0.03
CC142655		1.01	30.9	2.66	3.94	0.11	0.03	0.09	0.028	0.07	10.2	17.1	0.82	491	0.93	0.02
CC142656		1.12	37.9	2.99	3.50	0.12	0.04	0.12	0.028	0.10	10.4	16.9	2.37	448	1.58	0.03
CC142657		0.45	16.9	2.33	2.52	0.12	0.05	0.03	0.027	0.07	15.2	11.0	5.10	353	2.25	0.03
CC142658		1.34	33.7	3.80	4.22	0.16	0.05	0.07	0.035	0.07	15.4	30.0	0.57	652	17.00	0.02
CC142659		0.70	32.7	2.65	3.12	0.12	0.05	0.15	0.034	0.06	9.2	20.5	0.40	567	8.96	0.03
CC142660		0.69	59.5	3.36	3.18	0.11	0.05	0.23	0.040	0.06	11.0	16.4	0.37	411	11.35	0.02
CC142661		0.47	36.4	2.35	2.99	0.11	0.05	0.15	0.028	0.05	8.7	17.4	0.39	731	4.57	0.03
CC142662		0.92	34.5	2.88	3.79	0.12	0.02	0.20	0.034	0.10	20.1	18.9	0.31	471	9.85	0.02
CC142663		0.84	38.2	2.04	2.85	0.14	0.02	0.28	0.030	0.08	25.2	7.6	0.18	222	5.29	0.02
CC142664		0.61	88.2	2.06	3.25	0.14	0.04	0.43	0.041	0.06	17.9	7.7	0.25	331	6.21	0.03
CC115291		1.07	79.2	3.80	3.37	0.15	0.06	0.47	0.042	0.12	14.7	11.8	1.21	799	7.86	0.04
CC115292		0.83	37.0	2.05	3.59	0.14	0.05	0.36	0.028	0.07	12.7	10.6	0.52	599	7.36	0.03
CC115293		0.92	59.9	3.09	4.01	0.13	0.06	0.36	0.037	0.12	15.9	12.6	0.49	505	11.20	0.03
CC115294		0.80	52.3	1.73	3.45	0.14	<0.02	0.29	0.026	0.04	9.1	5.3	0.31	1560	12.65	0.03
CC115295		0.82	74.7	2.77	3.66	0.13	0.07	0.29	0.031	0.12	12.6	11.0	0.52	428	6.54	0.04
CC115296		0.98	56.1	3.16	4.12	0.14	0.07	0.34	0.038	0.13	15.2	11.8	0.42	939	11.30	0.04
CC115297		1.20	83.5	3.12	4.45	0.15	0.06	0.35	0.034	0.16	19.2	12.5	0.76	786	11.15	0.04
CC115298		1.14	57.2	1.68	3.62	0.17	0.06	0.21	0.024	0.12	14.9	11.6	0.99	208	11.60	0.03
CC115299		1.24	47.6	2.11	5.67	0.12	0.02	0.34	0.023	0.11	15.3	15.2	0.88	304	17.45	0.03
CC115300		1.86	50.2	0.66	5.05	0.13	<0.02	0.31	0.013	0.06	14.4	7.5	0.60	40	1.39	0.02

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 22- AUG- 2011
Account: RCM

Project: Rackla- Rod to Crag

CERTIFICATE OF ANALYSIS WH11135447

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
CC142642		0.47	21.0	790	21.8	6.2	<0.001	0.10	0.55	2.5	1.2	0.3	33.9	<0.01	0.05	0.6
CC142643		0.72	25.1	690	24.8	7.2	<0.001	0.04	0.65	3.8	1.1	0.4	22.8	<0.01	0.04	1.9
CC142644		0.37	20.7	870	16.6	8.9	0.001	0.10	0.48	4.3	1.6	0.3	39.4	<0.01	0.04	0.7
CC142645		0.39	22.8	730	20.1	11.8	<0.001	0.06	0.31	6.8	1.1	0.4	43.6	<0.01	0.10	2.0
CC142646		0.28	14.7	940	21.3	6.6	<0.001	0.13	0.29	3.7	1.4	0.2	82.6	<0.01	0.07	0.6
CC142647		0.63	19.9	940	18.7	7.1	<0.001	0.08	0.66	1.9	1.0	0.3	40.0	<0.01	0.02	0.7
CC142648		0.55	20.4	600	20.4	9.9	<0.001	0.05	0.24	3.9	2.8	0.3	30.9	<0.01	0.11	1.4
CC142649		0.55	12.4	1400	9.6	7.3	<0.001	0.11	0.29	4.5	2.2	0.3	63.2	0.01	0.06	0.5
CC142650		1.22	6.9	180	13.3	3.0	0.001	0.01	0.32	2.1	0.3	0.9	10.2	<0.01	0.04	1.9
CC142651		0.55	26.2	970	19.6	7.2	0.001	0.08	0.52	7.0	1.1	0.4	34.1	<0.01	0.07	1.6
CC142652		0.41	17.4	930	13.6	4.9	<0.001	0.14	0.38	4.2	1.1	0.3	49.6	<0.01	0.05	0.6
CC142653		0.54	22.7	910	15.0	6.9	<0.001	0.10	0.54	4.8	1.3	0.3	45.3	<0.01	0.06	0.8
CC142654		0.40	40.2	1010	23.5	9.4	<0.001	0.11	1.25	3.5	1.9	0.4	40.8	<0.01	0.05	0.8
CC142655		0.59	26.3	750	18.7	9.0	<0.001	0.09	0.50	4.0	1.3	0.4	42.5	<0.01	0.03	0.9
CC142656		0.45	29.4	870	21.6	8.8	0.001	0.07	0.64	3.9	0.9	0.3	38.5	<0.01	0.05	1.1
CC142657		0.31	21.4	870	28.9	5.9	<0.001	0.04	0.80	3.4	1.0	0.3	39.8	<0.01	0.02	2.2
CC142658		0.28	70.5	2210	19.9	11.0	<0.001	0.02	1.66	5.3	2.6	0.5	26.5	<0.01	0.05	6.5
CC142659		0.25	69.4	1570	14.0	7.2	0.005	0.08	1.84	3.1	2.9	0.4	58.6	<0.01	0.06	1.7
CC142660		0.24	77.3	1410	19.8	7.3	0.008	0.06	2.29	3.6	3.2	0.6	45.1	<0.01	0.11	2.5
CC142661		0.30	66.9	880	16.9	6.0	0.005	0.08	1.39	2.9	2.1	0.5	55.6	<0.01	0.05	1.6
CC142662		0.37	53.6	1600	19.8	11.2	0.002	0.04	1.78	3.2	2.5	0.5	63.8	<0.01	0.07	3.5
CC142663		0.38	29.2	2030	17.9	8.5	0.006	0.06	1.51	2.4	2.5	0.4	102.0	<0.01	0.07	2.0
CC142664		0.36	153.5	1820	18.7	8.1	0.008	0.10	3.89	3.2	5.5	0.6	113.5	<0.01	0.08	1.3
CC115291		1.15	101.0	1990	76.9	8.5	0.014	0.11	4.98	5.8	7.5	0.4	146.0	<0.01	0.09	3.5
CC115292		0.63	52.6	1810	57.5	9.9	0.008	0.10	2.42	3.7	4.7	0.5	84.7	<0.01	0.06	1.6
CC115293		0.63	136.0	2170	44.4	10.8	0.003	0.08	5.76	4.9	2.6	0.5	134.5	<0.01	0.08	2.8
CC115294		0.55	70.5	1820	20.9	6.7	0.003	0.13	3.56	1.9	5.3	0.4	51.7	<0.01	0.05	0.2
CC115295		0.48	101.0	1830	29.6	9.5	0.008	0.11	5.15	3.3	2.6	0.5	120.0	<0.01	0.09	1.4
CC115296		0.53	96.8	2370	32.9	11.9	0.009	0.08	5.45	4.3	3.8	0.5	110.0	<0.01	0.08	2.6
CC115297		0.67	137.5	2620	32.1	13.1	0.006	0.08	6.11	5.5	4.1	0.5	133.0	<0.01	0.10	3.9
CC115298		0.33	142.0	4750	15.9	10.9	0.008	0.07	4.79	3.9	6.3	0.6	200	<0.01	0.08	2.8
CC115299		0.51	109.5	1710	28.3	14.4	0.007	0.08	3.35	3.0	4.2	0.6	75.3	<0.01	0.08	1.5
CC115300		0.32	70.1	2150	6.8	15.8	0.011	0.07	1.78	1.6	6.5	0.5	88.2	<0.01	0.04	0.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 22- AUG- 2011
Account: RCM

Project: Rackla- Rod to Crag

CERTIFICATE OF ANALYSIS WH11135447

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
CC142642		0.012	0.17	2.33	31	0.09	7.67	96	1.4
CC142643		0.017	0.15	2.60	48	0.14	8.26	85	1.5
CC142644		0.011	0.16	2.83	31	0.06	9.37	90	1.2
CC142645		0.012	0.11	1.05	35	0.06	9.94	73	1.3
CC142646		0.009	0.07	1.25	24	<0.05	8.81	70	1.0
CC142647		0.017	0.12	0.70	32	0.11	6.39	227	1.3
CC142648		0.018	0.11	0.62	34	0.14	8.17	52	0.9
CC142649		0.022	0.08	0.74	26	0.08	20.6	35	0.9
CC142650		0.051	0.10	0.41	70	0.25	2.36	34	<0.5
CC142651		0.027	0.11	1.20	41	0.08	11.85	77	0.7
CC142652		0.015	0.07	0.76	24	0.06	8.47	47	1.0
CC142653		0.017	0.10	0.95	32	0.09	9.46	67	1.2
CC142654		0.010	0.25	1.78	49	0.07	9.58	159	1.6
CC142655		0.014	0.13	1.68	39	0.09	8.49	89	1.1
CC142656		0.015	0.16	1.66	39	0.11	8.22	118	1.0
CC142657		0.009	0.22	4.25	39	0.07	9.76	61	2.1
CC142658		0.006	0.64	2.11	192	0.11	22.2	188	2.0
CC142659		<0.005	0.39	3.96	96	0.11	13.25	424	1.7
CC142660		<0.005	1.12	4.29	91	0.26	12.60	310	1.4
CC142661		0.005	0.40	2.14	70	0.14	9.57	301	1.4
CC142662		0.006	0.43	2.49	100	0.15	11.10	271	1.0
CC142663		0.006	0.35	3.41	70	0.14	12.25	106	0.7
CC142664		0.006	0.53	5.82	260	0.23	19.90	761	1.6
CC115291		0.020	0.51	2.46	161	0.17	13.10	504	2.9
CC115292		0.013	0.53	5.13	200	0.18	10.60	277	1.8
CC115293		0.014	0.73	3.06	236	0.19	15.05	827	2.4
CC115294		0.017	0.35	6.13	483	0.22	10.25	435	<0.5
CC115295		0.008	0.63	3.52	232	0.17	15.25	478	2.0
CC115296		0.010	0.60	3.20	315	0.24	16.70	585	2.9
CC115297		0.016	0.72	2.88	332	0.22	20.6	710	3.6
CC115298		0.015	0.61	5.54	356	0.26	21.7	1020	2.5
CC115299		0.016	0.81	4.48	468	0.31	11.65	876	0.9
CC115300		0.020	0.71	5.06	244	0.11	12.10	496	0.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 22- AUG- 2011
Account: RCM

Project: Rackla- Rod to Crag

CERTIFICATE OF ANALYSIS WH11135447

Method	CERTIFICATE COMMENTS
ME- MS41	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown.
ME- MS41	Gold determinations by this method are semi- quantitative due to the small sample weight used (0.5g).

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 28- AUG- 2011
Account: RCM

CERTIFICATE WH11135448

Project: Rackla- Rod Silts

P.O. No.:

This report is for 20 Silt samples submitted to our lab in Whitehorse, YT, Canada on 17- JUL- 2011.

The following have access to data associated with this certificate:

ROB CARNE JULIA LANE	ANDREW CARNE JOAN MARIACHER	MATT DUMALA

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
SCR- 41	Screen to - 180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- ST43	Super Trace Au - 25g AR	ICP- MS
ME- MS41	51 anal. aqua regia ICPMS	

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 28- AUG- 2011
Account: RCM

Project: Rackla- Rod Silts

CERTIFICATE OF ANALYSIS WH11135448

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- ST43 Au ppm 0.0001	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1
CC115257		0.14	0.0022	0.49	0.50	27.5	<0.2	<10	1070	0.45	0.08	2.42	13.60	4.69	10.3	16
CC115258		0.32	0.0014	0.69	1.12	19.1	<0.2	<10	1620	0.72	0.15	1.18	10.75	19.55	10.2	35
CC115259		0.36	0.0010	0.65	0.98	16.0	<0.2	<10	1500	0.65	0.16	1.37	9.20	20.8	9.0	33
CC115260		0.30	0.0013	0.63	0.96	17.9	<0.2	<10	1190	0.58	0.15	1.01	8.09	19.40	8.4	32
CC115261		0.40	0.0016	0.40	0.80	12.9	<0.2	<10	970	0.55	0.13	3.53	3.73	15.55	9.4	25
CC115262		0.28	0.0014	0.60	0.86	14.5	<0.2	<10	1070	0.49	0.14	2.09	9.11	18.65	8.5	30
CC115263		0.36	0.0012	0.61	0.86	20.6	<0.2	<10	1210	0.53	0.13	1.46	8.49	19.00	9.7	29
CC115264		0.30	0.0016	0.63	1.00	20.4	<0.2	<10	1140	0.58	0.15	1.73	11.75	17.75	11.1	31
CC115265		0.30	0.0015	0.58	0.84	17.5	<0.2	<10	850	0.50	0.13	2.26	7.34	17.10	8.3	27
CC115266		0.18	0.0019	0.58	0.86	20.4	<0.2	10	1550	0.56	0.13	2.32	8.76	12.45	16.5	26
CC115267		0.40	0.0013	0.38	0.65	14.3	<0.2	<10	680	0.42	0.10	4.47	9.00	17.10	7.1	21
CC115268		0.32	0.0012	0.40	0.82	11.2	<0.2	<10	790	0.43	0.10	1.85	6.49	19.85	8.2	25
CC115269		0.24	0.0008	0.50	0.77	11.9	<0.2	<10	670	0.47	0.12	1.98	8.12	16.65	7.0	25
CC115270		0.36	0.0006	0.45	0.76	13.9	<0.2	<10	730	0.42	0.11	2.24	7.19	17.95	8.0	24
CC115271		0.24	0.0008	0.56	0.78	15.4	<0.2	10	900	0.53	0.13	2.77	9.57	12.90	12.9	24
CC115272		0.36	0.0008	0.54	0.84	14.5	<0.2	<10	790	0.48	0.14	2.16	8.42	16.00	8.6	27
CC115273		0.40	0.0006	0.56	0.79	18.2	<0.2	10	770	0.53	0.13	4.64	6.94	14.85	8.9	24
CC115274		0.40	0.0006	0.50	0.81	23.2	<0.2	<10	1010	0.47	0.13	3.61	8.75	14.80	14.7	24
CC115275		0.40	0.0018	0.67	1.01	19.4	<0.2	<10	1090	0.64	0.16	2.26	8.59	19.30	13.1	30
CC115276		0.42	0.0007	0.41	0.67	13.3	<0.2	<10	630	0.44	0.10	3.95	4.51	16.30	7.4	19

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 28- AUG- 2011
Account: RCM

Project: Rackla- Rod Silts

CERTIFICATE OF ANALYSIS WH11135448

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
CC115257		0.36	68.2	3.77	1.01	0.10	0.08	0.19	0.013	0.03	3.2	3.3	0.17	1340	43.4	0.01
CC115258		0.94	52.3	2.74	3.28	0.11	0.07	0.18	0.028	0.11	11.6	16.4	0.39	263	9.20	0.01
CC115259		0.84	50.7	2.21	2.91	0.12	0.07	0.19	0.029	0.10	12.3	16.0	0.53	325	3.64	0.01
CC115260		0.86	46.8	2.00	2.78	0.12	0.06	0.21	0.024	0.08	11.0	14.9	0.35	324	3.95	0.01
CC115261		0.60	29.8	2.19	2.29	0.10	0.05	0.15	0.023	0.08	9.4	12.9	1.41	513	3.06	0.01
CC115262		0.69	42.8	1.90	2.57	0.11	0.06	0.19	0.028	0.08	10.8	13.5	0.72	325	3.41	0.01
CC115263		0.72	44.7	2.55	2.74	0.11	0.05	0.23	0.027	0.08	11.1	13.8	0.40	518	4.24	0.01
CC115264		0.76	40.5	3.12	2.84	0.12	0.06	0.20	0.029	0.09	9.7	15.7	0.45	1280	5.42	0.01
CC115265		0.64	36.5	2.69	2.33	0.11	0.06	0.17	0.027	0.08	9.5	13.1	0.75	472	8.54	0.01
CC115266		0.63	35.2	3.67	2.28	0.12	0.07	0.18	0.025	0.06	6.6	12.4	0.42	6740	12.90	0.02
CC115267		0.47	25.2	2.04	1.78	0.11	0.05	0.11	0.023	0.07	10.1	11.1	0.98	573	6.48	0.01
CC115268		0.65	28.4	1.85	2.29	0.11	0.04	0.11	0.022	0.06	11.0	14.5	0.56	988	4.23	0.01
CC115269		0.60	35.1	1.60	2.10	0.11	0.07	0.13	0.022	0.06	9.3	13.9	0.53	319	3.56	0.01
CC115270		0.56	30.0	2.20	2.09	0.11	0.05	0.12	0.025	0.07	9.9	13.6	0.73	859	4.96	0.01
CC115271		0.51	41.8	2.94	2.11	0.11	0.07	0.17	0.024	0.07	6.7	13.2	0.50	796	7.38	0.02
CC115272		0.64	38.7	2.21	2.24	0.11	0.06	0.19	0.027	0.07	9.0	13.9	0.58	714	4.55	0.01
CC115273		0.55	38.7	2.73	2.22	0.10	0.06	0.20	0.026	0.08	8.3	13.0	1.88	1350	4.79	0.01
CC115274		0.59	32.6	3.72	2.16	0.11	0.05	0.15	0.022	0.08	8.1	13.1	1.21	4760	5.53	0.02
CC115275		0.55	43.9	2.48	2.92	0.12	0.06	0.36	0.031	0.07	10.6	14.8	0.83	2490	4.98	0.01
CC115276		0.47	20.2	2.13	2.06	0.10	0.04	0.10	0.020	0.07	9.6	12.0	2.00	1150	3.47	0.02

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 28- AUG- 2011
Account: RCM

Project: Rackla- Rod Silts

CERTIFICATE OF ANALYSIS WH11135448

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
CC115257		0.17	60.7	1290	5.4	2.1	0.034	0.54	5.30	1.3	7.5	0.2	100.0	<0.01	0.06	0.6
CC115258		0.54	81.9	1660	21.2	9.2	0.024	0.12	4.81	3.3	6.9	0.5	75.9	<0.01	0.07	3.1
CC115259		0.60	94.4	1780	23.9	7.6	0.018	0.10	3.82	3.4	6.8	0.4	80.6	<0.01	0.09	3.4
CC115260		0.59	83.7	1890	25.0	7.3	0.024	0.21	3.70	3.1	6.3	0.4	85.6	<0.01	0.05	2.9
CC115261		0.44	42.6	1560	19.4	5.6	0.009	0.22	2.31	2.8	3.5	0.3	80.5	<0.01	0.05	1.9
CC115262		0.52	76.4	1680	22.7	6.6	0.034	0.25	3.47	2.9	6.6	0.3	103.5	<0.01	0.04	2.7
CC115263		0.56	83.5	1790	23.9	6.9	0.043	0.18	3.55	2.9	7.4	0.4	106.0	<0.01	0.06	2.4
CC115264		0.46	89.9	1580	24.4	7.2	0.036	0.19	3.07	2.9	8.2	0.4	122.0	<0.01	0.06	2.6
CC115265		0.40	72.0	1760	20.7	6.2	0.045	0.19	3.29	2.7	7.0	0.3	149.0	<0.01	0.05	2.6
CC115266		0.23	102.0	1680	20.3	6.3	0.032	0.20	3.01	2.1	7.5	0.4	122.0	<0.01	0.06	1.0
CC115267		0.28	52.7	1920	13.6	4.8	0.018	0.13	3.23	2.3	5.1	0.2	226	<0.01	0.06	2.5
CC115268		0.35	53.7	2010	13.9	5.8	0.035	0.16	2.31	2.4	6.3	0.3	116.0	<0.01	0.05	2.6
CC115269		0.36	59.5	1780	15.9	6.1	0.056	0.28	2.67	2.5	7.8	0.3	117.5	<0.01	0.05	2.4
CC115270		0.35	59.8	1980	15.0	5.5	0.033	0.18	2.54	2.4	6.3	0.3	126.5	<0.01	0.03	2.5
CC115271		0.30	70.9	1480	16.4	5.4	0.047	0.37	3.36	2.3	7.7	0.3	184.0	<0.01	0.05	1.4
CC115272		0.37	69.6	1540	18.5	6.3	0.052	0.24	2.84	2.7	8.1	0.3	118.5	<0.01	0.05	2.4
CC115273		0.27	57.0	1460	17.4	5.4	0.024	0.15	2.59	2.9	5.2	0.3	125.5	<0.01	0.05	1.5
CC115274		0.27	71.9	1610	18.0	6.1	0.026	0.15	2.67	2.7	6.3	0.3	156.5	<0.01	0.04	1.8
CC115275		0.39	290	1290	30.5	6.4	0.003	0.07	2.97	3.0	5.8	0.4	111.5	<0.01	0.05	1.6
CC115276		0.37	47.1	1530	14.5	5.2	0.016	0.09	1.52	2.3	4.1	0.2	105.0	<0.01	0.03	2.2

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 28- AUG- 2011
Account: RCM

Project: Rackla- Rod Silts

CERTIFICATE OF ANALYSIS WH11135448

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
CC115257		0.005	0.17	2.14	62	0.11	9.53	651	3.2
CC115258		0.009	0.36	3.37	156	0.15	15.10	567	3.0
CC115259		0.011	0.31	3.26	140	0.12	14.70	698	3.1
CC115260		0.011	0.30	3.73	147	0.11	13.40	675	2.6
CC115261		0.009	0.21	2.12	92	0.07	12.05	243	2.0
CC115262		0.010	0.34	3.23	118	0.11	15.05	553	2.6
CC115263		0.010	0.31	3.70	123	0.11	13.25	674	2.4
CC115264		0.008	0.46	3.96	120	0.10	13.60	698	2.3
CC115265		0.008	0.41	3.75	109	0.09	13.50	564	2.2
CC115266		0.005	0.34	4.06	98	0.09	10.70	674	2.4
CC115267		0.007	0.33	2.96	80	0.07	15.15	406	1.8
CC115268		0.007	0.31	3.01	96	0.17	13.00	386	1.8
CC115269		0.007	0.32	2.97	90	0.08	13.20	402	2.4
CC115270		0.008	0.32	2.74	93	0.08	13.65	403	2.0
CC115271		0.006	0.30	6.07	80	0.07	11.50	527	2.5
CC115272		0.007	0.38	3.07	92	0.08	12.75	478	2.4
CC115273		0.006	0.31	2.27	79	0.07	12.85	393	1.9
CC115274		0.007	0.36	2.31	91	0.07	12.60	506	1.6
CC115275		0.009	0.41	2.03	121	0.17	12.65	1440	1.8
CC115276		0.013	0.24	1.73	74	0.11	10.80	324	1.7

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 28- AUG- 2011
Account: RCM

Project: Rackla- Rod Silts

CERTIFICATE OF ANALYSIS WH11135448

Method	CERTIFICATE COMMENTS
ME- MS41	Gold determinations by this method are semi- quantitative due to the small sample weight used (0.5g).

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 29- JUL- 2011
Account: RCM

CERTIFICATE WH11138408

Project: Rackla Regional

P.O. No.:

This report is for 35 Rock samples submitted to our lab in Whitehorse, YT, Canada on 20- JUL- 2011.

The following have access to data associated with this certificate:

ROB CARNE JULIA LANE	ANDREW CARNE JOAN MARIACHER	MATT DUMALA

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
WSH- 21	"Wash" crushers
WSH- 22	"Wash" pulverizers
CRU- 31	Fine crushing - 70% < 2mm
CRU- QC	Crushing QC Test
SPL- 21	Split sample - riffle splitter
PUL- QC	Pulverizing QC Test
PUL- 31	Pulverize split to 85% < 75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- AA26	Ore Grade Au 50g FA AA finish	AAS
ME- MS61	48 element four acid ICP- MS	
Hg- CV41	Trace Hg - cold vapor/AAS	FIMS
ME- OG62	Ore Grade Elements - Four Acid	ICP- AES
Zn- OG62	Ore Grade Zn - Four Acid	VARIABLE
As- OG62	Ore Grade As - Four Acid	VARIABLE
Hg- CV42	High Grade Hg - cold vapor/AA	FIMS

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 29- JUL- 2011
Account: RCM

Project: Rackla Regional

CERTIFICATE OF ANALYSIS WH11138408

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- AA26 Au ppm 0.01	ME- MS61 Ag ppm 0.01	ME- MS61 Al % 0.01	ME- MS61 As ppm 0.2	ME- MS61 Ba ppm 10	ME- MS61 Be ppm 0.05	ME- MS61 Bi ppm 0.01	ME- MS61 Ca % 0.01	ME- MS61 Cd ppm 0.02	ME- MS61 Ce ppm 0.01	ME- MS61 Co ppm 0.1	ME- MS61 Cr ppm 1	ME- MS61 Cs ppm 0.05	ME- MS61 Cu ppm 0.2
I079613		0.92	<0.01	0.61	0.32	50	80	0.21	0.03	23.4	1.17	4.86	1.2	4	0.31	2.0
I079614		0.58	<0.01	0.76	1.69	9.5	1720	0.75	0.08	0.07	0.03	19.10	0.8	57	4.24	11.8
I079615		0.92	<0.01	0.36	1.04	16.5	1370	0.52	0.05	0.07	0.29	10.25	3.2	41	3.11	36.5
I079616		0.87	<0.01	0.13	0.23	5	650	0.23	0.01	33.0	3.17	6.74	1.1	9	0.17	10.0
I079617		1.22	<0.01	0.12	0.39	15.1	240	0.38	0.03	0.08	0.32	4.89	0.9	44	0.64	21.5
I079618		1.22	<0.01	0.63	1.81	19.3	2230	0.84	0.08	0.03	0.05	21.5	2.0	65	5.61	20.1
I079619		0.98	<0.01	0.25	1.50	9.2	890	0.81	0.08	0.04	0.13	15.05	0.4	46	2.67	19.2
I079620		0.76	0.02	0.48	4.92	16.7	2590	1.75	0.21	0.10	0.33	62.2	9.3	82	5.32	52.2
I079621		0.46	<0.01	0.09	1.09	20.0	160	0.49	0.09	0.10	0.34	34.9	10.8	20	0.74	15.3
I079622		1.09	<0.01	1.02	1.60	5.4	3010	0.69	0.08	0.01	0.11	20.5	1.1	65	1.56	10.1
I079623		0.96	<0.01	0.91	3.27	8.1	3740	1.13	0.17	0.02	0.03	34.3	1.2	86	4.31	10.1
I079624		0.82	<0.01	0.08	0.21	8	40	0.14	0.01	19.00	0.32	5.21	1.5	2	0.10	2.6
I079625		0.48	<0.01	0.02	0.30	3.7	120	0.19	0.01	4.23	0.09	9.25	6.2	13	0.12	6.6
I079626		0.83	<0.01	0.06	8.10	6.2	380	2.39	0.32	2.00	0.07	76.3	13.3	74	10.60	27.8
I079627		0.74	<0.01	0.12	3.28	7	190	1.23	0.16	10.75	0.07	49.2	10.8	29	2.71	23.0
I079628		0.80	<0.01	0.03	0.38	607	130	0.14	0.01	18.45	0.23	6.38	1.3	2	0.23	2.6
I079629		0.48	<0.01	0.03	0.29	962	50	0.17	0.01	14.45	0.58	2.98	0.9	2	0.16	2.1
I079630		0.93	<0.01	0.01	0.12	36	30	0.12	<0.01	19.10	<0.02	2.31	0.8	<1	0.06	1.1
I079631		0.98	<0.01	0.03	2.11	44.4	150	0.40	0.04	1.75	0.35	23.2	10.2	50	0.85	25.8
I079632		0.56	<0.01	0.04	0.13	21	30	0.16	0.01	19.65	6.49	6.06	1.1	2	0.06	2.6
I079633		0.88	<0.01	0.01	0.42	8.4	20	0.06	0.01	0.06	0.04	3.64	1.1	20	0.24	6.3
I079634		0.65	<0.01	0.02	0.46	<5	30	0.26	0.02	33.5	<0.02	9.79	1.5	6	0.34	3.3
I079635		0.95	<0.01	0.03	0.40	6	30	0.22	0.02	33.0	0.11	15.10	2.1	7	0.30	3.3
I079636		0.66	<0.01	0.05	2.93	15.3	160	0.64	0.13	2.58	0.11	42.6	9.3	36	1.57	18.4
I079637		0.59	<0.01	0.08	2.36	4.5	130	0.84	0.14	6.32	0.07	132.0	6.2	25	2.27	14.0
I079638		0.86	<0.01	0.03	0.50	<5	60	0.21	0.02	33.2	0.02	13.90	1.6	4	0.42	3.7
I079639		0.66	<0.01	0.01	4.66	1.8	520	1.47	0.22	7.87	0.24	72.3	9.2	65	2.04	10.1
I079640		0.23	<0.01	0.02	1.22	3.1	60	0.47	0.03	0.44	0.46	15.55	8.4	20	0.16	16.1
I079641		0.90	<0.01	41.4	0.37	>10000	70	0.29	0.04	15.50	276	13.85	1.1	4	1.03	55.2
I079642		0.79	<0.01	0.09	1.60	18.7	290	0.46	0.04	2.04	1.59	25.6	3.7	26	0.80	8.3
I079643		1.00	<0.01	0.18	0.11	83	180	0.08	<0.01	29.5	1.18	2.54	0.8	5	0.30	1.9
I079557		0.42	<0.01	0.14	3.47	22.8	370	1.21	0.19	2.42	0.37	90.6	2.4	30	4.15	24.6
I079558		1.86	<0.01	0.03	0.53	<5	30	0.29	0.03	23.6	0.16	25.0	1.8	6	0.46	3.7
I079559		0.99	<0.01	0.96	0.12	402	30	0.09	0.01	20.7	7.62	5.41	0.9	<1	0.22	2.1
I079560		1.14	<0.01	0.05	0.11	6	120	0.06	0.01	11.30	0.23	2.32	0.6	12	0.76	2.8

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 29- JUL- 2011
Account: RCM

Project: Rackla Regional

CERTIFICATE OF ANALYSIS WH11138408

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	Hg- CV41	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
	Units	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOR	0.01	0.05	0.05	0.1	0.01	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2
I079613		0.14	0.81	0.06	0.1	1.33	0.005	0.13	2.6	1.7	10.80	226	0.37	0.05	0.6	2.2
I079614		1.06	6.11	0.09	0.9	0.14	0.018	0.65	11.4	13.8	0.13	58	1.76	0.05	4.2	11.2
I079615		1.66	3.73	0.08	0.5	0.12	0.012	0.36	6.0	18.3	0.09	90	1.47	0.03	2.3	32.4
I079616		0.10	0.69	0.06	0.1	0.05	<0.005	0.06	8.6	1.8	0.44	63	6.60	0.02	0.6	17.0
I079617		0.93	1.50	0.06	0.2	0.09	0.006	0.13	5.3	5.5	0.03	81	21.0	0.02	1.0	55.3
I079618		1.73	6.90	0.09	1.1	0.12	0.020	0.75	13.0	15.8	0.14	58	2.87	0.05	5.0	23.8
I079619		0.76	5.04	0.10	0.7	0.20	0.021	0.52	10.7	9.9	0.11	43	23.3	0.04	2.9	35.3
I079620		3.31	15.15	0.18	2.2	0.24	0.052	1.92	34.6	19.1	0.41	162	4.42	0.48	13.0	51.3
I079621		3.03	4.80	0.10	1.1	0.03	0.014	0.35	15.6	11.7	0.12	1900	2.51	0.12	5.7	11.8
I079622		1.31	6.32	0.08	1.0	0.11	0.015	0.68	12.7	21.2	0.12	56	2.63	0.05	5.3	13.6
I079623		1.10	10.25	0.12	1.4	0.23	0.024	1.07	25.0	11.6	0.21	28	4.24	0.10	6.3	14.7
I079624		3.08	0.59	0.07	0.1	0.06	<0.005	0.08	3.5	1.1	11.00	671	0.51	0.01	0.4	3.4
I079625		2.74	0.74	0.06	0.3	<0.01	0.011	0.09	4.3	13.1	1.34	515	0.21	0.02	0.5	14.4
I079626		3.38	22.3	0.17	3.9	0.02	0.068	3.40	38.0	85.4	0.65	184	0.40	0.42	12.9	34.7
I079627		6.57	8.49	0.18	1.7	0.05	0.040	1.38	24.2	14.9	3.57	1020	0.66	0.10	4.8	28.7
I079628		1.15	1.03	0.06	0.2	2.04	<0.005	0.14	3.5	1.5	10.65	1160	0.09	0.02	0.6	1.8
I079629		0.57	0.79	0.05	0.1	9.0	<0.005	0.11	1.9	1.7	8.49	1080	0.07	0.01	0.4	0.8
I079630		0.22	0.40	0.08	0.1	1.56	<0.005	0.04	1.4	0.7	11.45	770	0.06	0.01	0.3	0.6
I079631		3.57	6.02	0.10	1.0	0.20	0.026	0.51	12.2	14.0	0.29	662	0.19	0.03	3.3	24.0
I079632		1.21	0.70	0.06	<0.1	2.55	0.008	0.04	4.6	0.7	11.70	1220	0.31	0.02	0.3	1.4
I079633		0.80	0.93	<0.05	0.2	0.07	<0.005	0.09	1.6	3.9	0.03	111	0.16	0.01	0.5	2.3
I079634		0.86	1.24	0.05	0.3	0.01	<0.005	0.16	5.3	11.3	0.23	375	0.06	0.03	0.9	1.3
I079635		0.81	1.13	0.07	0.3	0.01	0.006	0.16	6.6	8.0	1.52	166	0.28	0.02	1.0	2.7
I079636		3.33	7.76	0.11	1.6	0.05	0.027	0.82	20.5	24.9	0.49	610	0.27	0.41	4.6	18.9
I079637		2.53	7.16	0.19	2.1	0.04	0.036	1.05	63.7	18.9	0.62	449	0.23	0.03	6.0	15.1
I079638		1.20	1.37	0.06	0.2	0.01	0.011	0.19	6.8	4.8	0.71	127	0.06	0.02	0.9	2.0
I079639		2.01	12.80	0.13	2.8	0.02	0.037	1.78	37.4	52.5	4.39	390	0.38	0.94	10.5	25.3
I079640		2.59	2.93	0.07	0.6	0.07	0.009	0.04	7.4	68.7	0.11	831	0.39	0.18	1.5	9.2
I079641		1.44	2.86	0.06	0.2	>100	0.024	0.10	9.6	4.7	9.00	1370	0.69	0.02	0.7	3.7
I079642		3.87	4.31	0.11	1.1	0.54	0.020	0.32	12.3	30.4	0.30	2480	0.16	0.09	3.0	14.5
I079643		0.22	0.28	<0.05	0.1	2.43	<0.005	0.03	6.7	1.6	0.38	72	0.40	0.01	0.4	4.0
I079557		3.38	8.83	0.16	2.1	0.68	0.065	1.51	44.5	20.5	0.54	229	0.38	0.04	7.4	5.4
I079558		1.32	1.47	0.07	0.5	0.10	0.006	0.21	12.2	12.0	4.97	383	0.19	0.03	1.4	1.8
I079559		0.13	0.41	0.08	0.1	6.26	<0.005	0.05	4.8	1.2	11.60	246	0.06	0.02	0.4	0.8
I079560		0.25	0.32	0.08	<0.1	0.12	<0.005	0.03	4.8	1.3	0.16	58	0.31	0.01	0.3	2.6

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 29- JUL- 2011
Account: RCM

Project: Rackla Regional

CERTIFICATE OF ANALYSIS WH11138408

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
	LOR	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02
I079613		60	368	6.5	0.002	0.01	1.41	0.6	1	<0.2	201	<0.05	<0.05	0.9	0.013	0.17
I079614		340	5.8	35.1	0.002	0.09	2.36	3.9	4	0.7	86.7	0.25	<0.05	2.9	0.099	0.26
I079615		480	5.8	20.2	<0.002	0.04	1.87	2.9	4	0.4	98.5	0.13	<0.05	1.5	0.054	0.18
I079616		440	1.5	4.0	0.023	0.05	1.69	1.0	3	<0.2	374	<0.05	<0.05	0.5	0.010	0.20
I079617		150	2.1	8.8	0.073	0.06	3.88	1.1	5	0.2	17.4	0.05	0.05	0.6	0.022	0.31
I079618		560	7.3	43.4	<0.002	0.22	3.22	4.3	4	0.7	111.5	0.31	0.05	3.1	0.114	0.44
I079619		110	5.7	34.3	0.154	0.21	7.41	3.8	11	0.6	22.8	0.18	0.23	2.2	0.094	1.30
I079620		1000	19.0	107.0	0.003	0.10	4.75	11.6	7	1.6	122.5	0.83	0.11	9.9	0.296	0.60
I079621		450	14.6	20.3	<0.002	0.01	0.75	2.7	1	0.6	12.7	0.27	<0.05	4.0	0.102	0.09
I079622		210	6.2	35.9	0.003	0.32	2.27	3.4	4	0.7	94.4	0.32	0.05	2.9	0.112	0.30
I079623		250	9.2	69.9	0.014	0.18	1.58	9.5	5	1.1	77.3	0.40	0.08	5.1	0.203	0.36
I079624		310	55.9	3.0	<0.002	2.68	0.09	0.7	1	<0.2	249	<0.05	<0.05	0.5	0.008	0.10
I079625		110	1.7	3.9	<0.002	0.03	0.11	1.0	1	<0.2	411	<0.05	<0.05	1.0	0.012	0.02
I079626		400	22.9	155.5	<0.002	1.34	0.43	13.7	2	2.5	164.5	0.99	<0.05	15.5	0.432	0.76
I079627		410	25.6	73.3	<0.002	4.61	0.39	8.2	1	1.0	362	0.35	<0.05	7.1	0.165	0.31
I079628		440	12.0	4.8	<0.002	0.03	0.65	0.9	1	0.2	128.0	<0.05	<0.05	0.8	0.014	1.72
I079629		140	44.9	3.8	<0.002	0.01	0.63	0.5	1	<0.2	95.3	<0.05	<0.05	0.4	0.009	0.61
I079630		250	2.5	1.5	<0.002	0.01	0.07	0.3	1	<0.2	110.0	<0.05	<0.05	0.2	<0.005	0.33
I079631		220	4.0	25.0	<0.002	0.01	0.20	9.4	1	0.6	40.7	0.24	<0.05	3.6	0.347	0.12
I079632		150	29.1	1.4	<0.002	0.25	0.14	0.5	1	<0.2	60.7	<0.05	<0.05	0.2	0.005	0.67
I079633		50	2.4	4.2	<0.002	0.01	0.70	1.0	1	<0.2	9.2	<0.05	<0.05	0.6	0.040	0.02
I079634		1540	2.3	8.0	<0.002	0.08	0.07	2.0	1	0.2	1510	0.05	<0.05	1.0	0.022	0.04
I079635		460	4.8	7.9	<0.002	0.09	0.11	2.2	2	0.2	1425	0.06	<0.05	1.5	0.022	0.07
I079636		300	12.6	40.0	<0.002	0.02	0.29	8.2	1	0.9	87.7	0.35	<0.05	6.4	0.218	0.26
I079637		360	15.4	53.7	<0.002	0.02	0.50	5.6	2	0.8	160.0	0.52	<0.05	10.7	0.261	0.22
I079638		90	3.6	9.4	<0.002	0.02	0.06	1.5	1	0.2	1450	0.05	<0.05	1.1	0.023	0.05
I079639		920	21.3	91.5	<0.002	0.04	0.21	9.7	2	1.7	258	0.80	<0.05	14.4	0.285	0.35
I079640		90	5.0	2.4	<0.002	0.01	0.16	3.5	1	0.3	20.5	0.10	<0.05	1.4	0.138	0.03
I079641		100	3060	5.5	<0.002	0.15	259	1.3	6	0.2	142.0	<0.05	<0.05	0.9	0.019	8.34
I079642		320	5.7	21.3	<0.002	0.01	0.41	5.0	1	0.5	21.2	0.21	<0.05	4.3	0.115	0.12
I079643		270	13.9	1.9	0.006	0.02	1.09	0.7	1	<0.2	323	<0.05	<0.05	0.2	0.005	0.07
I079557		190	21.3	74.4	<0.002	1.64	0.72	7.5	1	1.2	122.5	0.62	<0.05	11.0	0.298	0.40
I079558		1430	6.1	10.1	<0.002	0.10	0.16	2.4	1	0.2	531	0.09	<0.05	2.1	0.053	0.06
I079559		30	86.6	2.2	<0.002	0.03	1.74	0.5	1	<0.2	130.0	<0.05	<0.05	0.3	0.007	0.49
I079560		160	1.6	2.1	0.006	0.01	0.12	0.4	1	<0.2	110.0	<0.05	<0.05	0.2	<0.005	0.02

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 29- JUL- 2011
Account: RCM

Project: Rackla Regional

CERTIFICATE OF ANALYSIS WH11138408

Sample Description	Method Analyte Units LOR	ME- MS61 U ppm 0.1	ME- MS61 V ppm 1	ME- MS61 W ppm 0.1	ME- MS61 Y ppm 0.1	ME- MS61 Zn ppm 2	ME- MS61 Zr ppm 0.5	Zn- OG62 Zn % 0.001	As- OG62 As % 0.001	Hg- CV42 Hg ppm 0.1
I079613		3.5	7	1.8	1.3	41	2.9			
I079614		1.7	135	1.5	9.6	29	38.6			
I079615		1.3	91	0.6	8.2	115	22.3			
I079616		3.9	206	0.8	12.7	132	7.9			
I079617		3.4	448	0.4	7.3	93	13.1			
I079618		1.9	164	0.8	11.2	63	42.4			
I079619		5.7	1080	0.6	7.5	15	28.4			
I079620		4.1	267	1.3	24.5	248	94.1			
I079621		1.6	24	0.6	7.8	46	43.1			
I079622		2.0	185	0.6	11.8	44	41.0			
I079623		2.8	179	1.1	10.1	54	55.5			
I079624		1.1	4	0.2	4.3	144	3.3			
I079625		0.3	3	0.3	5.8	43	10.9			
I079626		2.6	100	1.6	19.0	116	135.5			
I079627		2.1	60	0.8	20.7	39	93.6			
I079628		1.3	4	0.6	3.5	47	8.3			
I079629		0.7	3	0.4	1.6	42	4.9			
I079630		0.8	2	0.1	1.9	2	2.5			
I079631		0.7	97	0.5	7.8	68	38.3			
I079632		1.4	2	0.3	3.2	1810	2.1			
I079633		0.1	13	0.2	1.2	10	7.7			
I079634		3.6	9	0.2	5.9	5	20.1			
I079635		5.0	11	0.2	9.1	33	13.2			
I079636		1.2	52	0.7	12.9	48	52.0			
I079637		3.8	40	0.8	21.0	85	85.0			
I079638		2.2	7	0.1	8.8	5	8.2			
I079639		6.0	66	1.0	20.9	121	101.5			
I079640		0.5	28	0.4	6.1	57	21.0			
I079641		1.2	10	2.5	3.5	>10000	6.6	5.06	2.23	745
I079642		0.9	27	0.4	15.7	173	39.4			
I079643		1.3	9	0.1	12.4	153	2.4			
I079557		2.1	38	1.0	13.9	79	72.3			
I079558		5.2	14	0.2	8.8	11	29.5			
I079559		0.5	3	0.2	3.5	573	2.0			
I079560		0.5	7	0.1	6.2	17	1.7			

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 29- JUL- 2011
Account: RCM

Project: Rackla Regional

CERTIFICATE OF ANALYSIS WH11138408

Method	CERTIFICATE COMMENTS
ME- MS61	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown.
ME- MS61	REE's may not be totally soluble in this method.
Hg- CV41	Detection limits on samples requiring dilutions due to interferences or high concentration levels have been increased according to the dilution factor.

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 5- AUG- 2011
Account: RCM

CERTIFICATE WH11141046

Project: Pyramid Infill 1

P.O. No.:

This report is for 207 Soil samples submitted to our lab in Whitehorse, YT, Canada on 23- JUL- 2011.

The following have access to data associated with this certificate:

ROB CARNE JULIA LANE	ANDREW CARNE JOAN MARIACHER	MATT DUMALA

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
SCR- 41	Screen to - 180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- TL43	Trace Level Au - 25g AR	ICP- MS
ME- MS41	51 anal. aqua regia ICPMS	

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 5- AUG- 2011
Account: RCM

Project: Pyramid Infill 1

CERTIFICATE OF ANALYSIS WH11141046

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- TL43 Au ppm 0.001	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1
ZZ14925		0.34	0.001	0.84	0.82	7.2	<0.2	<10	570	0.39	0.26	0.51	0.26	6.69	7.4	21
ZZ14926		0.30	0.001	0.83	1.39	5.4	<0.2	<10	700	0.56	0.27	0.33	0.30	8.87	6.0	47
ZZ14927		0.36	<0.001	0.23	1.42	8.5	<0.2	<10	240	0.62	0.20	0.14	0.15	8.37	7.3	34
ZZ14928		0.32	0.001	0.44	1.38	8.0	<0.2	<10	390	0.44	0.26	0.18	0.14	6.36	6.5	28
ZZ14929		0.36	0.001	0.13	1.54	10.7	<0.2	<10	240	0.64	0.26	0.05	0.16	9.03	14.3	29
ZZ14930		0.30	<0.001	0.06	1.43	12.3	<0.2	<10	170	0.62	0.30	0.06	0.13	6.44	11.2	26
ZZ14931		0.34	0.001	0.38	1.62	13.3	<0.2	<10	310	0.86	0.32	0.13	0.23	8.97	11.4	34
ZZ14932		0.40	0.001	0.11	1.79	28.3	<0.2	<10	240	1.00	0.30	0.22	0.19	9.79	16.4	28
ZZ14933		0.36	0.001	0.07	1.81	18.3	<0.2	<10	200	1.00	0.30	0.33	0.10	8.87	11.7	29
ZZ14934		0.32	0.001	0.07	1.87	14.3	<0.2	<10	220	0.83	0.27	0.28	0.12	12.00	9.2	29
ZZ14935		0.36	0.001	0.11	1.92	17.7	<0.2	<10	280	1.11	0.29	0.45	0.13	13.25	10.9	30
ZZ14936		0.36	0.001	0.07	1.81	17.3	<0.2	<10	230	0.81	0.25	0.35	0.13	12.55	12.3	29
ZZ14937		0.22	0.002	0.65	1.81	423	<0.2	<10	370	1.16	0.27	0.69	0.98	22.1	13.6	30
ZZ14938		0.16	0.002	0.34	1.38	342	<0.2	<10	380	0.79	0.28	1.06	0.62	13.90	11.0	23
ZZ14939		0.20	0.001	0.58	1.08	255	<0.2	<10	240	0.82	0.24	1.49	1.10	9.25	8.6	19
ZZ14940		0.16	0.002	0.20	1.14	2250	<0.2	<10	510	1.00	0.24	1.26	1.17	9.36	17.0	17
ZZ14941		0.34	0.001	0.09	1.67	44.5	<0.2	<10	270	0.78	0.25	0.47	0.13	16.75	13.9	26
ZZ14942		0.22	0.003	0.24	1.23	20.4	<0.2	<10	310	0.59	0.29	0.91	0.15	16.00	6.2	19
ZZ14943		0.20	0.002	2.87	0.54	12.9	<0.2	<10	460	1.10	0.14	3.74	35.1	23.5	3.7	58
ZZ14944		0.32	0.001	0.46	0.74	42.1	<0.2	<10	470	0.89	0.25	0.93	2.30	19.90	10.5	21
ZZ14945		0.14	0.001	0.18	0.78	27.9	<0.2	<10	440	0.66	0.17	2.41	0.62	14.45	8.6	12
ZZ14946		0.14	0.001	0.20	0.95	27.1	<0.2	<10	450	0.83	0.24	1.44	0.57	20.2	11.6	15
ZZ14947		0.16	<0.001	0.15	1.18	12.0	<0.2	<10	260	1.08	0.23	1.56	0.59	17.20	10.6	18
ZZ14948		0.12	0.001	0.14	1.26	30.9	<0.2	<10	230	0.99	0.31	0.91	0.52	18.35	14.1	22
ZZ14949		0.22	0.002	0.16	1.52	24.4	<0.2	<10	250	0.98	0.34	0.96	0.29	12.90	12.6	24
ZZ14950		0.16	0.002	0.21	1.51	6.6	<0.2	<10	300	1.03	0.32	0.94	0.94	14.10	6.1	24
ZZ14951		0.18	0.001	0.25	1.22	915	<0.2	<10	270	0.96	0.30	0.70	1.65	13.75	14.7	21
ZZ14952		0.26	0.001	0.19	0.83	18.0	<0.2	<10	320	0.71	0.31	1.02	0.28	12.30	11.0	11
ZZ14953		0.36	0.001	0.13	0.59	11.9	<0.2	<10	150	0.74	0.32	0.92	0.15	11.65	8.1	9
ZZ14954		0.28	0.001	0.13	0.77	11.7	<0.2	<10	150	0.63	0.32	0.71	0.22	12.95	8.9	14
ZZ14955		0.36	<0.001	0.12	0.75	16.2	<0.2	<10	230	0.85	0.31	1.63	0.20	27.1	12.3	14
CC116964		0.42	0.001	0.36	1.12	15.3	<0.2	<10	300	0.65	0.30	0.17	0.41	12.55	14.1	24
CC116965		0.16	0.002	0.87	1.54	12.4	<0.2	<10	1170	0.77	0.25	1.58	0.34	14.60	10.9	25
CC116966		0.22	0.003	2.11	1.44	12.3	<0.2	<10	630	0.75	0.30	1.06	0.50	6.57	9.3	29
CC116967		0.40	0.002	1.79	1.53	9.7	<0.2	<10	620	0.58	0.30	0.75	0.37	7.18	7.5	34
CC116968		0.32	<0.001	0.05	1.46	14.7	<0.2	<10	130	0.60	0.28	0.15	0.13	8.71	11.7	25
CC116969		0.32	<0.001	0.19	1.67	12.2	<0.2	<10	200	0.62	0.30	0.26	0.09	6.59	7.6	29
CC116970		0.32	0.001	0.09	1.77	12.5	<0.2	<10	190	0.75	0.29	0.23	0.08	9.57	11.0	29
CC116971		0.26	<0.001	0.10	1.72	11.4	<0.2	<10	170	0.66	0.27	0.18	0.09	8.07	11.1	27
CC116972		0.30	0.001	0.09	1.90	13.0	<0.2	<10	190	0.89	0.31	0.17	0.19	13.95	34.3	29

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 5- AUG- 2011
Account: RCM

Project: Pyramid Infill 1

CERTIFICATE OF ANALYSIS WH11141046

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
ZZ14925		3.70	32.9	2.14	3.01	0.15	0.04	0.20	0.032	0.10	3.6	10.7	0.24	193	1.94	0.01
ZZ14926		2.72	29.9	2.48	4.33	0.15	0.04	0.24	0.033	0.08	4.7	23.8	0.37	131	1.53	0.01
ZZ14927		1.23	33.9	3.39	4.30	0.14	0.03	0.12	0.033	0.05	4.0	36.8	0.47	120	2.42	0.01
ZZ14928		0.98	16.8	2.96	4.83	0.15	<0.02	0.20	0.028	0.08	3.0	25.1	0.42	237	2.97	0.01
ZZ14929		1.13	26.5	3.69	5.29	0.14	0.02	0.06	0.040	0.07	4.2	31.5	0.46	311	1.84	0.01
ZZ14930		1.30	24.1	4.01	5.26	0.14	0.02	0.02	0.041	0.10	2.6	30.9	0.46	302	1.55	0.01
ZZ14931		2.19	44.0	3.56	5.04	0.15	0.05	0.13	0.048	0.08	3.3	36.0	0.47	87	2.32	0.01
ZZ14932		1.60	41.3	4.49	5.80	0.16	0.02	0.91	0.043	0.11	4.1	32.0	0.59	487	1.08	0.01
ZZ14933		1.20	33.9	4.13	6.09	0.15	0.02	0.12	0.045	0.10	3.9	35.9	0.63	247	1.15	0.01
ZZ14934		1.05	24.8	3.92	6.11	0.15	0.03	0.07	0.042	0.08	5.1	35.4	0.60	380	0.98	0.01
ZZ14935		1.19	33.5	3.94	6.24	0.15	0.05	0.09	0.040	0.09	5.5	36.2	0.61	317	0.97	0.01
ZZ14936		0.85	30.3	3.96	5.75	0.14	0.04	0.19	0.036	0.08	4.9	36.1	0.68	273	0.89	0.01
ZZ14937		1.41	33.4	3.99	5.30	0.15	0.07	3.19	0.040	0.08	7.8	27.8	0.60	804	1.10	0.01
ZZ14938		1.17	32.3	3.49	4.52	0.15	0.05	0.92	0.032	0.08	5.8	19.0	0.49	414	1.00	0.01
ZZ14939		1.91	33.3	3.02	3.23	0.15	0.05	2.16	0.032	0.10	4.1	12.6	0.34	262	0.89	0.01
ZZ14940		1.23	26.2	7.52	3.30	0.15	0.05	0.38	0.033	0.06	3.7	12.8	0.27	1100	1.99	0.01
ZZ14941		0.70	26.2	4.05	5.25	0.15	0.05	0.13	0.036	0.07	6.6	27.5	0.64	300	0.87	0.01
ZZ14942		5.15	26.6	2.34	4.70	0.14	0.04	0.09	0.029	0.08	7.6	12.9	0.30	206	1.61	0.01
ZZ14943		3.55	101.0	1.01	2.23	0.19	0.05	0.44	0.017	0.07	20.8	4.6	0.48	148	16.10	0.01
ZZ14944		2.64	51.2	3.18	2.39	0.16	0.04	0.34	0.035	0.12	10.4	5.8	0.21	238	15.00	0.01
ZZ14945		1.27	24.5	2.35	2.50	0.14	0.04	0.26	0.027	0.07	5.9	6.9	0.32	316	3.73	0.01
ZZ14946		1.25	24.4	3.05	3.40	0.16	0.04	0.31	0.034	0.08	8.2	9.0	0.28	583	5.97	0.01
ZZ14947		0.95	24.3	2.92	4.01	0.14	0.05	0.10	0.034	0.10	6.8	15.3	0.37	460	3.04	0.01
ZZ14948		1.39	37.4	3.59	4.47	0.17	0.06	0.19	0.033	0.11	7.3	18.7	0.43	585	1.96	0.01
ZZ14949		1.57	38.2	3.53	5.15	0.15	0.07	0.33	0.041	0.11	5.7	20.1	0.46	430	1.40	0.01
ZZ14950		1.51	57.8	1.67	4.99	0.15	0.07	0.21	0.038	0.10	5.9	19.4	0.44	106	0.55	0.01
ZZ14951		2.03	32.0	4.05	3.99	0.16	0.04	0.93	0.034	0.09	5.2	19.5	0.37	624	0.94	0.01
ZZ14952		0.95	19.3	3.46	2.60	0.13	0.05	0.17	0.030	0.08	5.2	9.7	0.17	1020	0.66	0.01
ZZ14953		1.38	27.6	3.26	1.70	0.15	0.05	0.18	0.031	0.09	4.5	6.6	0.13	180	0.62	0.01
ZZ14954		1.39	22.1	2.93	2.31	0.14	0.04	0.07	0.028	0.09	6.2	11.2	0.22	218	0.62	0.01
ZZ14955		0.44	35.3	3.77	2.13	0.16	0.04	0.13	0.042	0.07	10.1	10.1	0.21	448	0.60	0.01
CC116964		2.87	31.0	3.89	3.79	0.14	0.02	0.08	0.040	0.06	5.0	23.4	0.36	383	4.41	0.01
CC116965		2.12	34.3	2.55	4.79	0.15	0.07	0.19	0.030	0.09	7.8	12.4	0.44	439	1.27	0.02
CC116966		3.90	43.9	3.04	3.62	0.15	0.12	0.48	0.043	0.12	4.4	16.5	0.35	151	1.50	0.01
CC116967		3.16	56.1	3.11	4.13	0.16	0.09	0.44	0.048	0.12	4.1	26.7	0.47	162	2.20	0.01
CC116968		0.82	30.7	4.06	5.07	0.13	0.02	0.20	0.034	0.08	3.6	29.3	0.49	322	1.80	0.01
CC116969		1.42	31.0	4.45	5.39	0.16	0.02	0.01	0.042	0.11	3.0	33.5	0.61	201	1.34	0.02
CC116970		1.34	27.1	4.32	5.04	0.16	0.02	0.03	0.042	0.09	4.3	34.8	0.58	297	1.33	0.01
CC116971		1.23	20.8	4.27	4.97	0.14	0.03	0.02	0.035	0.08	3.6	29.8	0.50	590	1.38	0.01
CC116972		1.51	28.3	4.10	5.64	0.13	0.02	0.04	0.038	0.08	5.2	36.9	0.58	940	1.19	0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 5- AUG- 2011
Account: RCM

Project: Pyramid Infill 1

CERTIFICATE OF ANALYSIS WH11141046

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
ZZ14925		0.22	27.9	780	13.6	12.7	0.003	0.07	0.53	3.2	1.8	0.5	23.0	<0.01	0.07	1.1
ZZ14926		0.29	27.4	680	10.4	15.2	0.005	0.06	0.45	3.4	1.9	0.5	21.8	<0.01	0.05	1.4
ZZ14927		0.21	32.6	410	9.4	8.5	0.003	0.03	0.49	3.0	1.9	0.4	11.5	<0.01	0.04	1.9
ZZ14928		0.13	19.7	440	13.4	9.5	0.004	0.03	0.41	3.0	1.1	0.5	14.3	<0.01	0.06	1.4
ZZ14929		0.13	34.5	460	13.9	10.4	<0.001	0.03	0.47	4.1	1.0	0.5	14.2	<0.01	0.07	2.1
ZZ14930		0.11	31.5	660	18.8	10.1	0.001	0.12	0.47	3.7	0.6	0.5	24.3	<0.01	0.05	2.1
ZZ14931		0.11	47.4	670	21.4	11.4	0.003	0.06	0.61	6.0	3.2	0.5	19.4	<0.01	0.08	2.7
ZZ14932		0.10	52.8	680	19.4	9.1	<0.001	0.01	0.48	6.2	1.0	0.5	15.0	<0.01	0.07	2.7
ZZ14933		0.19	45.3	650	16.7	10.1	0.001	0.02	0.42	5.7	0.9	0.5	17.2	<0.01	0.06	2.8
ZZ14934		0.20	34.5	790	12.5	9.9	<0.001	0.03	0.35	4.6	0.8	0.5	16.2	<0.01	0.06	2.5
ZZ14935		0.19	41.0	730	14.7	10.9	<0.001	0.03	0.39	5.6	0.9	0.5	22.6	<0.01	0.06	2.3
ZZ14936		0.15	38.2	550	16.5	7.7	<0.001	0.02	0.35	5.6	0.8	0.4	16.2	<0.01	0.05	2.7
ZZ14937		0.30	47.3	590	96.3	9.1	<0.001	0.03	1.64	6.4	0.8	0.5	28.5	<0.01	0.06	3.4
ZZ14938		0.32	31.0	580	66.3	9.0	<0.001	0.05	0.79	4.5	0.9	0.4	27.7	<0.01	0.06	2.0
ZZ14939		0.18	35.5	840	84.9	10.7	0.001	0.10	2.09	3.5	1.4	0.4	30.1	<0.01	0.05	1.0
ZZ14940		0.20	25.7	830	39.6	8.5	0.001	0.13	1.24	4.0	1.5	0.4	24.5	<0.01	0.05	1.7
ZZ14941		0.18	35.2	560	19.4	7.5	<0.001	0.02	0.37	5.3	0.8	0.5	17.6	<0.01	0.06	3.1
ZZ14942		0.66	22.7	650	14.9	11.6	<0.001	0.06	0.94	2.7	1.6	0.5	27.1	<0.01	0.05	1.8
ZZ14943		0.27	208	870	11.0	9.5	0.003	0.12	6.41	3.6	6.9	0.4	74.2	<0.01	0.06	0.8
ZZ14944		0.24	86.3	1030	25.7	9.8	0.006	0.05	2.54	5.2	1.9	0.5	32.6	<0.01	0.05	3.5
ZZ14945		0.24	30.1	890	15.6	7.2	0.006	0.12	0.95	2.5	2.4	0.3	51.5	<0.01	0.04	1.0
ZZ14946		0.25	29.0	730	21.8	8.8	0.004	0.08	1.27	4.0	2.3	0.5	42.9	<0.01	0.05	1.9
ZZ14947		0.32	28.9	630	16.5	9.7	0.004	0.07	0.91	5.0	1.6	0.6	41.7	<0.01	0.07	2.1
ZZ14948		0.30	36.3	710	23.3	9.6	0.001	0.04	0.67	5.9	1.1	0.5	31.8	<0.01	0.06	3.4
ZZ14949		0.26	32.9	580	21.5	11.1	0.001	0.05	0.48	5.5	1.3	0.6	29.5	<0.01	0.06	2.6
ZZ14950		0.25	34.1	670	19.7	11.7	0.010	0.11	0.45	5.6	1.6	0.5	29.2	<0.01	0.03	2.5
ZZ14951		0.21	38.8	710	45.0	11.3	0.003	0.07	0.74	5.9	1.6	0.5	27.1	<0.01	0.07	3.3
ZZ14952		0.31	17.7	690	31.2	10.6	<0.001	0.10	0.30	3.6	1.2	0.4	41.0	<0.01	0.04	2.4
ZZ14953		0.14	24.6	470	28.6	9.6	0.001	0.06	0.31	3.7	1.4	0.3	48.9	<0.01	0.04	1.5
ZZ14954		0.27	22.6	320	14.8	9.2	<0.001	0.03	0.34	3.9	0.7	0.4	41.8	<0.01	0.05	1.7
ZZ14955		0.13	29.2	290	29.4	4.9	<0.001	0.04	0.39	5.1	1.4	0.3	94.6	<0.01	0.11	3.9
CC116964		0.34	44.7	630	23.9	9.1	0.003	0.03	1.31	3.7	2.7	0.4	16.1	<0.01	0.08	2.0
CC116965		0.62	40.4	1150	12.3	11.6	<0.001	0.10	0.72	4.4	1.7	0.5	35.4	<0.01	0.05	1.1
CC116966		0.19	48.2	750	16.0	17.8	0.006	0.09	0.60	6.1	3.8	0.5	36.7	<0.01	0.07	1.5
CC116967		0.16	48.7	690	14.3	16.8	0.005	0.08	0.67	6.2	2.8	0.6	35.0	<0.01	0.06	1.7
CC116968		0.12	32.0	660	18.7	7.8	<0.001	0.07	0.47	3.8	0.7	0.4	21.1	<0.01	0.05	1.9
CC116969		0.10	34.2	740	21.1	9.5	<0.001	0.14	0.46	5.5	0.6	0.4	54.7	<0.01	0.05	2.6
CC116970		0.14	34.1	710	17.9	10.5	0.001	0.04	0.40	5.7	0.5	0.4	28.6	<0.01	0.07	2.8
CC116971		0.13	26.7	740	17.5	11.1	<0.001	0.04	0.31	5.0	0.7	0.4	21.0	<0.01	0.04	2.3
CC116972		0.20	49.9	650	22.4	12.2	<0.001	0.02	0.40	6.1	0.7	0.5	18.8	<0.01	0.05	3.1

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 5- AUG- 2011
Account: RCM

Project: Pyramid Infill 1

CERTIFICATE OF ANALYSIS WH11141046

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
ZZ14925		0.006	0.11	0.98	32	0.08	5.68	101	1.1
ZZ14926		0.005	0.15	1.07	38	0.10	6.57	100	1.1
ZZ14927		0.005	0.10	0.70	32	<0.05	3.86	132	1.0
ZZ14928		<0.005	0.12	0.59	34	<0.05	4.06	71	0.6
ZZ14929		<0.005	0.12	0.54	36	<0.05	4.52	105	0.7
ZZ14930		<0.005	0.13	0.37	30	<0.05	3.48	95	0.6
ZZ14931		<0.005	0.20	1.22	35	<0.05	10.80	121	1.9
ZZ14932		<0.005	0.16	0.43	36	<0.05	7.91	124	0.8
ZZ14933		<0.005	0.13	0.54	35	<0.05	7.86	114	0.7
ZZ14934		<0.005	0.11	0.64	39	0.06	6.25	99	0.8
ZZ14935		<0.005	0.12	0.77	40	0.05	8.12	110	1.2
ZZ14936		<0.005	0.09	0.53	37	<0.05	6.83	99	1.4
ZZ14937		0.006	1.16	1.74	47	0.26	10.25	228	2.1
ZZ14938		0.006	0.47	1.45	35	0.08	6.42	160	1.5
ZZ14939		<0.005	1.03	2.07	31	0.05	8.82	274	1.2
ZZ14940		<0.005	0.80	1.96	39	0.07	6.84	205	1.4
ZZ14941		<0.005	0.12	0.54	38	0.05	6.74	111	1.4
ZZ14942		0.011	0.24	0.93	47	0.21	5.20	67	1.0
ZZ14943		0.010	1.68	7.97	692	0.12	52.9	1430	2.7
ZZ14944		0.005	0.44	3.94	178	0.09	16.45	407	1.3
ZZ14945		<0.005	0.19	9.71	82	<0.05	9.08	110	1.4
ZZ14946		<0.005	0.23	3.92	65	0.05	11.85	112	1.3
ZZ14947		<0.005	0.14	2.21	31	<0.05	9.33	117	1.7
ZZ14948		0.006	0.19	1.05	42	0.05	9.58	133	2.1
ZZ14949		<0.005	0.17	1.29	42	<0.05	9.64	121	2.0
ZZ14950		<0.005	0.22	1.74	37	0.05	10.30	105	2.4
ZZ14951		<0.005	3.76	1.18	37	0.08	9.70	477	1.6
ZZ14952		<0.005	0.17	2.23	21	0.07	5.77	104	1.8
ZZ14953		<0.005	0.13	1.43	15	0.05	7.79	115	1.6
ZZ14954		0.007	0.10	0.87	20	0.06	7.81	87	1.1
ZZ14955		<0.005	0.11	0.82	20	<0.05	12.75	88	1.7
CC116964		0.010	0.18	0.69	43	0.08	5.73	139	0.8
CC116965		0.009	0.19	1.67	44	0.13	14.75	92	2.1
CC116966		<0.005	0.32	5.56	44	<0.05	17.95	121	3.0
CC116967		<0.005	0.22	3.32	36	<0.05	11.95	150	2.8
CC116968		<0.005	0.11	0.49	33	<0.05	4.31	93	0.7
CC116969		<0.005	0.12	0.47	30	<0.05	6.07	81	0.9
CC116970		<0.005	0.12	0.57	34	<0.05	7.21	92	1.1
CC116971		<0.005	0.13	0.51	33	0.05	5.43	74	0.6
CC116972		<0.005	0.15	0.59	37	0.08	7.27	111	0.8

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 5- AUG- 2011
Account: RCM

Project: Pyramid Infill 1

CERTIFICATE OF ANALYSIS WH11141046

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- TL43 Au ppm 0.001	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1
CC116973		0.34	0.001	0.11	2.05	13.4	<0.2	<10	210	1.27	0.30	0.16	0.20	14.55	29.6	32
CC116974		0.40	0.001	0.09	1.80	15.9	<0.2	<10	200	0.92	0.29	0.23	0.19	12.45	16.3	29
CC116975		0.32	0.002	0.34	1.77	530	<0.2	<10	270	0.96	0.30	0.43	0.40	17.65	13.7	29
CC116976		0.38	0.001	0.11	0.34	3780	<0.2	<10	350	0.64	0.33	0.23	4.56	4.23	18.4	12
CC116977		0.42	0.001	0.08	0.81	827	<0.2	<10	180	0.76	0.31	0.20	0.32	5.12	14.9	15
CC116978		0.40	0.002	2.00	0.79	2740	<0.2	<10	260	0.89	0.30	0.46	10.30	8.02	14.3	17
CC116979		0.32	0.001	0.16	1.73	1860	<0.2	<10	170	1.01	0.29	0.46	1.39	9.36	15.4	28
CC116980		0.32	0.001	0.33	1.32	1870	<0.2	<10	250	0.91	0.26	0.65	1.83	10.30	14.7	22
CC116981		0.36	0.001	0.48	1.43	1765	<0.2	<10	220	1.00	0.30	0.50	1.69	8.75	15.8	24
CC116982		0.46	0.001	0.11	1.76	38.1	<0.2	<10	180	1.34	0.59	0.26	0.13	13.35	19.6	29
CC116983		0.28	0.001	0.25	1.68	359	<0.2	<10	210	0.99	0.37	0.49	0.55	13.60	13.2	26
CC116984		0.38	0.001	0.33	1.08	1640	<0.2	<10	160	0.85	0.30	0.39	2.33	6.99	12.7	19
CC116985		0.36	<0.001	0.05	0.41	44.1	<0.2	<10	250	0.41	0.39	0.13	0.03	4.15	7.4	5
CC116986		0.40	<0.001	0.12	0.17	6	<0.2	<10	90	0.28	0.07	14.15	0.06	9.89	3.3	4
CC116987		0.44	0.002	0.15	0.42	38	<0.2	<10	1010	0.31	0.10	13.55	0.23	10.90	5.1	9
CC116988		0.36	0.002	0.21	1.33	21.2	<0.2	<10	590	0.84	0.35	0.35	0.26	22.3	16.5	20
CC116989		0.40	<0.001	0.12	0.34	10.7	<0.2	<10	90	0.29	0.39	0.15	0.03	6.81	4.9	5
CC116990		0.36	0.001	0.02	1.03	3.4	<0.2	<10	50	0.44	0.43	0.04	0.11	5.91	7.1	15
CC116991		0.38	0.001	0.25	1.20	13.6	<0.2	<10	210	0.99	0.32	2.13	0.12	30.4	10.4	18
CC116992		0.26	<0.001	0.12	1.49	19.3	<0.2	<10	150	0.80	0.26	2.48	0.42	27.8	12.6	21
CC116993		0.40	0.001	0.18	1.15	14.5	<0.2	<10	210	0.71	0.28	2.07	0.22	21.3	12.7	18
CC145001		0.44	0.002	0.15	1.28	41.2	<0.2	<10	340	0.77	0.26	0.96	1.08	16.25	14.0	22
CC145002		0.60	0.001	0.12	0.69	487	<0.2	<10	690	0.49	0.19	8.95	0.73	14.05	9.7	12
CC145003		0.46	0.001	0.09	1.49	88.4	<0.2	<10	1440	0.93	0.30	0.56	0.22	14.70	11.7	23
CC145004		0.42	0.002	0.16	0.72	40	<0.2	<10	590	0.61	0.15	10.15	0.81	14.20	7.3	12
CC145005		0.60	0.001	0.14	0.33	56	<0.2	<10	580	0.44	0.07	13.85	0.33	5.68	3.7	6
CC145006		0.52	0.001	0.16	0.71	11.4	<0.2	<10	250	0.79	0.33	0.68	0.27	14.15	11.1	12
CC145007		0.42	0.001	0.06	0.75	6.9	<0.2	<10	60	0.48	0.47	0.02	0.07	5.32	5.4	10
CC145008		0.26	0.001	0.16	0.71	8.4	<0.2	<10	140	0.71	0.25	3.38	0.47	22.2	8.8	11
CC142682		0.34	0.001	0.88	1.09	6.9	<0.2	<10	510	0.45	0.26	0.43	0.11	16.25	6.8	22
CC142683		0.34	<0.001	0.24	1.31	6.0	<0.2	<10	550	0.37	0.30	0.19	0.37	6.89	8.5	39
CC142684		0.44	0.001	0.83	1.50	5.9	<0.2	<10	460	0.51	0.24	0.17	0.23	8.64	6.3	54
CC142685		0.48	0.001	0.12	1.60	13.4	<0.2	<10	240	0.88	0.30	0.11	0.23	7.10	10.0	30
CC142686		0.46	0.001	0.16	1.72	22.3	<0.2	<10	350	0.91	0.31	0.35	0.20	14.95	18.1	29
CC142687		0.22	0.001	0.12	1.83	17.5	<0.2	<10	360	0.99	0.29	0.78	0.20	11.70	14.6	27
CC142688		0.40	0.002	0.07	1.94	13.5	<0.2	<10	250	0.93	0.30	0.41	0.13	11.15	13.4	31
CC142689		0.22	0.001	0.09	1.98	20.7	<0.2	<10	260	0.90	0.25	0.70	0.12	11.75	11.9	31
CC142690		0.34	0.001	0.12	1.97	22.3	<0.2	<10	250	1.07	0.30	0.47	0.23	13.10	17.3	31
CC142691		0.30	0.001	0.08	1.92	20.7	<0.2	<10	240	1.00	0.28	0.57	0.13	11.50	17.9	30
CC142692		0.26	0.001	0.15	1.90	38.8	<0.2	<10	340	1.02	0.29	0.62	0.43	14.35	16.0	29

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 5- AUG- 2011
Account: RCM

Project: Pyramid Infill 1

CERTIFICATE OF ANALYSIS WH11141046

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
CC116973		2.06	39.9	4.07	5.57	0.16	0.04	0.05	0.040	0.09	7.6	44.4	0.64	1120	1.21	0.01
CC116974		3.50	34.8	4.43	5.35	0.15	0.04	0.05	0.045	0.09	4.9	38.1	0.65	697	1.14	0.01
CC116975		2.51	37.1	3.80	5.02	0.15	0.07	10.50	0.036	0.09	8.6	31.9	0.61	441	1.01	0.01
CC116976		9.53	45.4	5.64	1.01	0.16	0.05	0.20	0.060	0.12	1.6	4.5	0.06	362	1.47	0.01
CC116977		4.57	32.4	4.02	2.83	0.16	0.04	0.12	0.036	0.12	1.9	12.4	0.26	241	1.44	0.01
CC116978		6.63	37.1	4.16	2.53	0.16	0.04	20.2	0.045	0.11	3.2	13.8	0.25	792	1.16	0.01
CC116979		1.52	44.5	4.50	5.04	0.16	0.05	0.37	0.038	0.10	4.1	30.6	0.65	522	0.83	0.01
CC116980		2.07	28.5	4.18	3.76	0.15	0.05	1.03	0.040	0.09	4.6	20.9	0.45	874	1.49	0.01
CC116981		5.18	36.7	4.36	4.32	0.15	0.05	1.67	0.040	0.11	3.7	25.7	0.47	539	1.20	0.01
CC116982		1.67	72.0	4.95	6.28	0.15	0.06	0.11	0.048	0.09	5.6	24.1	0.57	695	1.07	0.01
CC116983		1.99	36.7	4.81	5.24	0.16	0.07	0.77	0.039	0.10	5.7	24.9	0.53	408	1.18	0.01
CC116984		5.45	31.0	4.15	3.29	0.15	0.05	2.21	0.040	0.11	2.7	19.0	0.37	495	0.92	0.01
CC116985		3.42	21.0	2.17	1.40	0.13	0.03	0.71	0.024	0.14	1.9	2.1	0.09	95	0.27	<0.01
CC116986		3.27	7.1	1.65	0.39	0.13	0.04	0.69	0.007	0.05	5.7	1.1	8.62	848	0.10	0.02
CC116987		0.51	16.4	2.05	1.11	0.14	0.03	1.02	0.012	0.04	5.9	5.6	8.24	1070	0.30	0.02
CC116988		2.33	55.4	4.42	3.66	0.16	0.11	0.29	0.036	0.12	9.6	21.9	0.52	670	0.77	0.01
CC116989		2.00	16.8	2.59	1.01	0.14	<0.02	0.04	0.031	0.09	3.2	4.5	0.06	100	0.68	<0.01
CC116990		2.66	20.5	3.80	3.03	0.14	0.03	<0.01	0.028	0.08	2.9	27.2	0.21	222	0.31	<0.01
CC116991		0.84	27.9	3.76	2.50	0.17	0.09	0.11	0.037	0.07	17.1	12.5	0.20	270	0.64	0.01
CC116992		0.68	24.5	3.82	3.61	0.15	0.04	0.02	0.036	0.06	9.6	18.0	0.25	374	1.02	0.01
CC116993		0.86	39.6	3.42	3.18	0.16	0.04	0.08	0.033	0.08	8.5	21.3	0.43	525	0.69	0.01
CC145001		1.16	33.9	3.50	3.79	0.16	0.06	4.97	0.035	0.09	6.8	17.3	0.45	721	2.21	0.01
CC145002		1.03	26.0	2.95	2.04	0.14	0.03	0.69	0.029	0.06	7.5	9.0	5.60	1030	0.61	0.02
CC145003		1.38	26.7	4.79	4.12	0.16	0.05	0.27	0.041	0.06	9.1	15.0	0.46	725	1.29	0.01
CC145004		0.78	17.2	3.51	1.85	0.15	0.05	0.84	0.019	0.05	10.0	6.9	6.30	1800	0.63	0.02
CC145005		0.35	12.0	4.33	0.85	0.13	0.04	1.16	0.008	0.03	3.3	3.4	8.44	1520	1.34	0.02
CC145006		1.96	24.2	3.66	1.88	0.15	0.04	0.11	0.033	0.10	6.0	7.9	0.17	547	0.65	0.01
CC145007		1.53	31.8	2.22	1.81	0.13	0.02	0.01	0.055	0.09	2.4	8.7	0.08	87	0.37	<0.01
CC145008		0.61	25.3	3.03	1.69	0.16	0.04	0.07	0.031	0.06	8.0	8.2	0.60	597	0.55	0.01
CC142682		4.91	18.9	2.34	3.63	0.14	0.03	0.21	0.032	0.07	7.7	13.9	0.37	148	2.22	0.01
CC142683		3.39	43.9	3.39	4.04	0.14	0.02	0.05	0.044	0.09	3.4	25.1	0.37	458	1.77	0.01
CC142684		1.83	41.4	3.40	3.73	0.15	0.02	0.23	0.033	0.07	4.5	39.7	0.52	159	1.16	0.01
CC142685		1.72	40.4	4.54	5.08	<0.05	0.03	0.04	0.052	0.10	3.2	39.8	0.54	191	1.81	0.01
CC142686		1.06	43.2	4.27	5.32	<0.05	0.04	0.41	0.040	0.07	6.2	35.3	0.54	576	1.16	0.01
CC142687		0.82	37.7	3.81	5.50	<0.05	0.07	0.09	0.040	0.09	5.2	33.6	0.52	506	1.12	0.01
CC142688		0.87	32.0	4.20	5.75	<0.05	0.06	0.05	0.039	0.09	4.6	37.9	0.62	333	1.03	0.01
CC142689		0.94	22.6	3.93	5.68	0.07	0.07	0.13	0.040	0.10	5.2	36.6	0.65	537	0.96	0.01
CC142690		1.45	41.2	4.55	5.70	<0.05	0.07	0.10	0.044	0.12	5.4	35.8	0.69	409	1.07	0.01
CC142691		1.06	30.0	4.22	5.74	<0.05	0.07	0.10	0.040	0.10	4.6	36.7	0.65	621	1.00	0.01
CC142692		1.00	35.9	4.15	5.80	<0.05	0.07	0.22	0.041	0.10	6.2	33.1	0.56	1880	1.14	0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 5- AUG- 2011
Account: RCM

Project: Pyramid Infill 1

CERTIFICATE OF ANALYSIS WH11141046

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
CC116973		0.16	68.7	710	15.4	13.8	<0.001	0.02	0.45	8.2	0.9	0.5	17.4	<0.01	0.06	3.4
CC116974		0.13	49.3	730	21.4	12.4	0.001	0.02	0.47	6.4	1.1	0.4	23.5	<0.01	0.07	3.0
CC116975		0.34	48.1	740	41.4	13.0	<0.001	0.04	0.72	6.6	1.4	0.5	30.2	<0.01	0.05	2.5
CC116976		<0.05	56.9	450	24.5	12.2	0.001	0.12	2.78	7.4	0.8	0.5	53.7	<0.01	0.08	2.7
CC116977		<0.05	45.5	720	23.6	12.1	0.001	0.02	0.73	6.0	0.5	0.5	21.5	<0.01	0.06	4.0
CC116978		0.09	52.7	680	350	12.7	0.001	0.05	5.26	6.5	1.0	0.4	32.1	<0.01	0.06	3.3
CC116979		0.14	53.1	580	29.6	11.3	<0.001	0.03	1.75	6.4	0.6	0.5	20.6	<0.01	0.05	3.1
CC116980		0.12	45.0	840	84.1	10.5	<0.001	0.05	1.97	5.5	0.6	0.4	27.0	<0.01	0.06	2.9
CC116981		0.12	51.6	760	101.0	13.6	<0.001	0.06	2.25	6.7	0.7	0.5	31.5	<0.01	0.05	3.4
CC116982		0.19	37.3	410	46.3	9.7	<0.001	0.01	0.44	7.7	0.3	0.6	15.6	<0.01	0.06	5.2
CC116983		0.24	33.3	600	58.5	11.3	<0.001	0.04	0.94	6.0	0.7	0.6	20.6	<0.01	0.05	3.3
CC116984		0.07	44.3	710	76.3	12.3	0.001	0.05	1.52	6.0	0.7	0.5	26.6	<0.01	0.05	3.1
CC116985		0.07	7.0	80	55.2	8.3	<0.001	0.01	0.42	3.4	<0.2	0.5	28.5	<0.01	0.04	2.6
CC116986		<0.05	6.0	520	56.8	2.5	<0.001	0.03	0.08	2.0	0.4	<0.2	65.5	<0.01	0.03	2.6
CC116987		<0.05	12.1	340	47.7	2.3	<0.001	0.05	0.17	3.8	0.5	0.2	154.5	<0.01	0.03	2.0
CC116988		0.06	38.0	570	34.6	7.7	<0.001	0.03	0.49	7.1	0.8	0.4	36.1	<0.01	0.09	5.5
CC116989		0.05	14.3	220	33.7	6.1	0.001	0.03	0.31	2.7	0.2	0.3	24.8	<0.01	0.05	2.9
CC116990		0.11	15.8	210	8.4	8.1	<0.001	0.01	0.16	3.2	<0.2	0.4	7.3	<0.01	0.07	2.8
CC116991		0.17	25.5	260	37.5	7.1	<0.001	0.03	0.40	7.4	0.9	0.4	70.9	<0.01	0.07	5.4
CC116992		0.44	29.2	480	33.2	7.7	<0.001	0.06	0.49	3.8	0.5	0.4	202	<0.01	0.09	1.8
CC116993		0.23	32.1	560	24.5	5.8	<0.001	0.04	0.48	5.1	0.6	0.3	98.7	<0.01	0.08	2.3
CC145001		0.23	43.7	620	21.2	8.6	<0.001	0.05	0.62	5.3	1.1	0.4	33.5	<0.01	0.06	2.8
CC145002		0.13	20.3	490	114.5	5.5	<0.001	0.04	0.27	5.1	0.4	0.3	61.3	<0.01	0.05	2.3
CC145003		0.24	29.5	320	86.2	9.7	<0.001	0.02	0.34	7.0	0.3	0.5	20.8	<0.01	0.07	3.5
CC145004		0.17	16.4	530	66.0	5.5	<0.001	0.04	0.26	4.7	0.5	0.3	72.8	<0.01	0.05	1.8
CC145005		0.06	11.1	370	51.0	2.3	<0.001	0.07	0.28	2.4	0.4	<0.2	148.5	<0.01	0.03	1.1
CC145006		0.15	23.9	740	30.3	9.3	<0.001	0.04	0.30	4.0	0.6	0.3	40.5	<0.01	0.03	2.2
CC145007		0.15	16.8	100	23.0	9.5	<0.001	0.01	0.22	2.2	<0.2	0.4	9.6	<0.01	0.09	2.1
CC145008		0.18	21.8	830	20.2	6.8	<0.001	0.09	0.38	2.7	1.7	0.3	141.0	<0.01	0.06	1.0
CC142682		0.50	20.2	620	13.6	13.6	0.002	0.03	0.49	3.7	1.3	0.4	23.8	<0.01	0.06	2.4
CC142683		0.27	33.1	410	16.4	12.7	0.008	0.03	0.67	3.5	2.3	0.5	15.6	<0.01	0.06	1.5
CC142684		0.14	35.5	530	12.3	9.7	0.005	0.03	0.43	3.9	2.0	0.4	20.6	<0.01	0.04	2.0
CC142685		0.07	41.8	760	20.0	9.6	0.002	0.08	0.67	5.2	1.2	0.4	30.4	<0.01	0.05	2.9
CC142686		0.16	47.2	790	20.5	9.2	0.001	0.03	0.50	5.7	0.9	0.4	20.7	<0.01	0.05	2.9
CC142687		0.18	46.5	790	14.3	10.1	0.001	0.05	0.43	5.9	1.2	0.5	33.9	<0.01	0.04	2.3
CC142688		0.17	43.1	700	16.2	9.8	0.001	0.03	0.38	6.0	0.8	0.5	20.9	<0.01	0.03	2.9
CC142689		0.27	36.1	780	14.2	12.7	<0.001	0.03	0.33	5.6	0.6	0.5	28.6	<0.01	0.05	2.8
CC142690		0.14	47.4	750	19.1	10.5	0.001	0.04	0.42	6.6	1.2	0.5	24.0	<0.01	0.03	3.2
CC142691		0.15	44.0	690	18.2	10.0	0.001	0.04	0.37	6.0	0.9	0.5	25.8	<0.01	0.05	2.7
CC142692		0.20	44.6	790	22.0	11.3	0.001	0.05	0.45	6.1	1.0	0.5	29.9	<0.01	0.06	2.3

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 5- AUG- 2011
Account: RCM

Project: Pyramid Infill 1

CERTIFICATE OF ANALYSIS WH11141046

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
CC116973		<0.005	0.14	0.91	37	0.07	16.85	164	0.9
CC116974		<0.005	0.13	0.64	36	0.05	9.00	143	1.0
CC116975		0.007	4.62	1.93	39	0.14	14.35	203	1.7
CC116976		<0.005	48.2	1.91	30	0.07	5.49	1900	2.0
CC116977		<0.005	1.72	0.88	21	<0.05	5.70	221	1.7
CC116978		<0.005	37.7	1.03	27	0.56	9.71	2030	1.1
CC116979		<0.005	5.58	2.38	32	0.08	9.40	866	1.2
CC116980		<0.005	4.32	1.70	30	0.08	10.70	703	1.3
CC116981		<0.005	7.37	2.28	30	0.08	11.60	736	1.3
CC116982		0.006	0.15	0.79	29	<0.05	10.15	135	2.6
CC116983		<0.005	0.87	0.98	33	0.07	9.14	245	1.5
CC116984		<0.005	14.45	1.18	26	0.09	8.64	724	1.2
CC116985		<0.005	0.77	0.29	9	0.06	2.37	64	1.3
CC116986		<0.005	0.49	0.67	4	<0.05	5.57	30	1.8
CC116987		<0.005	0.39	0.83	13	<0.05	8.70	101	1.6
CC116988		<0.005	0.36	0.60	31	0.06	9.84	108	5.0
CC116989		<0.005	0.17	0.37	10	<0.05	2.90	49	0.7
CC116990		<0.005	0.05	0.38	19	<0.05	2.00	54	1.6
CC116991		<0.005	0.13	1.38	23	0.05	18.65	87	2.4
CC116992		0.005	0.12	3.25	36	0.12	8.52	86	1.5
CC116993		0.006	0.11	1.18	27	0.05	11.40	76	1.6
CC145001		0.005	0.26	1.47	42	0.06	8.90	246	1.6
CC145002		<0.005	0.34	0.90	18	0.05	8.88	302	1.1
CC145003		0.005	0.26	0.95	36	0.07	10.20	217	1.3
CC145004		0.006	0.27	1.29	17	0.08	11.85	437	1.2
CC145005		<0.005	0.50	1.15	9	0.06	9.36	165	1.3
CC145006		<0.005	0.14	1.53	20	0.05	8.45	110	2.6
CC145007		<0.005	0.07	0.34	16	<0.05	1.76	82	1.1
CC145008		<0.005	0.07	2.21	18	<0.05	11.70	106	1.3
CC142682		0.011	0.13	1.01	36	0.17	5.37	82	0.9
CC142683		0.007	0.09	0.59	41	0.07	3.96	127	0.6
CC142684		<0.005	0.08	0.85	36	<0.05	8.25	129	0.7
CC142685		<0.005	0.06	0.63	31	0.42	5.87	125	1.5
CC142686		<0.005	0.08	0.59	37	0.10	10.10	122	1.0
CC142687		<0.005	0.09	0.65	36	0.08	11.05	118	1.8
CC142688		<0.005	0.06	0.55	38	0.06	7.56	121	1.6
CC142689		<0.005	0.12	0.61	43	0.07	6.14	116	1.6
CC142690		<0.005	0.08	0.61	38	<0.05	8.88	128	2.3
CC142691		<0.005	0.07	0.57	36	<0.05	7.84	120	1.9
CC142692		<0.005	0.11	0.78	39	0.07	9.48	127	1.6

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 5- AUG- 2011
Account: RCM

Project: Pyramid Infill 1

CERTIFICATE OF ANALYSIS WH11141046

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- TL43 Au ppm 0.001	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1
CC142693		0.30	0.003	1.01	1.92	244	<0.2	<10	470	1.07	0.33	0.71	0.69	13.25	9.8	29
CC142694		0.18	0.002	0.35	1.26	61.4	<0.2	<10	380	0.83	0.22	1.52	0.63	10.55	9.6	20
CC142695		0.34	0.001	0.14	0.85	38.0	<0.2	<10	190	0.88	0.27	0.40	0.23	10.40	11.3	17
CC142696		0.28	0.001	0.20	1.08	47.0	<0.2	<10	250	0.87	0.28	0.61	0.57	13.50	13.5	18
CC142697		0.30	0.001	0.16	1.38	43.4	<0.2	<10	290	0.98	0.30	0.61	0.38	18.75	17.0	23
CC142698		0.38	0.001	0.17	1.57	45.5	<0.2	<10	300	0.92	0.32	0.58	0.30	20.3	16.3	26
CC142699		0.28	0.001	0.28	0.93	45.8	<0.2	<10	350	0.81	0.24	0.87	1.28	18.20	13.2	19
CC142700		0.42	0.001	0.23	1.48	61.4	<0.2	<10	310	1.04	0.33	0.57	1.42	21.2	18.8	28
ZZ14805		0.36	0.001	0.05	1.68	17.5	<0.2	<10	230	0.50	0.39	0.12	0.29	14.95	15.8	29
ZZ14806		0.36	0.001	0.15	1.62	15.4	<0.2	<10	430	0.88	0.28	0.30	0.51	19.55	21.3	26
ZZ14807		0.32	0.003	0.14	1.53	15.1	<0.2	<10	360	0.74	0.30	0.34	0.25	20.5	20.6	26
ZZ14808		0.28	0.002	0.11	1.40	13.1	<0.2	<10	400	0.61	0.27	0.32	0.27	15.40	13.4	24
ZZ14809		0.36	0.002	0.64	1.59	12.4	<0.2	<10	270	0.78	0.26	0.58	0.28	12.20	11.7	32
ZZ14810		0.20	0.004	2.44	1.52	9.9	<0.2	<10	570	0.91	0.24	0.68	0.58	11.80	10.4	29
ZZ14811		0.20	0.003	1.86	1.31	9.0	<0.2	<10	390	0.73	0.23	0.83	0.35	9.96	8.5	27
ZZ14812		0.32	0.002	0.90	1.52	9.5	<0.2	<10	380	0.80	0.25	0.75	0.38	9.56	10.9	34
ZZ14813		0.30	0.002	0.67	1.56	10.5	<0.2	<10	380	0.77	0.25	0.95	0.28	8.64	9.6	30
ZZ14814		0.24	0.001	0.19	1.88	20.2	<0.2	<10	270	0.92	0.29	0.51	0.31	14.30	18.5	32
ZZ14815		0.28	0.001	0.27	1.71	13.6	<0.2	<10	190	0.95	0.28	0.66	0.50	12.15	20.5	30
ZZ14816		0.30	0.001	0.31	1.72	12.9	<0.2	<10	300	0.92	0.27	0.60	0.41	12.50	17.7	31
ZZ14817		0.40	0.001	0.40	1.62	18.3	<0.2	<10	310	0.84	0.26	0.68	0.44	11.50	18.7	30
ZZ14818		0.24	0.002	0.84	1.45	96.7	<0.2	<10	280	0.79	0.23	0.84	0.33	10.90	9.9	29
ZZ14819		0.48	0.002	0.73	1.48	304	<0.2	<10	320	0.76	0.23	0.64	0.48	11.75	13.2	30
ZZ14820		0.38	0.002	0.43	1.49	72.6	<0.2	<10	240	0.63	0.22	0.68	0.40	14.50	11.6	28
ZZ14821		0.48	0.002	0.15	1.31	16.9	<0.2	<10	230	0.63	0.24	0.49	0.32	16.65	14.3	23
ZZ14822		0.62	0.001	0.13	1.22	15.0	<0.2	<10	220	0.64	0.25	0.38	0.28	17.15	11.9	22
ZZ14823		0.30	0.001	0.18	1.04	11.5	<0.2	<10	290	0.80	0.25	0.85	0.26	15.00	9.7	18
ZZ14824		0.38	0.001	0.05	1.75	14.8	<0.2	<10	180	0.64	0.29	0.23	0.14	20.1	12.1	26
ZZ14825		0.44	0.001	0.17	0.89	34.4	<0.2	<10	150	1.28	0.43	0.09	0.18	21.3	22.5	14
ZZ14826		0.34	0.008	0.48	1.51	1210	<0.2	<10	310	1.00	0.27	0.42	1.23	10.40	15.7	26
ZZ14827		0.42	0.001	0.06	0.77	44.4	<0.2	<10	690	0.57	0.33	0.42	0.75	13.20	10.6	12
ZZ14828		0.44	0.001	0.12	1.52	21.8	<0.2	<10	380	0.69	0.20	3.06	0.22	24.7	12.0	20
ZZ14829		0.28	0.001	0.29	1.64	29.1	<0.2	<10	440	0.93	0.20	3.86	0.34	24.2	9.6	21
ZZ14830		0.42	0.001	0.12	1.09	14.9	<0.2	<10	160	0.89	0.31	0.11	0.18	19.20	12.2	16
ZZ14831		0.50	0.001	0.04	1.06	16.7	<0.2	<10	80	0.57	0.34	0.04	0.14	11.60	18.3	15
ZZ14832		0.42	0.001	0.17	0.95	14.6	<0.2	<10	160	0.79	0.30	2.09	0.20	19.65	10.8	13
ZZ14833		0.30	0.001	0.12	1.25	12.1	<0.2	<10	160	0.82	0.25	2.12	0.19	23.0	8.7	17
ZZ14834		0.36	<0.001	0.07	1.54	8.9	<0.2	<10	230	0.87	0.27	1.93	0.16	21.5	9.0	20
ZZ14835		0.42	<0.001	0.05	1.87	14.5	<0.2	<10	210	0.79	0.25	0.65	0.11	21.6	11.1	24
ZZ14778		0.24	0.003	2.04	1.43	8.8	<0.2	<10	500	0.80	0.24	1.18	0.31	16.70	10.2	26

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 5- AUG- 2011
Account: RCM

Project: Pyramid Infill 1

CERTIFICATE OF ANALYSIS WH11141046

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
CC142693		5.33	41.7	3.87	5.51	<0.05	0.09	2.56	0.044	0.13	6.4	27.3	0.49	337	1.19	0.01
CC142694		1.16	34.9	2.65	3.55	<0.05	0.07	0.86	0.036	0.09	4.7	17.9	0.36	607	1.64	0.01
CC142695		1.08	26.0	3.75	2.58	<0.05	0.04	0.33	0.038	0.09	4.4	12.2	0.20	394	1.19	0.01
CC142696		1.19	28.9	3.50	3.53	<0.05	0.07	0.35	0.037	0.09	5.0	15.1	0.28	996	1.40	0.01
CC142697		1.04	46.1	3.98	4.51	<0.05	0.08	0.23	0.040	0.10	7.9	21.5	0.45	556	1.30	0.01
CC142698		0.96	44.5	4.16	4.98	<0.05	0.07	0.27	0.044	0.09	9.2	24.7	0.53	491	1.09	0.01
CC142699		1.01	38.2	3.60	2.87	<0.05	0.06	0.43	0.036	0.10	7.9	11.8	0.27	495	6.16	0.01
CC142700		1.99	53.4	4.29	4.93	<0.05	0.08	2.62	0.043	0.12	9.8	24.5	0.56	758	2.62	0.01
ZZ14805		1.96	20.9	4.32	7.85	<0.05	<0.02	0.03	0.039	0.08	6.8	26.6	0.41	677	2.55	0.01
ZZ14806		1.03	42.1	4.12	4.72	<0.05	0.03	0.10	0.037	0.08	8.7	32.6	0.58	782	1.46	0.01
ZZ14807		0.95	40.4	3.97	4.56	<0.05	0.04	0.07	0.035	0.07	8.6	32.4	0.59	706	1.21	0.01
ZZ14808		1.20	29.7	3.56	4.42	<0.05	0.03	0.06	0.033	0.06	7.1	28.1	0.50	399	1.35	0.01
ZZ14809		1.45	32.5	3.85	4.53	<0.05	0.06	0.16	0.036	0.08	5.9	35.8	0.58	324	1.68	0.01
ZZ14810		2.70	41.2	3.02	3.75	<0.05	0.09	0.40	0.040	0.10	6.6	28.6	0.41	416	1.48	<0.01
ZZ14811		2.42	33.0	2.78	3.47	<0.05	0.07	0.32	0.037	0.07	5.4	27.7	0.45	210	1.21	0.01
ZZ14812		1.25	42.7	3.13	3.86	<0.05	0.08	0.23	0.039	0.09	5.0	34.6	0.50	181	1.55	0.01
ZZ14813		1.22	39.8	3.36	4.11	<0.05	0.08	0.20	0.042	0.09	4.3	32.4	0.53	273	1.50	0.01
ZZ14814		1.10	43.7	4.25	5.45	<0.05	0.06	0.15	0.046	0.10	6.0	41.6	0.67	382	1.30	0.01
ZZ14815		1.09	38.9	4.07	4.84	<0.05	0.07	0.11	0.046	0.10	4.8	41.2	0.60	317	1.33	0.02
ZZ14816		0.93	38.6	4.01	4.92	<0.05	0.07	0.13	0.041	0.09	4.9	41.6	0.62	378	1.36	0.01
ZZ14817		1.17	38.3	4.36	4.38	<0.05	0.07	0.14	0.043	0.09	4.8	39.3	0.59	700	1.46	0.01
ZZ14818		1.39	34.7	3.22	4.04	<0.05	0.08	0.25	0.041	0.09	5.4	33.0	0.54	240	1.11	0.01
ZZ14819		1.48	37.8	3.43	4.14	<0.05	0.07	0.21	0.038	0.08	5.2	37.0	0.56	233	1.35	0.01
ZZ14820		1.28	37.3	3.57	4.53	0.14	0.09	0.19	0.037	0.08	6.3	33.0	0.57	221	1.14	0.02
ZZ14821		0.90	49.5	4.27	4.09	0.14	0.06	0.08	0.038	0.07	7.6	23.5	0.50	592	1.09	0.02
ZZ14822		0.78	49.7	4.26	4.13	0.15	0.06	0.09	0.043	0.07	7.5	19.3	0.43	325	1.12	0.02
ZZ14823		0.55	38.5	3.95	3.24	0.13	0.08	0.14	0.041	0.07	8.1	11.0	0.24	748	1.53	0.02
ZZ14824		1.22	28.0	3.96	6.38	0.13	0.03	0.02	0.036	0.06	8.7	25.7	0.40	514	1.02	0.01
ZZ14825		1.20	42.0	4.33	3.43	<0.05	<0.02	0.07	0.046	0.12	9.2	15.2	0.20	1360	1.02	<0.01
ZZ14826		3.99	38.6	4.24	4.43	<0.05	0.08	1.76	0.045	0.10	4.6	28.7	0.43	613	1.07	0.01
ZZ14827		1.97	9.9	3.57	2.59	<0.05	0.03	0.07	0.030	0.11	6.8	5.0	0.21	1030	0.48	<0.01
ZZ14828		1.00	40.3	3.74	3.97	<0.05	0.04	0.33	0.026	0.07	12.5	19.7	1.93	794	0.75	0.01
ZZ14829		0.92	22.1	3.84	3.20	<0.05	0.05	0.26	0.032	0.04	13.1	13.1	2.31	675	0.82	0.01
ZZ14830		1.34	33.0	3.94	2.73	<0.05	0.03	0.05	0.032	0.07	8.8	16.1	0.25	460	0.76	<0.01
ZZ14831		1.30	27.7	3.92	2.80	<0.05	0.03	0.01	0.033	0.07	5.0	20.9	0.22	348	0.76	<0.01
ZZ14832		0.80	29.0	3.51	2.60	<0.05	0.05	0.08	0.037	0.07	7.8	16.0	0.30	307	0.68	<0.01
ZZ14833		0.63	25.0	3.31	3.42	<0.05	0.04	0.03	0.035	0.07	9.6	16.9	0.27	259	0.56	0.01
ZZ14834		0.55	17.5	2.93	4.02	<0.05	0.04	0.03	0.036	0.08	10.1	17.4	0.27	391	0.49	0.01
ZZ14835		0.90	23.4	3.74	4.10	<0.05	0.06	0.03	0.034	0.07	10.1	24.1	0.41	312	0.73	<0.01
ZZ14778		2.70	38.0	2.93	3.57	<0.05	0.07	0.36	0.031	0.09	11.2	19.2	0.39	496	1.72	0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 5- AUG- 2011
Account: RCM

Project: Pyramid Infill 1

CERTIFICATE OF ANALYSIS WH11141046

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
CC142693		0.30	39.1	940	88.3	17.7	0.001	0.08	1.49	6.4	1.0	0.6	35.0	<0.01	0.07	2.0
CC142694		0.25	36.1	970	54.3	9.9	0.001	0.11	1.27	3.9	1.2	0.4	52.3	<0.01	0.03	1.6
CC142695		0.14	31.8	640	34.2	10.2	<0.001	0.03	0.53	5.8	0.9	0.4	26.9	<0.01	0.03	3.3
CC142696		0.16	36.3	760	29.5	11.4	0.001	0.05	0.56	5.6	1.3	0.4	29.2	<0.01	0.04	2.8
CC142697		0.22	41.7	680	26.0	9.5	0.001	0.04	0.53	6.4	1.3	0.5	28.9	<0.01	0.06	3.4
CC142698		0.34	38.6	650	25.3	9.0	<0.001	0.04	0.50	6.5	1.1	0.5	25.5	<0.01	0.05	3.7
CC142699		0.18	42.1	930	20.2	7.8	0.001	0.05	1.45	5.4	2.0	0.4	35.4	<0.01	0.03	3.2
CC142700		0.26	79.7	690	24.3	10.9	0.002	0.03	0.73	7.2	1.5	0.5	31.1	<0.01	0.07	4.6
ZZ14805		0.71	27.4	560	21.2	17.2	0.001	0.03	0.72	3.5	0.8	0.7	12.0	<0.01	0.05	1.8
ZZ14806		0.14	46.7	870	18.9	7.1	0.001	0.03	0.58	5.5	0.8	0.3	21.1	<0.01	0.04	3.3
ZZ14807		0.15	43.8	840	20.7	6.5	0.001	0.03	0.52	5.3	0.8	0.4	20.4	<0.01	0.05	3.7
ZZ14808		0.20	33.3	720	14.5	7.5	<0.001	0.02	0.48	3.9	0.9	0.4	20.0	<0.01	0.03	2.7
ZZ14809		0.20	40.4	670	14.4	9.5	0.002	0.05	0.58	5.6	1.9	0.4	26.9	<0.01	0.04	2.5
ZZ14810		0.30	52.9	760	13.9	14.1	0.004	0.07	0.78	6.1	2.8	0.4	34.4	<0.01	0.06	1.6
ZZ14811		0.29	44.5	720	13.6	12.0	0.003	0.09	0.68	4.8	2.7	0.4	38.3	<0.01	0.05	1.3
ZZ14812		0.18	42.5	560	14.4	10.3	0.004	0.08	0.53	5.4	3.6	0.4	37.0	<0.01	0.05	1.8
ZZ14813		0.17	40.1	760	13.0	9.8	0.002	0.08	0.53	5.0	2.6	0.4	45.7	<0.01	0.04	1.7
ZZ14814		0.15	53.7	740	17.5	9.7	0.002	0.04	0.46	6.7	3.0	0.4	29.6	<0.01	0.05	3.0
ZZ14815		0.15	52.3	700	18.6	13.4	0.003	0.19	0.45	5.9	4.0	0.4	57.3	<0.01	0.05	2.6
ZZ14816		0.16	50.9	680	18.1	9.7	0.004	0.09	0.45	5.9	3.8	0.4	43.0	<0.01	0.05	2.6
ZZ14817		0.14	50.3	680	17.0	9.9	0.004	0.08	0.46	5.6	3.3	0.4	42.9	<0.01	0.04	2.3
ZZ14818		0.18	42.0	710	13.8	10.5	0.006	0.10	0.43	5.4	3.8	0.4	39.4	<0.01	0.03	2.0
ZZ14819		0.18	47.3	660	15.0	10.5	0.006	0.13	0.44	5.6	4.1	0.4	32.9	<0.01	0.05	2.2
ZZ14820		0.20	37.2	730	16.4	10.8	0.005	0.07	0.36	6.2	3.9	0.4	32.1	<0.01	0.07	2.9
ZZ14821		0.19	33.6	690	22.0	8.7	<0.001	0.03	0.47	7.1	1.1	0.4	23.3	<0.01	0.08	3.6
ZZ14822		0.19	31.6	730	17.1	8.6	0.001	0.02	0.44	7.6	1.1	0.4	22.6	<0.01	0.08	4.3
ZZ14823		0.21	27.6	800	16.1	9.3	0.001	0.06	0.49	6.7	1.4	0.4	38.1	<0.01	0.08	2.1
ZZ14824		0.63	22.8	340	17.4	13.8	<0.001	0.01	0.40	4.0	0.7	0.6	14.7	<0.01	0.06	4.0
ZZ14825		0.20	32.1	240	73.0	10.3	<0.001	0.01	0.55	6.3	0.5	0.6	12.7	<0.01	0.03	6.7
ZZ14826		0.20	49.7	770	39.7	13.5	0.004	0.06	0.85	6.5	2.5	0.5	29.3	<0.01	0.04	3.2
ZZ14827		0.23	12.7	240	30.4	9.2	<0.001	0.03	0.29	3.6	<0.2	0.4	27.7	<0.01	0.08	2.0
ZZ14828		0.19	27.5	470	24.6	6.5	<0.001	0.03	0.43	5.8	0.6	0.4	50.9	<0.01	0.05	3.9
ZZ14829		0.22	23.3	880	36.2	6.8	<0.001	0.05	0.38	5.8	0.6	0.3	36.8	<0.01	0.04	1.8
ZZ14830		0.23	26.3	330	26.3	7.4	<0.001	0.03	0.41	4.2	0.5	0.3	18.8	<0.01	0.06	4.0
ZZ14831		0.23	32.3	200	27.1	8.3	<0.001	0.01	0.44	2.9	0.3	0.4	8.5	<0.01	0.04	2.9
ZZ14832		0.22	29.7	380	29.2	7.2	<0.001	0.03	0.43	4.7	0.5	0.3	95.7	<0.01	0.05	3.2
ZZ14833		0.29	23.5	470	18.3	8.0	<0.001	0.05	0.34	4.0	0.7	0.4	97.4	<0.01	0.08	1.8
ZZ14834		0.43	20.3	360	18.7	7.3	<0.001	0.03	0.31	4.3	0.6	0.5	93.6	<0.01	0.04	2.5
ZZ14835		0.24	25.8	210	19.6	9.8	<0.001	0.02	0.35	4.2	0.5	0.4	39.5	<0.01	0.06	3.6
ZZ14778		0.47	41.0	930	12.2	12.2	0.006	0.09	0.83	4.4	5.5	0.5	35.6	<0.01	0.06	1.3

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 5- AUG- 2011
Account: RCM

Project: Pyramid Infill 1

CERTIFICATE OF ANALYSIS WH11141046

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
CC142693		<0.005	2.65	1.29	45	0.14	10.30	240	2.2
CC142694		<0.005	0.63	0.77	29	0.09	10.60	122	1.7
CC142695		<0.005	0.27	0.68	27	<0.05	8.16	112	1.3
CC142696		<0.005	0.68	0.87	29	0.07	10.05	153	1.7
CC142697		<0.005	0.14	0.68	35	0.05	11.20	120	2.2
CC142698		0.006	0.16	0.86	38	0.07	10.00	133	2.0
CC142699		<0.005	0.20	1.48	67	<0.05	13.10	199	1.9
CC142700		0.006	0.38	0.90	49	0.06	11.70	367	2.8
ZZ14805		0.013	0.13	0.47	69	0.18	3.30	118	<0.5
ZZ14806		0.006	0.06	0.71	37	0.05	10.60	123	1.1
ZZ14807		0.006	0.06	0.63	36	0.06	9.73	112	1.5
ZZ14808		0.006	0.05	0.63	36	0.07	6.47	108	0.9
ZZ14809		0.005	0.06	1.30	38	0.06	9.54	124	1.9
ZZ14810		0.005	0.11	2.66	39	0.09	17.85	147	2.1
ZZ14811		0.005	0.09	1.90	34	0.06	14.40	127	1.7
ZZ14812		<0.005	0.07	3.21	36	<0.05	12.70	122	2.3
ZZ14813		<0.005	0.07	1.77	35	<0.05	9.56	122	2.2
ZZ14814		<0.005	0.06	0.93	41	<0.05	10.40	146	2.2
ZZ14815		<0.005	0.06	1.15	37	<0.05	9.74	148	2.1
ZZ14816		<0.005	0.05	1.26	37	<0.05	9.73	140	2.1
ZZ14817		<0.005	0.06	1.60	37	<0.05	10.20	140	2.0
ZZ14818		<0.005	0.08	1.71	33	<0.05	12.65	125	2.2
ZZ14819		<0.005	0.08	1.82	34	<0.05	12.05	133	2.2
ZZ14820		<0.005	0.11	1.88	36	0.05	11.70	129	2.3
ZZ14821		0.005	0.14	0.92	33	<0.05	12.05	144	1.5
ZZ14822		<0.005	0.11	0.76	37	<0.05	11.75	136	2.0
ZZ14823		<0.005	0.14	1.12	35	0.05	14.60	153	1.6
ZZ14824		0.011	0.14	0.57	45	0.18	4.33	91	1.1
ZZ14825		0.005	0.20	0.68	20	<0.05	8.67	154	<0.5
ZZ14826		<0.005	4.88	1.80	32	0.06	11.55	337	1.6
ZZ14827		0.006	0.25	0.46	22	0.15	4.53	201	0.7
ZZ14828		0.007	0.21	0.79	35	0.06	11.00	87	1.3
ZZ14829		<0.005	0.25	1.39	32	0.07	16.15	85	1.1
ZZ14830		0.006	0.15	0.56	24	0.05	6.51	82	1.3
ZZ14831		0.005	0.12	0.39	23	0.06	2.89	82	1.1
ZZ14832		0.005	0.10	0.73	20	0.06	12.35	60	1.7
ZZ14833		<0.005	0.09	1.27	26	0.06	9.94	66	1.2
ZZ14834		0.005	0.09	0.97	33	0.08	9.54	71	1.0
ZZ14835		<0.005	0.10	0.79	37	0.05	6.17	74	1.9
ZZ14778		0.006	0.19	3.59	42	0.10	21.5	87	1.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 5- AUG- 2011
Account: RCM

Project: Pyramid Infill 1

CERTIFICATE OF ANALYSIS WH11141046

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- TL43 Au ppm 0.001	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1
ZZ14779		0.30	0.002	1.18	1.89	13.7	<0.2	<10	1190	1.09	0.27	1.00	0.34	19.25	9.9	30
ZZ14780		0.36	0.002	0.36	1.87	14.3	<0.2	<10	720	0.77	0.28	0.69	0.26	19.85	10.7	32
ZZ14781		0.28	0.002	0.74	1.37	8.4	<0.2	<10	570	0.67	0.22	1.47	0.43	12.95	7.8	24
ZZ14782		0.28	0.001	0.41	1.43	9.1	<0.2	<10	410	0.69	0.21	0.76	0.32	9.25	7.5	37
ZZ14783		0.28	0.002	0.49	1.63	11.4	<0.2	<10	420	0.77	0.24	0.37	0.39	9.70	8.7	28
ZZ14784		0.26	0.001	0.19	1.63	6.9	<0.2	<10	190	0.49	0.24	0.26	0.09	6.36	4.6	25
ZZ14785		0.46	0.003	0.12	1.89	13.4	<0.2	<10	220	0.83	0.27	0.34	0.08	8.22	8.8	30
ZZ14786		0.38	0.001	0.03	1.75	18.1	<0.2	<10	110	0.72	0.30	0.13	0.13	11.15	11.3	27
ZZ14787		0.58	0.001	0.05	1.99	13.3	<0.2	<10	140	1.06	0.29	0.18	0.13	11.20	16.8	31
ZZ14788		0.42	0.001	0.22	1.76	12.2	<0.2	<10	250	0.78	0.27	0.56	0.17	6.47	8.1	27
ZZ14789		0.40	0.001	0.36	1.78	26.9	<0.2	<10	230	0.82	0.25	1.20	0.61	7.32	10.8	27
ZZ14790		0.34	0.002	0.90	1.71	208	<0.2	<10	320	1.14	0.23	1.58	4.87	11.70	13.3	25
ZZ14791		0.44	0.002	3.80	1.10	1415	<0.2	<10	180	1.10	0.19	6.08	9.20	13.20	15.2	17
ZZ14792		0.48	0.002	1.02	1.41	834	<0.2	<10	320	0.97	0.27	0.44	4.11	11.35	11.9	23
ZZ14793		0.30	<0.001	0.42	1.68	165.5	<0.2	<10	310	0.79	0.25	0.55	0.55	10.25	10.1	27
ZZ14794		0.28	0.001	0.23	1.58	99.5	<0.2	<10	210	0.77	0.24	0.65	0.36	6.48	9.7	25
ZZ14795		0.22	0.001	0.22	1.55	78.2	<0.2	<10	270	0.87	0.22	0.88	0.76	9.51	11.5	23
ZZ14796		0.38	0.001	0.16	1.58	51.6	<0.2	<10	230	0.92	0.25	0.63	0.33	11.00	12.0	25
ZZ14797		0.48	0.001	0.20	1.36	55.9	<0.2	<10	270	0.94	0.25	0.77	0.59	15.20	14.4	22
ZZ14798		0.54	<0.001	0.21	1.04	27.1	<0.2	<10	240	1.06	0.25	0.56	0.73	19.80	11.8	19
ZZ14799		0.36	0.001	0.19	1.34	56.8	<0.2	<10	230	0.95	0.27	0.65	0.36	11.20	11.6	22
ZZ14800		0.46	0.002	0.13	1.35	26.2	<0.2	<10	260	0.92	0.27	0.54	0.30	19.00	11.1	23
ZZ14501		0.44	0.001	0.20	0.45	50	<0.2	<10	350	0.50	0.16	12.20	1.84	17.60	4.3	10
ZZ14502		0.46	0.001	0.10	1.80	19.6	<0.2	<10	780	0.85	0.26	0.64	1.63	32.5	9.9	30
ZZ14503		0.48	0.001	0.15	2.02	30.8	<0.2	<10	770	1.22	0.29	1.73	0.70	34.9	11.2	31
ZZ14504		0.46	0.002	0.17	1.55	33.2	<0.2	<10	430	0.88	0.26	2.76	0.24	22.3	10.1	24
ZZ14505		0.38	0.001	0.25	0.58	15.4	<0.2	<10	370	0.73	0.34	0.72	0.18	8.75	8.4	10
ZZ14506		0.44	<0.001	0.02	1.01	8.2	<0.2	<10	130	0.45	0.31	0.17	0.07	18.40	5.6	15
ZZ14507		0.50	<0.001	0.03	1.22	10.6	<0.2	<10	120	0.73	0.28	0.67	0.10	29.9	10.7	17
ZZ14508		0.40	0.001	0.11	1.71	13.4	<0.2	<10	290	0.83	0.30	0.61	0.23	30.2	11.4	22
CC145009		0.22	0.001	1.18	1.65	8.0	<0.2	<10	1090	0.58	0.27	0.46	0.25	7.19	12.4	61
CC145010		0.36	<0.001	0.30	1.28	10.4	<0.2	<10	400	0.55	0.22	0.22	0.20	7.37	9.6	27
CC145011		0.22	0.001	0.55	1.44	13.2	<0.2	<10	530	0.60	0.28	0.37	0.17	6.58	7.0	25
CC145012		0.36	<0.001	0.05	1.53	13.9	<0.2	<10	110	0.49	0.25	0.05	0.16	11.20	13.9	26
CC145013		0.40	0.001	0.05	1.48	13.4	<0.2	<10	180	0.56	0.26	0.06	0.11	11.15	10.5	27
CC145014		0.46	0.001	0.14	1.76	11.2	<0.2	<10	210	0.60	0.25	0.08	0.13	10.20	9.7	28
CC145015		0.38	0.001	0.05	1.72	12.3	<0.2	<10	150	0.53	0.28	0.08	0.09	5.81	7.5	28
CC145016		0.32	0.001	0.29	1.78	86.0	<0.2	<10	260	0.58	0.24	3.95	0.77	21.0	6.9	23
CC145017		0.28	0.001	0.21	1.85	34.9	<0.2	<10	340	0.89	0.24	1.34	0.47	14.20	13.7	26
CC145018		0.38	0.001	0.14	2.07	60.6	<0.2	<10	260	1.07	0.28	0.39	0.37	13.80	14.4	33

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 5- AUG- 2011
Account: RCM

Project: Pyramid Infill 1

CERTIFICATE OF ANALYSIS WH11141046

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
ZZ14779		2.01	47.3	3.35	4.66	0.05	0.09	0.19	0.043	0.10	15.6	17.8	0.46	536	1.67	0.01
ZZ14780		2.11	30.2	3.45	5.70	<0.05	0.04	0.05	0.038	0.08	11.1	21.7	0.53	561	1.80	0.01
ZZ14781		1.74	28.8	2.37	4.16	<0.05	0.06	0.15	0.034	0.07	7.2	15.5	0.38	391	1.51	0.01
ZZ14782		1.06	34.3	3.24	3.97	<0.05	0.07	0.09	0.039	0.08	4.5	29.7	0.51	198	1.73	0.01
ZZ14783		1.15	40.4	4.30	4.45	<0.05	0.08	0.12	0.042	0.07	4.7	32.8	0.46	127	1.67	0.01
ZZ14784		1.26	19.7	2.95	5.39	<0.05	0.03	0.04	0.032	0.11	2.7	22.0	0.35	106	0.98	0.01
ZZ14785		1.21	26.7	4.18	5.44	<0.05	0.05	0.04	0.042	0.10	4.2	36.9	0.58	262	1.07	0.01
ZZ14786		1.03	25.6	4.05	5.83	<0.05	0.02	0.01	0.033	0.08	5.0	33.6	0.53	356	0.94	<0.01
ZZ14787		1.49	31.7	4.41	5.76	<0.05	0.02	<0.01	0.040	0.09	4.5	46.1	0.72	593	0.75	0.01
ZZ14788		2.27	27.1	4.03	5.03	<0.05	0.04	0.09	0.040	0.10	3.0	34.8	0.58	326	0.98	0.01
ZZ14789		1.23	22.7	3.72	5.36	<0.05	0.04	0.30	0.037	0.09	3.4	33.8	0.81	532	0.87	0.01
ZZ14790		1.51	42.2	3.43	4.52	<0.05	0.08	4.95	0.038	0.08	5.0	29.7	0.57	647	0.72	0.01
ZZ14791		2.92	36.0	2.99	2.98	<0.05	0.05	9.47	0.032	0.08	5.4	15.8	3.23	816	0.97	0.01
ZZ14792		3.52	32.5	4.11	3.96	<0.05	0.06	3.17	0.035	0.10	5.0	19.8	0.44	428	1.09	0.01
ZZ14793		1.94	30.4	3.89	4.88	<0.05	0.06	0.91	0.040	0.11	4.5	26.0	0.51	403	1.01	0.01
ZZ14794		1.03	22.7	3.80	4.81	<0.05	0.06	0.52	0.037	0.11	3.1	26.9	0.52	353	0.85	0.01
ZZ14795		0.90	30.4	3.31	4.04	<0.05	0.06	0.56	0.034	0.10	3.9	22.6	0.50	643	0.57	0.01
ZZ14796		1.04	27.9	3.47	4.87	<0.05	0.07	0.31	0.042	0.10	4.6	27.1	0.50	457	0.69	0.01
ZZ14797		0.92	34.4	3.86	4.19	<0.05	0.07	0.25	0.040	0.10	6.5	20.8	0.42	821	1.94	0.01
ZZ14798		0.71	30.6	3.75	3.57	<0.05	0.06	0.09	0.041	0.11	9.3	13.3	0.27	316	4.34	<0.01
ZZ14799		1.00	31.9	3.70	4.08	<0.05	0.07	0.29	0.040	0.09	5.1	18.8	0.38	496	1.74	0.01
ZZ14800		1.12	38.1	3.57	4.27	<0.05	0.05	0.10	0.037	0.10	10.5	24.4	0.43	445	0.92	<0.01
ZZ14501		0.73	15.6	1.59	1.49	<0.05	0.03	1.57	0.017	0.05	11.9	3.8	7.52	859	0.19	0.02
ZZ14502		1.27	12.9	3.92	5.23	0.05	0.06	0.28	0.032	0.08	20.1	13.8	0.65	1160	1.14	0.01
ZZ14503		1.27	19.6	5.07	5.49	0.16	0.07	0.41	0.041	0.08	27.3	13.4	1.18	1520	1.11	<0.01
ZZ14504		1.00	17.7	4.16	4.45	0.13	0.08	0.34	0.029	0.09	13.5	14.8	1.70	1060	0.88	<0.01
ZZ14505		1.24	27.9	2.99	1.72	0.11	0.07	0.15	0.037	0.09	3.6	6.1	0.13	229	0.93	<0.01
ZZ14506		1.28	13.8	2.58	3.97	0.09	<0.02	0.02	0.022	0.09	8.6	11.3	0.20	135	0.71	<0.01
ZZ14507		0.47	16.8	3.55	3.77	0.11	0.04	0.01	0.033	0.08	8.8	15.5	0.30	242	0.80	<0.01
ZZ14508		1.14	18.5	3.32	5.57	0.11	0.05	0.08	0.033	0.06	13.2	20.0	0.32	388	0.81	<0.01
CC145009		2.34	32.1	3.36	4.47	0.10	0.09	0.24	0.040	0.08	3.8	33.1	0.46	628	2.47	<0.01
CC145010		0.87	26.5	3.50	4.02	0.10	0.02	0.12	0.037	0.08	3.5	29.7	0.44	168	2.37	<0.01
CC145011		1.55	31.9	3.55	4.60	0.12	0.04	0.20	0.038	0.10	2.9	26.1	0.34	143	3.17	<0.01
CC145012		0.81	25.6	3.87	4.69	0.10	0.02	0.03	0.033	0.06	4.6	30.4	0.44	280	1.38	<0.01
CC145013		0.87	26.1	4.00	5.22	0.11	0.02	0.02	0.038	0.09	4.8	30.3	0.45	261	1.41	<0.01
CC145014		1.17	23.8	4.15	5.79	0.10	0.02	0.06	0.038	0.09	4.4	33.6	0.49	177	1.30	<0.01
CC145015		1.60	19.9	4.28	6.21	0.09	0.02	0.02	0.033	0.10	2.6	29.2	0.47	197	1.45	<0.01
CC145016		1.36	10.5	2.65	5.62	0.10	0.03	0.46	0.028	0.05	9.7	14.3	2.28	323	0.90	<0.01
CC145017		0.68	29.3	3.58	5.09	0.11	0.07	0.40	0.032	0.08	6.3	26.5	0.65	471	0.74	<0.01
CC145018		1.46	39.1	4.48	6.56	0.12	0.06	0.25	0.045	0.14	5.8	40.2	0.70	308	0.88	<0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 5- AUG- 2011
Account: RCM

Project: Pyramid Infill 1

CERTIFICATE OF ANALYSIS WH11141046

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
ZZ14779		0.46	43.2	1130	14.6	11.9	0.001	0.08	0.90	6.1	1.9	0.5	32.2	<0.01	0.06	1.5
ZZ14780		0.67	35.0	960	15.8	11.9	0.001	0.06	0.71	3.9	1.3	0.6	29.0	<0.01	0.05	1.3
ZZ14781		0.51	26.5	1150	13.0	10.5	0.004	0.11	0.58	3.4	3.1	0.5	57.6	<0.01	0.05	0.9
ZZ14782		0.20	34.8	660	11.9	9.3	0.003	0.08	0.56	4.3	1.5	0.4	39.3	<0.01	0.05	1.7
ZZ14783		0.21	40.0	820	15.6	10.2	0.010	0.12	0.61	5.2	4.7	0.5	23.5	<0.01	0.05	2.1
ZZ14784		0.11	23.9	840	14.1	11.3	<0.001	0.09	0.27	4.4	0.4	0.5	38.7	<0.01	0.05	1.5
ZZ14785		0.12	38.4	810	13.7	10.6	<0.001	0.05	0.37	5.8	0.5	0.6	31.2	<0.01	0.04	2.9
ZZ14786		0.27	36.1	460	17.4	9.5	<0.001	0.02	0.47	3.7	0.4	0.6	13.3	<0.01	0.04	2.3
ZZ14787		0.11	49.9	650	20.4	10.1	<0.001	0.02	0.43	5.6	0.6	0.5	15.7	<0.01	0.05	3.1
ZZ14788		0.12	39.9	740	15.2	12.6	0.001	0.09	0.37	5.6	1.0	0.5	47.2	<0.01	0.04	2.0
ZZ14789		0.18	39.2	760	55.6	10.6	<0.001	0.06	0.67	4.8	0.6	0.5	25.9	<0.01	0.03	1.6
ZZ14790		0.29	51.8	820	93.6	9.9	<0.001	0.07	1.77	4.9	1.1	0.5	37.3	<0.01	0.04	1.5
ZZ14791		0.21	41.4	680	1100	8.4	<0.001	0.08	5.44	4.6	0.9	0.4	59.5	<0.01	0.04	1.9
ZZ14792		0.20	40.1	560	227	10.3	<0.001	0.03	2.20	5.3	0.7	0.5	21.4	<0.01	0.03	3.1
ZZ14793		0.21	36.3	720	71.7	11.2	<0.001	0.06	0.73	5.4	0.8	0.5	26.7	<0.01	0.05	2.8
ZZ14794		0.18	32.5	740	41.4	9.1	0.001	0.06	0.57	4.8	0.5	0.6	28.0	<0.01	0.04	2.5
ZZ14795		0.18	36.3	670	42.8	9.3	<0.001	0.07	0.61	4.8	1.0	0.5	28.5	<0.01	0.04	2.3
ZZ14796		0.20	40.1	650	38.5	10.9	<0.001	0.04	0.46	5.5	0.8	0.5	23.9	<0.01	0.04	3.1
ZZ14797		0.20	42.2	790	30.0	10.0	<0.001	0.04	0.67	6.1	0.8	0.5	28.8	<0.01	0.04	3.2
ZZ14798		0.19	32.4	670	19.9	9.0	0.001	0.03	1.36	6.4	1.1	0.6	33.1	<0.01	0.04	4.5
ZZ14799		0.19	35.1	610	28.1	9.8	<0.001	0.04	0.72	5.5	0.9	0.5	26.4	<0.01	0.05	2.8
ZZ14800		0.53	32.0	450	18.2	9.7	<0.001	0.03	0.56	6.3	0.8	0.5	25.9	<0.01	0.02	3.2
ZZ14501		0.13	11.9	530	99.9	4.1	<0.001	0.04	0.33	4.0	0.4	0.4	139.5	<0.01	0.04	2.4
ZZ14502		0.90	24.1	270	93.3	11.9	<0.001	0.02	0.71	5.4	0.7	0.6	19.4	<0.01	0.04	4.9
ZZ14503		0.69	28.3	540	63.8	12.3	<0.001	0.03	0.52	8.7	1.4	0.6	26.0	<0.01	0.04	3.9
ZZ14504		0.60	25.5	450	31.2	10.6	<0.001	0.02	0.49	5.3	1.2	0.5	34.0	<0.01	0.05	3.6
ZZ14505		0.10	22.5	400	28.4	7.3	<0.001	0.04	0.30	3.6	1.0	0.4	40.9	<0.01	0.03	2.0
ZZ14506		0.71	13.1	180	11.6	13.8	<0.001	<0.01	0.25	2.3	0.5	0.5	22.5	<0.01	0.05	2.5
ZZ14507		0.63	23.8	220	26.2	9.8	<0.001	0.01	0.44	3.3	0.6	0.4	49.1	<0.01	0.05	4.1
ZZ14508		0.65	19.9	320	18.8	11.0	<0.001	0.01	0.33	4.0	0.8	0.6	37.9	<0.01	0.06	3.3
CC145009		0.24	35.1	620	13.9	15.0	0.005	0.04	0.49	4.2	2.6	0.6	26.4	<0.01	0.04	1.7
CC145010		0.13	36.1	550	12.6	7.8	0.003	0.03	0.48	3.9	1.8	0.4	16.7	<0.01	0.05	2.2
CC145011		0.11	28.0	590	17.2	13.7	0.004	0.05	0.45	6.1	1.8	0.5	22.3	<0.01	0.07	1.7
CC145012		0.20	34.2	560	16.5	9.7	0.001	0.03	0.44	3.1	1.0	0.4	10.9	<0.01	0.07	2.3
CC145013		0.23	29.4	610	17.4	10.0	0.001	0.08	0.45	3.8	0.8	0.5	31.0	<0.01	0.06	2.2
CC145014		0.17	33.9	650	17.2	12.6	0.001	0.02	0.35	4.7	0.9	0.5	15.2	<0.01	0.06	2.7
CC145015		0.15	28.4	560	17.2	13.6	<0.001	0.07	0.39	3.4	0.5	0.5	17.2	<0.01	0.04	1.6
CC145016		0.77	18.7	480	48.9	10.6	<0.001	0.03	0.55	3.0	1.1	0.6	33.6	<0.01	0.04	1.5
CC145017		0.44	34.8	680	44.4	8.9	<0.001	0.06	0.46	4.3	0.9	0.4	23.0	<0.01	0.06	1.4
CC145018		0.16	45.4	710	19.8	13.2	0.001	0.01	0.45	7.3	0.9	0.6	17.4	<0.01	0.07	3.4

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 5- AUG- 2011
Account: RCM

Project: Pyramid Infill 1

CERTIFICATE OF ANALYSIS WH11141046

Sample Description	Method Analyte Units LOR	ME- MS41 Ti % 0.005	ME- MS41 Tl ppm 0.02	ME- MS41 U ppm 0.05	ME- MS41 V ppm 1	ME- MS41 W ppm 0.05	ME- MS41 Y ppm 0.05	ME- MS41 Zn ppm 2	ME- MS41 Zr ppm 0.5
ZZ14779		0.006	0.22	2.31	49	0.15	25.5	103	1.8
ZZ14780		0.013	0.19	1.08	57	0.20	8.10	107	0.9
ZZ14781		0.006	0.17	2.24	41	0.09	13.90	80	1.4
ZZ14782		<0.005	0.12	0.98	34	0.19	8.51	115	1.6
ZZ14783		<0.005	0.15	1.09	35	<0.05	11.20	109	1.8
ZZ14784		<0.005	0.14	0.45	32	<0.05	5.49	57	<0.5
ZZ14785		<0.005	0.13	0.61	35	<0.05	8.04	99	1.3
ZZ14786		0.005	0.09	0.37	38	0.06	3.89	91	0.5
ZZ14787		<0.005	0.11	0.47	34	<0.05	8.21	114	0.5
ZZ14788		<0.005	0.12	0.54	29	<0.05	10.10	119	0.9
ZZ14789		<0.005	0.16	0.75	31	0.07	7.69	150	0.9
ZZ14790		<0.005	2.50	3.40	32	0.16	11.90	569	1.7
ZZ14791		<0.005	23.0	1.43	30	0.41	12.30	2590	0.9
ZZ14792		<0.005	5.54	1.49	34	0.12	7.84	948	1.6
ZZ14793		<0.005	0.69	0.80	34	0.06	9.12	234	1.2
ZZ14794		<0.005	0.53	0.63	31	0.05	5.55	169	1.2
ZZ14795		<0.005	1.66	0.91	30	<0.05	8.11	173	1.4
ZZ14796		<0.005	1.21	0.79	33	0.06	8.50	155	1.4
ZZ14797		<0.005	0.48	1.12	33	0.11	12.25	153	1.7
ZZ14798		<0.005	0.21	1.03	37	<0.05	12.20	172	1.7
ZZ14799		<0.005	0.57	0.90	33	<0.05	9.91	164	1.5
ZZ14800		0.010	0.21	1.00	34	0.12	11.85	109	1.2
ZZ14501		<0.005	0.58	0.79	14	0.07	8.94	1060	0.9
ZZ14502		0.027	0.23	1.03	51	0.23	10.20	876	1.6
ZZ14503		0.013	0.31	1.54	49	0.18	25.7	399	1.7
ZZ14504		0.012	0.30	0.94	39	0.16	14.10	121	2.0
ZZ14505		<0.005	0.23	0.87	17	<0.05	7.22	95	2.2
ZZ14506		0.016	0.08	0.49	37	0.14	3.48	33	<0.5
ZZ14507		0.009	0.10	0.80	31	0.15	7.08	55	1.4
ZZ14508		0.009	0.14	1.24	44	0.15	7.99	51	0.9
CC145009		<0.005	0.13	1.16	42	0.06	7.23	132	2.1
CC145010		<0.005	0.08	0.61	31	<0.05	5.50	131	1.0
CC145011		<0.005	0.22	0.99	30	<0.05	8.23	90	1.7
CC145012		<0.005	0.10	0.46	34	0.05	4.94	94	0.9
CC145013		<0.005	0.10	0.46	34	<0.05	4.15	87	0.7
CC145014		<0.005	0.15	0.53	34	0.06	5.46	88	0.7
CC145015		<0.005	0.14	0.32	36	<0.05	3.12	71	0.6
CC145016		0.016	0.28	1.60	57	0.26	5.88	120	0.8
CC145017		0.005	0.21	1.30	38	0.14	8.99	107	1.5
CC145018		<0.005	0.64	0.55	39	<0.05	10.65	164	1.8

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 5- AUG- 2011
Account: RCM

Project: Pyramid Infill 1

CERTIFICATE OF ANALYSIS WH11141046

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- TL43 Au ppm 0.001	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1
CC145019		0.30	0.002	0.31	1.95	61.5	<0.2	<10	380	0.93	0.25	0.62	0.35	16.85	13.3	29
CC145020		0.28	0.001	0.50	1.03	215	<0.2	<10	350	0.78	0.23	0.75	0.84	15.60	11.5	18
CC145021		0.34	0.004	0.25	0.90	115.0	<0.2	<10	240	0.73	0.26	0.46	0.48	10.85	19.2	17
CC145022		0.36	0.002	0.29	1.39	27.4	<0.2	<10	270	0.58	0.22	0.53	0.21	16.10	11.1	22
CC145023		0.26	0.005	1.05	1.35	26.2	<0.2	<10	570	1.00	0.26	0.71	0.42	15.65	13.4	22
CC145024		0.44	0.004	0.79	1.31	18.5	<0.2	<10	380	0.86	0.28	0.44	0.36	13.10	10.3	21
CC145025		0.38	0.001	0.31	0.62	23.7	<0.2	<10	1960	0.74	0.23	0.37	0.82	23.7	13.3	19
CC145026		0.28	0.001	0.26	0.76	26.0	<0.2	<10	840	0.60	0.19	0.89	0.60	20.2	15.9	15
CC145027		0.16	0.001	0.19	0.79	25.6	<0.2	<10	550	0.49	0.18	0.82	0.37	17.60	11.7	14
CC145028		0.22	0.001	0.20	0.90	22.6	<0.2	<10	400	0.56	0.18	1.19	0.44	18.60	10.6	15
CC145029		0.14	0.001	0.21	1.10	20.4	<0.2	<10	370	0.90	0.24	1.42	0.47	14.75	12.0	18
CC145030		0.30	0.001	0.14	1.58	18.8	<0.2	<10	240	0.99	0.32	0.71	0.24	16.50	14.5	25
CC145031		0.14	0.001	0.17	1.10	15.5	<0.2	<10	270	0.81	0.25	1.26	0.38	15.05	10.7	18
CC145032		0.30	0.001	0.14	1.02	15.9	<0.2	<10	230	0.80	0.29	1.01	0.21	14.20	11.3	18
CC145033		0.30	0.001	0.11	1.33	19.0	<0.2	<10	270	0.91	0.32	0.57	0.28	17.45	16.6	22
CC145034		0.44	0.001	0.10	1.20	26.5	<0.2	<10	430	0.90	0.31	0.53	0.52	18.50	12.3	19
ZZ14956		0.24	0.001	0.59	1.48	12.9	<0.2	<10	780	0.47	0.29	0.63	0.19	5.06	10.0	26
ZZ14957		0.36	0.001	0.10	1.32	9.6	<0.2	<10	260	0.61	0.23	0.14	0.13	6.64	5.0	24
ZZ14958		0.32	0.001	0.08	1.35	12.7	<0.2	<10	230	0.58	0.26	0.08	0.18	8.41	10.2	25
ZZ14959		0.40	0.001	0.09	1.48	11.2	<0.2	<10	220	0.65	0.25	0.08	0.15	8.41	14.4	26
ZZ14960		0.30	0.001	0.14	1.83	20.4	<0.2	<10	290	0.85	0.37	0.33	0.17	10.95	10.7	32
ZZ14961		0.34	0.001	0.09	1.54	14.7	<0.2	<10	170	0.36	0.34	0.02	0.06	6.91	6.8	29
ZZ14962		0.38	0.001	0.07	1.49	13.1	<0.2	<10	240	0.63	0.38	0.13	0.12	10.40	15.3	28
ZZ14963		0.36	0.001	0.08	1.61	10.4	<0.2	<10	200	0.56	0.40	0.15	0.09	8.47	6.6	28
ZZ14964		0.34	0.003	1.33	1.37	408	<0.2	<10	150	1.01	0.24	7.97	6.18	16.15	10.7	22
ZZ14965		0.26	0.001	0.12	2.12	138.0	<0.2	<10	170	0.62	0.33	0.31	0.66	13.60	13.7	29
ZZ14966		0.26	0.005	2.28	1.34	942	<0.2	<10	240	0.79	0.26	3.43	6.27	25.3	10.2	25
ZZ14967		0.34	0.001	4.36	0.52	970	<0.2	<10	250	0.31	0.08	14.55	28.6	8.17	4.0	9
ZZ14968		0.34	0.002	0.29	1.65	160.5	<0.2	<10	300	0.69	0.29	0.51	0.60	14.00	11.7	26
ZZ14969		0.42	0.002	0.81	1.25	615	<0.2	<10	540	0.75	0.29	0.56	1.91	13.35	15.5	24
ZZ14970		0.32	0.001	1.42	1.28	149.5	<0.2	<10	1010	0.40	0.29	0.92	0.54	12.70	9.5	23
ZZ14971		0.22	0.004	1.00	0.43	20.4	<0.2	<10	870	0.28	0.22	1.36	0.30	4.74	2.1	11
ZZ14972		0.44	0.002	0.33	0.44	17.7	<0.2	<10	430	0.45	0.31	0.25	0.46	5.80	6.5	12
ZZ14973		0.32	0.001	0.95	0.46	28.8	<0.2	<10	730	0.78	0.32	0.53	2.57	18.20	12.9	24
ZZ14974		0.24	0.001	0.18	1.21	25.9	<0.2	<10	410	0.69	0.27	0.57	0.30	22.3	16.0	22
ZZ14975		0.28	<0.001	0.29	0.71	28.6	<0.2	<10	610	0.82	0.37	0.79	1.24	37.1	13.9	14
ZZ14976		0.40	0.001	0.06	1.68	20.7	<0.2	<10	220	0.90	0.35	0.33	0.22	19.85	13.6	26
ZZ14977		0.26	0.001	0.19	2.12	19.7	<0.2	<10	410	1.41	0.32	0.44	0.14	24.7	13.0	31
ZZ14978		0.34	0.003	0.09	1.36	10.4	<0.2	<10	330	1.29	0.41	0.40	0.11	11.95	19.1	28
ZZ14979		0.42	0.002	0.07	1.71	41.0	<0.2	<10	310	1.13	0.41	0.46	0.28	14.70	17.4	27

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 5- AUG- 2011
Account: RCM

Project: Pyramid Infill 1

CERTIFICATE OF ANALYSIS WH11141046

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
CC145019		1.06	41.2	4.22	5.50	0.11	0.06	0.66	0.034	0.09	8.9	30.5	0.67	488	0.93	<0.01
CC145020		6.37	24.2	3.39	3.22	0.11	0.05	3.78	0.033	0.09	6.6	14.6	0.33	304	2.02	<0.01
CC145021		1.35	21.4	4.22	2.89	0.10	0.05	1.11	0.036	0.08	4.1	10.9	0.24	784	1.07	<0.01
CC145022		1.52	22.3	3.18	5.18	0.11	0.03	0.13	0.031	0.07	6.9	27.3	0.54	212	0.94	<0.01
CC145023		31.4	54.2	3.36	4.32	0.10	0.10	0.34	0.041	0.11	6.8	22.0	0.41	435	2.07	<0.01
CC145024		30.0	55.4	3.25	4.23	0.12	0.06	0.36	0.040	0.12	5.8	19.3	0.38	243	1.85	<0.01
CC145025		5.24	40.5	3.71	2.19	0.14	0.05	0.09	0.041	0.15	9.9	3.2	0.10	316	7.06	<0.01
CC145026		3.35	21.1	3.43	2.65	0.12	0.05	0.16	0.036	0.11	7.6	6.9	0.19	670	5.93	<0.01
CC145027		2.37	16.0	3.24	2.94	0.10	0.04	0.13	0.034	0.11	6.5	7.7	0.19	604	5.41	<0.01
CC145028		1.66	17.6	2.76	2.94	0.11	0.07	0.17	0.031	0.11	7.1	10.6	0.26	454	3.24	<0.01
CC145029		1.92	31.4	3.19	3.13	0.12	0.05	0.13	0.050	0.11	6.2	11.3	0.29	575	2.10	<0.01
CC145030		1.78	24.0	3.55	5.64	0.12	0.06	0.09	0.037	0.10	6.8	24.2	0.45	461	1.52	<0.01
CC145031		1.66	26.3	2.79	3.67	0.12	0.06	0.12	0.034	0.11	5.9	14.9	0.32	447	1.45	<0.01
CC145032		1.67	27.4	3.17	3.53	0.11	0.06	0.09	0.036	0.10	5.4	13.5	0.31	340	1.56	<0.01
CC145033		1.45	30.4	4.13	4.57	0.10	0.05	0.11	0.040	0.13	6.9	22.7	0.45	553	1.28	<0.01
CC145034		2.49	21.9	4.00	3.68	0.11	0.05	0.22	0.038	0.11	8.4	13.7	0.30	1080	0.74	<0.01
ZZ14956		1.22	26.0	3.87	4.69	0.10	0.05	0.17	0.035	0.10	2.4	16.1	0.39	630	5.34	<0.01
ZZ14957		0.85	21.8	3.21	4.46	0.09	<0.02	0.06	0.034	0.09	2.9	26.9	0.38	85	2.12	<0.01
ZZ14958		0.84	34.8	3.78	4.55	0.09	0.02	0.04	0.036	0.08	3.7	23.6	0.36	204	2.28	<0.01
ZZ14959		1.00	27.8	3.85	4.77	0.10	0.02	0.06	0.035	0.08	3.7	32.7	0.43	320	1.75	<0.01
ZZ14960		2.19	41.0	4.23	5.64	<0.05	0.03	0.08	0.052	0.12	3.8	35.5	0.52	233	1.28	0.01
ZZ14961		2.47	27.5	4.56	5.38	<0.05	0.03	0.02	0.045	0.14	3.0	21.1	0.39	135	1.91	0.01
ZZ14962		1.72	30.6	4.57	4.64	<0.05	0.02	0.02	0.047	0.16	3.9	27.9	0.50	482	1.50	0.02
ZZ14963		2.46	21.9	4.13	5.89	<0.05	0.02	0.02	0.037	0.12	3.5	28.9	0.48	145	1.66	0.01
ZZ14964		1.35	18.4	2.60	3.45	<0.05	0.07	1.59	0.031	0.07	7.7	11.8	4.36	863	1.12	0.02
ZZ14965		1.33	22.9	4.33	6.21	<0.05	0.03	0.66	0.035	0.06	5.5	31.4	0.54	361	1.66	<0.01
ZZ14966		1.55	23.2	2.94	3.84	<0.05	0.04	8.82	0.032	0.07	13.4	12.5	1.82	789	1.52	0.02
ZZ14967		0.55	9.4	1.02	1.40	<0.05	0.03	20.1	0.009	0.03	4.0	5.1	8.60	791	0.52	0.02
ZZ14968		1.06	30.4	4.01	4.56	<0.05	0.05	2.25	0.033	0.06	6.3	25.5	0.68	371	0.97	0.01
ZZ14969		2.94	36.7	3.90	3.79	<0.05	0.05	6.22	0.039	0.09	5.5	15.5	0.37	591	1.30	0.01
ZZ14970		3.45	18.0	3.06	4.58	<0.05	0.02	0.58	0.032	0.06	5.9	20.9	0.40	289	2.61	0.01
ZZ14971		8.71	14.3	1.03	2.10	<0.05	0.04	0.34	0.035	0.09	2.4	1.8	0.07	50	2.10	0.01
ZZ14972		25.5	62.5	1.81	2.31	<0.05	0.02	0.10	0.040	0.12	2.9	1.1	0.04	74	4.29	<0.01
ZZ14973		7.07	76.0	3.27	1.72	<0.05	0.12	0.14	0.036	0.15	7.4	1.8	0.17	232	11.35	0.01
ZZ14974		1.74	29.3	3.51	4.07	0.05	0.04	0.60	0.035	0.09	8.8	15.6	0.40	855	6.44	0.01
ZZ14975		2.07	40.3	3.40	2.45	0.06	0.04	0.16	0.035	0.17	14.7	6.0	0.16	287	11.10	0.01
ZZ14976		2.19	29.4	4.01	5.82	<0.05	0.04	0.07	0.043	0.08	8.6	29.4	0.49	462	1.25	0.01
ZZ14977		3.04	25.6	4.08	6.40	0.06	0.04	0.11	0.046	0.10	13.7	36.1	0.51	439	0.75	0.01
ZZ14978		2.21	39.1	3.90	4.82	<0.05	0.05	0.11	0.032	0.13	4.9	16.3	0.41	758	0.71	0.01
ZZ14979		1.74	37.1	4.29	5.83	<0.05	0.06	0.09	0.045	0.10	4.8	25.7	0.48	918	1.47	0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 5- AUG- 2011
Account: RCM

Project: Pyramid Infill 1

CERTIFICATE OF ANALYSIS WH11141046

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
CC145019		0.31	39.3	670	39.4	10.5	<0.001	0.03	0.55	6.3	1.5	0.5	21.1	<0.01	0.05	2.4
CC145020		0.33	28.4	890	74.2	12.3	<0.001	0.03	0.99	5.1	1.1	0.4	30.8	<0.01	0.06	3.0
CC145021		0.16	29.6	730	78.1	10.9	<0.001	0.02	0.59	5.5	0.9	0.4	22.5	<0.01	0.04	3.4
CC145022		0.37	24.9	400	18.8	9.5	<0.001	0.03	0.48	3.8	0.9	0.4	18.5	<0.01	0.05	2.2
CC145023		0.33	40.1	720	18.0	18.9	0.001	0.03	0.96	5.8	2.4	0.5	30.0	0.01	0.08	3.3
CC145024		0.20	38.6	670	16.3	20.3	0.001	0.02	0.99	6.5	2.6	0.5	25.6	<0.01	0.08	4.0
CC145025		0.10	45.3	1500	19.4	13.0	0.002	0.07	1.43	6.6	2.1	0.5	99.6	<0.01	0.04	7.8
CC145026		0.20	29.6	1240	19.8	11.5	0.001	0.05	1.10	4.6	1.5	0.4	54.5	<0.01	0.04	4.3
CC145027		0.23	21.2	1030	21.0	10.7	0.002	0.03	0.92	3.3	1.2	0.4	38.2	<0.01	0.03	4.0
CC145028		0.25	21.4	1020	22.4	10.1	0.002	0.06	0.82	3.9	1.4	0.4	42.2	<0.01	0.03	3.0
CC145029		0.31	28.4	770	21.0	9.6	0.003	0.07	0.88	4.2	1.7	0.5	38.6	0.01	0.05	2.3
CC145030		0.38	30.9	570	21.7	12.2	0.001	0.03	0.47	5.8	1.1	0.6	25.8	<0.01	0.05	3.7
CC145031		0.30	23.4	710	18.1	11.0	0.001	0.06	0.52	4.6	0.7	0.5	39.7	<0.01	0.05	2.9
CC145032		0.26	23.8	610	19.4	10.2	0.002	0.05	0.51	4.8	1.1	0.5	37.8	<0.01	0.06	2.9
CC145033		0.32	29.7	520	26.5	13.7	0.001	0.03	0.37	5.9	1.1	0.6	35.0	<0.01	0.05	4.1
CC145034		0.36	21.1	420	31.8	11.8	<0.001	0.03	0.37	5.7	0.9	0.5	42.1	<0.01	0.06	2.8
ZZ14956		0.17	17.4	1040	14.7	15.4	0.004	0.09	0.45	3.7	1.9	0.6	20.8	<0.01	0.06	1.1
ZZ14957		0.14	18.9	440	14.1	9.7	0.001	0.04	0.35	3.6	0.7	0.5	18.2	<0.01	0.05	1.8
ZZ14958		0.14	34.4	510	15.0	8.7	0.002	0.03	0.44	3.6	1.3	0.4	11.5	<0.01	0.06	1.6
ZZ14959		0.12	36.4	550	15.3	9.6	0.001	0.03	0.38	4.2	1.1	0.4	15.9	<0.01	0.05	2.1
ZZ14960		0.15	41.0	990	25.7	10.8	0.001	0.13	0.47	6.8	0.8	0.5	72.1	<0.01	0.06	2.5
ZZ14961		0.16	22.8	1130	24.3	13.3	<0.001	0.25	0.50	3.9	0.3	0.5	23.7	<0.01	0.06	2.4
ZZ14962		0.08	37.1	760	31.5	12.0	<0.001	0.30	0.38	5.9	0.6	0.4	32.8	<0.01	0.04	3.2
ZZ14963		0.13	25.7	560	24.8	12.0	<0.001	0.15	0.37	4.6	0.6	0.5	25.4	<0.01	0.04	2.3
ZZ14964		0.20	25.5	690	166.5	8.1	<0.001	0.07	4.51	3.8	1.0	0.5	89.5	<0.01	0.03	0.9
ZZ14965		0.31	32.9	330	74.0	12.4	<0.001	0.02	0.84	4.3	0.4	0.6	13.6	<0.01	0.04	2.2
ZZ14966		0.50	27.1	660	315	7.8	<0.001	0.06	4.39	3.6	0.7	0.5	45.9	<0.01	0.04	1.1
ZZ14967		0.25	9.3	260	365	3.6	<0.001	0.03	13.15	1.8	0.6	0.2	100.0	<0.01	0.01	0.8
ZZ14968		0.24	34.4	530	50.7	6.2	<0.001	0.02	0.89	5.1	0.7	0.4	15.3	<0.01	0.06	2.6
ZZ14969		0.12	36.2	750	174.5	9.4	0.001	0.03	1.68	6.7	0.9	0.5	26.3	<0.01	0.06	3.0
ZZ14970		0.61	25.9	840	71.9	8.7	0.002	0.05	1.39	2.9	1.6	0.5	32.9	<0.01	0.05	1.8
ZZ14971		0.16	16.1	430	12.7	10.4	0.002	0.08	1.59	3.6	4.1	0.4	51.6	<0.01	0.07	0.6
ZZ14972		0.12	45.0	540	22.0	13.6	0.002	0.05	2.26	2.4	2.2	0.5	43.0	<0.01	0.10	0.8
ZZ14973		0.05	48.4	1160	30.3	10.8	0.007	0.07	3.97	7.2	1.9	0.5	59.7	<0.01	0.04	7.1
ZZ14974		0.23	29.1	1030	24.9	10.2	0.002	0.03	0.91	5.7	1.3	0.5	25.2	<0.01	0.04	4.0
ZZ14975		0.14	40.3	2890	28.0	10.5	0.002	0.03	1.97	5.9	2.6	0.4	52.1	<0.01	0.06	9.4
ZZ14976		0.59	30.7	470	23.4	11.3	<0.001	0.02	0.40	6.4	0.8	0.7	15.3	<0.01	0.05	4.1
ZZ14977		0.44	32.1	600	17.8	13.6	<0.001	0.03	0.23	14.8	1.1	0.8	15.2	<0.01	0.07	4.9
ZZ14978		0.77	28.4	380	25.5	13.5	<0.001	0.02	0.42	6.6	0.4	0.9	16.2	<0.01	0.04	5.5
ZZ14979		0.38	33.8	460	34.6	12.1	<0.001	0.03	0.47	5.8	0.7	0.7	22.4	<0.01	0.07	3.2

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 5- AUG- 2011
Account: RCM

Project: Pyramid Infill 1

CERTIFICATE OF ANALYSIS WH11141046

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
CC145019		0.005	0.32	1.23	42	0.08	12.85	141	1.7
CC145020		<0.005	0.51	1.16	35	0.10	11.10	232	1.4
CC145021		<0.005	0.36	0.52	30	0.05	7.12	155	1.3
CC145022		0.007	0.13	0.44	46	0.07	4.51	90	1.1
CC145023		<0.005	0.38	1.04	45	0.10	18.35	137	2.1
CC145024		<0.005	0.44	1.22	41	<0.05	13.70	153	1.7
CC145025		<0.005	0.36	2.25	59	<0.05	15.70	218	3.1
CC145026		<0.005	0.28	1.83	48	0.05	10.75	158	1.7
CC145027		<0.005	0.23	1.34	48	0.05	6.80	122	1.2
CC145028		<0.005	0.19	1.25	39	<0.05	9.60	120	1.7
CC145029		<0.005	0.21	1.21	35	0.07	10.30	102	1.7
CC145030		0.005	0.16	1.01	32	0.05	10.05	115	2.0
CC145031		<0.005	0.16	0.97	29	<0.05	8.78	99	1.9
CC145032		<0.005	0.14	0.94	29	<0.05	7.53	97	1.7
CC145033		0.005	0.16	0.76	31	<0.05	9.95	130	1.9
CC145034		0.007	0.26	0.90	27	0.09	8.80	183	1.2
ZZ14956		<0.005	0.20	0.92	43	<0.05	4.54	72	1.2
ZZ14957		<0.005	0.11	0.57	31	<0.05	3.44	77	0.5
ZZ14958		<0.005	0.11	0.54	36	<0.05	6.11	120	0.5
ZZ14959		<0.005	0.12	0.52	31	<0.05	6.16	110	0.6
ZZ14960		<0.005	0.13	0.63	38	<0.05	10.35	120	0.8
ZZ14961		<0.005	0.16	0.52	33	<0.05	1.66	71	1.0
ZZ14962		<0.005	0.23	0.54	29	<0.05	5.66	104	1.1
ZZ14963		<0.005	0.19	0.43	33	<0.05	4.21	70	0.6
ZZ14964		<0.005	1.03	1.17	36	0.60	10.40	547	1.5
ZZ14965		<0.005	0.50	0.47	54	0.21	3.70	185	0.9
ZZ14966		0.014	6.58	1.22	39	0.96	11.40	1030	0.8
ZZ14967		0.009	7.71	1.83	19	0.28	4.10	2260	0.6
ZZ14968		0.007	0.44	0.65	38	0.07	6.73	252	1.2
ZZ14969		<0.005	1.00	0.73	38	0.10	10.30	404	1.4
ZZ14970		0.011	0.50	1.13	53	0.16	4.87	170	0.8
ZZ14971		<0.005	0.28	0.94	35	<0.05	3.55	93	1.3
ZZ14972		<0.005	0.23	0.65	51	<0.05	4.91	219	0.5
ZZ14973		<0.005	0.55	1.91	70	<0.05	9.97	378	5.6
ZZ14974		<0.005	0.18	1.27	52	0.05	9.48	137	1.2
ZZ14975		<0.005	0.23	2.49	43	0.05	19.00	188	2.2
ZZ14976		0.010	0.13	0.57	39	0.19	5.74	108	1.1
ZZ14977		0.006	0.13	0.95	33	0.07	18.55	91	0.9
ZZ14978		0.013	0.12	0.78	25	0.31	7.40	87	1.3
ZZ14979		0.006	0.16	0.67	33	0.06	5.88	125	1.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 5- AUG- 2011
Account: RCM

Project: Pyramid Infill 1

CERTIFICATE OF ANALYSIS WH11141046

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- TL43 Au ppm 0.001	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1
ZZ14980		0.32	0.001	0.04	2.14	9.0	<0.2	<10	190	1.13	0.65	0.29	0.08	13.50	17.2	38
ZZ14981		0.30	0.001	0.14	1.21	5.9	<0.2	<10	170	1.03	0.49	0.70	0.12	13.50	8.7	20
ZZ14982		0.50	0.003	0.06	1.45	13.8	<0.2	<10	240	1.01	0.37	0.40	0.18	13.55	13.0	24
ZZ14983		0.34	0.001	0.07	1.55	12.3	<0.2	<10	250	0.96	0.42	0.34	0.16	16.25	13.2	26
ZZ14984		0.40	0.001	0.09	1.35	13.8	<0.2	<10	520	0.78	0.33	0.76	0.42	14.00	14.1	21
ZZ14985		0.26	0.002	0.05	2.32	17.5	<0.2	<10	190	1.00	0.34	0.08	0.30	24.7	13.6	32
ZZ14986		0.42	0.002	0.15	1.36	21.9	<0.2	<10	310	0.73	0.30	1.79	0.28	24.7	17.1	20

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 5- AUG- 2011
Account: RCM

Project: Pyramid Infill 1

CERTIFICATE OF ANALYSIS WH11141046

Sample Description	Method Analyte Units LOR	ME- MS41 Cs ppm 0.05	ME- MS41 Cu ppm 0.2	ME- MS41 Fe % 0.01	ME- MS41 Ga ppm 0.05	ME- MS41 Ge ppm 0.05	ME- MS41 Hf ppm 0.02	ME- MS41 Hg ppm 0.01	ME- MS41 In ppm 0.005	ME- MS41 K % 0.01	ME- MS41 La ppm 0.2	ME- MS41 Li ppm 0.1	ME- MS41 Mg % 0.01	ME- MS41 Mn ppm 5	ME- MS41 Mo ppm 0.05	ME- MS41 Na % 0.01
ZZ14980		2.27	35.5	4.06	8.63	<0.05	0.06	0.03	0.048	0.10	5.7	26.8	0.63	228	0.48	0.01
ZZ14981		1.23	30.6	3.56	3.95	<0.05	0.06	0.07	0.050	0.10	5.4	10.4	0.26	330	0.60	0.01
ZZ14982		1.34	27.9	3.80	5.08	<0.05	0.04	0.05	0.039	0.09	5.5	22.0	0.43	404	1.08	0.01
ZZ14983		1.33	24.2	3.82	5.26	<0.05	0.05	0.06	0.040	0.10	6.2	24.6	0.49	458	0.67	0.01
ZZ14984		2.13	22.9	3.46	4.25	<0.05	0.06	0.11	0.034	0.11	5.3	19.5	0.35	927	0.78	0.01
ZZ14985		2.17	15.0	4.12	6.48	<0.05	0.07	0.08	0.043	0.07	11.5	29.4	0.39	366	1.71	0.01
ZZ14986		1.08	59.5	4.14	3.77	<0.05	0.07	0.65	0.031	0.10	10.2	21.1	0.94	631	0.76	0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 5- AUG- 2011
Account: RCM

Project: Pyramid Infill 1

CERTIFICATE OF ANALYSIS WH11141046

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
ZZ14980		0.33	33.0	260	22.5	12.1	<0.001	0.01	0.18	5.9	0.2	1.0	19.5	<0.01	0.05	4.1
ZZ14981		0.19	16.3	580	21.7	10.8	0.001	0.06	0.22	6.2	0.4	0.7	33.3	<0.01	0.03	2.7
ZZ14982		0.33	28.7	440	21.3	10.3	<0.001	0.03	0.33	5.4	0.3	0.6	24.2	<0.01	0.06	3.3
ZZ14983		0.37	27.4	340	25.1	9.5	<0.001	0.02	0.24	5.1	0.3	0.7	19.0	<0.01	0.05	5.0
ZZ14984		0.44	24.2	630	27.0	11.9	<0.001	0.05	0.30	5.3	0.3	0.6	29.3	<0.01	0.06	2.2
ZZ14985		1.28	28.8	330	24.8	14.5	<0.001	0.02	0.65	4.2	0.4	0.8	12.1	<0.01	0.05	4.6
ZZ14986		0.13	33.8	610	26.2	5.9	<0.001	0.03	0.46	7.0	0.8	0.3	52.7	<0.01	0.05	4.3

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 5- AUG- 2011
Account: RCM

Project: Pyramid Infill 1

CERTIFICATE OF ANALYSIS WH11141046

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
ZZ14980		0.006	0.10	0.51	34	<0.05	5.56	116	1.9
ZZ14981		<0.005	0.09	0.86	27	0.05	10.30	92	1.4
ZZ14982		0.005	0.11	0.53	32	0.05	5.78	110	1.0
ZZ14983		0.007	0.11	0.57	27	0.05	5.53	133	1.3
ZZ14984		0.008	0.20	0.73	28	0.09	7.98	147	1.4
ZZ14985		0.020	0.21	0.71	59	0.25	3.94	186	2.3
ZZ14986		0.006	0.18	0.61	34	0.41	12.15	130	2.7

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 5- AUG- 2011
Account: RCM

Project: Pyramid Infill 1

CERTIFICATE OF ANALYSIS WH11141046

Method	CERTIFICATE COMMENTS
ME- MS41	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown.
ME- MS41	Gold determinations by this method are semi- quantitative due to the small sample weight used (0.5g).

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 5- AUG- 2011
Account: RCM

CERTIFICATE WH11141047

Project: Pyramid Ext

P.O. No.:

This report is for 191 Soil samples submitted to our lab in Whitehorse, YT, Canada on 23- JUL- 2011.

The following have access to data associated with this certificate:

ROB CARNE JULIA LANE	ANDREW CARNE JOAN MARIACHER	MATT DUMALA

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
SCR- 41	Screen to - 180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- TL43	Trace Level Au - 25g AR	ICP- MS
ME- MS41	51 anal. aqua regia ICPMS	

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 5- AUG- 2011
Account: RCM

Project: Pyramid Ext

CERTIFICATE OF ANALYSIS WH11141047

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- TL43 Au ppm 0.001	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1
CC142801		0.46	0.001	0.14	1.34	9.5	<0.2	<10	250	0.54	0.21	0.15	0.22	12.65	13.8	26
CC142802		0.32	0.001	0.09	1.67	15.4	<0.2	<10	230	0.96	0.34	0.20	0.27	8.39	20.4	27
CC142803		0.34	0.001	0.10	1.58	12.3	<0.2	<10	190	0.84	0.30	0.14	0.19	8.58	17.9	28
CC142804		0.32	0.001	0.13	1.81	11.1	<0.2	<10	250	0.80	0.34	0.17	0.19	8.06	12.2	29
CC142805		0.38	0.002	0.53	1.79	11.1	<0.2	<10	310	0.81	0.31	0.41	0.26	7.92	12.1	30
CC142806		0.40	0.001	0.31	1.93	8.7	<0.2	<10	270	0.86	0.32	0.32	0.26	9.99	16.3	33
CC142807		0.32	0.002	0.71	0.80	21.1	<0.2	<10	490	0.49	0.16	3.08	0.93	8.02	7.4	20
CC142808		0.24	0.001	0.51	0.89	34.0	<0.2	<10	410	0.41	0.17	2.41	1.72	14.90	6.7	23
CC142809		0.10	0.001	0.28	1.08	41.1	<0.2	<10	600	0.46	0.17	3.63	1.93	13.05	6.3	16
CC142810		0.22	0.001	0.23	1.20	36.9	<0.2	<10	500	0.71	0.20	2.36	1.66	18.50	8.9	22
CC142811		0.10	0.001	0.33	0.53	22.7	<0.2	<10	450	0.33	0.08	5.03	2.13	7.17	4.2	8
CC142812		0.20	0.001	0.28	1.43	117.5	<0.2	<10	360	0.79	0.21	1.17	2.72	17.90	9.8	27
CC142813		0.22	0.001	0.09	1.43	101.0	<0.2	<10	300	0.43	0.24	0.62	1.83	20.4	7.6	25
CC142814		0.20	0.002	0.76	1.46	165.5	<0.2	<10	330	1.06	0.20	1.88	1.66	14.65	8.1	30
CC142815		0.18	0.001	0.39	1.80	122.0	<0.2	<10	560	0.80	0.27	1.02	1.19	21.2	9.4	28
CC142816		0.28	0.002	0.25	1.93	90.6	<0.2	<10	340	0.80	0.27	0.70	0.44	31.4	10.6	32
CC142817		0.30	0.003	0.31	1.52	32.3	<0.2	<10	460	0.64	0.24	0.67	0.69	33.1	11.1	30
CC142818		0.34	0.003	0.71	1.19	40.7	<0.2	<10	680	0.66	0.20	1.36	0.78	20.5	8.4	27
CC142819		0.32	0.001	0.17	1.65	22.8	<0.2	<10	580	0.45	0.29	0.80	0.21	24.3	8.8	30
CC142820		0.16	0.003	1.90	0.45	15.0	<0.2	<10	1210	0.44	0.15	1.40	0.37	7.95	3.8	18
CC142821		0.42	0.001	0.88	0.75	32.7	<0.2	<10	1350	0.52	0.18	0.38	0.70	7.64	4.5	19
CC142822		0.30	0.001	0.59	0.76	28.5	<0.2	<10	160	0.17	0.22	0.02	0.17	13.55	4.0	16
CC142823		0.36	0.001	1.21	0.58	33.0	<0.2	<10	2140	0.65	0.18	0.75	1.25	8.73	6.7	21
CC142824		0.24	0.002	0.99	0.67	31.9	<0.2	<10	600	0.38	0.24	0.02	0.26	4.23	5.8	27
CC142825		0.28	0.003	0.62	1.59	21.2	<0.2	<10	2450	0.55	0.23	0.12	0.43	20.6	5.8	22
CC142826		0.32	0.001	0.63	0.65	13.4	<0.2	<10	300	0.11	0.27	0.03	0.07	19.80	2.6	11
CC142827		0.28	0.003	0.60	0.93	16.8	<0.2	<10	760	0.40	0.24	0.03	0.24	11.60	4.6	15
CC142828		0.30	0.003	0.52	1.02	10.9	<0.2	<10	500	0.37	0.29	0.04	0.45	16.55	4.5	16
CC142829		0.30	0.004	0.90	0.96	9.6	<0.2	<10	280	0.45	0.27	0.03	0.32	14.45	5.5	15
CC142830		0.30	0.003	1.10	0.70	9.6	<0.2	<10	460	0.62	0.25	0.06	1.04	22.7	28.8	11
CC142831		0.40	0.002	0.53	0.54	5.1	<0.2	<10	470	0.28	0.21	0.06	0.30	11.05	3.0	10
CC142832		0.24	0.001	0.32	0.94	17.3	<0.2	<10	200	0.93	0.18	2.14	1.84	31.6	14.3	17
CC142833		0.32	0.001	0.23	0.88	16.0	<0.2	<10	210	0.68	0.18	1.28	0.84	23.1	11.2	13
CC142834		0.22	0.001	0.22	1.17	13.3	<0.2	<10	230	1.03	0.26	0.90	1.02	26.5	13.8	18
CC142835		0.14	0.001	0.25	1.18	11.5	<0.2	<10	320	0.95	0.25	1.34	1.12	17.25	13.0	17
CC142836		0.08	0.001	0.33	1.07	11.4	<0.2	<10	480	0.80	0.20	1.24	2.77	19.05	20.3	15
ZZ14509		0.32	0.001	0.13	1.54	12.8	<0.2	<10	290	0.70	0.22	0.25	0.19	14.45	9.7	29
ZZ14510		0.44	0.002	0.13	1.43	11.8	<0.2	<10	200	0.53	0.21	0.15	0.14	15.65	11.2	27
ZZ14511		0.34	0.002	0.52	1.16	13.5	<0.2	<10	400	0.74	0.20	0.97	0.47	11.00	11.4	26
ZZ14512		0.42	0.002	0.10	1.34	29.1	<0.2	<10	210	0.76	0.24	0.19	0.20	15.95	19.5	25

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 5- AUG- 2011
Account: RCM

Project: Pyramid Ext

CERTIFICATE OF ANALYSIS WH11141047

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
CC142801		1.22	29.0	3.13	4.05	<0.05	0.02	0.05	0.032	0.06	5.7	29.3	0.43	238	1.41	<0.01
CC142802		2.68	39.4	4.76	4.65	<0.05	0.03	0.03	0.055	0.10	3.4	46.4	0.55	371	3.67	0.02
CC142803		2.21	26.1	3.99	4.87	<0.05	0.03	0.02	0.038	0.09	3.8	37.1	0.45	328	2.38	0.01
CC142804		1.98	28.2	3.97	5.08	<0.05	0.03	0.06	0.043	0.10	3.5	38.2	0.49	262	2.89	0.01
CC142805		2.52	26.8	3.95	4.92	<0.05	0.06	0.19	0.041	0.10	3.8	46.2	0.49	374	1.88	0.01
CC142806		1.92	26.5	3.80	5.51	<0.05	0.05	0.12	0.045	0.09	4.0	51.0	0.61	511	1.36	0.01
CC142807		0.82	28.2	1.72	2.30	<0.05	0.04	0.36	0.022	0.06	6.3	7.5	0.19	333	1.57	0.01
CC142808		0.53	18.5	1.82	2.39	<0.05	0.03	0.31	0.021	0.06	11.5	7.5	0.22	305	1.56	0.01
CC142809		0.65	17.6	1.70	2.73	<0.05	0.04	0.18	0.019	0.05	10.4	6.9	0.24	399	0.87	0.02
CC142810		0.69	24.7	2.26	3.52	0.11	0.04	0.17	0.031	0.07	14.8	11.2	0.27	381	1.32	0.01
CC142811		0.83	15.1	0.80	1.65	0.10	0.03	0.25	0.012	0.03	7.7	3.4	0.11	365	0.59	0.01
CC142812		1.25	14.0	2.73	4.58	0.11	0.03	0.15	0.032	0.07	13.0	11.8	0.28	326	1.56	0.01
CC142813		2.03	10.1	2.84	6.14	0.10	<0.02	0.10	0.028	0.05	10.8	12.5	0.23	210	1.24	0.01
CC142814		1.02	21.3	2.74	4.23	0.11	0.04	0.99	0.029	0.07	15.2	12.2	0.30	284	1.82	0.01
CC142815		2.48	15.1	2.76	6.92	0.10	0.02	0.56	0.036	0.05	13.5	14.7	0.27	577	1.47	0.01
CC142816		1.62	10.4	3.00	6.22	0.11	0.02	0.71	0.031	0.05	20.4	16.7	0.47	418	1.14	0.01
CC142817		1.08	29.6	2.84	4.97	0.13	0.04	0.23	0.026	0.05	18.4	15.1	0.48	510	1.08	0.02
CC142818		1.70	24.6	2.49	3.60	0.13	0.04	0.35	0.030	0.05	19.9	10.3	0.28	500	2.18	0.01
CC142819		1.89	16.5	2.74	6.26	0.10	0.03	0.07	0.030	0.06	12.1	17.7	0.46	347	1.99	0.01
CC142820		0.59	48.0	1.66	1.35	0.12	0.04	0.24	0.022	0.04	4.5	2.4	0.05	125	3.04	0.01
CC142821		0.75	35.3	2.35	2.47	0.10	0.03	0.31	0.028	0.07	4.6	7.7	0.11	108	5.72	0.01
CC142822		0.79	20.6	2.37	4.62	0.09	<0.02	0.16	0.021	0.05	6.6	3.2	0.08	109	6.64	<0.01
CC142823		0.51	64.1	2.60	1.87	0.11	0.02	0.42	0.032	0.08	5.3	4.9	0.18	149	8.74	0.02
CC142824		0.90	49.5	4.19	2.71	0.10	0.02	0.08	0.053	0.13	2.2	3.7	0.04	71	11.75	0.01
CC142825		1.10	23.4	2.67	5.78	0.10	<0.02	0.12	0.028	0.05	10.7	15.7	0.21	189	5.13	0.02
CC142826		1.06	11.0	1.55	5.79	0.09	<0.02	0.04	0.014	0.06	10.3	2.0	0.06	156	3.23	0.01
CC142827		0.93	50.8	2.83	4.63	0.10	<0.02	0.27	0.033	0.10	5.4	6.4	0.12	133	3.70	0.01
CC142828		1.50	41.7	2.03	5.58	0.10	<0.02	0.09	0.028	0.08	7.5	4.8	0.09	147	2.95	0.01
CC142829		1.54	43.3	2.33	4.00	0.11	<0.02	0.14	0.035	0.12	6.1	6.5	0.11	140	3.34	0.01
CC142830		1.77	81.9	2.48	2.66	0.13	<0.02	0.19	0.044	0.15	8.0	5.5	0.10	591	4.31	0.02
CC142831		1.31	34.4	1.29	2.27	0.12	<0.02	0.13	0.019	0.13	4.4	3.3	0.09	41	2.86	0.01
CC142832		0.62	37.8	3.39	3.18	0.13	0.04	0.09	0.042	0.12	16.4	10.6	0.22	309	4.82	0.01
CC142833		0.87	30.1	2.91	2.92	0.11	0.06	0.06	0.032	0.14	10.1	12.0	0.29	242	4.69	0.01
CC142834		0.81	48.9	3.14	3.75	0.12	0.07	0.09	0.041	0.13	12.2	16.1	0.33	560	3.99	0.01
CC142835		0.56	42.8	3.08	3.95	0.11	0.06	0.09	0.036	0.10	7.2	14.2	0.27	892	2.52	0.01
CC142836		0.53	39.6	3.12	3.28	0.11	0.07	0.09	0.035	0.09	7.4	12.4	0.30	1260	3.38	0.01
ZZ14509		1.09	27.3	3.44	4.94	0.09	0.03	0.04	0.037	0.06	7.0	32.2	0.50	299	1.69	0.01
ZZ14510		1.14	23.7	3.17	4.70	0.10	0.02	0.06	0.027	0.06	7.2	31.5	0.46	288	1.31	0.01
ZZ14511		1.91	34.3	2.89	3.43	0.11	0.05	0.18	0.035	0.08	7.0	27.2	0.35	374	1.95	0.01
ZZ14512		0.80	33.1	3.44	4.41	0.10	<0.02	0.24	0.027	0.05	6.3	28.8	0.45	547	1.05	0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 5- AUG- 2011
Account: RCM

Project: Pyramid Ext

CERTIFICATE OF ANALYSIS WH11141047

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
CC142801		0.26	35.9	570	14.4	7.0	0.001	0.02	0.45	4.2	0.5	0.4	16.0	<0.01	0.04	2.3
CC142802		0.08	57.6	840	29.0	9.5	0.002	0.13	0.61	6.0	1.2	0.4	60.7	<0.01	0.04	2.8
CC142803		0.17	46.4	670	19.7	11.2	<0.001	0.07	0.46	4.4	0.6	0.4	40.0	<0.01	0.05	2.0
CC142804		0.11	38.8	730	23.0	11.7	0.001	0.10	0.39	5.3	0.9	0.5	45.9	<0.01	0.05	1.9
CC142805		0.10	45.3	690	20.1	12.4	0.004	0.08	0.36	6.1	1.5	0.5	41.1	<0.01	0.04	2.0
CC142806		0.13	50.3	650	20.5	11.8	<0.001	0.04	0.25	6.3	0.8	0.5	30.4	<0.01	0.04	2.5
CC142807		0.22	32.3	850	19.1	7.9	0.004	0.11	0.65	2.0	3.6	0.4	45.1	<0.01	0.04	0.4
CC142808		0.43	29.7	710	31.7	7.2	0.002	0.08	0.63	2.4	1.5	0.3	36.8	<0.01	0.02	0.6
CC142809		0.50	18.1	880	42.7	5.8	<0.001	0.11	0.64	1.3	0.9	0.3	31.5	<0.01	0.02	0.3
CC142810		0.46	35.4	670	31.2	8.1	<0.001	0.07	0.77	2.3	0.8	0.4	29.7	<0.01	0.08	0.7
CC142811		0.23	15.6	830	18.5	4.1	0.001	0.14	0.58	0.5	1.3	0.2	52.6	<0.01	0.03	<0.2
CC142812		0.61	36.0	470	95.9	9.0	<0.001	0.04	1.24	3.6	0.9	0.5	21.7	<0.01	0.05	1.2
CC142813		1.09	24.7	340	64.6	13.4	<0.001	0.02	0.87	2.5	0.6	0.6	19.3	<0.01	0.05	1.6
CC142814		0.44	43.6	860	101.0	7.0	0.001	0.05	1.92	3.3	1.7	0.5	28.8	<0.01	0.07	0.8
CC142815		0.79	25.8	810	99.7	12.7	<0.001	0.04	1.52	2.9	1.0	0.7	24.7	<0.01	0.06	0.8
CC142816		1.01	25.6	630	33.4	9.0	<0.001	0.02	0.85	4.0	1.1	0.6	21.9	<0.01	0.03	2.1
CC142817		0.96	33.0	1010	24.2	8.5	<0.001	0.02	1.00	4.4	0.9	0.5	27.5	<0.01	0.04	3.1
CC142818		0.49	40.2	1070	27.9	7.6	0.001	0.05	0.92	3.2	1.9	0.4	32.2	<0.01	0.11	0.8
CC142819		1.01	26.0	560	17.3	8.9	0.001	0.03	0.79	3.2	1.0	0.6	22.9	<0.01	0.03	1.7
CC142820		0.17	40.6	930	8.8	5.4	0.009	0.08	1.07	3.6	9.6	0.3	101.0	<0.01	0.09	1.2
CC142821		0.11	47.8	830	12.3	8.2	0.003	0.07	1.44	3.3	3.7	0.4	91.4	<0.01	0.10	1.2
CC142822		0.62	32.6	410	13.2	8.8	<0.001	0.03	1.46	1.8	2.3	0.6	22.7	<0.01	0.07	1.3
CC142823		0.07	102.0	1580	13.6	6.2	0.003	0.11	1.97	5.5	6.4	0.4	189.5	<0.01	0.09	2.1
CC142824		0.21	74.6	880	13.7	13.4	0.001	0.27	2.53	4.6	7.1	0.5	229	<0.01	0.12	2.1
CC142825		0.69	20.6	1120	13.4	7.2	0.002	0.11	1.42	1.1	3.3	0.6	47.3	<0.01	0.06	0.3
CC142826		0.84	7.7	330	9.3	8.4	<0.001	0.06	1.04	1.1	1.5	0.8	22.9	<0.01	0.06	0.8
CC142827		0.50	17.7	700	16.1	12.6	0.001	0.13	1.71	2.3	2.4	0.6	56.5	<0.01	0.07	1.6
CC142828		0.65	13.8	500	15.1	13.9	<0.001	0.03	1.37	1.7	1.8	0.7	21.1	<0.01	0.07	1.9
CC142829		0.45	18.3	710	15.8	13.2	<0.001	0.10	1.54	2.1	2.2	0.5	23.8	<0.01	0.06	2.0
CC142830		0.25	35.0	920	23.1	12.5	0.001	0.12	2.76	3.3	3.0	0.4	40.9	<0.01	0.07	3.4
CC142831		0.22	14.2	550	14.8	11.8	0.002	0.07	1.25	1.7	2.3	0.4	22.2	<0.01	0.06	1.2
CC142832		0.32	45.8	1790	16.8	8.2	0.003	0.06	1.61	5.5	2.5	0.5	39.5	<0.01	0.04	2.4
CC142833		0.29	33.4	1160	15.2	9.3	0.007	0.06	1.14	4.0	2.2	0.4	29.4	<0.01	0.03	3.8
CC142834		0.32	39.5	1090	20.6	9.8	0.002	0.03	1.05	5.6	2.6	0.5	34.2	<0.01	0.04	4.4
CC142835		0.34	32.9	820	18.1	9.9	0.002	0.07	0.72	4.7	2.0	0.5	41.7	<0.01	0.04	2.3
CC142836		0.27	37.2	860	16.9	8.8	0.001	0.08	0.92	4.6	3.1	0.5	32.9	<0.01	0.04	2.6
ZZ14509		0.39	34.6	780	13.8	8.6	0.001	0.03	0.49	3.5	0.8	0.5	21.8	<0.01	0.04	2.1
ZZ14510		0.38	30.7	630	14.1	8.7	0.001	0.02	0.42	3.3	0.7	0.4	14.4	<0.01	0.04	2.3
ZZ14511		0.24	43.2	790	14.1	10.3	0.002	0.05	0.60	4.4	2.3	0.4	49.7	<0.01	0.05	1.4
ZZ14512		0.19	39.8	700	27.9	6.2	0.001	0.01	0.55	3.9	0.9	0.4	13.8	<0.01	0.05	2.3

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 5- AUG- 2011
Account: RCM

Project: Pyramid Ext

CERTIFICATE OF ANALYSIS WH11141047

Sample Description	Method Analyte Units LOR	ME- MS41 Ti % 0.005	ME- MS41 Tl ppm 0.02	ME- MS41 U ppm 0.05	ME- MS41 V ppm 1	ME- MS41 W ppm 0.05	ME- MS41 Y ppm 0.05	ME- MS41 Zn ppm 2	ME- MS41 Zr ppm 0.5
CC142801		0.008	0.09	0.76	33	<0.05	7.01	117	0.6
CC142802		<0.005	0.14	0.65	30	0.05	7.68	197	1.6
CC142803		<0.005	0.14	0.57	35	<0.05	5.74	147	0.6
CC142804		<0.005	0.23	0.84	33	<0.05	6.38	128	0.7
CC142805		<0.005	0.16	0.69	32	<0.05	11.70	163	1.6
CC142806		<0.005	0.12	0.63	33	<0.05	9.72	152	1.6
CC142807		<0.005	0.15	3.76	25	<0.05	14.30	136	1.3
CC142808		0.008	0.12	1.69	30	0.10	17.20	195	0.8
CC142809		0.010	0.16	1.31	30	0.11	15.55	125	1.0
CC142810		0.010	0.20	0.73	41	0.31	19.60	128	1.0
CC142811		0.006	0.14	4.89	14	0.05	14.60	66	0.9
CC142812		0.012	0.49	1.03	52	0.23	16.20	266	0.9
CC142813		0.018	0.56	0.76	67	0.35	5.76	266	0.5
CC142814		0.007	0.61	1.28	51	0.30	34.7	309	1.3
CC142815		0.015	0.59	2.28	66	0.24	15.10	231	0.5
CC142816		0.026	0.33	1.65	59	0.49	16.80	142	0.7
CC142817		0.035	0.19	1.45	50	0.28	14.05	126	1.1
CC142818		0.017	0.23	3.23	51	0.18	32.6	146	1.0
CC142819		0.024	0.22	1.21	61	0.45	5.26	96	0.8
CC142820		<0.005	0.13	5.41	35	0.08	24.5	106	2.0
CC142821		<0.005	0.17	1.59	71	0.06	11.50	169	0.9
CC142822		0.013	0.24	0.58	118	0.16	2.59	127	<0.5
CC142823		<0.005	0.15	2.55	68	0.05	25.3	319	1.1
CC142824		<0.005	0.41	1.45	78	0.07	6.04	251	1.7
CC142825		0.014	0.30	1.50	65	0.25	4.67	91	<0.5
CC142826		0.029	0.19	0.49	71	0.21	1.95	44	<0.5
CC142827		0.010	0.22	0.70	63	0.12	2.77	91	<0.5
CC142828		0.014	0.25	0.75	62	0.15	4.83	80	<0.5
CC142829		0.010	0.39	1.08	49	0.12	5.01	98	<0.5
CC142830		0.007	0.63	1.86	34	0.05	12.45	217	<0.5
CC142831		0.007	0.34	0.97	28	<0.05	5.07	83	<0.5
CC142832		<0.005	0.17	2.24	122	<0.05	16.85	217	1.8
CC142833		0.005	0.22	1.73	53	<0.05	9.78	200	2.2
CC142834		<0.005	0.17	1.88	46	0.05	13.45	185	2.5
CC142835		<0.005	0.12	1.45	43	0.05	10.25	160	1.8
CC142836		<0.005	0.15	1.64	60	<0.05	11.30	202	1.9
ZZ14509		0.008	0.12	0.79	37	0.19	6.73	131	0.9
ZZ14510		0.008	0.12	0.63	35	0.12	4.87	100	0.6
ZZ14511		<0.005	0.15	2.08	32	0.10	14.70	134	1.6
ZZ14512		0.006	0.10	0.44	33	0.05	7.45	114	0.6

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 5- AUG- 2011
Account: RCM

Project: Pyramid Ext

CERTIFICATE OF ANALYSIS WH11141047

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- TL43 Au ppm 0.001	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1
ZZ14513		0.40	0.002	0.30	1.61	20.4	<0.2	<10	480	0.79	0.22	0.27	0.18	12.05	12.8	27
ZZ14514		0.46	0.002	0.74	1.14	11.5	<0.2	<10	480	0.75	0.20	0.52	0.63	11.60	13.7	25
ZZ14515		0.44	0.002	0.63	1.31	145.0	<0.2	<10	400	0.72	0.23	0.89	0.65	13.15	12.9	26
ZZ14516		0.28	0.001	0.34	1.33	84.2	<0.2	<10	500	0.72	0.18	0.59	0.81	16.25	7.9	27
ZZ14517		0.38	0.002	0.48	1.38	107.0	<0.2	<10	630	0.89	0.19	1.86	2.35	19.35	9.8	23
ZZ14518		0.46	0.001	0.53	1.28	91.6	<0.2	<10	600	0.84	0.19	2.17	1.31	15.85	8.3	21
ZZ14519		0.38	0.001	0.28	1.32	104.5	<0.2	<10	420	0.76	0.21	2.13	2.17	14.15	7.8	23
ZZ14520		0.42	0.001	0.51	1.37	93.1	<0.2	<10	400	0.69	0.22	1.36	1.42	18.60	7.8	25
ZZ14521		0.40	0.001	0.59	1.34	83.8	<0.2	<10	420	0.87	0.21	1.77	1.57	17.50	8.5	25
ZZ14522		0.50	0.002	1.37	1.29	194.5	<0.2	<10	450	0.97	0.20	1.97	3.13	16.80	7.3	27
ZZ14523		0.46	0.002	0.99	1.16	167.0	<0.2	<10	430	0.82	0.19	2.38	2.86	13.45	7.3	25
ZZ14524		0.42	0.001	0.28	0.78	36.2	<0.2	<10	380	0.39	0.14	3.95	2.86	11.60	5.3	16
ZZ14525		0.36	0.002	0.53	1.30	76.0	<0.2	<10	540	0.69	0.19	2.38	1.34	16.50	8.1	25
ZZ14526		0.32	0.002	0.38	1.69	55.8	<0.2	<10	620	0.88	0.26	0.93	0.45	25.6	11.4	30
ZZ14527		0.40	0.002	0.85	1.31	53.7	<0.2	<10	1190	0.63	0.22	0.69	0.43	17.85	7.4	24
ZZ14528		0.46	0.001	0.12	0.42	12.3	<0.2	<10	120	0.11	0.10	0.02	0.05	9.31	1.2	16
ZZ14529		0.56	0.002	2.31	0.40	14.0	<0.2	<10	840	0.52	0.14	1.99	0.52	7.88	3.9	19
ZZ14530		0.40	0.001	1.30	0.43	17.2	<0.2	<10	740	0.44	0.16	0.74	0.23	7.02	3.1	20
ZZ14531		0.36	0.001	0.34	0.66	39.0	<0.2	<10	190	0.24	0.32	0.02	0.22	10.10	6.0	21
ZZ14532		0.52	0.001	0.89	0.54	18.5	<0.2	<10	1590	0.54	0.19	0.67	0.38	6.30	7.0	17
ZZ14533		0.50	0.002	1.13	0.68	19.1	<0.2	<10	2510	0.65	0.18	1.11	0.67	7.01	6.0	21
ZZ14534		0.40	0.005	1.83	0.69	25.1	<0.2	<10	3720	0.55	0.21	0.72	0.53	10.05	4.5	21
ZZ14535		0.46	0.002	7.57	0.50	34.7	<0.2	<10	1300	0.23	0.20	0.03	0.39	8.48	3.9	19
ZZ14536		0.46	0.002	1.76	0.37	18.2	<0.2	<10	590	0.15	0.22	0.04	0.29	10.25	1.7	12
ZZ14537		0.60	0.002	2.57	0.62	5.7	<0.2	<10	180	0.18	0.18	0.03	0.19	11.20	2.1	10
ZZ14538		0.50	0.006	2.42	1.04	9.2	<0.2	<10	270	0.45	0.29	0.06	0.24	15.65	3.4	17
ZZ14539		0.54	0.004	1.88	0.66	7.4	<0.2	<10	300	0.30	0.29	0.10	0.37	11.20	4.6	13
ZZ14540		0.56	0.002	0.64	0.76	15.7	<0.2	<10	680	0.76	0.27	0.15	2.26	29.1	11.4	15
ZZ14541		0.38	0.002	1.10	1.38	20.1	<0.2	<10	730	0.98	0.26	0.18	3.92	18.35	16.8	29
ZZ14542		0.44	0.001	3.92	0.52	24.4	<0.2	<10	270	1.35	0.11	3.38	28.9	26.5	4.8	77
ZZ14543		0.34	0.001	0.30	0.69	9.2	<0.2	<10	240	0.81	0.13	2.94	5.74	15.35	11.4	18
ZZ14544		0.46	0.001	0.19	1.27	13.6	<0.2	<10	330	0.94	0.25	0.96	0.71	16.40	13.4	22
ZZ14545		0.42	0.001	0.17	1.22	14.3	<0.2	<10	320	1.06	0.25	0.69	1.53	18.95	16.7	20
ZZ14546		0.36	0.002	0.30	1.26	14.1	<0.2	<10	300	1.32	0.27	0.90	1.22	23.6	13.1	21
ZZ14547		0.48	0.001	0.23	1.12	10.2	<0.2	<10	380	1.03	0.25	1.26	1.15	16.90	16.0	18
ZZ14548		0.30	0.002	0.22	1.03	7.4	<0.2	<10	390	1.01	0.20	2.35	0.89	13.35	9.6	15
ZZ14836		0.48	0.001	0.09	1.53	16.4	<0.2	<10	220	0.92	0.27	0.25	0.26	17.30	15.4	27
ZZ14837		0.38	0.001	0.12	1.74	12.0	<0.2	<10	240	0.82	0.30	0.14	0.16	12.30	11.9	29
ZZ14838		0.38	0.001	0.07	1.41	15.9	<0.2	<10	160	0.79	0.26	0.10	0.22	14.30	13.7	26
ZZ14839		0.32	0.001	0.06	1.39	14.0	<0.2	<10	130	0.79	0.24	0.08	0.19	12.50	14.2	26

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 5- AUG- 2011
Account: RCM

Project: Pyramid Ext

CERTIFICATE OF ANALYSIS WH11141047

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
ZZ14513		1.69	32.1	3.42	5.02	0.10	0.04	0.23	0.035	0.07	5.6	27.9	0.41	403	1.32	0.01
ZZ14514		2.31	29.7	3.03	3.28	0.10	0.06	0.19	0.035	0.06	6.8	22.3	0.33	339	3.52	0.01
ZZ14515		1.87	35.8	3.44	3.94	0.10	0.05	1.95	0.036	0.08	5.5	18.2	0.39	464	2.21	0.01
ZZ14516		0.92	18.9	2.45	4.50	0.10	0.03	0.56	0.033	0.08	9.9	12.8	0.21	161	1.79	0.01
ZZ14517		1.34	33.9	2.40	4.06	0.11	0.06	0.82	0.028	0.05	13.1	11.2	0.27	469	1.07	0.02
ZZ14518		1.17	21.8	2.16	3.84	0.05	0.07	0.74	0.030	0.05	11.6	11.1	0.25	374	1.11	0.01
ZZ14519		1.11	19.9	2.24	3.82	0.05	0.07	0.41	0.034	0.06	12.0	11.7	0.20	312	1.22	0.01
ZZ14520		1.24	13.9	2.42	4.46	0.05	0.05	0.35	0.034	0.06	14.1	12.0	0.29	340	1.22	0.01
ZZ14521		1.02	22.9	2.37	4.02	0.05	0.06	0.49	0.032	0.05	13.4	11.4	0.29	382	1.55	0.01
ZZ14522		1.19	20.9	2.37	3.63	0.12	0.03	2.14	0.030	0.05	16.6	10.1	0.25	466	1.59	0.01
ZZ14523		1.17	19.9	2.32	3.16	0.12	0.04	1.92	0.031	0.05	12.2	9.5	0.24	362	1.53	0.01
ZZ14524		0.75	11.9	1.25	2.48	0.12	0.03	0.45	0.015	0.03	9.1	4.5	0.10	469	0.68	0.01
ZZ14525		1.31	17.5	2.18	3.59	0.12	0.03	0.67	0.024	0.04	12.2	9.2	0.26	481	0.95	0.01
ZZ14526		1.94	19.6	2.73	5.26	0.13	0.04	0.33	0.033	0.06	14.6	14.3	0.38	599	1.10	0.01
ZZ14527		1.86	25.2	2.48	4.54	0.11	0.02	0.59	0.034	0.05	8.1	10.3	0.19	216	2.23	0.01
ZZ14528		2.16	9.0	0.58	3.62	0.09	<0.02	0.70	0.010	0.05	4.6	1.1	0.02	16	1.95	<0.01
ZZ14529		0.82	49.6	1.45	1.24	0.12	0.04	0.33	0.022	0.05	4.7	2.3	0.07	130	1.91	0.01
ZZ14530		0.66	29.2	1.71	1.44	<0.05	0.05	0.16	0.028	0.04	4.1	1.9	0.04	100	3.76	0.01
ZZ14531		1.12	33.7	3.09	5.20	0.05	0.02	0.52	0.036	0.07	5.1	2.5	0.04	107	6.75	<0.01
ZZ14532		0.60	35.3	2.46	1.72	0.06	0.06	0.20	0.037	0.07	3.4	3.7	0.08	192	6.48	0.02
ZZ14533		0.46	38.0	2.20	2.07	<0.05	0.08	0.18	0.034	0.06	4.1	5.1	0.10	182	6.17	0.03
ZZ14534		0.71	43.6	1.78	2.45	0.05	0.07	0.41	0.033	0.06	5.7	6.1	0.11	199	10.10	0.04
ZZ14535		1.39	82.3	4.10	3.88	0.06	0.02	0.22	0.039	0.09	4.4	1.1	0.03	41	11.15	0.02
ZZ14536		1.72	28.1	1.81	2.89	<0.05	<0.02	0.11	0.029	0.15	5.3	0.8	0.02	33	8.01	0.01
ZZ14537		1.54	22.2	1.08	3.58	<0.05	<0.02	0.31	0.015	0.07	5.6	2.1	0.05	32	2.34	<0.01
ZZ14538		1.76	82.9	2.24	3.06	0.05	0.04	0.42	0.053	0.09	8.2	7.5	0.15	78	2.55	0.01
ZZ14539		1.64	42.0	1.61	2.96	<0.05	0.02	0.47	0.025	0.12	5.1	4.5	0.10	59	3.05	0.01
ZZ14540		1.47	70.5	2.73	2.63	0.10	0.07	0.13	0.043	0.12	11.9	8.9	0.18	342	7.57	0.01
ZZ14541		1.23	120.0	3.26	4.20	0.10	0.09	0.30	0.042	0.11	9.3	23.6	0.37	181	11.25	0.01
ZZ14542		0.62	96.3	1.31	2.73	0.22	0.11	0.28	0.022	0.08	32.3	5.1	0.22	239	34.7	0.01
ZZ14543		0.45	32.4	2.36	2.18	0.05	0.06	0.12	0.023	0.06	8.8	7.3	0.14	456	6.41	0.01
ZZ14544		0.70	25.9	3.30	4.17	0.05	0.07	0.08	0.041	0.09	8.3	16.7	0.27	617	7.58	0.01
ZZ14545		0.69	29.3	3.44	4.06	0.06	0.07	0.09	0.037	0.09	8.6	18.3	0.29	1670	5.35	0.01
ZZ14546		0.88	48.8	3.75	3.80	0.07	0.11	0.09	0.050	0.12	11.1	20.8	0.37	471	3.52	0.01
ZZ14547		0.66	34.1	3.08	3.57	0.06	0.08	0.10	0.044	0.10	8.0	15.0	0.26	837	3.68	0.01
ZZ14548		0.54	34.3	2.23	3.06	<0.05	0.07	0.09	0.034	0.07	6.7	10.9	0.20	710	1.91	0.01
ZZ14836		1.51	42.7	3.97	4.84	0.06	0.05	0.08	0.043	0.08	8.3	38.5	0.56	399	1.29	0.01
ZZ14837		1.50	29.6	3.65	5.61	<0.05	0.06	0.08	0.047	0.10	5.5	37.3	0.45	324	1.53	0.01
ZZ14838		1.23	32.2	3.74	4.64	0.05	0.03	0.03	0.044	0.07	6.4	35.0	0.43	296	1.60	0.01
ZZ14839		1.51	32.3	3.67	4.51	0.05	0.03	0.04	0.043	0.07	5.9	34.6	0.42	279	1.89	0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 5- AUG- 2011
Account: RCM

Project: Pyramid Ext

CERTIFICATE OF ANALYSIS WH11141047

Sample Description	Method Analyte Units LOR	ME- MS41 Nb ppm 0.05	ME- MS41 Ni ppm 0.2	ME- MS41 P ppm 10	ME- MS41 Pb ppm 0.2	ME- MS41 Rb ppm 0.1	ME- MS41 Re ppm 0.001	ME- MS41 S % 0.01	ME- MS41 Sb ppm 0.05	ME- MS41 Sc ppm 0.1	ME- MS41 Se ppm 0.2	ME- MS41 Sn ppm 0.2	ME- MS41 Sr ppm 0.2	ME- MS41 Ta ppm 0.01	ME- MS41 Te ppm 0.01	ME- MS41 Th ppm 0.2
ZZ14513		0.25	38.5	820	20.4	10.9	0.001	0.03	0.49	4.2	0.8	0.4	18.5	<0.01	0.04	1.6
ZZ14514		0.26	51.7	780	13.8	10.5	0.016	0.12	0.52	4.3	2.6	0.3	28.8	<0.01	0.05	1.6
ZZ14515		0.24	42.9	430	54.3	7.3	0.001	0.03	0.98	4.4	2.1	0.4	27.2	<0.01	0.04	1.5
ZZ14516		0.50	32.1	280	52.7	12.8	<0.001	0.03	0.69	3.7	1.4	0.6	22.6	<0.01	0.05	1.9
ZZ14517		0.54	35.1	750	72.8	8.8	0.001	0.07	0.97	3.6	2.5	0.4	32.9	<0.01	0.07	1.2
ZZ14518		0.57	27.9	680	64.8	7.9	<0.001	0.06	1.00	3.0	1.6	0.4	29.9	0.01	0.06	0.8
ZZ14519		0.54	35.9	690	87.1	9.3	<0.001	0.07	1.29	2.8	1.2	0.5	27.3	0.01	0.09	0.6
ZZ14520		0.78	26.0	490	93.4	13.2	<0.001	0.04	1.11	3.5	1.1	0.5	23.6	0.01	0.06	1.1
ZZ14521		0.66	30.8	840	53.5	8.5	<0.001	0.05	1.21	3.0	1.6	0.4	28.1	0.01	0.07	0.8
ZZ14522		0.51	31.9	1060	155.0	8.2	0.001	0.09	4.26	2.7	2.1	0.4	30.6	0.01	0.07	0.5
ZZ14523		0.49	31.1	1300	122.0	7.1	0.001	0.12	2.56	1.9	2.2	0.4	35.1	<0.01	0.08	0.4
ZZ14524		0.63	12.4	1170	30.9	5.0	<0.001	0.16	0.82	0.8	1.1	0.3	37.0	0.01	0.06	0.2
ZZ14525		0.62	24.0	1280	54.9	6.6	0.001	0.12	1.23	1.6	1.6	0.4	34.7	<0.01	0.07	0.4
ZZ14526		0.84	31.2	1130	31.7	12.1	<0.001	0.07	0.75	3.2	1.5	0.5	22.7	<0.01	0.08	1.2
ZZ14527		0.57	37.5	920	23.7	8.2	0.001	0.05	0.87	3.3	1.7	0.6	36.9	<0.01	0.08	1.4
ZZ14528		0.18	9.8	380	6.5	8.1	<0.001	0.02	0.35	0.7	1.1	0.6	9.6	<0.01	0.08	0.3
ZZ14529		0.18	46.5	1050	9.4	6.0	0.005	0.12	1.02	3.2	6.0	0.3	103.5	<0.01	0.08	0.6
ZZ14530		0.15	24.1	1040	10.4	7.1	0.005	0.07	1.03	2.9	5.3	0.3	66.3	<0.01	0.19	1.2
ZZ14531		0.68	54.1	680	20.2	13.6	0.001	0.04	1.63	3.0	4.9	0.6	29.2	<0.01	0.12	1.3
ZZ14532		0.12	46.2	890	12.3	7.6	0.007	0.06	1.17	4.8	5.8	0.4	98.7	<0.01	0.10	1.5
ZZ14533		0.15	47.9	860	11.5	6.7	0.004	0.06	1.14	4.6	4.3	0.4	122.5	<0.01	0.08	1.2
ZZ14534		0.22	39.8	1200	13.3	9.5	0.017	0.10	2.81	3.3	7.4	0.5	144.0	<0.01	0.09	1.0
ZZ14535		0.38	37.2	1010	13.7	9.9	<0.001	0.19	5.15	2.4	5.9	0.7	118.0	<0.01	0.18	0.9
ZZ14536		0.25	12.7	740	16.8	11.6	0.001	0.25	2.74	1.1	3.7	0.7	114.0	<0.01	0.11	0.3
ZZ14537		0.27	10.8	520	14.1	10.8	<0.001	0.03	0.94	1.5	1.6	0.5	19.9	<0.01	0.07	1.2
ZZ14538		0.63	14.7	1180	16.8	13.1	0.001	0.04	1.34	2.5	3.6	0.4	18.2	<0.01	0.09	1.9
ZZ14539		0.39	12.8	680	16.5	15.3	0.001	0.04	1.16	2.0	2.7	0.5	11.9	<0.01	0.08	1.7
ZZ14540		0.22	48.8	990	21.1	10.9	0.002	0.06	2.63	4.7	3.1	0.4	38.7	0.01	0.09	4.6
ZZ14541		0.32	113.0	940	19.5	12.3	0.005	0.17	3.09	6.6	6.6	0.5	34.3	0.01	0.10	3.9
ZZ14542		0.23	190.0	2010	7.5	8.0	0.005	0.10	14.80	5.2	32.8	0.4	69.9	0.02	0.19	0.9
ZZ14543		0.33	57.6	1130	9.5	7.0	0.007	0.12	2.25	2.8	6.3	0.3	59.8	<0.01	0.05	0.8
ZZ14544		0.41	33.7	820	19.7	10.5	0.006	0.04	1.14	4.9	3.4	0.6	27.8	<0.01	0.06	2.8
ZZ14545		0.39	39.8	780	19.8	10.4	0.003	0.03	0.98	4.9	2.8	0.5	24.8	<0.01	0.07	3.5
ZZ14546		0.37	48.3	860	21.5	10.6	0.002	0.04	1.19	6.0	1.8	0.6	38.2	<0.01	0.05	4.6
ZZ14547		0.42	36.1	720	18.8	10.8	0.003	0.05	1.08	4.7	2.2	0.5	51.8	<0.01	0.06	2.5
ZZ14548		0.40	28.5	800	13.6	9.3	0.001	0.10	0.90	2.7	2.1	0.4	85.7	<0.01	0.05	0.8
ZZ14836		0.23	56.2	770	18.1	9.6	0.001	0.02	0.48	5.6	1.1	0.4	24.4	<0.01	0.06	3.7
ZZ14837		0.25	35.8	810	19.6	14.9	0.001	0.08	0.35	5.5	0.8	0.5	25.3	<0.01	0.06	2.4
ZZ14838		0.29	36.7	700	19.4	9.8	0.001	0.06	0.51	4.1	0.7	0.4	28.7	<0.01	0.06	2.9
ZZ14839		0.32	38.8	660	18.0	10.1	0.001	0.06	0.51	4.2	0.9	0.4	26.5	<0.01	0.06	2.9

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 5- AUG- 2011
Account: RCM

Project: Pyramid Ext

CERTIFICATE OF ANALYSIS WH11141047

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
ZZ14513		0.005	0.16	0.69	38	0.07	7.99	117	1.0
ZZ14514		0.005	0.16	2.32	32	<0.05	13.25	140	1.9
ZZ14515		<0.005	0.31	1.09	39	0.09	7.35	200	1.3
ZZ14516		0.005	0.32	1.23	47	0.17	11.00	204	1.0
ZZ14517		0.007	0.33	2.48	42	0.14	21.2	185	1.8
ZZ14518		0.008	0.27	2.37	40	0.16	18.70	153	1.4
ZZ14519		0.005	0.43	1.68	44	0.15	19.30	224	1.2
ZZ14520		0.013	0.37	1.72	47	0.17	17.10	199	0.9
ZZ14521		0.010	0.25	1.33	47	0.24	21.3	179	1.0
ZZ14522		0.007	0.66	2.33	49	0.24	35.7	350	0.8
ZZ14523		0.007	0.64	1.82	44	0.19	29.4	323	1.0
ZZ14524		0.013	0.21	1.71	26	0.14	17.15	146	0.8
ZZ14525		0.011	0.38	1.91	43	0.23	22.6	154	0.8
ZZ14526		0.016	0.35	1.57	57	0.25	16.95	145	1.2
ZZ14527		0.009	0.30	2.46	56	0.15	10.70	124	0.8
ZZ14528		0.005	0.20	0.32	37	0.06	1.20	41	<0.5
ZZ14529		<0.005	0.15	4.23	33	<0.05	28.2	104	2.6
ZZ14530		<0.005	0.10	2.32	45	0.05	13.40	72	1.3
ZZ14531		0.007	0.25	0.89	103	0.13	5.26	187	<0.5
ZZ14532		<0.005	0.10	2.55	49	0.05	15.50	180	1.6
ZZ14533		<0.005	0.09	2.67	54	0.06	17.80	163	2.2
ZZ14534		<0.005	0.95	4.10	66	0.07	14.55	126	1.5
ZZ14535		0.008	0.41	1.37	126	0.10	5.67	169	<0.5
ZZ14536		0.008	0.26	0.60	81	0.10	2.85	74	<0.5
ZZ14537		0.005	0.25	0.54	38	0.06	2.04	59	<0.5
ZZ14538		0.010	0.28	2.69	34	0.10	7.61	67	0.6
ZZ14539		0.007	0.40	1.09	36	0.06	7.78	67	<0.5
ZZ14540		<0.005	0.38	2.75	82	0.08	30.0	233	0.6
ZZ14541		<0.005	0.55	5.81	202	0.14	33.9	562	0.7
ZZ14542		0.008	0.41	9.22	664	0.44	61.0	1440	2.1
ZZ14543		<0.005	0.14	3.68	225	0.06	11.45	376	1.5
ZZ14544		<0.005	0.14	1.79	99	0.10	9.59	220	1.6
ZZ14545		<0.005	0.12	1.49	67	0.10	10.50	196	1.7
ZZ14546		<0.005	0.19	1.38	53	0.06	14.60	175	3.9
ZZ14547		<0.005	0.14	1.61	52	0.07	11.20	162	2.1
ZZ14548		<0.005	0.12	1.40	42	0.05	10.45	119	1.6
ZZ14836		0.005	0.10	0.68	35	0.05	11.00	153	1.3
ZZ14837		<0.005	0.14	0.77	37	0.05	7.63	106	1.1
ZZ14838		0.005	0.10	0.63	33	0.08	6.24	114	0.8
ZZ14839		0.006	0.11	0.70	31	0.06	6.15	115	0.8

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 5- AUG- 2011
Account: RCM

Project: Pyramid Ext

CERTIFICATE OF ANALYSIS WH11141047

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- TL43 Au ppm 0.001	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1
ZZ14840		0.38	<0.001	0.13	1.35	22.5	<0.2	<10	310	0.79	0.26	0.23	0.22	17.05	18.0	28
ZZ14841		0.34	0.001	0.10	1.78	18.8	<0.2	<10	250	0.79	0.25	0.18	0.14	16.00	11.3	31
ZZ14842		0.38	0.001	0.16	1.51	50.2	<0.2	<10	280	0.88	0.29	0.28	0.44	20.7	17.9	29
ZZ14843		0.28	0.001	0.54	1.44	18.5	<0.2	<10	550	0.84	0.24	0.49	0.50	10.70	12.5	28
ZZ14844		0.38	<0.001	0.27	1.18	41.7	<0.2	<10	300	0.28	0.26	0.48	0.53	22.5	4.6	20
ZZ14845		0.34	0.001	0.41	1.82	79.1	<0.2	<10	340	0.78	0.22	0.57	1.07	32.3	10.1	29
ZZ14846		0.14	0.001	0.34	0.99	105.5	<0.2	<10	450	0.62	0.16	2.37	1.15	13.95	10.5	24
ZZ14847		0.20	NSS	0.49	0.86	124.0	<0.2	<10	380	0.56	0.14	3.05	1.71	11.45	13.4	21
ZZ14848		0.22	0.002	0.66	1.32	199.5	<0.2	<10	520	0.83	0.19	2.18	2.62	21.7	10.3	27
ZZ14849		0.20	<0.001	0.38	1.49	93.4	<0.2	<10	340	0.74	0.20	2.25	4.03	16.70	7.3	32
ZZ14850		0.28	0.001	0.10	1.81	152.0	<0.2	<10	460	0.69	0.21	0.54	1.35	22.9	8.1	34
ZZ14851		0.34	0.001	0.42	2.09	122.5	<0.2	<10	640	0.80	0.21	0.34	0.77	23.0	10.7	34
ZZ14852		0.36	0.002	0.90	1.75	175.5	<0.2	<10	630	0.74	0.22	0.78	1.20	20.8	9.1	34
ZZ14853		0.34	0.001	0.13	1.73	95.3	<0.2	<10	250	0.53	0.26	0.33	1.63	22.3	9.2	27
ZZ14854		0.40	0.002	0.46	1.57	52.4	<0.2	<10	1130	0.59	0.21	0.94	0.56	21.0	10.4	31
ZZ14855		0.28	0.001	0.18	1.04	16.3	<0.2	<10	310	0.19	0.32	0.17	0.33	23.8	3.4	20
ZZ14856		0.36	0.003	0.83	0.71	19.4	<0.2	<10	1210	0.55	0.19	0.85	0.57	8.84	5.8	21
ZZ14857		0.40	0.002	1.41	0.59	15.1	<0.2	<10	970	0.39	0.15	0.99	0.35	7.05	2.8	20
ZZ14858		0.32	0.002	0.74	0.49	17.2	<0.2	<10	1350	0.48	0.20	0.34	0.60	4.77	6.4	19
ZZ14859		0.40	0.003	0.69	0.63	20.4	<0.2	<10	1890	0.47	0.19	0.42	0.45	6.24	6.2	17
ZZ14860		0.50	0.003	0.29	1.84	36.0	<0.2	<10	280	0.83	0.27	0.02	0.57	13.55	14.2	34
ZZ14861		0.30	0.001	0.08	1.41	10.2	<0.2	<10	210	0.92	0.29	0.52	0.17	19.15	10.5	20
ZZ14862		0.28	0.002	0.04	1.23	8.5	<0.2	<10	80	0.44	0.28	0.05	0.09	15.35	6.1	17
ZZ14863		0.44	0.001	0.04	1.29	11.1	<0.2	<10	110	0.75	0.30	0.04	0.08	12.70	11.5	20
ZZ14864		0.54	0.001	0.02	1.51	10.2	<0.2	<10	80	0.67	0.27	0.03	0.06	17.95	9.4	19
ZZ14865		0.42	0.001	1.82	0.57	20.6	<0.2	<10	870	0.53	0.17	0.86	22.4	14.35	2.6	147
ZZ14866		0.72	0.007	1.31	0.70	10.0	<0.2	<10	910	0.26	0.26	0.30	0.25	11.95	1.6	13
ZZ14867		0.56	0.008	1.23	0.68	10.6	<0.2	<10	710	0.28	0.22	0.28	0.17	10.70	1.4	12
ZZ14868		0.38	0.008	1.31	0.68	7.8	<0.2	<10	670	0.25	0.21	0.33	0.25	11.55	1.3	12
ZZ14869		0.24	0.002	0.31	0.59	10.9	<0.2	<10	440	0.15	0.22	0.02	0.11	22.4	2.1	11
ZZ14870		0.40	0.002	0.30	1.46	18.4	<0.2	<10	470	0.38	0.24	0.04	0.29	17.35	7.3	22
ZZ14871		0.64	0.001	0.09	1.31	8.9	<0.2	<10	210	0.97	0.31	0.57	0.10	13.95	12.1	24
ZZ14872		0.38	0.002	0.17	1.28	13.0	<0.2	<10	180	0.77	0.30	0.93	0.12	15.95	9.4	23
ZZ14873		0.30	0.002	0.29	1.06	10.7	<0.2	<10	240	0.96	0.27	1.81	1.97	12.60	10.8	18
ZZ14874		0.24	0.002	0.30	1.18	9.5	<0.2	<10	260	0.93	0.26	1.28	0.85	14.15	9.7	19
ZZ14875		0.38	0.002	0.21	1.27	10.7	<0.2	<10	230	0.96	0.31	0.87	1.28	16.15	13.7	22
ZZ14876		0.30	0.002	0.26	1.19	10.2	<0.2	<10	240	0.98	0.29	1.09	1.27	15.45	13.0	20
ZZ14877		0.72	0.001	0.26	1.42	9.2	<0.2	<10	190	1.23	0.34	0.41	0.23	16.80	11.1	24
ZZ14878		0.44	0.002	0.23	1.34	7.8	<0.2	<10	270	1.14	0.30	0.42	0.57	15.50	12.1	22
ZZ14879		0.40	0.002	0.46	1.20	27.8	<0.2	<10	340	0.77	0.21	0.39	0.84	11.20	9.9	25

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 5- AUG- 2011
Account: RCM

Project: Pyramid Ext

CERTIFICATE OF ANALYSIS WH11141047

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
ZZ14840		1.00	34.9	3.54	4.45	0.05	0.04	0.27	0.036	0.06	8.3	32.3	0.48	496	1.34	0.01
ZZ14841		1.33	25.3	3.86	5.79	0.15	0.04	0.19	0.039	0.08	6.6	41.3	0.57	379	1.14	0.01
ZZ14842		1.15	43.5	4.06	4.41	0.14	0.03	0.26	0.038	0.07	9.3	36.9	0.53	719	1.47	0.01
ZZ14843		1.93	37.8	4.42	4.12	0.15	0.04	0.24	0.043	0.08	4.6	39.0	0.41	449	1.22	0.01
ZZ14844		1.52	8.8	2.01	6.52	0.14	<0.02	0.44	0.020	0.04	11.8	12.7	0.23	222	1.25	0.01
ZZ14845		1.59	15.3	3.20	5.65	0.16	0.02	0.55	0.032	0.05	15.6	17.8	0.39	470	1.52	0.01
ZZ14846		1.28	22.7	1.86	3.02	0.15	0.04	0.39	0.026	0.06	10.3	9.0	0.22	650	0.81	0.02
ZZ14847		1.40	21.6	1.64	2.86	0.15	0.04	0.74	0.023	0.05	8.8	7.4	0.16	437	1.20	0.01
ZZ14848		1.43	23.2	2.63	4.20	0.16	0.03	1.33	0.029	0.06	12.0	12.2	0.32	788	1.41	0.02
ZZ14849		1.48	13.7	2.48	4.47	0.15	0.02	0.24	0.028	0.04	15.1	9.7	0.25	521	0.98	0.01
ZZ14850		1.44	11.1	2.82	6.02	0.15	0.03	0.20	0.036	0.05	14.7	15.0	0.32	279	1.53	0.01
ZZ14851		2.75	24.5	3.91	5.77	0.15	0.04	0.52	0.040	0.07	8.5	22.7	0.35	334	3.05	0.01
ZZ14852		2.15	17.9	3.28	5.06	0.15	0.05	1.29	0.033	0.07	8.4	14.9	0.37	581	2.04	0.01
ZZ14853		2.06	10.6	3.18	6.40	0.14	0.02	0.52	0.033	0.06	9.9	15.4	0.23	334	1.79	0.01
ZZ14854		1.48	20.8	2.94	5.31	0.15	0.03	0.39	0.032	0.06	11.5	15.2	0.38	420	1.67	0.02
ZZ14855		1.32	7.1	3.01	8.74	0.15	<0.02	0.04	0.018	0.06	12.3	6.2	0.17	152	2.35	0.01
ZZ14856		1.02	40.2	2.34	2.38	0.17	0.03	0.61	0.031	0.08	4.9	6.8	0.12	132	4.48	0.02
ZZ14857		0.78	29.2	1.61	1.82	0.16	0.04	0.24	0.023	0.06	3.9	4.1	0.10	116	2.85	0.01
ZZ14858		0.75	63.9	2.84	1.55	0.15	0.02	0.28	0.035	0.08	2.6	2.4	0.04	88	5.50	0.01
ZZ14859		0.58	36.0	2.37	2.01	0.13	0.02	0.19	0.039	0.09	3.3	6.3	0.09	69	5.79	0.01
ZZ14860		1.48	40.4	5.03	5.09	0.15	0.03	0.55	0.047	0.07	5.8	25.0	0.36	362	10.50	0.01
ZZ14861		1.95	21.9	3.34	5.05	0.15	0.02	0.05	0.036	0.09	7.3	22.8	0.30	970	0.86	0.01
ZZ14862		1.25	17.2	3.20	5.62	0.14	<0.02	0.02	0.029	0.07	6.2	9.9	0.17	298	0.97	0.01
ZZ14863		1.10	30.4	3.91	4.36	0.15	<0.02	0.04	0.032	0.08	4.7	17.9	0.29	594	0.69	0.01
ZZ14864		1.29	18.2	3.50	5.73	0.15	0.02	0.03	0.031	0.06	7.5	25.7	0.22	369	0.91	0.01
ZZ14865		1.06	115.0	1.55	5.34	0.19	<0.02	0.11	0.024	0.06	12.3	3.4	0.19	44	31.0	0.01
ZZ14866		1.44	70.0	2.47	2.61	0.16	0.02	0.50	0.037	0.12	5.0	4.9	0.17	28	3.72	0.02
ZZ14867		1.42	67.1	2.37	2.59	0.17	0.02	0.45	0.033	0.10	4.7	4.6	0.16	24	3.33	0.01
ZZ14868		1.38	70.1	2.03	2.58	0.15	0.02	0.49	0.034	0.09	4.6	5.3	0.17	22	2.88	0.01
ZZ14869		1.02	18.2	1.37	5.95	0.15	<0.02	0.05	0.015	0.06	10.7	1.7	0.04	52	3.33	0.01
ZZ14870		1.21	19.9	3.31	5.18	0.14	0.02	0.16	0.026	0.06	8.0	15.3	0.27	212	4.32	0.01
ZZ14871		1.06	38.3	3.55	4.53	0.15	0.05	0.04	0.037	0.11	6.4	21.7	0.43	422	0.84	0.01
ZZ14872		0.94	25.2	3.46	4.55	0.14	0.04	0.07	0.038	0.08	7.1	24.2	0.39	330	1.38	0.01
ZZ14873		0.85	39.6	3.01	3.34	0.17	0.05	0.14	0.032	0.11	5.3	12.4	0.29	610	2.26	0.02
ZZ14874		0.81	43.0	3.26	3.78	0.15	0.06	0.13	0.039	0.11	6.1	14.4	0.31	407	2.61	0.01
ZZ14875		0.90	34.5	3.92	4.44	0.15	0.06	0.11	0.041	0.13	6.0	20.8	0.39	1280	2.89	0.02
ZZ14876		0.84	33.7	3.38	4.20	0.14	0.05	0.13	0.039	0.10	6.3	17.3	0.33	617	3.04	0.01
ZZ14877		1.10	29.5	3.69	5.15	<0.05	0.06	0.05	0.036	0.11	7.1	29.3	0.41	270	1.76	<0.01
ZZ14878		1.12	34.0	3.46	4.01	<0.05	0.06	0.10	0.035	0.11	6.3	19.9	0.31	476	1.51	<0.01
ZZ14879		1.59	26.7	2.92	3.36	<0.05	0.03	0.41	0.032	0.07	5.0	23.6	0.36	236	1.71	<0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 5- AUG- 2011
Account: RCM

Project: Pyramid Ext

CERTIFICATE OF ANALYSIS WH11141047

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
ZZ14840		0.26	43.6	610	23.1	7.2	0.001	<0.01	0.53	4.8	0.9	0.4	17.8	<0.01	0.05	3.3
ZZ14841		0.32	37.8	690	15.9	10.6	<0.001	0.03	0.48	4.6	1.2	0.5	17.7	<0.01	0.06	2.9
ZZ14842		0.14	46.6	940	25.0	7.2	<0.001	0.02	0.75	5.4	1.3	0.3	25.4	<0.01	0.06	3.9
ZZ14843		0.12	45.7	760	19.1	10.9	0.005	0.06	0.65	5.5	2.1	0.4	36.7	<0.01	0.07	2.8
ZZ14844		0.94	14.1	270	29.3	10.1	<0.001	0.02	0.96	2.5	0.4	0.7	16.9	<0.01	0.04	2.6
ZZ14845		0.88	30.9	640	45.4	9.5	<0.001	0.03	1.11	4.2	1.0	0.5	22.1	0.01	0.06	2.7
ZZ14846		0.39	46.1	1030	40.8	8.3	<0.001	0.10	0.89	2.7	1.6	0.3	30.6	<0.01	0.07	0.8
ZZ14847		0.31	46.5	900	59.2	7.3	0.001	0.09	1.15	1.9	2.3	0.3	28.6	<0.01	0.10	0.6
ZZ14848		0.54	37.0	720	103.0	7.9	<0.001	0.08	1.74	3.2	1.7	0.4	26.8	<0.01	0.07	0.8
ZZ14849		0.54	24.2	990	82.1	7.0	<0.001	0.08	1.14	2.4	1.5	0.4	24.1	<0.01	0.04	0.5
ZZ14850		0.75	25.1	290	60.6	7.1	<0.001	0.02	0.96	4.4	1.1	0.6	15.6	<0.01	0.07	3.0
ZZ14851		0.40	48.1	510	62.8	14.0	<0.001	0.04	1.50	4.0	1.7	0.6	27.2	<0.01	0.08	2.7
ZZ14852		0.40	39.5	670	134.0	10.4	<0.001	0.04	2.67	4.4	1.0	0.5	26.8	<0.01	0.08	1.9
ZZ14853		0.86	24.5	350	85.5	14.8	<0.001	0.03	1.60	2.8	0.7	0.6	16.9	<0.01	0.07	2.6
ZZ14854		0.61	39.6	940	24.3	8.4	<0.001	0.05	0.87	4.0	1.2	0.5	33.9	<0.01	0.08	1.9
ZZ14855		1.38	9.1	380	13.5	12.0	<0.001	0.02	0.83	1.8	0.4	0.8	14.3	<0.01	0.08	2.1
ZZ14856		0.18	48.5	570	11.6	8.8	0.004	0.05	1.18	5.8	4.0	0.4	80.5	<0.01	0.08	1.9
ZZ14857		0.15	26.8	1030	10.4	7.2	0.014	0.09	0.92	2.7	4.8	0.3	86.8	<0.01	0.11	0.9
ZZ14858		<0.05	91.3	740	11.2	7.2	0.003	0.03	1.70	7.5	4.1	0.3	59.0	<0.01	0.12	2.1
ZZ14859		0.08	56.8	600	11.9	7.5	0.002	0.11	1.67	4.6	3.7	0.4	88.3	<0.01	0.08	1.6
ZZ14860		0.24	59.8	610	23.2	15.6	<0.001	0.04	2.20	4.5	2.6	0.5	22.1	<0.01	0.09	4.1
ZZ14861		0.42	20.7	430	16.0	15.1	<0.001	0.04	0.41	3.6	0.6	0.6	20.8	<0.01	0.04	2.3
ZZ14862		0.40	10.7	250	15.0	13.4	<0.001	0.02	0.37	2.5	0.4	0.6	7.8	<0.01	0.03	2.5
ZZ14863		0.20	20.7	190	20.8	12.0	<0.001	0.02	0.35	3.6	0.6	0.5	8.5	<0.01	0.04	3.3
ZZ14864		0.47	14.1	170	15.9	13.2	<0.001	0.02	0.42	2.8	0.4	0.7	7.1	<0.01	0.06	3.6
ZZ14865		0.14	364	880	10.9	9.2	0.003	0.10	14.05	0.5	18.5	0.6	43.7	<0.01	0.27	<0.2
ZZ14866		0.23	11.6	910	15.7	12.4	0.002	0.11	2.26	2.3	4.9	0.5	65.9	<0.01	0.09	1.5
ZZ14867		0.22	9.2	920	13.7	12.9	0.001	0.10	2.19	2.3	4.6	0.4	56.1	<0.01	0.10	1.3
ZZ14868		0.23	9.2	880	13.3	12.0	0.001	0.11	1.72	2.3	4.2	0.4	56.1	<0.01	0.09	1.3
ZZ14869		0.43	11.2	310	9.7	8.9	<0.001	0.11	1.45	1.0	1.1	0.7	35.1	<0.01	0.06	0.6
ZZ14870		0.59	24.5	430	14.7	9.7	0.001	0.08	1.11	2.4	1.4	0.6	18.5	<0.01	0.04	2.9
ZZ14871		0.47	25.8	420	16.1	10.3	<0.001	0.05	0.44	5.7	0.8	0.6	29.3	<0.01	0.04	4.2
ZZ14872		0.45	21.4	590	20.0	10.0	0.002	0.07	0.49	4.3	1.7	0.5	32.7	<0.01	0.05	1.9
ZZ14873		0.31	45.4	650	15.3	10.3	0.005	0.09	0.91	4.1	2.9	0.5	45.0	<0.01	0.04	1.9
ZZ14874		0.31	38.7	710	16.5	10.6	0.005	0.08	0.77	4.5	3.0	0.5	43.5	<0.01	0.04	2.3
ZZ14875		0.32	41.2	570	21.6	11.2	0.010	0.06	0.66	5.1	2.7	0.6	66.0	<0.01	0.05	3.6
ZZ14876		0.34	43.5	560	19.8	10.7	0.004	0.06	0.75	5.3	2.7	0.5	35.1	<0.01	0.06	3.0
ZZ14877		0.41	30.1	420	19.0	11.5	0.002	0.02	0.44	5.6	1.7	0.8	21.9	<0.01	0.03	4.5
ZZ14878		0.35	27.4	570	20.1	11.5	0.005	0.04	0.52	5.3	1.6	0.6	22.0	<0.01	0.04	3.4
ZZ14879		0.22	38.2	700	22.8	9.5	0.008	0.05	0.60	4.6	2.5	0.4	28.2	<0.01	0.06	2.8

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 5- AUG- 2011
Account: RCM

Project: Pyramid Ext

CERTIFICATE OF ANALYSIS WH11141047

Sample Description	Method Analyte Units LOR	ME- MS41 Ti % 0.005	ME- MS41 Tl ppm 0.02	ME- MS41 U ppm 0.05	ME- MS41 V ppm 1	ME- MS41 W ppm 0.05	ME- MS41 Y ppm 0.05	ME- MS41 Zn ppm 2	ME- MS41 Zr ppm 0.5
ZZ14840		0.008	0.09	0.61	34	0.06	9.85	108	0.9
ZZ14841		0.008	0.11	0.68	42	0.10	7.73	112	1.2
ZZ14842		0.005	0.14	0.86	40	0.06	16.95	147	1.0
ZZ14843		<0.005	0.12	0.89	36	<0.05	15.45	149	1.8
ZZ14844		0.029	0.23	0.76	59	0.29	6.17	89	0.5
ZZ14845		0.025	0.28	1.56	54	0.28	17.90	161	0.8
ZZ14846		0.007	0.54	3.61	40	0.16	40.0	258	1.4
ZZ14847		0.005	0.52	2.75	33	0.17	27.5	321	1.4
ZZ14848		0.011	0.57	3.01	48	0.23	29.4	293	1.0
ZZ14849		0.015	0.33	3.81	54	0.18	40.7	327	0.5
ZZ14850		0.014	0.43	2.09	71	0.21	29.6	203	1.2
ZZ14851		0.007	0.53	0.98	74	0.20	8.96	201	1.3
ZZ14852		0.009	0.82	1.36	66	0.27	12.25	275	1.4
ZZ14853		0.019	0.58	0.70	73	0.25	6.84	301	0.7
ZZ14854		0.014	0.23	2.08	64	0.27	14.75	133	1.1
ZZ14855		0.056	0.16	0.67	83	0.32	3.35	48	<0.5
ZZ14856		<0.005	0.21	3.96	68	0.07	17.90	163	1.6
ZZ14857		<0.005	0.15	2.80	45	0.05	14.60	99	1.5
ZZ14858		<0.005	0.15	1.97	54	<0.05	25.6	263	1.2
ZZ14859		<0.005	0.18	2.21	58	0.05	13.90	210	0.7
ZZ14860		<0.005	0.34	1.35	129	0.10	4.92	269	1.9
ZZ14861		0.008	0.12	0.85	34	0.17	9.18	85	0.7
ZZ14862		0.008	0.13	0.41	40	0.12	2.90	56	<0.5
ZZ14863		0.005	0.12	0.42	28	0.06	4.44	78	0.6
ZZ14864		0.008	0.12	0.42	40	0.12	3.27	52	0.9
ZZ14865		0.008	0.34	5.26	739	0.40	20.3	2580	<0.5
ZZ14866		0.005	0.32	1.85	43	0.05	6.77	47	0.7
ZZ14867		0.005	0.28	1.64	40	<0.05	7.07	36	0.5
ZZ14868		<0.005	0.30	1.79	35	0.05	7.06	31	0.6
ZZ14869		0.020	0.20	0.54	69	0.13	2.63	58	<0.5
ZZ14870		0.014	0.25	0.82	64	0.18	3.52	98	0.5
ZZ14871		0.010	0.09	0.94	28	0.14	8.85	86	1.7
ZZ14872		0.009	0.11	0.97	43	0.11	7.46	108	0.9
ZZ14873		<0.005	0.14	1.93	136	0.06	10.05	405	1.8
ZZ14874		<0.005	0.13	1.50	103	0.06	11.10	307	2.0
ZZ14875		0.005	0.14	1.67	96	0.07	9.58	280	1.6
ZZ14876		<0.005	0.14	1.83	138	0.07	10.90	369	1.8
ZZ14877		0.007	0.10	0.98	44	0.08	8.07	143	1.7
ZZ14878		0.005	0.12	1.21	52	0.06	9.17	151	1.5
ZZ14879		<0.005	0.20	1.55	44	0.05	9.59	183	1.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 5- AUG- 2011
Account: RCM

Project: Pyramid Ext

CERTIFICATE OF ANALYSIS WH11141047

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- TL43 Au ppm 0.001	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1
ZZ14880		0.38	0.001	0.19	1.90	23.8	<0.2	<10	140	0.72	0.25	0.11	0.37	18.50	11.7	27
ZZ14881		0.44	0.002	0.22	1.41	15.1	<0.2	<10	480	0.80	0.22	4.39	1.27	24.2	10.7	21
ZZ14882		0.32	0.002	0.16	0.87	14.8	<0.2	<10	260	0.60	0.13	8.92	1.12	15.35	6.9	12
ZZ14883		0.32	0.002	2.32	0.49	28.5	<0.2	<10	330	0.60	0.22	2.39	18.25	11.75	7.8	12
ZZ14884		0.44	0.002	0.33	1.49	20.2	<0.2	<10	210	1.12	0.29	0.90	0.94	34.8	17.0	21
ZZ14885		0.44	0.003	0.08	2.59	15.5	<0.2	<10	170	1.48	0.26	0.26	0.28	42.5	22.1	32
ZZ14886		0.44	0.003	0.10	1.80	13.3	<0.2	<10	210	1.22	0.27	0.57	0.09	33.2	17.4	28
ZZ14887		0.40	0.003	0.14	1.60	11.7	<0.2	<10	180	1.02	0.26	1.72	0.19	26.9	15.0	24
ZZ14888		0.36	0.002	0.10	1.34	9.2	<0.2	<10	150	0.90	0.26	0.84	0.15	21.6	11.6	23
ZZ14889		0.34	0.001	0.22	0.80	11.0	<0.2	<10	100	0.89	0.30	3.03	0.25	26.2	12.2	13
ZZ14890		0.26	0.002	0.03	2.02	10.4	<0.2	<10	130	1.27	0.24	0.25	0.23	56.6	15.6	34
ZZ14891		0.24	0.002	0.06	1.66	8.3	<0.2	<10	160	1.08	0.21	1.02	0.24	37.1	10.8	29
ZZ14892		0.28	0.003	0.13	1.50	9.3	<0.2	<10	200	0.98	0.21	2.11	0.28	30.5	13.1	27
ZZ14893		0.34	0.003	0.12	1.85	15.7	<0.2	<10	160	0.98	0.27	0.74	0.27	28.3	18.5	28
ZZ14894		0.30	0.002	0.11	1.69	9.8	<0.2	<10	190	0.88	0.22	1.31	0.29	20.7	14.2	25
ZZ14895		0.24	0.004	0.13	1.86	11.7	<0.2	<10	190	0.99	0.26	0.95	0.30	20.8	16.7	27
ZZ14896		0.42	0.002	0.10	1.29	12.5	<0.2	<10	160	0.91	0.26	0.30	0.14	18.95	19.8	22
ZZ14897		0.42	0.002	0.07	1.19	12.0	<0.2	<10	150	0.80	0.25	0.24	0.13	17.95	18.0	21
ZZ14898		0.56	0.002	0.09	1.35	11.0	<0.2	<10	210	0.69	0.27	0.45	0.25	23.1	14.7	23
ZZ14899		0.40	0.002	0.11	1.63	5.8	<0.2	<10	280	1.02	0.23	1.03	0.27	16.70	15.5	27
ZZ14900		0.32	0.003	0.10	1.92	9.3	<0.2	<10	260	0.96	0.24	0.75	0.37	25.7	14.7	29
ZZ14701		0.28	0.003	0.15	1.31	12.5	<0.2	<10	220	0.74	0.25	0.85	0.19	18.80	8.6	22
ZZ14702		0.34	0.003	0.20	1.26	17.6	<0.2	<10	270	1.02	0.26	1.06	0.28	21.8	11.6	23
ZZ14703		0.18	0.002	0.13	1.20	7.4	<0.2	<10	260	0.71	0.19	1.83	0.25	16.35	9.7	21
ZZ14704		0.36	0.002	0.22	1.43	29.1	<0.2	<10	510	1.25	0.32	0.84	0.21	29.3	21.2	23
ZZ14705		0.28	0.002	0.10	2.52	21.3	<0.2	<10	190	0.97	0.28	0.65	0.40	46.5	15.6	31
ZZ14706		0.32	0.001	0.09	1.31	13.6	<0.2	<10	160	0.97	0.31	1.95	0.41	38.2	18.5	20
ZZ14707		0.50	0.002	0.14	1.08	14.5	<0.2	<10	170	0.76	0.27	5.61	0.37	24.4	16.6	17
ZZ14708		0.42	0.003	0.19	1.49	30.7	<0.2	<10	140	0.90	0.28	0.51	0.27	25.1	14.9	24
ZZ14709		0.28	0.003	0.11	1.66	31.1	<0.2	<10	150	0.92	0.28	0.56	0.22	24.0	18.7	25
ZZ14710		0.44	0.003	0.18	1.45	29.7	<0.2	<10	150	0.86	0.26	0.38	0.33	26.3	16.1	23
ZZ14711		0.30	0.004	0.20	1.70	30.8	<0.2	<10	190	0.94	0.30	0.63	0.40	24.5	19.6	26
ZZ14712		0.42	0.002	0.17	1.34	29.2	<0.2	<10	210	0.78	0.25	0.81	0.39	22.9	16.8	21
ZZ14713		0.34	0.002	0.16	1.34	27.9	<0.2	<10	180	0.81	0.25	0.83	0.38	22.3	16.8	21
CC142837		0.14	0.002	0.37	1.30	12.3	<0.2	<10	310	1.12	0.26	0.72	1.01	19.90	11.4	20
CC142838		0.18	0.002	0.17	1.68	8.6	<0.2	<10	320	1.34	0.30	0.71	1.18	25.5	15.8	25
CC142839		0.22	0.001	0.13	1.77	9.9	<0.2	<10	180	1.33	0.37	0.48	0.31	19.70	12.6	30
CC142840		0.34	0.001	0.15	1.59	8.7	<0.2	<10	220	1.23	0.32	0.51	0.40	17.00	13.0	26
CC142841		0.22	0.002	0.24	1.52	10.7	<0.2	<10	270	1.20	0.31	0.61	0.28	20.6	14.4	24
CC142842		0.24	0.002	0.24	1.67	14.0	<0.2	<10	270	1.34	0.34	0.49	0.36	17.70	10.4	25

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 5- AUG- 2011
Account: RCM

Project: Pyramid Ext

CERTIFICATE OF ANALYSIS WH11141047

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
ZZ14880		2.29	15.3	3.80	5.25	<0.05	0.03	0.05	0.035	0.06	8.3	35.0	0.41	434	1.49	<0.01
ZZ14881		0.80	29.5	3.07	4.11	<0.05	0.07	0.24	0.025	0.07	11.9	19.9	2.73	463	0.60	0.01
ZZ14882		0.57	16.0	2.75	2.14	<0.05	0.03	0.15	0.021	0.05	7.1	9.3	5.26	1660	0.46	0.01
ZZ14883		0.77	22.0	7.97	2.44	<0.05	0.05	0.57	0.031	0.07	5.3	2.9	1.09	3320	0.44	<0.01
ZZ14884		1.19	47.4	4.48	3.91	0.06	0.05	0.28	0.034	0.09	15.3	20.4	0.85	934	0.61	<0.01
ZZ14885		1.02	47.9	4.38	4.82	0.05	0.12	0.11	0.046	0.08	15.1	34.3	0.57	672	0.80	<0.01
ZZ14886		0.83	61.8	4.51	4.84	0.07	0.04	0.13	0.036	0.09	17.1	29.3	0.72	695	0.67	<0.01
ZZ14887		0.83	51.8	3.81	4.64	0.06	0.07	0.09	0.040	0.12	12.6	27.9	0.74	506	0.51	<0.01
ZZ14888		0.65	37.6	3.52	3.56	<0.05	0.06	0.07	0.032	0.10	10.6	21.5	0.54	438	0.44	<0.01
ZZ14889		0.70	31.5	3.55	2.12	0.05	0.04	0.07	0.041	0.08	8.4	15.0	0.25	306	0.66	<0.01
ZZ14890		0.84	29.0	3.58	5.28	0.06	0.05	0.05	0.031	0.10	26.6	38.2	0.98	330	0.29	<0.01
ZZ14891		0.88	20.0	3.08	5.46	<0.05	0.03	0.03	0.034	0.07	17.2	32.6	0.74	279	0.54	<0.01
ZZ14892		0.96	41.5	3.16	4.70	0.06	0.05	0.09	0.035	0.08	15.9	30.1	0.90	468	0.45	<0.01
ZZ14893		1.42	72.9	4.45	5.74	0.06	0.09	0.13	0.036	0.11	13.2	37.5	0.90	591	0.74	<0.01
ZZ14894		0.96	55.9	3.62	4.85	<0.05	0.07	0.16	0.033	0.10	9.8	31.1	0.76	664	0.55	<0.01
ZZ14895		1.07	45.1	4.04	5.41	0.05	0.07	0.13	0.038	0.10	9.8	41.4	0.74	916	0.68	<0.01
ZZ14896		0.95	57.9	4.86	3.61	<0.05	<0.02	0.12	0.041	0.09	8.8	16.6	0.44	636	0.74	<0.01
ZZ14897		0.67	56.2	4.80	3.07	0.05	<0.02	0.10	0.037	0.07	9.2	15.6	0.47	605	0.64	<0.01
ZZ14898		1.08	37.3	3.82	4.37	<0.05	0.02	0.07	0.036	0.07	10.7	17.6	0.44	450	0.84	<0.01
ZZ14899		0.76	54.9	3.68	4.42	<0.05	0.06	0.09	0.041	0.11	6.7	29.8	0.65	143	0.33	<0.01
ZZ14900		0.83	48.9	4.33	5.60	<0.05	0.06	0.08	0.039	0.09	11.3	29.2	0.76	465	0.51	<0.01
ZZ14701		1.26	24.2	3.18	4.12	<0.05	0.02	0.08	0.031	0.07	10.6	17.7	0.38	344	0.93	<0.01
ZZ14702		1.52	38.0	3.68	3.68	0.05	0.04	0.12	0.037	0.07	12.0	22.3	0.46	478	0.86	<0.01
ZZ14703		0.60	35.6	2.70	3.54	<0.05	0.04	0.10	0.029	0.07	7.5	20.1	0.47	502	0.52	<0.01
ZZ14704		1.12	35.3	4.75	3.80	0.05	0.05	0.14	0.046	0.08	11.8	17.6	0.28	701	1.51	<0.01
ZZ14705		2.04	22.1	4.05	4.91	<0.05	0.04	0.45	0.043	0.06	14.2	15.7	0.33	537	1.10	<0.01
ZZ14706		0.85	39.7	3.93	3.39	0.05	0.04	0.08	0.047	0.07	17.2	10.5	0.22	392	0.86	<0.01
ZZ14707		1.32	42.4	3.36	2.95	<0.05	0.02	0.12	0.042	0.09	11.6	13.8	0.35	442	0.71	0.01
ZZ14708		1.49	54.7	4.31	4.48	0.06	0.08	0.13	0.035	0.09	12.2	35.8	0.74	245	1.09	<0.01
ZZ14709		1.22	46.5	4.52	4.68	<0.05	0.07	0.12	0.036	0.08	11.0	36.2	0.78	628	1.11	<0.01
ZZ14710		1.40	52.9	4.22	4.27	0.05	0.07	0.18	0.032	0.08	12.3	33.2	0.71	390	1.08	<0.01
ZZ14711		1.63	61.4	4.75	4.88	0.05	0.09	0.15	0.037	0.10	11.8	39.5	0.84	580	1.26	<0.01
ZZ14712		1.48	51.3	4.10	3.88	0.05	0.06	0.14	0.030	0.07	10.4	30.5	0.90	432	1.17	<0.01
ZZ14713		1.26	55.1	4.14	3.76	0.12	0.07	0.10	0.026	0.07	10.1	35.5	0.93	643	1.17	<0.01
CC142837		0.92	36.0	3.74	3.83	0.12	0.05	0.10	0.039	0.12	8.6	17.1	0.30	583	4.21	0.01
CC142838		0.93	30.1	4.91	5.19	0.12	0.05	0.06	0.042	0.13	9.6	29.7	0.43	1050	1.80	0.01
CC142839		2.25	29.2	4.12	6.04	0.12	0.06	0.04	0.039	0.14	7.2	35.2	0.47	626	0.84	0.01
CC142840		1.27	26.1	3.89	5.07	0.11	0.05	0.06	0.036	0.14	6.8	28.9	0.43	677	1.33	<0.01
CC142841		1.10	31.3	3.89	4.26	0.12	0.06	0.10	0.039	0.15	8.5	20.4	0.38	801	2.42	<0.01
CC142842		1.28	38.0	4.69	4.98	0.11	0.06	0.10	0.039	0.15	9.5	26.8	0.43	396	1.68	0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 5- AUG- 2011
Account: RCM

Project: Pyramid Ext

CERTIFICATE OF ANALYSIS WH11141047

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
ZZ14880		0.85	26.8	690	18.8	13.9	<0.001	0.02	0.68	3.1	0.6	0.6	10.9	<0.01	0.04	3.3
ZZ14881		0.60	24.0	710	29.3	8.3	<0.001	0.05	0.56	5.1	1.1	0.4	37.3	<0.01	0.05	3.2
ZZ14882		0.22	14.9	820	25.4	6.6	<0.001	0.05	0.44	2.5	0.8	0.3	64.3	<0.01	0.03	1.0
ZZ14883		0.10	25.2	510	76.6	4.4	<0.001	0.11	0.76	5.9	0.6	0.5	51.8	<0.01	0.06	3.3
ZZ14884		0.15	37.0	550	46.4	8.1	<0.001	0.02	0.46	7.7	0.8	0.4	29.7	<0.01	0.05	5.5
ZZ14885		0.43	41.1	550	24.5	10.1	<0.001	0.02	0.50	7.0	1.1	0.5	20.7	<0.01	0.05	6.4
ZZ14886		0.13	35.7	450	23.8	7.7	<0.001	0.01	0.43	9.7	1.1	0.4	33.5	<0.01	0.06	5.5
ZZ14887		0.21	34.9	590	20.1	8.2	<0.001	0.02	0.41	7.2	0.7	0.4	78.9	<0.01	0.07	4.2
ZZ14888		0.28	28.0	520	20.9	7.0	<0.001	0.04	0.35	5.8	0.7	0.4	45.6	<0.01	0.06	3.6
ZZ14889		0.17	33.9	640	28.0	5.8	<0.001	0.05	0.49	4.8	1.3	0.5	134.0	<0.01	0.11	2.4
ZZ14890		0.27	33.9	230	14.4	9.9	<0.001	0.01	0.39	7.6	0.8	0.4	12.7	<0.01	0.04	7.0
ZZ14891		0.51	25.4	460	13.6	10.7	<0.001	0.04	0.36	4.9	0.9	0.5	43.6	<0.01	0.03	2.4
ZZ14892		0.33	27.6	630	14.7	8.8	<0.001	0.07	0.38	6.2	1.5	0.4	88.4	<0.01	0.05	1.7
ZZ14893		0.25	39.2	590	20.0	8.8	<0.001	0.03	0.60	7.8	0.8	0.4	44.6	<0.01	0.07	3.6
ZZ14894		0.26	30.9	640	14.5	7.5	<0.001	0.06	0.49	6.1	1.2	0.3	61.8	<0.01	0.06	2.3
ZZ14895		0.27	33.1	610	18.5	8.9	<0.001	0.05	0.46	7.2	1.2	0.4	51.2	<0.01	0.06	2.6
ZZ14896		0.17	35.7	360	19.7	7.0	<0.001	0.02	0.43	8.8	0.8	0.4	22.0	<0.01	0.07	3.4
ZZ14897		0.12	32.5	290	19.9	4.7	<0.001	0.01	0.44	8.3	0.8	0.3	17.9	<0.01	0.07	3.2
ZZ14898		0.53	27.5	480	16.8	8.3	<0.001	0.02	0.48	5.9	0.6	0.5	29.5	<0.01	0.05	3.2
ZZ14899		0.20	31.9	440	15.4	7.8	<0.001	0.09	0.26	8.9	1.1	0.5	48.0	<0.01	0.04	2.5
ZZ14900		0.39	30.9	520	13.7	8.4	<0.001	0.06	0.34	8.5	0.9	0.5	43.2	<0.01	0.05	3.4
ZZ14701		0.62	21.5	460	17.6	8.5	<0.001	0.03	0.50	5.6	0.7	0.5	38.4	<0.01	0.06	2.3
ZZ14702		0.39	29.0	550	22.7	8.8	<0.001	0.04	0.52	7.3	1.3	0.4	47.2	<0.01	0.07	2.2
ZZ14703		0.44	22.6	680	11.5	7.5	<0.001	0.09	0.42	4.1	1.3	0.4	76.4	<0.01	0.04	1.2
ZZ14704		0.31	38.0	310	73.4	9.7	<0.001	0.03	0.78	8.0	1.5	0.6	45.9	<0.01	0.08	3.8
ZZ14705		0.98	31.2	430	19.7	11.3	<0.001	0.04	1.61	4.9	0.9	0.6	52.7	0.01	0.07	2.4
ZZ14706		0.51	33.2	370	20.2	7.7	<0.001	0.03	0.59	7.4	1.0	0.6	133.5	<0.01	0.12	2.7
ZZ14707		0.38	31.5	710	17.5	6.9	<0.001	0.05	0.57	5.2	1.0	0.4	291	<0.01	0.08	1.5
ZZ14708		0.15	36.3	750	21.1	6.2	<0.001	0.03	0.69	6.4	1.3	0.3	35.2	<0.01	0.07	4.1
ZZ14709		0.16	33.6	430	21.2	6.4	<0.001	0.04	0.65	5.8	0.8	0.3	36.5	<0.01	0.07	3.3
ZZ14710		0.14	36.4	750	19.1	5.8	<0.001	0.02	0.67	6.0	0.9	0.3	31.8	<0.01	0.08	3.9
ZZ14711		0.17	41.8	770	21.6	6.9	<0.001	0.04	0.76	6.9	1.0	0.3	42.0	<0.01	0.08	3.7
ZZ14712		0.12	35.3	780	20.3	5.2	<0.001	0.03	0.71	5.4	0.9	0.3	35.0	<0.01	0.08	3.7
ZZ14713		0.09	35.2	720	22.3	4.4	0.001	0.05	0.64	4.6	1.2	0.2	39.3	<0.01	0.06	3.5
CC142837		0.25	31.2	970	18.1	12.2	0.005	0.06	1.09	4.7	2.8	0.5	27.5	<0.01	0.04	2.8
CC142838		0.37	39.0	880	17.9	10.9	0.001	0.04	0.53	6.7	2.0	0.7	27.1	<0.01	0.04	4.4
CC142839		0.34	30.0	640	20.8	14.7	<0.001	0.04	0.33	6.4	1.2	0.8	23.4	<0.01	0.02	4.6
CC142840		0.38	29.2	590	17.4	13.0	0.001	0.04	0.43	5.3	1.3	0.7	23.6	<0.01	0.04	3.8
CC142841		0.27	26.0	870	18.8	12.5	0.003	0.05	0.61	5.8	1.8	0.6	26.8	<0.01	0.03	3.4
CC142842		0.33	28.3	680	20.6	13.2	0.001	0.04	0.50	6.3	1.7	0.7	25.7	<0.01	0.04	3.7

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 5- AUG- 2011
Account: RCM

Project: Pyramid Ext

CERTIFICATE OF ANALYSIS WH11141047

Sample Description	Method Analyte Units LOR	ME- MS41 Ti % 0.005	ME- MS41 Tl ppm 0.02	ME- MS41 U ppm 0.05	ME- MS41 V ppm 1	ME- MS41 W ppm 0.05	ME- MS41 Y ppm 0.05	ME- MS41 Zn ppm 2	ME- MS41 Zr ppm 0.5
ZZ14880		0.013	0.23	0.55	48	0.20	3.59	153	1.0
ZZ14881		0.012	0.17	1.32	33	0.18	10.95	391	1.9
ZZ14882		0.006	0.17	1.35	20	0.05	8.09	267	0.8
ZZ14883		<0.005	0.89	1.67	14	<0.05	9.81	3720	1.7
ZZ14884		<0.005	0.31	0.80	29	<0.05	14.15	276	1.6
ZZ14885		0.006	0.15	1.65	40	0.08	10.05	99	4.0
ZZ14886		<0.005	0.11	0.93	37	<0.05	17.00	91	2.2
ZZ14887		0.005	0.10	0.64	34	<0.05	13.20	88	2.7
ZZ14888		0.007	0.09	0.71	30	0.06	10.65	90	1.9
ZZ14889		<0.005	0.09	1.08	15	<0.05	13.80	128	1.3
ZZ14890		0.008	0.09	0.83	30	<0.05	11.50	75	2.3
ZZ14891		0.011	0.10	1.22	37	0.09	8.92	74	1.0
ZZ14892		0.007	0.09	1.31	32	0.05	14.80	101	1.6
ZZ14893		0.006	0.11	0.99	42	<0.05	12.65	104	2.8
ZZ14894		0.006	0.08	2.09	37	<0.05	10.15	97	2.1
ZZ14895		0.005	0.09	2.44	38	0.05	12.30	101	2.1
ZZ14896		0.005	0.12	0.56	39	<0.05	10.45	87	0.7
ZZ14897		0.005	0.09	0.58	36	<0.05	10.35	88	0.7
ZZ14898		0.014	0.09	0.70	43	0.14	7.35	74	0.6
ZZ14899		<0.005	0.07	0.93	41	<0.05	10.40	71	1.8
ZZ14900		0.008	0.08	0.73	50	0.07	10.35	88	2.1
ZZ14701		0.016	0.12	0.93	38	0.16	11.10	96	0.8
ZZ14702		0.008	0.12	0.82	32	0.12	17.90	143	1.0
ZZ14703		0.009	0.07	1.45	30	0.10	8.14	88	1.2
ZZ14704		0.005	0.20	0.77	38	0.07	13.70	103	1.3
ZZ14705		0.017	0.18	1.70	54	0.19	11.05	98	1.2
ZZ14706		0.011	0.13	0.77	36	0.12	19.60	81	1.2
ZZ14707		0.010	0.11	0.83	28	0.08	15.40	99	0.7
ZZ14708		0.005	0.12	0.77	36	<0.05	11.05	126	2.5
ZZ14709		<0.005	0.12	0.77	38	<0.05	8.36	108	2.1
ZZ14710		0.005	0.10	0.92	35	<0.05	10.85	124	2.2
ZZ14711		0.005	0.12	1.23	40	<0.05	11.10	139	2.6
ZZ14712		0.005	0.11	0.88	33	<0.05	10.25	120	2.1
ZZ14713		0.005	0.10	0.75	33	<0.05	8.84	119	2.4
CC142837		<0.005	0.18	1.49	78	0.06	12.10	215	1.6
CC142838		0.005	0.14	1.07	49	0.07	14.70	178	1.6
CC142839		0.006	0.13	0.89	34	0.05	12.75	136	1.7
CC142840		0.007	0.14	0.98	42	0.09	10.10	144	1.6
CC142841		<0.005	0.17	1.42	69	0.05	12.00	176	1.6
CC142842		0.005	0.13	1.24	51	0.06	13.95	160	1.8

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 5- AUG- 2011
Account: RCM

Project: Pyramid Ext

CERTIFICATE OF ANALYSIS WH11141047

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- TL43 Au ppm 0.001	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1
CC142843		0.14	0.002	0.25	1.61	4.2	<0.2	<10	480	1.00	0.24	0.48	1.57	17.85	12.0	24
CC142844		0.24	0.003	0.53	1.46	32.2	<0.2	<10	530	1.00	0.25	0.41	1.05	14.15	9.9	29
CC142845		0.20	0.001	0.28	1.19	15.0	<0.2	<10	340	0.79	0.14	5.98	0.74	16.80	6.6	16
CC142846		0.38	0.002	0.33	2.13	26.4	<0.2	<10	390	1.10	0.21	2.60	1.91	39.4	17.3	24
CC142847		0.44	0.002	0.07	1.93	16.4	<0.2	<10	270	0.95	0.29	0.20	0.14	39.2	13.8	30
CC142848		0.34	0.002	0.03	2.03	16.5	<0.2	<10	250	1.13	0.29	0.11	0.11	41.4	17.4	29
CC142849		0.30	0.002	0.02	2.04	14.8	<0.2	<10	160	1.00	0.32	0.06	0.08	33.5	16.6	28
CC142850		0.34	0.002	0.11	1.79	11.3	<0.2	<10	250	1.00	0.26	1.22	0.33	25.1	13.8	25
CC142851		0.30	0.003	0.11	2.01	10.3	<0.2	<10	160	0.92	0.27	2.23	0.23	28.4	17.0	27
CC142852		0.18	0.003	0.11	1.49	9.3	<0.2	<10	150	0.85	0.22	3.26	0.28	25.6	13.2	24
CC142853		0.16	0.001	0.14	0.92	8.0	<0.2	<10	120	0.69	0.22	2.36	0.15	21.2	6.1	14
CC142854		0.24	0.004	0.13	1.32	8.1	<0.2	<10	140	0.71	0.20	2.08	0.22	19.60	9.7	20
CC142855		0.18	0.003	0.10	1.64	9.2	<0.2	<10	150	0.85	0.20	1.63	0.23	26.9	12.4	27
CC142856		0.32	0.003	0.12	1.85	11.5	<0.2	<10	170	0.95	0.24	1.27	0.26	25.0	13.4	30
CC142857		0.28	0.003	0.12	1.97	13.1	<0.2	<10	200	0.91	0.25	1.20	0.30	23.4	15.1	29
CC142858		0.36	0.002	0.10	1.70	10.8	<0.2	<10	170	0.89	0.22	1.69	0.27	18.80	13.6	25
CC142859		0.24	0.003	0.14	2.21	8.8	<0.2	<10	230	1.18	0.28	0.92	0.46	27.3	13.0	32
CC142860		0.26	0.003	0.08	1.92	16.8	<0.2	<10	160	0.95	0.27	0.60	0.17	31.3	19.7	30
CC142861		0.34	0.002	0.10	1.67	14.7	<0.2	<10	230	1.09	0.28	0.29	0.15	24.4	21.6	27
CC142862		0.26	0.002	0.14	1.89	7.3	<0.2	<10	230	0.64	0.23	0.85	0.68	25.7	13.6	31
CC142863		0.34	0.003	0.10	2.14	11.5	<0.2	<10	240	1.06	0.25	0.39	0.12	27.9	18.2	31
CC142864		0.34	0.002	0.08	2.18	11.0	<0.2	<10	210	0.93	0.22	0.31	0.10	30.0	14.2	32
CC142865		0.42	0.002	0.08	2.42	9.9	<0.2	<10	140	0.85	0.22	2.64	0.21	32.9	20.5	32
CC142866		0.38	0.003	0.09	2.51	9.4	<0.2	<10	150	0.85	0.23	0.91	0.25	35.1	20.9	35
CC142867		0.38	0.003	0.10	2.39	8.5	<0.2	<10	190	0.92	0.23	0.97	0.18	27.4	14.9	35
CC142868		0.28	0.002	0.11	1.81	16.3	<0.2	<10	300	1.51	0.33	0.15	0.38	31.7	19.7	28
CC142869		0.36	0.002	0.13	1.53	17.3	<0.2	<10	160	0.89	0.28	2.24	0.32	23.6	17.0	23
CC142870		0.18	0.001	0.12	0.71	8.5	<0.2	<10	210	0.74	0.22	2.17	0.33	14.70	12.5	13
CC142871		0.18	0.003	0.25	1.49	27.4	<0.2	<10	210	0.87	0.28	0.91	0.48	23.5	16.6	23
CC142872		0.22	0.002	0.24	1.29	31.6	<0.2	<10	190	0.60	0.24	0.88	0.33	22.8	15.6	20
CC142873		0.34	0.002	0.14	1.38	34.8	<0.2	<10	160	0.64	0.25	0.69	0.30	26.0	17.8	22

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 5- AUG- 2011
Account: RCM

Project: Pyramid Ext

CERTIFICATE OF ANALYSIS WH11141047

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
CC142843		1.11	39.0	2.67	4.74	0.10	0.06	0.13	0.034	0.13	8.0	25.0	0.38	1400	0.90	<0.01
CC142844		1.43	39.7	3.67	3.85	0.11	0.07	0.46	0.044	0.08	6.5	24.7	0.38	230	1.61	<0.01
CC142845		0.58	19.1	3.14	2.70	0.10	0.03	0.25	0.020	0.05	9.2	9.2	2.84	1950	0.68	0.02
CC142846		0.89	16.6	10.75	4.31	0.14	0.05	0.20	0.036	0.04	22.3	13.1	1.08	6960	1.05	0.01
CC142847		1.10	31.1	4.25	5.04	0.11	0.03	0.08	0.034	0.08	19.1	22.3	0.67	673	0.89	<0.01
CC142848		0.97	46.7	4.47	4.68	0.12	0.03	0.09	0.042	0.08	16.6	27.7	0.67	820	0.55	<0.01
CC142849		0.91	44.4	4.68	4.92	0.11	0.03	0.04	0.036	0.08	14.3	29.5	0.69	559	0.60	<0.01
CC142850		0.58	41.0	4.03	4.52	0.11	0.07	0.05	0.035	0.11	10.1	27.3	0.59	623	0.53	0.01
CC142851		0.91	57.9	4.53	5.02	0.11	0.09	0.09	0.036	0.17	13.1	29.4	0.98	629	0.47	0.01
CC142852		0.64	35.0	3.43	4.13	0.11	0.07	0.07	0.036	0.11	12.1	24.9	0.68	675	0.39	0.01
CC142853		0.49	23.4	2.89	2.33	0.11	0.04	0.06	0.031	0.07	7.5	14.0	0.28	94	0.45	0.01
CC142854		0.60	38.4	2.98	3.46	0.12	0.05	0.09	0.029	0.08	8.2	20.0	0.49	324	0.44	<0.01
CC142855		0.70	39.8	3.53	4.59	0.12	0.05	0.08	0.030	0.09	14.0	29.8	0.88	522	0.48	0.01
CC142856		1.09	53.8	4.14	4.80	0.11	0.06	0.09	0.031	0.12	12.6	32.2	0.95	558	0.55	0.01
CC142857		1.00	61.1	4.44	5.11	0.11	0.06	0.11	0.033	0.13	11.2	34.4	0.92	635	0.60	0.01
CC142858		0.84	50.0	3.51	4.83	0.09	0.09	0.11	0.034	0.10	8.5	33.7	0.78	817	0.52	0.01
CC142859		1.22	51.3	3.59	5.94	0.12	0.07	0.11	0.036	0.12	12.9	42.5	0.87	312	0.30	0.01
CC142860		0.78	64.1	5.45	5.02	0.12	0.07	0.12	0.042	0.10	14.5	31.7	0.82	662	0.75	<0.01
CC142861		1.02	71.3	5.42	4.48	0.12	0.06	0.11	0.040	0.11	11.9	24.9	0.70	673	0.63	<0.01
CC142862		0.83	58.4	3.59	5.33	0.12	0.07	0.10	0.037	0.08	12.5	31.8	0.96	416	0.35	0.01
CC142863		0.98	74.8	5.13	6.02	0.11	0.09	0.10	0.044	0.10	14.4	30.5	1.00	613	0.53	<0.01
CC142864		0.83	61.3	4.99	5.70	0.12	0.06	0.08	0.038	0.09	15.7	29.4	1.00	544	0.51	<0.01
CC142865		0.85	87.3	5.25	6.40	0.13	0.08	0.09	0.034	0.13	15.3	36.3	1.42	721	0.43	0.01
CC142866		0.89	92.6	5.46	6.92	0.14	0.09	0.09	0.035	0.14	16.1	37.7	1.52	788	0.46	0.01
CC142867		0.81	86.4	5.03	6.85	0.13	0.07	0.12	0.040	0.11	14.3	36.2	1.25	427	0.43	<0.01
CC142868		1.53	49.8	5.50	4.05	0.12	0.04	0.06	0.057	0.10	13.3	25.4	0.38	1300	0.73	<0.01
CC142869		0.89	63.4	4.55	4.19	0.12	0.06	0.13	0.044	0.09	11.8	22.9	0.93	673	0.62	0.01
CC142870		0.69	41.5	3.30	1.94	0.10	0.03	0.07	0.040	0.09	7.1	8.2	0.26	377	0.61	0.01
CC142871		1.51	55.8	4.14	4.13	0.12	0.07	0.15	0.036	0.09	11.3	33.0	0.89	587	1.24	0.01
CC142872		1.61	48.1	4.10	3.68	0.08	0.08	0.13	0.033	0.07	11.0	33.0	0.95	432	1.29	<0.01
CC142873		1.63	52.2	4.29	4.11	0.08	0.09	0.19	0.033	0.07	12.0	36.2	0.90	795	1.08	<0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 5- AUG- 2011
Account: RCM

Project: Pyramid Ext

CERTIFICATE OF ANALYSIS WH11141047

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
CC142843		0.29	30.5	610	14.6	12.5	0.005	0.07	0.45	5.6	1.3	0.6	24.3	<0.01	0.02	3.5
CC142844		0.21	42.8	730	26.1	9.8	0.003	0.06	0.69	5.9	3.0	0.4	24.7	<0.01	0.08	2.9
CC142845		0.35	15.6	1090	23.3	5.1	<0.001	0.10	0.45	2.1	1.0	0.3	40.2	<0.01	0.03	0.7
CC142846		0.45	26.9	1580	56.3	9.7	<0.001	0.09	0.69	4.2	1.4	0.5	25.6	0.01	0.06	1.4
CC142847		0.49	30.4	370	23.1	9.3	<0.001	0.01	0.56	6.5	1.1	0.5	19.1	<0.01	0.04	5.9
CC142848		0.15	35.5	310	26.5	9.6	<0.001	0.01	0.41	6.4	1.0	0.4	16.7	<0.01	0.04	5.4
CC142849		0.14	32.4	200	26.1	9.8	<0.001	0.01	0.46	4.8	0.8	0.4	11.4	<0.01	0.06	5.4
CC142850		0.22	31.0	450	19.8	7.7	<0.001	0.04	0.40	5.3	1.2	0.4	56.8	<0.01	0.05	2.9
CC142851		0.15	36.0	630	18.6	7.6	<0.001	0.03	0.34	7.2	0.9	0.3	91.6	<0.01	0.06	4.6
CC142852		0.27	29.3	650	15.0	7.0	<0.001	0.06	0.33	5.6	1.0	0.3	167.0	<0.01	0.06	2.9
CC142853		0.25	17.2	610	16.7	4.7	<0.001	0.10	0.32	3.2	1.4	0.3	108.0	<0.01	0.07	1.4
CC142854		0.26	24.2	690	13.3	6.8	<0.001	0.09	0.41	3.4	1.3	0.3	95.5	<0.01	0.04	1.1
CC142855		0.24	28.0	540	13.8	6.7	<0.001	0.07	0.38	5.0	1.0	0.3	67.5	<0.01	0.04	1.7
CC142856		0.27	33.0	680	15.6	8.0	<0.001	0.05	0.49	6.6	1.3	0.3	58.9	<0.01	0.05	2.4
CC142857		0.23	34.3	660	16.4	7.3	<0.001	0.05	0.49	6.6	1.1	0.3	57.4	<0.01	0.06	2.4
CC142858		0.29	30.8	620	13.8	8.0	<0.001	0.06	0.43	5.8	1.0	0.3	75.4	<0.01	0.07	2.4
CC142859		0.34	30.6	490	19.0	11.6	<0.001	0.08	0.38	8.0	1.5	0.4	46.2	<0.01	0.07	4.4
CC142860		0.17	38.4	420	19.1	6.8	<0.001	0.04	0.48	9.3	0.9	0.4	36.5	<0.01	0.07	3.9
CC142861		0.10	40.7	380	19.6	6.8	<0.001	0.02	0.41	10.3	1.3	0.4	26.1	<0.01	0.05	4.3
CC142862		0.47	31.4	770	13.8	6.6	0.001	0.13	0.35	7.2	4.0	0.3	43.7	<0.01	0.05	3.8
CC142863		0.14	39.1	330	14.3	7.6	<0.001	0.02	0.38	10.5	1.1	0.4	27.2	<0.01	0.07	3.8
CC142864		0.15	34.6	380	13.1	6.6	<0.001	0.01	0.41	8.7	0.9	0.3	23.5	<0.01	0.07	4.2
CC142865		0.09	37.5	610	14.6	6.0	<0.001	0.02	0.35	8.8	1.1	0.3	90.5	<0.01	0.08	4.2
CC142866		0.10	39.5	630	14.4	6.3	<0.001	0.02	0.35	8.5	0.9	0.3	36.8	<0.01	0.10	3.8
CC142867		0.18	36.7	580	11.4	7.3	<0.001	0.04	0.34	8.7	0.8	0.3	42.8	<0.01	0.09	2.7
CC142868		0.16	37.0	400	26.8	11.4	<0.001	0.02	0.39	10.9	1.2	0.5	18.9	<0.01	0.04	5.1
CC142869		0.15	34.1	570	20.2	5.9	<0.001	0.05	0.53	8.0	1.3	0.3	94.7	<0.01	0.08	2.7
CC142870		0.23	24.1	500	12.8	5.7	<0.001	0.07	0.38	5.4	1.0	0.4	104.5	<0.01	0.07	1.0
CC142871		0.15	38.3	730	21.1	6.2	0.002	0.12	0.79	6.0	1.7	0.3	43.6	<0.01	0.07	3.8
CC142872		0.14	33.8	720	20.1	5.1	0.001	0.04	0.76	4.9	1.1	0.2	35.5	<0.01	0.06	3.8
CC142873		0.16	35.0	720	21.0	5.2	<0.001	0.04	0.74	5.3	1.1	0.3	36.5	<0.01	0.06	3.8

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 5- AUG- 2011
Account: RCM

Project: Pyramid Ext

CERTIFICATE OF ANALYSIS WH11141047

Sample Description	Method Analyte Units LOR	ME- MS41 Ti % 0.005	ME- MS41 Tl ppm 0.02	ME- MS41 U ppm 0.05	ME- MS41 V ppm 1	ME- MS41 W ppm 0.05	ME- MS41 Y ppm 0.05	ME- MS41 Zn ppm 2	ME- MS41 Zr ppm 0.5
CC142843		<0.005	0.19	1.12	43	0.09	10.50	153	1.4
CC142844		<0.005	0.21	2.39	54	0.06	13.90	191	2.2
CC142845		0.012	0.11	1.76	27	0.13	9.95	203	0.8
CC142846		0.017	0.36	2.10	47	0.13	20.6	550	1.4
CC142847		0.018	0.18	1.22	48	0.15	12.00	146	1.4
CC142848		0.005	0.14	1.39	38	<0.05	9.83	103	1.3
CC142849		0.005	0.13	0.67	40	0.06	4.82	89	1.8
CC142850		<0.005	0.09	1.30	36	<0.05	8.41	101	2.0
CC142851		0.006	0.10	0.58	42	<0.05	11.10	99	3.7
CC142852		0.006	0.08	0.86	34	<0.05	10.50	97	2.6
CC142853		<0.005	0.08	1.51	18	<0.05	10.55	88	1.6
CC142854		0.006	0.08	3.48	28	<0.05	8.37	95	1.5
CC142855		0.008	0.08	1.33	37	<0.05	11.50	92	1.6
CC142856		0.008	0.11	1.75	41	<0.05	11.25	111	1.9
CC142857		0.006	0.11	1.04	44	<0.05	10.85	114	2.0
CC142858		0.005	0.09	2.15	37	0.05	9.37	94	2.4
CC142859		0.005	0.12	4.02	46	<0.05	11.10	150	2.8
CC142860		0.005	0.09	0.78	51	<0.05	14.10	106	2.3
CC142861		0.005	0.10	0.50	46	<0.05	12.15	90	2.8
CC142862		0.011	0.09	5.39	52	0.11	9.79	114	2.3
CC142863		0.006	0.09	0.63	52	<0.05	12.95	82	3.1
CC142864		0.008	0.08	0.51	54	<0.05	11.50	75	2.3
CC142865		0.008	0.08	0.46	57	<0.05	10.60	92	3.4
CC142866		0.008	0.07	0.38	64	<0.05	9.92	98	3.1
CC142867		0.006	0.07	0.73	59	<0.05	12.75	93	2.0
CC142868		<0.005	0.15	0.87	37	0.05	16.35	102	1.3
CC142869		0.005	0.09	0.57	36	<0.05	15.40	110	1.9
CC142870		0.006	0.09	0.71	23	0.06	13.40	109	0.9
CC142871		0.005	0.14	1.08	35	<0.05	11.20	133	2.6
CC142872		0.006	0.11	0.80	31	<0.05	10.50	123	2.6
CC142873		0.006	0.10	0.77	32	<0.05	10.50	108	2.9

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 5- AUG- 2011
Account: RCM

Project: Pyramid Ext

CERTIFICATE OF ANALYSIS WH11141047

Method	CERTIFICATE COMMENTS
ALL METHODS	NSS is non- sufficient sample.
ME- MS41	Gold determinations by this method are semi- quantitative due to the small sample weight used (0.5g).

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 6- AUG- 2011
Account: RCM

CERTIFICATE WH11141048

Project: Pyramid Ext

P.O. No.:

This report is for 145 Soil samples submitted to our lab in Whitehorse, YT, Canada on 23- JUL- 2011.

The following have access to data associated with this certificate:

ROB CARNE JULIA LANE	ANDREW CARNE JOAN MARIACHER	MATT DUMALA

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
SCR- 41	Screen to - 180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- TL43	Trace Level Au - 25g AR	ICP- MS
ME- MS41	51 anal. aqua regia ICPMS	

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 6- AUG- 2011
Account: RCM

Project: Pyramid Ext

CERTIFICATE OF ANALYSIS WH11141048

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- TL43 Au ppm 0.001	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1
CC145037		0.30	0.002	0.12	1.36	14.3	<0.2	<10	350	1.10	0.28	0.97	0.48	17.55	13.2	24
CC145038		0.32	0.002	0.30	1.55	9.6	<0.2	<10	260	1.42	0.29	0.90	0.37	21.1	11.1	25
CC145039		0.36	0.001	0.08	1.57	10.6	<0.2	<10	410	1.08	0.35	0.66	0.15	23.4	10.8	24
CC145040		0.46	0.001	0.11	1.49	9.4	<0.2	<10	450	1.11	0.29	0.51	0.45	18.00	13.7	25
CC145041		0.26	0.002	0.26	0.95	12.8	<0.2	<10	770	0.78	0.20	1.41	1.06	12.20	8.4	17
CC145042		0.60	0.003	0.33	0.98	14.9	<0.2	<10	1140	0.97	0.21	0.48	1.12	20.2	10.6	22
CC145043		0.36	0.003	0.46	0.95	12.6	<0.2	<10	1370	0.85	0.21	0.58	1.72	16.10	9.9	21
CC145044		0.44	0.001	0.28	1.06	11.0	<0.2	<10	1380	0.86	0.25	0.40	1.62	15.10	7.4	22
CC145045		0.44	0.002	0.53	0.88	18.0	<0.2	<10	1510	0.72	0.20	0.59	1.13	13.40	8.8	21
CC145046		0.42	0.001	0.31	1.19	22.5	<0.2	<10	1060	0.93	0.21	0.70	0.82	15.55	9.2	25
CC145047		0.42	0.002	0.03	2.11	18.4	<0.2	<10	220	0.96	0.29	0.06	0.47	32.1	14.2	30
CC145048		0.46	0.001	0.13	1.39	18.8	<0.2	<10	210	0.68	0.20	3.51	0.50	24.6	9.0	23
CC145049		0.60	0.001	0.02	2.23	16.2	<0.2	<10	150	1.17	0.27	0.09	0.10	39.1	15.1	32
CC145050		0.46	0.003	0.19	1.95	17.6	<0.2	<10	350	1.06	0.27	0.46	1.94	44.1	12.0	28
CC145051		0.46	0.001	0.12	1.16	8.1	<0.2	<10	230	1.05	0.31	0.93	0.40	23.6	12.6	19
CC145052		0.44	0.001	0.08	1.26	8.3	<0.2	<10	180	0.86	0.24	1.36	0.21	22.0	11.8	20
CC145053		0.36	0.001	0.09	0.95	9.5	<0.2	<10	100	0.81	0.28	0.97	0.25	26.0	12.7	17
CC145054		0.28	0.001	0.08	1.02	7.3	<0.2	<10	130	0.74	0.22	2.00	0.25	21.8	10.0	16
CC145055		0.26	0.001	0.07	1.24	8.9	<0.2	<10	130	0.80	0.22	1.85	0.22	23.2	10.9	19
CC145056		0.42	0.002	0.07	1.44	9.5	<0.2	<10	150	0.81	0.21	1.48	0.27	24.4	12.3	23
CC145057		0.58	0.004	0.08	1.66	10.6	<0.2	<10	180	0.95	0.23	1.36	0.31	28.0	12.8	28
CC145058		0.38	0.003	0.06	1.49	8.9	<0.2	<10	170	0.84	0.21	1.76	0.28	21.4	11.5	24
CC145059		0.50	0.002	0.05	1.86	12.7	<0.2	<10	150	0.89	0.27	0.72	0.22	16.95	13.5	27
CC145060		0.40	0.002	0.05	1.60	8.5	<0.2	<10	190	0.85	0.21	1.48	0.29	13.80	11.0	22
CC145061		0.44	0.002	0.09	1.68	13.0	<0.2	<10	300	1.20	0.27	0.89	0.31	25.3	13.3	29
CC145062		0.40	0.001	0.08	1.36	10.1	<0.2	<10	160	0.57	0.23	0.49	0.15	22.4	7.6	22
CC145063		0.62	0.001	0.07	2.56	16.4	<0.2	<10	260	1.08	0.35	0.11	0.26	25.3	18.2	37
CC145064		0.40	0.002	0.04	1.65	18.1	<0.2	<10	160	0.87	0.31	0.14	0.21	18.00	12.0	25
CC145065		0.36	0.002	0.12	1.59	11.3	<0.2	<10	250	0.73	0.24	1.05	0.14	28.8	10.8	25
CC145066		0.54	0.002	0.08	2.23	16.1	<0.2	<10	230	1.31	0.29	0.30	0.15	43.8	21.6	32
CC145067		0.52	0.001	0.06	1.86	14.5	<0.2	<10	200	1.11	0.31	0.59	0.13	32.7	22.9	26
CC145068		0.44	0.002	0.14	1.02	13.8	<0.2	<10	130	0.75	0.23	1.80	0.31	20.9	15.8	16
CC145069		0.36	0.001	0.19	1.06	19.7	<0.2	<10	170	0.93	0.29	3.21	0.32	25.7	18.7	17
CC145070		0.40	0.003	0.19	1.55	31.9	<0.2	<10	160	0.94	0.29	0.62	0.38	24.0	16.9	24
CC145071		0.32	0.004	0.22	1.51	33.4	<0.2	<10	200	0.94	0.30	0.62	0.37	24.5	19.4	24
CC142874		0.32	0.003	0.34	1.49	31.3	<0.2	<10	280	0.90	0.24	0.48	0.45	16.50	14.6	28
CC142875		0.36	0.001	0.09	1.87	20.9	<0.2	<10	220	1.00	0.27	0.30	0.30	8.33	19.5	32
CC142876		0.30	0.001	0.18	1.62	30.3	<0.2	<10	270	1.59	0.22	0.44	0.53	12.40	16.6	28
CC142877		0.22	0.002	1.62	1.09	33.0	<0.2	<10	560	0.81	0.23	1.23	0.70	8.21	6.3	32
CC142878		0.22	0.002	1.26	1.00	18.4	<0.2	<10	560	0.65	0.20	1.65	0.58	8.03	4.6	35

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 6- AUG- 2011
Account: RCM

Project: Pyramid Ext

CERTIFICATE OF ANALYSIS WH11141048

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
CC145037		0.75	30.1	3.46	4.63	0.09	0.08	0.08	0.047	0.10	7.7	19.6	0.31	660	3.13	0.01
CC145038		0.88	39.0	3.74	4.91	0.10	0.11	0.12	0.048	0.12	10.3	23.0	0.41	589	1.56	0.01
CC145039		1.57	26.9	4.12	6.80	0.09	0.05	0.05	0.038	0.09	10.0	25.5	0.34	591	0.96	0.01
CC145040		1.00	39.1	4.11	4.62	0.09	0.10	0.23	0.037	0.11	7.6	27.2	0.44	912	1.35	0.01
CC145041		0.50	33.8	2.40	3.17	0.07	0.08	0.15	0.033	0.09	5.8	14.5	0.31	309	2.41	0.01
CC145042		0.72	56.9	3.03	3.36	0.09	0.06	0.19	0.038	0.10	10.5	14.7	0.25	269	5.70	0.01
CC145043		0.54	49.4	2.30	3.20	0.08	0.09	0.17	0.036	0.09	7.6	12.8	0.22	243	4.72	0.01
CC145044		0.74	36.5	2.34	3.83	0.07	0.08	0.43	0.038	0.10	6.6	17.6	0.28	132	3.34	0.01
CC145045		0.69	40.8	3.02	2.99	0.09	0.07	0.20	0.035	0.09	6.6	11.3	0.20	572	5.75	0.01
CC145046		0.96	39.4	2.89	3.78	0.08	0.08	0.33	0.039	0.09	7.5	20.7	0.40	176	2.94	0.01
CC145047		1.22	22.9	5.03	6.28	0.10	0.08	0.06	0.046	0.06	13.5	30.5	0.37	1070	1.08	0.01
CC145048		0.75	13.7	3.37	4.52	0.08	0.06	0.09	0.028	0.06	13.6	16.0	2.11	924	1.14	0.02
CC145049		1.02	33.5	4.30	5.95	0.09	0.09	0.08	0.040	0.06	14.9	34.1	0.62	441	0.74	0.01
CC145050		1.20	32.7	10.05	6.10	0.18	0.11	0.17	0.042	0.06	20.0	25.3	0.52	4910	0.99	0.01
CC145051		0.85	39.7	3.76	3.52	0.10	0.10	0.12	0.044	0.10	11.6	20.6	0.37	535	0.63	0.01
CC145052		0.52	32.8	3.25	3.77	0.08	0.08	0.08	0.034	0.08	9.6	21.5	0.45	376	0.44	0.01
CC145053		0.54	34.8	3.48	2.95	0.09	0.11	0.07	0.037	0.08	11.0	15.9	0.34	333	0.49	0.01
CC145054		0.48	26.7	2.69	3.12	0.07	0.08	0.06	0.033	0.07	8.7	20.4	0.35	428	0.35	0.01
CC145055		0.50	32.8	2.89	3.78	0.07	0.09	0.08	0.033	0.07	10.1	23.8	0.46	437	0.46	0.01
CC145056		0.55	38.1	3.22	4.46	0.08	0.09	0.08	0.032	0.08	11.3	29.1	0.64	493	0.47	0.01
CC145057		0.65	51.2	3.68	5.27	0.10	0.11	0.11	0.038	0.09	14.4	35.1	0.80	511	0.53	0.01
CC145058		0.64	38.5	3.10	4.65	0.07	0.08	0.10	0.030	0.08	10.3	30.8	0.62	509	0.47	0.01
CC145059		0.97	44.9	4.51	4.79	0.07	0.08	0.09	0.035	0.09	7.8	42.8	0.76	727	0.50	0.01
CC145060		0.52	38.6	3.49	4.45	0.06	0.08	0.08	0.030	0.07	6.4	34.5	0.57	876	0.43	0.01
CC145061		1.06	60.1	3.88	5.15	0.08	0.09	0.25	0.041	0.09	12.4	43.8	0.65	495	0.82	0.01
CC145062		1.37	11.7	2.63	5.12	0.13	0.02	0.06	0.027	0.05	10.5	20.0	0.35	330	1.18	0.01
CC145063		2.88	20.3	4.69	8.74	0.14	0.08	0.02	0.046	0.07	13.5	37.8	0.52	407	2.27	0.01
CC145064		1.54	23.9	4.47	5.76	0.13	0.03	0.03	0.040	0.07	7.8	27.3	0.30	534	1.34	0.01
CC145065		1.02	22.3	2.96	4.94	0.15	0.04	0.08	0.028	0.05	13.9	16.4	0.43	469	0.59	0.01
CC145066		0.99	57.2	4.93	5.64	0.16	0.07	0.10	0.044	0.07	17.7	25.5	0.72	1040	0.83	0.01
CC145067		0.91	50.8	4.70	5.06	0.15	0.07	0.09	0.046	0.06	13.4	19.2	0.46	678	0.73	0.01
CC145068		0.71	46.6	3.38	2.98	0.15	0.04	0.10	0.038	0.08	10.8	13.5	0.36	425	0.66	0.01
CC145069		0.96	58.2	3.74	3.01	0.15	0.05	0.13	0.040	0.09	12.5	15.0	0.41	470	0.71	0.01
CC145070		1.35	58.9	4.42	4.82	0.17	0.10	0.14	0.039	0.08	11.3	35.8	0.75	512	1.21	0.01
CC145071		1.34	67.3	4.46	4.78	0.17	0.10	0.16	0.035	0.08	11.6	37.9	0.76	640	1.34	0.01
CC142874		1.79	43.6	3.68	4.52	0.15	0.07	0.47	0.038	0.09	7.8	30.2	0.50	621	1.55	0.01
CC142875		1.77	32.3	4.52	5.65	0.14	0.05	0.07	0.042	0.07	4.0	46.4	0.65	798	1.26	0.01
CC142876		0.85	31.7	3.99	4.62	0.15	0.08	0.21	0.038	0.07	5.5	43.2	0.55	144	1.08	0.01
CC142877		1.32	44.8	2.60	3.19	0.14	0.05	0.46	0.038	0.10	4.6	16.8	0.18	171	4.14	0.02
CC142878		1.22	38.9	2.32	2.66	0.14	0.05	0.42	0.037	0.10	6.0	12.9	0.15	143	3.20	0.02

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 6- AUG- 2011
Account: RCM

Project: Pyramid Ext

CERTIFICATE OF ANALYSIS WH11141048

Sample Description	Method Analyte Units LOR	ME- MS41 Nb ppm 0.05	ME- MS41 Ni ppm 0.2	ME- MS41 P ppm 10	ME- MS41 Pb ppm 0.2	ME- MS41 Rb ppm 0.1	ME- MS41 Re ppm 0.001	ME- MS41 S % 0.01	ME- MS41 Sb ppm 0.05	ME- MS41 Sc ppm 0.1	ME- MS41 Se ppm 0.2	ME- MS41 Sn ppm 0.2	ME- MS41 Sr ppm 0.2	ME- MS41 Ta ppm 0.01	ME- MS41 Te ppm 0.01	ME- MS41 Th ppm 0.2
CC145037		0.46	31.4	630	18.9	12.3	0.001	0.04	0.78	5.0	1.7	0.7	43.2	<0.01	0.05	2.6
CC145038		0.52	27.7	760	22.9	13.1	0.001	0.05	0.50	6.6	2.5	0.7	40.0	0.01	0.04	3.3
CC145039		0.67	20.1	680	26.2	15.4	<0.001	0.03	0.40	4.8	0.8	0.8	33.1	<0.01	0.04	3.1
CC145040		0.38	31.2	660	27.4	10.6	<0.001	0.02	0.61	6.1	1.2	0.6	24.9	<0.01	0.04	5.0
CC145041		0.34	34.9	810	15.0	9.0	0.009	0.12	1.15	4.0	3.7	0.5	77.3	<0.01	0.06	1.8
CC145042		0.33	60.2	1010	13.5	9.8	0.001	0.04	1.61	5.6	2.8	0.6	51.9	0.01	0.07	3.3
CC145043		0.32	42.1	850	17.5	9.1	0.010	0.08	1.67	5.1	4.9	0.5	50.0	<0.01	0.07	2.8
CC145044		0.35	37.2	720	18.1	10.2	0.006	0.06	1.23	5.1	3.0	0.6	46.1	<0.01	0.07	4.2
CC145045		0.28	42.9	1060	15.3	9.9	0.010	0.07	1.68	4.8	4.7	0.5	66.3	<0.01	0.09	2.6
CC145046		0.30	41.3	850	21.0	11.0	0.004	0.05	0.94	5.5	3.0	0.5	37.3	<0.01	0.06	3.1
CC145047		0.67	29.5	320	31.6	17.0	<0.001	0.01	0.41	5.7	0.6	0.7	12.5	<0.01	0.06	5.8
CC145048		0.99	21.8	690	21.4	10.1	<0.001	0.03	0.68	4.0	0.8	0.5	39.0	<0.01	0.04	2.6
CC145049		0.32	33.0	130	23.5	12.6	<0.001	<0.01	0.35	6.7	0.7	0.5	10.2	<0.01	0.06	6.5
CC145050		0.46	32.1	570	44.3	13.5	<0.001	0.03	0.57	7.8	1.2	0.5	13.4	0.01	0.09	5.3
CC145051		0.35	34.2	620	21.6	9.5	<0.001	0.03	0.38	6.4	1.4	0.5	53.3	0.01	0.04	3.7
CC145052		0.39	26.4	630	17.5	7.7	<0.001	0.05	0.31	4.7	1.1	0.4	67.0	<0.01	0.04	2.3
CC145053		0.35	31.3	600	20.4	6.9	<0.001	0.03	0.36	5.6	1.2	0.4	53.8	0.01	0.05	4.2
CC145054		0.37	24.7	600	16.5	6.9	<0.001	0.07	0.35	4.0	1.1	0.4	100.5	<0.01	0.04	1.9
CC145055		0.42	26.6	560	15.3	7.1	<0.001	0.07	0.37	4.6	1.1	0.4	95.6	<0.01	0.05	2.2
CC145056		0.41	28.8	620	14.9	7.5	<0.001	0.06	0.39	4.9	1.2	0.4	71.8	<0.01	0.05	2.2
CC145057		0.43	32.8	650	15.9	8.5	<0.001	0.05	0.44	6.7	1.4	0.4	61.2	0.01	0.05	2.8
CC145058		0.44	27.9	640	14.2	7.9	<0.001	0.07	0.40	4.9	1.2	0.4	80.4	<0.01	0.05	1.6
CC145059		0.25	29.7	590	19.7	7.0	<0.001	0.05	0.33	6.5	0.8	0.5	33.9	<0.01	0.05	3.4
CC145060		0.33	26.1	700	13.8	6.4	<0.001	0.11	0.34	4.7	1.2	0.5	64.4	<0.01	0.05	1.7
CC145061		0.62	32.9	420	19.1	11.0	<0.001	0.02	0.42	8.1	1.0	0.6	40.1	0.01	0.05	3.4
CC145062		1.12	17.7	350	15.4	10.9	<0.001	0.02	0.41	3.1	0.5	0.6	29.5	<0.01	0.04	2.7
CC145063		1.70	35.0	270	19.7	13.5	<0.001	0.01	0.88	4.7	0.5	1.0	11.1	<0.01	0.06	4.3
CC145064		0.87	23.0	390	23.7	13.5	<0.001	0.02	0.46	4.6	0.4	0.7	14.7	<0.01	0.06	3.0
CC145065		0.96	22.7	600	13.6	8.8	<0.001	0.04	0.36	4.8	0.8	0.5	67.0	<0.01	0.05	1.9
CC145066		0.45	43.2	270	20.0	8.7	<0.001	0.01	0.51	9.6	0.8	0.5	23.0	<0.01	0.08	5.1
CC145067		0.39	35.7	230	20.2	8.1	<0.001	0.02	0.42	9.2	0.7	0.6	38.9	<0.01	0.11	3.8
CC145068		0.29	28.4	580	16.9	5.9	<0.001	0.05	0.47	6.4	1.0	0.4	107.5	<0.01	0.07	1.2
CC145069		0.31	35.7	800	19.1	6.2	<0.001	0.06	0.51	6.8	1.1	0.4	176.0	<0.01	0.11	1.6
CC145070		0.19	38.3	740	22.4	6.2	0.001	0.03	0.66	6.8	1.1	0.3	40.2	<0.01	0.07	3.4
CC145071		0.18	40.9	780	24.0	5.5	0.001	0.03	0.74	7.0	1.1	0.4	40.9	<0.01	0.08	3.6
CC142874		0.26	52.4	770	19.7	9.5	0.001	0.02	0.51	6.9	1.0	0.5	30.0	<0.01	0.05	3.4
CC142875		0.18	71.1	760	35.0	9.7	<0.001	0.02	0.45	5.3	0.9	0.6	20.6	<0.01	0.05	2.5
CC142876		0.24	94.6	740	19.6	8.2	0.002	0.10	0.30	5.8	2.4	0.4	21.7	<0.01	0.06	2.9
CC142877		0.23	36.7	580	31.8	10.8	0.003	0.08	0.96	4.5	3.2	0.6	31.3	<0.01	0.06	1.0
CC142878		0.24	31.8	560	18.5	10.2	0.006	0.09	0.65	4.2	2.5	0.5	34.3	<0.01	0.05	0.9

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 6- AUG- 2011
Account: RCM

Project: Pyramid Ext

CERTIFICATE OF ANALYSIS WH11141048

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
CC145037		0.006	0.15	1.49	60	0.08	9.86	164	2.3
CC145038		0.008	0.14	2.64	47	0.13	14.20	147	3.2
CC145039		0.009	0.11	0.97	38	0.12	11.80	97	0.9
CC145040		0.007	0.12	0.99	39	0.06	12.85	182	2.7
CC145041		<0.005	0.13	2.03	55	0.06	11.60	182	2.2
CC145042		0.006	0.18	2.53	81	0.08	17.55	289	1.2
CC145043		<0.005	0.16	2.60	77	0.07	16.05	193	2.3
CC145044		0.005	0.15	1.83	62	0.05	13.15	197	2.2
CC145045		<0.005	0.19	2.58	77	0.07	14.65	206	1.9
CC145046		<0.005	0.16	2.40	65	0.07	15.15	253	2.2
CC145047		0.008	0.19	0.98	50	0.13	7.23	215	2.9
CC145048		0.022	0.14	1.59	42	0.23	9.78	178	1.5
CC145049		0.005	0.13	1.08	45	0.06	6.86	97	3.6
CC145050		0.006	0.40	1.37	49	0.09	19.35	550	2.8
CC145051		0.006	0.11	1.28	26	0.07	15.65	110	3.2
CC145052		0.006	0.07	2.02	29	0.08	10.60	77	2.2
CC145053		0.006	0.07	0.89	26	0.09	15.95	100	3.6
CC145054		0.005	0.06	1.47	23	0.06	11.45	91	2.6
CC145055		0.006	0.06	1.58	28	0.07	11.35	88	2.7
CC145056		0.006	0.06	2.54	33	0.14	10.85	98	2.4
CC145057		0.007	0.07	1.71	39	0.07	14.05	101	2.6
CC145058		0.007	0.06	2.20	33	0.06	10.65	92	2.0
CC145059		0.005	0.07	1.13	31	<0.05	9.70	135	2.1
CC145060		<0.005	0.05	2.38	28	<0.05	8.74	89	1.9
CC145061		0.014	0.09	0.71	41	0.12	15.90	107	2.4
CC145062		0.022	0.05	0.65	44	0.20	4.51	101	0.9
CC145063		0.027	0.07	0.63	77	0.33	4.37	113	3.3
CC145064		0.008	0.08	0.69	46	0.16	5.34	126	1.4
CC145065		0.019	0.03	1.40	45	0.22	11.40	64	1.0
CC145066		0.007	0.04	0.97	49	0.15	14.65	96	2.8
CC145067		0.005	0.04	1.14	47	0.06	15.05	73	2.5
CC145068		0.006	0.02	0.61	27	0.07	17.75	88	1.2
CC145069		0.006	0.03	0.79	28	0.06	18.20	114	1.6
CC145070		0.005	0.04	0.98	37	<0.05	11.70	127	3.2
CC145071		<0.005	0.04	1.16	37	0.19	13.15	135	3.2
CC142874		0.005	0.12	0.85	35	0.06	14.30	147	2.6
CC142875		<0.005	0.05	0.73	33	<0.05	10.35	195	1.7
CC142876		<0.005	0.04	1.48	33	<0.05	17.50	252	2.5
CC142877		<0.005	0.14	1.96	32	0.05	13.35	156	2.0
CC142878		<0.005	0.10	2.25	32	<0.05	16.05	142	1.6

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 6- AUG- 2011
Account: RCM

Project: Pyramid Ext

CERTIFICATE OF ANALYSIS WH11141048

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- TL43 Au ppm 0.001	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1
CC142879		0.14	0.001	0.46	1.12	26.1	<0.2	<10	810	0.73	0.18	2.12	1.08	12.20	7.6	29
CC142880		0.16	0.001	0.15	1.62	34.1	<0.2	<10	580	0.88	0.21	2.03	1.34	21.1	7.9	28
CC142881		0.16	0.001	0.26	1.61	31.0	<0.2	<10	360	0.85	0.23	4.29	1.85	22.5	8.6	29
CC142882		0.30	0.002	0.52	1.25	51.8	<0.2	<10	660	0.72	0.21	0.79	1.11	21.6	9.0	25
CC142883		0.28	0.001	0.26	1.40	65.2	<0.2	<10	530	0.55	0.24	0.34	0.40	20.1	7.9	26
CC142884		0.26	0.002	0.14	1.65	46.0	<0.2	<10	400	0.83	0.23	0.39	0.37	25.3	11.9	30
CC142885		0.24	0.002	0.70	1.37	93.0	<0.2	<10	690	0.81	0.20	1.70	0.66	16.35	8.6	28
CC142886		0.20	0.001	0.49	1.61	51.5	<0.2	<10	330	0.86	0.24	0.46	1.96	26.9	8.0	27
CC142887		0.24	0.002	0.50	1.68	55.4	<0.2	<10	540	0.93	0.20	0.67	0.45	21.7	9.6	29
CC142888		0.28	0.002	0.22	2.12	42.2	<0.2	<10	460	0.90	0.27	0.49	0.32	26.3	12.2	32
CC145072		0.32	0.001	0.33	1.74	17.5	<0.2	<10	410	0.87	0.26	0.86	0.34	8.64	10.2	28
CC145073		0.38	0.001	0.05	1.40	30.7	<0.2	<10	90	0.48	0.23	0.04	0.15	9.06	7.9	24
CC145074		0.40	0.002	0.21	1.81	23.2	<0.2	<10	250	1.14	0.30	0.72	0.16	11.30	14.0	29
CC145075		0.38	0.001	0.16	1.79	21.5	<0.2	<10	310	1.03	0.27	0.47	0.17	13.10	12.8	30
CC145076		0.22	0.003	0.92	1.06	46.5	<0.2	<10	700	0.85	0.17	2.46	0.81	11.50	7.3	27
CC145077		0.32	0.002	0.91	0.91	39.1	<0.2	<10	730	0.78	0.16	2.97	1.09	10.90	7.0	24
CC145078		0.26	0.002	0.88	0.98	40.3	<0.2	<10	770	0.72	0.18	2.61	0.84	12.85	8.2	22
CC145079		0.28	0.001	0.49	0.98	53.3	<0.2	<10	730	0.67	0.20	1.33	0.88	21.4	11.7	23
CC145080		0.18	0.001	0.35	1.19	34.2	<0.2	<10	1010	0.74	0.17	2.88	1.00	16.80	7.7	23
CC145081		0.24	0.001	0.22	1.91	46.0	<0.2	<10	380	1.06	0.28	2.25	2.98	24.8	8.7	32
CC145082		0.32	0.001	0.36	1.25	49.5	<0.2	<10	650	0.76	0.20	1.76	0.66	19.15	7.6	29
CC145083		0.32	0.001	0.32	1.22	38.6	<0.2	<10	650	0.82	0.21	1.71	0.80	19.40	9.0	25
CC145084		0.42	0.001	0.35	1.64	47.6	<0.2	<10	940	0.80	0.30	0.87	0.55	20.2	12.0	29
CC145085		0.40	0.002	0.53	1.46	62.0	<0.2	<10	1050	0.80	0.24	1.25	0.45	15.85	10.2	27
CC145086		0.30	0.002	0.56	1.14	67.6	<0.2	<10	640	0.84	0.22	1.66	0.99	15.50	9.6	25
CC145087		0.46	0.003	0.53	1.57	54.3	<0.2	<10	960	0.85	0.24	1.41	0.51	19.00	11.0	29
CC145088		0.22	0.001	0.44	0.71	17.5	<0.2	<10	940	0.46	0.12	3.61	0.88	8.96	5.1	15
CC145089		0.22	0.002	0.98	0.93	22.4	<0.2	<10	1020	0.64	0.13	3.28	0.39	11.25	5.1	17
CC145090		0.46	0.001	0.50	1.22	60.6	<0.2	<10	970	0.65	0.23	0.81	0.22	9.11	7.1	27
CC145091		0.30	0.001	1.41	0.43	16.5	<0.2	<10	1300	0.49	0.18	0.57	0.87	11.60	5.2	26
CC145092		0.32	0.002	1.80	0.45	14.3	<0.2	<10	1440	0.50	0.19	0.61	0.86	10.55	5.6	26
CC145093		0.28	0.001	1.94	0.48	9.6	<0.2	<10	1460	0.42	0.16	0.63	0.63	6.48	3.6	25
CC145094		0.36	0.002	1.42	0.48	15.5	<0.2	<10	1420	0.49	0.20	0.87	1.20	7.97	4.6	24
CC145095		0.56	<0.001	1.82	0.68	28.7	<0.2	<10	1810	0.65	0.21	0.68	1.22	9.03	7.1	29
CC145096		0.30	0.002	1.61	0.74	25.4	<0.2	<10	2230	0.64	0.22	0.95	1.23	10.35	7.7	25
CC145097		0.46	0.002	1.25	0.45	19.6	<0.2	<10	1690	0.47	0.22	0.68	0.36	4.36	5.0	18
CC145098		0.46	0.001	0.76	0.28	8.2	<0.2	<10	2470	0.35	0.15	0.36	0.24	2.89	1.3	15
CC145099		0.40	0.001	0.34	0.76	20.8	<0.2	<10	650	0.21	0.31	0.02	0.14	9.51	4.5	14
CC145100		0.44	0.001	0.43	0.88	24.3	<0.2	<10	820	0.33	0.30	0.04	0.23	8.70	6.1	16
ZZ14714		0.34	0.001	0.13	1.50	15.3	<0.2	<10	180	0.79	0.28	0.19	0.25	12.20	24.2	30

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 6- AUG- 2011
Account: RCM

Project: Pyramid Ext

CERTIFICATE OF ANALYSIS WH11141048

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
CC142879		0.59	24.0	2.16	2.90	0.15	0.04	0.15	0.032	0.06	9.6	8.2	0.14	165	3.05	0.02
CC142880		1.80	18.0	2.44	4.60	0.16	0.03	0.11	0.030	0.05	15.8	10.5	0.25	300	0.95	0.01
CC142881		0.96	20.3	2.62	4.25	0.14	0.05	0.08	0.033	0.07	22.5	10.0	0.30	460	1.17	0.02
CC142882		1.15	28.4	2.70	3.82	0.14	0.04	0.61	0.030	0.06	12.6	12.7	0.35	326	2.38	0.01
CC142883		1.38	19.1	2.86	4.99	0.14	0.03	0.17	0.030	0.07	9.4	13.3	0.31	223	2.38	0.01
CC142884		2.04	32.0	3.10	4.78	0.14	0.06	0.19	0.035	0.07	13.0	15.0	0.39	502	2.01	0.01
CC142885		1.43	31.3	2.62	3.94	0.16	0.05	1.07	0.033	0.07	13.6	10.3	0.24	456	2.40	0.02
CC142886		1.74	23.1	3.11	4.06	0.16	0.03	0.79	0.036	0.07	15.2	12.7	0.20	461	3.03	0.01
CC142887		1.98	30.3	3.28	4.31	0.15	0.05	0.80	0.036	0.07	12.2	14.0	0.34	419	2.85	0.01
CC142888		2.45	28.9	3.88	5.59	0.14	0.06	0.28	0.040	0.07	11.3	20.2	0.40	511	3.30	0.01
CC145072		1.37	25.9	3.62	5.03	0.14	0.07	0.15	0.039	0.10	4.1	35.3	0.43	412	1.52	0.01
CC145073		1.35	25.9	3.76	4.93	0.13	0.02	0.12	0.033	0.05	4.3	18.4	0.27	213	1.45	0.01
CC145074		2.22	34.8	3.77	5.64	0.15	0.06	0.17	0.043	0.10	5.5	35.3	0.46	454	1.90	0.01
CC145075		1.28	24.9	3.71	5.54	0.15	0.06	0.13	0.038	0.08	6.3	34.4	0.52	447	1.63	0.01
CC145076		0.91	42.3	2.37	3.03	0.15	0.05	0.48	0.034	0.08	9.4	10.5	0.21	302	2.20	0.02
CC145077		0.62	31.2	2.00	2.60	0.14	0.05	0.57	0.031	0.08	9.1	7.9	0.15	261	2.19	0.02
CC145078		0.92	29.9	2.01	2.73	0.15	0.04	0.37	0.029	0.07	9.7	7.6	0.17	351	1.26	0.02
CC145079		1.26	25.7	2.45	2.79	0.15	0.04	0.41	0.033	0.06	18.7	8.9	0.20	406	1.23	0.02
CC145080		1.00	25.1	1.91	3.30	0.15	0.05	0.24	0.026	0.06	13.1	9.6	0.23	496	0.75	0.02
CC145081		1.91	14.9	2.85	5.29	0.15	0.05	0.07	0.034	0.07	21.5	9.4	0.25	753	1.06	0.02
CC145082		1.22	21.5	2.55	3.64	0.14	0.03	0.22	0.027	0.06	11.4	10.2	0.23	480	2.92	0.02
CC145083		1.17	27.4	2.17	3.85	0.09	0.06	0.25	0.030	0.06	14.3	12.6	0.24	462	1.09	0.01
CC145084		1.64	28.9	2.85	5.92	0.09	0.05	0.30	0.036	0.06	10.8	16.3	0.34	464	1.72	0.01
CC145085		1.45	33.3	2.72	4.58	0.08	0.07	0.65	0.035	0.06	8.5	14.8	0.29	377	2.27	0.01
CC145086		1.16	31.5	2.39	3.54	0.09	0.07	1.05	0.035	0.06	12.4	12.7	0.22	349	2.33	0.01
CC145087		1.43	33.9	2.72	4.59	0.08	0.07	0.60	0.034	0.06	13.5	14.6	0.31	494	1.76	0.01
CC145088		0.86	24.3	1.15	2.17	0.07	0.06	0.24	0.019	0.03	13.8	4.2	0.08	347	0.93	0.01
CC145089		0.68	25.2	1.52	2.41	0.08	0.07	0.34	0.023	0.03	12.7	5.0	0.10	335	1.51	0.01
CC145090		1.65	27.3	2.62	3.97	0.07	0.07	0.51	0.035	0.06	4.9	9.9	0.20	390	3.01	<0.01
CC145091		0.86	52.3	2.01	1.10	0.09	0.06	0.16	0.033	0.06	6.6	2.9	0.03	142	3.85	<0.01
CC145092		0.93	53.7	1.97	1.30	0.09	0.06	0.21	0.032	0.05	5.8	3.1	0.03	179	3.59	<0.01
CC145093		0.73	36.5	1.34	1.44	0.07	0.05	0.17	0.025	0.05	3.7	2.6	0.05	92	2.47	<0.01
CC145094		0.56	45.7	1.73	1.49	0.09	0.06	0.17	0.030	0.06	4.6	3.3	0.08	132	2.64	0.01
CC145095		0.64	60.8	2.86	1.88	0.10	0.08	0.21	0.037	0.10	5.5	5.4	0.10	142	6.50	0.01
CC145096		0.61	56.8	2.57	2.20	0.09	0.10	0.42	0.037	0.08	6.1	6.6	0.13	216	5.44	<0.01
CC145097		0.70	51.6	2.42	1.41	0.07	0.08	0.27	0.041	0.09	2.9	3.2	0.04	81	5.50	0.01
CC145098		0.40	49.5	1.14	0.96	0.06	0.03	0.16	0.020	0.06	1.8	1.7	0.02	13	5.47	<0.01
CC145099		1.00	22.7	2.77	4.97	0.07	<0.02	0.05	0.026	0.09	4.8	4.1	0.08	111	4.21	<0.01
CC145100		0.84	38.2	3.08	4.01	0.07	0.02	0.12	0.034	0.10	4.3	6.0	0.10	108	5.39	0.01
ZZ14714		1.27	38.3	3.80	4.76	0.08	0.04	0.10	0.036	0.07	5.5	37.6	0.52	640	1.31	0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 6- AUG- 2011
Account: RCM

Project: Pyramid Ext

CERTIFICATE OF ANALYSIS WH11141048

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
CC142879		0.35	52.2	470	22.3	6.4	0.002	0.06	0.69	3.8	2.6	0.5	33.5	<0.01	0.05	0.9
CC142880		0.90	30.1	710	16.5	6.7	<0.001	0.06	0.52	3.0	1.0	0.6	26.0	<0.01	0.07	0.7
CC142881		0.64	32.9	1250	19.1	8.4	<0.001	0.07	0.61	2.8	1.1	0.5	33.4	<0.01	0.08	0.8
CC142882		0.61	33.9	820	23.2	8.9	<0.001	0.04	0.78	4.3	1.3	0.5	28.8	<0.01	0.06	1.8
CC142883		0.88	26.2	800	23.8	10.0	<0.001	0.04	0.77	2.8	0.9	0.6	24.6	<0.01	0.06	1.3
CC142884		0.68	45.4	520	19.8	12.3	<0.001	0.02	0.81	4.6	0.8	0.5	19.8	<0.01	0.07	2.3
CC142885		0.46	38.0	1170	23.6	8.7	<0.001	0.08	0.88	3.0	2.2	0.5	35.1	<0.01	0.09	0.7
CC142886		0.46	31.7	1600	49.3	17.5	<0.001	0.07	0.83	2.7	1.5	0.5	22.9	<0.01	0.08	0.8
CC142887		0.40	41.4	810	32.3	12.8	0.001	0.04	0.83	5.1	1.4	0.5	28.0	<0.01	0.06	2.0
CC142888		0.88	37.6	950	33.0	13.8	<0.001	0.03	0.97	4.1	1.4	0.6	25.8	<0.01	0.07	2.3
CC145072		0.28	37.7	830	16.6	13.2	<0.001	0.07	0.39	5.6	0.8	0.6	39.6	<0.01	0.04	1.8
CC145073		0.35	25.5	370	17.5	11.8	<0.001	0.02	0.42	3.2	0.6	0.6	7.1	<0.01	0.05	1.8
CC145074		0.23	40.1	780	23.6	13.6	<0.001	0.05	0.49	6.9	1.0	0.7	36.5	<0.01	0.05	2.5
CC145075		0.34	38.5	900	17.4	11.5	<0.001	0.03	0.40	5.7	0.7	0.6	28.4	<0.01	0.05	3.0
CC145076		0.33	43.7	890	35.0	10.0	0.005	0.11	1.23	3.0	3.2	0.5	42.1	<0.01	0.06	0.6
CC145077		0.34	45.8	620	31.5	7.4	0.002	0.09	0.95	3.4	2.7	0.5	46.6	<0.01	0.05	0.7
CC145078		0.39	39.8	710	37.4	8.5	0.002	0.09	0.90	3.1	2.3	0.5	34.4	<0.01	0.06	0.6
CC145079		0.37	40.5	660	48.2	7.6	<0.001	0.05	0.75	4.5	1.8	0.4	25.6	<0.01	0.10	1.2
CC145080		0.62	28.1	830	20.5	6.9	<0.001	0.10	0.56	2.7	1.3	0.5	35.3	<0.01	0.06	0.6
CC145081		0.88	29.5	970	102.0	9.5	<0.001	0.07	0.81	3.5	1.1	0.7	25.1	<0.01	0.11	1.0
CC145082		0.63	29.2	980	20.4	8.1	0.001	0.08	0.80	2.4	1.3	0.5	29.6	<0.01	0.05	0.6
CC145083		0.62	33.8	1070	18.8	8.8	<0.001	0.07	0.69	2.8	1.5	0.5	28.3	0.01	0.07	0.7
CC145084		0.83	29.7	1210	23.1	12.2	<0.001	0.07	0.75	3.4	1.5	0.7	27.4	0.01	0.06	1.1
CC145085		0.53	35.7	1250	23.9	9.9	<0.001	0.08	1.05	3.3	2.1	0.6	36.8	0.01	0.08	1.0
CC145086		0.45	41.9	930	23.8	8.3	<0.001	0.07	1.14	3.7	1.9	0.5	34.3	0.01	0.09	1.0
CC145087		0.62	38.0	1160	21.4	10.5	<0.001	0.06	0.86	3.3	1.7	0.6	33.8	0.01	0.07	1.0
CC145088		0.33	24.0	1440	8.1	4.1	<0.001	0.18	0.59	1.1	2.0	0.4	54.7	0.01	0.05	0.2
CC145089		0.37	24.5	1490	12.2	4.1	<0.001	0.16	0.73	1.9	2.9	0.3	60.1	0.01	0.06	0.4
CC145090		0.31	36.8	1560	24.2	11.3	0.001	0.07	1.04	2.8	2.1	0.6	56.5	<0.01	0.08	1.0
CC145091		0.10	60.9	1190	9.7	6.2	0.004	0.04	1.57	4.9	3.4	0.5	50.7	0.01	0.09	2.1
CC145092		0.15	57.4	990	9.3	6.7	0.004	0.05	1.33	4.8	3.8	0.3	54.9	0.01	0.09	1.2
CC145093		0.15	39.1	960	6.1	7.1	0.003	0.07	0.92	3.7	3.9	0.4	52.5	0.01	0.08	1.3
CC145094		0.20	65.8	1090	10.3	6.2	0.005	0.09	1.29	4.1	8.4	0.4	108.0	0.01	0.16	1.4
CC145095		0.12	91.7	1640	12.5	7.3	0.003	0.14	1.90	6.0	5.7	0.4	155.0	0.01	0.11	2.6
CC145096		0.18	78.1	1320	13.9	7.3	0.004	0.08	1.86	6.1	5.3	0.5	116.5	0.01	0.10	2.1
CC145097		0.09	72.5	780	11.1	7.2	0.005	0.12	1.41	7.2	4.3	0.5	152.0	0.01	0.09	1.4
CC145098		0.05	29.9	640	7.1	4.4	0.014	0.09	1.25	3.6	5.8	0.4	151.5	<0.01	0.07	1.0
CC145099		0.61	20.6	550	16.4	12.4	<0.001	0.08	1.88	1.9	2.1	0.7	38.0	<0.01	0.08	1.8
CC145100		0.37	30.3	1220	18.4	12.9	<0.001	0.10	2.44	2.2	3.0	0.5	54.2	<0.01	0.09	2.4
ZZ14714		0.26	57.1	680	20.0	8.2	0.001	0.02	0.53	4.8	0.8	0.4	20.0	<0.01	0.05	2.9

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 6- AUG- 2011
Account: RCM

Project: Pyramid Ext

CERTIFICATE OF ANALYSIS WH11141048

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
CC142879		<0.005	0.11	1.72	41	0.06	20.9	173	1.5
CC142880		0.012	0.08	1.59	52	0.35	23.0	137	1.0
CC142881		0.012	0.08	0.92	50	0.19	41.4	163	1.4
CC142882		0.013	0.12	1.03	54	0.27	18.60	174	1.3
CC142883		0.014	0.14	1.16	61	0.19	6.50	117	0.7
CC142884		0.012	0.21	1.08	56	0.20	12.75	155	1.5
CC142885		0.008	0.17	2.86	58	0.13	30.8	139	1.3
CC142886		0.007	0.16	1.43	59	0.13	21.4	218	0.9
CC142887		0.006	0.20	1.66	70	0.09	16.10	142	1.6
CC142888		0.010	0.22	1.53	73	0.20	9.03	126	1.7
CC145072		<0.005	0.07	0.92	36	0.06	7.86	151	2.0
CC145073		<0.005	0.08	1.25	42	0.07	3.63	93	0.9
CC145074		<0.005	0.12	0.79	36	0.05	16.35	118	1.9
CC145075		<0.005	0.07	0.85	39	0.06	10.75	124	1.8
CC145076		<0.005	0.17	3.37	37	0.10	22.0	176	1.7
CC145077		<0.005	0.12	2.11	35	0.07	22.4	176	1.7
CC145078		<0.005	0.12	1.89	37	0.14	21.9	150	1.6
CC145079		0.005	0.13	1.38	41	0.09	32.5	150	1.3
CC145080		0.009	0.08	1.49	42	0.17	24.5	137	1.5
CC145081		0.016	0.13	0.62	63	0.24	34.6	227	1.4
CC145082		0.010	0.10	1.86	60	0.21	18.20	129	1.3
CC145083		0.011	0.15	2.59	43	0.32	25.7	139	1.2
CC145084		0.014	0.23	1.80	65	0.30	12.95	132	1.2
CC145085		0.007	0.29	2.23	62	0.22	15.50	126	1.7
CC145086		0.006	0.28	1.50	55	0.17	27.0	150	1.6
CC145087		0.008	0.25	1.96	60	0.23	25.0	118	1.5
CC145088		0.005	0.12	4.39	28	0.10	30.7	64	1.1
CC145089		0.006	0.12	5.91	35	0.12	32.1	61	1.5
CC145090		<0.005	0.33	2.27	72	0.11	7.51	126	1.6
CC145091		<0.005	0.16	4.54	49	0.07	30.2	192	1.5
CC145092		<0.005	0.16	5.08	48	0.08	32.4	181	1.6
CC145093		<0.005	0.14	2.58	44	0.07	17.25	116	1.4
CC145094		<0.005	0.11	5.46	53	0.08	19.20	140	2.0
CC145095		<0.005	0.12	2.71	69	0.09	33.9	283	2.6
CC145096		<0.005	0.16	2.88	71	0.08	30.1	222	3.0
CC145097		<0.005	0.14	3.06	42	0.11	19.50	198	3.0
CC145098		<0.005	0.08	3.14	26	0.05	12.40	70	1.0
CC145099		0.011	0.34	0.48	82	0.12	2.90	92	<0.5
CC145100		0.006	0.47	0.70	85	0.07	4.00	132	0.5
ZZ14714		0.005	0.12	0.63	33	0.06	10.25	134	0.8

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 6- AUG- 2011
Account: RCM

Project: Pyramid Ext

CERTIFICATE OF ANALYSIS WH11141048

Sample Description	Method	WEI- 21	Au- TL43	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Recvd Wt.	Au	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
ZZ14715		0.26	0.001	0.06	2.16	9.9	<0.2	<10	120	1.21	0.36	0.12	0.14	9.73	32.4	36
ZZ14716		0.26	0.001	0.02	1.84	13.8	<0.2	<10	100	0.75	0.29	0.11	0.14	7.43	19.2	31
ZZ14717		0.48	<0.001	0.15	1.53	13.0	<0.2	<10	180	0.92	0.29	0.39	0.15	12.75	16.4	32
ZZ14718		0.32	0.003	0.99	1.28	119.0	<0.2	<10	640	0.84	0.23	1.88	1.78	15.00	11.9	27
ZZ14719		0.22	0.002	0.54	1.07	70.0	<0.2	<10	720	0.77	0.18	2.65	1.38	13.85	10.7	24
ZZ14720		0.16	0.002	0.46	1.28	45.9	<0.2	<10	730	0.79	0.21	2.18	1.08	16.50	10.5	27
ZZ14721		0.32	0.004	1.62	0.97	4.8	<0.2	<10	350	0.36	0.27	0.10	0.71	14.80	3.0	16
ZZ18901		0.28	<0.001	0.04	2.20	8.5	<0.2	<10	130	1.17	0.41	0.19	0.18	8.26	24.0	35
ZZ18902		0.14	0.002	0.36	1.06	34.1	<0.2	<10	780	0.68	0.16	3.25	1.40	12.60	8.3	21
ZZ18903		0.20	0.002	0.42	0.98	36.3	<0.2	<10	1040	0.58	0.15	3.37	0.83	9.54	7.1	18
ZZ18904		0.38	0.001	0.45	1.23	47.4	<0.2	<10	970	0.68	0.19	2.41	0.59	12.15	8.8	22
ZZ18905		0.42	0.002	0.55	1.14	32.9	<0.2	<10	470	0.66	0.21	1.62	1.45	16.45	10.0	24
ZZ18907		0.34	0.002	0.47	1.05	39.5	<0.2	<10	780	0.58	0.18	2.14	0.61	14.25	7.6	23
ZZ18908		0.28	0.003	0.72	1.08	21.9	<0.2	<10	860	0.70	0.17	2.57	0.35	13.90	8.9	23
ZZ18909		0.32	0.001	0.33	0.64	21.5	<0.2	<10	470	0.35	0.24	0.21	0.59	7.54	8.9	18
ZZ18910		0.38	0.003	2.71	0.50	16.1	<0.2	<10	1700	0.51	0.18	1.40	0.90	10.30	5.1	34
ZZ18911		0.40	0.002	1.95	0.50	15.7	<0.2	<10	1260	0.47	0.19	0.89	0.48	7.89	4.3	28
ZZ18912		0.34	0.002	1.52	0.49	14.5	<0.2	<10	1630	0.48	0.14	1.44	0.51	6.56	3.7	23
ZZ18913		0.24	0.005	1.72	1.25	11.3	<0.2	<10	1080	0.53	0.28	0.08	0.63	17.65	3.5	19
ZZ18914		0.36	0.003	0.30	1.20	18.2	<0.2	<10	290	0.39	0.30	0.03	0.33	13.45	7.4	21
ZZ18915		0.20	0.002	0.65	0.76	15.7	<0.2	<10	1130	0.33	0.24	0.05	0.29	11.55	5.0	15
ZZ18916		0.22	0.003	1.29	0.95	15.4	<0.2	<10	4020	0.69	0.21	0.87	0.44	9.77	10.5	24
ZZ18917		0.24	0.007	2.13	1.00	16.3	<0.2	<10	3320	0.75	0.17	2.27	0.57	8.27	5.2	24
ZZ18918		0.36	0.001	0.52	1.01	22.5	<0.2	<10	800	0.34	0.30	0.04	0.20	14.10	5.7	18
ZZ18919		0.26	0.006	5.55	1.20	31.6	<0.2	<10	3930	0.82	0.21	2.27	1.50	14.10	11.3	33
ZZ18920		0.22	0.001	0.30	0.53	17.7	<0.2	<10	760	0.54	0.24	0.02	0.29	2.89	10.7	17
ZZ14549		0.26	0.001	0.14	1.14	13.6	<0.2	<10	160	0.37	0.28	0.09	0.14	17.50	5.7	18
ZZ14550		0.28	0.001	0.08	1.76	10.4	<0.2	<10	140	0.73	0.33	0.08	0.10	4.88	10.0	29
ZZ14551		0.34	0.001	0.06	1.43	15.3	<0.2	<10	70	0.31	0.31	0.02	0.10	16.25	6.7	26
ZZ14552		0.34	0.001	0.16	1.13	25.9	<0.2	<10	200	0.44	0.26	0.44	0.12	10.25	6.8	20
ZZ14553		0.34	<0.001	0.08	0.98	33.1	<0.2	<10	110	0.21	0.23	0.03	0.09	9.19	4.7	15
ZZ14554		0.30	0.002	0.75	1.20	89.0	<0.2	<10	690	0.84	0.18	2.20	1.51	13.35	8.6	25
ZZ14555		0.28	0.001	0.60	0.71	33.8	<0.2	<10	790	0.59	0.08	5.09	2.58	5.11	3.5	14
ZZ14556		0.28	0.002	0.64	0.98	115.5	<0.2	<10	910	0.58	0.14	3.50	2.21	8.86	6.8	17
ZZ14557		0.28	0.001	0.53	1.05	67.7	<0.2	<10	780	0.68	0.16	3.11	1.47	12.15	7.6	21
ZZ14558		0.34	0.003	0.90	1.37	84.3	<0.2	<10	510	0.79	0.21	1.43	1.26	18.95	8.2	29
ZZ14559		0.22	0.002	0.39	1.59	69.4	<0.2	<10	670	1.01	0.23	1.28	1.18	18.90	9.6	30
ZZ14560		0.26	0.002	0.54	1.11	51.8	<0.2	<10	990	0.69	0.16	3.46	1.02	11.60	7.7	22
ZZ14561		0.24	0.001	0.44	1.01	52.6	<0.2	<10	710	0.69	0.15	3.41	3.87	11.95	6.8	19
ZZ14562		0.28	0.001	0.05	2.00	16.4	<0.2	<10	320	0.70	0.30	0.67	1.83	29.4	10.0	31

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 6- AUG- 2011
Account: RCM

Project: Pyramid Ext

CERTIFICATE OF ANALYSIS WH11141048

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
ZZ14715		3.01	35.9	4.36	6.75	0.10	0.06	0.02	0.046	0.10	3.1	55.7	0.74	950	0.75	0.01
ZZ14716		1.05	24.2	3.79	5.64	0.08	0.04	0.05	0.035	0.07	3.1	50.3	0.62	359	1.70	0.01
ZZ14717		1.71	34.1	3.47	4.46	0.09	0.06	0.08	0.041	0.10	5.6	51.1	0.55	241	1.00	0.01
ZZ14718		1.16	42.8	2.89	3.78	0.09	0.07	1.31	0.035	0.11	10.5	15.2	0.42	433	1.49	0.01
ZZ14719		1.19	38.9	1.99	3.34	0.07	0.06	0.49	0.029	0.07	11.2	11.3	0.24	453	1.06	0.01
ZZ14720		1.69	29.8	2.06	3.84	0.07	0.07	0.29	0.030	0.06	12.7	13.0	0.27	462	0.64	0.01
ZZ14721		1.82	52.0	1.31	3.72	0.06	0.03	0.34	0.026	0.09	7.0	9.4	0.15	64	1.05	<0.01
ZZ18901		2.24	28.7	4.24	6.68	0.09	0.05	0.02	0.044	0.09	2.9	57.3	0.80	451	0.72	0.01
ZZ18902		1.09	31.6	1.75	2.95	0.06	0.06	0.26	0.025	0.06	10.6	9.7	0.20	414	0.65	0.01
ZZ18903		1.19	28.9	1.69	2.70	0.05	0.05	0.30	0.024	0.05	6.1	8.3	0.16	361	1.01	0.01
ZZ18904		1.29	33.2	2.12	3.49	0.06	0.07	0.33	0.028	0.06	8.6	10.0	0.20	473	0.88	0.01
ZZ18905		0.81	31.5	2.63	3.36	0.07	0.07	0.40	0.034	0.09	12.0	13.7	0.31	299	1.73	<0.01
ZZ18907		0.60	23.5	2.13	2.97	0.06	0.06	0.34	0.028	0.05	9.5	13.6	0.36	446	1.36	0.01
ZZ18908		1.52	45.0	1.74	2.82	0.06	0.07	0.65	0.029	0.05	9.0	9.5	0.19	444	0.62	<0.01
ZZ18909		1.50	35.6	2.86	2.21	0.06	0.03	0.23	0.033	0.06	3.5	3.6	0.06	305	3.60	<0.01
ZZ18910		0.80	60.5	2.17	1.37	0.10	0.08	0.26	0.030	0.05	6.9	3.4	0.06	154	3.03	<0.01
ZZ18911		0.60	44.1	2.00	1.42	0.07	0.05	0.18	0.029	0.06	4.6	3.2	0.07	123	3.15	<0.01
ZZ18912		0.50	49.2	1.58	1.35	0.12	0.05	0.19	0.026	0.05	3.7	2.6	0.08	139	2.33	0.02
ZZ18913		1.32	60.9	1.93	4.40	0.13	0.02	0.49	0.033	0.10	7.3	10.2	0.17	85	2.29	0.01
ZZ18914		1.22	46.0	3.58	4.75	0.11	<0.02	0.11	0.035	0.09	5.8	7.8	0.19	193	4.11	0.01
ZZ18915		0.72	25.9	2.05	3.33	0.09	<0.02	0.12	0.027	0.09	4.8	5.5	0.12	111	4.91	0.01
ZZ18916		0.68	36.2	2.19	2.98	0.12	0.06	0.30	0.034	0.06	5.2	7.3	0.13	450	5.44	0.03
ZZ18917		0.89	45.3	2.14	2.39	0.14	0.07	0.83	0.030	0.11	4.4	5.2	0.10	216	3.80	0.04
ZZ18918		0.91	23.6	3.39	5.37	0.09	<0.02	0.07	0.032	0.12	6.4	8.2	0.13	178	5.09	0.01
ZZ18919		0.83	54.7	2.70	3.36	0.14	0.07	0.55	0.037	0.07	7.1	4.1	0.07	915	6.89	0.03
ZZ18920		0.75	57.9	3.52	1.67	0.10	0.02	0.08	0.042	0.08	1.6	2.5	0.02	119	7.16	0.01
ZZ14549		1.26	14.2	2.98	6.67	0.10	<0.02	0.09	0.025	0.05	8.1	11.9	0.21	156	1.49	0.01
ZZ14550		1.62	26.1	4.00	7.09	0.09	0.02	0.03	0.032	0.09	2.3	21.7	0.35	193	1.14	0.01
ZZ14551		1.59	14.0	3.36	7.10	0.10	<0.02	0.06	0.029	0.05	7.0	14.7	0.26	189	1.35	0.01
ZZ14552		1.56	19.6	2.55	5.33	0.09	<0.02	0.49	0.025	0.06	5.0	13.2	0.26	214	1.45	0.01
ZZ14553		1.31	24.9	2.46	5.78	0.08	<0.02	0.11	0.028	0.05	4.5	3.1	0.06	67	1.82	0.01
ZZ14554		1.22	34.1	2.25	3.34	0.10	0.04	0.80	0.027	0.07	9.3	11.3	0.26	408	1.22	0.02
ZZ14555		0.58	24.8	0.99	1.65	0.10	0.04	0.54	0.015	0.03	5.0	2.9	0.11	265	0.84	0.02
ZZ14556		0.87	32.4	1.92	2.78	0.09	0.03	0.77	0.020	0.05	6.3	9.2	0.20	473	1.29	0.02
ZZ14557		1.26	29.0	1.82	2.94	0.10	0.05	0.57	0.025	0.06	10.5	9.0	0.22	381	0.99	0.02
ZZ14558		1.31	22.4	2.59	3.79	0.11	0.05	1.70	0.029	0.06	13.8	13.1	0.36	250	1.52	0.02
ZZ14559		1.28	21.6	2.61	4.40	0.11	0.05	0.55	0.031	0.07	13.3	12.7	0.28	331	1.26	0.02
ZZ14560		1.03	26.4	2.03	3.03	0.10	0.04	0.46	0.026	0.05	8.3	8.4	0.20	477	1.07	0.02
ZZ14561		1.26	25.2	1.73	2.83	0.10	0.05	0.46	0.022	0.04	10.3	7.4	0.19	544	1.01	0.02
ZZ14562		1.46	9.9	3.30	6.65	0.12	<0.02	0.07	0.034	0.05	14.8	15.2	0.38	459	1.43	0.02

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 6- AUG- 2011
Account: RCM

Project: Pyramid Ext

CERTIFICATE OF ANALYSIS WH11141048

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
ZZ14715		0.16	72.6	770	30.8	12.9	<0.001	0.04	0.45	6.4	0.5	0.7	15.2	<0.01	0.05	5.4
ZZ14716		0.26	49.1	650	14.6	9.2	<0.001	0.01	0.35	3.9	0.5	0.5	11.0	<0.01	0.04	3.0
ZZ14717		0.24	42.9	1140	15.7	9.8	0.001	0.01	0.64	4.8	1.1	0.4	27.2	0.01	0.07	5.0
ZZ14718		0.42	52.9	880	90.0	9.3	0.001	0.06	1.74	4.2	1.9	0.5	31.1	0.01	0.07	1.0
ZZ14719		0.50	45.6	990	35.9	8.0	<0.001	0.09	1.30	2.4	2.0	0.4	35.6	0.01	0.06	0.5
ZZ14720		0.65	38.3	970	23.2	8.7	<0.001	0.08	0.71	3.2	1.7	0.5	31.2	0.01	0.07	0.8
ZZ14721		0.46	14.5	810	9.6	15.1	0.001	0.03	0.69	2.4	3.4	0.6	17.5	<0.01	0.04	1.8
ZZ18901		0.18	60.0	550	21.4	13.0	<0.001	<0.01	0.34	5.4	0.3	0.6	10.7	<0.01	0.05	4.0
ZZ18902		0.52	32.6	1010	15.0	7.8	<0.001	0.12	0.74	2.0	1.8	0.4	36.8	0.01	0.05	0.4
ZZ18903		0.41	28.8	1060	13.7	7.8	<0.001	0.12	0.69	1.7	2.1	0.4	41.0	0.01	0.06	0.3
ZZ18904		0.54	32.0	880	18.8	8.8	<0.001	0.09	0.77	2.7	1.9	0.4	32.6	0.01	0.07	0.7
ZZ18905		0.55	41.9	1020	18.5	8.4	0.001	0.04	0.94	4.4	1.6	0.4	33.4	0.01	0.07	2.0
ZZ18907		0.36	28.0	900	21.4	5.3	<0.001	0.09	0.81	2.3	2.0	0.3	36.4	0.01	0.05	0.7
ZZ18908		0.44	39.4	970	16.6	7.9	0.002	0.12	0.78	3.0	3.0	0.4	60.7	0.01	0.05	0.6
ZZ18909		0.26	38.9	1030	16.4	8.7	0.004	0.03	1.41	2.8	2.5	0.4	23.7	<0.01	0.12	0.9
ZZ18910		0.21	67.9	1190	9.1	6.0	0.003	0.12	1.41	4.3	5.7	0.3	89.3	0.01	0.09	1.0
ZZ18911		0.18	40.7	1160	8.8	5.8	0.004	0.07	1.29	3.9	4.8	0.3	74.1	0.01	0.12	1.7
ZZ18912		0.12	54.9	1160	8.8	5.6	0.015	0.15	1.22	3.1	6.6	0.3	118.0	<0.01	0.09	0.8
ZZ18913		0.42	14.1	880	14.5	13.0	0.003	0.03	1.36	3.9	6.6	0.6	29.3	<0.01	0.06	2.5
ZZ18914		0.65	30.2	770	16.8	12.1	0.002	0.06	2.45	2.6	2.4	0.6	42.5	<0.01	0.07	2.1
ZZ18915		0.33	19.0	770	13.1	9.0	0.005	0.08	1.92	2.1	2.0	0.5	31.6	<0.01	0.05	1.7
ZZ18916		0.22	29.4	1000	12.2	7.7	0.018	0.10	1.34	4.5	4.8	0.5	153.0	<0.01	0.06	1.3
ZZ18917		0.20	40.0	1200	9.8	8.7	0.026	0.15	1.83	4.4	5.1	0.4	274	<0.01	0.05	0.8
ZZ18918		0.51	22.2	720	17.0	11.4	0.002	0.18	2.05	2.5	2.3	0.6	65.7	<0.01	0.09	1.6
ZZ18919		0.30	64.6	1600	13.2	7.4	0.015	0.12	1.85	5.0	7.7	0.5	219	<0.01	0.09	0.5
ZZ18920		0.13	136.0	930	13.2	8.2	0.015	0.06	1.92	7.9	4.4	0.4	41.5	<0.01	0.10	1.4
ZZ14549		0.70	16.8	410	13.1	9.5	0.002	<0.01	0.55	1.7	0.3	0.6	8.8	<0.01	0.05	0.6
ZZ14550		0.22	30.1	670	17.1	12.9	0.002	0.04	0.38	4.0	0.2	0.6	22.5	<0.01	0.05	1.9
ZZ14551		0.76	20.7	350	13.0	10.1	0.002	<0.01	0.57	2.6	0.5	0.8	4.8	<0.01	0.05	1.8
ZZ14552		0.34	19.8	610	19.9	11.1	0.002	0.01	0.47	2.5	0.4	0.6	17.9	<0.01	0.04	1.0
ZZ14553		0.26	14.4	370	10.7	9.5	0.002	<0.01	0.56	2.2	0.5	0.6	7.2	<0.01	0.06	0.9
ZZ14554		0.39	37.2	1040	55.4	9.5	0.004	0.10	1.32	2.5	2.2	0.4	32.3	<0.01	0.05	0.5
ZZ14555		0.20	22.6	870	34.9	4.4	0.003	0.12	0.79	0.8	1.5	0.3	65.1	<0.01	0.01	0.2
ZZ14556		0.39	24.5	720	82.1	6.0	0.002	0.09	1.63	1.5	1.7	0.3	41.2	<0.01	0.01	0.3
ZZ14557		0.43	33.0	1100	44.0	8.4	0.003	0.11	1.28	2.1	1.6	0.3	40.7	<0.01	0.04	0.5
ZZ14558		0.58	34.6	740	60.6	7.8	0.002	0.04	1.51	4.1	1.2	0.4	28.7	<0.01	0.04	1.4
ZZ14559		0.61	33.9	970	52.9	9.2	0.002	0.07	1.15	3.6	1.5	0.5	29.6	<0.01	0.05	1.0
ZZ14560		0.47	29.5	870	30.0	6.5	0.002	0.09	1.08	2.1	1.7	0.4	42.1	<0.01	0.03	0.5
ZZ14561		0.49	25.8	1300	32.0	7.1	0.002	0.14	1.07	1.5	1.4	0.3	40.6	<0.01	0.05	0.3
ZZ14562		1.30	18.7	470	17.3	9.0	0.002	0.01	0.63	3.1	0.3	0.7	15.4	<0.01	0.06	1.7

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 6- AUG- 2011
Account: RCM

Project: Pyramid Ext

CERTIFICATE OF ANALYSIS WH11141048

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
ZZ14715		<0.005	0.09	0.42	31	<0.05	9.98	135	2.0
ZZ14716		<0.005	0.13	0.46	34	0.05	5.83	113	1.1
ZZ14717		0.005	0.07	0.72	36	0.05	13.65	121	2.1
ZZ14718		0.005	0.48	1.43	45	0.18	24.1	301	1.4
ZZ14719		0.006	0.29	2.44	42	0.25	25.4	212	1.3
ZZ14720		0.008	0.23	1.80	48	0.36	26.2	163	1.6
ZZ14721		0.006	0.38	1.50	34	0.10	8.64	52	<0.5
ZZ18901		<0.005	0.10	0.26	31	<0.05	7.75	108	1.5
ZZ18902		0.007	0.16	3.18	35	0.16	22.7	145	1.5
ZZ18903		0.005	0.19	1.88	36	0.10	13.40	103	1.4
ZZ18904		0.006	0.21	2.76	45	0.14	17.65	131	1.7
ZZ18905		0.011	0.15	0.91	44	0.17	21.8	190	1.7
ZZ18907		0.007	0.12	1.94	48	0.09	17.25	105	1.4
ZZ18908		0.006	0.27	3.90	48	0.09	23.9	98	2.0
ZZ18909		0.005	0.16	1.58	49	0.15	9.25	144	0.6
ZZ18910		0.005	0.16	4.86	52	0.09	36.1	177	2.6
ZZ18911		<0.005	0.10	3.08	54	0.07	18.40	128	1.6
ZZ18912		<0.005	0.11	2.75	48	0.05	21.0	136	2.2
ZZ18913		0.005	0.34	1.95	52	0.09	12.15	60	0.5
ZZ18914		0.010	0.30	0.85	70	0.14	4.94	173	<0.5
ZZ18915		0.006	0.30	1.06	62	0.08	3.60	104	<0.5
ZZ18916		<0.005	0.22	3.86	63	0.05	18.00	101	1.7
ZZ18917		<0.005	0.35	14.65	53	0.05	24.4	111	2.4
ZZ18918		0.008	0.37	0.70	82	0.11	3.46	106	<0.5
ZZ18919		<0.005	0.37	12.70	98	0.07	49.4	154	2.9
ZZ18920		<0.005	0.15	2.43	50	<0.05	8.10	379	0.6
ZZ14549		0.016	0.13	0.44	52	0.16	2.62	58	<0.5
ZZ14550		<0.005	0.12	0.56	48	<0.05	2.82	93	0.7
ZZ14551		0.014	0.14	0.32	64	0.21	1.96	54	<0.5
ZZ14552		0.007	0.17	0.43	41	0.11	4.10	76	<0.5
ZZ14553		<0.005	0.18	0.30	64	0.08	2.12	84	<0.5
ZZ14554		0.005	0.48	2.01	41	0.14	22.7	257	1.3
ZZ14555		<0.005	0.12	2.85	19	<0.05	16.05	84	1.4
ZZ14556		0.005	0.43	2.56	38	0.10	15.50	238	1.0
ZZ14557		0.006	0.43	2.70	35	0.15	22.8	236	1.7
ZZ14558		0.010	0.40	1.52	51	0.21	22.4	251	1.6
ZZ14559		0.009	0.38	2.34	58	0.20	25.4	176	1.6
ZZ14560		0.006	0.25	3.33	41	0.13	18.00	128	1.4
ZZ14561		0.008	0.28	2.22	34	0.09	21.5	164	1.3
ZZ14562		0.029	0.20	0.90	72	0.31	7.68	122	0.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 6- AUG- 2011
Account: RCM

Project: Pyramid Ext

CERTIFICATE OF ANALYSIS WH11141048

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- TL43 Au ppm 0.001	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1
ZZ14563		0.30	0.001	0.08	1.20	34.6	<0.2	<10	240	0.33	0.30	0.10	0.27	19.95	3.9	23
ZZ14564		0.30	0.003	0.25	1.83	20.6	<0.2	<10	510	0.66	0.27	0.49	0.29	33.9	11.3	32
ZZ14565		0.46	0.002	0.24	1.00	61.4	<0.2	<10	230	0.51	0.18	0.10	0.41	11.80	7.7	24
ZZ14566		0.38	0.001	0.13	1.03	35.7	<0.2	<10	370	0.39	0.25	0.29	0.89	16.70	6.1	21
ZZ14567		0.42	0.002	2.62	1.07	57.0	<0.2	<10	970	0.76	0.20	0.40	0.97	14.65	7.3	27
ZZ14568		0.40	0.003	1.45	0.81	24.9	<0.2	<10	1090	0.60	0.19	0.69	0.51	11.70	5.2	25
ZZ14569		0.52	0.001	0.28	0.72	18.9	<0.2	<10	250	0.33	0.16	0.06	0.39	7.58	4.9	34
ZZ14570		0.32	0.002	1.83	0.78	33.9	<0.2	<10	1750	0.51	0.19	0.87	0.74	12.10	5.2	26
ZZ14571		0.28	0.003	1.70	0.92	12.8	<0.2	<10	2000	0.57	0.17	0.55	0.54	12.90	9.7	27
ZZ14572		0.34	0.002	0.96	0.58	11.3	<0.2	<10	3050	0.40	0.14	0.81	0.29	5.03	1.9	20
ZZ14573		0.44	0.004	1.03	0.44	7.4	<0.2	<10	3410	0.17	0.16	0.37	0.17	7.49	1.8	20
ZZ14574		0.54	0.003	2.70	0.78	13.8	<0.2	<10	1670	0.63	0.21	0.71	0.79	12.55	0.9	40
ZZ14575		0.48	0.001	0.41	0.70	15.2	<0.2	<10	1220	0.16	0.28	0.02	0.24	13.80	3.1	15
ZZ14576		0.28	0.004	0.64	0.40	5.1	<0.2	<10	2000	0.21	0.13	0.39	0.38	4.47	1.0	8
ZZ14577		0.34	0.002	0.81	0.94	7.8	<0.2	<10	410	0.24	0.20	0.11	0.54	13.55	2.5	13
ZZ14578		0.38	0.003	0.14	1.03	9.5	<0.2	<10	200	0.31	0.20	0.06	0.30	13.90	5.3	16
ZZ14579		0.38	0.003	0.71	0.81	8.2	<0.2	<10	1190	0.30	0.20	0.20	0.45	8.79	3.0	13
ZZ14580		0.22	0.007	1.57	1.21	8.0	<0.2	<10	1710	0.59	0.22	0.48	1.24	17.70	5.9	17
ZZ14581		0.26	0.005	4.18	1.24	10.1	<0.2	<10	980	1.00	0.17	1.55	32.8	27.0	10.1	38
ZZ14582		0.24	0.002	1.87	1.11	16.0	<0.2	<10	460	1.04	0.16	2.42	23.6	22.2	6.7	48
ZZ14583		0.36	0.003	1.13	0.86	13.8	<0.2	<10	260	0.86	0.13	3.25	13.85	22.8	7.0	33
ZZ14584		0.44	0.001	0.10	1.57	17.9	<0.2	<10	150	0.77	0.26	0.07	0.60	16.40	10.2	21
ZZ14585		0.36	0.002	0.11	1.03	3.3	<0.2	10	290	0.89	0.13	3.53	0.42	17.35	7.5	13
ZZ14586		0.46	0.001	0.18	1.32	9.0	<0.2	<10	260	1.27	0.23	1.39	0.41	20.8	12.0	23
ZZ14587		0.36	<0.001	0.12	1.45	6.2	<0.2	<10	220	1.08	0.24	1.61	0.33	12.95	12.7	20

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 6- AUG- 2011
Account: RCM

Project: Pyramid Ext

CERTIFICATE OF ANALYSIS WH11141048

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
ZZ14563		1.47	8.4	2.62	6.72	0.09	<0.02	0.07	0.021	0.04	9.0	12.8	0.20	119	2.16	0.01
ZZ14564		1.65	22.4	3.24	5.42	0.12	0.02	0.15	0.031	0.06	14.1	18.1	0.52	455	1.70	0.02
ZZ14565		1.30	28.3	3.09	2.91	0.09	0.02	0.73	0.029	0.06	5.2	10.3	0.16	307	3.85	0.01
ZZ14566		1.42	16.1	2.87	5.00	0.10	<0.02	0.27	0.025	0.05	7.2	12.7	0.21	215	3.24	0.01
ZZ14567		0.88	29.7	2.87	2.75	0.11	0.04	1.94	0.033	0.07	6.8	9.1	0.18	248	4.20	0.01
ZZ14568		0.89	43.7	2.24	2.55	0.11	0.04	0.29	0.033	0.06	5.4	7.2	0.14	132	3.52	0.01
ZZ14569		0.72	26.0	1.97	3.65	0.10	<0.02	0.19	0.021	0.05	4.0	2.5	0.06	97	5.57	0.01
ZZ14570		0.73	34.0	2.46	2.23	0.12	0.03	0.67	0.029	0.08	11.8	6.3	0.13	278	4.99	0.02
ZZ14571		0.68	34.2	2.25	2.53	0.12	0.02	0.22	0.025	0.05	6.0	5.6	0.14	533	2.78	0.02
ZZ14572		0.54	25.1	1.36	2.14	0.10	0.03	0.16	0.020	0.06	2.8	2.5	0.07	32	4.86	0.02
ZZ14573		0.71	11.4	1.19	2.00	0.11	0.03	0.29	0.020	0.09	4.0	3.3	0.11	26	5.27	0.02
ZZ14574		0.77	76.1	1.46	2.16	0.14	0.02	0.19	0.037	0.13	7.5	3.4	0.04	10	11.00	0.02
ZZ14575		0.98	15.9	2.16	5.83	0.08	<0.02	0.04	0.016	0.08	6.3	1.9	0.05	118	4.49	0.01
ZZ14576		0.95	21.9	0.79	1.59	0.12	0.04	0.34	0.019	0.06	2.2	1.3	0.04	14	4.19	0.03
ZZ14577		1.29	29.3	1.54	3.60	0.11	0.03	0.14	0.017	0.07	5.6	3.9	0.11	77	2.12	0.01
ZZ14578		1.22	25.4	2.40	3.61	0.10	0.03	0.08	0.022	0.07	5.8	7.2	0.15	184	2.42	0.01
ZZ14579		1.06	29.8	1.51	2.35	0.12	0.05	0.24	0.022	0.09	3.9	5.9	0.14	79	2.67	0.02
ZZ14580		1.03	95.9	1.74	2.84	0.13	0.06	0.44	0.030	0.07	6.2	7.5	0.13	211	2.69	0.03
ZZ14581		0.68	86.6	1.64	2.59	0.14	0.08	0.74	0.030	0.06	20.2	8.2	0.16	481	4.16	0.02
ZZ14582		0.49	100.5	1.95	2.92	0.13	0.08	0.40	0.024	0.08	17.2	9.3	0.27	401	13.00	0.02
ZZ14583		0.48	93.3	2.14	2.53	0.14	0.07	0.26	0.022	0.09	15.6	7.3	0.45	246	10.35	0.02
ZZ14584		0.93	37.4	4.21	3.92	0.11	0.04	0.10	0.034	0.06	5.6	16.2	0.23	396	2.88	0.01
ZZ14585		1.31	20.8	2.20	2.34	0.12	0.08	0.06	0.025	0.11	7.8	10.3	0.35	364	2.41	0.02
ZZ14586		0.85	33.0	3.33	3.71	0.12	0.08	0.09	0.037	0.11	8.6	17.6	0.38	544	2.24	0.01
ZZ14587		1.62	35.2	2.66	4.16	0.11	0.07	0.06	0.027	0.08	4.7	21.1	0.32	655	1.40	0.02

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 6- AUG- 2011
Account: RCM

Project: Pyramid Ext

CERTIFICATE OF ANALYSIS WH11141048

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
ZZ14563		1.10	13.3	290	26.6	8.8	0.002	<0.01	0.69	2.1	0.6	0.8	10.4	<0.01	0.04	1.8
ZZ14564		0.92	34.0	960	15.5	8.6	0.002	0.01	0.92	3.1	0.8	0.6	26.8	<0.01	0.03	1.8
ZZ14565		0.33	40.3	1150	21.3	8.7	0.003	0.04	1.33	2.4	3.0	0.4	47.7	<0.01	0.08	0.9
ZZ14566		0.78	26.6	620	18.0	8.7	0.003	0.02	1.08	2.2	1.6	0.6	28.2	<0.01	0.05	1.2
ZZ14567		0.30	53.3	1070	21.6	7.1	0.002	0.03	1.27	4.7	2.9	0.4	52.7	<0.01	0.10	2.1
ZZ14568		0.24	46.0	930	14.6	7.3	0.005	0.03	1.07	4.8	4.6	0.4	67.7	<0.01	0.08	1.8
ZZ14569		0.19	60.7	700	9.5	4.9	0.003	0.01	1.26	2.1	4.4	0.6	26.0	<0.01	0.17	0.7
ZZ14570		0.18	42.3	1940	14.0	7.3	0.005	0.07	1.50	4.4	5.6	0.4	126.0	<0.01	0.11	0.9
ZZ14571		0.35	38.8	1270	8.8	6.9	0.009	0.08	0.87	3.4	6.1	0.3	73.6	<0.01	0.09	0.8
ZZ14572		0.17	18.4	870	7.1	7.0	0.006	0.09	0.80	2.3	4.0	0.4	114.5	<0.01	0.05	0.4
ZZ14573		0.28	10.8	410	8.3	8.3	0.018	0.12	1.02	2.0	6.1	0.4	183.0	<0.01	0.06	1.6
ZZ14574		0.09	28.8	4160	12.2	9.2	0.016	0.18	2.94	3.6	11.9	0.6	366	<0.01	0.14	2.1
ZZ14575		0.70	12.9	480	12.0	10.5	0.002	0.09	1.69	1.3	1.3	0.8	26.9	<0.01	0.06	1.1
ZZ14576		0.07	9.9	410	8.0	7.9	0.031	0.11	3.04	2.2	9.4	0.3	96.3	<0.01	0.05	1.0
ZZ14577		0.24	11.0	740	9.2	8.4	0.002	0.06	0.84	1.8	1.3	0.5	21.4	<0.01	0.06	1.0
ZZ14578		0.24	16.3	660	11.1	9.3	0.001	0.04	1.05	2.1	1.1	0.5	19.1	<0.01	0.05	2.1
ZZ14579		0.10	13.9	760	11.5	9.8	0.005	0.07	1.00	2.5	3.3	0.4	48.6	<0.01	0.06	1.9
ZZ14580		0.12	32.7	1190	13.1	10.7	0.007	0.09	1.16	4.8	6.4	0.4	91.1	<0.01	0.06	1.4
ZZ14581		0.15	144.0	2020	11.2	7.0	0.007	0.11	2.94	5.6	6.7	0.4	60.1	<0.01	0.07	1.0
ZZ14582		0.15	146.5	1350	12.3	7.0	0.007	0.11	6.75	4.2	4.9	0.5	72.0	<0.01	0.09	1.0
ZZ14583		0.13	109.0	2410	11.7	6.1	0.011	0.10	6.56	3.4	4.7	0.4	76.0	<0.01	0.08	0.9
ZZ14584		0.20	24.3	510	18.9	9.5	0.002	0.02	1.96	3.5	1.8	0.5	6.7	<0.01	0.06	3.2
ZZ14585		0.17	21.6	760	8.9	7.4	0.001	0.12	0.50	2.9	1.1	0.3	79.2	<0.01	0.02	0.9
ZZ14586		0.27	30.2	730	14.7	8.8	0.002	0.06	0.70	5.3	1.3	0.6	49.1	<0.01	0.04	1.9
ZZ14587		0.30	23.9	840	11.7	10.0	0.001	0.09	0.53	3.5	0.8	0.5	50.0	<0.01	0.06	1.3

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 6- AUG- 2011
Account: RCM

Project: Pyramid Ext

CERTIFICATE OF ANALYSIS WH11141048

Sample Description	Method Analyte Units LOR	ME- MS41 Ti % 0.005	ME- MS41 Tl ppm 0.02	ME- MS41 U ppm 0.05	ME- MS41 V ppm 1	ME- MS41 W ppm 0.05	ME- MS41 Y ppm 0.05	ME- MS41 Zn ppm 2	ME- MS41 Zr ppm 0.5
ZZ14563		0.024	0.27	0.58	85	0.25	2.62	63	<0.5
ZZ14564		0.026	0.23	1.39	58	0.31	6.95	103	0.6
ZZ14565		0.007	0.26	1.45	58	0.09	6.78	170	0.6
ZZ14566		0.021	0.23	0.66	67	0.26	3.84	132	<0.5
ZZ14567		0.006	0.24	1.88	71	0.07	15.95	185	1.7
ZZ14568		<0.005	0.19	3.11	50	0.08	20.9	152	1.5
ZZ14569		<0.005	0.16	0.89	86	0.09	4.49	218	<0.5
ZZ14570		<0.005	0.22	3.92	98	0.06	27.9	166	1.2
ZZ14571		0.006	0.13	2.51	57	0.09	20.7	118	0.8
ZZ14572		<0.005	0.18	1.87	40	<0.05	8.50	63	0.7
ZZ14573		0.005	0.26	0.80	37	0.13	2.87	60	1.2
ZZ14574		<0.005	0.50	8.42	82	0.06	13.60	83	1.0
ZZ14575		0.012	0.25	0.41	96	0.18	1.87	84	<0.5
ZZ14576		<0.005	0.23	0.72	20	<0.05	2.73	34	<0.5
ZZ14577		0.011	0.20	0.78	53	0.06	5.57	73	<0.5
ZZ14578		0.010	0.25	0.55	49	0.05	4.12	105	<0.5
ZZ14579		<0.005	0.27	1.83	45	<0.05	6.19	85	0.8
ZZ14580		<0.005	0.46	4.01	62	<0.05	26.9	121	0.8
ZZ14581		0.005	0.69	9.25	368	0.06	55.7	1160	1.9
ZZ14582		0.005	0.72	7.97	783	0.08	31.8	1340	2.0
ZZ14583		0.005	0.54	6.71	542	0.07	26.7	811	1.9
ZZ14584		0.007	0.19	0.68	61	<0.05	5.53	145	0.9
ZZ14585		0.005	0.17	1.81	17	<0.05	12.45	77	1.9
ZZ14586		0.007	0.15	1.10	38	<0.05	12.55	118	2.4
ZZ14587		0.007	0.10	1.35	29	<0.05	8.03	76	1.6

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 6- AUG- 2011
Account: RCM

Project: Pyramid Ext

CERTIFICATE OF ANALYSIS WH11141048

Method	CERTIFICATE COMMENTS
ME- MS41	Gold determinations by this method are semi- quantitative due to the small sample weight used (0.5g).

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 4- AUG- 2011
Account: RCM

CERTIFICATE WH11141049

Project: Pyramid Infill 2

P.O. No.:

This report is for 194 Soil samples submitted to our lab in Whitehorse, YT, Canada on 23- JUL- 2011.

The following have access to data associated with this certificate:

ROB CARNE JULIA LANE	ANDREW CARNE JOAN MARIACHER	MATT DUMALA

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
SCR- 41	Screen to - 180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- TL43	Trace Level Au - 25g AR	ICP- MS
ME- MS41	51 anal. aqua regia ICPMS	

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 4- AUG- 2011
Account: RCM

Project: Pyramid Infill 2

CERTIFICATE OF ANALYSIS WH11141049

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg .02	Au- TL43 Au ppm 0.001	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1
ZZ14722		0.24	0.001	0.05	1.18	11.9	<0.2	<10	70	0.17	0.20	0.03	0.08	9.09	4.8	20
ZZ14723		0.40	0.001	0.22	1.57	7.1	<0.2	<10	260	0.62	0.21	0.10	0.13	4.59	6.2	75
ZZ14724		0.46	0.001	0.52	1.37	11.8	<0.2	<10	530	0.58	0.19	0.34	0.26	13.35	9.9	33
ZZ14725		0.40	0.001	0.27	1.48	10.6	<0.2	<10	430	0.62	0.18	0.34	0.30	12.05	31.5	26
ZZ14726		0.30	0.001	0.26	1.52	11.3	<0.2	<10	380	0.66	0.23	0.29	0.21	11.45	12.0	29
ZZ14727		0.40	0.001	0.16	1.57	10.0	<0.2	<10	350	0.62	0.19	0.38	0.18	12.20	11.1	27
ZZ14728		0.34	<0.001	0.03	1.66	13.8	<0.2	<10	210	0.70	0.25	0.08	0.22	11.30	26.8	33
ZZ14729		0.32	0.001	0.05	1.70	11.4	<0.2	<10	250	1.11	0.24	0.13	0.21	11.85	21.3	29
ZZ14730		0.36	0.001	0.08	1.89	10.6	<0.2	<10	170	0.76	0.21	0.14	0.16	12.05	14.3	29
ZZ14731		0.30	0.001	0.13	2.02	12.1	<0.2	<10	240	1.07	0.25	0.20	0.20	15.65	21.5	30
ZZ14732		0.34	0.001	0.04	2.10	11.9	<0.2	<10	190	0.95	0.25	0.24	0.12	10.80	16.6	32
ZZ14733		0.42	0.002	0.10	1.91	12.9	<0.2	<10	220	0.84	0.23	0.40	0.16	15.60	12.7	30
ZZ14734		0.24	0.002	0.19	1.86	22.3	<0.2	<10	400	0.82	0.22	0.74	0.38	14.80	14.5	29
ZZ14735		0.56	0.002	0.87	0.53	1050	<0.2	<10	260	0.32	0.08	15.20	7.80	12.05	5.2	10
ZZ14736		0.42	0.003	15.30	0.79	2900	<0.2	<10	130	0.44	0.09	12.60	32.7	11.65	8.7	11
ZZ14737		0.26	0.002	0.76	1.18	793	<0.2	<10	280	0.67	0.18	6.21	3.37	20.7	10.5	22
ZZ14738		0.20	0.003	1.28	0.61	789	<0.2	<10	2010	0.41	0.16	1.16	0.75	7.39	4.9	24
ZZ14739		0.20	0.001	0.58	2.04	418	<0.2	<10	290	0.72	0.22	1.21	2.03	18.40	12.3	33
ZZ14740		0.34	0.001	1.08	0.79	189.5	<0.2	<10	520	0.32	0.24	0.08	0.34	25.2	5.7	34
ZZ14741		0.30	0.002	1.43	0.34	18.2	<0.2	<10	2100	0.29	0.22	0.26	0.59	4.90	1.1	18
ZZ14742		0.40	0.003	2.76	2.23	57.2	<0.2	<10	250	0.66	0.25	0.04	0.55	20.9	6.8	40
ZZ14743		0.28	0.002	0.25	0.48	34.4	<0.2	<10	460	0.35	0.27	0.02	0.31	8.33	6.7	11
ZZ14744		0.24	<0.001	1.71	0.49	37.3	<0.2	<10	430	0.21	0.24	0.02	1.08	18.25	3.9	47
ZZ14745		0.26	0.002	1.68	1.37	26.4	<0.2	<10	210	0.31	0.25	0.04	0.28	18.20	4.0	24
CC145101		Destroyed														
CC145102		0.28	0.002	0.61	1.32	8.2	<0.2	<10	790	0.54	0.20	0.67	0.24	12.40	8.1	40
CC145103		0.32	0.001	1.24	1.43	7.5	<0.2	<10	810	0.53	0.23	0.63	0.20	6.55	7.1	37
CC145104		0.28	0.001	2.63	1.49	5.5	<0.2	<10	1540	0.65	0.20	0.92	0.43	6.85	10.4	26
CC145105		0.26	0.001	4.47	1.07	7.9	<0.2	<10	800	0.54	0.23	1.42	0.82	7.15	13.5	23
CC145106		0.34	0.002	0.45	1.31	10.8	<0.2	<10	440	0.55	0.21	0.50	0.20	9.65	9.1	27
CC145107		0.24	0.002	0.83	1.44	8.1	<0.2	<10	1070	0.51	0.18	0.60	0.23	10.95	9.6	28
CC145108		0.34	0.005	2.12	1.88	8.6	<0.2	<10	1260	0.72	0.25	0.25	0.31	7.30	8.2	36
CC145109		0.32	0.002	0.52	2.09	13.0	<0.2	<10	1130	0.83	0.27	0.59	0.44	8.50	8.2	40
CC145110		0.38	0.001	0.33	1.65	11.9	<0.2	<10	620	0.71	0.23	0.45	0.31	11.95	12.1	32
CC145111		0.30	0.003	0.42	1.94	13.5	<0.2	<10	820	0.77	0.23	0.90	0.30	12.20	10.5	35
CC145112		0.36	0.001	0.21	1.59	11.7	<0.2	<10	450	0.71	0.24	0.39	0.16	10.50	9.5	29
CC145113		0.20	0.001	0.42	1.74	8.4	<0.2	<10	460	0.76	0.28	0.43	0.23	11.00	10.1	26
CC145114		0.26	0.001	0.17	1.17	10.4	<0.2	<10	250	0.59	0.21	0.30	0.19	8.00	10.5	21
CC145115		0.32	0.001	0.20	1.50	12.2	<0.2	<10	350	0.77	0.26	0.38	0.19	10.85	10.5	25
CC142889		0.32	<0.001	0.34	1.01	7.3	<0.2	<10	500	0.66	0.29	0.08	0.31	7.05	11.0	40

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 4- AUG- 2011
Account: RCM

Project: Pyramid Infill 2

CERTIFICATE OF ANALYSIS WH11141049

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
ZZ14722		1.39	21.8	3.27	6.13	<0.05	0.02	0.02	0.027	0.03	4.7	7.3	0.14	81	1.70	<0.01
ZZ14723		1.32	47.9	4.29	4.08	0.08	0.08	0.10	0.059	0.11	2.3	50.6	0.51	72	3.71	0.02
ZZ14724		1.35	35.7	3.40	3.98	0.06	0.05	0.23	0.036	0.07	7.0	36.2	0.48	234	1.96	<0.01
ZZ14725		1.21	26.3	3.40	3.78	0.05	0.07	0.13	0.033	0.06	5.4	30.1	0.43	617	2.33	<0.01
ZZ14726		1.32	30.4	3.54	4.54	0.05	0.05	0.08	0.039	0.08	5.4	27.7	0.39	698	1.97	<0.01
ZZ14727		1.04	24.0	3.39	4.71	0.05	0.05	0.06	0.036	0.07	5.9	30.6	0.48	427	1.19	<0.01
ZZ14728		2.54	30.8	4.38	5.20	0.05	0.03	0.03	0.044	0.09	4.8	34.0	0.38	1020	2.02	<0.01
ZZ14729		1.89	38.3	4.10	4.79	0.06	0.03	0.03	0.040	0.11	5.1	60.7	0.48	498	1.38	<0.01
ZZ14730		1.56	25.8	4.41	5.46	0.06	0.03	0.04	0.041	0.08	5.7	44.2	0.61	373	1.04	0.01
ZZ14731		2.05	30.6	4.21	5.81	0.06	0.05	0.05	0.040	0.09	7.3	46.1	0.58	713	1.25	0.01
ZZ14732		1.72	28.2	4.28	6.38	0.06	0.06	0.05	0.043	0.10	4.9	47.0	0.68	487	0.94	0.01
ZZ14733		1.35	30.4	4.22	5.43	0.06	0.08	0.19	0.042	0.10	7.5	40.7	0.66	469	0.95	0.01
ZZ14734		1.30	35.9	4.19	5.04	0.06	0.09	0.17	0.040	0.11	7.6	32.0	0.62	1420	1.16	0.01
ZZ14735		0.93	11.4	1.57	1.44	<0.05	0.04	23.5	0.017	0.04	6.8	7.8	9.02	1030	1.01	0.02
ZZ14736		7.53	19.5	1.74	2.21	<0.05	0.05	301	0.019	0.05	6.9	11.8	7.83	1400	0.79	0.01
ZZ14737		1.25	21.8	2.68	3.18	0.05	0.05	4.74	0.032	0.07	10.6	14.8	3.71	574	1.72	0.01
ZZ14738		3.44	11.2	2.13	2.19	0.05	0.05	0.64	0.028	0.04	6.3	3.9	0.06	616	8.25	<0.01
ZZ14739		2.09	16.1	4.23	5.94	0.06	0.05	0.38	0.040	0.05	11.9	16.9	0.23	499	7.56	<0.01
ZZ14740		6.05	22.3	3.38	5.34	0.06	<0.02	0.24	0.029	0.07	15.1	2.3	0.06	119	7.16	<0.01
ZZ14741		4.73	22.8	1.02	1.88	<0.05	<0.02	0.14	0.059	0.09	3.3	2.0	0.02	13	5.35	<0.01
ZZ14742		9.36	57.1	5.55	6.82	0.08	0.04	0.15	0.038	0.07	11.0	14.5	0.22	249	7.15	<0.01
ZZ14743		16.50	58.3	1.91	2.72	<0.05	<0.02	0.05	0.040	0.14	4.7	1.4	0.03	55	4.37	<0.01
ZZ14744		0.96	35.3	2.74	6.11	0.09	<0.02	0.03	0.015	0.04	12.6	1.2	0.03	43	55.0	<0.01
ZZ14745		8.98	19.8	3.27	6.09	<0.05	0.05	0.09	0.024	0.07	9.6	10.6	0.15	174	3.85	<0.01
CC145101																
CC145102		1.95	37.9	3.20	3.61	0.05	0.08	0.20	0.038	0.07	6.7	29.1	0.44	206	1.50	0.01
CC145103		2.60	31.0	3.03	4.09	<0.05	0.06	0.27	0.039	0.10	3.4	27.1	0.38	445	2.06	<0.01
CC145104		3.81	45.6	2.85	3.49	0.05	0.07	0.44	0.043	0.12	3.8	26.3	0.35	456	2.09	0.01
CC145105		2.87	38.9	2.69	3.07	0.06	0.05	0.35	0.047	0.12	3.8	10.2	0.27	706	2.53	0.01
CC145106		1.61	26.1	3.40	3.67	0.05	0.08	0.12	0.034	0.08	4.9	23.5	0.48	290	1.75	<0.01
CC145107		1.72	26.2	2.80	3.98	<0.05	0.06	0.16	0.031	0.08	6.0	22.8	0.46	357	1.76	0.01
CC145108		3.02	36.6	2.97	5.10	<0.05	0.03	0.25	0.041	0.14	4.0	22.0	0.25	377	2.67	0.01
CC145109		1.73	40.4	4.23	5.40	0.05	0.09	0.24	0.052	0.15	4.7	31.2	0.48	347	2.78	0.01
CC145110		1.77	34.7	4.00	4.46	0.05	0.04	0.14	0.043	0.10	6.2	34.0	0.43	351	2.21	<0.01
CC145111		1.52	38.6	4.11	5.02	0.05	0.08	0.17	0.048	0.12	6.5	32.5	0.57	410	1.90	0.01
CC145112		1.41	35.2	3.42	5.24	0.08	0.04	0.08	0.036	0.09	4.9	30.0	0.49	281	1.55	<0.01
CC145113		2.19	30.7	3.12	5.48	0.09	0.05	0.12	0.039	0.12	4.8	31.0	0.40	410	1.69	<0.01
CC145114		1.28	23.5	3.11	4.01	0.07	0.03	0.06	0.033	0.08	3.2	24.7	0.34	392	1.32	<0.01
CC145115		1.38	29.9	3.50	4.97	0.09	0.06	0.20	0.039	0.09	4.6	29.5	0.43	469	1.62	<0.01
CC142889		2.00	51.5	3.52	3.18	0.08	0.02	0.07	0.052	0.07	3.9	17.0	0.24	195	1.77	<0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 4- AUG- 2011
Account: RCM

Project: Pyramid Infill 2

CERTIFICATE OF ANALYSIS WH11141049

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
ZZ14722		0.42	17.3	310	8.6	7.9	<0.001	0.02	0.54	2.7	0.9	0.6	6.5	<0.01	0.05	1.4
ZZ14723		0.05	37.2	380	14.1	10.7	0.004	0.30	0.69	4.0	2.2	0.4	72.9	<0.01	0.05	2.1
ZZ14724		0.25	31.7	640	14.9	7.8	0.003	0.03	0.56	4.8	1.7	0.4	37.6	<0.01	0.05	2.7
ZZ14725		0.23	39.4	580	14.7	9.4	0.004	0.03	0.47	3.9	2.1	0.4	19.5	<0.01	0.05	2.4
ZZ14726		0.26	29.5	830	15.6	11.7	0.002	0.06	0.58	3.8	1.2	0.4	24.2	<0.01	0.05	1.7
ZZ14727		0.24	31.0	630	13.0	10.1	0.001	0.03	0.46	4.1	1.0	0.4	18.8	<0.01	0.05	2.1
ZZ14728		0.22	47.5	710	18.6	14.5	0.001	0.04	0.53	3.7	1.1	0.5	16.6	<0.01	0.05	1.7
ZZ14729		0.21	54.0	550	16.9	11.9	0.001	0.18	0.43	4.5	0.8	0.4	52.0	<0.01	0.05	2.5
ZZ14730		0.23	44.8	600	13.9	10.0	<0.001	0.05	0.36	4.1	0.7	0.5	38.7	<0.01	0.04	2.6
ZZ14731		0.24	48.3	760	17.7	13.4	<0.001	0.08	0.43	5.0	0.8	0.5	54.9	<0.01	0.05	2.5
ZZ14732		0.19	50.3	610	15.5	12.2	<0.001	0.05	0.38	5.5	0.6	0.6	57.8	<0.01	0.04	2.8
ZZ14733		0.25	38.7	710	16.0	11.2	<0.001	0.02	0.47	6.1	0.7	0.5	31.9	<0.01	0.04	3.4
ZZ14734		0.27	41.5	780	21.1	12.1	<0.001	0.05	0.59	5.7	1.0	0.5	43.4	<0.01	0.05	2.5
ZZ14735		0.24	13.9	310	155.5	4.3	<0.001	0.04	4.32	2.1	0.9	0.2	110.0	<0.01	0.03	1.0
ZZ14736		0.23	19.4	370	3360	5.7	<0.001	0.09	78.9	2.4	1.3	0.2	82.6	<0.01	0.03	1.4
ZZ14737		0.42	25.4	640	84.7	8.6	<0.001	0.05	3.71	3.4	1.2	0.4	61.4	<0.01	0.05	1.2
ZZ14738		0.15	18.4	1070	93.9	5.5	0.003	0.11	1.21	2.1	3.1	0.4	120.0	<0.01	0.11	0.9
ZZ14739		0.59	54.0	1220	81.8	8.0	<0.001	0.05	1.44	4.8	1.2	0.7	34.3	0.01	0.12	1.5
ZZ14740		0.50	45.9	2770	24.6	11.2	0.001	0.09	1.60	2.2	3.6	0.6	123.5	<0.01	0.23	1.2
ZZ14741		<0.05	15.9	650	14.0	9.7	0.005	0.13	1.10	2.5	3.5	0.4	113.0	<0.01	0.20	0.5
ZZ14742		1.63	39.4	570	21.7	13.5	<0.001	0.03	2.17	3.9	3.7	0.8	19.9	0.01	0.08	3.1
ZZ14743		0.25	32.0	450	16.5	15.0	0.001	0.06	3.01	2.1	2.1	0.5	54.1	<0.01	0.11	0.7
ZZ14744		0.59	132.5	500	15.5	5.0	0.001	0.02	10.90	1.6	10.9	0.9	35.1	<0.01	0.16	1.1
ZZ14745		1.27	14.9	290	15.4	14.5	<0.001	0.05	1.38	2.1	1.3	0.8	16.4	<0.01	0.04	2.9
CC145101																
CC145102		0.35	36.6	690	12.5	10.6	0.006	0.05	0.70	4.2	1.8	0.4	36.3	<0.01	0.05	2.2
CC145103		0.17	30.0	830	13.6	15.6	0.003	0.08	0.46	4.5	2.0	0.5	41.4	<0.01	0.05	1.3
CC145104		0.15	55.1	720	15.6	14.5	0.004	0.10	0.60	4.9	3.1	0.5	56.5	<0.01	0.06	1.1
CC145105		0.21	28.6	1280	20.0	13.8	0.006	0.17	0.83	4.5	5.3	0.5	97.3	<0.01	0.10	0.9
CC145106		0.25	31.9	430	13.6	8.7	0.002	0.04	0.65	4.5	1.3	0.4	19.7	<0.01	0.05	2.1
CC145107		0.32	28.7	720	10.8	11.5	0.002	0.05	0.50	4.0	1.4	0.4	25.7	<0.01	0.06	1.8
CC145108		0.18	28.0	890	13.0	21.9	0.003	0.08	0.49	5.4	1.8	0.6	29.4	<0.01	0.07	1.2
CC145109		0.20	39.6	940	15.3	14.5	0.001	0.07	0.59	5.9	1.5	0.6	27.5	<0.01	0.06	1.8
CC145110		0.20	39.1	720	16.3	11.5	0.001	0.04	0.57	4.6	1.3	0.5	19.2	<0.01	0.05	1.9
CC145111		0.35	40.9	720	14.2	12.0	0.001	0.06	0.65	6.0	1.4	0.5	31.4	<0.01	0.05	2.1
CC145112		0.21	38.9	660	16.7	12.0	0.004	0.02	0.44	4.7	1.0	0.4	28.6	<0.01	0.05	2.3
CC145113		0.18	39.7	760	15.6	15.7	0.002	0.06	0.35	6.6	1.4	0.5	41.3	<0.01	0.05	1.9
CC145114		0.14	31.1	740	14.4	9.9	0.002	0.07	0.33	4.3	0.8	0.4	40.8	<0.01	0.05	1.9
CC145115		0.18	38.9	790	16.3	12.3	0.001	0.07	0.38	5.5	1.1	0.4	40.4	<0.01	0.05	2.2
CC142889		0.19	48.2	400	12.4	11.3	0.009	0.01	0.60	3.9	2.4	0.5	18.1	<0.01	0.05	1.7

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 4- AUG- 2011
Account: RCM

Project: Pyramid Infill 2

CERTIFICATE OF ANALYSIS WH11141049

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
ZZ14722		0.006	0.11	0.28	56	0.07	2.17	69	0.7
ZZ14723		<0.005	0.13	0.82	34	<0.05	4.86	170	4.1
ZZ14724		0.006	0.09	1.29	34	0.06	9.87	115	1.8
ZZ14725		<0.005	0.11	1.18	32	0.05	7.64	123	2.0
ZZ14726		<0.005	0.12	0.73	39	0.07	6.56	115	1.1
ZZ14727		<0.005	0.08	0.60	36	0.08	8.44	108	1.2
ZZ14728		<0.005	0.14	0.56	45	0.05	7.17	170	0.8
ZZ14729		0.005	0.14	0.67	34	0.07	8.19	149	0.9
ZZ14730		0.005	0.10	0.45	35	0.08	5.80	144	0.9
ZZ14731		<0.005	0.15	0.67	39	0.06	11.25	150	1.0
ZZ14732		<0.005	0.12	0.55	35	<0.05	7.67	133	1.5
ZZ14733		<0.005	0.11	0.59	36	0.05	10.20	118	2.2
ZZ14734		<0.005	0.14	0.85	39	0.07	11.75	132	2.2
ZZ14735		0.007	3.17	0.57	18	0.88	5.77	1130	1.0
ZZ14736		0.007	20.2	0.62	21	0.55	7.05	4840	1.3
ZZ14737		0.011	1.12	0.70	36	0.40	10.25	804	1.4
ZZ14738		<0.005	2.94	4.10	44	0.38	17.40	106	1.4
ZZ14739		0.007	0.90	2.52	73	0.37	23.8	367	1.1
ZZ14740		0.013	0.41	2.67	114	0.24	12.35	227	<0.5
ZZ14741		<0.005	0.23	1.23	46	0.07	7.29	74	<0.5
ZZ14742		0.034	0.26	1.11	171	0.29	5.83	230	2.2
ZZ14743		0.007	0.27	0.95	52	0.06	4.31	204	<0.5
ZZ14744		0.022	0.74	2.63	801	0.38	6.18	432	<0.5
ZZ14745		0.028	0.25	0.61	112	0.24	2.40	94	2.1
CC145101									
CC145102		0.008	0.10	0.89	42	0.13	8.51	134	2.5
CC145103		<0.005	0.15	0.95	37	<0.05	7.74	121	1.7
CC145104		<0.005	0.16	1.01	31	<0.05	13.40	149	1.9
CC145105		<0.005	0.15	1.77	37	0.05	11.35	87	1.3
CC145106		0.005	0.08	0.83	37	0.07	6.38	119	2.4
CC145107		0.005	0.11	0.76	38	0.08	8.90	102	1.8
CC145108		<0.005	0.19	1.13	51	0.05	9.33	107	0.9
CC145109		<0.005	0.17	1.04	50	0.05	10.30	180	2.4
CC145110		<0.005	0.12	0.96	40	0.06	10.95	142	0.8
CC145111		<0.005	0.15	1.65	45	0.08	9.89	143	2.1
CC145112		<0.005	0.13	0.55	34	0.05	8.44	117	1.3
CC145113		<0.005	0.19	0.82	32	0.05	15.65	120	1.2
CC145114		<0.005	0.14	0.48	24	<0.05	7.47	101	0.9
CC145115		<0.005	0.16	0.65	31	<0.05	12.15	130	1.4
CC142889		<0.005	0.07	0.97	36	<0.05	8.90	193	0.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 4- AUG- 2011
Account: RCM

Project: Pyramid Infill 2

CERTIFICATE OF ANALYSIS WH11141049

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg .02	Au- TL43 Au ppm 0.001	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1
CC142890		0.40	0.001	0.61	1.26	8.1	<0.2	<10	680	0.56	0.22	0.12	0.37	10.70	7.8	44
CC142891		0.22	0.003	2.30	1.58	11.0	<0.2	<10	1100	0.49	0.25	0.28	0.34	9.99	8.1	34
CC142892		0.30	0.001	0.26	1.06	12.5	<0.2	<10	500	0.38	0.22	0.13	0.19	15.70	6.6	21
CC142893		0.26	0.002	0.30	1.07	12.5	<0.2	<10	270	0.28	0.27	0.21	0.17	14.05	5.7	24
CC142894		0.34	0.002	0.25	1.41	12.4	<0.2	<10	270	0.60	0.27	0.18	0.23	19.00	9.3	28
CC142895		0.24	0.002	0.59	1.52	16.9	<0.2	<10	690	0.75	0.27	0.36	0.24	14.00	10.7	27
CC142896		0.46	0.001	0.36	1.41	15.6	<0.2	<10	360	0.78	0.26	0.43	0.36	22.3	14.0	27
CC142897		0.30	0.001	0.27	1.56	10.7	<0.2	<10	390	0.75	0.26	0.28	0.26	14.90	9.7	28
CC142898		0.32	0.001	0.40	1.43	14.2	<0.2	<10	400	0.75	0.23	0.59	0.41	13.85	11.8	29
CC142899		0.22	0.002	0.67	1.08	9.6	<0.2	<10	720	0.53	0.20	0.67	0.31	11.70	7.0	25
CC142900		0.32	0.001	0.56	1.09	9.3	<0.2	<10	620	0.58	0.23	0.38	0.32	7.91	9.9	28
CC145201		0.34	0.001	0.56	1.21	10.0	<0.2	<10	360	0.61	0.23	0.45	0.44	11.45	10.7	29
CC145202		0.14	0.002	0.31	1.70	23.9	<0.2	<10	570	1.04	0.21	1.01	0.43	12.65	11.4	26
CC145203		0.36	0.004	0.18	1.87	25.7	<0.2	<10	400	0.89	0.26	0.46	0.17	14.55	11.1	31
CC145204		0.32	0.003	0.07	1.45	13.8	<0.2	<10	200	0.59	0.25	0.23	0.17	21.0	7.9	25
CC145205		0.28	0.001	0.07	1.97	15.6	<0.2	<10	120	0.81	0.33	0.03	0.27	6.66	8.1	32
CC145206		0.20	0.003	0.46	1.81	64.6	<0.2	<10	430	1.04	0.26	1.18	0.46	10.45	10.9	26
CC145207		0.22	0.002	0.62	1.71	143.0	<0.2	<10	300	0.80	0.24	0.74	1.00	16.55	12.2	29
CC145208		0.18	0.002	0.21	1.77	43.8	<0.2	<10	260	0.84	0.26	0.59	0.38	10.25	12.9	29
CC145209		0.16	0.001	0.12	1.85	16.1	<0.2	<10	300	0.85	0.24	0.74	0.17	6.26	8.8	25
CC145238		0.30	0.001	0.41	1.66	7.1	<0.2	<10	390	0.88	0.29	0.13	0.34	4.67	11.5	86
CC145239		0.34	0.001	0.45	1.37	7.1	<0.2	<10	140	0.56	0.22	0.04	0.33	9.38	9.6	47
CC145240		0.30	0.003	2.22	2.04	13.0	<0.2	<10	880	1.15	0.31	0.19	0.49	12.25	12.0	44
CC145241		0.24	0.001	0.47	1.67	12.8	<0.2	<10	830	0.95	0.27	0.25	0.15	11.45	12.7	31
CC145210		0.24	0.001	0.06	1.81	14.5	<0.2	<10	170	0.79	0.31	0.09	0.18	19.10	16.4	29
CC145211		0.34	0.001	0.10	2.02	14.9	<0.2	<10	270	0.82	0.32	0.24	0.11	10.60	11.6	35
CC145212		0.32	0.001	0.08	1.68	14.9	<0.2	<10	170	0.88	0.31	0.25	0.15	9.21	14.1	28
CC145213		0.36	0.001	0.16	1.62	34.9	<0.2	<10	330	1.00	0.28	0.28	0.31	22.1	21.0	28
CC145214		0.44	0.001	0.04	1.93	11.8	<0.2	<10	140	1.01	0.32	0.23	0.15	11.65	15.8	33
CC145215		0.36	0.001	0.19	1.87	126.5	<0.2	<10	400	1.06	0.27	0.43	0.18	17.20	11.9	30
CC145216		0.24	0.001	0.30	0.34	191	<0.2	<10	60	0.28	0.04	16.90	1.30	8.35	2.6	9
CC145217		0.26	0.003	1.26	1.05	338	<0.2	<10	270	0.85	0.18	13.20	0.69	18.30	5.7	16
CC145218		0.24	0.001	0.42	0.85	76.3	<0.2	<10	210	0.34	0.24	0.09	0.25	14.35	4.5	19
CC145219		0.30	0.002	2.37	1.96	77.2	<0.2	<10	1010	1.15	0.19	0.84	1.06	14.20	7.3	59
CC145220		0.30	0.001	0.69	0.90	299	<0.2	<10	2290	0.58	0.14	0.05	0.80	12.90	9.8	20
CC145221		0.26	0.002	0.57	1.96	214	<0.2	<10	520	0.97	0.23	0.60	0.96	28.2	13.1	32
ZZ14746		0.20	0.001	1.16	0.61	28.8	<0.2	<10	310	0.31	0.20	0.88	3.51	20.1	3.5	42
ZZ14747		0.28	0.002	1.85	0.70	29.1	<0.2	<10	790	1.15	0.18	6.51	21.4	25.5	7.6	44
ZZ14748		0.28	0.001	0.18	1.44	14.4	<0.2	<10	240	0.80	0.23	0.88	2.33	12.65	15.1	25
ZZ14749		0.22	0.001	0.11	1.67	11.1	<0.2	<10	180	0.78	0.23	0.90	0.35	7.64	15.7	27

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 4- AUG- 2011
Account: RCM

Project: Pyramid Infill 2

CERTIFICATE OF ANALYSIS WH11141049

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
CC142890		2.20	52.3	3.40	3.81	0.10	0.04	0.18	0.043	0.07	5.2	32.2	0.42	155	2.10	<0.01
CC142891		3.23	31.0	2.88	5.15	0.07	0.03	0.55	0.034	0.09	5.0	25.3	0.37	298	1.76	0.01
CC142892		1.93	23.0	2.70	4.98	0.07	0.02	0.06	0.025	0.06	7.7	19.9	0.30	180	1.37	<0.01
CC142893		2.33	19.0	2.60	5.66	0.06	0.02	0.08	0.026	0.07	7.2	15.6	0.20	242	1.98	<0.01
CC142894		2.03	27.4	3.20	5.15	0.08	0.03	0.12	0.036	0.09	9.1	44.0	0.43	355	2.16	<0.01
CC142895		1.85	31.4	3.26	5.12	0.08	0.05	0.24	0.036	0.09	7.3	27.5	0.41	466	2.07	<0.01
CC142896		1.63	46.4	3.62	4.65	0.11	0.07	0.12	0.037	0.08	10.1	26.2	0.53	441	1.26	<0.01
CC142897		1.39	33.7	3.14	5.51	0.08	0.05	0.09	0.037	0.08	7.1	32.1	0.47	979	1.24	0.01
CC142898		1.33	41.5	3.22	4.46	0.09	0.07	0.24	0.035	0.09	6.6	32.4	0.53	187	1.14	<0.01
CC142899		2.08	30.1	2.91	3.29	0.08	0.07	0.21	0.035	0.07	5.6	21.7	0.44	176	1.35	0.01
CC142900		2.09	34.5	3.01	3.19	0.08	0.06	0.15	0.035	0.07	3.6	25.9	0.50	279	1.21	<0.01
CC145201		1.82	34.3	3.20	3.53	0.09	0.07	0.18	0.033	0.07	5.4	25.9	0.49	459	1.51	<0.01
CC145202		1.28	54.1	4.35	4.86	0.10	0.09	0.17	0.036	0.09	6.3	22.5	0.39	454	2.57	<0.01
CC145203		1.16	31.0	3.80	5.97	0.09	0.06	0.16	0.038	0.09	7.2	33.5	0.62	299	1.25	<0.01
CC145204		1.84	23.6	3.40	5.55	0.09	0.02	0.04	0.032	0.07	10.7	25.9	0.47	226	1.57	<0.01
CC145205		2.76	32.2	5.07	6.72	0.09	0.05	0.04	0.053	0.09	3.0	36.3	0.48	233	1.83	<0.01
CC145206		1.47	40.7	3.64	5.27	0.09	0.11	0.75	0.044	0.10	5.7	31.4	0.55	392	1.47	0.01
CC145207		1.00	25.1	3.40	5.50	0.08	0.07	2.02	0.037	0.08	8.1	29.5	0.60	503	1.28	<0.01
CC145208		1.39	27.4	3.69	5.76	0.08	0.07	0.31	0.040	0.08	4.3	36.9	0.62	302	1.23	<0.01
CC145209		1.18	26.6	3.44	5.89	0.07	0.06	0.10	0.040	0.10	3.0	31.5	0.45	561	1.17	<0.01
CC145238		3.62	64.9	4.24	4.58	0.10	0.03	0.15	0.059	0.10	2.5	52.2	0.44	176	4.56	0.02
CC145239		3.00	43.4	3.35	3.91	0.08	0.04	0.08	0.042	0.05	5.4	31.3	0.35	110	2.34	<0.01
CC145240		5.22	49.4	3.22	5.84	0.09	0.10	0.76	0.053	0.10	6.9	35.3	0.37	132	2.58	<0.01
CC145241		1.39	40.9	3.76	5.48	0.09	0.04	0.12	0.042	0.10	5.4	32.6	0.49	286	1.72	0.01
CC145210		1.47	27.7	3.91	6.48	0.09	0.03	0.04	0.038	0.06	8.7	32.6	0.47	509	1.49	<0.01
CC145211		1.09	33.3	4.54	7.69	0.10	0.04	0.05	0.046	0.11	5.2	49.4	0.70	328	1.52	<0.01
CC145212		1.98	36.9	4.49	5.57	0.10	0.04	0.06	0.053	0.12	4.2	29.4	0.52	493	2.25	<0.01
CC145213		1.63	40.9	3.91	5.78	0.11	0.05	0.10	0.036	0.09	8.8	35.1	0.60	786	1.61	<0.01
CC145214		1.54	29.1	4.15	6.70	0.09	0.03	0.03	0.036	0.08	5.1	48.0	0.67	454	1.01	<0.01
CC145215		1.36	36.3	3.90	6.17	0.09	0.08	0.98	0.037	0.08	8.2	36.8	0.61	311	1.19	<0.01
CC145216		1.12	4.1	0.68	0.74	0.06	0.03	0.31	0.010	0.02	4.8	3.7	10.20	257	0.55	0.01
CC145217		0.94	12.1	1.84	2.48	<0.05	0.05	2.20	0.025	0.05	9.4	10.6	7.19	401	0.62	0.02
CC145218		31.4	13.8	2.08	3.92	<0.05	<0.02	0.40	0.032	0.05	6.2	8.0	0.17	170	2.66	<0.01
CC145219		33.2	19.5	4.18	4.15	<0.05	0.05	0.62	0.055	0.06	5.4	16.6	0.49	524	2.39	<0.01
CC145220		1.47	15.9	1.76	2.05	<0.05	0.03	3.14	0.026	0.06	6.5	10.5	0.19	549	3.40	<0.01
CC145221		1.99	20.0	3.79	5.31	<0.05	0.04	0.74	0.035	0.07	12.0	19.7	0.50	651	2.82	0.01
ZZ14746		0.90	38.6	1.81	5.85	0.05	<0.02	0.13	0.018	0.04	13.3	2.8	0.26	73	29.0	<0.01
ZZ14747		0.86	120.5	2.36	3.43	0.07	0.05	0.45	0.031	0.12	18.8	5.3	2.99	228	72.6	0.01
ZZ14748		0.89	28.0	3.78	4.32	<0.05	0.05	0.05	0.040	0.08	4.2	31.1	0.50	253	7.29	<0.01
ZZ14749		1.09	27.1	3.66	4.77	<0.05	0.05	0.05	0.039	0.08	2.9	36.3	0.57	576	4.48	<0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 4- AUG- 2011
Account: RCM

Project: Pyramid Infill 2

CERTIFICATE OF ANALYSIS WH11141049

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
CC142890		0.25	41.5	650	13.5	9.2	0.005	0.05	0.78	4.3	2.5	0.3	31.1	<0.01	0.05	2.4
CC142891		0.27	29.1	1160	15.3	16.9	0.002	0.08	0.44	4.3	2.0	0.4	39.9	<0.01	0.05	1.3
CC142892		0.37	25.1	370	13.4	11.1	0.001	0.01	0.49	2.9	0.9	0.4	17.2	<0.01	0.05	2.2
CC142893		0.52	16.8	760	16.6	13.7	0.001	0.03	0.54	2.5	0.9	0.5	24.2	<0.01	0.05	1.2
CC142894		0.45	32.3	680	17.4	12.5	0.001	0.08	0.52	3.9	1.3	0.5	27.5	<0.01	0.05	2.8
CC142895		0.33	32.8	800	16.7	13.3	0.001	0.04	0.54	4.7	1.3	0.5	40.8	<0.01	0.05	2.0
CC142896		0.33	40.3	700	18.6	9.8	0.001	0.01	0.64	6.4	1.1	0.4	33.8	<0.01	0.05	4.4
CC142897		0.33	38.7	760	14.4	12.1	0.001	0.07	0.39	5.7	1.0	0.5	48.7	<0.01	0.04	3.0
CC142898		0.26	42.2	590	17.8	10.1	0.004	0.05	0.42	5.7	2.4	0.4	39.1	<0.01	0.05	2.7
CC142899		0.27	36.1	650	12.9	9.2	0.009	0.07	0.56	4.4	3.4	0.3	42.9	<0.01	0.06	1.9
CC142900		0.17	46.6	450	15.3	8.1	0.004	0.03	0.76	4.3	1.4	0.3	27.2	<0.01	0.07	2.1
CC145201		0.27	43.5	600	16.0	8.9	0.011	0.05	0.58	4.7	3.1	0.3	27.8	<0.01	0.06	2.3
CC145202		0.32	43.4	960	15.8	12.6	0.003	0.11	0.74	5.3	2.1	0.4	45.8	<0.01	0.07	1.8
CC145203		0.33	39.1	770	15.9	11.4	0.001	0.02	0.50	5.6	1.0	0.5	23.6	<0.01	0.04	3.1
CC145204		0.62	27.6	650	17.6	12.0	<0.001	0.03	0.59	3.6	0.7	0.5	19.8	<0.01	0.04	3.4
CC145205		0.24	30.6	630	22.1	17.5	<0.001	0.03	0.51	4.3	0.6	0.5	13.4	<0.01	0.06	3.0
CC145206		0.25	42.0	840	48.2	13.0	0.001	0.07	0.88	6.6	2.1	0.5	36.0	<0.01	0.05	2.1
CC145207		0.46	37.6	800	80.1	10.6	<0.001	0.03	1.35	5.4	1.0	0.5	26.5	<0.01	0.04	2.7
CC145208		0.28	38.8	570	30.3	10.8	<0.001	0.03	0.74	5.7	0.7	0.5	21.1	<0.01	0.05	2.7
CC145209		0.21	28.9	960	15.0	15.4	<0.001	0.06	0.33	4.8	0.8	0.5	26.6	<0.01	0.05	1.4
CC145238		0.15	58.7	510	18.5	13.6	0.010	0.12	0.86	4.6	4.6	0.5	62.8	<0.01	0.05	1.9
CC145239		0.26	48.9	460	12.5	12.4	0.003	0.02	0.76	3.5	2.0	0.4	21.3	<0.01	0.05	2.1
CC145240		0.20	44.7	720	22.3	22.1	0.004	0.02	0.56	7.8	4.7	0.6	29.5	0.01	0.05	2.7
CC145241		0.20	50.4	530	18.2	11.4	0.002	0.04	0.58	5.6	2.2	0.5	27.9	<0.01	0.05	2.8
CC145210		0.45	37.7	480	18.0	13.3	<0.001	0.02	0.49	4.4	0.8	0.5	14.5	<0.01	0.05	3.1
CC145211		0.15	50.9	770	19.8	9.8	0.001	0.07	0.55	6.0	0.9	0.5	35.8	<0.01	0.06	3.3
CC145212		0.19	39.7	910	21.7	12.4	0.001	0.12	0.43	7.3	1.2	0.5	30.2	<0.01	0.05	4.6
CC145213		0.19	50.7	790	24.4	8.9	0.001	0.01	0.65	6.3	0.9	0.4	27.6	<0.01	0.05	4.5
CC145214		0.20	46.8	770	17.0	11.9	<0.001	0.02	0.39	5.2	0.6	0.5	22.3	<0.01	0.05	3.3
CC145215		0.29	40.8	580	33.1	11.1	0.001	0.02	0.67	6.3	0.9	0.5	20.1	<0.01	0.05	3.1
CC145216		0.21	7.3	210	57.1	4.6	<0.001	0.02	0.89	1.5	0.4	<0.2	135.0	<0.01	0.01	0.8
CC145217		0.14	19.3	240	106.5	7.1	<0.001	0.04	1.52	4.0	0.8	0.3	101.5	<0.01	0.03	2.1
CC145218		0.47	13.5	250	35.4	12.0	0.002	0.03	0.68	2.1	1.4	0.5	36.8	<0.01	0.05	1.3
CC145219		0.53	32.3	790	51.3	14.6	0.002	0.05	0.82	5.5	1.9	0.5	49.4	<0.01	0.03	2.4
CC145220		0.09	18.6	450	212	7.5	0.003	0.12	1.83	3.2	1.5	0.3	58.2	<0.01	0.03	2.6
CC145221		0.67	52.8	840	91.3	11.0	0.001	0.03	1.41	4.4	1.2	0.5	32.4	<0.01	0.06	2.5
ZZ14746		0.38	80.8	540	13.0	6.9	0.002	0.03	8.80	1.2	6.8	0.9	32.6	<0.01	0.11	0.3
ZZ14747		0.17	204	1610	15.6	9.2	0.006	0.07	14.20	4.7	8.1	0.7	118.0	<0.01	0.09	2.3
ZZ14748		0.13	53.4	940	17.5	7.2	0.008	0.03	1.07	5.1	2.3	0.5	26.1	<0.01	0.05	3.1
ZZ14749		0.14	47.9	640	16.6	8.7	0.009	0.04	0.43	5.7	1.7	0.4	23.0	<0.01	0.04	2.2

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 4- AUG- 2011
Account: RCM

Project: Pyramid Infill 2

CERTIFICATE OF ANALYSIS WH11141049

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
CC142890		0.007	0.10	0.93	35	0.06	8.80	169	1.5
CC142891		<0.005	0.18	1.09	40	0.07	5.98	100	0.8
CC142892		0.008	0.11	0.45	41	0.09	5.07	77	0.7
CC142893		0.008	0.13	0.64	51	0.18	3.53	73	<0.5
CC142894		0.009	0.16	0.91	39	0.13	7.36	107	0.6
CC142895		0.005	0.17	0.91	40	0.09	9.34	126	1.3
CC142896		0.009	0.13	0.77	38	0.07	12.40	126	3.0
CC142897		0.005	0.13	0.96	33	0.07	10.70	110	1.2
CC142898		<0.005	0.11	1.45	37	0.05	11.35	138	2.7
CC142899		0.006	0.09	1.59	29	0.06	10.80	126	2.5
CC142900		<0.005	0.08	0.96	29	0.06	9.25	145	2.4
CC145201		0.006	0.09	1.44	33	0.06	10.75	139	2.3
CC145202		0.006	0.17	1.05	37	0.06	15.05	113	2.8
CC145203		0.005	0.16	0.87	40	0.08	9.71	130	1.8
CC145204		0.015	0.15	0.63	39	0.14	5.90	89	0.7
CC145205		<0.005	0.21	0.46	37	<0.05	3.92	97	2.0
CC145206		<0.005	0.35	1.45	33	0.10	17.40	168	3.2
CC145207		0.006	0.57	1.05	38	0.16	9.87	304	2.0
CC145208		<0.005	0.21	0.83	34	0.06	6.95	163	1.9
CC145209		<0.005	0.16	0.58	34	<0.05	6.51	110	1.5
CC145238		<0.005	0.14	0.91	39	<0.05	7.27	252	1.5
CC145239		0.005	0.09	0.81	37	0.09	6.13	177	1.6
CC145240		<0.005	0.27	2.05	49	0.06	20.7	157	2.6
CC145241		<0.005	0.12	0.74	39	<0.05	10.60	130	1.2
CC145210		0.008	0.13	0.65	43	0.10	7.30	108	0.9
CC145211		<0.005	0.11	0.63	40	<0.05	10.40	119	1.7
CC145212		<0.005	0.25	0.79	30	<0.05	11.30	106	1.7
CC145213		0.007	0.19	0.65	36	0.07	12.20	121	3.0
CC145214		<0.005	0.12	0.49	33	<0.05	7.82	114	1.1
CC145215		<0.005	0.20	0.60	40	0.10	11.05	131	2.1
CC145216		<0.005	0.26	0.31	10	0.24	5.02	138	0.8
CC145217		<0.005	0.46	0.47	22	0.19	9.39	180	1.4
CC145218		0.010	0.50	0.55	40	0.29	3.15	74	<0.5
CC145219		0.007	0.57	1.94	45	0.16	6.36	238	1.9
CC145220		<0.005	0.89	0.99	21	0.16	8.72	217	1.1
CC145221		0.014	0.81	1.49	56	0.27	14.55	288	1.2
ZZ14746		0.014	0.64	2.24	466	0.23	8.16	421	<0.5
ZZ14747		0.005	1.48	8.65	856	0.24	42.7	1810	1.6
ZZ14748		<0.005	0.13	2.10	166	<0.05	8.44	343	1.6
ZZ14749		<0.005	0.12	1.61	36	<0.05	8.84	141	1.4

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 4- AUG- 2011
Account: RCM

Project: Pyramid Infill 2

CERTIFICATE OF ANALYSIS WH11141049

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg .02	Au- TL43 Au ppm 0.001	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1
ZZ14750		0.16	0.001	0.13	1.53	17.4	<0.2	<10	250	0.83	0.24	1.03	0.30	9.16	14.0	23
ZZ18921		0.20	0.001	0.11	1.41	10.0	<0.2	<10	310	1.52	0.30	1.16	0.21	8.09	17.5	24
ZZ18922		0.36	0.002	0.08	1.48	13.6	<0.2	<10	220	0.91	0.29	0.36	0.07	21.3	11.1	27
ZZ18923		0.28	0.001	0.08	1.52	5.0	<0.2	<10	150	1.24	0.46	0.49	0.12	15.25	15.1	30
ZZ18924		0.24	0.002	0.20	1.09	7.4	<0.2	<10	370	1.28	0.37	0.87	0.28	13.45	19.8	19
ZZ18925		0.28	0.001	0.04	0.84	28.4	<0.2	<10	180	0.34	0.26	0.44	0.22	19.00	5.9	16
ZZ18926		0.50	0.001	0.11	1.92	32.6	<0.2	<10	170	1.05	0.32	0.14	0.36	19.05	16.0	31
ZZ18927		0.26	0.001	0.03	1.73	41.9	<0.2	<10	100	0.77	0.35	0.06	0.31	8.00	18.7	31
ZZ18928		0.36	<0.001	0.03	1.66	44.5	<0.2	<10	160	0.76	0.33	0.30	0.45	7.55	16.0	28
ZZ18929		0.32	0.002	0.05	0.79	9.7	<0.2	<10	260	1.35	0.27	0.70	0.12	14.20	13.8	11
ZZ18930		0.34	0.002	0.13	1.54	19.4	<0.2	<10	310	0.81	0.26	5.49	0.25	19.00	14.9	21
ZZ18931		0.34	0.002	0.16	1.73	19.6	<0.2	<10	260	0.98	0.27	1.23	0.36	27.3	19.1	25
ZZ18932		0.24	0.003	0.19	1.68	17.3	<0.2	<10	300	0.91	0.25	1.14	0.33	23.6	16.2	25
ZZ18933		0.26	0.002	0.13	1.52	14.0	<0.2	<10	260	0.77	0.23	1.23	0.31	20.4	13.7	22
ZZ18934		0.32	0.002	0.15	1.47	13.1	<0.2	<10	290	0.69	0.21	1.35	0.32	18.50	12.2	21
ZZ18935		0.38	0.002	0.23	1.29	14.9	<0.2	<10	280	0.83	0.24	1.12	0.34	18.00	12.9	21
ZZ18936		0.32	0.002	0.04	1.28	17.1	<0.2	<10	150	0.38	0.26	0.05	0.31	17.25	8.3	22
ZZ18937		0.26	0.002	0.26	1.92	22.9	<0.2	<10	290	1.13	0.25	0.51	0.46	31.3	15.2	27
ZZ18938		0.34	0.001	0.10	1.76	15.2	<0.2	<10	290	0.76	0.26	0.15	0.21	20.2	11.0	25
ZZ18939		0.34	0.001	0.23	1.44	12.9	<0.2	<10	520	0.74	0.25	1.06	0.27	26.2	11.3	24
ZZ18940		0.24	0.002	0.25	1.51	18.6	<0.2	<10	450	0.75	0.22	1.15	0.35	21.2	10.9	25
ZZ18941		0.26	0.001	0.13	1.53	19.2	<0.2	<10	270	0.67	0.26	0.21	0.30	29.1	12.2	24
ZZ18942		0.26	0.001	0.08	1.76	24.2	<0.2	<10	480	1.07	0.26	0.13	0.27	28.2	14.3	28
ZZ18943		0.32	0.002	0.16	1.32	15.7	<0.2	<10	270	0.76	0.25	0.69	0.24	20.2	11.3	23
ZZ18944		0.26	0.003	0.12	1.52	17.2	<0.2	<10	180	0.79	0.27	0.09	0.24	25.0	11.0	23
ZZ18945		0.28	0.002	0.29	1.34	22.9	<0.2	<10	530	0.84	0.19	1.38	0.37	14.05	13.0	24
ZZ18946		0.30	0.001	0.06	1.41	9.4	<0.2	<10	60	0.30	0.24	0.03	0.06	19.60	5.5	22
ZZ18947		0.24	0.002	0.10	1.71	33.6	<0.2	<10	180	0.58	0.29	0.19	0.29	25.6	10.8	27
ZZ18948		0.22	0.001	0.09	1.97	29.4	<0.2	<10	150	0.83	0.32	0.11	0.38	14.35	18.5	38
ZZ18949		0.30	0.002	0.25	0.87	7.3	<0.2	10	240	0.79	0.24	3.25	0.40	22.0	7.0	15
ZZ18950		0.22	0.001	0.21	1.18	10.1	<0.2	<10	370	0.63	0.20	1.70	0.40	14.30	8.6	18
CC145181		0.34	0.002	0.63	1.63	278	<0.2	<10	400	0.86	0.23	0.43	0.82	15.15	14.0	32
CC145182		0.24	0.007	1.05	1.04	44.5	<0.2	<10	510	0.66	0.23	0.62	1.04	8.45	9.9	19
CC145183		0.16	0.002	0.61	1.16	26.4	<0.2	<10	520	0.90	0.19	2.48	6.54	10.15	10.7	27
CC145184		0.14	0.001	0.57	1.12	13.3	<0.2	<10	310	0.78	0.17	3.00	11.95	9.17	10.3	26
CC145185		0.16	<0.001	0.04	1.05	10.8	<0.2	<10	180	0.42	0.24	0.55	0.23	4.94	4.2	16
CC145186		0.24	<0.001	0.09	1.09	24.7	<0.2	<10	140	1.09	0.23	0.81	0.48	32.4	14.3	16
CC145187		0.20	<0.001	0.12	2.08	9.3	<0.2	<10	210	1.53	0.32	0.86	0.19	23.5	18.2	30
CC145188		0.20	0.001	0.29	2.01	60.9	<0.2	<10	300	1.76	0.50	0.67	0.14	42.2	39.3	22
CC145189		0.30	<0.001	0.05	1.77	5.9	<0.2	<10	120	0.92	0.41	0.01	0.14	7.48	45.2	32

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 4- AUG- 2011
Account: RCM

Project: Pyramid Infill 2

CERTIFICATE OF ANALYSIS WH11141049

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
ZZ14750		0.95	27.9	3.54	4.78	<0.05	0.04	0.07	0.038	0.06	3.6	30.2	0.46	608	5.62	<0.01
ZZ18921		2.04	46.3	3.39	4.43	<0.05	0.05	0.05	0.029	0.10	4.4	22.1	0.38	636	2.12	<0.01
ZZ18922		1.38	34.3	3.14	5.03	<0.05	0.05	0.47	0.028	0.07	9.1	27.5	0.51	274	1.47	<0.01
ZZ18923		1.66	44.3	4.30	6.23	<0.05	0.07	0.02	0.053	0.09	5.6	19.8	0.45	499	1.25	<0.01
ZZ18924		1.21	44.1	4.14	3.74	<0.05	0.08	0.07	0.047	0.10	5.3	10.5	0.21	4140	2.14	0.01
ZZ18925		0.95	14.1	2.76	5.14	<0.05	<0.02	4.59	0.022	0.06	8.1	11.1	0.19	283	2.48	<0.01
ZZ18926		1.69	33.6	4.43	5.29	<0.05	0.03	0.16	0.043	0.07	7.6	31.5	0.50	533	1.43	<0.01
ZZ18927		1.81	31.6	5.25	6.38	<0.05	0.04	0.02	0.052	0.09	3.2	26.7	0.40	781	1.44	<0.01
ZZ18928		1.66	27.9	4.50	6.01	<0.05	0.02	0.01	0.045	0.10	3.0	30.1	0.48	519	2.78	<0.01
ZZ18929		2.06	17.4	2.99	2.53	<0.05	0.03	0.17	0.034	0.14	4.7	8.1	0.44	603	0.30	<0.01
ZZ18930		1.35	51.0	3.91	3.95	0.05	0.11	0.17	0.035	0.15	7.4	24.2	0.97	580	0.66	0.01
ZZ18931		1.61	63.5	4.38	5.32	0.05	0.10	0.20	0.042	0.15	11.6	29.3	0.96	709	0.85	<0.01
ZZ18932		1.00	56.3	3.90	5.00	<0.05	0.09	0.15	0.036	0.12	11.1	28.2	0.74	661	0.80	<0.01
ZZ18933		0.80	44.6	3.48	4.37	<0.05	0.08	0.12	0.031	0.10	7.9	24.1	0.64	528	0.73	<0.01
ZZ18934		0.75	42.4	3.28	4.09	<0.05	0.07	0.13	0.029	0.09	8.0	22.3	0.62	563	0.73	0.01
ZZ18935		0.94	36.7	3.25	3.84	<0.05	0.06	0.13	0.033	0.09	7.1	23.3	0.49	496	0.84	<0.01
ZZ18936		1.01	16.6	4.08	5.56	<0.05	<0.02	0.03	0.029	0.06	7.2	19.3	0.21	405	1.47	<0.01
ZZ18937		1.12	48.2	4.81	4.45	0.05	0.05	0.08	0.042	0.06	11.4	31.3	0.55	783	1.13	<0.01
ZZ18938		1.25	19.7	3.86	5.46	<0.05	0.03	0.03	0.042	0.05	7.7	23.6	0.31	383	1.28	<0.01
ZZ18939		1.00	23.7	3.13	4.63	<0.05	0.03	0.07	0.034	0.05	11.9	18.8	0.38	780	0.88	0.01
ZZ18940		0.50	38.2	3.70	4.51	<0.05	0.06	0.10	0.032	0.06	9.4	25.0	0.61	440	1.06	0.01
ZZ18941		1.36	17.9	3.56	4.89	<0.05	0.03	0.04	0.031	0.06	12.0	20.4	0.34	547	1.53	<0.01
ZZ18942		1.22	35.7	4.13	4.09	0.05	0.05	0.05	0.047	0.06	10.1	20.1	0.33	564	1.66	<0.01
ZZ18943		0.60	32.6	3.62	3.94	<0.05	0.06	0.09	0.031	0.08	8.6	25.8	0.48	343	0.94	<0.01
ZZ18944		1.16	24.9	3.36	4.81	<0.05	0.05	0.04	0.035	0.06	11.6	24.2	0.28	466	1.84	<0.01
ZZ18945		0.78	43.1	3.13	3.78	0.05	0.06	1.27	0.032	0.07	6.0	25.3	0.47	927	1.44	<0.01
ZZ18946		1.25	12.3	3.02	6.57	<0.05	<0.02	<0.01	0.021	0.04	9.2	23.9	0.28	252	1.14	<0.01
ZZ18947		1.59	16.9	3.45	5.73	0.11	0.04	0.06	0.034	0.08	11.9	19.8	0.38	367	2.09	0.02
ZZ18948		2.00	34.2	6.31	6.02	0.11	0.04	0.04	0.059	0.08	5.0	31.3	0.39	1000	2.32	0.02
ZZ18949		0.43	30.1	2.21	2.22	0.12	0.10	0.17	0.037	0.07	8.0	10.7	0.23	102	0.27	0.02
ZZ18950		0.65	20.9	2.45	3.14	0.10	0.05	0.16	0.027	0.07	5.9	15.6	0.40	488	0.56	0.02
CC145181		1.67	35.5	3.63	4.22	0.10	0.05	0.57	0.040	0.09	6.1	31.2	0.60	560	1.18	0.02
CC145182		2.26	48.5	1.91	3.09	0.13	0.06	0.79	0.037	0.13	3.9	14.4	0.31	169	1.91	0.02
CC145183		0.86	51.1	2.71	3.23	0.13	0.04	0.33	0.027	0.08	6.2	15.9	0.34	614	15.80	0.03
CC145184		0.83	51.8	2.34	3.08	0.13	0.06	0.17	0.026	0.08	5.6	17.0	0.51	390	8.76	0.03
CC145185		0.99	20.4	2.66	4.36	0.10	0.02	0.02	0.028	0.09	2.2	9.6	0.33	118	1.74	0.02
CC145186		1.38	26.3	3.24	2.96	0.15	0.10	0.04	0.038	0.15	12.3	16.9	0.29	266	7.53	0.02
CC145187		1.40	26.1	4.60	6.26	0.12	0.07	0.05	0.055	0.12	10.5	43.4	0.60	476	0.74	0.03
CC145188		2.21	33.0	5.79	5.41	0.15	0.09	0.08	0.055	0.09	16.6	31.5	0.50	6640	0.68	0.03
CC145189		2.80	12.4	5.53	6.14	0.11	0.04	0.02	0.037	0.13	2.5	21.7	0.41	2610	0.76	0.03

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 4- AUG- 2011
Account: RCM

Project: Pyramid Infill 2

CERTIFICATE OF ANALYSIS WH11141049

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
ZZ14750		0.26	37.1	620	18.1	9.5	0.003	0.05	0.53	5.0	1.9	0.5	26.7	<0.01	0.04	1.6
ZZ18921		0.66	29.8	570	20.6	14.5	0.001	0.05	0.75	5.3	1.6	0.7	28.2	<0.01	0.04	2.0
ZZ18922		0.58	26.8	280	16.5	10.5	0.001	0.02	0.48	4.5	0.7	0.6	19.3	<0.01	0.04	3.4
ZZ18923		0.27	29.5	340	25.8	11.5	0.001	0.02	0.22	6.6	0.7	0.8	26.0	<0.01	0.03	4.4
ZZ18924		0.17	37.6	630	15.9	13.5	0.008	0.06	0.38	6.1	1.6	0.7	45.2	<0.01	0.05	2.5
ZZ18925		0.94	14.8	260	22.9	8.9	0.001	0.02	0.70	2.2	0.5	0.6	20.6	<0.01	0.03	2.3
ZZ18926		0.24	39.2	470	28.1	11.0	<0.001	0.02	0.45	5.8	0.8	0.6	11.5	<0.01	0.04	3.7
ZZ18927		0.36	32.4	480	35.1	13.1	<0.001	0.02	0.52	4.4	0.7	0.7	10.9	<0.01	0.07	2.6
ZZ18928		0.27	34.6	410	23.4	11.4	0.001	0.02	0.48	4.1	0.5	0.7	18.0	<0.01	0.04	2.0
ZZ18929		0.12	24.2	200	48.3	9.7	<0.001	0.02	0.22	7.9	0.6	0.7	22.5	<0.01	0.05	6.2
ZZ18930		0.06	33.4	570	24.9	8.2	<0.001	0.05	0.38	6.4	0.5	0.4	224	<0.01	0.07	4.6
ZZ18931		0.14	42.0	590	25.1	9.2	<0.001	0.03	0.47	7.8	0.8	0.4	53.0	<0.01	0.07	4.9
ZZ18932		0.25	36.5	570	19.5	8.0	0.001	0.04	0.50	6.7	1.2	0.4	49.4	<0.01	0.08	3.1
ZZ18933		0.23	30.4	540	16.9	7.2	<0.001	0.05	0.44	5.3	0.9	0.4	47.2	<0.01	0.05	2.6
ZZ18934		0.25	28.4	590	16.0	6.8	<0.001	0.06	0.47	4.8	0.9	0.3	44.8	<0.01	0.05	2.1
ZZ18935		0.25	31.7	530	19.5	8.1	<0.001	0.05	0.40	5.0	1.1	0.4	47.3	<0.01	0.05	2.1
ZZ18936		0.73	16.8	290	24.1	11.3	<0.001	0.01	0.55	2.8	0.5	0.6	8.6	<0.01	0.05	2.2
ZZ18937		0.30	40.0	610	25.8	8.8	<0.001	0.03	0.48	7.0	1.2	0.4	28.4	<0.01	0.06	4.1
ZZ18938		0.71	27.2	270	18.9	12.7	<0.001	0.02	0.40	3.6	0.6	0.6	14.3	<0.01	0.03	3.0
ZZ18939		0.63	23.5	720	19.6	7.9	<0.001	0.04	0.46	3.9	0.9	0.5	52.3	<0.01	0.04	1.6
ZZ18940		0.44	30.5	670	15.2	6.8	<0.001	0.06	0.51	5.6	1.4	0.4	56.6	<0.01	0.07	2.8
ZZ18941		0.84	26.4	410	21.9	11.8	<0.001	0.02	0.58	3.7	1.1	0.5	17.6	<0.01	0.03	3.8
ZZ18942		0.29	36.6	290	27.9	10.0	<0.001	0.02	0.63	7.7	1.6	0.5	16.3	<0.01	0.07	4.6
ZZ18943		0.30	27.0	580	18.2	6.8	<0.001	0.04	0.40	5.7	1.3	0.4	43.4	<0.01	0.05	3.5
ZZ18944		0.71	25.7	310	21.4	9.6	0.001	0.04	0.49	5.3	1.0	0.6	12.9	<0.01	0.05	4.1
ZZ18945		0.16	43.6	580	17.0	7.7	0.003	0.07	0.50	4.2	2.1	0.3	62.1	<0.01	0.05	1.3
ZZ18946		0.87	12.4	220	10.5	10.6	<0.001	0.01	0.41	2.0	0.3	0.7	6.6	<0.01	0.04	2.4
ZZ18947		0.84	26.4	390	24.7	12.5	<0.001	0.01	0.74	3.3	0.8	0.7	16.8	<0.01	0.08	3.9
ZZ18948		0.51	37.8	1420	28.1	15.1	<0.001	0.03	0.66	5.4	1.1	0.6	17.6	<0.01	0.09	2.8
ZZ18949		0.32	24.2	730	21.7	5.4	0.002	0.18	0.33	4.6	1.4	0.4	151.0	<0.01	0.07	2.5
ZZ18950		0.41	18.3	770	14.6	8.5	<0.001	0.10	0.33	2.6	1.0	0.4	40.4	<0.01	0.04	0.8
CC145181		0.19	47.9	770	41.1	10.4	0.001	0.03	0.69	6.1	0.9	0.4	24.8	<0.01	0.07	2.7
CC145182		0.20	40.3	590	26.5	13.7	0.010	0.12	1.32	4.6	9.4	0.4	51.3	<0.01	0.08	2.4
CC145183		0.15	111.5	870	13.4	8.0	0.013	0.09	3.96	2.9	8.1	0.4	52.1	<0.01	0.08	0.6
CC145184		0.15	109.5	760	12.7	7.4	0.006	0.10	3.67	2.9	4.8	0.4	51.9	<0.01	0.06	0.8
CC145185		0.19	14.7	470	11.9	8.4	<0.001	0.04	0.38	3.0	0.7	0.5	15.8	<0.01	0.06	1.3
CC145186		0.21	37.0	610	19.6	10.6	0.001	0.05	0.67	6.1	1.3	0.5	49.1	<0.01	0.03	5.1
CC145187		0.34	48.4	720	19.6	10.4	0.001	0.02	0.24	8.9	0.7	0.8	39.9	<0.01	0.09	4.9
CC145188		0.11	41.1	990	38.6	11.7	<0.001	0.03	0.68	12.3	1.5	0.6	27.7	<0.01	0.08	4.9
CC145189		0.85	31.0	350	31.8	16.5	<0.001	<0.01	0.75	4.3	0.4	1.1	4.6	<0.01	0.09	6.6

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 4- AUG- 2011
Account: RCM

Project: Pyramid Infill 2

CERTIFICATE OF ANALYSIS WH11141049

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
ZZ14750		<0.005	0.12	1.35	41	0.09	7.84	127	1.1
ZZ18921		0.009	0.12	1.93	31	0.20	14.10	87	1.2
ZZ18922		0.016	0.10	0.97	33	0.12	7.09	79	1.4
ZZ18923		<0.005	0.09	0.98	30	<0.05	9.53	108	2.0
ZZ18924		<0.005	0.13	1.26	28	<0.05	12.45	95	1.9
ZZ18925		0.028	0.14	0.51	58	0.18	2.90	70	0.6
ZZ18926		<0.005	0.22	0.78	37	0.06	10.55	140	1.1
ZZ18927		<0.005	0.17	0.41	38	0.05	3.75	151	1.4
ZZ18928		<0.005	0.15	0.38	37	<0.05	3.73	167	0.9
ZZ18929		<0.005	0.49	0.36	18	<0.05	8.40	90	1.2
ZZ18930		<0.005	0.21	0.79	34	<0.05	9.68	114	4.8
ZZ18931		0.005	0.21	0.59	41	<0.05	12.65	140	4.3
ZZ18932		0.005	0.15	0.90	41	0.05	12.15	122	2.9
ZZ18933		0.005	0.13	0.90	37	<0.05	9.13	108	2.3
ZZ18934		0.005	0.11	0.85	35	0.05	8.93	116	2.0
ZZ18935		<0.005	0.13	0.90	31	<0.05	10.45	127	2.0
ZZ18936		0.011	0.13	0.39	58	0.13	2.57	81	0.6
ZZ18937		0.005	0.17	1.18	41	0.07	14.15	122	1.7
ZZ18938		0.010	0.17	0.58	53	0.14	4.08	72	1.6
ZZ18939		0.017	0.12	1.44	45	0.14	9.75	90	0.7
ZZ18940		0.007	0.10	2.09	44	0.06	10.40	85	1.8
ZZ18941		0.021	0.16	0.96	51	0.17	7.08	80	1.1
ZZ18942		0.005	0.20	1.15	52	0.08	13.65	108	1.8
ZZ18943		0.005	0.10	1.51	37	0.07	9.34	110	1.8
ZZ18944		0.013	0.18	0.95	45	0.15	9.85	84	2.0
ZZ18945		<0.005	0.11	8.90	35	<0.05	11.60	126	1.6
ZZ18946		0.014	0.11	0.37	47	0.14	1.94	54	0.5
ZZ18947		0.016	0.25	0.92	60	0.17	4.33	138	1.5
ZZ18948		0.005	0.25	0.69	62	0.09	5.09	168	1.6
ZZ18949		<0.005	0.09	1.23	20	<0.05	12.35	103	3.2
ZZ18950		0.007	0.11	1.30	29	0.06	6.57	137	1.3
CC145181		0.005	0.40	0.77	38	0.06	11.80	331	1.8
CC145182		<0.005	0.37	2.15	45	<0.05	9.11	169	2.2
CC145183		<0.005	0.38	3.88	266	0.08	18.15	735	1.3
CC145184		<0.005	0.70	6.54	306	0.06	16.20	944	1.9
CC145185		<0.005	0.11	0.90	36	<0.05	3.16	76	0.7
CC145186		<0.005	0.20	0.98	19	<0.05	13.30	103	3.5
CC145187		<0.005	0.11	0.38	27	<0.05	12.20	114	3.4
CC145188		<0.005	0.13	0.54	21	<0.05	32.7	119	2.6
CC145189		0.023	0.13	0.63	35	0.28	2.96	89	1.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 4- AUG- 2011
Account: RCM

Project: Pyramid Infill 2

CERTIFICATE OF ANALYSIS WH11141049

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg .02	Au- TL43 Au ppm 0.001	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1
CC145190		0.26	0.001	0.02	2.02	20.1	<0.2	<10	90	0.84	0.49	0.03	0.07	15.40	14.2	27
CC145191		0.34	<0.001	0.02	2.28	6.8	<0.2	<10	110	1.65	0.61	0.09	0.04	16.65	21.8	41
CC145192		0.24	0.001	0.06	1.94	9.5	<0.2	<10	160	1.45	0.52	0.09	0.05	16.20	14.1	35
CC145193		0.34	0.001	0.19	1.73	37.0	<0.2	<10	890	0.93	0.28	0.94	0.75	18.40	12.2	28
CC145194		0.28	0.001	0.15	1.79	62.7	<0.2	<10	320	1.22	0.35	0.21	0.38	22.6	17.0	31
CC145195		0.26	0.004	0.16	1.62	17.6	<0.2	<10	300	1.02	0.29	0.37	0.23	25.7	12.8	28
CC145196		0.16	0.002	0.13	1.23	21.5	<0.2	<10	390	0.79	0.22	0.27	0.17	16.15	9.0	22
CC145197		0.46	0.001	0.19	0.74	37	<0.2	<10	580	0.54	0.20	10.25	7.83	14.95	11.2	12
CC145198		0.28	0.002	0.25	1.38	29.6	<0.2	<10	360	1.19	0.35	0.42	0.62	16.20	12.7	24
CC145199		0.24	0.001	0.15	0.77	24	<0.2	<10	230	0.67	0.16	10.40	0.49	13.40	7.1	13
CC145200		0.08	0.001	0.18	0.61	4.6	<0.2	10	950	0.56	0.10	4.33	1.17	6.76	6.0	9
CC145226		0.24	0.001	0.20	0.94	17.5	<0.2	<10	370	0.93	0.27	1.04	0.51	14.90	8.9	16
CC145227		0.34	0.001	0.22	1.00	23.5	<0.2	<10	580	0.89	0.25	4.04	0.66	15.45	9.2	18
CC145228		0.24	0.002	0.32	1.29	22.8	<0.2	<10	400	0.81	0.25	0.73	0.41	16.45	12.0	24
CC145229		0.30	0.003	0.46	1.45	20.0	<0.2	<10	410	1.07	0.23	0.74	0.26	10.80	10.7	25
CC145230		0.34	0.003	0.15	1.68	14.6	<0.2	<10	340	0.91	0.25	2.12	0.14	26.7	12.1	23
CC145231		0.24	0.001	0.07	1.50	23.7	<0.2	<10	230	0.94	0.25	0.36	0.16	27.5	14.4	24
CC145232		0.40	0.002	0.13	1.68	14.6	<0.2	<10	160	0.84	0.26	3.83	0.27	25.7	15.1	25
CC145233		0.46	0.002	0.11	2.00	16.0	<0.2	<10	150	0.85	0.26	5.56	0.31	27.2	20.3	28
CC145234		0.44	0.002	0.15	2.06	14.6	<0.2	<10	260	1.01	0.28	1.15	0.30	25.9	18.7	32
CC145235		0.38	0.003	0.17	1.58	15.5	<0.2	<10	210	0.87	0.22	0.84	0.30	28.7	16.0	25
CC145236		0.32	0.002	0.24	1.91	27.2	<0.2	<10	310	0.93	0.25	0.67	0.28	28.7	16.9	30
CC145237		0.32	0.002	0.12	1.87	14.5	<0.2	<10	120	0.79	0.23	3.05	0.32	28.9	20.3	28
CC145116		0.28	0.001	0.34	1.62	17.8	<0.2	<10	360	0.79	0.27	0.46	0.21	8.76	9.0	26
CC145117		0.30	0.002	0.25	1.64	18.1	<0.2	<10	380	0.92	0.25	0.90	0.34	11.75	10.4	25
CC145118		0.28	0.002	7.95	1.10	788	<0.2	<10	130	0.63	0.20	6.37	18.00	13.30	8.7	19
CC145119		0.46	0.001	6.83	0.57	721	<0.2	<10	100	0.37	0.09	14.65	23.3	5.81	5.8	10
CC145120		0.28	0.001	0.09	2.21	20.7	<0.2	<10	110	1.10	0.29	0.14	0.27	6.54	16.8	34
CC145121		0.34	0.001	0.06	1.65	54.8	<0.2	<10	290	0.60	0.25	0.35	0.39	8.74	10.4	28
CC145122		0.40	<0.001	0.03	1.48	65.7	<0.2	<10	280	0.54	0.27	0.29	0.29	5.68	6.1	26
CC145123		0.42	0.002	0.31	1.64	70.7	<0.2	<10	480	0.85	0.27	0.49	0.66	9.40	12.0	28
CC145124		0.42	0.002	0.25	1.67	94.5	<0.2	<10	540	0.98	0.26	0.76	0.40	10.55	14.7	26
CC145125		0.30	0.002	0.26	1.22	128.5	<0.2	<10	460	0.83	0.26	0.75	0.34	8.01	12.9	21
CC145126		0.38	0.002	0.19	1.37	49.9	<0.2	<10	260	1.04	0.28	0.75	0.50	14.65	15.4	23
CC145127		0.44	0.001	0.13	1.34	35.5	<0.2	<10	240	0.98	0.26	0.57	0.36	13.80	14.9	23
CC145128		0.30	0.002	0.27	1.59	34.2	<0.2	<10	660	0.97	0.23	1.35	1.64	15.10	16.8	23
CC145129		0.38	0.001	0.20	1.65	35.0	<0.2	<10	390	0.93	0.29	0.86	0.33	14.70	13.7	27
CC145130		0.42	0.002	0.16	1.55	52.3	<0.2	<10	270	1.00	0.30	0.68	0.24	13.45	12.8	25
CC145131		0.48	0.001	0.13	1.88	34.3	<0.2	<10	380	1.06	0.30	0.52	0.16	17.60	12.8	29
CC145132		0.30	0.001	0.10	1.82	40.0	<0.2	<10	290	1.03	0.28	0.89	0.24	6.76	13.5	28

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 4- AUG- 2011
Account: RCM

Project: Pyramid Infill 2

CERTIFICATE OF ANALYSIS WH11141049

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
CC145190		1.41	26.4	4.55	7.55	0.11	0.04	0.01	0.040	0.07	6.4	25.6	0.29	559	1.95	0.03
CC145191		1.39	44.5	4.49	9.06	0.11	0.05	0.01	0.051	0.10	5.8	34.2	0.65	552	0.71	0.03
CC145192		2.32	34.1	4.10	7.74	0.11	<0.02	0.03	0.047	0.11	6.3	24.0	0.50	368	0.74	0.03
CC145193		0.89	31.8	3.66	5.51	0.11	0.05	0.13	0.042	0.09	6.8	22.9	0.51	322	1.58	0.04
CC145194		1.27	40.7	4.28	5.60	0.14	0.03	0.81	0.040	0.08	10.6	33.1	0.56	631	1.39	0.03
CC145195		1.29	31.6	3.65	4.44	0.12	0.03	0.12	0.032	0.08	12.2	24.2	0.50	632	1.16	0.03
CC145196		0.71	30.9	3.37	3.61	0.11	0.03	0.12	0.032	0.07	7.0	16.9	0.35	178	2.10	0.03
CC145197		1.12	26.5	3.45	2.41	0.12	0.06	2.65	0.024	0.08	6.6	10.0	5.76	1140	0.58	0.05
CC145198		1.66	30.8	5.39	3.96	0.12	0.08	0.45	0.043	0.10	7.6	20.3	0.43	868	0.98	0.03
CC145199		0.79	21.4	3.63	1.98	0.12	0.04	0.39	0.019	0.07	7.3	10.3	5.92	1560	0.73	0.05
CC145200		0.54	33.0	1.55	1.40	0.10	0.03	0.31	0.015	0.03	3.8	3.8	0.50	1740	0.32	0.03
CC145226		1.29	27.7	3.54	2.70	0.11	0.06	0.29	0.034	0.11	6.8	13.5	0.38	490	0.94	0.02
CC145227		1.53	32.4	3.97	2.95	0.13	0.06	0.52	0.033	0.10	8.7	13.3	2.24	1130	0.79	0.03
CC145228		1.02	43.1	3.73	3.69	0.12	0.06	0.19	0.036	0.09	7.5	21.6	0.47	501	1.47	0.02
CC145229		0.75	52.8	3.67	3.74	0.12	0.07	0.21	0.039	0.08	5.6	22.3	0.47	293	1.30	0.02
CC145230		0.54	50.5	3.86	3.96	0.14	0.08	0.10	0.034	0.07	14.3	26.8	1.58	656	0.73	0.02
CC145231		0.68	44.7	4.40	3.97	0.11	0.04	0.04	0.038	0.05	10.8	28.6	0.58	760	0.84	0.02
CC145232		0.86	58.2	3.84	4.59	0.12	0.07	0.10	0.030	0.10	12.0	31.2	1.08	589	0.60	0.03
CC145233		1.63	74.0	4.23	5.53	0.12	0.14	0.13	0.034	0.15	11.7	34.3	1.47	711	0.59	0.03
CC145234		1.17	73.6	4.41	5.69	0.13	0.11	0.15	0.038	0.14	12.6	37.7	1.18	882	0.59	0.03
CC145235		0.58	57.1	3.78	4.63	0.14	0.06	0.10	0.030	0.07	12.7	30.5	0.80	820	0.71	0.02
CC145236		0.81	68.0	4.42	5.54	0.13	0.08	0.25	0.037	0.09	13.3	34.2	0.96	617	0.95	0.02
CC145237		0.98	72.5	4.35	5.28	0.14	0.09	0.10	0.032	0.09	13.5	34.5	1.28	775	0.62	0.02
CC145116		1.21	29.4	3.77	4.74	<0.05	0.05	0.15	0.041	0.09	3.8	33.9	0.47	294	1.55	0.01
CC145117		1.00	34.1	3.57	4.45	<0.05	0.08	0.18	0.040	0.09	5.0	31.9	0.47	379	1.36	0.01
CC145118		0.80	18.6	2.73	3.49	<0.05	0.06	31.8	0.028	0.06	5.1	15.1	3.63	684	2.05	0.02
CC145119		0.82	9.1	1.21	1.32	<0.05	0.03	18.00	0.015	0.04	2.3	7.9	8.46	753	0.72	0.02
CC145120		3.19	38.0	4.92	5.83	<0.05	0.05	0.07	0.055	0.08	2.3	48.6	0.65	445	1.25	0.01
CC145121		1.29	17.2	3.56	5.06	<0.05	0.03	0.09	0.032	0.06	4.0	33.9	0.59	286	1.17	0.01
CC145122		1.22	21.2	3.76	5.84	<0.05	0.02	0.01	0.035	0.07	2.5	26.6	0.50	156	1.31	0.01
CC145123		1.58	32.6	3.92	4.65	<0.05	0.06	0.66	0.041	0.08	4.1	37.3	0.62	291	1.04	0.01
CC145124		1.23	30.0	3.87	4.78	<0.05	0.08	0.99	0.038	0.07	4.1	32.5	0.58	468	1.27	0.01
CC145125		1.96	35.6	3.86	3.46	<0.05	0.09	2.37	0.041	0.08	3.2	17.6	0.40	353	1.58	0.01
CC145126		1.23	40.4	3.89	4.15	<0.05	0.08	0.77	0.035	0.09	5.6	20.1	0.45	660	1.98	0.01
CC145127		1.02	39.1	4.07	4.14	<0.05	0.07	0.23	0.039	0.08	5.2	20.1	0.42	372	2.29	0.01
CC145128		0.92	43.7	3.87	4.44	<0.05	0.09	0.29	0.036	0.08	6.7	20.9	0.46	5170	2.02	0.01
CC145129		1.15	30.3	3.76	5.01	<0.05	0.06	0.36	0.042	0.08	6.2	27.2	0.53	747	0.92	0.01
CC145130		1.05	37.6	4.08	4.78	<0.05	0.06	0.18	0.043	0.07	5.2	28.7	0.53	480	1.04	0.01
CC145131		1.14	31.9	4.11	5.71	<0.05	0.06	0.16	0.035	0.08	7.6	34.4	0.60	500	0.85	0.01
CC145132		1.53	27.0	4.06	5.13	<0.05	0.05	0.12	0.039	0.07	2.7	36.6	0.62	706	0.89	0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 4- AUG- 2011
Account: RCM

Project: Pyramid Infill 2

CERTIFICATE OF ANALYSIS WH11141049

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
CC145190		0.45	18.2	310	27.6	16.8	<0.001	<0.01	0.38	3.7	0.3	0.9	8.3	<0.01	0.06	3.4
CC145191		0.13	38.8	260	25.9	10.8	<0.001	<0.01	0.15	6.0	0.3	1.1	16.3	<0.01	0.05	5.1
CC145192		0.33	29.8	350	26.1	15.3	<0.001	0.02	0.20	5.7	0.5	1.0	20.5	<0.01	0.03	3.9
CC145193		0.41	33.8	880	26.9	9.9	0.001	0.05	0.58	5.1	1.0	0.6	37.7	<0.01	0.05	2.3
CC145194		0.21	44.5	650	142.5	10.1	<0.001	<0.01	0.68	7.1	0.9	0.6	21.3	<0.01	0.05	4.9
CC145195		0.47	31.3	760	21.2	9.7	<0.001	0.01	0.51	5.6	0.8	0.6	23.1	<0.01	0.06	3.2
CC145196		0.24	25.6	670	14.2	7.2	0.001	0.01	0.55	4.7	0.6	0.4	24.4	<0.01	0.07	2.9
CC145197		0.13	21.6	630	118.5	5.3	<0.001	0.16	0.30	4.4	0.7	0.3	142.5	<0.01	0.07	3.1
CC145198		0.24	35.6	550	48.4	9.9	<0.001	0.02	0.32	7.6	1.0	0.6	29.1	<0.01	0.07	4.5
CC145199		0.12	21.0	620	33.6	5.3	<0.001	0.05	0.28	4.2	0.8	0.3	59.9	<0.01	0.05	2.3
CC145200		0.20	14.5	1740	11.3	4.8	<0.001	0.24	0.33	0.8	1.4	0.2	58.5	<0.01	0.04	0.2
CC145226		0.20	27.1	600	31.8	10.8	0.001	0.07	0.35	4.4	0.9	0.4	42.3	<0.01	0.05	2.0
CC145227		0.19	24.8	710	41.4	11.5	0.001	0.06	0.36	5.3	1.3	0.4	45.0	<0.01	0.06	2.2
CC145228		0.26	39.3	750	20.7	8.5	<0.001	0.04	0.57	6.0	1.2	0.4	37.2	<0.01	0.07	2.8
CC145229		0.12	40.3	480	17.1	6.6	0.001	0.03	0.45	8.9	1.1	0.4	38.6	<0.01	0.07	3.3
CC145230		0.13	27.7	350	19.3	6.3	<0.001	0.02	0.32	8.9	1.0	0.3	29.1	<0.01	0.06	4.2
CC145231		0.13	30.5	350	26.4	6.9	<0.001	0.02	0.37	5.6	0.6	0.3	22.9	<0.01	0.08	3.7
CC145232		0.19	31.2	650	19.4	5.9	<0.001	0.04	0.43	6.8	0.7	0.3	122.0	<0.01	0.07	3.6
CC145233		0.08	36.9	690	18.8	7.9	0.001	0.05	0.40	7.5	0.6	0.3	148.5	<0.01	0.11	4.5
CC145234		0.20	38.1	720	21.4	7.9	<0.001	0.04	0.42	7.8	0.8	0.4	41.5	<0.01	0.08	3.5
CC145235		0.19	31.2	680	17.9	5.3	<0.001	0.04	0.48	6.3	0.9	0.3	38.5	<0.01	0.07	2.3
CC145236		0.14	38.2	510	28.6	6.9	<0.001	0.04	0.50	9.0	0.9	0.3	33.5	<0.01	0.08	3.6
CC145237		0.12	35.6	790	16.6	5.3	<0.001	0.03	0.44	7.8	0.8	0.3	99.5	<0.01	0.09	3.9
CC145116		0.13	40.5	730	19.7	10.8	0.002	0.04	0.39	5.2	0.9	0.5	31.0	<0.01	0.05	2.0
CC145117		0.14	44.8	740	19.3	9.4	0.001	0.05	0.46	5.8	0.9	0.4	45.2	<0.01	0.06	1.9
CC145118		0.19	28.0	530	1215	7.9	<0.001	0.05	22.6	3.5	0.5	0.4	60.3	<0.01	0.03	1.4
CC145119		0.07	15.3	290	1150	4.1	<0.001	0.02	34.1	1.9	0.6	0.2	120.0	<0.01	0.01	1.0
CC145120		0.10	47.1	640	26.5	13.5	<0.001	0.05	0.48	5.3	0.8	0.6	16.5	<0.01	0.04	2.9
CC145121		0.27	32.6	600	14.9	9.0	<0.001	0.01	0.48	3.6	0.6	0.5	14.3	<0.01	0.06	2.2
CC145122		0.22	25.9	420	15.4	8.6	<0.001	0.01	0.36	3.4	0.3	0.6	11.4	<0.01	0.03	1.6
CC145123		0.19	43.5	680	39.0	8.6	0.001	0.01	0.65	6.3	1.4	0.4	23.7	<0.01	0.03	3.0
CC145124		0.17	40.6	670	34.5	9.0	0.001	0.02	0.62	6.2	1.5	0.7	27.9	<0.01	0.04	2.5
CC145125		0.13	41.6	490	30.6	9.1	0.001	0.02	0.74	5.7	1.0	0.5	26.4	<0.01	0.07	2.5
CC145126		0.17	44.6	640	24.7	8.6	0.002	0.02	0.70	6.3	1.2	0.5	33.4	<0.01	0.06	3.3
CC145127		0.15	42.0	620	22.4	8.8	<0.001	0.01	0.64	6.6	0.7	0.5	29.3	<0.01	0.05	3.5
CC145128		0.16	41.9	1140	16.8	10.7	0.007	0.10	0.57	5.3	3.7	0.4	49.5	<0.01	0.03	1.5
CC145129		0.35	36.9	560	23.7	10.0	0.001	0.03	0.46	5.9	0.9	0.5	31.8	<0.01	0.04	2.3
CC145130		0.25	35.7	470	29.1	8.4	0.001	0.02	0.53	6.1	1.1	0.5	29.2	<0.01	0.04	2.7
CC145131		0.39	38.5	530	20.7	9.4	<0.001	0.01	0.40	6.6	0.7	0.6	24.5	<0.01	0.06	3.4
CC145132		0.18	42.4	530	22.1	9.1	<0.001	0.02	0.38	5.3	0.5	0.5	32.0	<0.01	0.04	1.9

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 4- AUG- 2011
Account: RCM

Project: Pyramid Infill 2

CERTIFICATE OF ANALYSIS WH11141049

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
CC145190		0.005	0.14	0.40	45	0.06	3.12	85	1.7
CC145191		<0.005	0.09	0.58	34	<0.05	7.07	99	2.4
CC145192		<0.005	0.11	0.64	35	<0.05	7.32	86	0.5
CC145193		0.005	0.16	0.86	51	0.07	10.15	136	1.4
CC145194		0.005	0.29	0.92	34	0.06	18.65	181	0.9
CC145195		0.014	0.14	1.04	42	0.11	12.85	119	0.7
CC145196		<0.005	0.14	0.96	38	0.05	7.47	101	1.3
CC145197		0.005	0.37	1.14	17	<0.05	9.39	3880	3.0
CC145198		<0.005	0.42	0.88	28	<0.05	10.85	436	2.3
CC145199		<0.005	0.24	1.24	18	<0.05	10.05	432	1.5
CC145200		<0.005	0.10	2.04	12	0.05	6.23	272	0.8
CC145226		<0.005	0.23	1.03	22	0.05	10.50	287	1.6
CC145227		<0.005	0.31	0.93	24	<0.05	12.25	321	1.7
CC145228		0.006	0.17	0.92	37	0.05	13.20	172	1.8
CC145229		<0.005	0.15	0.65	37	<0.05	14.35	136	2.1
CC145230		<0.005	0.10	0.64	37	<0.05	17.70	98	2.2
CC145231		<0.005	0.14	0.59	35	<0.05	7.64	101	1.7
CC145232		0.008	0.10	0.63	37	<0.05	10.85	100	2.5
CC145233		0.007	0.14	0.74	43	<0.05	9.32	107	5.7
CC145234		0.007	0.12	0.63	46	0.05	11.75	124	3.4
CC145235		0.007	0.08	0.75	39	0.05	12.10	107	1.7
CC145236		0.005	0.12	0.49	50	<0.05	12.40	103	2.7
CC145237		0.006	0.09	0.55	46	<0.05	11.10	105	3.5
CC145116		<0.005	0.15	0.64	35	<0.05	9.00	137	1.2
CC145117		<0.005	0.14	0.97	33	<0.05	16.10	150	1.9
CC145118		<0.005	2.19	1.05	33	0.76	5.87	1640	1.1
CC145119		<0.005	3.61	1.45	21	0.76	4.06	1680	0.8
CC145120		<0.005	0.22	0.47	34	<0.05	4.42	133	1.2
CC145121		0.005	0.26	0.52	35	0.12	3.45	156	0.8
CC145122		0.005	0.10	0.27	39	0.06	2.90	110	0.6
CC145123		<0.005	0.44	1.01	31	0.27	9.29	210	1.8
CC145124		<0.005	0.41	0.95	34	0.25	9.17	171	1.9
CC145125		<0.005	0.42	0.82	34	0.08	6.76	158	1.9
CC145126		<0.005	0.28	0.84	42	<0.05	12.40	139	2.0
CC145127		<0.005	0.17	0.75	45	<0.05	9.85	134	2.1
CC145128		<0.005	0.22	6.27	38	<0.05	13.75	151	2.0
CC145129		0.005	0.22	1.68	34	0.07	8.52	130	1.4
CC145130		<0.005	0.20	1.05	32	0.05	7.48	136	1.5
CC145131		0.006	0.18	1.01	36	0.09	9.43	112	1.4
CC145132		<0.005	0.19	0.51	31	<0.05	5.76	133	1.2

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 4- AUG- 2011
Account: RCM

Project: Pyramid Infill 2

CERTIFICATE OF ANALYSIS WH11141049

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg .02	Au- TL43 Au ppm 0.001	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1
CC145133		0.42	0.001	0.17	1.78	77.1	<0.2	<10	220	1.15	0.36	0.52	0.33	12.75	18.1	29
CC145134		0.34	0.003	0.13	1.71	17.3	<0.2	<10	250	1.08	0.33	0.56	0.26	19.70	15.8	29
CC145135		0.48	0.002	0.20	1.70	31.5	<0.2	<10	320	1.11	0.29	0.75	0.38	18.50	14.0	28
CC145136		0.38	0.002	0.16	1.61	29.4	<0.2	<10	320	0.86	0.26	0.96	0.25	7.92	9.9	25
CC145137		0.30	0.002	0.42	1.45	211	<0.2	<10	370	0.80	0.25	0.57	0.26	11.35	11.6	26
CC145138		0.32	0.002	0.11	0.96	30.6	<0.2	<10	190	0.65	0.22	6.09	3.10	12.60	9.5	14
CC145139		0.44	0.002	0.18	1.21	20.8	<0.2	<10	240	0.75	0.28	1.37	4.26	25.3	17.0	19
CC145140		0.44	0.002	0.19	1.23	31.4	<0.2	<10	210	0.80	0.27	1.59	2.15	22.9	14.1	19
CC145141		0.52	0.002	0.27	1.48	263	<0.2	<10	270	0.85	0.26	0.43	0.38	11.80	12.0	27
CC145142		0.40	0.001	0.29	1.41	272	<0.2	<10	230	0.82	0.22	0.52	0.41	11.15	11.5	26
CC145143		0.26	0.002	0.31	1.20	151.5	<0.2	<10	590	0.71	0.22	0.84	0.85	12.00	15.0	23
CC145144		0.36	0.002	0.53	1.85	319	<0.2	<10	520	1.02	0.27	0.17	0.79	10.90	11.9	29
CC145145		0.36	0.001	0.17	1.56	27.5	<0.2	<10	450	0.70	0.24	0.61	0.30	16.80	9.3	25
CC145146		0.48	0.002	0.18	1.62	27.9	<0.2	<10	200	0.96	0.25	0.76	0.23	23.0	13.0	25
CC145147		0.44	0.002	0.16	1.54	15.9	<0.2	<10	200	0.90	0.25	0.95	0.31	24.4	15.2	24
CC145148		0.48	0.002	0.13	1.61	13.7	<0.2	<10	220	0.83	0.26	0.90	0.27	23.2	12.0	26
CC145149		0.26	0.003	0.49	1.17	18.8	<0.2	<10	280	0.72	0.24	1.15	0.33	18.25	11.0	21
CC145150		0.26	0.002	0.24	1.40	16.9	<0.2	<10	290	0.85	0.25	0.88	0.39	21.3	12.8	24
CC145151		0.40	0.002	0.12	1.51	14.8	<0.2	<10	180	0.68	0.21	1.15	0.29	24.2	15.2	23
CC145152		0.20	0.004	0.25	1.50	15.1	<0.2	<10	410	0.80	0.19	2.23	0.31	15.10	10.8	22
ZZ14987		0.40	0.001	0.34	0.67	10.6	<0.2	<10	130	0.34	0.21	0.04	0.31	3.88	6.7	23
ZZ14988		0.40	0.001	0.51	1.59	5.2	<0.2	<10	660	0.65	0.23	0.31	0.24	5.49	5.5	83
ZZ14989		0.32	0.001	0.13	1.45	11.1	<0.2	<10	170	0.62	0.29	0.05	0.12	6.97	5.8	26
ZZ14990		0.26	0.002	0.98	0.54	9.5	<0.2	<10	410	0.49	0.17	0.86	0.87	5.06	7.2	19
ZZ14991		0.56	0.002	0.97	1.25	7.9	<0.2	<10	520	0.66	0.24	0.56	0.27	5.24	6.0	46
ZZ14992		0.40	0.001	0.13	1.55	10.7	<0.2	<10	390	0.74	0.25	0.20	0.18	10.15	9.7	27
ZZ14993		0.34	0.001	0.02	1.56	10.8	<0.2	<10	140	0.82	0.25	0.11	0.10	8.65	14.5	26
ZZ14994		0.42	0.001	0.06	1.63	10.5	<0.2	<10	160	0.66	0.23	0.25	0.09	8.14	7.3	26
ZZ14995		0.32	0.001	0.09	1.66	17.7	<0.2	<10	340	0.93	0.29	0.28	0.12	13.90	19.6	27
ZZ14996		0.34	0.001	0.05	1.66	14.0	<0.2	<10	120	0.54	0.28	0.03	0.12	11.05	8.0	26
ZZ14997		0.54	0.001	0.03	1.86	25.4	<0.2	<10	260	1.05	0.26	0.17	0.13	13.75	16.0	32
ZZ14998		0.34	0.002	0.05	2.06	22.0	<0.2	<10	250	1.26	0.28	0.18	0.19	22.0	16.3	34
ZZ14999		0.38	0.001	0.15	2.30	129.5	<0.2	<10	220	1.33	0.30	0.12	0.37	11.80	21.2	34
ZZ15000		0.28	0.001	0.36	1.57	84.4	<0.2	<10	520	0.61	0.23	0.84	3.76	19.80	10.4	25

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 4- AUG- 2011
Account: RCM

Project: Pyramid Infill 2

CERTIFICATE OF ANALYSIS WH11141049

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
CC145133		1.83	47.6	4.59	5.29	<0.05	0.07	0.24	0.042	0.09	5.0	34.6	0.71	629	0.83	0.01
CC145134		1.14	34.4	3.72	5.61	<0.05	0.07	0.12	0.040	0.09	8.7	25.5	0.53	663	0.78	0.01
CC145135		1.37	32.4	3.66	5.42	<0.05	0.06	0.19	0.042	0.09	7.4	29.9	0.54	707	0.91	0.01
CC145136		1.36	26.0	3.58	4.67	<0.05	0.05	0.13	0.037	0.07	3.6	29.2	0.56	301	0.85	0.01
CC145137		1.62	27.6	3.60	4.21	<0.05	0.07	0.95	0.037	0.07	4.5	27.5	0.49	306	1.84	0.01
CC145138		0.56	20.1	4.15	2.70	<0.05	0.05	0.48	0.028	0.07	5.4	11.5	3.66	1330	0.61	0.02
CC145139		0.92	52.1	4.06	3.59	0.05	0.07	0.27	0.031	0.08	9.0	22.5	0.96	827	0.74	0.01
CC145140		1.05	40.4	4.13	3.46	<0.05	0.06	0.47	0.037	0.08	9.6	20.1	0.94	990	0.86	0.01
CC145141		1.50	29.2	3.93	4.26	<0.05	0.06	2.06	0.038	0.08	5.2	30.1	0.56	321	1.29	0.01
CC145142		1.43	26.0	3.78	4.15	<0.05	0.05	0.93	0.035	0.07	4.5	28.2	0.53	351	1.55	0.01
CC145143		1.11	31.2	3.28	3.36	<0.05	0.06	3.22	0.031	0.07	4.6	23.3	0.50	3240	1.14	0.01
CC145144		1.27	37.7	4.62	4.58	<0.05	0.03	0.96	0.045	0.07	3.8	34.6	0.47	778	1.70	0.01
CC145145		0.97	19.2	3.12	4.91	<0.05	0.03	0.14	0.029	0.06	7.3	25.1	0.43	341	0.96	0.01
CC145146		0.79	43.0	3.82	4.53	0.05	0.07	0.19	0.037	0.06	11.0	30.8	0.63	363	0.72	0.01
CC145147		0.73	56.4	3.75	4.56	0.05	0.07	0.13	0.036	0.08	11.1	28.7	0.69	720	0.60	0.01
CC145148		0.65	38.7	3.49	4.67	<0.05	0.07	0.11	0.038	0.08	10.7	32.6	0.72	492	0.52	0.01
CC145149		0.83	38.4	2.93	3.45	<0.05	0.05	0.15	0.034	0.07	7.7	19.4	0.42	406	1.31	0.01
CC145150		0.71	43.5	3.34	4.23	<0.05	0.06	0.11	0.033	0.08	8.5	30.2	0.60	603	0.97	0.01
CC145151		0.70	59.8	3.89	4.31	0.05	0.07	0.08	0.031	0.07	10.5	28.7	0.87	600	0.62	0.01
CC145152		0.79	72.4	3.34	4.06	0.10	0.06	0.20	0.034	0.08	7.7	24.2	0.61	340	0.86	0.01
ZZ14987		3.55	35.3	2.85	2.49	0.07	0.03	0.18	0.038	0.05	2.3	4.1	0.06	63	2.75	0.01
ZZ14988		2.25	40.0	3.74	3.99	0.09	0.05	0.21	0.045	0.06	3.4	48.7	0.51	82	1.59	0.01
ZZ14989		1.23	31.7	3.76	4.60	0.08	0.02	0.04	0.043	0.12	3.0	26.8	0.31	97	2.86	0.02
ZZ14990		3.13	37.6	2.49	1.49	0.08	0.05	0.21	0.037	0.07	3.8	6.9	0.13	137	2.38	0.01
ZZ14991		3.05	42.5	3.36	3.33	0.09	0.08	0.25	0.045	0.08	3.1	31.3	0.36	86	2.16	0.02
ZZ14992		0.74	28.4	3.68	4.33	0.08	0.03	0.07	0.032	0.07	4.7	27.7	0.50	273	1.26	0.01
ZZ14993		0.66	28.1	4.13	4.44	0.08	0.02	0.02	0.039	0.08	3.5	38.5	0.53	211	0.99	0.02
ZZ14994		1.45	20.4	3.75	5.37	0.08	0.02	0.04	0.034	0.07	3.7	33.5	0.51	118	0.89	0.01
ZZ14995		0.76	38.7	4.01	5.80	0.08	0.05	0.09	0.047	0.08	6.2	35.1	0.55	480	1.16	0.01
ZZ14996		2.53	17.2	4.07	5.92	0.08	<0.02	0.03	0.033	0.09	4.9	21.8	0.38	221	1.26	0.01
ZZ14997		1.31	31.9	4.40	5.45	0.08	0.02	0.09	0.035	0.09	5.8	39.3	0.63	375	0.86	0.01
ZZ14998		2.50	31.0	4.21	5.67	0.09	0.04	1.78	0.041	0.09	9.6	43.0	0.64	386	1.17	0.01
ZZ14999		3.32	38.9	4.62	6.23	0.08	0.02	0.61	0.045	0.08	4.6	42.4	0.64	686	0.69	0.01
ZZ15000		2.82	13.0	2.91	5.28	0.08	0.02	0.37	0.038	0.07	12.2	16.1	0.27	1080	1.49	0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 4- AUG- 2011
Account: RCM

Project: Pyramid Infill 2

CERTIFICATE OF ANALYSIS WH11141049

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
CC145133		0.16	48.1	510	36.0	9.1	<0.001	0.01	0.53	7.1	0.7	0.5	25.5	<0.01	0.04	4.0
CC145134		0.48	33.6	530	18.4	9.9	<0.001	0.01	0.37	6.2	0.8	0.7	26.7	<0.01	0.03	3.6
CC145135		0.38	39.4	680	23.2	11.1	<0.001	0.02	0.46	6.4	0.9	0.6	32.5	<0.01	0.05	2.8
CC145136		0.22	34.9	570	22.8	9.5	<0.001	0.03	0.44	5.1	0.4	0.5	33.0	<0.01	0.03	1.9
CC145137		0.18	35.9	540	44.6	10.2	0.001	0.01	0.73	4.7	1.4	0.6	29.1	<0.01	0.04	2.2
CC145138		0.15	20.1	250	56.6	6.6	<0.001	0.04	0.29	4.2	0.4	0.4	32.0	<0.01	0.04	2.4
CC145139		0.12	33.7	590	28.3	6.0	<0.001	0.02	0.48	5.8	1.0	0.3	32.8	<0.01	0.06	3.6
CC145140		0.17	32.8	750	34.3	7.4	0.001	0.06	0.49	5.6	1.0	0.3	41.1	<0.01	0.05	2.8
CC145141		0.19	44.0	710	32.0	8.5	<0.001	0.01	0.68	5.7	0.8	0.4	24.8	<0.01	0.03	3.0
CC145142		0.18	42.4	550	24.2	9.2	<0.001	0.01	0.82	5.2	0.9	0.4	25.3	<0.01	0.04	2.5
CC145143		0.13	43.1	570	30.5	7.3	0.002	0.04	0.59	4.3	1.2	0.4	42.7	<0.01	0.03	1.9
CC145144		0.16	41.1	500	87.7	10.8	0.001	0.01	1.55	5.0	0.8	0.5	15.1	<0.01	0.05	2.5
CC145145		0.49	29.7	710	17.3	8.6	<0.001	0.01	0.42	3.6	0.5	0.5	29.7	<0.01	0.01	2.2
CC145146		0.26	36.7	380	25.9	7.2	<0.001	0.01	0.45	7.4	1.0	0.4	37.8	<0.01	0.05	3.2
CC145147		0.19	34.1	630	19.6	6.4	<0.001	0.02	0.44	6.7	1.0	0.3	47.2	<0.01	0.06	2.5
CC145148		0.30	31.1	660	18.0	7.3	<0.001	0.03	0.36	6.5	1.0	0.4	42.6	<0.01	0.06	2.9
CC145149		0.31	30.8	680	16.0	8.2	<0.001	0.04	0.58	5.4	1.6	0.4	56.0	<0.01	0.06	1.5
CC145150		0.29	34.3	660	15.9	6.5	<0.001	0.02	0.55	5.5	1.0	0.5	43.7	<0.01	0.05	2.5
CC145151		0.13	32.0	630	15.9	4.8	<0.001	0.03	0.51	6.0	0.9	0.3	46.6	<0.01	0.05	2.4
CC145152		0.18	31.7	620	15.0	6.5	<0.001	0.06	0.57	4.6	1.3	0.3	85.2	<0.01	0.05	1.0
ZZ14987		0.13	48.6	510	12.9	8.4	0.004	0.01	1.04	3.0	2.7	0.4	12.5	<0.01	0.06	1.0
ZZ14988		0.13	45.6	290	11.1	9.0	0.005	0.02	0.52	3.7	2.1	0.4	26.1	<0.01	0.01	1.9
ZZ14989		0.13	29.5	610	23.3	12.4	0.001	0.20	0.46	3.8	0.6	0.5	37.1	<0.01	0.03	2.5
ZZ14990		0.16	50.1	580	12.5	7.4	0.005	0.04	0.94	3.8	2.5	0.3	29.5	<0.01	0.05	1.0
ZZ14991		0.11	43.7	640	14.7	10.9	0.004	0.10	0.64	4.1	2.4	0.4	48.8	<0.01	0.05	1.3
ZZ14992		0.18	40.8	610	14.9	6.7	0.001	<0.01	0.40	3.9	0.9	0.4	13.5	<0.01	0.02	2.3
ZZ14993		0.09	45.4	710	22.5	7.4	<0.001	0.14	0.39	4.3	0.5	0.4	31.6	<0.01	0.02	2.9
ZZ14994		0.18	28.6	310	16.5	10.8	0.001	<0.01	0.31	4.7	0.6	0.5	16.0	<0.01	0.03	2.4
ZZ14995		0.14	45.5	660	20.1	7.8	0.001	0.01	0.37	6.2	0.8	0.6	22.1	<0.01	0.04	3.8
ZZ14996		0.57	26.5	690	18.3	13.1	0.001	0.04	0.40	3.2	0.3	0.6	12.9	<0.01	0.03	2.4
ZZ14997		0.18	50.4	560	27.6	9.0	<0.001	0.04	0.56	5.5	0.5	0.5	34.1	<0.01	0.03	3.5
ZZ14998		0.55	47.4	650	25.2	13.1	<0.001	0.04	0.57	5.6	0.6	0.5	34.7	<0.01	0.02	3.8
ZZ14999		0.12	52.9	510	52.7	13.6	0.001	<0.01	0.60	5.8	0.4	0.6	12.8	<0.01	0.03	3.4
ZZ15000		0.63	21.0	580	88.3	17.2	0.001	0.03	0.69	2.6	0.6	0.5	20.3	<0.01	0.03	1.1

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 4- AUG- 2011
Account: RCM

Project: Pyramid Infill 2

CERTIFICATE OF ANALYSIS WH11141049

Sample Description	Method Analyte Units LOR	ME- MS41 Ti % 0.005	ME- MS41 Tl ppm 0.02	ME- MS41 U ppm 0.05	ME- MS41 V ppm 1	ME- MS41 W ppm 0.05	ME- MS41 Y ppm 0.05	ME- MS41 Zn ppm 2	ME- MS41 Zr ppm 0.5
CC145133		<0.005	0.45	0.55	31	0.05	9.66	181	2.1
CC145134		0.009	0.14	1.02	34	0.12	9.45	107	1.6
CC145135		0.005	0.22	1.42	36	0.09	10.85	137	1.5
CC145136		<0.005	0.23	0.80	31	<0.05	6.53	132	1.3
CC145137		<0.005	0.29	1.86	39	0.08	7.57	178	1.4
CC145138		<0.005	0.35	0.48	24	0.05	5.46	554	1.3
CC145139		<0.005	0.21	0.82	30	<0.05	8.46	2830	2.1
CC145140		0.005	0.36	1.09	31	<0.05	11.80	5030	1.7
CC145141		<0.005	0.36	1.04	35	0.07	9.99	460	1.6
CC145142		<0.005	0.39	0.90	34	0.09	6.86	265	1.3
CC145143		<0.005	0.32	0.91	31	<0.05	8.19	240	1.6
CC145144		<0.005	1.54	0.60	47	0.11	6.24	284	0.9
CC145145		0.009	0.16	0.88	41	0.17	6.51	126	0.7
CC145146		<0.005	0.15	0.86	36	0.05	14.75	116	1.8
CC145147		0.005	0.10	0.92	37	<0.05	12.50	98	1.7
CC145148		0.006	0.10	1.05	36	0.06	11.70	111	1.8
CC145149		0.005	0.13	1.48	37	0.06	14.35	109	1.4
CC145150		0.007	0.10	1.01	35	0.06	10.25	110	1.5
CC145151		0.005	0.09	0.65	38	<0.05	10.35	92	1.9
CC145152		<0.005	0.12	1.56	38	<0.05	13.00	79	1.9
ZZ14987		<0.005	0.10	0.57	40	<0.05	4.01	151	1.0
ZZ14988		<0.005	0.07	0.83	41	<0.05	7.52	138	1.8
ZZ14989		<0.005	0.24	0.53	32	<0.05	3.07	89	0.8
ZZ14990		0.006	0.08	1.08	26	<0.05	10.20	183	1.8
ZZ14991		<0.005	0.12	0.98	33	<0.05	8.88	143	2.1
ZZ14992		<0.005	0.08	0.52	36	0.05	6.83	122	0.7
ZZ14993		<0.005	0.11	0.42	25	<0.05	7.09	108	1.0
ZZ14994		<0.005	0.09	0.38	31	<0.05	3.66	77	0.8
ZZ14995		<0.005	0.11	0.61	33	0.09	10.15	115	1.4
ZZ14996		0.010	0.13	0.34	46	0.10	2.68	77	0.5
ZZ14997		0.006	0.14	0.51	35	<0.05	7.98	122	0.9
ZZ14998		0.009	0.18	0.73	45	0.14	7.15	126	1.0
ZZ14999		<0.005	0.26	0.42	39	<0.05	7.61	159	0.8
ZZ15000		0.010	0.35	0.75	57	0.16	9.05	316	0.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 4- AUG- 2011
Account: RCM

Project: Pyramid Infill 2

CERTIFICATE OF ANALYSIS WH11141049

Method	CERTIFICATE COMMENTS
ME- MS41	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown.
ME- MS41	Gold determinations by this method are semi- quantitative due to the small sample weight used (0.5g).

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 6- AUG- 2011
Account: RCM

CERTIFICATE WH11141070

Project: Pyramid Infill 2

P.O. No.:

This report is for 195 Soil samples submitted to our lab in Whitehorse, YT, Canada on 23- JUL- 2011.

The following have access to data associated with this certificate:

ROB CARNE JULIA LANE	ANDREW CARNE JOAN MARIACHER	MATT DUMALA

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
SCR- 41	Screen to - 180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME- OG46	Ore Grade Elements - AquaRegia	ICP- AES
Zn- OG46	Ore Grade Zn - Aqua Regia	VARIABLE
Au- TL43	Trace Level Au - 25g AR	ICP- MS
ME- MS41	51 anal. aqua regia ICPMS	

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 6- AUG- 2011
Account: RCM

Project: Pyramid Infill 2

CERTIFICATE OF ANALYSIS WH11141070

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- TL43 Au ppm 0.001	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1
ZZ14601		0.38	0.001	0.62	1.48	169.0	<0.2	<10	540	0.76	0.25	0.92	2.31	16.85	9.7	28
ZZ14602		0.42	0.001	0.91	1.34	232	<0.2	<10	680	0.68	0.23	0.18	0.72	15.45	7.9	25
ZZ14603		0.30	0.001	1.18	1.58	273	<0.2	<10	740	0.93	0.23	1.10	1.26	16.40	12.7	30
ZZ14604		0.48	0.001	0.74	1.89	261	<0.2	<10	580	1.40	0.24	0.57	0.49	17.40	13.4	36
ZZ14605		0.48	0.002	0.20	2.25	35.5	<0.2	<10	500	0.99	0.25	0.42	0.51	25.8	12.1	32
ZZ14606		0.30	0.002	0.50	1.30	87.4	<0.2	<10	680	0.86	0.16	2.81	1.87	11.15	8.6	28
ZZ14607		0.22	0.002	0.23	0.56	19.4	<0.2	<10	440	0.26	0.08	4.11	1.18	5.55	3.2	11
ZZ14608		0.34	0.002	0.62	0.90	134.5	<0.2	<10	520	0.77	0.20	1.86	1.64	12.80	10.8	20
ZZ14609		0.30	0.002	0.81	0.94	54.2	<0.2	<10	610	0.53	0.14	2.57	1.08	11.00	7.7	22
ZZ14610		0.18	0.002	0.97	0.70	58.1	<0.2	<10	860	0.50	0.15	2.08	0.52	7.04	4.8	18
ZZ14611		0.42	0.003	0.71	0.42	25.2	<0.2	<10	700	0.35	0.23	0.05	0.40	5.24	4.0	11
ZZ14612		0.38	0.003	0.91	0.44	21.1	<0.2	<10	900	0.34	0.21	0.28	0.41	6.72	2.7	10
ZZ14613		0.36	0.003	10.05	0.73	26.3	<0.2	<10	870	1.09	0.14	1.88	29.2	20.2	7.9	113
ZZ14614		0.26	0.002	0.86	0.86	20.5	<0.2	<10	750	0.90	0.15	2.27	3.71	12.90	8.3	21
ZZ14615		0.42	0.001	0.55	1.04	14.5	<0.2	<10	520	1.06	0.15	2.58	4.05	20.8	10.1	21
ZZ14616		0.28	0.001	0.68	0.99	13.1	<0.2	<10	410	0.89	0.18	2.07	2.62	18.40	8.8	21
ZZ14617		0.58	0.001	0.11	1.80	15.1	<0.2	<10	180	0.96	0.25	0.54	0.28	9.02	10.5	30
ZZ14618		0.42	0.001	0.10	1.67	14.9	<0.2	<10	250	0.95	0.27	0.78	0.26	8.85	12.9	26
ZZ14619		0.34	0.001	0.10	1.44	12.7	<0.2	<10	230	1.13	0.28	0.94	0.17	8.09	11.7	22
ZZ14620		0.44	0.001	0.14	1.29	13.5	<0.2	<10	220	1.22	0.32	0.59	0.20	15.00	10.0	23
ZZ14621		0.32	0.002	0.12	1.15	7.9	<0.2	<10	330	1.11	0.28	2.21	0.19	9.79	10.4	17
ZZ14622		0.40	0.001	0.14	0.94	7.1	<0.2	<10	240	1.15	0.27	1.86	0.21	9.65	8.2	14
ZZ14623		0.38	0.002	0.20	1.75	11.2	<0.2	<10	340	1.25	0.32	0.85	0.15	17.15	11.7	26
ZZ14624		0.48	0.001	0.15	1.31	56.9	<0.2	<10	550	0.89	0.22	0.45	0.29	10.85	10.8	23
ZZ14625		0.46	0.001	0.11	1.20	16.2	<0.2	<10	730	0.94	0.39	1.23	0.68	20.3	13.3	19
ZZ14626		0.46	0.002	0.10	0.95	16.7	<0.2	<10	280	0.75	0.29	5.41	0.92	14.25	13.4	15
ZZ14627		0.38	0.002	0.12	1.15	22.5	<0.2	<10	950	0.64	0.27	4.92	1.02	21.6	14.7	18
ZZ14628		0.64	0.002	0.12	1.32	18.1	<0.2	<10	210	0.74	0.29	5.72	0.90	21.4	16.2	19
ZZ14629		0.46	0.002	0.21	1.04	21.4	<0.2	<10	590	0.69	0.22	2.71	1.16	22.7	9.8	18
ZZ14630		0.56	0.002	0.16	1.31	17.0	<0.2	<10	390	0.89	0.30	0.74	0.48	21.8	11.9	22
CC145153		0.38	0.002	0.78	0.66	11.6	<0.2	<10	550	0.50	0.22	0.50	0.36	5.51	6.5	29
CC145154		0.48	0.002	1.19	0.69	14.2	<0.2	<10	740	0.52	0.23	0.38	0.34	6.85	7.7	26
CC145155		0.46	0.001	0.14	1.33	11.1	<0.2	<10	130	0.45	0.25	0.05	0.10	10.60	5.9	24
CC145156		0.40	0.001	0.09	1.40	15.0	<0.2	<10	80	0.33	0.28	0.05	0.12	20.7	5.6	21
CC145157		0.50	0.001	0.13	1.58	13.0	<0.2	<10	360	0.69	0.29	0.16	0.18	11.60	10.8	29
CC145158		0.30	0.002	0.46	1.70	11.1	<0.2	<10	380	0.69	0.26	0.20	0.12	9.72	7.7	27
CC145159		0.46	0.001	0.06	1.70	12.4	<0.2	<10	200	0.61	0.32	0.16	0.13	11.10	10.3	27
CC145160		0.54	0.001	0.09	1.71	11.7	<0.2	<10	200	0.82	0.31	0.24	0.11	12.10	8.0	27
CC145161		0.44	0.001	0.13	1.81	14.4	<0.2	<10	120	0.52	0.23	0.14	0.11	15.10	9.9	29
CC145162		0.40	0.001	0.03	1.96	19.7	<0.2	<10	170	0.66	0.30	0.12	0.18	10.60	24.2	33

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 6- AUG- 2011
Account: RCM

Project: Pyramid Infill 2

CERTIFICATE OF ANALYSIS WH11141070

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
ZZ14601		3.48	19.0	2.92	4.95	0.12	0.06	1.71	0.033	0.07	10.5	13.2	0.28	647	1.87	0.02
ZZ14602		3.26	16.7	2.77	4.92	0.11	0.07	2.18	0.032	0.06	6.9	18.1	0.26	299	1.93	0.01
ZZ14603		1.18	31.9	3.66	4.81	0.13	0.10	2.30	0.038	0.07	9.8	21.4	0.49	547	2.20	0.02
ZZ14604		2.11	30.8	3.37	6.18	0.12	0.10	1.77	0.043	0.08	11.7	22.0	0.41	456	2.81	0.01
ZZ14605		1.38	30.3	4.09	6.14	0.12	0.09	0.12	0.039	0.06	11.9	23.8	0.50	456	1.61	0.02
ZZ14606		1.18	31.6	2.28	3.38	0.12	0.08	0.45	0.025	0.05	7.2	11.7	0.27	929	1.59	0.02
ZZ14607		0.67	15.3	0.79	1.66	0.10	0.05	0.20	0.012	0.03	4.9	2.6	0.09	524	0.64	0.03
ZZ14608		1.69	31.1	2.28	2.72	0.12	0.07	0.73	0.031	0.06	8.5	11.1	0.35	421	2.98	0.01
ZZ14609		1.63	28.5	1.56	2.69	0.12	0.08	0.74	0.026	0.05	6.3	8.7	0.21	423	1.07	0.02
ZZ14610		1.59	35.6	1.57	2.18	0.11	0.07	0.54	0.026	0.05	3.9	5.0	0.11	190	2.27	0.02
ZZ14611		4.50	36.2	2.22	1.91	0.10	0.03	0.15	0.030	0.17	2.6	2.9	0.04	108	5.90	0.01
ZZ14612		2.28	40.0	1.36	2.11	0.11	0.04	0.48	0.030	0.08	3.5	3.5	0.09	56	6.16	0.01
ZZ14613		1.09	150.0	1.45	3.90	0.17	0.06	1.06	0.028	0.08	17.5	6.3	0.36	271	26.2	0.02
ZZ14614		0.96	52.0	2.21	2.62	0.12	0.09	0.26	0.025	0.08	5.8	7.2	0.19	490	6.36	0.02
ZZ14615		0.75	39.5	2.53	2.83	0.12	0.09	3.01	0.032	0.09	8.6	12.7	0.25	330	2.21	0.02
ZZ14616		0.77	34.7	2.31	2.72	0.12	0.09	0.22	0.035	0.09	7.2	11.7	0.24	458	2.87	0.02
ZZ14617		1.46	29.9	3.74	5.80	0.11	0.06	0.06	0.042	0.07	4.0	43.8	0.61	254	1.85	0.01
ZZ14618		1.26	30.4	3.66	5.13	0.11	0.08	0.08	0.039	0.08	3.7	31.5	0.48	590	1.71	0.01
ZZ14619		1.22	34.2	3.23	4.56	0.11	0.10	0.08	0.040	0.08	3.8	26.7	0.39	536	1.07	0.01
ZZ14620		1.53	36.7	4.00	4.28	0.12	0.07	0.08	0.040	0.09	6.1	21.1	0.28	501	1.34	0.01
ZZ14621		0.72	45.9	3.35	2.91	0.11	0.09	0.12	0.038	0.09	4.4	9.1	0.22	1330	0.84	0.02
ZZ14622		0.86	43.8	2.73	2.77	0.10	0.11	0.10	0.032	0.09	4.7	8.2	0.24	895	0.71	0.02
ZZ14623		1.37	46.5	3.65	5.63	0.10	0.13	0.09	0.038	0.11	7.1	24.4	0.43	642	0.88	0.02
ZZ14624		1.47	33.8	3.36	3.74	0.10	0.08	0.39	0.037	0.08	4.5	17.2	0.34	415	2.32	0.01
ZZ14625		0.94	34.6	4.19	3.68	0.09	0.07	0.24	0.095	0.09	9.8	14.4	0.42	1380	0.69	0.01
ZZ14626		1.26	38.0	4.27	2.89	0.09	0.10	0.52	0.039	0.09	9.3	10.9	3.21	1410	0.54	0.01
ZZ14627		0.73	40.8	4.10	3.51	0.09	0.07	0.30	0.034	0.07	9.1	19.1	1.95	1140	0.72	0.01
ZZ14628		1.18	52.0	3.94	4.03	0.08	0.14	0.29	0.035	0.12	8.4	24.9	1.49	749	0.63	0.01
ZZ14629		0.69	38.2	3.09	3.31	0.08	0.07	0.32	0.029	0.06	10.5	15.8	0.95	884	0.84	0.01
ZZ14630		0.98	32.1	3.53	4.16	0.08	0.09	0.24	0.035	0.09	9.9	21.0	0.45	554	0.78	0.01
CC145153		1.89	37.0	2.50	1.91	0.06	0.07	0.34	0.034	0.06	3.6	13.2	0.20	112	2.35	<0.01
CC145154		2.59	45.2	2.82	1.98	0.07	0.07	0.37	0.037	0.05	4.6	12.0	0.17	141	2.96	<0.01
CC145155		1.23	20.2	2.62	5.08	0.10	0.02	0.07	0.028	0.07	5.0	15.3	0.25	112	1.44	<0.01
CC145156		1.11	13.9	3.18	7.08	0.05	0.03	0.03	0.027	0.04	10.7	20.0	0.24	175	1.78	0.01
CC145157		0.96	28.5	3.69	4.88	0.06	0.03	0.09	0.034	0.07	5.7	31.1	0.41	270	1.57	0.01
CC145158		1.15	24.8	3.13	5.10	0.06	0.04	0.15	0.037	0.10	4.4	26.3	0.29	134	1.60	0.02
CC145159		1.41	27.0	3.70	6.14	0.06	0.03	0.04	0.039	0.10	4.9	27.4	0.40	325	1.34	0.02
CC145160		1.36	22.2	3.41	6.39	0.05	0.03	0.04	0.033	0.08	6.1	23.7	0.35	384	1.54	0.02
CC145161		0.76	17.8	4.22	5.40	0.06	0.03	0.09	0.029	0.07	7.4	35.3	0.61	239	1.09	0.01
CC145162		0.98	17.7	4.20	6.47	0.06	0.03	0.13	0.032	0.07	4.8	34.0	0.55	1550	1.63	0.02

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 6- AUG- 2011
Account: RCM

Project: Pyramid Infill 2

CERTIFICATE OF ANALYSIS WH11141070

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
ZZ14601		0.35	25.0	490	88.9	14.8	0.002	0.04	1.29	4.5	1.0	0.5	25.2	<0.01	0.06	1.8
ZZ14602		0.19	20.7	200	154.0	11.1	0.002	0.04	1.87	4.0	1.4	0.5	17.1	<0.01	0.08	2.5
ZZ14603		0.13	47.2	520	156.5	7.2	0.002	0.05	2.35	6.9	1.7	0.4	30.7	<0.01	0.08	1.8
ZZ14604		0.08	41.5	330	158.0	11.5	0.002	0.04	1.48	9.5	1.9	0.7	36.1	<0.01	0.10	3.2
ZZ14605		0.35	33.0	520	19.4	10.0	0.002	0.02	0.62	6.4	1.1	0.6	15.9	<0.01	0.05	3.4
ZZ14606		0.20	33.4	1470	24.1	7.0	0.001	0.12	0.71	3.7	1.8	0.4	40.0	<0.01	0.07	0.5
ZZ14607		0.15	11.0	1240	7.5	3.4	0.002	0.20	0.32	0.9	0.8	0.2	41.8	<0.01	0.03	<0.2
ZZ14608		0.15	55.5	1050	30.0	5.9	0.004	0.08	0.93	4.1	2.0	0.4	43.3	<0.01	0.16	1.2
ZZ14609		0.25	34.3	1080	32.0	8.9	0.003	0.12	0.74	2.9	2.5	0.3	50.6	<0.01	0.07	0.5
ZZ14610		0.11	28.5	930	24.5	6.7	0.006	0.11	1.02	2.7	3.1	0.3	56.3	<0.01	0.09	0.5
ZZ14611		0.05	21.0	620	19.5	11.4	0.003	0.26	2.88	2.6	2.9	0.4	88.7	<0.01	0.12	1.2
ZZ14612		0.05	14.2	440	28.5	8.5	0.004	0.05	2.77	2.7	3.1	0.4	65.5	<0.01	0.11	1.4
ZZ14613		0.07	229	1940	9.2	9.8	0.018	0.09	11.65	6.7	14.0	0.6	81.6	<0.01	0.21	1.1
ZZ14614		0.08	58.8	1110	12.1	8.3	0.008	0.12	2.42	3.6	4.1	0.4	60.4	<0.01	0.06	1.1
ZZ14615		0.13	51.2	800	12.1	7.7	0.006	0.11	1.12	4.9	2.5	0.4	81.8	<0.01	0.05	1.8
ZZ14616		0.13	43.2	940	14.6	7.5	0.009	0.12	1.14	5.1	3.0	0.4	74.9	<0.01	0.04	1.6
ZZ14617		0.09	46.6	680	12.3	9.1	0.002	0.03	0.41	6.4	1.0	0.5	26.1	<0.01	0.07	2.6
ZZ14618		0.14	35.1	640	17.7	9.6	0.001	0.04	0.46	6.1	1.1	0.6	32.9	<0.01	0.06	2.7
ZZ14619		0.17	30.7	620	15.6	10.2	0.002	0.05	0.44	5.9	1.0	0.5	41.9	<0.01	0.06	2.3
ZZ14620		0.22	25.0	560	18.1	13.1	0.005	0.06	0.45	7.4	1.3	0.6	32.3	<0.01	0.05	3.6
ZZ14621		0.14	25.2	1100	14.2	8.4	0.002	0.12	0.36	4.3	1.5	0.4	81.1	<0.01	0.05	1.2
ZZ14622		0.18	21.4	830	11.9	8.4	0.002	0.12	0.31	4.6	0.9	0.4	71.7	<0.01	0.03	1.5
ZZ14623		0.26	26.6	800	21.8	13.4	0.001	0.07	0.40	5.8	0.7	0.7	42.6	<0.01	0.05	2.4
ZZ14624		0.09	29.0	600	24.8	8.4	0.001	0.03	0.84	4.8	1.4	0.4	27.5	<0.01	0.06	2.1
ZZ14625		0.57	22.9	500	36.0	10.2	<0.001	0.05	0.39	5.0	1.0	0.5	37.3	<0.01	0.04	1.9
ZZ14626		0.36	21.7	480	46.9	10.2	<0.001	0.04	0.23	7.8	0.8	0.4	44.4	0.01	0.04	4.0
ZZ14627		0.38	27.3	660	42.4	7.1	<0.001	0.04	0.36	5.3	0.8	0.3	105.5	<0.01	0.05	2.9
ZZ14628		0.27	31.7	580	40.7	8.4	<0.001	0.03	0.34	6.8	0.8	0.4	179.0	<0.01	0.06	5.2
ZZ14629		0.56	24.3	1010	42.0	8.1	<0.001	0.09	0.58	3.9	1.8	0.4	59.4	<0.01	0.05	1.2
ZZ14630		0.67	26.1	670	25.6	9.7	<0.001	0.03	0.37	5.9	1.1	0.5	32.8	<0.01	0.04	3.4
CC145153		0.27	41.1	500	13.1	8.8	0.005	0.06	0.79	4.1	3.2	0.3	24.9	<0.01	0.06	1.2
CC145154		0.29	50.3	570	15.3	9.1	0.006	0.04	0.93	4.7	3.5	0.4	27.7	<0.01	0.07	1.4
CC145155		0.39	22.6	590	14.5	11.1	0.002	0.03	0.44	2.4	1.1	0.5	8.8	<0.01	0.10	1.2
CC145156		1.32	17.4	350	15.1	11.7	<0.001	0.02	0.43	2.6	0.6	0.7	8.0	<0.01	0.05	2.8
CC145157		0.35	36.6	630	19.0	7.9	0.001	0.03	0.43	4.0	1.0	0.4	13.6	<0.01	0.05	2.5
CC145158		0.26	29.5	1110	16.6	13.0	0.001	0.08	0.25	5.9	1.2	0.5	22.1	<0.01	0.04	1.9
CC145159		0.29	28.1	720	23.1	10.9	<0.001	0.09	0.29	4.7	0.6	0.6	27.1	<0.01	0.05	2.1
CC145160		0.53	25.9	890	16.3	13.3	<0.001	0.05	0.30	3.4	0.6	0.6	21.3	<0.01	0.05	1.6
CC145161		0.22	28.4	750	15.9	8.6	<0.001	0.03	0.28	3.6	0.6	0.4	12.6	<0.01	0.04	2.9
CC145162		0.34	31.3	550	19.2	11.3	<0.001	0.03	0.34	3.9	0.4	0.5	11.0	<0.01	0.04	2.1

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 6- AUG- 2011
Account: RCM

Project: Pyramid Infill 2

CERTIFICATE OF ANALYSIS WH11141070

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	Zn- OG46
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr	Zn
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5	0.001
ZZ14601		0.011	0.48	1.20	52	0.16	10.85	252	0.9	
ZZ14602		0.007	0.60	0.66	44	0.13	7.22	217	1.5	
ZZ14603		0.005	0.89	0.94	49	0.26	27.6	365	1.8	
ZZ14604		<0.005	2.32	1.42	57	0.54	30.2	212	2.5	
ZZ14605		0.009	0.30	1.18	60	0.13	11.10	106	1.6	
ZZ14606		0.006	0.41	2.46	39	0.06	28.4	156	1.5	
ZZ14607		0.010	0.11	1.26	14	<0.05	11.55	171	1.1	
ZZ14608		0.006	0.49	1.70	35	0.16	24.2	278	1.2	
ZZ14609		0.008	0.33	4.11	38	<0.05	19.75	203	1.6	
ZZ14610		<0.005	0.26	3.40	44	<0.05	13.90	124	1.6	
ZZ14611		<0.005	0.36	1.38	65	<0.05	4.61	130	0.5	
ZZ14612		<0.005	0.35	1.44	82	<0.05	4.77	81	0.7	
ZZ14613		0.006	2.40	6.98	630	0.16	51.9	1560	1.1	
ZZ14614		<0.005	0.40	4.08	143	<0.05	16.00	293	2.1	
ZZ14615		<0.005	0.31	2.50	112	<0.05	15.60	300	3.1	
ZZ14616		<0.005	0.31	3.50	100	<0.05	13.55	210	3.1	
ZZ14617		<0.005	0.11	0.59	32	<0.05	7.83	155	1.5	
ZZ14618		<0.005	0.13	0.80	31	<0.05	8.18	139	1.7	
ZZ14619		<0.005	0.11	0.90	25	<0.05	8.48	107	2.0	
ZZ14620		<0.005	0.13	1.11	32	0.05	10.75	101	1.5	
ZZ14621		<0.005	0.11	0.80	27	<0.05	9.61	82	1.7	
ZZ14622		<0.005	0.09	0.60	21	<0.05	9.60	86	2.3	
ZZ14623		0.005	0.14	0.82	34	0.05	10.25	124	2.6	
ZZ14624		<0.005	0.21	0.83	47	<0.05	8.42	153	1.5	
ZZ14625		0.008	0.14	1.00	28	0.16	10.40	309	1.3	
ZZ14626		0.005	0.33	0.94	21	0.11	13.90	450	2.1	
ZZ14627		0.007	0.26	1.06	28	0.06	11.40	457	1.6	
ZZ14628		<0.005	0.22	0.79	29	<0.05	10.80	473	5.2	
ZZ14629		0.008	0.20	1.61	29	0.18	13.95	463	1.7	
ZZ14630		0.008	0.15	1.05	33	0.14	10.85	223	2.1	
CC145153		<0.005	0.09	1.03	26	0.05	9.73	134	1.8	
CC145154		<0.005	0.11	1.28	30	0.10	13.00	153	1.7	
CC145155		0.010	0.13	0.55	43	0.10	3.20	78	0.6	
CC145156		0.017	0.15	0.47	55	0.18	2.82	64	1.0	
CC145157		0.005	0.11	0.58	40	0.07	6.43	120	0.9	
CC145158		<0.005	0.17	0.80	36	0.06	7.62	86	1.2	
CC145159		<0.005	0.13	0.50	43	0.05	4.95	89	0.7	
CC145160		0.005	0.15	0.66	48	0.14	4.92	116	0.8	
CC145161		<0.005	0.09	0.39	42	<0.05	4.35	98	1.1	
CC145162		0.005	0.13	0.34	41	0.07	4.03	118	0.9	

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 6- AUG- 2011
Account: RCM

Project: Pyramid Infill 2

CERTIFICATE OF ANALYSIS WH11141070

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- TL43 Au ppm 0.001	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1
CC145163		0.40	0.002	0.52	1.66	244	<0.2	<10	390	0.97	0.27	0.56	0.74	18.10	15.5	27
CC145164		0.38	0.002	3.04	1.27	804	<0.2	<10	310	0.72	0.17	7.34	11.15	17.30	7.8	24
CC145165		0.48	0.001	0.14	2.10	292	<0.2	<10	220	0.60	0.26	0.11	1.05	17.00	9.9	31
CC145166		0.46	0.004	14.10	1.13	688	<0.2	<10	170	0.59	0.16	8.17	26.0	20.1	7.5	20
CC145167		0.54	0.001	0.30	0.62	109.5	<0.2	<10	510	1.08	0.37	0.17	0.29	16.40	16.2	15
CC145168		0.50	0.002	1.57	0.80	179.5	<0.2	<10	200	0.35	0.23	0.06	0.22	5.56	3.1	16
CC145169		0.32	0.002	0.64	1.18	229	<0.2	<10	460	0.57	0.20	1.36	0.56	15.10	8.3	24
CC145170		0.40	0.001	0.07	2.25	25.0	<0.2	<10	360	0.82	0.30	0.25	0.21	19.20	16.0	31
CC145171		0.26	0.002	0.63	1.64	541	<0.2	<10	230	0.42	0.27	0.05	0.65	12.35	10.5	29
CC145172		0.34	0.001	1.91	0.52	58.6	<0.2	<10	1660	0.73	0.23	0.20	1.90	14.75	8.4	37
CC145173		0.40	0.003	0.63	0.73	90.3	<0.2	<10	490	0.27	0.31	0.03	0.24	13.45	2.2	14
CC145174		0.40	0.002	0.28	1.26	140.5	<0.2	<10	140	0.45	0.29	0.06	0.54	13.40	8.4	20
CC145175		0.16	0.002	0.83	0.86	29.2	<0.2	10	420	0.95	0.18	1.81	13.20	32.2	9.8	34
CC145176		0.28	0.001	0.03	1.95	15.4	<0.2	<10	100	1.17	0.32	0.29	0.46	7.85	25.0	31
CC145177		0.38	0.002	0.20	2.00	16.6	<0.2	<10	240	0.91	0.26	0.96	0.36	11.80	15.0	27
CC145178		0.42	0.001	0.09	1.62	29.6	<0.2	<10	150	1.04	0.34	0.38	0.28	9.36	17.9	27
CC145179		0.26	0.002	0.16	1.66	43.5	<0.2	<10	360	0.88	0.28	0.51	0.27	10.75	15.8	26
CC145180		0.32	0.001	0.12	1.15	17.6	<0.2	<10	180	1.13	0.43	0.38	0.19	16.00	12.2	23
CC145401		0.32	0.002	0.13	1.15	13.1	<0.2	<10	200	1.19	0.46	0.39	0.14	13.80	13.2	21
CC145402		0.32	0.001	0.10	0.91	9.8	<0.2	<10	140	1.19	0.42	0.29	0.20	17.70	11.4	22
CC145403		0.20	0.001	0.17	1.04	14.4	<0.2	<10	250	1.13	0.37	0.42	0.51	20.5	22.9	21
CC145404		0.18	0.001	0.19	1.09	9.4	<0.2	<10	240	1.06	0.32	0.41	0.73	16.40	11.6	22
CC145405		0.16	0.001	0.07	0.33	2.0	<0.2	<10	390	0.57	0.05	2.44	0.47	2.39	1.9	6
CC145406		0.28	<0.001	0.02	0.64	4.5	<0.2	<10	100	0.40	0.24	0.07	0.16	5.49	10.4	14
CC145407		0.30	0.001	0.12	0.88	13.1	<0.2	<10	270	0.44	0.13	9.87	0.35	14.75	8.6	12
CC145408		0.38	0.001	0.17	1.49	24.5	<0.2	<10	360	0.72	0.21	3.48	0.62	22.6	12.9	21
CC145409		0.34	0.001	0.07	1.46	14.3	<0.2	<10	200	0.58	0.24	1.71	0.76	23.4	12.7	22
CC145410		0.24	0.001	0.14	0.88	17.1	<0.2	<10	350	0.43	0.12	9.44	0.31	15.45	6.5	13
CC145411		0.30	0.001	0.33	1.16	20.0	<0.2	<10	490	0.67	0.22	2.33	0.92	18.40	10.0	20
CC145412		0.20	0.001	0.24	1.21	14.9	<0.2	<10	310	0.81	0.27	1.25	0.59	22.7	11.8	20
CC145413		0.26	0.001	0.38	1.26	15.7	<0.2	<10	320	0.88	0.26	0.87	0.42	16.40	12.5	24
CC145414		0.16	0.002	0.20	1.01	12.5	<0.2	<10	360	0.69	0.19	2.45	0.64	13.45	10.4	17
ZZ18951		0.38	0.001	0.06	2.16	12.1	<0.2	<10	230	1.40	0.28	0.07	0.27	11.50	49.4	34
ZZ18952		0.44	0.001	0.13	1.39	13.5	<0.2	<10	180	0.89	0.24	0.22	0.26	12.80	20.3	27
ZZ18953		0.38	0.001	0.14	1.45	18.8	<0.2	<10	290	0.84	0.25	0.30	0.28	14.85	14.2	27
ZZ18954		0.44	0.002	0.30	1.53	14.7	<0.2	<10	290	0.90	0.25	0.35	0.18	12.40	11.6	31
ZZ18955		0.48	0.001	0.11	1.68	15.0	<0.2	<10	350	0.77	0.24	0.34	0.15	11.85	14.4	33
ZZ18956		0.38	0.001	0.05	1.58	14.0	<0.2	<10	220	0.74	0.25	0.17	0.12	12.60	11.2	28
ZZ18957		0.32	0.001	0.13	1.55	22.9	<0.2	<10	250	0.77	0.25	0.33	0.17	9.84	13.1	32
ZZ18958		0.40	0.001	0.24	1.52	16.1	<0.2	<10	170	0.76	0.27	0.08	0.14	9.43	8.2	38

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 6- AUG- 2011
Account: RCM

Project: Pyramid Infill 2

CERTIFICATE OF ANALYSIS WH11141070

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
CC145163		1.14	30.3	3.67	5.78	0.07	0.07	2.42	0.039	0.07	8.8	33.9	0.57	487	1.51	0.01
CC145164		0.68	14.8	2.25	3.23	0.05	0.06	12.75	0.024	0.05	10.6	15.7	4.82	535	1.16	0.02
CC145165		1.14	14.5	3.74	6.72	0.06	0.05	20.4	0.036	0.06	8.6	29.7	0.44	309	1.32	0.01
CC145166		3.02	15.1	2.11	3.79	0.05	0.05	78.4	0.030	0.05	8.7	13.2	5.18	718	1.12	0.02
CC145167		56.9	25.2	3.84	2.31	0.07	0.02	0.59	0.040	0.09	6.5	4.0	0.08	376	3.37	0.01
CC145168		9.03	9.2	1.75	3.07	<0.05	0.02	2.07	0.025	0.12	3.0	11.0	0.12	134	3.68	0.01
CC145169		1.49	19.4	2.11	3.63	0.05	0.07	0.69	0.027	0.05	9.6	14.4	0.28	385	2.36	0.02
CC145170		1.06	31.8	4.49	6.23	0.07	0.05	0.14	0.043	0.06	8.5	34.5	0.55	445	1.83	0.02
CC145171		2.47	14.6	4.19	5.27	0.06	0.03	2.32	0.038	0.06	6.2	22.9	0.30	433	2.17	0.01
CC145172		5.00	63.8	2.11	1.69	0.11	0.09	0.42	0.044	0.09	10.7	2.4	0.02	193	8.83	0.02
CC145173		2.33	24.2	1.46	4.45	<0.05	0.02	0.65	0.026	0.08	7.1	1.9	0.03	34	23.8	0.01
CC145174		1.55	23.9	3.61	4.86	0.06	0.04	1.70	0.035	0.06	6.9	16.8	0.22	231	9.64	0.01
CC145175		0.72	66.2	2.54	3.22	0.08	0.07	0.23	0.027	0.12	18.9	7.3	0.21	420	25.2	0.02
CC145176		1.33	36.5	4.48	5.55	0.06	0.05	0.05	0.047	0.09	2.5	49.0	0.62	668	2.58	0.01
CC145177		1.50	25.9	4.36	5.36	0.07	0.09	0.10	0.042	0.10	4.3	37.1	0.51	1530	4.15	0.02
CC145178		1.23	32.6	3.86	5.42	0.06	0.08	0.08	0.045	0.09	3.7	41.8	0.53	610	1.95	0.01
CC145179		1.42	20.7	3.74	5.65	0.06	0.07	0.20	0.043	0.10	4.4	34.0	0.48	794	2.21	0.02
CC145180		1.02	35.7	3.40	4.08	0.06	0.07	0.11	0.045	0.08	7.0	19.3	0.29	455	1.38	0.01
CC145401		1.26	34.6	3.51	4.20	0.06	0.06	0.82	0.048	0.10	6.1	18.5	0.27	511	1.45	0.01
CC145402		0.93	36.6	3.87	3.28	0.06	0.06	0.09	0.057	0.10	7.7	12.9	0.19	317	0.98	0.02
CC145403		1.33	42.4	4.17	4.01	0.08	0.05	0.13	0.054	0.09	7.2	14.8	0.24	2390	2.15	0.01
CC145404		1.27	35.2	1.98	4.12	0.05	0.05	0.13	0.047	0.09	6.8	21.8	0.25	413	0.96	0.01
CC145405		0.76	24.8	1.51	0.87	<0.05	0.07	0.07	0.007	0.03	1.5	1.8	0.25	256	0.33	0.02
CC145406		1.24	12.6	2.82	2.73	<0.05	0.03	0.02	0.022	0.16	2.5	7.3	0.14	387	0.43	0.01
CC145407		0.89	24.1	5.33	2.52	0.08	0.06	0.52	0.021	0.07	8.0	7.3	5.87	1860	0.46	0.02
CC145408		0.95	35.3	4.92	3.96	0.08	0.06	0.47	0.031	0.09	10.1	15.9	1.83	1420	0.70	0.02
CC145409		0.90	27.4	4.61	3.78	0.07	0.04	0.16	0.032	0.10	10.0	17.6	1.19	1060	0.63	0.01
CC145410		0.49	13.6	4.19	2.27	0.05	0.05	0.29	0.017	0.06	8.3	7.1	5.32	2120	0.47	0.02
CC145411		0.89	33.3	4.42	3.14	0.06	0.08	0.72	0.031	0.11	8.9	12.4	1.18	1000	0.61	0.02
CC145412		0.79	38.2	3.84	3.83	0.07	0.08	0.30	0.036	0.11	10.3	16.8	0.47	490	0.74	0.01
CC145413		1.20	35.1	3.39	3.76	0.06	0.07	0.19	0.042	0.10	7.5	25.1	0.46	502	1.01	0.01
CC145414		0.58	30.0	2.62	2.93	0.05	0.05	0.18	0.027	0.07	7.3	16.3	0.44	1240	0.61	0.01
ZZ18951		1.82	49.4	4.79	5.81	0.08	0.06	0.04	0.080	0.11	4.4	55.5	0.61	789	1.73	0.01
ZZ18952		1.51	40.7	4.29	4.37	0.08	0.05	0.09	0.042	0.09	5.2	37.7	0.48	564	1.44	0.01
ZZ18953		1.05	39.4	3.94	4.59	0.07	0.05	0.14	0.039	0.07	6.8	35.2	0.50	360	1.69	0.01
ZZ18954		1.72	36.0	4.06	4.79	0.08	0.06	0.14	0.040	0.08	6.2	35.8	0.47	288	2.20	0.01
ZZ18955		0.88	31.5	3.95	5.28	0.06	0.03	0.28	0.036	0.07	5.6	34.2	0.55	361	1.78	0.01
ZZ18956		0.85	27.0	3.71	5.30	0.06	0.03	0.08	0.032	0.06	5.7	34.2	0.52	220	1.31	0.01
ZZ18957		0.93	30.3	3.49	4.74	0.06	0.04	0.32	0.043	0.07	4.4	34.7	0.49	338	1.57	0.01
ZZ18958		2.45	28.3	3.90	4.96	0.06	0.07	0.06	0.041	0.07	4.1	19.8	0.24	196	2.27	0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 6- AUG- 2011
Account: RCM

Project: Pyramid Infill 2

CERTIFICATE OF ANALYSIS WH11141070

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
CC145163		0.53	39.3	460	120.0	8.6	<0.001	0.03	1.25	6.2	0.9	0.5	22.6	<0.01	0.05	3.0
CC145164		0.47	22.3	570	710	7.2	<0.001	0.04	9.31	4.5	0.9	0.3	50.0	<0.01	0.03	1.8
CC145165		0.92	24.4	210	95.9	12.4	<0.001	0.02	1.41	3.7	0.4	0.7	8.7	<0.01	0.05	3.3
CC145166		0.55	18.2	330	1895	8.2	<0.001	0.06	28.7	4.8	1.7	0.5	68.5	<0.01	0.03	2.3
CC145167		0.15	42.1	1140	44.7	15.2	0.005	0.02	0.53	5.2	1.1	0.5	219	<0.01	0.05	2.5
CC145168		0.22	9.3	160	152.5	17.6	0.001	0.18	1.13	1.7	2.0	0.6	35.6	<0.01	0.03	1.7
CC145169		0.47	24.4	890	51.3	7.6	0.001	0.06	0.84	3.5	1.8	0.4	40.0	<0.01	0.05	1.6
CC145170		0.50	39.7	620	22.8	11.8	<0.001	0.02	0.37	5.1	0.7	0.6	12.5	<0.01	0.05	3.9
CC145171		0.58	25.5	760	171.0	14.6	<0.001	0.06	3.94	3.1	1.5	0.5	21.7	<0.01	0.07	2.6
CC145172		0.07	102.0	920	22.4	10.7	0.005	0.04	1.65	8.9	12.3	0.5	47.3	0.01	0.10	5.3
CC145173		0.31	21.9	760	40.8	9.4	0.001	0.11	2.39	1.3	4.1	0.8	65.3	<0.01	0.11	1.1
CC145174		0.67	37.3	380	37.9	11.7	0.001	0.01	1.67	3.1	2.0	0.5	12.1	<0.01	0.06	2.8
CC145175		0.30	114.0	1760	16.6	7.8	0.005	0.08	6.00	3.8	4.5	0.5	42.7	<0.01	0.07	1.7
CC145176		0.10	58.9	750	23.4	8.1	0.002	0.03	0.37	6.6	0.6	0.4	14.1	<0.01	0.04	3.8
CC145177		0.26	45.6	840	20.6	11.2	0.002	0.06	0.45	6.6	1.3	0.5	26.4	<0.01	0.05	2.7
CC145178		0.20	44.1	600	29.8	8.3	0.002	0.02	0.42	6.0	0.8	0.5	18.1	<0.01	0.04	3.6
CC145179		0.39	36.1	690	35.7	10.7	0.002	0.03	0.53	5.5	1.0	0.5	24.5	<0.01	0.05	3.2
CC145180		0.26	26.4	460	23.3	8.0	0.001	0.02	0.35	6.1	0.7	0.6	21.1	<0.01	0.04	4.9
CC145401		0.33	27.9	480	20.6	11.1	0.001	0.03	0.32	6.8	0.8	0.6	21.1	<0.01	0.04	4.1
CC145402		0.24	23.0	460	24.2	11.4	0.002	0.03	0.24	7.8	0.9	0.6	24.0	<0.01	0.03	6.3
CC145403		0.30	39.6	600	27.2	12.6	0.002	0.03	0.52	7.2	1.4	0.6	24.0	0.01	0.04	4.3
CC145404		0.37	32.1	460	21.1	11.6	0.003	0.03	0.70	6.8	1.3	0.6	21.0	<0.01	0.04	4.4
CC145405		0.26	17.4	550	2.0	3.8	0.001	0.44	0.23	2.2	0.9	0.2	108.5	0.01	0.02	0.4
CC145406		0.57	12.8	130	12.4	14.3	<0.001	<0.01	0.20	2.5	0.2	0.5	18.1	<0.01	0.04	2.7
CC145407		0.21	19.1	460	44.4	6.1	<0.001	0.04	0.21	4.7	0.6	0.3	45.8	<0.01	0.03	2.8
CC145408		0.31	30.5	610	39.1	7.3	<0.001	0.03	0.31	6.2	0.7	0.4	58.5	<0.01	0.05	4.6
CC145409		0.46	27.8	400	26.6	9.2	<0.001	0.01	0.33	4.5	0.5	0.4	17.1	<0.01	0.04	4.2
CC145410		0.32	14.7	670	26.5	5.1	<0.001	0.03	0.17	2.7	0.5	0.3	49.9	<0.01	0.03	1.6
CC145411		0.34	24.9	740	37.4	6.7	<0.001	0.05	0.38	4.3	1.1	0.4	32.2	<0.01	0.04	2.4
CC145412		0.42	28.9	820	33.0	8.1	<0.001	0.06	0.43	5.2	1.2	0.4	38.3	<0.01	0.04	3.0
CC145413		0.35	34.5	560	20.7	9.1	<0.001	0.03	0.41	5.6	1.1	0.5	28.8	<0.01	0.05	2.8
CC145414		0.38	25.0	810	16.7	7.4	0.001	0.14	0.45	2.8	1.8	0.3	89.2	<0.01	0.04	0.8
ZZ18951		0.15	62.4	920	25.1	9.5	0.001	0.09	0.54	8.9	0.8	0.5	29.0	<0.01	0.05	5.4
ZZ18952		0.15	70.8	870	20.2	7.7	0.001	0.08	0.54	5.5	0.9	0.4	40.0	<0.01	0.05	3.4
ZZ18953		0.25	49.0	730	19.6	7.0	0.001	0.03	0.59	5.1	1.0	0.4	22.8	<0.01	0.05	3.3
ZZ18954		0.26	52.0	840	16.7	9.6	0.002	0.04	0.50	5.5	1.1	0.5	28.0	<0.01	0.05	2.9
ZZ18955		0.21	47.2	520	18.6	7.0	0.001	0.01	0.42	4.7	0.8	0.5	18.7	<0.01	0.05	2.7
ZZ18956		0.26	38.0	510	17.1	7.2	0.001	<0.01	0.42	4.0	0.7	0.5	12.0	<0.01	0.04	2.5
ZZ18957		0.21	38.4	810	20.3	7.1	0.001	0.02	0.57	4.0	0.9	0.4	19.1	<0.01	0.06	2.2
ZZ18958		0.34	25.2	1510	23.7	11.3	<0.001	0.05	0.70	2.4	1.5	0.5	10.0	<0.01	0.08	1.4

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 6- AUG- 2011
Account: RCM

Project: Pyramid Infill 2

CERTIFICATE OF ANALYSIS WH11141070

Sample Description	Method Analyte Units LOR	ME- MS41 Ti % 0.005	ME- MS41 Tl ppm 0.02	ME- MS41 U ppm 0.05	ME- MS41 V ppm 1	ME- MS41 W ppm 0.05	ME- MS41 Y ppm 0.05	ME- MS41 Zn ppm 2	ME- MS41 Zr ppm 0.5	Zn- OG46 Zn % 0.001
CC145163		0.006	0.34	0.72	41	0.15	10.40	288	2.1	
CC145164		0.009	1.04	0.64	32	0.45	14.40	1920	1.5	
CC145165		0.009	0.52	0.43	61	0.20	2.56	466	2.0	
CC145166		0.011	2.67	0.98	35	0.30	10.35	3080	1.4	
CC145167		<0.005	0.63	0.86	25	0.20	10.05	148	<0.5	
CC145168		<0.005	0.79	0.49	23	0.26	3.47	131	1.2	
CC145169		0.006	1.85	2.93	39	0.36	16.45	101	2.0	
CC145170		0.007	0.18	0.65	55	0.11	6.00	131	2.2	
CC145171		0.005	0.88	0.50	62	0.13	2.79	210	1.4	
CC145172		<0.005	0.48	5.30	59	0.06	41.1	274	4.6	
CC145173		0.005	2.01	1.62	90	0.12	3.15	59	<0.5	
CC145174		0.008	0.59	1.05	177	0.12	3.74	169	1.8	
CC145175		0.005	0.67	4.42	697	0.14	28.4	1040	2.1	
CC145176		<0.005	0.14	0.59	33	<0.05	5.96	222	1.9	
CC145177		<0.005	0.17	0.62	35	0.05	13.30	144	2.4	
CC145178		<0.005	0.15	0.59	29	<0.05	7.95	169	3.1	
CC145179		<0.005	0.22	0.73	41	0.08	6.83	180	2.1	
CC145180		<0.005	0.12	0.94	31	<0.05	7.61	115	2.3	
CC145401		<0.005	0.14	0.88	31	0.05	9.12	108	2.0	
CC145402		<0.005	0.10	1.00	36	<0.05	9.94	110	2.6	
CC145403		<0.005	0.16	1.21	36	0.05	10.35	151	1.6	
CC145404		<0.005	0.16	1.46	40	0.06	10.10	130	2.1	
CC145405		0.006	0.04	4.58	6	0.28	5.81	45	2.8	
CC145406		0.012	0.09	0.31	19	0.13	1.96	65	1.1	
CC145407		<0.005	0.44	0.74	19	0.05	11.00	362	2.1	
CC145408		0.007	0.34	1.08	33	0.07	12.40	304	2.6	
CC145409		0.008	0.16	0.79	34	0.07	6.84	389	1.5	
CC145410		0.006	0.20	1.34	21	0.07	8.50	230	1.4	
CC145411		0.006	0.49	1.20	27	0.07	10.60	511	2.4	
CC145412		0.005	0.19	1.09	29	0.07	12.25	266	2.6	
CC145413		0.005	0.14	1.10	30	0.10	11.90	141	2.2	
CC145414		0.005	0.11	2.33	24	0.08	9.46	112	1.8	
ZZ18951		<0.005	0.14	1.09	34	<0.05	14.40	170	1.9	
ZZ18952		0.005	0.10	0.69	29	<0.05	13.15	199	2.0	
ZZ18953		0.005	0.09	0.91	33	0.05	10.85	143	1.7	
ZZ18954		<0.005	0.12	0.87	34	0.06	12.55	140	1.6	
ZZ18955		<0.005	0.09	0.59	36	0.05	7.49	108	0.9	
ZZ18956		0.005	0.08	0.54	35	0.05	6.75	96	0.8	
ZZ18957		<0.005	0.08	0.61	38	0.07	8.37	108	1.1	
ZZ18958		0.005	0.09	0.82	58	0.07	7.89	81	1.9	

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 6- AUG- 2011
Account: RCM

Project: Pyramid Infill 2

CERTIFICATE OF ANALYSIS WH11141070

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- TL43 Au ppm 0.001	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1
ZZ18959		0.42	0.001	0.07	1.98	45.2	<0.2	<10	210	0.78	0.26	0.13	0.23	17.60	12.9	37
ZZ18960		0.38	0.001	0.28	1.94	47.0	<0.2	<10	480	0.94	0.20	0.38	0.15	13.65	9.4	37
ZZ18961		0.44	0.001	0.58	1.51	166.0	<0.2	<10	340	0.84	0.23	0.29	0.84	19.55	14.9	32
ZZ18962		0.34	0.001	0.22	1.50	131.5	<0.2	<10	320	0.77	0.24	0.24	0.42	18.80	16.5	30
ZZ18963		0.32	0.001	0.36	1.28	141.5	<0.2	<10	330	0.71	0.22	0.32	0.51	19.10	12.4	28
ZZ18964		0.38	0.002	0.69	1.44	171.5	<0.2	<10	560	0.78	0.23	0.68	0.76	12.95	11.7	30
ZZ18965		0.30	0.002	0.29	1.65	58.5	<0.2	<10	580	0.82	0.22	0.88	0.71	16.60	13.1	33
ZZ18966		0.20	0.002	0.65	0.99	130.0	<0.2	<10	620	0.66	0.14	3.00	1.59	9.09	9.0	23
ZZ18967		0.32	0.002	0.41	0.85	111.5	<0.2	<10	550	0.62	0.13	2.44	0.93	12.25	8.9	24
ZZ18968		0.36	0.002	0.65	0.84	24.2	<0.2	<10	810	0.49	0.15	1.04	0.43	13.25	6.5	26
ZZ18969		0.28	0.002	0.73	0.61	24.3	<0.2	<10	610	0.37	0.16	0.41	0.63	10.85	6.6	28
ZZ18970		0.24	0.003	1.25	0.85	20.5	<0.2	<10	930	0.45	0.16	1.13	0.55	13.50	5.7	27
ZZ18971		0.44	0.005	1.67	0.75	30.0	<0.2	<10	3130	0.56	0.18	0.87	1.64	9.01	9.7	41
ZZ18972		0.34	0.001	0.77	1.07	71.6	<0.2	<10	490	0.47	0.25	0.07	0.64	10.30	8.2	31
ZZ18973		0.42	0.006	1.07	1.38	70.8	<0.2	<10	1610	0.81	0.25	0.22	0.65	17.90	8.5	30
ZZ18974		0.36	0.002	0.61	0.59	8.8	<0.2	<10	340	0.21	0.21	0.02	0.20	10.85	2.8	15
ZZ18975		0.50	0.009	1.06	2.08	18.1	<0.2	<10	400	1.00	0.30	0.07	1.01	20.0	96.7	32
ZZ18976		0.30	0.003	0.60	0.68	10.4	<0.2	<10	210	0.21	0.27	0.01	0.10	9.28	3.7	16
ZZ18977		0.24	0.002	0.86	0.65	7.6	<0.2	<10	780	0.35	0.18	0.05	1.02	10.70	5.2	17
ZZ18978		0.28	0.007	1.11	1.08	10.4	<0.2	<10	560	0.60	0.29	0.08	0.71	16.75	2.3	21
CC145222		0.36	0.003	0.54	2.27	319	<0.2	<10	510	1.38	0.27	0.30	0.92	28.3	16.8	39
CC145223		0.40	0.004	0.91	2.03	246	<0.2	<10	610	1.76	0.28	0.89	1.50	23.1	35.2	45
CC145224		0.44	0.002	0.27	1.58	188.0	<0.2	<10	460	0.57	0.29	0.70	0.29	12.90	7.4	27
CC145225		0.38	0.001	0.12	0.93	214	<0.2	<10	180	0.30	0.27	0.32	0.86	21.7	5.7	16
CC145242		0.14	0.002	1.07	0.52	38.2	<0.2	<10	1500	0.50	0.16	1.69	0.70	7.58	5.0	23
CC145243		0.32	0.002	0.83	0.45	21.0	<0.2	<10	390	0.88	0.26	1.34	1.90	21.5	11.4	22
CC145244		0.16	0.002	0.23	0.82	11.8	<0.2	<10	880	0.54	0.17	1.20	0.36	17.50	11.2	18
CC145245		0.20	0.001	0.23	0.65	12.8	<0.2	<10	480	0.56	0.19	1.07	0.74	18.85	2.7	11
CC145246		0.42	0.001	0.09	1.55	23.7	<0.2	<10	260	0.94	0.31	0.53	0.22	8.59	11.0	25
CC145247		0.24	0.001	0.16	1.69	13.8	<0.2	<10	330	1.27	0.29	0.91	0.21	9.42	14.2	26
CC145248		0.34	0.001	0.08	1.28	21.4	<0.2	<10	340	0.83	0.33	0.50	0.19	9.14	12.7	28
CC145249		0.18	0.004	0.24	1.22	8.5	<0.2	<10	410	1.21	0.34	1.25	0.11	14.00	8.3	19
CC145250		0.22	0.002	0.28	1.28	6.2	<0.2	<10	260	1.37	0.41	0.93	0.04	12.45	7.5	19
CC145251		0.40	0.001	0.06	0.64	9.0	<0.2	<10	120	1.18	0.51	0.29	0.07	15.25	10.1	20
CC145252		0.44	0.001	0.07	1.41	7.7	<0.2	<10	190	1.22	0.42	0.21	0.09	17.75	13.7	29
CC145253		0.16	0.004	0.28	0.94	14.7	<0.2	<10	580	1.26	0.16	2.24	2.95	8.01	9.0	11
CC145254		0.36	0.001	0.10	0.57	2.5	<0.2	<10	190	1.21	0.40	0.16	0.04	5.48	14.9	18
CC145255		0.30	0.002	0.19	1.42	15.4	<0.2	<10	250	0.77	0.26	3.24	4.88	16.95	9.0	22
CC145256		0.36	0.002	0.17	1.62	23.4	<0.2	<10	320	1.16	0.30	3.35	0.47	25.9	12.3	23
CC145257		0.42	0.002	0.83	0.10	19	<0.2	<10	60	0.19	0.04	12.40	80.2	9.01	1.3	2

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 6- AUG- 2011
Account: RCM

Project: Pyramid Infill 2

CERTIFICATE OF ANALYSIS WH11141070

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
ZZ18959		1.40	28.3	4.59	6.02	0.07	0.05	0.15	0.042	0.08	8.3	28.2	0.54	568	1.69	0.01
ZZ18960		1.48	31.2	3.28	5.41	0.06	0.06	0.91	0.043	0.09	6.3	35.5	0.63	133	1.45	0.01
ZZ18961		3.19	31.1	3.89	4.31	0.08	0.05	3.31	0.037	0.07	10.8	21.3	0.44	578	2.04	0.01
ZZ18962		1.81	29.5	4.00	4.37	0.07	0.04	1.80	0.032	0.05	8.6	25.8	0.52	630	1.60	0.01
ZZ18963		2.09	35.1	3.72	4.11	0.07	0.06	2.86	0.032	0.06	9.2	22.5	0.51	445	1.88	0.01
ZZ18964		3.45	35.1	3.86	4.18	0.07	0.06	4.76	0.039	0.08	6.1	20.2	0.43	445	2.34	0.02
ZZ18965		0.98	28.5	3.78	4.73	0.06	0.06	0.79	0.035	0.08	8.5	23.9	0.52	509	2.06	0.02
ZZ18966		0.82	25.8	2.25	3.00	0.05	0.06	0.86	0.027	0.06	6.6	10.3	0.23	325	1.76	0.02
ZZ18967		1.08	25.2	2.61	2.38	0.07	0.05	0.23	0.025	0.04	9.2	8.7	0.19	268	1.89	0.01
ZZ18968		1.78	29.1	2.02	2.63	0.06	0.04	0.21	0.027	0.06	7.0	9.8	0.19	184	3.03	0.01
ZZ18969		1.67	35.0	2.29	2.14	0.05	0.03	0.23	0.028	0.06	5.5	6.8	0.11	144	4.78	0.01
ZZ18970		1.13	29.2	1.98	2.64	0.05	0.05	0.39	0.027	0.05	7.0	9.5	0.20	183	2.58	0.02
ZZ18971		1.00	75.7	3.03	2.25	0.09	0.05	0.55	0.042	0.09	6.2	6.5	0.09	196	10.80	0.04
ZZ18972		0.88	34.7	4.46	4.57	0.07	0.02	0.28	0.037	0.09	5.4	13.7	0.23	263	10.55	0.01
ZZ18973		0.74	69.9	3.81	4.22	0.09	0.02	0.25	0.039	0.13	9.1	15.7	0.22	205	35.1	0.02
ZZ18974		0.82	21.9	1.37	3.99	<0.05	<0.02	0.06	0.020	0.10	5.6	1.8	0.04	40	3.59	0.01
ZZ18975		1.52	87.4	3.47	5.17	0.15	0.09	0.24	0.049	0.10	10.1	21.7	0.33	1350	3.28	0.01
ZZ18976		1.11	25.2	1.74	4.15	0.13	<0.02	0.05	0.023	0.09	4.5	1.9	0.04	65	3.62	0.01
ZZ18977		1.21	48.6	1.47	3.51	0.15	<0.02	0.10	0.026	0.09	4.4	2.2	0.05	97	3.73	0.01
ZZ18978		0.86	66.1	1.41	3.63	0.15	0.02	0.53	0.040	0.08	8.3	10.9	0.18	50	2.90	0.01
CC145222		2.54	28.3	4.10	5.43	0.18	0.10	1.04	0.051	0.07	12.2	23.3	0.42	749	4.46	0.01
CC145223		2.26	42.4	4.39	5.21	0.17	0.10	0.93	0.050	0.09	16.1	23.9	0.42	765	3.27	0.01
CC145224		2.77	11.6	3.47	5.96	0.15	0.03	1.93	0.039	0.05	6.4	17.8	0.23	287	1.90	0.01
CC145225		1.92	12.3	2.59	5.60	0.15	<0.02	0.72	0.023	0.03	10.3	8.4	0.09	246	1.59	<0.01
CC145242		1.54	30.4	1.99	1.73	0.16	0.06	0.21	0.024	0.05	4.7	3.2	0.07	128	3.68	0.02
CC145243		0.66	55.0	2.94	1.50	0.17	0.06	0.12	0.036	0.12	9.9	2.5	0.21	191	8.70	0.01
CC145244		0.85	13.3	2.03	2.84	0.15	0.07	0.12	0.023	0.07	7.1	9.2	0.23	1660	4.30	0.02
CC145245		0.72	15.3	2.24	2.39	0.15	0.08	0.07	0.032	0.08	7.8	5.9	0.12	52	1.89	0.01
CC145246		1.86	28.8	3.80	5.43	0.15	0.03	0.05	0.038	0.08	4.0	28.6	0.42	404	1.70	0.01
CC145247		1.60	36.0	3.39	5.19	0.13	0.07	0.08	0.039	0.09	3.7	35.8	0.48	649	1.59	0.01
CC145248		1.52	24.4	3.30	4.77	0.15	0.05	0.06	0.033	0.08	4.1	24.0	0.38	522	1.64	0.01
CC145249		1.39	38.1	2.42	4.20	0.17	0.08	0.07	0.030	0.08	6.8	17.3	0.28	397	1.03	0.01
CC145250		1.94	25.5	2.41	4.13	0.15	0.11	0.07	0.039	0.13	6.6	15.4	0.20	571	0.88	0.01
CC145251		1.02	38.5	3.87	2.61	0.15	0.04	0.03	0.047	0.08	6.6	9.1	0.19	492	1.09	0.01
CC145252		1.04	35.5	4.04	5.74	0.18	0.05	0.05	0.045	0.11	9.2	26.5	0.42	411	0.66	0.01
CC145253		0.92	78.0	1.15	1.96	0.15	0.12	0.20	0.020	0.05	4.7	4.9	0.20	173	1.57	0.02
CC145254		1.51	99.9	3.65	2.22	0.16	0.07	0.03	0.033	0.19	2.5	8.2	0.16	400	0.47	0.01
CC145255		0.99	13.0	3.56	4.49	0.14	0.05	0.63	0.032	0.07	9.8	11.6	1.82	1120	1.10	0.02
CC145256		0.81	22.8	4.93	4.39	0.17	0.12	0.65	0.034	0.07	16.2	16.0	1.97	1380	0.83	0.02
CC145257		0.28	7.0	11.75	3.92	0.63	0.05	11.15	0.022	0.02	6.2	0.6	6.94	1660	0.43	0.02

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 6- AUG- 2011
Account: RCM

Project: Pyramid Infill 2

CERTIFICATE OF ANALYSIS WH11141070

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
ZZ18959		0.59	33.5	810	26.7	9.9	<0.001	0.02	0.49	4.0	0.8	0.6	10.8	<0.01	0.05	2.2
ZZ18960		0.14	41.0	620	25.8	9.2	0.001	0.01	0.36	5.8	0.9	0.5	18.7	<0.01	0.04	3.5
ZZ18961		0.29	45.6	670	78.2	8.6	0.001	0.01	0.94	5.1	1.4	0.5	24.4	<0.01	0.05	3.6
ZZ18962		0.26	44.2	780	55.9	6.5	0.001	0.01	0.76	4.3	1.1	0.4	19.0	<0.01	0.05	3.5
ZZ18963		0.30	42.8	690	48.9	6.7	0.001	0.01	0.95	4.9	1.3	0.4	24.1	<0.01	0.05	4.1
ZZ18964		0.28	43.4	510	71.2	9.4	0.002	0.03	1.11	5.0	1.8	0.5	25.3	<0.01	0.06	2.3
ZZ18965		0.39	40.0	750	31.6	7.5	<0.001	0.03	0.65	4.6	1.1	0.4	22.6	<0.01	0.05	1.9
ZZ18966		0.32	42.9	770	69.9	5.8	<0.001	0.09	1.56	2.8	1.6	0.3	30.7	<0.01	0.06	0.9
ZZ18967		0.50	67.6	790	16.3	5.0	0.001	0.08	0.87	2.9	1.9	0.3	33.9	0.01	0.08	0.8
ZZ18968		0.39	39.9	940	15.5	6.5	0.002	0.06	0.91	4.0	2.5	0.4	70.4	<0.01	0.06	1.8
ZZ18969		0.34	57.4	720	13.7	5.9	0.003	0.03	1.22	3.7	2.8	0.4	30.5	<0.01	0.09	2.0
ZZ18970		0.52	37.3	890	16.4	6.4	0.004	0.06	0.95	3.5	3.4	0.4	53.5	<0.01	0.07	1.5
ZZ18971		0.13	110.0	1780	12.8	7.6	0.006	0.09	1.88	5.8	9.2	0.5	194.0	0.01	0.11	1.6
ZZ18972		0.49	44.2	1620	21.8	10.0	<0.001	0.08	2.16	2.8	3.2	0.5	44.1	<0.01	0.09	2.1
ZZ18973		0.37	78.6	2040	18.5	9.0	0.001	0.19	4.24	3.7	9.5	0.6	162.5	<0.01	0.09	2.3
ZZ18974		0.30	16.7	390	12.9	8.1	<0.001	0.07	1.39	1.1	1.1	0.7	46.1	<0.01	0.07	0.5
ZZ18975		1.09	89.8	700	20.6	14.9	<0.001	0.06	1.67	4.0	2.0	0.6	28.2	<0.01	0.07	5.4
ZZ18976		0.36	16.0	550	15.3	11.6	0.001	0.04	1.27	1.4	1.4	0.5	16.2	<0.01	0.07	1.3
ZZ18977		0.21	20.6	770	10.7	7.9	0.001	0.07	1.38	2.3	2.1	0.5	23.8	<0.01	0.09	1.0
ZZ18978		0.41	16.3	940	19.7	9.8	0.001	0.07	0.92	3.5	4.4	0.5	19.8	<0.01	0.06	2.4
CC145222		0.29	51.7	530	119.5	12.5	0.001	0.04	1.25	7.7	1.7	0.6	24.6	<0.01	0.09	3.9
CC145223		0.22	106.0	1080	53.4	9.8	0.001	0.04	1.08	16.3	3.0	0.5	38.7	<0.01	0.10	4.9
CC145224		0.64	22.5	420	47.2	11.4	<0.001	0.03	0.59	3.2	1.3	0.6	26.0	<0.01	0.08	2.1
CC145225		0.76	16.4	210	42.7	9.2	<0.001	0.01	0.73	2.3	0.5	0.6	10.3	<0.01	0.05	2.3
CC145242		0.21	38.7	890	11.6	5.9	0.005	0.09	0.88	3.9	5.4	0.3	52.6	<0.01	0.05	1.6
CC145243		0.13	67.8	1870	19.3	6.3	0.003	0.07	4.26	5.8	3.3	0.5	32.1	<0.01	0.04	5.4
CC145244		0.25	15.3	1330	16.5	6.9	0.001	0.07	0.78	3.2	2.1	0.4	46.0	<0.01	0.02	2.2
CC145245		0.20	13.1	1220	16.5	7.2	0.001	0.10	1.40	3.2	1.3	0.4	31.3	<0.01	0.04	2.6
CC145246		0.24	29.5	680	27.4	11.1	<0.001	0.03	0.46	4.1	0.5	0.5	15.0	<0.01	0.04	2.0
CC145247		0.34	38.0	670	16.9	10.8	0.001	0.04	0.38	5.7	1.0	0.5	25.4	<0.01	0.04	2.8
CC145248		0.64	28.5	360	21.8	9.4	<0.001	0.02	0.55	4.4	0.5	0.6	20.4	<0.01	0.04	3.0
CC145249		0.57	24.0	830	15.2	11.7	<0.001	0.08	0.46	4.0	1.2	0.5	38.5	<0.01	0.03	2.0
CC145250		0.32	18.3	820	14.8	19.6	0.001	0.06	0.24	6.4	1.0	0.7	35.7	<0.01	0.03	2.4
CC145251		0.28	21.0	390	19.7	8.6	0.001	0.01	0.24	6.7	0.5	0.6	30.3	<0.01	0.04	4.2
CC145252		0.53	30.1	350	19.0	11.0	<0.001	0.01	0.26	7.1	0.7	0.8	19.0	<0.01	0.03	5.0
CC145253		0.20	43.0	660	8.4	5.2	0.013	0.69	0.43	2.8	1.7	0.3	74.5	<0.01	0.03	0.9
CC145254		0.50	19.5	110	13.5	15.4	<0.001	0.01	0.20	6.3	0.4	0.6	34.0	<0.01	0.07	4.5
CC145255		0.74	18.8	630	42.3	9.4	<0.001	0.04	0.42	3.4	0.6	0.5	23.5	<0.01	0.03	1.6
CC145256		0.32	26.7	490	50.2	9.5	<0.001	0.03	0.32	8.0	0.9	0.5	35.8	<0.01	0.06	4.5
CC145257		<0.05	3.9	990	4850	1.0	<0.001	1.61	0.06	1.2	1.0	0.3	66.0	<0.01	0.02	1.1

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 6- AUG- 2011
Account: RCM

Project: Pyramid Infill 2

CERTIFICATE OF ANALYSIS WH11141070

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	Zn- OG46
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr	Zn
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5	0.001
ZZ18959		0.008	0.15	0.79	53	0.14	6.50	136	1.2	
ZZ18960		<0.005	0.14	1.00	45	0.05	8.95	127	2.4	
ZZ18961		0.005	0.26	0.97	41	0.16	13.75	187	1.5	
ZZ18962		0.006	0.16	0.78	38	0.11	10.25	160	1.1	
ZZ18963		0.010	0.17	0.73	37	0.11	10.20	183	2.7	
ZZ18964		<0.005	0.31	1.04	42	0.18	8.80	229	2.0	
ZZ18965		0.006	0.19	1.20	45	0.12	11.45	165	1.7	
ZZ18966		<0.005	0.58	2.99	42	0.14	17.05	284	2.0	
ZZ18967		0.009	0.28	2.50	38	0.29	20.9	219	1.4	
ZZ18968		0.007	0.16	2.95	41	0.12	13.20	121	1.6	
ZZ18969		0.010	0.16	2.07	45	0.10	12.20	191	1.0	
ZZ18970		0.009	0.18	2.29	48	0.10	13.25	129	2.2	
ZZ18971		<0.005	0.22	5.37	83	0.08	33.5	412	1.2	
ZZ18972		0.007	0.31	1.00	157	0.09	4.21	228	1.4	
ZZ18973		0.006	3.52	3.49	168	0.11	11.20	238	0.6	
ZZ18974		0.007	0.18	0.50	72	0.07	2.72	97	<0.5	
ZZ18975		0.019	0.17	1.24	61	0.21	5.79	433	2.7	
ZZ18976		0.006	0.13	0.46	54	0.10	2.34	97	<0.5	
ZZ18977		0.005	0.12	1.23	43	0.13	8.58	110	<0.5	
ZZ18978		0.005	0.37	2.24	60	0.12	14.55	60	0.5	
CC145222		<0.005	1.35	1.38	53	0.52	19.85	242	2.5	
CC145223		<0.005	1.37	2.07	62	0.20	61.5	414	3.4	
CC145224		0.007	0.32	0.88	61	0.23	5.24	104	0.9	
CC145225		0.013	0.56	0.51	62	0.22	4.11	109	0.5	
CC145242		<0.005	0.04	4.41	48	0.07	20.3	119	2.2	
CC145243		<0.005	0.17	2.27	51	<0.05	13.45	407	1.9	
CC145244		<0.005	0.12	1.99	35	0.15	10.95	60	1.7	
CC145245		<0.005	0.09	1.20	40	<0.05	7.86	63	1.9	
CC145246		<0.005	0.08	0.65	33	<0.05	7.55	117	0.7	
CC145247		<0.005	0.07	1.03	25	0.07	9.95	121	1.8	
CC145248		0.009	0.06	0.66	31	0.18	4.80	105	1.2	
CC145249		0.005	0.05	0.83	27	0.10	13.35	63	1.9	
CC145250		<0.005	0.09	0.89	26	0.08	13.80	53	2.6	
CC145251		<0.005	0.02	0.74	29	0.05	5.78	93	1.1	
CC145252		0.010	0.03	0.75	29	0.08	10.10	114	1.5	
CC145253		<0.005	0.04	4.73	14	0.06	13.50	215	3.0	
CC145254		0.015	0.05	0.62	18	0.16	7.63	52	2.2	
CC145255		0.016	0.10	0.95	34	0.14	7.08	1800	1.2	
CC145256		<0.005	0.16	1.51	32	0.09	19.85	472	3.1	
CC145257		<0.005	2.37	2.79	3	<0.05	9.80	>10000	2.1	3.79

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 6- AUG- 2011
Account: RCM

Project: Pyramid Infill 2

CERTIFICATE OF ANALYSIS WH11141070

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- TL43 Au ppm 0.001	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1
CC145258		0.22	0.002	0.17	1.31	12.3	<0.2	<10	300	0.85	0.25	2.24	1.06	18.55	12.0	19
CC145259		0.26	0.003	0.18	1.21	14.8	<0.2	<10	260	0.90	0.27	4.04	0.46	21.4	12.1	19
CC145260		0.30	0.002	0.19	1.04	13.4	<0.2	<10	280	0.75	0.25	3.10	0.85	20.0	11.1	18
CC145261		0.14	0.006	0.11	0.51	2.7	<0.2	<10	390	0.35	0.09	4.31	0.83	5.21	3.8	8
CC145262		0.18	0.003	0.13	1.20	13.2	<0.2	<10	230	0.77	0.27	1.36	0.36	18.30	13.8	20
CC145263		0.48	0.003	0.16	1.69	23.1	<0.2	<10	240	1.01	0.33	0.56	0.24	29.4	17.9	27
CC145264		0.26	0.002	0.22	1.25	14.7	<0.2	<10	360	0.79	0.26	1.52	0.41	15.80	11.7	21
CC145265		0.38	0.003	0.24	1.54	17.6	<0.2	<10	280	0.92	0.27	0.93	0.28	21.3	14.3	26
CC145266		0.46	0.003	0.13	1.91	17.1	<0.2	<10	180	1.08	0.30	0.94	0.17	25.6	18.6	29
CC145267		0.40	0.007	0.10	1.60	14.5	<0.2	<10	160	1.06	0.33	0.44	0.16	23.3	21.7	27
CC145268		0.44	0.004	0.11	1.26	15.7	<0.2	<10	170	1.08	0.35	0.50	0.17	21.1	18.4	23
CC145269		0.32	0.003	0.13	1.75	10.6	<0.2	<10	200	0.96	0.27	1.08	0.20	26.1	15.5	30
ZZ18991		0.28	0.001	0.10	2.04	68.9	<0.2	<10	310	1.17	0.31	0.11	0.73	10.20	15.9	36
ZZ18992		0.32	0.001	0.23	1.54	30.2	<0.2	<10	560	0.89	0.29	1.06	6.52	22.9	9.9	24
ZZ18993		0.32	0.001	0.15	1.85	25.1	<0.2	<10	670	0.98	0.46	0.96	1.25	26.6	11.1	30
ZZ18994		0.42	0.002	0.24	1.74	38.2	<0.2	<10	270	1.03	0.28	2.14	1.09	30.2	12.6	26
ZZ18995		0.34	0.002	0.05	1.86	18.8	<0.2	<10	240	0.97	0.33	0.10	0.32	32.7	12.4	28
ZZ18996		0.30	0.001	0.03	1.42	12.5	<0.2	<10	90	0.94	0.37	0.05	0.09	29.1	14.0	21
ZZ18997		0.38	0.002	0.08	2.09	15.6	<0.2	<10	220	1.15	0.34	0.22	0.13	42.3	17.2	34
ZZ18998		0.38	0.003	0.15	1.77	13.1	<0.2	<10	280	0.97	0.32	0.61	0.16	28.1	14.0	32
ZZ18999		0.28	0.002	0.11	1.42	9.7	<0.2	<10	190	0.78	0.31	0.63	0.18	23.9	11.3	25
ZZ19000		0.30	0.003	0.14	1.47	10.9	<0.2	<10	140	0.92	0.28	1.40	0.37	25.6	13.7	24
CC115472		0.40	0.001	0.66	1.09	4.4	<0.2	<10	300	0.35	0.26	0.01	0.16	2.80	5.9	26
CC115473		0.30	0.002	1.73	1.60	4.7	<0.2	<10	960	0.73	0.30	0.05	0.36	4.17	9.1	46
CC115474		0.32	0.002	1.04	1.43	5.7	<0.2	<10	710	0.63	0.34	0.17	0.32	2.33	7.3	60
CC115475		0.36	0.001	0.83	1.75	4.6	<0.2	<10	1140	0.76	0.31	0.15	0.39	3.01	7.2	102
CC115476		0.40	0.001	0.88	1.54	6.0	<0.2	<10	1080	0.69	0.29	0.20	0.40	3.48	8.1	71
CC115477		0.36	0.001	0.15	1.52	12.6	<0.2	<10	470	0.68	0.28	0.37	0.22	13.20	10.1	30
CC115478		0.38	0.002	0.09	1.65	12.7	<0.2	<10	570	0.73	0.29	0.38	0.13	11.55	9.7	29
CC115479		0.44	0.002	0.19	1.95	15.5	<0.2	<10	380	1.12	0.33	0.36	0.22	10.90	13.9	33
CC115480		0.38	0.002	0.13	1.69	12.0	<0.2	<10	330	0.89	0.24	0.38	0.14	11.60	11.8	31
CC115481		0.50	0.001	0.14	2.15	16.3	<0.2	<10	190	1.33	0.35	0.37	0.20	10.90	17.1	36
CC115482		0.46	0.002	0.15	1.72	60.8	<0.2	<10	280	0.94	0.33	0.35	0.21	16.20	15.1	30
CC115483		0.34	0.001	0.10	1.66	77.3	<0.2	<10	180	0.79	0.29	0.16	0.32	19.65	12.0	29
CC115484		0.34	0.002	0.24	1.93	32.5	<0.2	<10	530	0.88	0.34	0.61	0.32	16.15	11.5	32
CC115485		0.40	0.002	0.51	2.24	42.5	<0.2	<10	260	0.74	0.33	0.18	0.76	26.3	11.9	33
CC115486		0.44	0.002	0.71	2.00	581	<0.2	<10	260	0.92	0.31	0.12	1.81	16.05	13.2	34
CC115487		0.48	0.002	1.90	1.71	433	<0.2	<10	570	1.20	0.29	1.74	3.76	23.8	14.1	33
CC115488		0.44	0.002	0.79	1.41	170.0	<0.2	<10	490	0.92	0.28	1.10	1.04	14.60	11.1	31
CC115489		0.34	0.002	0.49	1.13	221	<0.2	<10	640	0.86	0.21	2.41	1.79	8.05	7.6	26

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 6- AUG- 2011
Account: RCM

Project: Pyramid Infill 2

CERTIFICATE OF ANALYSIS WH11141070

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
CC145258		0.81	40.4	3.41	3.91	0.17	0.09	0.27	0.035	0.10	8.5	21.7	0.71	587	0.59	0.01
CC145259		0.80	31.7	3.83	3.55	0.15	0.07	0.29	0.034	0.11	10.2	17.3	2.30	1060	0.73	0.02
CC145260		0.79	30.2	4.11	3.11	0.16	0.08	0.30	0.027	0.08	9.5	13.7	1.31	1870	0.76	0.01
CC145261		0.56	24.5	1.07	1.58	0.14	0.04	0.10	0.009	0.03	2.9	5.5	0.39	698	0.32	0.02
CC145262		0.69	42.6	3.46	3.71	0.15	0.08	0.10	0.033	0.09	9.3	20.7	0.50	676	0.77	0.01
CC145263		0.97	60.9	4.39	5.32	0.17	0.10	0.18	0.036	0.10	13.6	35.0	0.78	648	0.96	0.01
CC145264		0.83	22.4	2.82	3.83	0.16	0.05	0.09	0.032	0.07	7.1	22.1	0.36	589	1.01	0.01
CC145265		1.03	52.6	4.14	4.79	0.18	0.08	0.18	0.035	0.10	10.5	32.5	0.71	710	1.09	0.01
CC145266		0.92	70.0	4.50	5.76	0.18	0.11	0.14	0.035	0.10	13.4	37.3	0.92	732	0.70	0.01
CC145267		1.09	69.3	4.72	4.86	0.19	0.09	0.14	0.037	0.10	11.1	33.0	0.66	903	0.72	0.01
CC145268		0.73	58.1	4.44	4.11	0.16	0.08	0.12	0.042	0.08	10.0	24.7	0.50	939	0.67	0.01
CC145269		0.53	40.7	3.77	5.86	0.17	0.07	0.10	0.036	0.07	12.8	33.4	0.77	548	0.80	0.01
ZZ18991		2.85	37.6	4.69	5.62	0.14	0.04	0.11	0.050	0.07	4.3	43.7	0.52	615	2.74	0.01
ZZ18992		0.84	21.1	5.08	5.38	0.15	0.04	1.48	0.032	0.05	12.1	17.0	0.50	1300	1.16	0.02
ZZ18993		1.06	21.7	4.54	6.54	0.17	0.04	0.12	0.034	0.05	14.3	17.1	0.49	1400	1.41	0.02
ZZ18994		0.96	32.6	5.64	5.04	0.17	0.07	0.47	0.031	0.06	16.4	20.8	1.36	1920	1.22	0.02
ZZ18995		1.07	27.7	4.60	5.12	0.15	0.06	0.09	0.037	0.06	12.5	20.7	0.40	875	1.23	0.01
ZZ18996		0.76	39.1	3.84	4.60	0.15	0.03	0.07	0.031	0.05	13.3	22.4	0.40	475	0.87	0.01
ZZ18997		1.05	50.4	4.04	6.42	0.17	0.06	0.09	0.039	0.07	20.7	32.6	0.75	619	1.16	0.01
ZZ18998		0.95	42.2	3.80	5.50	0.18	0.07	0.11	0.034	0.08	14.2	31.3	0.64	601	1.14	0.01
ZZ18999		0.56	22.7	3.26	4.24	0.14	0.06	0.05	0.030	0.06	10.4	25.9	0.54	383	0.81	0.01
ZZ19000		0.61	51.1	3.63	4.50	0.16	0.07	0.09	0.032	0.09	11.4	25.2	0.68	497	0.61	0.01
CC115472		2.42	41.9	2.59	4.80	0.14	0.02	0.10	0.042	0.06	1.5	11.1	0.13	56	3.20	0.01
CC115473		5.27	64.2	3.77	4.31	0.15	0.05	0.47	0.058	0.09	2.2	27.9	0.27	77	4.33	0.02
CC115474		3.40	65.1	4.21	3.96	0.15	0.03	0.26	0.054	0.08	1.3	34.1	0.33	79	5.02	0.02
CC115475		2.15	63.3	4.13	4.44	0.15	0.05	0.27	0.058	0.09	1.8	52.2	0.55	65	2.60	0.03
CC115476		2.50	62.8	4.19	3.93	0.15	0.06	0.33	0.058	0.09	2.1	44.9	0.50	106	2.57	0.03
CC115477		0.81	23.5	3.52	5.37	0.16	0.05	0.05	0.034	0.05	6.2	35.7	0.51	230	1.67	0.01
CC115478		0.97	22.5	3.53	5.63	0.14	0.03	0.04	0.033	0.06	5.6	31.7	0.50	246	1.77	0.01
CC115479		1.14	43.5	4.34	5.77	0.15	0.08	0.11	0.043	0.10	5.2	34.0	0.59	420	1.51	0.01
CC115480		1.00	25.7	3.65	5.19	0.16	0.06	0.06	0.032	0.07	5.2	32.3	0.54	346	1.28	0.01
CC115481		1.82	31.6	4.46	6.55	0.16	0.06	0.11	0.046	0.11	4.3	49.8	0.67	451	1.33	0.01
CC115482		1.07	36.0	4.18	5.23	0.15	0.03	0.61	0.034	0.07	7.6	30.3	0.58	532	1.42	0.01
CC115483		1.39	24.0	3.68	5.96	0.17	0.03	0.55	0.033	0.06	9.6	23.4	0.41	496	1.61	0.01
CC115484		2.19	20.2	3.71	6.11	0.15	0.06	0.36	0.037	0.09	8.0	31.4	0.48	886	1.55	0.02
CC115485		1.57	18.1	3.97	7.06	0.15	0.02	0.24	0.033	0.06	13.3	22.6	0.45	458	2.06	0.01
CC115486		5.46	20.0	3.93	5.17	0.14	0.06	6.46	0.047	0.08	6.7	22.5	0.35	647	2.37	0.01
CC115487		2.13	22.9	3.49	4.67	0.18	0.07	5.50	0.032	0.09	14.0	19.2	1.10	803	2.24	0.02
CC115488		3.03	28.8	3.17	4.28	0.15	0.06	1.06	0.034	0.09	8.7	17.5	0.40	427	1.87	0.01
CC115489		1.67	27.2	2.57	3.45	0.16	0.04	0.81	0.029	0.07	6.3	12.7	0.29	357	1.74	0.02

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 6- AUG- 2011
Account: RCM

Project: Pyramid Infill 2

CERTIFICATE OF ANALYSIS WH11141070

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
CC145258		0.30	27.6	660	40.9	7.1	<0.001	0.07	0.35	4.9	0.8	0.4	56.6	<0.01	0.04	2.2
CC145259		0.24	27.6	580	32.6	7.3	<0.001	0.04	0.29	5.5	0.7	0.4	43.8	<0.01	0.03	2.7
CC145260		0.27	26.3	740	48.8	7.0	<0.001	0.06	0.31	4.2	1.1	0.3	37.6	<0.01	0.06	1.6
CC145261		0.29	12.8	770	7.2	4.5	<0.001	0.19	0.24	0.9	0.7	0.2	81.8	<0.01	0.01	0.3
CC145262		0.24	27.9	530	20.6	6.8	0.001	0.05	0.39	6.0	1.0	0.3	48.6	<0.01	0.06	2.4
CC145263		0.23	38.8	620	26.5	6.4	0.001	0.02	0.52	7.6	0.9	0.4	32.3	<0.01	0.09	5.2
CC145264		0.56	26.4	570	19.4	8.0	0.001	0.05	0.42	3.5	1.0	0.4	64.2	<0.01	0.04	1.4
CC145265		0.19	34.1	670	22.4	6.8	<0.001	0.03	0.44	7.1	1.1	0.4	38.9	<0.01	0.06	3.4
CC145266		0.17	39.3	530	21.6	6.7	<0.001	0.02	0.42	9.3	0.9	0.3	45.4	<0.01	0.05	5.0
CC145267		0.08	41.9	420	23.9	6.7	0.001	0.02	0.40	9.6	0.8	0.4	38.9	<0.01	0.06	5.4
CC145268		0.15	36.3	410	21.3	5.9	<0.001	0.02	0.36	7.9	0.8	0.4	40.1	<0.01	0.06	4.3
CC145269		0.61	32.8	580	15.7	6.8	<0.001	0.03	0.37	6.9	0.9	0.4	49.1	<0.01	0.04	2.9
ZZ18991		0.22	57.8	950	39.2	13.1	0.001	0.02	0.63	6.1	1.1	0.5	14.1	<0.01	0.06	2.7
ZZ18992		0.72	21.6	650	73.1	9.1	<0.001	0.08	0.48	4.4	0.7	0.5	27.8	<0.01	0.05	1.8
ZZ18993		1.06	23.8	640	28.4	9.8	<0.001	0.04	0.51	4.5	0.9	0.6	27.9	<0.01	0.05	2.0
ZZ18994		0.43	31.9	410	46.8	10.1	<0.001	0.03	0.51	8.0	0.9	0.4	39.1	<0.01	0.06	4.7
ZZ18995		0.57	32.2	300	38.4	11.8	<0.001	0.01	0.44	4.9	0.7	0.5	15.6	<0.01	0.05	5.4
ZZ18996		0.26	28.8	190	26.0	9.1	<0.001	0.01	0.31	5.1	0.8	0.4	11.5	<0.01	0.05	4.4
ZZ18997		0.60	38.0	560	22.3	9.7	<0.001	0.01	0.44	8.2	1.1	0.5	20.1	<0.01	0.06	5.9
ZZ18998		0.62	33.8	610	19.9	8.2	<0.001	0.02	0.41	7.2	0.8	0.4	33.1	<0.01	0.06	4.0
ZZ18999		0.61	29.4	510	19.0	7.5	<0.001	0.03	0.32	4.5	0.8	0.3	30.0	<0.01	0.04	3.9
ZZ19000		0.30	32.7	690	20.7	6.8	<0.001	0.05	0.33	6.5	0.9	0.3	59.4	<0.01	0.07	2.9
CC115472		0.15	32.2	290	11.1	13.0	0.004	0.02	0.53	3.0	1.7	0.5	15.0	<0.01	0.05	1.2
CC115473		0.11	60.6	360	18.8	21.7	0.003	0.05	0.60	5.2	2.7	0.5	32.6	<0.01	0.04	1.8
CC115474		0.11	64.8	450	16.5	12.0	0.004	0.05	0.64	4.3	2.2	0.4	47.5	<0.01	0.05	1.6
CC115475		<0.05	67.2	350	14.6	10.5	0.004	0.09	0.54	4.7	2.4	0.4	82.0	<0.01	0.05	2.1
CC115476		<0.05	72.0	490	15.1	10.8	0.005	0.10	0.56	5.1	3.5	0.4	48.5	<0.01	0.05	2.3
CC115477		0.43	51.7	530	15.9	7.9	0.002	0.03	0.40	3.9	1.6	0.4	19.8	<0.01	0.04	2.0
CC115478		0.36	34.2	480	15.9	9.9	0.001	0.02	0.36	4.0	0.9	0.5	19.1	<0.01	0.05	2.0
CC115479		0.19	51.3	690	20.2	10.0	0.002	0.02	0.39	7.5	1.1	0.5	19.5	<0.01	0.05	3.4
CC115480		0.24	40.6	640	15.5	9.4	0.001	0.02	0.29	5.8	1.2	0.5	17.3	<0.01	0.05	2.8
CC115481		0.16	57.3	680	24.3	13.8	<0.001	0.02	0.33	8.5	1.5	0.5	20.0	<0.01	0.04	4.0
CC115482		0.25	41.8	710	33.2	8.4	<0.001	0.01	0.55	5.9	1.0	0.4	20.9	<0.01	0.06	3.2
CC115483		0.65	32.4	600	39.0	11.5	<0.001	0.02	0.61	4.0	0.8	0.6	13.9	<0.01	0.06	2.7
CC115484		0.53	30.7	930	23.8	16.6	<0.001	0.05	0.39	5.2	1.2	0.6	32.5	<0.01	0.03	2.3
CC115485		1.41	32.6	500	40.0	11.9	<0.001	0.02	0.78	4.0	0.8	0.6	14.9	<0.01	0.05	3.4
CC115486		0.43	39.0	520	385	16.2	0.001	0.04	3.32	4.5	1.8	0.5	22.7	<0.01	0.06	2.9
CC115487		0.48	45.9	770	395	10.3	<0.001	0.04	3.53	6.7	1.4	0.5	40.4	<0.01	0.06	4.2
CC115488		0.46	46.5	540	73.0	10.0	0.001	0.03	0.92	5.8	1.2	0.5	24.2	<0.01	0.06	2.5
CC115489		0.30	49.3	890	58.9	8.5	<0.001	0.10	1.05	3.7	1.6	0.4	27.5	<0.01	0.07	0.6

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 6- AUG- 2011
Account: RCM

Project: Pyramid Infill 2

CERTIFICATE OF ANALYSIS WH11141070

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	Zn- OG46
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr	Zn
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5	0.001
CC145258		<0.005	0.12	1.22	28	0.07	10.45	1640	2.6	
CC145259		<0.005	0.25	1.01	25	0.05	13.25	245	1.9	
CC145260		0.005	0.14	1.70	23	0.08	11.85	313	1.7	
CC145261		0.006	0.02	2.29	9	<0.05	4.21	134	1.1	
CC145262		<0.005	0.04	0.92	30	<0.05	14.20	186	2.5	
CC145263		0.006	0.08	0.65	40	0.05	13.05	113	3.7	
CC145264		0.009	0.03	1.80	31	0.13	8.78	83	1.2	
CC145265		<0.005	0.03	0.85	38	<0.05	13.20	111	2.6	
CC145266		0.005	0.04	0.70	42	<0.05	15.95	99	3.5	
CC145267		<0.005	0.03	0.72	35	<0.05	14.90	100	3.4	
CC145268		<0.005	0.02	0.71	32	<0.05	11.85	97	2.8	
CC145269		0.010	<0.02	1.13	43	0.11	12.30	79	1.7	
ZZ18991		<0.005	0.29	0.70	44	0.06	8.29	226	1.1	
ZZ18992		0.012	0.20	1.85	42	0.25	8.85	3480	1.0	
ZZ18993		0.023	0.08	1.58	56	0.22	8.58	293	0.9	
ZZ18994		0.007	0.22	1.54	41	0.10	17.35	560	2.2	
ZZ18995		0.007	0.14	0.87	43	0.11	5.75	143	1.9	
ZZ18996		<0.005	0.05	0.62	35	0.05	6.66	79	0.9	
ZZ18997		0.013	0.07	2.29	47	0.14	13.50	83	2.1	
ZZ18998		0.015	0.04	0.72	46	0.12	11.20	85	1.8	
ZZ18999		0.011	0.03	1.27	32	0.12	7.74	75	1.8	
ZZ19000		0.005	0.02	1.06	34	<0.05	12.50	116	2.5	
CC115472		<0.005	0.04	0.46	42	<0.05	3.51	140	0.7	
CC115473		<0.005	0.13	1.02	38	<0.05	15.40	215	2.0	
CC115474		<0.005	0.04	0.82	37	<0.05	6.48	209	1.7	
CC115475		<0.005	0.03	0.96	40	<0.05	9.19	225	2.5	
CC115476		<0.005	0.04	1.00	37	<0.05	10.00	239	2.9	
CC115477		0.008	0.02	0.54	38	0.07	5.37	154	1.1	
CC115478		0.005	0.05	0.58	41	0.07	5.06	97	0.9	
CC115479		<0.005	0.06	0.61	37	<0.05	10.80	147	1.9	
CC115480		<0.005	0.02	0.63	34	<0.05	7.70	112	1.7	
CC115481		<0.005	0.07	0.73	34	<0.05	11.45	132	2.0	
CC115482		<0.005	0.09	0.58	39	0.06	9.69	136	0.8	
CC115483		0.009	0.12	0.60	47	0.17	6.13	112	0.6	
CC115484		0.006	0.13	0.75	46	0.14	7.28	137	1.2	
CC115485		0.026	0.18	0.76	64	0.26	5.20	142	0.7	
CC115486		<0.005	1.54	0.83	49	0.27	7.10	560	1.7	
CC115487		0.008	1.22	1.44	45	0.31	21.0	679	1.7	
CC115488		0.008	0.91	1.23	41	0.18	17.30	240	1.9	
CC115489		<0.005	0.70	2.55	34	0.26	22.1	312	1.2	

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 6- AUG- 2011
Account: RCM

Project: Pyramid Infill 2

CERTIFICATE OF ANALYSIS WH11141070

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- TL43 Au ppm 0.001	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1
CC115490		0.34	0.002	1.06	1.26	183.0	<0.2	<10	610	0.94	0.23	1.80	1.26	9.31	7.3	30
CC115491		0.42	0.002	0.68	1.32	155.5	<0.2	<10	490	0.93	0.25	1.46	0.76	10.90	10.7	32
CC115492		0.50	0.002	0.83	0.95	130.5	<0.2	<10	790	0.66	0.20	1.34	0.67	11.35	8.6	25
CC115493		0.38	0.002	1.14	0.85	182.5	<0.2	<10	1010	0.84	0.23	0.93	1.19	11.15	7.7	27
CC115494		0.36	0.002	0.74	0.72	85.2	<0.2	<10	780	0.56	0.18	1.06	1.07	9.06	6.2	21
CC115495		0.34	0.004	0.62	1.16	87.8	<0.2	<10	230	0.42	0.30	0.04	0.36	10.70	6.9	25
CC115496		0.40	0.004	0.53	0.76	61.7	<0.2	<10	330	0.27	0.33	0.03	0.26	10.65	5.3	20
CC115497		0.42	0.003	0.65	0.57	27.9	<0.2	<10	650	0.42	0.23	0.31	0.45	8.68	3.5	15
CC115498		0.54	0.003	0.88	0.52	21.2	<0.2	<10	740	0.50	0.26	0.60	3.87	11.85	7.9	23
CC115499		0.36	0.005	0.67	0.70	18.8	<0.2	<10	770	0.59	0.24	0.85	1.75	10.25	8.1	18
CC115500		0.30	0.003	0.14	1.65	13.5	<0.2	<10	190	0.79	0.25	0.92	0.48	6.84	14.0	29
ZZ18751		0.30	0.002	0.14	1.50	12.0	<0.2	<10	190	0.93	0.24	0.85	0.69	12.95	11.1	26
ZZ18752		0.40	0.002	0.08	1.89	16.5	<0.2	<10	60	0.80	0.31	0.03	0.23	4.18	16.7	34
ZZ18753		0.48	0.002	0.05	1.83	13.8	<0.2	<10	160	0.85	0.27	0.14	0.32	9.34	15.2	32
ZZ18754		0.38	0.002	0.08	1.53	19.8	<0.2	<10	160	0.89	0.33	0.26	0.17	9.44	14.2	27
ZZ18755		0.44	0.002	0.06	1.25	24.0	<0.2	<10	140	1.08	0.39	0.10	0.31	13.65	18.4	26
ZZ18756		0.52	0.001	0.03	0.78	10.5	<0.2	<10	120	0.86	0.38	0.16	0.09	14.35	9.5	22
ZZ18757		0.46	0.002	0.06	0.90	10.2	<0.2	<10	140	0.86	0.37	0.32	0.11	15.55	11.1	22
ZZ18758		0.32	0.002	0.10	1.42	11.5	<0.2	<10	260	1.08	0.38	0.65	0.20	18.65	14.3	29
ZZ18759		0.46	0.003	0.11	1.33	9.7	<0.2	<10	290	0.76	0.28	0.66	0.24	18.70	12.7	22
ZZ18760		0.48	0.002	0.09	1.25	12.9	<0.2	<10	360	0.69	0.28	1.84	1.21	21.8	12.7	21
ZZ18761		0.48	0.002	0.09	0.86	14.7	<0.2	<10	290	0.51	0.23	5.93	0.72	14.50	13.1	13
ZZ18762		0.50	0.002	0.11	0.97	15.5	<0.2	<10	300	0.54	0.25	5.21	0.64	16.45	14.0	17
ZZ18763		0.48	0.003	0.14	1.03	15.7	<0.2	<10	210	0.57	0.22	3.37	0.98	18.95	11.8	19
ZZ18764		0.50	0.003	0.19	1.79	18.0	<0.2	<10	180	0.84	0.27	2.11	1.48	25.0	17.1	27
ZZ18765		0.38	0.002	0.18	1.07	14.2	<0.2	<10	350	0.54	0.20	6.60	0.41	14.25	10.0	17
ZZ18766		0.40	0.002	0.21	1.25	11.5	<0.2	<10	200	0.82	0.28	1.92	0.32	23.5	11.4	22
ZZ18767		0.40	0.003	0.12	1.59	10.5	<0.2	<10	150	0.83	0.26	0.86	0.27	21.6	15.4	28
ZZ18768		0.38	0.004	0.12	1.90	13.3	<0.2	<10	220	0.87	0.26	1.19	0.24	29.6	16.8	30
ZZ18769		0.38	0.003	0.14	1.58	11.6	<0.2	<10	250	0.75	0.23	1.20	0.23	23.2	12.8	26
ZZ18770		0.46	0.003	0.04	2.06	10.7	<0.2	<10	220	0.80	0.24	0.25	0.10	25.9	11.3	31
ZZ18771		0.44	0.002	0.03	1.44	10.5	<0.2	<10	120	0.49	0.27	0.15	0.12	19.40	7.4	23
ZZ18772		0.44	0.004	0.14	1.29	9.5	<0.2	<10	190	0.72	0.22	1.51	0.20	28.2	10.6	24
ZZ18773		0.40	0.004	0.04	1.70	9.3	<0.2	<10	190	1.37	0.21	0.48	0.11	44.8	12.0	32
ZZ18774		0.40	0.003	0.03	1.20	4.3	<0.2	<10	150	1.04	0.20	0.64	0.20	27.2	10.7	28

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 6- AUG- 2011
Account: RCM

Project: Pyramid Infill 2

CERTIFICATE OF ANALYSIS WH11141070

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
CC115490		4.14	29.1	2.76	3.42	0.16	0.05	0.95	0.029	0.08	6.5	15.9	0.29	393	2.07	0.02
CC115491		1.61	36.0	3.33	3.96	0.16	0.05	0.60	0.040	0.08	6.5	22.1	0.42	440	2.18	0.02
CC115492		1.39	28.7	2.47	3.05	0.15	0.04	2.56	0.030	0.06	5.7	12.2	0.29	289	2.52	0.02
CC115493		2.17	43.3	2.76	2.83	0.17	0.05	1.48	0.034	0.08	6.1	10.4	0.20	136	4.51	0.02
CC115494		1.25	33.2	2.15	2.28	0.15	0.03	1.24	0.028	0.07	4.9	7.4	0.18	190	4.64	0.02
CC115495		2.27	32.2	4.27	4.31	0.15	0.03	0.90	0.041	0.08	5.3	13.9	0.22	190	7.47	0.01
CC115496		4.23	27.7	3.09	4.36	0.13	<0.02	0.97	0.035	0.12	5.2	5.2	0.11	200	7.35	0.01
CC115497		0.91	22.9	1.94	2.22	0.14	0.03	0.74	0.027	0.09	4.6	5.5	0.13	69	6.95	0.01
CC115498		1.53	57.6	2.53	2.31	0.14	0.04	0.23	0.034	0.12	5.8	4.4	0.10	235	15.40	0.01
CC115499		0.86	45.5	2.40	2.56	0.12	0.06	0.25	0.034	0.10	4.8	7.6	0.18	250	7.24	0.01
CC115500		0.89	27.8	4.03	5.08	0.12	0.05	0.07	0.041	0.07	2.9	32.0	0.54	560	2.81	0.01
ZZ18751		0.84	28.9	3.32	4.77	0.13	0.06	0.08	0.041	0.07	4.8	28.6	0.48	312	2.27	0.01
ZZ18752		1.88	35.7	5.20	6.31	0.11	0.05	0.06	0.043	0.07	1.7	37.8	0.48	564	1.82	0.01
ZZ18753		1.77	29.1	4.42	5.72	0.12	0.03	0.03	0.041	0.07	4.2	40.2	0.59	536	1.38	0.01
ZZ18754		1.24	37.7	4.46	5.09	0.12	0.03	0.08	0.041	0.07	4.3	31.4	0.54	514	1.16	0.01
ZZ18755		1.47	39.2	4.59	4.54	0.12	0.03	0.08	0.049	0.07	4.8	21.9	0.30	959	1.36	<0.01
ZZ18756		0.65	35.1	4.14	3.38	0.12	0.02	0.06	0.044	0.06	6.1	9.5	0.21	363	0.86	0.01
ZZ18757		0.64	36.0	4.23	3.37	0.13	0.06	0.10	0.044	0.07	6.5	12.2	0.28	377	0.69	0.01
ZZ18758		0.78	50.4	4.39	5.17	0.13	0.07	0.11	0.040	0.10	8.4	23.6	0.52	627	1.03	0.01
ZZ18759		0.42	35.1	3.69	4.41	0.13	0.05	0.10	0.029	0.07	7.5	23.3	0.43	803	0.79	0.01
ZZ18760		0.64	29.5	4.16	3.83	0.13	0.06	0.24	0.033	0.07	9.2	14.8	1.17	707	0.71	0.01
ZZ18761		0.60	40.5	4.16	2.62	0.13	0.05	0.27	0.027	0.06	6.3	12.8	2.40	1000	0.70	0.02
ZZ18762		0.75	40.9	3.73	3.20	0.15	0.06	0.26	0.026	0.07	6.7	16.4	1.65	818	0.69	0.01
ZZ18763		0.55	37.6	2.90	3.24	0.14	0.07	0.26	0.030	0.08	8.0	18.3	1.65	508	0.88	0.01
ZZ18764		1.13	62.6	4.94	5.59	0.14	0.10	0.39	0.032	0.11	10.7	29.8	1.77	754	0.94	0.01
ZZ18765		0.54	30.6	4.21	2.93	0.12	0.07	0.31	0.023	0.08	6.2	14.7	4.31	1370	0.65	0.02
ZZ18766		1.42	38.2	3.68	3.90	0.14	0.09	0.16	0.033	0.12	10.0	17.4	0.92	339	0.75	0.01
ZZ18767		0.81	51.6	3.98	4.86	0.14	0.07	0.10	0.032	0.10	9.3	26.9	0.74	568	0.71	0.01
ZZ18768		0.85	60.8	4.49	5.97	0.15	0.10	0.12	0.034	0.10	11.8	33.4	0.91	1000	0.93	0.01
ZZ18769		0.65	35.1	3.30	5.11	0.13	0.05	0.09	0.028	0.06	10.3	22.3	0.56	578	0.82	0.01
ZZ18770		0.82	23.5	3.81	5.78	0.13	0.06	0.02	0.033	0.05	10.6	26.1	0.60	300	0.70	0.01
ZZ18771		0.76	14.3	3.45	5.33	0.11	0.04	0.02	0.024	0.05	8.9	23.7	0.31	189	1.10	<0.01
ZZ18772		0.49	25.2	2.89	3.90	0.13	0.05	0.09	0.027	0.06	13.7	18.3	0.49	575	0.56	0.01
ZZ18773		1.08	14.3	3.71	5.19	0.15	0.11	0.03	0.032	0.07	16.4	20.4	0.52	673	0.92	0.01
ZZ18774		1.04	23.3	3.03	4.03	0.13	0.08	0.02	0.034	0.06	9.5	21.1	0.46	329	0.66	0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 6- AUG- 2011
Account: RCM

Project: Pyramid Infill 2

CERTIFICATE OF ANALYSIS WH11141070

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
CC115490		0.28	46.1	920	62.1	13.2	0.002	0.10	1.03	4.4	2.7	0.4	31.0	<0.01	0.06	0.8
CC115491		0.19	52.0	870	35.8	8.6	0.003	0.05	0.74	6.6	2.0	0.4	30.6	<0.01	0.08	2.0
CC115492		0.23	35.5	860	44.4	7.8	0.004	0.06	0.80	4.9	2.9	0.3	41.2	<0.01	0.07	1.8
CC115493		0.17	57.8	1190	57.3	9.0	0.007	0.05	1.24	5.9	4.2	0.4	63.1	<0.01	0.11	2.7
CC115494		0.17	41.5	950	34.5	7.0	0.005	0.07	1.32	3.5	3.1	0.3	52.1	<0.01	0.08	1.5
CC115495		0.61	32.5	540	29.5	13.2	<0.001	0.09	2.46	3.1	3.2	0.5	49.2	<0.01	0.09	2.3
CC115496		0.53	24.7	670	25.8	13.5	0.001	0.15	2.66	2.5	2.7	0.5	64.3	<0.01	0.09	1.3
CC115497		0.18	19.7	530	19.9	9.0	0.005	0.05	1.92	2.6	2.6	0.4	52.6	<0.01	0.10	2.0
CC115498		0.21	73.1	790	17.7	8.9	0.002	0.12	3.64	3.6	3.4	0.5	62.1	<0.01	0.10	2.0
CC115499		0.19	46.6	880	16.4	7.0	0.004	0.08	2.02	3.9	3.3	0.4	48.6	<0.01	0.07	2.1
CC115500		0.21	44.7	640	15.4	6.6	0.004	0.04	0.48	5.2	1.7	0.4	24.8	<0.01	0.05	1.9
ZZ18751		0.28	39.9	760	18.5	7.3	0.004	0.05	0.51	5.8	2.0	0.5	34.4	<0.01	0.04	2.1
ZZ18752		0.19	44.3	900	28.6	11.2	<0.001	0.06	0.41	4.8	0.7	0.6	18.6	<0.01	0.04	2.4
ZZ18753		0.26	41.4	710	16.3	10.0	<0.001	0.02	0.36	4.9	0.7	0.5	12.5	<0.01	0.05	2.9
ZZ18754		0.21	40.4	710	19.5	7.0	<0.001	0.01	0.36	5.8	0.7	0.5	20.7	<0.01	0.03	3.5
ZZ18755		0.27	34.5	540	36.9	8.7	<0.001	0.01	0.40	5.8	0.6	0.6	13.4	<0.01	0.05	3.5
ZZ18756		0.31	21.5	420	20.5	8.0	<0.001	0.02	0.22	4.5	0.5	0.5	17.6	<0.01	0.03	3.0
ZZ18757		0.28	24.7	490	22.4	6.9	<0.001	0.02	0.22	6.3	0.5	0.5	25.6	<0.01	0.02	4.2
ZZ18758		0.63	34.7	430	29.2	9.2	<0.001	0.03	0.37	6.2	0.9	0.6	26.4	<0.01	0.03	3.8
ZZ18759		0.40	25.4	470	27.6	6.2	<0.001	0.04	0.27	4.4	0.5	0.5	26.1	<0.01	0.03	2.8
ZZ18760		0.41	23.2	370	35.7	7.2	<0.001	0.03	0.29	5.8	0.7	0.4	26.5	<0.01	0.06	3.0
ZZ18761		0.24	22.7	510	35.1	4.6	<0.001	0.04	0.27	5.5	0.9	0.3	111.5	<0.01	0.03	3.4
ZZ18762		0.27	26.5	590	31.2	5.0	<0.001	0.06	0.33	4.8	0.6	0.3	129.0	<0.01	0.05	2.5
ZZ18763		0.27	27.0	610	53.7	4.5	0.002	0.06	0.37	5.6	0.8	0.3	69.1	<0.01	0.05	4.2
ZZ18764		0.22	37.2	710	35.5	6.5	<0.001	0.03	0.47	7.4	0.9	0.3	33.1	<0.01	0.07	3.8
ZZ18765		0.18	21.8	530	31.4	5.5	<0.001	0.05	0.28	4.0	0.4	0.3	51.8	<0.01	0.04	1.8
ZZ18766		0.34	32.9	880	24.6	7.6	<0.001	0.03	0.37	6.2	0.8	0.4	71.9	<0.01	0.07	4.4
ZZ18767		0.25	32.4	540	16.8	6.2	<0.001	0.04	0.37	6.3	0.5	0.3	44.7	<0.01	0.06	2.9
ZZ18768		0.25	35.2	420	16.8	6.4	<0.001	0.04	0.46	7.2	0.9	0.3	52.0	<0.01	0.08	2.6
ZZ18769		0.55	26.4	610	13.4	6.6	<0.001	0.04	0.40	4.7	1.0	0.4	62.9	<0.01	0.05	1.7
ZZ18770		0.47	27.4	170	13.6	7.5	<0.001	0.01	0.30	4.5	0.2	0.5	21.2	<0.01	0.05	4.0
ZZ18771		0.84	17.3	160	18.4	8.6	<0.001	0.01	0.37	2.4	0.3	0.6	13.6	<0.01	0.05	3.3
ZZ18772		0.63	25.2	560	14.0	5.3	<0.001	0.05	0.35	4.2	1.2	0.4	75.8	<0.01	0.04	2.1
ZZ18773		0.58	28.4	170	13.0	6.8	<0.001	0.01	0.35	6.8	0.8	0.6	23.7	<0.01	0.03	6.8
ZZ18774		0.43	25.3	300	14.6	8.0	<0.001	0.02	0.23	5.7	1.0	0.5	22.3	<0.01	0.02	3.8

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 6- AUG- 2011
Account: RCM

Project: Pyramid Infill 2

CERTIFICATE OF ANALYSIS WH11141070

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	Zn- OG46
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr	Zn
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5	0.001
CC115490		<0.005	0.45	2.65	35	0.15	20.2	259	1.4	
CC115491		<0.005	0.24	1.59	40	0.08	18.95	202	1.6	
CC115492		<0.005	0.28	2.24	42	0.11	14.45	194	1.5	
CC115493		<0.005	0.35	2.49	49	0.10	20.7	231	2.2	
CC115494		<0.005	0.25	2.22	63	0.06	12.70	197	1.1	
CC115495		0.007	0.49	0.90	87	0.11	3.61	151	1.2	
CC115496		0.007	0.36	0.98	85	0.11	3.50	124	0.5	
CC115497		<0.005	0.17	1.48	72	<0.05	5.04	115	1.0	
CC115498		0.008	0.46	2.53	161	0.07	11.00	398	1.2	
CC115499		<0.005	0.33	2.47	83	0.05	10.05	226	2.0	
CC115500		<0.005	0.11	1.30	38	<0.05	6.55	164	1.4	
ZZ18751		<0.005	0.12	1.67	40	<0.05	8.46	185	2.3	
ZZ18752		<0.005	0.17	0.37	35	<0.05	2.85	170	1.5	
ZZ18753		<0.005	0.12	0.52	32	<0.05	6.12	153	1.0	
ZZ18754		<0.005	0.10	0.61	29	<0.05	8.26	147	1.2	
ZZ18755		<0.005	0.15	0.62	29	<0.05	5.92	142	0.9	
ZZ18756		0.005	0.09	0.64	29	0.05	4.97	103	0.6	
ZZ18757		0.005	0.09	0.91	27	<0.05	6.58	124	1.5	
ZZ18758		0.012	0.13	0.90	29	0.10	10.15	136	1.9	
ZZ18759		0.007	0.09	0.95	27	0.06	8.27	113	1.3	
ZZ18760		0.007	0.15	0.78	30	0.08	9.55	418	1.7	
ZZ18761		0.006	0.32	0.75	21	0.05	8.28	347	1.9	
ZZ18762		0.007	0.29	0.86	23	<0.05	8.39	305	1.6	
ZZ18763		0.006	0.12	0.90	28	<0.05	9.49	519	3.2	
ZZ18764		0.005	0.31	0.82	42	<0.05	10.15	2020	3.2	
ZZ18765		<0.005	1.55	1.22	25	<0.05	7.05	220	2.1	
ZZ18766		0.007	0.22	0.81	30	0.05	10.30	209	3.3	
ZZ18767		0.005	0.09	0.77	38	<0.05	8.38	94	2.5	
ZZ18768		0.005	0.09	1.02	45	<0.05	11.75	98	2.8	
ZZ18769		0.011	0.07	1.52	40	0.08	8.24	73	1.5	
ZZ18770		0.009	0.11	0.78	48	0.08	4.13	68	2.0	
ZZ18771		0.014	0.11	0.58	45	0.17	2.50	65	1.7	
ZZ18772		0.012	0.08	1.95	32	0.13	10.05	73	1.5	
ZZ18773		0.011	0.10	4.51	42	0.10	10.30	61	4.8	
ZZ18774		0.007	0.09	1.40	29	0.05	8.80	85	2.5	

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 6- AUG- 2011
Account: RCM

Project: Pyramid Infill 2

CERTIFICATE OF ANALYSIS WH11141070

Method	CERTIFICATE COMMENTS
ME- MS41	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown.
ME- MS41	Gold determinations by this method are semi- quantitative due to the small sample weight used (0.5g).

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 5- AUG- 2011
Account: RCM

CERTIFICATE WH11141071

Project: Pyramid Infill 2

P.O. No.:

This report is for 167 Soil samples submitted to our lab in Whitehorse, YT, Canada on 23- JUL- 2011.

The following have access to data associated with this certificate:

ROB CARNE JULIA LANE	ANDREW CARNE JOAN MARIACHER	MATT DUMALA

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
SCR- 41	Screen to - 180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- TL43	Trace Level Au - 25g AR	ICP- MS
ME- MS41	51 anal. aqua regia ICPMS	

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 5- AUG- 2011
Account: RCM

Project: Pyramid Infill 2

CERTIFICATE OF ANALYSIS WH11141071

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- TL43 Au ppm 0.001	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1
ZZ14631		0.32	0.001	0.12	1.27	11.4	<0.2	<10	360	0.76	0.23	1.21	0.77	18.25	8.1	20
ZZ14632		0.58	0.001	0.20	1.28	14.2	<0.2	<10	550	0.84	0.25	1.54	0.61	20.1	12.1	21
ZZ14633		0.48	0.002	0.15	1.43	14.6	<0.2	<10	210	0.83	0.25	0.97	0.27	18.85	11.3	23
ZZ14634		0.46	0.002	0.16	1.73	12.9	<0.2	<10	230	0.94	0.22	1.03	0.49	24.7	13.7	27
ZZ14635		0.28	0.002	0.11	1.68	13.7	<0.2	<10	220	0.87	0.26	0.88	0.21	24.8	14.5	27
ZZ14636		0.52	0.002	0.02	2.02	4.1	<0.2	<10	130	0.92	0.16	0.58	0.10	39.2	9.5	39
ZZ14637		0.32	0.001	0.02	1.56	5.8	<0.2	<10	130	1.13	0.21	0.79	0.12	44.4	10.0	34
ZZ14638		0.34	0.001	0.04	0.40	33.1	<0.2	<10	150	1.00	0.29	1.55	0.14	11.60	13.4	30
ZZ14639		0.46	0.002	0.09	1.55	13.0	<0.2	<10	160	0.66	0.22	0.66	0.28	29.4	14.6	26
CC145415		0.46	0.001	0.07	1.73	10.8	<0.2	<10	160	0.52	0.24	0.03	0.09	7.28	5.8	32
CC145416		0.42	<0.001	0.11	1.44	11.2	<0.2	<10	210	0.57	0.24	0.04	0.07	6.90	5.5	34
CC145417		0.46	0.001	0.44	1.58	13.4	<0.2	<10	450	0.78	0.26	0.29	0.27	11.20	12.2	38
CC145418		0.40	0.002	0.58	0.88	9.8	<0.2	<10	410	0.55	0.20	0.42	0.17	7.07	7.0	23
CC145419		0.34	0.001	0.87	0.86	9.1	<0.2	<10	480	0.57	0.19	0.55	0.23	6.32	6.6	23
CC145420		0.26	0.002	0.85	0.95	8.4	<0.2	<10	670	0.54	0.19	0.64	0.30	5.73	6.4	26
CC145421		0.32	0.001	0.02	2.39	14.0	<0.2	<10	80	1.12	0.36	0.03	0.10	4.47	15.5	38
CC145422		0.48	0.002	0.15	1.76	46.7	<0.2	<10	240	1.08	0.26	0.14	0.31	19.75	17.3	29
CC145423		0.38	0.001	0.05	2.05	11.4	<0.2	<10	200	0.95	0.26	0.20	0.08	8.37	10.4	33
CC145424		0.44	0.001	0.08	1.44	34.9	<0.2	<10	320	0.81	0.27	0.14	0.28	14.40	12.9	26
CC145425		0.48	0.002	1.40	1.62	34.1	<0.2	<10	390	0.75	0.23	0.29	0.21	20.9	9.0	31
CC145426		0.62	0.002	0.10	1.64	15.4	<0.2	<10	130	0.46	0.22	0.14	0.21	25.0	6.5	26
CC145427		0.46	0.002	0.15	2.03	110.0	<0.2	<10	230	0.86	0.26	0.11	0.93	22.4	15.8	32
CC145428		0.34	0.001	0.03	1.84	22.5	<0.2	<10	130	0.36	0.29	0.05	0.19	18.95	8.1	24
CC145429		0.48	0.002	0.83	1.34	202	<0.2	<10	590	0.82	0.24	0.70	1.04	17.65	9.7	27
CC145430		0.30	0.002	0.25	1.41	72.6	<0.2	<10	710	0.88	0.21	2.14	1.19	12.75	10.1	22
CC145431		0.34	0.002	0.24	1.83	52.8	<0.2	<10	350	1.08	0.26	0.68	0.39	11.60	13.1	31
CC145432		0.40	<0.001	0.03	1.68	68.8	<0.2	<10	260	0.68	0.31	0.39	0.45	9.11	15.4	30
CC145433		0.54	0.003	0.46	1.69	87.5	<0.2	<10	400	0.95	0.26	1.06	0.72	16.90	11.4	29
CC145434		0.48	0.001	0.44	1.49	66.0	<0.2	<10	580	0.92	0.24	0.88	1.31	14.85	11.2	30
CC145435		0.52	0.003	0.60	1.43	89.6	<0.2	<10	620	0.99	0.25	0.90	1.30	16.10	14.7	30
CC145436		0.50	0.002	0.37	1.20	74.9	<0.2	<10	380	0.78	0.18	1.23	1.15	13.55	10.1	24
CC145437		0.44	0.001	0.76	0.62	19.4	<0.2	<10	1030	0.28	0.29	0.14	0.52	7.61	4.9	20
CC145438		0.56	0.005	1.02	0.80	14.0	<0.2	<10	1140	0.57	0.26	0.08	0.71	13.85	9.0	14
CC145439		0.40	0.003	0.59	1.14	24.4	<0.2	<10	300	0.38	0.31	0.05	0.38	15.90	7.0	21
CC145440		0.30	0.001	0.17	0.68	18.8	<0.2	<10	190	0.20	0.24	0.02	0.25	10.25	4.2	12
CC145441		0.46	0.002	0.44	1.04	18.2	<0.2	<10	740	0.72	0.25	0.27	0.73	17.50	11.8	19
CC145442		0.28	0.001	1.96	0.76	22.3	<0.2	<10	280	1.21	0.17	4.98	22.2	28.8	6.3	52
CC145443		0.40	0.001	3.01	0.62	31.0	<0.2	<10	340	1.51	0.21	3.62	31.7	42.0	6.5	92
CC145444		0.42	0.001	0.07	1.45	14.1	<0.2	<10	220	0.60	0.28	0.67	0.99	18.80	9.6	25
CC145445		0.34	0.001	0.16	1.56	18.4	<0.2	<10	240	1.10	0.29	1.17	0.67	10.60	13.5	26

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 5- AUG- 2011
Account: RCM

Project: Pyramid Infill 2

CERTIFICATE OF ANALYSIS WH11141071

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
ZZ14631		0.77	32.0	2.99	3.70	0.08	0.06	0.21	0.033	0.09	7.5	23.4	0.53	172	0.38	0.01
ZZ14632		1.32	36.8	3.17	3.76	0.09	0.05	0.20	0.031	0.09	9.8	22.5	0.71	625	0.68	0.01
ZZ14633		0.79	34.7	3.60	3.97	0.09	0.06	0.16	0.032	0.09	7.9	24.5	0.52	433	0.57	0.01
ZZ14634		0.89	57.6	3.93	4.94	0.10	0.07	0.22	0.038	0.10	12.9	31.5	0.74	639	0.60	0.01
ZZ14635		0.88	47.8	3.97	4.66	0.09	0.07	0.11	0.033	0.10	12.2	28.8	0.71	586	0.62	0.01
ZZ14636		1.61	15.6	2.71	6.15	0.09	0.08	0.02	0.030	0.08	15.0	47.0	0.97	166	0.34	0.01
ZZ14637		0.87	21.7	2.91	4.59	0.10	0.06	0.04	0.036	0.07	19.3	33.8	0.79	293	0.38	0.01
ZZ14638		1.07	40.3	3.85	1.65	0.09	0.04	0.34	0.041	0.08	6.4	3.7	0.37	753	0.49	0.01
ZZ14639		0.84	34.5	3.76	4.53	0.09	0.06	0.08	0.032	0.07	13.5	30.2	0.63	477	1.05	0.01
CC145415		1.56	25.5	4.56	5.47	0.08	0.02	0.03	0.050	0.10	3.0	36.3	0.52	234	1.38	0.02
CC145416		1.48	23.7	3.84	4.33	0.07	0.02	0.04	0.046	0.10	3.2	35.5	0.46	156	2.49	0.02
CC145417		1.51	39.5	4.19	4.06	0.08	0.02	0.15	0.046	0.09	4.8	43.4	0.50	332	2.15	0.02
CC145418		2.39	29.2	2.83	2.19	0.09	0.05	0.18	0.035	0.05	4.2	17.7	0.26	97	1.57	0.01
CC145419		2.14	31.1	2.72	2.14	0.08	0.07	0.21	0.039	0.05	4.0	17.1	0.24	99	1.41	0.01
CC145420		2.01	30.7	2.83	2.27	0.08	0.06	0.21	0.033	0.07	3.7	17.5	0.26	117	1.44	0.01
CC145421		3.27	28.9	5.03	6.75	0.07	0.06	<0.01	0.062	0.08	2.0	50.5	0.73	327	0.87	0.01
CC145422		1.59	39.1	4.03	4.64	0.09	0.03	0.36	0.043	0.06	8.3	32.1	0.46	449	1.44	0.01
CC145423		0.94	26.0	3.96	5.97	0.07	0.03	0.06	0.033	0.08	3.8	49.6	0.72	204	0.74	0.01
CC145424		1.10	34.5	4.08	4.46	0.09	<0.02	0.17	0.038	0.11	5.4	27.4	0.40	412	3.14	0.02
CC145425		2.28	30.0	3.36	4.64	0.10	0.03	0.50	0.033	0.06	11.3	28.1	0.52	278	1.69	0.01
CC145426		1.46	16.7	2.92	5.30	0.10	<0.02	0.08	0.027	0.04	13.0	19.4	0.35	242	1.37	0.01
CC145427		4.14	34.2	3.90	4.21	0.14	0.06	1.64	0.045	0.06	7.8	23.4	0.39	572	1.81	0.01
CC145428		1.63	18.3	4.22	7.33	0.13	0.05	0.05	0.032	0.05	8.9	26.9	0.36	231	1.43	0.01
CC145429		2.30	24.6	3.21	4.24	0.14	0.08	1.87	0.037	0.07	11.9	16.9	0.36	449	2.16	0.02
CC145430		1.21	23.5	2.65	4.72	0.09	0.05	0.48	0.033	0.06	6.0	31.7	0.39	559	0.84	0.02
CC145431		1.40	28.9	3.94	5.29	0.09	0.07	0.17	0.039	0.08	5.3	37.2	0.66	381	1.11	0.01
CC145432		1.14	26.4	3.98	6.02	0.10	0.04	0.08	0.041	0.07	4.0	31.5	0.55	443	1.40	<0.01
CC145433		1.67	27.9	3.48	5.18	0.11	0.08	0.36	0.042	0.09	9.7	41.0	0.46	460	2.18	<0.01
CC145434		1.66	29.7	3.02	4.58	0.12	0.10	1.01	0.043	0.09	8.3	32.9	0.54	194	2.37	<0.01
CC145435		1.50	41.7	3.29	4.62	0.12	0.10	0.99	0.044	0.09	9.3	26.0	0.47	403	3.72	<0.01
CC145436		0.99	26.2	2.55	3.76	0.11	0.09	0.57	0.032	0.07	8.6	24.7	0.40	293	1.46	<0.01
CC145437		0.47	34.9	3.53	3.67	0.10	0.02	0.06	0.042	0.21	3.9	3.7	0.07	196	4.62	0.01
CC145438		1.46	52.8	2.07	3.23	0.10	0.03	0.28	0.037	0.11	6.9	6.3	0.12	193	3.15	<0.01
CC145439		1.34	26.7	2.98	5.21	0.10	0.03	0.18	0.031	0.10	8.5	9.9	0.21	212	3.82	<0.01
CC145440		0.94	21.8	2.53	3.77	0.08	<0.02	0.07	0.022	0.08	5.1	2.1	0.06	105	2.91	<0.01
CC145441		0.89	36.9	2.81	3.68	0.11	0.04	0.24	0.037	0.11	8.3	11.8	0.24	358	5.72	<0.01
CC145442		0.75	89.1	1.47	3.61	0.15	0.07	0.29	0.025	0.07	23.7	6.8	0.91	184	41.6	0.01
CC145443		0.94	152.0	1.57	4.22	0.20	0.08	0.56	0.028	0.12	28.8	6.6	1.25	202	78.0	0.01
CC145444		1.45	16.2	3.11	5.59	0.10	0.04	0.03	0.034	0.06	10.1	23.4	0.45	237	4.08	<0.01
CC145445		2.04	42.1	3.74	5.13	0.12	0.08	0.08	0.048	0.10	6.0	31.2	0.51	498	2.53	<0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 5- AUG- 2011
Account: RCM

Project: Pyramid Infill 2

CERTIFICATE OF ANALYSIS WH11141071

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
ZZ14631		0.42	22.2	690	28.3	7.8	0.001	0.09	0.30	4.1	1.2	0.4	41.8	<0.01	0.04	2.1
ZZ14632		0.49	27.7	550	24.2	8.9	<0.001	0.03	0.40	4.9	1.5	0.5	41.5	<0.01	0.01	2.3
ZZ14633		0.28	25.1	400	20.9	7.2	<0.001	0.02	0.34	5.6	0.7	0.4	52.2	<0.01	0.04	2.5
ZZ14634		0.17	34.1	530	15.2	7.9	<0.001	0.03	0.41	6.3	1.2	0.4	50.3	<0.01	0.05	2.1
ZZ14635		0.33	31.4	350	19.9	7.9	<0.001	0.01	0.42	6.4	0.7	0.4	45.1	<0.01	0.04	3.4
ZZ14636		0.53	25.0	170	11.1	11.0	<0.001	<0.01	0.22	4.7	0.7	0.6	25.2	<0.01	<0.01	4.7
ZZ14637		0.45	23.0	300	14.6	6.8	<0.001	0.01	0.25	5.2	0.9	0.5	26.7	<0.01	0.01	4.1
ZZ14638		0.09	48.1	420	15.7	5.3	0.001	0.05	0.34	6.3	1.2	0.4	61.4	<0.01	<0.01	1.5
ZZ14639		0.57	31.1	670	16.4	6.6	0.001	0.03	0.49	4.6	1.1	0.4	44.4	<0.01	0.02	3.6
CC145415		0.11	27.1	890	18.9	10.9	<0.001	0.17	0.38	4.2	0.7	0.4	44.2	<0.01	0.03	2.5
CC145416		0.10	23.8	540	19.9	9.6	0.001	0.14	0.44	3.6	1.0	0.4	36.6	<0.01	0.04	2.3
CC145417		0.12	44.2	620	19.4	8.8	0.001	0.07	0.52	4.6	1.2	0.4	38.6	<0.01	0.03	2.3
CC145418		0.12	38.5	410	13.6	7.1	0.003	0.02	0.83	3.3	1.7	0.3	17.3	<0.01	0.07	1.4
CC145419		0.10	40.7	430	12.6	7.7	0.003	0.03	0.75	3.4	1.6	0.3	19.6	<0.01	0.02	1.1
CC145420		0.12	40.5	460	12.8	8.4	0.003	0.04	0.70	3.4	2.0	0.3	23.3	<0.01	0.03	1.1
CC145421		0.12	48.5	380	24.6	16.6	<0.001	<0.01	0.48	4.9	0.4	0.6	5.5	<0.01	0.04	2.6
CC145422		0.29	44.2	530	29.3	10.4	<0.001	0.01	0.63	4.9	0.9	0.5	19.3	<0.01	0.02	3.2
CC145423		0.12	45.4	500	13.6	9.2	<0.001	<0.01	0.29	5.0	0.5	0.5	15.0	<0.01	0.04	2.9
CC145424		0.18	36.5	770	25.7	9.9	0.001	0.13	0.93	3.7	0.8	0.5	40.7	<0.01	0.03	3.1
CC145425		0.44	31.5	710	22.2	10.4	0.002	0.01	0.48	4.9	2.5	0.5	21.8	<0.01	0.04	3.2
CC145426		0.98	19.6	700	13.6	8.7	<0.001	0.01	0.61	2.2	0.6	0.6	11.8	<0.01	0.01	1.3
CC145427		0.23	42.8	470	46.6	13.7	0.001	0.02	0.88	5.5	1.7	0.4	19.2	<0.01	0.09	3.8
CC145428		0.84	20.4	180	18.8	14.4	<0.001	0.01	0.60	3.4	0.7	0.6	7.2	<0.01	0.08	3.2
CC145429		0.32	35.6	670	107.0	10.1	0.001	0.03	1.50	6.8	1.4	0.4	27.4	0.01	0.09	2.7
CC145430		0.41	27.5	750	31.2	9.2	<0.001	0.07	0.78	3.7	1.4	0.4	28.9	<0.01	0.05	0.9
CC145431		0.26	47.2	730	18.7	11.5	<0.001	0.02	0.53	6.1	0.7	0.5	17.5	<0.01	0.05	3.1
CC145432		0.24	40.7	480	28.8	11.0	<0.001	<0.01	0.50	4.7	0.6	0.5	14.6	<0.01	0.05	2.2
CC145433		0.57	34.6	840	31.1	16.4	0.001	0.02	0.69	6.6	1.8	0.5	40.9	<0.01	0.05	2.8
CC145434		0.25	36.9	830	45.6	16.9	0.004	0.05	0.50	6.7	2.8	0.4	39.4	<0.01	0.05	3.1
CC145435		0.34	50.8	970	43.7	12.8	0.003	0.04	0.88	6.7	2.8	0.5	45.4	0.01	0.07	3.0
CC145436		0.34	36.1	890	39.7	11.3	0.014	0.10	0.47	4.3	4.4	0.4	47.1	<0.01	0.04	2.2
CC145437		0.28	26.7	750	18.2	13.5	<0.001	0.35	2.22	2.8	3.6	0.5	214	<0.01	0.11	1.4
CC145438		0.29	23.4	560	18.4	16.5	<0.001	0.01	1.21	4.0	2.8	0.5	37.3	<0.01	0.08	2.5
CC145439		0.59	19.9	610	18.3	18.0	<0.001	<0.01	1.04	2.8	1.5	0.6	18.3	<0.01	0.06	3.9
CC145440		0.31	14.3	590	13.1	11.3	<0.001	0.03	1.06	1.8	1.0	0.5	13.4	<0.01	0.06	1.5
CC145441		0.24	31.1	860	20.0	13.4	0.005	0.01	1.42	4.3	2.6	0.5	34.9	<0.01	0.06	3.6
CC145442		0.30	125.0	740	14.8	9.7	0.004	0.09	10.30	2.4	10.8	0.6	89.8	0.01	0.09	0.6
CC145443		0.19	219	1000	20.8	14.8	0.006	0.08	19.65	4.7	15.3	0.6	65.0	0.01	0.14	1.2
CC145444		1.01	34.6	550	15.1	12.8	0.001	<0.01	0.77	3.5	1.0	0.6	21.7	<0.01	0.04	3.2
CC145445		0.26	48.1	670	18.8	14.3	0.001	0.02	0.73	6.5	1.6	0.5	29.4	<0.01	0.05	2.4

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 5- AUG- 2011
Account: RCM

Project: Pyramid Infill 2

CERTIFICATE OF ANALYSIS WH11141071

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
ZZ14631		0.006	0.13	1.96	32	0.07	7.74	314	1.6
ZZ14632		0.009	0.16	1.26	31	0.10	10.35	165	1.3
ZZ14633		0.005	0.10	0.87	34	0.05	9.06	107	1.7
ZZ14634		<0.005	0.08	1.41	39	<0.05	12.45	186	1.9
ZZ14635		0.007	0.10	1.00	40	0.07	8.77	130	2.0
ZZ14636		0.010	0.13	1.10	41	0.08	6.38	61	2.9
ZZ14637		0.007	0.11	1.44	36	0.07	9.63	82	1.7
ZZ14638		<0.005	0.09	1.51	24	<0.05	16.05	100	0.9
ZZ14639		0.013	0.10	1.32	44	0.16	6.98	86	1.7
CC145415		<0.005	0.11	0.35	37	<0.05	2.55	84	0.8
CC145416		<0.005	0.17	0.44	32	<0.05	3.14	80	0.7
CC145417		<0.005	0.12	0.78	38	<0.05	8.52	141	0.7
CC145418		<0.005	0.10	0.76	29	<0.05	9.60	124	1.5
CC145419		<0.005	0.09	0.77	28	<0.05	11.30	130	1.7
CC145420		<0.005	0.10	0.76	30	<0.05	9.86	138	1.9
CC145421		<0.005	0.15	0.26	38	<0.05	3.13	105	1.9
CC145422		0.005	0.22	0.70	42	0.08	8.31	116	0.8
CC145423		<0.005	0.09	0.41	33	<0.05	6.43	101	0.7
CC145424		<0.005	0.18	0.70	48	0.05	6.27	141	0.5
CC145425		0.009	0.15	0.93	44	0.16	11.00	114	0.7
CC145426		0.020	0.15	0.68	47	0.25	4.45	68	0.5
CC145427		<0.005	0.30	0.89	41	0.14	7.85	160	1.9
CC145428		0.012	0.17	0.40	59	0.16	2.52	71	2.1
CC145429		0.006	0.62	1.13	45	0.21	23.9	251	1.8
CC145430		0.006	0.37	3.17	32	0.11	10.50	161	1.3
CC145431		<0.005	0.19	0.79	36	0.07	9.65	155	1.5
CC145432		<0.005	0.14	0.42	39	0.06	4.83	153	1.1
CC145433		0.008	0.36	2.43	42	0.15	12.00	181	1.8
CC145434		<0.005	0.58	1.52	44	0.09	15.50	249	2.5
CC145435		0.006	0.40	1.64	52	0.10	17.20	269	2.6
CC145436		0.005	0.33	2.39	36	0.09	17.30	208	2.2
CC145437		0.005	0.31	0.58	119	0.06	4.62	159	<0.5
CC145438		0.005	0.28	1.26	47	0.07	11.20	103	<0.5
CC145439		0.008	0.29	0.71	71	0.09	3.59	94	1.0
CC145440		0.008	0.20	0.42	78	0.07	1.86	119	<0.5
CC145441		<0.005	0.36	1.61	63	0.07	10.90	140	0.6
CC145442		0.007	1.04	9.58	869	0.25	34.8	888	1.7
CC145443		0.007	1.83	10.45	1520	0.42	49.1	1840	1.8
CC145444		0.017	0.15	1.29	129	0.21	5.76	213	1.0
CC145445		<0.005	0.16	2.56	94	0.05	15.70	198	1.6

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 5- AUG- 2011
Account: RCM

Project: Pyramid Infill 2

CERTIFICATE OF ANALYSIS WH11141071

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- TL43 Au ppm 0.001	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1
CC145446		0.30	0.001	0.19	1.54	18.1	<0.2	<10	250	0.96	0.25	1.42	0.50	11.05	11.4	25
CC145447		0.38	0.002	0.13	1.44	17.1	<0.2	<10	320	0.83	0.22	1.49	0.46	9.01	11.9	23
CC145448		0.42	0.001	0.13	1.36	15.8	<0.2	<10	280	0.86	0.23	1.62	0.51	8.78	12.9	22
CC145449		0.34	0.002	0.43	1.26	12.7	<0.2	<10	290	1.13	0.29	0.89	2.58	15.50	12.8	26
CC145450		0.46	0.001	0.05	1.56	69.6	<0.2	<10	170	0.83	0.32	0.05	0.74	10.50	16.0	26
CC145451		0.50	0.001	0.13	1.15	55.9	<0.2	<10	450	0.91	0.25	0.27	0.72	13.20	11.5	23
CC145452		0.30	0.002	0.33	1.59	38.6	<0.2	<10	430	1.15	0.31	0.56	1.50	13.75	18.9	30
CC145453		0.38	0.002	0.50	1.40	23.4	<0.2	<10	490	1.00	0.27	0.55	1.20	13.35	11.4	31
CC142948		0.18	0.007	0.03	1.87	13.6	<0.2	<10	90	0.89	0.32	0.03	0.20	6.72	20.9	31
CC142949		0.30	0.002	0.08	1.58	13.1	<0.2	<10	210	0.84	0.29	0.15	0.18	11.65	13.8	30
CC142950		0.34	0.002	0.56	2.15	15.4	<0.2	<10	440	1.12	0.31	0.39	0.11	11.50	5.3	31
CC142951		0.30	0.001	0.18	1.28	34.7	<0.2	<10	260	0.89	0.28	0.28	0.29	17.90	15.9	30
CC142952		0.42	0.001	0.10	1.58	18.6	<0.2	<10	260	0.86	0.34	0.30	0.12	10.50	22.6	40
CC142953		0.38	0.002	0.50	1.50	108.0	<0.2	<10	450	1.01	0.28	0.63	0.48	17.60	14.7	29
CC142954		0.46	0.001	0.20	1.56	37.0	<0.2	<10	330	0.91	0.31	0.25	0.20	11.45	13.0	30
CC142955		0.20	0.001	0.44	1.52	163.5	<0.2	<10	360	1.05	0.30	0.34	0.63	21.0	15.8	30
CC142956		0.30	0.002	0.83	1.57	120.0	<0.2	<10	460	0.96	0.24	0.73	0.91	21.8	10.2	30
CC142957		0.30	0.001	0.33	1.43	149.0	<0.2	<10	470	0.74	0.22	1.73	1.21	15.75	9.1	31
CC142958		0.38	<0.001	0.08	1.63	67.4	<0.2	<10	360	0.79	0.24	1.74	4.59	19.55	9.9	36
CC142959		0.32	<0.001	0.10	1.91	113.5	<0.2	<10	510	1.22	0.25	0.72	2.23	24.0	11.4	41
CC142960		0.34	0.001	0.18	1.42	153.5	<0.2	<10	390	0.92	0.27	3.89	4.26	17.70	9.9	30
CC142961		0.34	0.002	0.41	1.05	99.6	<0.2	<10	780	0.77	0.19	2.03	1.33	16.20	11.3	26
CC142962		0.40	0.003	1.13	0.61	21.2	<0.2	<10	3130	0.38	0.18	0.52	0.57	10.75	7.2	24
CC142963		0.66	0.003	1.16	0.73	22.2	<0.2	<10	2290	0.64	0.20	0.73	1.10	10.95	8.3	26
CC142964		0.40	0.002	0.81	0.85	22.1	<0.2	<10	1050	0.24	0.23	0.03	0.19	11.35	4.7	14
CC142965		0.44	0.001	0.49	0.63	23.2	<0.2	<10	630	0.19	0.25	0.03	0.10	13.55	3.5	15
CC142967		0.46	0.008	2.07	0.73	12.0	<0.2	<10	890	0.47	0.24	0.03	0.36	10.40	6.8	12
ZZ14588		0.32	0.001	0.10	1.09	12.7	<0.2	<10	90	0.37	0.24	0.03	0.13	7.92	7.5	22
ZZ14589		0.32	0.001	0.04	1.14	8.3	<0.2	<10	90	0.24	0.20	0.01	0.05	7.64	4.3	14
ZZ14590		0.36	0.001	0.06	1.56	14.1	<0.2	<10	180	0.69	0.31	0.01	0.09	7.56	7.0	30
ZZ14591		0.40	0.001	0.07	1.06	9.8	<0.2	<10	170	0.32	0.28	0.10	0.05	5.68	3.5	19
ZZ14592		0.38	0.002	0.54	1.95	15.4	<0.2	<10	560	0.81	0.35	0.24	0.13	9.35	7.9	33
ZZ14593		0.38	0.001	0.28	1.55	18.7	<0.2	<10	410	0.91	0.24	0.34	0.30	14.75	16.3	29
ZZ14594		0.36	0.001	0.14	1.77	14.0	<0.2	<10	470	0.92	0.29	0.49	0.22	12.00	13.0	33
ZZ14595		0.40	0.001	0.21	1.71	20.2	<0.2	<10	370	0.91	0.22	0.54	0.27	13.65	15.3	29
ZZ14596		0.32	0.001	0.19	1.48	13.8	<0.2	<10	300	0.77	0.19	0.42	0.14	12.75	12.2	29
ZZ14597		0.38	0.001	0.21	1.68	26.3	<0.2	<10	290	0.98	0.23	0.52	0.23	13.30	15.6	31
ZZ14598		0.38	0.002	0.18	1.80	29.4	<0.2	<10	370	1.00	0.25	0.31	0.31	12.80	13.1	31
ZZ14599		0.46	0.001	0.08	1.76	38.5	<0.2	<10	210	1.06	0.29	0.44	0.38	8.62	14.9	32
ZZ14600		0.44	0.001	0.51	1.60	57.8	<0.2	<10	400	1.03	0.26	0.71	0.57	10.55	13.8	29

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 5- AUG- 2011
Account: RCM

Project: Pyramid Infill 2

CERTIFICATE OF ANALYSIS WH11141071

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
CC145446		1.37	38.1	3.03	4.64	0.10	0.08	0.13	0.040	0.08	6.2	28.8	0.52	557	2.97	<0.01
CC145447		1.01	33.2	3.01	4.06	0.10	0.07	0.14	0.037	0.10	4.2	26.8	0.56	538	1.99	0.01
CC145448		0.82	34.4	2.98	4.12	0.10	0.07	0.17	0.039	0.08	3.9	25.4	0.52	729	2.53	0.01
CC145449		1.02	50.5	2.93	4.19	0.11	0.09	0.18	0.042	0.09	8.3	19.7	0.36	689	5.34	<0.01
CC145450		2.08	38.6	4.18	5.32	0.10	0.04	0.24	0.049	0.07	5.0	25.6	0.33	443	3.30	<0.01
CC145451		1.59	40.7	3.60	3.83	0.10	0.04	0.61	0.043	0.08	6.9	18.3	0.35	298	2.76	<0.01
CC145452		1.30	35.3	4.27	5.09	0.12	0.09	0.31	0.050	0.08	6.8	26.2	0.41	680	4.05	<0.01
CC145453		1.33	43.7	2.33	4.24	0.11	0.08	0.59	0.047	0.08	7.0	26.1	0.40	131	1.82	<0.01
CC142948		1.58	29.3	5.68	5.65	0.11	0.06	0.02	0.062	0.08	2.7	38.9	0.52	1620	2.21	<0.01
CC142949		1.58	37.6	4.17	5.45	0.11	0.05	0.02	0.053	0.10	4.9	38.9	0.55	287	1.49	0.01
CC142950		2.81	35.6	4.71	6.29	0.11	0.07	0.22	0.054	0.11	5.0	32.9	0.31	72	1.92	0.01
CC142951		1.38	42.5	3.65	3.93	0.12	0.05	0.29	0.045	0.07	8.4	29.6	0.45	446	2.38	0.01
CC142952		1.98	44.1	3.52	3.96	0.12	0.06	0.05	0.052	0.10	4.4	52.6	0.49	202	1.71	<0.01
CC142953		1.87	37.4	3.74	4.75	0.11	0.08	16.50	0.043	0.08	9.6	21.6	0.46	472	2.35	0.01
CC142954		1.82	32.5	3.60	5.32	0.10	0.05	0.29	0.046	0.09	5.8	32.0	0.43	292	1.44	<0.01
CC142955		3.61	35.7	3.75	4.68	0.12	0.07	2.80	0.043	0.08	10.9	19.5	0.42	648	1.97	<0.01
CC142956		2.73	28.5	3.07	4.82	0.12	0.09	1.29	0.038	0.06	15.0	16.9	0.44	345	1.74	<0.01
CC142957		1.64	15.3	2.40	4.98	0.11	0.06	0.25	0.041	0.04	11.7	10.7	0.24	324	2.01	<0.01
CC142958		2.17	13.2	2.76	5.34	0.11	0.05	0.09	0.037	0.05	15.5	10.1	0.24	544	1.01	<0.01
CC142959		2.16	17.2	3.19	5.93	0.13	0.06	0.17	0.046	0.05	22.5	13.9	0.27	276	1.46	<0.01
CC142960		1.22	19.9	2.63	4.38	0.15	0.08	0.19	0.048	0.05	22.7	7.6	0.19	698	1.41	0.01
CC142961		1.58	27.7	2.49	3.47	0.12	0.07	0.34	0.033	0.06	13.3	9.5	0.23	356	1.45	<0.01
CC142962		0.74	36.6	2.25	2.30	0.12	0.04	0.41	0.033	0.08	6.1	4.8	0.13	146	7.07	0.01
CC142963		0.59	63.8	2.46	2.52	0.13	0.06	0.56	0.039	0.08	6.3	6.6	0.14	133	10.75	<0.01
CC142964		0.74	21.9	2.44	4.76	0.09	<0.02	0.07	0.025	0.06	6.3	2.8	0.06	100	8.57	<0.01
CC142965		1.30	24.7	2.17	5.64	0.10	<0.02	0.10	0.028	0.09	7.5	1.5	0.04	58	6.60	<0.01
CC142967		1.78	70.4	2.27	2.57	0.10	0.03	0.40	0.041	0.11	5.1	3.1	0.06	134	4.42	<0.01
ZZ14588		1.17	27.1	3.36	4.78	0.09	0.03	0.03	0.034	0.05	3.9	12.5	0.23	102	2.01	<0.01
ZZ14589		1.51	11.5	2.21	6.12	0.08	<0.02	0.02	0.021	0.06	3.9	8.2	0.16	59	1.61	<0.01
ZZ14590		2.10	33.9	4.42	5.22	0.11	0.05	0.03	0.069	0.11	3.2	34.3	0.45	96	2.00	<0.01
ZZ14591		2.11	13.1	2.82	5.58	0.09	0.02	0.02	0.031	0.10	2.6	9.6	0.21	110	1.43	0.01
ZZ14592		2.43	27.5	4.94	6.23	0.11	0.05	0.25	0.051	0.10	4.3	27.8	0.33	188	2.43	<0.01
ZZ14593		1.58	40.4	3.85	4.99	0.12	0.05	0.15	0.043	0.09	7.1	28.5	0.51	283	1.39	0.01
ZZ14594		1.00	32.3	3.98	6.00	0.11	0.07	0.09	0.047	0.09	6.1	35.4	0.55	424	1.54	<0.01
ZZ14595		0.99	29.8	4.18	5.20	0.12	0.07	0.17	0.042	0.09	6.7	35.9	0.58	388	1.13	<0.01
ZZ14596		0.78	28.1	3.42	4.56	0.12	0.10	0.16	0.038	0.07	6.5	37.5	0.54	272	1.03	<0.01
ZZ14597		1.18	31.3	4.20	5.26	0.12	0.09	0.14	0.043	0.08	6.8	36.4	0.56	400	1.27	0.01
ZZ14598		2.34	24.2	3.65	5.65	0.11	0.07	0.79	0.042	0.07	6.6	37.5	0.55	390	1.12	<0.01
ZZ14599		1.83	31.5	4.32	5.59	0.11	0.07	0.09	0.046	0.08	4.0	39.6	0.63	402	1.30	<0.01
ZZ14600		3.27	34.5	3.67	4.94	0.11	0.09	0.41	0.045	0.08	5.9	31.8	0.51	324	1.48	<0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 5- AUG- 2011
Account: RCM

Project: Pyramid Infill 2

CERTIFICATE OF ANALYSIS WH11141071

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
CC145446		0.39	41.0	670	16.2	13.8	0.002	0.04	0.71	5.2	2.1	0.5	34.3	<0.01	0.04	1.6
CC145447		0.30	36.8	700	15.5	11.1	0.002	0.05	0.50	4.6	1.6	0.4	75.2	<0.01	0.04	1.9
CC145448		0.25	40.1	770	17.1	10.5	0.002	0.06	0.55	4.9	1.6	0.4	55.4	<0.01	0.04	1.9
CC145449		0.36	56.4	770	18.3	14.1	0.005	0.04	1.18	5.9	2.6	0.6	33.0	<0.01	0.05	3.2
CC145450		0.43	41.7	510	31.7	14.6	0.001	0.02	0.96	4.3	1.2	0.6	15.9	<0.01	0.07	3.4
CC145451		0.21	40.8	760	23.7	10.4	0.001	<0.01	0.80	5.3	1.3	0.4	24.2	<0.01	0.06	3.0
CC145452		0.32	42.8	860	27.8	14.2	0.008	0.05	0.81	6.9	2.9	0.6	28.7	<0.01	0.05	3.9
CC145453		0.26	55.8	690	31.0	12.9	0.007	0.05	0.59	6.6	3.3	0.5	32.7	<0.01	0.06	3.5
CC142948		0.17	52.9	790	24.1	14.3	<0.001	0.03	0.43	7.7	0.7	0.5	15.9	<0.01	0.05	2.7
CC142949		0.13	44.0	840	22.2	12.0	0.001	0.12	0.49	5.6	0.8	0.5	38.9	<0.01	0.06	3.7
CC142950		0.18	28.5	890	21.7	21.7	0.001	0.05	0.38	7.7	1.3	0.8	32.0	<0.01	0.05	2.5
CC142951		0.18	42.6	930	24.4	9.7	0.001	0.05	1.10	5.2	1.5	0.4	60.3	<0.01	0.07	4.2
CC142952		0.05	47.1	990	21.2	13.1	0.001	<0.01	0.83	4.9	1.4	0.4	35.4	0.01	0.12	4.0
CC142953		0.36	45.5	460	52.0	12.1	0.002	<0.01	0.73	6.4	1.6	0.5	25.9	<0.01	0.07	3.4
CC142954		0.21	34.2	740	24.0	15.3	0.001	<0.01	0.52	4.4	1.1	0.6	48.6	<0.01	0.07	2.4
CC142955		0.32	43.8	630	72.1	12.5	0.002	<0.01	1.25	6.8	1.6	0.5	27.7	<0.01	0.07	4.7
CC142956		0.51	36.6	750	47.7	13.7	0.001	0.02	0.95	5.2	1.6	0.6	22.0	0.01	0.06	1.7
CC142957		0.75	32.3	580	56.6	7.9	<0.001	0.01	0.79	3.9	1.3	0.7	22.1	0.01	0.08	1.2
CC142958		0.97	29.8	840	43.8	11.3	<0.001	0.04	0.69	4.1	1.1	0.7	21.7	0.01	0.06	0.7
CC142959		0.92	48.5	410	55.9	11.0	<0.001	<0.01	0.92	5.4	1.3	0.7	17.7	0.01	0.06	1.9
CC142960		0.57	47.5	2160	40.5	9.4	0.001	0.04	1.00	3.1	2.2	0.6	43.7	0.01	0.17	0.8
CC142961		0.62	59.9	1010	26.6	10.5	0.001	0.03	0.87	4.3	1.8	0.4	34.7	0.01	0.11	1.5
CC142962		0.25	47.2	1260	13.6	9.1	0.005	0.11	1.47	4.6	5.5	0.4	127.0	<0.01	0.09	1.6
CC142963		0.22	92.3	910	13.5	7.6	0.005	0.08	1.68	6.5	8.1	0.5	119.5	0.01	0.08	2.6
CC142964		0.61	21.2	340	13.7	10.3	<0.001	0.06	1.40	1.9	1.8	0.6	31.7	<0.01	0.06	1.9
CC142965		0.53	15.9	550	12.1	12.9	<0.001	0.13	1.87	1.8	2.3	0.8	70.3	<0.01	0.09	0.6
CC142967		0.25	28.9	920	17.7	13.5	0.001	0.10	2.07	3.1	3.6	0.4	89.8	<0.01	0.10	1.4
ZZ14588		0.33	29.7	410	14.9	12.8	<0.001	<0.01	0.47	3.2	0.9	0.4	10.8	<0.01	0.06	2.0
ZZ14589		0.22	13.4	340	12.7	14.0	<0.001	0.02	0.29	2.6	0.5	0.6	9.1	<0.01	0.04	1.2
ZZ14590		0.09	26.9	820	24.5	13.4	<0.001	0.14	0.49	4.6	0.7	0.4	65.4	<0.01	0.08	3.0
ZZ14591		0.15	12.5	640	18.6	14.4	<0.001	0.10	0.28	2.9	0.4	0.6	16.0	<0.01	0.05	1.5
ZZ14592		0.20	30.9	1040	25.6	19.4	0.002	0.04	0.39	6.1	1.1	0.6	25.3	<0.01	0.05	2.0
ZZ14593		0.20	45.6	790	20.6	12.0	0.001	<0.01	0.44	6.5	1.1	0.4	25.0	<0.01	0.06	3.6
ZZ14594		0.30	42.2	830	18.8	11.8	0.001	0.02	0.40	5.2	1.3	0.5	38.3	<0.01	0.06	2.5
ZZ14595		0.24	44.5	730	18.6	10.3	0.003	0.04	0.27	6.3	1.3	0.4	38.6	<0.01	0.05	3.3
ZZ14596		0.19	34.7	440	15.8	8.4	0.002	0.02	0.26	5.6	1.5	0.4	32.8	<0.01	0.05	2.8
ZZ14597		0.27	40.4	750	18.7	11.4	0.001	0.02	0.33	6.2	1.3	0.4	34.9	<0.01	0.06	3.3
ZZ14598		0.41	38.3	630	21.0	17.7	0.001	0.02	0.39	5.6	1.0	0.5	20.4	<0.01	0.05	2.3
ZZ14599		0.19	50.0	490	23.9	12.3	0.001	0.01	0.40	5.9	1.1	0.5	23.3	<0.01	0.05	3.3
ZZ14600		0.25	51.7	460	32.9	13.9	0.002	0.01	0.54	6.5	1.4	0.5	21.5	<0.01	0.05	3.0

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 5- AUG- 2011
Account: RCM

Project: Pyramid Infill 2

CERTIFICATE OF ANALYSIS WH11141071

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
CC145446		0.005	0.16	2.95	62	0.06	11.75	158	1.7
CC145447		<0.005	0.14	1.81	35	0.06	8.79	150	1.7
CC145448		<0.005	0.12	1.04	33	0.05	9.34	153	1.6
CC145449		<0.005	0.30	3.16	159	0.08	15.90	336	2.0
CC145450		0.006	0.26	0.62	66	0.08	4.47	185	1.6
CC145451		<0.005	0.15	0.92	44	0.06	10.35	170	0.8
CC145452		<0.005	0.21	2.73	79	0.08	12.35	271	2.1
CC145453		<0.005	0.21	2.53	56	0.06	14.00	246	2.4
CC142948		<0.005	0.14	0.39	32	<0.05	4.99	125	1.8
CC142949		<0.005	0.13	0.59	30	<0.05	9.05	123	1.3
CC142950		<0.005	0.28	1.14	43	<0.05	10.95	87	1.3
CC142951		0.006	0.16	1.02	39	0.05	12.95	126	1.1
CC142952		<0.005	0.05	0.79	45	<0.05	16.50	163	1.5
CC142953		0.006	0.24	1.25	42	0.10	12.25	158	1.9
CC142954		<0.005	0.14	0.70	44	0.05	8.12	119	1.0
CC142955		0.008	0.32	0.88	45	0.16	14.95	203	1.9
CC142956		0.010	0.37	1.96	48	0.26	23.6	188	1.4
CC142957		0.009	0.40	3.34	57	0.22	32.0	200	1.5
CC142958		0.019	0.26	2.29	60	0.27	29.8	233	0.7
CC142959		0.011	0.59	1.81	75	0.29	32.8	315	0.9
CC142960		0.014	0.38	3.09	57	0.25	54.7	369	0.8
CC142961		0.011	0.36	1.58	46	0.45	26.3	250	1.6
CC142962		0.006	0.19	3.76	73	0.10	13.15	182	1.2
CC142963		<0.005	0.16	3.80	67	0.08	24.9	294	1.6
CC142964		0.013	0.21	0.68	87	0.12	2.41	98	0.5
CC142965		0.017	0.21	0.78	91	0.18	2.68	84	<0.5
CC142967		0.005	0.26	1.41	47	0.06	8.11	165	0.6
ZZ14588		0.006	0.09	0.41	39	0.05	4.05	113	1.2
ZZ14589		<0.005	0.13	0.21	41	0.05	2.33	54	<0.5
ZZ14590		<0.005	0.15	0.43	31	<0.05	3.08	89	1.9
ZZ14591		<0.005	0.13	0.28	34	<0.05	2.77	42	<0.5
ZZ14592		<0.005	0.23	0.78	48	0.05	8.55	103	1.2
ZZ14593		<0.005	0.11	0.64	36	0.05	11.35	143	1.4
ZZ14594		<0.005	0.09	0.86	44	0.07	10.35	136	1.6
ZZ14595		<0.005	0.09	0.56	38	0.05	10.95	135	2.1
ZZ14596		<0.005	0.07	0.76	36	<0.05	10.40	99	2.6
ZZ14597		<0.005	0.10	0.89	39	0.06	10.90	137	2.5
ZZ14598		0.005	0.17	0.87	40	0.14	10.40	158	1.7
ZZ14599		0.006	0.14	0.59	34	<0.05	7.85	156	2.0
ZZ14600		<0.005	0.23	0.82	34	0.07	13.00	180	2.3

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 5- AUG- 2011
Account: RCM

Project: Pyramid Infill 2

CERTIFICATE OF ANALYSIS WH11141071

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- TL43 Au ppm 0.001	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1
CC145350		0.38	0.002	0.99	1.19	116.5	<0.2	<10	440	0.98	0.22	1.38	0.79	10.85	13.8	28
CC145351		0.50	0.001	0.80	1.14	237	<0.2	<10	540	0.94	0.20	1.55	2.10	11.15	10.7	26
CC145352		0.40	0.001	0.52	1.60	146.0	<0.2	<10	590	1.07	0.22	1.41	0.99	8.95	12.8	29
CC145353		0.32	0.002	0.62	1.27	160.5	<0.2	<10	790	0.86	0.18	2.01	1.16	9.87	11.6	25
CC145354		0.42	0.001	0.54	1.22	152.5	<0.2	<10	710	0.78	0.18	1.75	1.01	10.90	9.8	24
CC145355		0.40	0.002	0.86	1.61	216	<0.2	<10	480	1.00	0.21	0.76	1.58	14.90	15.4	30
CC145356		0.42	0.002	0.63	1.56	143.5	<0.2	<10	680	0.93	0.21	1.03	1.37	13.10	13.6	29
CC145358		0.52	0.002	0.80	1.88	55.8	<0.2	<10	480	1.17	0.35	2.02	1.93	20.8	21.6	35
CC145359		0.46	0.002	0.34	1.68	95.4	<0.2	<10	700	0.91	0.23	0.98	0.99	14.25	16.6	29
CC145360		0.34	0.002	0.44	1.38	85.4	<0.2	<10	720	0.87	0.22	0.52	0.81	16.20	14.1	27
CC145361		0.24	0.004	0.59	1.17	74.6	<0.2	<10	930	0.71	0.20	0.95	0.54	11.15	8.5	23
CC145362		0.38	0.003	0.91	1.51	107.5	<0.2	<10	940	1.00	0.24	0.67	0.83	13.50	13.5	29
CC145363		0.34	0.003	0.68	1.34	101.0	<0.2	<10	740	0.95	0.23	1.46	1.43	11.85	12.8	26
CC145364		0.34	0.002	0.67	1.31	37.6	<0.2	<10	610	0.81	0.24	0.85	1.91	14.25	7.9	25
CC145365		0.52	0.002	0.24	1.73	31.7	<0.2	<10	320	0.92	0.29	0.62	0.59	10.45	14.2	28
CC145366		0.36	0.001	0.24	1.66	42.5	<0.2	<10	450	0.86	0.25	0.41	0.70	14.45	13.4	28
CC145367		0.40	0.002	0.55	1.56	63.1	<0.2	<10	480	0.97	0.24	1.08	0.92	13.10	11.9	25
CC145368		0.38	0.002	0.33	1.33	28.6	<0.2	<10	380	0.81	0.20	1.31	0.98	10.35	8.8	21
CC145369		0.40	0.003	0.57	1.08	81.5	<0.2	<10	500	0.81	0.19	1.36	1.13	10.05	10.0	20
CC145370		0.66	0.002	0.26	1.34	33.7	<0.2	<10	420	1.04	0.35	0.47	0.69	14.00	20.8	24
CC145371		0.46	0.001	0.05	1.55	22.0	<0.2	<10	170	0.56	0.30	0.28	0.30	5.40	11.3	25
CC145372		0.40	0.002	0.22	1.46	39.5	<0.2	<10	200	1.05	0.36	0.11	0.40	10.55	15.9	23
CC145373		0.50	0.001	0.23	1.43	43.3	<0.2	<10	270	1.12	0.39	0.28	0.43	14.15	15.9	25
CC145374		0.42	0.002	0.46	0.99	43.0	<0.2	<10	460	0.60	0.19	1.02	0.67	9.53	8.8	22
CC145375		0.44	0.002	0.53	1.19	41.7	<0.2	<10	580	0.79	0.23	0.82	0.93	11.80	11.8	24
CC145376		0.32	0.002	0.61	1.14	32.5	<0.2	<10	520	0.75	0.20	1.11	0.54	8.82	9.8	23
CC145377		0.38	0.001	0.43	1.27	21.6	<0.2	<10	480	0.62	0.21	0.56	0.55	10.10	9.9	27
CC145378		0.42	0.002	0.48	1.30	32.7	<0.2	<10	560	0.75	0.23	0.49	0.78	11.75	13.3	26
CC145379		0.46	0.001	0.19	1.46	42.2	<0.2	<10	310	0.77	0.20	4.58	2.25	16.75	8.0	18
CC145380		0.42	0.001	0.08	2.22	22.4	<0.2	<10	260	0.97	0.30	0.17	0.32	35.4	17.0	31
CC145381		0.38	0.002	0.20	1.76	22.9	<0.2	<10	220	0.98	0.25	3.56	0.38	28.4	12.7	22
CC145382		0.38	0.001	0.50	1.05	50.4	<0.2	<10	350	0.42	0.13	6.73	0.50	16.55	6.7	14
CC145383		0.38	0.001	0.04	1.73	11.0	<0.2	<10	140	0.52	0.25	0.09	0.21	28.3	9.0	24
CC145384		0.42	0.002	0.12	1.94	15.3	<0.2	<10	250	1.04	0.30	0.28	0.18	37.4	21.3	27
CC145385		0.44	0.001	0.04	1.97	13.4	<0.2	<10	130	0.98	0.27	0.10	0.12	40.4	18.8	27
CC145386		0.40	0.002	0.20	1.84	13.3	<0.2	<10	280	1.06	0.26	0.78	0.23	31.0	12.7	30
CC145387		0.46	0.003	0.17	1.57	12.2	<0.2	<10	200	0.93	0.26	0.65	0.24	30.6	14.3	26
CC145388		0.34	0.002	0.13	1.19	11.3	<0.2	<10	130	0.86	0.28	4.63	0.17	30.6	12.0	19
CC145389		0.44	0.003	0.15	1.16	9.6	<0.2	<10	130	0.69	0.23	1.67	0.19	25.5	10.9	20
CC145390		0.32	0.001	0.17	0.92	8.8	<0.2	<10	160	0.69	0.26	2.20	0.20	20.3	9.5	12

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 5- AUG- 2011
Account: RCM

Project: Pyramid Infill 2

CERTIFICATE OF ANALYSIS WH11141071

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
CC145350		10.90	44.9	3.16	3.65	0.11	0.10	1.99	0.044	0.12	6.6	16.1	0.35	325	1.86	<0.01
CC145351		2.21	25.5	2.93	3.57	0.11	0.07	2.28	0.036	0.07	9.0	14.7	0.34	412	1.49	0.01
CC145352		1.29	30.0	3.49	4.78	0.10	0.08	1.04	0.042	0.07	5.7	25.8	0.48	353	1.14	<0.01
CC145353		1.73	30.4	2.68	3.87	0.10	0.08	0.97	0.035	0.07	6.6	17.1	0.35	403	1.61	0.01
CC145354		1.59	24.4	2.51	3.76	0.10	0.07	1.07	0.033	0.06	6.9	16.2	0.34	403	1.25	0.01
CC145355		1.12	27.3	3.77	5.14	0.11	0.07	1.64	0.042	0.08	8.3	27.3	0.55	730	1.98	0.01
CC145356		1.07	31.7	3.38	4.86	0.11	0.07	1.01	0.042	0.07	7.2	26.4	0.51	326	1.62	<0.01
CC145358		3.64	86.5	4.41	6.21	0.14	0.16	0.50	0.057	0.16	10.5	35.6	1.10	566	5.44	0.01
CC145359		1.13	34.0	3.93	5.22	0.11	0.09	0.42	0.045	0.07	7.3	28.2	0.51	1680	4.96	0.01
CC145360		1.24	34.2	3.15	4.67	0.11	0.07	0.86	0.037	0.07	8.3	22.2	0.44	1000	3.36	<0.01
CC145361		1.76	25.8	2.74	3.85	0.10	0.08	0.74	0.036	0.08	5.4	13.5	0.27	445	4.19	0.01
CC145362		2.50	32.3	3.16	4.70	0.11	0.09	0.92	0.043	0.08	7.8	19.1	0.31	502	3.33	<0.01
CC145363		1.73	36.7	3.36	4.23	0.11	0.08	0.67	0.041	0.07	6.5	19.6	0.33	785	4.98	<0.01
CC145364		1.62	33.7	2.11	3.83	<0.05	0.07	1.26	0.035	0.09	7.0	22.2	0.35	183	3.04	0.01
CC145365		1.95	40.9	4.49	4.97	<0.05	0.05	0.14	0.042	0.09	4.6	38.5	0.61	556	2.84	0.01
CC145366		1.48	33.3	3.76	5.00	<0.05	0.05	0.28	0.039	0.08	6.7	32.4	0.48	431	3.63	<0.01
CC145367		1.59	36.9	3.57	4.37	<0.05	0.07	0.40	0.039	0.09	6.2	27.3	0.37	350	3.32	0.01
CC145368		1.11	33.2	2.51	3.93	<0.05	0.06	0.30	0.032	0.08	4.7	27.1	0.39	136	1.53	<0.01
CC145369		1.24	28.0	2.64	3.25	<0.05	0.05	0.82	0.029	0.07	5.2	18.6	0.30	501	2.49	<0.01
CC145370		1.65	51.8	4.34	4.23	<0.05	0.05	0.18	0.046	0.09	5.6	26.3	0.52	964	2.31	<0.01
CC145371		1.84	28.9	4.47	6.05	<0.05	0.02	0.03	0.041	0.07	2.7	32.1	0.42	370	1.72	<0.01
CC145372		2.27	41.4	4.49	5.28	<0.05	0.03	0.17	0.039	0.09	3.7	23.7	0.38	978	1.37	<0.01
CC145373		1.94	50.5	4.42	4.53	0.05	0.04	0.22	0.047	0.09	7.0	31.4	0.51	550	1.18	<0.01
CC145374		1.34	36.8	3.20	2.88	<0.05	0.06	0.38	0.025	0.08	4.8	21.0	0.40	187	2.81	<0.01
CC145375		1.40	35.2	3.02	3.66	<0.05	0.05	0.49	0.040	0.07	5.5	23.8	0.36	390	2.99	0.01
CC145376		1.50	37.9	2.77	3.22	<0.05	0.05	0.35	0.037	0.07	4.6	18.3	0.32	440	1.97	0.01
CC145377		1.32	31.4	2.95	3.61	<0.05	0.05	0.32	0.034	0.08	4.8	28.5	0.42	148	1.87	<0.01
CC145378		1.39	33.0	3.13	3.89	<0.05	0.04	0.44	0.035	0.07	5.4	26.0	0.36	292	2.24	<0.01
CC145379		0.66	16.6	3.22	4.19	<0.05	0.05	0.20	0.027	0.05	9.8	13.1	2.70	891	1.23	0.01
CC145380		1.65	34.0	4.38	6.00	<0.05	0.05	0.07	0.039	0.06	14.7	28.2	0.58	768	1.40	<0.01
CC145381		0.88	30.2	4.44	4.38	<0.05	0.08	0.39	0.032	0.08	13.4	18.3	2.28	1250	0.75	0.01
CC145382		0.65	10.7	9.64	2.80	<0.05	0.05	1.11	0.014	0.03	7.6	10.6	4.44	3390	1.11	0.01
CC145383		1.16	13.6	2.97	5.98	<0.05	0.04	0.02	0.022	0.05	14.8	21.1	0.34	321	1.33	<0.01
CC145384		1.09	68.0	4.38	5.83	0.05	0.05	0.14	0.039	0.10	16.3	34.2	0.78	702	0.74	<0.01
CC145385		0.86	47.5	4.02	5.07	0.05	0.04	0.08	0.028	0.07	17.1	29.1	0.69	660	0.74	<0.01
CC145386		1.02	47.3	3.83	5.56	0.05	0.06	0.15	0.035	0.09	15.8	27.1	0.54	612	0.80	<0.01
CC145387		0.75	42.7	3.46	4.88	0.06	0.06	0.09	0.031	0.09	15.1	30.0	0.67	436	0.66	<0.01
CC145388		0.43	33.8	3.28	3.17	<0.05	0.08	0.07	0.036	0.09	13.2	18.5	0.42	369	0.50	<0.01
CC145389		0.74	34.0	2.99	3.35	<0.05	0.05	0.10	0.029	0.07	11.6	18.9	0.71	432	0.47	<0.01
CC145390		0.37	24.3	2.55	2.47	<0.05	0.06	0.12	0.031	0.08	8.2	12.0	0.25	254	0.43	<0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 5- AUG- 2011
Account: RCM

Project: Pyramid Infill 2

CERTIFICATE OF ANALYSIS WH11141071

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
CC145350		0.21	55.6	670	41.4	16.8	0.004	0.03	0.81	6.2	3.3	0.5	33.0	0.01	0.06	2.4
CC145351		0.20	39.0	540	88.2	9.4	0.001	0.04	1.22	4.9	1.6	0.4	27.8	0.01	0.06	1.1
CC145352		0.19	44.7	550	56.9	10.5	0.001	0.03	1.01	6.0	1.2	0.5	22.4	0.01	0.05	1.8
CC145353		0.28	43.0	750	58.2	10.4	<0.001	0.07	1.14	4.2	1.7	0.4	30.1	0.01	0.05	1.1
CC145354		0.29	34.6	810	64.6	11.1	0.001	0.06	0.99	3.5	1.6	0.4	28.5	<0.01	0.05	0.8
CC145355		0.29	42.6	820	108.5	9.2	0.001	0.01	1.22	6.4	1.5	0.4	34.9	0.01	0.07	2.6
CC145356		0.27	39.5	790	85.4	10.5	0.002	0.02	1.04	5.9	2.3	0.4	29.3	<0.01	0.06	2.4
CC145358		0.20	62.0	950	45.1	15.2	0.009	0.20	1.73	8.7	4.6	0.5	84.6	<0.01	0.12	5.8
CC145359		0.37	43.4	1020	29.4	11.8	0.003	0.04	0.78	5.8	2.0	0.5	29.3	<0.01	0.06	2.7
CC145360		0.33	37.1	910	40.3	10.3	0.004	0.01	0.93	5.5	2.4	0.4	33.4	<0.01	0.07	3.3
CC145361		0.31	25.1	960	29.3	13.7	0.007	0.07	1.04	3.3	3.4	0.5	37.4	<0.01	0.09	1.2
CC145362		0.31	37.4	1080	50.2	15.8	0.007	0.05	0.94	5.6	3.4	0.5	34.2	0.01	0.08	1.9
CC145363		0.30	47.7	940	37.3	13.3	0.005	0.08	1.27	4.7	3.5	0.5	37.4	<0.01	0.07	1.7
CC145364		0.26	36.5	820	42.2	9.7	0.005	0.07	1.15	5.1	2.9	0.4	35.5	<0.01	0.05	2.5
CC145365		0.17	51.1	880	23.1	9.5	0.002	0.03	0.73	6.3	1.6	0.5	23.2	<0.01	0.05	2.9
CC145366		0.30	47.0	700	23.2	10.4	0.001	0.02	0.90	6.2	1.6	0.5	25.2	<0.01	0.04	3.0
CC145367		0.27	43.1	850	28.4	11.1	0.008	0.06	0.97	6.0	2.1	0.5	37.7	<0.01	0.05	2.3
CC145368		0.25	39.6	720	23.6	8.6	0.006	0.09	0.83	4.5	1.9	0.4	43.6	<0.01	0.04	1.6
CC145369		0.22	39.1	750	38.6	8.6	0.005	0.08	1.07	4.2	2.6	0.4	36.4	<0.01	0.06	1.4
CC145370		0.16	51.0	710	31.0	8.7	0.003	0.09	0.82	7.0	1.3	0.5	24.7	<0.01	0.05	4.3
CC145371		0.22	33.8	560	21.2	13.3	<0.001	0.01	0.53	4.3	0.5	0.6	15.8	<0.01	0.06	1.7
CC145372		0.23	33.1	570	40.5	10.8	<0.001	0.01	0.66	5.7	0.6	0.6	14.7	<0.01	0.06	3.1
CC145373		0.14	44.0	770	42.0	7.9	<0.001	<0.01	0.76	7.5	0.9	0.5	23.0	<0.01	0.07	5.4
CC145374		0.14	40.6	810	24.1	7.1	0.009	0.08	0.95	4.5	2.6	0.3	43.4	<0.01	0.05	1.7
CC145375		0.22	42.7	770	29.9	9.0	0.007	0.07	0.85	4.7	2.9	0.4	38.3	<0.01	0.06	1.9
CC145376		0.22	46.6	740	22.2	9.8	0.012	0.12	0.87	3.6	3.7	0.4	43.2	0.01	0.06	1.0
CC145377		0.15	43.1	650	21.1	8.4	0.003	0.03	0.59	5.1	1.6	0.4	28.4	<0.01	0.05	2.6
CC145378		0.19	44.4	690	27.3	9.8	0.007	0.04	0.72	5.6	2.7	0.4	28.9	<0.01	0.06	2.6
CC145379		0.46	18.9	650	50.4	7.2	<0.001	0.04	0.57	3.8	0.5	0.5	37.0	<0.01	0.04	1.3
CC145380		0.66	31.4	300	22.2	11.0	<0.001	0.01	0.64	6.5	0.3	0.6	9.0	<0.01	0.06	4.7
CC145381		0.31	27.1	560	46.6	8.8	<0.001	0.02	0.43	6.7	0.8	0.4	42.6	<0.01	0.06	4.3
CC145382		0.48	13.6	300	106.0	6.0	<0.001	0.07	1.05	3.3	0.5	0.3	39.4	0.01	0.02	1.5
CC145383		1.13	16.7	230	15.1	11.0	<0.001	<0.01	0.59	3.0	0.3	0.6	8.5	<0.01	0.03	4.2
CC145384		0.18	37.9	590	25.1	8.5	<0.001	0.01	0.51	8.6	0.8	0.4	26.9	<0.01	0.06	5.2
CC145385		0.27	33.0	340	21.2	7.9	<0.001	<0.01	0.43	5.9	0.6	0.3	10.5	<0.01	0.06	5.1
CC145386		0.39	27.6	530	17.8	9.1	<0.001	0.01	0.41	7.6	0.6	0.5	44.8	<0.01	0.06	3.4
CC145387		0.50	31.4	660	17.3	7.4	<0.001	0.01	0.49	6.8	0.5	0.4	37.2	<0.01	0.07	4.0
CC145388		0.20	27.8	300	21.9	5.7	<0.001	0.02	0.34	5.9	0.9	0.4	283	<0.01	0.06	5.1
CC145389		0.47	30.0	480	14.7	6.2	<0.001	0.02	0.41	6.6	0.7	0.3	65.4	<0.01	0.04	3.0
CC145390		0.32	21.7	650	19.3	6.0	<0.001	0.08	0.33	3.1	1.1	0.3	121.5	<0.01	0.02	1.0

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 5- AUG- 2011
Account: RCM

Project: Pyramid Infill 2

CERTIFICATE OF ANALYSIS WH11141071

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
CC145350		<0.005	0.53	1.76	36	0.11	16.60	241	3.1
CC145351		<0.005	0.57	1.16	38	0.21	25.7	315	1.2
CC145352		<0.005	0.39	1.08	33	0.11	16.30	247	1.8
CC145353		<0.005	0.85	2.09	33	0.20	18.05	297	1.8
CC145354		<0.005	0.62	2.34	33	0.15	17.10	237	1.4
CC145355		0.005	0.49	1.17	42	0.16	15.15	333	1.7
CC145356		<0.005	0.39	1.80	43	0.11	13.40	252	2.0
CC145358		0.006	0.57	2.32	77	0.07	13.30	295	7.6
CC145359		<0.005	0.20	1.65	42	0.10	11.90	189	2.2
CC145360		0.005	0.25	2.74	53	0.13	12.05	175	2.0
CC145361		0.005	0.34	1.83	59	0.09	7.97	149	1.9
CC145362		<0.005	0.50	2.88	64	0.15	16.40	203	2.1
CC145363		<0.005	0.37	2.74	74	0.10	14.05	209	2.1
CC145364		<0.005	0.42	7.14	76	0.08	14.30	210	2.2
CC145365		<0.005	0.17	2.74	39	<0.05	11.55	190	1.6
CC145366		0.005	0.21	3.42	55	0.09	11.30	164	1.5
CC145367		<0.005	0.29	3.08	59	0.06	14.80	190	1.9
CC145368		<0.005	0.22	4.65	40	<0.05	10.35	178	1.7
CC145369		<0.005	0.30	3.69	49	0.06	12.60	218	1.6
CC145370		0.005	0.20	0.97	38	<0.05	11.65	180	2.1
CC145371		<0.005	0.15	1.71	39	<0.05	3.51	143	0.7
CC145372		<0.005	0.26	0.57	29	<0.05	5.93	153	1.0
CC145373		0.009	0.20	0.67	29	0.06	12.00	168	2.3
CC145374		<0.005	0.14	2.54	36	<0.05	12.00	168	2.0
CC145375		<0.005	0.21	4.26	42	0.06	12.35	188	1.6
CC145376		<0.005	0.18	5.39	35	0.05	11.90	165	1.7
CC145377		<0.005	0.18	1.63	41	<0.05	10.80	192	1.9
CC145378		<0.005	0.19	2.12	44	<0.05	11.40	189	1.6
CC145379		0.008	0.17	0.86	43	0.09	11.35	415	1.4
CC145380		0.015	0.18	0.99	54	0.18	6.72	112	1.7
CC145381		0.006	0.33	1.50	34	0.08	13.95	344	2.4
CC145382		0.012	0.66	1.36	28	0.14	13.30	167	1.2
CC145383		0.025	0.13	0.63	55	0.26	3.47	70	1.7
CC145384		0.007	0.11	0.81	44	<0.05	13.55	87	2.2
CC145385		0.008	0.10	0.78	41	0.05	8.21	70	1.5
CC145386		0.009	0.09	1.27	48	0.08	14.00	81	1.5
CC145387		0.014	0.09	0.70	38	0.10	12.55	85	2.0
CC145388		0.005	0.10	1.44	25	<0.05	11.00	75	2.6
CC145389		0.013	0.07	0.89	29	0.10	13.30	79	1.6
CC145390		0.005	0.10	1.61	18	0.05	10.20	98	1.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 5- AUG- 2011
Account: RCM

Project: Pyramid Infill 2

CERTIFICATE OF ANALYSIS WH11141071

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- TL43 Au ppm 0.001	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1
ZZ14640		0.36	0.002	0.81	0.55	5.0	<0.2	<10	180	0.27	0.18	0.05	0.29	5.23	5.1	10
ZZ14641		0.42	0.002	0.36	0.40	17.6	<0.2	<10	660	0.30	0.25	0.13	0.52	7.35	7.4	13
ZZ14642		0.32	0.001	0.09	1.35	28.9	<0.2	<10	390	0.51	0.27	0.23	1.84	22.6	15.4	34
ZZ14643		0.24	0.001	0.63	0.71	10.4	<0.2	<10	450	0.60	0.11	3.01	6.08	16.05	14.9	17
ZZ14644		0.32	0.004	1.00	0.84	10.6	<0.2	<10	610	0.79	0.17	1.53	5.70	19.35	13.3	18
ZZ14645		0.36	0.004	0.76	0.97	13.4	<0.2	<10	620	0.84	0.21	1.09	4.82	18.85	15.8	19
ZZ14646		0.28	0.003	0.67	0.96	10.7	<0.2	<10	550	0.91	0.21	1.34	4.71	18.80	15.2	17
ZZ14647		0.44	0.002	0.13	1.39	11.2	<0.2	<10	400	1.06	0.36	0.60	0.27	13.50	13.1	24
ZZ14648		0.38	0.001	0.12	1.02	9.4	<0.2	<10	150	1.03	0.34	0.35	0.19	18.65	11.2	21
ZZ14649		0.38	0.002	0.14	1.31	12.0	<0.2	<10	170	1.09	0.34	0.63	0.50	16.35	17.0	23
ZZ14650		0.40	0.001	0.07	1.31	11.8	<0.2	<10	180	0.95	0.36	0.53	0.33	14.70	12.2	24
ZZ14651		0.18	0.002	0.07	1.32	6.7	<0.2	<10	600	0.88	0.28	1.34	0.90	14.25	10.2	21
ZZ14652		0.32	0.002	0.10	1.33	15.1	<0.2	<10	250	0.81	0.30	0.71	0.21	12.55	10.6	21
ZZ14653		0.46	0.002	0.16	1.49	13.6	<0.2	<10	300	1.17	0.37	0.60	0.48	17.40	13.3	25
ZZ14654		0.30	0.003	0.39	1.15	19.6	<0.2	<10	340	0.59	0.19	0.55	0.85	9.83	7.2	26
ZZ14655		0.54	0.001	0.57	1.05	19.2	<0.2	<10	490	0.70	0.22	0.35	0.71	11.20	13.5	27
ZZ14656		0.32	<0.001	0.03	1.86	19.4	<0.2	<10	310	0.86	0.27	0.30	0.33	6.57	16.2	32
ZZ14657		0.44	0.002	0.11	0.81	33.6	<0.2	<10	460	0.47	0.13	7.75	1.11	15.75	7.7	13
ZZ14658		0.28	0.001	0.25	0.73	35.9	<0.2	<10	220	0.69	0.13	9.75	0.97	16.35	7.2	11
ZZ14659		0.48	0.002	0.16	1.43	14.2	<0.2	<10	240	0.87	0.28	0.78	0.29	22.0	11.2	23
ZZ14660		0.50	0.002	0.11	1.64	15.8	<0.2	<10	270	1.04	0.32	0.52	0.17	29.2	16.8	26
ZZ14661		0.32	0.001	0.06	1.56	9.4	<0.2	<10	220	0.61	0.26	0.38	0.13	28.3	10.1	26
ZZ14662		0.32	0.001	0.05	1.92	9.8	<0.2	<10	180	1.17	0.26	0.18	0.22	42.9	10.9	26
ZZ14663		0.36	0.002	0.09	1.27	11.3	<0.2	<10	140	0.92	0.30	2.84	0.20	22.9	14.9	21
ZZ14664		0.42	0.001	0.03	1.46	11.9	<0.2	<10	120	0.62	0.28	1.41	0.18	27.8	11.2	21
ZZ14665		0.46	0.003	0.09	1.80	15.0	<0.2	<10	230	1.30	0.34	0.77	0.15	39.1	18.5	28
ZZ14666		0.28	0.002	0.11	0.97	8.5	<0.2	<10	160	0.64	0.27	1.13	0.32	25.5	10.4	18
ZZ14667		0.38	0.004	0.08	2.14	19.4	<0.2	<10	190	1.11	0.32	0.13	0.24	31.3	23.6	33
ZZ14668		0.32	0.005	0.05	2.37	16.9	<0.2	<10	140	1.10	0.29	0.06	0.25	27.8	20.9	33
ZZ14669		0.40	0.003	0.04	0.84	8.8	<0.2	<10	180	0.73	0.35	0.12	0.12	20.9	13.0	14
ZZ14670		0.30	0.002	0.19	1.29	10.6	<0.2	<10	330	1.15	0.30	1.25	0.76	23.7	16.0	19
ZZ14671		0.46	0.003	0.19	0.80	37.2	<0.2	<10	220	0.57	0.18	8.13	1.52	16.00	10.1	12
ZZ14672		0.38	0.002	0.11	2.85	88.9	<0.2	<10	750	1.62	0.32	0.30	0.91	30.8	19.1	38
ZZ14673		0.38	0.001	0.18	1.01	76.6	<0.2	<10	180	0.69	0.14	9.21	6.01	19.30	7.5	14
ZZ14674		0.38	0.002	0.17	1.55	31.4	<0.2	<10	470	0.95	0.30	0.39	0.98	33.7	14.1	24
ZZ14675		0.46	0.002	0.15	1.60	14.1	<0.2	<10	450	0.93	0.26	0.61	0.26	24.1	13.3	27
ZZ18980		0.32	0.001	1.35	0.55	28.4	<0.2	<10	450	1.16	0.18	1.24	18.00	27.2	7.0	38
ZZ18981		0.22	0.001	0.37	0.90	12.7	<0.2	<10	250	0.90	0.24	0.97	5.10	17.90	9.7	19
ZZ18982		0.22	0.002	1.33	0.85	10.2	<0.2	<10	710	0.78	0.19	0.98	7.16	18.20	18.4	21
ZZ18983		0.36	0.001	0.08	1.61	20.2	<0.2	<10	300	0.73	0.32	0.10	0.14	7.55	12.6	30

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 5- AUG- 2011
Account: RCM

Project: Pyramid Infill 2

CERTIFICATE OF ANALYSIS WH11141071

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
ZZ14640		1.28	33.9	1.51	2.44	<0.05	<0.02	0.13	0.018	0.11	2.3	1.6	0.05	111	2.58	<0.01
ZZ14641		0.60	48.4	2.91	2.20	<0.05	<0.02	0.08	0.034	0.13	3.3	2.9	0.22	146	8.52	0.01
ZZ14642		0.80	36.0	4.39	5.63	<0.05	0.02	0.05	0.033	0.08	7.8	14.4	0.25	521	18.10	<0.01
ZZ14643		0.39	36.8	1.49	1.66	0.05	0.05	0.19	0.020	0.04	8.6	9.3	0.35	716	2.06	0.01
ZZ14644		0.58	92.3	1.56	2.02	0.06	0.05	0.32	0.027	0.07	10.1	14.1	0.42	472	4.13	0.01
ZZ14645		0.57	74.8	2.48	2.50	0.05	0.04	0.25	0.032	0.09	8.6	13.8	0.25	703	6.96	<0.01
ZZ14646		0.74	77.2	2.33	2.71	<0.05	0.04	0.23	0.031	0.09	8.2	12.4	0.19	770	4.40	<0.01
ZZ14647		1.69	50.2	3.20	4.42	<0.05	0.06	0.16	0.033	0.10	6.5	25.2	0.40	759	1.45	<0.01
ZZ14648		1.01	37.3	3.50	3.48	<0.05	0.05	0.06	0.040	0.08	8.5	16.0	0.29	225	0.89	<0.01
ZZ14649		0.90	35.7	4.01	4.62	0.11	0.09	0.08	0.044	0.09	7.2	22.6	0.38	648	1.83	0.01
ZZ14650		1.35	43.0	3.93	4.88	0.12	0.09	0.06	0.044	0.10	7.6	22.4	0.43	514	1.14	0.01
ZZ14651		1.11	41.3	2.94	4.51	0.10	0.10	0.16	0.034	0.09	7.3	20.5	0.42	722	0.40	0.02
ZZ14652		0.83	26.5	3.18	5.63	0.10	0.06	0.15	0.032	0.09	7.7	26.1	0.35	528	1.02	0.01
ZZ14653		0.90	38.8	4.78	5.51	0.12	0.09	0.12	0.043	0.11	8.9	31.6	0.40	1010	1.64	0.01
ZZ14654		1.25	29.1	2.79	2.97	0.09	0.05	0.62	0.030	0.07	4.9	20.9	0.35	271	0.76	0.01
ZZ14655		2.08	36.3	2.31	3.14	0.11	0.07	0.30	0.037	0.06	5.8	22.5	0.33	98	1.94	0.01
ZZ14656		1.62	25.2	4.43	5.79	0.09	0.04	0.02	0.049	0.07	2.3	45.5	0.70	603	1.18	0.01
ZZ14657		0.43	15.6	4.25	2.24	0.11	0.06	0.29	0.018	0.04	8.7	10.5	4.62	1710	0.69	0.02
ZZ14658		0.37	13.5	3.71	2.13	0.11	0.08	0.33	0.019	0.04	10.8	9.7	6.00	2030	0.84	0.02
ZZ14659		0.86	34.7	3.52	4.51	0.11	0.08	0.13	0.037	0.06	11.5	23.5	0.53	519	0.70	0.01
ZZ14660		0.98	51.9	4.11	5.07	0.13	0.10	0.13	0.041	0.10	14.0	31.8	0.63	550	0.66	0.01
ZZ14661		1.25	20.5	2.86	5.76	0.10	0.03	0.05	0.029	0.05	13.8	22.0	0.45	234	1.01	0.01
ZZ14662		1.18	28.2	3.35	6.29	0.12	0.07	0.04	0.043	0.06	18.9	30.4	0.34	275	0.87	0.01
ZZ14663		0.81	46.7	3.47	4.05	0.12	0.11	0.09	0.037	0.11	11.0	24.7	0.62	484	0.56	0.01
ZZ14664		0.81	29.0	3.48	5.49	0.10	0.06	0.03	0.033	0.06	11.3	21.9	0.38	286	0.72	0.01
ZZ14665		0.69	47.9	4.08	4.78	0.13	0.11	0.09	0.046	0.08	14.7	25.9	0.53	659	0.62	0.01
ZZ14666		0.61	24.5	2.53	3.16	0.11	0.07	0.05	0.032	0.06	11.7	18.3	0.36	289	0.51	0.01
ZZ14667		1.40	67.5	4.66	5.68	0.13	0.09	0.30	0.048	0.07	13.7	44.8	0.76	701	0.85	0.01
ZZ14668		1.62	55.9	4.29	5.35	0.12	0.16	0.08	0.049	0.07	11.8	42.8	0.59	464	0.91	0.01
ZZ14669		0.67	32.3	3.23	2.40	0.11	0.04	0.09	0.031	0.05	10.8	12.6	0.23	441	0.51	0.01
ZZ14670		1.39	40.1	3.43	3.64	0.11	0.09	0.35	0.041	0.08	10.5	16.0	0.35	813	0.60	0.01
ZZ14671		0.56	30.5	4.68	2.59	0.12	0.08	0.58	0.023	0.05	8.4	13.4	4.70	1840	0.54	0.02
ZZ14672		2.20	43.3	7.96	7.03	0.16	0.13	0.40	0.068	0.07	13.5	47.2	0.56	2000	1.58	0.01
ZZ14673		0.57	14.9	4.28	2.63	0.12	0.08	0.94	0.024	0.04	11.8	12.3	5.78	1760	0.98	0.02
ZZ14674		1.14	29.5	4.13	4.63	0.12	0.07	0.11	0.037	0.05	13.1	25.9	0.53	951	1.17	0.01
ZZ14675		0.87	23.9	3.04	5.33	0.10	0.08	0.08	0.036	0.09	10.6	25.0	0.49	361	0.91	0.01
ZZ18980		0.42	104.5	1.98	2.63	0.14	0.08	0.32	0.028	0.08	18.9	4.9	0.23	289	28.8	0.01
ZZ18981		0.89	37.4	2.29	3.02	0.11	0.08	0.12	0.031	0.10	9.2	12.4	0.36	785	11.80	0.01
ZZ18982		0.82	53.4	1.81	2.67	0.13	0.08	0.29	0.031	0.06	10.2	9.2	0.41	1390	12.30	0.02
ZZ18983		2.56	35.7	3.95	5.34	0.10	0.04	0.10	0.046	0.09	3.3	38.6	0.54	188	1.67	0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 5- AUG- 2011
Account: RCM

Project: Pyramid Infill 2

CERTIFICATE OF ANALYSIS WH11141071

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
ZZ14640		0.17	17.2	930	11.3	9.2	0.001	0.07	1.32	1.6	1.2	0.4	14.5	<0.01	0.04	0.7
ZZ14641		0.21	41.3	700	20.5	7.6	0.003	0.16	3.88	2.7	2.9	0.5	57.6	<0.01	0.10	1.6
ZZ14642		0.75	47.7	1380	21.1	13.0	0.001	0.04	3.80	3.1	4.3	0.7	20.5	<0.01	0.07	2.9
ZZ14643		0.25	42.4	1220	8.3	5.4	0.003	0.17	2.39	2.6	3.7	0.3	48.9	<0.01	0.05	0.8
ZZ14644		0.28	78.9	1040	11.1	7.7	0.014	0.14	3.03	4.2	8.2	0.3	67.6	<0.01	0.07	1.3
ZZ14645		0.30	65.5	920	14.6	8.6	0.009	0.07	2.29	4.8	5.1	0.4	46.0	<0.01	0.04	2.0
ZZ14646		0.35	59.8	770	15.1	9.2	0.008	0.07	1.72	4.7	4.0	0.4	44.4	<0.01	0.04	1.9
ZZ14647		0.66	27.5	440	17.4	12.6	0.001	0.02	0.57	6.5	1.1	0.6	24.0	<0.01	0.03	3.6
ZZ14648		0.37	22.1	380	25.5	10.6	0.002	0.02	0.36	6.6	0.9	0.5	21.1	<0.01	0.03	4.3
ZZ14649		0.42	26.6	600	23.6	14.4	0.001	0.03	0.41	6.1	1.7	0.6	44.1	<0.01	0.04	4.3
ZZ14650		0.46	27.1	480	22.6	16.9	<0.001	0.02	0.35	6.2	1.1	0.6	30.0	<0.01	0.04	4.0
ZZ14651		0.62	27.5	860	21.2	15.0	0.001	0.11	0.39	5.0	1.5	0.5	57.3	<0.01	0.03	2.4
ZZ14652		0.62	21.1	390	25.6	12.4	<0.001	0.01	0.34	4.3	0.8	0.7	35.5	<0.01	0.03	3.2
ZZ14653		0.50	30.4	670	24.9	15.4	0.002	0.04	0.43	6.6	2.6	0.7	40.0	<0.01	0.04	4.7
ZZ14654		0.23	35.6	720	19.8	9.5	0.005	0.08	0.48	4.2	2.3	0.3	32.9	<0.01	0.04	2.6
ZZ14655		0.21	54.5	580	20.2	10.5	0.008	0.05	0.72	5.1	3.2	0.4	22.9	<0.01	0.06	2.8
ZZ14656		0.17	45.8	400	19.6	12.6	<0.001	<0.01	0.27	5.3	0.5	0.5	11.4	<0.01	0.04	2.3
ZZ14657		0.22	17.4	1010	39.9	4.8	<0.001	0.02	0.50	3.0	0.9	0.2	45.9	<0.01	0.03	1.7
ZZ14658		0.20	19.5	1140	41.3	5.2	<0.001	0.02	0.68	3.8	0.9	0.2	78.6	<0.01	0.04	1.9
ZZ14659		0.48	26.4	480	23.0	10.0	<0.001	0.01	0.42	5.8	1.0	0.4	35.2	<0.01	0.05	3.4
ZZ14660		0.22	35.7	430	24.7	10.3	<0.001	<0.01	0.39	8.1	1.0	0.4	40.3	<0.01	0.06	6.1
ZZ14661		0.99	22.4	270	14.3	10.8	<0.001	<0.01	0.39	4.2	0.5	0.6	24.1	<0.01	0.04	4.2
ZZ14662		0.63	24.5	330	17.3	15.5	<0.001	<0.01	0.29	5.8	0.8	0.6	14.9	<0.01	0.05	4.8
ZZ14663		0.21	34.6	540	21.8	8.9	<0.001	0.01	0.33	7.2	1.0	0.3	111.5	<0.01	0.05	5.6
ZZ14664		0.50	23.0	230	18.7	10.8	<0.001	<0.01	0.32	4.3	0.5	0.5	76.8	<0.01	0.07	3.9
ZZ14665		0.22	43.9	230	23.4	10.5	<0.001	<0.01	0.35	8.9	0.9	0.4	52.9	0.01	0.07	6.9
ZZ14666		0.55	22.6	560	20.2	7.4	<0.001	0.02	0.32	4.5	1.1	0.3	48.6	<0.01	0.04	5.0
ZZ14667		0.23	46.8	340	22.2	11.3	<0.001	<0.01	0.47	7.2	0.8	0.3	13.6	<0.01	0.08	6.2
ZZ14668		0.55	47.6	400	19.5	12.1	<0.001	<0.01	0.50	6.2	0.8	0.4	9.8	<0.01	0.07	6.9
ZZ14669		0.17	23.1	180	81.6	6.3	<0.001	<0.01	0.27	4.5	0.6	0.3	21.5	<0.01	0.04	4.3
ZZ14670		0.29	33.7	810	40.6	9.4	<0.001	0.05	0.34	5.0	2.0	0.4	51.8	<0.01	0.05	2.2
ZZ14671		0.14	23.2	650	53.8	6.0	<0.001	0.03	0.40	4.7	0.8	0.2	81.2	<0.01	0.05	3.4
ZZ14672		0.38	52.2	410	54.5	21.3	<0.001	0.01	0.53	10.2	1.4	0.6	14.4	0.01	0.08	6.4
ZZ14673		0.24	20.2	840	125.0	8.2	<0.001	0.03	0.37	4.5	1.1	0.3	49.4	0.01	0.04	2.8
ZZ14674		0.53	31.5	530	32.5	10.1	<0.001	<0.01	0.52	4.6	0.8	0.4	18.7	<0.01	0.06	3.7
ZZ14675		0.78	33.5	650	18.3	12.9	<0.001	0.01	0.38	4.9	0.9	0.6	22.9	<0.01	0.03	4.0
ZZ18980		0.20	189.5	1290	16.0	9.6	0.009	0.06	8.95	4.2	6.0	0.5	48.5	0.01	0.11	2.6
ZZ18981		0.30	78.4	830	15.6	12.5	0.005	0.06	2.49	4.1	3.9	0.5	32.6	<0.01	0.04	2.8
ZZ18982		0.28	71.5	1020	12.1	13.6	0.010	0.10	2.13	3.9	7.0	0.4	38.5	0.01	0.06	1.8
ZZ18983		0.12	45.1	660	22.6	12.3	0.001	0.02	0.39	5.8	0.9	0.5	18.4	<0.01	0.05	3.4

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 5- AUG- 2011
Account: RCM

Project: Pyramid Infill 2

CERTIFICATE OF ANALYSIS WH11141071

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
ZZ14640		0.006	0.20	0.67	34	0.05	2.97	105	<0.5
ZZ14641		0.005	0.48	1.62	76	0.08	5.53	228	<0.5
ZZ14642		0.009	0.45	2.26	339	0.20	8.09	324	0.9
ZZ14643		<0.005	0.30	4.18	210	0.07	21.6	334	2.0
ZZ14644		<0.005	0.49	7.74	233	0.06	26.6	475	1.7
ZZ14645		<0.005	0.35	4.46	286	0.06	20.4	573	1.4
ZZ14646		<0.005	0.28	3.47	205	0.08	19.90	398	1.5
ZZ14647		0.010	0.12	1.42	36	0.17	7.75	92	1.6
ZZ14648		0.005	0.09	1.46	33	0.06	9.31	93	1.5
ZZ14649		0.005	0.10	1.73	55	0.09	10.50	169	2.5
ZZ14650		0.008	0.10	0.97	38	0.09	11.45	169	2.5
ZZ14651		0.007	0.13	3.20	27	0.09	11.20	152	2.5
ZZ14652		0.010	0.09	1.16	32	0.10	10.30	170	1.6
ZZ14653		0.005	0.11	2.19	68	0.07	11.50	209	2.3
ZZ14654		<0.005	0.16	1.36	42	0.05	10.30	202	1.6
ZZ14655		<0.005	0.16	1.37	39	<0.05	12.20	196	2.3
ZZ14656		<0.005	0.12	0.36	35	<0.05	4.74	177	1.3
ZZ14657		0.007	0.15	1.80	20	0.06	11.75	744	1.4
ZZ14658		0.005	0.19	2.18	17	0.06	15.35	477	2.0
ZZ14659		0.009	0.11	1.27	36	0.12	11.80	167	2.0
ZZ14660		0.005	0.12	0.71	37	0.05	13.00	112	3.4
ZZ14661		0.024	0.09	1.25	51	0.20	6.69	59	1.1
ZZ14662		0.008	0.10	1.48	46	0.15	13.60	66	1.6
ZZ14663		0.005	0.08	0.83	27	0.05	14.00	86	4.0
ZZ14664		0.008	0.08	0.86	45	0.09	6.47	63	2.2
ZZ14665		<0.005	0.09	1.12	36	0.05	16.00	82	3.7
ZZ14666		0.012	0.06	0.81	27	0.10	12.25	79	2.7
ZZ14667		0.005	0.09	0.80	44	0.06	8.84	87	3.7
ZZ14668		0.009	0.09	0.76	40	0.09	6.28	81	6.4
ZZ14669		0.005	0.08	0.73	20	<0.05	9.47	76	1.2
ZZ14670		<0.005	0.14	1.62	26	0.07	13.30	145	2.1
ZZ14671		<0.005	0.40	1.54	19	<0.05	12.65	760	2.5
ZZ14672		<0.005	0.50	1.87	54	0.12	19.65	598	3.9
ZZ14673		0.005	0.29	2.07	20	0.06	14.90	3470	2.2
ZZ14674		0.012	0.13	1.26	37	0.13	10.30	324	2.0
ZZ14675		0.018	0.10	1.67	39	0.16	9.23	116	2.1
ZZ18980		<0.005	0.56	7.51	820	0.25	35.2	1360	2.6
ZZ18981		<0.005	0.25	4.26	319	0.09	14.70	621	2.3
ZZ18982		<0.005	0.48	4.74	229	0.12	25.2	331	1.8
ZZ18983		<0.005	0.14	0.48	33	<0.05	6.99	104	1.2

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 5- AUG- 2011
Account: RCM

Project: Pyramid Infill 2

CERTIFICATE OF ANALYSIS WH11141071

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- TL43 Au ppm 0.001	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1
ZZ18984		0.40	0.001	0.14	1.56	21.3	<0.2	<10	230	0.86	0.29	0.30	0.50	10.00	16.1	28
ZZ18985		0.42	0.001	0.07	1.66	21.5	<0.2	<10	200	0.85	0.29	0.17	0.19	8.96	14.4	29
ZZ18986		0.44	0.001	0.06	1.56	18.3	<0.2	<10	190	0.77	0.29	0.23	0.13	8.82	14.4	28
ZZ18987		0.42	0.003	0.07	1.50	10.0	<0.2	<10	210	0.99	0.33	0.29	0.23	13.90	15.9	27
ZZ18988		0.24	0.002	0.17	1.64	15.9	<0.2	<10	300	0.97	0.35	0.51	0.41	11.85	18.7	27
ZZ18989		0.60	0.002	0.14	1.51	24.6	<0.2	<10	320	1.21	0.32	0.21	0.68	17.05	19.2	26
ZZ18990		0.30	0.001	0.17	1.84	33.4	<0.2	<10	190	0.91	0.23	0.05	0.60	6.31	13.4	29

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 5- AUG- 2011
Account: RCM

Project: Pyramid Infill 2

CERTIFICATE OF ANALYSIS WH11141071

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
ZZ18984		1.85	43.8	4.04	5.24	0.11	0.04	0.12	0.048	0.08	4.5	41.7	0.56	340	2.42	0.01
ZZ18985		2.03	36.1	4.21	5.54	0.10	0.04	0.14	0.047	0.08	3.9	42.0	0.57	332	1.59	0.01
ZZ18986		1.51	25.1	4.13	5.46	0.10	0.04	0.12	0.044	0.07	3.6	35.6	0.48	673	1.52	0.01
ZZ18987		1.20	32.5	3.72	5.55	0.11	0.06	0.06	0.040	0.10	6.6	32.6	0.46	615	1.47	0.01
ZZ18988		1.55	32.5	3.86	5.48	0.10	0.09	0.11	0.047	0.09	5.2	34.2	0.41	357	2.05	0.01
ZZ18989		1.88	56.1	4.50	4.64	0.05	0.03	0.26	0.049	0.11	7.4	28.3	0.45	1420	1.12	<0.01
ZZ18990		1.74	25.1	5.19	4.85	<0.05	0.03	0.07	0.040	0.08	2.6	36.8	0.49	1410	2.48	<0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 5- AUG- 2011
Account: RCM

Project: Pyramid Infill 2

CERTIFICATE OF ANALYSIS WH11141071

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
ZZ18984		0.12	53.1	820	21.1	11.0	0.001	<0.01	0.54	6.8	1.1	0.5	20.5	<0.01	0.05	3.8
ZZ18985		0.14	50.4	760	19.7	12.7	<0.001	0.01	0.37	5.9	0.9	0.5	15.6	<0.01	0.05	3.3
ZZ18986		0.21	35.2	640	19.6	12.7	0.001	<0.01	0.30	4.8	0.8	0.5	14.0	<0.01	0.05	3.3
ZZ18987		0.43	37.9	440	20.6	15.0	<0.001	0.01	0.31	5.9	1.0	0.7	17.0	<0.01	0.03	5.0
ZZ18988		0.30	43.0	770	23.0	16.6	0.001	0.03	0.39	6.6	1.3	0.6	22.7	<0.01	0.05	3.3
ZZ18989		0.24	37.6	490	41.9	11.7	<0.001	0.01	0.52	7.8	0.9	0.7	18.3	<0.01	0.06	4.8
ZZ18990		0.16	35.0	420	26.0	12.0	0.001	0.01	0.67	4.4	0.8	0.5	10.3	<0.01	0.05	2.1

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 5- AUG- 2011
Account: RCM

Project: Pyramid Infill 2

CERTIFICATE OF ANALYSIS WH11141071

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
ZZ18984		<0.005	0.13	0.82	37	<0.05	11.50	179	1.2
ZZ18985		<0.005	0.12	0.57	32	<0.05	9.34	139	1.0
ZZ18986		<0.005	0.10	0.52	32	<0.05	6.45	125	0.9
ZZ18987		0.007	0.10	0.90	35	0.09	9.18	134	1.5
ZZ18988		<0.005	0.15	1.04	41	0.06	10.80	156	2.2
ZZ18989		0.008	0.25	0.71	30	0.07	14.00	265	0.9
ZZ18990		<0.005	0.29	0.49	48	0.05	3.60	158	1.1

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 5- AUG- 2011
Account: RCM

Project: Pyramid Infill 2

CERTIFICATE OF ANALYSIS WH11141071

Method	CERTIFICATE COMMENTS
ME- MS41	Gold determinations by this method are semi- quantitative due to the small sample weight used (0.5g).

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 9- AUG- 2011
Account: RCM

CERTIFICATE WH11144998

Project: Rackla Regional

P.O. No.:

This report is for 9 Rock samples submitted to our lab in Whitehorse, YT, Canada on 30- JUL- 2011.

The following have access to data associated with this certificate:

ROB CARNE JULIA LANE	ANDREW CARNE JOAN MARIACHER	MATT DUMALA

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
WSH- 21	"Wash" crushers
CRU- 31	Fine crushing - 70% < 2mm
SPL- 21	Split sample - riffle splitter
CRU- QC	Crushing QC Test
PUL- 31	Pulverize split to 85% < 75 um
WSH- 22	"Wash" pulverizers

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- AA26	Ore Grade Au 50g FA AA finish	AAS
ME- MS61	48 element four acid ICP- MS	
Hg- CV41	Trace Hg - cold vapor/AAS	FIMS
ME- OG62	Ore Grade Elements - Four Acid	ICP- AES
Pb- OG62	Ore Grade Pb - Four Acid	VARIABLE
Zn- OG62	Ore Grade Zn - Four Acid	VARIABLE
Pb- VOL70	Pb by Titration	
As- OG62	Ore Grade As - Four Acid	VARIABLE
Hg- CV42	High Grade Hg - cold vapor/AA	FIMS

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 9- AUG- 2011
Account: RCM

Project: Rackla Regional

CERTIFICATE OF ANALYSIS WH11144998

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- AA26 Au ppm 0.01	ME- MS61 Ag ppm 0.01	ME- MS61 Al % 0.01	ME- MS61 As ppm 0.2	ME- MS61 Ba ppm 10	ME- MS61 Be ppm 0.05	ME- MS61 Bi ppm 0.01	ME- MS61 Ca % 0.01	ME- MS61 Cd ppm 0.02	ME- MS61 Ce ppm 0.01	ME- MS61 Co ppm 0.1	ME- MS61 Cr ppm 1	ME- MS61 Cs ppm 0.05	ME- MS61 Cu ppm 0.2
I357451		2.11	<0.01	0.36	0.03	12.7	10	<0.05	0.07	5.14	153.5	1.74	0.4	<1	<0.05	8.5
I357452		0.46	<0.01	0.03	1.96	13.6	350	0.39	0.10	0.60	0.18	21.9	5.9	24	0.49	27.4
I357453		0.84	<0.01	0.31	0.23	794	80	1.11	0.01	0.15	3.03	3.83	34.4	61	<0.05	81.7
I357454		0.63	<0.01	0.01	1.01	10	100	0.39	0.05	21.1	0.03	14.00	2.0	9	1.84	2.8
I357455		0.78	<0.01	0.29	1.86	1205	170	0.43	0.05	0.59	0.29	24.4	28.8	40	1.79	11.5
I357456		1.78	<0.01	0.03	1.20	6	130	0.33	0.05	19.65	0.03	22.5	5.0	7	0.95	21.1
I357425		0.39	<0.01	0.03	0.15	13	30	0.07	0.01	34.2	1.25	3.55	1.1	<1	0.15	3.4
I357426		0.47	<0.01	30.4	0.62	>10000	270	0.31	0.02	15.70	335	8.62	1.3	8	1.33	44.4
I357427		0.43	<0.01	6.67	0.15	>10000	30	0.09	0.01	17.90	172.0	3.53	1.0	3	0.52	20.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 9- AUG- 2011
Account: RCM

Project: Rackla Regional

CERTIFICATE OF ANALYSIS WH11144998

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	Hg- CV41	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
	Units	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOR	0.01	0.05	0.05	0.1	0.01	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2
I357451		1.58	2.07	<0.05	<0.1	6.5	<0.005	0.01	1.0	1.4	2.94	571	<0.05	<0.01	0.1	<0.2
I357452		1.90	4.22	0.06	1.2	0.10	0.018	0.18	10.5	13.3	0.17	634	0.39	<0.01	3.1	11.3
I357453		>50	3.88	1.64	0.4	2.45	0.019	0.01	8.2	<0.2	0.23	584	105.0	<0.01	1.0	263
I357454		0.50	2.73	0.06	0.3	0.02	0.009	0.44	6.6	3.6	10.40	92	0.15	0.01	1.9	3.0
I357455		29.8	4.51	0.61	2.7	20.4	0.016	0.46	13.8	13.6	0.47	407	20.5	<0.01	3.5	80.2
I357456		7.13	3.17	0.14	0.4	0.03	0.009	0.46	9.9	18.4	4.98	1940	0.18	0.01	1.9	6.1
I357425		0.15	0.40	<0.05	<0.1	0.42	<0.005	0.05	1.7	1.0	1.26	42	0.11	<0.01	0.4	7.7
I357426		2.66	3.53	0.09	0.2	>100	0.029	0.18	7.0	6.3	6.90	1400	0.99	<0.01	1.0	7.1
I357427		0.28	0.85	0.05	0.1	100	0.025	0.04	2.1	2.0	10.15	598	0.17	<0.01	0.4	4.2

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 9- AUG- 2011
Account: RCM

Project: Rackla Regional

CERTIFICATE OF ANALYSIS WH11144998

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
	LOR	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02
I357451		20	>10000	0.4	<0.002	>10.0	<0.05	0.2	25	<0.2	15.3	<0.05	<0.05	<0.2	<0.005	0.63
I357452		190	80.3	11.2	<0.002	0.02	0.23	5.4	1	0.6	31.5	0.29	<0.05	3.8	0.197	0.07
I357453		500	669	0.3	0.002	0.03	33.2	2.0	2	1.9	19.0	<0.05	0.23	<0.2	<0.005	19.90
I357454		40	16.8	20.0	<0.002	0.03	1.05	2.1	2	0.3	141.0	0.11	<0.05	1.7	0.047	0.20
I357455		420	85.5	22.4	<0.002	8.84	145.5	2.7	48	0.5	54.4	0.24	<0.05	4.2	0.090	2.37
I357456		40	12.6	20.2	<0.002	0.06	0.15	1.9	1	0.3	322	0.12	<0.05	2.4	0.050	0.11
I357425		70	25.5	2.2	<0.002	0.01	0.48	0.9	2	<0.2	67.2	<0.05	<0.05	0.2	<0.005	0.19
I357426		200	3090	8.6	<0.002	0.12	524	1.4	6	0.2	181.0	0.06	<0.05	0.8	0.026	16.35
I357427		50	860	2.1	<0.002	0.04	33.4	0.8	5	<0.2	96.4	<0.05	<0.05	0.3	0.007	4.75

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 9- AUG- 2011
Account: RCM

Project: Rackla Regional

CERTIFICATE OF ANALYSIS WH11144998

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	Pb- OG62	Zn- OG62	Pb- VOL70	As- OG62	Hg- CV42
	Analyte	U	V	W	Y	Zn	Zr	Pb	Zn	Pb	As	Hg
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	%	%	%	ppm
	LOR	0.1	1	0.1	0.1	2	0.5	0.001	0.001	0.01	0.001	1
I357451		0.1	<1	<0.1	0.9	>10000	<0.5	>20.0	15.00	41.95		
I357452		0.8	52	0.4	6.9	64	42.7					
I357453		6.3	130	0.9	26.2	508	60.8					
I357454		1.5	14	0.2	4.3	12	13.9					
I357455		26.4	31	0.6	10.8	127	130.5					
I357456		0.6	12	0.2	14.4	30	17.3					
I357425		0.6	4	0.1	3.4	123	3.2					
I357426		1.8	20	3.1	6.0	>10000	10.6		6.06		2.36	378
I357427		0.6	4	0.4	2.4	>10000	3.4		5.28		2.91	114

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 9- AUG- 2011
Account: RCM

Project: Rackla Regional

CERTIFICATE OF ANALYSIS WH11144998

Method	CERTIFICATE COMMENTS
ME- MS61	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown.
ME- MS61	REE's may not be totally soluble in this method.
Hg- CV41	Detection limits on samples requiring dilutions due to interferences or high concentration levels have been increased according to the dilution factor.
Hg- CV42	Detection limits on samples requiring dilutions due to interferences or high concentration levels have been increased according to the dilution factor.

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 11- AUG- 2011
Account: RCM

CERTIFICATE WH11145410

Project: Rackla - Pyramid

P.O. No.:

This report is for 20 Soil samples submitted to our lab in Whitehorse, YT, Canada on 29- JUL- 2011.

The following have access to data associated with this certificate:

ROB CARNE JULIA LANE	ANDREW CARNE JOAN MARIACHER	MATT DUMALA

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
SCR- 41	Screen to - 180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- TL43	Trace Level Au - 25g AR	ICP- MS
ME- MS41	51 anal. aqua regia ICPMS	

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 11- AUG- 2011
Account: RCM

Project: Rackla - Pyramid

CERTIFICATE OF ANALYSIS WH11145410

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- TL43 Au ppm 0.001	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1
ZZ19475		0.20	0.001	0.24	1.02	42.9	<0.2	<10	310	0.81	0.20	0.88	0.97	19.35	15.1	18
ZZ19476		0.16	0.002	0.29	0.94	51.5	<0.2	<10	410	0.69	0.21	1.28	0.70	25.9	11.7	16
ZZ19477		0.35	0.001	0.31	0.92	43.8	<0.2	<10	410	0.86	0.27	0.74	0.68	25.1	14.5	17
ZZ19478		0.43	0.001	1.57	1.10	55.9	<0.2	<10	630	0.90	0.27	1.74	16.55	24.1	10.2	42
ZZ19479		0.30	0.003	0.35	0.81	45.2	<0.2	<10	330	0.74	0.26	0.53	0.77	10.75	10.8	15
ZZ19480		0.45	0.002	0.23	1.65	291	<0.2	<10	270	1.04	0.26	0.47	0.58	15.30	14.7	30
ZZ19481		0.34	0.001	0.34	1.37	96.4	<0.2	<10	240	0.89	0.23	0.49	0.65	13.20	14.4	27
ZZ19482		0.39	0.001	0.40	1.26	226	<0.2	<10	200	0.95	0.25	0.30	0.67	12.05	13.3	23
ZZ19483		0.30	0.002	0.17	1.48	116.0	<0.2	<10	240	0.76	0.23	0.33	0.38	17.80	14.3	25
ZZ19484		0.41	0.001	0.11	1.85	18.5	<0.2	<10	240	1.01	0.26	0.36	0.13	11.10	13.5	32
ZZ19485		0.28	0.001	0.09	1.91	15.9	<0.2	<10	320	0.92	0.25	0.55	0.17	9.62	12.6	29
ZZ19486		0.35	0.003	0.44	1.40	19.1	<0.2	<10	380	0.64	0.21	0.39	0.29	14.05	10.6	23
ZZ19487		0.40	0.002	0.23	0.65	79.9	<0.2	<10	220	0.69	0.27	0.27	0.38	8.98	8.6	16
ZZ19488		0.29	0.002	0.28	1.05	140.0	<0.2	<10	440	0.69	0.25	0.59	0.55	13.65	12.3	22
ZZ19489		0.35	0.002	0.16	1.53	27.6	<0.2	<10	230	0.64	0.19	0.39	0.21	25.1	11.0	27
ZZ19490		0.43	0.002	0.15	1.63	46.9	<0.2	<10	260	0.83	0.25	0.58	0.18	14.40	12.1	27
ZZ19491		0.42	0.002	0.17	1.95	59.7	<0.2	<10	300	0.99	0.28	0.51	0.37	14.40	15.2	31
ZZ19492		0.33	0.002	0.52	1.97	56.3	<0.2	<10	240	1.14	0.27	1.52	0.30	24.8	9.8	32
ZZ19493		0.21	0.001	0.33	0.65	57	<0.2	<10	150	0.74	0.09	12.90	0.90	7.39	5.2	10
ZZ19494		0.38	<0.001	0.10	1.72	11.2	<0.2	<10	200	0.54	0.25	0.12	0.09	6.94	12.3	30

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 11- AUG- 2011
Account: RCM

Project: Rackla - Pyramid

CERTIFICATE OF ANALYSIS WH11145410

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
ZZ19475		0.91	25.1	3.70	3.30	0.14	0.05	0.22	0.029	0.09	8.7	12.6	0.29	644	5.28	0.01
ZZ19476		1.04	24.7	3.23	2.98	0.09	0.09	0.28	0.034	0.10	10.3	10.5	0.29	497	4.21	0.01
ZZ19477		2.03	36.1	3.79	2.99	0.05	0.05	0.30	0.038	0.12	10.6	10.0	0.28	454	6.38	0.01
ZZ19478		1.21	102.0	3.25	4.04	0.06	0.03	0.57	0.032	0.10	15.7	13.8	0.73	346	51.8	0.01
ZZ19479		1.54	54.9	3.05	2.66	<0.05	0.03	0.29	0.040	0.09	5.1	11.0	0.24	290	3.30	0.01
ZZ19480		1.08	42.6	4.04	5.09	0.12	0.07	0.34	0.043	0.09	6.8	26.5	0.57	455	1.52	0.02
ZZ19481		1.33	29.2	4.19	4.16	0.11	0.06	1.13	0.037	0.08	5.2	22.0	0.45	839	1.49	0.02
ZZ19482		1.79	29.2	4.27	3.81	0.12	0.04	3.01	0.045	0.08	4.8	22.4	0.42	523	1.55	0.02
ZZ19483		1.00	31.6	3.80	4.41	0.11	0.05	0.30	0.036	0.06	7.6	22.0	0.54	893	0.96	0.01
ZZ19484		0.98	37.7	4.13	5.25	0.12	0.04	0.11	0.037	0.09	4.8	31.3	0.62	391	1.09	0.02
ZZ19485		0.99	35.7	3.75	5.56	0.11	0.05	0.09	0.043	0.11	4.4	29.8	0.54	591	1.00	0.02
ZZ19486		12.95	35.1	3.43	4.12	0.11	0.04	0.21	0.037	0.08	6.0	19.1	0.48	491	1.67	0.02
ZZ19487		1.61	38.1	4.18	2.03	0.11	0.04	0.31	0.045	0.10	3.7	6.4	0.11	115	2.57	0.02
ZZ19488		2.85	29.0	3.48	3.21	0.11	0.05	2.15	0.032	0.08	5.9	12.2	0.24	847	0.83	0.02
ZZ19489		0.88	23.3	2.89	4.88	0.12	0.04	0.27	0.032	0.06	12.8	24.7	0.60	267	0.72	0.02
ZZ19490		1.01	34.1	3.62	4.81	0.11	0.06	0.41	0.033	0.07	6.0	26.7	0.60	431	0.88	0.03
ZZ19491		1.38	43.3	4.14	5.70	0.12	0.07	0.21	0.042	0.11	6.6	33.3	0.67	440	1.13	0.02
ZZ19492		1.08	16.1	3.35	5.40	0.12	0.07	0.72	0.036	0.07	12.8	19.7	1.03	481	0.97	0.02
ZZ19493		0.58	10.0	0.99	1.32	0.10	0.04	0.24	0.014	0.03	3.3	6.7	6.77	619	0.50	0.03
ZZ19494		1.89	23.4	4.03	4.73	0.10	0.02	0.03	0.037	0.10	3.0	24.6	0.49	560	1.11	0.02

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 11- AUG- 2011
Account: RCM

Project: Rackla - Pyramid

CERTIFICATE OF ANALYSIS WH11145410

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
ZZ19475		0.29	33.7	1010	25.8	8.8	0.001	0.06	0.75	4.8	1.6	0.4	31.2	<0.01	0.04	3.4
ZZ19476		0.34	25.5	1350	26.3	9.5	0.001	0.07	1.12	5.0	1.8	0.5	43.6	0.01	0.04	3.4
ZZ19477		0.19	47.3	1240	34.2	9.5	0.001	0.04	1.03	6.2	1.5	0.5	51.8	<0.01	0.03	6.1
ZZ19478		0.22	169.5	450	22.4	9.1	0.003	0.05	10.75	5.7	6.6	0.7	61.7	<0.01	0.11	3.0
ZZ19479		0.20	43.2	500	55.7	8.8	<0.001	0.03	2.00	4.5	1.9	0.5	27.7	<0.01	0.08	2.8
ZZ19480		0.24	48.2	780	24.2	10.9	0.001	0.04	0.68	6.9	1.1	0.4	19.7	<0.01	0.05	3.0
ZZ19481		0.23	36.2	660	80.2	9.4	<0.001	0.04	0.84	5.7	1.1	0.4	19.6	<0.01	0.04	3.0
ZZ19482		0.16	34.9	700	120.0	8.9	0.001	0.03	1.71	5.9	0.8	0.4	25.6	<0.01	0.05	3.5
ZZ19483		0.27	32.5	600	72.4	7.4	<0.001	0.03	0.54	4.8	0.9	0.4	18.7	<0.01	0.05	3.1
ZZ19484		0.18	43.5	690	16.0	9.2	<0.001	0.03	0.36	6.2	1.2	0.4	16.7	<0.01	0.04	3.0
ZZ19485		0.22	41.6	670	13.3	11.3	<0.001	0.05	0.34	5.6	0.9	0.5	24.5	<0.01	0.05	2.0
ZZ19486		0.22	29.6	730	13.5	12.8	0.001	0.04	0.61	4.5	1.4	0.4	22.3	<0.01	0.05	2.7
ZZ19487		0.15	32.6	470	128.0	11.2	<0.001	0.03	0.72	5.7	0.7	0.4	19.6	<0.01	0.05	3.4
ZZ19488		0.29	32.6	850	48.1	11.2	<0.001	0.05	0.61	4.9	0.9	0.4	24.7	<0.01	0.05	2.6
ZZ19489		0.65	30.3	590	24.8	8.3	<0.001	0.03	0.43	4.4	0.8	0.4	17.9	<0.01	0.04	3.5
ZZ19490		0.24	37.1	480	28.6	8.4	<0.001	0.05	0.48	5.0	0.7	0.4	18.1	<0.01	0.04	2.1
ZZ19491		0.25	46.0	750	21.3	10.5	<0.001	0.04	0.59	6.7	0.9	0.5	19.5	<0.01	0.05	3.3
ZZ19492		0.66	28.2	500	52.2	13.8	<0.001	0.04	0.85	5.4	0.9	0.5	25.1	<0.01	0.03	2.8
ZZ19493		0.20	16.0	710	56.1	4.8	<0.001	0.10	0.83	1.0	0.7	0.2	93.8	<0.01	0.02	0.3
ZZ19494		0.16	26.3	710	15.8	11.0	0.001	0.09	0.35	3.9	0.6	0.4	12.5	<0.01	0.03	2.0

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 11- AUG- 2011
Account: RCM

Project: Rackla - Pyramid

CERTIFICATE OF ANALYSIS WH11145410

Sample Description	Method Analyte Units LOR	ME- MS41 Ti % 0.005	ME- MS41 Tl ppm 0.02	ME- MS41 U ppm 0.05	ME- MS41 V ppm 1	ME- MS41 W ppm 0.05	ME- MS41 Y ppm 0.05	ME- MS41 Zn ppm 2	ME- MS41 Zr ppm 0.5
ZZ19475		<0.005	0.03	1.68	53	0.06	11.45	157	1.9
ZZ19476		<0.005	0.22	1.65	51	0.06	13.15	148	1.9
ZZ19477		<0.005	0.24	2.26	49	<0.05	14.45	196	2.1
ZZ19478		0.005	0.50	4.41	582	0.22	25.0	962	2.0
ZZ19479		<0.005	0.22	0.93	37	<0.05	8.49	197	1.4
ZZ19480		<0.005	0.16	0.98	37	0.06	12.50	189	1.8
ZZ19481		<0.005	0.29	0.61	35	0.05	8.96	221	1.7
ZZ19482		<0.005	1.14	0.66	33	0.07	9.09	220	1.6
ZZ19483		0.006	1.02	0.65	39	0.06	7.55	176	1.4
ZZ19484		<0.005	0.08	0.49	36	<0.05	9.60	118	1.6
ZZ19485		<0.005	0.09	0.55	36	<0.05	9.05	122	1.3
ZZ19486		<0.005	0.15	0.66	47	<0.05	8.41	126	1.2
ZZ19487		<0.005	0.13	0.60	28	<0.05	8.32	132	1.5
ZZ19488		<0.005	0.17	0.89	35	0.08	9.61	169	1.4
ZZ19489		0.017	0.09	0.77	40	0.30	8.10	102	1.4
ZZ19490		0.005	0.10	0.60	35	0.05	9.44	121	1.6
ZZ19491		0.005	0.27	0.75	39	<0.05	10.45	172	1.8
ZZ19492		0.011	0.24	1.54	49	0.27	10.50	113	1.6
ZZ19493		0.005	0.11	2.74	18	0.13	5.01	159	1.1
ZZ19494		<0.005	0.08	0.40	35	<0.05	4.18	87	0.7

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 11- AUG- 2011
Account: RCM

Project: Rackla - Pyramid

CERTIFICATE OF ANALYSIS WH11145410

Method	CERTIFICATE COMMENTS
ME- MS41	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown.
ME- MS41	Gold determinations by this method are semi- quantitative due to the small sample weight used (0.5g).

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 17- AUG- 2011
Account: RCM

CERTIFICATE WH11145411

Project: Rackla - Jackpot

P.O. No.:

This report is for 152 Soil samples submitted to our lab in Whitehorse, YT, Canada on 29- JUL- 2011.

The following have access to data associated with this certificate:

ROB CARNE JULIA LANE	ANDREW CARNE JOAN MARIACHER	MATT DUMALA

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
SCR- 41	Screen to - 180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- TL43	Trace Level Au - 25g AR	ICP- MS
ME- MS41	51 anal. aqua regia ICPMS	

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 17- AUG- 2011
Account: RCM

Project: Rackla - Jackpot

CERTIFICATE OF ANALYSIS WH11145411

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- TL43 Au ppm 0.001	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1
ZZ18775		0.43	<0.001	0.17	1.66	26.1	<0.2	<10	200	0.90	0.28	0.46	0.37	15.10	20.4	29
ZZ18776		0.35	0.002	0.98	1.53	10.7	<0.2	<10	360	0.81	0.23	0.54	0.24	12.20	9.5	32
ZZ18777		0.37	0.001	0.27	1.72	17.3	<0.2	<10	310	0.82	0.25	0.48	0.32	12.35	15.6	31
ZZ18778		0.29	0.001	0.27	1.59	18.2	<0.2	<10	300	0.88	0.25	0.77	0.34	11.20	17.5	27
ZZ18779		0.46	0.001	0.25	1.52	828	<0.2	<10	270	0.79	0.24	0.42	0.36	10.50	15.9	28
ZZ18780		0.35	0.001	0.28	1.69	519	<0.2	<10	280	0.77	0.24	0.46	0.51	11.80	17.3	31
ZZ18781		0.26	0.002	0.75	1.50	144.5	<0.2	<10	300	0.77	0.23	0.75	0.35	12.10	11.8	30
ZZ18782		0.37	0.001	0.51	1.51	241	<0.2	<10	340	0.79	0.23	0.58	0.47	10.90	17.2	31
ZZ18783		0.26	0.002	0.68	1.48	263	<0.2	<10	370	0.75	0.23	0.87	0.43	10.50	12.8	30
ZZ18784		0.33	0.001	0.25	1.36	17.2	<0.2	<10	430	0.71	0.23	0.91	0.42	18.20	12.2	24
ZZ18785		0.40	0.002	0.14	1.43	11.7	<0.2	<10	320	0.63	0.20	0.47	0.15	18.70	11.3	24
ZZ18786		0.41	0.002	0.17	1.07	12.7	<0.2	<10	260	0.88	0.25	0.65	0.46	20.4	14.7	21
ZZ18787		0.52	0.001	0.07	1.04	19.5	<0.2	<10	260	1.10	0.47	0.45	0.13	16.15	19.2	23
ZZ18788		0.41	0.001	0.03	1.69	12.0	<0.2	<10	170	0.92	0.31	0.07	0.10	26.7	9.6	27
ZZ18789		0.32	0.001	0.37	1.57	757	<0.2	<10	310	0.98	0.27	0.38	0.55	10.85	14.5	29
ZZ18790		0.44	<0.001	0.03	0.46	12.0	<0.2	<10	240	0.86	0.36	0.15	0.03	5.72	6.9	7
ZZ18791		0.47	0.001	0.62	0.27	65	<0.2	<10	520	0.24	0.07	14.90	0.95	7.91	4.9	7
ZZ18792		0.31	0.002	0.27	1.49	24.7	<0.2	<10	490	0.75	0.22	3.14	0.20	20.8	9.7	23
ZZ18793		0.43	0.001	0.06	0.91	14.7	<0.2	<10	230	0.71	0.29	0.07	0.14	21.2	11.4	14
ZZ18794		0.40	0.001	0.07	0.91	12.0	<0.2	<10	160	0.62	0.33	0.07	0.08	16.95	8.8	15
ZZ18795		0.38	0.001	0.11	0.89	21.7	<0.2	<10	410	0.92	0.32	0.17	0.14	18.40	15.1	15
ZZ18796		0.27	0.001	0.23	1.53	33.2	<0.2	<10	540	0.81	0.25	5.66	0.21	22.7	9.8	20
ZZ18797		0.37	0.002	0.29	0.67	43.8	<0.2	<10	450	0.54	0.17	8.40	0.26	20.0	7.8	14
ZZ18798		0.34	0.001	0.22	1.32	24.9	<0.2	<10	1070	0.69	0.23	4.88	0.50	21.3	9.6	21
ZZ18799		0.39	0.001	0.23	0.95	35	<0.2	<10	970	0.67	0.17	11.55	0.35	17.80	6.5	15
ZZ18800		0.39	<0.001	0.08	0.60	24.5	<0.2	<10	660	0.50	0.27	0.40	0.21	8.36	5.0	8
ZZ19451		0.34	<0.001	0.03	0.43	11.4	<0.2	<10	270	0.71	0.44	0.11	0.08	5.27	8.9	7
ZZ19452		0.40	0.002	0.29	1.53	738	<0.2	<10	320	0.90	0.29	0.58	0.63	11.05	20.7	26
ZZ19453		0.34	0.001	0.35	1.43	828	<0.2	<10	260	0.86	0.30	0.56	0.90	11.35	16.8	28
ZZ19454		0.35	0.001	0.47	1.54	418	<0.2	<10	320	0.86	0.29	0.56	0.45	12.65	13.4	30
ZZ19455		0.34	0.001	0.43	1.48	352	<0.2	<10	260	0.88	0.28	0.63	0.32	11.55	13.4	28
ZZ19456		0.29	0.002	0.48	1.65	244	<0.2	<10	290	0.87	0.29	0.84	0.46	11.40	11.2	30
ZZ19457		0.29	0.001	0.54	1.52	113.0	<0.2	<10	240	0.88	0.29	0.92	0.38	14.90	13.2	33
ZZ19458		0.41	0.001	0.12	1.42	15.3	<0.2	<10	220	0.89	0.37	0.35	0.34	22.3	16.9	27
ZZ19459		0.33	0.002	0.29	1.31	24.0	<0.2	<10	290	0.83	0.30	0.73	0.51	20.7	12.9	27
ZZ19460		0.50	0.001	0.32	1.45	25.4	<0.2	<10	320	0.74	0.28	0.74	0.31	18.10	12.7	26
ZZ19461		0.41	0.001	0.49	1.54	63.3	<0.2	<10	270	0.80	0.28	0.77	0.20	13.55	10.7	29
ZZ19462		0.38	0.001	0.40	1.55	81.1	<0.2	<10	410	0.81	0.28	0.71	0.31	15.50	15.4	30
ZZ19463		0.37	0.005	0.48	1.56	257	<0.2	<10	480	0.80	0.26	0.59	0.41	10.05	14.6	31
ZZ19464		0.34	0.002	0.58	1.58	273	<0.2	<10	300	0.76	0.26	0.69	0.58	10.90	13.7	32

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 17- AUG- 2011
Account: RCM

Project: Rackla - Jackpot

CERTIFICATE OF ANALYSIS WH11145411

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
ZZ18775		1.52	52.3	4.60	4.87	0.12	0.07	0.09	0.042	0.10	6.4	32.4	0.62	566	1.32	0.02
ZZ18776		1.89	38.0	3.28	4.24	0.11	0.08	0.24	0.038	0.08	5.9	32.6	0.54	171	1.22	0.02
ZZ18777		0.95	39.3	4.42	4.83	0.12	0.06	0.09	0.044	0.09	4.7	39.3	0.63	285	1.50	0.02
ZZ18778		0.85	38.7	4.04	4.64	0.11	0.07	0.10	0.041	0.08	4.5	33.3	0.58	311	1.74	0.02
ZZ18779		3.17	38.1	3.80	4.49	0.11	0.07	0.09	0.042	0.09	4.4	34.0	0.55	240	1.48	0.02
ZZ18780		1.13	38.0	4.42	4.67	0.11	0.06	0.13	0.042	0.09	4.6	35.7	0.63	324	1.83	0.02
ZZ18781		1.43	45.1	3.40	4.39	0.12	0.07	0.19	0.041	0.08	5.8	34.7	0.58	375	1.22	0.02
ZZ18782		1.15	38.3	3.37	4.22	0.11	0.07	0.15	0.042	0.08	4.7	35.3	0.55	306	1.31	0.02
ZZ18783		1.06	36.4	3.40	4.01	0.11	0.07	0.21	0.038	0.08	4.8	30.3	0.53	815	1.18	0.02
ZZ18784		0.63	50.2	3.52	4.03	0.11	0.05	0.11	0.037	0.06	9.1	21.4	0.50	531	0.93	0.02
ZZ18785		0.56	24.1	3.26	4.35	0.11	0.05	0.06	0.037	0.06	8.4	24.9	0.51	313	0.76	0.02
ZZ18786		0.58	42.1	4.03	3.42	0.11	0.04	0.13	0.045	0.07	8.7	15.0	0.32	608	1.44	0.02
ZZ18787		0.94	56.7	5.60	3.23	0.11	0.05	0.04	0.060	0.07	6.7	10.9	0.21	1450	1.00	0.02
ZZ18788		1.15	28.2	3.44	5.89	0.12	0.04	0.02	0.034	0.07	12.6	25.5	0.38	351	0.99	0.02
ZZ18789		1.93	37.8	4.97	4.61	0.11	0.06	0.74	0.044	0.08	4.4	33.6	0.51	188	1.81	0.02
ZZ18790		4.46	29.4	3.01	1.56	0.10	0.02	0.03	0.036	0.13	2.8	2.6	0.08	244	0.20	0.01
ZZ18791		0.54	9.4	3.71	1.20	0.11	0.03	5.95	0.023	0.03	4.5	2.7	8.74	1390	0.58	0.04
ZZ18792		0.69	25.9	3.41	3.94	0.12	0.07	0.19	0.030	0.06	11.8	17.0	1.98	584	0.91	0.02
ZZ18793		1.10	28.5	3.39	2.27	0.11	0.02	0.08	0.028	0.05	9.5	10.3	0.20	418	0.78	0.01
ZZ18794		1.13	25.7	3.34	2.72	0.11	<0.02	0.05	0.026	0.07	7.2	12.9	0.23	308	0.75	0.01
ZZ18795		1.13	38.7	4.40	2.20	0.12	0.02	0.36	0.037	0.06	8.3	10.3	0.22	874	0.68	0.02
ZZ18796		1.05	17.9	4.04	4.08	0.05	0.05	1.05	0.032	0.04	13.0	14.9	3.44	1120	1.21	0.01
ZZ18797		0.66	17.9	5.26	2.11	0.05	0.06	0.93	0.031	0.05	9.8	7.2	4.69	2390	0.46	0.01
ZZ18798		0.92	22.9	3.86	3.69	<0.05	0.04	0.43	0.029	0.05	11.6	15.8	2.75	1340	0.93	0.01
ZZ18799		0.72	12.7	2.83	2.54	<0.05	0.04	0.59	0.020	0.04	10.5	9.0	6.98	1260	1.20	0.02
ZZ18800		3.21	12.3	2.23	1.88	<0.05	0.03	0.15	0.021	0.11	4.3	5.9	0.18	306	0.46	<0.01
ZZ19451		5.40	46.2	3.09	1.63	<0.05	<0.02	0.02	0.039	0.14	2.4	1.6	0.09	551	0.60	<0.01
ZZ19452		3.30	33.4	3.89	4.50	<0.05	0.05	1.29	0.048	0.09	4.4	36.5	0.55	817	1.27	<0.01
ZZ19453		2.48	36.2	4.08	4.30	<0.05	0.06	2.46	0.050	0.09	4.5	32.6	0.50	308	1.40	<0.01
ZZ19454		2.23	41.6	3.79	4.43	<0.05	0.07	0.50	0.051	0.09	5.2	36.2	0.55	260	1.33	<0.01
ZZ19455		2.30	34.5	3.51	4.25	<0.05	0.06	0.80	0.050	0.09	5.0	35.4	0.55	199	1.25	0.01
ZZ19456		1.74	39.7	3.68	4.61	<0.05	0.07	0.83	0.045	0.10	4.9	38.8	0.60	207	1.13	0.01
ZZ19457		1.16	45.4	3.79	4.63	<0.05	0.07	0.22	0.046	0.09	6.5	37.9	0.59	244	1.43	0.01
ZZ19458		0.84	53.9	4.77	4.98	<0.05	0.04	0.06	0.058	0.07	9.5	25.6	0.55	629	1.17	<0.01
ZZ19459		1.06	52.7	4.04	4.23	<0.05	0.06	0.16	0.046	0.08	8.2	22.9	0.65	658	1.36	0.01
ZZ19460		0.84	41.1	4.03	4.38	<0.05	0.05	0.11	0.041	0.08	8.3	26.5	0.59	440	1.28	0.01
ZZ19461		1.02	38.3	3.70	4.64	<0.05	0.07	0.18	0.044	0.09	6.4	36.4	0.58	293	1.19	0.01
ZZ19462		1.26	43.8	4.08	4.56	<0.05	0.07	0.17	0.045	0.09	6.8	35.3	0.66	435	1.31	0.01
ZZ19463		1.19	37.3	4.33	4.54	<0.05	0.07	0.19	0.046	0.08	4.6	36.7	0.62	2460	2.49	<0.01
ZZ19464		1.26	39.9	3.83	4.37	0.05	0.06	0.22	0.045	0.09	4.9	38.1	0.62	671	1.49	0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 17- AUG- 2011
Account: RCM

Project: Rackla - Jackpot

CERTIFICATE OF ANALYSIS WH11145411

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
ZZ18775		0.18	57.8	780	18.4	10.1	0.001	0.04	0.48	7.2	2.3	0.4	28.3	<0.01	0.05	3.7
ZZ18776		0.24	48.5	690	14.6	11.4	0.003	0.07	0.48	6.1	2.7	0.4	28.8	<0.01	0.05	2.2
ZZ18777		0.20	46.3	700	17.6	9.7	0.003	0.06	0.36	6.0	2.6	0.4	31.2	<0.01	0.05	3.0
ZZ18778		0.20	48.5	750	18.7	9.6	0.003	0.09	0.47	5.3	3.8	0.4	42.8	<0.01	0.05	2.3
ZZ18779		0.18	48.2	760	15.5	13.4	0.002	0.08	0.42	5.6	2.1	0.4	25.9	<0.01	0.04	2.9
ZZ18780		0.17	52.3	690	17.2	9.3	0.002	0.06	0.34	5.7	2.6	0.3	26.4	<0.01	0.04	2.8
ZZ18781		0.23	47.0	720	16.6	11.0	0.004	0.08	0.41	6.1	2.8	0.4	35.5	<0.01	0.05	2.3
ZZ18782		0.20	53.7	630	17.8	9.6	0.006	0.19	0.40	5.6	3.5	0.4	26.7	<0.01	0.05	2.6
ZZ18783		0.24	45.2	670	15.7	9.7	0.006	0.14	0.35	5.4	3.9	0.3	37.8	<0.01	0.05	2.1
ZZ18784		0.27	35.3	820	14.5	7.6	<0.001	0.07	0.46	6.1	1.5	0.3	37.9	<0.01	0.05	1.8
ZZ18785		0.32	28.5	660	13.6	7.5	<0.001	0.04	0.22	5.2	0.8	0.4	23.0	<0.01	0.03	2.9
ZZ18786		0.36	40.1	920	17.1	8.0	<0.001	0.04	0.46	7.2	1.3	0.4	36.6	<0.01	0.04	3.9
ZZ18787		0.24	29.9	520	44.3	9.2	<0.001	0.03	0.37	7.7	0.6	0.6	29.0	<0.01	0.02	4.0
ZZ18788		0.71	23.4	250	17.3	12.6	0.001	0.02	0.39	4.0	0.7	0.6	10.3	<0.01	0.05	5.7
ZZ18789		0.19	52.6	800	24.4	10.9	0.003	0.05	0.55	6.0	2.7	0.4	25.2	<0.01	0.05	2.9
ZZ18790		0.17	10.2	130	6.8	10.7	<0.001	0.02	0.12	4.5	0.2	0.3	23.0	<0.01	0.04	2.6
ZZ18791		0.08	9.4	380	109.5	2.6	<0.001	0.06	0.13	2.0	0.5	0.5	106.0	<0.01	0.03	1.2
ZZ18792		0.39	24.8	690	27.3	5.8	<0.001	0.05	0.44	4.9	0.8	0.4	32.5	<0.01	0.04	2.1
ZZ18793		0.31	22.5	290	35.3	5.8	<0.001	0.03	0.34	3.3	0.9	0.3	11.0	<0.01	0.03	3.4
ZZ18794		0.34	21.9	370	26.3	6.9	<0.001	0.05	0.31	3.4	0.7	0.3	16.6	<0.01	0.03	3.1
ZZ18795		0.16	32.6	420	34.5	6.0	<0.001	0.03	0.28	6.1	0.8	0.3	23.3	<0.01	0.03	4.3
ZZ18796		0.52	21.4	630	43.5	8.3	<0.001	0.02	0.35	4.8	0.4	0.5	44.4	<0.01	0.04	2.4
ZZ18797		0.17	17.4	520	67.5	4.0	<0.001	0.02	0.16	6.2	0.5	0.4	81.5	<0.01	0.04	3.1
ZZ18798		0.50	20.8	780	34.4	7.7	<0.001	0.05	0.47	3.6	0.6	0.4	45.2	<0.01	0.04	1.3
ZZ18799		0.37	15.2	670	48.4	6.1	<0.001	0.04	0.41	3.2	0.5	0.4	94.6	<0.01	0.04	1.2
ZZ18800		0.18	8.4	200	25.3	7.4	<0.001	0.06	0.31	2.7	<0.2	0.5	22.5	<0.01	0.03	1.6
ZZ19451		0.13	11.1	160	8.5	10.1	<0.001	<0.01	0.06	4.9	<0.2	0.4	24.6	<0.01	0.06	2.3
ZZ19452		0.15	54.1	730	39.6	11.2	0.005	0.05	0.52	6.0	2.8	0.5	33.1	<0.01	0.04	2.6
ZZ19453		0.15	47.0	730	42.5	10.2	0.003	0.06	0.64	6.3	3.1	0.5	31.4	<0.01	0.05	3.0
ZZ19454		0.17	48.6	750	28.6	10.6	0.003	0.04	0.51	7.0	2.5	0.5	30.4	<0.01	0.03	2.8
ZZ19455		0.16	43.7	750	27.6	10.6	0.004	0.07	0.40	6.4	3.0	0.5	34.0	<0.01	0.04	2.9
ZZ19456		0.19	46.2	780	21.5	10.9	0.005	0.08	0.43	6.5	4.0	0.5	37.5	<0.01	0.04	2.6
ZZ19457		0.21	45.4	740	20.0	10.0	0.004	0.08	0.41	6.8	4.2	0.5	42.0	<0.01	0.04	2.6
ZZ19458		0.30	38.7	460	26.7	7.4	<0.001	0.01	0.35	8.2	0.8	0.6	24.0	<0.01	0.05	4.6
ZZ19459		0.18	43.6	810	23.8	8.4	<0.001	0.03	0.73	8.2	1.2	0.4	35.0	<0.01	0.05	3.8
ZZ19460		0.30	35.0	670	17.7	7.8	0.001	0.04	0.71	6.8	1.8	0.5	35.5	<0.01	0.05	2.8
ZZ19461		0.23	38.0	670	17.6	9.0	0.001	0.05	0.28	6.9	1.9	0.5	38.3	<0.01	0.04	2.7
ZZ19462		0.17	44.0	750	18.8	9.1	0.002	0.05	0.32	7.2	2.4	0.4	39.9	<0.01	0.05	3.2
ZZ19463		0.13	51.7	690	16.0	8.7	0.003	0.04	0.31	6.3	1.8	0.4	30.4	<0.01	0.06	2.5
ZZ19464		0.16	51.7	710	16.6	9.2	0.007	0.06	0.33	6.1	4.5	0.4	32.2	<0.01	0.05	2.4

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 17- AUG- 2011
Account: RCM

Project: Rackla - Jackpot

CERTIFICATE OF ANALYSIS WH11145411

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
ZZ18775		<0.005	0.09	0.55	37	<0.05	11.95	152	2.8
ZZ18776		<0.005	0.08	1.71	37	<0.05	15.20	134	2.4
ZZ18777		<0.005	0.05	1.06	37	<0.05	10.25	143	2.2
ZZ18778		<0.005	0.05	1.33	34	<0.05	10.30	131	2.0
ZZ18779		<0.005	1.61	1.21	32	0.09	9.94	131	2.4
ZZ18780		<0.005	0.30	1.21	37	<0.05	9.94	144	2.0
ZZ18781		<0.005	0.08	1.96	35	<0.05	14.10	130	2.3
ZZ18782		<0.005	0.10	1.60	35	<0.05	12.05	142	2.3
ZZ18783		<0.005	0.07	1.88	34	<0.05	12.45	125	2.0
ZZ18784		0.005	0.06	1.51	36	0.05	15.15	125	1.2
ZZ18785		0.006	0.04	0.93	37	<0.05	10.45	104	1.0
ZZ18786		0.006	0.08	0.91	38	0.06	13.05	171	1.5
ZZ18787		<0.005	0.11	0.89	31	0.05	9.15	154	1.2
ZZ18788		0.013	0.08	0.66	45	0.12	6.93	71	1.5
ZZ18789		<0.005	0.76	1.13	33	<0.05	11.15	179	1.8
ZZ18790		<0.005	0.06	0.34	13	<0.05	3.47	32	0.6
ZZ18791		<0.005	1.92	0.85	8	<0.05	5.86	1060	1.0
ZZ18792		0.008	0.15	0.98	37	0.17	12.15	88	1.6
ZZ18793		0.006	0.12	0.65	22	0.06	6.26	64	0.8
ZZ18794		0.009	0.09	0.56	28	0.08	6.42	76	0.5
ZZ18795		<0.005	0.39	0.64	23	<0.05	13.35	122	1.0
ZZ18796		0.008	0.27	1.45	38	0.16	12.15	82	1.4
ZZ18797		<0.005	0.69	1.36	20	0.11	13.45	108	1.6
ZZ18798		0.014	0.27	1.21	36	0.16	11.55	126	1.0
ZZ18799		0.010	0.31	1.69	25	0.14	9.82	103	1.2
ZZ18800		<0.005	0.34	0.51	14	<0.05	3.40	62	0.6
ZZ19451		<0.005	0.16	0.36	13	<0.05	2.53	54	0.5
ZZ19452		<0.005	5.23	1.65	32	<0.05	11.05	217	1.5
ZZ19453		<0.005	3.60	1.56	32	0.05	11.15	331	1.6
ZZ19454		<0.005	1.10	1.86	35	<0.05	14.10	160	2.1
ZZ19455		<0.005	0.90	1.77	34	<0.05	11.80	156	1.8
ZZ19456		<0.005	0.75	2.15	34	<0.05	13.05	155	2.0
ZZ19457		<0.005	0.17	3.01	37	<0.05	14.70	138	2.2
ZZ19458		0.007	0.12	0.70	37	0.05	9.98	156	1.4
ZZ19459		<0.005	0.31	2.90	35	<0.05	14.00	145	2.0
ZZ19460		0.005	0.14	1.68	40	0.08	13.00	132	1.4
ZZ19461		<0.005	0.12	1.87	35	<0.05	13.05	125	1.9
ZZ19462		<0.005	0.13	1.64	37	<0.05	13.50	132	2.1
ZZ19463		<0.005	0.14	2.16	35	<0.05	11.10	135	2.0
ZZ19464		<0.005	0.15	2.65	35	<0.05	11.95	143	1.9

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 17- AUG- 2011
Account: RCM

Project: Rackla - Jackpot

CERTIFICATE OF ANALYSIS WH11145411

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- TL43 Au ppm 0.001	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1
ZZ19465		0.33	0.002	0.59	1.55	421	<0.2	<10	290	0.76	0.27	0.88	0.31	10.20	11.7	31
ZZ19466		0.33	0.002	0.53	1.61	502	<0.2	<10	260	0.81	0.28	0.90	0.28	9.84	10.8	29
ZZ19467		0.28	0.002	0.49	1.73	166.5	<0.2	<10	360	0.88	0.30	0.66	0.32	11.05	15.4	30
ZZ19468		0.23	0.001	0.50	1.73	26.2	<0.2	<10	340	0.90	0.31	0.56	0.20	9.91	19.4	30
ZZ19469		0.38	0.001	0.42	1.70	13.9	<0.2	<10	300	0.86	0.32	0.50	0.20	10.30	12.8	31
ZZ19470		0.26	0.001	0.28	2.05	13.8	<0.2	<10	390	1.03	0.36	0.62	0.15	12.45	13.6	31
ZZ19471		0.35	0.001	0.50	1.70	11.5	<0.2	<10	340	0.86	0.31	0.73	0.39	10.25	14.5	32
ZZ19472		0.41	0.001	0.36	1.74	13.5	<0.2	<10	250	0.87	0.30	0.59	0.36	11.25	19.2	31
ZZ19473		0.28	0.002	0.48	1.77	15.2	<0.2	<10	340	1.02	0.33	0.74	0.16	8.81	10.9	29
ZZ19474		0.22	0.001	0.35	1.67	10.7	<0.2	<10	350	0.71	0.31	0.65	0.21	8.48	15.0	30
ZZ18851		0.29	<0.001	0.26	0.62	89	<0.2	<10	810	0.52	0.13	11.70	0.30	13.45	5.6	10
ZZ18852		0.24	0.001	0.37	1.21	130.0	<0.2	<10	1550	0.74	0.16	7.07	2.84	26.1	9.3	16
ZZ18853		0.21	<0.001	0.10	1.83	42.3	<0.2	<10	920	0.78	0.27	3.63	6.09	23.5	11.2	21
ZZ18854		0.18	0.001	0.19	0.37	104.5	<0.2	<10	280	0.85	0.41	0.12	0.65	5.19	39.8	5
ZZ18855		0.19	<0.001	0.05	0.59	36.8	<0.2	<10	560	0.61	0.30	0.23	0.24	6.68	12.4	10
ZZ18856		0.24	0.001	0.45	1.49	1010	<0.2	<10	230	1.01	0.35	0.49	1.43	10.30	12.9	25
ZZ18857		0.16	0.002	0.57	1.22	1330	<0.2	<10	230	0.84	0.29	0.93	1.49	8.52	15.3	22
ZZ18858		0.30	0.002	0.59	1.19	1590	<0.2	<10	170	0.87	0.23	0.88	1.51	5.50	10.1	21
ZZ18859		0.38	0.001	0.31	1.42	668	<0.2	<10	310	0.85	0.28	0.42	0.31	6.91	15.3	24
ZZ18860		0.15	0.004	0.15	1.25	1495	<0.2	<10	250	0.90	0.26	0.51	0.24	5.93	13.2	22
ZZ18861		0.27	0.002	0.40	1.55	895	<0.2	<10	400	0.94	0.23	0.66	0.69	9.73	14.0	25
ZZ18862		0.20	0.001	0.11	1.77	34.3	<0.2	<10	250	0.86	0.25	0.43	0.15	10.40	18.2	28
ZZ18863		0.19	0.001	0.12	1.80	16.4	<0.2	<10	280	0.93	0.27	0.42	0.16	10.85	19.7	28
ZZ18864		0.40	0.001	0.12	1.75	18.6	<0.2	<10	240	0.95	0.24	0.37	0.25	12.15	21.7	28
ZZ18865		0.21	0.001	0.08	1.73	12.8	<0.2	<10	200	0.72	0.21	0.32	0.09	9.81	13.1	29
ZZ18866		0.28	0.001	0.11	1.95	12.4	<0.2	<10	260	0.95	0.27	0.36	0.11	10.70	12.9	31
ZZ18867		0.38	0.001	0.17	1.81	11.9	<0.2	<10	260	0.85	0.26	0.35	0.11	8.78	11.4	32
ZZ18868		0.28	0.002	0.29	1.82	13.2	<0.2	<10	300	0.82	0.27	0.51	0.16	7.89	14.2	30
ZZ18869		0.14	0.001	0.16	1.90	12.9	<0.2	<10	260	0.97	0.25	0.34	0.14	10.90	14.2	30
ZZ18870		0.30	0.001	0.10	1.85	13.4	<0.2	<10	230	0.92	0.26	0.36	0.14	10.75	14.6	30
ZZ18871		0.34	0.001	0.11	1.95	14.2	<0.2	<10	250	0.90	0.23	0.32	0.16	11.85	14.1	31
ZZ18872		0.22	0.002	0.12	1.77	16.0	<0.2	<10	240	0.89	0.23	0.29	0.14	11.70	15.2	29
ZZ18873		0.18	0.002	0.18	1.65	45.1	<0.2	<10	310	0.69	0.22	0.10	0.23	9.21	16.1	28
ZZ18874		0.20	0.002	0.75	1.45	1370	<0.2	<10	490	0.67	0.26	0.23	0.23	9.30	13.5	25
ZZ18875		0.32	0.001	0.28	0.88	3070	<0.2	<10	290	1.00	0.27	0.40	0.86	9.34	14.5	20
ZZ18876		0.43	0.001	0.30	1.05	1375	<0.2	<10	350	0.88	0.25	0.36	1.18	8.58	12.3	20
ZZ18877		0.40	0.001	0.08	0.84	476	<0.2	<10	220	0.77	0.28	0.21	0.13	6.07	13.8	19
ZZ18878		0.35	0.001	0.08	1.08	80.0	<0.2	<10	180	0.83	0.29	0.24	0.13	7.19	13.3	20
ZZ18879		0.17	0.001	0.10	1.06	74.4	<0.2	<10	220	0.79	0.23	0.23	0.15	6.18	12.7	18
ZZ18880		0.23	0.003	0.32	1.50	943	<0.2	<10	380	0.99	0.24	0.55	0.27	12.20	10.8	25

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 17- AUG- 2011
Account: RCM

Project: Rackla - Jackpot

CERTIFICATE OF ANALYSIS WH11145411

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
ZZ19465		1.23	36.2	3.69	4.17	<0.05	0.07	0.21	0.043	0.09	4.7	37.8	0.60	344	1.10	0.01
ZZ19466		1.28	36.3	3.54	4.60	<0.05	0.07	0.20	0.044	0.10	4.4	39.5	0.61	206	1.12	0.01
ZZ19467		1.59	40.7	4.46	4.85	<0.05	0.08	0.18	0.046	0.09	4.8	39.1	0.58	941	1.66	0.01
ZZ19468		1.58	36.1	3.66	4.99	<0.05	0.06	0.16	0.046	0.09	3.9	39.8	0.56	806	1.62	0.01
ZZ19469		1.85	38.7	4.32	4.98	<0.05	0.07	0.15	0.047	0.10	4.6	40.6	0.61	492	1.76	0.01
ZZ19470		1.28	44.6	4.31	6.09	<0.05	0.06	0.11	0.053	0.11	5.9	41.5	0.59	408	1.46	0.01
ZZ19471		1.53	41.6	3.78	4.85	<0.05	0.07	0.16	0.051	0.10	4.1	40.7	0.61	267	1.60	0.01
ZZ19472		1.50	37.8	4.47	4.79	<0.05	0.07	0.10	0.050	0.10	4.3	40.1	0.67	749	1.61	0.01
ZZ19473		2.42	50.0	4.20	4.96	<0.05	0.09	0.18	0.053	0.11	4.2	35.2	0.55	300	1.59	0.01
ZZ19474		1.24	30.4	3.84	4.75	<0.05	0.07	0.13	0.048	0.09	3.6	35.5	0.56	468	1.76	0.01
ZZ18851		0.67	11.7	3.38	1.63	<0.05	0.06	1.27	0.021	0.04	7.4	5.8	6.99	1480	0.47	0.02
ZZ18852		0.87	9.5	6.07	2.94	<0.05	0.05	3.60	0.048	0.05	12.1	7.3	4.31	3200	1.24	0.01
ZZ18853		1.36	9.4	5.16	5.25	<0.05	0.05	0.36	0.037	0.04	10.4	10.0	2.15	2170	1.14	0.01
ZZ18854		9.38	51.5	1.92	0.95	<0.05	0.02	0.07	0.038	0.13	2.2	1.7	0.07	862	0.94	<0.01
ZZ18855		6.12	30.1	2.88	2.17	<0.05	0.03	0.04	0.030	0.13	3.5	8.3	0.12	472	0.53	<0.01
ZZ18856		3.99	35.4	4.00	4.73	<0.05	0.06	3.09	0.053	0.10	4.1	31.2	0.47	429	1.10	0.01
ZZ18857		2.80	37.2	3.87	3.56	<0.05	0.07	1.81	0.040	0.09	3.6	23.2	0.44	584	0.95	<0.01
ZZ18858		3.15	31.0	3.35	3.36	0.13	0.05	3.81	0.034	0.10	2.5	21.5	0.41	436	0.76	0.01
ZZ18859		3.68	25.0	3.45	4.16	0.14	0.04	2.88	0.037	0.11	3.1	25.8	0.41	495	1.07	0.01
ZZ18860		2.54	31.5	3.88	3.63	0.13	0.04	0.80	0.033	0.09	2.6	21.0	0.42	427	1.22	0.01
ZZ18861		4.76	36.1	3.38	4.34	0.13	0.04	3.30	0.034	0.09	4.4	29.3	0.48	476	0.98	0.01
ZZ18862		1.23	28.7	3.80	5.02	0.13	0.04	0.08	0.033	0.09	4.6	32.5	0.52	1220	0.99	0.01
ZZ18863		1.08	32.6	4.08	4.84	0.14	0.04	0.07	0.037	0.09	4.6	32.6	0.56	797	1.13	0.01
ZZ18864		1.27	37.8	4.15	5.18	0.14	0.03	0.08	0.039	0.09	4.8	32.5	0.57	486	1.25	0.01
ZZ18865		0.78	25.2	4.08	4.65	0.13	0.02	0.05	0.030	0.07	4.1	29.1	0.56	412	1.11	0.01
ZZ18866		1.12	27.5	4.12	5.59	0.13	0.03	0.07	0.038	0.10	4.8	37.4	0.59	403	1.27	0.01
ZZ18867		1.17	33.4	4.03	5.16	0.14	0.06	0.07	0.038	0.09	4.1	37.6	0.57	284	1.78	0.01
ZZ18868		1.18	30.6	4.20	5.05	0.13	0.06	0.10	0.042	0.10	3.5	35.8	0.60	489	1.59	0.01
ZZ18869		1.10	31.9	3.95	5.54	0.13	0.03	0.07	0.040	0.10	4.7	35.8	0.54	601	1.20	0.01
ZZ18870		1.01	30.5	4.08	5.40	0.13	0.03	0.06	0.038	0.09	5.1	33.2	0.57	677	1.25	0.01
ZZ18871		0.99	34.8	4.25	5.38	0.13	0.03	0.06	0.037	0.09	4.9	35.2	0.61	259	1.11	0.01
ZZ18872		1.06	31.7	4.23	4.96	0.14	0.03	0.08	0.037	0.08	5.0	32.0	0.57	412	1.11	0.01
ZZ18873		2.11	19.0	3.40	4.84	0.12	0.02	0.62	0.032	0.08	4.1	28.8	0.47	691	0.86	0.01
ZZ18874		3.18	21.3	3.21	4.53	0.13	<0.02	10.20	0.030	0.09	4.2	23.2	0.40	725	1.17	0.01
ZZ18875		6.20	33.8	4.11	2.61	0.13	0.04	1.62	0.042	0.10	4.1	14.6	0.24	574	1.63	0.01
ZZ18876		3.20	34.0	3.73	3.05	0.12	0.04	1.29	0.037	0.11	3.7	15.7	0.29	324	1.04	0.01
ZZ18877		2.12	33.2	4.48	2.56	0.11	<0.02	0.09	0.040	0.10	2.5	14.9	0.23	317	1.36	0.01
ZZ18878		1.68	31.5	4.08	3.31	0.12	0.02	0.05	0.038	0.11	2.7	16.8	0.31	354	1.07	0.01
ZZ18879		1.09	25.2	3.94	3.00	0.13	<0.02	0.08	0.033	0.11	2.8	11.5	0.18	1040	1.05	0.01
ZZ18880		1.16	41.3	3.74	4.22	0.14	0.05	0.20	0.036	0.11	5.4	17.6	0.38	1040	1.19	0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 17- AUG- 2011
Account: RCM

Project: Rackla - Jackpot

CERTIFICATE OF ANALYSIS WH11145411

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
ZZ19465		0.17	43.9	730	17.1	9.4	0.005	0.09	0.28	6.1	2.6	0.4	39.9	<0.01	0.04	2.4
ZZ19466		0.18	45.1	740	16.8	10.8	0.007	0.10	0.26	6.1	3.6	0.4	48.5	<0.01	0.05	2.3
ZZ19467		0.16	55.0	810	18.7	11.2	0.004	0.06	0.37	6.7	2.9	0.5	38.7	<0.01	0.06	2.6
ZZ19468		0.16	61.8	700	20.8	11.7	0.003	0.07	0.36	6.6	2.6	0.5	35.0	<0.01	0.05	2.4
ZZ19469		0.14	47.2	770	18.6	10.9	0.004	0.05	0.39	6.8	2.3	0.5	37.3	<0.01	0.05	2.7
ZZ19470		0.20	51.7	830	19.0	13.2	0.001	0.05	0.36	8.0	1.4	0.6	43.4	<0.01	0.05	2.6
ZZ19471		0.16	55.8	720	17.8	10.5	0.005	0.08	0.40	6.7	2.6	0.5	64.5	<0.01	0.05	2.4
ZZ19472		0.14	54.2	740	18.2	10.4	0.004	0.04	0.32	6.6	1.9	0.5	42.0	<0.01	0.05	2.8
ZZ19473		0.15	49.3	690	19.5	12.6	0.007	0.06	0.43	7.8	3.0	0.5	47.4	<0.01	0.06	2.3
ZZ19474		0.15	42.4	770	17.4	9.5	0.003	0.04	0.34	5.7	2.2	0.5	35.5	<0.01	0.06	2.1
ZZ18851		0.15	12.3	780	59.1	4.8	<0.001	0.04	0.21	2.7	0.5	0.3	86.8	<0.01	0.03	1.3
ZZ18852		0.38	17.1	610	227	8.8	<0.001	0.07	0.39	4.8	0.6	0.6	44.8	<0.01	0.04	1.5
ZZ18853		0.64	17.0	480	75.3	7.8	<0.001	0.03	0.36	4.1	0.2	0.7	26.0	<0.01	0.05	2.1
ZZ18854		0.08	20.0	140	31.3	9.1	<0.001	<0.01	0.20	5.6	0.3	0.4	17.5	<0.01	0.06	3.8
ZZ18855		0.27	12.5	230	13.8	13.4	<0.001	0.01	0.14	3.8	<0.2	0.5	19.8	<0.01	0.05	2.5
ZZ18856		0.16	48.2	700	66.7	13.1	0.001	0.03	1.12	7.2	1.6	0.6	26.5	<0.01	0.04	3.2
ZZ18857		0.15	45.9	760	59.0	11.0	0.002	0.06	1.33	5.7	1.5	0.5	30.7	<0.01	0.03	2.3
ZZ18858		0.10	39.6	700	79.6	12.0	0.001	0.07	1.35	5.4	1.4	0.4	27.3	<0.01	0.04	2.0
ZZ18859		0.12	41.5	750	30.7	14.0	0.002	0.07	0.45	6.1	1.3	0.5	30.1	<0.01	0.04	2.7
ZZ18860		0.10	46.8	790	21.2	10.5	0.001	0.04	0.47	5.4	0.6	0.4	25.9	<0.01	0.05	2.6
ZZ18861		0.14	51.8	780	56.1	13.1	0.002	0.06	0.92	6.0	1.3	0.4	45.8	<0.01	0.04	2.2
ZZ18862		0.15	44.2	750	15.5	11.0	<0.001	0.03	0.29	6.1	0.9	0.5	28.9	<0.01	0.04	2.4
ZZ18863		0.15	47.6	730	17.4	10.5	<0.001	0.03	0.33	6.1	0.9	0.4	29.4	<0.01	0.04	2.7
ZZ18864		0.13	53.1	770	18.7	10.6	<0.001	0.02	0.39	6.9	0.9	0.5	26.4	<0.01	0.05	2.9
ZZ18865		0.15	34.2	720	13.0	8.4	0.001	0.02	0.26	4.9	0.8	0.4	18.9	<0.01	0.04	2.6
ZZ18866		0.16	43.2	740	14.3	11.9	<0.001	0.03	0.30	5.9	0.8	0.5	27.6	<0.01	0.04	2.8
ZZ18867		0.15	45.7	690	14.5	11.7	0.002	0.04	0.31	6.2	1.7	0.5	28.0	<0.01	0.03	2.7
ZZ18868		0.14	46.5	740	16.5	11.1	0.001	0.05	0.34	6.4	1.4	0.5	36.0	<0.01	0.05	2.4
ZZ18869		0.16	46.1	840	15.0	12.5	0.001	0.04	0.32	6.6	0.8	0.5	27.7	<0.01	0.04	2.5
ZZ18870		0.16	45.6	810	13.1	10.9	0.002	0.03	0.32	6.5	1.1	0.5	26.9	<0.01	0.05	2.8
ZZ18871		0.15	43.5	770	15.8	10.7	<0.001	0.02	0.31	6.8	1.0	0.4	22.8	<0.01	0.05	3.0
ZZ18872		0.17	41.6	730	16.3	10.9	<0.001	0.02	0.30	6.0	0.9	0.4	21.8	<0.01	0.04	2.9
ZZ18873		0.21	36.4	650	19.5	11.9	0.001	0.03	0.30	4.9	0.4	0.5	15.5	<0.01	0.04	2.2
ZZ18874		0.17	30.8	610	132.0	13.4	0.001	0.05	1.32	4.6	0.8	0.5	43.4	<0.01	0.03	1.9
ZZ18875		0.08	48.2	790	34.7	12.9	<0.001	0.02	0.74	6.7	0.8	0.4	31.1	<0.01	0.04	3.0
ZZ18876		0.10	41.8	720	29.2	12.6	<0.001	0.03	0.58	5.7	0.8	0.4	23.8	<0.01	0.04	2.8
ZZ18877		0.07	44.2	790	16.2	10.2	0.001	0.06	0.38	6.0	0.6	0.5	27.8	<0.01	0.05	3.0
ZZ18878		0.06	42.8	730	16.1	11.9	<0.001	0.04	0.27	6.3	0.5	0.5	27.0	<0.01	0.05	3.2
ZZ18879		0.08	30.1	790	14.0	11.0	<0.001	0.05	0.25	5.5	0.4	0.5	21.0	<0.01	0.03	2.1
ZZ18880		0.14	39.6	1180	13.4	12.8	<0.001	0.09	0.42	5.9	1.4	0.5	34.7	<0.01	0.04	1.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 17- AUG- 2011
Account: RCM

Project: Rackla - Jackpot

CERTIFICATE OF ANALYSIS WH11145411

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
ZZ19465		<0.005	0.21	1.93	33	<0.05	11.90	131	2.1
ZZ19466		<0.005	0.32	1.81	32	<0.05	12.50	132	2.1
ZZ19467		<0.005	0.19	1.68	34	0.06	14.55	146	1.9
ZZ19468		<0.005	0.15	1.41	35	<0.05	11.90	126	1.9
ZZ19469		<0.005	0.14	1.56	34	<0.05	13.65	140	1.9
ZZ19470		<0.005	0.16	1.32	40	<0.05	14.45	143	1.7
ZZ19471		<0.005	0.13	1.48	33	<0.05	12.35	151	1.9
ZZ19472		<0.005	0.12	1.20	34	<0.05	10.65	153	1.8
ZZ19473		<0.005	0.16	1.63	34	<0.05	13.45	128	2.5
ZZ19474		<0.005	0.15	1.35	34	<0.05	8.20	135	1.7
ZZ18851		0.005	0.71	1.22	15	0.07	10.00	120	1.2
ZZ18852		0.010	0.53	1.14	30	0.13	12.45	1340	1.1
ZZ18853		0.010	0.31	1.03	45	0.15	7.92	2150	1.3
ZZ18854		<0.005	0.26	0.55	7	<0.05	3.84	365	0.7
ZZ18855		0.005	0.12	0.48	17	0.07	4.94	101	0.6
ZZ18856		<0.005	8.67	1.85	32	0.09	11.55	543	1.8
ZZ18857		<0.005	7.54	2.21	28	0.09	10.65	547	1.7
ZZ18858		<0.005	9.72	2.29	25	0.11	9.29	698	1.8
ZZ18859		<0.005	2.96	1.35	32	0.05	7.79	146	1.5
ZZ18860		<0.005	5.55	1.80	29	<0.05	9.15	186	1.2
ZZ18861		<0.005	9.41	1.68	31	0.06	12.65	198	1.4
ZZ18862		<0.005	0.04	0.67	36	<0.05	8.31	129	1.1
ZZ18863		<0.005	<0.02	0.64	36	<0.05	9.88	128	1.2
ZZ18864		<0.005	<0.02	0.64	35	<0.05	10.35	133	1.3
ZZ18865		<0.005	<0.02	0.58	37	<0.05	6.09	114	0.9
ZZ18866		<0.005	<0.02	0.63	39	<0.05	8.63	126	1.1
ZZ18867		<0.005	<0.02	0.91	36	<0.05	8.38	135	2.1
ZZ18868		<0.005	<0.02	1.00	36	<0.05	8.40	137	1.8
ZZ18869		<0.005	<0.02	0.69	37	<0.05	9.62	122	1.1
ZZ18870		<0.005	<0.02	0.65	37	<0.05	9.91	127	1.1
ZZ18871		<0.005	<0.02	0.67	40	<0.05	9.41	129	1.4
ZZ18872		<0.005	<0.02	0.62	37	<0.05	8.65	125	1.2
ZZ18873		<0.005	1.46	0.51	34	0.05	5.37	107	0.7
ZZ18874		<0.005	3.21	0.64	35	0.10	5.25	115	0.6
ZZ18875		<0.005	20.8	1.91	30	0.09	11.00	423	1.1
ZZ18876		<0.005	5.15	2.85	29	<0.05	9.17	276	1.2
ZZ18877		<0.005	0.47	0.91	32	<0.05	6.57	147	0.6
ZZ18878		<0.005	0.03	0.52	29	<0.05	7.15	118	0.9
ZZ18879		<0.005	0.05	0.55	31	<0.05	8.41	98	<0.5
ZZ18880		<0.005	1.02	1.69	41	<0.05	11.80	139	1.2

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 17- AUG- 2011
Account: RCM

Project: Rackla - Jackpot

CERTIFICATE OF ANALYSIS WH11145411

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- TL43 Au ppm 0.001	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1
ZZ18881		0.28	0.001	0.07	1.28	278	<0.2	<10	240	0.49	0.22	0.46	0.20	13.55	8.0	21
ZZ18882		0.25	0.001	0.18	1.18	32.7	<0.2	<10	200	1.00	0.23	0.57	0.45	21.0	13.8	21
ZZ18883		0.37	0.001	0.39	1.28	1050	<0.2	<10	180	0.82	0.23	0.67	1.34	6.34	12.1	22
ZZ18884		0.14	0.002	0.52	1.11	1225	<0.2	<10	180	0.67	0.20	0.99	1.63	5.33	9.9	18
ZZ18885		0.28	0.005	0.50	0.98	1885	<0.2	<10	190	0.69	0.21	0.94	2.45	4.91	9.4	17
ZZ18886		0.21	0.004	0.58	1.03	1870	<0.2	<10	180	0.63	0.18	1.31	2.76	4.48	8.6	18
ZZ18887		0.24	0.003	0.49	1.19	1505	<0.2	<10	170	0.69	0.21	0.91	1.60	5.09	7.1	20
ZZ18888		0.23	0.001	0.07	0.57	20.2	<0.2	<10	480	0.97	0.32	0.55	0.71	7.77	14.8	9
ZZ18889		0.23	0.001	0.07	0.45	11.8	<0.2	<10	540	0.84	0.37	1.09	1.44	6.29	13.1	6
ZZ18890		0.32	0.002	0.25	0.81	45.6	<0.2	<10	710	0.59	0.16	6.59	8.00	13.25	8.8	12
ZZ18891		0.22	0.002	0.32	0.17	24	<0.2	<10	40	0.29	0.07	15.25	0.36	13.85	3.8	4
ZZ18892		0.24	0.001	0.34	0.81	90.7	<0.2	<10	1190	0.67	0.16	7.12	0.26	14.10	7.9	13
ZZ18893		0.18	0.002	0.23	0.90	33.2	<0.2	<10	480	0.72	0.18	7.23	0.27	25.0	7.1	15
ZZ18894		0.29	0.002	0.18	1.84	34.2	<0.2	<10	460	1.38	0.31	2.15	0.24	32.8	13.1	24
ZZ18895		0.30	0.001	0.07	0.91	16.4	<0.2	<10	260	0.62	0.34	0.19	0.14	21.1	6.8	14
ZZ18896		0.30	<0.001	0.03	0.29	5.5	<0.2	<10	50	0.44	0.28	0.02	0.04	11.20	6.9	5
ZZ18897		0.37	0.001	0.15	1.08	15.1	<0.2	<10	190	1.02	0.37	0.13	0.10	22.9	12.8	15
ZZ18898		0.23	0.002	0.11	1.15	48.0	<0.2	<10	240	1.13	0.39	0.04	0.29	27.5	15.7	17
ZZ18899		0.20	0.001	0.07	1.47	23.1	<0.2	<10	530	0.91	0.26	2.15	0.20	22.1	9.3	17
ZZ18900		0.25	0.001	0.13	0.62	31	<0.2	<10	290	0.46	0.16	10.45	0.09	23.4	6.1	11
ZZ18601		0.26	0.002	0.39	1.41	861	<0.2	<10	240	0.89	0.37	0.83	1.47	11.00	14.1	23
ZZ18602		0.22	0.002	0.22	1.13	1350	<0.2	<10	200	0.94	0.42	0.50	0.88	16.95	15.2	21
ZZ18603		0.22	0.002	0.66	1.21	977	<0.2	<10	210	0.94	0.29	1.03	1.21	8.56	9.2	19
ZZ18604		0.24	0.001	0.09	1.87	515	<0.2	<10	270	1.52	0.48	0.50	0.13	16.85	18.6	28
ZZ18605		0.25	0.001	0.03	1.85	14.1	<0.2	<10	260	1.68	0.43	0.33	0.06	20.7	14.3	26
ZZ18606		0.17	0.002	0.25	1.44	469	<0.2	<10	280	1.32	0.29	1.07	0.36	13.85	12.0	23
ZZ18607		0.29	0.002	0.22	1.35	1375	<0.2	<10	300	0.95	0.30	0.39	0.41	18.65	11.5	25
ZZ18608		0.25	0.002	0.48	1.51	558	<0.2	<10	250	1.05	0.30	0.64	0.22	10.75	10.3	28
ZZ18609		0.32	0.001	0.16	1.25	653	<0.2	<10	190	1.02	0.30	0.25	0.23	9.09	11.9	23
ZZ18610		0.23	0.001	0.20	1.17	1150	<0.2	<10	330	0.77	0.33	0.33	0.28	14.40	14.0	22
ZZ18701		0.43	0.002	0.33	0.96	2530	<0.2	<10	210	0.92	0.33	0.48	7.30	8.56	12.3	18
ZZ18702		0.38	0.002	1.33	1.30	1395	<0.2	<10	210	1.15	0.31	0.64	6.08	9.17	10.8	23
ZZ18703		0.36	0.002	1.13	1.34	1035	<0.2	<10	210	1.04	0.29	0.84	5.16	9.59	11.7	22
ZZ18704		0.32	0.001	0.45	1.53	1120	<0.2	<10	220	1.22	0.30	0.73	1.76	12.80	12.3	25
ZZ18705		0.37	0.001	0.14	1.06	917	<0.2	<10	180	0.89	0.28	0.52	0.69	17.45	12.4	19
ZZ18706		0.34	0.003	0.20	1.03	223	<0.2	<10	220	0.96	0.30	0.34	0.37	22.4	11.5	22
ZZ18707		0.28	0.002	0.37	1.37	606	<0.2	<10	240	1.05	0.28	0.93	1.36	13.50	12.7	23
ZZ18708		0.38	0.002	0.28	1.68	173.5	<0.2	<10	190	1.29	0.41	0.65	0.37	12.20	14.2	27
ZZ18709		0.23	0.002	0.58	1.52	277	<0.2	<10	210	0.95	0.42	0.89	1.05	12.15	15.2	24
ZZ18710		0.48	0.002	0.82	1.58	310	<0.2	<10	160	1.34	0.44	0.41	0.87	13.00	15.0	28

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 17- AUG- 2011
Account: RCM

Project: Rackla - Jackpot

CERTIFICATE OF ANALYSIS WH11145411

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
ZZ18881		0.90	24.8	3.32	4.72	0.14	0.02	0.07	0.030	0.06	6.8	17.9	0.33	279	1.17	0.01
ZZ18882		0.78	33.6	4.14	3.28	0.13	0.04	0.05	0.040	0.08	8.7	15.8	0.28	692	2.27	0.01
ZZ18883		2.54	28.3	3.44	3.55	0.12	0.05	2.49	0.037	0.10	2.8	23.2	0.44	413	0.86	0.01
ZZ18884		2.61	21.9	3.12	2.66	0.12	0.04	9.17	0.029	0.09	2.2	16.2	0.38	460	0.60	0.01
ZZ18885		3.48	22.6	3.39	2.40	0.12	0.04	3.03	0.030	0.09	2.2	14.5	0.32	446	0.71	0.01
ZZ18886		3.17	23.1	3.16	2.29	0.12	0.04	3.00	0.025	0.09	1.9	14.3	0.42	377	0.57	0.01
ZZ18887		2.68	24.9	3.39	2.68	0.13	0.05	3.62	0.029	0.09	2.2	16.7	0.38	236	0.67	0.01
ZZ18888		2.52	37.3	4.06	1.65	<0.05	0.05	0.11	0.037	0.10	4.3	6.2	0.19	1910	0.60	<0.01
ZZ18889		3.28	45.2	3.25	1.34	<0.05	0.06	0.14	0.040	0.11	2.9	3.5	0.55	1830	0.58	0.01
ZZ18890		0.80	11.4	4.28	2.92	<0.05	0.05	3.11	0.037	0.04	6.2	7.1	4.29	1460	0.89	0.02
ZZ18891		1.30	8.6	1.00	0.48	<0.05	0.04	1.24	0.007	0.04	10.1	1.2	9.42	727	0.85	0.03
ZZ18892		0.67	17.7	3.85	2.32	<0.05	0.07	1.53	0.022	0.03	7.6	9.3	4.64	1480	0.61	0.02
ZZ18893		0.80	15.0	4.59	2.43	0.08	0.08	0.69	0.025	0.04	12.3	9.0	4.39	2070	0.59	0.04
ZZ18894		1.32	29.7	4.54	4.16	0.08	0.09	0.50	0.045	0.06	17.1	19.8	1.47	1040	1.07	0.03
ZZ18895		1.83	20.3	2.83	3.39	0.05	0.02	0.45	0.031	0.06	8.6	8.5	0.17	262	0.90	0.03
ZZ18896		1.28	18.3	2.24	0.77	<0.05	0.02	0.03	0.027	0.05	4.5	2.7	0.02	139	0.33	0.02
ZZ18897		1.35	42.0	3.86	3.36	0.07	0.04	0.13	0.036	0.06	10.0	21.4	0.30	461	0.67	0.03
ZZ18898		1.39	31.9	4.59	2.52	0.08	0.06	0.99	0.042	0.05	11.3	11.8	0.21	1100	0.80	0.03
ZZ18899		1.03	22.5	3.57	4.12	0.05	0.07	0.26	0.033	0.04	9.4	18.2	1.45	471	1.10	0.03
ZZ18900		0.97	11.8	2.48	1.88	0.06	0.05	1.04	0.021	0.05	12.1	4.7	6.06	1040	0.36	0.05
ZZ18601		2.54	37.5	3.62	4.52	0.07	0.08	1.39	0.047	0.08	4.0	20.1	0.46	617	0.80	0.03
ZZ18602		2.69	46.2	4.25	4.12	0.08	0.08	0.60	0.052	0.09	7.0	16.4	0.38	557	0.97	0.03
ZZ18603		2.98	24.6	3.17	3.97	0.06	0.06	7.42	0.044	0.08	3.4	24.2	0.38	291	0.83	0.03
ZZ18604		1.79	55.6	4.26	6.23	0.07	0.06	0.07	0.053	0.09	7.1	41.8	0.51	862	1.14	0.04
ZZ18605		1.93	28.4	4.49	6.25	0.07	0.06	0.02	0.053	0.11	7.9	41.3	0.50	452	0.38	0.03
ZZ18606		1.89	37.4	3.61	4.23	0.07	0.08	0.36	0.045	0.09	6.1	32.6	0.39	577	0.99	0.03
ZZ18607		2.39	36.8	3.69	4.27	0.06	0.07	0.35	0.044	0.08	8.9	27.7	0.43	850	1.12	0.04
ZZ18608		2.61	31.7	3.57	4.50	0.07	0.08	2.49	0.048	0.08	4.4	41.6	0.53	239	1.18	0.03
ZZ18609		3.00	25.7	4.24	3.80	0.06	0.04	1.47	0.048	0.09	3.3	26.6	0.38	285	1.18	0.03
ZZ18610		3.50	41.5	3.97	4.03	0.07	0.06	0.30	0.051	0.09	5.6	14.3	0.38	583	1.52	0.03
ZZ18701		3.19	33.5	4.20	3.30	0.06	0.05	1.30	0.054	0.11	3.1	16.0	0.28	292	1.08	0.03
ZZ18702		3.55	39.9	3.71	4.08	0.05	0.08	9.10	0.048	0.10	4.3	26.7	0.44	321	0.91	0.03
ZZ18703		2.77	33.5	3.57	4.21	0.06	0.07	5.26	0.048	0.09	3.7	28.3	0.47	450	0.86	0.04
ZZ18704		2.06	30.4	3.40	4.80	0.05	0.08	1.69	0.043	0.08	5.0	31.4	0.50	489	0.82	0.04
ZZ18705		1.00	27.8	3.75	3.54	0.06	0.06	0.33	0.043	0.07	6.0	17.9	0.32	414	1.80	0.03
ZZ18706		0.83	38.2	4.29	3.46	0.07	0.06	2.41	0.047	0.06	10.9	21.3	0.36	397	1.08	0.03
ZZ18707		1.82	28.3	3.55	4.25	0.05	0.07	1.18	0.046	0.09	5.2	25.3	0.45	717	0.97	0.03
ZZ18708		2.30	42.7	3.87	5.61	0.05	0.08	0.76	0.047	0.09	5.2	28.0	0.52	630	0.83	0.03
ZZ18709		3.06	47.5	3.51	5.37	0.06	0.08	2.02	0.047	0.09	4.6	18.2	0.48	596	0.82	0.03
ZZ18710		4.33	32.9	4.09	5.89	0.05	0.07	6.11	0.051	0.09	4.4	28.9	0.50	508	0.96	0.03

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 17- AUG- 2011
Account: RCM

Project: Rackla - Jackpot

CERTIFICATE OF ANALYSIS WH11145411

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
ZZ18881		0.39	24.7	330	12.2	10.4	<0.001	0.02	0.42	3.9	0.4	0.5	20.5	<0.01	0.05	2.0
ZZ18882		0.24	34.8	460	17.6	9.7	<0.001	0.03	0.49	6.8	0.8	0.5	27.2	<0.01	0.03	3.8
ZZ18883		0.11	41.1	650	42.6	10.6	0.001	0.04	1.04	5.2	0.7	0.4	21.6	<0.01	0.04	2.3
ZZ18884		0.11	32.6	560	74.7	9.7	0.001	0.06	1.12	4.1	1.0	0.4	22.4	<0.01	0.05	1.7
ZZ18885		0.09	32.5	650	75.6	10.7	0.001	0.06	1.43	4.0	0.6	0.4	23.7	<0.01	0.05	1.8
ZZ18886		0.08	32.1	690	87.4	10.0	0.001	0.09	1.76	3.5	0.9	0.3	24.9	<0.01	0.04	1.5
ZZ18887		0.09	33.5	730	68.8	10.0	0.001	0.08	1.24	4.0	1.2	0.4	26.8	<0.01	0.03	1.6
ZZ18888		0.22	18.7	250	18.9	9.4	<0.001	0.02	0.29	6.4	0.8	0.4	25.1	<0.01	0.02	2.5
ZZ18889		0.16	18.2	190	18.3	9.5	<0.001	0.01	0.20	5.7	0.7	0.3	24.3	<0.01	0.04	2.6
ZZ18890		0.40	15.7	390	97.0	5.6	<0.001	0.05	0.42	3.7	1.0	0.4	43.5	<0.01	0.01	1.4
ZZ18891		0.09	5.8	690	22.7	2.5	<0.001	0.02	0.08	1.9	0.3	0.2	106.5	<0.01	0.01	1.9
ZZ18892		0.24	16.1	570	70.5	4.1	<0.001	0.03	0.32	4.4	0.8	0.3	69.6	<0.01	0.03	1.7
ZZ18893		0.29	15.7	570	41.1	6.0	<0.001	0.05	0.29	5.6	0.7	0.4	64.8	0.01	0.04	2.8
ZZ18894		0.36	28.8	460	36.9	10.3	<0.001	0.04	0.38	7.9	0.8	0.5	31.3	0.01	0.06	4.6
ZZ18895		0.35	17.0	360	22.9	8.7	<0.001	0.03	0.30	3.5	0.5	0.5	16.4	<0.01	0.04	2.5
ZZ18896		0.05	15.0	100	21.5	4.6	<0.001	0.03	0.19	2.4	0.3	0.3	12.3	<0.01	0.02	2.7
ZZ18897		0.13	31.7	380	25.6	7.2	<0.001	0.03	0.36	5.7	0.6	0.4	24.0	<0.01	0.05	4.3
ZZ18898		0.23	32.5	310	46.4	6.5	<0.001	0.03	0.37	5.9	0.7	0.4	25.4	<0.01	0.04	5.3
ZZ18899		0.30	19.2	250	24.5	7.8	<0.001	0.03	0.29	5.0	0.4	0.5	21.2	<0.01	0.04	3.6
ZZ18900		0.29	13.1	410	29.8	5.0	<0.001	0.03	0.14	6.0	0.6	0.3	80.4	<0.01	0.02	3.4
ZZ18601		0.22	39.5	650	41.8	12.4	0.002	0.08	0.86	5.9	1.9	0.5	32.0	<0.01	0.04	2.9
ZZ18602		0.26	39.0	410	30.9	12.0	<0.001	0.04	0.84	7.5	0.9	0.5	23.4	<0.01	0.04	4.0
ZZ18603		0.20	32.7	600	58.4	12.4	0.001	0.08	1.25	5.1	1.2	0.5	31.0	<0.01	0.04	2.0
ZZ18604		0.40	37.3	410	19.5	12.0	<0.001	0.03	0.32	6.9	0.5	0.6	27.5	<0.01	0.06	5.1
ZZ18605		0.24	38.7	380	17.4	11.4	<0.001	0.02	0.12	7.2	0.4	0.9	29.1	<0.01	0.08	6.8
ZZ18606		0.22	42.4	740	19.5	10.8	0.001	0.06	0.57	7.3	1.8	0.5	46.8	<0.01	0.05	2.6
ZZ18607		0.32	40.3	840	13.7	14.1	<0.001	0.05	0.43	6.5	1.2	0.5	28.1	<0.01	0.04	3.4
ZZ18608		0.18	41.2	650	23.5	10.7	0.005	0.07	0.44	6.4	2.9	0.5	33.8	<0.01	0.04	2.9
ZZ18609		0.13	38.8	700	22.6	10.8	0.001	0.04	0.40	6.0	1.1	0.5	24.2	<0.01	0.05	3.3
ZZ18610		0.21	44.4	780	20.4	12.6	<0.001	0.06	0.59	6.7	1.1	1.0	30.0	<0.01	0.06	3.4
ZZ18701		0.13	40.0	630	47.0	13.1	0.001	0.06	2.31	5.8	1.1	0.6	31.9	<0.01	0.04	3.2
ZZ18702		0.17	43.8	690	132.0	11.8	0.001	0.06	2.19	6.6	1.3	0.5	32.0	<0.01	0.04	2.8
ZZ18703		0.18	44.3	690	133.0	11.3	0.001	0.08	1.94	5.6	0.9	0.5	32.2	<0.01	0.04	2.7
ZZ18704		0.24	46.4	830	49.8	12.6	0.001	0.07	1.90	5.7	1.1	0.5	26.8	<0.01	0.05	2.8
ZZ18705		0.25	33.8	850	26.2	9.3	0.001	0.05	0.87	5.6	0.8	0.4	24.4	<0.01	0.04	3.7
ZZ18706		0.41	36.6	680	25.4	7.7	<0.001	0.03	0.71	7.8	0.7	0.4	27.9	<0.01	0.06	4.7
ZZ18707		0.24	39.4	780	54.2	10.5	<0.001	0.07	1.11	5.9	0.9	0.5	29.7	<0.01	0.05	2.8
ZZ18708		0.35	33.2	490	39.3	12.0	<0.001	0.05	0.67	6.7	0.7	0.6	21.1	<0.01	0.05	3.6
ZZ18709		0.34	37.9	600	64.4	12.3	<0.001	0.06	1.03	6.5	0.9	0.6	27.4	<0.01	0.05	3.2
ZZ18710		0.24	36.6	550	93.7	11.4	<0.001	0.04	1.47	6.5	0.6	0.7	20.0	<0.01	0.05	4.0

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 17- AUG- 2011
Account: RCM

Project: Rackla - Jackpot

CERTIFICATE OF ANALYSIS WH11145411

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
ZZ18881		0.007	0.22	0.71	46	0.09	6.12	107	0.8
ZZ18882		<0.005	0.07	0.64	34	<0.05	12.15	143	1.4
ZZ18883		<0.005	8.82	2.12	27	0.08	8.32	592	1.5
ZZ18884		<0.005	10.40	2.16	25	0.16	6.52	625	1.3
ZZ18885		<0.005	13.70	1.67	25	0.12	6.49	901	1.2
ZZ18886		<0.005	17.75	2.73	24	0.13	6.32	1540	1.3
ZZ18887		<0.005	11.10	2.11	26	0.09	7.37	754	1.3
ZZ18888		<0.005	0.20	0.71	15	0.05	7.91	766	1.2
ZZ18889		<0.005	0.18	0.65	12	<0.05	9.78	923	1.4
ZZ18890		0.010	0.44	0.69	22	0.09	8.80	2910	1.5
ZZ18891		<0.005	0.36	0.90	5	0.09	7.45	105	1.0
ZZ18892		0.006	0.74	1.11	21	0.10	11.65	117	1.7
ZZ18893		0.006	0.30	1.46	24	0.17	15.50	60	2.0
ZZ18894		<0.005	0.35	1.50	37	0.15	19.20	105	2.5
ZZ18895		0.007	0.16	0.67	31	0.12	6.06	64	<0.5
ZZ18896		<0.005	0.11	0.42	8	<0.05	3.58	58	1.0
ZZ18897		<0.005	0.13	0.67	25	0.05	14.15	84	1.1
ZZ18898		<0.005	0.69	0.99	22	0.12	13.35	122	2.1
ZZ18899		<0.005	0.27	0.69	36	0.10	9.03	80	2.1
ZZ18900		0.006	0.33	1.27	18	0.15	12.65	37	1.8
ZZ18601		<0.005	6.34	2.19	26	0.09	11.35	436	2.1
ZZ18602		<0.005	6.54	1.63	29	0.09	13.95	458	2.3
ZZ18603		<0.005	8.20	1.72	27	0.15	8.44	411	1.6
ZZ18604		0.007	0.23	1.33	24	0.07	9.56	99	1.8
ZZ18605		0.005	0.07	0.38	22	<0.05	8.65	90	2.1
ZZ18606		<0.005	1.33	2.50	29	0.09	16.90	162	1.9
ZZ18607		0.006	1.51	2.99	34	0.14	13.80	150	1.5
ZZ18608		<0.005	1.43	1.83	31	0.06	13.20	135	2.2
ZZ18609		<0.005	0.93	1.03	30	0.08	8.89	141	1.3
ZZ18610		<0.005	3.00	2.25	31	0.10	13.45	155	1.4
ZZ18701		<0.005	17.90	1.99	27	0.09	8.77	1430	1.4
ZZ18702		<0.005	21.0	3.05	29	0.18	13.35	2280	2.0
ZZ18703		<0.005	7.74	1.72	28	0.16	10.75	1230	2.0
ZZ18704		<0.005	3.33	2.06	29	0.15	12.40	654	1.8
ZZ18705		<0.005	0.66	1.09	29	0.08	10.75	267	1.4
ZZ18706		0.009	0.25	0.71	34	0.10	15.80	166	1.4
ZZ18707		<0.005	1.28	1.13	31	0.12	11.75	327	1.7
ZZ18708		<0.005	0.57	1.08	29	0.09	13.15	191	2.3
ZZ18709		<0.005	1.92	0.99	27	0.11	10.65	297	2.7
ZZ18710		<0.005	2.62	0.90	30	0.16	8.43	311	2.0

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 17- AUG- 2011
Account: RCM

Project: Rackla - Jackpot

CERTIFICATE OF ANALYSIS WH11145411

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- TL43 Au ppm 0.001	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1
ZZ18711		0.31	0.002	0.41	1.54	245	<0.2	<10	200	1.25	0.37	0.87	0.62	12.90	11.3	25
ZZ18712		0.32	0.002	0.60	1.58	271	<0.2	<10	250	1.33	0.38	0.70	1.26	13.65	13.7	26
ZZ18713		0.32	0.001	0.27	1.54	221	<0.2	<10	210	1.26	0.39	0.54	0.55	14.55	10.5	26
ZZ18714		0.33	0.001	0.18	0.90	26.0	<0.2	<10	810	1.03	0.26	1.51	2.02	12.70	5.9	14
ZZ18715		0.34	0.001	0.19	0.93	36.2	<0.2	<10	620	0.89	0.27	4.16	3.95	21.8	11.3	15
ZZ18716		0.31	0.001	0.16	0.56	18	<0.2	<10	410	0.55	0.13	11.10	1.57	23.3	5.0	9
ZZ18717		0.26	0.001	0.22	1.38	29.9	<0.2	<10	1020	1.22	0.25	5.66	3.25	42.8	8.0	17
ZZ18718		0.33	0.003	0.25	1.06	23.0	<0.2	<10	520	0.50	0.18	8.74	2.06	22.5	6.0	16
ZZ18719		0.27	0.003	0.13	1.96	29.7	<0.2	<10	710	1.01	0.25	2.57	0.51	37.1	12.1	30
ZZ18720		0.31	0.002	0.23	1.90	35.4	<0.2	<10	530	1.29	0.24	2.47	0.46	44.8	16.8	27
ZZ18721		0.31	<0.001	0.09	1.35	11.5	<0.2	<10	370	0.72	0.24	0.28	0.38	28.6	9.1	19
ZZ18722		0.39	0.001	0.12	1.48	36.9	<0.2	<10	610	0.92	0.24	2.90	0.16	20.8	13.1	19
ZZ18723		0.39	<0.001	0.22	1.31	32.8	<0.2	<10	1170	0.77	0.24	2.79	0.23	25.0	12.0	20
ZZ18724		0.40	0.001	0.13	0.27	25	<0.2	<10	190	0.29	0.08	15.95	0.24	14.80	3.9	5
ZZ18725		0.32	<0.001	0.11	0.20	15	<0.2	<10	50	0.38	0.06	16.05	0.16	13.00	3.7	5
ZZ18726		0.39	0.001	0.20	0.79	22.4	<0.2	<10	210	0.54	0.14	9.28	0.78	17.10	7.2	13
ZZ18727		0.30	0.001	0.14	0.76	47.6	<0.2	<10	640	0.73	0.32	3.42	6.37	20.4	15.4	15
ZZ18728		0.40	<0.001	0.12	0.58	11.6	<0.2	<10	350	0.81	0.26	0.77	0.78	9.65	8.4	11
ZZ18729		0.39	<0.001	0.21	1.64	212	<0.2	<10	220	1.19	0.37	0.46	0.75	15.20	14.6	27
ZZ18730		0.34	0.001	0.23	1.58	156.0	<0.2	<10	220	1.02	0.34	0.67	0.50	13.55	11.9	25
ZZ18731		0.30	<0.001	0.28	1.49	213	<0.2	<10	250	1.10	0.27	0.67	0.80	11.35	13.3	25
ZZ18732		0.31	0.001	0.23	1.40	153.5	<0.2	<10	170	1.09	0.36	0.55	0.53	10.05	13.0	26
ZZ18733		0.28	0.001	0.36	1.52	258	<0.2	<10	180	1.09	0.31	0.89	0.80	11.50	13.3	25
ZZ18734		0.34	0.001	0.22	1.75	173.5	<0.2	<10	220	1.23	0.32	0.48	0.50	12.90	15.8	31
ZZ18735		0.28	0.001	0.26	1.67	242	<0.2	<10	250	1.12	0.30	0.64	0.82	12.35	14.9	27
ZZ18736		0.25	<0.001	0.52	1.48	534	<0.2	<10	230	1.02	0.23	0.77	1.57	12.75	15.1	25
ZZ18737		0.38	0.002	0.37	1.34	452	<0.2	<10	240	0.92	0.22	0.74	0.61	12.35	10.5	23
ZZ18738		0.32	0.001	0.40	1.38	786	<0.2	<10	240	0.99	0.23	0.77	0.72	10.10	10.8	23
ZZ18739		0.33	<0.001	0.22	1.58	1095	<0.2	<10	230	1.05	0.24	0.51	0.59	10.50	11.8	28
ZZ18740		0.43	0.003	0.52	1.59	1075	<0.2	<10	200	1.42	0.26	0.60	1.49	13.45	23.8	26
ZZ18801		0.34	0.001	0.14	1.93	11.7	<0.2	<10	170	1.05	0.25	0.25	0.12	10.80	14.6	31
ZZ18802		0.39	0.001	0.13	1.89	12.2	<0.2	<10	160	1.02	0.26	0.16	0.12	14.15	14.0	30

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 17- AUG- 2011
Account: RCM

Project: Rackla - Jackpot

CERTIFICATE OF ANALYSIS WH11145411

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
ZZ18711		2.14	41.5	3.40	5.15	0.06	0.08	1.47	0.047	0.09	5.2	27.1	0.47	367	0.80	0.03
ZZ18712		4.61	39.7	3.74	5.46	0.06	0.08	1.92	0.048	0.09	5.3	28.0	0.48	1590	0.89	0.04
ZZ18713		1.91	36.2	3.93	5.24	0.06	0.08	0.87	0.051	0.08	5.6	25.9	0.47	352	0.86	0.03
ZZ18714		9.66	20.0	2.97	2.73	0.05	0.04	1.96	0.029	0.11	7.2	6.1	0.32	485	0.45	0.04
ZZ18715		6.04	13.7	4.46	2.83	0.07	0.06	1.68	0.040	0.09	11.3	6.6	2.22	1560	0.52	0.04
ZZ18716		1.40	8.9	3.34	1.42	0.06	0.05	1.16	0.021	0.05	12.9	4.4	6.40	1950	0.30	0.05
ZZ18717		0.90	11.8	5.03	3.49	0.08	0.09	0.78	0.032	0.06	24.5	10.3	3.05	3100	0.45	0.04
ZZ18718		0.74	10.3	4.47	3.12	0.08	0.05	1.96	0.021	0.03	13.9	5.8	5.11	2450	0.77	0.05
ZZ18719		1.06	20.4	4.46	4.75	0.08	0.08	0.57	0.036	0.04	21.7	16.0	1.62	1630	1.10	0.02
ZZ18720		0.97	30.4	4.31	3.59	0.16	0.11	0.61	0.038	0.06	17.1	15.8	1.72	1420	1.11	0.02
ZZ18721		1.14	18.6	2.80	5.01	0.11	0.02	0.04	0.033	0.04	12.7	16.7	0.27	239	1.12	0.01
ZZ18722		1.03	27.2	3.64	2.88	0.13	0.05	0.42	0.029	0.05	9.2	14.5	1.92	839	0.84	0.02
ZZ18723		0.97	29.8	3.66	3.68	0.15	0.05	0.62	0.029	0.06	11.9	13.9	1.85	884	1.00	0.03
ZZ18724		0.47	7.2	1.67	0.72	0.12	0.04	0.49	0.010	0.03	9.6	2.8	9.50	1440	0.28	0.04
ZZ18725		0.79	6.5	1.91	0.53	0.12	0.03	0.63	0.009	0.04	7.1	1.6	9.59	1490	0.20	0.04
ZZ18726		1.13	12.9	2.86	2.18	0.12	0.06	0.87	0.016	0.04	10.3	7.0	5.58	1050	0.75	0.03
ZZ18727		2.00	24.7	3.16	2.80	0.13	0.05	0.68	0.036	0.09	10.3	6.3	1.97	1720	0.70	0.03
ZZ18728		14.05	21.8	2.40	1.79	0.13	0.05	0.29	0.030	0.11	4.2	4.1	0.24	664	0.55	0.01
ZZ18729		1.63	36.6	4.32	5.42	0.11	0.07	0.46	0.046	0.08	5.2	22.7	0.45	405	0.87	0.01
ZZ18730		1.42	31.6	3.59	5.20	0.10	0.08	0.70	0.042	0.09	5.1	22.6	0.44	469	0.80	0.01
ZZ18731		1.54	34.6	3.35	4.87	0.13	0.07	0.64	0.041	0.10	4.6	25.2	0.47	392	0.90	0.02
ZZ18732		1.97	33.1	3.69	4.61	0.12	0.08	0.52	0.042	0.09	3.9	20.8	0.45	540	0.74	0.02
ZZ18733		1.84	35.9	3.45	4.91	0.12	0.07	1.01	0.042	0.08	4.2	23.6	0.50	525	0.91	0.02
ZZ18734		1.89	30.0	3.93	6.27	0.12	0.06	0.70	0.041	0.08	5.0	28.8	0.56	361	0.92	0.02
ZZ18735		1.43	36.0	3.63	5.02	0.12	0.06	0.77	0.035	0.08	4.6	23.8	0.49	539	0.94	0.02
ZZ18736		1.58	32.7	3.93	4.21	0.12	0.06	1.95	0.037	0.08	4.8	26.7	0.48	360	1.17	0.02
ZZ18737		1.75	30.9	3.26	4.03	0.12	0.06	1.07	0.035	0.07	5.4	22.7	0.45	315	1.07	0.02
ZZ18738		1.54	29.1	3.26	4.39	0.11	0.06	1.14	0.037	0.08	4.3	24.3	0.44	315	1.29	0.02
ZZ18739		1.51	31.2	3.44	4.83	0.12	0.06	0.56	0.038	0.08	4.8	29.1	0.54	626	1.02	0.02
ZZ18740		2.57	39.0	3.01	4.70	0.12	0.06	1.56	0.043	0.09	5.9	31.4	0.49	420	1.02	0.02
ZZ18801		2.25	23.6	3.86	5.84	0.12	0.03	0.07	0.037	0.09	4.2	42.1	0.62	508	0.91	0.02
ZZ18802		1.46	27.8	4.21	5.80	0.12	0.03	0.06	0.041	0.07	5.5	38.7	0.60	358	1.04	0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 17- AUG- 2011
Account: RCM

Project: Rackla - Jackpot

CERTIFICATE OF ANALYSIS WH11145411

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
ZZ18711		0.28	33.6	640	45.6	11.5	<0.001	0.06	1.01	6.1	0.9	0.6	29.3	<0.01	0.05	3.0
ZZ18712		0.25	41.5	690	83.5	13.8	<0.001	0.06	1.12	6.6	0.9	0.6	28.4	<0.01	0.06	3.3
ZZ18713		0.27	34.7	610	40.6	11.8	<0.001	0.05	0.75	6.5	0.9	0.6	23.7	<0.01	0.04	3.7
ZZ18714		0.41	15.6	680	38.7	15.8	<0.001	0.09	0.38	3.5	0.9	0.5	30.8	<0.01	0.05	1.0
ZZ18715		0.36	16.7	610	82.7	10.2	<0.001	0.06	0.39	5.2	0.8	0.5	40.7	<0.01	0.04	2.2
ZZ18716		0.22	9.5	700	74.3	5.7	<0.001	0.06	0.18	3.0	0.6	0.3	63.0	<0.01	0.03	1.6
ZZ18717		0.37	13.5	1000	139.0	9.3	<0.001	0.07	0.28	4.6	0.7	0.6	47.6	0.01	0.06	2.7
ZZ18718		0.49	13.9	930	97.6	6.2	<0.001	0.07	0.34	3.8	0.9	0.3	51.6	0.01	0.04	1.6
ZZ18719		0.59	25.1	490	65.5	8.1	<0.001	0.02	0.43	7.9	1.1	0.5	32.7	0.01	0.06	4.7
ZZ18720		0.59	36.4	620	48.3	8.5	0.001	0.02	0.53	6.6	1.0	0.4	42.4	0.01	0.06	5.5
ZZ18721		0.73	19.8	440	20.7	9.4	<0.001	<0.01	0.37	2.8	0.6	0.6	21.7	<0.01	0.04	2.3
ZZ18722		0.26	27.4	300	38.0	7.7	<0.001	0.01	0.34	4.8	0.6	0.3	37.7	<0.01	0.06	3.7
ZZ18723		0.43	27.7	500	42.0	6.5	<0.001	0.03	0.39	5.7	0.7	0.5	50.4	<0.01	0.05	4.0
ZZ18724		0.06	7.5	680	36.2	2.3	0.001	0.02	0.13	2.2	0.4	<0.2	89.6	<0.01	0.05	1.8
ZZ18725		<0.05	7.4	540	52.8	2.5	<0.001	0.02	0.10	2.5	0.4	<0.2	75.5	<0.01	0.03	1.8
ZZ18726		0.32	14.9	480	72.1	4.4	<0.001	0.02	0.34	3.6	0.8	0.3	56.0	<0.01	0.03	2.2
ZZ18727		0.37	26.7	410	61.7	8.2	<0.001	0.07	0.46	5.9	0.8	0.7	66.8	<0.01	0.05	3.2
ZZ18728		0.33	14.1	430	27.2	11.3	<0.001	0.03	0.29	3.7	0.5	0.4	24.3	<0.01	0.04	1.5
ZZ18729		0.25	34.4	580	44.3	11.9	<0.001	<0.01	0.58	6.2	0.6	0.7	21.0	<0.01	0.05	3.4
ZZ18730		0.27	30.8	670	32.9	11.1	<0.001	0.01	0.54	5.8	0.8	0.6	25.4	<0.01	0.04	2.7
ZZ18731		0.27	38.2	600	37.1	11.1	<0.001	0.03	0.79	5.7	1.1	0.6	27.7	<0.01	0.05	2.5
ZZ18732		0.22	33.3	460	32.0	10.1	<0.001	0.02	0.56	5.5	0.4	0.6	27.2	<0.01	0.05	3.1
ZZ18733		0.26	33.9	620	55.8	11.2	<0.001	0.04	0.93	5.2	1.2	0.6	28.7	<0.01	0.04	2.5
ZZ18734		0.33	39.3	410	38.2	11.0	<0.001	0.01	0.65	6.2	0.8	0.7	18.4	<0.01	0.06	3.5
ZZ18735		0.34	37.2	600	51.3	10.5	<0.001	0.03	0.84	5.3	0.7	0.5	22.2	<0.01	0.05	2.6
ZZ18736		0.25	39.3	690	111.5	9.9	<0.001	0.03	1.21	5.6	1.0	0.5	24.9	<0.01	0.06	2.8
ZZ18737		0.31	37.9	710	47.6	10.0	<0.001	0.04	1.01	5.5	0.9	0.4	28.6	<0.01	0.04	2.4
ZZ18738		0.23	39.5	800	56.2	10.8	0.001	0.04	1.20	5.2	1.2	0.5	29.3	<0.01	0.05	2.4
ZZ18739		0.23	44.3	750	26.5	11.6	0.001	0.02	1.21	5.6	0.9	0.5	20.6	<0.01	0.05	2.6
ZZ18740		0.31	67.6	780	57.3	14.7	0.001	0.03	2.40	6.6	1.6	0.5	28.5	<0.01	0.05	3.1
ZZ18801		0.23	44.9	680	15.1	13.5	<0.001	0.01	0.28	5.6	0.5	0.5	24.2	<0.01	0.05	2.6
ZZ18802		0.25	37.9	610	19.3	12.3	<0.001	<0.01	0.31	6.2	0.7	0.5	18.9	<0.01	0.07	3.1

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 17- AUG- 2011
Account: RCM

Project: Rackla - Jackpot

CERTIFICATE OF ANALYSIS WH11145411

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
ZZ18711		<0.005	1.82	1.16	29	0.09	13.05	281	2.2
ZZ18712		<0.005	3.06	1.37	30	0.11	12.85	324	2.0
ZZ18713		<0.005	1.02	1.07	32	0.09	11.45	265	2.1
ZZ18714		0.007	0.44	2.16	21	0.13	8.94	994	1.1
ZZ18715		0.008	0.52	1.05	24	0.19	11.85	1460	1.4
ZZ18716		<0.005	0.57	0.95	14	0.09	10.80	604	1.2
ZZ18717		0.005	0.54	1.24	29	0.13	17.90	1120	2.2
ZZ18718		0.013	0.33	1.89	29	0.19	14.35	1260	1.3
ZZ18719		0.012	0.23	1.57	46	0.22	20.7	212	2.2
ZZ18720		0.011	0.37	1.33	34	0.14	16.15	169	3.5
ZZ18721		0.010	0.13	0.77	41	0.16	5.95	57	0.5
ZZ18722		<0.005	0.27	0.85	27	0.07	8.86	87	1.9
ZZ18723		0.012	0.38	0.88	33	0.10	12.10	119	1.7
ZZ18724		<0.005	0.30	1.50	8	0.05	8.27	128	1.3
ZZ18725		<0.005	0.35	0.66	7	<0.05	6.41	169	1.3
ZZ18726		0.008	0.29	0.70	22	0.10	8.60	287	1.4
ZZ18727		0.008	0.98	0.73	25	0.15	10.75	3070	1.4
ZZ18728		0.008	0.39	0.69	16	0.08	4.91	414	1.2
ZZ18729		<0.005	0.95	0.89	33	0.05	9.14	239	2.0
ZZ18730		<0.005	0.82	0.99	32	0.08	8.55	227	1.8
ZZ18731		<0.005	1.07	0.89	30	0.05	10.00	282	1.8
ZZ18732		<0.005	0.88	0.67	29	<0.05	7.03	224	1.9
ZZ18733		<0.005	1.61	1.01	30	0.05	10.50	285	1.7
ZZ18734		<0.005	1.05	0.72	33	0.05	8.24	236	1.9
ZZ18735		<0.005	1.13	0.77	32	0.07	7.77	255	1.6
ZZ18736		<0.005	2.03	1.03	33	0.09	8.89	395	1.7
ZZ18737		<0.005	0.93	0.95	30	0.08	10.25	274	1.6
ZZ18738		<0.005	1.66	1.10	29	0.10	9.57	364	1.6
ZZ18739		<0.005	1.23	1.29	32	0.06	10.55	416	1.3
ZZ18740		<0.005	6.84	2.18	30	0.10	16.45	815	1.6
ZZ18801		<0.005	0.14	0.48	34	<0.05	7.97	113	0.8
ZZ18802		<0.005	0.14	0.57	37	<0.05	7.37	101	1.0

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 17- AUG- 2011
Account: RCM

Project: Rackla - Jackpot

CERTIFICATE OF ANALYSIS WH11145411

Method	CERTIFICATE COMMENTS
ME- MS41	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown.
ME- MS41	Gold determinations by this method are semi- quantitative due to the small sample weight used (0.5g).

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 16- AUG- 2011
Account: RCM

CERTIFICATE WH11145412

Project: Rackla - Jackpot

P.O. No.:

This report is for 195 Soil samples submitted to our lab in Whitehorse, YT, Canada on 29- JUL- 2011.

The following have access to data associated with this certificate:

ROB CARNE JULIA LANE	ANDREW CARNE JOAN MARIACHER	MATT DUMALA

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
SCR- 41	Screen to - 180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME- OG46	Ore Grade Elements - AquaRegia	ICP- AES
Zn- OG46	Ore Grade Zn - Aqua Regia	VARIABLE
Au- TL43	Trace Level Au - 25g AR	ICP- MS
ME- MS41	51 anal. aqua regia ICPMS	

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 16- AUG- 2011
Account: RCM

Project: Rackla - Jackpot

CERTIFICATE OF ANALYSIS WH11145412

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- TL43 Au ppm 0.001	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1
CC145391		0.33	0.001	0.09	1.74	14.4	<0.2	<10	160	1.25	0.25	0.19	0.20	14.80	18.9	29
CC145392		0.32	0.001	0.12	1.84	12.3	<0.2	<10	200	1.12	0.26	0.22	0.18	17.40	18.4	30
CC145393		0.33	0.001	0.09	1.70	14.9	<0.2	<10	180	1.08	0.24	0.20	0.18	14.60	15.0	28
CC145394		0.41	0.002	0.11	1.79	17.0	<0.2	<10	230	1.09	0.28	0.24	0.16	14.40	15.1	30
CC145395		0.30	0.003	0.31	1.65	300	<0.2	<10	300	1.06	0.25	0.46	0.42	16.45	13.1	28
CC145396		0.24	0.010	1.26	1.32	479	<0.2	<10	240	1.07	0.18	5.34	3.60	11.30	9.8	22
CC145397		0.29	0.005	67.3	1.06	2340	<0.2	<10	110	0.96	0.17	6.78	144.5	8.25	7.5	17
CC145398		0.32	0.002	1.79	0.41	1760	<0.2	<10	120	1.09	0.25	0.64	14.35	7.77	19.4	11
CC145399		0.35	0.002	0.52	1.00	2090	<0.2	<10	230	1.14	0.28	0.46	4.53	8.81	18.2	17
CC145400		0.54	0.002	0.90	0.76	4500	<0.2	<10	320	1.01	0.28	0.48	11.10	10.55	13.7	16
ZZ18501		0.30	0.002	0.21	0.90	1635	<0.2	<10	380	1.17	0.25	1.10	0.88	9.54	18.0	17
ZZ18502		0.40	0.001	0.12	0.76	1300	<0.2	<10	270	1.03	0.28	0.29	0.26	11.45	16.3	16
ZZ18503		0.31	0.001	0.20	0.78	587	<0.2	<10	290	0.83	0.26	0.30	0.19	9.35	11.2	16
ZZ18504		0.41	0.001	0.14	0.80	124.0	<0.2	<10	180	1.14	0.30	0.26	0.15	10.50	17.7	17
ZZ18505		0.32	0.001	0.09	0.64	88.3	<0.2	<10	170	1.23	0.32	0.24	0.16	6.76	22.4	14
ZZ18506		0.17	0.002	0.20	1.25	518	<0.2	<10	260	1.13	0.28	0.42	0.40	11.20	15.2	20
ZZ18507		0.41	0.001	0.19	1.00	1460	<0.2	<10	220	0.93	0.29	0.33	0.77	6.36	11.8	19
ZZ18508		0.20	0.002	0.78	1.13	1395	<0.2	<10	200	1.06	0.24	1.18	2.15	6.37	9.8	19
ZZ18509		0.21	0.002	1.21	1.01	1960	<0.2	<10	180	1.07	0.26	1.10	5.01	6.60	12.5	18
ZZ18510		0.22	0.002	1.46	1.21	1185	<0.2	<10	190	1.10	0.26	1.38	3.30	6.92	12.0	20
ZZ18511		0.28	0.002	1.11	1.18	1510	<0.2	<10	180	1.07	0.28	0.68	4.23	7.57	12.5	21
ZZ18512		0.28	0.002	0.87	1.13	1390	<0.2	<10	180	0.98	0.26	0.91	3.89	6.76	12.6	19
ZZ18513		0.27	0.001	0.46	1.04	1630	<0.2	<10	190	1.09	0.29	0.68	3.12	7.53	14.3	19
ZZ18514		0.29	0.002	0.65	1.22	1075	<0.2	<10	230	1.10	0.28	1.16	2.62	11.25	13.1	21
ZZ18515		0.25	0.005	0.86	1.07	1235	<0.2	<10	190	1.02	0.26	0.82	3.73	7.34	12.2	19
ZZ18516		0.16	0.008	1.01	1.16	824	<0.2	<10	240	1.30	0.30	0.84	7.08	9.34	12.8	20
ZZ18517		0.24	0.009	0.84	1.17	1485	<0.2	<10	250	1.07	0.28	0.80	4.37	6.82	9.0	19
ZZ18518		0.32	0.002	0.05	0.38	20.2	<0.2	<10	210	0.73	0.45	0.14	0.83	4.89	14.8	5
ZZ18519		0.23	0.002	0.13	0.32	26	<0.2	<10	340	0.29	0.05	14.75	1.94	10.60	3.1	5
ZZ18520		0.36	0.002	0.19	0.52	18	<0.2	<10	390	0.53	0.12	11.70	3.11	17.50	5.0	8
CC145270		0.32	0.004	0.15	0.50	3120	<0.2	<10	260	1.06	0.28	2.57	0.83	4.22	11.8	12
CC145271		0.29	0.005	0.68	1.48	1025	<0.2	<10	280	0.92	0.27	0.46	0.38	7.49	13.6	26
CC145272		0.23	0.003	0.14	1.87	24.0	<0.2	<10	180	1.11	0.27	0.14	0.20	16.15	25.3	29
CC145273		0.29	0.003	0.08	1.83	14.5	<0.2	<10	150	0.98	0.25	0.14	0.17	14.95	17.6	29
CC145274		0.30	0.003	0.12	1.79	18.0	<0.2	<10	190	0.93	0.27	0.16	0.15	13.00	17.5	28
CC145275		0.17	0.004	0.14	1.85	16.9	<0.2	<10	230	1.01	0.27	0.17	0.19	13.90	14.3	29
CC145276		0.23	0.004	0.14	1.90	16.4	<0.2	<10	250	1.14	0.28	0.36	0.31	13.25	21.7	30
CC145277		0.25	0.004	0.11	1.77	17.5	<0.2	<10	270	1.08	0.28	0.49	0.33	13.80	19.8	29
CC145278		0.39	0.003	0.12	1.86	20.3	<0.2	<10	280	1.11	0.27	0.33	0.34	15.70	24.6	29
CC145279		0.19	0.005	0.12	1.88	33.7	<0.2	<10	210	1.11	0.27	0.20	0.19	14.25	22.0	29

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 16- AUG- 2011
Account: RCM

Project: Rackla - Jackpot

CERTIFICATE OF ANALYSIS WH11145412

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
CC145391		3.32	33.5	3.94	5.33	0.14	0.04	0.05	0.037	0.07	6.2	38.2	0.61	709	0.99	0.01
CC145392		3.40	36.8	3.92	5.54	0.14	0.04	0.07	0.038	0.08	6.5	43.4	0.66	482	0.92	0.01
CC145393		2.91	33.9	3.81	5.22	0.13	0.03	0.10	0.037	0.07	6.4	37.1	0.59	535	1.09	0.01
CC145394		1.77	40.8	4.12	5.32	0.13	0.04	0.14	0.043	0.08	5.7	35.7	0.63	410	1.10	0.02
CC145395		1.40	32.8	3.20	4.82	0.12	0.06	4.15	0.037	0.08	8.4	29.6	0.53	664	1.02	0.02
CC145396		1.36	33.8	2.63	3.36	0.12	0.05	12.70	0.031	0.07	5.0	18.2	3.14	801	0.77	0.02
CC145397		2.00	37.8	2.63	2.99	0.12	0.04	81.7	0.027	0.06	3.4	16.5	4.44	1740	1.18	0.02
CC145398		13.85	45.4	4.16	1.49	0.13	0.03	4.47	0.044	0.10	2.7	6.0	0.25	564	1.39	0.01
CC145399		8.26	38.6	4.31	3.23	0.13	0.04	1.94	0.053	0.12	2.8	17.0	0.46	557	0.81	0.02
CC145400		7.59	46.5	4.28	2.50	0.12	0.05	9.06	0.044	0.11	4.1	11.8	0.23	636	1.19	0.02
ZZ18501		5.52	36.3	3.64	2.54	0.12	0.05	0.57	0.034	0.11	3.0	13.6	0.29	2900	1.63	0.02
ZZ18502		4.94	40.5	4.19	2.43	0.12	0.03	0.35	0.042	0.12	4.0	11.1	0.19	433	1.52	0.02
ZZ18503		4.29	33.6	3.25	2.48	0.11	0.02	0.39	0.041	0.12	3.3	9.8	0.15	237	1.51	0.02
ZZ18504		2.12	40.8	4.15	3.03	<0.05	0.02	0.10	0.046	0.09	4.3	16.4	0.23	394	1.31	<0.01
ZZ18505		1.68	38.8	4.39	2.25	<0.05	<0.02	0.07	0.047	0.09	2.9	11.0	0.15	1000	1.21	<0.01
ZZ18506		1.72	36.2	3.69	3.89	<0.05	0.06	0.29	0.045	0.10	4.5	18.9	0.28	840	0.97	<0.01
ZZ18507		3.95	23.4	4.22	3.12	<0.05	0.04	13.25	0.038	0.10	2.6	20.0	0.35	395	0.99	0.01
ZZ18508		2.70	37.5	3.24	3.35	<0.05	0.05	4.02	0.034	0.09	3.3	21.4	0.41	335	0.84	0.01
ZZ18509		4.47	34.2	3.49	3.22	<0.05	0.06	8.13	0.039	0.10	2.9	19.7	0.43	395	0.84	0.01
ZZ18510		3.66	35.9	3.33	3.79	<0.05	0.07	6.72	0.036	0.09	3.2	25.7	0.51	344	0.91	0.01
ZZ18511		4.15	36.2	3.76	3.72	<0.05	0.06	6.09	0.042	0.09	3.3	23.2	0.42	316	0.90	0.01
ZZ18512		3.57	36.4	3.55	3.52	<0.05	0.06	3.88	0.036	0.10	3.0	21.0	0.43	407	0.89	0.01
ZZ18513		3.25	31.4	3.82	3.29	<0.05	0.06	2.60	0.039	0.09	3.0	19.8	0.37	522	0.92	0.01
ZZ18514		2.46	45.5	3.34	3.79	<0.05	0.07	2.23	0.035	0.11	5.0	21.0	0.37	415	0.76	0.01
ZZ18515		3.47	37.5	3.42	3.41	0.05	0.06	4.94	0.036	0.09	3.1	20.7	0.37	361	0.97	0.01
ZZ18516		2.89	50.4	2.19	3.92	<0.05	0.06	4.89	0.043	0.10	3.7	22.6	0.39	129	0.68	<0.01
ZZ18517		3.50	57.0	2.12	3.55	<0.05	0.03	3.73	0.034	0.08	2.9	21.0	0.38	131	0.69	0.01
ZZ18518		8.13	30.3	2.01	1.20	<0.05	0.03	0.09	0.026	0.13	2.1	2.4	0.08	1080	0.26	<0.01
ZZ18519		0.56	4.8	2.99	0.91	<0.05	0.03	0.53	0.007	0.02	5.5	2.0	8.78	1940	0.42	0.02
ZZ18520		2.81	13.4	1.68	1.83	<0.05	0.04	2.06	0.016	0.05	12.7	4.0	6.80	717	0.39	0.02
CC145270		11.85	31.9	3.37	1.64	<0.05	0.03	0.93	0.053	0.18	2.0	7.9	1.25	699	1.31	0.02
CC145271		8.09	28.2	3.74	4.79	<0.05	0.04	31.3	0.046	0.10	3.7	37.4	0.54	477	1.10	0.01
CC145272		2.61	30.2	4.05	6.03	<0.05	0.03	0.20	0.041	0.08	7.2	38.4	0.59	1020	1.08	0.01
CC145273		1.09	27.0	4.27	5.57	<0.05	0.03	0.15	0.040	0.07	6.8	37.6	0.68	522	0.94	<0.01
CC145274		1.00	24.7	4.51	5.70	<0.05	0.03	0.13	0.038	0.08	5.7	34.9	0.53	581	1.21	0.01
CC145275		1.21	30.3	3.78	5.68	<0.05	0.02	0.12	0.041	0.09	6.4	35.5	0.55	367	1.09	0.01
CC145276		1.11	38.0	3.99	5.60	<0.05	0.04	0.11	0.044	0.10	5.4	37.9	0.61	354	1.17	0.01
CC145277		0.97	41.4	4.10	5.40	<0.05	0.05	0.11	0.040	0.10	6.1	38.2	0.61	792	1.29	0.01
CC145278		1.18	35.1	4.30	5.87	<0.05	0.03	0.15	0.043	0.09	6.4	38.2	0.58	930	1.50	0.01
CC145279		2.05	30.8	4.27	5.74	<0.05	0.03	0.23	0.041	0.08	6.5	35.4	0.56	1230	1.22	0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 16- AUG- 2011
Account: RCM

Project: Rackla - Jackpot

CERTIFICATE OF ANALYSIS WH11145412

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
CC145391		0.23	51.9	680	17.7	13.6	<0.001	<0.01	0.38	6.0	0.8	0.5	19.2	<0.01	0.07	3.1
CC145392		0.20	53.4	680	15.7	15.3	<0.001	<0.01	0.35	6.7	1.1	0.5	21.8	<0.01	0.04	3.5
CC145393		0.24	45.1	690	13.8	15.6	0.001	<0.01	0.37	5.7	0.7	0.4	21.9	<0.01	0.05	2.7
CC145394		0.18	49.5	710	16.5	10.7	0.001	<0.01	0.35	6.8	0.6	0.5	22.4	<0.01	0.05	3.4
CC145395		0.44	45.4	590	51.8	10.6	<0.001	0.02	0.63	5.9	1.0	0.5	34.1	<0.01	0.05	2.7
CC145396		0.28	37.8	530	189.5	8.4	0.001	0.03	4.36	4.4	1.0	0.4	40.2	<0.01	0.04	1.7
CC145397		0.15	26.2	370	7710	7.4	<0.001	0.04	54.0	3.6	1.8	0.4	59.1	<0.01	0.04	1.5
CC145398		<0.05	52.6	520	396	11.2	<0.001	0.03	2.92	6.1	1.0	0.5	19.8	<0.01	0.06	3.1
CC145399		0.05	63.9	780	94.2	14.1	<0.001	0.10	1.80	6.9	0.7	0.6	44.5	<0.01	0.05	4.2
CC145400		0.08	59.0	780	174.5	14.4	<0.001	0.04	4.56	6.2	0.8	0.5	39.1	<0.01	0.07	2.8
ZZ18501		0.09	52.0	800	25.8	11.9	0.002	0.05	1.00	5.1	1.8	0.4	32.9	<0.01	0.05	2.2
ZZ18502		0.05	51.3	690	21.3	14.2	0.001	<0.01	0.49	6.4	0.9	0.5	30.0	<0.01	0.05	4.1
ZZ18503		0.09	38.4	760	18.6	13.3	0.001	0.01	0.44	5.4	1.1	0.5	28.9	<0.01	0.05	2.6
ZZ18504		0.12	51.9	800	19.6	10.3	<0.001	0.01	0.44	7.0	1.3	0.5	25.6	<0.01	0.06	3.5
ZZ18505		0.07	58.4	770	19.2	9.3	0.001	0.01	0.39	6.6	0.7	0.5	24.9	<0.01	0.06	2.8
ZZ18506		0.13	49.1	780	21.7	12.4	<0.001	0.04	0.40	8.0	1.1	0.5	25.0	<0.01	0.05	2.7
ZZ18507		0.07	37.6	730	45.2	10.7	0.002	0.03	0.52	5.4	0.9	0.5	22.4	<0.01	0.04	3.0
ZZ18508		0.14	46.4	790	85.4	10.1	0.001	0.08	1.70	4.3	1.9	0.4	33.2	<0.01	0.03	1.3
ZZ18509		0.12	47.0	700	159.5	12.9	0.002	0.07	2.25	5.2	1.5	0.5	30.7	<0.01	0.04	2.1
ZZ18510		0.15	44.6	600	170.0	11.8	0.002	0.07	2.43	5.1	1.6	0.5	30.6	<0.01	0.03	2.0
ZZ18511		0.14	47.4	690	154.0	11.1	0.001	0.05	2.16	5.6	1.2	0.5	23.3	<0.01	0.05	2.5
ZZ18512		0.14	46.4	680	126.5	10.3	0.001	0.07	1.97	5.0	1.3	0.5	27.3	<0.01	0.06	2.2
ZZ18513		0.11	47.6	700	81.1	9.6	0.001	0.06	1.43	5.8	1.0	0.5	25.7	<0.01	0.04	2.7
ZZ18514		0.22	38.1	600	69.9	11.6	0.001	0.03	1.37	6.1	1.4	0.5	39.5	<0.01	0.04	2.7
ZZ18515		0.13	49.5	700	121.5	11.0	0.003	0.07	1.96	5.5	1.6	0.5	27.6	<0.01	0.05	2.1
ZZ18516		0.16	54.0	710	137.0	9.8	0.002	0.08	1.91	6.1	1.8	0.6	24.3	<0.01	0.05	2.3
ZZ18517		0.16	46.6	680	96.9	8.6	0.001	0.31	2.33	5.0	1.5	0.5	21.6	<0.01	0.02	1.9
ZZ18518		0.13	11.9	170	19.6	9.5	<0.001	<0.01	0.17	4.7	<0.2	0.4	27.1	<0.01	0.06	3.2
ZZ18519		0.10	5.8	690	64.9	3.1	<0.001	0.04	0.20	1.2	0.3	0.2	69.4	<0.01	0.01	0.5
ZZ18520		0.21	11.2	720	72.0	4.2	<0.001	0.04	0.23	2.5	0.9	0.3	64.7	<0.01	0.01	1.5
CC145270		<0.05	30.6	340	29.1	13.0	0.001	0.22	0.70	4.3	0.6	0.5	85.9	<0.01	0.06	2.1
CC145271		0.16	43.0	650	28.5	10.7	0.001	0.05	0.47	5.5	1.0	0.5	48.4	<0.01	0.04	2.5
CC145272		0.28	44.2	710	18.4	14.4	<0.001	0.01	0.33	6.2	1.5	0.5	13.9	<0.01	0.05	2.9
CC145273		0.23	45.9	640	15.8	9.6	<0.001	<0.01	0.32	5.3	1.0	0.4	12.2	<0.01	0.05	3.3
CC145274		0.24	35.1	770	19.0	10.4	<0.001	0.02	0.31	5.2	1.1	0.5	15.4	<0.01	0.04	2.6
CC145275		0.23	39.6	720	18.0	12.1	<0.001	0.02	0.31	6.2	0.9	0.5	15.7	<0.01	0.06	2.9
CC145276		0.17	52.8	770	20.9	10.2	0.001	0.02	0.35	7.1	1.0	0.5	25.2	<0.01	0.05	3.1
CC145277		0.18	51.9	750	21.5	8.8	0.002	0.03	0.36	6.7	1.2	0.5	29.1	<0.01	0.07	3.1
CC145278		0.22	48.9	740	22.1	11.0	0.001	0.02	0.39	6.8	1.2	0.5	25.1	<0.01	0.05	3.0
CC145279		0.22	43.8	750	19.7	12.4	<0.001	0.02	0.34	6.9	1.1	0.5	18.1	<0.01	0.05	2.7

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 16- AUG- 2011
Account: RCM

Project: Rackla - Jackpot

CERTIFICATE OF ANALYSIS WH11145412

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	Zn- OG46
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr	Zn
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5	0.001
CC145391		<0.005	0.12	0.53	35	0.06	9.48	126	1.0	
CC145392		0.005	0.12	0.55	34	<0.05	11.30	133	1.1	
CC145393		<0.005	0.12	0.56	36	<0.05	8.61	124	1.0	
CC145394		<0.005	0.17	0.57	36	<0.05	10.10	125	1.2	
CC145395		0.005	1.81	1.24	36	0.16	12.40	193	1.5	
CC145396		<0.005	5.01	1.48	34	0.58	10.95	479	1.4	
CC145397		<0.005	15.45	3.39	26	1.50	5.67	>10000	1.2	2.46
CC145398		<0.005	230	1.53	22	0.23	12.25	3200	1.0	
CC145399		<0.005	61.7	1.23	23	0.09	11.85	2290	1.4	
CC145400		<0.005	89.3	1.33	25	0.22	12.00	3060	1.4	
ZZ18501		<0.005	5.96	4.73	23	<0.05	10.60	200	1.2	
ZZ18502		<0.005	0.88	1.55	27	<0.05	10.45	134	1.3	
ZZ18503		<0.005	0.62	1.14	28	<0.05	8.10	111	0.5	
ZZ18504		<0.005	0.20	0.61	28	<0.05	11.25	140	0.9	
ZZ18505		<0.005	0.17	0.61	26	<0.05	7.88	138	<0.5	
ZZ18506		<0.005	2.10	1.44	29	<0.05	15.70	185	1.6	
ZZ18507		<0.005	5.71	0.91	26	<0.05	7.70	346	1.3	
ZZ18508		<0.005	13.05	3.13	25	0.15	11.80	758	1.4	
ZZ18509		<0.005	23.9	2.65	25	0.22	10.50	1500	1.8	
ZZ18510		<0.005	14.95	3.54	26	0.21	11.25	844	2.0	
ZZ18511		<0.005	15.00	2.18	28	0.23	10.90	1220	1.7	
ZZ18512		<0.005	13.15	2.70	26	0.14	10.05	1110	1.8	
ZZ18513		<0.005	15.10	1.60	26	0.11	10.25	1020	1.6	
ZZ18514		<0.005	15.95	1.74	26	0.11	12.20	1090	2.0	
ZZ18515		<0.005	13.75	2.15	25	0.16	11.10	969	1.8	
ZZ18516		<0.005	12.10	2.91	28	0.12	12.45	1010	2.1	
ZZ18517		<0.005	18.10	3.34	28	0.11	9.81	1130	1.2	
ZZ18518		<0.005	0.24	0.35	9	<0.05	3.40	141	1.0	
ZZ18519		<0.005	0.47	0.70	9	0.05	4.65	632	0.7	
ZZ18520		0.005	0.77	0.95	13	0.12	8.87	2000	1.3	
CC145270		<0.005	39.5	1.05	30	0.16	5.51	441	1.2	
CC145271		<0.005	2.96	0.74	30	0.08	8.14	168	1.4	
CC145272		<0.005	0.22	0.62	39	0.05	11.80	135	1.0	
CC145273		<0.005	0.13	0.54	40	<0.05	6.87	138	1.2	
CC145274		<0.005	0.15	0.58	40	0.06	6.15	110	0.9	
CC145275		<0.005	0.17	0.68	40	<0.05	8.94	122	0.9	
CC145276		<0.005	0.16	0.70	37	<0.05	11.35	140	1.5	
CC145277		<0.005	0.15	0.90	36	<0.05	12.50	135	1.7	
CC145278		<0.005	0.16	0.67	40	<0.05	11.25	136	1.2	
CC145279		<0.005	0.19	0.63	39	0.05	10.95	139	0.9	

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 16- AUG- 2011
Account: RCM

Project: Rackla - Jackpot

CERTIFICATE OF ANALYSIS WH11145412

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- TL43 Au ppm 0.001	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1
CC145280		0.29	0.002	1.44	0.45	2180	<0.2	<10	680	0.46	0.23	0.13	1.17	9.33	3.6	12
CC145281		0.43	0.002	0.12	1.81	209	<0.2	<10	190	1.02	0.29	0.27	0.22	8.03	14.9	29
CC145282		0.34	0.005	1.18	1.10	1625	<0.2	<10	350	1.15	0.30	0.51	1.30	11.15	13.3	21
CC145283		0.29	0.006	0.19	1.39	2370	<0.2	<10	410	1.27	0.29	0.40	0.56	11.15	16.1	25
CC145284		0.33	0.003	0.11	0.51	107.5	<0.2	<10	170	1.05	0.35	0.26	0.12	6.33	17.0	12
CC145285		0.28	0.004	0.09	1.22	151.5	<0.2	<10	180	1.02	0.30	0.23	0.13	9.46	13.2	21
CC145286		0.24	0.005	0.19	1.45	368	<0.2	<10	200	1.01	0.31	0.42	0.22	8.17	13.2	24
CC145287		0.31	0.003	0.23	0.94	391	<0.2	<10	180	0.85	0.24	1.87	0.82	21.5	15.4	18
CC145288		0.31	0.008	0.32	1.54	895	<0.2	<10	230	1.08	0.28	0.61	0.62	9.13	11.4	26
CC145289		0.25	0.003	0.76	1.00	1605	<0.2	<10	160	0.91	0.24	0.75	4.03	6.45	11.8	19
CC145290		0.32	0.004	0.32	0.99	763	<0.2	<10	190	1.11	0.33	0.64	1.38	12.55	15.8	20
CC145291		0.22	0.004	0.44	1.20	1935	<0.2	<10	180	1.04	0.26	0.40	2.20	7.90	14.7	22
CC145292		0.30	0.002	0.32	0.47	61	<0.2	<10	750	0.38	0.07	12.80	8.98	9.04	5.6	6
CC145293		0.26	0.003	0.18	0.57	20	<0.2	<10	260	0.59	0.12	11.25	1.75	23.4	6.1	10
CC145294		0.25	0.002	0.18	0.83	33.6	<0.2	<10	610	0.62	0.12	8.97	0.49	20.9	7.4	14
CC145295		0.36	0.001	0.25	0.50	12.7	<0.2	<10	380	1.15	0.38	1.64	0.17	15.30	19.3	11
CC145296		0.35	0.001	0.09	1.08	16.2	<0.2	<10	180	0.88	0.29	0.17	0.11	23.9	16.2	16
CC145297		0.39	0.001	0.12	1.09	39.1	<0.2	<10	230	0.96	0.31	0.16	0.30	22.1	15.9	17
CC145298		0.25	0.001	0.20	1.36	30.3	<0.2	<10	810	0.88	0.19	4.28	0.35	21.0	9.5	19
CC145299		0.30	0.001	0.14	0.73	31	<0.2	<10	480	0.57	0.13	10.15	0.16	16.15	7.3	12
CC145300		0.35	0.001	0.05	0.26	10	<0.2	<10	210	0.46	0.09	14.45	0.06	22.1	4.5	5
ZZ18741		0.28	0.002	0.64	1.19	1910	<0.2	<10	250	0.97	0.25	0.73	3.58	10.00	13.4	20
ZZ18742		0.29	0.002	1.13	1.31	1700	<0.2	<10	290	1.08	0.25	0.65	7.03	10.10	11.7	22
ZZ18743		0.36	0.002	0.35	0.79	1525	<0.2	<10	200	1.04	0.29	0.40	1.96	8.80	15.3	16
ZZ18744		0.36	0.001	0.13	0.52	2260	<0.2	<10	280	0.91	0.28	0.24	3.54	10.35	22.8	13
ZZ18745		0.47	0.001	0.08	0.58	1605	<0.2	<10	260	0.82	0.27	0.18	3.37	6.50	23.5	12
ZZ18746		0.35	0.004	1.12	1.33	648	<0.2	<10	170	0.95	0.19	5.95	3.94	8.99	9.0	20
ZZ18747		0.26	0.004	1.30	1.44	427	<0.2	<10	370	1.09	0.21	1.65	2.91	9.82	10.0	23
ZZ18748		0.39	0.001	0.11	1.89	16.0	<0.2	<10	200	1.00	0.26	0.30	0.15	11.30	13.4	31
ZZ18749		0.30	0.002	0.12	1.96	15.7	<0.2	<10	190	1.07	0.25	0.29	0.12	11.80	11.3	31
ZZ18750		0.40	0.001	0.11	2.05	12.1	<0.2	<10	170	1.09	0.27	0.25	0.13	10.55	14.0	33
CC145461		0.49	0.001	0.28	1.66	527	<0.2	<10	230	0.95	0.24	0.44	0.70	8.92	12.1	28
CC145462		0.37	0.002	0.68	1.44	544	<0.2	<10	200	0.98	0.24	0.80	1.73	8.20	14.4	24
CC145463		0.34	0.001	0.38	1.51	353	<0.2	<10	300	0.93	0.23	0.78	0.97	10.75	11.1	25
CC145464		0.38	0.002	0.24	1.53	281	<0.2	<10	230	0.99	0.25	0.40	0.82	12.55	17.2	26
CC145465		0.47	0.001	0.17	1.62	132.0	<0.2	<10	190	1.19	0.35	0.36	0.64	12.55	15.9	30
CC145466		0.36	0.001	0.06	0.50	19.9	<0.2	<10	110	1.38	0.44	0.16	0.06	12.35	7.9	19
CC145467		0.39	0.001	0.11	1.61	82.5	<0.2	<10	250	1.10	0.35	0.48	0.28	12.55	13.8	27
CC145468		0.44	0.002	0.17	1.44	68.8	<0.2	<10	260	1.04	0.28	0.40	0.27	18.15	13.7	26
CC145469		0.28	0.001	0.15	0.91	51.0	<0.2	<10	1060	0.87	0.23	5.25	3.99	19.50	13.1	15

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 16- AUG- 2011
Account: RCM

Project: Rackla - Jackpot

CERTIFICATE OF ANALYSIS WH11145412

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
CC145280		5.52	17.3	1.57	1.68	<0.05	<0.02	8.94	0.035	0.10	5.0	6.0	0.11	172	1.44	<0.01
CC145281		2.25	23.4	4.44	5.50	<0.05	0.04	13.05	0.041	0.09	2.9	41.1	0.66	562	1.21	0.01
CC145282		4.07	40.3	4.02	3.48	<0.05	0.07	3.04	0.045	0.11	4.7	21.4	0.36	241	1.49	0.01
CC145283		3.70	42.1	4.64	4.66	<0.05	0.06	0.46	0.046	0.13	4.7	27.2	0.44	699	1.97	0.01
CC145284		2.02	39.1	4.10	1.76	<0.05	0.02	0.13	0.046	0.11	2.9	9.2	0.10	368	1.27	0.01
CC145285		1.00	35.3	4.32	4.12	<0.05	0.03	0.13	0.046	0.09	4.2	19.4	0.33	547	1.25	0.01
CC145286		1.94	31.7	3.78	4.52	<0.05	0.05	0.43	0.042	0.10	3.7	27.5	0.42	578	1.03	<0.01
CC145287		0.91	61.2	4.46	3.28	0.05	0.06	0.29	0.039	0.07	10.3	16.7	1.09	610	1.74	0.01
CC145288		2.46	33.4	3.97	4.96	<0.05	0.06	1.07	0.047	0.09	4.5	34.0	0.50	272	1.00	0.01
CC145289		5.29	29.8	3.32	3.03	0.09	0.05	4.28	0.038	0.10	2.6	19.4	0.35	448	0.86	0.01
CC145290		1.91	40.8	3.75	3.29	0.09	0.06	1.34	0.046	0.09	4.6	18.0	0.32	646	0.83	0.01
CC145291		3.04	28.5	4.48	3.80	0.09	0.05	2.88	0.045	0.10	3.0	23.5	0.38	921	1.01	0.01
CC145292		0.74	8.0	3.79	2.27	0.10	0.03	5.25	0.039	0.03	4.3	3.5	7.95	1570	1.06	0.02
CC145293		1.39	9.6	2.29	1.52	0.11	0.04	1.10	0.016	0.05	12.8	4.6	7.00	1020	0.48	0.03
CC145294		0.88	17.8	3.22	2.11	0.09	0.05	0.57	0.020	0.05	10.6	9.3	5.43	1710	0.60	0.02
CC145295		3.54	35.5	5.28	1.30	0.09	0.05	0.41	0.045	0.10	4.7	4.1	0.10	1610	0.69	0.01
CC145296		1.18	40.6	3.70	2.88	0.11	0.02	0.15	0.030	0.07	10.6	20.5	0.36	547	0.68	0.01
CC145297		1.20	31.5	4.48	2.61	0.10	0.03	0.92	0.039	0.06	8.7	13.0	0.25	854	1.00	0.01
CC145298		0.78	21.3	3.16	3.72	0.09	0.05	0.43	0.026	0.04	11.8	14.8	2.57	1060	1.10	0.02
CC145299		0.70	18.7	2.79	2.10	0.10	0.04	0.88	0.019	0.04	9.1	9.2	6.33	1140	0.50	0.02
CC145300		1.27	9.5	1.18	0.76	0.11	0.04	0.71	0.016	0.05	17.3	2.5	9.06	529	0.20	0.03
ZZ18741		2.14	32.4	3.86	3.45	0.09	0.06	1.97	0.039	0.09	3.9	18.5	0.36	522	1.09	0.01
ZZ18742		2.73	44.5	3.54	4.02	0.09	0.07	4.02	0.044	0.10	4.4	24.9	0.45	286	1.01	0.01
ZZ18743		2.04	35.4	3.94	2.54	0.09	0.05	1.09	0.048	0.09	3.0	11.4	0.19	297	1.16	0.01
ZZ18744		2.90	42.3	4.40	1.83	0.09	<0.02	0.37	0.042	0.08	3.6	7.5	0.12	764	1.35	0.01
ZZ18745		4.10	35.2	4.04	1.94	0.10	<0.02	0.17	0.039	0.09	2.0	9.0	0.17	668	1.24	0.01
ZZ18746		2.18	25.0	2.91	3.46	0.09	0.05	6.98	0.031	0.08	3.8	24.7	3.53	610	0.80	0.02
ZZ18747		1.77	36.8	2.67	4.20	0.08	0.06	5.82	0.038	0.09	4.4	23.6	0.47	365	0.63	0.01
ZZ18748		1.42	26.7	3.96	5.54	0.09	0.03	0.16	0.041	0.08	5.1	38.5	0.62	360	0.99	0.01
ZZ18749		1.42	26.7	4.03	5.71	0.09	0.03	0.14	0.043	0.09	5.3	39.4	0.62	279	1.00	0.01
ZZ18750		1.86	25.6	4.19	6.04	0.08	0.03	0.14	0.043	0.09	4.5	43.3	0.63	311	1.02	0.01
CC145461		1.98	25.1	3.80	4.94	0.10	0.05	1.16	0.041	0.10	3.4	29.4	0.53	374	1.13	0.01
CC145462		4.28	31.9	3.87	4.32	0.10	0.06	2.28	0.040	0.10	3.4	27.0	0.61	483	1.15	0.01
CC145463		1.86	32.9	3.53	4.32	0.09	0.05	1.16	0.040	0.10	4.4	26.7	0.48	353	1.00	0.01
CC145464		1.37	37.0	4.13	4.67	0.09	0.05	1.13	0.044	0.08	5.1	26.6	0.49	705	1.17	0.01
CC145465		1.30	38.4	4.05	5.64	0.09	0.06	0.33	0.046	0.09	4.9	21.9	0.49	594	0.70	0.01
CC145466		1.34	43.9	4.29	2.12	0.08	0.03	0.09	0.058	0.07	5.1	5.8	0.11	263	0.56	0.01
CC145467		1.22	31.9	3.91	5.51	0.09	0.06	0.18	0.045	0.08	5.1	25.6	0.48	376	1.05	0.01
CC145468		1.43	43.8	3.69	4.65	0.09	0.06	0.19	0.038	0.09	8.4	24.2	0.48	426	1.20	0.01
CC145469		2.20	15.9	3.87	2.87	0.09	0.07	0.85	0.034	0.10	10.2	5.3	2.95	2790	0.61	0.02

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 16- AUG- 2011
Account: RCM

Project: Rackla - Jackpot

CERTIFICATE OF ANALYSIS WH11145412

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
CC145280		0.15	10.9	330	729	8.4	0.001	0.10	4.26	2.6	1.1	0.5	93.7	<0.01	0.08	1.9
CC145281		0.13	47.2	670	24.7	9.4	0.002	0.03	0.33	5.5	1.0	0.5	18.8	<0.01	0.04	2.8
CC145282		0.11	46.7	670	222	11.5	0.001	0.02	3.14	6.8	1.1	0.5	27.0	<0.01	0.06	3.3
CC145283		0.14	54.9	900	21.8	13.3	0.001	0.04	0.56	7.2	0.9	0.6	31.8	<0.01	0.05	3.5
CC145284		<0.05	51.0	840	18.4	10.7	<0.001	0.04	0.41	6.9	1.2	0.5	32.5	<0.01	0.05	3.0
CC145285		0.13	40.2	720	14.0	9.7	0.001	0.01	0.31	7.0	1.1	0.5	20.3	<0.01	0.04	3.1
CC145286		0.16	44.5	800	21.0	11.3	0.001	0.03	0.41	6.1	1.8	0.5	25.8	<0.01	0.05	2.6
CC145287		0.10	40.7	1160	23.2	6.1	<0.001	0.03	0.76	8.3	1.6	0.4	41.6	<0.01	0.06	4.5
CC145288		0.18	46.0	680	32.5	11.6	0.001	0.03	0.62	6.4	1.6	0.5	29.7	<0.01	0.03	2.4
CC145289		0.12	43.6	680	97.3	14.2	0.001	0.08	1.90	5.2	0.9	0.4	27.4	<0.01	0.04	2.4
CC145290		0.16	38.9	520	54.0	10.0	<0.001	0.05	1.11	5.9	0.8	0.5	32.2	<0.01	0.03	2.8
CC145291		0.11	47.0	690	70.6	12.1	0.001	0.05	1.53	6.1	1.1	0.5	23.8	<0.01	0.03	3.0
CC145292		0.16	9.5	820	139.0	4.4	<0.001	0.08	0.34	1.4	0.5	0.3	69.6	<0.01	0.02	0.7
CC145293		0.25	12.0	840	74.4	5.7	<0.001	0.05	0.26	2.9	0.8	0.3	62.5	<0.01	0.02	2.1
CC145294		0.24	18.2	640	35.0	5.6	<0.001	0.04	0.33	4.0	0.9	0.3	74.6	<0.01	0.05	2.0
CC145295		0.05	41.9	360	39.1	7.8	0.001	0.04	0.31	7.7	1.2	0.4	65.7	<0.01	0.03	6.5
CC145296		0.10	29.4	390	28.2	6.2	<0.001	0.02	0.42	4.6	0.7	0.3	20.5	<0.01	0.04	4.2
CC145297		0.25	33.3	480	48.8	6.6	<0.001	0.03	0.43	4.4	1.0	0.4	27.2	<0.01	0.03	4.2
CC145298		0.46	21.9	740	36.0	5.7	<0.001	0.05	0.43	3.8	0.6	0.4	54.1	<0.01	0.05	1.9
CC145299		0.22	15.6	450	41.0	4.6	<0.001	0.04	0.26	4.7	0.8	0.3	115.5	<0.01	0.04	2.3
CC145300		0.05	7.0	570	127.0	3.0	<0.001	0.03	0.12	4.1	0.6	0.2	76.3	<0.01	0.02	2.4
ZZ18741		0.17	39.5	810	122.5	12.1	<0.001	0.06	2.19	5.4	1.3	0.5	29.5	<0.01	0.05	2.6
ZZ18742		0.18	50.7	700	147.5	11.7	0.001	0.07	2.75	5.9	1.6	0.5	34.5	<0.01	0.05	2.6
ZZ18743		0.08	48.9	560	56.6	10.6	0.001	0.03	2.09	6.1	0.9	0.5	23.5	<0.01	0.06	3.0
ZZ18744		<0.05	54.4	840	32.3	9.7	<0.001	0.02	2.57	5.8	1.3	0.4	31.4	<0.01	0.06	3.3
ZZ18745		<0.05	53.2	660	32.4	9.6	<0.001	0.04	2.15	5.2	0.8	0.5	22.7	<0.01	0.05	3.3
ZZ18746		0.17	37.6	570	187.0	9.2	<0.001	0.04	3.27	4.3	0.9	0.4	53.0	<0.01	0.03	1.7
ZZ18747		0.33	38.9	830	89.0	10.8	<0.001	0.09	1.58	3.9	1.5	0.5	52.9	<0.01	0.03	1.1
ZZ18748		0.22	39.8	670	15.4	11.6	<0.001	0.03	0.38	6.1	0.7	0.5	20.5	<0.01	0.04	3.0
ZZ18749		0.23	38.4	690	15.4	12.2	<0.001	0.03	0.36	6.3	0.7	0.5	22.0	<0.01	0.04	3.1
ZZ18750		0.21	42.5	680	17.0	14.5	<0.001	0.03	0.37	6.2	0.8	0.6	21.6	<0.01	0.05	3.1
CC145461		0.18	39.9	640	65.0	11.8	<0.001	0.05	0.97	5.8	0.7	0.5	21.4	<0.01	0.04	3.2
CC145462		0.14	44.9	760	117.0	13.1	0.001	0.06	2.06	6.0	1.3	0.5	23.2	<0.01	0.05	3.0
CC145463		0.23	37.5	710	61.2	11.6	<0.001	0.06	1.13	5.7	0.8	0.5	28.0	<0.01	0.05	2.6
CC145464		0.23	39.6	620	46.9	10.4	<0.001	0.03	0.87	6.5	1.2	0.5	19.5	<0.01	0.06	3.2
CC145465		0.24	37.8	440	35.6	10.1	<0.001	0.03	0.48	6.1	0.7	0.7	17.1	<0.01	0.03	3.7
CC145466		0.09	23.2	270	15.3	8.4	0.001	0.02	0.26	8.7	0.5	0.5	22.7	<0.01	0.04	4.8
CC145467		0.35	34.2	520	23.1	11.9	<0.001	0.04	0.52	6.2	0.9	0.7	22.5	<0.01	0.04	3.4
CC145468		0.38	37.1	650	22.2	11.2	<0.001	0.03	0.58	6.2	1.1	0.5	21.8	<0.01	0.04	3.4
CC145469		0.30	17.9	570	226	10.4	<0.001	0.05	0.35	5.0	0.9	0.6	54.1	<0.01	0.02	1.7

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 16- AUG- 2011
Account: RCM

Project: Rackla - Jackpot

CERTIFICATE OF ANALYSIS WH11145412

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	Zn- OG46
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr	Zn
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5	0.001
CC145280		<0.005	9.58	0.99	26	0.16	5.20	111	0.6	
CC145281		<0.005	0.47	0.51	31	<0.05	6.61	137	1.4	
CC145282		<0.005	5.34	1.73	31	0.05	13.20	315	2.0	
CC145283		<0.005	4.40	3.04	34	<0.05	12.85	222	1.8	
CC145284		<0.005	0.22	0.51	25	<0.05	8.98	121	0.8	
CC145285		<0.005	0.22	0.67	33	<0.05	9.09	131	0.8	
CC145286		<0.005	1.84	1.21	30	<0.05	10.75	166	1.6	
CC145287		<0.005	0.52	0.92	33	<0.05	17.25	200	2.6	
CC145288		<0.005	4.77	1.79	32	<0.05	11.15	335	1.7	
CC145289		<0.005	20.3	1.82	24	0.17	9.73	1350	1.6	
CC145290		<0.005	6.34	1.71	26	0.08	10.80	468	1.5	
CC145291		<0.005	10.25	1.19	27	0.08	9.78	920	1.5	
CC145292		0.006	1.85	0.90	11	0.06	6.07	2660	0.9	
CC145293		0.007	0.27	1.01	15	0.13	10.45	577	1.0	
CC145294		0.007	0.43	0.96	22	0.10	11.75	113	1.3	
CC145295		<0.005	0.47	0.50	17	<0.05	14.50	144	2.9	
CC145296		<0.005	0.14	0.52	24	<0.05	8.48	85	1.3	
CC145297		0.005	0.36	0.70	24	0.10	7.33	256	1.4	
CC145298		0.010	0.19	1.47	34	0.19	10.95	88	1.3	
CC145299		0.007	0.44	0.70	22	0.08	10.85	71	1.6	
CC145300		<0.005	0.29	0.61	8	0.06	12.85	21	1.2	
ZZ18741		<0.005	7.64	1.89	28	0.11	11.40	965	1.4	
ZZ18742		<0.005	19.65	2.39	28	0.21	11.85	2960	1.7	
ZZ18743		<0.005	4.66	1.53	26	0.05	10.75	836	1.2	
ZZ18744		<0.005	16.00	1.05	26	<0.05	10.70	1730	<0.5	
ZZ18745		<0.005	15.65	0.89	19	<0.05	10.30	1660	0.6	
ZZ18746		<0.005	18.45	0.95	27	0.69	10.30	925	1.4	
ZZ18747		<0.005	11.55	5.38	38	0.21	9.90	700	1.6	
ZZ18748		<0.005	0.17	0.53	35	<0.05	9.65	113	1.0	
ZZ18749		<0.005	0.13	0.56	36	0.08	8.88	107	1.1	
ZZ18750		<0.005	0.13	0.56	35	<0.05	8.04	120	1.0	
CC145461		<0.005	1.12	0.87	32	0.06	7.91	382	1.5	
CC145462		<0.005	5.39	0.90	29	0.10	10.80	545	1.6	
CC145463		<0.005	1.92	1.24	31	0.06	10.05	395	1.5	
CC145464		<0.005	1.09	0.80	33	0.05	9.81	320	1.5	
CC145465		<0.005	0.65	0.76	31	<0.05	10.15	218	1.8	
CC145466		<0.005	0.11	0.84	27	<0.05	8.31	101	1.5	
CC145467		<0.005	0.36	0.68	32	0.07	7.29	167	1.7	
CC145468		0.006	0.34	0.78	36	0.06	12.40	155	1.9	
CC145469		0.006	0.74	0.81	26	0.13	11.80	1600	1.4	

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 16- AUG- 2011
Account: RCM

Project: Rackla - Jackpot

CERTIFICATE OF ANALYSIS WH11145412

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- TL43 Au ppm 0.001	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1
CC145470		0.35	0.001	0.19	0.79	45	<0.2	<10	1070	0.51	0.13	11.35	7.37	17.10	5.3	12
CC145471		0.32	0.001	0.13	1.92	43.1	<0.2	<10	1590	1.18	0.26	1.36	0.43	30.3	12.1	25
CC145472		0.45	0.001	0.11	1.67	23.7	<0.2	<10	350	1.35	0.29	0.43	0.33	30.8	16.4	22
CC145473		0.27	0.002	0.22	1.58	24.5	<0.2	<10	690	0.98	0.25	1.65	0.39	29.4	9.8	26
CC145474		0.26	0.002	0.25	1.55	18.6	<0.2	<10	640	0.73	0.23	2.18	0.64	30.5	9.7	26
CC145475		0.26	0.001	0.11	1.40	25.2	<0.2	<10	870	0.87	0.24	2.32	0.50	29.3	9.3	24
CC145476		0.39	<0.001	0.17	0.15	28	<0.2	<10	270	0.24	0.07	17.35	6.40	6.88	4.5	3
CC145477		0.27	0.001	0.17	1.18	31.2	<0.2	<10	660	0.86	0.26	0.91	2.40	17.60	8.3	22
CC145478		0.27	0.001	0.58	1.37	1595	<0.2	<10	210	1.06	0.29	0.63	2.91	11.05	13.8	23
CC145479		0.32	0.005	0.20	1.61	109.0	<0.2	<10	310	1.19	0.31	0.56	0.39	15.05	14.0	26
CC145480		0.31	0.003	0.16	1.51	88.6	<0.2	<10	210	1.04	0.32	0.55	0.51	13.45	14.6	26
CC145481		0.34	0.004	0.19	1.57	136.5	<0.2	<10	240	1.17	0.34	0.56	0.51	11.95	16.6	27
CC145482		0.29	0.006	0.25	1.44	175.0	<0.2	<10	220	1.14	0.27	0.80	0.76	10.15	14.0	24
CC145483		0.26	0.003	0.27	1.75	237	<0.2	<10	260	1.11	0.29	0.50	0.70	10.85	17.5	29
CC145484		0.43	0.003	0.22	1.64	291	<0.2	<10	260	1.12	0.27	0.59	0.68	12.70	19.0	26
CC145485		0.31	0.006	0.39	1.63	444	<0.2	<10	260	1.11	0.23	0.61	1.53	11.55	15.6	26
CC145486		0.27	0.003	0.22	1.68	501	<0.2	<10	220	1.13	0.24	0.50	0.88	11.50	19.2	26
CC145487		0.39	0.003	0.31	1.68	360	<0.2	<10	240	1.12	0.26	0.55	0.99	11.85	16.3	28
CC145488		0.43	0.004	0.44	1.68	417	<0.2	<10	270	1.22	0.25	0.69	1.70	9.91	17.1	27
CC145489		0.45	0.003	0.95	1.37	704	<0.2	<10	210	1.11	0.24	2.90	3.89	10.55	12.3	22
CC145490		0.39	0.003	1.02	1.51	683	<0.2	<10	290	1.01	0.26	0.61	4.82	9.91	18.8	25
CC145491		0.32	0.005	3.80	1.35	761	<0.2	<10	220	1.01	0.21	2.79	7.16	10.10	8.8	23
CC145492		0.36	0.002	0.32	1.67	511	<0.2	<10	250	0.90	0.26	0.56	0.81	7.44	11.6	29
CC145493		0.30	0.003	0.61	1.54	1590	<0.2	<10	320	0.84	0.26	0.61	5.01	6.81	9.7	27
CC145494		0.31	0.003	0.93	1.48	1195	<0.2	<10	220	1.02	0.25	0.58	7.38	11.90	11.5	25
CC145495		0.23	0.003	1.90	1.74	584	<0.2	<10	260	1.09	0.27	0.97	6.02	9.95	14.4	27
CC145496		0.43	0.003	1.34	1.83	165.0	<0.2	<10	250	1.21	0.26	1.12	6.42	10.70	13.5	27
CC145497		0.29	0.003	2.54	1.71	223	<0.2	<10	290	1.05	0.24	0.96	7.36	9.06	12.4	26
CC145498		0.26	0.003	0.68	1.73	152.5	<0.2	<10	220	0.92	0.23	0.97	1.70	7.87	11.7	27
CC145499		0.37	0.003	0.32	1.80	34.7	<0.2	<10	250	1.14	0.28	0.73	0.37	12.40	16.8	28
CC145500		0.28	0.003	0.17	1.85	29.8	<0.2	<10	220	1.05	0.28	0.51	0.26	13.25	14.8	29
ZZ18803		0.30	0.002	0.23	1.34	49.2	<0.2	<10	140	0.78	0.18	7.38	0.77	8.66	9.4	20
ZZ18804		0.26	0.004	1.19	1.73	140.5	<0.2	<10	220	1.15	0.25	0.93	4.30	12.65	13.8	28
ZZ18805		0.31	0.003	0.82	1.54	988	<0.2	<10	230	2.23	0.19	5.25	4.76	19.35	46.2	22
ZZ18806		0.34	0.003	8.55	1.23	1180	<0.2	<10	190	1.15	0.19	5.22	16.80	10.05	10.0	19
ZZ18807		0.29	0.003	0.44	1.61	191.0	<0.2	<10	230	0.80	0.23	0.50	1.21	10.25	12.1	26
ZZ18808		0.15	0.003	0.46	1.51	126.0	<0.2	<10	330	1.01	0.21	1.27	0.83	13.50	9.5	21
ZZ18809		0.30	0.002	0.16	1.60	106.0	<0.2	<10	240	0.99	0.24	0.51	0.54	10.45	15.5	27
ZZ18810		0.28	0.002	0.18	1.54	108.5	<0.2	<10	240	1.06	0.25	0.72	0.56	10.55	16.1	25
ZZ18811		0.23	0.003	0.18	1.67	72.7	<0.2	<10	260	1.09	0.26	0.69	0.31	10.95	14.7	26

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 16- AUG- 2011
Account: RCM

Project: Rackla - Jackpot

CERTIFICATE OF ANALYSIS WH11145412

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
CC145470		0.65	10.5	2.44	2.69	0.08	0.03	1.48	0.020	0.04	9.8	5.3	7.13	2170	0.69	0.03
CC145471		1.25	23.1	4.57	4.76	0.11	0.06	0.45	0.042	0.06	14.9	20.8	1.01	978	1.11	0.01
CC145472		1.09	48.5	4.25	3.68	0.11	0.08	0.29	0.042	0.08	13.6	22.9	0.54	761	0.84	0.01
CC145473		1.21	16.5	3.86	4.32	0.10	0.05	0.40	0.034	0.07	16.5	15.5	1.17	1100	0.98	0.02
CC145474		0.84	14.6	3.45	4.46	0.11	0.04	0.51	0.028	0.06	17.4	12.8	1.37	1200	0.93	0.02
CC145475		1.33	11.4	3.91	4.27	<0.05	0.06	0.70	0.027	0.06	17.0	13.0	1.54	1300	0.86	0.01
CC145476		0.66	9.2	2.19	1.41	<0.05	0.02	1.18	0.015	0.04	3.9	1.1	10.25	1280	1.24	0.03
CC145477		6.44	15.3	3.80	3.70	<0.05	0.05	0.55	0.027	0.11	10.6	10.1	0.45	926	0.95	0.01
CC145478		2.93	35.1	3.72	4.42	<0.05	0.07	2.08	0.043	0.10	4.2	27.3	0.44	427	0.90	0.01
CC145479		1.11	38.9	3.72	5.09	<0.05	0.07	0.21	0.042	0.09	7.5	26.7	0.47	622	0.95	0.01
CC145480		1.09	37.3	3.90	4.80	<0.05	0.07	0.21	0.042	0.09	5.8	25.7	0.49	537	0.95	0.01
CC145481		1.68	30.7	3.76	5.04	<0.05	0.07	0.27	0.041	0.10	4.9	26.2	0.47	677	0.87	0.01
CC145482		1.65	32.7	3.42	4.36	<0.05	0.07	0.44	0.038	0.09	4.8	22.1	0.43	702	0.78	0.01
CC145483		1.40	30.0	3.91	5.51	<0.05	0.06	0.56	0.045	0.09	4.6	29.7	0.52	630	0.90	0.01
CC145484		1.20	30.9	3.86	4.68	<0.05	0.06	0.49	0.041	0.09	5.3	29.1	0.50	628	1.02	0.01
CC145485		1.59	30.8	3.92	4.93	<0.05	0.06	0.92	0.044	0.09	4.8	30.6	0.50	774	1.12	0.01
CC145486		1.23	27.5	4.81	4.98	<0.05	0.05	0.52	0.043	0.10	4.5	30.7	0.58	549	1.23	0.01
CC145487		1.69	33.5	4.12	5.03	<0.05	0.05	0.72	0.042	0.10	5.1	32.9	0.56	498	1.08	0.01
CC145488		2.07	36.1	4.00	5.24	<0.05	0.06	1.19	0.045	0.11	4.3	34.9	0.54	747	1.20	0.01
CC145489		2.74	36.7	3.56	3.96	<0.05	0.05	4.19	0.038	0.10	4.3	26.8	1.59	316	0.89	0.01
CC145490		3.30	35.1	4.51	4.47	<0.05	0.05	4.27	0.042	0.11	3.6	30.1	0.56	830	1.19	0.01
CC145491		4.08	40.9	3.16	3.91	<0.05	0.05	12.95	0.039	0.10	4.5	24.8	1.59	233	0.78	0.01
CC145492		2.37	34.8	4.13	5.54	<0.05	0.06	0.79	0.046	0.11	3.3	31.0	0.56	287	1.24	0.01
CC145493		3.65	36.0	4.20	4.96	<0.05	0.06	1.71	0.049	0.14	2.9	28.8	0.50	281	1.16	0.01
CC145494		7.29	41.0	3.59	4.51	<0.05	0.05	3.05	0.042	0.10	5.3	28.9	0.47	301	1.00	0.01
CC145495		1.76	43.4	3.80	5.00	<0.05	0.06	6.50	0.042	0.08	4.0	35.2	0.57	532	0.81	0.01
CC145496		1.88	36.4	3.65	5.12	<0.05	0.05	6.16	0.041	0.09	4.5	35.7	0.72	686	0.86	0.01
CC145497		1.38	37.7	3.81	4.76	<0.05	0.06	6.99	0.038	0.09	3.8	38.4	0.64	466	0.80	0.01
CC145498		1.54	29.0	3.57	4.89	<0.05	0.05	3.60	0.032	0.09	3.3	40.1	0.60	521	0.80	0.01
CC145499		2.21	35.5	3.69	5.30	<0.05	0.06	0.45	0.043	0.10	5.1	44.5	0.57	639	0.88	0.01
CC145500		2.20	26.6	3.90	5.36	<0.05	0.05	0.31	0.038	0.09	5.4	40.7	0.59	637	0.93	0.01
ZZ18803		1.44	18.4	2.50	3.58	<0.05	0.04	0.47	0.026	0.08	3.9	24.5	4.26	369	0.74	0.01
ZZ18804		1.21	34.0	3.58	4.72	<0.05	0.06	7.87	0.036	0.09	5.3	35.5	0.62	417	0.61	0.01
ZZ18805		1.96	32.2	2.57	3.57	<0.05	0.05	5.89	0.030	0.07	9.8	34.0	3.06	2230	1.02	0.01
ZZ18806		3.04	37.5	2.60	3.33	<0.05	0.06	23.1	0.031	0.09	4.8	18.7	3.02	428	0.75	0.01
ZZ18807		1.89	24.4	3.70	4.70	<0.05	0.05	1.43	0.036	0.10	4.2	29.6	0.55	391	0.94	0.01
ZZ18808		1.67	42.0	3.06	4.05	<0.05	0.07	1.05	0.034	0.10	5.6	23.2	0.44	436	0.79	0.01
ZZ18809		0.84	27.4	4.30	4.60	<0.05	0.05	0.44	0.043	0.10	4.2	28.3	0.56	657	0.84	0.01
ZZ18810		0.86	28.3	4.24	4.60	<0.05	0.06	0.40	0.041	0.10	4.3	27.3	0.51	771	0.95	0.01
ZZ18811		0.75	33.2	3.85	4.91	<0.05	0.06	0.42	0.040	0.10	4.6	27.2	0.49	807	0.88	0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 16- AUG- 2011
Account: RCM

Project: Rackla - Jackpot

CERTIFICATE OF ANALYSIS WH11145412

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
CC145470		0.39	11.2	630	67.6	5.2	<0.001	0.07	0.39	2.2	0.8	0.3	77.1	<0.01	0.04	1.1
CC145471		0.49	27.9	420	43.0	13.7	<0.001	0.03	0.43	5.8	1.2	0.6	30.0	<0.01	0.08	3.7
CC145472		0.13	35.7	340	32.7	9.6	0.001	0.04	0.39	7.4	1.0	0.4	20.6	<0.01	0.05	5.0
CC145473		0.63	24.3	540	35.8	10.8	<0.001	0.04	0.51	5.3	1.0	0.5	27.7	<0.01	0.04	2.8
CC145474		0.82	22.5	550	41.6	7.6	<0.001	0.05	0.54	4.1	0.7	0.5	26.5	<0.01	0.03	2.4
CC145475		0.80	20.6	320	81.2	8.0	<0.001	0.01	0.43	4.5	0.8	0.5	40.7	<0.01	0.05	3.7
CC145476		<0.05	5.5	700	84.6	2.5	<0.001	0.04	0.20	1.4	<0.2	0.2	139.0	<0.01	0.02	1.1
CC145477		0.66	18.9	540	71.3	12.6	<0.001	0.03	0.41	3.9	0.8	0.5	33.9	<0.01	0.04	1.8
CC145478		0.22	43.5	720	92.2	13.4	0.001	0.05	1.66	6.2	1.3	0.5	25.3	<0.01	0.06	2.5
CC145479		0.35	39.0	610	25.9	11.6	<0.001	0.03	0.42	6.5	1.0	0.6	24.5	<0.01	0.05	2.9
CC145480		0.31	37.5	590	23.2	9.4	<0.001	0.03	0.45	6.5	0.9	0.6	23.6	<0.01	0.05	3.3
CC145481		0.28	37.2	530	38.8	12.7	<0.001	0.03	0.44	6.1	0.9	0.6	25.3	<0.01	0.06	3.0
CC145482		0.23	33.5	620	35.0	11.0	<0.001	0.04	0.60	5.5	1.0	0.5	27.2	<0.01	0.03	2.2
CC145483		0.27	40.6	540	47.1	12.3	<0.001	0.03	0.57	6.0	0.7	0.6	20.3	<0.01	0.04	2.9
CC145484		0.27	42.4	660	46.8	11.7	<0.001	0.03	0.70	6.3	1.0	0.5	23.9	<0.01	0.05	3.0
CC145485		0.23	43.5	740	58.4	12.7	<0.001	0.04	0.96	6.0	0.9	0.5	22.9	<0.01	0.05	2.9
CC145486		0.19	42.3	740	59.9	10.2	<0.001	0.03	0.79	6.0	0.7	0.5	20.0	<0.01	0.05	3.0
CC145487		0.24	44.9	760	54.3	12.3	0.001	0.03	0.82	6.7	1.2	0.5	23.0	<0.01	0.05	3.2
CC145488		0.22	46.3	740	75.8	13.4	<0.001	0.04	1.07	6.5	1.1	0.5	23.1	<0.01	0.06	2.8
CC145489		0.20	38.7	680	162.5	10.2	<0.001	0.06	1.99	5.5	1.0	0.4	44.1	<0.01	0.05	2.1
CC145490		0.16	51.9	740	195.5	10.5	<0.001	0.05	1.91	6.2	1.0	0.5	31.6	<0.01	0.05	3.0
CC145491		0.23	37.6	690	347	12.4	0.001	0.06	4.57	5.4	1.3	0.4	37.1	<0.01	0.05	2.1
CC145492		0.19	41.6	700	45.5	12.5	<0.001	0.08	1.00	7.1	0.7	0.6	33.4	<0.01	0.06	3.2
CC145493		0.16	44.4	690	104.0	13.1	<0.001	0.18	1.36	6.4	0.9	0.5	45.4	<0.01	0.07	2.9
CC145494		0.27	50.5	710	132.0	13.3	<0.001	0.04	1.89	6.5	1.0	0.5	30.1	<0.01	0.07	2.8
CC145495		0.21	48.8	660	416	12.4	<0.001	0.04	1.72	6.1	1.3	0.5	27.8	<0.01	0.05	2.1
CC145496		0.21	48.0	720	168.0	12.3	0.001	0.04	1.55	6.3	1.4	0.5	29.1	<0.01	0.04	2.0
CC145497		0.17	56.4	670	448	10.1	0.001	0.05	1.40	5.6	1.2	0.4	45.7	<0.01	0.03	1.9
CC145498		0.19	48.6	660	64.2	10.5	<0.001	0.05	1.00	5.6	1.1	0.5	32.3	<0.01	0.04	1.8
CC145499		0.22	55.7	720	19.9	12.8	<0.001	0.04	0.39	6.5	1.4	0.5	37.1	<0.01	0.06	2.1
CC145500		0.30	48.3	700	19.4	12.0	<0.001	0.03	0.32	5.4	0.7	0.5	26.2	<0.01	0.05	2.5
ZZ18803		0.25	32.5	590	16.3	9.0	<0.001	0.03	0.38	3.7	0.6	0.3	53.4	<0.01	0.03	1.3
ZZ18804		0.32	48.4	690	140.0	9.5	0.001	0.04	1.43	5.4	1.2	0.5	33.0	<0.01	0.06	1.9
ZZ18805		0.51	131.5	550	74.3	10.5	<0.001	0.03	2.76	4.5	1.2	0.4	49.4	<0.01	0.04	1.7
ZZ18806		0.25	43.4	600	1075	9.8	<0.001	0.05	10.05	4.5	1.0	0.4	45.5	<0.01	0.04	1.5
ZZ18807		0.23	36.6	610	95.7	9.8	<0.001	0.04	0.68	5.3	0.6	0.5	23.7	<0.01	0.06	2.5
ZZ18808		0.23	36.9	850	67.3	12.0	<0.001	0.10	0.88	5.6	1.3	0.4	49.5	<0.01	0.05	1.7
ZZ18809		0.20	42.2	670	39.4	8.9	<0.001	0.03	0.38	5.7	0.6	0.5	23.9	<0.01	0.05	3.0
ZZ18810		0.22	37.7	690	46.0	9.6	<0.001	0.04	0.47	5.6	1.2	0.5	26.5	<0.01	0.06	2.7
ZZ18811		0.21	35.5	710	34.7	9.9	0.001	0.04	0.41	5.9	1.0	0.5	25.3	<0.01	0.04	2.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 16- AUG- 2011
Account: RCM

Project: Rackla - Jackpot

CERTIFICATE OF ANALYSIS WH11145412

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	Zn- OG46
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr	Zn
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5	0.001
CC145470		0.013	0.26	1.49	22	0.10	8.47	2320	0.9	
CC145471		0.007	0.38	1.07	41	0.14	11.75	214	1.8	
CC145472		<0.005	0.22	0.76	31	<0.05	15.35	109	3.2	
CC145473		0.015	0.23	1.24	40	0.20	14.50	193	1.3	
CC145474		0.025	0.22	0.82	44	0.18	12.00	401	1.1	
CC145475		0.018	0.42	0.94	40	0.19	10.10	420	1.7	
CC145476		<0.005	1.68	1.68	4	<0.05	5.67	599	0.8	
CC145477		0.016	0.62	1.22	32	0.17	8.33	1060	1.2	
CC145478		<0.005	10.80	2.38	29	0.14	10.35	975	1.9	
CC145479		<0.005	0.56	1.12	34	0.08	13.80	199	1.6	
CC145480		<0.005	0.48	0.84	31	0.06	11.05	199	1.9	
CC145481		<0.005	0.78	0.83	32	0.05	8.61	245	1.9	
CC145482		<0.005	0.89	0.86	29	0.06	12.70	247	1.7	
CC145483		<0.005	1.37	0.83	34	0.06	9.00	310	1.7	
CC145484		<0.005	1.42	0.97	34	0.08	11.15	356	1.7	
CC145485		<0.005	1.91	1.05	34	0.06	9.14	445	1.7	
CC145486		<0.005	1.14	0.80	37	0.05	7.44	398	1.6	
CC145487		<0.005	1.61	1.13	35	0.07	10.20	432	1.8	
CC145488		<0.005	2.10	1.24	34	0.06	10.45	475	1.6	
CC145489		<0.005	3.79	1.10	30	0.22	11.35	660	1.5	
CC145490		<0.005	4.00	1.22	33	0.17	10.70	682	1.7	
CC145491		<0.005	8.36	1.22	31	0.40	11.65	1160	1.6	
CC145492		<0.005	1.01	0.89	33	<0.05	9.54	301	1.8	
CC145493		<0.005	3.69	2.42	30	0.08	8.07	896	1.9	
CC145494		<0.005	48.2	1.56	31	0.17	10.65	3470	1.6	
CC145495		<0.005	7.49	2.71	33	0.17	11.45	905	1.7	
CC145496		<0.005	1.10	1.42	33	0.41	13.15	910	1.4	
CC145497		<0.005	1.16	1.48	30	0.09	13.85	922	1.7	
CC145498		<0.005	1.24	1.05	30	0.08	11.60	296	1.5	
CC145499		<0.005	0.34	1.77	33	0.09	15.15	149	1.8	
CC145500		<0.005	0.25	0.95	37	0.07	9.96	147	1.2	
ZZ18803		<0.005	0.18	0.91	29	0.09	7.32	140	0.9	
ZZ18804		<0.005	1.64	2.75	34	0.16	11.80	574	1.7	
ZZ18805		0.015	17.80	2.03	35	0.42	21.0	1580	1.0	
ZZ18806		<0.005	22.1	2.73	29	0.72	11.20	2370	1.5	
ZZ18807		<0.005	0.85	0.82	34	0.10	5.94	293	1.4	
ZZ18808		<0.005	0.67	1.19	28	0.08	17.45	188	1.7	
ZZ18809		<0.005	1.32	0.81	34	<0.05	7.81	180	1.7	
ZZ18810		<0.005	1.51	0.86	34	0.12	7.74	179	1.7	
ZZ18811		<0.005	0.92	0.90	34	0.05	10.70	146	1.6	

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 16- AUG- 2011
Account: RCM

Project: Rackla - Jackpot

CERTIFICATE OF ANALYSIS WH11145412

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- TL43 Au ppm 0.001	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1
ZZ18812		0.26	0.002	0.30	1.07	37.2	<0.2	<10	330	1.18	0.24	1.06	1.03	21.2	14.6	18
ZZ18813		0.27	0.003	0.14	0.82	25.8	<0.2	<10	140	1.29	0.46	0.49	0.21	15.55	15.5	22
ZZ18814		0.33	0.003	0.11	1.43	45.5	<0.2	<10	260	1.05	0.34	0.51	0.41	17.95	13.6	26
ZZ18815		0.28	0.003	0.55	1.40	949	<0.2	<10	250	1.15	0.34	0.51	2.56	11.45	18.9	24
ZZ18816		0.26	0.002	0.20	0.83	35	<0.2	<10	630	0.76	0.19	10.15	0.40	22.5	8.9	16
ZZ18817		0.27	0.002	0.20	0.94	24.2	<0.2	<10	820	0.81	0.18	8.58	1.30	16.80	9.0	15
ZZ18818		0.30	0.002	0.14	1.56	29.2	<0.2	<10	1170	1.30	0.27	4.05	1.79	25.4	8.9	22
ZZ18819		0.28	0.001	0.31	1.38	22.5	<0.2	<10	1630	1.03	0.23	4.06	1.15	18.55	8.5	21
ZZ18820		0.28	0.001	0.20	0.67	25	<0.2	<10	640	0.53	0.12	13.20	1.10	13.40	4.7	11
ZZ18821		0.27	0.001	0.24	0.54	30	<0.2	<10	210	0.65	0.14	12.40	0.25	22.3	6.4	10
ZZ18822		0.41	0.001	0.18	0.85	422	<0.2	<10	360	0.67	0.15	11.40	1.83	10.90	7.2	13
ZZ18823		0.30	0.002	0.98	1.51	534	<0.2	<10	210	1.14	0.33	0.45	2.13	11.95	13.6	26
ZZ18824		0.34	0.002	0.11	1.06	36.6	<0.2	<10	650	1.53	0.40	0.22	0.30	19.25	18.2	17
ZZ18825		0.22	0.001	0.21	1.41	81.5	<0.2	<10	240	1.04	0.28	0.93	0.65	9.84	13.6	23
ZZ18826		0.34	0.001	0.18	1.36	41.0	<0.2	<10	190	1.31	0.38	0.61	0.25	13.75	13.5	24
ZZ18827		0.35	0.001	0.16	1.38	40.7	<0.2	<10	230	0.97	0.28	0.80	0.46	13.55	14.4	22
ZZ18828		0.43	0.001	0.11	1.47	33.4	<0.2	<10	220	1.20	0.36	0.58	0.17	10.45	14.6	26
ZZ18829		0.29	0.001	0.19	1.49	61.1	<0.2	<10	250	0.99	0.27	0.87	0.60	12.15	13.5	23
ZZ18830		0.29	0.001	0.19	1.22	55.4	<0.2	<10	230	0.81	0.23	0.91	0.61	12.60	13.0	21
ZZ18831		0.28	0.001	0.16	1.54	72.0	<0.2	<10	240	0.94	0.28	0.71	0.61	12.35	13.8	24
ZZ18832		0.24	0.001	0.14	1.54	64.2	<0.2	<10	250	0.88	0.27	0.64	0.55	12.05	15.5	25
ZZ18833		0.28	0.001	0.14	1.58	62.2	<0.2	<10	250	0.98	0.26	0.56	0.74	12.25	16.4	26
ZZ18834		0.36	0.001	0.09	1.75	39.7	<0.2	<10	160	1.05	0.26	0.33	0.30	10.30	13.1	29
ZZ18835		0.43	0.001	0.10	1.76	81.1	<0.2	<10	160	1.05	0.27	0.40	0.41	10.85	17.1	28
ZZ18836		0.43	0.001	0.15	1.89	97.6	<0.2	<10	190	1.02	0.29	0.50	0.41	8.89	14.6	31
ZZ18837		0.27	0.002	0.34	1.59	146.5	<0.2	<10	300	0.98	0.27	0.89	1.10	11.40	11.0	25
ZZ18838		0.25	0.002	0.35	1.64	154.0	<0.2	<10	230	0.89	0.29	0.94	0.76	10.10	11.2	26
ZZ18839		0.32	0.002	0.65	1.69	219	<0.2	<10	290	0.96	0.26	0.73	1.44	13.50	13.5	26
ZZ18840		0.28	0.002	0.65	1.66	217	<0.2	<10	290	0.99	0.29	0.66	1.29	12.10	14.3	25
ZZ18841		0.28	0.002	0.63	1.80	235	<0.2	<10	250	1.08	0.28	0.48	1.34	12.60	14.7	28
ZZ18842		0.26	0.002	1.46	1.77	392	<0.2	<10	290	1.14	0.27	1.10	2.10	12.80	14.8	27
ZZ18843		0.32	0.001	0.59	1.86	161.5	<0.2	<10	260	1.01	0.28	0.45	0.80	11.70	14.2	29
ZZ18844		0.45	0.002	0.30	1.83	111.0	<0.2	<10	310	1.21	0.31	0.54	0.42	14.90	14.0	29
ZZ18845		0.40	0.003	0.45	1.86	141.0	<0.2	<10	340	1.39	0.31	0.69	0.68	13.95	11.4	30
ZZ18846		0.35	0.001	0.04	1.84	26.1	<0.2	<10	90	0.86	0.33	0.15	0.29	8.78	19.5	31
ZZ18847		0.47	0.001	0.06	1.84	19.1	<0.2	<10	180	0.85	0.27	0.17	0.13	13.70	12.4	30
ZZ18848		0.33	0.001	0.21	1.92	14.4	<0.2	<10	250	0.90	0.33	0.34	0.12	6.81	10.0	31
ZZ18563		0.28	0.001	0.14	1.71	57.9	<0.2	<10	290	1.14	0.27	0.70	0.45	11.15	16.3	27
ZZ18564		0.38	0.001	0.13	1.39	60.2	<0.2	<10	250	0.98	0.25	0.53	0.50	14.05	17.6	24
ZZ18565		0.28	0.001	0.13	1.31	51.1	<0.2	<10	210	1.10	0.28	0.52	0.48	14.70	15.2	22

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 16- AUG- 2011
Account: RCM

Project: Rackla - Jackpot

CERTIFICATE OF ANALYSIS WH11145412

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
ZZ18812		0.62	47.7	3.49	3.24	0.06	0.09	0.31	0.035	0.09	8.7	14.1	0.30	711	2.81	0.01
ZZ18813		2.15	40.4	3.85	3.06	0.12	0.07	0.07	0.058	0.09	6.0	10.9	0.23	457	0.92	0.02
ZZ18814		1.06	52.0	4.17	4.49	0.12	0.08	0.38	0.046	0.09	7.8	23.7	0.49	802	1.15	0.02
ZZ18815		4.31	37.5	4.30	4.59	0.12	0.06	1.82	0.044	0.11	4.4	22.8	0.41	1680	1.27	0.02
ZZ18816		0.69	14.9	3.08	2.62	0.14	0.05	1.35	0.027	0.07	16.7	6.0	6.08	1100	0.41	0.04
ZZ18817		1.40	19.2	3.02	2.63	0.12	0.05	0.66	0.025	0.07	10.1	10.2	5.11	1240	0.72	0.04
ZZ18818		1.52	17.0	4.12	4.38	0.14	0.04	0.66	0.037	0.08	17.5	11.8	2.44	1340	1.13	0.03
ZZ18819		0.90	29.0	3.03	3.77	0.13	0.03	0.53	0.027	0.05	11.7	11.8	2.16	1420	0.81	0.03
ZZ18820		0.59	8.6	2.18	1.80	0.11	0.03	2.51	0.020	0.03	9.7	5.7	7.87	1490	0.52	0.03
ZZ18821		0.84	10.3	2.08	1.59	0.13	0.06	1.24	0.018	0.05	15.9	4.2	7.36	1120	0.30	0.03
ZZ18822		1.04	15.1	2.64	2.48	0.11	0.07	0.82	0.021	0.07	5.8	10.0	6.93	1400	0.76	0.03
ZZ18823		4.12	39.2	3.04	4.43	0.12	0.06	3.05	0.041	0.10	4.8	26.8	0.48	260	0.96	0.02
ZZ18824		4.44	49.4	4.43	2.78	0.14	0.05	0.30	0.050	0.12	7.2	10.9	0.22	1760	0.87	0.02
ZZ18825		1.17	31.3	3.41	4.30	0.12	0.07	0.37	0.039	0.11	4.5	21.1	0.41	627	0.92	0.02
ZZ18826		1.73	33.7	3.87	4.53	0.12	0.06	0.17	0.044	0.10	5.7	21.5	0.40	518	1.36	0.02
ZZ18827		0.86	28.3	3.53	4.17	0.11	0.06	0.26	0.039	0.10	5.2	20.3	0.41	709	1.34	0.02
ZZ18828		1.07	42.9	3.90	4.58	0.13	0.07	0.11	0.035	0.09	4.8	21.2	0.47	495	1.03	0.02
ZZ18829		0.80	29.0	3.51	4.55	0.12	0.07	0.21	0.040	0.10	4.9	23.3	0.46	810	1.16	0.02
ZZ18830		0.73	28.0	3.71	3.50	0.12	0.06	0.21	0.035	0.09	4.7	17.2	0.40	661	1.75	0.02
ZZ18831		0.84	25.6	3.81	4.69	0.12	0.07	0.26	0.038	0.09	4.9	23.4	0.50	1240	1.05	0.02
ZZ18832		0.80	27.6	3.98	4.75	0.12	0.05	0.38	0.036	0.09	4.9	22.7	0.50	822	0.99	0.02
ZZ18833		0.94	28.2	3.95	4.74	0.12	0.07	0.45	0.037	0.10	4.9	23.9	0.47	2540	1.06	0.02
ZZ18834		1.20	31.4	4.22	5.51	0.12	0.06	0.11	0.044	0.11	3.9	29.0	0.54	204	0.89	0.02
ZZ18835		1.30	32.9	4.95	5.53	0.12	0.06	0.14	0.041	0.11	4.1	31.0	0.60	418	1.10	0.02
ZZ18836		1.39	26.6	4.03	5.60	0.12	0.05	0.25	0.038	0.12	3.5	31.0	0.66	1060	0.85	0.02
ZZ18837		1.05	36.7	3.30	5.00	0.11	0.07	0.76	0.036	0.11	5.0	24.9	0.49	314	0.76	0.02
ZZ18838		1.08	28.3	3.51	4.72	0.11	0.05	1.61	0.034	0.12	4.2	27.4	0.54	592	0.85	0.02
ZZ18839		1.85	32.5	3.40	5.08	0.13	0.07	1.84	0.042	0.10	5.7	26.1	0.49	625	0.94	0.02
ZZ18840		1.90	30.4	3.42	5.04	0.11	0.06	2.01	0.036	0.10	4.9	26.0	0.47	543	0.96	0.02
ZZ18841		1.82	35.0	3.91	5.24	0.12	0.05	1.92	0.039	0.09	5.2	28.7	0.54	695	1.13	0.02
ZZ18842		1.79	38.8	3.30	5.02	0.12	0.07	4.04	0.038	0.10	5.6	26.0	0.53	649	0.97	0.02
ZZ18843		1.67	30.0	3.96	5.54	0.12	0.05	2.26	0.038	0.09	5.2	32.0	0.56	534	1.09	0.02
ZZ18844		1.87	39.0	3.60	5.03	0.12	0.07	2.17	0.037	0.10	6.7	25.9	0.51	422	1.11	0.02
ZZ18845		2.47	42.8	3.70	5.48	0.13	0.07	1.06	0.044	0.12	6.9	26.4	0.51	513	1.44	0.03
ZZ18846		2.26	27.9	4.83	6.11	0.11	0.02	0.02	0.045	0.08	3.1	36.7	0.55	680	1.43	0.02
ZZ18847		2.43	25.7	3.83	5.80	0.11	0.02	0.09	0.037	0.08	6.1	33.2	0.58	332	1.18	0.02
ZZ18848		2.12	27.7	4.22	5.76	0.11	0.04	0.07	0.042	0.10	3.0	36.7	0.59	367	1.18	0.02
ZZ18563		1.07	33.5	3.84	5.11	<0.05	0.07	1.31	0.042	0.11	4.3	31.0	0.54	927	0.81	0.01
ZZ18564		1.00	29.4	4.08	4.39	<0.05	0.05	0.23	0.041	0.10	5.5	25.2	0.46	811	1.25	0.01
ZZ18565		0.98	33.3	4.32	3.96	<0.05	0.05	0.42	0.043	0.09	5.8	22.2	0.39	306	1.29	0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 16- AUG- 2011
Account: RCM

Project: Rackla - Jackpot

CERTIFICATE OF ANALYSIS WH11145412

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
ZZ18812		0.20	40.3	980	24.2	8.7	<0.001	0.04	1.21	5.6	1.7	0.4	35.7	<0.01	0.05	3.2
ZZ18813		0.24	36.5	430	21.2	12.2	<0.001	0.03	0.28	8.4	0.5	0.6	28.0	<0.01	0.06	5.0
ZZ18814		0.41	34.5	500	26.1	11.1	0.001	0.04	0.45	6.3	0.6	0.5	25.4	<0.01	0.04	4.0
ZZ18815		0.24	51.4	670	94.2	15.1	0.001	0.05	1.22	6.4	0.9	0.5	28.1	<0.01	0.06	3.6
ZZ18816		0.27	17.7	470	87.3	6.9	<0.001	0.04	0.25	6.2	0.6	0.5	138.0	<0.01	0.02	3.9
ZZ18817		0.38	18.9	600	58.1	7.9	<0.001	0.06	0.34	4.3	0.4	0.4	57.4	<0.01	0.03	2.4
ZZ18818		0.58	19.9	560	55.5	14.5	0.001	0.05	0.35	5.7	0.8	0.6	41.6	<0.01	0.05	3.2
ZZ18819		0.55	19.0	930	41.0	8.4	<0.001	0.08	0.58	2.8	1.0	0.4	37.3	<0.01	0.03	0.7
ZZ18820		0.31	10.0	650	181.0	5.4	<0.001	0.05	0.40	2.7	0.3	0.3	112.0	<0.01	0.02	1.4
ZZ18821		0.21	12.1	720	64.2	4.9	<0.001	0.04	0.18	4.2	0.5	0.3	99.1	<0.01	0.02	2.6
ZZ18822		0.23	17.7	590	53.0	8.0	<0.001	0.05	0.53	2.7	0.5	0.3	66.6	<0.01	0.04	1.3
ZZ18823		0.27	45.4	740	132.5	14.2	0.001	0.05	1.43	6.1	0.7	0.5	21.9	<0.01	0.05	3.9
ZZ18824		0.21	25.9	300	37.5	12.2	0.001	0.04	0.31	10.5	0.5	0.5	27.8	<0.01	0.05	5.3
ZZ18825		0.29	35.3	710	30.8	12.6	0.001	0.07	0.53	5.4	0.6	0.5	33.8	<0.01	0.04	2.8
ZZ18826		0.29	34.7	620	30.3	12.6	0.001	0.05	0.47	6.6	0.6	0.6	27.2	<0.01	0.04	4.3
ZZ18827		0.29	34.6	700	29.0	10.0	0.001	0.05	0.46	5.3	0.6	0.5	28.4	<0.01	0.03	3.3
ZZ18828		0.41	31.9	550	26.4	10.2	0.001	0.05	0.40	5.8	0.7	0.5	22.2	<0.01	0.04	4.1
ZZ18829		0.29	37.3	700	35.4	11.5	0.001	0.06	0.51	5.2	0.8	0.5	30.6	<0.01	0.05	2.7
ZZ18830		0.24	36.7	880	31.1	9.0	0.001	0.07	0.50	5.0	0.9	0.4	30.8	<0.01	0.04	3.0
ZZ18831		0.28	38.3	690	42.5	11.1	0.001	0.05	0.47	5.4	0.7	0.4	27.5	<0.01	0.04	3.1
ZZ18832		0.28	36.2	660	39.1	11.0	0.001	0.06	0.44	5.3	0.8	0.5	23.8	<0.01	0.05	3.1
ZZ18833		0.23	45.8	720	40.1	11.7	0.001	0.05	0.40	6.2	0.8	0.4	23.3	<0.01	0.05	3.5
ZZ18834		0.24	44.6	610	25.5	12.7	0.001	0.03	0.38	6.0	0.8	0.5	19.0	<0.01	0.05	4.0
ZZ18835		0.21	52.3	660	33.1	12.0	0.001	0.04	0.42	5.9	0.4	0.5	23.9	<0.01	0.05	3.9
ZZ18836		0.22	49.3	660	32.9	12.7	0.001	0.04	0.42	5.7	0.4	0.5	22.8	<0.01	0.03	3.8
ZZ18837		0.32	31.3	630	57.4	10.8	0.001	0.10	0.64	5.5	0.9	0.5	33.7	<0.01	0.02	2.7
ZZ18838		0.30	32.5	740	70.2	14.4	0.001	0.09	0.56	4.9	0.5	0.5	41.7	<0.01	0.03	2.6
ZZ18839		0.36	39.1	700	99.8	13.2	0.001	0.06	0.73	5.9	0.7	0.5	30.6	<0.01	0.05	3.0
ZZ18840		0.33	40.6	720	115.5	12.7	0.001	0.05	0.78	6.0	0.5	0.5	32.6	<0.01	0.04	3.0
ZZ18841		0.28	44.9	720	95.0	12.8	0.001	0.04	0.83	6.0	0.7	0.5	23.8	<0.01	0.04	3.1
ZZ18842		0.35	44.1	700	134.0	12.9	0.001	0.06	1.69	5.8	0.9	0.5	26.0	<0.01	0.04	2.6
ZZ18843		0.31	41.4	750	80.0	12.4	0.001	0.04	0.72	5.3	0.5	0.5	23.9	<0.01	0.05	3.0
ZZ18844		0.47	43.5	600	32.6	13.5	0.001	0.05	0.68	5.8	0.9	0.5	22.0	<0.01	0.05	3.3
ZZ18845		0.44	42.3	570	80.9	15.3	<0.001	0.05	0.79	7.7	0.8	0.5	21.7	<0.01	0.08	3.1
ZZ18846		0.25	46.8	530	25.1	12.7	0.001	0.03	0.44	4.3	0.2	0.5	14.8	<0.01	0.05	2.5
ZZ18847		0.32	36.6	650	16.0	13.6	<0.001	0.03	0.33	4.8	0.5	0.5	16.0	<0.01	0.03	3.2
ZZ18848		0.20	42.6	690	18.1	14.4	0.002	0.06	0.31	6.1	0.9	0.5	34.7	<0.01	0.04	2.5
ZZ18563		0.22	48.8	650	35.9	11.3	<0.001	0.05	0.53	6.1	0.8	0.5	25.1	<0.01	0.03	3.3
ZZ18564		0.19	42.9	750	35.5	10.5	0.001	0.03	0.47	6.4	0.8	0.4	24.2	<0.01	0.02	3.7
ZZ18565		0.21	39.6	690	33.4	11.0	<0.001	0.05	0.49	6.3	0.8	0.5	25.7	<0.01	0.06	3.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 16- AUG- 2011
Account: RCM

Project: Rackla - Jackpot

CERTIFICATE OF ANALYSIS WH11145412

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	Zn- OG46
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr	Zn
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5	0.001
ZZ18812		<0.005	0.33	1.75	37	<0.05	17.35	167	2.6	
ZZ18813		<0.005	0.16	0.86	29	<0.05	13.30	127	2.4	
ZZ18814		0.006	0.16	0.83	36	0.08	9.75	134	1.9	
ZZ18815		<0.005	4.99	1.38	30	0.09	10.80	562	1.7	
ZZ18816		0.005	0.53	0.77	23	0.10	13.15	174	1.4	
ZZ18817		0.009	0.21	1.08	22	0.09	10.40	522	1.4	
ZZ18818		0.009	0.23	1.54	36	0.16	15.45	658	1.2	
ZZ18819		0.014	0.14	1.26	34	0.12	10.90	240	0.8	
ZZ18820		0.008	0.16	1.55	17	0.10	7.22	542	0.8	
ZZ18821		<0.005	0.40	0.75	14	0.09	11.60	52	1.6	
ZZ18822		<0.005	0.99	0.89	18	0.09	7.06	547	1.7	
ZZ18823		<0.005	5.69	1.45	31	0.12	11.25	533	1.7	
ZZ18824		<0.005	0.38	0.89	22	0.05	11.65	105	1.3	
ZZ18825		<0.005	0.55	0.97	29	0.05	9.51	193	1.8	
ZZ18826		<0.005	0.29	0.87	31	<0.05	10.80	132	1.9	
ZZ18827		<0.005	0.28	0.88	32	0.07	9.83	147	1.7	
ZZ18828		0.006	0.14	0.75	29	0.09	10.80	134	1.9	
ZZ18829		<0.005	0.37	0.82	34	0.05	9.76	158	1.7	
ZZ18830		<0.005	0.39	0.91	32	<0.05	9.67	165	1.8	
ZZ18831		<0.005	0.31	0.76	33	0.05	8.97	153	1.8	
ZZ18832		<0.005	0.25	0.68	35	0.09	8.30	157	1.5	
ZZ18833		<0.005	0.39	0.78	34	0.05	9.60	150	1.6	
ZZ18834		<0.005	0.26	0.55	33	<0.05	9.42	135	2.3	
ZZ18835		<0.005	0.54	0.58	34	<0.05	9.09	159	2.1	
ZZ18836		<0.005	0.92	0.66	34	<0.05	8.07	179	1.7	
ZZ18837		<0.005	1.45	1.21	32	0.08	10.15	158	1.7	
ZZ18838		<0.005	0.58	0.93	35	0.07	7.62	207	1.4	
ZZ18839		<0.005	0.81	1.05	36	0.10	10.60	296	1.6	
ZZ18840		<0.005	0.95	1.08	35	0.12	8.81	306	1.8	
ZZ18841		<0.005	1.19	0.97	37	0.13	9.27	368	1.7	
ZZ18842		<0.005	2.00	2.15	35	0.30	11.40	367	1.8	
ZZ18843		<0.005	0.82	0.93	37	0.12	8.47	253	1.6	
ZZ18844		0.005	0.69	1.76	41	0.22	10.40	198	1.7	
ZZ18845		0.005	1.40	1.89	45	0.25	14.00	229	2.1	
ZZ18846		<0.005	0.11	0.37	37	0.05	4.84	128	1.0	
ZZ18847		<0.005	0.10	0.49	38	0.08	6.38	110	0.7	
ZZ18848		<0.005	0.09	0.49	34	<0.05	8.85	118	1.1	
ZZ18563		<0.005	0.23	1.06	33	<0.05	10.75	142	2.4	
ZZ18564		<0.005	0.25	0.84	32	<0.05	11.30	151	2.0	
ZZ18565		<0.005	0.26	0.87	32	<0.05	11.95	136	1.8	

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 16- AUG- 2011
Account: RCM

Project: Rackla - Jackpot

CERTIFICATE OF ANALYSIS WH11145412

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- TL43 Au ppm 0.001	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1
ZZ18566		0.35	0.002	1.39	1.03	48.5	<0.2	<10	630	1.19	0.33	0.88	8.22	17.85	11.8	40
ZZ18567		0.22	0.002	0.24	1.46	44.8	<0.2	<10	290	1.10	0.30	0.65	1.13	16.15	16.4	26
ZZ18568		0.23	0.002	0.31	1.24	30.6	<0.2	<10	320	0.99	0.26	1.14	1.36	13.60	12.2	24
ZZ18569		0.29	0.002	0.26	1.36	97.3	<0.2	<10	300	1.07	0.29	0.48	1.50	15.40	15.1	24
ZZ18570		0.36	0.002	0.19	1.03	57.2	<0.2	<10	340	0.69	0.21	7.27	2.98	24.0	8.8	16
ZZ18571		0.36	0.001	0.19	0.72	903	<0.2	<10	1500	0.46	0.15	10.45	0.73	16.10	7.1	13
ZZ18572		0.31	0.002	0.07	1.99	59.3	<0.2	<10	830	0.94	0.28	3.27	0.27	25.8	13.4	27
ZZ18573		0.41	0.001	0.15	0.39	221	<0.2	<10	550	0.43	0.10	14.35	0.45	14.75	4.9	8
ZZ18574		0.36	0.001	0.08	1.82	39.8	<0.2	<10	430	1.19	0.31	1.05	0.71	21.3	10.7	26
ZZ18575		0.34	0.002	0.16	0.37	111	<0.2	<10	350	0.43	0.16	12.50	0.52	17.55	7.7	10
ZZ18576		0.37	0.001	0.19	0.88	401	<0.2	<10	260	0.73	0.20	8.79	1.58	13.05	9.7	15
ZZ18577		0.35	0.001	0.24	0.97	55.0	<0.2	<10	320	1.09	0.28	0.53	2.82	17.50	11.5	22
ZZ18578		0.30	0.002	0.26	1.12	44.0	<0.2	<10	280	0.96	0.26	0.97	1.15	12.15	11.4	20
ZZ18579		0.25	0.002	0.18	1.12	38.4	<0.2	<10	270	0.90	0.25	1.11	0.83	12.00	11.3	20
ZZ18580		0.30	0.002	0.19	1.26	45.0	<0.2	<10	250	1.02	0.27	0.75	0.70	12.85	12.1	22
ZZ18581		0.22	0.003	0.26	1.11	44.2	<0.2	<10	290	0.89	0.28	0.87	1.82	13.80	15.9	21
ZZ18582		0.57	0.001	4.41	0.91	45.6	<0.2	<10	840	1.35	0.29	1.63	47.6	29.8	6.6	90
ZZ18583		0.38	0.002	0.74	1.06	35.3	<0.2	<10	340	0.90	0.29	0.72	11.20	11.35	12.7	26
ZZ18584		0.44	0.001	1.13	0.37	34.7	<0.2	<10	710	0.83	0.27	0.28	0.93	4.35	8.5	30
ZZ18585		0.33	0.001	0.07	1.13	11.9	<0.2	<10	170	0.80	0.28	0.29	0.08	7.07	11.6	20
ZZ18586		0.27	0.002	0.15	1.27	41.9	<0.2	<10	240	0.97	0.26	0.69	0.27	12.90	13.3	20
ZZ18587		0.32	0.001	0.12	1.14	49.4	<0.2	<10	200	0.80	0.25	0.50	0.21	11.85	13.3	20
ZZ18588		0.29	0.004	0.20	1.28	53.0	<0.2	<10	310	0.97	0.25	0.93	0.46	11.80	14.5	20
ZZ18589		0.32	0.002	0.17	1.72	75.5	<0.2	<10	260	1.10	0.24	0.49	0.76	12.75	16.3	27
ZZ18590		0.33	0.002	0.14	1.63	42.9	<0.2	<10	250	1.01	0.27	0.51	0.29	10.45	15.3	27
ZZ18591		0.37	0.001	0.09	1.86	33.8	<0.2	<10	170	1.16	0.28	0.43	0.23	10.90	16.9	30
ZZ18592		0.25	0.002	0.17	1.80	104.5	<0.2	<10	280	0.98	0.24	0.63	0.36	12.50	15.7	28
ZZ18593		0.41	0.002	0.16	1.82	93.2	<0.2	<10	270	1.13	0.28	0.53	0.55	13.10	16.2	30
ZZ18594		0.25	0.002	0.21	1.57	118.5	<0.2	<10	390	0.82	0.24	1.10	0.97	13.00	14.8	26
ZZ18595		0.45	0.003	0.63	1.58	369	<0.2	<10	370	1.01	0.28	0.67	1.09	15.95	10.7	28
ZZ18596		0.37	0.003	2.40	1.59	716	<0.2	<10	320	1.20	0.29	0.84	2.59	17.75	13.3	28
ZZ18597		0.34	0.002	0.25	2.00	23.4	<0.2	<10	260	1.18	0.31	0.53	0.25	14.50	18.3	32
ZZ18598		0.40	0.002	0.12	2.00	23.0	<0.2	<10	290	1.12	0.29	0.54	0.19	14.10	18.2	32
ZZ18599		0.34	0.002	0.18	1.79	108.5	<0.2	<10	240	1.37	0.30	0.81	0.53	13.50	20.0	29
ZZ18600		0.40	0.002	0.38	1.91	72.7	<0.2	<10	250	1.19	0.26	0.50	0.55	17.85	13.3	32

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 16- AUG- 2011
Account: RCM

Project: Rackla - Jackpot

CERTIFICATE OF ANALYSIS WH11145412

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
ZZ18566		1.06	82.4	3.66	3.60	0.06	0.04	0.60	0.046	0.11	10.9	11.9	0.27	445	33.4	0.01
ZZ18567		1.23	40.0	3.84	4.57	<0.05	0.06	0.19	0.041	0.11	8.0	22.8	0.40	608	4.37	0.01
ZZ18568		0.87	42.4	3.10	3.93	<0.05	0.06	0.41	0.037	0.11	7.6	18.6	0.35	524	3.02	0.01
ZZ18569		1.55	37.6	4.88	3.99	<0.05	0.05	2.43	0.041	0.10	6.2	19.5	0.33	569	3.40	0.01
ZZ18570		0.59	16.1	3.02	3.18	0.06	0.05	1.01	0.029	0.07	16.5	8.4	4.53	1150	0.58	0.02
ZZ18571		0.49	9.6	2.24	1.97	<0.05	0.04	1.63	0.025	0.03	10.0	5.1	6.70	921	0.60	0.03
ZZ18572		1.12	26.0	3.75	4.94	<0.05	0.07	0.23	0.034	0.07	11.6	21.3	2.31	817	1.14	0.02
ZZ18573		0.39	11.9	1.70	1.04	<0.05	0.04	1.21	0.014	0.04	9.7	3.1	8.85	1320	0.28	0.03
ZZ18574		1.22	21.9	4.47	4.89	0.05	0.05	0.52	0.040	0.09	14.0	20.0	0.86	964	0.90	0.01
ZZ18575		0.64	14.8	2.25	1.32	<0.05	0.03	1.58	0.015	0.06	11.3	3.4	7.86	998	0.24	0.03
ZZ18576		1.98	21.3	2.26	2.47	<0.05	0.03	0.99	0.025	0.08	6.7	14.5	5.49	923	0.48	0.03
ZZ18577		1.20	45.2	3.97	3.26	0.05	0.05	0.21	0.046	0.10	7.1	13.9	0.25	287	8.15	0.01
ZZ18578		0.96	34.4	3.36	3.60	<0.05	0.05	0.27	0.040	0.10	5.3	17.3	0.32	433	2.81	0.01
ZZ18579		0.88	29.0	3.27	3.39	<0.05	0.05	0.25	0.036	0.10	4.9	17.5	0.35	439	2.06	0.01
ZZ18580		1.08	33.3	3.85	3.82	<0.05	0.06	0.24	0.039	0.11	5.2	19.4	0.35	293	2.72	0.01
ZZ18581		0.75	34.0	3.60	3.37	<0.05	0.05	0.32	0.035	0.09	5.7	15.4	0.31	828	2.58	0.01
ZZ18582		1.68	273	2.33	3.78	0.10	0.06	1.14	0.042	0.17	21.3	10.0	0.38	270	34.8	0.01
ZZ18583		1.34	44.9	3.61	3.53	<0.05	0.04	0.38	0.043	0.11	4.8	15.8	0.27	397	6.89	0.01
ZZ18584		1.16	55.8	4.53	1.21	<0.05	0.04	0.42	0.053	0.08	2.5	1.9	0.04	153	7.52	0.01
ZZ18585		1.10	27.8	3.52	3.55	<0.05	0.03	0.09	0.038	0.12	2.6	19.7	0.32	302	0.72	0.01
ZZ18586		0.95	25.4	3.39	3.76	<0.05	0.06	0.27	0.036	0.10	5.0	18.6	0.34	617	0.90	0.01
ZZ18587		0.90	19.2	3.82	3.36	<0.05	0.05	0.54	0.036	0.09	4.2	16.8	0.32	532	1.18	0.01
ZZ18588		0.94	29.6	3.24	3.69	<0.05	0.06	0.44	0.034	0.10	4.7	19.9	0.36	791	1.54	0.01
ZZ18589		1.26	29.7	4.08	5.05	<0.05	0.06	3.71	0.037	0.11	4.7	30.2	0.52	331	0.72	0.01
ZZ18590		1.24	23.5	3.70	4.52	<0.05	0.05	0.25	0.031	0.11	3.8	29.0	0.54	586	0.69	0.01
ZZ18591		1.14	27.9	3.67	5.60	<0.05	0.07	0.21	0.039	0.10	3.8	36.8	0.65	260	0.66	0.01
ZZ18592		1.25	23.1	3.82	5.12	<0.05	0.06	0.32	0.039	0.09	4.8	31.7	0.57	470	0.78	0.01
ZZ18593		1.53	25.8	3.84	5.18	<0.05	0.05	0.35	0.041	0.10	5.1	34.1	0.59	424	0.88	0.01
ZZ18594		1.18	26.0	3.36	4.71	<0.05	0.04	0.48	0.035	0.07	5.3	25.5	0.52	581	0.89	0.01
ZZ18595		1.63	39.9	3.71	4.49	<0.05	0.05	7.28	0.041	0.08	7.9	27.0	0.55	353	1.38	0.01
ZZ18596		1.92	50.1	3.77	4.65	<0.05	0.06	6.55	0.045	0.10	8.9	24.1	0.57	465	1.38	0.01
ZZ18597		1.32	44.7	4.38	6.09	<0.05	0.06	0.17	0.049	0.12	5.6	38.7	0.64	465	1.13	0.02
ZZ18598		1.45	45.6	4.56	5.78	<0.05	0.05	0.14	0.046	0.13	5.8	38.2	0.68	673	1.06	0.02
ZZ18599		4.73	46.7	4.51	5.36	0.12	0.06	0.71	0.049	0.14	5.6	33.5	0.78	762	1.13	0.02
ZZ18600		1.49	34.3	3.95	5.89	0.12	0.07	0.78	0.041	0.10	9.2	34.6	0.65	340	0.90	0.02

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 16- AUG- 2011
Account: RCM

Project: Rackla - Jackpot

CERTIFICATE OF ANALYSIS WH11145412

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
ZZ18566		0.21	139.5	890	25.4	9.9	0.003	0.05	7.12	7.1	3.1	0.9	69.1	<0.01	0.13	2.8
ZZ18567		0.30	44.6	700	29.6	12.2	0.003	0.04	0.87	6.6	1.8	0.6	29.4	<0.01	0.06	3.8
ZZ18568		0.24	42.8	730	24.4	10.6	0.003	0.06	1.08	5.5	1.5	0.5	43.3	<0.01	0.05	2.3
ZZ18569		0.21	43.2	750	40.8	12.3	0.003	0.04	0.95	6.2	0.9	0.5	26.1	<0.01	0.05	3.7
ZZ18570		0.29	18.6	650	63.5	6.7	<0.001	0.04	0.41	5.2	0.5	0.5	59.0	<0.01	0.02	2.3
ZZ18571		0.27	14.8	550	73.5	4.5	<0.001	0.05	0.26	4.6	0.6	0.3	132.5	<0.01	0.02	1.6
ZZ18572		0.57	30.1	300	28.2	10.6	<0.001	0.04	0.53	5.2	0.4	0.5	29.0	<0.01	0.03	4.4
ZZ18573		0.06	10.5	560	49.8	4.0	<0.001	0.05	0.13	3.7	0.2	0.2	148.5	<0.01	0.01	1.3
ZZ18574		0.40	29.0	280	42.9	14.5	<0.001	0.02	0.43	6.7	0.6	0.7	23.1	<0.01	0.04	4.8
ZZ18575		0.11	16.1	410	84.7	3.8	<0.001	0.06	0.19	3.8	0.4	0.3	138.5	<0.01	0.03	2.9
ZZ18576		0.20	26.5	490	42.2	11.2	0.001	0.05	0.48	4.4	0.8	0.3	62.3	<0.01	0.02	2.5
ZZ18577		0.17	60.2	830	28.8	10.1	0.004	0.05	1.49	6.4	1.4	0.5	38.5	<0.01	0.05	4.2
ZZ18578		0.20	39.7	630	29.3	10.0	0.003	0.06	0.93	5.5	1.7	0.5	37.1	<0.01	0.04	2.6
ZZ18579		0.20	36.8	690	26.1	9.3	0.005	0.06	0.63	4.8	1.3	0.4	34.7	<0.01	0.05	2.6
ZZ18580		0.20	39.1	680	27.0	9.9	0.002	0.04	0.74	5.7	1.1	0.5	29.6	<0.01	0.05	3.3
ZZ18581		0.19	44.3	640	34.3	8.6	0.002	0.04	0.92	5.6	1.1	0.4	32.3	<0.01	0.04	3.0
ZZ18582		0.13	257	980	31.1	13.4	0.007	0.06	18.50	6.7	7.8	0.9	127.5	<0.01	0.23	4.1
ZZ18583		0.21	98.1	630	26.3	11.2	0.007	0.04	1.79	5.8	1.7	0.6	35.6	<0.01	0.05	2.9
ZZ18584		<0.05	80.7	490	16.8	8.0	0.010	0.04	1.23	7.3	3.0	0.5	37.0	<0.01	0.06	1.8
ZZ18585		0.07	38.2	650	16.3	10.6	<0.001	0.04	0.36	4.5	0.3	0.5	19.0	<0.01	0.03	3.8
ZZ18586		0.20	34.7	760	34.2	11.5	<0.001	0.05	0.43	5.5	0.6	0.4	32.2	<0.01	0.04	2.9
ZZ18587		0.14	28.5	710	35.0	10.2	<0.001	0.04	0.39	5.1	0.3	0.4	24.3	<0.01	0.03	3.4
ZZ18588		0.20	40.7	860	39.5	11.4	<0.001	0.07	0.56	5.3	0.7	0.4	34.3	<0.01	0.03	3.0
ZZ18589		0.25	45.8	690	46.8	12.1	<0.001	0.05	0.57	6.0	0.7	0.5	20.2	<0.01	0.03	3.8
ZZ18590		0.20	42.2	610	46.6	10.8	0.001	0.04	0.45	5.2	0.7	0.5	22.3	<0.01	0.02	3.4
ZZ18591		0.20	50.8	630	37.1	10.6	<0.001	0.02	0.42	5.6	0.4	0.5	17.1	<0.01	0.04	4.0
ZZ18592		0.26	40.6	610	36.5	11.0	<0.001	0.03	0.54	5.2	0.6	0.5	19.9	<0.01	0.03	2.9
ZZ18593		0.29	42.4	630	45.5	11.9	0.001	0.04	0.57	5.1	1.0	0.5	20.9	<0.01	0.03	3.2
ZZ18594		0.41	36.4	660	47.3	9.4	<0.001	0.06	0.84	4.1	0.7	0.5	31.6	<0.01	0.03	1.8
ZZ18595		0.38	41.7	670	74.9	10.0	<0.001	0.05	1.94	5.6	0.9	0.5	26.7	<0.01	0.06	2.2
ZZ18596		0.43	43.8	640	424	10.2	0.001	0.05	3.22	5.2	1.1	0.5	26.1	<0.01	0.04	2.1
ZZ18597		0.20	54.4	750	23.0	11.6	0.001	0.04	0.48	7.2	0.6	0.6	26.2	<0.01	0.04	3.4
ZZ18598		0.16	51.8	750	20.4	11.2	0.001	0.04	0.46	7.1	0.5	0.5	27.4	<0.01	0.04	3.4
ZZ18599		0.12	58.4	760	28.2	12.5	<0.001	<0.01	0.64	7.3	1.1	0.5	25.2	<0.01	0.06	3.8
ZZ18600		0.42	46.2	710	55.8	11.0	<0.001	<0.01	0.61	6.4	1.0	0.5	20.5	<0.01	0.05	3.9

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 16- AUG- 2011
Account: RCM

Project: Rackla - Jackpot

CERTIFICATE OF ANALYSIS WH11145412

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	Zn- OG46
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr	Zn
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5	0.001
ZZ18566		<0.005	0.37	6.62	322	0.15	28.0	557	1.9	
ZZ18567		<0.005	0.28	3.05	75	0.06	13.25	178	2.0	
ZZ18568		<0.005	0.35	2.41	90	0.05	13.45	195	1.7	
ZZ18569		<0.005	1.68	1.62	70	0.05	12.30	231	1.8	
ZZ18570		0.007	0.32	0.82	27	0.08	12.20	1430	1.6	
ZZ18571		0.009	0.42	2.12	21	0.08	8.17	241	1.0	
ZZ18572		0.011	0.20	1.07	43	0.15	9.43	117	2.3	
ZZ18573		<0.005	0.42	1.56	12	<0.05	7.80	154	1.3	
ZZ18574		0.005	0.25	0.99	36	0.11	12.50	309	1.6	
ZZ18575		<0.005	0.65	0.88	13	0.05	7.46	434	1.3	
ZZ18576		<0.005	3.29	0.70	20	<0.05	8.06	737	1.2	
ZZ18577		<0.005	0.36	2.21	115	<0.05	14.60	350	1.7	
ZZ18578		<0.005	0.34	1.44	65	0.09	12.05	156	1.9	
ZZ18579		<0.005	0.30	1.02	48	<0.05	9.99	158	1.9	
ZZ18580		<0.005	0.28	1.33	54	0.07	10.80	162	1.9	
ZZ18581		<0.005	0.34	1.40	74	<0.05	13.30	177	1.8	
ZZ18582		<0.005	0.67	14.35	1460	0.40	44.5	1700	3.8	
ZZ18583		<0.005	0.89	2.76	263	0.07	13.00	761	1.6	
ZZ18584		<0.005	0.30	1.74	42	<0.05	13.95	278	1.9	
ZZ18585		<0.005	0.10	0.46	26	<0.05	7.27	104	1.0	
ZZ18586		<0.005	0.30	0.78	29	0.05	11.90	129	1.9	
ZZ18587		<0.005	0.28	0.66	31	<0.05	8.11	127	1.5	
ZZ18588		<0.005	0.39	0.95	28	<0.05	12.70	132	1.9	
ZZ18589		<0.005	0.45	0.90	33	<0.05	11.35	153	2.1	
ZZ18590		<0.005	0.30	0.94	31	<0.05	8.60	134	1.9	
ZZ18591		<0.005	0.14	0.71	32	<0.05	9.94	116	2.5	
ZZ18592		<0.005	0.65	0.97	34	0.06	9.00	164	1.7	
ZZ18593		<0.005	0.46	1.39	35	<0.05	10.85	164	1.5	
ZZ18594		0.006	0.93	1.09	35	0.08	6.51	173	1.2	
ZZ18595		0.006	6.03	2.37	39	0.12	11.80	273	1.5	
ZZ18596		0.006	29.2	2.29	43	0.39	11.00	682	1.6	
ZZ18597		<0.005	0.28	0.69	38	<0.05	11.70	129	2.1	
ZZ18598		<0.005	0.16	0.62	39	<0.05	11.25	134	2.2	
ZZ18599		<0.005	0.49	0.97	37	<0.05	10.45	173	2.1	
ZZ18600		0.007	0.29	0.99	41	0.12	10.00	188	1.9	

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 16- AUG- 2011
Account: RCM

Project: Rackla - Jackpot

CERTIFICATE OF ANALYSIS WH11145412

Method	CERTIFICATE COMMENTS
ME- MS41	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown.
ME- MS41	Gold determinations by this method are semi- quantitative due to the small sample weight used (0.5g).

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 16- AUG- 2011
Account: RCM

CERTIFICATE WH11145413

Project: Rackla - Jackpot

P.O. No.:

This report is for 158 Soil samples submitted to our lab in Whitehorse, YT, Canada on 29- JUL- 2011.

The following have access to data associated with this certificate:

ROB CARNE JULIA LANE	ANDREW CARNE JOAN MARIACHER	MATT DUMALA

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
SCR- 41	Screen to - 180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- TL43	Trace Level Au - 25g AR	ICP- MS
ME- MS41	51 anal. aqua regia ICPMS	

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 16- AUG- 2011
Account: RCM

Project: Rackla - Jackpot

CERTIFICATE OF ANALYSIS WH11145413

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- TL43 Au ppm 0.001	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1
ZZ19401		0.35	0.002	0.17	2.08	40.9	<0.2	<10	330	1.35	0.28	0.60	0.41	13.35	16.9	31
ZZ19402		0.42	0.002	0.13	1.96	24.3	<0.2	<10	270	1.36	0.29	0.43	0.23	11.95	17.0	31
ZZ19403		0.35	0.001	0.16	2.02	25.0	<0.2	<10	280	1.39	0.27	0.50	0.17	15.20	14.8	32
ZZ19404		0.42	0.001	0.11	1.94	26.6	<0.2	<10	240	1.09	0.28	0.51	0.14	13.00	15.1	31
ZZ19405		0.31	0.001	0.11	1.80	31.3	<0.2	<10	280	1.10	0.24	0.78	0.27	13.55	16.7	27
ZZ19406		0.38	0.002	0.95	1.45	751	<0.2	<10	260	1.17	0.30	0.59	2.13	15.15	11.8	25
ZZ19407		0.40	<0.001	0.09	1.85	33.8	<0.2	<10	200	1.11	0.26	0.40	0.18	7.68	14.8	31
ZZ19408		0.26	0.001	0.21	1.71	103.0	<0.2	<10	370	1.04	0.23	0.96	0.62	11.35	13.4	26
ZZ19409		0.39	0.001	0.15	1.91	27.5	<0.2	<10	300	1.25	0.25	0.55	0.30	16.50	15.0	31
ZZ19410		0.35	0.002	0.27	1.91	166.0	<0.2	<10	270	1.33	0.26	1.37	0.50	13.65	14.5	30
ZZ19411		0.42	0.002	0.34	1.98	189.5	<0.2	<10	300	1.30	0.26	1.01	0.89	13.15	12.2	31
ZZ19412		0.43	0.001	0.11	1.95	21.5	<0.2	<10	220	1.06	0.25	0.37	0.20	14.90	18.0	31
ZZ19413		0.33	0.001	0.13	2.03	23.3	<0.2	<10	310	1.24	0.28	0.59	0.18	14.45	15.9	31
ZZ19414		0.24	0.001	0.10	1.89	27.8	<0.2	<10	270	1.00	0.25	0.72	0.20	11.85	17.9	29
ZZ19415		0.32	0.003	0.80	1.63	282	<0.2	<10	390	1.17	0.24	1.28	1.55	14.40	13.1	26
ZZ19416		0.55	0.002	0.55	1.70	253	<0.2	<10	300	0.98	0.25	0.52	1.27	11.75	13.9	28
ZZ19417		0.32	0.003	0.52	1.63	337	<0.2	<10	380	1.04	0.23	0.70	1.37	16.85	12.7	27
ZZ19418		0.33	0.002	0.10	1.86	121.0	<0.2	<10	300	1.10	0.32	0.51	0.43	6.38	15.2	31
ZZ19419		0.35	0.003	0.20	1.72	54.7	<0.2	<10	300	1.17	0.25	0.95	0.30	11.45	13.9	28
ZZ19420		0.38	0.001	0.14	1.87	37.2	<0.2	<10	180	1.20	0.26	0.37	0.57	12.75	17.6	31
ZZ19421		0.33	0.002	0.16	1.81	57.7	<0.2	<10	270	1.21	0.25	0.47	0.56	13.25	18.2	29
ZZ19422		0.46	0.002	0.14	1.40	61.3	<0.2	<10	260	1.10	0.23	0.61	0.35	12.35	17.4	23
ZZ19423		0.41	0.001	0.18	1.17	47.7	<0.2	<10	190	1.10	0.25	0.48	0.36	13.80	14.8	21
ZZ19424		0.35	0.002	0.14	1.12	48.6	<0.2	<10	190	0.94	0.23	0.60	0.26	12.80	13.0	20
ZZ19425		0.32	0.001	0.15	1.21	58.0	<0.2	<10	250	0.88	0.22	0.82	0.60	12.70	13.8	20
ZZ19426		0.26	0.002	0.13	1.33	39.7	<0.2	<10	290	1.11	0.31	0.94	0.26	13.55	15.2	21
ZZ19427		0.35	0.001	0.17	0.67	1340	<0.2	<10	310	1.13	0.28	0.34	0.42	12.50	13.7	15
ZZ19428		0.30	0.001	0.14	0.67	1415	<0.2	<10	210	1.02	0.29	0.23	0.25	11.65	12.9	15
ZZ19429		0.29	0.001	0.13	0.82	943	<0.2	<10	300	1.03	0.28	0.14	0.26	12.35	13.1	17
ZZ19430		0.40	0.001	0.09	1.35	1200	<0.2	<10	180	1.08	0.30	0.23	0.17	10.15	14.5	24
ZZ19431		0.38	0.001	0.24	1.07	1155	<0.2	<10	210	1.02	0.28	0.45	0.99	8.01	15.3	19
ZZ19432		0.33	0.002	0.43	1.38	941	<0.2	<10	300	1.15	0.26	0.70	1.70	8.65	14.5	23
ZZ19433		0.32	0.002	1.56	0.94	2450	<0.2	<10	170	1.03	0.26	1.46	6.01	8.63	12.0	18
ZZ18521		0.32	0.002	0.13	1.93	15.7	<0.2	<10	180	1.11	0.27	0.26	0.15	10.90	14.8	31
ZZ18522		0.30	0.001	0.17	1.79	13.3	<0.2	<10	230	0.75	0.29	0.50	0.23	6.57	10.4	30
ZZ18523		0.21	0.001	0.11	1.91	16.3	<0.2	<10	200	0.91	0.34	0.40	0.19	6.77	14.7	32
ZZ18524		0.14	0.001	0.32	1.74	120.0	<0.2	<10	270	0.94	0.28	1.05	1.02	10.30	14.5	27
ZZ18525		0.21	0.003	1.12	0.94	335	<0.2	<10	240	0.57	0.15	11.30	5.22	11.50	7.3	17
ZZ18526		0.21	0.002	0.64	1.60	468	<0.2	<10	280	1.03	0.28	1.05	2.45	16.30	17.6	27
ZZ18527		0.20	0.002	2.24	1.21	761	<0.2	<10	250	1.03	0.21	5.74	15.85	9.26	10.2	19

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 16- AUG- 2011
Account: RCM

Project: Rackla - Jackpot

CERTIFICATE OF ANALYSIS WH11145413

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
ZZ19401		1.66	41.2	4.46	6.10	0.12	0.07	0.23	0.049	0.11	6.3	36.7	0.62	857	1.07	0.02
ZZ19402		2.62	41.7	4.41	5.86	0.12	0.06	0.17	0.043	0.12	5.7	38.3	0.61	567	1.08	0.02
ZZ19403		1.75	42.2	4.19	6.38	0.13	0.07	0.15	0.046	0.11	7.8	40.1	0.64	363	1.04	0.02
ZZ19404		1.22	30.9	4.17	5.90	0.12	0.07	0.15	0.044	0.10	5.6	36.5	0.63	640	0.92	0.02
ZZ19405		0.94	37.1	3.88	5.46	0.12	0.05	0.22	0.042	0.10	6.0	33.1	0.59	867	0.94	0.02
ZZ19406		2.22	43.5	3.92	4.57	0.13	0.05	3.47	0.043	0.11	7.9	24.4	0.48	364	1.20	0.01
ZZ19407		1.26	26.9	3.70	5.94	0.11	0.05	0.12	0.040	0.10	2.9	37.1	0.59	259	0.75	0.01
ZZ19408		0.87	27.9	3.50	5.09	0.11	0.05	0.40	0.037	0.08	4.9	31.6	0.54	707	0.74	0.01
ZZ19409		1.13	38.6	4.10	5.58	0.11	0.06	0.20	0.045	0.09	8.3	33.8	0.63	454	0.98	0.02
ZZ19410		0.93	40.8	3.98	5.73	0.12	0.05	1.53	0.039	0.10	6.2	32.9	0.88	545	0.89	0.02
ZZ19411		1.12	41.6	3.95	5.53	0.11	0.07	2.64	0.041	0.12	6.7	32.4	0.66	592	0.90	0.02
ZZ19412		1.35	36.7	4.74	5.93	0.12	0.05	0.20	0.040	0.11	6.5	36.9	0.69	605	0.88	0.02
ZZ19413		1.22	42.5	4.23	6.02	0.11	0.06	0.18	0.041	0.11	6.7	35.4	0.65	378	0.99	0.02
ZZ19414		0.93	26.4	4.24	5.80	0.12	0.05	0.16	0.040	0.10	5.1	33.9	0.61	800	1.10	0.02
ZZ19415		1.25	39.9	3.32	4.99	0.11	0.05	2.51	0.034	0.09	6.6	24.7	0.53	463	0.89	0.02
ZZ19416		0.99	29.8	4.08	4.97	0.11	0.05	2.30	0.043	0.08	5.0	32.0	0.61	465	1.13	0.01
ZZ19417		1.39	37.8	3.53	4.58	0.12	0.06	1.87	0.035	0.08	8.2	25.9	0.56	350	0.87	0.01
ZZ19418		2.17	28.4	4.52	5.73	0.10	0.06	0.22	0.033	0.10	2.7	38.0	0.65	296	0.93	0.02
ZZ19419		1.17	27.9	3.61	5.16	0.12	0.07	0.25	0.033	0.10	4.9	33.4	0.59	359	0.73	0.02
ZZ19420		1.76	32.1	3.60	5.76	0.12	0.06	0.31	0.037	0.14	4.7	39.3	0.61	524	0.68	0.02
ZZ19421		1.23	28.2	3.95	5.69	0.11	0.06	0.41	0.041	0.11	5.2	35.9	0.54	484	0.63	0.02
ZZ19422		0.96	22.3	4.06	4.36	0.11	0.05	0.25	0.038	0.10	4.9	23.6	0.39	828	0.93	0.02
ZZ19423		0.98	29.9	4.13	3.64	0.12	0.04	0.41	0.042	0.10	5.6	18.2	0.34	563	0.93	0.01
ZZ19424		0.84	25.3	3.64	3.65	0.12	0.05	0.35	0.039	0.09	5.7	17.1	0.34	662	0.86	0.02
ZZ19425		0.78	28.1	3.70	3.82	0.11	0.06	0.33	0.035	0.09	5.4	18.3	0.39	785	1.07	0.01
ZZ19426		0.83	49.2	3.95	4.69	0.11	0.06	0.35	0.043	0.10	6.4	21.2	0.38	520	0.92	0.01
ZZ19427		6.28	38.3	3.63	2.24	0.12	0.02	0.46	0.048	0.11	5.1	11.1	0.16	334	1.47	0.01
ZZ19428		6.72	35.2	3.57	2.48	0.11	<0.02	8.48	0.048	0.11	4.8	10.0	0.12	287	1.68	0.01
ZZ19429		3.60	38.6	4.03	2.95	0.11	<0.02	0.29	0.046	0.09	5.3	12.1	0.18	429	1.60	0.01
ZZ19430		3.15	38.0	4.43	4.84	0.12	0.02	0.14	0.044	0.12	4.0	24.8	0.42	412	1.38	0.02
ZZ19431		3.99	33.1	3.97	3.44	0.11	0.04	0.74	0.043	0.11	3.3	19.0	0.30	723	1.12	0.02
ZZ19432		3.06	38.2	2.98	4.51	0.11	0.05	1.78	0.038	0.10	3.6	23.2	0.38	551	0.89	0.02
ZZ19433		6.33	37.2	3.73	2.90	0.11	0.04	8.55	0.044	0.10	3.1	17.9	0.76	371	0.90	0.02
ZZ18521		3.55	29.3	4.13	6.05	0.12	0.03	0.14	0.041	0.10	4.4	44.2	0.60	277	1.11	0.02
ZZ18522		2.61	27.2	4.24	5.19	<0.05	0.04	0.09	0.043	0.10	3.0	37.4	0.62	408	1.02	0.01
ZZ18523		1.44	29.8	4.85	6.06	<0.05	0.05	0.04	0.049	0.10	2.9	42.6	0.71	529	1.15	0.01
ZZ18524		1.91	35.4	4.04	4.86	<0.05	0.06	2.60	0.043	0.09	4.6	34.2	0.62	663	0.80	0.02
ZZ18525		1.21	20.1	1.84	2.53	<0.05	0.04	5.66	0.023	0.06	5.7	13.6	6.27	714	0.72	0.03
ZZ18526		1.96	42.7	4.11	4.59	<0.05	0.06	4.30	0.040	0.09	7.4	28.5	0.80	403	1.12	0.01
ZZ18527		2.63	46.7	2.85	3.15	<0.05	0.05	9.80	0.030	0.08	4.5	19.2	2.91	594	0.74	0.02

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 16- AUG- 2011
Account: RCM

Project: Rackla - Jackpot

CERTIFICATE OF ANALYSIS WH11145413

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
ZZ19401		0.22	48.9	790	24.0	14.4	<0.001	0.01	0.48	7.4	1.4	0.5	25.1	<0.01	0.06	2.9
ZZ19402		0.15	54.1	760	18.3	13.3	0.001	<0.01	0.45	7.2	0.9	0.5	22.7	<0.01	0.06	3.3
ZZ19403		0.27	52.1	740	15.7	13.1	0.001	<0.01	0.46	7.6	1.1	0.5	27.8	<0.01	0.06	3.5
ZZ19404		0.24	44.0	770	17.9	10.6	<0.001	<0.01	0.44	6.5	0.9	0.5	24.0	<0.01	0.05	3.3
ZZ19405		0.22	44.8	750	18.2	9.4	<0.001	0.01	0.49	6.0	1.1	0.4	29.9	<0.01	0.04	2.6
ZZ19406		0.27	42.1	780	172.0	10.5	<0.001	<0.01	1.77	6.0	0.9	0.5	25.8	<0.01	0.06	3.2
ZZ19407		0.20	43.2	420	27.9	11.6	0.001	<0.01	0.46	5.6	0.9	0.6	14.9	<0.01	0.05	3.6
ZZ19408		0.29	41.7	690	59.7	9.6	<0.001	0.03	0.64	4.8	1.0	0.5	27.2	<0.01	0.06	2.3
ZZ19409		0.31	47.0	760	19.1	10.1	<0.001	<0.01	0.48	6.8	1.0	0.5	23.7	<0.01	0.06	3.0
ZZ19410		0.32	46.3	640	35.8	9.1	<0.001	0.02	0.79	5.8	0.8	0.5	29.1	<0.01	0.05	2.0
ZZ19411		0.30	43.3	780	29.8	10.6	<0.001	0.02	0.84	6.1	1.0	0.5	22.8	<0.01	0.05	2.2
ZZ19412		0.17	44.5	760	20.1	10.4	0.001	<0.01	0.39	7.0	0.9	0.5	19.8	<0.01	0.06	3.7
ZZ19413		0.24	46.7	750	18.2	11.0	<0.001	<0.01	0.42	7.0	1.0	0.5	26.0	<0.01	0.05	3.3
ZZ19414		0.23	38.9	830	21.4	10.1	<0.001	0.01	0.42	5.2	0.8	0.5	31.9	<0.01	0.05	2.7
ZZ19415		0.43	38.5	800	157.0	10.2	<0.001	0.03	2.50	4.6	1.0	0.5	30.9	<0.01	0.06	1.6
ZZ19416		0.23	42.3	460	86.9	8.2	<0.001	<0.01	1.22	5.2	0.9	0.4	23.8	<0.01	0.06	2.3
ZZ19417		0.40	36.2	780	109.0	8.9	<0.001	0.02	1.19	5.5	1.3	0.4	24.5	<0.01	0.05	2.6
ZZ19418		0.19	49.1	470	25.5	11.6	<0.001	<0.01	0.58	5.2	0.6	0.6	18.7	<0.01	0.04	3.3
ZZ19419		0.26	44.6	500	49.6	11.0	<0.001	0.02	0.65	5.9	1.0	0.5	28.5	<0.01	0.06	2.8
ZZ19420		0.21	52.0	660	32.2	16.4	<0.001	<0.01	0.47	6.6	0.9	0.6	20.8	<0.01	0.05	4.6
ZZ19421		0.25	48.7	670	40.4	13.9	<0.001	<0.01	0.47	6.5	1.0	0.5	23.7	<0.01	0.04	4.2
ZZ19422		0.18	35.2	810	34.4	12.1	<0.001	<0.01	0.43	5.8	1.0	0.4	27.3	<0.01	0.04	3.5
ZZ19423		0.16	38.3	760	82.0	10.7	<0.001	<0.01	0.54	6.6	0.9	0.4	24.9	<0.01	0.04	3.9
ZZ19424		0.18	34.1	730	29.4	10.1	<0.001	<0.01	0.46	5.6	0.8	0.4	27.4	<0.01	0.07	3.2
ZZ19425		0.20	35.4	710	29.9	9.2	<0.001	0.02	0.50	5.2	0.8	0.4	29.9	<0.01	0.05	2.7
ZZ19426		0.27	34.1	500	26.1	9.3	<0.001	0.01	0.52	6.0	0.7	0.5	37.8	<0.01	0.06	2.9
ZZ19427		0.08	39.9	940	23.1	11.8	0.001	<0.01	0.75	6.1	1.1	0.4	34.6	<0.01	0.06	3.8
ZZ19428		0.10	39.0	870	20.5	13.7	0.001	<0.01	0.62	5.2	1.2	0.5	29.5	<0.01	0.07	2.4
ZZ19429		0.10	41.5	790	19.3	12.0	<0.001	<0.01	0.58	5.5	1.1	0.5	22.1	<0.01	0.06	3.0
ZZ19430		0.13	44.6	740	21.3	13.9	0.001	0.03	0.63	6.6	0.9	0.6	25.6	<0.01	0.03	3.3
ZZ19431		0.08	44.2	730	33.4	13.8	0.002	0.03	0.78	6.2	1.3	0.5	26.5	<0.01	0.05	2.6
ZZ19432		0.17	49.4	770	36.3	16.1	0.002	0.15	1.00	6.0	1.8	0.5	29.8	<0.01	0.04	2.2
ZZ19433		0.09	45.4	710	246	13.7	0.001	0.04	2.91	5.7	1.8	0.4	31.2	<0.01	0.04	2.7
ZZ18521		0.17	48.6	710	17.5	14.4	<0.001	<0.01	0.37	6.1	1.0	0.5	27.1	<0.01	0.05	3.0
ZZ18522		0.13	41.1	730	16.1	12.2	0.002	0.05	0.35	6.1	0.9	0.5	41.8	<0.01	0.05	2.2
ZZ18523		0.12	49.2	680	19.5	10.7	0.002	0.04	0.42	6.5	0.8	0.5	37.1	<0.01	0.04	2.4
ZZ18524		0.17	67.3	750	30.8	11.1	0.001	0.05	0.52	6.2	1.1	0.4	46.5	<0.01	0.03	2.0
ZZ18525		0.30	27.1	450	339	6.3	0.001	0.02	2.87	3.4	0.4	0.3	79.6	<0.01	0.02	1.7
ZZ18526		0.28	48.2	670	88.0	9.6	0.001	0.03	1.60	6.4	1.0	0.5	26.0	<0.01	0.06	2.9
ZZ18527		0.20	34.2	630	324	8.3	<0.001	0.05	3.42	4.3	0.8	0.4	48.0	<0.01	0.04	1.3

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 16- AUG- 2011
Account: RCM

Project: Rackla - Jackpot

CERTIFICATE OF ANALYSIS WH11145413

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
ZZ19401		<0.005	0.21	0.98	40	0.05	11.20	147	1.9
ZZ19402		<0.005	0.17	0.71	37	<0.05	10.65	134	1.6
ZZ19403		<0.005	0.21	0.90	40	0.05	11.90	132	2.1
ZZ19404		<0.005	0.17	0.71	39	0.05	7.89	130	1.8
ZZ19405		<0.005	0.12	0.66	37	<0.05	9.91	118	1.7
ZZ19406		<0.005	13.25	1.83	37	0.13	11.05	545	1.5
ZZ19407		<0.005	0.40	0.58	31	<0.05	7.46	109	1.6
ZZ19408		<0.005	0.54	1.09	32	0.05	9.33	153	1.4
ZZ19409		<0.005	0.13	1.09	40	0.06	11.40	140	1.6
ZZ19410		<0.005	0.77	1.55	41	0.11	9.24	185	1.4
ZZ19411		<0.005	0.57	2.57	41	0.09	10.65	183	1.8
ZZ19412		<0.005	0.12	0.59	39	<0.05	10.00	121	1.8
ZZ19413		<0.005	0.16	0.83	41	<0.05	10.70	125	1.8
ZZ19414		<0.005	0.14	0.48	40	0.05	6.30	123	1.6
ZZ19415		0.005	9.77	3.05	38	0.10	9.48	314	1.3
ZZ19416		<0.005	2.00	0.95	38	0.09	5.94	302	1.3
ZZ19417		0.005	6.96	2.16	40	0.10	9.65	331	1.6
ZZ19418		<0.005	0.62	0.64	32	<0.05	5.10	184	1.7
ZZ19419		<0.005	0.31	0.89	30	<0.05	11.20	138	1.8
ZZ19420		<0.005	0.34	0.62	33	<0.05	11.40	145	2.3
ZZ19421		<0.005	0.54	0.72	34	<0.05	11.85	166	1.8
ZZ19422		<0.005	0.37	0.66	31	<0.05	10.30	150	1.6
ZZ19423		<0.005	0.22	0.66	31	<0.05	10.55	138	1.6
ZZ19424		<0.005	0.20	0.59	30	<0.05	10.05	129	1.5
ZZ19425		<0.005	0.38	0.72	32	<0.05	9.03	160	1.5
ZZ19426		<0.005	0.20	0.71	29	<0.05	8.82	130	1.7
ZZ19427		<0.005	1.82	1.75	28	<0.05	12.00	165	0.7
ZZ19428		<0.005	1.67	1.79	29	<0.05	10.70	139	<0.5
ZZ19429		<0.005	0.65	1.03	31	<0.05	9.44	135	<0.5
ZZ19430		<0.005	0.58	0.94	33	<0.05	8.23	134	0.6
ZZ19431		<0.005	8.47	1.36	28	0.06	10.30	410	1.1
ZZ19432		<0.005	19.25	2.06	30	0.08	10.45	582	1.4
ZZ19433		<0.005	27.7	1.82	27	0.29	10.85	1700	1.2
ZZ18521		<0.005	0.19	0.50	33	<0.05	9.55	126	0.9
ZZ18522		<0.005	0.12	0.52	31	<0.05	9.96	123	1.2
ZZ18523		<0.005	0.09	0.43	33	<0.05	9.08	133	1.5
ZZ18524		<0.005	0.61	1.38	31	0.05	17.35	218	1.7
ZZ18525		0.007	2.73	1.11	25	0.19	9.23	786	0.9
ZZ18526		<0.005	1.65	1.08	39	0.12	12.90	528	1.8
ZZ18527		<0.005	25.5	1.69	29	0.41	11.45	2280	1.4

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 16- AUG- 2011
Account: RCM

Project: Rackla - Jackpot

CERTIFICATE OF ANALYSIS WH11145413

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- TL43 Au ppm 0.001	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1
ZZ18528		0.22	0.001	1.11	1.36	684	<0.2	<10	320	1.02	0.27	0.87	3.10	16.00	15.9	24
ZZ18529		0.22	0.001	0.32	1.60	1060	<0.2	<10	330	0.59	0.27	0.43	2.46	4.52	7.4	32
ZZ18530		0.13	0.002	0.85	1.51	540	<0.2	<10	330	0.77	0.26	1.03	3.99	8.48	11.1	24
ZZ18531		0.23	0.001	0.52	1.71	776	<0.2	<10	250	1.03	0.32	0.43	3.15	9.43	13.9	29
ZZ18532		0.12	0.002	0.59	1.66	158.0	<0.2	<10	340	0.81	0.29	1.08	2.11	10.65	12.4	25
ZZ18533		0.24	0.001	0.18	1.69	104.5	<0.2	<10	220	0.97	0.27	0.42	0.61	9.67	25.6	27
ZZ18534		0.10	0.003	0.26	1.61	92.2	<0.2	<10	260	0.94	0.29	0.58	0.89	10.45	16.5	26
ZZ18535		0.23	0.001	0.21	1.63	82.4	<0.2	<10	240	0.97	0.30	0.44	0.87	11.70	18.4	28
ZZ18536		0.23	0.001	0.13	1.50	73.4	<0.2	<10	300	0.90	0.36	0.28	0.65	18.95	20.9	26
ZZ18537		0.24	0.001	0.20	1.63	139.5	<0.2	<10	290	0.91	0.29	0.69	0.65	10.70	14.4	27
ZZ18538		0.23	0.001	0.19	1.66	116.5	<0.2	<10	240	0.96	0.31	0.66	0.42	13.10	18.7	27
ZZ18539		0.27	0.002	0.22	1.49	75.3	<0.2	<10	260	0.93	0.28	0.86	0.45	10.90	13.7	25
ZZ18540		0.14	0.001	0.22	1.44	80.1	<0.2	<10	260	0.82	0.26	1.24	0.79	10.95	14.7	23
ZZ18541		0.32	<0.001	0.07	2.10	24.3	<0.2	<10	190	1.33	0.47	0.35	0.20	11.25	20.1	34
ZZ18542		0.13	0.002	0.23	1.51	86.5	<0.2	<10	240	0.90	0.27	1.05	0.66	12.25	17.0	24
ZZ18543		0.23	0.001	0.25	1.61	94.4	<0.2	<10	280	1.04	0.33	0.90	0.83	14.05	19.9	25
ZZ18544		0.25	0.001	0.16	1.60	76.4	<0.2	<10	250	1.04	0.34	0.64	0.34	13.50	17.0	26
ZZ18545		0.26	0.001	0.24	1.57	82.0	<0.2	<10	330	1.06	0.35	0.87	0.49	13.35	17.8	26
ZZ18546		0.17	0.001	0.37	1.49	62.6	<0.2	<10	390	0.93	0.32	1.02	0.40	11.55	13.1	23
ZZ18547		0.24	0.001	0.40	1.52	588	<0.2	<10	230	1.03	0.35	0.54	1.51	13.20	14.2	26
ZZ18548		0.23	0.001	0.12	0.28	20	<0.2	<10	260	0.35	0.10	14.60	1.08	17.45	4.2	5
ZZ18549		0.31	0.001	0.08	0.16	16	<0.2	<10	280	0.25	0.09	16.10	0.11	13.35	4.1	5
ZZ18550		0.20	0.001	0.21	0.54	23	<0.2	<10	1920	0.57	0.14	12.65	1.08	12.75	6.6	9
ZZ18551		0.26	0.002	0.17	0.60	18	<0.2	<10	560	0.59	0.13	12.20	0.33	10.60	6.1	11
ZZ18552		0.24	0.001	0.22	0.47	92	<0.2	<10	430	0.52	0.12	13.00	1.10	10.90	5.9	8
ZZ18553		0.29	0.001	0.26	0.63	46	<0.2	<10	1120	0.71	0.18	11.15	0.18	15.00	8.0	12
ZZ18554		0.21	<0.001	0.15	0.75	36	<0.2	<10	1000	0.59	0.16	11.85	0.39	13.45	6.7	13
ZZ18555		0.25	0.001	0.18	0.73	27	<0.2	<10	830	0.57	0.20	12.25	1.47	28.9	7.0	12
ZZ18556		0.43	0.001	0.18	0.36	44	<0.2	<10	2840	0.29	0.07	15.00	2.58	6.41	3.5	7
ZZ18557		0.27	0.001	0.31	0.45	47	<0.2	<10	500	0.49	0.14	13.80	1.26	13.00	6.9	7
ZZ18558		0.29	<0.001	0.08	0.51	2.3	<0.2	<10	230	1.02	0.37	0.12	0.03	5.02	10.3	16
ZZ18559		0.25	0.003	0.16	1.35	74.5	<0.2	<10	230	0.94	0.32	0.47	0.34	13.65	12.8	24
ZZ18560		0.19	0.003	0.17	1.47	87.1	<0.2	<10	250	1.16	0.35	0.62	0.39	13.65	11.9	24
ZZ18561		0.31	0.003	0.16	1.32	68.9	<0.2	<10	220	0.99	0.35	0.43	0.39	14.20	13.7	25
ZZ18562		0.27	0.001	0.07	0.68	34.6	<0.2	<10	120	1.04	0.37	0.25	0.16	18.30	10.8	19
ZZ19281		0.26	0.001	0.07	0.81	46.0	<0.2	<10	110	1.13	0.43	0.24	0.19	12.80	8.6	18
ZZ19282		0.32	0.002	0.21	1.69	143.5	<0.2	<10	210	1.24	0.29	0.47	0.36	13.20	16.9	30
ZZ19283		0.17	0.002	0.27	1.47	175.5	<0.2	<10	240	0.99	0.24	0.68	1.66	11.35	16.9	24
ZZ19284		0.33	0.001	0.21	1.60	259	<0.2	<10	220	0.99	0.28	0.43	1.16	11.50	18.4	27
ZZ19285		0.25	0.002	0.40	1.55	338	<0.2	<10	260	1.07	0.28	0.62	1.94	10.05	15.2	25

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 16- AUG- 2011
Account: RCM

Project: Rackla - Jackpot

CERTIFICATE OF ANALYSIS WH11145413

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
ZZ18528		2.95	33.7	3.46	3.97	<0.05	0.05	5.43	0.036	0.09	7.3	21.7	0.47	543	1.01	0.01
ZZ18529		6.09	33.2	5.42	5.24	<0.05	0.06	36.4	0.049	0.14	1.9	23.8	0.57	174	1.32	0.02
ZZ18530		2.97	35.0	3.42	4.48	<0.05	0.06	2.57	0.040	0.11	4.0	22.6	0.48	360	0.94	0.01
ZZ18531		2.57	38.1	4.55	5.29	<0.05	0.06	1.86	0.048	0.11	4.1	29.5	0.56	508	1.30	0.01
ZZ18532		2.24	42.8	3.18	4.64	<0.05	0.09	1.17	0.038	0.11	4.3	24.8	0.48	512	0.65	0.02
ZZ18533		1.31	29.4	5.12	5.03	<0.05	0.05	0.40	0.043	0.10	3.7	27.7	0.56	1470	1.12	0.01
ZZ18534		1.24	33.4	3.98	4.92	<0.05	0.06	0.66	0.042	0.10	4.2	25.0	0.47	756	0.78	0.01
ZZ18535		1.26	33.1	4.31	4.80	<0.05	0.05	0.58	0.046	0.10	4.7	25.7	0.49	540	0.95	0.01
ZZ18536		1.18	61.5	5.29	4.85	0.05	0.06	0.46	0.051	0.10	8.1	24.0	0.54	443	1.08	0.01
ZZ18537		0.97	30.5	5.12	4.73	<0.05	0.06	0.50	0.040	0.11	4.4	23.3	0.51	478	1.07	0.01
ZZ18538		1.07	31.7	4.63	5.14	<0.05	0.06	0.42	0.045	0.10	5.3	25.3	0.55	913	1.14	0.01
ZZ18539		0.93	39.3	4.08	4.44	<0.05	0.08	0.40	0.041	0.10	5.3	23.3	0.53	685	1.15	0.01
ZZ18540		0.82	33.8	3.59	4.39	<0.05	0.06	0.47	0.041	0.10	4.7	21.9	0.49	630	0.90	0.01
ZZ18541		1.51	47.6	4.59	7.87	<0.05	0.10	0.09	0.048	0.11	4.5	28.5	0.65	696	0.58	0.01
ZZ18542		1.00	31.0	3.51	4.69	<0.05	0.07	0.56	0.038	0.10	5.3	24.1	0.51	671	0.73	0.01
ZZ18543		1.42	38.4	3.86	4.99	<0.05	0.08	0.48	0.041	0.11	5.9	25.2	0.49	1580	0.90	0.02
ZZ18544		1.28	31.1	4.23	5.07	<0.05	0.07	0.30	0.044	0.11	5.6	23.7	0.48	798	0.88	0.01
ZZ18545		1.34	46.5	4.19	5.03	<0.05	0.07	0.39	0.044	0.13	6.0	24.2	0.46	843	0.92	0.01
ZZ18546		1.12	36.3	3.39	4.53	<0.05	0.07	0.28	0.038	0.11	5.4	18.3	0.40	456	0.91	0.02
ZZ18547		2.21	40.0	4.01	4.67	<0.05	0.06	1.45	0.047	0.10	5.4	25.0	0.48	228	0.84	0.01
ZZ18548		0.82	9.0	1.44	0.91	<0.05	0.04	0.45	0.011	0.06	11.7	2.1	8.49	1190	0.15	0.03
ZZ18549		0.39	8.3	1.18	0.58	<0.05	0.03	0.60	0.012	0.04	7.7	1.0	9.61	924	0.08	0.02
ZZ18550		0.49	12.2	1.82	1.60	<0.05	0.06	0.85	0.014	0.05	8.1	4.9	7.54	1390	0.41	0.05
ZZ18551		0.94	14.4	1.92	1.77	<0.05	0.04	0.75	0.020	0.05	7.3	7.1	7.31	851	0.47	0.03
ZZ18552		0.60	14.4	4.46	1.37	<0.05	0.04	2.25	0.015	0.04	6.0	5.3	7.67	2000	0.50	0.03
ZZ18553		0.51	18.0	2.62	1.55	<0.05	0.06	0.97	0.021	0.04	12.6	7.6	6.59	1140	0.41	0.03
ZZ18554		0.95	15.9	2.51	2.10	<0.05	0.05	0.92	0.020	0.05	8.9	7.6	7.08	908	0.56	0.04
ZZ18555		0.46	14.2	2.74	2.11	<0.05	0.04	0.80	0.017	0.04	17.7	5.8	7.02	2670	0.66	0.03
ZZ18556		0.45	6.0	1.81	1.11	<0.05	0.03	2.95	0.009	0.03	3.6	3.5	8.99	1060	0.59	0.07
ZZ18557		0.66	17.9	5.00	1.23	<0.05	0.07	1.25	0.013	0.06	6.8	3.3	7.99	1580	1.99	0.03
ZZ18558		22.5	11.0	3.29	1.94	0.14	0.05	0.22	0.036	0.19	2.1	3.5	0.10	326	0.19	0.01
ZZ18559		1.10	40.6	4.16	4.21	0.13	0.07	0.44	0.040	0.08	6.1	20.9	0.45	672	1.01	0.01
ZZ18560		1.23	35.3	3.93	4.75	0.13	0.07	0.34	0.045	0.10	5.5	23.6	0.42	284	0.87	0.01
ZZ18561		1.31	54.1	4.51	4.40	0.14	0.07	0.22	0.047	0.09	6.7	21.7	0.46	513	1.14	0.01
ZZ18562		0.86	45.8	5.10	2.54	0.14	0.06	0.10	0.047	0.06	7.5	7.8	0.21	814	0.97	<0.01
ZZ19281		1.49	49.4	3.69	2.99	0.13	0.04	0.12	0.053	0.08	5.2	13.5	0.24	301	0.56	0.01
ZZ19282		1.48	34.6	4.11	5.45	0.13	0.08	0.29	0.048	0.09	5.1	31.2	0.53	395	0.84	0.01
ZZ19283		1.06	30.1	3.69	4.14	0.13	0.06	0.55	0.044	0.09	4.4	28.7	0.47	701	0.79	0.01
ZZ19284		1.26	29.3	4.60	4.58	0.14	0.05	0.57	0.043	0.10	4.6	26.0	0.54	850	1.04	0.01
ZZ19285		1.66	34.8	4.04	4.75	0.13	0.07	1.56	0.042	0.09	4.4	26.2	0.47	687	0.99	0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 16- AUG- 2011
Account: RCM

Project: Rackla - Jackpot

CERTIFICATE OF ANALYSIS WH11145413

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
ZZ18528		0.35	41.5	780	180.0	10.7	<0.001	0.04	2.92	5.5	0.7	0.5	27.6	<0.01	0.05	2.3
ZZ18529		0.11	33.3	750	59.9	14.8	0.001	0.18	1.55	5.4	0.9	0.6	40.4	<0.01	0.06	3.5
ZZ18530		0.25	36.9	680	129.0	14.1	<0.001	0.07	1.72	5.2	0.8	0.5	30.1	<0.01	0.04	2.0
ZZ18531		0.20	48.8	670	93.4	13.4	<0.001	0.03	1.45	6.9	0.8	0.5	21.7	<0.01	0.05	3.3
ZZ18532		0.21	41.7	770	82.1	16.1	0.001	0.08	0.81	6.1	1.1	0.5	41.4	<0.01	0.05	2.3
ZZ18533		0.16	47.5	690	46.0	10.8	0.001	0.03	0.53	6.1	0.8	0.5	21.3	<0.01	0.05	3.2
ZZ18534		0.22	42.7	730	58.1	11.5	0.001	0.05	0.63	6.3	0.9	0.5	24.6	<0.01	0.05	3.0
ZZ18535		0.21	54.7	740	52.1	12.0	0.001	0.03	0.55	6.7	0.6	0.5	20.9	<0.01	0.04	3.5
ZZ18536		0.20	53.6	820	32.7	10.3	<0.001	0.03	0.53	8.6	1.0	0.5	19.1	<0.01	0.09	4.6
ZZ18537		0.21	38.8	720	48.6	10.9	<0.001	0.05	0.56	6.2	0.6	0.5	24.6	<0.01	0.04	2.9
ZZ18538		0.22	39.9	680	39.4	11.0	0.001	0.03	0.53	6.7	0.9	0.5	27.5	<0.01	0.06	3.1
ZZ18539		0.20	37.7	680	34.0	9.7	0.001	0.04	0.59	6.2	0.7	0.5	30.4	<0.01	0.04	2.7
ZZ18540		0.22	38.7	720	37.9	10.2	0.001	0.06	0.59	5.7	0.8	0.5	40.6	<0.01	0.05	2.3
ZZ18541		0.23	39.8	270	28.3	12.0	0.001	0.01	0.25	6.8	0.2	0.7	19.6	<0.01	0.04	3.8
ZZ18542		0.25	44.0	640	38.4	10.9	0.001	0.04	0.51	5.7	0.7	0.5	35.9	<0.01	0.04	2.6
ZZ18543		0.23	48.2	690	39.8	12.4	<0.001	0.05	0.64	6.9	1.0	0.6	32.4	<0.01	0.06	3.0
ZZ18544		0.24	37.4	730	34.9	11.7	<0.001	0.03	0.45	6.3	0.7	0.6	27.2	<0.01	0.04	3.1
ZZ18545		0.25	41.5	590	34.9	13.2	<0.001	0.04	0.50	7.3	1.0	0.6	36.1	<0.01	0.06	3.0
ZZ18546		0.30	32.3	800	27.9	12.2	<0.001	0.07	0.51	5.2	0.8	0.5	34.4	<0.01	0.06	2.0
ZZ18547		0.24	40.0	620	78.2	13.7	<0.001	0.04	0.94	6.9	1.1	0.6	21.0	<0.01	0.05	3.6
ZZ18548		0.07	8.1	660	51.1	3.9	<0.001	0.03	0.16	2.7	0.4	0.2	91.5	<0.01	0.02	1.8
ZZ18549		<0.05	7.3	340	49.1	2.3	0.001	0.02	0.11	2.7	0.2	0.2	148.0	<0.01	0.02	1.8
ZZ18550		0.11	11.1	650	42.7	5.8	<0.001	0.07	0.23	2.8	0.3	0.3	112.5	<0.01	0.04	1.1
ZZ18551		0.16	13.1	580	24.7	5.8	<0.001	0.04	0.22	3.5	0.2	0.3	79.6	<0.01	0.02	1.2
ZZ18552		0.09	13.1	450	75.7	4.4	<0.001	0.05	0.29	3.0	0.5	0.2	99.7	<0.01	0.04	1.2
ZZ18553		0.10	16.5	540	49.2	4.2	<0.001	0.05	0.27	5.1	0.5	0.3	100.0	<0.01	0.05	1.6
ZZ18554		0.25	15.2	550	53.9	6.2	<0.001	0.05	0.29	3.5	0.3	0.3	115.5	<0.01	0.04	1.9
ZZ18555		0.30	14.8	870	52.7	4.7	<0.001	0.04	0.33	2.8	0.3	0.3	129.5	<0.01	0.06	1.5
ZZ18556		0.14	7.8	480	58.7	2.6	<0.001	0.09	0.35	2.0	<0.2	0.2	164.5	<0.01	0.03	0.9
ZZ18557		0.08	11.4	810	317	3.9	<0.001	0.05	0.29	2.4	0.2	0.3	131.0	<0.01	0.02	1.6
ZZ18558		0.42	16.4	100	15.7	20.9	<0.001	0.01	0.20	8.2	0.6	0.7	25.1	<0.01	0.03	6.5
ZZ18559		0.22	34.5	570	30.1	9.3	<0.001	0.03	0.46	6.5	0.9	0.5	22.3	<0.01	0.04	3.4
ZZ18560		0.22	34.9	590	42.0	12.1	<0.001	0.04	0.46	6.5	0.9	0.6	26.4	<0.01	0.04	3.3
ZZ18561		0.22	37.4	660	31.8	10.2	0.001	0.02	0.49	7.1	1.0	0.5	24.0	<0.01	0.04	4.1
ZZ18562		0.13	26.3	650	26.7	6.5	<0.001	0.01	0.39	6.6	0.8	0.5	21.6	<0.01	0.02	6.5
ZZ19281		0.13	29.4	310	13.1	8.6	<0.001	0.01	0.23	6.5	0.4	0.6	23.3	<0.01	0.05	4.3
ZZ19282		0.24	45.0	500	32.4	11.2	<0.001	0.02	0.34	6.7	1.2	0.6	21.8	<0.01	0.03	3.5
ZZ19283		0.20	47.1	680	48.0	10.9	0.001	0.04	0.47	5.6	0.9	0.5	25.0	<0.01	0.03	2.8
ZZ19284		0.19	42.3	680	51.5	10.8	<0.001	0.03	0.69	6.2	1.0	0.5	20.2	<0.01	0.04	3.4
ZZ19285		0.19	47.2	740	74.8	12.4	<0.001	0.04	0.99	6.0	1.1	0.5	27.2	<0.01	0.05	2.9

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 16- AUG- 2011
Account: RCM

Project: Rackla - Jackpot

CERTIFICATE OF ANALYSIS WH11145413

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
ZZ18528		<0.005	6.59	1.85	35	0.16	11.75	925	1.3
ZZ18529		<0.005	1.58	1.05	35	<0.05	7.28	641	1.9
ZZ18530		<0.005	3.39	1.24	32	0.13	7.93	659	1.5
ZZ18531		<0.005	2.08	1.38	35	0.08	10.90	505	1.7
ZZ18532		<0.005	1.12	0.99	33	0.07	13.20	313	2.2
ZZ18533		<0.005	0.32	0.63	34	<0.05	8.10	187	1.5
ZZ18534		<0.005	0.56	0.82	34	<0.05	10.15	205	1.7
ZZ18535		<0.005	1.01	0.83	35	<0.05	10.95	217	1.7
ZZ18536		<0.005	0.31	0.56	34	<0.05	13.05	174	2.5
ZZ18537		<0.005	1.25	0.88	36	0.05	9.48	182	1.7
ZZ18538		<0.005	0.98	0.82	34	0.05	10.15	166	1.9
ZZ18539		<0.005	0.72	1.11	34	0.07	11.70	182	2.0
ZZ18540		<0.005	0.79	1.06	30	0.05	10.65	178	1.8
ZZ18541		0.005	0.18	0.45	28	<0.05	6.99	126	2.8
ZZ18542		<0.005	0.72	0.82	30	<0.05	12.10	184	1.8
ZZ18543		<0.005	0.77	1.02	32	0.05	15.10	189	2.3
ZZ18544		<0.005	0.53	0.81	31	0.06	10.55	165	1.9
ZZ18545		<0.005	0.48	0.89	32	0.05	12.90	178	2.0
ZZ18546		<0.005	0.45	0.88	31	0.06	11.00	151	1.7
ZZ18547		<0.005	3.40	1.33	33	0.08	11.60	391	1.9
ZZ18548		<0.005	0.48	0.93	8	<0.05	9.13	434	1.1
ZZ18549		<0.005	0.45	0.54	6	0.06	6.31	49	1.4
ZZ18550		<0.005	0.23	1.47	12	0.07	9.90	245	1.5
ZZ18551		0.005	0.20	1.34	14	0.07	9.82	160	1.2
ZZ18552		<0.005	0.62	1.09	11	0.05	11.60	690	1.3
ZZ18553		<0.005	0.30	0.91	16	0.06	14.80	81	1.7
ZZ18554		0.007	0.28	1.71	19	0.11	9.50	164	1.1
ZZ18555		0.009	0.40	2.34	20	0.08	12.75	496	1.1
ZZ18556		0.005	0.31	0.75	12	0.08	6.77	816	0.8
ZZ18557		<0.005	3.26	1.49	11	0.06	8.75	452	1.7
ZZ18558		0.016	0.35	0.49	18	0.14	7.10	30	2.0
ZZ18559		<0.005	0.35	0.87	31	<0.05	10.30	188	1.7
ZZ18560		<0.005	0.51	0.90	31	0.05	10.95	182	1.8
ZZ18561		<0.005	0.32	0.86	32	0.05	10.50	195	1.8
ZZ18562		<0.005	0.13	0.83	27	<0.05	8.44	131	1.9
ZZ19281		<0.005	<0.02	0.66	24	<0.05	6.72	123	1.7
ZZ19282		<0.005	0.36	0.74	32	<0.05	12.35	209	2.1
ZZ19283		<0.005	0.69	0.83	31	0.05	9.96	293	1.7
ZZ19284		<0.005	0.72	0.82	35	0.05	8.40	315	1.5
ZZ19285		<0.005	1.30	1.08	32	0.05	10.85	422	1.6

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 16- AUG- 2011
Account: RCM

Project: Rackla - Jackpot

CERTIFICATE OF ANALYSIS WH11145413

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- TL43 Au ppm 0.001	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1
ZZ19286		0.11	0.002	0.36	1.39	244	<0.2	<10	260	0.72	0.22	1.01	2.81	7.89	12.8	22
ZZ19287		0.29	0.002	0.30	1.58	359	<0.2	<10	240	1.15	0.28	0.48	1.52	10.60	19.0	27
ZZ19288		0.25	0.002	0.52	1.64	361	<0.2	<10	260	1.04	0.29	0.64	2.81	9.85	19.1	27
ZZ19289		0.24	0.001	0.48	1.71	497	<0.2	<10	240	1.01	0.29	0.48	1.55	8.43	12.0	29
ZZ19290		0.18	0.002	0.67	1.63	451	<0.2	<10	260	0.90	0.28	0.73	2.70	9.11	9.7	27
ZZ19291		0.20	0.002	0.52	1.52	472	<0.2	<10	310	0.92	0.27	0.90	2.28	8.97	16.5	26
ZZ19292		0.17	0.003	0.64	1.39	817	<0.2	<10	330	0.88	0.24	1.23	3.87	12.15	14.0	23
ZZ19293		0.18	0.004	0.91	1.48	498	<0.2	<10	320	0.93	0.26	1.38	4.81	11.15	12.0	24
ZZ19294		0.20	0.003	1.66	1.50	842	<0.2	<10	260	0.88	0.24	2.99	8.77	12.00	10.7	24
ZZ19295		0.19	0.002	2.24	1.73	234	<0.2	<10	270	0.80	0.26	0.99	10.15	9.05	13.8	27
ZZ19296		0.25	0.001	0.26	1.78	59.5	<0.2	<10	260	0.88	0.29	0.65	0.54	8.19	13.2	28
ZZ19297		0.31	0.001	1.22	1.85	49.4	<0.2	<10	230	0.99	0.30	0.37	0.89	7.98	15.5	31
ZZ19298		0.28	0.001	0.25	1.89	26.6	<0.2	<10	290	0.95	0.30	0.61	0.34	8.89	12.6	30
ZZ19299		0.23	0.001	0.17	1.82	28.0	<0.2	<10	220	0.82	0.29	0.47	0.20	9.38	16.0	29
ZZ19300		0.29	0.001	0.16	1.87	17.9	<0.2	<10	240	0.85	0.31	0.35	0.10	8.61	11.0	31
ZZ19301		0.34	0.001	0.06	1.80	11.9	<0.2	<10	150	0.78	0.28	0.22	0.10	9.43	10.3	31
ZZ18653		0.32	0.001	0.10	1.93	13.3	<0.2	<10	200	0.78	0.28	0.28	0.12	9.06	11.5	31
ZZ18654		0.26	0.001	0.08	1.85	13.8	<0.2	<10	190	0.75	0.27	0.22	0.12	12.45	10.5	31
ZZ18655		0.42	0.002	0.08	1.86	21.1	<0.2	<10	220	0.86	0.29	0.34	0.11	13.80	14.1	32
ZZ18656		0.43	0.001	0.08	1.91	17.9	<0.2	<10	200	0.86	0.29	0.36	0.10	11.55	13.4	32
ZZ18657		0.47	0.001	0.10	1.83	29.1	<0.2	<10	210	0.86	0.31	0.38	0.22	11.95	14.7	30
ZZ18658		0.27	0.002	0.23	1.88	82.0	<0.2	<10	300	0.96	0.28	0.63	0.37	11.85	14.0	29
ZZ18659		0.30	0.002	0.38	1.83	131.5	<0.2	<10	310	1.05	0.28	0.76	0.61	13.80	11.4	28
ZZ18660		0.28	0.002	0.38	1.55	229	<0.2	<10	270	0.82	0.25	1.23	0.85	11.20	11.9	24
ZZ18661		0.27	0.002	0.37	1.63	193.0	<0.2	<10	280	0.73	0.27	0.84	0.39	11.85	10.8	26
ZZ18662		0.31	0.002	0.43	1.65	222	<0.2	<10	330	0.88	0.28	0.98	0.66	12.85	11.8	26
ZZ18663		0.21	0.002	0.31	1.53	158.5	<0.2	<10	280	1.00	0.22	1.07	0.60	12.00	10.8	24
ZZ18664		0.32	0.001	0.16	1.58	76.7	<0.2	<10	180	0.76	0.20	0.40	0.21	15.70	10.9	27
ZZ18665		0.32	0.001	0.11	1.67	43.6	<0.2	<10	190	0.85	0.21	0.44	0.43	12.65	12.6	28
ZZ18666		0.24	0.002	0.17	1.62	61.7	<0.2	<10	240	0.91	0.22	0.74	0.57	11.45	14.4	25
ZZ18667		0.34	0.001	0.13	1.45	44.3	<0.2	<10	230	0.87	0.21	0.58	0.40	16.25	14.2	25
CC142901		0.27	0.002	0.14	1.38	54.6	<0.2	<10	230	0.91	0.19	0.66	0.34	13.35	11.7	22
CC142902		0.25	0.001	0.15	1.38	49.0	<0.2	<10	210	0.85	0.21	0.67	0.41	14.90	13.9	23
CC142903		0.41	0.002	0.13	1.23	49.5	<0.2	<10	170	0.80	0.25	0.49	0.30	13.35	12.8	23
CC142904		0.22	0.002	0.15	1.29	39.0	<0.2	<10	250	0.94	0.25	0.97	0.59	14.40	14.7	21
CC142905		0.21	0.002	0.19	1.33	44.4	<0.2	<10	250	0.86	0.24	1.19	0.51	13.10	12.7	20
CC142906		0.17	0.001	0.16	1.28	33.6	<0.2	<10	250	0.84	0.22	1.14	0.44	11.60	12.5	20
CC142907		0.20	0.001	0.14	1.30	31.4	<0.2	<10	240	0.99	0.25	0.94	0.26	9.60	11.8	21
CC142908		0.23	0.001	0.15	1.28	33.2	<0.2	<10	230	0.97	0.24	0.79	0.27	10.50	11.6	21
CC142909		0.28	0.002	0.14	1.35	33.1	<0.2	<10	210	1.11	0.29	0.72	0.37	13.60	10.9	22

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 16- AUG- 2011
Account: RCM

Project: Rackla - Jackpot

CERTIFICATE OF ANALYSIS WH11145413

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
ZZ19286		1.55	26.5	3.15	3.91	0.12	0.05	0.99	0.033	0.09	3.4	20.1	0.44	863	0.76	0.01
ZZ19287		1.64	32.8	4.56	4.86	0.13	0.05	0.76	0.051	0.09	4.4	26.6	0.52	741	1.19	0.01
ZZ19288		1.95	31.7	3.52	5.06	0.12	0.06	1.49	0.049	0.10	3.7	27.4	0.51	235	0.99	0.01
ZZ19289		2.08	28.7	3.87	5.19	0.13	0.05	1.40	0.047	0.10	3.8	28.2	0.56	534	1.01	0.01
ZZ19290		2.61	33.6	3.72	4.86	0.12	0.06	2.06	0.044	0.10	3.9	24.8	0.53	313	1.00	0.01
ZZ19291		3.14	31.9	3.67	4.57	0.13	0.05	3.39	0.039	0.09	3.7	25.2	0.53	866	1.02	0.01
ZZ19292		3.53	29.2	3.26	4.03	0.13	0.05	2.69	0.036	0.08	5.2	21.2	0.47	722	0.88	0.01
ZZ19293		2.44	43.3	3.17	4.26	0.13	0.06	19.00	0.039	0.07	5.3	23.6	0.49	497	0.74	0.01
ZZ19294		1.69	34.1	3.96	4.10	0.14	0.06	6.74	0.035	0.08	5.4	23.6	1.65	1090	0.99	0.01
ZZ19295		1.43	32.3	3.84	4.81	0.12	0.05	33.1	0.040	0.08	3.8	30.1	0.59	646	0.75	0.01
ZZ19296		2.01	30.2	4.06	5.34	0.12	0.05	1.33	0.041	0.08	3.4	36.9	0.61	649	0.88	0.01
ZZ19297		2.28	32.0	4.41	5.90	0.13	0.05	3.67	0.047	0.09	3.4	41.7	0.65	614	1.12	0.01
ZZ19298		1.61	31.9	4.35	5.31	0.13	0.06	0.27	0.045	0.10	3.6	38.0	0.63	760	0.92	0.01
ZZ19299		2.24	27.7	4.45	5.05	0.12	0.06	0.20	0.041	0.09	3.8	35.2	0.61	708	0.94	0.01
ZZ19300		4.85	28.2	4.29	5.28	0.12	0.05	0.22	0.039	0.11	3.8	34.7	0.63	344	1.00	0.01
ZZ19301		2.17	27.2	4.13	5.45	0.12	0.03	0.05	0.034	0.08	4.2	38.6	0.67	328	0.89	0.01
ZZ18653		1.49	27.5	4.30	5.64	0.12	0.02	0.08	0.041	0.10	4.0	30.9	0.63	447	0.94	0.01
ZZ18654		1.48	25.3	4.03	5.04	0.12	0.02	0.12	0.035	0.08	5.4	29.5	0.61	265	0.89	0.01
ZZ18655		1.76	31.6	4.31	5.31	0.12	0.04	0.14	0.042	0.09	6.2	31.7	0.66	334	1.04	0.01
ZZ18656		1.55	29.3	4.26	5.80	0.13	0.04	0.15	0.043	0.08	5.4	32.7	0.68	353	0.96	0.01
ZZ18657		1.63	29.7	4.27	5.72	0.13	0.04	0.53	0.043	0.09	5.4	33.6	0.63	549	0.99	0.01
ZZ18658		1.35	30.2	3.91	5.36	0.13	0.07	1.05	0.042	0.11	5.2	30.0	0.59	556	0.99	0.01
ZZ18659		1.63	38.3	3.77	5.27	0.14	0.08	1.45	0.043	0.10	6.3	27.6	0.56	506	0.85	0.01
ZZ18660		1.16	30.9	3.72	4.36	0.12	0.07	1.10	0.035	0.09	5.1	22.5	0.57	509	0.81	0.01
ZZ18661		1.46	27.8	3.88	4.72	0.12	0.07	1.71	0.038	0.09	5.3	23.7	0.55	322	0.90	0.01
ZZ18662		1.25	33.9	3.91	4.56	0.12	0.07	1.12	0.041	0.10	5.6	20.6	0.53	517	0.85	0.01
ZZ18663		1.25	30.3	3.38	4.43	0.12	0.06	0.72	0.033	0.09	5.0	22.8	0.51	440	0.92	<0.01
ZZ18664		0.99	24.8	3.84	4.80	0.12	0.05	0.63	0.032	0.08	6.4	28.2	0.64	310	0.95	<0.01
ZZ18665		0.92	28.8	3.71	4.71	0.12	0.05	0.62	0.038	0.08	4.8	26.6	0.62	291	0.80	<0.01
ZZ18666		0.83	27.2	3.71	4.66	0.11	0.06	0.53	0.037	0.08	4.7	24.4	0.54	989	0.88	<0.01
ZZ18667		0.84	27.7	3.86	4.39	0.12	0.05	0.32	0.038	0.09	6.6	22.1	0.49	878	0.93	<0.01
CC142901		0.82	26.8	3.46	4.00	0.12	0.05	0.25	0.032	0.08	5.6	19.6	0.43	472	0.85	<0.01
CC142902		0.91	31.1	3.75	4.09	0.12	0.06	0.67	0.037	0.08	5.9	19.7	0.45	897	1.04	0.01
CC142903		0.94	38.3	3.92	3.80	0.13	0.06	0.32	0.035	0.08	5.7	18.0	0.42	579	1.18	<0.01
CC142904		0.82	39.6	3.39	4.03	0.11	0.08	0.21	0.033	0.09	5.7	18.2	0.40	731	1.13	0.01
CC142905		0.83	32.7	3.26	4.08	0.11	0.07	0.25	0.030	0.09	5.1	20.1	0.40	795	0.90	0.01
CC142906		0.79	31.5	3.23	3.81	0.12	0.05	0.19	0.032	0.09	4.8	17.6	0.40	542	0.90	<0.01
CC142907		1.07	30.3	3.41	4.03	0.12	0.06	0.14	0.033	0.10	4.3	19.6	0.38	430	1.05	<0.01
CC142908		1.10	29.8	3.50	3.89	0.12	0.05	0.22	0.036	0.10	4.6	18.4	0.35	420	1.03	<0.01
CC142909		0.98	32.7	3.21	4.28	0.12	0.06	0.22	0.037	0.10	5.3	19.2	0.37	216	0.95	<0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 16- AUG- 2011
Account: RCM

Project: Rackla - Jackpot

CERTIFICATE OF ANALYSIS WH11145413

Sample Description	Method Analyte Units LOR	ME- MS41 Nb ppm 0.05	ME- MS41 Ni ppm 0.2	ME- MS41 P ppm 10	ME- MS41 Pb ppm 0.2	ME- MS41 Rb ppm 0.1	ME- MS41 Re ppm 0.001	ME- MS41 S % 0.01	ME- MS41 Sb ppm 0.05	ME- MS41 Sc ppm 0.1	ME- MS41 Se ppm 0.2	ME- MS41 Sn ppm 0.2	ME- MS41 Sr ppm 0.2	ME- MS41 Ta ppm 0.01	ME- MS41 Te ppm 0.01	ME- MS41 Th ppm 0.2
ZZ19286		0.18	35.7	730	55.3	11.7	<0.001	0.06	0.81	4.8	1.1	0.4	30.4	<0.01	0.01	2.3
ZZ19287		0.17	47.5	730	70.1	11.8	<0.001	0.03	0.86	6.5	1.1	0.5	23.2	<0.01	0.03	3.4
ZZ19288		0.20	45.1	730	108.5	13.0	<0.001	0.05	1.24	6.3	1.1	0.6	24.8	<0.01	0.05	3.1
ZZ19289		0.19	40.7	640	77.5	14.4	<0.001	0.03	1.22	6.2	0.9	0.6	20.8	<0.01	0.04	3.3
ZZ19290		0.22	38.7	690	106.0	15.1	<0.001	0.05	1.32	5.9	1.2	0.5	27.9	<0.01	0.03	2.8
ZZ19291		0.20	48.0	660	88.3	13.1	<0.001	0.05	1.48	5.4	1.1	0.5	24.9	<0.01	0.04	2.8
ZZ19292		0.29	35.3	720	106.5	12.4	<0.001	0.07	1.50	4.8	1.1	0.5	31.4	<0.01	0.03	1.9
ZZ19293		0.27	43.2	780	135.0	12.2	<0.001	0.06	1.97	4.7	1.1	0.5	32.9	<0.01	0.02	1.6
ZZ19294		0.23	40.7	690	369	10.1	<0.001	0.05	2.36	5.4	1.4	0.4	32.3	<0.01	0.04	1.9
ZZ19295		0.19	41.7	550	467	10.7	0.001	0.04	1.36	5.2	1.0	0.5	24.5	<0.01	0.03	2.1
ZZ19296		0.17	49.5	660	35.1	12.5	<0.001	0.04	0.45	6.2	0.9	0.5	39.0	<0.01	0.03	2.5
ZZ19297		0.12	54.4	610	78.4	12.0	0.001	0.04	0.64	6.7	0.8	0.6	35.6	<0.01	0.04	2.6
ZZ19298		0.13	56.5	680	22.6	12.2	<0.001	0.05	0.33	6.6	1.2	0.5	35.0	<0.01	0.04	2.4
ZZ19299		0.15	47.6	750	19.5	11.7	0.001	0.04	0.30	5.8	1.0	0.5	41.2	<0.01	0.04	2.5
ZZ19300		0.13	43.4	760	18.0	15.0	<0.001	0.05	0.28	6.4	0.7	0.5	37.3	<0.01	0.04	2.7
ZZ19301		0.16	39.3	630	14.0	10.9	<0.001	0.02	0.30	4.8	0.8	0.5	27.1	<0.01	0.05	2.8
ZZ18653		0.15	38.3	730	14.8	11.4	<0.001	0.02	0.27	5.9	0.6	0.5	20.3	<0.01	0.02	2.6
ZZ18654		0.20	34.8	670	14.4	10.4	<0.001	0.01	0.30	5.1	0.7	0.5	16.0	<0.01	0.03	3.0
ZZ18655		0.19	41.1	730	18.5	10.6	0.001	0.01	0.37	6.2	0.8	0.5	19.2	<0.01	0.03	3.3
ZZ18656		0.20	41.1	710	17.2	11.4	<0.001	0.01	0.32	6.1	0.8	0.5	19.6	<0.01	0.05	3.2
ZZ18657		0.19	41.6	730	22.7	11.8	<0.001	0.02	0.34	6.4	0.7	0.5	23.0	<0.01	0.04	3.2
ZZ18658		0.20	44.3	750	37.8	12.1	<0.001	0.04	0.51	6.4	0.9	0.5	33.7	<0.01	0.04	2.6
ZZ18659		0.23	42.3	790	59.3	12.3	<0.001	0.04	0.60	6.8	1.2	0.5	32.9	<0.01	0.05	2.8
ZZ18660		0.24	34.4	780	77.0	9.5	<0.001	0.06	0.75	5.1	1.0	0.4	36.6	<0.01	0.03	2.1
ZZ18661		0.27	32.5	620	81.6	11.4	<0.001	0.06	0.67	5.6	0.8	0.5	26.1	<0.01	0.04	2.5
ZZ18662		0.25	34.0	640	75.9	10.7	<0.001	0.05	0.89	5.9	1.0	0.5	29.1	<0.01	0.03	2.5
ZZ18663		0.30	32.4	700	57.2	10.7	<0.001	0.04	0.80	5.2	1.1	0.4	28.1	<0.01	0.02	2.1
ZZ18664		0.27	32.0	700	34.8	10.1	0.001	<0.01	0.41	4.9	0.7	0.4	17.1	<0.01	0.04	3.1
ZZ18665		0.29	34.4	690	36.8	9.6	0.001	0.01	0.36	5.6	0.9	0.4	17.0	<0.01	0.02	3.4
ZZ18666		0.27	38.7	720	52.9	9.8	<0.001	0.02	0.46	5.4	0.9	0.4	24.3	<0.01	0.03	2.6
ZZ18667		0.32	33.5	740	28.3	10.2	<0.001	0.01	0.39	5.8	1.2	0.4	22.0	<0.01	0.02	3.4
CC142901		0.29	31.7	750	28.0	10.3	0.001	0.02	0.39	5.2	1.0	0.4	21.8	<0.01	0.02	2.7
CC142902		0.30	36.2	750	27.3	10.4	0.001	0.02	0.41	5.8	0.9	0.4	22.8	<0.01	0.03	2.7
CC142903		0.30	36.9	630	25.3	8.8	0.001	0.01	0.41	6.1	1.0	0.4	19.4	<0.01	0.04	3.2
CC142904		0.31	38.8	810	29.2	10.6	0.001	0.05	0.49	5.4	1.1	0.4	31.5	<0.01	0.04	2.3
CC142905		0.23	33.2	750	26.6	10.4	<0.001	0.04	0.46	5.4	0.9	0.5	35.8	<0.01	0.07	2.2
CC142906		0.31	32.8	710	27.2	10.1	<0.001	0.05	0.41	5.0	1.0	0.4	33.7	<0.01	0.03	2.0
CC142907		0.29	33.9	610	26.0	10.8	0.001	0.03	0.36	5.4	1.0	0.5	32.2	<0.01	0.02	2.5
CC142908		0.28	33.6	630	26.3	11.5	<0.001	0.02	0.38	5.4	0.9	0.5	28.5	<0.01	0.03	2.4
CC142909		0.31	31.7	590	33.2	10.9	0.001	0.05	0.41	5.8	1.0	0.5	26.3	<0.01	0.01	2.8

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 16- AUG- 2011
Account: RCM

Project: Rackla - Jackpot

CERTIFICATE OF ANALYSIS WH11145413

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
ZZ19286		<0.005	1.51	0.96	28	0.06	8.07	407	1.2
ZZ19287		<0.005	0.92	1.02	34	0.06	9.97	371	1.5
ZZ19288		<0.005	1.86	1.26	34	0.07	8.30	542	1.7
ZZ19289		<0.005	2.38	1.31	35	0.05	7.87	636	1.5
ZZ19290		<0.005	2.76	1.43	33	0.07	9.12	536	1.6
ZZ19291		<0.005	3.31	1.16	31	0.07	9.48	664	1.3
ZZ19292		<0.005	3.58	2.37	30	0.13	10.40	811	1.3
ZZ19293		<0.005	6.13	5.00	32	0.18	10.95	826	1.4
ZZ19294		<0.005	3.40	2.09	35	0.28	11.50	1520	1.4
ZZ19295		<0.005	1.43	1.93	33	0.12	9.23	1210	1.5
ZZ19296		<0.005	0.36	0.70	31	<0.05	9.10	170	1.5
ZZ19297		<0.005	0.25	0.61	32	<0.05	10.60	234	1.4
ZZ19298		<0.005	0.32	1.17	32	<0.05	12.75	167	1.3
ZZ19299		<0.005	0.19	0.83	34	<0.05	9.37	147	1.4
ZZ19300		<0.005	0.14	0.52	34	<0.05	8.08	131	1.2
ZZ19301		<0.005	0.08	0.43	33	<0.05	6.36	110	0.9
ZZ18653		<0.005	0.10	0.47	35	<0.05	6.63	108	0.8
ZZ18654		<0.005	0.10	0.54	37	0.05	6.50	114	0.8
ZZ18655		<0.005	0.13	0.65	39	0.06	8.20	122	1.1
ZZ18656		<0.005	0.15	0.66	37	0.05	8.12	117	1.2
ZZ18657		<0.005	0.15	0.67	36	0.11	8.17	126	1.2
ZZ18658		<0.005	0.39	0.89	36	0.06	9.28	184	1.6
ZZ18659		<0.005	0.53	1.14	36	0.06	12.35	220	1.9
ZZ18660		<0.005	0.91	1.22	35	0.07	8.02	249	1.6
ZZ18661		<0.005	1.52	1.30	36	0.08	8.27	216	1.6
ZZ18662		<0.005	6.04	1.91	38	0.09	9.40	289	1.9
ZZ18663		<0.005	3.81	1.42	33	0.07	8.23	216	1.7
ZZ18664		<0.005	0.47	0.62	38	<0.05	6.58	149	1.6
ZZ18665		<0.005	0.21	0.70	35	<0.05	7.85	168	1.6
ZZ18666		<0.005	0.20	0.72	33	<0.05	8.85	156	1.7
ZZ18667		<0.005	0.16	0.80	34	0.06	9.47	145	1.5
CC142901		<0.005	0.16	0.69	32	0.06	9.96	142	1.4
CC142902		<0.005	0.16	0.73	33	<0.05	10.20	153	1.6
CC142903		0.005	0.16	0.75	31	0.07	9.75	147	1.6
CC142904		<0.005	0.18	0.91	30	0.09	11.15	144	1.7
CC142905		<0.005	0.23	0.91	29	0.07	10.35	126	1.8
CC142906		<0.005	0.14	0.82	28	0.05	9.48	133	1.6
CC142907		<0.005	0.13	0.67	27	<0.05	8.53	125	1.7
CC142908		<0.005	0.13	0.71	28	<0.05	8.98	129	1.5
CC142909		<0.005	0.28	0.93	29	<0.05	10.25	133	1.7

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 16- AUG- 2011
Account: RCM

Project: Rackla - Jackpot

CERTIFICATE OF ANALYSIS WH11145413

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- TL43 Au ppm 0.001	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1
CC142910		0.33	0.003	0.17	1.35	350	<0.2	<10	250	1.23	0.31	0.55	0.78	15.05	18.0	23
CC142911		0.24	0.002	0.39	1.46	500	<0.2	<10	270	1.22	0.31	0.68	1.50	14.85	16.2	25
CC142912		0.36	0.002	0.06	0.38	34	<0.2	<10	460	0.47	0.15	12.60	0.11	25.7	8.9	8
CC142913		0.31	0.002	0.17	1.05	365	<0.2	<10	770	0.77	0.18	6.10	2.28	18.85	8.9	17
CC142914		0.32	0.002	0.38	0.80	827	<0.2	<10	900	0.80	0.21	7.36	1.02	18.30	9.5	14
CC142915		0.31	0.001	0.23	1.41	29.4	<0.2	<10	1470	0.92	0.20	5.14	1.44	27.9	8.9	21
CC142916		0.37	0.002	0.27	1.32	60.8	<0.2	<10	1180	0.88	0.19	5.99	0.62	24.3	8.2	20
CC142917		0.22	0.002	0.29	1.44	60.4	<0.2	<10	900	0.81	0.24	1.76	0.75	29.1	11.0	26
CC142918		0.38	0.002	0.10	0.29	59	<0.2	<10	380	0.61	0.10	16.30	2.75	13.30	5.2	6
CC142919		0.33	0.002	0.15	0.64	519	<0.2	<10	600	0.51	0.15	9.92	1.85	19.35	7.7	12
CC142920		0.37	0.002	0.25	1.34	1325	<0.2	<10	290	1.19	0.29	1.09	1.46	12.70	17.4	23
CC142921		0.24	0.002	0.18	1.28	48.6	<0.2	<10	590	1.17	0.23	0.97	1.00	12.65	39.9	20
CC142922		0.39	0.002	0.14	1.37	32.7	<0.2	<10	280	1.13	0.31	0.47	0.39	20.7	16.6	25
CC142923		0.37	0.002	0.19	1.19	33.0	<0.2	<10	340	1.06	0.29	1.21	0.56	15.55	14.7	21
CC142924		0.43	0.002	0.17	1.19	27.6	<0.2	<10	210	0.98	0.28	0.62	0.27	14.45	12.2	22
CC142925		0.33	0.002	0.20	1.37	31.0	<0.2	<10	240	1.13	0.28	0.87	0.22	12.30	14.6	21
CC142926		0.18	0.001	0.14	1.26	32.1	<0.2	<10	250	0.89	0.24	0.75	0.37	11.30	13.3	20
CC142927		0.20	0.002	0.17	1.19	33.5	<0.2	<10	250	0.97	0.21	1.15	0.51	13.60	15.3	19
CC142928		0.31	0.002	0.15	1.31	41.1	<0.2	<10	240	0.85	0.21	0.93	0.31	12.45	13.4	21
CC142929		0.41	0.003	0.18	1.41	41.6	<0.2	<10	250	1.02	0.24	0.63	0.66	20.6	15.7	25
CC142930		0.21	0.002	0.14	1.35	38.2	<0.2	<10	260	1.06	0.23	0.96	0.35	12.95	12.8	21
CC142931		0.31	0.002	0.17	1.67	65.7	<0.2	<10	210	1.10	0.24	0.57	0.26	12.50	13.3	26
CC142932		0.16	0.002	0.20	1.68	90.5	<0.2	<10	300	1.12	0.27	0.88	0.49	12.10	15.7	26
CC142933		0.41	0.002	0.26	1.70	163.5	<0.2	<10	300	1.10	0.26	0.79	0.54	13.80	15.9	26
CC142934		0.39	0.002	0.25	1.82	118.0	<0.2	<10	380	1.10	0.28	0.98	0.40	12.20	10.7	26
CC142935		0.30	0.002	0.29	1.76	145.0	<0.2	<10	320	1.13	0.27	0.76	0.44	15.15	14.4	29
CC142936		0.41	0.002	0.27	1.71	183.0	<0.2	<10	370	1.02	0.30	0.78	0.61	15.80	14.5	29
CC142937		0.41	0.002	0.37	1.52	132.5	<0.2	<10	280	1.16	0.29	0.55	0.69	18.50	17.1	27
CC142938		0.43	0.002	0.65	1.77	301	<0.2	<10	330	1.22	0.28	0.65	1.78	19.25	16.1	29
CC142939		0.28	0.003	1.04	1.69	172.0	<0.2	<10	300	1.06	0.24	1.24	1.21	11.50	11.0	25
CC142940		0.30	0.002	0.27	1.69	176.0	<0.2	<10	270	0.93	0.25	1.10	0.59	11.80	13.0	26
CC142941		0.47	0.002	0.17	1.93	73.8	<0.2	<10	250	0.96	0.27	0.34	0.73	16.95	17.5	31
CC142942		0.40	0.002	0.10	1.91	20.4	<0.2	<10	240	1.14	0.30	0.38	0.18	14.70	15.1	31
CC142943		0.33	0.002	0.14	1.95	29.8	<0.2	<10	270	1.01	0.27	0.49	0.13	12.00	12.3	29
CC142944		0.43	0.001	0.09	1.88	24.1	<0.2	<10	200	0.89	0.27	0.27	0.16	13.70	18.4	31
CC142945		0.38	0.004	0.07	1.84	19.8	<0.2	<10	200	1.08	0.29	0.31	0.12	13.80	14.3	30
CC142946		0.47	0.001	0.06	1.85	15.2	<0.2	<10	200	0.94	0.27	0.28	0.11	11.80	12.8	30
CC142947		0.46	0.001	0.06	2.03	15.8	<0.2	<10	160	1.00	0.33	0.25	0.12	9.76	12.0	33

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 16- AUG- 2011
Account: RCM

Project: Rackla - Jackpot

CERTIFICATE OF ANALYSIS WH11145413

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
CC142910		2.67	37.3	4.25	4.47	0.12	0.05	0.36	0.042	0.10	5.5	21.2	0.37	601	1.03	0.01
CC142911		2.30	39.0	3.17	4.67	0.13	0.06	1.48	0.042	0.10	5.5	25.1	0.47	204	0.76	0.01
CC142912		0.84	13.0	1.53	1.63	0.12	0.04	1.47	0.018	0.06	17.2	2.7	7.51	664	0.19	0.02
CC142913		0.79	23.3	2.92	3.36	0.12	0.04	0.75	0.024	0.05	10.7	12.1	3.84	1280	0.81	0.02
CC142914		1.23	31.4	3.15	2.34	0.12	0.04	1.32	0.030	0.07	11.1	9.3	4.33	1050	0.76	0.01
CC142915		1.03	22.9	4.01	4.16	0.14	0.03	0.48	0.025	0.06	16.1	13.6	3.08	2020	1.36	0.02
CC142916		0.91	17.1	6.64	3.77	0.14	0.07	1.86	0.024	0.05	14.7	11.4	3.90	1840	1.20	0.02
CC142917		0.82	24.3	3.41	4.31	0.13	0.06	0.77	0.031	0.06	15.5	14.1	1.04	779	1.16	0.01
CC142918		0.37	10.5	2.61	0.99	0.12	0.03	1.02	0.009	0.03	8.9	3.0	9.61	1840	1.09	0.03
CC142919		0.62	14.3	2.69	1.97	0.11	0.03	1.75	0.019	0.05	10.9	6.0	5.58	1490	0.52	0.02
CC142920		2.72	31.9	4.87	4.02	0.12	0.05	1.13	0.046	0.10	4.9	25.8	0.73	801	0.90	0.01
CC142921		1.20	33.1	8.87	3.77	0.13	0.06	0.18	0.032	0.09	4.8	16.4	0.31	10500	1.46	0.01
CC142922		1.10	56.0	3.97	5.00	0.14	0.06	0.18	0.045	0.09	9.0	22.4	0.44	418	1.13	<0.01
CC142923		1.11	62.9	3.80	4.06	0.12	0.07	0.24	0.039	0.08	7.1	19.1	0.59	786	1.24	<0.01
CC142924		1.07	38.9	3.77	4.05	0.12	0.06	0.14	0.039	0.08	6.5	17.7	0.37	407	1.90	<0.01
CC142925		1.34	37.7	3.30	4.54	0.12	0.06	0.20	0.040	0.11	5.2	21.0	0.33	524	1.31	<0.01
CC142926		1.00	27.6	3.37	3.78	0.12	0.05	0.52	0.036	0.09	4.6	17.9	0.33	593	1.14	<0.01
CC142927		0.93	31.4	3.04	3.66	0.12	0.06	0.24	0.033	0.09	5.5	17.6	0.34	759	0.82	0.01
CC142928		0.79	25.6	3.33	3.98	0.11	0.06	0.27	0.035	0.09	5.3	19.9	0.41	578	0.94	0.01
CC142929		1.27	41.4	3.69	4.60	0.13	0.07	0.26	0.035	0.10	9.0	22.1	0.43	725	1.06	0.01
CC142930		0.95	33.9	3.28	4.15	0.13	0.07	0.27	0.033	0.10	5.4	21.2	0.40	567	0.96	0.01
CC142931		1.07	29.9	3.73	5.00	0.11	0.06	0.55	0.035	0.10	5.3	27.0	0.50	541	0.95	0.01
CC142932		0.86	34.0	3.62	4.98	0.10	0.06	0.57	0.038	0.10	5.0	28.9	0.52	718	0.92	0.01
CC142933		0.91	37.0	3.99	4.87	0.10	0.07	0.78	0.040	0.10	5.8	28.2	0.58	447	1.08	0.01
CC142934		0.82	34.2	3.56	5.40	0.10	0.06	0.54	0.037	0.10	5.6	31.5	0.54	457	0.86	0.01
CC142935		1.13	34.7	3.84	5.35	0.11	0.07	2.39	0.040	0.10	6.7	31.2	0.60	535	1.04	0.01
CC142936		1.27	41.6	4.01	4.88	0.10	0.06	0.59	0.036	0.12	7.1	26.2	0.56	787	1.22	0.01
CC142937		1.62	42.2	4.10	4.94	0.11	0.07	0.93	0.040	0.11	8.0	25.8	0.52	494	1.30	0.01
CC142938		1.57	41.8	4.02	5.41	0.10	0.06	2.23	0.041	0.10	8.8	30.5	0.60	713	1.06	0.01
CC142939		1.07	40.3	3.55	4.55	0.10	0.07	2.87	0.038	0.10	5.4	26.0	0.57	423	0.83	0.01
CC142940		1.05	35.1	3.67	4.70	0.10	0.07	0.97	0.036	0.10	5.5	28.6	0.57	569	0.86	0.01
CC142941		1.03	36.3	4.23	5.75	0.10	0.06	0.70	0.042	0.09	6.7	36.8	0.71	307	1.00	0.01
CC142942		1.35	39.9	4.24	5.78	0.10	0.06	0.13	0.043	0.11	6.0	37.0	0.66	331	1.03	0.01
CC142943		1.28	32.5	4.08	5.72	0.10	0.06	0.16	0.040	0.11	5.2	35.3	0.60	355	1.02	0.01
CC142944		1.37	29.7	4.45	5.97	0.11	0.05	0.10	0.038	0.09	5.7	39.6	0.65	421	0.97	0.01
CC142945		1.29	33.0	4.36	5.79	0.10	0.04	0.08	0.039	0.09	5.7	38.6	0.64	348	1.13	0.01
CC142946		0.99	27.8	4.07	5.64	0.09	0.03	0.04	0.037	0.09	5.2	37.0	0.64	371	1.03	0.01
CC142947		1.81	30.2	4.23	6.44	0.10	0.02	0.06	0.040	0.10	4.3	45.4	0.70	281	0.91	0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 16- AUG- 2011
Account: RCM

Project: Rackla - Jackpot

CERTIFICATE OF ANALYSIS WH11145413

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
CC142910		0.33	38.2	630	43.0	14.8	0.003	0.04	0.55	6.9	1.2	0.5	26.4	<0.01	0.03	3.5
CC142911		0.33	42.0	550	78.8	13.6	0.002	0.05	0.91	7.2	1.1	0.5	23.2	<0.01	0.03	3.5
CC142912		0.14	13.3	540	38.9	4.4	<0.001	0.01	0.13	5.5	0.4	0.4	177.0	<0.01	0.03	3.3
CC142913		0.54	20.2	610	82.2	7.5	0.001	0.02	0.40	3.7	0.9	0.4	59.0	<0.01	0.03	1.5
CC142914		0.32	19.6	550	110.5	7.8	<0.001	0.02	0.29	5.1	0.8	0.4	100.5	<0.01	0.03	2.2
CC142915		0.62	20.2	850	38.9	10.4	<0.001	0.03	0.46	3.5	1.1	0.5	53.0	<0.01	0.03	1.1
CC142916		0.52	20.2	580	76.0	8.8	<0.001	0.02	0.43	5.3	1.1	0.5	73.8	<0.01	0.03	3.1
CC142917		0.91	24.6	750	43.5	8.7	<0.001	0.02	0.49	4.7	1.3	0.5	60.9	<0.01	0.03	3.0
CC142918		0.18	10.1	440	75.3	3.0	0.001	0.03	0.25	2.8	0.5	0.2	185.5	<0.01	0.03	1.8
CC142919		0.28	13.0	640	78.4	8.8	<0.001	0.04	0.23	3.5	0.7	0.3	90.0	<0.01	0.03	1.4
CC142920		0.26	41.2	680	63.2	13.5	0.001	0.02	0.75	6.1	1.1	0.5	21.5	<0.01	0.02	3.5
CC142921		0.25	61.2	800	25.2	12.2	0.005	0.06	0.46	5.3	1.3	0.4	35.8	<0.01	0.04	2.4
CC142922		0.42	37.5	450	27.4	11.0	0.001	<0.01	0.39	8.5	1.1	0.6	24.7	<0.01	0.04	4.2
CC142923		0.36	37.5	550	30.1	9.2	0.001	0.02	0.54	7.2	1.0	0.5	37.3	<0.01	0.04	3.3
CC142924		0.31	33.1	500	26.6	10.2	0.001	0.01	0.52	6.5	1.2	0.5	26.8	<0.01	0.04	3.6
CC142925		0.30	36.9	640	29.3	13.4	0.001	0.02	0.38	6.5	1.3	0.6	31.7	<0.01	0.04	2.9
CC142926		0.27	34.6	640	26.9	10.8	<0.001	0.02	0.36	5.6	1.0	0.4	28.9	<0.01	0.03	2.7
CC142927		0.27	38.1	700	32.5	12.0	0.001	0.04	0.39	5.4	1.1	0.4	38.0	<0.01	0.02	2.2
CC142928		0.30	35.0	670	31.5	10.2	0.001	0.03	0.38	5.5	1.1	0.4	33.5	<0.01	0.02	2.7
CC142929		0.49	45.6	830	26.7	14.4	0.001	0.02	0.43	7.2	1.3	0.5	29.0	<0.01	0.03	4.1
CC142930		0.28	40.3	760	31.7	11.7	0.001	0.04	0.39	5.7	1.2	0.5	31.2	<0.01	0.01	2.9
CC142931		0.28	40.0	720	38.6	12.4	0.001	0.02	0.40	6.2	1.0	0.5	22.5	<0.01	0.04	3.2
CC142932		0.27	46.8	730	53.2	10.3	0.001	0.06	0.47	5.9	0.8	0.5	27.3	<0.01	0.05	2.7
CC142933		0.27	43.3	780	71.8	9.2	0.001	0.04	0.61	6.4	1.1	0.5	24.3	<0.01	0.05	3.0
CC142934		0.32	38.8	650	59.3	10.9	0.001	0.06	0.55	5.7	1.1	0.5	29.3	<0.01	0.03	2.4
CC142935		0.31	44.1	700	66.0	11.6	<0.001	0.04	0.62	6.3	0.9	0.6	26.0	<0.01	0.05	3.2
CC142936		0.29	43.2	730	56.0	10.5	0.001	0.04	0.75	6.6	1.1	0.5	26.5	<0.01	0.04	3.5
CC142937		0.30	43.4	670	86.9	9.9	0.001	0.02	0.73	7.0	1.0	0.6	24.6	<0.01	0.05	4.0
CC142938		0.36	42.1	670	176.0	10.3	0.001	0.03	1.03	6.8	1.2	0.5	26.7	<0.01	0.06	3.3
CC142939		0.27	40.8	720	92.8	9.5	<0.001	0.07	0.81	5.0	0.9	0.4	30.0	<0.01	0.05	1.6
CC142940		0.26	41.1	690	35.5	9.2	0.001	0.05	0.59	5.5	0.7	0.4	29.4	<0.01	0.04	2.1
CC142941		0.27	48.2	700	37.5	9.0	<0.001	0.02	0.38	6.9	0.8	0.5	19.1	<0.01	0.06	3.5
CC142942		0.18	50.3	700	18.3	9.9	<0.001	0.02	0.33	7.3	1.0	0.5	19.4	<0.01	0.04	3.5
CC142943		0.21	44.7	740	18.4	11.4	<0.001	0.04	0.32	6.1	0.5	0.6	26.1	<0.01	0.04	2.5
CC142944		0.22	44.2	680	19.6	10.0	0.001	0.02	0.30	6.0	0.6	0.5	20.0	<0.01	0.03	3.3
CC142945		0.20	46.4	760	20.5	9.7	0.001	0.02	0.32	5.9	0.8	0.5	20.2	<0.01	0.05	3.0
CC142946		0.20	40.2	710	14.2	9.4	<0.001	0.01	0.28	5.2	0.5	0.5	19.1	<0.01	0.05	2.8
CC142947		0.15	50.0	650	14.5	10.5	<0.001	0.02	0.26	6.3	0.7	0.6	20.9	<0.01	0.03	3.1

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 16- AUG- 2011
Account: RCM

Project: Rackla - Jackpot

CERTIFICATE OF ANALYSIS WH11145413

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
CC142910		<0.005	1.31	0.99	30	0.05	11.10	201	1.8
CC142911		<0.005	3.97	1.15	32	0.08	11.70	469	2.0
CC142912		<0.005	0.35	0.87	11	0.07	9.32	17	1.3
CC142913		0.013	0.23	1.56	28	0.11	8.53	629	1.0
CC142914		0.007	0.37	1.62	19	0.08	11.05	354	1.1
CC142915		0.016	0.27	2.23	38	0.16	11.75	353	0.9
CC142916		0.011	1.27	2.60	32	0.13	14.15	177	1.9
CC142917		0.021	0.30	1.83	42	0.20	10.30	199	1.6
CC142918		<0.005	0.67	1.86	9	<0.05	5.98	707	1.0
CC142919		0.006	0.51	1.21	19	0.06	7.51	870	0.9
CC142920		<0.005	3.85	0.89	30	0.06	9.50	613	1.6
CC142921		<0.005	0.25	0.83	26	0.05	11.15	155	1.9
CC142922		0.006	0.12	0.73	35	0.05	14.65	125	2.2
CC142923		<0.005	0.14	1.05	36	<0.05	12.45	146	2.3
CC142924		<0.005	0.13	1.02	42	<0.05	9.73	136	1.8
CC142925		<0.005	0.18	0.83	28	0.09	11.10	116	1.8
CC142926		<0.005	0.16	0.77	29	<0.05	9.42	121	1.6
CC142927		<0.005	0.21	0.97	25	<0.05	13.70	122	1.7
CC142928		<0.005	0.18	0.80	30	0.05	10.25	130	1.7
CC142929		0.006	0.26	0.86	34	0.08	13.85	143	2.1
CC142930		<0.005	0.17	0.94	28	<0.05	12.25	119	1.9
CC142931		<0.005	0.19	0.81	34	<0.05	10.85	147	1.8
CC142932		0.005	0.34	0.70	34	0.06	12.20	162	1.9
CC142933		<0.005	0.46	0.73	36	0.06	10.65	182	2.0
CC142934		<0.005	0.53	1.03	36	0.05	10.65	139	1.8
CC142935		<0.005	0.50	0.78	39	0.06	10.15	162	2.5
CC142936		<0.005	1.41	1.11	40	0.07	11.25	173	2.3
CC142937		0.005	4.07	1.21	38	0.06	10.50	218	2.3
CC142938		<0.005	19.55	2.49	43	0.11	11.40	436	2.0
CC142939		<0.005	1.02	1.71	35	0.06	10.35	287	1.8
CC142940		<0.005	0.41	1.59	35	0.08	8.98	188	2.0
CC142941		<0.005	0.20	0.72	41	<0.05	9.51	172	2.0
CC142942		<0.005	0.14	0.56	38	<0.05	9.55	123	2.1
CC142943		<0.005	0.19	0.68	38	<0.05	8.74	122	1.8
CC142944		<0.005	0.14	0.53	39	<0.05	6.75	122	1.5
CC142945		<0.005	0.11	0.52	38	<0.05	8.64	116	1.3
CC142946		<0.005	0.10	0.47	38	<0.05	6.32	114	1.0
CC142947		<0.005	0.13	0.46	34	<0.05	6.91	114	0.9

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 16- AUG- 2011
Account: RCM

Project: Rackla - Jackpot

CERTIFICATE OF ANALYSIS WH11145413

Method	CERTIFICATE COMMENTS
ME- MS41	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown.
ME- MS41	Gold determinations by this method are semi- quantitative due to the small sample weight used (0.5g).

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 16- AUG- 2011
Account: RCM

CERTIFICATE WH11145414

Project: Rackla - Jackpot

P.O. No.:

This report is for 168 Soil samples submitted to our lab in Whitehorse, YT, Canada on 29- JUL- 2011.

The following have access to data associated with this certificate:

ROB CARNE JULIA LANE	ANDREW CARNE JOAN MARIACHER	MATT DUMALA

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
SCR- 41	Screen to - 180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME- OG46	Ore Grade Elements - AquaRegia	ICP- AES
Zn- OG46	Ore Grade Zn - Aqua Regia	VARIABLE
Au- TL43	Trace Level Au - 25g AR	ICP- MS
ME- MS41	51 anal. aqua regia ICPMS	

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 16- AUG- 2011
Account: RCM

Project: Rackla - Jackpot

CERTIFICATE OF ANALYSIS WH11145414

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- TL43 Au ppm 0.001	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1
ZZ19251		0.48	0.001	0.16	1.70	349	<0.2	<10	200	1.12	0.45	0.35	0.20	18.30	12.9	30
ZZ19252		0.38	0.002	0.09	1.54	172.0	<0.2	<10	180	0.85	0.35	0.30	0.26	21.5	13.6	27
ZZ19253		0.46	0.002	0.52	1.19	1790	<0.2	<10	180	1.07	0.31	0.41	2.11	8.16	12.5	21
ZZ19254		0.32	0.002	0.43	1.33	1170	<0.2	<10	210	0.91	0.27	0.47	2.65	7.17	13.2	23
ZZ19255		0.30	<0.001	0.07	1.12	36.4	<0.2	<10	350	1.14	0.36	0.54	0.56	22.6	14.2	14
ZZ19256		0.35	0.001	0.24	0.16	44	<0.2	<10	190	0.21	0.06	16.75	4.65	8.22	2.9	4
ZZ19257		0.29	0.002	0.16	0.36	27	<0.2	<10	330	0.50	0.10	14.00	0.52	16.70	5.1	6
ZZ19258		0.32	0.001	0.15	0.38	20	<0.2	<10	260	0.46	0.11	14.55	2.38	17.10	4.7	7
ZZ19259		0.32	0.002	0.22	0.57	24	<0.2	<10	430	0.52	0.10	13.95	0.19	16.35	5.2	10
ZZ19260		0.37	0.002	0.28	1.94	37.1	<0.2	<10	570	1.08	0.29	0.51	0.27	39.6	13.8	30
ZZ19261		0.36	0.002	0.07	1.45	28.4	<0.2	<10	290	1.01	0.32	0.06	0.18	29.6	15.8	21
ZZ19262		0.33	0.001	0.06	0.89	22.0	<0.2	<10	200	1.00	0.35	0.09	0.10	26.0	12.5	15
ZZ19263		0.36	0.001	0.05	1.23	17.5	<0.2	<10	170	0.82	0.32	0.06	0.18	19.05	13.3	16
ZZ19264		0.31	0.002	0.10	1.70	30.8	<0.2	<10	340	1.38	0.31	0.13	0.23	43.2	20.0	26
ZZ19265		0.31	0.002	0.36	1.21	32.1	<0.2	<10	670	0.83	0.20	6.51	0.23	25.9	10.5	18
ZZ19266		0.29	0.003	0.22	0.97	52.8	<0.2	<10	680	0.74	0.16	9.44	0.21	18.10	7.4	15
ZZ19267		0.24	0.002	0.22	0.91	19.5	<0.2	<10	310	0.67	0.16	8.51	0.23	26.6	7.0	16
ZZ19268		0.34	0.001	0.19	1.04	438	<0.2	<10	660	0.63	0.19	6.57	0.30	26.1	8.3	18
ZZ19269		0.27	0.001	0.26	0.87	84.2	<0.2	<10	850	0.57	0.16	8.96	8.50	16.45	7.0	11
ZZ19270		0.25	0.001	0.19	1.14	50.1	<0.2	<10	820	0.84	0.18	7.55	6.60	18.00	7.2	13
ZZ19271		0.22	0.002	0.87	1.19	1380	<0.2	<10	210	1.00	0.27	0.76	5.31	8.51	14.5	20
ZZ19272		0.33	0.002	0.91	1.30	1500	<0.2	<10	190	1.06	0.28	0.64	3.68	8.78	13.1	22
ZZ19273		0.28	0.002	0.68	1.17	1450	<0.2	<10	190	0.99	0.27	0.89	2.90	8.73	12.5	20
ZZ19274		0.29	0.002	0.91	1.26	1540	<0.2	10	220	1.08	0.26	0.73	3.00	8.74	13.3	22
ZZ19275		0.27	0.002	0.76	1.33	1365	<0.2	10	220	1.00	0.26	0.97	2.33	9.12	10.7	22
ZZ19276		0.23	0.002	0.70	1.34	1055	<0.2	<10	210	0.91	0.26	0.97	2.46	8.75	11.8	22
ZZ19277		0.29	0.002	0.75	1.30	1130	<0.2	<10	220	0.99	0.27	1.01	2.61	8.49	9.3	21
ZZ19278		0.24	0.002	0.64	1.40	1110	<0.2	<10	210	0.94	0.27	0.86	2.65	9.90	12.3	23
ZZ19279		0.28	0.002	0.90	1.44	1210	<0.2	<10	230	0.99	0.25	0.82	4.07	8.76	10.5	23
ZZ19280		0.27	0.002	1.08	1.07	1475	<0.2	<10	190	0.97	0.27	0.93	5.35	7.77	14.8	20
ZZ14676		0.25	0.002	0.13	1.86	140.5	<0.2	<10	180	0.98	0.26	0.76	0.16	7.28	15.8	29
ZZ14677		0.37	0.002	0.20	1.83	31.5	<0.2	<10	250	1.05	0.30	0.60	0.15	8.63	16.4	30
ZZ14678		0.33	0.003	0.09	1.83	61.7	<0.2	<10	210	1.04	0.29	0.16	0.32	13.65	24.5	30
ZZ14679		0.38	0.002	0.11	1.95	13.2	<0.2	<10	180	1.10	0.29	0.12	0.15	13.20	29.3	30
ZZ14680		0.31	0.002	0.11	1.84	14.8	<0.2	<10	190	0.95	0.29	0.18	0.15	11.00	19.1	30
ZZ14681		0.36	0.002	0.12	1.86	13.2	<0.2	<10	180	0.95	0.28	0.14	0.13	11.95	17.6	30
ZZ14682		0.24	0.002	0.12	1.92	12.1	<0.2	<10	160	1.03	0.29	0.15	0.15	12.25	45.0	30
ZZ14683		0.27	0.002	0.14	1.82	15.5	<0.2	<10	180	1.14	0.28	0.14	0.21	14.25	36.4	29
ZZ14684		0.51	0.002	0.17	1.75	11.1	<0.2	<10	190	1.03	0.29	0.36	0.23	8.57	18.6	29
ZZ14685		0.31	0.002	0.27	1.77	14.8	<0.2	<10	270	0.92	0.28	0.60	0.17	7.42	13.0	29

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 16- AUG- 2011
Account: RCM

Project: Rackla - Jackpot

CERTIFICATE OF ANALYSIS WH11145414

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
ZZ19251		1.57	43.6	3.86	6.69	0.10	0.05	0.06	0.043	0.08	9.9	26.1	0.48	398	0.87	0.01
ZZ19252		1.21	38.6	4.25	4.72	0.10	0.05	0.50	0.045	0.06	9.1	22.7	0.38	500	1.11	0.01
ZZ19253		4.70	33.2	3.98	3.78	0.10	0.05	9.18	0.040	0.10	3.5	22.9	0.38	399	0.91	0.01
ZZ19254		3.13	31.5	3.89	4.14	0.10	0.07	18.95	0.045	0.10	3.2	26.0	0.47	1120	0.95	0.01
ZZ19255		1.74	14.2	2.54	3.54	0.10	0.05	0.13	0.033	0.14	10.8	8.1	0.21	1230	0.38	0.01
ZZ19256		0.54	4.4	3.44	0.82	0.08	0.02	2.37	0.016	0.03	5.3	0.9	10.15	1360	0.34	0.02
ZZ19257		1.42	9.7	6.13	0.99	0.11	0.04	0.74	0.008	0.05	11.3	2.8	8.23	2210	0.30	0.03
ZZ19258		1.11	8.6	2.30	1.18	0.10	0.04	1.67	0.014	0.04	12.3	2.8	8.37	1500	0.23	0.03
ZZ19259		0.49	14.2	2.28	1.44	0.10	0.04	0.70	0.013	0.03	11.8	5.9	8.29	1380	0.36	0.03
ZZ19260		1.19	28.6	4.79	5.56	0.12	0.06	0.48	0.037	0.06	22.0	20.7	0.60	1280	1.24	0.01
ZZ19261		1.37	35.1	4.25	2.79	0.10	0.04	0.38	0.036	0.07	12.1	14.7	0.30	811	0.87	<0.01
ZZ19262		1.18	39.9	3.72	2.53	0.12	0.02	0.28	0.032	0.06	12.8	13.5	0.25	472	0.70	<0.01
ZZ19263		1.32	28.8	3.84	2.69	0.09	0.02	0.07	0.036	0.06	9.1	16.6	0.24	411	0.79	<0.01
ZZ19264		1.30	50.6	5.21	4.04	0.12	0.04	0.74	0.058	0.08	16.3	25.9	0.59	1080	0.78	<0.01
ZZ19265		0.78	34.2	3.52	3.14	0.11	0.08	0.77	0.024	0.05	17.1	14.4	4.06	1150	0.72	0.02
ZZ19266		0.74	22.3	4.80	2.38	0.11	0.07	1.08	0.017	0.04	11.7	9.4	5.49	2640	0.56	0.02
ZZ19267		1.38	11.6	2.75	2.49	0.11	0.04	0.87	0.018	0.06	15.8	8.9	5.14	1270	0.64	0.02
ZZ19268		1.71	13.2	2.88	3.06	0.10	0.04	0.74	0.022	0.06	14.9	10.1	4.09	945	0.74	0.02
ZZ19269		0.68	13.2	6.44	2.90	0.10	0.05	3.54	0.027	0.05	8.4	4.3	4.98	3620	1.41	0.02
ZZ19270		1.16	14.9	3.84	3.19	0.09	0.04	0.50	0.027	0.05	11.4	6.0	3.80	2030	1.59	0.02
ZZ19271		5.30	40.4	3.40	3.86	<0.05	0.08	4.32	0.045	0.09	3.5	24.2	0.40	619	0.91	0.01
ZZ19272		4.66	39.6	3.82	4.17	<0.05	0.08	4.60	0.046	0.10	3.8	26.5	0.43	393	0.97	0.01
ZZ19273		3.94	32.1	3.73	3.74	<0.05	0.08	8.02	0.042	0.09	3.7	22.2	0.40	429	0.95	0.01
ZZ19274		3.66	37.0	3.64	3.97	<0.05	0.07	4.64	0.040	0.10	3.9	22.8	0.41	480	0.91	0.01
ZZ19275		3.06	33.3	3.59	4.05	<0.05	0.08	4.31	0.040	0.10	4.2	24.8	0.44	315	0.92	0.01
ZZ19276		2.60	30.8	3.46	4.10	<0.05	0.07	4.20	0.039	0.10	3.8	24.8	0.45	402	0.89	0.01
ZZ19277		2.89	34.8	3.34	3.88	<0.05	0.08	3.95	0.038	0.10	3.9	22.8	0.44	330	0.83	0.01
ZZ19278		1.88	32.4	3.55	4.34	0.05	0.08	2.27	0.038	0.10	4.5	26.5	0.48	475	0.96	0.01
ZZ19279		2.35	34.4	3.54	4.24	<0.05	0.08	3.70	0.037	0.09	4.1	26.9	0.45	330	0.86	<0.01
ZZ19280		5.21	33.4	3.80	3.27	<0.05	0.06	18.25	0.041	0.10	2.9	22.4	0.50	371	1.00	0.01
ZZ14676		2.13	21.3	4.18	5.43	<0.05	0.06	0.24	0.039	0.09	3.0	42.6	0.75	325	0.89	<0.01
ZZ14677		2.14	37.5	3.89	5.67	0.08	0.08	0.33	0.044	0.09	3.7	43.0	0.65	411	1.08	<0.01
ZZ14678		2.20	31.7	4.11	5.76	0.09	0.06	0.22	0.039	0.09	5.3	39.5	0.59	2570	1.21	<0.01
ZZ14679		1.66	29.3	3.90	5.88	0.08	0.05	0.08	0.038	0.09	6.1	41.1	0.57	876	1.15	<0.01
ZZ14680		1.35	24.3	4.05	5.79	0.08	0.04	0.07	0.040	0.08	5.1	40.3	0.55	614	1.31	<0.01
ZZ14681		1.19	25.9	3.77	5.77	0.08	0.04	0.08	0.043	0.08	5.3	39.3	0.56	453	1.22	<0.01
ZZ14682		1.46	25.7	3.85	5.85	0.08	0.05	0.08	0.038	0.09	5.2	40.9	0.53	1400	1.24	<0.01
ZZ14683		1.56	30.7	4.03	5.57	0.09	0.05	0.10	0.038	0.08	5.6	39.5	0.57	1190	1.12	<0.01
ZZ14684		1.74	31.2	3.85	5.32	0.08	0.07	0.07	0.044	0.08	3.4	43.3	0.60	322	1.03	<0.01
ZZ14685		2.48	28.5	3.85	5.39	0.08	0.07	0.10	0.041	0.10	3.5	39.7	0.61	581	1.21	<0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 16- AUG- 2011
Account: RCM

Project: Rackla - Jackpot

CERTIFICATE OF ANALYSIS WH11145414

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
ZZ19251		0.49	31.0	450	26.0	12.3	<0.001	0.02	0.42	5.6	0.6	0.8	18.7	<0.01	0.05	3.9
ZZ19252		0.57	34.7	530	26.7	9.8	0.001	0.02	0.49	5.0	0.6	0.6	17.7	<0.01	0.03	3.9
ZZ19253		0.13	48.2	660	93.9	12.8	0.001	0.03	1.14	6.1	1.1	0.5	24.8	<0.01	0.05	2.9
ZZ19254		0.12	54.0	640	75.2	10.8	0.001	0.04	1.22	6.0	0.9	0.5	21.2	<0.01	0.05	2.8
ZZ19255		0.34	15.1	290	43.8	9.7	<0.001	0.02	0.22	5.0	0.7	0.7	18.5	<0.01	0.04	3.5
ZZ19256		<0.05	5.3	550	115.5	2.3	<0.001	0.03	0.16	1.8	0.4	0.2	88.7	<0.01	0.01	1.3
ZZ19257		0.09	11.3	650	151.5	3.9	<0.001	0.04	0.20	3.2	0.7	0.2	58.9	<0.01	0.02	2.2
ZZ19258		0.13	8.4	710	57.8	3.4	<0.001	0.03	0.14	3.1	0.6	0.2	70.4	<0.01	0.03	2.1
ZZ19259		0.10	11.8	690	60.9	3.9	<0.001	0.03	0.18	3.5	0.9	0.2	103.5	<0.01	0.02	1.2
ZZ19260		0.66	33.5	490	47.9	10.5	<0.001	0.02	0.41	6.9	1.3	0.6	38.1	<0.01	0.07	4.4
ZZ19261		0.20	34.4	320	41.6	8.3	<0.001	0.01	0.32	4.5	1.1	0.4	23.5	<0.01	0.03	4.5
ZZ19262		0.11	27.5	290	35.0	6.0	0.001	0.01	0.31	5.1	0.7	0.3	18.8	<0.01	0.05	3.7
ZZ19263		0.24	27.7	290	29.2	9.2	<0.001	0.01	0.30	3.3	0.9	0.3	16.6	<0.01	0.03	3.4
ZZ19264		0.13	42.5	470	41.0	7.7	<0.001	0.01	0.39	7.8	1.2	0.4	27.3	<0.01	0.05	5.4
ZZ19265		0.16	25.1	640	40.7	5.9	<0.001	0.03	0.28	6.9	0.8	0.3	68.4	<0.01	0.04	2.7
ZZ19266		0.20	20.0	620	56.7	6.2	<0.001	0.04	0.27	5.3	0.8	0.3	115.0	<0.01	0.04	2.3
ZZ19267		0.47	16.5	630	49.2	5.9	<0.001	0.03	0.36	4.1	0.7	0.4	53.5	<0.01	0.02	2.5
ZZ19268		0.62	19.8	540	50.3	5.8	<0.001	0.03	0.41	3.8	0.7	0.4	44.9	<0.01	0.01	2.5
ZZ19269		0.23	11.4	1020	231	8.8	<0.001	0.09	0.49	2.1	0.6	0.5	66.7	<0.01	0.04	0.6
ZZ19270		0.29	12.6	1190	116.5	7.4	<0.001	0.10	0.34	1.9	0.9	0.5	63.6	<0.01	0.04	0.5
ZZ19271		0.07	50.3	720	99.1	15.7	0.001	0.08	3.11	6.2	2.2	0.5	25.0	<0.01	0.05	2.4
ZZ19272		0.07	50.4	680	99.4	15.2	0.001	0.05	2.20	6.5	1.4	0.5	23.9	<0.01	0.05	2.7
ZZ19273		0.08	43.0	680	90.6	13.5	<0.001	0.05	2.08	5.7	1.4	0.5	29.7	<0.01	0.06	2.2
ZZ19274		0.20	46.5	700	94.6	15.0	0.001	0.04	2.12	5.9	1.5	0.5	24.9	<0.01	0.05	2.4
ZZ19275		0.23	40.8	790	91.0	14.2	0.001	0.06	2.01	5.6	1.5	0.5	28.7	<0.01	0.04	2.2
ZZ19276		0.24	39.4	770	73.7	13.3	0.001	0.06	1.74	5.4	1.0	0.5	27.1	<0.01	0.05	2.3
ZZ19277		0.24	39.0	790	82.8	14.2	0.001	0.07	2.00	5.2	1.4	0.5	28.0	<0.01	0.05	2.0
ZZ19278		0.25	41.7	790	79.6	11.0	0.001	0.05	1.70	5.5	1.2	0.5	26.9	<0.01	0.05	2.5
ZZ19279		0.22	46.8	750	110.5	13.3	0.001	0.06	2.08	5.4	1.3	0.5	26.7	<0.01	0.05	2.2
ZZ19280		0.15	48.9	680	153.5	13.6	0.002	0.06	2.31	5.8	1.4	0.5	26.9	<0.01	0.05	2.9
ZZ14676		0.22	44.1	580	19.9	12.3	0.001	0.02	0.38	5.7	1.1	0.5	20.5	<0.01	0.04	2.7
ZZ14677		0.22	60.9	670	18.9	12.5	0.001	0.01	0.36	6.6	2.3	0.5	26.5	<0.01	0.04	2.8
ZZ14678		0.22	55.7	690	18.7	14.1	<0.001	<0.01	0.38	6.0	1.1	0.5	18.3	<0.01	0.05	3.0
ZZ14679		0.23	52.8	650	17.6	15.6	<0.001	<0.01	0.33	6.3	0.9	0.5	14.4	<0.01	0.04	3.0
ZZ14680		0.25	44.4	630	18.1	14.2	<0.001	<0.01	0.36	5.3	0.8	0.5	18.0	<0.01	0.05	2.7
ZZ14681		0.23	43.7	650	18.5	12.9	<0.001	<0.01	0.33	5.7	0.8	0.5	15.1	<0.01	0.04	3.1
ZZ14682		0.24	53.6	670	17.4	15.3	<0.001	<0.01	0.36	5.9	1.0	0.5	16.6	<0.01	0.05	2.8
ZZ14683		0.23	64.3	680	18.2	14.2	<0.001	<0.01	0.45	5.7	0.9	0.5	14.7	<0.01	0.05	2.9
ZZ14684		0.19	48.8	720	20.5	11.7	0.003	0.06	0.40	6.0	1.7	0.5	25.1	<0.01	0.05	2.8
ZZ14685		0.21	47.6	760	16.0	14.4	0.003	0.02	0.35	6.1	2.1	0.5	38.2	<0.01	0.05	2.3

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 16- AUG- 2011
Account: RCM

Project: Rackla - Jackpot

CERTIFICATE OF ANALYSIS WH11145414

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	Zn- OG46
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr	Zn
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5	0.001
ZZ19251		0.007	0.25	1.51	34	0.08	9.82	133	1.6	
ZZ19252		0.008	0.28	0.81	38	0.13	8.65	119	1.4	
ZZ19253		<0.005	16.65	1.65	28	0.11	10.05	840	1.5	
ZZ19254		<0.005	13.70	1.42	27	0.08	9.13	936	1.8	
ZZ19255		<0.005	0.30	0.72	24	0.07	7.39	105	1.2	
ZZ19256		<0.005	0.77	0.93	5	0.06	5.87	954	0.7	
ZZ19257		<0.005	0.51	0.91	10	0.09	9.30	146	1.1	
ZZ19258		<0.005	0.32	0.89	10	0.07	10.10	550	1.0	
ZZ19259		<0.005	0.27	1.42	15	0.06	11.45	76	1.0	
ZZ19260		0.010	0.35	1.51	48	0.18	16.85	107	2.0	
ZZ19261		<0.005	0.41	0.92	26	0.05	6.89	102	1.5	
ZZ19262		<0.005	0.28	0.74	22	<0.05	12.05	84	0.5	
ZZ19263		<0.005	0.20	0.56	24	<0.05	4.90	83	1.1	
ZZ19264		<0.005	0.50	1.46	32	0.05	17.40	132	1.6	
ZZ19265		<0.005	0.28	1.35	28	0.07	20.4	74	2.3	
ZZ19266		0.005	0.48	1.40	26	0.09	15.75	70	2.0	
ZZ19267		0.012	0.36	0.87	24	0.15	11.90	79	1.1	
ZZ19268		0.019	0.57	0.66	30	0.29	9.22	164	1.1	
ZZ19269		0.009	3.92	1.11	22	0.09	9.48	1190	1.2	
ZZ19270		0.008	1.12	1.85	23	0.09	9.80	2200	0.8	
ZZ19271		<0.005	25.6	2.73	26	0.22	11.50	1500	1.8	
ZZ19272		<0.005	16.95	2.36	27	0.17	10.70	1200	1.9	
ZZ19273		<0.005	15.15	2.16	26	0.16	9.74	935	1.7	
ZZ19274		<0.005	19.00	2.86	28	0.18	11.45	1120	1.7	
ZZ19275		<0.005	9.49	2.33	28	0.16	11.20	957	1.9	
ZZ19276		<0.005	7.63	1.82	27	0.14	9.10	907	1.9	
ZZ19277		<0.005	8.79	2.51	26	0.14	10.35	969	1.8	
ZZ19278		<0.005	6.18	1.75	27	0.11	11.25	1080	1.9	
ZZ19279		<0.005	11.30	2.20	29	0.15	11.10	1610	2.0	
ZZ19280		<0.005	27.3	2.02	26	0.22	10.30	1540	1.6	
ZZ14676		<0.005	0.96	0.87	31	0.07	7.34	153	1.9	
ZZ14677		<0.005	0.21	0.91	32	0.05	10.70	135	1.9	
ZZ14678		<0.005	0.26	0.57	36	0.05	9.01	150	1.1	
ZZ14679		<0.005	0.17	0.58	38	0.07	9.11	143	0.9	
ZZ14680		<0.005	0.17	0.54	39	0.05	5.90	125	0.8	
ZZ14681		<0.005	0.16	0.59	38	<0.05	6.17	132	0.9	
ZZ14682		<0.005	0.18	0.59	36	0.06	7.05	134	0.9	
ZZ14683		<0.005	0.17	0.59	37	0.05	8.41	156	1.0	
ZZ14684		<0.005	0.13	0.64	31	<0.05	9.40	132	1.6	
ZZ14685		<0.005	0.16	0.71	32	<0.05	9.57	132	1.5	

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 16- AUG- 2011
Account: RCM

Project: Rackla - Jackpot

CERTIFICATE OF ANALYSIS WH11145414

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- TL43 Au ppm 0.001	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1
ZZ14686		0.41	0.001	0.13	1.81	30.0	<0.2	<10	200	1.06	0.30	0.64	0.19	8.21	17.8	29
ZZ14687		0.36	0.003	0.26	1.64	382	<0.2	<10	250	1.10	0.27	0.92	0.43	8.74	15.1	26
ZZ14688		0.42	0.003	0.44	1.57	457	<0.2	<10	220	1.05	0.25	1.96	0.51	7.07	10.9	25
ZZ14689		0.31	0.001	0.07	0.41	2400	<0.2	<10	200	0.99	0.36	0.26	0.14	8.76	21.3	13
ZZ14690		0.29	0.002	0.34	1.62	682	<0.2	<10	210	1.03	0.28	0.62	1.08	9.06	17.0	26
ZZ14691		0.41	<0.001	0.07	0.52	336	<0.2	<10	130	0.49	0.29	0.13	0.06	5.86	11.1	11
ZZ14692		0.29	0.002	1.24	0.76	2410	<0.2	<10	210	0.94	0.26	1.95	8.18	6.54	13.1	15
ZZ14693		0.36	0.002	0.90	1.36	1555	<0.2	<10	250	0.92	0.27	0.72	3.49	8.01	12.4	22
ZZ14694		0.39	0.002	0.63	1.35	1685	<0.2	<10	170	0.99	0.28	0.58	3.92	7.77	13.1	23
ZZ14695		0.34	0.008	1.01	1.37	1215	<0.2	<10	220	0.98	0.25	1.05	5.50	8.21	9.9	22
ZZ14696		0.22	0.002	0.47	0.92	382	<0.2	<10	340	0.99	0.15	2.73	5.44	6.35	7.0	12
ZZ14697		0.35	0.002	0.71	1.43	1285	<0.2	<10	230	1.06	0.29	0.87	1.99	8.82	11.3	23
ZZ14698		0.21	0.003	0.78	1.19	921	<0.2	<10	190	0.81	0.24	1.11	1.82	8.10	12.0	20
ZZ14699		0.42	0.002	0.06	1.49	49.5	<0.2	<10	200	1.08	0.40	0.22	0.20	15.65	21.2	25
ZZ14700		0.26	0.001	0.04	1.62	21.8	<0.2	<10	190	1.23	0.51	0.23	0.11	25.2	22.5	30
ZZ19062		0.37	0.002	0.11	1.96	11.8	<0.2	<10	160	1.03	0.30	0.27	0.12	9.99	13.5	31
ZZ19063		0.29	0.002	0.30	1.63	185.5	<0.2	<10	240	1.07	0.30	0.58	1.05	12.10	15.5	27
ZZ19064		0.45	0.001	0.08	1.32	32.7	<0.2	<10	140	1.30	0.42	0.27	0.14	14.50	11.2	25
ZZ19065		0.37	0.001	0.05	1.47	37.9	<0.2	<10	230	1.03	0.43	0.33	0.26	9.75	16.3	25
ZZ19066		0.28	0.001	0.12	1.37	34.3	<0.2	<10	230	1.03	0.32	0.42	0.29	17.60	12.5	25
ZZ19067		0.23	0.002	0.19	1.48	210	<0.2	<10	200	1.26	0.36	0.46	1.02	13.75	12.9	25
ZZ19068		0.38	<0.001	0.05	0.49	6.6	<0.2	<10	380	0.49	0.24	0.34	0.14	6.33	4.3	8
ZZ19069		0.35	0.002	0.17	0.52	42	<0.2	<10	310	0.55	0.15	10.65	3.22	13.80	8.2	9
ZZ19070		0.30	0.002	0.15	0.54	29	<0.2	<10	590	0.56	0.12	11.25	0.71	18.75	5.6	9
ZZ19071		0.20	0.002	0.26	1.00	34	<0.2	<10	840	0.91	0.13	10.15	4.02	30.0	6.9	11
ZZ19072		0.23	0.002	0.26	0.66	31	<0.2	<10	360	0.67	0.11	12.15	0.32	21.3	5.3	10
ZZ19073		0.35	0.002	0.13	1.72	41.0	<0.2	<10	2060	1.44	0.28	0.35	0.17	34.3	15.3	22
ZZ19074		0.25	0.002	0.12	1.37	23.1	<0.2	<10	410	0.97	0.28	0.22	0.12	27.7	12.8	21
ZZ19075		0.35	0.002	0.18	1.76	26.7	<0.2	<10	820	1.00	0.24	0.28	0.33	36.5	12.6	28
ZZ19076		0.23	0.002	0.30	1.13	28.6	<0.2	<10	780	0.90	0.19	7.14	2.12	30.4	8.7	17
ZZ19077		0.23	0.001	0.11	1.42	30.5	<0.2	<10	510	0.80	0.19	4.37	3.27	21.4	7.5	19
ZZ19078		0.25	0.001	0.06	0.82	13.3	<0.2	<10	630	0.91	0.22	0.80	0.28	14.20	9.7	13
ZZ18671		0.45	0.002	0.15	1.70	15.3	<0.2	<10	180	1.20	0.23	0.16	0.23	17.65	19.4	27
ZZ18672		0.29	0.003	0.26	1.75	12.8	<0.2	<10	220	1.01	0.28	0.46	0.16	9.21	11.6	27
ZZ18673		0.38	0.002	0.12	1.65	13.0	<0.2	<10	180	1.02	0.24	0.23	0.21	12.95	14.2	27
ZZ18674		0.38	0.011	3.46	1.51	1955	<0.2	<10	540	1.27	0.26	0.67	3.66	16.00	11.8	27
ZZ18675		0.24	0.011	0.65	1.47	380	<0.2	<10	300	1.18	0.21	1.60	2.57	14.10	10.9	21
ZZ18676		0.37	0.004	6.49	0.89	1855	<0.2	<10	210	1.31	0.23	1.10	16.20	9.32	13.6	16
ZZ18677		0.41	0.002	0.51	1.14	2160	<0.2	<10	210	0.80	0.24	0.30	2.41	8.06	9.1	21
ZZ18678		0.40	0.001	0.29	1.64	1525	<0.2	<10	170	1.04	0.28	0.43	4.72	8.40	14.6	27

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 16- AUG- 2011
Account: RCM

Project: Rackla - Jackpot

CERTIFICATE OF ANALYSIS WH11145414

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
ZZ14686		1.81	27.8	4.15	5.47	0.09	0.07	0.13	0.044	0.09	3.4	45.2	0.72	390	1.22	<0.01
ZZ14687		2.84	35.4	3.60	4.90	0.08	0.08	0.68	0.039	0.09	4.0	38.7	0.62	579	0.80	<0.01
ZZ14688		3.11	33.3	3.49	4.50	0.08	0.09	0.88	0.041	0.10	3.5	37.7	1.06	276	0.98	<0.01
ZZ14689		3.54	49.5	4.63	1.59	0.10	0.03	0.07	0.051	0.09	3.6	6.7	0.10	357	1.65	<0.01
ZZ14690		2.36	32.7	4.03	4.86	0.09	0.08	1.19	0.041	0.09	3.8	38.9	0.63	351	1.12	<0.01
ZZ14691		2.72	18.9	3.19	1.94	0.06	0.04	0.04	0.034	0.13	2.1	16.4	0.11	92	1.00	<0.01
ZZ14692		8.81	35.8	3.45	2.42	0.07	0.06	15.80	0.043	0.10	2.4	15.4	0.96	326	0.88	<0.01
ZZ14693		3.12	26.7	3.55	4.19	0.06	0.08	6.28	0.041	0.10	3.6	24.9	0.44	419	0.90	<0.01
ZZ14694		2.73	35.7	3.79	4.09	0.08	0.08	2.90	0.040	0.09	3.4	25.1	0.45	366	0.96	<0.01
ZZ14695		2.38	41.7	3.20	4.02	0.07	0.09	3.77	0.038	0.09	3.8	26.3	0.45	235	0.83	<0.01
ZZ14696		1.34	53.5	1.84	2.41	0.05	0.09	1.64	0.022	0.08	3.2	10.2	0.36	497	0.45	0.01
ZZ14697		2.49	36.6	3.51	4.19	0.07	0.09	2.06	0.040	0.10	4.2	25.1	0.43	429	1.04	<0.01
ZZ14698		3.40	27.5	3.09	3.67	0.06	0.07	2.98	0.036	0.09	3.4	21.5	0.44	508	0.94	<0.01
ZZ14699		0.99	65.8	4.89	4.76	0.09	0.05	0.07	0.044	0.07	6.5	26.1	0.48	920	1.01	<0.01
ZZ14700		1.49	47.9	3.77	6.01	0.09	0.05	0.03	0.037	0.07	11.4	24.6	0.56	792	0.91	<0.01
ZZ19062		2.03	27.8	4.11	6.02	0.09	0.05	0.05	0.040	0.09	4.5	47.2	0.67	294	1.04	<0.01
ZZ19063		1.37	38.1	3.71	5.20	0.11	0.06	0.55	0.046	0.09	5.1	26.6	0.51	622	0.98	0.01
ZZ19064		0.92	38.5	3.92	5.53	0.12	0.06	0.07	0.056	0.07	6.4	19.7	0.40	308	0.68	<0.01
ZZ19065		1.05	42.6	4.34	5.17	0.10	0.06	0.28	0.048	0.08	4.3	24.0	0.49	616	1.31	0.01
ZZ19066		1.04	39.9	3.81	4.81	0.13	0.05	0.11	0.042	0.08	7.8	22.6	0.49	502	1.19	0.01
ZZ19067		1.59	34.9	3.22	5.63	0.10	0.07	0.39	0.046	0.08	5.9	24.8	0.42	113	0.93	0.01
ZZ19068		8.57	14.7	1.70	2.23	0.11	0.02	0.09	0.020	0.13	3.6	1.7	0.10	199	0.27	<0.01
ZZ19069		1.14	15.9	2.91	1.91	0.12	0.04	1.34	0.022	0.06	8.3	6.3	6.27	1100	0.79	0.02
ZZ19070		0.47	8.6	3.18	1.66	0.11	0.05	0.96	0.014	0.03	14.3	4.4	6.60	1780	0.39	0.02
ZZ19071		0.59	13.9	5.36	2.37	0.13	0.05	1.14	0.024	0.03	19.2	5.7	5.94	4070	0.70	0.03
ZZ19072		0.73	11.6	2.67	1.72	0.12	0.06	1.11	0.013	0.03	14.7	4.8	7.00	2520	0.47	0.02
ZZ19073		1.15	39.5	4.60	4.26	0.15	0.08	0.76	0.041	0.06	18.0	19.7	0.52	1160	0.86	0.02
ZZ19074		0.84	30.7	3.71	3.89	0.12	0.04	0.26	0.033	0.06	13.9	21.3	0.42	437	0.95	<0.01
ZZ19075		1.17	21.6	4.03	4.84	0.13	0.05	0.39	0.039	0.05	17.2	18.0	0.50	928	1.29	0.01
ZZ19076		0.90	14.6	4.39	3.16	0.14	0.07	1.08	0.033	0.05	21.2	9.8	4.51	2440	0.97	0.02
ZZ19077		1.13	9.3	3.40	4.09	0.10	0.04	0.30	0.027	0.05	13.1	10.7	2.69	1230	0.78	0.02
ZZ19078		6.38	15.7	2.69	2.49	0.12	0.04	0.18	0.031	0.11	7.5	6.5	0.24	1520	0.47	0.01
ZZ18671		1.40	36.4	3.84	5.42	0.11	0.03	0.09	0.040	0.07	8.1	39.2	0.62	494	1.04	0.01
ZZ18672		2.12	30.3	3.76	5.31	0.11	0.04	0.12	0.042	0.09	4.0	37.5	0.58	351	1.25	0.01
ZZ18673		3.93	34.3	3.71	5.30	0.12	0.03	0.10	0.039	0.08	5.9	37.1	0.59	355	1.01	<0.01
ZZ18674		4.17	49.0	3.54	4.47	0.12	0.08	35.1	0.045	0.09	8.6	25.6	0.48	426	1.27	0.01
ZZ18675		1.54	42.0	2.66	3.98	0.11	0.07	21.9	0.033	0.08	6.4	22.5	0.46	710	0.70	0.01
ZZ18676		6.22	42.9	3.56	2.76	0.13	0.05	14.85	0.042	0.10	4.6	10.8	0.26	737	1.33	0.01
ZZ18677		3.78	29.3	3.53	3.78	0.11	0.05	2.17	0.037	0.11	3.6	18.7	0.36	242	1.04	0.01
ZZ18678		1.77	39.6	4.11	5.28	0.11	0.05	1.16	0.044	0.09	4.1	29.3	0.61	405	0.78	0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 16- AUG- 2011
Account: RCM

Project: Rackla - Jackpot

CERTIFICATE OF ANALYSIS WH11145414

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
ZZ14686		0.20	50.1	620	19.1	11.7	0.001	0.01	0.34	6.2	1.7	0.5	28.3	<0.01	0.05	2.7
ZZ14687		0.22	50.9	700	25.3	12.6	0.001	0.02	0.59	5.9	1.7	0.4	28.8	<0.01	0.05	2.3
ZZ14688		0.21	45.4	720	34.9	12.9	0.002	0.05	0.81	5.8	2.3	0.4	39.2	<0.01	0.05	2.1
ZZ14689		0.08	61.8	930	20.3	9.9	0.001	<0.01	0.70	6.4	1.0	0.4	29.2	<0.01	0.07	3.1
ZZ14690		0.20	48.1	720	34.4	12.2	0.003	0.03	0.79	5.8	2.4	0.4	21.3	0.01	0.06	2.4
ZZ14691		0.05	31.5	720	20.1	14.0	0.003	0.17	0.39	4.3	0.7	0.4	30.7	<0.01	0.04	2.5
ZZ14692		0.11	46.2	710	214	14.6	0.002	0.08	3.19	5.4	1.6	0.4	33.1	<0.01	0.05	2.5
ZZ14693		0.21	44.1	660	111.0	14.9	0.001	0.03	2.21	5.5	1.3	0.5	26.7	<0.01	0.05	2.2
ZZ14694		0.18	45.4	600	108.5	11.9	0.001	0.03	2.42	5.5	1.2	0.5	23.6	<0.01	0.05	2.6
ZZ14695		0.23	47.9	770	130.0	12.6	0.001	0.05	2.57	5.1	1.8	0.5	31.9	<0.01	0.05	2.0
ZZ14696		0.24	48.8	760	47.4	9.0	0.001	0.14	2.42	2.6	2.1	0.3	62.0	<0.01	0.03	0.8
ZZ14697		0.25	41.8	810	87.4	13.7	0.001	0.04	2.04	5.5	1.4	0.5	28.6	<0.01	0.06	2.2
ZZ14698		0.24	34.9	670	90.2	11.5	<0.001	0.05	1.98	4.7	1.1	0.4	32.0	<0.01	0.06	1.9
ZZ14699		0.28	34.9	440	33.0	8.6	<0.001	<0.01	0.49	6.2	0.7	0.5	13.0	<0.01	0.06	4.2
ZZ14700		0.48	33.0	530	28.0	9.3	<0.001	<0.01	0.50	5.2	0.6	0.6	16.6	<0.01	0.04	5.5
ZZ19062		0.21	43.9	700	16.1	13.0	<0.001	<0.01	0.34	6.4	0.8	0.5	22.9	<0.01	0.04	3.1
ZZ19063		0.26	42.9	580	41.3	10.9	<0.001	0.03	0.66	6.1	0.9	0.6	23.4	<0.01	0.04	3.1
ZZ19064		0.32	29.9	320	18.5	7.9	<0.001	0.01	0.26	6.3	0.8	0.8	21.1	<0.01	0.06	4.4
ZZ19065		0.23	37.4	310	35.6	8.2	<0.001	0.01	0.40	5.7	0.6	0.6	17.7	<0.01	0.06	3.3
ZZ19066		0.37	34.4	480	20.4	9.2	<0.001	0.01	0.43	5.9	0.9	0.6	22.0	<0.01	0.05	3.8
ZZ19067		0.30	34.7	500	32.1	12.3	<0.001	0.04	0.55	6.4	1.4	0.7	26.0	<0.01	0.05	3.4
ZZ19068		0.44	6.9	130	7.6	17.8	<0.001	<0.01	0.13	2.5	<0.2	0.5	14.8	<0.01	0.05	1.7
ZZ19069		0.21	15.9	490	101.5	4.9	<0.001	0.02	0.23	4.0	0.5	0.3	69.6	<0.01	0.05	2.2
ZZ19070		0.19	11.3	390	130.0	3.8	<0.001	0.02	0.22	3.2	0.5	0.3	79.9	<0.01	0.05	1.7
ZZ19071		0.26	19.9	1010	70.1	6.5	<0.001	0.05	0.44	2.8	1.0	0.3	83.1	<0.01	0.06	1.0
ZZ19072		0.15	13.3	1020	59.4	4.4	<0.001	0.03	0.11	3.6	0.6	0.3	106.5	<0.01	0.05	2.0
ZZ19073		0.15	34.4	290	45.3	9.7	<0.001	0.01	0.29	8.9	0.9	0.5	25.0	<0.01	0.08	5.4
ZZ19074		0.30	29.6	340	26.8	7.6	<0.001	0.01	0.35	5.4	0.8	0.4	25.6	<0.01	0.06	4.7
ZZ19075		0.72	33.6	390	27.1	9.9	<0.001	0.01	0.51	5.8	0.9	0.5	20.8	<0.01	0.06	4.7
ZZ19076		0.42	19.7	1000	127.5	7.7	<0.001	0.04	0.38	4.3	1.0	0.5	59.9	<0.01	0.06	2.1
ZZ19077		0.56	16.0	610	64.2	6.1	<0.001	0.03	0.41	3.1	0.5	0.5	27.0	<0.01	0.05	1.4
ZZ19078		0.31	16.1	360	23.6	12.0	<0.001	0.02	0.21	4.8	0.5	0.4	21.5	<0.01	0.05	2.0
ZZ18671		0.22	58.2	690	15.1	11.2	<0.001	0.01	0.35	6.2	0.9	0.5	17.2	<0.01	0.06	3.2
ZZ18672		0.16	45.9	690	18.7	12.6	0.004	0.05	0.28	6.5	2.0	0.5	38.1	<0.01	0.05	2.5
ZZ18673		0.18	47.5	710	13.1	15.3	<0.001	0.01	0.28	6.7	0.7	0.5	24.6	<0.01	0.05	2.9
ZZ18674		0.35	59.2	800	482	14.1	<0.001	0.04	5.22	7.7	1.6	0.6	46.6	<0.01	0.05	2.8
ZZ18675		0.33	45.2	1170	107.0	11.3	<0.001	0.08	1.21	4.7	1.1	0.4	59.4	<0.01	0.05	1.3
ZZ18676		0.19	46.8	740	832	12.6	<0.001	0.06	8.40	4.5	1.5	0.5	35.6	<0.01	0.05	1.3
ZZ18677		0.14	38.9	730	44.5	13.4	<0.001	0.06	1.35	5.1	0.9	0.5	31.2	<0.01	0.05	2.7
ZZ18678		0.19	51.5	540	52.8	11.3	<0.001	0.02	1.38	6.1	0.8	0.5	22.1	<0.01	0.05	3.4

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 16- AUG- 2011
Account: RCM

Project: Rackla - Jackpot

CERTIFICATE OF ANALYSIS WH11145414

Sample Description	Method Analyte Units LOR	ME- MS41 Ti % 0.005	ME- MS41 Tl ppm 0.02	ME- MS41 U ppm 0.05	ME- MS41 V ppm 1	ME- MS41 W ppm 0.05	ME- MS41 Y ppm 0.05	ME- MS41 Zn ppm 2	ME- MS41 Zr ppm 0.5	Zn- OG46 Zn % 0.001
ZZ14686		<0.005	0.19	0.76	32	<0.05	8.50	139	1.5	
ZZ14687		<0.005	4.18	1.08	30	0.11	11.50	158	1.9	
ZZ14688		<0.005	3.05	1.41	29	0.10	10.40	199	2.0	
ZZ14689		<0.005	0.34	1.19	28	<0.05	10.65	150	<0.5	
ZZ14690		<0.005	5.29	1.56	30	0.07	10.85	331	1.7	
ZZ14691		<0.005	2.74	0.31	20	<0.05	6.82	142	1.3	
ZZ14692		<0.005	42.0	1.92	23	0.26	9.56	2550	1.3	
ZZ14693		<0.005	22.3	2.11	29	0.17	8.80	1570	1.5	
ZZ14694		<0.005	18.95	2.06	28	0.13	9.99	1300	1.5	
ZZ14695		<0.005	17.85	2.35	27	0.14	11.20	1600	1.8	
ZZ14696		<0.005	5.29	1.39	15	0.07	11.25	858	2.3	
ZZ14697		<0.005	6.78	2.30	28	0.11	11.10	777	1.7	
ZZ14698		<0.005	3.53	1.24	26	0.11	7.63	506	1.5	
ZZ14699		0.005	0.22	0.66	33	0.07	6.38	160	1.1	
ZZ14700		0.014	0.12	0.87	35	0.12	8.94	96	1.4	
ZZ19062		<0.005	0.12	0.58	33	<0.05	9.07	109	1.0	
ZZ19063		<0.005	1.17	0.96	31	0.07	9.47	298	1.8	
ZZ19064		0.005	0.19	0.75	30	0.05	7.27	120	1.7	
ZZ19065		<0.005	0.18	0.47	29	<0.05	6.22	131	1.9	
ZZ19066		0.007	0.20	0.86	32	0.10	8.75	131	1.5	
ZZ19067		<0.005	1.03	1.09	30	0.05	9.63	242	2.1	
ZZ19068		0.011	0.24	0.55	18	0.09	2.90	46	0.6	
ZZ19069		0.005	0.55	0.82	14	0.07	8.59	931	1.4	
ZZ19070		0.005	0.40	0.81	15	0.09	9.23	251	1.5	
ZZ19071		0.009	0.46	2.30	20	0.11	17.10	1180	1.1	
ZZ19072		<0.005	0.47	2.56	14	0.09	16.05	121	1.9	
ZZ19073		<0.005	0.43	1.13	32	0.06	19.15	121	3.3	
ZZ19074		0.006	0.17	1.05	31	0.08	9.60	83	1.7	
ZZ19075		0.015	0.24	1.12	45	0.18	12.35	169	1.5	
ZZ19076		0.011	0.35	1.63	30	0.12	15.70	817	1.6	
ZZ19077		0.011	0.28	1.03	35	0.16	7.95	912	0.8	
ZZ19078		0.007	0.32	0.74	20	0.08	8.36	140	0.9	
ZZ18671		<0.005	0.11	0.64	34	<0.05	12.50	141	1.2	
ZZ18672		<0.005	0.16	0.86	31	<0.05	10.75	111	1.3	
ZZ18673		<0.005	0.15	0.61	32	<0.05	9.23	129	1.0	
ZZ18674		0.005	42.2	3.24	42	0.27	20.3	487	2.0	
ZZ18675		<0.005	6.10	4.71	29	0.20	12.90	294	1.9	
ZZ18676		<0.005	106.5	3.68	29	2.15	9.85	2200	1.4	
ZZ18677		<0.005	37.8	2.81	27	0.10	7.71	831	1.1	
ZZ18678		<0.005	16.65	1.86	31	0.07	8.38	2050	1.6	

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 16- AUG- 2011
Account: RCM

Project: Rackla - Jackpot

CERTIFICATE OF ANALYSIS WH11145414

Sample Description	Method	WEI- 21	Au- TL43	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Recvd Wt.	Au	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
ZZ18679		0.22	0.002	0.83	1.43	1060	<0.2	<10	210	0.91	0.25	0.84	3.34	8.78	10.1	22
ZZ18680		0.32	0.002	0.28	1.27	926	<0.2	<10	200	0.86	0.24	0.60	0.47	17.80	10.0	23
ZZ18681		0.29	0.001	0.14	1.53	223	<0.2	<10	210	1.05	0.35	0.52	0.25	12.10	18.4	23
ZZ18682		0.33	0.002	0.42	1.41	404	<0.2	<10	200	0.90	0.27	0.75	0.70	9.93	10.0	22
ZZ18683		0.22	0.002	0.41	1.51	274	<0.2	<10	190	0.99	0.30	0.95	1.13	11.35	12.9	24
ZZ18684		0.34	0.001	0.16	1.73	134.0	<0.2	<10	200	1.14	0.41	0.42	0.60	10.65	16.2	30
ZZ18685		0.31	0.001	0.28	1.32	307	<0.2	<10	170	0.95	0.25	0.47	0.77	13.15	14.0	23
ZZ18686		0.37	0.002	0.27	1.43	199.5	<0.2	<10	210	1.00	0.23	1.00	0.96	12.10	14.1	23
ZZ18687		0.48	0.001	0.21	1.41	135.5	<0.2	<10	200	1.01	0.27	0.51	0.87	16.85	17.7	23
ZZ18688		0.37	0.002	0.28	1.54	269	<0.2	<10	230	1.00	0.23	0.63	1.11	12.55	16.1	24
ZZ18689		0.49	0.001	0.24	1.60	411	<0.2	<10	210	0.94	0.24	0.45	0.62	11.80	13.6	27
ZZ18690		0.21	0.002	1.51	1.39	675	<0.2	<10	240	0.84	0.20	1.04	2.99	7.29	8.8	21
ZZ19302		0.26	0.001	0.11	1.88	22.3	<0.2	<10	320	1.15	0.22	0.56	0.15	13.35	14.3	30
ZZ19303		0.20	0.001	0.11	1.76	19.8	<0.2	<10	270	1.15	0.24	1.05	0.22	9.44	9.7	26
ZZ19304		0.26	0.001	0.09	1.85	18.5	<0.2	<10	210	1.06	0.25	0.34	0.11	14.25	15.0	33
ZZ19305		0.27	0.002	0.47	1.79	178.5	<0.2	<10	360	1.09	0.28	0.36	0.86	13.55	13.6	31
ZZ19306		0.30	0.001	0.28	1.45	441	<0.2	<10	290	1.03	0.24	0.43	0.63	15.05	16.4	27
ZZ19307		0.31	0.001	0.12	0.87	38.3	<0.2	<10	200	0.99	0.24	0.32	0.27	7.97	14.6	19
ZZ19308		0.21	0.001	0.16	1.15	46.6	<0.2	<10	230	0.96	0.23	0.43	0.34	11.70	15.6	20
ZZ19309		0.17	0.001	0.13	1.30	95.0	<0.2	<10	200	0.83	0.22	0.38	0.31	17.15	15.4	24
ZZ19310		0.24	0.002	0.17	1.55	55.3	<0.2	<10	340	0.95	0.24	0.46	0.26	21.9	15.8	28
ZZ19311		0.16	0.001	0.21	0.82	55.7	<0.2	<10	300	0.90	0.22	0.61	1.05	22.9	14.8	18
ZZ19312		0.25	0.003	0.20	1.24	56.9	<0.2	<10	340	0.75	0.24	0.70	0.74	16.25	14.1	23
ZZ19313		0.12	0.002	0.19	1.15	36.8	<0.2	<10	370	0.72	0.19	1.27	1.25	14.55	12.4	19
ZZ19314		0.13	0.002	0.25	1.20	36.2	<0.2	<10	330	0.95	0.22	1.05	0.78	16.55	12.9	20
ZZ19315		0.32	0.001	0.14	0.93	84.2	<0.2	<10	770	0.62	0.16	6.85	1.77	15.65	10.4	15
ZZ19316		0.24	0.001	0.11	0.67	129.0	<0.2	<10	950	0.68	0.14	9.96	0.43	11.45	9.5	12
ZZ19317		0.29	0.001	0.11	0.44	69	<0.2	<10	770	0.42	0.08	14.35	0.74	11.10	5.2	8
ZZ19318		0.24	0.001	0.13	0.70	158	<0.2	<10	530	0.64	0.15	10.25	0.84	16.05	10.5	12
ZZ19319		0.23	0.001	0.12	0.77	91.9	<0.2	<10	860	0.53	0.15	8.94	1.98	14.10	12.6	13
ZZ19320		0.20	0.001	0.29	1.14	470	<0.2	<10	240	1.05	0.23	2.72	1.71	12.55	15.1	20
ZZ19321		0.18	0.002	0.20	1.24	49.7	<0.2	<10	310	0.98	0.22	0.82	0.78	17.60	15.4	23
ZZ19322		0.20	0.002	0.20	1.14	34.8	<0.2	<10	330	1.11	0.26	0.89	0.45	16.10	13.0	20
ZZ19323		0.17	0.001	0.18	1.19	41.0	<0.2	<10	400	0.92	0.22	0.92	0.57	17.35	17.0	20
ZZ19324		0.17	0.001	0.17	0.97	28.1	<0.2	<10	390	0.95	0.23	0.93	0.75	16.75	14.7	18
ZZ19325		0.22	0.001	0.23	0.92	32.5	<0.2	<10	400	0.92	0.21	1.02	1.08	21.0	14.3	18
ZZ19326		0.14	0.001	0.25	0.61	35.5	<0.2	<10	320	0.84	0.20	0.97	2.07	20.4	13.8	16
ZZ19327		0.18	0.002	0.50	0.79	62.9	<0.2	<10	320	0.98	0.23	1.11	4.08	16.30	12.7	21
ZZ19328		0.25	0.002	0.18	1.50	56.1	<0.2	<10	290	1.17	0.27	0.57	0.26	18.35	15.4	26
ZZ19329		0.21	0.002	0.13	1.35	36.6	<0.2	<10	230	1.04	0.29	0.68	0.28	15.30	15.9	22

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 16- AUG- 2011
Account: RCM

Project: Rackla - Jackpot

CERTIFICATE OF ANALYSIS WH11145414

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
ZZ18679		2.46	34.1	3.41	4.31	0.12	0.06	3.66	0.040	0.09	4.2	26.0	0.46	301	0.88	0.01
ZZ18680		1.06	30.9	3.39	4.09	0.11	0.05	0.70	0.036	0.08	8.8	22.0	0.44	346	1.15	0.01
ZZ18681		1.49	41.4	3.76	5.30	0.11	0.04	0.46	0.038	0.08	5.2	24.6	0.44	624	0.97	0.01
ZZ18682		1.86	33.6	3.25	4.39	0.11	0.06	1.49	0.038	0.09	4.7	23.7	0.46	230	0.82	0.01
ZZ18683		1.37	24.9	3.28	5.05	0.12	0.06	1.27	0.040	0.10	4.8	22.7	0.48	565	0.77	0.01
ZZ18684		1.61	43.0	3.82	6.73	0.10	0.07	0.44	0.046	0.08	4.4	26.6	0.57	495	0.73	0.01
ZZ18685		1.49	45.8	4.14	4.33	0.12	0.06	1.96	0.046	0.08	6.3	24.0	0.48	567	1.32	0.01
ZZ18686		1.25	42.0	3.34	4.34	0.10	0.05	0.76	0.038	0.09	5.5	26.7	0.50	401	0.91	0.01
ZZ18687		1.13	41.1	4.06	4.50	0.12	0.05	1.62	0.047	0.09	7.2	25.6	0.50	507	1.26	0.01
ZZ18688		1.38	35.9	3.66	4.80	0.11	0.05	0.91	0.046	0.09	5.0	27.2	0.52	579	1.08	0.01
ZZ18689		1.76	29.9	3.92	4.94	0.11	0.05	0.84	0.042	0.09	5.6	27.3	0.53	366	1.07	0.01
ZZ18690		1.76	33.2	2.96	4.09	0.10	0.04	5.88	0.033	0.09	3.7	21.9	0.43	287	0.87	0.01
ZZ19302		0.85	34.8	3.87	6.36	<0.05	0.06	0.11	0.037	0.09	6.6	32.1	0.59	747	1.22	0.02
ZZ19303		0.92	36.5	3.25	5.27	<0.05	0.07	0.16	0.039	0.10	3.9	29.5	0.49	199	0.97	0.02
ZZ19304		1.06	35.9	4.11	6.14	<0.05	0.05	0.13	0.042	0.09	5.8	37.3	0.66	267	1.20	0.01
ZZ19305		2.12	36.7	4.34	5.44	<0.05	0.06	0.99	0.043	0.07	5.7	35.0	0.64	381	1.43	0.02
ZZ19306		2.08	37.7	3.79	4.90	<0.05	0.06	0.84	0.034	0.09	6.0	26.0	0.53	403	1.44	0.02
ZZ19307		1.53	30.0	3.94	3.04	<0.05	0.04	0.17	0.036	0.11	3.1	13.6	0.20	218	1.13	0.02
ZZ19308		1.22	25.1	3.97	3.75	<0.05	0.05	0.41	0.035	0.09	4.5	17.1	0.29	1200	1.34	0.02
ZZ19309		0.87	33.4	4.04	4.42	<0.05	0.05	0.26	0.038	0.08	7.2	21.4	0.48	631	1.11	0.01
ZZ19310		0.97	47.3	3.78	5.08	<0.05	0.06	0.33	0.035	0.08	10.3	25.4	0.59	288	1.02	0.02
ZZ19311		0.78	36.8	3.65	2.96	0.05	0.06	0.23	0.040	0.08	9.8	11.5	0.24	319	8.23	0.01
ZZ19312		1.06	39.6	3.51	4.04	<0.05	0.07	0.75	0.036	0.08	6.6	18.0	0.45	384	2.54	0.02
ZZ19313		0.88	37.8	3.00	3.51	<0.05	0.06	0.38	0.026	0.09	5.9	15.0	0.39	934	1.76	0.02
ZZ19314		1.19	40.5	3.02	3.84	<0.05	0.06	0.33	0.034	0.10	7.2	14.8	0.37	481	2.49	0.02
ZZ19315		0.67	35.4	2.81	2.77	<0.05	0.04	0.86	0.026	0.06	7.0	13.4	4.69	783	0.52	0.03
ZZ19316		0.94	25.8	3.15	1.96	<0.05	0.05	0.66	0.022	0.05	6.3	8.1	6.04	899	0.63	0.04
ZZ19317		0.58	13.6	3.40	1.21	<0.05	0.03	0.61	0.012	0.03	6.5	4.2	8.66	1380	0.61	0.04
ZZ19318		0.81	22.6	2.84	2.19	<0.05	0.05	0.63	0.024	0.05	10.9	9.1	6.01	1130	0.48	0.03
ZZ19319		0.67	36.6	2.97	2.35	<0.05	0.04	1.22	0.024	0.05	7.4	10.8	5.27	1180	0.60	0.04
ZZ19320		2.06	32.4	3.54	3.55	<0.05	0.05	1.18	0.036	0.09	5.3	19.0	1.61	600	0.57	0.02
ZZ19321		1.06	41.4	3.52	4.01	0.05	0.06	0.37	0.036	0.10	7.6	17.6	0.43	533	2.65	0.02
ZZ19322		1.12	40.0	3.36	3.82	<0.05	0.07	0.20	0.038	0.10	6.8	15.4	0.37	437	1.94	0.02
ZZ19323		0.78	34.1	3.51	3.73	<0.05	0.05	0.25	0.035	0.09	7.1	15.5	0.37	730	2.74	0.02
ZZ19324		1.01	37.5	3.27	3.12	<0.05	0.06	0.14	0.036	0.10	6.4	11.8	0.28	604	3.35	0.02
ZZ19325		0.88	37.8	3.19	3.13	<0.05	0.07	0.23	0.036	0.10	8.3	11.5	0.30	523	4.49	0.02
ZZ19326		0.86	33.9	3.10	2.02	<0.05	0.06	0.14	0.032	0.09	8.0	5.7	0.17	436	7.28	0.02
ZZ19327		0.98	49.7	3.32	2.55	<0.05	0.06	0.28	0.037	0.08	7.9	9.0	0.23	322	11.00	0.02
ZZ19328		0.88	50.0	3.97	4.91	<0.05	0.06	0.40	0.040	0.08	9.1	22.1	0.46	598	1.41	0.02
ZZ19329		0.76	47.1	4.18	4.32	<0.05	0.06	0.52	0.039	0.09	6.0	20.9	0.44	569	1.01	0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 16- AUG- 2011
Account: RCM

Project: Rackla - Jackpot

CERTIFICATE OF ANALYSIS WH11145414

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
ZZ18679		0.20	45.4	750	115.0	12.6	<0.001	0.05	1.76	5.5	1.3	0.5	31.5	<0.01	0.05	2.3
ZZ18680		0.44	35.5	660	36.6	9.7	<0.001	0.03	1.04	5.5	0.8	0.5	28.2	<0.01	0.06	2.8
ZZ18681		0.53	33.3	380	36.5	11.3	<0.001	0.02	0.60	4.9	0.5	0.6	21.8	<0.01	0.06	3.5
ZZ18682		0.26	34.2	630	64.8	11.1	<0.001	0.04	1.00	5.4	1.2	0.5	26.1	<0.01	0.05	2.6
ZZ18683		0.32	31.7	600	67.9	11.8	<0.001	0.04	0.83	5.3	0.7	0.5	30.0	<0.01	0.05	2.4
ZZ18684		0.27	37.6	400	31.5	8.8	<0.001	0.01	0.46	6.1	0.6	0.8	18.9	<0.01	0.04	4.3
ZZ18685		0.21	45.0	590	33.4	9.0	<0.001	0.02	0.73	7.5	1.0	0.5	24.6	<0.01	0.06	3.4
ZZ18686		0.26	42.1	620	42.5	9.9	0.001	0.04	0.83	6.4	1.2	0.5	34.4	<0.01	0.06	3.2
ZZ18687		0.25	48.7	640	34.6	9.0	<0.001	0.02	0.64	7.5	0.8	0.5	25.9	<0.01	0.06	3.8
ZZ18688		0.21	46.1	550	55.2	9.2	<0.001	0.03	0.70	6.5	1.0	0.5	26.2	<0.01	0.05	3.2
ZZ18689		0.27	39.9	670	49.1	10.5	<0.001	0.01	0.77	6.1	0.7	0.5	20.3	<0.01	0.07	3.5
ZZ18690		0.24	40.5	770	129.5	11.4	<0.001	0.07	1.78	4.5	1.0	0.5	31.6	<0.01	0.05	1.9
ZZ19302		0.25	42.2	720	15.5	11.0	0.001	0.03	0.43	6.7	0.9	0.6	27.1	<0.01	0.06	2.3
ZZ19303		0.19	38.6	740	17.9	10.7	0.001	0.09	0.46	5.6	0.7	0.5	42.8	<0.01	0.04	1.9
ZZ19304		0.19	44.9	700	17.1	9.9	<0.001	0.01	0.38	6.7	1.0	0.5	19.3	<0.01	0.06	3.4
ZZ19305		0.27	49.6	610	119.0	10.3	<0.001	0.03	1.25	5.9	1.0	0.6	25.5	<0.01	0.05	2.9
ZZ19306		0.20	48.6	790	30.4	11.8	0.001	0.02	1.70	6.1	1.4	0.5	24.4	<0.01	0.05	3.4
ZZ19307		0.11	42.6	550	23.3	12.3	<0.001	0.02	0.42	5.7	1.0	0.5	33.9	<0.01	0.05	3.5
ZZ19308		0.19	38.3	650	38.7	10.4	<0.001	0.02	0.46	5.6	1.0	0.5	24.7	<0.01	0.04	3.2
ZZ19309		0.23	35.3	660	23.8	8.1	<0.001	0.01	0.41	5.9	1.2	0.4	21.4	<0.01	0.06	3.8
ZZ19310		0.35	40.2	550	22.3	8.5	<0.001	0.02	0.48	6.9	1.1	0.5	23.1	<0.01	0.07	3.6
ZZ19311		0.22	45.1	1140	21.2	7.3	0.002	0.02	1.19	6.2	2.5	0.5	44.2	<0.01	0.03	5.2
ZZ19312		0.29	41.9	510	20.8	8.0	0.001	0.03	0.69	5.6	0.9	0.4	29.0	<0.01	0.05	3.2
ZZ19313		0.31	42.0	660	15.9	7.9	0.001	0.07	0.62	4.3	1.4	0.4	38.3	<0.01	0.05	2.2
ZZ19314		0.29	39.1	830	19.1	10.4	<0.001	0.06	0.91	4.7	1.8	0.5	39.0	<0.01	0.05	2.0
ZZ19315		0.12	21.6	550	39.7	5.0	<0.001	0.06	0.27	5.0	0.8	0.3	66.9	<0.01	0.03	2.8
ZZ19316		0.10	19.8	540	135.0	4.9	<0.001	0.05	0.29	4.9	0.7	0.3	66.3	<0.01	0.03	1.9
ZZ19317		0.10	10.4	520	40.7	3.6	<0.001	0.04	0.19	2.8	0.5	0.2	81.5	<0.01	0.02	1.2
ZZ19318		0.15	19.8	530	42.5	5.4	<0.001	0.04	0.26	5.3	0.8	0.3	81.4	<0.01	0.04	2.3
ZZ19319		0.12	22.9	570	58.1	4.3	<0.001	0.06	0.30	4.9	0.6	0.3	78.9	<0.01	0.05	2.2
ZZ19320		0.20	36.5	600	60.3	10.6	0.001	0.09	0.80	5.8	1.4	0.5	37.9	<0.01	0.03	3.2
ZZ19321		0.28	41.9	780	22.4	8.4	0.001	0.04	0.76	5.6	1.2	0.5	37.4	<0.01	0.06	2.8
ZZ19322		0.29	34.0	670	20.2	9.3	<0.001	0.04	0.62	5.5	1.1	0.5	40.7	<0.01	0.03	2.6
ZZ19323		0.27	35.7	640	21.3	7.9	0.001	0.04	0.72	5.3	1.4	0.5	40.6	<0.01	0.04	2.7
ZZ19324		0.26	33.6	790	20.5	8.4	0.001	0.04	0.85	5.2	1.5	0.5	43.0	<0.01	0.04	3.3
ZZ19325		0.24	42.5	1040	20.4	8.3	0.002	0.04	1.05	5.8	1.8	0.5	45.6	<0.01	0.03	3.7
ZZ19326		0.16	37.4	1270	19.5	7.4	0.003	0.04	1.48	5.4	2.7	0.4	47.0	<0.01	0.03	4.7
ZZ19327		0.20	72.2	880	20.3	7.4	0.006	0.05	2.72	5.6	3.5	0.4	35.6	<0.01	0.05	3.1
ZZ19328		0.32	39.2	580	25.9	8.9	<0.001	0.02	0.46	7.0	0.9	0.5	30.2	<0.01	0.04	3.6
ZZ19329		0.24	34.6	450	27.4	7.8	<0.001	0.03	0.40	6.0	0.8	0.5	28.1	<0.01	0.04	3.3

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 16- AUG- 2011
Account: RCM

Project: Rackla - Jackpot

CERTIFICATE OF ANALYSIS WH11145414

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	Zn- OG46
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr	Zn
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5	0.001
ZZ18679		<0.005	8.09	1.81	28	0.13	9.91	1000	1.6	
ZZ18680		0.007	1.07	1.02	32	0.11	10.20	292	1.3	
ZZ18681		0.006	0.55	0.80	30	0.13	6.78	150	1.4	
ZZ18682		<0.005	1.97	1.21	28	0.08	9.09	308	1.6	
ZZ18683		<0.005	1.40	1.07	29	0.08	8.07	282	1.8	
ZZ18684		<0.005	0.64	0.74	30	<0.05	7.03	197	2.3	
ZZ18685		<0.005	1.14	0.84	31	<0.05	12.05	282	2.1	
ZZ18686		<0.005	1.13	1.11	30	0.05	12.10	258	2.0	
ZZ18687		<0.005	0.73	0.86	32	0.05	12.40	203	2.0	
ZZ18688		<0.005	1.47	0.93	32	0.05	9.26	276	1.5	
ZZ18689		<0.005	0.74	0.99	34	0.07	8.75	268	1.3	
ZZ18690		<0.005	3.53	1.41	28	0.16	8.48	669	1.3	
ZZ19302		<0.005	0.13	0.81	39	0.05	11.60	108	1.6	
ZZ19303		<0.005	0.15	0.78	32	<0.05	9.51	112	1.9	
ZZ19304		<0.005	0.11	0.63	38	<0.05	9.13	119	1.9	
ZZ19305		0.005	0.63	0.86	37	0.10	8.76	221	1.8	
ZZ19306		<0.005	18.25	0.66	34	0.05	11.65	744	2.2	
ZZ19307		<0.005	0.53	0.51	24	<0.05	8.04	115	2.0	
ZZ19308		<0.005	0.41	0.81	28	<0.05	9.83	124	1.7	
ZZ19309		<0.005	0.13	0.78	35	<0.05	8.32	143	2.1	
ZZ19310		0.007	0.24	0.86	40	0.06	11.50	118	2.5	
ZZ19311		<0.005	0.16	1.38	52	<0.05	14.85	194	2.3	
ZZ19312		0.005	0.27	1.25	45	0.05	8.33	183	2.3	
ZZ19313		<0.005	0.25	1.44	38	0.05	8.83	229	2.0	
ZZ19314		<0.005	0.29	2.29	47	<0.05	11.50	214	2.0	
ZZ19315		<0.005	0.29	0.76	21	<0.05	8.18	697	1.8	
ZZ19316		<0.005	0.31	0.89	17	<0.05	9.66	225	1.4	
ZZ19317		<0.005	0.42	1.35	12	<0.05	7.36	238	1.0	
ZZ19318		<0.005	0.21	0.86	16	<0.05	11.60	426	1.4	
ZZ19319		<0.005	0.37	0.81	19	<0.05	9.34	806	1.5	
ZZ19320		<0.005	4.07	0.81	28	0.05	10.05	550	2.0	
ZZ19321		<0.005	0.27	1.14	47	0.06	10.90	194	2.3	
ZZ19322		<0.005	0.22	1.01	36	0.05	10.85	145	2.2	
ZZ19323		<0.005	0.23	1.26	43	<0.05	10.75	151	1.8	
ZZ19324		<0.005	0.20	1.27	40	0.06	10.55	140	2.0	
ZZ19325		<0.005	0.24	1.41	49	<0.05	13.60	166	2.3	
ZZ19326		<0.005	0.23	1.47	50	<0.05	12.30	233	2.7	
ZZ19327		<0.005	0.36	2.41	174	0.05	15.65	353	2.2	
ZZ19328		0.005	0.20	0.85	35	0.06	13.85	129	2.0	
ZZ19329		<0.005	0.22	0.55	30	<0.05	7.97	132	2.0	

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 16- AUG- 2011
Account: RCM

Project: Rackla - Jackpot

CERTIFICATE OF ANALYSIS WH11145414

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- TL43 Au ppm 0.001	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1
ZZ19330		0.29	0.002	0.20	1.21	32.6	<0.2	<10	260	1.04	0.28	0.56	0.26	16.95	16.8	22
ZZ19331		0.18	0.001	0.21	1.25	53.3	<0.2	<10	260	1.01	0.23	0.77	0.56	14.95	15.0	25
ZZ19332		0.22	0.001	0.12	1.02	46.1	<0.2	<10	160	0.95	0.21	0.32	0.27	13.45	13.2	22
ZZ19333		0.28	0.001	0.11	1.04	30.7	<0.2	<10	200	0.99	0.23	0.46	0.19	9.71	13.0	21
ZZ19334		0.29	0.001	0.10	1.14	26.6	<0.2	<10	180	1.07	0.22	0.34	0.15	7.97	10.2	23
ZZ19335		0.33	0.002	0.11	1.76	33.3	<0.2	<10	210	1.23	0.27	0.38	0.26	8.06	16.1	30
ZZ19336		0.28	0.022	0.23	1.71	92.6	<0.2	<10	310	1.09	0.25	0.48	0.32	11.55	12.5	28
ZZ19337		0.18	0.008	0.55	1.73	149.0	<0.2	<10	550	1.25	0.24	1.20	1.22	14.70	13.1	26
ZZ19338		0.23	0.003	1.16	1.35	405	<0.2	<10	430	0.90	0.25	0.81	1.43	14.20	13.4	24
ZZ19339		0.26	0.003	0.49	1.51	346	<0.2	<10	480	0.79	0.25	0.67	1.09	15.30	10.8	27
ZZ19340		0.19	0.002	0.46	1.74	162.0	<0.2	<10	250	0.92	0.22	0.78	0.85	13.55	15.8	28
ZZ19101		0.22	0.002	0.11	1.54	19.1	<0.2	<10	370	1.11	0.27	0.54	0.25	17.85	17.5	26
ZZ19102		0.22	0.001	0.20	1.37	29.2	<0.2	<10	410	1.02	0.28	0.64	0.27	17.05	16.4	24
ZZ19103		0.16	0.002	0.31	1.20	33.1	<0.2	<10	280	0.97	0.26	0.66	1.25	14.25	12.6	24
ZZ19104		0.28	0.001	0.19	1.25	621	<0.2	<10	210	0.96	0.27	0.68	1.31	11.60	16.6	23
ZZ19105		0.31	0.002	0.14	0.94	55.5	<0.2	<10	510	0.60	0.16	8.14	2.05	16.90	11.1	14
ZZ19106		0.20	0.001	0.14	0.66	82	<0.2	<10	440	0.61	0.14	11.75	1.18	14.65	8.1	11
ZZ19107		0.38	0.002	0.17	1.92	295	<0.2	<10	1160	1.12	0.27	1.98	0.57	29.2	15.0	30
ZZ19108		0.25	0.001	0.15	0.50	125	<0.2	<10	890	0.44	0.09	14.00	0.44	11.75	5.6	9
ZZ19341		0.13	0.001	0.15	1.78	28.8	<0.2	<10	330	1.09	0.24	0.98	0.15	10.85	16.3	27
ZZ19342		0.20	0.001	0.07	1.92	40.0	<0.2	<10	280	1.05	0.26	0.50	0.22	15.05	21.0	31
ZZ19343		0.34	0.002	0.14	1.96	17.5	<0.2	<10	260	0.96	0.26	0.39	0.17	15.80	14.6	34
ZZ19344		0.11	0.002	0.15	1.84	65.6	<0.2	<10	340	0.88	0.22	0.69	0.38	11.75	15.5	27
ZZ19345		0.26	0.002	0.13	1.85	123.0	<0.2	<10	290	0.87	0.24	0.47	0.37	16.00	15.0	33
ZZ19346		0.25	0.001	0.07	1.84	14.5	<0.2	<10	220	0.74	0.23	0.43	0.10	12.75	13.1	30
ZZ19347		0.22	0.003	0.48	1.23	39.7	<0.2	<10	400	0.88	0.22	1.58	2.51	11.55	10.1	24
ZZ19348		0.22	0.002	0.24	0.93	32.3	<0.2	<10	400	0.81	0.25	0.85	0.67	18.30	15.2	19
ZZ19349		0.24	0.001	0.11	1.69	17.3	<0.2	<10	270	1.14	0.28	0.95	0.37	17.20	13.9	27
ZZ19350		0.20	0.002	0.17	1.42	18.7	<0.2	<10	490	1.08	0.26	1.12	0.47	18.10	14.5	23
ZZ19051		0.37	0.002	0.42	1.33	1390	<0.2	<10	260	0.83	0.25	0.66	1.55	9.03	13.4	22
ZZ19052		0.17	0.003	0.67	1.25	1235	<0.2	<10	250	0.94	0.21	1.00	2.35	8.56	14.5	22
ZZ19053		0.25	0.003	4.18	1.53	1530	<0.2	<10	210	1.02	0.25	1.06	16.25	8.18	12.1	24
ZZ19054		0.33	0.002	1.27	1.11	5680	<0.2	<10	160	0.83	0.18	6.04	35.3	12.15	11.8	19
ZZ19055		0.36	0.001	0.10	1.44	1825	<0.2	<10	270	1.17	0.32	0.27	1.39	10.75	32.0	26
ZZ19056		0.21	0.002	0.42	1.53	84.7	<0.2	<10	240	0.91	0.20	3.28	2.14	8.28	12.9	23
ZZ19057		0.26	0.003	0.46	1.73	92.4	<0.2	<10	440	1.04	0.27	0.99	2.09	11.80	15.6	27
ZZ19058		0.34	0.005	1.21	1.67	711	<0.2	<10	430	1.28	0.28	0.99	3.88	17.05	16.4	30
ZZ19059		0.36	0.002	0.14	1.88	21.6	<0.2	<10	210	1.04	0.29	0.31	0.17	14.00	15.8	31
ZZ19060		0.32	0.002	0.12	1.96	17.2	<0.2	<10	210	0.89	0.26	0.34	0.11	13.45	12.7	32
CC145454		0.45	0.002	0.11	2.11	9.9	<0.2	<10	140	1.00	0.29	0.28	0.12	10.85	13.3	36

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 16- AUG- 2011
Account: RCM

Project: Rackla - Jackpot

CERTIFICATE OF ANALYSIS WH11145414

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
ZZ19330		0.86	45.3	4.02	3.82	<0.05	0.06	0.24	0.033	0.09	6.9	17.9	0.38	795	1.01	0.02
ZZ19331		0.97	32.4	3.61	4.10	<0.05	0.07	0.35	0.034	0.10	6.7	18.4	0.38	758	1.77	0.02
ZZ19332		1.10	32.8	3.62	3.38	<0.05	0.03	0.28	0.039	0.09	4.7	15.8	0.29	264	1.31	0.02
ZZ19333		0.95	23.7	3.49	3.28	<0.05	0.05	0.16	0.033	0.10	3.6	14.5	0.24	519	1.10	0.02
ZZ19334		1.15	25.1	3.45	3.66	<0.05	0.05	0.15	0.032	0.10	3.1	18.4	0.31	170	0.91	0.02
ZZ19335		1.64	29.6	4.26	5.46	<0.05	0.06	0.13	0.033	0.13	2.9	29.5	0.56	547	0.79	0.02
ZZ19336		1.65	27.2	3.69	5.25	<0.05	0.06	3.20	0.036	0.10	4.7	28.0	0.52	297	0.89	0.02
ZZ19337		1.85	48.2	3.25	5.03	<0.05	0.06	1.83	0.035	0.09	7.0	22.8	0.44	511	1.10	0.02
ZZ19338		2.38	43.3	4.08	4.38	0.12	0.05	2.93	0.040	0.08	6.1	20.9	0.46	393	1.35	0.01
ZZ19339		1.21	31.0	3.70	4.63	0.13	0.05	1.61	0.040	0.07	7.4	25.4	0.56	377	1.29	0.01
ZZ19340		0.90	31.0	4.31	5.14	0.13	0.06	0.77	0.038	0.08	6.2	29.5	0.66	694	0.95	0.01
ZZ19101		0.92	36.7	4.06	5.09	0.16	0.07	0.11	0.051	0.10	8.7	25.7	0.46	705	1.43	0.01
ZZ19102		0.78	32.9	4.03	4.28	0.15	0.07	0.13	0.041	0.10	6.5	19.4	0.39	793	2.31	0.01
ZZ19103		1.10	38.8	3.49	3.95	0.15	0.06	0.29	0.039	0.10	6.0	19.9	0.33	495	4.48	0.01
ZZ19104		2.04	33.1	4.53	3.91	0.13	0.05	2.24	0.044	0.09	4.5	20.8	0.54	315	1.13	0.01
ZZ19105		0.70	31.0	2.74	3.01	0.13	0.06	0.72	0.025	0.05	8.8	14.1	4.78	748	0.55	0.02
ZZ19106		0.56	19.9	2.65	1.85	0.13	0.06	1.09	0.023	0.05	10.8	8.1	6.99	1340	0.43	0.02
ZZ19107		1.05	33.5	4.64	4.51	0.14	0.07	0.75	0.049	0.06	15.9	18.5	1.41	1420	1.21	0.02
ZZ19108		0.56	16.3	3.16	1.39	0.12	0.03	0.99	0.014	0.04	6.5	5.7	8.30	1700	0.58	0.04
ZZ19341		0.98	39.8	5.98	5.02	0.13	0.06	0.17	0.039	0.11	5.2	32.6	0.59	746	1.01	0.02
ZZ19342		1.07	29.3	4.61	6.19	0.13	0.07	0.09	0.044	0.09	6.2	38.8	0.73	973	1.11	0.01
ZZ19343		1.37	42.5	4.42	5.73	0.13	0.04	0.10	0.042	0.11	7.1	35.4	0.70	274	1.08	0.01
ZZ19344		0.98	30.3	4.27	5.07	0.12	0.05	0.15	0.037	0.10	5.1	26.9	0.54	1080	0.77	0.01
ZZ19345		0.84	30.7	4.30	5.43	0.13	0.05	0.44	0.038	0.08	6.8	33.2	0.71	597	0.90	0.01
ZZ19346		0.80	24.9	4.06	5.61	0.12	0.04	0.08	0.037	0.07	5.8	33.7	0.65	521	0.91	0.01
ZZ19347		0.62	49.9	3.37	3.54	0.13	0.05	0.28	0.033	0.07	7.1	13.9	0.36	630	5.05	0.01
ZZ19348		0.88	39.4	3.46	3.04	0.13	0.06	0.11	0.036	0.10	7.4	12.5	0.29	691	4.16	0.01
ZZ19349		1.34	29.9	4.55	5.02	0.13	0.06	0.07	0.044	0.11	7.5	26.6	0.45	361	2.36	0.01
ZZ19350		0.96	38.7	3.52	4.80	0.13	0.06	0.09	0.042	0.11	7.8	19.8	0.37	1250	1.72	0.01
ZZ19051		1.67	33.1	4.11	3.99	0.12	0.05	1.96	0.039	0.09	3.9	22.7	0.41	426	1.03	0.01
ZZ19052		1.95	35.6	3.89	3.64	0.13	0.05	2.46	0.034	0.09	3.8	19.6	0.38	723	0.97	0.01
ZZ19053		4.78	49.9	3.75	4.77	0.13	0.07	17.15	0.043	0.09	3.7	31.2	0.52	441	0.95	0.01
ZZ19054		14.15	34.3	3.03	3.18	0.13	0.04	3.79	0.030	0.09	5.2	14.1	3.54	858	1.02	0.02
ZZ19055		6.47	46.9	4.88	5.36	0.14	0.02	0.22	0.045	0.10	3.7	28.2	0.52	550	1.51	0.01
ZZ19056		1.38	25.4	3.19	4.15	0.13	0.05	1.55	0.032	0.09	3.4	29.5	1.63	809	0.61	0.02
ZZ19057		1.71	37.1	3.54	5.23	0.14	0.06	1.20	0.042	0.09	5.0	39.5	0.55	765	0.85	0.01
ZZ19058		2.11	46.0	3.78	5.29	0.13	0.06	9.94	0.044	0.10	8.0	30.0	0.60	697	1.25	0.01
ZZ19059		1.71	32.7	4.51	6.17	0.13	0.04	0.13	0.045	0.09	6.4	38.5	0.61	631	1.14	0.01
ZZ19060		1.64	30.9	4.41	5.75	0.13	0.03	0.10	0.045	0.10	5.9	37.9	0.69	342	1.02	0.01
CC145454		1.39	26.4	4.46	6.83	0.12	0.03	0.04	0.044	0.09	4.8	49.9	0.78	281	0.83	0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 16- AUG- 2011
Account: RCM

Project: Rackla - Jackpot

CERTIFICATE OF ANALYSIS WH11145414

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
ZZ19330		0.24	41.1	560	23.6	8.0	<0.001	0.02	0.38	6.0	1.0	0.5	25.9	<0.01	0.05	3.6
ZZ19331		0.24	40.6	760	30.1	10.7	<0.001	0.04	0.56	6.0	1.2	0.5	32.9	<0.01	0.05	2.9
ZZ19332		0.14	40.0	670	29.5	10.2	<0.001	0.01	0.37	6.6	1.1	0.4	22.3	<0.01	0.03	3.8
ZZ19333		0.17	37.1	650	27.0	10.6	<0.001	0.03	0.42	5.5	0.9	0.4	28.2	<0.01	0.03	3.2
ZZ19334		0.15	34.0	500	26.0	11.4	<0.001	0.02	0.37	5.4	0.6	0.4	26.6	<0.01	0.04	3.4
ZZ19335		0.16	46.8	570	22.9	13.7	<0.001	0.02	0.41	5.6	0.9	0.6	26.0	<0.01	0.03	3.9
ZZ19336		0.27	39.7	570	36.8	13.2	<0.001	0.03	0.57	5.6	0.5	0.5	24.5	<0.01	0.03	2.5
ZZ19337		0.40	43.9	980	73.4	12.7	0.001	0.09	1.12	4.8	1.9	0.5	43.9	<0.01	0.06	1.2
ZZ19338		0.23	42.6	700	186.5	9.6	<0.001	0.04	2.32	6.1	1.0	0.4	31.4	<0.01	0.05	2.5
ZZ19339		0.38	34.7	570	58.0	9.0	<0.001	0.04	1.31	4.9	0.8	0.4	25.1	<0.01	0.06	2.0
ZZ19340		0.20	39.3	740	248	8.7	<0.001	0.05	1.51	5.6	0.8	0.4	25.4	<0.01	0.06	2.6
ZZ19101		0.35	39.0	660	19.1	10.5	0.002	0.03	0.35	7.0	1.4	0.6	30.0	<0.01	0.04	4.5
ZZ19102		0.36	34.0	680	23.3	10.3	0.001	0.03	0.52	6.0	1.1	0.6	32.6	<0.01	0.04	3.6
ZZ19103		0.24	42.5	750	22.7	11.7	0.003	0.05	0.88	5.9	1.9	0.6	35.2	<0.01	0.07	3.2
ZZ19104		0.16	42.7	710	56.5	10.6	0.001	0.03	0.80	6.3	0.8	0.5	23.3	<0.01	0.05	3.8
ZZ19105		0.16	21.0	670	42.6	5.7	<0.001	0.08	0.34	4.2	0.6	0.3	80.7	<0.01	0.05	1.6
ZZ19106		0.12	15.0	590	54.8	4.5	<0.001	0.05	0.24	4.8	0.4	0.2	86.7	<0.01	0.04	1.9
ZZ19107		0.50	34.4	480	48.4	9.9	<0.001	0.04	0.47	7.7	1.0	0.5	44.8	<0.01	0.04	5.5
ZZ19108		0.15	12.9	480	50.5	3.8	<0.001	0.06	0.21	2.6	0.6	0.2	129.5	<0.01	0.02	1.3
ZZ19341		0.15	40.5	750	25.1	10.4	0.001	0.15	0.93	6.5	1.0	0.4	36.5	<0.01	0.06	2.5
ZZ19342		0.16	42.3	760	21.4	9.5	0.001	0.04	0.33	6.2	0.6	0.5	24.2	<0.01	0.05	3.3
ZZ19343		0.20	42.5	700	17.2	10.8	<0.001	0.03	0.41	7.3	0.8	0.4	19.8	<0.01	0.05	3.9
ZZ19344		0.22	34.7	870	17.0	10.7	0.001	0.07	0.37	5.7	0.6	0.4	26.6	<0.01	0.04	2.3
ZZ19345		0.26	38.0	690	23.9	8.7	0.001	0.03	0.41	5.9	0.8	0.4	19.1	<0.01	0.04	3.2
ZZ19346		0.24	33.8	720	13.4	9.5	0.001	0.03	0.30	5.2	0.5	0.4	20.4	<0.01	0.04	2.6
ZZ19347		0.24	63.5	600	16.6	7.6	0.001	0.06	1.78	5.2	1.8	0.4	44.8	<0.01	0.05	1.9
ZZ19348		0.19	43.4	870	39.6	8.3	0.003	0.04	1.10	6.4	1.2	0.4	47.9	<0.01	0.04	4.6
ZZ19349		0.27	38.3	790	18.7	10.7	<0.001	0.04	0.57	7.1	0.8	0.6	35.7	<0.01	0.07	4.7
ZZ19350		0.28	36.8	780	20.3	11.2	0.001	0.05	0.54	6.7	1.3	0.6	46.9	<0.01	0.06	3.3
ZZ19051		0.14	42.3	770	73.7	10.5	0.001	0.05	1.65	5.9	0.8	0.4	26.8	<0.01	0.04	2.8
ZZ19052		0.14	47.9	800	115.0	10.6	0.001	0.08	1.86	5.5	0.9	0.4	33.2	<0.01	0.04	2.2
ZZ19053		0.17	52.0	750	509	13.2	0.001	0.10	4.98	5.7	1.3	0.5	41.9	<0.01	0.06	1.9
ZZ19054		0.22	38.4	670	266	11.7	0.001	0.07	3.39	4.8	1.2	0.3	51.5	<0.01	0.05	2.1
ZZ19055		0.08	64.8	850	31.7	11.7	0.001	0.02	1.50	7.1	1.2	0.6	18.8	<0.01	0.07	5.0
ZZ19056		0.16	45.8	650	44.9	9.5	0.001	0.07	0.77	4.7	0.7	0.4	45.4	<0.01	0.05	1.6
ZZ19057		0.18	52.0	670	33.8	12.4	0.001	0.06	0.64	6.5	1.0	0.5	36.5	<0.01	0.06	2.3
ZZ19058		0.35	49.7	690	117.5	11.8	<0.001	0.06	2.16	6.3	1.3	0.5	35.6	<0.01	0.05	2.2
ZZ19059		0.22	43.4	780	18.6	13.1	0.001	0.04	0.40	7.5	0.8	0.5	25.3	<0.01	0.06	3.6
ZZ19060		0.19	40.2	740	14.7	11.9	<0.001	0.03	0.33	6.8	0.7	0.4	27.7	<0.01	0.05	3.2
CC145454		0.19	47.9	740	14.3	11.6	0.001	0.03	0.33	7.0	0.8	0.5	21.9	<0.01	0.04	3.6

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 16- AUG- 2011
Account: RCM

Project: Rackla - Jackpot

CERTIFICATE OF ANALYSIS WH11145414

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	Zn- OG46
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr	Zn
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5	0.001
ZZ19330		0.005	0.17	0.68	30	<0.05	9.65	125	2.0	
ZZ19331		<0.005	0.57	0.98	32	0.05	11.80	156	2.0	
ZZ19332		<0.005	0.24	0.56	28	<0.05	9.91	122	1.6	
ZZ19333		<0.005	0.33	0.58	26	<0.05	10.15	106	1.6	
ZZ19334		<0.005	0.26	0.48	26	<0.05	7.79	106	2.0	
ZZ19335		<0.005	0.45	0.61	31	<0.05	9.19	129	2.2	
ZZ19336		<0.005	1.11	0.87	35	0.10	8.86	167	1.8	
ZZ19337		<0.005	2.04	1.84	35	0.11	14.30	205	1.9	
ZZ19338		0.005	4.35	1.11	36	0.29	9.94	490	1.4	
ZZ19339		0.007	2.25	1.12	39	0.15	7.77	295	1.3	
ZZ19340		<0.005	2.93	0.93	40	0.05	9.03	277	1.8	
ZZ19101		0.005	<0.02	1.02	37	0.05	12.40	126	2.3	
ZZ19102		<0.005	0.02	1.03	42	0.09	8.41	133	2.1	
ZZ19103		<0.005	0.17	1.37	81	0.06	12.60	186	2.1	
ZZ19104		<0.005	3.74	0.90	37	<0.05	9.74	559	1.8	
ZZ19105		0.005	0.25	0.93	22	0.06	9.54	930	1.7	
ZZ19106		<0.005	0.29	1.09	16	0.05	11.00	573	1.5	
ZZ19107		0.010	0.32	1.23	40	0.14	14.00	241	2.5	
ZZ19108		0.006	0.54	1.57	13	0.06	7.04	131	0.9	
ZZ19341		<0.005	0.14	0.85	36	<0.05	12.80	123	2.0	
ZZ19342		<0.005	0.22	0.68	41	<0.05	8.50	121	2.0	
ZZ19343		<0.005	0.12	0.65	42	0.07	9.71	131	1.9	
ZZ19344		<0.005	0.12	0.70	38	0.06	8.29	119	1.5	
ZZ19345		0.005	0.17	0.94	41	0.06	7.88	139	1.5	
ZZ19346		0.005	0.09	0.57	39	0.05	6.64	113	1.2	
ZZ19347		<0.005	0.24	2.76	133	0.08	16.60	260	1.6	
ZZ19348		<0.005	0.20	1.49	42	0.05	13.05	180	2.3	
ZZ19349		<0.005	0.13	1.09	41	<0.05	11.80	145	1.9	
ZZ19350		<0.005	0.12	1.00	33	<0.05	12.65	119	1.9	
ZZ19051		<0.005	4.18	1.33	31	0.08	10.60	851	1.5	
ZZ19052		<0.005	4.84	1.60	29	0.10	12.35	749	1.5	
ZZ19053		<0.005	53.0	3.71	28	0.37	10.90	4030	2.0	
ZZ19054		0.005	90.5	1.27	26	0.31	8.98	>10000	1.1	1.645
ZZ19055		<0.005	4.91	1.31	32	<0.05	14.85	1460	1.1	
ZZ19056		<0.005	1.10	1.02	27	0.20	10.60	382	1.5	
ZZ19057		<0.005	0.81	1.66	31	0.08	16.65	256	1.7	
ZZ19058		<0.005	7.26	1.84	47	0.26	14.35	669	1.9	
ZZ19059		<0.005	0.15	0.69	39	<0.05	11.55	123	1.2	
ZZ19060		<0.005	0.12	0.55	39	<0.05	9.25	124	1.1	
CC145454		<0.005	0.10	0.52	37	<0.05	8.41	125	1.1	

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 16- AUG- 2011
Account: RCM

Project: Rackla - Jackpot

CERTIFICATE OF ANALYSIS WH11145414

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- TL43 Au ppm 0.001	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1
CC145455		0.31	0.002	0.14	1.84	19.5	<0.2	<10	220	0.96	0.27	0.30	0.20	16.10	14.4	31
CC145456		0.38	0.004	0.15	1.84	66.3	<0.2	<10	220	1.05	0.25	2.86	0.34	11.15	16.7	29
CC145457		0.28	0.005	0.66	1.34	344	<0.2	<10	180	1.10	0.17	6.59	1.78	7.58	9.5	21
CC145458		0.29	0.003	0.48	1.65	106.5	<0.2	<10	220	0.95	0.23	3.02	1.40	8.16	12.8	26
CC145459		0.47	0.003	1.11	1.48	1450	<0.2	<10	210	1.20	0.26	0.66	9.91	9.40	14.6	25
CC145460		0.33	0.004	0.89	1.56	1025	<0.2	<10	230	0.92	0.25	0.60	3.74	9.05	11.6	26
ZZ18651		0.34	0.007	0.14	1.89	17.0	<0.2	<10	280	1.21	0.28	0.39	0.20	12.85	10.7	28
ZZ18652		0.40	0.004	0.11	2.01	15.1	<0.2	<10	170	1.09	0.29	0.26	0.14	12.55	12.1	33

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 16- AUG- 2011
Account: RCM

Project: Rackla - Jackpot

CERTIFICATE OF ANALYSIS WH11145414

Sample Description	Method Analyte Units LOR	ME- MS41 Cs ppm 0.05	ME- MS41 Cu ppm 0.2	ME- MS41 Fe % 0.01	ME- MS41 Ga ppm 0.05	ME- MS41 Ge ppm 0.05	ME- MS41 Hf ppm 0.02	ME- MS41 Hg ppm 0.01	ME- MS41 In ppm 0.005	ME- MS41 K % 0.01	ME- MS41 La ppm 0.2	ME- MS41 Li ppm 0.1	ME- MS41 Mg % 0.01	ME- MS41 Mn ppm 5	ME- MS41 Mo ppm 0.05	ME- MS41 Na % 0.01
CC145455		2.20	37.6	4.43	5.71	0.14	0.03	0.19	0.043	0.10	6.9	35.5	0.69	314	1.00	0.01
CC145456		1.44	41.8	4.21	5.10	0.13	0.06	0.87	0.040	0.10	4.8	31.8	1.94	540	0.97	0.01
CC145457		1.92	35.4	2.50	3.54	0.12	0.05	3.14	0.029	0.08	3.8	23.8	3.80	476	0.65	0.02
CC145458		1.69	26.7	3.39	5.26	0.12	0.06	2.53	0.040	0.08	3.8	38.2	1.77	403	0.83	0.02
CC145459		10.95	44.1	3.75	4.35	0.07	0.07	3.71	0.048	0.11	3.8	28.2	0.55	605	1.94	0.01
CC145460		2.85	29.3	3.75	4.37	0.06	0.07	9.54	0.047	0.09	3.8	32.0	0.49	481	1.09	0.01
ZZ18651		2.85	30.8	3.45	5.20	0.07	0.04	0.11	0.044	0.12	6.3	38.7	0.48	495	1.07	0.01
ZZ18652		1.80	27.8	4.09	5.74	0.07	0.04	0.07	0.047	0.09	5.5	46.3	0.63	294	1.11	0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 16- AUG- 2011
Account: RCM

Project: Rackla - Jackpot

CERTIFICATE OF ANALYSIS WH11145414

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
CC145455		0.22	43.5	790	16.8	12.7	<0.001	0.03	0.39	7.1	0.6	0.4	25.6	<0.01	0.06	3.8
CC145456		0.12	50.5	520	24.7	8.9	<0.001	0.03	0.60	6.7	0.6	0.4	43.6	<0.01	0.06	3.1
CC145457		0.19	36.1	600	100.0	10.9	0.001	0.07	1.81	4.6	0.8	0.4	59.7	<0.01	0.03	1.3
CC145458		0.17	46.2	590	59.7	11.8	0.001	0.05	0.99	5.7	0.7	0.5	43.3	<0.01	0.05	2.2
CC145459		0.15	57.3	810	147.0	13.5	<0.001	0.08	2.99	6.4	1.3	0.6	33.6	<0.01	0.04	3.3
CC145460		0.18	44.9	710	212	11.7	<0.001	0.07	2.15	5.4	0.9	0.5	28.0	<0.01	0.05	2.6
ZZ18651		0.18	43.0	790	14.8	16.4	<0.001	0.05	0.37	7.1	0.8	0.5	42.2	<0.01	0.04	2.4
ZZ18652		0.23	42.8	730	21.5	12.3	<0.001	0.03	0.49	6.8	0.6	0.5	24.8	<0.01	0.04	3.7

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 16- AUG- 2011
Account: RCM

Project: Rackla - Jackpot

CERTIFICATE OF ANALYSIS WH11145414

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	Zn- OG46
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr	Zn
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5	0.001
CC145455		<0.005	0.15	0.64	39	<0.05	10.80	132	1.2	
CC145456		<0.005	0.27	0.55	37	0.05	9.46	158	2.1	
CC145457		<0.005	14.55	2.17	32	0.21	8.94	772	1.6	
CC145458		<0.005	1.31	0.99	29	0.12	9.39	325	1.7	
CC145459		<0.005	47.1	2.21	28	0.30	12.00	4460	2.1	
CC145460		<0.005	9.90	1.39	32	0.29	9.81	955	1.7	
ZZ18651		<0.005	0.22	0.67	33	0.20	14.80	119	0.8	
ZZ18652		<0.005	0.13	0.60	38	0.13	9.20	109	1.2	

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 16- AUG- 2011
Account: RCM

Project: Rackla - Jackpot

CERTIFICATE OF ANALYSIS WH11145414

Method	CERTIFICATE COMMENTS
ME- MS41	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown.
ME- MS41	Gold determinations by this method are semi- quantitative due to the small sample weight used (0.5g).

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 17- AUG- 2011
Account: RCM

CERTIFICATE WH11148696

Project: Rackla- Sian

P.O. No.:

This report is for 81 Soil samples submitted to our lab in Whitehorse, YT, Canada on 3- AUG- 2011.

The following have access to data associated with this certificate:

ROB CARNE JULIA LANE	ANDREW CARNE JOAN MARIACHER	MATT DUMALA

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
SCR- 41	Screen to - 180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- TL43	Trace Level Au - 25g AR	ICP- MS
ME- MS41	51 anal. aqua regia ICPMS	

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 17- AUG- 2011
Account: RCM

Project: Rackla- Sian

CERTIFICATE OF ANALYSIS WH11148696

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- TL43 Au ppm 0.001	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1
CC142531		0.45	0.002	0.02	0.80	406	<0.2	<10	190	1.04	0.53	0.04	0.14	19.70	20.8	11
CC142532		0.40	0.002	0.04	1.56	9.5	<0.2	<10	310	1.09	0.28	0.06	0.12	11.95	15.8	21
CC142533		0.38	0.002	0.03	0.89	16.7	<0.2	<10	200	1.26	0.45	0.07	0.07	16.85	15.4	16
CC142534		0.46	0.003	0.09	0.98	17.3	<0.2	<10	350	1.26	0.52	0.21	0.02	14.05	12.1	12
CC142535		0.41	0.002	0.06	1.37	10.0	<0.2	<10	160	0.83	0.39	0.04	0.33	16.70	16.4	27
CC142536		0.37	0.002	0.05	1.57	16.0	<0.2	<10	160	1.17	0.38	0.04	0.22	20.0	18.8	24
CC142537		0.45	0.002	0.07	1.66	15.3	<0.2	<10	150	1.02	0.41	0.03	0.20	14.60	17.4	25
CC142538		0.46	0.002	0.30	0.58	10.7	<0.2	<10	610	2.56	0.47	0.54	0.11	26.7	17.1	13
CC142539		0.40	0.002	0.04	0.32	0.5	<0.2	<10	320	1.62	0.58	0.13	0.02	18.15	15.7	15
CC142540		0.42	0.001	0.06	0.57	22.2	<0.2	<10	110	1.02	0.53	0.08	0.08	14.60	13.1	9
CC142541		0.36	0.002	0.30	0.44	18.5	<0.2	<10	110	0.88	0.43	0.29	0.12	13.15	13.8	7
CC142542		0.38	0.002	0.25	0.18	17.8	<0.2	<10	70	0.77	0.37	2.38	0.11	12.55	13.7	4
CC142543		0.40	0.002	0.22	0.16	17.3	<0.2	<10	90	0.63	0.29	7.79	0.12	12.05	10.3	3
CC142544		0.36	0.002	0.18	0.39	22.3	<0.2	<10	100	0.70	0.33	0.14	0.12	5.35	9.4	5
CC142545		0.36	0.004	0.22	1.72	18.2	<0.2	<10	310	0.78	0.35	0.10	0.24	21.5	9.9	24
CC142546		0.39	0.002	0.07	1.36	34.7	<0.2	<10	230	1.07	0.39	0.06	0.28	24.7	19.7	21
CC142547		0.43	0.002	0.09	0.81	31.1	<0.2	<10	240	1.24	0.57	0.36	0.13	19.40	22.8	13
CC142548		0.56	0.004	0.39	1.66	34.8	<0.2	<10	460	1.24	0.30	0.55	0.35	21.9	16.2	26
CC142549		0.40	0.003	0.07	1.78	44.1	<0.2	<10	310	1.10	0.26	0.17	0.31	30.5	17.1	25
CC142550		0.40	0.002	0.05	1.39	17.4	<0.2	<10	120	1.22	0.38	0.04	0.28	14.30	22.1	21
CC142551		0.34	0.002	0.04	1.19	25.9	<0.2	<10	160	1.39	0.40	0.06	0.13	10.65	20.0	15
CC142552		0.45	0.002	0.02	2.17	11.2	<0.2	<10	150	1.20	0.64	0.04	0.35	17.15	22.2	38
CC142553		0.47	0.002	0.04	0.47	10.3	<0.2	<10	140	0.76	0.51	0.09	0.03	16.40	12.5	8
CC142554		0.44	0.002	0.03	1.03	16.9	<0.2	<10	130	0.42	0.33	0.11	0.08	22.3	7.7	16
CC142555		0.43	0.002	0.04	1.30	14.3	<0.2	<10	140	0.93	0.45	0.08	0.12	34.3	12.9	21
CC142556		0.48	0.002	0.04	0.69	35.2	<0.2	<10	250	0.68	0.38	0.23	0.13	19.55	14.5	11
CC142557		0.44	0.001	0.01	0.56	2.0	<0.2	<10	160	0.91	0.37	0.10	0.06	39.3	17.1	10
CC142558		0.44	0.001	0.03	0.63	37.4	<0.2	<10	240	0.37	0.43	0.22	0.23	10.50	24.7	10
CC142559		0.52	0.001	0.09	0.32	73	<0.2	<10	430	0.28	0.12	14.90	0.07	15.40	6.9	8
CC142560		0.39	0.001	0.04	0.23	23	<0.2	<10	100	0.23	0.13	14.20	0.08	17.60	5.6	5
CC142561		0.41	0.001	0.14	0.51	72.2	<0.2	<10	140	0.43	0.12	5.30	0.13	29.0	7.4	17
CC142562		0.34	0.001	0.17	1.37	42.7	<0.2	<10	230	0.94	0.24	3.55	0.35	22.6	7.4	20
CC142563		0.42	<0.001	0.08	1.00	293	<0.2	<10	180	0.85	0.16	0.38	0.73	51.6	5.9	17
CC142564		0.37	<0.001	0.14	0.26	32.9	<0.2	<10	40	0.41	0.14	0.57	0.24	28.4	4.2	6
CC142565		0.39	0.001	0.25	0.47	31.8	<0.2	<10	80	0.94	0.24	0.28	0.20	40.5	8.5	7
CC142566		0.41	0.001	0.04	0.76	14.2	<0.2	<10	230	1.39	0.53	0.18	0.08	23.8	12.8	9
CC142567		0.36	0.002	0.10	1.50	15.8	<0.2	<10	590	1.06	0.41	0.29	0.34	23.8	10.4	22
CC142568		0.48	0.001	0.14	1.26	20.9	<0.2	<10	170	0.94	0.36	0.04	0.15	18.50	10.0	19
CC142569		0.49	0.001	0.04	1.18	9.3	<0.2	<10	100	1.02	0.56	0.02	0.08	18.35	23.3	20
CC142570		0.57	0.002	0.09	0.33	15.9	<0.2	<10	150	0.72	0.45	0.18	0.10	21.4	14.6	7

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 17- AUG- 2011
Account: RCM

Project: Rackla- Sian

CERTIFICATE OF ANALYSIS WH11148696

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
CC142531		2.82	36.8	2.82	2.51	0.05	0.03	0.08	0.030	0.07	8.6	8.9	0.15	491	1.53	<0.01
CC142532		2.54	55.5	3.45	5.46	0.05	0.05	0.06	0.037	0.06	5.3	20.8	0.36	816	1.69	<0.01
CC142533		2.80	36.4	3.47	3.43	0.06	0.03	0.07	0.037	0.05	8.5	19.8	0.30	497	0.92	<0.01
CC142534		3.15	32.2	2.92	3.34	0.05	0.05	0.03	0.031	0.05	6.8	13.5	0.25	401	0.48	<0.01
CC142535		3.85	17.6	4.11	4.80	0.06	0.03	0.03	0.035	0.07	7.1	17.9	0.32	698	1.52	<0.01
CC142536		2.03	38.4	3.84	5.02	0.07	0.06	0.04	0.035	0.06	7.9	22.9	0.44	946	1.64	<0.01
CC142537		1.96	33.3	4.15	5.79	0.06	0.06	0.03	0.038	0.05	6.4	25.8	0.38	709	2.45	<0.01
CC142538		1.44	31.6	4.13	2.02	0.09	0.04	1.51	0.066	0.04	9.7	2.5	0.05	690	0.85	<0.01
CC142539		2.23	40.0	3.28	1.68	0.06	0.11	0.14	0.044	0.05	7.8	3.4	0.07	428	0.26	<0.01
CC142540		8.18	34.1	2.91	2.51	0.06	0.02	0.08	0.035	0.06	7.7	7.1	0.09	368	0.88	<0.01
CC142541		4.45	32.8	3.50	1.49	0.07	0.03	1.00	0.039	0.04	5.9	5.9	0.06	373	0.98	<0.01
CC142542		1.59	32.4	3.90	0.51	0.07	0.14	2.15	0.037	0.04	4.5	1.2	0.04	451	0.62	<0.01
CC142543		1.85	25.7	2.98	0.43	0.05	0.20	1.45	0.031	0.04	4.6	0.7	0.06	259	0.87	<0.01
CC142544		1.75	26.6	3.00	1.26	<0.05	0.03	0.81	0.034	0.05	2.5	1.3	0.02	208	0.79	<0.01
CC142545		3.06	22.4	3.36	6.55	0.06	0.03	0.33	0.037	0.06	10.4	16.8	0.32	375	1.87	<0.01
CC142546		2.65	34.9	4.48	4.66	0.07	0.04	0.76	0.046	0.06	8.5	16.3	0.28	648	1.82	<0.01
CC142547		3.48	40.8	3.26	2.79	0.06	0.05	0.51	0.043	0.06	8.2	17.2	0.15	473	0.90	<0.01
CC142548		5.66	47.2	3.91	5.06	0.09	0.14	0.43	0.041	0.08	12.9	22.8	0.50	769	3.11	<0.01
CC142549		1.35	32.4	3.93	4.71	0.08	0.07	0.43	0.035	0.05	12.0	20.1	0.45	884	1.66	<0.01
CC142550		2.83	27.9	4.78	3.78	0.05	0.04	0.31	0.042	0.06	5.4	19.5	0.32	869	0.76	<0.01
CC142551		2.93	19.2	3.87	3.52	0.05	0.05	0.74	0.051	0.06	4.6	19.1	0.22	969	0.44	<0.01
CC142552		4.52	26.3	4.79	8.81	0.05	0.06	0.25	0.039	0.05	7.2	39.6	0.62	982	0.75	<0.01
CC142553		2.11	34.6	2.83	1.41	<0.05	0.03	0.07	0.023	0.19	7.0	5.1	0.11	350	0.33	0.01
CC142554		3.56	19.8	2.30	3.78	<0.05	<0.02	0.20	0.020	0.11	8.6	8.0	0.17	328	0.89	0.01
CC142555		3.54	28.1	3.83	3.53	0.05	0.04	0.15	0.035	0.09	10.9	15.2	0.30	420	0.97	0.01
CC142556		3.22	35.7	2.94	2.14	<0.05	0.04	0.08	0.028	0.12	7.6	5.9	0.15	620	0.77	0.01
CC142557		14.15	25.8	3.55	2.02	0.09	0.02	0.08	0.030	0.29	14.1	4.8	0.10	486	0.38	0.01
CC142558		6.73	23.9	2.24	2.64	<0.05	0.02	0.09	0.026	0.11	4.1	5.6	0.12	1120	0.72	0.01
CC142559		1.06	16.0	1.74	0.90	0.05	0.06	1.77	0.011	0.04	6.3	2.7	8.61	1030	0.35	0.02
CC142560		1.91	11.4	1.04	0.76	0.06	0.08	1.34	0.009	0.06	8.0	1.4	8.45	357	0.18	0.02
CC142561		1.93	12.3	2.16	1.63	0.05	0.05	2.20	0.020	0.04	11.0	4.4	3.12	479	0.55	0.02
CC142562		1.08	15.8	2.86	3.90	<0.05	0.07	0.66	0.027	0.05	10.7	15.2	1.86	932	1.18	0.02
CC142563		1.37	10.0	5.36	2.37	0.08	0.07	0.60	0.029	0.04	10.8	6.9	0.14	3420	0.66	0.01
CC142564		2.08	8.5	1.34	0.88	<0.05	0.04	0.93	0.017	0.03	7.2	1.9	0.03	260	0.30	0.01
CC142565		2.51	15.4	2.41	1.48	0.09	0.03	0.95	0.030	0.05	16.2	2.9	0.05	336	0.39	0.01
CC142566		4.01	35.5	3.11	2.49	0.05	0.02	0.33	0.043	0.10	9.6	5.5	0.09	563	0.95	0.01
CC142567		14.45	26.7	3.03	4.61	0.05	0.08	0.18	0.030	0.13	10.2	31.0	0.32	558	1.14	0.01
CC142568		2.99	25.5	3.42	3.96	0.05	0.03	0.29	0.027	0.11	7.0	12.6	0.17	597	1.40	0.01
CC142569		4.12	32.4	4.00	5.00	0.06	0.03	0.03	0.029	0.19	6.4	26.1	0.27	915	0.76	<0.01
CC142570		1.53	31.0	2.76	1.20	0.06	0.04	0.08	0.022	0.13	8.4	3.8	0.08	618	0.83	<0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 17- AUG- 2011
Account: RCM

Project: Rackla- Sian

CERTIFICATE OF ANALYSIS WH11148696

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
CC142531		0.14	26.8	280	19.5	11.4	0.001	0.03	0.63	3.5	0.8	0.4	23.8	<0.01	0.03	4.6
CC142532		0.22	30.4	260	13.6	14.6	<0.001	0.02	0.67	5.2	0.8	0.5	13.0	<0.01	0.04	3.4
CC142533		0.27	25.8	160	15.8	9.9	<0.001	0.02	0.43	5.5	0.7	0.4	23.1	<0.01	0.03	4.9
CC142534		0.15	22.7	220	13.2	11.8	<0.001	0.02	0.31	4.4	0.6	0.4	24.8	<0.01	0.04	4.4
CC142535		0.62	23.4	540	18.9	15.0	<0.001	0.03	0.65	3.0	0.5	0.6	8.7	<0.01	0.05	2.0
CC142536		0.33	34.2	240	25.4	12.6	<0.001	0.03	0.70	4.8	0.7	0.5	9.3	<0.01	0.04	4.3
CC142537		0.47	27.5	400	26.1	15.7	<0.001	0.03	1.01	3.5	0.7	0.6	8.2	<0.01	0.05	3.0
CC142538		0.09	50.9	200	38.3	7.4	0.001	0.03	0.25	10.3	1.0	0.8	47.4	0.01	0.02	6.1
CC142539		0.22	23.6	150	9.5	8.2	<0.001	0.02	0.10	7.7	0.3	0.5	43.8	<0.01	0.05	7.0
CC142540		0.28	28.0	280	19.6	12.5	<0.001	0.02	0.48	4.8	0.6	0.5	18.4	<0.01	0.07	1.6
CC142541		0.17	35.9	380	48.8	7.7	<0.001	0.03	0.53	5.5	0.9	0.5	33.2	<0.01	0.03	3.1
CC142542		0.05	34.9	440	37.1	3.3	<0.001	0.05	0.38	6.1	0.9	0.5	112.5	<0.01	0.02	6.7
CC142543		0.06	29.0	410	26.4	3.9	<0.001	0.05	0.32	5.2	0.8	0.4	309	<0.01	0.02	6.2
CC142544		0.09	28.8	510	29.7	6.9	<0.001	0.05	1.00	3.6	0.7	0.4	14.1	<0.01	0.03	1.2
CC142545		0.53	23.6	900	27.5	18.4	<0.001	0.04	0.78	2.1	0.8	0.7	13.1	<0.01	0.04	0.7
CC142546		0.44	37.0	710	48.5	14.9	<0.001	0.04	1.92	3.0	0.8	0.6	13.6	<0.01	0.05	1.2
CC142547		0.16	33.5	310	36.4	13.6	<0.001	0.03	2.72	5.8	0.6	0.6	56.2	<0.01	0.05	4.1
CC142548		0.38	35.3	700	23.9	15.9	<0.001	0.06	1.15	7.6	1.4	0.5	35.8	0.01	0.07	2.8
CC142549		0.43	34.4	460	29.9	11.8	<0.001	0.03	1.19	4.6	0.8	0.4	15.0	<0.01	0.05	3.6
CC142550		0.38	25.6	680	25.7	11.3	<0.001	0.03	0.57	3.8	0.5	0.4	8.7	<0.01	0.05	2.4
CC142551		0.14	22.9	440	23.1	12.1	<0.001	0.02	1.22	7.4	0.6	0.4	11.4	<0.01	0.19	4.4
CC142552		0.26	35.2	220	39.2	10.5	<0.001	0.02	0.25	4.4	0.4	0.9	13.8	<0.01	0.03	5.5
CC142553		0.10	22.0	140	13.5	13.1	<0.001	<0.01	0.30	3.3	0.3	0.3	24.1	<0.01	0.02	5.0
CC142554		0.23	15.3	650	19.7	17.2	<0.001	0.03	0.77	1.0	0.4	0.5	9.2	<0.01	0.04	0.5
CC142555		0.40	29.5	400	19.2	16.7	<0.001	0.01	0.63	4.2	0.5	0.5	10.8	<0.01	0.03	3.8
CC142556		0.20	23.0	220	20.9	17.0	<0.001	0.01	0.46	4.0	0.3	0.3	21.1	<0.01	0.03	3.8
CC142557		0.17	23.9	300	11.5	22.3	<0.001	<0.01	0.22	7.1	0.3	0.3	13.1	<0.01	0.04	5.3
CC142558		0.26	21.3	610	11.8	15.3	<0.001	0.03	0.69	2.7	0.2	0.4	11.4	<0.01	0.05	0.9
CC142559		0.13	15.8	1240	121.5	3.6	<0.001	0.01	8.07	3.0	0.5	0.2	363	<0.01	0.05	3.6
CC142560		0.06	8.6	1180	76.7	3.8	<0.001	<0.01	1.37	3.7	0.5	0.2	41.1	<0.01	0.04	4.4
CC142561		0.11	22.4	270	90.0	5.6	<0.001	0.02	3.63	4.2	0.5	0.3	45.6	<0.01	0.02	3.9
CC142562		0.32	19.2	1510	52.8	10.7	<0.001	0.12	2.70	2.1	0.8	0.4	23.5	<0.01	0.05	0.9
CC142563		0.22	17.0	860	88.8	9.8	<0.001	0.03	3.72	2.7	0.6	0.2	20.5	<0.01	0.04	2.0
CC142564		0.06	13.5	480	69.1	4.0	<0.001	0.03	0.34	1.6	0.5	0.2	22.4	<0.01	0.02	1.4
CC142565		0.10	24.2	430	35.6	8.3	<0.001	0.01	0.18	4.2	0.7	0.4	15.4	<0.01	0.02	3.3
CC142566		0.11	21.3	160	18.1	18.2	<0.001	<0.01	0.40	5.5	0.7	0.6	33.6	<0.01	0.02	5.6
CC142567		0.43	28.1	790	20.5	36.1	<0.001	0.03	0.61	4.1	0.6	0.5	22.5	<0.01	0.04	2.5
CC142568		0.37	23.3	660	26.7	20.6	<0.001	0.03	0.89	2.6	0.6	0.5	11.2	<0.01	0.05	1.7
CC142569		0.55	27.2	320	28.1	22.3	<0.001	<0.01	0.41	3.4	0.4	0.6	8.2	<0.01	0.03	5.8
CC142570		0.10	22.9	460	28.7	8.3	<0.001	0.05	0.39	3.5	0.4	0.4	40.9	<0.01	0.02	8.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 17- AUG- 2011
Account: RCM

Project: Rackla- Sian

CERTIFICATE OF ANALYSIS WH11148696

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
CC142531		0.007	0.11	0.69	18	<0.05	7.25	75	0.5
CC142532		0.008	0.17	0.66	34	0.07	6.85	94	1.1
CC142533		0.011	0.09	0.95	22	0.06	11.25	75	0.5
CC142534		0.008	0.07	0.88	14	<0.05	11.40	53	1.0
CC142535		0.021	0.12	0.93	39	0.18	5.68	75	0.6
CC142536		0.011	0.12	0.81	32	0.08	7.00	99	1.6
CC142537		0.011	0.15	0.76	38	0.10	4.40	95	1.4
CC142538		0.006	0.27	0.64	18	0.06	19.30	161	0.6
CC142539		0.012	0.04	1.06	24	0.07	7.29	62	4.6
CC142540		0.010	0.10	0.56	20	0.09	9.38	59	<0.5
CC142541		0.008	0.17	0.77	12	0.07	11.75	128	<0.5
CC142542		0.006	0.20	0.51	6	<0.05	13.65	94	6.2
CC142543		0.006	0.12	0.63	6	<0.05	10.55	88	8.0
CC142544		0.007	0.13	0.52	11	<0.05	7.36	132	0.5
CC142545		0.017	0.24	0.90	45	0.22	5.46	89	0.5
CC142546		0.014	0.19	0.91	36	0.15	6.37	142	0.6
CC142547		0.008	0.17	0.69	19	<0.05	8.93	93	1.2
CC142548		0.012	0.17	1.47	43	0.17	20.5	112	3.3
CC142549		0.013	0.16	1.44	40	0.12	8.12	115	1.7
CC142550		0.012	0.07	0.57	28	0.09	6.25	98	0.8
CC142551		0.007	0.12	0.50	23	<0.05	8.16	82	1.0
CC142552		0.010	0.11	0.87	30	<0.05	5.93	168	1.9
CC142553		0.005	0.08	0.80	11	<0.05	7.18	64	1.0
CC142554		0.014	0.16	0.60	32	0.15	3.16	65	<0.5
CC142555		0.009	0.14	0.97	28	0.12	6.12	75	0.7
CC142556		0.007	0.20	0.92	18	0.07	4.99	45	1.0
CC142557		0.011	0.13	0.55	15	<0.05	6.32	47	<0.5
CC142558		0.014	0.14	0.37	23	0.09	2.39	50	0.5
CC142559		<0.005	0.87	3.76	10	0.08	13.65	21	3.4
CC142560		<0.005	0.38	3.26	6	<0.05	13.85	34	4.6
CC142561		<0.005	0.84	1.17	17	0.15	8.23	50	1.5
CC142562		0.010	0.27	1.93	33	0.12	11.70	119	1.5
CC142563		0.006	0.18	1.78	24	0.15	10.60	248	2.0
CC142564		<0.005	0.05	1.26	7	<0.05	6.10	68	1.0
CC142565		<0.005	0.12	1.04	8	0.05	14.75	70	0.5
CC142566		<0.005	0.15	1.44	12	<0.05	9.09	56	<0.5
CC142567		0.009	0.19	0.96	34	0.14	10.10	126	1.8
CC142568		0.009	0.16	0.91	34	0.10	4.94	114	0.5
CC142569		0.020	0.19	0.96	23	0.07	6.23	86	1.1
CC142570		<0.005	0.39	0.90	11	<0.05	8.66	76	2.0

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 17- AUG- 2011
Account: RCM

Project: Rackla- Sian

CERTIFICATE OF ANALYSIS WH11148696

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- TL43 Au ppm 0.001	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1
DD004926		0.30	0.001	0.03	2.19	11.4	<0.2	<10	170	0.89	0.41	0.03	0.41	17.20	16.3	30
DD004927		0.34	0.002	0.02	1.80	22.5	<0.2	<10	220	0.92	0.48	0.04	0.23	17.85	15.4	28
DD004928		0.32	0.001	0.03	1.44	22.0	<0.2	<10	230	0.79	0.46	0.02	0.25	16.10	15.8	28
DD004929		0.35	0.003	0.05	1.65	20.7	<0.2	<10	170	1.02	0.36	0.16	0.21	36.9	12.8	30
DD004930		0.37	0.002	0.03	1.56	19.9	<0.2	<10	90	0.68	0.37	0.09	0.26	30.9	14.7	31
DD004931		0.34	0.001	0.05	1.53	28.1	<0.2	<10	240	2.27	0.53	0.09	0.05	21.3	14.3	30
DD004932		0.35	0.001	0.06	1.77	23.8	<0.2	<10	160	1.10	0.38	0.04	0.40	24.8	18.7	26
DD004933		0.30	0.002	0.03	1.90	13.6	<0.2	<10	80	0.85	0.52	0.05	0.30	23.8	13.5	36
DD004934		0.38	0.002	0.09	1.74	16.6	<0.2	<10	160	0.52	0.35	0.07	0.19	26.7	10.0	29
DD004935		0.38	0.001	0.05	2.12	24.3	<0.2	<10	450	1.03	0.36	0.04	0.39	23.4	18.8	29
DD004936		0.38	0.003	0.06	1.68	11.3	<0.2	<10	1040	0.73	0.29	0.08	0.21	21.3	8.8	24
DD004937		0.32	0.004	0.13	1.48	44.0	<0.2	<10	720	0.71	0.38	0.33	0.34	26.0	11.9	24
DD004938		0.33	0.003	0.31	0.86	152.0	<0.2	<10	200	0.50	0.27	0.61	1.35	27.2	10.1	24
DD004939		0.32	0.001	0.23	0.37	333	<0.2	<10	160	0.30	0.23	4.12	1.09	21.5	9.1	17
DD004940		0.39	0.001	0.12	0.43	415	<0.2	<10	130	0.24	0.06	15.35	0.50	10.45	3.6	7
DD004941		0.35	0.002	0.30	0.66	451	<0.2	<10	250	0.35	0.20	6.29	0.99	20.3	8.9	15
DD004942		0.33	0.001	0.06	0.31	797	<0.2	<10	170	0.23	0.05	13.80	0.70	9.55	5.4	8
DD004943		0.32	0.001	0.08	0.16	179	<0.2	<10	20	0.14	0.05	14.70	0.23	10.35	4.4	7
DD004944		0.36	0.002	0.24	0.75	796	<0.2	<10	140	0.46	0.10	11.10	0.50	15.25	8.1	14
DD004945		0.32	0.003	0.33	1.06	1150	<0.2	<10	350	0.83	0.13	7.96	1.12	20.8	9.3	16
DD004946		0.37	0.001	0.28	0.52	202	<0.2	<10	110	0.81	0.31	4.39	0.42	8.69	10.9	9
DD004947		0.31	<0.001	0.05	0.91	43.7	<0.2	<10	70	0.29	0.37	0.04	0.10	15.05	9.5	19
DD004949		0.38	<0.001	0.05	1.06	28.2	<0.2	<10	110	0.40	0.31	0.03	0.15	17.60	7.3	19
DD004950		0.30	<0.001	0.09	0.47	36.0	<0.2	<10	50	0.56	0.33	<0.01	0.11	9.59	8.5	8
DD004701		0.38	0.001	0.14	1.36	35.1	<0.2	<10	450	1.33	0.38	0.35	0.32	26.3	18.2	23
DD004702		0.27	0.001	0.07	1.70	13.3	<0.2	<10	450	1.05	0.28	0.19	0.17	33.2	13.7	26
DD004703		0.32	0.002	0.11	0.75	9.8	<0.2	<10	250	1.11	0.43	0.44	0.12	17.35	15.6	12
DD004704		0.41	0.001	0.03	1.33	9.3	<0.2	<10	280	0.97	0.28	0.32	0.13	32.0	11.4	22
DD004705		0.29	0.001	0.19	1.53	16.5	<0.2	<10	370	1.07	0.31	0.57	0.17	32.4	10.2	24
DD004706		0.34	0.002	0.24	1.58	40.5	<0.2	<10	810	0.75	0.24	1.88	0.56	37.3	12.5	27
DD004707		0.33	0.001	0.03	0.26	27	<0.2	<10	160	0.16	0.03	16.70	0.10	9.92	2.0	4
DD004708		0.46	0.001	0.14	0.32	245	<0.2	<10	270	0.28	0.11	14.00	0.12	17.55	7.0	8
DD004709		0.26	0.002	0.15	1.01	86.2	<0.2	<10	360	0.60	0.24	5.40	0.43	32.3	11.9	19
DD004710		0.34	0.001	0.16	0.86	124.5	<0.2	<10	220	0.48	0.14	6.23	0.72	22.2	7.7	15
DD004711		0.31	<0.001	0.14	0.43	20.2	<0.2	<10	110	0.68	0.20	0.28	0.07	19.60	6.6	9
DD004712		0.41	0.001	0.06	1.36	15.9	<0.2	<10	170	1.11	0.34	0.16	0.15	35.1	13.8	22
DD004713		0.36	0.001	0.07	1.13	20.9	<0.2	<10	300	0.88	0.34	0.10	0.17	22.2	12.7	17
DD004714		0.44	0.003	0.01	0.42	1.9	<0.2	<10	40	1.51	0.27	<0.01	0.07	13.20	18.4	7
DD004715		0.34	0.007	0.01	0.33	12.8	<0.2	<10	30	0.41	0.93	<0.01	0.02	4.82	10.4	5
DD004716		0.38	0.001	0.04	0.25	9.0	<0.2	<10	140	1.29	0.54	0.07	<0.01	25.8	20.4	6

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 17- AUG- 2011
Account: RCM

Project: Rackla- Sian

CERTIFICATE OF ANALYSIS WH11148696

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
DD004926		2.26	33.3	4.29	7.34	0.05	0.05	0.02	0.038	0.07	6.7	31.7	0.53	459	1.04	0.01
DD004927		1.94	39.7	4.22	6.08	0.05	0.04	0.03	0.040	0.07	6.8	21.5	0.42	840	1.93	0.01
DD004928		2.92	64.4	4.03	4.70	0.05	0.03	0.04	0.037	0.07	4.8	19.2	0.31	5550	1.55	0.01
DD004929		4.27	35.6	3.31	5.56	0.07	0.02	0.04	0.031	0.07	15.3	22.2	0.49	603	1.87	0.01
DD004930		3.07	24.6	3.89	5.36	0.07	<0.02	0.03	0.038	0.08	12.6	25.3	0.49	934	1.74	0.01
DD004931		10.85	86.3	3.25	5.94	0.07	0.03	0.01	0.032	0.07	8.5	30.0	0.50	793	1.41	0.01
DD004932		2.16	49.2	4.01	5.56	0.07	0.07	0.04	0.036	0.07	9.0	30.6	0.49	884	1.88	0.01
DD004933		7.57	20.9	4.33	7.21	0.07	<0.02	0.03	0.039	0.09	9.9	25.0	0.53	490	1.36	<0.01
DD004934		2.58	20.2	3.41	6.62	0.06	<0.02	0.03	0.030	0.06	11.1	21.1	0.37	468	1.82	0.01
DD004935		2.23	42.0	4.21	5.53	0.07	0.07	0.05	0.039	0.08	8.9	39.0	0.53	744	2.21	0.01
DD004936		2.33	16.7	3.05	5.98	0.05	<0.02	0.04	0.027	0.05	9.4	15.6	0.22	392	1.67	0.01
DD004937		2.13	25.0	3.85	5.32	0.06	0.03	0.83	0.034	0.06	9.9	20.5	0.35	796	1.62	0.01
DD004938		2.43	19.1	3.58	3.24	0.06	0.05	16.70	0.046	0.05	11.4	9.3	0.38	1020	0.76	0.01
DD004939		1.68	17.1	3.15	1.51	0.06	0.03	10.35	0.026	0.04	9.9	2.7	2.34	1240	0.52	0.01
DD004940		0.48	6.2	1.66	1.20	<0.05	0.03	4.61	0.009	0.02	4.3	4.8	9.34	1420	0.61	0.03
DD004941		1.00	18.8	2.35	2.41	0.05	0.05	10.50	0.021	0.04	9.1	8.6	3.81	855	0.79	0.02
DD004942		0.40	6.0	1.71	0.96	<0.05	0.03	30.5	0.009	0.02	4.2	3.5	8.38	1120	0.40	0.02
DD004943		1.38	6.5	1.40	0.49	<0.05	0.05	2.25	0.007	0.03	4.1	1.2	8.81	504	0.16	0.02
DD004944		0.47	14.4	2.75	1.93	0.10	0.04	4.29	0.015	0.03	7.7	5.3	7.02	2280	0.59	0.01
DD004945		0.59	15.2	4.58	2.86	0.12	0.05	8.22	0.025	0.03	10.9	5.6	4.89	3330	0.78	0.01
DD004946		1.44	28.2	2.88	1.66	0.10	0.04	5.68	0.031	0.04	4.0	2.6	2.53	701	0.60	<0.01
DD004947		3.73	18.6	3.79	5.39	0.09	<0.02	0.16	0.031	0.05	6.4	4.3	0.14	443	1.30	<0.01
DD004949		5.95	16.1	2.76	5.35	0.10	<0.02	0.39	0.027	0.05	7.7	6.4	0.16	547	1.47	<0.01
DD004950		4.69	23.9	3.16	1.63	0.10	0.02	1.01	0.025	0.04	3.8	3.0	0.05	376	0.70	<0.01
DD004701		1.27	39.0	4.21	5.02	0.12	0.09	1.11	0.039	0.06	11.5	15.3	0.37	957	1.60	<0.01
DD004702		1.46	31.6	4.54	5.92	0.11	0.03	0.12	0.041	0.07	16.8	19.3	0.42	303	2.37	<0.01
DD004703		5.68	42.4	2.68	2.67	0.09	0.07	0.09	0.022	0.16	7.9	10.5	0.21	477	0.81	<0.01
DD004704		4.03	21.0	3.03	4.63	0.12	0.03	0.06	0.028	0.13	14.0	14.1	0.33	705	1.26	<0.01
DD004705		4.25	31.8	3.20	5.07	0.14	0.04	0.18	0.034	0.07	20.0	11.3	0.31	783	1.10	0.01
DD004706		0.78	26.0	4.20	4.72	0.13	0.08	0.71	0.029	0.04	20.3	11.4	1.13	2370	1.04	0.02
DD004707		0.21	5.1	1.03	0.61	<0.05	0.04	0.38	0.005	0.05	5.9	1.9	9.99	1080	0.18	0.03
DD004708		0.42	17.9	3.34	0.93	0.11	0.06	4.85	0.010	0.02	9.2	4.4	8.45	1520	0.44	0.02
DD004709		0.58	23.7	5.43	2.97	0.13	0.09	1.92	0.030	0.05	16.8	6.5	3.03	3400	1.23	0.01
DD004710		0.89	15.3	3.23	2.39	0.09	0.07	1.69	0.018	0.04	10.0	5.5	3.57	2490	0.75	0.01
DD004711		1.57	13.1	2.54	1.24	0.11	0.03	1.01	0.027	0.04	8.0	2.3	0.05	239	0.43	<0.01
DD004712		2.37	31.6	3.23	4.68	0.11	0.03	0.16	0.034	0.05	14.5	11.7	0.31	426	1.09	<0.01
DD004713		1.69	29.5	3.37	3.72	0.10	0.03	0.41	0.031	0.07	8.9	12.0	0.19	439	1.90	<0.01
DD004714		5.52	13.6	6.65	1.41	0.12	0.04	0.02	0.025	0.15	4.3	2.4	0.04	63	0.60	<0.01
DD004715		2.00	92.8	2.50	1.31	0.10	<0.02	0.01	0.020	0.12	2.2	1.4	0.02	48	2.81	<0.01
DD004716		2.45	61.1	2.65	1.21	0.11	0.13	0.06	0.023	0.16	12.1	1.9	0.05	353	0.61	<0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 17- AUG- 2011
Account: RCM

Project: Rackla- Sian

CERTIFICATE OF ANALYSIS WH11148696

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
DD004926		0.31	34.0	410	21.1	17.4	<0.001	0.01	0.41	4.0	0.5	0.5	10.3	<0.01	0.05	3.5
DD004927		0.33	29.1	490	26.7	14.6	<0.001	0.01	0.81	3.7	0.7	0.5	8.8	<0.01	0.05	2.2
DD004928		0.36	24.4	510	32.8	16.0	<0.001	0.01	0.65	3.6	0.6	0.6	8.0	<0.01	0.09	3.0
DD004929		0.63	32.3	820	19.2	15.2	<0.001	0.01	1.05	2.8	1.0	0.5	14.8	<0.01	0.06	1.4
DD004930		0.51	29.8	680	20.8	13.2	<0.001	0.01	0.96	2.2	0.8	0.5	10.7	<0.01	0.06	1.0
DD004931		0.37	25.8	540	20.2	20.1	<0.001	0.01	0.43	5.9	0.6	0.6	19.1	<0.01	0.05	3.0
DD004932		0.32	33.9	690	24.3	15.8	<0.001	0.02	0.74	4.1	0.8	0.4	8.9	<0.01	0.06	3.2
DD004933		0.86	26.0	400	23.0	19.4	<0.001	0.01	0.65	3.1	0.6	0.7	9.0	<0.01	0.05	1.7
DD004934		0.50	21.9	570	17.1	17.0	<0.001	0.03	0.82	1.2	0.7	0.6	9.2	<0.01	0.06	0.3
DD004935		0.36	38.1	460	27.6	18.0	<0.001	0.01	0.81	4.5	0.8	0.5	10.0	<0.01	0.06	4.0
DD004936		0.50	20.0	810	15.6	14.2	<0.001	0.03	0.51	1.6	0.6	0.5	11.1	<0.01	0.05	0.4
DD004937		0.49	26.7	980	98.0	15.4	<0.001	0.04	18.65	2.9	0.6	0.5	21.4	<0.01	0.07	1.7
DD004938		0.35	28.9	550	409	7.5	<0.001	0.04	11.45	6.5	0.8	0.5	30.7	<0.01	0.04	3.1
DD004939		0.10	23.4	440	365	3.4	<0.001	0.02	15.45	5.9	0.7	0.4	92.1	<0.01	0.03	5.7
DD004940		0.20	9.8	600	39.3	4.0	<0.001	0.03	8.62	2.4	0.5	<0.2	83.9	<0.01	0.02	0.5
DD004941		0.28	24.2	670	117.5	5.7	<0.001	0.04	10.10	3.3	1.0	0.3	101.0	<0.01	0.04	1.4
DD004942		0.20	12.0	350	87.7	2.6	<0.001	0.02	26.4	2.6	0.5	<0.2	74.2	<0.01	0.02	1.0
DD004943		0.08	9.7	790	247	1.8	<0.001	0.02	7.39	2.0	0.5	<0.2	53.5	<0.01	0.03	2.8
DD004944		0.17	19.1	880	43.1	3.6	<0.001	0.05	8.02	1.8	1.0	0.3	53.4	<0.01	0.04	0.5
DD004945		0.19	19.2	920	84.3	4.4	<0.001	0.07	38.3	2.1	0.8	0.4	66.1	<0.01	0.05	0.4
DD004946		0.07	27.4	280	75.9	4.3	0.001	0.02	6.02	5.7	0.6	0.4	43.5	<0.01	0.03	2.2
DD004947		0.52	20.1	460	21.8	8.3	<0.001	0.03	1.11	1.5	0.3	0.7	11.6	<0.01	0.06	0.2
DD004949		0.32	14.7	820	16.4	14.5	<0.001	0.04	0.92	0.6	0.4	0.7	7.7	<0.01	0.03	<0.2
DD004950		0.18	20.2	590	29.3	7.8	0.001	0.02	0.68	2.4	0.4	0.5	4.4	<0.01	0.03	1.2
DD004701		0.28	32.8	300	52.0	8.6	<0.001	0.02	1.81	5.9	1.1	0.6	37.0	<0.01	0.05	3.4
DD004702		0.25	27.4	250	19.9	14.5	<0.001	0.01	0.72	3.8	0.6	0.6	16.1	<0.01	0.03	3.2
DD004703		0.24	22.3	450	16.7	19.0	<0.001	0.04	0.44	3.5	0.5	0.5	29.2	<0.01	0.04	1.7
DD004704		0.55	21.2	490	16.3	17.3	<0.001	0.02	0.74	3.3	0.4	0.6	12.7	<0.01	0.04	2.1
DD004705		0.45	25.4	920	50.4	14.4	<0.001	0.04	0.99	4.4	0.8	0.6	22.6	<0.01	0.07	1.4
DD004706		0.56	29.2	1280	147.0	7.1	<0.001	0.08	2.65	3.6	0.7	0.5	24.7	<0.01	0.05	1.2
DD004707		0.16	4.2	450	53.2	2.5	<0.001	0.02	3.36	1.0	0.3	<0.2	76.8	<0.01	0.02	0.7
DD004708		0.17	16.6	510	90.3	1.6	<0.001	0.01	5.87	3.3	1.0	0.2	272	<0.01	0.04	2.1
DD004709		0.29	28.0	890	68.4	4.4	<0.001	0.06	5.76	4.8	1.1	0.4	64.2	<0.01	0.08	1.6
DD004710		0.22	19.2	1000	95.0	3.5	<0.001	0.06	5.77	2.3	0.8	0.3	47.2	<0.01	0.05	0.9
DD004711		0.09	16.3	330	27.3	4.5	<0.001	0.02	0.21	3.6	0.6	0.3	17.3	<0.01	<0.01	2.8
DD004712		0.49	26.5	590	19.5	10.1	<0.001	0.03	0.66	2.5	0.6	0.7	21.1	<0.01	0.03	1.1
DD004713		0.40	26.7	350	26.5	9.9	0.001	0.02	0.89	3.7	0.4	0.6	16.6	<0.01	0.03	2.5
DD004714		0.27	38.7	340	12.8	14.0	<0.001	0.01	0.26	4.1	0.3	0.3	12.5	<0.01	0.03	3.8
DD004715		0.17	19.4	160	12.0	10.6	<0.001	0.01	0.51	2.2	0.4	0.3	23.7	<0.01	0.07	1.5
DD004716		<0.05	26.4	210	17.1	9.6	0.001	0.01	0.32	4.5	0.4	0.5	48.0	<0.01	0.02	6.0

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 17- AUG- 2011
Account: RCM

Project: Rackla- Sian

CERTIFICATE OF ANALYSIS WH11148696

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
DD004926		0.005	0.14	0.60	36	<0.05	4.65	97	1.3
DD004927		0.006	0.15	0.82	42	0.09	4.90	107	1.1
DD004928		0.010	0.11	1.21	43	0.13	5.22	87	0.7
DD004929		0.032	0.14	1.56	50	0.32	7.76	106	<0.5
DD004930		0.029	0.10	0.95	45	0.27	5.02	99	<0.5
DD004931		0.011	0.07	2.84	34	0.14	9.08	64	0.5
DD004932		0.006	0.14	0.96	42	0.08	6.85	107	1.8
DD004933		0.029	0.11	1.14	49	0.26	4.11	79	<0.5
DD004934		0.026	0.15	0.83	56	0.25	3.41	71	<0.5
DD004935		0.006	0.19	0.88	52	0.10	5.12	101	1.8
DD004936		0.014	0.16	0.97	59	0.17	5.83	62	<0.5
DD004937		0.012	0.24	1.31	50	0.16	6.39	190	0.5
DD004938		0.011	0.75	0.85	33	0.25	10.25	792	1.0
DD004939		<0.005	2.51	1.11	16	0.15	9.62	641	1.4
DD004940		0.007	0.84	2.41	13	0.08	7.92	397	0.8
DD004941		0.011	1.12	1.69	21	0.14	10.10	584	1.2
DD004942		0.006	1.33	1.51	12	0.07	6.63	617	1.0
DD004943		<0.005	0.59	2.18	7	<0.05	7.85	128	2.7
DD004944		0.010	0.82	1.13	22	0.10	13.10	404	1.2
DD004945		0.012	2.29	1.34	30	0.20	18.70	786	1.8
DD004946		<0.005	0.81	0.84	13	0.05	8.08	365	1.6
DD004947		0.024	0.21	0.46	44	0.16	2.58	99	<0.5
DD004949		0.014	0.32	0.59	45	0.18	2.46	79	<0.5
DD004950		<0.005	0.38	0.51	14	0.05	4.60	108	<0.5
DD004701		0.005	0.15	3.73	31	0.13	10.10	166	2.4
DD004702		<0.005	0.19	0.64	42	<0.05	4.27	109	1.1
DD004703		0.006	0.13	0.86	18	0.05	8.49	70	2.0
DD004704		0.015	0.17	0.66	33	0.18	4.58	65	0.6
DD004705		0.014	0.16	0.92	39	0.17	13.50	84	1.0
DD004706		0.021	0.22	1.19	47	0.18	16.55	159	1.8
DD004707		0.005	0.13	1.30	6	0.12	5.79	39	1.0
DD004708		0.006	0.81	1.51	13	0.10	11.20	45	3.0
DD004709		0.009	0.36	1.72	30	0.14	18.50	101	2.3
DD004710		0.009	0.37	1.47	25	0.22	10.55	239	1.7
DD004711		<0.005	0.17	0.64	9	<0.05	9.56	68	0.8
DD004712		0.013	0.14	0.89	36	0.24	6.42	78	<0.5
DD004713		0.006	0.19	0.66	32	0.10	5.56	84	0.8
DD004714		0.007	0.07	0.61	14	<0.05	5.06	74	1.7
DD004715		<0.005	0.09	0.87	13	<0.05	4.44	40	<0.5
DD004716		<0.005	0.10	0.74	9	<0.05	7.13	37	6.1

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 17- AUG- 2011
Account: RCM

Project: Rackla- Sian

CERTIFICATE OF ANALYSIS WH11148696

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- TL43 Au ppm 0.001	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1
DD004717		0.37	0.001	0.06	0.26	10.9	<0.2	<10	120	1.30	0.50	0.09	0.01	21.7	19.5	6

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 17- AUG- 2011
Account: RCM

Project: Rackla- Sian

CERTIFICATE OF ANALYSIS WH11148696

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
DD004717		2.17	57.5	3.99	1.28	0.12	0.06	0.11	0.039	0.13	9.5	1.8	0.06	625	0.49	<0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 17- AUG- 2011
Account: RCM

Project: Rackla- Sian

CERTIFICATE OF ANALYSIS WH11148696

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
DD004717		0.06	33.6	240	17.1	8.4	<0.001	0.02	0.24	6.5	0.6	0.5	30.6	<0.01	0.03	5.8

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 17- AUG- 2011
Account: RCM

Project: Rackla- Sian

CERTIFICATE OF ANALYSIS WH11148696

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
DD004717		<0.005	0.08	0.80	8	<0.05	9.73	50	2.7

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 17- AUG- 2011
Account: RCM

Project: Rackla- Sian

CERTIFICATE OF ANALYSIS WH11148696

Method	CERTIFICATE COMMENTS
ME- MS41	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown.
ME- MS41	Gold determinations by this method are semi- quantitative due to the small sample weight used (0.5g).

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 17- AUG- 2011
Account: RCM

CERTIFICATE WH11148697

Project: Rackla- Pyramid North

P.O. No.:

This report is for 140 Soil samples submitted to our lab in Whitehorse, YT, Canada on 3- AUG- 2011.

The following have access to data associated with this certificate:

ROB CARNE JULIA LANE	ANDREW CARNE JOAN MARIACHER	MATT DUMALA

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
SCR- 41	Screen to - 180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- TL43	Trace Level Au - 25g AR	ICP- MS
ME- MS41	51 anal. aqua regia ICPMS	

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 17- AUG- 2011
Account: RCM

Project: Rackla- Pyramid North

CERTIFICATE OF ANALYSIS WH11148697

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- TL43 Au ppm 0.001	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1
ZZ18332		0.21	0.001	0.10	2.16	9.6	<0.2	<10	140	1.07	0.27	0.41	0.23	36.3	27.1	32
ZZ18333		0.27	0.004	0.21	1.56	11.9	<0.2	<10	250	1.56	0.32	1.07	0.23	21.1	22.4	23
ZZ18334		0.26	0.008	0.10	2.77	9.7	<0.2	<10	160	1.21	0.28	0.16	0.43	44.5	32.7	40
ZZ18335		0.29	0.001	0.03	1.90	7.5	<0.2	<10	190	0.57	0.23	0.17	0.09	26.5	10.3	28
ZZ18336		0.25	0.002	0.14	3.00	12.0	<0.2	<10	270	1.85	0.31	0.19	0.35	38.0	32.8	40
ZZ18337		0.30	0.001	0.06	2.35	9.8	<0.2	<10	80	0.60	0.29	0.02	0.24	30.1	25.1	49
ZZ18338		0.23	0.001	0.12	2.05	10.4	<0.2	<10	420	1.00	0.27	0.46	0.16	29.6	12.0	33
ZZ18339		0.29	0.002	0.06	2.51	16.1	<0.2	<10	220	1.42	0.34	0.05	0.18	28.4	22.0	32
ZZ18340		0.20	0.003	0.21	1.72	2.7	<0.2	<10	380	0.71	0.25	1.06	0.48	28.2	8.5	32
ZZ18341		0.35	0.002	0.10	1.58	10.8	<0.2	<10	70	0.83	0.26	0.28	0.30	30.0	19.5	26
ZZ18342		0.35	0.002	0.08	1.99	10.2	<0.2	<10	270	0.82	0.25	0.93	0.49	25.1	13.7	30
ZZ18343		0.28	0.003	0.18	1.78	15.3	<0.2	<10	140	1.16	0.28	0.65	0.35	33.4	17.3	30
DD004921		0.29	<0.001	0.04	1.71	9.3	<0.2	<10	150	0.81	0.32	0.09	0.11	24.8	11.7	25
DD004922		0.31	0.001	0.07	2.39	9.7	<0.2	<10	200	0.79	0.24	0.10	0.17	27.4	13.9	29
DD004923		0.31	0.001	0.04	2.28	8.9	<0.2	<10	160	0.78	0.30	0.07	0.29	28.3	17.4	31
DD004924		0.37	0.001	0.05	2.41	9.8	<0.2	<10	290	1.10	0.29	0.18	0.13	31.3	13.6	31
DD004925		0.27	<0.001	0.04	1.81	10.6	<0.2	<10	190	0.71	0.27	0.12	0.18	31.4	10.0	26
ZZ18251		0.54	0.003	0.70	1.33	34.8	<0.2	<10	740	0.92	0.21	1.24	0.63	20.3	11.1	27
ZZ18252		0.25	0.003	0.31	1.87	9.7	<0.2	<10	460	0.85	0.25	0.87	0.59	32.0	17.9	33
ZZ18253		0.36	0.004	0.22	1.84	22.3	<0.2	<10	490	1.17	0.22	0.15	0.30	31.2	15.2	37
ZZ18254		0.36	0.003	0.23	2.35	16.8	<0.2	<10	340	1.20	0.29	0.59	0.24	32.7	20.9	36
ZZ18255		0.31	0.003	0.34	1.76	24.5	<0.2	<10	530	1.25	0.25	0.39	0.44	38.1	18.7	31
ZZ18256		0.49	0.002	0.31	1.71	22.0	<0.2	<10	400	0.94	0.27	2.78	0.49	27.9	21.3	27
ZZ18257		0.37	0.004	0.14	2.24	29.3	<0.2	<10	550	1.20	0.26	0.11	0.38	30.7	19.4	35
ZZ18258		0.33	0.002	0.26	1.76	13.0	<0.2	<10	550	0.78	0.26	0.47	0.13	31.8	10.8	32
ZZ18259		0.32	0.003	0.32	1.86	12.4	<0.2	<10	590	0.93	0.26	0.50	0.83	33.2	17.3	33
ZZ18260		0.34	0.003	0.19	2.13	10.6	<0.2	<10	240	1.00	0.28	0.42	0.25	36.8	22.1	34
ZZ18261		0.35	0.003	0.07	2.12	12.0	<0.2	<10	220	1.00	0.26	0.14	0.16	41.8	22.0	32
ZZ18262		0.32	0.002	0.17	1.83	16.5	<0.2	<10	290	0.80	0.27	0.76	0.55	27.0	22.7	31
ZZ18263		0.45	0.003	0.24	1.58	18.5	<0.2	<10	300	0.89	0.24	1.13	0.28	19.80	12.4	26
ZZ18264		0.45	0.002	0.09	2.35	18.2	<0.2	<10	250	1.16	0.28	0.12	0.26	33.3	18.4	33
ZZ18265		0.39	0.003	0.12	1.65	15.0	<0.2	<10	260	0.87	0.26	0.86	0.25	23.2	15.0	26
ZZ18266		0.33	0.002	0.11	1.68	13.8	<0.2	<10	110	0.76	0.25	0.52	0.22	31.0	17.7	26
ZZ18267		0.35	0.003	0.20	1.78	11.2	<0.2	<10	400	0.88	0.28	1.11	0.50	29.7	19.7	30
ZZ18268		0.38	0.002	0.12	1.22	10.1	<0.2	<10	150	1.09	0.25	1.23	0.47	28.0	15.3	22
ZZ18269		0.36	0.003	0.26	0.83	263	<0.2	<10	250	1.36	0.27	0.98	0.20	18.35	13.3	15
ZZ18270		0.28	0.003	0.19	1.44	30.6	<0.2	<10	160	1.30	0.26	0.54	0.11	22.6	15.6	24
ZZ18271		0.32	0.004	0.12	1.98	11.0	<0.2	<10	220	1.17	0.25	0.77	0.17	28.1	17.7	30
ZZ18272		0.36	0.003	0.10	2.13	10.9	<0.2	<10	150	0.89	0.23	0.92	0.32	27.1	20.9	33
ZZ18273		0.36	0.003	0.13	2.05	344	<0.2	<10	150	0.92	0.24	1.10	0.30	25.5	16.3	30

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 17- AUG- 2011
Account: RCM

Project: Rackla- Pyramid North

CERTIFICATE OF ANALYSIS WH11148697

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
ZZ18332		0.51	83.4	5.01	7.34	0.13	0.09	0.05	0.039	0.08	15.8	39.5	1.19	827	0.64	<0.01
ZZ18333		2.27	107.0	4.93	4.98	0.15	0.08	0.14	0.056	0.08	10.1	35.3	0.74	711	0.92	<0.01
ZZ18334		1.44	143.0	5.97	9.15	0.15	0.07	0.12	0.046	0.06	20.8	43.0	1.61	1240	0.92	<0.01
ZZ18335		1.22	13.3	3.00	6.89	0.09	0.06	0.04	0.030	0.04	13.8	29.9	0.51	287	0.92	<0.01
ZZ18336		1.23	80.9	6.17	8.30	0.12	0.04	0.11	0.074	0.05	11.7	36.1	0.93	1800	1.67	<0.01
ZZ18337		1.26	74.0	6.50	9.51	0.12	0.03	0.04	0.047	0.05	13.4	32.1	1.37	1780	1.61	<0.01
ZZ18338		1.43	29.8	3.23	6.74	0.11	0.03	0.05	0.034	0.05	15.0	17.3	0.51	829	1.15	0.01
ZZ18339		1.71	67.3	5.29	6.80	0.11	0.09	0.08	0.052	0.06	13.7	37.2	0.76	528	1.05	<0.01
ZZ18340		0.86	51.5	2.20	6.07	0.13	0.05	0.20	0.035	0.05	13.9	29.2	0.77	161	0.25	<0.01
ZZ18341		0.82	76.1	4.28	5.73	0.18	0.10	0.05	0.031	0.05	14.2	37.5	0.98	580	0.61	<0.01
ZZ18342		0.91	24.3	4.08	6.04	0.09	0.04	0.12	0.039	0.05	9.5	27.8	0.88	996	0.78	0.01
ZZ18343		1.06	53.3	4.74	5.76	0.14	0.10	0.08	0.037	0.06	15.5	50.7	0.99	716	0.85	<0.01
DD004921		1.22	25.6	4.32	7.40	0.12	0.03	0.02	0.031	0.09	12.7	40.8	0.51	272	0.74	<0.01
DD004922		1.13	38.7	4.53	7.98	0.10	0.05	0.02	0.039	0.05	13.5	52.3	0.69	280	0.85	<0.01
DD004923		1.11	41.5	5.70	9.48	0.11	0.06	0.02	0.046	0.06	14.2	41.2	0.65	644	0.88	<0.01
DD004924		1.40	27.5	4.08	7.81	0.12	0.07	0.04	0.040	0.05	14.3	37.2	0.62	479	0.84	<0.01
DD004925		1.28	20.8	3.71	6.85	0.09	0.05	0.03	0.032	0.05	13.6	33.6	0.46	385	1.28	<0.01
ZZ18251		1.04	52.0	3.35	4.32	0.12	0.05	0.23	0.037	0.05	11.7	22.3	0.57	363	2.91	<0.01
ZZ18252		0.94	68.4	3.50	5.70	0.12	0.08	0.14	0.035	0.08	15.4	28.0	0.91	229	1.29	<0.01
ZZ18253		1.00	65.2	4.38	4.79	0.15	0.08	0.15	0.036	0.06	17.1	23.2	0.56	688	1.95	<0.01
ZZ18254		1.20	99.3	4.88	7.13	0.13	0.11	0.17	0.043	0.13	17.0	42.4	1.06	670	0.97	<0.01
ZZ18255		0.96	79.2	4.42	5.49	0.15	0.07	0.23	0.040	0.09	20.7	24.9	0.72	762	2.49	<0.01
ZZ18256		1.07	90.1	4.19	5.72	0.14	0.09	0.24	0.038	0.11	13.0	31.6	1.01	648	1.69	0.01
ZZ18257		1.35	70.3	4.60	6.28	0.13	0.03	0.12	0.045	0.07	14.1	33.1	0.71	634	2.18	<0.01
ZZ18258		1.19	26.7	3.13	5.75	0.12	0.04	0.11	0.028	0.05	17.0	18.3	0.56	364	1.45	0.01
ZZ18259		0.73	65.7	3.95	6.02	0.12	0.08	0.15	0.035	0.08	16.4	30.0	0.86	408	1.72	<0.01
ZZ18260		1.07	86.6	4.56	7.08	0.13	0.10	0.12	0.038	0.10	17.8	37.1	1.06	370	0.77	<0.01
ZZ18261		1.07	81.0	4.83	6.59	0.14	0.05	0.13	0.036	0.07	20.1	43.2	1.05	775	0.87	<0.01
ZZ18262		0.64	48.8	4.46	5.93	0.12	0.08	0.10	0.042	0.07	11.3	37.4	0.97	1430	1.23	<0.01
ZZ18263		0.84	73.8	4.00	4.99	0.12	0.06	0.16	0.039	0.06	11.2	30.7	0.71	339	1.40	<0.01
ZZ18264		1.53	74.3	4.93	6.88	0.12	0.09	0.07	0.038	0.09	16.2	50.8	0.84	490	1.31	<0.01
ZZ18265		0.76	61.8	4.10	5.20	0.11	0.07	0.13	0.036	0.07	10.7	33.2	0.77	511	0.97	<0.01
ZZ18266		1.01	74.4	4.31	5.43	0.14	0.09	0.10	0.035	0.07	14.7	38.0	0.89	534	0.91	<0.01
ZZ18267		1.39	76.4	3.91	5.69	0.13	0.09	0.11	0.036	0.10	14.7	30.8	0.90	847	1.05	0.01
ZZ18268		1.79	46.6	3.12	3.81	0.13	0.07	0.09	0.041	0.11	12.0	20.4	0.58	153	1.00	<0.01
ZZ18269		8.21	35.7	3.33	2.67	0.11	0.08	0.34	0.035	0.10	9.6	12.8	0.32	477	1.33	<0.01
ZZ18270		15.05	44.4	3.79	4.14	0.07	0.09	0.12	0.036	0.12	12.4	26.1	0.64	717	0.59	<0.01
ZZ18271		2.35	86.0	4.28	5.33	0.06	0.11	0.12	0.035	0.11	14.6	36.7	0.95	593	0.60	0.01
ZZ18272		1.23	78.1	4.34	6.31	0.06	0.10	0.10	0.038	0.11	13.1	41.9	1.10	1040	0.44	<0.01
ZZ18273		2.72	78.0	4.33	5.81	0.06	0.12	0.12	0.038	0.13	13.3	40.7	0.96	591	1.20	0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 17- AUG- 2011
Account: RCM

Project: Rackla- Pyramid North

CERTIFICATE OF ANALYSIS WH11148697

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
ZZ18332		0.20	40.2	300	21.2	7.6	<0.001	0.01	0.32	8.3	0.7	0.3	21.8	<0.01	0.09	4.0
ZZ18333		0.14	41.2	780	31.7	8.4	0.001	0.03	0.46	10.2	1.9	0.4	53.6	<0.01	0.09	2.7
ZZ18334		0.24	49.7	440	18.9	6.1	<0.001	0.01	0.43	11.4	0.7	0.3	8.9	<0.01	0.16	4.1
ZZ18335		1.22	16.6	280	14.0	9.1	<0.001	<0.01	0.28	3.2	0.5	0.7	12.7	<0.01	0.03	3.9
ZZ18336		0.70	34.2	820	28.7	8.8	<0.001	0.03	0.53	7.8	1.0	0.5	9.6	0.01	0.13	3.0
ZZ18337		0.39	36.1	730	17.5	13.2	<0.001	0.01	0.45	6.7	0.7	0.4	3.4	<0.01	0.16	2.5
ZZ18338		1.02	20.8	400	16.7	10.1	<0.001	0.01	0.54	5.7	0.7	0.7	24.0	<0.01	0.04	2.8
ZZ18339		0.32	38.0	240	30.3	14.6	<0.001	<0.01	0.36	5.9	0.7	0.6	10.9	<0.01	0.10	4.5
ZZ18340		0.90	24.7	680	14.7	7.7	0.001	0.18	0.32	6.4	1.7	0.5	52.6	<0.01	0.05	3.5
ZZ18341		0.11	36.1	770	18.9	3.6	<0.001	0.01	0.38	7.6	0.8	0.2	22.7	<0.01	0.08	4.8
ZZ18342		0.57	27.4	490	22.4	10.2	<0.001	0.02	0.32	4.2	0.5	0.4	23.7	<0.01	0.06	2.6
ZZ18343		0.13	36.7	910	20.3	5.8	0.001	0.02	0.52	8.0	1.0	0.2	32.1	<0.01	0.09	4.6
DD004921		0.54	22.2	230	17.4	16.3	<0.001	<0.01	0.30	3.3	0.4	0.7	9.7	<0.01	0.05	4.7
DD004922		0.34	25.2	250	14.9	11.0	<0.001	0.01	0.35	4.6	0.5	0.6	10.0	<0.01	0.06	3.6
DD004923		0.43	23.0	460	16.2	12.3	<0.001	0.01	0.35	4.1	0.3	0.6	7.6	<0.01	0.10	3.5
DD004924		0.67	25.3	180	18.3	11.6	<0.001	<0.01	0.35	4.4	0.5	0.7	16.6	<0.01	0.06	4.5
DD004925		0.89	19.5	260	17.2	10.8	<0.001	<0.01	0.47	3.3	0.6	0.6	11.8	<0.01	0.07	4.2
ZZ18251		0.27	38.4	780	18.5	7.6	0.001	0.03	1.07	7.0	2.1	0.5	53.5	<0.01	0.11	2.8
ZZ18252		0.33	40.6	840	16.4	7.9	0.001	0.04	0.67	5.9	1.5	0.3	41.1	<0.01	0.06	2.6
ZZ18253		0.20	42.1	810	17.1	8.5	0.001	0.01	0.73	8.0	1.8	0.3	20.9	<0.01	0.11	4.7
ZZ18254		0.14	42.9	630	19.9	8.2	0.001	0.02	0.59	9.4	1.2	0.3	34.4	<0.01	0.08	5.0
ZZ18255		0.18	46.4	420	19.8	7.9	0.001	0.02	0.99	10.4	1.7	0.4	29.6	<0.01	0.07	4.8
ZZ18256		0.09	42.3	800	20.3	6.8	0.001	0.02	0.80	7.7	1.2	0.3	101.0	<0.01	0.10	4.9
ZZ18257		0.25	43.1	320	20.6	11.3	<0.001	0.01	0.88	7.8	1.6	0.5	12.1	<0.01	0.07	4.3
ZZ18258		0.92	26.1	720	14.7	9.9	<0.001	0.01	0.60	5.3	0.7	0.6	25.9	<0.01	0.04	3.9
ZZ18259		0.43	41.6	600	17.7	7.6	0.001	0.02	0.79	7.6	1.1	0.4	29.2	<0.01	0.09	5.0
ZZ18260		0.28	40.8	640	17.7	7.8	<0.001	0.01	0.52	9.2	1.2	0.4	28.0	<0.01	0.08	5.1
ZZ18261		0.10	39.3	420	19.1	6.4	<0.001	<0.01	0.60	7.4	0.7	0.3	13.6	<0.01	0.09	5.5
ZZ18262		0.20	37.0	740	21.7	6.4	0.001	0.05	0.57	6.7	1.4	0.3	39.4	<0.01	0.09	3.2
ZZ18263		0.20	32.3	530	16.9	7.2	<0.001	0.04	0.75	7.2	1.0	0.4	49.1	<0.01	0.07	2.2
ZZ18264		0.13	40.5	290	19.8	10.5	<0.001	<0.01	0.65	7.1	1.0	0.4	13.5	<0.01	0.08	5.2
ZZ18265		0.18	31.7	400	18.0	6.0	<0.001	0.02	0.59	6.2	0.6	0.3	43.6	<0.01	0.07	3.1
ZZ18266		0.12	34.9	590	17.2	5.4	<0.001	0.01	0.57	7.1	0.9	0.3	32.6	<0.01	0.07	4.6
ZZ18267		0.44	37.6	660	17.3	8.4	0.001	0.03	0.66	7.8	1.7	0.4	51.8	<0.01	0.06	3.7
ZZ18268		0.21	34.2	590	21.4	8.8	0.002	0.10	0.50	6.4	2.3	0.3	46.4	<0.01	0.05	2.9
ZZ18269		0.13	28.9	500	17.6	12.0	<0.001	0.05	0.65	6.8	1.3	0.4	34.5	<0.01	0.03	2.9
ZZ18270		0.20	31.0	460	16.0	15.6	<0.001	0.03	0.39	7.6	1.3	0.4	24.9	<0.01	0.04	3.1
ZZ18271		0.28	34.6	570	16.7	8.0	<0.001	0.03	0.47	8.1	1.3	0.3	38.9	<0.01	0.06	3.9
ZZ18272		0.20	36.6	680	16.6	7.7	<0.001	0.05	0.40	7.9	1.3	0.3	45.1	<0.01	0.08	3.0
ZZ18273		0.20	35.5	710	15.9	12.0	0.001	0.06	0.55	7.2	1.7	0.3	54.9	<0.01	0.09	2.6

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 17- AUG- 2011
Account: RCM

Project: Rackla- Pyramid North

CERTIFICATE OF ANALYSIS WH11148697

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
ZZ18332		0.006	0.09	0.47	58	<0.05	8.56	84	2.8
ZZ18333		<0.005	0.09	1.00	36	<0.05	18.65	106	4.5
ZZ18334		0.011	0.08	0.69	71	0.06	12.95	92	2.1
ZZ18335		0.028	0.13	0.54	64	0.27	3.66	48	1.9
ZZ18336		0.011	0.11	0.47	77	0.13	7.53	76	1.4
ZZ18337		0.014	0.08	0.27	91	0.09	3.77	89	0.9
ZZ18338		0.026	0.16	1.15	64	0.25	9.33	87	0.8
ZZ18339		0.005	0.17	0.54	54	0.07	5.06	100	3.0
ZZ18340		0.021	0.11	2.10	43	0.18	10.15	95	1.8
ZZ18341		0.008	0.05	0.50	43	<0.05	12.00	93	4.2
ZZ18342		0.011	0.10	0.62	51	0.14	4.35	178	1.3
ZZ18343		0.005	0.06	1.06	41	<0.05	12.80	100	3.3
DD004921		0.010	0.10	0.53	45	0.06	3.26	55	1.4
DD004922		0.005	0.11	0.33	60	0.07	2.87	62	2.0
DD004923		0.007	0.09	0.41	75	0.07	3.45	67	2.1
DD004924		0.012	0.16	0.56	62	0.15	4.08	61	2.7
DD004925		0.016	0.13	0.57	59	0.24	3.53	52	2.1
ZZ18251		0.005	0.21	1.24	69	0.09	20.8	128	1.6
ZZ18252		0.010	0.11	2.00	60	0.06	12.50	115	2.0
ZZ18253		0.005	0.18	1.42	81	0.05	20.8	103	2.9
ZZ18254		0.005	0.10	0.72	54	<0.05	16.65	104	3.8
ZZ18255		<0.005	0.16	0.97	72	<0.05	22.5	137	3.6
ZZ18256		0.006	0.14	0.80	51	<0.05	12.80	120	4.5
ZZ18257		0.006	0.22	0.95	70	0.08	9.14	125	1.1
ZZ18258		0.024	0.14	1.21	63	0.22	11.35	82	1.1
ZZ18259		0.011	0.11	0.92	73	0.09	13.65	110	3.3
ZZ18260		0.012	0.09	0.55	58	0.08	12.95	89	3.7
ZZ18261		0.005	0.08	0.56	52	<0.05	8.95	89	2.1
ZZ18262		0.005	0.09	1.06	53	<0.05	9.94	123	2.2
ZZ18263		0.005	0.11	0.97	48	0.05	14.25	102	2.0
ZZ18264		<0.005	0.13	0.63	62	<0.05	8.30	97	3.7
ZZ18265		0.005	0.08	0.65	43	<0.05	7.59	88	2.3
ZZ18266		0.005	0.08	0.49	41	<0.05	9.98	97	3.9
ZZ18267		0.012	0.12	0.92	49	0.09	12.70	108	3.3
ZZ18268		<0.005	0.19	0.98	34	0.06	12.10	108	2.8
ZZ18269		<0.005	0.82	1.09	23	0.33	17.30	85	2.1
ZZ18270		0.005	0.37	0.69	33	0.15	17.05	82	2.5
ZZ18271		0.009	0.09	1.12	44	0.06	16.30	91	3.3
ZZ18272		0.007	0.07	0.90	52	<0.05	11.25	97	2.8
ZZ18273		0.006	0.17	1.84	45	<0.05	11.80	115	3.1

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 17- AUG- 2011
Account: RCM

Project: Rackla- Pyramid North

CERTIFICATE OF ANALYSIS WH11148697

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- TL43 Au ppm 0.001	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1
ZZ18274		0.34	0.003	0.12	1.99	245	<0.2	<10	120	0.88	0.26	1.12	0.21	26.2	19.5	29
ZZ18275		0.39	0.003	0.11	2.35	84.0	<0.2	<10	130	0.95	0.25	0.78	0.31	34.6	25.0	34
ZZ18276		0.29	0.003	0.11	1.86	39.3	<0.2	<10	160	0.80	0.21	1.03	0.44	25.5	13.8	28
ZZ18277		0.21	0.003	0.14	1.72	12.6	<0.2	<10	220	0.89	0.25	1.74	0.87	20.6	14.5	25
ZZ18278		0.43	0.003	0.14	1.60	28.6	<0.2	<10	210	0.89	0.25	1.47	0.29	22.4	14.4	27
ZZ18279		0.31	0.002	0.16	0.93	11.2	<0.2	<10	130	1.00	0.30	1.43	0.29	26.5	14.7	17
ZZ18280		0.25	0.003	0.16	1.47	16.2	<0.2	<10	150	0.85	0.25	1.07	0.27	25.1	13.7	27
ZZ18281		0.40	0.003	0.11	2.44	12.2	<0.2	<10	140	0.92	0.27	0.56	0.28	39.0	25.4	35
ZZ18282		0.37	0.003	0.12	2.10	10.8	<0.2	<10	130	0.99	0.25	0.66	0.35	32.7	18.4	32
ZZ18283		0.39	0.003	0.10	2.14	11.6	<0.2	<10	130	0.87	0.24	0.50	0.29	33.8	23.1	33
ZZ18284		0.36	0.004	0.05	2.43	13.8	<0.2	<10	200	1.14	0.26	0.16	0.16	38.3	23.4	35
ZZ18285		0.27	0.003	0.16	1.70	70.4	<0.2	<10	220	1.15	0.28	0.56	0.43	22.0	15.7	28
DD004801		0.32	0.002	0.06	2.62	11.3	<0.2	<10	110	1.00	0.25	0.43	0.14	29.7	15.1	35
DD004802		0.33	0.002	0.05	2.69	14.1	<0.2	<10	200	1.14	0.30	0.07	0.19	28.4	21.8	35
DD004803		0.30	0.001	0.02	2.14	11.1	<0.2	<10	190	0.66	0.23	0.08	0.26	27.1	14.7	29
DD004804		0.33	0.001	0.02	1.78	13.7	<0.2	<10	130	0.57	0.29	0.20	0.19	24.4	11.1	28
DD004805		0.31	0.001	0.02	1.95	10.3	<0.2	<10	140	0.50	0.27	0.05	0.12	26.1	6.2	24
DD004751		0.28	0.003	0.03	2.28	15.2	<0.2	<10	60	0.69	0.22	0.09	0.41	38.9	27.3	38
DD004752		0.34	0.003	0.22	1.87	21.9	<0.2	<10	60	1.12	0.43	0.58	0.22	42.5	21.9	27
DD004753		0.31	0.002	0.05	2.14	15.2	<0.2	<10	70	1.16	0.30	0.18	0.14	39.1	23.0	29
DD004754		0.29	0.002	0.23	1.55	7.4	<0.2	<10	210	0.88	0.24	1.56	0.44	24.9	10.9	24
DD004755		0.31	0.002	0.05	2.14	15.0	<0.2	<10	170	0.86	0.29	0.16	0.37	33.4	19.6	32
DD004756		0.34	0.005	0.15	2.45	13.3	<0.2	<10	250	1.03	0.23	0.74	0.50	38.1	31.2	38
DD004757		0.29	0.005	0.12	2.18	13.0	<0.2	<10	190	0.97	0.21	0.86	0.51	32.8	29.6	34
DD004758		0.25	0.005	0.17	1.86	9.4	<0.2	<10	240	0.98	0.18	1.70	0.54	21.6	22.1	28
DD004759		0.34	0.001	0.29	1.87	10.9	<0.2	<10	190	0.61	0.24	0.43	0.24	30.0	16.1	27
DD004760		0.29	0.001	0.12	1.51	7.1	<0.2	<10	150	0.40	0.26	0.17	0.14	29.7	7.9	22
DD004761		0.25	0.002	0.07	1.78	14.1	<0.2	<10	450	1.03	0.28	0.30	0.30	40.7	20.7	24
DD004762		0.38	0.003	0.11	2.01	10.6	<0.2	<10	130	0.79	0.25	0.52	0.17	37.8	19.2	31
DD004763		0.29	0.005	0.25	2.34	8.6	<0.2	<10	230	1.33	0.23	2.20	0.38	24.7	14.5	33
DD004764		0.33	0.004	0.12	2.58	8.0	<0.2	<10	110	0.82	0.24	0.56	0.20	39.6	22.0	39
DD004765		0.33	0.003	0.13	2.36	6.5	<0.2	<10	150	0.88	0.24	0.60	0.46	38.8	23.1	38
DD004766		0.30	0.004	0.15	2.41	7.4	<0.2	<10	160	0.87	0.27	0.74	0.33	37.0	24.0	37
DD004767		0.35	0.004	0.16	2.32	6.6	<0.2	<10	190	0.99	0.28	0.73	0.32	35.6	21.4	33
DD004768		0.40	0.004	0.14	2.34	6.2	<0.2	<10	120	0.88	0.23	0.42	0.22	37.2	22.8	34
DD004769		0.45	0.004	0.18	2.35	4.9	<0.2	<10	130	0.94	0.24	0.58	0.29	36.6	22.0	36
DD004770		0.30	0.002	0.13	1.73	8.4	<0.2	<10	180	0.74	0.22	1.80	0.25	20.5	14.5	24
DD004771		0.48	0.004	0.16	1.82	12.1	<0.2	<10	120	0.83	0.26	0.62	0.39	35.5	21.7	29
DD004772		0.38	0.004	0.16	2.00	11.5	<0.2	<10	140	0.98	0.27	0.78	0.48	35.7	27.9	31
DD004773		0.34	0.002	0.06	2.30	11.5	<0.2	<10	130	0.94	0.27	0.14	0.13	39.6	20.2	32

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 17- AUG- 2011
Account: RCM

Project: Rackla- Pyramid North

CERTIFICATE OF ANALYSIS WH11148697

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
ZZ18274		1.47	79.6	4.62	5.47	0.06	0.11	0.13	0.033	0.10	13.0	41.4	1.06	626	0.92	0.01
ZZ18275		1.67	91.1	4.89	6.52	0.07	0.14	0.10	0.034	0.15	17.5	46.3	1.23	779	0.91	0.01
ZZ18276		1.15	53.8	3.52	5.38	0.05	0.11	0.11	0.033	0.10	11.9	39.8	0.86	290	3.37	0.01
ZZ18277		1.04	56.8	3.84	4.59	0.06	0.11	0.13	0.036	0.10	9.4	34.0	0.75	865	8.27	0.01
ZZ18278		0.98	54.7	3.74	4.67	0.05	0.05	0.17	0.039	0.07	10.6	32.0	0.64	525	1.17	0.01
ZZ18279		0.91	44.6	3.84	3.05	0.06	0.04	0.06	0.055	0.07	7.4	15.9	0.29	688	0.80	0.01
ZZ18280		1.91	50.9	3.63	4.19	0.05	0.04	0.09	0.031	0.08	12.1	29.5	0.67	537	1.74	0.01
ZZ18281		1.60	90.0	5.07	7.06	0.08	0.17	0.09	0.036	0.18	19.6	46.1	1.20	941	0.85	0.01
ZZ18282		1.12	78.3	4.47	6.31	0.06	0.10	0.13	0.038	0.10	15.6	49.6	1.07	275	2.77	0.01
ZZ18283		1.17	88.2	4.99	6.46	0.07	0.08	0.09	0.037	0.09	15.6	39.5	1.16	744	1.07	0.01
ZZ18284		1.99	110.5	5.26	6.32	0.08	0.07	0.08	0.051	0.05	16.3	39.3	1.09	1100	0.60	<0.01
ZZ18285		3.90	59.1	3.82	4.97	0.06	0.09	0.32	0.040	0.11	10.8	29.4	0.65	787	0.60	0.01
DD004801		1.57	44.5	4.60	7.76	0.05	0.06	0.05	0.043	0.04	13.6	35.0	0.78	399	0.82	<0.01
DD004802		4.13	135.5	6.13	7.33	0.06	0.06	0.04	0.060	0.07	10.9	52.9	1.13	282	0.59	<0.01
DD004803		2.94	50.1	4.26	7.10	<0.05	0.08	0.02	0.035	0.04	13.3	38.3	0.74	403	1.07	<0.01
DD004804		1.88	16.6	4.24	6.96	<0.05	0.03	0.02	0.036	0.05	12.6	37.5	0.46	442	1.55	<0.01
DD004805		1.26	11.6	3.80	7.98	<0.05	0.03	0.03	0.030	0.03	13.6	28.8	0.24	222	1.50	<0.01
DD004751		2.44	79.3	5.49	7.24	0.06	0.07	0.04	0.037	0.06	19.3	29.9	1.39	740	1.07	<0.01
DD004752		1.08	88.8	5.40	4.54	0.07	0.10	0.23	0.050	0.06	23.1	50.1	0.73	695	1.38	<0.01
DD004753		1.15	70.8	4.81	5.44	0.06	0.06	0.04	0.044	0.05	15.8	48.7	0.86	674	0.90	<0.01
DD004754		1.22	94.2	2.67	4.88	0.05	0.04	0.08	0.026	0.05	16.5	20.3	0.51	528	0.89	0.01
DD004755		2.42	61.5	5.24	6.68	0.05	0.07	0.03	0.052	0.05	15.8	41.5	0.69	581	1.37	<0.01
DD004756		4.09	128.5	5.08	7.69	0.07	0.08	0.07	0.045	0.08	18.0	35.7	1.37	969	1.38	0.01
DD004757		3.78	123.0	4.68	6.67	0.07	0.07	0.07	0.041	0.08	16.3	31.0	1.27	968	1.21	0.01
DD004758		3.09	128.0	3.67	5.62	0.06	0.05	0.10	0.036	0.06	11.9	23.3	0.96	817	1.06	0.01
DD004759		1.76	48.9	4.00	6.00	<0.05	0.04	0.02	0.031	0.07	15.5	40.9	0.73	510	0.79	<0.01
DD004760		1.40	14.9	3.06	6.46	<0.05	0.02	0.01	0.025	0.05	16.1	26.2	0.31	294	0.92	<0.01
DD004761		1.45	80.8	5.41	4.98	0.05	0.04	0.04	0.052	0.07	17.8	20.0	0.61	1460	2.63	<0.01
DD004762		1.11	79.0	4.49	5.93	0.06	0.09	0.05	0.035	0.08	19.1	35.6	1.04	651	0.76	0.01
DD004763		1.66	171.5	4.11	5.68	0.07	0.10	0.24	0.036	0.13	16.4	31.1	0.93	486	0.58	0.01
DD004764		1.54	81.0	4.97	7.68	0.08	0.13	0.08	0.034	0.14	19.4	42.6	1.42	507	0.61	0.01
DD004765		1.31	101.5	4.18	7.41	0.07	0.10	0.09	0.037	0.09	18.6	46.0	1.36	176	0.81	0.01
DD004766		0.79	83.9	4.83	8.33	0.08	0.13	0.09	0.040	0.08	16.7	50.2	1.50	539	0.62	0.02
DD004767		1.02	72.3	4.53	7.75	0.06	0.13	0.13	0.042	0.09	16.3	47.9	1.21	551	0.47	0.02
DD004768		0.97	84.1	4.64	8.90	0.09	0.14	0.11	0.038	0.09	18.2	49.4	1.34	415	0.47	0.02
DD004769		0.75	87.0	4.53	8.35	0.07	0.12	0.10	0.037	0.08	17.7	52.9	1.41	316	0.43	0.02
DD004770		0.87	63.7	3.56	6.13	<0.05	0.08	0.07	0.033	0.07	10.1	31.3	0.83	448	0.64	0.02
DD004771		1.25	93.0	4.33	6.56	0.07	0.10	0.09	0.035	0.07	17.3	34.6	1.02	717	0.71	0.02
DD004772		1.53	105.5	4.54	7.40	0.08	0.11	0.11	0.044	0.09	16.4	42.1	1.13	686	0.81	0.02
DD004773		1.46	68.6	4.84	7.85	0.06	0.08	0.04	0.036	0.07	18.1	46.8	1.02	460	0.79	0.02

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 17- AUG- 2011
Account: RCM

Project: Rackla- Pyramid North

CERTIFICATE OF ANALYSIS WH11148697

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
ZZ18274		0.15	35.9	600	21.9	7.1	0.001	0.05	0.47	8.3	1.9	0.3	47.9	<0.01	0.07	3.4
ZZ18275		0.14	40.3	740	18.8	7.7	<0.001	0.02	0.43	8.5	1.3	0.3	43.9	<0.01	0.07	4.7
ZZ18276		0.22	36.1	650	15.0	7.8	0.003	0.10	0.47	6.7	2.0	0.3	49.9	<0.01	0.07	3.0
ZZ18277		0.25	49.3	790	17.5	8.2	0.011	0.12	0.77	5.8	4.0	0.3	76.1	<0.01	0.06	1.9
ZZ18278		0.51	27.5	660	19.4	8.7	0.001	0.06	0.57	6.0	2.0	0.4	73.8	<0.01	0.05	1.8
ZZ18279		0.15	28.4	1230	26.3	6.1	0.001	0.04	0.61	7.8	1.4	0.4	82.8	<0.01	0.04	2.6
ZZ18280		0.55	28.9	620	18.4	8.6	0.001	0.05	0.66	6.1	1.5	0.4	49.8	<0.01	0.06	1.7
ZZ18281		0.14	42.4	810	20.3	8.8	<0.001	0.02	0.48	8.7	1.2	0.3	43.1	<0.01	0.10	6.0
ZZ18282		0.19	40.1	680	17.1	7.4	0.001	0.03	0.46	9.5	2.0	0.3	36.8	<0.01	0.07	4.5
ZZ18283		0.20	39.7	640	16.9	5.9	<0.001	0.02	0.45	10.0	1.0	0.3	29.6	<0.01	0.09	4.3
ZZ18284		0.11	35.2	290	18.6	7.2	0.001	0.01	0.45	15.0	1.1	0.3	9.9	<0.01	0.10	4.8
ZZ18285		0.27	31.3	820	24.3	13.9	0.001	0.06	0.38	8.5	1.8	0.5	31.0	<0.01	0.06	3.2
DD004801		0.46	27.0	250	18.7	7.5	<0.001	0.01	0.50	6.2	0.3	0.6	18.8	<0.01	0.09	3.9
DD004802		0.18	39.5	240	16.1	10.7	<0.001	0.01	0.50	6.5	0.8	0.6	5.9	<0.01	0.22	3.0
DD004803		0.59	24.5	210	17.9	8.0	<0.001	<0.01	0.48	4.4	0.6	0.6	7.3	<0.01	0.07	3.5
DD004804		1.15	19.3	290	17.7	9.8	<0.001	0.01	0.56	3.2	0.5	0.7	11.4	<0.01	0.05	3.1
DD004805		1.39	11.4	280	15.0	6.2	<0.001	0.01	0.52	2.8	0.8	1.0	6.5	0.01	0.04	3.5
DD004751		0.18	36.8	560	17.8	6.0	0.001	0.02	0.56	6.9	1.0	0.3	6.9	<0.01	0.11	2.8
DD004752		0.09	39.4	780	30.7	6.0	0.001	0.03	0.77	11.8	1.5	0.2	45.9	<0.01	0.08	5.5
DD004753		0.19	39.0	670	24.1	7.0	<0.001	0.01	0.59	4.9	1.1	0.3	23.3	<0.01	0.08	5.5
DD004754		0.64	21.0	940	16.6	9.4	<0.001	0.06	0.36	4.3	2.2	0.4	92.1	<0.01	0.05	1.0
DD004755		0.62	26.3	630	24.3	9.8	<0.001	0.02	0.51	6.0	1.3	0.5	17.2	<0.01	0.08	3.7
DD004756		0.31	38.7	770	21.0	7.8	0.001	0.03	0.56	10.7	2.0	0.4	41.0	<0.01	0.12	2.4
DD004757		0.28	37.2	790	19.7	6.6	0.001	0.04	0.50	10.0	1.2	0.3	50.9	<0.01	0.10	2.1
DD004758		0.27	29.1	870	15.4	7.8	0.003	0.08	0.46	7.2	3.2	0.3	94.1	<0.01	0.08	0.9
DD004759		0.39	26.1	240	16.1	9.7	<0.001	0.01	0.36	4.4	0.4	0.4	24.3	<0.01	0.08	3.6
DD004760		1.04	10.8	230	14.1	9.4	<0.001	<0.01	0.31	2.5	0.5	0.7	12.3	<0.01	0.05	3.1
DD004761		0.13	30.6	290	29.2	10.0	0.001	0.01	0.72	7.6	0.6	0.4	40.2	<0.01	0.11	3.7
DD004762		0.31	34.6	430	18.4	6.8	0.001	0.01	0.52	7.1	1.0	0.3	37.6	<0.01	0.09	4.3
DD004763		0.25	34.6	940	14.6	9.9	0.001	0.11	0.64	7.8	2.6	0.3	103.0	<0.01	0.08	1.3
DD004764		0.16	40.5	630	13.8	8.2	0.001	0.02	0.34	8.9	1.1	0.3	43.0	<0.01	0.07	4.4
DD004765		0.24	39.4	640	17.9	8.0	0.002	0.07	0.37	9.9	4.8	0.3	43.7	<0.01	0.09	3.6
DD004766		0.28	39.5	660	18.1	7.3	0.003	0.07	0.27	10.0	2.8	0.3	56.1	0.01	0.08	4.3
DD004767		0.33	34.8	580	17.5	9.7	0.002	0.05	0.26	10.3	2.6	0.3	50.8	0.01	0.07	4.4
DD004768		0.28	40.6	650	11.9	7.8	<0.001	0.01	0.30	10.9	0.6	0.3	29.9	0.01	0.06	4.4
DD004769		0.39	40.6	730	12.9	7.3	0.001	0.02	0.32	11.1	0.8	0.3	37.4	0.01	0.07	4.3
DD004770		0.40	25.8	720	12.7	8.5	0.001	0.09	0.46	6.5	2.3	0.3	81.1	0.01	0.07	1.2
DD004771		0.42	35.2	710	16.1	7.3	0.001	0.02	0.58	10.5	1.0	0.3	34.9	0.01	0.09	2.9
DD004772		0.34	41.0	690	17.5	7.2	0.001	0.03	0.51	11.9	1.6	0.4	39.7	0.01	0.10	3.9
DD004773		0.35	35.6	290	16.4	9.7	<0.001	<0.01	0.44	6.8	0.4	0.4	12.5	<0.01	0.08	4.4

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 17- AUG- 2011
Account: RCM

Project: Rackla- Pyramid North

CERTIFICATE OF ANALYSIS WH11148697

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
ZZ18274		0.005	0.11	1.45	44	<0.05	12.60	99	3.0
ZZ18275		0.006	0.09	0.79	52	<0.05	11.35	105	5.0
ZZ18276		0.005	0.11	3.39	45	<0.05	9.90	179	3.1
ZZ18277		0.005	0.18	8.54	46	<0.05	10.75	305	2.7
ZZ18278		0.010	0.12	2.07	40	0.11	11.35	83	1.5
ZZ18279		<0.005	0.08	1.39	23	<0.05	21.6	109	1.4
ZZ18280		0.018	0.11	2.53	40	0.11	10.15	96	1.2
ZZ18281		0.007	0.09	0.81	52	<0.05	12.25	108	7.0
ZZ18282		0.006	0.08	1.36	50	<0.05	13.10	134	4.0
ZZ18283		0.009	0.07	0.79	54	<0.05	12.90	91	3.1
ZZ18284		<0.005	0.10	0.91	57	<0.05	14.00	75	1.9
ZZ18285		0.005	0.47	1.26	41	0.06	12.70	157	2.4
DD004801		0.008	0.13	0.60	71	0.09	5.17	62	2.4
DD004802		<0.005	0.12	0.34	62	<0.05	3.77	79	2.4
DD004803		0.012	0.10	0.41	64	0.14	3.00	60	2.7
DD004804		0.024	0.12	0.48	60	0.21	2.66	72	1.2
DD004805		0.026	0.16	0.48	79	0.28	2.37	41	1.2
DD004751		0.008	0.07	0.39	72	0.12	7.04	88	1.9
DD004752		<0.005	0.11	1.71	27	<0.05	25.1	94	3.2
DD004753		0.005	0.08	0.82	37	0.05	6.29	78	2.0
DD004754		0.018	0.08	1.78	40	0.17	17.05	63	1.1
DD004755		0.014	0.09	1.11	57	0.15	9.97	79	1.9
DD004756		0.011	0.08	1.05	72	0.13	15.65	90	1.8
DD004757		0.011	0.08	0.67	66	0.08	13.60	90	1.7
DD004758		0.009	0.07	0.93	52	0.05	15.25	75	1.4
DD004759		0.010	0.09	0.45	50	0.29	4.24	70	1.8
DD004760		0.022	0.11	0.49	60	0.18	2.43	47	0.8
DD004761		<0.005	0.18	0.31	48	<0.05	5.57	65	1.2
DD004762		0.012	0.06	0.61	49	0.09	9.79	79	2.7
DD004763		0.007	0.07	2.29	48	<0.05	24.3	71	2.9
DD004764		0.008	0.07	0.51	61	<0.05	11.00	96	3.9
DD004765		0.008	0.07	0.80	63	<0.05	12.35	90	3.0
DD004766		0.007	0.06	0.92	64	0.05	11.75	87	4.0
DD004767		0.006	0.08	1.25	54	0.05	12.30	89	3.6
DD004768		0.009	0.06	0.50	56	0.05	11.95	87	4.3
DD004769		0.011	0.07	0.53	56	0.07	12.40	95	3.3
DD004770		0.009	0.08	1.60	42	0.06	9.31	83	2.2
DD004771		0.014	0.08	0.69	49	0.09	13.45	81	2.2
DD004772		0.009	0.08	0.60	57	0.07	12.80	94	3.3
DD004773		0.007	0.09	0.52	56	0.13	7.68	70	2.4

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 17- AUG- 2011
Account: RCM

Project: Rackla- Pyramid North

CERTIFICATE OF ANALYSIS WH11148697

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- TL43 Au ppm 0.001	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1
DD004774		0.37	0.002	0.13	2.18	9.8	<0.2	<10	170	0.92	0.28	0.32	0.19	40.4	19.3	32
DD004775		0.41	0.003	0.15	2.30	15.3	<0.2	<10	150	1.09	0.31	0.40	0.23	41.2	21.9	35
DD004776		0.41	0.003	0.14	1.98	20.3	<0.2	<10	140	1.01	0.27	0.29	0.33	43.0	25.0	33
DD004777		0.35	0.004	0.15	2.22	18.7	<0.2	<10	150	1.08	0.29	0.46	0.22	37.4	22.1	34
DD004778		0.34	0.003	0.14	1.92	16.7	<0.2	<10	130	0.98	0.27	0.32	0.33	37.2	20.4	31
DD004779		0.27	0.004	0.17	1.99	16.3	<0.2	<10	160	1.09	0.27	0.35	0.27	38.2	18.8	32
DD004781		0.26	0.005	0.23	2.09	22.6	<0.2	<10	180	1.17	0.29	0.94	0.62	29.8	29.2	31
DD004782		0.36	0.002	0.05	1.99	20.3	<0.2	<10	90	0.77	0.29	0.12	0.26	35.7	25.0	31
DD004783		0.34	0.003	0.13	1.64	17.9	<0.2	<10	130	0.87	0.24	0.68	0.26	30.0	20.8	26
DD004784		0.40	0.004	0.18	2.09	12.7	<0.2	<10	170	1.00	0.28	0.49	0.37	34.7	24.4	32
DD004785		0.39	0.002	0.08	1.49	18.2	<0.2	<10	140	0.97	0.29	0.46	0.26	25.8	17.3	25
DD004786		0.29	0.002	0.07	2.09	18.5	<0.2	<10	150	1.18	0.30	0.54	0.16	38.0	21.3	33
DD004787		0.45	0.003	0.18	1.93	12.4	<0.2	<10	170	1.13	0.28	0.81	0.36	29.0	19.0	31
DD004788		0.35	0.002	0.09	1.71	13.2	<0.2	<10	160	0.91	0.27	0.80	0.16	28.9	15.4	27
DD004789		0.34	0.003	0.23	1.59	17.1	<0.2	<10	180	1.13	0.26	0.92	0.23	30.3	16.3	26
DD004806		0.31	0.002	0.11	1.45	132.5	<0.2	<10	150	0.97	0.26	0.71	0.24	20.2	17.3	23
DD004807		0.27	0.002	0.08	1.32	73.3	<0.2	<10	150	0.91	0.30	0.97	0.39	24.9	16.1	20
DD004808		0.28	0.002	0.16	1.73	26.9	<0.2	<10	170	1.00	0.24	1.43	0.55	20.9	20.8	24
DD004809		0.29	0.001	0.10	2.05	13.4	<0.2	<10	130	1.13	0.29	0.18	0.13	27.8	12.1	25
DD004810		0.31	0.001	0.10	1.70	15.7	<0.2	<10	200	0.68	0.28	0.50	0.10	26.3	10.6	25
DD004811		0.37	0.002	0.12	1.90	19.2	<0.2	<10	220	1.18	0.31	0.47	0.33	27.9	22.1	29
DD004812		0.26	0.001	0.12	2.04	13.1	<0.2	<10	170	1.13	0.28	0.18	0.30	33.7	14.7	26
DD004813		0.35	0.002	0.13	2.33	17.8	<0.2	<10	190	1.09	0.31	0.18	0.12	27.5	14.7	28
DD004814		0.40	0.002	0.16	1.87	8.9	<0.2	<10	180	0.70	0.24	0.20	0.06	27.7	8.7	27
DD004815		0.33	0.001	0.09	2.14	18.7	<0.2	<10	160	0.79	0.33	0.09	0.14	27.5	12.6	30
DD004816		0.35	0.001	0.08	1.93	17.3	<0.2	<10	120	0.89	0.35	0.07	0.34	25.8	15.8	29
DD004817		0.31	0.003	0.10	1.99	14.9	<0.2	<10	140	1.26	0.26	0.38	0.17	38.4	19.6	30
DD004818		0.34	0.001	0.08	1.44	10.2	<0.2	<10	140	0.50	0.29	0.08	0.13	27.2	6.9	20
DD004819		0.37	0.001	0.04	1.74	11.9	<0.2	<10	120	0.51	0.29	0.13	0.09	22.3	7.1	26
DD004820		0.31	0.001	0.06	1.10	7.9	<0.2	<10	80	0.20	0.30	0.05	0.17	18.15	4.9	17
DD004821		0.28	<0.001	0.06	1.84	16.1	<0.2	<10	130	0.78	0.37	0.17	0.21	20.4	14.5	26
DD004822		0.40	0.001	0.05	1.66	12.5	<0.2	<10	100	0.72	0.32	0.18	0.13	22.9	12.0	24
DD004823		0.33	0.001	0.04	1.82	11.9	<0.2	<10	250	0.65	0.32	0.17	0.09	28.3	6.9	27
DD004824		0.39	0.002	0.08	1.46	13.5	<0.2	<10	140	0.64	0.33	0.28	0.25	25.3	11.2	24
DD004825		0.36	0.003	0.09	1.58	9.3	<0.2	<10	110	0.62	0.23	0.36	0.25	23.1	11.9	27
DD004826		0.35	0.003	0.10	1.82	11.9	<0.2	<10	150	0.80	0.29	0.36	0.21	30.0	18.9	29
DD004827		0.34	0.003	0.11	1.91	12.3	<0.2	<10	160	0.78	0.28	0.82	0.17	22.4	17.1	28
DD004828		0.42	0.002	0.09	2.44	13.0	<0.2	<10	210	0.79	0.30	0.12	0.18	26.4	20.0	35
DD004829		0.31	0.002	0.03	1.91	11.6	<0.2	<10	160	0.59	0.29	0.14	0.10	22.2	6.9	28
DD004830		0.37	0.001	0.04	2.21	32.5	<0.2	<10	130	1.02	0.42	0.09	0.32	26.7	24.3	31

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 17- AUG- 2011
Account: RCM

Project: Rackla- Pyramid North

CERTIFICATE OF ANALYSIS WH11148697

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
DD004774		1.12	65.0	4.44	7.81	0.05	0.09	0.07	0.035	0.08	18.8	43.0	1.04	557	0.61	0.02
DD004775		1.82	81.1	5.07	8.13	0.05	0.11	0.08	0.043	0.08	18.7	42.2	1.09	418	1.15	0.02
DD004776		1.42	86.5	5.07	7.06	0.07	0.10	0.09	0.047	0.07	19.3	36.2	0.97	281	1.26	0.02
DD004777		2.17	82.9	5.21	8.15	0.07	0.12	0.11	0.051	0.09	16.9	42.0	1.06	408	1.26	0.02
DD004778		1.83	81.6	4.58	7.12	0.08	0.09	0.10	0.046	0.08	18.1	34.8	0.89	476	1.53	0.02
DD004779		2.94	96.4	4.66	7.24	0.08	0.10	0.12	0.051	0.08	18.3	36.6	0.91	340	1.36	0.02
DD004781		2.62	103.5	5.47	7.41	0.06	0.14	0.12	0.052	0.10	13.0	35.7	0.96	759	1.66	0.02
DD004782		2.30	52.2	5.32	7.37	0.05	0.09	0.04	0.049	0.08	15.6	32.2	0.90	707	1.62	0.02
DD004783		2.09	67.4	3.99	6.01	<0.05	0.09	0.10	0.042	0.06	13.7	32.9	0.81	604	1.28	0.02
DD004784		1.38	79.4	5.19	7.66	0.08	0.11	0.11	0.044	0.08	16.0	47.0	1.09	1070	0.80	0.02
DD004785		1.81	53.0	4.43	5.15	0.05	0.08	0.05	0.039	0.07	11.0	32.9	0.80	453	0.77	0.02
DD004786		1.07	64.7	5.06	6.82	0.06	0.10	0.04	0.043	0.08	14.5	33.2	0.91	670	0.71	0.02
DD004787		1.31	101.0	4.57	6.70	0.08	0.12	0.11	0.044	0.09	15.0	35.2	1.02	629	0.81	0.02
DD004788		0.89	43.3	4.06	5.89	<0.05	0.07	0.05	0.035	0.06	12.9	29.0	0.75	515	0.72	0.02
DD004789		1.14	67.2	3.93	5.49	<0.05	0.10	0.14	0.036	0.07	14.9	28.6	0.71	451	1.73	0.02
DD004806		2.24	61.8	4.28	5.25	0.05	0.10	0.18	0.041	0.08	9.0	32.7	0.75	462	0.75	0.02
DD004807		1.51	44.7	4.18	4.45	<0.05	0.08	0.09	0.039	0.04	7.4	38.6	0.55	1270	0.82	0.02
DD004808		1.34	49.2	3.98	5.82	<0.05	0.10	0.13	0.037	0.09	9.5	39.3	0.68	1240	0.92	0.02
DD004809		1.37	19.1	3.91	7.11	<0.05	0.04	0.05	0.038	0.03	10.9	35.8	0.45	402	1.14	0.02
DD004810		1.37	16.4	3.01	6.89	<0.05	0.05	0.17	0.030	0.05	11.6	25.8	0.47	505	1.01	0.02
DD004811		1.92	56.9	5.26	6.10	0.05	0.10	0.06	0.047	0.06	9.7	46.8	0.73	1260	1.06	0.02
DD004812		1.58	21.3	3.87	6.62	<0.05	0.06	0.04	0.039	0.05	11.7	40.7	0.43	498	0.90	0.02
DD004813		1.61	28.5	5.12	6.90	<0.05	0.08	0.09	0.044	0.04	10.7	45.5	0.56	509	1.27	0.02
DD004814		1.73	26.3	3.16	6.61	<0.05	0.05	0.08	0.030	0.04	13.2	39.2	0.62	224	0.76	0.02
DD004815		1.84	22.4	4.59	8.50	<0.05	0.03	0.04	0.041	0.04	13.1	37.2	0.42	294	2.02	0.02
DD004816		2.52	21.5	5.56	7.31	<0.05	0.07	0.05	0.054	0.05	11.4	37.3	0.34	626	1.68	0.02
DD004817		3.90	89.1	4.00	7.43	0.05	0.08	0.05	0.050	0.06	16.8	26.5	0.59	666	1.07	0.02
DD004818		1.33	9.5	2.82	7.32	<0.05	0.04	0.02	0.025	0.04	13.4	20.9	0.25	206	1.36	0.02
DD004819		1.47	12.8	3.26	5.79	<0.05	<0.02	0.03	0.033	0.04	12.1	32.7	0.46	272	1.22	<0.01
DD004820		1.40	10.6	2.27	5.91	<0.05	<0.02	0.03	0.015	0.04	10.0	15.5	0.25	271	0.65	<0.01
DD004821		1.40	28.7	4.39	5.19	<0.05	0.06	0.04	0.035	0.05	9.2	48.5	0.60	785	0.95	<0.01
DD004822		0.79	34.5	3.96	4.66	0.06	0.07	0.09	0.029	0.05	12.9	56.7	0.67	424	0.51	<0.01
DD004823		1.69	12.5	3.00	7.26	0.05	<0.02	0.02	0.030	0.04	14.1	18.3	0.34	281	1.75	<0.01
DD004824		1.18	28.9	3.64	4.94	0.05	0.04	0.05	0.031	0.04	11.0	40.7	0.52	541	0.90	<0.01
DD004825		1.02	46.6	3.67	4.34	0.06	0.08	0.07	0.030	0.06	12.1	34.9	0.78	336	0.52	<0.01
DD004826		0.86	66.9	4.42	5.07	0.07	0.10	0.10	0.034	0.07	15.2	40.4	0.89	514	0.55	<0.01
DD004827		0.97	62.1	4.31	5.33	0.06	0.09	0.10	0.038	0.08	11.3	39.4	0.85	619	0.59	<0.01
DD004828		5.25	33.1	4.31	7.29	<0.05	0.09	0.02	0.052	0.05	12.7	31.8	0.57	516	1.46	<0.01
DD004829		1.69	13.4	3.62	6.87	<0.05	0.04	0.02	0.033	0.04	12.0	32.2	0.41	228	1.43	<0.01
DD004830		1.67	45.4	6.84	6.29	0.05	0.09	0.04	0.060	0.05	11.1	43.4	0.51	1120	1.57	<0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 17- AUG- 2011
Account: RCM

Project: Rackla- Pyramid North

CERTIFICATE OF ANALYSIS WH11148697

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
DD004774		0.40	34.1	700	15.2	9.8	<0.001	0.01	0.40	7.4	0.5	0.4	26.0	0.01	0.08	4.5
DD004775		0.43	36.8	690	20.4	10.3	0.001	0.01	0.52	10.9	1.1	0.4	26.3	0.01	0.09	4.5
DD004776		0.36	37.0	680	21.0	7.6	0.001	<0.01	0.58	10.4	1.3	0.4	19.0	0.01	0.10	5.0
DD004777		0.39	38.2	670	19.6	10.5	0.001	0.02	0.48	12.2	1.2	0.5	26.7	0.01	0.11	4.0
DD004778		0.43	35.1	700	17.8	8.9	<0.001	0.01	0.57	11.0	1.2	0.4	21.1	0.01	0.10	4.3
DD004779		0.48	35.4	640	21.7	11.1	0.002	0.02	0.59	13.0	1.9	0.5	23.2	0.01	0.09	4.3
DD004781		0.35	41.2	880	23.0	9.8	0.004	0.07	0.72	13.2	2.7	0.4	51.5	0.01	0.12	2.6
DD004782		0.47	29.3	290	20.6	9.9	<0.001	0.01	0.52	8.4	0.5	0.4	11.7	<0.01	0.11	4.0
DD004783		0.40	29.7	600	18.5	7.7	0.001	0.03	0.52	8.7	0.9	0.4	37.2	0.01	0.09	2.4
DD004784		0.50	37.5	570	16.1	9.0	0.001	0.02	0.47	11.2	0.9	0.4	33.8	0.01	0.09	4.3
DD004785		0.36	37.5	310	22.7	7.6	<0.001	0.01	1.24	7.6	0.6	0.3	30.8	<0.01	0.07	3.5
DD004786		0.36	37.4	280	20.7	9.4	<0.001	0.01	0.51	8.5	0.5	0.4	38.5	<0.01	0.09	4.7
DD004787		0.31	36.4	570	17.2	9.8	0.001	0.04	0.52	12.9	1.2	0.4	38.4	0.01	0.09	2.6
DD004788		0.52	29.8	340	16.8	9.0	<0.001	0.02	0.43	5.6	0.5	0.4	36.1	<0.01	0.07	3.0
DD004789		0.56	34.8	480	18.3	8.2	<0.001	0.02	0.64	8.5	0.9	0.4	47.5	0.01	0.06	3.1
DD004806		0.25	31.5	500	17.2	10.1	0.001	0.04	0.47	8.6	1.2	0.4	48.3	0.01	0.08	2.5
DD004807		0.31	23.1	770	25.2	9.7	<0.001	0.05	0.88	6.6	1.0	0.3	56.5	0.01	0.07	1.9
DD004808		0.36	28.3	910	14.6	12.8	0.001	0.06	0.51	6.4	1.9	0.4	79.6	0.01	0.07	1.4
DD004809		0.98	24.1	300	16.7	9.5	<0.001	<0.01	0.58	4.1	0.2	0.7	15.6	<0.01	0.06	3.5
DD004810		1.13	18.3	480	15.6	9.7	<0.001	0.01	0.50	3.9	0.2	0.7	36.6	<0.01	0.05	2.5
DD004811		0.30	33.0	770	23.1	9.6	<0.001	0.02	0.70	8.8	0.5	0.4	33.3	0.01	0.08	3.6
DD004812		1.12	28.6	470	17.6	13.0	<0.001	0.01	0.52	4.3	0.3	0.6	16.6	0.01	0.06	4.0
DD004813		0.66	25.5	310	19.8	11.8	<0.001	0.01	0.68	4.6	0.3	0.6	16.3	<0.01	0.07	4.1
DD004814		0.74	23.6	650	10.8	11.9	<0.001	0.01	0.38	4.1	0.3	0.5	15.5	<0.01	0.05	2.9
DD004815		1.85	21.6	340	18.2	10.2	<0.001	<0.01	0.93	3.9	0.3	0.9	9.8	0.01	0.07	3.5
DD004816		1.58	18.1	420	22.4	11.6	<0.001	0.01	0.65	4.3	0.3	0.7	8.4	0.01	0.08	4.1
DD004817		1.12	27.0	340	15.5	13.8	<0.001	0.01	0.66	11.6	1.0	0.8	16.8	0.01	0.07	4.2
DD004818		1.39	11.7	170	13.8	10.0	<0.001	<0.01	0.53	2.5	<0.2	0.9	10.6	<0.01	0.05	3.8
DD004819		0.96	16.9	280	14.2	9.1	<0.001	0.01	0.52	2.9	0.2	0.7	12.6	<0.01	0.02	2.8
DD004820		0.28	9.7	600	12.5	9.5	<0.001	0.03	0.37	0.5	0.4	0.6	6.4	<0.01	0.03	0.2
DD004821		0.38	28.1	760	22.4	8.1	<0.001	0.02	0.75	3.2	0.6	0.4	17.6	<0.01	0.05	2.5
DD004822		0.17	31.9	480	16.2	5.3	<0.001	0.01	0.80	4.4	0.7	0.3	22.1	<0.01	0.04	4.4
DD004823		1.42	13.8	230	16.4	9.5	<0.001	0.01	0.60	3.5	0.5	0.9	15.5	<0.01	0.02	2.9
DD004824		0.73	23.7	510	17.4	6.9	0.001	0.01	0.61	5.3	0.9	0.5	20.5	<0.01	0.03	3.4
DD004825		0.32	27.2	440	11.1	5.0	<0.001	0.01	0.48	6.8	0.6	0.3	19.3	<0.01	0.03	3.5
DD004826		0.16	33.6	670	18.5	5.4	<0.001	0.01	0.56	9.0	0.8	0.3	26.0	<0.01	0.06	4.8
DD004827		0.20	31.0	550	15.9	6.7	<0.001	0.03	0.56	7.5	1.1	0.4	39.9	<0.01	0.06	2.7
DD004828		1.04	23.6	280	17.4	9.7	0.001	0.01	0.57	5.1	0.4	0.8	9.4	<0.01	0.04	3.9
DD004829		1.18	14.6	210	14.0	7.9	<0.001	0.01	0.52	3.3	0.4	0.8	9.8	<0.01	0.04	3.4
DD004830		0.44	26.2	580	34.1	9.8	0.001	0.02	0.74	5.9	0.5	0.5	9.3	0.01	0.08	4.3

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 17- AUG- 2011
Account: RCM

Project: Rackla- Pyramid North

CERTIFICATE OF ANALYSIS WH11148697

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
DD004774		0.011	0.08	0.68	53	0.09	10.45	74	2.4
DD004775		0.009	0.10	0.95	65	0.10	12.65	96	2.7
DD004776		0.011	0.08	0.78	64	0.10	12.25	95	3.8
DD004777		0.007	0.10	1.12	65	0.09	12.75	98	2.9
DD004778		0.009	0.10	0.73	59	0.09	11.80	91	2.4
DD004779		0.009	0.12	0.83	63	0.11	13.45	89	2.9
DD004781		0.005	0.12	1.24	65	0.08	14.05	106	3.2
DD004782		0.010	0.10	0.55	64	0.07	6.07	89	2.6
DD004783		0.009	0.10	0.62	52	0.09	10.60	76	1.9
DD004784		0.013	0.10	0.79	57	0.10	12.45	85	3.0
DD004785		0.009	0.10	1.45	36	0.16	7.53	103	2.2
DD004786		0.006	0.12	0.74	52	0.07	7.37	96	3.0
DD004787		0.008	0.08	1.97	49	0.06	17.30	97	2.5
DD004788		0.009	0.09	0.97	43	0.10	6.69	67	1.8
DD004789		0.012	0.11	2.06	40	0.13	13.35	80	2.7
DD004806		0.005	0.38	2.21	40	0.06	12.70	92	2.3
DD004807		0.006	0.10	2.53	29	0.06	9.21	107	2.0
DD004808		0.007	0.12	3.89	37	0.07	11.75	122	2.3
DD004809		0.013	0.13	0.65	52	0.20	5.04	62	1.2
DD004810		0.023	0.14	1.03	56	0.31	4.99	64	1.2
DD004811		<0.005	0.10	0.89	43	0.07	9.90	93	2.9
DD004812		0.017	0.12	0.75	48	0.18	6.01	76	1.8
DD004813		0.009	0.18	0.63	49	0.14	4.54	71	2.9
DD004814		0.014	0.15	0.82	43	0.18	5.75	59	1.2
DD004815		0.033	0.17	0.62	70	0.32	3.80	63	1.0
DD004816		0.027	0.13	0.72	60	0.25	3.68	68	2.5
DD004817		0.025	0.17	0.78	59	0.33	17.10	67	1.4
DD004818		0.028	0.14	0.46	61	0.26	2.51	51	1.6
DD004819		0.023	0.14	0.53	51	0.22	2.87	58	0.5
DD004820		0.012	0.11	0.41	38	0.13	1.74	56	<0.5
DD004821		0.009	0.08	0.74	36	0.12	4.18	81	1.8
DD004822		0.005	0.06	0.66	24	0.05	7.81	81	2.4
DD004823		0.028	0.14	0.69	71	0.30	3.96	51	0.5
DD004824		0.025	0.08	0.99	41	0.17	7.22	84	1.2
DD004825		0.013	0.05	0.52	38	0.06	8.57	88	2.6
DD004826		0.007	0.05	0.56	42	<0.05	12.35	81	4.0
DD004827		0.005	0.06	0.95	43	<0.05	9.88	79	2.6
DD004828		0.023	0.17	0.63	76	0.22	3.99	55	3.1
DD004829		0.021	0.14	0.63	68	0.22	2.43	48	1.9
DD004830		0.006	0.12	0.74	58	0.08	5.41	82	3.0

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 17- AUG- 2011
Account: RCM

Project: Rackla- Pyramid North

CERTIFICATE OF ANALYSIS WH11148697

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- TL43 Au ppm 0.001	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1
DD004831		0.36	0.003	0.03	1.87	13.3	<0.2	<10	120	0.65	0.22	0.35	0.30	27.9	18.0	31
DD004832		0.26	0.001	0.12	2.41	14.6	<0.2	<10	210	0.91	0.32	0.09	0.37	20.1	14.8	30
DD004833		0.44	0.002	0.11	1.38	19.9	<0.2	<10	160	1.07	0.37	1.37	0.48	19.95	17.0	21
DD004834		0.35	<0.001	0.03	1.93	8.9	<0.2	<10	180	0.42	0.25	0.18	0.14	21.7	9.0	26
DD004835		0.35	0.001	0.05	1.76	14.5	<0.2	<10	180	0.79	0.31	0.40	0.15	23.4	15.5	27
DD004836		0.38	0.001	0.04	1.79	19.0	<0.2	<10	100	0.98	0.36	0.06	0.27	18.85	21.1	26
DD004837		0.28	0.003	0.05	2.59	11.2	<0.2	<10	120	1.00	0.25	0.29	0.12	36.8	15.2	38
DD004838		0.35	0.001	0.05	1.73	12.0	<0.2	<10	190	0.97	0.25	0.62	0.25	34.6	8.2	27
DD004839		0.31	0.001	0.04	1.87	14.4	<0.2	<10	150	0.57	0.26	0.40	0.21	19.00	10.6	24
DD004840		0.28	0.002	0.12	1.60	16.6	<0.2	<10	130	1.09	0.39	0.71	0.13	39.3	13.8	22
DD004841		0.26	0.001	0.03	1.70	14.6	<0.2	<10	210	0.58	0.27	0.44	0.16	21.7	14.8	28
DD004842		0.30	0.001	0.08	0.94	32.4	<0.2	<10	100	0.99	0.39	0.43	0.18	8.10	17.0	15
DD004843		0.31	0.002	0.39	0.81	10.9	<0.2	<10	120	0.91	0.41	0.76	0.18	12.90	14.8	17
DD004844		0.28	0.003	0.19	1.11	30.0	<0.2	<10	260	0.65	0.27	0.78	0.37	18.65	15.0	19
DD004845		0.28	0.002	0.10	1.03	13.1	<0.2	<10	120	0.65	0.33	0.52	0.11	15.75	10.4	19
DD004846		0.28	0.001	0.08	1.82	9.4	<0.2	<10	210	0.74	0.28	0.31	0.27	23.0	9.4	28
DD004847		0.30	0.002	0.08	1.94	15.1	<0.2	<10	290	0.81	0.29	0.27	0.13	35.0	16.0	31
DD004848		0.31	0.003	0.15	1.65	26.7	<0.2	<10	160	0.69	0.26	1.63	0.17	24.3	10.6	27
DD004849		0.39	0.002	0.04	2.44	17.5	<0.2	<10	130	0.95	0.33	0.13	0.18	28.5	20.1	36
DD004850		0.35	0.001	0.04	1.14	12.8	<0.2	<10	120	1.04	0.50	0.11	0.04	31.0	18.3	17

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 17- AUG- 2011
Account: RCM

Project: Rackla- Pyramid North

CERTIFICATE OF ANALYSIS WH11148697

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
DD004831		1.11	55.1	4.50	5.20	0.05	0.05	0.02	0.037	0.05	12.3	42.8	0.90	599	0.86	<0.01
DD004832		2.24	31.1	4.91	7.42	0.05	0.04	0.03	0.048	0.06	10.0	41.6	0.46	428	1.33	<0.01
DD004833		1.29	70.4	4.82	3.74	0.06	0.08	0.12	0.042	0.10	8.8	27.8	1.11	564	1.32	0.01
DD004834		1.10	15.1	3.79	6.74	<0.05	0.03	0.01	0.029	0.04	11.7	45.8	0.54	269	0.79	<0.01
DD004835		1.20	38.8	4.45	5.38	0.05	0.04	0.02	0.043	0.07	11.6	26.9	0.61	580	1.13	0.01
DD004836		1.54	55.7	5.84	5.53	0.05	0.06	0.03	0.049	0.08	8.4	38.9	0.60	523	1.72	<0.01
DD004837		1.23	32.0	4.26	6.64	0.06	0.08	0.02	0.041	0.06	15.0	45.4	1.10	370	0.46	<0.01
DD004838		0.69	11.7	3.17	4.66	0.06	0.09	0.02	0.036	0.05	19.0	15.3	0.43	405	0.67	0.01
DD004839		1.23	21.4	3.92	6.99	<0.05	0.02	0.02	0.031	0.06	9.5	30.7	0.52	471	0.65	<0.01
DD004840		0.84	32.0	4.84	4.09	0.09	0.07	0.11	0.056	0.07	20.1	19.5	0.37	483	0.72	<0.01
DD004841		0.80	48.2	4.15	5.45	<0.05	0.06	0.02	0.038	0.06	10.1	36.4	0.76	478	1.39	<0.01
DD004842		1.14	36.9	3.60	2.89	<0.05	0.03	0.02	0.040	0.12	3.0	24.6	0.22	332	0.39	<0.01
DD004843		1.89	41.4	4.21	2.50	<0.05	0.05	0.10	0.047	0.10	6.2	13.1	0.33	332	1.05	<0.01
DD004844		1.40	42.8	3.77	3.10	0.06	0.08	0.14	0.030	0.06	9.1	33.7	0.72	552	1.22	0.01
DD004845		1.71	45.1	3.72	2.92	<0.05	0.06	0.05	0.037	0.05	8.5	20.2	0.44	439	0.79	<0.01
DD004846		1.40	16.3	3.07	5.67	<0.05	0.03	0.02	0.034	0.05	10.9	22.2	0.40	680	0.83	<0.01
DD004847		1.21	35.8	4.00	5.29	0.05	0.05	0.03	0.035	0.05	16.0	30.7	0.73	566	0.81	<0.01
DD004848		0.72	31.4	3.72	4.66	0.06	0.07	0.42	0.035	0.05	13.7	26.2	1.31	506	0.99	0.01
DD004849		1.37	68.3	5.47	6.18	0.05	0.05	0.02	0.045	0.06	13.8	47.5	0.94	794	0.85	<0.01
DD004850		1.03	35.3	4.23	3.82	0.05	0.02	0.05	0.038	0.15	15.1	17.7	0.27	360	0.72	<0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 17- AUG- 2011
Account: RCM

Project: Rackla- Pyramid North

CERTIFICATE OF ANALYSIS WH11148697

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
DD004831		0.31	30.9	440	15.7	5.9	<0.001	0.02	0.43	5.9	0.8	0.3	18.9	<0.01	0.05	3.1
DD004832		0.83	24.8	470	17.9	10.7	<0.001	0.02	0.51	5.0	0.5	0.8	8.6	0.01	0.06	2.7
DD004833		0.14	33.3	740	28.0	5.6	0.001	0.03	0.50	8.2	1.2	0.4	39.6	<0.01	0.06	4.6
DD004834		0.66	16.4	240	12.0	9.0	<0.001	0.01	0.33	3.3	<0.2	0.6	12.9	<0.01	0.03	2.9
DD004835		0.41	23.9	320	18.3	10.1	<0.001	0.01	0.41	5.3	0.6	0.5	25.3	<0.01	0.06	3.1
DD004836		0.15	32.1	400	26.6	8.7	<0.001	0.01	0.45	5.3	0.4	0.5	10.8	<0.01	0.07	3.5
DD004837		0.15	28.9	210	15.9	10.0	0.001	0.01	0.30	6.3	0.5	0.5	13.8	<0.01	0.05	5.0
DD004838		0.77	18.3	340	16.8	8.7	<0.001	0.02	0.40	5.5	0.5	0.5	31.1	<0.01	0.01	3.8
DD004839		0.35	16.6	380	12.9	8.9	<0.001	0.02	0.27	3.8	0.3	0.6	21.3	<0.01	0.05	2.4
DD004840		0.30	27.9	400	32.6	9.0	<0.001	0.02	0.38	9.6	1.1	0.5	53.6	<0.01	0.07	4.6
DD004841		0.23	25.6	280	18.1	8.9	<0.001	0.02	0.42	4.7	0.4	0.4	28.8	<0.01	0.05	2.9
DD004842		0.11	26.1	470	18.3	8.4	0.001	0.02	0.18	5.5	0.3	0.5	28.9	<0.01	0.03	2.7
DD004843		0.19	34.7	460	28.9	7.2	0.001	0.04	0.40	5.8	0.9	0.5	65.2	<0.01	0.04	1.6
DD004844		0.08	33.1	790	18.5	4.4	0.001	0.04	0.72	4.9	1.0	0.2	33.6	<0.01	0.05	3.2
DD004845		0.20	21.2	290	19.0	5.7	<0.001	0.01	0.41	6.0	0.6	0.3	29.5	<0.01	0.04	2.3
DD004846		0.88	16.3	400	16.2	9.4	0.001	0.02	0.39	4.1	0.5	0.7	19.4	<0.01	0.02	2.2
DD004847		0.62	31.1	660	17.3	8.5	<0.001	<0.01	0.56	5.3	0.7	0.5	20.1	<0.01	0.04	4.9
DD004848		0.50	23.5	780	23.7	7.0	<0.001	0.02	0.57	5.7	1.0	0.5	21.0	<0.01	0.03	3.4
DD004849		0.12	34.4	260	21.0	7.7	0.001	0.01	0.57	6.8	0.5	0.4	11.5	<0.01	0.06	4.5
DD004850		0.22	26.6	160	21.6	14.6	<0.001	<0.01	0.22	4.9	0.5	0.6	15.4	<0.01	0.02	6.1

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 17- AUG- 2011
Account: RCM

Project: Rackla- Pyramid North

CERTIFICATE OF ANALYSIS WH11148697

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
DD004831		0.009	0.06	0.69	57	0.08	5.46	75	1.5
DD004832		0.010	0.13	0.62	67	0.15	4.16	70	1.4
DD004833		<0.005	0.14	0.72	35	<0.05	11.40	200	2.8
DD004834		0.011	0.11	0.33	59	0.12	2.08	58	1.5
DD004835		0.008	0.10	0.80	49	0.09	7.39	95	1.5
DD004836		<0.005	0.11	0.42	46	<0.05	4.26	111	3.0
DD004837		<0.005	0.11	0.79	50	<0.05	4.86	76	3.0
DD004838		0.015	0.12	2.74	50	0.17	12.80	87	2.5
DD004839		0.005	0.10	0.33	58	0.06	2.99	81	1.0
DD004840		<0.005	0.11	1.32	32	0.08	21.4	105	2.2
DD004841		0.005	0.08	0.82	45	<0.05	3.11	75	2.3
DD004842		<0.005	0.09	0.73	21	<0.05	7.67	69	0.8
DD004843		0.006	0.08	1.00	27	0.05	7.94	117	1.6
DD004844		<0.005	0.08	0.96	27	<0.05	9.27	119	2.8
DD004845		0.006	0.06	0.73	25	0.06	6.02	83	1.6
DD004846		0.018	0.11	1.06	55	0.20	5.80	116	0.8
DD004847		0.018	0.10	1.21	50	0.24	7.29	91	1.7
DD004848		0.014	0.10	0.91	45	0.14	9.56	105	1.9
DD004849		<0.005	0.11	0.65	58	<0.05	4.59	92	2.0
DD004850		0.005	0.13	0.68	21	<0.05	4.88	56	0.7

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 17- AUG- 2011
Account: RCM

Project: Rackla- Pyramid North

CERTIFICATE OF ANALYSIS WH11148697

Method	CERTIFICATE COMMENTS
ME- MS41	Gold determinations by this method are semi- quantitative due to the small sample weight used (0.5g).

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 20- AUG- 2011
Account: RCM

CERTIFICATE WH11148698

Project: Rackla- Dale Contour

P.O. No.:

This report is for 146 Soil samples submitted to our lab in Whitehorse, YT, Canada on 3- AUG- 2011.

The following have access to data associated with this certificate:

ROB CARNE JULIA LANE	ANDREW CARNE JOAN MARIACHER	MATT DUMALA

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
SCR- 41	Screen to - 180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- TL43	Trace Level Au - 25g AR	ICP- MS
ME- MS41	51 anal. aqua regia ICPMS	

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 20- AUG- 2011
Account: RCM

Project: Rackla- Dale Contour

CERTIFICATE OF ANALYSIS WH11148698

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- TL43 Au ppm 0.001	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1
ZZ18344		0.28	0.002	0.37	1.10	31.3	<0.2	<10	480	0.87	0.31	0.57	0.64	8.74	14.1	26
ZZ18345		0.19	0.001	0.27	1.11	18.3	<0.2	<10	420	0.84	0.27	1.62	2.90	16.05	10.0	20
ZZ18346		0.27	0.002	0.27	1.27	26.9	<0.2	<10	260	1.08	0.30	3.76	0.93	19.05	9.3	20
ZZ18347		0.23	0.003	1.41	1.48	28.5	<0.2	<10	590	1.07	0.27	1.46	6.46	24.2	10.7	48
ZZ18348		0.22	0.002	0.67	0.46	42.5	<0.2	<10	250	0.91	0.21	4.73	6.40	21.2	9.3	17
ZZ18349		0.24	0.002	0.65	0.70	90.6	<0.2	<10	240	0.78	0.20	1.39	2.87	20.7	8.4	24
ZZ18350		0.21	0.002	1.00	0.73	202	<0.2	<10	230	0.93	0.22	3.12	5.27	29.3	10.6	18
ZZ18351		0.14	0.002	0.68	0.77	95.9	<0.2	<10	290	0.88	0.19	2.75	4.90	20.0	8.2	16
ZZ18352		0.23	0.002	1.38	0.66	238	<0.2	<10	200	0.92	0.17	4.25	6.66	21.7	8.6	18
ZZ18353		0.17	0.003	1.32	0.63	434	<0.2	<10	120	0.60	0.15	6.70	12.00	22.3	6.2	28
ZZ18354		0.20	0.009	2.79	0.64	123.5	<0.2	<10	370	0.57	0.17	1.21	5.24	14.10	4.8	20
ZZ18355		0.26	0.008	1.18	0.99	123.5	<0.2	<10	490	0.90	0.15	1.71	4.20	20.9	8.4	23
DD004790		0.33	0.012	0.05	1.62	3.0	<0.2	<10	160	1.31	0.38	0.04	0.06	11.05	14.8	27
DD004791		0.36	0.002	0.06	1.81	25.2	<0.2	<10	260	1.74	0.54	0.12	0.20	25.5	22.6	32
DD004792		0.32	0.001	0.07	1.68	8.1	<0.2	<10	80	0.95	0.38	0.04	0.28	13.60	10.6	23
DD004793		0.43	0.001	0.04	1.69	9.8	<0.2	<10	220	1.15	0.39	0.16	0.08	11.70	14.1	26
DD004794		0.36	0.004	0.47	1.60	24.6	<0.2	<10	340	1.19	0.27	0.75	0.86	24.5	12.0	24
DD004795		0.35	0.001	0.06	1.73	10.8	<0.2	<10	170	1.16	0.53	0.03	0.09	12.75	16.2	29
DD004796		0.29	0.005	0.15	1.76	15.0	<0.2	<10	230	1.59	0.45	0.46	0.10	17.95	14.3	28
DD004797		0.38	0.001	0.05	1.68	19.2	<0.2	<10	150	1.33	0.62	0.06	0.11	13.40	19.6	29
DD004798		0.36	0.003	0.19	1.29	49.3	<0.2	<10	330	1.18	0.36	0.85	0.42	24.3	13.7	23
DD004799		0.36	0.001	0.05	1.56	16.0	<0.2	<10	250	0.81	0.40	0.12	0.21	17.10	17.1	25
DD004800		0.32	0.002	0.09	1.68	51.7	<0.2	<10	330	1.13	0.34	0.21	0.47	22.7	18.6	27
DD004951		0.29	0.003	0.75	0.74	335	<0.2	<10	240	0.81	0.19	2.35	3.93	21.7	9.2	17
DD004952		0.28	0.002	0.21	1.29	82.6	<0.2	<10	350	1.10	0.30	1.25	0.79	22.6	14.1	22
DD004953		0.35	0.001	0.11	1.41	45.5	<0.2	<10	300	1.47	0.39	0.25	0.29	15.55	17.4	27
DD004954		0.37	0.001	0.20	1.11	11.5	<0.2	<10	230	1.22	0.27	0.67	0.32	26.6	12.2	19
DD004955		0.39	0.002	0.43	1.03	15.6	<0.2	<10	260	1.19	0.24	1.67	3.24	18.25	10.8	18
DD004956		0.34	0.002	2.32	0.72	84.8	<0.2	<10	290	1.09	0.19	7.24	13.20	27.5	5.4	73
DD004957		0.31	0.001	2.43	0.65	41.3	<0.2	<10	690	0.88	0.24	0.54	9.93	13.05	5.2	23
DD004958		0.36	0.001	0.53	1.86	24.1	<0.2	<10	100	0.79	0.29	0.03	0.47	16.10	12.2	27
DD004959		0.29	0.002	1.41	1.02	88.3	<0.2	<10	330	1.10	0.24	1.83	4.60	32.4	10.1	51
DD004960		0.23	0.001	0.53	1.22	22.3	<0.2	<10	370	1.04	0.23	1.28	2.38	15.65	9.0	25
DD004961		0.25	0.001	0.72	0.59	49.0	<0.2	<10	130	0.86	0.23	6.00	3.52	37.3	10.7	12
DD004962		0.21	0.001	0.48	0.98	368	<0.2	<10	290	0.97	0.20	2.25	5.06	30.5	9.4	17
DD004963		0.31	0.005	1.83	0.76	519	<0.2	<10	320	1.03	0.19	1.96	17.20	23.0	9.1	33
DD004964		0.26	0.003	1.09	0.80	573	<0.2	<10	380	1.00	0.16	2.73	7.91	19.95	8.6	24
DD004965		0.25	0.006	1.38	0.75	552	<0.2	<10	1010	0.76	0.14	3.21	11.35	13.95	6.0	28
DD004966		0.31	0.009	1.26	1.24	1915	<0.2	<10	660	1.38	0.23	0.64	9.60	21.3	8.2	23
DD004967		0.35	0.001	1.07	0.40	641	<0.2	<10	120	0.35	0.25	0.01	0.66	8.35	5.5	9

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 20- AUG- 2011
Account: RCM

Project: Rackla- Dale Contour

CERTIFICATE OF ANALYSIS WH11148698

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
ZZ18344		1.32	37.0	4.01	3.35	<0.05	0.06	0.23	0.053	0.14	5.9	17.3	0.26	348	2.59	0.01
ZZ18345		0.60	27.4	3.17	3.47	<0.05	0.05	0.13	0.034	0.09	7.9	14.4	0.49	788	3.50	0.01
ZZ18346		0.74	23.8	3.85	3.67	0.05	0.06	0.13	0.033	0.10	10.9	16.2	2.30	1140	2.12	0.01
ZZ18347		0.78	62.8	3.05	4.67	0.07	0.06	0.30	0.036	0.09	19.6	13.7	0.31	534	7.58	0.01
ZZ18348		0.52	43.9	2.21	2.00	0.11	0.05	0.26	0.030	0.12	13.6	4.1	2.00	223	40.1	0.01
ZZ18349		0.65	55.4	2.35	2.71	0.11	0.05	0.20	0.044	0.07	15.9	6.7	0.18	226	33.9	0.01
ZZ18350		1.38	40.0	2.79	2.42	0.12	0.05	0.42	0.038	0.10	18.4	6.9	0.52	283	7.44	0.01
ZZ18351		1.02	36.2	2.20	2.21	0.10	0.05	0.19	0.029	0.07	13.5	5.0	0.16	339	4.89	0.01
ZZ18352		1.18	32.0	2.21	2.22	0.10	0.06	0.32	0.030	0.09	17.0	5.1	0.86	187	13.30	0.01
ZZ18353		0.91	50.7	1.53	2.38	0.13	0.04	0.58	0.021	0.06	21.1	4.0	0.34	207	21.5	0.01
ZZ18354		2.05	38.8	1.57	2.50	0.10	0.06	0.67	0.034	0.08	9.4	5.6	0.13	167	8.95	<0.01
ZZ18355		0.91	35.7	2.68	3.28	0.10	0.07	0.78	0.042	0.08	13.5	9.0	0.20	349	4.57	0.01
DD004790		3.18	23.4	3.59	7.21	0.08	0.03	0.02	0.031	0.19	4.3	34.7	0.42	650	0.31	<0.01
DD004791		1.55	43.3	4.85	6.82	0.11	0.06	0.11	0.035	0.12	9.4	43.2	0.62	1400	0.49	0.01
DD004792		1.49	21.2	3.42	5.93	0.08	0.06	0.06	0.032	0.11	3.8	25.8	0.28	594	0.48	<0.01
DD004793		1.51	24.0	4.08	6.70	0.09	0.05	0.02	0.037	0.10	4.5	38.2	0.48	576	0.41	<0.01
DD004794		1.31	29.0	3.32	5.41	0.11	0.07	0.12	0.042	0.08	12.5	20.3	0.38	535	3.27	0.01
DD004795		1.62	30.3	4.24	7.77	0.09	0.04	0.01	0.039	0.09	5.0	30.4	0.37	640	0.45	<0.01
DD004796		1.57	42.2	3.93	6.47	0.12	0.08	0.08	0.037	0.12	8.0	41.7	0.57	696	0.42	<0.01
DD004797		1.56	39.4	4.31	7.01	0.09	0.06	0.03	0.040	0.10	5.3	33.7	0.47	815	0.40	<0.01
DD004798		1.10	45.2	4.37	4.23	0.10	0.07	0.25	0.041	0.09	11.5	19.1	0.65	952	0.90	0.01
DD004799		1.25	21.3	3.93	6.21	0.08	0.04	0.03	0.037	0.11	6.5	22.6	0.33	915	0.72	<0.01
DD004800		1.16	41.4	5.13	5.56	0.09	0.07	0.15	0.039	0.08	8.6	32.5	0.55	1190	0.74	<0.01
DD004951		0.93	34.4	2.52	2.59	0.13	0.04	0.69	0.029	0.08	16.3	8.5	0.42	381	16.35	0.01
DD004952		1.00	41.7	4.87	4.15	0.11	0.08	0.53	0.036	0.08	10.9	19.6	0.74	2110	1.58	0.01
DD004953		1.81	47.9	4.69	4.84	0.11	0.07	0.21	0.039	0.11	6.7	21.6	0.49	1720	0.88	<0.01
DD004954		3.30	28.8	3.49	3.61	0.11	0.07	0.05	0.040	0.12	11.6	21.4	0.32	420	1.15	<0.01
DD004955		1.19	44.7	3.02	3.49	0.11	0.07	0.15	0.041	0.12	10.2	16.8	0.48	239	14.65	0.01
DD004956		1.26	114.5	1.80	3.68	0.18	0.05	0.59	0.029	0.12	28.1	7.3	2.18	84	50.2	0.02
DD004957		4.40	83.6	2.49	2.81	0.13	0.04	0.32	0.050	0.12	8.2	9.1	0.15	130	43.4	0.01
DD004958		1.63	39.2	4.48	5.31	0.10	0.06	0.08	0.035	0.06	7.5	31.4	0.45	291	3.27	<0.01
DD004959		1.15	62.1	2.70	3.91	0.15	0.04	0.29	0.034	0.08	31.0	15.7	0.39	289	12.70	0.01
DD004960		1.63	57.3	2.28	4.30	0.11	0.06	0.20	0.035	0.08	10.7	17.1	0.32	355	14.45	0.01
DD004961		0.35	21.6	2.65	1.77	0.12	0.07	0.12	0.036	0.15	23.4	4.4	2.08	323	8.02	0.01
DD004962		1.33	21.5	2.56	2.76	0.11	0.05	0.26	0.035	0.08	20.3	8.4	0.21	450	7.29	0.01
DD004963		2.01	50.7	2.55	2.78	0.12	0.08	1.38	0.033	0.10	18.1	7.0	0.36	312	27.1	0.01
DD004964		1.61	43.7	2.26	2.64	0.11	0.06	0.88	0.029	0.08	15.6	6.5	0.19	201	9.80	0.01
DD004965		1.37	51.7	1.74	2.40	0.11	0.06	2.04	0.023	0.07	13.3	5.4	0.15	197	11.75	0.02
DD004966		5.11	51.9	3.08	3.06	0.11	0.07	0.81	0.037	0.09	13.0	6.6	0.14	267	8.56	0.01
DD004967		14.40	41.7	2.44	3.49	0.08	<0.02	0.11	0.022	0.08	4.3	0.9	0.02	71	6.30	<0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 20- AUG- 2011
Account: RCM

Project: Rackla- Dale Contour

CERTIFICATE OF ANALYSIS WH11148698

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
ZZ18344		0.11	79.7	670	21.6	13.5	0.001	0.14	0.58	6.3	1.6	0.6	31.5	<0.01	0.06	3.2
ZZ18345		0.46	41.3	720	33.9	9.5	0.001	0.06	1.26	3.8	1.4	0.5	45.6	<0.01	0.03	1.7
ZZ18346		0.30	25.0	520	52.4	10.0	0.001	0.03	0.68	5.5	1.0	0.6	26.6	<0.01	0.02	3.8
ZZ18347		0.44	102.5	1310	20.9	9.6	0.002	0.07	4.60	4.4	3.1	0.6	40.7	<0.01	0.06	1.3
ZZ18348		0.18	125.5	780	14.5	6.6	0.002	0.06	8.74	3.2	3.6	0.5	44.8	<0.01	0.05	1.6
ZZ18349		0.27	109.0	690	15.4	5.9	0.002	0.06	3.69	4.0	3.4	0.6	33.7	<0.01	0.14	1.3
ZZ18350		0.26	105.5	800	20.0	9.7	0.002	0.05	3.76	3.6	2.3	0.4	83.8	<0.01	0.04	1.5
ZZ18351		0.35	92.1	740	15.8	8.5	0.001	0.10	2.98	2.4	2.8	0.4	93.1	<0.01	0.04	0.7
ZZ18352		0.24	88.5	920	76.0	7.3	0.002	0.09	5.69	2.3	3.3	0.4	53.1	<0.01	0.05	1.0
ZZ18353		0.28	103.0	1590	34.0	5.7	0.002	0.13	6.22	1.5	4.6	0.4	59.1	<0.01	0.06	0.4
ZZ18354		0.25	44.4	970	57.3	7.7	0.004	0.09	6.11	3.6	4.3	0.6	37.2	<0.01	0.12	1.4
ZZ18355		0.28	50.3	1150	84.3	7.6	0.002	0.08	4.03	3.9	3.4	0.5	41.4	<0.01	0.06	1.4
DD004790		0.55	22.0	400	15.2	25.0	<0.001	0.02	0.13	3.7	<0.2	1.0	8.2	<0.01	0.02	3.6
DD004791		0.33	36.2	360	53.6	12.3	<0.001	0.02	0.35	6.5	0.9	0.9	14.4	<0.01	0.03	7.0
DD004792		0.35	18.1	680	41.7	14.9	<0.001	0.03	0.25	3.0	0.5	0.8	6.0	<0.01	0.01	2.8
DD004793		0.30	23.6	440	24.1	12.3	<0.001	0.02	0.21	4.0	0.4	0.8	9.3	<0.01	0.02	3.4
DD004794		0.42	31.5	1080	20.6	13.8	<0.001	0.06	1.30	4.1	1.8	0.6	34.5	<0.01	0.05	1.5
DD004795		0.32	23.3	470	26.9	13.9	<0.001	0.02	0.24	3.9	0.2	1.0	11.7	<0.01	0.05	4.0
DD004796		0.31	28.3	540	30.2	12.4	<0.001	0.02	0.26	6.5	1.3	0.8	26.7	<0.01	0.02	5.0
DD004797		0.25	29.4	370	38.2	10.8	<0.001	0.01	0.24	4.6	0.2	1.0	8.9	<0.01	0.03	5.4
DD004798		0.40	29.5	510	38.1	9.2	<0.001	0.03	0.56	6.4	1.0	0.6	20.6	<0.01	0.04	3.0
DD004799		0.57	20.9	490	29.6	16.8	<0.001	0.02	0.27	3.9	0.5	0.9	11.8	<0.01	0.02	3.0
DD004800		0.28	29.9	510	40.0	9.9	<0.001	0.03	0.59	5.9	0.9	0.5	15.0	<0.01	0.06	3.1
DD004951		0.21	70.5	1070	19.6	6.7	0.002	0.08	3.16	3.3	7.2	0.4	50.5	<0.01	0.04	1.0
DD004952		0.24	26.5	980	57.2	12.7	0.001	0.06	0.60	4.7	1.9	0.5	33.8	<0.01	0.07	1.8
DD004953		0.46	27.8	510	39.6	11.2	<0.001	0.02	0.47	6.8	0.5	0.8	10.1	<0.01	0.07	4.7
DD004954		0.25	31.9	540	17.5	13.8	<0.001	0.03	0.43	6.4	1.1	0.5	20.6	<0.01	0.02	3.8
DD004955		0.25	61.5	740	15.4	9.5	0.002	0.08	4.71	4.9	2.8	0.6	41.6	<0.01	0.03	1.7
DD004956		0.19	210	2600	13.3	9.3	0.006	0.08	12.95	4.2	14.9	0.7	130.5	<0.01	0.17	1.6
DD004957		0.10	90.6	1080	15.3	9.3	0.005	0.23	11.10	5.1	10.8	0.8	116.5	<0.01	0.22	2.3
DD004958		0.29	27.6	530	20.1	8.9	<0.001	0.03	1.11	3.7	1.5	0.5	5.9	<0.01	0.08	3.2
DD004959		0.21	116.5	1850	18.0	7.4	0.002	0.06	3.90	4.3	7.1	0.6	59.0	<0.01	0.08	1.2
DD004960		0.35	78.4	790	13.5	8.9	0.002	0.08	2.12	4.4	3.1	0.6	40.4	<0.01	0.07	1.2
DD004961		0.16	42.5	630	19.9	6.4	<0.001	0.06	3.75	3.9	2.6	0.3	57.3	<0.01	0.02	2.8
DD004962		0.23	65.4	840	25.7	7.6	0.001	0.10	2.67	2.7	3.9	0.4	46.3	<0.01	0.02	0.9
DD004963		0.24	135.5	880	51.0	8.1	0.002	0.08	10.25	3.8	10.1	0.6	52.9	<0.01	0.07	1.1
DD004964		0.25	103.5	920	79.2	7.5	0.002	0.11	6.20	2.5	8.0	0.4	41.1	<0.01	0.05	0.7
DD004965		0.24	109.5	1240	76.2	6.9	0.002	0.14	10.15	1.9	10.1	0.5	49.0	<0.01	0.06	0.6
DD004966		0.28	112.5	1570	90.9	14.2	0.001	0.10	4.24	3.4	4.3	0.5	86.9	<0.01	0.07	1.4
DD004967		0.20	37.8	610	42.5	12.5	<0.001	0.05	3.34	1.8	1.9	0.6	23.0	<0.01	0.08	0.9

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 20- AUG- 2011
Account: RCM

Project: Rackla- Dale Contour

CERTIFICATE OF ANALYSIS WH11148698

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
ZZ18344		<0.005	0.25	1.15	34	<0.05	14.55	381	2.0
ZZ18345		0.007	0.21	2.06	64	0.10	9.96	327	1.6
ZZ18346		0.005	0.27	1.52	42	0.07	12.40	240	1.6
ZZ18347		0.007	0.32	6.17	497	0.17	28.9	604	1.8
ZZ18348		0.006	0.72	5.34	317	0.15	28.1	698	1.9
ZZ18349		0.006	0.84	3.98	196	0.29	27.9	550	1.9
ZZ18350		0.006	0.64	2.12	151	0.15	25.4	885	1.5
ZZ18351		0.006	0.65	3.90	116	0.12	19.80	597	1.6
ZZ18352		<0.005	0.54	6.56	196	0.18	26.3	780	1.9
ZZ18353		0.007	0.92	7.68	274	0.26	32.4	870	1.4
ZZ18354		0.006	0.78	3.56	156	0.20	15.20	504	1.7
ZZ18355		<0.005	0.50	2.30	148	0.11	18.60	406	2.1
DD004790		0.010	0.15	0.53	26	0.05	5.05	78	0.9
DD004791		0.013	0.23	0.92	29	0.07	14.35	141	2.1
DD004792		<0.005	0.13	0.49	25	<0.05	4.13	156	1.7
DD004793		0.005	0.10	0.52	27	<0.05	6.06	87	1.3
DD004794		0.007	0.32	2.33	71	0.10	15.15	175	2.2
DD004795		<0.005	0.10	0.57	29	<0.05	5.66	89	1.2
DD004796		0.005	0.13	0.71	26	<0.05	18.20	105	2.4
DD004797		0.005	0.13	0.55	26	<0.05	5.72	118	1.9
DD004798		0.008	0.27	1.38	34	0.14	13.90	153	1.8
DD004799		0.008	0.20	0.59	35	0.09	5.07	99	1.2
DD004800		0.006	0.28	0.87	40	0.07	7.27	193	2.2
DD004951		0.005	0.81	3.11	122	0.18	28.2	417	1.3
DD004952		0.006	0.39	3.31	36	0.10	13.75	276	2.0
DD004953		0.008	0.28	1.15	32	0.26	10.50	194	2.0
DD004954		<0.005	0.16	0.81	25	<0.05	13.30	108	3.1
DD004955		<0.005	0.40	2.42	123	0.06	17.40	392	2.9
DD004956		0.006	0.68	8.28	719	0.30	58.5	1330	2.6
DD004957		<0.005	1.76	6.79	264	0.22	23.0	645	1.8
DD004958		<0.005	0.49	0.59	64	0.06	3.29	103	1.9
DD004959		0.005	0.30	3.69	213	0.19	45.3	599	1.5
DD004960		0.006	0.68	4.18	190	0.14	26.8	250	2.8
DD004961		<0.005	0.76	1.72	100	<0.05	24.6	375	1.8
DD004962		<0.005	1.69	3.47	126	0.10	27.6	710	1.6
DD004963		0.005	2.68	3.72	403	0.34	37.7	1330	2.6
DD004964		<0.005	2.76	6.46	253	0.21	27.8	1000	1.9
DD004965		0.005	4.38	6.51	357	0.25	32.0	1040	1.8
DD004966		0.005	4.26	5.00	225	0.34	38.1	843	1.8
DD004967		0.005	0.54	0.43	95	0.64	2.52	253	<0.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 20- AUG- 2011
Account: RCM

Project: Rackla- Dale Contour

CERTIFICATE OF ANALYSIS WH11148698

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- TL43 Au ppm 0.001	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1
DD004968		0.36	0.015	2.12	1.26	95.8	<0.2	<10	1520	0.82	0.24	0.34	1.42	15.70	5.7	41
DD004969		0.35	0.019	0.70	0.57	649	<0.2	<10	100	0.51	0.11	12.50	5.47	9.39	5.4	11
DD004970		0.33	0.019	1.53	0.64	239	<0.2	<10	410	1.18	0.25	1.72	3.88	16.50	6.7	12
DD004971		0.27	0.043	0.45	0.78	372	<0.2	<10	410	0.85	0.12	4.39	3.71	8.11	4.5	11
DD004972		0.39	0.007	0.78	0.54	480	<0.2	<10	240	0.56	0.20	4.29	2.79	11.55	3.8	15
DD004973		0.47	0.004	2.19	0.55	655	<0.2	<10	220	0.62	0.25	0.09	1.10	18.45	5.5	12
DD004974		0.24	0.005	0.85	0.58	347	<0.2	<10	300	1.13	0.27	0.85	1.47	11.50	6.2	9
DD004975		0.33	<0.001	1.08	0.41	716	<0.2	<10	120	0.25	0.21	0.02	0.47	8.82	4.5	8
DD004976		0.43	0.011	1.00	1.42	3160	<0.2	<10	210	1.58	0.23	5.71	9.17	22.7	22.5	23
DD004977		0.41	0.006	0.57	1.38	597	<0.2	<10	260	1.63	0.24	4.22	2.41	22.2	10.3	25
DD004978		0.31	0.005	0.49	1.22	333	<0.2	<10	300	1.11	0.19	2.93	1.17	12.60	7.4	19
DD004979		0.34	0.030	0.40	1.33	590	<0.2	<10	330	1.64	0.20	3.51	0.97	11.65	7.3	22
DD004980		0.32	0.002	0.88	0.97	108.0	<0.2	<10	260	0.78	0.19	1.34	0.54	16.40	5.3	24
DD004981		0.26	0.002	0.34	1.48	150.0	<0.2	<10	180	0.89	0.22	3.59	1.65	27.8	8.4	27
DD004982		0.33	0.003	0.25	1.65	224	<0.2	<10	330	1.18	0.26	3.24	4.77	28.1	10.4	27
DD004983		0.35	0.003	5.72	0.50	39.6	<0.2	10	1600	0.68	0.19	1.61	11.05	8.59	4.0	50
DD004984		0.30	0.003	3.64	0.71	44.1	<0.2	10	1140	1.19	0.22	1.33	4.07	9.06	9.7	38
DD004985		0.34	0.003	2.19	0.87	97.4	<0.2	<10	1130	0.88	0.21	1.08	1.19	13.15	5.5	30
DD004986		0.38	0.004	2.39	0.39	25.7	<0.2	10	1490	0.55	0.19	1.49	1.22	5.53	5.5	15
DD004987		0.38	0.003	1.47	0.49	22.3	<0.2	10	590	0.51	0.15	2.99	0.74	6.98	4.2	22
DD004988		0.40	0.003	1.76	0.64	17.8	<0.2	10	600	0.53	0.18	2.57	0.66	10.05	5.7	27
DD004989		0.38	0.003	1.97	0.70	34.3	<0.2	10	720	0.69	0.24	1.58	0.90	9.42	5.4	26
DD004990		0.32	<0.001	0.40	1.08	18.5	<0.2	<10	480	0.65	0.21	2.24	2.17	14.55	5.9	20
DD004991		0.29	0.002	0.48	1.73	76.5	<0.2	<10	790	0.94	0.33	1.21	0.78	30.8	12.1	31
DD004992		0.35	0.001	0.55	0.85	27.9	<0.2	<10	620	0.63	0.16	3.28	1.07	18.00	5.8	27
DD004993		0.31	0.001	0.65	0.84	72.7	<0.2	<10	400	0.67	0.21	3.05	1.72	19.75	12.9	28
DD004994		0.36	0.001	0.44	0.93	147.0	<0.2	<10	230	0.56	0.22	2.81	1.86	18.10	9.4	28
DD004995		0.35	0.002	0.80	0.83	174.5	<0.2	<10	450	0.57	0.17	1.60	0.88	13.15	6.1	27
DD004996		0.34	0.001	0.80	0.76	148.0	<0.2	10	560	0.58	0.16	2.26	0.87	10.55	5.1	26
DD004997		0.28	<0.001	0.35	1.63	31.5	<0.2	<10	330	0.90	0.29	0.33	1.04	40.8	10.3	34
DD004998		0.41	<0.001	0.13	0.57	46.4	<0.2	<10	200	0.15	0.15	0.31	0.83	7.15	5.1	14
DD004999		0.33	<0.001	0.24	0.89	38.7	<0.2	<10	260	0.31	0.23	1.00	2.56	11.65	5.4	21
DD005000		0.36	0.001	0.35	1.48	142.5	<0.2	<10	220	0.81	0.23	0.84	1.08	19.00	8.9	30
DD004601		0.34	0.001	0.21	1.25	98.7	<0.2	<10	240	0.74	0.20	2.39	2.29	19.35	8.2	23
DD004602		0.31	0.001	0.25	0.53	437	<0.2	<10	140	0.33	0.09	2.06	1.24	7.63	4.9	18
DD004603		0.28	0.001	0.33	1.10	14.4	<0.2	10	670	0.69	0.23	2.45	1.50	15.85	16.8	29
DD004604		0.27	0.001	0.18	1.13	8.1	<0.2	<10	900	0.76	0.17	1.92	4.87	14.55	17.2	34
DD004605		0.34	0.004	0.05	0.42	2.1	<0.2	<10	140	0.14	0.08	4.06	1.49	4.76	4.0	8
DD004606		0.30	0.002	0.07	0.59	3.1	<0.2	<10	120	0.21	0.11	2.64	1.82	6.77	4.5	11
DD004607		0.47	0.001	0.55	0.71	12.8	<0.2	10	320	0.55	0.26	2.55	2.48	13.90	10.9	28

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 20- AUG- 2011
Account: RCM

Project: Rackla- Dale Contour

CERTIFICATE OF ANALYSIS WH11148698

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
DD004968		3.15	46.8	2.76	4.11	0.10	0.06	0.56	0.033	0.07	8.0	10.0	0.23	221	10.95	0.01
DD004969		0.71	15.1	1.17	1.34	0.08	0.02	0.72	0.013	0.03	8.6	3.3	6.82	628	1.68	0.02
DD004970		3.66	67.5	2.05	2.12	0.10	0.04	1.34	0.037	0.09	8.9	5.9	0.28	169	1.65	0.01
DD004971		1.62	23.0	1.35	1.96	0.10	0.03	0.44	0.015	0.05	4.8	4.8	0.74	478	1.40	0.01
DD004972		1.40	24.8	1.59	2.70	0.10	0.04	1.06	0.034	0.09	6.2	3.9	0.81	226	4.38	0.01
DD004973		3.73	48.2	2.58	2.23	0.10	0.02	0.43	0.046	0.12	6.9	3.8	0.08	205	5.85	0.01
DD004974		1.60	48.1	2.21	1.70	0.09	0.05	0.87	0.032	0.10	4.8	2.8	0.07	155	3.73	0.01
DD004975		6.78	30.0	1.72	3.11	0.07	<0.02	0.18	0.020	0.08	4.2	0.9	0.02	51	4.59	<0.01
DD004976		2.19	30.2	5.31	3.41	0.11	0.04	13.00	0.030	0.08	12.3	9.5	0.27	911	7.96	0.01
DD004977		2.68	42.4	3.14	3.63	0.11	0.05	0.51	0.030	0.08	11.9	11.8	1.65	649	2.81	0.01
DD004978		2.12	32.6	2.34	3.43	0.08	0.04	0.79	0.022	0.07	7.7	9.1	0.26	422	2.08	0.01
DD004979		3.27	43.1	2.44	3.69	0.09	0.06	0.90	0.024	0.09	11.7	11.2	0.17	367	3.07	0.01
DD004980		1.92	23.2	2.29	2.69	0.10	0.02	0.23	0.030	0.06	13.0	6.1	0.17	204	2.80	0.01
DD004981		1.16	20.1	2.70	3.96	0.11	0.04	0.31	0.026	0.06	23.5	10.9	0.31	276	3.06	0.01
DD004982		1.54	20.7	3.13	4.54	0.10	0.04	0.13	0.033	0.08	15.0	12.0	0.32	632	4.17	0.01
DD004983		0.94	52.1	2.56	1.76	0.12	0.07	0.28	0.031	0.07	7.7	2.5	0.06	95	18.80	0.01
DD004984		1.02	87.8	4.76	1.88	0.13	0.07	0.30	0.054	0.10	6.1	2.8	0.12	121	18.05	0.01
DD004985		1.72	34.9	2.62	2.45	0.10	0.05	0.27	0.031	0.07	8.6	5.1	0.14	212	7.14	0.01
DD004986		1.26	55.4	2.73	1.21	0.10	0.05	0.21	0.031	0.08	4.0	1.9	0.06	86	6.90	0.01
DD004987		1.92	42.1	1.46	1.56	0.09	0.05	0.17	0.025	0.07	5.7	2.7	0.12	164	1.60	0.01
DD004988		2.29	36.8	1.80	1.94	0.10	0.03	0.19	0.025	0.07	7.5	4.3	0.12	299	1.11	0.01
DD004989		1.67	37.0	2.36	2.02	0.11	0.07	0.22	0.038	0.12	7.6	4.2	0.09	128	2.71	0.01
DD004990		1.30	14.1	2.08	3.31	0.09	0.02	0.09	0.026	0.04	11.9	7.1	0.12	370	1.36	0.01
DD004991		3.21	28.1	3.27	5.44	0.11	0.03	0.13	0.032	0.08	19.3	14.8	0.40	540	1.69	0.01
DD004992		1.55	17.0	2.16	2.50	0.12	0.03	0.16	0.031	0.04	23.6	6.2	0.14	328	1.14	0.01
DD004993		0.62	21.7	2.45	2.50	0.14	0.04	0.17	0.040	0.06	23.5	7.0	0.15	352	1.29	0.01
DD004994		0.78	18.5	2.43	2.70	0.14	0.03	0.12	0.033	0.04	27.4	6.3	0.16	391	1.74	0.01
DD004995		1.15	24.7	2.05	2.65	0.10	0.05	0.22	0.026	0.07	9.2	6.5	0.12	297	3.31	0.01
DD004996		1.24	28.3	1.72	2.24	0.10	0.04	0.24	0.026	0.09	12.1	4.9	0.10	275	3.04	0.01
DD004997		1.74	14.9	3.15	4.85	0.10	0.02	0.07	0.039	0.08	17.6	10.6	0.30	640	1.78	0.01
DD004998		1.46	8.3	1.20	2.62	0.07	<0.02	0.05	0.015	0.03	4.4	4.1	0.08	542	1.27	0.01
DD004999		1.17	14.7	2.08	3.15	0.09	0.02	0.08	0.027	0.08	8.6	5.8	0.12	200	2.76	0.01
DD005000		1.77	17.3	2.60	4.31	0.10	0.04	0.10	0.035	0.07	13.6	8.8	0.16	327	2.63	0.01
DD004601		1.15	12.0	2.18	3.13	0.13	0.04	0.11	0.023	0.05	33.9	5.6	0.13	607	3.42	0.01
DD004602		1.04	12.8	1.40	1.33	0.10	0.04	0.23	0.015	0.04	17.0	2.5	0.05	175	2.42	0.01
DD004603		0.71	31.9	2.63	2.96	0.12	0.07	0.21	0.032	0.06	18.4	8.0	0.20	709	3.37	0.01
DD004604		0.48	25.0	2.14	3.46	0.11	0.07	0.13	0.029	0.09	17.6	9.3	0.18	452	1.24	0.02
DD004605		0.23	8.2	0.59	1.03	0.09	0.05	0.22	0.009	0.04	5.0	1.2	0.05	499	0.62	0.02
DD004606		0.43	11.0	0.84	1.86	0.08	0.03	0.12	0.016	0.03	5.8	1.3	0.06	322	3.36	0.02
DD004607		0.50	24.3	2.47	2.20	0.11	0.03	0.22	0.031	0.09	12.3	4.7	0.16	248	9.40	0.02

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 20- AUG- 2011
Account: RCM

Project: Rackla- Dale Contour

CERTIFICATE OF ANALYSIS WH11148698

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
DD004968		0.34	40.8	1900	20.4	11.3	0.005	0.10	2.60	3.6	5.1	0.5	61.2	<0.01	0.08	0.9
DD004969		0.25	25.6	1040	122.5	3.9	0.001	0.11	11.85	1.0	1.3	0.2	61.3	<0.01	0.03	0.2
DD004970		0.27	38.9	660	71.4	10.1	0.001	0.07	2.64	4.2	2.5	0.4	48.0	<0.01	0.09	1.6
DD004971		0.31	30.4	1470	35.0	5.7	<0.001	0.23	2.16	0.8	1.8	0.2	39.6	<0.01	0.06	0.2
DD004972		0.14	31.1	820	44.5	7.9	0.001	0.08	2.32	2.3	2.5	0.4	47.7	<0.01	0.07	1.2
DD004973		0.24	27.7	1270	63.3	12.6	0.002	0.18	2.94	4.0	1.9	0.4	46.4	<0.01	0.10	3.1
DD004974		0.16	27.8	780	26.2	8.7	0.002	0.05	2.08	3.4	2.6	0.4	23.9	<0.01	0.07	2.5
DD004975		0.20	24.5	620	70.2	10.2	<0.001	0.04	2.28	1.5	0.8	0.6	15.6	<0.01	0.07	0.6
DD004976		0.54	129.0	1580	114.0	8.0	0.001	0.08	4.58	4.1	2.7	0.5	87.9	<0.01	0.06	1.2
DD004977		0.42	74.4	1090	42.2	9.5	<0.001	0.08	1.77	2.6	1.4	0.4	41.3	<0.01	0.05	0.8
DD004978		0.46	44.5	1470	39.0	8.6	0.001	0.19	1.55	1.3	1.5	0.4	32.4	<0.01	0.06	0.3
DD004979		0.29	65.7	1550	27.9	9.7	<0.001	0.16	1.63	1.3	2.2	0.5	42.1	<0.01	0.05	0.4
DD004980		0.31	37.1	860	16.9	8.9	0.001	0.08	1.01	2.4	3.4	0.4	29.3	<0.01	0.09	0.5
DD004981		0.74	47.8	940	21.3	7.3	<0.001	0.08	1.06	2.2	1.2	0.5	34.9	<0.01	0.05	0.6
DD004982		0.78	48.4	930	41.2	14.7	<0.001	0.07	1.60	2.8	1.5	0.5	32.5	<0.01	0.08	0.7
DD004983		0.10	88.1	2200	11.3	7.1	0.007	0.15	3.97	4.1	10.0	0.5	210	<0.01	0.13	0.7
DD004984		0.06	177.5	2710	14.8	7.6	0.015	0.22	2.83	8.8	11.2	0.5	269	<0.01	0.09	2.3
DD004985		0.21	58.5	830	20.1	8.2	0.002	0.08	1.73	4.8	4.7	0.4	91.9	<0.01	0.10	1.4
DD004986		0.08	86.1	1110	11.5	6.7	0.004	0.12	1.97	5.1	5.3	0.3	115.5	<0.01	0.12	0.9
DD004987		0.20	47.8	1210	7.8	6.6	0.003	0.16	0.96	1.9	5.0	0.3	96.2	<0.01	0.09	0.4
DD004988		0.31	37.7	1160	9.7	8.2	0.004	0.11	0.86	2.9	4.0	0.3	61.0	<0.01	0.10	0.9
DD004989		0.20	52.3	1390	14.6	10.4	0.001	0.13	1.09	4.5	3.7	0.4	68.8	<0.01	0.16	1.8
DD004990		0.53	21.0	1240	13.8	6.2	<0.001	0.11	0.63	1.4	1.4	0.4	53.1	<0.01	0.06	0.3
DD004991		0.95	47.8	760	23.2	13.8	<0.001	0.05	0.88	4.0	1.6	0.6	31.2	<0.01	0.08	1.3
DD004992		0.42	24.4	1170	10.9	9.5	0.001	0.13	0.56	1.6	2.9	0.3	56.7	<0.01	0.05	0.4
DD004993		0.40	41.9	1200	13.6	7.1	0.001	0.12	1.09	2.2	3.3	0.4	42.9	<0.01	0.20	0.6
DD004994		0.39	32.6	1490	13.8	7.6	0.001	0.11	1.15	2.1	2.5	0.4	32.4	<0.01	0.12	0.5
DD004995		0.37	40.7	630	10.6	8.1	0.001	0.05	1.57	3.5	2.8	0.4	39.8	<0.01	0.07	0.8
DD004996		0.31	48.6	680	9.8	9.4	0.003	0.08	1.21	2.7	3.1	0.3	48.7	<0.01	0.07	0.6
DD004997		1.01	32.8	410	16.9	14.9	<0.001	0.02	0.75	4.6	1.4	0.6	19.6	<0.01	0.11	2.8
DD004998		0.28	18.7	530	7.9	8.7	<0.001	0.02	0.43	0.8	0.6	0.4	13.3	<0.01	0.04	0.2
DD004999		0.65	28.4	960	12.4	8.6	<0.001	0.08	0.73	2.3	1.7	0.4	32.3	<0.01	0.08	0.6
DD005000		0.62	37.2	880	13.2	12.6	<0.001	0.05	0.91	3.5	1.9	0.5	23.2	<0.01	0.07	1.0
DD004601		0.37	25.9	1470	12.0	7.3	<0.001	0.10	0.79	2.4	2.0	0.4	28.3	<0.01	0.04	0.4
DD004602		0.12	35.6	1440	6.2	5.5	0.001	0.10	2.04	1.4	1.5	0.2	51.7	<0.01	0.01	0.3
DD004603		0.45	91.5	1500	16.6	8.7	0.001	0.17	0.88	3.2	3.4	0.5	38.2	<0.01	0.10	0.9
DD004604		0.49	314	1840	11.7	8.0	0.002	0.10	0.81	4.2	1.6	0.5	31.6	<0.01	0.07	1.2
DD004605		0.26	12.9	1580	4.2	2.0	<0.001	0.23	0.24	0.6	1.0	<0.2	27.3	0.01	0.02	0.2
DD004606		0.39	15.3	1170	5.7	3.2	0.001	0.20	0.39	0.9	1.0	0.2	24.7	<0.01	0.03	<0.2
DD004607		0.25	67.0	1630	15.5	6.6	0.002	0.11	1.17	2.1	5.4	0.5	28.6	<0.01	0.21	0.6

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 20- AUG- 2011
Account: RCM

Project: Rackla- Dale Contour

CERTIFICATE OF ANALYSIS WH11148698

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
DD004968		0.007	0.92	4.05	107	0.20	15.20	186	1.8
DD004969		0.007	0.36	2.19	48	0.39	19.35	307	0.9
DD004970		<0.005	0.69	2.22	53	0.53	20.1	264	1.5
DD004971		0.006	0.29	2.86	34	0.34	10.35	265	1.3
DD004972		<0.005	0.61	2.31	68	0.40	12.10	216	1.1
DD004973		0.005	1.01	2.02	53	0.34	7.82	164	0.5
DD004974		<0.005	0.39	2.44	49	0.35	11.10	170	1.5
DD004975		0.005	0.66	0.56	50	0.40	2.79	131	<0.5
DD004976		0.011	0.70	5.02	76	0.57	29.6	1140	1.4
DD004977		0.007	0.44	3.81	60	1.04	20.1	431	1.4
DD004978		0.008	0.36	4.90	55	0.49	14.95	260	1.4
DD004979		<0.005	0.83	19.90	65	0.54	29.6	274	1.7
DD004980		0.008	0.25	3.37	55	0.15	27.0	136	0.7
DD004981		0.015	0.28	3.82	73	0.32	27.9	228	1.0
DD004982		0.018	0.33	1.23	76	0.56	18.35	322	1.1
DD004983		<0.005	0.46	5.96	138	0.22	45.3	420	2.6
DD004984		<0.005	0.60	13.65	73	0.15	54.0	527	2.7
DD004985		<0.005	0.33	3.78	71	0.12	28.9	196	1.7
DD004986		<0.005	0.26	2.49	49	0.06	29.1	255	2.0
DD004987		<0.005	0.21	2.68	35	0.05	23.7	157	2.0
DD004988		0.005	0.18	4.43	44	<0.05	22.4	135	1.5
DD004989		<0.005	0.22	2.19	48	0.06	25.6	182	1.9
DD004990		0.011	0.14	1.81	48	0.10	20.3	109	0.5
DD004991		0.019	0.39	1.83	61	0.20	30.7	128	1.0
DD004992		0.008	0.26	2.50	34	0.06	48.4	89	0.7
DD004993		0.008	0.17	1.51	45	0.11	51.9	175	1.0
DD004994		0.009	0.22	1.43	39	0.14	59.4	129	0.9
DD004995		0.006	0.31	2.72	49	0.25	26.4	122	1.4
DD004996		<0.005	0.42	2.55	51	0.17	28.1	131	1.5
DD004997		0.020	0.17	1.06	63	0.18	17.70	143	0.7
DD004998		0.010	0.19	0.60	35	0.09	2.43	86	<0.5
DD004999		0.013	0.17	1.35	47	0.12	10.30	129	0.8
DD005000		0.007	0.25	1.65	58	0.09	20.2	163	1.0
DD004601		0.008	0.18	2.53	55	0.10	53.1	150	0.9
DD004602		<0.005	0.49	4.17	28	<0.05	35.3	149	1.3
DD004603		0.005	0.21	4.07	63	0.08	46.9	283	2.1
DD004604		0.006	0.19	2.90	68	0.10	46.4	1640	2.2
DD004605		0.012	0.07	0.75	15	<0.05	9.64	111	1.6
DD004606		0.015	0.07	1.79	25	<0.05	10.20	108	1.2
DD004607		0.005	0.19	1.79	60	0.09	29.0	251	1.0

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 20- AUG- 2011
Account: RCM

Project: Rackla- Dale Contour

CERTIFICATE OF ANALYSIS WH11148698

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- TL43 Au ppm 0.001	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1
DD004608		0.32	0.001	1.70	0.72	17.5	<0.2	10	330	0.62	0.25	1.92	4.42	19.60	13.9	44
DD004609		0.34	0.001	0.26	1.70	11.6	<0.2	<10	260	0.77	0.25	1.78	2.01	24.6	11.6	34
DD004610		0.40	0.002	0.96	1.56	14.3	<0.2	<10	1100	0.97	0.23	1.03	1.00	22.8	9.8	31
DD004611		0.25	0.001	0.18	1.00	4.6	<0.2	10	590	0.77	0.21	2.38	1.11	29.6	6.0	30
ZZ18356		0.34	0.003	0.14	1.79	26.7	<0.2	<10	240	1.25	0.29	0.33	0.53	31.6	26.2	30
ZZ18357		0.24	0.002	0.10	1.76	17.0	<0.2	<10	290	0.90	0.28	0.39	0.16	46.7	13.4	33
ZZ18358		0.34	0.004	0.13	1.73	15.9	<0.2	<10	210	1.08	0.25	0.60	0.27	43.4	15.8	34
ZZ18359		0.25	0.002	0.06	1.86	26.1	<0.2	<10	220	1.11	0.26	0.19	0.41	55.7	17.5	32
ZZ18360		0.28	0.002	0.14	1.82	38.0	<0.2	<10	210	1.20	0.35	0.16	0.36	33.2	21.3	29
ZZ18361		0.28	0.002	0.11	1.95	21.2	<0.2	<10	170	1.36	0.31	0.15	0.63	38.3	23.2	25
ZZ18362		0.28	0.002	0.23	1.15	31.9	<0.2	<10	190	1.19	0.33	1.49	0.53	28.4	21.4	21
ZZ18363		0.28	0.002	0.06	1.57	25.1	<0.2	<10	230	1.15	0.29	0.15	0.23	31.6	14.4	27
ZZ18364		0.30	0.002	0.15	1.30	28.2	<0.2	<10	240	1.43	0.35	0.22	0.41	31.4	20.3	24
ZZ18365		0.28	0.001	0.05	1.28	18.8	<0.2	<10	160	0.86	0.36	0.08	0.18	15.40	14.9	22
ZZ18366		0.24	0.002	0.13	1.68	15.8	<0.2	<10	290	1.17	0.32	0.42	0.10	29.3	13.6	29
ZZ18367		0.29	<0.001	0.19	1.78	18.0	<0.2	<10	280	1.23	0.29	0.45	0.20	30.7	14.3	29
ZZ18368		0.31	0.002	0.20	1.14	17.3	<0.2	<10	270	1.32	0.35	0.48	0.38	35.4	17.1	27
ZZ18369		0.27	0.001	0.08	1.41	23.1	<0.2	<10	280	1.30	0.38	0.28	0.16	37.1	17.2	30
ZZ18370		0.31	0.001	0.18	1.81	11.9	<0.2	<10	330	1.43	0.32	0.72	0.25	26.8	12.2	28
ZZ18371		0.31	<0.001	0.04	1.71	23.8	<0.2	<10	240	1.53	0.39	0.22	0.06	15.55	17.1	25
ZZ18372		0.30	<0.001	0.09	1.22	29.1	<0.2	<10	290	1.04	0.34	0.17	0.49	25.5	16.3	21
ZZ18373		0.27	0.001	0.20	1.50	23.8	<0.2	<10	640	1.15	0.30	0.37	0.35	25.6	14.4	27
ZZ18374		0.27	0.001	0.32	1.42	15.2	<0.2	<10	220	1.40	0.31	0.97	0.70	15.60	10.4	22
ZZ18375		0.29	0.001	0.31	1.21	24.4	<0.2	<10	300	1.18	0.30	0.53	1.12	23.0	15.8	24
ZZ18376		0.24	0.002	0.26	1.23	20.7	<0.2	<10	310	0.88	0.26	0.29	0.60	30.3	15.3	25
ZZ18377		0.34	0.001	0.27	0.96	16.0	<0.2	<10	310	1.05	0.23	2.62	2.40	24.4	13.4	18
ZZ18378		0.29	0.002	0.58	1.12	36.3	<0.2	<10	330	1.16	0.33	0.48	1.77	30.0	16.8	24
ZZ18379		0.29	0.003	0.22	1.35	18.0	<0.2	<10	290	0.93	0.25	0.41	0.66	32.9	13.7	28
ZZ18380		0.34	0.001	0.52	0.53	32.0	<0.2	<10	380	0.90	0.31	6.63	3.25	17.30	17.1	9
ZZ18381		0.39	0.001	0.16	1.35	50.0	<0.2	<10	240	1.39	0.35	0.14	0.59	33.1	16.1	21
ZZ18382		0.28	0.001	0.22	1.26	39.4	<0.2	<10	270	1.55	0.37	0.20	0.71	32.8	18.4	19
ZZ18383		0.44	0.001	0.40	0.32	496	<0.2	<10	220	0.46	0.17	11.85	1.91	13.35	7.2	7
ZZ18384		0.21	<0.001	1.40	0.81	139.0	<0.2	<10	230	0.78	0.24	9.78	1.48	17.05	9.9	14
ZZ18385		0.39	<0.001	0.47	0.45	173.0	<0.2	<10	400	0.71	0.33	4.19	1.13	15.05	10.4	10
ZZ18386		0.25	0.001	0.36	1.09	33.7	<0.2	<10	160	2.01	0.39	0.51	0.51	61.2	14.5	19
ZZ18387		0.36	<0.001	0.07	1.26	15.2	<0.2	<10	150	1.15	0.42	0.12	0.13	23.8	14.9	22
ZZ18388		0.33	0.001	0.16	1.64	16.2	<0.2	<10	180	1.72	0.36	0.91	0.21	53.1	13.5	24
ZZ18389		0.33	0.001	0.08	1.78	19.6	<0.2	<10	160	1.05	0.37	0.31	0.11	34.6	13.5	28
ZZ18390		0.28	0.001	0.09	1.35	13.0	<0.2	<10	200	0.93	0.34	0.72	0.21	22.0	11.0	24
ZZ18391		0.33	0.001	0.30	1.08	35.6	<0.2	<10	220	1.58	0.39	0.45	0.14	31.5	16.9	21

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 20- AUG- 2011
Account: RCM

Project: Rackla- Dale Contour

CERTIFICATE OF ANALYSIS WH11148698

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
DD004608		0.71	24.4	2.46	2.40	0.13	0.04	0.19	0.034	0.09	13.7	5.6	0.13	217	13.25	0.01
DD004609		0.85	17.7	2.48	5.19	0.12	0.03	0.12	0.028	0.04	21.5	11.4	0.34	701	3.68	0.01
DD004610		0.88	27.4	2.53	4.20	0.12	0.05	0.25	0.032	0.07	14.4	10.5	0.27	446	3.41	0.02
DD004611		0.30	14.8	1.83	2.72	0.13	0.08	0.06	0.029	0.08	23.5	8.8	0.13	634	1.69	0.01
ZZ18356		1.48	94.0	4.77	6.34	0.12	0.04	0.18	0.046	0.11	14.9	29.1	0.67	908	0.81	0.01
ZZ18357		1.31	27.0	3.31	5.68	0.11	0.05	0.06	0.029	0.05	18.5	16.2	0.53	530	1.22	0.02
ZZ18358		1.09	51.1	3.73	5.66	0.13	0.08	0.16	0.032	0.09	22.3	33.3	1.05	525	0.65	0.01
ZZ18359		1.18	41.1	4.27	5.56	0.12	0.05	0.07	0.043	0.06	17.0	21.4	0.54	1130	1.08	0.01
ZZ18360		1.41	60.9	4.86	5.87	0.11	0.05	0.10	0.046	0.07	13.3	23.6	0.47	861	0.95	0.01
ZZ18361		1.61	53.8	5.15	4.23	0.11	0.06	0.09	0.045	0.09	11.6	22.2	0.40	2180	0.66	0.01
ZZ18362		1.18	61.2	4.92	3.66	0.12	0.06	0.23	0.048	0.11	11.0	15.9	0.96	1140	0.85	0.02
ZZ18363		1.34	36.1	3.74	5.31	0.10	0.04	0.05	0.035	0.07	13.1	20.7	0.39	727	0.97	0.01
ZZ18364		1.13	49.0	4.29	3.94	0.12	0.04	0.12	0.037	0.08	15.4	15.7	0.34	1140	0.89	0.01
ZZ18365		1.38	29.5	3.92	4.53	0.09	0.02	0.06	0.037	0.07	6.6	11.5	0.22	575	0.93	0.01
ZZ18366		1.08	44.1	3.73	5.61	0.11	0.05	0.09	0.036	0.07	15.5	23.7	0.51	433	0.83	0.01
ZZ18367		1.19	37.9	3.80	6.06	0.12	0.09	0.06	0.041	0.08	14.8	18.8	0.44	567	1.15	0.01
ZZ18368		0.80	48.1	4.02	4.07	0.12	0.09	0.09	0.041	0.10	16.6	16.5	0.35	803	1.20	0.02
ZZ18369		0.77	35.9	3.88	5.23	0.10	0.07	0.08	0.042	0.09	13.2	18.7	0.42	654	0.85	0.01
ZZ18370		1.96	25.9	3.39	6.08	0.10	0.08	0.07	0.037	0.10	11.0	23.8	0.39	556	1.06	0.02
ZZ18371		2.64	33.6	3.62	7.23	0.09	0.06	0.01	0.036	0.13	6.2	29.4	0.36	506	0.56	0.01
ZZ18372		1.12	34.7	3.79	4.05	0.08	0.05	0.07	0.040	0.08	9.4	13.8	0.30	815	0.97	0.01
ZZ18373		1.08	34.7	3.67	4.94	0.11	0.05	0.13	0.037	0.08	11.8	15.0	0.40	663	1.40	0.02
ZZ18374		0.84	26.3	3.35	5.01	0.10	0.12	0.08	0.034	0.11	7.3	16.9	0.42	625	1.02	0.01
ZZ18375		0.78	38.8	3.86	4.20	0.10	0.07	0.13	0.032	0.09	10.0	18.2	0.41	947	1.88	0.01
ZZ18376		1.01	37.3	3.38	4.46	0.11	0.04	0.16	0.027	0.06	15.1	15.7	0.42	600	1.54	0.01
ZZ18377		0.92	22.8	3.72	3.21	0.09	0.07	0.15	0.033	0.11	10.2	14.1	1.51	1050	1.49	0.02
ZZ18378		1.47	51.7	4.32	3.99	0.11	0.07	0.39	0.037	0.11	15.5	13.7	0.35	1400	2.17	0.02
ZZ18379		1.01	33.0	3.47	4.78	0.10	0.05	0.08	0.031	0.08	13.8	20.6	0.48	543	1.61	0.02
ZZ18380		2.12	29.1	3.50	1.81	0.10	0.05	0.31	0.029	0.12	7.5	4.3	3.77	1240	0.76	0.03
ZZ18381		1.68	34.7	4.14	3.76	0.11	0.04	0.16	0.042	0.09	12.8	10.1	0.19	799	1.27	0.01
ZZ18382		1.36	43.5	4.16	3.48	0.11	0.05	0.18	0.038	0.09	12.1	13.1	0.23	914	0.95	0.01
ZZ18383		1.40	21.2	3.88	1.10	0.10	0.04	0.47	0.019	0.08	5.5	2.9	6.83	1560	0.55	0.02
ZZ18384		3.11	30.3	2.70	2.23	0.09	0.05	0.63	0.024	0.13	7.9	11.9	5.92	983	0.74	0.03
ZZ18385		1.13	24.0	3.18	1.56	0.09	0.03	0.42	0.030	0.09	5.5	3.5	2.34	620	0.40	0.02
ZZ18386		1.90	31.8	4.96	2.52	0.16	0.06	0.13	0.055	0.09	23.6	12.7	0.17	1100	0.60	0.01
ZZ18387		1.65	42.7	3.85	3.23	0.08	0.04	0.03	0.044	0.08	7.9	17.3	0.23	521	0.67	0.01
ZZ18388		1.20	35.5	4.92	3.40	0.13	0.07	0.06	0.052	0.08	17.9	17.5	0.27	547	0.74	0.01
ZZ18389		1.54	32.6	3.80	5.43	0.10	0.04	0.04	0.046	0.06	11.9	29.4	0.37	412	1.05	0.01
ZZ18390		1.08	27.0	3.18	4.37	0.09	0.07	0.04	0.037	0.07	7.9	16.7	0.32	528	0.98	0.01
ZZ18391		0.92	42.4	4.11	2.95	0.13	0.08	0.07	0.050	0.07	15.7	15.2	0.23	552	0.62	0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 20- AUG- 2011
Account: RCM

Project: Rackla- Dale Contour

CERTIFICATE OF ANALYSIS WH11148698

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
DD004608		0.25	94.9	2290	16.8	7.6	0.005	0.09	1.75	2.8	5.7	0.4	28.6	<0.01	0.25	1.4
DD004609		0.62	34.4	1990	14.2	7.9	0.001	0.11	0.72	2.3	1.6	0.6	27.1	<0.01	0.07	0.5
DD004610		0.57	57.6	1170	14.0	8.9	0.001	0.07	1.28	3.9	4.1	0.6	40.3	<0.01	0.13	1.5
DD004611		0.24	28.0	1790	12.5	8.9	<0.001	0.09	0.71	2.5	1.1	0.4	31.4	<0.01	0.16	1.0
ZZ18356		0.24	43.6	680	30.2	8.5	<0.001	0.01	0.59	10.6	1.3	0.5	25.0	<0.01	0.11	4.2
ZZ18357		1.00	35.7	750	16.2	10.7	<0.001	0.02	0.82	4.4	1.1	0.6	30.6	<0.01	0.04	4.0
ZZ18358		0.43	34.3	480	18.5	10.9	<0.001	0.02	0.42	7.2	1.1	0.5	39.8	<0.01	0.05	4.8
ZZ18359		0.68	42.7	770	29.9	9.2	<0.001	0.02	0.75	5.5	1.2	0.5	16.8	<0.01	0.04	4.0
ZZ18360		0.30	37.0	700	41.1	10.2	0.001	0.02	0.57	6.8	0.9	0.6	16.9	<0.01	0.08	3.2
ZZ18361		0.25	44.0	1020	52.5	9.5	<0.001	0.03	0.46	6.3	1.1	0.4	12.7	<0.01	0.09	5.3
ZZ18362		0.11	41.7	640	48.3	8.7	<0.001	0.03	0.63	9.8	0.9	0.5	39.5	<0.01	0.09	6.0
ZZ18363		0.49	31.9	670	29.8	12.4	<0.001	0.02	0.52	4.9	0.8	0.6	15.0	<0.01	0.08	2.6
ZZ18364		0.27	40.1	520	41.9	10.3	<0.001	0.01	0.51	8.3	1.1	0.5	20.6	<0.01	0.06	5.2
ZZ18365		0.32	26.7	750	24.4	15.4	<0.001	0.03	0.38	2.6	0.6	0.6	21.2	<0.01	0.04	0.9
ZZ18366		0.43	36.3	710	19.5	9.6	<0.001	0.02	0.55	6.1	1.0	0.6	28.2	<0.01	0.07	3.1
ZZ18367		0.50	30.3	860	26.3	11.5	<0.001	0.05	0.48	5.6	1.3	0.7	29.6	<0.01	0.06	2.1
ZZ18368		0.30	35.8	760	33.9	12.2	0.001	0.05	0.53	6.0	1.3	0.5	36.5	<0.01	0.04	2.6
ZZ18369		0.40	30.1	550	25.6	11.7	<0.001	0.04	0.33	5.3	1.0	0.7	22.3	<0.01	0.04	3.3
ZZ18370		0.56	25.4	1010	20.4	24.4	<0.001	0.07	0.37	4.4	1.3	0.8	40.3	<0.01	0.04	1.7
ZZ18371		0.39	33.0	310	22.2	19.6	<0.001	0.02	0.23	4.9	0.6	1.1	14.9	<0.01	0.05	3.4
ZZ18372		0.29	29.6	340	58.1	10.0	<0.001	0.02	0.60	4.4	0.9	0.6	17.0	<0.01	0.05	3.8
ZZ18373		0.48	33.8	650	34.8	11.5	<0.001	0.03	0.73	5.0	1.2	0.7	22.0	<0.01	0.05	2.7
ZZ18374		0.39	28.1	1170	28.9	13.3	0.001	0.07	0.63	4.3	1.1	0.7	25.4	<0.01	0.05	2.0
ZZ18375		0.38	39.5	500	47.4	8.6	<0.001	0.04	0.97	5.1	1.2	0.6	27.7	<0.01	0.06	3.1
ZZ18376		0.56	37.8	480	39.5	8.1	<0.001	0.01	0.85	5.4	1.3	0.6	23.2	<0.01	0.05	5.2
ZZ18377		0.26	29.0	820	38.9	11.4	0.001	0.04	0.46	5.1	1.4	0.5	30.7	<0.01	0.06	4.2
ZZ18378		0.47	50.2	890	69.9	9.5	<0.001	0.03	1.23	7.3	1.5	0.6	38.4	<0.01	0.06	5.3
ZZ18379		0.77	33.9	400	24.2	9.2	0.001	0.03	0.84	5.3	1.0	0.6	22.7	<0.01	0.06	3.0
ZZ18380		0.15	28.2	520	130.5	10.4	0.001	0.05	0.53	5.1	0.9	0.5	38.8	<0.01	0.04	3.4
ZZ18381		0.25	37.2	760	71.1	12.1	<0.001	0.02	0.57	5.3	1.2	0.6	26.0	<0.01	0.05	3.9
ZZ18382		0.14	41.1	500	66.9	12.0	<0.001	0.01	0.83	7.4	1.5	0.5	19.7	<0.01	0.06	5.6
ZZ18383		0.07	17.1	740	157.5	5.8	<0.001	0.03	0.73	2.9	0.8	0.3	72.6	<0.01	0.05	3.1
ZZ18384		0.12	28.6	820	208	8.9	<0.001	0.03	3.83	3.6	1.1	0.4	93.7	<0.01	0.06	3.1
ZZ18385		0.09	26.5	450	93.6	6.5	<0.001	0.04	0.66	4.3	0.8	0.4	50.6	<0.01	0.04	3.7
ZZ18386		0.15	41.2	1880	58.2	11.4	<0.001	0.02	0.46	8.7	1.8	0.4	43.0	<0.01	0.06	6.6
ZZ18387		0.13	32.8	450	24.9	13.1	<0.001	0.01	0.28	4.9	0.9	0.6	17.1	<0.01	0.08	3.0
ZZ18388		0.29	40.1	620	25.5	10.9	<0.001	0.03	0.41	6.6	1.3	0.5	51.8	<0.01	0.07	4.3
ZZ18389		0.49	29.5	510	21.0	12.7	<0.001	0.01	0.49	4.4	0.9	0.7	30.0	<0.01	0.07	2.7
ZZ18390		0.53	27.0	1170	17.2	15.8	<0.001	0.07	0.53	3.0	0.7	0.5	53.5	<0.01	0.06	1.3
ZZ18391		0.14	37.5	450	28.7	8.3	0.001	0.01	0.39	10.2	1.5	0.5	43.6	<0.01	0.07	6.1

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 20- AUG- 2011
Account: RCM

Project: Rackla- Dale Contour

CERTIFICATE OF ANALYSIS WH11148698

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
DD004608		0.006	0.32	2.33	64	0.16	32.6	301	1.0
DD004609		0.018	0.13	4.15	70	0.18	38.5	104	0.8
DD004610		0.012	0.25	2.19	80	0.15	30.9	205	1.1
DD004611		<0.005	0.10	1.87	80	0.06	40.7	135	1.9
ZZ18356		0.009	0.17	0.84	50	0.06	15.30	145	1.4
ZZ18357		0.030	0.18	1.72	54	0.35	9.91	97	1.4
ZZ18358		0.013	0.17	1.99	42	0.08	13.70	102	2.2
ZZ18359		0.018	0.32	1.73	50	0.18	8.65	118	1.7
ZZ18360		0.007	0.29	1.53	48	0.14	9.78	167	1.2
ZZ18361		<0.005	0.19	0.82	32	0.06	8.64	253	1.9
ZZ18362		<0.005	0.26	1.24	31	<0.05	18.80	191	3.5
ZZ18363		0.009	0.16	1.39	40	0.18	10.50	118	1.0
ZZ18364		0.007	0.26	1.95	35	0.07	18.65	141	1.4
ZZ18365		0.008	0.18	1.18	35	0.08	4.40	99	0.5
ZZ18366		0.013	0.13	2.20	43	0.15	13.00	89	1.4
ZZ18367		0.009	0.19	1.92	48	0.09	14.50	117	2.0
ZZ18368		0.008	0.13	3.59	36	0.08	18.30	134	2.1
ZZ18369		0.007	0.16	1.53	35	0.08	10.05	100	1.8
ZZ18370		0.007	0.18	2.45	37	0.07	11.05	119	1.9
ZZ18371		0.006	0.19	0.79	24	<0.05	7.10	83	1.8
ZZ18372		0.006	0.27	1.38	31	0.06	6.89	198	1.5
ZZ18373		0.011	0.26	1.56	43	0.15	11.45	153	1.4
ZZ18374		0.005	0.21	1.00	32	0.05	11.45	145	2.8
ZZ18375		0.010	0.25	1.17	44	0.11	10.55	258	1.9
ZZ18376		0.022	0.20	1.35	44	0.13	12.95	191	1.9
ZZ18377		0.006	0.17	0.89	29	0.06	11.65	245	2.0
ZZ18378		0.015	0.56	1.77	47	0.13	19.60	343	2.5
ZZ18379		0.026	0.19	1.11	53	0.18	9.18	164	1.5
ZZ18380		<0.005	0.59	1.19	16	<0.05	10.85	459	1.6
ZZ18381		<0.005	0.66	1.36	35	0.08	14.15	228	1.3
ZZ18382		<0.005	0.41	1.66	29	<0.05	18.50	177	1.8
ZZ18383		<0.005	4.95	2.23	10	0.06	8.75	987	2.1
ZZ18384		<0.005	1.76	4.13	14	0.09	11.35	521	2.0
ZZ18385		<0.005	1.02	1.08	12	0.13	10.75	265	1.1
ZZ18386		<0.005	0.33	2.67	17	<0.05	32.2	178	2.0
ZZ18387		<0.005	0.19	1.15	26	<0.05	6.59	94	1.1
ZZ18388		<0.005	0.17	1.73	28	0.07	17.65	93	2.0
ZZ18389		0.009	0.17	1.20	45	0.17	6.25	85	1.1
ZZ18390		0.012	0.15	1.62	36	0.11	5.37	97	1.9
ZZ18391		<0.005	0.12	1.61	22	<0.05	21.5	90	2.8

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 20- AUG- 2011
Account: RCM

Project: Rackla- Dale Contour

CERTIFICATE OF ANALYSIS WH11148698

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- TL43 Au ppm 0.001	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1
DD004651		0.22	0.005	1.52	0.95	45.1	<0.2	<10	1220	0.72	0.20	1.37	1.00	13.95	5.4	26
DD004652		0.34	0.001	1.02	0.55	36.4	<0.2	<10	900	0.51	0.19	0.64	0.64	10.25	5.4	16
DD004653		0.21	<0.001	0.21	0.89	75.4	<0.2	<10	320	0.40	0.21	2.15	2.60	14.45	5.3	20
DD004654		0.24	0.001	0.21	1.10	44.1	<0.2	<10	610	0.50	0.24	2.02	1.12	17.25	6.3	22
DD004655		0.32	0.002	0.30	1.25	48.0	<0.2	<10	530	0.55	0.25	1.68	1.77	16.25	8.7	24
DD004656		0.23	0.001	0.47	1.25	36.9	<0.2	<10	550	0.74	0.24	1.20	0.94	18.30	7.6	27
DD004657		0.27	0.002	0.42	1.07	72.8	<0.2	<10	430	0.55	0.23	0.88	1.10	18.95	8.2	31
DD004658		0.30	<0.001	0.44	1.38	125.0	<0.2	<10	440	0.86	0.24	0.80	1.90	24.7	9.6	36
DD004659		0.27	0.001	0.55	1.12	111.0	<0.2	<10	370	0.80	0.20	1.63	1.66	18.90	9.6	26
DD004660		0.30	0.001	0.48	1.21	230	<0.2	<10	260	0.93	0.22	1.27	1.19	13.15	10.0	52
DD004661		0.25	0.002	0.45	1.39	117.0	<0.2	<10	310	0.86	0.24	1.19	2.19	30.1	10.9	29
DD004662		0.37	0.002	0.45	0.97	113.0	<0.2	<10	230	0.77	0.24	0.83	0.79	15.65	9.5	28
DD004663		0.28	0.001	0.38	0.67	16.7	<0.2	<10	320	0.92	0.40	0.94	0.51	7.01	11.6	48
DD004664		0.40	0.001	0.29	0.71	14.7	<0.2	<10	550	0.63	0.32	1.07	0.65	10.85	14.6	19
DD004665		0.29	0.001	0.27	0.85	19.5	<0.2	10	390	0.92	0.35	1.64	0.50	12.10	12.4	76
DD004666		0.31	<0.001	0.29	1.12	19.9	<0.2	<10	500	0.49	0.21	0.50	0.68	12.40	6.9	30
DD004667		0.27	0.003	2.29	0.76	33.7	<0.2	10	890	0.60	0.20	1.58	0.90	11.90	7.1	30
DD004668		0.24	0.001	1.06	0.86	34.9	<0.2	<10	810	0.46	0.18	1.59	1.40	17.85	6.4	24
DD004669		0.23	0.003	1.34	0.62	56.8	<0.2	<10	840	0.55	0.15	2.00	2.14	12.20	5.9	18
DD004670		0.25	0.002	2.07	0.52	19.0	<0.2	<10	1170	0.59	0.16	1.61	0.75	8.21	4.3	17
DD004671		0.18	0.002	1.94	0.49	22.8	<0.2	10	790	0.44	0.14	2.49	1.15	8.15	4.1	18
DD004672		0.32	0.003	2.67	0.63	15.9	<0.2	<10	1420	0.62	0.19	1.38	0.74	12.35	5.1	21
DD004673		0.22	0.002	1.94	0.87	19.9	<0.2	<10	880	0.57	0.20	2.30	1.04	12.15	5.6	25
DD004674		0.23	0.001	1.33	0.70	25.9	<0.2	<10	1130	0.67	0.19	0.77	0.74	15.55	6.6	25
DD004675		0.23	0.001	0.96	1.07	20.1	<0.2	<10	630	0.66	0.25	1.27	1.03	22.9	8.2	28
DD004676		0.26	0.002	1.12	0.98	16.3	<0.2	10	780	0.68	0.16	3.43	1.32	15.50	6.5	31

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 20- AUG- 2011
Account: RCM

Project: Rackla- Dale Contour

CERTIFICATE OF ANALYSIS WH11148698

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
DD004651		1.02	39.5	2.33	2.70	0.11	0.09	0.34	0.032	0.07	8.3	8.6	0.20	173	2.54	0.02
DD004652		1.10	31.9	1.90	1.73	0.10	0.05	0.16	0.031	0.06	6.6	4.6	0.10	151	2.18	0.02
DD004653		0.95	12.3	1.72	2.81	0.09	0.02	0.15	0.024	0.04	10.2	5.9	0.10	377	1.53	0.02
DD004654		0.98	11.2	1.99	3.96	0.10	0.02	0.11	0.032	0.04	14.5	7.9	0.16	318	1.08	0.02
DD004655		2.07	18.6	2.32	3.76	0.09	0.05	0.10	0.036	0.07	10.8	9.4	0.19	423	1.78	0.02
DD004656		2.02	23.2	2.40	3.93	0.09	0.03	0.11	0.034	0.07	13.7	8.8	0.17	274	4.05	0.02
DD004657		0.71	31.0	2.43	3.57	0.11	0.04	0.10	0.035	0.10	13.8	7.7	0.17	205	9.72	0.01
DD004658		1.13	22.9	2.78	4.24	0.13	0.06	0.05	0.032	0.08	23.6	7.9	0.21	437	10.45	0.01
DD004659		0.56	20.5	2.40	3.37	0.12	0.09	0.11	0.030	0.08	21.0	7.9	0.18	604	4.80	0.01
DD004660		1.27	25.6	2.70	3.50	0.12	0.07	0.14	0.040	0.08	16.5	9.6	0.13	187	3.81	0.02
DD004661		0.99	22.9	2.83	3.66	0.12	0.05	0.14	0.044	0.08	22.2	11.0	0.19	656	3.09	0.01
DD004662		1.18	27.3	2.61	3.21	0.11	0.06	0.19	0.040	0.09	13.9	13.4	0.23	239	2.16	0.01
DD004663		0.75	34.7	3.80	1.85	0.09	0.05	0.15	0.060	0.13	4.5	7.4	0.08	196	2.99	0.02
DD004664		0.77	31.6	3.62	1.90	0.11	0.05	0.11	0.045	0.16	7.0	6.8	0.08	322	3.51	0.03
DD004665		0.64	32.1	3.90	2.32	0.12	0.05	0.18	0.054	0.14	10.1	7.6	0.10	304	3.06	0.03
DD004666		0.66	22.3	2.37	3.39	0.09	0.02	0.05	0.035	0.05	4.9	7.4	0.10	150	8.04	0.01
DD004667		0.48	34.4	2.04	2.32	0.12	0.06	0.34	0.038	0.08	9.9	6.5	0.12	158	23.2	0.02
DD004668		0.50	18.8	2.01	2.62	0.10	0.04	0.12	0.032	0.05	10.2	6.7	0.14	186	3.51	0.02
DD004669		0.34	37.8	1.73	1.85	0.09	0.06	0.32	0.027	0.06	8.2	4.3	0.13	172	4.22	0.02
DD004670		0.44	39.1	1.60	1.55	0.11	0.06	0.22	0.029	0.05	6.4	3.5	0.08	78	4.29	0.02
DD004671		0.38	33.2	1.46	1.43	0.10	0.06	0.24	0.022	0.06	6.7	3.3	0.08	95	4.30	0.02
DD004672		0.60	43.7	1.82	1.93	0.11	0.06	0.29	0.032	0.06	8.3	5.0	0.10	114	4.85	0.02
DD004673		0.66	31.2	1.87	2.62	0.10	0.04	0.20	0.029	0.06	10.3	7.3	0.14	113	3.78	0.02
DD004674		0.46	40.5	2.21	2.34	0.11	0.06	0.13	0.037	0.06	11.8	5.3	0.08	141	6.85	0.02
DD004675		0.48	29.8	2.36	3.44	0.12	0.05	0.06	0.042	0.05	16.9	7.7	0.15	239	7.19	0.01
DD004676		0.64	32.8	1.50	2.85	0.11	0.07	0.20	0.031	0.07	16.4	6.7	0.14	375	3.43	0.02

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 20- AUG- 2011
Account: RCM

Project: Rackla- Dale Contour

CERTIFICATE OF ANALYSIS WH11148698

Sample Description	Method Analyte Units LOR	ME- MS41 Nb ppm 0.05	ME- MS41 Ni ppm 0.2	ME- MS41 P ppm 10	ME- MS41 Pb ppm 0.2	ME- MS41 Rb ppm 0.1	ME- MS41 Re ppm 0.001	ME- MS41 S % 0.01	ME- MS41 Sb ppm 0.05	ME- MS41 Sc ppm 0.1	ME- MS41 Se ppm 0.2	ME- MS41 Sn ppm 0.2	ME- MS41 Sr ppm 0.2	ME- MS41 Ta ppm 0.01	ME- MS41 Te ppm 0.01	ME- MS41 Th ppm 0.2
DD004651		0.29	44.3	1650	17.8	7.9	0.004	0.16	1.10	3.4	3.4	0.4	71.0	<0.01	0.07	0.9
DD004652		0.21	40.9	830	10.3	6.6	0.003	0.05	0.96	4.0	2.4	0.3	42.4	<0.01	0.09	1.9
DD004653		0.55	17.3	1090	10.2	5.4	0.001	0.13	0.68	1.5	1.6	0.4	33.2	0.01	0.09	0.3
DD004654		0.67	15.3	890	11.8	5.4	0.001	0.09	0.51	1.8	1.7	0.5	28.6	0.01	0.06	0.4
DD004655		0.60	29.4	840	14.0	10.9	0.001	0.08	0.74	2.9	1.6	0.5	28.6	<0.01	0.10	0.7
DD004656		0.50	40.9	900	13.8	10.4	0.001	0.07	0.86	3.0	2.5	0.5	34.9	<0.01	0.06	0.6
DD004657		0.46	85.4	820	17.0	7.1	0.001	0.04	1.26	4.3	7.0	0.6	28.9	<0.01	0.08	1.0
DD004658		0.48	72.7	690	34.4	7.9	<0.001	0.04	1.33	5.1	4.8	0.6	24.7	<0.01	0.07	1.3
DD004659		0.33	44.1	1070	36.9	6.1	<0.001	0.04	1.17	4.0	5.8	0.4	27.9	<0.01	0.09	1.5
DD004660		0.26	57.3	820	21.5	9.4	0.001	0.09	1.15	4.4	4.0	0.6	38.0	<0.01	0.07	1.0
DD004661		0.41	46.0	1140	21.8	8.3	0.001	0.06	0.97	4.3	2.3	0.5	24.6	<0.01	0.10	1.4
DD004662		0.40	47.7	790	12.5	9.6	0.001	0.06	0.78	4.6	2.3	0.5	32.7	<0.01	0.07	2.1
DD004663		0.07	44.5	790	19.3	9.8	0.001	0.25	0.76	5.5	1.9	0.5	33.2	<0.01	0.10	2.4
DD004664		0.10	82.9	960	20.3	11.9	0.003	0.35	0.55	4.6	2.4	0.6	39.1	<0.01	0.08	2.6
DD004665		0.12	47.3	1270	16.8	11.0	0.001	0.29	0.92	4.5	2.3	0.6	51.4	<0.01	0.16	2.2
DD004666		0.36	63.7	400	13.3	7.2	0.004	0.04	1.39	2.4	4.5	0.6	15.1	<0.01	0.18	1.2
DD004667		0.20	82.7	790	13.0	6.6	0.008	0.13	2.39	2.9	6.8	0.5	31.3	<0.01	0.23	0.7
DD004668		0.34	47.1	700	33.2	5.1	0.001	0.07	1.07	3.5	2.8	0.4	30.9	<0.01	0.09	1.0
DD004669		0.17	66.8	920	37.3	4.8	0.006	0.09	1.39	2.7	3.6	0.4	32.1	<0.01	0.09	0.9
DD004670		0.12	68.2	740	18.8	5.3	0.005	0.07	1.44	3.1	4.7	0.3	29.7	<0.01	0.11	1.0
DD004671		0.14	64.1	960	14.4	5.5	0.004	0.12	1.33	2.0	3.9	0.3	30.4	<0.01	0.11	0.6
DD004672		0.18	85.3	690	9.9	6.6	0.004	0.07	1.52	3.1	5.4	0.4	23.3	<0.01	0.09	0.7
DD004673		0.39	79.6	980	12.6	7.2	0.003	0.10	1.45	2.2	4.3	0.4	37.5	<0.01	0.12	0.6
DD004674		0.17	88.7	620	11.2	7.4	0.002	0.04	2.36	5.1	5.5	0.5	26.3	<0.01	0.15	1.6
DD004675		0.44	74.9	620	14.2	5.7	0.001	0.05	1.62	4.3	4.9	0.5	31.6	<0.01	0.21	1.5
DD004676		0.29	63.4	1710	9.6	7.3	0.003	0.15	1.52	1.6	3.5	0.4	40.5	<0.01	0.12	0.4

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 20- AUG- 2011
Account: RCM

Project: Rackla- Dale Contour

CERTIFICATE OF ANALYSIS WH11148698

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
DD004651		0.007	0.26	3.15	51	0.09	21.7	193	2.4
DD004652		0.006	0.15	1.46	37	0.08	16.90	144	1.6
DD004653		0.015	0.16	1.30	39	0.15	15.75	140	0.7
DD004654		0.018	0.12	1.48	49	0.18	21.0	83	0.6
DD004655		0.012	0.21	1.34	49	0.11	14.75	130	1.2
DD004656		0.011	0.18	2.25	52	0.13	18.30	138	0.9
DD004657		0.009	0.21	2.40	58	0.17	23.4	256	0.9
DD004658		0.013	0.27	2.08	85	0.14	39.9	313	1.4
DD004659		0.007	0.22	2.21	58	0.11	34.1	222	2.2
DD004660		<0.005	0.39	2.70	63	0.07	31.8	191	1.5
DD004661		0.007	0.30	1.58	55	0.17	35.1	192	1.3
DD004662		0.008	0.16	1.53	40	0.39	24.7	156	1.7
DD004663		<0.005	0.17	0.91	28	<0.05	11.90	164	1.9
DD004664		<0.005	0.21	1.44	41	<0.05	24.2	274	1.3
DD004665		<0.005	0.24	1.12	50	0.05	27.0	201	1.3
DD004666		0.005	0.25	1.70	86	0.14	7.00	229	0.8
DD004667		<0.005	0.34	4.85	75	0.11	25.0	266	1.6
DD004668		0.007	0.24	2.38	70	0.15	18.60	216	1.0
DD004669		<0.005	0.30	2.66	61	0.12	21.9	298	1.8
DD004670		<0.005	0.20	3.20	44	0.07	24.5	201	1.7
DD004671		<0.005	0.20	2.18	44	0.09	20.5	210	1.9
DD004672		<0.005	0.20	3.11	45	0.10	32.1	198	1.5
DD004673		0.007	0.21	2.81	55	0.11	21.3	213	1.3
DD004674		<0.005	0.25	2.34	64	0.12	31.3	220	1.2
DD004675		0.007	0.21	4.46	79	0.11	38.0	218	1.6
DD004676		0.005	0.24	6.61	69	0.07	37.1	138	1.7

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 20- AUG- 2011
Account: RCM

Project: Rackla- Dale Contour

CERTIFICATE OF ANALYSIS WH11148698

Method	CERTIFICATE COMMENTS
ME- MS41	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown.
ME- MS41	Gold determinations by this method are semi- quantitative due to the small sample weight used (0.5g).

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 17- AUG- 2011
Account: RCM

CERTIFICATE WH11148699

Project: Rackla- Dale Extension

P.O. No.:

This report is for 144 Soil samples submitted to our lab in Whitehorse, YT, Canada on 3- AUG- 2011.

The following have access to data associated with this certificate:

ROB CARNE JULIA LANE	ANDREW CARNE JOAN MARIACHER	MATT DUMALA

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
SCR- 41	Screen to - 180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- TL43	Trace Level Au - 25g AR	ICP- MS
ME- MS41	51 anal. aqua regia ICPMS	

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 17- AUG- 2011
Account: RCM

Project: Rackla- Dale Extension

CERTIFICATE OF ANALYSIS WH11148699

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- TL43 Au ppm 0.001	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1
ZZ18201		0.39	0.003	0.23	0.97	17.5	<0.2	<10	180	1.34	0.33	1.39	0.14	29.0	18.2	21
ZZ18202		0.35	0.007	0.21	1.63	21.0	<0.2	<10	230	1.29	0.32	0.41	0.16	41.4	15.8	27
ZZ18203		0.30	0.002	0.10	1.73	21.2	<0.2	<10	210	1.25	0.24	0.21	0.28	65.9	12.5	21
ZZ18204		0.28	0.003	0.20	1.28	17.6	<0.2	<10	210	1.02	0.27	0.51	0.41	34.0	14.9	28
ZZ18205		0.39	0.003	0.11	1.44	13.9	<0.2	<10	170	1.11	0.26	0.26	0.18	35.0	14.2	27
ZZ18206		0.47	0.004	0.17	1.30	12.2	<0.2	<10	180	0.91	0.24	0.46	0.40	38.4	15.5	26
ZZ18207		0.34	0.004	0.13	0.91	21.7	<0.2	<10	230	1.65	0.32	0.64	0.26	27.3	19.9	25
ZZ18208		0.37	0.003	0.13	1.04	17.1	<0.2	<10	230	1.20	0.24	0.38	0.48	44.4	16.5	28
ZZ18209		0.24	0.006	0.32	1.02	17.5	<0.2	<10	190	0.96	0.19	1.74	0.31	26.8	11.4	18
ZZ18210		0.30	0.004	0.18	1.45	21.9	<0.2	<10	210	1.29	0.23	0.38	0.29	48.1	15.3	27
ZZ18211		0.35	0.004	0.07	1.90	18.0	<0.2	<10	270	1.41	0.27	0.21	0.17	48.6	20.1	32
ZZ18212		0.30	0.002	0.06	1.82	13.0	<0.2	<10	340	0.78	0.29	0.23	0.11	31.7	11.3	29
ZZ18213		0.31	0.003	0.09	1.61	14.8	<0.2	<10	260	1.46	0.26	0.20	0.30	57.2	19.0	31
ZZ18214		0.34	0.002	0.04	1.85	18.9	<0.2	<10	120	0.53	0.33	0.10	0.19	25.9	18.1	29
ZZ18215		0.35	0.002	0.04	1.62	12.2	<0.2	<10	130	0.44	0.32	0.06	0.13	21.3	12.9	22
ZZ18216		0.34	0.002	0.05	2.30	15.4	<0.2	<10	180	0.58	0.34	0.11	0.15	25.1	11.4	32
ZZ18217		0.32	0.001	0.03	1.77	15.2	<0.2	<10	110	0.63	0.30	0.08	0.23	29.8	14.8	26
ZZ18218		0.32	0.001	0.02	0.80	34.8	<0.2	<10	170	0.76	0.51	0.14	0.07	13.50	14.9	11
ZZ18219		0.38	0.003	0.05	1.71	16.9	<0.2	<10	120	0.73	0.34	0.11	0.28	31.6	21.2	25
ZZ18220		0.31	0.003	0.19	1.16	26.6	<0.2	10	160	1.01	0.32	0.48	0.69	20.8	16.1	22
ZZ18221		0.34	0.002	0.09	1.08	20.5	<0.2	<10	150	0.67	0.30	0.34	0.37	16.95	14.3	21
ZZ18222		0.30	0.002	0.08	1.52	17.5	<0.2	<10	210	0.68	0.29	0.57	0.33	20.8	15.4	24
ZZ18223		0.37	0.002	0.11	1.51	15.4	<0.2	<10	180	0.79	0.29	0.85	0.34	21.6	13.2	24
ZZ18224		0.25	0.003	0.12	1.63	11.6	<0.2	10	200	1.02	0.28	0.87	0.20	34.1	11.3	35
ZZ18225		0.21	0.001	0.06	1.83	8.1	<0.2	<10	90	1.08	0.31	1.07	0.25	37.8	11.8	36
ZZ18226		0.26	0.001	0.03	1.63	13.8	<0.2	<10	90	0.40	0.35	0.05	0.27	28.2	10.5	24
ZZ18227		0.22	0.001	0.06	2.40	16.2	<0.2	<10	130	0.53	0.34	0.06	0.28	24.4	16.1	32
ZZ18228		0.28	0.001	0.06	1.80	13.4	<0.2	<10	130	0.40	0.33	0.10	0.15	22.4	12.4	24
ZZ18229		0.24	0.001	0.06	2.21	40.5	<0.2	<10	220	0.83	0.36	0.09	2.51	35.3	20.0	29
ZZ18230		0.25	0.001	0.05	1.60	18.6	<0.2	<10	130	0.62	0.32	0.07	0.36	24.6	16.5	25
ZZ18231		0.28	0.003	0.12	1.29	20.4	<0.2	<10	180	0.81	0.25	0.90	0.39	31.4	12.4	25
ZZ18232		0.25	0.006	0.27	1.31	23.9	<0.2	<10	310	1.12	0.23	1.63	0.49	34.3	11.9	27
ZZ18233		0.29	0.004	0.22	1.26	23.1	<0.2	<10	220	0.98	0.23	0.97	0.35	41.1	11.1	26
ZZ18234		0.31	0.003	0.14	1.53	18.0	<0.2	<10	240	0.99	0.29	0.44	0.28	37.2	14.9	28
ZZ18235		0.34	0.002	0.18	1.51	17.7	<0.2	<10	210	1.13	0.29	0.43	0.26	36.9	13.3	27
ZZ18236		0.30	0.002	0.11	1.93	16.2	<0.2	<10	260	0.92	0.36	0.20	0.15	38.5	13.8	30
ZZ18237		0.41	0.002	0.16	1.76	36.7	<0.2	<10	220	0.90	0.38	0.25	0.17	41.6	14.7	31
ZZ18238		0.25	0.002	0.07	1.71	18.2	<0.2	<10	150	1.03	0.32	0.22	0.21	45.9	16.5	26
ZZ18239		0.40	0.002	0.11	1.40	20.3	<0.2	<10	200	1.54	0.37	0.27	0.30	47.0	21.3	26
ZZ18240		0.36	0.002	0.22	1.24	18.1	<0.2	<10	210	1.31	0.37	0.39	0.14	50.4	15.6	22

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 17- AUG- 2011
Account: RCM

Project: Rackla- Dale Extension

CERTIFICATE OF ANALYSIS WH11148699

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
ZZ18201		0.64	43.3	3.93	2.89	0.13	0.07	0.13	0.043	0.07	13.9	10.8	0.20	489	0.93	<0.01
ZZ18202		1.02	39.5	3.59	4.21	0.15	0.08	0.15	0.041	0.07	22.1	17.2	0.32	554	1.42	<0.01
ZZ18203		0.72	22.0	4.11	3.24	0.13	0.10	0.04	0.038	0.08	19.4	10.3	0.21	1160	0.75	<0.01
ZZ18204		0.81	36.2	3.42	4.29	0.13	0.05	0.11	0.031	0.07	16.4	19.9	0.43	780	1.20	0.01
ZZ18205		1.71	27.3	3.41	5.15	0.12	0.04	0.04	0.033	0.07	13.3	27.6	0.42	674	1.06	0.01
ZZ18206		1.31	32.1	2.95	4.12	0.14	0.04	0.06	0.027	0.09	17.7	20.7	0.48	868	1.19	0.01
ZZ18207		1.00	62.8	4.34	3.23	0.13	0.06	0.19	0.044	0.11	13.3	9.6	0.23	638	1.77	<0.01
ZZ18208		0.56	41.5	4.23	3.22	0.14	0.06	0.06	0.047	0.08	14.6	15.1	0.41	806	1.13	<0.01
ZZ18209		0.72	43.8	2.81	3.02	0.13	0.08	0.21	0.034	0.10	15.4	15.1	0.31	305	0.95	<0.01
ZZ18210		1.00	48.2	4.04	4.05	0.14	0.08	0.11	0.045	0.09	20.0	26.1	0.44	491	0.99	<0.01
ZZ18211		1.35	58.9	4.37	5.37	0.13	0.06	0.10	0.042	0.09	20.3	32.4	0.67	691	0.73	<0.01
ZZ18212		1.55	27.7	3.74	6.30	0.11	0.05	0.04	0.037	0.07	12.4	23.8	0.44	466	1.19	0.01
ZZ18213		1.37	52.3	4.17	4.67	0.17	0.06	0.08	0.043	0.11	26.4	23.3	0.61	734	1.30	<0.01
ZZ18214		1.72	40.6	4.89	6.08	0.08	0.04	0.04	0.041	0.07	10.8	23.7	0.54	665	1.44	0.01
ZZ18215		1.74	27.3	4.09	5.96	0.06	0.03	0.03	0.033	0.06	8.9	26.5	0.38	469	1.05	0.01
ZZ18216		1.78	19.5	4.36	7.01	0.08	0.05	0.04	0.042	0.07	11.5	25.1	0.52	399	1.69	0.01
ZZ18217		1.59	38.7	4.21	5.33	0.07	0.05	0.04	0.036	0.07	11.2	31.0	0.52	560	1.06	0.01
ZZ18218		1.44	49.0	3.53	1.82	0.06	0.02	0.04	0.040	0.06	6.4	8.8	0.16	249	0.54	0.01
ZZ18219		1.35	49.2	4.56	5.12	0.09	0.08	0.09	0.036	0.07	11.9	35.5	0.53	926	0.92	0.01
ZZ18220		2.01	51.7	4.08	3.63	0.09	0.10	0.25	0.046	0.09	9.2	11.6	0.32	506	1.93	0.01
ZZ18221		1.05	39.0	3.92	3.51	0.07	0.07	0.07	0.038	0.06	7.2	13.6	0.36	505	1.38	0.01
ZZ18222		1.29	38.6	4.22	4.67	0.08	0.07	0.07	0.038	0.08	8.3	25.2	0.53	622	1.13	0.01
ZZ18223		1.59	31.4	3.88	4.37	0.08	0.09	0.07	0.039	0.08	9.2	25.5	0.47	619	0.95	0.01
ZZ18224		1.65	30.4	3.49	5.63	0.11	0.09	0.05	0.039	0.07	17.3	35.2	0.73	546	0.78	0.01
ZZ18225		1.84	31.9	3.52	6.20	0.12	0.11	0.04	0.043	0.09	16.6	40.8	0.85	379	0.52	0.01
ZZ18226		1.81	26.1	4.73	7.57	0.09	0.05	0.03	0.035	0.07	12.7	25.5	0.39	315	1.42	0.01
ZZ18227		2.09	25.0	5.82	7.00	0.09	0.07	0.08	0.056	0.07	9.0	33.0	0.33	1060	1.65	0.01
ZZ18228		1.88	27.7	4.34	6.97	0.07	0.02	0.04	0.035	0.06	9.5	25.0	0.40	424	1.21	0.01
ZZ18229		2.10	44.8	6.30	6.49	0.10	0.06	0.06	0.064	0.08	9.7	34.9	0.48	2760	1.35	0.01
ZZ18230		1.62	46.9	5.42	5.42	0.09	0.05	0.05	0.045	0.08	8.8	25.6	0.52	1140	0.98	0.01
ZZ18231		1.09	37.6	3.84	4.09	0.09	0.09	0.08	0.041	0.08	13.3	22.1	0.48	308	0.79	0.01
ZZ18232		0.79	45.9	3.05	4.04	0.09	0.09	0.22	0.036	0.09	17.7	14.7	0.38	627	0.84	0.01
ZZ18233		0.65	32.6	3.14	3.86	0.09	0.11	0.12	0.036	0.10	20.0	18.7	0.44	447	0.86	0.01
ZZ18234		1.22	37.2	3.91	4.78	0.10	0.09	0.07	0.039	0.07	15.6	18.5	0.49	635	1.12	0.01
ZZ18235		1.82	33.7	3.64	4.76	0.10	0.08	0.06	0.037	0.07	15.2	24.6	0.49	754	1.15	0.01
ZZ18236		1.88	22.5	3.74	6.01	0.09	0.06	0.04	0.041	0.07	13.3	28.5	0.47	693	1.15	0.01
ZZ18237		1.56	28.2	4.72	4.87	0.10	0.07	0.10	0.045	0.06	14.8	22.3	0.39	651	1.30	0.01
ZZ18238		1.24	35.6	4.02	4.52	0.09	0.06	0.04	0.042	0.08	13.3	25.5	0.44	666	1.07	0.01
ZZ18239		0.95	53.4	4.58	3.53	0.11	0.07	0.06	0.052	0.08	17.5	12.7	0.36	901	1.34	0.01
ZZ18240		0.87	39.2	5.31	3.43	0.14	0.09	0.08	0.050	0.07	20.1	14.5	0.32	734	1.02	0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 17- AUG- 2011
Account: RCM

Project: Rackla- Dale Extension

CERTIFICATE OF ANALYSIS WH11148699

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
ZZ18201		0.14	36.6	420	28.0	6.8	<0.001	0.02	0.46	9.5	1.2	0.6	79.9	<0.01	0.08	6.5
ZZ18202		0.45	32.9	780	24.2	8.8	0.001	0.02	0.54	6.5	0.9	0.6	33.4	<0.01	0.04	5.1
ZZ18203		0.33	25.8	770	15.5	9.7	<0.001	0.03	0.36	5.3	0.7	0.5	23.0	<0.01	0.04	4.3
ZZ18204		0.48	33.5	570	17.1	9.1	<0.001	0.04	0.61	4.7	0.7	0.5	47.4	<0.01	0.03	2.1
ZZ18205		0.53	28.1	770	18.3	11.8	<0.001	0.02	0.48	4.8	0.7	0.6	25.1	<0.01	0.04	3.3
ZZ18206		0.54	32.4	870	23.5	11.4	<0.001	0.02	0.57	6.0	0.9	0.5	36.8	<0.01	0.04	3.9
ZZ18207		0.10	45.3	580	22.1	8.8	<0.001	0.02	0.49	10.1	1.2	0.6	43.2	<0.01	0.05	6.4
ZZ18208		0.34	34.3	500	23.4	8.3	<0.001	0.03	0.53	7.3	1.0	0.5	36.6	<0.01	0.05	4.0
ZZ18209		0.26	25.4	830	14.7	8.6	<0.001	0.08	0.42	5.0	1.3	0.3	118.0	<0.01	0.05	1.5
ZZ18210		0.24	34.9	580	17.1	10.0	<0.001	0.03	0.43	6.4	1.3	0.4	31.3	<0.01	0.05	3.3
ZZ18211		0.18	38.3	370	19.7	10.3	<0.001	0.02	0.48	7.6	1.1	0.5	19.9	<0.01	0.07	4.5
ZZ18212		0.66	24.6	620	18.4	12.4	<0.001	0.03	0.52	4.3	0.5	0.7	19.2	<0.01	0.06	2.1
ZZ18213		0.28	36.1	450	27.2	11.3	<0.001	0.01	0.39	9.1	1.2	0.5	18.4	<0.01	0.06	6.9
ZZ18214		0.64	30.4	550	29.4	10.9	<0.001	0.02	0.80	4.3	0.8	0.5	11.6	<0.01	0.07	3.1
ZZ18215		0.48	20.6	610	19.9	11.6	<0.001	0.03	0.55	2.6	0.5	0.5	8.8	<0.01	0.05	1.6
ZZ18216		1.07	23.4	440	22.4	12.3	<0.001	0.02	0.77	3.9	0.7	0.7	12.9	<0.01	0.06	4.0
ZZ18217		0.44	28.6	610	21.0	11.2	<0.001	0.03	0.71	3.8	0.6	0.4	10.5	<0.01	0.05	3.1
ZZ18218		0.06	23.8	250	21.9	9.3	<0.001	0.02	0.26	4.7	0.5	0.5	23.7	<0.01	0.05	2.6
ZZ18219		0.24	30.1	550	28.9	8.6	<0.001	0.02	0.62	5.1	0.7	0.3	12.9	<0.01	0.06	4.4
ZZ18220		0.28	31.3	830	50.0	12.3	0.001	0.04	0.66	7.9	1.5	0.5	28.6	<0.01	0.06	3.6
ZZ18221		0.34	25.8	530	33.4	10.1	0.001	0.04	0.58	4.6	0.9	0.4	18.3	<0.01	0.06	1.8
ZZ18222		0.34	29.0	610	25.8	9.8	<0.001	0.04	0.63	4.6	0.9	0.4	28.7	<0.01	0.06	1.8
ZZ18223		0.39	25.7	1000	23.0	12.8	<0.001	0.07	0.56	4.3	1.0	0.4	34.3	<0.01	0.05	1.6
ZZ18224		0.60	35.9	640	19.4	10.5	<0.001	0.04	0.49	6.8	0.9	0.6	40.3	0.01	0.03	3.1
ZZ18225		0.51	37.0	930	21.9	12.9	<0.001	0.06	0.35	6.6	0.9	0.5	46.9	0.01	0.03	3.8
ZZ18226		0.82	20.0	330	19.4	11.8	<0.001	0.02	0.75	3.3	0.5	0.6	8.6	<0.01	0.06	4.0
ZZ18227		1.07	20.4	930	30.8	13.0	<0.001	0.04	0.70	3.5	0.8	0.6	8.5	<0.01	0.08	3.3
ZZ18228		0.58	20.1	560	22.9	9.8	<0.001	0.02	0.59	2.9	0.5	0.6	10.6	<0.01	0.07	1.5
ZZ18229		0.35	29.8	730	160.5	13.5	<0.001	0.04	0.88	4.9	0.6	0.5	9.8	<0.01	0.09	3.0
ZZ18230		0.24	27.7	660	36.5	11.9	<0.001	0.03	0.58	4.6	0.5	0.4	8.7	<0.01	0.08	3.1
ZZ18231		0.27	27.9	530	19.9	9.9	<0.001	0.05	0.47	6.2	0.9	0.4	66.9	<0.01	0.06	2.9
ZZ18232		0.41	27.0	750	18.3	11.3	<0.001	0.06	0.44	3.8	1.3	0.5	114.0	0.01	0.04	1.3
ZZ18233		0.36	25.6	760	18.5	10.3	<0.001	0.05	0.42	4.8	1.2	0.4	72.2	<0.01	0.03	2.3
ZZ18234		0.46	31.6	660	20.8	11.5	<0.001	0.03	0.60	5.6	0.8	0.5	35.2	<0.01	0.05	3.1
ZZ18235		0.48	29.0	790	18.6	12.9	<0.001	0.03	0.57	6.2	1.0	0.5	41.9	<0.01	0.04	3.5
ZZ18236		0.64	25.9	1000	21.4	13.1	<0.001	0.04	0.56	4.0	0.7	0.6	22.5	<0.01	0.05	2.7
ZZ18237		0.50	38.2	720	38.3	12.9	<0.001	0.03	0.67	6.1	0.9	0.6	25.4	0.01	0.05	4.0
ZZ18238		0.32	33.4	630	24.9	11.4	<0.001	0.01	0.50	4.9	0.7	0.5	24.3	<0.01	0.05	5.3
ZZ18239		0.20	39.6	720	28.0	10.7	<0.001	0.01	0.56	6.9	0.9	0.5	34.7	<0.01	0.05	7.2
ZZ18240		0.15	39.4	460	38.4	9.6	<0.001	0.02	0.50	8.5	1.2	0.5	37.0	0.01	0.05	8.7

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 17- AUG- 2011
Account: RCM

Project: Rackla- Dale Extension

CERTIFICATE OF ANALYSIS WH11148699

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
ZZ18201		<0.005	0.11	2.42	24	<0.05	18.75	95	3.4
ZZ18202		0.008	0.16	3.89	35	0.10	14.35	85	2.2
ZZ18203		0.005	0.13	2.95	33	0.07	11.35	52	3.2
ZZ18204		0.014	0.13	2.20	39	0.11	11.85	108	1.5
ZZ18205		0.012	0.13	1.71	38	0.20	9.89	88	1.2
ZZ18206		0.022	0.14	1.84	37	0.15	13.85	103	1.5
ZZ18207		<0.005	0.18	2.09	34	<0.05	18.95	122	2.5
ZZ18208		0.008	0.11	2.51	34	0.08	12.25	135	1.9
ZZ18209		<0.005	0.17	3.52	25	0.06	13.95	97	2.6
ZZ18210		<0.005	0.16	1.87	35	0.06	11.95	114	2.2
ZZ18211		<0.005	0.14	0.96	39	<0.05	9.85	94	2.0
ZZ18212		0.012	0.17	1.27	50	0.18	6.46	77	1.0
ZZ18213		0.006	0.14	1.62	38	0.09	15.25	120	2.0
ZZ18214		0.015	0.14	0.61	52	0.12	4.66	103	1.2
ZZ18215		0.009	0.13	0.54	43	0.10	3.18	61	0.7
ZZ18216		0.024	0.18	0.77	64	0.20	4.26	92	1.7
ZZ18217		0.010	0.11	0.66	40	0.11	5.89	94	1.3
ZZ18218		<0.005	0.09	0.54	17	<0.05	6.42	73	0.6
ZZ18219		0.005	0.11	0.67	37	0.05	9.13	99	2.2
ZZ18220		0.005	0.16	1.77	36	0.07	18.50	202	2.2
ZZ18221		0.008	0.12	1.12	38	0.07	6.95	185	1.7
ZZ18222		0.009	0.11	1.00	36	0.09	6.61	117	1.9
ZZ18223		0.010	0.10	1.58	34	0.11	11.20	126	2.1
ZZ18224		0.017	0.10	3.73	32	0.10	21.9	100	1.8
ZZ18225		0.014	0.11	4.52	29	0.06	20.7	109	2.3
ZZ18226		0.019	0.13	0.64	56	0.13	4.15	67	2.1
ZZ18227		0.013	0.18	0.84	50	0.13	4.36	80	2.1
ZZ18228		0.012	0.16	0.59	50	0.11	3.31	66	0.5
ZZ18229		<0.005	0.26	0.61	46	0.06	5.58	427	1.7
ZZ18230		<0.005	0.12	0.69	42	0.05	4.90	128	1.6
ZZ18231		0.006	0.13	2.18	34	0.05	11.20	113	2.6
ZZ18232		0.007	0.18	3.22	38	0.09	16.00	91	2.1
ZZ18233		0.007	0.13	4.52	33	0.07	14.80	97	2.7
ZZ18234		0.011	0.14	2.43	42	0.11	13.30	101	2.2
ZZ18235		0.011	0.12	2.56	40	0.09	17.15	94	2.0
ZZ18236		0.013	0.17	2.23	48	0.15	8.81	86	1.4
ZZ18237		0.009	0.20	2.14	48	0.13	16.35	85	1.4
ZZ18238		0.006	0.12	2.00	35	0.07	9.07	87	1.9
ZZ18239		<0.005	0.12	3.51	34	<0.05	15.40	103	2.2
ZZ18240		<0.005	0.14	2.57	24	<0.05	25.0	84	2.9

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 17- AUG- 2011
Account: RCM

Project: Rackla- Dale Extension

CERTIFICATE OF ANALYSIS WH11148699

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- TL43 Au ppm 0.001	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1
ZZ18241		0.27	0.002	0.03	1.77	18.8	<0.2	<10	140	0.94	0.34	0.08	0.12	32.7	16.6	24
ZZ18460		0.49	0.001	0.37	0.83	32.8	<0.2	<10	220	0.54	0.18	7.36	1.11	20.0	10.0	14
ZZ18461		0.25	0.003	0.62	0.62	53.1	<0.2	10	420	0.75	0.25	1.95	1.98	15.65	10.1	14
ZZ18462		0.51	0.002	0.18	1.11	17.3	<0.2	<10	160	0.87	0.28	1.35	0.64	27.3	15.3	20
ZZ18463		0.43	0.002	0.18	1.07	22.4	<0.2	<10	210	0.96	0.31	1.13	0.55	36.5	15.1	20
ZZ18464		0.18	0.002	0.22	0.89	13.8	<0.2	10	160	0.90	0.29	1.40	0.39	23.2	12.6	17
ZZ18465		0.22	0.001	0.28	0.66	17.4	<0.2	<10	120	0.74	0.26	1.59	0.23	16.30	10.6	13
ZZ18466		0.14	0.005	0.14	1.63	15.7	<0.2	10	440	0.98	0.19	2.18	0.35	36.5	11.2	36
ZZ18467		0.21	0.004	0.14	1.24	14.4	<0.2	10	470	0.91	0.24	1.49	0.36	18.90	12.2	21
ZZ18468		0.31	0.002	0.13	1.04	20.6	<0.2	10	310	1.05	0.33	0.64	0.42	18.25	18.6	23
ZZ18469		0.25	0.002	0.12	1.18	17.2	<0.2	10	220	0.99	0.27	1.28	0.37	16.85	17.7	22
ZZ18470		0.29	0.002	0.14	1.34	17.2	<0.2	<10	220	1.00	0.29	0.70	0.45	19.20	16.4	23
ZZ18472		0.21	0.002	0.28	0.80	17.0	<0.2	10	130	0.85	0.26	3.48	0.35	22.6	11.8	14
ZZ18473		0.27	0.003	0.20	1.08	24.2	<0.2	<10	170	1.01	0.29	1.18	0.41	22.2	15.6	21
ZZ18474		0.26	0.005	0.17	1.26	25.8	<0.2	<10	230	1.12	0.28	0.58	0.39	38.7	16.9	26
ZZ18475		0.22	0.003	0.13	1.64	17.5	<0.2	<10	270	0.95	0.27	0.57	0.19	37.2	14.0	30
ZZ18476		0.25	0.002	0.13	1.30	15.5	<0.2	<10	150	0.86	0.28	0.49	0.26	22.7	13.6	23
ZZ18477		0.32	0.002	0.13	1.36	46.7	<0.2	<10	150	0.94	0.33	0.56	0.49	22.3	18.2	21
ZZ18478		0.20	0.003	0.13	1.38	15.8	<0.2	<10	150	1.05	0.30	0.59	0.26	26.8	14.0	26
ZZ18479		0.24	0.002	0.12	1.07	19.8	<0.2	<10	170	1.14	0.30	1.12	0.28	20.5	16.0	20
ZZ18480		0.34	0.001	0.11	1.09	16.1	<0.2	<10	250	1.19	0.33	0.66	0.27	28.7	16.0	25
ZZ18481		0.31	0.003	0.14	1.28	13.8	<0.2	<10	460	1.30	0.25	0.70	0.24	38.6	13.9	30
ZZ18482		0.19	0.002	0.07	1.59	16.1	<0.2	<10	430	0.78	0.30	0.52	0.61	19.35	15.5	26
ZZ18483		0.19	0.003	0.11	1.01	18.0	<0.2	<10	190	0.86	0.23	1.67	0.24	29.1	13.1	21
ZZ18484		0.17	0.004	0.19	1.49	13.4	<0.2	<10	250	0.93	0.25	0.92	0.43	32.8	14.6	28
ZZ18485		0.26	0.003	0.18	1.88	10.3	<0.2	<10	250	1.29	0.27	0.65	0.56	40.9	14.9	34
ZZ18486		0.18	0.002	0.10	1.37	20.6	<0.2	<10	180	0.88	0.24	0.39	0.25	38.3	14.0	28
ZZ18487		0.12	0.003	0.19	1.21	13.2	<0.2	10	200	0.89	0.23	1.43	0.49	28.5	11.7	23
ZZ18488		0.26	0.002	0.14	1.38	16.8	<0.2	<10	190	0.94	0.28	0.70	0.31	28.2	13.8	24
ZZ18489		0.23	0.001	0.08	0.79	18.4	<0.2	<10	110	1.13	0.44	0.29	0.10	19.20	17.3	16
ZZ18490		0.21	0.001	0.04	1.91	12.5	<0.2	<10	230	0.99	0.29	0.16	0.13	32.0	14.9	27
ZZ18491		0.21	0.002	0.13	1.14	17.0	<0.2	<10	150	1.23	0.30	0.55	0.27	35.6	15.5	27
ZZ18492		0.25	0.004	0.13	1.22	21.4	<0.2	<10	330	1.31	0.33	0.29	0.22	30.5	17.0	24
ZZ18493		0.24	0.002	0.24	1.04	16.4	<0.2	<10	120	1.15	0.30	1.11	0.41	28.3	20.1	17
ZZ18494		0.29	0.001	0.14	0.87	9.5	<0.2	10	130	0.66	0.28	0.89	0.11	13.85	12.9	15
ZZ18495		0.14	0.001	0.12	0.71	8.8	<0.2	<10	180	0.77	0.24	1.39	0.31	12.25	9.3	11
ZZ18496		0.31	0.001	0.11	0.84	11.4	<0.2	<10	160	0.92	0.33	0.44	0.09	16.45	12.2	15
ZZ19152		0.26	0.003	0.15	1.52	17.0	<0.2	<10	210	1.01	0.25	0.48	0.37	43.4	13.4	26
ZZ19153		0.26	0.001	0.04	1.62	15.4	<0.2	<10	140	0.82	0.29	0.18	0.23	30.5	15.8	24
ZZ19154		0.20	0.002	0.13	0.81	17.2	<0.2	10	230	1.13	0.28	1.00	0.35	20.8	14.2	18

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 17- AUG- 2011
Account: RCM

Project: Rackla- Dale Extension

CERTIFICATE OF ANALYSIS WH11148699

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
ZZ18241		1.11	39.0	4.26	4.25	0.08	0.07	0.04	0.043	0.06	11.0	17.9	0.32	603	1.25	0.01
ZZ18460		1.11	27.8	2.74	2.68	0.07	0.07	0.15	0.025	0.08	9.1	9.1	4.50	836	1.31	0.02
ZZ18461		1.07	32.5	2.79	2.21	0.07	0.08	0.17	0.034	0.09	6.5	8.7	0.99	427	2.47	0.01
ZZ18462		1.03	42.2	3.91	3.43	0.09	0.07	0.10	0.038	0.10	11.6	18.1	0.55	697	0.94	0.01
ZZ18463		1.08	48.2	6.21	3.30	0.15	0.11	0.09	0.044	0.08	19.5	12.7	0.37	1250	1.15	0.01
ZZ18464		0.99	39.5	3.78	2.69	0.09	0.07	0.15	0.042	0.07	10.6	10.4	0.28	777	1.06	0.01
ZZ18465		1.23	32.6	3.16	2.00	0.07	0.07	0.09	0.035	0.07	6.9	5.8	0.14	407	0.75	0.01
ZZ18466		2.51	40.2	2.82	5.38	0.08	0.11	0.11	0.035	0.12	16.9	30.8	1.28	429	0.55	0.02
ZZ18467		1.89	57.1	3.39	3.72	0.08	0.09	0.13	0.037	0.09	9.2	15.7	0.45	506	0.64	0.02
ZZ18468		1.76	64.0	4.73	3.46	0.10	0.09	0.11	0.047	0.12	8.0	14.0	0.42	545	0.94	0.01
ZZ18469		0.92	56.3	3.92	3.96	0.08	0.08	0.12	0.041	0.09	6.7	17.2	0.42	427	0.86	0.01
ZZ18470		1.25	57.2	4.06	4.26	0.09	0.08	0.14	0.040	0.10	8.9	20.3	0.46	494	1.00	0.01
ZZ18472		0.74	38.7	3.42	2.43	0.09	0.07	0.12	0.036	0.07	10.4	8.9	0.23	403	0.79	0.01
ZZ18473		0.74	46.6	3.91	3.54	0.10	0.07	0.13	0.038	0.08	10.2	12.9	0.36	564	1.16	0.01
ZZ18474		0.90	48.5	4.03	4.15	0.12	0.10	0.13	0.040	0.09	18.2	22.2	0.51	625	1.02	0.01
ZZ18475		1.46	31.7	3.54	5.36	0.09	0.07	0.09	0.034	0.08	15.7	27.2	0.68	486	0.97	0.01
ZZ18476		1.15	42.7	3.91	4.02	0.09	0.08	0.10	0.035	0.08	10.3	23.9	0.51	377	0.90	0.01
ZZ18477		1.40	58.7	4.59	4.19	0.10	0.09	0.17	0.035	0.10	10.0	26.3	0.54	749	0.88	0.01
ZZ18478		1.34	45.7	3.76	4.65	0.10	0.07	0.08	0.036	0.08	12.4	28.2	0.58	344	0.83	0.01
ZZ18479		0.75	47.0	4.02	3.50	0.09	0.07	0.09	0.040	0.07	9.0	16.5	0.43	528	0.88	0.01
ZZ18480		1.86	45.9	3.72	3.85	0.10	0.09	0.09	0.042	0.10	12.1	18.6	0.38	425	0.59	0.01
ZZ18481		2.62	51.5	3.44	4.56	0.12	0.09	0.12	0.039	0.11	21.2	20.4	0.53	402	0.59	0.01
ZZ18482		1.35	40.3	4.31	5.27	0.08	0.08	0.06	0.041	0.11	8.7	27.3	0.52	647	0.76	0.01
ZZ18483		1.02	32.7	3.26	3.68	0.08	0.08	0.08	0.036	0.08	12.3	18.0	0.51	503	0.94	0.01
ZZ18484		1.24	37.8	3.26	4.63	0.08	0.07	0.12	0.034	0.09	13.8	23.7	0.59	626	0.94	0.02
ZZ18485		1.19	59.3	3.21	6.05	0.11	0.13	0.15	0.043	0.11	19.0	45.0	1.02	157	0.66	0.01
ZZ18486		1.07	29.9	3.15	4.60	0.09	0.08	0.05	0.028	0.07	12.0	34.7	0.88	570	0.77	0.01
ZZ18487		0.99	28.8	2.99	3.91	0.09	0.06	0.12	0.033	0.07	13.8	22.2	0.43	537	0.72	0.02
ZZ18488		1.30	28.5	3.48	4.45	0.09	0.06	0.07	0.034	0.07	11.5	26.8	0.44	625	0.89	0.01
ZZ18489		2.39	43.4	4.40	2.44	0.08	0.07	0.03	0.042	0.08	6.0	10.2	0.18	519	0.61	0.01
ZZ18490		1.85	36.4	4.03	5.71	0.09	0.08	0.03	0.035	0.08	12.6	43.1	0.55	443	0.83	0.01
ZZ18491		0.83	45.5	4.09	3.74	0.11	0.09	0.07	0.042	0.08	14.8	18.1	0.40	618	0.87	0.01
ZZ18492		0.83	45.4	4.29	3.89	0.10	0.08	0.08	0.042	0.07	13.5	19.4	0.40	593	1.13	0.01
ZZ18493		1.31	37.9	4.47	2.75	0.12	0.11	0.08	0.044	0.09	11.7	18.1	0.31	334	0.90	0.01
ZZ18494		1.97	23.9	2.58	2.78	0.07	0.07	0.05	0.034	0.11	4.6	21.2	0.27	416	0.49	0.01
ZZ18495		0.90	21.0	2.27	2.17	0.06	0.08	0.06	0.028	0.10	4.8	9.3	0.17	331	0.43	0.02
ZZ18496		2.48	26.9	3.20	2.63	0.07	0.09	0.04	0.033	0.11	5.3	16.5	0.26	304	0.52	0.01
ZZ19152		1.38	30.9	3.60	4.86	0.10	0.06	0.07	0.034	0.08	18.7	25.6	0.55	514	1.15	0.01
ZZ19153		1.50	39.1	4.04	5.04	0.09	0.04	0.04	0.031	0.07	12.9	33.5	0.52	474	0.92	0.01
ZZ19154		1.05	30.9	3.51	2.67	0.09	0.10	0.12	0.036	0.09	9.4	13.9	0.36	468	0.65	0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 17- AUG- 2011
Account: RCM

Project: Rackla- Dale Extension

CERTIFICATE OF ANALYSIS WH11148699

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
ZZ18241		0.41	34.5	550	26.3	10.9	<0.001	0.01	0.61	4.4	0.8	0.5	16.0	<0.01	0.05	3.8
ZZ18460		0.33	23.1	710	44.9	8.6	<0.001	0.02	1.08	4.8	0.7	0.4	46.2	<0.01	0.03	3.1
ZZ18461		0.19	34.3	660	42.4	11.2	0.001	0.14	1.10	4.6	2.2	0.4	44.9	<0.01	0.06	3.1
ZZ18462		0.30	30.6	810	30.7	15.2	<0.001	0.06	0.56	5.6	1.1	0.4	73.7	<0.01	0.06	2.0
ZZ18463		0.17	31.9	1110	30.8	9.7	0.001	0.05	0.56	7.3	1.5	0.4	72.2	0.01	0.06	3.0
ZZ18464		0.22	28.2	820	31.2	9.8	<0.001	0.08	0.50	4.5	1.6	0.4	84.7	0.01	0.06	1.4
ZZ18465		0.19	24.9	760	22.7	10.2	<0.001	0.09	0.50	3.7	1.4	0.3	95.4	0.01	0.05	1.1
ZZ18466		0.50	26.1	860	15.4	13.1	<0.001	0.08	0.36	4.5	1.5	0.5	79.3	<0.01	0.04	1.8
ZZ18467		0.30	28.0	730	19.0	11.4	<0.001	0.08	0.47	5.9	1.4	0.4	50.1	<0.01	0.06	1.5
ZZ18468		0.18	40.9	450	28.9	10.2	<0.001	0.04	0.47	9.7	1.0	0.4	26.5	<0.01	0.07	3.7
ZZ18469		0.25	33.8	670	22.4	8.6	<0.001	0.06	0.41	7.4	1.2	0.4	43.2	<0.01	0.07	2.2
ZZ18470		0.27	33.4	610	22.6	9.3	<0.001	0.04	0.50	7.4	1.0	0.4	30.8	<0.01	0.07	2.6
ZZ18472		0.23	27.3	760	23.7	8.0	<0.001	0.11	0.37	4.3	2.1	0.3	253	0.01	0.06	1.2
ZZ18473		0.29	35.0	580	29.6	8.8	<0.001	0.05	0.47	6.0	1.3	0.4	82.8	<0.01	0.06	2.1
ZZ18474		0.24	36.3	310	37.3	8.8	<0.001	0.02	0.49	8.0	1.0	0.3	49.6	<0.01	0.05	5.5
ZZ18475		0.60	30.6	500	18.4	12.3	<0.001	0.03	0.58	5.5	0.9	0.4	41.0	<0.01	0.05	2.8
ZZ18476		0.38	30.8	410	20.1	8.3	<0.001	0.03	0.52	6.4	0.9	0.3	23.3	<0.01	0.05	3.0
ZZ18477		0.21	35.5	400	26.8	8.4	<0.001	0.03	0.72	7.2	1.1	0.3	27.1	<0.01	0.07	3.6
ZZ18478		0.49	35.4	650	19.3	9.0	<0.001	0.03	0.49	7.5	0.9	0.5	29.8	0.01	0.05	3.7
ZZ18479		0.22	33.4	410	23.0	7.5	<0.001	0.04	0.40	7.3	0.9	0.4	39.7	<0.01	0.06	2.5
ZZ18480		0.30	36.4	530	21.3	12.8	<0.001	0.03	0.38	8.1	1.0	0.4	32.8	0.01	0.04	3.6
ZZ18481		0.45	33.4	560	15.7	13.2	<0.001	0.04	0.37	8.8	1.4	0.4	31.7	0.01	0.04	3.4
ZZ18482		0.25	27.4	620	19.4	14.3	<0.001	0.04	0.44	6.1	0.9	0.4	26.1	<0.01	0.06	2.7
ZZ18483		0.31	24.6	510	18.3	11.4	<0.001	0.05	0.35	5.3	1.1	0.4	75.2	<0.01	0.05	1.8
ZZ18484		0.53	31.1	610	16.3	10.8	<0.001	0.05	0.51	5.8	1.1	0.4	55.5	<0.01	0.05	2.0
ZZ18485		0.43	33.0	740	21.6	15.5	0.001	0.09	0.32	8.2	2.2	0.4	51.9	<0.01	0.05	2.9
ZZ18486		0.38	29.2	420	18.9	9.9	<0.001	0.03	0.44	3.8	0.7	0.3	34.2	<0.01	0.04	2.9
ZZ18487		0.46	23.9	910	17.8	11.9	<0.001	0.11	0.46	3.5	1.9	0.3	119.0	<0.01	0.06	1.0
ZZ18488		0.53	28.0	620	21.5	11.7	<0.001	0.05	0.48	5.0	1.0	0.4	56.1	<0.01	0.05	2.2
ZZ18489		0.12	37.8	340	28.8	11.8	<0.001	0.02	0.35	7.5	0.6	0.4	28.1	<0.01	0.06	3.8
ZZ18490		0.48	30.9	570	17.7	11.8	<0.001	0.03	0.52	4.7	0.8	0.4	17.0	<0.01	0.05	3.1
ZZ18491		0.25	35.3	450	26.1	10.4	<0.001	0.02	0.41	7.5	0.9	0.4	44.7	<0.01	0.05	4.8
ZZ18492		0.26	36.6	350	24.4	9.3	<0.001	0.02	0.47	7.4	1.1	0.4	29.1	<0.01	0.05	4.4
ZZ18493		0.18	51.4	870	48.3	9.6	<0.001	0.05	0.54	6.9	1.1	0.3	79.6	0.01	0.05	5.0
ZZ18494		0.19	24.1	470	25.9	14.3	<0.001	0.05	0.26	4.1	0.7	0.3	58.2	<0.01	0.04	2.2
ZZ18495		0.20	19.8	680	17.6	11.3	<0.001	0.10	0.25	3.0	0.9	0.3	88.2	<0.01	0.04	1.3
ZZ18496		0.19	28.1	350	21.2	12.8	<0.001	0.03	0.30	4.9	0.6	0.3	31.7	<0.01	0.04	3.2
ZZ19152		0.51	27.2	730	19.0	13.5	<0.001	0.02	0.50	5.3	0.9	0.4	36.4	<0.01	0.05	3.2
ZZ19153		0.35	31.1	480	20.3	9.6	<0.001	0.01	0.57	4.1	0.6	0.3	17.2	<0.01	0.06	3.9
ZZ19154		0.24	24.4	720	18.8	14.0	0.001	0.09	0.27	6.0	2.0	0.4	78.3	<0.01	0.04	2.6

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 17- AUG- 2011
Account: RCM

Project: Rackla- Dale Extension

CERTIFICATE OF ANALYSIS WH11148699

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
ZZ18241		0.006	0.14	1.51	36	0.09	7.38	79	1.8
ZZ18460		0.009	0.23	1.57	27	0.09	12.00	190	2.2
ZZ18461		<0.005	0.38	1.20	32	<0.05	14.45	293	2.5
ZZ18462		0.007	0.13	1.26	30	0.08	16.20	169	1.7
ZZ18463		<0.005	0.16	2.53	30	0.05	31.4	126	2.1
ZZ18464		<0.005	0.10	2.56	25	0.07	20.7	125	1.7
ZZ18465		<0.005	0.09	2.93	20	<0.05	16.60	93	1.7
ZZ18466		0.010	0.18	3.23	37	0.07	12.80	104	2.9
ZZ18467		0.005	0.15	1.91	31	0.05	14.20	129	2.1
ZZ18468		0.008	0.17	1.05	36	0.05	14.15	165	2.4
ZZ18469		<0.005	0.11	2.49	33	0.05	12.25	121	2.3
ZZ18470		0.006	0.12	1.82	37	0.06	13.75	140	2.1
ZZ18472		<0.005	0.12	3.11	22	0.05	17.45	117	1.9
ZZ18473		0.006	0.15	2.56	33	0.06	13.90	132	1.9
ZZ18474		0.006	0.17	1.61	34	0.06	15.90	128	3.4
ZZ18475		0.017	0.16	2.37	43	0.15	10.45	86	2.0
ZZ18476		0.012	0.10	0.92	34	0.07	11.10	126	2.2
ZZ18477		0.006	0.13	0.95	32	0.05	12.35	149	2.9
ZZ18478		0.013	0.10	1.73	34	0.10	16.20	102	1.9
ZZ18479		<0.005	0.10	2.82	29	0.06	14.25	106	1.7
ZZ18480		0.007	0.16	1.78	29	0.07	16.85	117	2.3
ZZ18481		0.010	0.30	2.04	33	0.11	20.4	105	2.3
ZZ18482		<0.005	0.14	1.29	38	0.05	7.61	137	2.3
ZZ18483		0.005	0.17	3.41	34	0.05	9.22	95	2.5
ZZ18484		0.015	0.14	4.14	38	0.12	11.45	103	2.0
ZZ18485		0.008	0.13	6.87	43	0.05	17.10	130	3.9
ZZ18486		0.013	0.11	1.77	32	0.07	6.52	86	2.4
ZZ18487		0.012	0.11	2.96	33	0.13	12.30	98	1.6
ZZ18488		0.014	0.12	2.25	35	0.10	10.85	107	1.6
ZZ18489		<0.005	0.13	1.27	24	<0.05	10.60	116	2.1
ZZ18490		0.009	0.13	2.30	41	0.10	7.62	74	2.5
ZZ18491		0.005	0.11	1.87	33	0.05	14.95	129	2.7
ZZ18492		0.005	0.11	1.86	34	0.06	14.50	99	2.3
ZZ18493		<0.005	0.10	1.72	19	<0.05	21.6	175	3.8
ZZ18494		<0.005	0.17	1.89	16	<0.05	7.22	89	2.4
ZZ18495		<0.005	0.09	1.49	16	<0.05	8.15	91	2.6
ZZ18496		<0.005	0.11	1.40	19	<0.05	9.49	78	2.8
ZZ19152		0.014	0.16	3.89	41	0.10	12.05	107	1.7
ZZ19153		0.009	0.11	0.80	38	0.10	6.97	87	1.1
ZZ19154		<0.005	0.12	2.34	23	0.05	12.80	119	2.8

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 17- AUG- 2011
Account: RCM

Project: Rackla- Dale Extension

CERTIFICATE OF ANALYSIS WH11148699

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- TL43 Au ppm 0.001	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1
ZZ19155		0.19	0.002	0.14	1.60	17.0	<0.2	<10	300	0.98	0.29	0.55	0.20	29.8	14.2	27
ZZ19156		0.27	0.009	0.40	1.39	40.0	<0.2	10	240	1.24	0.21	1.25	0.21	47.4	13.8	34
ZZ18286		0.26	0.001	0.06	1.60	16.2	<0.2	<10	150	0.90	0.27	0.17	0.40	35.4	14.4	28
ZZ18287		0.27	0.002	0.09	1.93	22.7	<0.2	<10	210	1.35	0.35	0.22	0.59	39.4	21.8	28
ZZ18288		0.30	0.002	0.20	1.22	33.2	<0.2	<10	200	1.25	0.37	0.34	0.48	30.6	21.8	22
ZZ18289		0.27	0.003	0.34	1.71	89.5	<0.2	<10	270	1.43	0.28	1.33	2.66	50.0	17.2	25
ZZ18290		0.20	0.001	0.26	0.84	44	<0.2	<10	170	0.74	0.12	11.50	2.69	26.1	7.1	12
ZZ18291		0.28	0.002	0.20	1.15	32.0	<0.2	<10	210	1.15	0.30	0.71	1.05	22.6	14.7	21
ZZ18292		0.35	0.002	0.21	1.03	33.8	<0.2	<10	170	1.14	0.32	0.69	0.51	17.00	12.2	18
ZZ18293		0.24	0.002	0.20	1.42	20.9	<0.2	<10	360	0.91	0.28	0.94	0.49	23.0	12.6	24
ZZ18294		0.16	0.002	0.23	1.18	23.9	<0.2	<10	240	0.91	0.21	1.93	1.24	20.8	11.7	18
ZZ18295		0.24	0.003	0.12	1.31	15.5	<0.2	<10	240	0.89	0.23	1.11	0.42	25.0	13.1	25
ZZ18296		0.21	0.002	0.19	1.19	14.7	<0.2	<10	300	0.80	0.18	2.07	0.42	12.90	9.8	18
ZZ18297		0.41	0.003	0.11	1.49	27.5	<0.2	<10	140	0.91	0.28	0.40	0.45	30.8	20.9	26
ZZ18298		0.33	0.003	0.09	1.35	350	<0.2	<10	110	1.14	0.32	0.22	0.45	34.3	20.3	23
ZZ18299		0.27	0.003	0.18	1.50	496	<0.2	<10	250	0.90	0.26	0.88	0.34	22.5	13.3	26
ZZ18300		0.34	0.002	0.14	1.73	207	<0.2	<10	280	0.92	0.27	0.60	0.21	25.6	14.2	29
ZZ18668		0.20	0.002	0.14	1.50	89.8	<0.2	<10	260	0.96	0.25	1.01	0.55	20.6	11.3	25
ZZ18669		0.36	0.004	0.15	1.64	719	<0.2	<10	260	0.98	0.28	0.58	0.40	24.1	15.9	32
ZZ18670		0.30	0.002	0.09	1.73	21.3	<0.2	<10	250	0.96	0.33	0.47	0.17	30.1	21.0	28
ZZ18691		0.30	0.002	0.10	1.79	18.5	<0.2	<10	280	1.05	0.30	0.57	0.22	24.2	17.5	28
ZZ18692		0.36	0.003	0.15	1.31	17.9	<0.2	<10	240	0.74	0.26	1.03	0.33	22.4	12.5	23
ZZ18693		0.20	0.002	0.16	1.26	22.0	<0.2	<10	200	0.96	0.30	1.20	0.43	21.8	13.0	22
ZZ18694		0.31	0.002	0.15	1.58	15.4	<0.2	<10	260	0.91	0.34	0.78	0.41	25.5	15.2	23
ZZ18695		0.30	0.001	0.10	1.83	19.0	<0.2	<10	180	1.37	0.39	0.24	0.35	45.9	20.8	25
ZZ18696		0.30	0.003	0.10	1.66	19.2	<0.2	<10	190	1.11	0.36	0.40	0.30	31.4	23.0	24
ZZ18697		0.31	0.003	0.15	1.62	18.9	<0.2	<10	370	1.11	0.33	0.80	0.42	26.2	17.0	26
ZZ18698		0.30	0.003	0.16	1.65	212	<0.2	<10	170	1.14	0.37	0.68	0.50	32.0	24.7	26
ZZ18699		0.30	0.003	0.13	1.67	438	<0.2	<10	150	1.06	0.37	1.11	0.82	28.0	25.1	25
ZZ18700		0.13	0.001	0.11	1.11	17.1	<0.2	10	410	0.72	0.21	2.19	0.88	13.50	13.0	19
ZZ19204		0.34	0.002	0.12	1.10	18.9	<0.2	<10	230	1.21	0.30	0.66	0.22	25.2	11.7	22
ZZ19205		0.30	0.001	0.69	0.71	49.0	<0.2	<10	320	0.97	0.28	2.17	1.46	19.30	12.6	15
ZZ19206		0.27	0.001	0.63	0.61	42.0	<0.2	<10	320	0.77	0.22	3.25	1.48	16.15	10.1	13
ZZ19207		0.36	0.001	0.63	0.61	46.7	<0.2	<10	380	0.87	0.25	3.08	1.78	18.05	8.5	14
ZZ19208		0.32	0.001	0.66	0.63	58.3	<0.2	<10	510	0.92	0.24	3.58	1.15	17.90	8.9	13
ZZ19209		0.18	0.003	0.19	1.37	18.6	<0.2	<10	250	1.00	0.27	0.77	1.38	27.7	16.2	25
ZZ19210		0.43	0.002	0.25	0.74	27.3	<0.2	<10	110	0.80	0.32	0.71	0.58	20.1	16.1	17
ZZ19211		0.35	0.002	0.32	1.34	56.2	<0.2	<10	280	1.32	0.30	1.03	3.32	38.0	16.5	24
ZZ19212		0.24	0.001	0.11	0.88	33.4	<0.2	<10	140	1.19	0.40	0.24	0.28	17.50	14.6	16
ZZ19213		0.37	0.002	0.05	1.78	22.7	<0.2	<10	110	1.01	0.38	0.06	0.36	36.2	19.3	26

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 17- AUG- 2011
Account: RCM

Project: Rackla- Dale Extension

CERTIFICATE OF ANALYSIS WH11148699

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
ZZ19155		1.43	33.1	3.93	4.78	0.09	0.07	0.08	0.035	0.08	13.1	23.6	0.50	564	0.98	0.01
ZZ19156		1.96	40.1	3.31	5.16	0.11	0.09	0.31	0.038	0.12	21.7	33.6	0.94	402	1.06	0.01
ZZ18286		1.44	33.5	4.27	4.58	0.09	0.06	0.04	0.038	0.07	12.8	22.7	0.52	850	1.19	0.01
ZZ18287		1.59	54.4	5.30	4.69	0.10	0.07	0.06	0.044	0.09	12.4	28.2	0.54	1120	0.95	0.01
ZZ18288		1.26	59.8	5.08	3.77	0.12	0.05	0.15	0.043	0.08	13.2	18.3	0.41	1100	1.06	0.01
ZZ18289		1.50	48.6	5.24	4.10	0.11	0.11	0.13	0.041	0.08	22.8	18.4	0.87	2050	0.92	0.01
ZZ18290		0.90	16.7	2.46	2.19	0.06	0.06	0.27	0.021	0.04	12.4	9.9	6.95	1680	0.48	0.02
ZZ18291		1.60	53.0	4.03	3.59	0.08	0.08	0.22	0.039	0.08	11.4	15.2	0.40	600	0.77	0.01
ZZ18292		4.35	39.2	3.05	3.60	0.06	0.07	0.10	0.038	0.12	9.0	14.4	0.33	378	0.59	0.01
ZZ18293		2.61	40.7	3.42	5.11	0.08	0.08	0.12	0.040	0.08	11.6	25.9	0.40	401	0.89	0.01
ZZ18294		1.69	43.0	2.82	3.69	0.07	0.08	0.12	0.034	0.08	10.4	21.8	0.41	412	0.76	0.01
ZZ18295		1.09	42.2	3.41	4.22	0.07	0.07	0.08	0.034	0.09	12.0	21.7	0.53	476	0.67	0.01
ZZ18296		1.15	49.2	2.63	3.43	0.06	0.06	0.14	0.028	0.08	7.1	13.8	0.32	425	0.62	0.01
ZZ18297		1.24	60.9	4.29	5.05	0.09	0.08	0.09	0.037	0.09	13.2	32.3	0.65	708	0.89	0.01
ZZ18298		1.45	72.8	4.28	5.10	0.11	0.06	0.09	0.040	0.07	15.0	38.3	0.62	531	0.94	0.02
ZZ18299		1.99	43.1	3.62	4.51	0.07	0.08	0.46	0.034	0.10	10.8	28.6	0.55	569	0.77	0.01
ZZ18300		1.83	41.9	3.81	5.12	0.07	0.07	0.25	0.034	0.09	11.6	31.0	0.60	591	0.90	0.01
ZZ18668		2.43	39.5	3.30	4.61	0.07	0.08	0.10	0.034	0.09	10.0	26.2	0.51	444	0.79	0.01
ZZ18669		14.20	60.9	4.19	5.12	0.09	0.10	0.15	0.039	0.12	12.2	32.7	0.71	514	0.81	0.01
ZZ18670		1.51	52.3	4.37	5.51	0.08	0.09	0.07	0.036	0.09	12.1	34.5	0.66	714	0.92	0.01
ZZ18691		2.01	55.5	4.38	5.58	0.07	0.10	0.07	0.038	0.12	10.3	33.8	0.57	649	0.92	0.01
ZZ18692		2.74	35.9	3.17	4.05	0.07	0.06	0.09	0.031	0.08	10.6	24.3	0.50	608	0.80	0.01
ZZ18693		6.70	40.5	3.03	4.43	0.08	0.08	0.14	0.036	0.09	10.7	26.3	0.54	351	0.78	0.01
ZZ18694		1.80	46.4	3.76	6.12	0.07	0.08	0.09	0.037	0.10	12.0	33.7	0.45	504	0.86	0.01
ZZ18695		1.70	55.8	4.63	5.50	0.09	0.09	0.05	0.046	0.10	12.4	42.7	0.52	811	0.81	0.01
ZZ18696		1.66	62.8	4.51	5.56	0.09	0.13	0.13	0.038	0.12	12.8	44.0	0.68	783	0.74	0.01
ZZ18697		2.38	42.7	3.75	5.70	0.09	0.09	0.09	0.041	0.10	11.6	30.8	0.50	558	1.02	0.01
ZZ18698		3.13	69.6	4.52	5.59	0.11	0.14	0.17	0.040	0.17	14.0	42.2	0.87	737	1.29	0.01
ZZ18699		4.69	73.4	4.59	5.51	0.10	0.14	0.25	0.040	0.18	12.0	42.6	0.93	557	1.07	0.01
ZZ18700		1.41	34.3	2.87	3.50	0.07	0.10	0.12	0.028	0.11	6.1	22.8	0.69	828	0.93	0.01
ZZ19204		1.19	29.2	3.22	3.85	0.08	0.11	0.09	0.040	0.09	12.4	19.1	0.38	349	0.83	0.01
ZZ19205		1.46	30.9	1.50	2.60	0.06	0.08	0.23	0.034	0.09	8.4	10.9	1.09	244	1.33	0.01
ZZ19206		1.68	26.4	2.13	2.11	0.05	0.07	0.19	0.027	0.08	6.9	8.8	1.78	301	1.80	0.02
ZZ19207		1.47	32.2	2.41	2.18	0.06	0.07	0.21	0.033	0.10	8.0	8.7	1.64	514	1.45	0.01
ZZ19208		1.53	28.4	2.82	2.31	0.06	0.07	0.22	0.030	0.09	8.2	9.3	1.95	526	2.35	0.01
ZZ19209		1.55	58.7	2.85	4.29	0.08	0.08	0.14	0.040	0.10	12.0	28.7	0.55	112	0.67	0.01
ZZ19210		2.88	49.7	3.07	2.74	0.06	0.08	0.15	0.042	0.09	8.4	13.5	0.35	142	0.60	0.01
ZZ19211		2.10	51.4	4.29	4.96	0.11	0.13	0.29	0.045	0.09	17.0	22.2	0.79	477	0.91	0.01
ZZ19212		1.91	44.4	4.14	3.53	0.07	0.09	0.05	0.049	0.10	8.4	12.2	0.25	492	0.91	<0.01
ZZ19213		2.36	50.1	4.28	6.76	0.09	0.03	0.05	0.041	0.09	15.3	35.7	0.44	466	1.30	<0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 17- AUG- 2011
Account: RCM

Project: Rackla- Dale Extension

CERTIFICATE OF ANALYSIS WH11148699

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
ZZ19155		0.47	31.8	570	19.8	11.6	<0.001	0.03	0.54	5.3	0.8	0.4	36.8	<0.01	0.04	2.7
ZZ19156		0.45	30.5	720	15.6	13.6	<0.001	0.05	0.37	6.5	1.6	0.5	81.4	<0.01	0.03	3.1
ZZ18286		0.64	34.8	840	20.8	12.4	<0.001	0.02	0.68	5.1	0.8	0.4	15.4	<0.01	0.04	3.9
ZZ18287		0.21	41.1	710	37.4	12.6	<0.001	0.02	0.59	6.3	0.8	0.4	20.4	<0.01	0.07	5.0
ZZ18288		0.22	40.8	700	40.3	8.7	<0.001	0.02	0.56	9.2	1.1	0.4	32.0	0.01	0.08	5.1
ZZ18289		0.27	43.8	1050	47.3	14.7	<0.001	0.03	0.77	9.1	1.4	0.4	34.0	0.01	0.10	4.6
ZZ18290		0.24	17.2	800	78.1	12.2	<0.001	0.04	0.77	3.3	0.8	0.2	47.7	<0.01	0.04	1.2
ZZ18291		0.24	35.7	590	37.1	12.1	<0.001	0.04	0.57	6.4	1.1	0.4	30.9	<0.01	0.08	2.1
ZZ18292		0.30	28.0	580	23.6	22.0	<0.001	0.04	0.39	5.7	0.9	0.4	34.5	<0.01	0.07	1.8
ZZ18293		0.45	27.1	1020	24.1	20.8	<0.001	0.06	0.48	5.7	1.0	0.5	50.9	<0.01	0.09	1.6
ZZ18294		0.37	26.0	1010	22.2	21.0	<0.001	0.11	0.49	4.1	1.4	0.3	102.0	<0.01	0.09	1.0
ZZ18295		0.33	27.8	640	21.1	11.0	<0.001	0.05	0.44	5.7	0.9	0.4	49.1	<0.01	0.09	1.8
ZZ18296		0.28	23.0	1130	16.2	10.7	<0.001	0.14	0.49	3.1	1.3	0.3	92.3	<0.01	0.10	0.6
ZZ18297		0.32	39.0	360	24.3	9.2	<0.001	0.02	0.65	7.1	0.9	0.4	33.3	<0.01	0.10	3.2
ZZ18298		0.23	39.1	500	27.7	8.1	<0.001	0.02	0.69	7.7	0.8	0.4	21.6	<0.01	0.12	4.9
ZZ18299		0.35	29.2	900	18.4	15.5	<0.001	0.07	0.51	4.5	1.7	0.4	68.7	<0.01	0.09	1.4
ZZ18300		0.40	29.1	830	18.2	14.3	<0.001	0.04	0.51	5.0	1.1	0.4	50.2	<0.01	0.09	1.7
ZZ18668		0.36	25.6	1260	17.6	20.5	<0.001	0.10	0.45	4.5	1.1	0.4	74.8	<0.01	0.07	1.3
ZZ18669		0.29	33.2	780	19.6	28.0	<0.001	0.05	0.51	8.2	1.5	0.4	50.3	<0.01	0.10	2.1
ZZ18670		0.34	37.7	370	26.7	11.5	<0.001	0.02	0.65	6.1	0.7	0.4	24.0	<0.01	0.09	3.6
ZZ18691		0.36	34.7	510	21.5	14.6	<0.001	0.02	0.67	7.1	0.7	0.4	24.6	<0.01	0.09	3.1
ZZ18692		0.44	26.7	800	16.3	14.3	<0.001	0.07	0.51	4.1	1.8	0.3	55.5	<0.01	0.07	1.3
ZZ18693		0.48	27.2	820	18.7	23.0	<0.001	0.08	0.54	4.9	2.8	0.4	80.2	<0.01	0.08	1.5
ZZ18694		0.44	27.9	620	23.5	14.4	<0.001	0.03	0.64	5.6	0.8	0.5	41.2	<0.01	0.08	2.8
ZZ18695		0.23	38.9	510	32.2	13.6	<0.001	0.02	0.70	6.1	0.7	0.4	18.2	<0.01	0.08	5.1
ZZ18696		0.18	41.7	320	26.6	10.6	<0.001	0.02	0.73	6.9	0.8	0.3	24.6	<0.01	0.09	4.3
ZZ18697		0.47	29.9	840	26.9	20.0	<0.001	0.05	0.65	5.6	1.1	0.5	37.4	<0.01	0.09	1.9
ZZ18698		0.22	46.6	600	30.5	23.9	<0.001	0.03	0.79	8.6	1.5	0.4	54.3	<0.01	0.09	6.1
ZZ18699		0.12	47.3	580	36.0	21.7	<0.001	0.03	0.85	9.1	2.2	0.4	54.4	<0.01	0.08	6.7
ZZ18700		0.22	23.3	870	14.7	21.3	0.002	0.21	0.30	4.3	4.5	0.3	175.0	<0.01	0.06	1.4
ZZ19204		0.25	24.9	610	20.2	20.3	<0.001	0.04	0.32	5.9	1.2	0.5	54.5	<0.01	0.06	2.6
ZZ19205		0.19	36.9	710	73.2	14.3	0.002	0.09	0.97	5.0	1.8	0.4	50.2	<0.01	0.07	3.2
ZZ19206		0.19	33.5	650	85.4	13.1	0.001	0.33	1.21	4.3	1.4	0.3	44.8	<0.01	0.04	2.9
ZZ19207		0.18	28.4	670	66.6	13.0	0.001	0.13	0.92	4.7	1.8	0.4	50.7	<0.01	0.05	3.0
ZZ19208		0.18	31.3	700	73.8	12.9	0.001	0.05	1.30	4.6	1.5	0.4	49.6	<0.01	0.05	2.7
ZZ19209		0.40	35.3	680	36.5	19.4	0.001	0.45	0.48	7.5	2.3	0.4	38.3	<0.01	0.08	2.3
ZZ19210		0.23	33.8	450	30.4	14.1	0.001	0.21	0.40	7.9	1.3	0.4	42.8	<0.01	0.06	4.5
ZZ19211		0.41	36.5	640	57.2	18.2	<0.001	0.04	0.64	9.2	1.2	0.5	29.6	<0.01	0.08	4.1
ZZ19212		0.19	31.4	540	36.6	14.7	<0.001	0.02	0.45	6.1	0.7	0.5	19.7	<0.01	0.08	2.2
ZZ19213		0.50	37.2	380	26.2	17.4	<0.001	<0.01	0.78	5.6	0.7	0.6	12.3	<0.01	0.10	4.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 17- AUG- 2011
Account: RCM

Project: Rackla- Dale Extension

CERTIFICATE OF ANALYSIS WH11148699

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
ZZ19155		0.011	0.14	2.34	39	0.10	10.45	95	1.9
ZZ19156		0.009	0.31	3.06	39	0.06	15.65	99	2.7
ZZ18286		0.016	0.16	1.15	43	0.34	9.02	105	1.6
ZZ18287		<0.005	0.16	1.29	38	0.05	10.75	421	2.2
ZZ18288		0.006	0.19	1.50	34	0.07	18.55	173	1.5
ZZ18289		0.007	1.02	3.16	36	0.13	25.5	803	2.6
ZZ18290		0.006	0.62	2.38	18	0.10	13.70	416	1.2
ZZ18291		0.006	0.35	2.52	33	0.07	14.85	433	1.7
ZZ18292		0.006	0.20	2.30	29	0.09	12.40	152	1.7
ZZ18293		0.009	0.19	1.58	41	0.13	13.20	139	1.6
ZZ18294		0.008	0.14	2.75	30	0.11	14.10	180	1.8
ZZ18295		0.009	0.11	1.50	37	0.08	9.98	128	1.7
ZZ18296		0.006	0.10	2.91	30	0.06	10.15	90	1.5
ZZ18297		0.011	0.14	1.00	39	0.08	11.40	120	2.1
ZZ18298		0.010	0.28	0.96	39	0.06	10.75	105	2.2
ZZ18299		0.009	10.20	4.28	37	0.09	10.95	113	1.8
ZZ18300		0.010	4.67	3.96	43	0.11	9.88	97	1.7
ZZ18668		0.009	0.62	3.91	36	0.09	11.40	146	1.9
ZZ18669		0.010	0.60	4.02	39	0.11	14.05	149	2.3
ZZ18670		0.010	0.12	0.88	43	0.11	7.33	93	2.3
ZZ18691		0.008	0.14	2.39	43	0.10	9.12	94	2.5
ZZ18692		0.013	0.17	5.60	35	0.10	9.42	93	1.4
ZZ18693		0.009	0.35	9.65	31	0.15	11.65	111	1.9
ZZ18694		0.009	0.14	1.40	38	0.11	9.88	98	2.0
ZZ18695		<0.005	0.14	1.17	31	0.06	9.26	92	2.6
ZZ18696		<0.005	0.12	2.02	32	0.06	10.85	110	3.3
ZZ18697		0.009	0.17	7.21	38	0.11	10.75	121	2.1
ZZ18698		0.007	0.19	4.34	35	0.06	13.55	145	5.0
ZZ18699		0.005	0.54	1.72	33	<0.05	12.15	231	6.3
ZZ18700		0.005	0.10	12.80	24	<0.05	7.63	124	2.8
ZZ19204		0.005	0.14	4.02	28	0.07	13.00	101	2.3
ZZ19205		<0.005	0.56	1.71	33	0.13	15.00	329	2.1
ZZ19206		<0.005	0.55	1.50	29	0.08	12.40	301	1.8
ZZ19207		<0.005	0.45	1.28	31	0.05	14.05	275	1.7
ZZ19208		<0.005	0.46	1.48	31	0.06	14.15	289	1.9
ZZ19209		0.011	0.19	2.37	43	0.09	14.60	217	2.1
ZZ19210		0.007	0.27	1.50	28	0.07	14.00	159	2.7
ZZ19211		0.007	0.99	2.32	39	0.12	19.20	612	3.1
ZZ19212		<0.005	0.20	1.68	28	0.07	10.35	179	1.9
ZZ19213		0.010	0.17	0.91	46	0.12	7.00	105	1.0

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 17- AUG- 2011
Account: RCM

Project: Rackla- Dale Extension

CERTIFICATE OF ANALYSIS WH11148699

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- TL43 Au ppm 0.001	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1
ZZ19214		0.44	0.002	0.18	1.65	42.1	<0.2	<10	200	1.20	0.30	0.41	0.66	31.5	16.4	26
ZZ19215		0.26	0.002	0.33	1.57	46.5	<0.2	<10	260	1.22	0.31	0.66	1.80	25.0	13.9	28
ZZ19216		0.23	0.002	0.34	1.29	114.0	<0.2	<10	290	1.14	0.28	0.82	2.65	23.5	14.5	21
ZZ19217		0.18	0.002	0.36	1.30	115.0	<0.2	<10	210	1.04	0.29	0.71	4.23	22.3	11.7	23
ZZ18101		0.29	0.002	0.07	1.43	22.2	<0.2	<10	130	1.17	0.31	0.13	0.26	45.7	16.1	26
ZZ18102		0.29	0.003	0.04	1.62	13.6	<0.2	<10	290	0.83	0.26	0.28	0.11	36.9	10.2	30
ZZ18103		0.31	0.003	0.19	1.16	22.0	<0.2	<10	250	1.15	0.26	0.48	0.22	65.6	12.0	23
ZZ18104		0.36	0.004	0.23	0.92	22.2	<0.2	<10	270	1.13	0.24	0.81	0.17	38.0	10.5	23
ZZ18105		0.35	0.004	0.10	1.45	23.3	<0.2	<10	230	1.18	0.26	0.33	0.17	43.9	12.8	32
ZZ18106		0.31	0.002	0.09	1.74	14.9	<0.2	<10	170	1.05	0.27	0.15	0.21	37.9	13.1	31
ZZ18107		0.37	0.002	0.05	1.64	16.2	<0.2	<10	130	0.93	0.30	0.07	0.23	32.9	14.5	28
ZZ18108		0.34	0.001	0.06	1.24	12.2	<0.2	<10	180	0.55	0.27	0.63	0.26	14.90	9.5	24
ZZ18109		0.37	0.002	0.11	1.33	15.0	<0.2	<10	190	0.92	0.27	0.47	0.29	33.3	11.8	25
ZZ18110		0.36	0.003	0.25	2.39	18.9	<0.2	<10	490	1.90	0.28	0.49	0.37	67.4	18.8	38
ZZ18111		0.29	0.001	0.06	1.44	9.0	<0.2	<10	150	0.50	0.24	0.13	0.09	19.40	5.2	22
ZZ18112		0.38	0.001	0.03	1.55	17.7	<0.2	<10	170	0.90	0.33	0.15	0.11	20.3	16.5	23
ZZ18113		0.31	0.001	0.06	1.54	11.9	<0.2	<10	210	0.61	0.30	0.28	0.10	18.70	11.2	24
ZZ18114		0.34	0.001	0.04	1.65	13.2	<0.2	<10	80	0.55	0.32	0.04	0.15	16.90	12.0	24
ZZ18115		0.39	0.001	0.04	0.92	14.2	<0.2	<10	100	0.75	0.34	0.23	0.07	18.95	8.5	18
ZZ18116		0.31	0.002	0.07	1.86	16.3	<0.2	<10	190	0.94	0.28	0.37	0.12	24.5	12.9	26
ZZ18117		0.37	0.003	0.22	1.37	19.2	<0.2	<10	210	1.21	0.33	0.75	0.41	22.0	17.8	23
ZZ18118		0.36	0.002	0.14	1.33	20.5	<0.2	<10	140	1.26	0.39	0.43	0.52	28.0	18.1	20
ZZ18119		0.29	0.002	0.07	1.14	20.1	<0.2	<10	160	1.01	0.31	0.66	0.47	16.95	14.2	19
ZZ18120		0.37	0.002	0.03	2.08	23.4	<0.2	<10	140	1.15	0.38	0.08	0.43	24.3	26.7	29

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 17- AUG- 2011
Account: RCM

Project: Rackla- Dale Extension

CERTIFICATE OF ANALYSIS WH11148699

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
ZZ19214		1.48	31.1	4.19	5.53	0.08	0.11	0.13	0.039	0.09	13.8	30.4	0.55	661	0.82	0.01
ZZ19215		0.96	48.2	2.73	5.05	0.12	0.08	0.25	0.044	0.08	11.4	25.6	0.54	142	1.01	0.02
ZZ19216		0.78	51.0	5.32	3.92	0.13	0.12	0.33	0.039	0.08	11.8	15.7	0.50	1880	0.85	0.03
ZZ19217		0.66	43.5	5.03	4.08	0.12	0.12	0.34	0.035	0.07	10.3	19.9	0.54	409	1.30	0.02
ZZ18101		1.04	40.8	4.26	3.58	0.15	0.07	0.04	0.037	0.06	14.2	18.6	0.37	598	0.91	0.02
ZZ18102		1.13	25.2	2.90	5.07	0.14	0.05	0.07	0.028	0.05	19.6	15.1	0.47	454	1.02	0.03
ZZ18103		0.67	32.4	3.38	3.14	0.14	0.06	0.08	0.041	0.08	15.8	11.9	0.24	426	0.98	0.02
ZZ18104		0.41	29.2	3.14	2.94	0.14	0.07	0.11	0.037	0.06	16.9	9.5	0.22	472	0.75	0.02
ZZ18105		0.83	34.0	3.68	4.22	0.14	0.08	0.03	0.036	0.07	21.4	21.7	0.65	423	0.69	0.02
ZZ18106		1.32	29.8	4.13	4.22	0.13	0.05	0.03	0.044	0.06	11.9	19.9	0.37	645	0.99	0.02
ZZ18107		1.48	38.5	3.96	5.50	0.12	0.05	0.03	0.040	0.05	11.5	25.8	0.42	500	0.97	0.02
ZZ18108		1.25	24.2	3.06	4.59	0.10	0.07	0.03	0.033	0.07	5.9	17.6	0.44	604	0.92	0.02
ZZ18109		1.10	39.6	3.60	4.83	0.13	0.04	0.07	0.036	0.08	14.0	26.5	0.47	601	1.01	0.02
ZZ18110		1.43	50.9	4.77	6.40	0.15	0.08	0.06	0.053	0.11	21.0	41.0	1.02	624	1.28	0.03
ZZ18111		1.20	13.7	2.60	5.53	0.11	<0.02	0.01	0.025	0.04	9.2	15.8	0.26	172	1.08	0.02
ZZ18112		1.21	48.3	4.93	4.49	0.12	0.05	0.05	0.041	0.06	7.4	29.5	0.50	663	0.92	0.02
ZZ18113		1.49	26.3	3.68	6.17	0.10	0.02	0.03	0.032	0.05	8.0	22.6	0.37	632	3.35	0.02
ZZ18114		1.42	36.1	4.64	5.34	0.11	0.06	0.03	0.037	0.06	7.6	32.3	0.43	387	0.93	0.02
ZZ18115		0.65	26.3	2.95	3.40	0.12	0.03	0.02	0.029	0.06	8.2	12.9	0.31	181	0.80	0.02
ZZ18116		1.30	34.1	4.15	5.58	0.13	0.07	0.08	0.042	0.07	9.5	24.4	0.59	672	0.77	0.02
ZZ18117		1.04	62.2	4.26	4.13	0.12	0.06	0.14	0.043	0.09	10.1	17.7	0.42	920	1.13	0.02
ZZ18118		1.77	56.8	4.63	3.96	0.14	0.05	0.10	0.043	0.08	11.1	18.2	0.35	501	1.76	0.02
ZZ18119		1.32	39.3	3.98	3.78	0.12	0.07	0.04	0.041	0.07	6.6	12.9	0.35	600	1.73	0.02
ZZ18120		1.71	72.3	5.75	5.36	0.13	0.09	0.04	0.052	0.10	8.8	41.5	0.66	920	1.00	0.02

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 17- AUG- 2011
Account: RCM

Project: Rackla- Dale Extension

CERTIFICATE OF ANALYSIS WH11148699

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
ZZ19214		0.31	28.9	660	32.8	16.7	<0.001	0.03	0.49	6.4	1.1	0.5	20.2	<0.01	0.08	3.7
ZZ19215		0.33	30.7	580	45.6	9.8	0.002	0.55	0.39	8.5	1.6	0.5	22.4	<0.01	0.06	4.5
ZZ19216		0.16	31.0	1030	53.4	9.3	0.001	0.07	1.10	6.4	1.3	0.4	26.3	<0.01	0.04	2.3
ZZ19217		0.17	25.6	840	47.1	7.6	0.002	0.07	1.10	6.7	1.9	0.4	26.2	<0.01	0.07	3.0
ZZ18101		0.30	37.8	540	21.7	8.4	0.001	0.02	0.60	5.5	0.9	0.4	17.2	<0.01	0.04	5.0
ZZ18102		0.68	29.2	730	13.3	9.6	0.002	0.02	0.70	4.8	1.0	0.5	20.8	<0.01	0.03	3.2
ZZ18103		0.28	29.7	530	19.4	8.3	0.001	0.03	0.49	4.7	0.9	0.4	36.0	<0.01	0.03	2.9
ZZ18104		0.22	25.4	660	17.4	7.2	0.001	0.04	0.38	4.3	1.1	0.4	53.4	<0.01	0.02	1.9
ZZ18105		0.29	31.2	420	18.0	8.5	0.001	0.02	0.42	6.8	1.2	0.4	25.1	<0.01	0.05	4.8
ZZ18106		0.56	33.1	830	21.3	10.0	0.001	0.03	0.55	3.8	1.1	0.5	13.8	<0.01	0.02	3.2
ZZ18107		0.42	30.0	370	19.1	11.0	0.002	0.02	0.56	5.0	1.0	0.5	10.0	<0.01	0.04	4.0
ZZ18108		0.36	18.7	1680	14.4	15.5	0.001	0.11	0.40	2.7	0.4	0.4	28.0	0.01	0.03	1.1
ZZ18109		0.35	27.3	790	17.8	10.2	0.001	0.04	0.52	4.0	1.1	0.5	27.4	<0.01	0.04	1.5
ZZ18110		0.31	41.7	560	22.5	12.8	0.001	0.03	0.47	7.1	1.3	0.6	42.6	<0.01	0.05	4.4
ZZ18111		0.42	13.2	570	12.0	7.8	0.001	0.03	0.44	0.9	0.5	0.6	10.4	<0.01	0.03	0.2
ZZ18112		0.14	30.5	390	23.7	7.6	0.002	0.02	0.53	4.4	0.4	0.4	11.2	<0.01	0.05	2.9
ZZ18113		0.47	20.7	900	22.3	10.3	0.001	0.04	0.54	2.6	0.5	0.5	17.1	<0.01	0.06	0.9
ZZ18114		0.35	23.7	460	20.7	8.5	0.001	0.02	0.55	3.4	0.3	0.4	6.9	<0.01	0.06	2.9
ZZ18115		0.33	19.6	400	20.8	6.1	0.001	0.02	0.44	4.2	0.9	0.5	16.5	<0.01	0.04	2.9
ZZ18116		0.22	27.9	460	20.5	11.0	0.001	0.03	0.39	5.7	1.0	0.5	17.5	<0.01	0.07	2.6
ZZ18117		0.28	35.9	810	32.2	11.6	0.001	0.06	0.65	7.7	1.4	0.5	29.0	<0.01	0.07	1.6
ZZ18118		0.12	36.6	1710	34.6	10.2	0.002	0.05	0.58	6.7	1.1	0.5	27.1	<0.01	0.08	3.3
ZZ18119		0.25	27.1	810	26.4	8.9	0.002	0.07	0.55	4.7	1.3	0.4	25.2	<0.01	0.05	1.5
ZZ18120		0.19	43.2	480	46.8	9.0	0.002	0.03	0.68	6.3	0.8	0.4	9.9	<0.01	0.11	4.2

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 17- AUG- 2011
Account: RCM

Project: Rackla- Dale Extension

CERTIFICATE OF ANALYSIS WH11148699

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
ZZ19214		0.006	0.53	2.86	39	0.08	12.10	276	2.5
ZZ19215		0.005	0.94	3.48	41	0.08	15.15	470	2.9
ZZ19216		<0.005	1.35	1.95	32	0.06	16.15	1240	3.1
ZZ19217		<0.005	1.36	2.18	33	0.05	13.10	1190	3.6
ZZ18101		0.007	0.17	1.49	32	0.10	8.69	123	2.2
ZZ18102		0.024	0.14	3.06	45	0.25	13.55	93	1.6
ZZ18103		0.008	0.13	4.17	32	0.07	10.25	81	1.7
ZZ18104		0.007	0.10	4.22	32	0.06	13.10	77	1.7
ZZ18105		0.008	0.13	2.96	34	0.06	14.20	89	2.2
ZZ18106		0.013	0.16	1.24	38	0.17	6.69	89	1.4
ZZ18107		0.009	0.18	1.29	40	0.11	6.69	99	1.4
ZZ18108		0.011	0.12	1.37	37	0.12	3.53	101	1.7
ZZ18109		0.010	0.15	1.93	39	0.11	11.50	116	0.8
ZZ18110		0.005	0.22	2.47	50	0.05	13.35	127	2.4
ZZ18111		0.012	0.15	0.66	45	0.20	2.89	53	<0.5
ZZ18112		<0.005	0.10	1.03	36	0.05	4.76	90	1.4
ZZ18113		0.012	0.17	0.83	47	0.14	3.71	62	0.6
ZZ18114		0.006	0.13	0.44	39	0.08	2.88	72	1.6
ZZ18115		0.008	0.07	1.01	28	0.11	5.55	83	0.9
ZZ18116		<0.005	0.16	1.00	46	0.13	7.70	126	1.6
ZZ18117		0.008	0.13	0.82	39	0.08	15.15	129	1.4
ZZ18118		<0.005	0.27	1.20	40	0.05	19.80	173	1.2
ZZ18119		0.006	0.13	2.06	36	0.06	7.95	164	1.6
ZZ18120		<0.005	0.14	0.61	45	<0.05	6.15	167	2.4

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 17- AUG- 2011
Account: RCM

Project: Rackla- Dale Extension

CERTIFICATE OF ANALYSIS WH11148699

Method	CERTIFICATE COMMENTS
ME- MS41	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown.
ME- MS41	Gold determinations by this method are semi- quantitative due to the small sample weight used (0.5g).

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 20- AUG- 2011
Account: RCM

CERTIFICATE WH11149810

Project: Rackla- Dale Extension

P.O. No.:

This report is for 144 Soil samples submitted to our lab in Whitehorse, YT, Canada on 3- AUG- 2011.

The following have access to data associated with this certificate:

ROB CARNE JULIA LANE	ANDREW CARNE JOAN MARIACHER	MATT DUMALA

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
SCR- 41	Screen to - 180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- TL43	Trace Level Au - 25g AR	ICP- MS
ME- MS41	51 anal. aqua regia ICPMS	

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 20- AUG- 2011
Account: RCM

Project: Rackla- Dale Extension

CERTIFICATE OF ANALYSIS WH11149810

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- TL43 Au ppm 0.001	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1
ZZ18049		0.25	0.002	0.07	2.17	15.2	<0.2	<10	120	1.17	0.40	0.05	0.43	27.5	19.8	28
ZZ18050		0.38	0.002	0.16	1.32	18.9	<0.2	<10	190	1.20	0.28	0.48	0.41	19.55	17.9	21
ZZ18051		0.35	0.002	0.17	1.31	32.2	<0.2	<10	110	1.18	0.35	0.28	0.68	22.6	25.2	22
ZZ18052		0.29	0.002	0.08	1.23	15.3	<0.2	<10	130	1.36	0.31	0.19	0.23	20.2	14.9	21
ZZ18053		0.30	0.001	0.08	0.74	12.3	<0.2	<10	170	2.14	0.36	0.25	0.59	19.05	19.8	12
ZZ18054		0.34	0.001	0.05	1.92	20.6	<0.2	<10	190	1.03	0.32	0.12	0.65	22.6	25.0	25
ZZ18055		0.40	0.002	0.08	1.47	17.3	<0.2	<10	140	1.17	0.34	0.14	0.30	33.3	28.4	22
ZZ18056		0.34	0.003	0.05	1.42	18.4	<0.2	<10	170	1.63	0.37	0.20	0.16	25.0	22.9	22
ZZ18057		0.31	0.001	0.09	1.39	11.6	<0.2	<10	140	0.91	0.30	0.30	0.13	22.5	13.3	19
ZZ18058		0.33	0.001	0.05	1.53	11.4	<0.2	<10	160	1.00	0.27	0.41	0.18	23.0	11.7	23
ZZ18059		0.27	0.001	0.02	0.63	17.3	<0.2	<10	80	1.58	0.32	0.16	0.11	37.7	14.5	25
ZZ18060		0.22	0.002	0.10	0.85	17.5	<0.2	<10	790	1.33	0.26	1.32	0.24	34.7	10.4	27
ZZ19157		0.25	0.003	0.03	0.42	14.6	<0.2	<10	100	1.16	0.25	0.15	0.18	34.9	11.1	20
ZZ19158		0.26	0.002	0.04	1.49	19.3	<0.2	<10	170	1.50	0.29	0.16	0.23	43.6	16.8	28
ZZ19159		0.31	0.001	0.08	1.51	17.5	<0.2	<10	160	1.13	0.34	0.05	0.21	29.3	17.4	24
ZZ19160		0.36	0.002	0.14	1.31	13.9	<0.2	<10	220	1.38	0.29	0.47	0.25	40.3	14.4	26
ZZ19161		0.23	0.003	0.13	1.07	17.1	<0.2	<10	220	2.00	0.32	0.39	0.46	84.9	15.9	42
ZZ19162		0.24	0.001	0.06	0.89	17.3	<0.2	<10	290	1.42	0.29	0.49	0.17	46.7	14.1	30
ZZ19163		0.35	0.001	0.05	0.88	17.9	<0.2	<10	260	1.23	0.26	0.32	0.13	48.5	11.6	25
ZZ19164		0.32	0.004	0.17	1.27	20.1	<0.2	<10	450	1.75	0.28	0.66	0.24	38.8	14.9	39
ZZ19165		0.26	0.004	0.13	1.03	20.6	<0.2	<10	370	1.82	0.28	0.50	0.18	53.1	15.7	29
ZZ19166		0.32	0.001	0.03	1.00	23.0	<0.2	<10	180	1.50	0.40	0.14	0.23	39.4	21.8	23
ZZ18242		0.28	0.002	0.41	1.88	13.9	<0.2	<10	160	1.89	0.30	0.20	0.49	60.1	19.6	22
ZZ18243		0.30	0.003	0.26	1.32	16.0	<0.2	<10	260	1.06	0.23	0.37	0.18	34.4	13.8	27
ZZ18244		0.31	0.003	0.14	1.66	19.7	<0.2	<10	160	1.26	0.27	0.29	0.21	44.8	17.6	25
ZZ18245		0.28	0.002	0.17	1.24	20.9	<0.2	<10	250	1.55	0.35	0.37	0.20	30.9	21.9	24
ZZ18246		0.33	0.001	0.07	2.29	15.8	<0.2	<10	260	1.01	0.29	0.27	0.11	41.6	16.7	33
ZZ18247		0.31	0.002	0.11	1.81	21.6	<0.2	<10	190	1.42	0.32	0.29	0.30	41.2	21.6	25
ZZ18248		0.27	0.002	0.19	1.36	20.5	<0.2	<10	190	1.31	0.32	0.33	0.27	39.9	19.1	24
ZZ18249		0.35	0.002	0.17	1.41	24.3	<0.2	<10	190	1.52	0.34	0.25	0.39	44.8	22.2	25
ZZ18152		0.31	0.003	0.34	1.31	21.0	<0.2	<10	210	1.29	0.27	0.92	0.58	49.4	16.0	25
ZZ18153		0.26	0.004	0.17	0.86	23.1	<0.2	10	210	1.63	0.34	0.84	0.28	27.0	15.2	20
ZZ18154		0.37	0.004	0.28	0.90	29.8	<0.2	<10	140	1.16	0.20	1.72	0.36	42.5	13.0	20
ZZ18155		0.28	0.004	0.20	1.03	29.8	<0.2	<10	130	1.51	0.23	2.01	0.65	47.0	17.5	29
ZZ18156		0.38	0.006	0.32	1.24	18.1	<0.2	<10	130	1.29	0.23	1.59	0.53	42.2	15.4	26
ZZ18157		0.37	0.003	0.18	1.47	17.4	<0.2	<10	140	1.22	0.30	0.30	0.23	32.6	17.4	23
ZZ18158		0.36	0.001	0.10	2.56	16.5	<0.2	<10	180	1.46	0.34	0.12	0.26	35.3	23.8	30
ZZ18159		0.28	0.002	0.06	2.17	15.9	<0.2	<10	180	1.44	0.33	0.10	0.16	41.0	23.1	28
ZZ18160		0.34	0.002	0.08	1.99	17.7	<0.2	<10	190	1.29	0.32	0.13	0.18	42.5	20.7	29
ZZ18161		0.30	0.001	0.05	1.46	15.1	<0.2	<10	100	0.63	0.33	0.14	0.14	22.7	14.6	20

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 20- AUG- 2011
Account: RCM

Project: Rackla- Dale Extension

CERTIFICATE OF ANALYSIS WH11149810

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
ZZ18049		1.53	44.4	4.99	4.96	0.11	0.05	0.07	0.033	0.13	12.3	59.3	0.66	629	0.54	0.02
ZZ18050		2.30	55.0	4.11	4.16	0.07	0.08	0.15	0.031	0.09	9.3	27.2	0.52	713	1.13	0.02
ZZ18051		1.29	75.8	5.59	4.17	0.10	0.11	0.28	0.034	0.09	9.9	24.0	0.62	944	1.45	0.02
ZZ18052		1.68	45.7	3.89	3.94	0.07	0.08	0.10	0.034	0.06	8.8	15.6	0.39	543	1.69	0.01
ZZ18053		3.25	61.8	4.34	2.43	0.07	0.06	0.06	0.040	0.09	6.7	6.8	0.18	1140	1.96	0.01
ZZ18054		2.14	61.6	5.80	6.06	0.08	0.05	0.06	0.046	0.08	8.4	33.4	0.46	1320	1.33	0.02
ZZ18055		0.99	66.0	4.61	4.48	0.10	0.08	0.11	0.030	0.06	13.6	32.9	0.58	1020	0.94	0.01
ZZ18056		1.47	65.0	4.80	4.42	0.07	0.06	0.05	0.038	0.07	9.6	20.7	0.44	688	1.28	0.01
ZZ18057		1.65	39.1	3.77	6.17	0.06	0.04	0.03	0.027	0.07	10.0	21.5	0.30	395	1.06	0.02
ZZ18058		1.47	26.2	3.81	4.94	0.06	0.06	0.03	0.032	0.07	9.3	22.5	0.33	545	0.87	0.02
ZZ18059		1.77	44.5	3.47	2.13	0.07	0.02	0.01	0.035	0.09	11.9	4.7	0.09	385	0.25	0.01
ZZ18060		0.52	23.8	2.82	3.22	0.07	0.10	0.05	0.032	0.05	13.9	7.0	0.14	450	0.47	0.02
ZZ19157		0.69	47.0	2.85	1.90	0.06	0.04	0.06	0.033	0.08	13.7	4.7	0.07	233	0.30	0.01
ZZ19158		1.41	34.6	4.15	4.63	0.07	0.08	0.08	0.038	0.05	11.5	14.6	0.25	631	1.10	0.02
ZZ19159		1.95	42.5	4.44	6.21	0.07	0.04	0.06	0.037	0.07	11.0	28.8	0.34	459	1.42	0.01
ZZ19160		1.25	32.0	3.35	5.01	0.09	0.09	0.08	0.032	0.06	18.8	17.5	0.45	524	1.05	0.02
ZZ19161		1.11	40.4	3.30	3.42	0.11	0.11	0.10	0.045	0.05	23.8	8.1	0.15	588	0.66	0.01
ZZ19162		0.83	36.2	3.52	3.82	0.07	0.10	0.04	0.035	0.07	16.6	10.1	0.19	520	0.66	0.02
ZZ19163		1.05	19.3	2.88	4.51	0.08	0.06	0.03	0.030	0.06	18.4	9.3	0.16	350	0.78	0.01
ZZ19164		17.90	34.7	3.06	5.20	0.09	0.14	0.14	0.036	0.10	18.3	19.8	0.45	418	0.96	0.02
ZZ19165		1.35	32.2	3.17	4.68	0.10	0.14	0.10	0.036	0.07	23.0	19.3	0.36	506	0.96	0.02
ZZ19166		1.91	39.6	4.26	3.13	0.07	0.06	0.07	0.047	0.06	8.3	12.1	0.15	711	0.84	0.02
ZZ18242		1.29	34.5	3.79	3.89	0.12	0.15	0.07	0.039	0.07	19.9	22.0	0.21	568	0.95	0.02
ZZ18243		0.97	33.7	3.46	3.86	0.07	0.07	0.07	0.031	0.09	15.6	19.3	0.39	454	1.11	0.02
ZZ18244		1.24	41.8	3.90	4.41	0.07	0.07	0.06	0.040	0.08	15.4	22.9	0.45	548	1.19	0.02
ZZ18245		1.20	50.9	4.43	3.89	0.08	0.07	0.06	0.041	0.08	13.8	20.8	0.37	901	1.30	0.02
ZZ18246		2.39	35.8	4.22	6.79	0.07	0.08	0.05	0.038	0.08	15.8	31.8	0.59	575	1.46	0.02
ZZ18247		1.61	44.7	4.41	4.21	0.07	0.08	0.04	0.043	0.08	10.7	24.9	0.41	753	1.19	0.02
ZZ18248		1.34	48.3	3.81	4.81	0.08	0.09	0.07	0.041	0.07	15.7	28.5	0.47	820	1.25	0.02
ZZ18249		1.63	50.0	4.34	5.06	0.09	0.10	0.07	0.050	0.07	14.9	28.1	0.46	809	1.29	0.02
ZZ18152		1.02	31.8	3.06	5.32	0.09	0.11	0.14	0.040	0.07	24.9	26.1	0.44	544	1.23	0.02
ZZ18153		1.81	39.2	3.15	3.64	0.08	0.14	0.11	0.046	0.08	12.6	20.0	0.35	375	0.94	0.02
ZZ18154		0.68	40.4	2.66	3.30	0.08	0.12	0.12	0.038	0.08	22.3	14.6	0.30	354	1.00	0.02
ZZ18155		0.56	35.4	2.99	3.99	0.08	0.15	0.11	0.042	0.09	19.5	21.6	0.47	415	1.84	0.02
ZZ18156		1.57	41.3	2.95	4.83	0.08	0.15	0.16	0.040	0.11	21.0	37.3	0.71	329	1.36	0.02
ZZ18157		1.54	60.6	4.32	4.73	0.08	0.11	0.09	0.040	0.09	15.0	37.0	0.65	422	0.86	0.02
ZZ18158		2.79	56.8	5.11	6.88	0.07	0.11	0.06	0.055	0.11	13.9	66.4	0.63	572	0.92	0.02
ZZ18159		2.33	57.1	4.59	6.32	0.08	0.11	0.06	0.043	0.10	17.1	47.7	0.68	663	0.87	0.02
ZZ18160		2.01	52.9	4.17	5.98	0.09	0.13	0.05	0.040	0.08	18.2	37.9	0.59	663	1.18	0.02
ZZ18161		2.22	32.9	3.86	7.10	0.06	0.04	0.04	0.034	0.08	10.3	26.7	0.28	600	1.21	0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 20- AUG- 2011
Account: RCM

Project: Rackla- Dale Extension

CERTIFICATE OF ANALYSIS WH11149810

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
ZZ18049		0.12	39.3	380	25.8	10.0	<0.001	0.02	0.59	3.9	0.8	0.3	11.1	<0.01	0.04	5.3
ZZ18050		0.38	33.8	660	35.6	21.2	0.001	0.07	0.64	5.8	1.2	0.4	22.0	<0.01	0.07	1.7
ZZ18051		0.18	39.6	340	49.4	7.8	0.001	0.07	1.43	8.1	1.1	0.3	15.2	<0.01	0.10	3.9
ZZ18052		0.42	35.4	680	25.7	10.2	0.001	0.02	0.62	5.9	1.1	0.5	16.6	<0.01	0.07	3.2
ZZ18053		0.09	40.4	910	22.4	11.1	0.001	0.04	0.52	7.7	1.0	0.5	25.4	<0.01	0.05	2.9
ZZ18054		0.27	32.8	520	65.3	12.7	<0.001	0.02	0.71	6.3	0.7	0.5	9.3	<0.01	0.10	3.0
ZZ18055		0.12	40.1	460	37.0	5.2	<0.001	0.01	0.70	6.7	0.8	0.3	13.3	<0.01	0.07	5.6
ZZ18056		0.19	42.1	460	31.1	10.2	<0.001	0.02	0.63	6.9	0.9	0.5	15.1	<0.01	0.07	3.9
ZZ18057		0.42	22.0	240	18.4	12.0	<0.001	0.02	0.50	4.1	0.4	0.5	15.8	<0.01	0.07	3.5
ZZ18058		0.45	24.3	420	17.0	15.4	<0.001	0.03	0.43	4.4	0.5	0.5	21.6	<0.01	0.05	2.5
ZZ18059		0.10	35.9	470	16.3	10.2	<0.001	0.01	0.17	4.6	0.5	0.4	15.7	<0.01	0.02	4.2
ZZ18060		0.26	21.4	880	23.3	10.1	<0.001	0.07	0.26	3.7	0.7	0.4	59.4	<0.01	0.03	1.8
ZZ19157		0.13	28.5	160	17.6	7.7	<0.001	0.01	0.28	5.7	0.9	0.4	25.7	<0.01	0.02	3.2
ZZ19158		0.54	34.1	630	26.4	11.5	<0.001	0.03	0.60	4.6	0.8	0.5	16.0	<0.01	0.05	2.8
ZZ19159		0.68	27.6	530	23.1	15.5	<0.001	0.03	0.67	4.5	0.6	0.6	9.2	<0.01	0.08	2.9
ZZ19160		0.64	34.7	540	19.5	14.0	<0.001	0.03	0.66	5.7	0.9	0.5	32.6	0.01	0.05	2.6
ZZ19161		0.38	38.9	620	66.6	9.7	<0.001	0.04	0.44	6.9	1.0	0.6	27.9	0.01	0.03	4.2
ZZ19162		0.31	30.1	630	20.7	11.9	<0.001	0.04	0.30	5.5	1.0	0.5	31.3	<0.01	0.03	3.5
ZZ19163		0.40	24.7	430	16.5	15.3	<0.001	0.02	0.34	4.0	0.8	0.6	23.7	<0.01	0.03	3.0
ZZ19164		0.54	31.7	810	19.3	38.5	<0.001	0.06	0.54	6.9	1.8	0.7	57.6	0.01	0.04	2.0
ZZ19165		0.49	28.4	580	20.9	16.4	<0.001	0.04	0.51	7.0	1.6	0.6	66.2	0.01	0.03	3.5
ZZ19166		0.26	36.6	440	31.8	14.9	<0.001	0.02	0.42	5.0	0.7	0.6	23.4	<0.01	0.05	3.5
ZZ18242		0.51	32.4	690	30.2	13.1	<0.001	0.03	0.52	7.1	1.2	0.5	22.0	0.01	0.07	7.3
ZZ18243		0.38	32.4	570	19.0	10.9	<0.001	0.02	0.56	5.2	0.6	0.4	31.3	<0.01	0.05	4.1
ZZ18244		0.36	39.2	590	24.1	11.0	<0.001	0.02	0.56	5.0	0.7	0.4	24.3	<0.01	0.05	5.3
ZZ18245		0.21	42.4	640	33.9	10.4	<0.001	0.02	0.48	7.1	0.9	0.5	37.6	<0.01	0.07	6.0
ZZ18246		0.61	35.6	560	20.3	13.6	<0.001	0.03	0.74	4.9	0.6	0.6	22.7	<0.01	0.06	4.3
ZZ18247		0.33	47.1	550	30.9	12.5	<0.001	0.03	0.56	5.4	0.7	0.5	35.2	<0.01	0.06	5.2
ZZ18248		0.41	40.5	490	26.0	11.9	<0.001	0.03	0.64	5.9	0.9	0.5	37.2	<0.01	0.05	4.6
ZZ18249		0.37	39.8	470	66.8	13.1	<0.001	0.03	0.69	7.5	1.0	0.5	37.0	<0.01	0.07	6.7
ZZ18152		0.67	30.4	820	21.3	12.4	<0.001	0.04	0.63	5.8	1.1	0.5	78.8	0.01	0.06	3.2
ZZ18153		0.24	28.6	540	25.6	19.4	0.001	0.06	0.41	7.5	1.5	0.6	80.3	0.01	0.05	3.5
ZZ18154		0.31	25.0	690	19.8	10.4	<0.001	0.07	0.40	5.1	1.1	0.4	106.5	<0.01	0.04	2.0
ZZ18155		0.28	31.7	380	22.8	12.4	<0.001	0.05	0.46	6.5	1.2	0.5	144.5	<0.01	0.04	4.0
ZZ18156		0.41	28.3	660	24.5	15.9	<0.001	0.07	0.45	6.6	1.2	0.5	133.0	<0.01	0.05	3.5
ZZ18157		0.25	36.5	460	24.4	9.2	<0.001	0.03	0.61	8.8	0.9	0.3	26.3	<0.01	0.07	4.9
ZZ18158		0.39	42.9	580	26.0	16.1	<0.001	0.03	0.67	6.0	0.6	0.5	17.5	<0.01	0.07	6.3
ZZ18159		0.24	43.9	450	24.5	14.0	<0.001	0.02	0.66	7.1	0.7	0.4	14.8	<0.01	0.07	6.3
ZZ18160		0.51	42.2	600	25.5	13.0	<0.001	0.03	0.81	6.5	0.9	0.5	17.2	<0.01	0.07	5.2
ZZ18161		0.32	21.7	400	22.2	18.2	<0.001	0.03	0.55	3.5	0.5	0.5	12.6	<0.01	0.08	3.2

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 20- AUG- 2011
Account: RCM

Project: Rackla- Dale Extension

CERTIFICATE OF ANALYSIS WH11149810

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
ZZ18049		<0.005	0.11	0.63	30	<0.05	5.42	103	1.8
ZZ18050		0.014	0.14	1.16	38	0.11	11.60	156	1.7
ZZ18051		0.010	0.16	1.22	38	<0.05	9.82	178	2.6
ZZ18052		0.013	0.12	1.17	37	0.16	10.40	134	1.6
ZZ18053		0.008	0.16	1.19	23	<0.05	16.25	137	0.8
ZZ18054		0.009	0.14	0.47	50	0.07	6.86	201	1.2
ZZ18055		0.008	0.07	0.62	31	<0.05	11.15	137	2.5
ZZ18056		0.009	0.10	0.86	38	0.05	10.05	147	1.3
ZZ18057		0.016	0.11	0.63	49	0.09	3.66	61	1.1
ZZ18058		0.013	0.10	2.89	39	0.09	6.98	80	1.3
ZZ18059		0.007	0.08	2.21	19	<0.05	6.96	92	<0.5
ZZ18060		0.010	0.07	5.09	30	0.06	11.35	85	2.2
ZZ19157		0.008	0.07	1.35	26	<0.05	7.75	101	1.4
ZZ19158		0.014	0.14	2.08	46	0.15	8.01	106	1.6
ZZ19159		0.016	0.12	1.01	47	0.16	5.25	78	0.9
ZZ19160		0.021	0.12	4.89	36	0.19	15.85	88	1.7
ZZ19161		0.014	0.10	11.75	33	0.13	18.65	104	2.3
ZZ19162		0.012	0.12	2.29	34	0.07	10.65	93	2.2
ZZ19163		0.014	0.12	1.53	36	0.12	7.68	74	1.2
ZZ19164		0.018	0.65	13.70	38	0.15	19.00	126	2.7
ZZ19165		0.015	0.19	12.80	36	0.12	17.95	83	2.9
ZZ19166		0.010	0.20	1.98	26	0.07	6.81	97	1.3
ZZ18242		0.012	0.13	2.72	26	0.09	18.80	61	5.7
ZZ18243		0.027	0.10	2.50	39	0.14	10.10	100	1.7
ZZ18244		0.015	0.13	2.15	37	0.09	9.30	90	2.0
ZZ18245		0.011	0.11	2.50	31	0.06	15.30	106	1.8
ZZ18246		0.022	0.16	1.83	58	0.26	6.74	89	1.8
ZZ18247		0.013	0.11	1.80	34	0.08	8.55	101	2.1
ZZ18248		0.017	0.13	2.24	35	0.17	11.45	93	2.2
ZZ18249		0.014	0.14	2.06	35	0.10	11.70	198	2.5
ZZ18152		0.021	0.13	3.03	37	0.17	16.10	102	2.5
ZZ18153		0.010	0.15	4.10	23	0.05	16.35	106	3.0
ZZ18154		0.011	0.15	4.14	27	0.10	15.00	89	2.8
ZZ18155		0.009	0.21	5.20	37	0.05	12.35	123	4.5
ZZ18156		0.014	0.18	6.35	33	0.09	14.10	116	4.2
ZZ18157		0.013	0.10	0.97	31	0.05	14.55	96	2.7
ZZ18158		0.012	0.12	0.75	39	0.09	6.97	88	3.5
ZZ18159		0.011	0.11	0.88	39	0.07	10.00	88	2.9
ZZ18160		0.018	0.13	1.14	40	0.14	11.90	85	3.2
ZZ18161		0.010	0.13	0.61	42	0.07	3.72	78	1.1

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 20- AUG- 2011
Account: RCM

Project: Rackla- Dale Extension

CERTIFICATE OF ANALYSIS WH11149810

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- TL43 Au ppm 0.001	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1
ZZ18162		0.24	0.002	0.13	1.47	18.8	<0.2	<10	110	1.73	0.34	1.09	0.29	36.6	18.1	30
ZZ18163		0.31	0.001	0.13	1.24	15.9	<0.2	<10	180	1.22	0.28	1.44	0.23	21.7	14.6	21
ZZ18164		0.25	0.003	0.20	1.51	12.2	<0.2	<10	170	1.19	0.32	1.00	0.27	25.5	17.0	23
ZZ18165		0.29	<0.001	0.11	1.52	20.9	<0.2	<10	50	0.83	0.40	0.01	0.25	15.40	20.2	27
ZZ18166		0.26	0.004	0.24	1.64	29.3	<0.2	<10	280	1.65	0.35	0.44	0.82	25.1	22.3	25
ZZ18167		0.36	0.003	0.44	0.89	18.5	<0.2	10	200	1.90	0.37	0.63	0.43	43.0	18.7	14
ZZ18168		0.40	0.001	0.16	0.74	24.8	<0.2	<10	110	1.11	0.47	0.07	0.42	32.9	20.6	12
ZZ18169		0.30	0.001	0.08	1.85	22.3	<0.2	<10	160	1.21	0.35	0.23	0.12	26.9	22.3	26
ZZ18170		0.25	0.001	0.08	1.77	17.2	<0.2	<10	160	0.93	0.33	0.15	0.24	21.8	13.5	25
ZZ18171		0.20	0.002	0.06	1.83	15.8	<0.2	<10	110	0.90	0.27	0.15	0.15	35.7	14.1	30
ZZ18172		0.29	0.002	0.05	2.04	17.7	<0.2	<10	100	1.53	0.37	0.03	0.27	29.0	25.0	26
ZZ18173		0.24	0.001	0.07	1.13	7.6	<0.2	<10	140	0.41	0.27	0.06	0.06	29.0	4.5	16
ZZ18174		0.31	0.001	0.06	1.53	17.4	<0.2	<10	490	1.41	0.31	0.26	0.22	38.5	18.2	27
ZZ18175		0.27	0.002	0.07	1.21	15.2	<0.2	<10	70	0.71	0.24	0.04	0.10	30.7	10.5	21
ZZ18176		0.27	0.004	0.37	1.16	27.1	<0.2	<10	180	1.22	0.24	1.32	0.69	27.9	11.9	18
ZZ18177		0.24	0.003	0.19	1.07	18.5	<0.2	<10	1120	1.39	0.25	0.88	0.60	38.9	13.6	21
ZZ18178		0.34	0.006	0.22	1.18	22.5	<0.2	10	440	1.68	0.30	0.98	0.40	42.9	18.5	33
ZZ18179		0.26	0.002	0.06	1.86	16.4	<0.2	<10	160	1.19	0.30	0.13	0.21	47.9	15.9	32
ZZ18180		0.30	0.002	0.10	1.55	17.5	<0.2	<10	180	1.26	0.29	0.12	0.49	34.4	22.9	25
ZZ18181		0.23	0.002	0.10	1.56	16.8	<0.2	<10	300	1.12	0.27	0.41	0.25	43.1	12.5	27
ZZ18182		0.27	0.003	0.17	1.20	26.5	<0.2	<10	230	0.88	0.28	0.74	0.16	23.0	11.3	21
ZZ18183		0.28	0.003	0.18	1.31	17.9	<0.2	<10	210	0.92	0.24	1.08	0.20	34.1	12.1	21
ZZ18184		0.27	0.003	0.15	1.78	17.9	<0.2	<10	210	0.95	0.29	0.18	0.13	35.5	12.9	25
ZZ18185		0.29	0.002	0.04	1.59	15.3	<0.2	<10	150	0.68	0.26	0.12	0.17	31.9	10.8	22
ZZ18121		0.32	0.003	0.07	0.74	11.3	<0.2	<10	140	1.11	0.25	0.52	0.26	50.5	10.6	32
ZZ18122		0.20	0.001	0.05	0.80	17.9	<0.2	<10	260	1.38	0.31	0.48	0.17	41.9	10.9	29
ZZ18123		0.25	0.004	0.04	0.75	6.4	<0.2	<10	260	1.23	0.19	0.88	0.19	55.6	11.8	30
ZZ18124		0.25	0.003	0.04	1.00	5.2	<0.2	<10	160	1.07	0.29	0.86	0.19	42.0	9.8	30
ZZ18125		0.30	0.002	0.08	1.44	7.1	<0.2	<10	130	1.36	0.33	0.84	0.19	38.4	12.2	33
ZZ18126		0.41	0.002	0.05	0.60	8.3	<0.2	<10	220	1.26	0.34	0.75	0.15	16.50	12.7	26
ZZ18127		0.29	0.001	0.03	1.32	18.9	<0.2	<10	760	1.29	0.21	0.68	0.17	75.8	28.7	24
ZZ18128		0.30	0.002	0.15	1.46	10.1	<0.2	<10	490	0.97	0.29	0.71	0.11	26.8	9.7	28
ZZ18129		0.45	0.002	0.07	1.12	7.8	<0.2	<10	250	1.09	0.28	0.45	0.30	27.7	10.7	34
ZZ18130		0.34	0.002	0.04	1.21	10.0	<0.2	<10	270	1.51	0.33	0.23	0.09	42.2	15.6	33
ZZ18131		0.34	0.002	0.17	0.88	9.7	<0.2	<10	190	1.29	0.33	0.62	0.24	24.9	9.6	25
ZZ18132		0.35	0.001	0.05	0.93	6.4	<0.2	<10	170	1.44	0.33	0.19	0.20	40.2	14.5	28
ZZ18133		0.23	0.002	0.32	1.07	10.9	<0.2	<10	160	1.79	0.41	0.08	0.15	15.90	15.9	20
ZZ18134		0.34	0.001	0.06	0.74	14.3	<0.2	<10	130	1.71	0.34	0.07	0.06	6.74	18.0	12
ZZ18135		0.42	0.001	0.06	0.51	15.7	<0.2	<10	70	1.44	0.41	0.04	0.25	4.51	17.5	9
ZZ18136		0.31	0.001	0.09	0.48	16.1	<0.2	<10	250	2.30	0.35	0.09	0.17	11.00	19.3	8

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 20- AUG- 2011
Account: RCM

Project: Rackla- Dale Extension

CERTIFICATE OF ANALYSIS WH11149810

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
ZZ18162		1.26	52.3	3.83	5.63	0.11	0.16	0.07	0.052	0.09	16.3	37.3	0.60	471	0.63	0.01
ZZ18163		1.11	36.1	3.15	4.35	0.06	0.09	0.09	0.036	0.07	10.2	25.1	0.38	430	0.70	0.02
ZZ18164		1.28	48.2	3.46	5.14	0.07	0.10	0.18	0.043	0.09	11.4	35.0	0.52	317	0.99	0.02
ZZ18165		2.14	52.8	6.04	6.87	0.07	0.05	0.03	0.055	0.08	7.0	27.2	0.24	404	1.17	0.01
ZZ18166		2.66	90.2	5.07	5.48	0.10	0.18	0.21	0.052	0.12	12.1	26.1	0.54	908	1.45	0.02
ZZ18167		6.71	61.2	4.61	3.29	0.13	0.15	0.23	0.058	0.15	17.9	12.6	0.22	496	4.14	0.03
ZZ18168		4.25	52.5	4.09	3.45	0.07	0.04	0.09	0.056	0.13	13.6	7.6	0.07	464	6.09	0.05
ZZ18169		1.95	66.3	5.07	5.74	0.07	0.06	0.05	0.042	0.10	11.3	46.9	0.66	644	1.68	0.02
ZZ18170		1.93	36.0	4.55	6.59	0.06	0.04	0.04	0.040	0.07	9.9	35.0	0.42	377	1.28	0.02
ZZ18171		1.73	31.6	3.29	6.19	0.08	0.05	0.05	0.034	0.05	16.7	25.8	0.49	389	1.64	0.02
ZZ18172		1.87	65.9	4.77	5.53	0.08	0.09	0.06	0.041	0.08	11.3	55.2	0.61	702	0.85	0.01
ZZ18173		2.31	15.7	1.72	7.78	0.05	<0.02	0.04	0.023	0.04	14.2	9.1	0.11	78	1.47	0.01
ZZ18174		1.78	43.4	3.86	5.76	0.07	0.05	0.05	0.044	0.08	15.1	21.6	0.30	660	1.11	0.02
ZZ18175		1.10	30.1	3.09	5.96	0.06	0.03	0.07	0.035	0.08	14.6	21.9	0.20	244	1.68	0.01
ZZ18176		1.06	36.9	3.27	3.84	0.08	0.10	0.15	0.039	0.07	15.5	26.4	0.33	357	1.11	0.02
ZZ18177		1.01	35.8	3.00	3.84	0.09	0.13	0.12	0.039	0.11	16.9	21.8	0.41	448	0.91	0.02
ZZ18178		13.05	66.9	3.47	4.55	0.08	0.14	0.11	0.047	0.11	18.4	28.9	0.67	822	0.96	0.02
ZZ18179		2.60	33.5	3.94	6.36	0.08	0.05	0.04	0.044	0.09	18.6	36.8	0.50	517	1.16	0.02
ZZ18180		1.24	77.2	4.28	5.19	0.11	0.09	0.09	0.039	0.06	16.5	39.6	0.61	657	0.88	0.02
ZZ18181		1.27	25.9	3.57	4.62	0.08	0.09	0.08	0.032	0.07	15.1	20.4	0.37	688	0.92	0.01
ZZ18182		1.82	29.0	3.37	4.08	0.07	0.09	0.08	0.034	0.07	9.4	21.3	0.32	636	1.08	0.01
ZZ18183		0.91	24.4	3.08	3.86	0.08	0.10	0.07	0.030	0.05	14.4	14.8	0.60	590	0.98	0.02
ZZ18184		1.31	28.2	3.69	4.72	0.08	0.08	0.06	0.031	0.06	12.9	19.3	0.41	427	1.13	0.01
ZZ18185		1.36	25.1	3.18	4.92	0.07	0.07	0.06	0.030	0.05	10.5	21.0	0.29	336	1.00	0.01
ZZ18121		0.83	37.9	2.98	2.93	0.09	0.11	0.05	0.038	0.07	24.4	8.9	0.27	465	0.47	0.01
ZZ18122		0.60	30.6	3.26	3.03	0.08	0.11	0.05	0.040	0.08	17.1	7.3	0.16	415	0.53	0.01
ZZ18123		1.36	16.4	3.22	3.07	0.11	0.08	0.03	0.037	0.09	28.7	8.5	0.49	460	0.32	0.01
ZZ18124		2.62	30.4	2.88	3.79	0.10	0.12	0.04	0.030	0.10	17.5	19.5	0.64	374	0.33	0.01
ZZ18125		2.04	35.7	3.37	4.69	0.11	0.11	0.04	0.041	0.09	18.7	24.2	0.64	556	0.47	0.01
ZZ18126		0.82	26.5	3.42	2.34	0.06	0.10	0.05	0.041	0.07	6.4	3.6	0.10	455	0.31	0.01
ZZ18127		1.99	18.9	6.68	3.88	0.12	0.07	0.03	0.084	0.04	29.1	8.7	0.21	789	2.75	0.01
ZZ18128		1.75	20.0	3.18	4.94	0.06	0.14	0.04	0.035	0.05	12.0	12.6	0.29	519	0.85	0.02
ZZ18129		0.84	25.9	3.36	4.11	0.07	0.10	0.04	0.036	0.06	12.0	16.3	0.32	244	0.70	0.01
ZZ18130		1.06	39.3	4.03	3.65	0.08	0.05	0.03	0.043	0.07	13.7	11.3	0.22	581	0.52	0.01
ZZ18131		0.49	24.5	3.28	2.66	0.08	0.14	0.11	0.040	0.07	12.2	8.7	0.17	238	0.96	0.01
ZZ18132		0.67	34.4	4.38	2.57	0.08	0.08	0.02	0.047	0.05	12.6	6.1	0.12	988	0.40	0.01
ZZ18133		1.58	38.9	4.41	2.83	0.07	0.05	0.04	0.046	0.08	4.6	9.4	0.13	668	1.01	0.01
ZZ18134		1.35	34.3	4.97	2.18	0.06	0.03	0.04	0.050	0.08	2.8	5.2	0.11	143	1.83	0.01
ZZ18135		3.09	41.4	4.75	1.33	0.06	0.03	0.05	0.057	0.10	1.4	2.9	0.08	722	2.83	0.01
ZZ18136		4.19	45.8	4.64	1.45	0.06	0.03	0.05	0.047	0.10	3.5	3.2	0.08	345	3.26	0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 20- AUG- 2011
Account: RCM

Project: Rackla- Dale Extension

CERTIFICATE OF ANALYSIS WH11149810

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
ZZ18162		0.40	42.8	860	32.1	10.6	<0.001	0.05	0.43	10.2	0.9	0.6	56.6	0.01	0.05	6.7
ZZ18163		0.35	26.3	940	20.8	13.4	<0.001	0.08	0.38	4.4	1.1	0.5	60.7	<0.01	0.06	1.6
ZZ18164		0.30	32.2	1180	22.9	12.8	0.001	0.07	0.40	6.6	1.5	0.5	52.1	<0.01	0.06	2.7
ZZ18165		0.31	27.4	350	26.5	17.0	<0.001	0.03	0.57	6.2	0.6	0.7	6.8	<0.01	0.10	3.3
ZZ18166		0.21	38.5	620	52.8	16.6	0.001	0.05	0.79	11.4	1.4	0.5	22.4	<0.01	0.10	3.2
ZZ18167		0.16	38.5	2500	26.8	22.0	0.003	0.13	0.69	9.0	2.1	0.6	81.3	0.01	0.06	5.5
ZZ18168		0.13	32.5	1670	54.9	21.5	<0.001	0.30	0.78	4.0	1.1	0.6	85.7	<0.01	0.09	2.6
ZZ18169		0.14	39.1	310	27.6	12.7	<0.001	0.03	0.68	5.4	0.7	0.4	17.7	<0.01	0.09	4.7
ZZ18170		0.48	23.2	930	25.7	15.6	<0.001	0.06	0.62	2.7	0.5	0.5	13.5	<0.01	0.07	1.2
ZZ18171		0.98	29.8	770	17.7	12.5	<0.001	0.04	0.83	3.9	0.8	0.6	15.0	<0.01	0.06	3.6
ZZ18172		0.14	44.4	330	28.6	12.2	<0.001	0.02	0.67	5.5	0.6	0.4	9.9	<0.01	0.08	6.4
ZZ18173		0.67	9.7	390	13.1	12.7	<0.001	0.02	0.40	1.8	0.5	0.9	11.6	<0.01	0.06	1.0
ZZ18174		0.27	35.6	690	22.4	21.0	<0.001	0.02	0.46	4.9	0.7	0.6	19.4	<0.01	0.06	2.2
ZZ18175		0.40	21.9	320	16.4	17.9	<0.001	0.02	0.41	3.1	0.7	0.7	7.5	<0.01	0.04	4.0
ZZ18176		0.26	27.4	760	25.8	12.7	<0.001	0.07	0.47	4.6	1.0	0.3	98.4	<0.01	0.06	1.7
ZZ18177		0.23	28.4	980	18.6	16.4	<0.001	0.10	0.38	4.7	1.0	0.4	69.2	<0.01	0.05	1.9
ZZ18178		0.38	41.8	600	24.5	32.3	<0.001	0.06	0.49	8.0	1.4	0.6	56.4	<0.01	0.05	3.4
ZZ18179		0.71	33.8	440	20.1	18.1	<0.001	0.03	0.55	4.9	0.7	0.7	17.8	<0.01	0.04	4.8
ZZ18180		0.18	44.3	450	23.7	7.4	<0.001	0.02	0.67	8.8	0.8	0.3	14.5	<0.01	0.07	6.4
ZZ18181		0.43	23.6	950	18.1	13.1	<0.001	0.05	0.51	4.3	1.0	0.5	28.3	0.01	0.05	2.1
ZZ18182		0.46	22.2	960	28.9	10.7	<0.001	0.07	0.53	4.2	0.7	0.5	47.1	0.01	0.05	1.5
ZZ18183		0.50	25.9	730	18.7	7.3	<0.001	0.04	0.54	4.1	1.2	0.4	36.1	0.01	0.03	2.7
ZZ18184		0.68	31.6	580	19.8	8.1	0.001	0.03	0.66	4.3	0.8	0.5	17.0	0.01	0.05	3.6
ZZ18185		0.53	24.3	460	23.0	6.9	<0.001	0.02	0.51	3.3	0.5	0.5	12.6	0.01	0.06	3.0
ZZ18121		0.35	26.3	660	16.1	9.2	0.001	0.04	0.26	6.1	1.1	0.4	34.4	0.01	0.03	3.4
ZZ18122		0.26	28.3	650	15.9	7.2	0.001	0.03	0.28	5.2	1.0	0.5	27.8	0.01	0.03	3.0
ZZ18123		0.30	29.9	830	12.5	9.1	<0.001	0.02	0.19	6.7	1.2	0.3	31.2	0.01	0.02	4.2
ZZ18124		0.37	25.2	720	18.2	10.7	<0.001	0.05	0.23	5.8	1.0	0.4	23.3	0.01	0.02	3.9
ZZ18125		0.35	34.7	760	21.4	9.7	0.001	0.04	0.38	7.6	1.0	0.5	29.2	0.01	0.02	4.2
ZZ18126		0.22	32.9	710	16.3	6.1	<0.001	0.05	0.27	5.5	0.8	0.5	30.7	0.01	0.03	2.4
ZZ18127		0.36	42.5	1430	31.0	6.3	<0.001	0.03	0.63	6.7	0.8	0.8	27.4	0.01	0.03	3.6
ZZ18128		0.48	20.6	1380	16.9	9.7	<0.001	0.07	0.38	3.6	0.8	0.6	28.2	0.01	0.03	1.8
ZZ18129		0.46	34.0	490	17.4	8.6	<0.001	0.04	0.33	4.8	0.8	0.5	22.6	0.01	0.03	2.9
ZZ18130		0.21	35.2	300	21.2	10.6	<0.001	0.02	0.31	6.0	1.0	0.6	19.9	0.01	0.03	4.3
ZZ18131		0.34	27.9	690	18.9	10.0	0.001	0.06	0.36	6.0	1.3	0.5	29.9	0.01	0.02	3.2
ZZ18132		0.21	43.9	750	30.4	8.8	<0.001	0.02	0.37	5.2	1.0	0.5	15.0	0.01	0.03	3.3
ZZ18133		0.26	36.2	420	27.5	10.3	0.001	0.03	0.36	5.6	1.1	0.6	14.1	0.01	0.04	3.2
ZZ18134		0.14	33.3	260	18.5	7.0	0.004	0.02	0.58	6.4	0.9	0.7	13.3	0.01	0.04	3.5
ZZ18135		0.15	29.9	610	23.0	7.3	0.002	0.02	0.56	5.0	0.9	0.7	14.8	0.01	0.05	3.5
ZZ18136		0.13	36.0	490	20.0	9.0	0.002	0.04	0.62	8.5	1.8	0.7	19.0	0.01	0.04	5.1

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 20- AUG- 2011
Account: RCM

Project: Rackla- Dale Extension

CERTIFICATE OF ANALYSIS WH11149810

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
ZZ18162		0.013	0.13	5.24	26	0.06	22.4	117	3.7
ZZ18163		0.012	0.11	3.76	26	0.06	12.80	100	2.1
ZZ18164		0.011	0.12	1.51	33	0.05	13.70	82	2.1
ZZ18165		0.010	0.11	0.49	57	0.06	3.73	88	1.6
ZZ18166		0.010	0.19	1.71	41	0.10	19.70	241	3.8
ZZ18167		0.009	0.28	2.31	29	0.11	45.0	161	2.3
ZZ18168		0.008	0.31	1.00	31	<0.05	9.16	173	0.7
ZZ18169		0.009	0.12	0.64	38	<0.05	4.83	102	2.2
ZZ18170		0.017	0.15	0.71	44	0.15	4.74	82	0.8
ZZ18171		0.035	0.15	1.01	46	0.29	6.83	77	1.2
ZZ18172		0.009	0.10	0.69	32	<0.05	6.27	89	2.9
ZZ18173		0.021	0.21	0.65	45	0.19	2.68	24	<0.5
ZZ18174		0.012	0.17	2.55	41	0.10	7.71	114	1.0
ZZ18175		0.013	0.17	1.19	45	0.09	2.79	70	1.1
ZZ18176		0.011	0.13	6.90	28	0.06	13.60	133	2.5
ZZ18177		0.010	0.14	6.45	28	<0.05	15.35	142	2.9
ZZ18178		0.015	0.56	2.55	34	0.10	18.55	139	3.2
ZZ18179		0.020	0.17	1.34	45	0.19	6.65	87	1.2
ZZ18180		0.011	0.09	1.24	35	0.06	14.10	135	2.8
ZZ18181		0.014	0.17	4.30	39	0.13	12.05	89	1.9
ZZ18182		0.016	0.17	3.15	35	0.28	10.90	76	1.8
ZZ18183		0.016	0.11	3.02	34	0.15	10.90	74	2.2
ZZ18184		0.021	0.16	2.47	42	0.20	7.58	73	1.8
ZZ18185		0.015	0.19	1.25	38	0.12	5.14	151	1.5
ZZ18121		0.013	0.12	1.88	27	0.07	18.35	96	2.4
ZZ18122		0.010	0.16	2.35	27	0.05	15.50	99	2.3
ZZ18123		0.012	0.11	1.19	23	<0.05	21.2	91	1.6
ZZ18124		0.014	0.11	1.46	23	<0.05	16.45	106	2.5
ZZ18125		0.012	0.11	2.27	24	0.05	28.6	90	2.2
ZZ18126		0.009	0.12	2.76	23	<0.05	15.05	91	2.1
ZZ18127		0.011	0.19	2.53	124	0.09	14.05	144	1.6
ZZ18128		0.015	0.19	5.20	41	0.11	10.40	68	2.4
ZZ18129		0.017	0.10	2.93	33	0.10	10.55	95	2.3
ZZ18130		0.009	0.17	1.78	32	<0.05	11.05	90	0.8
ZZ18131		0.011	0.08	1.77	27	0.08	20.5	71	2.8
ZZ18132		0.008	0.12	3.79	23	<0.05	17.75	94	1.6
ZZ18133		0.009	0.14	2.02	28	<0.05	7.82	97	0.9
ZZ18134		0.006	0.09	1.24	32	<0.05	7.58	122	0.7
ZZ18135		0.007	0.12	0.74	24	<0.05	4.78	187	0.5
ZZ18136		0.006	0.12	0.87	22	<0.05	15.65	89	0.6

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 20- AUG- 2011
Account: RCM

Project: Rackla- Dale Extension

CERTIFICATE OF ANALYSIS WH11149810

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- TL43 Au ppm 0.001	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1
ZZ18137		0.42	0.001	0.09	0.41	12.4	<0.2	<10	160	1.73	0.33	0.10	0.14	6.40	17.5	9
ZZ18138		0.47	0.002	0.16	0.83	10.4	<0.2	<10	240	1.53	0.29	0.36	0.22	9.41	11.6	13
ZZ18139		0.40	0.001	0.07	0.64	10.1	<0.2	<10	180	1.28	0.28	0.25	0.18	5.99	11.0	10
ZZ18140		0.28	0.002	0.05	1.63	17.8	<0.2	<10	160	0.82	0.34	0.31	0.25	18.55	25.9	25
ZZ18141		0.42	0.002	0.21	0.69	24.0	<0.2	<10	100	0.74	0.32	0.29	1.84	11.65	15.9	18
ZZ18142		0.22	0.003	0.34	1.32	10.2	<0.2	10	170	0.85	0.23	1.81	1.78	13.25	9.3	21
ZZ18143		0.36	0.002	0.11	0.67	16.0	<0.2	<10	150	1.65	0.43	0.30	0.22	7.82	18.3	13
ZZ18144		0.31	0.002	0.06	2.00	22.3	<0.2	<10	170	1.82	0.38	0.22	0.22	27.8	25.2	24
ZZ18145		0.45	0.002	0.06	0.80	9.3	<0.2	<10	120	1.74	0.32	0.33	0.10	33.4	15.9	24
ZZ18146		0.26	0.001	0.04	0.95	16.3	<0.2	<10	170	1.36	0.38	0.23	0.13	23.3	19.1	29
ZZ18147		0.26	0.001	0.05	0.96	14.6	<0.2	<10	100	0.81	0.29	0.13	0.18	21.1	9.8	25
ZZ18148		0.22	0.002	0.07	1.98	10.1	<0.2	<10	160	1.15	0.32	0.27	0.13	35.5	10.8	30
ZZ18149		0.34	0.002	0.03	1.28	14.1	<0.2	<10	210	0.99	0.36	0.47	0.05	14.60	9.6	22
ZZ18150		0.25	0.002	0.04	0.73	20.2	<0.2	<10	140	1.49	0.35	0.26	0.18	53.4	12.1	34
ZZ18151		0.17	0.002	0.04	0.95	18.4	<0.2	<10	300	1.14	0.26	0.27	0.17	51.0	11.3	27
ZZ18301		0.31	0.002	0.06	0.99	9.3	<0.2	<10	300	1.58	0.32	0.30	0.11	66.1	15.2	33
ZZ18302		0.28	0.003	0.04	1.17	12.9	<0.2	<10	180	1.18	0.32	0.23	0.15	39.4	15.1	30
ZZ18303		0.24	0.002	0.09	0.99	15.7	<0.2	<10	450	0.98	0.25	1.29	0.21	39.4	12.9	27
ZZ18304		0.27	0.004	0.14	0.78	16.6	<0.2	<10	410	1.16	0.23	2.09	0.38	23.1	11.6	29
ZZ18305		0.29	0.002	0.05	1.17	18.1	<0.2	<10	300	1.68	0.33	0.53	0.07	25.9	17.5	36
ZZ18306		0.23	0.002	0.10	1.18	9.9	<0.2	<10	220	1.21	0.28	0.88	0.28	46.6	12.0	31
ZZ18307		0.32	0.003	0.11	0.96	12.2	<0.2	<10	190	1.30	0.31	0.73	0.17	24.5	13.0	29
ZZ18308		0.27	0.001	0.17	1.26	8.8	<0.2	<10	190	0.81	0.22	0.47	0.09	34.4	10.4	28
ZZ18309		0.25	0.003	0.05	0.41	10.4	<0.2	<10	60	1.02	0.40	0.16	0.02	5.82	11.3	7
ZZ18310		0.19	NSS	0.15	0.47	48.4	<0.2	10	20	1.54	0.16	2.03	1.67	22.3	56.0	12
ZZ18311		0.17	0.002	0.11	1.19	32.7	<0.2	<10	230	1.62	0.32	0.85	0.26	25.1	15.0	16
ZZ18312		0.23	0.002	0.10	1.95	15.9	<0.2	<10	130	1.00	0.29	0.08	0.32	23.8	16.7	28
ZZ18313		0.24	0.002	0.07	2.08	14.1	<0.2	<10	130	0.98	0.29	0.10	0.30	27.9	16.0	29
ZZ18314		0.23	0.002	0.05	1.37	15.6	<0.2	<10	170	1.61	0.32	0.12	0.12	24.0	21.6	20
ZZ18315		0.31	0.002	0.03	0.59	9.4	<0.2	<10	120	1.90	0.34	0.07	0.07	7.35	23.8	10
ZZ18316		0.30	0.002	0.19	0.64	25.3	<0.2	10	160	1.08	0.18	6.22	1.23	10.55	11.8	9
ZZ18317		0.29	0.002	0.08	1.02	17.1	<0.2	<10	160	1.30	0.32	0.30	0.16	15.65	17.0	17
ZZ18318		0.28	0.002	0.04	1.56	16.9	<0.2	<10	220	1.19	0.29	0.45	0.19	13.95	15.0	22
ZZ18319		0.26	0.003	0.15	1.73	14.3	<0.2	<10	210	0.94	0.24	0.28	0.24	25.6	14.9	26
ZZ18320		0.29	0.003	0.06	2.58	19.0	<0.2	<10	140	1.30	0.26	0.10	0.47	38.0	27.7	30
ZZ18321		0.28	0.002	0.06	1.68	18.3	<0.2	<10	200	0.84	0.29	0.29	0.22	23.3	18.2	25
ZZ18322		0.24	0.002	0.06	1.48	16.4	<0.2	<10	170	0.74	0.29	0.63	0.18	15.90	18.3	23
ZZ18323		0.27	0.002	0.10	0.66	16.5	<0.2	10	130	1.49	0.29	0.26	0.18	12.20	16.5	11
ZZ18324		0.26	0.001	0.04	0.72	13.6	<0.2	<10	130	1.14	0.39	0.16	0.05	15.35	19.0	11
ZZ18325		0.32	0.002	0.03	1.93	21.4	<0.2	<10	140	1.25	0.35	0.15	0.13	16.45	23.6	23

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 20- AUG- 2011
Account: RCM

Project: Rackla- Dale Extension

CERTIFICATE OF ANALYSIS WH11149810

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
ZZ18137		1.87	45.3	3.96	1.54	0.06	0.02	0.03	0.044	0.11	2.4	3.4	0.10	565	2.33	0.01
ZZ18138		1.95	34.7	3.21	2.62	0.06	0.12	0.09	0.036	0.11	4.5	7.3	0.19	281	1.68	0.01
ZZ18139		2.19	28.8	3.27	1.98	0.06	0.10	0.04	0.042	0.11	2.6	4.9	0.15	312	1.74	0.01
ZZ18140		1.64	65.9	5.40	5.67	0.08	0.08	0.05	0.045	0.09	6.4	30.4	0.59	681	1.20	0.01
ZZ18141		2.45	53.3	4.25	2.61	0.08	0.05	0.52	0.043	0.09	5.3	8.8	0.25	371	0.86	0.01
ZZ18142		3.12	44.2	3.12	3.50	0.07	0.08	0.25	0.033	0.09	6.6	16.2	0.61	517	0.79	0.02
ZZ18143		1.16	61.4	4.77	2.30	0.06	0.11	0.08	0.050	0.08	3.0	7.8	0.18	734	1.97	0.01
ZZ18144		1.66	70.2	5.33	4.59	0.07	0.08	0.08	0.051	0.08	7.9	23.3	0.41	1110	1.32	0.01
ZZ18145		1.34	45.5	4.28	1.99	0.11	0.05	0.09	0.048	0.06	13.0	6.6	0.12	598	0.36	0.01
ZZ18146		1.11	39.0	3.85	3.19	0.07	0.04	0.04	0.042	0.07	6.1	9.9	0.18	481	0.73	0.01
ZZ18147		1.24	21.1	3.56	3.29	0.05	0.03	0.06	0.038	0.07	5.5	8.4	0.10	385	0.96	0.01
ZZ18148		1.45	24.3	3.97	5.57	0.08	0.07	0.04	0.040	0.06	12.9	20.2	0.38	555	1.02	0.01
ZZ18149		0.93	21.1	3.89	4.24	0.05	0.08	0.03	0.040	0.07	5.8	7.6	0.16	387	1.05	0.01
ZZ18150		0.97	50.0	3.51	2.69	0.09	0.08	0.08	0.041	0.07	21.0	6.6	0.16	517	0.41	0.01
ZZ18151		0.86	30.4	3.42	3.15	0.08	0.06	0.05	0.034	0.06	21.7	8.6	0.25	467	0.64	0.01
ZZ18301		1.13	39.1	3.89	3.60	0.15	0.03	0.04	0.040	0.10	22.9	9.7	0.24	492	0.41	<0.01
ZZ18302		1.21	32.3	3.60	4.09	0.12	0.05	0.02	0.038	0.07	13.1	12.1	0.27	506	0.74	0.01
ZZ18303		1.10	23.9	3.33	3.70	0.13	0.08	0.04	0.037	0.06	13.3	8.7	0.24	757	0.80	0.02
ZZ18304		15.65	36.1	3.36	2.97	0.12	0.11	0.08	0.034	0.10	11.8	8.0	0.64	496	0.57	0.02
ZZ18305		1.24	48.4	4.70	3.54	0.13	0.06	0.05	0.044	0.07	12.6	7.2	0.16	667	0.47	0.01
ZZ18306		1.10	28.1	3.61	4.23	0.14	0.06	0.05	0.041	0.05	20.9	8.7	0.18	803	0.71	0.02
ZZ18307		0.64	42.6	3.88	3.26	0.12	0.15	0.09	0.042	0.08	12.3	9.0	0.24	398	0.70	0.01
ZZ18308		0.87	23.6	2.94	4.11	0.14	0.07	0.04	0.027	0.05	17.9	12.5	0.44	300	0.69	0.02
ZZ18309		0.75	36.6	3.73	1.08	0.08	0.02	0.04	0.042	0.07	3.1	2.7	0.04	278	0.48	0.01
ZZ18310		2.57	60.2	9.57	1.47	0.15	0.24	0.15	0.030	0.05	8.7	3.6	0.12	47	3.06	0.02
ZZ18311		1.41	30.0	6.60	3.18	0.16	0.11	0.10	0.048	0.08	12.9	6.7	0.17	1440	1.39	0.01
ZZ18312		1.97	40.8	4.32	6.17	0.11	0.06	0.05	0.056	0.08	9.4	30.8	0.44	588	1.54	0.02
ZZ18313		1.84	30.4	4.44	5.94	0.11	0.09	0.08	0.046	0.08	10.1	30.9	0.41	733	1.30	0.01
ZZ18314		1.69	58.5	4.79	4.09	0.12	0.04	0.06	0.044	0.08	8.6	24.0	0.40	802	1.46	0.01
ZZ18315		3.66	59.1	4.07	2.13	0.10	0.02	0.03	0.048	0.12	3.0	5.6	0.10	818	1.12	0.01
ZZ18316		1.07	33.1	3.68	2.03	0.10	0.09	0.34	0.032	0.08	4.4	5.3	3.93	3210	3.14	0.02
ZZ18317		1.02	47.1	4.25	3.52	0.10	0.09	0.07	0.044	0.08	5.2	11.1	0.30	562	1.75	0.02
ZZ18318		1.05	41.0	4.41	5.20	0.10	0.09	0.04	0.043	0.09	5.4	15.2	0.39	648	1.37	0.01
ZZ18319		1.34	47.1	4.05	5.56	0.12	0.07	0.04	0.041	0.07	10.7	29.6	0.56	628	1.27	0.01
ZZ18320		1.78	63.5	5.69	4.73	0.13	0.17	0.08	0.059	0.10	10.6	29.6	0.56	1820	0.89	0.01
ZZ18321		1.48	52.1	4.64	5.20	0.10	0.08	0.09	0.034	0.08	7.8	26.5	0.58	621	1.22	0.01
ZZ18322		1.01	50.1	4.30	5.55	0.10	0.09	0.04	0.034	0.08	6.5	28.9	0.62	579	1.11	0.02
ZZ18323		1.94	47.1	4.36	2.13	0.11	0.07	0.09	0.050	0.10	4.1	5.2	0.14	335	3.21	0.02
ZZ18324		1.55	39.3	4.46	2.07	0.12	0.03	0.07	0.045	0.06	5.4	5.8	0.10	833	0.68	0.01
ZZ18325		1.63	54.1	5.03	4.93	0.11	0.06	0.04	0.050	0.08	5.6	23.9	0.39	670	1.50	0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 20- AUG- 2011
Account: RCM

Project: Rackla- Dale Extension

CERTIFICATE OF ANALYSIS WH11149810

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
ZZ18137		0.13	31.1	320	18.0	6.6	0.002	0.05	0.48	6.1	1.1	0.6	16.7	0.01	0.02	2.5
ZZ18138		0.25	25.4	560	15.9	10.8	0.001	0.04	0.41	6.1	1.1	0.6	23.2	0.01	0.02	2.7
ZZ18139		0.18	19.2	400	14.8	10.4	0.002	0.03	0.36	5.3	1.1	0.6	18.5	0.01	0.03	2.5
ZZ18140		0.30	32.5	620	29.9	10.0	<0.001	0.04	0.57	5.6	1.1	0.4	15.9	0.01	0.14	2.2
ZZ18141		0.23	31.1	430	277	7.2	0.001	0.02	0.75	8.0	1.0	0.4	16.3	0.01	0.06	2.8
ZZ18142		0.41	23.1	1310	25.7	16.7	0.004	0.18	0.51	4.6	3.0	0.4	42.5	0.01	0.06	0.9
ZZ18143		0.19	36.3	420	20.5	6.9	0.001	0.06	0.59	8.6	1.2	0.6	22.3	0.01	0.05	3.4
ZZ18144		0.15	42.9	490	32.0	9.2	<0.001	0.03	0.49	8.2	0.9	0.6	14.3	0.01	0.10	4.5
ZZ18145		0.15	39.7	440	19.8	6.8	<0.001	0.02	0.22	10.8	1.1	0.4	21.3	0.01	0.04	7.2
ZZ18146		0.16	38.2	430	26.8	8.9	0.001	0.02	0.39	5.1	0.7	0.6	18.6	0.01	0.04	3.3
ZZ18147		0.31	25.7	1010	18.8	9.6	<0.001	0.05	0.36	2.5	0.4	0.6	10.3	0.01	0.04	1.2
ZZ18148		0.63	24.2	720	21.0	10.1	<0.001	0.04	0.41	5.0	0.9	0.6	13.3	0.01	0.05	2.6
ZZ18149		0.29	21.1	890	20.1	12.7	<0.001	0.04	0.32	4.2	0.7	0.7	20.0	0.01	0.05	2.0
ZZ18150		0.24	33.6	480	24.2	8.4	0.001	0.02	0.29	6.9	1.0	0.6	18.8	0.01	0.02	4.2
ZZ18151		0.38	30.5	370	17.3	8.5	<0.001	0.02	0.41	4.4	1.0	0.5	25.8	0.01	0.04	3.0
ZZ18301		0.24	39.5	510	17.3	11.3	<0.001	0.01	0.19	7.1	0.9	0.5	24.3	<0.01	0.04	5.9
ZZ18302		0.24	34.9	600	19.9	12.2	<0.001	0.03	0.51	5.1	0.4	0.5	22.7	0.01	0.03	4.1
ZZ18303		0.23	28.2	910	18.3	12.6	<0.001	0.08	0.51	3.7	1.1	0.5	53.7	0.01	0.03	1.3
ZZ18304		0.11	32.1	840	18.1	31.6	<0.001	0.11	0.37	7.2	1.5	0.5	76.1	0.01	0.03	1.5
ZZ18305		<0.05	41.4	410	19.2	11.2	<0.001	0.03	0.33	7.9	0.7	0.6	29.8	0.01	0.04	5.4
ZZ18306		0.31	31.5	760	20.5	10.3	<0.001	0.06	0.44	6.2	0.9	0.6	34.7	0.01	0.03	2.1
ZZ18307		0.05	36.7	810	18.2	7.8	<0.001	0.04	0.32	7.3	1.0	0.5	40.2	0.01	0.04	3.8
ZZ18308		0.56	27.8	560	13.1	8.8	<0.001	0.03	0.48	5.4	0.7	0.5	27.3	0.01	0.03	4.0
ZZ18309		<0.05	25.5	170	16.9	5.9	<0.001	0.02	0.32	6.0	0.4	0.4	14.9	0.01	0.05	1.8
ZZ18310		0.14	97.1	530	8.6	6.0	0.035	>10.0	0.59	6.7	5.8	0.3	38.6	0.01	0.08	2.9
ZZ18311		0.05	31.1	1190	46.0	11.2	<0.001	0.10	0.57	7.8	1.0	0.5	36.8	0.01	0.07	3.1
ZZ18312		0.41	27.8	1300	20.5	14.7	0.001	0.07	0.70	3.9	0.5	0.6	13.0	0.01	0.07	1.6
ZZ18313		0.50	25.1	1480	25.0	11.7	<0.001	0.06	0.62	4.3	1.2	0.5	12.4	0.01	0.04	2.1
ZZ18314		<0.05	34.0	320	25.2	9.1	<0.001	0.02	0.56	7.4	0.9	0.4	13.4	0.01	0.06	3.8
ZZ18315		<0.05	30.5	330	16.6	9.3	0.002	0.02	0.25	7.4	0.7	0.5	20.9	0.01	0.03	2.7
ZZ18316		<0.05	35.5	540	43.1	6.5	<0.001	0.11	0.51	6.1	1.4	0.3	63.9	0.01	0.06	1.5
ZZ18317		0.08	29.9	430	23.5	8.7	0.001	0.04	0.47	6.5	0.8	0.5	21.9	0.01	0.07	2.5
ZZ18318		0.15	25.0	930	27.3	11.5	<0.001	0.06	0.42	5.3	0.6	0.6	21.0	0.01	0.08	1.5
ZZ18319		0.36	32.1	710	22.9	10.6	<0.001	0.05	0.65	5.1	1.4	0.5	16.8	0.01	0.08	1.6
ZZ18320		0.22	44.4	880	78.9	8.8	0.003	0.04	0.63	7.8	1.3	0.4	12.5	0.01	0.09	6.4
ZZ18321		0.23	31.9	530	32.0	9.4	<0.001	0.04	0.68	5.4	0.5	0.4	15.6	0.01	0.09	2.6
ZZ18322		0.20	28.5	590	30.5	8.0	0.002	0.07	0.58	4.9	1.0	0.4	25.4	0.01	0.11	1.8
ZZ18323		<0.05	34.8	530	21.6	7.8	0.001	0.04	0.56	7.9	1.3	0.5	25.1	0.01	0.04	5.4
ZZ18324		<0.05	36.9	350	24.2	8.2	<0.001	0.03	0.43	5.5	0.8	0.4	10.6	0.01	0.07	2.2
ZZ18325		<0.05	34.6	300	33.4	11.8	<0.001	0.03	0.58	5.8	0.7	0.5	14.7	0.01	0.07	3.4

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 20- AUG- 2011
Account: RCM

Project: Rackla- Dale Extension

CERTIFICATE OF ANALYSIS WH11149810

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
ZZ18137		0.007	0.09	0.67	23	<0.05	8.45	83	<0.5
ZZ18138		0.008	0.10	1.83	24	<0.05	12.15	104	2.5
ZZ18139		0.007	0.09	0.88	23	<0.05	6.96	105	2.1
ZZ18140		0.011	0.13	0.71	46	<0.05	5.05	148	1.7
ZZ18141		0.011	0.12	0.78	32	<0.05	11.25	316	1.2
ZZ18142		0.013	0.13	2.34	30	0.06	13.15	333	1.9
ZZ18143		0.008	0.09	1.14	25	<0.05	9.07	105	2.2
ZZ18144		0.007	0.14	0.83	40	<0.05	10.80	136	1.7
ZZ18145		0.007	0.09	2.62	23	<0.05	23.1	113	1.1
ZZ18146		0.007	0.10	1.33	29	<0.05	8.99	99	0.5
ZZ18147		0.011	0.10	1.74	32	0.09	8.28	92	0.5
ZZ18148		0.018	0.16	1.86	47	0.16	10.95	68	1.3
ZZ18149		0.009	0.16	2.62	34	0.08	6.78	64	1.1
ZZ18150		0.009	0.15	2.30	25	0.06	21.4	109	1.5
ZZ18151		0.013	0.16	2.84	32	0.08	10.30	86	1.4
ZZ18301		0.005	0.13	1.65	30	<0.05	17.25	101	1.0
ZZ18302		0.014	0.16	1.85	32	0.12	8.89	95	1.1
ZZ18303		0.016	0.17	5.91	31	0.10	12.25	81	1.5
ZZ18304		0.011	0.29	5.58	24	<0.05	21.9	147	2.3
ZZ18305		0.008	0.19	2.04	33	<0.05	20.2	94	1.2
ZZ18306		0.016	0.12	5.10	34	0.11	22.8	92	1.0
ZZ18307		0.009	0.11	2.29	29	<0.05	19.20	119	2.7
ZZ18308		0.033	0.11	1.25	39	0.20	12.10	79	1.3
ZZ18309		0.007	0.07	0.74	11	<0.05	7.66	85	<0.5
ZZ18310		0.009	0.37	31.3	21	0.05	17.85	147	8.4
ZZ18311		0.008	0.16	1.30	30	<0.05	21.3	118	2.1
ZZ18312		0.016	0.16	0.96	47	0.15	5.85	92	1.2
ZZ18313		0.018	0.16	1.24	45	0.17	7.67	89	1.3
ZZ18314		0.008	0.09	0.75	32	<0.05	9.01	96	0.7
ZZ18315		0.007	0.12	0.97	22	<0.05	7.75	73	<0.5
ZZ18316		0.007	0.34	1.93	42	<0.05	11.95	273	2.0
ZZ18317		0.009	0.09	1.04	35	<0.05	8.21	129	1.7
ZZ18318		0.010	0.13	0.89	43	0.11	6.73	132	1.8
ZZ18319		0.018	0.13	1.37	42	0.13	10.70	119	1.7
ZZ18320		0.010	0.14	1.02	36	0.05	8.81	185	4.6
ZZ18321		0.012	0.15	0.67	43	0.09	5.40	124	1.7
ZZ18322		0.012	0.11	0.75	43	0.09	4.41	115	1.8
ZZ18323		0.007	0.10	0.97	28	<0.05	11.45	126	1.4
ZZ18324		0.008	0.10	0.62	17	0.05	8.76	84	0.5
ZZ18325		0.008	0.16	0.80	40	<0.05	5.55	119	1.1

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 20- AUG- 2011
Account: RCM

Project: Rackla- Dale Extension

CERTIFICATE OF ANALYSIS WH11149810

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- TL43 Au ppm 0.001	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1
ZZ18326		0.27	0.004	0.15	1.12	16.1	<0.2	<10	200	1.07	0.31	1.04	0.22	24.5	14.6	23
ZZ18327		0.25	0.003	0.03	1.23	12.4	<0.2	<10	80	0.77	0.27	0.09	0.16	24.1	14.0	25
ZZ18328		0.26	0.002	0.03	1.29	11.2	<0.2	<10	230	0.83	0.31	0.23	0.06	25.0	12.7	25
ZZ18329		0.22	0.002	0.05	1.64	10.5	<0.2	<10	150	1.00	0.28	0.29	0.15	41.3	11.1	28
ZZ18330		0.24	0.002	0.03	1.24	21.1	<0.2	<10	190	1.25	0.26	0.10	0.11	55.4	15.8	30
ZZ18331		0.20	0.002	0.06	1.24	17.4	<0.2	<10	250	1.27	0.24	0.43	0.27	73.4	14.1	36
ZZ19150		0.19	0.002	0.09	0.94	10.2	<0.2	<10	260	0.89	0.21	0.88	0.49	41.8	10.6	28
ZZ18186		0.27	0.002	0.03	1.11	16.7	<0.2	<10	180	1.52	0.29	0.15	0.17	20.2	17.4	15
ZZ18187		0.36	0.002	0.04	0.40	5.4	<0.2	<10	80	1.25	0.41	0.21	0.13	8.61	16.0	16
ZZ18188		0.31	0.002	0.06	0.70	13.7	<0.2	<10	140	1.10	0.34	0.25	0.07	15.15	14.3	15
ZZ18189		0.32	0.003	0.09	0.67	15.5	<0.2	<10	240	1.39	0.37	0.88	0.19	20.5	17.2	26
ZZ18190		0.26	0.003	0.11	0.74	22.0	<0.2	<10	480	1.17	0.23	0.34	0.20	48.5	12.1	28
ZZ18191		0.22	0.002	0.05	1.53	17.3	<0.2	<10	300	1.12	0.24	0.42	0.21	54.3	9.4	31
ZZ18192		0.27	0.002	0.06	1.38	15.1	<0.2	<10	170	0.75	0.22	0.33	0.18	43.5	11.0	28
ZZ18193		0.35	0.003	0.35	1.33	30.3	<0.2	<10	170	1.41	0.33	0.65	0.45	21.8	15.6	24
ZZ18194		0.32	0.003	0.06	1.65	19.1	<0.2	<10	100	0.80	0.27	0.06	0.32	26.3	14.9	26
ZZ18195		0.34	0.002	0.03	1.68	17.8	<0.2	<10	90	0.69	0.27	0.08	0.31	28.7	12.3	29
ZZ18196		0.33	0.005	0.21	1.02	13.3	<0.2	<10	150	1.02	0.20	0.60	0.24	32.1	7.8	22
ZZ18197		0.31	0.003	0.07	1.49	6.8	<0.2	<10	110	1.11	0.18	0.62	0.27	43.1	8.7	35
ZZ18198		0.36	0.003	0.10	2.02	16.0	<0.2	<10	130	1.37	0.20	0.56	0.25	52.5	9.7	44
ZZ18199		0.29	0.001	0.07	0.42	33.0	<0.2	<10	310	2.06	0.36	0.13	0.08	6.90	18.1	12
CC126889		0.54	0.002	0.18	0.90	15.2	<0.2	<10	150	1.10	0.36	0.74	0.12	28.7	16.0	17
CC126890		0.47	0.001	0.21	0.52	12.9	<0.2	<10	90	0.84	0.34	2.42	0.14	14.95	13.4	7
CC126475		0.50	0.001	0.08	0.36	14.8	<0.2	<10	60	0.96	0.51	0.80	0.02	10.55	17.2	8

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 20- AUG- 2011
Account: RCM

Project: Rackla- Dale Extension

CERTIFICATE OF ANALYSIS WH11149810

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
ZZ18326		0.96	43.1	3.74	3.21	0.11	0.09	0.06	0.042	0.07	11.3	9.5	0.24	449	0.67	0.02
ZZ18327		1.06	31.6	3.76	4.06	0.11	0.02	0.03	0.036	0.05	8.6	13.1	0.28	447	1.16	0.01
ZZ18328		1.06	28.8	3.87	4.95	0.10	0.05	0.02	0.044	0.06	7.0	13.3	0.27	499	0.84	0.01
ZZ18329		1.14	21.2	3.96	4.83	0.13	0.06	0.03	0.043	0.06	11.2	19.6	0.27	487	0.88	0.01
ZZ18330		1.29	34.9	4.12	3.36	0.12	0.07	0.06	0.043	0.06	12.1	11.9	0.27	697	0.64	0.01
ZZ18331		0.94	26.7	3.55	4.36	0.13	0.07	0.03	0.044	0.07	18.5	12.5	0.24	436	0.64	0.01
ZZ19150		1.01	26.8	2.84	4.39	0.13	0.07	0.05	0.032	0.08	18.3	10.5	0.32	538	0.74	0.02
ZZ18186		1.71	48.4	4.32	2.79	0.13	0.05	0.04	0.047	0.08	7.1	7.5	0.18	468	2.83	0.01
ZZ18187		1.79	55.3	4.89	1.52	0.12	0.02	0.02	0.043	0.07	3.5	4.4	0.07	346	0.57	0.01
ZZ18188		0.96	33.6	4.14	2.69	0.11	0.02	0.07	0.035	0.07	6.9	5.8	0.15	474	0.95	0.01
ZZ18189		0.38	42.5	3.63	2.60	0.12	0.07	0.06	0.048	0.07	8.4	4.6	0.20	438	0.55	0.01
ZZ18190		0.45	39.5	3.14	2.99	0.13	0.09	0.09	0.038	0.07	22.5	7.2	0.22	523	0.48	<0.01
ZZ18191		1.20	18.3	3.37	4.69	0.12	0.04	0.05	0.032	0.06	13.2	11.8	0.28	694	0.78	<0.01
ZZ18192		1.15	24.2	3.30	4.33	0.11	0.05	0.04	0.029	0.05	12.3	16.6	0.46	471	0.94	<0.01
ZZ18193		4.28	40.7	3.81	4.07	0.13	0.11	0.10	0.041	0.11	11.7	30.3	0.39	831	1.20	0.01
ZZ18194		1.39	39.6	3.94	4.45	0.12	0.03	0.05	0.036	0.07	7.9	20.1	0.39	670	1.54	<0.01
ZZ18195		1.60	26.9	3.72	5.04	0.11	<0.02	0.04	0.032	0.06	11.4	21.8	0.47	484	1.31	<0.01
ZZ18196		0.22	30.3	3.09	3.09	0.13	0.10	0.10	0.031	0.08	18.2	11.8	0.22	271	0.90	<0.01
ZZ18197		1.33	28.6	3.01	4.59	0.14	0.10	0.06	0.032	0.12	25.0	32.1	1.24	251	0.37	<0.01
ZZ18198		1.82	32.9	2.98	6.64	0.16	0.13	0.06	0.031	0.12	26.9	64.3	2.11	295	0.45	<0.01
ZZ18199		0.78	50.0	5.11	1.54	0.11	0.09	0.22	0.048	0.12	3.4	3.7	0.11	192	1.88	<0.01
CC126889		0.89	41.5	4.20	2.72	0.14	0.05	0.08	0.043	0.08	11.7	12.8	0.21	590	0.60	0.01
CC126890		0.40	40.9	4.22	1.19	0.12	0.07	0.08	0.044	0.08	4.2	4.4	0.10	301	0.72	0.01
CC126475		0.61	39.4	2.08	1.46	0.10	0.08	0.02	0.034	0.11	5.0	4.6	0.08	275	0.19	0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 20- AUG- 2011
Account: RCM

Project: Rackla- Dale Extension

CERTIFICATE OF ANALYSIS WH11149810

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
ZZ18326		0.19	33.8	620	22.7	9.2	<0.001	0.05	0.48	5.6	1.0	0.4	42.2	0.01	0.05	2.1
ZZ18327		0.39	34.0	540	16.3	9.5	<0.001	0.03	0.71	3.4	0.6	0.6	12.0	0.01	0.06	1.5
ZZ18328		0.25	25.5	510	19.9	12.1	<0.001	0.03	0.38	3.5	0.2	0.6	16.1	0.01	0.06	2.0
ZZ18329		0.40	25.8	550	18.8	11.2	<0.001	0.04	0.38	4.2	0.4	0.5	16.1	0.01	0.05	3.0
ZZ18330		0.12	36.0	480	20.2	10.1	<0.001	0.03	0.42	5.9	1.3	0.4	14.9	0.01	0.04	3.9
ZZ18331		0.15	29.3	660	19.0	12.3	<0.001	0.04	0.32	5.1	1.3	0.5	31.5	0.01	0.04	2.8
ZZ19150		0.35	21.1	710	16.0	17.9	<0.001	0.06	0.34	4.1	1.0	0.6	40.8	0.01	0.03	2.0
ZZ18186		<0.05	29.7	260	33.8	10.9	0.002	0.02	0.51	6.9	1.4	0.6	23.3	0.01	0.04	3.8
ZZ18187		<0.05	47.6	510	17.2	6.5	<0.001	0.02	0.21	6.9	0.6	0.5	15.7	0.01	0.02	2.7
ZZ18188		0.13	33.8	370	20.3	7.0	<0.001	0.02	0.47	5.9	0.8	0.5	23.9	0.01	0.05	3.0
ZZ18189		0.11	45.4	530	22.3	4.8	<0.001	0.06	0.35	6.4	0.7	0.6	54.2	0.01	0.05	2.3
ZZ18190		0.22	28.9	250	15.5	6.3	<0.001	0.01	0.33	5.8	1.2	0.5	31.9	<0.01	0.02	3.5
ZZ18191		0.47	23.8	890	16.3	12.4	0.001	0.04	0.36	2.9	0.3	0.6	29.6	<0.01	0.04	1.5
ZZ18192		0.71	34.7	520	14.9	8.0	<0.001	0.02	0.67	2.9	0.5	0.5	30.8	<0.01	0.02	2.3
ZZ18193		0.32	32.4	890	37.2	19.0	0.001	0.07	0.68	7.3	1.3	0.6	77.0	<0.01	0.08	1.6
ZZ18194		0.53	30.6	650	27.5	11.6	<0.001	0.02	0.72	3.7	0.6	0.6	10.9	<0.01	0.09	1.9
ZZ18195		0.66	28.8	600	21.1	10.4	<0.001	0.02	0.83	2.7	0.8	0.6	10.6	<0.01	0.06	0.9
ZZ18196		0.26	22.7	850	16.7	6.9	<0.001	0.04	0.39	4.3	0.9	0.4	42.1	<0.01	0.03	2.1
ZZ18197		0.37	24.5	670	13.1	11.2	<0.001	0.04	0.25	4.6	1.1	0.5	27.6	<0.01	0.03	2.4
ZZ18198		0.52	27.0	630	13.9	14.0	0.001	0.04	0.29	5.4	1.3	0.6	30.1	<0.01	0.02	2.7
ZZ18199		<0.05	38.8	100	16.2	5.0	0.003	<0.01	0.55	8.4	0.7	0.7	34.6	<0.01	0.04	3.0
CC126889		0.19	38.0	660	29.1	8.7	<0.001	0.03	0.44	5.8	0.9	0.5	57.7	<0.01	0.06	2.7
CC126890		0.07	39.3	310	26.5	4.2	0.001	0.02	0.37	6.0	1.2	0.6	109.5	<0.01	0.06	3.7
CC126475		<0.05	33.6	110	13.2	5.9	<0.001	<0.01	0.18	6.2	<0.2	0.6	54.1	<0.01	0.08	3.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 20- AUG- 2011
Account: RCM

Project: Rackla- Dale Extension

CERTIFICATE OF ANALYSIS WH11149810

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
ZZ18326		0.012	0.12	6.03	30	0.09	12.40	143	2.2
ZZ18327		0.021	0.11	1.04	34	0.17	5.32	97	<0.5
ZZ18328		0.013	0.13	1.19	40	0.09	4.10	70	1.0
ZZ18329		0.014	0.14	2.01	37	0.11	8.42	69	1.0
ZZ18330		0.010	0.21	1.75	28	0.06	10.00	85	1.3
ZZ18331		0.010	0.18	3.55	37	0.06	12.05	97	1.4
ZZ19150		0.017	0.12	4.42	34	0.09	11.15	114	1.4
ZZ18186		0.007	0.16	1.27	29	<0.05	12.70	113	0.8
ZZ18187		0.008	0.06	0.82	18	<0.05	10.70	112	<0.5
ZZ18188		0.010	0.16	0.77	21	0.07	10.95	88	<0.5
ZZ18189		0.010	0.08	3.58	24	0.05	18.15	95	1.5
ZZ18190		0.007	0.15	4.12	31	0.06	13.10	74	2.2
ZZ18191		0.010	0.21	1.93	40	0.18	8.06	75	1.1
ZZ18192		0.021	0.14	1.11	42	0.16	4.71	80	1.2
ZZ18193		0.008	0.16	4.56	30	0.09	20.5	126	2.4
ZZ18194		0.012	0.18	0.91	46	0.15	5.15	134	0.8
ZZ18195		0.026	0.13	0.82	47	0.24	5.30	111	<0.5
ZZ18196		0.006	0.10	3.84	33	0.07	15.65	100	2.2
ZZ18197		0.013	0.10	1.46	35	0.06	14.65	104	2.3
ZZ18198		0.018	0.18	2.47	40	0.05	15.75	110	2.9
ZZ18199		<0.005	0.07	0.87	30	<0.05	9.14	96	3.3
CC126889		0.005	0.16	1.39	24	<0.05	16.10	97	1.3
CC126890		<0.005	0.11	1.18	12	<0.05	14.55	96	2.1
CC126475		<0.005	0.06	0.38	12	<0.05	5.32	73	2.7

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 20- AUG- 2011
Account: RCM

Project: Rackla- Dale Extension

CERTIFICATE OF ANALYSIS WH11149810

Method	CERTIFICATE COMMENTS
ALL METHODS	NSS is non- sufficient sample.
ME- MS41	Gold determinations by this method are semi- quantitative due to the small sample weight used (0.5g).

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 20- AUG- 2011
Account: RCM

CERTIFICATE WH11149811

Project: Rackla- Jam Extension

P.O. No.:

This report is for 178 Soil samples submitted to our lab in Whitehorse, YT, Canada on 3- AUG- 2011.

The following have access to data associated with this certificate:

ROB CARNE JULIA LANE	ANDREW CARNE JOAN MARIACHER	MATT DUMALA

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
SCR- 41	Screen to - 180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- TL43	Trace Level Au - 25g AR	ICP- MS
ME- MS41	51 anal. aqua regia ICPMS	

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 20- AUG- 2011
Account: RCM

Project: Rackla- Jam Extension

CERTIFICATE OF ANALYSIS WH11149811

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- TL43 Au ppm 0.001	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1
ZZ18001		0.18	0.002	0.75	0.72	12.0	<0.2	<10	2650	0.42	0.20	0.35	0.29	9.25	3.2	19
ZZ18002		0.28	0.002	0.72	0.55	19.9	<0.2	<10	2500	0.23	0.17	0.18	0.20	6.52	0.8	17
ZZ18003		0.32	0.002	1.56	0.54	13.4	<0.2	<10	2500	0.50	0.19	0.72	0.69	7.61	4.6	20
ZZ18004		0.21	0.003	0.57	0.98	10.9	<0.2	<10	2370	0.66	0.21	1.34	0.94	16.90	9.1	21
ZZ18005		0.31	0.003	1.10	0.71	9.6	<0.2	<10	310	0.29	0.27	0.10	0.48	7.53	2.5	14
ZZ18006		0.30	0.004	0.68	0.83	7.9	<0.2	<10	260	0.33	0.31	0.06	0.35	8.54	8.0	16
ZZ18007		0.39	0.004	0.76	0.82	7.2	<0.2	<10	360	0.37	0.29	0.13	0.71	13.60	4.0	16
ZZ18008		0.30	0.002	0.52	0.86	8.4	<0.2	<10	210	0.50	0.29	0.11	0.68	14.80	16.3	16
ZZ18009		0.31	0.001	1.82	0.13	6.2	<0.2	<10	320	0.16	0.15	0.23	2.33	2.74	0.3	5
ZZ18010		0.23	0.002	1.58	0.81	18.8	<0.2	<10	570	0.69	0.17	1.32	8.07	17.80	6.6	30
ZZ18011		0.39	0.006	8.80	0.53	38.8	<0.2	<10	460	0.99	0.17	1.05	33.8	21.2	9.2	143
ZZ18012		0.29	0.002	1.35	0.69	15.4	<0.2	<10	370	0.86	0.17	2.51	4.30	24.6	5.7	49
ZZ18013		0.35	0.002	0.99	0.78	13.5	<0.2	<10	440	0.70	0.17	1.64	3.39	20.0	4.7	23
ZZ18014		0.31	0.001	0.07	0.53	8.0	<0.2	<10	120	0.60	0.18	0.33	0.31	15.15	10.8	10
ZZ18015		0.24	0.001	0.20	0.89	4.1	<0.2	<10	250	1.35	0.22	2.71	0.51	22.3	14.9	15
ZZ18016		0.38	0.001	0.03	1.45	9.6	<0.2	<10	110	0.32	0.33	0.14	0.08	22.6	9.4	22
ZZ18017		0.32	0.001	0.27	1.44	4.5	<0.2	<10	160	0.82	0.25	0.94	0.21	38.1	10.3	22
ZZ18018		0.25	0.002	0.18	1.44	5.8	<0.2	<10	310	1.01	0.27	1.66	0.18	17.50	12.6	22
ZZ18019		0.35	0.002	0.09	2.11	13.3	<0.2	<10	300	0.98	0.35	0.53	0.54	28.2	21.9	31
ZZ18020		0.20	0.002	0.12	1.45	8.7	<0.2	<10	430	0.80	0.27	1.45	0.34	17.05	13.9	22
ZZ18021		0.22	<0.001	0.13	1.41	9.5	<0.2	<10	390	1.07	0.33	1.68	0.29	14.80	12.7	21
ZZ18022		0.31	<0.001	1.35	0.66	21.5	<0.2	<10	2710	0.61	0.21	0.69	2.20	12.25	6.2	23
ZZ18023		0.24	0.001	1.14	0.54	16.6	<0.2	<10	2310	0.39	0.18	1.10	2.06	9.24	6.2	22
ZZ18024		0.37	<0.001	1.55	0.51	13.9	<0.2	<10	2380	0.48	0.18	0.87	2.34	11.55	8.3	25
ZZ18025		0.36	<0.001	1.18	0.69	17.7	<0.2	<10	2450	0.62	0.21	0.56	2.22	13.80	7.6	25
ZZ18026		0.20	0.001	1.10	0.96	18.3	<0.2	<10	2110	0.72	0.23	0.74	2.95	16.55	11.8	27
ZZ18027		0.36	0.001	0.22	1.13	14.3	<0.2	<10	360	0.74	0.28	6.26	0.91	21.1	15.3	19
ZZ18028		0.38	0.001	0.13	1.65	14.5	<0.2	<10	230	0.84	0.32	4.24	0.42	25.0	22.5	24
ZZ18029		0.39	<0.001	0.09	1.24	11.5	<0.2	<10	160	0.61	0.31	1.06	0.29	21.1	13.2	20
ZZ18030		0.38	0.001	0.15	1.34	13.6	<0.2	<10	230	0.90	0.36	0.28	0.29	33.9	19.9	22
ZZ18031		0.39	<0.001	0.06	0.84	15.7	<0.2	<10	70	0.56	0.32	0.14	0.16	11.80	7.4	16
ZZ18032		0.32	0.001	0.14	1.77	12.9	<0.2	<10	180	0.86	0.30	0.50	0.24	32.2	17.9	27
ZZ18033		0.34	0.001	0.16	1.83	15.8	<0.2	<10	230	0.77	0.28	0.61	0.27	33.0	19.1	30
ZZ18034		0.37	0.001	0.14	1.63	11.9	<0.2	<10	310	0.71	0.26	1.64	0.36	25.5	16.5	26
ZZ18035		0.32	0.002	0.17	1.97	8.4	<0.2	<10	330	0.89	0.28	0.83	0.62	34.6	20.9	32
ZZ18036		0.29	0.001	0.10	1.87	8.9	<0.2	<10	230	0.74	0.27	1.16	0.43	29.8	16.2	31
ZZ18037		0.33	0.001	0.12	2.08	12.6	<0.2	<10	230	0.95	0.31	0.66	0.21	30.3	18.2	31
ZZ18038		0.28	<0.001	0.21	1.46	8.7	<0.2	<10	280	0.65	0.25	2.03	0.58	26.8	11.8	24
ZZ18039		0.41	<0.001	0.12	1.28	14.9	<0.2	<10	250	1.07	0.46	0.40	0.10	34.9	16.3	16
ZZ18040		0.24	<0.001	0.09	2.10	6.6	<0.2	<10	580	0.69	0.24	0.53	0.22	24.5	11.2	28

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 20- AUG- 2011
Account: RCM

Project: Rackla- Jam Extension

CERTIFICATE OF ANALYSIS WH11149811

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
ZZ18001		0.58	21.2	1.96	2.63	0.12	0.02	0.15	0.023	0.05	5.0	4.9	0.09	104	3.04	0.04
ZZ18002		0.59	18.2	2.18	1.98	0.11	<0.02	0.11	0.019	0.04	3.8	1.9	0.04	12	2.31	0.04
ZZ18003		0.66	41.2	1.91	1.52	0.13	0.03	0.18	0.033	0.05	4.6	3.8	0.06	309	3.13	0.04
ZZ18004		0.53	53.4	2.48	3.08	0.14	0.06	0.13	0.025	0.07	8.5	12.3	0.35	495	2.78	0.05
ZZ18005		0.90	35.7	1.53	2.66	0.11	0.02	0.28	0.017	0.08	3.5	6.0	0.12	98	3.21	0.02
ZZ18006		1.37	30.5	1.99	3.11	0.12	0.02	0.22	0.026	0.10	3.9	7.4	0.14	394	3.06	0.02
ZZ18007		1.44	40.9	1.65	3.16	0.12	0.02	0.23	0.037	0.10	6.1	9.9	0.18	140	2.80	0.03
ZZ18008		0.85	41.4	2.46	3.14	0.11	0.02	0.16	0.037	0.10	6.0	12.2	0.20	525	4.83	0.02
ZZ18009		0.47	19.5	0.18	0.79	0.11	0.07	0.17	0.009	0.06	1.5	0.7	0.03	7	15.25	0.02
ZZ18010		0.55	47.8	1.67	3.13	0.12	0.04	0.18	0.027	0.06	11.4	7.3	0.16	208	20.8	0.03
ZZ18011		0.74	191.5	1.65	3.93	0.22	0.04	0.62	0.029	0.12	23.4	3.5	0.07	355	54.0	0.03
ZZ18012		0.45	62.4	1.64	2.53	0.15	0.05	0.26	0.027	0.08	18.6	6.2	0.18	172	4.38	0.03
ZZ18013		0.43	56.9	1.98	2.49	0.12	0.05	0.22	0.029	0.09	11.4	5.5	0.12	189	9.25	0.03
ZZ18014		0.47	24.3	2.48	1.56	0.05	0.02	0.02	0.028	0.11	5.5	3.7	0.08	163	7.62	0.01
ZZ18015		1.10	22.0	3.33	2.28	0.09	0.10	0.03	0.047	0.14	10.2	13.2	0.30	268	1.36	0.01
ZZ18016		0.92	17.7	3.62	5.71	0.05	0.03	0.01	0.026	0.06	11.0	22.9	0.28	305	1.24	0.01
ZZ18017		3.50	20.1	2.34	4.23	0.09	0.06	0.08	0.029	0.12	19.0	25.6	0.38	642	0.72	0.01
ZZ18018		2.31	34.7	2.52	4.02	0.07	0.08	0.06	0.029	0.12	8.9	23.6	0.48	690	0.81	0.01
ZZ18019		1.17	56.1	5.14	5.89	0.09	0.07	0.07	0.038	0.14	12.5	35.6	0.82	1080	0.66	0.01
ZZ18020		1.00	39.9	3.11	4.39	0.06	0.07	0.07	0.032	0.10	7.9	24.9	0.52	736	0.64	0.01
ZZ18021		1.76	39.4	2.81	4.52	0.06	0.07	0.07	0.033	0.10	7.1	23.8	0.41	565	0.88	0.01
ZZ18022		0.92	81.2	2.48	1.88	0.09	0.05	0.18	0.044	0.08	6.6	5.8	0.10	96	8.78	0.01
ZZ18023		0.86	56.7	2.34	1.42	0.08	0.06	0.13	0.037	0.09	4.9	5.1	0.14	127	4.66	0.01
ZZ18024		1.04	59.3	1.75	1.42	0.07	0.05	0.17	0.034	0.10	6.8	3.5	0.06	261	7.74	0.01
ZZ18025		0.96	67.3	2.37	2.02	0.08	0.06	0.17	0.036	0.11	7.5	6.8	0.13	280	7.87	0.01
ZZ18026		0.85	66.2	3.11	2.59	0.08	0.06	0.20	0.037	0.10	8.8	11.3	0.29	210	5.51	0.01
ZZ18027		1.15	59.8	3.60	3.50	0.07	0.07	0.19	0.034	0.09	9.5	24.9	2.28	718	1.16	0.02
ZZ18028		2.12	79.1	4.41	4.93	0.08	0.12	0.14	0.037	0.11	11.3	40.7	1.78	783	0.83	0.01
ZZ18029		0.79	45.1	4.01	4.38	0.07	0.04	0.08	0.035	0.08	9.9	17.8	0.56	519	0.94	0.01
ZZ18030		0.72	62.1	4.21	3.83	0.10	0.06	0.12	0.038	0.07	15.2	27.3	0.61	721	0.81	<0.01
ZZ18031		2.11	23.7	3.04	2.69	0.05	0.02	0.01	0.041	0.09	5.4	24.4	0.24	99	1.20	<0.01
ZZ18032		0.97	64.6	4.24	5.20	0.10	0.08	0.09	0.038	0.07	17.2	37.0	0.83	561	0.74	0.01
ZZ18033		0.99	63.6	4.47	5.22	0.10	0.08	0.07	0.040	0.07	17.5	35.2	0.93	688	0.88	0.01
ZZ18034		0.77	59.9	3.66	4.88	0.08	0.06	0.08	0.033	0.07	12.2	35.1	0.81	621	0.71	0.01
ZZ18035		0.81	73.0	3.71	5.47	0.10	0.09	0.11	0.040	0.11	16.1	47.7	1.06	388	0.67	0.01
ZZ18036		0.77	51.1	3.18	5.12	0.07	0.09	0.07	0.037	0.08	13.2	40.6	0.95	319	0.67	0.01
ZZ18037		0.90	82.9	4.71	5.59	0.10	0.08	0.08	0.039	0.09	15.5	42.2	0.99	507	0.69	0.01
ZZ18038		1.04	34.1	2.90	3.89	0.07	0.03	0.09	0.031	0.06	12.0	22.3	0.39	520	0.83	0.01
ZZ18039		0.68	38.2	4.55	2.68	0.09	0.06	0.05	0.056	0.08	8.9	20.9	0.41	352	0.78	0.01
ZZ18040		0.84	23.4	3.19	6.26	0.05	0.03	0.02	0.033	0.04	11.8	23.1	0.49	349	0.76	0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 20- AUG- 2011
Account: RCM

Project: Rackla- Jam Extension

CERTIFICATE OF ANALYSIS WH11149811

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
ZZ18001		0.23	17.8	950	10.7	7.6	0.004	0.10	0.67	3.0	3.0	0.3	53.5	<0.01	0.06	1.5
ZZ18002		0.20	9.4	1630	9.1	5.7	0.003	0.12	0.42	2.2	2.2	0.3	52.9	<0.01	0.06	1.1
ZZ18003		0.10	33.8	1020	11.0	6.5	0.006	0.09	0.92	4.5	4.6	0.3	88.7	<0.01	0.12	1.6
ZZ18004		0.37	37.2	870	12.7	5.5	0.005	0.11	1.40	4.5	3.4	0.3	94.5	<0.01	0.07	2.0
ZZ18005		0.19	13.4	580	15.1	10.4	0.002	0.06	1.00	1.9	2.3	0.4	19.2	<0.01	0.07	1.7
ZZ18006		0.20	12.9	620	16.9	12.5	0.003	0.04	1.31	2.2	2.1	0.4	10.9	<0.01	0.08	2.2
ZZ18007		0.31	20.1	570	15.3	12.3	0.002	0.04	1.36	2.9	2.6	0.4	16.9	<0.01	0.08	2.8
ZZ18008		0.17	26.7	700	17.5	10.3	0.003	0.05	1.87	3.3	2.5	0.4	17.2	<0.01	0.06	3.2
ZZ18009		<0.05	13.5	110	22.7	4.2	0.033	0.06	10.05	1.0	6.1	0.4	42.8	<0.01	0.13	1.1
ZZ18010		0.31	110.5	1110	10.1	6.3	0.006	0.07	10.60	3.2	5.7	0.5	53.6	<0.01	0.10	1.2
ZZ18011		0.10	199.5	2000	12.9	9.9	0.016	0.11	29.8	5.5	21.2	0.5	60.8	<0.01	0.23	1.1
ZZ18012		0.20	64.8	2820	11.7	6.9	0.008	0.11	5.48	3.2	4.9	0.5	70.9	<0.01	0.09	1.2
ZZ18013		0.24	40.7	3010	12.2	7.6	0.014	0.10	4.02	2.9	4.8	0.4	53.2	<0.01	0.08	1.7
ZZ18014		0.19	17.9	350	12.8	7.7	0.001	0.01	2.10	3.4	1.4	0.4	11.8	<0.01	0.02	3.0
ZZ18015		0.39	36.4	690	16.9	10.4	0.001	0.08	0.44	6.1	1.2	0.5	130.0	<0.01	0.02	2.8
ZZ18016		0.81	14.9	170	18.1	9.4	<0.001	0.01	0.61	2.6	0.4	0.7	10.1	<0.01	0.04	3.6
ZZ18017		0.64	19.2	700	14.7	16.3	<0.001	0.05	0.31	4.5	1.0	0.5	47.7	<0.01	0.03	2.4
ZZ18018		0.49	22.2	720	18.3	13.6	<0.001	0.07	0.40	4.7	1.1	0.5	64.1	<0.01	0.04	1.9
ZZ18019		0.32	34.1	420	27.8	12.9	<0.001	0.01	0.42	6.5	0.6	0.6	24.4	<0.01	0.07	5.4
ZZ18020		0.50	25.0	670	18.9	10.8	<0.001	0.06	0.38	4.9	0.9	0.5	57.2	<0.01	0.05	2.3
ZZ18021		0.56	22.0	610	20.1	13.5	<0.001	0.07	0.41	4.8	1.1	0.6	70.9	<0.01	0.05	2.0
ZZ18022		0.17	49.3	1400	14.9	9.1	0.010	0.12	2.90	5.6	8.8	0.4	129.0	0.01	0.12	2.4
ZZ18023		0.16	56.8	1420	11.1	8.9	0.032	0.17	1.88	4.0	5.8	0.3	155.0	<0.01	0.10	2.1
ZZ18024		0.11	63.2	1940	9.4	9.1	0.010	0.11	2.81	5.5	5.0	0.4	113.0	<0.01	0.09	2.3
ZZ18025		0.23	63.4	1340	13.5	9.6	0.010	0.08	2.97	5.9	6.4	0.4	101.5	<0.01	0.11	3.7
ZZ18026		0.32	68.5	1270	16.8	8.9	0.003	0.06	1.89	6.3	2.8	0.4	81.8	<0.01	0.09	3.3
ZZ18027		0.23	32.4	560	28.3	7.6	0.001	0.03	0.53	7.5	0.9	0.4	136.5	<0.01	0.04	5.1
ZZ18028		0.15	37.8	590	25.3	8.8	0.001	0.03	0.48	8.7	0.9	0.4	106.5	<0.01	0.07	5.6
ZZ18029		0.35	24.2	370	26.5	10.5	<0.001	0.02	0.43	5.8	0.7	0.5	35.1	<0.01	0.06	4.1
ZZ18030		0.16	38.6	350	29.6	6.7	<0.001	0.01	0.47	8.9	1.1	0.4	18.1	0.01	0.06	6.4
ZZ18031		0.18	16.7	220	69.4	9.2	<0.001	0.03	0.84	2.6	0.5	0.4	12.2	<0.01	0.04	3.1
ZZ18032		0.39	34.1	430	19.7	8.2	<0.001	0.02	0.48	9.4	1.0	0.4	31.4	<0.01	0.07	4.4
ZZ18033		0.45	34.8	410	18.7	7.5	<0.001	0.02	0.55	9.4	1.0	0.4	33.1	<0.01	0.07	4.1
ZZ18034		0.39	31.9	530	16.5	7.5	<0.001	0.06	0.52	6.3	1.1	0.4	98.1	<0.01	0.07	1.8
ZZ18035		0.42	38.2	680	17.6	8.5	0.001	0.06	0.45	9.2	1.8	0.4	56.7	<0.01	0.07	5.3
ZZ18036		0.63	30.8	530	17.1	9.3	0.001	0.19	0.41	7.0	1.4	0.4	52.0	<0.01	0.05	4.7
ZZ18037		0.29	36.7	620	18.2	8.0	<0.001	0.02	0.47	9.8	1.0	0.4	44.0	<0.01	0.08	4.7
ZZ18038		0.81	22.0	770	14.5	8.7	<0.001	0.06	0.55	3.9	1.2	0.5	99.1	<0.01	0.05	1.4
ZZ18039		0.14	35.0	240	31.7	8.5	<0.001	0.01	0.42	6.5	1.0	0.5	29.8	<0.01	0.06	4.7
ZZ18040		0.77	18.2	270	14.9	8.0	<0.001	0.01	0.31	4.5	0.4	0.7	27.3	<0.01	0.04	2.7

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 20- AUG- 2011
Account: RCM

Project: Rackla- Jam Extension

CERTIFICATE OF ANALYSIS WH11149811

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
ZZ18001		<0.005	0.14	1.61	44	0.06	9.12	62	0.7
ZZ18002		<0.005	0.13	1.77	43	0.06	7.02	21	0.5
ZZ18003		<0.005	0.11	3.27	45	<0.05	22.1	122	1.2
ZZ18004		0.011	0.18	2.49	52	0.10	15.35	134	2.1
ZZ18005		<0.005	0.26	1.08	58	0.05	5.16	66	<0.5
ZZ18006		0.005	0.38	1.03	59	<0.05	5.43	80	0.5
ZZ18007		0.007	0.40	1.17	54	0.09	8.09	90	0.6
ZZ18008		<0.005	0.31	1.27	68	0.05	9.74	148	0.5
ZZ18009		<0.005	1.03	2.08	80	0.16	4.29	51	4.1
ZZ18010		0.008	0.94	7.87	284	0.17	20.5	566	1.2
ZZ18011		0.007	1.22	8.70	1260	0.35	40.6	848	1.8
ZZ18012		0.005	0.26	6.69	385	0.10	26.6	330	1.5
ZZ18013		0.005	0.25	6.95	288	0.10	15.95	253	1.8
ZZ18014		<0.005	0.09	1.02	33	<0.05	4.74	144	0.7
ZZ18015		<0.005	0.25	0.88	24	<0.05	12.10	118	7.3
ZZ18016		0.013	0.10	0.40	50	0.13	2.29	70	1.6
ZZ18017		0.014	0.13	2.82	30	0.11	16.25	72	1.6
ZZ18018		0.008	0.12	1.62	28	0.08	15.10	78	2.6
ZZ18019		0.006	0.15	0.87	43	0.07	8.87	167	3.0
ZZ18020		0.007	0.11	1.25	30	0.09	9.55	137	2.0
ZZ18021		0.006	0.11	2.37	28	0.08	11.65	96	2.3
ZZ18022		<0.005	0.32	4.31	75	0.08	25.9	223	1.6
ZZ18023		<0.005	0.33	3.47	53	0.06	18.00	257	2.1
ZZ18024		<0.005	0.26	4.30	87	0.08	21.6	282	2.3
ZZ18025		0.005	0.26	4.54	97	0.08	21.7	281	3.6
ZZ18026		0.006	0.22	2.04	91	0.09	22.0	731	2.5
ZZ18027		0.006	0.20	1.14	29	0.05	12.25	402	3.7
ZZ18028		0.005	0.19	0.78	36	<0.05	11.80	204	6.4
ZZ18029		0.006	0.14	0.72	37	0.09	8.81	141	1.7
ZZ18030		<0.005	0.12	1.22	29	<0.05	18.70	127	2.9
ZZ18031		<0.005	0.11	0.67	15	<0.05	3.00	155	1.1
ZZ18032		0.009	0.09	0.93	43	0.07	17.35	93	2.5
ZZ18033		0.011	0.10	0.85	49	0.10	18.10	93	2.4
ZZ18034		0.008	0.08	1.37	40	0.05	11.15	108	1.8
ZZ18035		0.010	0.09	1.13	49	0.06	13.90	150	4.0
ZZ18036		0.010	0.09	3.68	47	0.15	10.10	94	3.9
ZZ18037		0.007	0.08	0.89	47	0.05	15.00	93	3.0
ZZ18038		0.020	0.10	1.52	40	0.14	9.54	60	1.0
ZZ18039		<0.005	0.16	0.88	17	0.05	11.00	106	2.2
ZZ18040		0.014	0.11	0.64	63	0.16	4.75	68	1.0

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 20- AUG- 2011
Account: RCM

Project: Rackla- Jam Extension

CERTIFICATE OF ANALYSIS WH11149811

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- TL43 Au ppm 0.001	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1
ZZ19351		0.31	0.006	3.27	1.95	5.0	<0.2	<10	610	1.43	0.22	0.09	1.47	84.5	12.7	20
ZZ19352		0.33	<0.001	1.41	0.79	5.2	<0.2	<10	160	0.27	0.20	0.02	0.28	8.71	4.1	11
ZZ19353		0.37	<0.001	0.51	0.60	8.2	<0.2	<10	330	0.37	0.25	0.09	0.79	13.95	4.4	10
ZZ19354		0.34	0.001	8.24	1.34	43.9	<0.2	<10	150	0.63	0.33	0.15	1.66	18.20	7.5	77
ZZ19355		0.25	<0.001	1.90	0.53	10.8	<0.2	<10	360	0.57	0.11	4.21	9.83	27.3	6.4	48
ZZ19356		0.27	0.001	1.25	0.70	17.2	<0.2	<10	250	0.91	0.15	2.43	13.40	27.4	7.1	43
ZZ19357		0.26	<0.001	0.32	0.53	11.1	<0.2	<10	230	0.57	0.15	2.55	1.74	16.05	8.1	11
ZZ19358		0.21	<0.001	0.14	0.87	9.5	<0.2	<10	260	1.07	0.19	1.95	0.67	26.1	14.6	13
ZZ19359		0.16	0.001	0.11	0.94	6.1	<0.2	<10	240	1.04	0.18	2.21	0.36	22.7	13.9	14
ZZ19360		0.17	<0.001	0.23	0.97	4.9	<0.2	<10	280	1.40	0.19	2.62	0.54	23.0	10.0	14
ZZ19361		0.26	<0.001	0.13	1.11	6.2	<0.2	<10	230	1.24	0.22	1.12	0.32	17.55	10.9	17
ZZ19362		0.28	<0.001	0.13	1.19	7.3	<0.2	<10	260	1.24	0.29	1.22	0.32	18.65	11.7	20
ZZ19363		0.27	<0.001	0.12	1.28	7.3	<0.2	<10	370	1.33	0.27	1.25	0.46	18.75	12.3	20
ZZ19364		0.32	<0.001	0.13	1.34	8.1	<0.2	<10	340	1.33	0.27	1.30	0.33	16.85	11.1	23
ZZ19365		0.27	<0.001	0.13	1.47	8.8	<0.2	<10	320	1.19	0.30	1.09	0.32	17.55	11.5	25
ZZ19366		0.28	<0.001	0.11	1.52	8.6	<0.2	<10	360	1.06	0.31	1.10	0.23	13.55	12.0	25
ZZ19367		0.31	0.003	0.12	1.57	10.2	<0.2	<10	410	1.15	0.35	0.98	0.19	15.15	10.7	27
ZZ19368		0.25	0.004	0.71	1.23	12.3	<0.2	<10	1270	1.31	0.29	1.09	1.18	15.70	10.1	24
ZZ19369		0.26	0.004	1.41	0.80	22.9	<0.2	<10	2390	0.82	0.19	0.86	2.12	11.30	10.6	26
ZZ19370		0.32	0.003	0.17	1.64	12.8	<0.2	<10	280	0.81	0.25	0.56	0.25	27.5	12.6	29
ZZ19371		0.34	0.003	0.06	1.63	9.4	<0.2	<10	270	0.67	0.26	0.34	0.14	28.1	10.0	28
ZZ19372		0.39	0.003	0.19	1.46	15.4	<0.2	<10	320	0.91	0.27	2.15	0.51	27.7	13.9	24
ZZ19373		0.32	0.003	0.10	1.37	11.5	<0.2	<10	180	1.04	0.29	1.13	0.41	22.1	13.1	20
ZZ19374		0.43	0.003	0.14	1.18	9.7	<0.2	<10	150	0.80	0.28	1.66	0.33	20.9	13.5	19
ZZ19375		0.17	0.003	0.12	1.05	4.8	<0.2	<10	190	0.63	0.19	2.16	0.30	14.40	8.1	16
ZZ19376		0.35	0.004	0.10	1.96	16.0	<0.2	<10	180	0.99	0.33	0.47	0.18	37.5	24.4	31
ZZ19377		0.31	0.003	0.13	1.80	10.7	<0.2	<10	210	0.95	0.24	1.00	0.34	27.8	13.8	30
ZZ19378		0.23	0.005	0.11	1.89	8.9	<0.2	<10	220	0.94	0.23	1.22	0.36	31.8	12.0	33
ZZ19379		0.37	0.004	0.13	2.15	11.8	<0.2	<10	170	1.18	0.31	0.40	0.38	31.9	20.9	34
ZZ19380		0.33	0.004	0.07	2.02	13.2	<0.2	<10	200	1.05	0.33	0.43	0.16	29.9	20.5	32
ZZ19381		0.30	0.003	0.08	2.01	12.5	<0.2	<10	290	1.01	0.33	0.56	0.20	29.4	15.7	29
ZZ19382		0.33	0.002	0.04	2.10	12.5	<0.2	<10	250	0.94	0.30	0.13	0.13	34.1	16.9	29
ZZ19383		0.30	0.002	0.04	2.05	12.7	<0.2	<10	220	0.64	0.29	0.15	0.16	28.4	13.5	28
ZZ19384		0.26	0.002	0.02	1.48	11.7	<0.2	<10	110	0.37	0.25	0.05	0.12	22.8	10.1	24
ZZ19385		0.32	0.003	0.08	1.52	6.8	<0.2	<10	180	0.70	0.22	1.82	0.21	22.4	14.2	24
ZZ19386		0.29	0.004	0.14	1.53	5.5	<0.2	<10	200	1.11	0.28	1.61	0.23	19.95	10.1	28
ZZ19387		0.36	0.003	0.08	2.23	13.1	<0.2	<10	360	1.38	0.28	0.24	0.09	31.8	15.9	33
ZZ19388		0.30	0.002	0.04	1.96	12.2	<0.2	<10	500	1.06	0.26	0.24	0.22	27.4	17.1	28
ZZ19389		0.40	0.003	0.08	1.78	14.3	<0.2	<10	250	1.36	0.33	0.52	0.15	17.45	14.9	27
ZZ19390		0.42	0.004	0.11	1.38	12.1	<0.2	<10	150	0.99	0.29	0.46	0.30	20.8	14.3	24

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 20- AUG- 2011
Account: RCM

Project: Rackla- Jam Extension

CERTIFICATE OF ANALYSIS WH11149811

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
ZZ19351		2.90	381	1.77	3.07	0.30	0.16	0.81	0.054	0.08	23.2	15.7	0.13	206	1.82	<0.01
ZZ19352		1.72	32.6	1.59	2.62	<0.05	<0.02	0.21	0.022	0.10	4.1	2.5	0.05	68	2.78	0.01
ZZ19353		1.96	47.4	1.86	2.86	0.05	<0.02	0.11	0.034	0.11	5.9	1.8	0.05	70	6.06	0.03
ZZ19354		1.13	59.7	3.78	5.41	0.10	0.03	0.19	0.037	0.09	12.7	13.1	0.17	119	32.8	0.01
ZZ19355		0.33	38.3	0.93	1.39	0.09	0.06	0.26	0.015	0.03	28.2	3.6	0.10	865	2.21	0.02
ZZ19356		0.73	85.0	1.55	2.27	0.08	0.06	0.29	0.024	0.09	18.2	7.4	0.16	267	12.90	0.01
ZZ19357		0.51	29.7	2.08	1.54	0.06	0.05	0.10	0.027	0.07	7.0	4.9	0.13	126	10.30	0.01
ZZ19358		0.80	21.9	2.78	2.48	0.07	0.06	0.07	0.040	0.11	10.8	12.4	0.19	410	6.09	0.01
ZZ19359		0.87	18.5	2.69	2.52	0.07	0.07	0.05	0.040	0.11	8.7	13.7	0.21	460	4.08	0.01
ZZ19360		0.75	21.2	2.49	2.67	0.10	0.06	0.03	0.035	0.11	9.2	12.6	0.22	467	1.77	0.01
ZZ19361		1.47	18.6	2.70	3.18	0.11	0.07	0.02	0.035	0.13	6.8	17.1	0.31	412	1.71	0.01
ZZ19362		1.36	25.4	2.87	3.65	0.11	0.07	0.05	0.036	0.12	7.7	20.1	0.36	589	1.78	0.01
ZZ19363		1.11	29.1	3.01	4.15	0.11	0.07	0.03	0.038	0.13	7.6	19.9	0.36	1720	2.16	0.01
ZZ19364		1.04	30.8	2.91	4.26	0.10	0.08	0.05	0.038	0.11	7.3	20.2	0.37	484	1.51	0.01
ZZ19365		1.16	36.2	3.35	4.61	0.11	0.07	0.05	0.036	0.12	7.8	22.3	0.45	536	1.17	0.01
ZZ19366		1.12	29.0	3.16	4.63	0.09	0.06	0.06	0.032	0.11	5.9	24.1	0.46	465	1.01	0.01
ZZ19367		1.34	26.9	3.36	5.28	0.10	0.06	0.04	0.036	0.10	6.2	25.1	0.45	524	1.01	0.01
ZZ19368		1.15	74.3	3.06	3.83	0.11	0.07	0.14	0.040	0.10	6.7	17.6	0.30	365	3.88	0.01
ZZ19369		0.72	62.0	4.35	2.20	0.12	0.06	0.21	0.036	0.08	5.7	6.7	0.14	299	9.18	0.01
ZZ19370		0.83	32.8	3.82	4.79	0.10	0.07	0.06	0.029	0.07	12.9	23.5	0.66	721	0.93	0.01
ZZ19371		0.97	21.8	3.18	5.30	0.09	0.04	0.02	0.033	0.05	12.4	18.8	0.56	357	0.86	0.01
ZZ19372		0.67	45.2	4.39	4.41	0.11	0.06	0.14	0.035	0.08	12.5	23.3	1.38	1270	0.73	0.01
ZZ19373		0.72	44.2	3.90	3.75	0.10	0.06	0.11	0.036	0.09	8.0	19.8	0.50	954	0.51	<0.01
ZZ19374		0.89	44.0	3.68	3.41	0.11	0.06	0.09	0.032	0.10	8.4	19.3	0.63	666	0.60	0.01
ZZ19375		0.58	28.8	2.18	2.98	0.10	0.05	0.05	0.027	0.06	6.1	14.7	0.41	545	0.33	0.01
ZZ19376		0.79	68.7	4.90	5.79	0.13	0.08	0.07	0.041	0.09	17.5	33.8	0.94	933	0.75	<0.01
ZZ19377		0.70	48.8	3.68	5.25	0.12	0.07	0.07	0.029	0.08	12.8	31.7	0.92	290	0.48	0.01
ZZ19378		0.47	36.9	3.51	5.61	0.12	0.08	0.07	0.034	0.08	13.9	33.1	0.97	280	0.63	0.01
ZZ19379		1.20	77.2	5.47	6.48	0.13	0.10	0.08	0.045	0.13	13.9	38.8	1.04	311	1.05	0.01
ZZ19380		0.82	59.4	4.72	6.00	0.12	0.09	0.06	0.039	0.07	12.7	39.8	1.00	812	0.70	0.01
ZZ19381		1.03	40.3	4.05	6.51	0.11	0.03	0.03	0.039	0.06	11.9	33.7	0.67	601	0.88	0.01
ZZ19382		1.00	37.3	4.10	6.35	0.10	0.05	<0.01	0.040	0.05	12.6	33.7	0.63	665	0.97	0.01
ZZ19383		0.98	25.0	3.86	6.32	0.10	0.03	<0.01	0.036	0.05	11.7	29.4	0.53	392	1.41	0.01
ZZ19384		0.98	24.9	3.68	5.59	0.09	0.02	0.01	0.033	0.05	9.7	22.8	0.49	324	0.78	<0.01
ZZ19385		0.80	37.4	3.10	4.78	0.10	0.05	0.04	0.034	0.06	9.2	26.5	0.84	721	0.39	0.01
ZZ19386		1.40	75.7	2.73	4.70	0.11	0.06	0.05	0.033	0.07	12.3	28.3	0.71	871	0.57	0.01
ZZ19387		1.44	48.5	4.37	5.93	0.13	0.05	0.01	0.043	0.06	14.3	36.7	0.75	500	0.97	0.01
ZZ19388		0.79	49.0	4.27	5.29	0.10	0.05	0.01	0.038	0.07	9.5	31.2	0.72	507	1.09	<0.01
ZZ19389		1.04	56.6	4.69	5.18	0.12	0.06	0.05	0.038	0.08	8.4	35.4	0.73	429	1.40	0.01
ZZ19390		0.82	58.4	4.27	4.11	0.11	0.05	0.07	0.043	0.08	9.0	22.8	0.61	460	1.08	0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 20- AUG- 2011
Account: RCM

Project: Rackla- Jam Extension

CERTIFICATE OF ANALYSIS WH11149811

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
ZZ19351		0.42	27.8	2150	16.1	13.6	0.001	0.11	0.81	7.5	8.8	0.4	22.0	0.02	0.05	2.4
ZZ19352		0.19	13.8	590	12.1	13.3	0.001	0.03	1.17	1.5	1.6	0.5	8.3	<0.01	0.05	1.1
ZZ19353		0.19	24.2	760	15.2	11.7	0.002	0.15	2.09	2.5	2.4	0.7	33.1	<0.01	0.07	1.6
ZZ19354		0.58	132.0	2260	20.3	16.9	0.003	0.03	15.75	3.4	11.6	0.8	17.1	<0.01	0.15	2.6
ZZ19355		0.28	58.3	1830	6.5	4.9	0.010	0.16	3.09	2.0	6.0	0.3	112.5	0.01	0.06	0.4
ZZ19356		0.38	114.0	1390	12.2	9.9	0.008	0.10	8.45	2.8	5.6	0.5	63.1	0.01	0.11	0.9
ZZ19357		0.24	22.9	1290	12.3	7.0	0.011	0.11	3.37	2.2	5.8	0.3	60.0	<0.01	0.05	0.9
ZZ19358		0.40	26.8	770	14.6	10.1	0.007	0.07	0.98	4.5	3.1	0.5	69.0	<0.01	0.03	2.3
ZZ19359		0.41	24.9	740	13.8	11.2	0.003	0.09	0.60	3.9	2.3	0.5	84.5	<0.01	0.03	1.8
ZZ19360		0.39	26.0	660	13.7	8.6	0.001	0.11	0.50	3.5	1.9	0.5	101.0	<0.01	0.05	1.3
ZZ19361		0.40	24.8	500	19.4	10.3	0.001	0.05	0.42	4.3	0.6	0.5	46.2	<0.01	0.03	2.3
ZZ19362		0.44	26.5	500	18.0	10.6	0.001	0.05	0.51	4.5	0.6	0.6	49.5	<0.01	0.03	2.9
ZZ19363		0.43	30.5	550	18.9	11.1	<0.001	0.05	0.51	4.6	1.2	0.6	48.4	<0.01	0.03	2.4
ZZ19364		0.41	27.0	560	18.0	10.4	<0.001	0.06	0.50	4.4	0.9	0.6	49.1	<0.01	0.05	2.1
ZZ19365		0.40	28.5	540	20.2	10.2	0.001	0.05	0.44	5.1	0.7	0.6	41.1	<0.01	0.05	2.9
ZZ19366		0.40	27.0	540	17.9	9.5	<0.001	0.05	0.41	4.6	0.9	0.6	40.8	<0.01	0.04	2.9
ZZ19367		0.41	24.6	520	19.7	11.0	0.001	0.05	0.37	4.7	0.9	0.7	38.1	<0.01	0.02	2.7
ZZ19368		0.35	55.2	840	19.0	10.8	0.015	0.10	1.49	5.7	6.0	0.6	68.6	<0.01	0.08	2.3
ZZ19369		0.17	57.3	1190	13.3	7.5	0.009	0.10	2.26	5.7	6.7	0.4	95.7	<0.01	0.13	2.4
ZZ19370		0.51	29.6	500	19.3	7.3	<0.001	0.03	0.46	5.5	0.3	0.5	25.2	<0.01	0.07	3.9
ZZ19371		0.71	20.3	190	14.9	9.8	<0.001	0.02	0.38	4.3	0.4	0.5	18.2	<0.01	0.04	3.8
ZZ19372		0.17	30.1	480	34.9	6.0	<0.001	0.05	0.46	5.4	0.9	0.4	38.9	<0.01	0.07	2.5
ZZ19373		0.19	27.1	330	27.9	7.4	<0.001	0.04	0.34	5.5	0.6	0.4	42.4	<0.01	0.08	2.7
ZZ19374		0.15	30.6	490	22.8	6.4	<0.001	0.05	0.32	5.6	0.7	0.4	59.9	<0.01	0.06	3.0
ZZ19375		0.31	18.4	670	11.8	5.7	<0.001	0.16	0.32	2.9	0.5	0.3	80.6	<0.01	0.07	1.1
ZZ19376		0.10	38.9	840	22.3	6.3	<0.001	0.02	0.46	9.6	0.6	0.3	35.9	<0.01	0.08	5.6
ZZ19377		0.29	31.5	630	15.3	7.5	<0.001	0.05	0.36	6.2	1.0	0.4	45.8	<0.01	0.04	3.0
ZZ19378		0.40	29.3	680	14.7	7.3	0.001	0.13	0.27	5.9	1.1	0.4	46.6	<0.01	0.06	3.4
ZZ19379		0.18	42.8	730	18.3	8.0	<0.001	0.02	0.45	9.4	0.9	0.5	26.0	<0.01	0.08	5.6
ZZ19380		0.17	38.9	380	21.0	6.5	<0.001	0.02	0.41	7.7	0.7	0.4	25.4	<0.01	0.10	4.7
ZZ19381		0.43	30.6	420	21.2	9.3	<0.001	0.02	0.43	5.8	0.4	0.6	32.2	<0.01	0.06	3.8
ZZ19382		0.45	29.5	230	17.8	10.1	<0.001	0.01	0.38	5.4	0.3	0.6	12.6	<0.01	0.07	4.2
ZZ19383		0.74	27.9	460	16.4	8.9	<0.001	0.01	0.55	3.6	0.3	0.6	14.0	<0.01	0.06	3.7
ZZ19384		0.52	19.3	370	23.2	9.2	<0.001	0.01	0.64	3.2	<0.2	0.5	7.2	<0.01	0.04	2.8
ZZ19385		0.20	25.0	600	13.9	5.6	<0.001	0.08	0.27	5.3	0.8	0.3	60.1	<0.01	0.04	1.1
ZZ19386		0.40	27.0	820	16.1	7.5	<0.001	0.08	0.40	6.8	1.3	0.4	43.2	<0.01	0.05	1.4
ZZ19387		0.33	38.9	280	15.1	10.9	<0.001	0.01	0.49	7.6	0.8	0.5	13.8	<0.01	0.07	4.5
ZZ19388		0.23	35.9	290	15.4	7.7	<0.001	0.02	0.49	6.5	0.5	0.5	16.2	<0.01	0.07	4.2
ZZ19389		0.19	34.7	340	18.6	7.8	0.001	0.03	0.47	9.3	0.8	0.5	24.7	0.01	0.07	5.8
ZZ19390		0.23	34.4	580	16.4	6.6	0.001	0.04	0.45	8.6	0.9	0.4	25.8	<0.01	0.07	3.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 20- AUG- 2011
Account: RCM

Project: Rackla- Jam Extension

CERTIFICATE OF ANALYSIS WH11149811

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
ZZ19351		0.008	0.77	10.95	35	0.12	82.1	117	1.1
ZZ19352		<0.005	0.47	0.72	51	0.05	2.64	114	<0.5
ZZ19353		<0.005	0.52	1.55	52	0.07	6.08	138	<0.5
ZZ19354		0.008	1.09	3.13	766	0.24	10.15	848	1.1
ZZ19355		0.006	0.18	5.34	164	0.09	38.0	490	1.9
ZZ19356		0.008	0.58	7.10	610	0.18	28.9	856	2.4
ZZ19357		<0.005	0.13	4.86	85	<0.05	9.45	150	1.7
ZZ19358		<0.005	0.15	1.59	31	<0.05	11.55	112	3.3
ZZ19359		<0.005	0.15	1.71	27	<0.05	9.44	101	3.8
ZZ19360		0.006	0.13	1.08	25	<0.05	11.05	86	3.0
ZZ19361		0.005	0.11	0.82	25	0.08	9.73	98	2.8
ZZ19362		0.008	0.13	1.10	26	0.12	9.98	116	2.4
ZZ19363		0.007	0.14	1.06	27	0.10	10.50	116	2.3
ZZ19364		0.006	0.14	1.09	27	0.10	10.75	126	3.0
ZZ19365		0.007	0.12	1.06	30	0.10	10.95	136	2.4
ZZ19366		0.006	0.12	1.04	29	0.10	8.97	115	2.0
ZZ19367		0.007	0.14	1.44	32	0.11	8.33	105	1.6
ZZ19368		<0.005	0.23	3.27	53	0.09	20.9	213	2.5
ZZ19369		<0.005	0.23	4.67	95	0.12	25.5	317	1.9
ZZ19370		0.015	0.10	0.72	44	0.16	10.35	143	1.8
ZZ19371		0.021	0.12	0.78	51	0.18	6.36	114	1.0
ZZ19372		0.005	0.13	1.00	34	<0.05	11.10	204	1.6
ZZ19373		<0.005	0.13	0.61	29	<0.05	8.79	183	1.7
ZZ19374		<0.005	0.13	0.65	27	<0.05	11.05	139	2.0
ZZ19375		0.007	0.08	1.95	24	0.09	7.30	80	1.5
ZZ19376		<0.005	0.10	0.79	45	<0.05	18.50	87	3.3
ZZ19377		0.007	0.08	1.08	43	0.06	11.50	82	2.0
ZZ19378		0.008	0.07	3.53	45	0.14	10.40	78	2.3
ZZ19379		0.008	0.10	0.57	50	<0.05	13.15	111	4.5
ZZ19380		0.006	0.09	1.38	42	<0.05	10.20	89	2.6
ZZ19381		0.010	0.10	1.31	49	0.13	9.06	73	1.1
ZZ19382		0.011	0.11	0.54	52	0.12	5.88	65	2.0
ZZ19383		0.016	0.12	0.52	60	0.18	3.99	60	1.4
ZZ19384		0.013	0.09	0.44	52	0.13	2.82	59	0.9
ZZ19385		0.006	0.08	1.07	37	<0.05	11.15	63	1.4
ZZ19386		0.012	0.09	3.20	31	0.08	20.9	76	1.4
ZZ19387		0.006	0.12	0.73	48	0.08	17.40	73	1.8
ZZ19388		0.005	0.11	0.63	46	<0.05	9.06	80	2.0
ZZ19389		<0.005	0.11	0.64	41	<0.05	15.85	90	1.8
ZZ19390		0.007	0.09	0.77	39	0.05	14.70	101	1.7

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 20- AUG- 2011
Account: RCM

Project: Rackla- Jam Extension

CERTIFICATE OF ANALYSIS WH11149811

Sample Description	Method	WEI- 21	Au- TL43	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Recvd Wt.	Au	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
ZZ19391		0.34	0.005	0.20	1.44	9.6	<0.2	<10	310	0.93	0.26	1.12	0.23	17.85	13.5	24
ZZ19392		0.28	0.003	0.08	0.91	7.2	<0.2	<10	130	0.65	0.27	1.24	0.18	8.83	12.8	15
ZZ19393		0.26	0.003	1.46	0.23	12.7	<0.2	<10	680	0.31	0.16	3.67	0.61	8.13	5.0	19
ZZ19394		0.26	0.004	1.97	0.30	15.9	<0.2	<10	880	0.37	0.15	1.36	0.76	6.61	4.5	28
ZZ19395		0.25	0.003	0.61	0.41	19.2	<0.2	<10	610	0.37	0.14	2.22	0.44	6.56	5.5	16
ZZ19396		0.23	0.003	1.69	0.60	17.3	<0.2	10	1120	0.63	0.15	1.47	0.54	5.26	2.4	26
ZZ19397		0.24	0.003	1.28	0.85	19.0	<0.2	<10	1730	0.64	0.13	1.79	0.34	6.11	3.8	28
ZZ19398		0.27	0.004	1.11	0.62	11.7	<0.2	<10	2300	0.64	0.17	1.11	0.34	5.42	4.3	20
ZZ19399		0.23	0.004	1.37	0.41	16.3	<0.2	<10	1440	0.49	0.17	1.29	0.49	5.66	5.0	20
ZZ19400		0.26	0.005	0.89	0.92	15.4	<0.2	<10	5250	0.77	0.21	1.04	0.86	11.90	6.8	25
ZZ19133		0.18	0.003	0.35	1.63	25.2	<0.2	<10	890	1.04	0.21	1.34	1.87	21.5	7.7	31
ZZ19134		0.23	0.003	0.43	1.15	17.9	<0.2	<10	640	0.59	0.19	3.88	1.42	19.30	8.0	25
ZZ19135		0.24	0.002	0.22	1.80	31.3	<0.2	<10	750	0.92	0.24	1.19	0.73	21.8	10.9	32
ZZ19136		0.27	0.002	0.61	1.25	33.4	<0.2	<10	420	0.88	0.22	1.11	0.79	16.75	8.7	34
ZZ19137		0.17	0.003	0.90	1.21	34.9	<0.2	<10	580	0.85	0.22	1.43	0.74	12.20	7.4	32
ZZ19138		0.14	0.003	0.75	0.92	31.4	<0.2	<10	680	0.82	0.14	3.38	1.23	9.55	7.5	22
ZZ19139		0.18	0.002	0.31	1.34	15.7	<0.2	<10	430	0.92	0.20	1.99	0.37	9.88	10.7	24
ZZ19140		0.12	0.002	0.58	1.10	20.2	<0.2	<10	390	0.83	0.18	2.41	1.02	10.10	8.1	23
ZZ19141		0.26	0.002	0.92	1.48	26.3	<0.2	<10	490	0.94	0.24	1.49	0.60	12.10	10.4	33
ZZ19142		0.12	0.002	1.05	1.01	14.5	<0.2	<10	690	0.62	0.18	2.31	0.67	6.92	4.7	28
ZZ19143		0.12	0.003	0.44	0.83	32.5	<0.2	<10	720	0.66	0.17	3.17	1.05	14.50	10.1	22
ZZ19144		0.10	0.002	0.31	1.24	23.1	<0.2	<10	600	0.78	0.19	2.16	0.90	19.35	9.1	24
ZZ19145		0.10	0.005	0.67	0.93	17.2	<0.2	<10	680	0.62	0.17	2.81	1.03	10.65	6.3	25
ZZ19146		0.26	0.006	1.13	1.05	20.3	<0.2	<10	480	0.67	0.19	1.38	0.44	8.11	5.4	32
ZZ19147		0.29	0.002	2.96	1.24	10.4	<0.2	<10	540	0.67	0.26	0.91	0.71	4.89	6.7	41
ZZ19148		0.13	0.003	0.69	0.73	9.6	<0.2	<10	720	0.57	0.12	4.85	0.80	7.77	4.3	21
ZZ19149		0.18	0.002	0.90	1.02	16.1	<0.2	<10	630	0.82	0.20	1.37	1.92	18.45	8.9	29
ZZ19189		0.25	0.004	0.18	1.97	7.3	<0.2	<10	240	1.11	0.25	0.79	0.37	40.4	15.2	35
ZZ19190		0.24	0.002	0.15	1.87	8.8	<0.2	<10	200	0.91	0.23	0.93	0.36	25.6	13.9	30
ZZ19191		0.25	0.001	1.05	0.52	21.4	<0.2	<10	1580	0.68	0.21	1.34	2.25	8.76	6.7	19
ZZ19192		0.23	0.002	1.15	0.57	19.6	<0.2	<10	1830	0.70	0.17	1.19	3.83	11.55	11.2	23
ZZ19193		0.13	0.003	1.17	0.97	27.2	<0.2	<10	2180	0.83	0.20	0.89	1.71	16.75	10.2	24
ZZ19194		0.30	0.003	0.10	2.25	10.8	<0.2	<10	200	0.96	0.24	0.22	0.17	36.8	16.1	32
ZZ19195		0.28	0.002	0.10	2.04	11.9	<0.2	<10	300	0.87	0.25	0.37	0.13	36.0	11.8	32
ZZ19196		0.27	0.002	0.10	1.77	16.1	<0.2	<10	160	1.47	0.28	0.13	0.22	27.5	24.5	26
ZZ19197		0.18	0.001	0.05	2.15	12.2	<0.2	<10	140	0.85	0.30	0.05	0.15	21.8	11.5	29
ZZ19198		0.31	0.002	0.10	1.56	8.6	<0.2	<10	200	0.84	0.24	0.50	0.36	24.3	16.4	27
ZZ19199		0.32	0.002	0.03	1.75	11.8	<0.2	<10	200	1.07	0.29	0.21	0.09	19.90	18.2	25
ZZ19200		0.31	0.001	0.05	2.13	12.3	<0.2	<10	150	0.81	0.29	0.07	0.13	29.0	12.9	31
ZZ19201		0.25	0.003	0.18	1.73	12.1	<0.2	<10	220	1.02	0.27	0.82	0.27	26.6	14.7	29

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 20- AUG- 2011
Account: RCM

Project: Rackla- Jam Extension

CERTIFICATE OF ANALYSIS WH11149811

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
ZZ19391		0.79	62.7	3.71	4.07	0.10	0.05	0.12	0.036	0.08	7.5	23.7	0.54	607	1.04	0.01
ZZ19392		0.65	28.5	3.75	2.58	0.08	0.05	0.07	0.038	0.08	3.4	11.8	0.37	892	0.94	0.01
ZZ19393		0.98	54.0	2.24	0.71	0.11	0.04	0.14	0.031	0.08	4.2	1.1	0.09	109	4.17	0.01
ZZ19394		0.66	59.2	2.54	0.76	0.12	0.04	0.21	0.028	0.07	4.0	1.3	0.05	87	5.39	0.01
ZZ19395		0.96	25.7	1.60	1.14	0.10	0.04	0.07	0.024	0.04	5.7	2.5	0.06	234	2.33	0.01
ZZ19396		0.47	33.4	1.58	1.63	0.08	0.05	0.16	0.025	0.06	4.6	2.9	0.06	74	1.92	0.02
ZZ19397		0.43	23.8	1.92	2.23	0.09	0.05	0.17	0.027	0.05	4.8	4.5	0.08	138	2.11	0.03
ZZ19398		0.60	41.7	2.28	1.64	0.09	0.06	0.23	0.035	0.06	2.9	4.0	0.07	97	3.75	0.03
ZZ19399		0.67	49.0	2.39	1.20	0.10	0.06	0.23	0.038	0.08	3.5	3.0	0.06	83	4.42	0.02
ZZ19400		0.58	39.4	2.51	2.70	0.09	0.05	0.20	0.035	0.10	6.0	8.9	0.18	210	4.01	0.08
ZZ19133		1.02	20.1	2.75	4.45	0.12	0.04	0.08	0.035	0.07	17.6	11.4	0.26	263	1.05	0.02
ZZ19134		0.78	23.1	2.34	3.00	0.11	0.03	0.14	0.029	0.07	14.7	9.6	0.29	427	1.64	0.01
ZZ19135		1.25	20.1	2.89	4.76	0.11	0.04	0.22	0.040	0.06	16.1	13.1	0.27	322	1.30	0.01
ZZ19136		1.00	40.1	3.18	3.40	0.10	0.05	0.37	0.040	0.12	8.8	16.5	0.36	300	2.29	0.01
ZZ19137		0.94	40.6	2.58	3.28	0.10	0.05	0.55	0.039	0.10	7.2	16.3	0.28	222	2.11	0.01
ZZ19138		0.82	44.3	1.95	2.50	0.11	0.05	0.53	0.026	0.07	7.0	10.4	0.31	839	1.63	0.02
ZZ19139		0.76	21.5	2.75	3.48	0.09	0.05	0.37	0.028	0.08	4.2	32.4	0.45	402	1.69	0.01
ZZ19140		0.78	27.2	2.41	2.87	0.09	0.05	0.37	0.032	0.08	5.2	22.7	0.33	203	1.78	0.01
ZZ19141		1.08	32.4	2.91	4.16	0.10	0.06	0.46	0.032	0.09	6.2	32.2	0.44	326	1.59	0.01
ZZ19142		1.00	35.9	2.11	2.58	0.09	0.05	0.36	0.032	0.08	3.9	13.2	0.17	141	2.13	0.01
ZZ19143		1.42	25.2	1.84	2.40	0.11	0.04	0.29	0.030	0.07	12.8	6.9	0.15	836	1.23	0.01
ZZ19144		0.80	20.7	2.38	3.34	0.10	0.04	0.11	0.029	0.07	17.7	8.9	0.22	456	1.30	0.01
ZZ19145		0.72	27.2	1.94	2.51	0.10	0.05	0.24	0.028	0.09	9.1	7.5	0.18	263	1.63	0.01
ZZ19146		1.14	36.3	2.51	2.80	0.09	0.05	0.44	0.037	0.10	5.4	13.6	0.21	177	3.04	0.01
ZZ19147		0.90	44.4	3.11	3.17	0.10	0.04	0.35	0.043	0.09	2.5	20.3	0.19	70	3.39	0.01
ZZ19148		1.01	22.5	1.57	1.93	0.09	0.05	0.17	0.021	0.06	7.5	6.1	0.12	167	1.73	0.02
ZZ19149		1.53	32.2	2.47	2.93	0.11	0.05	0.18	0.044	0.09	17.8	6.1	0.11	667	4.26	0.01
ZZ19189		0.80	50.8	3.04	5.98	0.11	0.10	0.10	0.038	0.10	18.5	44.1	1.10	175	0.40	0.01
ZZ19190		0.83	33.3	3.66	5.86	0.10	0.08	0.06	0.034	0.10	10.5	41.6	0.93	1100	0.51	0.01
ZZ19191		0.98	57.6	3.56	1.79	0.10	0.04	0.18	0.035	0.12	4.2	5.7	0.59	231	9.00	0.03
ZZ19192		0.80	66.4	2.70	1.67	0.11	0.04	0.20	0.036	0.09	5.4	5.7	0.36	699	9.10	0.03
ZZ19193		0.95	58.2	8.46	2.86	0.14	0.05	0.25	0.035	0.09	7.2	14.3	0.33	486	7.79	0.04
ZZ19194		0.86	56.6	4.82	6.22	0.11	0.05	0.07	0.039	0.07	14.9	34.8	1.12	637	0.61	<0.01
ZZ19195		1.33	30.5	3.43	6.02	0.12	0.04	0.04	0.034	0.06	15.0	23.5	0.65	450	1.19	0.01
ZZ19196		1.03	72.6	5.94	5.34	0.12	0.06	0.06	0.050	0.07	10.5	32.1	0.69	673	2.09	<0.01
ZZ19197		1.11	27.0	4.82	6.98	0.09	0.07	0.02	0.046	0.06	8.2	33.0	0.41	392	1.18	<0.01
ZZ19198		0.71	55.3	4.01	4.88	0.10	0.07	0.09	0.038	0.09	9.3	28.8	0.72	366	0.85	<0.01
ZZ19199		1.00	59.5	5.15	4.48	0.10	0.04	0.07	0.046	0.08	6.9	23.0	0.55	517	0.80	<0.01
ZZ19200		1.33	36.4	4.37	6.38	0.10	0.05	0.02	0.039	0.06	12.3	35.0	0.65	416	1.15	<0.01
ZZ19201		1.43	60.9	3.92	5.18	0.11	0.05	0.12	0.036	0.09	12.0	35.7	0.81	578	0.80	0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 20- AUG- 2011
Account: RCM

Project: Rackla- Jam Extension

CERTIFICATE OF ANALYSIS WH11149811

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
ZZ19391		0.26	33.3	490	17.1	6.8	<0.001	0.05	0.42	7.8	1.2	0.5	46.8	<0.01	0.07	2.2
ZZ19392		0.11	22.8	590	16.4	9.8	0.001	0.08	0.26	5.9	1.0	0.4	47.0	<0.01	0.07	1.4
ZZ19393		<0.05	64.4	1140	10.0	5.5	0.010	0.18	1.65	5.5	4.2	0.3	217	<0.01	0.12	3.1
ZZ19394		<0.05	76.4	1170	8.5	4.9	0.006	0.18	1.72	5.2	6.2	0.3	108.0	<0.01	0.11	1.1
ZZ19395		0.12	38.5	770	8.6	4.1	0.001	0.14	0.99	1.8	2.3	0.3	41.0	<0.01	0.12	0.5
ZZ19396		0.09	31.2	940	9.0	5.8	0.005	0.10	0.98	3.2	4.7	0.3	83.4	<0.01	0.15	0.7
ZZ19397		0.14	33.9	940	8.9	4.4	0.002	0.11	0.84	3.0	4.1	0.4	100.5	<0.01	0.09	0.6
ZZ19398		0.08	50.7	710	9.6	6.6	0.005	0.08	1.06	6.3	4.0	0.4	94.8	<0.01	0.07	1.4
ZZ19399		0.07	71.9	990	9.7	6.0	0.008	0.13	1.33	7.2	6.6	0.3	137.5	<0.01	0.07	1.1
ZZ19400		0.24	41.5	1160	12.9	7.6	0.003	0.10	1.49	4.5	3.0	0.5	126.0	<0.01	0.07	2.2
ZZ19133		0.74	27.6	710	15.3	9.4	0.001	0.07	0.55	3.8	1.5	0.5	23.5	<0.01	0.03	1.2
ZZ19134		0.46	30.1	1040	18.1	7.5	0.001	0.07	0.71	2.2	1.4	0.4	39.5	<0.01	0.06	0.7
ZZ19135		0.54	38.2	430	40.2	8.5	<0.001	0.05	0.65	4.9	1.2	0.6	26.8	<0.01	0.07	1.7
ZZ19136		0.25	42.7	770	23.5	8.6	0.001	0.03	0.79	5.4	1.9	0.5	29.1	<0.01	0.08	2.7
ZZ19137		0.24	37.5	640	33.2	9.4	0.002	0.06	0.87	4.9	1.9	0.5	34.0	<0.01	0.05	1.5
ZZ19138		0.23	35.3	890	24.3	9.0	0.004	0.13	1.29	2.0	3.3	0.4	46.8	<0.01	0.04	0.5
ZZ19139		0.20	32.2	990	19.1	7.2	0.004	0.08	0.48	3.5	2.2	0.4	39.0	<0.01	0.04	1.6
ZZ19140		0.25	37.1	790	26.4	7.4	0.007	0.10	0.66	3.3	2.1	0.4	43.0	0.01	0.02	1.2
ZZ19141		0.29	42.9	760	27.4	9.8	0.002	0.06	0.71	4.4	2.6	0.5	28.4	<0.01	0.04	1.5
ZZ19142		0.19	29.8	550	14.7	9.4	0.003	0.09	0.68	2.9	2.8	0.4	30.4	<0.01	0.05	0.7
ZZ19143		0.28	40.3	930	17.7	7.3	<0.001	0.10	0.70	2.3	2.1	0.4	35.5	<0.01	0.07	0.6
ZZ19144		0.43	33.9	760	23.6	8.9	<0.001	0.08	0.59	3.1	1.5	0.5	32.7	<0.01	0.07	0.8
ZZ19145		0.26	40.1	730	15.8	7.7	0.002	0.09	0.70	3.1	2.2	0.4	44.2	<0.01	0.04	0.8
ZZ19146		0.18	32.4	440	16.5	9.1	0.003	0.06	0.76	4.3	2.8	0.5	32.0	<0.01	0.06	1.2
ZZ19147		0.15	40.4	440	19.2	8.7	0.005	0.06	0.78	4.4	2.0	0.5	17.1	<0.01	0.04	1.7
ZZ19148		0.22	34.0	780	8.8	7.6	0.003	0.11	0.61	2.0	2.6	0.4	46.8	<0.01	0.05	0.5
ZZ19149		0.29	69.0	570	13.6	10.3	0.002	0.05	0.92	5.3	4.5	0.6	32.1	<0.01	0.07	1.2
ZZ19189		0.50	35.3	510	18.4	8.7	0.001	0.07	0.39	8.2	1.5	0.5	32.2	<0.01	0.05	5.6
ZZ19190		0.38	35.3	590	13.1	8.6	0.001	0.06	0.34	6.0	1.0	0.5	37.7	<0.01	0.05	2.8
ZZ19191		0.11	55.8	1130	15.1	8.4	0.007	0.15	2.58	4.9	7.6	0.4	109.0	<0.01	0.12	2.8
ZZ19192		0.10	88.5	1350	15.3	6.8	0.009	0.13	3.40	4.8	6.7	0.4	126.5	<0.01	0.11	2.1
ZZ19193		0.19	64.6	1190	20.9	8.2	0.009	0.15	1.89	6.0	7.5	0.4	93.8	<0.01	0.11	3.1
ZZ19194		0.12	37.3	420	14.8	6.8	<0.001	0.01	0.37	7.0	0.6	0.4	15.8	<0.01	0.08	4.6
ZZ19195		0.90	29.8	450	14.5	10.6	<0.001	0.02	0.61	5.5	0.7	0.6	23.0	<0.01	0.06	4.3
ZZ19196		0.17	40.1	350	26.7	7.9	0.001	0.02	0.64	9.9	1.2	0.6	14.1	<0.01	0.12	5.4
ZZ19197		0.59	24.1	290	18.3	11.9	<0.001	0.01	0.46	4.9	0.4	0.8	7.0	<0.01	0.05	3.8
ZZ19198		0.27	32.8	530	17.8	7.3	0.001	0.06	0.36	8.9	1.0	0.4	23.2	<0.01	0.06	4.1
ZZ19199		0.10	34.0	240	21.1	9.5	0.001	0.01	0.39	7.2	0.5	0.5	15.1	<0.01	0.06	3.5
ZZ19200		0.62	27.2	220	18.4	11.3	<0.001	0.01	0.53	4.3	0.3	0.6	8.7	<0.01	0.07	4.3
ZZ19201		0.44	32.0	670	15.9	9.1	<0.001	0.03	0.54	8.1	1.1	0.5	33.9	<0.01	0.05	3.1

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 20- AUG- 2011
Account: RCM

Project: Rackla- Jam Extension

CERTIFICATE OF ANALYSIS WH11149811

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
ZZ19391		0.006	0.09	0.88	39	0.06	12.15	75	1.3
ZZ19392		<0.005	0.09	0.76	28	<0.05	6.55	118	1.3
ZZ19393		<0.005	0.20	3.69	37	<0.05	21.3	210	3.6
ZZ19394		<0.005	0.15	5.44	45	<0.05	29.9	247	2.7
ZZ19395		<0.005	0.23	2.26	28	0.06	17.15	137	1.5
ZZ19396		<0.005	0.10	1.93	57	0.11	22.3	89	2.2
ZZ19397		<0.005	0.10	2.10	66	0.05	19.25	106	1.9
ZZ19398		<0.005	0.10	2.71	48	<0.05	24.4	166	2.6
ZZ19399		<0.005	0.13	4.84	40	<0.05	28.1	213	2.5
ZZ19400		<0.005	0.20	2.08	67	0.07	14.70	164	2.0
ZZ19133		0.013	0.16	3.23	56	0.17	28.3	98	1.2
ZZ19134		0.014	0.15	1.22	42	0.16	25.6	125	0.9
ZZ19135		0.007	0.30	1.58	59	0.11	23.7	128	1.3
ZZ19136		0.005	0.21	1.05	43	0.07	15.95	156	1.8
ZZ19137		<0.005	0.27	1.20	39	0.08	16.80	156	1.9
ZZ19138		<0.005	0.25	4.29	30	0.05	18.00	127	1.8
ZZ19139		<0.005	0.17	1.20	29	<0.05	11.80	115	1.6
ZZ19140		<0.005	0.32	1.72	36	0.06	11.95	127	1.6
ZZ19141		0.005	0.22	1.33	36	0.13	16.20	127	1.6
ZZ19142		<0.005	0.17	1.82	30	<0.05	9.04	121	1.4
ZZ19143		0.005	0.22	1.78	33	0.09	23.0	136	1.3
ZZ19144		0.008	0.17	1.11	47	0.08	26.0	108	1.3
ZZ19145		<0.005	0.18	1.82	34	0.08	19.25	128	1.5
ZZ19146		<0.005	0.18	1.57	33	<0.05	10.80	118	1.8
ZZ19147		<0.005	0.12	0.79	39	<0.05	6.31	175	1.8
ZZ19148		<0.005	0.13	1.96	25	0.05	16.70	119	1.5
ZZ19149		0.005	0.27	1.66	40	0.07	30.4	205	1.3
ZZ19189		0.012	0.11	0.83	46	0.07	12.90	107	3.8
ZZ19190		0.008	0.09	0.82	36	<0.05	8.55	120	2.1
ZZ19191		<0.005	0.26	2.06	67	<0.05	16.65	295	2.7
ZZ19192		<0.005	0.32	3.88	128	0.06	22.4	456	1.5
ZZ19193		<0.005	0.30	2.78	75	0.06	20.7	381	2.5
ZZ19194		<0.005	0.09	0.66	55	<0.05	8.94	79	1.7
ZZ19195		0.022	0.14	1.01	56	0.22	6.82	77	1.4
ZZ19196		<0.005	0.12	0.67	44	<0.05	13.90	123	2.2
ZZ19197		0.008	0.12	0.55	59	0.12	3.15	62	2.3
ZZ19198		0.005	0.09	0.66	45	<0.05	8.98	89	3.1
ZZ19199		<0.005	0.15	0.46	41	<0.05	5.24	77	1.2
ZZ19200		0.018	0.12	0.50	62	0.15	3.52	73	2.4
ZZ19201		0.015	0.11	0.70	46	0.07	11.35	97	1.3

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 20- AUG- 2011
Account: RCM

Project: Rackla- Jam Extension

CERTIFICATE OF ANALYSIS WH11149811

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- TL43 Au ppm 0.001	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1
ZZ19202		0.15	0.002	0.12	1.49	7.6	<0.2	<10	200	0.79	0.19	1.71	0.23	16.95	12.4	23
ZZ19203		0.31	0.002	0.18	1.74	8.4	<0.2	<10	150	1.05	0.27	0.97	0.31	21.9	19.0	29
CC145334		0.23	0.002	0.39	1.53	32.8	<0.2	<10	960	0.91	0.26	1.14	0.44	15.15	10.8	26
CC145335		0.16	0.002	0.17	0.42	10.5	<0.2	<10	570	0.30	0.11	3.25	0.96	8.16	4.1	12
CC145336		0.33	0.002	1.56	0.36	11.1	<0.2	<10	380	0.41	0.18	0.76	0.28	5.97	3.9	19
CC145337		0.24	0.004	2.57	0.52	14.8	<0.2	10	1510	0.70	0.18	1.42	0.98	7.88	5.1	32
CC145338		0.27	0.002	1.59	0.40	18.2	<0.2	10	1000	0.46	0.21	0.52	0.83	4.40	3.1	25
CC145339		0.27	0.001	1.36	0.51	18.5	<0.2	10	1730	0.64	0.17	0.35	0.54	6.33	2.9	23
CC145340		0.25	0.001	1.51	0.69	21.4	<0.2	10	1820	0.65	0.19	0.77	0.44	6.33	5.5	24
CC145341		0.28	0.002	0.83	0.75	18.0	<0.2	10	2020	0.54	0.18	0.45	0.19	6.27	4.4	21
CC145342		0.28	0.004	2.78	0.92	45.6	<0.2	<10	2510	0.64	0.24	0.11	1.15	13.05	9.5	54
CC145343		0.27	0.001	0.68	0.64	27.2	<0.2	<10	1260	0.32	0.19	0.06	0.24	6.51	5.1	41
CC145344		0.31	0.001	1.15	0.93	14.6	<0.2	<10	1840	0.29	0.26	0.02	0.12	12.90	4.5	20
CC145345		0.31	0.003	2.02	1.24	21.2	<0.2	<10	2680	0.88	0.22	0.18	0.90	15.75	7.8	61
CC145346		0.25	0.001	4.20	0.72	13.7	<0.2	10	320	0.30	0.26	0.42	0.40	11.70	1.9	42
CC145347		0.36	0.003	0.28	1.72	16.2	<0.2	<10	310	0.93	0.28	0.01	0.29	15.80	11.0	25
CC145348		0.24	0.004	0.18	1.83	19.1	<0.2	<10	170	0.47	0.37	0.05	0.36	20.1	8.4	31
CC145349		0.26	0.002	0.44	0.98	16.3	<0.2	<10	160	0.32	0.36	0.03	0.21	19.60	12.7	18
ZZ19079		0.25	0.002	1.24	0.27	14.6	<0.2	<10	720	0.36	0.20	0.72	0.58	5.04	4.9	20
ZZ19080		0.26	0.003	2.92	0.37	18.4	<0.2	<10	1080	0.50	0.18	0.89	1.18	8.94	5.8	32
ZZ19081		0.21	0.003	2.02	0.43	23.0	<0.2	10	670	0.50	0.18	0.98	1.04	5.92	5.8	27
ZZ19082		0.22	0.003	2.13	1.09	19.9	<0.2	10	1190	1.24	0.17	0.24	2.29	8.98	9.7	22
ZZ19083		0.26	0.001	1.21	0.39	12.4	<0.2	10	1810	0.53	0.23	0.46	0.45	4.83	6.7	20
ZZ19084		0.29	0.003	1.63	0.65	23.0	<0.2	10	2340	0.64	0.21	1.01	1.05	9.09	6.3	27
ZZ19085		0.44	0.003	1.02	0.59	26.7	<0.2	10	1440	0.60	0.22	0.57	0.94	13.25	7.5	23
ZZ19086		0.34	0.002	0.89	1.37	16.1	<0.2	<10	2020	0.72	0.23	0.46	1.18	23.1	9.4	29
ZZ19087		0.25	0.004	1.14	1.22	14.9	<0.2	<10	3120	0.73	0.26	0.54	1.69	18.65	9.9	26
ZZ19088		0.23	0.003	1.24	0.73	22.6	<0.2	<10	690	0.98	0.22	0.09	1.38	15.35	9.3	16
ZZ19089		0.24	0.002	0.74	0.74	8.2	<0.2	<10	550	0.41	0.23	0.02	0.90	11.40	2.7	13
ZZ19090		0.38	0.005	1.87	0.66	6.2	<0.2	<10	440	0.30	0.24	0.10	0.47	10.80	1.7	14
ZZ19091		0.39	0.002	0.62	0.86	17.3	<0.2	<10	570	0.78	0.28	0.29	2.90	20.4	15.3	22
ZZ19092		0.38	0.003	0.62	1.06	13.5	<0.2	<10	620	0.84	0.27	0.90	2.14	18.25	11.1	21
ZZ19093		0.24	0.002	0.64	1.08	14.6	<0.2	<10	520	1.00	0.30	0.59	2.19	17.40	13.4	23
ZZ19094		0.21	0.006	3.94	1.63	31.6	<0.2	<10	2280	1.26	0.20	1.88	20.5	21.9	13.8	52
ZZ19095		0.18	0.003	2.28	0.41	12.5	<0.2	<10	300	1.10	0.12	5.56	23.4	27.8	5.9	47
ZZ19096		0.13	0.003	0.90	0.56	12.6	<0.2	<10	320	1.05	0.12	3.00	10.45	22.4	8.1	33
ZZ19097		0.17	0.003	0.28	0.55	5.9	<0.2	10	160	0.85	0.15	2.25	0.81	31.3	11.4	10
ZZ19098		0.15	0.001	0.11	0.87	4.7	<0.2	<10	140	2.20	0.16	2.28	0.44	26.5	12.0	14
ZZ19099		0.17	0.001	0.10	0.80	3.7	<0.2	10	280	1.88	0.14	3.08	0.54	19.65	9.4	12
ZZ19100		0.24	<0.001	0.04	1.13	5.2	<0.2	<10	110	1.05	0.25	0.07	0.12	22.3	7.0	18

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 20- AUG- 2011
Account: RCM

Project: Rackla- Jam Extension

CERTIFICATE OF ANALYSIS WH11149811

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
ZZ19202		0.86	35.2	3.14	4.24	0.09	0.05	0.09	0.030	0.07	6.6	27.1	0.66	675	0.45	0.01
ZZ19203		0.79	54.2	3.93	5.67	0.15	0.07	0.08	0.042	0.11	8.1	39.4	0.76	520	0.63	0.01
CC145334		1.13	26.4	3.17	4.24	0.14	0.05	0.13	0.038	0.07	9.3	12.6	0.26	627	3.31	0.02
CC145335		0.51	17.4	1.02	1.16	0.15	0.04	0.12	0.018	0.04	13.4	1.9	0.07	239	1.34	0.02
CC145336		0.76	45.6	1.60	1.09	0.14	0.03	0.17	0.032	0.06	3.2	1.5	0.04	90	3.01	0.01
CC145337		0.52	63.0	1.96	1.16	0.15	0.06	0.25	0.035	0.06	4.5	2.2	0.04	172	2.59	0.02
CC145338		0.82	52.8	2.17	1.08	0.15	0.04	0.16	0.033	0.08	2.4	1.4	0.05	49	5.50	0.01
CC145339		0.46	43.1	2.07	1.42	0.15	0.02	0.12	0.027	0.08	3.8	2.9	0.04	46	4.18	0.02
CC145340		0.61	38.4	2.32	1.89	0.15	0.03	0.18	0.031	0.05	3.6	4.6	0.08	151	4.48	0.02
CC145341		0.51	27.7	2.56	2.01	0.12	0.03	0.17	0.029	0.05	3.3	5.0	0.10	105	4.40	0.02
CC145342		0.86	43.7	4.70	2.76	0.17	0.03	0.24	0.041	0.07	5.3	5.7	0.10	156	8.90	0.02
CC145343		0.85	43.1	2.93	3.07	0.14	<0.02	0.08	0.027	0.05	3.7	1.9	0.03	50	7.84	0.01
CC145344		0.84	26.2	2.87	4.59	0.13	<0.02	0.06	0.033	0.08	5.9	5.1	0.09	109	5.35	0.02
CC145345		0.60	64.8	3.03	3.25	0.17	0.03	0.11	0.044	0.10	9.0	11.9	0.17	124	16.05	0.03
CC145346		0.59	19.1	3.37	5.22	0.15	<0.02	0.05	0.039	0.13	7.1	3.5	0.05	57	13.70	0.03
CC145347		1.12	44.5	3.47	4.41	0.13	0.07	0.08	0.044	0.10	6.6	22.1	0.29	170	5.50	0.01
CC145348		1.25	28.9	4.46	7.16	0.13	0.04	0.05	0.038	0.10	9.1	21.2	0.39	298	3.97	0.01
CC145349		1.84	36.7	3.18	6.24	0.14	<0.02	0.05	0.028	0.08	8.3	5.5	0.10	379	5.32	0.01
ZZ19079		0.72	48.3	2.11	0.77	0.15	0.04	0.16	0.033	0.06	2.9	1.1	0.03	80	4.14	0.01
ZZ19080		0.57	59.0	2.20	1.04	0.18	0.04	0.21	0.034	0.08	4.7	1.6	0.04	100	4.30	0.02
ZZ19081		0.55	67.5	2.92	0.95	0.19	0.06	0.17	0.036	0.12	3.5	1.6	0.06	116	6.39	0.02
ZZ19082		0.68	215	2.06	1.30	0.23	0.07	0.18	0.035	0.07	4.7	3.9	0.03	115	4.46	0.01
ZZ19083		1.26	62.7	2.81	0.96	0.14	0.06	0.21	0.041	0.09	2.6	1.6	0.03	101	4.82	0.02
ZZ19084		0.67	60.4	2.52	1.98	0.15	0.03	0.25	0.037	0.10	4.8	5.3	0.12	149	5.88	0.03
ZZ19085		0.78	60.9	2.83	2.06	0.16	0.05	0.26	0.041	0.14	5.7	6.4	0.13	168	7.20	0.02
ZZ19086		1.18	72.9	3.24	3.51	0.18	0.09	0.14	0.040	0.14	11.5	16.2	0.39	184	5.39	0.04
ZZ19087		1.12	60.4	2.79	3.51	0.17	0.04	0.21	0.040	0.12	8.7	11.3	0.27	280	5.25	0.04
ZZ19088		0.99	165.5	4.55	2.00	0.17	0.02	0.24	0.055	0.19	5.5	6.5	0.11	167	7.05	0.03
ZZ19089		1.11	61.5	1.48	2.93	0.13	<0.02	0.10	0.032	0.11	4.2	1.9	0.04	61	3.89	0.01
ZZ19090		1.84	62.9	1.64	2.13	0.15	0.03	0.47	0.034	0.10	4.3	3.8	0.09	28	2.06	0.01
ZZ19091		0.93	78.2	3.21	2.88	0.16	0.02	0.22	0.041	0.12	9.0	14.6	0.31	539	8.88	0.02
ZZ19092		1.01	68.5	2.92	3.29	0.16	0.05	0.23	0.038	0.14	9.0	16.8	0.31	325	6.23	0.02
ZZ19093		0.75	54.1	3.02	3.49	0.15	0.05	0.16	0.046	0.12	8.7	16.1	0.42	566	7.15	0.01
ZZ19094		0.69	127.5	2.42	3.20	0.23	0.12	0.35	0.035	0.09	14.3	8.7	0.20	160	38.7	0.03
ZZ19095		0.52	111.5	0.90	1.63	0.22	0.05	0.48	0.016	0.07	24.0	3.3	0.77	198	15.85	0.02
ZZ19096		0.28	59.9	1.43	1.77	0.16	0.05	0.21	0.023	0.05	15.2	4.0	0.16	216	13.15	0.01
ZZ19097		1.05	26.2	2.13	1.57	0.16	0.06	0.06	0.032	0.15	15.0	4.1	0.22	260	5.22	0.01
ZZ19098		1.24	15.5	2.84	2.60	0.11	0.06	0.03	0.038	0.13	12.0	18.6	0.34	219	2.53	0.01
ZZ19099		0.40	18.1	2.20	2.33	<0.05	0.07	0.04	0.029	0.09	8.2	18.2	0.20	442	1.14	0.02
ZZ19100		1.21	13.9	2.95	5.47	<0.05	0.03	<0.01	0.024	0.10	9.3	35.2	0.22	405	1.09	0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 20- AUG- 2011
Account: RCM

Project: Rackla- Jam Extension

CERTIFICATE OF ANALYSIS WH11149811

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
ZZ19202		0.24	24.5	660	12.5	8.1	<0.001	0.08	0.34	5.2	0.8	0.4	65.6	<0.01	0.03	1.2
ZZ19203		0.34	33.8	640	15.3	9.4	<0.001	0.05	0.37	7.0	0.7	0.5	49.2	<0.01	0.07	2.8
CC145334		0.31	28.9	1110	30.2	9.9	0.001	0.09	1.14	2.7	1.7	0.5	32.8	<0.01	0.10	1.0
CC145335		0.21	20.5	1130	6.0	3.1	0.001	0.20	0.55	1.1	1.4	0.2	50.5	<0.01	0.06	0.3
CC145336		0.07	39.4	780	8.3	6.6	0.006	0.07	1.07	4.1	4.2	0.3	52.0	<0.01	0.12	1.6
CC145337		0.08	79.9	1410	8.5	5.8	0.007	0.10	1.26	5.2	8.5	0.3	159.0	<0.01	0.16	1.5
CC145338		<0.05	56.6	1540	10.5	7.0	0.011	0.12	1.54	4.3	6.1	0.3	161.5	<0.01	0.24	2.0
CC145339		0.05	38.3	1070	9.8	5.9	0.005	0.12	1.20	3.7	5.1	0.3	122.5	<0.01	0.17	1.7
CC145340		0.09	43.7	1150	12.8	7.4	0.006	0.06	1.26	3.7	6.4	0.4	119.0	<0.01	0.18	1.6
CC145341		0.09	25.5	1050	17.0	6.9	0.004	0.06	1.03	3.4	3.6	0.3	79.4	<0.01	0.09	1.6
CC145342		0.34	94.0	1460	14.7	8.4	0.003	0.11	2.62	5.0	7.4	0.5	98.5	<0.01	0.11	2.0
CC145343		0.13	70.1	820	12.2	8.4	0.001	0.05	1.47	2.2	6.5	0.6	48.0	<0.01	0.10	0.5
CC145344		0.43	21.3	630	12.3	10.8	0.001	0.10	1.35	1.8	1.9	0.6	46.4	<0.01	0.07	1.2
CC145345		0.16	94.8	1420	13.5	10.0	0.003	0.14	3.27	4.1	7.0	0.5	128.0	<0.01	0.13	3.7
CC145346		0.57	20.9	5620	16.7	16.4	0.001	0.40	3.05	1.9	8.8	0.7	157.0	<0.01	0.10	1.8
CC145347		0.23	40.7	320	18.6	15.2	0.001	0.07	2.00	3.4	2.5	0.5	19.8	<0.01	0.09	4.8
CC145348		1.28	24.8	460	17.6	17.3	<0.001	0.03	1.67	2.8	2.1	0.8	16.0	<0.01	0.08	4.0
CC145349		0.88	20.5	650	19.0	15.7	<0.001	0.06	2.00	1.7	1.6	0.7	15.7	<0.01	0.11	2.3
ZZ19079		0.05	54.3	720	9.2	5.5	0.007	0.07	1.56	5.0	4.1	0.3	64.7	<0.01	0.13	1.8
ZZ19080		<0.05	87.1	1650	8.5	5.9	0.013	0.17	1.77	6.0	10.3	0.3	133.5	<0.01	0.30	1.8
ZZ19081		0.05	75.6	1650	9.5	7.5	0.011	0.47	1.80	5.9	11.9	0.3	215	<0.01	0.26	1.4
ZZ19082		0.05	123.0	1270	9.0	7.5	0.009	0.21	1.38	7.6	14.1	0.3	152.0	<0.01	0.20	1.1
ZZ19083		<0.05	83.8	1000	12.4	8.1	0.011	0.11	1.43	6.9	4.9	0.3	146.0	<0.01	0.10	2.7
ZZ19084		0.10	65.8	1430	13.4	7.6	0.004	0.14	1.79	5.7	5.0	0.4	200	<0.01	0.09	2.0
ZZ19085		0.11	56.3	1700	14.7	8.9	0.005	0.19	2.50	4.8	5.0	0.4	212	<0.01	0.12	3.4
ZZ19086		0.66	72.3	1520	12.9	10.3	0.005	0.19	2.42	5.9	4.2	0.4	163.5	<0.01	0.08	5.2
ZZ19087		0.53	51.8	1220	14.3	11.1	0.009	0.13	2.03	4.8	5.2	0.5	133.0	<0.01	0.09	3.6
ZZ19088		0.13	46.0	1550	16.3	11.0	0.002	0.43	4.18	4.4	5.7	0.3	131.5	<0.01	0.16	3.9
ZZ19089		0.10	14.3	860	16.5	10.9	0.001	0.14	1.43	1.5	2.5	0.4	54.3	<0.01	0.11	1.2
ZZ19090		0.23	12.9	980	12.1	13.5	<0.001	0.08	0.89	2.1	3.6	0.4	33.7	<0.01	0.06	1.9
ZZ19091		0.17	68.4	1020	21.1	8.7	0.004	0.11	3.23	4.8	4.1	0.4	44.6	<0.01	0.08	4.8
ZZ19092		0.21	51.2	940	17.6	10.1	0.004	0.09	2.50	4.8	3.8	0.4	50.8	<0.01	0.10	4.1
ZZ19093		0.21	46.7	750	18.9	10.0	0.005	0.06	2.67	5.1	2.8	0.5	39.1	<0.01	0.08	3.9
ZZ19094		0.36	305	1670	12.1	7.3	0.008	0.09	16.35	5.9	14.3	0.5	156.5	0.01	0.28	2.7
ZZ19095		0.16	177.0	1180	8.8	6.5	0.009	0.12	10.30	1.7	6.8	0.4	125.0	<0.01	0.10	0.4
ZZ19096		0.20	102.5	950	8.5	4.2	0.008	0.11	6.30	2.1	4.9	0.4	70.0	<0.01	0.10	0.7
ZZ19097		0.23	33.5	470	10.5	10.8	0.002	0.07	1.08	4.9	1.7	0.4	40.5	<0.01	0.01	1.9
ZZ19098		0.34	31.8	710	13.4	11.8	0.001	0.09	0.47	5.6	0.8	0.4	82.9	<0.01	0.03	2.1
ZZ19099		0.27	21.5	660	10.9	9.5	0.001	0.11	0.39	3.3	1.0	0.3	120.0	<0.01	0.03	1.0
ZZ19100		0.56	11.9	280	10.9	16.3	<0.001	0.02	0.33	2.4	0.3	0.6	5.5	<0.01	0.03	3.1

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 20- AUG- 2011
Account: RCM

Project: Rackla- Jam Extension

CERTIFICATE OF ANALYSIS WH11149811

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
ZZ19202		0.006	0.08	0.85	38	<0.05	8.02	81	1.5
ZZ19203		0.010	0.08	0.80	45	0.11	9.93	94	2.0
CC145334		0.005	0.22	1.29	79	0.13	13.90	119	1.2
CC145335		0.008	0.14	2.63	23	<0.05	24.7	118	1.7
CC145336		<0.005	0.15	3.94	37	<0.05	19.15	129	1.1
CC145337		<0.005	0.13	3.28	56	<0.05	35.4	194	3.6
CC145338		<0.005	0.13	2.56	61	<0.05	24.6	156	3.0
CC145339		<0.005	0.08	2.29	54	<0.05	23.1	132	1.2
CC145340		<0.005	0.11	2.26	62	0.27	21.1	135	1.1
CC145341		<0.005	0.09	1.77	64	<0.05	14.80	82	0.9
CC145342		0.008	0.33	2.96	97	0.11	25.0	252	1.2
CC145343		<0.005	0.17	1.32	104	0.07	9.59	183	<0.5
CC145344		0.009	0.20	0.63	67	0.11	2.78	90	<0.5
CC145345		<0.005	0.42	3.88	119	0.15	22.2	302	1.4
CC145346		0.014	0.46	2.46	127	0.18	5.19	169	0.6
CC145347		<0.005	0.34	0.90	99	0.05	5.08	174	2.7
CC145348		0.020	0.32	0.66	124	0.21	2.86	136	1.5
CC145349		0.023	0.38	0.59	103	0.19	3.48	139	<0.5
ZZ19079		<0.005	0.13	3.63	40	<0.05	22.9	199	1.9
ZZ19080		<0.005	0.13	4.16	51	<0.05	32.3	264	2.9
ZZ19081		<0.005	0.25	4.80	62	<0.05	33.9	236	3.6
ZZ19082		<0.005	0.14	16.80	52	<0.05	148.5	338	1.9
ZZ19083		<0.005	0.16	2.81	44	<0.05	26.0	251	3.0
ZZ19084		<0.005	0.30	2.72	64	<0.05	27.0	215	1.5
ZZ19085		<0.005	0.35	1.74	63	<0.05	18.30	212	3.2
ZZ19086		0.030	0.37	4.98	59	0.20	27.1	244	3.9
ZZ19087		0.013	0.33	3.23	70	0.23	20.9	214	1.3
ZZ19088		<0.005	0.55	4.32	61	<0.05	17.45	217	0.8
ZZ19089		<0.005	0.23	1.51	45	<0.05	7.37	74	<0.5
ZZ19090		<0.005	0.36	1.79	33	<0.05	9.62	47	0.6
ZZ19091		0.005	0.34	1.59	120	0.10	15.85	334	1.2
ZZ19092		<0.005	0.40	1.87	98	0.06	18.90	258	2.0
ZZ19093		<0.005	0.33	1.72	125	0.07	16.15	270	1.3
ZZ19094		0.008	1.46	6.36	392	0.25	167.5	1940	5.0
ZZ19095		0.005	1.29	6.95	537	0.12	44.8	1200	2.0
ZZ19096		<0.005	0.35	6.23	369	0.09	27.8	522	2.3
ZZ19097		<0.005	0.20	1.74	22	<0.05	16.60	90	2.2
ZZ19098		<0.005	0.17	0.85	21	<0.05	10.80	91	2.3
ZZ19099		<0.005	0.11	0.77	21	<0.05	8.26	110	3.3
ZZ19100		0.010	0.09	0.26	33	0.10	1.72	73	1.1

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 20- AUG- 2011
Account: RCM

Project: Rackla- Jam Extension

CERTIFICATE OF ANALYSIS WH11149811

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- TL43 Au ppm 0.001	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1
ZZ19171		0.18	0.001	0.08	0.88	8.1	<0.2	<10	370	1.33	0.19	1.23	0.26	6.08	9.1	13
ZZ19172		0.22	0.001	0.03	1.95	12.1	<0.2	<10	100	1.54	0.36	0.03	0.14	14.15	17.9	29
ZZ19173		0.28	0.002	0.01	1.74	10.3	<0.2	<10	240	3.62	0.58	0.03	0.02	11.15	20.8	29
ZZ19174		0.33	0.001	0.04	1.47	7.8	<0.2	<10	170	2.63	0.52	0.09	0.06	14.45	14.7	26
ZZ19175		0.22	0.003	1.43	0.44	17.3	<0.2	<10	2030	1.18	0.15	0.87	4.23	9.12	9.0	18
ZZ19176		0.15	0.002	1.16	0.53	16.5	<0.2	<10	2400	0.56	0.19	0.72	0.85	8.16	3.9	21
ZZ19177		0.14	0.004	1.51	0.57	11.5	<0.2	<10	1960	0.70	0.17	1.46	4.48	9.99	9.5	19
ZZ19178		0.15	0.003	1.33	0.67	24.1	<0.2	<10	1610	0.80	0.18	0.77	4.01	8.81	8.3	24
ZZ19179		0.15	0.002	1.24	0.75	20.5	<0.2	<10	1650	1.04	0.19	1.03	5.27	14.15	9.7	19
ZZ19180		0.18	0.003	1.28	0.52	21.2	<0.2	<10	2120	0.67	0.17	0.96	2.30	8.05	7.5	22
ZZ19181		0.26	0.002	0.21	1.64	25.0	<0.2	<10	170	1.14	0.26	2.45	1.02	18.85	12.4	21
ZZ19182		0.42	0.002	0.20	1.42	17.9	<0.2	<10	230	1.14	0.26	2.34	0.59	28.3	13.6	22
ZZ19183		0.22	0.004	0.15	0.84	12.8	<0.2	<10	140	0.63	0.16	8.47	1.20	15.60	8.8	14
ZZ19184		0.29	0.002	0.17	1.27	12.9	<0.2	<10	200	0.99	0.31	0.89	0.31	22.4	13.5	21
ZZ19185		0.23	0.002	0.13	1.12	9.7	<0.2	<10	160	1.08	0.34	0.71	0.19	21.0	12.2	17
ZZ19186		0.32	0.002	0.15	1.54	10.1	<0.2	<10	120	0.94	0.28	0.58	0.37	23.2	16.3	23
ZZ19187		0.21	0.003	0.15	1.61	8.6	<0.2	<10	180	0.85	0.25	1.12	0.56	22.9	12.8	26
ZZ19188		0.30	0.004	0.18	1.48	11.4	<0.2	<10	190	0.83	0.24	0.78	0.28	23.9	12.1	27

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 20- AUG- 2011
Account: RCM

Project: Rackla- Jam Extension

CERTIFICATE OF ANALYSIS WH11149811

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
ZZ19171		1.66	20.6	1.59	3.37	<0.05	0.06	0.03	0.021	0.08	2.4	25.5	0.24	844	0.72	0.01
ZZ19172		1.40	23.5	4.19	7.47	0.05	0.06	0.01	0.036	0.05	6.6	67.8	0.29	770	1.32	0.01
ZZ19173		2.65	49.5	3.41	8.31	0.05	0.09	0.01	0.045	0.08	4.1	47.7	0.48	665	0.86	0.01
ZZ19174		1.90	28.7	3.36	8.47	0.06	0.04	<0.01	0.031	0.07	6.1	34.2	0.39	397	0.77	0.01
ZZ19175		0.71	87.3	2.01	1.29	0.08	0.09	0.23	0.028	0.08	4.5	5.0	0.07	229	7.41	0.01
ZZ19176		0.58	56.3	1.84	1.56	0.09	0.07	0.20	0.034	0.07	4.3	3.9	0.09	70	6.57	0.03
ZZ19177		0.77	86.3	1.84	1.37	0.09	0.09	0.22	0.030	0.07	5.3	4.2	0.10	428	3.92	0.03
ZZ19178		0.85	121.5	3.32	1.36	0.12	0.09	0.23	0.046	0.08	4.7	4.2	0.08	144	7.61	0.02
ZZ19179		0.89	106.5	2.87	1.86	0.13	0.09	0.23	0.045	0.08	6.8	7.2	0.13	331	8.53	0.03
ZZ19180		0.67	69.1	2.52	1.45	0.10	0.08	0.61	0.038	0.08	4.7	4.3	0.10	195	8.51	0.03
ZZ19181		0.94	25.8	4.97	4.14	0.10	0.09	0.29	0.040	0.06	11.1	14.8	1.44	1780	1.13	0.02
ZZ19182		0.78	37.8	4.39	3.48	0.10	0.11	0.18	0.038	0.07	13.6	17.1	1.56	1640	0.86	0.01
ZZ19183		0.69	25.4	3.03	2.15	0.07	0.07	0.19	0.022	0.07	7.4	12.9	5.16	1200	0.71	0.02
ZZ19184		0.88	46.5	4.08	3.43	0.10	0.09	0.17	0.042	0.08	10.5	20.1	0.56	691	0.76	0.01
ZZ19185		0.84	37.5	4.01	3.01	0.10	0.09	0.08	0.042	0.09	10.1	20.8	0.41	608	0.59	0.01
ZZ19186		1.23	61.3	3.88	4.27	0.10	0.10	0.10	0.039	0.11	10.3	29.1	0.70	549	0.56	0.01
ZZ19187		0.61	43.5	3.24	4.28	0.08	0.08	0.07	0.036	0.07	10.1	31.8	0.75	550	0.41	0.01
ZZ19188		0.68	36.9	3.33	3.88	0.09	0.06	0.08	0.031	0.06	12.4	27.7	0.62	573	0.83	0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 20- AUG- 2011
Account: RCM

Project: Rackla- Jam Extension

CERTIFICATE OF ANALYSIS WH11149811

Sample Description	Method Analyte Units LOR	ME- MS41 Nb ppm 0.05	ME- MS41 Ni ppm 0.2	ME- MS41 P ppm 10	ME- MS41 Pb ppm 0.2	ME- MS41 Rb ppm 0.1	ME- MS41 Re ppm 0.001	ME- MS41 S % 0.01	ME- MS41 Sb ppm 0.05	ME- MS41 Sc ppm 0.1	ME- MS41 Se ppm 0.2	ME- MS41 Sn ppm 0.2	ME- MS41 Sr ppm 0.2	ME- MS41 Ta ppm 0.01	ME- MS41 Te ppm 0.01	ME- MS41 Th ppm 0.2
ZZ19171		0.28	14.6	460	25.2	10.3	<0.001	0.07	0.26	3.0	0.6	0.4	34.5	<0.01	0.03	1.4
ZZ19172		0.89	22.1	350	20.8	18.5	<0.001	0.02	0.55	3.8	0.6	0.8	5.7	<0.01	0.06	3.5
ZZ19173		0.19	30.5	110	15.8	14.7	<0.001	0.01	0.13	7.4	0.3	0.8	10.6	<0.01	0.04	4.6
ZZ19174		0.46	22.8	260	16.1	14.7	<0.001	0.01	0.23	5.0	0.5	0.8	13.5	<0.01	0.05	3.5
ZZ19175		0.11	91.8	1420	9.4	7.1	0.014	0.15	2.89	5.1	8.3	0.3	136.0	0.01	0.11	1.7
ZZ19176		0.17	44.4	1270	12.5	6.9	0.009	0.09	2.23	4.4	7.4	0.4	128.5	0.01	0.13	2.0
ZZ19177		0.19	83.6	1180	10.3	7.8	0.014	0.10	1.86	5.6	7.8	0.3	139.0	0.01	0.08	1.4
ZZ19178		0.14	134.0	1580	11.9	7.9	0.013	0.17	2.42	6.7	10.9	0.3	175.5	0.01	0.12	2.0
ZZ19179		0.23	106.0	1300	15.2	9.5	0.014	0.17	3.32	6.5	13.1	0.4	147.5	0.01	0.10	2.1
ZZ19180		0.13	70.0	1430	11.8	7.1	0.011	0.16	2.95	5.4	8.3	0.4	158.0	0.01	0.11	1.5
ZZ19181		0.36	21.9	780	49.3	10.2	<0.001	0.05	0.50	5.6	1.1	0.5	22.3	0.01	0.07	1.8
ZZ19182		0.33	27.1	500	40.8	9.4	<0.001	0.02	0.42	8.6	1.0	0.4	27.0	0.01	0.05	5.0
ZZ19183		0.23	19.0	590	43.3	5.9	<0.001	0.02	0.35	4.6	0.8	0.3	67.3	<0.01	0.04	2.9
ZZ19184		0.42	30.4	440	29.4	8.8	0.001	0.02	0.43	7.7	1.0	0.5	24.5	0.01	0.05	3.7
ZZ19185		0.25	30.2	320	23.5	8.5	<0.001	0.03	0.29	7.1	1.0	0.5	26.9	<0.01	0.04	4.3
ZZ19186		0.29	36.8	610	20.1	9.5	<0.001	0.02	0.40	8.2	0.9	0.4	31.3	<0.01	0.06	4.4
ZZ19187		0.58	28.4	560	17.0	8.2	0.001	0.09	0.40	6.7	1.4	0.4	44.5	<0.01	0.06	3.3
ZZ19188		0.70	27.8	650	15.1	8.0	<0.001	0.03	0.53	6.0	0.9	0.4	35.0	<0.01	0.05	2.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 20- AUG- 2011
Account: RCM

Project: Rackla- Jam Extension

CERTIFICATE OF ANALYSIS WH11149811

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
ZZ19171		0.006	0.08	0.72	16	0.05	4.49	73	2.0
ZZ19172		0.011	0.11	0.43	46	0.17	2.84	91	1.9
ZZ19173		<0.005	0.09	1.16	23	<0.05	7.18	65	4.0
ZZ19174		0.010	0.09	0.57	33	0.06	7.55	60	1.5
ZZ19175		<0.005	0.41	5.09	61	0.08	25.2	265	3.1
ZZ19176		<0.005	0.21	3.53	67	0.06	21.0	189	2.1
ZZ19177		<0.005	0.23	7.52	58	0.06	32.5	235	2.4
ZZ19178		<0.005	0.35	5.59	63	0.07	37.4	593	2.0
ZZ19179		<0.005	0.41	4.92	77	0.07	35.3	455	2.3
ZZ19180		<0.005	0.27	4.10	74	0.06	27.2	319	2.4
ZZ19181		0.007	0.17	1.15	36	0.09	15.60	454	1.7
ZZ19182		0.008	0.18	1.36	29	0.07	18.00	362	2.7
ZZ19183		<0.005	0.38	1.45	19	<0.05	10.25	653	2.2
ZZ19184		0.007	0.12	0.84	29	0.08	14.50	170	2.2
ZZ19185		<0.005	0.11	0.77	21	<0.05	13.75	119	2.3
ZZ19186		0.006	0.09	0.90	34	<0.05	12.40	114	3.9
ZZ19187		0.009	0.07	2.42	40	0.08	11.80	107	2.3
ZZ19188		0.020	0.08	1.16	38	0.14	13.15	92	1.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 20- AUG- 2011
Account: RCM

Project: Rackla- Jam Extension

CERTIFICATE OF ANALYSIS WH11149811

Method	CERTIFICATE COMMENTS
ME- MS41	Gold determinations by this method are semi- quantitative due to the small sample weight used (0.5g).

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 26- AUG- 2011
Account: RCM

CERTIFICATE WH11149812

Project: Rackla- Jam Extension

P.O. No.:

This report is for 153 Soil samples submitted to our lab in Whitehorse, YT, Canada on 3- AUG- 2011.

The following have access to data associated with this certificate:

ROB CARNE JULIA LANE	ANDREW CARNE JOAN MARIACHER	MATT DUMALA

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
SCR- 41	Screen to - 180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- TL43	Trace Level Au - 25g AR	ICP- MS
ME- MS41	51 anal. aqua regia ICPMS	

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 26- AUG- 2011
Account: RCM

Project: Rackla- Jam Extension

CERTIFICATE OF ANALYSIS WH11149812

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- TL43 Au ppm 0.001	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1
ZZ19231		0.41	0.003	0.27	1.63	14.5	<0.2	<10	510	0.92	0.31	0.88	0.56	27.0	15.5	28
ZZ19232		0.26	0.003	0.86	0.83	23.7	<0.2	10	1780	0.84	0.21	0.99	2.41	12.65	10.4	22
ZZ19233		0.39	0.002	0.12	1.48	15.4	<0.2	<10	100	0.99	0.26	3.47	0.42	23.6	16.5	20
ZZ19234		0.31	0.002	0.10	2.07	18.4	<0.2	<10	160	1.30	0.30	0.36	0.27	31.5	17.5	28
ZZ19235		0.30	0.003	0.23	1.56	13.7	<0.2	<10	290	0.92	0.26	0.89	0.57	25.5	13.4	26
ZZ19236		0.38	0.002	0.30	1.14	23.1	<0.2	<10	90	0.70	0.17	6.96	2.92	16.45	11.6	14
ZZ19237		0.25	0.002	0.18	1.30	10.3	<0.2	<10	210	0.75	0.24	1.82	0.49	23.0	11.5	20
ZZ19238		0.36	0.002	0.20	1.80	11.7	<0.2	<10	230	1.01	0.28	0.45	0.25	37.8	15.0	30
ZZ19239		0.28	0.002	0.06	2.37	13.8	<0.2	<10	220	1.08	0.29	0.18	0.16	41.8	22.1	32
ZZ19240		0.31	0.002	0.18	1.97	11.9	<0.2	<10	260	1.03	0.28	0.71	0.27	38.4	16.3	30
ZZ19241		0.34	0.003	0.10	2.10	10.9	<0.2	<10	140	0.99	0.27	2.50	0.22	31.9	20.2	29
ZZ19242		0.25	0.003	0.14	2.03	11.0	<0.2	<10	160	1.14	0.30	0.64	0.16	30.0	17.6	30
ZZ19243		0.22	0.002	0.16	1.56	8.5	<0.2	<10	200	0.92	0.26	1.45	0.30	26.5	12.7	23
ZZ19244		0.29	0.003	0.21	1.75	11.5	<0.2	<10	190	0.96	0.29	0.87	0.31	35.2	16.2	26
ZZ19245		0.30	0.002	0.11	1.86	12.5	<0.2	<10	290	0.78	0.26	0.33	0.10	35.4	13.6	27
ZZ19246		0.30	0.004	0.10	2.11	14.0	<0.2	<10	210	1.16	0.30	0.23	0.17	38.5	21.0	30
ZZ19247		0.34	0.003	0.15	1.78	8.8	<0.2	<10	190	0.93	0.25	0.80	0.23	29.1	15.5	28
ZZ19248		0.29	0.003	0.21	1.70	17.9	<0.2	<10	270	1.28	0.31	1.44	0.21	14.20	15.8	23
ZZ19249		0.33	0.002	0.17	1.55	15.2	<0.2	<10	230	1.01	0.32	0.90	0.28	20.2	15.9	24
ZZ19250		0.24	0.003	0.16	1.91	10.1	<0.2	<10	270	1.08	0.29	0.85	0.26	23.7	15.6	27
CC110855		0.41	0.002	0.24	1.45	20.8	<0.2	<10	120	0.83	0.29	0.37	0.32	22.4	15.5	23
CC110856		0.32	0.002	0.31	1.64	20.3	<0.2	<10	460	1.41	0.37	0.83	0.64	17.95	25.6	25
ZZ18041		0.41	0.003	0.13	2.02	12.9	<0.2	<10	450	0.99	0.28	0.30	0.16	31.9	18.5	30
ZZ18042		0.38	0.003	0.16	1.67	11.5	<0.2	<10	290	0.97	0.24	1.32	0.22	28.4	14.2	27
ZZ18043		0.29	0.002	0.16	1.71	13.2	<0.2	<10	590	0.97	0.25	1.27	0.23	24.8	15.7	26
ZZ18044		0.41	0.003	0.14	2.13	8.4	<0.2	<10	410	0.97	0.26	0.82	0.24	30.8	18.7	31
ZZ18045		0.35	0.002	0.15	1.71	9.7	<0.2	<10	320	0.84	0.25	1.25	0.22	25.5	14.7	26
ZZ18046		0.36	0.003	0.15	2.13	11.1	<0.2	<10	230	0.93	0.25	1.47	0.24	25.0	20.4	30
ZZ18047		0.35	0.001	0.17	1.13	14.0	<0.2	<10	230	0.85	0.24	1.99	0.38	25.3	11.1	18
ZZ18048		0.32	<0.001	0.08	2.28	11.7	<0.2	<10	290	0.88	0.32	0.14	0.20	30.1	11.3	28
ZZ19021		0.29	0.001	0.37	1.73	49.9	<0.2	<10	470	1.01	0.28	0.63	1.12	20.5	11.7	31
ZZ19022		0.38	0.001	0.23	1.01	114.5	<0.2	<10	250	1.11	0.23	2.65	1.86	16.80	11.1	28
ZZ19023		0.32	0.001	0.09	0.39	47	<0.2	<10	150	0.64	0.14	12.25	1.34	10.20	4.5	20
ZZ19024		0.38	0.001	0.05	0.21	20.3	<0.2	<10	100	0.28	0.07	8.53	1.01	8.05	2.4	11
ZZ19025		0.31	0.001	0.24	0.63	64.7	<0.2	<10	560	0.79	0.21	2.76	1.46	14.75	8.4	28
ZZ19026		0.31	0.003	1.85	0.31	21.3	<0.2	<10	560	0.49	0.19	1.20	0.74	6.85	6.3	20
ZZ19027		0.28	0.002	2.70	0.27	21.3	<0.2	<10	650	0.44	0.17	1.37	1.11	8.07	5.3	28
ZZ19028		0.30	0.003	4.19	0.35	26.8	<0.2	<10	910	0.50	0.18	0.95	1.53	6.81	6.4	31
ZZ19029		0.24	0.002	2.67	0.69	25.3	<0.2	<10	1640	0.68	0.17	1.62	1.05	6.57	6.6	44
ZZ19030		0.23	0.001	1.79	0.52	27.3	<0.2	10	1360	0.60	0.16	1.44	1.10	5.84	4.6	23

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 26- AUG- 2011
Account: RCM

Project: Rackla- Jam Extension

CERTIFICATE OF ANALYSIS WH11149812

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
ZZ19231		0.86	63.1	4.09	5.00	0.10	0.08	0.15	0.039	0.09	13.0	28.7	0.84	768	1.45	0.01
ZZ19232		0.66	52.2	3.01	2.48	0.10	0.06	0.18	0.036	0.07	6.2	8.7	0.18	501	4.69	0.02
ZZ19233		0.76	50.1	4.20	5.09	<0.05	0.10	0.21	0.033	0.07	10.3	22.3	1.85	1070	0.69	0.02
ZZ19234		0.76	55.3	5.01	7.01	0.10	0.12	0.18	0.043	0.07	16.0	25.9	0.67	850	0.96	0.02
ZZ19235		0.79	55.8	3.77	5.25	<0.05	0.09	0.20	0.038	0.08	10.7	26.3	0.68	531	0.97	0.02
ZZ19236		0.51	34.9	6.29	3.94	0.07	0.07	0.71	0.023	0.05	8.1	19.9	4.61	1450	1.57	0.03
ZZ19237		0.58	34.7	3.17	4.57	<0.05	0.07	0.13	0.032	0.07	10.6	20.6	0.81	720	0.59	0.02
ZZ19238		0.75	46.8	3.77	6.51	0.05	0.10	0.11	0.039	0.07	16.4	34.3	0.75	219	0.74	0.02
ZZ19239		1.00	52.0	4.92	7.19	0.06	0.06	0.04	0.043	0.06	14.3	40.0	0.96	907	0.68	0.02
ZZ19240		1.08	41.6	3.90	7.22	0.05	0.07	0.09	0.042	0.07	16.5	30.1	0.67	768	0.94	0.02
ZZ19241		0.92	70.1	4.61	6.96	0.07	0.11	0.11	0.037	0.10	13.8	41.3	1.27	685	0.63	0.02
ZZ19242		0.82	62.6	4.44	6.90	0.06	0.12	0.09	0.041	0.09	13.9	42.8	1.02	555	0.67	0.02
ZZ19243		0.56	38.7	3.14	5.28	<0.05	0.09	0.10	0.033	0.06	11.0	31.7	0.64	311	0.54	0.02
ZZ19244		0.57	52.3	3.55	6.23	0.06	0.12	0.14	0.043	0.07	14.4	39.3	0.84	227	0.96	0.02
ZZ19245		1.03	31.4	3.65	6.29	<0.05	0.06	0.06	0.035	0.04	14.5	26.2	0.63	335	1.10	0.02
ZZ19246		0.73	63.6	5.18	7.23	0.10	0.09	0.07	0.042	0.07	15.8	38.9	1.06	1200	0.71	0.02
ZZ19247		0.71	55.9	3.71	6.42	0.05	0.09	0.13	0.038	0.08	13.1	37.6	0.98	464	0.87	0.02
ZZ19248		1.71	65.4	3.85	5.63	<0.05	0.10	0.15	0.040	0.08	7.5	39.9	0.69	568	0.82	0.02
ZZ19249		0.84	52.2	3.99	5.56	0.05	0.09	0.13	0.038	0.07	9.9	38.0	0.72	553	0.90	0.02
ZZ19250		0.72	58.8	3.86	6.68	<0.05	0.10	0.13	0.041	0.07	9.9	47.8	0.89	378	0.53	0.02
CC110855		1.06	58.0	4.40	4.83	0.05	0.12	0.12	0.036	0.05	11.4	41.6	0.75	495	1.04	0.02
CC110856		1.81	60.7	4.95	5.75	0.07	0.12	0.11	0.049	0.08	7.1	42.8	0.79	1280	2.63	0.03
ZZ18041		0.65	60.7	4.79	6.45	0.08	0.10	0.09	0.041	0.05	13.9	40.4	1.01	571	0.94	0.02
ZZ18042		0.78	70.2	3.62	5.92	0.06	0.10	0.15	0.035	0.07	14.6	36.3	1.06	443	0.75	0.02
ZZ18043		0.64	69.9	4.00	5.77	0.05	0.09	0.16	0.037	0.07	11.8	34.2	0.90	558	0.81	0.03
ZZ18044		0.60	71.9	4.37	7.10	0.05	0.09	0.13	0.038	0.07	12.7	41.1	1.10	517	0.64	0.02
ZZ18045		0.69	51.8	3.50	6.01	<0.05	0.07	0.11	0.034	0.06	11.1	30.0	0.76	546	0.84	0.02
ZZ18046		0.93	107.0	4.74	7.13	0.05	0.12	0.17	0.038	0.09	10.7	37.6	1.23	539	0.68	0.02
ZZ18047		0.92	38.3	3.08	4.23	0.05	0.08	0.09	0.032	0.04	14.6	20.1	0.49	657	1.22	0.02
ZZ18048		1.57	14.8	3.60	8.50	<0.05	0.05	0.04	0.040	0.03	13.1	24.6	0.33	357	1.69	0.02
ZZ19021		1.75	27.0	3.50	5.51	<0.05	0.08	0.19	0.042	0.07	11.7	18.8	0.33	480	4.51	0.02
ZZ19022		2.27	38.1	2.97	3.57	0.05	0.11	0.13	0.037	0.09	14.4	9.4	0.18	430	2.29	0.03
ZZ19023		2.48	21.2	1.05	1.38	<0.05	0.10	0.08	0.032	0.06	12.7	2.7	0.08	203	0.77	0.03
ZZ19024		1.33	9.0	0.51	0.79	<0.05	0.05	0.05	0.023	0.04	9.7	1.6	0.05	133	0.43	0.02
ZZ19025		2.04	29.2	2.12	2.30	<0.05	0.09	0.15	0.036	0.07	15.5	5.6	0.13	291	2.41	0.03
ZZ19026		0.90	62.9	2.31	1.10	<0.05	0.09	0.23	0.036	0.07	4.2	1.3	0.06	112	5.02	0.02
ZZ19027		0.73	50.2	2.24	1.02	<0.05	0.08	0.23	0.031	0.07	4.5	1.1	0.05	109	4.40	0.03
ZZ19028		0.62	67.2	2.38	1.18	0.07	0.09	0.24	0.035	0.08	4.2	1.4	0.05	84	6.27	0.03
ZZ19029		0.43	79.4	2.77	1.58	0.07	0.06	0.21	0.036	0.07	4.2	2.9	0.10	183	4.51	0.01
ZZ19030		0.40	46.8	2.42	1.26	0.07	0.05	0.21	0.032	0.07	3.8	2.7	0.09	119	3.79	0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 26- AUG- 2011
Account: RCM

Project: Rackla- Jam Extension

CERTIFICATE OF ANALYSIS WH11149812

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
ZZ19231		0.26	44.4	730	22.5	7.8	0.001	0.02	0.59	7.5	1.4	0.4	34.7	<0.01	0.06	4.2
ZZ19232		0.20	47.9	1270	13.7	7.7	0.014	0.09	1.92	4.5	5.6	0.4	85.7	<0.01	0.12	2.0
ZZ19233		0.27	31.5	450	30.0	7.7	<0.001	0.03	0.34	8.3	0.6	0.4	67.1	0.01	0.05	4.5
ZZ19234		0.28	36.2	170	33.6	9.1	<0.001	0.01	0.43	12.2	1.1	0.6	19.0	0.01	0.07	6.0
ZZ19235		0.58	31.8	690	20.2	8.1	0.001	0.05	0.60	7.9	0.9	0.5	36.2	0.01	0.06	2.5
ZZ19236		0.30	21.7	770	254	4.8	0.001	0.09	0.41	5.9	0.7	0.3	58.5	0.01	0.06	2.3
ZZ19237		0.54	25.5	630	19.6	7.1	<0.001	0.05	0.39	5.3	0.8	0.4	54.1	0.01	0.05	2.1
ZZ19238		0.70	32.8	340	17.2	9.6	<0.001	0.02	0.46	8.5	0.9	0.5	26.3	0.01	0.05	5.3
ZZ19239		0.27	39.6	370	21.0	9.8	<0.001	0.01	0.44	6.5	0.3	0.4	15.4	<0.01	0.06	4.8
ZZ19240		0.66	29.4	480	24.5	12.8	<0.001	0.02	0.39	7.8	0.7	0.6	39.7	0.01	0.07	3.9
ZZ19241		0.25	38.9	490	17.8	7.4	<0.001	0.02	0.34	9.5	0.7	0.4	82.7	<0.01	0.07	4.9
ZZ19242		0.33	38.7	540	16.6	7.3	0.001	0.03	0.34	10.3	0.8	0.4	32.9	0.01	0.07	4.3
ZZ19243		0.55	29.8	660	16.3	7.8	0.001	0.06	0.34	6.5	1.1	0.4	86.3	0.01	0.06	2.5
ZZ19244		0.53	35.5	640	19.1	7.3	0.001	0.06	0.38	9.4	1.7	0.4	55.0	0.01	0.06	4.8
ZZ19245		0.81	30.6	660	15.0	8.8	<0.001	0.01	0.46	5.6	0.4	0.5	23.5	0.01	0.05	4.5
ZZ19246		0.21	42.6	330	19.4	6.3	0.001	0.01	0.43	9.8	0.6	0.4	16.7	0.01	0.08	5.7
ZZ19247		0.44	33.7	660	14.2	7.3	<0.001	0.04	0.42	8.5	1.5	0.4	39.1	0.01	0.07	3.9
ZZ19248		0.35	35.4	620	19.1	7.6	0.001	0.07	0.60	8.1	1.3	0.5	56.9	0.01	0.07	1.6
ZZ19249		0.43	34.0	560	19.2	6.1	<0.001	0.05	0.51	7.8	1.0	0.4	40.4	0.01	0.07	2.6
ZZ19250		0.36	34.9	620	16.6	6.5	0.001	0.06	0.34	10.1	1.0	0.5	39.8	0.01	0.07	3.6
CC110855		0.25	36.7	720	20.2	4.6	0.001	0.03	0.65	9.8	0.8	0.3	28.5	0.01	0.06	4.7
CC110856		0.30	54.4	1000	26.7	7.6	0.003	0.12	0.85	8.9	2.4	0.6	54.5	0.01	0.08	3.9
ZZ18041		0.24	38.9	400	16.0	6.0	0.001	0.02	0.40	10.4	0.6	0.3	18.6	0.01	0.07	4.9
ZZ18042		0.39	33.4	650	13.5	6.9	0.001	0.05	0.50	8.3	1.2	0.4	50.7	0.01	0.06	2.8
ZZ18043		0.27	34.1	560	16.0	6.1	0.001	0.06	0.46	8.3	1.0	0.3	49.8	0.01	0.09	2.4
ZZ18044		0.28	38.2	510	13.9	5.8	0.001	0.04	0.34	9.7	0.7	0.4	39.5	0.01	0.08	3.2
ZZ18045		0.59	30.2	520	15.0	6.8	0.001	0.05	0.44	6.3	0.8	0.4	53.3	0.01	0.06	1.9
ZZ18046		0.23	40.0	520	15.6	6.7	0.001	0.06	0.47	8.6	0.9	0.3	60.0	0.01	0.09	2.2
ZZ18047		0.75	22.6	680	19.0	7.8	0.001	0.06	0.58	5.6	1.1	0.4	81.6	0.01	0.05	1.2
ZZ18048		1.34	18.6	250	18.6	9.7	<0.001	0.01	0.48	4.0	0.2	0.9	12.0	0.01	0.05	3.9
ZZ19021		0.43	43.6	590	25.7	13.4	0.001	0.06	1.09	6.1	1.4	0.6	21.4	0.01	0.08	2.5
ZZ19022		0.49	68.6	1560	19.7	9.0	0.001	0.06	1.38	4.9	1.8	0.6	36.7	0.01	0.13	1.9
ZZ19023		0.24	32.7	1600	8.7	5.1	0.001	0.05	0.61	2.2	1.1	0.3	97.8	0.01	0.15	1.0
ZZ19024		0.15	15.7	1350	5.2	3.0	<0.001	0.04	0.34	1.7	0.7	0.2	70.2	0.01	0.07	1.1
ZZ19025		0.28	52.2	1450	13.7	5.8	0.001	0.10	1.20	2.5	2.2	0.5	42.5	0.01	0.16	0.6
ZZ19026		0.09	86.8	1110	11.5	5.7	0.006	0.13	1.90	6.2	5.1	0.3	84.7	0.01	0.11	1.4
ZZ19027		0.07	72.4	1770	9.1	5.9	0.010	0.27	1.79	5.7	6.5	0.3	117.0	0.01	0.14	1.9
ZZ19028		0.08	109.0	1610	9.7	5.9	0.011	0.16	2.25	6.8	11.4	0.3	139.0	0.01	0.26	2.1
ZZ19029		0.09	78.3	1600	9.9	6.0	0.006	0.22	1.39	5.3	8.4	0.3	164.0	<0.01	0.21	1.0
ZZ19030		0.09	79.1	1400	9.8	5.1	0.008	0.24	1.33	5.1	7.7	0.3	211	<0.01	0.14	1.2

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 26- AUG- 2011
Account: RCM

Project: Rackla- Jam Extension

CERTIFICATE OF ANALYSIS WH11149812

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
ZZ19231		0.007	0.13	1.14	47	0.05	14.95	199	3.0
ZZ19232		<0.005	0.20	3.69	94	0.08	18.30	249	1.9
ZZ19233		0.007	0.18	0.91	33	0.07	13.55	257	2.9
ZZ19234		<0.005	0.19	1.21	45	0.08	22.1	236	3.9
ZZ19235		0.011	0.12	1.92	39	0.14	11.60	219	2.3
ZZ19236		<0.005	1.24	1.96	25	0.05	11.45	2310	2.1
ZZ19237		0.009	0.10	1.61	32	0.10	10.80	204	1.9
ZZ19238		0.015	0.11	0.61	47	0.16	12.55	82	3.5
ZZ19239		<0.005	0.11	0.64	48	0.06	6.30	78	2.6
ZZ19240		0.010	0.12	1.41	50	0.17	12.95	84	1.6
ZZ19241		<0.005	0.10	0.63	43	0.05	12.15	94	4.0
ZZ19242		0.006	0.07	0.81	42	0.06	14.70	92	3.2
ZZ19243		0.007	0.08	2.41	33	0.09	11.85	96	2.5
ZZ19244		0.008	0.09	4.91	39	0.10	14.20	91	4.6
ZZ19245		0.015	0.11	1.09	47	0.17	8.57	67	1.7
ZZ19246		0.005	0.08	0.60	48	0.05	10.85	84	3.3
ZZ19247		0.008	0.08	3.62	42	0.08	13.35	98	3.0
ZZ19248		<0.005	0.10	2.35	28	0.08	16.00	99	2.4
ZZ19249		0.007	0.08	1.30	33	0.12	13.25	96	2.1
ZZ19250		<0.005	0.07	1.42	37	0.07	13.25	95	3.1
CC110855		<0.005	0.08	0.83	33	0.05	15.95	107	4.0
CC110856		0.005	0.16	2.13	38	0.06	18.35	170	3.2
ZZ18041		<0.005	0.07	0.70	46	0.05	12.80	85	3.3
ZZ18042		0.008	0.09	1.50	38	0.09	14.45	91	2.8
ZZ18043		<0.005	0.08	1.36	39	0.05	15.70	85	2.3
ZZ18044		0.005	0.06	0.64	50	0.05	11.95	83	2.6
ZZ18045		0.010	0.09	0.87	43	0.11	10.50	70	1.7
ZZ18046		<0.005	0.08	0.80	51	0.05	11.85	90	3.2
ZZ18047		0.016	0.09	1.46	34	0.16	21.4	66	1.6
ZZ18048		0.018	0.18	0.59	72	0.26	3.89	54	1.8
ZZ19021		<0.005	0.33	1.32	90	0.16	19.40	167	2.0
ZZ19022		0.008	0.64	2.88	47	0.59	40.1	260	2.5
ZZ19023		<0.005	0.27	2.31	21	0.36	39.5	157	2.0
ZZ19024		<0.005	0.14	1.86	13	0.22	26.0	74	1.1
ZZ19025		0.006	0.37	1.74	38	0.52	49.0	197	1.5
ZZ19026		<0.005	0.16	3.51	37	0.10	29.9	219	2.7
ZZ19027		<0.005	0.18	2.79	43	0.07	28.8	223	2.6
ZZ19028		<0.005	0.13	3.95	58	0.08	35.4	305	3.3
ZZ19029		<0.005	0.13	5.10	81	0.05	34.0	199	2.5
ZZ19030		<0.005	0.16	3.37	57	<0.05	35.2	181	2.3

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 26- AUG- 2011
Account: RCM

Project: Rackla- Jam Extension

CERTIFICATE OF ANALYSIS WH11149812

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- TL43 Au ppm 0.001	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1
ZZ19031		0.30	0.001	1.18	0.36	13.7	<0.2	10	1090	0.51	0.23	0.64	0.58	5.36	8.4	18
ZZ19032		0.27	<0.001	2.21	0.33	24.0	<0.2	10	1330	0.48	0.19	0.70	1.50	6.38	7.8	23
ZZ19033		0.29	0.002	1.46	0.47	31.9	<0.2	10	270	0.59	0.17	6.10	1.03	10.15	5.8	46
ZZ19034		0.37	0.003	1.72	0.60	25.4	<0.2	10	3000	0.64	0.18	2.36	1.02	7.80	6.3	55
ZZ19035		0.20	0.006	2.50	0.69	16.9	<0.2	<10	2320	0.58	0.20	1.18	0.71	7.90	10.2	31
ZZ19036		0.23	0.003	1.79	0.56	15.9	<0.2	<10	2260	0.40	0.20	0.57	0.53	6.67	4.7	24
ZZ19037		0.36	0.007	2.81	0.67	13.9	<0.2	<10	2150	0.27	0.24	0.16	0.35	11.10	3.0	17
ZZ19038		0.26	0.006	1.97	0.89	23.8	<0.2	<10	680	0.58	0.20	0.02	0.50	12.25	7.0	20
ZZ19039		0.31	0.002	0.17	0.56	13.2	<0.2	<10	170	0.12	0.26	0.02	0.12	16.90	3.2	14
ZZ19040		0.22	0.011	4.09	2.13	9.0	<0.2	<10	310	0.81	0.21	0.03	0.49	24.9	3.5	20
ZZ19041		0.37	0.002	1.44	0.98	6.2	<0.2	<10	160	0.24	0.21	0.03	0.21	11.35	2.5	19
ZZ19042		0.33	0.003	2.06	1.09	9.9	<0.2	<10	630	0.71	0.26	0.09	1.34	25.7	22.8	19
ZZ19043		0.29	0.003	1.17	1.06	11.8	<0.2	<10	310	0.63	0.29	0.07	0.65	19.25	35.4	21
ZZ19044		0.35	0.004	0.89	0.73	7.3	<0.2	<10	270	0.36	0.27	0.07	0.42	14.00	3.1	13
ZZ19045		0.30	<0.001	0.31	0.69	19.0	<0.2	<10	110	0.24	0.20	0.03	0.47	19.00	3.0	28
ZZ19046		0.38	0.003	6.87	0.87	45.3	<0.2	<10	1110	1.32	0.19	1.44	41.2	23.4	4.3	147
ZZ19047		0.20	0.003	2.18	0.64	38.4	<0.2	<10	440	0.78	0.17	1.41	12.85	25.7	9.6	64
ZZ19048		0.19	0.001	0.28	0.68	19.0	<0.2	<10	270	0.61	0.16	1.04	1.21	18.35	7.8	13
ZZ19049		0.15	0.001	0.25	0.98	8.8	<0.2	<10	260	0.86	0.18	1.61	1.86	25.8	15.7	15
ZZ19050		0.30	0.001	0.15	1.29	7.5	<0.2	<10	200	1.55	0.26	1.48	0.74	29.8	15.3	21
ZZ19221		0.17	0.001	0.16	1.07	6.3	<0.2	<10	200	1.28	0.20	1.88	0.63	24.7	12.0	18
ZZ19222		0.23	0.001	0.14	1.10	4.9	<0.2	<10	180	1.18	0.20	1.95	0.48	24.9	10.6	18
ZZ19223		0.22	0.001	0.15	1.17	5.1	<0.2	<10	180	1.16	0.22	1.47	0.38	24.2	10.4	18
ZZ19224		0.41	0.002	0.17	1.59	12.8	<0.2	<10	200	1.18	0.33	0.54	0.33	21.1	14.3	28
ZZ19225		0.29	0.001	0.14	1.38	8.3	<0.2	<10	250	1.22	0.26	1.47	0.30	19.20	11.0	22
ZZ19226		0.25	0.002	0.13	1.43	8.4	<0.2	<10	240	1.30	0.29	0.84	0.30	20.7	11.1	24
ZZ19227		0.35	0.002	0.13	1.82	14.0	<0.2	<10	330	1.15	0.32	2.58	0.57	24.0	18.7	28
ZZ19228		0.40	0.002	0.12	1.79	10.0	<0.2	<10	480	1.26	0.37	0.67	0.25	20.7	16.9	30
ZZ19229		0.27	0.001	0.08	1.78	9.2	<0.2	<10	370	1.15	0.36	0.51	0.21	18.15	12.7	34
ZZ19230		0.24	0.003	0.96	0.84	15.0	<0.2	<10	2220	0.76	0.20	0.54	2.30	14.45	5.3	24
ZZ18441		0.24	0.003	0.13	2.22	11.7	<0.2	<10	210	0.99	0.25	0.88	0.26	30.2	18.5	33
ZZ18442		0.34	0.003	0.14	2.01	16.6	<0.2	<10	160	0.98	0.27	1.21	0.45	33.2	20.5	33
ZZ18443		0.29	0.002	0.12	1.64	16.8	<0.2	<10	210	0.77	0.23	2.31	0.44	21.4	14.5	24
ZZ18444		0.29	0.002	0.12	1.59	11.3	<0.2	<10	210	0.75	0.24	1.53	0.38	23.7	14.5	26
ZZ18445		0.42	0.002	0.21	1.51	14.1	<0.2	<10	170	0.96	0.27	1.64	0.36	25.0	13.3	26
ZZ18446		0.33	0.005	0.23	1.53	9.8	<0.2	<10	110	1.05	0.27	1.65	0.36	34.1	17.0	28
ZZ18447		0.27	0.003	0.28	1.07	25.2	<0.2	<10	610	1.17	0.32	4.92	1.08	15.65	14.2	17
ZZ18448		0.26	0.002	0.12	1.85	13.0	<0.2	<10	170	0.98	0.32	0.60	0.26	26.5	18.9	28
ZZ18449		0.27	0.003	0.12	2.05	7.6	<0.2	<10	180	1.05	0.24	1.30	0.27	26.4	16.6	30
ZZ18450		0.34	0.002	0.08	2.19	8.9	<0.2	<10	110	0.88	0.28	0.32	0.20	35.7	20.3	36

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 26- AUG- 2011
Account: RCM

Project: Rackla- Jam Extension

CERTIFICATE OF ANALYSIS WH11149812

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
ZZ19031		1.24	64.5	2.69	1.03	0.06	0.07	0.25	0.038	0.10	2.9	1.7	0.04	116	2.91	0.01
ZZ19032		1.36	63.3	2.91	1.09	0.08	0.12	0.25	0.042	0.09	4.3	1.6	0.05	95	7.31	0.01
ZZ19033		0.76	47.0	3.27	1.36	0.08	0.13	0.23	0.030	0.10	6.6	1.9	0.22	162	5.51	0.01
ZZ19034		0.60	98.4	3.15	1.52	0.07	0.05	0.46	0.034	0.08	5.9	2.7	0.52	91	7.85	0.02
ZZ19035		0.57	81.7	2.50	1.82	0.06	0.06	0.48	0.032	0.07	4.2	5.7	0.11	330	6.48	0.01
ZZ19036		0.54	54.1	2.64	1.79	<0.05	0.02	0.29	0.033	0.08	3.7	3.8	0.08	102	7.51	0.01
ZZ19037		0.51	52.4	1.91	2.50	0.05	0.03	0.59	0.033	0.09	4.9	3.9	0.10	98	6.20	0.01
ZZ19038		0.59	69.4	3.80	2.50	0.05	0.04	0.26	0.053	0.18	5.1	9.5	0.12	198	8.98	0.02
ZZ19039		0.55	16.1	2.01	4.87	<0.05	<0.02	0.02	0.020	0.08	7.9	1.9	0.07	90	3.70	<0.01
ZZ19040		1.41	235	3.43	2.64	0.09	0.07	1.23	0.084	0.07	10.2	10.5	0.09	62	3.95	0.01
ZZ19041		1.70	34.2	1.45	4.55	<0.05	<0.02	0.22	0.020	0.08	5.5	2.6	0.07	57	3.55	<0.01
ZZ19042		2.20	83.9	2.76	3.73	0.06	0.02	0.35	0.042	0.11	8.9	10.0	0.19	850	4.60	0.01
ZZ19043		2.17	57.3	2.82	3.73	0.05	0.02	0.24	0.044	0.12	7.7	12.1	0.20	1220	5.24	<0.01
ZZ19044		1.33	38.1	1.81	2.47	<0.05	0.02	0.34	0.027	0.10	5.8	6.7	0.11	75	2.31	<0.01
ZZ19045		0.68	21.4	1.77	4.98	<0.05	<0.02	0.04	0.013	0.05	11.0	3.7	0.07	72	22.5	<0.01
ZZ19046		1.14	151.0	2.08	5.04	0.16	0.02	0.34	0.025	0.11	25.7	4.9	0.09	154	54.2	0.01
ZZ19047		0.45	91.0	2.22	2.76	0.09	0.05	0.49	0.024	0.09	19.3	4.8	0.13	651	45.6	0.01
ZZ19048		0.40	18.6	2.77	2.12	<0.05	0.05	0.15	0.030	0.08	7.2	5.6	0.10	203	9.21	<0.01
ZZ19049		0.53	20.6	2.76	2.72	0.05	0.07	0.09	0.035	0.11	10.3	9.2	0.16	367	5.02	0.01
ZZ19050		1.23	25.1	3.89	3.74	0.06	0.09	0.05	0.047	0.14	13.7	18.8	0.32	579	2.95	0.01
ZZ19221		0.60	22.8	3.20	2.97	0.05	0.08	0.06	0.039	0.13	10.5	13.2	0.24	792	3.19	0.01
ZZ19222		0.76	21.6	2.65	2.99	0.05	0.07	0.06	0.035	0.13	10.6	14.3	0.28	492	1.95	0.01
ZZ19223		0.96	23.0	2.56	3.33	0.06	0.07	0.06	0.036	0.14	10.4	15.3	0.30	532	2.56	0.01
ZZ19224		1.72	44.3	3.42	5.10	0.06	0.07	0.08	0.028	0.12	9.3	27.0	0.55	1320	2.11	0.01
ZZ19225		1.01	37.4	2.97	3.88	0.05	0.08	0.07	0.033	0.12	9.2	18.2	0.37	763	2.05	0.01
ZZ19226		1.09	31.9	3.42	4.44	0.05	0.09	0.09	0.037	0.11	9.1	21.6	0.38	481	1.88	0.01
ZZ19227		1.39	60.7	4.49	6.00	0.05	0.12	0.13	0.037	0.16	10.4	27.2	1.20	968	0.63	0.01
ZZ19228		0.98	45.0	4.05	6.59	0.05	0.11	0.08	0.037	0.11	9.5	30.4	0.62	527	0.82	0.01
ZZ19229		1.36	36.0	3.73	7.24	<0.05	0.07	0.05	0.031	0.10	8.0	33.2	0.57	513	0.64	0.01
ZZ19230		0.65	67.2	2.46	2.50	0.06	0.06	0.22	0.034	0.09	6.9	9.4	0.15	116	2.87	0.01
ZZ18441		1.07	68.4	4.79	6.78	0.06	0.11	0.10	0.041	0.13	14.7	38.3	1.14	931	0.63	0.01
ZZ18442		1.07	75.9	4.69	6.24	0.07	0.11	0.15	0.042	0.14	14.6	34.4	1.33	1100	0.97	0.01
ZZ18443		0.76	51.9	4.07	4.85	0.05	0.08	0.12	0.032	0.10	10.3	23.6	1.13	954	0.66	0.01
ZZ18444		0.52	46.5	3.73	4.88	0.05	0.08	0.10	0.030	0.08	10.6	28.3	0.93	1020	0.69	0.01
ZZ18445		0.80	59.1	3.52	4.83	0.11	0.06	0.13	0.033	0.09	13.7	29.7	0.88	558	0.64	0.01
ZZ18446		0.58	61.0	3.40	5.29	0.11	0.09	0.12	0.036	0.09	17.9	34.7	1.31	302	0.69	0.01
ZZ18447		1.75	58.9	3.48	3.52	0.07	0.07	0.31	0.033	0.09	10.0	17.6	2.88	911	0.94	0.02
ZZ18448		0.50	57.6	4.28	6.22	0.08	0.06	0.07	0.041	0.06	11.6	37.8	0.86	812	0.81	0.01
ZZ18449		0.71	80.6	4.04	6.78	0.07	0.07	0.11	0.035	0.10	13.4	36.8	1.03	410	0.43	0.01
ZZ18450		0.72	85.1	4.88	7.72	0.10	0.11	0.09	0.035	0.09	18.3	41.9	1.29	604	0.74	0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 26- AUG- 2011
Account: RCM

Project: Rackla- Jam Extension

CERTIFICATE OF ANALYSIS WH11149812

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
ZZ19031		<0.05	80.8	1160	13.4	7.9	0.009	0.16	1.29	8.5	6.0	0.3	127.5	<0.01	0.12	2.6
ZZ19032		<0.05	129.0	1580	12.1	7.4	0.026	0.17	1.95	9.9	9.2	0.3	144.0	<0.01	0.15	3.1
ZZ19033		<0.05	69.7	2980	11.2	6.7	0.009	0.46	1.84	6.4	7.6	0.3	762	<0.01	0.13	3.4
ZZ19034		0.07	113.0	1720	9.9	5.8	0.004	0.10	1.83	7.5	8.0	0.4	381	<0.01	0.11	2.0
ZZ19035		0.13	99.1	1240	12.1	6.2	0.019	0.17	1.61	6.7	9.5	0.4	311	<0.01	0.08	1.4
ZZ19036		0.09	56.2	940	11.1	6.4	0.008	0.12	1.24	5.1	6.5	0.4	182.5	<0.01	0.09	1.2
ZZ19037		0.26	24.9	710	13.4	7.8	0.007	0.16	2.54	2.5	6.6	0.5	55.0	<0.01	0.11	1.5
ZZ19038		0.21	40.1	1010	15.6	11.0	0.002	0.42	3.68	3.3	5.3	0.4	76.0	<0.01	0.13	3.6
ZZ19039		0.91	13.1	310	13.4	12.0	<0.001	0.06	1.50	1.3	1.0	0.6	17.4	<0.01	0.07	2.2
ZZ19040		0.37	19.0	2010	17.8	9.8	0.001	0.18	1.60	6.9	5.8	0.4	19.8	<0.01	0.08	3.8
ZZ19041		0.33	11.2	820	15.4	13.2	<0.001	0.05	1.04	1.1	1.8	0.6	12.2	<0.01	0.06	0.9
ZZ19042		0.30	38.2	1160	24.3	12.8	<0.001	0.09	1.85	3.3	3.3	0.5	42.3	<0.01	0.09	2.1
ZZ19043		0.32	37.1	1190	24.1	13.8	<0.001	0.06	1.72	2.5	2.8	0.5	27.6	<0.01	0.07	2.4
ZZ19044		0.25	12.4	670	16.4	11.4	0.001	0.03	1.13	2.7	2.9	0.4	14.7	<0.01	0.06	2.9
ZZ19045		0.47	55.2	610	11.5	8.7	<0.001	0.02	6.39	1.0	3.9	0.7	9.2	<0.01	0.10	0.8
ZZ19046		0.22	249	4170	13.0	14.4	0.010	0.08	29.3	3.3	17.0	0.6	122.0	<0.01	0.28	0.5
ZZ19047		0.23	233	2360	10.7	7.4	0.015	0.08	17.20	3.7	10.2	0.6	69.8	<0.01	0.12	1.4
ZZ19048		0.20	21.6	1370	14.1	6.8	0.007	0.07	1.86	3.7	3.2	0.4	31.9	<0.01	0.04	2.7
ZZ19049		0.32	34.0	800	14.1	9.2	0.009	0.06	1.09	4.7	2.5	0.4	52.4	<0.01	0.04	3.5
ZZ19050		0.42	43.9	760	18.8	10.2	0.006	0.05	0.70	7.3	1.8	0.5	61.6	<0.01	0.02	4.0
ZZ19221		0.38	31.0	720	14.5	8.8	0.006	0.08	0.81	4.9	1.7	0.5	76.2	<0.01	0.03	2.3
ZZ19222		0.38	27.0	620	14.3	8.9	0.005	0.07	0.57	4.6	1.6	0.5	70.6	<0.01	0.03	2.4
ZZ19223		0.37	25.8	610	15.1	10.4	0.004	0.07	0.56	4.6	2.0	0.5	52.2	<0.01	0.03	2.0
ZZ19224		0.51	32.5	530	22.9	11.2	0.001	0.02	0.45	6.0	1.4	0.6	24.9	<0.01	0.03	4.1
ZZ19225		0.44	26.1	640	17.8	10.0	0.003	0.07	0.57	4.5	3.3	0.5	45.8	<0.01	0.04	1.9
ZZ19226		0.47	27.7	630	23.3	10.9	0.003	0.06	0.53	5.4	3.4	0.6	31.2	<0.01	0.03	3.0
ZZ19227		0.16	35.7	560	25.9	10.4	<0.001	0.03	0.38	7.4	0.6	0.6	75.0	<0.01	0.06	5.8
ZZ19228		0.49	33.1	520	22.2	10.2	<0.001	0.02	0.35	6.5	0.8	0.7	30.6	<0.01	0.04	5.2
ZZ19229		0.64	27.6	340	18.2	11.1	<0.001	0.02	0.29	5.2	0.8	0.9	23.1	<0.01	0.03	4.5
ZZ19230		0.25	43.4	1270	13.6	8.2	0.017	0.11	1.87	5.3	7.7	0.4	81.4	<0.01	0.10	3.3
ZZ18441		0.16	38.4	560	15.6	8.5	<0.001	0.04	0.38	8.8	1.0	0.4	39.6	<0.01	0.08	3.8
ZZ18442		0.18	41.4	680	21.8	8.2	<0.001	0.02	0.38	8.3	0.6	0.4	40.1	<0.01	0.08	4.7
ZZ18443		0.19	29.4	730	22.4	7.2	<0.001	0.07	0.43	5.0	1.1	0.3	65.5	<0.01	0.05	1.7
ZZ18444		0.32	29.5	700	17.0	6.2	0.001	0.08	0.35	5.7	1.4	0.4	52.1	<0.01	0.08	3.2
ZZ18445		0.45	35.3	840	17.8	7.3	<0.001	0.08	2.25	5.5	1.6	0.4	61.7	<0.01	0.06	1.6
ZZ18446		0.39	37.4	700	18.6	6.9	0.001	0.06	1.45	8.0	1.7	0.4	48.6	<0.01	0.05	4.6
ZZ18447		0.27	29.8	540	41.6	9.3	<0.001	0.05	1.20	8.4	1.8	0.5	53.3	<0.01	0.04	3.5
ZZ18448		0.31	38.7	490	18.3	5.7	<0.001	0.03	0.70	7.9	1.0	0.4	30.9	<0.01	0.09	3.6
ZZ18449		0.26	39.1	730	12.8	7.4	<0.001	0.06	0.56	8.2	1.3	0.4	55.4	<0.01	0.08	2.5
ZZ18450		0.10	45.9	690	15.0	5.7	<0.001	0.02	0.44	9.4	0.7	0.3	21.3	<0.01	0.10	5.0

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 26- AUG- 2011
Account: RCM

Project: Rackla- Jam Extension

CERTIFICATE OF ANALYSIS WH11149812

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
ZZ19031		<0.005	0.15	2.58	39	<0.05	29.7	265	3.8
ZZ19032		<0.005	0.13	4.10	43	<0.05	36.3	393	7.2
ZZ19033		<0.005	0.11	3.70	85	<0.05	38.1	255	9.5
ZZ19034		<0.005	0.16	3.56	73	0.05	42.8	371	2.0
ZZ19035		<0.005	0.19	4.81	55	0.05	24.4	191	2.3
ZZ19036		<0.005	0.16	2.84	48	0.06	17.20	152	0.8
ZZ19037		0.005	0.59	3.21	62	0.06	11.05	100	0.6
ZZ19038		<0.005	0.80	1.74	90	0.05	7.00	183	1.2
ZZ19039		0.025	0.20	0.40	93	0.15	1.93	76	<0.5
ZZ19040		0.005	0.46	7.36	56	0.06	16.40	87	2.1
ZZ19041		0.007	0.57	0.91	65	0.08	2.37	80	<0.5
ZZ19042		0.006	0.66	2.13	62	0.08	20.3	214	0.6
ZZ19043		0.008	0.64	1.69	74	0.11	10.05	195	<0.5
ZZ19044		<0.005	0.44	1.35	49	0.05	8.63	66	<0.5
ZZ19045		0.013	0.76	1.01	371	0.26	3.20	305	<0.5
ZZ19046		0.013	1.50	13.15	1280	0.33	57.6	1610	<0.5
ZZ19047		0.007	0.65	5.99	649	0.23	30.7	2180	1.7
ZZ19048		<0.005	0.16	2.88	255	0.05	7.76	294	1.4
ZZ19049		<0.005	0.11	2.43	59	<0.05	11.90	386	2.7
ZZ19050		0.005	0.15	1.04	36	<0.05	14.85	181	4.4
ZZ19221		<0.005	0.13	1.59	37	0.05	12.15	155	3.4
ZZ19222		<0.005	0.12	1.80	30	<0.05	11.90	120	3.4
ZZ19223		<0.005	0.15	1.60	30	<0.05	12.20	109	2.8
ZZ19224		0.012	0.12	1.47	35	0.15	12.55	115	2.3
ZZ19225		0.006	0.13	2.28	32	0.07	12.40	102	2.3
ZZ19226		0.005	0.14	1.82	33	0.09	12.15	120	2.8
ZZ19227		0.006	0.15	0.62	37	<0.05	10.60	194	4.5
ZZ19228		0.008	0.10	0.81	33	0.07	11.70	142	3.5
ZZ19229		0.011	0.10	0.93	35	0.09	9.28	110	2.4
ZZ19230		<0.005	0.22	3.62	92	0.05	20.5	250	2.6
ZZ18441		0.005	0.09	0.85	54	<0.05	14.10	109	3.5
ZZ18442		0.006	0.11	0.69	49	<0.05	12.85	159	3.9
ZZ18443		0.005	0.12	1.55	39	0.05	10.55	193	2.0
ZZ18444		0.007	0.08	1.30	38	0.05	10.75	122	2.4
ZZ18445		0.013	0.09	1.69	36	0.10	13.55	118	1.9
ZZ18446		0.009	0.09	1.08	38	0.05	14.90	105	3.3
ZZ18447		<0.005	0.26	1.06	28	0.05	16.55	555	2.2
ZZ18448		0.007	0.06	0.57	41	0.05	9.58	86	1.8
ZZ18449		0.006	0.06	0.93	48	<0.05	12.60	84	2.4
ZZ18450		0.007	0.05	0.43	56	<0.05	12.00	87	4.8

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 26- AUG- 2011
Account: RCM

Project: Rackla- Jam Extension

CERTIFICATE OF ANALYSIS WH11149812

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- TL43 Au ppm 0.001	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1
ZZ18451		0.29	0.001	0.11	1.47	9.0	<0.2	<10	530	1.51	0.32	1.15	0.15	13.75	13.2	25
ZZ18452		0.16	0.002	0.12	1.64	10.6	<0.2	<10	260	1.34	0.26	1.58	0.28	17.85	16.5	23
ZZ18453		0.22	0.001	0.05	1.90	12.8	<0.2	<10	290	1.11	0.32	0.25	0.14	18.25	15.6	26
ZZ18454		0.16	0.002	0.11	1.54	5.8	<0.2	<10	270	0.74	0.21	1.56	0.35	20.3	15.0	25
ZZ18455		0.23	0.003	0.21	2.33	12.9	<0.2	<10	270	2.44	0.27	0.24	0.52	46.0	24.6	30
ZZ18456		0.29	0.002	0.07	1.59	15.4	<0.2	<10	170	1.17	0.33	0.13	0.19	23.5	23.1	25
ZZ18457		0.30	0.002	0.06	2.03	14.7	<0.2	<10	180	1.19	0.30	0.19	0.18	30.3	20.4	30
ZZ18458		0.20	<0.001	0.06	1.50	7.7	<0.2	<10	160	0.48	0.26	0.10	0.12	24.0	9.0	21
ZZ18459		0.21	0.001	0.09	1.72	12.2	<0.2	<10	120	0.87	0.30	0.43	0.16	18.75	16.0	28
ZZ19109		0.17	0.002	0.35	1.35	28.6	<0.2	<10	340	0.94	0.24	2.02	4.21	20.7	8.7	30
ZZ19110		0.15	0.001	0.54	1.27	22.5	<0.2	<10	390	0.74	0.22	2.60	2.85	16.25	7.2	23
ZZ19111		0.16	0.001	0.32	1.19	18.5	<0.2	<10	400	0.76	0.21	2.46	1.72	15.65	6.0	23
ZZ19112		0.13	0.001	0.35	1.28	19.6	<0.2	<10	370	0.79	0.23	1.83	1.63	16.45	7.6	26
ZZ19113		0.21	0.002	0.37	1.33	23.7	<0.2	<10	330	0.91	0.23	2.27	1.77	20.2	9.0	27
ZZ19114		0.15	0.001	0.43	1.17	36.8	<0.2	<10	460	0.86	0.21	1.53	1.19	16.30	9.2	23
ZZ19115		0.12	0.001	0.20	1.25	13.8	<0.2	<10	370	0.69	0.24	3.00	4.04	15.85	7.0	22
ZZ19116		0.21	0.002	0.46	1.14	22.8	<0.2	<10	370	0.72	0.21	1.91	2.10	15.00	6.5	26
ZZ19117		0.22	0.001	0.36	1.40	21.9	<0.2	<10	270	0.83	0.25	1.94	1.95	22.4	8.4	30
ZZ19118		0.24	0.001	0.44	1.45	28.1	<0.2	<10	450	1.03	0.26	1.54	1.52	17.45	7.8	26
ZZ19119		0.26	0.001	0.47	1.40	26.8	<0.2	<10	370	1.13	0.24	2.06	5.17	13.95	7.1	27
ZZ19120		0.22	0.001	0.26	1.49	24.7	<0.2	<10	390	0.72	0.27	1.20	0.70	16.60	6.6	27
ZZ19121		0.14	0.001	0.32	0.89	20.6	<0.2	<10	230	0.72	0.18	1.34	2.13	12.50	5.4	22
ZZ19122		0.16	<0.001	0.34	1.32	25.4	<0.2	<10	290	0.97	0.22	2.29	1.61	14.20	7.1	27
ZZ19123		0.16	0.002	0.30	1.47	17.4	<0.2	<10	360	0.95	0.25	2.41	2.45	17.65	7.0	28
ZZ19124		0.12	<0.001	0.20	1.19	9.6	<0.2	<10	340	0.69	0.19	3.94	2.87	14.40	5.0	23
ZZ19125		0.14	0.001	0.39	1.14	23.0	<0.2	<10	360	0.66	0.20	3.69	1.96	17.25	7.4	25
ZZ19126		0.27	0.002	0.38	1.69	36.8	<0.2	<10	420	1.04	0.30	1.31	1.13	29.2	10.5	32
ZZ19127		0.10	0.001	0.37	1.35	39.1	<0.2	<10	840	0.75	0.23	1.91	3.28	15.60	7.7	25
ZZ19128		0.23	0.001	0.75	1.23	100.0	<0.2	<10	620	0.99	0.24	1.37	0.98	11.95	7.6	24
ZZ19129		0.19	0.002	0.92	1.74	84.1	<0.2	<10	460	1.52	0.25	2.04	2.74	36.7	7.7	39
ZZ19130		0.27	0.002	0.53	1.61	59.3	<0.2	<10	490	0.96	0.26	0.74	0.90	18.90	9.5	30
ZZ19131		0.14	0.001	0.41	1.57	42.3	<0.2	<10	340	0.96	0.26	2.08	5.14	25.6	8.8	42
ZZ19132		0.20	0.001	0.32	1.54	49.3	<0.2	<10	440	0.69	0.27	0.55	0.65	21.4	7.6	28
ZZ18401		0.31	0.001	0.29	1.46	40.4	<0.2	<10	530	0.66	0.23	2.11	1.60	15.60	6.7	25
ZZ18402		0.24	0.001	0.28	1.45	82.0	<0.2	<10	930	0.64	0.24	0.68	0.89	18.85	8.3	26
ZZ18403		0.35	0.002	1.53	0.46	14.1	<0.2	<10	1050	0.53	0.17	1.04	0.59	6.42	3.9	26
ZZ18404		0.25	0.001	1.80	0.49	19.8	<0.2	<10	1350	0.47	0.17	0.51	0.66	6.04	3.8	30
ZZ18405		0.33	0.002	2.48	0.51	16.3	<0.2	<10	2100	0.50	0.17	0.55	0.94	5.96	3.1	26
ZZ18406		0.21	0.002	1.17	0.52	15.6	<0.2	<10	1990	0.49	0.19	1.26	0.73	7.95	6.5	25
ZZ18407		0.12	0.002	1.07	0.70	11.2	<0.2	<10	1900	0.52	0.15	0.96	0.60	8.63	5.4	21

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 26- AUG- 2011
Account: RCM

Project: Rackla- Jam Extension

CERTIFICATE OF ANALYSIS WH11149812

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
ZZ18451		0.53	34.7	3.46	5.34	0.06	0.07	0.14	0.043	0.07	5.8	41.7	0.54	169	1.29	0.01
ZZ18452		0.70	70.2	3.79	5.35	0.06	0.08	0.12	0.042	0.08	8.8	32.9	0.78	965	1.01	0.01
ZZ18453		0.89	50.6	4.83	6.08	<0.05	0.04	0.04	0.045	0.05	8.1	31.3	0.54	493	1.35	0.01
ZZ18454		0.61	62.7	3.47	5.23	0.05	0.06	0.10	0.034	0.08	9.8	24.9	0.80	1020	0.69	0.01
ZZ18455		0.91	69.6	6.03	5.15	0.08	0.08	0.08	0.064	0.08	16.5	23.6	0.65	2460	0.73	0.01
ZZ18456		0.90	79.0	5.35	4.66	0.08	0.05	0.08	0.051	0.06	11.6	24.2	0.54	572	1.42	0.01
ZZ18457		0.98	70.3	4.93	6.46	0.07	0.07	0.09	0.040	0.06	13.5	35.3	0.78	795	0.87	0.01
ZZ18458		1.09	16.2	3.09	6.50	<0.05	0.03	0.02	0.024	0.04	12.1	25.7	0.38	258	0.81	0.01
ZZ18459		1.51	62.4	4.08	5.97	0.05	0.06	0.07	0.037	0.07	9.9	42.8	0.77	332	0.68	0.01
ZZ19109		0.96	29.5	2.60	4.08	0.07	0.03	0.24	0.033	0.05	21.8	10.5	0.28	479	1.75	0.01
ZZ19110		0.69	24.4	2.35	3.76	0.05	0.03	0.17	0.027	0.05	17.3	9.0	0.26	400	2.99	0.02
ZZ19111		0.72	19.9	2.11	3.53	0.06	0.04	0.09	0.026	0.05	19.4	8.4	0.22	405	1.56	0.02
ZZ19112		0.70	24.6	2.57	3.78	0.06	0.03	0.08	0.031	0.07	18.9	10.9	0.29	352	1.65	0.02
ZZ19113		0.88	26.5	2.67	4.20	0.06	0.04	0.12	0.033	0.07	21.0	11.8	0.32	390	1.49	0.02
ZZ19114		0.86	29.3	2.57	3.62	0.05	0.05	0.21	0.032	0.06	15.3	10.7	0.25	372	2.42	0.01
ZZ19115		0.87	19.3	2.15	3.80	0.05	0.03	0.08	0.031	0.06	20.2	8.0	0.21	697	1.30	0.02
ZZ19116		0.78	23.0	2.42	3.53	0.06	0.03	0.13	0.032	0.05	18.5	10.0	0.24	350	1.28	0.02
ZZ19117		0.87	25.1	2.78	4.16	0.07	0.04	0.12	0.034	0.07	24.7	12.2	0.34	359	1.70	0.02
ZZ19118		0.84	34.6	2.90	4.28	0.06	0.05	0.13	0.036	0.06	15.2	12.7	0.31	396	2.26	0.01
ZZ19119		0.86	34.7	2.67	4.15	0.06	0.05	0.16	0.032	0.07	19.3	10.7	0.26	424	1.84	0.01
ZZ19120		1.30	19.5	2.75	5.79	<0.05	0.03	0.07	0.035	0.05	10.7	12.9	0.22	322	1.94	0.01
ZZ19121		0.82	20.7	1.83	2.85	0.05	0.04	0.10	0.032	0.05	13.8	7.9	0.18	271	1.32	0.01
ZZ19122		0.75	27.5	2.50	4.01	0.05	0.05	0.11	0.032	0.08	16.8	10.3	0.25	400	1.85	0.01
ZZ19123		0.96	22.5	2.53	4.36	0.06	0.04	0.09	0.032	0.06	21.0	10.2	0.29	388	1.18	0.02
ZZ19124		0.88	18.1	2.00	3.70	<0.05	0.02	0.06	0.026	0.04	17.5	7.1	0.21	420	0.74	0.02
ZZ19125		0.75	19.9	2.28	3.36	0.05	0.03	0.15	0.026	0.06	19.2	9.1	0.26	395	1.46	0.02
ZZ19126		1.11	28.1	3.24	5.21	0.07	0.04	0.43	0.034	0.07	23.1	13.7	0.40	449	1.65	0.02
ZZ19127		1.13	20.7	2.31	4.24	<0.05	0.03	0.21	0.029	0.06	12.5	8.8	0.21	529	1.58	0.02
ZZ19128		0.77	37.5	2.87	3.99	<0.05	0.05	0.74	0.037	0.07	9.2	11.2	0.25	304	2.98	0.01
ZZ19129		1.44	27.5	2.93	3.65	0.09	0.06	0.79	0.045	0.06	38.8	12.3	0.15	771	2.66	0.01
ZZ19130		1.51	30.7	3.39	4.64	0.06	0.06	0.49	0.038	0.08	12.2	14.8	0.33	390	3.38	<0.01
ZZ19131		1.17	22.0	2.77	4.21	0.07	0.03	0.15	0.031	0.06	21.8	9.0	0.31	665	1.23	<0.01
ZZ19132		1.80	19.8	3.08	5.14	0.05	<0.02	0.36	0.037	0.07	13.7	11.4	0.22	429	2.42	<0.01
ZZ18401		1.05	19.5	2.35	4.20	0.05	0.04	0.59	0.029	0.05	15.8	9.4	0.25	404	1.47	<0.01
ZZ18402		1.76	23.7	2.92	4.68	<0.05	0.03	1.25	0.032	0.07	9.3	12.5	0.23	379	2.70	<0.01
ZZ18403		0.42	41.3	1.75	1.35	0.05	0.04	0.19	0.028	0.06	4.0	1.6	0.04	106	3.48	<0.01
ZZ18404		0.64	47.8	2.25	1.36	0.07	0.02	0.18	0.030	0.07	3.3	1.7	0.03	70	3.36	<0.01
ZZ18405		0.62	43.7	1.95	1.34	0.06	0.02	0.21	0.030	0.06	3.7	2.1	0.07	67	3.12	<0.01
ZZ18406		0.94	58.5	2.71	1.38	0.06	0.05	0.33	0.034	0.08	4.4	3.3	0.06	119	4.91	<0.01
ZZ18407		0.56	36.8	1.69	2.11	0.05	0.05	0.21	0.027	0.05	4.4	3.0	0.07	223	2.78	<0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 26- AUG- 2011
Account: RCM

Project: Rackla- Jam Extension

CERTIFICATE OF ANALYSIS WH11149812

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
ZZ18451		0.34	34.7	510	16.4	6.5	0.001	0.06	0.36	8.6	1.1	0.7	47.2	<0.01	0.04	3.8
ZZ18452		0.17	38.4	540	14.1	6.0	0.001	0.08	0.49	8.4	1.2	0.4	58.4	<0.01	0.07	2.6
ZZ18453		0.34	31.0	330	18.3	10.4	<0.001	0.02	0.42	7.1	0.6	0.7	18.1	<0.01	0.06	3.9
ZZ18454		0.18	33.8	680	11.4	6.1	0.001	0.07	0.34	7.8	0.7	0.3	62.6	<0.01	0.08	1.6
ZZ18455		0.16	49.4	510	22.5	10.0	<0.001	0.03	0.28	11.8	1.5	0.4	12.7	<0.01	0.07	5.1
ZZ18456		0.14	47.5	270	24.1	8.2	<0.001	0.02	0.36	10.6	1.1	0.5	11.1	<0.01	0.07	4.1
ZZ18457		0.26	40.3	300	21.1	9.9	<0.001	0.02	0.33	10.1	0.9	0.5	14.2	<0.01	0.07	4.5
ZZ18458		0.86	16.6	200	12.5	12.1	<0.001	0.01	0.18	3.0	0.6	0.6	8.5	<0.01	0.04	2.8
ZZ18459		0.24	35.7	430	16.8	9.8	<0.001	0.03	0.33	9.2	0.8	0.4	18.1	<0.01	0.07	3.2
ZZ19109		0.44	37.5	1480	18.4	8.9	<0.001	0.12	0.80	1.9	1.9	0.5	32.1	<0.01	0.05	0.4
ZZ19110		0.45	30.5	1690	19.0	8.6	<0.001	0.14	0.91	1.5	2.0	0.4	37.9	<0.01	0.06	0.4
ZZ19111		0.41	24.4	1670	13.8	7.8	<0.001	0.15	0.66	1.5	1.3	0.4	32.2	<0.01	0.06	0.5
ZZ19112		0.40	30.9	1190	16.4	8.4	<0.001	0.11	0.76	1.9	1.6	0.4	29.3	<0.01	0.05	0.4
ZZ19113		0.49	37.7	1120	16.1	8.6	<0.001	0.09	0.78	2.6	1.7	0.4	30.5	<0.01	0.07	0.7
ZZ19114		0.41	39.3	790	39.6	7.6	0.001	0.08	0.78	3.3	1.5	0.4	27.4	<0.01	0.07	0.8
ZZ19115		0.62	22.9	1520	26.6	9.0	<0.001	0.15	0.48	1.5	1.2	0.4	30.8	0.01	0.05	0.4
ZZ19116		0.45	27.6	1310	26.5	8.5	<0.001	0.10	0.59	2.1	1.7	0.4	26.4	<0.01	0.04	0.5
ZZ19117		0.46	33.6	1340	17.8	10.1	<0.001	0.10	0.77	2.8	1.7	0.4	28.2	<0.01	0.06	0.8
ZZ19118		0.47	36.1	1370	20.5	9.7	<0.001	0.10	0.80	3.1	2.0	0.5	27.3	<0.01	0.05	0.8
ZZ19119		0.39	35.0	1820	18.6	11.8	<0.001	0.13	0.72	2.8	1.9	0.5	34.1	<0.01	0.06	0.7
ZZ19120		0.67	25.9	810	19.9	12.5	0.001	0.06	0.61	3.3	1.2	0.7	25.2	<0.01	0.04	0.9
ZZ19121		0.30	23.9	990	12.9	7.3	<0.001	0.08	0.52	2.9	1.6	0.3	30.4	<0.01	0.06	0.7
ZZ19122		0.41	32.0	1470	20.6	9.6	<0.001	0.14	0.72	2.6	1.5	0.4	28.3	<0.01	0.06	0.6
ZZ19123		0.54	28.6	1460	16.9	9.5	<0.001	0.12	0.55	2.0	1.6	0.4	30.3	<0.01	0.05	0.5
ZZ19124		0.49	19.3	1320	14.4	6.9	<0.001	0.14	0.36	1.4	1.0	0.4	43.1	<0.01	0.05	0.3
ZZ19125		0.44	29.2	1270	29.3	7.8	<0.001	0.09	0.63	1.9	1.2	0.4	37.6	<0.01	0.04	0.5
ZZ19126		0.67	36.3	720	40.7	9.7	<0.001	0.05	0.80	4.7	1.9	0.6	22.7	<0.01	0.07	1.3
ZZ19127		0.63	28.2	980	25.5	9.1	<0.001	0.10	0.59	2.7	1.6	0.5	32.3	<0.01	0.03	0.7
ZZ19128		0.29	39.5	1140	35.8	7.8	0.001	0.10	1.15	3.1	2.3	0.5	32.9	<0.01	0.09	0.7
ZZ19129		0.25	36.7	2270	46.0	15.7	0.001	0.12	1.05	3.7	3.2	0.4	38.0	<0.01	0.09	0.9
ZZ19130		0.34	42.5	870	35.7	11.6	0.001	0.04	1.04	4.7	1.8	0.5	25.0	<0.01	0.08	1.9
ZZ19131		0.60	34.6	1640	66.3	9.0	<0.001	0.09	0.84	1.8	1.5	0.5	28.1	<0.01	0.05	0.5
ZZ19132		0.47	30.5	860	32.3	16.0	<0.001	0.02	0.73	2.1	1.2	0.6	21.4	<0.01	0.09	0.5
ZZ18401		0.54	27.6	1600	17.2	8.7	<0.001	0.11	0.65	1.9	1.3	0.5	35.9	<0.01	0.06	0.6
ZZ18402		0.43	32.9	610	38.7	10.4	0.001	0.04	0.94	3.4	1.2	0.6	30.5	<0.01	0.05	1.5
ZZ18403		0.08	44.3	970	9.4	5.4	0.004	0.04	1.01	3.8	4.1	0.3	64.6	<0.01	0.09	1.2
ZZ18404		0.07	56.3	1330	8.8	6.4	0.005	0.14	1.12	5.3	7.3	0.3	106.5	<0.01	0.23	1.8
ZZ18405		0.07	47.3	1210	9.5	6.8	0.005	0.09	0.97	4.1	6.5	0.3	113.0	<0.01	0.21	1.2
ZZ18406		0.07	97.3	1140	13.0	6.9	0.006	0.07	1.26	7.0	5.5	0.3	162.0	<0.01	0.09	2.6
ZZ18407		0.16	35.2	910	11.5	7.5	0.004	0.09	0.80	3.5	4.5	0.3	74.2	<0.01	0.08	1.1

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 26- AUG- 2011
Account: RCM

Project: Rackla- Jam Extension

CERTIFICATE OF ANALYSIS WH11149812

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
ZZ18451		0.006	0.07	0.73	24	<0.05	13.10	69	2.2
ZZ18452		<0.005	0.09	0.73	34	<0.05	15.30	89	2.3
ZZ18453		<0.005	0.11	0.52	46	0.06	6.56	83	1.5
ZZ18454		0.005	0.06	0.81	39	<0.05	12.70	70	1.8
ZZ18455		<0.005	0.14	0.83	45	<0.05	18.90	80	2.8
ZZ18456		<0.005	0.14	0.63	38	<0.05	13.10	93	2.2
ZZ18457		0.006	0.11	0.62	51	0.05	14.30	84	2.5
ZZ18458		0.018	0.09	0.35	55	0.13	2.94	43	1.2
ZZ18459		0.005	0.08	0.50	42	<0.05	11.75	84	1.9
ZZ19109		0.008	0.15	1.18	51	0.22	40.9	179	0.9
ZZ19110		0.009	0.10	1.87	58	0.14	32.8	160	0.7
ZZ19111		0.009	0.12	2.50	44	0.15	38.9	140	0.9
ZZ19112		0.010	0.12	1.61	47	0.13	33.5	144	0.9
ZZ19113		0.012	0.18	1.04	46	0.23	38.2	144	1.0
ZZ19114		0.007	0.18	1.07	48	0.09	26.2	114	1.3
ZZ19115		0.013	0.10	0.81	37	0.12	31.6	240	0.9
ZZ19116		0.010	0.10	1.19	41	0.14	33.5	121	0.9
ZZ19117		0.013	0.14	1.17	50	0.16	45.5	139	1.1
ZZ19118		0.008	0.16	1.83	56	0.16	28.6	151	1.5
ZZ19119		0.007	0.13	2.38	53	0.10	43.6	233	1.2
ZZ19120		0.010	0.20	1.00	67	0.19	15.60	101	0.8
ZZ19121		0.007	0.10	2.02	36	0.13	28.2	122	1.0
ZZ19122		0.006	0.15	2.19	49	0.11	36.5	156	1.2
ZZ19123		0.011	0.14	1.24	48	0.14	41.5	149	1.0
ZZ19124		0.011	0.09	1.45	37	0.10	30.9	138	0.8
ZZ19125		0.012	0.13	1.33	42	0.14	34.6	129	0.7
ZZ19126		0.015	0.16	0.84	57	0.20	36.2	134	1.1
ZZ19127		0.011	0.17	2.69	50	0.13	20.5	118	1.0
ZZ19128		0.005	0.26	2.41	61	0.14	19.05	146	1.4
ZZ19129		<0.005	0.38	4.55	62	0.13	65.0	229	1.8
ZZ19130		0.005	0.33	1.40	78	0.11	20.0	154	1.6
ZZ19131		0.016	0.17	1.83	52	0.42	52.0	229	0.6
ZZ19132		0.011	0.34	1.11	66	0.21	16.15	140	<0.5
ZZ18401		0.009	0.21	2.25	50	0.16	24.7	113	1.0
ZZ18402		0.007	0.37	0.87	65	0.12	11.00	130	1.0
ZZ18403		<0.005	0.09	3.00	48	<0.05	21.6	133	2.0
ZZ18404		<0.005	0.14	4.03	59	<0.05	24.3	180	1.3
ZZ18405		<0.005	0.12	3.13	59	<0.05	25.0	126	1.1
ZZ18406		<0.005	0.17	3.09	54	<0.05	31.5	251	2.8
ZZ18407		<0.005	0.13	2.61	47	0.05	19.05	73	2.0

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 26- AUG- 2011
Account: RCM

Project: Rackla- Jam Extension

CERTIFICATE OF ANALYSIS WH11149812

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- TL43 Au ppm 0.001	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1
ZZ18408		0.20	0.001	1.43	0.50	17.7	<0.2	<10	1230	0.47	0.18	0.30	0.49	6.19	3.7	23
ZZ18409		0.28	0.001	1.80	0.61	17.0	<0.2	<10	2060	0.55	0.18	0.76	0.78	6.51	4.2	27
ZZ18410		0.38	0.002	0.83	1.58	17.7	<0.2	<10	>10000	0.80	0.27	0.35	0.57	28.1	12.5	27
ZZ18411		0.13	0.009	3.50	1.08	10.8	<0.2	<10	2120	0.40	0.25	0.27	0.74	11.50	1.8	19
ZZ18412		0.27	0.002	1.92	1.08	23.9	<0.2	<10	1410	0.48	0.20	0.04	0.57	12.55	3.4	21
ZZ18413		0.24	<0.001	0.90	0.60	5.8	<0.2	<10	340	0.10	0.21	0.01	0.14	13.60	1.8	18
ZZ18414		0.15	<0.001	0.76	0.91	12.9	<0.2	<10	120	0.22	0.28	0.04	0.27	20.6	3.6	17
ZZ18415		0.19	0.005	1.79	2.05	16.2	<0.2	<10	200	0.94	0.26	0.06	0.67	35.1	23.0	31
ZZ18416		0.27	0.001	0.28	1.09	12.7	<0.2	<10	150	0.30	0.35	0.02	0.28	15.90	10.5	20
ZZ18417		0.35	0.008	1.17	2.59	14.1	<0.2	<10	250	1.56	0.28	0.07	1.69	45.8	73.4	38
ZZ18418		0.28	0.001	1.01	0.49	8.0	<0.2	<10	950	0.44	0.21	0.11	2.12	13.40	5.9	14
ZZ18419		0.09	0.003	1.14	0.70	4.7	<0.2	<10	620	0.49	0.20	0.26	3.98	17.70	1.2	14
ZZ18420		0.29	0.001	0.94	1.56	22.0	<0.2	<10	710	0.85	0.25	1.59	6.81	20.7	15.7	27
ZZ18421		0.19	0.001	5.05	1.52	37.5	<0.2	<10	240	1.12	0.20	1.17	21.1	28.3	6.0	111
ZZ18422		0.16	0.001	0.68	0.99	17.1	<0.2	<10	350	0.95	0.18	1.76	6.31	28.4	14.7	25
ZZ18423		0.14	0.002	0.67	0.83	17.5	<0.2	<10	460	0.66	0.16	2.17	1.74	19.00	10.1	14
ZZ18424		0.19	0.001	0.25	0.86	11.5	<0.2	<10	260	0.81	0.18	1.51	0.60	25.6	13.6	12
ZZ18425		0.16	0.001	0.18	0.94	8.0	<0.2	<10	270	0.93	0.19	1.72	0.79	20.0	10.8	14
ZZ18426		0.13	<0.001	0.17	1.19	8.2	<0.2	<10	230	1.06	0.23	1.16	0.45	21.6	12.2	18
ZZ18427		0.17	0.001	0.19	1.44	2.1	<0.2	<10	220	1.06	0.27	2.01	0.23	25.7	9.1	20
ZZ18428		0.27	<0.001	0.04	2.04	14.7	<0.2	<10	190	1.66	0.43	0.24	0.15	15.15	22.7	33
ZZ18429		0.19	<0.001	0.02	1.07	5.2	<0.2	<10	50	0.16	0.35	0.01	0.03	14.15	3.2	15
ZZ18430		0.20	<0.001	0.04	2.44	29.1	<0.2	<10	130	1.94	0.60	0.04	0.10	19.90	44.7	35
ZZ18431		0.28	0.001	0.07	1.67	14.8	<0.2	<10	190	1.31	0.41	0.10	0.30	18.50	17.7	30
ZZ18432		0.20	0.001	1.40	0.62	21.0	<0.2	<10	2120	0.63	0.19	0.70	2.16	11.05	8.2	21
ZZ18433		0.18	0.002	1.37	0.64	15.9	<0.2	<10	2130	0.57	0.18	0.96	2.37	10.85	6.3	22
ZZ18434		0.23	0.001	1.27	0.58	23.4	<0.2	<10	1930	0.63	0.17	0.66	1.80	9.93	5.9	22
ZZ18435		0.29	0.001	1.37	0.64	18.9	<0.2	<10	2180	0.77	0.19	0.70	2.69	13.00	6.3	21
ZZ18436		0.20	0.001	1.83	0.67	22.4	<0.2	<10	2580	0.74	0.20	0.75	2.71	11.50	8.8	25
ZZ18437		0.32	0.002	0.18	2.07	10.5	<0.2	<10	320	1.10	0.27	1.50	0.44	33.8	18.6	34
ZZ18438		0.51	0.002	0.21	1.35	18.2	<0.2	<10	130	0.85	0.22	5.03	0.82	26.2	15.1	19
ZZ18439		0.30	0.002	0.15	1.34	15.3	<0.2	<10	150	0.73	0.19	8.46	0.49	21.1	14.5	19
ZZ18440		0.48	0.002	0.13	2.26	12.3	<0.2	<10	170	0.90	0.24	3.46	0.38	30.6	23.1	32

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 26- AUG- 2011
Account: RCM

Project: Rackla- Jam Extension

CERTIFICATE OF ANALYSIS WH11149812

Sample Description	Method Analyte Units LOR	ME- MS41 Cs ppm 0.05	ME- MS41 Cu ppm 0.2	ME- MS41 Fe % 0.01	ME- MS41 Ga ppm 0.05	ME- MS41 Ge ppm 0.05	ME- MS41 Hf ppm 0.02	ME- MS41 Hg ppm 0.01	ME- MS41 In ppm 0.005	ME- MS41 K % 0.01	ME- MS41 La ppm 0.2	ME- MS41 Li ppm 0.1	ME- MS41 Mg % 0.01	ME- MS41 Mn ppm 5	ME- MS41 Mo ppm 0.05	ME- MS41 Na % 0.01
ZZ18408		0.59	34.6	2.16	1.68	0.05	0.02	0.18	0.029	0.07	3.6	2.1	0.04	119	4.41	<0.01
ZZ18409		0.66	47.4	2.24	1.62	0.05	0.04	0.23	0.027	0.08	3.8	3.1	0.07	130	4.70	<0.01
ZZ18410		0.89	47.8	3.62	3.82	0.07	0.05	0.29	0.033	0.10	14.0	24.3	0.40	480	3.18	0.01
ZZ18411		0.95	35.4	1.95	3.43	0.05	0.03	0.65	0.033	0.13	5.2	4.9	0.09	46	3.81	<0.01
ZZ18412		0.61	49.1	2.65	3.26	0.07	0.02	0.08	0.047	0.10	4.9	10.6	0.08	54	12.50	<0.01
ZZ18413		0.88	15.5	1.34	4.74	<0.05	<0.02	0.04	0.016	0.11	6.3	1.2	0.04	29	4.50	<0.01
ZZ18414		1.38	18.8	2.23	6.02	<0.05	<0.02	0.05	0.020	0.08	10.9	4.4	0.11	127	3.45	<0.01
ZZ18415		1.52	99.5	3.87	4.57	0.06	0.08	0.24	0.049	0.09	8.4	23.6	0.31	553	5.45	<0.01
ZZ18416		1.46	34.0	3.15	6.49	<0.05	<0.02	0.04	0.026	0.09	6.8	4.1	0.11	555	4.20	<0.01
ZZ18417		1.95	193.5	3.29	5.82	0.09	0.09	0.36	0.043	0.10	15.6	31.3	0.45	1900	4.24	<0.01
ZZ18418		1.22	79.4	1.97	1.75	0.07	<0.02	0.21	0.030	0.12	4.8	3.0	0.10	101	5.63	<0.01
ZZ18419		0.87	65.6	1.12	2.55	0.07	<0.02	0.46	0.030	0.07	8.0	3.7	0.13	23	0.92	<0.01
ZZ18420		0.60	42.4	3.58	4.94	0.05	0.04	0.26	0.036	0.07	9.5	19.4	0.38	715	8.87	<0.01
ZZ18421		0.83	56.2	2.34	4.64	0.10	0.03	0.36	0.024	0.06	19.3	9.3	0.18	311	20.4	<0.01
ZZ18422		0.45	35.0	3.42	3.08	0.06	0.03	0.16	0.036	0.09	14.6	7.7	0.17	723	22.1	<0.01
ZZ18423		0.47	32.1	2.59	2.68	0.05	0.07	0.13	0.029	0.09	8.5	5.3	0.15	285	10.15	<0.01
ZZ18424		0.67	18.9	2.65	2.55	0.05	0.08	0.08	0.034	0.12	10.0	8.2	0.17	508	7.89	<0.01
ZZ18425		0.58	19.4	2.64	2.85	0.06	0.08	0.06	0.032	0.12	8.1	10.7	0.20	461	2.88	<0.01
ZZ18426		0.75	18.3	2.87	3.75	0.06	0.08	0.06	0.038	0.14	9.0	14.7	0.27	399	2.86	<0.01
ZZ18427		2.31	28.3	1.78	3.95	0.07	0.09	0.06	0.028	0.16	10.3	23.5	0.45	1320	0.63	<0.01
ZZ18428		1.79	43.8	4.96	6.35	<0.05	0.03	0.03	0.047	0.10	5.8	32.1	0.46	1340	1.52	<0.01
ZZ18429		1.73	6.2	2.69	8.61	<0.05	<0.02	0.02	0.016	0.07	6.9	3.3	0.08	260	1.47	<0.01
ZZ18430		3.25	46.5	5.07	8.51	0.05	0.05	0.02	0.053	0.08	6.2	39.8	0.58	3770	0.76	<0.01
ZZ18431		2.21	35.1	3.96	6.06	<0.05	0.03	0.03	0.037	0.09	8.4	28.5	0.48	724	1.35	<0.01
ZZ18432		0.78	75.2	2.85	1.97	0.07	0.03	0.20	0.043	0.10	5.4	4.8	0.10	223	9.18	<0.01
ZZ18433		0.84	81.9	2.32	1.73	0.06	0.05	0.26	0.034	0.09	5.3	4.9	0.11	140	5.62	<0.01
ZZ18434		0.76	76.4	3.12	1.79	0.05	0.08	0.22	0.040	0.09	5.2	4.2	0.09	116	8.00	0.03
ZZ18435		0.79	88.3	2.39	1.99	<0.05	0.09	0.22	0.042	0.10	6.6	6.3	0.11	146	7.18	0.04
ZZ18436		0.78	91.1	2.69	2.00	0.06	0.09	0.28	0.043	0.08	6.2	5.3	0.09	182	8.10	0.04
ZZ18437		0.71	60.5	4.03	6.57	0.05	0.12	0.11	0.040	0.11	14.9	42.7	1.14	313	1.21	0.03
ZZ18438		0.61	46.1	4.05	4.26	<0.05	0.10	0.31	0.033	0.08	12.7	24.0	3.17	1180	0.73	0.03
ZZ18439		0.78	48.5	4.14	4.09	<0.05	0.08	0.22	0.030	0.10	9.7	23.3	3.42	1070	0.89	0.03
ZZ18440		1.28	76.2	4.79	7.06	0.06	0.15	0.12	0.041	0.15	13.6	41.8	1.43	790	0.89	0.03

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 26- AUG- 2011
Account: RCM

Project: Rackla- Jam Extension

CERTIFICATE OF ANALYSIS WH11149812

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
ZZ18408		0.09	30.3	1050	9.9	7.6	0.006	0.07	0.95	3.5	4.9	0.4	66.7	<0.01	0.18	1.4
ZZ18409		0.07	62.5	1270	10.9	7.2	0.009	0.11	1.19	4.5	6.2	0.4	135.5	<0.01	0.15	1.1
ZZ18410		0.28	45.5	1170	19.0	8.1	0.001	0.03	1.05	5.5	2.7	0.4	198.5	<0.01	0.05	3.4
ZZ18411		0.31	22.2	1170	13.2	14.8	0.005	0.12	1.66	3.0	6.9	0.6	46.9	<0.01	0.07	1.2
ZZ18412		0.27	34.2	1110	15.1	10.4	0.003	0.15	3.61	2.3	9.7	0.6	173.0	<0.01	0.11	2.9
ZZ18413		0.32	10.7	320	12.6	9.9	<0.001	0.11	0.95	0.9	1.1	0.8	24.7	<0.01	0.07	1.3
ZZ18414		0.92	15.8	490	13.2	17.6	<0.001	0.02	1.12	1.5	0.8	0.8	14.6	<0.01	0.08	1.3
ZZ18415		0.68	91.2	750	19.7	16.8	0.001	0.04	2.00	3.5	2.6	0.5	17.4	<0.01	0.07	4.8
ZZ18416		0.75	20.2	660	17.7	13.6	0.001	0.04	1.40	1.7	1.4	0.8	12.4	<0.01	0.08	1.0
ZZ18417		1.12	184.5	690	14.7	18.6	0.001	0.02	1.50	6.3	2.9	0.7	14.5	<0.01	0.07	6.9
ZZ18418		0.19	34.5	580	13.1	8.3	0.002	0.09	2.38	3.5	5.2	0.4	24.3	<0.01	0.07	2.4
ZZ18419		0.34	43.3	740	12.4	9.2	0.001	0.09	0.62	4.0	7.6	0.4	27.9	<0.01	0.05	1.7
ZZ18420		0.49	92.2	920	19.6	9.2	0.006	0.04	2.30	4.5	4.0	0.6	46.0	<0.01	0.07	1.7
ZZ18421		0.37	140.0	3790	11.4	9.4	0.009	0.04	15.15	4.0	15.8	0.7	40.1	<0.01	0.17	1.3
ZZ18422		0.37	65.2	1840	13.8	7.1	0.009	0.05	5.56	3.3	3.5	0.5	48.5	<0.01	0.08	1.3
ZZ18423		0.26	21.7	2680	13.9	8.5	0.009	0.08	2.33	3.0	3.5	0.5	59.9	<0.01	0.05	1.8
ZZ18424		0.28	20.8	910	14.7	9.9	0.008	0.05	1.23	4.1	2.6	0.4	53.3	<0.01	0.03	2.9
ZZ18425		0.35	24.5	740	15.0	8.8	0.002	0.05	0.75	3.6	1.2	0.4	72.6	<0.01	0.02	2.0
ZZ18426		0.40	24.1	650	18.2	10.2	0.002	0.04	0.54	4.6	1.2	0.6	55.3	<0.01	0.04	2.9
ZZ18427		0.31	21.5	570	17.9	14.1	0.001	0.06	0.22	5.2	1.4	0.5	68.4	<0.01	0.02	2.4
ZZ18428		0.52	37.6	270	29.1	14.4	<0.001	<0.01	0.42	5.0	0.7	0.8	17.4	<0.01	0.05	4.7
ZZ18429		0.85	5.8	200	8.9	13.0	<0.001	<0.01	0.46	1.7	0.4	1.1	3.3	<0.01	0.04	3.3
ZZ18430		0.26	37.5	410	36.8	11.2	<0.001	<0.01	0.32	5.3	0.5	0.8	9.9	<0.01	0.05	5.0
ZZ18431		0.38	33.6	530	22.6	11.0	<0.001	<0.01	0.35	4.8	0.8	0.7	12.8	<0.01	0.05	4.3
ZZ18432		0.13	68.6	1460	15.3	8.4	0.012	0.14	3.04	4.7	7.7	0.4	148.0	<0.01	0.14	2.0
ZZ18433		0.14	79.4	1450	12.0	8.1	0.012	0.12	2.08	4.6	5.9	0.4	151.0	<0.01	0.10	1.7
ZZ18434		0.16	69.0	1480	12.9	8.2	0.015	0.13	2.62	5.5	9.6	0.4	139.5	0.01	0.12	2.2
ZZ18435		0.18	76.6	1420	13.7	8.5	0.011	0.13	2.62	6.4	7.9	0.4	143.0	0.01	0.10	2.6
ZZ18436		0.18	92.3	1480	13.9	8.4	0.013	0.14	2.54	6.8	8.9	0.4	165.5	0.01	0.12	2.2
ZZ18437		0.42	41.0	510	21.3	9.1	<0.001	0.05	0.39	8.6	0.8	0.5	49.8	0.01	0.06	4.5
ZZ18438		0.22	30.1	660	41.0	6.5	<0.001	0.04	0.43	7.8	0.7	0.3	57.7	0.01	0.05	4.8
ZZ18439		0.19	28.4	590	48.4	7.1	<0.001	0.05	0.36	7.0	0.5	0.3	181.0	<0.01	0.04	4.1
ZZ18440		0.22	40.8	660	16.7	8.8	<0.001	0.03	0.59	9.3	0.5	0.4	115.5	<0.01	0.07	4.8

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 26- AUG- 2011
Account: RCM

Project: Rackla- Jam Extension

CERTIFICATE OF ANALYSIS WH11149812

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
ZZ18408		<0.005	0.11	2.39	56	<0.05	16.10	99	0.9
ZZ18409		<0.005	0.13	3.94	57	<0.05	24.2	201	1.6
ZZ18410		0.006	0.28	2.27	51	0.14	21.1	131	1.7
ZZ18411		<0.005	1.38	2.39	66	0.07	9.12	72	0.9
ZZ18412		<0.005	0.64	3.15	85	0.07	9.11	176	0.8
ZZ18413		0.009	0.25	0.31	96	0.09	1.38	52	<0.5
ZZ18414		0.019	0.25	0.58	79	0.20	2.54	86	<0.5
ZZ18415		0.009	0.42	1.33	105	0.13	7.66	541	2.3
ZZ18416		0.017	0.34	0.60	103	0.18	3.15	136	<0.5
ZZ18417		0.020	0.49	3.14	111	0.23	17.70	626	2.8
ZZ18418		0.005	0.40	1.62	54	0.07	15.70	224	<0.5
ZZ18419		0.006	0.34	2.03	46	0.08	20.2	46	0.5
ZZ18420		0.006	0.29	14.55	418	0.13	15.10	360	1.3
ZZ18421		0.010	0.79	4.86	639	0.25	29.2	1560	1.2
ZZ18422		0.007	0.21	3.43	284	0.08	15.95	420	1.2
ZZ18423		<0.005	0.14	4.53	91	0.07	11.40	119	1.9
ZZ18424		<0.005	0.17	2.10	37	0.05	12.70	115	2.5
ZZ18425		<0.005	0.13	1.03	26	<0.05	9.44	123	2.9
ZZ18426		<0.005	0.15	1.04	30	0.05	10.05	118	3.2
ZZ18427		<0.005	0.15	1.63	20	0.05	18.35	68	2.7
ZZ18428		0.008	0.14	0.77	39	0.18	6.01	93	1.4
ZZ18429		0.014	0.14	0.34	57	0.19	2.22	30	0.5
ZZ18430		<0.005	0.10	0.76	27	<0.05	6.94	94	1.9
ZZ18431		0.008	0.11	0.90	32	0.08	8.31	120	1.1
ZZ18432		<0.005	0.39	4.26	78	0.06	22.8	290	1.3
ZZ18433		<0.005	0.32	4.16	63	0.07	26.7	296	1.8
ZZ18434		0.007	0.34	4.03	71	0.08	26.8	277	1.8
ZZ18435		<0.005	0.40	4.41	74	0.08	28.4	300	2.1
ZZ18436		<0.005	0.58	4.98	72	0.09	32.1	325	2.1
ZZ18437		0.006	0.10	0.68	47	0.13	13.00	154	3.5
ZZ18438		0.005	0.20	1.07	30	0.06	14.70	580	3.0
ZZ18439		<0.005	0.37	0.94	29	<0.05	10.65	214	3.5
ZZ18440		0.006	0.11	0.57	60	<0.05	10.55	113	5.8

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 26- AUG- 2011
Account: RCM

Project: Rackla- Jam Extension

CERTIFICATE OF ANALYSIS WH11149812

Method	CERTIFICATE COMMENTS
ME- MS41	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown.
ME- MS41	Gold determinations by this method are semi- quantitative due to the small sample weight used (0.5g).

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 19- AUG- 2011
Account: RCM

CERTIFICATE WH11149813

Project: Rackla- Jam Extension

P.O. No.:

This report is for 119 Soil samples submitted to our lab in Whitehorse, YT, Canada on 3- AUG- 2011.

The following have access to data associated with this certificate:

ROB CARNE JULIA LANE	ANDREW CARNE JOAN MARIACHER	MATT DUMALA

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
SCR- 41	Screen to - 180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- TL43	Trace Level Au - 25g AR	ICP- MS
ME- MS41	51 anal. aqua regia ICPMS	

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 19- AUG- 2011
Account: RCM

Project: Rackla- Jam Extension

CERTIFICATE OF ANALYSIS WH11149813

Sample Description	Method	WEI- 21	Au- TL43	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Recvd Wt.	Au	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
ZZ18849		0.29	0.001	0.13	1.70	9.8	<0.2	<10	180	1.28	0.34	0.60	0.28	18.20	13.7	28
ZZ18850		0.25	0.002	0.32	1.38	10.8	<0.2	<10	540	1.04	0.29	0.72	0.68	14.75	15.3	25
CC145301		0.18	0.002	0.37	1.26	12.6	<0.2	<10	720	0.93	0.22	0.89	1.01	21.3	7.3	23
CC145302		0.29	<0.001	0.15	1.58	14.1	<0.2	<10	400	0.94	0.37	0.69	0.84	14.85	18.3	25
CC145303		0.28	0.001	0.28	1.47	20.3	<0.2	<10	510	0.81	0.27	0.59	0.67	14.65	12.3	25
CC145304		0.30	0.001	0.50	0.98	14.8	<0.2	<10	1020	0.71	0.20	0.57	0.83	18.15	9.1	20
CC145305		0.20	0.002	0.93	0.87	15.7	<0.2	<10	1340	0.56	0.19	0.74	1.17	11.10	8.0	21
CC145306		0.18	0.002	0.76	0.85	23.8	<0.2	<10	1550	0.64	0.19	0.90	1.67	12.55	7.1	19
CC145307		0.27	0.002	0.67	0.84	17.5	<0.2	<10	1670	0.66	0.20	0.81	1.59	12.90	7.5	19
CC145308		0.45	0.001	0.15	1.40	16.3	<0.2	<10	230	0.74	0.25	1.90	0.50	26.4	16.0	20
CC145309		0.30	0.001	0.27	1.92	54.3	<0.2	<10	340	1.11	0.27	0.44	0.39	15.65	11.4	29
CC145310		0.25	<0.001	0.05	1.86	10.3	<0.2	<10	230	0.40	0.25	0.14	0.22	24.5	8.7	27
CC145311		0.33	0.002	0.28	1.38	31.2	<0.2	<10	230	1.03	0.22	4.79	0.27	31.4	12.9	23
CC145312		0.27	0.002	0.21	1.50	12.8	<0.2	<10	270	0.75	0.21	1.23	0.93	25.7	10.9	26
CC145313		0.32	<0.001	0.05	1.84	9.9	<0.2	<10	150	0.99	0.27	0.33	0.14	31.7	10.1	24
CC145314		0.33	0.001	0.17	1.22	10.7	<0.2	<10	170	0.82	0.28	0.89	0.32	25.9	12.9	21
CC145315		0.19	0.001	0.17	1.16	9.9	<0.2	<10	160	0.74	0.23	2.02	0.31	22.1	12.3	18
CC145316		0.40	0.001	0.16	1.26	10.2	<0.2	<10	140	0.76	0.25	1.55	0.26	24.7	11.9	19
CC145317		0.28	0.002	0.12	1.40	9.1	<0.2	<10	150	0.71	0.22	1.61	0.26	23.3	11.9	21
CC145318		0.32	0.003	0.13	1.61	11.7	<0.2	<10	180	0.86	0.22	1.40	0.29	28.7	12.4	28
CC145319		0.30	0.001	0.11	1.58	8.7	<0.2	<10	200	0.77	0.28	1.49	0.24	20.4	11.1	25
CC145320		0.28	0.001	0.12	1.46	7.9	<0.2	<10	320	0.61	0.20	1.78	0.20	22.2	10.5	24
CC145321		0.40	0.002	0.15	1.71	13.5	<0.2	<10	150	0.89	0.27	0.81	0.24	24.6	14.3	26
CC145322		0.33	0.002	0.15	1.85	11.4	<0.2	10	210	0.95	0.33	1.05	0.52	27.2	15.0	29
CC145323		0.31	0.002	0.09	2.54	20.4	<0.2	<10	290	0.91	0.33	0.15	0.31	48.6	15.6	38
CC145324		0.31	0.001	0.19	1.71	10.0	<0.2	<10	310	0.74	0.26	1.35	0.31	26.9	12.7	28
CC145325		0.34	<0.001	0.06	2.04	7.7	<0.2	<10	130	0.44	0.25	0.04	0.12	31.3	11.8	29
CC145326		0.36	<0.001	0.06	2.43	13.4	<0.2	<10	220	0.69	0.33	0.09	0.18	36.3	17.8	35
CC145327		0.32	0.001	0.16	2.44	11.1	<0.2	<10	240	0.83	0.27	0.84	0.28	31.4	19.8	35
CC145328		0.20	0.001	0.17	1.59	6.2	<0.2	10	170	0.74	0.26	1.44	0.23	15.90	14.3	26
CC145329		0.34	0.002	0.10	2.28	19.2	<0.2	<10	220	1.05	0.34	2.43	0.17	35.1	23.9	32
CC145330		0.35	0.002	0.15	1.37	11.9	<0.2	10	190	0.62	0.27	2.60	0.46	23.8	14.5	22
CC145331		0.47	0.002	0.18	1.33	11.3	<0.2	10	190	0.65	0.24	3.15	0.33	22.8	13.0	21
CC145332		0.36	0.001	0.17	1.44	13.3	<0.2	<10	330	0.70	0.25	1.89	0.58	25.9	11.2	23
CC145333		0.32	0.002	0.17	1.47	28.3	<0.2	<10	150	0.71	0.30	0.39	0.32	31.5	16.6	24
ZZ18611		0.27	0.003	1.12	1.10	8.1	<0.2	<10	280	0.33	0.30	0.04	0.52	18.50	2.8	19
ZZ18612		0.23	0.002	0.99	0.77	8.7	<0.2	<10	270	0.24	0.28	0.02	0.34	16.25	1.7	18
ZZ18613		0.19	0.002	1.30	1.23	15.8	<0.2	<10	540	0.59	0.26	0.26	3.62	20.8	14.1	37
ZZ18614		0.27	0.002	1.87	0.71	8.9	<0.2	<10	270	0.56	0.16	0.46	3.14	21.1	3.1	25
ZZ18615		0.09	0.001	1.02	0.77	8.1	<0.2	<10	230	0.29	0.11	0.26	1.75	15.10	2.5	19

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 19- AUG- 2011
Account: RCM

Project: Rackla- Jam Extension

CERTIFICATE OF ANALYSIS WH11149813

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
ZZ18849		1.79	46.0	3.56	5.83	0.13	0.08	0.07	0.038	0.11	7.6	31.1	0.48	527	1.54	0.01
ZZ18850		1.29	34.9	3.78	4.58	0.12	0.07	0.08	0.034	0.14	6.0	19.8	0.40	715	2.83	0.01
CC145301		0.86	39.8	2.63	4.21	0.13	0.07	0.17	0.032	0.11	9.7	19.0	0.38	121	2.99	0.01
CC145302		0.77	26.9	3.99	5.36	0.12	0.07	0.09	0.036	0.11	5.3	31.6	0.51	696	2.24	0.01
CC145303		1.18	27.4	3.61	5.39	0.12	0.07	0.13	0.039	0.10	6.1	24.5	0.41	539	2.55	0.01
CC145304		0.72	34.9	3.02	3.28	0.12	0.04	0.19	0.034	0.10	7.2	12.4	0.25	352	4.01	0.01
CC145305		0.63	39.4	2.24	2.91	0.11	0.05	0.20	0.027	0.07	5.0	9.2	0.18	522	3.81	0.01
CC145306		0.64	42.1	5.48	2.57	0.12	0.05	0.20	0.030	0.09	5.5	10.0	0.21	212	4.41	0.01
CC145307		0.67	45.9	2.54	2.71	0.13	0.05	0.16	0.031	0.09	5.4	10.5	0.20	264	4.72	0.01
CC145308		0.89	56.3	4.17	4.19	0.14	0.12	0.16	0.030	0.12	12.3	26.5	1.23	798	0.65	0.01
CC145309		1.93	21.1	4.53	5.29	0.11	0.08	0.19	0.041	0.08	5.2	30.8	0.58	522	1.13	0.01
CC145310		1.20	8.0	3.26	6.68	0.10	0.04	0.03	0.028	0.06	12.4	20.7	0.39	268	1.19	0.01
CC145311		0.62	41.3	4.15	3.64	0.14	0.10	0.21	0.029	0.09	19.7	17.7	3.04	1900	0.75	0.01
CC145312		0.68	36.8	3.51	4.52	0.13	0.08	0.16	0.027	0.06	11.6	20.9	0.65	273	0.50	0.01
CC145313		0.92	17.1	3.68	5.03	0.12	0.05	0.04	0.033	0.07	12.3	18.7	0.28	238	0.75	<0.01
CC145314		0.62	38.8	3.75	3.60	0.12	0.07	0.09	0.034	0.09	11.1	20.8	0.45	474	0.53	0.01
CC145315		0.67	43.4	3.18	3.30	0.13	0.06	0.09	0.029	0.09	8.1	19.7	0.47	631	0.37	0.01
CC145316		0.51	38.7	3.31	3.71	0.12	0.07	0.07	0.033	0.09	10.2	23.9	0.49	345	0.42	0.01
CC145317		0.43	36.8	3.02	4.11	0.12	0.07	0.06	0.029	0.08	10.2	26.6	0.56	423	0.39	0.01
CC145318		0.71	49.1	3.39	4.95	0.13	0.07	0.09	0.033	0.09	14.2	29.9	0.82	461	0.51	0.01
CC145319		1.63	38.3	2.59	4.70	0.11	0.04	0.04	0.027	0.08	7.8	32.2	0.56	283	0.45	0.01
CC145320		0.60	28.1	2.59	4.53	0.12	0.04	0.05	0.026	0.07	9.2	29.9	0.68	592	0.45	0.01
CC145321		0.81	59.2	4.09	5.20	0.13	0.07	0.07	0.034	0.10	11.7	37.3	0.86	449	0.65	0.01
CC145322		0.98	71.9	2.88	5.67	0.06	0.14	0.14	0.048	0.12	11.1	37.2	0.77	205	0.93	<0.01
CC145323		2.06	30.4	4.36	6.01	0.06	0.07	0.13	0.045	0.09	17.2	22.6	0.54	1170	1.75	<0.01
CC145324		0.85	33.1	3.26	5.04	0.05	0.07	0.09	0.033	0.08	12.1	26.1	0.61	630	0.59	<0.01
CC145325		2.48	17.9	3.59	6.98	0.05	0.06	0.01	0.030	0.07	14.5	32.3	0.59	291	0.86	<0.01
CC145326		1.63	32.2	4.83	7.58	0.08	0.07	0.03	0.042	0.08	15.6	37.1	0.71	406	1.09	<0.01
CC145327		1.32	81.1	5.03	7.15	0.08	0.09	0.09	0.045	0.14	13.9	36.1	1.14	906	0.56	<0.01
CC145328		1.31	51.5	3.38	4.68	0.05	0.08	0.06	0.037	0.12	7.0	33.9	0.69	362	0.51	<0.01
CC145329		1.19	73.8	5.29	6.01	0.09	0.12	0.16	0.050	0.11	17.4	27.3	0.92	1020	0.66	<0.01
CC145330		1.08	43.2	3.53	3.86	0.05	0.06	0.12	0.036	0.10	11.3	19.9	0.58	604	0.64	<0.01
CC145331		1.13	51.3	3.34	3.76	0.06	0.07	0.12	0.034	0.10	11.2	22.7	1.06	675	0.64	<0.01
CC145332		1.08	41.6	3.59	4.53	0.05	0.05	0.28	0.035	0.06	11.6	23.1	0.43	990	0.97	<0.01
CC145333		1.56	58.3	4.10	4.40	0.07	0.09	0.12	0.033	0.08	13.2	36.8	0.74	160	1.00	<0.01
ZZ18611		1.74	46.9	1.88	3.75	0.05	0.02	0.36	0.034	0.12	8.2	10.3	0.20	55	1.82	<0.01
ZZ18612		1.38	30.5	1.36	3.47	<0.05	0.02	0.40	0.026	0.11	7.5	6.3	0.13	32	2.88	<0.01
ZZ18613		0.89	52.4	2.48	4.09	0.05	0.04	0.46	0.034	0.10	10.7	22.1	0.27	340	10.65	<0.01
ZZ18614		0.80	74.0	1.29	3.49	<0.05	0.03	0.23	0.021	0.12	11.4	5.6	0.11	54	6.71	<0.01
ZZ18615		0.91	29.9	1.31	3.66	<0.05	0.02	0.22	0.014	0.08	7.6	6.1	0.14	39	3.10	<0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 19- AUG- 2011
Account: RCM

Project: Rackla- Jam Extension

CERTIFICATE OF ANALYSIS WH11149813

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
ZZ18849		0.47	31.6	580	18.1	12.9	0.001	0.03	0.56	6.2	1.1	0.7	26.3	<0.01	0.03	3.5
ZZ18850		0.59	38.9	640	18.6	12.1	0.002	0.03	0.82	5.6	1.4	0.7	26.8	<0.01	0.05	3.5
CC145301		0.39	29.0	1000	16.9	10.6	0.003	0.05	1.03	5.1	2.1	0.6	39.2	<0.01	0.05	3.0
CC145302		0.45	37.2	590	27.5	9.7	<0.001	0.03	0.70	5.4	1.4	0.8	29.8	<0.01	0.05	3.8
CC145303		0.37	28.1	660	25.8	10.8	0.002	0.03	0.71	5.4	1.2	0.7	27.6	<0.01	0.05	3.2
CC145304		0.25	33.9	1060	15.6	8.9	0.009	0.04	1.18	4.7	3.9	0.5	47.4	<0.01	0.08	2.9
CC145305		0.25	34.1	830	13.5	8.1	0.012	0.09	1.14	3.9	4.8	0.4	59.4	<0.01	0.09	1.6
CC145306		0.22	28.9	1080	13.7	7.1	0.034	0.11	1.44	4.4	7.1	0.4	68.4	<0.01	0.06	2.3
CC145307		0.22	43.6	920	14.5	7.7	0.016	0.10	1.73	4.1	4.4	0.5	73.1	<0.01	0.09	2.1
CC145308		0.10	33.9	730	22.4	5.9	0.001	0.03	0.46	6.4	0.7	0.3	50.1	<0.01	0.07	4.8
CC145309		0.30	37.7	400	50.6	10.4	<0.001	0.02	0.59	5.9	0.6	0.6	20.6	<0.01	0.07	3.1
CC145310		1.36	15.3	210	15.1	11.5	<0.001	0.01	0.43	2.5	<0.2	0.8	10.0	<0.01	0.05	3.1
CC145311		0.17	28.6	830	36.0	7.0	0.001	0.03	0.54	8.6	1.4	0.4	53.0	<0.01	0.07	3.9
CC145312		0.67	26.0	790	21.6	7.0	0.001	0.10	0.48	5.5	1.0	0.4	36.3	<0.01	0.04	3.1
CC145313		0.71	23.4	230	18.1	11.5	<0.001	0.01	0.36	4.3	<0.2	0.6	22.2	<0.01	0.04	3.9
CC145314		0.35	31.2	420	21.1	6.1	<0.001	0.03	0.43	5.7	0.5	0.4	76.4	<0.01	0.04	3.2
CC145315		0.21	28.8	670	17.6	6.0	<0.001	0.07	0.41	4.1	1.2	0.3	103.0	<0.01	0.04	1.4
CC145316		0.35	29.5	650	18.1	5.3	<0.001	0.05	0.39	5.4	0.9	0.4	80.0	<0.01	0.05	2.5
CC145317		0.36	27.3	610	13.7	5.9	0.001	0.06	0.38	4.7	1.3	0.4	83.0	<0.01	0.04	1.9
CC145318		0.42	29.6	670	13.8	7.0	<0.001	0.05	0.48	5.9	0.7	0.4	63.4	<0.01	0.06	1.6
CC145319		0.71	24.5	560	22.1	8.8	<0.001	0.06	0.51	3.4	0.8	0.5	68.8	<0.01	0.05	1.1
CC145320		0.61	21.7	720	12.9	6.7	<0.001	0.08	0.37	3.0	0.8	0.4	77.6	<0.01	0.03	1.1
CC145321		0.31	33.2	620	18.1	6.2	<0.001	0.04	0.44	7.8	1.3	0.4	78.9	<0.01	0.06	3.0
CC145322		0.35	35.0	840	21.0	9.3	0.001	0.23	0.49	9.3	1.8	0.5	48.6	<0.01	0.07	5.0
CC145323		1.48	42.9	710	29.4	14.6	<0.001	0.01	0.84	5.7	0.9	0.7	18.0	0.01	0.05	7.0
CC145324		0.94	28.1	830	14.1	10.2	<0.001	0.07	0.44	6.0	1.0	0.5	57.4	<0.01	0.04	3.3
CC145325		0.87	19.0	150	14.9	19.9	<0.001	<0.01	0.29	3.9	0.2	0.7	8.8	<0.01	0.03	3.9
CC145326		1.25	35.2	370	19.3	13.9	<0.001	0.01	0.52	4.9	0.4	0.7	12.2	<0.01	0.06	4.9
CC145327		0.31	40.2	770	15.9	11.9	<0.001	0.03	0.36	10.3	0.6	0.4	42.8	<0.01	0.09	3.4
CC145328		0.48	29.8	650	18.0	12.3	0.001	0.09	0.38	7.1	1.1	0.5	69.5	<0.01	0.05	2.1
CC145329		0.22	41.4	380	21.7	11.5	<0.001	0.02	0.53	13.6	0.7	0.5	92.8	0.01	0.10	4.9
CC145330		0.52	28.2	820	15.3	10.0	<0.001	0.07	0.47	5.6	0.9	0.4	100.5	<0.01	0.08	1.3
CC145331		0.36	25.3	870	16.1	9.2	0.001	0.09	0.47	6.6	1.3	0.3	105.0	<0.01	0.07	1.3
CC145332		0.63	20.7	810	21.1	9.4	<0.001	0.07	0.46	4.5	1.1	0.4	81.2	0.01	0.06	1.1
CC145333		0.18	38.2	790	21.6	6.7	0.001	0.03	0.64	6.1	1.1	0.3	32.2	<0.01	0.08	4.4
ZZ18611		0.54	15.2	880	13.8	15.3	0.001	0.04	0.80	2.9	3.7	0.5	16.4	<0.01	0.06	2.1
ZZ18612		0.46	11.4	560	13.1	14.4	0.001	0.08	0.91	2.4	4.3	0.5	19.8	<0.01	0.05	1.6
ZZ18613		0.38	64.1	970	16.8	13.6	0.004	0.05	3.13	4.3	4.5	0.6	33.3	<0.01	0.12	2.5
ZZ18614		0.35	32.2	2230	9.3	11.5	0.003	0.06	3.82	2.9	3.2	0.6	27.4	<0.01	0.07	1.4
ZZ18615		0.35	20.1	1580	7.3	10.6	0.004	0.09	1.22	2.4	2.5	0.6	22.4	<0.01	0.04	0.9

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 19- AUG- 2011
Account: RCM

Project: Rackla- Jam Extension

CERTIFICATE OF ANALYSIS WH11149813

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
ZZ18849		0.008	0.13	1.79	32	0.09	13.80	109	1.9
ZZ18850		0.008	0.15	1.65	45	0.18	11.55	153	2.0
CC145301		0.005	0.18	2.19	74	0.07	14.75	169	2.1
CC145302		0.008	0.11	1.10	52	0.07	7.52	168	2.1
CC145303		0.005	0.20	1.34	68	0.06	8.37	168	1.8
CC145304		<0.005	0.18	2.08	70	0.05	13.00	164	1.6
CC145305		<0.005	0.22	2.13	81	0.05	14.05	154	1.4
CC145306		<0.005	0.23	2.78	76	0.05	15.05	172	1.6
CC145307		<0.005	0.20	2.47	73	0.05	15.35	187	1.6
CC145308		0.008	0.15	0.64	32	<0.05	10.10	165	4.7
CC145309		<0.005	0.38	0.64	38	0.11	6.45	240	1.7
CC145310		0.030	0.14	0.49	65	0.23	2.57	98	1.2
CC145311		0.008	0.22	1.89	30	0.07	23.7	205	2.6
CC145312		0.012	0.14	2.74	43	0.12	9.40	154	2.3
CC145313		0.008	0.14	0.97	43	0.13	7.05	77	2.1
CC145314		0.008	0.09	1.01	30	0.07	13.95	99	2.1
CC145315		<0.005	0.11	1.10	26	0.05	11.25	92	1.8
CC145316		0.007	0.07	0.91	27	0.06	12.65	101	2.3
CC145317		0.007	0.07	1.72	30	0.07	11.45	85	2.0
CC145318		0.010	0.08	1.33	36	0.07	13.75	106	1.7
CC145319		0.016	0.09	2.81	33	0.12	6.20	81	1.1
CC145320		0.014	0.07	2.04	30	0.08	6.92	77	1.3
CC145321		0.008	0.08	1.59	35	0.06	13.60	107	2.0
CC145322		0.006	0.12	3.33	45	<0.05	13.70	113	5.3
CC145323		0.043	0.20	1.32	59	0.27	8.47	119	2.9
CC145324		0.015	0.11	1.83	43	0.25	10.00	71	2.0
CC145325		0.022	0.16	0.43	59	0.17	2.95	60	2.2
CC145326		0.027	0.14	0.65	71	0.19	4.65	78	3.1
CC145327		0.007	0.11	0.90	60	0.05	13.25	90	2.6
CC145328		0.008	0.11	1.00	36	0.06	10.50	82	2.0
CC145329		<0.005	0.13	0.93	51	0.05	25.1	93	3.6
CC145330		0.010	0.10	0.90	35	0.11	13.50	106	1.4
CC145331		0.007	0.10	1.04	31	0.07	15.65	99	1.8
CC145332		0.013	0.10	2.20	45	0.11	11.65	75	1.3
CC145333		0.005	0.11	0.98	36	<0.05	11.10	123	2.9
ZZ18611		0.008	0.50	1.58	45	0.13	6.88	64	0.5
ZZ18612		0.008	0.55	1.22	59	0.11	4.64	45	<0.5
ZZ18613		0.005	1.19	3.07	338	0.14	14.70	459	0.7
ZZ18614		0.008	0.67	4.22	213	0.11	12.05	201	0.5
ZZ18615		<0.005	0.46	2.27	83	0.13	6.89	80	0.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 19- AUG- 2011
Account: RCM

Project: Rackla- Jam Extension

CERTIFICATE OF ANALYSIS WH11149813

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- TL43 Au ppm 0.001	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1
ZZ18616		0.12	0.003	1.11	1.19	26.2	<0.2	<10	370	0.66	0.22	0.61	4.81	30.4	11.9	30
ZZ18617		0.24	<0.001	0.16	1.21	14.4	<0.2	<10	70	0.54	0.28	<0.01	0.12	12.40	7.7	19
ZZ18618		0.24	<0.001	0.06	1.46	9.9	<0.2	<10	240	0.99	0.33	0.60	0.18	12.65	11.4	22
ZZ18619		0.24	<0.001	0.03	2.09	9.7	<0.2	<10	90	0.57	0.44	<0.01	0.09	18.90	15.7	30
ZZ18620		0.23	0.001	0.13	1.98	13.9	<0.2	<10	170	1.35	0.48	0.09	0.08	31.1	18.7	36
ZZ18621		0.26	<0.001	0.11	1.83	26.7	<0.2	<10	290	1.03	0.39	0.10	0.29	16.40	20.6	31
ZZ18622		0.28	<0.001	0.05	1.57	21.5	<0.2	<10	190	0.83	0.37	0.10	0.20	17.50	16.8	27
ZZ18623		0.27	<0.001	0.08	2.15	12.5	<0.2	<10	160	0.61	0.36	0.05	0.14	28.8	11.8	31
ZZ18624		0.18	<0.001	0.07	1.38	9.5	<0.2	<10	170	0.94	0.37	0.33	0.11	19.65	9.6	24
ZZ18625		0.25	0.002	0.17	1.84	16.0	<0.2	10	450	0.97	0.31	1.06	0.45	25.8	14.8	28
ZZ18626		0.16	0.001	0.21	1.87	7.1	<0.2	<10	350	1.18	0.32	0.44	0.42	19.25	10.8	31
ZZ18627		0.09	0.003	1.17	0.96	24.2	<0.2	10	1810	0.72	0.23	0.94	1.41	13.50	10.9	24
ZZ18628		0.17	0.002	0.89	1.21	35.1	<0.2	10	710	0.85	0.26	1.13	1.74	14.35	18.4	26
ZZ18629		0.41	0.002	0.38	1.62	41.5	<0.2	<10	440	0.81	0.27	2.19	0.90	10.50	12.3	26
ZZ18630		0.36	0.001	0.05	2.04	14.9	<0.2	<10	230	0.76	0.27	0.29	0.26	30.8	11.8	28
ZZ18631		0.22	0.001	0.23	2.51	30.8	<0.2	<10	380	1.16	0.30	0.90	0.45	38.4	10.3	33
ZZ18632		0.13	0.001	0.16	1.92	18.7	<0.2	<10	260	1.07	0.28	0.82	0.44	29.3	9.4	29
ZZ18633		0.25	0.002	0.14	1.30	12.8	<0.2	<10	260	1.02	0.35	0.88	0.58	30.7	18.6	21
ZZ18634		0.26	0.001	0.11	1.71	12.7	<0.2	<10	130	1.10	0.35	1.62	0.21	30.1	17.2	23
ZZ18635		0.25	0.001	0.16	1.13	9.7	<0.2	<10	190	0.86	0.27	1.31	0.33	25.8	12.0	19
ZZ18636		0.23	0.002	0.15	1.16	11.3	<0.2	<10	160	0.92	0.28	1.38	0.24	22.1	12.3	18
ZZ18637		0.28	0.002	0.18	1.46	11.9	<0.2	<10	160	1.03	0.31	1.05	0.35	32.0	12.6	23
ZZ18638		0.21	0.002	0.13	1.49	11.2	<0.2	<10	190	0.87	0.25	1.22	0.31	29.0	14.8	24
ZZ18639		0.14	0.002	0.13	1.46	8.0	<0.2	<10	210	0.94	0.24	1.77	0.27	24.8	9.3	23
ZZ18640		0.24	0.002	0.13	1.81	7.1	<0.2	<10	220	1.13	0.28	1.25	0.43	22.7	15.5	25
ZZ18641		0.28	0.002	0.13	1.63	8.7	<0.2	<10	190	0.97	0.25	1.28	0.29	24.7	12.5	23
ZZ18642		0.14	0.002	0.11	1.41	9.4	<0.2	<10	230	0.92	0.23	1.41	0.32	17.25	12.3	20
ZZ18643		0.46	0.002	0.09	1.34	9.2	<0.2	<10	190	0.72	0.21	4.87	0.40	21.9	15.1	22
ZZ18644		0.46	0.003	0.34	1.78	20.4	<0.2	<10	380	1.44	0.33	0.74	0.35	30.3	13.7	31
ZZ18645		0.20	0.001	0.23	1.62	7.1	<0.2	<10	210	0.81	0.23	0.98	0.39	22.0	10.3	26
ZZ18646		0.27	0.002	0.07	2.63	13.1	<0.2	<10	190	1.03	0.33	0.08	0.30	37.5	20.6	35
ZZ18647		0.23	0.002	0.17	2.01	6.2	<0.2	<10	230	1.03	0.28	0.57	0.44	36.7	16.4	32
ZZ18648		0.29	0.001	0.05	2.36	12.7	<0.2	<10	110	0.93	0.26	0.04	0.21	33.8	23.1	31
ZZ18649		0.33	0.002	0.13	1.89	9.7	<0.2	<10	180	0.99	0.26	0.86	0.26	28.4	19.3	29
ZZ18650		0.21	0.002	0.14	1.40	7.3	<0.2	<10	160	0.78	0.21	1.46	0.23	21.0	14.3	23
ZZ18651		0.12	0.001	0.09	0.90	9.5	<0.2	<10	170	0.55	0.17	3.02	0.52	18.70	9.5	17
ZZ19434		0.30	0.001	0.21	1.40	21.8	<0.2	<10	290	0.51	0.27	0.04	0.31	15.70	8.0	21
ZZ19435		0.28	0.001	0.28	0.88	9.0	<0.2	<10	150	0.20	0.31	0.03	0.12	24.3	2.5	15
ZZ19436		0.36	0.003	0.83	1.57	15.6	<0.2	<10	130	0.38	0.36	0.05	0.17	26.3	5.5	27
ZZ19437		0.30	0.002	0.37	1.12	9.9	<0.2	<10	110	0.20	0.30	0.05	0.08	26.6	3.0	18

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 19- AUG- 2011
Account: RCM

Project: Rackla- Jam Extension

CERTIFICATE OF ANALYSIS WH11149813

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
ZZ18616		0.94	55.9	4.43	3.69	0.09	0.05	0.32	0.035	0.10	14.5	13.2	0.21	298	23.8	<0.01
ZZ18617		1.00	20.8	3.63	3.87	<0.05	0.03	0.03	0.034	0.08	5.2	17.6	0.22	166	1.70	<0.01
ZZ18618		3.30	17.6	3.41	4.04	0.05	0.07	0.02	0.034	0.14	4.0	29.6	0.46	860	1.04	<0.01
ZZ18619		3.28	11.9	5.11	9.09	0.05	0.04	0.02	0.037	0.10	8.8	29.5	0.25	1140	1.40	<0.01
ZZ18620		4.16	50.7	3.83	6.43	0.05	0.05	0.03	0.042	0.10	12.9	38.8	0.59	1020	1.16	<0.01
ZZ18621		2.20	47.4	4.85	5.50	0.06	0.03	0.07	0.051	0.11	6.7	37.3	0.54	924	2.05	<0.01
ZZ18622		1.82	32.7	4.22	5.80	0.06	0.02	0.04	0.042	0.11	7.5	24.9	0.42	824	1.86	<0.01
ZZ18623		1.62	17.9	3.97	7.33	0.05	0.04	0.02	0.036	0.09	12.7	28.8	0.40	383	1.31	<0.01
ZZ18624		1.92	25.4	3.45	7.12	<0.05	0.03	0.03	0.034	0.11	7.5	17.8	0.35	565	0.56	<0.01
ZZ18625		1.27	50.8	4.26	5.61	0.06	0.09	0.16	0.037	0.17	11.3	30.9	0.81	870	0.60	<0.01
ZZ18626		1.59	35.3	3.08	6.65	0.06	0.08	0.14	0.038	0.14	7.8	42.8	0.53	214	0.62	<0.01
ZZ18627		0.88	52.0	3.58	2.83	0.08	0.06	0.25	0.033	0.09	6.0	11.0	0.20	621	6.84	<0.01
ZZ18628		1.14	41.1	4.00	3.38	0.06	0.07	0.27	0.039	0.10	6.4	18.8	0.35	1300	2.51	<0.01
ZZ18629		2.16	42.4	4.16	4.39	0.05	0.07	0.26	0.044	0.09	4.8	33.7	1.50	529	3.00	<0.01
ZZ18630		1.11	25.3	4.46	5.89	0.06	0.07	0.07	0.035	0.08	12.8	29.4	0.61	564	0.75	<0.01
ZZ18631		1.48	14.6	5.23	5.83	0.08	0.07	0.13	0.042	0.06	17.7	21.2	0.65	1770	1.29	<0.01
ZZ18632		1.03	19.3	4.41	5.08	0.06	0.06	0.07	0.038	0.08	16.6	22.6	0.60	989	0.97	<0.01
ZZ18633		0.99	56.7	4.41	3.95	0.08	0.08	0.16	0.048	0.14	11.8	23.0	0.55	1100	0.65	<0.01
ZZ18634		1.55	36.0	4.79	3.66	0.08	0.08	0.05	0.050	0.12	10.6	35.2	1.08	691	0.60	<0.01
ZZ18635		0.71	35.3	3.08	3.32	0.05	0.07	0.12	0.034	0.11	11.6	17.2	0.45	485	0.41	0.01
ZZ18636		0.78	41.1	2.92	3.76	0.05	0.07	0.12	0.033	0.11	9.9	19.7	0.49	356	0.44	<0.01
ZZ18637		0.68	45.4	3.32	4.18	0.06	0.06	0.14	0.038	0.12	13.3	22.7	0.58	285	0.53	0.01
ZZ18638		0.75	42.5	3.51	4.24	0.05	0.07	0.11	0.032	0.11	13.8	24.7	0.73	851	0.55	0.01
ZZ18639		0.68	38.4	2.77	4.20	0.05	0.05	0.14	0.033	0.10	12.0	24.2	0.69	352	0.41	0.01
ZZ18640		0.81	58.6	3.10	5.43	0.05	0.08	0.10	0.038	0.10	10.2	35.2	0.81	209	0.32	0.01
ZZ18641		0.80	38.0	3.14	4.99	<0.05	0.06	0.08	0.034	0.09	10.5	37.2	0.69	566	0.49	0.01
ZZ18642		0.89	40.9	3.31	4.37	<0.05	0.08	0.12	0.032	0.09	7.7	32.0	0.58	309	0.54	0.01
ZZ18643		0.95	47.0	3.40	3.93	<0.05	0.12	0.11	0.033	0.10	9.8	23.8	1.03	858	0.65	0.03
ZZ18644		2.48	44.4	4.17	5.18	0.06	0.05	0.20	0.046	0.11	18.6	24.6	0.70	805	1.10	0.01
ZZ18645		0.77	29.6	2.99	5.01	<0.05	0.05	0.09	0.034	0.09	9.8	29.2	0.71	167	0.45	0.01
ZZ18646		1.42	65.1	5.09	7.21	0.06	0.09	0.05	0.050	0.10	15.6	32.2	0.93	598	0.74	0.01
ZZ18647		1.06	50.2	3.22	6.23	0.06	0.10	0.10	0.040	0.10	17.1	30.5	0.88	209	0.33	0.01
ZZ18648		1.44	64.8	5.08	7.33	0.05	0.09	0.02	0.045	0.09	14.7	38.1	0.89	466	0.62	0.01
ZZ18649		1.19	80.5	4.24	5.59	0.05	0.11	0.14	0.039	0.13	12.8	31.8	0.98	652	0.50	0.01
ZZ18650		0.81	57.6	2.67	4.64	<0.05	0.06	0.11	0.034	0.11	9.6	29.0	0.90	502	0.42	<0.01
ZZ18651		0.79	38.7	2.38	2.77	<0.05	0.04	0.08	0.025	0.06	7.9	15.3	0.49	670	0.74	0.01
ZZ19434		1.50	34.5	3.21	5.59	<0.05	0.02	0.06	0.034	0.10	7.4	10.0	0.22	205	3.06	0.01
ZZ19435		1.63	16.4	1.42	6.53	<0.05	<0.02	0.04	0.017	0.08	12.3	2.4	0.08	66	2.48	<0.01
ZZ19436		1.78	19.6	3.73	7.71	<0.05	<0.02	0.07	0.031	0.09	13.4	13.2	0.31	246	2.43	0.01
ZZ19437		1.92	15.0	2.05	5.98	<0.05	<0.02	0.06	0.019	0.09	12.9	5.5	0.16	87	2.16	0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 19- AUG- 2011
Account: RCM

Project: Rackla- Jam Extension

CERTIFICATE OF ANALYSIS WH11149813

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
ZZ18616		0.51	39.5	3240	16.4	12.6	0.012	0.09	4.88	5.5	10.4	0.6	33.3	<0.01	0.09	2.9
ZZ18617		0.41	16.7	260	23.2	12.8	<0.001	0.02	0.60	2.3	0.4	0.5	12.5	<0.01	0.04	2.8
ZZ18618		1.21	23.7	390	21.6	15.1	<0.001	0.04	0.36	3.8	0.4	0.6	17.5	<0.01	0.03	3.3
ZZ18619		1.23	14.1	480	20.3	24.5	<0.001	0.02	0.66	3.4	0.4	1.0	6.5	<0.01	0.06	4.1
ZZ18620		0.70	30.8	460	32.5	18.2	<0.001	0.02	0.48	6.4	0.5	0.8	17.8	<0.01	0.04	6.0
ZZ18621		0.29	47.9	770	28.1	14.1	<0.001	0.02	0.60	6.2	0.9	0.6	14.1	<0.01	0.06	4.3
ZZ18622		0.54	30.0	590	23.0	15.0	<0.001	0.02	0.57	4.4	0.7	0.7	15.1	<0.01	0.05	3.4
ZZ18623		1.41	26.9	450	22.4	18.5	<0.001	0.01	0.53	3.7	0.5	0.9	10.5	<0.01	0.05	5.0
ZZ18624		0.44	16.4	560	21.3	15.0	<0.001	0.03	0.21	4.1	0.4	0.9	30.3	<0.01	0.03	3.1
ZZ18625		0.52	32.1	580	22.8	13.3	<0.001	0.05	0.40	6.8	0.6	0.6	34.9	<0.01	0.05	3.7
ZZ18626		0.67	31.6	470	19.9	16.7	0.004	0.09	0.39	6.6	1.1	0.8	28.2	<0.01	0.03	4.3
ZZ18627		0.31	44.8	1150	15.2	10.4	0.034	0.13	1.78	4.7	10.1	0.4	76.3	<0.01	0.10	1.8
ZZ18628		0.32	52.3	970	18.1	13.1	0.014	0.12	0.87	5.5	5.0	0.5	45.4	<0.01	0.08	2.4
ZZ18629		0.21	52.2	820	34.6	11.1	0.001	0.04	0.72	7.0	1.2	0.5	32.0	<0.01	0.06	3.0
ZZ18630		0.62	23.6	250	23.5	13.0	<0.001	0.02	0.34	5.4	0.4	0.6	14.6	<0.01	0.05	4.6
ZZ18631		0.97	26.3	760	50.6	13.5	<0.001	0.03	0.65	6.1	0.6	0.7	24.5	0.01	0.06	4.1
ZZ18632		0.59	23.9	900	26.8	13.0	<0.001	0.04	0.44	5.6	0.6	0.5	15.5	0.01	0.07	2.0
ZZ18633		0.28	36.4	740	27.7	9.7	<0.001	0.05	0.37	8.0	1.0	0.5	26.3	<0.01	0.06	4.1
ZZ18634		0.27	34.5	1080	28.0	12.2	<0.001	0.02	0.29	7.3	0.5	0.4	33.0	<0.01	0.06	5.8
ZZ18635		0.47	26.3	600	20.2	8.1	<0.001	0.06	0.36	4.4	0.8	0.2	47.7	<0.01	0.05	3.0
ZZ18636		0.31	27.8	540	19.6	8.4	<0.001	0.06	0.35	4.7	0.7	0.2	53.5	<0.01	0.06	2.4
ZZ18637		0.47	29.0	700	20.3	8.3	<0.001	0.06	0.38	5.6	0.8	0.3	42.9	<0.01	0.06	3.1
ZZ18638		0.46	29.3	690	17.8	8.0	<0.001	0.07	0.45	5.0	0.8	0.2	41.5	<0.01	0.05	2.9
ZZ18639		0.46	22.4	780	14.8	8.9	<0.001	0.12	0.40	4.0	1.0	0.3	58.3	<0.01	0.05	1.4
ZZ18640		0.47	33.0	590	16.7	8.9	0.001	0.12	0.42	6.0	1.5	0.3	45.2	<0.01	0.06	2.8
ZZ18641		0.59	26.6	610	14.8	8.1	<0.001	0.07	0.35	5.0	0.9	0.3	49.5	<0.01	0.05	2.3
ZZ18642		0.47	25.1	620	14.7	8.2	0.003	0.41	0.40	5.2	2.1	0.2	65.9	<0.01	0.06	2.3
ZZ18643		0.34	27.8	620	15.6	6.5	0.002	0.12	0.28	5.7	2.7	<0.2	121.5	<0.01	0.07	4.1
ZZ18644		0.67	33.9	780	28.4	13.4	<0.001	0.03	0.46	8.3	1.0	0.4	33.4	<0.01	0.07	5.0
ZZ18645		0.49	24.4	550	15.2	9.0	<0.001	0.13	0.27	4.7	0.5	0.2	38.5	<0.01	0.04	3.3
ZZ18646		0.59	38.4	320	19.2	12.2	<0.001	0.02	0.26	5.9	0.3	0.4	9.4	<0.01	0.07	4.9
ZZ18647		0.87	32.0	700	17.6	10.6	<0.001	0.05	0.34	7.2	0.9	0.3	28.6	<0.01	0.08	5.0
ZZ18648		0.27	35.7	250	19.8	12.5	<0.001	0.01	0.23	5.5	0.4	0.3	7.1	<0.01	0.09	4.1
ZZ18649		0.23	35.3	550	15.8	8.5	<0.001	0.04	0.29	8.6	0.7	0.2	36.6	<0.01	0.07	3.7
ZZ18650		0.29	26.4	550	13.1	7.6	<0.001	0.08	0.42	6.3	1.0	<0.2	67.2	<0.01	0.05	1.7
ZZ18651		0.34	18.4	780	13.7	6.0	0.001	0.13	0.52	2.9	0.8	<0.2	111.5	<0.01	0.04	0.5
ZZ19434		0.64	26.4	510	18.2	15.0	<0.001	0.05	1.11	2.7	1.3	0.4	18.3	<0.01	0.09	2.6
ZZ19435		0.68	9.3	370	11.2	12.8	<0.001	0.02	0.76	0.9	0.5	0.8	7.1	<0.01	0.05	0.3
ZZ19436		1.51	14.6	550	14.5	15.0	<0.001	0.02	0.99	2.0	0.8	0.7	8.8	<0.01	0.08	1.5
ZZ19437		1.15	9.8	400	11.2	13.9	<0.001	0.03	0.67	1.5	0.7	0.6	13.0	<0.01	0.04	1.7

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 19- AUG- 2011
Account: RCM

Project: Rackla- Jam Extension

CERTIFICATE OF ANALYSIS WH11149813

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
ZZ18616		0.005	0.49	5.57	497	0.17	18.20	369	1.1
ZZ18617		<0.005	0.13	0.40	37	0.06	2.38	69	1.4
ZZ18618		0.009	0.13	0.63	27	0.13	5.83	83	2.3
ZZ18619		0.015	0.18	0.54	58	0.19	2.87	58	1.8
ZZ18620		0.019	0.12	1.35	40	0.14	10.75	86	1.0
ZZ18621		<0.005	0.20	0.78	41	0.06	11.10	179	0.9
ZZ18622		0.008	0.17	0.67	44	0.09	6.19	125	0.6
ZZ18623		0.022	0.14	0.69	55	0.23	4.49	84	1.7
ZZ18624		0.008	0.10	0.68	30	0.05	8.85	62	<0.5
ZZ18625		0.009	0.18	0.81	40	0.09	11.25	207	2.5
ZZ18626		0.008	0.18	1.18	40	0.07	11.65	135	2.4
ZZ18627		<0.005	0.30	3.93	73	0.06	16.80	184	1.9
ZZ18628		<0.005	0.26	2.26	69	0.08	14.70	328	2.2
ZZ18629		<0.005	0.31	0.93	46	0.05	11.30	296	2.0
ZZ18630		0.010	0.19	0.70	50	0.09	5.86	233	2.7
ZZ18631		0.016	0.31	2.07	53	0.18	12.80	171	1.6
ZZ18632		0.012	0.19	1.91	45	0.13	13.10	233	1.2
ZZ18633		<0.005	0.16	2.02	32	0.05	13.10	173	2.5
ZZ18634		<0.005	0.14	1.21	27	0.05	13.50	119	3.2
ZZ18635		0.008	0.10	1.29	29	0.08	12.55	94	2.5
ZZ18636		0.005	0.11	1.06	27	0.06	11.65	89	2.3
ZZ18637		0.008	0.12	1.12	35	0.11	13.35	106	2.2
ZZ18638		0.011	0.10	1.45	36	0.09	10.90	100	2.1
ZZ18639		0.009	0.10	2.79	32	0.07	10.90	97	1.7
ZZ18640		0.007	0.10	2.62	33	0.06	10.95	84	2.7
ZZ18641		0.010	0.08	2.00	33	0.15	9.61	78	1.7
ZZ18642		0.007	0.08	3.02	26	<0.05	8.49	81	2.7
ZZ18643		0.010	0.08	1.22	36	<0.05	9.10	89	4.7
ZZ18644		0.015	0.17	1.37	45	0.18	18.40	157	1.5
ZZ18645		0.010	0.09	0.86	42	0.08	7.44	66	2.1
ZZ18646		0.010	0.12	0.64	68	0.06	5.37	75	4.0
ZZ18647		0.016	0.12	1.80	57	0.13	12.60	83	3.7
ZZ18648		0.005	0.13	0.40	61	<0.05	4.20	79	3.9
ZZ18649		0.006	0.09	0.58	49	<0.05	11.85	89	3.7
ZZ18650		0.007	0.07	0.61	38	0.05	10.50	77	1.9
ZZ18651		0.009	0.07	0.96	25	0.13	9.93	89	1.3
ZZ19434		0.008	0.27	0.61	83	0.07	4.07	124	0.9
ZZ19435		0.022	0.23	0.64	76	0.15	2.50	55	<0.5
ZZ19436		0.044	0.23	0.78	81	0.31	2.95	72	<0.5
ZZ19437		0.024	0.28	0.64	63	0.25	2.46	54	<0.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 19- AUG- 2011
Account: RCM

Project: Rackla- Jam Extension

CERTIFICATE OF ANALYSIS WH11149813

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- TL43 Au ppm 0.001	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1
ZZ19438		0.37	0.004	1.46	1.33	9.8	<0.2	<10	300	0.62	0.30	0.07	0.72	24.7	9.9	22
ZZ19439		0.22	0.004	0.93	1.06	8.8	<0.2	<10	610	0.52	0.26	0.10	1.22	21.3	2.8	19
ZZ19440		0.25	0.006	7.74	1.33	25.3	<0.2	<10	780	1.74	0.18	2.41	27.8	21.5	7.8	126
ZZ19441		0.22	0.002	0.01	1.34	<0.1	<0.2	<10	380	<0.05	<0.01	0.68	0.01	<0.02	<0.1	50
ZZ19442		0.23	0.002	0.90	1.58	18.4	<0.2	<10	380	1.20	0.28	1.15	11.40	27.7	17.4	33
ZZ19443		0.23	0.001	0.37	1.09	23.7	<0.2	<10	270	0.54	0.22	0.75	1.21	18.20	7.7	17
ZZ19444		0.29	0.001	0.12	1.89	24.7	<0.2	<10	200	1.69	0.40	0.51	0.09	15.30	20.5	23
ZZ19445		0.32	<0.001	0.04	1.41	14.2	<0.2	<10	460	1.30	0.45	0.17	0.15	5.75	18.2	20
ZZ19446		0.33	0.001	0.08	2.16	12.6	<0.2	<10	220	1.30	0.37	0.17	0.11	24.2	17.7	29
ZZ19447		0.28	<0.001	0.04	1.71	36.0	<0.2	<10	90	0.64	0.34	0.04	0.07	18.80	10.2	23
ZZ19448		0.36	0.001	0.09	1.87	12.5	<0.2	<10	170	1.09	0.34	0.08	0.20	24.4	19.4	29
ZZ19449		0.25	0.001	0.06	2.49	3.7	<0.2	<10	200	1.94	0.56	0.09	0.10	17.20	30.0	38
ZZ19450		0.34	0.002	0.21	1.66	12.4	<0.2	<10	400	1.58	0.41	0.96	0.72	22.7	21.9	26
ZZ19495		0.32	0.001	0.05	1.87	11.5	<0.2	<10	430	1.66	0.48	0.32	0.15	25.0	19.1	29
ZZ19496		0.28	0.002	0.12	1.77	11.8	<0.2	<10	310	1.00	0.30	0.55	0.28	24.9	12.0	28
ZZ19497		0.27	0.001	1.29	0.74	18.8	<0.2	10	2200	0.78	0.17	0.71	3.15	13.00	6.7	28
ZZ19498		0.43	0.002	1.37	0.76	18.1	<0.2	10	2150	0.73	0.19	0.72	2.84	13.80	5.8	28
ZZ19499		0.46	0.001	0.93	0.72	20.7	<0.2	10	1760	0.81	0.20	0.57	2.63	13.90	7.6	26
ZZ19500		0.35	0.002	0.25	1.72	16.9	<0.2	<10	740	0.90	0.24	2.84	0.81	28.2	11.0	28
ZZ19001		0.29	0.002	0.28	2.44	23.7	<0.2	<10	370	1.30	0.25	1.06	0.53	39.8	9.0	37
ZZ19002		0.34	0.002	0.21	1.68	20.7	<0.2	<10	190	0.81	0.23	3.99	2.15	26.4	8.7	25
ZZ19003		0.35	0.002	0.16	1.14	17.5	<0.2	<10	230	0.71	0.20	4.96	0.75	22.1	9.3	19
ZZ19004		0.34	0.001	0.16	1.48	10.4	<0.2	<10	160	0.85	0.29	0.51	0.27	26.3	10.7	25
ZZ19005		0.33	0.002	0.14	1.53	14.7	<0.2	<10	180	0.85	0.25	1.20	0.27	30.9	13.1	24
ZZ19006		0.28	0.002	0.17	1.47	11.4	<0.2	<10	170	0.82	0.24	1.49	0.31	30.9	10.6	25
ZZ19007		0.37	0.002	0.14	1.60	11.6	<0.2	<10	150	0.91	0.26	1.25	0.33	31.3	13.2	26
ZZ19008		0.34	0.002	0.12	2.15	11.9	<0.2	<10	190	0.90	0.23	1.14	0.34	32.0	15.6	32
ZZ19009		0.25	0.003	0.13	1.92	9.9	<0.2	<10	200	1.00	0.23	1.17	0.38	33.9	12.9	33
ZZ19010		0.21	0.002	0.10	2.02	8.5	<0.2	<10	230	0.98	0.25	1.32	0.30	31.7	10.5	35
ZZ19011		0.23	0.003	0.12	1.93	9.2	<0.2	<10	200	0.90	0.24	1.70	0.38	20.4	11.7	28
ZZ19012		0.35	0.002	0.11	2.03	15.7	<0.2	<10	150	0.96	0.26	0.89	0.27	31.3	18.0	30
ZZ19013		0.34	0.004	0.14	2.05	10.9	<0.2	<10	220	0.98	0.28	0.75	0.26	31.2	12.7	32
ZZ19014		0.36	0.002	0.03	2.24	12.2	<0.2	<10	150	0.80	0.24	0.08	0.14	39.7	17.2	33
ZZ19015		0.39	0.001	0.03	1.64	10.1	<0.2	<10	140	0.49	0.20	0.19	0.14	28.7	9.7	26
ZZ19016		0.41	0.002	0.08	2.37	12.4	<0.2	<10	310	1.06	0.28	0.28	0.12	34.7	20.6	36
ZZ19017		0.32	0.001	0.06	2.54	13.8	<0.2	<10	260	1.10	0.24	0.09	0.31	35.2	14.4	36
ZZ19018		0.26	0.001	0.16	1.01	15.4	<0.2	<10	110	0.99	0.29	0.79	0.07	13.85	18.8	22
ZZ19019		0.39	0.002	0.20	1.79	9.6	<0.2	<10	170	0.96	0.23	1.48	0.17	15.90	11.8	29
ZZ19020		0.34	0.001	0.10	1.73	13.5	<0.2	<10	220	0.96	0.25	1.21	0.20	19.70	20.2	28

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 19- AUG- 2011
Account: RCM

Project: Rackla- Jam Extension

CERTIFICATE OF ANALYSIS WH11149813

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
ZZ19438		2.30	47.3	2.55	4.66	<0.05	<0.02	0.34	0.034	0.12	10.8	11.2	0.22	380	3.60	0.01
ZZ19439		0.96	43.3	1.51	3.66	0.05	<0.02	0.37	0.034	0.12	9.8	9.5	0.18	38	5.53	0.01
ZZ19440		1.02	162.0	1.64	4.82	0.11	0.05	0.85	0.034	0.16	17.8	11.3	0.21	380	25.9	0.02
ZZ19441		<0.05	0.2	2.72	<0.05	<0.05	<0.02	0.01	<0.005	0.14	<0.2	<0.1	0.33	601	<0.05	0.01
ZZ19442		0.83	72.9	3.93	4.83	0.06	0.06	0.21	0.041	0.13	15.0	17.1	0.39	1540	16.35	0.01
ZZ19443		0.76	28.9	3.63	4.29	<0.05	0.05	0.10	0.040	0.15	9.2	7.1	0.22	123	11.60	0.01
ZZ19444		1.52	30.2	3.33	5.08	0.06	0.10	0.04	0.040	0.18	4.5	35.1	0.81	1070	0.69	<0.01
ZZ19445		3.50	31.2	3.91	5.18	<0.05	0.03	0.02	0.034	0.16	2.5	26.0	0.37	1020	1.16	0.01
ZZ19446		1.43	37.1	4.60	5.83	<0.05	0.04	0.05	0.053	0.08	9.7	26.6	0.41	674	0.71	0.01
ZZ19447		2.13	11.6	3.97	7.67	<0.05	0.02	0.03	0.029	0.10	8.7	17.7	0.23	567	0.95	0.01
ZZ19448		1.86	33.5	3.93	6.33	<0.05	0.04	0.03	0.044	0.10	10.6	33.3	0.40	709	1.48	0.01
ZZ19449		3.83	38.3	4.93	9.10	<0.05	0.04	0.02	0.059	0.14	6.9	35.3	0.67	1220	0.44	0.01
ZZ19450		1.56	62.7	4.48	5.72	0.05	0.08	0.17	0.045	0.18	9.4	23.4	0.88	1270	1.47	0.01
ZZ19495		2.01	43.0	4.57	6.88	0.05	0.04	0.06	0.042	0.16	10.5	35.7	0.49	834	0.78	0.01
ZZ19496		1.03	34.3	3.79	5.88	<0.05	0.05	0.16	0.039	0.14	12.1	29.4	0.61	440	0.65	0.01
ZZ19497		1.02	86.1	2.39	2.21	0.13	0.05	0.21	0.032	0.13	6.2	6.5	0.12	234	7.74	0.01
ZZ19498		1.17	66.2	2.62	2.17	0.11	0.03	0.21	0.032	0.15	6.5	6.5	0.13	219	8.30	0.01
ZZ19499		1.20	71.4	2.89	2.20	0.12	0.04	0.17	0.038	0.16	6.3	6.5	0.12	302	9.20	0.01
ZZ19500		0.97	36.4	3.81	4.88	0.10	0.05	0.13	0.034	0.09	13.5	23.8	1.80	879	0.77	0.01
ZZ19001		1.41	20.8	5.18	5.76	0.13	0.07	0.19	0.035	0.08	25.1	19.8	0.92	1700	1.12	0.01
ZZ19002		1.18	19.1	4.17	4.73	0.11	0.04	0.51	0.026	0.08	14.0	16.7	2.47	1440	0.89	0.01
ZZ19003		0.86	30.3	3.83	3.18	0.10	0.05	0.15	0.025	0.08	10.8	15.7	2.99	1190	0.69	0.01
ZZ19004		1.09	34.4	4.04	4.23	0.11	0.09	0.13	0.036	0.12	12.2	26.3	0.66	382	0.43	<0.01
ZZ19005		0.94	59.2	4.17	4.67	0.14	0.06	0.10	0.035	0.09	14.9	30.5	0.85	647	0.55	<0.01
ZZ19006		0.81	49.4	3.44	4.51	0.12	0.06	0.11	0.033	0.11	14.8	29.4	0.77	296	0.49	<0.01
ZZ19007		0.93	57.6	3.79	4.83	0.11	0.08	0.09	0.036	0.12	14.9	30.3	0.80	363	0.50	0.01
ZZ19008		0.97	58.0	4.39	6.12	0.12	0.07	0.10	0.030	0.14	15.6	37.6	1.03	827	0.47	<0.01
ZZ19009		0.94	54.1	3.75	5.81	0.13	0.05	0.12	0.033	0.12	18.7	41.9	0.94	657	0.42	<0.01
ZZ19010		0.91	47.7	3.64	5.91	0.11	0.06	0.12	0.030	0.12	14.9	39.6	0.98	320	0.37	0.01
ZZ19011		0.90	53.3	3.56	5.35	0.10	0.06	0.10	0.033	0.11	9.4	41.1	0.79	513	0.39	<0.01
ZZ19012		1.28	70.0	4.86	6.28	0.11	0.07	0.09	0.037	0.12	14.0	42.5	1.04	910	0.58	<0.01
ZZ19013		0.94	58.0	4.10	6.54	0.12	0.08	0.08	0.038	0.12	15.0	46.6	0.87	374	0.54	0.01
ZZ19014		0.98	57.8	4.82	6.36	0.12	0.03	0.04	0.034	0.08	18.3	32.4	0.91	679	0.70	<0.01
ZZ19015		0.85	40.0	4.17	5.32	0.10	<0.02	0.01	0.032	0.06	13.3	24.9	0.71	400	0.72	<0.01
ZZ19016		1.10	68.7	5.23	7.05	0.12	0.07	0.04	0.038	0.12	15.0	44.4	1.14	646	0.56	<0.01
ZZ19017		1.51	37.9	5.99	6.71	0.11	0.11	0.01	0.035	0.08	14.9	31.0	0.66	873	0.99	<0.01
ZZ19018		1.48	52.6	4.17	3.30	0.10	0.07	0.06	0.037	0.13	6.0	16.2	0.36	233	0.43	<0.01
ZZ19019		1.66	74.6	3.86	4.87	0.11	0.05	0.08	0.033	0.14	8.4	30.2	0.76	341	0.47	<0.01
ZZ19020		2.08	64.9	4.20	4.95	0.11	0.08	0.06	0.044	0.13	7.8	36.4	0.78	600	0.67	<0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 19- AUG- 2011
Account: RCM

Project: Rackla- Jam Extension

CERTIFICATE OF ANALYSIS WH11149813

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
ZZ19438		0.73	25.1	1170	18.7	15.7	<0.001	0.06	1.32	1.8	1.9	0.4	20.1	<0.01	0.06	1.1
ZZ19439		0.52	19.5	640	16.7	13.4	0.001	0.06	1.67	2.7	3.3	0.3	17.3	<0.01	0.06	1.9
ZZ19440		0.44	145.0	1750	11.5	16.1	0.009	0.13	15.25	5.4	11.6	0.3	54.0	<0.01	0.18	0.9
ZZ19441		<0.05	<0.2	1350	<0.2	<0.1	<0.001	0.06	<0.05	<0.1	<0.2	<0.2	<0.2	<0.01	<0.01	<0.2
ZZ19442		0.45	72.9	1500	21.6	13.6	0.003	0.07	2.95	5.1	3.5	0.4	35.0	<0.01	0.08	2.7
ZZ19443		0.58	21.3	1270	19.3	11.5	0.003	0.06	1.14	3.9	1.7	0.5	22.2	<0.01	0.05	2.5
ZZ19444		0.20	29.8	330	26.8	13.1	<0.001	0.02	0.38	5.7	0.6	0.4	14.7	<0.01	0.02	4.4
ZZ19445		0.54	16.8	360	43.7	18.1	<0.001	0.01	0.30	2.5	0.4	0.5	8.0	<0.01	0.04	2.8
ZZ19446		0.64	29.6	440	27.7	15.7	<0.001	0.01	0.21	4.9	0.4	0.6	18.3	<0.01	0.04	4.4
ZZ19447		0.98	13.5	440	11.1	20.3	<0.001	0.02	0.36	2.4	0.2	0.7	6.1	<0.01	0.07	2.8
ZZ19448		0.77	30.2	430	25.9	17.4	<0.001	0.02	0.42	3.6	0.5	0.6	12.2	<0.01	0.05	5.2
ZZ19449		0.57	34.6	350	14.1	17.4	<0.001	0.02	0.11	5.6	0.4	0.9	18.8	<0.01	0.05	5.1
ZZ19450		0.26	40.4	620	41.8	16.0	<0.001	0.03	0.44	6.9	1.0	0.5	21.4	<0.01	0.06	7.6
ZZ19495		0.54	30.0	610	43.7	18.3	<0.001	0.03	0.28	5.6	0.8	0.6	18.7	<0.01	0.04	6.4
ZZ19496		0.70	26.0	480	48.1	13.5	<0.001	0.03	0.26	5.2	0.7	0.4	22.9	<0.01	0.04	3.8
ZZ19497		0.21	65.6	1420	12.7	9.5	0.013	0.12	2.85	4.9	7.3	0.4	105.5	<0.01	0.11	1.9
ZZ19498		0.21	64.9	1530	12.3	10.3	0.012	0.11	2.83	5.2	5.0	0.5	102.0	<0.01	0.14	2.5
ZZ19499		0.21	67.0	1460	13.6	10.8	0.009	0.11	3.24	5.3	5.5	0.4	96.4	<0.01	0.10	3.2
ZZ19500		0.64	24.8	610	21.7	8.9	<0.001	0.04	0.57	5.5	1.2	0.5	33.9	<0.01	0.05	2.6
ZZ19001		0.65	28.2	560	29.6	13.4	<0.001	0.04	0.54	8.7	1.4	0.6	17.6	<0.01	0.05	4.2
ZZ19002		0.54	21.8	580	57.0	10.0	<0.001	0.03	0.56	5.4	1.0	0.5	35.0	<0.01	0.05	3.5
ZZ19003		0.32	22.9	740	29.9	7.2	<0.001	0.04	0.49	4.7	0.7	0.3	38.3	<0.01	0.04	2.7
ZZ19004		0.38	25.6	540	24.1	10.3	0.001	0.03	0.27	6.5	1.2	0.4	22.0	<0.01	0.06	4.7
ZZ19005		0.27	32.3	530	18.7	7.5	<0.001	0.03	0.42	7.8	1.1	0.4	47.2	<0.01	0.06	3.3
ZZ19006		0.50	28.0	650	17.0	8.4	<0.001	0.06	0.42	6.4	1.1	0.4	50.8	<0.01	0.05	2.6
ZZ19007		0.33	33.3	660	17.7	8.0	<0.001	0.06	0.45	7.3	1.0	0.4	56.5	<0.01	0.07	4.1
ZZ19008		0.35	33.9	680	15.5	8.5	<0.001	0.05	0.40	7.0	0.8	0.4	49.9	<0.01	0.07	3.3
ZZ19009		0.50	33.2	760	13.7	9.6	<0.001	0.06	0.39	7.3	1.4	0.5	52.5	<0.01	0.06	2.7
ZZ19010		0.66	29.6	640	13.7	10.1	<0.001	0.08	0.41	6.4	0.8	0.5	46.7	<0.01	0.06	3.2
ZZ19011		0.40	30.1	620	13.9	7.9	0.001	0.14	0.40	6.3	1.4	0.5	64.6	<0.01	0.06	2.2
ZZ19012		0.22	36.2	510	16.4	7.7	<0.001	0.04	0.44	8.7	1.1	0.4	37.5	<0.01	0.08	3.5
ZZ19013		0.52	35.2	640	14.3	8.6	<0.001	0.04	0.46	9.1	1.2	0.6	38.0	<0.01	0.07	4.6
ZZ19014		0.36	34.1	270	14.8	9.4	<0.001	0.01	0.40	6.5	0.6	0.4	7.7	<0.01	0.09	3.9
ZZ19015		0.31	23.2	300	10.7	8.6	<0.001	0.01	0.34	4.0	0.6	0.4	10.3	<0.01	0.07	2.5
ZZ19016		0.19	38.9	300	17.5	9.5	<0.001	0.01	0.42	8.9	0.8	0.5	17.8	<0.01	0.09	4.3
ZZ19017		0.76	33.7	430	14.3	12.8	<0.001	0.01	0.55	5.7	0.6	0.6	9.6	<0.01	0.07	4.3
ZZ19018		0.27	32.8	430	25.2	10.9	<0.001	0.04	0.58	8.5	0.5	0.5	37.3	<0.01	0.04	2.2
ZZ19019		0.31	30.9	620	13.8	10.9	<0.001	0.07	0.48	7.8	1.4	0.5	52.9	<0.01	0.06	1.6
ZZ19020		0.27	35.7	550	18.1	10.8	<0.001	0.10	0.47	8.6	1.1	0.5	51.7	<0.01	0.07	2.4

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 19- AUG- 2011
Account: RCM

Project: Rackla- Jam Extension

CERTIFICATE OF ANALYSIS WH11149813

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
ZZ19438		0.014	0.56	1.85	64	0.20	7.02	123	<0.5
ZZ19439		0.007	0.56	2.01	102	0.14	11.40	73	0.5
ZZ19440		0.011	1.76	14.75	1500	0.27	55.4	1200	2.2
ZZ19441		0.009	<0.02	<0.05	843	<0.05	<0.05	697	<0.5
ZZ19442		0.005	0.30	3.87	406	0.16	19.75	652	1.7
ZZ19443		<0.005	0.21	0.94	165	0.05	5.21	207	1.7
ZZ19444		<0.005	0.13	0.55	26	<0.05	11.60	95	3.6
ZZ19445		0.007	0.12	0.69	25	0.10	4.69	76	1.1
ZZ19446		0.006	0.14	0.93	41	0.11	6.84	99	1.4
ZZ19447		0.010	0.13	0.42	49	0.16	2.30	49	0.9
ZZ19448		0.010	0.20	0.81	56	0.11	4.83	121	2.0
ZZ19449		0.006	0.11	0.84	37	0.06	6.93	104	2.2
ZZ19450		0.008	0.23	1.09	42	0.05	15.05	214	3.3
ZZ19495		0.010	0.14	1.02	37	0.08	16.00	121	1.3
ZZ19496		0.012	0.15	1.54	41	0.11	9.43	486	1.7
ZZ19497		<0.005	0.30	3.94	122	0.06	24.2	301	1.6
ZZ19498		<0.005	0.34	3.63	134	0.05	20.6	343	1.5
ZZ19499		<0.005	0.35	3.35	131	0.05	21.5	381	2.3
ZZ19500		0.017	0.13	0.84	46	0.12	10.95	255	1.3
ZZ19001		0.014	0.18	1.84	52	0.14	16.70	423	1.6
ZZ19002		0.016	0.26	1.47	43	0.16	10.90	1820	1.0
ZZ19003		0.008	0.20	1.09	28	0.07	10.50	419	1.3
ZZ19004		0.008	0.12	0.67	36	0.14	11.40	160	3.2
ZZ19005		0.007	0.10	0.65	37	<0.05	15.75	106	1.8
ZZ19006		0.010	0.10	0.91	36	0.10	13.60	99	1.6
ZZ19007		0.007	0.09	0.78	38	<0.05	12.45	103	3.0
ZZ19008		0.008	0.09	0.96	51	0.08	11.00	99	2.2
ZZ19009		0.010	0.09	1.34	44	0.05	14.90	101	1.7
ZZ19010		0.012	0.10	1.67	42	0.09	10.50	103	1.9
ZZ19011		0.006	0.07	2.23	36	<0.05	10.30	88	1.9
ZZ19012		0.005	0.08	0.67	45	<0.05	11.15	106	2.5
ZZ19013		0.009	0.08	0.74	46	0.07	12.95	100	3.1
ZZ19014		0.010	0.10	0.56	61	0.07	7.18	69	1.3
ZZ19015		0.007	0.08	0.37	52	0.07	3.57	59	0.7
ZZ19016		0.006	0.09	0.41	60	<0.05	8.64	88	2.7
ZZ19017		0.020	0.11	0.64	64	0.15	7.01	68	3.7
ZZ19018		<0.005	0.10	0.55	39	<0.05	10.85	60	1.7
ZZ19019		0.005	0.11	1.20	44	<0.05	14.45	89	1.4
ZZ19020		0.005	0.14	0.59	42	<0.05	12.35	102	2.2

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 19- AUG- 2011
Account: RCM

Project: Rackla- Jam Extension

CERTIFICATE OF ANALYSIS WH11149813

Method	CERTIFICATE COMMENTS
ME- MS41	Gold determinations by this method are semi- quantitative due to the small sample weight used (0.5g).

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 4- SEP- 2011
Account: RCM

CERTIFICATE WH11151924

Project: Rackla- Rod to Crag Contour

P.O. No.:

This report is for 245 Soil samples submitted to our lab in Whitehorse, YT, Canada on 10- AUG- 2011.

The following have access to data associated with this certificate:

ROB CARNE JULIA LANE	ANDREW CARNE JOAN MARIACHER	MATT DUMALA

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
SCR- 41	Screen to - 180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- TL43	Trace Level Au - 25g AR	ICP- MS
ME- MS41	51 anal. aqua regia ICPMS	

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 4- SEP- 2011
Account: RCM

Project: Rackla- Rod to Crag Contour

CERTIFICATE OF ANALYSIS WH11151924

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- TL43 Au ppm 0.001	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1
DD003796		0.31	0.002	0.66	0.90	19.6	<0.2	<10	130	0.69	0.31	0.49	1.36	43.3	20.5	18
DD003797		0.30	0.005	0.47	0.91	57.1	<0.2	<10	500	0.60	0.26	0.51	1.59	24.8	18.8	76
DD003798		0.28	0.005	0.31	1.02	40.4	<0.2	<10	630	0.65	0.24	0.87	0.97	24.8	24.1	69
DD003799		0.23	0.003	0.25	0.92	14.3	<0.2	<10	440	0.53	0.22	1.28	0.74	20.6	16.6	70
DD003800		0.32	0.003	0.23	0.98	22.0	<0.2	<10	640	0.60	0.23	1.17	0.53	19.90	22.2	85
DD003901		0.23	0.002	0.24	0.92	21.4	<0.2	<10	640	0.40	0.22	0.53	0.49	27.4	16.8	37
DD003902		0.36	0.004	0.38	1.20	12.6	<0.2	<10	300	0.43	0.29	0.11	0.12	28.0	34.1	23
DD003903		0.32	0.003	0.07	1.30	9.0	<0.2	<10	320	0.42	0.24	0.15	0.16	23.8	7.3	21
DD003904		0.35	0.015	0.53	1.13	14.5	<0.2	<10	450	0.46	0.27	0.24	0.77	22.2	9.4	24
DD003905		0.32	0.002	0.20	1.22	10.6	<0.2	<10	2300	0.43	0.38	0.09	0.42	34.1	17.4	21
DD003906		0.41	0.003	0.50	0.96	22.1	<0.2	<10	970	0.53	0.19	1.48	1.33	35.7	12.7	21
DD003907		0.32	0.004	0.56	1.13	20.1	<0.2	<10	930	0.53	0.23	0.72	0.64	31.2	10.4	20
DD003908		0.30	0.011	1.84	1.66	44.0	<0.2	10	620	0.90	0.24	0.85	4.34	38.7	18.6	27
DD003909		0.32	0.005	0.52	1.41	15.2	<0.2	<10	280	0.56	0.19	0.47	3.23	56.7	22.5	27
DD003910		0.32	0.004	0.62	1.47	14.5	<0.2	<10	510	0.68	0.18	0.97	2.22	43.7	18.5	21
DD003911		0.31	0.003	0.70	0.71	11.8	<0.2	<10	230	0.26	0.17	0.28	0.66	26.4	10.8	15
DD003912		0.28	0.002	0.70	0.82	13.0	<0.2	<10	230	0.14	0.17	0.25	0.39	19.90	4.6	18
DD003913		0.37	0.003	0.54	0.88	22.0	<0.2	<10	230	0.36	0.18	0.42	0.64	34.9	9.2	17
DD003914		0.26	0.003	0.58	1.00	13.4	<0.2	<10	380	0.56	0.16	1.41	0.79	32.5	11.1	18
DD003915		0.24	0.005	0.45	1.00	13.6	<0.2	<10	680	0.44	0.16	1.31	0.94	33.7	16.5	16
DD003916		0.32	0.002	0.70	1.25	45.6	<0.2	<10	510	0.56	0.22	0.67	1.86	43.5	21.7	21
DD003917		0.34	0.007	0.65	1.23	18.2	<0.2	<10	410	0.60	0.23	0.25	0.65	29.6	17.6	20
DD003918		0.45	0.003	0.45	1.01	47.6	<0.2	<10	550	0.69	0.20	0.88	0.54	31.7	12.6	15
DD003919		0.42	0.005	0.69	1.16	13.1	<0.2	<10	480	0.45	0.22	0.38	0.91	25.5	20.2	20
DD003920		0.38	0.006	0.60	1.19	9.9	<0.2	<10	640	0.56	0.21	0.52	0.46	26.5	9.2	18
DD003921		0.34	0.007	0.76	1.13	15.7	<0.2	<10	540	0.59	0.21	0.16	2.01	31.6	15.1	18
DD003922		0.30	0.010	0.58	2.01	19.5	<0.2	<10	470	0.98	0.26	0.42	1.07	39.5	31.1	26
DD003923		0.33	0.001	1.31	0.78	28.3	<0.2	<10	660	0.57	0.16	2.02	3.97	34.0	15.0	22
DD003924		0.28	<0.001	2.00	0.26	9.4	<0.2	<10	580	0.16	0.08	0.09	0.24	17.95	0.5	29
DD003925		0.36	0.007	0.36	1.06	62.3	<0.2	<10	600	0.43	0.25	0.31	0.67	30.4	5.6	24
DD003926		0.32	0.006	0.66	0.94	46.0	<0.2	<10	1010	0.69	0.20	1.49	3.27	27.2	14.5	34
DD003927		0.31	0.003	0.43	0.81	18.5	<0.2	<10	480	0.53	0.17	0.82	1.18	26.9	20.2	82
DD003928		0.41	0.005	0.82	0.98	25.2	<0.2	<10	530	0.71	0.23	1.22	1.93	26.5	15.3	45
DD003929		0.30	0.004	0.68	0.87	64.6	<0.2	<10	610	0.66	0.18	1.14	6.21	21.7	23.0	57
DD003930		0.34	0.003	0.54	1.20	32.0	<0.2	<10	430	0.59	0.23	0.41	0.89	33.9	41.1	90
DD004624		0.29	0.002	0.50	1.16	23.3	<0.2	<10	790	0.84	0.21	2.91	1.62	23.6	11.9	33
DD004625		0.18	0.003	0.45	0.99	21.2	<0.2	<10	960	0.68	0.18	2.14	1.65	19.20	10.3	31
DD004626		0.21	0.002	0.28	1.02	14.0	<0.2	<10	990	0.72	0.15	2.53	1.03	17.20	8.6	25
DD004627		0.35	0.004	0.65	1.09	29.1	<0.2	<10	640	0.68	0.21	3.23	1.96	25.1	15.7	39
DD004628		0.27	0.001	0.11	2.09	53.2	<0.2	<10	580	1.44	0.24	3.66	3.26	43.1	13.1	33

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 4- SEP- 2011
Account: RCM

Project: Rackla- Rod to Crag Contour

CERTIFICATE OF ANALYSIS WH11151924

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
DD003796		3.73	72.5	4.01	2.75	0.09	0.06	0.30	0.026	0.10	20.9	17.1	0.45	845	7.20	<0.01
DD003797		0.78	54.4	4.07	2.64	0.07	0.06	0.26	0.031	0.07	12.0	15.2	1.03	595	2.67	<0.01
DD003798		0.85	43.6	3.45	3.14	0.07	0.08	0.92	0.027	0.06	12.7	19.1	1.07	987	3.62	0.01
DD003799		0.68	37.7	2.73	2.62	0.06	0.06	0.64	0.021	0.07	10.2	17.3	1.08	364	1.47	0.01
DD003800		0.82	43.6	3.16	2.83	0.07	0.07	0.47	0.024	0.07	10.0	18.9	1.43	799	1.12	0.01
DD003901		0.69	20.4	3.34	3.01	0.06	0.06	0.15	0.023	0.08	14.6	13.6	0.46	745	3.08	<0.01
DD003902		1.33	25.1	4.11	4.85	0.07	<0.02	0.16	0.038	0.10	14.9	14.4	0.28	2160	5.50	<0.01
DD003903		1.86	47.4	3.22	5.73	0.05	<0.02	0.02	0.025	0.14	13.2	21.1	0.65	258	1.42	<0.01
DD003904		1.81	129.5	3.00	4.51	0.06	0.02	0.23	0.029	0.11	12.4	16.5	0.39	368	2.42	<0.01
DD003905		1.91	78.4	5.95	3.62	0.10	0.06	0.08	0.037	0.12	17.0	14.0	0.32	602	2.22	<0.01
DD003906		1.93	72.3	3.16	2.92	0.09	0.08	0.20	0.030	0.17	20.4	12.5	0.73	586	3.80	0.01
DD003907		1.42	39.6	3.04	3.75	0.07	0.05	0.25	0.035	0.14	17.7	13.8	0.31	395	3.42	<0.01
DD003908		5.81	337	5.00	4.52	0.14	0.12	0.77	0.042	0.67	25.0	20.4	0.81	398	29.4	0.01
DD003909		3.17	126.5	4.06	3.56	0.13	0.12	0.16	0.035	0.09	29.9	21.3	0.78	2170	3.89	<0.01
DD003910		1.30	93.5	2.91	3.22	0.10	0.13	0.24	0.036	0.11	25.2	24.6	0.60	1500	4.60	<0.01
DD003911		0.60	30.1	2.18	2.62	0.06	0.05	0.11	0.022	0.07	14.0	9.0	0.29	678	6.11	<0.01
DD003912		0.70	19.9	2.33	2.62	<0.05	0.03	0.13	0.022	0.08	11.4	10.4	0.52	356	6.13	<0.01
DD003913		1.47	31.8	2.31	2.82	<0.05	0.11	0.23	0.030	0.15	19.2	13.1	0.53	239	5.04	<0.01
DD003914		1.09	44.8	2.40	2.93	0.05	0.12	0.20	0.029	0.18	18.2	16.8	0.63	602	3.58	<0.01
DD003915		1.39	68.7	3.00	2.66	<0.05	0.11	0.16	0.026	0.09	16.8	11.6	0.43	996	3.35	<0.01
DD003916		4.53	63.2	3.73	3.95	0.09	0.10	0.24	0.043	0.19	19.0	23.3	0.50	3110	7.61	<0.01
DD003917		3.99	75.2	2.76	4.17	0.05	0.04	0.20	0.033	0.12	18.4	15.6	0.37	1220	4.92	<0.01
DD003918		1.82	45.2	3.40	3.06	<0.05	0.08	0.16	0.033	0.19	17.3	14.0	0.43	596	8.04	<0.01
DD003919		2.53	59.9	2.20	4.05	<0.05	0.06	0.16	0.031	0.14	14.2	16.0	0.44	1700	4.25	<0.01
DD003920		1.92	50.7	2.51	3.59	<0.05	0.06	0.24	0.026	0.19	14.8	13.7	0.39	426	3.50	<0.01
DD003921		1.89	92.5	3.04	3.74	<0.05	0.02	0.24	0.027	0.21	17.9	14.9	0.33	474	8.98	<0.01
DD003922		5.66	118.5	4.60	6.35	0.06	0.08	0.11	0.039	0.27	19.7	36.3	1.36	1400	3.86	<0.01
DD003923		2.78	75.1	3.55	1.92	0.07	0.13	0.53	0.036	0.12	21.2	12.1	0.55	625	9.36	<0.01
DD003924		1.85	26.7	0.49	1.39	0.05	<0.02	0.65	0.012	0.06	11.8	1.4	0.08	33	1.65	<0.01
DD003925		3.21	70.0	2.31	4.56	<0.05	0.04	0.26	0.026	0.14	19.1	13.8	0.30	132	4.90	<0.01
DD003926		0.89	95.9	2.85	2.42	<0.05	0.08	0.36	0.031	0.09	15.4	11.2	0.85	607	3.15	<0.01
DD003927		1.07	39.0	3.19	2.36	0.05	0.06	0.16	0.025	0.06	14.3	12.7	1.55	585	4.74	<0.01
DD003928		1.15	56.2	3.10	2.65	<0.05	0.08	0.28	0.033	0.09	15.7	13.7	1.05	543	3.06	<0.01
DD003929		0.88	62.0	3.33	2.27	<0.05	0.07	0.37	0.026	0.07	11.9	11.3	0.88	1260	4.10	<0.01
DD003930		2.10	41.2	3.91	3.38	0.05	0.07	0.19	0.026	0.08	18.3	20.5	1.51	1570	4.46	<0.01
DD004624		0.91	40.2	2.83	3.09	<0.05	0.07	0.18	0.027	0.08	12.6	13.5	1.69	331	1.90	0.01
DD004625		0.68	35.7	2.44	2.74	<0.05	0.05	0.15	0.018	0.07	10.7	11.7	0.92	377	1.61	<0.01
DD004626		0.80	22.6	2.11	2.52	<0.05	0.06	0.13	0.020	0.08	8.9	8.7	0.66	328	0.70	<0.01
DD004627		1.34	55.0	3.10	3.17	<0.05	0.08	0.26	0.028	0.09	13.8	14.5	2.23	475	3.35	0.01
DD004628		1.27	11.9	3.26	5.22	<0.05	0.09	0.04	0.037	0.08	18.7	11.8	1.96	533	1.54	0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 4- SEP- 2011
Account: RCM

Project: Rackla- Rod to Crag Contour

CERTIFICATE OF ANALYSIS WH11151924

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
DD003796		0.09	54.9	1020	32.7	6.7	0.002	0.06	2.75	4.0	2.2	0.2	25.8	0.01	0.05	4.4
DD003797		0.20	123.0	890	32.2	6.8	<0.001	0.05	1.56	4.8	1.1	0.2	40.8	<0.01	0.07	3.0
DD003798		0.28	137.0	790	31.1	8.0	0.002	0.06	1.89	4.6	2.1	0.3	65.4	<0.01	0.06	2.5
DD003799		0.25	140.5	620	21.9	6.4	0.004	0.07	1.13	4.3	2.9	0.2	72.5	<0.01	0.05	2.3
DD003800		0.26	169.0	650	23.3	6.7	<0.001	0.06	0.95	4.8	1.1	0.2	58.3	<0.01	0.05	2.2
DD003901		0.41	39.5	980	27.8	8.1	<0.001	0.03	0.94	3.5	1.0	0.3	45.9	<0.01	0.06	3.7
DD003902		0.76	21.8	970	21.4	14.2	<0.001	0.02	1.56	2.3	1.6	0.5	21.5	<0.01	0.12	1.2
DD003903		0.54	16.5	540	16.1	16.4	<0.001	0.02	0.55	2.4	0.6	0.5	22.6	<0.01	0.07	1.1
DD003904		0.48	30.7	1000	15.1	14.5	0.001	0.06	0.77	2.2	2.0	0.4	29.7	<0.01	0.09	0.7
DD003905		0.72	42.9	760	16.4	14.1	<0.001	0.09	0.97	5.6	1.4	0.4	27.2	0.01	0.11	5.2
DD003906		0.49	58.8	1850	25.8	12.7	0.002	0.07	2.19	4.9	1.6	0.3	73.9	0.01	0.08	3.7
DD003907		0.46	31.7	1410	22.6	13.7	0.001	0.04	1.31	4.3	1.6	0.4	51.5	<0.01	0.10	2.8
DD003908		0.25	104.0	4910	25.9	37.9	0.007	0.19	8.60	7.0	5.1	0.5	123.0	0.01	0.19	7.3
DD003909		0.22	109.5	2140	16.7	8.5	0.001	0.04	1.84	6.1	1.7	0.2	24.5	0.01	0.10	3.8
DD003910		0.35	67.5	1740	14.5	11.6	0.001	0.06	1.25	6.1	2.3	0.3	45.0	0.01	0.07	2.1
DD003911		0.21	18.3	1400	10.3	8.0	<0.001	0.02	0.93	2.8	0.9	0.2	12.5	<0.01	0.05	1.7
DD003912		0.26	11.4	1400	13.8	7.7	0.001	0.04	0.83	2.1	1.3	0.2	16.1	<0.01	0.05	1.4
DD003913		0.40	23.3	1630	13.7	11.1	0.001	0.02	1.09	4.2	1.1	0.3	21.7	<0.01	0.08	2.7
DD003914		0.38	26.4	1410	14.0	13.1	0.001	0.05	1.13	4.2	1.6	0.3	52.8	<0.01	0.09	1.8
DD003915		0.30	41.0	1310	20.1	7.4	0.001	0.08	1.38	3.9	1.6	0.2	59.5	<0.01	0.06	1.7
DD003916		0.21	43.4	1560	48.5	17.8	0.002	0.07	2.18	5.5	2.0	0.4	31.5	0.01	0.12	2.3
DD003917		0.46	21.7	1620	17.9	13.1	0.001	0.05	1.26	3.1	2.0	0.4	25.6	<0.01	0.09	1.1
DD003918		0.37	18.3	1290	19.3	15.9	0.001	0.04	1.76	4.2	1.2	0.4	51.8	<0.01	0.10	1.9
DD003919		0.40	21.1	1490	88.8	14.2	0.001	0.04	1.69	3.4	1.9	0.4	29.9	<0.01	0.08	1.7
DD003920		0.55	18.1	1090	15.8	17.7	0.002	0.06	1.64	3.9	1.6	0.4	47.4	<0.01	0.07	2.4
DD003921		0.49	35.8	1430	18.8	16.6	0.001	0.07	3.93	2.8	2.9	0.4	40.7	<0.01	0.11	2.0
DD003922		0.33	53.6	2220	25.7	19.6	0.001	0.06	2.09	5.7	1.7	0.5	46.2	<0.01	0.13	3.0
DD003923		0.24	88.8	1830	14.9	9.9	0.007	0.12	2.49	5.9	4.1	0.3	90.3	<0.01	0.10	1.8
DD003924		0.26	7.4	410	30.0	6.9	0.014	0.05	1.20	0.7	6.9	0.5	39.7	<0.01	0.04	0.6
DD003925		0.45	25.8	2050	31.5	15.6	<0.001	0.05	1.46	2.1	2.2	0.5	62.2	<0.01	0.09	1.7
DD003926		0.47	107.0	1260	47.5	6.5	0.002	0.05	2.36	4.1	2.4	0.3	59.7	<0.01	0.08	2.1
DD003927		0.33	155.5	1200	21.6	5.6	0.001	0.05	1.79	3.4	1.6	0.2	42.5	<0.01	0.06	1.8
DD003928		0.42	114.5	1220	59.7	7.2	<0.001	0.03	1.99	4.7	1.5	0.3	49.2	<0.01	0.08	2.2
DD003929		0.37	179.0	1040	55.0	6.6	0.001	0.05	2.54	3.8	2.2	0.3	63.1	<0.01	0.05	1.5
DD003930		0.29	121.0	1270	60.2	9.2	0.001	0.03	1.29	3.3	1.1	0.3	46.8	<0.01	0.04	3.3
DD004624		0.49	70.1	1030	42.3	7.6	<0.001	0.05	1.62	3.3	0.9	0.4	40.2	<0.01	0.05	1.5
DD004625		0.47	68.1	960	41.5	6.7	0.001	0.07	1.62	2.5	1.5	0.3	39.7	<0.01	0.05	0.9
DD004626		0.49	40.9	840	26.1	6.6	0.001	0.08	1.01	2.3	1.1	0.3	32.2	<0.01	0.04	1.1
DD004627		0.45	114.0	1030	68.4	7.2	0.001	0.02	2.35	4.7	1.4	0.3	55.9	<0.01	0.07	2.7
DD004628		0.65	97.8	590	22.8	9.2	0.001	0.04	1.83	5.7	0.7	0.7	31.3	<0.01	0.04	3.0

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 4- SEP- 2011
Account: RCM

Project: Rackla- Rod to Crag Contour

CERTIFICATE OF ANALYSIS WH11151924

Sample Description	Method Analyte Units LOR	ME- MS41 Ti % 0.005	ME- MS41 Tl ppm 0.02	ME- MS41 U ppm 0.05	ME- MS41 V ppm 1	ME- MS41 W ppm 0.05	ME- MS41 Y ppm 0.05	ME- MS41 Zn ppm 2	ME- MS41 Zr ppm 0.5
DD003796		<0.005	0.21	1.33	22	0.07	14.75	221	2.5
DD003797		<0.005	0.14	1.18	31	0.13	8.61	235	1.8
DD003798		0.005	0.14	2.05	40	0.14	10.70	186	2.2
DD003799		<0.005	0.11	3.26	30	0.10	9.08	137	2.1
DD003800		0.005	0.10	1.72	23	0.10	9.61	124	2.2
DD003901		0.007	0.13	1.69	39	0.11	7.97	117	1.8
DD003902		0.015	0.18	1.69	46	0.17	4.48	71	<0.5
DD003903		0.017	0.12	0.61	48	0.10	3.50	76	<0.5
DD003904		0.012	0.19	1.71	43	0.12	7.79	167	<0.5
DD003905		0.025	0.19	1.11	29	0.20	9.08	152	1.8
DD003906		0.013	0.22	1.63	46	0.10	18.00	210	3.0
DD003907		0.008	0.19	2.01	49	0.08	11.10	133	1.4
DD003908		0.031	1.10	9.23	139	0.07	34.6	625	6.3
DD003909		0.007	0.18	2.57	32	0.08	32.1	404	3.3
DD003910		0.008	0.25	5.43	42	0.11	38.7	257	3.0
DD003911		0.006	0.21	1.45	39	0.08	11.00	107	1.2
DD003912		0.006	0.19	1.18	50	<0.05	7.57	62	0.9
DD003913		0.012	0.23	1.46	42	0.05	15.60	119	3.9
DD003914		0.012	0.20	2.30	50	<0.05	20.2	113	4.1
DD003915		0.005	0.14	2.09	28	<0.05	17.80	124	3.1
DD003916		0.008	0.44	1.83	53	0.08	18.50	274	2.7
DD003917		0.012	0.32	3.79	49	0.08	17.35	87	0.9
DD003918		0.009	0.23	1.87	43	<0.05	14.50	114	2.3
DD003919		0.010	0.29	2.13	59	0.06	8.84	142	1.3
DD003920		0.016	0.21	2.60	46	0.08	9.83	104	1.6
DD003921		0.017	0.35	3.16	59	0.08	10.90	283	0.5
DD003922		0.015	0.26	1.84	58	<0.05	18.90	212	1.9
DD003923		0.006	0.30	2.09	67	0.06	33.2	620	4.2
DD003924		0.007	0.39	1.66	98	0.07	4.83	48	<0.5
DD003925		0.008	0.43	2.21	78	0.06	6.67	157	1.1
DD003926		0.009	0.22	2.70	59	0.10	20.9	290	2.9
DD003927		0.007	0.14	1.67	35	0.07	10.95	172	1.9
DD003928		0.010	0.17	1.83	47	0.08	17.05	302	2.4
DD003929		0.007	0.15	2.32	34	0.11	14.20	961	1.9
DD003930		<0.005	0.20	1.13	31	<0.05	7.41	186	1.7
DD004624		0.010	0.19	1.72	47	0.11	12.80	229	1.9
DD004625		0.008	0.17	2.79	45	0.08	10.75	245	1.6
DD004626		0.007	0.17	1.65	39	0.07	8.41	178	1.7
DD004627		0.013	0.23	1.48	50	0.10	13.85	299	2.3
DD004628		0.006	0.58	2.02	63	0.12	11.80	599	2.0

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 4- SEP- 2011
Account: RCM

Project: Rackla- Rod to Crag Contour

CERTIFICATE OF ANALYSIS WH11151924

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- TL43 Au ppm 0.001	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1
DD004629		0.26	0.001	0.30	1.36	17.3	<0.2	<10	640	0.76	0.17	4.57	2.16	22.1	10.1	25
DD004630		0.34	0.004	0.83	0.96	34.9	<0.2	<10	1800	0.67	0.15	2.63	3.01	27.9	11.2	26
DD004631		0.29	0.002	0.42	0.75	19.2	<0.2	<10	900	0.58	0.11	8.40	4.83	16.15	6.9	18
DD004632		0.32	0.001	0.11	1.65	18.1	<0.2	<10	740	1.09	0.22	1.33	2.48	29.6	10.4	28
DD004633		0.33	0.001	0.29	1.60	17.3	<0.2	<10	310	1.02	0.17	4.47	1.98	25.3	8.3	28
DD004634		0.34	0.001	0.13	1.35	15.4	<0.2	<10	190	0.99	0.17	8.88	0.89	18.70	5.5	21
DD004635		0.29	0.001	0.18	0.91	7.5	<0.2	<10	610	0.48	0.14	3.22	6.89	12.55	5.7	15
DD004636		0.25	0.001	0.32	0.77	16.1	<0.2	<10	670	0.53	0.12	7.78	1.28	16.85	8.1	17
DD004637		0.24	0.002	0.37	1.06	21.9	<0.2	<10	760	0.68	0.17	1.81	1.27	26.0	10.2	25
DD004638		0.30	<0.001	0.14	1.97	11.6	<0.2	<10	270	1.18	0.18	6.23	1.25	27.7	8.5	24
DD004639		0.35	0.001	0.21	1.11	11.4	<0.2	<10	210	0.69	0.15	7.50	0.94	15.40	7.1	18
DD004640		0.27	0.001	0.18	0.85	13	<0.2	<10	140	0.57	0.12	10.60	1.00	13.85	6.0	16
DD004641		0.26	0.002	0.08	1.00	11.5	<0.2	<10	100	0.46	0.16	7.32	3.13	20.6	7.0	15
DD004642		0.40	0.001	0.17	1.39	33.7	<0.2	<10	200	0.76	0.21	5.08	1.11	27.0	8.3	25
DD004643		0.26	0.001	0.29	0.98	32.8	<0.2	<10	280	0.52	0.17	5.69	1.30	19.70	8.7	20
DD004644		0.29	0.002	0.17	1.02	20.4	<0.2	<10	150	0.53	0.18	5.42	0.37	26.5	8.9	19
DD004645		0.25	0.003	0.33	1.32	47.3	<0.2	<10	370	0.83	0.28	1.58	0.42	37.5	15.3	27
DD004646		0.34	0.002	0.19	0.63	20.8	<0.2	<10	190	0.41	0.11	9.30	0.83	15.35	6.1	12
DD004647		0.30	0.001	0.37	1.00	22.3	<0.2	<10	410	0.51	0.16	2.35	1.28	17.90	6.9	23
DD004648		0.31	<0.001	0.05	0.35	14	<0.2	<10	100	0.34	0.06	13.70	0.20	26.5	8.3	16
DD004649		0.27	0.001	0.05	0.43	9	<0.2	<10	70	0.27	0.10	14.00	0.37	12.55	5.8	13
DD004650		0.13	0.001	0.09	0.97	22.3	<0.2	<10	380	0.48	0.12	2.54	0.55	34.2	15.6	46
DD003251		0.30	0.001	0.31	1.37	22.9	<0.2	<10	190	0.70	0.17	5.57	2.14	22.5	8.9	22
DD003252		0.25	0.002	0.31	0.85	12.3	<0.2	<10	420	0.37	0.12	2.63	1.01	23.6	10.0	26
DD003253		0.26	0.001	0.30	0.99	16.2	<0.2	<10	280	0.58	0.12	6.04	1.91	25.2	12.0	30
DD003254		0.30	0.002	0.30	0.90	14.0	<0.2	<10	360	0.46	0.13	2.84	1.14	22.5	11.1	24
DD003255		0.26	0.001	0.22	1.25	31.6	<0.2	<10	430	0.64	0.17	2.92	1.01	26.2	12.3	29
DD003256		0.44	0.002	0.17	0.86	24	<0.2	<10	90	0.45	0.11	12.15	2.63	17.05	11.0	14
DD004542		0.29	0.003	0.71	0.80	25.2	<0.2	<10	1090	0.62	0.17	4.52	2.72	21.8	10.5	24
DD004543		0.26	0.003	0.50	1.03	31.3	<0.2	<10	820	0.74	0.17	6.17	2.71	23.0	11.5	23
DD004544		0.22	0.001	0.20	0.90	21.8	<0.2	<10	910	0.83	0.12	7.42	1.77	18.70	6.9	16
DD004545		0.21	0.001	0.09	0.63	10	<0.2	<10	200	0.52	0.09	13.40	0.84	11.95	4.5	10
DD004546		0.24	0.001	0.19	0.77	11	<0.2	<10	560	0.53	0.11	12.30	0.72	15.45	6.9	14
DD004547		0.24	0.001	0.22	1.29	22.8	<0.2	<10	520	0.73	0.18	6.26	2.08	23.9	10.0	22
DD004548		0.30	0.002	0.49	0.69	25.7	<0.2	<10	560	0.49	0.12	9.06	2.45	18.60	9.4	16
DD004549		0.26	0.001	0.05	0.46	11	<0.2	<10	430	0.47	0.06	16.35	0.52	10.90	4.2	10
DD004550		0.15	0.001	0.15	0.80	41.2	<0.2	<10	1640	0.96	0.12	7.97	1.34	14.40	6.3	14
DD004551		0.19	0.002	0.36	1.06	62.3	<0.2	<10	990	1.31	0.16	4.41	1.50	20.3	10.7	21
DD004552		0.27	0.002	0.37	0.57	49	<0.2	<10	390	0.60	0.09	12.40	1.74	14.30	8.3	13
DD004553		0.17	0.001	0.13	0.93	32.3	<0.2	<10	790	0.78	0.16	5.02	1.91	15.40	7.1	14

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 4- SEP- 2011
Account: RCM

Project: Rackla- Rod to Crag Contour

CERTIFICATE OF ANALYSIS WH11151924

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
DD004629		0.63	15.6	2.39	3.62	<0.05	0.04	0.08	0.028	0.05	10.5	11.9	2.24	425	1.35	0.01
DD004630		1.09	55.5	2.92	2.73	0.05	0.08	0.29	0.025	0.12	16.8	9.4	1.29	467	5.15	<0.01
DD004631		0.73	23.9	1.73	1.87	<0.05	0.04	0.14	0.017	0.07	8.5	7.0	4.46	212	1.69	0.01
DD004632		2.00	10.6	2.64	5.04	<0.05	0.07	0.02	0.030	0.07	15.6	10.5	0.73	484	1.17	<0.01
DD004633		0.96	9.4	2.21	4.07	<0.05	0.05	0.38	0.024	0.06	12.7	10.5	2.42	459	0.88	0.01
DD004634		0.53	10.5	1.81	2.69	<0.05	0.07	0.02	0.023	0.06	8.4	8.4	4.91	447	1.22	0.01
DD004635		0.51	12.4	1.44	2.31	<0.05	0.04	0.09	0.017	0.03	5.8	5.7	0.70	332	0.79	<0.01
DD004636		1.30	20.4	1.50	1.95	<0.05	0.05	0.10	0.018	0.07	8.6	6.4	3.60	232	1.23	0.01
DD004637		0.85	24.9	2.26	2.92	<0.05	0.10	0.12	0.027	0.08	13.9	10.0	0.49	347	1.62	<0.01
DD004638		1.39	5.3	2.50	4.21	<0.05	0.05	0.04	0.030	0.04	12.6	10.0	3.66	1020	0.66	0.01
DD004639		0.49	17.1	1.85	2.72	<0.05	0.02	0.12	0.020	0.04	8.0	8.9	3.78	341	0.78	0.01
DD004640		0.60	11.1	1.57	2.09	<0.05	0.03	0.05	0.016	0.05	6.2	7.9	5.81	260	1.01	0.01
DD004641		0.69	15.5	1.62	2.73	0.05	0.03	0.06	0.025	0.05	8.6	6.5	3.50	415	0.86	0.01
DD004642		1.30	14.3	2.39	4.25	0.06	0.07	0.05	0.031	0.06	12.7	11.1	2.61	283	1.59	0.01
DD004643		0.93	18.6	1.99	2.96	0.06	0.06	0.09	0.024	0.06	10.7	7.8	2.12	277	6.57	0.01
DD004644		0.75	16.9	1.91	3.40	0.06	0.05	0.08	0.024	0.05	12.1	11.3	2.63	188	0.99	0.01
DD004645		1.38	29.8	2.93	3.95	0.08	0.08	0.18	0.033	0.06	17.0	9.3	0.36	503	2.16	0.01
DD004646		0.77	14.3	1.39	1.89	<0.05	0.04	0.09	0.019	0.05	8.1	4.9	4.77	290	2.00	0.01
DD004647		0.69	18.4	2.17	3.18	0.06	0.06	0.16	0.027	0.05	10.5	7.4	0.45	403	1.88	<0.01
DD004648		0.72	9.5	2.02	1.22	0.07	0.05	0.04	0.022	0.06	10.9	2.2	7.08	387	1.98	0.02
DD004649		0.52	9.8	1.47	1.24	0.05	0.05	0.03	0.016	0.04	6.0	3.2	7.86	216	2.60	0.02
DD004650		0.90	15.2	3.89	3.73	0.09	0.08	0.06	0.030	0.08	15.5	9.4	0.50	852	1.33	0.01
DD003251		0.87	10.9	2.43	4.44	0.05	0.05	1.91	0.028	0.04	12.1	10.4	3.13	686	21.2	0.01
DD003252		0.89	17.5	2.16	2.77	0.06	0.06	0.16	0.022	0.06	11.8	8.2	0.40	365	0.93	0.01
DD003253		0.83	20.1	2.41	3.19	0.07	0.07	0.16	0.026	0.10	13.2	11.1	3.13	535	3.52	0.01
DD003254		0.77	23.5	2.03	2.83	0.06	0.07	0.18	0.024	0.06	11.3	8.6	0.58	443	1.35	0.01
DD003255		0.94	23.5	2.68	4.13	0.07	0.07	0.15	0.029	0.05	12.7	8.6	1.11	573	2.01	0.01
DD003256		0.63	12.1	1.54	2.56	0.05	0.04	0.12	0.015	0.04	8.3	7.4	7.43	502	2.40	0.02
DD004542		0.93	38.7	2.10	2.68	0.07	0.08	0.29	0.025	0.07	11.2	10.4	2.21	378	4.76	0.01
DD004543		0.97	37.1	2.30	3.17	0.07	0.07	0.23	0.025	0.08	11.5	11.5	3.28	455	3.69	0.02
DD004544		0.47	16.6	1.70	2.30	0.05	0.04	0.11	0.022	0.05	8.4	6.8	3.34	396	2.27	0.02
DD004545		0.51	10.7	0.97	1.48	<0.05	0.04	0.07	0.014	0.03	5.4	4.3	6.98	262	1.25	0.02
DD004546		0.58	13.0	1.38	2.27	0.05	0.04	0.13	0.015	0.04	7.5	8.1	7.34	185	1.09	0.02
DD004547		0.87	18.8	2.25	3.59	0.06	0.04	0.07	0.027	0.05	11.4	10.2	3.02	480	1.87	0.02
DD004548		0.75	32.6	1.90	2.11	0.06	0.05	0.20	0.021	0.06	9.3	7.7	4.82	489	2.72	0.02
DD004549		0.41	7.1	0.74	1.12	<0.05	0.03	0.03	0.009	0.02	4.5	3.5	9.65	226	0.62	0.02
DD004550		0.65	16.8	1.50	2.25	0.05	0.05	0.11	0.019	0.04	7.3	6.7	4.00	277	2.14	0.02
DD004551		0.74	27.7	2.02	3.32	0.06	0.06	0.26	0.024	0.06	9.7	9.9	1.63	593	2.04	0.01
DD004552		0.73	22.0	1.46	1.83	0.06	0.05	0.22	0.016	0.05	7.3	6.4	7.39	898	6.66	0.02
DD004553		0.67	15.9	1.51	2.37	<0.05	0.03	0.11	0.022	0.03	6.3	4.6	1.31	919	4.93	0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 4- SEP- 2011
Account: RCM

Project: Rackla- Rod to Crag Contour

CERTIFICATE OF ANALYSIS WH11151924

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
DD004629		0.78	48.1	660	26.9	5.9	0.001	0.05	1.12	2.7	0.7	0.4	42.4	<0.01	0.03	1.1
DD004630		0.47	66.7	1510	81.6	8.5	<0.001	0.04	3.71	4.5	1.8	0.4	61.9	<0.01	0.07	2.7
DD004631		0.42	55.8	1030	21.4	5.2	0.001	0.05	1.54	2.2	1.0	0.3	73.7	<0.01	0.03	0.9
DD004632		0.78	48.6	220	26.9	9.0	<0.001	0.01	0.79	4.4	0.6	0.6	12.8	<0.01	0.03	2.9
DD004633		0.67	33.9	430	65.0	8.8	<0.001	0.03	0.75	3.2	0.5	0.5	32.9	<0.01	0.04	1.5
DD004634		0.44	19.7	880	16.5	6.8	<0.001	0.07	0.74	1.5	0.4	0.4	62.9	<0.01	0.03	0.6
DD004635		0.54	15.1	920	12.8	3.9	<0.001	0.13	0.61	1.2	0.8	0.3	29.1	<0.01	0.03	0.3
DD004636		0.41	45.8	730	18.5	6.0	<0.001	0.07	1.04	2.0	1.0	0.3	70.9	<0.01	0.03	0.7
DD004637		0.58	51.6	1040	27.5	8.7	0.001	0.07	1.45	2.6	1.1	0.4	28.4	<0.01	0.06	1.0
DD004638		0.73	22.1	790	14.9	10.7	0.001	0.06	0.67	2.9	0.7	0.5	43.9	<0.01	0.01	0.8
DD004639		0.51	21.7	940	14.3	5.1	0.001	0.07	0.80	1.3	1.2	0.3	52.2	<0.01	0.02	0.4
DD004640		0.44	27.1	740	15.2	6.3	<0.001	0.05	1.03	1.5	0.6	0.3	72.8	<0.01	0.03	0.5
DD004641		0.52	22.5	1030	14.8	7.1	0.001	0.14	1.35	1.4	1.0	0.4	53.7	0.01	0.05	0.4
DD004642		0.46	25.6	500	26.3	12.0	<0.001	0.06	1.03	3.2	0.9	0.5	49.8	<0.01	0.05	1.6
DD004643		0.36	30.4	750	25.0	9.7	0.002	0.10	1.29	2.1	1.1	0.4	57.9	<0.01	0.06	0.7
DD004644		0.64	20.9	530	14.6	7.3	<0.001	0.08	0.57	2.9	1.0	0.4	58.8	<0.01	0.03	1.4
DD004645		0.56	43.7	600	28.1	10.3	<0.001	0.07	1.15	4.5	1.8	0.5	27.5	<0.01	0.08	2.0
DD004646		0.31	18.5	770	43.8	8.4	0.001	0.11	0.94	1.4	1.0	0.3	76.3	<0.01	0.04	0.4
DD004647		0.41	27.5	990	33.8	7.0	<0.001	0.11	1.30	2.1	1.1	0.4	26.7	<0.01	0.05	0.6
DD004648		0.26	16.4	620	4.5	4.9	0.001	0.08	0.35	2.6	0.8	0.3	105.0	<0.01	0.03	0.8
DD004649		0.27	16.9	510	12.2	4.8	0.001	0.09	0.52	2.3	0.7	0.2	99.7	<0.01	0.03	0.6
DD004650		0.90	27.2	980	12.8	7.5	<0.001	0.13	0.56	4.8	1.1	0.4	33.5	0.01	0.07	1.1
DD003251		0.65	22.8	860	242	8.3	0.001	0.08	2.25	2.5	0.9	0.5	30.3	<0.01	0.05	0.9
DD003252		0.57	27.6	1030	27.5	6.8	0.001	0.12	0.80	3.2	1.2	0.3	32.9	<0.01	0.04	1.0
DD003253		0.62	35.9	1310	22.4	8.4	0.001	0.12	0.98	3.6	1.2	0.4	52.5	<0.01	0.04	1.0
DD003254		0.54	31.0	1040	29.9	7.1	<0.001	0.13	0.74	2.9	1.1	0.3	27.8	<0.01	0.04	0.9
DD003255		0.58	29.4	1150	48.6	6.4	<0.001	0.12	1.17	3.2	1.2	0.4	21.7	<0.01	0.05	0.8
DD003256		0.41	20.1	1000	75.1	8.1	0.002	0.05	1.50	1.7	0.6	0.3	49.0	<0.01	0.03	0.8
DD004542		0.31	59.9	1180	44.8	8.2	0.002	0.08	3.34	2.8	2.1	0.3	73.6	<0.01	0.07	1.3
DD004543		0.40	69.4	1120	47.9	9.5	0.001	0.08	2.26	3.1	1.4	0.3	65.3	<0.01	0.05	1.3
DD004544		0.37	29.4	1160	30.5	8.1	<0.001	0.14	1.35	1.6	1.0	0.3	60.2	<0.01	0.05	0.4
DD004545		0.26	15.7	1010	11.8	5.0	0.001	0.13	0.75	1.0	0.9	0.2	106.0	<0.01	0.03	0.3
DD004546		0.42	31.7	710	23.5	6.5	0.001	0.06	0.86	2.2	0.6	0.2	82.2	<0.01	0.03	1.0
DD004547		0.43	35.3	980	25.5	8.8	<0.001	0.11	1.40	1.8	1.1	0.4	49.9	<0.01	0.04	0.5
DD004548		0.29	48.8	1100	39.3	7.3	<0.001	0.07	1.96	2.6	1.2	0.3	85.2	<0.01	0.04	0.8
DD004549		0.22	16.8	820	10.4	4.6	<0.001	0.08	0.59	0.9	0.7	<0.2	104.0	<0.01	0.02	0.4
DD004550		0.39	36.7	1090	49.8	7.2	0.001	0.16	1.40	1.5	1.2	0.3	60.2	<0.01	0.04	0.5
DD004551		0.51	60.2	1050	39.7	8.7	0.001	0.12	1.60	2.3	1.7	0.4	39.4	<0.01	0.05	0.8
DD004552		0.26	46.8	840	44.8	7.2	0.001	0.05	1.79	2.3	1.0	0.2	92.7	<0.01	0.03	0.9
DD004553		0.44	20.2	1300	16.2	5.4	<0.001	0.19	0.89	1.0	1.2	0.3	41.4	0.01	0.04	0.2

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 4- SEP- 2011
Account: RCM

Project: Rackla- Rod to Crag Contour

CERTIFICATE OF ANALYSIS WH11151924

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
DD004629		0.013	0.16	1.68	56	0.16	9.35	291	1.3
DD004630		0.010	0.36	1.80	89	0.14	18.45	357	2.8
DD004631		0.010	0.40	1.60	42	0.10	10.10	387	1.4
DD004632		0.008	0.53	0.86	78	0.13	9.97	377	1.9
DD004633		0.010	0.22	1.04	75	0.11	8.95	250	1.6
DD004634		0.009	0.17	2.52	53	0.06	7.49	114	1.7
DD004635		0.013	0.09	4.31	36	0.07	4.89	264	1.1
DD004636		0.007	0.39	1.66	44	0.05	8.87	269	1.3
DD004637		0.010	0.34	1.93	63	0.10	12.05	318	1.5
DD004638		0.013	0.22	2.79	60	0.09	8.25	180	1.3
DD004639		0.012	0.11	4.81	36	0.10	8.43	110	0.7
DD004640		0.011	0.16	1.78	34	0.09	5.75	203	0.8
DD004641		0.018	0.11	1.74	32	0.10	7.98	219	1.0
DD004642		0.009	0.26	1.02	56	0.12	10.90	138	2.0
DD004643		0.008	0.42	2.86	56	0.09	11.05	155	1.8
DD004644		0.016	0.14	1.50	35	0.13	9.58	76	1.4
DD004645		0.009	0.57	3.34	49	0.17	17.50	159	2.3
DD004646		0.008	0.26	1.58	27	0.07	8.68	146	1.3
DD004647		0.009	0.27	2.13	61	0.08	12.90	186	1.6
DD004648		<0.005	0.48	0.58	15	<0.05	9.07	42	1.3
DD004649		0.006	0.41	0.72	15	0.05	5.51	108	1.6
DD004650		0.013	0.19	1.61	41	0.10	10.45	121	2.1
DD003251		0.016	0.19	3.72	60	0.48	12.35	574	1.3
DD003252		0.013	0.23	1.57	54	0.09	12.30	192	1.8
DD003253		0.014	0.58	1.31	45	0.12	13.25	247	1.8
DD003254		0.011	0.41	1.55	49	0.06	11.55	186	2.0
DD003255		0.013	0.55	1.90	59	0.12	12.05	267	1.8
DD003256		0.015	0.40	3.91	32	0.15	9.37	352	1.3
DD004542		0.009	0.31	2.55	78	0.16	12.90	322	2.5
DD004543		0.011	0.23	2.05	53	0.11	13.70	418	2.3
DD004544		0.009	0.13	2.46	45	0.07	8.96	350	1.3
DD004545		0.008	0.11	3.41	23	<0.05	5.15	136	1.2
DD004546		0.013	0.12	1.90	31	0.11	7.03	206	1.3
DD004547		0.010	0.20	1.58	53	0.11	10.25	302	1.0
DD004548		0.009	0.22	1.53	48	0.10	12.10	351	1.5
DD004549		0.007	0.08	1.16	17	0.06	3.89	157	1.0
DD004550		0.011	0.21	2.98	34	0.10	10.30	418	1.5
DD004551		0.012	0.26	4.20	47	0.11	11.75	429	1.8
DD004552		0.008	0.23	1.79	49	0.06	10.60	285	1.9
DD004553		0.014	0.07	3.80	37	0.12	7.39	128	0.8

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 4- SEP- 2011
Account: RCM

Project: Rackla- Rod to Crag Contour

CERTIFICATE OF ANALYSIS WH11151924

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- TL43 Au ppm 0.001	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1
DD004554		0.21	0.001	0.22	0.51	15	<0.2	<10	880	0.57	0.06	11.80	2.12	7.24	3.9	7
DD004555		0.18	0.003	1.80	0.91	81.4	<0.2	<10	820	0.72	0.20	0.98	8.68	35.6	15.8	24
DD004556		0.15	0.004	1.12	0.85	43.1	<0.2	<10	880	0.60	0.18	1.59	3.93	32.0	11.4	21
DD004557		0.21	0.003	1.85	1.05	69.3	<0.2	<10	970	0.84	0.20	0.68	8.32	38.4	15.4	26
DD004558		0.23	0.007	0.90	0.60	25.8	<0.2	<10	620	0.39	0.23	0.30	1.70	34.0	3.6	15
DD004559		0.11	0.002	1.09	0.50	24.9	<0.2	<10	450	0.27	0.12	0.18	1.34	23.4	1.5	12
DD004560		0.18	0.005	1.00	0.87	45.2	<0.2	<10	840	0.62	0.21	1.00	6.16	39.8	19.8	18
DD004561		0.25	0.002	0.34	0.76	67.9	<0.2	<10	300	0.36	0.25	0.23	1.12	44.7	14.0	13
DD004562		0.18	0.005	1.46	0.78	82.2	<0.2	<10	560	0.42	0.19	0.98	6.65	27.2	14.3	20
DD004563		0.18	0.002	0.70	0.71	45.9	<0.2	<10	430	0.37	0.15	0.23	1.19	24.6	3.2	35
DD004564		0.15	0.005	1.11	0.35	44.3	<0.2	<10	270	0.28	0.18	1.82	1.64	23.1	17.1	6
DD004565		0.20	0.010	0.82	1.21	30.2	<0.2	<10	1570	0.54	0.24	0.40	1.99	39.9	13.2	17
DD004566		0.20	0.010	2.55	0.95	51.7	<0.2	<10	490	0.51	0.22	0.87	3.73	40.3	15.6	17
DD004567		0.22	0.010	2.13	0.96	53.3	<0.2	<10	1210	0.61	0.24	1.12	4.07	33.8	9.7	24
DD004568		0.17	0.002	0.26	0.95	20.9	<0.2	<10	380	0.38	0.20	1.00	0.72	23.4	12.7	32
DD004569		0.17	0.002	0.24	0.57	7.9	<0.2	<10	340	0.45	0.12	3.12	0.61	12.65	7.1	16
DD004570		0.18	0.001	0.38	0.60	11.3	<0.2	<10	790	0.24	0.22	0.29	0.83	27.0	4.9	15
DD004883		0.29	0.001	0.27	0.85	20.4	<0.2	<10	1140	0.59	0.13	6.11	0.80	19.05	8.9	23
DD004884		0.18	0.001	0.20	1.72	11.9	<0.2	<10	660	0.51	0.09	3.29	0.77	29.7	20.6	30
DD004885		0.19	0.002	0.18	2.00	12.6	<0.2	<10	760	0.70	0.10	1.71	0.69	37.0	25.2	33
DD004886		0.13	0.001	0.10	2.11	7.3	<0.2	<10	580	0.62	0.08	2.32	0.37	34.8	27.2	30
DD004887		0.16	0.001	0.08	0.91	13.6	<0.2	<10	1500	0.53	0.20	6.87	1.63	16.70	6.2	19
DD004888		0.18	0.001	0.26	1.03	16.8	<0.2	<10	710	0.63	0.21	3.56	0.82	25.2	10.2	22
DD004889		0.14	0.002	0.20	0.97	24.2	<0.2	<10	1250	0.61	0.20	3.21	0.96	21.1	8.7	19
DD004890		0.25	0.001	0.36	0.73	22	<0.2	<10	720	0.48	0.13	10.25	1.00	17.95	9.4	21
DD004891		0.27	0.002	0.40	1.08	16.8	<0.2	<10	590	0.50	0.13	6.02	1.58	26.9	14.7	25
DD004892		0.32	0.001	0.22	0.76	13.9	<0.2	<10	570	0.45	0.08	7.65	0.76	28.3	12.8	22
DD004893		0.26	0.002	0.29	0.73	19.9	<0.2	<10	760	0.46	0.11	5.88	1.34	21.4	8.6	19
DD004894		0.18	0.001	0.14	1.06	12.8	<0.2	<10	470	0.44	0.07	3.76	0.79	28.7	17.1	23
DD004895		0.24	0.001	0.14	1.08	11.1	<0.2	<10	440	0.42	0.06	4.78	0.69	30.8	18.8	24
DD004896		0.27	0.001	0.25	0.77	51.0	<0.2	<10	300	0.46	0.09	8.48	0.71	20.6	10.3	19
DD004897		0.12	0.001	0.25	0.99	75.7	<0.2	<10	300	0.52	0.13	3.59	0.96	17.10	9.8	20
DD004898		0.17	0.001	0.17	1.39	14.1	<0.2	<10	240	0.68	0.17	3.28	0.79	19.10	8.5	28
DD004899		0.16	0.001	0.04	2.26	14.7	<0.2	<10	210	0.77	0.25	0.46	0.46	32.9	9.9	39
DD004900		0.19	0.001	0.21	0.92	18.0	<0.2	<10	190	0.53	0.13	6.43	0.67	21.2	10.5	22
DD004901		0.15	0.001	0.23	1.34	21.0	<0.2	<10	250	0.66	0.19	2.00	0.72	30.2	12.3	34
DD004902		0.23	0.002	0.23	1.18	16.8	<0.2	<10	310	0.59	0.13	4.37	0.73	29.7	13.5	34
DD004903		0.18	0.001	0.14	0.67	33.4	<0.2	<10	160	0.54	0.09	7.76	0.46	18.65	8.8	18
DD004904		0.12	0.001	0.12	0.73	12.9	<0.2	<10	310	0.44	0.07	3.00	0.42	31.0	17.1	48
DD004571		0.26	0.003	0.47	0.66	22.0	<0.2	<10	600	0.44	0.17	2.94	1.52	35.0	14.2	34

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 4- SEP- 2011
Account: RCM

Project: Rackla- Rod to Crag Contour

CERTIFICATE OF ANALYSIS WH11151924

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
DD004554		0.29	8.4	0.85	1.19	<0.05	0.04	0.11	0.010	0.02	3.4	2.6	5.40	385	4.51	0.02
DD004555		1.69	65.9	2.92	3.02	0.09	0.07	0.89	0.036	0.12	18.0	9.6	0.34	2350	6.50	0.01
DD004556		1.11	55.5	2.19	2.70	0.08	0.08	0.53	0.030	0.10	16.6	9.3	0.38	781	3.93	0.01
DD004557		1.42	66.1	3.09	3.19	0.10	0.09	0.97	0.040	0.10	20.1	8.5	0.29	2140	5.66	0.01
DD004558		1.51	72.6	2.34	1.94	0.08	0.03	0.51	0.031	0.08	19.3	5.7	0.12	90	6.88	<0.01
DD004559		1.00	40.6	1.67	1.69	0.06	0.02	0.93	0.021	0.06	13.1	2.7	0.06	37	4.46	0.01
DD004560		1.58	85.0	2.90	2.69	0.10	0.11	0.64	0.038	0.10	20.0	9.1	0.29	2410	4.94	0.01
DD004561		6.01	37.1	3.89	2.90	0.09	0.03	0.23	0.036	0.14	22.9	6.7	0.16	532	4.91	<0.01
DD004562		1.85	56.6	2.64	2.68	0.08	0.08	0.84	0.029	0.11	13.9	9.9	0.32	1720	5.77	<0.01
DD004563		1.55	33.3	1.24	3.73	0.06	0.02	0.18	0.016	0.07	15.8	7.5	0.18	102	5.85	<0.01
DD004564		1.81	83.2	2.89	1.08	0.10	0.14	0.26	0.031	0.08	13.0	6.1	0.23	813	7.64	<0.01
DD004565		2.17	87.5	3.36	3.35	0.12	0.08	0.22	0.043	0.18	22.7	13.2	0.25	401	5.20	<0.01
DD004566		1.76	73.2	3.23	2.74	0.10	0.09	0.49	0.033	0.11	22.5	12.1	0.37	1510	4.18	<0.01
DD004567		2.11	156.0	3.28	3.03	0.12	0.09	0.75	0.040	0.16	20.8	11.2	0.44	288	13.10	0.01
DD004568		1.05	30.5	2.82	3.04	0.08	0.08	0.20	0.021	0.06	12.0	14.4	0.51	528	2.39	0.01
DD004569		0.67	34.1	1.44	1.57	0.05	0.08	0.16	0.011	0.04	6.8	6.8	0.30	435	1.07	0.01
DD004570		0.82	35.9	2.20	2.18	0.06	0.02	0.09	0.016	0.09	14.7	5.1	0.14	81	6.89	<0.01
DD004883		0.55	17.7	2.08	2.62	0.06	0.05	0.10	0.021	0.05	10.8	8.4	3.40	458	5.58	0.01
DD004884		0.73	26.6	3.13	5.54	0.09	0.07	0.09	0.031	0.10	15.4	31.8	2.66	538	1.05	0.01
DD004885		0.87	24.2	3.70	6.60	0.10	0.09	0.09	0.036	0.11	18.6	38.0	2.03	570	1.02	0.01
DD004886		0.75	13.6	3.66	6.88	0.10	0.08	0.07	0.034	0.10	16.3	53.2	2.73	620	0.37	0.01
DD004887		0.64	13.5	1.80	2.78	0.05	0.03	0.07	0.027	0.04	8.7	6.0	3.16	373	1.14	0.01
DD004888		1.05	23.5	2.38	3.03	0.07	0.07	0.14	0.027	0.09	14.5	9.1	1.35	291	1.58	0.01
DD004889		0.67	20.0	2.09	2.76	0.05	0.07	0.11	0.026	0.07	10.5	7.2	0.69	341	1.59	0.01
DD004890		0.71	19.2	1.80	2.20	0.06	0.06	0.15	0.020	0.07	9.2	8.9	5.89	303	3.23	0.02
DD004891		0.66	29.6	2.57	3.52	0.08	0.07	0.16	0.026	0.08	14.3	15.5	3.22	476	2.25	0.01
DD004892		0.88	21.4	2.41	2.59	0.08	0.06	0.10	0.024	0.09	15.2	9.0	4.09	324	1.93	0.01
DD004893		0.72	25.0	2.00	2.15	0.07	0.06	0.16	0.021	0.07	11.3	6.9	2.45	334	2.10	0.01
DD004894		0.65	20.6	2.92	3.56	0.07	0.08	0.11	0.030	0.06	14.7	11.8	0.80	424	1.99	0.01
DD004895		0.63	20.6	3.08	3.68	0.08	0.08	0.10	0.030	0.07	16.0	13.1	1.49	475	2.15	0.01
DD004896		0.80	15.4	2.60	2.41	0.07	0.06	0.11	0.021	0.06	10.8	7.4	4.18	421	39.1	0.01
DD004897		0.65	13.7	2.58	2.98	0.06	0.06	0.14	0.020	0.04	8.8	8.3	0.74	544	37.8	0.01
DD004898		0.89	15.5	2.30	4.06	0.06	0.06	0.08	0.023	0.05	10.5	10.7	1.29	561	3.21	0.01
DD004899		0.80	11.2	3.35	6.99	0.08	0.08	0.04	0.039	0.04	16.6	17.0	0.50	305	2.71	<0.01
DD004900		0.80	15.8	2.01	2.88	0.06	0.05	0.10	0.022	0.06	10.3	9.0	3.35	547	8.82	0.01
DD004901		0.69	15.1	3.05	4.22	0.08	0.08	0.10	0.032	0.06	15.6	11.8	0.88	647	3.97	0.01
DD004902		0.73	19.5	2.92	3.73	0.08	0.05	0.10	0.030	0.07	16.5	10.1	2.09	589	3.41	0.01
DD004903		0.41	13.0	2.08	2.04	0.05	0.08	0.08	0.016	0.05	9.4	7.8	3.71	658	18.25	0.01
DD004904		0.72	17.7	2.97	2.75	0.07	0.06	0.08	0.027	0.07	15.2	8.2	0.56	410	1.27	<0.01
DD004571		2.19	68.7	2.78	2.25	0.10	0.07	0.28	0.030	0.13	19.0	11.4	1.57	620	8.03	0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 4- SEP- 2011
Account: RCM

Project: Rackla- Rod to Crag Contour

CERTIFICATE OF ANALYSIS WH11151924

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
DD004554		0.21	22.0	1010	5.9	2.9	0.001	0.14	0.89	0.9	1.2	<0.2	92.0	<0.01	0.03	0.3
DD004555		0.27	65.2	1510	277	14.2	0.003	0.07	7.28	4.5	3.3	0.4	66.4	<0.01	0.09	2.7
DD004556		0.28	46.7	1490	162.5	12.0	0.003	0.07	4.80	3.8	2.6	0.4	68.2	<0.01	0.08	2.4
DD004557		0.27	46.5	1680	334	12.0	0.003	0.07	7.71	4.8	3.9	0.4	57.7	0.01	0.09	2.3
DD004558		0.19	20.8	1380	55.4	11.3	0.002	0.06	3.33	3.9	3.5	0.4	46.4	<0.01	0.09	3.0
DD004559		0.17	16.2	1330	62.1	8.3	0.004	0.10	3.20	2.5	3.4	0.4	23.9	<0.01	0.07	1.1
DD004560		0.28	51.0	1690	137.5	12.5	0.002	0.09	3.91	4.5	3.9	0.3	72.1	0.01	0.09	2.2
DD004561		0.22	24.5	1700	69.7	16.6	0.002	0.06	2.55	2.6	1.5	0.3	34.0	<0.01	0.06	1.2
DD004562		0.27	47.7	1410	297	12.6	0.003	0.07	7.80	4.2	2.9	0.3	50.4	<0.01	0.10	1.9
DD004563		0.30	21.6	1190	73.8	13.9	0.001	0.05	3.80	2.0	2.0	0.6	17.3	<0.01	0.07	1.4
DD004564		0.13	53.4	1300	47.6	7.5	0.003	0.11	4.15	3.9	2.9	<0.2	66.4	<0.01	0.10	1.5
DD004565		0.47	46.4	1730	30.9	17.6	0.001	0.16	2.81	5.2	2.5	0.4	117.5	0.01	0.10	3.5
DD004566		0.19	49.0	1660	167.5	12.5	0.001	0.05	7.84	5.1	1.9	0.2	45.4	<0.01	0.13	2.3
DD004567		0.33	76.9	2280	73.7	15.7	0.006	0.19	6.71	3.9	7.3	0.4	158.5	0.01	0.15	1.8
DD004568		0.27	52.6	890	34.3	8.2	0.001	0.07	1.22	3.2	2.2	0.2	52.2	<0.01	0.05	2.5
DD004569		0.19	41.6	890	14.9	6.2	<0.001	0.13	0.81	1.4	1.4	<0.2	115.5	<0.01	0.04	0.7
DD004570		0.18	31.1	610	12.8	11.4	0.001	0.08	1.49	2.1	1.6	0.3	48.2	<0.01	0.08	2.8
DD004883		0.48	33.0	1250	29.6	5.9	0.001	0.07	1.54	2.2	1.0	0.3	46.3	<0.01	0.04	0.7
DD004884		0.81	64.4	1050	15.4	9.1	<0.001	0.11	0.74	5.2	1.1	0.5	48.5	<0.01	0.03	1.2
DD004885		0.93	71.3	1130	15.0	11.8	<0.001	0.09	0.72	6.5	1.1	0.6	29.1	<0.01	0.03	1.7
DD004886		1.21	74.9	870	11.0	9.0	<0.001	0.11	0.50	5.2	0.9	0.5	28.9	<0.01	0.02	1.1
DD004887		0.56	19.0	1000	16.2	5.7	<0.001	0.13	0.84	1.7	1.1	0.4	55.6	<0.01	0.06	0.5
DD004888		0.58	34.8	820	18.9	8.9	0.001	0.12	1.04	2.7	2.1	0.4	40.8	<0.01	0.05	1.0
DD004889		0.54	33.5	920	19.0	9.2	<0.001	0.14	1.22	2.2	1.7	0.4	37.7	<0.01	0.05	0.8
DD004890		0.36	43.1	780	22.4	8.0	<0.001	0.07	1.33	2.7	1.4	0.3	98.2	<0.01	0.04	1.1
DD004891		0.54	56.4	1060	23.2	8.1	0.001	0.08	1.60	3.7	1.4	0.4	72.0	<0.01	0.05	1.2
DD004892		0.66	43.2	1090	18.9	7.7	0.001	0.09	1.08	3.7	1.1	0.3	80.9	<0.01	0.03	1.0
DD004893		0.55	40.4	970	24.2	7.4	0.001	0.11	1.58	2.1	1.7	0.3	60.5	<0.01	0.05	0.7
DD004894		0.47	42.8	890	18.4	7.5	<0.001	0.14	0.67	3.6	1.1	0.4	40.5	<0.01	0.03	0.5
DD004895		0.47	44.8	940	15.4	7.5	0.001	0.13	0.62	3.9	1.1	0.4	45.3	<0.01	0.03	0.6
DD004896		0.56	40.4	1630	22.2	7.0	0.002	0.09	1.62	2.5	1.1	0.3	63.1	<0.01	0.04	0.7
DD004897		0.66	39.6	1620	26.0	6.6	0.001	0.13	2.35	1.8	1.5	0.4	29.6	<0.01	0.05	0.7
DD004898		0.80	27.2	1230	25.5	7.4	<0.001	0.09	0.86	2.2	0.8	0.4	25.3	<0.01	0.05	0.8
DD004899		1.00	25.0	1900	24.2	4.8	<0.001	0.04	0.80	4.2	0.6	0.7	13.1	<0.01	0.05	2.1
DD004900		0.63	28.2	1620	22.7	8.0	<0.001	0.07	0.98	2.7	0.9	0.3	40.3	<0.01	0.04	0.9
DD004901		0.83	30.8	1100	38.2	8.0	<0.001	0.07	0.91	3.9	0.9	0.5	18.9	<0.01	0.05	1.4
DD004902		0.80	36.9	1880	26.9	7.7	0.001	0.08	0.89	3.6	1.0	0.4	32.3	<0.01	0.05	0.8
DD004903		0.52	24.9	1980	24.6	4.5	0.001	0.12	1.14	1.9	0.9	0.3	44.9	<0.01	0.04	0.8
DD004904		1.09	41.1	900	11.8	6.3	0.001	0.17	0.54	4.0	1.1	0.4	29.9	<0.01	0.04	0.6
DD004571		0.30	83.6	2110	18.5	9.9	0.004	0.08	2.65	4.3	2.3	0.3	86.8	<0.01	0.08	3.2

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 4- SEP- 2011
Account: RCM

Project: Rackla- Rod to Crag Contour

CERTIFICATE OF ANALYSIS WH11151924

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
DD004554		0.007	0.05	5.58	15	0.07	4.27	244	1.3
DD004555		0.006	0.43	2.57	69	0.09	18.10	749	2.3
DD004556		0.007	0.25	3.56	57	0.14	17.20	556	2.8
DD004557		0.005	0.33	3.60	106	0.13	22.3	674	2.4
DD004558		0.005	0.27	2.91	99	0.09	14.85	129	0.9
DD004559		<0.005	0.38	2.84	69	0.05	8.89	75	0.7
DD004560		0.006	0.32	5.99	61	0.08	24.3	395	3.6
DD004561		0.008	0.25	1.31	43	0.11	8.45	331	0.6
DD004562		0.007	0.33	1.91	61	0.08	13.20	765	2.7
DD004563		0.009	0.51	2.61	267	0.18	8.29	160	0.6
DD004564		<0.005	0.22	2.03	18	<0.05	18.25	250	6.0
DD004565		0.011	0.28	5.88	49	0.06	21.4	192	2.4
DD004566		0.005	0.18	1.31	26	0.06	22.3	584	2.9
DD004567		0.010	0.43	6.58	97	0.12	23.8	406	2.7
DD004568		0.005	0.13	1.14	26	0.07	8.73	128	2.7
DD004569		<0.005	0.08	1.50	12	<0.05	9.50	58	2.8
DD004570		<0.005	0.20	2.11	44	0.06	4.89	135	0.7
DD004883		0.009	0.18	2.04	47	0.10	11.10	131	1.5
DD004884		0.015	0.21	1.58	74	0.07	11.70	156	2.2
DD004885		0.015	0.22	1.59	89	0.15	13.30	156	2.6
DD004886		0.021	0.14	1.74	56	0.06	9.64	141	2.3
DD004887		0.014	0.12	1.26	38	0.09	6.43	163	1.1
DD004888		0.010	0.40	1.94	37	0.12	13.95	129	1.9
DD004889		0.009	0.29	2.36	33	0.07	9.35	160	2.1
DD004890		0.008	0.20	1.38	39	0.09	9.82	173	1.9
DD004891		0.012	0.20	1.42	52	0.14	13.10	180	2.1
DD004892		0.010	0.20	1.38	42	0.07	12.70	142	1.5
DD004893		0.008	0.26	2.12	41	0.07	11.35	192	1.8
DD004894		0.007	0.23	1.32	46	0.07	11.10	122	1.9
DD004895		0.006	0.26	1.53	46	0.10	11.55	116	1.9
DD004896		0.009	1.25	8.84	46	0.11	10.35	115	1.7
DD004897		0.011	1.04	15.50	56	0.16	7.58	122	2.1
DD004898		0.015	0.28	1.89	54	0.12	8.82	126	1.8
DD004899		0.020	0.23	2.40	85	0.23	11.35	108	1.9
DD004900		0.013	0.64	2.12	42	0.12	9.00	126	1.6
DD004901		0.013	0.44	2.20	60	0.22	13.45	166	2.1
DD004902		0.014	0.23	2.46	54	0.14	14.35	141	1.3
DD004903		0.009	0.56	8.21	55	0.12	8.16	86	2.5
DD004904		0.014	0.24	1.54	38	0.07	10.40	81	1.7
DD004571		0.008	0.26	3.13	55	0.14	21.6	194	3.3

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 4- SEP- 2011
Account: RCM

Project: Rackla- Rod to Crag Contour

CERTIFICATE OF ANALYSIS WH11151924

Sample Description	Method	WEI- 21	Au- TL43	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Recvd Wt.	Au	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
DD004572		0.12	0.001	0.40	0.33	42.8	<0.2	<10	830	0.24	0.06	3.85	1.52	5.71	19.1	8
DD004573		0.20	0.001	1.03	0.33	11.3	<0.2	<10	360	0.22	0.11	0.93	0.49	9.86	3.4	13
DD004574		0.25	0.002	0.87	0.64	13.6	<0.2	<10	510	0.40	0.15	1.61	0.52	12.15	4.2	24
DD004575		0.10	0.001	0.96	0.31	9.4	<0.2	<10	410	0.20	0.09	2.01	0.44	8.64	2.0	10
DD004576		0.11	0.002	1.42	0.41	13.7	<0.2	10	520	0.30	0.14	1.96	0.45	13.50	3.0	18
DD004577		0.33	0.002	0.99	0.69	15.3	<0.2	<10	750	0.53	0.15	2.18	0.63	14.25	4.8	21
DD004578		0.12	0.001	0.56	0.34	9.8	<0.2	<10	860	0.23	0.11	1.87	0.73	14.10	3.3	13
DD004579		0.15	0.001	0.66	0.27	12.1	<0.2	<10	490	0.20	0.08	1.17	0.38	10.30	2.0	11
DD004580		0.19	0.001	0.99	0.39	18.2	<0.2	10	1210	0.40	0.14	2.62	0.31	15.90	3.2	24
DD004581		0.16	0.001	0.72	0.44	26.6	<0.2	<10	800	0.41	0.15	2.21	0.38	13.85	3.1	15
DD004582		0.21	0.001	1.15	0.48	17.5	<0.2	<10	570	0.40	0.12	2.72	0.89	11.95	4.4	19
DD004583		0.10	0.001	0.80	0.27	3.0	<0.2	10	630	0.21	0.08	3.78	0.74	4.02	2.1	8
DD004584		0.17	0.002	1.07	0.52	10.8	<0.2	<10	580	0.35	0.12	2.33	0.42	11.75	3.1	16
DD004585		0.11	0.002	0.64	0.40	6.3	<0.2	10	600	0.22	0.08	2.90	0.28	9.01	2.3	11
DD004586		0.23	0.002	1.03	0.43	14.5	<0.2	10	700	0.35	0.12	2.65	0.71	11.45	3.4	18
DD004587		0.16	0.002	0.91	0.51	7.5	<0.2	10	810	0.32	0.11	4.19	0.70	8.89	3.0	12
DD004588		0.25	0.002	1.54	1.14	19.4	<0.2	<10	720	0.71	0.18	2.24	1.27	18.50	6.5	24
DD004589		0.26	0.001	0.44	1.12	20.6	<0.2	<10	300	0.57	0.19	6.50	1.83	18.10	6.6	24
DD004590		0.16	0.001	0.20	0.68	9.3	<0.2	<10	530	0.20	0.15	0.26	2.04	16.70	2.9	14
DD004591		0.18	0.001	0.86	1.67	17.1	<0.2	<10	530	0.64	0.17	0.67	2.04	24.4	6.2	27
DD004592		0.16	0.002	1.54	0.82	12.5	<0.2	10	1250	0.48	0.16	3.14	1.67	14.45	4.9	20
DD004593		0.28	0.002	1.24	1.06	20.9	<0.2	10	690	0.74	0.19	3.56	2.15	17.70	7.9	25
DD004594		0.19	0.002	1.11	0.70	9.9	<0.2	<10	800	0.39	0.16	2.11	0.74	16.25	4.7	18
DD004595		0.15	0.002	0.94	0.65	9.8	<0.2	<10	690	0.43	0.13	3.22	0.89	10.85	5.7	14
DD004596		0.14	0.002	1.15	0.80	15.0	<0.2	<10	720	0.43	0.17	2.06	0.92	15.05	6.8	20
DD004597		0.13	0.002	1.24	0.73	13.7	<0.2	<10	700	0.43	0.15	2.38	1.11	12.40	5.1	19
DD004598		0.17	0.003	1.01	0.65	14.4	<0.2	<10	700	0.44	0.15	2.24	1.44	12.50	5.9	18
DD004599		0.16	0.002	1.21	0.67	10.1	<0.2	<10	780	0.40	0.13	1.94	1.73	13.25	4.5	18
DD004600		0.13	0.002	1.15	0.77	10.7	<0.2	<10	890	0.45	0.15	2.18	1.67	14.45	5.0	19
DD004401		0.14	0.002	0.82	0.84	12.3	<0.2	<10	620	0.43	0.15	2.09	1.45	15.00	6.8	19
DD004402		0.10	0.002	0.90	0.77	12.9	<0.2	<10	550	0.40	0.16	2.50	1.21	13.10	7.2	18
DD004403		0.14	0.002	0.98	0.88	14.1	<0.2	<10	540	0.51	0.16	2.18	1.58	15.35	7.0	21
DD004404		0.15	0.001	0.70	0.95	12.0	<0.2	<10	420	0.45	0.16	1.47	0.85	14.75	7.2	25
DD004405		0.11	0.002	1.16	0.85	12.6	<0.2	10	600	0.52	0.19	2.66	0.74	16.55	7.6	28
DD004406		0.11	0.002	0.83	0.77	9.3	<0.2	<10	630	0.50	0.16	2.96	1.26	12.10	6.8	18
DD003931		0.26	0.006	1.34	0.58	35.7	<0.2	<10	830	0.65	0.30	0.42	7.85	24.8	8.7	26
DD003932		0.24	0.004	0.77	1.06	20.4	<0.2	<10	630	0.68	0.22	1.12	2.25	24.5	13.3	43
DD003933		0.25	0.005	0.70	1.07	35.5	<0.2	<10	560	0.73	0.21	1.33	1.81	26.2	17.3	46
DD003934		0.42	0.003	0.84	0.76	23.9	<0.2	<10	340	0.20	0.25	0.11	0.33	22.6	1.9	21
DD003935		0.24	0.004	0.73	0.74	11.4	<0.2	<10	300	0.31	0.17	0.23	0.84	26.9	4.1	19

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 4- SEP- 2011
Account: RCM

Project: Rackla- Rod to Crag Contour

CERTIFICATE OF ANALYSIS WH11151924

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
DD004572		0.71	18.2	5.28	0.98	0.08	0.04	0.12	0.010	0.03	3.7	2.8	0.17	1900	5.32	0.01
DD004573		1.83	17.4	1.39	0.96	<0.05	0.05	0.11	0.020	0.03	6.6	3.9	0.08	69	2.25	<0.01
DD004574		1.79	27.4	1.90	1.87	0.05	0.07	0.20	0.026	0.04	8.3	9.3	0.29	88	2.19	<0.01
DD004575		1.67	12.5	0.99	0.91	<0.05	0.05	0.12	0.015	0.03	5.8	3.3	0.10	113	1.14	<0.01
DD004576		1.83	22.2	1.42	1.13	0.11	0.05	0.17	0.023	0.04	8.8	4.3	0.11	105	1.55	<0.01
DD004577		1.21	24.4	1.85	1.87	0.11	0.06	0.23	0.026	0.05	9.8	7.7	0.47	171	1.86	<0.01
DD004578		2.11	15.0	1.36	0.95	0.10	0.05	0.08	0.021	0.04	8.9	2.3	0.11	66	2.46	<0.01
DD004579		1.02	12.2	0.95	0.74	0.10	0.04	0.13	0.016	0.04	6.7	2.2	0.08	58	0.92	<0.01
DD004580		1.57	14.0	1.75	1.04	0.11	0.07	0.10	0.024	0.04	12.0	2.8	0.12	61	1.46	<0.01
DD004581		1.23	18.6	1.58	1.16	0.11	0.05	0.12	0.023	0.05	9.6	3.2	0.16	54	1.85	<0.01
DD004582		1.28	20.5	1.58	1.31	0.11	0.06	0.17	0.023	0.05	8.2	4.6	0.31	163	2.08	<0.01
DD004583		1.44	21.1	0.65	0.62	0.10	0.07	0.12	0.008	0.03	2.9	1.9	0.13	69	0.43	0.01
DD004584		1.29	20.2	1.46	1.35	0.12	0.08	0.19	0.019	0.04	8.2	5.1	0.14	80	1.51	<0.01
DD004585		0.92	12.2	0.94	1.13	0.10	0.04	0.14	0.016	0.04	5.7	3.8	0.14	73	0.89	<0.01
DD004586		1.22	20.5	1.39	1.18	0.11	0.05	0.19	0.019	0.05	8.5	4.3	0.33	164	1.30	<0.01
DD004587		1.07	25.6	1.24	1.24	0.11	0.04	0.14	0.018	0.04	6.2	4.6	0.21	131	1.28	0.01
DD004588		1.47	21.8	2.20	3.00	0.12	0.08	0.37	0.031	0.06	11.7	12.5	0.78	133	4.04	<0.01
DD004589		0.73	8.3	2.53	3.02	0.13	0.04	0.06	0.028	0.03	23.8	11.5	3.49	531	4.54	0.01
DD004590		1.08	8.7	1.48	3.18	0.10	0.03	0.07	0.015	0.04	9.0	5.6	0.12	229	1.82	<0.01
DD004591		0.82	8.4	2.71	3.06	0.12	0.04	0.06	0.032	0.02	12.4	5.3	0.16	150	2.75	<0.01
DD004592		1.39	41.2	1.73	2.12	0.12	0.05	0.33	0.024	0.05	9.7	8.0	0.22	267	1.10	<0.01
DD004593		1.07	32.1	2.27	3.01	0.13	0.07	0.52	0.028	0.08	11.2	15.2	1.46	379	3.60	0.01
DD004594		0.92	24.6	1.69	1.97	0.12	0.04	0.31	0.025	0.05	11.0	8.4	0.19	175	1.35	<0.01
DD004595		0.78	16.7	1.38	1.91	0.11	0.05	0.24	0.018	0.04	6.8	7.2	0.22	265	0.58	0.01
DD004596		0.94	19.2	1.82	2.37	0.12	0.05	0.27	0.026	0.05	9.5	9.1	0.23	402	0.93	<0.01
DD004597		0.81	19.2	1.54	2.16	0.11	0.05	0.32	0.019	0.05	8.1	8.9	0.25	294	1.30	<0.01
DD004598		0.88	23.9	1.56	1.83	0.11	0.05	0.30	0.024	0.05	7.7	8.5	0.19	317	1.03	<0.01
DD004599		0.94	20.3	1.39	1.91	0.11	0.05	0.27	0.023	0.05	8.8	8.0	0.19	207	0.76	<0.01
DD004600		1.30	24.3	1.68	2.18	0.12	0.05	0.23	0.023	0.05	9.3	9.4	0.23	238	1.33	<0.01
DD004401		1.32	18.6	1.71	2.44	0.12	0.06	0.30	0.022	0.05	9.5	10.7	0.26	361	0.82	<0.01
DD004402		1.33	18.5	1.87	2.12	0.10	0.05	0.36	0.020	0.05	8.0	8.7	0.23	509	0.88	<0.01
DD004403		1.35	22.8	1.81	2.57	0.12	0.05	0.49	0.025	0.05	10.0	11.1	0.26	371	1.06	<0.01
DD004404		1.86	16.5	1.98	2.82	0.12	0.06	0.27	0.021	0.05	10.4	17.6	0.31	166	1.07	<0.01
DD004405		1.83	23.2	1.93	2.44	0.13	0.05	0.32	0.026	0.05	12.2	11.9	0.26	336	0.99	0.01
DD004406		1.42	23.0	1.64	2.25	0.11	0.06	0.23	0.023	0.04	8.7	8.6	0.22	315	0.70	<0.01
DD003931		2.62	97.1	3.21	1.66	0.13	0.06	0.56	0.042	0.06	14.5	4.5	0.21	660	11.45	<0.01
DD003932		0.98	54.4	2.54	3.19	0.11	0.06	0.27	0.029	0.08	12.9	13.7	0.84	566	2.03	<0.01
DD003933		1.03	43.6	3.16	3.22	0.12	0.06	0.27	0.029	0.07	13.8	13.3	1.05	813	2.45	0.01
DD003934		1.54	18.3	1.86	3.64	0.11	0.02	0.38	0.021	0.06	12.3	5.9	0.15	62	1.43	<0.01
DD003935		2.15	44.7	1.70	3.51	0.11	0.02	0.44	0.019	0.09	15.2	7.6	0.19	126	2.67	<0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 4- SEP- 2011
Account: RCM

Project: Rackla- Rod to Crag Contour

CERTIFICATE OF ANALYSIS WH11151924

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
DD004572		0.22	27.0	860	4.8	5.3	0.003	0.15	0.89	1.0	1.8	<0.2	60.9	<0.01	0.07	0.3
DD004573		0.09	20.5	770	7.8	4.7	0.004	0.06	0.85	1.5	1.8	0.2	27.6	<0.01	0.07	0.9
DD004574		0.22	37.7	810	11.4	6.8	0.002	0.07	1.06	2.6	1.9	0.3	33.1	<0.01	0.06	1.2
DD004575		0.12	14.1	650	6.5	5.7	0.002	0.09	0.87	1.1	1.5	0.2	49.3	<0.01	0.08	0.6
DD004576		0.13	30.8	790	10.0	5.7	0.004	0.08	1.11	1.7	2.6	0.2	44.0	<0.01	0.08	1.0
DD004577		0.19	33.3	750	13.1	5.1	0.001	0.06	1.18	2.4	2.2	0.3	32.6	<0.01	0.06	1.2
DD004578		0.09	24.4	600	7.2	5.9	0.003	0.09	1.02	1.4	1.6	0.2	27.1	<0.01	0.06	0.8
DD004579		0.07	17.0	690	5.3	4.2	0.005	0.06	0.69	1.1	1.7	<0.2	27.3	<0.01	0.06	0.9
DD004580		0.10	25.7	580	8.9	5.5	0.001	0.09	1.13	1.5	1.9	0.2	34.5	<0.01	0.05	0.9
DD004581		0.07	24.7	430	9.6	4.7	0.002	0.07	0.90	1.7	1.8	0.2	30.1	<0.01	0.05	0.8
DD004582		0.12	33.9	660	9.5	4.9	0.001	0.07	1.30	1.5	2.1	0.2	39.8	<0.01	0.05	0.7
DD004583		0.08	19.8	640	4.3	4.2	0.002	0.14	0.53	0.8	1.7	<0.2	51.8	<0.01	0.03	0.4
DD004584		0.13	25.2	730	9.1	4.7	0.002	0.07	0.93	1.5	2.3	0.2	38.1	<0.01	0.05	0.8
DD004585		0.14	16.1	430	5.5	4.8	0.004	0.11	0.67	1.1	1.6	0.2	46.8	<0.01	0.03	0.6
DD004586		0.12	29.5	770	8.0	5.0	0.002	0.07	1.13	1.7	2.3	0.2	40.8	<0.01	0.07	0.8
DD004587		0.18	31.0	760	6.9	4.4	0.002	0.14	1.19	0.9	2.7	0.2	52.9	<0.01	0.06	0.4
DD004588		0.20	45.3	760	12.0	6.4	0.002	0.06	1.88	3.3	2.4	0.4	36.3	<0.01	0.10	2.5
DD004589		0.39	22.0	600	15.6	5.2	0.001	0.05	1.38	2.4	1.3	0.4	44.3	<0.01	0.08	1.0
DD004590		0.39	14.6	190	8.1	8.2	0.001	0.02	0.67	1.2	0.5	0.4	8.8	<0.01	0.04	1.6
DD004591		0.81	28.2	650	13.0	2.4	<0.001	0.05	0.87	2.2	1.3	0.4	8.4	0.02	0.07	1.4
DD004592		0.31	39.8	1050	9.8	7.1	0.007	0.18	1.17	1.9	4.1	0.3	69.8	<0.01	0.05	0.5
DD004593		0.28	50.7	1260	12.7	7.2	0.002	0.06	2.07	3.4	2.4	0.4	53.9	<0.01	0.07	1.9
DD004594		0.26	32.5	1010	10.1	5.5	0.002	0.10	1.03	1.7	2.5	0.3	37.0	<0.01	0.05	0.7
DD004595		0.28	20.4	760	8.3	4.7	0.001	0.14	0.83	1.4	2.3	0.3	48.5	<0.01	0.05	0.5
DD004596		0.34	23.7	890	10.0	6.7	0.003	0.11	1.15	2.2	3.1	0.4	50.0	<0.01	0.06	1.1
DD004597		0.26	23.2	1040	8.8	5.6	0.003	0.11	1.06	1.6	2.5	0.3	53.6	<0.01	0.03	0.7
DD004598		0.22	33.3	910	9.0	6.2	0.003	0.10	1.16	1.9	2.6	0.3	46.9	<0.01	0.07	0.9
DD004599		0.23	28.8	890	7.8	6.8	0.002	0.09	1.12	1.8	2.5	0.3	45.5	<0.01	0.05	1.0
DD004600		0.30	32.0	1010	8.9	6.6	0.002	0.12	1.45	1.9	2.9	0.3	50.0	<0.01	0.06	0.8
DD004401		0.35	29.1	840	9.8	7.3	0.002	0.11	1.22	2.2	2.9	0.3	52.5	<0.01	0.05	1.1
DD004402		0.31	23.9	890	10.1	7.2	0.002	0.14	1.00	1.8	2.2	0.3	51.2	<0.01	0.04	0.8
DD004403		0.34	31.9	890	10.4	7.1	0.001	0.11	1.34	2.2	2.3	0.3	42.4	<0.01	0.06	0.9
DD004404		0.34	30.3	910	10.3	7.8	0.002	0.09	0.94	2.2	2.1	0.3	39.6	<0.01	0.04	1.4
DD004405		0.32	30.9	970	11.2	6.3	0.003	0.12	1.38	2.1	3.5	0.3	53.4	<0.01	0.05	0.7
DD004406		0.31	28.9	910	9.1	6.5	0.001	0.17	1.68	1.9	2.2	0.3	51.0	<0.01	0.04	0.8
DD003931		0.17	92.5	1180	132.5	9.5	0.001	0.06	4.17	4.3	4.6	0.4	70.0	<0.01	0.12	3.0
DD003932		0.46	107.5	890	47.0	8.0	0.001	0.06	1.87	3.8	1.8	0.4	45.7	<0.01	0.05	1.9
DD003933		0.45	117.5	970	55.1	8.4	0.001	0.06	1.73	3.7	1.5	0.4	44.6	<0.01	0.07	1.9
DD003934		0.42	11.7	1580	31.0	10.8	0.001	0.06	0.71	0.9	1.9	0.4	28.2	<0.01	0.05	0.4
DD003935		0.37	23.9	1220	22.5	11.5	0.002	0.06	1.07	1.7	2.7	0.4	35.3	<0.01	0.06	1.0

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 4- SEP- 2011
Account: RCM

Project: Rackla- Rod to Crag Contour

CERTIFICATE OF ANALYSIS WH11151924

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
DD004572		<0.005	0.09	2.09	20	0.05	7.71	106	1.4
DD004573		<0.005	0.30	1.20	16	<0.05	9.83	80	1.5
DD004574		<0.005	0.24	1.16	29	0.06	14.25	109	2.1
DD004575		<0.005	0.21	0.87	17	<0.05	7.87	61	1.7
DD004576		<0.005	0.29	1.27	22	<0.05	13.45	95	2.0
DD004577		<0.005	0.18	1.11	32	0.05	15.20	111	1.9
DD004578		<0.005	0.25	1.08	19	<0.05	10.40	94	1.9
DD004579		<0.005	0.21	0.75	16	<0.05	7.47	74	1.2
DD004580		<0.005	0.31	1.30	22	<0.05	16.75	68	2.0
DD004581		<0.005	0.18	1.28	19	<0.05	9.19	64	1.9
DD004582		<0.005	0.28	1.15	27	<0.05	14.05	130	2.0
DD004583		<0.005	0.11	2.52	10	<0.05	5.81	79	2.0
DD004584		<0.005	0.16	1.72	26	<0.05	14.15	78	2.2
DD004585		<0.005	0.15	0.91	24	<0.05	6.82	74	1.6
DD004586		<0.005	0.21	1.19	26	<0.05	12.85	92	1.9
DD004587		0.005	0.14	1.80	24	<0.05	12.30	63	1.7
DD004588		<0.005	0.38	1.92	59	0.06	17.45	137	3.0
DD004589		0.011	0.15	1.02	62	0.13	29.9	129	0.9
DD004590		0.010	0.20	0.24	53	0.09	1.47	146	1.0
DD004591		0.019	0.19	0.96	50	0.13	15.70	130	1.1
DD004592		0.008	0.27	4.85	44	0.07	18.90	85	1.9
DD004593		0.006	0.34	1.64	63	0.08	19.10	195	2.5
DD004594		0.007	0.18	2.23	36	0.10	16.25	122	1.5
DD004595		0.006	0.19	1.77	36	0.05	11.25	87	1.7
DD004596		0.007	0.22	2.57	51	0.05	12.70	116	2.0
DD004597		0.006	0.24	2.37	58	0.07	10.75	116	1.9
DD004598		<0.005	0.25	2.03	43	0.06	13.10	143	2.0
DD004599		0.005	0.26	2.01	44	0.05	10.95	143	1.8
DD004600		0.007	0.26	2.51	42	0.05	12.70	141	1.9
DD004401		0.007	0.25	2.45	39	0.06	13.40	142	1.9
DD004402		0.007	0.28	2.36	45	0.07	12.00	116	1.8
DD004403		0.007	0.30	2.76	44	<0.05	16.60	145	1.9
DD004404		0.006	0.27	2.31	41	0.12	11.75	118	1.7
DD004405		0.006	0.28	3.34	40	<0.05	16.75	119	1.8
DD004406		0.007	0.21	1.70	35	0.06	12.25	95	2.3
DD003931		<0.005	0.35	4.36	56	0.12	18.40	378	2.5
DD003932		0.012	0.16	2.46	48	0.10	13.40	270	2.1
DD003933		0.013	0.16	2.27	43	0.17	12.90	291	2.0
DD003934		0.011	0.19	1.45	26	0.28	4.22	48	<0.5
DD003935		0.013	0.24	2.17	31	0.11	7.44	88	0.7

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 4- SEP- 2011
Account: RCM

Project: Rackla- Rod to Crag Contour

CERTIFICATE OF ANALYSIS WH11151924

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- TL43 Au ppm 0.001	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1
DD003936		0.22	0.003	0.72	1.23	23.6	<0.2	<10	660	0.61	0.23	0.97	1.07	43.5	18.8	23
DD003937		0.32	0.003	0.70	0.86	15.8	<0.2	<10	390	0.30	0.21	1.10	0.53	28.6	10.4	17
DD003938		0.34	0.007	0.95	0.69	112.5	<0.2	<10	370	0.57	0.25	0.60	1.19	29.5	25.3	28
DD003939		0.30	0.004	0.70	0.90	19.6	<0.2	<10	740	0.65	0.18	1.60	1.58	29.0	13.6	48
DD003940		0.32	0.003	0.77	1.00	32.9	<0.2	<10	1180	0.66	0.19	1.38	1.47	35.8	12.4	25
DD003941		0.32	0.004	0.62	1.08	16.2	<0.2	<10	2470	0.51	0.12	2.39	1.10	59.4	33.9	18
DD003942		0.33	0.005	0.43	0.50	8.8	<0.2	<10	440	0.34	0.16	1.12	0.25	19.15	7.8	9
DD003943		0.36	0.010	0.41	0.71	34.4	<0.2	<10	280	0.38	0.26	0.41	0.32	29.5	21.7	11
DD003944		0.21	0.005	0.62	1.04	14.7	<0.2	<10	560	0.51	0.21	0.85	0.64	35.2	14.1	16
DD003945		0.27	0.004	0.51	1.20	16.5	<0.2	<10	3160	0.72	0.16	1.24	1.01	40.9	29.0	91
DD003946		0.33	0.008	1.60	0.72	41.4	<0.2	<10	450	0.82	0.21	1.42	1.63	29.7	14.9	22
DD003947		0.29	0.006	1.29	0.92	27.6	<0.2	10	700	0.75	0.16	1.38	1.54	28.8	12.1	27
DD003948		0.40	0.004	1.31	0.78	28.7	<0.2	<10	530	0.62	0.18	1.62	2.20	32.9	14.8	25
DD003949		0.35	0.002	1.19	0.61	16.2	<0.2	<10	380	0.51	0.20	0.80	3.11	36.0	2.5	23
DD003950		0.36	0.006	0.62	1.00	15.4	<0.2	<10	350	0.73	0.21	0.50	1.01	34.3	14.5	17
DD003801		0.35	0.003	1.86	0.66	34.1	<0.2	<10	280	0.62	0.26	0.79	1.02	28.3	9.6	13
DD003802		0.23	0.003	0.60	0.92	14.8	<0.2	<10	230	0.32	0.20	0.96	0.74	30.3	9.7	19
DD003803		0.40	0.002	1.36	0.71	40.7	<0.2	<10	250	0.61	0.23	0.88	1.78	26.8	13.1	15
DD003804		0.29	0.003	0.92	0.79	46.3	<0.2	<10	320	0.51	0.23	2.90	1.41	30.1	17.7	14
DD003805		0.33	0.003	1.10	0.78	34.8	<0.2	<10	300	0.66	0.20	0.94	1.04	46.9	17.0	17
DD003806		0.36	0.005	4.56	0.59	37.2	<0.2	<10	340	0.72	0.22	1.58	0.93	26.9	12.3	11
DD003807		0.28	0.003	1.07	0.54	23.7	<0.2	<10	260	0.26	0.15	1.00	0.86	26.9	8.9	17
DD003808		0.28	0.010	1.12	0.62	23.6	<0.2	<10	410	0.63	0.20	1.97	1.40	33.0	15.0	12
DD003809		0.26	0.005	0.97	0.55	22.7	<0.2	<10	250	0.40	0.21	1.62	0.78	29.5	11.9	12
DD003810		0.35	0.004	0.78	0.82	15.6	<0.2	<10	320	0.39	0.20	1.96	0.92	32.9	11.3	16
DD003811		0.20	0.005	0.61	0.64	11.0	<0.2	<10	340	0.37	0.16	2.34	0.78	28.9	11.1	12
DD003812		0.28	0.005	0.99	0.74	19.2	<0.2	<10	550	0.55	0.18	3.17	1.13	23.9	9.4	17
DD003813		0.36	0.004	3.13	0.90	48.3	<0.2	10	1190	0.97	0.18	1.85	9.81	30.2	18.5	68
DD003814		0.32	0.012	10.15	0.85	64.2	<0.2	10	750	1.58	0.28	0.40	14.80	30.0	16.5	16
DD003001		0.26	0.002	1.23	1.42	12.0	<0.2	<10	630	0.76	0.22	1.05	1.54	13.25	10.7	25
DD003002		0.39	0.002	1.15	0.82	16.4	<0.2	<10	650	0.47	0.16	1.31	1.03	16.10	6.7	20
DD003003		0.24	0.002	0.40	1.52	11.9	<0.2	<10	560	0.68	0.23	0.65	0.38	24.5	10.6	31
DD003004		0.20	0.002	0.64	1.06	17.2	<0.2	<10	710	0.58	0.19	1.98	2.81	20.4	7.0	25
DD003005		0.31	0.002	0.75	0.80	24.4	<0.2	<10	510	0.56	0.16	4.16	1.29	16.80	7.4	20
DD003006		0.20	0.002	1.45	0.38	22.7	<0.2	<10	420	0.25	0.14	0.75	0.26	12.45	2.6	12
DD003007		0.27	0.001	0.67	0.26	5.2	<0.2	<10	110	0.07	0.06	0.26	0.14	13.70	0.4	8
DD003008		0.24	0.002	1.68	0.54	21.6	<0.2	<10	370	0.25	0.14	1.89	1.03	14.55	3.2	16
DD003009		0.19	0.002	1.32	0.47	15.7	<0.2	<10	810	0.28	0.13	1.63	1.87	14.05	4.3	13
DD003010		0.19	0.002	0.83	0.89	16.7	<0.2	<10	760	0.43	0.19	1.48	0.95	18.55	7.8	26
DD003011		0.24	0.003	0.45	1.12	23.5	<0.2	<10	650	0.52	0.17	4.32	1.12	19.90	8.3	23

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 4- SEP- 2011
Account: RCM

Project: Rackla- Rod to Crag Contour

CERTIFICATE OF ANALYSIS WH11151924

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
DD003936		2.16	49.6	3.43	2.95	0.07	0.08	0.32	0.040	0.12	22.2	19.8	0.56	741	8.38	<0.01
DD003937		0.92	34.4	2.60	2.54	0.05	0.09	0.20	0.030	0.08	15.4	12.5	0.45	555	6.51	<0.01
DD003938		2.84	100.5	4.00	1.72	0.05	0.04	0.49	0.033	0.10	16.8	7.6	0.55	1140	6.83	<0.01
DD003939		1.42	57.0	2.49	2.57	0.05	0.09	0.25	0.026	0.10	16.6	10.9	1.12	698	2.31	<0.01
DD003940		1.35	50.3	3.12	3.01	0.06	0.07	0.30	0.033	0.08	19.7	11.9	0.40	909	6.03	<0.01
DD003941		1.11	54.9	4.28	2.26	0.08	0.08	0.15	0.030	0.10	30.2	9.0	0.49	1060	3.16	0.01
DD003942		1.07	42.6	1.91	1.52	<0.05	0.03	0.08	0.018	0.08	11.2	5.8	0.10	1280	0.97	<0.01
DD003943		3.00	124.5	3.69	1.89	0.05	0.05	0.09	0.032	0.14	17.9	8.7	0.22	571	1.94	<0.01
DD003944		1.80	66.1	2.86	3.16	0.07	0.06	0.18	0.032	0.11	19.5	14.8	0.36	1730	3.72	<0.01
DD003945		1.40	47.3	3.81	3.46	0.06	0.06	0.39	0.029	0.07	22.1	13.9	1.59	981	2.99	<0.01
DD003946		5.50	95.7	3.40	2.35	0.06	0.09	0.30	0.034	0.14	16.2	10.9	0.41	1250	5.19	<0.01
DD003947		2.91	68.6	2.66	2.74	0.06	0.07	0.26	0.026	0.11	17.0	12.1	0.40	1060	4.49	<0.01
DD003948		2.79	66.4	3.57	2.30	0.06	0.10	0.29	0.035	0.11	19.7	10.3	0.47	759	7.62	<0.01
DD003949		2.31	54.9	1.16	2.32	0.08	0.03	0.39	0.028	0.13	22.9	11.1	0.45	93	4.17	<0.01
DD003950		6.57	56.7	2.86	3.54	0.05	0.03	0.10	0.033	0.14	19.1	15.5	0.28	990	1.80	<0.01
DD003801		6.00	67.4	2.25	2.27	<0.05	0.10	0.28	0.029	0.12	15.0	9.0	0.31	781	3.61	<0.01
DD003802		2.13	44.6	2.55	2.76	0.07	0.09	0.22	0.030	0.09	16.4	14.8	0.62	305	3.23	<0.01
DD003803		2.87	56.0	3.28	2.13	0.05	0.06	0.28	0.034	0.07	15.5	9.2	0.41	470	8.31	<0.01
DD003804		6.19	103.0	4.01	2.31	0.07	0.10	0.34	0.036	0.11	15.8	13.6	1.11	442	9.48	<0.01
DD003805		4.67	41.0	3.26	2.13	0.07	0.12	0.41	0.034	0.10	24.0	10.6	0.35	664	7.24	<0.01
DD003806		3.72	81.6	3.00	1.67	0.05	0.13	0.40	0.033	0.09	16.0	8.0	0.33	923	5.14	<0.01
DD003807		4.20	51.2	2.19	1.73	0.05	0.06	0.25	0.027	0.07	14.3	5.6	0.23	390	3.13	<0.01
DD003808		4.39	112.0	2.92	1.89	0.06	0.11	0.27	0.029	0.13	18.6	9.3	0.36	782	4.20	<0.01
DD003809		2.77	55.7	2.85	1.56	0.06	0.12	0.28	0.031	0.08	15.9	7.1	0.29	345	4.33	<0.01
DD003810		1.96	65.1	2.60	2.32	0.06	0.15	0.18	0.034	0.11	18.3	13.2	0.74	235	7.05	<0.01
DD003811		1.83	55.4	2.38	1.66	0.05	0.14	0.28	0.023	0.06	16.0	7.4	0.35	471	3.71	<0.01
DD003812		2.21	56.7	2.31	2.15	0.05	0.07	0.20	0.029	0.10	14.0	10.2	1.09	653	4.02	0.01
DD003813		2.04	117.5	2.97	3.30	0.06	0.08	1.12	0.037	0.11	18.2	10.6	0.67	1080	8.95	<0.01
DD003814		6.61	117.5	3.37	2.84	0.06	0.08	1.14	0.040	0.18	16.4	9.6	0.22	3250	8.71	<0.01
DD003001		1.46	23.3	2.94	3.51	<0.05	0.08	0.16	0.030	0.06	8.9	34.8	0.50	370	1.90	<0.01
DD003002		1.45	20.9	2.21	2.11	<0.05	0.07	0.17	0.023	0.06	10.2	12.2	0.43	188	2.96	<0.01
DD003003		1.08	20.8	2.83	4.19	0.05	0.06	0.12	0.027	0.05	13.4	22.2	0.53	171	1.41	<0.01
DD003004		1.46	36.0	1.94	2.97	0.06	0.07	0.37	0.024	0.05	12.1	11.7	0.39	154	1.00	0.01
DD003005		1.17	21.5	2.16	2.10	0.05	0.05	0.30	0.024	0.07	10.1	10.1	2.16	223	3.08	0.01
DD003006		1.77	18.4	1.51	1.12	<0.05	0.04	0.11	0.018	0.04	8.0	2.8	0.07	83	1.53	<0.01
DD003007		1.19	5.4	0.30	1.22	<0.05	<0.02	0.08	0.006	0.02	9.9	1.2	0.02	6	0.31	<0.01
DD003008		1.47	19.9	1.24	1.89	0.06	0.05	0.25	0.025	0.03	9.8	5.0	0.15	96	1.39	0.01
DD003009		0.93	24.9	1.53	1.47	0.05	0.05	0.18	0.023	0.03	9.2	3.4	0.10	171	1.97	0.01
DD003010		1.70	24.8	2.26	2.91	0.06	0.06	0.23	0.026	0.05	11.4	10.8	0.27	342	2.39	0.01
DD003011		0.65	21.4	2.18	3.48	0.06	0.05	0.56	0.024	0.06	11.7	11.2	2.14	468	2.39	0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 4- SEP- 2011
Account: RCM

Project: Rackla- Rod to Crag Contour

CERTIFICATE OF ANALYSIS WH11151924

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
DD003936		0.27	53.9	1880	20.7	11.7	0.002	0.05	1.68	5.0	2.6	0.3	45.6	<0.01	0.11	2.0
DD003937		0.19	23.8	1380	17.9	7.9	0.002	0.07	1.10	3.4	1.9	0.2	46.2	<0.01	0.09	1.6
DD003938		0.13	127.5	1480	43.8	7.6	0.002	0.06	4.11	5.2	2.1	0.2	44.2	<0.01	0.11	2.1
DD003939		0.39	115.0	1440	50.0	8.4	0.001	0.06	2.01	4.2	1.5	0.3	53.8	<0.01	0.07	2.0
DD003940		0.50	67.8	1850	37.2	9.1	0.002	0.07	2.70	4.8	2.1	0.4	58.3	<0.01	0.06	1.9
DD003941		0.47	57.4	2020	31.2	6.4	<0.001	0.18	1.94	5.2	1.5	0.3	167.0	<0.01	0.05	2.8
DD003942		0.18	11.8	820	12.3	8.5	<0.001	0.05	0.86	2.9	0.9	0.2	40.4	<0.01	0.09	0.9
DD003943		0.18	37.3	1180	25.2	9.4	0.001	0.11	3.61	4.5	1.3	0.2	64.0	<0.01	0.15	3.2
DD003944		0.36	29.5	1150	13.3	11.2	<0.001	0.05	1.35	5.3	2.0	0.4	33.1	<0.01	0.07	1.8
DD003945		0.73	189.0	1400	39.9	7.6	<0.001	0.07	1.34	5.2	1.7	0.3	57.4	<0.01	0.05	1.8
DD003946		0.23	43.4	1840	106.5	14.4	<0.001	0.08	4.79	5.5	2.1	0.3	54.9	<0.01	0.11	2.2
DD003947		0.25	48.4	1740	76.6	11.8	0.002	0.08	2.80	4.2	1.9	0.3	60.9	<0.01	0.08	1.5
DD003948		0.17	68.8	1760	70.4	9.3	0.003	0.08	3.43	5.6	1.8	0.3	58.3	<0.01	0.10	2.5
DD003949		0.22	43.6	1270	14.7	12.9	0.001	0.06	2.94	3.3	2.6	0.6	40.2	<0.01	0.11	1.9
DD003950		0.37	20.4	1640	20.9	16.9	<0.001	0.04	1.14	4.3	1.1	0.5	21.5	<0.01	0.05	1.4
DD003801		0.20	21.8	1580	44.4	12.6	0.003	0.08	2.81	4.5	1.8	0.3	33.7	<0.01	0.08	1.6
DD003802		0.33	27.6	1500	17.6	8.3	0.002	0.05	1.09	3.6	1.7	0.2	41.4	<0.01	0.08	2.5
DD003803		0.23	47.2	1020	73.3	7.1	0.002	0.06	4.01	4.0	2.1	0.2	33.2	<0.01	0.08	2.7
DD003804		0.11	52.2	1340	35.2	9.9	0.004	0.24	3.15	5.8	3.2	0.2	90.1	<0.01	0.11	2.7
DD003805		0.33	35.5	1850	56.6	9.9	0.001	0.05	2.90	4.9	2.0	0.3	39.6	<0.01	0.06	3.3
DD003806		0.12	35.1	1230	233	8.1	0.002	0.11	9.64	4.2	3.0	0.2	56.9	<0.01	0.09	1.6
DD003807		0.17	26.4	1310	46.9	8.2	0.003	0.12	1.83	2.9	2.4	0.2	39.6	<0.01	0.05	1.1
DD003808		0.18	35.9	1590	30.1	10.4	0.003	0.10	2.64	4.9	3.0	0.3	66.8	<0.01	0.09	1.7
DD003809		0.15	33.1	1290	39.7	6.0	0.001	0.07	3.40	3.5	2.0	<0.2	55.3	<0.01	0.08	1.7
DD003810		0.19	42.7	1640	15.6	7.9	0.002	0.04	1.92	4.9	2.1	0.3	56.4	<0.01	0.08	2.7
DD003811		0.11	36.2	1260	16.9	5.2	0.002	0.08	1.26	2.7	1.9	<0.2	78.6	<0.01	0.07	1.1
DD003812		0.28	41.4	1200	58.2	8.3	0.001	0.04	2.44	4.0	1.8	0.3	64.1	<0.01	0.08	1.7
DD003813		0.60	171.0	2520	149.5	10.4	0.007	0.12	9.43	6.9	5.2	0.6	110.5	<0.01	0.12	1.8
DD003814		0.17	36.7	2070	4180	19.5	0.002	0.12	25.2	4.4	3.0	0.5	48.6	<0.01	0.13	1.9
DD003001		0.23	45.3	1060	23.0	8.0	0.001	0.04	0.99	4.1	1.6	0.3	28.6	<0.01	0.05	2.1
DD003002		0.25	40.0	1030	23.7	6.2	0.001	0.05	1.81	3.1	1.5	0.3	34.7	<0.01	0.07	2.1
DD003003		0.74	36.9	870	17.0	8.9	0.001	0.03	0.87	4.2	1.3	0.4	24.3	<0.01	0.05	3.8
DD003004		0.71	47.2	790	16.1	8.0	0.008	0.17	1.72	3.6	11.6	0.4	35.2	<0.01	0.06	2.0
DD003005		0.28	42.1	990	15.1	5.9	0.001	0.04	1.64	3.3	1.8	0.3	44.0	<0.01	0.07	2.1
DD003006		0.18	17.3	710	10.3	6.6	0.003	0.09	0.96	1.4	2.2	0.2	33.9	<0.01	0.06	1.0
DD003007		0.09	3.7	160	4.0	3.7	0.004	0.04	0.28	0.8	1.0	0.2	12.1	<0.01	0.05	1.1
DD003008		0.25	21.6	690	9.7	5.0	0.011	0.10	1.09	1.6	4.8	0.4	63.5	<0.01	0.06	0.8
DD003009		0.25	30.5	780	7.6	4.9	0.004	0.07	1.35	1.7	3.5	0.3	50.5	<0.01	0.07	1.1
DD003010		0.45	31.3	1010	11.6	8.1	0.003	0.07	1.34	2.6	2.9	0.4	48.5	<0.01	0.07	1.4
DD003011		0.56	32.4	1010	11.2	6.7	0.001	0.05	1.56	2.7	1.6	0.4	46.1	<0.01	0.04	0.9

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 4- SEP- 2011
Account: RCM

Project: Rackla- Rod to Crag Contour

CERTIFICATE OF ANALYSIS WH11151924

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
DD003936		0.010	0.32	2.53	48	0.07	25.8	218	2.4
DD003937		0.006	0.16	1.58	36	<0.05	13.65	82	2.8
DD003938		0.005	0.32	2.14	24	<0.05	23.1	792	1.5
DD003939		0.011	0.20	2.02	49	0.09	17.65	215	2.6
DD003940		0.013	0.25	3.52	63	0.09	18.95	189	2.3
DD003941		0.010	0.18	1.21	41	0.09	23.7	157	2.9
DD003942		0.011	0.07	1.58	15	<0.05	11.30	38	0.8
DD003943		0.009	0.17	1.67	19	<0.05	12.95	138	2.1
DD003944		0.011	0.15	2.64	36	0.10	21.4	89	1.7
DD003945		0.012	0.15	2.78	48	0.08	15.05	140	1.6
DD003946		0.009	0.27	2.37	43	<0.05	18.70	266	3.4
DD003947		0.007	0.35	2.58	62	<0.05	19.50	235	2.3
DD003948		0.006	0.44	2.40	82	0.05	21.0	270	3.7
DD003949		0.010	1.22	5.03	299	0.11	24.0	124	1.6
DD003950		0.013	0.23	1.86	40	0.09	14.00	141	0.8
DD003801		0.008	0.35	1.92	36	0.05	13.45	157	2.1
DD003802		0.011	0.21	1.75	30	0.06	16.15	101	4.2
DD003803		0.007	0.26	1.30	27	0.06	14.15	341	3.0
DD003804		<0.005	0.31	1.62	28	<0.05	19.55	259	4.7
DD003805		0.010	0.30	2.02	32	0.06	24.2	222	5.1
DD003806		<0.005	0.28	2.08	21	<0.05	18.05	185	4.5
DD003807		<0.005	0.23	1.81	18	<0.05	12.75	90	2.3
DD003808		0.005	0.27	2.45	30	<0.05	23.8	136	4.7
DD003809		<0.005	0.20	1.02	19	<0.05	16.85	115	4.6
DD003810		0.006	0.19	1.50	35	0.06	19.60	159	6.0
DD003811		<0.005	0.14	1.60	18	<0.05	18.90	79	5.4
DD003812		0.008	0.26	1.24	36	0.06	17.20	150	2.5
DD003813		0.013	0.60	4.18	220	0.16	25.2	927	3.4
DD003814		0.007	0.39	4.78	62	<0.05	16.85	917	1.9
DD003001		0.005	0.23	1.70	34	0.05	19.40	202	2.2
DD003002		0.007	0.27	1.40	37	0.08	12.95	227	2.1
DD003003		0.014	0.15	1.67	49	0.17	10.95	128	1.8
DD003004		0.013	0.41	2.43	43	0.13	15.85	179	2.3
DD003005		0.008	0.30	1.21	39	0.07	15.80	209	1.8
DD003006		0.005	0.57	1.26	21	0.13	9.66	63	1.1
DD003007		<0.005	0.52	0.87	10	<0.05	2.20	11	<0.5
DD003008		0.007	0.89	3.47	40	0.09	10.50	97	1.5
DD003009		0.006	0.32	1.95	26	0.10	11.80	125	1.4
DD003010		0.008	0.24	2.48	38	0.09	13.70	123	1.7
DD003011		0.014	0.31	1.59	54	0.18	16.10	117	1.4

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 4- SEP- 2011
Account: RCM

Project: Rackla- Rod to Crag Contour

CERTIFICATE OF ANALYSIS WH11151924

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- TL43 Au ppm 0.001	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1
DD003012		0.38	0.003	0.72	1.13	22.3	<0.2	<10	730	0.64	0.16	5.82	1.23	21.6	9.1	25
DD003013		0.30	0.004	0.66	0.92	24.8	<0.2	<10	590	0.49	0.14	6.34	1.11	16.05	7.4	22
DD003014		0.45	0.003	0.64	0.76	25	<0.2	<10	420	0.44	0.11	11.00	1.81	13.20	6.6	18
DD003015		0.37	0.002	0.37	0.93	19.8	<0.2	<10	420	0.46	0.13	9.10	0.80	17.55	7.3	17
DD003016		0.33	0.002	0.27	0.99	18.4	<0.2	<10	170	0.53	0.12	9.70	0.89	17.80	7.9	18
DD003017		0.17	0.002	0.11	1.81	18.4	<0.2	<10	200	0.64	0.24	1.72	3.17	28.5	9.7	39
DD003018		0.21	0.002	0.20	1.51	13.7	<0.2	<10	320	0.48	0.25	1.55	0.74	27.2	10.7	26
DD003019		0.23	0.003	0.43	1.19	18.2	<0.2	<10	370	0.48	0.18	2.06	0.94	21.8	9.2	26
DD003020		0.18	0.002	0.52	1.04	19.8	<0.2	<10	280	0.51	0.17	3.16	1.29	20.3	9.9	27
DD003021		0.14	0.003	0.65	1.20	27.0	<0.2	<10	540	0.71	0.17	2.89	1.86	16.65	8.7	31
DD003022		0.15	0.002	0.67	0.88	25.3	<0.2	10	660	0.47	0.12	3.44	1.88	11.85	6.6	24
DD003023		0.23	0.003	0.58	0.87	22.9	<0.2	<10	670	0.48	0.13	4.45	1.84	14.55	7.2	21
DD003024		0.35	0.003	0.43	0.65	22	<0.2	<10	540	0.40	0.11	10.85	1.67	11.40	6.1	14
DD003025		0.23	0.003	0.39	0.64	20	<0.2	<10	350	0.40	0.10	11.25	1.51	12.95	5.7	20
DD003026		0.14	0.002	0.70	0.94	15.8	<0.2	<10	570	0.44	0.18	1.79	0.91	11.60	7.7	19
DD003027		0.14	0.002	0.79	0.74	10.7	<0.2	<10	450	0.40	0.14	2.04	1.84	13.05	6.9	15
DD003257		0.36	0.002	2.59	0.83	49.2	<0.2	<10	1090	0.86	0.14	3.97	15.25	30.3	8.3	64
DD003258		0.32	0.002	2.92	0.96	59.0	<0.2	10	1190	0.91	0.16	1.85	20.1	27.4	9.7	78
DD003259		0.37	0.001	1.92	0.87	36.1	<0.2	10	760	0.76	0.15	4.54	18.15	36.2	6.7	49
DD003260		0.22	0.004	0.62	0.45	12.9	<0.2	<10	550	0.34	0.14	2.07	2.08	23.8	11.1	12
DD003261		0.22	0.003	0.43	0.48	14.4	<0.2	<10	1050	0.25	0.14	2.11	0.92	16.15	10.8	16
DD003262		0.31	0.007	0.72	0.61	22.8	<0.2	<10	440	0.48	0.21	1.27	1.05	37.4	13.7	12
DD003263		0.34	0.002	0.63	0.80	23.1	<0.2	<10	400	0.35	0.21	0.75	0.95	44.1	15.0	19
DD003264		0.28	0.005	0.83	0.52	17.1	<0.2	<10	620	0.35	0.17	1.47	1.00	32.3	11.4	14
DD003265		0.27	0.002	0.92	0.44	26.0	<0.2	<10	390	0.37	0.20	1.88	1.74	34.2	14.2	14
DD003266		0.33	0.004	0.62	0.68	20.2	<0.2	<10	380	0.35	0.19	1.45	1.25	32.4	15.3	17
DD003267		0.31	0.004	0.71	0.47	28.6	<0.2	<10	230	0.39	0.18	1.05	1.15	34.0	12.2	10
DD003268		0.39	0.008	1.33	0.64	25.6	<0.2	<10	530	0.58	0.21	1.19	2.10	31.5	14.7	17
DD003269		0.29	0.004	1.46	0.37	30.9	<0.2	<10	510	0.42	0.19	0.74	1.03	23.7	7.3	9
DD003270		0.33	0.003	0.89	0.82	19.2	<0.2	<10	460	0.38	0.21	0.79	0.67	34.1	8.4	19
DD003271		0.34	0.004	0.94	0.81	23.5	<0.2	<10	470	0.53	0.22	0.88	1.44	37.6	11.4	23
DD003272		0.31	0.009	0.58	1.06	10.9	<0.2	<10	340	0.53	0.20	0.90	0.68	31.8	13.8	20
DD003273		0.29	0.005	0.68	0.83	14.7	<0.2	<10	590	0.50	0.17	1.43	0.76	29.2	8.2	15
DD003274		0.25	0.005	1.73	0.48	21.1	<0.2	10	390	1.08	0.15	2.45	4.37	31.8	7.6	10
DD003275		0.28	0.003	2.31	0.44	18.0	<0.2	<10	470	0.71	0.19	1.35	2.88	18.15	5.7	9
DD003276		0.29	0.006	2.29	0.61	45.2	<0.2	<10	630	0.61	0.23	0.86	3.37	32.9	9.9	16
DD003277		0.20	0.004	1.11	0.85	26.5	<0.2	<10	700	0.82	0.19	1.26	1.01	37.4	15.1	18
DD003278		0.24	0.006	0.40	0.68	32.4	<0.2	<10	570	0.38	0.19	0.70	0.28	24.1	18.0	19
DD003279		0.32	0.003	0.22	0.26	11.1	<0.2	<10	820	0.24	0.48	0.38	0.18	108.0	4.5	6
DD003280		0.24	0.003	0.88	0.78	15.9	<0.2	<10	1090	0.46	0.16	1.40	0.91	22.3	18.4	27

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 4- SEP- 2011
Account: RCM

Project: Rackla- Rod to Crag Contour

CERTIFICATE OF ANALYSIS WH11151924

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
DD003012		0.82	27.3	2.05	3.57	0.06	0.08	0.59	0.027	0.08	12.8	14.7	2.40	341	3.72	0.02
DD003013		0.82	20.5	1.86	2.95	0.06	0.06	0.56	0.023	0.07	10.4	11.8	2.47	293	3.37	0.01
DD003014		0.73	20.2	1.48	2.39	0.05	0.05	0.88	0.021	0.07	8.3	8.4	3.49	273	3.69	0.01
DD003015		0.57	17.3	1.78	2.96	<0.05	0.05	0.39	0.022	0.06	9.8	11.6	3.55	339	2.28	0.01
DD003016		0.61	17.8	1.95	3.00	0.05	0.07	0.29	0.022	0.07	11.0	12.1	3.55	432	2.29	0.01
DD003017		1.14	10.9	3.05	5.46	0.07	0.04	0.14	0.035	0.04	20.0	13.8	0.34	333	1.90	0.01
DD003018		1.01	15.8	2.68	5.24	0.06	0.03	0.09	0.027	0.04	14.5	12.6	0.43	714	0.97	0.01
DD003019		0.67	20.3	2.19	3.76	0.06	0.06	0.31	0.023	0.05	13.9	11.4	0.38	716	1.49	0.01
DD003020		0.72	18.7	2.02	3.29	0.07	0.06	0.44	0.025	0.06	14.9	10.4	0.88	395	1.71	0.01
DD003021		0.88	30.7	2.16	3.77	0.07	0.10	0.59	0.029	0.08	14.2	12.8	0.31	294	2.30	0.01
DD003022		0.57	22.3	1.58	2.59	0.05	0.09	0.66	0.021	0.07	8.6	8.7	0.50	315	1.36	0.01
DD003023		0.49	25.4	1.76	2.69	0.06	0.08	0.64	0.023	0.06	9.0	11.8	1.59	282	1.66	0.01
DD003024		0.59	23.2	1.48	2.05	0.05	0.06	0.58	0.018	0.05	7.2	11.0	3.67	218	3.54	0.01
DD003025		0.65	21.5	1.41	2.06	0.06	0.06	0.51	0.019	0.05	11.9	8.0	3.77	186	2.13	0.01
DD003026		1.31	22.0	2.14	2.79	0.05	0.07	0.27	0.025	0.05	7.1	20.5	0.36	273	1.67	0.01
DD003027		2.39	23.2	1.64	2.23	0.05	0.07	0.21	0.021	0.05	10.2	13.5	0.24	235	1.25	0.01
DD003257		1.60	141.0	1.70	4.04	0.13	0.09	0.57	0.027	0.11	27.6	11.3	1.16	172	23.5	0.01
DD003258		1.69	109.5	2.22	4.08	0.13	0.09	0.65	0.028	0.12	22.3	11.8	0.81	251	27.7	0.01
DD003259		1.67	103.0	1.69	3.88	0.13	0.11	0.42	0.024	0.08	35.4	10.3	0.44	199	7.81	0.01
DD003260		2.65	89.1	2.36	1.37	0.06	0.11	0.20	0.027	0.06	13.1	4.7	0.17	626	3.66	0.01
DD003261		1.18	57.7	2.26	1.50	0.06	0.08	0.15	0.025	0.05	8.7	5.2	0.24	680	4.00	0.01
DD003262		3.65	78.0	3.14	1.90	0.09	0.11	0.31	0.036	0.10	20.3	8.5	0.27	530	4.62	<0.01
DD003263		4.15	53.0	3.53	2.71	0.11	0.11	0.23	0.036	0.12	24.0	12.3	0.49	244	8.17	<0.01
DD003264		1.23	54.2	2.58	1.52	0.08	0.10	0.22	0.034	0.10	16.5	9.2	0.28	459	6.16	0.01
DD003265		3.58	83.6	3.00	1.47	0.10	0.21	0.27	0.038	0.13	18.6	9.2	0.52	415	9.54	<0.01
DD003266		4.17	73.0	2.92	2.32	0.09	0.14	0.19	0.036	0.11	17.0	12.4	0.61	523	5.83	<0.01
DD003267		3.27	59.9	2.82	1.57	0.08	0.14	0.19	0.037	0.12	17.2	7.5	0.24	608	8.98	<0.01
DD003268		1.76	70.6	3.24	2.07	0.08	0.09	0.23	0.033	0.09	17.1	7.3	0.22	1520	4.17	0.01
DD003269		1.60	33.5	2.01	1.16	0.06	0.05	0.33	0.025	0.08	14.0	3.2	0.08	444	7.80	<0.01
DD003270		1.81	39.4	2.36	2.79	0.08	0.09	0.31	0.034	0.10	19.5	11.6	0.41	327	11.90	<0.01
DD003271		2.05	65.7	2.99	2.75	0.09	0.09	0.28	0.038	0.12	22.3	11.3	0.38	519	12.35	0.01
DD003272		3.64	69.6	2.64	3.59	0.09	0.11	0.15	0.036	0.14	17.7	16.3	0.68	652	2.28	<0.01
DD003273		2.49	50.3	2.03	2.54	0.05	0.07	0.19	0.024	0.07	15.6	9.2	0.24	1240	3.17	<0.01
DD003274		4.27	71.4	2.02	1.38	0.06	0.09	0.49	0.030	0.12	18.4	8.2	0.23	1110	2.87	<0.01
DD003275		1.63	30.4	2.42	1.13	<0.05	0.06	0.54	0.027	0.07	9.5	2.8	0.13	2390	2.27	<0.01
DD003276		1.82	66.8	2.92	1.63	0.06	0.03	0.49	0.048	0.07	19.1	5.5	0.11	407	4.88	<0.01
DD003277		2.06	58.3	3.23	2.54	0.06	0.07	0.26	0.041	0.09	20.4	12.2	0.29	804	5.85	<0.01
DD003278		2.42	50.2	4.13	2.14	0.05	0.06	0.14	0.035	0.08	12.0	9.6	0.24	881	5.82	<0.01
DD003279		1.45	10.4	3.37	1.63	0.11	0.03	0.29	0.040	0.26	57.0	2.3	0.04	132	3.80	<0.01
DD003280		1.03	31.7	2.38	2.64	0.05	0.05	0.22	0.025	0.06	12.6	8.8	0.24	1440	5.41	<0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 4- SEP- 2011
Account: RCM

Project: Rackla- Rod to Crag Contour

CERTIFICATE OF ANALYSIS WH11151924

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
DD003012		0.53	42.3	1010	12.5	7.8	0.001	0.03	2.16	4.2	1.5	0.4	76.2	<0.01	0.06	2.3
DD003013		0.47	36.0	1090	10.1	6.9	0.003	0.05	1.99	3.5	2.0	0.3	80.7	<0.01	0.05	1.6
DD003014		0.35	39.4	910	8.7	6.4	0.002	0.04	2.18	2.8	1.7	0.3	106.0	<0.01	0.05	1.2
DD003015		0.50	28.0	760	10.1	5.6	0.001	0.03	1.25	3.1	1.0	0.3	86.4	<0.01	0.04	1.5
DD003016		0.45	26.7	760	13.3	6.7	0.001	0.03	1.24	3.4	1.0	0.3	104.0	<0.01	0.04	1.6
DD003017		1.00	28.1	780	15.7	7.1	<0.001	0.06	0.98	3.1	1.1	0.6	24.9	0.01	0.05	1.0
DD003018		0.92	20.3	660	13.4	8.1	<0.001	0.05	0.54	2.7	1.0	0.5	22.9	0.01	0.04	0.9
DD003019		0.76	33.5	840	11.1	6.4	0.002	0.07	0.80	3.1	1.8	0.4	36.3	<0.01	0.05	1.3
DD003020		0.66	40.3	960	10.7	6.8	0.001	0.07	1.04	3.1	1.9	0.4	43.6	0.01	0.05	1.1
DD003021		0.45	58.8	1370	13.1	8.2	0.001	0.12	1.92	2.8	2.8	0.4	42.1	0.01	0.07	0.8
DD003022		0.32	37.9	1120	8.9	6.7	0.001	0.11	1.76	2.3	2.2	0.3	45.3	<0.01	0.05	0.7
DD003023		0.42	34.9	1060	11.0	5.4	0.002	0.08	1.79	2.7	2.2	0.3	55.7	<0.01	0.05	1.1
DD003024		0.27	32.9	960	8.7	4.8	0.002	0.04	1.74	2.8	1.6	0.2	106.5	<0.01	0.04	1.2
DD003025		0.31	38.9	980	7.8	5.2	0.002	0.05	1.38	2.4	2.0	0.2	103.0	<0.01	0.04	0.8
DD003026		0.23	31.0	830	11.4	7.7	0.002	0.08	1.23	2.3	2.4	0.3	43.2	<0.01	0.05	1.2
DD003027		0.26	33.8	800	8.4	7.4	0.004	0.10	1.15	2.1	2.6	0.3	46.0	<0.01	0.05	1.0
DD003257		0.27	193.5	2130	67.8	13.3	0.010	0.10	13.70	3.3	8.3	0.6	116.5	0.01	0.13	0.9
DD003258		0.33	217	3240	71.9	14.3	0.026	0.09	14.90	4.1	8.4	0.7	121.5	0.01	0.16	1.5
DD003259		0.40	162.0	1900	15.7	11.4	0.006	0.13	8.24	2.2	7.4	0.5	119.0	0.01	0.15	0.5
DD003260		0.20	54.2	1510	25.4	7.2	0.002	0.13	2.57	3.7	3.0	0.2	86.6	<0.01	0.06	1.4
DD003261		0.22	33.0	1750	12.9	4.9	0.004	0.12	2.08	3.0	2.8	0.3	132.0	<0.01	0.07	0.8
DD003262		0.15	32.1	1580	77.1	9.8	0.003	0.07	3.59	4.4	2.3	0.3	53.4	<0.01	0.09	2.0
DD003263		0.18	35.7	1740	43.9	10.7	0.003	0.06	2.91	4.7	2.3	0.3	36.0	<0.01	0.08	3.4
DD003264		0.11	36.4	1510	25.3	8.4	0.002	0.05	2.17	4.7	2.2	0.2	47.0	<0.01	0.08	1.6
DD003265		0.11	46.2	1810	45.1	10.0	0.004	0.07	3.43	6.0	2.8	0.2	56.8	<0.01	0.09	3.9
DD003266		0.14	40.8	1820	46.2	8.9	0.007	0.15	3.01	4.2	2.4	0.2	56.0	<0.01	0.09	2.4
DD003267		0.10	36.8	1730	43.9	9.0	0.002	0.05	3.35	5.2	1.9	0.2	38.1	<0.01	0.08	2.7
DD003268		0.26	32.3	1750	182.5	8.8	0.001	0.04	4.92	6.2	1.9	0.3	52.9	<0.01	0.09	2.4
DD003269		0.09	18.7	1570	327	7.3	0.001	0.05	5.78	2.7	2.0	0.3	92.7	<0.01	0.10	3.5
DD003270		0.37	28.2	1450	62.1	9.7	0.003	0.04	2.38	4.0	2.0	0.4	61.2	<0.01	0.08	3.1
DD003271		0.28	56.6	1850	29.1	10.9	0.002	0.04	4.39	5.5	2.5	0.4	62.2	<0.01	0.09	3.9
DD003272		0.27	33.5	1020	38.7	12.6	0.001	0.05	2.19	5.3	1.3	0.4	43.5	<0.01	0.08	2.4
DD003273		0.12	21.0	1070	36.0	7.8	0.002	0.08	1.86	2.9	1.2	0.2	54.5	<0.01	0.07	1.1
DD003274		0.13	27.4	1590	275	10.2	0.001	0.08	5.37	4.3	1.9	0.2	77.7	<0.01	0.05	1.3
DD003275		0.09	18.0	950	557	7.7	<0.001	0.11	5.57	2.9	1.7	0.3	67.8	<0.01	0.04	1.3
DD003276		0.11	32.8	2050	495	6.9	0.001	0.05	8.38	3.8	2.8	0.3	128.0	<0.01	0.11	3.3
DD003277		0.17	32.8	1210	126.5	9.2	0.002	0.06	4.32	4.3	2.0	0.3	50.7	<0.01	0.08	1.9
DD003278		0.27	25.1	1760	30.6	7.8	<0.001	0.05	1.92	4.1	1.7	0.3	42.5	<0.01	0.06	2.1
DD003279		0.86	23.5	880	28.2	7.5	0.001	0.57	0.75	1.1	1.0	2.7	69.5	<0.01	0.02	13.7
DD003280		0.29	32.5	1300	27.4	8.2	0.002	0.07	2.10	3.6	2.3	0.4	49.8	<0.01	0.05	1.2

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 4- SEP- 2011
Account: RCM

Project: Rackla- Rod to Crag Contour

CERTIFICATE OF ANALYSIS WH11151924

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
DD003012		0.011	0.39	1.84	60	0.12	18.30	134	2.5
DD003013		0.009	0.41	1.97	54	0.10	18.35	144	1.9
DD003014		0.007	0.53	2.34	53	0.10	15.30	153	1.7
DD003015		0.011	0.32	1.48	42	0.12	12.75	90	1.6
DD003016		0.008	0.27	1.36	40	0.08	17.45	102	2.2
DD003017		0.022	0.22	1.50	63	0.23	28.6	168	0.8
DD003018		0.025	0.12	0.96	51	0.23	15.85	74	0.8
DD003019		0.016	0.27	2.28	48	0.18	19.35	107	1.6
DD003020		0.015	0.34	2.74	54	0.27	28.5	151	1.6
DD003021		0.007	0.50	2.63	59	0.08	31.6	228	2.8
DD003022		0.006	0.41	2.08	62	0.06	17.55	192	2.4
DD003023		0.008	0.31	2.12	56	0.12	16.05	150	2.3
DD003024		0.006	0.40	1.96	41	0.06	14.60	122	1.9
DD003025		0.007	0.37	2.25	47	0.09	23.9	128	1.8
DD003026		<0.005	0.24	1.67	38	0.05	11.30	120	2.1
DD003027		0.005	0.28	1.86	30	0.07	15.10	140	1.9
DD003257		0.009	1.99	5.46	639	0.30	44.9	2000	3.4
DD003258		0.011	1.51	8.30	844	0.35	42.5	2220	3.5
DD003259		0.010	1.93	6.84	800	0.26	57.5	2360	3.7
DD003260		0.005	0.19	2.28	34	0.05	17.85	222	3.8
DD003261		0.005	0.11	4.04	46	0.10	13.85	155	2.7
DD003262		<0.005	0.23	2.18	24	<0.05	20.7	168	3.6
DD003263		<0.005	0.28	2.24	40	<0.05	17.70	192	4.8
DD003264		<0.005	0.21	2.21	40	0.05	19.60	152	3.6
DD003265		<0.005	0.29	2.37	27	0.05	21.4	238	10.8
DD003266		<0.005	0.25	2.25	27	<0.05	18.75	174	5.5
DD003267		<0.005	0.28	1.89	31	<0.05	17.90	217	5.5
DD003268		0.007	0.19	2.34	43	0.09	23.1	264	2.8
DD003269		<0.005	0.27	3.24	39	0.09	11.00	212	1.8
DD003270		0.010	0.30	2.29	59	0.11	16.20	142	3.4
DD003271		0.009	0.33	2.49	88	0.12	22.9	294	3.8
DD003272		0.008	0.26	1.98	40	<0.05	19.10	133	4.0
DD003273		<0.005	0.21	1.75	33	<0.05	15.45	67	2.1
DD003274		<0.005	0.31	1.85	31	<0.05	20.6	422	4.0
DD003275		<0.005	0.14	1.60	19	<0.05	8.39	537	1.9
DD003276		<0.005	0.55	2.60	44	0.05	13.05	534	1.3
DD003277		<0.005	0.20	1.52	38	<0.05	18.30	155	2.7
DD003278		0.011	0.15	2.28	41	0.12	12.95	126	1.9
DD003279		0.005	0.40	0.58	10	0.06	6.76	69	1.8
DD003280		0.007	0.27	3.02	128	0.09	14.00	171	1.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 4- SEP- 2011
Account: RCM

Project: Rackla- Rod to Crag Contour

CERTIFICATE OF ANALYSIS WH11151924

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- TL43 Au ppm 0.001	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1
DD003281		0.30	0.003	0.72	0.78	16.1	<0.2	<10	1330	0.51	0.14	2.05	2.76	22.5	11.9	27
DD003282		0.34	0.004	1.50	1.11	28.3	<0.2	<10	790	0.84	0.24	1.01	1.80	27.9	11.5	34
DD003283		0.30	0.003	1.23	0.79	30.3	<0.2	<10	1670	0.74	0.22	1.55	8.45	35.4	12.7	27
DD003284		0.30	0.003	0.42	1.11	31.4	<0.2	<10	470	0.86	0.29	0.77	1.41	39.1	21.6	66
DD003285		0.28	0.004	1.06	0.82	31.3	<0.2	10	1810	0.66	0.27	1.19	5.31	37.3	15.0	24

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 4- SEP- 2011
Account: RCM

Project: Rackla- Rod to Crag Contour

CERTIFICATE OF ANALYSIS WH11151924

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
DD003281		0.85	31.8	2.30	2.18	<0.05	0.05	0.27	0.027	0.05	12.1	8.0	0.28	866	5.50	<0.01
DD003282		2.51	68.4	3.09	3.30	0.06	0.07	0.38	0.041	0.12	17.0	13.4	0.44	654	7.18	<0.01
DD003283		1.61	97.7	2.97	2.37	0.08	0.06	0.45	0.036	0.10	21.3	9.2	0.50	612	7.72	<0.01
DD003284		2.12	37.3	4.08	3.82	0.07	0.08	0.17	0.034	0.10	19.1	19.4	1.06	564	6.60	<0.01
DD003285		2.13	110.5	3.83	2.27	0.08	0.03	0.44	0.047	0.15	23.2	8.2	0.45	405	30.2	0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 4- SEP- 2011
Account: RCM

Project: Rackla- Rod to Crag Contour

CERTIFICATE OF ANALYSIS WH11151924

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
DD003281		0.22	51.1	1370	31.3	6.0	0.001	0.09	2.92	3.1	2.3	0.3	62.4	<0.01	0.05	0.9
DD003282		0.39	73.9	1380	102.5	10.7	0.001	0.06	4.29	5.0	2.8	0.5	58.3	<0.01	0.09	2.7
DD003283		0.34	114.5	2020	43.4	9.7	0.006	0.09	4.53	4.4	3.9	0.5	91.6	<0.01	0.11	2.5
DD003284		0.93	92.5	1460	39.6	8.8	0.001	0.04	2.16	4.2	0.9	0.4	50.6	<0.01	0.07	3.2
DD003285		0.20	137.5	2050	27.0	11.4	0.009	0.25	8.91	4.0	5.4	0.4	211	<0.01	0.13	1.6

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 4- SEP- 2011
Account: RCM

Project: Rackla- Rod to Crag Contour

CERTIFICATE OF ANALYSIS WH11151924

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
DD003281		0.006	0.24	2.70	130	0.08	18.05	240	1.5
DD003282		0.010	0.41	3.00	89	0.11	19.70	343	2.5
DD003283		0.009	0.41	5.41	143	0.13	26.0	722	3.1
DD003284		0.018	0.18	1.72	78	0.05	9.20	330	2.4
DD003285		0.012	0.84	9.73	150	0.09	27.9	620	1.3

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 4- SEP- 2011
Account: RCM

Project: Rackla- Rod to Crag Contour

CERTIFICATE OF ANALYSIS WH11151924

Method	CERTIFICATE COMMENTS
ME- MS41	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown.
ME- MS41	Gold determinations by this method are semi- quantitative due to the small sample weight used (0.5g).

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 5- SEP- 2011
Account: RCM

CERTIFICATE WH11151928

Project: Rackla- Cheshire

P.O. No.:

This report is for 204 Soil samples submitted to our lab in Whitehorse, YT, Canada on 12- AUG- 2011.

The following have access to data associated with this certificate:

ROB CARNE JULIA LANE	ANDREW CARNE JOAN MARIACHER	MATT DUMALA

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
SCR- 41	Screen to - 180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- TL43	Trace Level Au - 25g AR	ICP- MS
ME- MS41	51 anal. aqua regia ICPMS	

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 5- SEP- 2011
Account: RCM

Project: Rackla- Cheshire

CERTIFICATE OF ANALYSIS WH11151928

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- TL43 Au ppm 0.001	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1
DD003286		0.16	0.002	0.15	2.23	6.2	<0.2	<10	190	0.43	0.09	2.19	0.28	24.4	27.5	99
DD003287		0.22	0.001	0.11	2.43	6.5	<0.2	<10	190	0.48	0.09	2.14	0.23	24.6	31.1	110
DD003288		0.20	0.002	0.10	2.25	5.9	<0.2	<10	180	0.42	0.08	2.01	0.25	24.4	29.3	102
DD003289		0.26	0.002	0.10	2.44	7.2	<0.2	<10	180	0.42	0.08	1.86	0.21	26.8	33.9	110
DD003290		0.19	0.002	0.12	2.04	6.6	<0.2	<10	250	0.42	0.11	2.20	0.25	20.2	28.3	106
DD003291		0.17	0.002	0.13	2.00	6.3	<0.2	<10	220	0.35	0.11	2.37	0.29	20.4	27.2	112
DD003292		0.27	0.005	0.12	2.21	7.3	<0.2	<10	170	0.43	0.09	1.85	0.30	25.5	33.1	129
DD003293		0.21	0.003	0.12	2.00	7.2	<0.2	<10	240	0.39	0.11	2.58	0.27	17.80	29.6	110
DD003294		0.20	0.003	0.14	1.97	7.6	<0.2	<10	250	0.39	0.11	2.68	0.30	18.45	31.3	110
DD003295		0.26	0.002	0.40	2.41	10.4	<0.2	<10	200	0.55	0.14	1.85	0.26	26.2	36.1	136
DD003296		0.22	0.003	0.20	2.21	11.5	<0.2	<10	220	0.46	0.11	2.41	0.21	19.80	32.1	130
DD003297		0.32	0.003	0.19	2.41	12.3	<0.2	<10	240	0.48	0.09	3.28	0.26	21.9	45.4	169
DD003298		0.22	0.003	0.28	1.72	22.2	<0.2	<10	240	0.43	0.09	3.11	0.23	14.40	32.4	98
DD003299		0.32	0.001	0.22	2.59	28.5	<0.2	<10	230	0.68	0.16	0.55	0.30	28.3	36.6	132
DD003300		0.28	0.001	0.14	3.66	21.9	<0.2	<10	210	0.80	0.10	2.13	0.13	26.7	40.1	171
DD003451		0.31	0.001	0.08	2.44	11.6	<0.2	<10	280	0.71	0.17	0.42	0.11	33.3	23.1	94
DD003452		0.28	0.001	0.03	1.95	13.8	<0.2	<10	130	0.35	0.22	0.12	0.12	24.0	12.2	55
DD003453		0.26	0.006	0.27	1.47	6.2	<0.2	<10	180	0.55	0.07	1.72	0.98	25.2	51.0	103
DD003454		0.30	0.002	0.12	1.95	4.2	<0.2	<10	170	0.40	0.07	2.19	0.37	32.9	33.2	105
DD003455		0.31	0.002	0.11	2.26	3.9	<0.2	<10	160	0.48	0.09	2.25	0.24	21.3	40.3	115
DD003456		0.28	0.002	0.14	2.45	4.6	<0.2	<10	240	0.46	0.12	1.80	0.19	21.1	48.6	149
DD003457		0.26	0.002	0.15	2.63	5.2	<0.2	<10	240	0.52	0.07	1.78	0.18	28.7	40.3	147
DD003458		0.28	0.003	0.11	2.51	5.3	<0.2	<10	160	0.40	0.09	1.83	0.24	25.2	41.2	130
DD003459		0.24	0.002	0.14	2.19	3.4	<0.2	<10	150	0.43	0.09	2.31	0.24	20.9	34.2	100
DD003460		0.25	0.002	0.15	2.73	8.1	<0.2	<10	190	0.60	0.09	1.58	0.19	26.3	34.7	111
DD003461		0.25	0.001	0.04	3.63	11.9	<0.2	<10	210	0.74	0.19	0.26	0.18	30.6	38.4	151
DD003462		0.21	0.002	0.16	2.80	13.9	<0.2	<10	110	0.58	0.10	2.11	0.09	19.15	30.9	173
DD003463		0.20	0.002	0.15	1.43	9.1	<0.2	<10	220	0.42	0.16	2.59	0.24	16.30	13.8	46
DD003464		0.21	0.002	0.18	1.42	18.9	<0.2	<10	290	0.58	0.10	1.65	0.45	20.5	31.4	108
DD003465		0.24	0.001	0.33	1.38	9.1	<0.2	<10	270	0.43	0.09	3.83	0.08	11.90	17.7	62
DD003466		0.26	0.002	0.23	1.59	9.7	<0.2	<10	180	0.36	0.09	2.64	0.31	14.90	24.2	80
DD003467		0.28	0.002	0.20	1.75	8.2	<0.2	<10	180	0.30	0.10	2.88	0.25	15.30	28.2	94
DD003468		0.22	0.002	0.15	2.22	9.9	<0.2	<10	180	0.41	0.10	2.42	0.22	17.20	31.0	122
DD003469		0.20	0.002	0.15	2.27	9.3	<0.2	<10	180	0.38	0.09	2.12	0.23	18.95	31.5	134
DD003470		0.14	0.002	0.14	2.18	6.7	<0.2	<10	190	0.39	0.10	2.45	0.19	18.25	27.8	124
DD003471		0.23	0.003	0.10	2.07	5.4	<0.2	<10	190	0.35	0.08	2.40	0.23	17.75	25.4	118
DD003472		0.19	0.002	0.11	2.26	5.5	<0.2	<10	210	0.36	0.10	2.33	0.21	18.70	29.0	125
DD003473		0.20	0.002	0.10	2.16	5.4	<0.2	<10	220	0.34	0.09	2.33	0.30	17.65	27.2	117
DD003474		0.20	0.003	0.11	2.09	6.4	<0.2	<10	200	0.40	0.10	2.23	0.20	19.55	27.8	112
DD003475		0.18	0.002	0.05	2.32	4.9	<0.2	<10	170	0.47	0.09	1.64	0.28	21.4	28.0	118

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 5- SEP- 2011
Account: RCM

Project: Rackla- Cheshire

CERTIFICATE OF ANALYSIS WH11151928

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
DD003286		0.58	81.5	3.87	7.43	0.06	0.05	0.06	0.027	0.04	13.2	15.7	1.79	806	0.87	0.01
DD003287		0.59	69.4	4.20	7.66	0.05	0.04	0.05	0.024	0.05	13.6	16.5	1.95	737	0.61	0.01
DD003288		0.56	67.5	4.08	7.25	0.05	0.05	0.04	0.026	0.04	13.3	15.7	1.84	731	0.64	0.01
DD003289		0.54	62.8	4.58	8.32	0.06	0.06	0.04	0.024	0.04	13.9	16.3	1.98	724	0.78	0.01
DD003290		0.59	70.5	3.59	6.23	<0.05	0.05	0.05	0.028	0.04	10.4	14.1	1.45	578	0.69	0.01
DD003291		0.50	78.3	3.67	5.83	0.05	0.06	0.06	0.022	0.04	11.1	13.8	1.61	683	0.64	0.01
DD003292		0.64	75.1	4.25	6.48	0.06	0.07	0.04	0.024	0.05	13.9	14.7	1.99	666	1.08	0.01
DD003293		0.58	98.5	3.61	5.69	<0.05	0.04	0.07	0.023	0.04	9.5	14.0	1.47	724	0.76	0.01
DD003294		0.62	111.5	3.61	5.70	<0.05	0.04	0.06	0.020	0.04	9.3	13.4	1.46	696	0.79	0.01
DD003295		0.77	133.0	4.38	7.12	0.05	0.06	0.07	0.029	0.06	13.7	16.7	2.05	654	0.88	<0.01
DD003296		0.65	128.5	4.15	6.39	<0.05	0.04	0.07	0.025	0.05	10.7	14.2	1.67	569	1.08	0.01
DD003297		0.61	161.0	4.91	7.46	<0.05	0.04	0.07	0.029	0.06	12.1	15.2	1.79	980	1.23	<0.01
DD003298		0.73	222	3.36	5.01	<0.05	0.03	0.09	0.027	0.05	8.0	12.2	1.08	639	0.94	0.01
DD003299		1.56	115.5	4.70	8.12	<0.05	0.04	0.03	0.044	0.04	13.1	18.8	1.38	511	0.97	<0.01
DD003300		5.18	73.9	5.89	10.90	0.07	0.04	0.03	0.043	0.09	13.6	26.4	3.08	1200	0.72	0.01
DD003451		1.19	34.9	4.34	7.14	0.05	0.03	0.03	0.037	0.04	16.8	17.5	1.27	570	1.31	<0.01
DD003452		1.11	17.7	4.04	7.23	<0.05	0.04	0.02	0.027	0.03	11.4	20.4	0.68	245	1.30	<0.01
DD003453		2.48	100.0	7.70	4.30	0.05	0.03	0.10	0.057	0.03	13.4	15.5	0.78	1180	3.56	<0.01
DD003454		0.88	76.7	4.80	6.52	0.06	0.03	0.07	0.042	0.03	18.0	14.3	1.31	988	1.38	0.01
DD003455		0.55	68.2	4.39	8.09	0.05	0.07	0.05	0.027	0.03	11.4	14.2	1.58	891	0.81	0.01
DD003456		0.67	73.6	4.99	9.49	0.05	0.06	0.08	0.037	0.03	10.8	13.6	1.66	1160	1.94	<0.01
DD003457		0.83	67.8	5.46	10.15	0.06	0.05	0.06	0.032	0.05	14.3	15.4	1.98	960	1.64	0.01
DD003458		0.58	64.9	4.87	9.26	0.06	0.07	0.06	0.026	0.04	12.8	15.8	1.98	874	1.18	0.01
DD003459		0.73	90.8	4.28	7.31	0.14	0.06	0.08	0.028	0.04	12.0	14.6	1.56	891	0.73	0.01
DD003460		1.98	71.0	5.39	8.78	0.16	0.04	0.07	0.047	0.07	14.9	19.4	2.43	1060	0.71	0.01
DD003461		1.24	50.9	5.95	9.81	0.13	0.19	0.02	0.043	0.04	14.4	23.1	2.09	590	1.47	0.01
DD003462		1.76	101.5	5.05	7.80	0.14	0.06	0.10	0.035	0.06	11.8	18.6	2.92	482	1.30	0.01
DD003463		0.65	52.4	2.43	4.10	0.12	0.04	0.07	0.021	0.04	7.5	9.7	0.63	568	0.93	0.01
DD003464		1.25	56.5	6.54	4.01	0.12	0.02	0.05	0.050	0.04	9.6	17.2	0.47	628	2.55	0.01
DD003465		0.82	208	2.20	3.94	0.12	0.03	0.10	0.020	0.02	7.7	8.7	0.78	463	0.39	0.01
DD003466		1.22	129.5	2.87	4.63	0.13	0.04	0.13	0.025	0.04	8.4	12.2	1.09	585	0.65	<0.01
DD003467		0.73	121.5	3.15	5.12	0.13	0.04	0.07	0.019	0.04	8.1	11.4	1.36	686	0.68	0.01
DD003468		0.63	108.0	3.90	6.27	0.12	0.03	0.07	0.025	0.04	9.7	13.6	1.77	669	0.82	0.01
DD003469		0.62	91.7	4.10	6.76	0.12	0.04	0.05	0.024	0.04	10.6	14.3	2.02	625	0.92	0.01
DD003470		0.59	88.4	3.83	6.21	0.12	0.06	0.06	0.022	0.04	9.4	13.0	1.86	563	0.65	0.01
DD003471		0.50	66.3	3.58	6.10	0.12	0.05	0.05	0.021	0.04	9.1	12.4	1.77	540	0.44	0.01
DD003472		0.61	63.3	3.72	6.52	0.11	0.04	0.04	0.024	0.04	9.5	13.7	1.88	564	0.45	0.01
DD003473		0.54	64.2	3.65	6.42	0.13	0.04	0.04	0.020	0.04	8.8	13.8	1.72	688	0.50	0.01
DD003474		0.57	66.3	3.59	6.42	0.13	0.03	0.06	0.022	0.04	9.9	13.6	1.66	743	0.72	0.01
DD003475		0.55	58.9	3.83	7.15	0.14	0.05	0.04	0.024	0.04	11.5	15.1	1.87	598	0.60	0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 5- SEP- 2011
Account: RCM

Project: Rackla- Cheshire

CERTIFICATE OF ANALYSIS WH11151928

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
DD003286		3.44	109.0	1310	11.5	5.0	0.001	0.09	0.97	3.3	0.8	0.2	72.3	0.01	0.01	1.1
DD003287		3.75	115.0	1340	10.5	5.4	<0.001	0.08	0.83	3.5	0.3	0.3	68.7	0.01	<0.01	1.3
DD003288		4.01	114.5	1360	10.4	4.6	<0.001	0.07	0.78	3.4	0.3	0.2	69.4	0.01	<0.01	1.5
DD003289		4.53	118.5	1470	10.7	4.1	<0.001	0.06	0.84	3.4	0.6	0.3	66.7	<0.01	0.01	1.6
DD003290		2.07	117.0	830	13.0	5.1	<0.001	0.08	0.90	3.2	0.5	0.2	62.2	<0.01	0.01	1.0
DD003291		2.81	128.0	1020	12.3	4.4	<0.001	0.08	1.07	3.3	0.5	0.2	61.3	<0.01	<0.01	1.2
DD003292		3.89	145.0	1290	12.2	4.7	0.001	0.04	1.12	4.0	0.5	0.3	49.4	<0.01	<0.01	2.1
DD003293		1.85	137.0	790	12.2	4.5	<0.001	0.10	1.41	3.1	0.5	0.2	64.2	<0.01	0.01	0.9
DD003294		1.93	143.0	930	12.3	4.5	0.001	0.10	1.34	3.0	0.8	0.2	68.6	<0.01	<0.01	0.8
DD003295		2.45	171.0	910	19.4	5.7	<0.001	0.06	1.30	4.7	0.8	0.3	49.4	<0.01	0.01	1.5
DD003296		1.92	163.0	920	15.3	4.5	<0.001	0.08	1.61	3.6	0.5	0.2	66.9	<0.01	<0.01	0.8
DD003297		2.17	201	1280	11.0	4.7	<0.001	0.06	1.70	4.4	1.0	0.2	79.7	<0.01	<0.01	1.1
DD003298		1.67	141.5	980	9.7	6.1	<0.001	0.11	1.77	2.8	1.0	0.2	91.1	0.01	0.01	0.5
DD003299		2.98	150.5	510	14.0	7.2	<0.001	0.03	1.03	6.5	0.3	0.5	20.7	<0.01	0.01	2.5
DD003300		3.36	165.5	1560	11.7	7.5	0.001	0.03	1.41	15.1	0.4	0.4	73.6	<0.01	0.01	2.4
DD003451		2.65	92.7	640	25.0	8.0	<0.001	0.02	0.90	5.8	0.6	0.5	16.3	<0.01	0.01	2.6
DD003452		3.28	39.4	290	16.3	6.4	<0.001	0.02	0.86	3.1	0.4	0.7	8.4	<0.01	0.02	3.0
DD003453		0.80	177.0	1070	31.0	3.8	<0.001	0.07	8.63	18.2	1.0	0.3	54.0	<0.01	0.02	0.9
DD003454		1.26	97.8	1160	9.5	4.0	<0.001	0.10	1.30	8.9	0.7	0.2	94.8	<0.01	0.01	1.0
DD003455		4.99	102.5	1160	7.9	4.1	<0.001	0.10	0.89	4.4	0.8	0.3	108.0	0.01	0.01	1.2
DD003456		3.87	98.4	1480	10.7	4.2	<0.001	0.11	0.93	5.2	0.8	0.3	90.7	0.01	0.01	1.4
DD003457		6.08	109.5	2040	7.1	6.3	<0.001	0.10	1.01	4.5	1.0	0.3	98.7	0.01	0.01	1.4
DD003458		5.69	106.0	1720	8.2	4.1	<0.001	0.09	1.05	4.0	0.7	0.3	93.8	0.01	0.01	1.6
DD003459		2.71	107.5	1290	6.7	5.0	<0.001	0.09	1.05	4.6	0.9	0.2	120.5	0.01	0.02	1.1
DD003460		1.85	114.5	1880	8.7	7.5	<0.001	0.06	1.23	9.0	0.7	0.3	88.2	<0.01	0.02	1.3
DD003461		2.67	161.5	700	19.5	7.7	<0.001	0.01	0.99	6.6	0.6	0.7	11.2	0.01	0.03	3.8
DD003462		2.50	170.5	810	12.6	6.6	<0.001	0.08	2.64	8.2	0.9	0.3	74.9	<0.01	0.03	1.2
DD003463		0.96	53.8	840	11.9	5.1	<0.001	0.10	1.31	2.3	0.8	0.3	83.7	<0.01	0.02	0.6
DD003464		0.66	145.5	800	159.5	5.1	<0.001	0.06	12.65	12.1	0.4	0.3	55.1	<0.01	0.01	1.0
DD003465		0.55	103.5	1100	8.2	2.8	<0.001	0.13	2.08	1.4	1.4	0.2	117.0	<0.01	0.02	0.2
DD003466		0.92	120.5	800	11.9	4.7	0.001	0.09	2.39	3.6	1.1	0.2	76.0	<0.01	<0.01	0.5
DD003467		1.16	133.0	840	10.7	4.4	<0.001	0.10	1.67	3.0	0.5	0.2	79.4	<0.01	0.02	0.5
DD003468		1.30	139.5	760	14.0	3.9	<0.001	0.10	1.55	3.3	0.6	0.2	68.3	<0.01	0.02	0.6
DD003469		2.06	149.0	940	14.0	4.3	0.001	0.08	1.61	3.7	1.0	0.2	64.2	<0.01	0.02	0.8
DD003470		1.90	140.0	900	13.5	4.0	0.001	0.09	1.27	3.2	0.7	0.2	69.5	0.01	0.02	0.8
DD003471		2.16	131.5	830	12.3	4.1	<0.001	0.08	1.02	3.1	0.6	0.2	68.9	0.01	0.01	0.9
DD003472		2.05	133.0	860	13.2	4.2	<0.001	0.08	0.91	3.2	0.3	0.2	67.4	<0.01	0.01	0.8
DD003473		2.37	128.5	630	11.4	4.7	0.001	0.07	0.90	3.1	0.7	0.2	67.1	<0.01	0.03	0.9
DD003474		2.22	126.0	890	11.7	4.4	<0.001	0.08	0.99	3.2	0.4	0.2	66.8	<0.01	0.02	0.8
DD003475		3.01	116.5	860	10.8	3.7	0.001	0.06	0.74	3.8	0.3	0.3	47.2	0.01	0.02	1.1

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 5- SEP- 2011
Account: RCM

Project: Rackla- Cheshire

CERTIFICATE OF ANALYSIS WH11151928

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
DD003286		0.088	0.06	0.60	61	0.11	7.32	85	1.3
DD003287		0.104	0.06	0.53	64	0.34	6.83	84	1.6
DD003288		0.116	0.05	0.45	61	0.21	6.83	82	1.5
DD003289		0.139	0.04	0.54	68	0.16	7.17	83	1.6
DD003290		0.063	0.05	0.55	57	0.12	6.41	75	1.3
DD003291		0.087	0.05	0.47	56	0.12	6.70	87	1.6
DD003292		0.139	0.05	0.44	65	0.29	7.96	88	2.1
DD003293		0.059	0.06	0.49	54	0.13	6.23	75	1.4
DD003294		0.059	0.06	0.53	54	0.15	6.20	79	1.2
DD003295		0.089	0.07	0.46	66	0.13	10.10	94	1.6
DD003296		0.057	0.06	0.52	63	0.11	7.47	74	1.2
DD003297		0.067	0.05	0.51	81	0.18	8.67	73	1.1
DD003298		0.038	0.06	0.68	51	0.12	6.46	53	0.9
DD003299		0.103	0.10	0.60	92	0.18	7.91	74	1.4
DD003300		0.184	0.15	0.56	132	0.19	10.15	87	1.3
DD003451		0.124	0.13	0.64	78	0.22	11.15	80	1.0
DD003452		0.121	0.11	0.43	75	0.24	2.94	52	1.5
DD003453		0.020	0.10	0.48	94	0.08	18.20	201	0.6
DD003454		0.034	0.05	0.53	76	0.08	13.15	95	1.0
DD003455		0.139	0.05	0.55	78	0.14	7.81	80	1.9
DD003456		0.132	0.05	0.56	96	0.15	8.34	88	1.8
DD003457		0.154	0.08	0.59	91	0.20	9.28	99	1.7
DD003458		0.151	0.05	0.59	79	0.20	8.34	87	2.0
DD003459		0.093	0.06	0.59	68	0.20	7.84	78	1.5
DD003460		0.088	0.08	0.42	83	0.19	11.35	83	1.1
DD003461		0.181	0.14	0.59	103	0.26	6.60	90	6.3
DD003462		0.114	0.08	0.65	87	0.13	8.40	70	1.8
DD003463		0.028	0.07	0.71	42	0.17	5.25	49	1.0
DD003464		0.009	0.12	0.57	97	0.12	6.82	135	0.5
DD003465		0.015	0.06	1.81	34	0.07	7.99	32	0.9
DD003466		0.030	0.06	0.77	44	0.08	7.05	56	1.0
DD003467		0.040	0.06	0.60	49	0.08	5.98	58	1.1
DD003468		0.040	0.06	0.63	60	0.07	6.58	65	1.1
DD003469		0.066	0.06	0.60	62	0.09	6.20	78	1.4
DD003470		0.058	0.06	0.53	58	0.12	5.66	78	1.5
DD003471		0.064	0.06	0.45	54	0.08	5.32	71	1.5
DD003472		0.062	0.06	0.45	60	0.11	5.58	76	1.3
DD003473		0.076	0.06	0.39	58	0.10	4.71	77	1.3
DD003474		0.067	0.05	0.47	57	0.14	5.79	73	1.1
DD003475		0.092	0.05	0.43	65	0.15	5.89	74	1.3

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 5- SEP- 2011
Account: RCM

Project: Rackla- Cheshire

CERTIFICATE OF ANALYSIS WH11151928

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- TL43 Au ppm 0.001	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1
DD003476		0.18	0.002	0.10	2.12	4.6	<0.2	<10	150	0.39	0.07	1.97	0.20	22.2	25.7	105
DD003477		0.19	0.002	0.12	2.30	5.9	<0.2	<10	180	0.43	0.09	2.00	0.22	20.0	22.6	112
DD003101		0.27	0.002	0.12	2.60	3.0	<0.2	<10	160	0.44	0.10	1.36	0.28	26.4	30.6	149
DD003102		0.19	0.002	0.11	2.21	6.2	<0.2	<10	150	0.38	0.07	1.71	0.13	22.2	25.2	126
DD003103		0.23	0.001	0.11	2.39	7.7	<0.2	<10	170	0.38	0.08	1.76	0.19	25.2	30.9	133
DD003104		0.29	0.002	0.13	2.25	6.3	<0.2	<10	170	0.38	0.07	2.05	0.27	19.75	30.3	131
DD003105		0.17	0.003	0.11	2.12	6.2	<0.2	<10	170	0.35	0.08	2.37	0.30	18.60	28.0	125
DD003106		0.22	0.003	0.08	1.99	5.3	<0.2	<10	130	0.27	0.06	1.86	0.15	18.85	23.8	121
DD003107		0.19	0.003	0.12	1.68	4.6	<0.2	<10	170	0.30	0.06	2.94	0.31	15.15	19.1	95
DD003108		0.23	0.003	0.16	2.40	9.1	<0.2	<10	180	0.42	0.09	2.29	0.24	20.1	32.7	141
DD003109		0.21	0.002	0.14	2.14	8.6	<0.2	<10	170	0.42	0.08	2.39	0.26	18.50	30.3	121
DD003110		0.23	0.003	0.14	2.45	11.3	<0.2	<10	190	0.42	0.10	2.43	0.19	21.1	33.3	133
DD003111		0.14	0.003	0.19	2.10	10.7	<0.2	<10	170	0.37	0.09	2.54	0.17	19.10	29.9	112
DD003112		0.18	0.002	0.18	2.03	12.5	<0.2	<10	200	0.51	0.13	2.68	0.18	21.7	30.9	96
DD003113		0.22	0.002	0.18	1.65	15.2	<0.2	<10	200	0.40	0.12	2.81	0.16	22.6	25.0	78
DD003114		0.23	0.002	0.16	2.15	21.2	<0.2	<10	160	0.39	0.10	2.92	0.41	21.8	35.4	128
DD003115		0.20	0.002	0.13	2.88	85.8	<0.2	<10	140	0.63	0.14	1.22	0.44	39.2	65.9	181
DD003116		0.22	0.001	0.23	1.56	5.7	<0.2	<10	160	0.19	0.25	0.09	0.40	19.70	9.1	57
DD003117		0.27	0.002	0.06	2.45	10.7	<0.2	<10	190	0.55	0.22	0.17	0.22	23.0	28.5	67
DD003118		0.30	0.001	0.08	4.04	14.2	<0.2	<10	150	1.19	0.04	1.55	0.16	32.5	52.2	176
DD003119		0.21	0.002	0.10	2.69	8.5	<0.2	<10	140	0.55	0.07	1.69	0.19	23.1	37.7	139
DD003120		0.17	0.002	0.13	2.11	5.6	<0.2	<10	150	0.30	0.09	1.77	0.26	21.0	44.7	117
DD003121		0.22	0.001	0.12	3.35	8.1	<0.2	<10	120	0.41	0.05	1.22	0.19	25.6	43.8	162
DD003122		0.25	0.001	0.12	4.19	5.5	<0.2	<10	120	0.56	0.05	1.93	0.20	21.9	47.1	189
DD003123		0.28	0.002	0.11	2.14	4.0	<0.2	<10	180	0.38	0.08	1.86	0.22	25.2	40.6	125
DD003124		0.26	0.002	0.13	2.31	3.1	<0.2	<10	170	0.41	0.07	2.11	0.28	25.9	32.3	118
DD003125		0.24	0.001	0.04	4.13	6.8	<0.2	<10	110	0.87	0.07	0.67	0.27	29.4	107.0	184
DD003126		0.33	0.001	0.05	2.86	11.0	<0.2	<10	200	0.55	0.15	0.50	0.12	24.9	30.6	129
DD003127		0.19	0.002	0.04	2.70	11.6	<0.2	<10	160	0.39	0.14	0.28	0.31	26.1	29.9	137
DD003128		0.25	0.003	0.14	2.36	19.1	<0.2	<10	160	0.51	0.13	1.22	0.19	27.9	36.5	125
DD003129		0.15	0.002	0.09	2.02	13.2	<0.2	<10	240	0.47	0.15	1.46	0.26	22.4	26.1	75
DD003130		0.29	0.003	0.22	2.17	11.9	<0.2	<10	160	0.37	0.07	2.70	0.19	19.90	51.2	136
DD003131		0.30	0.002	0.14	2.25	11.9	<0.2	<10	110	0.32	0.09	2.59	0.25	24.1	40.8	137
DD003132		0.27	0.002	0.17	2.31	9.3	<0.2	<10	170	0.36	0.09	2.39	0.26	20.5	40.7	132
DD003133		0.25	0.002	0.12	2.12	7.4	<0.2	<10	160	0.31	0.06	2.23	0.13	20.1	33.5	124
DD003134		0.16	0.002	0.11	1.83	5.2	<0.2	<10	150	0.28	0.05	2.51	0.25	16.25	27.5	107
DD003135		0.17	0.001	0.10	1.52	4.9	<0.2	<10	170	0.29	0.05	3.09	0.24	14.15	22.7	86
DD003136		0.15	0.002	0.12	2.14	6.6	<0.2	<10	160	0.30	0.06	1.92	0.21	19.90	31.2	127
DD003137		0.12	0.003	0.15	2.27	5.3	<0.2	<10	190	0.31	0.07	2.35	0.52	16.65	33.4	133
DD003138		0.20	0.003	0.07	2.07	4.2	<0.2	<10	160	0.27	0.05	1.77	0.34	18.85	29.1	125

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 5- SEP- 2011
Account: RCM

Project: Rackla- Cheshire

CERTIFICATE OF ANALYSIS WH11151928

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
DD003476		0.45	67.9	3.80	7.11	0.14	0.05	0.04	0.024	0.04	12.3	14.8	1.93	567	0.68	0.01
DD003477		0.60	78.0	4.03	7.36	0.12	0.04	0.04	0.025	0.04	10.6	14.7	1.95	495	0.54	0.01
DD003101		0.52	68.3	4.15	7.88	0.13	0.06	0.04	0.024	0.05	14.7	16.5	2.43	448	0.25	0.01
DD003102		0.52	57.9	3.91	6.81	0.13	0.05	0.04	0.020	0.04	12.4	13.9	1.98	533	0.68	0.01
DD003103		0.53	64.7	4.20	7.67	0.13	0.04	0.03	0.025	0.05	12.8	15.8	2.16	722	0.81	0.01
DD003104		0.53	71.9	3.86	6.63	0.12	0.05	0.04	0.021	0.04	11.5	13.6	2.03	768	0.65	0.01
DD003105		0.50	73.0	3.70	5.99	0.13	0.05	0.05	0.020	0.04	10.2	12.5	1.89	694	0.58	0.01
DD003106		0.50	52.1	3.51	5.75	0.12	0.05	0.04	0.022	0.03	10.2	11.6	1.85	518	0.64	0.01
DD003107		0.52	92.8	2.86	4.91	0.14	0.05	0.08	0.019	0.03	7.8	9.6	1.44	451	0.25	0.01
DD003108		0.75	111.5	4.21	7.38	0.13	0.05	0.06	0.026	0.04	10.3	14.8	2.17	596	0.75	0.01
DD003109		0.59	99.6	3.78	6.32	0.12	0.04	0.05	0.022	0.04	9.5	12.9	1.88	789	0.78	0.01
DD003110		0.74	96.4	4.37	6.90	0.13	0.04	0.05	0.025	0.04	10.8	14.5	2.19	832	0.88	0.01
DD003111		0.70	110.5	3.73	6.04	0.12	0.04	0.06	0.027	0.04	10.6	13.0	1.71	736	0.69	0.01
DD003112		0.69	122.5	3.59	6.20	0.13	0.03	0.08	0.031	0.03	11.5	13.0	1.39	727	0.87	0.01
DD003113		0.58	126.5	3.19	5.20	0.12	0.04	0.07	0.027	0.03	12.4	11.6	1.10	526	0.70	0.01
DD003114		0.78	116.0	4.60	6.83	0.14	0.05	0.05	0.029	0.04	12.4	14.4	2.12	809	1.65	0.01
DD003115		1.42	87.3	5.98	9.03	0.15	0.05	0.03	0.065	0.04	18.0	20.2	2.05	1500	1.60	0.01
DD003116		0.75	13.8	2.75	8.02	0.12	<0.02	0.02	0.021	0.03	9.1	8.6	0.44	677	1.45	<0.01
DD003117		1.35	96.0	4.27	6.68	0.13	0.06	0.01	0.033	0.04	10.9	16.3	0.75	479	1.44	0.01
DD003118		8.08	89.3	7.25	13.60	0.26	0.07	0.03	0.059	0.31	17.3	25.3	4.46	1100	0.59	0.01
DD003119		2.24	80.1	5.04	8.99	0.15	0.04	0.04	0.036	0.05	12.5	18.1	2.48	948	0.79	0.01
DD003120		0.74	89.0	4.11	7.29	0.14	0.05	0.05	0.028	0.04	10.3	13.7	1.59	828	0.84	0.01
DD003121		0.95	67.4	6.49	12.95	0.15	0.06	0.04	0.041	0.04	13.4	21.1	3.00	951	1.25	0.01
DD003122		2.10	70.1	7.46	13.70	0.18	0.07	0.01	0.047	0.06	10.8	25.2	4.17	1040	0.72	0.01
DD003123		0.45	60.9	4.61	7.89	0.13	0.04	0.04	0.026	0.04	12.6	12.3	1.54	1080	1.02	0.01
DD003124		0.87	81.6	4.88	8.15	0.14	0.04	0.07	0.039	0.06	13.8	12.8	1.67	1110	0.89	0.01
DD003125		0.84	133.5	9.47	12.35	0.16	0.09	<0.01	0.053	0.06	12.2	24.4	3.31	1430	0.98	<0.01
DD003126		0.89	39.1	4.83	8.15	0.13	0.08	<0.01	0.036	0.04	8.9	16.7	1.73	588	1.14	<0.01
DD003127		0.93	39.3	5.20	8.29	0.12	0.04	0.01	0.035	0.05	10.5	19.2	1.86	523	1.26	0.01
DD003128		0.85	94.7	4.77	7.11	0.15	0.06	0.03	0.032	0.05	14.6	16.4	2.00	609	1.02	0.01
DD003129		1.04	63.8	3.55	6.12	0.12	0.03	0.05	0.027	0.04	10.2	14.6	1.07	685	1.08	0.01
DD003130		0.60	217	4.80	6.98	0.13	0.05	0.06	0.024	0.04	11.6	14.1	1.66	787	1.19	0.01
DD003131		0.48	106.0	4.94	6.98	0.14	0.07	0.02	0.022	0.05	12.2	15.0	2.21	704	1.91	0.01
DD003132		0.54	119.0	4.36	6.89	0.13	0.04	0.06	0.023	0.04	10.1	14.9	1.97	752	0.85	0.01
DD003133		0.54	67.9	3.84	6.14	0.13	0.04	0.02	0.020	0.04	10.3	13.0	1.89	678	0.74	0.01
DD003134		0.43	69.1	3.13	5.39	0.12	0.05	0.02	0.016	0.03	7.7	11.3	1.60	523	0.44	0.01
DD003135		0.42	71.8	2.64	4.47	0.14	0.04	0.05	0.017	0.03	6.4	9.1	1.34	697	0.80	0.01
DD003136		0.53	68.3	3.74	6.07	0.12	0.05	0.01	0.023	0.04	9.7	12.7	1.92	751	0.83	0.01
DD003137		0.57	75.0	3.76	6.34	0.13	0.04	0.03	0.019	0.05	7.9	13.3	2.04	861	0.47	0.01
DD003138		0.48	58.4	3.51	5.90	0.13	0.05	0.02	0.023	0.03	8.5	12.6	1.86	562	0.39	0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 5- SEP- 2011
Account: RCM

Project: Rackla- Cheshire

CERTIFICATE OF ANALYSIS WH11151928

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
DD003476		2.98	109.0	1210	9.4	4.1	<0.001	0.06	0.90	3.4	0.6	0.2	61.2	<0.01	0.01	0.9
DD003477		2.11	111.5	1150	10.2	4.0	0.001	0.09	1.01	3.7	0.7	0.3	60.8	0.01	0.01	0.9
DD003101		3.37	148.0	1230	14.5	4.8	<0.001	0.06	1.04	4.1	0.6	0.2	46.2	<0.01	0.01	1.7
DD003102		3.16	121.0	1060	11.5	4.3	<0.001	0.06	0.99	3.2	0.4	0.2	53.8	<0.01	0.01	1.0
DD003103		3.11	137.0	1010	12.7	4.6	<0.001	0.06	1.10	3.8	0.7	0.2	57.7	<0.01	0.03	1.1
DD003104		2.51	146.0	1000	11.2	4.2	<0.001	0.07	1.13	3.2	0.4	0.2	60.7	0.01	<0.01	0.9
DD003105		2.59	143.0	920	11.4	4.3	<0.001	0.08	1.29	3.2	0.4	0.2	71.4	0.01	0.01	0.9
DD003106		3.23	123.5	880	9.4	3.1	0.001	0.06	1.02	3.1	0.4	0.2	51.1	0.01	0.02	1.1
DD003107		2.05	122.0	800	8.4	3.5	<0.001	0.10	1.52	2.5	0.7	0.2	78.7	0.01	0.01	0.6
DD003108		1.95	163.0	900	15.6	4.4	<0.001	0.08	1.84	3.9	0.6	0.2	66.0	<0.01	0.03	0.8
DD003109		1.66	143.0	910	13.7	4.0	0.001	0.08	1.57	3.2	0.7	0.2	72.8	<0.01	<0.01	0.7
DD003110		1.60	150.5	950	17.2	4.1	<0.001	0.08	1.62	3.6	0.8	0.2	67.9	<0.01	0.01	0.7
DD003111		1.38	135.0	990	13.4	4.0	<0.001	0.08	1.46	3.7	1.1	0.2	77.2	<0.01	0.02	0.6
DD003112		1.21	113.0	910	17.0	4.4	<0.001	0.11	1.52	3.4	1.1	0.2	85.4	<0.01	0.03	0.6
DD003113		1.35	110.5	840	14.5	4.3	<0.001	0.10	1.39	3.1	1.2	0.2	85.5	0.01	0.03	0.6
DD003114		2.32	160.5	1090	12.2	4.0	0.001	0.06	1.82	4.8	0.4	0.3	75.6	<0.01	0.03	1.0
DD003115		2.48	219	1290	24.1	5.8	<0.001	0.05	1.61	11.2	0.6	0.3	43.7	<0.01	0.04	2.1
DD003116		3.61	22.3	310	14.2	4.9	<0.001	0.02	0.51	2.6	<0.2	0.8	6.3	0.01	0.05	0.9
DD003117		2.72	156.0	560	12.2	7.4	<0.001	0.01	1.07	4.2	0.4	0.6	10.2	0.02	0.03	3.3
DD003118		4.73	166.0	2040	3.3	17.3	<0.001	0.03	2.14	16.7	0.2	0.4	72.0	<0.01	0.02	1.6
DD003119		2.22	113.0	1090	6.0	6.4	<0.001	0.07	1.16	8.9	0.4	0.3	88.9	<0.01	0.02	1.1
DD003120		2.69	124.0	1140	8.0	6.0	<0.001	0.08	1.32	4.5	0.7	0.2	89.7	<0.01	0.04	1.2
DD003121		3.47	126.5	1920	5.5	3.7	<0.001	0.04	1.05	6.5	0.4	0.3	65.0	<0.01	0.02	1.9
DD003122		4.08	154.0	1590	4.7	5.2	<0.001	0.04	1.14	8.7	<0.2	0.3	100.0	<0.01	<0.01	1.8
DD003123		2.20	101.0	1240	7.2	4.0	<0.001	0.09	0.97	5.0	<0.2	0.3	105.5	0.01	0.02	0.9
DD003124		1.98	107.0	1320	6.1	4.9	0.001	0.07	0.79	6.9	0.8	0.2	119.5	<0.01	0.03	1.2
DD003125		4.72	336	2620	6.1	4.1	<0.001	0.02	2.73	6.0	1.0	0.4	30.1	0.02	0.02	2.3
DD003126		3.08	119.5	570	19.8	5.7	<0.001	0.01	0.91	5.3	<0.2	0.6	20.9	<0.01	0.04	2.5
DD003127		3.92	128.5	650	19.5	7.6	<0.001	0.01	1.00	5.3	<0.2	0.5	12.4	<0.01	0.02	1.9
DD003128		2.24	162.5	910	19.2	6.1	<0.001	0.03	1.29	5.8	<0.2	0.3	36.3	<0.01	0.04	1.8
DD003129		1.52	86.0	660	15.2	6.4	<0.001	0.05	1.14	4.1	0.3	0.4	49.2	<0.01	0.04	1.1
DD003130		2.27	197.0	1000	9.3	3.3	<0.001	0.08	1.97	4.0	0.7	0.2	79.8	0.01	0.02	0.8
DD003131		3.06	179.0	1190	12.4	3.4	0.001	0.03	2.00	4.7	0.4	0.2	62.9	<0.01	0.02	1.8
DD003132		2.23	166.5	1020	12.7	4.1	0.001	0.07	1.55	4.1	0.4	0.2	70.7	<0.01	0.03	0.9
DD003133		2.70	138.0	980	13.4	3.7	<0.001	0.06	1.33	3.5	0.3	0.2	66.9	<0.01	0.02	0.8
DD003134		2.28	123.5	750	10.4	3.5	<0.001	0.07	1.22	2.8	<0.2	0.2	72.3	<0.01	0.02	0.6
DD003135		1.39	125.5	760	9.1	3.3	0.001	0.10	1.10	2.2	0.3	<0.2	83.6	<0.01	0.01	0.5
DD003136		2.33	140.0	1010	12.7	4.1	<0.001	0.07	1.23	3.2	<0.2	0.2	58.0	<0.01	0.02	0.8
DD003137		1.78	159.0	1050	11.4	4.9	<0.001	0.09	1.09	3.3	<0.2	0.2	64.9	<0.01	0.04	0.8
DD003138		2.47	137.0	880	10.7	4.1	<0.001	0.06	0.87	3.0	<0.2	0.2	55.2	<0.01	0.01	0.8

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 5- SEP- 2011
Account: RCM

Project: Rackla- Cheshire

CERTIFICATE OF ANALYSIS WH11151928

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
DD003476		0.097	0.05	0.59	61	0.12	6.63	72	1.4
DD003477		0.075	0.06	0.50	65	0.10	5.99	81	1.3
DD003101		0.114	0.06	0.52	69	0.14	7.26	94	1.9
DD003102		0.103	0.05	0.54	58	0.12	6.12	74	1.4
DD003103		0.095	0.05	0.49	63	0.10	6.74	81	1.4
DD003104		0.080	0.05	0.49	57	0.12	6.07	81	1.4
DD003105		0.085	0.05	0.43	56	0.12	5.89	78	1.5
DD003106		0.116	0.05	0.52	54	0.18	5.18	71	1.7
DD003107		0.066	0.04	0.66	44	0.08	5.31	62	1.5
DD003108		0.064	0.06	0.64	65	0.10	6.84	82	1.5
DD003109		0.051	0.06	0.57	57	0.10	6.28	72	1.2
DD003110		0.054	0.07	0.55	67	0.21	6.66	75	1.2
DD003111		0.048	0.05	0.45	58	0.11	6.84	64	1.2
DD003112		0.038	0.06	0.76	58	0.16	7.68	59	1.0
DD003113		0.044	0.06	0.58	51	0.12	8.26	51	1.0
DD003114		0.102	0.05	0.57	76	0.14	8.36	77	1.3
DD003115		0.097	0.09	0.57	112	0.22	10.10	96	1.4
DD003116		0.146	0.12	0.35	86	0.23	2.39	34	0.6
DD003117		0.115	0.13	0.43	78	0.31	3.93	74	2.1
DD003118		0.262	0.17	0.22	138	0.20	8.70	96	1.3
DD003119		0.097	0.08	0.44	90	0.10	8.84	77	1.2
DD003120		0.093	0.05	0.61	70	0.13	8.47	73	1.4
DD003121		0.131	0.05	0.45	128	0.22	7.77	99	1.7
DD003122		0.199	0.07	0.33	147	0.21	8.17	101	1.8
DD003123		0.075	0.04	0.52	78	0.11	9.36	76	1.0
DD003124		0.069	0.05	0.45	79	0.09	9.57	78	1.2
DD003125		0.252	0.04	0.36	102	0.51	9.99	111	2.0
DD003126		0.138	0.11	0.42	91	0.22	4.69	79	2.3
DD003127		0.169	0.08	0.43	88	0.17	5.99	89	1.4
DD003128		0.095	0.07	0.46	72	0.16	10.45	88	1.4
DD003129		0.046	0.09	0.70	62	0.16	6.78	69	0.9
DD003130		0.079	0.04	0.61	68	0.14	11.05	68	1.3
DD003131		0.133	0.04	0.48	70	0.19	8.83	81	1.9
DD003132		0.072	0.06	0.50	65	0.10	8.00	77	1.5
DD003133		0.086	0.05	0.46	58	0.11	7.06	71	1.5
DD003134		0.066	0.04	0.49	48	0.07	5.40	64	1.4
DD003135		0.040	0.05	0.42	40	0.09	4.81	54	1.3
DD003136		0.072	0.05	0.46	57	0.10	6.28	75	1.2
DD003137		0.057	0.05	0.40	56	0.08	5.72	102	1.4
DD003138		0.081	0.04	0.38	54	0.08	5.74	76	1.2

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 5- SEP- 2011
Account: RCM

Project: Rackla- Cheshire

CERTIFICATE OF ANALYSIS WH11151928

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- TL43 Au ppm 0.001	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1
DD003139		0.19	0.002	0.08	2.22	5.7	<0.2	<10	170	0.30	0.06	1.70	0.32	20.5	30.9	132
DD003140		0.30	0.002	0.09	2.24	8.5	<0.2	<10	170	0.40	0.09	3.34	0.26	27.9	28.3	115
DD003141		0.16	0.002	0.13	2.29	7.4	<0.2	<10	220	0.52	0.09	1.93	0.51	24.3	35.5	119
DD003142		0.18	0.002	0.16	2.42	7.2	<0.2	<10	310	0.40	0.10	1.62	0.57	28.4	48.9	133
DD004407		0.15	0.002	0.12	2.16	6.6	<0.2	<10	170	0.42	0.09	1.57	0.24	27.5	28.8	110
DD004408		0.21	0.001	0.14	2.47	9.4	<0.2	<10	180	0.51	0.12	1.42	0.22	30.7	34.3	128
DD004409		0.12	0.002	0.13	2.47	5.7	<0.2	<10	210	0.37	0.08	1.87	0.34	21.0	32.2	137
DD004410		0.11	0.002	0.12	2.17	5.2	<0.2	<10	210	0.35	0.07	2.14	0.42	19.30	29.9	115
DD004411		0.11	0.003	0.13	2.28	5.9	<0.2	<10	230	0.43	0.07	2.07	0.32	22.9	32.3	123
DD004412		0.12	0.002	0.13	2.11	4.8	<0.2	<10	200	0.37	0.07	1.91	0.26	23.4	31.0	119
DD004413		0.11	0.002	0.11	2.11	7.5	<0.2	<10	180	0.35	0.07	2.38	0.33	20.9	29.5	122
DD004414		0.16	0.002	0.11	2.55	5.5	<0.2	<10	200	0.37	0.07	1.90	0.21	23.8	34.5	152
DD004415		0.12	0.002	0.11	2.32	5.9	<0.2	<10	200	0.37	0.07	2.33	0.24	20.2	32.8	137
DD004416		0.15	0.008	0.10	2.34	6.1	<0.2	<10	180	0.34	0.07	1.93	0.17	21.5	32.5	145
DD004417		0.12	0.002	0.14	2.07	8.5	<0.2	<10	190	0.32	0.07	2.78	0.26	17.45	29.8	118
DD004418		0.20	0.002	0.26	2.73	10.9	<0.2	<10	210	0.42	0.09	2.08	0.22	21.4	32.5	161
DD004419		0.13	0.001	0.16	2.22	8.4	<0.2	<10	220	0.45	0.08	2.72	0.23	18.65	25.9	122
DD004420		0.36	0.002	0.20	2.92	16.3	<0.2	<10	180	0.45	0.10	1.45	0.35	29.9	37.7	173
DD004421		0.11	0.004	0.16	2.18	9.5	<0.2	<10	190	0.35	0.09	2.52	0.31	19.40	25.6	118
DD004422		0.31	0.003	0.26	3.03	15.7	<0.2	<10	210	0.54	0.12	1.33	0.29	29.4	39.1	168
DD004423		0.31	0.002	0.20	1.87	10.9	<0.2	<10	190	0.51	0.16	1.96	0.17	31.1	20.2	71
DD004424		0.26	0.001	0.09	3.32	7.5	<0.2	<10	140	0.50	0.10	0.70	0.05	24.8	26.5	158
DD004425		0.23	0.002	0.22	1.91	7.5	<0.2	<10	380	0.51	0.20	0.98	0.11	26.4	12.5	51
DD004426		0.16	0.001	0.17	1.86	8.5	<0.2	<10	290	0.59	0.15	1.89	0.21	25.9	18.8	62
DD004427		0.17	0.001	0.11	2.82	6.4	<0.2	<10	210	0.54	0.07	1.55	0.17	33.7	31.7	131
DD004428		0.30	0.002	0.08	3.52	4.3	<0.2	<10	140	0.52	0.08	1.35	0.17	30.2	38.7	195
DD004429		0.10	<0.001	0.13	1.25	5.9	<0.2	<10	150	0.28	0.10	3.03	0.48	14.20	15.4	55
DD004430		0.28	0.002	0.18	2.77	7.0	<0.2	<10	190	0.71	0.10	1.19	0.25	35.4	34.1	136
DD004431		0.22	0.005	0.24	2.39	14.0	<0.2	<10	310	0.84	0.20	1.06	0.16	37.1	16.9	80
DD004432		0.29	0.003	0.10	2.36	12.4	<0.2	<10	170	0.61	0.19	0.65	0.18	34.1	18.9	74
DD004433		0.18	0.002	0.11	2.45	8.2	<0.2	<10	170	0.41	0.09	1.96	0.12	22.6	27.3	129
DD004434		0.15	0.004	0.17	2.84	20.7	<0.2	<10	160	0.54	0.09	1.80	0.18	24.9	35.2	177
DD004435		0.22	0.002	0.11	3.00	14.5	<0.2	<10	200	0.66	0.12	0.53	0.20	35.4	34.2	148
DD004436		0.12	0.003	0.23	2.55	26.0	<0.2	<10	160	0.51	0.11	2.18	0.27	19.70	36.9	134
DD004437		0.17	0.003	0.21	2.29	12.0	<0.2	<10	170	0.44	0.10	2.79	0.28	20.0	32.5	125
DD004438		0.11	0.005	0.13	2.23	10.0	<0.2	<10	160	0.41	0.09	2.99	0.18	18.05	29.9	121
DD004439		0.27	0.003	0.14	2.35	8.3	<0.2	<10	160	0.36	0.09	2.20	0.23	22.5	28.4	144
DD004440		0.12	0.002	0.14	2.65	7.5	<0.2	<10	190	0.40	0.08	2.06	0.23	23.5	34.2	157
DD004441		0.20	0.002	0.14	2.72	8.1	<0.2	<10	190	0.41	0.08	1.56	0.25	28.8	36.9	165
DD004442		0.10	0.002	0.17	2.33	5.6	<0.2	<10	180	0.35	0.07	2.02	0.19	21.1	28.5	136

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 5- SEP- 2011
Account: RCM

Project: Rackla- Cheshire

CERTIFICATE OF ANALYSIS WH11151928

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
DD003139		0.56	62.8	3.76	6.53	0.13	0.04	0.01	0.021	0.03	10.3	13.4	1.99	708	0.48	0.01
DD003140		0.61	59.3	4.07	6.85	0.14	0.05	0.03	0.023	0.05	14.0	15.6	3.04	834	0.85	0.01
DD003141		0.95	78.3	4.11	7.36	0.13	0.05	0.03	0.028	0.05	11.7	16.0	2.03	847	0.80	0.01
DD003142		0.71	75.0	4.31	7.50	0.13	0.05	0.04	0.030	0.05	13.7	15.1	2.11	3440	1.69	0.01
DD004407		0.51	49.7	3.90	7.06	0.13	0.05	0.02	0.025	0.04	13.5	15.9	1.86	694	0.61	0.01
DD004408		0.59	69.1	4.63	8.17	0.13	0.05	0.04	0.031	0.05	15.5	18.5	2.23	812	0.56	0.01
DD004409		0.62	64.9	4.15	7.45	0.13	0.04	0.03	0.023	0.05	10.7	15.9	2.19	630	0.57	0.01
DD004410		0.48	69.1	3.81	6.39	0.13	0.04	0.02	0.020	0.04	9.6	13.5	1.86	1160	0.51	0.01
DD004411		0.58	75.5	3.88	6.62	0.13	0.05	0.04	0.025	0.04	11.8	14.6	1.91	853	0.61	0.01
DD004412		0.47	64.0	3.58	6.34	0.14	0.04	0.02	0.023	0.04	11.5	13.5	1.80	500	0.38	0.01
DD004413		0.56	73.9	3.65	6.35	0.11	0.04	0.03	0.023	0.04	10.5	13.6	1.95	801	0.49	0.01
DD004414		0.63	96.7	4.45	7.45	0.13	0.05	0.03	0.023	0.05	12.9	15.2	2.33	717	0.52	0.01
DD004415		0.61	78.0	4.02	7.02	0.14	0.04	0.01	0.021	0.04	9.5	13.9	2.11	655	0.55	0.01
DD004416		0.57	64.1	4.25	6.68	0.12	0.04	0.02	0.020	0.04	10.6	13.8	2.23	601	0.62	0.01
DD004417		0.69	103.5	3.58	6.20	0.12	0.04	0.03	0.023	0.04	9.0	12.9	1.74	563	0.77	0.01
DD004418		0.92	102.0	4.51	8.28	0.10	0.05	0.08	0.031	0.06	12.1	17.6	2.37	725	0.73	0.01
DD004419		0.59	72.3	3.68	6.58	0.11	0.04	0.07	0.025	0.05	9.9	13.6	1.91	605	0.53	0.02
DD004420		0.85	100.5	5.39	9.52	0.13	0.08	0.07	0.034	0.06	15.6	20.1	3.11	954	1.59	0.01
DD004421		0.62	79.3	3.85	6.76	0.12	0.06	0.07	0.028	0.05	9.8	14.3	2.10	649	1.08	0.02
DD004422		0.93	162.5	5.37	9.34	0.12	0.07	0.11	0.034	0.06	15.5	19.2	2.67	944	1.87	0.01
DD004423		0.49	44.9	3.78	5.89	0.10	0.05	0.06	0.032	0.04	17.7	13.9	1.82	735	1.28	0.01
DD004424		2.37	50.2	5.21	10.75	0.11	0.03	0.02	0.042	0.04	13.4	22.0	3.02	587	0.59	0.01
DD004425		0.82	42.5	2.96	7.33	0.11	0.03	0.05	0.028	0.03	13.8	14.1	0.77	399	0.92	0.01
DD004426		0.63	110.0	3.19	6.33	0.11	0.04	0.11	0.026	0.04	14.2	12.6	0.83	677	0.81	0.01
DD004427		0.68	55.3	6.06	10.05	0.12	0.10	0.09	0.035	0.04	17.7	19.4	2.69	977	2.91	0.01
DD004428		1.22	54.2	7.11	15.35	0.12	0.08	0.04	0.038	0.04	15.3	21.5	2.79	695	1.46	0.01
DD004429		0.44	39.8	2.46	4.53	0.09	0.04	0.16	0.024	0.04	6.6	8.0	0.83	443	0.74	0.01
DD004430		1.33	56.6	6.45	12.30	0.14	0.04	0.08	0.055	0.09	19.3	21.8	2.20	814	1.20	0.01
DD004431		1.12	95.7	4.01	6.59	0.12	0.05	0.09	0.044	0.04	20.7	16.9	1.25	708	1.03	0.01
DD004432		1.10	40.2	4.04	7.43	0.11	0.04	0.05	0.043	0.04	15.3	17.5	1.11	509	1.30	0.01
DD004433		1.01	57.2	4.22	7.68	0.11	0.04	0.05	0.037	0.04	10.5	17.5	1.98	841	1.05	0.01
DD004434		2.88	102.0	4.96	10.25	0.12	0.05	0.08	0.044	0.04	14.3	22.4	2.27	766	0.95	0.01
DD004435		1.07	79.7	4.91	9.03	0.11	0.03	0.03	0.036	0.04	16.3	19.4	1.74	843	1.41	0.01
DD004436		1.10	174.5	4.42	8.12	0.10	0.04	0.10	0.033	0.05	11.3	19.6	1.94	635	1.46	0.01
DD004437		0.86	131.0	3.90	7.19	0.10	0.04	0.08	0.028	0.04	10.4	15.4	1.80	749	0.92	0.01
DD004438		0.73	98.2	3.78	6.67	0.10	0.04	0.06	0.022	0.04	9.6	13.5	1.70	638	0.90	0.01
DD004439		0.56	82.5	4.13	6.95	0.12	0.06	0.06	0.025	0.04	11.5	14.7	2.18	605	0.75	0.01
DD004440		0.78	90.3	4.35	8.28	0.11	0.06	0.06	0.030	0.05	12.1	16.8	2.35	814	1.11	0.01
DD004441		0.70	83.3	4.87	8.90	0.10	0.07	0.05	0.029	0.05	14.9	20.1	2.58	726	1.14	<0.01
DD004442		0.66	67.2	3.90	7.42	0.10	0.06	0.05	0.026	0.04	10.7	15.5	2.05	566	0.72	0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 5- SEP- 2011
Account: RCM

Project: Rackla- Cheshire

CERTIFICATE OF ANALYSIS WH11151928

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
DD003139		2.67	141.0	970	11.3	3.9	<0.001	0.06	0.88	3.2	0.7	0.2	55.2	<0.01	0.01	0.9
DD003140		3.19	123.5	1200	15.3	4.6	<0.001	0.04	1.04	4.1	0.2	0.3	63.8	<0.01	0.02	1.2
DD003141		2.44	135.0	1260	13.6	4.7	<0.001	0.08	1.34	4.2	<0.2	0.2	63.5	<0.01	0.03	1.0
DD003142		2.29	163.0	1350	17.0	4.2	<0.001	0.07	1.04	4.1	0.2	0.2	57.5	<0.01	0.02	1.3
DD004407		2.98	109.5	1310	12.2	4.0	<0.001	0.06	0.85	4.2	0.4	0.3	57.3	<0.01	0.02	1.2
DD004408		2.69	134.5	1390	15.3	5.4	<0.001	0.04	1.02	5.5	0.5	0.3	51.9	<0.01	0.03	1.8
DD004409		1.77	146.5	1250	13.5	5.5	<0.001	0.08	0.99	4.0	0.5	0.2	61.5	<0.01	0.04	1.0
DD004410		1.86	137.0	1060	11.2	4.3	<0.001	0.07	0.99	3.5	<0.2	0.2	66.0	<0.01	0.02	0.9
DD004411		2.06	135.5	1050	13.0	4.4	<0.001	0.07	1.10	3.5	<0.2	0.2	64.1	<0.01	0.02	0.9
DD004412		2.62	130.5	1050	13.2	4.1	<0.001	0.07	1.07	3.6	<0.2	0.2	58.7	<0.01	<0.01	0.9
DD004413		2.18	142.5	1010	12.5	4.5	<0.001	0.07	0.99	3.5	0.4	0.2	69.2	<0.01	0.03	0.9
DD004414		2.22	165.0	1070	13.8	4.8	<0.001	0.06	1.05	3.7	<0.2	0.2	59.4	<0.01	0.02	1.0
DD004415		2.49	154.0	920	12.9	4.7	<0.001	0.08	1.10	3.3	0.2	0.2	72.2	<0.01	0.04	0.8
DD004416		2.92	150.5	1020	12.2	4.2	0.001	0.06	1.08	3.3	0.2	0.2	56.7	<0.01	0.02	0.9
DD004417		1.86	137.5	810	10.5	4.0	<0.001	0.09	1.58	3.3	0.2	0.2	86.2	<0.01	0.02	0.6
DD004418		2.20	165.0	830	16.8	6.5	<0.001	0.07	1.29	4.9	0.7	0.2	64.4	<0.01	0.03	1.2
DD004419		1.94	126.0	880	12.5	4.6	<0.001	0.09	1.09	3.5	0.6	0.2	73.7	0.01	0.01	0.8
DD004420		2.74	185.0	1240	18.8	5.9	<0.001	0.02	1.88	6.6	1.0	0.3	39.6	<0.01	0.03	2.6
DD004421		2.69	127.5	960	12.2	5.0	<0.001	0.07	1.28	4.0	0.8	0.2	65.7	<0.01	0.02	1.2
DD004422		2.71	189.5	1130	19.6	6.8	<0.001	0.04	1.75	6.6	1.3	0.3	41.5	<0.01	0.03	2.1
DD004423		1.58	82.2	1080	20.6	4.5	0.001	0.03	0.90	4.9	0.8	0.3	38.8	<0.01	0.02	2.1
DD004424		2.22	97.8	900	8.1	6.9	<0.001	0.01	0.57	9.8	0.6	0.4	26.9	<0.01	0.01	2.4
DD004425		1.63	37.0	460	15.7	5.3	<0.001	0.01	0.43	4.1	0.6	0.6	36.0	<0.01	0.02	2.4
DD004426		2.20	74.2	1020	15.5	5.6	<0.001	0.07	1.09	3.5	1.3	0.4	78.3	0.01	0.03	1.0
DD004427		7.07	103.0	2180	8.0	5.6	<0.001	0.05	2.50	5.7	0.5	0.3	66.8	0.01	0.01	2.8
DD004428		7.77	116.0	2530	8.5	4.9	<0.001	0.04	1.11	6.1	0.6	0.4	55.5	0.01	0.01	3.1
DD004429		1.84	53.8	1050	9.0	4.1	<0.001	0.14	0.75	2.4	0.7	0.2	97.4	0.01	0.02	0.7
DD004430		1.17	110.5	1850	9.9	11.9	<0.001	0.03	1.19	11.4	1.0	0.3	57.3	<0.01	0.02	2.3
DD004431		1.31	77.9	1330	23.9	7.5	<0.001	0.04	0.85	6.2	1.0	0.5	31.1	<0.01	0.03	2.1
DD004432		2.17	75.4	510	22.2	7.1	<0.001	0.02	0.84	6.0	0.6	0.5	30.0	<0.01	0.03	2.3
DD004433		1.99	102.0	870	8.2	3.7	<0.001	0.07	0.99	7.1	0.6	0.3	69.7	<0.01	0.01	1.0
DD004434		3.33	145.5	760	11.2	8.4	<0.001	0.05	1.46	11.0	1.0	0.4	65.7	<0.01	0.02	1.6
DD004435		3.35	162.0	540	15.3	7.0	<0.001	0.03	1.38	5.7	0.6	0.5	21.0	<0.01	0.04	2.0
DD004436		1.95	181.0	900	12.2	6.7	0.002	0.08	2.14	5.1	1.2	0.2	80.9	<0.01	0.03	1.0
DD004437		1.74	157.0	900	11.7	5.5	<0.001	0.09	1.62	3.9	0.8	0.2	90.4	<0.01	0.01	0.8
DD004438		1.79	137.5	670	12.9	4.3	<0.001	0.10	1.57	3.5	1.1	0.2	85.0	0.01	0.02	0.7
DD004439		3.54	156.0	1000	13.8	4.8	<0.001	0.07	1.28	3.7	0.7	0.2	62.3	<0.01	0.02	1.2
DD004440		3.06	174.0	1050	14.9	5.3	0.001	0.07	1.53	4.2	0.8	0.3	62.8	<0.01	0.01	1.4
DD004441		4.01	174.5	1270	17.2	5.7	<0.001	0.05	1.32	4.8	1.1	0.3	49.3	0.01	0.02	1.8
DD004442		3.48	146.0	640	19.9	5.1	<0.001	0.07	0.85	3.8	0.8	0.3	56.8	0.01	0.02	1.4

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 5- SEP- 2011
Account: RCM

Project: Rackla- Cheshire

CERTIFICATE OF ANALYSIS WH11151928

Sample Description	Method Analyte Units LOR	ME- MS41 Ti % 0.005	ME- MS41 Tl ppm 0.02	ME- MS41 U ppm 0.05	ME- MS41 V ppm 1	ME- MS41 W ppm 0.05	ME- MS41 Y ppm 0.05	ME- MS41 Zn ppm 2	ME- MS41 Zr ppm 0.5
DD003139		0.083	0.05	0.43	58	0.10	6.45	78	1.3
DD003140		0.096	0.06	0.51	64	0.11	7.99	85	1.3
DD003141		0.075	0.07	0.54	69	0.09	7.44	100	1.4
DD003142		0.076	0.07	0.55	68	0.15	7.43	92	1.4
DD004407		0.086	0.04	0.53	59	0.13	7.63	88	1.4
DD004408		0.080	0.06	0.50	69	0.12	9.56	99	1.7
DD004409		0.057	0.05	0.47	65	0.09	6.60	99	1.3
DD004410		0.058	0.05	0.42	56	0.09	6.20	85	1.2
DD004411		0.061	0.05	0.77	58	0.11	7.71	84	1.2
DD004412		0.076	0.05	0.76	55	0.14	7.18	77	1.4
DD004413		0.062	0.05	0.45	54	0.11	6.89	83	1.5
DD004414		0.068	0.06	0.64	63	0.13	7.75	90	1.5
DD004415		0.070	0.05	0.49	60	0.10	6.20	80	1.4
DD004416		0.092	0.05	0.47	63	0.11	6.18	82	1.4
DD004417		0.050	0.06	0.66	54	0.08	6.79	66	1.3
DD004418		0.064	0.09	0.69	71	0.12	7.29	87	1.6
DD004419		0.054	0.06	0.63	57	0.08	6.35	72	1.5
DD004420		0.138	0.07	0.42	83	0.16	11.00	103	2.6
DD004421		0.081	0.05	0.59	62	0.14	6.71	81	1.9
DD004422		0.103	0.07	0.92	85	0.15	11.35	94	2.3
DD004423		0.057	0.08	0.70	58	0.20	13.25	77	1.4
DD004424		0.164	0.10	0.46	110	0.16	6.82	71	0.8
DD004425		0.047	0.09	0.75	69	0.25	6.15	49	0.9
DD004426		0.041	0.09	2.05	51	0.15	10.20	53	1.3
DD004427		0.165	0.09	0.46	98	0.30	8.02	92	3.0
DD004428		0.194	0.08	0.60	122	0.32	9.19	117	2.6
DD004429		0.055	0.05	0.46	41	0.10	4.49	69	1.7
DD004430		0.091	0.08	0.32	101	0.10	12.00	115	1.0
DD004431		0.046	0.13	1.26	66	0.16	16.10	78	1.2
DD004432		0.059	0.11	0.70	70	0.21	9.29	74	1.2
DD004433		0.083	0.04	0.53	84	0.11	6.47	58	1.1
DD004434		0.141	0.10	0.63	105	0.11	11.75	74	1.6
DD004435		0.117	0.09	0.48	83	0.22	9.78	75	1.0
DD004436		0.051	0.07	0.75	67	0.40	9.06	79	1.5
DD004437		0.046	0.07	0.66	60	0.12	7.07	72	1.4
DD004438		0.045	0.07	0.70	58	0.12	6.50	62	1.5
DD004439		0.100	0.05	0.57	63	0.15	6.84	82	1.7
DD004440		0.077	0.08	0.73	68	0.11	6.91	88	1.9
DD004441		0.116	0.06	0.58	72	0.19	9.51	96	2.1
DD004442		0.088	0.06	0.36	59	0.10	5.68	78	2.2

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 5- SEP- 2011
Account: RCM

Project: Rackla- Cheshire

CERTIFICATE OF ANALYSIS WH11151928

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- TL43 Au ppm 0.001	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1
DD004443		0.25	0.002	0.16	2.49	9.2	<0.2	<10	180	0.45	0.08	2.15	0.28	28.3	30.5	142
DD004444		0.23	0.001	0.13	2.62	7.6	<0.2	<10	170	0.44	0.09	1.79	0.25	29.2	32.1	143
DD004445		0.18	0.001	0.10	2.32	7.6	<0.2	<10	160	0.35	0.08	1.68	0.16	25.1	27.3	124
DD004446		0.21	0.002	0.13	2.48	7.2	<0.2	<10	160	0.45	0.09	1.94	0.24	29.6	28.5	121
DD004447		0.18	0.002	0.15	2.49	8.1	<0.2	<10	190	0.49	0.10	1.84	0.35	30.5	30.7	123
DD004448		0.24	0.002	0.14	2.34	4.8	<0.2	<10	150	0.45	0.11	1.44	0.39	32.3	27.6	118
DD003028		0.22	0.002	0.13	2.07	6.1	<0.2	<10	190	0.42	0.09	1.81	0.28	24.4	21.0	107
DD003029		0.26	0.004	0.15	1.98	8.1	<0.2	<10	160	0.36	0.10	3.10	0.32	26.4	22.5	93
DD003030		0.12	0.002	0.09	2.12	7.7	<0.2	<10	210	0.42	0.09	2.33	0.23	22.5	26.1	111
DD003031		0.26	0.003	0.11	2.53	9.7	<0.2	<10	170	0.42	0.08	1.54	0.22	29.2	28.3	131
DD003032		0.19	0.002	0.11	2.35	9.9	<0.2	<10	170	0.38	0.09	2.07	0.24	25.0	29.2	129
DD003033		0.17	0.003	0.18	2.22	11.1	<0.2	<10	190	0.48	0.10	2.15	0.35	22.9	32.1	120
DD003034		0.14	0.002	0.15	2.02	9.4	<0.2	<10	200	0.43	0.09	2.14	0.23	21.2	28.7	112
DD003035		0.18	0.002	0.13	1.95	6.7	<0.2	<10	180	0.39	0.08	2.73	0.25	18.50	27.4	114
DD003036		0.29	0.002	0.13	2.17	7.6	<0.2	<10	130	0.33	0.08	2.86	0.27	23.2	30.3	135
DD003037		0.27	0.002	0.17	2.36	10.1	<0.2	<10	130	0.35	0.09	2.73	0.29	26.2	34.7	145
DD003038		0.15	0.003	0.18	2.10	10.1	<0.2	<10	150	0.40	0.08	3.18	0.24	20.2	34.8	123
DD003039		0.22	0.003	0.19	1.90	19.8	<0.2	<10	150	0.35	0.07	3.28	0.25	14.85	46.1	121
DD003040		0.32	0.003	0.15	3.22	37.2	<0.2	<10	100	0.57	0.07	1.61	0.19	23.3	45.3	226
DD003041		0.25	0.003	0.14	2.43	22.6	<0.2	<10	140	0.60	0.14	1.39	0.18	24.0	38.4	137
DD003042		0.24	0.001	0.09	2.21	15.7	<0.2	<10	210	0.54	0.21	0.29	0.17	29.3	17.9	64
DD003043		0.26	0.001	0.07	2.54	14.3	<0.2	<10	210	0.55	0.20	0.22	0.06	27.6	15.1	74
DD003044		0.20	0.001	0.18	2.33	11.1	<0.2	<10	170	0.33	0.24	0.18	0.22	18.70	15.3	51
DD003045		0.26	0.003	0.10	3.42	7.2	<0.2	<10	130	0.65	0.06	2.59	0.30	36.6	49.0	167
DD003046		0.29	0.003	0.19	2.43	5.3	<0.2	<10	180	0.46	0.11	1.00	0.32	61.9	29.8	109
DD003047		0.19	0.003	0.15	3.03	14.6	<0.2	<10	160	0.69	0.05	1.65	0.37	31.7	44.8	155
DD003048		0.23	0.002	0.13	2.86	11.1	<0.2	<10	160	0.50	0.06	1.54	0.25	27.9	36.7	151
DD003049		0.31	0.002	0.12	2.82	4.4	<0.2	<10	130	0.36	0.08	1.16	0.24	29.9	44.8	201
DD003050		0.24	0.004	0.14	2.07	5.1	<0.2	<10	180	0.39	0.09	2.10	0.30	25.2	31.3	111
DD004001		0.25	0.001	0.13	2.84	11.5	<0.2	<10	120	0.47	0.06	1.33	0.20	26.0	28.3	164
DD004002		0.15	0.002	0.12	2.21	6.8	<0.2	<10	130	0.41	0.10	3.11	0.26	17.60	33.0	87
DD004003		0.25	0.002	0.07	2.68	13.8	<0.2	<10	200	0.57	0.24	0.19	0.34	28.2	13.5	47
DD004004		0.25	0.003	0.10	2.57	16.3	<0.2	<10	240	0.65	0.20	0.34	0.24	30.3	22.1	80
DD004005		0.23	0.003	0.53	2.42	20.5	<0.2	<10	170	0.72	0.20	0.21	0.23	34.1	28.0	73
DD004006		0.27	0.002	0.18	2.70	14.9	<0.2	<10	270	0.78	0.22	0.30	0.31	26.7	19.2	72
DD004007		0.25	0.002	0.04	3.07	12.7	<0.2	<10	170	0.45	0.13	0.25	0.20	21.8	29.6	136
DD004008		0.18	0.002	0.09	2.80	11.7	<0.2	<10	180	0.50	0.08	1.57	0.16	27.0	33.4	229
DD004009		0.19	0.002	0.14	2.43	8.6	<0.2	<10	180	0.37	0.07	2.41	0.26	19.40	32.6	147
DD004010		0.23	0.002	0.16	2.75	9.7	<0.2	<10	190	0.47	0.08	1.93	0.18	24.4	36.0	169
DD004011		0.21	0.003	0.13	2.74	7.8	<0.2	<10	190	0.47	0.08	1.95	0.17	25.2	33.4	161

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 5- SEP- 2011
Account: RCM

Project: Rackla- Cheshire

CERTIFICATE OF ANALYSIS WH11151928

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
DD004443		0.60	79.8	4.36	7.72	0.13	0.05	0.05	0.029	0.05	15.0	17.1	2.53	896	0.89	0.01
DD004444		0.58	66.0	4.49	8.32	0.12	0.05	0.03	0.028	0.04	14.7	17.8	2.57	766	0.63	0.01
DD004445		0.53	50.3	4.06	7.53	0.11	0.05	0.04	0.028	0.04	13.3	15.6	2.00	652	0.67	0.01
DD004446		0.54	68.5	4.34	8.14	0.11	0.05	0.05	0.029	0.05	15.6	17.3	2.28	632	0.64	0.01
DD004447		0.61	79.6	4.37	8.16	0.11	0.05	0.06	0.036	0.05	15.8	17.9	2.15	649	0.65	0.01
DD004448		0.55	69.3	4.00	8.13	0.12	0.05	0.05	0.027	0.05	16.0	17.7	2.03	410	0.36	0.01
DD003028		0.61	76.0	3.20	6.32	0.10	0.05	0.06	0.025	0.03	12.8	14.5	1.68	377	0.64	0.01
DD003029		0.53	66.6	3.67	6.35	0.12	0.04	0.06	0.027	0.04	14.0	14.3	2.31	725	0.68	0.01
DD003030		0.52	78.8	3.74	6.62	0.11	0.04	0.05	0.027	0.04	11.7	15.1	1.67	682	0.56	0.01
DD003031		0.66	80.6	4.62	8.50	0.12	0.04	0.05	0.035	0.06	15.2	18.4	2.11	753	0.92	0.01
DD003032		0.58	81.4	4.26	7.45	0.11	0.04	0.05	0.027	0.04	13.3	16.6	2.11	714	0.85	0.01
DD003033		0.72	134.5	4.01	7.55	0.05	0.05	0.08	0.029	0.05	12.7	16.2	1.85	585	1.00	0.01
DD003034		0.61	108.5	3.82	6.66	0.05	0.04	0.07	0.026	0.05	11.4	14.3	1.63	639	0.88	0.01
DD003035		0.67	119.5	3.39	6.17	<0.05	0.04	0.07	0.025	0.03	10.0	12.4	1.60	760	0.79	0.01
DD003036		0.64	103.0	3.94	6.79	0.05	0.05	0.05	0.027	0.04	10.9	14.0	2.52	780	0.85	0.01
DD003037		0.84	118.5	4.31	7.42	0.07	0.05	0.06	0.040	0.04	12.8	15.1	2.71	692	1.10	0.01
DD003038		0.98	171.5	3.83	6.30	0.05	0.03	0.10	0.029	0.03	10.7	12.6	1.65	796	0.93	0.01
DD003039		1.00	193.0	4.59	6.21	0.05	0.03	0.08	0.019	0.03	8.3	13.1	1.33	1120	1.68	0.01
DD003040		4.65	76.0	6.44	12.15	0.07	0.05	0.03	0.057	0.07	13.0	24.3	2.66	871	0.77	0.01
DD003041		1.99	114.5	4.72	8.73	<0.05	0.04	0.05	0.041	0.04	13.0	20.3	1.58	692	1.10	0.01
DD003042		0.83	50.2	3.69	8.30	<0.05	0.03	0.03	0.038	0.04	13.6	16.0	0.70	382	1.41	0.01
DD003043		1.62	20.4	3.58	8.73	<0.05	0.03	0.03	0.034	0.03	14.5	18.8	0.98	329	1.32	0.01
DD003044		1.00	28.5	3.80	8.52	<0.05	0.02	0.02	0.030	0.03	10.0	20.8	0.58	328	1.46	0.01
DD003045		3.54	119.5	7.50	12.70	0.09	0.06	0.02	0.074	0.06	19.3	20.8	2.68	2140	3.38	0.01
DD003046		1.19	59.2	6.21	8.62	0.11	0.04	0.10	0.035	0.07	34.8	17.7	2.07	688	1.76	0.01
DD003047		2.40	88.8	6.32	13.25	0.15	0.07	0.06	0.048	0.12	17.2	22.1	2.54	938	1.21	0.01
DD003048		1.28	61.7	5.79	11.40	0.09	0.05	0.08	0.041	0.04	14.7	19.4	2.31	840	1.58	0.01
DD003049		0.69	85.6	5.49	10.90	0.08	0.07	0.05	0.028	0.04	15.4	18.8	2.04	615	0.87	0.01
DD003050		0.53	58.4	4.23	7.86	0.06	0.05	0.07	0.030	0.03	13.7	13.6	1.57	1060	1.10	0.01
DD004001		1.55	58.0	5.50	10.55	0.09	0.04	0.05	0.042	0.05	13.6	19.8	2.61	717	1.24	0.01
DD004002		1.02	127.5	4.03	6.74	<0.05	0.04	0.06	0.027	0.04	8.5	14.1	1.19	1170	1.80	0.01
DD004003		1.53	22.6	4.11	7.04	0.05	0.17	0.03	0.040	0.04	14.1	28.0	0.52	304	1.81	<0.01
DD004004		1.51	31.6	4.17	8.13	<0.05	0.03	0.04	0.042	0.04	13.1	21.9	0.96	456	1.34	0.01
DD004005		1.40	69.5	4.23	7.02	<0.05	0.03	0.03	0.044	0.05	13.8	18.9	0.86	417	1.87	0.01
DD004006		1.38	60.6	3.93	8.04	<0.05	0.04	0.03	0.044	0.04	12.5	17.8	0.85	480	1.16	0.01
DD004007		1.56	58.5	4.97	9.91	<0.05	0.05	0.02	0.035	0.03	10.4	23.8	1.90	439	1.52	0.01
DD004008		0.76	114.5	4.80	8.50	0.05	0.06	0.05	0.031	0.04	14.8	17.2	2.33	606	2.23	0.01
DD004009		0.75	118.5	4.09	7.51	<0.05	0.06	0.08	0.029	0.04	10.6	15.3	2.18	674	0.77	0.01
DD004010		0.76	104.5	4.62	8.46	0.06	0.06	0.08	0.028	0.04	13.7	17.5	2.46	732	0.86	0.01
DD004011		0.74	93.3	4.52	8.41	0.05	0.05	0.06	0.030	0.04	13.4	16.5	2.44	661	0.87	0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 5- SEP- 2011
Account: RCM

Project: Rackla- Cheshire

CERTIFICATE OF ANALYSIS WH11151928

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
DD004443		3.34	156.0	1260	15.2	4.9	<0.001	0.04	1.06	4.7	0.8	0.2	48.6	<0.01	0.01	1.6
DD004444		3.29	149.0	1290	13.7	4.8	<0.001	0.03	0.86	5.3	0.5	0.3	44.1	<0.01	0.02	1.9
DD004445		3.98	122.0	1110	12.9	4.7	<0.001	0.05	0.90	4.1	0.5	0.3	50.9	0.01	0.01	1.4
DD004446		3.85	126.0	1410	13.2	4.9	<0.001	0.04	1.00	4.7	0.5	0.3	53.0	<0.01	0.02	1.9
DD004447		3.70	133.0	1340	15.1	6.0	<0.001	0.05	1.19	5.0	0.8	0.3	53.7	<0.01	0.02	1.8
DD004448		4.19	121.0	1320	14.4	6.1	<0.001	0.05	1.04	5.1	0.7	0.3	46.2	<0.01	0.01	1.9
DD003028		3.29	110.5	980	14.2	4.3	0.001	0.13	1.19	4.2	0.8	0.3	50.6	0.01	0.01	1.4
DD003029		3.40	98.5	1200	14.3	5.4	<0.001	0.07	0.92	3.9	0.8	0.2	62.3	<0.01	0.02	1.1
DD003030		2.75	125.5	810	15.2	4.3	<0.001	0.07	1.01	3.7	0.6	0.2	66.0	0.01	0.03	1.0
DD003031		3.17	139.0	1410	13.4	5.6	<0.001	0.05	1.07	5.4	1.0	0.3	49.7	<0.01	0.02	1.5
DD003032		2.78	139.0	1130	15.1	4.8	<0.001	0.06	1.07	4.6	0.8	0.2	50.9	<0.01	0.02	1.3
DD003033		2.35	153.5	990	15.8	5.9	0.001	0.09	1.58	4.2	1.3	0.2	64.2	<0.01	0.03	1.0
DD003034		2.86	140.0	980	14.6	5.4	<0.001	0.08	1.47	3.6	1.1	0.2	69.4	0.01	0.02	0.9
DD003035		1.87	147.0	900	14.6	4.6	<0.001	0.10	1.53	3.0	0.9	0.2	76.2	0.01	0.03	0.6
DD003036		3.16	157.5	1020	15.4	4.2	<0.001	0.05	1.11	4.1	0.7	0.2	59.7	<0.01	0.02	1.2
DD003037		2.80	182.5	1130	16.3	4.6	0.001	0.04	1.52	4.7	0.9	0.3	60.0	0.02	0.03	1.3
DD003038		1.74	168.0	1010	13.0	4.4	<0.001	0.10	2.07	3.5	1.5	0.2	96.4	0.01	0.03	0.4
DD003039		1.76	188.0	1350	8.6	3.7	<0.001	0.10	2.43	3.3	1.1	0.2	97.4	0.01	0.02	0.4
DD003040		2.67	188.0	740	11.2	6.2	<0.001	0.03	1.96	18.4	0.8	0.3	52.7	<0.01	0.02	1.7
DD003041		2.15	153.0	670	13.1	6.1	<0.001	0.05	1.70	8.9	1.1	0.3	45.5	<0.01	0.03	1.4
DD003042		2.58	58.4	280	15.5	5.6	<0.001	0.01	0.99	4.3	0.7	0.7	15.8	<0.01	0.03	3.0
DD003043		2.86	42.1	220	13.3	8.1	<0.001	0.01	0.52	5.5	0.5	0.8	14.1	<0.01	0.03	2.9
DD003044		2.29	40.7	290	16.1	6.6	<0.001	0.01	0.59	3.4	0.2	0.8	12.3	<0.01	0.05	2.3
DD003045		1.93	237	1900	6.7	6.1	<0.001	0.02	1.98	13.8	0.8	0.4	132.5	<0.01	0.02	2.0
DD003046		4.10	86.4	1440	9.8	10.6	<0.001	0.05	1.92	9.0	1.2	0.3	87.0	0.01	0.02	4.2
DD003047		5.78	141.5	1860	8.3	16.3	<0.001	0.05	1.16	10.0	1.2	0.4	90.8	0.01	0.02	2.1
DD003048		3.52	103.5	1590	7.7	6.5	<0.001	0.06	1.05	8.5	1.0	0.3	84.7	0.01	0.02	1.6
DD003049		4.60	168.5	2190	8.1	4.3	<0.001	0.03	1.12	5.4	0.6	0.3	56.8	<0.01	0.01	2.7
DD003050		3.21	87.6	1380	11.0	5.3	<0.001	0.09	1.13	3.8	1.0	0.2	113.5	0.01	0.03	1.1
DD004001		2.81	101.0	1100	6.4	5.7	<0.001	0.06	1.05	11.3	1.1	0.3	76.6	<0.01	0.02	1.7
DD004002		2.69	117.0	1130	8.3	6.3	<0.001	0.09	1.09	3.2	1.1	0.3	101.0	0.01	0.02	0.6
DD004003		2.42	29.6	380	15.6	11.4	<0.001	0.01	0.77	4.1	0.8	0.7	11.6	0.02	0.05	4.2
DD004004		2.85	71.5	510	14.8	9.1	<0.001	0.02	0.74	5.3	0.7	0.6	17.4	<0.01	0.04	2.8
DD004005		2.77	98.2	390	17.8	8.8	<0.001	0.02	1.32	4.0	0.6	0.5	14.3	<0.01	0.05	3.2
DD004006		2.27	76.8	410	17.0	7.6	<0.001	0.01	0.88	4.8	0.5	0.7	17.6	<0.01	0.03	3.5
DD004007		3.32	134.0	270	15.7	7.2	<0.001	0.01	1.38	4.6	0.5	0.6	14.7	<0.01	0.03	2.5
DD004008		3.66	225	650	17.9	3.9	<0.001	0.05	1.67	4.6	0.8	0.3	50.7	<0.01	0.02	1.2
DD004009		2.48	182.0	950	14.1	4.9	<0.001	0.07	1.70	3.8	0.9	0.2	68.8	<0.01	0.02	1.0
DD004010		2.93	190.0	930	17.7	5.0	<0.001	0.06	1.66	4.3	0.9	0.2	60.7	<0.01	0.02	1.2
DD004011		2.93	180.5	1040	16.8	5.1	<0.001	0.05	1.50	4.2	0.8	0.2	58.7	<0.01	0.01	1.2

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 5- SEP- 2011
Account: RCM

Project: Rackla- Cheshire

CERTIFICATE OF ANALYSIS WH11151928

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
DD004443		0.103	0.05	0.43	67	0.18	8.72	88	1.7
DD004444		0.099	0.05	0.35	68	0.19	8.72	94	1.8
DD004445		0.110	0.05	0.43	63	0.14	7.31	79	1.6
DD004446		0.106	0.06	0.54	65	0.19	9.11	89	1.8
DD004447		0.095	0.06	0.76	67	0.16	9.44	94	1.9
DD004448		0.109	0.06	0.54	65	0.14	9.39	97	1.9
DD003028		0.081	0.06	0.97	57	0.26	7.70	79	1.8
DD003029		0.086	0.05	0.67	54	0.11	8.80	84	1.3
DD003030		0.069	0.05	0.47	58	0.14	6.71	76	1.2
DD003031		0.095	0.05	0.57	69	0.13	9.47	91	1.3
DD003032		0.082	0.05	0.52	64	0.13	8.73	85	1.3
DD003033		0.057	0.08	0.63	58	0.12	8.22	83	1.4
DD003034		0.069	0.06	0.61	53	0.12	6.93	76	1.2
DD003035		0.045	0.06	0.88	51	0.07	6.71	68	1.1
DD003036		0.091	0.05	0.52	59	0.12	7.48	79	1.4
DD003037		0.087	0.07	0.54	63	0.17	8.84	81	1.4
DD003038		0.045	0.07	0.86	55	0.10	9.36	58	1.0
DD003039		0.055	0.05	0.82	58	0.12	7.98	52	1.0
DD003040		0.148	0.11	0.35	139	0.10	9.90	85	1.3
DD003041		0.081	0.09	0.76	90	0.14	10.60	69	1.0
DD003042		0.071	0.10	0.55	84	0.23	5.60	54	1.1
DD003043		0.095	0.16	0.53	83	0.26	4.94	58	0.8
DD003044		0.059	0.14	0.36	82	0.28	2.18	49	0.8
DD003045		0.154	0.08	0.31	124	0.11	14.90	88	1.8
DD003046		0.139	0.09	0.30	80	0.09	16.25	129	1.3
DD003047		0.207	0.11	0.50	119	0.10	11.60	125	1.9
DD003048		0.140	0.07	0.47	110	0.08	8.96	112	1.2
DD003049		0.128	0.05	0.61	91	0.30	9.70	106	2.0
DD003050		0.080	0.06	0.62	70	0.12	9.22	76	1.4
DD004001		0.102	0.07	0.41	106	0.11	9.39	88	1.4
DD004002		0.092	0.08	0.45	62	0.17	6.76	61	1.2
DD004003		0.067	0.13	0.59	70	0.33	4.04	67	5.2
DD004004		0.076	0.13	0.60	84	0.43	5.14	60	0.9
DD004005		0.096	0.11	0.66	70	0.24	5.35	76	1.2
DD004006		0.059	0.14	0.61	78	0.24	5.01	67	1.1
DD004007		0.125	0.09	0.38	91	0.23	3.80	75	2.0
DD004008		0.100	0.05	0.62	75	0.19	10.05	72	1.7
DD004009		0.063	0.05	0.51	60	0.09	7.21	75	1.7
DD004010		0.077	0.06	0.55	69	0.11	8.58	84	1.8
DD004011		0.077	0.06	0.53	69	0.11	7.95	85	1.6

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 5- SEP- 2011
Account: RCM

Project: Rackla- Cheshire

CERTIFICATE OF ANALYSIS WH11151928

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- TL43 Au ppm 0.001	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1
DD004012		0.21	0.002	0.12	2.43	6.3	<0.2	<10	190	0.44	0.07	1.76	0.20	25.1	30.7	146
DD004013		0.29	0.002	0.12	2.68	6.7	<0.2	<10	190	0.41	0.08	1.40	0.21	25.6	32.3	158
DD004014		0.16	0.002	0.13	2.54	8.0	<0.2	<10	220	0.49	0.07	1.75	0.22	24.9	31.3	148
DD004015		0.25	0.002	0.12	2.41	6.9	<0.2	<10	170	0.38	0.07	1.55	0.22	24.6	29.3	142
DD004016		0.18	0.002	0.12	2.43	6.3	<0.2	<10	190	0.45	0.07	1.70	0.33	25.3	32.3	140
DD004017		0.17	0.002	0.09	2.28	7.7	<0.2	<10	170	0.39	0.08	1.97	0.39	24.7	30.2	131
DD004018		0.18	0.002	0.15	2.38	8.6	<0.2	<10	220	0.44	0.08	1.99	0.37	27.0	34.0	133
DD004019		0.24	0.002	0.13	2.42	5.4	<0.2	<10	200	0.41	0.11	1.81	0.23	23.7	29.7	132
DD003815		0.19	0.003	0.12	2.64	3.9	<0.2	<10	160	0.58	0.11	1.71	0.32	37.4	33.0	111
DD003816		0.39	0.003	0.12	2.64	6.4	<0.2	<10	140	0.45	0.10	1.74	0.23	31.4	34.7	113
DD003817		0.26	0.002	0.14	2.36	7.6	<0.2	<10	180	0.47	0.10	1.74	0.30	25.1	34.4	116
DD003818		0.34	0.003	0.18	2.65	7.7	<0.2	<10	170	0.44	0.13	1.36	0.29	26.2	41.8	135
DD003819		0.38	0.002	0.11	2.53	6.7	<0.2	<10	180	0.39	0.10	1.58	0.26	22.5	39.6	150
DD003820		0.28	0.003	0.13	2.42	5.6	<0.2	<10	180	0.42	0.10	1.68	0.30	24.7	34.2	144
DD003821		0.25	0.003	0.19	2.57	11.7	<0.2	<10	160	0.50	0.11	1.59	0.30	26.2	38.8	157
DD003822		0.31	0.003	0.20	2.96	21.6	<0.2	<10	140	0.53	0.12	1.98	0.35	30.0	57.9	184
DD003823		0.27	0.002	0.16	1.96	9.2	<0.2	<10	220	0.56	0.12	2.60	0.30	19.75	29.6	109
DD003824		0.32	0.002	0.18	2.47	12.1	<0.2	<10	200	0.52	0.14	1.77	0.29	24.0	37.7	137
DD003825		0.42	0.005	0.17	2.36	13.6	<0.2	<10	210	0.45	0.15	2.11	0.27	24.4	37.0	125
DD003826		0.27	0.003	0.17	1.90	10.9	<0.2	<10	170	0.48	0.12	2.82	0.20	20.1	39.9	96
DD003827		0.33	0.004	0.17	2.32	9.5	<0.2	<10	120	0.34	0.10	3.47	0.18	11.30	80.0	158
DD003828		0.33	0.004	0.11	4.03	70.5	<0.2	<10	160	0.72	0.10	0.41	0.33	23.7	124.0	174
DD003829		0.32	0.004	0.24	2.72	69.1	<0.2	<10	100	0.32	0.08	2.54	0.27	22.3	77.4	176
DD003830		0.33	0.003	0.15	2.07	9.2	<0.2	<10	140	0.40	0.13	2.01	0.31	21.6	37.0	98
DD003831		0.24	0.002	0.16	2.37	14.1	<0.2	<10	110	0.43	0.12	1.65	0.25	25.1	35.4	124
DD003832		0.24	0.002	0.21	2.54	31.7	<0.2	<10	120	0.45	0.10	1.52	0.27	22.9	47.0	145
DD003833		0.22	0.002	0.13	3.62	17.4	<0.2	<10	110	0.47	0.06	1.43	0.18	29.1	44.7	171
DD003834		0.31	0.002	0.12	2.96	8.2	<0.2	<10	90	0.48	0.07	0.98	0.25	37.7	44.2	145
DD003835		0.32	0.003	0.15	3.17	6.3	<0.2	<10	150	0.50	0.12	1.55	0.29	31.8	50.4	173
DD003836		0.43	0.002	0.16	2.46	4.4	<0.2	<10	110	0.55	0.13	1.66	0.31	32.4	42.9	143
DD003837		0.25	0.002	0.11	2.56	6.2	<0.2	<10	110	0.36	0.08	1.98	0.26	17.90	36.2	144
DD003838		0.31	0.005	0.21	2.44	29.7	<0.2	<10	140	0.52	0.09	2.02	0.38	27.4	48.9	130
DD003839		0.35	0.002	0.09	2.13	24.5	<0.2	<10	150	0.46	0.22	0.60	0.38	23.8	36.3	77
DD003840		0.29	0.002	0.07	2.53	21.3	<0.2	<10	180	0.59	0.23	0.16	0.13	27.8	20.5	74
DD003841		0.32	0.001	0.07	2.47	20.6	<0.2	<10	220	0.35	0.20	0.38	0.15	20.2	29.8	99
DD003842		0.27	0.002	0.19	2.37	20.3	<0.2	<10	150	0.42	0.14	1.46	0.18	18.45	47.0	125
DD003843		0.30	0.003	0.17	2.26	16.9	<0.2	<10	200	0.45	0.12	2.32	0.20	22.9	37.3	120
DD003844		0.22	0.003	0.18	1.69	10.9	<0.2	<10	260	0.39	0.11	3.38	0.27	18.10	29.3	84
DD003845		0.29	0.003	0.18	2.77	11.5	<0.2	<10	150	0.50	0.11	1.96	0.28	26.4	42.1	135
DD003846		0.25	0.006	0.39	2.49	34.1	<0.2	<10	220	0.61	0.15	1.83	0.25	29.1	42.2	117

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 5- SEP- 2011
Account: RCM

Project: Rackla- Cheshire

CERTIFICATE OF ANALYSIS WH11151928

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
DD004012		0.63	73.6	4.07	7.71	<0.05	0.06	0.05	0.024	0.04	13.1	15.3	2.17	625	0.70	0.01
DD004013		0.66	68.2	4.42	8.33	0.05	0.05	0.04	0.025	0.04	13.8	16.6	2.34	777	0.94	0.01
DD004014		0.69	80.2	4.31	7.79	<0.05	0.05	0.04	0.028	0.04	13.9	16.3	2.16	912	1.04	0.01
DD004015		0.53	70.7	4.13	7.57	0.05	0.06	0.04	0.028	0.04	13.1	16.0	2.13	598	0.83	0.01
DD004016		0.63	77.3	4.07	7.89	<0.05	0.05	0.04	0.027	0.04	13.0	16.4	2.11	789	0.61	0.01
DD004017		0.46	58.1	4.08	7.35	0.05	0.05	0.04	0.026	0.04	13.1	15.1	2.02	739	0.87	0.01
DD004018		0.61	75.5	4.32	7.79	0.05	0.04	0.05	0.027	0.04	13.7	15.9	2.07	1240	1.06	0.01
DD004019		0.59	72.5	3.94	7.39	0.10	0.05	0.05	0.028	0.04	13.3	16.3	2.07	649	0.52	0.01
DD003815		0.57	91.5	4.74	9.11	0.13	0.06	0.03	0.032	0.06	20.4	19.8	2.34	465	0.43	0.01
DD003816		0.64	95.1	4.80	9.26	0.12	0.06	0.04	0.031	0.06	18.6	19.0	2.30	642	0.64	0.01
DD003817		0.54	92.5	4.23	7.83	0.12	0.05	0.05	0.031	0.05	14.3	17.3	1.98	791	0.90	0.01
DD003818		0.56	118.0	4.91	8.85	0.11	0.06	0.05	0.037	0.06	14.4	20.5	2.27	707	1.02	0.01
DD003819		0.50	68.3	4.42	8.23	0.13	0.06	0.04	0.033	0.04	12.4	18.5	2.15	675	0.69	0.01
DD003820		0.55	85.0	4.09	7.75	0.10	0.06	0.05	0.028	0.04	13.5	16.9	2.20	596	0.52	0.01
DD003821		0.69	117.5	4.94	7.98	0.12	0.06	0.07	0.031	0.05	14.5	17.6	2.30	561	1.11	0.01
DD003822		0.83	129.0	5.73	10.00	0.12	0.07	0.04	0.041	0.06	16.2	20.7	2.75	888	1.57	0.01
DD003823		0.57	92.7	3.44	5.96	0.10	0.04	0.06	0.025	0.04	10.9	14.9	1.45	602	0.54	0.02
DD003824		0.70	133.0	4.46	7.13	0.10	0.05	0.05	0.027	0.05	13.3	17.7	2.02	800	0.98	0.01
DD003825		0.69	120.5	4.47	7.27	0.10	0.05	0.04	0.031	0.05	13.3	16.9	1.91	615	1.03	0.01
DD003826		0.44	106.0	4.29	5.96	0.10	0.05	0.03	0.024	0.04	10.8	14.5	1.36	810	1.20	0.01
DD003827		0.36	179.0	7.32	6.88	0.10	0.06	0.03	0.013	0.03	6.5	16.2	1.52	1020	1.52	0.02
DD003828		0.64	176.5	9.40	12.80	0.09	0.06	0.04	0.047	0.02	8.3	28.7	2.05	1810	2.30	0.01
DD003829		1.07	137.0	7.22	11.40	0.12	0.04	0.02	0.049	0.03	12.9	22.4	2.05	1500	1.83	0.01
DD003830		0.72	98.0	4.15	6.34	0.10	0.05	0.04	0.026	0.04	11.4	15.7	1.39	909	1.14	0.01
DD003831		1.63	89.5	4.86	7.58	0.14	0.03	0.04	0.040	0.04	14.2	19.4	2.01	821	0.90	0.01
DD003832		1.81	81.2	5.69	9.17	0.13	0.03	0.05	0.052	0.03	12.5	23.7	2.17	1150	1.17	0.01
DD003833		2.68	59.0	7.01	12.35	0.13	0.04	0.02	0.045	0.05	16.3	31.4	3.59	1080	1.04	0.01
DD003834		1.45	68.8	6.79	11.95	0.16	0.09	0.03	0.043	0.06	21.1	24.2	2.99	679	2.26	0.01
DD003835		0.89	86.8	6.34	12.20	0.14	0.09	0.03	0.041	0.05	18.2	21.2	2.78	1100	1.62	0.01
DD003836		1.57	92.1	5.72	11.20	0.13	0.08	0.05	0.044	0.05	19.2	15.4	2.11	1000	1.71	0.01
DD003837		1.47	89.7	4.65	9.04	0.13	0.05	0.03	0.032	0.03	9.9	21.9	2.22	809	0.55	0.01
DD003838		0.58	94.9	6.04	9.72	0.12	0.03	0.05	0.054	0.03	15.1	18.2	1.78	1260	1.33	0.01
DD003839		1.15	64.8	4.34	6.39	0.09	0.02	0.02	0.036	0.03	11.1	15.7	0.82	1030	1.61	0.01
DD003840		1.54	30.0	4.06	7.90	0.09	0.05	0.02	0.041	0.03	13.4	22.2	0.88	348	1.75	0.01
DD003841		0.84	66.8	4.74	8.55	0.09	0.02	0.03	0.035	0.03	10.3	19.1	1.14	750	1.47	0.01
DD003842		0.60	141.0	5.16	6.86	0.10	0.04	0.03	0.025	0.03	9.7	17.0	1.50	809	1.23	0.01
DD003843		0.63	135.5	4.36	7.07	0.09	0.03	0.05	0.030	0.04	12.9	16.6	1.57	792	1.08	0.01
DD003844		0.56	129.0	3.05	5.12	0.10	0.03	0.08	0.023	0.03	9.8	12.1	1.07	768	0.85	0.02
DD003845		0.90	95.1	5.15	9.30	0.12	0.05	0.02	0.032	0.09	13.7	20.4	2.26	802	0.73	0.01
DD003846		0.87	206	4.71	8.40	0.09	0.04	0.08	0.040	0.04	17.2	18.8	1.61	718	1.46	0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 5- SEP- 2011
Account: RCM

Project: Rackla- Cheshire

CERTIFICATE OF ANALYSIS WH11151928

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
DD004012		3.31	160.5	1070	14.8	4.8	<0.001	0.05	1.22	3.7	0.9	0.2	58.1	<0.01	0.03	1.3
DD004013		3.57	161.0	1040	16.0	5.5	<0.001	0.04	1.08	4.2	0.8	0.3	47.6	<0.01	0.03	1.5
DD004014		3.12	160.0	1060	15.3	5.0	<0.001	0.05	1.26	3.8	0.9	0.3	56.5	<0.01	0.02	1.2
DD004015		3.83	146.5	1120	13.8	4.4	<0.001	0.04	1.19	4.1	0.8	0.2	51.9	<0.01	0.02	1.4
DD004016		3.43	160.0	1130	13.6	5.2	<0.001	0.05	1.17	4.1	0.5	0.2	56.6	<0.01	0.01	1.3
DD004017		3.21	136.0	1080	14.0	3.9	<0.001	0.05	1.19	3.8	0.5	0.2	56.2	0.01	0.02	1.2
DD004018		3.03	151.5	1250	14.8	5.4	<0.001	0.07	1.23	4.1	1.0	0.2	61.8	<0.01	0.02	1.2
DD004019		2.59	132.0	1220	15.2	5.1	<0.001	0.07	0.98	3.9	0.9	0.2	60.5	<0.01	0.01	1.2
DD003815		5.54	120.5	1780	14.0	6.8	<0.001	0.05	1.01	4.2	0.6	0.4	69.8	0.01	<0.01	2.3
DD003816		5.07	121.0	1770	12.9	5.9	<0.001	0.03	0.90	4.5	0.3	0.3	67.6	0.01	<0.01	2.4
DD003817		3.29	126.5	1280	14.8	5.5	<0.001	0.05	1.00	4.3	0.5	0.3	58.5	<0.01	<0.01	1.6
DD003818		3.08	149.0	1310	14.0	5.7	<0.001	0.03	1.05	5.2	0.4	0.3	50.0	<0.01	<0.01	2.2
DD003819		3.47	152.5	1100	14.0	4.8	<0.001	0.04	0.86	4.1	0.7	0.3	52.6	<0.01	0.01	1.7
DD003820		3.59	154.0	1130	14.9	4.8	<0.001	0.04	0.86	4.1	0.8	0.3	51.2	<0.01	0.02	1.7
DD003821		3.58	183.0	1300	15.6	5.2	<0.001	0.04	1.43	5.4	0.7	0.3	47.0	<0.01	<0.01	2.1
DD003822		3.60	219	1590	13.6	5.7	0.001	0.02	1.62	6.4	0.6	0.3	54.2	<0.01	<0.01	2.5
DD003823		3.35	117.5	1080	13.7	5.1	<0.001	0.08	1.23	3.1	0.6	0.2	63.7	0.01	0.03	0.8
DD003824		2.11	161.0	1040	16.5	6.1	<0.001	0.04	1.12	4.6	0.7	0.3	45.8	<0.01	0.02	1.6
DD003825		2.67	150.5	940	15.0	5.3	<0.001	0.05	1.39	4.7	0.3	0.3	49.1	<0.01	0.02	1.6
DD003826		3.04	144.5	790	13.4	4.4	<0.001	0.06	1.35	3.5	1.0	0.3	70.5	<0.01	0.01	1.0
DD003827		2.59	277	900	10.2	2.6	0.001	0.03	2.29	3.4	1.2	0.3	76.7	0.01	0.02	1.1
DD003828		3.90	339	1050	12.1	3.1	<0.001	0.03	3.24	5.8	1.0	0.4	16.4	0.04	<0.01	1.8
DD003829		3.19	246	1190	10.8	4.1	<0.001	0.06	2.36	10.0	0.9	0.4	79.8	0.02	0.02	1.5
DD003830		2.76	112.0	1180	10.8	5.6	<0.001	0.09	1.39	3.6	1.0	0.2	67.2	0.01	0.03	1.0
DD003831		1.90	110.5	1040	10.1	5.8	0.001	0.08	0.97	7.2	1.0	0.2	57.9	<0.01	<0.01	1.3
DD003832		1.62	121.5	1130	14.3	4.5	<0.001	0.07	1.48	10.1	0.9	0.2	64.1	<0.01	0.01	1.2
DD003833		2.95	122.0	1900	8.8	5.5	<0.001	0.05	1.18	10.0	0.6	0.3	56.1	<0.01	<0.01	2.2
DD003834		4.32	119.5	2130	7.9	6.5	<0.001	0.03	1.27	7.0	0.7	0.3	39.9	<0.01	0.02	3.5
DD003835		6.04	132.0	1930	9.4	5.3	<0.001	0.06	1.02	6.8	1.1	0.3	72.4	0.01	0.02	2.7
DD003836		6.20	128.0	2210	11.2	6.1	<0.001	0.05	1.11	5.7	0.6	0.4	71.2	0.01	0.01	2.5
DD003837		2.60	127.0	1040	5.2	4.6	0.001	0.09	0.85	6.9	0.6	0.2	74.1	<0.01	<0.01	1.2
DD003838		1.77	156.5	1370	10.0	4.3	0.001	0.09	2.49	7.2	1.0	0.2	71.5	<0.01	0.04	1.0
DD003839		2.49	109.0	990	24.7	6.5	<0.001	0.04	1.43	3.4	0.2	0.5	28.3	0.02	0.01	1.4
DD003840		2.98	54.5	340	19.4	9.0	<0.001	0.01	1.43	4.5	0.5	0.7	10.5	<0.01	0.02	3.5
DD003841		3.24	100.5	400	15.7	5.8	0.001	0.02	1.08	3.9	0.3	0.6	20.8	<0.01	0.02	1.3
DD003842		2.26	189.5	710	12.8	4.6	<0.001	0.04	1.72	4.0	0.6	0.3	48.5	<0.01	0.01	1.3
DD003843		2.04	161.0	900	16.4	5.1	<0.001	0.07	1.33	4.1	1.1	0.3	67.5	<0.01	0.01	0.9
DD003844		1.32	122.0	900	13.4	5.0	<0.001	0.11	1.23	2.5	1.0	0.2	88.2	<0.01	0.01	0.5
DD003845		4.06	155.0	1700	14.2	6.7	<0.001	0.03	1.09	4.6	1.1	0.3	60.1	<0.01	0.01	1.9
DD003846		1.89	155.5	1150	16.4	6.2	<0.001	0.07	1.69	6.5	1.0	0.3	60.2	<0.01	0.01	1.2

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 5- SEP- 2011
Account: RCM

Project: Rackla- Cheshire

CERTIFICATE OF ANALYSIS WH11151928

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
DD004012		0.086	0.05	0.48	63	0.17	7.32	78	1.7
DD004013		0.097	0.06	0.50	69	0.14	7.59	86	1.6
DD004014		0.078	0.05	0.56	66	0.12	7.98	80	1.5
DD004015		0.108	0.05	0.51	65	0.14	7.86	80	1.7
DD004016		0.088	0.06	0.46	63	0.12	7.69	86	1.6
DD004017		0.086	0.04	0.54	62	0.10	7.14	81	1.6
DD004018		0.077	0.06	0.52	63	0.10	8.19	92	1.4
DD004019		0.078	0.08	0.57	63	0.12	7.75	89	1.7
DD003815		0.144	0.07	0.66	71	0.18	9.31	94	2.0
DD003816		0.139	0.08	0.53	70	0.20	9.32	94	2.0
DD003817		0.100	0.07	0.59	63	0.14	8.34	87	1.6
DD003818		0.113	0.07	0.55	75	0.18	9.29	96	2.1
DD003819		0.114	0.06	0.46	67	0.18	7.17	84	1.9
DD003820		0.111	0.07	0.45	63	0.19	7.94	84	2.1
DD003821		0.114	0.08	0.59	71	0.19	9.29	91	2.3
DD003822		0.123	0.07	0.42	87	0.24	9.54	106	2.1
DD003823		0.069	0.06	0.85	52	0.12	7.00	71	1.4
DD003824		0.079	0.06	0.47	68	0.15	9.10	84	1.6
DD003825		0.099	0.07	0.47	72	0.18	9.64	85	1.8
DD003826		0.092	0.06	0.50	52	0.16	8.06	59	1.5
DD003827		0.158	0.04	0.50	64	0.13	7.08	71	2.2
DD003828		0.235	0.05	0.55	121	0.24	7.17	98	2.0
DD003829		0.186	0.05	0.72	114	0.19	10.50	83	1.7
DD003830		0.095	0.07	0.71	61	0.16	8.02	81	1.4
DD003831		0.078	0.07	0.46	79	0.07	9.71	88	1.1
DD003832		0.066	0.07	0.38	92	0.08	9.03	97	1.1
DD003833		0.144	0.13	0.29	116	0.17	6.94	109	1.5
DD003834		0.150	0.12	0.53	99	0.22	9.45	110	3.2
DD003835		0.163	0.08	0.50	109	0.20	9.77	103	2.6
DD003836		0.162	0.11	0.57	95	0.20	9.56	104	2.9
DD003837		0.113	0.05	0.37	90	0.12	6.82	78	1.6
DD003838		0.062	0.04	0.35	91	0.13	9.75	106	1.1
DD003839		0.120	0.08	0.66	68	0.21	5.39	78	0.9
DD003840		0.117	0.15	0.60	86	0.28	4.89	74	2.0
DD003841		0.147	0.09	0.46	90	0.29	4.53	65	0.9
DD003842		0.108	0.05	0.53	69	0.18	7.45	74	1.4
DD003843		0.065	0.06	0.57	65	0.14	9.49	70	1.2
DD003844		0.036	0.06	0.75	45	0.12	7.73	56	1.0
DD003845		0.119	0.07	0.40	68	0.21	7.57	97	1.6
DD003846		0.055	0.07	0.79	81	0.15	12.10	84	1.2

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 5- SEP- 2011
Account: RCM

Project: Rackla- Cheshire

CERTIFICATE OF ANALYSIS WH11151928

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- TL43 Au ppm 0.001	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1
DD003847		0.30	0.003	0.17	2.47	21.2	<0.2	<10	190	0.43	0.11	2.25	0.25	23.4	37.2	137
DD003848		0.28	0.003	0.18	2.33	13.0	<0.2	<10	220	0.46	0.14	1.96	0.25	23.6	37.9	116
DD003849		0.30	0.004	0.24	2.48	18.7	<0.2	<10	180	0.52	0.15	1.22	0.40	28.8	45.5	122
DD003850		0.35	0.003	0.15	2.36	11.8	<0.2	<10	160	0.45	0.10	3.80	0.35	31.0	34.2	105

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 5- SEP- 2011
Account: RCM

Project: Rackla- Cheshire

CERTIFICATE OF ANALYSIS WH11151928

Sample Description	Method Analyte Units LOR	ME- MS41 Cs ppm 0.05	ME- MS41 Cu ppm 0.2	ME- MS41 Fe % 0.01	ME- MS41 Ga ppm 0.05	ME- MS41 Ge ppm 0.05	ME- MS41 Hf ppm 0.02	ME- MS41 Hg ppm 0.01	ME- MS41 In ppm 0.005	ME- MS41 K % 0.01	ME- MS41 La ppm 0.2	ME- MS41 Li ppm 0.1	ME- MS41 Mg % 0.01	ME- MS41 Mn ppm 5	ME- MS41 Mo ppm 0.05	ME- MS41 Na % 0.01
DD003847		0.40	92.0	4.69	7.94	0.10	0.05	0.04	0.028	0.04	12.6	18.3	1.96	944	1.13	0.01
DD003848		0.55	105.0	4.01	7.56	0.10	0.03	0.05	0.030	0.04	12.5	18.2	1.69	816	1.00	0.01
DD003849		0.69	128.0	4.64	8.73	0.11	0.05	0.03	0.031	0.05	14.8	20.5	1.93	932	1.27	0.01
DD003850		0.65	102.0	4.39	8.41	0.07	0.07	0.04	0.029	0.08	16.8	18.3	2.25	759	0.99	0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 5- SEP- 2011
Account: RCM

Project: Rackla- Cheshire

CERTIFICATE OF ANALYSIS WH11151928

Sample Description	Method Analyte Units LOR	ME- MS41 Nb ppm 0.05	ME- MS41 Ni ppm 0.2	ME- MS41 P ppm 10	ME- MS41 Pb ppm 0.2	ME- MS41 Rb ppm 0.1	ME- MS41 Re ppm 0.001	ME- MS41 S % 0.01	ME- MS41 Sb ppm 0.05	ME- MS41 Sc ppm 0.1	ME- MS41 Se ppm 0.2	ME- MS41 Sn ppm 0.2	ME- MS41 Sr ppm 0.2	ME- MS41 Ta ppm 0.01	ME- MS41 Te ppm 0.01	ME- MS41 Th ppm 0.2
DD003847		2.65	142.0	1290	12.9	4.1	0.001	0.06	1.34	4.3	0.6	0.2	63.2	0.01	0.01	1.3
DD003848		2.26	136.0	920	19.3	5.0	<0.001	0.06	1.15	4.1	0.8	0.3	62.6	<0.01	0.02	1.2
DD003849		2.73	158.0	1130	28.3	6.3	<0.001	0.03	1.28	5.4	1.0	0.3	45.9	<0.01	0.03	1.9
DD003850		4.41	125.0	1540	15.1	5.6	<0.001	0.03	1.24	4.6	0.8	0.3	125.0	<0.01	0.03	2.1

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 5- SEP- 2011
Account: RCM

Project: Rackla- Cheshire

CERTIFICATE OF ANALYSIS WH11151928

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
DD003847		0.079	0.04	0.80	65	0.15	7.15	86	1.5
DD003848		0.067	0.06	0.67	62	0.11	8.01	77	1.3
DD003849		0.096	0.06	0.49	70	0.18	9.32	92	1.7
DD003850		0.113	0.07	0.47	64	0.19	8.83	88	2.0

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 5- SEP- 2011
Account: RCM

Project: Rackla- Cheshire

CERTIFICATE OF ANALYSIS WH11151928

Method	CERTIFICATE COMMENTS
ME- MS41	Gold determinations by this method are semi- quantitative due to the small sample weight used (0.5g).

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 5- SEP- 2011
Account: RCM

CERTIFICATE WH11151929

Project: Rackla- Cheshire

P.O. No.:

This report is for 168 Soil samples submitted to our lab in Whitehorse, YT, Canada on 12- AUG- 2011.

The following have access to data associated with this certificate:

ROB CARNE JULIA LANE	ANDREW CARNE JOAN MARIACHER	MATT DUMALA

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
SCR- 41	Screen to - 180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- TL43	Trace Level Au - 25g AR	ICP- MS
ME- MS41	51 anal. aqua regia ICPMS	

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 5- SEP- 2011
Account: RCM

Project: Rackla- Cheshire

CERTIFICATE OF ANALYSIS WH11151929

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- TL43 Au ppm 0.001	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1
DD003301		0.36	0.003	0.12	2.47	8.0	<0.2	<10	140	0.41	0.08	2.39	0.30	34.6	30.4	105
DD003302		0.25	0.002	0.11	2.29	7.7	<0.2	<10	150	0.42	0.07	1.74	0.19	33.1	26.5	96
DD003303		0.19	0.002	0.13	2.68	8.1	<0.2	<10	190	0.53	0.10	1.64	0.29	32.6	31.1	118
DD003304		0.40	0.002	0.12	2.50	8.6	<0.2	<10	90	0.35	0.07	3.56	0.28	32.9	32.7	112
DD003305		0.37	0.001	0.14	2.30	10.0	<0.2	<10	120	0.32	0.07	3.25	0.34	27.3	30.2	110
DD003306		0.26	0.002	0.10	2.05	11.3	<0.2	<10	110	0.32	0.08	1.74	0.26	26.7	27.2	109
DD003307		0.27	0.002	0.07	2.29	12.7	<0.2	<10	70	0.36	0.12	1.24	0.59	27.1	26.5	117
DD003308		0.28	0.001	0.03	2.49	1.0	<0.2	<10	170	0.27	0.08	0.69	0.40	11.65	32.1	135
DD003309		0.38	0.001	0.13	2.60	10.2	<0.2	<10	160	0.41	0.10	1.42	0.30	25.9	39.6	146
DD003310		0.35	0.002	0.16	2.75	10.0	<0.2	<10	160	0.44	0.10	0.95	0.26	28.1	35.2	167
DD003311		0.33	0.001	0.18	2.54	9.8	<0.2	<10	150	0.47	0.09	1.99	0.36	27.4	37.8	149
DD003312		0.34	0.002	0.18	2.32	12.5	<0.2	<10	140	0.40	0.10	1.85	0.34	26.9	37.8	140
DD003313		0.35	0.002	0.65	2.22	11.6	<0.2	<10	150	0.43	0.12	1.71	0.28	24.9	34.1	128
DD003314		0.33	0.001	0.09	2.82	14.8	<0.2	<10	210	0.75	0.15	0.82	0.27	33.4	32.6	125
DD003315		0.27	0.001	0.16	2.07	13.6	<0.2	<10	150	0.44	0.14	3.14	0.33	20.6	33.5	101
DD003316		0.28	0.001	0.08	2.50	14.4	<0.2	<10	220	0.75	0.19	0.32	0.14	39.0	27.5	66
DD003317		0.19	0.004	0.30	3.42	123.5	<0.2	<10	120	0.50	0.10	2.02	0.21	12.60	71.2	186
DD003318		0.30	0.001	0.22	2.98	52.9	<0.2	<10	140	0.44	0.08	1.52	0.28	19.55	48.3	170
DD003319		0.34	0.001	0.19	2.76	36.9	<0.2	<10	140	0.36	0.08	1.33	0.23	26.8	38.9	147
DD003320		0.23	0.001	0.17	2.83	14.9	<0.2	<10	190	0.48	0.09	1.43	0.29	23.9	37.0	146
DD003321		0.27	0.004	0.13	3.01	23.5	<0.2	<10	130	0.44	0.07	1.49	0.25	35.5	37.5	130
DD003322		0.41	<0.001	0.04	4.07	1.9	<0.2	<10	90	0.58	0.03	0.86	0.19	21.1	50.5	260
DD003323		0.15	0.001	0.11	2.50	5.3	<0.2	<10	180	0.39	0.10	1.33	0.36	26.3	27.0	144
DD003324		0.35	0.001	0.12	2.58	8.2	<0.2	<10	160	0.40	0.09	1.15	0.36	29.0	30.5	151
DD003325		0.31	0.001	0.13	2.83	7.9	<0.2	<10	110	0.39	0.08	1.57	0.31	34.4	37.0	160
DD003326		0.41	0.001	0.13	2.34	9.3	<0.2	<10	80	0.29	0.05	5.61	0.36	27.3	35.4	140
DD003327		0.29	0.001	0.15	2.90	9.1	<0.2	<10	130	0.63	0.06	1.43	0.26	43.9	28.6	171
DD003328		0.34	0.001	0.17	3.03	7.2	<0.2	<10	120	0.67	0.08	1.69	0.49	57.3	28.6	162
DD003329		0.32	<0.001	0.22	4.35	41.4	<0.2	<10	130	1.38	0.04	1.92	0.14	82.1	50.1	354
DD003330		0.32	0.001	0.15	2.77	15.2	<0.2	<10	200	0.72	0.12	0.99	0.23	37.7	28.9	118
DD003331		0.33	0.001	0.15	2.53	13.7	<0.2	<10	290	0.76	0.16	1.36	0.23	40.1	31.1	108
DD003332		0.29	0.001	0.07	1.90	10.0	<0.2	<10	200	0.51	0.17	0.24	0.07	27.3	9.8	43
DD003333		0.27	0.001	0.11	2.67	22.3	<0.2	<10	240	0.48	0.10	2.24	0.19	46.6	30.3	102
DD003334		0.32	0.001	0.15	2.37	13.6	<0.2	<10	210	0.58	0.17	0.95	0.28	27.5	32.8	109
DD003335		0.35	0.001	0.19	2.46	38.0	<0.2	<10	220	0.49	0.16	2.32	0.41	32.4	26.8	100
DD003336		0.35	0.003	0.14	2.89	13.1	<0.2	<10	210	0.49	0.13	2.19	0.45	34.7	37.0	141
DD003337		0.25	0.001	0.13	2.74	8.7	<0.2	<10	210	0.42	0.12	2.43	0.47	29.7	33.0	128
DD003338		0.35	0.001	0.13	2.68	9.4	<0.2	<10	180	0.49	0.13	2.06	0.45	34.3	30.8	132
DD003339		0.27	0.001	0.10	2.47	8.4	<0.2	<10	190	0.38	0.10	3.92	0.36	27.2	28.8	115
DD003340		0.31	0.001	0.11	2.44	10.0	<0.2	<10	170	0.42	0.11	2.67	0.38	29.4	28.4	116

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 5- SEP- 2011
Account: RCM

Project: Rackla- Cheshire

CERTIFICATE OF ANALYSIS WH11151929

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
DD003301		0.54	77.7	4.50	8.58	0.07	0.06	0.04	0.022	0.07	18.3	17.9	2.41	909	0.95	0.01
DD003302		0.47	68.9	4.21	7.91	0.06	0.05	0.03	0.023	0.05	18.1	17.0	1.91	687	0.78	0.01
DD003303		0.60	92.5	4.81	9.39	0.07	0.06	0.06	0.030	0.06	17.8	19.9	2.24	769	0.91	0.01
DD003304		0.81	84.0	4.63	9.12	0.09	0.09	0.03	0.026	0.08	17.4	18.6	2.81	654	0.99	0.01
DD003305		0.70	94.3	4.27	8.26	0.07	0.04	0.04	0.026	0.06	14.5	16.7	2.41	662	1.00	0.01
DD003306		0.60	58.8	4.20	7.10	0.06	0.06	0.02	0.028	0.05	13.7	15.2	1.91	490	1.05	0.01
DD003307		0.72	55.6	4.47	8.54	0.05	0.04	0.02	0.031	0.04	14.3	18.1	1.84	572	1.42	0.01
DD003308		0.17	82.9	4.69	8.84	<0.05	0.07	0.01	0.016	0.05	5.9	19.5	1.51	419	1.20	0.01
DD003309		0.59	116.5	4.70	8.67	0.06	0.06	0.04	0.027	0.04	13.2	19.8	2.19	892	1.20	0.01
DD003310		0.83	102.5	4.89	8.51	0.06	0.07	0.05	0.024	0.05	15.6	19.0	2.42	723	1.04	0.01
DD003311		0.75	115.5	4.53	8.31	0.06	0.07	0.05	0.024	0.05	14.1	18.3	2.33	850	1.15	0.01
DD003312		0.83	153.5	4.40	7.13	0.06	0.06	0.05	0.023	0.05	15.2	17.4	2.11	854	1.23	0.01
DD003313		0.72	175.0	4.27	6.59	0.05	0.05	0.07	0.027	0.05	14.1	16.6	1.82	580	1.10	0.01
DD003314		0.88	78.8	4.88	8.98	0.05	0.06	0.06	0.047	0.04	16.0	19.0	1.81	604	1.47	0.01
DD003315		0.67	166.0	4.17	7.04	<0.05	0.05	0.04	0.029	0.04	11.7	14.1	1.57	761	1.04	0.01
DD003316		1.02	81.7	4.10	6.69	<0.05	0.06	0.03	0.039	0.04	15.3	18.2	0.89	531	1.28	0.01
DD003317		6.17	226	6.40	10.40	0.07	0.04	0.05	0.045	0.08	6.5	29.1	3.21	989	1.12	0.01
DD003318		2.08	124.5	5.80	9.57	0.08	0.03	0.05	0.043	0.03	10.8	23.4	2.50	1620	1.21	0.01
DD003319		1.19	95.3	5.93	8.63	0.08	0.03	0.04	0.038	0.04	14.7	27.2	2.46	970	0.99	0.01
DD003320		2.50	83.3	5.17	9.58	0.05	0.04	0.05	0.034	0.04	12.9	26.2	2.47	1440	1.26	0.01
DD003321		1.81	77.3	6.43	10.55	0.08	0.06	0.04	0.041	0.06	18.5	29.0	2.74	974	1.47	0.01
DD003322		1.75	78.6	6.68	13.55	0.08	0.09	0.01	0.016	0.13	10.4	46.6	3.48	1030	0.32	0.01
DD003323		0.68	69.0	3.91	8.04	0.06	0.07	0.06	0.029	0.06	13.9	17.1	2.15	568	0.40	0.01
DD003324		0.75	84.0	4.56	8.29	0.07	0.07	0.04	0.029	0.05	15.4	18.9	2.32	681	1.03	0.01
DD003325		0.91	89.0	5.00	9.48	0.08	0.08	0.04	0.031	0.06	18.5	20.2	2.94	726	1.19	0.01
DD003326		0.82	99.7	4.39	7.65	0.09	0.19	0.03	0.025	0.07	14.1	14.7	2.79	719	1.34	0.01
DD003327		1.43	67.7	5.10	11.40	0.09	0.07	0.05	0.029	0.11	22.6	23.9	2.84	592	1.36	0.01
DD003328		1.67	70.7	5.30	13.25	0.09	0.07	0.05	0.027	0.14	31.3	25.1	3.12	731	1.99	0.01
DD003329		7.07	102.0	7.82	18.95	0.19	0.11	0.11	0.062	0.44	44.5	39.5	5.05	783	4.49	0.01
DD003330		1.22	61.8	5.10	8.80	0.06	0.05	0.04	0.037	0.06	19.9	22.3	1.81	701	1.36	0.01
DD003331		1.07	73.5	4.74	8.11	0.07	0.08	0.05	0.035	0.07	23.5	20.0	1.86	898	1.36	0.01
DD003332		1.03	14.3	3.09	5.79	<0.05	0.04	0.02	0.026	0.04	13.4	16.6	0.61	233	1.11	0.01
DD003333		4.02	81.4	6.26	9.21	0.08	0.06	0.04	0.038	0.20	24.1	20.0	1.39	587	1.24	0.01
DD003334		1.42	91.3	4.42	7.54	<0.05	0.05	0.09	0.032	0.05	13.3	23.7	1.33	1060	1.11	0.01
DD003335		0.80	60.2	4.93	8.21	0.06	0.08	0.07	0.034	0.08	17.6	19.4	2.12	714	1.38	0.01
DD003336		0.89	70.4	5.43	9.29	0.15	0.08	0.06	0.039	0.09	17.1	20.6	3.00	876	0.96	0.01
DD003337		0.72	63.0	4.92	8.41	0.11	0.08	0.06	0.035	0.09	15.3	18.5	2.59	696	0.79	0.02
DD003338		0.71	59.9	4.95	8.68	0.12	0.10	0.06	0.034	0.09	17.1	20.1	2.82	391	0.61	0.01
DD003339		0.58	46.0	4.56	7.59	0.12	0.07	0.05	0.027	0.08	13.6	16.8	2.86	599	0.63	0.02
DD003340		0.62	48.9	4.64	7.59	0.12	0.08	0.05	0.028	0.08	15.4	17.3	2.81	599	0.69	0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 5- SEP- 2011
Account: RCM

Project: Rackla- Cheshire

CERTIFICATE OF ANALYSIS WH11151929

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
DD003301		5.42	119.0	1910	15.4	5.2	<0.001	0.02	0.89	4.0	0.5	0.3	81.1	0.01	<0.01	2.0
DD003302		5.77	100.0	1710	12.8	4.5	<0.001	0.04	0.87	3.6	0.7	0.3	67.4	0.01	<0.01	1.8
DD003303		4.81	123.5	1700	17.2	5.7	<0.001	0.04	1.12	5.0	0.5	0.3	66.6	0.01	0.01	1.9
DD003304		3.95	120.0	1890	15.4	5.9	<0.001	0.01	1.06	5.2	0.8	0.3	113.5	<0.01	0.02	2.5
DD003305		4.16	125.0	1610	17.8	5.6	<0.001	0.04	1.22	4.2	0.7	0.3	105.5	0.01	0.01	1.2
DD003306		4.51	115.0	1100	21.5	4.2	<0.001	0.04	1.12	4.1	0.5	0.3	51.9	0.01	0.01	1.4
DD003307		4.44	109.5	670	25.5	4.9	<0.001	0.03	1.01	4.9	0.3	0.4	29.9	0.01	0.02	1.6
DD003308		6.77	105.5	510	4.8	4.9	<0.001	0.02	1.64	3.1	0.4	0.4	23.6	0.01	0.01	1.0
DD003309		3.69	175.0	1400	22.5	4.2	<0.001	0.03	1.40	4.6	0.4	0.3	47.6	0.01	<0.01	1.7
DD003310		3.41	185.0	1410	17.3	5.8	<0.001	0.02	1.33	4.7	0.7	0.3	36.3	<0.01	0.01	2.0
DD003311		4.27	181.0	1400	15.9	5.5	<0.001	0.03	1.62	4.4	0.7	0.3	56.3	<0.01	0.03	1.8
DD003312		3.95	177.5	1370	16.6	5.3	<0.001	0.03	1.82	4.1	0.7	0.3	47.6	<0.01	<0.01	1.5
DD003313		2.39	183.0	1180	19.9	6.2	<0.001	0.03	1.44	4.6	0.7	0.3	42.3	<0.01	0.03	1.8
DD003314		3.52	150.5	630	39.3	5.0	<0.001	0.02	1.48	7.0	0.6	0.5	19.8	<0.01	0.02	2.4
DD003315		2.54	149.5	900	21.3	5.2	<0.001	0.05	1.49	4.9	0.4	0.3	66.4	<0.01	0.02	1.2
DD003316		2.47	87.3	450	23.3	7.5	<0.001	0.01	0.98	4.7	0.6	0.6	19.6	<0.01	0.03	3.7
DD003317		1.58	266	1010	12.5	10.2	<0.001	0.07	1.98	10.0	1.1	0.2	64.7	<0.01	0.03	0.9
DD003318		2.03	212	1200	11.1	4.9	<0.001	0.06	1.51	9.7	0.8	0.2	48.9	<0.01	0.01	1.0
DD003319		1.87	161.5	1350	8.2	4.6	<0.001	0.05	1.46	8.4	0.7	0.2	48.2	<0.01	0.03	1.2
DD003320		2.48	136.0	1310	10.7	5.4	<0.001	0.06	1.10	6.9	0.7	0.3	44.4	<0.01	0.01	1.3
DD003321		2.47	133.0	1940	9.3	6.5	<0.001	0.05	1.27	7.9	0.7	0.2	56.2	<0.01	0.02	2.3
DD003322		4.06	207	1860	2.4	9.6	<0.001	0.01	0.71	3.4	0.2	0.3	35.0	0.01	<0.01	1.4
DD003323		3.01	123.5	1240	17.8	6.5	<0.001	0.07	0.98	4.6	0.5	0.3	53.1	<0.01	0.01	1.8
DD003324		3.71	151.5	1290	15.9	6.0	<0.001	0.04	1.12	5.0	0.4	0.3	46.5	<0.01	0.02	2.0
DD003325		4.27	170.5	1680	17.9	6.3	<0.001	0.01	1.01	5.2	0.4	0.3	57.9	<0.01	0.02	2.6
DD003326		1.68	169.0	1450	16.5	5.8	<0.001	0.01	1.26	4.6	0.8	0.3	175.0	<0.01	0.02	2.3
DD003327		7.75	127.0	1720	9.7	11.8	<0.001	0.03	1.26	4.7	0.6	0.4	64.5	0.01	0.01	2.1
DD003328		8.79	120.0	2130	11.5	12.8	<0.001	0.03	1.26	4.6	0.7	0.5	80.9	0.01	0.02	2.7
DD003329		0.86	254	2390	18.5	27.4	<0.001	0.01	1.58	14.7	1.6	0.5	112.5	<0.01	0.02	4.2
DD003330		3.26	109.5	1230	20.7	8.6	<0.001	0.02	1.03	6.6	0.6	0.4	36.0	<0.01	0.02	2.4
DD003331		2.61	122.5	1330	20.7	7.6	<0.001	0.01	1.31	7.5	0.8	0.4	39.5	<0.01	0.03	3.5
DD003332		2.04	26.8	360	15.2	7.3	<0.001	0.01	0.47	3.3	0.4	0.6	14.4	<0.01	0.02	3.2
DD003333		6.76	115.5	2360	9.3	28.4	<0.001	0.03	1.54	7.3	0.6	0.4	66.1	0.01	0.02	3.2
DD003334		2.00	117.5	770	14.5	9.1	<0.001	0.03	1.32	5.4	0.6	0.4	32.9	0.01	0.02	1.8
DD003335		2.56	94.1	1480	18.5	6.9	<0.001	0.01	1.32	6.1	0.9	0.3	62.5	<0.01	0.02	3.5
DD003336		3.61	136.0	1660	22.4	7.5	<0.001	0.02	0.90	6.8	0.7	0.3	39.4	<0.01	0.02	2.9
DD003337		3.97	118.0	1570	21.5	6.9	<0.001	0.04	0.84	5.8	0.6	0.3	50.7	<0.01	0.01	2.5
DD003338		5.06	116.5	1590	23.3	6.7	<0.001	0.03	0.84	6.4	0.5	0.4	32.5	<0.01	<0.01	3.2
DD003339		4.45	100.5	1580	17.9	5.6	0.001	0.04	0.69	4.9	0.5	0.3	62.9	<0.01	0.02	2.3
DD003340		4.50	104.0	1590	16.3	6.3	<0.001	0.04	0.78	5.4	0.2	0.3	41.6	<0.01	0.01	2.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 5- SEP- 2011
Account: RCM

Project: Rackla- Cheshire

CERTIFICATE OF ANALYSIS WH11151929

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
DD003301		0.136	0.05	0.47	59	0.18	8.57	83	1.7
DD003302		0.130	0.04	0.51	58	0.19	8.63	77	1.5
DD003303		0.114	0.05	0.56	70	0.41	9.91	96	1.8
DD003304		0.164	0.06	0.41	70	0.21	9.85	89	2.7
DD003305		0.113	0.05	0.60	64	0.15	9.40	83	1.7
DD003306		0.121	0.04	0.41	59	0.14	6.39	82	1.6
DD003307		0.127	0.07	0.53	75	0.19	7.87	89	1.2
DD003308		0.255	0.02	0.25	70	0.24	5.38	61	2.2
DD003309		0.117	0.05	0.52	72	0.14	8.62	86	2.0
DD003310		0.112	0.05	0.42	69	0.16	9.45	96	1.9
DD003311		0.112	0.06	0.42	65	0.27	9.28	92	2.0
DD003312		0.113	0.06	0.45	62	0.16	9.53	85	1.7
DD003313		0.083	0.06	0.44	61	0.17	10.40	84	1.6
DD003314		0.102	0.10	0.81	84	0.16	11.40	92	2.0
DD003315		0.081	0.05	0.76	66	0.13	9.34	71	1.5
DD003316		0.075	0.12	0.65	68	0.23	6.96	70	1.7
DD003317		0.095	0.17	0.63	104	0.09	6.88	89	1.3
DD003318		0.090	0.09	0.71	106	0.14	8.50	89	1.1
DD003319		0.061	0.05	0.38	77	0.08	11.40	90	0.8
DD003320		0.087	0.08	1.02	90	0.09	9.34	91	1.1
DD003321		0.092	0.10	0.63	91	0.16	10.55	111	1.9
DD003322		0.269	0.10	0.24	125	0.15	6.51	95	2.6
DD003323		0.085	0.06	0.78	69	0.11	8.30	88	2.1
DD003324		0.110	0.06	0.78	70	0.14	10.15	96	2.2
DD003325		0.163	0.07	0.38	74	0.17	10.15	97	2.9
DD003326		0.184	0.07	0.41	64	0.18	9.05	83	6.0
DD003327		0.132	0.08	0.58	74	0.18	8.41	107	2.0
DD003328		0.132	0.10	0.66	71	0.18	9.66	131	2.3
DD003329		0.121	0.38	0.59	140	0.08	15.60	189	4.2
DD003330		0.124	0.12	0.69	83	0.17	11.35	94	1.5
DD003331		0.108	0.12	0.63	76	0.19	16.20	102	2.2
DD003332		0.060	0.12	0.59	58	0.22	4.14	60	1.2
DD003333		0.154	0.13	0.47	69	0.22	11.55	97	1.9
DD003334		0.081	0.10	0.85	71	0.14	9.73	90	1.4
DD003335		0.108	0.07	0.48	75	0.16	12.05	111	2.6
DD003336		0.163	0.10	0.46	90	0.19	10.55	123	2.9
DD003337		0.140	0.09	0.65	84	0.16	9.62	122	2.7
DD003338		0.176	0.10	0.42	84	0.17	11.20	122	3.8
DD003339		0.148	0.06	0.50	75	0.18	8.13	111	2.6
DD003340		0.140	0.07	0.49	77	0.17	9.34	112	2.8

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 5- SEP- 2011
Account: RCM

Project: Rackla- Cheshire

CERTIFICATE OF ANALYSIS WH11151929

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- TL43 Au ppm 0.001	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1
DD003341		0.31	<0.001	0.13	2.31	13.2	<0.2	<10	180	0.52	0.12	5.19	0.31	36.0	32.0	122
DD003342		0.34	0.001	0.15	2.04	12.3	<0.2	<10	160	0.48	0.16	1.99	0.38	32.5	25.6	99
DD003343		0.27	0.001	0.09	2.34	7.5	<0.2	<10	150	0.38	0.07	1.70	0.32	19.10	31.5	136
DD003344		0.47	<0.001	0.03	3.24	2.2	<0.2	<10	100	0.27	0.05	1.18	0.20	24.6	36.1	251
DD003345		0.28	0.003	0.05	2.47	11.2	<0.2	<10	300	0.62	0.20	0.73	0.13	31.3	23.6	104
DD003346		0.27	0.003	0.13	2.69	8.4	<0.2	<10	200	0.60	0.11	0.89	0.20	37.2	32.5	154
DD003347		0.31	0.003	0.13	3.02	9.6	<0.2	<10	210	0.51	0.10	1.63	0.37	35.2	33.2	141
DD003348		0.36	0.003	0.31	2.57	22.4	<0.2	<10	210	0.53	0.11	3.67	2.24	33.1	38.3	129
DD003349		0.28	0.007	0.61	1.90	125.5	<0.2	<10	330	0.62	0.16	1.30	1.63	35.1	27.3	74
DD003350		0.29	0.003	0.09	2.48	21.3	<0.2	<10	120	0.36	0.22	0.13	0.30	25.5	14.6	89
DD003851		0.38	0.008	0.22	2.24	45.8	<0.2	<10	370	0.75	0.23	1.97	0.16	34.6	26.4	106
DD003852		0.31	0.003	0.23	1.78	17.3	<0.2	<10	310	0.58	0.21	1.43	0.19	33.9	13.0	43
DD003853		0.36	0.003	0.06	3.12	47.1	<0.2	<10	180	0.58	0.13	0.59	0.11	24.3	63.4	199
DD003854		0.35	0.003	0.12	2.44	21.3	<0.2	<10	340	0.64	0.16	0.61	0.13	36.4	21.3	100
DD003855		0.33	0.003	0.11	2.61	11.3	<0.2	<10	220	0.45	0.11	1.60	0.15	27.2	41.3	179
DD003856		0.28	0.005	0.12	2.01	14.3	<0.2	<10	250	0.64	0.21	0.85	0.08	30.7	14.2	56
DD003857		0.34	0.003	0.19	2.44	15.9	<0.2	<10	150	0.63	0.14	1.97	0.36	46.5	28.2	133
DD003858		0.33	0.003	0.14	2.83	10.8	<0.2	<10	150	0.65	0.09	1.45	0.19	56.0	26.5	164
DD003859		0.23	0.003	0.14	2.63	11.9	<0.2	<10	240	0.59	0.08	1.63	0.16	42.4	28.2	155
DD003860		0.34	0.004	0.17	2.69	9.9	<0.2	<10	170	0.46	0.13	1.40	0.32	29.5	44.0	140
DD003861		0.28	0.004	0.14	2.74	7.5	<0.2	<10	160	0.45	0.12	0.99	0.35	30.9	39.0	135
DD003862		0.31	0.003	0.12	3.15	15.9	<0.2	<10	180	0.51	0.10	1.17	0.38	31.6	41.4	128
DD003863		0.44	0.003	0.11	2.87	7.0	<0.2	<10	140	0.46	0.10	1.00	0.34	33.5	34.4	144
DD003864		0.41	0.004	0.12	2.29	7.3	<0.2	<10	180	0.41	0.11	1.24	0.36	27.9	24.4	116
DD003865		0.33	0.003	0.12	2.74	8.7	<0.2	<10	150	0.38	0.09	2.44	0.35	28.4	39.3	166
DD003866		0.34	0.003	0.09	3.48	12.2	<0.2	<10	200	0.55	0.12	1.82	0.22	30.3	52.7	190
DD003867		0.34	0.003	0.12	2.01	13.3	<0.2	<10	200	0.46	0.16	1.34	0.12	22.7	22.4	85
DD003868		0.35	0.004	0.09	2.17	17.4	<0.2	<10	300	0.70	0.21	0.47	0.15	36.5	17.3	51
DD003869		0.35	0.004	0.13	2.84	11.6	<0.2	<10	240	0.50	0.13	1.25	0.29	36.4	36.8	136
DD003870		0.21	0.004	0.13	2.49	7.7	<0.2	<10	190	0.35	0.11	2.79	0.61	27.9	31.6	122
DD003871		0.31	0.004	0.12	2.69	7.1	<0.2	<10	210	0.43	0.11	1.40	0.39	30.3	33.1	130
DD003872		0.18	0.003	0.08	2.42	7.3	<0.2	<10	190	0.42	0.09	1.71	0.31	25.3	30.7	117
DD003873		0.24	0.003	0.10	2.37	5.8	<0.2	<10	180	0.41	0.10	1.36	0.26	24.3	26.7	114
DD003874		0.31	0.004	0.09	2.56	7.9	<0.2	<10	210	0.47	0.11	1.16	0.26	28.6	32.1	124
DD003875		0.21	0.003	0.12	2.53	6.5	<0.2	<10	240	0.47	0.12	1.51	0.32	24.2	31.2	120
DD003876		0.41	0.004	0.11	2.58	10.9	<0.2	<10	180	0.52	0.11	1.48	0.39	28.2	36.3	136
DD003877		0.33	0.002	0.08	2.62	6.8	<0.2	<10	230	0.51	0.10	1.61	0.26	28.9	34.1	129
DD004449		0.17	0.004	0.12	1.73	8.1	<0.2	<10	180	0.34	0.10	2.40	0.25	18.00	24.2	90
DD004450		0.28	0.003	0.15	2.21	10.3	<0.2	<10	190	0.41	0.10	2.68	0.43	27.2	33.2	117
DD004451		0.11	0.003	0.14	2.15	8.8	<0.2	<10	210	0.40	0.10	2.02	0.43	20.9	31.0	124

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 5- SEP- 2011
Account: RCM

Project: Rackla- Cheshire

CERTIFICATE OF ANALYSIS WH11151929

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
DD003341		0.99	67.1	4.85	7.60	0.13	0.08	0.06	0.034	0.10	17.9	17.3	3.02	794	1.05	0.02
DD003342		0.81	57.0	4.48	6.42	0.12	0.06	0.07	0.031	0.08	16.2	17.1	2.14	835	1.10	0.01
DD003343		0.70	59.9	4.71	7.82	0.12	0.07	0.04	0.020	0.11	8.8	16.4	1.82	567	0.77	0.01
DD003344		0.66	54.6	5.47	11.10	0.14	0.10	0.02	0.013	0.05	11.2	24.7	2.81	1050	0.76	0.01
DD003345		1.27	25.3	4.25	7.72	0.10	0.04	0.04	0.030	0.05	13.4	18.5	1.15	522	1.21	0.02
DD003346		1.06	63.5	5.13	9.94	0.11	0.09	0.06	0.041	0.06	19.3	18.1	2.14	369	1.33	0.01
DD003347		0.78	61.8	5.52	9.79	0.11	0.09	0.05	0.041	0.09	17.4	21.6	2.59	816	0.66	0.02
DD003348		1.34	76.1	5.65	8.47	0.12	0.08	0.12	0.046	0.09	17.6	19.2	2.47	972	1.24	0.02
DD003349		1.07	66.0	4.61	5.33	0.11	0.05	0.22	0.052	0.07	18.7	15.8	1.05	983	1.44	0.02
DD003350		0.93	25.2	4.81	8.82	0.10	0.02	0.03	0.043	0.05	11.7	22.2	0.97	329	0.98	0.01
DD003851		0.86	56.3	5.03	7.08	0.13	0.05	0.07	0.037	0.07	18.4	18.3	2.21	1030	1.11	0.02
DD003852		0.77	27.3	3.72	5.57	0.11	0.04	0.07	0.035	0.05	18.8	13.5	0.63	878	0.88	0.01
DD003853		0.91	59.0	7.23	10.05	0.11	0.18	0.02	0.050	0.03	10.2	21.7	1.80	629	1.49	0.01
DD003854		1.00	35.9	4.49	7.73	0.11	0.05	0.06	0.037	0.06	19.1	17.7	1.41	563	1.07	0.01
DD003855		2.02	133.5	4.83	7.37	0.11	0.05	0.02	0.021	0.09	14.3	18.6	1.47	883	0.86	0.02
DD003856		1.05	55.6	3.70	6.02	0.10	0.03	0.05	0.031	0.06	15.2	15.4	0.86	409	1.07	0.02
DD003857		1.74	62.9	4.81	9.26	0.13	0.06	0.05	0.037	0.08	23.5	20.5	2.65	861	1.34	0.02
DD003858		1.19	48.7	5.15	11.45	0.14	0.06	0.04	0.028	0.11	28.8	23.0	2.42	738	1.37	0.01
DD003859		1.20	38.0	4.65	9.75	0.12	0.04	0.06	0.036	0.07	20.6	21.8	2.34	870	1.62	0.02
DD003860		0.72	149.5	5.26	8.36	0.13	0.06	0.06	0.036	0.07	15.5	18.5	2.39	1240	1.37	0.02
DD003861		0.71	103.0	5.11	8.92	0.12	0.07	0.04	0.030	0.08	15.5	19.6	2.25	561	1.13	0.01
DD003862		1.02	85.1	7.10	10.10	0.14	0.08	0.05	0.031	0.17	15.5	22.1	2.25	608	1.19	0.01
DD003863		0.75	69.6	4.88	8.94	0.12	0.08	0.04	0.033	0.09	17.0	21.0	2.37	423	0.58	0.01
DD003864		0.63	63.5	3.93	6.99	0.11	0.06	0.04	0.030	0.07	13.9	16.9	1.83	427	0.59	0.01
DD003865		0.83	63.8	5.03	8.74	0.12	0.07	0.04	0.036	0.07	15.2	18.1	3.37	672	0.71	0.01
DD003866		0.90	132.5	6.41	10.60	0.12	0.15	0.06	0.033	0.07	15.8	21.8	3.25	1110	1.26	0.01
DD003867		1.09	56.1	3.81	5.94	0.10	0.04	0.04	0.022	0.04	10.8	14.8	1.00	534	0.71	0.02
DD003868		1.39	110.0	3.53	6.12	0.11	0.04	0.05	0.033	0.05	18.7	15.9	0.80	502	1.18	0.01
DD003869		0.79	68.8	5.41	9.33	0.12	0.11	0.05	0.034	0.07	18.2	20.4	2.52	766	1.24	0.01
DD003870		0.60	64.6	4.52	7.67	0.11	0.10	0.05	0.029	0.08	13.9	15.6	2.56	631	0.65	0.02
DD003871		0.63	61.8	4.79	8.31	0.10	0.08	0.04	0.028	0.07	15.1	17.7	2.25	639	0.63	0.01
DD003872		0.51	46.5	4.48	7.68	0.05	0.06	0.05	0.027	0.06	12.6	16.0	2.06	989	0.84	0.01
DD003873		0.64	46.6	4.13	8.18	0.05	0.05	0.05	0.029	0.06	12.4	17.1	1.98	436	0.56	0.01
DD003874		0.70	46.6	4.93	8.49	0.05	0.06	0.06	0.030	0.07	14.4	18.2	2.12	615	0.88	0.01
DD003875		0.72	46.4	4.54	8.15	<0.05	0.05	0.07	0.029	0.07	12.2	18.3	2.03	1470	0.62	0.01
DD003876		0.71	60.4	5.07	8.86	0.05	0.07	0.05	0.033	0.07	14.7	20.1	2.30	582	0.62	0.01
DD003877		0.64	40.4	4.95	8.27	0.05	0.06	0.04	0.027	0.07	14.6	18.8	2.25	1120	0.75	0.01
DD004449		0.57	68.7	3.34	5.59	<0.05	0.03	0.06	0.022	0.05	9.3	11.9	1.52	567	0.85	0.01
DD004450		0.67	78.4	4.22	7.25	0.07	0.05	0.06	0.028	0.05	14.3	15.7	3.00	1380	1.14	0.01
DD004451		0.59	69.0	4.03	6.72	0.05	0.04	0.06	0.025	0.05	11.1	13.9	1.93	938	0.83	0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 5- SEP- 2011
Account: RCM

Project: Rackla- Cheshire

CERTIFICATE OF ANALYSIS WH11151929

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
DD003341		2.19	105.0	1590	14.0	7.8	<0.001	0.01	0.87	7.1	0.5	0.4	95.5	<0.01	0.02	3.1
DD003342		2.23	88.1	1240	14.7	7.9	<0.001	0.01	0.85	5.7	0.5	0.3	33.4	<0.01	0.03	3.3
DD003343		5.55	120.5	1950	7.2	10.6	<0.001	0.05	0.66	3.3	0.8	0.3	49.6	0.01	<0.01	1.4
DD003344		6.17	77.9	1300	5.2	4.6	<0.001	0.03	0.39	2.4	<0.2	0.3	33.9	<0.01	0.03	1.8
DD003345		3.60	78.3	570	13.8	9.7	<0.001	0.01	0.57	4.5	0.3	0.6	28.1	<0.01	0.02	2.8
DD003346		4.77	113.0	1740	11.0	5.9	<0.001	0.02	0.83	7.6	0.6	0.4	31.8	<0.01	0.02	3.5
DD003347		4.67	121.0	1740	15.2	7.1	<0.001	0.03	0.71	6.9	<0.2	0.3	37.7	<0.01	0.01	3.0
DD003348		3.71	134.0	1710	130.0	7.8	<0.001	0.03	1.13	8.1	0.5	0.4	79.6	<0.01	0.01	2.8
DD003349		1.43	88.0	1680	214	6.5	<0.001	0.05	2.87	6.6	1.3	0.5	53.4	<0.01	0.06	2.6
DD003350		4.40	46.2	370	22.7	7.8	<0.001	0.02	0.92	4.3	<0.2	0.7	7.6	<0.01	0.03	2.3
DD003851		2.00	78.6	1330	17.4	7.2	<0.001	0.04	1.13	6.9	0.6	0.4	38.0	<0.01	0.02	2.9
DD003852		0.97	37.6	1160	18.9	7.2	<0.001	0.02	0.72	4.9	0.9	0.4	42.8	<0.01	0.04	1.7
DD003853		3.82	154.0	770	14.9	5.8	<0.001	0.01	1.75	8.0	0.3	0.6	17.6	<0.01	0.05	3.1
DD003854		2.56	70.0	1120	21.2	8.2	<0.001	0.01	0.95	6.9	0.5	0.5	21.6	<0.01	0.02	3.6
DD003855		3.70	188.5	1550	10.5	9.9	<0.001	0.02	0.92	5.1	0.4	0.4	38.7	0.01	0.01	2.1
DD003856		1.66	55.5	600	17.6	9.0	<0.001	0.02	0.74	4.3	0.4	0.5	28.3	<0.01	0.03	2.1
DD003857		3.73	109.5	1630	21.2	8.5	<0.001	0.01	0.98	5.7	0.5	0.5	42.9	<0.01	0.03	3.4
DD003858		8.54	111.0	1750	17.2	9.7	0.001	0.03	1.00	4.2	0.4	0.5	58.5	0.01	0.02	2.5
DD003859		5.17	99.0	1160	13.3	6.3	<0.001	0.05	1.08	4.8	0.6	0.4	58.5	<0.01	0.01	1.8
DD003860		3.43	172.5	1360	14.5	5.9	<0.001	0.03	1.24	6.3	0.3	0.4	45.0	<0.01	0.01	2.0
DD003861		4.01	139.0	1410	18.4	6.8	<0.001	0.03	1.12	6.0	0.6	0.3	35.5	<0.01	0.02	2.5
DD003862		4.07	146.5	2070	14.8	12.5	<0.001	0.03	1.24	6.1	0.6	0.3	43.3	<0.01	0.01	3.0
DD003863		5.13	137.0	1650	20.4	8.2	<0.001	0.02	1.08	5.7	0.7	0.4	37.1	<0.01	0.02	3.1
DD003864		3.57	106.0	1130	16.4	6.3	<0.001	0.06	1.03	4.8	0.5	0.3	43.3	0.01	0.02	2.2
DD003865		3.24	154.0	1430	15.7	6.4	<0.001	0.02	0.75	6.4	0.5	0.3	37.0	<0.01	0.02	2.2
DD003866		1.71	226	1590	17.6	6.9	<0.001	0.01	1.20	7.5	0.6	0.4	47.6	<0.01	0.02	3.2
DD003867		1.81	68.0	730	12.5	6.1	<0.001	0.05	0.68	3.3	0.3	0.4	32.8	<0.01	0.02	1.3
DD003868		1.47	79.9	830	15.7	8.3	<0.001	0.01	1.05	5.4	0.6	0.6	25.0	<0.01	0.03	3.0
DD003869		2.75	130.0	1390	16.0	6.4	<0.001	0.01	1.01	6.8	0.8	0.4	31.2	<0.01	0.02	3.7
DD003870		3.96	117.0	1490	14.2	6.0	<0.001	0.06	0.90	5.2	0.3	0.3	57.9	<0.01	0.01	2.4
DD003871		4.00	118.0	1440	16.6	5.9	<0.001	0.03	0.71	5.6	0.4	0.3	40.8	<0.01	0.02	2.7
DD003872		2.97	108.5	1400	13.3	4.9	<0.001	0.05	0.72	3.9	0.2	0.2	43.9	<0.01	0.03	1.4
DD003873		3.39	102.0	1330	14.0	5.5	<0.001	0.07	0.68	4.4	<0.2	0.3	38.8	<0.01	0.02	1.7
DD003874		3.67	110.0	1410	16.8	5.7	<0.001	0.05	0.71	5.0	0.2	0.3	33.2	<0.01	0.03	2.1
DD003875		2.56	107.5	1390	16.9	6.7	<0.001	0.07	0.66	4.5	0.8	0.3	42.3	<0.01	0.02	1.7
DD003876		4.25	125.0	1570	15.4	7.5	<0.001	0.04	0.92	5.2	0.4	0.3	37.2	<0.01	0.03	2.4
DD003877		5.09	120.0	1860	14.2	6.4	<0.001	0.04	0.80	3.5	0.3	0.3	55.0	0.01	0.02	1.7
DD004449		1.88	107.5	1050	14.2	5.1	<0.001	0.09	1.12	2.8	0.4	0.2	54.6	0.01	0.02	0.6
DD004450		2.37	138.5	1300	18.1	5.3	<0.001	0.01	1.10	4.7	0.6	0.3	36.8	<0.01	0.03	1.9
DD004451		2.22	139.5	1160	17.4	4.7	<0.001	0.06	1.11	3.5	<0.2	0.2	49.4	<0.01	0.02	1.0

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 5- SEP- 2011
Account: RCM

Project: Rackla- Cheshire

CERTIFICATE OF ANALYSIS WH11151929

Sample Description	Method Analyte Units LOR	ME- MS41 Ti % 0.005	ME- MS41 Tl ppm 0.02	ME- MS41 U ppm 0.05	ME- MS41 V ppm 1	ME- MS41 W ppm 0.05	ME- MS41 Y ppm 0.05	ME- MS41 Zn ppm 2	ME- MS41 Zr ppm 0.5
DD003341		0.159	0.11	0.48	82	0.15	12.05	102	2.6
DD003342		0.110	0.10	0.39	72	0.21	9.91	100	1.9
DD003343		0.150	0.10	0.46	71	0.17	6.27	106	2.0
DD003344		0.236	0.06	0.27	98	0.15	6.07	77	3.1
DD003345		0.122	0.13	0.69	84	0.25	5.81	79	1.4
DD003346		0.172	0.08	0.47	110	0.23	10.65	105	3.4
DD003347		0.155	0.09	0.46	94	0.18	9.91	124	2.8
DD003348		0.132	0.11	0.40	83	0.18	11.00	491	2.6
DD003349		0.033	0.13	1.04	59	0.14	16.35	331	2.0
DD003350		0.137	0.12	0.37	98	0.25	3.07	87	0.9
DD003851		0.102	0.10	0.47	71	0.32	12.65	96	1.3
DD003852		0.036	0.10	0.53	56	0.15	14.00	75	0.9
DD003853		0.303	0.10	0.99	135	0.29	7.08	86	6.2
DD003854		0.129	0.12	0.95	82	0.18	10.90	90	1.8
DD003855		0.198	0.13	0.43	89	0.25	7.34	77	1.7
DD003856		0.059	0.12	0.86	64	0.21	7.98	85	0.9
DD003857		0.124	0.12	0.42	68	0.22	11.05	116	1.8
DD003858		0.139	0.09	0.53	63	0.22	8.86	117	1.5
DD003859		0.100	0.09	0.57	81	0.13	7.54	102	1.5
DD003860		0.146	0.07	0.50	89	0.17	11.50	104	2.0
DD003861		0.153	0.08	0.51	84	0.27	10.05	108	2.2
DD003862		0.147	0.10	0.63	84	0.18	9.73	122	2.9
DD003863		0.169	0.07	0.57	79	0.26	9.72	114	3.1
DD003864		0.108	0.07	0.75	69	0.15	8.30	98	2.0
DD003865		0.144	0.08	0.43	82	0.14	11.55	110	2.5
DD003866		0.210	0.09	0.54	103	0.18	13.65	115	5.0
DD003867		0.080	0.08	0.57	68	0.19	5.55	66	0.8
DD003868		0.055	0.14	1.06	63	0.19	12.85	80	1.1
DD003869		0.185	0.10	0.40	89	0.23	12.65	108	4.2
DD003870		0.138	0.08	0.99	77	0.17	9.28	100	3.2
DD003871		0.145	0.07	0.50	81	0.18	9.79	114	3.0
DD003872		0.102	0.06	0.46	73	0.13	7.11	98	2.0
DD003873		0.110	0.06	0.51	72	0.13	7.40	95	2.3
DD003874		0.119	0.06	0.53	80	0.21	8.17	106	2.3
DD003875		0.075	0.08	0.60	76	0.13	7.28	114	1.8
DD003876		0.129	0.08	0.50	81	0.16	8.90	114	2.8
DD003877		0.143	0.07	0.53	71	0.20	7.05	109	2.0
DD004449		0.056	0.07	0.63	50	0.10	6.58	84	1.1
DD004450		0.108	0.07	0.42	65	0.15	9.28	97	1.6
DD004451		0.076	0.06	0.59	62	0.11	7.17	94	1.3

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 5- SEP- 2011
Account: RCM

Project: Rackla- Cheshire

CERTIFICATE OF ANALYSIS WH11151929

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- TL43 Au ppm 0.001	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1
DD004452		0.20	0.003	0.12	2.34	8.1	<0.2	<10	210	0.34	0.08	2.02	0.30	21.6	32.0	136
DD004453		0.19	0.003	0.12	2.11	8.0	<0.2	<10	230	0.39	0.09	1.64	0.49	23.7	37.6	124
DD004454		0.16	0.005	0.14	1.55	6.9	<0.2	<10	210	0.31	0.06	3.16	0.39	14.85	21.1	84
DD004455		0.24	0.004	0.12	2.05	7.5	<0.2	<10	200	0.37	0.08	2.03	0.27	20.9	24.5	121
DD004456		0.30	0.004	0.16	2.70	13.4	<0.2	<10	170	0.46	0.09	1.50	0.26	24.1	36.6	163
DD004457		0.27	0.004	0.17	2.20	12.3	<0.2	<10	170	0.38	0.10	1.82	0.33	26.3	34.8	121
DD004458		0.15	0.004	0.17	2.22	11.7	<0.2	<10	200	0.36	0.09	2.51	0.51	16.25	33.3	120
DD004459		0.18	0.004	0.14	2.14	10.1	<0.2	<10	210	0.39	0.10	2.60	0.23	17.25	30.8	115
DD004460		0.24	0.004	0.10	1.30	7.0	<0.2	<10	240	0.36	0.11	3.24	0.18	15.35	18.5	53
DD004461		0.25	0.004	0.05	2.67	14.0	<0.2	<10	160	0.47	0.17	0.73	0.18	22.0	41.5	109
DD004462		0.17	0.004	0.23	1.42	36.4	<0.2	<10	230	0.44	0.12	3.50	0.21	13.85	21.7	48
DD004463		0.23	0.007	0.30	1.77	40.8	<0.2	<10	190	0.37	0.13	1.59	0.24	18.90	43.2	72
DD004464		0.34	0.004	0.18	2.40	23.7	<0.2	<10	160	0.38	0.11	1.51	0.29	25.7	31.8	96
DD004465		0.17	0.004	0.13	1.86	13.3	<0.2	<10	190	0.39	0.11	1.82	0.24	20.7	25.4	79
DD004466		0.19	0.004	0.09	2.11	10.0	<0.2	<10	240	0.38	0.09	2.23	0.34	17.70	29.0	102
DD004467		0.09	0.004	0.09	2.02	7.0	<0.2	<10	200	0.39	0.09	2.07	0.31	20.5	29.1	95
DD004468		0.23	0.003	0.11	2.19	6.1	<0.2	<10	190	0.36	0.09	1.51	0.34	24.2	31.0	108
DD004469		0.16	0.003	0.09	2.47	9.1	<0.2	<10	130	0.40	0.06	1.97	0.26	20.7	30.7	130
DD004470		0.23	0.003	0.13	3.18	4.3	<0.2	<10	110	0.51	0.05	1.71	0.20	17.35	33.2	165
DD004471		0.23	0.003	0.12	2.84	15.0	<0.2	<10	190	0.45	0.09	1.34	0.32	28.6	42.5	144
DD004472		0.13	0.004	0.12	2.24	17.0	<0.2	<10	160	0.48	0.11	2.08	0.36	20.4	35.9	107
DD004473		0.15	0.004	0.19	1.90	13.4	<0.2	<10	170	0.41	0.13	1.63	0.32	28.0	26.5	89
DD004474		0.11	0.003	0.13	2.25	26.6	<0.2	<10	210	0.36	0.06	2.07	0.27	25.3	34.5	110
DD004475		0.18	0.004	0.21	1.98	26.5	<0.2	<10	160	0.35	0.10	1.95	0.38	17.55	35.9	98
DD004476		0.10	0.010	0.17	0.85	18.5	<0.2	<10	140	0.21	0.08	3.96	0.20	6.71	21.5	32
DD004477		0.22	0.003	0.06	2.30	25.6	<0.2	<10	170	0.40	0.24	0.25	0.20	23.6	21.6	64
DD004478		0.26	0.003	0.03	2.42	15.0	<0.2	<10	280	0.81	0.25	0.23	0.10	30.3	17.5	51
DD004479		0.22	0.004	0.11	1.77	9.8	<0.2	<10	150	0.34	0.12	2.03	0.39	16.05	23.0	75
DD004480		0.19	0.005	0.25	1.44	10.5	<0.2	<10	190	0.36	0.08	3.53	0.75	19.20	35.7	79
DD004481		0.33	0.004	0.18	2.50	15.9	<0.2	<10	130	0.45	0.11	2.45	0.35	27.6	46.1	149
DD004482		0.23	0.004	0.15	2.76	14.5	<0.2	<10	150	0.44	0.10	1.69	0.23	24.6	37.5	159
DD004483		0.36	0.004	0.19	2.89	12.3	<0.2	<10	140	0.45	0.09	1.70	0.31	30.8	43.4	175
DD004484		0.32	0.011	0.18	2.73	10.3	<0.2	<10	160	0.43	0.09	1.22	0.34	32.8	39.1	165
DD004485		0.27	0.004	0.16	2.85	9.5	<0.2	<10	160	0.46	0.10	1.08	0.24	29.9	41.1	179
DD004486		0.31	0.004	0.12	2.82	8.7	<0.2	<10	160	0.51	0.09	1.31	0.21	28.1	37.8	173
DD004487		0.31	0.003	0.15	2.75	9.3	<0.2	<10	160	0.45	0.10	1.47	0.27	32.4	40.5	154
DD004488		0.19	0.001	0.12	2.05	7.1	<0.2	<10	190	0.42	0.09	2.24	0.27	24.0	27.0	107
DD004489		0.15	0.002	0.09	2.00	6.9	<0.2	<10	190	0.37	0.10	2.19	0.26	23.3	26.1	103
DD004021		0.33	0.002	0.12	2.40	7.0	<0.2	<10	180	0.54	0.09	2.01	0.29	30.5	28.7	108
DD004022		0.20	0.001	0.11	2.20	5.4	<0.2	<10	180	0.39	0.10	1.68	0.30	26.5	26.6	108

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 5- SEP- 2011
Account: RCM

Project: Rackla- Cheshire

CERTIFICATE OF ANALYSIS WH11151929

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
DD004452		0.56	58.6	3.98	6.87	<0.05	0.04	0.06	0.024	0.04	11.2	13.8	2.16	943	0.74	0.01
DD004453		0.60	64.0	3.87	6.77	<0.05	0.05	0.05	0.022	0.04	11.9	13.9	1.85	796	0.98	0.01
DD004454		0.56	78.1	2.77	4.74	<0.05	0.03	0.07	0.019	0.03	7.8	9.6	1.28	622	0.69	0.01
DD004455		0.52	62.3	3.65	6.18	<0.05	0.05	0.06	0.018	0.04	11.0	12.6	1.85	443	0.67	0.01
DD004456		0.82	98.5	4.93	8.18	0.05	0.06	0.07	0.028	0.05	12.8	16.5	2.50	666	1.22	0.01
DD004457		0.75	105.0	4.28	6.64	0.05	0.06	0.06	0.027	0.05	13.9	14.8	2.05	650	0.97	0.01
DD004458		0.98	128.5	3.96	6.80	<0.05	0.07	0.07	0.022	0.05	8.4	14.2	1.86	606	0.45	0.02
DD004459		0.67	105.5	3.91	6.29	<0.05	0.04	0.06	0.025	0.05	8.3	13.3	1.87	781	0.78	0.02
DD004460		0.42	71.6	2.52	3.99	<0.05	0.04	0.07	0.019	0.03	7.5	9.2	1.07	514	0.87	0.01
DD004461		0.88	55.6	5.29	7.72	<0.05	0.04	0.02	0.032	0.03	8.9	18.3	1.33	733	1.22	0.01
DD004462		0.61	158.0	2.51	4.32	<0.05	0.02	0.10	0.022	0.02	6.9	8.9	0.65	809	0.53	0.02
DD004463		0.57	100.5	4.85	5.67	<0.05	0.03	0.08	0.028	0.03	10.1	14.3	1.10	827	2.41	0.01
DD004464		1.11	68.7	4.96	8.30	0.06	0.04	0.05	0.034	0.06	13.7	24.5	1.86	750	1.13	0.01
DD004465		0.84	53.6	3.59	6.12	<0.05	0.03	0.06	0.026	0.04	10.2	15.2	1.34	1110	0.86	0.01
DD004466		0.80	60.9	4.10	6.63	<0.05	0.05	0.04	0.022	0.05	9.0	13.6	1.63	777	0.64	0.02
DD004467		0.68	52.1	3.56	6.59	<0.05	0.05	0.06	0.026	0.05	10.9	14.2	1.53	826	0.52	0.01
DD004468		0.83	49.4	3.90	7.48	<0.05	0.04	0.05	0.028	0.04	12.7	16.2	1.82	1120	0.65	0.01
DD004469		1.56	53.2	4.54	8.43	<0.05	0.04	0.03	0.027	0.04	11.4	20.6	2.25	811	0.83	0.01
DD004470		1.12	161.0	5.39	10.10	0.05	0.05	0.06	0.025	0.09	10.3	24.1	2.57	685	0.54	0.01
DD004471		2.87	72.7	5.71	9.89	0.06	0.04	0.06	0.038	0.04	15.2	24.4	2.51	1070	1.59	0.01
DD004472		3.80	73.4	4.37	7.89	0.06	0.03	0.05	0.037	0.04	10.2	21.1	1.87	1060	0.68	0.01
DD004473		1.17	56.8	3.92	6.46	<0.05	0.03	0.06	0.030	0.04	15.5	15.3	1.39	620	0.94	0.01
DD004474		2.28	58.4	5.21	7.89	0.05	0.03	0.05	0.032	0.04	12.6	19.9	1.74	1880	1.14	0.02
DD004475		1.12	122.0	4.35	5.84	<0.05	0.04	0.05	0.026	0.05	9.0	13.4	1.32	923	1.20	0.01
DD004476		1.11	139.0	1.96	2.40	<0.05	0.02	0.07	0.017	0.03	3.7	6.0	0.38	586	0.59	0.02
DD004477		1.08	63.8	4.00	7.75	<0.05	0.03	0.05	0.033	0.04	12.1	18.1	0.61	517	1.25	0.01
DD004478		1.02	67.1	3.60	6.41	<0.05	0.08	0.02	0.030	0.04	14.1	15.7	0.65	314	1.19	0.01
DD004479		0.64	57.1	3.12	5.57	0.09	0.04	0.04	0.026	0.04	7.5	13.7	1.11	441	0.99	0.01
DD004480		2.27	125.0	4.15	4.43	0.10	0.03	0.07	0.028	0.04	9.2	10.2	1.10	1050	2.01	0.01
DD004481		1.40	130.5	5.10	7.99	0.13	0.07	0.06	0.032	0.06	13.0	18.7	2.63	753	1.45	0.01
DD004482		0.86	97.3	5.08	8.50	0.12	0.06	0.03	0.032	0.05	11.3	18.4	2.56	589	1.29	0.01
DD004483		0.77	113.0	5.32	9.13	0.13	0.08	0.03	0.031	0.06	16.2	19.3	3.05	674	1.24	<0.01
DD004484		0.77	94.4	5.10	8.95	0.13	0.08	0.05	0.031	0.06	16.0	18.7	2.78	752	1.21	0.01
DD004485		0.77	97.5	5.15	9.30	0.14	0.07	0.05	0.036	0.06	15.6	19.5	2.82	752	1.21	0.01
DD004486		0.66	89.3	5.02	8.81	0.12	0.07	0.04	0.034	0.05	14.3	18.6	2.81	704	1.02	0.01
DD004487		0.70	85.7	4.94	9.20	0.12	0.06	0.03	0.038	0.05	15.5	20.2	2.75	784	0.95	0.01
DD004488		0.59	58.8	3.63	6.33	0.10	0.04	0.04	0.024	0.04	11.0	14.5	1.84	732	0.94	0.02
DD004489		0.54	63.4	3.54	6.19	0.10	0.04	0.04	0.028	0.04	10.7	14.3	1.61	648	0.72	0.01
DD004021		0.63	71.4	4.46	7.67	0.11	0.05	0.03	0.029	0.08	14.8	17.2	2.14	730	0.76	0.01
DD004022		0.58	60.2	3.90	6.71	0.12	0.04	0.02	0.024	0.06	13.0	15.2	1.79	564	0.43	0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 5- SEP- 2011
Account: RCM

Project: Rackla- Cheshire

CERTIFICATE OF ANALYSIS WH11151929

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
DD004452		2.28	137.5	1090	15.7	4.4	<0.001	0.06	1.08	3.4	0.4	0.2	47.1	<0.01	0.03	1.0
DD004453		2.87	140.0	1110	15.9	4.5	<0.001	0.06	1.28	3.5	0.5	0.3	44.4	<0.01	0.03	1.2
DD004454		1.29	114.0	990	10.3	4.2	<0.001	0.10	1.54	1.9	0.5	0.2	75.5	<0.01	0.03	0.3
DD004455		2.72	120.5	1150	13.8	4.0	<0.001	0.06	1.30	3.0	0.2	0.2	50.7	0.01	0.02	1.1
DD004456		2.87	180.0	1240	18.2	5.1	<0.001	0.04	1.81	4.4	0.4	0.3	38.2	<0.01	0.03	1.5
DD004457		2.81	148.0	1200	24.1	4.6	<0.001	0.04	1.82	4.3	0.7	0.3	42.5	<0.01	0.02	1.8
DD004458		2.10	141.5	1090	13.8	5.6	<0.001	0.08	1.25	3.5	0.5	0.2	55.8	0.01	0.02	1.0
DD004459		2.00	136.5	970	13.8	4.9	<0.001	0.07	1.29	3.2	<0.2	0.2	49.8	<0.01	0.03	0.8
DD004460		1.24	82.3	800	12.3	3.0	<0.001	0.10	0.82	2.0	0.3	0.2	59.9	0.01	0.06	0.5
DD004461		3.14	134.0	750	27.0	5.5	<0.001	0.02	1.13	3.5	0.4	0.5	23.3	0.01	0.02	2.3
DD004462		0.77	69.1	1170	8.9	3.1	<0.001	0.13	1.40	1.8	1.1	0.2	90.2	<0.01	0.01	0.3
DD004463		1.85	130.0	770	15.6	2.8	<0.001	0.07	3.36	4.4	0.5	0.3	41.7	<0.01	0.03	1.1
DD004464		2.07	95.8	1590	11.1	6.6	<0.001	0.04	1.20	6.0	0.9	0.3	52.9	<0.01	0.03	1.8
DD004465		1.59	77.5	1140	11.8	5.1	<0.001	0.09	0.99	3.4	0.4	0.2	51.4	<0.01	0.03	0.9
DD004466		2.18	108.5	1110	10.2	4.8	<0.001	0.09	0.95	3.3	0.2	0.2	59.4	0.01	0.02	1.0
DD004467		2.38	88.7	930	11.6	6.1	<0.001	0.08	0.71	3.6	0.5	0.2	58.3	0.01	0.02	1.0
DD004468		3.52	99.4	1210	11.2	5.4	<0.001	0.07	0.77	4.2	<0.2	0.3	43.2	<0.01	0.03	1.5
DD004469		3.18	100.5	1310	6.8	6.2	<0.001	0.08	0.79	4.8	0.3	0.2	64.0	<0.01	0.03	1.2
DD004470		5.86	129.0	1870	5.0	9.9	<0.001	0.05	0.78	4.7	0.6	0.3	68.2	0.01	0.02	1.2
DD004471		2.26	122.5	1410	10.5	5.3	<0.001	0.07	1.12	7.1	0.6	0.3	45.3	<0.01	0.03	1.9
DD004472		1.69	108.0	1140	11.2	6.0	<0.001	0.09	1.21	6.6	0.3	0.3	64.3	<0.01	0.03	0.9
DD004473		1.85	84.5	1120	17.2	6.1	<0.001	0.08	1.27	5.3	0.4	0.3	46.9	<0.01	0.02	1.1
DD004474		1.86	86.1	1070	8.1	5.3	<0.001	0.10	1.02	6.9	<0.2	0.2	60.4	<0.01	0.02	1.0
DD004475		2.75	130.5	1080	10.1	3.6	<0.001	0.09	2.22	5.5	0.6	0.3	56.5	0.01	0.02	1.0
DD004476		0.45	102.0	1030	6.0	2.6	<0.001	0.18	1.47	1.6	0.6	0.2	95.0	<0.01	0.03	<0.2
DD004477		2.37	53.3	630	14.6	5.6	<0.001	0.03	1.01	3.4	0.3	0.7	13.4	<0.01	0.04	2.0
DD004478		1.27	73.9	170	15.3	7.5	<0.001	<0.01	0.82	4.1	<0.2	0.7	15.4	<0.01	0.04	5.6
DD004479		1.90	88.3	910	15.0	4.4	<0.001	0.08	1.01	3.4	0.3	0.3	56.6	0.01	<0.01	1.0
DD004480		1.55	132.0	1010	25.3	4.1	<0.001	0.11	2.35	5.8	0.8	0.2	74.3	0.01	0.01	0.5
DD004481		3.13	191.0	1310	16.2	5.5	0.001	0.02	1.82	6.0	0.5	0.3	52.4	<0.01	0.02	2.5
DD004482		3.42	174.5	780	16.9	4.9	<0.001	0.04	1.73	5.3	0.7	0.3	43.8	<0.01	0.02	1.9
DD004483		2.81	196.5	1410	18.7	5.4	<0.001	0.01	1.57	5.9	1.0	0.3	49.6	<0.01	0.02	2.9
DD004484		3.60	176.0	1310	18.3	5.6	<0.001	0.02	1.45	5.9	0.7	0.3	40.5	<0.01	0.02	2.7
DD004485		3.57	191.5	1310	18.3	5.7	<0.001	0.02	1.23	5.4	1.4	0.3	40.9	<0.01	0.01	2.4
DD004486		3.64	181.0	1040	17.6	5.4	<0.001	0.03	1.07	5.0	0.7	0.3	40.7	<0.01	0.01	2.1
DD004487		3.71	160.0	1390	24.1	5.4	<0.001	0.02	0.95	5.9	0.7	0.3	43.8	<0.01	0.02	2.4
DD004488		2.92	115.0	1100	16.1	5.0	<0.001	0.07	0.92	3.7	0.5	0.3	59.3	0.01	0.01	1.2
DD004489		2.71	110.5	910	16.2	4.8	0.001	0.07	0.89	3.6	0.7	0.3	60.1	0.01	<0.01	1.0
DD004021		4.24	113.5	1530	16.0	6.8	<0.001	0.05	0.95	4.4	0.9	0.3	59.7	<0.01	<0.01	1.8
DD004022		3.31	109.5	1270	16.1	6.1	<0.001	0.06	0.76	3.9	0.9	0.3	51.3	0.01	0.01	1.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 5- SEP- 2011
Account: RCM

Project: Rackla- Cheshire

CERTIFICATE OF ANALYSIS WH11151929

Sample Description	Method Analyte Units LOR	ME- MS41 Ti % 0.005	ME- MS41 Tl ppm 0.02	ME- MS41 U ppm 0.05	ME- MS41 V ppm 1	ME- MS41 W ppm 0.05	ME- MS41 Y ppm 0.05	ME- MS41 Zn ppm 2	ME- MS41 Zr ppm 0.5
DD004452		0.075	0.06	0.61	64	0.17	6.50	90	1.4
DD004453		0.089	0.06	0.88	61	0.12	7.12	88	1.6
DD004454		0.037	0.06	0.80	41	0.07	5.63	65	1.1
DD004455		0.086	0.05	0.76	56	0.14	6.73	80	1.6
DD004456		0.111	0.06	0.47	75	0.19	7.81	99	1.8
DD004457		0.104	0.06	0.46	66	0.14	8.89	92	2.1
DD004458		0.070	0.08	0.67	61	0.10	6.76	98	2.0
DD004459		0.067	0.06	0.79	61	0.09	6.38	78	1.3
DD004460		0.039	0.05	0.79	38	0.10	5.92	48	1.4
DD004461		0.140	0.09	0.51	80	0.20	4.95	78	1.6
DD004462		0.024	0.06	2.01	41	0.09	6.67	36	0.9
DD004463		0.068	0.06	0.96	56	0.15	7.50	71	1.0
DD004464		0.083	0.08	0.42	77	0.10	10.45	102	1.4
DD004465		0.047	0.08	0.61	56	0.09	6.48	80	1.1
DD004466		0.069	0.06	0.70	64	0.09	6.04	84	1.7
DD004467		0.071	0.07	0.51	61	0.10	6.83	84	1.5
DD004468		0.112	0.06	0.56	70	0.13	7.27	88	1.7
DD004469		0.104	0.09	0.48	81	0.16	5.86	92	1.4
DD004470		0.173	0.08	0.61	92	0.17	8.37	91	1.8
DD004471		0.087	0.10	0.64	95	0.11	8.71	102	1.6
DD004472		0.072	0.12	0.69	78	0.10	8.78	101	1.1
DD004473		0.055	0.07	0.64	64	0.09	9.23	99	1.2
DD004474		0.080	0.10	0.45	83	0.06	7.09	87	0.8
DD004475		0.083	0.07	0.64	69	0.12	7.52	87	1.2
DD004476		0.018	0.05	0.70	27	0.07	4.72	51	0.7
DD004477		0.096	0.11	0.78	77	0.31	5.80	61	1.0
DD004478		0.060	0.13	0.73	71	0.25	4.67	72	3.9
DD004479		0.055	0.07	0.78	53	0.12	5.76	58	1.6
DD004480		0.045	0.09	0.64	51	0.11	10.55	110	1.2
DD004481		0.140	0.09	0.47	77	0.16	9.57	103	2.6
DD004482		0.131	0.08	0.45	77	0.21	8.37	93	2.2
DD004483		0.137	0.08	0.40	80	0.18	10.60	108	3.0
DD004484		0.137	0.06	0.43	75	0.18	10.65	98	2.9
DD004485		0.135	0.08	0.47	75	0.18	10.15	97	2.6
DD004486		0.131	0.07	0.53	74	0.15	9.52	96	2.3
DD004487		0.132	0.07	0.39	73	0.17	10.25	95	2.3
DD004488		0.085	0.06	0.56	56	0.18	7.50	81	1.5
DD004489		0.078	0.05	0.55	55	0.14	7.11	80	1.2
DD004021		0.121	0.07	0.73	63	0.16	9.45	96	1.9
DD004022		0.091	0.07	0.61	58	0.13	8.00	91	1.8

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 5- SEP- 2011
Account: RCM

Project: Rackla- Cheshire

CERTIFICATE OF ANALYSIS WH11151929

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- TL43 Au ppm 0.001	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1
DD004023		0.22	0.002	0.14	2.00	7.0	<0.2	<10	190	0.34	0.09	1.96	0.35	24.1	27.5	111
DD004024		0.32	0.002	0.14	2.55	7.3	<0.2	<10	180	0.36	0.09	1.60	0.35	25.4	34.9	148
DD004025		0.20	0.002	0.12	2.30	5.8	<0.2	<10	180	0.37	0.07	1.79	0.28	22.3	29.3	140
DD004026		0.20	0.001	0.11	2.43	6.5	<0.2	<10	170	0.35	0.06	1.68	0.26	24.0	32.6	145
DD004027		0.27	0.002	0.14	2.62	8.2	<0.2	<10	160	0.44	0.07	1.73	0.33	29.1	36.5	159
DD004028		0.26	0.001	0.12	2.47	9.6	<0.2	<10	190	0.29	0.08	1.86	0.22	21.1	30.5	141
DD004029		0.46	0.002	0.18	2.71	13.1	<0.2	<10	200	0.42	0.11	0.95	0.38	31.6	39.2	153
DD004030		0.39	0.001	0.16	3.02	11.1	<0.2	<10	200	0.50	0.10	0.87	0.32	31.3	43.2	172
DD004031		0.30	0.002	0.13	3.07	11.6	<0.2	<10	180	0.50	0.10	1.06	0.26	26.3	46.1	174
DD004032		0.33	0.001	0.04	2.19	12.8	<0.2	<10	200	0.53	0.21	0.20	0.14	31.9	17.2	58
DD004033		0.22	0.001	0.14	1.82	68.4	<0.2	<10	140	0.52	0.15	1.52	0.24	35.3	36.4	75
DD004034		0.32	0.001	0.11	2.17	15.9	<0.2	<10	240	0.54	0.22	0.47	0.07	28.1	13.8	53
DD004035		0.19	0.003	0.19	1.91	31.4	<0.2	<10	160	0.42	0.17	1.36	0.19	27.1	26.6	68
DD004036		0.25	0.001	0.17	2.33	10.1	<0.2	<10	180	0.40	0.11	1.60	0.35	28.3	29.5	105
DD004037		0.24	0.001	0.14	2.43	11.7	<0.2	<10	160	0.38	0.09	1.22	0.17	27.8	22.7	107
DD004038		0.22	0.001	0.13	2.34	8.3	<0.2	<10	200	0.40	0.09	1.62	0.31	28.3	30.4	106
DD004039		0.22	0.001	0.09	2.39	4.9	<0.2	<10	170	0.43	0.10	1.29	0.25	30.9	28.6	118
DD004040		0.23	0.002	0.10	2.31	6.3	<0.2	<10	170	0.48	0.09	1.28	0.25	30.4	24.4	114
DD004041		0.20	0.001	0.12	2.19	7.9	<0.2	<10	170	0.44	0.09	1.97	0.26	24.8	28.7	103
DD004042		0.15	0.001	0.12	2.63	6.1	<0.2	<10	210	0.48	0.10	1.64	0.39	25.8	31.1	122
DD004043		0.16	0.001	0.12	2.54	8.5	<0.2	<10	260	0.52	0.10	1.36	0.36	27.5	34.6	113
DD004044		0.26	0.001	0.09	2.48	5.2	<0.2	<10	200	0.50	0.10	1.19	0.19	31.7	26.5	116
DD004045		0.24	0.001	0.08	2.31	5.6	<0.2	<10	180	0.43	0.09	1.18	0.13	30.5	28.3	107
DD004046		0.25	0.002	0.15	2.48	9.2	<0.2	<10	190	0.52	0.13	1.63	0.43	33.6	33.3	117
DD004047		0.40	0.001	0.15	2.71	8.3	<0.2	<10	200	0.47	0.13	2.93	0.36	31.6	34.2	125
DD004048		0.28	0.003	0.21	1.96	22.4	<0.2	<10	180	0.54	0.18	1.18	0.50	40.1	27.4	86
DD004049		0.38	0.001	0.17	2.44	13.3	<0.2	<10	260	0.64	0.16	1.22	0.19	30.1	25.4	105
DD004050		0.19	0.001	0.12	2.37	9.4	<0.2	<10	290	0.45	0.12	1.68	0.44	25.9	29.7	127
DD003401		0.39	<0.001	0.03	3.19	13.1	<0.2	<10	70	0.37	0.09	0.39	0.20	10.45	47.6	223
DD003402		0.31	0.003	0.12	2.56	10.7	<0.2	<10	190	0.44	0.12	1.45	0.24	29.6	33.0	149
DD003403		0.37	0.001	0.17	2.88	10.8	<0.2	<10	210	0.50	0.11	1.53	0.29	27.2	35.6	176
DD003404		0.29	0.001	0.12	2.91	10.4	<0.2	<10	230	0.57	0.10	1.93	0.32	25.5	39.1	177
DD003405		0.31	0.001	0.16	2.86	13.8	<0.2	<10	240	0.50	0.12	1.63	0.42	32.8	41.2	167
DD003406		0.23	0.001	0.16	2.74	13.0	<0.2	<10	180	0.51	0.11	1.61	0.33	30.8	37.1	161
DD003407		0.27	0.002	0.17	2.90	11.6	<0.2	<10	200	0.56	0.11	1.13	0.33	29.3	38.7	169
DD003408		0.39	0.001	0.16	2.75	11.3	<0.2	<10	160	0.45	0.10	1.43	0.32	29.3	36.1	166
DD003409		0.21	0.003	0.16	2.85	10.7	<0.2	<10	210	0.53	0.10	1.38	0.32	32.4	38.3	171
DD003410		0.19	0.002	0.14	2.64	8.3	<0.2	<10	160	0.48	0.11	1.61	0.37	30.7	35.8	158
DD003411		0.19	0.004	0.10	2.02	6.4	<0.2	<10	150	0.29	0.08	1.95	0.28	21.9	25.2	121
DD003412		0.20	0.002	0.08	2.17	6.0	<0.2	<10	120	0.31	0.07	1.33	0.24	26.4	25.7	130

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 5- SEP- 2011
Account: RCM

Project: Rackla- Cheshire

CERTIFICATE OF ANALYSIS WH11151929

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
DD004023		0.61	59.2	3.54	6.38	0.11	0.04	0.05	0.031	0.04	10.6	13.8	1.72	827	0.73	0.01
DD004024		0.71	83.4	4.37	7.64	0.12	0.05	0.04	0.026	0.05	12.2	16.6	2.32	876	0.88	0.01
DD004025		0.62	67.7	3.89	6.81	0.11	0.05	0.03	0.024	0.04	10.6	13.9	2.14	724	0.70	0.01
DD004026		0.62	62.0	4.19	7.39	0.10	0.05	0.04	0.025	0.04	11.3	15.3	2.29	694	0.73	0.01
DD004027		0.71	78.7	4.66	8.20	0.14	0.06	0.06	0.026	0.05	13.6	17.0	2.52	789	1.04	0.01
DD004028		0.69	60.1	4.31	7.37	0.11	0.06	0.04	0.030	0.05	9.9	15.3	2.25	707	0.90	0.01
DD004029		0.86	92.7	5.27	8.52	0.12	0.08	0.03	0.037	0.06	15.8	19.7	2.50	765	1.40	0.01
DD004030		0.86	105.5	5.66	9.90	0.12	0.08	0.04	0.034	0.06	15.5	22.1	2.77	920	1.05	0.01
DD004031		1.05	129.0	5.76	9.85	0.13	0.09	0.03	0.033	0.06	13.0	22.7	2.74	756	1.15	0.01
DD004032		1.18	20.9	3.88	7.16	0.10	0.09	0.01	0.039	0.04	12.8	18.2	0.73	334	1.47	0.01
DD004033		1.34	55.6	5.79	5.53	0.12	0.04	0.02	0.045	0.05	16.2	16.5	1.56	932	1.11	0.01
DD004034		1.38	19.9	3.61	6.67	0.11	0.02	0.02	0.035	0.04	12.4	18.1	0.78	262	1.11	0.01
DD004035		0.93	55.0	3.62	5.96	0.11	0.04	0.05	0.038	0.04	12.7	19.1	1.14	664	0.92	0.02
DD004036		0.75	66.4	4.38	7.47	0.12	0.05	0.04	0.029	0.06	14.0	17.8	1.87	796	0.88	0.01
DD004037		0.86	46.7	4.45	8.36	0.12	0.05	0.04	0.031	0.05	12.9	21.5	2.06	644	0.89	0.01
DD004038		0.69	42.8	4.26	7.78	0.11	0.06	0.03	0.032	0.06	13.1	18.6	1.90	1020	0.73	0.01
DD004039		0.58	49.3	4.33	7.75	0.11	0.08	0.03	0.032	0.06	15.5	17.6	1.96	574	0.52	0.01
DD004040		0.69	46.3	4.22	7.80	0.13	0.06	0.03	0.028	0.05	13.9	17.7	1.87	534	0.66	0.01
DD004041		0.79	56.0	3.97	7.03	0.11	0.05	0.04	0.025	0.06	11.2	18.1	1.71	759	0.59	0.01
DD004042		0.83	58.3	4.79	8.88	0.13	0.05	0.04	0.030	0.07	12.1	20.4	2.11	757	0.55	0.01
DD004043		0.77	55.4	4.62	8.46	0.12	0.04	0.03	0.037	0.06	12.6	19.6	1.94	1440	0.76	0.01
DD004044		0.70	42.1	4.37	8.32	0.10	0.05	0.03	0.034	0.06	14.1	19.1	2.00	639	0.65	0.01
DD004045		0.58	49.4	4.19	7.42	0.11	0.07	0.03	0.026	0.06	14.3	17.8	1.87	645	0.64	0.01
DD004046		0.71	61.1	4.67	8.44	0.12	0.06	0.05	0.044	0.07	18.3	19.3	2.23	825	0.98	0.01
DD004047		0.72	70.8	5.04	8.78	0.10	0.08	0.04	0.033	0.08	16.2	18.7	2.67	727	0.87	0.02
DD004048		0.69	58.0	4.57	6.56	0.10	0.06	0.05	0.039	0.06	21.1	16.9	1.51	1050	1.40	0.01
DD004049		0.86	44.7	4.60	7.92	0.09	0.05	0.06	0.038	0.06	16.1	18.5	1.60	710	0.92	0.01
DD004050		0.76	54.2	4.42	7.16	0.10	0.05	0.04	0.027	0.05	12.9	15.6	1.88	1750	0.92	0.02
DD003401		1.08	84.3	6.79	10.90	0.09	0.19	<0.01	0.017	0.02	4.5	28.7	1.88	725	0.84	0.01
DD003402		0.81	69.1	4.83	7.71	0.12	0.07	0.04	0.030	0.06	16.1	17.5	2.61	717	0.99	0.01
DD003403		0.96	84.9	5.15	9.03	0.10	0.06	0.04	0.033	0.07	15.3	19.0	2.83	644	1.00	0.01
DD003404		0.79	84.0	5.15	9.04	0.11	0.06	0.03	0.032	0.05	13.3	18.7	2.72	759	0.82	0.01
DD003405		0.88	88.2	5.49	8.86	0.10	0.06	0.05	0.036	0.06	16.6	19.3	2.97	781	1.06	0.01
DD003406		0.91	87.0	5.05	8.85	0.10	0.06	0.04	0.033	0.06	16.3	19.1	2.84	841	1.14	0.01
DD003407		0.87	81.3	5.14	9.08	0.09	0.06	0.05	0.036	0.06	16.2	19.8	2.66	563	1.00	0.01
DD003408		0.83	83.1	5.03	8.57	0.11	0.07	0.05	0.030	0.06	16.9	18.0	2.79	766	1.18	0.01
DD003409		0.85	87.7	5.23	8.99	0.10	0.06	0.06	0.033	0.06	17.2	19.1	2.83	939	0.97	0.01
DD003410		0.75	82.7	4.66	8.57	0.11	0.06	0.04	0.033	0.06	16.2	18.3	2.66	738	0.90	0.01
DD003411		0.57	62.6	3.60	6.28	0.10	0.05	0.03	0.025	0.04	11.7	12.7	1.91	599	0.80	0.01
DD003412		0.53	48.0	3.85	6.83	0.12	0.06	0.02	0.022	0.04	13.7	14.1	2.05	516	0.63	0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 5- SEP- 2011
Account: RCM

Project: Rackla- Cheshire

CERTIFICATE OF ANALYSIS WH11151929

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
DD004023		2.71	113.5	1080	16.1	5.9	<0.001	0.07	1.08	3.4	0.6	0.2	52.9	0.01	0.03	1.0
DD004024		2.99	157.0	1260	17.7	5.6	0.001	0.05	0.97	4.2	0.7	0.3	46.0	<0.01	0.03	1.5
DD004025		3.14	148.0	1150	12.6	4.8	<0.001	0.07	1.02	3.4	0.4	0.2	51.3	0.01	0.02	1.1
DD004026		3.57	147.0	1190	11.6	5.1	<0.001	0.05	0.99	3.6	0.5	0.2	49.6	<0.01	0.01	1.3
DD004027		4.02	167.5	1340	14.7	5.3	<0.001	0.05	1.33	4.3	0.6	0.3	52.3	<0.01	0.01	1.6
DD004028		2.96	132.5	1040	14.7	5.3	<0.001	0.07	1.50	4.2	0.7	0.3	51.9	0.01	0.02	1.1
DD004029		3.16	157.0	1300	22.2	6.1	<0.001	0.02	1.49	6.5	0.8	0.3	33.0	<0.01	0.01	2.8
DD004030		3.42	172.5	1310	19.7	6.5	<0.001	0.02	1.21	6.9	1.3	0.4	29.3	<0.01	0.03	2.6
DD004031		3.94	196.0	1080	20.4	7.0	<0.001	0.02	1.32	6.6	1.0	0.4	35.2	<0.01	<0.01	2.4
DD004032		3.29	55.6	320	20.9	9.0	<0.001	0.01	0.82	3.9	0.4	0.7	11.9	<0.01	0.03	4.4
DD004033		2.52	124.0	700	30.8	7.1	<0.001	0.05	1.41	9.2	1.2	0.2	48.3	<0.01	0.02	2.1
DD004034		1.92	41.6	570	19.7	8.3	<0.001	0.02	0.57	3.6	0.6	0.6	19.7	<0.01	0.01	2.8
DD004035		1.33	72.6	1000	15.0	7.0	<0.001	0.06	1.02	6.0	1.0	0.3	58.3	<0.01	0.01	1.9
DD004036		3.06	107.0	1300	16.0	6.4	<0.001	0.05	1.01	5.5	0.8	0.3	51.4	<0.01	0.01	1.8
DD004037		3.62	73.3	1240	10.8	6.1	<0.001	0.05	0.78	7.2	0.9	0.3	43.4	<0.01	0.02	2.0
DD004038		4.14	92.0	1350	14.5	6.3	<0.001	0.06	0.80	5.2	0.6	0.3	47.6	0.01	0.03	1.7
DD004039		4.73	99.6	1380	16.4	5.8	<0.001	0.05	0.68	5.2	1.0	0.3	38.5	0.01	<0.01	2.3
DD004040		4.58	94.2	1260	13.7	5.9	<0.001	0.05	0.69	5.0	0.6	0.3	40.2	<0.01	0.03	1.8
DD004041		3.50	92.8	1080	11.6	7.1	<0.001	0.08	0.84	4.3	0.9	0.2	61.1	0.01	0.03	1.2
DD004042		4.04	111.0	1250	14.3	8.4	<0.001	0.05	0.72	5.2	0.5	0.3	48.9	<0.01	0.01	2.0
DD004043		3.15	108.0	1170	16.6	6.7	<0.001	0.06	0.72	5.5	0.9	0.3	43.7	<0.01	0.01	1.7
DD004044		3.93	93.2	1280	18.0	6.4	<0.001	0.06	0.59	5.3	0.9	0.3	39.4	<0.01	<0.01	2.1
DD004045		4.76	99.5	1000	15.7	5.7	<0.001	0.04	0.69	5.0	1.1	0.4	33.5	<0.01	0.04	2.4
DD004046		3.95	114.5	1460	20.1	7.4	<0.001	0.04	0.86	6.0	0.7	0.3	45.2	<0.01	0.01	2.8
DD004047		4.25	124.0	1430	18.8	6.8	<0.001	0.03	0.88	5.8	0.3	0.3	62.5	<0.01	<0.01	2.9
DD004048		3.09	94.7	1460	19.2	7.5	<0.001	0.03	1.07	6.0	0.5	0.3	32.6	<0.01	0.01	3.2
DD004049		2.94	85.4	1260	15.3	7.6	<0.001	0.04	0.69	5.7	0.6	0.4	37.3	0.01	<0.01	1.7
DD004050		2.91	121.5	1260	16.2	6.1	<0.001	0.06	0.83	4.7	0.4	0.3	53.7	0.01	0.01	1.6
DD003401		4.77	180.5	250	5.6	2.8	<0.001	0.01	0.78	2.9	0.3	0.6	8.0	0.02	0.02	1.4
DD003402		3.01	147.5	1230	18.0	6.4	<0.001	0.01	1.03	6.0	0.3	0.4	32.7	<0.01	0.01	3.0
DD003403		3.23	179.5	1180	17.8	7.2	0.001	0.04	1.22	6.0	0.9	0.3	41.4	<0.01	<0.01	1.7
DD003404		3.88	178.5	900	17.7	5.4	<0.001	0.04	1.30	5.5	0.5	0.3	54.5	0.01	<0.01	1.4
DD003405		3.39	175.0	1330	19.9	6.9	<0.001	0.03	1.29	6.5	0.8	0.4	35.7	<0.01	<0.01	2.6
DD003406		3.38	168.5	1240	18.9	6.3	<0.001	0.03	1.44	6.3	0.8	0.3	41.3	<0.01	0.01	2.2
DD003407		3.09	164.5	1150	19.8	6.3	<0.001	0.04	1.39	5.7	0.6	0.3	40.1	<0.01	0.03	1.8
DD003408		3.67	174.0	1340	18.4	6.3	<0.001	0.03	1.27	5.5	0.5	0.3	42.5	<0.01	0.01	2.3
DD003409		3.84	176.5	1400	18.7	6.7	<0.001	0.03	1.25	5.5	0.2	0.3	43.5	<0.01	0.02	2.3
DD003410		4.04	163.5	1320	20.1	6.3	<0.001	0.03	1.07	5.4	<0.2	0.3	49.6	<0.01	0.01	2.1
DD003411		3.99	123.0	1030	12.8	4.8	<0.001	0.06	1.01	3.4	0.3	0.3	51.4	0.01	<0.01	1.0
DD003412		4.79	119.5	1210	13.5	4.6	<0.001	0.04	0.75	3.8	0.2	0.3	43.5	<0.01	<0.01	1.6

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 5- SEP- 2011
Account: RCM

Project: Rackla- Cheshire

CERTIFICATE OF ANALYSIS WH11151929

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
DD004023		0.079	0.06	0.67	54	0.12	7.27	88	1.5
DD004024		0.097	0.07	0.48	65	0.13	8.51	93	1.8
DD004025		0.097	0.06	0.51	59	0.12	7.17	81	1.7
DD004026		0.109	0.05	0.43	63	0.14	7.34	88	1.9
DD004027		0.126	0.05	0.48	69	0.16	8.67	94	2.3
DD004028		0.106	0.06	0.63	67	0.14	7.07	89	1.6
DD004029		0.150	0.08	0.48	82	0.18	11.15	107	2.8
DD004030		0.162	0.06	0.45	88	0.16	11.05	104	2.9
DD004031		0.178	0.08	0.47	89	0.14	10.25	104	3.0
DD004032		0.099	0.15	0.60	71	0.26	4.26	67	3.8
DD004033		0.071	0.09	0.59	54	0.18	13.85	106	1.4
DD004034		0.057	0.13	0.70	67	0.21	4.94	63	0.7
DD004035		0.039	0.11	0.86	57	0.12	9.59	75	1.2
DD004036		0.094	0.09	0.57	68	0.14	9.84	93	1.9
DD004037		0.127	0.07	0.48	82	0.09	8.60	88	1.9
DD004038		0.123	0.06	0.68	71	0.12	7.88	97	1.9
DD004039		0.144	0.07	0.73	71	0.15	9.88	100	2.5
DD004040		0.144	0.07	0.62	70	0.19	9.12	91	2.1
DD004041		0.098	0.08	0.58	63	0.13	7.56	87	1.7
DD004042		0.112	0.08	0.43	75	0.12	7.66	122	2.1
DD004043		0.092	0.08	0.51	75	0.13	8.13	109	1.6
DD004044		0.113	0.09	0.61	74	0.13	8.60	102	2.0
DD004045		0.148	0.07	0.48	68	0.28	9.15	90	2.6
DD004046		0.120	0.07	0.58	75	0.19	11.35	115	2.7
DD004047		0.145	0.07	0.48	79	0.19	9.80	110	3.1
DD004048		0.093	0.09	0.62	63	0.21	13.60	110	2.2
DD004049		0.079	0.10	0.77	75	0.17	9.63	80	1.4
DD004050		0.089	0.07	0.69	68	0.17	8.37	87	1.7
DD003401		0.569	0.04	0.32	144	0.20	4.96	92	6.4
DD003402		0.154	0.07	0.46	76	0.18	10.50	97	2.7
DD003403		0.123	0.07	0.57	81	0.15	10.10	102	2.1
DD003404		0.130	0.06	0.53	83	0.12	9.09	94	2.0
DD003405		0.142	0.08	0.56	82	0.16	11.40	107	2.3
DD003406		0.133	0.07	0.52	78	0.16	11.00	101	2.3
DD003407		0.115	0.07	0.49	80	0.15	10.00	106	1.9
DD003408		0.142	0.07	0.49	76	0.18	10.45	103	2.4
DD003409		0.135	0.07	0.52	77	0.28	10.55	105	2.3
DD003410		0.128	0.06	0.45	72	0.18	9.92	104	2.2
DD003411		0.119	0.05	0.58	56	0.15	7.43	79	1.7
DD003412		0.152	0.05	0.50	61	0.16	7.92	83	2.1

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 5- SEP- 2011
Account: RCM

Project: Rackla- Cheshire

CERTIFICATE OF ANALYSIS WH11151929

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- TL43 Au ppm 0.001	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1
DD003413		0.21	0.002	0.12	2.54	7.3	<0.2	<10	160	0.41	0.11	1.52	0.40	31.4	34.0	139
DD003414		0.34	0.002	0.15	2.55	8.5	<0.2	<10	140	0.45	0.10	1.60	0.27	29.4	32.3	143
DD003415		0.25	0.001	0.12	2.59	7.9	<0.2	<10	140	0.45	0.09	1.47	0.27	28.4	34.3	158
DD003416		0.24	0.006	0.11	2.34	9.0	<0.2	<10	190	0.32	0.10	2.00	0.46	24.6	32.6	134
DD003417		0.21	0.002	0.14	2.38	10.3	<0.2	<10	180	0.44	0.11	1.75	0.31	25.2	30.3	129
DD003418		0.37	0.004	0.16	2.68	13.7	<0.2	<10	160	0.45	0.13	1.38	0.25	30.4	34.1	156
DD003419		0.30	0.004	0.18	2.96	15.8	<0.2	<10	220	0.57	0.11	1.08	0.36	31.8	40.4	172
DD003420		0.17	0.002	0.14	2.81	11.1	<0.2	<10	210	0.44	0.10	1.72	0.32	23.3	35.1	159

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 5- SEP- 2011
Account: RCM

Project: Rackla- Cheshire

CERTIFICATE OF ANALYSIS WH11151929

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
DD003413		0.73	74.4	4.46	7.98	0.12	0.06	0.02	0.029	0.06	16.8	17.0	2.57	512	0.67	0.01
DD003414		0.72	75.0	4.55	8.13	0.11	0.06	0.03	0.030	0.06	16.4	17.3	2.59	694	0.83	0.01
DD003415		0.70	83.6	4.63	8.70	0.10	0.06	0.03	0.034	0.06	16.7	18.0	2.58	672	0.76	0.01
DD003416		0.70	63.6	4.14	7.18	0.11	0.05	0.04	0.028	0.05	12.6	15.5	2.16	992	0.73	0.02
DD003417		0.77	62.5	4.25	7.71	0.10	0.04	0.03	0.029	0.06	13.0	16.7	2.12	729	1.03	0.02
DD003418		0.87	83.3	5.01	8.80	0.13	0.06	0.06	0.033	0.07	16.0	18.9	2.60	728	1.35	0.01
DD003419		0.99	98.5	5.44	9.63	0.11	0.06	0.06	0.039	0.07	17.7	20.7	2.75	654	1.45	0.01
DD003420		0.98	79.3	4.97	8.81	0.10	0.06	0.05	0.031	0.06	12.2	18.6	2.54	688	1.12	0.02

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 5- SEP- 2011
Account: RCM

Project: Rackla- Cheshire

CERTIFICATE OF ANALYSIS WH11151929

Sample Description	Method Analyte Units LOR	ME- MS41 Nb ppm 0.05	ME- MS41 Ni ppm 0.2	ME- MS41 P ppm 10	ME- MS41 Pb ppm 0.2	ME- MS41 Rb ppm 0.1	ME- MS41 Re ppm 0.001	ME- MS41 S % 0.01	ME- MS41 Sb ppm 0.05	ME- MS41 Sc ppm 0.1	ME- MS41 Se ppm 0.2	ME- MS41 Sn ppm 0.2	ME- MS41 Sr ppm 0.2	ME- MS41 Ta ppm 0.01	ME- MS41 Te ppm 0.01	ME- MS41 Th ppm 0.2
DD003413		4.19	144.0	1370	20.5	5.9	<0.001	0.02	0.90	5.2	0.5	0.3	38.7	<0.01	<0.01	2.6
DD003414		3.89	145.5	1340	20.3	5.9	<0.001	0.03	0.87	4.9	0.7	0.3	44.2	<0.01	<0.01	2.2
DD003415		4.49	155.0	1350	20.3	5.7	<0.001	0.03	0.93	5.2	0.4	0.3	46.3	<0.01	0.02	2.0
DD003416		3.78	133.0	990	16.3	5.7	<0.001	0.07	1.07	4.5	0.5	0.3	53.2	<0.01	0.01	1.2
DD003417		3.41	122.5	1080	16.0	6.7	<0.001	0.07	1.31	4.5	0.4	0.3	51.7	0.01	0.01	1.3
DD003418		4.25	150.0	1200	19.1	7.2	<0.001	0.03	1.70	5.9	0.5	0.3	39.4	<0.01	0.01	2.2
DD003419		3.81	177.0	1210	21.6	7.1	<0.001	0.04	1.89	6.7	0.4	0.3	37.8	<0.01	0.01	2.3
DD003420		3.35	154.5	1150	17.1	7.6	<0.001	0.07	1.44	5.4	<0.2	0.3	50.4	<0.01	0.01	1.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 5- SEP- 2011
Account: RCM

Project: Rackla- Cheshire

CERTIFICATE OF ANALYSIS WH11151929

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
DD003413		0.149	0.07	0.46	72	0.18	10.25	98	2.6
DD003414		0.133	0.07	0.53	68	0.18	9.52	93	2.3
DD003415		0.143	0.06	0.45	70	0.18	10.05	97	2.4
DD003416		0.118	0.05	0.60	67	0.12	8.19	94	1.8
DD003417		0.092	0.07	0.60	67	0.16	7.81	97	1.6
DD003418		0.152	0.08	0.63	79	0.18	10.35	102	2.4
DD003419		0.144	0.09	0.63	85	0.16	11.30	106	2.6
DD003420		0.111	0.07	0.72	78	0.13	8.06	113	2.0

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 5- SEP- 2011
Account: RCM

Project: Rackla- Cheshire

CERTIFICATE OF ANALYSIS WH11151929

Method	CERTIFICATE COMMENTS
ME- MS41	Gold determinations by this method are semi- quantitative due to the small sample weight used (0.5g).

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 18- AUG- 2011
Account: RCM

CERTIFICATE WH11152473

Project: Rackla- Regional

P.O. No.:

This report is for 10 Rock samples submitted to our lab in Whitehorse, YT, Canada on 8- AUG- 2011.

The following have access to data associated with this certificate:

ROB CARNE JULIA LANE	ANDREW CARNE JOAN MARIACHER	MATT DUMALA

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
WSH- 21	"Wash" crushers
WSH- 22	"Wash" pulverizers
CRU- 31	Fine crushing - 70% < 2mm
SPL- 21	Split sample - riffle splitter
CRU- QC	Crushing QC Test
PUL- QC	Pulverizing QC Test
PUL- 31	Pulverize split to 85% < 75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- AA26	Ore Grade Au 50g FA AA finish	AAS
ME- MS61	48 element four acid ICP- MS	
Hg- CV41	Trace Hg - cold vapor/AAS	FIMS

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 18- AUG- 2011
Account: RCM

Project: Rackla- Regional

CERTIFICATE OF ANALYSIS WH11152473

Sample Description	Method / Analyte / Units / LOR	WEI- 21 Recvd Wt. kg 0.02	Au- AA26 Au ppm 0.01	ME- MS61 Ag ppm 0.01	ME- MS61 Al % 0.01	ME- MS61 As ppm 0.2	ME- MS61 Ba ppm 10	ME- MS61 Be ppm 0.05	ME- MS61 Bi ppm 0.01	ME- MS61 Ca % 0.01	ME- MS61 Cd ppm 0.02	ME- MS61 Ce ppm 0.01	ME- MS61 Co ppm 0.1	ME- MS61 Cr ppm 1	ME- MS61 Cs ppm 0.05	ME- MS61 Cu ppm 0.2
I357457		1.17	0.05	0.92	3.83	3.6	10	<0.05	0.88	0.11	0.87	4.27	280	159	<0.05	>10000
I357458		1.19	<0.01	0.14	0.11	619	30	0.37	0.01	19.90	0.30	1.91	0.9	<1	<0.05	55.4
I357459		1.14	<0.01	0.05	0.06	9	10	0.08	0.01	21.5	0.26	1.83	0.3	<1	<0.05	13.7
I357460		2.10	<0.01	0.03	0.10	115	20	0.06	0.01	18.85	0.18	1.34	0.4	<1	0.08	4.8
I357461		0.65	<0.01	0.02	1.29	238	50	0.31	0.04	21.7	0.03	10.30	2.7	12	0.39	9.3
I357462		0.95	0.01	0.01	1.01	263	50	0.29	0.03	24.2	0.02	7.42	2.4	8	0.27	6.1
I357463		1.43	0.01	0.18	2.00	2080	170	0.54	0.05	24.8	0.25	25.6	4.0	19	0.87	11.4
I357428		0.38	<0.01	0.06	7.58	179.5	1000	0.44	0.01	6.12	0.10	34.2	39.6	208	2.27	77.1
I357429		0.30	<0.01	0.04	0.52	7	50	0.30	0.01	30.6	0.37	9.70	0.9	11	0.06	4.9
I357430		0.66	0.01	0.08	0.27	644	20	0.19	0.01	35.2	0.09	5.93	0.7	3	0.35	4.6

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 18- AUG- 2011
Account: RCM

Project: Rackla- Regional

CERTIFICATE OF ANALYSIS WH11152473

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	Hg- CV41	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
	Units	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOR	0.01	0.05	0.05	0.1	0.01	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2
I357457		18.45	13.60	0.12	0.5	0.2	0.151	0.01	1.7	6.7	7.79	3960	1.27	<0.01	3.4	485
I357458		0.77	0.24	0.05	<0.1	1.72	<0.005	0.02	1.2	1.4	11.75	1390	0.10	0.01	0.1	2.2
I357459		0.23	0.20	0.12	<0.1	0.23	<0.005	0.01	1.1	0.9	13.15	437	0.08	0.02	0.1	0.6
I357460		0.38	0.23	0.13	<0.1	0.62	<0.005	0.03	0.7	1.4	11.30	629	0.25	0.01	0.1	0.7
I357461		3.67	2.85	0.07	0.4	0.04	0.023	0.23	5.3	7.6	4.39	1300	0.11	0.03	1.2	7.4
I357462		4.09	2.30	<0.05	0.3	0.03	0.013	0.16	3.8	5.9	4.83	1480	0.10	0.02	0.8	6.4
I357463		1.02	4.79	0.10	1.4	1.27	0.015	0.37	13.1	11.6	2.09	468	0.73	0.02	2.9	8.5
I357428		6.39	18.30	0.10	0.8	0.04	0.059	1.80	17.5	8.0	2.57	817	0.34	2.57	7.3	137.0
I357429		0.60	1.17	0.06	0.3	0.02	0.019	0.04	7.9	0.9	0.12	1950	0.64	0.36	2.0	7.3
I357430		0.66	0.73	<0.05	0.1	0.37	<0.005	0.08	3.4	2.4	0.26	376	0.47	0.01	0.4	2.8

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 18- AUG- 2011
Account: RCM

Project: Rackla- Regional

CERTIFICATE OF ANALYSIS WH11152473

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
	LOR	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02
I357457		310	2.2	0.2	<0.002	0.16	0.12	13.5	4	0.6	3.0	0.22	0.05	<0.2	0.467	<0.02
I357458		150	10.5	0.5	<0.002	0.01	1.03	0.2	1	<0.2	96.1	<0.05	<0.05	<0.2	<0.005	2.86
I357459		280	1.2	0.4	<0.002	<0.01	0.07	0.1	<1	<0.2	53.1	<0.05	<0.05	<0.2	<0.005	0.07
I357460		190	4.4	0.9	<0.002	0.01	0.17	0.1	1	<0.2	91.4	<0.05	<0.05	<0.2	<0.005	0.21
I357461		110	3.4	8.8	<0.002	0.01	0.14	4.4	2	0.4	386	0.08	<0.05	1.8	0.039	0.17
I357462		80	2.4	5.9	<0.002	0.01	0.14	3.9	1	0.3	396	0.06	<0.05	1.3	0.027	0.19
I357463		510	10.1	14.6	<0.002	0.08	0.25	3.5	1	0.7	938	0.21	<0.05	4.0	0.083	7.37
I357428		1060	3.7	40.8	<0.002	0.17	4.74	25.1	1	0.6	274	0.30	<0.05	2.3	0.318	0.33
I357429		1870	5.3	1.3	<0.002	<0.01	1.05	1.2	1	0.2	1145	0.10	<0.05	0.7	0.038	0.02
I357430		160	3.1	3.0	<0.002	0.03	0.31	1.5	1	<0.2	447	<0.05	<0.05	0.8	0.011	0.65

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 18- AUG- 2011
Account: RCM

Project: Rackla- Regional

CERTIFICATE OF ANALYSIS WH11152473

Sample Description	Method Analyte Units LOR	ME- MS61 U ppm 0.1	ME- MS61 V ppm 1	ME- MS61 W ppm 0.1	ME- MS61 Y ppm 0.1	ME- MS61 Zn ppm 2	ME- MS61 Zr ppm 0.5
I357457		<0.1	251	1.0	4.7	390	14.4
I357458		1.1	<1	0.1	2.7	106	1.3
I357459		0.7	<1	<0.1	1.2	110	1.1
I357460		0.8	<1	0.1	1.2	50	1.6
I357461		1.1	26	0.4	35.4	20	13.9
I357462		0.9	24	0.3	35.7	16	9.9
I357463		16.6	35	1.2	13.6	36	51.8
I357428		0.5	175	0.9	11.4	88	31.3
I357429		0.9	45	0.3	11.1	7	11.0
I357430		14.2	10	0.2	10.6	16	5.2

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 18- AUG- 2011
Account: RCM

Project: Rackla- Regional

CERTIFICATE OF ANALYSIS WH11152473

Method	CERTIFICATE COMMENTS
ME- MS61	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown.
ME- MS61	REE's may not be totally soluble in this method.
Hg- CV41	Detection limits on samples requiring dilutions due to interferences or high concentration levels have been increased according to the dilution factor.

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 21- AUG- 2011
Account: RCM

CERTIFICATE WH11152475

Project: Rackla- Pyramid North

P.O. No.:

This report is for 183 Soil samples submitted to our lab in Whitehorse, YT, Canada on 8- AUG- 2011.

The following have access to data associated with this certificate:

ROB CARNE JULIA LANE	ANDREW CARNE JOAN MARIACHER	MATT DUMALA

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
SCR- 41	Screen to - 180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- TL43	Trace Level Au - 25g AR	ICP- MS
ME- MS41	51 anal. aqua regia ICPMS	

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 21- AUG- 2011
Account: RCM

Project: Rackla- Pyramid North

CERTIFICATE OF ANALYSIS WH11152475

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- TL43 Au ppm 0.001	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1
DD004718		0.33	0.002	0.02	2.59	7.5	<0.2	<10	120	0.71	0.24	0.10	0.17	50.0	23.5	37
DD004719		0.26	0.001	0.03	1.76	11.4	<0.2	<10	180	0.42	0.29	0.11	0.11	23.7	6.3	25
DD004720		0.25	0.001	0.13	2.65	18.1	<0.2	<10	200	0.60	0.32	0.12	0.31	30.0	13.8	33
DD004721		0.24	0.003	0.15	2.02	11.1	<0.2	<10	170	0.45	0.29	0.10	0.16	29.4	10.9	34
DD004722		0.24	0.004	0.20	2.08	10.0	<0.2	<10	280	0.77	0.24	0.59	0.63	34.4	19.3	32
DD004723		0.34	0.002	0.09	2.35	11.3	<0.2	<10	240	0.75	0.26	0.19	0.28	37.7	17.1	33
DD004724		0.22	0.003	0.06	2.09	10.2	<0.2	<10	270	0.87	0.23	0.16	0.17	36.2	14.9	30
DD004725		0.32	0.003	0.04	2.12	10.8	<0.2	<10	130	1.01	0.27	0.27	0.21	39.3	20.9	31
DD004726		0.35	0.003	0.15	2.22	7.3	<0.2	<10	230	0.73	0.24	1.73	0.31	35.0	20.6	33
DD004727		0.26	0.002	0.04	2.72	9.9	<0.2	<10	180	0.95	0.26	0.16	0.11	39.3	18.1	35
DD004728		0.27	0.002	0.06	2.44	11.4	<0.2	<10	180	1.02	0.27	0.11	0.23	46.7	22.1	34
DD004729		0.33	0.004	0.07	2.37	11.1	<0.2	<10	150	0.95	0.26	0.56	0.15	42.0	20.3	34
DD004730		0.25	0.001	0.05	1.25	7.2	<0.2	<10	190	0.29	0.25	1.00	0.21	23.2	7.2	20
DD004731		0.23	0.003	0.23	1.92	8.3	<0.2	<10	270	0.76	0.24	1.97	0.50	22.5	10.7	25
DD004732		0.25	0.001	0.16	2.87	13.4	<0.2	<10	190	0.76	0.31	0.08	0.34	23.6	16.0	37
DD004733		0.33	0.004	0.05	2.35	8.9	<0.2	<10	180	1.07	0.24	0.37	0.24	37.6	24.1	34
DD004734		0.26	0.003	0.05	1.91	10.3	<0.2	<10	290	1.02	0.24	0.52	0.11	33.3	13.8	31
DD004735		0.33	0.002	0.08	1.93	6.4	<0.2	<10	270	0.84	0.23	0.95	0.11	28.5	12.3	28
DD004736		0.33	0.004	0.11	2.79	11.0	<0.2	<10	250	1.44	0.24	0.45	0.22	29.1	20.0	33
DD004737		0.32	0.003	0.13	1.68	10.8	<0.2	<10	160	0.83	0.26	0.78	0.24	26.8	16.9	27
DD004738		0.26	0.003	0.10	1.80	8.9	<0.2	<10	160	0.73	0.23	0.94	0.23	22.2	15.6	26
DD004739		0.30	0.002	0.09	2.04	7.7	<0.2	<10	220	0.79	0.23	1.33	0.35	22.4	16.1	29
DD004740		0.41	0.003	0.10	2.17	10.1	<0.2	<10	180	0.83	0.26	0.55	0.15	32.2	18.2	31
DD004741		0.33	0.004	0.09	2.02	9.2	<0.2	<10	280	0.72	0.25	0.77	0.21	26.7	16.3	30
DD004742		0.29	0.002	0.04	2.16	9.2	<0.2	<10	200	0.66	0.25	0.64	0.18	27.5	17.7	31
DD004743		0.30	0.003	0.17	1.90	8.9	<0.2	<10	260	0.80	0.25	0.70	0.35	29.9	15.5	32
DD004744		0.45	0.004	0.18	2.06	9.6	<0.2	<10	230	0.94	0.26	0.70	0.29	31.1	17.6	32
DD004745		0.29	0.004	0.19	1.86	8.9	<0.2	<10	230	0.81	0.24	0.98	0.38	27.5	16.4	30
DD004746		0.29	0.001	0.08	1.82	8.5	<0.2	<10	240	0.88	0.26	1.14	0.56	25.6	16.3	29
DD004747		0.26	0.002	0.06	2.13	9.4	<0.2	<10	220	0.67	0.25	0.69	0.19	30.6	18.9	32
DD004748		0.31	0.004	0.14	2.29	7.1	<0.2	<10	200	0.90	0.26	0.91	0.37	34.4	23.2	35
DD004749		0.26	0.002	0.18	1.68	8.2	<0.2	<10	220	0.72	0.22	0.95	0.22	27.2	13.3	29
DD004750		0.36	0.003	0.15	2.00	4.8	<0.2	<10	190	0.75	0.24	0.88	0.52	31.2	20.7	33
DD003751		0.43	0.003	0.08	2.02	10.1	<0.2	<10	120	0.82	0.26	0.85	0.30	34.1	24.8	29
DD003752		0.23	0.001	0.05	1.50	7.5	<0.2	<10	250	0.50	0.26	0.70	0.23	19.10	8.9	24
DD003753		0.25	0.002	0.19	1.70	6.8	<0.2	<10	280	0.99	0.25	1.39	0.29	24.2	15.5	28
DD003754		0.29	0.003	0.10	2.00	7.8	<0.2	<10	210	0.71	0.22	0.82	0.23	25.3	16.0	30
DD003755		0.31	0.003	0.12	2.04	8.5	<0.2	<10	220	0.77	0.22	1.01	0.27	25.3	18.9	30
DD003756		0.32	0.002	0.04	2.32	10.9	<0.2	<10	140	0.77	0.26	0.16	0.19	29.2	23.9	34
DD003757		0.25	0.004	0.22	1.90	7.9	<0.2	<10	350	0.95	0.23	1.59	0.36	28.3	16.3	31

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 21- AUG- 2011
Account: RCM

Project: Rackla- Pyramid North

CERTIFICATE OF ANALYSIS WH11152475

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
DD004718		1.70	73.3	5.51	7.80	0.13	0.07	0.03	0.041	0.07	22.2	30.6	1.32	676	0.74	<0.01
DD004719		1.30	14.2	4.08	7.30	0.09	0.04	0.02	0.031	0.04	11.8	24.4	0.29	209	1.59	<0.01
DD004720		1.25	60.6	6.43	8.57	0.13	0.07	0.03	0.050	0.07	14.3	32.4	0.91	322	1.00	<0.01
DD004721		1.60	50.5	4.20	6.95	0.09	0.04	0.02	0.037	0.06	14.7	23.0	0.63	403	1.10	<0.01
DD004722		1.37	98.4	4.17	6.08	0.12	0.08	0.15	0.040	0.07	16.7	28.3	0.85	1040	0.77	<0.01
DD004723		1.20	56.4	4.92	6.40	0.11	0.06	0.06	0.044	0.06	16.4	29.3	0.86	745	0.93	<0.01
DD004724		1.18	38.1	4.07	5.20	0.09	0.06	0.04	0.044	0.05	14.7	24.8	0.59	647	0.78	<0.01
DD004725		1.69	84.7	5.00	6.00	0.12	0.11	0.10	0.044	0.10	17.4	30.5	1.02	794	0.64	<0.01
DD004726		1.69	95.5	4.56	6.72	0.12	0.12	0.10	0.039	0.12	16.3	30.2	1.46	618	0.68	0.01
DD004727		1.30	57.8	5.08	7.18	0.12	0.09	0.03	0.050	0.06	16.1	32.4	1.01	581	0.72	<0.01
DD004728		1.30	82.7	5.47	6.64	0.13	0.08	0.03	0.045	0.08	19.9	36.5	1.13	1040	0.59	<0.01
DD004729		1.30	99.2	5.09	6.64	0.13	0.14	0.09	0.044	0.09	20.2	38.6	1.15	735	0.53	<0.01
DD004730		0.71	23.8	2.86	5.98	0.06	0.03	0.02	0.025	0.04	11.1	20.4	0.45	222	0.81	<0.01
DD004731		1.17	112.0	3.34	5.84	0.08	0.07	0.15	0.036	0.06	12.2	24.4	0.59	486	0.48	0.01
DD004732		1.68	52.3	5.64	8.73	0.12	0.06	0.03	0.058	0.05	11.0	43.1	0.61	503	1.10	<0.01
DD004733		1.08	101.0	5.11	6.89	0.12	0.08	0.04	0.052	0.07	16.5	38.5	1.23	819	0.61	<0.01
DD004734		1.04	68.3	3.64	5.54	0.11	0.07	0.09	0.043	0.05	17.7	30.0	0.77	598	0.91	0.01
DD004735		1.25	58.8	3.42	6.08	0.11	0.04	0.05	0.039	0.05	14.5	28.2	0.81	314	0.68	0.01
DD004736		1.44	83.2	5.80	6.72	0.13	0.09	0.05	0.063	0.05	14.5	30.6	1.02	829	0.95	<0.01
DD004737		0.84	61.5	4.19	5.08	0.10	0.08	0.06	0.038	0.07	12.6	30.3	0.93	569	0.70	0.01
DD004738		0.64	65.3	4.10	5.35	0.10	0.06	0.07	0.035	0.06	10.7	28.8	0.97	495	0.59	0.01
DD004739		0.93	68.2	4.23	5.89	0.10	0.07	0.06	0.046	0.06	11.0	31.5	1.05	620	0.86	0.01
DD004740		0.88	61.7	4.72	6.26	0.12	0.09	0.05	0.040	0.06	15.0	33.8	1.09	704	0.64	<0.01
DD004741		0.88	49.6	3.94	6.21	0.09	0.06	0.05	0.037	0.06	11.5	31.0	0.89	641	0.86	0.01
DD004742		0.73	56.2	4.66	6.43	0.09	0.05	0.03	0.040	0.06	11.3	38.7	1.16	655	0.77	0.01
DD004743		0.95	56.4	4.03	5.73	0.10	0.07	0.06	0.040	0.07	14.3	31.5	0.94	452	0.92	0.01
DD004744		0.89	81.7	4.50	5.96	0.12	0.08	0.10	0.042	0.06	15.4	26.9	1.04	697	0.69	0.01
DD004745		0.83	75.4	3.92	5.79	0.11	0.07	0.09	0.040	0.06	13.2	24.7	0.99	684	0.89	0.01
DD004746		1.78	88.9	3.71	5.81	0.10	0.05	0.05	0.043	0.07	12.5	30.5	0.81	797	0.95	0.01
DD004747		0.84	57.7	4.64	6.46	0.10	0.05	0.04	0.042	0.07	12.2	33.3	1.13	673	0.88	0.01
DD004748		1.08	97.8	4.78	7.24	0.13	0.09	0.11	0.048	0.09	15.7	38.9	1.32	503	0.70	0.01
DD004749		0.64	44.6	3.38	5.13	0.10	0.06	0.07	0.033	0.05	13.3	24.4	0.83	370	0.86	0.01
DD004750		0.92	82.3	4.05	6.06	0.12	0.09	0.09	0.042	0.09	14.1	32.3	1.30	513	0.48	0.01
DD003751		1.00	104.5	5.09	6.25	0.13	0.12	0.10	0.042	0.07	15.1	32.9	1.50	875	0.84	0.01
DD003752		1.34	19.1	3.14	6.21	0.07	0.02	0.02	0.031	0.04	9.2	23.8	0.49	295	1.06	0.01
DD003753		2.54	112.5	3.27	5.23	0.10	0.07	0.12	0.039	0.08	11.9	26.6	0.76	454	0.78	0.01
DD003754		0.77	79.4	4.54	5.69	0.11	0.06	0.07	0.040	0.07	12.3	27.7	1.14	488	0.65	0.01
DD003755		0.79	86.5	4.63	6.02	0.11	0.07	0.07	0.041	0.06	11.2	27.3	1.16	669	1.93	0.01
DD003756		1.86	71.2	5.71	6.77	0.11	0.04	0.03	0.054	0.06	12.1	33.3	1.28	760	0.96	<0.01
DD003757		1.23	125.5	3.67	5.62	0.11	0.07	0.16	0.041	0.06	14.2	23.9	0.91	726	0.82	0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 21- AUG- 2011
Account: RCM

Project: Rackla- Pyramid North

CERTIFICATE OF ANALYSIS WH11152475

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
DD004718		0.24	36.1	450	15.1	9.9	<0.001	0.02	0.34	6.8	0.6	0.4	7.9	<0.01	0.13	4.1
DD004719		1.72	12.7	260	15.1	10.2	<0.001	0.02	0.66	2.7	0.4	0.9	9.2	0.01	0.06	3.2
DD004720		0.32	27.3	410	28.5	11.1	<0.001	0.04	0.36	6.0	0.5	0.6	14.4	<0.01	0.13	3.4
DD004721		1.19	23.5	270	16.0	12.6	<0.001	0.02	0.53	3.9	0.5	0.8	10.5	<0.01	0.07	4.2
DD004722		0.55	29.6	740	16.4	12.1	<0.001	0.04	0.46	9.0	1.2	0.4	23.7	<0.01	0.10	2.6
DD004723		0.45	30.2	430	23.0	9.7	<0.001	0.02	0.36	6.1	0.6	0.5	12.8	<0.01	0.09	3.8
DD004724		0.69	26.5	370	15.4	10.0	<0.001	0.01	0.43	5.1	0.5	0.5	13.3	<0.01	0.08	4.3
DD004725		0.23	35.5	260	19.4	9.8	<0.001	0.02	0.38	10.3	0.7	0.4	16.8	<0.01	0.12	4.6
DD004726		0.53	37.1	730	14.8	8.2	0.001	0.05	0.49	8.1	0.8	0.4	46.9	<0.01	0.13	3.9
DD004727		0.33	33.6	190	19.0	11.1	<0.001	0.02	0.32	6.6	0.5	0.6	10.3	<0.01	0.10	4.4
DD004728		0.18	36.0	290	19.1	10.3	<0.001	0.02	0.38	6.9	0.6	0.4	9.6	<0.01	0.11	4.5
DD004729		0.20	37.3	340	18.2	9.8	<0.001	0.03	0.44	11.6	0.9	0.4	29.9	<0.01	0.11	5.2
DD004730		0.83	14.0	340	13.0	8.0	<0.001	0.04	0.39	2.6	0.4	0.6	43.5	<0.01	0.08	1.5
DD004731		0.57	22.1	640	13.9	8.4	<0.001	0.07	0.40	6.1	0.9	0.6	80.7	<0.01	0.09	1.2
DD004732		0.66	24.7	430	21.1	13.2	<0.001	0.02	0.47	5.5	0.5	0.9	7.4	<0.01	0.13	2.7
DD004733		0.21	34.7	280	13.8	8.6	<0.001	0.02	0.40	12.3	0.9	0.3	15.2	<0.01	0.09	4.1
DD004734		0.84	30.4	330	13.1	9.6	<0.001	0.01	0.60	8.2	1.1	0.5	26.5	0.01	0.06	4.5
DD004735		0.84	24.1	630	11.1	9.7	<0.001	0.03	0.35	6.9	0.9	0.5	34.6	<0.01	0.06	2.6
DD004736		0.30	32.2	420	20.2	10.7	<0.001	0.02	0.42	11.3	1.0	0.4	21.8	0.01	0.09	3.9
DD004737		0.41	31.8	570	17.6	7.8	<0.001	0.03	0.50	7.5	0.9	0.3	35.5	<0.01	0.07	3.4
DD004738		0.30	29.3	470	14.2	7.4	<0.001	0.04	0.40	5.9	1.0	0.3	38.4	<0.01	0.07	1.8
DD004739		0.37	28.4	870	14.3	12.3	<0.001	0.06	0.42	6.7	1.5	0.4	55.4	<0.01	0.09	1.2
DD004740		0.37	33.3	350	16.3	8.8	<0.001	0.02	0.47	7.7	0.8	0.4	29.5	<0.01	0.08	4.3
DD004741		0.68	28.0	310	15.3	10.1	<0.001	0.02	0.50	5.4	0.7	0.5	34.6	<0.01	0.07	3.0
DD004742		0.39	31.0	330	15.8	9.5	<0.001	0.03	0.39	5.0	0.9	0.4	31.9	<0.01	0.08	2.6
DD004743		0.73	31.6	440	15.6	10.5	<0.001	0.03	0.49	7.6	1.0	0.4	30.5	<0.01	0.07	2.9
DD004744		0.53	33.1	570	16.3	9.8	<0.001	0.03	0.45	8.6	1.2	0.4	30.3	0.01	0.09	2.7
DD004745		0.58	33.0	800	14.2	8.3	<0.001	0.05	0.49	6.9	1.4	0.4	38.0	<0.01	0.08	2.2
DD004746		0.75	25.4	620	14.6	13.7	<0.001	0.04	0.51	7.4	1.8	0.5	46.7	0.01	0.07	1.3
DD004747		0.49	32.9	350	15.4	10.4	<0.001	0.03	0.43	5.9	1.0	0.4	30.1	<0.01	0.09	2.6
DD004748		0.44	39.5	620	16.0	9.3	0.001	0.04	0.43	11.1	1.2	0.4	36.0	<0.01	0.10	3.5
DD004749		0.76	28.4	630	12.1	8.4	<0.001	0.04	0.51	5.9	1.2	0.4	39.1	<0.01	0.06	2.5
DD004750		0.42	37.0	710	14.5	8.2	0.001	0.04	0.33	9.6	1.2	0.4	31.8	<0.01	0.08	3.6
DD003751		0.17	37.7	760	17.5	6.2	<0.001	0.02	0.43	9.6	0.8	0.3	30.5	<0.01	0.10	4.6
DD003752		1.11	15.2	350	13.5	11.9	<0.001	0.02	0.35	3.1	0.4	0.7	33.5	<0.01	0.05	1.8
DD003753		0.72	27.8	660	11.3	12.1	<0.001	0.05	0.49	7.7	1.5	0.5	55.6	0.01	0.08	1.9
DD003754		0.37	30.8	400	13.2	7.4	0.001	0.04	0.38	7.6	1.4	0.3	39.8	<0.01	0.09	2.0
DD003755		0.25	32.3	590	14.5	7.3	<0.001	0.04	0.37	8.1	1.1	0.3	35.9	<0.01	0.08	1.8
DD003756		0.32	33.5	260	16.9	9.5	<0.001	0.01	0.45	6.3	0.6	0.4	8.7	<0.01	0.10	3.5
DD003757		0.62	31.2	1010	13.6	9.6	0.001	0.07	0.59	8.2	2.2	0.4	51.4	0.01	0.08	1.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 21- AUG- 2011
Account: RCM

Project: Rackla- Pyramid North

CERTIFICATE OF ANALYSIS WH11152475

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
DD004718		0.011	0.08	0.36	73	0.06	6.49	88	2.3
DD004719		0.034	0.14	0.38	74	0.31	2.37	43	1.7
DD004720		<0.005	0.14	0.28	81	0.06	3.98	83	2.3
DD004721		0.029	0.15	0.50	69	0.19	3.27	83	1.8
DD004722		0.014	0.09	0.93	55	0.11	16.30	111	1.8
DD004723		0.008	0.12	0.69	60	0.11	8.40	112	1.7
DD004724		0.012	0.12	0.80	49	0.27	6.36	81	1.9
DD004725		0.005	0.10	0.80	50	0.09	13.10	115	3.2
DD004726		0.025	0.08	0.43	61	0.09	10.80	109	3.7
DD004727		0.005	0.13	0.55	62	0.07	6.02	102	3.2
DD004728		<0.005	0.09	0.58	56	<0.05	8.40	90	2.7
DD004729		<0.005	0.10	0.78	54	0.05	17.85	84	4.1
DD004730		0.021	0.07	0.33	55	0.15	2.25	48	0.7
DD004731		0.011	0.08	1.25	50	0.10	12.85	67	1.4
DD004732		0.009	0.15	0.31	89	0.17	2.73	81	1.8
DD004733		0.005	0.08	0.49	57	0.05	14.70	78	2.7
DD004734		0.018	0.11	0.65	50	0.24	17.30	74	2.1
DD004735		0.017	0.11	0.92	51	0.20	12.30	61	1.1
DD004736		<0.005	0.14	1.00	59	0.07	18.05	71	2.9
DD004737		0.010	0.08	0.69	42	0.07	11.65	96	2.6
DD004738		0.007	0.06	1.05	44	0.06	9.93	81	1.9
DD004739		0.008	0.07	1.51	50	0.07	12.90	93	1.7
DD004740		0.007	0.08	0.64	52	0.08	10.80	76	2.9
DD004741		0.011	0.10	0.57	53	0.12	6.64	75	1.7
DD004742		0.008	0.08	0.64	56	0.07	4.61	83	1.7
DD004743		0.019	0.09	0.64	51	0.12	12.15	87	1.8
DD004744		0.014	0.10	1.23	54	0.13	16.10	89	1.9
DD004745		0.015	0.07	1.12	50	0.12	11.30	76	2.0
DD004746		0.019	0.10	1.51	52	0.15	12.95	97	1.2
DD004747		0.011	0.08	0.58	58	0.08	5.39	74	1.6
DD004748		0.012	0.08	0.64	60	0.06	15.50	102	2.6
DD004749		0.020	0.07	1.09	47	0.15	11.35	86	1.8
DD004750		0.014	0.08	0.45	51	0.07	13.15	108	2.7
DD003751		0.008	0.08	0.46	53	<0.05	13.10	98	5.3
DD003752		0.021	0.12	0.48	59	0.22	3.59	71	0.6
DD003753		0.018	0.08	1.11	43	0.14	13.15	72	1.8
DD003754		0.012	0.07	0.61	55	0.06	11.50	81	1.5
DD003755		0.008	0.07	0.51	54	0.05	10.80	85	1.7
DD003756		0.007	0.10	0.42	63	0.05	4.67	78	1.7
DD003757		0.014	0.09	1.89	51	0.13	18.75	66	1.7

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 21- AUG- 2011
Account: RCM

Project: Rackla- Pyramid North

CERTIFICATE OF ANALYSIS WH11152475

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- TL43 Au ppm 0.001	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1
DD003758		0.37	0.003	0.04	2.32	10.1	<0.2	<10	150	1.00	0.27	0.35	0.24	32.2	20.9	32
ZZ18392		0.28	0.004	0.16	2.52	9.7	<0.2	<10	230	0.99	0.24	1.10	0.33	29.5	20.7	38
ZZ18393		0.34	0.004	0.13	2.16	7.7	<0.2	<10	230	0.85	0.23	1.18	0.29	27.5	17.4	32
ZZ18394		0.23	0.001	0.04	2.43	7.7	<0.2	<10	190	0.61	0.29	0.20	0.31	28.7	15.0	35
ZZ18395		0.21	0.003	0.27	1.48	5.1	<0.2	<10	310	1.09	0.18	2.72	0.35	16.35	11.7	20
ZZ18396		0.27	0.003	0.13	1.84	9.6	<0.2	<10	190	0.76	0.24	0.90	0.23	28.8	15.8	30
ZZ18397		0.24	0.003	0.11	2.20	5.9	<0.2	<10	190	0.96	0.27	1.08	0.23	31.8	16.7	31
ZZ18398		0.15	0.003	0.11	1.81	10.7	<0.2	<10	220	0.77	0.22	1.89	0.54	18.25	19.0	27
ZZ18399		0.28	0.003	0.15	2.16	8.9	<0.2	<10	150	0.76	0.26	0.56	0.25	33.6	19.9	32
ZZ18400		0.31	0.003	0.10	2.25	8.5	<0.2	<10	140	0.77	0.26	0.93	0.35	37.0	25.9	33
DD004501		0.35	0.005	0.11	2.24	7.8	<0.2	<10	140	0.79	0.25	0.95	0.32	35.9	23.2	34
DD004502		0.34	0.005	0.13	2.13	7.2	<0.2	<10	150	0.73	0.25	1.01	0.30	38.8	18.2	35
DD004503		0.15	0.004	0.15	1.59	5.0	<0.2	<10	430	0.74	0.17	2.99	0.62	17.40	13.4	23
DD004504		0.28	0.003	0.12	2.25	5.4	<0.2	<10	200	1.05	0.28	0.94	0.31	35.5	17.2	34
DD004505		0.26	0.003	0.12	2.46	9.3	<0.2	<10	150	1.08	0.27	0.72	0.31	38.1	21.1	37
DD004506		0.24	0.004	0.12	2.39	10.2	<0.2	<10	220	1.17	0.28	1.01	0.22	33.8	19.5	35
DD004507		0.33	0.001	0.10	3.07	8.3	<0.2	<10	260	0.75	0.29	0.13	0.49	27.2	26.7	47
DD004508		0.28	0.004	0.09	2.25	10.8	<0.2	<10	160	0.97	0.25	0.73	0.16	33.9	16.7	33
DD004509		0.29	0.003	0.12	1.90	8.1	<0.2	<10	150	0.76	0.23	0.93	0.41	33.0	17.3	29
DD004510		0.26	0.001	0.03	2.70	5.6	<0.2	<10	190	0.81	0.22	0.20	0.20	38.2	16.8	36
DD004511		0.25	0.005	0.21	1.85	10.5	<0.2	<10	320	1.04	0.26	0.60	0.16	36.8	10.9	34
DD004512		0.27	0.001	0.05	2.68	7.8	<0.2	<10	240	0.65	0.26	0.11	0.18	33.7	17.9	40
DD004513		0.28	0.001	0.05	2.12	8.9	<0.2	<10	240	0.65	0.25	0.23	0.44	33.9	19.3	36
DD004514		0.24	0.001	0.05	1.98	14.0	<0.2	<10	220	1.06	0.30	0.41	0.16	26.1	11.9	25
DD004515		0.26	0.001	0.05	2.41	10.3	<0.2	<10	200	0.85	0.28	0.09	0.16	31.2	12.3	31
DD004677		0.31	0.004	0.06	2.50	6.3	<0.2	<10	130	0.71	0.23	0.50	0.18	36.6	18.3	36
DD004678		0.30	0.003	0.10	2.25	6.2	<0.2	<10	170	0.79	0.23	1.41	0.29	26.9	16.4	32
DD004679		0.33	0.004	0.10	2.33	6.1	<0.2	<10	190	0.79	0.22	1.22	0.27	26.6	16.1	34
DD004680		0.40	0.003	0.10	2.09	7.8	<0.2	<10	180	0.83	0.24	1.13	0.36	28.1	19.0	31
DD004681		0.23	0.004	0.10	2.16	6.9	<0.2	<10	220	0.89	0.23	1.35	0.35	23.9	16.8	32
DD004682		0.33	0.003	0.11	2.12	8.5	<0.2	<10	190	0.84	0.25	0.82	0.25	30.2	14.7	32
DD004683		0.29	0.003	0.09	2.23	4.3	<0.2	<10	150	0.72	0.23	0.97	0.18	28.0	12.8	34
DD004684		0.26	0.004	0.07	2.90	6.3	<0.2	<10	130	0.94	0.27	0.53	0.21	43.1	23.5	42
DD004685		0.31	0.003	0.08	2.53	5.1	<0.2	<10	150	0.77	0.23	1.51	0.27	28.5	18.2	36
DD004686		0.35	0.003	0.06	2.39	9.7	<0.2	<10	190	0.97	0.30	0.56	0.14	36.6	20.4	33
DD004687		0.38	0.003	0.08	2.21	7.7	<0.2	<10	180	0.77	0.24	0.73	0.19	25.8	12.9	31
DD004688		0.41	0.003	0.14	1.96	6.7	<0.2	<10	230	0.88	0.26	0.93	0.40	29.5	13.0	32
DD004689		0.31	0.005	0.11	2.05	6.1	<0.2	<10	190	0.91	0.28	0.93	0.36	30.5	16.5	31
DD004690		0.21	0.003	0.16	1.60	9.1	<0.2	<10	230	0.86	0.24	1.70	0.40	22.7	12.0	26
DD004691		0.27	0.004	0.12	1.96	9.1	<0.2	<10	180	0.89	0.26	0.82	0.23	29.4	14.4	31

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 21- AUG- 2011
Account: RCM

Project: Rackla- Pyramid North

CERTIFICATE OF ANALYSIS WH11152475

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
DD003758		1.83	98.9	5.25	6.56	0.12	0.08	0.07	0.049	0.06	14.0	31.1	1.17	562	0.88	0.01
ZZ18392		1.14	148.5	4.97	7.21	0.13	0.09	0.14	0.045	0.10	15.2	34.2	1.37	835	0.93	0.01
ZZ18393		0.94	101.0	4.35	6.09	0.11	0.06	0.07	0.043	0.07	13.2	27.1	1.11	743	0.75	0.01
ZZ18394		1.53	40.4	4.44	9.21	0.10	0.05	0.02	0.055	0.05	12.9	37.8	0.71	454	1.15	0.01
ZZ18395		1.12	66.2	2.47	3.63	0.09	0.05	0.11	0.031	0.06	8.7	14.5	0.60	893	0.73	0.01
ZZ18396		0.86	82.0	3.91	5.45	0.10	0.06	0.07	0.038	0.06	14.1	25.5	0.90	581	0.96	0.01
ZZ18397		0.84	100.5	3.94	6.74	0.12	0.09	0.10	0.045	0.08	14.7	37.1	1.24	202	0.39	0.01
ZZ18398		0.76	76.5	4.34	5.37	0.10	0.06	0.09	0.041	0.08	8.4	23.1	0.97	851	1.02	0.01
ZZ18399		0.82	78.3	5.18	6.56	0.13	0.08	0.03	0.042	0.08	15.8	31.7	1.26	749	0.95	0.01
ZZ18400		0.84	94.6	5.38	6.69	0.13	0.09	0.09	0.040	0.08	16.8	31.5	1.68	1080	0.95	0.01
DD004501		0.93	85.3	5.09	7.05	0.14	0.09	0.08	0.042	0.09	16.2	34.6	1.64	788	0.82	0.01
DD004502		1.05	84.2	4.52	6.20	0.09	0.08	0.08	0.041	0.11	17.5	30.2	1.51	592	0.70	0.02
DD004503		0.70	78.4	3.00	4.41	0.07	0.07	0.11	0.029	0.07	8.0	19.9	0.86	2290	0.71	0.03
DD004504		0.89	110.0	4.24	6.67	0.08	0.10	0.12	0.044	0.11	16.2	37.8	1.19	284	0.51	0.02
DD004505		1.40	105.0	5.13	7.29	0.09	0.10	0.10	0.046	0.14	18.2	36.5	1.34	568	0.81	0.02
DD004506		1.10	112.5	4.91	6.94	0.09	0.09	0.11	0.041	0.11	16.5	34.4	1.18	667	0.70	0.02
DD004507		4.80	42.3	6.38	11.20	0.08	0.03	0.02	0.074	0.09	12.9	43.0	1.07	618	1.49	0.02
DD004508		1.62	94.5	4.95	6.27	0.09	0.07	0.07	0.042	0.09	15.8	30.5	1.32	578	0.73	0.02
DD004509		0.77	94.0	4.45	5.37	0.09	0.05	0.09	0.035	0.07	15.5	27.7	1.12	795	0.66	0.02
DD004510		1.59	67.3	4.97	7.64	0.07	0.04	0.02	0.050	0.06	16.3	35.4	1.06	500	0.60	0.02
DD004511		1.61	137.0	3.51	5.15	0.07	0.05	0.09	0.042	0.07	21.0	22.3	0.70	499	0.93	0.02
DD004512		2.95	47.9	5.19	8.20	0.07	0.06	0.02	0.060	0.07	15.9	41.5	0.93	492	1.04	0.02
DD004513		3.01	46.1	4.50	6.41	0.07	0.04	0.03	0.044	0.08	13.5	30.2	0.87	1040	1.17	0.02
DD004514		1.29	19.7	4.13	5.72	0.05	0.08	0.02	0.052	0.06	10.7	17.6	0.66	785	1.24	0.02
DD004515		1.48	30.3	4.56	6.78	0.06	0.05	0.06	0.047	0.05	13.3	27.0	0.60	427	1.16	0.02
DD004677		0.84	76.5	5.25	6.85	0.08	0.07	0.04	0.037	0.08	16.0	34.5	1.49	596	0.71	0.02
DD004678		0.80	84.6	4.67	6.11	0.07	0.06	0.07	0.035	0.08	12.8	31.0	1.30	673	0.68	0.02
DD004679		0.73	93.7	4.79	6.05	0.08	0.06	0.08	0.037	0.08	13.1	31.5	1.34	689	0.62	0.02
DD004680		1.03	95.9	4.58	5.85	0.07	0.07	0.08	0.035	0.08	13.2	29.9	1.25	714	0.76	0.02
DD004681		1.07	99.3	4.49	5.69	0.07	0.07	0.09	0.040	0.10	11.6	29.3	1.23	697	0.65	0.02
DD004682		0.71	70.3	4.88	6.02	0.07	0.05	0.04	0.041	0.06	14.4	30.5	1.10	717	0.66	0.02
DD004683		0.54	57.1	4.53	5.90	0.06	0.08	0.07	0.039	0.07	12.3	39.4	1.32	168	0.47	0.02
DD004684		0.97	107.5	5.99	8.30	0.10	0.10	0.09	0.041	0.12	18.6	42.6	1.79	825	0.70	0.02
DD004685		0.88	81.1	5.05	6.64	0.08	0.07	0.07	0.038	0.12	13.4	35.8	1.67	646	0.60	0.02
DD004686		0.99	99.9	5.38	6.56	0.07	0.09	0.09	0.045	0.10	16.5	37.3	1.28	793	0.73	0.02
DD004687		0.59	76.2	4.89	5.88	0.06	0.07	0.05	0.039	0.07	12.5	33.5	1.21	362	0.61	0.02
DD004688		0.71	57.8	3.96	5.39	0.06	0.09	0.11	0.041	0.07	14.2	38.0	1.00	320	0.60	0.02
DD004689		1.14	83.1	4.28	5.68	0.07	0.10	0.09	0.038	0.11	13.9	34.5	1.25	432	0.51	0.02
DD004690		0.77	62.3	3.59	4.29	0.06	0.05	0.10	0.035	0.06	11.4	23.4	0.79	640	0.72	0.02
DD004691		0.83	77.8	4.40	5.54	0.07	0.07	0.09	0.039	0.08	14.7	32.9	1.04	496	0.74	0.02

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 21- AUG- 2011
Account: RCM

Project: Rackla- Pyramid North

CERTIFICATE OF ANALYSIS WH11152475

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
DD003758		0.25	34.7	260	21.2	8.6	<0.001	0.02	0.53	9.0	0.9	0.4	14.9	<0.01	0.12	3.6
ZZ18392		0.38	40.9	650	13.6	9.8	<0.001	0.06	0.48	9.7	1.5	0.4	42.1	0.01	0.11	1.9
ZZ18393		0.50	31.6	580	13.3	9.8	<0.001	0.05	0.42	8.8	1.2	0.4	44.2	<0.01	0.08	1.9
ZZ18394		1.14	22.4	280	13.5	11.5	<0.001	0.02	0.39	6.2	0.7	0.8	11.8	<0.01	0.08	3.2
ZZ18395		0.56	17.7	1300	10.5	8.7	0.001	0.13	0.40	4.0	3.1	0.4	86.5	0.01	0.07	0.6
ZZ18396		0.65	30.4	560	14.2	9.5	<0.001	0.04	0.55	6.4	1.5	0.4	35.4	0.01	0.07	1.7
ZZ18397		0.27	35.3	460	16.8	9.6	0.001	0.05	0.33	9.0	1.7	0.3	46.7	<0.01	0.10	2.6
ZZ18398		0.24	29.7	760	13.7	9.3	0.002	0.10	0.65	5.5	2.7	0.3	90.2	<0.01	0.08	0.9
ZZ18399		0.27	35.2	490	16.8	8.2	0.001	0.04	0.39	7.5	1.4	0.3	27.4	<0.01	0.10	3.3
ZZ18400		0.20	39.9	740	19.3	6.4	<0.001	0.03	0.38	9.0	0.9	0.3	24.4	<0.01	0.09	4.0
DD004501		0.25	40.8	710	16.6	7.3	0.001	0.02	0.36	9.2	1.0	0.3	31.8	<0.01	0.09	4.1
DD004502		0.35	44.2	740	16.6	7.7	0.001	0.02	0.33	9.3	0.8	0.3	30.4	<0.01	0.08	4.2
DD004503		0.22	30.2	1060	10.6	7.8	0.004	0.16	0.37	4.3	4.5	0.2	97.6	<0.01	0.08	0.7
DD004504		0.22	42.8	520	18.0	9.0	0.001	0.04	0.31	10.5	0.9	0.3	36.9	<0.01	0.09	3.7
DD004505		0.23	48.4	530	17.3	9.5	<0.001	0.03	0.34	11.2	0.7	0.3	31.6	<0.01	0.08	4.2
DD004506		0.30	45.6	480	18.6	8.8	<0.001	0.03	0.40	10.8	0.7	0.4	40.4	<0.01	0.09	3.8
DD004507		1.17	33.3	430	14.5	16.8	<0.001	0.02	0.57	6.7	0.4	0.9	9.7	<0.01	0.10	2.8
DD004508		0.30	39.4	290	15.8	8.3	<0.001	0.02	0.35	10.1	0.6	0.3	22.1	<0.01	0.09	3.7
DD004509		0.26	38.2	730	16.6	6.8	<0.001	0.03	0.37	8.5	0.8	0.3	31.8	<0.01	0.08	2.1
DD004510		0.29	31.9	250	12.1	9.3	<0.001	0.01	0.21	7.3	0.3	0.5	9.8	<0.01	0.07	3.5
DD004511		0.97	33.5	530	13.6	10.4	<0.001	0.02	0.55	14.3	0.8	0.5	29.0	0.01	0.05	2.9
DD004512		0.92	31.3	240	11.4	14.3	<0.001	0.01	0.37	5.9	0.4	0.7	9.8	<0.01	0.07	4.0
DD004513		0.90	34.4	510	15.6	11.1	<0.001	0.01	0.49	5.9	0.4	0.5	17.6	<0.01	0.06	3.6
DD004514		0.63	22.9	180	21.2	11.9	<0.001	0.01	0.48	6.3	0.3	0.6	12.2	<0.01	0.05	4.0
DD004515		0.76	29.1	210	18.9	13.0	<0.001	0.01	0.39	4.9	0.3	0.7	8.2	<0.01	0.06	3.9
DD004677		0.23	39.9	290	12.8	6.4	<0.001	0.02	0.31	8.6	0.5	0.2	22.9	<0.01	0.08	3.4
DD004678		0.23	35.7	650	13.6	7.4	0.001	0.07	0.32	7.4	1.7	0.3	55.6	<0.01	0.09	1.6
DD004679		0.22	36.9	630	14.7	6.4	0.001	0.06	0.31	7.9	1.2	0.2	49.0	<0.01	0.08	1.7
DD004680		0.21	39.2	620	17.2	6.9	0.001	0.06	0.38	7.6	1.2	0.2	64.1	<0.01	0.09	1.8
DD004681		0.24	34.3	700	14.6	8.5	0.002	0.07	0.36	8.1	1.5	0.3	95.5	<0.01	0.09	1.6
DD004682		0.31	33.3	440	19.7	6.9	<0.001	0.03	0.32	8.7	0.6	0.3	32.3	<0.01	0.09	2.9
DD004683		0.20	33.3	800	15.5	6.9	0.002	0.09	0.19	7.5	1.4	0.3	48.2	<0.01	0.07	2.8
DD004684		0.17	47.5	400	18.6	7.4	<0.001	0.02	0.32	10.7	0.4	0.3	22.9	<0.01	0.09	4.3
DD004685		0.22	38.0	750	12.4	7.8	0.003	0.07	0.30	7.6	1.5	0.2	70.7	<0.01	0.08	2.2
DD004686		0.18	43.6	220	26.4	7.6	<0.001	0.02	0.35	9.8	0.5	0.3	27.7	<0.01	0.09	4.4
DD004687		0.17	34.0	400	14.9	6.4	0.001	0.04	0.28	9.1	1.0	0.3	31.3	<0.01	0.08	2.7
DD004688		0.38	33.2	730	15.0	7.6	0.002	0.07	0.31	8.0	1.7	0.3	44.0	<0.01	0.07	3.4
DD004689		0.26	37.9	620	17.9	7.5	0.002	0.04	0.33	8.3	2.0	0.3	50.3	<0.01	0.08	3.4
DD004690		0.45	28.1	930	16.6	7.0	0.001	0.08	0.48	4.9	1.6	0.3	60.3	<0.01	0.06	1.1
DD004691		0.30	35.4	460	18.0	7.1	<0.001	0.03	0.38	8.4	0.7	0.3	33.9	<0.01	0.07	3.0

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 21- AUG- 2011
Account: RCM

Project: Rackla- Pyramid North

CERTIFICATE OF ANALYSIS WH11152475

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
DD003758		0.005	0.11	0.47	61	<0.05	10.25	85	2.5
ZZ18392		0.009	0.08	0.89	61	0.09	20.1	81	2.1
ZZ18393		0.012	0.07	1.07	54	0.08	15.05	71	1.5
ZZ18394		0.014	0.15	0.52	87	0.15	6.14	56	1.5
ZZ18395		0.011	0.07	1.30	31	0.08	16.30	43	1.3
ZZ18396		0.019	0.08	1.06	50	0.12	13.65	76	1.4
ZZ18397		0.006	0.06	1.01	53	0.05	15.10	69	2.7
ZZ18398		0.005	0.07	1.16	48	0.06	10.85	84	1.7
ZZ18399		0.011	0.08	0.62	57	0.05	11.40	108	2.2
ZZ18400		0.008	0.08	0.56	59	0.05	13.35	121	3.1
DD004501		0.008	0.08	0.46	57	<0.05	12.40	111	3.1
DD004502		0.018	0.08	0.44	57	0.08	12.40	121	2.8
DD004503		0.008	0.07	3.39	37	<0.05	10.55	78	2.0
DD004504		0.007	0.08	0.60	54	<0.05	13.90	106	3.2
DD004505		0.007	0.08	0.55	62	0.05	17.15	111	3.9
DD004506		0.008	0.08	0.65	58	0.06	15.20	88	3.3
DD004507		0.029	0.15	0.37	123	0.16	3.38	121	1.4
DD004508		0.009	0.08	0.61	59	0.07	13.15	84	2.4
DD004509		0.010	0.07	0.72	50	0.06	14.35	104	1.4
DD004510		0.006	0.11	0.37	76	0.05	4.71	69	1.8
DD004511		0.033	0.11	0.81	55	0.20	25.4	114	0.9
DD004512		0.023	0.14	0.46	84	0.20	3.74	78	2.4
DD004513		0.027	0.12	0.60	66	0.20	5.63	114	1.1
DD004514		0.011	0.16	0.63	45	0.12	10.60	82	3.3
DD004515		0.014	0.15	0.45	63	0.15	4.48	74	1.9
DD004677		0.010	0.06	0.33	66	0.06	7.20	84	2.3
DD004678		0.009	0.07	0.78	57	0.06	11.60	84	1.6
DD004679		0.008	0.06	0.76	59	0.05	12.85	87	1.6
DD004680		0.008	0.07	0.68	54	0.06	11.85	87	1.8
DD004681		0.009	0.07	0.79	55	0.06	12.40	102	1.8
DD004682		0.010	0.08	0.83	58	0.10	9.63	90	1.4
DD004683		0.005	0.06	0.99	54	<0.05	10.20	107	2.4
DD004684		0.009	0.07	0.39	76	<0.05	11.30	119	3.6
DD004685		0.010	0.06	0.47	65	0.05	9.50	101	2.1
DD004686		0.005	0.09	0.44	58	<0.05	10.05	100	3.0
DD004687		0.005	0.07	0.80	55	<0.05	8.04	107	1.8
DD004688		0.011	0.08	1.40	48	0.07	13.25	103	2.5
DD004689		0.009	0.08	0.74	51	<0.05	11.90	108	2.8
DD004690		0.015	0.08	1.94	41	0.11	11.40	111	1.2
DD004691		0.010	0.08	0.85	51	0.07	12.90	94	1.8

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 21- AUG- 2011
Account: RCM

Project: Rackla- Pyramid North

CERTIFICATE OF ANALYSIS WH11152475

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- TL43 Au ppm 0.001	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1
DD004692		0.33	0.004	0.09	2.21	8.8	<0.2	<10	160	0.87	0.29	0.51	0.27	35.1	16.1	33
DD004693		0.31	0.004	0.11	2.26	8.5	<0.2	<10	190	0.99	0.26	0.82	0.18	30.3	15.8	35
DD004694		0.22	0.003	0.13	1.96	7.7	<0.2	<10	170	0.82	0.24	1.13	0.35	30.7	16.8	30
DD004695		0.24	0.004	0.15	2.18	8.5	<0.2	<10	280	1.17	0.25	1.08	0.14	30.0	15.1	33
DD004696		0.21	0.003	0.13	1.67	10.7	<0.2	<10	260	0.97	0.26	0.79	0.20	31.8	10.4	30
DD004697		0.14	0.003	0.11	1.69	6.4	<0.2	<10	220	0.87	0.21	1.75	0.43	21.8	12.2	25
DD004698		0.38	0.002	0.07	1.92	8.5	<0.2	<10	230	0.85	0.24	0.99	0.42	26.2	13.6	30
DD004699		0.27	0.002	0.04	2.60	11.1	<0.2	<10	200	0.93	0.24	0.12	0.26	38.0	19.1	34
DD004700		0.27	0.003	0.16	1.92	8.2	<0.2	<10	240	0.70	0.24	0.47	0.15	35.0	14.7	34
DD004851		0.29	0.006	0.14	2.19	3.2	<0.2	<10	260	0.90	0.24	1.22	0.62	30.1	22.6	37
DD004852		0.57	0.006	0.09	2.35	5.0	<0.2	<10	110	0.76	0.23	0.77	0.25	39.5	26.1	35
DD004853		0.24	0.002	0.04	2.51	7.7	<0.2	<10	160	0.82	0.24	0.34	0.35	32.4	14.2	34
DD004854		0.18	0.006	0.24	1.38	2.9	<0.2	10	310	0.81	0.19	3.20	0.89	19.10	13.7	22
DD004855		0.08	0.003	0.20	0.97	2.0	<0.2	<10	530	0.54	0.09	3.64	0.42	10.70	5.9	12
DD004856		0.28	0.005	0.06	2.74	8.5	<0.2	<10	180	1.10	0.27	0.23	0.10	48.9	25.8	40
DD004857		0.24	0.003	0.14	1.89	4.9	<0.2	<10	260	0.74	0.23	1.53	0.41	24.0	14.2	28
DD003759		0.37	0.003	0.10	1.58	9.2	<0.2	<10	140	0.67	0.24	1.14	0.33	33.2	18.6	24
DD003760		0.28	0.003	0.08	1.95	9.6	<0.2	<10	230	0.91	0.29	0.51	0.19	41.4	25.8	29
DD003761		0.33	0.003	0.09	2.14	12.0	<0.2	<10	210	1.26	0.31	1.14	0.24	44.4	20.9	29
DD003762		0.35	0.002	0.07	1.76	11.7	<0.2	<10	220	0.90	0.30	0.58	0.16	37.7	18.5	26
DD003763		0.30	0.002	0.10	1.71	9.5	<0.2	<10	170	1.04	0.32	1.18	0.26	30.6	23.8	24
DD003764		0.29	0.003	0.12	1.90	11.4	<0.2	<10	170	0.88	0.27	1.40	0.34	35.6	23.4	29
DD003765		0.31	0.008	0.07	1.25	12.5	<0.2	<10	200	0.93	0.27	0.78	0.26	18.20	12.0	18
DD003766		0.31	0.003	0.10	1.58	8.0	<0.2	<10	130	0.71	0.22	0.93	0.26	26.6	15.7	25
DD003767		0.42	0.003	0.12	1.58	12.4	<0.2	<10	160	0.93	0.26	0.47	0.30	28.2	17.5	25
DD003768		0.18	0.003	0.15	1.82	6.9	<0.2	<10	210	0.86	0.23	0.87	0.43	25.8	19.7	28
DD003769		0.34	0.004	0.12	1.89	18.3	<0.2	<10	220	0.95	0.26	0.42	0.22	32.4	15.9	31
DD003770		0.27	0.003	0.19	1.79	8.4	<0.2	<10	350	0.80	0.25	1.08	0.39	27.2	14.2	29
DD003771		0.23	0.004	0.11	1.87	8.7	<0.2	<10	190	0.89	0.23	0.78	0.40	29.2	16.5	28
DD003772		0.22	0.005	0.14	1.98	7.4	<0.2	<10	280	0.82	0.25	0.98	0.47	26.1	22.8	30
DD003773		0.31	0.004	0.12	1.84	5.2	<0.2	<10	190	0.84	0.26	1.23	0.38	24.8	18.8	28
DD003774		0.42	0.002	0.08	2.01	9.5	<0.2	<10	250	0.77	0.28	0.46	0.25	32.1	14.8	31
DD003775		0.42	0.003	0.08	2.42	6.8	<0.2	<10	250	0.94	0.27	0.57	0.43	32.2	25.5	36
DD003776		0.34	0.004	0.10	2.43	6.0	<0.2	<10	410	1.02	0.26	0.73	0.46	31.8	19.9	36
DD003777		0.39	0.005	0.09	2.01	9.4	<0.2	<10	120	0.73	0.23	0.46	0.29	38.1	21.6	30
DD003778		0.24	0.003	0.13	1.89	8.3	<0.2	<10	220	0.75	0.24	0.66	0.17	27.4	13.2	32
DD003779		0.47	0.003	0.07	2.08	9.7	<0.2	<10	140	0.75	0.25	0.77	0.25	32.3	21.4	31
DD003780		0.33	0.004	0.08	2.28	9.6	<0.2	<10	130	0.82	0.26	2.93	0.27	35.4	25.0	32
DD003781		0.40	0.004	0.08	2.30	9.0	<0.2	<10	150	0.82	0.25	0.71	0.23	33.6	21.5	34
DD003782		0.28	0.002	0.02	2.52	11.2	<0.2	<10	210	0.81	0.25	0.33	0.14	31.4	23.2	35

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 21- AUG- 2011
Account: RCM

Project: Rackla- Pyramid North

CERTIFICATE OF ANALYSIS WH11152475

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
DD004692		0.86	75.7	4.87	6.40	0.07	0.08	0.07	0.040	0.09	15.7	35.4	1.18	531	0.64	0.02
DD004693		1.03	82.3	4.70	6.35	0.06	0.07	0.08	0.042	0.09	14.9	36.6	1.19	480	0.77	0.02
DD004694		0.79	80.3	4.46	5.39	0.07	0.06	0.08	0.038	0.07	14.3	29.8	1.06	898	0.63	0.02
DD004695		1.16	115.0	4.35	5.86	0.06	0.06	0.10	0.045	0.08	15.3	29.3	0.95	756	0.73	0.02
DD004696		1.93	80.1	3.30	4.68	0.05	0.04	0.09	0.035	0.06	15.4	22.1	0.65	593	1.00	0.02
DD004697		1.79	67.2	3.45	4.49	0.05	0.05	0.11	0.033	0.06	11.7	22.4	0.79	792	0.61	0.02
DD004698		1.18	71.2	4.04	5.18	0.05	0.04	0.05	0.039	0.06	10.9	30.2	0.82	777	0.85	0.02
DD004699		1.35	49.9	4.15	6.24	<0.05	0.09	0.02	0.040	0.05	16.1	26.6	0.74	383	1.01	<0.01
DD004700		1.12	56.7	3.62	5.93	0.05	0.05	0.06	0.034	0.07	17.1	23.5	0.85	371	0.88	0.01
DD004851		4.07	142.0	3.91	6.58	0.05	0.06	0.16	0.047	0.08	13.0	27.9	1.29	386	0.23	0.01
DD004852		1.25	114.5	4.78	7.39	0.08	0.08	0.09	0.040	0.09	17.8	32.6	1.72	674	0.58	0.01
DD004853		1.71	48.7	4.12	6.97	<0.05	0.05	0.03	0.041	0.06	11.1	25.3	0.79	617	0.80	<0.01
DD004854		2.35	140.5	2.16	3.71	0.05	0.07	0.16	0.034	0.05	8.5	17.0	0.99	334	0.22	0.01
DD004855		0.50	74.4	1.38	2.35	0.06	0.06	0.17	0.016	0.03	5.0	10.7	0.50	473	0.35	<0.01
DD004856		1.30	140.5	5.58	8.30	0.08	0.06	0.08	0.042	0.06	25.6	33.4	1.37	718	0.63	<0.01
DD004857		0.90	71.7	3.60	5.37	<0.05	0.06	0.10	0.032	0.07	11.2	25.6	0.92	658	0.54	<0.01
DD003759		0.76	69.8	4.28	4.68	0.05	0.04	0.06	0.039	0.08	13.8	22.1	0.80	611	0.66	<0.01
DD003760		0.82	84.9	4.94	6.10	0.06	0.08	0.06	0.044	0.08	17.5	27.6	0.88	768	0.88	<0.01
DD003761		1.01	60.2	4.77	5.76	0.06	0.08	0.05	0.051	0.08	21.0	20.8	0.62	840	0.96	<0.01
DD003762		0.76	57.4	4.54	4.95	<0.05	0.06	0.03	0.044	0.07	13.8	20.8	0.67	688	0.91	<0.01
DD003763		1.08	81.3	4.70	4.83	0.06	0.08	0.09	0.044	0.09	13.2	25.5	0.72	769	1.13	<0.01
DD003764		1.32	85.3	4.54	5.77	0.06	0.09	0.12	0.036	0.10	15.7	25.3	1.11	767	0.94	0.01
DD003765		0.63	56.3	4.12	3.42	<0.05	0.05	0.04	0.046	0.07	7.6	15.4	0.42	402	0.92	<0.01
DD003766		0.71	70.7	4.20	4.79	0.05	0.05	0.07	0.030	0.06	12.5	21.3	0.84	506	0.65	<0.01
DD003767		1.30	78.0	4.82	4.79	0.05	0.07	0.07	0.045	0.06	12.3	23.4	0.79	709	0.82	<0.01
DD003768		1.52	70.8	4.22	5.56	0.05	0.07	0.09	0.033	0.07	11.8	24.8	0.80	758	0.61	<0.01
DD003769		1.53	76.4	4.76	5.79	0.06	0.05	0.05	0.043	0.07	16.6	24.0	0.87	607	1.04	0.01
DD003770		1.01	55.2	3.25	5.26	<0.05	0.04	0.08	0.030	0.06	12.6	20.7	0.69	780	0.88	0.01
DD003771		1.18	85.9	4.70	5.42	<0.05	0.06	0.09	0.032	0.07	12.6	26.6	0.95	223	0.67	0.01
DD003772		1.50	88.8	4.45	6.02	<0.05	0.06	0.09	0.037	0.09	11.2	29.2	1.00	583	0.64	0.01
DD003773		1.47	83.3	3.97	5.62	<0.05	0.06	0.09	0.039	0.08	10.3	28.3	1.04	1000	0.47	<0.01
DD003774		1.35	59.8	3.96	6.60	<0.05	0.03	0.09	0.035	0.06	14.8	25.8	0.83	525	1.05	0.01
DD003775		1.13	109.5	4.75	7.37	<0.05	0.05	0.08	0.044	0.08	13.9	35.9	1.28	402	0.59	0.01
DD003776		0.73	92.7	4.79	7.36	0.06	0.07	0.07	0.042	0.07	13.3	36.3	1.29	291	0.54	<0.01
DD003777		1.06	108.5	4.67	6.09	0.06	0.07	0.09	0.029	0.07	16.8	30.3	1.14	898	0.62	<0.01
DD003778		0.96	48.5	3.47	5.74	<0.05	0.04	0.05	0.030	0.07	13.3	22.2	0.79	444	0.90	0.01
DD003779		1.04	97.2	4.86	6.13	0.06	0.07	0.06	0.036	0.08	13.8	30.4	1.19	666	0.66	0.01
DD003780		1.16	114.5	4.98	6.92	0.06	0.10	0.10	0.033	0.10	16.2	34.1	1.53	759	0.62	0.01
DD003781		0.87	101.0	5.09	6.70	0.05	0.08	0.06	0.038	0.08	14.9	32.2	1.33	765	0.56	0.01
DD003782		1.16	93.8	5.29	7.42	0.05	0.05	0.03	0.043	0.06	13.4	33.0	1.15	838	0.85	<0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 21- AUG- 2011
Account: RCM

Project: Rackla- Pyramid North

CERTIFICATE OF ANALYSIS WH11152475

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
DD004692		0.27	37.8	290	18.6	7.9	<0.001	0.02	0.34	9.0	0.5	0.3	23.2	<0.01	0.08	4.0
DD004693		0.37	38.6	380	16.2	8.8	<0.001	0.03	0.38	8.4	0.8	0.4	38.6	<0.01	0.08	2.7
DD004694		0.27	35.3	590	17.8	7.6	<0.001	0.05	0.32	7.9	0.9	0.3	41.9	<0.01	0.07	2.1
DD004695		0.53	34.1	610	15.7	9.7	<0.001	0.04	0.43	8.9	1.0	0.4	32.0	<0.01	0.08	2.1
DD004696		0.79	29.0	630	14.5	9.6	<0.001	0.04	0.64	6.5	0.9	0.5	31.2	<0.01	0.05	1.6
DD004697		0.39	23.6	1080	14.2	11.6	0.001	0.09	0.34	5.8	2.1	0.3	51.5	<0.01	0.06	0.9
DD004698		0.49	29.9	620	16.6	10.2	0.001	0.05	0.38	6.4	1.2	0.4	36.3	<0.01	0.07	1.6
DD004699		0.62	40.7	280	14.3	9.0	0.001	0.01	0.57	5.1	0.8	0.5	8.1	<0.01	0.08	4.3
DD004700		0.62	31.6	780	11.1	8.3	0.001	0.02	0.56	6.6	1.2	0.5	23.6	<0.01	0.08	3.6
DD004851		0.27	38.4	650	12.7	9.0	0.002	0.14	0.26	15.1	2.2	0.4	39.5	<0.01	0.08	2.1
DD004852		0.12	39.8	600	10.4	5.4	0.001	0.01	0.31	10.7	0.4	0.4	21.0	<0.01	0.12	3.8
DD004853		0.50	27.5	280	15.1	10.6	<0.001	0.01	0.45	5.1	0.3	0.6	12.5	<0.01	0.05	2.8
DD004854		0.21	25.5	960	11.7	5.0	0.007	0.30	0.30	7.8	7.7	0.3	240	<0.01	0.05	0.9
DD004855		0.28	15.6	1250	8.3	3.2	0.003	0.24	0.37	3.0	9.5	0.2	151.0	<0.01	0.05	0.4
DD004856		0.09	41.3	190	15.0	8.7	<0.001	0.01	0.34	15.5	1.0	0.4	9.7	<0.01	0.12	4.6
DD004857		0.24	26.6	1000	13.9	8.5	0.004	0.12	0.33	6.7	3.6	0.3	61.6	<0.01	0.08	1.2
DD003759		0.17	33.4	740	15.6	5.6	<0.001	0.03	0.45	7.2	1.0	0.3	64.2	<0.01	0.08	2.2
DD003760		0.14	37.3	310	19.6	7.0	0.001	0.02	0.47	9.7	0.9	0.4	42.6	<0.01	0.10	4.0
DD003761		0.22	36.0	370	30.9	10.3	<0.001	0.01	0.50	10.7	1.1	0.6	67.6	<0.01	0.08	4.1
DD003762		0.30	31.3	260	19.6	7.7	0.001	0.01	0.56	7.1	0.8	0.5	43.1	<0.01	0.08	3.5
DD003763		0.14	38.9	320	20.5	7.2	0.001	0.02	0.47	9.7	0.8	0.5	124.0	<0.01	0.07	3.8
DD003764		0.29	38.3	780	18.7	6.3	0.001	0.01	0.71	7.9	0.4	0.4	56.7	<0.01	0.10	4.4
DD003765		0.09	19.7	510	17.1	5.5	<0.001	0.03	0.46	9.6	0.8	0.4	35.3	<0.01	0.05	1.6
DD003766		0.16	28.9	680	14.0	4.4	<0.001	0.03	0.46	6.2	0.7	0.3	55.3	<0.01	0.06	1.5
DD003767		0.11	29.0	450	19.5	5.6	0.001	0.03	0.58	10.9	1.2	0.3	16.6	<0.01	0.09	2.7
DD003768		0.27	28.6	840	15.0	8.6	0.001	0.07	0.45	8.5	2.2	0.4	31.3	<0.01	0.07	2.1
DD003769		0.41	34.1	380	21.1	7.6	0.001	0.01	0.67	11.1	1.0	0.4	19.3	<0.01	0.09	3.0
DD003770		0.60	27.1	870	12.8	8.0	0.001	0.05	0.57	5.1	0.9	0.5	39.8	<0.01	0.05	1.6
DD003771		0.27	29.4	630	16.7	6.3	0.002	0.06	0.50	8.6	1.9	0.3	26.6	<0.01	0.08	2.7
DD003772		0.28	34.1	790	15.2	7.8	0.002	0.09	0.50	9.4	2.2	0.4	33.4	<0.01	0.07	2.2
DD003773		0.23	30.5	640	16.0	7.6	0.002	0.08	0.38	9.1	1.4	0.4	38.7	<0.01	0.07	1.9
DD003774		0.52	30.3	480	15.7	7.8	0.001	0.02	0.51	6.3	0.6	0.5	19.4	<0.01	0.08	3.2
DD003775		0.22	39.3	430	16.9	7.6	<0.001	0.03	0.37	10.6	1.1	0.5	23.3	<0.01	0.12	2.8
DD003776		0.18	39.1	630	17.0	6.8	0.001	0.05	0.36	10.3	1.8	0.4	27.1	<0.01	0.12	2.9
DD003777		0.12	36.8	680	17.0	4.9	0.001	0.01	0.44	8.8	0.5	0.3	23.0	<0.01	0.10	3.7
DD003778		0.56	27.6	720	11.4	8.1	<0.001	0.02	0.50	6.2	0.8	0.5	29.5	<0.01	0.05	2.6
DD003779		0.14	34.5	610	15.2	5.7	<0.001	0.03	0.43	8.3	0.6	0.3	30.2	<0.01	0.11	3.2
DD003780		0.07	39.6	730	15.6	5.9	<0.001	0.03	0.40	9.4	0.6	0.3	92.1	<0.01	0.09	4.0
DD003781		0.13	37.0	460	14.9	5.5	0.001	0.02	0.41	8.8	0.7	0.3	29.2	<0.01	0.08	3.3
DD003782		0.13	34.5	270	16.2	8.8	<0.001	0.01	0.38	6.4	0.6	0.4	15.9	<0.01	0.12	3.0

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 21- AUG- 2011
Account: RCM

Project: Rackla- Pyramid North

CERTIFICATE OF ANALYSIS WH11152475

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
DD004692		0.008	0.08	0.62	57	0.05	9.36	98	2.4
DD004693		0.011	0.09	1.00	59	0.07	11.90	93	1.8
DD004694		0.010	0.07	0.83	50	0.08	12.40	98	1.5
DD004695		0.016	0.09	0.99	57	0.17	16.80	78	1.4
DD004696		0.028	0.11	1.42	50	0.36	15.10	92	0.8
DD004697		0.012	0.09	2.24	43	0.10	14.75	102	1.1
DD004698		0.013	0.10	0.99	51	0.11	8.26	98	1.2
DD004699		0.017	0.13	0.59	58	0.13	4.97	74	2.6
DD004700		0.027	0.10	1.10	59	0.17	9.79	86	1.4
DD004851		0.014	0.09	0.90	67	<0.05	14.50	111	1.7
DD004852		0.012	0.05	0.34	67	<0.05	10.20	95	3.3
DD004853		0.013	0.11	0.48	66	0.11	5.10	90	1.4
DD004854		0.010	0.06	2.48	36	<0.05	15.65	57	2.2
DD004855		0.008	0.04	2.31	18	0.15	9.30	45	1.5
DD004856		0.006	0.09	0.67	75	<0.05	20.5	77	2.4
DD004857		0.009	0.08	1.20	48	<0.05	12.50	95	1.7
DD003759		0.009	0.08	0.59	47	<0.05	13.20	87	1.5
DD003760		0.006	0.10	0.41	54	<0.05	14.65	81	2.8
DD003761		0.005	0.11	0.96	52	0.07	23.8	173	2.4
DD003762		0.009	0.11	0.63	48	0.09	8.70	78	1.7
DD003763		0.005	0.13	0.67	41	<0.05	20.7	95	2.5
DD003764		0.021	0.11	0.49	56	0.10	11.85	94	4.1
DD003765		<0.005	0.09	0.62	34	<0.05	13.40	68	1.3
DD003766		0.009	0.05	0.61	47	0.06	14.00	80	1.3
DD003767		0.006	0.08	0.50	45	<0.05	14.10	81	1.8
DD003768		0.009	0.08	0.87	51	0.05	10.90	88	2.1
DD003769		0.018	0.10	0.49	58	0.10	16.45	83	1.3
DD003770		0.019	0.09	1.67	51	0.14	9.66	69	1.2
DD003771		0.010	0.06	0.90	54	0.05	11.90	79	2.0
DD003772		0.010	0.09	0.62	54	0.05	13.50	97	2.1
DD003773		0.009	0.08	0.46	50	<0.05	12.90	89	1.9
DD003774		0.018	0.10	0.65	59	0.14	7.71	80	1.0
DD003775		0.008	0.07	0.52	67	<0.05	11.45	90	1.8
DD003776		0.006	0.06	0.88	65	<0.05	12.50	84	2.1
DD003777		0.009	0.07	0.39	55	<0.05	12.05	89	2.7
DD003778		0.023	0.09	1.38	55	0.16	8.28	80	1.2
DD003779		0.008	0.08	0.46	57	<0.05	8.24	101	2.6
DD003780		0.009	0.07	0.39	61	<0.05	10.60	95	4.9
DD003781		0.008	0.07	0.44	62	<0.05	8.46	92	2.7
DD003782		<0.005	0.10	0.35	70	<0.05	4.46	74	2.0

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 21- AUG- 2011
Account: RCM

Project: Rackla- Pyramid North

CERTIFICATE OF ANALYSIS WH11152475

Sample Description	Method	WEI- 21	Au- TL43	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Recvd Wt.	Au	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
DD003783		0.30	0.002	0.05	2.13	9.3	<0.2	<10	160	0.72	0.22	0.45	0.22	30.4	17.6	32
DD003784		0.32	0.003	0.10	1.77	5.3	<0.2	<10	210	0.75	0.20	1.28	0.43	18.95	15.6	26
DD003785		0.35	0.005	0.04	2.51	12.9	<0.2	<10	100	1.14	0.25	0.16	0.20	41.5	27.9	36
DD003786		0.41	0.005	0.18	2.26	12.2	<0.2	<10	220	1.11	0.26	0.50	0.27	35.8	21.4	38
DD003787		0.32	0.002	0.08	2.08	15.1	<0.2	<10	110	1.24	0.30	0.30	0.32	25.8	19.2	28
DD003788		0.27	0.001	0.06	2.78	11.9	<0.2	<10	200	0.86	0.26	0.07	0.26	30.2	20.9	38
DD003789		0.29	0.002	0.08	1.66	17.8	<0.2	<10	250	0.85	0.28	0.70	0.40	20.9	15.2	24
DD003790		0.32	0.004	0.14	2.26	6.2	<0.2	<10	170	1.09	0.27	0.86	0.54	34.1	19.1	34
DD003791		0.44	0.006	0.15	2.27	5.3	<0.2	<10	180	0.95	0.25	1.37	0.44	31.5	24.8	34
DD003792		0.33	0.002	0.05	1.91	10.3	<0.2	<10	140	0.62	0.24	0.10	0.18	32.3	11.9	27
DD003793		0.41	0.004	0.15	2.01	9.2	<0.2	<10	250	0.78	0.22	0.82	0.33	30.2	17.6	30
DD003794		0.36	0.004	0.09	1.69	12.6	<0.2	<10	190	0.87	0.25	0.47	0.21	33.3	16.9	27
DD003795		0.27	0.001	0.05	1.81	7.0	<0.2	<10	260	0.70	0.22	0.34	0.18	32.1	9.5	25
DD004516		0.26	0.004	0.04	2.36	9.0	<0.2	<10	210	1.02	0.25	0.35	0.14	43.4	24.9	34
DD004517		0.20	0.001	0.07	1.86	5.8	<0.2	<10	190	0.59	0.24	0.07	0.26	31.5	11.8	28
DD004518		0.28	0.004	0.09	1.89	8.7	<0.2	<10	170	0.90	0.24	0.73	0.31	31.7	19.8	28
DD004519		0.26	0.004	0.09	1.86	8.5	<0.2	<10	250	1.07	0.25	0.92	0.50	26.2	17.1	28
DD004520		0.22	0.003	0.17	1.65	8.4	<0.2	<10	260	1.02	0.22	2.04	0.44	20.8	16.1	23
DD004521		0.18	0.004	0.12	1.96	6.9	<0.2	<10	150	1.00	0.23	1.21	0.32	27.8	21.1	28
DD004522		0.20	0.004	0.10	1.79	9.2	<0.2	<10	200	0.96	0.22	1.55	0.36	23.5	19.6	25
DD004523		0.21	0.003	0.10	1.70	6.9	<0.2	<10	180	0.77	0.21	1.69	0.43	21.2	16.9	23
DD004524		0.16	0.003	0.18	1.72	8.6	<0.2	<10	240	0.92	0.21	1.62	0.46	22.3	18.2	25
DD004525		0.24	0.001	0.07	1.44	22.6	<0.2	<10	110	0.87	0.27	0.17	0.42	16.50	14.2	17
DD004526		0.25	0.003	0.09	1.65	9.3	<0.2	<10	220	0.94	0.24	1.11	0.37	22.3	19.2	24
DD004527		0.32	0.003	0.04	1.88	12.1	<0.2	<10	140	1.02	0.29	0.19	0.34	26.9	24.2	28
DD004528		0.16	0.001	0.08	1.49	7.8	<0.2	<10	230	0.81	0.24	1.56	0.28	21.0	10.6	25
DD004529		0.20	0.004	0.12	2.21	5.8	<0.2	<10	210	0.92	0.22	1.15	0.41	27.5	20.3	32
DD004530		0.28	0.001	0.04	1.99	10.0	<0.2	<10	190	1.01	0.30	0.19	0.25	36.9	21.8	28
DD004531		0.24	0.001	0.05	0.84	9.3	<0.2	<10	390	0.63	0.31	0.55	1.20	16.20	14.8	17
DD004532		0.21	0.004	0.12	2.01	8.5	<0.2	<10	200	0.93	0.25	1.14	0.30	25.5	17.1	28
DD004533		0.23	0.002	0.04	2.34	6.9	<0.2	<10	220	0.76	0.24	0.14	0.14	27.1	15.1	30
DD004534		0.17	0.005	0.11	1.96	8.7	<0.2	<10	230	1.04	0.22	1.42	0.53	27.7	18.8	30
DD004535		0.32	0.006	0.07	2.47	8.7	<0.2	<10	190	1.08	0.23	0.22	0.10	46.5	22.2	36
DD004536		0.30	0.002	0.05	2.59	10.4	<0.2	<10	190	0.89	0.21	0.07	0.10	34.3	20.7	38
DD004537		0.19	0.001	0.11	2.23	4.3	<0.2	<10	150	0.48	0.29	0.21	0.40	30.7	13.6	36
DD004538		0.23	0.006	0.21	2.34	9.1	<0.2	<10	300	1.41	0.23	0.69	0.20	38.1	17.2	34
DD004539		0.20	0.001	0.06	2.11	4.2	<0.2	<10	240	1.03	0.23	0.26	0.22	39.3	8.5	26
DD004540		0.27	0.001	0.02	2.11	4.1	<0.2	<10	150	0.47	0.24	0.10	0.29	34.4	13.1	30
DD004541		0.22	0.004	0.12	2.56	6.4	<0.2	<10	350	1.18	0.22	0.52	0.22	34.8	18.0	34
DD004858		0.31	0.003	0.12	2.16	10.0	<0.2	<10	210	1.02	0.26	0.80	0.34	33.4	24.3	32

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 21- AUG- 2011
Account: RCM

Project: Rackla- Pyramid North

CERTIFICATE OF ANALYSIS WH11152475

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
DD003783		0.94	73.8	4.94	6.42	<0.05	0.06	0.01	0.041	0.06	12.2	34.2	1.13	426	0.72	<0.01
DD003784		1.87	69.2	3.90	5.21	<0.05	0.05	0.08	0.033	0.07	8.2	23.7	1.00	485	0.57	<0.01
DD003785		3.15	150.5	5.69	7.12	0.06	0.04	0.05	0.050	0.07	15.1	33.0	1.16	765	0.81	<0.01
DD003786		1.72	120.5	5.12	7.43	0.13	0.07	0.11	0.044	0.09	18.1	35.9	1.30	691	0.95	<0.01
DD003787		2.78	76.1	5.50	6.15	0.12	0.10	0.06	0.046	0.08	10.2	31.6	1.03	642	0.75	<0.01
DD003788		3.85	47.0	5.07	8.31	0.10	0.08	0.05	0.051	0.06	14.3	36.1	0.86	345	1.05	<0.01
DD003789		2.03	47.3	4.20	5.64	0.10	0.03	0.06	0.048	0.07	9.7	19.3	0.59	841	8.65	<0.01
DD003790		4.47	106.0	4.45	7.43	0.14	0.08	0.11	0.052	0.12	14.9	40.2	1.47	242	0.55	<0.01
DD003791		1.10	119.0	4.53	6.94	0.12	0.09	0.15	0.044	0.09	14.7	39.7	1.78	734	0.51	<0.01
DD003792		1.02	35.1	3.76	6.49	0.11	0.05	0.03	0.029	0.05	16.5	23.2	0.61	349	1.23	<0.01
DD003793		0.85	61.6	4.37	6.08	0.12	0.05	0.07	0.034	0.07	14.5	29.6	1.12	777	0.69	<0.01
DD003794		1.40	59.1	4.28	5.55	0.10	0.07	0.04	0.034	0.06	14.2	27.2	0.95	506	0.83	<0.01
DD003795		1.51	29.4	3.49	7.52	0.11	0.04	0.01	0.031	0.05	15.4	23.5	0.56	183	0.84	<0.01
DD004516		1.25	91.0	5.69	7.27	0.12	0.07	0.06	0.044	0.09	17.0	35.3	1.29	818	0.72	<0.01
DD004517		1.07	34.1	3.84	8.05	0.10	0.03	0.01	0.034	0.08	14.1	25.4	0.54	203	0.80	<0.01
DD004518		0.87	74.7	4.72	6.05	0.13	0.06	0.07	0.034	0.07	15.7	28.6	1.11	625	0.71	<0.01
DD004519		1.54	59.8	4.34	6.10	0.11	0.04	0.05	0.053	0.07	11.7	37.2	0.86	625	0.83	<0.01
DD004520		1.22	96.0	3.53	4.86	0.11	0.04	0.12	0.032	0.07	12.1	20.6	0.78	655	0.79	<0.01
DD004521		1.67	97.5	4.40	6.17	0.13	0.05	0.10	0.038	0.09	12.3	30.2	1.13	414	0.66	<0.01
DD004522		1.47	69.8	4.21	5.53	0.11	0.04	0.08	0.039	0.07	11.5	28.6	0.94	732	0.76	0.01
DD004523		1.74	71.5	3.94	5.04	0.11	0.05	0.09	0.034	0.07	10.1	23.9	1.12	619	0.60	0.01
DD004524		1.38	79.1	3.81	5.34	0.11	0.05	0.10	0.038	0.07	11.1	22.5	0.86	680	0.69	<0.01
DD004525		4.89	36.6	4.12	4.15	0.10	0.05	0.02	0.040	0.07	5.8	31.4	0.62	505	0.81	<0.01
DD004526		0.95	72.3	4.66	5.28	0.09	0.04	0.07	0.048	0.05	8.1	23.4	0.96	640	0.81	<0.01
DD004527		2.63	67.2	5.53	6.10	0.11	0.05	0.03	0.055	0.07	10.1	25.1	0.97	982	1.11	<0.01
DD004528		3.28	33.6	2.82	4.58	0.09	0.02	0.04	0.025	0.06	9.9	21.2	0.65	694	0.75	0.01
DD004529		2.06	102.0	4.74	6.53	0.13	0.06	0.09	0.037	0.08	13.4	33.1	1.39	653	0.59	<0.01
DD004530		2.04	76.0	4.92	6.96	0.12	0.04	0.03	0.041	0.07	15.6	29.5	0.97	516	0.78	<0.01
DD004531		1.62	43.8	3.77	4.42	0.09	0.02	0.01	0.037	0.08	6.9	8.6	0.16	184	1.20	<0.01
DD004532		1.34	80.8	4.17	5.72	0.11	0.05	0.09	0.034	0.07	13.1	26.6	1.08	656	0.73	<0.01
DD004533		2.66	27.9	4.71	8.05	0.10	0.04	0.01	0.042	0.06	13.2	37.6	0.73	260	1.04	<0.01
DD004534		2.62	88.1	4.04	5.97	0.12	0.05	0.06	0.042	0.06	12.8	32.9	1.00	758	1.10	0.01
DD004535		1.47	98.2	5.03	7.97	0.14	0.07	0.05	0.046	0.05	23.2	30.0	1.24	712	0.75	<0.01
DD004536		2.32	55.2	4.62	6.74	0.11	0.07	0.02	0.042	0.05	16.7	28.8	1.01	422	1.02	<0.01
DD004537		1.55	33.2	5.25	11.95	0.10	0.02	0.03	0.036	0.06	15.0	24.2	0.71	430	0.90	<0.01
DD004538		2.00	169.5	3.94	6.56	0.16	0.05	0.12	0.040	0.07	29.5	30.8	0.90	715	0.75	0.01
DD004539		1.31	61.6	3.41	8.63	0.11	0.05	0.05	0.038	0.05	18.7	18.0	0.48	196	0.78	<0.01
DD004540		1.06	32.2	4.82	9.55	0.12	0.05	<0.01	0.034	0.08	15.4	30.5	0.83	282	0.88	<0.01
DD004541		2.33	111.5	4.66	8.01	0.15	0.05	0.08	0.051	0.05	20.3	32.4	1.00	881	0.74	<0.01
DD004858		1.73	105.5	4.81	7.08	0.06	0.08	0.09	0.044	0.09	15.0	36.4	1.01	662	0.86	0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 21- AUG- 2011
Account: RCM

Project: Rackla- Pyramid North

CERTIFICATE OF ANALYSIS WH11152475

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
DD003783		0.10	34.2	310	12.0	6.2	<0.001	0.01	0.37	8.7	0.4	0.3	17.5	<0.01	0.09	2.6
DD003784		0.14	27.6	710	11.7	8.4	0.002	0.07	0.39	6.8	1.7	0.3	42.2	<0.01	0.06	1.1
DD003785		0.07	39.3	200	16.0	7.8	0.001	<0.01	0.51	11.7	0.7	0.4	11.1	<0.01	0.16	4.0
DD003786		0.48	43.4	400	16.7	7.4	<0.001	0.02	0.44	11.6	1.4	0.5	24.2	<0.01	0.12	3.5
DD003787		0.17	33.2	300	20.0	7.5	<0.001	0.03	0.37	9.7	0.8	0.5	9.8	<0.01	0.11	4.2
DD003788		0.92	34.6	230	14.2	12.4	<0.001	0.01	0.35	5.5	0.3	0.7	6.4	<0.01	0.09	3.9
DD003789		0.58	25.0	400	38.9	10.0	<0.001	0.01	0.45	5.1	0.5	0.5	32.9	<0.01	0.09	2.3
DD003790		0.31	39.8	670	15.0	9.2	0.001	0.02	0.21	12.1	1.3	0.6	39.4	<0.01	0.14	3.9
DD003791		0.26	41.8	650	14.5	6.6	0.002	0.05	0.24	11.5	3.2	0.4	61.1	<0.01	0.12	3.5
DD003792		1.17	23.3	310	13.5	8.2	<0.001	<0.01	0.41	3.9	0.4	0.6	8.2	<0.01	0.06	3.9
DD003793		0.34	35.0	570	12.3	6.1	0.001	0.03	0.33	6.8	1.2	0.4	52.1	<0.01	0.09	2.4
DD003794		0.52	33.1	540	14.5	6.0	0.001	0.01	0.39	6.7	0.6	0.4	23.8	<0.01	0.12	3.9
DD003795		0.97	19.5	230	11.5	9.4	<0.001	0.01	0.20	4.4	0.3	0.7	15.5	<0.01	0.08	3.2
DD004516		0.19	39.9	200	17.4	7.4	0.001	0.01	0.31	8.6	0.6	0.4	12.9	<0.01	0.09	4.4
DD004517		0.68	20.1	250	10.7	12.0	<0.001	0.01	0.18	4.6	<0.2	0.8	6.6	<0.01	0.09	2.8
DD004518		0.29	34.6	380	16.2	5.3	<0.001	0.03	0.42	7.2	1.0	0.4	20.7	<0.01	0.08	2.4
DD004519		0.47	29.7	690	16.5	8.0	<0.001	0.04	0.40	6.8	1.2	0.4	27.5	<0.01	0.08	1.6
DD004520		0.44	27.9	890	14.4	7.5	<0.001	0.09	0.56	5.8	1.7	0.4	60.2	<0.01	0.08	0.8
DD004521		0.32	34.6	690	14.5	8.1	<0.001	0.06	0.40	8.3	1.5	0.4	41.4	<0.01	0.08	1.7
DD004522		0.42	29.2	690	15.4	8.1	<0.001	0.06	0.43	6.7	1.7	0.4	50.3	<0.01	0.09	1.2
DD004523		0.32	28.7	680	14.4	8.6	<0.001	0.10	0.41	6.9	1.7	0.3	55.6	<0.01	0.09	1.2
DD004524		0.37	30.8	740	14.8	7.6	<0.001	0.08	0.48	6.5	1.6	0.4	49.3	<0.01	0.06	1.2
DD004525		0.33	19.9	260	29.3	7.9	<0.001	0.01	0.55	5.5	0.2	0.4	7.5	<0.01	0.05	3.2
DD004526		0.25	31.2	480	15.6	5.5	<0.001	0.04	0.38	7.0	0.9	0.4	28.4	<0.01	0.11	1.6
DD004527		0.35	33.3	390	22.3	7.7	0.001	0.01	0.38	7.6	0.5	0.4	8.6	<0.01	0.09	3.1
DD004528		0.89	18.2	820	13.9	9.2	<0.001	0.07	0.41	3.4	1.4	0.5	64.5	<0.01	0.04	0.7
DD004529		0.27	34.4	660	14.0	7.6	0.002	0.06	0.33	9.3	1.9	0.3	51.9	<0.01	0.09	1.7
DD004530		0.39	34.9	220	14.1	8.8	<0.001	<0.01	0.29	5.5	0.4	0.5	11.3	<0.01	0.16	3.6
DD004531		0.66	19.2	420	18.3	9.8	<0.001	0.02	0.36	3.8	0.3	0.6	22.7	<0.01	0.12	1.4
DD004532		0.35	31.9	680	13.8	7.1	<0.001	0.05	0.32	6.9	1.5	0.4	28.0	<0.01	0.08	1.7
DD004533		0.97	25.5	240	10.6	13.6	<0.001	0.01	0.26	3.9	0.4	0.7	10.2	<0.01	0.10	2.7
DD004534		0.46	30.1	840	14.5	9.5	<0.001	0.06	0.41	8.7	2.0	0.4	76.2	<0.01	0.09	1.2
DD004535		0.45	38.7	210	13.7	8.4	0.001	<0.01	0.31	14.3	1.1	0.5	10.8	<0.01	0.09	4.6
DD004536		0.88	35.3	230	11.8	11.0	<0.001	<0.01	0.39	5.4	0.5	0.5	7.1	<0.01	0.07	4.3
DD004537		0.93	18.5	390	12.4	9.8	<0.001	0.02	0.22	4.9	0.2	1.0	8.1	<0.01	0.11	2.2
DD004538		0.80	33.6	740	13.1	10.3	<0.001	0.03	0.34	15.3	2.3	0.5	23.7	<0.01	0.07	2.3
DD004539		0.95	17.3	230	11.3	7.1	<0.001	<0.01	0.22	5.8	0.5	0.9	10.1	<0.01	0.07	2.9
DD004540		0.70	22.9	240	11.4	9.4	<0.001	<0.01	0.23	4.3	0.3	0.8	6.4	<0.01	0.07	2.8
DD004541		0.50	29.4	480	13.1	7.4	0.001	0.02	0.31	18.1	1.6	0.6	15.1	<0.01	0.08	2.8
DD004858		0.37	38.6	480	16.8	8.5	<0.001	0.01	0.51	10.4	0.9	0.5	30.9	<0.01	0.11	3.6

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 21- AUG- 2011
Account: RCM

Project: Rackla- Pyramid North

CERTIFICATE OF ANALYSIS WH11152475

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
DD003783		0.005	0.05	0.40	60	<0.05	4.96	86	1.7
DD003784		0.007	0.07	0.93	48	<0.05	9.60	95	1.3
DD003785		<0.005	0.11	0.42	68	<0.05	8.03	87	1.5
DD003786		0.020	0.09	0.64	67	0.15	15.30	96	2.1
DD003787		<0.005	0.13	0.49	48	<0.05	12.20	81	3.7
DD003788		0.015	0.16	0.44	79	0.11	3.44	81	2.6
DD003789		0.011	0.15	0.66	45	0.10	6.82	49	1.1
DD003790		0.010	0.10	0.38	55	<0.05	13.30	114	2.5
DD003791		0.010	0.09	0.49	59	<0.05	13.00	102	2.8
DD003792		0.027	0.11	0.53	63	0.17	4.22	56	1.6
DD003793		0.012	0.08	0.78	56	0.06	8.74	75	1.5
DD003794		0.015	0.08	0.52	50	0.05	7.11	90	2.3
DD003795		0.016	0.11	0.47	67	0.11	5.35	55	1.6
DD004516		0.007	0.09	0.30	67	<0.05	6.28	81	2.9
DD004517		0.011	0.11	0.31	78	0.07	3.45	50	0.9
DD004518		0.012	0.07	0.54	54	0.05	11.00	76	1.6
DD004519		0.013	0.08	0.64	53	0.07	12.80	69	1.0
DD004520		0.011	0.08	1.52	42	0.08	18.15	67	1.2
DD004521		0.010	0.08	0.62	52	0.05	14.00	88	1.8
DD004522		0.010	0.07	0.87	49	0.10	13.35	75	1.3
DD004523		0.010	0.08	0.56	45	0.08	11.85	89	1.4
DD004524		0.010	0.08	0.87	47	0.05	12.25	79	1.4
DD004525		0.007	0.12	0.41	28	0.09	7.58	107	1.7
DD004526		0.007	0.07	0.62	49	<0.05	6.73	80	1.3
DD004527		0.008	0.11	0.47	56	0.06	7.45	76	1.6
DD004528		0.028	0.06	1.34	43	0.11	6.41	69	0.7
DD004529		0.010	0.06	0.63	60	0.06	14.50	83	1.5
DD004530		0.009	0.08	0.39	58	<0.05	4.60	68	1.5
DD004531		0.013	0.07	0.35	54	0.10	4.61	49	<0.5
DD004532		0.010	0.08	1.03	51	0.06	13.25	68	1.4
DD004533		0.015	0.14	0.34	68	0.13	2.74	63	1.1
DD004534		0.013	0.08	1.00	53	0.07	14.30	71	1.3
DD004535		0.014	0.11	0.69	74	0.06	17.60	74	2.7
DD004536		0.024	0.14	0.48	67	0.14	4.09	68	2.7
DD004537		0.022	0.11	0.33	125	0.11	2.51	48	0.8
DD004538		0.020	0.12	0.81	60	0.14	41.8	71	1.2
DD004539		0.015	0.10	0.48	85	0.11	7.45	35	1.7
DD004540		0.014	0.11	0.28	91	0.06	2.82	74	1.8
DD004541		0.011	0.10	0.57	80	0.11	39.3	62	1.2
DD004858		0.010	0.10	0.52	59	0.07	13.75	82	2.4

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 21- AUG- 2011
Account: RCM

Project: Rackla- Pyramid North

CERTIFICATE OF ANALYSIS WH11152475

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- TL43 Au ppm 0.001	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1
DD004859		0.27	0.002	0.05	2.31	9.2	<0.2	<10	200	0.87	0.25	0.68	0.23	29.5	23.4	31
DD004860		0.34	0.003	0.15	2.10	6.2	<0.2	<10	240	1.01	0.25	0.84	0.31	30.4	17.8	32
DD004861		0.27	0.003	0.09	1.82	7.8	<0.2	<10	170	0.85	0.22	0.75	0.20	26.1	18.9	27
DD004862		0.25	0.001	0.03	1.39	10.3	<0.2	<10	100	0.32	0.27	0.07	0.13	23.7	11.0	22
DD004863		0.30	0.003	0.14	1.96	5.0	<0.2	<10	190	0.98	0.22	1.39	0.38	24.6	18.1	29
DD004864		0.28	0.003	0.15	1.53	6.1	<0.2	<10	130	0.91	0.25	1.41	0.43	22.8	17.3	22
DD004865		0.34	0.003	0.06	2.36	9.0	<0.2	<10	170	0.94	0.22	0.30	0.31	33.8	19.0	33
DD004866		0.28	0.002	0.04	1.90	9.0	<0.2	<10	150	0.74	0.24	0.21	0.22	34.8	16.3	28
DD004867		0.29	0.004	0.08	2.66	7.5	<0.2	<10	230	1.00	0.23	0.49	0.21	37.9	27.3	38
DD004868		0.20	0.005	0.14	2.13	3.7	<0.2	10	310	1.07	0.27	1.19	1.13	24.5	24.7	33
DD004869		0.23	0.002	0.10	2.04	8.2	<0.2	<10	160	0.88	0.22	1.14	0.28	22.1	21.1	28
DD004870		0.19	0.002	0.08	1.45	14.1	<0.2	<10	80	1.71	0.35	0.47	0.30	11.75	19.6	16
DD004871		0.23	0.001	0.10	2.40	9.1	<0.2	<10	330	1.18	0.28	0.39	0.73	30.7	13.3	31
DD004872		0.23	0.002	0.09	1.65	11.4	<0.2	<10	250	0.92	0.30	0.61	0.30	23.6	18.0	29
DD004873		0.31	0.007	0.24	1.54	9.4	<0.2	<10	240	1.18	0.22	1.07	0.22	22.0	13.2	29
DD004874		0.29	0.002	0.04	2.69	7.4	<0.2	<10	120	0.67	0.24	0.11	0.12	35.5	18.3	37
DD004875		0.22	0.005	0.51	1.84	7.7	<0.2	<10	210	0.90	0.20	1.43	0.53	24.3	16.4	29
DD004877		0.30	0.002	0.18	2.50	7.5	<0.2	<10	290	1.53	0.23	0.53	0.12	42.4	13.6	33
DD004878		0.21	0.001	0.10	2.47	9.0	<0.2	<10	210	0.75	0.28	0.08	0.46	27.4	16.7	36
DD004879		0.22	0.001	0.19	1.98	7.8	<0.2	<10	280	0.93	0.26	0.65	0.21	27.3	11.2	30
DD004880		0.27	<0.001	0.07	1.98	4.9	<0.2	<10	160	0.52	0.24	0.51	0.24	26.4	11.5	33
DD004881		0.22	0.001	0.06	2.00	6.8	<0.2	<10	190	0.73	0.21	0.42	0.12	26.1	18.0	30
DD004882		0.23	0.001	0.05	2.50	6.9	<0.2	<10	350	0.86	0.23	0.20	0.33	25.5	18.7	34

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 21- AUG- 2011
Account: RCM

Project: Rackla- Pyramid North

CERTIFICATE OF ANALYSIS WH11152475

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
DD004859		0.94	82.7	5.21	7.61	0.05	0.07	0.06	0.052	0.07	11.6	41.4	1.16	694	0.72	0.01
DD004860		1.21	81.7	3.73	6.89	0.06	0.08	0.11	0.045	0.08	13.1	33.9	1.08	142	0.43	0.01
DD004861		1.13	67.0	4.34	5.52	0.06	0.06	0.09	0.037	0.07	12.2	26.1	0.94	510	0.68	0.01
DD004862		1.68	26.4	3.97	7.83	<0.05	0.02	0.02	0.031	0.05	10.4	16.5	0.37	445	1.34	<0.01
DD004863		1.59	87.4	3.93	6.27	0.06	0.09	0.12	0.039	0.08	10.9	29.1	1.07	426	0.51	0.01
DD004864		1.88	70.6	3.97	4.80	0.05	0.07	0.14	0.041	0.09	9.3	22.2	1.19	617	0.66	0.01
DD004865		1.51	75.2	4.69	6.41	0.05	0.06	0.05	0.040	0.06	12.1	38.2	0.98	509	0.83	0.01
DD004866		1.51	59.4	4.22	6.86	0.06	0.03	0.05	0.029	0.05	15.6	27.1	0.84	467	1.01	<0.01
DD004867		0.97	113.5	5.74	8.75	0.07	0.08	0.09	0.042	0.07	16.9	37.0	1.61	888	0.66	<0.01
DD004868		1.62	108.5	4.31	6.93	0.07	0.11	0.13	0.044	0.09	9.9	33.8	1.27	1040	0.62	0.01
DD004869		2.16	72.8	4.81	6.66	0.06	0.05	0.05	0.045	0.06	8.5	34.7	1.16	589	0.87	0.01
DD004870		1.47	58.5	6.63	3.70	0.05	0.10	0.25	0.069	0.06	3.5	18.3	0.55	826	1.70	<0.01
DD004871		2.61	48.9	3.59	8.40	0.05	0.04	0.03	0.044	0.05	13.0	22.7	0.53	406	0.81	0.01
DD004872		4.03	57.2	4.08	5.58	<0.05	0.04	0.03	0.041	0.07	9.8	20.9	0.68	717	1.14	0.01
DD004873		3.51	127.5	3.77	4.76	0.08	0.04	0.11	0.041	0.06	14.4	22.7	0.72	536	0.96	0.01
DD004874		1.59	68.0	5.56	9.52	0.06	0.07	0.02	0.041	0.04	15.9	35.3	1.05	292	0.72	<0.01
DD004875		1.92	101.5	4.05	5.70	0.06	0.05	0.10	0.035	0.07	11.7	22.7	1.03	764	1.07	0.01
DD004877		1.48	89.6	3.58	7.77	0.10	0.04	0.04	0.048	0.05	24.2	21.4	0.68	465	0.92	0.01
DD004878		1.43	38.0	5.21	9.25	0.05	0.05	0.01	0.052	0.06	12.9	37.2	0.65	648	1.47	0.01
DD004879		1.62	68.3	3.00	7.14	<0.05	0.03	0.03	0.034	0.05	13.7	20.4	0.53	536	0.87	0.01
DD004880		1.82	41.7	3.56	7.58	<0.05	0.03	0.02	0.038	0.06	12.7	27.7	0.74	465	0.81	0.01
DD004881		1.13	60.3	4.16	6.51	0.05	0.04	0.02	0.034	0.04	11.7	25.0	0.93	617	0.81	0.01
DD004882		2.10	46.4	4.68	9.13	<0.05	0.03	0.02	0.049	0.05	11.5	30.4	0.69	897	1.08	0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 21- AUG- 2011
Account: RCM

Project: Rackla- Pyramid North

CERTIFICATE OF ANALYSIS WH11152475

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
DD004859		0.20	35.3	310	18.1	8.0	<0.001	0.02	0.45	7.3	0.6	0.5	22.0	<0.01	0.11	2.6
DD004860		0.36	34.2	660	17.1	8.7	0.001	0.06	0.37	10.3	1.5	0.5	27.3	<0.01	0.08	2.9
DD004861		0.26	31.0	580	15.2	6.5	<0.001	0.03	0.47	7.7	0.9	0.3	23.5	<0.01	0.09	2.1
DD004862		0.76	14.9	300	13.4	14.1	<0.001	<0.01	0.57	3.0	0.4	0.7	4.9	<0.01	0.11	2.3
DD004863		0.31	32.3	700	15.8	8.1	0.001	0.10	0.48	8.8	2.2	0.4	43.5	<0.01	0.08	2.0
DD004864		0.20	29.0	610	18.7	8.9	<0.001	0.03	0.52	8.4	1.8	0.4	28.4	<0.01	0.08	2.4
DD004865		0.40	39.9	350	14.0	8.4	<0.001	0.01	0.55	7.1	0.9	0.4	13.8	<0.01	0.11	3.5
DD004866		0.48	30.1	330	15.0	7.1	<0.001	<0.01	0.47	5.2	0.6	0.5	13.1	<0.01	0.09	3.7
DD004867		0.15	44.5	320	16.1	5.7	<0.001	0.02	0.39	12.1	0.8	0.4	23.4	<0.01	0.13	3.5
DD004868		0.22	44.0	840	16.0	8.9	0.004	0.20	0.40	11.3	4.2	0.5	46.4	<0.01	0.13	2.1
DD004869		0.18	33.9	540	13.9	7.0	<0.001	0.05	0.39	7.0	0.9	0.4	50.8	<0.01	0.12	1.7
DD004870		0.09	34.3	310	41.8	7.5	<0.001	0.04	0.76	13.3	1.3	0.5	8.3	<0.01	0.10	3.6
DD004871		0.90	21.2	250	85.8	11.5	<0.001	<0.01	0.34	6.1	0.5	1.0	20.0	<0.01	0.11	3.3
DD004872		0.72	28.6	600	20.2	11.3	<0.001	0.03	0.69	6.1	0.6	0.5	21.8	<0.01	0.10	2.2
DD004873		0.57	29.9	990	11.7	8.5	0.001	0.06	0.52	9.9	2.5	0.5	85.3	<0.01	0.08	1.1
DD004874		0.34	30.4	240	12.1	10.4	<0.001	<0.01	0.36	5.8	0.4	0.6	10.0	<0.01	0.12	3.3
DD004875		0.39	29.2	910	14.6	8.4	<0.001	0.07	0.47	7.5	2.1	0.4	60.7	<0.01	0.09	1.1
DD004877		0.89	27.3	490	13.1	10.4	<0.001	0.01	0.42	9.7	1.6	0.7	23.6	<0.01	0.05	3.0
DD004878		0.98	24.9	420	16.5	10.4	<0.001	<0.01	0.57	5.6	0.4	0.9	7.5	<0.01	0.10	3.4
DD004879		1.13	20.3	520	13.7	8.1	<0.001	0.02	0.36	5.5	0.9	0.8	23.7	<0.01	0.04	2.1
DD004880		1.09	20.5	260	12.5	11.2	<0.001	<0.01	0.28	4.6	<0.2	0.7	15.9	<0.01	0.07	3.2
DD004881		0.43	28.5	380	12.6	6.4	<0.001	0.01	0.37	6.4	0.6	0.5	15.7	<0.01	0.10	2.5
DD004882		0.72	22.6	390	13.9	8.0	<0.001	0.01	0.40	5.8	0.6	0.8	11.0	<0.01	0.10	2.4

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 21- AUG- 2011
Account: RCM

Project: Rackla- Pyramid North

CERTIFICATE OF ANALYSIS WH11152475

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
DD004859		0.005	0.09	0.37	63	0.05	5.11	77	1.8
DD004860		0.009	0.08	0.63	55	0.05	14.80	94	2.5
DD004861		0.009	0.06	0.62	50	0.05	13.00	77	1.7
DD004862		0.015	0.12	0.31	73	0.15	2.41	53	0.6
DD004863		0.009	0.07	0.69	50	0.05	13.90	92	2.4
DD004864		0.008	0.09	0.40	38	<0.05	13.20	98	2.2
DD004865		0.008	0.09	0.48	56	0.10	9.03	74	1.8
DD004866		0.013	0.09	0.44	56	0.09	6.77	61	1.1
DD004867		0.006	0.06	0.36	73	<0.05	12.65	85	2.5
DD004868		0.008	0.09	0.62	54	<0.05	15.05	98	3.1
DD004869		0.007	0.08	0.75	56	<0.05	6.53	70	1.5
DD004870		<0.005	0.25	0.49	24	<0.05	20.1	101	3.3
DD004871		0.015	0.15	0.61	68	0.16	10.90	153	1.4
DD004872		0.024	0.11	0.59	50	0.10	7.14	79	1.1
DD004873		0.021	0.07	1.56	51	0.10	22.7	73	0.9
DD004874		0.009	0.09	0.29	87	0.05	3.07	59	2.3
DD004875		0.019	0.07	1.41	52	0.13	14.45	81	1.3
DD004877		0.019	0.11	1.14	65	0.21	23.8	64	1.1
DD004878		0.020	0.11	0.45	90	0.18	3.52	91	1.9
DD004879		0.028	0.11	0.96	64	0.26	8.21	59	0.9
DD004880		0.025	0.10	0.56	65	0.13	3.48	63	0.9
DD004881		0.014	0.07	0.52	60	0.08	6.14	64	1.2
DD004882		0.015	0.11	0.34	88	0.13	3.25	59	2.1

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 21- AUG- 2011
Account: RCM

Project: Rackla- Pyramid North

CERTIFICATE OF ANALYSIS WH11152475

Method	CERTIFICATE COMMENTS
ME- MS41	Gold determinations by this method are semi- quantitative due to the small sample weight used (0.5g).

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 26- SEP- 2011
Account: RCM

CERTIFICATE WH11158203

Project: Rackla Gold - Nadaleen

P.O. No.: S2 - Area C

This report is for 178 Soil samples submitted to our lab in Whitehorse, YT, Canada on 15- AUG- 2011.

The following have access to data associated with this certificate:

ROB CARNE JULIA LANE	ANDREW CARNE JOAN MARIACHER	MATT DUMALA

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
SCR- 41	Screen to - 180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- TL43	Trace Level Au - 25g AR	ICP- MS
ME- MS41	51 anal. aqua regia ICPMS	

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 26- SEP- 2011
Account: RCM

Project: Rackla Gold - Nadaleen

CERTIFICATE OF ANALYSIS WH11158203

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- TL43 Au ppm 0.001	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1
CC26325		0.20	0.001	0.13	1.01	13.7	<0.2	<10	310	0.82	0.23	2.10	0.26	19.70	8.2	15
CC26326		0.22	0.001	0.12	1.17	13.2	<0.2	<10	320	0.69	0.21	2.22	0.55	17.10	7.4	18
CC26327		0.32	0.001	0.09	1.30	22.1	<0.2	<10	330	0.84	0.28	1.42	0.56	17.80	9.6	19
CC26328		0.30	<0.001	0.04	0.76	4.1	<0.2	<10	200	0.61	0.29	1.29	0.17	9.51	10.1	22
CC26329		0.20	0.001	0.10	0.73	6.8	<0.2	<10	240	0.47	0.15	3.49	0.90	9.69	6.0	11
CC26330		0.28	0.001	0.08	0.91	6.8	<0.2	<10	140	0.46	0.20	1.40	0.25	14.70	7.8	16
CC26331		0.34	0.001	0.08	1.63	11.8	<0.2	<10	540	1.09	0.35	0.85	0.32	18.15	11.7	26
CC26332		0.26	0.002	0.12	1.60	10.5	<0.2	<10	180	1.04	0.35	2.15	0.21	17.25	12.6	24
CC26333		0.30	0.001	0.11	1.31	11.8	<0.2	<10	160	0.87	0.31	0.73	0.18	18.50	9.8	22
CC26334		0.40	0.001	0.06	1.51	13.3	<0.2	<10	180	0.81	0.33	0.64	0.19	17.75	9.2	25
CC72125		0.36	0.003	0.12	1.26	31.0	<0.2	<10	180	1.10	0.27	0.58	0.18	34.4	11.2	31
CC72126		0.30	0.001	0.05	1.05	7.0	<0.2	<10	370	0.82	0.26	0.61	0.16	24.6	9.0	19
CC72127		0.34	0.002	0.39	1.97	16.5	<0.2	<10	360	1.37	0.26	0.55	1.53	52.4	13.4	38
CC72128		0.34	0.001	0.06	0.99	12.3	<0.2	<10	240	0.56	0.31	0.66	0.30	20.0	8.3	20
CC72129		0.36	0.001	0.14	1.47	13.3	<0.2	<10	430	0.94	0.31	0.52	0.37	34.6	9.3	22
CC72130		0.34	<0.001	0.05	1.40	16.5	<0.2	<10	120	0.86	0.29	0.21	0.31	30.3	12.3	19
CC72131		0.38	<0.001	0.15	1.45	14.8	<0.2	<10	380	0.96	0.33	0.55	1.09	19.05	10.7	20
CC72132		0.40	<0.001	0.10	1.66	14.2	<0.2	<10	190	0.83	0.37	0.09	0.61	15.45	12.5	24
CC72133		0.30	<0.001	0.10	1.18	11.4	<0.2	<10	210	0.42	0.34	0.23	0.52	13.25	6.8	19
CC72134		0.34	<0.001	0.05	1.39	11.1	<0.2	<10	130	0.46	0.38	0.21	0.11	9.58	8.6	19
CC72135		0.38	0.001	0.05	1.56	11.0	<0.2	<10	320	0.92	0.31	0.41	0.15	36.5	9.5	26
CC72136		0.34	0.001	0.07	1.59	16.8	<0.2	<10	260	1.01	0.32	0.35	0.20	22.5	9.0	25
CC72137		0.36	<0.001	0.05	1.98	11.3	<0.2	<10	340	1.06	0.34	0.26	0.82	23.7	9.5	23
CC72138		0.38	0.002	0.31	1.40	10.7	<0.2	<10	280	1.10	0.28	1.09	1.46	25.7	11.1	29
CC72139		0.40	0.001	0.12	1.23	14.4	<0.2	<10	300	0.69	0.31	0.35	0.79	15.80	9.7	21
CC72140		0.52	0.001	0.24	1.18	12.3	<0.2	<10	370	0.74	0.28	0.50	3.50	16.55	10.4	21
CC72141		0.36	0.002	0.32	1.32	12.5	<0.2	<10	500	0.85	0.29	0.90	3.32	14.75	9.9	21
CC72142		0.46	0.001	0.34	1.27	13.8	<0.2	<10	530	0.85	0.25	0.98	2.25	15.20	10.4	23
CC72143		0.32	0.002	0.32	1.00	11.1	<0.2	<10	540	0.65	0.21	1.35	2.74	15.25	7.3	18
CC72144		0.34	0.001	0.07	1.22	11.8	<0.2	<10	240	0.46	0.40	0.39	0.19	10.40	5.8	19
CC72145		0.34	0.003	0.18	1.27	12.9	<0.2	<10	260	1.01	0.25	1.94	0.68	20.5	9.9	23
CC72146		0.38	0.003	0.13	0.90	11	<0.2	<10	110	0.50	0.08	19.10	0.18	20.6	5.2	16
CC72147		0.38	0.001	0.14	1.77	13.0	<0.2	<10	200	0.61	0.31	0.14	0.57	16.70	7.0	25
CC72148		0.38	0.003	0.31	1.33	12.0	<0.2	<10	470	0.77	0.26	1.05	0.86	26.7	9.3	24
CC72478		0.32	0.004	0.15	1.32	16.5	<0.2	<10	140	0.98	0.21	0.62	0.55	61.4	10.3	14
CC72479		0.28	0.004	0.11	0.64	9.4	<0.2	<10	150	1.03	0.23	0.78	0.29	29.2	10.7	12
CC72480		0.32	0.004	0.07	0.50	8.1	<0.2	<10	150	1.05	0.31	0.63	0.17	25.2	11.4	13
CC72481		0.36	0.004	0.04	1.54	5.0	<0.2	<10	100	1.11	0.35	3.15	0.10	29.4	11.6	35
CC72482		0.36	0.003	0.04	0.89	1.1	<0.2	<10	120	0.92	0.38	4.04	0.08	22.8	10.4	20
CC72483		0.42	0.004	0.04	0.37	8.6	<0.2	<10	210	0.98	0.34	4.58	0.11	16.50	13.0	10

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 26- SEP- 2011
Account: RCM

Project: Rackla Gold - Nadaleen

CERTIFICATE OF ANALYSIS WH11158203

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
CC26325		0.50	19.0	2.62	3.22	0.05	0.06	0.40	0.026	0.09	9.5	16.5	0.38	508	0.56	0.01
CC26326		0.61	17.8	2.66	3.84	0.05	0.06	0.21	0.024	0.07	9.5	13.7	0.43	581	0.63	0.01
CC26327		0.57	19.6	3.06	4.22	0.06	0.06	0.52	0.028	0.14	8.6	13.4	0.50	687	0.57	0.01
CC26328		1.18	11.2	3.07	3.11	0.05	0.04	0.08	0.020	0.19	4.1	7.4	0.26	351	0.40	0.01
CC26329		0.70	22.8	1.54	2.38	<0.05	0.04	0.17	0.014	0.06	4.7	7.8	0.40	422	0.45	0.01
CC26330		0.64	14.8	2.38	3.26	0.05	0.04	0.10	0.024	0.08	6.3	13.0	0.34	292	0.38	0.01
CC26331		0.64	31.9	3.89	5.96	0.08	0.08	0.18	0.039	0.17	9.1	22.7	0.43	596	0.49	0.01
CC26332		1.00	45.0	3.49	5.58	0.06	0.10	0.28	0.036	0.19	7.7	20.1	0.59	438	0.39	0.01
CC26333		0.74	22.9	3.20	4.04	0.05	0.08	0.13	0.036	0.11	10.9	23.2	0.43	447	0.60	0.01
CC26334		0.92	19.2	3.77	4.98	0.05	0.05	0.09	0.041	0.10	7.0	36.0	0.40	562	0.76	0.01
CC72125		0.61	31.2	3.17	3.83	0.06	0.09	0.14	0.040	0.08	16.7	20.5	0.50	392	0.99	0.01
CC72126		0.41	23.4	2.86	3.34	0.05	0.05	0.05	0.038	0.09	9.5	16.9	0.42	313	0.60	0.01
CC72127		1.73	26.8	4.48	4.42	0.08	0.08	0.11	0.053	0.10	23.8	34.1	0.58	1420	3.08	0.01
CC72128		0.55	20.6	2.94	3.90	0.05	0.04	0.09	0.032	0.08	10.1	9.8	0.23	361	1.83	0.01
CC72129		1.19	23.8	3.54	4.43	0.06	0.05	0.13	0.040	0.07	11.9	17.7	0.33	392	1.43	0.01
CC72130		1.15	23.5	4.37	3.47	0.05	0.05	0.14	0.040	0.07	7.8	24.3	0.25	824	1.71	0.01
CC72131		1.20	27.4	3.75	4.47	<0.05	0.04	0.06	0.044	0.10	6.3	25.4	0.23	488	5.11	0.01
CC72132		1.33	25.8	3.63	6.31	<0.05	0.04	0.06	0.044	0.09	6.4	29.8	0.31	331	4.65	0.01
CC72133		0.84	17.4	3.22	5.55	<0.05	<0.02	0.03	0.031	0.10	6.7	15.1	0.22	248	1.94	0.01
CC72134		1.13	22.5	3.43	5.97	<0.05	<0.02	0.06	0.032	0.10	4.7	20.5	0.33	341	0.97	0.01
CC72135		0.90	21.5	3.25	4.91	<0.05	0.05	0.07	0.040	0.07	11.5	18.7	0.36	355	0.95	0.01
CC72136		0.96	18.8	3.78	4.37	0.05	0.04	0.07	0.044	0.08	9.2	24.6	0.42	493	1.40	0.01
CC72137		1.39	18.4	3.73	5.87	0.05	0.04	0.05	0.047	0.07	8.8	36.4	0.32	358	1.03	0.01
CC72138		1.06	32.3	2.86	4.42	0.06	0.10	0.12	0.041	0.13	11.4	28.6	0.64	402	4.61	0.01
CC72139		1.22	27.3	3.27	4.10	<0.05	0.04	0.07	0.034	0.09	6.8	23.0	0.42	332	4.06	0.01
CC72140		0.75	32.1	2.99	3.99	0.05	0.05	0.10	0.036	0.10	7.5	22.1	0.35	292	6.22	0.01
CC72141		0.70	30.9	3.13	4.07	<0.05	0.07	0.15	0.037	0.11	6.8	24.1	0.35	348	4.54	0.01
CC72142		0.63	29.8	3.03	3.90	0.05	0.06	0.12	0.038	0.10	7.0	22.9	0.44	311	6.23	0.01
CC72143		0.63	30.7	2.30	3.11	<0.05	0.05	0.16	0.032	0.09	7.2	14.1	0.30	209	4.62	0.01
CC72144		2.18	18.9	2.93	6.73	<0.05	0.02	0.02	0.026	0.12	5.1	11.4	0.29	291	3.30	0.01
CC72145		1.05	35.6	2.61	3.77	0.05	0.08	0.16	0.035	0.12	10.3	34.1	0.89	312	1.16	0.01
CC72146		0.51	15.2	1.16	2.62	0.05	0.07	0.19	0.014	0.09	11.8	34.0	2.45	143	1.38	0.02
CC72147		1.27	11.9	3.71	6.21	<0.05	0.03	0.03	0.035	0.06	8.3	33.9	0.32	210	2.53	0.01
CC72148		0.77	27.4	2.86	3.95	<0.05	0.05	0.16	0.034	0.09	13.6	15.2	0.51	335	2.13	0.01
CC72478		0.83	27.0	2.84	1.87	0.05	0.08	0.48	0.044	0.05	11.5	7.3	0.18	306	1.27	0.01
CC72479		0.73	29.8	2.76	1.51	0.06	0.13	1.06	0.037	0.08	12.1	6.5	0.23	292	0.72	0.01
CC72480		0.68	34.7	3.12	1.29	0.06	0.14	0.10	0.049	0.09	9.5	4.3	0.15	472	0.49	0.01
CC72481		2.66	33.2	3.13	5.31	0.07	0.13	0.04	0.046	0.14	10.9	61.2	1.76	361	0.33	0.01
CC72482		3.98	25.6	2.66	3.14	0.06	0.12	0.04	0.043	0.13	8.2	27.2	1.26	313	0.12	0.01
CC72483		0.71	34.3	2.61	1.02	0.05	0.13	0.12	0.043	0.11	5.3	2.6	1.27	377	0.37	0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 26- SEP- 2011
Account: RCM

Project: Rackla Gold - Nadaleen

CERTIFICATE OF ANALYSIS WH11158203

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
CC26325		0.52	21.9	510	26.4	7.5	<0.001	0.04	0.47	4.1	1.0	0.4	71.9	<0.01	0.03	2.0
CC26326		0.75	18.7	470	22.3	8.4	<0.001	0.04	0.59	3.4	0.8	0.5	61.9	<0.01	0.04	1.4
CC26327		0.58	19.7	370	25.4	11.3	<0.001	0.01	0.58	5.1	0.7	0.6	37.6	<0.01	0.04	2.7
CC26328		0.97	16.8	260	12.4	17.9	<0.001	0.01	0.47	3.1	0.5	0.7	28.3	<0.01	0.04	1.8
CC26329		0.47	16.4	700	10.8	9.0	<0.001	0.12	0.40	1.3	1.4	0.3	83.4	<0.01	0.03	0.4
CC26330		0.56	16.7	380	16.3	11.5	<0.001	0.03	0.23	2.5	1.0	0.4	40.2	<0.01	0.02	1.8
CC26331		0.60	27.3	300	24.3	15.4	<0.001	0.01	0.33	5.6	0.9	0.7	24.2	<0.01	0.03	4.2
CC26332		0.50	30.4	740	23.7	24.7	<0.001	0.05	0.29	4.4	1.3	0.7	42.7	<0.01	0.05	2.1
CC26333		0.57	23.8	400	21.5	12.1	0.001	0.04	0.46	4.2	0.9	0.6	26.9	<0.01	0.04	3.0
CC26334		0.65	24.1	430	23.3	12.5	<0.001	0.02	0.40	3.0	0.5	0.7	33.2	<0.01	0.04	2.6
CC72125		0.39	30.0	410	18.0	9.7	<0.001	0.01	0.54	6.1	1.2	0.5	41.2	<0.01	0.03	5.5
CC72126		0.29	19.1	500	15.5	9.5	<0.001	0.02	0.27	3.6	0.7	0.5	23.9	<0.01	0.04	3.1
CC72127		0.49	38.4	1010	24.8	15.7	0.001	0.03	1.22	6.5	1.2	0.6	33.3	0.01	0.05	3.9
CC72128		0.47	20.2	350	19.5	7.3	<0.001	0.02	0.73	3.5	0.7	0.6	28.2	<0.01	0.04	2.6
CC72129		0.52	26.6	720	20.6	11.5	<0.001	0.02	0.65	4.1	0.7	0.6	27.9	<0.01	0.04	2.7
CC72130		0.45	27.4	790	26.9	11.6	<0.001	0.02	0.73	3.1	0.6	0.5	16.7	<0.01	0.06	4.4
CC72131		0.37	31.6	530	22.3	13.8	0.001	0.02	1.87	3.3	1.1	0.6	27.1	<0.01	0.06	2.7
CC72132		0.41	30.5	420	18.3	17.1	0.001	0.01	1.45	4.4	1.0	0.8	12.9	<0.01	0.06	3.4
CC72133		0.82	14.3	420	16.1	14.7	<0.001	0.01	0.66	2.3	0.3	0.7	18.6	<0.01	0.05	2.0
CC72134		0.58	16.2	380	16.5	18.6	<0.001	0.01	0.32	2.5	0.3	0.8	16.9	<0.01	0.05	1.6
CC72135		0.64	21.7	550	18.9	11.3	<0.001	0.02	0.41	3.4	0.6	0.6	28.6	<0.01	0.05	2.9
CC72136		0.35	20.5	520	22.2	14.4	<0.001	0.02	0.49	3.3	0.5	0.6	23.7	<0.01	0.04	2.9
CC72137		0.59	19.7	690	21.2	12.0	<0.001	0.02	0.36	3.4	0.4	0.7	21.0	<0.01	0.05	2.3
CC72138		0.54	47.4	760	16.1	11.8	0.001	0.03	1.94	6.3	1.2	0.6	31.4	<0.01	0.04	5.2
CC72139		0.49	30.8	440	18.7	10.6	<0.001	0.01	1.63	3.6	0.9	0.6	27.3	<0.01	0.05	4.1
CC72140		0.41	38.8	640	14.4	9.5	0.001	0.01	2.31	4.3	1.4	0.6	29.8	<0.01	0.06	3.4
CC72141		0.46	33.4	720	16.7	10.1	0.001	0.04	1.77	3.6	1.6	0.6	43.2	<0.01	0.06	2.0
CC72142		0.43	37.7	530	15.8	8.9	0.002	0.03	2.49	4.0	1.9	0.6	51.1	<0.01	0.05	2.7
CC72143		0.39	35.3	620	12.4	8.3	0.002	0.06	2.26	3.1	2.1	0.5	61.1	<0.01	0.06	1.5
CC72144		0.59	14.4	470	13.6	15.4	<0.001	0.02	1.02	2.3	0.6	0.9	37.9	<0.01	0.06	1.6
CC72145		0.45	27.5	840	16.4	10.1	0.001	0.06	0.75	4.3	1.4	0.5	85.3	<0.01	0.04	2.2
CC72146		0.36	11.2	500	9.9	9.3	<0.001	0.05	0.29	2.2	1.4	0.2	1650	<0.01	0.02	1.7
CC72147		1.13	18.8	390	18.2	13.4	<0.001	0.01	0.93	2.5	0.6	0.7	12.1	<0.01	0.05	3.2
CC72148		0.71	31.6	800	16.2	9.6	<0.001	0.01	1.05	4.2	0.9	0.5	49.8	<0.01	0.04	4.0
CC72478		0.33	27.7	490	23.8	7.1	<0.001	0.03	0.81	3.1	0.9	0.3	71.4	<0.01	0.02	2.2
CC72479		0.26	22.4	580	16.3	5.2	<0.001	0.04	0.61	4.9	1.1	0.3	38.3	<0.01	0.03	3.7
CC72480		0.12	26.3	650	19.0	5.3	<0.001	0.05	0.50	5.8	0.9	0.4	26.7	0.01	0.03	3.6
CC72481		0.41	30.1	690	18.4	13.2	<0.001	0.03	0.31	7.1	0.6	0.6	90.1	<0.01	0.02	7.8
CC72482		0.15	28.9	560	20.4	10.8	<0.001	0.01	0.14	6.9	0.4	0.5	98.0	<0.01	0.03	7.5
CC72483		0.07	24.9	790	18.6	5.4	<0.001	0.02	0.34	7.0	0.6	0.4	159.5	<0.01	0.02	8.4

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 26- SEP- 2011
Account: RCM

Project: Rackla Gold - Nadaleen

CERTIFICATE OF ANALYSIS WH11158203

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
CC26325		0.006	0.12	0.85	22	0.09	12.35	85	1.6
CC26326		0.012	0.11	1.22	29	0.16	11.00	136	1.6
CC26327		0.007	0.12	0.90	27	0.13	9.00	219	1.6
CC26328		0.022	0.13	0.59	23	0.25	3.41	37	1.0
CC26329		0.009	0.08	4.58	15	0.08	6.09	77	1.2
CC26330		0.010	0.08	1.44	21	0.11	4.23	76	1.2
CC26331		0.007	0.13	0.91	30	0.10	10.00	153	2.0
CC26332		0.006	0.15	1.01	27	0.09	9.39	128	2.4
CC26333		0.009	0.10	1.95	26	0.10	11.40	90	1.9
CC26334		0.011	0.10	1.72	33	0.11	6.04	80	1.2
CC72125		0.006	0.12	1.63	34	0.08	14.10	92	2.7
CC72126		<0.005	0.09	0.94	23	0.05	8.49	76	1.7
CC72127		0.006	0.27	4.17	80	0.08	25.9	214	2.0
CC72128		0.007	0.13	1.87	60	0.10	7.64	84	1.1
CC72129		0.007	0.17	2.61	45	0.14	13.35	91	1.2
CC72130		0.005	0.16	1.22	35	0.07	7.45	73	1.8
CC72131		<0.005	0.27	1.62	107	0.09	8.09	155	1.3
CC72132		<0.005	0.32	1.20	97	0.07	5.65	138	0.9
CC72133		0.012	0.15	1.42	57	0.15	3.16	100	<0.5
CC72134		0.008	0.13	0.57	41	0.08	2.60	75	<0.5
CC72135		0.008	0.15	1.96	41	0.11	9.24	79	1.3
CC72136		<0.005	0.18	1.85	47	0.07	7.69	84	1.1
CC72137		0.006	0.15	1.68	44	0.12	9.04	72	1.1
CC72138		0.009	0.26	1.96	75	0.07	19.25	211	3.3
CC72139		0.010	0.20	1.60	63	0.15	6.51	157	1.5
CC72140		0.009	0.26	2.30	86	0.10	9.85	257	1.4
CC72141		0.006	0.25	3.75	89	0.13	11.15	212	1.9
CC72142		0.006	0.33	4.09	104	0.07	9.84	267	1.7
CC72143		0.005	0.29	7.65	79	0.08	11.60	216	1.6
CC72144		0.007	0.22	0.70	90	0.10	6.11	82	0.5
CC72145		0.007	0.17	2.04	37	0.08	14.40	130	2.7
CC72146		0.007	0.10	8.05	23	<0.05	8.41	44	2.3
CC72147		0.012	0.23	0.71	77	0.19	3.50	116	1.1
CC72148		0.013	0.16	1.78	54	0.13	13.00	142	1.5
CC72478		0.006	0.12	6.37	21	0.09	10.10	92	2.6
CC72479		0.006	0.10	1.71	17	0.09	16.95	116	4.2
CC72480		<0.005	0.09	1.53	13	<0.05	19.95	98	4.1
CC72481		0.013	0.11	1.60	22	0.05	17.75	95	5.3
CC72482		0.005	0.09	0.91	15	<0.05	14.55	86	6.1
CC72483		<0.005	0.09	1.65	9	<0.05	15.15	100	7.0

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 26- SEP- 2011
Account: RCM

Project: Rackla Gold - Nadaleen

CERTIFICATE OF ANALYSIS WH11158203

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- TL43 Au ppm 0.001	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1
CC72484		0.36	0.018	0.08	0.44	12.6	<0.2	<10	110	1.12	0.23	3.17	0.19	31.8	13.8	15
CC72485		0.30	0.005	0.11	0.48	6.7	<0.2	<10	370	0.84	0.19	4.93	0.37	34.6	9.8	14
CC72486		0.32	0.003	0.06	1.11	10.2	<0.2	<10	820	0.90	0.26	0.50	0.19	39.8	10.7	29
CC72487		0.34	0.006	0.06	0.41	4.1	<0.2	<10	60	0.91	0.22	2.63	0.21	26.3	12.0	9
CC72488		0.34	0.002	0.08	1.58	15.3	<0.2	<10	210	1.17	0.29	0.24	0.11	25.5	12.9	23
CC72489		0.30	0.014	0.46	1.09	20.4	<0.2	<10	180	1.35	0.28	2.17	0.29	26.7	10.9	14
CC72490		0.32	0.003	0.19	0.83	12.6	<0.2	<10	220	1.27	0.33	0.99	0.13	45.4	16.4	9
CC72491		0.42	0.002	0.05	0.38	16.4	<0.2	<10	100	1.50	0.41	0.15	0.11	10.60	20.4	8
CC72492		0.36	0.002	0.06	1.29	12.2	<0.2	<10	70	0.42	0.32	0.03	0.10	15.15	6.9	20
CC72493		0.48	0.002	0.11	1.70	14.7	<0.2	<10	140	1.34	0.46	0.10	0.08	12.75	22.3	31
CC72494		0.34	0.004	0.05	2.63	2.7	<0.2	<10	190	1.87	0.34	0.29	0.15	23.4	18.7	55
CC72495		0.26	0.002	0.06	1.53	6.0	<0.2	<10	150	1.43	0.29	0.83	0.12	35.6	10.3	32
CC72496		0.38	0.002	0.05	1.85	5.1	<0.2	<10	570	0.96	0.22	0.44	0.06	42.3	9.6	40
CC72497		0.30	0.004	0.06	2.21	5.7	<0.2	<10	270	1.70	0.24	0.93	0.24	56.5	12.5	46
CC72498		0.42	0.002	0.07	1.79	8.8	<0.2	<10	330	1.10	0.26	0.64	0.18	38.3	10.6	35
CC72499		0.38	0.002	0.05	1.97	10.9	<0.2	<10	460	1.01	0.30	0.40	0.30	30.9	9.7	34
CC82493		0.36	0.002	0.11	1.36	12.1	<0.2	<10	170	1.31	0.40	0.15	0.31	24.4	26.4	19
CC82494		0.30	0.001	0.11	0.61	7.4	<0.2	<10	80	0.20	0.26	0.02	0.06	8.04	3.1	9
CC82495		0.32	0.001	0.14	1.15	12.5	<0.2	<10	80	0.40	0.29	0.02	0.05	9.12	5.5	10
CC82496		0.38	0.002	0.76	1.26	8.6	<0.2	<10	70	0.44	0.43	0.02	0.07	12.55	5.0	17
CC82497		0.30	0.002	0.07	0.96	8.9	<0.2	<10	150	0.43	0.30	0.10	0.10	6.03	8.7	14
CC82498		0.26	0.001	0.14	1.51	8.3	<0.2	<10	300	1.00	0.27	0.91	0.13	32.4	8.3	19
CC82499		0.38	0.002	0.09	1.77	14.2	<0.2	<10	90	0.89	0.42	0.10	0.13	15.55	13.3	32
CC82500		0.36	0.002	0.08	1.96	13.2	<0.2	<10	140	1.13	0.33	0.14	0.10	21.5	14.9	28
ZZ07001		0.20	0.002	0.15	1.13	6.8	<0.2	10	350	1.10	0.20	3.89	0.38	9.90	10.2	15
ZZ07002		0.30	0.003	1.03	0.41	16.4	<0.2	<10	340	0.50	0.17	3.79	1.44	11.65	6.1	24
ZZ07003		0.20	0.003	0.52	0.41	7.7	<0.2	<10	630	0.39	0.09	5.67	1.09	7.14	3.8	14
ZZ07004		0.30	0.003	2.63	0.41	15.1	<0.2	<10	1500	0.59	0.16	1.35	1.52	8.75	5.0	27
ZZ07005		0.38	0.009	2.29	1.02	12.0	<0.2	<10	1070	0.40	0.48	0.03	0.10	5.13	1.2	17
ZZ07006		0.40	0.004	4.37	0.65	65.5	<0.2	<10	40	0.42	0.27	0.12	2.04	13.55	2.4	50
ZZ07007		0.40	0.006	3.00	0.91	37.9	<0.2	<10	130	0.91	0.26	0.07	1.61	24.7	9.9	28
ZZ07008		0.42	0.004	0.99	0.63	15.3	<0.2	<10	650	0.64	0.22	0.04	0.79	17.25	7.5	13
ZZ07009		0.36	0.005	0.68	0.61	22.9	<0.2	<10	550	0.58	0.26	0.08	1.15	12.95	13.2	9
ZZ07010		0.40	0.004	0.55	0.58	13.2	<0.2	<10	520	0.70	0.23	0.21	0.83	18.75	12.5	10
ZZ07011		0.38	0.004	0.40	0.75	11.4	<0.2	<10	520	0.64	0.21	0.09	1.05	14.95	6.7	10
ZZ07022		0.28	0.002	0.10	0.65	11.1	<0.2	<10	70	0.25	0.32	0.03	0.07	11.95	5.9	14
ZZ07023		0.40	0.002	0.09	0.53	15.5	<0.2	<10	80	0.38	0.28	0.04	0.13	8.79	9.1	13
ZZ07024		0.30	0.003	0.22	1.68	15.6	<0.2	<10	110	0.93	0.21	0.14	1.07	25.9	13.7	38
ZZ07025		0.32	0.003	0.24	1.40	16.5	<0.2	<10	120	0.86	0.22	0.13	1.08	20.4	14.2	36
ZZ07026		0.34	0.003	0.19	1.60	6.3	<0.2	<10	140	1.63	0.30	0.25	0.41	15.10	18.5	25

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 26- SEP- 2011
Account: RCM

Project: Rackla Gold - Nadaleen

CERTIFICATE OF ANALYSIS WH11158203

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
CC72484		0.64	53.9	2.90	1.34	0.07	0.06	0.38	0.047	0.13	12.8	3.9	1.41	353	0.98	0.02
CC72485		0.15	25.9	2.22	1.29	0.05	0.08	0.21	0.035	0.08	17.2	5.2	2.84	376	0.92	0.02
CC72486		0.40	27.5	3.13	3.77	0.05	0.10	0.13	0.039	0.09	16.9	19.0	0.39	345	1.37	0.01
CC72487		0.65	30.4	2.41	1.15	0.05	0.09	0.11	0.040	0.11	10.1	3.7	1.17	333	0.52	0.01
CC72488		0.99	30.5	3.59	4.71	0.06	0.08	0.13	0.042	0.09	8.9	29.1	0.36	435	1.47	<0.01
CC72489		0.71	42.6	3.04	2.81	0.06	0.15	0.18	0.041	0.10	12.8	12.9	0.54	256	1.85	0.01
CC72490		1.24	39.7	4.17	1.76	0.09	0.07	1.33	0.056	0.06	13.6	5.5	0.11	486	0.69	0.01
CC72491		2.00	49.0	4.28	1.16	0.07	0.02	0.45	0.056	0.09	3.7	4.0	0.07	857	0.57	<0.01
CC72492		1.57	17.4	3.07	5.98	0.05	<0.02	0.05	0.028	0.07	7.6	11.1	0.19	297	1.49	<0.01
CC72493		2.29	43.1	4.39	6.37	0.07	0.06	0.07	0.047	0.15	4.8	52.9	0.55	551	0.55	0.01
CC72494		2.09	43.0	3.72	8.84	0.09	0.18	0.04	0.041	0.19	7.2	97.6	1.86	550	0.33	0.01
CC72495		0.78	30.2	2.84	5.35	0.08	0.11	0.08	0.038	0.09	16.6	24.0	0.51	497	0.38	0.01
CC72496		1.66	18.0	3.21	7.48	0.06	0.03	0.04	0.035	0.09	16.3	31.8	0.76	347	0.72	<0.01
CC72497		1.90	55.4	3.11	7.68	0.10	0.13	0.05	0.042	0.19	29.2	55.6	1.73	332	0.44	<0.01
CC72498		0.98	23.8	3.15	6.71	0.07	0.07	0.05	0.037	0.10	16.2	34.1	0.81	398	0.83	<0.01
CC72499		1.66	19.7	3.25	7.06	0.07	0.04	0.03	0.036	0.09	13.9	35.1	0.72	400	0.82	<0.01
CC82493		1.59	30.5	4.60	3.79	0.07	0.05	0.06	0.053	0.11	5.5	24.2	0.20	1420	0.64	0.01
CC82494		1.13	15.7	2.22	3.98	<0.05	<0.02	0.03	0.018	0.07	4.1	2.7	0.04	288	0.72	<0.01
CC82495		1.28	17.8	2.91	3.96	0.05	0.02	0.04	0.025	0.06	4.5	4.7	0.05	110	0.96	<0.01
CC82496		1.30	14.5	3.88	4.25	0.06	0.05	0.04	0.039	0.06	5.9	15.3	0.14	147	1.11	<0.01
CC82497		1.23	17.5	3.45	4.15	0.05	<0.02	0.03	0.025	0.13	3.1	14.0	0.12	771	0.70	<0.01
CC82498		0.84	17.4	3.30	4.32	0.07	0.04	0.12	0.034	0.05	12.7	13.7	0.21	449	0.55	<0.01
CC82499		1.76	30.5	4.79	6.66	0.07	0.04	0.06	0.040	0.14	7.6	50.0	0.56	399	1.19	<0.01
CC82500		1.48	25.6	4.03	6.18	0.06	0.03	0.04	0.041	0.10	7.2	43.0	0.48	595	0.89	<0.01
ZZ07001		0.83	48.1	2.15	3.18	0.05	0.05	0.14	0.023	0.07	5.0	10.9	0.47	3640	0.74	0.01
ZZ07002		0.25	35.9	2.07	1.18	0.08	0.09	0.24	0.035	0.07	9.5	2.3	0.08	314	6.23	0.01
ZZ07003		0.25	19.3	1.00	1.01	<0.05	0.05	0.17	0.016	0.05	7.4	1.9	0.24	411	2.52	0.02
ZZ07004		0.44	39.6	2.27	1.37	0.09	0.07	0.23	0.034	0.09	7.9	2.1	0.07	112	7.25	0.01
ZZ07005		0.95	82.0	4.21	2.78	0.07	0.02	0.18	0.107	0.18	2.8	2.5	0.06	27	0.93	0.02
ZZ07006		3.37	83.6	7.31	4.36	0.19	0.03	0.25	0.122	0.74	5.8	2.7	0.07	61	35.7	0.07
ZZ07007		3.38	155.5	6.23	2.85	0.16	0.05	0.18	0.085	0.40	9.5	2.7	0.05	232	19.80	0.04
ZZ07008		1.13	81.4	3.30	2.00	0.08	0.02	0.10	0.046	0.23	6.7	2.1	0.05	179	8.63	0.02
ZZ07009		1.36	91.4	3.76	2.00	0.07	0.03	0.29	0.054	0.16	5.3	2.3	0.05	330	9.91	<0.01
ZZ07010		1.29	72.4	2.66	2.18	0.06	0.03	0.08	0.042	0.16	6.9	3.2	0.09	364	6.07	<0.01
ZZ07011		1.35	58.7	3.40	2.48	0.06	0.03	0.09	0.039	0.11	5.6	3.3	0.06	318	6.78	<0.01
ZZ07022		1.18	17.3	2.60	4.65	<0.05	<0.02	0.04	0.019	0.09	5.8	2.5	0.06	166	2.05	<0.01
ZZ07023		1.26	22.2	3.10	3.17	<0.05	<0.02	0.04	0.025	0.09	3.9	1.5	0.04	546	2.81	<0.01
ZZ07024		1.67	30.7	4.67	5.80	0.07	0.07	0.05	0.047	0.10	8.8	20.5	0.38	513	5.58	<0.01
ZZ07025		1.49	35.6	4.15	4.88	0.07	0.05	0.04	0.045	0.11	7.5	10.9	0.25	506	6.52	<0.01
ZZ07026		2.78	22.6	4.77	4.67	0.07	0.05	0.05	0.040	0.17	5.2	21.6	0.30	684	1.59	<0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 26- SEP- 2011
Account: RCM

Project: Rackla Gold - Nadaleen

CERTIFICATE OF ANALYSIS WH11158203

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
CC72484		0.09	33.8	1190	22.1	6.5	<0.001	0.03	0.91	7.1	1.9	0.4	101.0	<0.01	0.03	7.9
CC72485		0.09	18.7	590	12.9	4.4	<0.001	0.03	0.47	5.6	1.7	0.3	102.5	<0.01	0.01	4.5
CC72486		0.40	25.2	550	14.9	9.3	<0.001	0.03	0.61	3.8	0.9	0.5	35.3	<0.01	0.03	3.2
CC72487		0.10	20.5	860	15.7	5.9	<0.001	0.03	0.41	5.6	1.3	0.3	102.0	<0.01	0.02	4.3
CC72488		0.27	25.8	640	20.6	11.6	<0.001	0.03	0.57	3.7	0.7	0.6	21.7	<0.01	0.05	2.2
CC72489		0.25	24.8	650	19.8	6.9	<0.001	0.05	0.91	5.2	1.2	0.5	78.8	<0.01	0.05	2.3
CC72490		0.15	29.7	510	20.6	8.1	<0.001	0.04	0.62	8.2	0.8	0.4	55.2	<0.01	0.07	3.0
CC72491		0.10	32.0	470	24.0	6.6	<0.001	0.01	0.46	10.7	0.5	0.5	25.3	<0.01	0.07	3.2
CC72492		0.30	13.7	650	14.0	15.5	<0.001	0.03	0.71	0.7	0.6	0.8	9.5	<0.01	0.06	<0.2
CC72493		0.27	30.3	870	29.2	10.9	<0.001	0.19	0.60	4.0	0.6	0.8	67.0	<0.01	0.09	2.5
CC72494		0.54	52.5	490	21.2	16.0	<0.001	0.03	0.25	8.0	0.6	0.8	17.1	<0.01	0.02	5.3
CC72495		0.55	28.3	1010	15.0	15.2	<0.001	0.08	0.26	4.0	1.0	0.6	28.7	0.01	0.05	1.9
CC72496		0.57	19.4	710	12.7	16.3	<0.001	0.03	0.25	2.2	0.7	0.9	24.0	<0.01	0.03	1.2
CC72497		0.84	31.3	570	15.3	25.9	<0.001	0.04	0.26	5.6	1.2	0.8	42.0	<0.01	0.03	4.5
CC72498		0.69	22.4	710	15.6	16.5	<0.001	0.04	0.42	3.4	0.9	0.7	41.8	<0.01	0.04	2.1
CC72499		0.73	20.4	580	15.3	22.2	<0.001	0.03	0.39	3.3	0.5	0.8	31.7	<0.01	0.04	1.9
CC82493		0.22	45.5	410	37.4	11.2	<0.001	0.08	0.31	5.1	0.6	0.7	20.6	<0.01	0.05	3.9
CC82494		0.33	7.0	330	11.1	12.3	<0.001	0.02	0.33	1.3	0.3	0.6	5.2	<0.01	0.04	1.1
CC82495		0.43	20.3	340	13.1	14.9	<0.001	0.02	0.41	2.4	0.4	0.6	6.7	<0.01	0.04	2.5
CC82496		0.55	10.5	260	31.5	12.1	<0.001	0.04	0.45	2.5	0.5	0.7	16.4	<0.01	0.04	5.0
CC82497		0.39	18.8	580	12.9	13.5	<0.001	0.02	0.38	2.6	0.4	0.7	12.7	<0.01	0.05	0.9
CC82498		0.69	15.9	590	20.7	9.1	<0.001	0.04	0.27	3.1	0.7	0.5	50.7	<0.01	0.05	2.2
CC82499		0.87	29.8	410	23.8	15.2	<0.001	0.01	0.59	4.0	0.5	0.8	10.1	<0.01	0.06	3.2
CC82500		0.48	28.8	310	22.6	14.3	<0.001	0.01	0.40	4.7	0.4	0.8	13.7	<0.01	0.06	4.3
ZZ07001		0.27	21.5	1460	10.9	12.2	<0.001	0.25	0.56	1.4	2.6	0.4	196.5	<0.01	0.08	0.3
ZZ07002		0.14	64.5	1820	11.1	4.0	0.002	0.14	1.98	1.7	10.3	0.4	50.2	0.01	0.24	1.0
ZZ07003		0.15	30.3	2490	5.7	3.1	0.001	0.29	0.73	0.9	3.1	0.2	86.0	0.01	0.10	0.4
ZZ07004		0.06	64.1	2280	10.1	5.5	0.007	0.11	2.29	4.3	9.6	0.5	70.4	0.01	0.13	1.3
ZZ07005		0.09	7.1	870	26.8	16.0	0.003	0.24	1.08	6.4	4.8	0.6	39.2	<0.01	0.38	1.4
ZZ07006		0.22	22.8	3410	27.1	37.8	0.003	1.90	10.15	7.0	17.2	0.8	299	<0.01	0.27	3.8
ZZ07007		0.20	69.4	3220	25.3	19.0	0.003	0.94	9.41	8.8	11.0	0.7	109.5	0.01	0.19	7.4
ZZ07008		0.14	46.0	1600	15.9	11.1	0.003	0.35	4.36	4.1	4.3	0.5	55.3	<0.01	0.10	3.7
ZZ07009		0.17	57.6	1690	21.4	10.9	0.002	0.15	5.58	2.8	4.5	0.5	59.9	<0.01	0.13	2.5
ZZ07010		0.20	41.4	1530	16.7	11.8	0.004	0.04	4.75	3.2	2.8	0.5	22.3	<0.01	0.10	3.7
ZZ07011		0.17	37.7	1280	16.2	11.0	0.001	0.04	3.62	2.2	2.4	0.5	15.4	<0.01	0.09	1.3
ZZ07022		0.56	13.7	340	14.7	14.3	<0.001	0.02	0.89	1.7	0.6	0.8	7.2	<0.01	0.05	1.7
ZZ07023		0.10	19.2	1070	21.9	10.4	<0.001	0.06	1.16	0.6	0.9	0.6	6.1	<0.01	0.07	<0.2
ZZ07024		0.38	33.2	2280	17.7	13.5	<0.001	0.10	2.70	2.0	2.3	0.7	8.3	<0.01	0.05	1.0
ZZ07025		0.26	38.0	2020	18.3	15.6	<0.001	0.08	2.86	1.7	2.6	0.6	7.5	<0.01	0.06	0.8
ZZ07026		0.34	30.1	2540	22.8	16.5	<0.001	0.12	0.63	1.4	0.9	0.7	15.5	<0.01	0.12	0.9

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 26- SEP- 2011
Account: RCM

Project: Rackla Gold - Nadaleen

CERTIFICATE OF ANALYSIS WH11158203

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
CC72484		<0.005	0.13	1.41	13	<0.05	19.40	137	2.2
CC72485		<0.005	0.07	1.28	14	<0.05	17.55	105	2.6
CC72486		0.005	0.12	1.17	39	0.07	9.20	98	3.0
CC72487		<0.005	0.07	1.08	13	<0.05	15.30	105	3.0
CC72488		0.005	0.16	1.67	40	0.07	6.06	89	2.1
CC72489		<0.005	0.19	3.72	29	0.07	14.65	87	4.3
CC72490		<0.005	0.18	1.58	15	0.05	17.60	81	1.4
CC72491		<0.005	0.11	0.65	16	<0.05	8.92	95	<0.5
CC72492		0.012	0.16	0.52	48	0.16	2.28	76	<0.5
CC72493		0.005	0.10	0.51	24	<0.05	5.14	100	1.5
CC72494		0.015	0.13	0.84	27	0.05	16.65	127	4.5
CC72495		0.010	0.14	2.51	27	0.07	16.60	80	2.9
CC72496		0.010	0.21	0.79	49	0.08	4.75	67	0.7
CC72497		0.021	0.21	3.06	46	0.07	14.35	104	3.9
CC72498		0.014	0.16	1.93	50	0.15	7.21	84	1.8
CC72499		0.014	0.19	0.83	50	0.16	5.12	78	0.8
CC82493		<0.005	0.14	0.69	21	0.05	10.10	131	1.2
CC82494		0.006	0.11	0.20	31	0.07	1.29	44	<0.5
CC82495		0.006	0.12	0.31	28	0.07	2.66	80	0.9
CC82496		0.007	0.20	0.41	31	0.10	2.20	51	2.2
CC82497		0.008	0.09	0.28	35	0.08	2.32	62	<0.5
CC82498		0.009	0.11	1.30	37	0.17	9.14	56	0.9
CC82499		0.017	0.11	0.54	42	0.12	2.91	105	1.8
CC82500		0.007	0.13	0.78	39	0.09	3.75	86	1.3
ZZ07001		0.005	0.08	6.23	16	<0.05	13.50	56	1.0
ZZ07002		<0.005	0.22	2.43	39	0.09	27.4	239	2.7
ZZ07003		<0.005	0.12	1.68	27	0.06	23.6	123	1.5
ZZ07004		<0.005	0.21	3.98	58	0.08	30.6	263	1.8
ZZ07005		<0.005	0.15	1.14	56	0.09	8.55	48	0.7
ZZ07006		0.006	3.14	5.85	248	0.10	16.70	148	0.7
ZZ07007		<0.005	1.52	7.04	210	0.08	26.4	421	1.7
ZZ07008		<0.005	0.54	3.00	103	0.05	14.75	300	<0.5
ZZ07009		<0.005	0.73	2.23	72	0.06	9.24	405	0.6
ZZ07010		<0.005	0.41	2.06	76	0.05	13.85	367	<0.5
ZZ07011		<0.005	0.37	1.55	85	0.06	9.92	313	0.9
ZZ07022		0.008	0.16	0.43	56	0.17	2.23	92	<0.5
ZZ07023		<0.005	0.14	0.58	36	0.07	2.74	100	<0.5
ZZ07024		0.005	0.32	0.96	80	0.05	6.30	184	1.6
ZZ07025		<0.005	0.36	0.96	80	<0.05	6.40	218	1.1
ZZ07026		0.006	0.13	0.55	28	0.05	4.11	101	1.2

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 26- SEP- 2011
Account: RCM

Project: Rackla Gold - Nadaleen

CERTIFICATE OF ANALYSIS WH11158203

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- TL43 Au ppm 0.001	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1
ZZ07027		0.24	0.002	0.21	1.32	5.6	<0.2	<10	270	0.56	0.23	0.45	1.74	24.3	3.5	17
ZZ07028		0.42	0.003	0.05	1.50	10.8	<0.2	<10	110	0.73	0.42	0.03	0.18	14.40	10.3	26
ZZ07029		0.38	0.002	0.01	1.60	2.7	<0.2	<10	80	0.83	0.37	0.01	0.08	7.00	18.1	36
ZZ07030		0.36	0.003	0.02	2.09	7.4	<0.2	<10	150	1.07	0.36	0.02	0.15	17.50	15.4	36
ZZ07031		0.34	0.002	0.02	1.72	4.8	<0.2	<10	90	0.81	0.57	0.02	0.08	14.90	14.4	27
ZZ07032		0.34	0.002	0.09	0.35	4.9	<0.2	<10	30	0.18	0.32	0.01	0.03	8.38	3.6	5
ZZ07033		0.34	0.002	0.08	0.36	4.6	<0.2	<10	30	0.34	0.37	0.08	0.03	4.64	3.0	4
ZZ07034		0.28	0.002	0.05	0.74	5.8	<0.2	<10	90	0.37	0.31	0.05	0.08	9.90	4.1	8
ZZ07035		0.34	0.002	0.05	1.03	8.3	<0.2	<10	130	0.75	0.38	0.05	0.09	14.05	8.5	12
ZZ07036		0.30	0.003	0.18	1.14	14.1	<0.2	<10	100	0.99	0.35	1.43	0.23	30.5	10.2	17
ZZ07037		0.24	0.002	0.11	0.67	5.6	<0.2	<10	150	0.35	0.23	0.66	0.48	10.90	5.7	11
ZZ07038		0.28	0.003	0.07	0.84	3.8	<0.2	<10	210	1.21	0.21	1.12	0.23	32.0	8.8	13
ZZ07039		0.32	0.002	0.04	0.87	8.2	<0.2	<10	180	1.07	0.37	0.13	0.08	12.85	14.2	11
ZZ07040		0.28	0.006	0.07	1.07	6.1	<0.2	<10	230	1.16	0.23	1.04	0.32	15.55	11.7	21
ZZ07041		0.22	0.003	0.25	0.91	5.5	<0.2	<10	340	0.90	0.22	2.24	0.22	15.20	5.8	12
ZZ07042		0.34	0.003	0.19	0.61	7.6	<0.2	<10	150	0.92	0.32	1.12	0.17	16.40	9.7	9
ZZ07043		0.24	0.003	0.17	0.74	7.0	<0.2	<10	190	0.99	0.30	1.52	0.17	14.45	8.6	12
ZZ07044		0.18	0.003	0.13	0.42	3.4	<0.2	<10	200	0.55	0.17	3.05	0.36	7.13	5.7	7
ZZ07045		0.22	0.003	0.21	0.68	5.4	<0.2	<10	360	0.76	0.22	2.82	0.19	11.10	6.3	10
ZZ07046		0.26	0.003	0.26	0.79	5.1	<0.2	<10	320	0.92	0.27	2.22	0.29	14.55	8.2	14
ZZ07047		0.26	0.003	0.23	0.90	6.7	<0.2	<10	260	0.95	0.25	1.88	0.30	12.45	7.8	15
ZZ07048		0.26	0.003	0.26	0.70	5.4	<0.2	10	200	0.89	0.25	2.39	0.49	12.80	7.3	12
ZZ07049		0.26	0.003	0.15	0.82	6.5	<0.2	<10	190	0.85	0.28	1.52	0.30	13.85	8.3	14
ZZ07050		0.24	0.004	0.19	1.09	7.3	<0.2	<10	300	0.93	0.29	1.80	0.36	12.60	9.2	19
ZZ07051		0.38	0.003	0.22	0.87	8.3	<0.2	<10	280	1.00	0.32	1.21	0.34	18.05	10.0	15
ZZ07251		0.40	0.006	0.08	0.32	20.5	<0.2	<10	70	0.82	0.19	3.57	0.23	24.2	11.7	11
ZZ07252		0.40	0.007	0.06	0.23	6	<0.2	<10	100	0.98	0.16	10.05	0.13	21.5	14.1	8
ZZ07253		0.34	0.003	0.03	0.33	4.0	<0.2	<10	50	0.77	0.24	8.70	0.14	44.4	8.5	24
ZZ07254		0.30	0.004	0.08	0.89	23.4	<0.2	<10	160	1.33	0.26	5.39	0.12	45.5	13.1	18
ZZ07255		0.42	0.005	0.13	0.96	2.4	<0.2	<10	240	1.10	0.25	4.98	0.14	52.3	11.9	29
ZZ07256		0.34	0.008	0.10	1.04	8.5	<0.2	<10	160	1.40	0.21	6.10	0.11	40.7	12.7	25
ZZ07257		0.24	0.013	0.13	1.33	21.2	<0.2	10	230	1.36	0.36	4.55	0.36	37.2	24.1	25
ZZ07258		0.26	0.003	0.16	0.71	48.0	<0.2	<10	80	1.00	0.21	2.32	0.51	36.6	9.7	23
ZZ07259		0.28	0.005	0.08	0.67	13.8	<0.2	<10	210	1.27	0.48	0.51	0.10	16.10	17.1	8
ZZ07260		0.24	0.007	0.11	0.72	9.5	<0.2	<10	200	0.99	0.35	3.15	0.13	32.7	12.2	11
ZZ07261		0.26	0.004	0.29	0.71	14.9	<0.2	<10	230	1.07	0.38	2.20	0.15	31.3	14.2	10
ZZ07262		0.20	0.003	0.25	0.66	11.2	<0.2	<10	370	0.99	0.25	3.39	0.14	37.5	8.8	8
ZZ07263		0.36	0.003	0.13	1.84	11.5	<0.2	<10	100	1.36	0.35	0.10	0.10	16.50	24.4	28
ZZ07264		0.26	0.003	0.21	1.79	13.1	<0.2	<10	80	1.17	0.38	0.07	0.28	14.45	26.8	31
ZZ07265		0.34	0.003	0.22	1.68	14.2	<0.2	<10	100	1.11	0.35	0.20	0.18	7.66	16.7	26

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 26- SEP- 2011
Account: RCM

Project: Rackla Gold - Nadaleen

CERTIFICATE OF ANALYSIS WH11158203

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
ZZ07027		1.16	7.4	1.62	5.34	0.09	<0.02	0.04	0.023	0.07	11.6	7.6	0.16	316	1.29	<0.01
ZZ07028		2.18	20.6	3.68	7.42	0.08	0.02	0.04	0.039	0.10	6.2	14.5	0.19	543	2.43	<0.01
ZZ07029		3.67	9.1	4.19	6.73	0.11	0.07	0.03	0.033	0.22	2.9	17.8	0.49	347	0.43	<0.01
ZZ07030		2.09	17.1	4.60	9.38	0.10	0.02	0.03	0.038	0.13	5.8	33.8	0.52	799	1.11	<0.01
ZZ07031		3.18	47.9	3.00	8.60	0.10	0.03	0.03	0.031	0.17	6.1	17.8	0.33	268	0.58	<0.01
ZZ07032		0.63	9.5	2.78	1.46	0.08	<0.02	0.09	0.023	0.05	4.0	1.1	0.02	142	0.63	<0.01
ZZ07033		0.75	15.3	3.26	1.05	0.08	<0.02	0.13	0.030	0.06	2.0	1.3	0.01	39	0.47	<0.01
ZZ07034		1.14	13.8	2.20	3.25	0.08	<0.02	0.05	0.025	0.06	3.6	2.3	0.04	111	1.01	<0.01
ZZ07035		1.11	17.4	3.87	3.08	0.10	0.02	0.02	0.036	0.07	4.6	5.8	0.07	382	0.78	<0.01
ZZ07036		0.77	22.1	3.80	3.14	0.12	0.05	0.15	0.037	0.08	11.4	9.5	0.22	417	0.87	<0.01
ZZ07037		1.44	16.9	1.68	3.20	0.09	0.02	0.05	0.023	0.07	4.5	6.4	0.11	725	0.98	0.01
ZZ07038		0.19	27.2	3.04	1.99	0.12	0.07	0.45	0.041	0.06	11.3	5.2	0.11	562	0.33	<0.01
ZZ07039		0.24	32.9	3.57	1.81	0.10	0.04	0.31	0.038	0.07	3.0	6.0	0.12	229	2.16	<0.01
ZZ07040		0.54	29.7	2.40	3.80	0.12	0.11	0.27	0.037	0.08	5.4	30.0	0.75	233	0.63	<0.01
ZZ07041		0.93	23.9	2.13	2.53	0.10	0.09	0.19	0.028	0.08	6.4	10.6	0.16	247	0.93	0.01
ZZ07042		0.77	26.8	2.93	1.74	0.10	0.07	0.15	0.037	0.08	6.3	8.2	0.13	308	0.57	<0.01
ZZ07043		0.80	30.9	2.68	2.31	0.11	0.07	0.09	0.036	0.09	5.6	11.3	0.22	349	0.67	<0.01
ZZ07044		0.44	21.3	1.32	1.22	0.10	0.06	0.12	0.023	0.08	3.2	5.3	0.19	270	0.59	0.01
ZZ07045		0.78	26.6	1.86	2.00	0.11	0.06	0.11	0.028	0.07	4.9	9.2	0.16	199	0.72	<0.01
ZZ07046		0.86	29.1	2.15	2.44	0.10	0.06	0.14	0.031	0.09	5.7	16.2	0.27	304	0.61	0.01
ZZ07047		0.59	25.2	2.35	2.90	0.10	0.07	0.10	0.034	0.09	5.1	17.4	0.26	227	0.97	<0.01
ZZ07048		0.61	31.4	2.20	2.05	0.11	0.08	0.15	0.031	0.10	5.5	11.1	0.24	246	0.77	<0.01
ZZ07049		0.54	26.5	2.50	2.70	0.11	0.08	0.10	0.033	0.10	5.2	15.2	0.26	283	0.68	<0.01
ZZ07050		0.73	34.3	2.54	3.62	0.11	0.09	0.16	0.032	0.11	6.0	21.5	0.41	290	0.88	<0.01
ZZ07051		0.90	33.3	2.95	3.02	0.12	0.07	0.08	0.038	0.10	6.9	19.4	0.29	307	1.00	<0.01
ZZ07251		0.27	29.7	3.20	1.00	0.11	0.07	0.13	0.039	0.08	9.4	1.7	1.55	453	0.52	<0.01
ZZ07252		0.47	27.3	1.87	0.84	0.10	0.10	0.08	0.030	0.07	7.1	2.5	4.47	302	0.73	0.01
ZZ07253		0.37	26.3	2.01	1.65	0.14	0.11	0.18	0.041	0.09	18.2	3.0	2.03	299	0.26	0.01
ZZ07254		0.35	31.3	3.27	2.74	0.15	0.13	0.14	0.046	0.18	15.7	22.5	1.47	467	0.60	<0.01
ZZ07255		1.54	22.8	2.83	3.84	0.13	0.12	0.04	0.039	0.14	23.0	26.7	3.14	391	0.44	0.01
ZZ07256		1.79	38.2	2.43	4.28	0.14	0.22	0.13	0.040	0.18	17.1	33.5	3.14	272	0.45	0.02
ZZ07257		1.94	48.4	2.64	3.81	0.14	0.25	0.13	0.043	0.20	13.6	35.3	0.94	538	0.78	0.01
ZZ07258		0.10	28.3	4.12	2.35	0.13	0.13	1.78	0.044	0.09	15.8	5.7	0.55	571	0.71	<0.01
ZZ07259		0.52	45.6	2.50	1.83	0.11	0.11	0.12	0.049	0.13	5.4	8.5	0.19	222	0.82	<0.01
ZZ07260		0.47	43.8	2.99	1.97	0.15	0.15	0.12	0.043	0.10	15.1	10.8	0.80	292	0.84	0.01
ZZ07261		0.33	45.2	3.79	1.83	0.14	0.13	0.32	0.053	0.10	14.7	7.9	0.19	283	1.01	<0.01
ZZ07262		0.34	28.3	2.88	1.64	0.12	0.07	0.28	0.041	0.06	20.0	4.4	0.11	242	0.94	0.02
ZZ07263		3.19	34.0	4.27	6.53	0.11	0.04	0.06	0.047	0.13	4.1	36.2	0.44	2180	0.57	0.01
ZZ07264		4.43	32.3	4.29	6.04	0.09	0.03	0.06	0.043	0.11	4.4	44.0	0.50	2010	0.63	0.01
ZZ07265		2.59	29.9	3.85	6.01	0.09	0.05	0.06	0.041	0.11	2.6	40.7	0.48	1490	0.63	0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 26- SEP- 2011
Account: RCM

Project: Rackla Gold - Nadaleen

CERTIFICATE OF ANALYSIS WH11158203

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
ZZ07027		0.28	10.8	2020	8.5	11.7	0.001	0.11	0.40	0.2	0.5	0.6	20.5	<0.01	0.02	<0.2
ZZ07028		0.87	19.4	470	19.5	21.4	0.001	<0.01	0.73	2.6	0.8	1.0	8.6	<0.01	0.05	2.0
ZZ07029		0.88	28.3	240	16.9	30.6	0.001	<0.01	0.25	4.1	<0.2	1.3	4.8	<0.01	0.05	4.7
ZZ07030		1.18	28.8	440	35.7	23.2	0.001	0.01	0.44	4.3	0.6	1.2	7.0	<0.01	0.03	2.3
ZZ07031		0.97	24.7	240	9.4	28.1	0.001	<0.01	0.25	3.8	0.5	1.1	7.0	<0.01	0.03	3.2
ZZ07032		0.26	9.3	220	26.9	6.3	0.001	0.01	0.26	1.1	0.4	0.4	3.5	<0.01	0.04	1.8
ZZ07033		<0.05	7.1	330	27.0	5.2	0.002	0.01	0.19	1.0	0.2	0.3	4.6	<0.01	0.02	1.4
ZZ07034		0.21	10.6	830	13.4	12.7	0.001	0.01	0.22	1.1	0.5	0.5	5.2	<0.01	0.05	0.5
ZZ07035		0.27	18.8	520	25.6	14.6	0.001	<0.01	0.25	2.2	0.3	0.5	5.3	<0.01	0.06	1.3
ZZ07036		0.38	26.6	970	28.8	8.4	0.002	0.06	0.59	2.6	1.3	0.4	71.2	<0.01	0.06	1.0
ZZ07037		0.34	11.7	1180	11.9	7.9	0.001	0.11	0.38	1.4	0.3	0.4	32.8	<0.01	0.04	0.5
ZZ07038		0.16	15.5	640	15.7	5.9	0.001	0.04	0.24	4.4	1.2	0.4	39.3	<0.01	0.02	2.1
ZZ07039		0.12	30.2	160	20.2	6.3	0.001	<0.01	0.36	4.0	1.0	0.6	6.0	<0.01	0.03	3.2
ZZ07040		0.31	27.5	510	14.1	7.2	0.001	0.05	0.37	6.2	1.4	0.4	46.5	<0.01	0.03	2.7
ZZ07041		0.31	18.8	790	13.7	9.5	0.001	0.11	0.57	3.0	1.0	0.4	102.5	<0.01	0.04	1.1
ZZ07042		0.14	28.7	490	23.2	6.6	0.001	0.04	0.38	4.0	0.8	0.3	57.8	<0.01	0.05	1.9
ZZ07043		0.24	27.8	690	18.5	7.5	0.002	0.10	0.47	4.0	1.1	0.4	73.3	<0.01	0.06	1.2
ZZ07044		0.13	17.8	770	10.6	6.3	0.002	0.14	0.47	1.7	0.5	0.3	97.7	<0.01	0.04	0.6
ZZ07045		0.17	21.1	690	14.0	7.3	0.002	0.11	0.63	2.7	1.3	0.3	89.0	<0.01	0.04	0.8
ZZ07046		0.21	26.2	640	16.9	8.7	0.001	0.10	0.52	4.1	1.4	0.4	75.7	<0.01	0.06	1.4
ZZ07047		0.29	26.5	500	14.9	7.2	0.002	0.08	0.67	3.7	1.0	0.4	67.1	<0.01	0.04	1.4
ZZ07048		0.24	25.9	800	15.2	7.9	0.002	0.14	0.60	3.8	2.2	0.4	94.2	<0.01	0.05	1.4
ZZ07049		0.24	25.6	660	16.2	7.2	0.002	0.08	0.46	3.8	1.1	0.5	63.5	<0.01	0.05	1.7
ZZ07050		0.38	31.3	760	14.4	8.1	0.001	0.08	0.60	4.4	0.9	0.5	61.8	<0.01	0.04	2.0
ZZ07051		0.24	31.5	630	19.4	7.3	0.002	0.03	0.66	5.4	1.1	0.4	41.5	<0.01	0.07	3.0
ZZ07251		0.08	27.3	890	12.8	3.9	0.001	0.03	1.14	7.1	1.7	0.3	192.0	<0.01	0.02	3.8
ZZ07252		0.05	22.0	610	11.7	4.2	0.001	0.02	0.50	6.3	1.7	0.2	253	<0.01	0.02	5.1
ZZ07253		0.07	23.1	920	10.5	4.9	0.002	0.01	0.17	9.0	1.8	0.4	136.0	<0.01	0.02	8.9
ZZ07254		0.10	34.3	1140	14.5	8.5	0.001	<0.01	0.71	7.7	1.6	0.4	181.5	<0.01	0.02	7.8
ZZ07255		0.22	30.6	560	11.2	12.4	0.001	0.02	0.17	7.4	2.4	0.5	199.0	<0.01	0.05	7.1
ZZ07256		0.29	31.5	650	16.3	16.5	0.001	0.03	1.19	7.6	2.9	0.5	182.5	<0.01	0.02	7.5
ZZ07257		0.39	36.0	1010	36.4	17.6	0.002	0.09	1.63	5.4	1.5	0.5	230	<0.01	0.05	3.3
ZZ07258		0.16	25.1	930	18.2	5.3	0.001	0.05	0.96	5.2	1.9	0.4	138.5	<0.01	0.04	1.6
ZZ07259		0.09	30.2	290	24.4	7.7	0.002	0.01	0.62	7.9	0.9	0.4	37.4	<0.01	0.06	3.4
ZZ07260		0.14	29.8	790	26.6	6.6	0.001	0.07	0.37	8.1	1.7	0.4	110.5	<0.01	0.09	2.9
ZZ07261		0.11	35.1	700	23.5	5.8	0.002	0.04	0.50	7.4	1.2	0.3	113.5	<0.01	0.06	2.5
ZZ07262		0.09	24.0	960	15.8	6.5	<0.001	0.13	0.75	3.3	1.0	0.3	179.0	<0.01	0.05	1.0
ZZ07263		0.22	25.3	1830	28.6	16.0	<0.001	0.09	0.35	3.4	0.9	0.7	12.5	<0.01	0.06	1.6
ZZ07264		0.36	27.8	950	44.0	12.9	<0.001	0.06	0.46	3.0	0.7	0.6	11.1	<0.01	0.04	1.1
ZZ07265		0.25	26.7	1360	33.3	13.1	<0.001	0.08	0.34	2.6	0.6	0.6	18.2	<0.01	0.07	1.2

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 26- SEP- 2011
Account: RCM

Project: Rackla Gold - Nadaleen

CERTIFICATE OF ANALYSIS WH11158203

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
ZZ07027		<0.005	0.20	0.77	44	0.13	7.58	71	<0.5
ZZ07028		0.010	0.19	0.61	60	0.14	3.68	96	0.6
ZZ07029		0.033	0.19	0.81	37	0.17	3.43	86	2.3
ZZ07030		0.027	0.18	0.58	46	0.09	6.06	110	0.6
ZZ07031		0.015	0.19	0.56	34	0.06	6.19	79	1.1
ZZ07032		0.005	0.20	0.27	14	<0.05	2.04	58	0.7
ZZ07033		<0.005	0.11	0.29	8	<0.05	1.62	37	<0.5
ZZ07034		<0.005	0.12	0.45	24	0.07	2.59	52	<0.5
ZZ07035		<0.005	0.19	0.68	26	0.07	4.57	69	0.5
ZZ07036		0.007	0.11	1.56	29	0.09	16.40	83	1.3
ZZ07037		0.009	0.06	0.71	26	0.06	4.85	57	0.7
ZZ07038		<0.005	0.06	2.28	19	<0.05	13.95	70	2.0
ZZ07039		<0.005	0.11	0.72	15	<0.05	5.67	100	1.8
ZZ07040		0.005	0.09	0.86	20	<0.05	12.60	116	4.0
ZZ07041		<0.005	0.12	2.03	22	0.06	13.50	60	2.4
ZZ07042		<0.005	0.09	0.79	14	<0.05	14.00	83	2.2
ZZ07043		<0.005	0.07	1.79	16	<0.05	16.45	76	2.5
ZZ07044		<0.005	0.06	1.73	13	<0.05	8.18	76	1.8
ZZ07045		<0.005	0.11	1.89	18	<0.05	14.50	55	1.9
ZZ07046		<0.005	0.11	1.51	20	<0.05	15.55	85	2.2
ZZ07047		<0.005	0.10	1.50	26	<0.05	11.80	89	2.3
ZZ07048		<0.005	0.09	1.81	20	0.05	14.95	101	2.9
ZZ07049		<0.005	0.09	1.86	21	0.09	11.80	100	2.0
ZZ07050		0.005	0.12	1.84	26	<0.05	12.10	107	2.7
ZZ07051		<0.005	0.10	0.94	26	0.05	15.25	94	2.9
ZZ07251		<0.005	0.07	1.41	13	<0.05	16.60	84	3.2
ZZ07252		<0.005	0.07	1.54	9	<0.05	12.55	89	5.4
ZZ07253		<0.005	0.05	1.46	21	<0.05	15.30	93	5.4
ZZ07254		<0.005	0.14	1.41	17	<0.05	20.0	81	5.8
ZZ07255		0.010	0.12	1.34	23	<0.05	16.15	102	5.4
ZZ07256		0.017	0.14	1.32	20	<0.05	15.60	99	10.6
ZZ07257		0.008	0.30	5.95	20	0.05	20.9	102	8.3
ZZ07258		0.005	0.28	2.38	32	<0.05	25.1	101	3.2
ZZ07259		<0.005	0.08	1.46	8	<0.05	19.90	103	3.2
ZZ07260		<0.005	0.10	1.78	11	<0.05	31.5	82	3.7
ZZ07261		<0.005	0.14	1.27	11	<0.05	22.3	90	3.3
ZZ07262		<0.005	0.13	1.80	11	<0.05	21.0	77	2.0
ZZ07263		0.006	0.11	0.83	29	<0.05	8.16	77	1.1
ZZ07264		0.010	0.15	0.64	30	0.05	5.81	77	0.8
ZZ07265		0.006	0.09	0.54	28	<0.05	5.18	92	1.2

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 26- SEP- 2011
Account: RCM

Project: Rackla Gold - Nadaleen

CERTIFICATE OF ANALYSIS WH11158203

Sample Description	Method	WEI- 21	Au- TL43	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Recvd Wt.	Au	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
ZZ07266		0.32	0.003	0.20	1.47	69.1	<0.2	<10	90	0.96	0.39	0.06	0.22	11.70	13.1	24
ZZ07267		0.24	0.002	0.15	0.82	6.7	<0.2	<10	60	0.55	0.16	0.91	0.11	25.1	7.1	12
ZZ07268		0.28	NSS	0.45	1.38	8.6	<0.2	<10	510	1.28	0.29	0.91	0.13	24.5	20.5	30
ZZ07269		0.26	0.003	0.14	1.64	8.4	<0.2	<10	110	1.14	0.34	1.08	0.14	29.3	12.7	24
ZZ07270		0.40	0.006	0.40	1.28	34.4	<0.2	<10	180	1.04	0.36	2.47	0.10	19.60	26.3	22
ZZ07271		0.28	0.002	0.13	1.98	11.9	<0.2	<10	180	0.84	0.32	0.41	0.19	47.9	9.5	28
ZZ07272		0.28	0.002	0.13	1.62	6.8	<0.2	<10	180	0.76	0.33	0.34	0.12	14.55	7.8	19
ZZ07273		0.30	0.005	0.14	1.22	18.3	<0.2	<10	140	0.90	0.31	1.59	0.12	33.1	12.7	22
ZZ07274		0.22	0.004	0.14	1.45	16.8	<0.2	<10	250	1.18	0.35	1.05	0.23	38.1	13.0	20
ZZ07275		0.30	0.002	0.13	1.19	10.4	<0.2	<10	110	0.70	0.38	0.16	0.14	12.20	12.0	20
ZZ07276		0.24	0.003	0.10	1.32	11.9	<0.2	<10	120	0.57	0.35	0.29	0.20	16.70	14.5	22
ZZ07277		0.24	0.002	0.10	1.26	14.0	<0.2	<10	310	0.92	0.32	0.83	0.18	36.6	11.1	16
ZZ07278		0.28	0.003	0.11	0.75	10.9	<0.2	<10	30	0.38	0.45	0.01	0.03	10.65	6.5	12
ZZ07279		0.24	0.002	0.14	2.98	11.6	<0.2	<10	130	1.42	0.30	0.82	0.75	59.2	19.0	31
ZZ07280		0.36	0.001	0.04	0.40	5.7	<0.2	<10	20	0.38	0.23	0.01	0.03	14.10	6.7	7
ZZ07361		0.30	0.007	0.19	0.71	16.2	<0.2	<10	70	0.99	0.21	0.15	0.09	23.9	13.1	10
ZZ07362		0.24	0.003	0.09	0.50	16.3	<0.2	<10	70	0.88	0.25	6.03	0.13	18.40	14.1	7
ZZ07363		0.28	0.003	0.14	1.58	4.1	<0.2	<10	130	1.31	0.30	0.78	0.09	28.4	13.1	23
ZZ07364		0.34	0.003	0.25	0.82	15.8	<0.2	<10	90	0.96	0.37	0.43	0.06	24.0	16.1	22
ZZ07365		0.28	0.002	0.07	1.40	9.9	<0.2	<10	140	0.75	0.39	0.08	0.13	11.55	13.2	21
ZZ07366		0.24	0.003	0.06	1.51	5.3	<0.2	<10	110	0.90	0.35	0.20	0.15	18.60	9.3	22
ZZ07367		0.24	0.005	0.13	1.03	7.3	<0.2	<10	130	1.07	0.39	0.21	0.26	25.6	14.7	16
ZZ07368		0.30	0.002	0.10	1.31	11.1	<0.2	<10	80	0.70	0.31	0.15	0.16	13.95	9.0	21
ZZ07369		0.28	0.001	0.15	1.78	7.7	<0.2	<10	70	1.49	0.32	0.47	0.05	54.8	12.9	26
ZZ07370		0.26	0.001	0.06	0.90	10.8	<0.2	<10	30	0.30	0.32	0.05	0.07	12.90	6.5	14
ZZ07382		0.32	<0.001	0.03	0.49	3.0	<0.2	<10	410	1.17	0.33	0.10	0.03	18.90	22.8	10
ZZ07383		0.32	0.001	0.06	0.90	7.8	<0.2	<10	130	0.40	0.30	0.06	0.06	16.35	7.2	15
ZZ07384		0.34	<0.001	0.10	1.60	10.6	<0.2	<10	110	0.77	0.30	0.07	0.12	24.2	10.6	25
ZZ07385		0.36	0.001	0.10	1.56	7.4	<0.2	<10	110	0.50	0.33	0.03	0.07	18.85	8.1	26
ZZ07386		0.34	<0.001	0.06	1.78	6.9	<0.2	<10	70	0.79	0.42	0.02	0.08	13.90	8.4	29
ZZ07387		0.32	<0.001	0.03	1.01	8.3	<0.2	<10	80	0.44	0.26	0.04	0.06	17.75	6.2	14
ZZ07388		0.30	0.001	0.39	2.04	8.9	<0.2	<10	170	1.40	0.30	0.49	0.18	44.3	11.5	26
ZZ07389		0.28	0.001	0.13	0.71	11.1	<0.2	<10	90	0.24	0.30	0.07	0.11	14.55	8.4	10
ZZ07390		0.18	0.001	0.09	0.11	1.5	<0.2	<10	60	0.05	0.02	1.91	0.37	1.36	1.1	1
ZZ07391		0.32	<0.001	0.07	0.85	8.5	<0.2	<10	110	0.33	0.33	0.09	0.13	11.45	8.4	14
ZZ07392		0.28	<0.001	0.25	1.22	3.8	<0.2	<10	230	0.38	0.28	0.04	0.19	16.20	8.7	15
ZZ07393		0.26	<0.001	0.16	0.83	5.8	<0.2	<10	60	0.15	0.30	0.04	0.13	13.40	5.9	11
ZZ07394		0.36	<0.001	0.07	1.16	13.5	<0.2	<10	90	0.42	0.33	0.04	0.13	14.55	11.4	22
ZZ07415		0.18	0.001	0.06	0.41	3.0	<0.2	<10	170	0.25	0.08	3.89	0.51	7.76	3.8	6
ZZ07416		0.20	0.002	0.20	1.26	6.1	<0.2	<10	300	1.04	0.21	2.80	0.27	10.55	7.9	16

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 26- SEP- 2011
Account: RCM

Project: Rackla Gold - Nadaleen

CERTIFICATE OF ANALYSIS WH11158203

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
ZZ07266		1.73	31.8	3.55	6.11	0.09	<0.02	0.05	0.039	0.13	4.5	30.8	0.28	848	3.72	<0.01
ZZ07267		0.55	14.0	2.32	2.50	0.10	0.06	0.05	0.021	0.05	8.7	15.7	0.25	368	0.40	0.02
ZZ07268		2.90	35.6	3.49	4.60	0.11	0.20	0.07	0.039	0.10	6.8	33.7	0.41	992	1.22	0.01
ZZ07269		1.03	33.2	3.72	5.42	0.11	0.15	0.04	0.044	0.10	8.7	36.6	0.40	511	0.45	0.01
ZZ07270		1.96	44.4	4.56	4.43	0.12	0.13	0.09	0.042	0.09	6.8	30.3	0.38	446	1.12	0.01
ZZ07271		1.34	18.1	3.77	6.06	0.10	0.02	0.03	0.038	0.05	13.2	22.3	0.39	439	1.10	0.01
ZZ07272		1.31	22.6	3.06	5.77	0.09	0.05	0.05	0.036	0.07	4.9	19.4	0.18	513	0.61	0.01
ZZ07273		0.70	30.2	3.49	4.03	0.12	0.17	0.04	0.041	0.08	12.7	27.9	0.28	278	0.54	0.02
ZZ07274		1.16	28.3	3.73	4.19	0.12	0.07	0.02	0.038	0.10	13.1	21.5	0.29	525	0.56	0.01
ZZ07275		1.29	29.5	4.04	4.59	0.08	<0.02	0.03	0.040	0.11	4.1	21.9	0.25	593	0.78	0.01
ZZ07276		1.27	24.1	3.84	5.03	0.09	<0.02	0.02	0.036	0.12	5.4	26.0	0.33	809	0.80	0.01
ZZ07277		0.96	23.4	3.75	3.47	0.12	0.05	0.02	0.036	0.09	12.4	23.4	0.23	709	0.44	0.01
ZZ07278		1.38	21.0	3.74	3.27	0.09	0.02	0.03	0.039	0.08	4.6	2.2	0.04	91	0.94	0.01
ZZ07279		0.84	15.1	4.13	5.86	0.12	0.07	0.16	0.052	0.05	19.1	19.2	0.09	1500	1.00	0.01
ZZ07280		0.41	11.7	2.48	1.73	0.08	0.02	0.06	0.026	0.08	5.4	1.7	0.04	147	0.34	0.01
ZZ07361		0.26	40.6	2.45	1.89	0.09	0.02	0.40	0.035	0.07	6.8	7.1	0.11	150	2.43	0.01
ZZ07362		0.09	32.0	2.52	1.15	0.10	0.14	0.31	0.046	0.08	6.4	2.4	0.10	427	0.31	0.01
ZZ07363		1.58	44.4	3.60	5.01	0.14	0.10	0.03	0.050	0.10	12.6	34.3	0.44	720	0.38	0.01
ZZ07364		0.64	38.6	3.96	3.07	0.13	0.09	0.03	0.047	0.09	8.2	14.5	0.15	696	0.50	0.01
ZZ07365		2.13	34.2	3.28	5.39	0.09	0.03	0.05	0.037	0.12	4.6	24.0	0.27	804	0.64	0.01
ZZ07366		2.45	28.5	3.51	4.96	0.11	0.03	0.02	0.032	0.10	5.9	33.7	0.31	477	0.60	0.01
ZZ07367		1.30	43.5	3.37	2.94	0.11	0.04	0.04	0.043	0.09	5.2	17.5	0.19	767	0.44	0.01
ZZ07368		1.78	23.1	3.42	4.69	0.09	0.02	0.06	0.035	0.08	4.1	20.8	0.25	659	0.75	0.01
ZZ07369		1.05	31.5	3.42	5.04	0.12	0.11	0.03	0.042	0.07	14.5	39.2	0.55	603	0.27	0.01
ZZ07370		1.58	26.3	3.89	4.92	0.09	0.02	0.03	0.030	0.07	5.0	8.9	0.15	199	0.96	0.01
ZZ07382		3.72	4.5	3.44	1.80	0.10	0.02	0.05	0.040	0.17	4.2	2.0	0.08	1080	0.59	0.01
ZZ07383		0.59	17.3	2.96	4.57	0.09	0.02	0.03	0.022	0.13	7.2	6.0	0.13	366	0.59	0.01
ZZ07384		0.99	16.9	3.40	6.54	0.09	0.02	0.09	0.030	0.12	10.5	28.1	0.32	453	0.82	0.01
ZZ07385		0.92	18.5	3.61	7.52	0.10	0.02	0.01	0.028	0.10	8.3	22.9	0.28	316	0.56	0.01
ZZ07386		1.11	18.9	3.99	7.89	0.09	0.02	0.02	0.041	0.11	5.8	29.5	0.34	250	0.57	0.01
ZZ07387		0.67	15.3	2.76	4.95	0.08	0.02	0.01	0.021	0.07	8.0	10.1	0.12	151	0.67	0.01
ZZ07388		0.82	20.3	5.59	4.16	0.11	0.07	0.06	0.046	0.07	11.6	29.3	0.29	816	0.76	0.01
ZZ07389		1.43	23.3	2.91	4.57	<0.05	<0.02	0.03	0.029	0.08	7.6	5.8	0.11	267	0.90	<0.01
ZZ07390		0.20	6.2	0.18	0.26	<0.05	0.02	0.06	<0.005	0.02	0.7	0.3	0.03	59	0.36	0.01
ZZ07391		0.67	22.3	3.18	3.93	<0.05	<0.02	0.02	0.030	0.10	5.9	11.6	0.14	194	0.64	<0.01
ZZ07392		0.96	11.2	2.47	4.94	<0.05	<0.02	0.03	0.027	0.13	8.1	12.8	0.13	640	0.42	0.01
ZZ07393		1.23	10.7	2.14	5.43	<0.05	<0.02	0.02	0.017	0.07	7.0	3.4	0.07	402	0.66	0.01
ZZ07394		0.74	21.4	3.82	5.42	0.05	0.02	0.04	0.030	0.11	7.2	15.5	0.23	423	0.83	0.01
ZZ07415		0.36	13.1	0.86	1.17	<0.05	0.04	0.09	0.011	0.03	2.9	3.1	0.23	304	0.43	0.01
ZZ07416		1.34	31.8	2.01	3.92	0.05	0.06	0.12	0.027	0.08	4.8	17.5	0.34	642	0.55	0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 26- SEP- 2011
Account: RCM

Project: Rackla Gold - Nadaleen

CERTIFICATE OF ANALYSIS WH11158203

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
ZZ07266		0.30	19.8	670	42.2	13.8	<0.001	0.05	1.53	3.1	1.0	0.7	36.2	<0.01	0.05	0.9
ZZ07267		0.13	16.6	760	11.0	5.4	<0.001	0.11	0.27	1.6	0.5	0.2	50.3	<0.01	0.04	0.8
ZZ07268		0.27	35.2	1130	53.0	11.2	<0.001	0.09	0.55	6.3	1.3	0.4	58.5	<0.01	0.04	2.5
ZZ07269		0.33	32.8	710	26.5	9.9	<0.001	0.05	0.38	5.8	0.7	0.6	76.7	<0.01	0.05	2.8
ZZ07270		0.23	52.7	810	52.3	7.9	<0.001	0.04	0.88	6.8	1.5	0.5	127.5	<0.01	0.12	4.2
ZZ07271		0.90	25.3	580	24.2	10.2	<0.001	0.04	0.70	3.9	0.6	0.6	30.5	<0.01	0.06	2.0
ZZ07272		0.39	16.9	810	18.7	14.9	<0.001	0.06	0.31	2.9	0.8	0.7	30.6	<0.01	0.06	1.1
ZZ07273		0.22	32.4	560	27.6	6.5	<0.001	0.06	0.42	6.5	0.8	0.3	81.1	<0.01	0.08	4.4
ZZ07274		0.31	32.5	1010	30.6	14.2	<0.001	0.07	0.39	4.7	1.2	0.5	80.0	<0.01	0.06	2.1
ZZ07275		0.32	25.1	870	32.0	13.7	<0.001	0.05	0.54	1.3	0.4	0.5	13.1	<0.01	0.07	0.4
ZZ07276		0.43	23.7	710	29.4	14.2	<0.001	0.03	0.46	1.9	0.6	0.6	26.4	<0.01	0.06	0.6
ZZ07277		0.31	23.5	920	19.9	14.7	<0.001	0.06	0.27	4.0	1.3	0.4	45.9	<0.01	0.06	1.8
ZZ07278		0.22	22.4	360	34.0	10.4	<0.001	0.05	0.33	2.2	1.3	0.5	7.1	<0.01	0.06	2.8
ZZ07279		0.89	31.2	2430	49.9	9.1	<0.001	0.08	0.39	3.7	1.8	0.8	35.9	0.01	0.04	1.6
ZZ07280		0.24	19.5	180	36.4	8.5	<0.001	<0.01	0.12	1.7	0.4	0.4	2.0	<0.01	0.02	2.9
ZZ07361		0.13	32.5	220	19.5	5.9	<0.001	0.01	1.86	3.4	1.8	0.4	11.4	<0.01	0.02	2.5
ZZ07362		0.07	30.2	910	15.3	3.3	<0.001	0.10	0.39	5.7	0.6	0.3	198.0	<0.01	0.05	2.2
ZZ07363		0.24	30.8	790	29.5	9.5	<0.001	0.03	0.20	12.1	1.1	0.8	45.7	<0.01	0.08	7.6
ZZ07364		0.14	37.8	430	31.7	6.8	<0.001	0.03	0.53	8.1	1.5	0.5	147.0	<0.01	0.06	4.6
ZZ07365		0.54	22.6	610	28.8	15.2	<0.001	0.03	0.42	3.0	0.6	0.6	12.2	<0.01	0.05	1.5
ZZ07366		0.52	19.4	530	23.4	12.6	<0.001	0.03	0.39	3.8	0.6	0.5	18.4	<0.01	0.06	1.8
ZZ07367		0.24	31.3	430	22.8	9.0	<0.001	0.04	0.35	6.4	0.9	0.5	28.2	<0.01	0.07	2.4
ZZ07368		0.35	20.6	1120	21.4	13.5	<0.001	0.08	0.46	1.1	0.7	0.5	12.3	<0.01	0.05	0.3
ZZ07369		0.18	34.1	350	27.9	9.1	<0.001	0.03	0.44	8.3	1.0	0.4	38.6	<0.01	0.04	5.5
ZZ07370		0.33	20.8	820	18.6	13.0	<0.001	0.02	0.44	2.0	0.5	0.5	7.7	<0.01	0.06	1.2
ZZ07382		0.30	16.5	490	12.2	16.2	<0.001	0.01	0.23	7.4	0.8	0.5	4.9	<0.01	0.13	4.0
ZZ07383		0.86	13.4	210	15.2	15.8	<0.001	0.01	0.32	2.3	0.2	0.7	6.6	<0.01	0.04	2.9
ZZ07384		0.95	21.3	250	18.2	18.7	<0.001	0.01	0.38	2.9	0.7	0.8	8.8	<0.01	0.03	4.1
ZZ07385		0.71	17.4	220	14.4	19.8	<0.001	<0.01	0.26	3.1	0.2	0.9	6.4	<0.01	0.03	3.6
ZZ07386		0.61	20.4	320	14.3	18.8	<0.001	0.01	0.22	3.3	0.4	1.1	5.4	<0.01	0.02	2.7
ZZ07387		0.74	12.4	160	15.4	12.5	<0.001	0.01	0.33	2.0	0.4	0.7	6.5	<0.01	0.02	3.1
ZZ07388		0.44	29.8	560	33.9	11.6	<0.001	0.04	0.43	5.5	1.0	0.4	25.5	<0.01	0.05	4.5
ZZ07389		0.40	17.0	550	19.3	15.6	<0.001	0.02	0.67	1.6	0.4	0.5	8.3	<0.01	0.03	0.7
ZZ07390		0.07	3.1	440	1.0	1.2	<0.001	0.12	0.14	0.4	0.6	<0.2	86.8	<0.01	0.01	<0.2
ZZ07391		0.46	17.1	320	15.0	13.4	<0.001	0.02	0.37	2.9	0.3	0.7	21.3	<0.01	0.07	2.0
ZZ07392		0.37	13.6	300	13.9	18.1	<0.001	0.02	0.24	2.3	0.2	0.7	10.6	<0.01	0.03	2.1
ZZ07393		0.57	7.4	400	12.3	12.9	<0.001	0.02	0.31	1.5	0.2	0.8	6.3	<0.01	0.03	0.9
ZZ07394		0.58	24.2	290	21.3	15.2	<0.001	0.05	0.43	2.9	0.4	0.7	27.6	<0.01	0.03	3.0
ZZ07415		0.21	7.2	720	5.7	4.9	<0.001	0.16	0.22	1.0	2.7	<0.2	282	<0.01	0.03	0.3
ZZ07416		0.43	16.1	890	10.6	14.1	<0.001	0.15	0.34	2.7	2.6	0.5	262	<0.01	0.04	0.9

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 26- SEP- 2011
Account: RCM

Project: Rackla Gold - Nadaleen

CERTIFICATE OF ANALYSIS WH11158203

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
ZZ07266		<0.005	0.48	0.75	25	<0.05	6.40	76	<0.5
ZZ07267		<0.005	0.05	1.06	13	<0.05	10.40	55	1.4
ZZ07268		0.005	0.13	1.23	20	<0.05	25.5	85	6.3
ZZ07269		0.005	0.09	0.91	25	<0.05	15.25	88	4.1
ZZ07270		0.005	0.12	1.16	20	<0.05	18.15	107	4.6
ZZ07271		0.014	0.15	1.18	49	0.20	10.50	73	0.7
ZZ07272		0.005	0.13	0.71	35	0.06	5.80	68	1.3
ZZ07273		<0.005	0.09	0.91	23	<0.05	18.65	81	4.5
ZZ07274		0.007	0.10	1.22	23	0.05	19.15	97	1.9
ZZ07275		0.007	0.08	0.58	27	0.05	3.72	91	0.5
ZZ07276		0.010	0.10	0.49	31	0.10	3.00	101	<0.5
ZZ07277		<0.005	0.08	1.44	22	<0.05	17.05	95	1.3
ZZ07278		<0.005	0.18	0.45	18	<0.05	2.45	83	0.9
ZZ07279		0.008	0.14	3.05	49	0.13	20.5	255	2.8
ZZ07280		<0.005	0.08	0.37	9	<0.05	2.12	156	0.9
ZZ07361		<0.005	0.09	0.90	18	<0.05	5.46	96	0.9
ZZ07362		<0.005	0.12	0.76	10	<0.05	11.70	65	3.8
ZZ07363		<0.005	0.09	0.76	22	<0.05	35.0	81	3.0
ZZ07364		<0.005	0.10	1.07	24	<0.05	24.7	92	2.6
ZZ07365		0.008	0.12	0.48	32	0.05	3.41	102	0.9
ZZ07366		0.011	0.08	0.50	31	0.07	8.06	67	0.7
ZZ07367		<0.005	0.10	0.72	21	<0.05	12.65	124	1.4
ZZ07368		0.008	0.11	0.67	28	0.07	3.59	87	<0.5
ZZ07369		<0.005	0.11	0.93	20	<0.05	21.1	82	3.2
ZZ07370		0.005	0.12	0.58	28	0.05	4.72	81	0.6
ZZ07382		0.009	0.10	0.95	15	0.13	10.45	29	<0.5
ZZ07383		0.014	0.09	0.43	32	0.11	2.15	43	0.7
ZZ07384		0.013	0.11	0.46	38	0.09	2.66	73	1.2
ZZ07385		0.010	0.11	0.42	40	0.07	2.97	73	1.0
ZZ07386		0.007	0.09	0.36	36	0.06	3.43	66	0.7
ZZ07387		0.008	0.09	0.33	33	0.07	2.17	53	1.2
ZZ07388		<0.005	0.13	1.84	38	0.07	12.25	66	2.8
ZZ07389		0.011	0.08	0.39	33	0.12	2.86	82	<0.5
ZZ07390		<0.005	0.02	0.12	2	0.10	0.89	12	0.8
ZZ07391		0.007	0.08	0.32	32	0.10	2.62	69	0.5
ZZ07392		0.005	0.09	0.23	26	0.06	1.82	111	<0.5
ZZ07393		0.009	0.10	0.22	41	0.11	1.38	54	<0.5
ZZ07394		0.008	0.12	0.48	30	0.09	3.26	98	0.5
ZZ07415		0.006	0.03	11.85	7	0.16	3.39	20	1.5
ZZ07416		<0.005	0.08	10.45	17	0.14	10.05	54	1.9

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 26- SEP- 2011
Account: RCM

Project: Rackla Gold - Nadaleen

CERTIFICATE OF ANALYSIS WH11158203

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- TL43 Au ppm 0.001	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1
ZZ07417		0.20	0.001	0.09	0.57	3.5	<0.2	10	250	0.32	0.10	3.78	0.50	5.76	4.8	8
ZZ07418		0.30	0.001	0.02	1.38	8.3	<0.2	<10	180	0.64	0.38	0.11	0.07	13.85	9.9	26
ZZ07419		0.40	0.001	0.02	1.18	9.5	<0.2	<10	90	0.37	0.28	0.06	0.05	19.50	6.5	19
ZZ07420		0.24	0.001	0.07	1.78	9.9	<0.2	<10	160	0.81	0.35	0.09	0.10	11.20	11.5	32
ZZ07421		0.34	0.001	0.09	1.99	8.6	<0.2	<10	200	1.25	0.45	0.33	0.11	17.90	13.4	35
ZZ07422		0.20	0.001	0.19	1.00	6.9	<0.2	<10	290	0.68	0.17	2.62	0.57	7.71	8.2	13
ZZ07423		0.20	0.002	0.13	1.11	5.5	<0.2	10	310	0.74	0.21	3.05	0.18	9.34	8.3	18
ZZ07424		0.22	0.001	0.06	1.01	9.4	<0.2	<10	220	0.73	0.20	2.72	0.26	15.70	7.9	16
ZZ07435		0.28	0.001	0.05	2.19	11.5	<0.2	<10	120	0.98	0.40	0.16	0.08	12.50	15.5	28
ZZ07436		0.28	0.002	0.03	1.77	15.1	<0.2	<10	70	0.72	0.42	0.02	0.13	11.70	16.9	26
ZZ07437		0.28	0.002	0.15	1.69	11.6	<0.2	<10	150	1.21	0.38	0.62	0.30	15.75	17.4	23
ZZ07438		0.28	0.001	0.44	1.29	15.0	<0.2	<10	90	0.87	0.45	0.48	0.12	29.7	16.8	19
ZZ07439		0.24	0.001	0.16	1.69	12.2	<0.2	<10	100	0.98	0.37	0.61	0.17	49.3	16.5	25
ZZ07440		0.30	0.001	0.05	1.47	10.5	<0.2	<10	80	0.71	0.37	0.08	0.09	14.95	12.8	24
ZZ07441		0.20	0.001	0.14	0.53	9.6	<0.2	<10	200	0.49	0.27	2.18	0.11	16.70	10.9	8
ZZ07442		0.20	0.001	0.09	1.34	14.5	<0.2	<10	80	0.31	0.34	0.04	0.10	12.70	8.2	22
ZZ07443		0.26	0.001	0.15	1.56	15.9	<0.2	<10	80	0.74	0.39	0.03	0.12	13.10	12.4	23
ZZ07444		0.22	0.003	0.19	0.35	49.0	<0.2	<10	50	0.57	0.25	0.80	0.06	17.55	7.1	6

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 26- SEP- 2011
Account: RCM

Project: Rackla Gold - Nadaleen

CERTIFICATE OF ANALYSIS WH11158203

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
ZZ07417		0.50	16.1	0.99	1.74	<0.05	0.04	0.08	0.013	0.03	2.5	5.7	0.29	458	0.46	0.01
ZZ07418		0.85	28.1	3.48	5.46	0.05	0.03	0.03	0.031	0.08	6.3	21.2	0.29	345	0.79	0.01
ZZ07419		0.76	11.0	2.79	5.08	0.05	0.02	0.02	0.023	0.06	10.1	18.6	0.28	214	0.88	<0.01
ZZ07420		1.05	24.4	3.89	8.40	0.05	0.02	0.04	0.034	0.10	4.9	21.7	0.39	449	0.53	0.01
ZZ07421		1.53	35.1	4.24	8.97	0.09	0.04	0.04	0.042	0.10	9.4	29.7	0.46	399	0.52	0.01
ZZ07422		0.70	26.7	1.89	2.96	0.05	0.07	0.12	0.021	0.05	3.2	12.1	0.32	1250	0.75	0.01
ZZ07423		0.86	33.6	2.09	3.92	0.05	0.05	0.10	0.023	0.07	4.2	16.8	0.37	536	0.43	0.01
ZZ07424		0.62	22.9	2.37	3.22	0.06	0.07	0.12	0.025	0.08	8.0	16.0	0.41	246	0.66	0.01
ZZ07435		1.94	32.4	4.26	7.31	0.06	0.05	0.04	0.047	0.11	5.6	32.8	0.37	752	1.08	0.01
ZZ07436		1.43	34.3	4.82	5.29	0.07	0.08	0.06	0.042	0.08	5.0	34.3	0.39	691	0.89	0.01
ZZ07437		1.92	43.5	5.14	5.30	0.10	0.15	0.08	0.048	0.12	7.6	28.0	0.46	2700	0.59	0.01
ZZ07438		1.66	40.6	4.55	4.34	0.11	0.09	0.06	0.053	0.09	12.3	23.1	0.33	452	0.71	0.01
ZZ07439		1.55	34.8	4.45	5.28	0.10	0.10	0.07	0.054	0.10	10.7	36.4	0.47	774	0.51	0.01
ZZ07440		1.25	31.8	4.58	5.04	0.07	0.04	0.03	0.047	0.08	4.8	33.7	0.45	393	0.67	0.01
ZZ07441		0.43	29.2	2.64	1.46	0.06	0.12	0.06	0.031	0.09	6.3	6.0	0.13	293	0.44	0.01
ZZ07442		1.39	19.4	3.34	6.36	0.05	0.02	0.05	0.031	0.08	6.4	11.9	0.18	427	1.22	0.01
ZZ07443		1.68	30.6	4.51	5.53	0.07	0.04	0.06	0.048	0.09	6.3	34.9	0.32	283	1.17	0.01
ZZ07444		0.50	15.1	2.03	1.01	0.05	0.08	0.65	0.023	0.07	7.9	1.4	0.05	174	0.37	<0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 26- SEP- 2011
Account: RCM

Project: Rackla Gold - Nadaleen

CERTIFICATE OF ANALYSIS WH11158203

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
ZZ07417		0.34	9.4	750	5.6	6.0	<0.001	0.19	0.27	1.1	2.4	0.2	349	<0.01	0.03	0.3
ZZ07418		0.89	16.9	140	20.5	15.8	<0.001	0.01	0.36	3.0	0.3	1.1	14.6	<0.01	0.03	3.6
ZZ07419		0.84	13.2	170	15.9	12.0	<0.001	0.01	0.37	2.1	0.2	0.7	9.6	<0.01	0.03	3.3
ZZ07420		0.77	23.1	410	17.2	14.5	<0.001	0.02	0.20	3.8	0.4	1.0	11.4	<0.01	0.03	2.9
ZZ07421		0.75	29.2	360	24.1	14.9	<0.001	0.02	0.20	5.8	0.7	1.1	41.5	<0.01	0.03	4.3
ZZ07422		0.41	16.0	1050	10.1	7.8	<0.001	0.19	0.30	2.0	2.2	0.3	235	<0.01	0.06	0.8
ZZ07423		0.55	17.0	900	11.9	11.8	<0.001	0.16	0.26	2.3	3.0	0.5	261	<0.01	0.05	0.7
ZZ07424		0.44	17.1	510	14.4	9.7	<0.001	0.09	0.41	3.9	1.4	0.4	193.0	<0.01	0.04	1.5
ZZ07435		0.59	23.1	480	22.3	19.7	<0.001	0.02	0.50	4.1	0.5	0.9	15.1	<0.01	0.05	2.9
ZZ07436		0.41	27.6	820	28.3	11.8	<0.001	0.03	0.46	3.5	0.6	0.6	10.3	<0.01	0.06	2.3
ZZ07437		0.19	31.0	1370	41.4	13.3	0.001	0.07	0.34	8.0	0.9	0.6	40.2	0.01	0.07	3.0
ZZ07438		0.23	37.0	350	31.5	9.6	0.001	0.03	0.38	7.4	1.0	0.6	36.6	0.01	0.06	4.6
ZZ07439		0.32	33.5	690	36.4	11.9	<0.001	0.05	0.54	7.6	0.8	0.5	36.4	0.01	0.05	4.7
ZZ07440		0.31	27.9	490	29.0	13.2	<0.001	0.02	0.42	3.0	0.4	0.5	9.3	<0.01	0.04	2.6
ZZ07441		0.11	23.4	830	23.5	6.1	<0.001	0.12	0.36	2.7	0.9	0.3	90.4	0.01	0.04	1.5
ZZ07442		0.80	15.3	450	19.5	14.7	<0.001	0.03	0.54	2.7	0.5	0.8	9.2	<0.01	0.05	1.8
ZZ07443		0.68	27.2	350	28.2	15.5	<0.001	0.03	0.56	3.9	0.6	0.7	9.9	<0.01	0.05	3.5
ZZ07444		0.10	19.0	360	38.0	4.6	<0.001	0.05	1.16	3.6	0.6	0.3	17.4	<0.01	0.02	3.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 26- SEP- 2011
Account: RCM

Project: Rackla Gold - Nadaleen

CERTIFICATE OF ANALYSIS WH11158203

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
ZZ07417		0.007	0.04	7.25	9	0.18	2.83	69	1.5
ZZ07418		0.011	0.09	1.15	37	0.29	2.38	54	1.0
ZZ07419		0.015	0.08	0.60	36	0.19	2.53	49	0.8
ZZ07420		0.007	0.08	0.53	33	0.10	3.32	79	0.5
ZZ07421		0.007	0.08	1.63	36	0.11	13.50	91	0.9
ZZ07422		0.005	0.06	10.75	14	0.13	6.38	70	2.2
ZZ07423		0.006	0.06	9.06	17	0.17	7.13	68	1.4
ZZ07424		0.006	0.07	4.15	18	0.12	10.40	81	2.3
ZZ07435		0.006	0.17	0.74	42	0.10	3.65	72	1.5
ZZ07436		<0.005	0.12	0.72	30	0.07	4.01	85	2.1
ZZ07437		<0.005	0.11	3.09	26	0.05	19.90	114	3.9
ZZ07438		<0.005	0.15	0.91	19	0.05	18.45	126	2.2
ZZ07439		<0.005	0.10	1.19	23	0.06	16.85	109	2.7
ZZ07440		<0.005	0.10	0.74	26	0.06	4.57	90	1.3
ZZ07441		<0.005	0.08	1.29	10	0.06	13.25	74	4.1
ZZ07442		0.009	0.14	0.58	43	0.20	2.37	76	0.7
ZZ07443		0.007	0.15	0.79	33	0.10	3.66	101	1.6
ZZ07444		<0.005	0.11	0.66	7	0.10	9.08	42	3.4

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 26- SEP- 2011
Account: RCM

Project: Rackla Gold - Nadaleen

CERTIFICATE OF ANALYSIS WH11158203

Method	CERTIFICATE COMMENTS
ALL METHODS	NSS is non- sufficient sample.
ME- MS41	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown.
ME- MS41	Gold determinations by this method are semi- quantitative due to the small sample weight used (0.5g).

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 28- AUG- 2011
Account: RCM

CERTIFICATE WH11158274

Project: Rackla Gold Regional

P.O. No.:

This report is for 13 Rock samples submitted to our lab in Whitehorse, YT, Canada on 13- AUG- 2011.

The following have access to data associated with this certificate:

ROB CARNE JULIA LANE	ANDREW CARNE JOAN MARIACHER	MATT DUMALA

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
WSH- 21	"Wash" crushers
WSH- 22	"Wash" pulverizers
CRU- 31	Fine crushing - 70% < 2mm
SPL- 22Y	Split Sample - Boyd Rotary Splitter
CRU- QC	Crushing QC Test
PUL- QC	Pulverizing QC Test
PUL- 31	Pulverize split to 85% < 75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- AA26	Ore Grade Au 50g FA AA finish	AAS
ME- MS61	48 element four acid ICP- MS	
Hg- CV41	Trace Hg - cold vapor/AAS	FIMS
ME- OG62	Ore Grade Elements - Four Acid	ICP- AES
Zn- OG62	Ore Grade Zn - Four Acid	VARIABLE
Hg- CV42	High Grade Hg - cold vapor/AA	FIMS

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 28- AUG- 2011
Account: RCM

Project: Rackla Gold Regional

CERTIFICATE OF ANALYSIS WH11158274

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- AA26 Au ppm 0.01	ME- MS61 Ag ppm 0.01	ME- MS61 Al % 0.01	ME- MS61 As ppm 0.2	ME- MS61 Ba ppm 10	ME- MS61 Be ppm 0.05	ME- MS61 Bi ppm 0.01	ME- MS61 Ca % 0.01	ME- MS61 Cd ppm 0.02	ME- MS61 Ce ppm 0.01	ME- MS61 Co ppm 0.1	ME- MS61 Cr ppm 1	ME- MS61 Cs ppm 0.05	ME- MS61 Cu ppm 0.2
I357464		1.00	<0.01	0.12	0.21	68	50	0.13	<0.01	20.2	6.05	1.89	0.9	4	0.08	1.3
I357465		0.70	<0.01	0.15	0.53	31	1010	0.16	0.02	32.5	0.40	13.90	4.3	8	0.79	7.4
I357466		0.86	0.01	0.30	0.62	9.1	>10000	0.38	0.03	2.27	17.40	6.03	1.2	28	0.52	29.8
I357467		0.78	<0.01	0.37	0.61	26.1	>10000	0.35	0.06	0.29	15.30	6.99	1.0	35	0.43	197.5
I357431		0.53	<0.01	0.41	0.18	55	290	0.08	0.02	16.45	129.5	2.07	0.8	4	0.07	7.3
I357432		0.99	<0.01	0.54	3.28	9.2	2780	1.03	0.15	2.45	0.70	30.3	4.5	64	0.62	29.1
I357433		0.62	<0.01	0.05	0.62	2.6	170	0.06	0.02	0.14	0.33	15.65	2.2	46	0.11	5.9
I357434		0.54	<0.01	0.28	4.07	14.0	1780	0.95	0.14	0.05	0.04	35.6	0.9	87	3.34	15.0
I357435		0.52	0.01	1.34	1.88	43.8	730	1.12	0.91	0.10	0.55	13.95	15.8	43	1.65	164.5
I357436		0.65	<0.01	0.28	1.39	17.2	660	0.62	0.05	0.10	0.28	7.79	10.8	43	1.92	189.5
I357437		0.55	<0.01	0.26	4.02	14.0	1920	1.77	0.16	0.16	0.11	40.4	24.4	50	3.33	22.0
I357438		0.68	<0.01	0.51	0.93	2.6	50	0.45	3.04	1.52	0.03	75.3	1.2	79	0.41	511
I357439		0.44	<0.01	0.84	0.17	8.9	10	0.06	62.6	1.02	0.03	0.96	2.0	12	0.16	417

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 28- AUG- 2011
Account: RCM

Project: Rackla Gold Regional

CERTIFICATE OF ANALYSIS WH11158274

Sample Description	Method Analyte Units LOR	ME- MS61 Fe % 0.01	ME- MS61 Ga ppm 0.05	ME- MS61 Ge ppm 0.05	ME- MS61 Hf ppm 0.1	Hg- CV41 Hg ppm 0.01	ME- MS61 In ppm 0.005	ME- MS61 K % 0.01	ME- MS61 La ppm 0.5	ME- MS61 Li ppm 0.2	ME- MS61 Mg % 0.01	ME- MS61 Mn ppm 5	ME- MS61 Mo ppm 0.05	ME- MS61 Na % 0.01	ME- MS61 Nb ppm 0.1	ME- MS61 Ni ppm 0.2
I357464		1.14	0.78	0.06	0.1	12.9	0.028	0.02	1.1	9.2	10.45	534	0.10	0.02	0.2	<0.2
I357465		2.30	1.13	0.07	0.3	0.78	0.020	0.16	6.1	21.5	0.20	704	0.97	0.02	0.9	9.9
I357466		0.47	2.85	0.06	0.4	0.30	0.015	0.17	5.6	2.3	0.06	91	18.50	0.51	1.4	104.5
I357467		0.82	7.20	0.11	0.3	0.57	0.042	0.13	4.5	2.5	0.03	129	20.8	0.07	1.5	88.5
I357431		1.14	14.45	0.22	0.1	>100	0.403	0.02	1.0	14.5	9.13	518	0.18	0.02	0.4	1.5
I357432		1.86	10.15	0.11	1.2	0.23	0.039	0.60	17.9	15.6	0.54	272	3.52	0.08	6.3	29.8
I357433		1.94	1.71	0.06	0.5	1.48	0.006	0.03	7.6	25.8	0.13	59	1.66	0.01	2.0	12.0
I357434		2.30	10.55	0.11	1.5	0.09	0.042	0.93	20.2	46.6	0.31	52	2.06	0.21	6.5	25.6
I357435		10.70	4.60	0.25	0.6	0.33	0.063	0.26	9.6	105.5	0.06	206	3.49	0.03	1.8	54.5
I357436		23.3	3.00	0.33	0.5	0.10	0.063	0.24	6.5	12.8	0.07	89	3.97	0.03	1.5	38.8
I357437		20.7	9.58	0.32	1.5	0.08	0.029	0.98	21.9	14.0	0.16	404	0.98	0.44	6.2	39.4
I357438		9.76	5.98	0.38	1.3	0.02	0.066	0.05	47.2	2.1	0.46	264	58.3	0.17	4.2	3.3
I357439		37.8	1.41	1.93	0.1	<0.01	0.101	0.02	0.6	1.3	0.30	431	10.55	0.01	1.0	3.4

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 28- AUG- 2011
Account: RCM

Project: Rackla Gold Regional

CERTIFICATE OF ANALYSIS WH11158274

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
	LOR	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02
I357464		100	1850	0.9	<0.002	0.03	10.60	2.9	2	<0.2	135.5	<0.05	<0.05	0.3	0.005	0.09
I357465		160	78.3	9.3	<0.002	0.07	1.62	1.5	2	0.2	589	0.05	<0.05	1.1	0.023	0.14
I357466		450	10.5	10.3	<0.002	0.01	4.30	1.5	6	0.2	1265	0.08	<0.05	0.8	0.037	1.69
I357467		170	2.7	8.4	0.009	0.11	9.28	1.3	15	1.4	344	0.08	0.06	1.0	0.032	5.52
I357431		120	9640	0.7	<0.002	4.47	34.5	1.4	4	1.6	93.1	<0.05	<0.05	0.2	0.007	0.86
I357432		630	12.9	20.9	0.002	0.01	1.46	5.8	3	1.2	170.5	0.43	0.07	5.9	0.177	0.23
I357433		580	59.7	2.0	<0.002	0.02	0.29	0.9	1	0.3	12.4	0.10	<0.05	2.3	0.068	0.03
I357434		420	10.1	67.5	0.002	0.02	0.75	8.2	2	1.2	52.6	0.41	0.06	6.4	0.230	0.47
I357435		990	14.0	18.2	0.006	0.23	3.84	3.5	22	0.8	20.2	0.11	0.30	2.5	0.052	0.21
I357436		950	3.2	16.3	0.005	0.12	1.67	1.6	6	0.3	16.1	0.08	<0.05	2.3	0.043	0.16
I357437		590	11.6	54.7	<0.002	0.13	0.84	6.4	2	0.9	66.8	0.43	0.05	5.9	0.235	0.35
I357438		900	3.7	5.4	0.131	1.30	0.09	4.0	56	2.5	35.3	0.19	0.35	1.8	0.109	0.06
I357439		290	4.4	1.2	0.071	4.45	0.08	0.8	400	0.6	2.5	<0.05	1.37	0.3	0.012	0.02

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 28- AUG- 2011
Account: RCM

Project: Rackla Gold Regional

CERTIFICATE OF ANALYSIS WH11158274

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	Zn- OG62	Hg- CV42
	Analyte	U	V	W	Y	Zn	Zr	Zn	Hg
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
	LOR	0.1	1	0.1	0.1	2	0.5	0.001	1
I357464		1.2	3	<0.1	5.3	2550	2.8		
I357465		2.9	8	0.1	16.3	57	9.9		
I357466		4.9	440	0.2	10.7	1700	19.2		
I357467		2.7	524	0.2	6.1	2130	13.3		
I357431		1.3	4	0.1	3.6	>10000	3.9	9.51	349
I357432		2.6	181	0.8	17.1	101	41.8		
I357433		0.7	19	0.3	3.5	237	18.2		
I357434		2.1	155	0.9	5.3	67	56.3		
I357435		3.8	104	0.3	13.6	369	26.4		
I357436		3.1	87	0.2	6.8	409	27.6		
I357437		2.2	122	0.8	17.5	1160	53.1		
I357438		6.8	329	26.2	19.7	22	67.9		
I357439		2.0	71	3.0	0.6	29	2.7		

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 28- AUG- 2011
Account: RCM

Project: Rackla Gold Regional

CERTIFICATE OF ANALYSIS WH11158274

Method	CERTIFICATE COMMENTS
ME- MS61	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown.
ME- MS61	REE's may not be totally soluble in this method.
Hg- CV41	Detection limits on samples requiring dilutions due to interferences or high concentration levels have been increased according to the dilution factor.
Hg- CV42	Detection limits on samples requiring dilutions due to interferences or high concentration levels have been increased according to the dilution factor.

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 26- SEP- 2011
Account: RCM

CERTIFICATE WH11158632

Project: Rackla Gold (Nadaleen)

P.O. No.: Batch S1- Area C

This report is for 163 Soil samples submitted to our lab in Whitehorse, YT, Canada on 13- AUG- 2011.

The following have access to data associated with this certificate:

ROB CARNE JULIA LANE	ANDREW CARNE JOAN MARIACHER	MATT DUMALA

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
SCR- 41	Screen to - 180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- TL43	Trace Level Au - 25g AR	ICP- MS
ME- MS41	51 anal. aqua regia ICPMS	

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 26- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen)

CERTIFICATE OF ANALYSIS WH11158632

Sample Description	Method	WEI- 21	Au- TL43	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Recvd Wt.	Au	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
CC72206		0.40	0.001	0.08	1.36	11.8	<0.2	<10	120	1.19	0.31	0.36	0.10	24.4	22.1	21
CC72207		0.30	<0.001	0.05	0.68	13.6	<0.2	<10	190	1.33	0.35	0.31	0.11	18.85	19.2	14
CC72208		0.24	0.003	0.11	1.49	7.2	<0.2	<10	230	1.31	0.25	1.14	0.26	46.0	10.7	35
CC72209		0.24	0.003	0.23	0.92	11.4	<0.2	<10	290	1.09	0.17	2.14	0.41	37.7	8.7	15
CC72210		0.38	0.001	0.05	1.99	11.6	<0.2	<10	90	1.38	0.35	0.11	0.10	11.95	17.0	30
CC72211		0.26	0.002	0.04	0.76	5.2	<0.2	<10	120	1.36	0.39	1.62	0.14	38.8	14.9	35
CC72212		0.32	0.008	0.05	1.42	5.1	<0.2	<10	150	1.21	0.32	1.42	0.06	61.3	14.8	50
CC72213		0.08	0.002	0.12	0.78	5.1	<0.2	<10	550	0.61	0.20	1.30	0.26	25.1	9.8	20
CC72214		0.22	0.003	0.08	1.97	5.3	<0.2	<10	130	1.37	0.27	1.11	0.14	58.9	12.1	52
CC72215		0.26	0.002	0.06	0.51	6.2	<0.2	<10	160	1.14	0.47	3.00	0.14	25.7	19.5	27
CC72216		0.18	0.003	0.03	1.43	3.6	<0.2	<10	90	1.02	0.27	4.06	0.08	40.2	12.1	43
CC72217		0.26	0.004	0.06	0.59	6.8	<0.2	<10	110	0.89	0.24	5.80	0.10	38.2	11.6	28
CC72218		0.28	0.005	0.10	0.42	8	<0.2	<10	180	0.88	0.17	10.15	0.16	34.2	10.0	18
CC72219		0.24	0.015	0.30	0.34	13	<0.2	<10	240	0.86	0.16	11.65	0.26	24.9	9.0	11
CC72220		0.12	0.003	0.11	0.57	8.2	<0.2	<10	430	0.66	0.16	5.00	0.21	19.65	7.5	8
CC72221		0.06	0.003	0.07	0.33	4.5	<0.2	<10	200	0.38	0.09	4.89	0.19	9.05	4.3	5
ZZ07281		0.18	0.001	0.20	1.10	24	<0.2	<10	90	1.29	0.17	11.10	0.16	31.8	7.6	15
ZZ07282		0.14	0.002	0.17	1.43	19.4	<0.2	<10	160	0.81	0.16	8.91	0.54	22.2	7.3	15
ZZ07283		0.22	0.002	0.10	1.07	11.9	<0.2	<10	70	0.97	0.21	6.34	0.12	17.55	9.4	14
ZZ07284		0.16	0.002	0.19	1.47	19	<0.2	<10	250	0.87	0.14	10.05	0.92	35.3	7.0	15
ZZ07285		0.34	0.001	0.05	2.07	4.7	<0.2	<10	110	1.29	0.34	0.06	0.03	22.4	13.4	41
ZZ07286		0.30	0.001	0.05	1.96	6.3	<0.2	<10	180	1.54	0.45	0.20	0.05	24.1	22.3	44
ZZ07287		0.28	<0.001	0.08	2.06	4.9	<0.2	<10	260	1.31	0.39	0.11	0.08	15.40	12.7	37
ZZ07288		0.22	0.001	0.06	1.70	24.2	<0.2	<10	130	1.58	0.33	0.15	0.04	24.9	15.5	27
ZZ07289		0.04	0.009	0.23	0.73	2.5	<0.2	10	190	0.68	0.15	3.02	0.15	8.87	4.5	11
ZZ07290		0.10	0.004	0.10	1.15	25.3	<0.2	<10	150	1.10	0.31	2.86	0.11	30.0	11.7	20
ZZ07291		0.12	0.002	0.17	0.99	7.6	<0.2	<10	280	0.80	0.25	2.19	0.14	16.40	9.5	16
ZZ07292		0.22	0.002	0.18	1.18	6.9	<0.2	<10	210	1.01	0.32	1.05	0.13	17.85	11.4	20
ZZ07293		0.28	0.001	0.06	0.87	13.2	<0.2	<10	110	0.77	0.31	0.58	0.09	21.5	11.9	16
ZZ07294		0.22	0.001	0.10	1.20	9.6	<0.2	<10	150	0.93	0.32	0.92	0.15	17.45	11.7	21
ZZ07295		0.32	0.002	0.05	1.47	32.7	<0.2	<10	100	1.14	0.32	2.76	0.13	18.75	16.8	23
ZZ07296		0.18	0.001	0.07	1.61	31.4	<0.2	<10	150	1.00	0.25	1.76	0.67	25.3	9.3	23
ZZ07297		0.12	0.002	0.11	0.82	76.6	<0.2	10	80	0.78	0.21	8.52	1.52	11.35	7.4	13
ZZ07298		0.10	0.001	0.08	1.04	5.6	<0.2	<10	400	0.63	0.20	2.52	0.56	8.03	9.2	13
ZZ07299		0.26	0.001	0.04	1.68	9.2	<0.2	<10	70	0.83	0.40	0.04	0.10	6.58	12.7	24
ZZ07300		0.22	0.001	0.03	1.30	8.9	<0.2	<10	60	0.43	0.42	0.04	0.11	14.50	7.6	20
ZZ07301		0.16	0.001	0.15	1.68	14.8	<0.2	<10	230	1.19	0.28	1.47	0.26	29.1	14.9	22
ZZ07302		0.24	0.001	0.04	1.07	5.5	<0.2	<10	140	0.40	0.37	0.12	0.17	8.48	16.4	20
ZZ07303		0.24	0.001	0.07	1.67	8.4	<0.2	<10	150	0.74	0.31	0.29	0.06	22.6	7.4	16
ZZ07304		0.26	0.001	0.12	0.78	12.9	<0.2	<10	140	0.75	0.37	1.92	0.06	14.85	13.3	13

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 26- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen)

CERTIFICATE OF ANALYSIS WH11158632

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
CC72206		2.66	40.8	3.62	4.46	0.15	0.05	0.07	0.036	0.11	9.5	36.3	0.49	840	0.83	0.01
CC72207		0.99	41.8	3.72	2.61	0.16	0.02	0.18	0.045	0.13	5.8	11.1	0.16	702	0.45	0.01
CC72208		0.34	37.1	2.85	4.78	0.16	0.10	0.06	0.038	0.15	21.2	44.5	0.95	330	0.60	0.01
CC72209		0.17	26.7	2.28	2.49	0.13	0.06	0.21	0.027	0.09	18.3	11.8	0.20	471	0.98	0.01
CC72210		2.76	32.8	3.67	6.14	0.12	0.06	0.04	0.043	0.13	4.4	58.2	0.79	638	0.51	0.01
CC72211		0.56	43.7	3.35	3.28	0.14	0.07	0.04	0.038	0.12	17.1	9.5	0.53	393	0.21	0.01
CC72212		2.51	38.2	3.16	5.73	0.15	0.11	0.08	0.038	0.17	27.2	36.2	1.29	377	0.28	0.01
CC72213		0.42	22.2	1.83	3.26	0.10	0.11	0.13	0.024	0.07	9.7	7.5	0.27	537	0.81	0.02
CC72214		1.41	36.1	3.01	7.35	0.16	0.11	0.07	0.042	0.13	27.4	53.5	1.50	408	0.47	0.01
CC72215		0.36	46.9	3.18	2.14	0.12	0.04	0.17	0.044	0.10	9.6	4.4	0.64	563	0.21	0.01
CC72216		1.31	31.0	2.76	5.76	0.16	0.12	0.05	0.030	0.16	15.7	41.2	1.60	354	0.26	0.02
CC72217		0.75	33.5	2.45	2.81	0.12	0.09	0.09	0.035	0.13	16.7	10.3	2.22	326	0.45	0.02
CC72218		0.45	31.5	2.09	2.04	0.12	0.11	0.13	0.028	0.12	15.0	6.0	2.69	274	0.64	0.02
CC72219		0.43	32.2	1.71	1.36	<0.05	0.21	0.21	0.028	0.11	11.0	5.3	2.74	191	1.40	0.02
CC72220		0.20	21.6	1.73	1.48	<0.05	0.05	0.27	0.026	0.06	7.4	5.1	0.19	258	0.63	0.01
CC72221		0.23	15.4	0.89	0.93	<0.05	0.08	0.30	0.015	0.08	4.8	2.7	0.10	163	0.44	0.02
ZZ07281		0.36	18.0	2.81	2.57	0.06	0.09	0.66	0.023	0.06	24.2	7.0	6.22	1620	0.36	0.02
ZZ07282		0.34	16.4	3.46	2.81	0.05	0.07	0.35	0.022	0.04	13.4	5.5	4.81	2720	0.53	0.02
ZZ07283		0.44	16.3	2.98	2.82	<0.05	0.07	0.24	0.029	0.06	7.1	15.7	3.74	987	0.45	0.02
ZZ07284		0.43	13.1	6.65	3.21	0.07	0.06	0.51	0.028	0.03	20.5	4.9	5.47	6970	0.40	0.02
ZZ07285		1.59	22.5	4.26	8.70	<0.05	0.06	0.03	0.026	0.22	8.9	41.2	0.60	251	0.32	0.01
ZZ07286		2.45	44.1	5.19	8.96	<0.05	0.05	0.01	0.052	0.18	6.7	34.6	0.58	928	0.47	0.01
ZZ07287		0.86	19.7	4.13	9.07	<0.05	0.03	0.01	0.039	0.20	6.4	34.0	0.45	518	0.45	0.01
ZZ07288		0.96	34.1	4.14	5.77	0.05	0.04	0.25	0.035	0.10	8.7	27.4	0.42	635	0.60	0.01
ZZ07289		0.77	16.2	1.23	2.24	<0.05	0.04	0.09	0.019	0.10	3.1	9.8	0.28	460	0.37	0.01
ZZ07290		0.69	29.0	3.25	3.91	0.15	0.06	0.05	0.049	0.11	16.6	18.5	0.23	439	0.68	<0.01
ZZ07291		0.67	27.1	2.62	3.76	0.15	0.05	0.06	0.037	0.10	7.2	16.2	0.33	536	0.51	<0.01
ZZ07292		0.73	28.2	3.03	4.25	0.14	0.08	0.07	0.040	0.11	6.6	24.7	0.33	437	0.52	<0.01
ZZ07293		0.76	16.7	2.81	3.48	0.12	0.05	0.27	0.026	0.09	6.3	16.7	0.35	576	0.39	<0.01
ZZ07294		0.80	24.1	3.23	4.52	0.14	0.07	0.09	0.037	0.12	6.2	25.8	0.40	450	0.47	<0.01
ZZ07295		0.69	37.6	3.88	5.48	0.10	0.09	0.54	0.041	0.13	9.3	22.8	1.59	998	0.48	<0.01
ZZ07296		0.77	11.5	4.15	5.29	0.13	0.07	0.41	0.032	0.07	12.9	13.2	1.09	1810	0.66	<0.01
ZZ07297		1.95	21.1	2.48	2.73	0.13	0.06	1.10	0.025	0.09	5.2	10.4	3.03	413	0.28	<0.01
ZZ07298		0.65	23.2	1.86	3.84	0.13	0.05	0.07	0.022	0.07	4.0	12.0	0.26	945	0.48	<0.01
ZZ07299		2.17	33.5	4.50	6.27	0.13	0.07	0.02	0.045	0.10	2.1	28.3	0.37	666	0.48	<0.01
ZZ07300		1.43	22.0	2.86	7.22	0.11	<0.02	0.01	0.028	0.07	6.7	16.1	0.20	306	0.98	<0.01
ZZ07301		0.65	28.2	4.19	5.51	0.13	0.05	0.04	0.044	0.07	8.5	17.8	0.24	1260	1.15	<0.01
ZZ07302		0.97	25.7	3.56	4.99	0.11	0.02	0.04	0.030	0.11	3.8	15.6	0.25	1460	0.79	<0.01
ZZ07303		1.18	14.0	3.61	4.58	0.14	0.03	0.01	0.042	0.05	8.9	17.9	0.23	298	0.72	<0.01
ZZ07304		1.30	32.7	3.39	2.25	0.12	0.06	0.02	0.040	0.10	4.4	16.9	0.18	303	0.52	<0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 26- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen)

CERTIFICATE OF ANALYSIS WH11158632

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
CC72206		0.36	34.4	560	39.1	11.0	0.001	0.02	0.63	8.9	0.9	0.7	23.9	<0.01	0.06	5.2
CC72207		0.16	38.1	700	20.6	8.0	0.001	0.02	0.23	10.8	0.6	0.6	58.7	<0.01	0.05	5.3
CC72208		0.45	30.9	790	19.3	10.3	0.001	0.07	0.36	4.3	0.9	0.6	58.9	<0.01	0.01	2.0
CC72209		0.26	20.9	1190	15.7	6.2	0.001	0.12	0.38	1.6	1.0	0.4	133.0	<0.01	0.03	0.6
CC72210		0.45	31.9	850	37.7	13.4	<0.001	0.06	0.33	4.2	0.4	0.6	15.0	<0.01	0.03	2.0
CC72211		0.18	37.9	780	21.2	8.6	<0.001	0.02	0.31	7.4	0.9	0.6	42.3	<0.01	0.02	5.9
CC72212		0.35	34.7	820	18.5	20.6	<0.001	0.03	0.30	8.2	1.1	0.6	57.7	<0.01	<0.01	7.3
CC72213		0.38	16.7	1370	12.3	8.0	<0.001	0.17	0.39	2.8	0.4	0.4	62.2	<0.01	0.03	1.5
CC72214		0.43	33.0	850	23.1	17.2	<0.001	0.07	0.34	5.9	1.0	0.6	51.2	<0.01	0.02	2.7
CC72215		0.09	45.9	790	22.0	6.1	<0.001	0.01	0.30	8.8	1.0	0.6	146.0	<0.01	0.04	6.3
CC72216		0.51	31.8	680	15.9	12.6	<0.001	0.03	0.23	5.1	0.6	0.5	136.0	<0.01	0.02	5.9
CC72217		0.09	29.0	700	15.7	8.8	<0.001	0.03	0.27	6.6	1.3	0.5	189.5	<0.01	0.02	7.7
CC72218		0.06	24.3	580	12.3	6.8	<0.001	0.03	0.33	6.3	1.7	0.3	530	<0.01	0.01	6.4
CC72219		0.14	21.5	720	15.3	5.7	<0.001	0.02	0.39	5.0	1.5	0.3	544	<0.01	0.03	5.8
CC72220		0.23	15.5	1310	11.5	4.2	<0.001	0.14	0.31	1.1	0.9	0.3	263	<0.01	0.03	0.5
CC72221		0.17	10.2	1120	6.5	4.2	<0.001	0.15	0.26	1.0	0.6	0.2	199.5	<0.01	0.03	0.7
ZZ07281		0.39	16.1	1220	34.1	6.0	<0.001	0.05	1.05	3.6	1.1	0.4	55.5	<0.01	0.07	1.4
ZZ07282		0.41	14.2	2300	35.0	4.3	<0.001	0.12	1.24	1.5	1.3	0.4	34.0	0.01	0.04	0.6
ZZ07283		0.34	20.9	380	21.1	5.8	<0.001	0.02	0.43	4.6	0.7	0.4	38.9	<0.01	0.04	2.5
ZZ07284		0.41	13.6	2010	26.0	4.9	<0.001	0.10	1.22	2.8	1.4	0.4	30.9	0.01	0.08	0.7
ZZ07285		0.85	33.6	160	22.2	25.1	<0.001	0.01	0.19	4.3	0.4	1.0	5.2	<0.01	0.02	5.8
ZZ07286		0.60	37.5	360	30.1	20.4	<0.001	0.01	0.13	6.9	0.4	1.0	11.7	<0.01	0.02	5.2
ZZ07287		0.69	25.3	250	15.5	22.3	<0.001	<0.01	0.15	4.1	<0.2	1.2	9.7	<0.01	0.02	3.1
ZZ07288		0.56	32.0	180	24.0	13.5	<0.001	0.01	0.41	6.5	0.4	0.7	13.7	<0.01	0.04	4.7
ZZ07289		0.33	8.7	710	11.3	11.4	<0.001	0.15	0.19	1.9	0.5	0.4	177.5	<0.01	0.02	0.6
ZZ07290		0.51	32.2	310	27.3	9.5	<0.001	<0.01	0.31	7.4	0.9	0.6	129.5	<0.01	0.08	5.5
ZZ07291		0.54	24.6	460	18.4	10.2	<0.001	0.05	0.37	3.8	0.4	0.5	102.5	<0.01	0.03	1.7
ZZ07292		0.60	25.3	350	22.4	10.2	<0.001	0.03	0.31	4.9	0.6	0.6	92.4	<0.01	0.03	2.9
ZZ07293		0.49	22.6	190	37.2	9.6	<0.001	<0.01	0.41	3.2	0.5	0.5	21.5	<0.01	0.03	3.6
ZZ07294		0.57	27.5	360	23.8	12.5	<0.001	0.01	0.31	4.4	0.6	0.6	54.1	<0.01	0.02	2.7
ZZ07295		0.38	33.2	360	26.3	13.5	<0.001	0.03	0.85	6.8	0.8	0.6	34.1	<0.01	0.04	5.3
ZZ07296		0.92	20.0	250	25.2	12.7	<0.001	<0.01	0.78	4.3	0.3	0.6	14.1	<0.01	0.04	3.5
ZZ07297		0.38	16.5	620	22.1	11.5	<0.001	0.08	1.96	3.3	0.8	0.5	147.0	<0.01	0.04	1.4
ZZ07298		0.36	13.6	1430	9.5	8.5	<0.001	0.13	0.26	1.3	0.9	0.4	135.5	<0.01	0.06	0.3
ZZ07299		0.53	20.7	910	20.9	16.0	<0.001	<0.01	0.23	3.3	0.4	0.8	6.0	<0.01	0.10	1.7
ZZ07300		1.04	12.9	270	15.2	18.8	<0.001	<0.01	0.36	2.0	<0.2	0.8	6.8	<0.01	0.07	0.9
ZZ07301		0.38	28.0	1000	33.6	14.4	<0.001	0.04	0.47	2.7	0.9	0.7	113.0	<0.01	0.09	1.0
ZZ07302		0.42	16.5	750	24.3	15.4	<0.001	<0.01	0.25	1.8	<0.2	0.5	10.0	<0.01	0.06	0.9
ZZ07303		0.51	14.8	160	24.8	12.9	<0.001	<0.01	0.19	2.6	0.2	0.6	20.6	<0.01	0.06	3.7
ZZ07304		0.16	30.8	220	34.7	8.2	<0.001	<0.01	0.24	4.6	0.4	0.5	135.5	<0.01	0.07	4.2

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 26- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen)

CERTIFICATE OF ANALYSIS WH11158632

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
CC72206		0.016	0.15	0.90	26	0.09	16.40	86	1.8
CC72207		<0.005	0.12	2.16	19	<0.05	15.45	90	0.7
CC72208		0.013	0.11	3.30	32	0.05	16.50	120	2.9
CC72209		<0.005	0.10	3.76	23	0.07	11.60	84	1.6
CC72210		0.008	0.12	0.59	26	0.05	4.67	100	1.5
CC72211		0.007	0.10	1.16	25	<0.05	17.05	112	2.3
CC72212		0.016	0.18	1.36	29	<0.05	19.40	103	4.0
CC72213		0.010	0.10	0.86	21	<0.05	6.86	77	3.7
CC72214		0.016	0.17	2.22	33	0.05	23.4	97	3.1
CC72215		<0.005	0.08	1.15	20	<0.05	19.90	119	1.6
CC72216		0.019	0.13	1.57	25	<0.05	13.95	94	4.8
CC72217		0.006	0.09	1.58	21	<0.05	12.90	98	6.1
CC72218		<0.005	0.09	3.10	19	<0.05	11.30	88	6.8
CC72219		<0.005	0.16	6.36	15	<0.05	9.74	67	12.5
CC72220		<0.005	0.08	3.46	11	<0.05	10.85	54	1.6
CC72221		<0.005	0.07	5.10	6	<0.05	6.59	49	2.4
ZZ07281		0.007	0.17	1.84	20	0.07	20.1	55	2.6
ZZ07282		0.010	0.12	1.60	23	0.11	17.15	177	1.9
ZZ07283		0.005	0.16	0.87	17	<0.05	12.15	89	2.1
ZZ07284		0.011	0.13	1.86	25	0.07	27.9	213	2.3
ZZ07285		0.022	0.19	0.55	34	<0.05	3.49	56	1.9
ZZ07286		0.015	0.14	0.59	38	<0.05	7.08	106	1.5
ZZ07287		0.010	0.12	0.34	37	<0.05	3.48	89	1.2
ZZ07288		0.007	0.14	0.90	29	0.06	7.86	70	1.9
ZZ07289		0.005	0.05	1.26	11	<0.05	6.03	39	1.1
ZZ07290		0.006	0.13	1.01	21	0.05	20.3	70	2.6
ZZ07291		0.007	0.10	0.97	19	0.08	10.90	72	2.0
ZZ07292		0.009	0.14	0.66	21	0.07	7.91	72	2.4
ZZ07293		0.009	0.13	0.62	17	<0.05	4.08	62	1.5
ZZ07294		0.008	0.11	0.67	20	0.06	7.58	89	2.0
ZZ07295		0.005	0.15	0.68	24	0.06	13.35	107	3.0
ZZ07296		0.015	0.16	0.66	36	0.10	9.61	259	2.1
ZZ07297		0.006	0.37	0.64	15	0.05	7.65	1080	1.8
ZZ07298		0.006	0.09	6.42	20	<0.05	5.32	56	1.2
ZZ07299		0.008	0.12	0.58	33	0.08	3.75	71	1.5
ZZ07300		0.014	0.12	0.39	42	0.12	2.45	56	<0.5
ZZ07301		<0.005	0.14	1.94	34	0.06	12.20	89	1.3
ZZ07302		0.007	0.09	0.49	28	0.05	3.13	80	0.7
ZZ07303		0.005	0.22	0.66	29	0.07	6.42	48	2.0
ZZ07304		<0.005	0.13	0.53	13	<0.05	9.93	88	3.0

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 26- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen)

CERTIFICATE OF ANALYSIS WH11158632

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg .02	Au- TL43 Au ppm 0.001	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1
ZZ07305		0.28	0.001	0.16	0.96	8.1	<0.2	<10	70	0.42	0.47	0.02	0.05	12.05	4.3	17
ZZ07306		0.20	0.002	0.25	1.20	6.4	<0.2	<10	260	1.25	0.49	0.42	0.12	75.0	14.2	15
ZZ07307		0.20	0.001	0.21	0.57	7.1	<0.2	<10	180	1.16	0.31	0.80	0.07	71.8	11.1	8
ZZ07308		0.28	0.001	0.03	1.77	32.4	<0.2	<10	110	0.92	0.32	0.09	0.05	28.6	11.4	22
ZZ07309		0.24	<0.001	0.09	0.57	32.8	<0.2	<10	50	0.31	0.22	0.06	0.08	11.25	6.0	9
ZZ07310		0.24	0.002	0.09	1.74	26.2	<0.2	<10	70	1.08	0.18	0.58	0.13	30.7	6.8	21
ZZ07311		0.16	<0.001	0.03	1.44	11.7	<0.2	<10	40	0.75	0.13	1.43	0.26	27.0	6.3	13
ZZ07312		0.12	0.001	0.07	0.94	4.4	<0.2	<10	170	0.81	0.22	1.95	0.12	8.01	5.2	11
ZZ07313		0.18	0.002	0.09	0.78	42.2	<0.2	<10	240	1.58	0.38	0.65	0.27	18.65	26.6	9
ZZ07314		0.24	0.001	0.07	1.89	17.3	<0.2	<10	210	1.30	0.41	0.39	0.24	28.7	11.8	23
ZZ07315		0.28	0.001	0.05	1.84	14.3	<0.2	<10	120	0.92	0.38	0.07	0.13	17.90	14.0	27
ZZ07316		0.18	0.003	0.16	1.52	9.1	<0.2	<10	190	0.96	0.32	0.74	0.18	44.4	10.3	18
ZZ07317		0.08	0.001	0.17	1.23	6.6	<0.2	<10	190	0.86	0.24	2.45	0.34	21.0	5.5	17
ZZ07318		0.22	<0.001	0.09	1.79	6.9	<0.2	<10	180	0.92	0.27	0.62	0.16	29.8	9.0	22
ZZ07319		0.22	0.001	0.12	1.65	9.8	<0.2	<10	160	1.14	0.28	1.23	0.15	28.5	7.6	21
ZZ07320		0.20	0.001	0.09	1.64	9.1	<0.2	<10	170	0.81	0.29	0.87	0.22	30.7	8.0	22
ZZ07321		0.16	0.001	0.10	1.07	13.4	<0.2	<10	130	1.11	0.30	1.05	0.11	33.8	10.9	21
ZZ07322		0.18	0.001	0.15	1.00	13.6	<0.2	<10	130	0.91	0.27	1.03	0.10	25.2	11.1	18
ZZ07323		0.06	0.001	0.18	0.30	1.7	<0.2	<10	60	0.18	0.07	4.00	0.43	10.10	1.9	5
ZZ07324		0.20	0.001	0.16	0.62	9.8	<0.2	10	200	0.69	0.25	2.37	0.10	13.70	8.2	8
ZZ07325		0.26	<0.001	0.08	1.42	7.4	<0.2	<10	150	1.07	0.39	0.06	0.08	14.75	14.1	19
ZZ07326		0.36	<0.001	0.05	1.28	9.4	<0.2	<10	90	0.80	0.42	0.10	0.05	15.90	10.1	18
ZZ07327		0.20	0.001	0.11	1.01	5.8	<0.2	<10	220	0.75	0.29	1.59	0.07	21.2	8.2	15
ZZ07328		0.24	0.001	0.16	1.18	7.6	<0.2	<10	260	1.03	0.30	1.36	0.09	24.9	8.8	17
ZZ07329		0.10	<0.001	0.13	0.56	3.6	<0.2	<10	260	0.53	0.15	3.93	0.18	10.95	5.5	7
ZZ07330		0.20	0.001	0.17	0.83	8.1	<0.2	<10	170	0.80	0.27	2.58	0.13	22.7	8.9	12
ZZ07331		0.20	<0.001	0.10	0.90	11.2	<0.2	<10	180	1.01	0.34	1.46	0.19	22.5	9.2	12
ZZ07332		0.32	0.001	0.10	0.87	19.5	<0.2	<10	190	0.92	0.32	2.45	0.20	21.2	9.7	12
ZZ07333		0.20	0.001	0.09	1.20	23	<0.2	10	170	0.87	0.15	10.80	1.48	32.9	5.6	11
ZZ07334		0.26	0.001	0.22	1.69	17.1	<0.2	<10	250	1.12	0.29	1.66	0.93	22.9	10.5	23
ZZ07335		0.16	0.001	0.13	1.00	15.7	<0.2	<10	160	0.96	0.16	5.11	0.74	15.20	6.3	12
ZZ07336		0.14	0.001	0.12	0.41	3.4	<0.2	20	150	0.29	0.08	5.40	0.93	5.54	3.1	6
ZZ07337		0.32	0.001	0.07	1.21	16.3	<0.2	<10	140	0.93	0.33	1.39	0.39	17.70	9.3	19
ZZ07338		0.36	0.001	0.09	1.59	15.8	<0.2	<10	150	1.07	0.39	0.91	0.25	18.45	12.8	25
ZZ07339		0.18	0.001	0.11	1.38	11.9	<0.2	10	310	0.90	0.26	2.49	0.62	13.90	9.0	19
ZZ07340		0.14	0.001	0.10	1.32	12.0	<0.2	10	160	0.87	0.28	2.02	0.43	15.00	10.4	19
ZZ07341		0.14	<0.001	0.15	1.08	8.5	<0.2	10	190	0.81	0.20	3.65	0.55	11.25	7.7	13
ZZ07342		0.08	0.001	0.06	0.35	1.6	<0.2	30	140	0.19	0.06	5.39	0.76	2.68	2.4	4
ZZ07343		0.26	0.001	0.05	1.51	12.7	<0.2	<10	150	0.94	0.28	0.82	0.14	21.8	10.8	24
ZZ07344		0.28	0.001	0.08	0.99	8.8	<0.2	<10	120	0.69	0.25	3.23	0.20	16.20	9.9	16

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 26- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen)

CERTIFICATE OF ANALYSIS WH11158632

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
ZZ07305		3.14	25.6	3.95	4.09	0.06	<0.02	0.02	0.047	0.12	4.7	11.9	0.14	158	0.63	<0.01
ZZ07306		1.87	32.2	5.01	3.96	0.14	0.10	0.11	0.063	0.12	32.6	24.4	0.24	877	0.71	<0.01
ZZ07307		1.18	17.2	2.85	1.72	0.09	0.08	2.10	0.042	0.09	22.3	4.0	0.05	262	0.27	<0.01
ZZ07308		1.12	20.3	3.52	4.77	0.05	0.03	0.29	0.048	0.08	7.5	22.4	0.22	381	0.73	<0.01
ZZ07309		0.59	14.5	2.11	2.89	0.11	<0.02	0.19	0.018	0.05	4.3	2.7	0.04	133	0.82	<0.01
ZZ07310		0.74	10.9	3.01	3.25	0.15	0.08	0.58	0.022	0.03	13.2	6.1	0.42	717	0.59	<0.01
ZZ07311		0.57	5.9	2.72	3.01	0.12	0.03	0.11	0.021	0.02	7.5	6.0	0.72	1580	0.72	<0.01
ZZ07312		1.98	24.7	1.99	2.58	0.12	0.08	0.49	0.028	0.09	4.9	3.5	0.59	663	0.50	<0.01
ZZ07313		0.27	506	2.78	2.41	0.14	0.16	0.12	0.033	0.12	7.1	6.6	0.12	10800	2.57	<0.01
ZZ07314		1.71	31.7	3.71	7.18	0.13	0.04	0.03	0.045	0.08	9.4	30.1	0.25	1150	0.63	<0.01
ZZ07315		1.49	27.2	4.54	7.01	0.12	0.03	0.02	0.044	0.11	6.9	48.4	0.35	393	1.05	<0.01
ZZ07316		0.75	28.7	4.20	5.03	0.14	0.04	0.22	0.042	0.07	9.7	26.5	0.33	293	0.74	<0.01
ZZ07317		0.27	13.1	2.37	3.71	0.12	0.07	0.05	0.030	0.07	9.7	9.1	0.15	490	0.52	<0.01
ZZ07318		0.55	12.6	3.18	5.33	0.12	0.05	0.01	0.032	0.04	11.6	12.8	0.21	644	0.66	<0.01
ZZ07319		0.59	18.4	3.33	4.89	0.15	0.06	0.02	0.039	0.07	13.7	11.8	0.16	293	0.78	<0.01
ZZ07320		0.59	14.4	3.48	5.28	0.12	0.05	0.02	0.033	0.06	10.4	10.8	0.17	485	0.86	<0.01
ZZ07321		0.24	25.9	4.05	3.18	0.15	0.08	0.05	0.045	0.08	13.3	8.6	0.11	468	2.32	<0.01
ZZ07322		0.31	24.4	3.32	3.26	0.14	0.06	0.07	0.040	0.09	10.0	14.4	0.20	399	0.62	<0.01
ZZ07323		0.37	12.6	0.60	0.90	<0.05	0.05	0.09	0.013	<0.01	3.8	1.5	0.05	35	0.38	0.01
ZZ07324		0.34	24.7	2.65	1.70	0.13	0.08	0.07	0.031	0.08	4.7	7.8	0.11	176	0.63	<0.01
ZZ07325		1.20	23.5	4.66	3.98	0.12	0.05	0.03	0.046	0.12	4.4	33.9	0.24	561	0.57	<0.01
ZZ07326		0.83	23.7	3.89	3.87	<0.05	0.04	0.03	0.042	0.09	6.3	25.5	0.25	247	0.49	0.01
ZZ07327		0.81	17.9	2.45	2.90	<0.05	0.06	0.06	0.030	0.09	7.7	17.5	0.23	257	0.50	0.02
ZZ07328		0.80	22.6	2.88	3.51	0.05	0.06	0.10	0.037	0.11	11.1	19.1	0.26	342	0.52	0.01
ZZ07329		0.60	19.5	1.42	1.40	<0.05	0.05	0.14	0.018	0.06	3.7	5.6	0.13	381	0.35	0.02
ZZ07330		0.98	21.5	2.66	2.41	<0.05	0.03	0.13	0.032	0.11	8.7	11.5	0.34	485	0.58	0.02
ZZ07331		0.32	18.6	2.82	2.53	<0.05	0.05	0.23	0.038	0.12	9.7	11.3	0.20	371	0.50	0.01
ZZ07332		0.38	20.6	3.09	2.57	<0.05	0.07	0.61	0.036	0.13	8.1	11.6	1.06	583	0.60	0.01
ZZ07333		0.27	15.5	3.95	2.97	0.05	0.06	1.08	0.021	0.05	19.8	3.8	6.34	5040	0.61	0.03
ZZ07334		0.72	34.3	3.80	4.81	0.05	0.07	0.33	0.040	0.10	13.2	17.0	0.94	772	0.58	0.01
ZZ07335		0.45	21.4	2.24	2.50	<0.05	0.04	0.48	0.019	0.06	10.0	8.4	2.34	968	0.57	0.02
ZZ07336		0.28	20.4	0.94	1.09	<0.05	0.05	0.22	0.009	0.03	2.6	3.4	0.54	88	0.12	0.02
ZZ07337		0.70	24.7	3.01	3.98	<0.05	0.07	0.44	0.036	0.15	6.2	19.1	0.68	159	0.27	0.01
ZZ07338		1.04	28.8	3.67	5.46	<0.05	0.11	0.26	0.041	0.22	8.8	20.2	0.68	528	0.37	0.01
ZZ07339		0.51	26.7	2.83	4.35	<0.05	0.05	0.17	0.029	0.14	6.9	15.8	0.49	727	0.43	0.02
ZZ07340		0.48	26.6	2.82	4.18	<0.05	0.06	0.23	0.029	0.16	6.2	16.0	0.44	553	0.42	0.01
ZZ07341		0.52	24.3	2.04	2.90	<0.05	0.03	0.13	0.024	0.09	4.7	10.4	0.43	466	0.41	0.02
ZZ07342		0.26	19.9	0.44	0.83	<0.05	0.03	0.10	0.006	0.03	1.4	2.1	0.52	267	0.35	0.02
ZZ07343		0.62	17.8	3.60	4.80	<0.05	0.05	0.04	0.033	0.10	8.0	32.1	0.55	670	0.56	0.01
ZZ07344		0.85	26.9	2.72	3.26	<0.05	0.06	0.13	0.027	0.12	5.9	16.1	0.94	578	0.43	0.02

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 26- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen)

CERTIFICATE OF ANALYSIS WH11158632

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
ZZ07305		0.22	9.8	470	38.2	14.7	<0.001	0.05	0.32	3.1	0.7	0.7	9.2	<0.01	0.04	2.9
ZZ07306		0.23	39.7	170	30.0	12.6	<0.001	0.03	0.14	16.4	1.3	0.8	55.0	0.01	0.02	13.1
ZZ07307		0.14	28.4	250	27.5	7.4	<0.001	0.04	0.13	8.4	1.0	0.4	39.7	0.01	0.02	8.0
ZZ07308		0.37	27.1	250	27.4	11.6	<0.001	0.02	0.58	3.5	0.6	0.7	8.4	<0.01	0.03	4.7
ZZ07309		0.53	18.4	260	23.1	6.2	<0.001	<0.01	0.65	1.1	<0.2	0.5	4.0	<0.01	0.03	0.7
ZZ07310		0.53	17.5	250	30.1	5.8	<0.001	<0.01	0.53	3.8	0.3	0.5	6.4	<0.01	0.04	4.4
ZZ07311		0.57	9.2	660	19.7	2.7	<0.001	0.01	0.69	1.7	0.3	0.3	10.1	<0.01	0.03	0.9
ZZ07312		0.57	8.8	1360	10.3	11.3	<0.001	0.10	0.40	2.4	<0.2	0.4	15.5	<0.01	0.05	0.9
ZZ07313		0.16	26.6	440	23.8	5.4	<0.001	<0.01	0.36	5.5	1.0	0.5	33.3	<0.01	0.07	2.5
ZZ07314		0.47	25.5	580	23.8	16.8	<0.001	<0.01	0.16	4.8	0.5	0.8	28.1	<0.01	0.06	2.4
ZZ07315		0.65	31.3	280	36.4	19.3	<0.001	<0.01	0.37	3.3	0.2	0.8	8.0	<0.01	0.05	3.4
ZZ07316		0.49	28.4	530	27.2	11.8	<0.001	<0.01	0.35	4.0	0.4	0.6	62.4	<0.01	0.06	3.3
ZZ07317		0.72	13.8	800	14.8	7.3	<0.001	0.07	0.25	2.2	0.5	0.5	121.5	<0.01	0.03	1.1
ZZ07318		0.83	18.5	190	18.4	6.7	<0.001	<0.01	0.21	3.3	<0.2	0.7	53.7	<0.01	0.05	3.2
ZZ07319		0.49	19.9	370	20.1	9.5	<0.001	<0.01	0.18	4.5	0.4	0.7	95.0	<0.01	0.06	2.7
ZZ07320		0.70	19.2	280	20.9	8.9	<0.001	<0.01	0.19	3.3	<0.2	0.8	76.2	<0.01	0.08	2.3
ZZ07321		0.35	28.1	600	22.5	7.3	<0.001	0.01	0.26	4.6	0.8	0.6	80.7	<0.01	0.08	2.6
ZZ07322		0.43	26.9	430	23.3	8.9	<0.001	0.01	0.52	5.4	0.6	0.5	74.3	<0.01	0.05	2.7
ZZ07323		0.26	9.3	670	5.7	2.9	<0.001	0.21	0.20	1.6	1.6	0.2	240	0.01	0.03	0.5
ZZ07324		0.20	22.3	420	20.9	6.5	<0.001	0.13	0.31	3.0	0.7	0.4	132.5	<0.01	0.06	1.8
ZZ07325		0.43	31.7	230	30.1	12.1	<0.001	<0.01	0.15	4.7	0.3	0.7	8.5	<0.01	0.03	4.3
ZZ07326		0.41	25.6	160	29.9	11.4	<0.001	0.01	0.21	3.6	0.3	0.7	10.7	<0.01	0.03	3.7
ZZ07327		0.66	22.8	340	14.2	9.1	<0.001	0.05	0.31	4.1	0.6	0.5	98.5	<0.01	0.03	2.7
ZZ07328		0.59	26.0	540	18.7	10.4	<0.001	0.05	0.33	4.9	1.0	0.6	87.1	<0.01	0.02	2.4
ZZ07329		0.28	19.1	630	11.3	4.7	0.001	0.17	0.23	1.6	0.8	0.3	202	<0.01	0.02	0.5
ZZ07330		0.43	24.3	520	20.8	8.6	<0.001	0.08	0.33	2.8	1.0	0.4	127.5	<0.01	0.03	0.9
ZZ07331		0.41	24.0	350	29.6	6.3	<0.001	0.05	0.36	4.4	1.1	0.5	96.3	<0.01	0.03	2.1
ZZ07332		0.37	24.5	390	35.6	6.4	<0.001	0.03	0.60	5.0	0.8	0.5	44.4	<0.01	0.03	2.9
ZZ07333		0.36	9.7	1470	54.6	4.0	<0.001	0.10	1.56	1.7	0.8	0.4	50.0	0.01	0.07	0.6
ZZ07334		0.68	28.8	520	26.4	10.2	<0.001	0.03	0.57	4.9	0.9	0.6	28.3	<0.01	0.03	2.1
ZZ07335		0.38	16.8	1040	18.8	7.0	<0.001	0.11	0.71	1.6	1.2	0.3	34.9	<0.01	0.02	0.4
ZZ07336		0.28	10.3	790	6.0	4.2	0.002	0.42	0.36	0.8	5.9	0.2	308	<0.01	0.03	0.3
ZZ07337		0.64	20.8	360	32.9	14.4	0.001	0.08	0.40	4.4	1.5	0.6	54.1	<0.01	0.03	3.0
ZZ07338		0.71	28.2	350	26.2	16.6	<0.001	0.03	0.35	5.9	1.1	0.8	38.8	<0.01	0.04	3.8
ZZ07339		0.67	20.1	830	19.6	12.2	<0.001	0.13	0.54	2.6	2.1	0.6	127.5	<0.01	0.02	0.8
ZZ07340		0.72	22.9	580	21.3	13.7	<0.001	0.10	0.41	3.2	1.6	0.6	91.1	<0.01	0.05	1.2
ZZ07341		0.45	18.1	1010	17.5	9.9	<0.001	0.15	0.39	1.3	1.8	0.4	193.0	<0.01	0.03	0.4
ZZ07342		0.26	7.2	890	3.1	4.1	0.001	0.32	0.35	0.2	3.5	<0.2	270	<0.01	<0.01	<0.2
ZZ07343		0.81	23.4	320	20.7	12.7	<0.001	0.02	0.34	4.0	0.7	0.6	39.4	<0.01	0.04	3.1
ZZ07344		0.48	21.6	490	24.0	16.4	0.001	0.06	0.30	3.3	1.2	0.5	87.5	<0.01	0.02	2.2

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 26- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen)

CERTIFICATE OF ANALYSIS WH11158632

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
ZZ07305		<0.005	0.18	0.41	19	0.05	2.91	50	0.5
ZZ07306		<0.005	0.16	0.91	14	0.07	36.8	120	2.1
ZZ07307		<0.005	0.15	0.69	7	0.05	20.7	83	2.1
ZZ07308		<0.005	0.16	0.69	29	0.11	4.17	48	0.9
ZZ07309		0.008	0.08	0.33	21	0.10	2.04	27	<0.5
ZZ07310		0.005	0.15	0.86	25	0.13	9.95	84	2.4
ZZ07311		0.012	0.08	0.66	22	0.09	6.23	79	0.8
ZZ07312		0.012	0.08	0.80	16	0.16	5.90	33	1.8
ZZ07313		<0.005	0.13	1.66	14	<0.05	23.5	36	3.8
ZZ07314		<0.005	0.11	0.97	34	0.06	11.45	102	0.9
ZZ07315		0.007	0.13	0.46	36	0.06	3.37	93	1.2
ZZ07316		0.005	0.16	1.04	26	0.06	9.03	69	1.4
ZZ07317		0.008	0.08	3.71	36	0.08	8.53	39	3.1
ZZ07318		0.006	0.14	1.23	46	0.12	6.03	49	2.1
ZZ07319		<0.005	0.12	2.62	36	0.06	12.65	46	2.3
ZZ07320		0.005	0.13	1.78	45	0.11	6.14	57	1.9
ZZ07321		<0.005	0.10	1.47	36	0.05	13.60	57	2.2
ZZ07322		0.005	0.08	0.77	28	0.05	14.55	65	2.1
ZZ07323		0.009	0.03	2.05	4	0.07	5.96	8	3.0
ZZ07324		<0.005	0.08	1.06	10	<0.05	11.20	53	3.4
ZZ07325		0.005	0.13	0.47	19	<0.05	4.74	98	1.4
ZZ07326		<0.005	0.11	0.42	18	<0.05	4.62	81	2.3
ZZ07327		0.009	0.10	0.60	18	0.08	8.53	58	2.4
ZZ07328		0.006	0.10	0.83	20	0.07	14.80	71	2.1
ZZ07329		<0.005	0.08	1.26	8	<0.05	6.31	41	1.9
ZZ07330		0.005	0.14	0.69	14	0.06	11.60	76	1.2
ZZ07331		<0.005	0.11	1.20	16	0.06	11.10	85	1.5
ZZ07332		<0.005	0.17	0.69	17	0.06	10.80	113	2.1
ZZ07333		0.009	0.11	1.84	24	0.05	20.7	650	1.8
ZZ07334		0.009	0.12	1.00	32	0.13	14.00	197	1.9
ZZ07335		0.006	0.07	2.61	17	0.05	12.80	116	1.3
ZZ07336		0.006	0.03	6.72	8	<0.05	3.41	34	1.6
ZZ07337		0.008	0.12	1.06	23	0.08	6.34	192	2.1
ZZ07338		0.010	0.15	0.77	28	0.09	8.74	120	2.3
ZZ07339		0.008	0.09	3.52	24	0.10	7.53	141	1.4
ZZ07340		0.007	0.11	1.48	23	0.08	6.74	129	1.5
ZZ07341		0.005	0.08	4.04	16	0.05	5.84	90	1.2
ZZ07342		0.005	0.05	8.04	5	<0.05	1.85	81	1.2
ZZ07343		0.012	0.10	0.88	29	0.10	5.68	83	1.6
ZZ07344		0.007	0.11	0.61	17	0.06	6.84	120	1.8

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 26- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen)

CERTIFICATE OF ANALYSIS WH11158632

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg .02	Au- TL43 Au ppm 0.001	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1
ZZ07345		0.18	0.001	0.14	1.15	10.7	<0.2	<10	150	0.94	0.30	1.41	0.29	17.30	10.5	17
ZZ07346		0.30	0.001	0.03	1.64	8.4	<0.2	<10	60	0.56	0.56	0.05	0.05	8.40	13.4	34
ZZ07347		0.26	<0.001	0.03	1.85	11.8	<0.2	<10	130	1.05	0.49	0.21	0.14	18.65	16.2	34
ZZ07348		0.10	0.001	0.12	1.03	7.7	<0.2	<10	170	0.77	0.22	2.48	0.23	9.07	6.7	14
ZZ07349		0.24	<0.001	0.09	2.23	10.1	<0.2	<10	70	1.20	0.44	0.06	0.07	13.90	15.2	37
ZZ07350		0.24	<0.001	0.06	1.88	16.3	<0.2	<10	60	0.75	0.76	0.02	0.05	9.14	10.7	30
ZZ07371		0.18	<0.001	0.09	1.16	9.7	<0.2	<10	150	0.51	0.37	0.21	0.16	14.05	10.8	19
ZZ07372		0.32	0.001	0.25	0.59	10.6	<0.2	<10	50	0.59	0.53	0.01	0.04	8.13	6.9	8
ZZ07373		0.20	0.001	0.24	0.48	57.6	<0.2	<10	70	0.83	0.31	1.61	0.97	23.9	8.5	8
ZZ07374		0.08	0.001	0.10	0.51	26.9	<0.2	<10	100	0.46	0.18	6.00	0.15	14.40	8.9	10
ZZ07375		0.16	0.001	0.14	0.57	41	<0.2	<10	140	0.86	0.13	10.70	0.32	16.20	5.4	8
ZZ07376		0.10	0.002	0.11	2.53	34.5	<0.2	<10	260	1.31	0.31	2.37	0.52	39.4	11.6	28
ZZ07377		Not Recvd														
ZZ07378		0.08	<0.001	0.07	0.67	6.3	<0.2	<10	170	0.49	0.10	7.25	0.57	9.39	3.1	5
ZZ07379		0.20	<0.001	0.05	0.41	7	<0.2	<10	110	0.47	0.07	11.70	0.42	7.55	2.6	5
ZZ07380		0.10	<0.001	0.09	0.85	12.9	<0.2	<10	240	0.76	0.13	6.02	0.47	16.25	5.1	9
ZZ07381		0.22	<0.001	0.06	1.31	26.8	<0.2	<10	120	1.14	0.31	0.67	0.19	26.5	11.5	20
ZZ07395		0.16	0.009	0.04	1.20	7.9	<0.2	<10	90	0.51	0.34	0.43	0.13	13.80	8.5	23
ZZ07396		0.16	0.004	0.11	1.62	12.7	<0.2	<10	220	0.96	0.27	1.98	0.77	18.50	8.9	25
ZZ07397		0.16	0.004	0.04	1.52	11.0	<0.2	<10	150	0.50	0.30	0.34	0.30	19.70	8.5	25
ZZ07398		0.04	0.001	0.09	0.28	1.3	<0.2	10	150	0.17	0.04	4.56	1.13	2.63	1.6	4
ZZ07399		0.08	0.080	0.07	1.37	43	<0.2	10	220	0.98	0.15	10.45	1.42	25.8	7.2	14
ZZ07400		0.08	0.001	0.10	1.47	13.4	<0.2	10	290	0.97	0.20	5.62	7.22	23.6	8.6	14
ZZ07401		0.22	0.004	0.02	1.49	12.5	<0.2	<10	140	0.77	0.25	0.42	0.29	21.2	9.4	22
ZZ07402		0.24	0.004	0.05	1.47	24.2	<0.2	<10	220	0.74	0.27	0.54	0.47	19.10	11.5	21
ZZ07403		0.22	0.008	0.02	0.93	3.1	<0.2	<10	340	0.34	0.29	0.04	0.13	7.61	4.0	14
ZZ07404		0.08	0.004	0.12	0.71	5.2	<0.2	<10	1070	0.60	0.12	4.90	0.38	9.50	5.2	10
ZZ07405		0.08	0.002	0.11	0.36	1.4	<0.2	<10	220	0.21	0.06	4.64	0.43	4.36	2.4	4
ZZ07406		0.10	0.014	0.13	0.80	4.8	<0.2	10	240	0.80	0.15	4.21	0.62	12.75	6.0	10
ZZ07407		0.12	0.006	0.10	1.01	10.5	<0.2	<10	160	0.90	0.23	1.69	0.33	14.25	10.5	17
ZZ07408		0.08	0.010	0.12	0.80	6.4	<0.2	<10	210	0.70	0.14	3.67	0.51	9.59	6.8	11
ZZ07409		0.08	0.010	0.08	0.78	4.6	<0.2	<10	190	0.59	0.14	3.28	0.56	8.35	5.4	10
ZZ07410		0.06	0.001	0.06	0.63	4.3	<0.2	10	130	0.70	0.11	4.63	0.53	8.53	4.8	9
ZZ07411		0.04	0.009	0.13	0.54	2.5	<0.2	10	170	0.42	0.10	4.28	0.48	5.71	4.1	7
ZZ07412		0.08	0.005	0.11	0.93	7.5	<0.2	<10	190	0.67	0.18	2.23	0.44	11.35	7.6	15
ZZ07413		0.12	0.004	0.12	1.24	9.8	<0.2	<10	220	0.96	0.24	1.75	0.38	14.00	9.0	20
ZZ07414		0.04	0.009	0.08	0.84	5.5	<0.2	10	200	0.81	0.15	3.05	0.33	10.90	6.6	11
ZZ07425		0.18	0.005	0.06	0.65	3.0	<0.2	<10	80	1.07	0.20	5.60	0.25	41.0	11.4	19
ZZ07426		0.14	0.008	0.06	0.44	6.9	<0.2	<10	130	1.22	0.25	6.49	0.17	29.3	13.4	10
ZZ07427		0.12	0.007	0.19	0.50	12.1	<0.2	<10	190	1.15	0.20	2.61	0.37	42.2	13.7	10

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 26- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen)

CERTIFICATE OF ANALYSIS WH11158632

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
ZZ07345		0.58	30.9	2.85	3.53	<0.05	0.07	0.18	0.032	0.12	6.9	16.3	0.34	439	0.46	0.01
ZZ07346		1.39	25.7	4.31	9.26	<0.05	0.03	0.02	0.043	0.10	3.9	14.6	0.28	645	0.73	0.01
ZZ07347		0.77	38.5	4.62	7.42	<0.05	0.04	0.02	0.050	0.10	5.8	30.9	0.48	626	0.42	0.01
ZZ07348		0.61	24.7	2.16	2.94	<0.05	0.05	0.16	0.026	0.12	4.3	11.6	0.34	370	0.38	0.02
ZZ07349		1.57	31.3	4.63	7.93	<0.05	0.05	<0.01	0.047	0.08	6.0	39.4	0.44	340	0.70	0.01
ZZ07350		1.63	16.0	3.63	8.69	<0.05	0.04	<0.01	0.035	0.08	4.2	20.6	0.39	232	0.54	0.01
ZZ07371		1.11	22.2	3.46	4.18	<0.05	<0.02	0.03	0.032	0.11	4.7	25.7	0.26	1120	0.62	0.01
ZZ07372		1.48	21.0	4.80	1.69	<0.05	0.02	0.05	0.043	0.08	3.6	3.3	0.04	157	0.58	0.01
ZZ07373		0.26	18.1	3.70	1.19	<0.05	0.09	1.44	0.034	0.09	9.0	2.1	0.14	740	0.45	0.01
ZZ07374		0.20	14.4	2.42	1.28	<0.05	0.06	0.59	0.016	0.07	6.3	3.0	3.47	1210	0.40	0.02
ZZ07375		0.16	16.1	4.27	1.26	<0.05	0.04	0.39	0.019	0.04	7.2	2.1	5.91	2800	0.79	0.02
ZZ07376		1.10	20.5	5.56	5.73	0.05	0.09	0.21	0.037	0.06	20.8	9.9	1.21	4210	1.78	0.02
ZZ07377																
ZZ07378		0.31	9.6	1.91	1.57	<0.05	0.04	0.10	0.013	0.05	4.3	2.2	3.71	3590	0.54	0.02
ZZ07379		0.17	9.5	1.93	0.85	<0.05	0.03	0.11	0.008	0.04	3.6	1.5	7.07	2520	0.47	0.03
ZZ07380		0.36	11.3	2.66	1.92	<0.05	0.05	0.16	0.018	0.08	7.6	2.9	3.35	3270	0.49	0.02
ZZ07381		0.54	15.8	3.52	3.77	<0.05	0.07	0.15	0.036	0.14	11.7	9.8	0.44	1480	0.66	0.01
ZZ07395		0.78	18.8	3.09	5.62	<0.05	0.04	0.06	0.025	0.10	5.5	16.8	0.30	280	0.42	0.01
ZZ07396		0.63	17.4	3.03	5.22	0.10	0.05	0.09	0.033	0.09	9.2	14.5	0.44	460	0.77	0.01
ZZ07397		0.82	9.3	3.30	6.00	0.10	0.04	0.06	0.027	0.07	9.5	18.2	0.39	627	0.69	<0.01
ZZ07398		0.24	15.7	0.40	0.74	0.08	0.02	0.14	0.005	0.02	1.6	0.9	0.39	246	0.30	0.01
ZZ07399		0.50	9.9	2.96	3.45	0.12	0.07	0.21	0.018	0.07	14.4	6.8	6.25	3220	0.44	0.02
ZZ07400		0.72	22.5	2.81	4.00	0.10	0.04	0.32	0.025	0.05	12.9	7.3	2.79	4040	0.50	0.02
ZZ07401		0.89	11.5	3.34	5.40	0.06	0.05	0.06	0.030	0.06	9.2	15.3	0.40	987	0.64	0.01
ZZ07402		0.94	11.5	3.49	4.78	0.10	0.05	0.16	0.032	0.09	7.4	14.8	0.40	1280	0.50	<0.01
ZZ07403		2.05	3.3	2.24	3.89	0.07	0.02	0.05	0.016	0.10	4.0	1.7	0.08	57	0.38	<0.01
ZZ07404		0.78	20.6	1.42	1.85	0.10	0.03	0.15	0.015	0.04	4.9	6.2	0.98	543	0.32	0.01
ZZ07405		0.32	16.5	0.51	0.92	0.08	0.04	0.14	0.006	0.02	2.4	1.2	0.34	332	0.35	0.01
ZZ07406		0.49	27.5	1.46	2.20	0.10	0.03	0.15	0.018	0.04	6.6	8.5	0.45	791	0.43	0.01
ZZ07407		0.52	23.5	2.58	3.18	0.09	0.05	0.18	0.026	0.08	5.9	18.0	0.39	557	0.46	0.01
ZZ07408		0.41	21.2	1.62	2.32	0.09	0.04	0.14	0.018	0.06	4.3	8.8	0.34	607	0.38	0.01
ZZ07409		0.46	16.9	1.35	2.25	0.10	0.05	0.18	0.019	0.05	4.2	6.2	0.25	348	0.45	0.01
ZZ07410		0.39	16.2	1.18	1.80	0.09	0.07	0.14	0.015	0.06	4.8	6.9	0.90	309	0.49	0.01
ZZ07411		0.39	11.5	0.85	1.50	0.08	0.05	0.12	0.011	0.04	2.8	4.3	0.28	303	0.43	0.01
ZZ07412		0.49	18.5	2.05	3.05	0.10	0.06	0.15	0.022	0.07	5.4	15.3	0.32	389	0.53	0.01
ZZ07413		0.48	26.1	2.74	3.66	0.11	0.05	0.18	0.028	0.10	6.8	20.7	0.36	372	0.51	0.01
ZZ07414		0.38	18.0	1.64	2.47	0.10	0.06	0.14	0.016	0.06	5.1	9.8	0.30	449	0.50	0.01
ZZ07425		0.95	33.7	2.27	2.52	0.13	0.05	0.05	0.032	0.12	18.5	14.5	2.34	309	0.31	0.01
ZZ07426		0.27	36.5	2.30	1.36	0.11	0.04	0.07	0.031	0.11	10.3	4.0	2.26	397	0.49	0.02
ZZ07427		0.19	35.3	2.50	1.51	0.12	0.12	0.17	0.036	0.12	18.0	5.9	0.96	336	0.97	0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 26- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen)

CERTIFICATE OF ANALYSIS WH11158632

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
ZZ07345		0.54	25.1	560	28.8	13.4	<0.001	0.07	0.37	3.8	1.6	0.5	80.9	<0.01	0.04	1.8
ZZ07346		0.76	18.6	320	21.3	13.9	<0.001	0.01	0.20	3.6	0.4	1.3	5.7	<0.01	0.05	3.1
ZZ07347		0.74	31.1	190	38.3	13.2	<0.001	0.01	0.17	4.8	0.3	1.0	18.7	<0.01	0.06	4.6
ZZ07348		0.43	19.8	610	17.1	11.7	<0.001	0.09	0.42	2.3	0.8	0.5	126.0	<0.01	0.03	0.8
ZZ07349		0.81	29.9	220	36.1	15.4	<0.001	0.01	0.25	4.0	0.3	1.0	7.1	<0.01	0.04	4.1
ZZ07350		0.51	21.2	220	26.8	12.7	<0.001	<0.01	0.24	3.4	0.3	1.3	6.9	<0.01	0.03	2.9
ZZ07371		0.55	19.5	650	22.7	13.1	<0.001	0.04	0.31	2.0	0.3	0.6	30.8	<0.01	0.05	1.1
ZZ07372		0.10	18.1	370	37.2	6.6	<0.001	0.04	0.25	2.3	0.6	0.6	55.2	<0.01	0.04	2.3
ZZ07373		0.18	27.6	530	117.0	4.4	<0.001	0.07	1.16	5.3	1.0	0.4	35.9	<0.01	0.03	3.7
ZZ07374		0.34	18.8	1070	38.9	3.2	<0.001	0.06	1.00	2.9	0.2	0.3	21.5	<0.01	0.05	1.8
ZZ07375		0.18	10.9	1710	43.6	2.4	<0.001	0.13	2.30	2.0	1.1	0.2	81.5	<0.01	0.08	0.5
ZZ07376		0.68	25.4	2300	57.3	7.3	<0.001	0.16	1.82	2.7	1.6	0.7	24.7	0.01	0.08	1.0
ZZ07377																
ZZ07378		0.37	5.9	1410	11.2	3.1	<0.001	0.16	0.58	0.5	0.7	0.2	33.5	0.01	0.06	0.2
ZZ07379		0.20	4.6	1120	13.2	2.1	<0.001	0.10	0.59	0.4	0.3	<0.2	41.9	<0.01	0.02	0.2
ZZ07380		0.30	8.8	1830	18.0	4.2	<0.001	0.15	0.79	1.0	1.1	0.3	27.6	<0.01	0.03	0.4
ZZ07381		0.68	19.2	450	26.2	10.7	<0.001	0.03	0.77	4.7	0.6	0.6	8.5	<0.01	0.05	2.9
ZZ07395		0.66	17.8	190	17.4	19.5	<0.001	0.02	0.19	3.2	0.2	0.8	54.5	<0.01	0.03	3.0
ZZ07396		1.10	22.7	420	19.5	9.4	<0.001	0.02	0.48	3.2	0.2	0.7	51.8	<0.01	0.05	1.6
ZZ07397		1.43	16.3	200	21.7	14.2	<0.001	<0.01	0.60	2.7	<0.2	0.7	13.7	<0.01	0.03	3.6
ZZ07398		0.19	6.8	780	3.4	1.5	<0.001	0.15	0.25	0.2	0.5	<0.2	59.8	<0.01	<0.01	<0.2
ZZ07399		0.36	12.2	960	109.5	6.9	<0.001	0.04	2.08	2.1	1.0	0.5	46.5	<0.01	0.05	1.1
ZZ07400		0.49	13.4	930	96.5	6.8	<0.001	0.05	0.91	2.1	0.7	0.6	30.5	<0.01	0.04	0.7
ZZ07401		0.82	19.2	160	21.1	12.1	<0.001	0.02	0.45	3.8	0.5	0.6	12.6	<0.01	0.03	4.0
ZZ07402		0.81	16.5	190	28.9	13.3	<0.001	<0.01	0.55	3.6	0.2	0.7	10.4	<0.01	0.06	3.3
ZZ07403		0.88	6.0	140	8.5	12.5	<0.001	<0.01	0.22	1.7	<0.2	0.8	6.5	<0.01	0.02	1.5
ZZ07404		0.44	14.7	820	8.7	5.1	<0.001	0.12	0.35	1.1	0.7	0.3	83.7	<0.01	0.02	0.3
ZZ07405		0.25	5.8	980	3.1	1.5	<0.001	0.23	0.28	0.4	1.1	<0.2	115.5	0.01	<0.01	<0.2
ZZ07406		0.36	15.0	1260	10.7	7.7	<0.001	0.16	0.41	0.8	2.0	0.3	149.0	<0.01	0.02	0.2
ZZ07407		0.41	19.8	590	17.3	9.3	<0.001	0.06	0.44	2.7	0.7	0.5	71.1	<0.01	0.02	0.9
ZZ07408		0.31	13.3	850	10.6	6.3	<0.001	0.11	0.37	1.2	0.9	0.3	193.5	<0.01	0.04	0.3
ZZ07409		0.39	10.4	810	9.0	6.4	<0.001	0.12	0.37	1.3	0.9	0.3	169.5	<0.01	0.02	0.3
ZZ07410		0.28	11.3	760	7.7	5.6	<0.001	0.12	0.32	1.3	0.4	0.3	236	<0.01	0.01	0.5
ZZ07411		0.32	7.1	730	5.6	5.5	<0.001	0.21	0.23	0.9	0.9	0.2	316	<0.01	0.03	0.3
ZZ07412		0.43	15.0	700	12.1	9.2	<0.001	0.10	0.41	2.1	1.4	0.4	191.5	<0.01	0.02	0.7
ZZ07413		0.44	20.1	680	16.9	11.4	0.001	0.06	0.42	3.1	1.8	0.5	174.5	<0.01	0.05	1.0
ZZ07414		0.34	12.9	750	11.4	8.2	<0.001	0.11	0.34	1.7	1.1	0.3	265	<0.01	0.02	0.5
ZZ07425		0.12	25.1	760	10.3	9.3	<0.001	<0.01	0.18	5.9	1.3	0.4	118.5	<0.01	0.03	5.6
ZZ07426		0.12	20.7	640	13.4	5.9	<0.001	0.01	0.21	5.6	1.3	0.3	191.0	<0.01	0.03	4.0
ZZ07427		0.13	23.6	890	18.3	5.9	<0.001	0.03	0.45	4.0	2.0	0.4	128.0	<0.01	0.03	2.3

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 26- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen)

CERTIFICATE OF ANALYSIS WH11158632

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
ZZ07345		0.006	0.11	1.99	20	0.07	9.10	117	2.0
ZZ07346		0.009	0.11	0.37	39	0.05	2.92	79	1.0
ZZ07347		0.010	0.11	0.49	32	<0.05	4.52	109	1.3
ZZ07348		<0.005	0.10	2.04	15	0.05	6.97	90	1.6
ZZ07349		0.009	0.13	0.46	38	0.06	2.88	120	1.7
ZZ07350		0.005	0.09	0.32	32	<0.05	2.74	76	1.6
ZZ07371		0.007	0.12	0.38	26	0.06	2.52	96	0.5
ZZ07372		<0.005	0.22	0.29	11	<0.05	1.98	57	0.9
ZZ07373		<0.005	0.13	0.74	9	<0.05	12.75	366	3.3
ZZ07374		0.005	0.10	1.08	13	0.10	7.45	42	2.1
ZZ07375		0.005	0.30	1.39	16	0.07	21.1	69	1.4
ZZ07376		0.018	0.24	2.00	49	0.15	21.6	133	2.7
ZZ07377									
ZZ07378		0.011	0.06	0.67	9	<0.05	4.67	139	1.6
ZZ07379		0.005	0.07	0.71	7	<0.05	6.05	79	0.9
ZZ07380		0.009	0.09	0.84	15	0.07	9.95	68	1.3
ZZ07381		0.011	0.13	0.67	29	0.12	8.67	61	1.9
ZZ07395		0.009	0.08	0.38	28	<0.05	3.15	67	1.5
ZZ07396		0.014	0.03	0.65	37	0.14	6.44	130	1.6
ZZ07397		0.019	<0.02	0.68	46	0.18	2.86	101	1.4
ZZ07398		0.006	<0.02	1.36	6	<0.05	2.03	53	0.9
ZZ07399		0.006	0.24	1.45	22	0.07	13.30	815	1.6
ZZ07400		0.011	0.03	1.49	27	0.06	10.40	1940	1.2
ZZ07401		0.013	0.13	0.64	34	0.14	4.20	94	2.1
ZZ07402		0.010	0.03	0.58	32	0.09	3.31	98	1.8
ZZ07403		0.014	0.03	0.26	30	0.20	0.89	43	<0.5
ZZ07404		0.010	<0.02	2.67	14	0.05	8.27	34	1.0
ZZ07405		0.008	<0.02	8.26	6	<0.05	3.12	10	1.3
ZZ07406		0.007	<0.02	6.92	13	<0.05	9.40	49	0.8
ZZ07407		0.007	<0.02	2.54	20	0.05	7.49	114	1.7
ZZ07408		0.006	<0.02	3.75	14	<0.05	5.40	86	1.3
ZZ07409		0.009	<0.02	7.21	14	<0.05	4.93	44	1.8
ZZ07410		0.006	<0.02	3.37	11	<0.05	6.46	58	1.8
ZZ07411		0.007	<0.02	8.09	9	<0.05	3.43	65	1.8
ZZ07412		0.007	<0.02	7.08	18	0.05	6.09	88	1.8
ZZ07413		0.006	<0.02	4.20	22	0.05	8.17	120	1.6
ZZ07414		0.005	<0.02	7.92	14	<0.05	6.20	64	1.9
ZZ07425		<0.005	<0.02	1.38	18	<0.05	12.75	78	2.9
ZZ07426		<0.005	<0.02	3.04	13	0.08	12.30	90	1.9
ZZ07427		<0.005	<0.02	3.16	16	<0.05	14.25	104	3.6

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 26- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen)

CERTIFICATE OF ANALYSIS WH11158632

Sample Description	Method	WEI- 21	Au- TL43	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Recvd Wt.	Au	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
ZZ07428		0.10	0.010	0.13	0.77	8.3	<0.2	<10	530	1.24	0.25	1.81	0.30	40.4	14.4	25
ZZ07429		0.08	0.006	0.08	0.47	4.3	<0.2	<10	130	1.28	0.19	2.07	0.30	33.0	9.9	13
ZZ07430		0.10	0.011	0.33	0.53	18.5	<0.2	10	180	1.24	0.20	3.19	0.32	31.2	11.8	11
ZZ07431		0.12	0.009	0.14	0.49	6.1	<0.2	<10	80	1.11	0.18	9.73	0.22	31.4	10.1	9
ZZ07432		0.20	0.024	0.90	0.59	18.7	<0.2	10	380	1.40	0.23	5.23	0.30	37.8	12.9	10
ZZ07433		0.12	0.012	0.36	0.78	14.7	<0.2	<10	330	1.00	0.20	8.56	0.24	26.8	9.6	11
ZZ07434		0.10	0.003	0.16	1.43	12.5	<0.2	<10	220	1.26	0.28	2.95	0.48	41.9	11.9	14
ZZ07445		0.08	0.010	0.17	0.46	42.1	<0.2	<10	60	0.70	0.21	1.13	0.15	20.8	6.5	8
ZZ07446		0.04	NSS	0.13	1.09	21.6	<0.2	<10	110	0.62	0.19	5.71	0.32	20.8	6.3	13
ZZ07447		0.08	0.002	0.16	1.87	29.2	<0.2	<10	100	1.24	0.26	2.03	0.29	24.1	9.0	24
ZZ07448		0.10	0.001	0.05	1.84	10.3	<0.2	<10	170	0.56	0.25	0.23	0.09	11.30	6.5	21
ZZ07449		0.08	0.002	0.18	0.45	37	<0.2	<10	60	0.88	0.10	13.15	0.11	14.10	5.4	7
ZZ07450		0.26	<0.001	0.04	0.68	2.3	<0.2	<10	100	0.85	0.37	0.07	0.05	7.15	12.7	16
ZZ07451		0.16	0.002	0.12	1.22	11.5	<0.2	<10	350	1.87	0.31	0.98	0.26	37.5	19.9	15
ZZ07452		0.14	0.001	0.13	1.73	8.5	<0.2	<10	180	1.44	0.54	0.22	0.14	37.2	21.0	30
ZZ07453		0.18	<0.001	0.04	0.99	3.5	<0.2	<10	80	0.59	0.54	0.05	0.10	6.26	5.2	16
ZZ07454		0.10	<0.001	0.17	0.96	6.2	<0.2	<10	280	0.68	0.31	0.58	0.50	14.15	11.6	16
ZZ07455		0.08	<0.001	0.12	1.08	5.7	<0.2	<10	210	1.04	0.32	1.00	0.17	41.4	11.4	18
ZZ07456		0.12	<0.001	0.08	1.08	10.5	<0.2	<10	110	0.53	0.32	0.05	0.10	14.50	9.5	15
ZZ07457		0.10	<0.001	0.12	1.57	9.6	<0.2	<10	110	1.17	0.28	0.29	0.10	44.6	15.8	22
ZZ07458		0.10	<0.001	0.08	1.47	5.2	<0.2	<10	180	0.58	0.30	0.71	0.19	14.50	9.3	21
ZZ07459		0.14	<0.001	0.14	1.73	10.1	<0.2	<10	370	1.04	0.33	0.92	0.07	18.90	11.0	26
ZZ07460		0.14	<0.001	0.32	1.16	8.5	<0.2	<10	140	0.70	0.27	0.93	0.08	18.15	11.3	21
ZZ07461		0.08	0.001	0.20	1.26	9.1	<0.2	<10	250	0.87	0.26	1.45	0.10	19.50	10.6	20
ZZ07462		0.10	<0.001	0.10	1.28	10.7	<0.2	<10	200	0.86	0.28	1.04	0.22	17.05	11.9	22
ZZ07463		0.08	0.001	0.16	1.27	11.6	<0.2	<10	250	1.12	0.29	1.19	0.13	20.2	10.5	20
ZZ07464		0.12	<0.001	0.07	1.06	8.8	<0.2	<10	90	0.66	0.41	0.17	0.11	11.45	13.6	19
ZZ07465		0.14	<0.001	0.11	1.00	6.9	<0.2	<10	270	1.07	0.37	1.06	0.09	30.5	11.9	14
ZZ07466		0.16	<0.001	0.10	1.02	6.9	<0.2	<10	200	0.57	0.23	1.54	0.13	18.05	7.3	15
ZZ07467		0.08	<0.001	0.15	1.61	26.3	<0.2	<10	200	1.07	0.26	3.29	0.57	24.5	10.6	21
ZZ07468		0.06	<0.001	0.07	1.55	32.1	<0.2	<10	240	0.94	0.24	2.64	0.96	34.4	8.1	16
ZZ07469		0.12	<0.001	0.10	1.37	10.3	<0.2	<10	190	1.05	0.23	2.05	0.38	14.40	8.1	20
ZZ07470		0.12	0.001	0.14	1.30	27.2	<0.2	10	170	0.88	0.20	5.31	1.99	14.65	7.3	16
ZZ07471		0.16	0.001	0.15	1.09	17.7	<0.2	<10	160	0.87	0.22	4.51	0.53	18.65	8.7	17
ZZ07472		0.24	0.001	0.07	1.51	14.3	<0.2	<10	170	1.09	0.29	1.92	0.48	24.5	11.2	23
ZZ07473		0.08	<0.001	0.09	0.66	5.1	<0.2	10	120	0.63	0.18	3.93	0.32	13.60	6.2	11
ZZ07474		0.18	<0.001	0.08	0.78	8.8	<0.2	<10	110	0.69	0.25	3.24	0.18	18.75	10.0	14
ZZ07475		0.10	0.001	0.13	0.92	10.3	<0.2	10	100	0.78	0.24	4.99	0.26	14.35	8.6	16
ZZ07476		0.20	0.001	0.13	1.11	12.0	<0.2	10	130	0.97	0.29	1.81	0.23	19.95	11.6	19
ZZ07477		0.08	0.001	0.09	0.95	9.6	<0.2	10	160	0.80	0.26	2.23	0.17	16.25	9.3	15

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 26- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen)

CERTIFICATE OF ANALYSIS WH11158632

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
ZZ07428		0.31	37.5	2.85	3.14	0.11	0.10	0.10	0.033	0.13	17.6	13.5	0.78	449	0.75	0.01
ZZ07429		0.16	27.1	2.61	1.62	0.11	0.07	0.12	0.031	0.10	14.5	5.4	0.76	334	0.39	0.01
ZZ07430		0.12	37.5	2.14	1.40	0.12	0.10	0.17	0.036	0.13	12.6	4.1	1.37	273	1.81	0.01
ZZ07431		0.23	31.8	1.84	1.42	0.11	0.06	0.14	0.034	0.14	13.5	6.1	1.20	249	0.55	0.01
ZZ07432		0.27	46.7	2.18	1.54	0.14	0.07	0.31	0.034	0.17	15.7	5.1	1.05	310	2.32	0.01
ZZ07433		0.15	25.7	2.03	1.98	0.12	0.09	0.19	0.027	0.09	13.0	7.6	0.25	214	1.35	0.01
ZZ07434		0.45	31.9	3.07	3.65	0.13	0.05	0.64	0.034	0.06	18.3	12.5	0.21	396	0.83	0.01
ZZ07445		0.48	13.1	2.05	1.53	0.11	0.06	0.63	0.023	0.07	9.4	4.1	0.09	303	0.46	<0.01
ZZ07446		0.46	15.5	3.39	2.65	0.12	0.06	0.24	0.032	0.05	11.7	6.3	2.69	2090	0.52	0.02
ZZ07447		0.99	20.7	6.52	5.13	0.12	0.08	0.33	0.038	0.07	16.7	18.2	1.20	2000	0.85	0.01
ZZ07448		1.14	12.4	2.87	6.92	0.08	0.03	0.02	0.027	0.05	6.0	24.4	0.35	522	0.79	<0.01
ZZ07449		0.14	15.5	2.14	1.09	0.11	0.07	0.45	0.013	0.04	7.3	2.0	7.78	2050	0.58	0.02
ZZ07450		3.87	5.8	2.91	2.65	0.10	<0.02	0.02	0.026	0.22	3.6	2.6	0.12	270	0.32	<0.01
ZZ07451		1.34	41.3	4.61	3.58	0.15	0.07	0.20	0.045	0.15	19.2	5.6	0.19	18650	1.08	0.01
ZZ07452		3.56	28.8	4.22	7.54	0.11	0.05	0.07	0.062	0.21	15.6	28.4	0.31	4600	0.73	0.02
ZZ07453		1.16	30.9	2.42	3.77	0.06	<0.02	<0.01	0.028	0.11	2.9	21.2	0.19	167	0.49	0.01
ZZ07454		0.83	22.9	2.96	4.14	0.08	0.02	0.04	0.026	0.11	6.4	15.0	0.18	1560	0.81	0.01
ZZ07455		0.56	24.1	3.54	3.13	0.11	0.04	0.02	0.036	0.14	14.7	22.0	0.32	1080	0.42	0.02
ZZ07456		0.56	18.7	3.26	3.61	0.07	0.02	0.01	0.026	0.10	6.6	21.3	0.19	177	0.70	0.01
ZZ07457		0.77	23.6	4.42	4.50	0.10	0.03	0.03	0.036	0.10	15.0	32.1	0.33	677	0.81	0.01
ZZ07458		0.78	12.3	3.05	5.14	0.08	0.04	0.01	0.036	0.11	6.4	32.3	0.33	393	0.43	0.02
ZZ07459		0.77	19.9	3.02	5.14	0.08	0.06	0.02	0.034	0.10	9.6	20.8	0.41	485	0.66	0.02
ZZ07460		0.47	19.2	2.97	3.73	0.09	0.05	0.01	0.030	0.10	6.1	19.8	0.35	549	0.60	0.02
ZZ07461		0.53	24.0	2.57	3.73	0.08	0.06	0.05	0.025	0.07	8.5	20.0	0.34	401	0.64	0.02
ZZ07462		0.41	22.4	2.95	3.91	0.09	0.09	0.02	0.029	0.11	6.3	22.4	0.40	438	0.69	0.02
ZZ07463		0.54	31.7	2.84	3.65	0.09	0.09	0.09	0.037	0.12	9.7	20.6	0.34	545	0.66	0.02
ZZ07464		1.07	21.6	3.71	4.45	0.08	0.03	0.01	0.043	0.15	4.5	18.7	0.21	396	0.75	0.01
ZZ07465		0.69	20.2	3.09	3.07	0.09	0.06	0.05	0.038	0.13	10.3	15.5	0.19	448	0.45	0.02
ZZ07466		0.51	10.9	2.08	3.45	0.07	0.02	0.14	0.024	0.07	6.9	11.5	0.23	459	0.39	0.02
ZZ07467		0.46	17.0	3.63	4.59	0.10	0.08	0.18	0.032	0.14	11.5	13.8	1.69	1940	0.53	0.03
ZZ07468		0.46	16.0	5.76	4.43	0.10	0.05	0.16	0.035	0.08	17.8	8.5	1.27	5340	0.71	0.03
ZZ07469		0.44	21.3	2.77	3.70	0.09	0.08	0.09	0.028	0.07	7.0	16.3	0.46	568	0.52	0.02
ZZ07470		0.52	17.8	2.66	3.49	0.08	0.07	0.84	0.026	0.13	7.0	10.9	2.16	924	0.45	0.03
ZZ07471		0.52	21.8	3.06	3.10	0.09	0.05	0.43	0.028	0.08	8.9	14.0	2.19	687	0.56	0.02
ZZ07472		0.54	21.0	3.46	4.29	0.09	0.06	0.15	0.031	0.10	11.0	28.9	0.81	781	0.48	0.02
ZZ07473		0.43	23.5	1.83	1.99	0.09	0.09	0.14	0.023	0.11	5.3	12.5	0.86	217	0.43	0.03
ZZ07474		0.55	20.2	2.67	2.44	0.09	0.09	0.14	0.027	0.11	7.0	16.4	1.08	379	0.42	0.02
ZZ07475		0.71	26.0	2.56	2.75	0.09	0.07	0.18	0.026	0.12	6.6	18.4	1.05	335	0.47	0.03
ZZ07476		0.66	27.5	3.13	3.42	0.09	0.06	0.21	0.034	0.13	8.1	22.3	0.67	521	0.57	0.02
ZZ07477		0.47	21.7	2.54	2.96	0.08	0.06	0.13	0.028	0.10	6.9	16.4	0.36	356	0.47	0.02

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 26- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen)

CERTIFICATE OF ANALYSIS WH11158632

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
ZZ07428		0.30	29.2	670	19.3	8.8	<0.001	0.03	0.44	5.0	1.6	0.6	128.0	<0.01	0.01	2.3
ZZ07429		0.16	22.4	730	12.5	5.8	<0.001	0.04	0.26	4.3	1.4	0.4	83.4	<0.01	0.02	2.1
ZZ07430		0.12	25.8	990	19.8	5.1	<0.001	0.03	1.60	3.8	1.7	0.3	113.5	<0.01	0.03	1.8
ZZ07431		0.13	19.3	880	13.3	6.5	<0.001	0.01	0.22	4.7	1.0	0.4	371	<0.01	0.03	2.6
ZZ07432		0.14	28.2	1430	24.2	7.1	<0.001	0.01	0.61	5.3	1.5	0.4	399	<0.01	0.02	5.0
ZZ07433		0.34	21.2	770	19.5	4.9	<0.001	0.03	0.47	2.4	0.8	0.4	510	<0.01	0.02	1.2
ZZ07434		0.32	24.0	1390	18.0	7.5	0.001	0.07	0.35	3.0	1.0	0.6	166.5	<0.01	0.04	0.9
ZZ07445		0.22	18.3	530	40.7	4.3	<0.001	0.03	0.95	3.3	0.5	0.3	28.8	<0.01	0.02	2.6
ZZ07446		0.33	13.4	1950	23.5	5.4	<0.001	0.13	0.66	2.1	1.1	0.4	21.2	<0.01	0.03	0.5
ZZ07447		0.64	22.5	950	32.7	10.7	0.001	0.03	0.66	5.6	1.0	0.6	13.4	<0.01	0.04	2.5
ZZ07448		0.98	13.7	330	12.4	9.7	<0.001	<0.01	0.32	2.6	0.3	0.8	8.2	<0.01	0.04	1.6
ZZ07449		0.10	11.1	1180	35.3	2.5	<0.001	0.05	2.80	1.6	0.5	0.4	82.2	<0.01	0.02	0.9
ZZ07450		0.88	9.0	250	10.4	20.9	<0.001	<0.01	0.29	2.8	0.2	0.8	4.7	<0.01	0.07	1.5
ZZ07451		0.27	31.8	630	56.5	13.4	<0.001	0.02	0.36	5.7	1.1	0.6	30.4	<0.01	0.03	2.1
ZZ07452		0.80	24.5	440	37.4	26.4	<0.001	0.03	0.20	5.4	0.4	1.3	11.4	<0.01	0.04	6.4
ZZ07453		0.38	14.9	210	8.0	11.8	<0.001	0.02	0.18	2.2	<0.2	0.5	6.6	<0.01	0.07	1.4
ZZ07454		0.58	20.2	950	28.7	18.6	<0.001	0.06	0.39	1.6	0.3	0.5	35.1	<0.01	0.05	0.7
ZZ07455		0.30	22.1	720	28.3	12.0	<0.001	0.05	0.32	3.9	0.5	0.3	37.4	<0.01	0.06	2.7
ZZ07456		0.59	21.5	240	22.5	12.4	<0.001	0.02	0.32	1.7	<0.2	0.5	6.7	<0.01	0.06	2.1
ZZ07457		0.43	32.7	260	26.1	10.1	<0.001	0.02	0.38	6.2	0.4	0.5	18.5	<0.01	0.05	5.5
ZZ07458		0.65	18.0	360	20.1	15.2	<0.001	0.03	0.24	3.0	<0.2	0.6	50.5	<0.01	0.04	1.9
ZZ07459		1.12	24.6	310	20.6	16.2	<0.001	0.03	0.34	4.4	0.3	0.7	60.8	<0.01	0.04	2.5
ZZ07460		0.68	21.7	350	18.5	9.4	<0.001	0.04	0.36	3.5	0.5	0.5	48.6	<0.01	0.04	2.7
ZZ07461		0.74	23.7	350	16.4	8.4	<0.001	0.06	0.42	3.9	0.6	0.5	73.0	<0.01	0.05	1.9
ZZ07462		0.65	22.8	260	18.2	8.6	<0.001	0.04	0.38	5.4	0.4	0.5	52.5	<0.01	0.05	3.6
ZZ07463		0.54	27.4	470	19.6	9.7	<0.001	0.06	0.42	5.5	0.9	0.6	61.8	<0.01	0.06	2.8
ZZ07464		0.69	29.5	290	22.9	16.3	<0.001	0.03	0.20	4.1	0.3	0.7	15.4	<0.01	0.05	3.4
ZZ07465		0.52	27.1	320	22.9	10.3	0.001	0.04	0.20	6.6	0.9	0.6	57.9	<0.01	0.02	4.2
ZZ07466		0.74	14.5	290	17.0	8.3	<0.001	0.04	0.24	2.0	0.3	0.5	72.3	<0.01	0.03	0.9
ZZ07467		0.63	20.5	670	31.2	12.9	<0.001	0.06	0.95	4.1	0.3	0.6	25.2	<0.01	0.06	1.9
ZZ07468		0.62	13.4	670	31.8	7.1	<0.001	0.06	1.28	3.6	0.5	0.5	18.9	0.01	0.08	1.4
ZZ07469		0.55	19.9	600	17.4	10.5	<0.001	0.07	0.39	2.8	0.6	0.5	37.4	<0.01	0.04	0.9
ZZ07470		0.47	15.2	860	32.3	9.3	<0.001	0.08	1.01	2.7	0.4	0.5	35.0	0.01	0.06	1.0
ZZ07471		0.47	19.8	710	29.5	7.2	<0.001	0.06	0.62	3.6	0.8	0.4	49.3	<0.01	0.05	1.4
ZZ07472		0.68	23.3	450	27.2	10.5	<0.001	0.05	0.43	5.1	0.5	0.6	66.4	<0.01	0.04	2.2
ZZ07473		0.30	16.5	630	16.2	7.2	<0.001	0.19	0.30	3.5	1.1	0.3	190.5	<0.01	0.04	1.7
ZZ07474		0.35	21.6	440	24.0	7.5	<0.001	0.08	0.31	4.2	0.8	0.4	107.5	<0.01	0.04	3.4
ZZ07475		0.41	21.3	610	21.1	10.2	0.002	0.14	0.43	4.6	2.3	0.4	171.5	<0.01	0.04	2.3
ZZ07476		0.49	25.4	540	25.5	9.8	<0.001	0.06	0.42	4.6	1.2	0.5	121.0	<0.01	0.05	2.5
ZZ07477		0.48	20.7	460	23.6	9.7	<0.001	0.11	0.38	3.7	1.0	0.4	155.5	<0.01	0.05	1.6

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 26- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen)

CERTIFICATE OF ANALYSIS WH11158632

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
ZZ07428		0.007	0.02	2.90	29	<0.05	13.80	117	3.1
ZZ07429		<0.005	<0.02	1.78	16	<0.05	14.80	89	2.1
ZZ07430		<0.005	<0.02	2.37	17	<0.05	13.80	105	3.2
ZZ07431		<0.005	<0.02	4.10	15	<0.05	11.40	72	2.2
ZZ07432		<0.005	0.08	4.94	16	0.07	15.10	91	3.9
ZZ07433		0.006	<0.02	5.42	19	0.10	11.35	72	2.8
ZZ07434		<0.005	0.03	3.02	22	0.07	18.70	98	1.5
ZZ07445		<0.005	<0.02	0.87	12	0.05	8.58	76	2.6
ZZ07446		0.008	<0.02	1.93	21	0.06	18.30	56	1.4
ZZ07447		0.009	0.09	2.20	37	0.15	23.3	134	2.1
ZZ07448		0.010	0.03	0.45	42	0.13	2.24	48	1.1
ZZ07449		<0.005	0.06	1.15	9	<0.05	10.05	36	2.4
ZZ07450		0.019	<0.02	0.45	21	0.25	1.56	22	<0.5
ZZ07451		<0.005	0.06	1.31	24	0.05	30.2	61	1.6
ZZ07452		0.012	0.09	0.79	36	0.05	10.45	81	1.4
ZZ07453		<0.005	<0.02	0.29	24	<0.05	2.24	60	1.2
ZZ07454		0.011	<0.02	0.61	33	0.07	3.69	68	0.6
ZZ07455		0.005	<0.02	1.35	26	<0.05	14.35	65	2.1
ZZ07456		0.006	<0.02	0.43	28	0.07	2.18	69	0.9
ZZ07457		<0.005	<0.02	0.76	28	0.05	12.10	66	2.0
ZZ07458		0.006	<0.02	0.50	30	0.06	4.13	55	1.2
ZZ07459		0.012	0.02	2.35	35	0.16	6.83	64	1.5
ZZ07460		0.014	<0.02	0.83	27	0.10	4.52	57	1.8
ZZ07461		0.009	<0.02	0.83	27	0.08	7.77	58	2.0
ZZ07462		0.008	<0.02	0.76	28	0.07	4.55	78	2.7
ZZ07463		0.005	<0.02	1.33	25	0.07	11.20	66	2.8
ZZ07464		0.008	0.04	0.44	23	0.07	3.05	111	1.2
ZZ07465		0.006	0.02	0.66	17	0.05	13.00	85	1.9
ZZ07466		0.010	<0.02	0.79	24	0.09	4.17	47	0.8
ZZ07467		0.010	0.04	0.99	32	0.10	10.10	156	2.0
ZZ07468		0.013	<0.02	0.82	32	0.07	14.60	224	1.5
ZZ07469		0.007	<0.02	1.21	26	0.06	7.62	107	1.8
ZZ07470		0.005	<0.02	0.73	22	0.06	7.56	587	1.8
ZZ07471		0.009	<0.02	1.34	24	0.12	10.15	172	1.3
ZZ07472		0.009	<0.02	1.16	32	0.15	10.90	173	1.4
ZZ07473		<0.005	<0.02	2.35	12	<0.05	8.18	96	2.7
ZZ07474		0.005	<0.02	0.77	16	<0.05	8.17	89	2.7
ZZ07475		0.006	<0.02	1.26	18	0.05	8.60	112	2.5
ZZ07476		0.007	<0.02	1.59	23	0.07	9.46	114	2.1
ZZ07477		0.005	<0.02	2.95	19	0.05	8.96	86	2.0

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 26- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen)

CERTIFICATE OF ANALYSIS WH11158632

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg .02	Au- TL43 Au ppm 0.001	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1
ZZ07478		0.18	0.001	0.13	1.10	10.5	<0.2	<10	130	0.97	0.31	1.27	0.17	21.5	11.2	19
ZZ07479		0.10	0.001	0.08	0.68	6	<0.2	10	140	0.62	0.17	11.05	0.28	11.60	6.9	12
ZZ07480		0.10	0.001	0.13	0.98	9.6	<0.2	10	120	0.76	0.26	2.12	0.23	17.45	9.6	17

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 26- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen)

CERTIFICATE OF ANALYSIS WH11158632

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
ZZ07478		0.75	26.1	3.05	3.39	0.09	0.08	0.19	0.028	0.12	8.7	19.3	0.38	511	0.49	0.02
ZZ07479		0.71	17.7	1.86	2.10	0.08	0.06	0.10	0.021	0.09	4.8	14.9	0.79	295	0.33	0.03
ZZ07480		0.69	27.1	2.72	3.09	0.09	0.07	0.15	0.029	0.12	7.2	20.1	0.85	264	0.51	0.02

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 26- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen)

CERTIFICATE OF ANALYSIS WH11158632

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
ZZ07478		0.52	24.8	620	26.4	10.6	<0.001	0.06	0.36	4.8	0.9	0.5	84.6	<0.01	0.05	2.9
ZZ07479		0.30	16.4	480	15.4	8.1	0.001	0.14	0.28	3.0	1.3	0.3	370	<0.01	0.05	1.9
ZZ07480		0.45	22.5	630	21.2	9.9	0.002	0.09	0.42	4.2	1.6	0.4	126.5	<0.01	0.03	2.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 26- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen)

CERTIFICATE OF ANALYSIS WH11158632

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
ZZ07478		0.008	<0.02	1.66	21	0.06	10.25	122	2.5
ZZ07479		0.005	<0.02	0.95	13	<0.05	6.53	107	1.9
ZZ07480		0.006	<0.02	2.27	19	0.08	9.00	112	2.4

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 26- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen)

CERTIFICATE OF ANALYSIS WH11158632

Method	CERTIFICATE COMMENTS
ALL METHODS	NSS is non- sufficient sample.
ME- MS41	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown.
ME- MS41	Gold determinations by this method are semi- quantitative due to the small sample weight used (0.5g).

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 25- AUG- 2011
Account: RCM

CERTIFICATE WH11158638

Project: RACKLA DALE INFILL

P.O. No.:

This report is for 185 Soil samples submitted to our lab in Whitehorse, YT, Canada on 15- AUG- 2011.

The following have access to data associated with this certificate:

ROB CARNE JULIA LANE	ANDREW CARNE JOAN MARIACHER	MATT DUMALA

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
SCR- 41	Screen to - 180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- TL43	Trace Level Au - 25g AR	ICP- MS
ME- MS41	51 anal. aqua regia ICPMS	

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 25- AUG- 2011
Account: RCM

Project: RACKLA DALE INFILL

CERTIFICATE OF ANALYSIS WH11158638

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- TL43 Au ppm 0.001	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1
DD003878		0.34	0.002	0.05	1.74	26.7	<0.2	<10	140	0.96	0.33	0.09	0.19	31.8	22.4	24
DD003879		0.28	0.001	0.04	1.68	14.4	<0.2	<10	130	0.55	0.30	0.05	0.09	19.90	13.7	24
DD003880		0.26	0.001	0.05	1.55	14.5	<0.2	<10	160	0.56	0.29	0.22	0.12	19.20	11.5	25
DD003881		0.38	0.002	0.08	0.81	13.7	<0.2	<10	470	1.08	0.34	0.50	0.12	16.35	16.0	20
DD003882		0.36	0.004	0.08	0.71	24.5	<0.2	<10	90	1.17	0.35	0.87	0.20	19.45	17.4	24
DD003883		0.34	0.003	0.08	0.74	46.7	<0.2	<10	100	1.19	0.29	0.71	0.11	18.60	16.5	20
DD003884		0.32	0.002	0.03	2.04	20.3	<0.2	<10	140	0.99	0.33	0.04	0.11	23.5	22.5	26
DD003885		0.32	0.001	0.05	1.79	17.2	<0.2	<10	180	0.88	0.32	0.11	0.12	24.8	18.7	25
DD003886		0.28	0.001	0.03	1.96	18.1	<0.2	<10	130	0.81	0.32	0.04	0.18	29.0	18.3	28
DD003887		0.26	0.001	0.08	1.78	12.6	<0.2	<10	210	0.81	0.29	0.38	0.35	25.4	11.4	29
DD003888		0.26	0.001	0.06	1.78	16.8	<0.2	<10	210	0.73	0.30	0.25	0.42	20.0	15.6	25
DD003889		0.28	0.001	0.09	2.10	8.5	<0.2	<10	170	1.17	0.42	0.21	0.19	58.8	16.2	23
DD003890		0.32	0.001	0.05	1.62	15.7	<0.2	<10	190	0.77	0.31	0.11	0.12	23.6	13.5	25
DD003891		0.26	0.002	0.06	2.36	22.3	<0.2	<10	190	1.18	0.33	0.06	0.16	33.9	20.6	30
DD003892		0.26	0.001	0.06	1.47	13.3	<0.2	<10	160	0.48	0.33	0.09	0.11	20.5	9.7	26
DD003893		0.26	0.001	0.04	1.61	25.7	<0.2	<10	110	0.62	0.33	0.05	0.11	21.8	11.8	25
DD003894		0.32	0.001	0.08	1.46	31.0	<0.2	<10	170	0.55	0.32	0.12	0.22	25.4	8.7	24
DD003895		0.26	<0.001	0.06	1.43	23.7	<0.2	<10	160	0.50	0.29	0.25	0.14	19.10	9.9	24
DD003896		0.28	0.001	0.06	1.19	10.0	<0.2	<10	150	0.43	0.30	0.09	0.08	19.40	7.6	20
DD003897		0.34	0.001	0.07	1.90	59.7	<0.2	<10	130	1.20	0.31	0.06	0.36	29.4	19.6	27
DD003898		0.32	0.002	0.05	1.76	70.0	<0.2	<10	160	0.85	0.28	0.10	0.17	30.7	15.8	27
DD003899		0.30	0.001	0.08	1.24	21.5	<0.2	<10	150	0.56	0.29	0.12	0.10	18.70	11.7	21
DD003900		0.24	0.001	0.11	1.45	18.0	<0.2	<10	180	0.88	0.28	0.36	0.12	19.45	10.5	21
DD003951		0.30	0.001	0.04	1.68	14.3	<0.2	<10	200	0.84	0.29	0.15	0.10	20.6	13.7	25
DD003952		0.32	0.001	0.05	1.66	12.5	<0.2	<10	160	0.54	0.29	0.09	0.19	20.6	11.4	24
DD003953		0.28	0.001	0.05	1.60	15.1	<0.2	<10	120	0.56	0.31	0.09	0.17	30.7	10.5	25
DD003954		0.32	0.001	0.05	1.72	13.9	<0.2	<10	190	0.74	0.23	0.32	0.19	29.9	10.4	27
DD003955		0.30	0.003	0.20	0.98	31.6	<0.2	<10	120	1.15	0.22	1.14	0.90	31.7	11.3	19
DD003956		0.38	0.003	0.10	1.24	11.6	<0.2	<10	170	0.92	0.25	0.51	0.19	34.2	12.8	24
DD003957		0.30	0.001	0.20	1.74	13.0	<0.2	<10	180	0.75	0.30	0.09	0.15	22.0	13.0	26
DD003958		0.28	0.001	0.08	1.90	13.4	<0.2	<10	150	1.00	0.32	0.10	0.14	31.0	19.2	27
DD003959		0.40	0.001	0.05	1.81	16.6	<0.2	<10	140	1.09	0.30	0.06	0.22	29.6	21.9	25
DD003960		0.26	0.002	0.01	2.12	14.5	<0.2	<10	130	1.11	0.31	0.04	0.14	27.5	24.1	28
DD003961		0.30	0.002	0.06	1.34	10.5	<0.2	<10	160	0.96	0.29	0.68	0.18	27.6	15.1	28
DD003962		0.34	0.001	0.04	0.80	7.3	<0.2	<10	110	1.23	0.34	0.82	0.20	21.7	15.3	23
DD003963		0.32	0.022	0.02	1.42	18.1	<0.2	<10	210	1.16	0.31	0.39	0.06	22.6	15.4	26
DD003964		0.36	0.001	0.03	1.89	23.5	<0.2	<10	200	0.91	0.33	0.37	0.10	22.5	21.1	28
DD003965		0.30	0.001	0.04	1.68	28.1	<0.2	<10	130	1.15	0.33	0.19	0.22	25.4	24.3	25
DD003966		0.28	0.003	0.12	1.25	33.0	<0.2	<10	200	1.08	0.29	0.44	0.21	23.4	16.0	20
DD003967		0.32	<0.001	0.23	1.13	16.6	<0.2	<10	230	1.12	0.27	0.26	0.11	23.2	9.6	13

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 25- AUG- 2011
Account: RCM

Project: RACKLA DALE INFILL

CERTIFICATE OF ANALYSIS WH11158638

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
DD003878		2.80	61.4	4.67	4.82	0.11	0.07	0.13	0.036	0.06	12.6	40.0	0.60	850	1.37	<0.01
DD003879		1.78	38.3	4.36	5.97	0.08	0.05	0.04	0.033	0.07	8.6	29.2	0.44	454	0.86	<0.01
DD003880		1.91	27.2	3.54	5.63	0.08	0.04	0.05	0.028	0.07	9.4	19.8	0.31	538	1.15	<0.01
DD003881		1.34	35.3	3.56	2.73	0.08	0.09	0.05	0.035	0.07	7.1	10.0	0.20	770	0.52	<0.01
DD003882		1.32	46.3	3.70	2.43	0.09	0.10	0.08	0.041	0.08	8.2	9.9	0.26	433	0.44	<0.01
DD003883		4.60	45.6	3.53	2.30	0.10	0.13	0.10	0.036	0.09	8.6	12.1	0.24	373	0.31	<0.01
DD003884		1.79	56.5	5.12	5.96	0.11	0.07	0.04	0.041	0.09	9.4	48.5	0.62	605	0.80	<0.01
DD003885		1.52	43.0	4.71	5.57	0.10	0.07	0.05	0.040	0.07	8.3	37.8	0.49	803	0.85	<0.01
DD003886		3.81	38.9	4.09	6.09	0.09	0.05	0.04	0.035	0.08	12.0	36.1	0.52	605	0.95	<0.01
DD003887		7.33	41.1	3.69	7.41	0.07	0.03	0.03	0.035	0.06	9.3	37.1	0.59	580	1.06	<0.01
DD003888		1.35	44.1	4.76	6.20	0.09	0.05	0.05	0.041	0.07	7.8	38.5	0.51	645	0.98	<0.01
DD003889		1.10	21.7	3.43	5.75	0.11	0.08	0.03	0.046	0.05	22.0	42.8	0.52	908	0.65	<0.01
DD003890		1.46	27.1	3.93	6.47	0.09	<0.02	0.05	0.035	0.05	9.4	29.2	0.46	700	1.18	<0.01
DD003891		1.68	48.3	5.02	6.35	0.11	0.08	0.04	0.040	0.09	10.4	53.2	0.67	802	0.78	<0.01
DD003892		1.92	21.8	3.97	7.52	0.08	<0.02	0.03	0.030	0.07	9.7	14.7	0.29	517	1.78	<0.01
DD003893		2.04	30.1	4.09	6.90	0.08	0.02	0.02	0.034	0.07	9.9	29.3	0.38	481	1.08	<0.01
DD003894		1.64	18.0	3.34	7.83	0.08	<0.02	0.02	0.029	0.06	11.8	22.0	0.27	554	1.37	<0.01
DD003895		1.34	23.0	3.77	6.74	0.07	<0.02	0.04	0.031	0.07	8.9	23.9	0.37	421	1.13	<0.01
DD003896		2.42	22.0	2.57	5.76	0.07	<0.02	0.02	0.024	0.07	9.1	13.8	0.23	375	1.00	<0.01
DD003897		1.69	48.6	6.18	5.31	0.12	0.08	0.09	0.052	0.07	9.4	39.4	0.52	1260	0.83	<0.01
DD003898		1.39	31.4	4.12	5.33	0.09	0.06	0.19	0.036	0.07	11.3	37.3	0.52	554	0.86	<0.01
DD003899		1.29	28.6	3.57	6.01	0.08	0.03	0.03	0.027	0.08	8.4	20.9	0.30	695	0.99	<0.01
DD003900		1.63	23.7	3.91	4.82	0.09	0.04	0.03	0.034	0.07	7.3	19.6	0.28	698	0.82	<0.01
DD003951		1.60	32.5	4.39	6.20	0.10	0.03	0.03	0.037	0.08	9.0	27.3	0.36	697	1.08	<0.01
DD003952		1.50	29.6	4.45	6.66	0.10	0.03	0.03	0.030	0.07	9.2	24.7	0.36	675	1.10	<0.01
DD003953		1.80	18.5	3.65	5.98	0.10	<0.02	0.03	0.028	0.06	11.9	17.9	0.34	675	1.54	<0.01
DD003954		1.37	21.7	3.23	5.08	0.10	0.06	0.04	0.028	0.06	13.2	20.5	0.55	389	0.96	0.01
DD003955		0.76	29.7	3.08	2.70	0.09	0.09	0.13	0.031	0.06	14.2	12.4	0.33	540	1.08	<0.01
DD003956		1.95	35.2	3.15	3.82	0.10	0.06	0.06	0.030	0.08	15.7	15.6	0.39	437	0.83	0.01
DD003957		1.80	29.5	4.27	5.90	0.10	0.02	0.02	0.029	0.08	9.5	27.6	0.42	779	1.07	<0.01
DD003958		1.40	34.7	4.56	5.61	0.10	0.06	0.04	0.033	0.07	10.2	43.2	0.64	734	0.83	0.01
DD003959		1.33	66.4	4.94	4.81	0.11	0.06	0.05	0.037	0.07	10.8	34.0	0.61	807	0.65	<0.01
DD003960		1.54	54.3	4.97	5.63	0.08	0.08	0.03	0.036	0.10	11.6	50.3	0.75	709	0.54	<0.01
DD003961		2.21	43.7	4.18	3.94	0.11	0.05	0.05	0.032	0.10	11.7	23.0	0.48	466	0.55	0.01
DD003962		1.75	42.3	3.55	2.75	0.13	0.05	0.03	0.037	0.11	8.3	14.7	0.44	581	0.29	<0.01
DD003963		1.33	34.7	3.69	4.13	0.09	0.07	0.03	0.030	0.06	8.2	24.3	0.50	568	0.48	0.01
DD003964		2.01	42.6	4.90	5.51	0.10	0.08	0.05	0.035	0.09	9.7	35.0	0.63	700	0.86	<0.01
DD003965		2.81	68.9	5.61	4.85	0.11	0.07	0.05	0.044	0.09	9.0	35.6	0.57	1000	1.01	<0.01
DD003966		4.27	36.3	3.96	3.75	0.10	0.08	0.31	0.032	0.10	10.0	16.0	0.31	566	1.50	0.01
DD003967		8.41	27.2	3.11	2.77	0.11	0.08	0.18	0.031	0.09	8.2	6.1	0.12	368	2.04	0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 25- AUG- 2011
Account: RCM

Project: RACKLA DALE INFILL

CERTIFICATE OF ANALYSIS WH11158638

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
DD003878		0.14	39.4	860	23.4	9.6	<0.001	0.01	0.66	5.6	1.0	0.3	14.2	<0.01	0.09	4.2
DD003879		0.42	24.4	780	17.8	11.7	<0.001	0.03	0.55	3.4	0.5	0.4	7.8	<0.01	0.09	1.6
DD003880		0.52	22.2	910	15.9	17.2	<0.001	0.04	0.61	3.7	0.6	0.5	13.6	<0.01	0.09	1.3
DD003881		0.18	36.3	430	19.3	7.0	<0.001	0.03	0.45	6.2	0.7	0.5	35.9	<0.01	0.06	2.4
DD003882		0.21	50.5	680	20.4	5.9	<0.001	0.03	0.45	8.0	0.9	0.4	52.4	0.01	0.05	3.7
DD003883		0.14	42.4	880	18.5	9.7	<0.001	0.04	0.46	8.2	1.1	0.3	39.6	0.01	0.05	3.6
DD003884		0.21	34.5	650	24.4	12.6	<0.001	0.02	0.59	4.9	0.6	0.4	7.3	<0.01	0.11	2.6
DD003885		0.32	28.0	1210	23.9	13.0	<0.001	0.05	0.58	3.6	0.7	0.4	11.3	<0.01	0.10	1.5
DD003886		0.46	33.4	600	17.9	14.6	<0.001	0.03	0.54	3.8	0.8	0.5	9.5	<0.01	0.08	1.9
DD003887		0.57	21.1	820	17.8	16.8	<0.001	0.04	0.44	2.9	0.7	0.6	21.1	<0.01	0.08	1.0
DD003888		0.33	28.2	670	19.4	13.6	<0.001	0.04	0.50	4.4	0.5	0.4	18.5	<0.01	0.10	1.7
DD003889		0.53	26.6	1230	20.6	7.9	<0.001	0.04	0.35	3.6	0.9	0.4	18.8	0.01	0.17	2.3
DD003890		0.40	21.1	780	40.4	12.9	<0.001	0.03	0.68	2.2	0.6	0.6	11.1	<0.01	0.09	0.5
DD003891		0.35	40.4	580	24.8	13.4	<0.001	0.03	0.52	5.0	0.7	0.4	9.9	<0.01	0.09	2.8
DD003892		0.65	19.7	700	15.6	13.8	<0.001	0.05	0.81	1.5	0.7	0.8	10.5	<0.01	0.08	0.2
DD003893		0.73	20.6	440	18.0	16.4	<0.001	0.02	0.48	3.8	0.5	0.6	9.1	<0.01	0.10	1.9
DD003894		0.93	15.8	380	14.0	15.0	<0.001	0.02	0.51	2.7	0.5	0.8	13.8	<0.01	0.07	0.9
DD003895		0.48	19.7	780	15.0	12.3	<0.001	0.04	0.53	1.8	0.6	0.6	19.8	<0.01	0.08	0.3
DD003896		0.37	16.0	800	11.6	17.1	<0.001	0.04	0.41	1.6	0.4	0.6	10.6	<0.01	0.07	0.3
DD003897		0.32	31.8	990	26.1	13.1	<0.001	0.03	0.49	5.6	0.7	0.4	9.9	<0.01	0.10	2.3
DD003898		0.56	30.5	580	17.5	10.6	<0.001	0.02	0.58	4.5	0.6	0.4	14.3	<0.01	0.08	2.4
DD003899		0.47	18.9	870	16.1	16.8	<0.001	0.04	0.45	2.6	0.5	0.5	14.3	<0.01	0.08	0.8
DD003900		0.39	18.8	1300	20.8	16.3	<0.001	0.07	0.36	2.8	0.2	0.6	23.8	<0.01	0.05	1.1
DD003951		0.48	19.5	950	19.8	12.7	<0.001	0.03	0.49	2.8	<0.2	0.6	14.8	<0.01	0.08	1.0
DD003952		0.47	17.7	610	13.4	13.2	<0.001	0.02	0.47	3.2	0.2	0.6	8.4	<0.01	0.08	1.7
DD003953		0.45	20.2	700	19.4	12.8	<0.001	0.04	0.69	1.3	0.2	0.7	9.0	<0.01	0.02	0.3
DD003954		0.55	27.0	870	11.5	9.3	<0.001	0.03	0.56	3.0	0.3	0.5	22.7	<0.01	0.05	1.5
DD003955		0.22	23.7	820	21.8	9.4	<0.001	0.05	0.44	3.7	0.7	0.4	65.3	<0.01	0.03	1.3
DD003956		0.44	26.3	570	12.5	9.1	<0.001	0.03	0.50	3.5	0.7	0.5	44.5	<0.01	0.03	1.4
DD003957		0.34	20.4	1200	18.4	15.0	<0.001	0.05	0.49	1.9	<0.2	0.5	8.9	<0.01	0.07	0.6
DD003958		0.35	25.9	1040	22.7	9.8	<0.001	0.04	0.46	2.8	0.2	0.4	8.6	<0.01	0.05	1.6
DD003959		0.15	32.3	570	23.0	7.8	<0.001	0.02	0.53	4.9	0.3	0.3	6.6	<0.01	0.07	2.4
DD003960		0.13	37.2	450	23.9	8.9	<0.001	0.01	0.51	4.2	0.2	0.4	7.4	<0.01	0.07	3.0
DD003961		0.16	34.6	790	16.0	9.0	<0.001	0.02	0.41	5.2	<0.2	0.5	25.6	<0.01	0.03	2.4
DD003962		0.12	43.8	770	17.7	7.3	<0.001	0.03	0.28	6.7	0.3	0.6	38.4	<0.01	0.02	3.8
DD003963		0.23	34.5	280	18.9	9.2	<0.001	0.02	0.35	4.5	0.3	0.6	29.6	<0.01	0.03	2.9
DD003964		0.31	30.9	610	21.3	11.8	<0.001	0.02	0.64	4.8	<0.2	0.5	23.1	<0.01	0.06	2.0
DD003965		0.16	33.8	790	28.6	10.2	<0.001	0.03	0.66	6.0	0.4	0.4	13.8	<0.01	0.06	2.6
DD003966		0.25	31.1	1860	17.8	9.1	<0.001	0.08	0.55	4.4	0.4	0.5	41.6	<0.01	0.05	1.9
DD003967		0.09	21.0	2610	12.3	19.8	0.001	0.09	0.33	3.1	0.7	0.6	30.9	<0.01	0.02	1.2

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 25- AUG- 2011
Account: RCM

Project: RACKLA DALE INFILL

CERTIFICATE OF ANALYSIS WH11158638

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
DD003878		<0.005	0.19	0.96	33	0.05	8.36	89	1.7
DD003879		0.008	0.13	0.48	42	0.09	3.74	63	1.2
DD003880		0.013	0.16	0.98	49	0.16	4.51	67	0.9
DD003881		<0.005	0.14	1.63	22	0.05	11.25	86	1.8
DD003882		<0.005	0.18	2.29	24	0.05	15.55	116	2.6
DD003883		<0.005	0.18	1.71	21	0.07	20.7	111	2.9
DD003884		<0.005	0.13	0.46	41	0.05	4.87	75	1.8
DD003885		0.006	0.12	0.62	40	0.11	5.78	76	1.6
DD003886		0.009	0.19	0.70	43	0.09	4.76	90	1.1
DD003887		0.012	0.19	1.18	54	0.11	4.72	83	0.7
DD003888		0.005	0.12	0.57	48	0.06	4.23	89	1.3
DD003889		0.011	0.12	1.19	30	0.11	12.90	53	1.8
DD003890		0.014	0.15	0.71	51	0.13	4.40	199	<0.5
DD003891		0.006	0.13	0.62	45	0.10	5.83	78	2.0
DD003892		0.024	0.17	0.61	63	0.19	3.17	62	<0.5
DD003893		0.015	0.17	0.61	52	0.15	3.27	64	<0.5
DD003894		0.026	0.20	0.69	63	0.21	3.75	63	<0.5
DD003895		0.016	0.18	0.72	52	0.15	3.17	66	<0.5
DD003896		0.014	0.16	0.63	46	0.14	2.80	56	<0.5
DD003897		0.007	0.46	0.94	42	0.07	7.39	112	2.3
DD003898		0.013	0.56	1.00	41	0.14	5.67	75	1.4
DD003899		0.011	0.15	0.64	47	0.12	2.88	56	0.6
DD003900		0.007	0.19	0.89	40	0.09	4.76	79	0.9
DD003951		0.011	0.15	0.53	54	0.10	2.81	70	0.6
DD003952		0.010	0.15	0.49	57	0.10	2.42	62	0.8
DD003953		0.025	0.16	0.78	53	0.23	4.39	68	<0.5
DD003954		0.017	0.13	1.03	44	0.19	5.05	90	1.3
DD003955		0.006	0.11	6.10	30	0.06	11.80	145	2.1
DD003956		0.015	0.12	2.53	38	0.12	9.72	83	1.2
DD003957		0.012	0.13	0.83	50	0.12	3.67	79	0.5
DD003958		0.009	0.11	0.83	39	0.07	4.66	73	1.6
DD003959		<0.005	0.10	0.56	38	<0.05	6.55	82	1.7
DD003960		<0.005	0.09	0.45	38	<0.05	4.35	80	2.1
DD003961		0.005	0.12	1.26	34	<0.05	11.10	95	1.1
DD003962		<0.005	0.09	1.84	20	<0.05	12.20	112	1.6
DD003963		0.006	0.13	1.61	28	0.05	5.21	80	1.8
DD003964		0.007	0.16	0.68	47	0.07	3.83	86	1.9
DD003965		<0.005	0.17	0.69	39	0.05	6.55	109	1.9
DD003966		0.005	0.27	1.19	36	0.10	14.65	79	1.7
DD003967		<0.005	0.36	1.40	25	<0.05	19.20	54	1.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 25- AUG- 2011
Account: RCM

Project: RACKLA DALE INFILL

CERTIFICATE OF ANALYSIS WH11158638

Sample Description	Method	WEI- 21	Au- TL43	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Recvd Wt.	Au	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
DD003968		0.26	0.003	0.19	1.90	17.9	<0.2	<10	200	1.29	0.27	0.26	0.30	27.0	14.8	25
DD003969		0.34	0.001	0.13	1.12	666	<0.2	<10	110	1.09	0.35	0.98	0.36	20.2	21.9	17
DD003970		0.30	0.002	0.15	0.94	506	<0.2	<10	120	0.95	0.31	1.89	0.42	16.60	20.5	14
DD003201		0.26	0.001	0.03	2.36	14.2	<0.2	<10	170	1.16	0.32	0.03	0.09	35.9	24.3	31
DD003202		0.22	0.001	0.05	1.87	28.1	<0.2	<10	180	1.15	0.30	0.09	0.27	23.1	17.5	26
DD003203		0.20	0.003	0.16	1.44	14.0	<0.2	<10	200	0.98	0.29	0.31	0.05	14.85	9.4	20
DD003204		0.24	0.001	0.08	0.88	13.9	<0.2	<10	170	1.26	0.29	0.78	0.17	17.75	12.0	15
DD003205		0.20	0.001	0.06	0.73	14.1	<0.2	<10	140	0.79	0.18	2.52	0.39	21.5	7.5	14
DD003206		0.24	0.001	0.05	0.69	9.2	<0.2	<10	110	0.80	0.26	1.58	0.15	21.6	7.9	16
DD003207		0.22	0.001	0.06	0.66	19.3	<0.2	<10	150	1.15	0.37	0.79	0.19	22.6	13.5	19
DD003208		0.28	0.002	0.06	1.24	25.2	<0.2	<10	180	1.29	0.31	0.45	0.13	32.4	13.8	28
DD003209		0.22	<0.001	0.10	2.24	12.2	<0.2	<10	240	1.39	0.26	0.73	0.29	31.2	10.8	28
DD003210		0.28	0.002	0.34	1.22	261	<0.2	<10	240	1.28	0.23	1.15	0.31	31.0	12.8	21
DD003211		0.20	<0.001	0.26	0.59	38.5	<0.2	<10	140	1.04	0.17	0.83	0.32	31.9	8.8	12
DD003212		0.24	<0.001	0.07	1.41	19.3	<0.2	<10	240	0.93	0.24	0.48	0.23	20.5	12.6	21
DD003213		0.26	<0.001	0.06	1.80	13.9	<0.2	<10	170	0.72	0.28	0.13	0.21	32.0	12.6	29
DD003214		0.32	<0.001	0.02	2.16	17.3	<0.2	<10	140	0.85	0.34	0.03	0.11	25.9	24.9	29
DD003215		0.22	<0.001	0.05	1.73	7.9	<0.2	<10	120	0.41	0.26	0.07	0.19	20.7	5.7	24
DD003216		0.24	<0.001	0.07	1.63	17.4	<0.2	<10	130	0.39	0.30	0.05	0.12	24.4	11.6	24
DD003217		0.24	<0.001	0.06	1.70	18.9	<0.2	<10	160	0.42	0.28	0.08	0.09	21.8	7.7	26
DD003218		0.20	<0.001	0.13	1.19	16.2	<0.2	<10	160	0.42	0.35	0.07	0.18	17.65	7.3	21
DD003219		0.26	<0.001	0.06	1.65	26.3	<0.2	<10	170	0.68	0.33	0.09	0.26	20.1	12.0	32
DD003220		0.24	<0.001	0.11	1.85	16.4	<0.2	<10	170	0.71	0.39	0.13	0.22	24.9	10.1	26
DD003221		0.18	<0.001	0.05	1.65	9.5	<0.2	<10	120	0.37	0.27	0.07	0.11	22.2	6.0	24
DD003222		0.22	0.001	0.10	2.54	18.6	<0.2	<10	100	0.81	0.31	0.04	0.22	22.2	15.1	33
DD003223		0.26	0.001	0.05	2.08	41.5	<0.2	<10	190	1.20	0.37	0.11	0.25	36.0	22.3	29
DD003224		0.30	0.001	0.04	1.55	15.0	<0.2	<10	110	0.58	0.30	0.06	0.20	23.4	12.6	25
DD003225		0.30	0.001	0.30	1.55	273	<0.2	<10	220	1.18	0.31	0.72	0.23	19.50	11.3	26
DD003226		0.30	<0.001	0.07	1.70	31.5	<0.2	<10	170	0.92	0.30	0.47	0.15	24.4	16.5	26
DD003227		0.26	<0.001	0.09	1.60	24.1	<0.2	<10	190	0.88	0.29	0.95	0.32	22.8	16.3	26
DD003228		0.20	0.002	0.16	1.27	37.6	<0.2	<10	160	0.96	0.24	1.29	0.19	21.2	9.2	18
DD003229		0.28	0.001	0.09	1.89	18.6	<0.2	<10	210	0.99	0.30	0.65	0.23	31.4	13.0	27
DD003230		0.28	0.001	0.05	2.02	18.1	<0.2	<10	140	0.93	0.32	0.41	0.13	26.7	16.3	27
DD003231		0.26	0.002	0.09	0.60	136.0	<0.2	<10	120	0.96	0.34	1.16	0.28	19.25	14.6	19
DD003232		0.18	0.001	0.07	0.78	34.1	<0.2	<10	200	0.90	0.25	2.14	0.33	20.9	9.6	17
DD003233		0.32	0.005	0.06	0.40	27.3	<0.2	<10	60	1.22	0.42	0.90	0.09	10.00	15.3	19
DD003234		0.20	0.002	0.08	0.79	22.0	<0.2	<10	210	1.06	0.24	2.29	0.20	16.15	8.9	16
DD003235		0.20	0.002	0.09	0.84	19.7	<0.2	<10	100	1.22	0.36	0.98	0.12	16.20	14.4	15
DD003236		0.28	0.001	0.15	1.03	18.8	<0.2	<10	160	0.98	0.37	0.24	0.21	18.55	11.8	14
DD003237		0.26	<0.001	0.10	1.47	26.5	<0.2	<10	180	0.47	0.32	0.14	0.37	19.55	11.2	26

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 25- AUG- 2011
Account: RCM

Project: RACKLA DALE INFILL

CERTIFICATE OF ANALYSIS WH11158638

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
DD003968		7.10	62.0	4.77	4.86	0.14	0.11	0.11	0.042	0.10	13.6	34.2	0.52	685	0.72	<0.01
DD003969		2.16	69.2	4.64	3.15	0.10	0.11	3.07	0.042	0.08	10.0	22.3	0.40	535	1.17	0.01
DD003970		2.25	64.6	4.32	2.49	0.11	0.06	1.89	0.042	0.08	8.1	13.7	0.28	500	1.79	0.01
DD003201		1.59	53.4	5.13	6.15	0.11	0.06	0.06	0.036	0.12	14.3	54.1	0.81	720	0.52	0.01
DD003202		2.35	48.6	5.01	5.31	0.10	0.08	0.05	0.040	0.08	8.3	36.6	0.51	582	0.81	<0.01
DD003203		2.10	27.5	3.60	4.40	0.09	0.06	0.09	0.035	0.08	5.4	11.2	0.22	398	1.47	0.01
DD003204		0.81	27.9	3.60	2.55	0.10	0.08	0.08	0.033	0.07	8.6	8.8	0.19	410	0.55	0.01
DD003205		1.32	19.0	2.14	2.07	0.09	0.05	0.09	0.026	0.05	9.5	4.2	0.11	369	0.51	0.01
DD003206		1.95	23.6	2.70	1.95	0.11	0.07	0.06	0.030	0.09	10.4	7.0	0.16	204	0.38	0.01
DD003207		5.52	34.3	3.58	1.91	0.12	0.09	0.05	0.038	0.11	11.0	9.2	0.16	244	0.31	<0.01
DD003208		14.10	44.8	3.67	3.61	0.12	0.08	0.07	0.033	0.10	14.5	20.7	0.38	431	0.49	<0.01
DD003209		3.72	24.6	4.17	4.99	0.10	0.03	0.06	0.049	0.05	11.3	28.7	0.35	698	1.05	0.01
DD003210		3.17	36.2	3.92	3.38	0.12	0.11	0.31	0.033	0.08	14.5	13.0	0.32	624	1.54	0.01
DD003211		3.14	22.8	2.60	2.11	0.11	0.16	0.13	0.030	0.08	13.2	5.2	0.14	365	0.99	<0.01
DD003212		1.60	27.2	4.10	4.13	0.09	0.08	0.04	0.033	0.09	8.4	17.7	0.40	699	0.81	0.01
DD003213		1.47	31.9	3.62	5.53	0.10	0.02	0.04	0.029	0.07	14.4	24.6	0.51	433	1.21	0.01
DD003214		1.58	52.3	5.15	6.23	0.11	0.07	0.04	0.039	0.08	11.0	48.8	0.72	736	0.78	0.01
DD003215		1.24	14.2	2.63	5.90	0.09	<0.02	0.03	0.025	0.05	10.3	17.3	0.27	181	1.02	<0.01
DD003216		1.78	21.8	4.28	7.14	0.12	0.03	0.03	0.032	0.05	10.5	21.8	0.30	647	1.26	0.01
DD003217		1.45	16.4	3.30	6.74	0.10	<0.02	0.04	0.031	0.05	9.1	17.7	0.32	477	1.23	0.01
DD003218		1.49	22.3	3.41	7.03	0.09	<0.02	0.03	0.028	0.06	7.7	9.0	0.18	691	1.43	0.01
DD003219		1.34	37.3	5.44	6.85	0.10	0.03	0.04	0.044	0.07	7.2	24.6	0.40	636	0.92	0.01
DD003220		1.77	27.8	3.98	7.09	0.11	0.03	0.04	0.041	0.06	9.2	29.3	0.38	607	1.07	<0.01
DD003221		1.50	12.9	2.82	7.02	0.09	<0.02	0.03	0.024	0.04	9.6	17.9	0.30	247	1.09	0.01
DD003222		1.87	39.3	5.54	7.14	0.12	0.09	0.06	0.061	0.08	9.2	47.2	0.54	459	1.22	0.01
DD003223		1.62	67.5	5.15	5.13	0.12	0.10	0.30	0.043	0.08	10.2	35.2	0.61	1060	0.77	<0.01
DD003224		1.53	33.1	3.75	5.50	0.11	0.03	0.03	0.027	0.07	9.5	32.9	0.45	487	0.96	<0.01
DD003225		3.19	46.7	3.60	5.28	0.12	0.13	0.10	0.038	0.11	10.1	30.1	0.49	484	0.79	0.01
DD003226		1.28	58.1	5.26	5.44	0.11	0.10	0.05	0.039	0.09	8.6	26.1	0.63	880	0.88	0.01
DD003227		0.76	44.6	4.13	5.24	0.11	0.10	0.08	0.037	0.11	10.2	23.2	0.58	834	0.73	0.01
DD003228		1.32	30.7	3.12	3.66	0.11	0.11	0.10	0.032	0.08	10.2	16.0	0.36	365	1.59	0.01
DD003229		2.55	31.0	4.22	6.04	0.11	0.06	0.05	0.040	0.08	11.2	27.9	0.48	685	1.05	0.01
DD003230		2.87	45.4	4.71	6.34	0.12	0.06	0.04	0.040	0.09	9.8	40.9	0.60	616	0.88	0.01
DD003231		4.43	39.3	3.16	2.07	0.11	0.13	0.17	0.036	0.10	7.7	7.5	0.19	162	0.49	0.01
DD003232		2.36	27.9	2.73	2.51	0.11	0.08	0.09	0.030	0.08	9.8	9.5	0.19	252	0.46	0.01
DD003233		9.20	48.2	3.76	1.70	0.10	0.11	0.05	0.035	0.11	3.6	7.2	0.35	273	0.23	<0.01
DD003234		4.04	26.7	2.41	2.37	0.11	0.09	0.06	0.029	0.08	7.8	7.1	0.16	306	0.44	0.01
DD003235		1.71	38.0	3.67	2.40	0.10	0.10	0.09	0.041	0.08	6.6	9.0	0.18	593	0.73	0.01
DD003236		2.85	33.8	3.85	3.33	0.10	0.08	0.13	0.040	0.11	6.8	9.2	0.16	397	2.36	0.01
DD003237		6.89	26.7	4.24	6.82	0.10	<0.02	0.03	0.030	0.13	8.7	21.7	0.31	667	0.90	0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 25- AUG- 2011
Account: RCM

Project: RACKLA DALE INFILL

CERTIFICATE OF ANALYSIS WH11158638

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
DD003968		0.17	29.3	1520	21.1	17.7	<0.001	0.07	0.54	6.8	1.1	0.4	17.9	<0.01	0.07	1.5
DD003969		0.08	36.9	380	28.2	5.9	<0.001	0.04	1.66	8.5	0.8	0.4	67.7	<0.01	0.08	2.4
DD003970		0.08	34.3	810	22.2	5.8	<0.001	0.08	1.11	5.6	1.3	0.4	113.5	<0.01	0.09	0.9
DD003201		0.10	40.6	310	20.4	10.7	<0.001	0.01	0.49	5.3	<0.2	0.4	7.6	<0.01	0.04	4.0
DD003202		0.21	29.3	1250	20.0	11.9	<0.001	0.04	0.59	3.7	0.4	0.4	9.4	<0.01	0.08	1.5
DD003203		0.26	18.0	2000	14.6	14.4	<0.001	0.10	0.42	3.0	0.3	0.6	18.7	<0.01	0.06	0.8
DD003204		0.19	27.6	740	17.0	5.9	<0.001	0.05	0.32	4.4	0.6	0.5	34.6	<0.01	0.03	1.5
DD003205		0.24	19.4	1330	13.2	5.8	<0.001	0.16	0.37	1.6	0.5	0.3	90.9	<0.01	0.02	0.4
DD003206		0.21	22.0	920	15.1	6.5	<0.001	0.10	0.26	3.0	0.4	0.3	59.0	<0.01	0.02	0.9
DD003207		0.12	35.1	620	17.8	8.2	<0.001	0.04	0.25	6.7	0.4	0.3	37.7	<0.01	0.03	2.8
DD003208		0.18	33.4	670	16.2	9.9	<0.001	0.03	0.31	7.2	0.3	0.4	27.0	<0.01	0.04	3.3
DD003209		0.54	18.2	1520	16.9	11.0	<0.001	0.09	0.49	3.0	0.6	0.4	35.9	0.01	0.05	0.7
DD003210		0.22	26.2	1080	18.9	8.6	<0.001	0.07	0.66	4.5	0.7	0.4	65.4	<0.01	0.03	1.2
DD003211		0.16	18.1	1150	12.5	8.0	<0.001	0.07	0.32	3.9	1.1	0.3	57.2	<0.01	0.01	1.7
DD003212		0.22	20.7	1180	16.8	9.4	<0.001	0.06	0.36	3.5	0.3	0.4	26.8	<0.01	0.05	1.2
DD003213		0.63	28.8	680	15.2	9.6	<0.001	0.02	0.72	2.9	0.3	0.6	13.3	<0.01	0.02	1.3
DD003214		0.26	34.3	520	21.7	10.0	<0.001	0.02	0.50	4.1	0.2	0.4	6.8	<0.01	0.07	2.5
DD003215		0.59	12.8	990	10.5	7.6	<0.001	0.04	0.39	1.1	<0.2	0.7	8.0	<0.01	0.05	0.3
DD003216		0.83	17.4	480	20.8	11.7	<0.001	0.05	0.64	3.4	0.5	0.7	8.0	<0.01	0.07	2.7
DD003217		0.59	14.5	960	15.6	11.8	<0.001	0.08	0.48	1.8	0.6	0.6	10.3	<0.01	0.05	0.4
DD003218		0.33	15.8	960	16.3	21.1	<0.001	0.09	0.52	0.9	0.5	0.7	8.9	<0.01	0.07	0.2
DD003219		0.43	25.7	910	21.9	15.9	<0.001	0.07	0.46	3.3	0.6	0.5	11.0	<0.01	0.10	1.0
DD003220		0.54	20.5	1070	27.9	14.7	<0.001	0.07	0.43	3.0	0.6	0.6	11.6	<0.01	0.08	1.1
DD003221		0.58	14.1	590	13.3	10.3	<0.001	0.06	0.43	1.6	0.4	0.6	8.7	<0.01	0.04	0.4
DD003222		0.65	30.5	470	197.5	15.1	<0.001	0.05	0.56	5.7	0.7	0.5	7.6	<0.01	0.10	4.5
DD003223		0.21	39.7	640	27.4	11.3	<0.001	0.05	0.56	6.6	0.7	0.3	14.4	<0.01	0.09	3.8
DD003224		0.54	23.8	550	17.2	11.9	<0.001	0.04	0.52	3.3	0.4	0.4	9.7	<0.01	0.06	2.5
DD003225		0.33	27.4	1190	15.5	21.5	<0.001	0.10	0.40	6.7	1.2	0.5	62.5	0.01	0.07	1.9
DD003226		0.23	32.5	540	20.4	9.6	<0.001	0.05	0.50	6.2	0.6	0.4	33.4	<0.01	0.09	2.6
DD003227		0.25	27.5	690	20.5	10.3	<0.001	0.09	0.43	5.0	0.9	0.4	49.8	<0.01	0.07	1.5
DD003228		0.26	23.5	810	18.7	9.8	<0.001	0.09	0.60	4.4	0.9	0.3	61.6	<0.01	0.06	1.5
DD003229		0.58	26.8	780	19.4	15.4	<0.001	0.07	0.54	4.8	0.7	0.4	35.7	<0.01	0.06	1.7
DD003230		0.36	32.3	700	20.5	13.4	<0.001	0.06	0.58	4.3	0.6	0.4	16.5	<0.01	0.07	2.1
DD003231		0.21	45.1	1170	15.9	9.8	<0.001	0.09	0.63	6.6	0.8	0.4	112.0	0.01	0.03	3.6
DD003232		0.21	27.3	1040	15.1	8.6	<0.001	0.13	0.31	2.9	0.8	0.3	72.3	<0.01	0.04	1.1
DD003233		0.06	56.9	600	14.8	9.7	<0.001	0.04	0.21	8.3	0.5	0.4	48.5	<0.01	0.02	6.4
DD003234		0.21	25.4	1050	13.3	10.3	<0.001	0.16	0.29	2.6	0.9	0.3	82.3	<0.01	0.03	0.9
DD003235		0.13	34.6	830	18.6	8.4	<0.001	0.08	0.32	5.8	0.9	0.4	40.4	<0.01	0.06	2.3
DD003236		0.12	26.9	2220	16.5	14.6	0.001	0.11	0.41	4.2	1.0	0.5	32.8	<0.01	0.06	2.2
DD003237		0.60	17.6	630	14.4	18.4	<0.001	0.06	0.49	2.8	0.4	0.5	13.0	<0.01	0.07	1.0

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 25- AUG- 2011
Account: RCM

Project: RACKLA DALE INFILL

CERTIFICATE OF ANALYSIS WH11158638

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
DD003968		<0.005	0.17	1.31	37	0.05	22.1	105	2.4
DD003969		<0.005	2.05	0.65	28	0.19	16.00	105	2.8
DD003970		<0.005	0.84	1.36	25	0.06	22.1	100	1.5
DD003201		<0.005	0.11	0.53	40	<0.05	5.85	81	2.0
DD003202		<0.005	0.18	0.60	41	0.06	5.28	89	1.7
DD003203		<0.005	0.17	1.16	38	0.08	4.89	56	1.1
DD003204		<0.005	0.09	1.69	22	0.07	11.65	84	1.9
DD003205		0.006	0.11	12.05	18	<0.05	10.45	96	1.5
DD003206		0.005	0.10	4.75	18	0.06	13.05	95	1.9
DD003207		<0.005	0.18	2.45	20	<0.05	17.55	103	2.8
DD003208		0.005	0.20	1.45	28	<0.05	16.90	92	2.1
DD003209		0.015	0.12	1.82	42	0.12	8.25	99	0.7
DD003210		0.006	0.77	9.53	34	0.07	16.55	60	2.7
DD003211		<0.005	0.23	2.12	21	<0.05	11.30	78	3.8
DD003212		0.006	0.15	1.82	36	0.06	6.69	74	2.3
DD003213		0.020	0.14	0.78	48	0.19	4.72	78	<0.5
DD003214		0.005	0.12	0.45	44	0.05	3.59	76	1.8
DD003215		0.014	0.14	0.59	44	0.15	2.53	41	<0.5
DD003216		0.019	0.20	0.67	50	0.16	3.02	48	0.8
DD003217		0.021	0.25	0.93	53	0.21	3.48	54	<0.5
DD003218		0.012	0.20	0.72	52	0.17	3.27	63	<0.5
DD003219		0.008	0.15	0.66	53	0.09	4.86	85	<0.5
DD003220		0.010	0.18	0.80	53	0.13	5.86	72	0.5
DD003221		0.020	0.18	0.73	53	0.20	3.03	50	<0.5
DD003222		0.008	0.16	0.68	49	0.10	4.77	134	2.9
DD003223		<0.005	0.24	1.10	37	0.06	9.46	87	2.4
DD003224		0.014	0.11	0.69	40	0.14	4.05	79	0.7
DD003225		0.007	0.87	3.93	33	0.09	24.6	89	2.3
DD003226		0.006	0.16	1.22	46	0.05	7.04	80	2.3
DD003227		0.006	0.14	5.08	41	0.06	10.25	82	1.9
DD003228		0.006	0.25	3.44	29	0.08	10.65	67	2.2
DD003229		0.013	0.16	2.27	46	0.15	9.23	69	1.1
DD003230		0.007	0.15	0.98	40	0.09	6.93	74	1.3
DD003231		<0.005	0.66	3.20	19	0.06	13.95	117	3.7
DD003232		<0.005	0.19	5.14	20	0.07	12.35	130	1.9
DD003233		<0.005	0.23	1.50	17	<0.05	11.25	115	4.4
DD003234		<0.005	0.18	7.50	17	0.07	12.40	80	2.2
DD003235		<0.005	0.13	1.38	19	<0.05	14.30	81	1.9
DD003236		<0.005	0.23	1.32	30	<0.05	11.05	99	1.4
DD003237		0.017	0.22	0.51	57	0.12	2.80	83	<0.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 25- AUG- 2011
Account: RCM

Project: RACKLA DALE INFILL

CERTIFICATE OF ANALYSIS WH11158638

Sample Description	Method	WEI- 21	Au- TL43	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Recvd Wt.	Au	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
DD003238		0.32	0.001	0.09	1.76	20.2	<0.2	<10	130	0.64	0.31	0.10	0.23	19.95	12.3	25
DD003239		0.28	0.001	0.05	2.22	22.1	<0.2	<10	110	1.14	0.35	0.03	0.16	33.4	20.8	29
DD003240		0.24	0.001	0.04	1.84	23.5	<0.2	<10	110	0.55	0.28	0.09	0.18	25.7	11.1	29
DD003241		0.36	0.001	0.05	1.65	29.3	<0.2	<10	90	0.72	0.31	0.02	0.12	21.7	17.1	26
DD003242		0.28	0.001	0.03	2.11	27.9	<0.2	<10	140	0.65	0.34	0.04	0.19	22.3	16.8	30
DD003243		0.30	0.002	0.06	1.80	23.1	<0.2	<10	130	0.78	0.28	0.08	0.14	30.1	14.9	30
DD003244		0.30	0.001	0.03	1.70	27.7	<0.2	<10	120	0.48	0.27	0.06	0.13	18.55	13.5	28
DD003245		0.20	0.001	0.18	1.17	79.3	<0.2	<10	190	0.84	0.26	0.96	0.97	13.65	11.0	17
DD003246		0.24	<0.001	0.09	1.62	19.6	<0.2	<10	160	0.37	0.28	0.05	0.11	16.25	10.6	26
DD003247		0.24	0.002	0.28	1.65	23.2	<0.2	<10	180	0.97	0.30	0.54	0.32	17.00	9.6	27
DD003248		0.32	0.002	0.16	1.62	47.8	<0.2	<10	230	0.98	0.30	0.35	0.32	18.60	11.8	23
DD003249		0.26	0.001	0.09	1.64	33.1	<0.2	<10	120	0.69	0.30	0.09	0.11	22.1	15.0	23
DD003250		0.36	0.001	0.05	2.34	17.9	<0.2	<10	140	0.92	0.33	0.03	0.13	26.8	17.6	29
DD003421		0.22	0.001	0.05	1.32	20.8	<0.2	<10	140	0.46	0.34	0.04	0.15	22.8	12.6	22
DD003422		0.24	0.001	0.05	2.05	30.4	<0.2	<10	270	0.85	0.34	0.20	0.15	24.8	16.1	31
DD003423		0.22	0.001	0.05	2.08	17.2	<0.2	<10	380	0.79	0.34	0.26	0.14	20.9	9.6	31
DD003424		0.28	0.001	0.06	1.74	16.4	<0.2	<10	130	1.12	0.34	0.22	0.16	21.2	18.4	28
DD003425		0.18	<0.001	0.08	1.54	19.9	<0.2	<10	160	0.59	0.27	0.10	0.11	20.4	6.2	23
DD003426		0.24	0.001	0.06	2.02	18.7	<0.2	<10	230	0.97	0.29	0.14	0.13	31.8	13.8	30
DD003427		0.26	<0.001	0.07	1.98	14.2	<0.2	<10	290	1.03	0.33	0.19	0.10	24.3	15.3	30
DD003428		0.22	0.001	0.10	1.91	19.3	<0.2	<10	270	0.98	0.31	0.20	0.13	22.2	15.0	30
DD003429		0.22	0.002	0.07	1.13	55.3	<0.2	<10	340	1.10	0.27	0.51	0.20	26.3	12.8	28
DD003430		0.26	0.001	0.05	1.88	17.0	<0.2	<10	300	0.93	0.31	0.35	0.11	25.4	13.1	28
DD003431		0.24	0.003	0.06	1.21	16.8	<0.2	<10	100	1.33	0.31	0.82	0.18	45.1	14.1	37
DD003432		0.16	0.001	0.08	1.17	15.3	<0.2	<10	240	1.17	0.33	0.89	0.22	28.6	12.2	27
DD003433		0.28	0.001	0.09	1.50	12.6	<0.2	<10	260	1.09	0.32	0.82	0.22	21.7	14.7	28
DD003434		0.34	0.002	0.11	0.73	103.5	<0.2	<10	60	1.46	0.37	0.68	0.12	17.65	16.4	12
DD003435		0.30	0.002	0.13	0.72	87.4	<0.2	<10	80	1.23	0.36	1.19	0.18	9.52	12.2	12
DD003436		0.26	0.002	0.11	0.82	23.6	<0.2	<10	130	1.10	0.37	0.90	0.43	14.45	12.9	14
DD003437		0.24	0.002	0.13	0.90	16.1	<0.2	<10	130	1.44	0.39	0.72	0.21	21.6	14.3	16
DD003438		0.22	0.002	0.14	1.61	19.1	<0.2	<10	170	0.94	0.30	0.67	0.20	20.8	15.8	25
DD003439		0.16	0.002	0.18	1.41	35.4	<0.2	<10	170	1.07	0.29	0.72	0.39	13.65	12.6	20
DD003440		0.18	0.001	0.10	1.51	46.2	<0.2	<10	210	0.85	0.33	0.60	0.14	16.80	13.7	22
DD003441		0.28	0.001	0.03	2.43	15.3	<0.2	<10	200	1.07	0.33	0.07	0.08	33.0	18.9	31
DD003442		0.28	0.001	0.05	2.02	17.0	<0.2	<10	150	0.82	0.30	0.11	0.16	23.1	13.6	29
DD003443		0.20	0.001	0.04	2.01	19.5	<0.2	<10	310	0.74	0.32	0.43	0.11	22.9	17.3	32
DD003444		0.28	0.001	0.06	2.23	22.5	<0.2	<10	160	1.12	0.35	0.05	0.28	34.6	25.6	32
DD003445		0.26	0.002	0.10	1.82	16.1	<0.2	<10	320	0.96	0.31	0.44	0.13	24.5	14.5	28
DD003446		0.24	0.001	0.06	1.77	25.6	<0.2	<10	390	0.90	0.30	0.29	0.14	25.8	12.1	27
DD003447		0.20	0.001	0.05	1.86	15.9	<0.2	<10	220	0.54	0.31	0.11	0.13	19.05	9.4	28

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 25- AUG- 2011
Account: RCM

Project: RACKLA DALE INFILL

CERTIFICATE OF ANALYSIS WH11158638

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
DD003238		2.65	35.4	4.48	6.25	0.11	0.03	0.04	0.036	0.11	8.5	36.6	0.49	484	0.76	0.01
DD003239		2.76	65.2	5.06	6.27	0.13	0.06	0.07	0.039	0.10	12.6	47.7	0.74	627	0.61	0.01
DD003240		2.43	34.1	4.13	6.24	0.11	0.03	1.79	0.034	0.07	10.5	28.1	0.50	412	1.13	0.01
DD003241		6.08	43.2	4.58	4.99	0.11	0.03	0.06	0.040	0.08	8.3	29.9	0.45	572	0.66	<0.01
DD003242		3.01	52.8	5.63	7.19	0.12	0.04	0.06	0.051	0.07	8.7	34.0	0.44	616	1.35	<0.01
DD003243		8.62	44.5	4.30	6.01	0.12	0.05	0.03	0.040	0.07	11.7	24.3	0.51	700	1.05	<0.01
DD003244		2.86	45.4	5.18	5.92	0.11	0.03	0.04	0.038	0.08	7.2	25.8	0.57	487	1.07	<0.01
DD003245		14.55	38.3	3.73	3.05	0.11	0.12	0.30	0.036	0.09	6.4	20.0	0.45	496	0.73	0.01
DD003246		3.89	33.0	3.68	7.39	0.11	0.03	0.04	0.035	0.06	7.0	11.8	0.21	725	1.34	<0.01
DD003247		12.15	37.2	3.80	5.19	0.13	0.13	0.21	0.039	0.11	9.5	34.6	0.61	268	0.51	0.01
DD003248		18.25	36.9	4.36	4.93	0.12	0.08	0.24	0.039	0.10	8.1	24.9	0.36	644	0.93	0.01
DD003249		3.08	42.3	4.15	5.19	0.11	0.05	0.10	0.032	0.07	8.7	27.3	0.46	606	0.74	<0.01
DD003250		2.35	50.6	5.15	6.52	0.12	0.06	0.06	0.044	0.09	10.2	50.6	0.65	777	0.78	<0.01
DD003421		1.93	40.6	4.10	6.96	0.13	0.02	0.03	0.030	0.07	9.4	13.6	0.25	524	1.45	<0.01
DD003422		1.99	38.1	4.48	6.50	0.08	0.07	0.04	0.047	0.09	10.7	32.7	0.63	576	1.22	<0.01
DD003423		2.05	32.0	3.64	7.64	0.07	0.06	0.04	0.043	0.09	10.0	22.2	0.42	370	1.07	<0.01
DD003424		3.85	33.0	4.03	6.09	0.09	0.07	0.03	0.038	0.12	8.0	47.6	0.58	821	0.86	0.01
DD003425		1.43	16.6	2.91	6.02	0.06	<0.02	0.03	0.029	0.05	9.6	19.3	0.26	239	1.08	<0.01
DD003426		2.20	31.6	3.82	5.86	0.08	0.08	0.06	0.041	0.06	13.3	27.1	0.53	598	1.02	<0.01
DD003427		1.64	40.5	4.39	6.39	0.09	0.07	0.04	0.045	0.08	10.0	32.1	0.51	733	1.00	<0.01
DD003428		3.81	39.3	4.16	6.54	0.09	0.09	0.05	0.043	0.09	9.4	28.3	0.51	537	1.04	<0.01
DD003429		3.51	38.8	3.92	4.41	0.09	0.07	0.05	0.037	0.08	13.0	15.2	0.28	419	0.76	<0.01
DD003430		2.41	27.0	3.90	6.62	0.09	0.05	0.03	0.040	0.07	10.9	28.4	0.45	497	1.01	<0.01
DD003431		8.66	41.1	3.36	4.88	0.12	0.15	0.03	0.040	0.12	20.5	30.4	0.78	323	0.43	0.01
DD003432		2.74	31.7	3.43	3.81	0.09	0.10	0.06	0.040	0.10	14.3	14.9	0.32	302	0.70	0.01
DD003433		2.88	32.3	3.63	5.06	0.08	0.09	0.05	0.037	0.08	8.7	27.7	0.52	520	0.64	0.01
DD003434		3.59	38.2	4.20	2.05	0.10	0.11	0.38	0.045	0.09	7.9	11.9	0.17	542	0.69	<0.01
DD003435		1.53	39.2	3.51	2.14	0.08	0.07	0.54	0.041	0.08	4.6	8.5	0.17	357	1.47	0.01
DD003436		1.97	39.4	3.74	2.82	0.08	0.09	0.15	0.039	0.10	5.3	11.2	0.21	455	1.38	0.01
DD003437		2.18	37.5	3.73	2.97	0.09	0.13	0.13	0.045	0.10	8.2	11.3	0.18	378	1.67	0.01
DD003438		1.70	51.5	4.16	4.95	0.09	0.10	0.11	0.038	0.10	8.5	33.4	0.56	622	0.70	<0.01
DD003439		14.95	41.7	3.81	4.16	0.07	0.11	0.21	0.040	0.12	6.7	23.9	0.41	377	0.60	<0.01
DD003440		2.37	43.1	4.16	5.40	0.08	0.06	0.23	0.039	0.10	7.7	33.4	0.48	672	0.71	0.01
DD003441		2.38	46.5	4.80	7.45	0.10	0.05	0.03	0.048	0.10	12.4	45.3	0.67	590	0.84	<0.01
DD003442		2.38	47.7	4.91	6.87	0.10	0.04	0.05	0.045	0.10	10.2	36.5	0.50	422	1.07	0.01
DD003443		2.90	37.5	4.45	7.40	0.08	0.06	0.03	0.044	0.08	10.0	29.9	0.54	635	1.15	0.01
DD003444		2.13	70.1	5.61	6.23	0.11	0.07	0.05	0.056	0.08	10.8	47.8	0.79	989	0.68	<0.01
DD003445		3.13	41.6	3.90	6.00	0.08	0.06	0.05	0.041	0.07	11.2	26.5	0.62	513	1.02	<0.01
DD003446		2.32	39.9	3.91	6.27	0.11	0.06	0.06	0.042	0.07	12.1	26.3	0.52	670	1.00	<0.01
DD003447		2.80	28.2	3.69	8.09	0.08	0.04	0.04	0.042	0.07	9.1	19.2	0.33	309	1.50	<0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 25- AUG- 2011
Account: RCM

Project: RACKLA DALE INFILL

CERTIFICATE OF ANALYSIS WH11158638

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
DD003238		0.38	25.1	550	16.7	13.9	<0.001	0.06	0.64	3.3	0.4	0.4	10.8	<0.01	0.07	1.9
DD003239		0.12	40.6	260	21.1	11.5	<0.001	0.04	0.63	5.3	0.6	0.3	8.2	<0.01	0.09	4.7
DD003240		0.77	25.2	560	16.3	11.8	<0.001	0.05	0.79	3.4	0.6	0.5	10.8	<0.01	0.06	2.2
DD003241		0.31	28.6	270	17.5	12.7	<0.001	0.04	0.62	5.6	0.5	0.4	7.8	<0.01	0.07	3.6
DD003242		0.56	27.6	420	22.1	13.8	<0.001	0.04	0.60	5.4	0.6	0.6	8.1	<0.01	0.10	3.2
DD003243		0.52	31.2	680	15.3	13.4	<0.001	0.05	0.60	6.4	0.8	0.5	9.6	0.01	0.08	1.8
DD003244		0.35	25.4	420	13.5	13.9	<0.001	0.04	0.57	5.3	0.4	0.4	7.0	<0.01	0.09	2.3
DD003245		0.25	26.1	1090	16.8	25.7	<0.001	0.16	0.98	6.3	1.6	0.3	41.7	0.01	0.07	1.5
DD003246		0.48	16.0	980	12.9	15.5	<0.001	0.07	0.57	3.0	0.5	0.7	7.9	<0.01	0.08	0.8
DD003247		0.40	27.7	870	13.4	30.3	<0.001	0.12	1.13	7.7	1.6	0.4	30.4	0.01	0.06	2.2
DD003248		0.33	26.7	1100	28.3	20.7	<0.001	0.08	4.01	5.7	0.7	0.5	22.2	<0.01	0.06	1.5
DD003249		0.23	26.9	770	18.1	10.6	<0.001	0.05	1.01	3.9	0.5	0.4	9.4	<0.01	0.07	1.8
DD003250		0.25	32.4	340	23.7	12.5	<0.001	0.04	0.57	4.8	0.5	0.4	7.6	<0.01	0.08	4.0
DD003421		0.54	19.0	590	19.3	16.9	<0.001	0.05	0.54	3.2	0.5	0.6	6.8	<0.01	0.11	1.3
DD003422		0.58	29.7	690	22.0	15.3	<0.001	0.03	0.76	5.1	0.7	0.6	23.4	<0.01	0.09	2.1
DD003423		0.66	19.6	1170	19.9	16.0	<0.001	0.05	0.48	5.4	0.7	0.8	23.1	<0.01	0.10	1.5
DD003424		0.47	28.7	800	22.1	16.8	<0.001	0.04	0.40	5.6	0.9	0.6	44.2	<0.01	0.09	3.1
DD003425		0.55	13.8	770	13.2	10.1	<0.001	0.04	0.50	1.5	0.7	0.6	11.2	<0.01	0.07	0.3
DD003426		0.61	26.1	1050	16.4	11.4	<0.001	0.04	0.58	5.0	1.0	0.5	13.7	0.01	0.08	1.9
DD003427		0.46	25.5	990	20.5	14.2	<0.001	0.04	0.55	5.3	0.8	0.5	16.3	<0.01	0.11	2.0
DD003428		0.43	25.9	880	18.7	14.1	<0.001	0.04	0.54	5.8	1.0	0.5	17.3	<0.01	0.10	2.2
DD003429		0.24	28.2	560	17.7	14.8	<0.001	0.03	0.40	5.4	1.2	0.5	36.3	<0.01	0.08	2.4
DD003430		0.55	21.9	910	17.8	14.4	<0.001	0.03	0.51	4.4	0.8	0.6	22.0	<0.01	0.09	1.6
DD003431		0.24	36.8	790	22.5	13.1	<0.001	0.03	0.32	8.4	1.1	0.5	34.7	0.01	0.07	5.3
DD003432		0.45	31.2	620	17.8	11.7	<0.001	0.04	0.50	6.6	1.0	0.5	40.1	0.01	0.05	2.8
DD003433		0.44	34.2	710	17.7	12.4	<0.001	0.04	0.45	6.1	1.0	0.5	42.6	<0.01	0.07	2.4
DD003434		0.09	39.0	590	20.3	9.1	<0.001	0.04	0.62	9.2	1.3	0.5	33.7	0.01	0.06	3.7
DD003435		0.14	26.8	630	18.3	8.3	<0.001	0.05	0.53	6.0	1.3	0.5	43.6	<0.01	0.07	1.7
DD003436		0.13	28.5	820	19.8	9.1	0.002	0.06	0.39	6.2	1.3	0.5	45.2	<0.01	0.06	3.5
DD003437		0.13	36.0	1760	17.2	11.0	0.001	0.05	0.39	6.7	1.3	0.6	53.3	0.01	0.06	3.5
DD003438		0.22	30.8	590	18.4	9.2	<0.001	0.05	0.61	7.2	1.0	0.4	34.2	<0.01	0.10	2.2
DD003439		0.24	26.7	900	15.8	20.8	<0.001	0.07	0.81	6.9	1.1	0.5	38.4	<0.01	0.08	1.7
DD003440		0.28	25.9	630	17.0	13.1	<0.001	0.04	1.02	5.4	0.7	0.4	18.9	<0.01	0.09	2.1
DD003441		0.39	35.6	340	20.8	13.7	<0.001	0.01	0.54	6.1	0.6	0.6	10.2	<0.01	0.10	4.3
DD003442		0.42	28.6	430	15.6	14.4	<0.001	0.02	0.54	5.8	0.7	0.6	12.7	<0.01	0.10	3.0
DD003443		0.60	24.6	890	15.4	14.0	<0.001	0.04	0.53	5.7	0.7	0.7	23.1	<0.01	0.12	1.9
DD003444		0.22	40.5	360	21.7	11.1	<0.001	0.01	0.59	7.5	0.7	0.4	8.1	<0.01	0.12	4.0
DD003445		0.54	29.1	640	16.0	11.9	<0.001	0.03	0.65	6.1	0.9	0.6	18.0	<0.01	0.11	2.3
DD003446		0.42	25.6	770	15.0	11.9	<0.001	0.03	0.55	8.0	1.0	0.6	11.3	0.01	0.09	1.8
DD003447		0.80	18.3	630	16.6	12.3	<0.001	0.03	0.50	4.8	0.7	0.8	13.2	<0.01	0.09	1.8

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 25- AUG- 2011
Account: RCM

Project: RACKLA DALE INFILL

CERTIFICATE OF ANALYSIS WH11158638

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
DD003238		0.008	0.17	0.47	44	0.11	2.99	75	0.7
DD003239		<0.005	0.14	0.51	40	<0.05	5.12	81	1.6
DD003240		0.019	0.17	0.65	58	0.18	4.08	75	0.7
DD003241		0.007	0.21	0.51	45	0.07	3.73	64	0.9
DD003242		0.008	0.36	0.52	61	0.10	3.82	71	1.2
DD003243		0.014	0.30	0.67	56	0.13	11.60	77	0.6
DD003244		0.009	0.16	0.40	59	0.08	3.51	75	0.9
DD003245		0.006	0.27	0.72	30	0.06	13.85	219	2.5
DD003246		0.009	0.34	0.53	62	0.11	2.42	50	0.6
DD003247		0.010	0.24	1.25	41	0.10	14.40	87	2.6
DD003248		0.007	0.51	0.87	42	0.21	9.60	86	1.3
DD003249		0.006	0.26	0.51	39	0.08	4.98	66	1.0
DD003250		<0.005	0.15	0.47	44	0.05	4.91	74	1.8
DD003421		0.013	0.20	0.55	66	0.12	2.86	72	<0.5
DD003422		0.012	0.26	1.08	57	0.15	5.56	106	1.7
DD003423		0.012	0.23	1.13	67	0.17	6.37	92	1.3
DD003424		0.012	0.12	0.67	36	0.09	10.80	97	1.4
DD003425		0.016	0.19	0.68	48	0.18	2.98	56	<0.5
DD003426		0.015	0.20	2.47	50	0.20	8.14	78	1.6
DD003427		0.008	0.13	1.34	53	0.13	6.82	74	1.7
DD003428		0.008	0.23	2.29	49	0.09	6.42	72	2.1
DD003429		0.005	0.32	3.14	46	0.08	10.50	88	1.8
DD003430		0.010	0.18	1.34	52	0.13	6.31	76	1.0
DD003431		0.007	0.22	1.90	29	0.05	18.45	110	4.1
DD003432		0.009	0.17	2.48	34	0.10	16.00	93	2.1
DD003433		0.007	0.13	3.00	33	0.07	10.30	103	2.1
DD003434		<0.005	0.45	1.22	17	0.05	18.20	94	2.6
DD003435		<0.005	0.25	1.11	20	<0.05	11.95	74	1.6
DD003436		<0.005	0.19	1.75	21	<0.05	11.00	150	2.2
DD003437		<0.005	0.17	1.93	23	0.05	19.85	93	2.7
DD003438		0.005	0.12	0.66	36	0.05	9.03	86	2.5
DD003439		<0.005	0.45	0.70	32	0.07	10.60	110	2.7
DD003440		0.005	0.66	0.47	41	0.12	5.33	76	1.6
DD003441		0.007	0.17	0.55	57	0.07	5.37	74	1.7
DD003442		0.006	0.25	0.49	58	0.10	4.75	73	1.0
DD003443		0.011	0.26	0.87	71	0.17	4.58	79	1.4
DD003444		<0.005	0.27	0.48	58	<0.05	5.64	87	2.1
DD003445		0.011	0.18	0.74	52	0.12	10.50	72	1.1
DD003446		0.009	0.25	0.60	54	0.11	13.45	63	0.9
DD003447		0.013	0.32	0.78	67	0.19	3.66	53	0.8

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 25- AUG- 2011
Account: RCM

Project: RACKLA DALE INFILL

CERTIFICATE OF ANALYSIS WH11158638

Sample Description	Method	WEI- 21	Au- TL43	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Recvd Wt.	Au	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
DD003448		0.22	0.001	0.05	0.93	88.7	<0.2	<10	160	0.73	0.34	0.06	0.44	15.35	13.1	19
DD003449		0.26	0.001	0.04	1.01	24.9	<0.2	<10	40	0.30	0.37	0.01	0.07	14.20	15.6	25
DD003450		0.26	0.001	0.03	0.71	24.0	<0.2	<10	60	0.28	0.33	0.02	0.07	17.20	13.4	18
DD003051		0.24	0.001	0.02	1.53	17.8	<0.2	<10	120	0.69	0.35	0.02	0.24	25.7	14.3	24
DD003052		0.30	0.001	0.11	1.54	71.0	<0.2	<10	170	0.87	0.31	0.47	0.12	16.00	11.5	23
DD003053		0.28	0.002	0.12	0.80	149.0	<0.2	<10	90	0.91	0.32	0.38	0.20	10.85	14.2	15
DD003054		0.22	0.002	0.11	0.95	13.6	<0.2	<10	130	1.33	0.35	0.42	0.28	20.2	10.8	17
DD003055		0.12	0.002	0.07	0.72	32.1	<0.2	<10	140	1.11	0.30	1.50	0.12	10.75	10.3	13
DD003056		0.22	0.002	0.08	0.57	28.6	<0.2	<10	100	1.34	0.32	1.11	0.12	11.25	12.3	11
DD003057		0.30	0.002	0.08	0.54	32.1	<0.2	<10	130	1.18	0.38	0.54	0.09	12.80	13.8	12
DD003058		0.20	0.002	0.05	0.56	17.7	<0.2	<10	90	0.75	0.20	1.53	0.21	22.5	11.1	16
DD003059		0.18	0.001	0.04	1.18	8.5	<0.2	<10	270	0.87	0.26	1.04	0.23	43.3	12.1	25
DD003060		0.22	0.002	0.04	1.48	15.9	<0.2	<10	170	0.57	0.27	0.31	0.17	31.8	17.0	23
DD003061		0.22	0.001	0.04	1.43	8.3	<0.2	<10	170	0.79	0.19	0.77	0.52	66.0	11.9	31
DD003062		0.20	0.001	0.06	1.81	21.6	<0.2	<10	180	0.73	0.26	0.55	0.17	36.0	14.5	28
DD003063		0.26	0.004	0.35	1.41	27.6	<0.2	<10	230	0.76	0.23	1.18	0.25	31.6	14.2	25
DD003064		0.18	0.002	0.15	1.80	16.7	<0.2	<10	310	0.80	0.27	0.65	0.16	21.8	15.2	26
DD003065		0.24	0.002	0.16	1.76	35.3	<0.2	<10	260	0.77	0.25	0.32	0.44	23.4	13.5	28
DD003066		0.32	0.001	0.14	1.84	16.3	<0.2	<10	310	0.64	0.28	0.36	0.11	19.85	12.2	28
DD004491		0.24	0.001	0.07	1.83	20.0	<0.2	<10	290	0.71	0.31	0.41	0.14	25.2	21.8	27
DD004492		0.20	0.001	0.14	1.81	14.2	<0.2	<10	310	0.86	0.26	1.28	0.24	28.8	13.7	23
DD004493		0.22	0.002	0.17	1.30	18.5	<0.2	<10	80	0.78	0.35	1.04	0.22	25.9	13.9	22
DD004494		0.28	<0.001	0.06	1.85	35.3	<0.2	<10	150	0.86	0.41	0.53	0.12	16.45	16.2	26
DD004495		0.24	<0.001	0.10	1.71	15.5	<0.2	<10	220	0.65	0.26	0.14	0.17	24.1	13.2	27
DD004496		0.24	0.003	0.22	1.55	13.3	<0.2	<10	360	0.82	0.25	1.12	0.52	18.75	18.2	22
DD004497		0.24	<0.001	0.07	1.57	11.6	<0.2	<10	220	0.52	0.27	0.10	0.16	20.3	12.4	26
DD004498		0.22	0.001	0.11	1.85	13.1	<0.2	<10	400	1.01	0.27	0.98	0.17	25.7	15.6	26
DD004499		0.22	0.002	0.08	1.69	19.4	<0.2	<10	390	0.73	0.26	0.77	0.14	23.4	15.7	28
DD004500		0.20	0.003	0.12	1.44	18.2	<0.2	<10	350	0.90	0.26	1.09	0.18	30.3	14.8	27
DD004101		0.24	0.004	0.14	1.20	19.8	<0.2	<10	340	0.89	0.28	1.17	0.19	28.5	14.8	23
DD004102		0.14	<0.001	0.07	0.91	8.9	<0.2	<10	250	0.49	0.20	2.20	0.37	24.4	7.1	16
DD004103		0.26	<0.001	0.07	1.04	13.9	<0.2	<10	90	0.88	0.30	0.49	0.07	16.55	13.6	18
DD004104		0.12	0.002	0.22	1.30	17.9	<0.2	<10	210	0.82	0.22	1.93	0.20	19.15	13.5	17
DD004105		0.22	0.001	0.11	1.32	15.5	<0.2	<10	140	0.87	0.30	0.84	0.17	21.2	18.9	19
DD004106		0.24	0.001	0.13	0.98	44.5	<0.2	<10	130	0.85	0.30	1.38	0.34	18.60	16.2	15
DD004107		0.18	0.001	0.12	0.86	22.1	<0.2	<10	130	0.97	0.34	1.18	0.20	16.95	13.3	13
DD004108		0.14	0.001	0.14	1.00	22.2	<0.2	<10	120	0.72	0.25	1.38	0.29	15.25	11.3	15
DD004109		0.24	0.002	0.28	0.55	161.0	<0.2	<10	260	0.69	0.28	1.02	0.61	9.00	20.9	17
DD004110		0.22	<0.001	0.07	0.85	37.8	<0.2	<10	80	0.40	0.25	0.06	0.15	15.50	14.5	19
DD004111		0.24	<0.001	0.02	0.50	45.3	<0.2	<10	40	1.03	0.28	0.07	0.12	4.16	39.9	12

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 25- AUG- 2011
Account: RCM

Project: RACKLA DALE INFILL

CERTIFICATE OF ANALYSIS WH11158638

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
DD003448		10.15	32.6	4.04	4.92	0.08	0.02	0.13	0.042	0.07	6.5	7.4	0.08	1190	0.92	<0.01
DD003449		12.90	33.8	5.73	6.95	0.10	<0.02	0.03	0.040	0.07	6.5	8.5	0.17	372	1.05	<0.01
DD003450		12.50	36.0	3.81	6.36	0.07	<0.02	0.02	0.030	0.08	8.0	3.3	0.06	473	0.94	<0.01
DD003051		6.04	44.6	4.83	6.46	0.09	0.03	0.02	0.037	0.09	11.8	33.8	0.40	536	0.76	<0.01
DD003052		4.17	41.8	4.05	5.45	0.08	0.06	0.18	0.041	0.13	7.4	27.8	0.38	423	0.67	0.01
DD003053		5.42	43.5	4.08	2.69	0.08	0.09	0.80	0.043	0.11	5.3	14.4	0.25	392	0.66	<0.01
DD003054		1.96	28.4	3.24	3.15	0.09	0.12	0.07	0.039	0.09	8.2	11.2	0.17	243	0.98	<0.01
DD003055		2.41	26.6	2.63	2.15	0.05	0.10	0.11	0.033	0.07	4.9	6.4	0.14	346	0.56	<0.01
DD003056		2.65	32.1	3.16	1.82	0.07	0.09	0.14	0.039	0.08	5.3	5.9	0.10	382	0.43	0.01
DD003057		2.55	33.8	3.48	1.97	0.07	0.07	0.10	0.038	0.10	5.6	6.2	0.15	400	0.45	<0.01
DD003058		3.64	33.4	2.39	2.03	0.08	0.13	0.09	0.039	0.09	9.6	8.0	0.21	285	0.37	0.01
DD003059		2.65	38.6	2.80	4.67	0.11	0.13	0.04	0.045	0.09	18.4	30.4	0.66	262	0.44	0.01
DD003060		3.92	42.7	3.75	5.72	0.08	0.04	0.04	0.038	0.08	14.3	27.7	0.55	601	0.91	<0.01
DD003061		3.68	20.9	3.35	5.36	0.10	0.08	0.04	0.046	0.08	18.9	28.6	0.66	474	0.52	0.01
DD003062		2.23	33.6	3.95	5.72	0.09	0.09	0.05	0.044	0.09	12.1	31.0	0.59	514	1.02	0.01
DD003063		1.54	42.6	3.56	4.55	0.10	0.10	0.16	0.040	0.09	15.4	16.2	0.46	598	1.57	0.01
DD003064		2.35	43.9	3.87	6.11	0.09	0.11	0.07	0.046	0.10	11.7	24.8	0.55	610	1.06	0.01
DD003065		1.86	42.0	3.69	5.82	0.09	0.12	0.11	0.042	0.10	11.3	25.0	0.64	753	1.00	0.01
DD003066		2.87	32.4	3.50	6.50	0.08	0.10	0.05	0.038	0.08	9.5	35.8	0.50	524	1.34	0.01
DD004491		1.67	55.0	4.60	6.13	0.10	0.08	0.05	0.048	0.09	10.1	33.4	0.63	792	1.05	0.01
DD004492		1.37	40.6	3.80	4.87	0.08	0.10	0.09	0.043	0.09	13.9	24.4	0.41	668	0.75	0.01
DD004493		1.80	37.1	4.14	4.55	0.11	0.12	0.08	0.051	0.08	10.7	31.6	0.42	304	0.62	0.01
DD004494		2.31	27.0	3.61	6.72	0.08	0.08	0.07	0.040	0.10	6.8	48.0	0.58	589	0.58	0.01
DD004495		2.22	37.9	3.87	5.64	0.08	0.07	0.06	0.045	0.09	11.6	22.6	0.47	559	1.10	0.01
DD004496		1.89	78.9	3.63	5.08	0.09	0.08	0.25	0.044	0.08	9.3	18.9	0.41	1480	0.83	0.01
DD004497		2.67	32.9	4.09	6.17	0.08	0.03	0.04	0.039	0.10	10.1	20.1	0.37	687	1.10	0.01
DD004498		2.23	55.5	4.00	5.80	0.10	0.11	0.08	0.045	0.09	13.4	25.5	0.51	567	0.85	0.01
DD004499		4.55	37.6	3.77	5.51	0.08	0.10	0.10	0.042	0.09	11.2	26.3	0.60	566	0.76	0.01
DD004500		6.84	49.5	3.45	4.69	0.10	0.12	0.12	0.041	0.09	15.7	20.9	0.41	596	0.54	0.01
DD004101		6.04	48.6	3.24	3.89	0.09	0.10	0.19	0.041	0.09	15.4	20.0	0.37	463	0.61	0.01
DD004102		2.12	18.2	2.24	3.10	0.07	0.06	0.08	0.031	0.05	12.8	9.2	0.16	301	0.53	0.01
DD004103		2.97	38.3	3.44	3.92	0.08	0.11	0.09	0.044	0.10	7.8	22.8	0.31	348	0.46	0.01
DD004104		1.70	71.3	3.14	3.91	0.09	0.09	0.21	0.039	0.09	9.8	17.4	0.39	736	0.72	0.01
DD004105		1.27	59.1	4.08	4.11	0.09	0.09	0.15	0.045	0.11	10.0	25.5	0.49	627	0.66	0.01
DD004106		1.34	53.3	3.67	3.10	0.08	0.09	0.18	0.043	0.09	8.5	15.6	0.37	1240	1.64	0.01
DD004107		1.78	37.0	3.13	2.88	0.07	0.11	0.18	0.043	0.10	7.4	11.8	0.21	342	1.41	0.01
DD004108		4.12	41.6	3.15	3.14	0.07	0.11	0.22	0.040	0.09	7.1	15.9	0.37	284	0.86	0.01
DD004109		4.88	60.4	6.70	1.82	0.11	0.10	1.83	0.048	0.09	4.1	4.0	0.28	830	2.62	0.01
DD004110		3.24	39.9	4.24	4.41	0.08	0.02	0.06	0.038	0.07	7.2	14.3	0.25	338	0.78	<0.01
DD004111		16.50	67.2	3.58	2.06	0.06	0.02	0.06	0.051	0.15	1.3	3.6	0.07	332	0.22	<0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 25- AUG- 2011
Account: RCM

Project: RACKLA DALE INFILL

CERTIFICATE OF ANALYSIS WH11158638

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
DD003448		0.44	18.2	610	16.6	17.3	<0.001	0.02	0.78	6.2	0.6	0.9	12.8	<0.01	0.09	0.9
DD003449		0.64	22.8	520	16.6	13.9	<0.001	0.01	0.55	4.9	0.5	0.8	5.4	<0.01	0.11	1.7
DD003450		0.35	21.0	450	10.9	21.0	<0.001	0.01	0.57	3.6	0.5	0.7	5.5	<0.01	0.09	0.9
DD003051		0.33	23.6	370	22.2	18.4	<0.001	0.01	0.60	4.6	0.5	0.4	7.3	<0.01	0.09	3.3
DD003052		0.25	23.1	760	14.9	18.1	<0.001	0.03	0.66	5.4	0.6	0.5	29.1	<0.01	0.08	1.8
DD003053		0.17	30.5	390	19.5	10.9	<0.001	0.03	2.68	9.0	1.0	0.5	26.3	<0.01	0.07	2.1
DD003054		0.19	28.9	1300	16.6	11.2	<0.001	0.07	0.36	5.6	1.2	0.5	34.3	0.01	0.05	2.4
DD003055		0.16	24.8	870	14.7	10.0	<0.001	0.10	0.28	4.4	1.1	0.4	55.1	<0.01	0.06	1.3
DD003056		0.11	30.4	620	16.3	8.5	<0.001	0.07	0.29	6.0	1.1	0.4	40.6	<0.01	0.06	2.0
DD003057		0.12	32.0	350	17.8	7.5	<0.001	0.02	0.33	6.6	0.7	0.4	32.7	<0.01	0.06	3.3
DD003058		0.17	25.7	820	13.1	11.4	<0.001	0.07	0.24	5.3	0.9	0.3	54.4	0.01	0.03	2.5
DD003059		0.25	30.3	610	22.3	12.5	<0.001	0.06	0.27	5.0	0.7	0.4	46.2	0.01	0.04	2.2
DD003060		0.27	28.0	500	21.7	15.5	<0.001	0.01	0.52	3.9	0.6	0.4	19.6	<0.01	0.07	2.6
DD003061		0.38	26.1	720	13.6	21.6	<0.001	0.04	0.24	4.9	0.8	0.4	37.6	0.01	0.05	2.8
DD003062		0.38	26.5	590	24.2	15.5	<0.001	0.03	0.50	4.5	0.6	0.4	54.7	<0.01	0.06	2.6
DD003063		0.34	27.9	810	18.4	11.3	<0.001	0.05	0.57	4.6	1.1	0.4	82.7	0.01	0.07	1.4
DD003064		0.38	26.0	1390	18.6	16.6	<0.001	0.07	0.46	5.4	0.8	0.5	40.6	0.01	0.08	1.9
DD003065		0.31	21.4	1830	20.3	13.9	<0.001	0.09	0.48	4.0	0.9	0.4	27.6	0.01	0.07	1.5
DD003066		0.64	22.6	890	18.5	18.9	<0.001	0.04	0.59	4.8	0.5	0.6	48.9	<0.01	0.07	2.7
DD004491		0.38	31.5	620	28.7	14.8	<0.001	0.03	0.57	5.4	0.6	0.5	37.0	<0.01	0.11	2.6
DD004492		0.37	26.6	910	19.6	15.0	<0.001	0.05	0.43	5.9	0.9	0.5	64.6	0.01	0.10	2.7
DD004493		0.30	35.1	520	28.8	11.9	<0.001	0.05	0.44	7.8	1.0	0.5	72.3	0.01	0.08	4.3
DD004494		0.33	28.3	760	23.5	18.0	<0.001	0.05	0.33	4.2	0.5	0.7	52.0	<0.01	0.08	1.8
DD004495		0.55	22.2	920	20.8	15.0	<0.001	0.04	0.55	5.4	0.7	0.5	14.2	0.01	0.07	2.2
DD004496		0.31	24.6	1290	23.3	12.0	<0.001	0.11	0.54	5.3	1.4	0.4	56.0	0.01	0.11	1.0
DD004497		0.49	18.4	870	17.7	19.5	<0.001	0.04	0.48	3.4	0.4	0.5	12.2	<0.01	0.07	1.4
DD004498		0.35	28.2	920	18.0	16.2	<0.001	0.05	0.44	6.5	0.8	0.5	42.0	0.01	0.09	2.3
DD004499		0.36	26.9	750	17.9	16.5	<0.001	0.04	0.41	5.6	1.0	0.5	42.1	0.01	0.07	2.3
DD004500		0.25	26.4	700	21.7	16.6	<0.001	0.04	0.39	6.3	1.1	0.4	45.7	0.01	0.07	2.4
DD004101		0.29	31.0	750	17.8	14.3	<0.001	0.04	0.45	6.4	1.0	0.4	41.9	0.01	0.06	2.7
DD004102		0.45	14.9	890	18.8	9.9	<0.001	0.09	0.33	2.8	0.7	0.3	64.2	0.01	0.05	1.0
DD004103		0.19	33.8	460	16.9	11.0	<0.001	0.03	0.30	7.2	0.8	0.5	28.4	0.01	0.05	4.2
DD004104		0.26	27.3	1010	17.5	11.3	<0.001	0.12	0.52	5.0	1.5	0.3	65.5	0.01	0.09	1.2
DD004105		0.14	33.7	440	21.9	9.4	<0.001	0.04	0.49	7.6	0.8	0.4	30.4	0.01	0.07	3.5
DD004106		0.18	30.2	990	20.4	8.9	0.001	0.06	0.54	6.0	1.1	0.4	50.3	0.01	0.06	2.4
DD004107		0.18	25.0	1180	20.1	11.5	0.002	0.07	0.37	6.1	1.6	0.5	57.4	0.01	0.05	3.4
DD004108		0.19	24.9	1080	15.0	19.7	0.001	0.11	0.56	5.2	1.5	0.4	62.9	0.01	0.06	1.8
DD004109		0.12	45.4	450	28.9	10.0	0.001	0.05	2.22	10.2	1.3	0.3	44.3	0.01	0.08	2.3
DD004110		0.26	22.5	510	17.1	15.2	<0.001	0.01	0.83	3.9	0.3	0.3	8.4	<0.01	0.07	1.2
DD004111		0.10	37.7	180	22.9	16.4	0.001	<0.01	0.46	8.1	0.3	0.5	8.7	<0.01	0.04	1.8

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 25- AUG- 2011
Account: RCM

Project: RACKLA DALE INFILL

CERTIFICATE OF ANALYSIS WH11158638

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
DD003448		0.010	0.64	0.53	54	0.15	4.59	65	<0.5
DD003449		0.012	0.13	0.27	68	0.08	2.21	64	<0.5
DD003450		0.010	0.16	0.26	72	0.06	1.73	67	<0.5
DD003051		0.006	0.15	0.41	48	0.05	3.81	118	1.0
DD003052		<0.005	0.95	0.65	41	0.16	5.35	65	1.3
DD003053		<0.005	0.99	0.55	28	0.16	8.14	88	2.2
DD003054		<0.005	0.16	2.34	21	0.05	17.70	102	2.6
DD003055		<0.005	0.16	2.29	16	<0.05	9.59	70	2.4
DD003056		<0.005	0.18	1.49	14	<0.05	12.10	80	2.3
DD003057		<0.005	0.23	1.39	15	<0.05	11.25	74	1.7
DD003058		<0.005	0.15	4.30	15	0.05	14.45	73	3.7
DD003059		0.005	0.13	4.38	20	0.08	15.30	94	3.2
DD003060		0.006	0.14	0.65	39	0.08	4.93	76	1.0
DD003061		0.008	0.12	1.55	34	0.08	11.10	117	2.0
DD003062		0.006	0.19	2.26	44	0.08	6.65	73	2.2
DD003063		0.008	0.29	6.61	43	0.10	13.15	79	2.0
DD003064		0.006	0.20	3.33	45	0.10	10.80	70	2.5
DD003065		0.007	0.23	4.46	39	0.12	11.65	93	2.5
DD003066		0.011	0.23	1.11	49	0.18	5.88	80	2.2
DD004491		0.008	0.15	1.31	50	0.10	5.53	98	2.0
DD004492		0.005	0.15	2.54	37	0.10	13.55	82	2.7
DD004493		<0.005	0.16	1.34	23	0.06	17.15	111	3.3
DD004494		0.005	0.41	1.14	29	0.06	7.75	89	2.2
DD004495		0.012	0.19	2.01	46	0.13	7.00	86	1.3
DD004496		0.007	0.14	5.43	39	0.34	12.85	83	1.7
DD004497		0.011	0.16	0.93	50	0.11	4.57	76	0.5
DD004498		0.005	0.14	2.93	41	0.11	15.45	76	2.2
DD004499		0.006	0.24	3.56	41	0.09	9.77	78	2.3
DD004500		<0.005	0.40	4.69	33	0.07	17.45	89	2.5
DD004101		0.005	0.29	2.57	28	0.09	17.60	76	2.0
DD004102		0.009	0.12	6.52	25	0.10	10.45	71	1.4
DD004103		<0.005	0.12	1.54	19	0.05	14.10	80	2.9
DD004104		<0.005	0.17	3.96	27	0.10	15.65	61	2.0
DD004105		<0.005	0.11	0.84	27	0.05	12.80	90	2.2
DD004106		<0.005	0.25	0.94	24	0.06	13.25	80	1.8
DD004107		<0.005	0.16	1.59	22	0.06	14.50	79	2.5
DD004108		<0.005	0.24	0.98	24	0.12	12.70	94	2.5
DD004109		<0.005	1.78	0.54	36	0.17	20.2	160	1.8
DD004110		0.006	0.21	0.34	43	0.09	2.79	53	<0.5
DD004111		<0.005	0.35	0.35	23	<0.05	5.01	57	0.7

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 25- AUG- 2011
Account: RCM

Project: RACKLA DALE INFILL

CERTIFICATE OF ANALYSIS WH11158638

Sample Description	Method	WEI- 21	Au- TL43	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Recvd Wt.	Au	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
DD004112		0.22	<0.001	0.05	2.03	14.0	<0.2	<10	170	0.50	0.27	0.37	0.13	20.9	19.7	32
DD004113		0.22	<0.001	0.02	1.94	10.9	<0.2	<10	90	0.35	0.28	0.03	0.19	27.7	20.3	37
DD004114		0.20	<0.001	0.08	3.15	8.2	<0.2	<10	110	0.80	0.25	0.21	0.38	32.8	48.4	50
DD004115		0.20	<0.001	0.11	1.69	10.0	<0.2	<10	140	0.34	0.27	0.06	0.29	24.4	16.4	30
DD004116		0.18	0.002	0.10	0.64	70.0	<0.2	<10	80	0.69	0.34	3.39	0.35	13.50	21.2	11
DD004117		0.28	<0.001	0.02	1.87	15.4	<0.2	<10	140	0.53	0.29	0.04	0.14	23.2	16.8	28
DD004118		0.22	<0.001	0.18	1.13	20.1	<0.2	<10	170	0.72	0.26	0.93	0.45	17.15	14.9	22
DD004119		0.16	0.001	0.14	0.98	34.6	<0.2	<10	110	0.81	0.26	1.14	0.21	16.10	11.4	15
DD004120		0.14	0.001	0.12	0.86	38.5	<0.2	<10	100	0.81	0.29	1.34	0.53	15.55	11.5	13
DD004121		0.10	<0.001	0.16	0.74	4.2	<0.2	<10	460	0.41	0.09	3.07	0.36	16.65	7.4	12
DD004122		0.18	0.002	0.14	1.30	10.9	<0.2	<10	160	0.82	0.28	1.40	0.27	18.90	15.2	19
DD004123		0.20	<0.001	0.10	1.08	12.2	<0.2	<10	100	0.93	0.29	0.86	0.16	17.30	9.6	18
DD004124		0.12	0.001	0.10	1.00	8.0	<0.2	<10	120	0.79	0.25	1.52	0.14	15.55	10.8	16
DD004125		0.22	0.002	0.09	1.23	9.5	<0.2	<10	110	0.90	0.30	0.85	0.12	17.60	11.4	21
DD004126		0.10	<0.001	0.11	0.90	7.3	<0.2	<10	350	0.65	0.17	2.82	0.12	16.90	8.3	16
DD004127		0.18	0.001	0.12	1.53	19.5	<0.2	<10	180	0.75	0.36	0.65	0.19	26.7	17.0	23
DD004128		0.20	0.002	0.11	1.71	12.8	<0.2	<10	360	0.82	0.27	0.95	0.20	21.1	16.2	25
DD004129		0.24	<0.001	0.04	1.66	18.3	<0.2	<10	150	0.68	0.30	0.23	0.18	20.4	19.5	25
DD004130		0.10	NSS	0.14	1.23	9.6	<0.2	<10	350	0.63	0.21	2.02	0.29	17.50	11.2	19
DD004131		0.14	0.003	0.17	1.37	29.1	<0.2	<10	420	0.68	0.21	2.17	0.46	16.00	11.3	19
DD004132		0.24	0.001	0.04	1.59	45.9	<0.2	<10	250	0.62	0.27	0.40	0.13	20.0	17.2	24
DD004133		0.22	0.004	0.28	1.27	465	<0.2	<10	270	0.80	0.25	1.39	0.30	21.3	11.3	23
DD004134		0.14	NSS	0.15	0.81	22.8	<0.2	<10	100	0.69	0.24	2.48	0.26	17.65	8.2	11
DD004135		0.14	0.002	0.19	1.18	26.4	<0.2	<10	140	0.93	0.27	1.60	0.35	38.3	8.3	20
DD004136		0.26	0.001	0.04	1.97	15.7	<0.2	<10	180	0.83	0.26	0.10	0.16	31.2	15.3	27

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 25- AUG- 2011
Account: RCM

Project: RACKLA DALE INFILL

CERTIFICATE OF ANALYSIS WH11158638

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
DD004112		3.57	39.6	4.60	6.74	0.09	0.06	0.04	0.049	0.09	10.2	35.4	0.72	839	1.05	0.01
DD004113		4.58	72.0	6.04	12.20	0.11	0.04	0.04	0.057	0.08	12.8	27.1	0.63	737	1.22	0.01
DD004114		14.90	114.0	7.78	14.45	0.15	0.06	0.04	0.112	0.09	13.6	52.5	1.46	1480	1.13	0.01
DD004115		7.16	42.3	4.56	7.04	0.08	0.03	0.04	0.048	0.08	11.5	23.1	0.55	617	0.98	0.01
DD004116		1.61	64.1	3.75	1.89	0.08	0.08	0.12	0.051	0.08	6.2	7.8	0.17	367	2.96	0.01
DD004117		3.48	44.1	5.00	6.85	0.09	0.03	0.03	0.048	0.09	11.8	37.9	0.51	509	0.99	0.01
DD004118		9.39	48.0	3.75	4.02	0.09	0.08	0.12	0.046	0.10	8.9	20.4	0.37	1000	0.53	<0.01
DD004119		5.09	40.0	3.20	2.93	0.08	0.10	0.23	0.040	0.08	7.2	17.3	0.38	231	0.68	0.01
DD004120		1.65	38.5	2.97	2.63	0.08	0.10	0.37	0.038	0.08	6.6	15.6	0.35	288	1.02	<0.01
DD004121		0.52	49.8	1.56	2.26	0.06	0.07	0.14	0.018	0.03	7.1	12.2	0.37	6190	1.35	0.01
DD004122		1.25	57.3	3.28	4.04	0.09	0.11	0.18	0.040	0.10	9.2	25.5	0.51	601	0.68	0.01
DD004123		2.16	31.0	3.03	3.40	0.07	0.11	0.09	0.038	0.09	8.5	22.9	0.37	220	0.53	<0.01
DD004124		1.66	36.8	2.75	3.07	0.07	0.09	0.10	0.034	0.09	7.3	23.8	0.38	314	0.45	0.01
DD004125		1.41	40.2	3.19	3.95	0.08	0.09	0.08	0.037	0.08	9.1	31.4	0.50	285	0.48	<0.01
DD004126		7.48	35.7	2.03	2.63	0.07	0.09	0.10	0.029	0.07	9.4	14.7	0.31	252	0.39	0.01
DD004127		2.38	52.1	3.93	4.63	0.09	0.11	0.10	0.038	0.10	13.1	33.6	0.59	456	0.63	0.01
DD004128		2.44	62.5	3.85	5.05	0.09	0.12	0.10	0.037	0.11	10.9	36.1	0.66	529	0.63	0.01
DD004129		1.94	48.7	4.74	5.29	0.09	0.08	0.04	0.047	0.09	9.6	36.2	0.58	813	0.84	<0.01
DD004130		2.19	39.1	2.72	3.80	0.06	0.08	0.12	0.032	0.08	8.1	16.2	0.30	613	0.53	0.01
DD004131		3.12	45.6	2.78	3.97	0.06	0.08	0.15	0.032	0.09	7.5	17.7	0.35	591	0.63	0.01
DD004132		2.06	38.7	3.93	5.13	0.07	0.08	0.04	0.041	0.07	9.9	34.2	0.56	468	0.85	<0.01
DD004133		5.94	54.3	3.16	3.92	0.08	0.09	0.83	0.041	0.09	11.7	26.0	0.51	448	0.74	0.01
DD004134		0.63	26.0	2.88	2.15	0.07	0.07	0.13	0.039	0.08	8.5	12.1	0.19	220	0.46	0.01
DD004135		0.96	29.7	3.45	3.08	0.10	0.12	0.08	0.056	0.08	16.1	12.6	0.14	301	0.59	0.01
DD004136		1.61	42.0	4.18	4.91	0.08	0.08	0.03	0.041	0.08	12.3	31.8	0.65	451	0.72	<0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 25- AUG- 2011
Account: RCM

Project: RACKLA DALE INFILL

CERTIFICATE OF ANALYSIS WH11158638

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
DD004112		0.50	27.1	620	16.6	16.2	<0.001	0.02	0.52	5.6	0.6	0.5	22.2	<0.01	0.07	2.8
DD004113		0.64	21.6	480	12.8	17.8	<0.001	0.01	0.56	7.4	0.5	0.8	5.5	<0.01	0.12	3.2
DD004114		0.46	34.7	740	17.6	16.2	0.001	0.02	0.42	13.9	0.8	0.8	12.6	0.01	0.15	2.8
DD004115		0.65	21.1	480	16.1	19.5	<0.001	0.01	0.46	5.0	0.5	0.5	9.8	<0.01	0.08	1.9
DD004116		0.15	39.3	650	21.5	7.1	0.001	0.07	0.80	5.6	1.3	0.3	100.0	0.01	0.10	1.2
DD004117		0.35	25.9	220	17.4	16.8	<0.001	0.01	0.46	5.0	0.3	0.5	7.6	<0.01	0.08	4.3
DD004118		0.35	25.9	630	22.8	30.0	<0.001	0.05	0.59	7.9	0.9	0.4	46.5	0.01	0.07	1.8
DD004119		0.23	23.2	930	17.2	15.7	0.001	0.08	0.65	5.7	1.4	0.4	56.9	0.01	0.06	1.8
DD004120		0.23	24.4	940	20.6	10.2	0.002	0.10	0.50	5.0	1.8	0.4	55.5	0.01	0.05	2.1
DD004121		0.17	19.5	1110	9.5	3.4	<0.001	0.14	0.65	1.4	1.2	<0.2	96.6	0.01	0.06	0.5
DD004122		0.26	28.2	790	20.9	9.2	0.001	0.08	0.46	6.2	1.4	0.4	54.3	0.01	0.08	2.4
DD004123		0.27	25.9	750	16.1	15.2	<0.001	0.07	0.30	5.4	1.1	0.4	43.2	0.01	0.05	2.2
DD004124		0.30	24.3	700	16.3	8.2	<0.001	0.07	0.33	5.3	1.0	0.4	56.2	0.01	0.05	1.9
DD004125		0.37	29.8	550	18.3	8.0	<0.001	0.05	0.37	5.9	1.2	0.4	56.1	0.01	0.05	2.3
DD004126		0.24	20.7	920	11.1	10.5	<0.001	0.12	0.31	2.8	1.1	0.3	85.0	0.01	0.04	0.9
DD004127		0.27	30.3	440	23.2	8.9	<0.001	0.03	0.52	7.5	0.8	0.3	26.8	0.01	0.08	4.2
DD004128		0.32	29.7	500	18.7	11.5	<0.001	0.03	0.51	7.2	0.8	0.4	40.6	0.01	0.08	3.1
DD004129		0.34	26.8	610	27.4	11.0	<0.001	0.02	0.58	4.7	0.5	0.4	18.6	<0.01	0.08	2.8
DD004130		0.42	18.8	1050	15.5	11.6	<0.001	0.10	0.42	3.4	1.1	0.3	67.5	0.01	0.08	1.0
DD004131		0.44	19.4	1170	16.9	11.2	<0.001	0.11	0.47	3.5	1.2	0.3	82.5	0.01	0.09	0.9
DD004132		0.44	22.3	710	19.5	11.8	<0.001	0.03	0.48	4.2	0.6	0.4	25.4	<0.01	0.08	1.8
DD004133		0.42	25.4	960	23.0	16.9	<0.001	0.10	0.54	4.5	2.1	0.4	144.5	0.01	0.09	1.0
DD004134		0.26	20.1	810	21.0	6.8	<0.001	0.11	0.31	3.5	1.2	0.4	126.5	0.01	0.08	1.1
DD004135		0.25	19.4	1100	19.2	12.5	<0.001	0.06	0.24	6.1	1.1	0.5	91.4	0.01	0.09	3.2
DD004136		0.37	30.9	500	21.0	10.5	<0.001	0.01	0.53	5.6	0.5	0.4	13.3	<0.01	0.07	3.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 25- AUG- 2011
Account: RCM

Project: RACKLA DALE INFILL

CERTIFICATE OF ANALYSIS WH11158638

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
DD004112		0.011	0.26	0.62	64	0.12	4.56	86	1.3
DD004113		0.015	0.13	0.33	130	0.09	3.18	73	1.5
DD004114		0.012	0.18	0.39	158	0.07	11.25	82	1.1
DD004115		0.019	0.14	0.60	68	0.13	5.22	63	<0.5
DD004116		<0.005	0.27	1.74	20	0.06	16.80	103	1.9
DD004117		0.006	0.16	0.48	59	0.07	3.10	67	1.5
DD004118		0.007	0.32	0.36	44	0.08	14.15	67	1.3
DD004119		<0.005	0.30	0.95	24	0.10	12.45	86	2.0
DD004120		<0.005	0.23	1.44	20	0.05	12.50	170	2.2
DD004121		0.005	0.05	1.38	11	<0.05	8.51	35	1.4
DD004122		<0.005	0.12	2.10	30	0.05	12.30	70	2.2
DD004123		<0.005	0.12	1.60	21	0.05	12.80	91	2.3
DD004124		<0.005	0.10	1.80	18	0.05	11.95	78	2.0
DD004125		0.005	0.10	3.44	20	0.05	15.00	75	1.8
DD004126		<0.005	0.21	7.51	16	0.05	13.90	57	2.2
DD004127		0.005	0.10	1.55	33	0.06	13.50	80	2.5
DD004128		0.005	0.10	1.67	36	0.07	11.95	81	2.8
DD004129		0.006	0.11	1.47	41	0.06	5.80	89	1.8
DD004130		0.006	0.12	4.22	28	0.07	8.66	64	1.6
DD004131		0.007	0.18	4.46	30	0.07	9.22	87	1.7
DD004132		0.007	0.25	1.70	41	0.09	6.37	80	1.6
DD004133		0.007	11.50	9.08	30	0.13	17.80	96	1.5
DD004134		<0.005	0.11	1.62	17	0.06	14.70	78	1.5
DD004135		<0.005	0.17	4.40	31	0.08	25.9	90	2.2
DD004136		0.007	0.13	0.80	42	0.11	7.48	82	1.7

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 25- AUG- 2011
Account: RCM

Project: RACKLA DALE INFILL

CERTIFICATE OF ANALYSIS WH11158638

Method	CERTIFICATE COMMENTS
ALL METHODS	NSS is non- sufficient sample.
ME- MS41	Gold determinations by this method are semi- quantitative due to the small sample weight used (0.5g).

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 23- AUG- 2011
Account: RCM

CERTIFICATE WH11158639

Project: Rackla- DALE- INFILL

P.O. No.:

This report is for 206 Soil samples submitted to our lab in Whitehorse, YT, Canada on 15- AUG- 2011.

The following have access to data associated with this certificate:

ROB CARNE JULIA LANE	ANDREW CARNE JOAN MARIACHER	MATT DUMALA

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
SCR- 41	Screen to - 180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- TL43	Trace Level Au - 25g AR	ICP- MS
ME- MS41	51 anal. aqua regia ICPMS	

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 23- AUG- 2011
Account: RCM

Project: Rackla- DALE- INFILL

CERTIFICATE OF ANALYSIS WH11158639

Sample Description	Method	WEI- 21	Au- TL43	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Recvd Wt.	Au	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
DD003978		0.32	0.002	0.07	1.77	16.6	<0.2	<10	250	0.82	0.32	0.20	0.14	28.2	18.6	25
DD003979		0.32	0.003	0.03	1.93	16.0	<0.2	<10	110	0.81	0.31	0.05	0.19	29.6	21.7	25
DD003980		0.34	0.003	0.08	2.44	21.6	<0.2	<10	230	1.15	0.39	0.11	0.22	36.3	25.2	29
DD003981		0.34	0.001	0.02	1.88	13.4	<0.2	<10	140	0.77	0.28	0.05	0.08	29.1	19.3	25
DD003982		0.34	0.001	0.04	1.81	14.3	<0.2	<10	180	0.70	0.31	0.07	0.13	26.0	15.8	27
DD003983		0.38	0.001	0.07	1.58	16.1	<0.2	<10	120	0.79	0.31	0.12	0.18	28.4	19.3	23
DD003984		0.34	0.001	0.08	0.54	33.6	<0.2	<10	70	1.14	0.49	0.39	0.12	10.90	15.9	14
DD003985		0.30	0.001	0.07	1.41	12.4	<0.2	<10	140	0.59	0.36	0.13	0.38	17.35	10.2	24
DD003986		0.30	0.001	0.17	0.42	21.6	<0.2	<10	80	0.75	0.32	2.94	0.15	19.45	12.8	11
DD003987		0.30	0.001	0.26	0.24	13.2	<0.2	<10	40	0.54	0.28	6.38	0.17	14.80	11.8	6
DD003988		0.30	0.001	0.07	1.30	18.0	<0.2	<10	100	0.69	0.32	0.21	0.14	24.6	14.5	21
DD003989		0.28	0.001	0.04	1.62	17.5	<0.2	<10	130	0.70	0.30	0.12	0.10	21.2	15.4	25
DD003990		0.28	0.001	0.18	1.00	12.8	<0.2	<10	130	0.79	0.28	1.49	0.23	21.6	12.5	15
DD003991		0.30	0.002	0.25	0.65	39.8	<0.2	<10	90	0.64	0.30	0.93	0.12	22.3	13.7	12
DD003992		0.28	0.001	0.12	1.23	33.4	<0.2	<10	150	0.77	0.32	0.38	0.18	19.90	15.3	19
DD003993		0.36	<0.001	0.06	0.88	14.3	<0.2	<10	140	0.75	0.39	0.18	0.07	9.93	10.1	13
DD003994		0.24	0.002	0.15	1.62	22.1	<0.2	<10	250	0.76	0.28	0.67	0.17	26.8	13.5	25
DD003995		0.32	0.002	0.18	1.39	27.3	<0.2	<10	260	1.16	0.33	0.58	0.25	20.0	10.7	20
DD003996		0.36	0.002	0.13	1.13	40.1	<0.2	<10	130	1.07	0.32	0.18	0.17	28.6	14.1	20
DD003997		0.30	0.001	0.14	1.40	34.3	<0.2	<10	190	0.93	0.27	0.75	0.14	28.2	11.7	23
DD003998		0.32	0.001	0.15	1.54	17.6	<0.2	<10	240	1.05	0.70	0.67	0.57	24.6	13.1	22
DD003999		0.34	0.002	0.10	1.43	14.7	<0.2	<10	130	0.96	0.31	0.40	0.16	25.7	14.0	22
DD004000		0.26	0.001	0.14	0.71	14.3	<0.2	<10	130	0.78	0.30	0.90	0.35	20.4	10.7	13
DD004201		0.30	0.001	0.11	1.44	15.8	<0.2	<10	140	0.97	0.29	0.82	0.24	22.2	13.0	20
DD004202		0.28	0.001	0.07	1.14	11.5	<0.2	<10	140	0.56	0.33	0.10	0.09	19.10	8.5	18
DD004203		0.30	0.003	0.06	2.35	24.5	<0.2	<10	120	1.11	0.35	0.03	0.25	25.3	22.9	30
DD004204		0.32	0.001	0.05	1.64	16.0	<0.2	<10	150	0.90	0.30	0.16	0.21	23.6	13.9	27
DD004205		0.36	<0.001	0.05	1.40	24.5	<0.2	<10	180	0.97	0.30	0.16	0.20	36.6	13.7	24
DD004206		0.36	<0.001	0.07	1.59	13.1	<0.2	<10	220	1.09	0.27	0.33	0.26	30.6	12.1	24
DD004207		0.34	0.001	0.04	1.89	16.3	<0.2	<10	140	0.93	0.32	0.06	0.20	31.6	19.9	28
DD004208		0.34	0.002	0.06	1.83	16.7	<0.2	<10	160	0.85	0.32	0.10	0.25	29.7	16.2	30
DD004209		0.32	0.002	0.03	2.00	14.9	<0.2	<10	100	0.90	0.30	0.04	0.25	24.3	18.0	26
DD004210		0.34	0.002	0.07	1.96	16.9	<0.2	<10	160	1.10	0.35	0.07	0.10	28.3	21.5	26
DD004211		0.30	0.002	0.06	1.60	12.8	<0.2	<10	120	1.20	0.29	0.92	0.31	36.5	12.8	35
DD004212		0.38	0.003	0.20	1.47	22.1	<0.2	<10	240	1.06	0.32	0.73	0.16	24.7	13.5	28
DD004213		0.30	0.001	0.07	0.78	19.9	<0.2	<10	140	1.24	0.34	0.42	0.05	13.55	14.5	11
DD004214		0.34	0.001	0.05	1.35	26.7	<0.2	<10	160	0.98	0.31	0.42	0.14	20.1	14.1	20
DD004215		0.34	0.002	0.18	0.52	29.0	<0.2	<10	200	1.63	0.39	0.96	0.97	35.3	23.3	9
DD004216		0.40	0.002	0.08	0.69	39.7	<0.2	<10	120	1.33	0.37	0.21	0.23	11.85	18.3	12
DD004217		0.32	0.002	0.10	1.17	106.5	<0.2	<10	140	1.04	0.32	0.19	0.15	17.25	16.3	20

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 23- AUG- 2011
Account: RCM

Project: Rackla- DALE- INFILL

CERTIFICATE OF ANALYSIS WH11158639

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
DD003978		2.06	54.8	4.54	5.13	0.09	0.10	0.09	0.038	0.09	13.0	36.7	0.58	815	0.74	<0.01
DD003979		1.94	64.8	4.94	4.94	0.10	0.08	0.06	0.045	0.10	11.9	47.3	0.69	1120	0.65	<0.01
DD003980		2.06	68.1	5.43	5.84	0.12	0.12	0.08	0.051	0.11	15.0	48.6	0.81	877	0.69	<0.01
DD003981		1.72	46.8	4.22	4.73	0.08	0.08	0.03	0.035	0.09	12.7	44.5	0.66	671	0.47	<0.01
DD003982		2.41	37.6	4.34	6.26	0.08	0.04	0.04	0.043	0.09	12.0	32.9	0.50	866	0.98	<0.01
DD003983		1.91	50.9	4.83	4.47	0.08	0.08	0.05	0.043	0.11	10.1	33.9	0.51	1140	0.73	<0.01
DD003984		1.74	49.5	4.10	1.99	0.08	0.10	0.07	0.051	0.11	5.4	7.0	0.18	653	0.51	<0.01
DD003985		2.42	26.4	3.73	5.74	0.07	0.02	0.02	0.037	0.10	8.8	21.2	0.32	630	1.03	<0.01
DD003986		0.87	35.4	3.73	1.39	0.08	0.07	0.11	0.045	0.08	7.3	4.3	0.07	408	0.47	<0.01
DD003987		1.47	32.6	3.36	0.77	0.07	0.15	0.10	0.035	0.08	4.5	2.4	0.08	245	0.96	0.01
DD003988		1.42	44.8	4.25	3.85	0.08	0.06	0.03	0.041	0.10	9.0	27.9	0.44	388	0.62	<0.01
DD003989		1.68	49.7	4.98	4.87	0.08	0.06	0.05	0.047	0.09	9.4	32.3	0.54	636	0.81	0.01
DD003990		1.02	39.5	3.42	2.83	0.08	0.11	0.10	0.035	0.09	9.3	16.6	0.27	699	0.64	<0.01
DD003991		1.88	35.1	3.73	2.10	0.08	0.09	0.12	0.038	0.08	9.6	12.3	0.20	282	0.58	<0.01
DD003992		1.61	28.7	3.61	3.62	0.07	0.09	0.09	0.037	0.11	8.8	24.5	0.38	422	0.58	<0.01
DD003993		2.12	29.9	3.03	2.78	0.05	0.04	0.02	0.030	0.16	4.2	19.4	0.25	298	0.36	<0.01
DD003994		1.70	36.4	3.52	4.94	0.08	0.10	0.16	0.035	0.09	13.8	25.2	0.59	550	0.74	0.01
DD003995		2.73	38.1	3.49	4.01	<0.05	0.09	0.10	0.037	0.09	8.7	23.5	0.35	541	0.69	<0.01
DD003996		1.87	42.9	4.04	3.35	0.06	0.06	0.05	0.043	0.08	9.9	24.9	0.37	483	0.70	<0.01
DD003997		1.38	28.5	3.65	4.29	<0.05	0.06	0.07	0.028	0.07	10.9	20.0	0.38	463	0.79	<0.01
DD003998		1.48	41.2	3.68	4.89	0.11	0.12	0.11	0.452	0.06	9.8	19.7	0.41	693	1.22	<0.01
DD003999		1.42	42.1	4.23	4.92	<0.05	0.06	0.06	0.037	0.07	8.1	24.7	0.36	743	0.75	<0.01
DD004000		1.17	26.1	3.28	2.33	<0.05	0.08	0.08	0.030	0.06	7.4	8.4	0.13	418	0.77	<0.01
DD004201		1.10	34.5	3.63	4.05	0.05	0.08	0.07	0.031	0.06	9.2	23.6	0.42	439	0.61	<0.01
DD004202		1.27	22.5	3.33	4.96	<0.05	0.02	0.04	0.029	0.06	7.5	15.4	0.22	279	0.78	<0.01
DD004203		2.23	48.5	4.65	5.19	<0.05	0.08	0.05	0.048	0.08	9.4	42.9	0.58	638	0.96	<0.01
DD004204		1.48	34.8	4.04	5.51	<0.05	0.05	0.02	0.033	0.08	9.4	37.0	0.60	651	0.91	<0.01
DD004205		2.71	31.4	3.68	4.52	<0.05	0.06	0.05	0.032	0.07	10.9	22.4	0.37	573	0.96	<0.01
DD004206		2.88	33.9	3.78	5.01	0.05	0.06	0.05	0.035	0.07	12.6	24.4	0.38	714	0.73	<0.01
DD004207		1.63	45.5	4.58	5.71	<0.05	0.08	0.05	0.040	0.07	11.7	38.3	0.62	749	0.87	<0.01
DD004208		1.57	38.9	4.27	6.07	<0.05	0.03	0.05	0.037	0.07	11.3	29.0	0.50	844	1.16	<0.01
DD004209		1.56	50.0	4.47	5.21	<0.05	0.09	0.02	0.037	0.09	10.2	41.3	0.65	646	0.67	<0.01
DD004210		1.62	64.7	4.79	6.54	0.05	0.09	0.13	0.036	0.09	11.7	40.7	0.67	740	0.69	0.01
DD004211		1.25	31.6	3.14	6.19	0.08	0.08	0.04	0.036	0.08	17.9	37.7	0.86	414	0.51	0.01
DD004212		1.38	39.0	3.79	5.12	0.12	0.08	0.10	0.030	0.09	12.4	22.4	0.55	428	0.80	0.01
DD004213		2.86	32.2	4.14	2.12	0.08	0.06	0.08	0.040	0.06	4.8	8.8	0.13	504	0.61	0.01
DD004214		2.67	39.8	4.18	4.15	<0.05	0.09	0.08	0.037	0.07	7.9	25.7	0.39	507	0.74	<0.01
DD004215		14.00	49.4	4.36	1.82	0.07	0.04	1.06	0.046	0.19	12.3	6.0	0.05	3040	2.98	<0.01
DD004216		6.65	55.5	4.63	2.02	<0.05	0.04	0.95	0.048	0.09	4.7	9.3	0.18	900	2.58	<0.01
DD004217		4.24	55.4	4.38	3.66	<0.05	0.08	0.52	0.044	0.09	7.6	21.2	0.39	427	0.79	<0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 23- AUG- 2011
Account: RCM

Project: Rackla- DALE- INFILL

CERTIFICATE OF ANALYSIS WH11158639

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
DD003978		0.24	29.3	640	23.2	10.9	<0.001	0.01	0.57	5.6	0.6	0.4	18.0	<0.01	0.08	3.4
DD003979		0.17	33.1	470	27.4	10.4	<0.001	0.01	0.56	5.8	0.6	0.3	10.3	<0.01	0.07	4.9
DD003980		0.19	40.8	510	28.2	13.1	<0.001	0.01	0.67	7.9	0.8	0.4	15.7	0.01	0.08	5.0
DD003981		0.21	30.4	380	21.3	10.3	<0.001	0.01	0.51	4.0	0.5	0.3	11.2	<0.01	0.06	4.1
DD003982		0.50	23.4	910	21.9	17.4	<0.001	0.03	0.60	3.1	0.5	0.5	13.9	0.01	0.08	1.2
DD003983		0.26	25.9	880	31.7	10.9	<0.001	0.03	0.56	3.8	0.5	0.3	13.7	<0.01	0.08	2.3
DD003984		0.13	28.5	440	28.1	7.8	<0.001	0.02	0.39	9.5	0.7	0.5	52.9	0.01	0.08	2.7
DD003985		0.38	17.9	1140	19.8	18.5	<0.001	0.05	0.57	1.3	0.5	0.6	18.1	<0.01	0.07	0.3
DD003986		0.12	31.7	490	30.7	5.9	<0.001	0.05	0.48	5.0	0.9	0.4	99.3	0.01	0.06	2.5
DD003987		0.09	29.2	180	43.1	6.1	0.001	0.04	0.35	4.8	1.1	0.3	208	0.01	0.07	6.3
DD003988		0.24	27.1	450	29.1	10.2	<0.001	0.02	0.52	4.5	0.5	0.3	18.6	<0.01	0.07	2.9
DD003989		0.32	25.4	710	23.7	12.8	<0.001	0.03	0.53	4.6	0.5	0.4	14.8	<0.01	0.08	2.6
DD003990		0.23	24.1	610	22.9	10.8	<0.001	0.06	0.40	4.7	1.0	0.4	78.3	0.01	0.08	2.1
DD003991		0.19	30.4	470	36.8	9.5	<0.001	0.05	0.52	4.7	1.0	0.3	52.4	0.01	0.06	2.7
DD003992		0.29	26.4	400	41.4	13.3	<0.001	0.02	0.50	4.7	0.6	0.4	35.5	<0.01	0.06	3.7
DD003993		0.22	22.2	250	17.2	16.0	<0.001	0.01	0.26	3.6	0.4	0.4	21.4	<0.01	0.05	2.5
DD003994		0.56	26.0	700	21.0	11.0	<0.001	0.03	0.61	4.9	0.7	0.4	27.2	0.01	0.06	2.7
DD003995		0.24	28.7	1390	21.0	18.3	<0.001	0.07	0.39	3.9	0.8	0.4	42.1	<0.01	0.05	1.4
DD003996		0.22	36.5	420	33.7	13.7	<0.001	0.01	0.49	5.5	0.8	0.4	21.0	<0.01	0.04	4.0
DD003997		0.41	25.6	670	21.6	11.2	<0.001	0.02	0.45	4.0	0.6	0.4	49.8	<0.01	0.04	2.1
DD003998		0.51	25.1	720	20.7	10.3	0.031	0.02	0.55	5.4	0.9	0.7	45.0	0.28	0.08	2.6
DD003999		0.26	25.2	810	24.1	11.0	<0.001	0.03	0.49	4.5	0.6	0.4	25.3	<0.01	0.05	2.3
DD004000		0.16	22.5	970	28.5	13.0	<0.001	0.05	0.45	3.1	1.1	0.3	47.0	<0.01	0.04	1.5
DD004201		0.15	25.2	670	19.6	9.7	<0.001	0.03	0.36	4.0	0.4	0.4	42.4	<0.01	0.05	2.2
DD004202		0.40	19.1	470	18.1	13.4	<0.001	<0.01	0.37	2.7	0.3	0.5	13.3	<0.01	0.04	1.9
DD004203		0.27	43.4	330	27.8	13.6	<0.001	<0.01	0.52	4.9	0.8	0.4	10.2	<0.01	0.08	4.6
DD004204		0.34	28.3	1000	20.0	11.0	<0.001	0.02	0.53	3.3	0.6	0.4	15.2	<0.01	0.05	1.4
DD004205		0.34	30.7	670	22.0	13.1	<0.001	0.01	0.62	3.9	0.5	0.4	18.1	<0.01	0.04	2.0
DD004206		0.27	23.6	1330	23.9	12.0	<0.001	0.03	0.42	3.8	0.7	0.4	22.3	<0.01	0.04	1.3
DD004207		0.36	33.5	770	23.7	11.1	<0.001	0.01	0.58	4.5	0.7	0.4	10.5	<0.01	0.07	2.3
DD004208		0.52	28.8	870	21.4	11.0	<0.001	0.02	0.73	3.0	0.8	0.5	11.3	<0.01	0.04	1.1
DD004209		0.24	32.9	680	22.7	9.5	<0.001	<0.01	0.50	3.7	0.5	0.3	7.8	<0.01	0.07	2.9
DD004210		0.20	33.0	440	24.6	10.9	0.001	0.02	0.55	6.9	0.6	0.4	8.9	<0.01	0.10	3.6
DD004211		0.58	36.2	970	19.9	10.9	<0.001	0.04	0.45	5.5	0.8	0.5	41.6	<0.01	0.03	2.6
DD004212		0.53	34.2	610	19.4	8.4	<0.001	0.03	0.59	5.4	1.4	0.5	40.6	<0.01	0.07	2.3
DD004213		0.17	29.4	390	22.5	8.5	<0.001	0.02	0.29	5.8	1.0	0.5	24.7	<0.01	0.03	2.3
DD004214		0.21	28.9	690	21.0	11.2	0.001	0.02	0.49	4.9	0.9	0.4	23.8	<0.01	0.07	2.7
DD004215		<0.05	57.7	3960	23.4	12.2	0.003	0.06	0.49	8.2	1.6	0.6	90.9	<0.01	0.07	8.7
DD004216		0.08	37.8	520	24.2	10.4	0.001	0.03	0.60	7.0	0.8	0.6	22.9	<0.01	0.06	2.5
DD004217		0.11	31.4	540	20.3	9.5	0.001	0.01	0.74	8.0	0.8	0.4	18.3	<0.01	0.05	2.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 23- AUG- 2011
Account: RCM

Project: Rackla- DALE- INFILL

CERTIFICATE OF ANALYSIS WH11158639

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
DD003978		<0.005	0.13	0.91	40	0.05	8.46	78	1.9
DD003979		<0.005	0.11	0.59	37	<0.05	6.36	93	2.0
DD003980		<0.005	0.13	0.80	41	0.05	12.40	88	2.4
DD003981		<0.005	0.09	0.56	31	<0.05	5.40	66	1.9
DD003982		0.012	0.14	0.78	50	0.11	4.70	79	0.7
DD003983		0.008	0.10	0.74	33	0.05	5.82	101	1.8
DD003984		<0.005	0.18	1.14	22	<0.05	14.70	97	1.7
DD003985		0.011	0.12	0.79	42	0.12	4.07	95	<0.5
DD003986		<0.005	0.27	1.05	15	<0.05	13.90	92	1.5
DD003987		<0.005	0.19	1.39	9	<0.05	11.90	90	4.9
DD003988		<0.005	0.10	0.81	33	0.06	5.78	84	1.3
DD003989		0.005	0.12	0.64	41	0.06	4.79	72	1.3
DD003990		<0.005	0.16	1.97	23	0.05	13.85	71	2.3
DD003991		<0.005	0.22	1.78	17	<0.05	16.00	81	1.9
DD003992		0.005	0.25	1.30	26	0.06	8.85	140	2.1
DD003993		0.005	0.13	0.75	18	<0.05	6.13	56	1.0
DD003994		0.011	0.19	1.51	39	0.22	9.52	81	2.0
DD003995		0.007	0.25	2.23	31	0.09	14.40	116	2.2
DD003996		0.006	0.26	1.37	26	0.06	14.25	91	2.0
DD003997		0.011	0.22	2.53	37	0.11	10.40	73	1.6
DD003998		0.006	0.50	2.08	36	0.32	10.65	67	2.3
DD003999		0.005	0.12	0.89	36	0.06	7.53	67	1.7
DD004000		<0.005	0.14	2.68	22	<0.05	10.60	102	1.9
DD004201		<0.005	0.15	2.01	31	<0.05	10.35	68	2.4
DD004202		0.009	0.12	0.77	39	0.09	4.17	66	0.6
DD004203		<0.005	0.18	1.15	35	0.06	5.19	98	2.8
DD004204		0.010	0.11	0.94	37	0.07	6.09	86	1.4
DD004205		0.010	0.23	1.95	35	0.11	8.41	99	1.5
DD004206		0.009	0.13	2.59	38	0.14	11.35	87	1.6
DD004207		0.009	0.11	1.05	42	0.09	6.51	81	2.1
DD004208		0.018	0.19	1.15	50	0.18	6.56	83	0.7
DD004209		0.005	0.10	0.56	37	0.06	4.65	84	2.4
DD004210		<0.005	0.12	0.58	41	<0.05	7.73	76	1.9
DD004211		0.018	0.10	3.87	30	0.08	17.15	114	1.9
DD004212		0.018	0.13	1.78	36	0.11	10.70	110	1.8
DD004213		<0.005	0.26	0.73	16	0.11	5.88	81	1.4
DD004214		0.005	0.18	0.68	32	0.07	5.77	77	2.4
DD004215		<0.005	2.23	1.82	24	<0.05	29.4	104	1.9
DD004216		<0.005	0.23	0.75	25	0.05	9.07	100	0.9
DD004217		<0.005	0.55	0.59	33	0.10	10.20	80	2.1

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 23- AUG- 2011
Account: RCM

Project: Rackla- DALE- INFILL

CERTIFICATE OF ANALYSIS WH11158639

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- TL43 Au ppm 0.001	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1
DD004218		0.30	0.003	0.10	0.80	68.6	<0.2	<10	150	0.92	0.35	1.78	0.29	16.40	18.5	14
DD004219		0.32	0.002	0.13	1.01	41.8	<0.2	<10	160	1.06	0.28	1.39	0.24	15.05	14.6	17
DD004220		0.26	0.002	0.04	1.45	43.6	<0.2	<10	100	0.81	0.30	0.13	0.28	21.0	12.0	20
DD004137		0.22	0.007	0.25	1.04	21.3	<0.2	<10	260	0.99	0.20	1.74	0.54	43.5	11.1	19
DD004138		0.16	0.002	0.24	0.74	12.7	<0.2	<10	150	1.03	0.18	1.70	0.43	29.5	7.2	13
DD004139		0.26	0.001	0.07	1.82	17.7	<0.2	<10	130	0.99	0.30	0.12	0.25	30.3	19.4	26
DD004140		0.24	0.001	0.05	1.53	14.4	<0.2	<10	160	0.90	0.31	0.12	0.23	22.7	14.8	24
DD004141		0.16	0.001	0.16	1.37	10.3	<0.2	<10	230	0.91	0.29	1.06	0.47	32.8	11.3	20
DD004142		0.14	0.001	0.25	0.62	8.9	<0.2	<10	110	0.81	0.26	1.86	0.31	25.3	9.3	12
DD004143		0.20	0.001	0.17	0.76	9.0	<0.2	<10	130	0.91	0.28	0.86	0.16	21.5	8.8	13
DD004144		0.24	<0.001	0.06	0.30	10.9	<0.2	<10	110	0.84	0.40	0.08	0.05	10.25	12.1	8
DD004145		0.22	0.002	0.16	1.13	563	<0.2	<10	180	0.77	0.21	3.98	0.74	17.60	8.4	18
DD004146		0.20	0.002	0.22	1.30	165.0	<0.2	<10	130	0.93	0.22	5.33	0.66	23.7	9.9	19
DD004147		0.26	0.001	0.18	0.90	108	<0.2	<10	180	0.60	0.13	10.50	0.90	16.30	5.8	12
DD004148		0.28	0.003	0.17	1.06	105.5	<0.2	<10	120	0.68	0.20	5.86	0.86	17.85	11.2	16
DD004149		0.22	0.002	0.17	1.38	139.0	<0.2	<10	170	0.82	0.26	2.68	0.89	20.0	13.5	20
DD004150		0.22	0.003	0.16	1.30	117.0	<0.2	<10	140	0.88	0.27	1.69	0.72	22.6	13.6	21
DD004151		0.24	0.006	0.16	0.89	233	<0.2	<10	170	0.68	0.19	7.19	0.79	15.30	9.1	14
DD004152		0.24	0.004	0.17	0.93	130.5	<0.2	<10	170	0.75	0.19	6.02	0.67	20.1	9.5	14
DD004153		0.14	0.003	0.18	0.84	91.8	<0.2	<10	300	0.66	0.17	4.80	0.49	13.80	6.6	13
DD004154		0.26	0.001	0.28	1.13	54.0	<0.2	<10	170	0.98	0.29	2.18	1.00	22.4	11.3	18
DD004155		0.24	0.002	0.23	1.30	56.8	<0.2	<10	660	1.05	0.30	0.77	1.20	24.6	11.5	21
DD004156		0.26	0.001	0.32	0.89	598	<0.2	<10	150	0.75	0.23	3.84	1.59	21.5	10.2	15
DD004157		0.22	0.002	0.23	0.84	170.0	<0.2	<10	210	0.79	0.24	3.19	0.45	12.45	8.3	14
DD004158		0.20	0.001	0.14	0.87	67.6	<0.2	<10	130	0.77	0.26	4.33	0.66	15.30	8.3	13
DD004159		0.24	0.002	0.17	0.93	81.1	<0.2	<10	120	0.61	0.15	8.68	2.14	15.65	7.3	13
DD004160		0.22	0.001	0.29	1.12	157	<0.2	<10	150	0.58	0.13	10.05	3.19	19.40	7.1	12
DD004161		0.24	0.001	0.22	1.89	73.9	<0.2	<10	300	0.93	0.30	0.45	1.07	22.1	15.0	28
DD004162		0.30	0.002	0.13	0.49	289	<0.2	<10	150	0.39	0.06	15.50	0.25	9.06	4.1	7
DD004163		0.18	0.002	0.21	1.38	186.5	<0.2	<10	170	0.91	0.23	3.52	0.52	21.0	10.2	20
DD004164		0.20	0.001	0.14	1.26	1370	<0.2	<10	350	0.71	0.16	7.54	0.91	19.15	6.9	16
DD004165		0.28	0.001	0.11	0.43	30.6	<0.2	<10	110	0.72	0.47	0.18	0.18	17.50	11.3	10
DD004166		0.32	0.001	0.03	0.44	4.5	<0.2	<10	30	0.53	0.47	0.01	0.02	7.07	13.5	12
DD004167		0.20	0.001	0.06	0.80	15.6	<0.2	<10	100	0.43	0.37	0.18	0.23	20.9	10.7	17
DD004168		0.22	<0.001	0.09	1.25	14.7	<0.2	<10	220	0.59	0.35	0.20	0.25	19.20	12.7	21
DD004169		0.24	0.001	0.03	2.06	23.1	<0.2	<10	150	0.92	0.38	0.15	0.15	27.2	19.8	28
DD004170		0.28	0.002	0.04	1.79	17.5	<0.2	<10	150	0.64	0.30	0.16	0.21	30.0	15.4	27
DD004171		0.24	0.001	0.04	1.77	13.5	<0.2	<10	200	0.60	0.28	0.46	0.09	23.4	8.6	28
DD004172		0.26	0.002	0.10	1.74	25.9	<0.2	<10	220	0.95	0.32	0.37	0.19	29.5	16.5	26
DD004173		0.20	0.004	0.13	1.56	18.4	<0.2	<10	190	1.05	0.25	0.90	0.25	30.5	11.8	28

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 23- AUG- 2011
Account: RCM

Project: Rackla- DALE- INFILL

CERTIFICATE OF ANALYSIS WH11158639

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
DD004218		3.88	54.9	4.04	2.37	<0.05	0.06	0.35	0.057	0.09	8.8	9.7	0.20	449	0.87	<0.01
DD004219		4.83	54.8	3.72	2.97	0.05	0.07	0.27	0.062	0.10	8.5	14.6	0.31	445	0.67	<0.01
DD004220		3.67	31.5	3.58	4.83	<0.05	0.04	0.06	0.039	0.07	8.3	23.7	0.27	537	0.84	<0.01
DD004137		7.03	35.3	2.74	3.31	0.06	0.07	0.17	0.035	0.08	21.6	23.8	0.49	359	1.07	<0.01
DD004138		2.93	22.3	2.17	2.18	<0.05	0.10	0.07	0.042	0.06	15.2	10.0	0.27	270	1.02	<0.01
DD004139		1.59	49.0	5.35	4.86	0.05	0.07	0.06	0.047	0.07	9.1	46.0	0.61	1040	0.72	<0.01
DD004140		1.58	34.8	4.07	5.16	<0.05	0.02	0.03	0.043	0.06	8.4	25.6	0.39	808	0.95	<0.01
DD004141		1.24	29.2	3.30	4.35	<0.05	0.05	0.04	0.038	0.08	13.1	13.3	0.23	628	0.76	<0.01
DD004142		0.87	26.4	2.84	1.92	<0.05	0.09	0.10	0.048	0.06	9.8	6.2	0.20	329	0.73	<0.01
DD004143		2.28	29.8	2.99	2.50	<0.05	0.07	0.07	0.031	0.07	6.7	8.0	0.15	306	0.62	<0.01
DD004144		2.89	32.8	3.19	1.55	<0.05	<0.02	0.02	0.028	0.14	4.3	2.6	0.05	297	0.33	<0.01
DD004145		0.97	19.7	3.73	2.72	<0.05	0.04	14.85	0.026	0.05	9.0	7.2	2.13	2080	0.79	<0.01
DD004146		1.10	23.4	3.44	3.83	0.05	0.06	5.31	0.025	0.06	12.8	14.9	3.29	1800	1.18	<0.01
DD004147		0.55	13.8	2.58	2.32	0.10	0.04	1.84	0.019	0.04	8.8	6.7	6.14	3340	0.77	0.02
DD004148		0.66	41.3	3.81	2.93	0.10	0.07	3.80	0.029	0.07	9.7	18.4	3.63	1300	1.46	0.01
DD004149		0.99	52.2	3.91	4.18	0.11	0.06	1.55	0.035	0.07	10.2	23.7	1.65	1080	0.97	0.01
DD004150		1.15	44.5	4.15	3.82	0.11	0.10	2.54	0.039	0.09	10.2	25.4	1.04	800	1.12	0.01
DD004151		0.91	35.6	3.31	2.58	0.12	0.06	4.06	0.028	0.08	8.4	14.0	4.14	1110	1.48	0.01
DD004152		1.26	30.1	3.47	2.56	0.11	0.07	1.43	0.026	0.09	10.0	13.4	3.37	1460	1.05	0.01
DD004153		1.32	38.7	2.25	2.40	0.11	0.07	0.76	0.024	0.08	8.6	9.8	1.93	539	0.92	0.01
DD004154		1.04	35.4	3.07	3.62	0.10	0.08	0.34	0.037	0.11	10.8	21.9	1.22	439	1.15	0.01
DD004155		1.37	29.9	3.95	4.12	0.11	0.07	0.49	0.035	0.08	11.3	14.4	0.50	1080	1.10	0.01
DD004156		1.13	30.1	3.04	2.72	0.11	0.07	0.34	0.032	0.11	10.5	15.3	2.04	737	2.24	0.01
DD004157		2.08	38.0	3.30	2.45	0.11	0.07	1.12	0.029	0.11	7.2	10.5	1.49	588	0.71	0.01
DD004158		1.21	23.2	3.05	2.43	0.10	0.07	1.13	0.030	0.09	9.1	9.0	2.25	980	0.65	0.01
DD004159		0.90	19.0	3.18	2.49	0.10	0.05	2.37	0.022	0.07	8.1	10.1	5.10	1490	0.98	0.02
DD004160		0.68	14.3	3.05	2.65	0.10	0.06	3.44	0.022	0.04	8.4	9.8	5.91	2850	1.70	0.02
DD004161		1.66	29.9	4.88	6.22	0.11	0.04	3.12	0.043	0.08	10.3	24.7	0.46	1760	1.10	0.01
DD004162		0.43	13.7	1.64	1.26	0.09	0.04	4.15	0.010	0.04	5.3	5.7	9.29	1870	0.68	0.02
DD004163		1.23	26.7	3.77	3.69	0.10	0.06	1.68	0.033	0.08	10.5	17.2	1.93	1660	0.91	0.01
DD004164		0.74	16.1	3.95	3.00	0.11	0.06	1.95	0.024	0.05	10.3	7.7	4.29	3410	0.89	0.02
DD004165		3.02	17.8	3.69	1.89	0.05	<0.02	0.51	0.038	0.10	6.6	3.4	0.10	379	0.48	<0.01
DD004166		8.86	30.2	2.18	1.91	0.05	<0.02	0.03	0.026	0.19	3.6	2.2	0.03	81	0.29	<0.01
DD004167		2.42	28.4	5.52	4.52	0.06	<0.02	0.05	0.035	0.10	9.2	8.8	0.16	473	1.14	<0.01
DD004168		2.00	34.5	3.96	6.23	0.05	<0.02	0.04	0.032	0.09	8.6	9.8	0.21	1160	1.27	<0.01
DD004169		2.20	48.7	5.39	6.57	0.06	0.05	0.07	0.044	0.12	11.6	47.6	0.70	646	0.84	<0.01
DD004170		1.61	35.5	4.05	5.11	0.07	0.02	0.05	0.035	0.07	13.6	25.1	0.60	651	1.11	<0.01
DD004171		2.13	20.5	3.39	6.39	0.05	0.02	0.04	0.036	0.06	11.8	19.3	0.47	367	1.06	<0.01
DD004172		2.24	46.4	4.55	5.04	0.07	0.08	0.10	0.045	0.09	14.2	29.2	0.64	716	0.85	<0.01
DD004173		2.15	43.3	3.73	4.80	0.08	0.10	0.10	0.036	0.11	16.7	30.8	0.83	466	0.88	<0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 23- AUG- 2011
Account: RCM

Project: Rackla- DALE- INFILL

CERTIFICATE OF ANALYSIS WH11158639

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
DD004218		0.16	34.2	540	23.0	7.8	<0.001	0.04	0.93	7.0	1.1	0.4	112.5	<0.01	0.10	1.5
DD004219		0.17	29.4	530	17.8	9.5	<0.001	0.04	0.92	7.6	0.8	0.4	74.2	<0.01	0.05	1.6
DD004220		0.42	23.8	560	18.0	12.4	<0.001	0.01	0.60	4.1	0.7	0.5	19.4	<0.01	0.07	2.1
DD004137		0.24	25.5	930	22.8	9.8	<0.001	0.07	0.64	2.8	1.4	0.3	99.5	<0.01	0.04	1.1
DD004138		0.15	18.1	1260	16.3	7.0	<0.001	0.09	0.32	2.0	1.2	0.3	79.0	<0.01	0.01	1.1
DD004139		0.13	32.2	740	26.3	8.9	<0.001	0.01	0.49	4.0	0.6	0.3	17.8	<0.01	0.07	2.2
DD004140		0.23	24.0	1090	20.7	11.5	<0.001	0.03	0.55	2.0	0.5	0.5	11.8	<0.01	0.04	0.6
DD004141		0.30	21.4	1450	19.3	14.6	0.001	0.06	0.42	3.4	0.6	0.5	50.4	<0.01	0.05	1.2
DD004142		0.15	21.1	1010	19.3	7.1	<0.001	0.10	0.35	2.9	1.0	0.3	78.5	<0.01	0.05	1.5
DD004143		0.18	20.8	1150	21.1	10.4	<0.001	0.07	0.34	2.7	0.7	0.4	47.8	<0.01	0.04	1.5
DD004144		0.07	25.8	220	16.7	11.3	<0.001	<0.01	0.19	2.7	0.4	0.5	17.8	<0.01	0.04	1.4
DD004145		0.21	19.5	1170	40.1	5.3	<0.001	0.06	0.74	2.5	0.7	0.4	32.6	<0.01	0.03	0.9
DD004146		0.39	21.4	760	39.0	8.1	<0.001	0.03	0.73	3.7	0.6	0.4	37.2	<0.01	0.05	1.5
DD004147		0.27	11.1	1350	25.0	5.0	<0.001	0.09	0.45	1.8	0.9	0.3	49.4	<0.01	0.03	0.5
DD004148		0.20	21.3	630	67.6	5.7	<0.001	0.04	1.20	6.4	0.9	0.3	45.4	<0.01	0.05	2.0
DD004149		0.27	24.2	660	44.9	7.4	<0.001	0.05	1.00	5.4	1.0	0.4	27.7	<0.01	0.06	1.3
DD004150		0.24	27.1	560	42.8	8.1	<0.001	0.05	1.18	7.9	1.0	0.4	27.2	<0.01	0.06	2.7
DD004151		0.19	18.0	690	58.0	6.6	<0.001	0.05	1.15	4.5	0.9	0.3	61.2	<0.01	0.04	1.2
DD004152		0.25	19.5	730	52.2	7.6	<0.001	0.05	0.74	4.6	1.0	0.4	45.7	<0.01	0.04	1.6
DD004153		0.29	17.6	860	31.3	9.0	<0.001	0.10	0.73	3.2	1.3	0.3	54.9	<0.01	0.04	0.9
DD004154		0.27	27.9	710	39.2	12.1	0.001	0.06	0.63	5.6	1.2	0.5	39.0	<0.01	0.03	3.3
DD004155		0.46	24.8	620	43.3	10.5	<0.001	0.05	0.68	4.4	1.0	0.5	15.0	<0.01	0.03	1.9
DD004156		0.25	28.3	740	31.6	16.8	0.001	0.07	1.39	4.9	1.6	0.4	53.5	<0.01	0.03	2.6
DD004157		0.19	21.5	740	36.8	9.2	<0.001	0.07	0.76	3.7	1.0	0.4	30.5	<0.01	0.05	1.0
DD004158		0.24	19.7	570	35.7	9.8	<0.001	0.05	0.54	4.4	0.7	0.4	29.6	<0.01	0.05	1.6
DD004159		0.31	14.5	800	66.9	7.0	<0.001	0.06	1.48	3.2	0.8	0.3	49.4	<0.01	0.03	1.0
DD004160		0.27	12.4	1020	100.0	4.8	<0.001	0.08	2.25	2.8	0.8	0.3	67.2	<0.01	0.05	0.8
DD004161		0.55	20.1	470	164.5	11.6	<0.001	0.03	2.93	4.9	0.6	0.6	18.1	<0.01	0.06	2.6
DD004162		0.17	10.6	610	21.5	4.0	<0.001	0.04	0.69	2.8	0.7	<0.2	117.0	<0.01	0.02	0.8
DD004163		0.30	20.6	1160	37.7	8.5	<0.001	0.07	0.99	3.8	0.9	0.4	27.5	<0.01	0.05	1.1
DD004164		0.30	14.4	1580	34.1	6.6	<0.001	0.10	1.34	2.4	0.9	0.4	37.2	0.01	0.05	0.7
DD004165		0.16	23.5	350	98.9	8.5	<0.001	<0.01	0.23	2.9	0.4	0.6	9.1	<0.01	0.02	3.3
DD004166		0.05	29.5	160	10.3	16.3	<0.001	<0.01	0.44	2.0	<0.2	0.4	6.6	<0.01	0.09	1.9
DD004167		0.23	22.7	700	25.1	20.2	<0.001	<0.01	0.68	1.5	<0.2	0.5	14.3	<0.01	0.05	0.4
DD004168		0.22	17.8	1600	20.0	19.6	<0.001	0.05	0.71	1.3	0.3	0.7	15.8	<0.01	0.06	0.3
DD004169		0.16	30.7	460	25.5	13.6	<0.001	<0.01	0.68	5.4	0.3	0.5	12.8	<0.01	0.09	3.5
DD004170		0.50	29.3	810	18.5	8.9	<0.001	<0.01	0.81	3.6	0.6	0.5	14.1	<0.01	0.08	2.1
DD004171		0.35	18.3	1080	12.6	13.7	<0.001	0.01	0.57	1.8	0.3	0.6	29.8	<0.01	0.04	0.6
DD004172		0.25	31.2	590	21.4	12.2	<0.001	<0.01	0.73	5.9	0.6	0.4	27.3	<0.01	0.06	2.5
DD004173		0.34	26.2	720	18.0	9.3	<0.001	0.02	0.61	5.8	0.9	0.4	48.8	<0.01	0.06	2.2

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 23- AUG- 2011
Account: RCM

Project: Rackla- DALE- INFILL

CERTIFICATE OF ANALYSIS WH11158639

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
DD004218		0.005	0.33	1.03	27	0.05	19.25	98	1.7
DD004219		0.005	0.20	0.88	29	0.06	16.00	88	1.9
DD004220		0.008	0.24	0.66	41	0.12	5.54	82	1.0
DD004137		0.007	0.23	5.95	28	0.06	14.55	99	2.1
DD004138		<0.005	0.24	4.18	23	<0.05	11.40	94	2.6
DD004139		<0.005	0.11	0.89	35	<0.05	6.30	77	2.0
DD004140		0.011	0.14	0.61	44	0.10	5.00	67	0.5
DD004141		0.008	0.13	2.02	35	0.08	17.15	92	1.2
DD004142		<0.005	0.19	2.22	20	<0.05	16.00	67	2.5
DD004143		0.005	0.15	2.47	21	<0.05	8.98	49	1.9
DD004144		<0.005	0.15	0.68	12	<0.05	4.31	43	<0.5
DD004145		0.010	1.26	1.41	29	0.33	11.35	213	1.0
DD004146		0.016	1.58	1.65	32	0.26	12.30	167	1.4
DD004147		0.011	1.45	2.64	21	0.32	10.75	186	1.1
DD004148		<0.005	1.67	1.50	26	0.34	13.05	250	2.0
DD004149		0.006	1.53	1.12	34	0.24	12.95	176	1.6
DD004150		<0.005	2.77	1.36	30	0.26	14.00	262	2.8
DD004151		<0.005	3.34	1.64	22	0.41	11.90	324	1.6
DD004152		0.005	2.92	1.86	22	0.24	12.00	241	1.9
DD004153		<0.005	3.30	1.78	20	0.24	11.40	242	2.1
DD004154		0.005	0.67	0.96	35	0.13	13.35	308	2.4
DD004155		0.009	0.60	1.64	35	0.33	11.65	1160	1.7
DD004156		0.006	2.83	1.36	38	0.12	12.60	338	2.0
DD004157		<0.005	3.01	1.93	21	0.21	11.10	301	1.9
DD004158		<0.005	1.20	1.81	20	0.26	12.05	522	1.8
DD004159		0.008	1.89	1.81	22	0.30	9.56	764	1.4
DD004160		0.007	1.63	3.27	21	0.31	10.95	641	1.6
DD004161		0.010	0.52	0.88	57	0.26	5.31	215	1.3
DD004162		0.005	3.92	2.47	11	0.31	8.81	76	1.2
DD004163		0.008	1.01	1.83	33	0.24	11.75	115	1.6
DD004164		0.010	1.77	1.93	30	0.59	13.50	178	1.5
DD004165		0.007	1.17	0.68	13	0.05	4.61	256	<0.5
DD004166		<0.005	0.22	0.34	15	<0.05	3.02	50	<0.5
DD004167		0.011	0.11	0.73	41	0.16	4.66	101	<0.5
DD004168		0.008	0.19	0.55	54	0.10	3.35	68	<0.5
DD004169		<0.005	0.13	0.61	44	<0.05	5.95	84	1.4
DD004170		0.020	0.13	0.73	44	0.16	5.57	81	0.6
DD004171		0.013	0.18	0.84	52	0.19	3.96	72	<0.5
DD004172		0.008	0.17	2.40	41	0.09	10.50	79	2.1
DD004173		0.012	0.13	2.78	41	0.09	13.25	80	2.3

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 23- AUG- 2011
Account: RCM

Project: Rackla- DALE- INFILL

CERTIFICATE OF ANALYSIS WH11158639

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- TL43 Au ppm 0.001	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1
DD004174		0.18	0.003	0.07	1.72	8.8	<0.2	<10	170	1.30	0.18	1.13	0.30	44.2	10.2	34
DD004175		0.18	0.004	0.09	1.42	8.2	<0.2	<10	160	1.00	0.18	1.68	0.31	38.8	7.7	29
DD004176		0.18	0.002	0.05	1.07	21.0	<0.2	10	250	1.07	0.22	1.89	0.21	37.4	9.3	30
DD004177		0.18	0.003	0.07	1.66	7.8	<0.2	<10	250	1.08	0.25	1.60	0.22	35.8	9.7	36
DD004178		0.20	0.002	0.06	1.42	12.3	<0.2	<10	220	0.96	0.23	1.84	0.29	37.5	9.4	32
DD004179		0.22	0.002	0.07	1.41	10.4	<0.2	<10	230	1.06	0.28	0.99	0.19	43.1	9.9	33
DD004180		0.24	0.003	0.09	1.56	31.3	<0.2	<10	190	1.35	0.29	0.81	0.21	46.9	14.2	37
DD004301		0.26	0.001	0.08	1.80	25.4	<0.2	<10	150	0.90	0.31	0.30	0.22	34.4	13.7	26
DD004302		0.22	0.001	0.13	1.49	12.7	<0.2	<10	160	0.51	0.34	0.40	0.14	19.75	9.9	23
DD004303		0.28	0.002	0.22	0.58	15.0	<0.2	<10	140	1.59	0.43	0.56	0.18	17.75	16.7	17
DD004304		0.20	0.001	0.16	0.65	9.1	<0.2	<10	80	0.75	0.24	2.03	0.19	19.95	9.4	11
DD004305		0.30	0.001	0.20	0.68	7.6	<0.2	<10	130	1.17	0.30	2.27	0.32	28.2	10.5	11
DD004306		0.32	0.001	0.25	0.66	13.0	<0.2	<10	70	0.98	0.27	1.15	0.16	32.2	11.8	13
DD004307		0.26	0.001	0.14	0.47	14.8	<0.2	<10	90	1.04	0.32	0.57	0.06	19.10	14.3	11
DD004308		0.30	0.001	0.06	0.33	21.1	<0.2	<10	90	0.96	0.45	0.21	0.10	8.40	12.1	9
DD004309		0.28	<0.001	0.06	0.39	12.0	<0.2	<10	90	1.01	0.49	0.14	0.04	9.41	10.5	9
DD004310		0.22	0.001	0.13	1.02	12.2	<0.2	<10	120	1.11	0.31	1.55	0.13	15.85	9.7	15
DD004311		0.16	0.002	0.24	1.12	17.5	<0.2	<10	190	1.09	0.29	1.36	0.19	18.15	10.4	16
DD004312		0.26	0.002	0.19	1.60	22.2	<0.2	<10	320	1.10	0.26	1.21	0.39	20.8	13.2	23
DD004313		0.30	0.001	0.19	1.16	28.4	<0.2	<10	200	1.14	0.30	0.89	0.19	19.05	10.1	23
DD004314		0.22	0.004	0.18	1.36	40.5	<0.2	<10	150	1.11	0.28	0.84	0.19	20.2	13.5	21
DD004315		0.28	0.001	0.12	0.63	30.8	<0.2	<10	180	0.88	0.40	0.33	0.08	14.60	12.2	11
DD004316		0.30	0.001	0.11	0.81	28.2	<0.2	<10	100	0.99	0.42	0.13	0.12	15.70	15.9	14
DD004317		0.24	0.002	0.23	0.81	12.7	<0.2	<10	130	0.87	0.26	2.00	0.21	19.15	9.8	13
DD004318		0.26	0.002	0.26	0.58	18.4	<0.2	<10	80	0.89	0.31	0.67	0.14	21.2	20.8	12
DD004319		0.34	0.001	0.08	1.15	14.1	<0.2	<10	100	1.04	0.37	0.42	0.13	16.25	15.6	19
DD004320		0.24	0.002	0.30	0.43	25.6	<0.2	<10	100	0.91	0.25	3.43	0.47	21.0	9.1	8
DD004321		0.26	0.002	0.29	1.02	15.6	<0.2	<10	60	1.02	0.38	1.51	0.18	31.8	17.0	18
DD004322		0.26	0.001	0.09	1.57	10.2	<0.2	<10	130	1.36	0.41	2.48	0.14	28.2	15.3	23
DD004323		0.30	0.002	0.24	0.97	12.6	<0.2	<10	90	1.17	0.33	4.47	0.24	32.6	17.4	18
DD004324		0.26	0.001	0.07	1.53	13.4	<0.2	<10	210	0.82	0.31	0.18	0.17	20.7	11.1	23
DD004325		0.24	0.001	0.18	0.78	8.7	<0.2	<10	100	0.35	0.21	0.09	0.26	12.85	7.5	14
DD004326		0.36	0.001	0.10	1.46	27.8	<0.2	<10	60	0.95	0.33	0.06	0.32	13.55	16.7	24
DD004327		0.24	0.002	0.17	1.94	20.0	<0.2	<10	260	1.28	0.22	1.74	0.41	38.3	10.4	22
DD004328		0.36	0.001	0.06	1.75	14.2	<0.2	<10	120	0.94	0.30	0.10	0.18	23.6	13.3	24
DD004329		0.30	0.001	0.08	2.20	17.4	<0.2	<10	160	0.98	0.35	0.16	0.23	32.6	17.8	31
DD004330		0.28	0.001	0.05	1.80	12.5	<0.2	<10	220	0.83	0.31	0.15	0.14	29.7	16.4	33
DD004331		0.26	0.002	0.05	1.89	7.7	<0.2	<10	130	1.41	0.28	0.43	0.13	44.1	13.8	37
DD004332		0.28	0.002	0.06	1.87	8.1	<0.2	<10	230	1.46	0.30	0.89	0.15	30.3	13.8	38
DD004333		0.22	0.002	0.09	1.51	17.0	<0.2	<10	310	1.22	0.29	1.54	0.25	28.1	11.2	31

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 23- AUG- 2011
Account: RCM

Project: Rackla- DALE- INFILL

CERTIFICATE OF ANALYSIS WH11158639

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
DD004174		6.42	29.4	2.77	5.94	0.12	0.07	0.09	0.033	0.15	24.8	56.3	1.65	357	0.53	<0.01
DD004175		7.19	28.1	2.56	4.55	0.11	0.07	0.08	0.033	0.11	25.2	30.7	1.15	275	0.57	<0.01
DD004176		4.19	28.0	2.69	3.88	0.08	0.08	0.07	0.035	0.15	20.0	16.7	0.67	246	0.34	<0.01
DD004177		4.82	35.8	2.88	5.61	0.10	0.09	0.05	0.037	0.13	22.5	30.7	1.14	256	0.41	<0.01
DD004178		1.78	24.7	2.83	4.84	0.08	0.09	0.06	0.035	0.10	16.4	26.4	0.81	485	0.50	<0.01
DD004179		4.06	31.7	3.22	4.72	0.09	0.07	0.05	0.038	0.12	21.5	24.3	0.70	307	0.42	<0.01
DD004180		8.74	40.9	3.55	5.59	0.10	0.08	0.09	0.047	0.16	24.9	30.3	1.02	425	0.48	<0.01
DD004301		1.96	36.7	4.52	5.02	0.08	0.05	0.06	0.042	0.09	13.0	34.6	0.54	608	1.01	<0.01
DD004302		2.62	31.1	3.45	5.96	0.05	0.02	0.05	0.033	0.08	9.3	11.0	0.22	907	1.31	<0.01
DD004303		0.39	47.4	5.28	2.04	0.11	0.03	0.13	0.048	0.07	6.5	4.6	0.07	556	0.71	0.01
DD004304		0.41	24.9	3.17	1.90	0.10	0.06	0.06	0.023	0.06	7.0	7.1	0.16	410	0.81	0.01
DD004305		0.29	29.9	3.54	1.92	0.11	0.07	0.07	0.043	0.08	13.6	6.1	0.11	263	0.55	0.01
DD004306		1.29	27.1	3.99	2.32	0.12	0.07	0.04	0.036	0.07	11.0	8.4	0.16	310	1.09	0.01
DD004307		0.91	28.1	4.05	1.78	0.09	0.08	0.03	0.026	0.10	5.2	5.4	0.12	453	0.59	0.01
DD004308		1.93	37.2	3.99	1.44	0.09	0.04	0.04	0.033	0.12	3.6	3.0	0.10	336	0.34	0.01
DD004309		1.69	31.1	4.03	1.69	0.09	0.03	0.02	0.031	0.13	4.1	3.2	0.10	398	0.26	<0.01
DD004310		1.23	29.1	2.98	3.43	0.09	0.08	0.06	0.030	0.08	6.4	20.4	0.28	313	0.45	0.01
DD004311		1.38	39.2	2.94	3.52	0.09	0.08	0.14	0.034	0.08	7.5	16.8	0.28	414	0.55	0.01
DD004312		1.23	42.0	3.58	5.10	0.10	0.07	0.12	0.032	0.09	8.4	23.0	0.50	704	0.69	0.01
DD004313		1.73	32.4	3.25	4.03	0.10	0.10	0.12	0.034	0.09	7.4	18.6	0.41	402	0.65	0.01
DD004314		1.01	50.0	3.80	4.63	0.11	0.10	0.20	0.031	0.09	9.6	27.6	0.59	359	0.59	0.01
DD004315		2.30	33.0	3.51	2.33	0.09	0.05	0.19	0.040	0.12	5.4	11.1	0.20	241	0.49	0.01
DD004316		1.34	42.5	3.91	2.83	0.11	0.03	0.09	0.032	0.09	6.3	18.5	0.27	326	0.58	0.01
DD004317		1.22	34.0	3.01	2.45	0.10	0.06	0.09	0.029	0.08	7.4	12.7	0.21	399	0.50	0.01
DD004318		1.23	35.1	4.60	2.02	0.11	0.06	0.06	0.045	0.08	7.4	9.1	0.12	580	0.63	0.01
DD004319		1.56	47.2	4.43	4.08	0.11	0.08	0.04	0.036	0.10	6.0	22.7	0.44	446	0.63	0.01
DD004320		0.40	32.6	2.67	1.29	0.09	0.07	0.09	0.037	0.07	7.8	3.4	0.07	233	0.54	0.01
DD004321		0.87	51.7	5.00	3.67	0.13	0.14	0.05	0.042	0.11	9.4	23.3	0.44	286	0.68	0.01
DD004322		1.10	37.9	3.77	5.37	0.11	0.14	0.03	0.044	0.12	9.1	34.3	0.52	638	0.44	0.01
DD004323		0.56	43.2	4.89	3.36	0.12	0.12	0.08	0.040	0.10	14.1	16.5	0.36	456	1.48	0.01
DD004324		1.55	27.1	4.02	6.16	0.09	0.02	0.04	0.032	0.07	9.4	28.3	0.32	712	1.07	0.01
DD004325		1.37	22.0	2.32	4.07	0.09	<0.02	0.06	0.019	0.05	5.3	5.1	0.12	929	1.17	0.01
DD004326		3.40	30.1	4.18	6.27	0.09	0.03	0.05	0.037	0.09	5.4	28.8	0.40	861	1.08	0.01
DD004327		1.30	19.5	3.92	4.38	0.10	0.04	0.06	0.037	0.04	12.5	18.0	0.94	1580	1.06	0.01
DD004328		1.80	36.3	4.53	5.44	0.10	0.05	0.08	0.036	0.07	8.1	25.9	0.41	678	1.01	0.01
DD004329		1.95	42.9	4.64	6.81	0.10	0.07	0.04	0.036	0.09	14.4	38.3	0.68	631	1.11	0.02
DD004330		5.85	34.5	4.18	7.18	0.09	0.04	0.04	0.039	0.12	13.8	28.2	0.53	801	0.93	0.01
DD004331		2.85	33.8	3.74	6.49	0.12	0.12	0.03	0.032	0.14	22.1	37.9	1.26	385	0.30	0.01
DD004332		11.35	45.0	3.61	6.43	0.13	0.17	0.04	0.039	0.16	17.6	35.2	1.12	346	0.25	0.01
DD004333		4.35	37.3	2.88	5.40	0.13	0.10	0.07	0.035	0.10	17.4	28.2	0.80	335	0.44	0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 23- AUG- 2011
Account: RCM

Project: Rackla- DALE- INFILL

CERTIFICATE OF ANALYSIS WH11158639

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
DD004174		0.49	27.3	840	12.1	17.4	0.001	0.03	0.36	4.5	1.0	0.5	36.1	<0.01	0.02	1.7
DD004175		0.38	19.3	1060	13.3	15.8	<0.001	0.08	0.34	3.3	1.4	0.5	49.9	<0.01	0.02	1.1
DD004176		0.55	25.4	890	13.1	16.2	<0.001	0.05	0.26	5.0	0.6	0.5	44.1	<0.01	0.01	2.2
DD004177		0.58	26.7	900	13.7	17.9	<0.001	0.04	0.35	5.4	0.8	0.5	44.9	<0.01	0.02	2.3
DD004178		0.46	25.6	1090	15.7	11.3	<0.001	0.06	0.32	3.7	0.6	0.5	48.5	<0.01	0.01	1.8
DD004179		0.42	28.1	820	16.7	15.4	<0.001	0.03	0.33	5.9	1.0	0.6	29.0	<0.01	0.03	2.7
DD004180		0.38	35.0	780	16.6	20.0	<0.001	<0.01	0.35	9.0	0.9	0.6	33.2	<0.01	0.04	4.8
DD004301		0.27	31.1	490	26.0	11.6	<0.001	<0.01	0.75	5.3	0.3	0.5	20.5	<0.01	0.06	3.5
DD004302		0.36	17.9	1020	17.1	18.8	<0.001	0.01	0.71	2.4	0.6	0.7	32.1	<0.01	0.04	0.7
DD004303		0.15	48.4	210	35.6	5.3	<0.001	0.02	0.47	8.7	1.5	0.7	41.0	<0.01	0.08	2.4
DD004304		0.21	20.5	840	19.0	5.0	<0.001	0.10	0.36	2.3	0.8	0.3	85.2	<0.01	0.04	0.9
DD004305		0.16	23.9	710	19.2	4.5	<0.001	0.07	0.26	4.7	1.3	0.5	121.5	<0.01	0.08	1.9
DD004306		0.24	28.8	600	35.3	7.9	<0.001	0.06	0.48	4.8	1.1	0.3	59.1	<0.01	0.06	2.6
DD004307		0.15	30.4	500	37.8	6.3	<0.001	0.03	0.49	4.2	1.0	0.3	28.2	<0.01	0.05	2.7
DD004308		0.12	30.0	320	21.0	7.9	<0.001	0.01	0.30	3.9	0.5	0.3	18.8	<0.01	0.08	1.5
DD004309		0.13	24.8	340	18.0	8.4	<0.001	0.01	0.27	4.1	0.6	0.4	15.1	<0.01	0.13	1.7
DD004310		0.27	24.6	650	21.3	8.3	<0.001	0.06	0.28	4.3	1.1	0.5	67.0	<0.01	0.07	1.7
DD004311		0.29	25.5	1000	21.7	11.6	<0.001	0.10	0.41	3.7	1.5	0.4	76.1	<0.01	0.05	1.1
DD004312		0.36	24.8	910	16.5	9.0	<0.001	0.06	0.41	4.8	1.1	0.5	55.3	<0.01	0.06	1.1
DD004313		0.30	38.4	1070	24.9	14.9	<0.001	0.09	0.33	4.5	1.2	0.4	37.9	<0.01	0.06	1.6
DD004314		0.26	31.7	500	24.9	6.0	<0.001	0.04	0.61	5.9	1.0	0.4	31.4	<0.01	0.08	2.2
DD004315		0.17	27.3	270	39.5	8.8	<0.001	0.05	0.36	5.0	0.7	0.4	24.5	<0.01	0.07	3.6
DD004316		0.17	33.2	240	33.9	8.2	<0.001	0.01	0.48	4.1	0.6	0.3	13.9	<0.01	0.07	3.4
DD004317		0.22	24.0	820	26.1	9.6	<0.001	0.09	0.46	2.3	1.9	0.3	97.2	<0.01	0.05	0.8
DD004318		0.17	40.8	420	65.5	8.2	<0.001	0.03	0.69	5.1	0.8	0.4	42.5	<0.01	0.03	2.8
DD004319		0.21	31.3	440	19.9	8.6	<0.001	0.02	0.46	5.9	1.0	0.4	24.0	<0.01	0.10	2.5
DD004320		0.15	23.3	850	18.9	4.4	<0.001	0.13	0.25	2.2	1.5	0.4	134.0	<0.01	0.08	0.8
DD004321		0.26	48.0	540	38.4	5.6	<0.001	0.04	0.59	7.7	1.5	0.6	75.6	<0.01	0.08	4.7
DD004322		0.33	35.0	460	27.5	8.2	<0.001	0.04	0.31	6.8	1.1	0.6	96.8	<0.01	0.05	3.5
DD004323		0.19	43.8	1020	34.2	5.1	<0.001	0.05	0.42	6.7	1.0	0.5	124.5	<0.01	0.07	3.8
DD004324		0.61	18.9	700	20.1	13.2	<0.001	0.02	0.50	2.9	0.8	0.6	16.7	<0.01	0.06	1.1
DD004325		0.22	11.8	1530	10.1	10.7	<0.001	0.11	0.54	0.5	0.8	0.4	7.8	<0.01	0.06	<0.2
DD004326		0.41	20.9	1240	28.1	12.8	<0.001	0.05	0.54	2.4	0.7	0.6	8.3	<0.01	0.06	1.0
DD004327		0.59	19.1	1080	24.3	7.0	<0.001	0.06	0.53	3.6	1.1	0.4	26.9	0.01	0.05	1.0
DD004328		0.50	24.4	1290	29.9	8.8	<0.001	0.05	0.56	2.9	0.9	0.5	8.8	<0.01	0.07	1.1
DD004329		0.65	36.1	790	21.0	12.0	<0.001	0.03	0.79	4.4	1.0	0.5	14.7	<0.01	0.07	2.5
DD004330		0.57	31.5	790	14.7	16.1	<0.001	0.03	0.53	4.1	0.9	0.7	11.4	<0.01	0.09	2.1
DD004331		0.50	35.2	580	13.0	13.7	<0.001	0.02	0.31	6.6	0.7	0.5	19.1	<0.01	0.04	5.0
DD004332		0.40	39.3	750	15.8	15.3	<0.001	0.03	0.28	9.8	1.0	0.5	31.6	<0.01	0.06	5.0
DD004333		0.47	33.7	980	18.0	10.0	<0.001	0.08	0.35	5.3	1.2	0.4	57.3	<0.01	0.04	1.7

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 23- AUG- 2011
Account: RCM

Project: Rackla- DALE- INFILL

CERTIFICATE OF ANALYSIS WH11158639

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
DD004174		0.017	0.14	2.10	36	0.09	14.35	88	2.1
DD004175		0.012	0.20	2.43	30	0.09	16.90	86	1.7
DD004176		0.014	0.27	2.42	23	0.10	18.60	86	2.2
DD004177		0.017	0.19	2.34	30	0.10	18.80	88	2.5
DD004178		0.013	0.13	2.85	27	0.08	15.00	96	2.1
DD004179		0.010	0.18	2.63	29	0.07	19.00	90	2.0
DD004180		0.014	0.33	1.55	33	0.07	20.7	107	2.0
DD004301		0.007	0.16	0.95	37	0.11	11.00	94	1.3
DD004302		0.008	0.20	0.68	52	0.13	5.09	69	0.6
DD004303		<0.005	0.10	0.78	24	<0.05	18.35	151	0.9
DD004304		<0.005	0.08	1.40	17	<0.05	10.00	64	1.7
DD004305		<0.005	0.12	1.57	18	<0.05	26.6	119	1.8
DD004306		<0.005	0.13	1.65	19	<0.05	14.95	83	1.8
DD004307		<0.005	0.09	1.17	17	<0.05	8.60	96	2.3
DD004308		<0.005	0.10	0.56	14	<0.05	4.25	83	0.9
DD004309		<0.005	0.10	0.57	15	<0.05	4.50	64	0.7
DD004310		<0.005	0.10	1.47	18	<0.05	12.55	86	2.1
DD004311		<0.005	0.19	2.61	22	<0.05	14.50	98	2.1
DD004312		0.006	0.15	2.24	37	0.09	9.60	80	1.6
DD004313		<0.005	0.29	1.06	26	<0.05	10.30	87	2.6
DD004314		0.005	0.22	1.11	30	0.06	11.05	108	3.0
DD004315		<0.005	0.27	0.75	15	<0.05	5.97	105	1.7
DD004316		<0.005	0.17	0.70	18	<0.05	6.96	110	1.4
DD004317		<0.005	0.16	2.79	18	<0.05	14.25	96	1.6
DD004318		<0.005	0.14	1.31	17	<0.05	15.30	131	2.1
DD004319		<0.005	0.09	0.79	29	<0.05	7.34	88	2.2
DD004320		<0.005	0.15	1.81	12	<0.05	19.70	118	1.8
DD004321		<0.005	0.13	0.87	17	<0.05	18.25	129	3.5
DD004322		<0.005	0.09	0.84	24	<0.05	13.70	101	3.4
DD004323		<0.005	0.12	1.21	17	<0.05	19.50	101	3.1
DD004324		0.012	0.14	0.61	48	0.16	4.80	72	<0.5
DD004325		0.007	0.11	0.68	32	0.13	2.31	56	<0.5
DD004326		0.009	0.10	0.65	35	0.07	3.04	98	0.8
DD004327		0.012	0.11	1.45	35	0.13	12.45	62	1.0
DD004328		0.010	0.13	0.77	40	0.19	5.22	81	1.2
DD004329		0.014	0.15	0.85	47	0.17	5.42	92	2.0
DD004330		0.009	0.17	0.65	49	0.10	4.59	73	1.0
DD004331		0.011	0.13	0.97	31	0.11	14.85	91	3.0
DD004332		0.009	0.17	1.45	27	0.05	25.0	102	4.5
DD004333		0.012	0.15	5.43	25	0.07	19.55	109	2.6

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 23- AUG- 2011
Account: RCM

Project: Rackla- DALE- INFILL

CERTIFICATE OF ANALYSIS WH11158639

Sample Description	Method	WEI- 21	Au- TL43	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Recvd Wt.	Au	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
DD004334		0.26	0.001	0.13	1.58	23.7	<0.2	<10	250	1.11	0.31	0.66	0.24	28.0	15.4	27
DD004335		0.24	0.001	0.10	1.23	19.1	<0.2	<10	180	1.12	0.30	0.68	0.17	19.05	11.3	20
DD004336		0.24	0.001	0.06	1.57	24.9	<0.2	<10	160	1.07	0.28	0.09	0.22	21.1	13.2	23
DD004337		0.28	0.002	0.04	1.67	34.7	<0.2	<10	110	0.69	0.34	0.11	0.23	19.75	15.6	25
DD004338		0.24	0.001	0.05	1.64	36.8	<0.2	<10	200	0.73	0.32	0.28	0.17	21.6	12.7	23
DD004339		0.28	0.002	0.08	1.65	30.9	<0.2	<10	150	0.91	0.30	0.35	0.22	23.1	16.8	25
DD004340		0.22	0.001	0.07	1.31	23.4	<0.2	<10	140	0.69	0.30	0.32	0.22	16.95	15.6	22
DD004341		0.24	0.002	0.10	1.27	26.2	<0.2	<10	210	1.11	0.29	0.94	0.24	19.60	11.3	21
DD004342		0.26	0.002	0.05	1.60	22.1	<0.2	<10	240	1.12	0.29	0.49	0.12	25.1	13.7	25
DD004343		0.28	0.002	0.10	1.27	28.6	<0.2	<10	240	1.09	0.28	0.94	0.20	20.8	13.7	23
DD004344		0.18	0.002	0.07	1.28	17.6	<0.2	<10	170	1.09	0.29	1.59	0.27	20.9	12.9	24
DD004345		0.36	0.003	0.09	1.00	63.7	<0.2	<10	270	1.15	0.23	0.71	0.24	32.6	13.9	27
DD004346		0.28	0.005	0.10	1.06	74.4	<0.2	<10	270	1.47	0.17	0.91	0.28	40.1	12.7	29
DD004347		0.28	0.002	0.26	1.73	19.7	<0.2	<10	150	0.98	0.33	0.34	0.19	30.3	21.7	24
DD004348		0.26	0.002	0.07	2.13	19.7	<0.2	<10	120	1.10	0.33	0.12	0.09	26.5	21.4	29
DD004349		0.32	0.001	0.11	1.83	10.9	<0.2	<10	130	0.62	0.27	0.11	0.13	22.7	8.3	26
DD004350		0.28	0.001	0.04	1.88	18.0	<0.2	<10	90	0.79	0.33	0.05	0.17	24.4	19.5	26
DD003071		0.24	0.001	0.08	1.63	15.5	<0.2	<10	160	0.70	0.35	0.28	0.11	20.6	13.9	25
DD003072		0.16	0.001	0.17	0.85	11.1	<0.2	<10	90	0.83	0.27	2.16	0.32	27.1	10.6	16
DD003073		0.22	0.002	0.18	0.54	12.7	<0.2	<10	110	0.90	0.33	1.14	0.13	29.8	12.3	13
DD003074		0.22	0.001	0.10	0.61	8.0	<0.2	<10	190	1.14	0.45	0.24	0.06	14.20	15.4	11
DD003075		0.16	<0.001	0.15	0.55	22.2	<0.2	<10	470	0.98	0.33	0.48	0.13	24.8	19.7	11
DD003076		0.20	<0.001	0.04	0.41	6.6	<0.2	<10	110	0.50	0.42	0.15	0.17	5.87	11.0	9
DD003077		0.22	0.001	0.15	0.51	13.0	<0.2	<10	120	0.80	0.30	0.66	0.08	17.95	10.5	10
DD003078		0.24	<0.001	0.04	0.37	18.0	<0.2	<10	60	0.64	0.49	0.06	0.04	8.05	13.4	10
DD003079		0.24	0.001	0.06	0.75	17.2	<0.2	<10	120	0.61	0.37	0.05	0.10	14.35	11.8	13
DD003080		0.20	0.002	0.16	1.86	21.5	<0.2	<10	490	1.58	0.35	0.27	0.09	20.8	10.2	22
DD003081		0.20	0.001	0.17	1.29	14.2	<0.2	<10	150	1.09	0.32	1.09	0.20	19.30	12.3	19
DD003082		0.24	0.002	0.25	1.43	35.4	<0.2	<10	320	1.31	0.35	0.58	1.48	26.4	17.2	21
DD003083		0.28	0.002	0.20	0.47	149	<0.2	<10	160	0.45	0.18	10.50	0.62	16.30	7.9	12
DD003084		0.24	0.001	0.25	1.10	87.5	<0.2	<10	260	1.10	0.25	5.07	0.65	24.3	13.2	17
DD003085		0.20	0.001	0.06	1.14	19.5	<0.2	<10	120	0.41	0.30	0.30	0.25	17.25	9.4	19
DD003086		0.28	0.004	0.31	0.96	239	<0.2	<10	140	0.78	0.21	4.23	1.03	15.30	10.0	14
DD003087		0.26	0.002	0.23	1.11	48.6	<0.2	<10	230	0.76	0.23	1.41	0.72	18.55	11.1	18
DD003088		0.28	0.002	0.10	1.24	40.4	<0.2	<10	190	0.81	0.27	0.75	0.52	19.55	12.4	20
DD003089		0.28	0.003	1.42	0.76	766	<0.2	<10	110	0.57	0.17	7.97	22.2	16.65	7.0	14
DD003090		0.26	0.002	0.20	0.76	309	<0.2	<10	120	0.66	0.20	6.63	0.38	19.25	8.9	15
DD003091		0.24	0.002	0.26	0.89	205	<0.2	<10	200	0.86	0.24	3.30	0.69	19.85	9.8	15
DD003092		0.24	0.001	0.08	0.82	54.5	<0.2	<10	210	0.87	0.32	0.55	0.28	12.05	8.3	12
DD003093		0.28	<0.001	0.05	0.45	13.3	<0.2	<10	160	0.70	0.40	0.18	0.06	6.25	11.1	9

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 23- AUG- 2011
Account: RCM

Project: Rackla- DALE- INFILL

CERTIFICATE OF ANALYSIS WH11158639

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
DD004334		2.63	40.8	3.94	5.46	0.10	0.10	0.09	0.033	0.08	13.3	24.3	0.57	670	0.78	0.01
DD004335		2.09	32.2	3.68	4.05	0.10	0.09	0.10	0.036	0.07	7.8	18.9	0.37	346	0.85	0.01
DD004336		2.97	38.6	4.32	5.20	0.10	0.05	0.05	0.036	0.08	7.9	25.5	0.40	589	0.82	0.01
DD004337		2.28	56.3	5.06	5.03	0.06	0.06	0.08	0.038	0.10	8.3	28.3	0.54	647	0.89	<0.01
DD004338		2.87	40.9	4.54	6.11	0.05	0.04	0.06	0.043	0.09	9.7	23.8	0.38	668	0.94	<0.01
DD004339		1.53	52.7	4.53	4.84	0.10	0.09	0.08	0.037	0.09	9.4	35.9	0.63	485	0.66	0.01
DD004340		1.93	44.6	3.95	4.55	0.10	0.05	0.11	0.035	0.08	7.1	22.6	0.44	622	0.77	0.01
DD004341		1.79	37.5	3.42	3.86	0.11	0.08	0.14	0.035	0.09	9.8	19.4	0.40	302	0.72	0.01
DD004342		2.54	32.1	3.93	4.73	0.12	0.06	0.05	0.039	0.07	10.0	21.3	0.42	546	0.79	0.01
DD004343		2.57	41.8	3.50	3.94	0.12	0.07	0.16	0.036	0.07	9.7	18.8	0.44	477	0.59	0.01
DD004344		2.73	33.6	3.35	4.00	0.12	0.10	0.09	0.040	0.08	9.5	21.5	0.43	371	0.49	0.01
DD004345		16.90	39.6	3.26	3.57	0.12	0.09	0.37	0.034	0.11	16.4	16.0	0.40	379	0.52	0.01
DD004346		14.40	39.1	3.11	3.86	0.13	0.11	0.32	0.037	0.14	22.0	16.0	0.45	358	0.34	0.01
DD004347		1.61	59.1	4.30	5.18	0.12	0.08	0.12	0.033	0.09	12.5	37.5	0.61	770	0.68	0.01
DD004348		1.77	60.6	4.78	5.60	0.12	0.07	0.06	0.037	0.11	10.5	50.6	0.70	746	0.64	0.01
DD004349		2.12	31.7	2.98	5.80	0.10	0.04	0.07	0.031	0.10	10.3	23.1	0.41	220	0.97	0.01
DD004350		1.65	49.2	4.75	5.69	0.10	0.08	0.05	0.040	0.09	10.1	45.3	0.60	554	0.79	0.01
DD003071		1.61	35.9	4.25	6.17	0.10	0.04	0.05	0.036	0.09	8.2	31.7	0.44	591	0.99	0.01
DD003072		0.55	27.6	3.12	2.32	0.11	0.07	0.05	0.032	0.07	9.6	9.7	0.19	425	0.91	0.01
DD003073		0.56	28.9	3.62	1.81	0.14	0.07	0.06	0.035	0.09	10.5	5.9	0.13	243	0.94	0.01
DD003074		1.03	28.7	3.99	2.20	0.10	0.05	0.01	0.035	0.17	4.8	4.6	0.11	681	0.25	0.01
DD003075		0.61	23.8	3.96	2.10	0.10	0.07	0.10	0.033	0.09	7.1	2.2	0.05	1680	0.94	0.01
DD003076		0.84	34.1	3.05	2.14	0.08	<0.02	0.03	0.025	0.18	2.7	1.9	0.07	518	0.30	0.01
DD003077		1.61	24.8	2.88	1.96	0.10	0.09	0.05	0.023	0.11	7.8	2.9	0.07	311	0.46	0.01
DD003078		3.20	30.9	3.61	1.79	0.08	<0.02	0.03	0.031	0.13	3.6	2.4	0.06	209	0.36	0.01
DD003079		3.29	23.9	2.92	3.10	0.08	<0.02	0.03	0.026	0.12	6.3	6.2	0.12	345	0.58	0.01
DD003080		8.28	24.9	2.95	6.00	0.11	0.07	0.08	0.040	0.19	8.5	16.0	0.18	482	0.75	0.01
DD003081		1.10	33.0	3.29	3.87	0.10	0.09	0.08	0.034	0.09	8.1	21.5	0.39	473	0.53	0.01
DD003082		0.89	38.3	3.82	4.65	0.12	0.12	0.29	0.039	0.11	10.4	21.6	0.43	255	1.60	0.01
DD003083		0.54	16.7	2.42	1.45	0.10	0.03	0.95	0.016	0.04	9.2	5.0	6.15	1560	0.53	0.02
DD003084		0.85	32.6	4.24	3.18	0.12	0.07	0.42	0.025	0.07	12.5	15.3	3.04	2030	1.21	0.02
DD003085		1.27	20.8	3.54	5.40	0.09	0.02	0.04	0.027	0.07	7.3	16.5	0.30	476	1.08	0.01
DD003086		1.11	37.3	3.15	2.76	0.10	0.05	1.66	0.027	0.08	7.2	14.3	2.28	736	0.53	0.01
DD003087		1.22	34.5	2.65	3.31	0.10	0.06	0.68	0.026	0.08	7.9	15.0	0.43	684	0.57	0.01
DD003088		1.08	32.6	3.35	3.82	0.09	0.07	0.28	0.033	0.09	7.6	20.4	0.41	394	0.59	0.01
DD003089		0.95	21.4	2.22	2.41	0.09	0.04	20.4	0.022	0.06	7.6	8.9	4.73	842	0.80	0.02
DD003090		0.90	21.9	2.75	2.28	0.10	0.06	6.69	0.025	0.06	8.3	9.2	4.19	1020	0.92	0.02
DD003091		1.01	26.5	3.58	2.81	0.10	0.06	6.02	0.029	0.07	8.4	9.4	1.58	1340	0.59	0.02
DD003092		1.16	22.2	3.08	2.42	0.08	0.12	2.00	0.029	0.16	4.9	7.0	0.17	525	0.43	0.01
DD003093		0.90	28.4	3.20	1.89	0.08	0.03	0.03	0.031	0.15	2.7	3.1	0.08	410	0.40	0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 23- AUG- 2011
Account: RCM

Project: Rackla- DALE- INFILL

CERTIFICATE OF ANALYSIS WH11158639

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
DD004334		0.49	31.9	680	21.3	10.4	<0.001	0.03	0.60	7.2	1.2	0.5	33.3	<0.01	0.07	2.6
DD004335		0.32	27.1	840	15.4	11.5	<0.001	0.05	0.38	5.1	1.2	0.5	33.8	<0.01	0.06	1.7
DD004336		0.44	24.6	950	17.1	12.2	<0.001	0.04	0.58	4.2	0.9	0.5	9.7	<0.01	0.08	1.5
DD004337		0.17	28.2	590	21.2	13.5	<0.001	<0.01	1.00	5.0	0.3	0.4	10.8	<0.01	0.09	2.6
DD004338		0.22	20.1	670	18.9	18.9	<0.001	<0.01	0.68	4.9	0.5	0.6	20.8	<0.01	0.06	2.1
DD004339		0.16	32.6	410	18.7	7.5	<0.001	0.02	0.68	6.3	0.7	0.4	26.1	<0.01	0.09	3.2
DD004340		0.25	25.3	940	18.2	10.1	<0.001	0.04	0.58	3.8	0.4	0.4	20.9	<0.01	0.06	1.2
DD004341		0.31	27.2	920	16.5	9.8	0.001	0.07	0.49	5.0	1.0	0.5	41.5	<0.01	0.06	1.4
DD004342		0.41	26.5	840	17.0	13.2	<0.001	0.04	0.46	5.1	0.4	0.6	25.6	<0.01	0.06	1.8
DD004343		0.28	31.9	750	17.2	9.4	<0.001	0.05	0.52	4.7	1.1	0.5	38.2	<0.01	0.06	1.2
DD004344		0.32	32.5	1170	21.7	9.4	<0.001	0.10	0.42	5.0	0.4	0.5	63.9	<0.01	0.05	1.9
DD004345		0.45	31.8	660	14.1	16.0	<0.001	0.04	0.48	7.2	1.3	0.5	40.8	<0.01	0.04	2.6
DD004346		0.38	33.1	580	11.5	17.7	<0.001	0.04	0.31	7.0	2.2	0.5	39.2	<0.01	0.04	2.9
DD004347		0.15	35.0	670	22.0	8.8	<0.001	0.02	0.51	5.5	0.4	0.4	23.5	<0.01	0.08	3.0
DD004348		0.12	35.7	410	23.9	11.3	<0.001	0.01	0.48	4.5	0.2	0.4	10.9	<0.01	0.07	3.3
DD004349		0.37	22.3	1020	10.8	13.5	<0.001	0.03	0.46	2.6	0.3	0.6	12.8	<0.01	0.05	1.0
DD004350		0.26	32.7	600	21.4	10.9	<0.001	0.02	0.57	3.3	0.3	0.4	8.2	<0.01	0.08	2.4
DD003071		0.41	25.1	970	20.1	12.6	<0.001	0.04	0.58	2.6	0.4	0.5	19.3	<0.01	0.07	1.1
DD003072		0.21	24.1	990	18.9	6.4	<0.001	0.09	0.39	2.7	0.8	0.3	111.0	<0.01	0.05	1.1
DD003073		0.13	30.6	1050	29.9	6.5	<0.001	0.05	0.47	5.1	1.1	0.4	53.9	<0.01	0.04	2.8
DD003074		0.10	24.5	460	26.2	12.3	<0.001	0.02	0.23	4.4	0.4	0.4	16.0	<0.01	0.09	2.7
DD003075		0.21	25.2	610	65.3	9.4	0.001	0.06	0.63	4.3	0.5	0.3	33.7	<0.01	0.05	2.2
DD003076		0.11	21.7	370	13.7	12.3	<0.001	0.02	0.21	2.0	<0.2	0.4	10.7	<0.01	0.11	1.2
DD003077		0.15	23.0	550	28.8	11.2	<0.001	0.05	0.39	3.1	0.4	0.3	32.6	<0.01	0.06	1.9
DD003078		0.10	26.4	280	17.0	10.4	<0.001	0.01	0.24	2.6	<0.2	0.3	13.4	<0.01	0.07	1.6
DD003079		0.25	19.4	350	17.4	14.2	<0.001	0.02	0.33	2.4	0.2	0.5	12.6	<0.01	0.06	1.4
DD003080		0.40	20.4	820	25.5	26.4	<0.001	0.04	0.30	6.2	0.7	0.7	27.5	<0.01	0.06	2.2
DD003081		0.25	24.5	910	22.2	12.7	<0.001	0.07	0.29	4.7	0.9	0.5	87.8	<0.01	0.05	1.5
DD003082		0.31	37.5	720	43.2	12.2	0.002	0.17	0.68	5.8	1.1	0.6	24.1	<0.01	0.04	3.2
DD003083		0.14	15.5	610	63.4	3.5	<0.001	0.03	1.01	3.3	0.4	0.4	100.5	<0.01	0.04	2.0
DD003084		0.22	26.3	670	111.5	6.3	0.001	0.04	0.71	5.0	0.8	0.4	35.8	<0.01	0.06	2.6
DD003085		0.72	16.2	570	21.8	14.2	<0.001	0.04	0.52	2.4	<0.2	0.6	17.9	<0.01	0.05	1.2
DD003086		0.17	20.9	670	45.2	7.6	<0.001	0.06	1.10	3.9	0.6	0.3	40.3	<0.01	0.05	1.1
DD003087		0.38	22.4	760	25.3	9.6	<0.001	0.07	0.75	3.5	0.6	0.3	32.9	<0.01	0.06	0.9
DD003088		0.33	23.6	500	22.1	8.8	<0.001	0.04	0.56	5.2	0.3	0.4	25.0	<0.01	0.05	1.9
DD003089		0.31	17.1	910	811	6.2	<0.001	0.05	21.2	3.1	0.7	0.4	61.3	<0.01	0.06	1.3
DD003090		0.24	20.1	820	58.7	5.0	<0.001	0.05	1.27	3.9	0.7	0.3	58.1	<0.01	0.04	1.4
DD003091		0.24	22.1	1020	56.7	6.8	<0.001	0.07	0.59	3.3	0.7	0.4	31.7	<0.01	0.04	1.1
DD003092		0.20	18.4	760	21.7	11.5	<0.001	0.05	0.24	3.7	0.5	0.4	23.5	<0.01	0.04	1.7
DD003093		0.13	20.2	380	15.8	10.8	<0.001	0.01	0.24	2.3	<0.2	0.4	12.6	<0.01	0.09	0.8

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 23- AUG- 2011
Account: RCM

Project: Rackla- DALE- INFILL

CERTIFICATE OF ANALYSIS WH11158639

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
DD004334		0.011	0.19	2.45	38	0.10	14.60	87	2.1
DD004335		0.005	0.15	1.40	29	0.06	10.05	87	1.9
DD004336		0.007	0.18	0.69	41	0.10	5.82	73	1.2
DD004337		<0.005	0.19	0.58	46	0.05	4.36	96	1.6
DD004338		<0.005	0.22	0.55	52	0.10	5.30	71	0.9
DD004339		0.005	0.13	0.69	37	0.05	7.40	87	2.6
DD004340		0.007	0.14	0.65	38	0.09	4.66	83	1.2
DD004341		0.006	0.15	2.18	31	0.07	12.70	99	2.0
DD004342		0.007	0.18	1.53	42	0.15	9.31	74	1.7
DD004343		0.005	0.17	3.22	31	0.08	12.90	78	1.7
DD004344		0.006	0.16	7.74	26	0.05	12.25	117	2.8
DD004345		0.012	1.11	2.02	30	0.13	14.90	96	2.3
DD004346		0.007	1.27	1.50	31	0.11	15.60	105	3.3
DD004347		0.005	0.13	0.67	36	0.05	9.28	79	2.1
DD004348		<0.005	0.13	0.58	38	<0.05	4.80	76	2.3
DD004349		0.009	0.18	0.72	40	0.11	4.60	64	1.0
DD004350		<0.005	0.11	0.41	36	<0.05	3.38	76	2.3
DD003071		0.009	0.12	0.56	45	0.09	3.30	63	0.9
DD003072		0.005	0.11	1.16	24	0.05	13.25	63	1.8
DD003073		<0.005	0.10	1.30	18	<0.05	20.7	81	2.4
DD003074		<0.005	0.11	1.05	16	<0.05	11.20	72	1.4
DD003075		0.005	0.15	1.23	21	<0.05	12.75	121	1.9
DD003076		<0.005	0.08	0.33	16	<0.05	2.03	74	<0.5
DD003077		<0.005	0.12	1.12	16	<0.05	13.55	73	2.4
DD003078		<0.005	0.11	0.38	16	<0.05	2.98	56	<0.5
DD003079		0.005	0.16	0.48	25	0.05	3.45	53	<0.5
DD003080		<0.005	0.52	1.67	36	0.08	13.90	58	1.4
DD003081		<0.005	0.13	1.81	25	<0.05	13.40	90	2.0
DD003082		<0.005	0.40	1.16	42	0.06	13.10	264	3.2
DD003083		0.005	1.54	1.40	17	0.15	8.36	175	0.8
DD003084		0.005	0.73	1.27	27	0.10	12.85	169	2.0
DD003085		0.014	0.19	0.88	44	0.15	3.23	74	0.5
DD003086		<0.005	4.66	1.41	21	0.10	10.75	257	1.8
DD003087		0.009	0.48	1.59	27	0.10	8.44	134	1.5
DD003088		0.007	0.31	0.98	31	0.09	7.05	109	1.7
DD003089		0.008	20.2	1.60	21	0.68	8.36	1860	1.3
DD003090		0.007	3.35	1.16	21	0.50	10.40	145	1.5
DD003091		0.005	1.67	1.17	22	0.15	11.90	235	1.6
DD003092		<0.005	0.20	0.90	18	0.07	7.18	129	2.9
DD003093		<0.005	0.09	0.45	14	<0.05	3.47	55	0.7

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 23- AUG- 2011
Account: RCM

Project: Rackla- DALE- INFILL

CERTIFICATE OF ANALYSIS WH11158639

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- TL43 Au ppm 0.001	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1
DD003094		0.28	<0.001	0.07	0.41	9.3	<0.2	<10	120	0.81	0.38	0.34	0.05	6.71	10.8	7
DD003095		0.28	0.001	0.21	0.68	30.6	<0.2	<10	160	1.09	0.36	0.68	0.18	26.9	22.7	15
DD003096		0.28	0.001	0.12	1.15	15.3	<0.2	<10	170	1.09	0.31	0.73	0.20	32.5	14.4	21
DD003097		0.30	0.002	0.05	1.63	14.7	<0.2	<10	120	0.63	0.32	0.06	0.15	19.50	15.3	22
DD003098		0.34	0.001	0.09	1.54	14.0	<0.2	<10	150	0.90	0.34	0.39	0.16	36.7	13.7	24
DD003099		0.34	0.001	0.09	1.57	14.2	<0.2	<10	160	0.48	0.31	0.45	0.13	17.05	9.4	23
DD003100		0.24	0.001	0.04	1.59	13.0	<0.2	<10	130	0.40	0.28	0.08	0.09	17.75	11.3	24
DD004251		0.32	0.003	0.06	1.70	18.5	<0.2	<10	130	0.78	0.30	0.82	0.16	28.2	19.9	24
DD004252		0.20	0.007	0.14	0.71	30.5	<0.2	<10	100	0.84	0.19	1.50	0.36	34.0	9.6	16
DD004253		0.20	0.002	0.07	0.96	176.5	<0.2	<10	170	0.96	0.22	0.94	0.29	33.4	11.0	22
DD004254		0.16	0.001	0.05	0.47	196.5	<0.2	<10	250	0.97	0.25	1.38	0.26	41.7	10.8	24
DD004255		0.26	0.004	0.05	0.70	21.7	<0.2	<10	140	0.98	0.23	1.22	0.18	49.7	12.0	25
DD004256		0.20	0.002	0.05	0.96	29.7	<0.2	<10	250	0.85	0.24	1.78	0.16	28.9	9.8	23
DD004257		0.20	0.004	0.08	1.30	13.7	<0.2	<10	290	0.98	0.18	0.91	0.17	38.6	9.7	30
DD004258		0.20	0.002	0.09	1.01	13.6	<0.2	<10	120	0.93	0.30	1.56	0.17	21.8	13.0	16
DD004259		0.26	0.002	0.11	0.95	10.2	<0.2	<10	170	0.96	0.31	1.37	0.14	17.45	9.6	14
DD004260		0.22	0.001	0.07	1.11	10.1	<0.2	<10	140	0.82	0.34	0.66	0.10	18.95	10.3	20
DD004261		0.24	0.002	0.07	1.39	12.9	<0.2	<10	160	0.86	0.22	1.15	0.27	46.3	11.7	29
DD004262		0.28	0.002	0.07	1.71	16.1	<0.2	<10	220	0.86	0.27	0.65	0.18	37.2	13.2	29
DD004263		0.24	0.001	0.09	1.30	16.0	<0.2	<10	210	0.75	0.24	1.25	0.29	32.5	12.4	24
DD004264		0.22	0.001	0.04	1.75	26.7	<0.2	<10	180	0.64	0.29	0.29	0.16	22.3	14.9	26
DD004265		0.30	0.006	0.13	0.82	104.5	<0.2	<10	150	0.92	0.21	1.36	0.26	32.5	11.3	24
DD004266		0.26	0.003	0.11	1.07	41.3	<0.2	<10	160	0.69	0.24	0.73	0.23	26.2	9.4	23
DD004267		0.30	<0.001	0.03	1.75	52.8	<0.2	<10	210	0.58	0.29	0.17	0.16	19.00	11.2	25
DD004268		0.24	0.001	0.15	1.75	21.4	<0.2	<10	180	0.89	0.29	0.71	0.15	20.3	11.1	24
DD004269		0.30	0.001	0.08	1.60	20.4	<0.2	<10	140	0.78	0.32	0.83	0.21	27.1	12.2	24
DD004270		0.22	0.001	0.16	1.62	10.3	<0.2	<10	190	0.61	0.25	0.95	0.10	25.5	8.2	21
DD004232		0.36	0.002	0.08	1.69	18.7	<0.2	<10	220	0.90	0.31	0.25	0.19	34.3	15.4	26
DD004233		0.30	0.001	0.09	1.88	18.2	<0.2	<10	190	0.78	0.28	0.19	0.12	25.0	12.3	29
DD004234		0.30	0.002	0.05	1.74	21.5	<0.2	<10	170	0.74	0.29	0.15	0.17	33.2	16.5	28
DD004235		0.32	0.001	0.10	1.96	18.5	<0.2	<10	220	1.03	0.29	0.30	0.13	32.8	15.0	32
DD004236		0.30	0.001	0.04	1.97	11.2	<0.2	<10	220	0.52	0.27	0.11	0.06	23.4	8.0	28
DD004237		0.26	0.001	0.08	2.12	12.1	<0.2	<10	300	0.65	0.29	0.21	0.12	31.2	11.5	32
DD004238		0.28	0.002	0.03	2.08	20.7	<0.2	<10	110	0.66	0.31	0.07	0.19	29.5	14.4	29
DD004239		0.34	0.001	0.03	1.79	33.0	<0.2	<10	130	0.66	0.30	0.07	0.19	26.8	16.6	25
DD004240		0.40	0.003	0.05	2.28	85.3	<0.2	<10	150	0.92	0.31	0.07	0.22	30.1	21.7	30
DD004241		0.30	0.002	0.07	1.81	101.5	<0.2	<10	180	0.86	0.30	0.11	0.31	32.2	16.7	25
DD004242		0.34	0.001	0.14	1.61	45.4	<0.2	<10	180	0.95	0.31	0.17	0.32	27.0	18.6	25
DD004243		0.28	0.002	0.22	1.48	83.6	<0.2	<10	250	1.10	0.30	0.69	0.33	18.45	13.0	20
DD004244		0.38	<0.001	0.09	1.51	18.7	<0.2	<10	340	1.28	0.44	0.18	0.13	15.85	15.3	27

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 23- AUG- 2011
Account: RCM

Project: Rackla- DALE- INFILL

CERTIFICATE OF ANALYSIS WH11158639

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
DD003094		1.30	26.4	2.44	1.40	0.09	0.07	0.06	0.025	0.15	2.8	4.2	0.08	302	0.42	0.01
DD003095		1.04	45.0	4.48	2.75	0.17	0.16	0.06	0.037	0.15	9.6	8.8	0.19	930	0.65	0.01
DD003096		0.90	29.9	4.72	3.53	0.13	0.06	0.06	0.041	0.08	11.0	16.8	0.26	656	1.04	0.01
DD003097		1.71	36.1	4.01	6.24	0.10	0.04	0.05	0.034	0.08	8.7	31.6	0.42	607	0.99	<0.01
DD003098		2.02	37.3	4.93	4.75	0.09	0.07	0.06	0.051	0.07	12.5	19.7	0.40	671	0.90	0.01
DD003099		2.88	27.2	3.16	6.29	0.06	0.03	0.04	0.034	0.08	7.9	16.8	0.33	580	0.93	0.01
DD003100		2.17	33.0	4.05	6.40	0.07	0.03	0.04	0.034	0.09	8.8	16.4	0.35	619	1.07	<0.01
DD004251		2.47	59.4	4.64	4.73	0.09	0.08	0.12	0.038	0.09	13.0	31.1	0.74	727	0.60	0.01
DD004252		7.51	32.9	2.59	2.16	0.09	0.08	0.16	0.032	0.08	18.4	8.5	0.28	316	0.78	0.01
DD004253		17.30	35.1	3.13	3.52	0.09	0.08	0.73	0.039	0.11	17.2	15.1	0.42	373	0.63	0.01
DD004254		7.51	37.7	2.71	2.21	0.09	0.08	0.25	0.042	0.08	20.1	7.8	0.25	301	0.36	0.01
DD004255		16.30	35.7	2.81	2.89	0.10	0.07	0.21	0.037	0.14	25.9	12.3	0.54	246	0.36	0.01
DD004256		7.74	29.4	2.62	3.51	0.08	0.09	0.09	0.035	0.09	15.6	13.7	0.39	262	0.36	0.01
DD004257		8.32	30.0	2.53	4.66	0.09	0.11	0.09	0.035	0.13	21.1	24.3	0.79	255	0.47	0.01
DD004258		1.62	35.0	3.64	2.94	0.07	0.09	0.06	0.041	0.08	9.6	11.9	0.69	562	1.00	0.01
DD004259		1.41	32.2	2.92	3.04	0.06	0.09	0.10	0.038	0.08	7.9	10.2	0.20	388	1.03	0.01
DD004260		2.05	28.5	3.11	3.98	0.06	0.08	0.06	0.039	0.11	9.2	15.5	0.34	239	1.05	0.01
DD004261		1.76	27.8	2.83	4.83	0.09	0.09	0.06	0.034	0.10	20.2	28.3	0.79	514	0.40	0.01
DD004262		2.27	35.8	3.64	5.49	0.10	0.09	0.05	0.041	0.10	17.0	28.7	0.67	494	0.65	0.01
DD004263		1.57	32.5	3.22	4.32	0.08	0.09	0.07	0.037	0.07	13.1	19.3	0.46	572	0.59	0.01
DD004264		2.77	45.2	4.46	5.93	0.07	0.05	0.05	0.040	0.10	9.7	27.5	0.49	623	0.99	0.01
DD004265		3.52	37.5	2.93	3.05	0.08	0.09	0.23	0.040	0.10	17.4	11.7	0.42	321	0.72	0.01
DD004266		2.98	30.4	3.13	4.05	0.07	0.07	0.10	0.034	0.09	15.1	15.3	0.31	378	0.94	0.01
DD004267		10.75	33.3	3.75	6.81	0.06	0.04	0.05	0.035	0.12	9.6	22.8	0.40	518	1.01	0.01
DD004268		6.56	33.3	3.39	5.73	0.07	0.10	0.08	0.037	0.11	11.2	30.4	0.42	574	0.70	0.01
DD004269		3.08	33.8	3.76	5.44	0.08	0.08	0.06	0.040	0.10	11.7	27.4	0.43	523	0.82	0.01
DD004270		1.87	24.4	3.06	5.52	0.06	0.04	0.07	0.033	0.07	12.9	14.1	0.26	272	0.91	0.01
DD004232		1.78	32.9	4.75	4.70	0.09	0.07	0.08	0.041	0.06	15.6	26.3	0.46	1060	1.11	0.01
DD004233		2.90	34.7	3.68	6.21	0.08	0.06	0.07	0.042	0.09	12.3	33.8	0.51	502	0.93	<0.01
DD004234		2.28	51.6	4.48	5.24	0.09	0.08	0.08	0.039	0.10	12.8	33.6	0.72	568	0.66	<0.01
DD004235		2.55	45.1	4.25	6.64	0.09	0.09	0.06	0.046	0.11	12.6	52.0	0.67	546	0.78	0.01
DD004236		2.41	16.3	3.14	7.17	0.06	0.04	0.02	0.034	0.07	12.3	25.0	0.40	396	1.10	0.01
DD004237		2.13	20.6	3.28	6.81	0.07	0.04	0.04	0.033	0.07	16.1	23.0	0.53	700	1.11	0.01
DD004238		2.21	36.8	4.75	6.36	0.08	0.05	0.06	0.048	0.07	12.8	36.8	0.52	655	1.08	0.01
DD004239		2.21	41.0	4.47	5.25	0.08	0.04	0.11	0.041	0.08	11.9	37.4	0.60	507	0.98	<0.01
DD004240		2.52	62.0	5.10	5.99	0.09	0.05	0.52	0.048	0.10	13.6	34.1	0.74	1020	1.11	0.01
DD004241		2.14	41.6	5.29	5.39	0.10	0.07	0.73	0.043	0.09	14.9	29.6	0.54	1660	1.16	<0.01
DD004242		1.70	52.1	4.68	4.78	<0.05	0.05	0.26	0.045	0.07	10.3	29.9	0.55	828	1.01	0.01
DD004243		3.50	33.7	4.00	4.39	<0.05	0.09	0.79	0.034	0.10	10.5	15.8	0.37	969	0.79	0.01
DD004244		2.40	31.5	3.92	6.63	<0.05	0.02	0.07	0.031	0.15	6.6	20.5	0.37	597	0.45	0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 23- AUG- 2011
Account: RCM

Project: Rackla- DALE- INFILL

CERTIFICATE OF ANALYSIS WH11158639

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
DD003094		0.11	20.4	300	18.6	9.9	<0.001	0.02	0.24	3.0	0.2	0.3	16.5	<0.01	0.08	1.5
DD003095		0.18	40.9	850	59.6	10.4	<0.001	0.06	0.70	5.9	1.3	0.3	29.1	0.01	0.06	3.0
DD003096		0.28	24.9	930	32.0	10.8	<0.001	0.04	0.45	4.6	0.9	0.3	31.6	0.01	0.06	2.0
DD003097		0.46	22.2	880	19.2	12.0	<0.001	0.03	0.50	2.8	0.5	0.5	9.2	<0.01	0.06	1.3
DD003098		0.40	34.3	770	36.5	12.8	<0.001	0.03	0.66	5.7	0.9	0.5	25.6	0.01	0.06	3.6
DD003099		0.41	17.0	1160	16.4	20.8	<0.001	0.04	0.48	2.3	0.5	0.6	29.5	<0.01	0.06	0.9
DD003100		0.44	16.8	1220	17.2	17.2	<0.001	0.05	0.53	2.1	0.5	0.5	9.8	<0.01	0.07	0.7
DD004251		0.14	30.0	320	27.5	9.0	<0.001	0.01	0.57	6.6	0.6	0.3	28.7	<0.01	0.07	4.8
DD004252		0.25	21.1	870	18.0	8.6	<0.001	0.07	0.44	3.3	1.5	0.3	52.8	0.01	0.04	1.3
DD004253		0.34	24.5	690	15.4	13.9	<0.001	0.04	0.45	6.2	1.5	0.4	40.7	0.01	0.04	2.6
DD004254		0.14	27.8	630	19.3	10.8	<0.001	0.06	0.23	4.7	0.9	0.4	50.2	0.01	0.02	2.1
DD004255		0.40	28.2	630	15.8	19.4	<0.001	0.03	0.24	6.7	0.9	0.4	36.7	0.01	0.02	4.5
DD004256		0.40	27.1	890	16.5	14.8	<0.001	0.08	0.27	4.7	1.0	0.4	53.6	0.01	0.03	2.1
DD004257		0.50	22.4	830	12.9	18.1	<0.001	0.07	0.27	5.1	1.2	0.4	46.4	0.01	0.02	2.0
DD004258		0.25	27.9	810	17.9	9.6	<0.001	0.04	0.41	7.0	0.8	0.5	35.7	0.01	0.05	4.3
DD004259		0.20	21.5	1180	16.4	10.3	<0.001	0.09	0.32	3.8	1.1	0.5	54.4	0.01	0.04	1.7
DD004260		0.28	20.7	730	18.8	12.4	<0.001	0.08	0.32	5.1	0.6	0.6	36.3	0.01	0.04	2.8
DD004261		0.46	27.7	700	15.8	12.6	<0.001	0.04	0.29	5.0	0.9	0.4	50.8	0.01	0.03	2.7
DD004262		0.49	27.2	700	18.7	13.5	<0.001	0.03	0.51	5.7	0.8	0.4	34.4	0.01	0.05	3.0
DD004263		0.45	25.9	940	19.0	9.5	<0.001	0.06	0.41	4.7	0.7	0.4	46.8	0.01	0.06	2.4
DD004264		0.43	23.7	670	20.2	13.7	<0.001	0.03	0.62	3.7	0.5	0.5	21.6	<0.01	0.07	1.9
DD004265		0.25	24.8	630	16.6	10.6	<0.001	0.05	0.37	4.4	1.3	0.4	72.6	0.01	0.03	1.9
DD004266		0.29	19.8	860	16.2	11.3	<0.001	0.05	0.47	3.3	0.8	0.4	42.1	<0.01	0.05	1.5
DD004267		0.38	19.2	1330	15.9	20.8	<0.001	0.05	0.54	2.3	0.5	0.5	20.6	<0.01	0.07	0.8
DD004268		0.45	22.8	920	20.8	22.4	<0.001	0.05	0.45	5.4	0.8	0.5	41.5	0.01	0.05	2.1
DD004269		0.52	26.5	810	23.4	14.7	<0.001	0.04	0.57	5.0	0.7	0.5	42.7	0.01	0.06	2.6
DD004270		0.45	19.0	1020	16.6	11.7	<0.001	0.04	0.47	3.0	0.7	0.5	63.4	0.01	0.05	1.1
DD004232		0.54	28.4	640	21.5	10.8	<0.001	0.02	0.54	5.9	0.7	0.5	29.5	0.01	0.06	4.4
DD004233		0.46	23.0	810	18.7	17.6	<0.001	0.03	0.44	4.5	0.6	0.6	17.1	<0.01	0.06	2.3
DD004234		0.26	29.3	480	20.2	11.2	<0.001	0.01	0.48	5.2	0.5	0.4	16.6	<0.01	0.07	4.1
DD004235		0.40	29.6	910	18.7	14.3	<0.001	0.04	0.50	5.1	0.9	0.5	24.4	<0.01	0.08	2.0
DD004236		0.69	13.6	1230	13.5	13.7	<0.001	0.05	0.41	2.8	0.5	0.6	15.8	0.01	0.05	1.2
DD004237		0.73	19.3	1130	16.5	15.3	<0.001	0.04	0.55	3.4	0.6	0.6	20.9	0.01	0.05	1.5
DD004238		0.65	23.1	520	23.7	11.9	<0.001	0.01	0.51	4.2	0.6	0.5	11.9	<0.01	0.06	4.4
DD004239		0.37	27.1	470	23.6	11.9	<0.001	0.01	0.59	3.9	0.5	0.4	13.2	<0.01	0.07	3.3
DD004240		0.29	35.2	360	30.6	12.5	<0.001	0.01	0.73	5.6	0.7	0.4	14.2	<0.01	0.08	4.8
DD004241		0.33	29.2	470	32.6	14.1	<0.001	0.01	0.72	5.6	0.7	0.4	13.2	0.01	0.08	4.0
DD004242		0.29	31.9	510	22.5	9.2	<0.001	0.01	0.65	5.8	0.4	0.4	11.8	<0.01	0.05	3.1
DD004243		0.23	24.7	900	25.9	15.2	<0.001	0.04	0.48	5.8	0.4	0.5	19.7	<0.01	0.06	2.5
DD004244		0.45	25.6	430	20.5	21.1	<0.001	0.01	0.29	3.9	0.4	0.9	17.0	<0.01	0.03	3.3

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 23- AUG- 2011
Account: RCM

Project: Rackla- DALE- INFILL

CERTIFICATE OF ANALYSIS WH11158639

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
DD003094		<0.005	0.09	0.78	10	<0.05	5.19	49	2.3
DD003095		0.009	0.14	1.21	21	0.06	25.5	140	3.7
DD003096		0.005	0.09	1.39	34	0.08	14.45	81	1.4
DD003097		0.008	0.14	0.50	42	0.11	3.59	59	0.9
DD003098		0.009	0.16	1.44	34	0.12	13.70	96	1.3
DD003099		0.007	0.20	0.88	41	0.16	4.61	71	0.6
DD003100		0.010	0.19	0.53	51	0.14	2.83	51	0.5
DD004251		<0.005	0.15	0.76	36	<0.05	9.18	83	2.0
DD004252		0.005	0.36	3.00	24	0.08	14.95	89	1.5
DD004253		0.007	1.52	1.50	30	0.28	14.80	88	1.4
DD004254		<0.005	1.05	2.80	19	0.08	13.75	107	1.4
DD004255		0.008	0.86	2.04	22	0.12	15.15	97	1.5
DD004256		0.007	0.45	4.16	20	0.09	15.85	89	1.9
DD004257		0.010	0.39	3.24	30	0.10	15.15	94	2.2
DD004258		<0.005	0.13	1.12	24	0.07	13.90	78	1.8
DD004259		<0.005	0.14	2.67	20	0.05	11.35	57	1.7
DD004260		<0.005	0.15	1.65	23	0.05	10.25	68	1.6
DD004261		0.012	0.13	2.26	27	0.11	15.15	78	1.8
DD004262		0.010	0.16	3.19	36	0.12	12.35	75	1.8
DD004263		0.010	0.14	3.34	31	0.10	11.35	81	2.1
DD004264		0.008	0.20	0.76	51	0.19	4.11	80	1.0
DD004265		0.005	0.78	3.52	32	0.16	12.30	91	2.3
DD004266		0.007	0.30	2.49	36	0.18	7.89	83	1.4
DD004267		0.007	0.87	0.82	48	0.12	3.81	74	0.7
DD004268		0.006	0.23	1.73	36	0.14	13.40	75	2.0
DD004269		0.009	0.16	1.28	37	0.14	10.05	87	1.8
DD004270		0.008	0.17	1.39	41	0.13	8.03	48	0.6
DD004232		0.012	0.17	1.42	41	0.23	10.95	73	1.2
DD004233		0.007	0.21	1.41	45	0.11	7.72	67	1.3
DD004234		0.006	0.16	1.18	42	0.06	6.16	87	1.8
DD004235		0.010	0.17	2.39	48	0.11	9.22	91	2.4
DD004236		0.015	0.22	1.50	54	0.23	4.46	53	0.8
DD004237		0.024	0.20	1.58	58	0.26	7.16	97	0.7
DD004238		0.011	0.23	0.80	50	0.15	4.15	71	1.5
DD004239		0.007	0.29	0.70	41	0.11	4.38	81	1.0
DD004240		0.006	0.78	0.74	50	0.11	5.83	105	1.3
DD004241		0.006	1.34	0.99	44	0.13	8.73	124	1.5
DD004242		0.007	0.28	0.93	44	0.08	8.14	92	1.6
DD004243		<0.005	0.63	1.12	33	0.10	12.00	99	2.3
DD004244		0.009	0.15	0.70	30	0.07	9.57	91	0.7

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 23- AUG- 2011
Account: RCM

Project: Rackla- DALE- INFILL

CERTIFICATE OF ANALYSIS WH11158639

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- TL43 Au ppm 0.001	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1
DD004245		0.38	<0.001	0.06	1.48	74.6	<0.2	<10	70	0.93	0.36	0.04	0.23	17.50	17.2	24
DD004246		0.38	0.002	0.08	1.84	35.3	<0.2	<10	180	0.75	0.31	0.11	0.11	27.9	11.8	28
DD004247		0.30	0.001	0.05	1.67	23.6	<0.2	<10	130	0.57	0.31	0.08	0.14	23.4	10.9	25
DD004248		0.40	0.001	0.02	1.17	16.3	<0.2	<10	110	0.83	0.52	0.05	0.06	15.20	13.9	20
DD004249		0.40	0.001	0.05	1.79	70.9	<0.2	<10	160	1.55	0.48	0.05	0.20	23.5	25.7	29
DD004250		0.32	0.001	0.05	1.77	35.3	<0.2	<10	130	1.05	0.34	0.04	0.22	17.35	17.4	27

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 23- AUG- 2011
Account: RCM

Project: Rackla- DALE- INFILL

CERTIFICATE OF ANALYSIS WH11158639

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
DD004245		1.89	33.5	4.47	5.04	<0.05	0.04	0.20	0.045	0.09	6.8	26.4	0.30	957	0.85	0.01
DD004246		2.04	23.2	3.43	5.67	<0.05	0.07	0.08	0.033	0.06	10.9	20.6	0.43	481	1.13	0.01
DD004247		2.01	24.5	3.64	7.07	<0.05	0.03	0.07	0.034	0.06	10.4	19.7	0.35	413	1.27	0.01
DD004248		2.49	23.5	3.51	6.54	<0.05	<0.02	0.04	0.036	0.09	6.3	15.3	0.17	764	0.65	0.01
DD004249		3.57	50.0	5.33	6.19	0.05	0.04	0.08	0.049	0.09	7.3	36.1	0.52	1180	1.32	0.01
DD004250		2.40	47.4	4.80	5.83	<0.05	0.05	0.07	0.046	0.08	7.1	28.8	0.46	950	1.08	0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 23- AUG- 2011
Account: RCM

Project: Rackla- DALE- INFILL

CERTIFICATE OF ANALYSIS WH11158639

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
DD004245		0.40	25.6	470	25.1	13.2	<0.001	<0.01	0.49	3.8	<0.2	0.6	8.3	<0.01	0.05	3.1
DD004246		0.79	24.8	680	18.7	12.2	<0.001	0.01	0.68	3.6	<0.2	0.7	11.8	<0.01	0.06	2.9
DD004247		0.75	19.5	430	18.8	11.6	<0.001	<0.01	0.59	3.4	<0.2	0.8	10.1	<0.01	0.04	2.4
DD004248		0.43	17.8	380	22.7	16.3	<0.001	<0.01	0.34	3.4	<0.2	1.0	10.6	<0.01	0.02	3.8
DD004249		0.35	37.6	450	43.7	13.8	<0.001	<0.01	0.76	5.3	<0.2	0.7	11.4	0.01	0.05	4.2
DD004250		0.27	29.1	490	23.0	16.6	<0.001	0.01	0.79	5.4	0.6	0.6	9.4	<0.01	0.06	3.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 23- AUG- 2011
Account: RCM

Project: Rackla- DALE- INFILL

CERTIFICATE OF ANALYSIS WH11158639

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
DD004245		0.007	0.28	0.65	38	0.11	3.91	97	1.2
DD004246		0.013	0.21	0.86	47	0.26	5.35	72	1.6
DD004247		0.015	0.21	0.63	56	0.20	3.48	59	0.7
DD004248		0.006	0.15	0.57	34	0.09	4.61	71	<0.5
DD004249		0.007	0.23	0.62	42	0.07	5.67	103	1.2
DD004250		<0.005	0.18	0.67	46	0.08	4.96	94	1.4

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 23- AUG- 2011
Account: RCM

Project: Rackla- DALE- INFILL

CERTIFICATE OF ANALYSIS WH11158639

Method	CERTIFICATE COMMENTS
ME- MS41	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown.
ME- MS41	Gold determinations by this method are semi- quantitative due to the small sample weight used (0.5g).

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 24- AUG- 2011
Account: RCM

CERTIFICATE WH11158840

Project: Rackla- DALE INFILL

P.O. No.:

This report is for 199 Soil samples submitted to our lab in Whitehorse, YT, Canada on 15- AUG- 2011.

The following have access to data associated with this certificate:

ROB CARNE JULIA LANE	ANDREW CARNE JOAN MARIACHER	MATT DUMALA

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
SCR- 41	Screen to - 180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- TL43	Trace Level Au - 25g AR	ICP- MS
ME- MS41	51 anal. aqua regia ICPMS	

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 24- AUG- 2011
Account: RCM

Project: Rackla- DALE INFILL

CERTIFICATE OF ANALYSIS WH11158840

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- TL43 Au ppm 0.001	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1
CC146801		0.28	0.001	0.03	1.57	30.1	<0.2	<10	140	0.92	0.46	0.10	0.13	15.55	13.1	26
CC146802		0.30	<0.001	0.03	1.92	24.4	<0.2	<10	160	1.44	0.49	0.22	0.09	13.15	17.9	32
CC146803		0.32	0.002	0.14	1.28	41.5	<0.2	<10	220	1.14	0.32	1.25	0.28	16.35	14.0	22
CC146804		0.24	0.004	0.12	1.46	32.4	<0.2	<10	220	1.20	0.37	0.84	0.25	20.1	15.9	24
CC146805		0.30	0.002	0.21	1.23	25.8	<0.2	10	270	1.34	0.31	1.73	0.38	16.75	13.9	20
CC146806		0.38	0.003	0.26	1.33	28.6	<0.2	<10	220	1.13	0.30	0.99	0.82	18.40	14.6	22
CC146807		0.32	0.003	0.81	1.20	19.0	<0.2	<10	180	0.88	0.15	0.65	0.99	58.1	25.1	18
CC146808		0.32	0.002	0.42	0.91	28.8	<0.2	<10	170	0.80	0.26	0.78	0.73	33.6	17.0	15
CC146809		0.36	0.002	0.66	1.04	26.5	<0.2	<10	240	1.16	0.26	1.18	1.13	17.40	13.0	17
CC146810		0.34	0.001	0.16	1.45	24.5	<0.2	<10	330	1.41	0.38	1.01	0.13	11.50	16.0	27
CC146811		0.30	<0.001	0.06	1.79	20.2	<0.2	<10	150	1.62	0.53	0.08	0.11	10.20	27.6	33
CC146812		0.36	0.001	0.35	1.63	27.6	<0.2	<10	200	1.44	0.44	0.16	0.10	17.45	20.1	32
CC146813		0.26	<0.001	0.11	2.06	22.8	<0.2	<10	260	1.31	0.43	0.08	0.10	18.50	19.2	29
CC146814		0.42	0.002	0.15	1.83	18.5	<0.2	<10	110	0.79	0.44	0.02	0.16	21.7	20.2	29
CC146815		0.38	0.001	0.05	1.00	14.1	<0.2	<10	260	1.50	0.62	0.03	0.17	16.65	27.2	21
CC146816		0.40	0.002	0.06	1.78	22.8	<0.2	<10	170	1.11	0.33	0.13	0.16	29.1	17.2	29
CC146817		0.32	<0.001	0.06	1.71	13.3	<0.2	<10	130	1.24	0.48	0.09	0.17	16.55	18.9	31
CC146818		0.32	0.001	0.06	1.80	70.3	<0.2	<10	190	1.51	0.40	0.10	0.24	21.6	21.7	26
CC146819		0.34	0.002	0.05	2.15	28.2	<0.2	<10	480	1.79	0.41	0.14	0.11	26.3	15.6	32
CC146820		0.34	0.002	0.10	1.57	45.4	<0.2	<10	290	1.51	0.38	0.25	0.22	21.9	19.9	28
CC146821		0.38	0.002	0.11	1.79	46.7	<0.2	<10	350	1.25	0.32	0.35	0.17	27.6	15.7	30
CC146822		0.26	0.002	0.25	1.62	227	<0.2	<10	400	1.12	0.28	1.15	0.35	23.4	12.1	23
CC146823		0.30	0.001	0.12	1.70	39.8	<0.2	<10	200	0.70	0.34	0.22	0.23	26.3	13.4	29
CC146824		0.28	0.001	0.03	1.14	51.3	<0.2	<10	60	0.39	0.38	0.02	0.20	14.45	14.5	23
CC146825		0.30	0.002	0.05	1.84	14.0	<0.2	<10	180	0.70	0.27	0.10	0.09	32.1	8.2	28
CC146826		0.28	0.001	0.05	1.62	10.5	<0.2	<10	200	0.62	0.26	0.09	0.08	23.9	8.1	25
CC146827		0.26	<0.001	0.03	1.73	19.7	<0.2	<10	200	0.61	0.31	0.11	0.11	29.0	9.8	28
CC146828		0.26	0.001	0.21	1.99	16.3	<0.2	<10	280	1.07	0.28	0.57	0.10	27.2	12.8	30
CC146829		0.34	0.003	0.15	1.75	27.7	<0.2	<10	230	1.06	0.30	0.42	0.18	27.8	17.2	29
CC146830		0.36	0.003	0.13	1.64	21.5	<0.2	<10	210	1.20	0.29	0.68	0.32	25.5	16.9	26
CC146831		0.28	0.003	0.10	1.90	23.6	<0.2	<10	360	1.25	0.29	0.47	0.14	32.6	16.2	32
DD004051		0.26	0.001	0.06	1.87	22.9	<0.2	<10	210	0.74	0.27	0.21	0.09	25.7	12.7	28
DD004052		0.24	0.001	0.04	2.15	21.8	<0.2	<10	200	0.91	0.29	0.17	0.11	23.3	11.9	30
DD004053		0.22	0.001	0.14	2.02	92.5	<0.2	<10	260	1.02	0.30	0.24	0.20	31.3	14.7	29
DD004054		0.24	0.002	0.27	1.59	129.5	<0.2	<10	190	1.02	0.25	0.86	0.28	23.2	12.9	25
DD004055		0.32	0.001	0.12	1.65	90.3	<0.2	<10	180	0.85	0.28	0.30	0.31	24.4	15.8	26
DD004056		0.24	<0.001	0.06	1.33	38.3	<0.2	<10	160	0.65	0.28	0.52	0.55	14.30	16.6	22
DD004057		0.20	0.001	0.19	0.99	297	<0.2	10	140	0.73	0.21	4.08	0.96	15.40	11.6	16
DD004058		0.24	0.002	0.14	1.67	38.9	<0.2	<10	300	1.11	0.29	0.52	0.39	25.2	16.9	28
DD004059		0.26	0.003	0.20	1.58	42.6	<0.2	<10	280	1.16	0.32	0.69	0.35	21.5	15.7	27

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 24- AUG- 2011
Account: RCM

Project: Rackla- DALE INFILL

CERTIFICATE OF ANALYSIS WH11158840

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
CC146801		1.22	26.0	4.29	7.49	<0.05	0.02	0.05	0.039	0.10	6.7	25.2	0.37	529	0.95	0.02
CC146802		1.84	31.8	4.61	8.35	<0.05	0.03	0.05	0.040	0.12	5.2	39.9	0.50	601	0.62	0.02
CC146803		1.49	44.1	3.76	4.43	<0.05	0.07	0.23	0.038	0.09	6.9	21.6	0.46	496	0.82	0.02
CC146804		1.71	43.7	3.73	5.36	<0.05	0.09	0.34	0.041	0.11	7.7	26.2	0.49	598	0.82	0.02
CC146805		1.92	49.8	3.41	4.46	0.06	0.10	0.32	0.041	0.14	9.4	19.3	0.38	386	1.32	0.02
CC146806		1.41	49.3	3.49	4.88	<0.05	0.07	0.29	0.040	0.12	8.5	23.3	0.49	756	2.18	0.02
CC146807		1.79	90.2	5.26	4.88	0.10	0.05	0.20	0.061	0.19	27.0	21.0	0.45	292	4.53	0.02
CC146808		1.09	55.9	4.08	3.10	0.07	0.08	0.22	0.055	0.11	16.0	13.8	0.36	831	3.45	0.01
CC146809		1.10	47.2	3.29	3.33	0.05	0.08	0.20	0.039	0.12	8.5	15.0	0.40	344	4.23	0.01
CC146810		2.18	47.8	3.75	5.04	<0.05	0.09	0.15	0.038	0.17	6.5	19.6	0.39	891	1.23	0.02
CC146811		2.88	45.8	4.92	6.36	<0.05	0.03	0.04	0.044	0.14	3.3	35.6	0.49	1430	1.56	0.01
CC146812		2.17	44.3	4.47	6.67	0.05	0.03	0.05	0.043	0.11	6.8	32.8	0.57	874	1.03	0.02
CC146813		1.82	35.0	4.24	7.35	<0.05	0.04	0.05	0.044	0.11	7.4	30.2	0.43	1070	0.94	0.02
CC146814		2.17	33.6	5.01	7.84	<0.05	0.03	0.09	0.039	0.10	9.2	27.6	0.40	615	1.13	0.01
CC146815		1.85	45.4	4.60	4.58	<0.05	<0.02	0.05	0.061	0.08	6.2	13.8	0.17	1680	0.65	0.01
CC146816		2.12	36.9	4.21	5.32	0.06	0.06	0.06	0.037	0.08	11.9	26.4	0.54	824	0.99	0.02
CC146817		2.70	26.1	4.24	7.71	<0.05	0.02	0.04	0.044	0.10	6.3	26.8	0.44	920	0.80	0.01
CC146818		2.10	41.3	4.23	5.42	<0.05	0.04	0.25	0.047	0.09	7.1	28.7	0.50	1080	0.58	0.01
CC146819		3.63	39.6	4.00	7.36	0.05	0.10	0.09	0.043	0.11	11.0	26.7	0.45	850	1.06	0.01
CC146820		2.59	47.7	4.54	5.17	<0.05	0.05	0.21	0.046	0.11	7.5	27.6	0.48	972	0.63	0.02
CC146821		2.16	40.9	4.31	5.72	0.06	0.07	0.19	0.045	0.09	13.4	23.7	0.53	898	1.06	0.01
CC146822		1.98	27.4	4.08	5.16	<0.05	0.06	1.49	0.043	0.06	13.2	14.6	0.32	1580	0.84	0.01
CC146823		1.88	24.8	3.97	6.28	<0.05	<0.02	0.29	0.035	0.06	12.2	18.7	0.41	1020	1.19	<0.01
CC146824		2.73	24.6	5.26	6.57	<0.05	<0.02	0.07	0.034	0.06	6.1	9.7	0.17	1160	1.62	0.01
CC146825		1.68	19.9	2.78	6.06	<0.05	0.03	0.06	0.028	0.04	14.4	17.9	0.39	336	1.09	0.01
CC146826		1.56	18.2	2.90	5.38	<0.05	0.03	0.04	0.031	0.05	9.7	19.2	0.38	271	0.98	0.01
CC146827		1.94	18.2	3.11	6.46	<0.05	0.02	0.05	0.031	0.06	11.9	23.2	0.43	365	1.22	0.01
CC146828		3.02	37.4	3.94	5.96	0.14	0.07	0.05	0.045	0.09	13.4	26.5	0.51	637	0.91	0.01
CC146829		2.04	58.8	4.87	4.93	0.11	0.08	0.08	0.045	0.09	13.4	32.7	0.68	599	0.86	0.02
CC146830		1.72	52.5	4.47	4.68	0.13	0.08	0.11	0.048	0.10	12.2	28.9	0.56	785	0.86	0.02
CC146831		2.64	48.5	4.51	5.38	0.13	0.06	0.12	0.049	0.09	15.0	30.7	0.61	881	1.05	0.01
DD004051		1.49	34.3	4.01	5.31	0.12	0.06	0.04	0.037	0.07	12.1	33.3	0.62	551	0.90	0.01
DD004052		2.20	32.6	4.22	6.75	0.12	0.05	0.02	0.042	0.08	10.9	32.7	0.46	683	1.09	0.02
DD004053		1.72	37.8	4.99	5.53	0.12	0.06	0.59	0.044	0.08	13.7	30.9	0.57	1080	0.91	0.02
DD004054		1.27	37.9	4.70	4.28	0.13	0.07	1.49	0.038	0.07	12.9	20.4	0.66	1220	0.96	0.02
DD004055		1.60	42.1	5.02	4.96	0.12	0.03	0.38	0.044	0.08	10.9	26.8	0.57	1060	1.02	0.01
DD004056		1.48	46.7	5.10	5.00	0.11	0.07	0.14	0.038	0.07	6.6	22.0	0.42	1640	1.25	0.02
DD004057		2.78	37.8	3.66	2.65	0.12	0.08	1.16	0.029	0.10	8.0	15.5	2.01	1020	0.76	0.02
DD004058		2.18	50.0	4.46	4.85	0.13	0.07	0.19	0.046	0.11	10.8	25.6	0.60	754	0.89	0.02
DD004059		1.95	50.1	4.42	5.04	0.13	0.07	0.40	0.044	0.12	10.2	24.8	0.53	638	0.80	0.02

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 24- AUG- 2011
Account: RCM

Project: Rackla- DALE INFILL

CERTIFICATE OF ANALYSIS WH11158840

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
CC146801		0.55	22.3	260	23.8	14.6	<0.001	<0.01	0.41	3.7	<0.2	0.9	12.6	<0.01	0.04	3.3
CC146802		0.45	33.4	360	25.6	14.5	<0.001	<0.01	0.37	4.3	<0.2	1.1	16.0	<0.01	0.03	3.7
CC146803		0.33	29.3	540	22.3	9.6	<0.001	0.04	0.69	7.0	0.7	0.6	44.2	<0.01	0.05	2.6
CC146804		0.40	30.6	480	23.1	11.7	<0.001	0.04	0.58	6.8	0.7	0.7	36.3	<0.01	0.05	3.8
CC146805		0.37	34.0	590	20.1	13.2	<0.001	0.05	0.81	6.7	0.9	0.7	63.9	<0.01	0.05	2.9
CC146806		0.34	33.3	590	18.0	10.5	0.001	0.04	1.45	6.3	1.2	0.7	51.6	<0.01	0.05	2.1
CC146807		0.35	47.1	1950	21.6	10.9	0.004	0.07	1.74	10.3	1.7	0.7	50.4	<0.01	0.05	5.1
CC146808		0.30	32.3	980	23.2	7.3	0.002	0.02	1.44	7.7	1.3	0.5	35.7	<0.01	0.06	4.4
CC146809		0.34	36.0	470	17.2	9.6	0.001	0.03	2.30	6.0	1.2	0.5	41.9	<0.01	0.03	2.8
CC146810		0.75	29.5	460	20.3	15.9	<0.001	0.03	0.67	6.2	0.6	0.9	41.7	<0.01	0.06	3.6
CC146811		0.68	38.5	320	29.6	15.9	<0.001	<0.01	0.65	4.3	<0.2	1.1	9.6	<0.01	0.06	5.0
CC146812		0.54	36.2	300	22.5	13.1	<0.001	<0.01	0.56	5.4	0.3	0.9	14.9	<0.01	0.06	5.0
CC146813		0.33	26.8	700	21.5	19.8	<0.001	0.01	0.43	5.0	<0.2	0.9	11.4	<0.01	0.06	3.3
CC146814		0.68	23.7	400	22.1	18.3	<0.001	<0.01	0.61	3.9	<0.2	0.9	6.4	<0.01	0.07	3.5
CC146815		0.16	35.2	290	25.8	12.8	<0.001	<0.01	0.30	6.5	0.2	0.9	15.6	<0.01	0.03	4.1
CC146816		0.57	31.4	490	20.6	12.9	<0.001	<0.01	0.65	5.5	0.4	0.6	13.1	<0.01	0.04	4.4
CC146817		0.60	27.3	520	30.5	16.4	<0.001	0.01	0.40	3.9	<0.2	1.0	10.8	<0.01	0.03	3.7
CC146818		0.28	37.0	430	27.8	15.1	<0.001	<0.01	0.41	5.0	<0.2	0.7	11.6	<0.01	0.05	4.2
CC146819		0.57	26.8	830	24.3	24.6	<0.001	0.02	0.54	6.4	0.5	1.0	18.2	<0.01	0.05	3.2
CC146820		0.29	34.4	610	28.9	13.8	<0.001	0.01	0.42	5.7	<0.2	0.8	17.3	<0.01	0.06	3.3
CC146821		0.41	30.9	720	22.0	14.5	<0.001	0.02	0.57	6.9	0.7	0.7	23.0	<0.01	0.05	2.7
CC146822		0.42	23.8	1070	43.1	12.9	<0.001	0.04	0.54	4.4	0.7	0.6	24.5	<0.01	0.04	1.6
CC146823		0.50	21.0	960	22.2	14.0	<0.001	0.02	0.50	2.3	0.2	0.8	11.5	<0.01	0.05	0.7
CC146824		0.68	12.7	570	34.4	12.7	<0.001	<0.01	0.47	2.2	0.2	0.8	4.9	<0.01	0.06	1.7
CC146825		0.72	19.2	830	12.1	10.6	<0.001	0.02	0.55	3.1	0.4	0.7	11.3	<0.01	0.06	1.5
CC146826		0.58	17.5	830	13.2	9.3	<0.001	0.02	0.50	2.4	<0.2	0.6	11.1	0.01	0.02	1.4
CC146827		0.66	19.9	790	15.1	11.6	<0.001	0.02	0.58	2.6	0.2	0.6	12.3	<0.01	0.04	1.3
CC146828		0.45	24.8	1400	17.2	16.1	<0.001	0.09	0.48	4.2	1.0	0.6	33.5	<0.01	0.07	1.4
CC146829		0.30	37.1	490	20.7	10.2	<0.001	0.07	0.70	7.6	1.0	0.6	28.3	<0.01	0.08	3.5
CC146830		0.27	34.2	740	19.4	10.8	<0.001	0.16	0.51	7.0	1.4	0.5	42.9	<0.01	0.08	2.2
CC146831		0.48	33.7	730	26.5	11.6	<0.001	0.20	0.62	7.1	1.4	0.6	35.8	<0.01	0.12	2.1
DD004051		0.36	27.4	780	17.3	9.8	<0.001	0.21	0.54	3.8	0.8	0.5	18.2	<0.01	0.05	2.3
DD004052		0.52	21.4	950	18.8	14.0	<0.001	0.28	0.47	3.8	0.5	0.6	14.3	<0.01	0.07	1.8
DD004053		0.39	27.8	720	25.4	12.5	<0.001	0.24	0.55	5.4	0.9	0.5	14.0	<0.01	0.08	2.8
DD004054		0.37	28.8	730	47.6	9.1	<0.001	0.09	0.65	5.5	0.8	0.5	15.2	<0.01	0.05	2.0
DD004055		0.35	28.8	360	30.5	10.4	<0.001	0.03	0.63	6.1	0.9	0.5	13.3	<0.01	0.08	3.4
DD004056		0.28	22.9	1000	28.4	10.1	<0.001	0.06	0.66	3.4	0.3	0.5	21.9	<0.01	0.08	1.3
DD004057		0.20	23.2	920	36.5	13.8	<0.001	0.10	0.60	4.3	0.8	0.3	55.0	<0.01	0.07	1.5
DD004058		0.39	31.9	730	24.0	11.8	0.001	0.05	0.62	7.0	1.1	0.6	28.8	<0.01	0.08	2.1
DD004059		0.34	31.5	620	25.2	12.7	<0.001	0.04	0.60	8.4	1.4	0.6	29.3	<0.01	0.07	2.8

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 24- AUG- 2011
Account: RCM

Project: Rackla- DALE INFILL

CERTIFICATE OF ANALYSIS WH11158840

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
CC146801		0.009	0.14	0.47	41	0.08	4.07	76	0.6
CC146802		0.007	0.13	0.45	34	0.05	4.60	89	1.0
CC146803		0.006	0.20	0.76	33	0.10	11.70	88	2.0
CC146804		0.006	0.22	1.03	32	0.07	12.60	90	2.6
CC146805		0.005	0.32	0.98	27	0.07	15.10	102	3.9
CC146806		0.007	0.24	1.09	36	0.07	12.40	137	2.1
CC146807		0.005	0.24	1.38	69	<0.05	16.85	170	2.0
CC146808		0.005	0.22	1.10	36	0.05	11.85	152	3.0
CC146809		0.005	0.25	1.14	33	0.07	11.50	167	3.0
CC146810		0.008	0.19	1.47	33	0.26	13.30	78	2.5
CC146811		0.010	0.16	0.69	34	0.26	3.35	89	0.7
CC146812		0.013	0.12	0.82	37	0.17	6.95	87	0.9
CC146813		<0.005	0.16	0.64	38	0.05	6.75	85	1.1
CC146814		0.011	0.14	0.51	51	0.13	3.42	81	1.1
CC146815		<0.005	0.16	0.70	28	<0.05	6.28	95	<0.5
CC146816		0.013	0.18	0.86	44	0.15	8.81	86	1.6
CC146817		0.012	0.13	0.68	35	0.11	5.56	96	0.7
CC146818		0.006	0.38	0.68	31	0.06	7.04	97	1.2
CC146819		0.007	0.32	1.52	45	0.18	15.30	91	2.4
CC146820		0.006	0.35	1.11	37	0.10	8.11	125	1.3
CC146821		0.009	0.34	1.92	45	0.13	14.95	93	1.8
CC146822		0.008	1.75	1.90	41	0.20	14.10	145	1.6
CC146823		0.013	0.45	1.32	56	0.19	7.10	84	<0.5
CC146824		0.014	0.39	1.77	59	0.11	2.09	68	0.6
CC146825		0.021	0.19	1.71	49	0.27	8.16	60	0.7
CC146826		0.013	0.17	0.96	45	0.25	3.75	47	0.8
CC146827		0.017	0.17	1.09	53	0.21	4.71	60	0.6
CC146828		0.012	0.16	2.39	52	0.18	9.96	69	1.7
CC146829		0.009	0.14	1.24	47	0.08	11.75	87	2.0
CC146830		0.007	0.12	2.11	41	0.06	15.00	91	2.2
CC146831		0.013	0.16	1.70	53	0.12	13.65	81	1.3
DD004051		0.010	0.17	1.05	46	0.11	6.24	72	1.6
DD004052		0.010	0.24	0.99	59	0.12	4.96	65	1.2
DD004053		0.009	0.92	1.06	50	0.15	9.82	78	1.6
DD004054		0.011	1.55	1.05	43	0.14	13.25	111	1.7
DD004055		0.008	0.56	0.77	50	0.11	9.43	118	1.3
DD004056		0.007	0.30	0.52	50	0.07	4.51	99	1.7
DD004057		0.005	1.71	1.93	26	0.08	10.80	229	2.1
DD004058		0.011	0.26	1.16	47	0.09	11.65	125	1.7
DD004059		0.007	0.29	1.18	40	0.07	15.35	118	2.0

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 24- AUG- 2011
Account: RCM

Project: Rackla- DALE INFILL

CERTIFICATE OF ANALYSIS WH11158840

Sample Description	Method	WEI- 21	Au- TL43	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Recvd Wt.	Au	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
DD004060		0.28	0.003	0.12	1.71	19.5	<0.2	<10	530	1.67	0.37	0.41	0.07	21.4	15.4	31
DD004061		0.28	0.002	0.09	1.43	42.3	<0.2	<10	390	1.37	0.38	0.16	0.15	17.80	16.5	32
DD004062		0.28	0.001	0.02	1.40	17.2	<0.2	<10	250	0.87	0.36	0.12	0.09	12.00	14.2	28
DD004063		0.32	0.001	0.07	1.70	66.8	<0.2	<10	150	0.98	0.40	0.08	0.27	17.05	16.3	32
DD004064		0.24	0.002	0.15	1.72	29.6	<0.2	<10	320	1.33	0.35	0.77	0.08	18.75	13.5	26
DD004065		0.24	0.001	0.10	1.96	21.8	<0.2	<10	130	1.11	0.37	0.05	0.25	15.65	14.1	35
DD004066		0.24	0.002	0.21	1.24	15.0	<0.2	<10	250	1.11	0.27	1.63	0.13	11.70	8.2	19
DD004067		0.26	0.001	0.14	1.77	16.6	<0.2	<10	210	1.43	0.44	0.65	0.10	15.60	14.5	31
DD004068		0.22	0.002	0.16	1.62	24.9	<0.2	<10	260	1.40	0.32	1.58	0.19	19.65	10.3	24
DD004069		0.24	0.003	0.22	1.76	29.5	<0.2	<10	250	1.48	0.40	0.90	0.13	16.50	13.5	28
DD004070		0.24	0.002	0.14	1.71	33.0	<0.2	<10	250	1.29	0.40	0.80	0.12	16.05	14.7	28
DD004071		0.20	0.003	0.16	1.20	64.5	<0.2	<10	380	0.93	0.24	1.79	0.25	15.60	10.8	18
DD004072		0.26	0.001	0.05	1.73	39.3	<0.2	<10	280	0.84	0.32	0.14	0.34	22.2	10.3	26
DD004073		0.26	0.003	0.12	1.49	70.2	<0.2	<10	240	0.98	0.29	0.43	0.30	24.7	14.4	26
DD004074		0.26	0.003	0.22	1.68	58.9	<0.2	<10	300	1.13	0.29	0.49	0.26	26.0	15.5	29
DD004075		0.30	0.002	0.06	2.04	24.6	<0.2	<10	210	1.05	0.34	0.06	0.18	17.65	15.3	34
DD004076		0.30	0.001	0.04	1.29	13.5	<0.2	<10	80	0.39	0.38	0.01	0.07	14.15	7.7	23
DD004077		0.30	0.003	0.09	1.64	54.6	<0.2	<10	170	1.17	0.30	0.17	0.34	32.5	17.2	26
DD004078		0.30	0.002	0.04	1.61	52.6	<0.2	<10	100	1.02	0.33	0.04	0.22	21.4	16.0	27
DD004079		0.36	0.001	0.05	1.70	22.5	<0.2	<10	200	1.35	0.33	0.11	0.17	19.25	19.5	32
DD004080		0.30	0.002	0.18	1.42	131.5	<0.2	<10	200	0.99	0.26	0.85	0.57	26.7	14.4	23
DD004081		0.28	0.003	0.22	1.62	230	<0.2	<10	230	1.03	0.27	0.91	0.40	20.5	13.7	26
DD004082		0.30	0.002	0.30	1.75	721	<0.2	<10	260	1.04	0.26	2.66	0.80	28.1	14.8	23
DD004083		0.24	0.001	0.11	1.69	66.7	<0.2	<10	100	0.68	0.30	0.06	0.33	30.8	15.2	30
DD004084		0.24	0.001	0.15	1.68	44.8	<0.2	<10	200	0.68	0.26	0.22	0.11	20.2	9.3	26
DD004085		0.26	0.001	0.06	1.75	45.1	<0.2	<10	190	0.70	0.28	0.16	0.10	21.6	9.2	26
DD004086		0.32	<0.001	0.11	1.11	13.1	<0.2	<10	160	0.45	0.28	0.12	0.43	17.60	7.4	22
DD004087		0.26	0.001	0.15	1.64	12.5	<0.2	<10	250	0.63	0.27	0.21	0.13	19.60	7.9	26
DD004088		0.32	0.001	0.15	1.24	28.7	<0.2	<10	140	0.90	0.29	0.61	0.30	35.2	11.3	21
DD004089		0.26	0.001	0.07	2.00	22.9	<0.2	<10	230	1.03	0.32	0.30	0.11	26.9	13.4	30
DD004090		0.24	0.001	0.03	1.93	14.3	<0.2	<10	170	0.56	0.31	0.06	0.09	20.2	11.0	28
DD004091		0.26	0.003	0.06	1.72	17.1	<0.2	<10	180	0.95	0.27	0.15	0.29	39.3	14.1	28
DD004092		0.22	0.001	0.07	1.70	14.1	<0.2	<10	330	0.66	0.29	0.38	0.08	19.85	6.6	26
DD004093		0.28	0.001	0.09	1.66	21.6	<0.2	<10	260	0.95	0.31	0.35	0.22	22.8	12.6	26
DD004094		0.22	0.001	0.07	1.44	9.2	<0.2	<10	190	0.42	0.27	0.12	0.17	20.8	5.8	26
DD004095		0.22	0.001	0.03	1.92	13.3	<0.2	<10	170	0.67	0.29	0.06	0.10	23.7	12.2	27
DD004096		0.22	0.002	0.13	1.13	9.5	<0.2	<10	160	0.34	0.25	0.10	0.11	17.15	7.2	19
DD004097		0.24	0.001	0.13	1.22	14.2	<0.2	<10	120	0.54	0.27	0.05	0.24	16.50	10.3	21
DD004098		0.24	0.001	0.07	1.37	22.9	<0.2	<10	110	0.65	0.31	0.08	0.26	19.80	14.5	25
DD004099		0.26	0.001	0.10	1.72	16.2	<0.2	<10	170	0.81	0.27	0.08	0.09	21.4	11.2	24

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 24- AUG- 2011
Account: RCM

Project: Rackla- DALE INFILL

CERTIFICATE OF ANALYSIS WH11158840

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
DD004060		3.77	42.2	3.89	6.42	0.15	0.09	0.17	0.034	0.21	10.6	29.4	0.48	402	0.50	0.02
DD004061		2.72	41.6	4.41	5.33	0.12	0.05	0.49	0.032	0.18	7.9	22.7	0.48	537	0.65	0.02
DD004062		2.39	23.5	3.91	6.68	0.11	<0.02	0.07	0.034	0.20	5.4	17.5	0.36	342	0.59	0.01
DD004063		1.72	28.5	5.04	6.89	0.10	0.02	1.24	0.046	0.12	7.1	28.3	0.42	783	1.01	0.01
DD004064		1.12	33.8	3.68	5.75	0.12	0.08	0.40	0.043	0.12	9.3	22.2	0.44	791	0.69	0.02
DD004065		0.98	25.5	4.54	7.89	0.10	0.04	0.09	0.036	0.12	7.0	35.2	0.50	471	0.77	0.01
DD004066		1.57	30.5	2.61	4.09	0.10	0.08	0.24	0.030	0.12	6.1	16.2	0.43	413	0.55	0.02
DD004067		2.38	36.8	4.23	6.91	0.12	0.08	0.13	0.047	0.12	6.3	32.0	0.57	557	0.59	0.02
DD004068		2.09	53.7	3.30	5.32	0.14	0.11	0.40	0.034	0.12	11.3	26.4	0.61	399	0.64	0.02
DD004069		2.50	44.6	3.81	6.14	0.13	0.11	0.47	0.042	0.13	8.2	31.2	0.58	568	0.60	0.02
DD004070		2.47	36.8	4.27	5.95	0.13	0.11	0.32	0.040	0.13	7.8	28.8	0.58	657	0.69	0.02
DD004071		1.45	30.1	3.29	3.59	0.11	0.07	1.24	0.034	0.08	7.5	14.9	0.47	755	0.89	0.02
DD004072		1.48	17.9	4.17	6.49	0.10	0.02	0.25	0.038	0.10	10.9	24.2	0.31	606	1.07	0.01
DD004073		1.74	44.5	4.48	4.84	0.13	0.08	0.68	0.042	0.09	10.4	24.6	0.51	872	1.24	0.02
DD004074		2.27	48.5	4.40	4.97	0.13	0.08	0.49	0.045	0.10	13.4	23.3	0.56	789	1.06	0.01
DD004075		2.42	30.0	4.81	8.16	0.12	0.03	0.05	0.050	0.11	7.8	39.7	0.58	810	0.71	0.01
DD004076		2.47	26.0	3.74	6.92	0.11	0.02	0.01	0.027	0.13	6.9	7.2	0.16	166	0.77	0.01
DD004077		1.85	59.0	5.04	4.88	0.13	0.06	0.17	0.052	0.08	12.7	31.5	0.55	785	0.96	0.01
DD004078		2.15	52.6	4.98	4.93	0.13	0.05	0.11	0.044	0.10	9.3	30.3	0.51	573	0.95	0.01
DD004079		3.35	43.0	4.93	6.57	0.11	0.03	0.05	0.045	0.14	8.1	28.7	0.51	976	0.71	0.01
DD004080		1.73	37.9	4.58	4.17	0.12	0.07	0.98	0.039	0.07	14.3	18.5	0.57	1380	0.97	0.02
DD004081		2.01	45.1	4.31	4.46	0.14	0.09	1.26	0.040	0.10	11.4	20.4	0.55	761	1.10	0.02
DD004082		1.71	42.8	4.30	4.31	0.13	0.08	6.62	0.040	0.09	14.1	27.1	1.86	1170	0.73	0.02
DD004083		1.82	39.9	5.19	5.56	<0.05	0.02	0.12	0.049	0.07	10.4	36.8	0.51	615	1.16	0.01
DD004084		1.69	23.7	3.50	5.28	<0.05	0.04	0.09	0.032	0.06	9.5	29.3	0.52	470	0.83	0.01
DD004085		2.15	29.8	3.62	5.64	<0.05	0.04	0.11	0.034	0.07	10.0	24.9	0.42	499	1.01	0.01
DD004086		1.55	23.6	3.11	5.21	<0.05	<0.02	0.02	0.027	0.09	8.1	12.2	0.22	710	1.00	0.01
DD004087		2.36	19.1	2.99	5.82	<0.05	0.02	0.03	0.032	0.07	9.2	20.9	0.37	493	0.91	0.01
DD004088		1.73	30.0	3.99	4.14	0.05	0.09	0.07	0.039	0.09	11.4	23.1	0.38	544	0.69	0.01
DD004089		2.21	35.5	4.57	6.33	<0.05	0.05	0.03	0.043	0.09	11.3	35.5	0.59	666	0.99	0.01
DD004090		2.64	30.2	4.11	6.92	<0.05	0.03	0.02	0.036	0.08	9.9	26.8	0.38	501	1.04	0.01
DD004091		1.83	37.7	3.97	4.67	0.05	0.05	0.04	0.039	0.06	15.8	25.4	0.53	770	1.01	0.01
DD004092		2.61	19.3	3.09	6.42	<0.05	0.02	0.02	0.037	0.07	9.3	22.0	0.41	330	0.84	0.01
DD004093		2.27	32.0	4.16	5.26	<0.05	0.05	0.04	0.042	0.07	9.4	25.6	0.46	861	0.87	0.01
DD004094		1.88	13.1	2.74	5.98	<0.05	<0.02	0.02	0.021	0.06	10.6	17.3	0.37	437	0.89	0.01
DD004095		2.03	32.4	3.99	6.02	<0.05	0.03	0.03	0.036	0.08	10.7	32.0	0.49	433	0.91	0.01
DD004096		2.07	24.4	2.66	5.75	<0.05	0.02	0.04	0.026	0.07	8.1	10.3	0.20	457	1.06	0.01
DD004097		1.77	35.3	3.62	4.92	<0.05	0.02	0.03	0.030	0.09	7.6	16.5	0.29	826	0.91	0.01
DD004098		2.27	45.9	5.04	4.85	<0.05	0.02	0.02	0.042	0.08	7.6	23.1	0.44	582	0.96	0.01
DD004099		2.12	31.9	3.77	5.43	<0.05	0.06	0.02	0.039	0.07	9.1	28.9	0.40	462	0.86	0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 24- AUG- 2011
Account: RCM

Project: Rackla- DALE INFILL

CERTIFICATE OF ANALYSIS WH11158840

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
DD004060		0.60	32.3	450	22.9	24.2	<0.001	0.02	0.31	7.7	1.0	1.0	24.2	<0.01	0.03	4.8
DD004061		0.56	33.3	220	29.7	20.6	<0.001	0.01	0.43	5.5	0.6	0.9	13.7	<0.01	0.02	6.6
DD004062		0.83	23.9	290	15.3	26.9	<0.001	0.01	0.33	3.5	0.4	1.0	11.8	<0.01	0.03	3.4
DD004063		0.53	29.6	440	33.7	14.1	<0.001	0.01	0.48	4.2	0.5	1.0	12.6	<0.01	0.05	3.8
DD004064		0.44	27.1	550	30.7	12.0	<0.001	0.04	0.37	5.0	1.0	0.8	31.6	<0.01	0.05	3.1
DD004065		0.46	27.8	310	24.3	12.2	<0.001	0.01	0.33	3.8	0.4	1.0	12.0	<0.01	0.03	4.2
DD004066		0.33	21.4	780	17.0	12.9	<0.001	0.08	0.34	3.4	0.7	0.7	52.3	<0.01	0.04	1.9
DD004067		0.40	32.2	510	22.1	15.9	<0.001	0.03	0.32	5.6	0.6	1.0	28.3	<0.01	0.06	4.0
DD004068		0.38	30.7	920	23.2	14.1	<0.001	0.08	0.50	5.3	1.3	0.8	48.5	<0.01	0.03	2.8
DD004069		0.39	33.0	520	28.3	16.9	<0.001	0.04	0.41	6.6	1.1	0.8	32.1	<0.01	0.02	4.2
DD004070		0.35	29.3	550	29.9	15.5	<0.001	0.03	0.41	6.1	1.0	0.8	27.1	<0.01	0.05	4.0
DD004071		0.37	21.7	710	27.9	10.5	<0.001	0.07	0.56	3.6	0.8	0.5	38.7	<0.01	0.06	1.4
DD004072		0.75	17.9	330	22.2	16.2	<0.001	0.01	0.41	3.3	0.4	0.8	12.6	<0.01	0.03	3.3
DD004073		0.46	33.5	540	25.6	11.3	<0.001	0.03	0.76	5.7	0.9	0.6	28.5	<0.01	0.06	3.0
DD004074		0.47	32.4	710	24.6	12.5	<0.001	0.02	0.65	7.0	0.9	0.8	29.0	<0.01	0.06	3.7
DD004075		0.57	29.6	400	22.5	16.8	<0.001	0.01	0.39	5.0	0.7	1.1	11.0	<0.01	0.05	3.3
DD004076		0.68	13.3	220	14.1	25.1	<0.001	<0.01	0.38	3.2	0.5	1.1	6.3	<0.01	0.05	3.7
DD004077		0.25	38.1	670	24.7	10.0	<0.001	0.01	0.60	8.1	1.3	0.4	17.4	<0.01	0.07	3.9
DD004078		0.31	33.1	430	26.3	11.4	<0.001	<0.01	0.63	5.7	0.8	0.5	10.6	<0.01	0.06	4.3
DD004079		0.44	32.1	570	22.4	20.0	<0.001	0.01	0.42	5.2	0.7	0.9	13.0	<0.01	0.06	3.2
DD004080		0.36	30.9	730	36.5	9.5	<0.001	0.04	0.63	5.2	1.0	0.5	18.0	<0.01	0.06	1.8
DD004081		0.37	30.0	930	36.2	11.4	<0.001	0.05	0.67	5.3	1.2	0.5	19.5	<0.01	0.07	1.7
DD004082		0.24	32.4	910	47.2	10.6	<0.001	0.02	0.63	6.3	1.0	0.4	23.7	<0.01	0.06	3.2
DD004083		0.52	28.1	550	26.0	10.5	<0.001	0.01	0.73	3.6	0.3	0.5	8.9	<0.01	0.06	2.0
DD004084		0.35	20.7	1300	15.8	15.7	<0.001	0.04	0.41	2.3	0.3	0.5	19.1	<0.01	0.05	0.9
DD004085		0.42	20.4	1030	18.2	14.3	<0.001	0.03	0.53	3.4	0.3	0.6	14.0	<0.01	0.06	1.3
DD004086		0.29	14.2	1330	13.6	17.6	<0.001	0.07	0.56	0.6	<0.2	0.6	11.7	<0.01	0.05	0.2
DD004087		0.40	15.7	1600	12.8	13.6	<0.001	0.06	0.39	1.9	0.4	0.6	17.7	<0.01	0.05	0.6
DD004088		0.28	25.8	1000	27.1	12.5	<0.001	0.03	0.47	4.4	0.6	0.4	31.7	<0.01	0.05	2.7
DD004089		0.53	26.6	850	21.1	14.1	<0.001	0.02	0.62	4.1	0.5	0.6	24.9	<0.01	0.08	2.0
DD004090		0.58	18.5	790	16.7	15.1	<0.001	0.01	0.50	3.4	0.2	0.7	9.1	<0.01	0.09	1.6
DD004091		0.63	30.9	760	19.9	9.1	<0.001	0.01	0.74	5.4	0.5	0.5	13.7	<0.01	0.06	3.5
DD004092		0.38	16.6	1680	10.9	17.3	<0.001	0.05	0.38	1.9	0.2	0.7	24.8	<0.01	0.05	0.6
DD004093		0.35	22.8	1560	20.8	16.0	<0.001	0.06	0.52	3.2	0.4	0.5	21.1	<0.01	0.07	1.1
DD004094		0.30	14.8	900	10.1	20.7	<0.001	0.04	0.44	0.6	0.5	0.7	13.2	<0.01	0.03	<0.2
DD004095		0.48	23.9	960	16.1	14.0	<0.001	0.03	0.55	2.4	0.6	0.6	9.0	<0.01	0.08	1.0
DD004096		0.28	11.8	1560	11.4	16.3	<0.001	0.08	0.42	1.0	0.4	0.7	10.4	<0.01	0.04	0.2
DD004097		0.21	17.9	1480	16.2	16.9	<0.001	0.08	0.60	1.1	<0.2	0.5	7.9	<0.01	0.07	0.3
DD004098		0.38	29.5	820	25.4	12.8	0.001	0.03	0.67	3.1	0.7	0.5	9.6	<0.01	0.08	1.2
DD004099		0.41	19.9	1110	15.3	13.4	<0.001	0.04	0.45	3.5	0.7	0.5	9.8	<0.01	0.07	1.6

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 24- AUG- 2011
Account: RCM

Project: Rackla- DALE INFILL

CERTIFICATE OF ANALYSIS WH11158840

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
DD004060		0.011	0.26	1.35	30	0.10	23.2	101	2.3
DD004061		0.019	0.36	1.01	33	0.14	10.45	108	1.8
DD004062		0.020	0.25	0.70	36	0.16	4.77	89	0.5
DD004063		0.008	0.72	0.65	43	0.13	4.79	138	0.8
DD004064		0.005	0.31	1.58	31	0.07	12.20	88	2.6
DD004065		0.007	0.18	0.53	43	0.06	3.71	98	1.0
DD004066		<0.005	0.19	0.75	24	0.05	10.60	70	2.2
DD004067		0.006	0.16	0.82	32	<0.05	8.11	105	2.2
DD004068		<0.005	0.29	1.74	27	0.05	23.3	96	3.0
DD004069		<0.005	0.32	1.12	30	0.05	15.65	99	3.2
DD004070		0.005	0.37	1.13	32	0.05	13.75	98	2.4
DD004071		0.005	0.66	1.21	29	0.09	9.60	91	1.7
DD004072		0.011	0.35	0.72	56	0.18	4.36	78	0.7
DD004073		0.010	0.41	0.89	44	0.13	8.72	111	2.1
DD004074		0.010	0.36	1.30	47	0.13	12.60	105	2.0
DD004075		0.012	0.18	0.49	46	0.06	6.15	115	0.9
DD004076		0.013	0.20	0.55	46	0.14	3.76	55	1.0
DD004077		0.006	0.21	1.08	46	0.07	13.35	98	2.1
DD004078		0.008	0.22	0.68	42	0.08	6.19	108	1.5
DD004079		0.010	0.16	0.72	40	0.08	7.97	105	1.0
DD004080		0.009	0.88	1.35	39	0.17	14.05	147	1.8
DD004081		0.009	2.14	2.39	43	0.15	11.65	128	2.2
DD004082		0.007	2.59	1.12	38	0.10	13.70	209	2.2
DD004083		0.012	0.34	0.78	47	0.13	4.51	110	0.7
DD004084		0.011	0.21	1.22	45	0.11	4.42	92	0.9
DD004085		0.009	0.27	0.97	48	0.13	5.15	72	1.0
DD004086		0.011	0.12	0.84	49	0.13	3.11	77	<0.5
DD004087		0.011	0.17	1.34	50	0.13	4.28	54	0.5
DD004088		0.007	0.11	2.06	32	0.05	11.35	129	2.2
DD004089		0.010	0.16	1.30	52	0.16	5.94	74	1.6
DD004090		0.010	0.18	0.64	59	0.12	3.44	59	0.8
DD004091		0.018	0.13	1.21	46	0.31	10.85	87	1.2
DD004092		0.009	0.20	1.22	50	0.18	3.82	67	0.6
DD004093		0.008	0.16	1.02	45	0.10	6.19	83	1.0
DD004094		0.015	0.15	0.68	51	0.19	2.44	78	<0.5
DD004095		0.010	0.15	0.63	49	0.19	3.89	58	0.6
DD004096		0.006	0.18	0.76	46	0.07	2.31	34	<0.5
DD004097		0.008	0.11	0.62	42	0.08	3.04	72	0.6
DD004098		0.011	0.10	0.76	45	0.08	4.78	98	0.5
DD004099		0.007	0.15	0.95	44	0.09	4.85	60	1.6

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 24- AUG- 2011
Account: RCM

Project: Rackla- DALE INFILL

CERTIFICATE OF ANALYSIS WH11158840

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- TL43 Au ppm 0.001	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1
DD004100		0.22	0.001	0.08	1.62	15.6	<0.2	<10	200	0.63	0.28	0.20	0.10	29.2	8.9	27
DD004271		0.20	0.001	0.06	1.42	9.6	<0.2	<10	140	0.44	0.27	0.14	0.10	21.9	6.1	23
DD004272		0.26	0.001	0.05	1.89	18.4	<0.2	<10	140	0.86	0.30	0.06	0.20	28.1	15.9	27
DD004273		0.20	<0.001	0.08	1.37	14.5	<0.2	<10	200	0.49	0.34	0.17	0.14	16.70	9.8	25
DD004274		0.24	0.001	0.04	1.26	19.3	<0.2	<10	120	0.56	0.34	0.08	0.22	22.5	13.7	22
DD004275		0.24	0.001	0.05	1.40	23.3	<0.2	<10	120	0.91	0.33	0.40	0.43	18.65	16.8	25
DD004276		0.26	<0.001	0.07	0.45	34.4	<0.2	<10	70	0.33	0.38	0.08	0.22	10.60	11.2	11
DD004277		0.34	<0.001	0.04	0.41	15.6	<0.2	<10	120	0.85	0.42	0.05	0.04	8.37	10.4	7
DD004278		0.22	0.001	0.05	1.45	25.9	<0.2	<10	110	0.83	0.33	0.16	0.31	24.0	17.2	24
DD004279		0.22	0.001	0.06	1.59	18.3	<0.2	<10	150	0.74	0.31	0.11	0.18	22.3	12.8	25
DD004280		0.24	0.001	0.06	1.26	22.3	<0.2	<10	140	0.96	0.31	0.36	0.26	20.8	17.0	20
DD004281		0.22	0.002	0.21	1.12	88.6	<0.2	<10	130	0.96	0.21	7.36	0.94	24.4	10.0	17
DD004282		0.24	0.001	0.25	1.27	243	<0.2	<10	140	1.16	0.23	5.39	0.54	26.8	11.0	20
DD004283		0.20	0.003	0.20	1.65	137.0	<0.2	<10	220	1.23	0.29	0.81	0.35	28.3	14.7	24
DD004284		0.22	0.005	0.11	1.21	107.5	<0.2	<10	160	0.86	0.25	4.14	0.37	20.3	14.3	19
DD004285		0.20	0.001	0.13	0.82	137.0	<0.2	<10	150	0.82	0.35	0.82	0.59	14.40	10.8	12
DD004286		0.22	0.001	0.10	0.73	117.5	<0.2	<10	110	0.92	0.35	0.64	0.35	11.50	8.8	12
DD004287		0.22	0.001	0.25	0.62	96.7	<0.2	<10	100	0.81	0.40	0.50	0.30	13.10	11.1	12
DD004288		0.16	0.003	0.20	1.29	94.0	<0.2	<10	150	0.77	0.24	2.47	0.80	17.75	11.3	19
DD004289		0.22	0.002	0.13	1.62	39.4	<0.2	<10	220	0.97	0.25	0.80	0.33	27.3	10.7	27
DD004290		0.26	<0.001	0.04	1.59	26.8	<0.2	<10	250	0.87	0.27	0.67	0.33	20.3	10.9	24
DD004291		0.20	<0.001	0.05	1.73	22.7	<0.2	<10	500	0.79	0.30	0.67	0.50	12.75	11.2	23
DD004292		0.20	0.001	0.34	1.19	166.0	<0.2	<10	330	1.19	0.25	0.98	1.93	20.7	11.7	21
DD004293		0.26	0.001	0.37	1.09	276	<0.2	<10	200	1.08	0.25	1.73	1.52	23.2	9.8	21
DD004294		0.26	0.001	0.07	1.53	13.1	<0.2	<10	210	1.15	0.34	0.81	0.11	13.90	12.3	27
DD004295		0.28	0.003	0.13	1.51	16.0	<0.2	<10	240	1.38	0.37	0.81	0.10	15.10	11.3	26
DD004296		0.28	0.001	0.09	1.68	14.4	<0.2	<10	230	1.21	0.36	0.04	0.08	16.50	18.7	27
DD004297		0.32	0.001	0.02	1.86	2.0	<0.2	<10	310	1.80	0.34	0.09	0.05	14.45	21.1	33
DD004298		0.30	0.001	0.06	1.53	11.3	<0.2	<10	440	1.56	0.35	0.33	0.17	18.30	9.7	28
DD004299		0.18	0.003	0.16	1.12	33.9	<0.2	<10	290	0.95	0.22	1.66	0.27	14.80	8.5	18
DD004300		0.30	0.002	0.10	1.16	76.8	<0.2	<10	120	0.98	0.28	0.46	0.26	21.0	16.2	21
CC146751		0.26	0.003	0.13	1.30	81.3	<0.2	<10	170	1.03	0.27	0.81	0.26	23.2	12.5	22
CC146752		0.20	0.003	0.19	1.29	143.0	<0.2	<10	210	0.96	0.23	1.84	0.35	17.30	11.0	21
CC146753		0.22	0.004	0.11	1.36	17.2	<0.2	<10	160	0.99	0.24	0.77	0.42	22.4	12.1	22
CC146754		0.16	0.003	0.21	1.10	125.5	<0.2	<10	150	0.77	0.18	3.25	0.63	16.65	9.2	17
CC146755		0.24	0.002	0.05	1.47	28.1	<0.2	<10	90	0.85	0.28	0.27	0.21	21.6	17.2	24
CC146756		0.22	0.002	0.14	1.40	26.1	<0.2	<10	160	0.84	0.23	1.05	0.23	18.60	11.6	21
CC146757		0.16	0.003	0.07	1.47	42.0	<0.2	<10	100	0.92	0.27	0.41	0.48	23.7	15.7	23
CC146758		0.22	0.003	0.26	1.40	236	<0.2	<10	170	0.82	0.25	0.75	0.70	22.9	10.2	23
CC146759		0.22	0.001	0.06	1.36	17.3	<0.2	<10	140	0.64	0.25	0.12	0.20	19.65	11.8	23

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 24- AUG- 2011
Account: RCM

Project: Rackla- DALE INFILL

CERTIFICATE OF ANALYSIS WH11158840

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
DD004100		1.56	19.8	3.21	5.33	<0.05	<0.02	0.01	0.032	0.05	12.4	21.8	0.44	418	1.24	0.01
DD004271		1.83	10.8	2.85	6.03	<0.05	<0.02	0.03	0.027	0.05	11.1	15.2	0.30	406	1.12	0.01
DD004272		1.71	41.3	4.71	5.25	<0.05	0.03	0.03	0.044	0.08	10.4	38.4	0.60	640	0.91	0.01
DD004273		2.21	26.8	3.92	6.46	<0.05	<0.02	0.02	0.035	0.08	8.2	10.3	0.23	1030	1.32	0.01
DD004274		2.34	42.2	4.57	5.71	<0.05	<0.02	0.03	0.036	0.08	10.2	17.9	0.30	679	1.13	0.01
DD004275		2.33	46.7	4.89	4.62	<0.05	0.08	0.03	0.046	0.11	7.5	23.5	0.52	756	1.04	0.01
DD004276		4.03	36.4	3.31	3.05	<0.05	<0.02	0.02	0.035	0.12	4.9	2.4	0.04	561	0.80	0.01
DD004277		5.02	38.4	3.34	1.55	<0.05	<0.02	0.06	0.051	0.16	3.8	3.5	0.06	389	0.29	0.01
DD004278		1.84	51.0	5.30	5.37	0.05	0.02	0.04	0.047	0.08	9.5	29.4	0.50	850	0.97	0.01
DD004279		1.66	42.1	4.34	5.53	<0.05	0.04	0.03	0.036	0.09	9.6	31.7	0.47	662	0.91	0.01
DD004280		0.84	50.3	4.77	3.70	<0.05	0.08	0.05	0.042	0.07	8.8	25.4	0.49	1100	0.74	0.01
DD004281		0.90	24.4	3.61	3.00	0.05	0.05	2.73	0.034	0.06	13.7	12.4	4.48	2280	1.61	0.02
DD004282		0.89	23.9	4.65	3.50	0.05	0.09	4.95	0.036	0.09	16.0	10.6	3.28	2760	0.95	0.02
DD004283		1.33	44.2	4.90	4.80	0.07	0.07	2.72	0.043	0.08	15.5	24.1	0.49	1620	1.05	0.02
DD004284		0.99	56.6	4.03	3.46	<0.05	0.08	4.02	0.035	0.09	10.1	21.1	2.57	1180	0.90	0.02
DD004285		2.17	30.6	4.11	2.73	<0.05	0.09	1.52	0.036	0.12	6.6	7.4	0.19	915	0.51	0.01
DD004286		3.56	34.8	3.54	2.18	<0.05	0.09	1.27	0.034	0.14	6.2	7.0	0.22	476	0.45	0.01
DD004287		2.73	34.4	3.90	2.14	<0.05	0.06	0.98	0.040	0.13	6.0	7.1	0.17	510	0.57	0.01
DD004288		1.07	37.4	3.63	3.60	<0.05	0.08	1.65	0.027	0.07	9.5	19.5	1.07	1020	0.99	0.02
DD004289		1.57	31.2	3.69	5.15	0.10	0.08	0.39	0.035	0.08	15.1	18.2	0.48	790	1.19	0.01
DD004290		1.50	22.8	3.64	6.00	0.09	0.08	0.12	0.040	0.07	8.8	19.0	0.38	936	1.28	0.01
DD004291		1.51	23.7	3.92	6.72	0.08	0.08	0.04	0.042	0.07	4.9	23.8	0.29	663	2.27	0.01
DD004292		1.36	42.9	3.26	4.19	0.11	0.12	0.18	0.039	0.11	10.7	18.4	0.40	412	5.59	0.01
DD004293		1.30	39.5	2.93	3.90	0.10	0.13	0.30	0.039	0.12	12.0	19.6	0.83	246	3.46	0.01
DD004294		0.98	25.7	3.38	6.52	0.09	0.11	0.19	0.036	0.10	4.4	27.5	0.48	644	0.39	0.01
DD004295		1.84	34.1	3.53	6.44	0.12	0.14	0.21	0.042	0.11	6.4	30.6	0.50	408	0.48	0.01
DD004296		2.40	29.5	4.15	7.62	0.10	0.06	0.05	0.039	0.12	5.6	34.8	0.42	1360	0.75	<0.01
DD004297		2.59	42.8	3.70	8.07	0.10	0.06	0.02	0.038	0.17	5.6	45.3	0.54	604	0.33	<0.01
DD004298		2.47	29.9	3.34	7.56	0.10	0.08	0.07	0.034	0.17	7.6	21.8	0.38	406	0.57	0.01
DD004299		1.46	36.1	2.71	3.72	0.10	0.11	0.58	0.029	0.08	7.7	16.5	0.45	433	0.74	0.01
DD004300		1.69	48.5	3.92	4.26	0.12	0.12	0.50	0.037	0.09	9.0	24.8	0.53	636	0.87	0.01
CC146751		1.59	39.5	4.03	4.28	0.11	0.10	0.45	0.038	0.08	11.1	22.1	0.61	618	0.96	0.01
CC146752		1.29	52.8	3.54	3.84	0.11	0.10	1.52	0.035	0.07	10.0	21.7	0.60	672	1.10	0.01
CC146753		1.11	62.2	3.54	4.15	0.11	0.09	0.25	0.040	0.07	10.7	27.4	0.52	556	0.73	0.01
CC146754		1.13	36.4	3.00	3.33	0.09	0.08	3.44	0.029	0.06	9.2	13.6	1.13	947	1.25	0.01
CC146755		0.89	33.7	4.67	4.90	0.10	0.07	0.11	0.044	0.06	9.4	27.5	0.50	975	1.06	0.01
CC146756		1.06	44.1	3.48	4.29	0.10	0.10	0.20	0.036	0.06	9.2	25.6	0.53	661	0.70	0.01
CC146757		1.20	43.3	4.16	4.80	0.11	0.12	0.09	0.041	0.08	9.9	32.5	0.59	885	0.90	<0.01
CC146758		1.24	25.9	3.85	4.61	0.11	0.08	2.24	0.037	0.07	11.6	18.6	0.42	1020	0.95	0.01
CC146759		1.38	37.3	4.05	4.88	0.09	0.06	0.06	0.034	0.06	8.6	25.1	0.39	763	0.96	0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 24- AUG- 2011
Account: RCM

Project: Rackla- DALE INFILL

CERTIFICATE OF ANALYSIS WH11158840

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
DD004100		0.69	21.6	660	15.7	10.6	<0.001	0.01	0.70	2.2	0.4	0.6	17.7	<0.01	0.04	1.1
DD004271		0.37	13.3	750	14.0	12.5	<0.001	0.04	0.51	0.5	0.2	0.6	13.0	<0.01	0.04	<0.2
DD004272		0.37	30.6	800	20.6	11.5	<0.001	0.02	0.65	3.3	0.2	0.4	9.1	<0.01	0.08	1.5
DD004273		0.21	16.4	1620	17.9	20.7	<0.001	0.07	0.72	0.7	<0.2	0.7	14.5	<0.01	0.07	<0.2
DD004274		0.48	20.7	690	20.7	15.5	<0.001	<0.01	0.76	3.5	0.4	0.5	10.2	<0.01	0.10	1.5
DD004275		0.33	33.0	890	26.2	14.6	<0.001	0.02	0.69	4.3	0.4	0.5	28.4	<0.01	0.11	1.9
DD004276		0.15	24.9	820	22.4	15.0	<0.001	0.03	0.60	1.1	<0.2	0.5	10.0	<0.01	0.10	0.2
DD004277		0.07	23.5	240	15.2	12.3	<0.001	<0.01	0.25	3.5	<0.2	0.3	9.4	<0.01	0.09	1.4
DD004278		0.33	26.6	710	23.9	10.1	<0.001	0.02	0.64	4.1	0.2	0.4	9.2	<0.01	0.08	1.5
DD004279		0.46	24.4	670	18.9	12.3	<0.001	0.02	0.57	3.7	0.3	0.5	12.5	<0.01	0.09	2.2
DD004280		0.15	27.8	930	26.9	6.3	<0.001	0.04	0.65	5.3	0.3	0.3	21.1	<0.01	0.06	2.1
DD004281		0.27	21.7	910	58.9	6.5	<0.001	0.03	0.97	4.3	0.9	0.4	45.0	<0.01	0.04	1.6
DD004282		0.26	24.5	1100	57.1	7.6	<0.001	0.05	0.69	5.4	1.1	0.6	32.6	<0.01	0.06	2.1
DD004283		0.37	29.3	740	39.6	10.0	<0.001	0.03	0.83	8.0	0.8	0.5	41.4	<0.01	0.09	2.3
DD004284		0.20	29.2	590	33.5	5.7	<0.001	0.03	0.60	8.2	0.8	0.4	45.1	<0.01	0.08	2.6
DD004285		0.21	22.3	640	31.8	13.6	<0.001	0.04	0.68	3.9	0.2	0.4	32.0	<0.01	0.07	1.7
DD004286		0.16	22.2	530	27.5	15.2	0.001	0.04	1.93	3.7	0.2	0.4	20.4	<0.01	0.07	1.6
DD004287		0.17	26.7	440	25.9	12.8	<0.001	0.02	1.63	3.8	0.3	0.4	20.9	<0.01	0.09	1.7
DD004288		0.31	24.6	1020	48.7	8.7	<0.001	0.08	0.98	3.5	0.8	0.4	36.6	<0.01	0.06	1.1
DD004289		0.65	23.4	780	32.4	12.7	<0.001	0.04	0.66	5.0	0.9	0.5	29.2	<0.01	0.06	1.7
DD004290		0.66	20.4	850	25.8	15.1	<0.001	0.04	0.54	3.8	0.7	0.6	25.4	<0.01	0.06	1.7
DD004291		0.43	21.8	900	26.0	16.1	<0.001	0.04	0.70	3.6	0.6	0.8	21.0	<0.01	0.06	1.7
DD004292		0.37	46.7	810	25.5	12.8	0.002	0.07	2.00	4.9	2.6	0.6	31.7	<0.01	0.05	2.4
DD004293		0.33	37.9	870	27.6	14.0	0.002	0.05	1.43	5.8	1.7	0.6	37.9	<0.01	0.05	3.6
DD004294		0.41	25.1	570	22.4	10.5	<0.001	0.05	0.19	4.5	0.7	0.8	38.7	<0.01	0.04	2.9
DD004295		0.44	26.7	510	24.6	13.1	<0.001	0.05	0.25	5.7	0.8	0.8	38.9	<0.01	0.04	3.7
DD004296		0.59	26.2	420	31.9	19.2	<0.001	0.01	0.30	4.6	0.5	0.9	9.5	<0.01	0.03	4.7
DD004297		0.56	37.9	230	17.0	22.3	<0.001	<0.01	0.12	5.2	0.5	1.0	11.3	<0.01	0.02	4.0
DD004298		0.72	22.1	390	18.6	25.3	<0.001	0.02	0.25	4.8	0.5	1.0	20.0	<0.01	0.03	3.2
DD004299		0.42	20.9	920	18.8	11.3	<0.001	0.12	0.53	3.5	1.1	0.4	49.4	<0.01	0.07	1.0
DD004300		0.30	31.4	350	25.5	7.6	<0.001	0.02	0.55	6.3	0.7	0.4	31.2	<0.01	0.06	4.1
CC146751		0.38	27.4	500	24.8	9.0	<0.001	0.03	0.54	6.6	0.9	0.4	23.6	<0.01	0.06	3.0
CC146752		0.32	24.8	930	28.6	7.7	<0.001	0.09	0.67	4.8	1.4	0.4	39.8	<0.01	0.08	0.9
CC146753		0.30	27.4	810	17.5	8.3	<0.001	0.06	0.55	6.7	1.2	0.3	37.5	<0.01	0.08	1.2
CC146754		0.37	18.2	1230	35.0	7.7	<0.001	0.10	0.65	3.1	1.3	0.4	41.0	<0.01	0.08	0.6
CC146755		0.49	23.7	360	34.3	8.1	<0.001	0.02	0.56	5.5	0.7	0.4	10.3	<0.01	0.07	3.7
CC146756		0.31	22.9	1190	19.3	8.1	<0.001	0.09	0.54	4.4	1.1	0.3	36.2	<0.01	0.07	1.0
CC146757		0.31	27.5	780	23.3	9.7	<0.001	0.04	0.57	6.1	0.7	0.3	14.2	<0.01	0.08	2.4
CC146758		0.49	20.1	830	55.5	12.5	<0.001	0.05	1.31	4.4	0.8	0.4	20.1	<0.01	0.09	1.5
CC146759		0.32	19.0	970	16.7	12.8	<0.001	0.04	0.44	3.2	0.6	0.3	11.3	<0.01	0.08	1.3

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 24- AUG- 2011
Account: RCM

Project: Rackla- DALE INFILL

CERTIFICATE OF ANALYSIS WH11158840

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
DD004100		0.021	0.15	0.97	50	0.28	4.90	75	<0.5
DD004271		0.018	0.17	0.70	53	0.19	3.37	47	<0.5
DD004272		0.010	0.11	0.62	44	0.10	4.73	81	0.9
DD004273		0.009	0.16	0.65	59	0.12	2.68	69	<0.5
DD004274		0.013	0.13	0.60	54	0.09	3.51	72	<0.5
DD004275		0.008	0.15	1.02	45	0.08	4.16	124	1.9
DD004276		0.006	0.11	0.45	30	0.06	2.65	100	<0.5
DD004277		<0.005	0.21	0.67	14	<0.05	5.16	47	<0.5
DD004278		0.011	0.11	0.61	47	0.07	5.30	95	0.6
DD004279		0.010	0.11	0.57	46	0.09	3.93	74	1.1
DD004280		0.006	0.09	0.60	33	<0.05	7.62	79	1.9
DD004281		0.010	2.90	1.12	29	0.16	13.50	275	1.5
DD004282		0.007	4.70	1.60	35	0.25	16.75	101	2.3
DD004283		0.008	2.80	1.33	42	0.12	17.85	125	2.0
DD004284		0.005	4.56	0.91	33	0.13	14.15	93	2.0
DD004285		<0.005	1.15	1.00	22	0.08	8.13	131	2.1
DD004286		<0.005	0.93	1.20	18	0.09	9.09	154	2.2
DD004287		0.005	0.71	0.95	19	0.08	6.62	134	1.7
DD004288		0.007	0.92	2.04	31	0.09	10.10	250	1.9
DD004289		0.018	0.43	1.87	47	0.20	13.65	163	1.2
DD004290		0.012	0.31	1.24	46	0.23	6.50	113	1.2
DD004291		<0.005	0.26	0.78	58	0.13	4.69	129	1.2
DD004292		0.005	1.34	2.03	81	0.10	16.00	305	2.7
DD004293		0.005	1.39	1.62	74	0.10	16.80	335	3.0
DD004294		0.005	0.17	0.63	26	0.13	7.38	95	1.9
DD004295		0.006	0.20	0.98	26	0.07	13.90	87	2.8
DD004296		0.010	0.21	0.51	30	0.07	5.89	76	1.0
DD004297		0.011	0.17	0.72	24	0.08	7.87	92	1.0
DD004298		0.013	0.22	1.00	35	0.15	11.35	72	1.0
DD004299		0.006	0.35	1.68	26	0.11	11.55	99	2.0
DD004300		0.007	0.46	0.78	33	0.13	9.29	100	2.6
CC146751		0.008	0.42	1.25	35	0.12	12.75	99	1.7
CC146752		0.006	1.74	3.22	34	0.15	14.85	97	1.6
CC146753		0.008	0.23	1.88	34	0.11	15.55	80	1.5
CC146754		0.007	3.74	1.92	28	0.20	12.50	165	1.3
CC146755		0.009	0.29	0.87	42	0.14	6.58	84	1.2
CC146756		0.008	0.17	1.70	33	0.14	12.05	86	1.7
CC146757		0.008	0.21	1.06	37	0.13	9.94	98	2.4
CC146758		0.013	0.61	1.35	41	0.19	10.65	145	1.1
CC146759		0.008	0.12	0.72	42	0.09	4.89	65	0.9

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 24- AUG- 2011
Account: RCM

Project: Rackla- DALE INFILL

CERTIFICATE OF ANALYSIS WH11158840

Sample Description	Method	WEI- 21	Au- TL43	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Recvd Wt.	Au	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
CC146760		0.14	<0.001	0.07	1.18	12.7	<0.2	<10	160	0.55	0.26	0.11	0.22	19.60	9.1	20
CC146761		0.24	0.001	0.04	1.65	16.7	<0.2	<10	240	0.73	0.27	0.16	0.14	21.1	12.6	26
CC146762		0.24	0.001	0.07	1.30	13.0	<0.2	<10	200	0.46	0.28	0.13	0.21	17.70	8.8	25
CC146763		0.24	0.001	0.04	2.22	18.6	<0.2	<10	170	1.08	0.30	0.06	0.15	27.2	19.4	30
CC146764		0.20	0.001	0.02	2.09	19.0	<0.2	<10	200	0.75	0.29	0.14	0.10	24.5	19.2	29
CC146765		0.16	0.001	0.04	1.65	11.5	<0.2	<10	160	0.54	0.25	0.11	0.16	23.9	7.1	28
CC146766		0.22	0.002	0.05	1.87	18.0	<0.2	<10	170	1.11	0.27	0.09	0.16	32.0	18.2	25
CC146767		0.24	0.001	0.01	2.03	17.0	<0.2	<10	130	0.75	0.28	0.18	0.14	22.5	17.1	29
CC146768		0.22	0.001	0.03	1.68	12.5	<0.2	<10	140	0.77	0.28	0.16	0.11	24.5	9.2	25
CC146769		0.22	0.001	0.04	1.85	18.9	<0.2	<10	120	0.76	0.29	0.10	0.26	23.0	15.6	26
CC146770		0.28	0.001	0.09	1.41	21.4	<0.2	<10	140	0.48	0.27	0.08	0.16	17.75	11.7	25
DD004181		0.14	0.003	0.16	1.02	12.3	<0.2	<10	240	0.99	0.16	2.37	0.67	31.4	7.5	18
DD004182		0.20	0.003	0.20	1.30	17.9	<0.2	<10	150	1.09	0.22	1.50	0.33	26.0	10.1	20
DD004183		0.26	0.001	0.04	1.58	15.0	<0.2	<10	230	0.72	0.27	0.19	0.10	22.1	11.2	26
DD004184		0.24	0.001	0.04	1.66	16.5	<0.2	<10	250	0.69	0.31	0.38	0.15	20.2	15.4	25
DD004185		0.22	0.001	0.09	0.91	10.4	<0.2	<10	120	1.01	0.35	4.26	0.21	23.2	12.9	13
DD004186		0.22	0.002	0.20	0.94	11.3	<0.2	<10	110	1.05	0.28	7.92	0.32	22.0	12.4	14
DD004187		0.16	0.001	0.18	1.21	11.8	<0.2	<10	130	1.12	0.30	1.79	0.32	20.5	12.0	20
DD004188		0.28	<0.001	0.04	0.36	13.2	<0.2	<10	130	0.85	0.46	0.11	0.02	10.05	12.4	7
DD004189		0.20	0.002	0.29	0.49	620	<0.2	<10	140	0.57	0.07	14.95	1.02	9.94	3.3	8
DD004190		0.16	0.001	0.13	0.61	206	<0.2	<10	150	0.54	0.11	12.45	2.40	6.73	4.1	8
DD004191		0.28	0.002	0.18	1.29	600	<0.2	<10	120	0.98	0.23	5.26	0.67	21.0	12.1	19
DD004192		0.16	0.002	0.18	1.06	112.5	<0.2	<10	170	0.82	0.18	4.94	2.32	15.20	7.9	15
DD004193		0.20	0.002	0.14	1.46	76.6	<0.2	<10	190	1.00	0.25	1.29	0.28	16.95	11.3	22
DD004194		0.20	0.002	0.18	1.82	315	<0.2	<10	230	1.37	0.26	1.54	1.63	27.9	13.9	24
DD004195		0.24	0.002	0.08	1.63	56.2	<0.2	<10	120	1.11	0.29	0.63	0.73	22.4	14.9	24
DD004196		0.28	0.002	0.17	0.78	78.4	<0.2	<10	100	0.63	0.17	9.66	0.77	14.25	8.5	12
DD004197		0.18	0.005	0.17	1.33	76.6	<0.2	<10	160	0.90	0.24	2.83	1.00	21.3	11.0	20
DD004198		0.18	0.007	0.34	1.41	92.2	<0.2	<10	280	0.94	0.21	3.01	1.33	17.45	9.3	21
DD004199		0.18	0.012	0.34	1.14	67.0	<0.2	<10	240	0.73	0.20	4.52	1.25	16.40	8.0	17
DD004200		0.26	0.002	0.24	1.15	41.4	<0.2	<10	220	0.94	0.24	5.27	0.63	22.0	11.6	19
DD004351		0.24	0.003	0.44	1.36	108.5	<0.2	<10	230	1.78	0.33	0.54	0.90	34.4	16.9	23
DD004352		0.30	0.004	0.28	1.38	64.6	<0.2	<10	260	0.99	0.29	0.52	0.72	25.0	16.6	24
DD004353		0.16	0.005	0.27	1.18	59.9	<0.2	<10	220	0.78	0.20	2.97	0.97	16.45	9.7	19
DD004354		0.22	0.004	0.18	1.58	69.3	<0.2	<10	250	1.02	0.29	1.59	0.60	23.7	17.2	23
DD004355		0.26	0.007	0.16	1.05	137.0	<0.2	<10	150	0.73	0.19	6.93	0.73	15.75	9.7	15
DD004356		0.26	0.003	0.17	1.43	84.9	<0.2	<10	120	0.93	0.29	2.80	0.66	23.4	16.3	21
DD004357		0.22	0.003	0.15	1.36	72.4	<0.2	<10	140	0.84	0.24	4.31	0.50	21.0	12.9	20
DD004358		0.18	0.003	0.18	1.51	95.9	<0.2	<10	200	1.06	0.25	2.34	0.45	18.65	11.2	23
DD004359		0.20	0.002	0.18	1.41	469	<0.2	<10	160	0.99	0.26	2.62	0.60	19.75	10.3	24

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 24- AUG- 2011
Account: RCM

Project: Rackla- DALE INFILL

CERTIFICATE OF ANALYSIS WH11158840

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
CC146760		1.48	26.2	3.38	5.37	0.09	0.04	0.04	0.027	0.07	8.5	15.2	0.26	861	1.10	0.01
CC146761		1.91	34.4	4.25	6.20	0.10	0.05	0.04	0.041	0.07	8.5	28.3	0.43	736	1.10	0.01
CC146762		1.97	24.7	3.44	6.51	0.09	0.03	0.03	0.028	0.09	8.4	17.6	0.34	782	1.14	<0.01
CC146763		2.07	59.0	5.34	6.10	0.10	0.11	0.04	0.045	0.10	9.4	51.0	0.73	741	0.66	0.01
CC146764		1.93	45.8	4.93	6.58	0.11	0.08	0.04	0.041	0.08	10.1	54.5	0.74	684	0.71	0.01
CC146765		1.91	15.2	3.10	6.10	0.09	0.03	0.04	0.029	0.06	10.9	23.8	0.45	440	1.07	0.01
CC146766		1.45	50.1	5.07	4.88	0.11	0.10	0.05	0.047	0.06	9.6	41.0	0.56	982	0.77	0.01
CC146767		1.89	42.8	5.30	6.59	0.11	0.08	0.04	0.045	0.09	10.0	53.4	0.62	647	0.88	0.01
CC146768		1.64	23.4	3.85	6.24	0.10	0.04	0.03	0.037	0.05	9.7	27.6	0.33	585	1.27	0.01
CC146769		1.74	48.2	4.93	5.44	0.10	0.10	0.08	0.041	0.08	8.3	46.8	0.61	581	1.00	0.01
CC146770		1.91	31.4	4.00	6.03	0.11	0.04	0.05	0.033	0.06	7.6	20.0	0.30	922	1.36	0.01
DD004181		4.42	30.4	2.42	3.04	0.11	0.10	0.11	0.030	0.06	20.2	18.6	0.42	351	0.83	0.01
DD004182		1.46	31.6	3.02	3.77	0.11	0.12	0.11	0.035	0.06	13.7	18.0	0.40	373	1.04	0.01
DD004183		1.76	27.3	3.90	6.50	0.09	0.04	0.03	0.036	0.06	9.6	23.6	0.39	667	1.27	0.01
DD004184		2.03	33.3	4.38	7.14	0.10	0.06	0.03	0.044	0.08	9.0	22.1	0.43	938	1.21	0.01
DD004185		0.63	37.4	3.21	2.68	0.09	0.07	0.01	0.043	0.10	8.2	11.2	0.22	285	0.48	0.01
DD004186		0.66	37.5	3.54	2.65	0.11	0.12	0.02	0.038	0.12	8.9	11.7	0.26	364	0.57	0.01
DD004187		1.25	41.3	3.66	3.67	0.12	0.09	0.06	0.037	0.08	9.0	23.3	0.38	443	0.54	0.01
DD004188		5.09	36.2	3.44	1.45	0.08	<0.02	0.01	0.034	0.17	5.0	3.0	0.06	286	0.31	<0.01
DD004189		0.85	8.8	2.37	1.30	0.08	0.07	7.57	0.010	0.05	5.9	3.6	8.71	2230	0.74	0.02
DD004190		3.34	12.8	1.75	1.53	0.09	0.06	1.32	0.014	0.08	3.7	6.8	7.12	910	0.47	0.02
DD004191		1.23	38.1	4.22	3.47	0.10	0.06	23.9	0.032	0.08	10.3	21.4	3.41	1740	1.13	0.01
DD004192		0.89	24.9	3.07	2.76	0.09	0.05	4.46	0.023	0.06	8.2	11.7	2.30	1810	0.71	0.02
DD004193		1.14	40.8	3.99	4.00	0.12	0.09	1.45	0.032	0.06	11.2	23.2	0.60	933	0.77	0.01
DD004194		1.04	33.4	7.14	5.00	0.13	0.09	3.23	0.036	0.06	18.1	20.3	0.77	3640	1.24	0.01
DD004195		1.19	39.4	4.62	4.68	0.10	0.08	0.74	0.036	0.08	10.6	28.2	0.57	779	0.84	0.01
DD004196		0.69	26.6	3.01	2.14	0.10	0.06	2.02	0.022	0.06	8.0	12.9	5.56	1150	1.50	0.02
DD004197		1.11	28.6	4.09	3.78	0.11	0.06	1.25	0.032	0.08	11.9	16.0	1.52	1260	1.35	0.01
DD004198		1.46	32.6	3.38	4.04	0.11	0.06	3.03	0.028	0.08	11.7	14.2	1.12	982	0.93	0.01
DD004199		1.08	26.5	2.89	3.15	0.10	0.04	2.35	0.024	0.08	9.1	12.1	2.14	1120	0.82	0.01
DD004200		1.23	28.3	3.50	3.49	0.12	0.08	0.56	0.029	0.10	11.1	20.8	3.31	797	1.06	0.02
DD004351		1.76	43.4	5.92	4.14	0.17	0.10	0.50	0.046	0.09	23.4	18.4	0.50	1940	0.90	0.01
DD004352		1.24	43.5	3.97	4.30	0.11	0.06	0.52	0.034	0.08	12.1	23.8	0.52	709	1.86	0.01
DD004353		1.08	38.3	2.97	3.46	0.10	0.05	0.96	0.027	0.08	9.1	16.4	1.04	733	0.90	0.01
DD004354		0.99	46.8	4.53	4.41	0.11	0.08	0.99	0.034	0.09	11.6	28.6	0.84	1360	0.96	0.01
DD004355		0.87	31.4	3.12	2.90	0.08	0.06	2.05	0.022	0.07	8.3	17.9	4.16	973	0.85	0.01
DD004356		1.14	46.4	4.36	4.13	0.12	0.09	2.32	0.029	0.09	12.1	27.7	1.86	1120	0.98	0.01
DD004357		1.08	44.0	3.52	3.97	0.10	0.08	2.46	0.027	0.08	11.5	22.3	2.69	1260	0.80	0.01
DD004358		1.08	41.0	3.90	4.13	0.10	0.07	1.88	0.033	0.08	11.3	21.7	1.15	1040	0.80	0.01
DD004359		1.53	26.6	3.97	4.10	0.10	0.05	28.6	0.033	0.07	11.4	14.5	1.42	1600	0.75	0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 24- AUG- 2011
Account: RCM

Project: Rackla- DALE INFILL

CERTIFICATE OF ANALYSIS WH11158840

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
CC146760		0.30	15.2	1410	17.9	12.8	<0.001	0.10	0.51	1.0	0.7	0.4	11.5	<0.01	0.06	0.2
CC146761		0.41	21.7	1190	18.3	14.3	<0.001	0.05	0.56	2.1	0.6	0.5	14.3	<0.01	0.07	0.6
CC146762		0.25	16.4	1200	14.4	26.3	<0.001	0.07	0.44	0.8	0.6	0.6	12.4	<0.01	0.06	<0.2
CC146763		0.18	33.3	670	22.8	13.3	<0.001	0.02	0.44	4.7	0.6	0.4	9.0	<0.01	0.09	2.7
CC146764		0.27	31.4	490	20.7	11.6	<0.001	0.02	0.42	4.0	0.6	0.4	12.6	<0.01	0.08	2.5
CC146765		0.38	17.4	810	13.6	16.8	<0.001	0.05	0.47	0.9	0.6	0.6	11.7	<0.01	0.05	0.2
CC146766		0.26	31.0	900	24.2	10.5	<0.001	0.03	0.56	4.2	0.7	0.3	9.6	<0.01	0.09	1.8
CC146767		0.41	27.4	350	20.6	13.6	<0.001	0.01	0.49	4.5	0.5	0.4	13.9	<0.01	0.08	3.5
CC146768		0.44	17.2	1170	17.8	10.6	<0.001	0.05	0.58	1.6	0.7	0.5	13.8	<0.01	0.07	0.4
CC146769		0.25	28.4	730	22.9	11.2	<0.001	0.03	0.51	3.8	0.6	0.3	10.0	<0.01	0.08	2.2
CC146770		0.31	18.4	1500	18.8	14.7	<0.001	0.09	0.66	1.3	0.7	0.5	9.1	<0.01	0.07	0.3
DD004181		0.32	18.9	1440	15.6	10.2	<0.001	0.15	0.40	2.0	1.4	0.3	135.5	<0.01	0.05	0.6
DD004182		0.39	23.7	1110	17.7	8.1	<0.001	0.10	0.55	3.3	1.1	0.4	83.3	<0.01	0.06	1.0
DD004183		0.43	20.5	1050	16.2	12.9	<0.001	0.04	0.59	1.5	0.6	0.6	17.4	<0.01	0.07	0.3
DD004184		0.52	20.9	840	21.4	16.4	<0.001	0.03	0.56	3.8	0.6	0.6	28.5	<0.01	0.08	1.4
DD004185		0.13	31.6	440	22.5	8.0	<0.001	0.04	0.28	5.4	0.5	0.5	159.5	<0.01	0.11	2.8
DD004186		0.16	32.1	760	23.3	7.5	<0.001	0.06	0.37	4.4	0.9	0.5	314	<0.01	0.11	2.4
DD004187		0.21	32.4	740	24.3	9.0	<0.001	0.09	0.43	5.3	0.9	0.4	79.8	<0.01	0.06	1.7
DD004188		0.05	27.3	240	15.3	12.6	<0.001	0.01	0.19	3.0	0.2	0.4	11.4	<0.01	0.08	1.6
DD004189		0.06	14.2	1210	36.6	5.0	<0.001	0.05	5.76	1.3	0.8	0.2	133.5	<0.01	0.03	0.7
DD004190		0.12	12.3	890	17.0	13.4	<0.001	0.08	0.78	1.8	0.2	0.2	93.4	<0.01	0.03	0.7
DD004191		0.12	26.4	910	36.9	7.4	<0.001	0.05	1.10	5.2	0.4	0.4	47.1	<0.01	0.07	1.9
DD004192		0.26	17.0	1220	32.1	6.6	<0.001	0.13	0.81	2.1	0.7	0.3	41.4	<0.01	0.04	0.6
DD004193		0.24	25.5	900	26.8	8.9	<0.001	0.08	0.63	5.5	0.9	0.4	24.4	<0.01	0.07	1.5
DD004194		0.22	27.0	1090	82.4	7.9	<0.001	0.08	1.39	4.5	1.2	0.5	24.0	<0.01	0.08	1.4
DD004195		0.23	28.4	360	30.2	8.3	<0.001	0.03	0.75	5.9	0.4	0.4	19.9	<0.01	0.08	3.4
DD004196		0.11	20.5	570	58.7	4.1	<0.001	0.05	0.71	3.7	0.3	0.3	62.0	<0.01	0.05	2.0
DD004197		0.33	22.5	710	53.8	8.9	<0.001	0.06	0.71	4.3	0.8	0.5	23.4	<0.01	0.06	1.6
DD004198		0.40	22.3	830	52.7	9.4	<0.001	0.08	0.92	3.4	1.2	0.5	35.1	<0.01	0.06	1.0
DD004199		0.36	19.8	980	44.8	8.3	<0.001	0.09	1.08	2.4	0.4	0.4	35.6	<0.01	0.05	0.8
DD004200		0.22	22.5	770	41.9	13.0	<0.001	0.05	0.50	5.1	0.8	0.4	37.7	<0.01	0.05	3.2
DD004351		0.11	36.1	640	62.4	12.7	<0.001	0.04	0.74	10.9	1.8	0.6	21.2	<0.01	0.07	4.5
DD004352		0.33	38.1	510	32.6	8.2	<0.001	0.04	1.08	5.3	1.2	0.5	25.1	<0.01	0.08	3.2
DD004353		0.35	22.3	960	31.3	7.5	<0.001	0.10	0.80	3.1	1.0	0.4	42.0	<0.01	0.05	0.7
DD004354		0.20	29.5	520	46.6	6.6	<0.001	0.06	0.78	5.9	0.9	0.4	33.7	<0.01	0.08	2.0
DD004355		0.19	21.8	600	42.9	5.4	<0.001	0.04	0.97	3.7	0.6	0.3	46.9	<0.01	0.05	1.6
DD004356		0.20	30.5	650	50.3	6.5	<0.001	0.10	1.18	5.6	0.7	0.4	33.6	<0.01	0.08	3.0
DD004357		0.27	27.4	710	32.3	7.0	<0.001	0.12	0.81	4.7	0.8	0.4	36.5	<0.01	0.07	1.8
DD004358		0.30	26.0	1020	36.0	7.1	<0.001	0.13	0.82	3.9	0.9	0.4	33.1	<0.01	0.07	1.1
DD004359		0.34	23.4	890	38.3	9.9	<0.001	0.10	0.95	4.6	0.6	0.5	32.6	<0.01	0.07	1.6

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 24- AUG- 2011
Account: RCM

Project: Rackla- DALE INFILL

CERTIFICATE OF ANALYSIS WH11158840

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
CC146760		0.009	0.13	0.89	44	0.13	5.08	65	<0.5
CC146761		0.009	0.17	0.75	49	0.14	4.78	75	0.5
CC146762		0.010	0.14	0.70	53	0.13	2.76	85	<0.5
CC146763		<0.005	0.14	0.50	44	0.05	5.54	82	2.3
CC146764		<0.005	0.15	0.59	46	0.06	4.00	73	1.5
CC146765		0.016	0.17	0.90	51	0.24	3.63	78	<0.5
CC146766		0.006	0.13	0.80	41	0.07	7.23	73	1.7
CC146767		0.005	0.14	0.43	53	0.09	3.24	71	1.9
CC146768		0.013	0.16	0.83	52	0.28	4.98	55	<0.5
CC146769		<0.005	0.15	0.56	40	0.06	4.37	85	1.8
CC146770		0.009	0.19	0.66	51	0.13	3.35	66	<0.5
DD004181		0.006	0.32	7.30	27	0.09	15.10	104	1.7
DD004182		0.007	0.18	5.03	34	0.11	12.65	74	2.0
DD004183		0.012	0.18	0.64	55	0.19	3.96	60	<0.5
DD004184		0.011	0.17	0.51	60	0.13	3.46	66	0.8
DD004185		<0.005	0.09	0.84	20	<0.05	9.98	84	1.5
DD004186		<0.005	0.14	1.46	22	0.05	13.95	103	2.7
DD004187		<0.005	0.10	2.21	24	<0.05	17.15	131	2.6
DD004188		<0.005	0.19	0.55	12	<0.05	5.50	55	<0.5
DD004189		<0.005	2.45	3.29	11	0.45	10.45	266	1.6
DD004190		<0.005	1.12	1.87	12	0.09	5.38	552	1.6
DD004191		0.005	3.71	1.52	28	0.38	12.25	202	1.7
DD004192		0.008	1.72	1.78	24	0.15	9.10	477	1.2
DD004193		0.007	0.99	1.50	33	0.15	13.05	107	2.1
DD004194		0.007	2.07	1.71	42	0.19	16.85	411	1.9
DD004195		0.005	0.73	1.09	38	0.09	8.28	157	2.3
DD004196		<0.005	1.60	1.12	18	0.12	8.52	261	1.5
DD004197		0.009	1.80	1.35	33	0.17	10.35	363	1.5
DD004198		0.008	2.85	3.80	33	0.15	11.30	706	1.4
DD004199		0.010	0.99	1.52	30	0.11	8.56	431	1.1
DD004200		0.007	0.42	1.30	28	0.09	11.45	317	2.2
DD004351		<0.005	0.72	2.25	28	0.08	32.8	311	2.3
DD004352		0.010	0.37	1.09	47	0.11	10.50	188	1.8
DD004353		0.009	0.66	1.48	30	0.12	10.05	263	1.3
DD004354		0.005	0.89	1.05	36	0.09	12.70	261	1.9
DD004355		0.005	2.02	1.27	24	0.15	8.40	261	1.5
DD004356		0.008	1.19	1.02	34	0.18	10.90	223	2.5
DD004357		0.009	0.95	1.09	31	0.16	11.00	125	1.9
DD004358		0.009	1.20	1.52	35	0.15	12.00	152	1.8
DD004359		0.011	2.28	1.50	41	0.36	11.85	164	1.3

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 24- AUG- 2011
Account: RCM

Project: Rackla- DALE INFILL

CERTIFICATE OF ANALYSIS WH11158840

Sample Description	Method	WEI- 21	Au- TL43	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Recvd Wt.	Au	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
DD004360		0.16	0.003	0.22	0.99	344	<0.2	<10	300	0.80	0.20	2.73	1.26	20.8	9.0	15
DD004361		0.20	0.003	0.20	1.39	257	<0.2	<10	230	1.02	0.23	2.34	0.62	26.9	13.8	20
DD004362		0.22	0.003	0.25	0.91	520	<0.2	<10	160	0.62	0.18	5.62	0.62	18.00	8.2	16
DD004363		0.14	0.003	0.38	1.94	394	<0.2	<10	240	1.27	0.26	1.95	2.70	25.8	11.0	26
DD004364		0.18	0.001	0.27	1.81	213	<0.2	<10	210	1.25	0.26	2.41	2.22	27.6	10.9	27
DD004365		0.32	<0.001	0.05	0.30	14.1	<0.2	<10	140	0.86	0.43	0.08	0.03	6.27	14.9	9
DD004366		0.20	0.001	0.10	0.56	21.1	<0.2	<10	80	1.01	0.36	0.14	0.15	23.9	22.8	14
DD004367		0.24	0.001	0.12	1.22	54.4	<0.2	<10	230	0.50	0.36	0.40	0.43	20.8	11.1	24
DD004368		0.22	0.002	0.04	1.74	17.3	<0.2	<10	130	0.67	0.30	0.18	0.20	25.6	14.4	26
DD004369		0.22	0.001	0.03	1.61	22.4	<0.2	<10	120	0.85	0.29	0.11	0.17	26.7	21.6	23
DD004370		0.18	0.001	0.06	1.54	16.0	<0.2	<10	200	0.78	0.28	0.45	0.14	18.55	12.6	22
DD004371		0.22	0.003	0.23	1.51	17.0	<0.2	<10	260	0.94	0.28	0.34	0.19	28.5	12.1	26
DD004372		0.18	0.001	0.06	1.55	18.5	<0.2	<10	180	0.91	0.33	0.28	0.18	25.9	12.2	25
DD004373		0.20	0.001	0.05	1.57	18.0	<0.2	<10	190	0.96	0.33	0.42	0.18	28.2	14.4	24
DD004374		0.28	0.003	0.08	1.47	22.3	<0.2	<10	140	0.97	0.32	0.12	0.18	35.5	21.0	23
DD004375		0.24	0.003	0.06	1.74	12.7	<0.2	<10	190	1.09	0.27	0.47	0.21	44.2	13.9	35
DD004376		0.14	0.002	0.05	1.32	5.2	<0.2	<10	190	1.02	0.23	1.57	0.22	39.6	8.7	28
DD004377		0.22	0.003	0.09	1.70	14.9	<0.2	<10	180	1.15	0.27	0.51	0.19	39.7	14.0	30
DD004378		0.26	0.003	0.09	1.38	31.4	<0.2	<10	160	1.02	0.25	0.67	0.22	37.1	11.8	26
DD004379		0.18	0.003	0.13	1.50	13.2	<0.2	<10	160	0.95	0.24	0.92	0.18	28.7	9.6	25
DD004380		0.14	0.003	0.13	0.94	17.0	<0.2	<10	160	0.95	0.18	1.70	0.30	30.5	9.4	18
DD003971		0.24	0.002	0.15	1.21	69.6	<0.2	<10	190	1.17	0.30	1.02	0.33	14.50	13.8	18
DD003972		0.30	0.002	0.06	1.69	58.1	<0.2	<10	140	1.01	0.33	0.11	0.21	24.3	21.4	29
DD003973		0.34	0.002	0.07	1.75	38.6	<0.2	<10	310	1.17	0.32	0.17	0.15	29.0	18.2	28
DD003974		0.40	0.005	0.06	1.79	40.0	<0.2	<10	230	1.36	0.34	0.18	0.22	29.9	23.0	25
DD003975		0.40	0.001	0.04	1.97	20.8	<0.2	<10	120	1.05	0.36	0.05	0.13	24.8	20.2	27
DD003976		0.32	0.001	0.04	2.14	63.3	<0.2	<10	150	1.27	0.36	0.03	0.18	25.8	29.6	27
DD003977		0.34	0.001	0.06	1.72	14.9	<0.2	<10	130	0.76	0.29	0.06	0.11	27.2	14.0	24
DD004221		0.32	0.002	0.05	1.63	25.4	<0.2	<10	130	1.01	0.30	0.08	0.18	24.5	16.3	23
DD004222		0.34	0.002	0.06	1.87	27.9	<0.2	<10	140	1.17	0.36	0.06	0.18	29.2	25.4	25
DD004223		0.38	0.001	0.04	1.50	25.6	<0.2	<10	90	0.59	0.31	0.03	0.11	20.7	13.1	23
DD004224		0.32	0.002	0.04	1.98	23.4	<0.2	<10	270	1.53	0.44	0.32	0.08	17.25	32.4	26
DD004225		0.34	0.002	0.06	1.62	18.9	<0.2	<10	270	1.17	0.33	0.84	0.12	21.7	14.4	25
DD004226		0.40	0.003	0.11	1.92	13.6	<0.2	<10	230	1.27	0.32	0.65	0.20	31.8	13.7	42
DD004227		0.30	0.001	0.07	1.94	17.0	<0.2	<10	160	1.38	0.38	0.98	0.22	30.2	16.1	38
DD004228		0.36	0.001	0.07	1.84	18.2	<0.2	<10	110	1.15	0.32	0.15	0.21	23.0	17.1	29
DD004229		0.38	0.003	0.28	1.84	19.6	<0.2	<10	200	1.67	0.33	0.44	0.20	33.0	17.7	29
DD004230		0.34	0.002	0.13	1.85	15.8	<0.2	<10	270	0.96	0.29	0.59	0.23	24.4	13.1	31
DD004231		0.24	0.001	0.10	1.67	39.5	<0.2	<10	230	0.67	0.28	0.13	0.07	26.5	8.7	26

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 24- AUG- 2011
Account: RCM

Project: Rackla- DALE INFILL

CERTIFICATE OF ANALYSIS WH11158840

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
DD004360		0.82	35.1	7.54	2.66	0.12	0.06	10.75	0.022	0.05	12.7	8.2	0.69	3940	0.81	0.01
DD004361		1.05	30.7	6.56	3.79	0.13	0.09	9.58	0.036	0.07	15.2	12.8	1.21	3310	0.85	0.01
DD004362		0.66	25.2	5.45	2.58	0.10	0.05	10.65	0.025	0.07	10.5	8.4	3.33	2250	0.82	0.01
DD004363		1.23	27.4	8.20	5.25	0.15	0.08	0.84	0.032	0.07	19.5	12.3	0.91	4150	0.93	0.01
DD004364		1.00	18.6	3.90	4.49	0.10	0.05	0.67	0.034	0.07	18.5	10.9	1.16	3830	0.88	0.01
DD004365		5.31	28.1	2.57	1.29	0.07	0.05	0.07	0.033	0.16	2.8	2.4	0.04	397	0.23	<0.01
DD004366		2.09	39.1	5.16	1.28	0.09	0.03	0.12	0.049	0.08	7.4	5.8	0.09	726	0.60	<0.01
DD004367		1.90	30.1	3.77	5.21	0.09	<0.02	0.03	0.033	0.08	8.7	16.3	0.32	602	1.14	<0.01
DD004368		2.11	32.4	3.90	5.29	0.08	<0.02	0.03	0.038	0.07	10.2	24.1	0.47	613	1.34	<0.01
DD004369		1.62	42.2	4.60	4.01	0.11	0.04	0.06	0.046	0.07	9.5	33.0	0.53	756	1.00	<0.01
DD004370		1.75	33.7	3.93	4.80	0.09	0.05	0.04	0.036	0.07	6.9	26.3	0.50	642	0.85	<0.01
DD004371		1.59	32.0	3.84	5.23	0.11	0.05	0.09	0.037	0.06	9.6	23.6	0.52	821	1.03	0.01
DD004372		2.35	29.2	3.79	5.98	0.10	0.02	0.04	0.038	0.07	10.6	24.3	0.44	720	1.06	0.01
DD004373		1.70	32.3	4.12	5.30	0.09	0.05	0.07	0.043	0.07	9.0	25.1	0.47	817	1.06	0.01
DD004374		1.17	61.9	4.37	4.76	0.13	0.05	0.10	0.035	0.06	14.2	29.4	0.62	850	0.73	<0.01
DD004375		5.38	43.7	3.85	5.95	0.13	0.11	0.04	0.040	0.14	21.1	36.9	1.11	451	0.65	0.01
DD004376		4.62	29.9	2.40	4.97	0.13	0.07	0.05	0.031	0.10	20.3	22.0	0.84	377	0.54	0.01
DD004377		4.45	42.2	3.66	5.78	0.12	0.08	0.07	0.038	0.10	18.9	35.4	0.88	469	0.74	0.01
DD004378		3.48	38.2	3.34	4.36	0.12	0.06	0.13	0.033	0.07	16.8	20.7	0.53	458	1.02	0.01
DD004379		3.85	35.0	3.06	4.77	0.12	0.09	0.07	0.033	0.08	14.4	26.7	0.76	389	0.81	0.01
DD004380		2.86	30.3	2.85	3.00	0.11	0.10	0.14	0.028	0.07	16.2	17.0	0.38	487	0.68	0.01
DD003971		6.36	51.3	4.21	3.45	0.11	0.09	0.41	0.043	0.11	7.9	14.6	0.31	421	0.79	0.01
DD003972		2.59	78.1	5.86	5.75	0.09	0.02	0.27	0.052	0.08	8.6	26.7	0.50	686	1.09	0.01
DD003973		3.46	57.0	4.97	4.99	0.11	0.06	0.08	0.048	0.09	12.6	22.2	0.53	787	1.29	0.01
DD003974		2.54	61.3	5.27	4.99	0.10	0.05	0.19	0.047	0.09	11.6	31.1	0.54	871	0.78	0.01
DD003975		5.57	47.6	4.77	5.83	0.10	0.03	0.09	0.050	0.09	9.8	34.4	0.48	615	1.01	0.01
DD003976		3.88	60.8	6.88	5.42	0.11	0.05	0.11	0.057	0.10	9.2	51.1	0.52	1180	0.80	<0.01
DD003977		1.64	39.4	3.94	5.76	0.09	0.05	0.05	0.033	0.08	8.9	28.0	0.43	518	0.96	<0.01
DD004221		2.26	46.3	4.71	4.54	0.10	0.05	0.05	0.040	0.07	8.1	39.4	0.50	753	0.79	<0.01
DD004222		1.32	60.9	5.27	4.86	0.09	0.08	0.08	0.044	0.07	9.2	35.6	0.56	808	0.68	<0.01
DD004223		3.23	38.1	4.25	5.98	0.09	0.03	0.07	0.032	0.08	8.6	23.7	0.39	386	0.96	<0.01
DD004224		8.79	37.2	4.38	6.45	0.09	0.11	0.06	0.050	0.13	5.8	25.4	0.35	1110	2.48	0.02
DD004225		1.88	34.6	3.97	4.98	0.10	0.07	0.06	0.040	0.09	8.0	26.7	0.50	628	0.69	0.01
DD004226		1.34	36.0	3.81	6.50	0.12	0.12	0.07	0.037	0.11	15.5	41.3	0.99	382	0.61	0.01
DD004227		1.68	42.6	3.95	6.50	0.13	0.12	0.05	0.044	0.14	13.3	42.1	1.04	447	0.46	0.01
DD004228		3.28	29.5	4.21	6.18	0.10	0.05	0.03	0.046	0.11	8.1	53.8	0.58	822	0.79	0.01
DD004229		2.55	72.4	4.42	5.87	0.12	0.07	0.08	0.047	0.10	12.9	46.1	0.65	667	1.06	0.01
DD004230		2.00	33.7	3.68	6.09	0.10	0.06	0.05	0.038	0.10	11.3	31.1	0.61	612	1.09	0.01
DD004231		1.43	18.7	3.10	5.79	0.11	0.02	0.08	0.034	0.05	10.1	20.4	0.38	384	1.05	0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 24- AUG- 2011
Account: RCM

Project: Rackla- DALE INFILL

CERTIFICATE OF ANALYSIS WH11158840

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
DD004360		0.15	19.2	1970	34.1	6.1	<0.001	0.21	0.52	2.9	1.1	0.4	38.9	<0.01	0.06	0.8
DD004361		0.20	24.0	1060	57.3	7.5	<0.001	0.11	0.85	7.0	0.9	0.5	24.9	<0.01	0.09	1.8
DD004362		0.20	19.5	910	50.2	5.2	<0.001	0.06	0.75	4.1	0.4	0.4	43.3	<0.01	0.07	1.4
DD004363		0.28	24.5	1590	71.7	8.5	<0.001	0.13	1.76	3.9	1.1	0.6	29.8	<0.01	0.11	1.1
DD004364		0.41	24.3	1750	40.4	8.9	<0.001	0.11	2.67	2.4	0.9	0.5	26.8	0.01	0.04	0.7
DD004365		0.06	23.1	120	14.4	12.3	<0.001	0.01	0.24	3.8	<0.2	0.3	10.2	<0.01	0.09	2.2
DD004366		0.09	41.9	370	64.6	7.7	<0.001	0.02	0.62	4.5	<0.2	0.3	11.9	<0.01	0.05	3.1
DD004367		0.48	20.6	510	21.0	17.0	<0.001	0.03	0.66	2.1	<0.2	0.6	25.4	<0.01	0.08	0.6
DD004368		0.57	26.4	630	18.9	12.7	<0.001	0.03	0.80	2.2	0.2	0.6	15.0	<0.01	0.05	0.8
DD004369		0.36	32.3	630	23.9	8.7	<0.001	0.02	0.93	4.3	<0.2	0.3	10.9	<0.01	0.05	2.2
DD004370		0.29	23.2	1180	17.1	12.0	<0.001	0.06	0.58	3.2	<0.2	0.4	26.3	<0.01	0.07	1.2
DD004371		0.31	22.4	1310	22.3	12.0	<0.001	0.05	0.73	2.9	0.9	0.4	21.4	<0.01	0.05	1.0
DD004372		0.29	22.9	1200	19.9	17.0	<0.001	0.05	0.62	2.2	0.8	0.6	18.7	<0.01	0.08	0.6
DD004373		0.36	24.4	1050	23.5	11.9	<0.001	0.05	0.66	3.8	0.9	0.5	24.6	<0.01	0.06	1.5
DD004374		0.21	34.4	370	22.7	6.8	<0.001	0.01	0.69	6.0	0.9	0.4	11.2	<0.01	0.07	4.1
DD004375		0.49	35.0	670	17.4	17.9	<0.001	0.03	0.47	7.4	1.4	0.6	18.9	<0.01	0.08	4.6
DD004376		0.46	23.3	1150	12.8	14.5	<0.001	0.10	0.32	4.3	1.3	0.5	39.9	<0.01	0.05	1.5
DD004377		0.47	33.7	600	18.2	13.5	<0.001	0.03	0.59	6.5	1.5	0.5	23.6	<0.01	0.05	3.2
DD004378		0.56	33.0	560	15.9	9.8	<0.001	0.04	0.69	5.3	1.6	0.5	26.6	<0.01	0.04	3.2
DD004379		0.39	22.8	940	15.3	12.1	0.001	0.08	0.58	4.0	1.6	0.5	40.3	<0.01	0.06	1.6
DD004380		0.22	21.8	900	15.3	8.7	<0.001	0.10	0.41	3.5	1.7	0.4	103.5	<0.01	0.04	1.3
DD003971		0.17	31.3	840	23.4	16.6	<0.001	0.08	1.83	6.8	1.3	0.5	49.6	<0.01	0.06	1.3
DD003972		0.18	36.5	370	26.3	11.7	<0.001	0.02	1.11	8.5	1.0	0.5	10.9	<0.01	0.12	2.5
DD003973		0.37	38.4	430	20.8	13.2	0.001	0.02	0.83	8.0	1.4	0.6	17.1	<0.01	0.09	3.5
DD003974		0.17	38.7	290	26.1	10.7	<0.001	0.01	1.27	8.0	1.1	0.5	20.6	<0.01	0.08	4.8
DD003975		0.44	32.7	310	23.6	14.3	<0.001	0.01	0.78	6.4	1.0	0.6	9.6	<0.01	0.08	4.3
DD003976		0.19	42.7	440	33.7	14.1	<0.001	0.02	1.32	6.6	1.1	0.5	8.9	<0.01	0.06	3.5
DD003977		0.37	28.5	1150	17.3	13.2	<0.001	0.04	0.57	3.0	0.7	0.6	8.3	<0.01	0.06	1.6
DD004221		0.20	31.1	550	23.3	9.9	<0.001	0.02	0.69	4.9	0.7	0.4	8.7	<0.01	0.07	2.8
DD004222		0.10	36.8	410	25.5	9.4	<0.001	0.01	0.63	6.1	1.1	0.4	6.9	<0.01	0.08	4.4
DD004223		0.38	24.5	640	19.7	13.7	<0.001	0.02	0.67	3.4	0.7	0.6	7.3	<0.01	0.09	1.8
DD004224		0.31	29.8	910	32.8	21.9	0.001	0.09	0.61	4.8	1.1	0.9	28.2	<0.01	0.06	3.0
DD004225		0.30	29.1	880	20.5	11.0	<0.001	0.05	0.45	4.3	0.9	0.6	42.5	<0.01	0.08	1.6
DD004226		0.55	44.0	810	20.3	10.7	0.001	0.02	0.52	7.0	1.1	0.7	33.0	<0.01	0.03	4.7
DD004227		0.28	45.1	860	23.8	12.0	<0.001	0.03	0.38	7.0	1.3	0.6	35.7	<0.01	0.04	5.4
DD004228		0.56	27.4	700	19.0	15.4	<0.001	0.03	0.42	6.7	0.9	0.7	16.0	<0.01	0.05	4.8
DD004229		0.30	33.1	920	29.1	17.4	<0.001	0.05	0.54	9.7	1.9	0.7	69.4	<0.01	0.11	2.6
DD004230		0.64	28.3	930	20.2	19.7	0.001	0.05	0.65	4.7	1.0	0.7	49.7	<0.01	0.06	1.5
DD004231		0.54	18.6	920	16.1	10.5	<0.001	0.04	0.49	2.2	0.8	0.6	13.3	<0.01	0.05	0.9

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 24- AUG- 2011
Account: RCM

Project: Rackla- DALE INFILL

CERTIFICATE OF ANALYSIS WH11158840

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
DD004360		0.005	9.40	2.46	26	0.16	15.35	205	1.6
DD004361		0.006	10.35	1.19	36	0.22	18.30	188	2.0
DD004362		0.008	7.41	1.05	27	0.44	11.50	209	1.2
DD004363		0.011	2.59	2.54	46	0.30	20.2	578	2.0
DD004364		0.016	0.92	2.29	48	0.23	17.85	305	1.1
DD004365		<0.005	0.19	0.52	12	<0.05	3.41	44	2.1
DD004366		<0.005	0.21	0.80	22	<0.05	9.04	161	1.0
DD004367		0.016	0.23	0.76	51	0.17	4.23	86	<0.5
DD004368		0.016	0.15	0.90	48	0.20	3.76	84	<0.5
DD004369		0.010	0.10	0.61	35	0.09	5.06	84	1.1
DD004370		0.008	0.12	0.55	42	0.08	3.15	70	1.2
DD004371		0.011	0.14	2.19	39	0.10	7.33	61	1.0
DD004372		0.012	0.17	1.09	44	0.14	5.93	77	<0.5
DD004373		0.011	0.15	0.94	43	0.11	6.46	77	1.1
DD004374		0.007	0.10	0.61	36	0.07	8.81	76	1.3
DD004375		0.016	0.18	1.09	39	0.09	13.70	97	2.9
DD004376		0.016	0.16	1.56	26	0.07	18.25	84	1.8
DD004377		0.012	0.17	1.13	38	0.16	14.30	86	2.1
DD004378		0.016	0.28	1.38	38	0.17	12.90	89	1.6
DD004379		0.013	0.18	2.56	37	0.06	10.95	75	2.5
DD004380		0.006	0.19	3.93	27	<0.05	12.35	78	2.4
DD003971		<0.005	0.33	0.91	32	0.10	16.10	123	1.9
DD003972		<0.005	0.29	0.43	67	0.05	7.11	88	0.6
DD003973		0.008	0.33	0.84	51	0.12	11.65	90	1.7
DD003974		<0.005	0.21	0.60	40	0.07	10.50	75	1.9
DD003975		0.008	0.24	0.64	47	0.10	5.60	76	1.3
DD003976		<0.005	0.50	0.55	47	0.09	6.19	106	1.5
DD003977		0.007	0.16	0.72	41	0.08	4.28	64	1.4
DD004221		<0.005	0.18	0.55	37	0.06	6.62	79	1.3
DD004222		<0.005	0.14	0.51	38	<0.05	6.59	75	2.2
DD004223		0.008	0.22	0.43	43	0.11	3.13	57	0.9
DD004224		<0.005	0.36	0.96	45	0.09	4.13	68	2.5
DD004225		0.006	0.14	2.67	33	0.07	8.40	76	1.8
DD004226		0.020	0.12	2.13	38	0.11	15.70	109	2.7
DD004227		0.009	0.13	2.91	29	0.05	15.65	130	3.0
DD004228		0.013	0.15	0.88	41	0.10	8.33	95	1.2
DD004229		0.007	0.14	1.86	46	0.09	26.3	100	1.7
DD004230		0.018	0.18	1.53	50	0.24	10.65	122	1.4
DD004231		0.016	0.49	1.49	50	0.22	4.76	56	<0.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 24- AUG- 2011
Account: RCM

Project: Rackla- DALE INFILL

CERTIFICATE OF ANALYSIS WH11158840

Method	CERTIFICATE COMMENTS
ME- MS41	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown.
ME- MS41	Gold determinations by this method are semi- quantitative due to the small sample weight used (0.5g).

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 4- OCT- 2011
Account: RCM

CERTIFICATE WH11160061

Project: Rackla (Blue Lite)

P.O. No.: I

This report is for 89 Soil samples submitted to our lab in Whitehorse, YT, Canada on 15- AUG- 2011.

The following have access to data associated with this certificate:

ROB CARNE JULIA LANE	ANDREW CARNE JOAN MARIACHER	MATT DUMALA

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
SCR- 41	Screen to - 180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- TL43	Trace Level Au - 25g AR	ICP- MS
ME- MS41	51 anal. aqua regia ICPMS	

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 4- OCT- 2011
Account: RCM

Project: Rackla (Blue Lite)

CERTIFICATE OF ANALYSIS WH11160061

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg .02	Au- TL43 Au ppm 0.001	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1
ZZ00194		0.34	0.002	0.30	2.07	10.3	<0.2	<10	170	0.83	1.52	0.10	0.26	18.20	9.4	54
ZZ00195		0.26	0.002	0.22	1.73	8.9	<0.2	<10	130	0.72	0.80	0.08	0.16	17.60	10.4	56
ZZ00196		0.34	0.002	0.12	1.72	21.0	<0.2	<10	90	1.01	1.56	0.11	0.15	27.4	13.5	29
ZZ00197		0.24	0.002	0.26	2.08	48.8	<0.2	<10	120	0.57	0.77	0.09	0.17	22.1	12.4	24
ZZ00198		0.28	0.002	0.11	2.58	9.2	<0.2	<10	130	0.82	1.56	0.13	0.21	26.4	15.1	32
ZZ00199		0.26	0.003	1.35	2.48	14.4	<0.2	<10	120	0.61	2.33	2.18	19.45	19.45	17.0	32
ZZ00200		0.30	0.004	0.23	2.35	14.2	<0.2	<10	180	1.58	0.79	0.09	0.28	20.6	13.3	34
ZZ00201		0.26	0.003	0.14	1.69	13.9	<0.2	<10	130	0.85	0.51	0.07	0.29	23.2	8.4	29
ZZ00202		0.34	0.002	0.13	1.66	10.7	<0.2	<10	140	0.81	0.48	0.07	0.40	27.0	17.7	30
ZZ00203		0.24	0.002	0.12	1.36	15.6	<0.2	<10	150	1.15	0.51	0.08	0.38	19.00	10.4	29
ZZ00204		0.28	0.004	0.18	1.34	37.0	<0.2	<10	160	0.64	0.53	0.05	0.59	24.4	10.5	33
ZZ00205		0.32	0.001	0.11	1.80	31.1	<0.2	<10	220	1.59	0.19	0.07	0.10	30.3	11.6	55
ZZ00206		0.34	0.002	0.39	2.06	18.3	<0.2	<10	290	1.60	0.60	0.17	0.19	25.3	15.2	43
ZZ00207		0.28	0.002	0.18	2.28	16.2	<0.2	<10	220	1.13	0.58	0.10	0.38	27.7	11.5	38
ZZ00208		0.30	0.004	0.09	1.06	19.6	<0.2	<10	100	0.37	1.08	0.05	0.27	25.3	6.0	27
ZZ00209		0.36	0.024	0.10	1.43	35.4	<0.2	<10	190	1.37	2.00	0.05	0.16	51.8	4.5	28
ZZ00210		0.38	0.009	0.18	0.93	154.5	<0.2	<10	140	0.67	2.65	0.08	0.13	40.9	5.8	29
ZZ00211		0.30	0.009	0.11	1.22	29.6	<0.2	<10	160	1.10	2.03	0.14	0.55	15.90	8.5	28
ZZ00212		0.34	0.011	0.25	1.41	117.0	<0.2	<10	260	0.84	4.23	0.09	0.37	40.5	9.8	37
ZZ00213		0.20	0.006	0.18	0.88	123.5	<0.2	<10	70	0.41	5.46	0.04	0.16	24.6	5.0	24
ZZ00214		0.26	0.008	0.45	1.40	230	<0.2	<10	190	0.99	2.16	0.11	0.48	33.3	8.2	39
ZZ00215		0.32	0.004	0.34	1.62	132.5	<0.2	<10	110	0.98	1.69	0.07	0.46	32.1	16.9	29
ZZ00216		0.30	0.003	0.13	1.65	13.6	<0.2	<10	110	1.15	0.89	0.10	0.25	29.1	15.9	31
ZZ00217		0.34	0.004	0.42	2.03	16.8	<0.2	<10	140	2.24	1.78	0.07	0.26	22.4	17.4	28
ZZ00218		0.28	0.043	1.13	2.84	406	<0.2	<10	600	1.00	15.85	0.29	0.05	27.9	9.8	99
ZZ01556		0.18	0.002	0.25	1.74	12.2	<0.2	<10	320	0.72	0.76	0.06	0.37	22.0	8.3	30
ZZ01557		0.18	0.002	0.23	1.72	8.4	<0.2	<10	110	0.75	2.24	0.06	0.44	16.45	7.3	31
ZZ01558		0.18	0.001	0.69	1.18	11.2	<0.2	<10	150	0.64	5.03	0.11	0.39	14.95	7.5	33
ZZ01559		0.26	0.003	0.24	1.75	19.8	<0.2	<10	150	0.98	6.47	0.07	0.32	24.3	8.7	36
ZZ01560		0.20	0.005	0.62	1.74	31.2	<0.2	<10	110	0.84	6.25	0.09	0.25	26.0	12.6	30
ZZ01561		0.26	0.004	0.23	2.22	27.3	<0.2	<10	140	1.50	5.33	0.23	0.21	33.7	22.6	38
ZZ01562		0.28	0.003	0.11	1.74	11.8	<0.2	<10	90	0.98	1.47	0.14	0.27	35.6	15.5	28
ZZ01563		0.18	0.031	0.69	2.64	24.9	<0.2	<10	110	1.04	60.5	1.88	1.22	54.7	54.6	56
ZZ01564		0.26	0.007	0.72	2.88	84.4	<0.2	<10	410	1.09	3.05	0.16	0.25	36.1	24.0	92
ZZ01565		0.20	0.002	0.35	2.57	13.3	<0.2	<10	160	1.86	1.09	0.09	0.36	20.4	15.1	29
ZZ01566		0.24	0.004	0.24	1.70	10.1	<0.2	<10	120	1.25	0.69	0.07	0.27	23.0	8.5	27
ZZ01567		0.20	0.001	0.15	0.95	5.6	<0.2	<10	120	0.44	0.52	0.05	0.22	17.45	6.7	22
ZZ01568		0.24	0.007	0.13	1.25	44.0	<0.2	<10	130	0.66	0.71	0.08	0.38	30.0	7.2	34
ZZ01569		0.20	0.004	0.27	1.44	43.0	<0.2	<10	140	0.56	2.73	0.06	0.57	24.6	12.5	32
ZZ01570		0.20	0.001	0.26	1.16	19.5	<0.2	<10	190	0.89	0.37	0.11	0.56	18.10	8.2	33

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 4- OCT- 2011
Account: RCM

Project: Rackla (Blue Lite)

CERTIFICATE OF ANALYSIS WH11160061

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
ZZ00194		4.84	49.9	3.37	6.59	0.07	0.02	0.04	0.034	0.07	8.9	17.8	0.45	394	3.61	0.02
ZZ00195		6.69	33.6	2.98	9.01	0.07	<0.02	0.04	0.023	0.08	8.4	13.7	0.35	757	3.77	0.01
ZZ00196		5.89	71.2	4.21	7.21	0.08	0.02	0.18	0.051	0.09	13.2	22.5	0.45	682	6.19	0.01
ZZ00197		9.77	74.3	5.54	5.35	0.09	0.02	0.08	0.021	0.13	10.6	17.2	0.42	248	2.56	0.05
ZZ00198		6.47	58.4	3.71	6.80	0.08	0.05	0.04	0.025	0.08	11.3	24.7	0.66	304	3.51	0.02
ZZ00199		4.42	82.7	3.52	7.53	0.08	0.05	0.06	0.153	0.05	9.0	20.2	0.46	893	26.6	0.07
ZZ00200		9.31	52.6	5.01	6.37	0.08	<0.02	0.05	0.033	0.15	9.4	31.2	0.49	460	2.36	0.01
ZZ00201		5.29	35.2	3.95	5.60	0.07	<0.02	0.05	0.031	0.06	10.7	26.1	0.33	282	2.17	0.01
ZZ00202		3.60	44.4	3.60	5.32	0.06	<0.02	0.04	0.024	0.08	12.6	22.8	0.35	736	2.32	0.01
ZZ00203		3.06	22.0	3.31	4.64	0.10	<0.02	0.06	0.024	0.13	8.0	18.4	0.29	340	1.39	<0.01
ZZ00204		2.27	19.8	3.25	4.74	0.10	<0.02	0.07	0.027	0.10	11.3	12.6	0.25	391	1.64	<0.01
ZZ00205		3.03	35.2	3.24	4.28	0.12	<0.02	0.06	0.024	0.17	14.1	31.6	0.45	83	1.38	<0.01
ZZ00206		5.24	66.1	4.19	6.16	0.12	<0.02	0.07	0.032	0.24	12.2	36.7	0.67	289	1.49	0.01
ZZ00207		2.34	15.5	3.69	4.98	0.11	0.02	0.10	0.038	0.06	12.4	25.3	0.44	326	1.22	<0.01
ZZ00208		3.21	19.4	3.51	5.08	0.11	<0.02	0.07	0.023	0.07	11.4	7.5	0.19	242	1.81	<0.01
ZZ00209		6.98	54.6	4.30	3.48	0.16	<0.02	0.04	0.020	0.42	25.3	15.1	0.46	102	1.50	0.02
ZZ00210		4.99	47.8	6.56	3.17	0.16	0.03	0.04	0.018	0.30	20.1	8.7	0.29	159	2.50	0.02
ZZ00211		8.84	32.3	4.06	4.23	0.10	<0.02	0.06	0.019	0.16	6.9	15.1	0.29	225	1.94	0.01
ZZ00212		6.78	61.0	8.91	4.91	0.17	0.03	0.07	0.034	0.32	20.6	13.3	0.37	223	3.46	0.03
ZZ00213		2.51	36.9	3.75	5.10	0.11	<0.02	0.09	0.032	0.05	12.7	3.5	0.11	117	2.64	<0.01
ZZ00214		2.73	45.7	4.58	5.02	0.12	<0.02	0.07	0.029	0.13	17.2	14.2	0.30	168	3.27	0.01
ZZ00215		4.94	95.2	5.81	4.51	0.11	<0.02	0.08	0.078	0.13	15.7	13.4	0.31	244	2.69	0.01
ZZ00216		6.16	48.9	4.60	5.08	0.13	<0.02	0.06	0.025	0.10	14.4	21.9	0.39	434	2.61	0.01
ZZ00217		8.74	132.5	7.11	4.08	0.13	0.04	0.07	0.030	0.10	10.6	20.9	0.40	280	3.17	0.02
ZZ00218		62.2	86.8	11.10	9.42	0.42	<0.02	0.07	0.120	0.80	13.3	20.5	0.52	356	3.43	0.06
ZZ01556		1.97	45.2	3.22	6.36	0.11	<0.02	0.07	0.048	0.05	9.4	9.9	0.27	305	2.09	0.01
ZZ01557		3.74	43.2	3.82	7.39	0.11	<0.02	0.15	0.046	0.05	6.9	10.8	0.28	276	2.97	0.01
ZZ01558		8.08	49.1	2.97	6.44	0.12	<0.02	0.09	0.037	0.10	6.6	6.2	0.20	986	7.79	0.01
ZZ01559		7.57	63.1	4.06	6.28	0.11	<0.02	0.09	0.043	0.11	12.0	14.0	0.36	688	6.02	0.02
ZZ01560		6.72	97.3	3.78	6.27	0.10	<0.02	0.09	0.101	0.09	11.8	20.3	0.46	831	4.22	0.01
ZZ01561		14.60	129.5	4.72	7.57	0.15	<0.02	0.09	0.059	0.19	15.5	33.1	0.82	959	8.29	0.01
ZZ01562		8.45	61.1	3.47	5.62	0.14	<0.02	0.11	0.044	0.08	14.1	17.8	0.53	815	4.00	0.01
ZZ01563		4.49	924	9.03	6.09	0.22	0.03	0.08	0.255	0.13	31.8	11.3	0.29	1420	74.2	0.05
ZZ01564		48.4	102.0	10.70	7.89	0.27	0.02	0.07	0.058	0.60	17.7	28.9	0.54	278	8.57	0.02
ZZ01565		14.15	92.5	5.88	6.15	0.13	0.04	0.09	0.032	0.19	9.2	33.9	0.55	297	3.14	0.02
ZZ01566		3.70	59.8	4.71	4.08	0.11	0.02	0.09	0.023	0.05	10.9	13.8	0.25	216	4.63	0.01
ZZ01567		8.29	23.7	3.46	4.63	0.11	<0.02	0.06	0.021	0.12	7.6	7.2	0.18	383	1.83	0.01
ZZ01568		3.21	33.8	4.01	4.27	0.12	<0.02	0.08	0.026	0.11	13.9	10.0	0.23	185	2.23	<0.01
ZZ01569		1.83	22.1	3.68	4.82	0.11	<0.02	0.07	0.034	0.10	11.8	18.7	0.28	387	1.99	<0.01
ZZ01570		2.78	25.4	3.03	4.69	0.10	<0.02	0.06	0.021	0.19	9.0	13.3	0.24	341	1.82	<0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 4- OCT- 2011
Account: RCM

Project: Rackla (Blue Lite)

CERTIFICATE OF ANALYSIS WH11160061

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
ZZ00194		0.54	38.4	970	14.6	21.7	<0.001	0.12	0.93	2.4	2.8	0.6	34.2	0.01	0.14	1.1
ZZ00195		0.38	24.2	1000	18.1	34.9	<0.001	0.11	0.73	1.1	2.0	0.8	18.6	<0.01	0.09	0.2
ZZ00196		0.67	45.1	720	15.1	35.0	0.001	0.06	0.80	2.4	2.5	1.1	10.5	0.01	0.07	1.2
ZZ00197		0.87	44.2	1380	10.9	34.0	<0.001	0.30	0.68	2.5	1.6	0.6	45.2	0.01	0.19	4.8
ZZ00198		1.10	48.8	790	13.5	24.7	<0.001	0.07	0.80	4.3	1.2	0.7	18.7	0.01	0.07	3.5
ZZ00199		0.61	149.0	1770	24.0	18.5	0.002	0.08	1.65	2.4	2.9	2.8	201	0.01	0.11	1.5
ZZ00200		0.73	35.2	1250	12.6	31.8	<0.001	0.14	0.90	0.9	2.7	1.6	31.0	<0.01	0.15	0.2
ZZ00201		0.44	23.7	960	16.0	18.5	<0.001	0.06	0.90	0.8	2.3	0.6	18.0	<0.01	0.11	0.2
ZZ00202		0.38	28.9	1050	17.6	27.7	<0.001	0.07	0.84	1.1	1.9	0.6	14.9	<0.01	0.08	0.2
ZZ00203		1.02	22.5	720	9.3	31.3	0.001	0.07	0.61	0.6	0.5	0.7	20.9	<0.01	0.08	<0.2
ZZ00204		0.54	20.4	1050	17.0	21.5	0.001	0.08	1.01	0.5	0.2	0.9	14.5	<0.01	0.05	<0.2
ZZ00205		1.86	36.7	630	6.2	31.6	0.001	0.04	0.72	1.7	0.6	0.7	9.1	<0.01	0.09	0.7
ZZ00206		1.84	47.5	830	14.1	43.0	0.001	0.12	0.80	2.9	1.8	0.7	24.8	<0.01	0.13	1.0
ZZ00207		1.97	23.9	630	26.6	14.2	0.001	0.04	0.72	2.8	0.7	0.8	9.9	0.01	0.06	2.3
ZZ00208		0.62	14.6	780	12.8	18.3	0.001	0.08	1.04	0.5	0.6	0.8	8.5	<0.01	0.09	<0.2
ZZ00209		0.63	12.3	1340	4.6	61.3	0.001	0.49	0.46	2.0	1.4	0.5	37.0	<0.01	0.34	6.7
ZZ00210		0.46	13.1	3160	15.2	54.8	0.002	0.55	6.83	1.8	3.6	0.5	37.6	<0.01	0.67	3.3
ZZ00211		0.89	21.3	1240	13.6	27.7	0.001	0.19	0.52	1.3	1.4	0.6	24.7	<0.01	0.24	0.6
ZZ00212		1.23	23.0	2570	49.7	45.6	0.001	0.52	3.37	2.7	4.1	1.5	57.4	<0.01	0.44	5.1
ZZ00213		0.58	13.8	1090	10.9	8.4	0.001	0.11	1.12	0.5	1.4	0.8	26.2	<0.01	0.18	<0.2
ZZ00214		0.75	26.7	1770	10.2	17.5	0.001	0.19	2.34	1.2	1.5	1.6	43.8	<0.01	0.41	0.4
ZZ00215		0.54	48.5	1800	27.8	21.0	0.001	0.16	9.03	1.4	2.8	0.8	41.9	<0.01	0.18	0.7
ZZ00216		0.44	42.8	1590	14.7	18.1	0.001	0.09	0.81	1.1	4.0	0.6	22.4	<0.01	0.14	0.3
ZZ00217		0.76	61.7	1890	15.8	12.4	0.001	0.19	1.07	2.5	6.7	0.6	28.1	<0.01	0.35	2.1
ZZ00218		2.72	25.1	3220	8.6	201	0.003	0.48	0.77	3.9	7.0	23.8	61.6	0.01	1.46	3.8
ZZ01556		0.71	27.3	570	11.4	11.3	0.001	0.07	1.02	1.1	1.7	1.0	9.4	0.01	0.06	0.2
ZZ01557		0.71	29.1	650	9.6	21.9	0.001	0.09	0.70	1.2	2.5	1.1	10.4	<0.01	0.11	0.3
ZZ01558		0.43	24.5	1200	13.6	58.1	0.002	0.15	0.85	0.5	1.6	1.6	16.2	<0.01	0.11	<0.2
ZZ01559		0.59	28.3	1210	16.4	42.4	0.001	0.16	0.89	1.1	2.6	1.2	22.7	<0.01	0.23	0.4
ZZ01560		1.22	37.3	570	16.5	35.9	0.001	0.08	1.13	2.8	0.6	2.6	12.7	<0.01	0.20	1.9
ZZ01561		0.80	78.0	890	12.4	75.8	0.001	0.08	0.68	3.5	2.4	1.8	12.4	<0.01	0.24	1.9
ZZ01562		0.48	66.2	1020	12.2	30.2	0.002	0.08	0.66	1.8	1.5	0.8	11.5	<0.01	0.09	0.8
ZZ01563		0.47	173.0	6430	10.3	28.3	0.014	0.45	0.38	2.9	20.2	1.2	111.0	0.01	1.23	0.8
ZZ01564		2.56	40.6	2390	9.6	111.5	0.004	0.35	0.93	5.9	15.8	4.9	47.8	0.01	1.13	6.2
ZZ01565		1.68	50.2	1360	12.5	25.6	0.001	0.19	0.97	2.5	5.2	1.5	29.6	<0.01	0.29	1.7
ZZ01566		0.82	28.6	1630	11.1	9.2	0.001	0.14	0.84	1.2	3.5	0.4	21.7	<0.01	0.16	0.7
ZZ01567		0.74	18.6	950	8.9	24.1	0.001	0.11	0.66	0.5	0.8	0.6	11.9	<0.01	0.12	<0.2
ZZ01568		0.58	19.4	1390	8.5	18.9	0.002	0.13	0.89	0.6	1.3	0.6	26.4	<0.01	0.13	0.2
ZZ01569		0.70	25.6	850	17.5	14.9	0.002	0.07	1.35	0.7	0.6	0.9	15.9	<0.01	0.12	<0.2
ZZ01570		0.62	25.1	1310	10.5	34.7	0.001	0.10	0.85	0.2	0.7	0.7	19.7	<0.01	0.10	<0.2

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 4- OCT- 2011
Account: RCM

Project: Rackla (Blue Lite)

CERTIFICATE OF ANALYSIS WH11160061

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
ZZ00194		0.037	0.28	1.49	88	5.74	5.24	98	0.6
ZZ00195		0.024	0.39	1.50	110	9.16	5.14	64	<0.5
ZZ00196		0.041	0.27	1.88	55	94.3	7.77	67	<0.5
ZZ00197		0.051	0.44	1.64	40	1.19	4.77	56	0.7
ZZ00198		0.064	0.43	1.52	51	5.61	7.37	70	1.5
ZZ00199		0.025	0.52	4.29	96	1.83	21.1	389	2.0
ZZ00200		0.021	0.51	1.29	59	0.31	4.25	100	<0.5
ZZ00201		0.018	0.21	1.03	54	0.32	3.60	78	<0.5
ZZ00202		0.022	0.32	1.31	53	0.30	5.53	86	<0.5
ZZ00203		0.032	0.22	0.60	54	0.28	2.30	87	<0.5
ZZ00204		0.019	0.26	0.86	65	0.28	3.65	128	<0.5
ZZ00205		0.051	0.36	0.87	86	0.18	3.83	83	<0.5
ZZ00206		0.063	0.39	1.03	78	0.23	5.35	105	0.5
ZZ00207		0.040	0.28	0.97	59	0.40	4.24	72	0.7
ZZ00208		0.026	0.31	0.72	66	0.49	2.54	63	<0.5
ZZ00209		0.048	1.25	1.73	43	0.18	6.04	27	0.6
ZZ00210		0.032	1.20	1.42	46	0.58	5.14	43	0.6
ZZ00211		0.037	0.61	1.93	56	1.34	2.79	44	<0.5
ZZ00212		0.060	0.90	1.49	69	2.20	4.71	124	0.8
ZZ00213		0.026	0.20	0.97	68	4.05	2.52	53	<0.5
ZZ00214		0.036	0.29	1.58	77	1.69	5.51	116	<0.5
ZZ00215		0.029	0.43	1.66	57	2.18	6.58	144	<0.5
ZZ00216		0.027	0.42	1.45	56	0.64	7.15	75	<0.5
ZZ00217		0.035	0.42	2.32	52	1.97	8.10	101	1.2
ZZ00218		0.106	7.15	1.87	427	3.22	6.05	69	<0.5
ZZ01556		0.038	0.19	0.96	68	2.06	4.72	110	<0.5
ZZ01557		0.037	0.22	1.07	76	21.7	3.05	127	<0.5
ZZ01558		0.024	0.50	1.41	80	27.8	2.97	58	<0.5
ZZ01559		0.036	0.42	2.13	69	13.75	4.34	70	<0.5
ZZ01560		0.064	0.32	1.15	61	22.8	4.20	79	0.5
ZZ01561		0.070	0.59	2.52	63	110.0	13.45	72	<0.5
ZZ01562		0.041	0.33	1.59	48	51.1	8.00	72	<0.5
ZZ01563		0.025	0.32	22.9	311	34.7	42.5	187	0.7
ZZ01564		0.100	4.30	1.87	400	1.00	6.52	91	0.6
ZZ01565		0.043	0.61	1.35	66	0.58	4.56	85	0.9
ZZ01566		0.027	0.25	1.48	54	1.09	4.28	58	0.5
ZZ01567		0.027	0.29	0.68	60	0.29	2.19	50	<0.5
ZZ01568		0.026	0.38	1.28	74	0.81	3.75	105	<0.5
ZZ01569		0.030	0.18	0.97	65	0.32	3.76	152	<0.5
ZZ01570		0.011	0.22	0.71	76	0.15	2.08	91	<0.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 4- OCT- 2011
Account: RCM

Project: Rackla (Blue Lite)

CERTIFICATE OF ANALYSIS WH11160061

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg .02	Au- TL43 Au ppm 0.001	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1
ZZ01571		0.26	0.001	0.36	1.68	22.1	<0.2	<10	130	1.29	0.45	0.07	0.24	23.4	8.5	38
ZZ01572		0.18	0.003	0.23	0.75	18.3	<0.2	<10	100	0.28	8.68	0.04	0.21	27.0	3.4	15
ZZ01573		0.24	0.003	0.21	1.74	43.9	<0.2	<10	120	1.03	3.59	0.11	0.17	30.2	13.7	38
ZZ01574		0.34	0.004	0.32	1.80	38.1	<0.2	<10	150	2.04	0.76	0.09	0.15	28.3	17.0	42
ZZ01575		0.26	0.006	0.26	1.81	168.5	<0.2	<10	240	1.51	1.37	0.29	0.56	31.7	16.9	47
ZZ01576		0.32	0.005	0.39	2.88	20.3	<0.2	<10	190	2.61	2.65	0.05	0.13	22.9	9.8	42
ZZ01577		0.16	0.145	1.22	4.79	14.3	0.2	<10	120	3.37	143.5	1.19	1.62	81.2	134.5	59
ZZ01578		0.24	0.027	5.88	0.67	1035	<0.2	<10	30	0.39	40.2	0.05	<0.01	17.55	5.4	12
ZZ01579		0.28	0.004	1.33	1.27	119.5	<0.2	<10	90	1.24	8.06	0.09	0.10	37.3	9.0	25
ZZ01580		0.24	0.016	1.09	2.26	123.0	<0.2	<10	90	1.74	3.85	0.06	0.13	17.70	14.6	39
ZZ01581		0.18	0.001	0.21	1.20	8.8	<0.2	<10	70	0.73	1.37	0.07	0.15	27.5	8.4	21
ZZ01582		0.24	0.002	0.31	2.26	11.4	<0.2	<10	90	1.11	0.92	0.07	0.20	17.05	4.8	27
ZZ01583		0.22	0.003	0.83	2.25	50.3	<0.2	<10	80	1.22	2.44	0.24	0.32	25.9	11.1	23
ZZ01584		0.20	0.002	2.03	2.59	81	<0.2	<10	70	0.90	1.54	10.25	12.90	5.73	20.8	19
ZZ01585		0.24	0.001	0.75	1.17	17.8	<0.2	<10	80	0.72	6.88	2.37	1.16	20.9	23.8	25
ZZ01586		0.18	0.003	0.55	1.63	11.7	<0.2	<10	110	0.69	5.77	0.30	0.07	23.9	3.3	46
ZZ01587		0.18	0.002	0.25	1.19	20.3	<0.2	<10	90	0.58	8.70	0.08	0.13	17.75	4.6	34
ZZ02041		0.30	0.002	0.80	2.84	17.6	<0.2	<10	180	1.47	1.20	0.14	0.41	24.4	14.3	39
ZZ02042		0.26	0.003	0.64	2.85	35.6	<0.2	<10	130	1.68	14.95	0.29	0.33	41.6	23.4	42
ZZ02043		0.36	0.001	0.38	1.25	31.6	<0.2	<10	90	1.13	5.82	0.53	0.79	25.5	17.5	22
ZZ02044		0.30	0.002	2.22	1.46	25.6	<0.2	<10	60	0.92	8.86	4.70	1.41	12.80	21.5	11
ZZ02045		0.40	0.001	0.33	0.74	8.4	<0.2	<10	90	0.50	6.80	0.57	0.70	18.40	3.2	14
ZZ02046		0.26	0.003	0.78	2.62	24.7	<0.2	<10	160	1.44	1.30	1.07	2.40	21.1	12.2	104
ZZ02047		0.42	0.003	0.40	1.91	18.7	<0.2	<10	170	0.96	0.83	0.23	0.35	23.3	9.6	33
ZZ02048		0.48	0.001	1.66	2.96	8.5	<0.2	<10	270	1.61	1.03	0.07	0.53	27.1	9.5	55
ZZ02049		0.52	0.002	0.96	2.25	12.8	<0.2	<10	180	0.97	1.45	0.16	0.25	30.7	11.9	34
ZZ02050		0.36	0.001	0.29	2.09	12.5	<0.2	<10	120	0.76	1.07	0.11	0.15	23.3	8.7	31
ZZ02051		0.38	0.006	0.90	3.91	16.7	<0.2	<10	180	3.44	2.15	0.14	0.25	27.2	38.4	35
ZZ02052		0.48	0.006	0.45	2.26	24.8	<0.2	<10	120	1.53	1.13	0.09	0.21	25.0	10.0	39
ZZ02053		0.22	0.005	0.66	2.14	28.6	<0.2	<10	110	2.81	2.87	0.07	0.17	28.3	18.1	34
ZZ02054		0.36	0.002	0.13	1.45	12.2	<0.2	<10	60	0.81	1.67	0.05	0.13	21.2	6.5	28
ZZ02055		0.56	0.001	0.20	1.51	6.1	<0.2	<10	150	0.82	2.15	0.05	0.11	45.9	6.0	33
ZZ02056		0.34	0.001	0.14	0.92	4.8	<0.2	<10	110	0.61	2.64	0.11	0.14	26.3	4.9	18
ZZ02057		0.34	0.002	0.16	1.48	16.8	<0.2	<10	120	0.72	1.13	0.09	0.16	26.1	6.8	24
ZZ02058		0.26	0.002	0.17	1.34	14.6	<0.2	<10	70	0.81	1.64	0.05	0.12	17.60	4.9	29
ZZ02059		0.18	0.005	0.15	1.40	96.7	<0.2	<10	200	0.48	3.53	0.13	0.35	23.8	6.2	29
ZZ02060		0.34	0.070	0.41	1.16	539	<0.2	<10	180	0.84	7.25	0.11	0.30	40.3	6.9	35
ZZ02061		0.26	0.002	0.20	1.32	22.8	<0.2	<10	120	1.16	0.74	0.07	0.19	19.65	10.1	29
ZZ02062		0.20	0.001	0.41	0.84	13.6	<0.2	<10	70	0.26	1.01	0.03	0.12	21.3	3.2	16
ZZ02063		0.30	<0.001	0.12	1.26	13.4	<0.2	<10	130	0.48	1.64	0.06	0.21	27.0	5.4	25

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 4- OCT- 2011
Account: RCM

Project: Rackla (Blue Lite)

CERTIFICATE OF ANALYSIS WH11160061

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
ZZ01571		3.59	43.5	3.94	5.29	0.12	<0.02	0.07	0.031	0.14	11.4	24.4	0.39	248	2.31	0.01
ZZ01572		1.44	13.3	2.27	5.26	0.12	<0.02	0.06	0.022	0.04	13.0	4.3	0.08	96	1.55	<0.01
ZZ01573		3.82	63.8	4.81	5.43	0.11	<0.02	0.08	0.046	0.09	14.0	20.3	0.40	388	3.45	0.01
ZZ01574		5.00	89.7	5.58	5.58	0.14	0.02	0.06	0.036	0.19	14.0	31.6	0.50	209	3.16	0.01
ZZ01575		4.53	79.7	6.94	5.21	0.13	<0.02	0.06	0.041	0.21	15.1	16.7	0.41	273	7.77	<0.01
ZZ01576		12.95	136.0	10.50	6.49	0.21	0.05	0.03	0.043	0.19	10.8	27.4	0.50	291	5.57	0.05
ZZ01577		14.70	1885	10.85	10.50	0.51	0.23	0.14	0.309	0.36	64.3	39.7	0.69	2650	86.7	0.04
ZZ01578		2.02	260	21.8	1.89	0.96	0.04	0.06	0.421	0.08	11.7	2.9	0.09	304	13.35	0.06
ZZ01579		9.54	93.2	5.38	3.54	0.18	0.04	0.04	0.023	0.06	18.5	11.6	0.33	165	5.49	0.03
ZZ01580		8.72	140.0	7.66	5.18	0.19	0.09	0.06	0.045	0.08	8.8	19.8	0.42	228	5.04	0.03
ZZ01581		3.45	39.7	4.01	4.87	0.10	<0.02	0.09	0.018	0.04	12.9	9.0	0.17	223	2.28	0.01
ZZ01582		3.84	29.5	2.61	5.92	0.07	0.02	0.09	0.023	0.04	8.6	12.2	0.21	183	3.83	0.01
ZZ01583		9.54	84.0	7.03	4.96	0.18	0.04	0.09	0.021	0.05	13.9	19.1	0.38	204	5.33	0.07
ZZ01584		3.56	159.0	4.91	4.71	0.11	0.26	0.04	0.372	0.05	2.9	8.9	0.18	522	107.5	0.13
ZZ01585		3.84	145.5	8.57	3.77	0.17	0.05	0.05	0.090	0.07	11.2	8.2	0.33	599	28.9	0.05
ZZ01586		5.73	368	11.05	8.74	0.29	0.03	0.25	0.043	0.11	12.8	8.5	0.33	85	27.9	0.05
ZZ01587		5.76	62.8	3.82	6.74	0.11	<0.02	0.07	0.051	0.12	9.0	8.6	0.28	233	4.45	0.02
ZZ02041		7.57	106.5	5.27	6.68	0.14	0.05	0.06	0.054	0.13	11.1	16.5	0.47	428	5.75	0.05
ZZ02042		9.70	404	7.66	6.81	0.22	0.08	0.09	0.121	0.18	19.7	20.3	0.58	768	18.10	0.03
ZZ02043		4.85	160.5	7.28	3.80	0.16	0.04	0.05	0.094	0.13	13.1	10.0	0.40	774	10.10	0.02
ZZ02044		2.70	155.0	5.78	3.67	0.12	0.09	0.05	0.401	0.06	6.6	5.9	0.24	796	37.3	0.07
ZZ02045		3.19	57.1	8.69	2.91	0.16	0.02	0.02	0.070	0.20	8.3	5.6	0.21	102	14.90	0.06
ZZ02046		11.40	66.1	4.43	6.18	0.14	0.04	0.05	0.060	0.09	12.1	29.6	0.47	327	9.69	0.04
ZZ02047		5.59	38.3	3.11	5.40	0.09	0.02	0.05	0.030	0.10	10.8	22.4	0.44	341	3.39	0.02
ZZ02048		18.20	69.4	4.89	6.88	0.18	0.02	0.06	0.041	0.55	14.1	47.2	0.81	191	3.26	0.02
ZZ02049		9.62	43.6	3.75	5.84	0.11	0.02	0.05	0.029	0.12	14.0	27.4	0.53	468	4.39	0.02
ZZ02050		5.35	31.8	3.22	5.95	0.10	0.02	0.04	0.025	0.07	11.0	18.7	0.44	313	3.98	0.02
ZZ02051		21.8	196.5	7.49	7.07	0.20	0.07	0.10	0.044	0.22	11.9	45.9	0.58	562	4.44	0.02
ZZ02052		7.77	67.7	5.53	6.06	0.13	0.02	0.05	0.036	0.11	11.4	24.0	0.47	404	3.58	0.02
ZZ02053		10.05	190.5	7.89	4.66	0.21	0.07	0.06	0.035	0.07	13.3	21.0	0.34	344	5.13	0.03
ZZ02054		4.44	43.6	5.04	5.56	0.11	<0.02	0.07	0.028	0.05	10.5	11.4	0.20	208	2.41	0.01
ZZ02055		7.09	85.0	4.51	4.29	0.16	0.03	0.06	0.014	0.24	22.9	10.5	0.40	182	2.10	0.02
ZZ02056		3.20	69.7	2.77	2.53	0.12	0.02	0.03	0.012	0.12	12.6	10.4	0.35	144	1.40	0.02
ZZ02057		3.02	16.5	3.16	5.40	0.09	<0.02	0.03	0.025	0.04	11.3	14.6	0.24	211	1.44	<0.01
ZZ02058		4.98	30.1	3.63	5.54	0.09	<0.02	0.07	0.024	0.07	8.7	9.7	0.24	147	2.02	0.01
ZZ02059		4.80	28.9	3.39	8.09	0.08	<0.02	0.03	0.030	0.07	11.4	12.4	0.32	319	1.82	0.01
ZZ02060		3.28	67.1	5.60	4.69	0.16	0.02	0.05	0.041	0.13	19.5	11.2	0.26	267	2.57	0.01
ZZ02061		3.23	26.8	3.65	5.22	0.09	0.02	0.04	0.024	0.12	9.7	22.2	0.31	172	1.66	0.01
ZZ02062		4.76	21.4	3.21	5.94	0.08	<0.02	0.05	0.030	0.04	10.6	2.7	0.08	89	2.04	0.01
ZZ02063		3.76	36.1	3.62	5.23	0.10	<0.02	0.04	0.026	0.07	12.9	11.8	0.22	214	1.71	0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 4- OCT- 2011
Account: RCM

Project: Rackla (Blue Lite)

CERTIFICATE OF ANALYSIS WH11160061

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
ZZ01571		1.02	23.4	970	11.1	29.3	0.001	0.11	1.08	0.8	2.0	0.6	15.2	<0.01	0.14	0.2
ZZ01572		1.15	8.2	420	13.5	8.4	0.001	0.04	0.73	1.1	0.5	0.9	8.9	<0.01	0.09	0.8
ZZ01573		0.88	29.7	1470	11.1	17.6	0.002	0.09	1.51	1.6	2.3	0.8	19.1	<0.01	0.14	0.6
ZZ01574		1.56	47.8	1550	11.0	29.9	0.002	0.17	1.65	2.8	3.8	0.8	27.5	<0.01	0.24	2.2
ZZ01575		0.88	36.1	3220	16.1	22.5	0.001	0.10	3.08	2.4	3.4	1.9	70.5	<0.01	0.28	1.5
ZZ01576		1.16	43.8	3130	18.9	23.8	0.001	0.45	1.47	2.8	11.7	0.9	40.3	0.01	0.50	3.3
ZZ01577		1.36	375	3850	11.1	91.2	0.016	0.34	0.33	6.5	19.1	2.5	48.6	0.02	4.15	3.2
ZZ01578		1.03	17.2	2980	97.4	14.1	0.004	0.75	14.05	1.5	240	19.1	58.9	<0.01	1.87	13.6
ZZ01579		0.38	20.6	2590	13.3	12.5	0.001	0.17	1.69	1.3	10.0	1.1	60.9	<0.01	0.90	6.1
ZZ01580		0.72	44.2	3240	18.1	11.9	0.001	0.26	1.50	1.9	12.0	0.6	44.9	0.01	0.74	1.6
ZZ01581		0.70	31.5	1230	9.9	7.8	<0.001	0.07	0.62	0.9	2.4	0.5	15.5	<0.01	0.18	0.3
ZZ01582		0.60	13.5	1720	7.1	9.6	<0.001	0.10	0.65	0.7	2.4	0.7	30.4	0.01	0.11	0.4
ZZ01583		0.53	27.2	2870	7.5	6.4	0.001	0.34	1.12	1.5	8.4	0.4	126.0	<0.01	0.49	5.2
ZZ01584		0.60	242	1340	30.0	4.4	0.006	0.19	2.74	1.5	8.5	28.6	582	0.01	0.20	0.9
ZZ01585		0.33	112.0	2530	14.4	16.8	0.004	0.26	0.63	1.7	6.3	1.5	108.0	0.01	0.38	2.2
ZZ01586		0.97	19.7	3860	6.7	25.3	0.008	0.40	0.26	1.3	18.6	1.5	47.5	0.01	0.43	0.7
ZZ01587		0.77	26.2	830	9.5	29.9	<0.001	0.13	0.69	2.0	2.3	1.2	15.9	<0.01	0.14	1.2
ZZ02041		0.98	71.5	1690	11.2	23.1	0.001	0.29	0.78	3.1	4.8	0.6	56.7	0.01	0.19	2.8
ZZ02042		0.80	79.4	2520	13.8	49.0	0.004	0.27	0.62	3.6	7.9	1.4	35.1	0.01	0.33	3.5
ZZ02043		0.34	68.0	1900	12.2	43.2	0.002	0.15	0.77	2.2	4.0	0.9	34.4	0.01	0.23	3.7
ZZ02044		0.24	142.0	1790	19.8	13.2	0.002	0.22	0.81	1.2	5.2	22.9	196.0	0.01	0.32	1.5
ZZ02045		0.29	15.5	2410	6.2	39.6	0.004	0.62	0.56	1.0	6.1	1.5	84.1	<0.01	0.28	2.8
ZZ02046		0.63	66.3	3850	13.4	21.0	0.005	0.18	1.97	1.5	4.4	1.6	108.5	0.01	0.17	0.8
ZZ02047		1.48	29.5	1280	13.5	23.1	0.001	0.07	0.94	2.1	1.4	0.7	43.6	0.01	0.09	1.5
ZZ02048		0.69	38.8	1190	32.3	76.9	0.002	0.20	1.31	3.1	2.1	1.8	81.6	<0.01	0.12	7.0
ZZ02049		0.89	26.4	1310	17.0	21.4	0.001	0.13	1.03	2.9	1.9	0.6	46.1	0.01	0.13	2.7
ZZ02050		0.64	20.9	1130	9.7	14.8	<0.001	0.12	0.74	1.8	1.6	0.7	35.6	<0.01	0.09	0.9
ZZ02051		2.23	86.9	1930	25.3	26.6	0.003	0.31	1.66	4.3	10.4	1.3	40.7	0.01	0.45	3.4
ZZ02052		0.85	33.2	2060	17.1	19.3	0.001	0.21	1.38	2.0	3.8	0.7	33.1	0.01	0.25	0.8
ZZ02053		0.65	61.5	3010	17.9	11.1	0.001	0.24	1.07	2.2	9.1	0.4	49.6	0.01	0.46	2.3
ZZ02054		0.98	22.2	1280	12.8	10.0	<0.001	0.09	0.79	1.1	2.6	0.6	17.6	<0.01	0.22	0.7
ZZ02055		0.26	19.1	2170	7.6	43.4	<0.001	0.32	0.35	0.6	4.3	0.4	36.5	<0.01	0.41	0.6
ZZ02056		0.38	14.0	1220	7.8	22.3	<0.001	0.17	0.35	1.0	2.8	0.3	24.8	<0.01	0.39	2.6
ZZ02057		1.26	15.7	450	20.4	8.4	<0.001	0.03	0.76	2.0	0.8	0.7	10.3	0.01	0.10	1.9
ZZ02058		1.00	15.9	1050	10.6	12.4	<0.001	0.08	0.75	1.0	1.6	0.8	11.0	<0.01	0.17	0.2
ZZ02059		1.41	15.7	700	29.5	17.5	<0.001	0.04	0.87	2.1	0.7	1.3	15.1	<0.01	0.12	0.9
ZZ02060		0.52	17.3	2740	37.5	18.0	0.001	0.25	5.90	1.4	2.1	1.6	44.4	<0.01	0.84	1.1
ZZ02061		2.30	28.8	500	10.0	22.0	<0.001	0.07	1.11	1.9	0.9	0.8	13.7	<0.01	0.09	2.3
ZZ02062		1.24	9.0	700	18.0	10.2	<0.001	0.05	1.14	1.2	1.1	0.9	8.5	<0.01	0.16	1.9
ZZ02063		1.04	14.3	1070	17.6	19.7	<0.001	0.08	0.79	1.5	2.1	0.6	13.8	<0.01	0.22	1.2

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 4- OCT- 2011
Account: RCM

Project: Rackla (Blue Lite)

CERTIFICATE OF ANALYSIS WH11160061

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
ZZ01571		0.032	0.25	1.00	72	0.20	3.58	86	<0.5
ZZ01572		0.040	0.17	0.47	54	0.45	1.92	39	<0.5
ZZ01573		0.040	0.28	1.32	68	1.76	4.74	100	<0.5
ZZ01574		0.058	0.30	1.30	80	0.60	6.07	149	0.7
ZZ01575		0.056	0.35	1.94	90	1.72	9.20	185	<0.5
ZZ01576		0.042	0.68	2.57	82	1.87	6.87	85	1.3
ZZ01577		0.049	1.08	27.8	222	76.0	66.8	294	7.1
ZZ01578		0.035	0.24	2.59	42	20.7	4.52	345	1.3
ZZ01579		0.013	0.62	3.15	46	6.30	5.36	34	0.7
ZZ01580		0.025	0.48	1.92	57	3.96	5.53	77	2.8
ZZ01581		0.022	0.15	1.06	48	1.69	2.71	45	<0.5
ZZ01582		0.022	0.31	1.54	40	1.21	3.96	45	0.5
ZZ01583		0.017	0.21	1.99	27	3.05	4.83	37	1.1
ZZ01584		0.007	0.60	6.44	208	1.88	13.00	890	10.9
ZZ01585		0.012	0.19	4.96	30	4.62	15.05	105	1.4
ZZ01586		0.027	0.30	4.81	86	162.5	9.82	23	<0.5
ZZ01587		0.061	0.41	1.11	97	14.75	3.64	51	<0.5
ZZ02041		0.043	0.39	3.00	72	11.70	8.85	161	0.9
ZZ02042		0.042	0.56	6.43	69	30.7	23.3	119	1.2
ZZ02043		0.022	0.32	3.38	31	8.48	12.25	163	0.7
ZZ02044		0.007	0.25	4.71	25	2.94	17.85	198	2.8
ZZ02045		0.017	0.34	1.45	25	4.74	3.23	157	<0.5
ZZ02046		0.027	0.72	8.88	79	2.88	12.00	141	0.7
ZZ02047		0.036	0.48	1.60	52	0.87	5.37	69	<0.5
ZZ02048		0.100	1.23	1.66	53	0.21	3.21	82	0.7
ZZ02049		0.043	0.63	1.78	46	0.60	6.40	86	<0.5
ZZ02050		0.037	0.41	1.52	44	1.38	5.30	59	<0.5
ZZ02051		0.052	0.77	2.00	62	1.57	8.59	115	1.7
ZZ02052		0.038	0.40	1.54	64	1.63	5.58	103	0.5
ZZ02053		0.022	0.59	2.73	51	2.05	10.55	73	1.4
ZZ02054		0.031	0.31	0.93	54	3.96	2.65	51	<0.5
ZZ02055		0.016	1.42	2.20	44	2.66	4.71	33	0.5
ZZ02056		0.018	0.49	1.21	23	0.36	4.04	36	<0.5
ZZ02057		0.029	0.25	0.69	56	0.45	3.89	48	<0.5
ZZ02058		0.033	0.25	0.86	60	0.59	2.51	61	<0.5
ZZ02059		0.045	0.55	0.78	82	0.59	3.63	71	<0.5
ZZ02060		0.026	0.76	1.80	65	2.65	5.73	75	<0.5
ZZ02061		0.056	0.21	0.65	60	0.46	2.25	110	0.5
ZZ02062		0.042	0.24	0.54	60	2.37	1.55	42	<0.5
ZZ02063		0.031	0.38	0.83	53	3.91	2.48	50	<0.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 4- OCT- 2011
Account: RCM

Project: Rackla (Blue Lite)

CERTIFICATE OF ANALYSIS WH11160061

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg .02	Au- TL43 Au ppm 0.001	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1
ZZ02064		0.34	0.002	0.12	1.48	13.8	<0.2	<10	100	0.75	1.52	0.06	0.16	29.1	10.8	26
ZZ02065		Not Recvd														
ZZ02066		Not Recvd														
ZZ02067		Not Recvd														
ZZ02068		0.22	0.001	0.19	1.45	14.5	<0.2	<10	90	0.83	1.06	0.08	0.31	20.3	10.3	27
ZZ02069		0.24	0.001	0.13	1.32	18.0	<0.2	<10	80	0.50	0.91	0.06	0.15	20.1	5.6	29
ZZ02070		0.54	0.003	1.15	0.99	62.7	<0.2	<10	40	0.72	9.78	0.05	0.05	36.9	4.5	14
ZZ02071		0.38	<0.001	0.88	1.65	77.8	<0.2	<10	70	1.05	13.55	0.09	0.07	37.9	12.1	30
ZZ02072		0.40	0.019	1.33	3.36	375	<0.2	<10	120	2.11	16.45	0.04	0.08	25.7	23.4	46

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 4- OCT- 2011
Account: RCM

Project: Rackla (Blue Lite)

CERTIFICATE OF ANALYSIS WH11160061

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
ZZ02064		3.86	37.7	4.02	5.12	0.10	0.02	0.06	0.029	0.06	13.4	12.7	0.25	352	1.83	0.01
ZZ02065																
ZZ02066																
ZZ02067																
ZZ02068		3.14	62.4	4.01	3.97	0.08	<0.02	0.05	0.023	0.06	10.1	10.9	0.29	523	2.14	0.01
ZZ02069		4.42	19.6	3.45	4.79	0.07	<0.02	0.05	0.023	0.05	9.8	14.0	0.26	234	1.66	0.01
ZZ02070		6.26	74.1	4.43	2.34	0.11	0.04	0.02	0.011	0.03	20.1	9.1	0.36	91	3.97	0.02
ZZ02071		5.11	266	11.60	4.23	0.25	0.07	0.06	0.074	0.06	20.9	8.3	0.38	450	9.72	0.14
ZZ02072		6.99	469	20.6	8.23	0.50	0.10	0.05	0.044	0.18	15.7	13.4	0.38	577	22.0	0.11

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 4- OCT- 2011
Account: RCM

Project: Rackla (Blue Lite)

CERTIFICATE OF ANALYSIS WH11160061

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
ZZ02064		0.38	27.4	1370	24.8	17.6	<0.001	0.08	0.71	0.6	1.6	0.6	15.6	<0.01	0.18	0.3
ZZ02065																
ZZ02066																
ZZ02067																
ZZ02068		0.40	28.3	1370	13.4	15.1	<0.001	0.08	0.85	0.8	2.3	0.5	16.0	<0.01	0.16	0.3
ZZ02069		1.89	14.4	690	14.9	12.3	<0.001	0.03	0.73	2.0	1.3	0.6	9.7	<0.01	0.10	2.2
ZZ02070		0.08	12.3	2440	15.3	5.2	<0.001	0.10	1.32	0.9	6.7	0.4	93.3	<0.01	0.72	9.6
ZZ02071		0.20	34.9	4680	15.8	10.1	0.002	0.62	0.73	2.1	18.6	0.4	123.0	<0.01	0.85	20.1
ZZ02072		0.75	58.3	5290	30.2	27.7	0.002	1.10	1.29	3.5	30.4	0.9	119.0	0.01	0.98	36.8

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 4- OCT- 2011
Account: RCM

Project: Rackla (Blue Lite)

CERTIFICATE OF ANALYSIS WH11160061

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
ZZ02064		0.014	0.31	1.14	48	1.79	4.03	67	<0.5
ZZ02065									
ZZ02066									
ZZ02067									
ZZ02068		0.017	0.26	1.42	50	0.77	4.62	72	<0.5
ZZ02069		0.040	0.27	0.67	55	1.11	2.58	44	<0.5
ZZ02070		<0.005	0.44	2.51	21	0.57	3.73	25	1.4
ZZ02071		0.009	0.31	5.53	44	14.85	8.60	65	2.3
ZZ02072		0.023	1.28	9.19	78	8.11	11.80	87	4.1

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 4- OCT- 2011
Account: RCM

Project: Rackla (Blue Lite)

CERTIFICATE OF ANALYSIS WH11160061

Method	CERTIFICATE COMMENTS
ME- MS41	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown.
ME- MS41	Gold determinations by this method are semi- quantitative due to the small sample weight used (0.5g).

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 27- SEP- 2011
Account: RCM

CERTIFICATE WH11163811

Project: Rackla Gold (Nadaleen)

P.O. No.: Area B- S3

This report is for 261 Soil samples submitted to our lab in Whitehorse, YT, Canada on 18- AUG- 2011.

The following have access to data associated with this certificate:

ROB CARNE	ANDREW CARNE	MATT DUMALA
JULIA LANE	JOAN MARIACHER	

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
EXTRA- 01	Extra Sample received in Shipment
SCR- 41	Screen to - 180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- TL43	Trace Level Au - 25g AR	ICP- MS
ME- MS41	51 anal. aqua regia ICPMS	

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 27- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen)

CERTIFICATE OF ANALYSIS WH11163811

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- TL43 Au ppm 0.001	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1
CC26335		0.16	0.003	0.06	1.71	16.5	<0.2	<10	190	0.61	0.40	0.18	0.25	33.6	28.5	27
CC26336		0.28	0.005	0.09	2.35	12.3	<0.2	<10	310	1.63	0.31	0.28	0.34	46.0	55.8	33
CC26337		0.22	0.005	0.10	2.35	14.2	<0.2	<10	190	1.67	0.34	0.22	0.52	53.8	79.4	32
CC26338		0.22	0.006	0.12	2.37	14.4	<0.2	<10	200	1.62	0.29	0.34	0.44	43.8	81.6	34
CC26339		0.26	0.004	0.07	2.14	12.2	<0.2	<10	240	1.27	0.30	0.18	0.17	30.1	45.0	31
CC26340		0.24	0.013	0.16	2.50	12.8	<0.2	<10	300	1.85	0.26	0.39	0.71	63.9	97.8	32
CC26341		0.22	0.012	0.23	1.73	11.0	<0.2	<10	300	0.92	0.23	0.58	0.57	45.3	31.3	36
CC26342		0.26	0.002	0.22	0.27	46.6	<0.2	<10	20	0.65	0.50	3.78	0.22	21.5	21.8	9
CC26343		0.38	0.003	0.12	1.69	18.6	<0.2	<10	60	2.39	0.45	0.12	0.23	44.9	39.3	19
CC26344		0.26	0.004	0.08	1.15	33.8	<0.2	<10	50	1.19	0.30	0.11	0.28	41.1	22.7	20
CC26345		0.32	0.003	0.11	1.05	56.0	<0.2	<10	80	1.42	0.37	0.22	0.19	32.3	22.9	15
CC26346		0.28	0.003	0.08	2.22	17.3	<0.2	<10	70	0.73	0.26	0.10	0.24	28.6	28.6	36
CC26347		0.28	0.004	0.09	2.43	20.5	<0.2	<10	180	1.40	0.28	0.28	0.41	49.4	51.0	38
CC26348		0.26	0.009	0.16	2.82	13.9	<0.2	<10	410	1.86	0.28	0.41	0.92	61.4	87.6	36
CC26349		0.26	0.021	0.23	2.52	12.3	<0.2	<10	2460	2.74	0.24	0.92	2.08	80.5	94.6	28
CC26350		0.10	0.005	0.37	0.72	8.0	<0.2	<10	100	0.32	0.17	0.26	0.17	13.50	8.2	14
CC69126		0.26	0.005	0.25	2.35	33.1	<0.2	<10	230	1.20	0.26	0.59	0.67	48.3	56.9	33
CC69127		0.26	0.002	0.09	1.48	19.7	<0.2	<10	100	0.51	0.28	0.21	0.19	23.8	13.6	29
CC69128		0.46	0.004	0.11	1.44	45.8	<0.2	<10	100	0.94	0.30	0.20	0.30	43.0	35.5	26
CC69129		0.28	0.004	0.13	2.29	20.8	<0.2	<10	190	1.33	0.28	0.40	0.46	51.2	68.1	39
CC69130		0.32	0.005	0.18	2.38	16.7	<0.2	<10	230	1.52	0.27	0.46	0.68	53.7	58.2	36
CC69131		0.40	0.004	0.13	2.10	27.2	<0.2	<10	150	1.77	0.31	0.15	0.41	72.3	40.5	33
CC69132		0.34	0.005	0.12	2.16	26.6	<0.2	<10	140	1.63	0.30	0.14	0.38	66.9	37.9	33
CC69133		0.38	0.006	0.17	1.80	11.7	<0.2	<10	270	1.06	0.31	0.24	0.17	39.3	24.3	27
CC69134		0.14	0.010	0.20	1.30	7.0	<0.2	<10	1000	0.96	0.20	1.73	0.44	24.7	19.6	20
CC69135		0.26	0.011	0.23	1.60	11.2	<0.2	<10	590	1.01	0.25	1.03	0.22	26.2	22.0	26
CC69136		0.28	0.010	0.24	1.44	15.2	<0.2	<10	310	1.06	0.27	0.71	0.20	23.7	18.5	24
CC69137		0.34	0.005	0.21	1.08	23.6	<0.2	<10	370	1.01	0.30	0.23	0.30	31.8	21.3	25
CC69138		0.26	0.006	0.16	1.74	14.6	<0.2	<10	360	0.87	0.30	0.96	0.16	20.4	15.0	27
CC69139		0.10	0.004	0.11	1.14	8.6	<0.2	<10	260	0.50	0.27	0.50	0.20	19.75	9.0	22
CC69140		0.24	0.002	0.04	1.69	12.1	<0.2	<10	110	0.66	0.33	0.04	0.08	20.1	10.7	21
CC69141		0.38	0.003	0.03	1.54	13.8	<0.2	<10	110	0.76	0.32	0.19	0.06	25.0	13.1	20
CC69142		0.38	0.004	0.09	1.50	34.2	<0.2	<10	240	0.90	0.33	0.46	0.18	19.70	19.1	27
CC69143		0.26	0.002	0.01	0.65	10.8	<0.2	<10	80	0.15	0.34	0.08	0.07	24.1	3.3	11
CC69144		0.38	0.004	0.27	1.80	13.7	<0.2	<10	340	1.33	0.29	1.14	1.30	30.4	15.0	23
CC69145		0.26	0.002	0.05	1.93	18.8	<0.2	<10	250	0.67	0.41	0.83	0.35	35.5	16.1	37
CC69146		0.38	0.001	0.05	1.20	6.4	<0.2	<10	220	0.43	0.29	0.52	0.14	20.9	4.9	20
CC69147		0.42	0.005	0.13	1.71	13.7	<0.2	<10	180	1.06	0.31	0.47	0.13	24.9	14.7	25
CC69148		0.26	0.004	0.15	1.71	13.2	<0.2	<10	210	1.05	0.32	1.01	0.20	20.6	12.7	24
CC72149		0.44	0.001	0.03	1.52	17.2	<0.2	<10	80	0.49	0.27	0.16	0.16	20.2	15.2	25

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 27- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen)

CERTIFICATE OF ANALYSIS WH11163811

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
CC26335		4.06	57.5	4.23	8.03	0.09	<0.02	0.06	0.040	0.08	14.8	15.5	0.59	2380	1.71	<0.01
CC26336		20.0	121.5	5.46	8.59	0.11	0.04	0.07	0.061	0.07	17.5	28.5	1.09	2060	1.17	<0.01
CC26337		12.75	144.0	5.40	8.04	0.11	0.05	0.09	0.070	0.06	20.3	30.2	1.14	3030	1.78	<0.01
CC26338		9.44	136.0	5.23	7.55	0.11	0.04	0.10	0.060	0.06	14.2	25.3	0.94	3590	1.57	<0.01
CC26339		5.72	89.8	4.75	9.57	0.09	<0.02	0.07	0.053	0.06	14.0	24.9	0.76	1740	1.69	<0.01
CC26340		10.25	179.0	4.66	8.29	0.14	0.08	0.11	0.057	0.06	22.7	30.2	1.18	3840	1.70	<0.01
CC26341		22.2	135.0	4.21	5.83	0.12	0.06	0.12	0.054	0.06	21.4	19.6	0.69	2350	1.34	<0.01
CC26342		2.75	51.0	3.83	1.30	0.09	0.11	0.30	0.049	0.07	10.3	1.3	1.93	927	1.64	<0.01
CC26343		10.75	108.0	4.79	5.03	0.12	0.07	0.06	0.048	0.08	22.1	25.3	0.68	524	1.07	<0.01
CC26344		8.95	78.9	4.75	3.89	0.11	0.02	0.06	0.041	0.05	18.8	15.3	0.35	652	1.82	<0.01
CC26345		3.63	76.7	6.19	3.48	0.11	0.04	0.18	0.045	0.06	15.8	10.9	0.29	827	1.79	<0.01
CC26346		11.95	97.0	5.74	10.75	0.09	0.02	0.06	0.061	0.05	13.2	26.3	0.89	1180	1.29	<0.01
CC26347		19.20	149.0	5.85	8.91	0.12	0.03	0.07	0.071	0.06	18.7	32.0	0.99	2060	1.22	<0.01
CC26348		18.55	209	6.97	10.75	0.16	0.05	0.16	0.095	0.05	24.5	36.1	1.35	5170	1.49	<0.01
CC26349		18.60	648	8.98	8.85	0.20	0.08	0.30	0.136	0.06	30.4	29.1	1.36	6710	1.56	0.02
CC26350		4.57	51.9	1.83	4.10	0.07	<0.02	0.18	0.025	0.05	6.0	3.0	0.14	161	1.31	<0.01
CC69126		9.42	180.0	5.30	8.16	0.13	0.07	0.13	0.069	0.06	21.9	30.3	1.12	3380	1.11	<0.01
CC69127		9.14	40.0	3.75	6.69	0.09	<0.02	0.05	0.035	0.05	11.5	18.0	0.41	605	1.64	<0.01
CC69128		5.05	97.6	4.73	4.78	0.13	0.04	0.19	0.046	0.05	20.5	18.4	0.59	1250	1.53	<0.01
CC69129		6.99	116.0	5.37	8.35	0.12	0.05	0.09	0.069	0.06	16.1	28.2	0.93	2750	1.27	<0.01
CC69130		9.65	149.0	4.82	8.32	0.12	0.05	0.11	0.068	0.07	22.6	25.9	1.04	3350	1.35	<0.01
CC69131		4.56	128.5	6.88	6.95	0.17	0.04	0.08	0.067	0.10	25.9	26.5	0.98	1700	1.01	0.01
CC69132		4.79	123.5	6.43	6.97	0.11	0.05	0.09	0.063	0.09	23.4	25.0	0.93	1700	0.92	<0.01
CC69133		2.91	91.6	4.89	5.99	0.10	0.06	0.11	0.042	0.07	16.6	33.6	0.76	919	0.63	<0.01
CC69134		5.85	63.6	3.16	4.83	0.11	0.04	0.12	0.042	0.05	12.7	12.9	0.44	1340	0.76	<0.01
CC69135		4.88	93.4	4.27	5.46	0.11	0.05	0.13	0.048	0.07	16.2	18.3	0.68	911	0.63	<0.01
CC69136		4.62	86.1	4.45	4.83	0.11	0.07	0.17	0.047	0.07	13.7	23.0	0.61	687	1.19	<0.01
CC69137		7.29	70.7	4.57	4.19	0.10	0.03	0.09	0.051	0.07	16.0	15.2	0.29	993	1.03	<0.01
CC69138		10.20	45.5	3.49	5.44	0.09	0.07	0.13	0.040	0.08	9.4	24.2	0.51	843	0.94	<0.01
CC69139		6.33	25.7	3.35	5.16	0.09	<0.02	0.07	0.038	0.05	10.0	12.0	0.24	457	1.05	<0.01
CC69140		1.65	23.6	3.58	5.65	0.07	0.07	0.03	0.032	0.07	8.8	35.5	0.35	359	0.87	<0.01
CC69141		0.95	27.5	3.52	4.68	0.09	0.09	0.05	0.027	0.06	12.2	45.6	0.52	467	0.51	<0.01
CC69142		1.98	52.4	4.80	4.69	0.09	0.06	0.12	0.039	0.09	9.0	36.4	0.44	547	0.86	<0.01
CC69143		1.10	9.4	1.76	7.39	0.08	<0.02	0.04	0.012	0.03	13.0	5.5	0.09	121	1.39	<0.01
CC69144		4.11	137.5	3.22	5.56	0.11	0.10	0.20	0.037	0.07	19.4	26.5	0.46	585	0.63	<0.01
CC69145		4.98	28.0	3.78	5.79	0.11	0.03	0.03	0.045	0.12	11.4	31.1	0.71	963	1.85	0.01
CC69146		4.09	33.8	2.01	5.46	0.11	<0.02	0.02	0.030	0.05	10.5	14.1	0.27	202	0.94	0.01
CC69147		4.65	89.5	4.04	4.87	0.14	0.10	0.13	0.033	0.08	12.1	47.8	0.65	509	0.73	<0.01
CC69148		2.18	61.5	3.74	4.56	0.11	0.10	0.14	0.037	0.10	10.8	39.7	0.58	594	0.68	0.01
CC72149		1.39	35.4	4.48	5.59	0.11	0.03	<0.01	0.035	0.04	9.0	40.8	0.59	528	0.90	<0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 27- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen)

CERTIFICATE OF ANALYSIS WH11163811

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
CC26335		0.42	24.6	1130	25.4	15.6	<0.001	0.08	0.81	2.1	0.6	0.6	9.8	<0.01	0.15	0.4
CC26336		0.35	40.1	1210	27.7	13.0	<0.001	0.06	0.60	8.1	1.0	0.5	14.2	<0.01	0.14	1.5
CC26337		0.35	61.8	1190	46.0	9.9	0.001	0.07	0.90	9.6	1.1	0.4	12.9	<0.01	0.19	1.6
CC26338		0.36	46.4	1560	41.7	9.7	0.001	0.09	0.87	10.2	1.3	0.4	13.0	<0.01	0.11	1.3
CC26339		0.42	27.5	1150	22.8	13.7	<0.001	0.08	0.85	3.9	0.8	0.6	12.9	<0.01	0.10	0.3
CC26340		0.44	45.1	1100	21.6	8.6	<0.001	0.07	0.83	15.5	2.1	0.4	32.7	<0.01	0.12	1.8
CC26341		0.45	41.7	950	14.8	8.6	<0.001	0.07	0.80	14.6	1.8	0.4	22.9	<0.01	0.04	1.3
CC26342		0.06	29.0	590	57.1	4.3	<0.001	0.10	1.43	9.3	0.6	0.4	31.7	<0.01	0.06	5.2
CC26343		0.06	44.8	880	30.4	8.4	0.001	0.03	0.56	6.5	0.9	0.5	4.5	<0.01	0.26	2.6
CC26344		0.33	42.0	590	26.6	6.4	<0.001	0.02	1.08	4.3	1.1	0.4	8.0	<0.01	0.14	1.0
CC26345		0.12	31.8	1010	36.5	7.8	0.001	0.04	1.99	6.9	0.9	0.4	7.8	<0.01	0.12	1.5
CC26346		0.47	29.2	1160	18.9	9.8	<0.001	0.08	0.72	3.4	0.4	0.5	8.3	<0.01	0.12	0.4
CC26347		0.45	46.5	1010	20.5	12.4	0.001	0.06	0.69	13.0	1.2	0.5	19.1	<0.01	0.15	1.6
CC26348		0.33	46.5	1160	36.0	10.1	<0.001	0.06	0.68	29.7	2.6	0.5	23.4	<0.01	0.10	1.8
CC26349		0.20	52.9	1320	46.6	9.4	0.001	0.14	0.60	46.1	4.5	0.3	82.4	0.01	0.16	1.2
CC26350		0.38	10.0	1510	8.5	5.8	<0.001	0.16	0.43	0.9	0.6	0.4	11.4	<0.01	0.06	<0.2
CC69126		0.26	49.9	1120	19.9	8.8	<0.001	0.08	0.78	19.1	2.1	0.4	23.7	<0.01	0.11	1.6
CC69127		0.75	23.2	690	16.1	6.2	<0.001	0.06	0.99	2.6	0.8	0.6	11.2	<0.01	0.06	0.4
CC69128		0.50	40.4	690	20.0	5.7	<0.001	0.02	0.94	9.8	0.9	0.4	16.6	<0.01	0.13	3.7
CC69129		0.32	38.1	1510	22.3	9.5	0.001	0.08	0.72	15.0	1.4	0.4	19.0	<0.01	0.12	1.3
CC69130		0.34	36.1	1390	22.6	9.5	<0.001	0.08	0.77	15.4	1.8	0.4	23.5	<0.01	0.10	1.4
CC69131		0.22	58.8	600	19.4	8.4	<0.001	0.04	0.42	12.5	1.2	0.4	13.8	<0.01	0.17	3.7
CC69132		0.18	56.5	570	17.6	8.3	<0.001	0.02	0.49	12.4	0.9	0.4	14.7	<0.01	0.15	3.1
CC69133		0.22	39.6	580	16.5	7.7	<0.001	0.03	0.62	11.9	0.7	0.3	15.2	<0.01	0.09	3.4
CC69134		0.32	21.7	1760	12.7	7.8	0.001	0.18	0.41	9.4	1.5	0.3	58.7	0.01	0.07	0.5
CC69135		0.22	31.6	1370	12.8	8.3	<0.001	0.11	0.43	13.2	1.7	0.3	33.3	<0.01	0.11	1.1
CC69136		0.22	31.8	900	15.8	7.5	<0.001	0.08	0.73	12.2	1.5	0.3	25.0	<0.01	0.09	1.8
CC69137		0.29	35.6	890	18.3	9.0	<0.001	0.06	0.86	10.3	1.3	0.4	49.3	<0.01	0.12	1.0
CC69138		0.48	23.3	1300	16.2	12.9	<0.001	0.10	0.70	5.2	1.3	0.5	31.0	<0.01	0.05	1.1
CC69139		0.63	13.3	1100	15.8	9.8	<0.001	0.11	0.42	4.9	0.8	0.5	22.3	<0.01	0.06	0.4
CC69140		0.32	19.5	500	19.8	8.9	<0.001	0.02	0.55	3.2	0.5	0.4	8.3	<0.01	0.06	3.2
CC69141		0.17	28.6	300	17.8	5.9	<0.001	0.01	0.72	3.4	0.4	0.2	16.2	<0.01	0.05	4.8
CC69142		0.30	36.7	380	19.4	9.9	<0.001	0.02	0.87	7.0	1.0	0.4	30.9	<0.01	0.12	3.3
CC69143		1.20	6.4	170	10.7	7.7	<0.001	0.01	0.59	1.3	0.4	0.8	8.1	<0.01	0.05	2.2
CC69144		0.80	28.8	810	16.2	10.2	0.001	0.07	0.50	9.1	3.1	0.4	50.0	<0.01	0.05	2.6
CC69145		0.92	30.4	720	22.1	16.1	<0.001	0.04	1.06	4.5	1.2	0.7	48.9	<0.01	0.05	1.7
CC69146		0.72	10.6	480	11.8	11.3	<0.001	0.02	0.34	2.1	0.3	0.7	21.8	<0.01	0.05	0.7
CC69147		0.24	34.7	390	18.6	7.8	<0.001	0.01	0.64	6.8	1.4	0.3	23.7	<0.01	0.05	3.8
CC69148		0.27	30.0	740	18.5	8.1	0.001	0.05	0.62	5.0	1.8	0.3	43.6	<0.01	0.07	2.1
CC72149		0.40	25.1	320	17.4	7.5	<0.001	<0.01	0.47	3.2	0.4	0.4	12.3	<0.01	0.08	3.0

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 27- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen)

CERTIFICATE OF ANALYSIS WH11163811

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
CC26335		0.012	0.18	0.34	61	0.10	4.28	74	<0.5
CC26336		0.013	0.18	0.38	69	0.10	10.60	88	0.9
CC26337		0.013	0.37	0.35	60	0.09	14.10	90	1.2
CC26338		0.016	0.27	0.44	72	0.13	15.25	79	1.0
CC26339		0.016	0.16	0.46	80	0.16	7.98	75	<0.5
CC26340		0.021	0.20	0.56	69	0.10	28.4	87	1.7
CC26341		0.024	0.22	0.53	73	0.32	28.9	84	1.0
CC26342		<0.005	0.50	0.47	16	0.06	11.80	85	4.9
CC26343		<0.005	0.10	0.65	27	<0.05	13.55	85	1.4
CC26344		0.012	0.15	0.58	39	0.15	10.85	78	0.5
CC26345		<0.005	0.36	0.49	30	<0.05	13.25	77	1.0
CC26346		0.011	0.15	0.34	97	0.10	4.27	73	<0.5
CC26347		0.014	0.24	0.40	97	0.12	14.15	96	0.7
CC26348		0.014	0.41	0.49	96	0.13	39.5	93	1.2
CC26349		0.010	0.32	0.35	92	0.07	62.3	95	1.6
CC26350		0.006	0.09	0.41	47	0.08	3.03	28	<0.5
CC69126		0.012	0.22	0.41	76	0.06	31.2	85	1.6
CC69127		0.029	0.11	0.56	65	0.30	3.66	69	<0.5
CC69128		0.018	0.26	0.50	54	0.13	10.55	85	0.9
CC69129		0.013	0.10	0.47	97	0.20	19.25	80	1.0
CC69130		0.017	0.16	0.63	83	0.15	28.7	80	1.0
CC69131		<0.005	0.16	0.31	77	<0.05	11.30	95	1.1
CC69132		<0.005	0.13	0.29	75	<0.05	11.70	89	0.9
CC69133		0.006	0.04	0.48	49	<0.05	13.05	75	1.7
CC69134		0.010	0.07	0.48	43	<0.05	22.2	54	0.9
CC69135		0.007	0.05	0.46	54	0.05	26.3	62	1.1
CC69136		0.006	0.08	0.53	42	<0.05	19.65	68	1.6
CC69137		0.009	0.12	0.62	60	0.07	16.85	68	<0.5
CC69138		0.012	0.11	1.31	42	0.09	10.45	80	1.5
CC69139		0.020	0.08	0.57	63	0.12	7.98	49	<0.5
CC69140		0.005	0.06	0.80	29	0.07	4.51	55	1.7
CC69141		<0.005	0.03	0.58	20	<0.05	5.76	65	2.8
CC69142		0.006	0.05	0.49	46	0.05	7.29	79	2.1
CC69143		0.032	0.07	0.38	54	0.19	1.81	29	<0.5
CC69144		0.011	0.08	3.07	37	0.22	26.7	111	2.6
CC69145		0.038	0.18	0.96	58	0.18	6.12	178	1.0
CC69146		0.019	0.11	0.60	46	0.20	3.35	41	<0.5
CC69147		0.007	0.09	0.64	26	0.05	12.90	81	3.4
CC69148		0.006	0.10	1.30	28	0.06	12.75	90	2.8
CC72149		0.008	0.07	0.37	41	0.08	2.48	75	1.7

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 27- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen)

CERTIFICATE OF ANALYSIS WH11163811

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- TL43 Au ppm 0.001	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1
CC72150		0.38	0.001	0.06	1.90	17.9	<0.2	<10	150	1.15	0.33	0.17	0.33	31.0	17.9	25
CC72151		0.32	0.001	0.05	1.73	15.5	<0.2	<10	260	1.20	0.31	0.18	0.53	32.7	12.9	25
CC72251		0.16	0.002	0.25	1.19	14.6	<0.2	<10	410	0.75	0.45	1.39	3.38	22.9	13.8	35
CC72252		0.10	0.001	0.21	0.83	10	<0.2	<10	270	0.44	0.22	12.20	2.30	17.30	6.9	18
CC72253		0.30	0.003	0.24	0.99	12	<0.2	<10	240	0.57	0.23	16.60	4.36	23.4	10.7	20
CC72254		0.14	<0.001	0.05	0.32	12.5	<0.2	<10	190	0.34	0.13	0.75	1.10	7.37	6.4	24
CC72255		0.14	0.002	1.33	0.66	69.4	<0.2	<10	650	1.03	0.47	0.76	2.67	10.50	16.2	44
CC72256		0.18	0.001	0.24	0.96	28.8	<0.2	<10	260	0.71	0.26	0.96	1.41	17.70	8.4	35
CC72257		0.16	0.002	0.24	0.95	18.4	<0.2	<10	260	0.60	0.18	7.25	2.52	23.9	6.9	31
CC72258		0.16	0.001	0.78	0.69	68.4	<0.2	<10	1720	0.95	0.30	1.12	0.75	21.3	9.8	15
CC72259		0.16	0.003	0.99	0.49	75.7	<0.2	<10	800	0.76	0.37	1.41	0.62	15.50	12.5	11
CC72260		0.16	0.001	1.20	0.54	62.5	<0.2	<10	580	0.99	0.38	0.80	1.96	11.40	14.0	22
CC72261		0.16	<0.001	2.89	0.32	30.9	<0.2	<10	1580	0.57	0.17	0.50	0.80	2.37	5.6	16
CC72262		0.16	0.001	1.59	0.63	28.3	<0.2	<10	1020	0.84	0.25	3.15	1.03	6.30	10.4	15
CC72263		0.04	0.002	0.53	0.55	11.3	<0.2	<10	520	0.47	0.18	5.56	2.46	15.75	5.7	18
CC72264		0.14	0.004	0.90	0.74	18.9	<0.2	<10	1120	0.77	0.21	0.23	0.35	4.35	3.9	26
CC72265		0.16	0.003	2.10	0.51	33.1	<0.2	<10	1280	0.91	0.20	1.13	1.53	5.80	5.9	34
CC72266		0.16	0.002	1.93	0.37	17.9	<0.2	<10	1130	0.73	0.18	0.91	0.53	3.27	2.9	22
CC72267		0.12	0.003	2.84	0.41	29.1	<0.2	<10	1620	0.64	0.15	1.63	1.29	7.13	6.0	26
CC72268		0.18	0.002	2.57	0.55	22.8	<0.2	<10	770	0.55	0.24	0.34	0.68	9.86	5.6	31
CC72269		0.16	0.002	0.69	1.03	59.3	<0.2	<10	330	0.68	0.28	4.23	2.69	18.60	14.3	22
CC72270		0.14	0.002	1.20	0.51	30.1	<0.2	<10	370	0.47	0.24	2.69	1.85	16.40	9.2	19
CC72271		0.16	0.002	0.95	0.71	202	<0.2	<10	170	0.50	0.18	1.94	1.65	17.25	16.5	26
CC72272		0.16	0.001	0.56	0.78	137.0	<0.2	<10	580	0.62	0.35	6.88	3.93	16.15	11.1	23
CC72273		0.24	0.001	0.19	0.41	80	<0.2	<10	230	0.33	0.15	>25.0	4.95	11.10	5.5	11
CC72274		0.20	0.001	1.38	0.42	254	<0.2	<10	580	0.93	0.33	2.01	1.65	9.07	11.1	11
CC72275		0.14	0.002	2.42	0.42	160.5	<0.2	<10	460	0.85	0.39	1.07	1.41	7.25	12.9	19
CC72276		0.22	0.001	0.18	0.94	19.7	<0.2	<10	530	1.12	0.31	0.43	0.36	10.60	16.6	18
CC72277		0.18	0.002	2.53	0.48	29.8	<0.2	<10	1350	0.58	0.19	0.29	1.07	13.05	6.9	41
CC72278		0.18	0.001	1.00	0.73	9.1	<0.2	<10	2400	0.52	0.20	1.20	0.95	13.35	6.7	18
CC72279		0.14	0.002	1.47	1.15	17.6	<0.2	<10	1360	0.93	0.23	0.64	0.78	18.30	8.3	30
CC72280		0.20	0.002	0.27	1.09	14.8	<0.2	<10	1290	0.63	0.21	9.71	2.23	19.85	11.8	19
CC72281		0.14	0.001	0.27	2.12	15.9	<0.2	<10	560	1.13	0.26	0.55	0.67	33.7	10.0	30
CC72282		0.14	0.002	0.42	1.63	17.3	<0.2	<10	260	0.96	0.27	1.26	2.46	38.9	13.5	29
CC72283		0.08	0.001	0.21	1.71	13.4	<0.2	<10	250	0.84	0.27	0.80	2.03	36.7	9.5	28
CC72284		0.10	0.001	0.06	2.32	12.4	<0.2	<10	200	0.94	0.35	0.34	0.57	41.9	11.7	33
CC72285		0.08	0.002	0.23	1.85	21.8	<0.2	<10	390	1.15	0.32	1.11	1.73	34.4	13.7	32
CC72286		0.10	0.001	0.42	1.61	20.6	<0.2	<10	470	1.15	0.35	1.08	4.57	27.1	12.8	25
CC72287		0.10	0.001	0.10	1.67	10.8	<0.2	<10	310	0.53	0.37	1.01	1.83	23.7	8.7	27
CC72288		0.06	0.003	0.26	1.54	13.6	<0.2	<10	300	0.81	0.27	0.91	1.18	31.3	10.9	27

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 27- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen)

CERTIFICATE OF ANALYSIS WH11163811

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
CC72150		1.71	34.4	4.56	5.32	0.11	0.03	0.02	0.040	0.06	10.5	42.4	0.43	796	0.99	<0.01
CC72151		1.34	26.3	4.89	4.58	0.12	0.03	0.02	0.060	0.06	15.0	13.1	0.26	1660	1.11	<0.01
CC72251		0.62	32.2	3.81	3.56	0.16	0.07	0.07	0.073	0.09	19.1	10.5	0.31	646	1.54	0.01
CC72252		0.47	18.1	1.85	2.03	0.12	0.03	0.05	0.026	0.06	17.5	6.3	0.23	579	1.30	0.02
CC72253		0.70	23.1	2.09	2.40	0.14	0.04	0.13	0.034	0.08	32.5	7.3	0.32	1060	1.56	0.02
CC72254		0.72	17.5	1.37	0.86	0.12	0.05	0.49	0.025	0.04	14.2	2.0	0.04	218	0.54	0.01
CC72255		0.73	114.0	4.26	3.09	0.15	0.07	0.16	0.077	0.09	11.8	5.3	0.08	176	37.8	0.01
CC72256		0.97	40.3	2.90	3.14	0.14	0.04	0.06	0.042	0.08	13.6	6.0	0.14	366	2.20	0.01
CC72257		0.42	19.7	1.78	2.12	0.15	0.03	0.10	0.029	0.06	36.1	5.6	0.19	897	1.35	0.02
CC72258		0.72	26.4	2.45	1.83	0.12	0.11	0.09	0.038	0.14	12.3	4.4	0.08	291	0.99	0.02
CC72259		2.36	34.5	2.86	1.24	0.12	0.04	0.20	0.039	0.15	8.4	3.0	0.08	225	1.31	0.01
CC72260		0.87	78.6	4.01	1.90	0.15	0.04	0.16	0.066	0.12	10.1	3.6	0.08	197	15.80	0.01
CC72261		1.08	53.1	3.12	0.86	0.13	0.07	0.16	0.032	0.08	1.5	1.0	0.03	63	7.17	0.01
CC72262		1.06	52.3	3.02	1.77	0.12	0.03	0.20	0.046	0.12	5.0	5.8	0.09	236	4.68	0.02
CC72263		0.49	20.4	1.52	1.46	0.15	0.05	0.16	0.023	0.06	26.2	3.3	0.13	925	1.34	0.02
CC72264		0.79	55.5	2.57	2.10	0.10	0.03	0.17	0.035	0.06	2.6	2.9	0.04	78	5.05	0.01
CC72265		0.70	62.3	3.27	1.57	0.13	0.06	0.26	0.040	0.10	3.4	2.3	0.04	151	7.40	0.02
CC72266		1.08	78.4	2.19	1.11	0.14	0.06	0.17	0.032	0.10	2.1	1.5	0.02	41	6.99	0.01
CC72267		0.45	46.2	2.64	1.22	0.13	0.05	0.25	0.030	0.06	3.5	2.3	0.04	143	6.79	0.02
CC72268		0.61	41.9	2.75	2.10	0.13	0.03	0.14	0.041	0.16	6.1	2.4	0.05	128	4.61	0.01
CC72269		0.66	30.1	3.55	2.65	0.14	0.04	0.07	0.038	0.06	18.0	7.1	0.24	648	5.81	0.02
CC72270		0.54	27.2	2.35	1.51	0.13	0.04	0.17	0.041	0.06	14.4	3.3	0.11	388	8.19	0.01
CC72271		0.70	20.8	2.30	1.97	0.15	0.04	0.13	0.033	0.04	18.5	5.6	0.16	303	10.75	0.01
CC72272		0.53	36.9	2.31	2.00	0.16	0.09	0.08	0.040	0.08	22.0	5.0	0.36	554	3.37	0.02
CC72273		0.41	11.6	0.95	0.95	0.13	0.06	0.09	0.017	0.05	18.7	2.5	0.63	671	0.86	0.02
CC72274		3.56	36.1	2.91	1.03	0.12	0.04	0.23	0.054	0.13	6.8	1.9	0.07	196	1.58	0.01
CC72275		0.28	71.5	2.52	1.39	0.13	0.06	0.21	0.061	0.10	5.1	1.8	0.07	115	6.43	0.01
CC72276		1.45	50.2	5.32	3.16	0.11	0.08	0.14	0.053	0.16	3.6	15.4	0.17	634	6.13	0.02
CC72277		1.08	71.4	2.85	1.40	0.13	0.02	0.13	0.033	0.08	9.0	1.6	0.03	190	4.65	0.01
CC72278		0.56	30.1	2.10	2.20	0.12	0.03	0.14	0.036	0.04	8.4	4.0	0.06	154	4.13	0.02
CC72279		0.65	40.4	2.73	3.28	0.14	0.06	0.12	0.040	0.07	13.8	8.6	0.21	294	3.28	0.02
CC72280		0.50	22.8	2.17	2.81	0.09	0.03	0.08	0.029	0.07	19.6	8.6	0.35	566	1.44	0.03
CC72281		1.43	22.9	3.19	5.41	0.10	0.04	0.05	0.036	0.07	17.6	13.6	0.33	434	2.41	0.03
CC72282		0.85	24.9	2.87	3.83	0.12	0.04	0.10	0.037	0.06	31.1	11.8	0.41	636	2.14	0.04
CC72283		1.07	15.0	2.88	5.22	0.12	<0.02	0.05	0.031	0.13	25.1	12.9	0.33	664	1.61	0.03
CC72284		1.67	14.3	3.27	6.60	0.10	0.02	0.05	0.038	0.06	29.9	16.3	0.40	720	1.48	0.03
CC72285		1.35	19.7	3.24	5.35	0.12	0.03	0.08	0.042	0.08	29.4	13.2	0.38	838	2.06	0.03
CC72286		1.06	23.0	3.38	4.31	0.11	0.05	0.10	0.039	0.09	22.6	10.3	0.24	779	2.30	0.03
CC72287		1.40	11.3	3.06	6.44	0.10	<0.02	0.04	0.034	0.06	17.0	14.7	0.34	724	1.02	0.03
CC72288		1.05	16.5	2.83	4.10	0.09	0.02	0.06	0.029	0.06	20.5	11.7	0.39	606	1.70	0.03

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 27- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen)

CERTIFICATE OF ANALYSIS WH11163811

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
CC72150		0.55	30.6	640	24.6	9.0	<0.001	0.01	0.59	3.5	0.6	0.5	14.1	<0.01	0.06	2.8
CC72151		0.66	23.9	650	20.0	9.4	<0.001	0.01	0.55	6.6	0.9	0.5	12.3	<0.01	0.05	2.1
CC72251		0.47	54.1	1690	26.3	7.4	<0.001	0.05	1.12	3.6	2.0	0.6	28.0	<0.01	0.37	1.8
CC72252		0.28	25.0	1400	12.6	5.0	<0.001	0.11	0.80	0.9	1.5	0.3	67.7	<0.01	0.20	0.3
CC72253		0.29	34.3	1930	17.0	6.7	0.001	0.12	0.86	1.9	1.9	0.4	84.4	<0.01	0.12	0.5
CC72254		0.17	56.7	990	11.7	3.7	<0.001	0.01	1.64	3.8	1.1	0.4	25.0	<0.01	0.07	0.7
CC72255		0.15	252	620	34.6	6.7	0.002	0.02	2.06	7.2	13.6	1.4	16.2	<0.01	0.19	2.2
CC72256		0.45	103.0	1260	17.5	8.1	<0.001	0.04	1.46	4.7	1.8	0.7	24.8	<0.01	0.08	1.1
CC72257		0.32	30.4	1910	13.5	6.1	<0.001	0.20	0.98	1.0	2.5	0.4	65.6	0.01	0.07	0.3
CC72258		0.16	42.5	760	20.3	8.1	0.004	0.14	1.19	3.8	1.6	0.5	30.9	<0.01	0.10	2.2
CC72259		0.11	62.2	460	23.8	9.5	0.003	0.09	1.50	5.0	2.8	0.5	25.0	<0.01	0.19	3.2
CC72260		0.11	180.0	770	25.7	8.9	0.003	0.04	1.59	7.1	9.1	0.8	26.7	<0.01	0.12	3.0
CC72261		<0.05	142.5	1490	9.4	6.5	0.009	0.06	1.55	4.7	6.7	0.3	109.0	<0.01	0.12	1.5
CC72262		0.06	89.8	1150	16.3	8.6	0.002	0.12	1.11	4.9	4.5	0.5	70.9	<0.01	0.15	2.0
CC72263		0.19	27.8	2260	12.1	5.0	0.002	0.22	0.71	1.3	4.2	0.3	57.5	<0.01	0.24	0.4
CC72264		0.10	48.9	890	11.3	8.6	<0.001	0.04	1.01	4.3	4.7	0.5	51.2	<0.01	0.10	0.8
CC72265		0.05	91.0	2210	13.5	7.4	0.003	0.22	2.43	6.8	6.7	0.4	227	<0.01	0.13	1.2
CC72266		0.05	73.1	870	8.9	7.8	0.015	0.28	1.28	6.1	10.2	0.4	153.0	<0.01	0.08	0.6
CC72267		0.13	107.5	1190	9.6	4.9	0.004	0.17	2.00	4.4	11.8	0.3	164.0	<0.01	0.06	0.5
CC72268		0.14	56.6	1850	15.2	10.8	0.003	0.34	1.28	3.3	9.1	0.4	102.0	<0.01	0.25	1.5
CC72269		0.26	89.0	1630	16.2	7.2	0.001	0.12	1.05	1.7	3.2	0.5	43.4	<0.01	0.33	0.5
CC72270		0.18	50.4	1140	15.1	4.5	0.002	0.13	0.99	1.3	3.9	0.4	34.0	<0.01	0.29	0.5
CC72271		0.29	87.7	920	25.6	4.6	0.002	0.04	1.99	2.7	2.8	0.3	18.9	<0.01	0.07	0.8
CC72272		0.28	39.7	2640	68.7	6.1	<0.001	0.14	1.98	1.9	3.1	0.5	81.6	0.01	0.29	0.8
CC72273		0.12	14.8	1620	20.4	3.9	<0.001	0.06	0.63	1.7	1.5	0.2	214	<0.01	0.17	0.7
CC72274		0.08	58.7	510	63.9	11.9	0.004	0.08	2.97	3.6	3.5	0.4	27.0	<0.01	0.21	0.7
CC72275		0.05	132.0	280	22.1	4.0	0.004	0.02	1.96	5.7	8.7	0.7	15.4	<0.01	0.13	1.7
CC72276		0.06	55.5	810	22.2	12.8	0.001	0.26	0.48	5.7	1.4	0.6	39.0	<0.01	0.08	4.4
CC72277		0.06	98.4	1610	9.2	7.6	0.002	0.01	1.49	4.1	5.6	0.4	31.7	<0.01	0.11	1.3
CC72278		0.22	48.3	1160	12.3	5.1	0.001	0.10	0.95	2.8	2.7	0.3	23.5	<0.01	0.15	0.7
CC72279		0.30	56.1	970	14.0	8.0	0.001	0.07	1.01	4.8	3.1	0.5	32.1	<0.01	0.09	1.5
CC72280		0.44	37.3	1280	15.0	5.5	<0.001	0.10	0.85	2.7	1.0	0.4	79.1	<0.01	0.18	0.8
CC72281		0.68	35.2	740	21.5	10.9	0.001	0.06	0.87	3.9	1.5	0.6	17.4	<0.01	0.08	1.7
CC72282		0.75	44.8	1150	19.4	8.2	0.001	0.07	1.06	4.4	1.4	0.5	25.3	<0.01	0.13	2.1
CC72283		0.74	26.7	1020	14.9	8.2	0.001	0.08	0.77	2.0	1.0	0.6	18.5	<0.01	0.10	0.5
CC72284		0.63	22.6	860	18.4	13.3	<0.001	0.06	0.71	1.8	1.1	0.7	12.8	<0.01	0.13	0.5
CC72285		0.78	29.9	1110	23.4	12.0	<0.001	0.08	0.96	3.0	1.5	0.6	23.7	<0.01	0.12	1.1
CC72286		0.52	32.8	800	28.7	10.7	0.001	0.08	0.91	3.7	1.7	0.6	22.0	<0.01	0.11	1.4
CC72287		0.81	16.4	1080	19.8	8.0	0.001	0.09	0.61	1.7	0.6	0.7	18.8	<0.01	0.14	0.5
CC72288		0.77	28.9	740	15.6	8.4	<0.001	0.07	0.79	2.9	1.0	0.5	18.4	<0.01	0.06	1.1

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 27- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen)

CERTIFICATE OF ANALYSIS WH11163811

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
CC72150		0.012	0.11	0.81	39	0.11	6.71	89	0.9
CC72151		0.017	0.14	0.67	47	0.13	16.80	99	0.8
CC72251		0.017	0.20	0.85	50	0.15	43.1	341	1.6
CC72252		0.010	0.12	0.98	32	0.15	30.7	211	0.7
CC72253		0.012	0.15	0.80	33	0.12	51.3	227	0.9
CC72254		0.006	0.09	1.93	25	0.05	30.5	181	1.5
CC72255		<0.005	0.16	2.11	56	0.05	36.3	794	2.1
CC72256		0.013	0.15	2.37	49	0.11	26.1	346	1.1
CC72257		0.009	0.10	0.60	35	0.10	74.9	252	0.9
CC72258		<0.005	0.29	1.96	24	0.06	24.2	144	2.9
CC72259		<0.005	0.38	1.11	17	0.07	18.45	174	1.5
CC72260		<0.005	0.16	1.57	29	0.05	30.6	534	2.1
CC72261		<0.005	0.10	1.61	39	<0.05	27.2	325	3.4
CC72262		<0.005	0.12	1.30	33	<0.05	24.2	253	1.4
CC72263		0.005	0.12	3.30	26	0.05	48.5	159	1.4
CC72264		<0.005	0.20	2.12	58	0.05	21.1	182	0.9
CC72265		<0.005	0.29	3.58	87	<0.05	35.9	321	2.7
CC72266		<0.005	0.17	4.48	36	<0.05	38.7	269	2.7
CC72267		<0.005	0.18	4.68	51	0.05	36.8	313	2.2
CC72268		<0.005	0.33	3.19	58	0.07	21.1	231	0.9
CC72269		0.008	0.18	0.98	43	0.13	41.3	490	1.3
CC72270		0.005	0.24	0.95	30	0.07	28.8	224	1.1
CC72271		0.011	0.23	3.39	34	0.27	38.9	241	1.1
CC72272		0.010	0.20	2.50	34	0.10	56.2	564	2.2
CC72273		0.007	0.09	1.17	16	0.05	38.0	656	1.5
CC72274		<0.005	0.32	0.71	23	0.05	21.5	273	1.2
CC72275		<0.005	0.10	0.78	35	<0.05	21.0	506	2.1
CC72276		<0.005	0.48	1.22	29	<0.05	14.10	147	3.3
CC72277		<0.005	0.21	3.73	54	0.06	30.6	292	0.5
CC72278		<0.005	0.13	1.65	38	0.06	21.9	163	0.8
CC72279		0.007	0.15	1.67	56	0.12	32.2	179	1.6
CC72280		0.013	0.06	0.75	38	0.14	31.6	166	0.9
CC72281		0.010	0.14	0.92	60	0.27	19.30	141	1.0
CC72282		0.023	0.10	1.47	45	0.16	37.0	166	1.2
CC72283		0.020	0.09	0.99	54	0.30	29.2	186	<0.5
CC72284		0.020	0.16	0.93	61	0.22	30.3	128	<0.5
CC72285		0.013	0.14	0.90	55	0.22	36.4	132	1.0
CC72286		0.007	0.12	1.19	43	0.15	31.0	192	1.1
CC72287		0.024	0.11	0.75	64	0.20	18.65	230	<0.5
CC72288		0.020	0.10	1.51	47	0.29	21.6	112	0.6

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 27- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen)

CERTIFICATE OF ANALYSIS WH11163811

Sample Description	Method	WEI- 21	Au- TL43	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Recvd Wt.	Au	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
CC72289		0.10	0.002	0.25	1.62	14.3	<0.2	<10	290	1.01	0.29	1.32	1.35	27.4	8.7	27
CC72290		0.06	0.002	0.12	1.46	11.1	<0.2	<10	290	0.58	0.27	1.36	1.02	18.75	7.1	21
CC72291		0.12	0.002	0.19	1.69	14.5	<0.2	<10	300	0.78	0.32	1.00	1.19	28.8	10.2	27
CC72292		0.18	0.001	1.90	0.87	27.8	<0.2	<10	890	1.01	0.24	0.42	0.89	9.69	8.0	29
CC72293		0.12	0.001	1.00	1.37	22.4	<0.2	<10	510	0.94	0.28	0.31	0.68	18.75	7.4	30
CC72294		0.16	0.001	1.35	0.79	21.4	<0.2	<10	760	0.72	0.21	0.52	0.62	9.70	5.4	26
CC72295		0.10	0.003	0.87	0.93	12.5	<0.2	<10	370	0.65	0.20	1.41	1.09	20.6	8.2	23
CC72296		0.08	0.003	0.13	1.78	6.1	<0.2	<10	360	0.21	0.36	0.58	0.49	23.4	2.4	22
CC72297		0.08	0.001	0.08	1.65	6.2	<0.2	<10	590	0.26	0.35	0.83	0.95	19.35	6.5	23
CC72298		0.12	0.001	0.06	1.46	17.5	<0.2	<10	330	0.46	0.30	0.48	1.18	14.65	9.2	21
CC72299		0.14	0.001	0.30	0.96	16.7	<0.2	<10	120	0.18	0.25	0.12	0.34	12.15	5.4	18
CC72300		0.08	0.002	0.17	1.94	17.4	<0.2	<10	240	0.93	0.29	0.26	0.40	29.6	12.6	28
CC72301		0.10	0.002	0.18	1.04	15.2	<0.2	<10	280	0.65	0.18	2.35	1.76	15.30	10.1	22
ZZ07069		0.44	0.002	0.14	0.68	44.4	<0.2	<10	110	1.16	0.40	1.35	0.42	9.29	22.4	10
ZZ07070		0.36	0.005	0.14	2.27	19.1	<0.2	<10	380	1.85	0.40	0.26	0.39	16.85	40.1	30
ZZ07071		0.28	0.004	0.07	2.39	12.7	<0.2	<10	150	1.69	0.34	0.27	0.29	19.35	40.1	31
ZZ07072		0.26	0.004	0.13	1.81	8.5	<0.2	<10	140	1.71	0.40	0.29	0.50	13.15	41.0	23
ZZ07073		0.38	0.008	0.28	2.48	6.0	<0.2	<10	120	2.02	0.38	0.22	0.51	27.8	71.8	35
ZZ07074		0.20	0.010	0.32	1.89	18.6	<0.2	<10	130	2.45	0.32	0.84	0.85	21.1	46.3	25
ZZ07075		0.20	0.002	0.11	1.84	12.0	<0.2	<10	300	1.51	0.33	0.18	0.25	14.55	38.6	24
ZZ07076		0.20	0.005	0.20	2.45	4.7	<0.2	<10	160	1.68	0.24	1.47	0.71	52.5	53.7	33
ZZ07077		0.20	0.005	0.12	3.30	7.4	<0.2	<10	100	1.78	0.28	0.30	0.42	44.5	70.8	44
ZZ07078		0.28	0.006	0.23	2.82	5.4	<0.2	<10	110	1.51	0.22	1.07	0.62	48.3	59.0	40
ZZ07079		0.28	0.004	0.13	2.62	8.7	<0.2	<10	150	1.54	0.25	0.70	0.41	45.6	54.7	38
ZZ07080		0.28	0.009	0.20	0.99	12.4	<0.2	<10	110	1.20	0.25	1.10	0.61	23.5	36.3	24
ZZ07081		0.28	0.004	0.17	2.55	5.5	<0.2	<10	120	1.39	0.19	0.99	0.50	42.0	45.4	38
ZZ07082		0.26	0.007	0.27	3.29	12.5	<0.2	<10	270	1.62	0.24	0.67	0.64	52.7	55.8	47
ZZ07083		0.26	0.005	0.09	2.61	26.2	<0.2	<10	180	1.36	0.35	0.07	0.27	23.0	45.4	40
ZZ07084		0.22	0.004	0.12	2.71	13.8	<0.2	<10	400	1.13	0.25	0.61	0.61	61.9	40.9	39
ZZ07085		0.28	0.007	0.13	2.99	15.9	<0.2	<10	160	1.09	0.19	1.05	0.66	56.9	54.9	43
ZZ07086		0.24	0.008	0.23	2.40	8.2	<0.2	<10	220	1.02	0.19	1.50	0.55	40.0	51.3	35
ZZ07087		0.28	0.004	0.08	2.03	13.9	<0.2	<10	160	0.72	0.21	0.30	0.28	35.3	32.5	35
ZZ07088		0.22	0.007	0.14	1.60	19.1	<0.2	<10	110	0.88	0.28	0.47	0.32	28.3	30.0	27
ZZ07091		0.18	0.003	0.13	1.50	170.0	<0.2	<10	110	0.63	0.28	0.07	0.25	21.3	22.2	29
ZZ07092		0.30	0.007	0.07	1.89	19.1	<0.2	<10	140	1.04	0.34	0.20	0.24	23.1	24.6	26
ZZ07093		0.30	0.008	0.12	2.69	13.3	<0.2	<10	130	0.88	0.24	0.47	0.52	36.7	48.0	39
ZZ07094		0.28	0.008	0.20	2.05	33.9	<0.2	<10	220	1.00	0.27	0.54	0.47	34.1	40.0	33
ZZ07095		0.26	0.003	0.09	2.17	22.4	<0.2	<10	170	0.82	0.29	0.41	0.29	24.8	28.7	34
ZZ07096		0.22	0.003	0.07	1.75	13.6	<0.2	<10	120	0.61	0.27	0.10	0.34	29.1	18.4	31
ZZ07097		0.24	0.005	0.21	0.82	28.2	<0.2	<10	140	0.86	0.30	0.33	0.31	25.6	22.5	20

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 27- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen)

CERTIFICATE OF ANALYSIS WH11163811

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
CC72289		1.01	15.9	2.92	4.61	0.12	0.03	0.08	0.032	0.07	26.1	10.4	0.32	640	1.25	0.03
CC72290		1.11	14.2	2.53	4.92	0.08	0.02	0.05	0.030	0.06	12.1	11.4	0.25	520	1.14	0.03
CC72291		1.27	15.6	3.37	5.13	0.10	0.03	0.06	0.033	0.07	20.0	12.0	0.30	903	1.42	0.03
CC72292		0.79	55.3	3.49	2.11	0.11	0.03	0.19	0.046	0.13	6.5	3.9	0.07	202	7.32	0.03
CC72293		1.00	35.5	3.10	3.66	0.09	0.03	0.08	0.044	0.11	11.1	8.2	0.13	252	4.98	0.02
CC72294		0.63	41.1	2.65	1.96	0.09	0.03	0.10	0.036	0.10	5.6	5.0	0.08	161	4.77	0.03
CC72295		0.67	28.0	2.31	2.47	0.10	0.04	0.14	0.027	0.06	16.3	7.0	0.23	516	2.52	0.04
CC72296		0.99	3.7	1.59	9.84	0.09	<0.02	0.02	0.025	0.05	12.6	11.0	0.21	86	1.01	0.03
CC72297		1.22	7.9	2.12	7.81	0.08	<0.02	0.03	0.027	0.05	9.8	13.0	0.26	505	1.06	0.03
CC72298		1.19	12.4	3.15	5.27	0.07	0.02	0.04	0.032	0.07	7.1	11.6	0.23	732	1.63	0.03
CC72299		1.11	12.0	2.09	4.83	0.07	<0.02	0.02	0.020	0.06	5.9	9.8	0.16	268	2.32	0.02
CC72300		1.29	18.9	3.49	5.69	0.08	<0.02	0.04	0.038	0.07	13.4	18.2	0.38	473	1.72	0.03
CC72301		0.60	21.2	2.04	3.20	0.09	0.03	0.11	0.026	0.07	17.4	7.6	0.17	448	1.24	0.04
ZZ07069		1.24	54.2	4.40	2.03	0.10	0.04	0.24	0.049	0.11	2.2	8.2	0.92	1320	2.64	0.03
ZZ07070		3.54	135.0	5.89	7.37	0.12	0.08	0.07	0.067	0.11	4.6	41.2	1.08	808	0.62	0.03
ZZ07071		4.87	125.0	6.50	8.44	0.10	0.04	0.05	0.069	0.10	5.3	37.5	0.86	1650	0.86	0.02
ZZ07072		4.08	90.8	5.65	5.64	0.12	0.08	0.09	0.057	0.12	3.1	30.1	0.80	1340	1.07	0.03
ZZ07073		9.58	177.0	6.91	8.20	0.15	0.06	0.09	0.075	0.13	6.4	42.2	1.01	820	0.71	0.02
ZZ07074		5.43	124.5	4.45	5.94	0.13	0.17	0.11	0.052	0.12	7.3	30.5	0.77	1440	0.58	0.03
ZZ07075		6.08	61.0	4.68	5.48	0.10	0.07	0.06	0.049	0.09	3.9	28.0	0.64	1400	1.10	0.03
ZZ07076		3.97	159.0	5.09	8.08	0.15	0.05	0.07	0.071	0.08	16.0	26.7	0.92	4440	0.74	0.03
ZZ07077		4.25	160.0	6.69	10.90	0.13	0.04	0.05	0.089	0.10	12.2	48.9	1.56	1990	0.79	0.03
ZZ07078		3.11	179.5	5.77	9.29	0.15	0.05	0.10	0.080	0.09	14.4	42.0	1.39	2610	0.57	0.03
ZZ07079		5.15	142.0	5.85	8.70	0.14	0.05	0.09	0.078	0.08	12.6	39.5	1.13	2800	0.67	0.03
ZZ07080		2.48	155.5	5.23	3.38	0.13	0.06	0.18	0.064	0.10	8.1	14.4	0.48	1380	0.81	0.03
ZZ07081		2.77	143.5	5.31	8.99	0.14	0.05	0.11	0.070	0.08	13.5	39.7	1.30	2270	0.67	0.03
ZZ07082		4.03	176.0	6.39	11.00	0.21	0.07	0.12	0.085	0.10	18.3	50.0	1.69	3010	0.73	0.03
ZZ07083		5.35	116.0	6.41	9.74	0.10	0.08	0.07	0.080	0.10	7.7	27.8	0.93	1340	1.33	0.01
ZZ07084		4.45	107.0	5.15	10.45	0.14	0.10	0.06	0.082	0.06	20.2	29.7	1.01	4200	1.23	0.01
ZZ07085		2.13	128.5	5.87	11.55	0.14	0.08	0.09	0.090	0.06	15.2	35.1	1.44	3800	0.65	0.01
ZZ07086		1.96	127.5	4.70	9.16	0.13	0.10	0.13	0.070	0.07	13.7	26.5	1.17	2880	0.64	0.01
ZZ07087		4.20	80.6	4.74	8.35	0.09	0.04	0.05	0.060	0.06	11.6	28.5	0.78	1600	1.40	0.01
ZZ07088		4.58	93.1	4.77	6.14	0.12	0.08	0.08	0.059	0.07	11.0	20.3	0.61	1360	1.39	0.01
ZZ07091		2.73	77.1	5.43	7.57	0.08	0.02	0.24	0.059	0.06	9.1	11.0	0.34	1060	1.65	0.01
ZZ07092		2.30	77.3	4.93	6.64	0.10	0.06	0.06	0.058	0.10	7.7	22.6	0.79	1020	1.02	0.01
ZZ07093		3.82	128.5	5.48	10.10	0.13	0.07	0.07	0.077	0.08	19.0	30.2	1.06	1780	1.10	0.01
ZZ07094		2.18	166.0	7.73	7.77	0.16	0.10	0.11	0.078	0.09	14.8	24.0	1.07	1620	3.64	0.01
ZZ07095		1.83	110.0	6.66	8.69	0.10	0.06	0.04	0.069	0.10	10.6	24.3	0.86	1400	1.82	0.01
ZZ07096		1.92	69.8	4.80	8.10	0.09	0.02	0.05	0.055	0.06	12.7	17.0	0.40	854	1.55	0.01
ZZ07097		2.00	72.1	5.23	3.39	0.11	0.08	0.22	0.052	0.08	12.7	7.6	0.32	1620	14.60	<0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 27- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen)

CERTIFICATE OF ANALYSIS WH11163811

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
CC72289		0.72	23.9	890	18.2	8.0	0.001	0.08	0.63	2.9	1.4	0.6	19.9	<0.01	0.09	1.0
CC72290		0.80	17.8	1490	15.7	8.8	0.001	0.11	0.54	2.0	0.6	0.6	24.5	<0.01	0.07	0.7
CC72291		0.86	22.8	890	22.5	10.0	0.001	0.07	0.67	3.4	1.0	0.6	19.0	<0.01	0.06	1.5
CC72292		0.19	89.7	1460	15.1	10.7	0.003	0.30	1.86	4.7	7.9	0.5	112.5	<0.01	0.23	2.2
CC72293		0.34	58.8	1780	18.6	11.9	0.001	0.15	1.42	2.0	5.4	0.6	36.8	<0.01	0.18	0.7
CC72294		0.20	50.6	1450	12.5	8.9	0.002	0.17	1.45	2.9	4.5	0.4	53.2	<0.01	0.24	1.2
CC72295		0.56	39.4	1450	13.2	6.8	0.001	0.08	1.04	3.3	1.6	0.4	32.2	<0.01	0.12	1.2
CC72296		1.42	6.3	300	16.2	4.3	<0.001	0.05	0.26	2.2	0.3	1.1	17.3	<0.01	0.03	0.7
CC72297		1.09	10.9	480	15.8	6.6	<0.001	0.05	0.33	2.1	0.2	0.9	19.9	<0.01	0.05	0.8
CC72298		0.69	19.1	430	39.5	15.5	0.001	0.04	0.52	2.6	0.3	0.7	13.5	<0.01	0.04	2.1
CC72299		0.74	20.8	260	13.2	14.8	0.001	0.03	0.44	1.8	0.6	0.6	7.3	<0.01	0.06	1.4
CC72300		1.03	29.7	520	21.5	11.2	0.001	0.04	0.76	2.8	0.7	0.6	15.1	<0.01	0.05	1.4
CC72301		0.56	54.4	1180	13.6	9.0	0.001	0.11	0.85	2.0	1.7	0.4	39.8	<0.01	0.06	0.4
ZZ07069		0.10	29.0	570	39.4	5.3	0.001	0.04	1.04	8.9	0.8	0.4	27.5	<0.01	0.09	3.7
ZZ07070		0.13	47.9	690	25.9	6.9	0.002	0.04	0.40	12.4	1.5	0.6	15.4	<0.01	0.20	2.7
ZZ07071		0.32	36.6	1370	26.8	11.2	0.001	0.08	0.51	9.3	1.0	0.6	11.6	<0.01	0.15	1.3
ZZ07072		0.13	40.4	620	32.3	8.1	0.002	0.04	0.69	9.7	1.1	0.6	15.6	<0.01	0.15	3.7
ZZ07073		0.17	50.9	670	40.4	10.4	<0.001	0.04	0.36	15.6	2.3	0.8	20.3	<0.01	0.23	2.8
ZZ07074		0.20	40.7	1090	44.3	8.0	0.001	0.10	0.40	19.0	2.5	0.5	15.5	<0.01	0.15	2.5
ZZ07075		0.32	35.0	760	40.8	10.8	<0.001	0.06	0.68	5.9	0.8	0.5	8.8	<0.01	0.12	1.7
ZZ07076		0.28	32.0	1700	19.5	7.7	<0.001	0.16	0.38	18.7	2.3	0.4	36.5	<0.01	0.09	1.0
ZZ07077		0.32	44.4	1230	29.8	11.0	<0.001	0.09	0.46	20.6	1.5	0.7	11.5	<0.01	0.19	1.7
ZZ07078		0.23	43.0	1340	16.5	6.4	0.001	0.12	0.29	25.2	1.7	0.5	17.7	<0.01	0.11	1.8
ZZ07079		0.28	41.8	1430	19.4	8.5	<0.001	0.10	0.41	22.6	1.9	0.5	15.4	<0.01	0.13	1.6
ZZ07080		0.12	45.4	840	19.0	5.2	0.001	0.10	0.32	15.5	1.9	0.4	17.4	<0.01	0.15	1.1
ZZ07081		0.24	40.2	1470	15.4	6.2	<0.001	0.13	0.35	20.1	1.7	0.5	25.2	<0.01	0.09	1.1
ZZ07082		0.19	45.9	1210	23.8	7.1	<0.001	0.09	0.38	30.6	2.4	0.5	31.7	<0.01	0.13	1.2
ZZ07083		0.34	43.4	1600	24.9	14.6	0.001	0.07	0.56	8.6	1.2	0.6	9.4	0.01	0.24	1.5
ZZ07084		0.37	32.8	1660	25.6	13.4	<0.001	0.09	0.78	19.0	1.9	0.6	24.3	0.01	0.09	1.2
ZZ07085		0.22	39.5	1920	19.2	8.1	<0.001	0.14	0.43	20.1	1.8	0.4	35.0	0.01	0.11	0.9
ZZ07086		0.22	34.2	2080	17.9	5.8	0.001	0.18	0.35	18.1	1.9	0.3	39.2	0.01	0.10	1.0
ZZ07087		0.53	33.3	1020	13.4	9.6	<0.001	0.06	0.74	8.0	0.9	0.5	15.1	<0.01	0.09	1.1
ZZ07088		0.32	33.2	1040	18.6	8.4	0.001	0.07	0.66	14.1	1.5	0.4	17.3	0.01	0.16	1.6
ZZ07091		0.54	25.2	1310	13.6	11.9	<0.001	0.11	0.78	5.1	1.1	0.6	14.3	<0.01	0.12	0.3
ZZ07092		0.22	33.8	920	19.1	9.1	0.001	0.05	0.52	9.6	1.1	0.5	10.0	<0.01	0.15	2.2
ZZ07093		0.43	34.1	1620	17.7	10.6	<0.001	0.13	0.49	14.2	2.0	0.5	16.3	0.01	0.14	0.6
ZZ07094		0.18	48.3	710	23.0	6.9	0.001	0.04	1.17	21.7	1.7	0.4	19.4	0.01	0.16	2.3
ZZ07095		0.24	36.6	1330	20.8	10.6	0.001	0.07	0.82	11.5	1.0	0.4	16.2	<0.01	0.14	1.4
ZZ07096		0.57	25.3	950	11.8	10.8	<0.001	0.06	0.73	3.7	0.8	0.6	10.1	<0.01	0.10	0.3
ZZ07097		0.14	34.0	660	26.7	6.3	0.001	0.05	1.27	15.5	1.4	0.3	12.3	0.01	0.09	1.9

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 27- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen)

CERTIFICATE OF ANALYSIS WH11163811

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
CC72289		0.014	0.10	1.01	49	0.16	36.4	120	0.7
CC72290		0.016	0.11	1.36	44	0.18	12.85	114	0.6
CC72291		0.017	0.12	1.13	53	0.20	21.5	155	0.6
CC72292		<0.005	0.30	2.82	64	<0.05	26.6	307	0.8
CC72293		<0.005	0.19	1.91	60	0.10	17.20	218	0.7
CC72294		<0.005	0.11	1.97	55	0.06	16.40	211	0.9
CC72295		0.015	0.08	1.83	41	0.10	28.4	154	1.3
CC72296		0.029	0.17	0.62	89	0.20	3.42	44	<0.5
CC72297		0.023	0.12	0.71	72	0.18	4.38	75	<0.5
CC72298		0.008	0.14	0.67	53	0.14	3.53	156	0.5
CC72299		0.010	0.10	0.44	60	0.13	2.06	175	<0.5
CC72300		0.018	0.11	1.25	60	0.24	7.07	124	<0.5
CC72301		0.008	0.05	3.03	38	0.10	34.6	195	0.7
ZZ07069		<0.005	0.17	0.41	22	<0.05	13.95	84	2.6
ZZ07070		<0.005	0.05	0.38	52	<0.05	23.6	98	2.5
ZZ07071		0.007	0.08	0.41	67	0.05	12.30	93	1.1
ZZ07072		0.005	0.15	0.56	35	<0.05	16.30	96	4.2
ZZ07073		0.006	0.10	0.49	60	<0.05	27.9	114	2.5
ZZ07074		0.005	0.06	0.64	41	<0.05	35.6	72	4.5
ZZ07075		0.006	0.15	0.41	41	0.05	8.59	71	2.2
ZZ07076		0.009	0.10	0.43	85	0.06	42.2	71	1.2
ZZ07077		0.007	0.08	0.30	104	<0.05	22.6	98	0.9
ZZ07078		0.006	0.06	0.34	94	<0.05	34.8	79	1.2
ZZ07079		0.007	0.07	0.34	89	0.05	31.3	80	1.2
ZZ07080		<0.005	0.07	0.38	65	<0.05	26.8	82	1.6
ZZ07081		0.006	0.05	0.26	96	<0.05	31.5	73	1.1
ZZ07082		0.006	0.07	0.29	110	<0.05	53.1	88	1.3
ZZ07083		0.008	0.17	0.48	80	0.07	9.36	103	2.0
ZZ07084		0.017	0.18	0.48	102	0.15	32.6	95	1.0
ZZ07085		0.008	0.11	0.27	117	0.07	29.9	88	0.9
ZZ07086		0.008	0.10	0.31	95	0.07	30.4	72	1.3
ZZ07087		0.022	0.13	0.49	88	0.18	8.87	81	0.7
ZZ07088		0.013	0.17	0.48	57	0.13	18.70	74	1.5
ZZ07091		0.016	0.16	0.55	88	0.14	6.89	72	<0.5
ZZ07092		0.006	0.12	0.46	49	0.05	10.50	78	1.5
ZZ07093		0.011	0.15	0.43	96	0.10	29.5	70	0.6
ZZ07094		0.005	0.16	0.29	84	0.05	22.0	99	2.2
ZZ07095		0.005	0.13	0.31	82	0.06	11.20	90	1.3
ZZ07096		0.014	0.16	0.51	91	0.22	5.23	77	<0.5
ZZ07097		0.005	0.35	0.41	46	0.06	25.0	65	1.1

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 27- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen)

CERTIFICATE OF ANALYSIS WH11163811

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- TL43 Au ppm 0.001	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1
ZZ07098		0.24	0.003	0.09	2.13	7.6	<0.2	<10	120	0.92	0.33	0.20	0.33	32.7	29.3	36
ZZ07099		0.22	0.003	0.11	2.44	7.5	<0.2	<10	160	0.92	0.27	0.68	0.41	39.1	47.6	40
ZZ07100		0.28	0.003	0.17	1.79	4.7	<0.2	<10	210	0.70	0.28	0.38	0.33	28.1	23.6	31
ZZ07101		0.22	0.007	0.08	0.83	14.0	<0.2	<10	60	0.80	0.38	0.09	0.26	45.8	33.4	29
ZZ07102		0.24	0.003	0.20	0.42	39.0	<0.2	<10	90	1.05	0.38	0.20	0.16	24.8	23.9	30
ZZ07103		0.24	0.003	0.06	1.49	17.0	<0.2	<10	100	0.98	0.29	0.09	0.29	42.7	25.4	32
ZZ07104		0.24	0.002	0.03	0.88	18.6	<0.2	<10	40	0.29	0.32	0.04	0.08	28.0	14.6	19
ZZ07105		0.26	0.002	0.08	1.07	10.0	<0.2	<10	160	0.36	0.32	0.10	0.18	27.1	14.2	18
ZZ07106		0.28	0.002	0.05	1.58	14.1	<0.2	<10	90	0.51	0.34	0.04	0.16	35.9	22.2	27
ZZ07107		0.28	0.003	0.06	1.51	24.4	<0.2	<10	90	0.99	0.35	0.04	0.30	34.4	28.3	30
ZZ07108		0.20	0.004	0.04	1.83	12.5	<0.2	<10	120	0.36	0.33	0.09	0.22	26.1	7.9	28
ZZ07109		0.24	0.003	0.07	1.60	12.7	<0.2	<10	90	0.44	0.30	0.10	0.18	27.2	8.3	26
ZZ07110		0.20	0.002	0.05	1.18	7.4	<0.2	<10	110	0.18	0.24	0.04	0.08	26.1	5.5	16
ZZ07111		0.22	0.002	0.09	1.66	8.8	<0.2	<10	150	0.43	0.30	0.05	0.23	29.3	13.2	23
ZZ07112		0.32	0.004	0.10	3.06	9.5	<0.2	<10	220	1.10	0.27	0.66	0.52	35.6	66.9	42
ZZ07113		0.30	0.005	0.11	2.58	22.3	<0.2	<10	210	1.16	0.30	0.37	0.39	45.4	33.9	40
ZZ07114		0.18	0.005	0.14	1.73	4.9	<0.2	<10	370	0.63	0.22	1.71	1.02	23.8	21.8	24
ZZ07115		0.08	0.004	0.11	0.87	4.5	<0.2	<10	580	0.51	0.18	1.93	0.50	14.15	10.1	13
ZZ07116		0.16	0.006	0.18	1.78	11.2	<0.2	<10	590	1.00	0.22	1.47	0.33	27.9	20.2	25
ZZ07117		0.14	0.004	0.11	1.76	13.6	<0.2	<10	370	0.67	0.29	0.94	0.34	20.3	20.8	28
ZZ07118		0.18	0.005	0.14	1.75	11.2	<0.2	<10	290	0.79	0.25	1.11	0.24	21.6	15.6	27
ZZ07119		0.20	0.005	0.18	1.92	12.3	<0.2	<10	300	0.88	0.30	0.93	0.25	28.2	19.4	29
ZZ07120		0.16	0.005	0.14	1.66	12.2	<0.2	<10	290	0.74	0.27	1.23	0.22	21.4	17.2	25
ZZ07121		0.24	0.004	0.15	1.55	12.9	<0.2	<10	220	0.85	0.28	0.76	0.23	23.1	15.8	24
ZZ07122		0.26	0.004	0.13	1.49	12.0	<0.2	<10	200	0.81	0.25	0.84	0.24	22.0	15.3	22
ZZ07123		0.22	0.007	0.20	1.66	12.1	<0.2	<10	260	0.87	0.26	1.01	0.23	23.0	16.1	26
ZZ07124		0.32	0.003	0.07	1.80	15.3	<0.2	<10	100	0.86	0.32	0.07	0.20	30.6	17.0	24
ZZ07125		0.30	0.003	0.06	2.07	14.1	<0.2	<10	120	0.82	0.29	0.06	0.28	30.8	18.8	28
ZZ07126		0.40	0.003	0.02	1.73	12.3	<0.2	<10	90	0.69	0.27	0.07	0.13	28.2	14.1	26
ZZ07127		0.20	0.003	0.04	1.75	11.1	<0.2	<10	190	0.82	0.28	0.10	0.18	26.5	13.2	27
ZZ07128		0.22	0.005	0.11	1.67	9.0	<0.2	<10	130	0.82	0.26	0.53	0.16	27.8	19.1	25
ZZ07129		0.10	0.003	0.11	1.35	8.7	<0.2	<10	330	0.79	0.22	1.31	0.18	15.70	11.1	19
ZZ07130		0.32	0.004	0.08	1.53	10.3	<0.2	<10	120	0.72	0.26	0.53	0.20	23.9	15.0	23
ZZ07131		0.16	0.005	0.15	0.86	7.1	<0.2	10	220	0.46	0.15	2.94	0.40	14.20	8.7	15
ZZ07132		0.24	0.003	0.10	1.37	9.7	<0.2	<10	160	0.66	0.22	1.44	0.33	17.60	13.1	20
ZZ07133		0.28	0.006	0.18	1.62	14.6	<0.2	<10	270	1.04	0.24	1.05	0.28	21.8	17.1	25
ZZ07134		0.12	0.005	0.15	0.97	6.8	<0.2	10	270	0.63	0.16	2.71	0.46	13.60	8.9	14
ZZ07135		0.30	0.004	0.14	1.26	11.3	<0.2	<10	210	0.69	0.23	1.00	0.19	22.8	11.8	21
ZZ07136		0.32	0.004	0.08	1.34	7.5	<0.2	<10	100	0.73	0.24	2.32	0.24	23.5	16.5	18
ZZ07137		0.32	0.003	0.04	1.85	12.3	<0.2	<10	100	0.71	0.27	0.06	0.18	29.1	15.3	24

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 27- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen)

CERTIFICATE OF ANALYSIS WH11163811

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
ZZ07098		3.54	83.7	6.22	10.50	0.09	0.03	0.07	0.063	0.11	14.0	22.4	0.58	1150	1.17	0.01
ZZ07099		4.48	91.8	5.56	10.45	0.10	0.05	0.07	0.078	0.08	14.4	27.4	0.86	2540	1.23	0.01
ZZ07100		3.00	69.0	4.83	8.95	0.09	0.03	0.09	0.062	0.08	12.7	16.1	0.56	1300	0.89	0.01
ZZ07101		3.54	107.5	5.17	4.62	0.11	0.02	0.08	0.061	0.12	19.8	3.2	0.14	679	0.92	<0.01
ZZ07102		1.35	73.5	5.86	2.28	0.11	0.06	0.09	0.058	0.07	10.5	1.7	0.11	689	2.18	<0.01
ZZ07103		5.89	78.0	5.70	5.05	0.10	0.04	0.04	0.062	0.06	12.2	20.4	0.47	1090	1.12	<0.01
ZZ07104		1.05	47.0	4.39	6.11	0.07	0.03	0.02	0.038	0.07	11.3	6.3	0.14	280	1.60	<0.01
ZZ07105		1.25	47.0	4.16	8.62	0.08	0.02	0.04	0.037	0.10	11.6	4.9	0.19	381	1.22	<0.01
ZZ07106		2.24	73.3	5.67	9.57	0.10	0.03	0.06	0.052	0.09	16.0	14.2	0.40	777	1.16	<0.01
ZZ07107		4.24	95.7	6.56	5.60	0.11	0.03	0.05	0.065	0.08	12.8	18.0	0.44	1160	2.10	<0.01
ZZ07108		3.10	18.9	3.46	8.36	0.06	0.02	0.03	0.035	0.06	13.2	21.3	0.38	306	1.67	<0.01
ZZ07109		2.21	23.9	3.10	6.97	0.06	<0.02	0.04	0.032	0.05	13.6	16.7	0.36	263	1.65	0.01
ZZ07110		1.75	12.4	2.33	7.32	0.05	<0.02	0.09	0.021	0.05	13.6	12.1	0.16	333	1.07	<0.01
ZZ07111		2.03	31.1	3.99	8.92	0.07	0.03	0.04	0.038	0.06	14.6	19.0	0.33	885	1.32	<0.01
ZZ07112		2.90	96.6	6.43	11.55	0.11	0.07	0.06	0.094	0.07	13.2	35.0	1.38	2590	0.79	0.01
ZZ07113		5.18	138.5	7.01	10.30	0.13	0.07	0.14	0.087	0.09	19.9	28.0	0.90	2400	1.12	0.01
ZZ07114		2.86	102.5	3.16	6.99	0.07	0.06	0.15	0.054	0.06	11.1	13.2	0.50	2340	1.02	0.02
ZZ07115		3.41	63.2	1.86	3.74	<0.05	0.03	0.15	0.030	0.06	7.4	5.1	0.21	633	0.93	0.02
ZZ07116		6.20	138.0	4.07	6.14	0.11	0.10	0.19	0.055	0.07	15.7	21.8	0.66	1480	0.77	0.01
ZZ07117		5.82	82.3	4.41	7.32	0.08	0.07	0.17	0.057	0.08	11.3	22.3	0.58	1400	1.35	0.01
ZZ07118		4.32	99.2	3.73	6.01	0.09	0.08	0.12	0.045	0.08	13.4	27.2	0.67	648	0.92	0.01
ZZ07119		3.79	83.2	4.21	6.33	0.09	0.09	0.14	0.049	0.09	14.2	30.4	0.69	862	0.93	0.01
ZZ07120		2.42	74.0	3.99	5.40	0.09	0.07	0.11	0.041	0.07	11.0	26.7	0.65	746	0.88	0.01
ZZ07121		2.29	70.0	4.06	4.83	0.09	0.09	0.12	0.039	0.07	11.8	25.5	0.59	678	0.95	<0.01
ZZ07122		2.16	71.2	3.71	4.83	0.10	0.09	0.13	0.036	0.06	11.2	25.6	0.60	567	0.76	<0.01
ZZ07123		6.71	85.0	3.93	5.05	0.10	0.11	0.22	0.043	0.09	12.0	30.2	0.68	582	0.78	0.01
ZZ07124		2.06	50.8	4.69	6.21	0.10	0.08	0.05	0.044	0.05	14.6	30.3	0.45	590	1.19	<0.01
ZZ07125		1.93	50.0	4.36	5.93	0.10	0.07	0.04	0.042	0.05	14.5	43.8	0.60	341	1.06	<0.01
ZZ07126		1.39	68.5	4.43	5.65	0.10	0.06	0.04	0.034	0.04	13.4	35.8	0.71	440	0.62	<0.01
ZZ07127		2.65	72.0	4.13	7.51	0.10	0.04	0.04	0.043	0.07	13.2	24.8	0.47	524	1.03	<0.01
ZZ07128		1.49	87.6	3.95	5.61	0.12	0.12	0.12	0.037	0.07	13.5	39.8	0.80	406	0.46	<0.01
ZZ07129		1.37	65.0	3.02	3.93	<0.05	0.06	0.10	0.029	0.06	7.1	22.7	0.43	431	0.61	0.01
ZZ07130		1.41	52.9	3.70	4.89	<0.05	0.08	0.12	0.030	0.07	10.0	37.5	0.66	488	0.54	<0.01
ZZ07131		2.55	52.9	2.07	2.59	<0.05	0.04	0.16	0.024	0.04	6.1	11.4	0.39	806	0.57	0.01
ZZ07132		1.01	42.7	3.25	4.28	<0.05	0.05	0.08	0.033	0.06	7.4	27.8	0.57	672	0.72	0.01
ZZ07133		10.80	110.5	4.45	4.75	0.07	0.09	0.17	0.036	0.09	12.9	33.1	0.70	1110	0.76	0.01
ZZ07134		5.62	59.5	2.12	2.92	0.05	0.04	0.12	0.024	0.05	6.6	15.2	0.57	546	0.65	0.01
ZZ07135		0.92	55.7	3.17	3.97	0.05	0.05	0.09	0.031	0.05	11.6	28.5	0.54	527	0.72	0.01
ZZ07136		1.79	74.5	3.62	3.88	0.06	0.09	0.14	0.028	0.08	10.0	31.1	0.80	769	0.86	0.01
ZZ07137		0.99	42.4	4.05	4.86	<0.05	0.08	0.07	0.034	0.05	11.5	31.0	0.50	571	0.73	<0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 27- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen)

CERTIFICATE OF ANALYSIS WH11163811

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
ZZ07098		0.53	30.4	1250	17.9	17.0	<0.001	0.08	0.55	6.6	0.8	0.6	9.6	<0.01	0.14	1.3
ZZ07099		0.47	33.8	1630	20.2	12.6	<0.001	0.10	0.59	8.5	1.1	0.5	18.8	0.01	0.10	1.0
ZZ07100		0.37	23.5	1680	14.4	12.1	<0.001	0.16	0.41	4.7	1.0	0.5	13.0	<0.01	0.11	0.5
ZZ07101		0.27	37.2	990	23.1	12.9	<0.001	0.07	0.48	9.6	1.1	0.6	7.8	<0.01	0.18	1.9
ZZ07102		0.14	37.4	570	30.9	5.9	0.001	0.02	0.86	19.3	1.3	0.4	22.2	0.01	0.09	3.0
ZZ07103		0.32	39.7	830	19.3	9.1	<0.001	0.03	0.62	9.4	1.0	0.4	10.5	<0.01	0.10	1.9
ZZ07104		0.46	21.3	280	14.8	9.0	<0.001	0.01	0.69	5.2	0.5	0.6	10.3	<0.01	0.10	2.9
ZZ07105		0.54	17.4	470	13.3	10.9	<0.001	0.02	0.57	5.0	0.6	0.7	7.5	<0.01	0.12	2.5
ZZ07106		0.63	26.4	460	15.7	15.0	<0.001	0.02	0.49	6.7	0.6	0.7	7.2	<0.01	0.15	3.1
ZZ07107		0.38	40.5	800	25.0	11.7	<0.001	0.03	0.68	7.7	1.0	0.5	8.5	<0.01	0.16	1.5
ZZ07108		1.50	17.5	390	15.2	11.8	<0.001	0.03	0.66	3.3	0.5	0.9	10.4	<0.01	0.05	2.0
ZZ07109		0.55	19.0	680	14.7	9.5	<0.001	0.05	0.82	1.3	0.8	0.6	10.8	<0.01	0.06	0.2
ZZ07110		0.64	8.8	370	10.4	9.4	<0.001	0.02	0.36	2.2	0.4	0.7	7.4	<0.01	0.05	1.8
ZZ07111		0.97	14.7	340	13.6	13.8	<0.001	0.02	0.51	4.1	0.4	0.7	7.6	<0.01	0.08	2.8
ZZ07112		0.32	34.8	1440	23.2	11.9	<0.001	0.10	0.38	11.8	1.1	0.5	21.1	0.01	0.16	1.4
ZZ07113		0.42	35.8	1580	19.5	15.2	<0.001	0.08	0.52	13.6	1.6	0.6	17.6	0.01	0.16	1.1
ZZ07114		0.41	18.0	1760	11.4	10.0	<0.001	0.24	0.41	5.0	2.0	0.4	48.7	0.01	0.11	0.3
ZZ07115		0.48	11.1	1480	8.6	6.8	<0.001	0.25	0.39	2.7	1.3	0.3	53.1	0.01	0.07	0.2
ZZ07116		0.36	25.0	1280	15.4	8.5	<0.001	0.13	0.41	12.8	2.1	0.3	44.2	0.01	0.09	1.2
ZZ07117		0.44	23.4	1350	17.2	10.5	<0.001	0.14	0.51	9.3	1.9	0.4	32.5	0.01	0.09	0.9
ZZ07118		0.45	25.2	1110	13.5	10.5	<0.001	0.10	0.57	8.7	1.9	0.3	41.0	0.01	0.07	1.4
ZZ07119		0.47	28.2	970	17.1	10.8	<0.001	0.07	0.51	9.2	1.9	0.4	36.3	0.01	0.08	1.9
ZZ07120		0.36	26.8	1000	16.0	9.6	0.001	0.08	0.72	6.0	2.0	0.3	45.0	0.01	0.08	1.1
ZZ07121		0.42	29.3	690	17.5	9.4	<0.001	0.04	0.51	6.6	1.4	0.3	36.3	0.01	0.10	2.1
ZZ07122		0.34	28.3	770	16.0	8.1	<0.001	0.05	0.49	6.0	1.3	0.3	36.3	0.01	0.10	2.0
ZZ07123		0.40	29.8	770	16.9	12.2	0.001	0.06	0.53	8.2	2.3	0.4	41.9	0.01	0.11	2.1
ZZ07124		0.69	30.6	260	25.2	10.7	<0.001	0.01	0.54	4.7	0.7	0.5	9.1	0.01	0.11	5.4
ZZ07125		0.65	34.7	300	20.3	10.8	<0.001	<0.01	0.66	4.1	0.5	0.4	9.4	0.01	0.07	6.3
ZZ07126		0.27	31.1	440	16.7	6.5	<0.001	0.01	0.54	5.1	0.4	0.3	10.0	<0.01	0.08	4.8
ZZ07127		0.68	22.8	420	15.1	11.3	<0.001	0.01	0.51	6.1	0.6	0.6	11.4	<0.01	0.09	2.9
ZZ07128		0.25	37.0	570	15.9	5.9	<0.001	0.02	0.47	8.4	0.9	0.3	32.9	0.01	0.08	5.2
ZZ07129		0.25	22.0	1110	12.4	6.0	<0.001	0.10	0.49	3.5	1.0	0.2	52.2	<0.01	0.04	1.1
ZZ07130		0.25	33.8	510	14.1	6.4	<0.001	0.03	0.57	5.8	0.8	0.3	25.6	<0.01	0.07	2.8
ZZ07131		0.28	15.9	1270	10.8	4.3	0.001	0.16	0.46	1.7	3.5	0.2	86.9	<0.01	0.07	0.3
ZZ07132		0.23	25.3	770	13.3	6.4	0.001	0.07	0.52	3.7	1.2	0.3	51.4	<0.01	0.06	1.0
ZZ07133		0.28	35.9	800	15.1	9.2	0.001	0.06	0.54	12.7	1.7	0.3	45.3	<0.01	0.06	1.6
ZZ07134		0.34	18.8	1270	10.4	7.6	0.001	0.15	0.56	1.6	3.5	0.2	106.5	<0.01	0.04	0.4
ZZ07135		0.43	27.0	570	15.2	5.9	<0.001	0.04	0.64	4.5	1.7	0.3	40.0	<0.01	0.06	1.3
ZZ07136		0.12	31.5	540	16.6	5.1	0.002	0.02	0.56	5.9	0.8	0.2	82.3	<0.01	0.09	4.0
ZZ07137		0.48	30.8	360	17.1	7.1	<0.001	<0.01	0.56	3.9	0.6	0.4	6.7	<0.01	0.05	4.4

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 27- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen)

CERTIFICATE OF ANALYSIS WH11163811

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
ZZ07098		0.010	0.13	0.33	87	0.08	5.13	78	0.7
ZZ07099		0.015	0.12	0.40	97	0.13	12.45	79	1.0
ZZ07100		0.008	0.11	0.33	78	0.08	6.34	61	0.5
ZZ07101		0.007	0.14	0.48	72	<0.05	4.67	84	<0.5
ZZ07102		<0.005	0.14	0.41	88	<0.05	15.65	86	1.3
ZZ07103		0.009	0.13	0.42	66	0.08	9.90	81	0.8
ZZ07104		0.008	0.13	0.26	63	0.07	3.69	58	1.2
ZZ07105		0.011	0.12	0.26	74	0.08	3.13	41	0.8
ZZ07106		0.012	0.19	0.31	95	0.08	3.47	61	1.3
ZZ07107		0.009	0.21	0.45	68	0.07	6.81	90	0.5
ZZ07108		0.030	0.21	0.62	65	0.28	3.37	68	<0.5
ZZ07109		0.023	0.16	0.66	54	0.24	4.34	63	<0.5
ZZ07110		0.013	0.15	0.40	46	0.13	2.10	28	<0.5
ZZ07111		0.017	0.15	0.39	78	0.12	2.71	37	1.0
ZZ07112		0.007	0.12	0.28	111	0.05	11.70	87	1.4
ZZ07113		0.013	0.14	0.48	112	0.09	20.5	100	0.9
ZZ07114		0.013	0.12	0.41	61	0.06	12.00	83	1.3
ZZ07115		0.015	0.09	0.40	32	0.06	7.66	46	1.0
ZZ07116		0.010	0.11	0.54	52	0.07	24.5	61	1.8
ZZ07117		0.013	0.14	0.64	63	0.13	12.30	60	1.6
ZZ07118		0.012	0.10	0.84	44	0.09	16.50	76	2.0
ZZ07119		0.011	0.16	0.96	51	0.09	16.40	85	2.1
ZZ07120		0.009	0.12	0.84	44	0.08	11.45	87	1.9
ZZ07121		0.010	0.11	0.94	42	0.09	11.75	85	1.7
ZZ07122		0.008	0.09	0.80	38	0.07	10.85	77	1.8
ZZ07123		0.008	0.15	0.92	42	0.08	13.20	89	1.9
ZZ07124		0.012	0.13	0.65	55	0.12	4.26	59	2.7
ZZ07125		0.011	0.11	0.61	41	0.13	4.18	70	2.7
ZZ07126		0.006	0.07	0.47	42	0.05	5.37	71	1.6
ZZ07127		0.009	0.13	0.57	65	0.15	7.82	60	0.5
ZZ07128		0.006	0.06	0.63	39	0.06	11.70	74	3.4
ZZ07129		0.007	0.05	0.61	27	<0.05	9.66	49	1.7
ZZ07130		0.008	0.05	0.68	31	<0.05	9.05	88	2.5
ZZ07131		0.009	0.06	1.47	20	<0.05	7.91	54	1.0
ZZ07132		0.008	0.05	0.97	29	<0.05	7.59	78	1.6
ZZ07133		0.009	0.08	0.96	36	0.06	24.7	74	2.2
ZZ07134		0.010	0.05	1.87	20	0.05	9.34	73	1.1
ZZ07135		0.013	0.06	1.02	28	0.13	12.20	61	1.3
ZZ07136		0.006	0.05	0.39	26	<0.05	8.65	73	3.2
ZZ07137		0.011	0.07	0.59	37	0.09	4.78	59	2.4

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 27- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen)

CERTIFICATE OF ANALYSIS WH11163811

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- TL43 Au ppm 0.001	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1
ZZ07138		0.22	0.004	0.16	1.52	9.3	<0.2	<10	190	0.89	0.24	1.48	0.32	23.2	15.8	23
ZZ07139		0.24	0.004	0.13	1.51	19.3	<0.2	<10	130	0.92	0.29	0.66	0.23	23.3	17.8	22
ZZ07151		0.12	0.003	0.15	0.76	28.5	<0.2	<10	210	1.09	0.42	4.18	0.26	24.0	15.1	15
ZZ07152		0.18	0.002	0.06	0.35	21.0	<0.2	<10	60	1.02	0.33	1.07	0.11	15.35	11.7	10
ZZ07153		0.22	0.002	2.17	0.58	14.7	<0.2	<10	460	1.39	0.24	3.17	6.59	23.8	15.0	11
ZZ07154		0.20	0.005	2.69	0.76	55.6	<0.2	<10	220	0.74	0.24	0.69	6.00	24.6	3.9	49
ZZ07155		0.20	0.004	1.88	0.55	57.0	<0.2	<10	210	0.64	0.24	0.14	3.19	20.6	6.8	16
ZZ07156		0.28	0.002	0.13	0.52	7.9	<0.2	10	140	1.29	0.16	5.98	0.31	22.4	15.1	9
ZZ07157		0.36	0.002	0.08	0.46	7.9	<0.2	10	290	1.24	0.17	9.51	0.59	24.7	16.3	8
ZZ07158		0.18	0.002	0.11	1.49	10.7	<0.2	<10	210	1.10	0.14	0.34	0.28	44.2	19.5	30
ZZ07159		0.34	0.003	0.66	0.60	60.9	<0.2	<10	150	0.95	0.25	0.32	3.77	35.0	7.4	19
ZZ07160		0.24	0.002	0.24	1.00	23.7	<0.2	<10	320	1.75	0.11	1.61	0.71	71.5	21.2	12
ZZ07161		0.32	0.001	0.15	0.49	16.8	<0.2	<10	140	0.43	0.05	1.03	0.67	16.75	17.3	17
ZZ07162		0.14	0.001	0.08	1.17	16.9	<0.2	10	260	1.23	0.08	1.15	0.57	51.6	14.8	37
ZZ07163		0.16	0.002	0.32	0.58	17.8	<0.2	<10	310	1.12	0.17	2.23	0.33	26.1	8.5	17
ZZ07164		0.12	0.003	0.56	0.42	6.7	<0.2	<10	320	0.72	0.13	4.34	0.82	31.6	6.3	9
ZZ07165		0.20	0.002	0.52	0.25	9	<0.2	<10	130	0.62	0.13	13.20	1.73	25.4	6.6	8
ZZ07166		0.20	0.003	0.39	0.28	5	<0.2	<10	70	0.61	0.16	12.10	1.83	32.2	7.9	6
ZZ07167		0.20	0.002	0.56	0.25	15.9	<0.2	<10	90	0.52	0.14	9.55	2.41	23.1	7.8	7
ZZ07168		0.28	0.001	0.69	0.27	6	<0.2	<10	160	0.55	0.12	12.85	2.38	34.7	6.9	5
ZZ07169		0.20	0.002	0.61	0.33	18	<0.2	<10	150	0.54	0.14	14.50	1.87	23.5	7.4	12
ZZ07170		0.18	0.002	0.20	0.37	22	<0.2	10	120	0.68	0.14	15.60	0.71	25.3	9.1	10
ZZ07171		0.24	0.002	1.62	0.28	22	<0.2	<10	100	0.51	0.10	14.15	8.29	29.9	4.5	19
ZZ07172		0.16	0.002	1.44	0.41	29.0	<0.2	<10	280	0.80	0.16	4.06	4.99	45.3	10.6	8
ZZ07173		0.14	0.002	0.84	0.36	20.5	<0.2	<10	140	0.88	0.22	6.28	1.44	38.6	8.7	9
ZZ07174		0.18	0.002	0.82	0.38	6.6	<0.2	<10	280	0.89	0.16	6.96	1.69	38.8	7.3	11
ZZ07175		0.22	0.002	0.30	0.39	7	<0.2	<10	210	1.00	0.14	11.35	0.17	36.1	7.4	11
ZZ07176		0.20	0.001	0.13	0.44	17.1	<0.2	<10	400	0.41	0.05	0.84	0.28	18.20	22.9	42
ZZ07177		0.26	0.001	0.50	0.49	9.7	<0.2	<10	370	1.38	0.17	4.78	4.79	23.8	21.7	16
ZZ07178		0.22	0.002	0.09	0.45	8.0	<0.2	<10	130	0.98	0.38	0.41	0.11	8.56	12.8	10
ZZ07179		0.22	0.005	0.04	2.14	6.4	<0.2	<10	150	1.64	0.37	0.17	0.21	7.37	22.4	43
ZZ07180		0.20	0.003	0.09	0.63	8.2	<0.2	<10	160	1.05	0.32	0.70	0.07	10.80	13.5	15
ZZ07181		0.20	0.004	0.05	1.45	17.9	<0.2	<10	70	0.66	0.36	0.07	0.11	6.69	18.9	22
ZZ07182		0.30	0.002	0.04	2.34	3.9	<0.2	<10	280	1.36	0.37	0.18	0.12	10.95	18.4	43
ZZ07183		0.20	0.004	0.08	0.96	8.5	<0.2	<10	50	0.81	0.17	5.88	0.36	41.5	11.6	27
ZZ07184		0.26	0.011	0.27	0.45	9.4	<0.2	<10	170	0.91	0.21	1.08	0.34	45.9	14.6	24
ZZ07185		0.34	0.006	0.06	0.43	1.5	<0.2	<10	80	0.77	0.14	7.16	0.15	41.5	8.8	18
ZZ07186		0.24	0.006	0.30	1.01	12.9	<0.2	<10	120	0.76	0.20	1.34	0.55	48.3	11.7	21
ZZ07187		0.24	0.004	0.09	1.76	3.0	<0.2	<10	90	1.14	0.16	0.74	0.37	77.4	11.1	32
ZZ07188		0.12	0.003	0.18	0.52	8.5	<0.2	<10	110	0.66	0.11	1.01	0.25	45.0	7.3	29

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 27- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen)

CERTIFICATE OF ANALYSIS WH11163811

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
ZZ07138		0.90	70.6	3.35	4.55	0.05	0.07	0.14	0.035	0.07	10.4	27.8	0.61	810	0.65	0.01
ZZ07139		0.97	63.7	4.37	4.77	0.05	0.10	0.15	0.035	0.07	13.2	37.5	0.69	506	0.60	<0.01
ZZ07151		0.68	30.9	2.39	2.83	0.05	0.08	0.14	0.038	0.09	9.6	7.3	0.22	1200	1.72	0.01
ZZ07152		0.58	26.4	2.08	1.75	<0.05	0.04	0.05	0.039	0.10	5.4	1.9	0.31	1200	1.17	<0.01
ZZ07153		1.41	58.4	3.32	2.06	0.06	0.12	0.11	0.046	0.17	11.3	3.9	0.12	316	7.20	0.01
ZZ07154		2.52	182.0	1.68	5.03	0.09	0.03	0.26	0.028	0.15	18.3	2.6	0.06	43	82.6	0.01
ZZ07155		1.34	129.5	2.47	3.97	0.05	0.02	0.25	0.031	0.09	10.7	1.4	0.04	90	70.5	<0.01
ZZ07156		1.06	21.8	3.66	1.36	0.06	0.03	0.07	0.042	0.20	9.2	3.0	0.33	323	9.33	0.01
ZZ07157		1.42	20.1	3.77	1.46	0.07	0.04	0.06	0.049	0.21	10.8	3.2	0.45	344	17.85	0.01
ZZ07158		1.12	30.4	4.07	5.98	0.06	0.07	0.02	0.058	0.13	14.4	15.0	0.22	436	4.84	<0.01
ZZ07159		1.84	196.0	2.45	4.10	0.09	0.04	0.09	0.047	0.14	20.4	1.6	0.04	257	69.4	<0.01
ZZ07160		2.60	35.0	5.19	3.05	0.15	0.03	0.25	0.096	0.15	32.4	1.4	0.09	1160	4.00	<0.01
ZZ07161		1.98	24.6	4.56	1.24	0.05	0.02	0.11	0.040	0.09	6.6	2.3	0.04	147	3.94	0.01
ZZ07162		0.52	20.9	4.87	3.41	0.12	0.06	0.04	0.070	0.18	24.8	7.6	0.14	507	2.82	0.01
ZZ07163		0.27	49.1	2.97	1.72	0.06	0.08	0.14	0.051	0.08	20.4	1.9	0.05	331	4.75	0.01
ZZ07164		0.23	26.2	1.69	1.26	0.06	0.08	0.14	0.032	0.07	20.4	2.2	0.14	250	3.74	0.01
ZZ07165		0.28	23.8	1.61	0.77	0.06	0.02	0.15	0.029	0.11	15.8	1.5	2.37	138	5.91	0.01
ZZ07166		0.46	18.5	1.79	0.86	0.07	0.11	0.08	0.028	0.14	18.2	2.0	3.24	138	5.94	0.02
ZZ07167		0.25	20.5	2.03	0.66	<0.05	0.05	0.19	0.025	0.11	13.4	1.2	2.75	194	5.26	0.01
ZZ07168		0.46	20.3	1.62	0.73	0.06	0.04	0.06	0.025	0.12	19.7	1.8	1.15	174	3.99	0.01
ZZ07169		0.68	19.3	1.74	0.99	<0.05	0.04	0.08	0.027	0.13	14.2	1.5	4.69	119	9.02	0.02
ZZ07170		1.46	18.7	1.87	1.16	<0.05	0.09	0.18	0.025	0.15	13.3	1.9	4.14	142	8.67	0.01
ZZ07171		0.89	29.9	1.17	1.46	0.07	0.04	0.21	0.018	0.09	26.6	2.2	6.20	110	40.0	0.02
ZZ07172		0.77	26.7	2.75	1.35	0.09	0.04	0.12	0.033	0.12	32.1	3.0	0.13	221	14.65	0.01
ZZ07173		0.52	30.1	2.27	1.02	0.07	0.03	0.28	0.039	0.11	24.2	1.9	1.53	258	5.96	0.01
ZZ07174		0.16	29.7	2.03	1.23	0.06	0.05	0.15	0.036	0.09	26.7	2.1	0.25	332	5.82	0.01
ZZ07175		0.61	51.0	1.83	1.28	0.07	0.12	0.09	0.045	0.16	25.7	1.6	0.11	104	2.68	0.01
ZZ07176		0.63	22.8	7.36	1.41	0.11	0.05	0.08	0.054	0.17	6.8	5.4	0.04	298	2.66	0.03
ZZ07177		2.12	28.9	3.94	2.33	0.10	0.23	0.04	0.054	0.21	8.5	2.6	0.45	351	5.12	<0.01
ZZ07178		0.95	34.3	3.53	1.61	0.06	0.11	0.03	0.034	0.07	2.3	2.0	0.06	262	0.39	<0.01
ZZ07179		1.86	50.1	4.02	7.40	0.08	0.14	0.04	0.040	0.09	2.4	75.8	1.44	669	0.42	<0.01
ZZ07180		0.34	36.4	3.21	2.18	0.07	0.10	0.05	0.037	0.09	4.5	5.7	0.13	664	0.37	<0.01
ZZ07181		1.59	40.9	4.73	4.43	0.06	0.04	0.04	0.030	0.09	2.9	42.3	0.46	742	0.68	<0.01
ZZ07182		1.04	38.5	4.12	8.07	0.08	0.11	0.01	0.035	0.10	3.8	81.2	1.32	642	0.35	<0.01
ZZ07183		0.19	30.7	2.46	3.33	0.08	0.08	0.04	0.032	0.08	17.5	25.8	1.82	231	0.61	<0.01
ZZ07184		0.06	46.6	3.47	2.01	0.09	0.15	0.14	0.038	0.09	19.3	4.0	0.32	421	1.81	<0.01
ZZ07185		0.42	29.1	2.14	2.03	0.07	0.18	0.02	0.030	0.12	18.2	6.5	2.31	288	0.33	0.01
ZZ07186		0.29	29.0	2.86	2.94	0.08	0.09	0.07	0.034	0.06	14.4	10.6	0.28	360	1.43	<0.01
ZZ07187		0.51	24.8	2.98	6.13	0.12	0.11	0.04	0.033	0.08	33.4	56.1	1.42	447	0.30	<0.01
ZZ07188		0.24	22.9	1.92	1.99	0.07	0.08	0.09	0.025	0.04	19.0	6.9	0.21	359	0.55	<0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 27- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen)

CERTIFICATE OF ANALYSIS WH11163811

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
ZZ07138		0.34	32.7	870	15.1	6.7	0.001	0.07	0.60	5.4	1.5	0.3	70.0	<0.01	0.06	1.3
ZZ07139		0.13	36.3	350	18.7	5.1	0.001	0.02	0.95	8.2	0.9	0.2	33.0	<0.01	0.07	3.7
ZZ07151		0.39	27.2	410	22.3	6.5	0.001	0.03	0.74	4.1	0.9	0.5	54.6	<0.01	0.03	2.3
ZZ07152		0.07	20.9	270	16.4	5.7	<0.001	0.01	0.29	5.1	0.7	0.5	14.6	<0.01	0.01	3.7
ZZ07153		0.22	54.3	770	18.0	11.6	0.003	0.09	5.52	5.7	7.3	0.5	64.7	<0.01	0.09	2.6
ZZ07154		0.20	79.7	4290	46.3	12.1	0.005	0.13	42.0	0.8	13.7	0.8	40.5	<0.01	0.26	0.2
ZZ07155		0.11	94.7	1900	28.3	7.9	0.004	0.06	28.3	0.4	8.7	0.8	21.7	<0.01	0.23	0.2
ZZ07156		0.21	59.4	810	13.7	9.4	0.004	0.08	1.21	5.7	2.5	0.6	133.5	<0.01	0.02	2.8
ZZ07157		0.27	71.2	560	12.2	11.3	0.002	0.08	2.38	6.6	1.9	0.6	231	<0.01	0.02	3.7
ZZ07158		0.24	43.9	1990	12.2	13.1	0.001	0.08	1.20	4.7	1.1	0.7	11.9	<0.01	0.04	1.2
ZZ07159		0.06	95.9	3170	34.5	8.7	0.013	0.09	28.8	0.7	12.8	0.9	32.5	0.01	0.24	0.3
ZZ07160		0.48	45.4	2110	11.9	9.6	0.002	0.02	1.14	9.5	5.2	0.7	54.5	<0.01	0.06	7.7
ZZ07161		0.11	99.2	800	6.5	5.2	0.001	0.01	0.92	7.5	1.2	0.3	42.2	<0.01	0.03	2.6
ZZ07162		0.24	59.2	1120	8.3	8.4	<0.001	0.10	0.34	8.9	1.1	0.5	43.7	<0.01	0.07	2.1
ZZ07163		0.15	76.2	2560	12.0	4.3	0.001	0.11	1.77	5.1	2.7	0.4	79.4	<0.01	0.07	1.4
ZZ07164		0.13	40.0	1230	9.5	5.2	0.001	0.16	2.00	1.8	3.0	0.2	77.6	<0.01	0.05	1.3
ZZ07165		<0.05	41.9	740	11.9	4.9	0.001	0.04	2.44	3.1	2.4	0.2	358	<0.01	0.05	2.4
ZZ07166		<0.05	39.1	410	13.0	5.9	0.002	0.04	2.50	3.6	1.6	0.2	115.0	<0.01	0.04	5.3
ZZ07167		0.10	35.5	360	11.3	4.2	0.002	0.06	2.27	3.2	2.1	0.2	241	<0.01	0.03	1.9
ZZ07168		<0.05	30.1	320	8.9	5.7	0.004	0.07	2.52	3.5	1.8	0.2	457	<0.01	0.02	3.6
ZZ07169		0.06	47.2	650	10.3	5.6	0.001	0.03	3.72	2.6	1.5	0.2	114.5	<0.01	0.01	2.8
ZZ07170		<0.05	63.4	740	11.8	7.4	0.002	0.03	1.96	4.1	1.4	0.3	168.5	<0.01	0.04	5.0
ZZ07171		0.08	70.2	930	13.1	4.9	0.004	0.06	12.30	1.3	3.7	0.3	113.5	<0.01	0.05	0.7
ZZ07172		0.06	69.0	510	14.1	7.8	0.002	0.05	5.39	3.0	3.2	0.2	85.2	<0.01	0.03	1.6
ZZ07173		0.05	57.6	1450	12.6	5.7	0.001	0.06	2.19	3.1	3.3	0.2	157.5	<0.01	0.04	1.3
ZZ07174		0.06	47.7	1200	12.8	4.6	0.002	0.06	2.37	3.0	2.1	0.3	116.0	<0.01	0.04	1.6
ZZ07175		0.06	83.2	2890	11.0	6.5	0.006	0.04	1.56	6.1	2.2	0.3	276	<0.01	0.08	4.9
ZZ07176		0.14	82.9	1080	7.5	5.6	<0.001	0.61	0.33	8.5	0.5	0.6	216	<0.01	0.03	3.3
ZZ07177		0.14	64.4	910	16.3	13.2	0.001	0.05	3.32	7.8	1.3	0.8	146.5	<0.01	0.02	6.5
ZZ07178		0.08	30.0	630	26.8	7.6	<0.001	0.04	0.44	4.6	0.6	0.4	23.4	<0.01	0.05	1.6
ZZ07179		0.39	54.3	450	24.6	8.0	<0.001	0.01	0.25	5.6	0.5	0.6	27.3	<0.01	0.01	3.6
ZZ07180		0.15	26.7	680	14.6	5.1	<0.001	0.03	0.26	5.6	0.7	0.5	47.4	<0.01	0.05	2.9
ZZ07181		0.39	26.1	710	33.7	9.1	<0.001	0.05	0.42	3.7	0.4	0.4	28.6	<0.01	0.05	1.8
ZZ07182		0.37	46.7	670	18.4	13.4	<0.001	0.02	0.29	3.8	0.4	0.7	45.0	<0.01	0.02	2.5
ZZ07183		0.29	26.2	710	16.7	5.2	<0.001	0.03	0.40	4.3	1.4	0.3	105.0	<0.01	0.02	2.6
ZZ07184		0.11	33.6	650	16.0	4.0	<0.001	0.04	0.44	5.4	1.5	0.5	32.7	<0.01	0.02	3.0
ZZ07185		0.10	19.5	610	7.8	6.5	<0.001	0.01	0.10	6.9	0.7	0.4	105.0	<0.01	0.02	7.4
ZZ07186		0.54	28.2	640	20.4	6.8	<0.001	0.03	0.72	3.5	0.9	0.4	62.2	<0.01	0.03	2.1
ZZ07187		0.39	28.0	630	13.0	9.8	<0.001	0.02	0.22	5.2	0.8	0.4	39.9	<0.01	0.02	3.1
ZZ07188		0.18	17.0	1060	10.8	4.5	<0.001	0.04	0.26	2.3	1.1	0.3	49.4	<0.01	0.01	1.4

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 27- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen)

CERTIFICATE OF ANALYSIS WH11163811

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
ZZ07138		0.009	0.06	1.45	33	0.05	13.20	63	1.8
ZZ07139		0.007	0.06	0.62	32	<0.05	13.30	80	3.4
ZZ07151		0.010	0.20	0.51	24	0.11	11.30	77	2.0
ZZ07152		<0.005	0.15	0.42	15	<0.05	9.29	69	1.8
ZZ07153		<0.005	0.29	1.98	56	<0.05	13.10	414	4.6
ZZ07154		0.005	1.10	18.65	723	0.28	37.4	435	0.5
ZZ07155		0.005	0.66	9.19	269	0.20	15.90	682	0.7
ZZ07156		<0.005	0.32	1.80	23	<0.05	9.53	414	1.4
ZZ07157		<0.005	0.38	1.80	15	<0.05	10.35	515	2.1
ZZ07158		<0.005	0.21	1.19	54	<0.05	8.52	256	1.8
ZZ07159		<0.005	0.29	14.65	318	0.14	33.6	764	1.1
ZZ07160		0.005	0.10	1.88	34	<0.05	31.2	241	1.0
ZZ07161		<0.005	0.43	0.59	20	<0.05	7.75	134	1.0
ZZ07162		<0.005	0.21	0.45	31	<0.05	19.60	127	1.4
ZZ07163		<0.005	0.12	3.45	52	<0.05	25.8	175	2.1
ZZ07164		<0.005	0.12	1.80	56	0.06	24.0	121	2.2
ZZ07165		<0.005	0.24	2.36	73	<0.05	20.3	162	0.9
ZZ07166		<0.005	0.31	1.72	48	<0.05	17.70	171	5.6
ZZ07167		<0.005	0.37	1.67	41	<0.05	13.55	151	1.4
ZZ07168		<0.005	0.20	1.89	38	<0.05	19.35	139	2.1
ZZ07169		<0.005	0.56	2.92	51	<0.05	15.05	216	1.4
ZZ07170		<0.005	0.66	3.06	38	<0.05	15.35	233	4.2
ZZ07171		<0.005	0.60	6.39	278	0.09	33.0	728	1.2
ZZ07172		<0.005	0.49	1.35	65	<0.05	34.7	543	1.4
ZZ07173		<0.005	0.20	1.89	50	<0.05	28.0	243	1.3
ZZ07174		<0.005	0.15	2.80	82	<0.05	33.4	200	1.3
ZZ07175		<0.005	0.05	2.39	38	<0.05	22.5	209	4.9
ZZ07176		<0.005	0.58	0.34	31	<0.05	7.52	76	2.5
ZZ07177		<0.005	0.51	1.40	77	<0.05	10.80	549	13.9
ZZ07178		<0.005	0.08	0.65	16	<0.05	13.00	96	2.5
ZZ07179		0.009	0.06	0.57	21	<0.05	11.50	153	5.0
ZZ07180		<0.005	0.08	1.71	21	<0.05	11.40	73	3.0
ZZ07181		0.007	0.10	0.64	26	0.05	4.73	106	1.4
ZZ07182		0.005	0.12	0.53	25	<0.05	6.80	116	3.5
ZZ07183		0.007	0.08	2.94	25	0.06	13.10	108	3.0
ZZ07184		<0.005	0.14	1.40	30	<0.05	18.65	120	4.1
ZZ07185		<0.005	0.06	1.36	21	<0.05	11.55	72	9.6
ZZ07186		0.015	0.14	3.39	37	0.15	9.95	96	3.3
ZZ07187		0.011	0.07	1.29	34	0.05	17.20	86	3.3
ZZ07188		0.006	0.09	2.20	30	0.05	10.65	71	2.2

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 27- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen)

CERTIFICATE OF ANALYSIS WH11163811

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- TL43 Au ppm 0.001	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1
ZZ07189		0.34	0.004	0.05	0.30	2.9	<0.2	<10	40	0.70	0.12	8.48	0.13	46.1	7.5	20
ZZ07190		0.36	0.008	0.10	1.48	5.0	<0.2	<10	90	1.19	0.21	4.34	0.71	56.4	17.6	35
ZZ07191		0.24	0.007	0.04	2.27	3.9	<0.2	<10	110	1.59	0.39	0.18	0.07	15.35	24.3	48
ZZ07192		0.20	0.004	0.04	2.45	5.3	<0.2	<10	90	1.50	0.32	0.11	0.16	10.60	20.8	47
ZZ07193		0.14	0.003	0.04	1.87	4.8	<0.2	<10	110	0.75	0.29	0.09	0.14	10.70	11.8	35
ZZ07194		0.26	0.004	0.03	2.21	4.0	<0.2	<10	170	1.21	0.27	0.12	0.15	18.40	16.8	43
ZZ07195		0.14	0.004	0.06	0.94	7.2	<0.2	<10	110	1.05	0.20	0.85	0.20	44.1	11.1	38
ZZ07196		0.14	0.004	0.08	1.37	9.3	<0.2	<10	110	1.06	0.22	1.45	0.30	36.5	9.7	32
ZZ07197		0.14	0.003	0.06	1.19	6.6	<0.2	<10	110	0.93	0.20	1.28	0.34	51.1	10.8	34
ZZ07198		0.24	0.005	0.11	1.64	8.1	<0.2	<10	180	1.16	0.24	0.94	0.45	37.2	12.1	39
ZZ07199		0.20	0.003	0.08	1.63	5.8	<0.2	<10	200	0.94	0.23	1.17	0.28	24.1	10.7	33
ZZ07200		0.30	0.004	0.04	1.67	8.3	<0.2	<10	140	0.83	0.24	0.14	0.24	23.4	12.2	34
ZZ07201		0.24	0.004	0.05	1.60	7.5	<0.2	<10	70	0.91	0.23	0.15	0.16	21.2	11.9	26
ZZ07202		0.34	0.003	0.05	1.53	6.6	<0.2	<10	60	0.95	0.30	0.10	0.08	19.30	13.5	25
ZZ07203		0.18	0.002	0.05	1.97	4.1	<0.2	<10	90	0.74	0.31	0.08	0.11	9.67	15.7	31
ZZ07204		0.26	0.001	0.05	1.54	4.8	<0.2	<10	60	0.61	0.29	0.03	0.07	9.83	11.7	21
ZZ07205		0.30	0.001	0.05	1.49	8.2	<0.2	<10	100	0.98	0.33	0.02	0.10	9.82	20.2	20
ZZ07206		0.26	0.001	0.04	0.69	15.8	<0.2	<10	170	0.84	0.34	0.02	0.10	8.27	23.1	12
ZZ07207		0.20	0.001	0.05	1.21	15.0	<0.2	<10	50	0.37	0.32	0.03	0.07	13.80	9.8	16
ZZ07208		0.18	0.002	0.07	1.86	11.2	<0.2	<10	80	0.76	0.33	0.06	0.16	18.50	17.9	29
ZZ07209		0.24	0.001	0.09	1.50	10.8	<0.2	<10	130	0.97	0.32	0.06	0.09	19.30	12.8	25
ZZ07210		0.30	0.001	0.06	0.78	7.1	<0.2	<10	100	0.87	0.32	0.07	0.05	12.85	16.8	14
ZZ07211		0.32	0.001	0.10	0.54	15.5	<0.2	<10	140	0.79	0.32	0.22	0.08	13.65	15.2	10
ZZ07212		0.38	0.002	0.69	0.96	27.5	<0.2	<10	90	1.08	0.28	1.62	4.86	22.8	13.6	16
ZZ07213		0.40	0.002	0.26	0.77	20.6	<0.2	<10	130	1.52	0.39	0.46	0.89	21.2	21.4	14
ZZ07214		0.30	0.003	0.23	1.03	20.9	<0.2	<10	160	1.21	0.36	0.71	0.68	16.35	16.3	18
ZZ07215		0.34	0.002	0.17	0.98	17.0	<0.2	<10	110	1.18	0.36	0.43	0.47	27.6	22.6	19
ZZ07216		0.22	0.002	0.05	1.13	18.6	<0.2	<10	110	1.20	0.30	0.17	0.72	23.6	28.1	19
ZZ07217		0.42	0.001	0.03	2.20	13.1	<0.2	<10	150	1.13	0.36	0.16	0.18	32.8	20.7	27
ZZ07218		0.36	0.003	0.13	1.93	16.0	<0.2	<10	190	1.30	0.36	0.21	0.21	35.2	24.7	26
ZZ07219		0.20	0.001	0.04	1.18	15.8	<0.2	<10	60	0.38	0.34	0.20	0.19	21.3	17.8	23
ZZ07220		0.44	0.002	0.17	1.64	12.1	<0.2	<10	150	0.91	0.32	0.39	0.14	29.3	13.7	26
ZZ07221		0.34	0.002	0.07	2.82	30.3	<0.2	<10	100	1.26	0.37	0.05	0.30	33.3	28.7	33
ZZ07222		0.36	0.002	0.07	2.10	29.2	<0.2	<10	160	1.19	0.32	0.12	0.30	36.5	27.2	32
ZZ07223		0.20	0.001	0.05	1.63	17.6	<0.2	<10	100	0.58	0.31	0.07	0.24	33.6	15.9	30
ZZ07224		0.30	0.001	0.23	0.50	97.2	<0.2	<10	130	0.94	0.37	0.62	0.24	10.30	18.9	9
ZZ07225		0.20	0.001	0.13	2.77	12.5	<0.2	<10	140	1.03	0.30	0.06	0.25	30.5	20.5	33
ZZ07226		0.22	0.002	0.12	1.11	25.6	<0.2	<10	140	1.09	0.37	0.53	0.22	25.1	20.0	17
ZZ07227		0.30	0.002	0.07	2.76	12.4	<0.2	<10	160	1.32	0.28	0.13	0.14	30.1	26.6	33
ZZ07228		0.28	0.001	0.05	2.14	16.6	<0.2	<10	100	0.79	0.30	0.08	0.17	34.0	16.5	29

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 27- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen)

CERTIFICATE OF ANALYSIS WH11163811

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
ZZ07189		0.30	21.0	1.96	1.68	0.07	0.18	0.05	0.025	0.09	21.7	4.7	3.66	222	0.30	0.01
ZZ07190		1.08	41.7	2.77	5.29	0.11	0.20	0.03	0.035	0.11	23.0	58.0	3.36	496	0.35	0.01
ZZ07191		2.74	35.7	3.45	7.75	0.09	0.08	0.02	0.035	0.12	4.3	85.6	1.66	414	0.25	<0.01
ZZ07192		2.60	31.3	3.73	7.80	0.07	0.05	0.02	0.037	0.11	3.2	88.9	1.53	787	0.34	<0.01
ZZ07193		1.09	23.8	3.23	7.43	0.07	0.03	0.03	0.028	0.08	4.6	51.3	0.87	444	0.70	<0.01
ZZ07194		1.01	35.1	3.45	7.45	0.09	0.04	0.01	0.028	0.09	7.4	78.2	1.45	400	0.38	<0.01
ZZ07195		0.55	31.2	2.71	4.12	0.09	0.06	0.05	0.031	0.06	17.9	19.2	0.44	361	0.52	<0.01
ZZ07196		0.34	30.2	2.83	4.62	0.09	0.08	0.04	0.035	0.07	18.9	29.2	0.62	281	0.51	<0.01
ZZ07197		0.45	26.4	2.64	4.77	0.09	0.08	0.05	0.032	0.06	19.1	31.8	0.66	513	0.49	<0.01
ZZ07198		0.65	35.0	3.13	6.13	0.12	0.12	0.05	0.036	0.08	21.9	46.8	1.11	402	0.51	<0.01
ZZ07199		0.60	29.6	2.74	5.37	0.08	0.10	0.03	0.028	0.08	12.2	38.7	0.90	332	0.51	<0.01
ZZ07200		1.15	27.4	3.28	5.84	0.07	<0.02	0.02	0.028	0.06	9.4	39.7	0.73	478	1.05	<0.01
ZZ07201		3.56	26.6	3.26	4.72	0.08	0.04	0.02	0.026	0.06	9.7	29.5	0.51	326	1.19	<0.01
ZZ07202		5.25	26.9	3.56	4.69	0.08	0.03	0.02	0.026	0.07	7.7	34.5	0.55	578	0.99	<0.01
ZZ07203		2.70	21.0	4.55	6.54	0.07	0.05	0.05	0.031	0.09	4.3	50.6	0.71	884	0.69	<0.01
ZZ07204		2.53	28.1	4.36	6.69	0.07	0.03	0.02	0.030	0.12	4.3	21.2	0.31	494	0.92	<0.01
ZZ07205		2.58	45.2	4.50	4.93	0.07	0.04	0.03	0.034	0.10	3.8	28.3	0.35	796	0.70	<0.01
ZZ07206		1.73	58.3	4.47	2.16	0.07	0.03	0.02	0.035	0.12	3.0	9.4	0.14	1580	0.43	<0.01
ZZ07207		2.31	31.8	3.52	7.43	0.07	0.03	0.03	0.023	0.08	6.9	10.2	0.15	330	1.49	<0.01
ZZ07208		2.84	24.9	4.60	6.38	0.08	0.03	0.07	0.032	0.09	8.4	29.6	0.38	1210	1.41	<0.01
ZZ07209		3.42	26.6	3.93	5.66	0.09	0.03	0.06	0.031	0.11	8.5	21.0	0.32	751	0.98	<0.01
ZZ07210		3.48	35.2	4.09	2.53	0.06	0.02	0.02	0.029	0.11	4.0	10.3	0.21	977	0.40	<0.01
ZZ07211		1.67	32.8	3.69	1.69	0.07	0.04	0.07	0.031	0.10	5.9	6.3	0.13	747	0.53	<0.01
ZZ07212		1.68	30.8	3.11	2.74	0.10	0.05	0.23	0.036	0.09	10.3	8.0	0.24	558	1.35	0.02
ZZ07213		1.22	68.0	4.83	2.05	0.11	0.05	0.09	0.044	0.07	10.7	6.1	0.14	844	1.91	0.02
ZZ07214		3.12	50.9	4.51	2.99	0.11	0.06	0.19	0.043	0.09	8.5	10.4	0.22	683	1.94	0.02
ZZ07215		1.43	67.0	5.28	2.77	0.11	0.05	0.10	0.057	0.07	11.5	15.4	0.29	823	1.24	0.02
ZZ07216		1.61	74.6	5.49	2.59	0.10	0.04	0.04	0.055	0.07	7.8	12.2	0.24	918	1.65	0.02
ZZ07217		1.75	46.7	4.66	5.42	0.10	0.06	0.04	0.037	0.11	12.7	56.0	0.66	838	0.57	0.02
ZZ07218		2.06	82.6	4.87	5.40	0.12	0.13	0.18	0.044	0.12	15.8	42.9	0.66	886	0.68	0.01
ZZ07219		2.29	44.1	4.45	5.57	0.10	0.02	0.03	0.034	0.06	9.2	20.1	0.33	773	1.19	0.01
ZZ07220		1.62	26.8	3.37	4.90	0.10	0.04	0.08	0.031	0.06	13.9	43.8	0.54	417	0.81	0.02
ZZ07221		3.30	64.1	5.29	6.50	0.10	0.11	0.09	0.054	0.09	13.0	46.2	0.63	792	0.85	0.01
ZZ07222		2.42	60.2	4.34	5.26	0.11	0.06	0.06	0.048	0.07	14.3	30.1	0.57	893	1.18	0.02
ZZ07223		3.17	48.3	4.88	6.13	0.10	0.03	0.05	0.038	0.07	13.2	27.6	0.52	449	0.93	0.02
ZZ07224		3.38	48.2	5.73	1.48	0.10	0.07	0.45	0.050	0.07	3.8	3.7	0.21	1180	3.96	0.02
ZZ07225		4.49	74.7	5.76	8.27	0.11	0.04	0.08	0.056	0.07	12.5	53.3	0.57	434	0.96	0.02
ZZ07226		1.55	62.9	4.76	3.20	0.10	0.09	0.22	0.047	0.09	9.7	17.6	0.40	1120	1.30	0.02
ZZ07227		2.18	62.2	4.94	6.17	0.09	0.07	0.06	0.049	0.09	12.2	47.9	0.75	702	0.59	0.02
ZZ07228		2.89	41.3	4.14	6.89	0.11	0.05	0.04	0.042	0.06	14.5	30.3	0.47	398	1.16	0.02

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 27- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen)

CERTIFICATE OF ANALYSIS WH11163811

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
ZZ07189		0.08	16.1	540	6.5	5.3	<0.001	0.02	0.18	6.0	0.9	0.2	122.0	<0.01	0.01	7.3
ZZ07190		0.15	28.3	850	25.6	8.0	<0.001	0.02	0.55	7.7	1.3	0.4	75.8	<0.01	0.02	9.4
ZZ07191		0.41	54.9	550	23.0	11.4	<0.001	0.01	0.44	5.3	0.4	0.6	13.5	<0.01	0.02	4.0
ZZ07192		0.45	46.8	600	26.6	12.7	<0.001	0.02	0.34	4.2	0.4	0.6	10.3	<0.01	0.02	2.3
ZZ07193		0.60	30.8	690	15.0	12.5	<0.001	0.04	0.41	1.9	0.5	0.6	13.0	<0.01	0.03	0.7
ZZ07194		0.30	50.4	440	15.3	8.3	<0.001	<0.01	0.29	5.0	0.4	0.5	16.3	<0.01	0.01	4.6
ZZ07195		0.32	27.6	1150	15.5	7.5	<0.001	0.04	0.28	3.8	1.1	0.5	28.2	<0.01	0.02	1.9
ZZ07196		0.47	29.5	900	14.8	7.7	<0.001	0.07	0.38	3.6	1.0	0.5	55.1	<0.01	0.03	1.7
ZZ07197		0.46	25.2	790	14.3	7.3	<0.001	0.07	0.33	3.3	1.2	0.4	39.8	<0.01	0.02	1.6
ZZ07198		0.59	34.6	820	15.7	8.9	<0.001	0.05	0.45	6.2	1.4	0.5	36.4	<0.01	0.02	2.9
ZZ07199		0.63	31.9	920	11.9	9.0	<0.001	0.07	0.41	3.8	1.1	0.5	39.9	<0.01	0.02	1.8
ZZ07200		0.65	31.4	470	16.3	8.5	<0.001	0.02	0.61	2.5	0.5	0.5	14.2	<0.01	0.02	0.8
ZZ07201		1.16	25.5	600	22.5	8.8	<0.001	0.01	0.76	3.4	0.6	0.4	11.8	0.01	0.03	3.9
ZZ07202		0.79	27.2	420	31.5	8.9	<0.001	0.01	0.64	3.3	0.5	0.4	10.4	<0.01	0.04	2.7
ZZ07203		0.82	28.5	410	23.1	11.9	<0.001	0.02	0.35	3.4	0.4	0.5	10.8	<0.01	0.03	3.2
ZZ07204		0.72	17.2	470	20.2	16.6	<0.001	0.01	0.37	3.8	0.5	0.7	9.8	<0.01	0.05	2.9
ZZ07205		0.47	25.0	560	24.7	12.0	<0.001	0.03	0.46	4.4	0.5	0.5	23.1	<0.01	0.05	2.8
ZZ07206		0.21	34.8	330	20.9	8.5	<0.001	<0.01	0.32	5.4	0.4	0.5	75.5	<0.01	0.07	3.2
ZZ07207		0.88	13.4	400	23.9	13.0	<0.001	0.02	0.71	2.6	0.5	0.8	11.3	<0.01	0.05	2.2
ZZ07208		1.48	23.2	470	28.3	14.8	<0.001	0.01	0.69	4.0	0.8	0.7	12.5	0.01	0.05	3.6
ZZ07209		0.79	21.7	710	23.3	16.0	<0.001	0.03	0.48	4.4	0.7	0.7	19.3	<0.01	0.04	1.9
ZZ07210		0.22	29.2	640	18.1	8.6	<0.001	0.02	0.27	4.8	0.5	0.4	13.6	<0.01	0.04	2.6
ZZ07211		0.16	30.1	560	27.9	6.1	<0.001	0.01	0.44	6.1	0.6	0.4	19.3	<0.01	0.04	6.0
ZZ07212		0.40	39.1	1160	248	6.7	<0.001	0.07	1.44	5.3	1.3	0.4	54.7	<0.01	0.04	2.0
ZZ07213		0.20	48.6	560	50.6	7.0	<0.001	0.03	0.76	10.3	1.3	0.4	23.1	<0.01	0.10	3.7
ZZ07214		0.30	38.4	590	46.0	16.1	0.001	0.06	0.64	8.1	1.7	0.5	27.4	<0.01	0.08	1.9
ZZ07215		0.16	47.6	470	24.3	7.9	0.001	0.03	0.60	11.0	1.1	0.4	20.5	<0.01	0.17	3.0
ZZ07216		0.21	66.0	460	27.8	7.6	0.002	0.02	0.72	8.9	1.8	0.4	13.2	<0.01	0.10	3.7
ZZ07217		0.19	39.1	560	25.4	10.3	<0.001	0.02	0.81	4.3	0.7	0.3	17.1	<0.01	0.07	4.7
ZZ07218		0.08	44.1	520	24.4	8.4	<0.001	0.01	0.79	10.8	0.8	0.4	21.5	<0.01	0.09	6.9
ZZ07219		0.56	23.7	320	14.9	12.5	<0.001	0.02	0.64	4.0	0.4	0.5	11.0	<0.01	0.08	2.6
ZZ07220		0.59	32.6	750	17.6	10.1	<0.001	0.02	0.76	4.9	1.2	0.5	23.3	<0.01	0.04	3.6
ZZ07221		0.41	46.4	430	24.6	11.9	<0.001	0.02	0.75	6.8	1.4	0.5	8.1	<0.01	0.10	5.8
ZZ07222		0.67	43.7	580	24.3	12.0	<0.001	0.02	0.84	6.4	1.2	0.5	12.7	<0.01	0.10	5.8
ZZ07223		0.70	30.4	360	15.9	11.4	<0.001	0.03	0.70	5.4	0.7	0.5	8.3	<0.01	0.08	3.9
ZZ07224		0.09	29.8	580	42.1	7.1	0.001	0.08	2.21	9.4	1.4	0.3	13.1	<0.01	0.07	1.7
ZZ07225		0.47	32.0	540	16.7	13.2	<0.001	0.05	0.59	6.5	0.7	0.6	6.1	<0.01	0.10	3.0
ZZ07226		0.10	34.9	610	26.7	7.2	<0.001	0.06	0.95	8.1	1.1	0.3	15.1	<0.01	0.11	3.1
ZZ07227		0.33	42.4	430	16.8	10.6	<0.001	0.03	0.57	6.1	0.5	0.4	12.8	<0.01	0.06	4.4
ZZ07228		0.91	27.6	300	14.6	13.1	<0.001	0.02	0.69	4.8	0.6	0.7	8.3	<0.01	0.11	4.4

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 27- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen)

CERTIFICATE OF ANALYSIS WH11163811

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
ZZ07189		<0.005	0.06	1.28	18	<0.05	11.25	57	8.9
ZZ07190		0.010	0.14	1.05	26	<0.05	15.65	158	11.6
ZZ07191		0.015	0.10	0.51	24	<0.05	7.98	111	2.6
ZZ07192		0.011	0.11	0.48	26	0.05	7.52	125	1.5
ZZ07193		0.012	0.12	0.44	33	0.09	4.34	94	0.7
ZZ07194		0.018	0.09	0.64	27	0.06	8.27	108	1.9
ZZ07195		0.009	0.12	1.98	36	0.06	12.00	98	1.5
ZZ07196		0.011	0.10	3.83	33	0.08	13.20	102	2.6
ZZ07197		0.013	0.08	4.09	37	0.07	10.95	96	2.3
ZZ07198		0.016	0.10	1.97	39	0.11	17.50	114	3.4
ZZ07199		0.013	0.09	1.91	31	0.10	10.85	97	2.8
ZZ07200		0.028	0.11	0.57	45	0.22	6.33	100	<0.5
ZZ07201		0.044	0.10	0.69	42	0.19	5.60	74	1.5
ZZ07202		0.032	0.09	0.70	36	0.13	5.28	72	1.0
ZZ07203		0.014	0.11	0.37	32	0.11	3.36	79	2.0
ZZ07204		0.012	0.14	0.47	38	0.09	3.70	69	1.3
ZZ07205		0.009	0.12	0.64	29	0.07	5.73	91	1.1
ZZ07206		0.005	0.10	0.60	18	<0.05	5.74	95	1.3
ZZ07207		0.012	0.16	0.48	47	0.12	3.31	65	0.9
ZZ07208		0.037	0.14	0.67	49	0.20	4.21	95	0.9
ZZ07209		0.016	0.16	0.88	40	0.15	10.35	76	<0.5
ZZ07210		0.007	0.10	0.67	19	0.05	6.44	78	<0.5
ZZ07211		0.006	0.12	0.77	14	0.05	11.35	107	1.6
ZZ07212		0.014	0.32	0.94	26	0.29	11.60	3620	1.1
ZZ07213		0.006	0.10	0.97	25	0.07	19.85	269	1.7
ZZ07214		0.008	0.33	1.67	30	0.11	14.35	258	1.5
ZZ07215		0.005	0.17	1.12	33	0.07	15.55	197	1.6
ZZ07216		0.005	0.17	0.63	30	0.05	9.16	141	1.5
ZZ07217		<0.005	0.06	0.61	30	<0.05	5.34	81	2.2
ZZ07218		0.005	0.09	0.68	34	<0.05	16.55	85	6.0
ZZ07219		0.015	0.06	0.36	52	0.12	2.90	91	0.6
ZZ07220		0.020	0.08	0.79	36	0.18	9.62	89	1.4
ZZ07221		0.009	0.23	0.62	50	0.09	5.59	74	4.9
ZZ07222		0.018	0.14	0.77	47	0.17	6.88	102	2.2
ZZ07223		0.018	0.10	0.53	56	0.14	4.34	74	1.1
ZZ07224		<0.005	0.41	0.51	17	<0.05	15.00	93	1.6
ZZ07225		0.007	0.12	0.40	72	0.09	5.55	67	1.4
ZZ07226		<0.005	0.09	0.51	28	<0.05	12.90	85	2.2
ZZ07227		0.006	0.07	0.52	47	0.06	5.10	68	2.6
ZZ07228		0.022	0.12	0.54	61	0.21	4.15	59	2.3

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 27- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen)

CERTIFICATE OF ANALYSIS WH11163811

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- TL43 Au ppm 0.001	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1
ZZ07482		0.14	0.004	4.11	0.40	20.9	<0.2	<10	1300	0.48	0.19	0.39	1.05	7.45	5.1	40
ZZ07483		0.18	0.002	0.28	0.58	7	<0.2	<10	350	0.33	0.12	19.45	2.30	10.15	5.4	13
ZZ07484		0.22	0.006	0.23	0.74	16	<0.2	<10	520	0.35	0.17	19.20	1.90	14.60	7.0	17
ZZ07485		0.14	0.006	3.27	0.45	16.0	<0.2	<10	1190	0.53	0.18	1.55	1.52	9.69	5.6	37
ZZ07486		0.12	0.003	0.45	1.11	15.6	<0.2	<10	1020	0.57	0.26	0.46	0.33	23.0	8.3	31
ZZ07487		0.10	0.002	0.20	1.11	14.0	<0.2	<10	270	0.66	0.23	8.37	2.56	25.2	9.6	22
ZZ07488		0.08	0.002	0.31	0.83	20.6	<0.2	<10	340	0.74	0.33	5.95	2.15	17.70	8.6	19
ZZ07489		0.14	0.002	0.20	0.71	13.1	<0.2	<10	230	0.46	0.18	8.34	1.32	17.65	9.6	18
ZZ07490		0.04	<0.001	0.10	0.09	4	<0.2	10	370	0.09	0.02	21.1	1.82	1.09	1.0	2
ZZ07491		0.12	0.001	0.22	0.98	44.2	<0.2	<10	300	0.68	0.24	1.10	2.43	20.0	13.2	35
ZZ07492		0.12	0.001	0.14	0.65	33.0	<0.2	<10	180	0.98	0.25	1.53	1.76	16.40	9.0	28
ZZ07493		0.12	<0.001	0.14	0.80	15.0	<0.2	<10	260	0.78	0.23	5.87	2.96	17.45	9.2	26
ZZ07494		0.16	0.001	0.20	0.86	14.3	<0.2	<10	530	0.84	0.21	1.41	0.98	20.6	8.5	35
ZZ07495		0.10	0.001	2.20	0.32	21.9	<0.2	<10	610	0.47	0.18	1.79	1.62	9.18	6.1	26
ZZ07496		0.14	<0.001	2.26	0.36	22.8	<0.2	<10	1250	0.48	0.18	0.33	0.82	9.16	4.7	25
ZZ07497		0.14	0.003	3.61	0.55	23.6	<0.2	<10	1190	0.65	0.20	1.14	1.72	11.40	7.1	28
ZZ07498		0.12	0.003	1.97	0.53	22.8	<0.2	<10	2460	0.56	0.28	2.09	1.35	15.10	12.2	22
ZZ07499		0.14	0.001	0.78	1.03	10.1	<0.2	<10	800	0.82	0.26	1.49	2.16	20.4	10.8	32
ZZ07500		0.18	<0.001	0.72	0.64	10.1	<0.2	<10	540	0.93	0.28	3.22	1.66	21.2	9.8	15
ZZ07089		0.20	0.002	0.11	1.83	7.4	<0.2	<10	210	0.97	0.25	0.26	0.32	23.9	23.0	27
ZZ07090		0.32	0.002	0.05	2.72	8.4	<0.2	<10	110	1.24	0.35	0.09	0.21	43.3	31.3	42

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 27- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen)

CERTIFICATE OF ANALYSIS WH11163811

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
ZZ07482		1.35	76.5	2.05	1.36	0.12	<0.02	0.27	0.029	0.09	5.0	1.8	0.03	85	5.53	0.03
ZZ07483		0.39	15.9	0.95	1.30	0.10	0.04	0.11	0.016	0.06	18.4	3.9	0.17	465	1.16	0.03
ZZ07484		0.57	19.6	1.53	1.78	0.12	0.05	0.13	0.019	0.06	14.7	6.0	0.24	377	1.78	0.04
ZZ07485		1.23	52.8	2.31	1.23	0.11	0.02	0.19	0.031	0.09	5.9	1.7	0.12	147	5.36	0.03
ZZ07486		1.89	46.1	2.70	3.63	0.09	0.02	0.10	0.045	0.06	7.3	10.3	0.15	234	3.24	0.02
ZZ07487		0.70	18.9	2.00	2.81	0.11	0.02	0.13	0.026	0.06	25.9	8.8	0.26	839	1.56	0.03
ZZ07488		0.62	19.0	1.69	2.19	0.11	0.02	0.17	0.024	0.05	18.3	6.0	0.17	1220	2.42	0.03
ZZ07489		0.84	24.2	1.96	1.89	0.11	0.03	0.15	0.026	0.06	14.4	6.7	0.19	487	1.31	0.03
ZZ07490		0.15	4.4	0.16	0.20	0.08	<0.02	0.10	<0.005	0.03	1.2	0.6	0.08	1960	0.30	0.04
ZZ07491		0.81	50.9	2.92	3.11	0.12	0.07	0.32	0.040	0.07	17.1	6.5	0.21	465	1.27	0.02
ZZ07492		1.02	46.0	2.44	2.05	0.12	0.06	0.16	0.038	0.07	15.9	4.0	0.11	246	1.03	0.02
ZZ07493		1.02	38.9	2.14	2.37	0.12	0.04	0.22	0.038	0.08	19.1	5.6	0.17	300	1.18	0.02
ZZ07494		1.91	46.8	2.36	2.67	0.11	0.06	0.29	0.041	0.09	13.2	4.2	0.10	215	1.26	0.02
ZZ07495		1.47	59.6	2.12	1.17	0.12	0.04	0.22	0.030	0.11	5.4	0.9	0.16	129	4.56	0.02
ZZ07496		0.99	42.8	2.19	1.16	0.11	0.02	0.21	0.032	0.09	5.6	1.9	0.03	85	4.48	0.03
ZZ07497		1.23	89.2	3.02	1.34	0.14	0.03	0.36	0.047	0.12	7.7	3.3	0.06	117	6.25	0.03
ZZ07498		1.18	62.0	2.89	1.53	0.12	0.05	0.40	0.050	0.08	13.5	4.1	0.10	284	15.05	0.04
ZZ07499		2.24	36.7	2.36	2.95	0.17	0.08	0.41	0.041	0.18	38.1	7.2	0.12	285	1.95	0.03
ZZ07500		0.56	30.5	2.34	1.68	0.11	0.04	0.10	0.041	0.15	15.0	3.5	0.12	385	5.79	0.03
ZZ07089		1.66	63.0	3.64	6.35	0.08	0.03	0.08	0.045	0.08	8.6	19.8	0.60	951	1.24	0.01
ZZ07090		2.93	126.5	5.92	9.88	0.12	0.10	0.02	0.066	0.14	11.8	34.1	1.44	534	0.47	0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 27- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen)

CERTIFICATE OF ANALYSIS WH11163811

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
ZZ07482		0.05	92.3	1410	9.4	8.5	0.003	0.09	1.82	4.3	8.1	0.4	82.2	<0.01	0.14	0.9
ZZ07483		0.17	22.6	1440	8.0	4.5	0.001	0.14	0.64	1.0	1.1	0.2	123.5	<0.01	0.08	0.4
ZZ07484		0.30	31.3	1180	9.9	4.8	<0.001	0.08	0.99	2.0	1.4	0.3	101.0	<0.01	0.16	0.9
ZZ07485		0.07	72.8	1720	9.4	7.6	0.004	0.14	1.62	4.9	6.3	0.4	91.3	<0.01	0.15	2.0
ZZ07486		0.30	63.1	940	16.5	9.0	0.001	0.06	1.53	2.4	4.0	0.5	18.9	<0.01	0.12	0.5
ZZ07487		0.44	28.5	1570	12.6	7.3	<0.001	0.17	1.08	1.4	1.7	0.4	52.1	0.01	0.07	0.3
ZZ07488		0.31	29.8	1440	10.7	6.0	0.001	0.19	1.07	1.0	1.9	0.3	40.1	<0.01	0.08	0.2
ZZ07489		0.31	41.1	980	11.5	5.4	<0.001	0.11	1.21	1.6	0.8	0.3	45.1	<0.01	0.15	0.6
ZZ07490		<0.05	2.4	590	1.7	1.4	<0.001	0.16	0.13	0.2	0.3	<0.2	71.0	<0.01	0.02	<0.2
ZZ07491		0.49	96.8	1670	16.8	6.7	0.001	0.04	2.52	4.1	1.3	0.5	30.8	<0.01	0.20	3.0
ZZ07492		0.30	93.4	1720	15.8	6.4	<0.001	0.07	2.01	3.1	1.6	0.4	31.9	<0.01	0.24	1.1
ZZ07493		0.42	83.9	1470	14.2	6.8	0.001	0.10	1.52	3.1	2.0	0.4	75.5	<0.01	0.23	0.8
ZZ07494		0.35	78.3	2730	12.5	9.7	0.001	0.12	1.70	4.6	4.0	0.5	55.3	<0.01	0.11	1.4
ZZ07495		<0.05	92.4	1980	10.2	7.7	0.011	0.31	2.71	4.6	7.6	0.3	80.0	<0.01	0.19	3.1
ZZ07496		0.05	64.2	1650	10.1	7.4	0.005	0.19	2.00	3.1	6.8	0.4	52.9	<0.01	0.22	1.0
ZZ07497		0.07	111.5	2710	12.5	9.6	0.009	0.36	2.46	5.9	10.7	0.4	160.0	<0.01	0.36	1.4
ZZ07498		0.15	84.1	1370	16.9	7.3	0.007	0.16	2.25	5.2	6.4	0.5	53.3	<0.01	0.22	1.8
ZZ07499		0.28	69.4	4840	15.4	17.1	0.002	0.10	1.23	7.4	5.6	0.5	67.7	<0.01	0.15	3.9
ZZ07500		0.14	59.9	870	21.7	7.6	0.003	0.14	1.16	3.9	3.6	0.6	36.4	<0.01	0.11	3.9
ZZ07089		0.51	26.2	1300	14.9	8.7	<0.001	0.11	0.47	3.9	1.0	0.5	14.9	<0.01	0.13	0.6
ZZ07090		0.08	48.3	520	12.0	8.3	<0.001	<0.01	0.15	11.0	0.6	0.6	5.5	<0.01	0.25	3.6

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 27- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen)

CERTIFICATE OF ANALYSIS WH11163811

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
ZZ07482		<0.005	0.22	3.35	51	0.06	23.1	286	<0.5
ZZ07483		0.007	0.05	0.85	19	0.07	37.5	189	1.1
ZZ07484		0.014	0.06	1.21	28	0.11	27.9	192	1.4
ZZ07485		<0.005	0.18	3.26	57	<0.05	22.6	237	0.7
ZZ07486		0.009	0.32	2.77	61	0.11	13.10	202	<0.5
ZZ07487		0.015	0.08	1.67	41	0.24	44.9	134	0.6
ZZ07488		0.010	0.12	2.02	37	0.11	40.3	150	0.5
ZZ07489		0.012	0.07	0.93	31	0.22	23.7	211	0.8
ZZ07490		<0.005	<0.02	0.12	3	<0.05	2.10	222	0.5
ZZ07491		0.015	0.16	3.82	54	0.15	37.3	376	2.0
ZZ07492		0.008	0.12	2.96	42	0.14	40.3	464	1.3
ZZ07493		0.009	0.10	1.87	41	0.13	45.3	343	1.3
ZZ07494		0.007	0.18	7.39	61	0.09	40.9	291	2.2
ZZ07495		<0.005	0.27	3.69	47	<0.05	27.8	292	2.0
ZZ07496		<0.005	0.19	3.70	52	0.06	19.20	223	0.6
ZZ07497		<0.005	0.36	5.17	53	0.06	33.5	351	1.3
ZZ07498		<0.005	0.30	3.76	37	0.09	35.9	271	1.5
ZZ07499		0.006	0.13	3.38	49	0.08	67.8	244	3.0
ZZ07500		<0.005	0.12	1.97	22	0.14	26.0	194	2.5
ZZ07089		0.016	0.13	0.48	50	0.12	9.53	68	0.5
ZZ07090		<0.005	0.08	0.23	66	<0.05	8.18	92	3.9

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 27- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen)

CERTIFICATE OF ANALYSIS WH11163811

Method	CERTIFICATE COMMENTS
ME- MS41	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown.
ME- MS41	Gold determinations by this method are semi- quantitative due to the small sample weight used (0.5g).

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 3- SEP- 2011
Account: RCM

CERTIFICATE WH11163916

Project: Rackla- Edina Soil

P.O. No.:

This report is for 32 Soil samples submitted to our lab in Whitehorse, YT, Canada on 19- AUG- 2011.

The following have access to data associated with this certificate:

ROB CARNE JULIA LANE	ANDREW CARNE JOAN MARIACHER	MATT DUMALA

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
SCR- 41	Screen to - 180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- TL43	Trace Level Au - 25g AR	ICP- MS
ME- MS41	51 anal. aqua regia ICPMS	

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 3- SEP- 2011
Account: RCM

Project: Rackla- Edina Soil

CERTIFICATE OF ANALYSIS WH11163916

Sample Description	Method	WEI- 21	Au- TL43	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Recvd Wt.	Au	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
DD003664		0.16	0.002	0.98	1.14	30.1	<0.2	<10	2470	0.69	0.20	0.91	11.60	23.4	13.5	38
DD003665		0.40	0.002	1.16	1.16	44.0	<0.2	<10	3100	0.69	0.21	1.27	9.03	26.1	13.5	42
DD003666		0.28	0.002	0.91	0.96	25.4	<0.2	<10	2960	0.55	0.18	2.27	5.62	23.8	10.9	35
DD003667		0.30	0.002	0.98	0.88	20.8	<0.2	<10	4480	0.57	0.16	2.68	4.04	22.3	8.0	37
DD003668		0.16	0.001	0.65	1.14	53.8	<0.2	<10	5540	0.50	0.17	1.09	5.77	18.15	12.0	35
DD003669		0.10	0.001	0.61	1.15	17.7	<0.2	<10	6990	0.54	0.16	1.43	6.75	17.45	12.5	34
DD003670		0.30	<0.001	0.85	1.14	41.1	<0.2	<10	4270	0.65	0.17	1.04	4.76	24.6	11.7	39
DD003671		0.44	0.001	1.20	1.14	32.3	<0.2	<10	3760	0.73	0.19	1.64	14.30	25.6	16.8	42
DD003672		0.28	0.002	0.73	1.05	33.1	<0.2	<10	2940	0.46	0.18	0.73	2.31	19.00	6.9	39
DD003673		0.30	0.003	1.11	1.03	20.6	<0.2	<10	2600	0.65	0.17	2.26	4.94	20.2	9.7	40
DD003674		0.32	0.002	1.06	0.88	31.4	<0.2	<10	3350	0.58	0.18	1.60	4.65	26.7	10.2	38
DD003675		0.38	0.004	1.22	1.02	27.3	<0.2	<10	2890	0.66	0.18	1.90	4.17	22.5	9.4	43
DD003676		0.16	0.001	0.92	1.14	46.7	<0.2	<10	2170	0.55	0.17	0.94	6.15	22.3	14.4	43
DD003677		0.20	0.001	0.76	1.06	30.1	<0.2	<10	2320	0.66	0.18	1.16	6.76	30.8	11.5	40
DD003678		0.20	0.002	0.86	1.26	16.4	<0.2	<10	1330	0.58	0.20	1.12	6.99	27.0	7.9	37
DD003679		0.20	0.001	0.74	1.28	23.7	<0.2	<10	1840	0.69	0.17	1.16	3.73	24.2	10.3	49
DD003680		0.34	0.002	1.04	1.17	28.4	<0.2	<10	2260	0.67	0.19	1.03	3.76	25.2	10.9	44
DD003701		0.18	0.002	0.63	0.95	23.9	<0.2	<10	1210	0.41	0.13	2.49	2.43	17.20	5.7	39
DD003702		0.16	0.004	0.96	1.10	51.9	<0.2	<10	1280	0.62	0.18	1.62	3.35	21.9	9.1	32
DD003703		0.20	0.002	0.64	0.86	45.4	<0.2	<10	1680	0.48	0.14	2.43	5.45	14.60	9.9	29
DD003704		0.18	0.002	0.92	0.79	50.8	<0.2	<10	1480	0.47	0.13	2.18	5.25	13.30	8.2	26
DD003705		0.24	0.001	0.72	0.73	49.3	<0.2	<10	1500	0.41	0.10	1.84	4.61	13.60	7.0	25
DD003706		0.20	0.002	0.87	0.75	42.9	<0.2	<10	2620	0.60	0.13	2.41	7.64	14.40	7.5	27
DD003707		0.32	0.002	0.75	0.73	14.9	<0.2	<10	2230	0.45	0.13	1.11	3.63	14.75	3.6	31
DD003708		0.30	0.002	1.16	0.83	31.0	<0.2	<10	2040	0.55	0.19	1.19	4.93	18.85	8.6	31
DD003709		0.18	0.001	0.85	0.78	21.1	<0.2	<10	2010	0.51	0.16	1.75	8.57	15.90	9.2	29
DD003710		0.24	0.001	0.79	0.92	20.9	<0.2	<10	2140	0.51	0.15	1.62	6.61	18.45	8.8	47
DD003711		0.18	0.001	0.68	0.92	20.9	<0.2	<10	2180	0.64	0.18	1.91	10.70	20.5	11.2	31
DD003712		0.24	0.001	0.88	1.04	62.0	<0.2	<10	2340	0.60	0.18	0.90	3.54	21.9	11.4	40
DD003713		0.26	0.001	0.87	1.11	47.0	<0.2	<10	2410	0.83	0.21	1.21	8.01	21.2	13.8	34
DD003714		0.28	0.002	1.27	1.06	34.7	<0.2	<10	3780	0.71	0.18	1.63	5.46	24.1	9.5	44
DD003715		0.24	0.001	0.75	1.07	35.1	<0.2	<10	2320	0.61	0.18	0.78	9.58	20.3	6.3	39

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 3- SEP- 2011
Account: RCM

Project: Rackla- Edina Soil

CERTIFICATE OF ANALYSIS WH11163916

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
DD003664		0.88	46.1	2.93	3.90	0.10	0.09	0.29	0.029	0.08	14.1	13.5	0.35	465	3.59	0.01
DD003665		1.14	66.9	3.16	4.10	0.10	0.07	0.35	0.030	0.12	15.6	13.9	0.68	593	10.05	0.02
DD003666		0.82	34.3	2.59	3.30	0.09	0.06	0.24	0.026	0.09	13.9	11.0	1.04	606	8.01	0.02
DD003667		0.90	49.4	2.08	3.04	0.09	0.06	0.26	0.025	0.10	13.5	9.3	1.26	205	6.11	0.02
DD003668		0.86	42.6	4.41	3.64	0.12	0.06	0.19	0.027	0.07	10.8	11.3	0.37	448	18.55	0.02
DD003669		0.86	60.2	2.61	3.50	0.10	0.06	0.17	0.024	0.06	9.7	11.6	0.41	995	9.96	0.03
DD003670		0.73	73.0	2.89	3.67	0.11	0.07	0.25	0.031	0.05	13.9	13.2	0.33	291	10.60	0.02
DD003671		0.96	85.3	2.79	3.78	0.11	0.07	0.30	0.031	0.09	15.1	12.0	0.84	798	13.30	0.02
DD003672		0.78	25.9	2.35	3.92	0.08	0.04	0.21	0.025	0.08	11.4	10.7	0.32	212	12.45	0.01
DD003673		0.95	58.7	2.36	3.63	0.08	0.08	0.26	0.028	0.12	12.3	11.4	0.88	369	4.49	0.02
DD003674		0.87	50.8	2.63	3.22	0.09	0.07	0.21	0.028	0.10	15.8	9.4	0.77	289	10.05	0.02
DD003675		0.95	55.2	2.55	3.63	0.09	0.07	0.25	0.029	0.12	13.9	10.3	0.79	250	6.43	0.02
DD003676		0.81	50.4	4.72	3.98	0.11	0.06	0.22	0.027	0.06	13.0	10.1	0.39	433	19.20	0.01
DD003677		1.00	55.6	3.17	3.67	0.10	0.07	0.17	0.026	0.10	16.4	11.8	0.51	442	5.50	0.01
DD003678		1.08	40.3	2.04	4.69	0.08	0.06	0.27	0.026	0.06	14.5	14.6	0.57	144	2.74	0.01
DD003679		0.91	49.1	3.04	4.19	0.09	0.07	0.18	0.026	0.05	13.1	12.6	0.65	275	5.99	0.01
DD003680		0.82	45.0	2.96	3.85	0.09	0.07	0.23	0.028	0.09	14.8	12.4	0.47	494	7.41	0.01
DD003701		0.74	29.6	1.45	2.91	0.08	0.05	0.13	0.017	0.03	17.1	12.7	0.46	131	1.34	0.01
DD003702		0.60	26.7	2.41	3.73	0.08	0.06	0.31	0.025	0.05	12.8	12.1	0.29	278	4.72	0.01
DD003703		0.61	23.1	2.06	3.14	0.06	0.05	0.22	0.019	0.04	8.2	8.9	0.24	720	5.66	0.01
DD003704		0.61	29.1	1.71	2.55	0.06	0.06	0.38	0.020	0.06	8.5	9.0	0.28	532	1.92	0.01
DD003705		0.56	23.9	1.53	2.27	0.06	0.06	0.35	0.017	0.06	8.4	8.9	0.31	479	1.66	0.01
DD003706		0.59	46.6	1.89	2.50	0.08	0.07	0.35	0.020	0.07	9.5	9.1	0.45	453	3.12	0.02
DD003707		0.81	24.2	1.17	3.23	0.05	0.04	0.23	0.017	0.07	8.9	6.0	0.21	124	1.32	0.01
DD003708		0.90	30.7	2.20	3.37	0.08	0.05	0.31	0.030	0.07	10.9	8.4	0.27	347	4.42	0.01
DD003709		0.74	36.1	1.79	2.98	0.06	0.04	0.28	0.021	0.04	9.1	7.0	0.30	609	6.10	0.01
DD003710		0.81	37.6	1.74	3.48	0.07	0.05	0.25	0.021	0.05	10.5	9.9	0.43	430	5.90	0.01
DD003711		0.66	48.0	1.82	3.20	0.07	0.05	0.31	0.024	0.04	11.0	9.8	0.30	660	3.60	0.02
DD003712		0.85	28.6	2.61	3.80	0.08	0.05	0.35	0.026	0.08	13.1	13.5	0.35	507	5.11	0.01
DD003713		0.81	52.4	2.79	3.66	0.09	0.07	0.41	0.030	0.08	12.6	14.1	0.35	687	2.71	0.01
DD003714		0.95	47.5	2.49	3.66	0.09	0.06	0.27	0.028	0.10	14.3	11.8	0.68	349	8.61	0.02
DD003715		0.79	45.6	1.47	4.28	0.06	0.06	0.28	0.024	0.05	11.4	10.8	0.34	130	1.37	0.02

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 3- SEP- 2011
Account: RCM

Project: Rackla- Edina Soil

CERTIFICATE OF ANALYSIS WH11163916

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
DD003664		0.52	176.0	1420	27.6	10.2	0.005	0.07	3.30	3.9	4.5	0.5	73.9	<0.01	0.10	2.9
DD003665		0.51	136.5	1770	29.7	10.8	0.004	0.06	5.55	4.6	4.0	0.6	98.9	<0.01	0.11	4.0
DD003666		0.57	112.5	1780	29.3	8.4	0.007	0.06	3.51	3.7	3.0	0.4	138.0	<0.01	0.08	2.6
DD003667		0.40	104.5	2210	21.9	8.9	0.007	0.07	3.57	3.9	5.0	0.4	183.5	<0.01	0.08	2.9
DD003668		0.57	113.5	1190	21.7	8.4	0.015	0.09	4.71	2.9	13.5	0.5	164.0	<0.01	0.10	2.0
DD003669		0.59	137.0	1170	17.7	7.6	0.024	0.09	4.21	2.6	12.9	0.4	219	0.01	0.09	1.1
DD003670		0.62	127.5	1640	19.0	9.8	0.015	0.11	4.19	3.7	10.6	0.5	213	0.01	0.10	2.2
DD003671		0.54	300	2140	24.1	10.3	0.006	0.08	5.24	4.5	5.7	0.5	152.5	0.01	0.10	3.3
DD003672		0.44	76.2	1410	23.9	9.2	0.005	0.03	3.01	3.0	4.1	0.5	129.0	<0.01	0.09	2.5
DD003673		0.44	100.0	1680	19.9	10.6	0.005	0.06	3.60	4.1	3.4	0.5	108.5	<0.01	0.09	2.6
DD003674		0.68	111.5	2560	25.5	8.9	0.004	0.06	5.23	3.7	3.7	0.5	130.0	<0.01	0.09	3.7
DD003675		0.43	101.5	2010	20.9	10.5	0.005	0.07	4.30	4.2	3.1	0.5	103.5	<0.01	0.10	2.6
DD003676		0.53	112.0	1560	18.7	8.4	0.005	0.06	4.30	3.4	5.1	0.5	92.0	<0.01	0.10	2.2
DD003677		0.45	156.0	1660	20.0	10.6	0.009	0.06	3.56	3.9	3.9	0.5	87.8	<0.01	0.08	3.5
DD003678		0.79	79.2	1280	19.6	10.9	0.006	0.06	4.07	4.4	5.6	0.5	53.9	<0.01	0.07	3.0
DD003679		0.68	89.5	1730	16.7	9.7	0.005	0.07	3.33	3.9	5.3	0.5	73.8	0.01	0.08	2.3
DD003680		0.50	183.0	2100	22.8	9.3	0.002	0.04	3.20	4.1	2.1	0.5	79.6	<0.01	0.09	3.2
DD003701		0.64	115.5	1240	8.6	5.8	0.007	0.14	2.32	2.2	6.8	0.3	99.3	0.01	0.04	0.9
DD003702		0.55	77.6	1150	23.9	7.2	0.004	0.08	2.82	3.1	3.9	0.5	81.3	<0.01	0.07	1.5
DD003703		0.46	57.9	990	19.8	6.4	0.006	0.12	2.62	2.1	4.4	0.4	94.2	<0.01	0.09	0.7
DD003704		0.35	85.0	1060	22.9	7.1	0.007	0.09	2.16	2.7	3.8	0.4	93.2	<0.01	0.07	1.3
DD003705		0.33	90.1	1370	17.9	7.4	0.010	0.08	2.08	2.4	3.7	0.3	96.6	<0.01	0.06	1.4
DD003706		0.37	151.5	1190	23.3	7.2	0.013	0.11	3.89	2.9	6.2	0.3	141.0	<0.01	0.08	1.6
DD003707		0.33	44.2	820	12.5	8.8	0.002	0.08	1.52	2.5	2.3	0.4	56.1	<0.01	0.07	1.6
DD003708		0.41	57.6	1610	27.0	9.9	0.005	0.07	2.49	3.2	3.7	0.5	73.6	<0.01	0.10	1.8
DD003709		0.41	90.4	1170	17.2	7.4	0.003	0.10	2.01	2.9	3.7	0.4	72.6	<0.01	0.07	1.2
DD003710		0.45	116.5	1720	16.2	8.5	0.004	0.07	2.20	2.6	3.9	0.4	97.5	<0.01	0.08	1.3
DD003711		0.52	140.0	960	21.0	6.5	0.004	0.09	2.42	2.7	4.3	0.4	77.3	0.01	0.08	1.0
DD003712		0.52	72.1	1550	29.5	9.7	0.004	0.05	3.84	3.3	3.5	0.5	84.5	<0.01	0.09	2.6
DD003713		0.51	147.0	1420	37.0	10.3	0.004	0.06	3.36	3.8	5.3	0.5	84.1	<0.01	0.09	3.0
DD003714		0.41	133.0	2370	21.1	9.6	0.003	0.07	4.53	3.9	3.3	0.5	118.5	<0.01	0.10	3.0
DD003715		0.60	103.0	1200	20.3	8.3	0.005	0.10	2.57	3.3	4.0	0.5	65.8	<0.01	0.07	1.6

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 3- SEP- 2011
Account: RCM

Project: Rackla- Edina Soil

CERTIFICATE OF ANALYSIS WH11163916

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
DD003664		0.007	0.56	2.90	215	0.20	16.40	1190	3.1
DD003665		0.011	0.69	2.04	236	0.24	16.65	873	2.8
DD003666		0.012	0.51	2.29	177	0.17	15.20	740	2.1
DD003667		0.010	0.50	3.09	153	0.18	16.95	681	2.3
DD003668		0.009	0.48	3.21	183	0.24	12.65	808	1.8
DD003669		0.014	0.47	5.77	143	0.15	15.80	747	1.6
DD003670		0.013	0.53	9.33	198	0.29	21.4	734	1.9
DD003671		0.013	0.76	4.96	195	0.24	21.5	1620	2.1
DD003672		0.008	0.49	2.37	215	0.17	9.92	538	1.4
DD003673		0.008	0.49	2.35	167	0.16	14.55	498	3.0
DD003674		0.013	0.60	2.68	178	0.20	17.00	600	2.8
DD003675		0.011	0.52	2.53	182	0.20	16.35	520	2.4
DD003676		0.009	0.37	4.99	206	0.24	15.55	802	1.7
DD003677		0.009	0.35	4.39	153	0.16	14.00	898	2.6
DD003678		0.018	0.37	3.74	155	0.27	11.20	577	1.8
DD003679		0.014	0.27	4.55	143	0.24	15.30	563	2.1
DD003680		0.009	0.36	2.58	177	0.19	16.20	1270	2.2
DD003701		0.018	0.23	6.63	107	0.20	15.80	262	1.5
DD003702		0.009	0.29	6.01	136	0.16	11.70	326	1.6
DD003703		0.008	0.31	3.02	229	0.25	8.36	412	1.5
DD003704		0.006	0.37	2.92	116	0.12	10.20	656	2.2
DD003705		0.006	0.34	2.59	105	0.16	9.37	815	1.8
DD003706		0.007	0.36	5.71	121	0.15	12.10	977	2.5
DD003707		0.006	0.48	2.18	140	0.11	7.44	277	1.5
DD003708		0.009	0.45	3.55	161	0.26	10.50	341	1.5
DD003709		0.010	0.33	4.72	160	0.17	10.85	569	1.3
DD003710		0.010	0.35	4.47	192	0.16	11.50	760	1.5
DD003711		0.011	0.31	6.04	181	0.22	12.60	670	1.4
DD003712		0.010	0.53	3.65	263	0.24	11.65	564	1.6
DD003713		0.008	0.49	4.39	169	0.20	14.20	1070	2.6
DD003714		0.011	0.66	2.91	197	0.23	15.75	949	2.1
DD003715		0.014	0.45	5.23	161	0.16	11.20	653	1.6

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 3- SEP- 2011
Account: RCM

Project: Rackla- Edina Soil

CERTIFICATE OF ANALYSIS WH11163916

Method	CERTIFICATE COMMENTS
ME- MS41	Gold determinations by this method are semi- quantitative due to the small sample weight used (0.5g).

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 4- SEP- 2011
Account: RCM

CERTIFICATE WH11163917

Project: Rackla- Dale South Contour

P.O. No.:

This report is for 172 Soil samples submitted to our lab in Whitehorse, YT, Canada on 19- AUG- 2011.

The following have access to data associated with this certificate:

ROB CARNE JULIA LANE	ANDREW CARNE JOAN MARIACHER	MATT DUMALA

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
SCR- 41	Screen to - 180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- TL43	Trace Level Au - 25g AR	ICP- MS
ME- MS41	51 anal. aqua regia ICPMS	

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 4- SEP- 2011
Account: RCM

Project: Rackla- Dale South Contour

CERTIFICATE OF ANALYSIS WH11163917

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- TL43 Au ppm 0.001	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1
CC146832		0.34	0.001	0.24	1.08	9.2	<0.2	10	150	0.82	0.27	2.93	0.14	25.7	11.2	17
CC146833		0.32	0.001	0.22	1.19	11.8	<0.2	<10	180	0.93	0.29	2.22	0.16	28.7	11.5	20
CC146834		0.34	0.001	0.21	1.04	11.8	<0.2	<10	160	0.79	0.25	2.88	0.15	27.7	10.6	18
CC146835		0.36	0.001	0.09	0.90	8.3	<0.2	<10	100	0.63	0.34	0.33	0.08	14.45	10.1	13
CC146836		0.34	0.001	0.30	1.23	17.1	<0.2	<10	160	0.98	0.25	2.14	0.28	34.4	9.4	19
CC146837		0.24	0.001	0.20	1.46	16.0	<0.2	<10	390	0.67	0.24	1.21	0.31	22.8	9.3	25
CC146838		0.24	0.001	0.14	0.92	20.0	<0.2	<10	560	0.66	0.20	1.21	0.33	18.35	9.0	15
CC146839		0.20	0.001	0.10	1.26	10.4	<0.2	<10	410	0.66	0.20	1.56	0.28	20.8	7.7	19
CC146840		0.18	0.001	0.18	0.59	9.0	<0.2	10	150	0.74	0.23	2.08	0.20	11.10	7.5	9
CC146841		0.24	0.001	0.14	0.80	8.0	<0.2	<10	300	0.62	0.18	2.08	0.31	18.00	7.0	13
CC146842		0.32	0.001	0.14	0.80	12.4	<0.2	<10	200	0.66	0.20	1.02	0.20	20.6	7.5	14
CC146843		0.26	0.001	0.10	0.68	14.7	<0.2	<10	170	0.62	0.19	3.36	0.28	17.95	7.8	10
CC146844		0.20	0.001	0.13	1.06	8.6	<0.2	<10	220	0.77	0.25	1.63	0.17	15.00	8.7	15
CC146845		0.28	0.001	0.09	0.98	19.1	<0.2	<10	200	0.81	0.27	1.51	0.23	22.6	11.8	17
CC146846		0.30	0.002	0.17	1.28	11.6	<0.2	<10	230	0.83	0.27	0.86	0.20	20.9	10.6	22
CC146847		0.28	0.002	0.20	0.92	12.6	<0.2	<10	320	0.76	0.23	2.09	1.14	17.15	11.0	16
CC146848		0.24	0.001	0.19	0.70	8	<0.2	<10	140	0.78	0.24	11.35	0.15	23.6	7.7	12
CC146849		0.32	0.001	0.13	1.54	10.8	<0.2	<10	130	1.17	0.33	1.20	0.10	13.65	13.5	21
CC146850		0.28	0.001	0.21	0.95	12.9	<0.2	10	150	0.88	0.28	2.93	0.15	24.4	10.5	16
CC146901		0.26	0.002	0.27	1.14	15.3	<0.2	<10	380	0.92	0.25	1.26	1.13	19.25	10.3	20
CC146902		0.34	0.001	0.18	0.80	11.6	<0.2	<10	210	0.84	0.27	1.22	0.63	16.15	11.6	14
CC146903		0.22	0.001	0.18	0.81	7.3	<0.2	<10	200	0.77	0.27	1.82	0.40	11.25	9.5	12
CC146904		0.32	0.002	0.28	1.02	14.5	<0.2	<10	170	0.89	0.29	1.24	0.84	21.8	12.4	18
CC146905		0.24	0.002	0.23	1.01	9.9	<0.2	10	320	0.85	0.24	2.25	0.72	16.85	9.0	16
CC146906		0.26	0.001	0.17	0.65	16.9	<0.2	<10	250	0.60	0.19	2.45	0.55	18.60	7.2	11
CC146907		0.24	0.001	0.14	0.80	10.6	<0.2	<10	320	0.66	0.25	1.59	0.45	18.80	10.0	13
CC146908		0.26	0.001	0.20	1.40	18.6	<0.2	<10	460	0.85	0.23	1.18	1.62	27.2	10.1	21
CC146909		0.28	0.001	0.10	0.81	9.9	<0.2	<10	210	0.60	0.17	0.37	0.14	23.9	5.1	12
CC146910		0.32	0.001	0.16	0.77	14.5	<0.2	<10	220	0.90	0.36	0.80	0.29	16.05	10.0	13
CC146911		0.26	0.003	0.14	1.19	11.6	<0.2	<10	390	0.91	0.27	0.86	0.64	18.35	12.5	20
CC146912		0.26	0.002	0.23	0.88	9.3	<0.2	10	250	0.84	0.23	2.04	0.66	14.80	9.3	15
CC146913		0.26	0.002	0.15	0.75	17.1	<0.2	10	190	0.74	0.18	5.26	0.48	14.95	8.8	11
CC146914		0.20	0.004	0.18	1.41	67.4	<0.2	<10	510	1.03	0.27	1.28	0.21	22.6	12.7	21
CC146915		0.18	0.004	0.12	0.85	11.5	<0.2	10	360	0.76	0.14	8.23	0.25	25.7	7.0	15
CC146916		0.22	0.001	0.04	1.59	11.4	<0.2	<10	360	1.09	0.19	1.57	0.28	38.9	8.4	26
CC146917		0.26	0.001	0.11	1.10	10.9	<0.2	10	180	1.17	0.38	3.04	0.14	17.15	14.3	16
CC146918		0.28	0.001	0.14	0.50	9.8	<0.2	10	100	0.70	0.36	2.03	0.07	14.95	9.8	7
CC146919		0.26	0.001	0.10	0.50	6.2	<0.2	10	230	0.79	0.30	1.18	0.09	31.1	9.0	8
CC146920		0.22	0.001	0.11	0.66	8.0	<0.2	<10	220	0.76	0.19	1.33	0.21	26.3	7.7	12
CC146921		0.22	0.002	0.22	1.19	15.3	<0.2	<10	280	0.76	0.19	3.47	0.58	20.6	8.1	19

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 4- SEP- 2011
Account: RCM

Project: Rackla- Dale South Contour

CERTIFICATE OF ANALYSIS WH11163917

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
CC146832		0.71	29.0	2.89	3.71	0.09	0.09	0.04	0.038	0.10	9.0	28.2	0.42	232	0.59	0.01
CC146833		0.56	28.5	3.12	3.72	0.09	0.08	0.05	0.038	0.11	11.5	23.7	0.35	400	0.93	0.01
CC146834		1.01	25.9	2.91	3.10	0.07	0.07	0.06	0.035	0.09	9.2	22.1	0.33	366	0.74	0.01
CC146835		1.04	24.6	3.82	3.07	0.07	0.03	0.03	0.035	0.11	5.6	20.5	0.21	288	0.58	0.01
CC146836		0.50	16.8	3.61	3.15	0.07	0.06	0.41	0.037	0.10	16.1	12.6	0.97	760	0.78	0.01
CC146837		0.79	18.9	2.97	4.67	0.05	0.03	0.28	0.032	0.06	11.9	14.0	0.58	833	0.81	0.02
CC146838		0.66	17.3	2.85	2.69	<0.05	0.04	0.58	0.025	0.08	8.2	11.8	0.30	653	0.83	0.01
CC146839		0.58	13.9	2.53	3.58	<0.05	0.04	0.22	0.027	0.06	10.0	13.0	0.33	432	0.68	0.02
CC146840		1.29	20.3	2.34	1.47	<0.05	0.05	0.18	0.028	0.09	6.2	6.4	0.18	296	0.46	0.01
CC146841		1.12	17.1	2.11	2.28	<0.05	0.03	0.13	0.024	0.08	8.2	8.7	0.21	370	0.48	0.01
CC146842		0.89	16.0	2.41	2.26	<0.05	0.04	0.14	0.026	0.07	9.7	8.2	0.21	381	0.54	0.01
CC146843		0.71	18.0	2.44	1.96	<0.05	0.03	0.44	0.027	0.08	7.2	8.6	1.52	703	0.62	0.01
CC146844		0.72	21.6	2.54	3.11	<0.05	0.05	0.11	0.026	0.10	6.9	17.7	0.24	338	0.55	0.01
CC146845		0.79	22.9	3.27	3.01	<0.05	0.06	0.49	0.030	0.09	11.0	14.8	0.80	775	0.92	0.01
CC146846		1.05	27.2	3.06	4.00	0.06	0.06	0.16	0.036	0.11	10.9	22.0	0.42	382	1.04	0.02
CC146847		1.08	29.3	2.73	2.97	0.05	0.05	0.17	0.027	0.11	8.1	15.5	0.69	669	2.44	0.02
CC146848		0.56	23.7	2.24	1.61	0.05	0.06	0.03	0.029	0.09	10.5	10.0	0.13	230	0.51	0.01
CC146849		2.48	34.8	3.07	4.87	<0.05	0.07	0.03	0.040	0.15	6.1	45.7	0.49	547	0.50	0.01
CC146850		1.11	26.8	3.10	2.40	0.06	0.09	0.02	0.038	0.12	11.1	13.4	0.14	297	1.20	0.01
CC146901		0.92	41.2	2.96	3.65	0.05	0.07	0.13	0.035	0.11	10.3	17.3	0.36	365	3.76	0.02
CC146902		1.30	31.2	3.11	2.43	0.05	0.06	0.20	0.032	0.09	7.3	12.3	0.25	460	2.28	0.01
CC146903		1.08	28.5	2.72	2.12	<0.05	0.04	0.10	0.035	0.09	5.4	12.2	0.22	301	0.86	0.01
CC146904		1.37	37.6	3.18	3.23	0.05	0.05	0.12	0.033	0.12	10.0	16.8	0.33	434	3.12	0.02
CC146905		1.05	32.3	2.41	3.09	<0.05	0.05	0.16	0.028	0.11	8.3	17.7	0.42	302	1.35	0.02
CC146906		0.68	20.1	2.11	1.96	<0.05	0.04	0.33	0.023	0.09	8.4	8.8	0.58	458	1.43	0.01
CC146907		0.73	21.3	2.68	2.35	<0.05	0.03	0.18	0.027	0.09	7.3	12.5	0.33	534	1.10	0.01
CC146908		0.57	22.1	3.29	3.98	0.05	0.04	0.51	0.030	0.08	13.0	12.3	0.48	1160	1.69	0.02
CC146909		0.68	7.2	2.11	2.60	0.05	0.03	0.32	0.021	0.06	12.9	7.5	0.13	246	0.51	0.01
CC146910		1.19	31.6	3.32	2.31	<0.05	0.06	0.32	0.037	0.11	7.5	13.6	0.24	315	1.01	0.01
CC146911		0.92	37.4	2.96	3.65	0.05	0.07	0.09	0.034	0.10	9.0	20.6	0.35	350	1.58	0.01
CC146912		1.16	34.8	2.52	2.88	0.05	0.06	0.13	0.035	0.10	7.6	17.9	0.39	289	1.26	0.01
CC146913		0.74	23.8	2.06	2.33	<0.05	0.06	0.39	0.026	0.09	7.1	11.7	1.36	370	1.22	0.02
CC146914		0.82	29.3	2.98	4.33	<0.05	0.07	0.83	0.038	0.12	10.2	19.8	0.37	501	1.79	0.02
CC146915		0.69	22.6	1.68	2.46	0.05	0.10	0.12	0.025	0.12	13.0	17.0	1.16	179	0.85	0.02
CC146916		0.51	16.5	2.44	4.70	<0.05	0.10	0.06	0.030	0.11	15.6	26.6	0.62	196	1.08	0.01
CC146917		0.93	39.8	3.21	3.21	<0.05	0.12	0.05	0.047	0.13	6.6	28.0	0.27	331	0.66	0.01
CC146918		0.73	26.6	2.72	1.27	<0.05	0.06	0.01	0.039	0.09	5.8	6.2	0.05	181	0.61	0.01
CC146919		0.70	14.2	2.16	1.56	<0.05	0.05	0.05	0.031	0.10	11.3	7.6	0.06	232	0.41	0.01
CC146920		1.02	14.1	2.08	2.02	<0.05	0.03	0.19	0.027	0.08	10.5	8.7	0.17	290	0.57	0.01
CC146921		0.59	21.4	2.62	3.47	<0.05	0.03	0.46	0.027	0.06	10.2	13.2	1.13	892	0.96	0.02

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 4- SEP- 2011
Account: RCM

Project: Rackla- Dale South Contour

CERTIFICATE OF ANALYSIS WH11163917

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
CC146832		0.26	27.6	590	18.5	8.9	0.001	0.06	0.37	5.1	1.4	0.5	195.0	0.01	0.06	3.1
CC146833		0.38	28.8	520	20.1	8.8	<0.001	0.04	0.42	5.9	1.3	0.5	138.0	<0.01	0.07	3.5
CC146834		0.36	25.6	660	18.2	8.9	<0.001	0.05	0.44	4.5	1.1	0.4	176.0	<0.01	0.06	1.9
CC146835		0.23	26.6	230	27.4	12.9	<0.001	0.01	0.31	4.0	0.6	0.5	30.1	<0.01	0.03	3.7
CC146836		0.35	22.6	390	49.6	8.2	<0.001	0.03	0.58	7.6	0.8	0.4	44.3	<0.01	0.02	5.1
CC146837		0.85	21.1	500	23.8	8.1	<0.001	0.04	0.75	3.5	0.3	0.5	38.9	<0.01	0.02	1.5
CC146838		0.37	22.7	430	31.7	7.6	<0.001	0.04	0.61	4.0	0.4	0.4	44.5	<0.01	0.03	2.2
CC146839		0.68	17.7	340	21.2	7.6	<0.001	0.04	0.45	3.8	0.4	0.4	49.8	<0.01	0.03	2.2
CC146840		0.20	24.1	510	27.3	8.5	<0.001	0.09	0.28	3.5	0.7	0.3	137.5	<0.01	0.01	1.3
CC146841		0.29	18.0	480	29.6	6.8	<0.001	0.06	0.44	2.6	0.5	0.4	103.0	<0.01	0.03	0.9
CC146842		0.35	19.9	320	31.1	6.0	<0.001	0.03	0.61	3.6	0.3	0.3	42.6	<0.01	0.02	1.9
CC146843		0.22	19.6	370	34.4	6.2	<0.001	0.04	0.68	3.3	0.7	0.3	57.4	<0.01	0.03	1.9
CC146844		0.36	21.9	360	18.6	9.3	<0.001	0.05	0.40	4.0	0.9	0.4	89.6	<0.01	0.02	1.8
CC146845		0.43	28.2	280	34.3	6.9	<0.001	0.02	0.85	4.8	0.7	0.4	33.9	<0.01	0.03	4.0
CC146846		0.56	27.0	640	18.7	9.5	<0.001	0.03	0.64	5.7	0.5	0.5	53.0	<0.01	0.04	3.2
CC146847		0.38	30.9	650	20.2	8.9	0.002	0.06	1.25	4.4	1.5	0.4	63.2	<0.01	0.03	1.8
CC146848		0.15	21.3	520	15.0	6.0	<0.001	0.05	0.28	3.7	0.9	0.4	472	<0.01	0.07	2.0
CC146849		0.33	30.3	380	20.6	12.8	<0.001	0.03	0.31	8.1	0.5	0.6	47.1	<0.01	0.04	2.5
CC146850		0.25	25.1	250	24.7	7.9	<0.001	0.03	0.39	6.2	0.9	0.5	105.0	<0.01	0.07	4.2
CC146901		0.49	39.9	570	17.4	8.8	<0.001	0.04	1.72	5.3	1.7	0.5	62.5	<0.01	0.06	2.8
CC146902		0.28	34.6	450	21.0	8.4	<0.001	0.03	1.03	5.2	0.8	0.4	62.8	<0.01	0.04	3.0
CC146903		0.23	29.2	460	20.5	8.5	<0.001	0.06	0.50	3.5	0.8	0.4	77.9	<0.01	0.03	1.2
CC146904		0.40	44.0	710	20.8	10.4	0.001	0.04	1.47	5.1	1.3	0.5	67.8	<0.01	0.04	2.5
CC146905		0.42	30.3	630	17.0	9.9	0.001	0.08	0.86	3.8	1.1	0.4	122.5	<0.01	0.02	1.4
CC146906		0.27	22.9	530	19.3	6.7	<0.001	0.05	0.77	3.2	0.9	0.3	73.3	<0.01	0.01	1.8
CC146907		0.28	24.6	610	18.2	8.1	<0.001	0.05	0.55	3.4	0.7	0.4	62.5	<0.01	0.03	1.5
CC146908		0.60	26.9	460	31.7	7.4	<0.001	0.04	0.82	3.9	0.9	0.5	34.0	<0.01	0.02	2.3
CC146909		0.38	11.7	150	22.4	6.9	<0.001	0.01	0.22	3.9	0.3	0.4	21.2	<0.01	0.02	4.9
CC146910		0.22	32.9	450	25.3	7.8	0.001	0.03	0.51	6.1	0.8	0.5	45.5	<0.01	0.02	4.8
CC146911		0.48	34.2	480	17.6	8.4	0.001	0.03	0.98	5.6	0.8	0.5	51.0	<0.01	0.05	3.2
CC146912		0.30	29.1	650	15.5	8.2	0.001	0.07	0.85	4.8	1.1	0.4	98.0	<0.01	0.05	1.5
CC146913		0.25	24.2	810	18.4	6.8	0.001	0.08	1.01	2.8	1.0	0.3	114.0	<0.01	0.04	1.1
CC146914		0.50	29.4	310	21.5	9.2	<0.001	0.04	2.15	4.6	0.9	0.6	68.9	<0.01	0.03	2.5
CC146915		0.38	18.6	590	12.0	10.2	0.001	0.08	0.43	3.0	1.1	0.3	418	<0.01	<0.01	1.4
CC146916		0.55	19.0	180	16.4	10.5	0.001	0.03	0.39	4.3	0.7	0.6	72.2	<0.01	0.03	4.5
CC146917		0.22	35.6	370	30.6	8.2	<0.001	0.04	0.49	7.3	0.6	0.6	132.0	<0.01	0.06	3.8
CC146918		0.08	24.8	280	32.3	6.3	<0.001	0.07	0.42	3.7	0.6	0.4	108.0	<0.01	0.03	2.2
CC146919		0.18	22.7	320	20.5	7.2	<0.001	0.04	0.20	4.4	0.7	0.3	68.5	<0.01	0.03	4.5
CC146920		0.23	20.3	320	45.1	6.8	<0.001	0.04	0.26	3.4	0.5	0.3	49.6	<0.01	0.01	2.1
CC146921		0.58	24.3	860	17.7	6.3	<0.001	0.07	0.57	2.6	0.5	0.4	63.6	<0.01	0.02	0.8

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 4- SEP- 2011
Account: RCM

Project: Rackla- Dale South Contour

CERTIFICATE OF ANALYSIS WH11163917

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
CC146832		<0.005	0.10	1.37	19	<0.05	16.45	73	2.7
CC146833		0.005	0.12	1.11	24	0.07	15.20	72	2.3
CC146834		0.006	0.10	1.10	23	0.07	13.20	73	1.9
CC146835		<0.005	0.18	0.41	15	<0.05	4.12	80	1.1
CC146836		0.006	0.17	1.36	25	0.09	19.00	118	2.3
CC146837		0.023	0.10	1.37	43	0.15	9.96	106	0.9
CC146838		0.006	0.10	1.03	23	0.08	9.32	117	1.2
CC146839		0.011	0.10	1.97	30	0.15	8.82	74	1.2
CC146840		<0.005	0.16	1.40	12	<0.05	10.75	88	1.2
CC146841		0.005	0.12	1.13	18	0.07	8.44	84	1.0
CC146842		0.006	0.12	0.74	18	0.17	9.45	85	1.0
CC146843		<0.005	0.13	0.98	15	<0.05	9.18	106	1.4
CC146844		0.005	0.10	1.39	20	<0.05	9.43	65	1.5
CC146845		0.009	0.14	0.78	25	0.08	11.70	105	1.9
CC146846		0.012	0.10	1.00	31	0.11	12.50	90	1.8
CC146847		0.007	0.18	1.58	41	0.05	11.80	147	1.5
CC146848		<0.005	0.07	2.01	18	<0.05	16.75	48	1.8
CC146849		0.005	0.10	1.11	22	<0.05	14.95	76	1.6
CC146850		<0.005	0.11	1.02	24	0.05	17.40	61	3.5
CC146901		0.009	0.19	1.04	61	0.10	15.80	164	2.1
CC146902		0.006	0.15	0.82	31	0.06	12.65	126	1.9
CC146903		<0.005	0.11	1.32	18	<0.05	10.55	86	1.2
CC146904		0.008	0.22	1.48	46	0.08	15.95	169	1.6
CC146905		0.007	0.16	1.22	33	0.07	12.45	107	1.5
CC146906		0.005	0.24	0.82	29	0.05	10.45	115	1.2
CC146907		0.005	0.15	1.17	25	0.08	10.35	96	1.1
CC146908		0.010	0.14	1.78	59	0.13	12.35	170	1.1
CC146909		0.007	0.17	0.58	22	0.07	8.27	93	0.8
CC146910		<0.005	0.21	0.76	18	0.06	13.45	112	2.0
CC146911		0.009	0.13	1.54	38	0.10	12.55	110	2.2
CC146912		0.006	0.14	1.32	30	0.06	14.25	107	1.7
CC146913		<0.005	0.13	2.21	23	0.07	10.30	86	1.8
CC146914		0.006	0.22	3.69	41	0.09	10.25	88	2.1
CC146915		0.007	0.13	3.65	20	0.05	11.05	59	2.7
CC146916		0.005	0.15	1.96	35	0.07	7.44	63	3.7
CC146917		<0.005	0.11	0.85	19	<0.05	16.20	91	4.2
CC146918		<0.005	0.10	0.90	10	<0.05	11.90	60	2.3
CC146919		<0.005	0.17	0.57	9	<0.05	11.55	55	2.0
CC146920		<0.005	0.13	0.58	16	<0.05	8.17	82	0.8
CC146921		0.013	0.10	1.38	40	0.14	12.50	105	0.9

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 4- SEP- 2011
Account: RCM

Project: Rackla- Dale South Contour

CERTIFICATE OF ANALYSIS WH11163917

Sample Description	Method	WEI- 21	Au- TL43	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Recvd Wt.	Au	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
CC146922		0.32	0.002	0.12	0.39	20.5	<0.2	<10	140	0.50	0.14	2.21	0.68	21.4	5.8	8
CC146923		0.26	0.003	0.16	0.73	12.2	<0.2	<10	230	0.80	0.28	1.15	0.30	20.2	8.5	12
CC146651		0.34	0.002	0.11	1.15	8.5	<0.2	<10	190	0.97	0.33	1.02	0.10	15.90	11.2	19
CC146652		0.28	0.003	0.11	1.64	8.7	<0.2	<10	330	1.01	0.30	0.75	0.11	20.0	10.5	24
CC146653		0.24	0.006	0.14	1.55	10.0	<0.2	<10	200	1.03	0.24	2.50	0.25	38.5	11.7	26
CC146654		0.24	0.003	0.08	1.48	11.6	<0.2	<10	330	1.00	0.25	1.81	0.14	31.5	10.0	22
CC146655		0.24	0.003	0.06	1.11	25.2	<0.2	<10	310	1.08	0.29	2.29	0.15	39.2	12.4	14
CC146656		0.26	0.002	0.08	1.21	19.8	<0.2	<10	260	1.13	0.27	1.61	0.16	43.0	11.3	16
CC146657		0.28	0.003	0.07	1.64	12.7	<0.2	<10	180	1.03	0.24	0.82	0.12	36.1	10.9	24
CC146658		0.28	0.003	0.05	1.44	16.1	<0.2	<10	180	1.11	0.24	1.63	0.21	48.7	10.6	22
CC146659		0.28	0.004	0.11	1.95	23.9	<0.2	<10	350	1.14	0.26	2.27	0.20	36.3	10.5	26
CC146660		0.26	0.004	0.06	1.64	16.0	<0.2	<10	290	1.10	0.26	1.21	0.14	42.3	10.6	27
CC146661		0.26	0.003	0.08	1.53	11.6	<0.2	<10	350	0.98	0.25	1.54	0.19	38.8	10.6	26
CC146662		0.24	0.003	0.10	1.60	11.3	<0.2	<10	380	0.70	0.25	0.76	0.16	33.9	10.1	28
CC146663		0.24	0.003	0.07	1.70	12.5	<0.2	<10	360	0.96	0.25	0.53	0.13	34.7	11.0	26
CC146664		0.22	0.003	0.12	1.47	11.6	<0.2	<10	310	0.90	0.22	1.70	0.32	24.0	10.3	21
CC146665		0.18	0.002	0.07	1.95	12.6	<0.2	<10	420	1.00	0.29	1.13	0.23	23.9	11.1	25
CC146666		0.20	0.003	0.14	1.11	19.6	<0.2	<10	360	0.86	0.24	4.45	0.23	30.2	11.1	13
CC146667		0.22	0.003	0.25	1.79	13.9	<0.2	<10	430	1.02	0.25	1.36	0.26	36.4	11.5	27
CC146668		0.26	0.011	0.41	0.95	22	<0.2	<10	240	0.85	0.15	10.50	0.24	24.6	6.6	13
CC146669		0.24	0.003	0.05	2.18	5.0	<0.2	<10	250	1.21	0.18	0.52	0.17	54.1	10.7	40
CC146670		0.26	0.004	0.02	0.41	24.7	<0.2	<10	110	0.98	0.22	9.53	0.10	19.70	9.9	11
CC146671		0.22	0.004	0.15	1.69	12.4	<0.2	<10	300	1.24	0.19	3.13	0.32	40.9	8.4	28
CC146672		0.28	0.003	0.06	2.44	6.9	<0.2	<10	180	1.30	0.20	0.91	0.21	57.8	11.7	41
CC146673		0.24	0.004	0.05	1.56	3.5	<0.2	<10	380	1.35	0.28	2.12	0.12	32.8	12.2	30
CC146674		0.30	0.004	0.09	1.31	9.6	<0.2	<10	160	1.07	0.29	2.60	0.16	24.0	12.4	23
CC146675		0.26	0.003	0.05	1.96	11.2	<0.2	<10	260	1.47	0.25	0.77	0.25	46.5	13.1	28
CC146676		0.24	0.007	0.10	1.43	7.0	<0.2	<10	1360	1.10	0.23	2.55	0.22	47.3	10.7	29
CC146677		0.22	0.005	0.05	1.35	5.3	<0.2	<10	230	1.14	0.24	1.25	0.09	30.8	10.7	30
CC146678		0.26	0.003	0.11	0.86	13.5	<0.2	<10	80	1.12	0.36	1.01	0.08	13.75	12.8	13
CC146679		0.28	0.003	0.23	1.35	5.8	<0.2	<10	310	1.25	0.35	0.89	0.30	20.9	12.3	23
CC146680		0.38	0.004	0.28	1.06	9.5	<0.2	<10	210	1.03	0.29	0.96	0.59	22.1	12.7	19
CC146681		0.32	0.005	0.29	1.15	8.6	<0.2	<10	370	0.82	0.21	3.26	0.38	26.0	9.6	20
CC146682		0.28	0.004	0.09	1.51	6.5	<0.2	<10	260	1.18	0.28	1.96	0.19	45.9	11.9	32
CC146683		0.24	0.004	0.10	1.08	8.3	<0.2	<10	140	1.26	0.24	1.87	0.42	37.7	11.9	17
CC146684		0.26	0.003	0.18	1.34	12.8	<0.2	<10	480	1.26	0.22	2.75	0.44	31.1	11.7	24
CC146685		0.26	0.003	0.34	0.88	12.1	<0.2	10	330	1.15	0.22	2.83	0.39	23.7	10.2	16
DD004381		0.12	0.002	0.27	1.34	9.7	<0.2	<10	320	0.98	0.23	1.52	0.36	8.62	12.7	23
DD004382		0.10	0.002	0.20	1.17	7.8	<0.2	<10	330	0.78	0.18	2.36	0.47	8.36	9.6	18
DD004383		0.12	0.002	0.24	1.01	10.2	<0.2	10	550	0.79	0.21	2.86	0.64	12.30	8.9	19

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 4- SEP- 2011
Account: RCM

Project: Rackla- Dale South Contour

CERTIFICATE OF ANALYSIS WH11163917

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
CC146922		1.82	13.1	2.02	1.16	0.07	0.04	1.27	0.022	0.07	8.1	3.5	1.08	761	1.05	0.01
CC146923		1.18	22.5	2.71	2.14	0.08	0.05	0.58	0.033	0.09	7.0	10.1	0.21	371	0.72	0.02
CC146651		1.45	32.9	2.97	3.22	0.08	0.06	0.06	0.037	0.08	6.5	15.4	0.28	362	0.50	0.01
CC146652		1.21	24.0	3.01	4.99	0.08	0.05	0.06	0.033	0.10	7.5	28.9	0.42	492	0.63	0.02
CC146653		0.78	36.6	2.91	4.39	0.12	0.11	0.19	0.034	0.10	17.5	21.9	0.94	452	0.90	0.02
CC146654		0.63	20.1	3.18	4.17	0.11	0.08	0.20	0.034	0.13	13.7	18.2	0.91	523	0.75	0.02
CC146655		0.43	29.3	3.12	2.76	0.12	0.10	0.23	0.045	0.13	15.2	10.1	0.31	465	0.70	0.01
CC146656		0.38	20.8	3.05	3.42	0.11	0.09	0.16	0.041	0.14	13.8	10.2	0.21	524	0.63	0.01
CC146657		0.70	17.2	3.40	4.29	0.12	0.06	0.15	0.035	0.08	14.5	19.7	0.62	611	0.70	0.01
CC146658		0.52	20.3	3.21	3.82	0.10	0.08	0.19	0.040	0.10	14.3	17.9	1.01	622	0.87	0.01
CC146659		0.76	15.4	3.75	5.05	0.12	0.11	0.43	0.041	0.09	15.5	22.2	1.37	867	0.80	0.02
CC146660		0.59	21.1	3.43	4.68	0.16	0.10	0.20	0.040	0.12	22.7	19.3	0.74	499	0.88	0.02
CC146661		0.85	22.1	3.04	4.52	0.12	0.08	0.20	0.038	0.09	15.2	16.8	0.68	450	0.77	0.02
CC146662		0.88	15.1	3.04	4.56	0.10	0.05	0.08	0.031	0.08	12.5	18.2	0.51	401	0.83	0.02
CC146663		0.75	16.1	3.53	4.74	0.10	0.07	0.09	0.035	0.08	11.3	20.0	0.49	668	0.74	0.02
CC146664		0.67	24.2	2.95	4.03	0.10	0.06	0.18	0.034	0.09	10.1	17.3	0.40	717	0.54	0.02
CC146665		1.08	17.8	3.15	5.65	0.09	0.06	0.18	0.038	0.08	9.7	24.0	0.47	535	0.66	0.02
CC146666		0.63	27.0	2.96	2.79	0.10	0.06	0.37	0.039	0.07	11.5	12.6	0.28	478	0.72	0.02
CC146667		0.70	25.7	3.18	4.91	0.11	0.07	0.28	0.035	0.08	15.0	14.0	0.57	574	0.73	0.02
CC146668		0.41	27.3	1.77	2.24	0.08	0.15	0.34	0.025	0.13	10.8	9.0	0.82	214	1.09	0.02
CC146669		0.51	25.9	2.61	6.95	0.14	0.11	0.06	0.034	0.26	23.5	52.0	1.44	353	0.57	0.01
CC146670		0.85	29.7	2.04	1.05	0.08	0.10	0.13	0.036	0.16	6.1	1.9	2.28	354	0.27	0.02
CC146671		0.44	25.0	2.53	4.36	0.11	0.15	0.13	0.034	0.16	16.7	32.8	0.82	279	1.47	0.02
CC146672		1.52	23.6	2.95	7.12	0.14	0.12	0.06	0.038	0.18	23.9	60.2	1.57	300	0.78	0.01
CC146673		1.07	34.3	2.78	5.06	0.13	0.12	0.07	0.041	0.16	10.4	37.7	0.97	331	0.24	0.02
CC146674		1.17	37.4	3.12	4.23	0.11	0.10	0.17	0.038	0.14	8.9	28.8	1.27	400	0.62	0.02
CC146675		0.50	23.2	3.46	5.20	0.14	0.10	0.13	0.040	0.13	17.8	28.0	0.60	510	0.91	0.01
CC146676		1.02	37.4	2.53	4.43	0.12	0.13	0.12	0.038	0.17	21.0	43.4	1.40	278	0.55	0.03
CC146677		1.17	37.8	2.58	4.34	0.11	0.14	0.12	0.038	0.12	11.4	38.0	0.77	189	0.36	0.01
CC146678		1.12	39.6	3.38	2.56	0.09	0.07	0.14	0.046	0.10	5.0	17.1	0.21	385	0.62	0.01
CC146679		1.14	37.9	2.94	4.71	0.11	0.09	0.13	0.039	0.15	7.7	27.7	0.42	188	1.07	0.02
CC146680		1.10	37.5	3.48	3.51	0.11	0.08	0.16	0.040	0.13	8.4	22.2	0.41	892	1.82	0.02
CC146681		0.90	27.9	2.62	3.51	0.10	0.08	0.22	0.032	0.12	10.1	21.5	1.41	391	1.34	0.02
CC146682		1.47	32.7	3.01	4.84	0.14	0.12	0.10	0.041	0.13	17.7	35.6	0.98	284	0.72	0.02
CC146683		0.26	29.1	2.78	3.11	0.12	0.09	0.21	0.040	0.16	14.1	14.1	0.42	350	1.30	0.01
CC146684		0.51	35.7	2.80	3.96	0.11	0.12	0.20	0.039	0.16	12.2	20.3	0.93	383	1.29	0.02
CC146685		0.48	32.2	2.36	2.79	0.11	0.07	0.27	0.036	0.13	10.5	12.1	0.68	327	1.27	0.01
DD004381		0.69	30.6	3.09	4.13	0.10	0.06	0.11	0.040	0.10	4.4	20.7	0.33	468	1.38	0.01
DD004382		0.46	27.7	2.47	3.39	0.08	0.05	0.10	0.032	0.08	4.7	15.3	0.30	318	0.80	0.01
DD004383		0.55	26.2	2.44	2.90	0.11	0.08	0.17	0.030	0.10	8.2	14.1	0.41	386	1.26	0.02

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 4- SEP- 2011
Account: RCM

Project: Rackla- Dale South Contour

CERTIFICATE OF ANALYSIS WH11163917

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
CC146922		0.15	15.8	290	53.4	4.9	<0.001	<0.01	0.29	4.4	0.6	0.3	17.5	<0.01	0.02	4.5
CC146923		0.29	23.1	450	42.1	8.3	<0.001	0.02	0.36	4.6	0.8	0.5	39.8	<0.01	0.03	3.3
CC146651		0.41	21.0	430	16.4	9.9	<0.001	0.01	0.33	4.8	0.6	0.5	45.7	<0.01	0.10	1.6
CC146652		0.67	22.3	370	18.3	13.0	<0.001	<0.01	0.31	4.4	0.6	0.7	32.6	<0.01	0.04	2.3
CC146653		0.87	29.7	660	15.5	9.8	<0.001	<0.01	0.68	7.1	0.9	0.5	88.2	0.01	0.04	5.5
CC146654		0.71	21.0	250	19.1	13.3	<0.001	<0.01	0.49	5.6	0.7	0.6	37.3	0.01	0.03	4.2
CC146655		0.35	23.4	370	20.1	10.4	<0.001	<0.01	0.91	7.0	0.9	0.6	114.0	0.01	0.05	3.4
CC146656		0.37	20.6	280	19.4	10.1	<0.001	<0.01	0.75	6.4	0.7	0.6	67.3	0.01	0.05	3.9
CC146657		0.64	21.7	240	20.8	10.4	<0.001	<0.01	0.41	5.7	0.7	0.6	22.6	0.01	0.03	5.4
CC146658		0.50	19.4	320	22.2	11.7	<0.001	<0.01	0.62	6.1	0.7	0.5	21.0	<0.01	0.03	4.3
CC146659		0.77	21.5	510	31.5	12.5	<0.001	0.01	0.85	6.5	0.8	0.6	28.3	0.01	0.04	4.4
CC146660		0.75	24.9	320	21.9	9.9	<0.001	<0.01	0.58	7.9	1.0	0.6	38.3	0.01	0.03	5.2
CC146661		0.99	23.7	320	17.5	11.4	<0.001	<0.01	0.49	5.6	0.8	0.6	64.5	0.01	0.03	4.3
CC146662		1.17	24.2	360	15.4	10.5	<0.001	<0.01	0.53	3.9	0.5	0.6	41.1	<0.01	0.03	3.6
CC146663		0.75	23.4	270	20.1	10.3	<0.001	<0.01	0.48	5.5	0.5	0.6	24.4	<0.01	0.03	4.7
CC146664		0.54	20.0	520	16.2	9.1	<0.001	0.02	0.37	4.3	0.8	0.5	69.9	0.01	0.04	1.5
CC146665		0.83	19.4	420	19.1	11.0	<0.001	<0.01	0.45	4.8	0.6	0.7	37.4	<0.01	0.05	2.1
CC146666		0.40	20.6	640	16.4	8.1	<0.001	0.03	0.41	4.7	1.0	0.5	166.0	0.01	0.05	1.6
CC146667		0.88	23.8	620	16.9	9.7	<0.001	0.01	0.57	4.6	0.9	0.6	48.0	0.01	0.03	2.0
CC146668		0.38	15.3	900	12.5	8.0	<0.001	0.05	0.63	3.0	1.1	0.4	241	0.01	0.04	1.7
CC146669		0.94	24.4	250	13.8	18.0	<0.001	0.01	0.28	5.7	0.8	0.8	22.6	<0.01	0.02	5.5
CC146670		0.15	21.6	690	5.1	9.3	<0.001	<0.01	0.17	7.4	0.6	0.4	129.5	0.01	0.02	6.4
CC146671		0.62	22.3	720	17.0	11.5	<0.001	0.05	0.43	4.4	1.3	0.6	130.0	0.01	0.03	2.4
CC146672		0.99	29.3	210	16.1	23.9	<0.001	<0.01	0.40	6.4	0.9	0.8	43.5	0.01	0.03	6.2
CC146673		0.66	30.9	490	19.8	13.9	<0.001	0.01	0.20	7.9	0.8	0.6	48.4	0.01	0.02	5.0
CC146674		0.47	28.8	650	19.0	10.7	<0.001	0.02	0.36	6.9	0.9	0.6	68.2	<0.01	0.03	4.9
CC146675		0.46	25.3	270	24.3	11.9	<0.001	<0.01	0.45	7.3	0.9	0.7	34.2	0.01	0.03	5.6
CC146676		0.53	23.8	460	16.2	12.7	<0.001	0.05	0.29	6.0	1.5	0.5	105.0	0.01	0.03	4.2
CC146677		0.56	28.6	530	16.8	11.9	<0.001	0.03	0.26	7.0	1.2	0.5	49.6	0.01	0.02	4.1
CC146678		0.17	31.2	670	18.9	8.8	<0.001	0.01	0.38	6.7	0.8	0.6	61.2	<0.01	0.06	4.0
CC146679		0.58	30.5	540	20.6	13.5	<0.001	0.04	0.51	5.6	1.0	0.8	68.3	<0.01	0.03	3.1
CC146680		0.38	36.5	810	19.3	13.6	0.001	0.06	0.82	5.8	1.2	0.6	88.3	0.01	0.05	3.4
CC146681		0.50	26.3	830	15.4	9.8	<0.001	0.05	0.80	5.0	1.2	0.5	74.5	<0.01	0.04	2.8
CC146682		0.54	30.7	590	18.7	14.3	<0.001	0.03	0.38	8.0	1.0	0.6	58.4	0.01	0.03	6.0
CC146683		0.32	24.9	390	17.1	9.0	<0.001	0.02	0.55	6.9	1.2	0.6	84.8	0.01	0.04	4.9
CC146684		0.48	29.9	580	16.4	11.4	<0.001	0.03	0.72	5.5	1.3	0.6	87.9	0.01	0.04	2.4
CC146685		0.26	26.6	650	15.6	8.0	<0.001	0.06	0.73	3.7	1.4	0.5	80.1	<0.01	0.03	1.6
DD004381		0.16	42.7	810	14.7	9.7	0.003	0.09	0.53	3.8	1.3	0.6	30.1	<0.01	0.05	1.8
DD004382		0.19	33.7	780	14.0	7.0	0.002	0.11	0.51	2.7	1.2	0.5	31.8	<0.01	0.03	1.1
DD004383		0.29	33.5	900	16.4	8.6	0.013	0.17	0.55	2.9	6.8	0.4	82.1	<0.01	0.03	1.1

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 4- SEP- 2011
Account: RCM

Project: Rackla- Dale South Contour

CERTIFICATE OF ANALYSIS WH11163917

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
CC146922		<0.005	0.20	0.49	13	<0.05	7.89	223	1.2
CC146923		<0.005	0.15	0.83	16	0.05	9.04	124	1.5
CC146651		0.006	0.07	1.64	20	0.07	8.62	58	1.5
CC146652		0.008	0.09	1.61	30	0.11	8.11	64	1.4
CC146653		0.021	0.11	1.24	35	0.13	17.55	81	3.6
CC146654		0.010	0.13	1.21	28	0.11	12.65	63	2.2
CC146655		<0.005	0.13	1.74	18	0.07	17.35	67	2.3
CC146656		<0.005	0.18	1.27	22	0.07	14.20	39	2.0
CC146657		0.008	0.12	1.28	28	0.10	12.95	65	2.1
CC146658		0.006	0.15	1.49	26	0.09	11.25	72	2.0
CC146659		0.007	0.15	1.61	33	0.13	15.70	87	2.6
CC146660		0.012	0.13	1.23	37	0.18	22.9	81	2.5
CC146661		0.016	0.13	1.57	35	0.18	11.95	86	2.3
CC146662		0.027	0.11	1.54	41	0.27	6.17	88	1.3
CC146663		0.014	0.11	1.19	35	0.11	8.19	85	1.9
CC146664		0.008	0.09	1.46	27	0.09	11.25	75	1.2
CC146665		0.011	0.11	1.49	41	0.14	6.89	107	1.3
CC146666		<0.005	0.11	2.25	18	0.09	15.55	61	1.3
CC146667		0.017	0.10	1.49	41	0.18	14.05	83	1.5
CC146668		<0.005	0.14	3.86	25	0.06	11.40	40	4.6
CC146669		0.022	0.16	1.78	39	0.08	10.40	75	3.9
CC146670		<0.005	0.11	1.48	9	<0.05	12.90	29	4.6
CC146671		0.008	0.15	3.01	36	0.08	13.75	65	4.1
CC146672		0.019	0.19	2.02	44	0.11	12.35	86	4.5
CC146673		0.012	0.13	2.01	19	0.05	16.30	84	4.1
CC146674		0.008	0.12	1.45	18	0.06	13.25	93	3.5
CC146675		<0.005	0.17	2.41	31	0.07	17.05	76	2.6
CC146676		0.009	0.16	2.15	25	0.05	13.10	90	4.4
CC146677		0.008	0.14	2.68	18	<0.05	13.95	80	4.9
CC146678		<0.005	0.11	0.67	13	<0.05	11.20	86	2.0
CC146679		0.006	0.16	0.94	32	0.08	12.90	110	2.3
CC146680		0.005	0.18	1.00	32	0.06	14.95	137	2.3
CC146681		0.009	0.15	1.65	32	0.09	11.90	128	2.3
CC146682		0.007	0.15	2.13	27	0.06	19.05	94	4.0
CC146683		<0.005	0.15	2.32	32	0.07	15.90	87	2.7
CC146684		0.005	0.16	1.95	33	0.09	15.15	99	3.2
CC146685		<0.005	0.13	2.09	23	0.05	11.85	93	1.9
DD004381		<0.005	0.12	0.95	30	<0.05	12.25	134	1.5
DD004382		<0.005	0.10	1.47	26	<0.05	11.05	105	1.4
DD004383		<0.005	0.12	3.03	28	0.10	15.40	144	1.6

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 4- SEP- 2011
Account: RCM

Project: Rackla- Dale South Contour

CERTIFICATE OF ANALYSIS WH11163917

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- TL43 Au ppm 0.001	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1
DD004384		0.16	0.002	0.12	1.30	9.9	<0.2	<10	290	1.01	0.23	1.55	0.51	9.90	13.1	22
DD004385		0.22	0.001	0.11	1.50	11.3	<0.2	<10	260	0.96	0.22	1.04	0.42	10.25	13.3	24
DD004386		0.26	0.002	0.35	1.09	16.0	<0.2	<10	310	1.06	0.28	2.21	1.14	15.30	11.3	19
DD004387		0.30	0.001	4.55	0.61	60.8	<0.2	10	730	1.00	0.18	0.63	25.9	10.10	4.5	85
DD004388		0.24	0.002	0.42	1.16	19.1	<0.2	<10	370	1.01	0.25	2.87	1.44	18.30	12.3	20
DD004389		0.26	0.001	0.05	1.82	14.6	<0.2	<10	140	0.91	0.30	0.30	0.29	6.19	17.6	30
DD004390		0.32	0.002	0.15	1.70	12.9	<0.2	<10	320	1.04	0.29	0.56	0.23	16.20	13.5	28
DD004391		0.28	0.001	0.13	1.49	15.9	<0.2	<10	320	1.15	0.30	0.39	0.41	12.85	19.4	26
DD004392		0.22	0.002	0.32	1.51	11.3	<0.2	<10	280	1.11	0.24	0.96	0.81	25.0	15.5	24
DD004393		0.26	0.001	0.12	1.69	15.7	<0.2	<10	240	1.22	0.31	0.42	0.44	12.40	20.5	29
DD004394		0.16	0.002	0.19	1.48	9.5	<0.2	<10	230	1.00	0.21	1.14	0.66	29.8	15.9	25
DD004395		0.12	0.002	0.19	1.69	7.3	<0.2	10	200	0.95	0.16	1.74	0.60	48.9	15.6	35
DD004396		0.16	0.001	0.15	1.89	12.8	<0.2	<10	240	1.20	0.21	0.75	0.49	55.0	18.5	36
DD004397		0.10	0.001	0.18	1.99	7.5	<0.2	<10	230	0.99	0.15	0.63	0.41	56.6	21.7	37
DD004398		0.12	0.001	0.23	1.74	6.8	<0.2	<10	160	1.02	0.13	1.42	0.57	62.4	20.2	33
DD004399		0.26	0.003	0.48	1.63	9.5	<0.2	10	140	1.08	0.18	1.59	1.03	48.0	17.1	45
DD004400		0.18	0.002	0.17	0.90	9.4	<0.2	10	120	0.82	0.17	2.77	0.37	23.9	11.2	17
CC146701		0.22	0.003	0.07	0.49	10.3	<0.2	10	80	1.23	0.28	6.42	0.19	26.5	10.6	13
CC146702		0.18	0.003	0.14	0.95	12.8	<0.2	10	300	0.90	0.22	2.29	0.42	24.7	10.1	16
CC146703		0.20	0.002	0.17	0.80	45.0	<0.2	<10	270	1.17	0.25	1.33	0.29	32.7	12.9	16
CC146704		0.24	0.003	0.20	0.88	43.9	<0.2	10	180	0.87	0.18	9.65	0.60	24.7	7.0	12
CC146705		0.16	0.002	0.17	0.78	12.7	<0.2	10	420	1.01	0.26	4.28	0.25	30.1	10.5	9
CC146706		0.16	0.001	0.14	0.85	6.1	<0.2	10	90	1.20	0.22	4.45	0.29	26.6	9.0	11
CC146707		0.16	0.001	0.16	0.65	7.1	<0.2	10	190	0.84	0.21	2.42	0.17	20.0	8.9	10
CC146708		0.20	0.001	0.13	0.81	8.5	<0.2	10	100	1.23	0.32	2.08	0.11	15.00	13.2	10
CC146709		0.20	0.002	0.21	1.16	14.7	<0.2	10	420	1.04	0.25	1.70	0.56	21.4	13.3	20
CC146710		0.22	0.002	0.12	1.36	21.3	<0.2	10	230	1.42	0.27	1.77	0.15	32.6	15.4	22
CC146711		0.14	0.001	0.15	0.94	6.2	<0.2	10	290	0.84	0.17	2.93	0.31	14.55	8.1	14
CC146712		0.22	0.001	0.10	1.24	11.7	<0.2	<10	220	1.11	0.29	0.90	0.11	21.2	11.6	20
CC146851		0.30	0.002	0.11	1.24	9.6	<0.2	10	170	1.15	0.25	1.92	0.19	19.95	9.8	21
CC146852		0.36	0.002	0.16	1.31	10.7	<0.2	<10	140	0.99	0.32	4.07	0.17	17.45	13.8	20
CC146853		0.38	0.001	0.15	1.39	12.5	<0.2	10	210	1.20	0.32	1.47	0.12	26.0	13.4	22
CC146854		0.34	0.001	0.17	1.28	8.2	<0.2	<10	200	1.11	0.27	1.40	0.12	22.1	12.3	21
CC146855		0.38	0.001	0.18	0.27	11.1	<0.2	<10	130	0.71	0.33	4.29	0.07	11.80	14.7	6
CC146856		0.36	0.001	0.10	1.93	28.6	<0.2	<10	80	1.27	0.39	0.11	0.09	9.68	22.8	26
CC146857		0.44	0.001	0.11	1.89	20.0	<0.2	<10	280	1.73	0.40	0.37	0.06	23.9	24.0	26
CC146858		0.26	0.002	0.40	1.37	11.0	<0.2	<10	170	1.03	0.30	3.37	0.13	26.4	12.1	21
CC146859		0.40	0.002	0.12	1.50	19.0	<0.2	<10	140	1.07	0.30	0.45	0.05	32.1	13.9	25
CC146860		0.34	<0.001	0.08	1.20	11.1	<0.2	<10	140	1.18	0.32	0.44	0.06	23.1	12.1	14
CC146861		0.22	0.002	0.21	0.94	8.1	<0.2	<10	240	0.65	0.18	3.47	0.21	23.6	8.3	16

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 4- SEP- 2011
Account: RCM

Project: Rackla- Dale South Contour

CERTIFICATE OF ANALYSIS WH11163917

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
DD004384		0.69	31.2	3.10	3.87	0.09	0.06	0.08	0.042	0.09	4.3	24.2	0.37	239	0.97	0.01
DD004385		0.66	25.5	3.60	4.46	0.09	0.06	0.06	0.039	0.09	4.0	27.9	0.50	414	1.27	0.01
DD004386		0.88	33.0	3.38	3.27	0.10	0.06	0.33	0.043	0.12	7.9	14.6	0.89	872	1.73	0.02
DD004387		0.76	219	1.85	3.53	0.21	0.04	1.40	0.035	0.12	8.3	3.5	0.07	96	89.4	0.01
DD004388		0.67	31.6	3.38	3.59	0.10	0.05	0.21	0.036	0.10	9.9	14.0	1.20	461	3.95	0.02
DD004389		1.50	36.8	5.04	5.40	0.10	0.03	0.02	0.055	0.10	2.3	38.8	0.47	389	2.29	0.01
DD004390		1.08	37.8	4.04	5.28	0.11	0.06	0.09	0.046	0.10	8.0	27.9	0.51	347	2.02	0.01
DD004391		1.48	44.1	4.45	4.94	0.12	0.08	0.05	0.051	0.11	4.9	29.8	0.51	344	2.49	0.02
DD004392		1.23	40.5	3.44	4.92	0.12	0.09	0.10	0.044	0.13	11.1	25.4	0.50	348	2.01	0.01
DD004393		1.56	44.1	4.60	5.28	0.11	0.03	0.02	0.055	0.12	4.8	33.4	0.52	491	2.13	0.02
DD004394		0.93	33.6	3.25	5.03	0.10	0.06	0.10	0.040	0.10	13.2	24.5	0.49	779	1.36	0.02
DD004395		0.95	30.6	3.17	6.34	0.13	0.06	0.15	0.038	0.11	24.0	27.3	0.77	938	0.88	0.02
DD004396		0.77	30.7	4.44	6.72	0.13	0.07	0.21	0.048	0.12	24.2	31.3	0.83	818	1.49	0.02
DD004397		1.27	29.5	4.09	7.46	0.14	0.06	0.10	0.044	0.13	24.6	31.4	0.88	646	1.66	0.02
DD004398		0.85	32.1	3.29	6.37	0.15	0.06	0.11	0.042	0.09	29.4	26.2	0.72	912	1.16	0.01
DD004399		1.37	43.5	3.73	6.06	0.15	0.07	0.49	0.048	0.12	23.4	31.1	0.80	395	2.46	0.01
DD004400		0.97	34.8	2.53	3.01	0.11	0.05	0.33	0.034	0.09	11.2	15.0	0.51	574	1.14	0.01
CC146701		0.68	30.6	2.49	1.35	0.12	0.05	0.24	0.045	0.10	10.4	6.3	1.47	330	0.44	0.02
CC146702		0.80	27.5	2.63	2.89	0.11	0.05	0.54	0.033	0.08	12.0	14.2	0.43	476	0.78	0.01
CC146703		0.63	26.7	2.99	2.38	0.10	0.08	1.04	0.040	0.08	12.1	8.8	0.30	370	1.24	0.01
CC146704		0.55	22.1	1.89	2.36	0.10	0.10	1.43	0.028	0.06	11.8	6.3	4.66	665	2.02	0.02
CC146705		0.45	29.3	2.56	1.89	0.11	0.06	1.52	0.033	0.09	12.9	6.9	0.30	328	0.79	0.01
CC146706		0.61	26.2	2.66	1.98	0.12	0.05	0.09	0.040	0.08	11.4	6.9	0.09	504	0.50	0.02
CC146707		1.66	32.6	2.51	1.84	0.11	0.05	0.12	0.033	0.07	8.4	9.5	0.16	354	0.51	0.01
CC146708		0.89	29.5	3.18	2.04	0.09	0.06	0.08	0.037	0.10	5.3	10.9	0.13	495	0.47	0.01
CC146709		0.83	35.0	3.24	3.59	0.10	0.06	0.33	0.041	0.11	9.1	14.7	0.37	562	1.68	0.01
CC146710		1.08	35.4	3.61	4.45	0.12	0.08	0.57	0.045	0.13	14.8	19.9	0.89	742	1.08	0.01
CC146711		2.07	20.9	1.85	2.68	0.09	0.05	0.15	0.026	0.07	5.7	15.2	0.39	502	0.47	0.01
CC146712		1.15	25.4	3.09	3.76	0.10	0.05	0.15	0.037	0.10	9.6	21.2	0.49	442	0.66	0.01
CC146851		0.72	32.0	2.86	3.89	0.10	0.09	0.20	0.035	0.11	10.2	23.3	0.61	283	0.65	0.01
CC146852		1.41	38.2	3.07	4.36	0.10	0.08	0.08	0.040	0.13	6.5	29.6	0.69	389	0.65	0.02
CC146853		0.66	32.5	3.60	4.47	0.11	0.08	0.13	0.042	0.13	11.6	26.1	0.49	462	0.66	0.01
CC146854		1.01	35.2	2.77	4.37	0.06	0.08	0.10	0.038	0.11	8.7	27.3	0.56	668	0.54	0.01
CC146855		1.56	36.5	3.82	0.67	0.08	0.10	0.33	0.038	0.09	4.1	3.5	0.27	311	0.67	0.01
CC146856		3.54	38.2	4.50	6.87	0.08	0.04	0.04	0.044	0.15	3.7	55.2	0.56	722	0.82	0.01
CC146857		2.99	35.1	3.86	6.11	0.09	0.07	0.04	0.048	0.15	7.9	50.3	0.61	1400	0.44	0.01
CC146858		0.63	36.9	3.20	4.55	0.09	0.13	0.07	0.043	0.14	11.9	24.5	0.35	327	0.85	0.01
CC146859		1.20	32.0	4.11	4.44	0.10	0.06	0.04	0.042	0.09	10.6	30.7	0.45	518	0.92	0.01
CC146860		1.87	31.6	3.85	2.61	0.08	0.03	0.01	0.048	0.09	6.5	23.7	0.12	417	0.65	0.01
CC146861		0.66	20.5	2.30	2.89	0.07	0.06	0.07	0.028	0.06	10.2	9.8	0.22	478	0.67	0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 4- SEP- 2011
Account: RCM

Project: Rackla- Dale South Contour

CERTIFICATE OF ANALYSIS WH11163917

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
DD004384		0.18	46.4	690	17.1	8.2	0.003	0.08	0.47	4.3	1.0	0.5	36.1	<0.01	0.04	2.4
DD004385		0.16	44.1	680	18.3	8.5	0.001	0.07	0.48	4.4	0.9	0.5	25.0	<0.01	0.04	2.3
DD004386		0.20	33.5	710	38.4	9.0	0.001	0.06	0.82	4.8	1.7	0.5	32.9	<0.01	0.05	2.6
DD004387		0.10	227	2160	12.9	8.2	0.010	0.05	34.8	5.0	17.5	0.6	94.1	<0.01	0.30	1.7
DD004388		0.28	42.9	720	37.1	7.4	0.001	0.04	1.44	4.2	1.2	0.5	32.6	<0.01	0.08	2.2
DD004389		0.11	51.5	720	23.6	11.7	0.001	0.06	0.72	4.1	0.8	0.7	17.8	<0.01	0.06	2.6
DD004390		0.21	51.5	690	18.6	9.8	0.001	0.04	0.68	5.8	1.2	0.7	21.0	<0.01	0.04	3.9
DD004391		0.09	62.0	910	20.0	9.9	0.001	0.06	0.80	5.7	1.1	0.7	24.7	<0.01	0.04	4.8
DD004392		0.30	44.7	790	20.1	11.5	0.001	0.05	1.08	6.0	1.4	0.6	33.3	<0.01	0.06	3.8
DD004393		0.12	60.9	970	21.4	11.1	<0.001	0.04	0.68	5.4	1.0	0.7	20.9	<0.01	0.08	3.7
DD004394		0.30	42.4	890	15.2	10.8	<0.001	0.07	0.55	5.0	0.9	0.6	50.8	<0.01	0.03	2.9
DD004395		0.41	33.5	1020	15.7	11.1	0.001	0.10	0.58	4.8	1.2	0.7	72.4	<0.01	0.03	1.7
DD004396		0.40	38.4	1030	21.5	9.5	<0.001	0.05	0.64	6.3	1.0	0.7	33.4	<0.01	0.03	3.9
DD004397		0.41	37.9	1220	16.9	11.4	0.001	0.07	0.58	6.0	0.9	0.8	37.2	<0.01	0.01	3.3
DD004398		0.35	36.1	1080	13.0	7.6	<0.001	0.09	0.71	5.3	1.5	0.6	73.6	<0.01	0.02	1.8
DD004399		0.33	51.5	1300	15.3	9.1	0.002	0.08	1.76	6.9	2.8	0.7	75.4	<0.01	0.02	2.6
DD004400		0.28	27.8	820	14.4	6.7	0.001	0.11	0.68	3.3	1.3	0.4	113.5	<0.01	0.02	0.9
CC146701		0.14	23.2	760	21.0	5.3	<0.001	0.05	0.39	5.6	0.9	0.4	164.0	<0.01	0.01	3.8
CC146702		0.43	23.8	690	17.6	6.5	<0.001	0.08	0.54	3.3	1.6	0.5	64.2	<0.01	0.04	1.1
CC146703		0.30	27.1	380	23.3	6.0	0.001	0.04	0.75	5.0	1.3	0.6	55.6	<0.01	0.04	3.4
CC146704		0.24	17.3	1190	24.2	4.6	<0.001	0.07	1.66	1.9	1.1	0.5	105.0	<0.01	0.06	0.8
CC146705		0.20	23.4	670	16.6	4.9	0.001	0.08	0.47	3.0	0.9	0.5	122.0	<0.01	0.04	1.3
CC146706		0.17	20.3	580	15.1	5.3	0.001	0.08	0.31	4.7	1.3	0.5	205	<0.01	0.04	1.8
CC146707		0.15	24.2	770	19.2	6.5	<0.001	0.11	0.44	2.4	2.2	0.5	112.0	<0.01	0.04	0.7
CC146708		0.12	26.6	310	21.0	6.9	<0.001	0.05	0.37	5.2	0.7	0.5	80.8	<0.01	0.05	2.3
CC146709		0.39	31.9	380	23.0	8.0	0.001	0.06	0.90	4.7	0.7	0.7	52.7	<0.01	0.04	2.1
CC146710		0.28	32.7	590	23.2	8.6	<0.001	0.03	0.72	7.2	1.0	0.7	42.0	<0.01	0.03	4.3
CC146711		0.32	18.0	730	12.7	8.1	0.001	0.11	0.30	2.0	0.5	0.5	74.6	<0.01	0.04	0.6
CC146712		0.40	24.6	380	20.3	7.9	<0.001	0.03	0.45	5.0	0.9	0.7	33.4	<0.01	0.02	2.7
CC146851		0.36	28.2	790	16.7	8.5	<0.001	0.08	0.49	4.2	0.7	0.6	83.2	<0.01	0.03	1.9
CC146852		0.41	32.9	580	23.1	8.6	<0.001	0.03	0.50	5.2	1.0	0.8	170.5	<0.01	0.07	4.0
CC146853		0.41	32.9	400	25.8	8.9	<0.001	0.04	0.51	5.7	0.8	0.6	82.7	<0.01	0.04	3.5
CC146854		0.38	29.8	490	17.4	11.5	<0.001	0.03	0.39	5.5	0.8	0.6	69.0	<0.01	0.05	2.4
CC146855		0.08	38.2	390	31.8	7.3	<0.001	0.04	0.64	5.8	0.7	0.4	118.0	0.01	0.05	5.2
CC146856		0.31	30.2	540	42.1	17.5	<0.001	0.04	0.77	4.9	0.5	0.9	25.1	<0.01	0.10	2.9
CC146857		0.33	31.8	880	38.3	16.6	<0.001	0.03	0.28	6.6	0.6	0.8	39.6	<0.01	0.09	5.7
CC146858		0.36	32.0	460	20.7	10.3	<0.001	0.04	0.37	6.1	1.4	0.7	193.5	0.01	0.10	4.1
CC146859		0.34	32.4	290	28.2	10.5	<0.001	0.01	0.59	8.1	0.9	0.5	39.8	<0.01	0.06	6.1
CC146860		0.20	30.2	270	29.9	14.2	<0.001	0.01	0.47	4.1	0.5	0.4	34.7	<0.01	0.06	3.1
CC146861		0.50	19.6	730	12.1	8.4	<0.001	0.08	0.33	3.0	1.4	0.4	193.0	0.01	0.07	1.1

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 4- SEP- 2011
Account: RCM

Project: Rackla- Dale South Contour

CERTIFICATE OF ANALYSIS WH11163917

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
DD004384		<0.005	0.10	1.10	29	<0.05	12.80	145	1.9
DD004385		<0.005	0.10	0.78	32	<0.05	10.75	139	1.4
DD004386		<0.005	0.15	0.98	31	<0.05	12.85	208	1.8
DD004387		<0.005	0.59	11.65	942	0.41	34.5	1130	2.2
DD004388		0.005	0.21	1.16	65	0.07	14.10	209	1.2
DD004389		<0.005	0.16	0.44	41	<0.05	4.13	161	1.3
DD004390		<0.005	0.17	1.03	39	<0.05	17.55	137	1.4
DD004391		<0.005	0.14	0.88	34	<0.05	14.40	160	3.0
DD004392		<0.005	0.16	1.22	46	<0.05	14.35	147	2.6
DD004393		<0.005	0.14	0.87	37	<0.05	13.50	184	0.8
DD004394		<0.005	0.13	0.87	38	<0.05	14.50	128	1.6
DD004395		0.006	0.16	1.10	53	0.07	13.40	117	1.4
DD004396		0.006	0.13	1.18	60	0.08	13.00	128	1.9
DD004397		0.005	0.15	0.61	69	<0.05	11.00	111	1.3
DD004398		0.005	0.18	0.57	57	<0.05	16.60	91	1.5
DD004399		0.005	0.24	0.80	66	<0.05	15.25	160	1.9
DD004400		0.005	0.13	1.12	26	0.06	10.65	87	1.3
CC146701		<0.005	0.06	3.64	14	<0.05	13.85	85	1.9
CC146702		0.006	0.10	2.82	25	0.06	12.50	75	1.3
CC146703		0.005	0.18	3.04	27	0.05	10.00	93	2.5
CC146704		0.005	0.24	4.66	30	0.08	11.75	60	2.3
CC146705		<0.005	0.14	2.93	15	<0.05	13.85	70	1.4
CC146706		<0.005	0.08	2.25	18	<0.05	20.8	55	1.6
CC146707		<0.005	0.08	10.00	13	<0.05	19.30	62	1.3
CC146708		<0.005	0.08	1.12	14	<0.05	11.55	69	1.8
CC146709		0.005	0.14	1.67	37	0.06	9.68	125	1.9
CC146710		<0.005	0.12	1.39	33	0.05	14.65	92	2.3
CC146711		0.006	0.07	1.37	19	0.05	7.03	56	1.1
CC146712		0.005	0.08	1.10	24	0.05	8.37	69	1.7
CC146851		0.006	0.09	1.72	24	<0.05	12.80	83	2.1
CC146852		0.008	0.11	1.24	23	0.05	10.95	92	2.9
CC146853		0.005	0.11	1.00	26	0.07	16.25	84	2.6
CC146854		0.007	0.10	0.95	24	0.09	13.55	75	2.3
CC146855		<0.005	0.08	0.65	10	<0.05	13.30	79	6.3
CC146856		0.005	0.14	0.40	32	<0.05	4.61	89	1.3
CC146857		0.008	0.10	0.80	32	0.09	13.65	82	1.4
CC146858		<0.005	0.14	1.33	24	0.09	20.9	72	4.1
CC146859		0.006	0.11	0.99	29	0.16	13.20	76	1.9
CC146860		<0.005	0.10	0.85	20	0.05	9.13	70	1.3
CC146861		0.009	0.09	2.25	25	0.09	13.35	43	1.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 4- SEP- 2011
Account: RCM

Project: Rackla- Dale South Contour

CERTIFICATE OF ANALYSIS WH11163917

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- TL43 Au ppm 0.001	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1
CC146862		0.34	0.001	0.13	1.51	8.2	<0.2	<10	260	1.22	0.28	0.84	0.10	48.6	11.8	23
CC146863		0.40	0.001	0.10	1.61	7.5	<0.2	<10	210	1.22	0.30	0.88	0.10	35.3	12.0	23
CC146864		0.38	0.001	0.12	1.53	9.9	<0.2	<10	200	1.20	0.31	0.69	0.09	39.4	14.9	21
CC146865		0.38	0.003	0.17	1.51	11.0	<0.2	<10	240	1.35	0.30	1.24	0.11	23.6	13.8	23
CC146866		0.32	0.002	0.20	1.24	11.9	<0.2	<10	160	1.02	0.30	1.51	0.10	18.00	11.9	19
CC146867		0.28	0.002	0.18	1.04	13.3	<0.2	<10	160	0.82	0.25	2.10	0.21	20.1	10.9	18
CC146868		0.40	0.001	0.16	1.47	11.0	<0.2	<10	200	1.25	0.30	0.76	0.32	22.6	14.3	23
CC146869		0.34	0.001	0.14	1.47	11.9	<0.2	<10	280	0.94	0.29	0.48	0.38	18.65	13.1	23
CC146870		0.42	0.001	0.15	1.59	13.0	<0.2	<10	210	1.16	0.29	0.28	1.11	27.5	14.6	25
CC146871		0.32	0.002	0.22	1.20	12.2	<0.2	<10	500	0.97	0.22	1.56	1.22	17.20	10.2	19
CC146872		0.28	0.003	0.26	1.39	16.1	<0.2	<10	460	1.07	0.23	2.24	1.20	20.7	10.0	21
CC146873		0.28	0.002	0.21	1.11	13.9	<0.2	<10	270	0.88	0.20	4.86	0.60	17.90	9.4	15
CC146874		0.42	0.001	0.14	2.08	14.5	<0.2	<10	130	1.00	0.32	0.29	0.23	12.60	13.2	28
CC146875		0.34	0.004	0.30	1.33	14.8	<0.2	<10	310	1.09	0.22	2.60	0.38	27.2	9.2	19
CC146876		0.38	0.001	0.17	1.82	15.0	<0.2	10	220	0.78	0.19	6.01	0.81	24.1	8.0	22
CC146877		0.36	0.003	0.37	1.05	13.2	<0.2	<10	260	0.92	0.24	4.05	0.57	20.9	10.4	17
CC146878		0.40	0.002	0.18	0.72	67	<0.2	10	140	0.53	0.12	13.00	0.60	15.65	8.0	10
CC146879		0.32	<0.001	0.09	1.60	12.3	<0.2	<10	300	1.10	0.27	0.47	0.75	21.8	11.6	22
CC146880		0.28	0.003	0.18	1.03	14.3	<0.2	<10	370	1.18	0.24	2.46	0.36	24.5	11.1	17
CC146881		0.28	0.002	0.19	1.28	11.1	<0.2	<10	340	1.21	0.28	1.28	0.48	19.25	12.2	20
CC146882		0.40	0.001	0.27	1.43	14.9	<0.2	<10	280	1.47	0.25	0.81	1.61	36.5	12.9	20
CC146883		0.42	0.001	0.16	1.13	14.4	<0.2	<10	250	0.91	0.24	4.33	0.44	15.35	10.7	17
CC146884		0.30	0.001	0.20	1.05	10.2	<0.2	<10	230	0.97	0.24	1.66	0.57	17.85	9.5	18
CC146885		0.40	0.004	0.34	1.50	9.9	<0.2	10	360	1.28	0.25	2.52	0.74	20.8	11.1	30
CC146886		0.40	0.005	0.44	1.60	12.6	<0.2	<10	590	1.54	0.28	0.61	1.60	26.7	13.6	32
CC146887		0.36	0.003	0.35	1.47	13.6	<0.2	<10	340	1.28	0.32	1.30	0.58	18.65	14.4	24
CC146888		0.34	0.003	0.31	1.12	13.6	<0.2	<10	280	1.21	0.30	1.56	0.71	16.15	14.6	19
CC146889		0.48	0.004	0.31	1.28	17.5	<0.2	<10	630	1.30	0.25	0.32	2.06	24.1	11.9	23
CC146771		0.36	0.002	0.36	1.16	12.1	<0.2	<10	260	0.92	0.29	3.18	0.37	22.2	13.6	20
CC146772		0.20	0.002	0.24	1.36	9.1	<0.2	10	160	0.88	0.16	1.46	0.45	32.5	12.9	31
CC146773		0.28	0.003	0.21	1.05	14.5	<0.2	10	190	0.83	0.30	1.73	0.37	14.00	12.1	19
CC146774		0.26	0.002	0.12	0.99	14.1	<0.2	<10	150	0.79	0.30	4.25	0.19	17.20	12.4	16
CC146775		0.28	0.004	0.15	0.64	30.6	<0.2	10	240	0.91	0.31	3.34	0.40	13.60	13.6	14
CC146776		0.22	0.005	0.12	0.51	18.4	<0.2	10	240	0.92	0.21	2.10	0.25	20.6	9.8	11
CC146777		0.26	0.003	0.16	0.71	25.8	<0.2	10	230	1.07	0.27	2.65	0.30	18.25	10.1	13
CC146778		0.28	0.002	0.15	1.16	22.8	<0.2	<10	210	1.05	0.38	0.79	0.22	14.75	11.2	20
CC146779		0.30	0.003	0.06	0.94	15.6	<0.2	<10	150	0.78	0.39	0.25	0.13	11.60	8.7	15
CC146780		0.24	0.002	0.03	1.14	14.5	<0.2	<10	160	0.71	0.33	0.28	0.12	18.20	9.6	16
CC146781		0.24	0.003	0.07	1.31	22.1	<0.2	<10	240	1.04	0.31	0.25	0.15	22.4	12.1	20
CC146782		0.28	0.002	0.04	1.22	22.2	<0.2	<10	100	0.60	0.36	0.03	0.15	13.25	9.3	17

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 4- SEP- 2011
Account: RCM

Project: Rackla- Dale South Contour

CERTIFICATE OF ANALYSIS WH11163917

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
CC146862		1.20	25.3	3.69	4.60	0.10	0.07	0.03	0.049	0.09	13.2	26.5	0.34	461	0.68	0.01
CC146863		1.35	25.7	3.67	5.62	0.08	0.07	0.02	0.047	0.10	12.4	40.7	0.44	354	0.58	0.01
CC146864		1.67	28.5	4.13	4.82	0.10	0.07	0.05	0.049	0.10	12.5	27.6	0.34	847	0.71	0.01
CC146865		1.39	34.6	3.49	4.64	0.08	0.08	0.19	0.046	0.12	10.6	24.2	0.39	458	1.04	0.01
CC146866		1.38	34.4	3.26	3.91	0.08	0.08	0.07	0.038	0.12	7.6	27.4	0.44	402	0.70	0.01
CC146867		1.01	28.0	3.11	3.40	0.07	0.08	0.15	0.033	0.10	8.6	17.7	0.62	386	0.98	0.01
CC146868		1.88	34.3	3.29	4.85	0.08	0.10	0.09	0.039	0.14	9.3	34.2	0.47	574	1.37	0.01
CC146869		1.52	23.4	3.28	5.96	0.07	0.04	0.04	0.034	0.15	9.3	28.4	0.34	720	2.74	0.01
CC146870		1.79	25.4	3.83	5.15	0.10	0.06	0.06	0.044	0.11	11.3	35.1	0.47	1060	2.30	0.01
CC146871		0.98	32.9	2.64	3.97	0.07	0.07	0.14	0.033	0.10	8.1	17.8	0.38	417	2.34	0.01
CC146872		0.68	35.8	2.84	4.33	0.07	0.08	0.21	0.034	0.13	11.4	18.4	0.45	351	3.87	0.01
CC146873		0.84	30.3	2.39	3.21	0.06	0.07	0.22	0.030	0.12	8.5	12.7	0.55	438	1.20	0.01
CC146874		3.19	25.8	3.71	6.93	0.07	0.03	0.03	0.037	0.13	6.2	48.9	0.54	503	1.32	0.01
CC146875		0.48	18.5	2.49	4.11	0.07	0.10	0.13	0.033	0.14	13.2	11.6	0.43	520	1.25	0.01
CC146876		0.94	9.4	3.05	5.16	0.07	0.09	0.15	0.029	0.11	11.5	11.6	3.74	883	1.00	0.02
CC146877		1.31	34.1	2.94	3.47	0.08	0.08	34.4	0.040	0.12	11.0	16.4	0.55	304	2.11	0.01
CC146878		0.59	15.8	2.98	2.03	0.07	0.10	2.33	0.017	0.07	6.9	5.0	7.42	841	1.16	0.01
CC146879		0.96	22.1	3.27	5.50	0.06	0.04	0.06	0.040	0.14	7.9	29.9	0.38	532	1.92	0.01
CC146880		1.05	28.6	2.78	3.37	0.07	0.08	0.39	0.036	0.12	10.5	17.4	0.85	477	0.81	0.01
CC146881		1.34	31.4	2.86	4.35	0.07	0.09	0.26	0.034	0.13	8.7	27.2	0.56	490	1.10	0.01
CC146882		1.39	31.6	3.66	4.01	0.11	0.09	0.27	0.042	0.09	14.0	24.2	0.32	736	3.09	0.01
CC146883		1.63	26.9	2.89	3.82	0.07	0.08	0.42	0.033	0.13	6.8	20.5	2.42	822	1.30	0.02
CC146884		1.01	25.8	2.66	3.45	0.07	0.07	0.20	0.035	0.11	7.7	22.5	0.43	348	1.19	0.01
CC146885		1.02	39.8	2.67	5.10	0.08	0.11	0.10	0.038	0.16	9.3	29.4	0.72	294	2.50	0.02
CC146886		2.30	48.9	3.30	5.17	0.09	0.11	0.15	0.041	0.15	11.7	28.7	0.54	440	4.84	0.01
CC146887		1.83	39.2	3.45	5.02	0.09	0.10	0.12	0.040	0.15	8.3	34.1	0.60	494	2.38	0.02
CC146888		1.37	39.5	3.27	3.87	0.09	0.08	0.14	0.038	0.14	7.2	18.6	0.46	522	3.04	0.01
CC146889		0.96	40.5	3.39	4.03	0.09	0.06	0.14	0.040	0.11	11.3	22.7	0.36	498	3.49	0.01
CC146771		1.42	36.2	3.17	4.13	0.06	0.08	0.26	0.031	0.13	8.7	21.7	1.33	562	0.96	0.01
CC146772		0.74	26.5	3.03	4.96	0.07	0.05	0.18	0.036	0.09	14.4	24.6	0.65	413	1.30	0.02
CC146773		1.61	40.4	3.15	3.39	0.05	0.07	0.36	0.035	0.11	6.1	18.5	0.69	619	1.15	0.02
CC146774		1.66	33.9	3.22	3.39	0.06	0.06	1.11	0.033	0.11	6.6	19.8	1.56	514	0.62	0.02
CC146775		1.40	37.1	2.79	1.88	<0.05	0.06	0.74	0.038	0.10	5.5	9.3	1.33	349	1.13	0.02
CC146776		1.89	27.2	2.41	1.43	<0.05	0.07	0.74	0.035	0.08	7.3	6.2	0.34	308	0.67	0.02
CC146777		1.45	35.3	2.90	2.19	0.05	0.05	1.02	0.040	0.10	8.1	10.0	1.09	313	1.06	0.01
CC146778		1.49	37.9	3.79	3.74	0.05	0.07	0.71	0.041	0.10	6.7	23.7	0.47	382	1.05	0.01
CC146779		1.18	23.9	3.63	3.11	<0.05	0.02	0.27	0.037	0.08	5.0	14.1	0.20	267	0.95	0.01
CC146780		0.74	23.8	4.10	3.86	<0.05	0.03	0.16	0.041	0.07	7.2	13.3	0.15	240	1.11	0.01
CC146781		0.88	24.3	3.56	3.73	<0.05	0.02	1.08	0.036	0.07	8.7	14.0	0.26	386	1.89	0.01
CC146782		0.93	21.1	3.83	4.24	<0.05	0.02	0.99	0.039	0.08	5.8	13.6	0.19	303	1.79	0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 4- SEP- 2011
Account: RCM

Project: Rackla- Dale South Contour

CERTIFICATE OF ANALYSIS WH11163917

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
CC146862		0.46	28.5	280	19.6	12.7	<0.001	0.01	0.42	8.1	0.8	0.6	62.7	0.01	0.06	7.6
CC146863		0.39	28.9	380	20.5	14.8	<0.001	0.01	0.39	7.3	0.6	0.7	67.8	0.01	0.09	5.6
CC146864		0.26	28.6	390	21.9	12.7	<0.001	0.01	0.40	8.1	0.8	0.7	51.0	0.01	0.07	6.7
CC146865		0.24	33.8	550	22.1	14.3	<0.001	0.02	0.55	7.4	0.9	0.7	76.4	<0.01	0.05	5.2
CC146866		0.26	29.7	600	21.6	10.5	<0.001	0.04	0.41	6.0	1.2	0.5	82.9	<0.01	0.07	3.1
CC146867		0.37	27.5	500	20.0	9.4	<0.001	0.03	0.59	5.2	0.9	0.4	97.6	<0.01	0.05	3.4
CC146868		0.34	33.7	420	20.7	14.0	<0.001	0.02	0.75	7.1	0.9	0.6	48.1	<0.01	0.06	4.0
CC146869		0.51	24.7	390	19.2	17.7	<0.001	0.02	1.04	4.2	0.9	0.7	35.3	<0.01	0.06	2.6
CC146870		0.49	36.9	480	21.7	13.5	<0.001	0.01	0.94	6.1	0.9	0.6	17.7	<0.01	0.06	5.2
CC146871		0.41	30.9	650	14.8	11.0	<0.001	0.05	1.40	4.2	1.4	0.6	65.5	<0.01	0.06	1.6
CC146872		0.41	33.4	620	16.3	10.9	<0.001	0.05	1.38	3.6	1.5	0.6	96.5	<0.01	0.06	1.3
CC146873		0.32	24.9	860	16.1	9.6	<0.001	0.06	0.71	2.6	1.2	0.5	140.5	0.01	0.06	0.9
CC146874		0.52	25.5	460	20.0	18.3	<0.001	0.01	0.65	3.7	0.5	0.8	23.2	<0.01	0.06	2.9
CC146875		0.49	21.3	480	17.7	10.9	<0.001	0.04	0.74	4.4	0.9	0.6	103.5	<0.01	0.05	2.6
CC146876		0.59	17.1	710	17.7	15.0	<0.001	0.04	2.76	3.5	0.7	0.6	30.6	0.01	0.05	1.7
CC146877		0.33	32.9	660	16.9	10.3	<0.001	0.03	1.26	6.7	1.2	0.5	136.5	0.01	0.05	3.4
CC146878		0.25	18.9	1430	23.0	7.9	<0.001	0.04	8.46	1.8	1.3	0.3	112.0	0.01	0.05	0.9
CC146879		0.38	26.3	290	19.1	17.1	<0.001	0.02	1.02	4.4	0.6	0.7	24.7	<0.01	0.05	3.8
CC146880		0.35	24.7	630	21.6	10.2	<0.001	0.05	0.59	4.9	1.4	0.5	97.8	<0.01	0.04	2.4
CC146881		0.41	29.9	560	20.6	11.6	0.001	0.03	0.77	5.7	1.0	0.6	44.6	<0.01	0.04	3.4
CC146882		0.29	32.2	960	27.2	12.3	0.001	0.05	1.40	6.1	1.6	0.6	32.0	0.01	0.07	3.0
CC146883		0.32	26.3	670	22.9	11.4	<0.001	0.03	0.87	5.2	0.9	0.5	41.2	<0.01	0.04	3.1
CC146884		0.33	26.9	770	16.9	9.8	<0.001	0.05	0.78	4.4	1.2	0.5	59.3	<0.01	0.06	2.1
CC146885		0.49	40.3	630	16.0	13.1	<0.001	0.05	1.46	5.5	1.4	0.7	77.7	<0.01	0.06	3.0
CC146886		0.44	51.9	610	18.2	16.0	0.001	0.04	2.42	6.8	2.0	0.7	31.0	0.01	0.07	4.8
CC146887		0.38	37.8	600	23.2	14.0	<0.001	0.04	1.17	5.8	1.1	0.6	63.9	<0.01	0.07	3.7
CC146888		0.36	40.7	670	21.5	12.1	0.001	0.05	1.50	5.7	1.6	0.7	64.2	<0.01	0.06	3.5
CC146889		0.25	44.4	610	17.3	9.9	0.001	0.01	1.75	6.8	1.3	0.6	31.0	<0.01	0.06	5.3
CC146771		0.44	31.6	600	21.5	9.5	0.001	0.05	0.72	5.3	0.4	0.5	75.0	<0.01	0.04	5.3
CC146772		0.30	30.8	800	15.9	8.5	0.001	0.09	0.92	4.3	1.2	0.7	56.8	<0.01	0.02	1.8
CC146773		0.26	31.2	640	23.4	8.1	<0.001	0.07	1.02	5.4	0.2	0.6	41.5	<0.01	0.06	3.4
CC146774		0.28	25.7	520	25.6	8.7	0.001	0.03	0.47	5.2	0.4	0.6	99.0	<0.01	0.05	5.0
CC146775		0.19	34.1	720	23.1	7.0	<0.001	0.07	0.65	5.4	0.8	0.7	73.7	<0.01	0.03	2.9
CC146776		0.17	21.8	540	18.6	5.9	<0.001	0.09	0.47	4.6	1.7	0.5	60.2	<0.01	0.03	2.3
CC146777		0.20	25.5	660	21.5	6.7	<0.001	0.05	0.76	5.8	1.0	0.5	51.0	<0.01	0.04	2.5
CC146778		0.36	30.8	480	29.4	8.3	<0.001	0.03	0.60	6.4	0.6	0.6	27.2	<0.01	0.05	4.0
CC146779		0.25	21.6	220	24.7	9.4	<0.001	0.01	0.47	4.6	<0.2	0.5	15.1	<0.01	0.04	3.1
CC146780		0.43	22.4	210	25.9	10.7	<0.001	0.02	0.51	4.1	0.2	0.6	15.7	<0.01	0.04	4.0
CC146781		0.33	26.3	190	29.5	10.2	<0.001	0.02	0.60	4.7	0.2	0.6	13.0	<0.01	0.05	4.4
CC146782		0.40	19.4	160	32.4	11.8	<0.001	0.02	0.71	3.1	<0.2	0.7	7.7	<0.01	0.04	3.1

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 4- SEP- 2011
Account: RCM

Project: Rackla- Dale South Contour

CERTIFICATE OF ANALYSIS WH11163917

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
CC146862		0.008	0.12	0.95	31	0.11	16.65	83	2.1
CC146863		0.007	0.10	1.01	31	0.07	16.70	81	1.9
CC146864		<0.005	0.12	1.21	28	0.07	20.1	91	1.8
CC146865		0.005	0.14	1.04	32	0.08	14.45	90	3.1
CC146866		<0.005	0.10	1.67	22	0.05	14.60	79	2.4
CC146867		0.008	0.12	1.02	26	0.08	11.55	97	2.1
CC146868		0.007	0.15	1.01	38	0.08	14.90	101	2.5
CC146869		0.008	0.16	0.83	63	0.14	10.75	100	0.9
CC146870		0.011	0.15	1.00	51	0.12	12.80	121	1.7
CC146871		0.007	0.18	1.99	55	0.08	12.00	143	1.7
CC146872		0.005	0.21	2.34	60	0.09	15.00	136	1.9
CC146873		0.005	0.13	1.65	26	0.08	11.50	75	1.8
CC146874		0.008	0.15	0.48	46	0.10	4.86	103	1.0
CC146875		0.007	0.14	2.09	43	0.11	10.55	69	3.0
CC146876		0.009	0.16	1.50	57	0.13	12.30	111	1.8
CC146877		0.007	0.23	0.97	47	0.08	18.05	127	2.0
CC146878		<0.005	0.25	2.25	20	0.08	13.50	151	2.5
CC146879		0.006	0.19	0.95	59	0.08	4.66	121	1.5
CC146880		0.006	0.14	3.69	25	0.06	11.85	115	2.2
CC146881		0.006	0.16	1.16	32	0.07	12.45	111	2.4
CC146882		<0.005	0.25	2.48	66	0.08	23.2	155	1.7
CC146883		0.006	0.16	1.17	30	0.06	11.35	125	2.1
CC146884		0.005	0.14	1.34	34	0.06	11.10	122	2.0
CC146885		0.008	0.23	2.96	57	0.08	16.25	143	3.1
CC146886		0.008	0.35	2.10	83	0.13	20.4	211	2.6
CC146887		0.010	0.19	1.54	45	0.08	12.25	137	2.9
CC146888		0.005	0.23	1.38	43	0.10	13.00	169	2.2
CC146889		0.006	0.21	1.66	71	0.08	16.95	171	1.7
CC146771		0.014	0.14	0.93	28	0.08	8.65	115	3.4
CC146772		0.005	0.14	0.77	49	<0.05	9.15	120	1.3
CC146773		0.005	0.16	0.99	26	0.06	9.23	132	2.0
CC146774		0.008	0.11	0.77	20	<0.05	8.32	112	2.5
CC146775		<0.005	0.16	1.06	20	<0.05	9.34	135	2.2
CC146776		<0.005	0.14	3.28	15	<0.05	10.55	97	2.8
CC146777		<0.005	0.16	2.20	19	<0.05	12.05	107	1.6
CC146778		0.005	0.12	0.97	26	0.06	10.50	123	1.8
CC146779		<0.005	0.11	0.62	23	0.07	5.56	95	1.0
CC146780		0.005	0.13	0.59	31	0.07	4.99	85	1.3
CC146781		<0.005	0.16	0.84	30	0.08	6.32	97	1.1
CC146782		0.005	0.14	0.45	33	0.06	2.38	101	0.9

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 4- SEP- 2011
Account: RCM

Project: Rackla- Dale South Contour

CERTIFICATE OF ANALYSIS WH11163917

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- TL43 Au ppm 0.001	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1
CC146783		0.22	0.002	0.06	0.78	33.5	<0.2	<10	300	0.90	0.44	0.07	0.12	13.10	9.6	11
CC146784		0.24	0.002	0.06	1.21	17.9	<0.2	<10	250	0.77	0.30	0.50	0.16	17.90	10.3	19
CC146785		0.28	0.002	0.03	1.37	12.4	<0.2	<10	310	0.94	0.27	0.54	0.20	25.0	10.3	20
CC146786		0.34	0.005	0.07	0.47	27.2	<0.2	<10	110	0.49	0.14	0.66	0.15	17.00	4.1	7
CC146787		0.22	0.002	0.13	0.47	18.1	<0.2	10	350	0.42	0.18	1.30	0.23	17.65	6.6	11
CC146788		0.14	0.002	0.13	0.79	10.0	<0.2	10	260	0.76	0.24	2.07	0.38	14.95	6.2	12
CC146789		0.14	0.002	0.12	0.80	21.5	<0.2	10	700	0.63	0.23	1.38	0.23	18.85	8.3	14
CC146790		0.12	0.002	0.06	1.57	43.3	<0.2	<10	1800	0.69	0.24	1.75	1.54	26.1	10.2	20
CC146791		0.14	0.002	0.09	0.81	16.0	<0.2	<10	350	0.64	0.18	6.49	0.46	15.45	8.5	12
CC146792		0.20	0.003	0.21	1.08	13.6	<0.2	10	290	0.91	0.27	2.19	0.47	22.6	12.7	19
CC146793		0.24	0.003	0.11	0.95	16.8	<0.2	10	330	0.95	0.25	2.44	0.26	25.3	13.2	17
CC146794		0.30	0.003	0.12	1.15	11.6	<0.2	<10	210	0.99	0.26	3.41	0.20	30.4	10.8	20

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 4- SEP- 2011
Account: RCM

Project: Rackla- Dale South Contour

CERTIFICATE OF ANALYSIS WH11163917

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
CC146783		0.59	22.1	2.94	2.10	<0.05	0.03	2.45	0.045	0.07	4.7	5.2	0.05	271	0.60	0.01
CC146784		0.78	23.0	3.57	3.58	<0.05	0.05	0.30	0.038	0.07	6.9	17.6	0.32	374	4.07	0.01
CC146785		0.77	18.3	3.26	3.94	<0.05	0.04	0.20	0.034	0.06	9.1	14.0	0.29	346	0.79	0.01
CC146786		0.40	6.8	1.39	1.19	<0.05	0.02	1.03	0.018	0.05	5.5	2.1	0.07	308	0.27	0.01
CC146787		1.47	12.8	2.18	1.37	<0.05	0.04	1.53	0.026	0.07	5.8	5.1	0.33	564	1.45	0.02
CC146788		0.69	22.5	2.28	2.29	<0.05	0.05	0.60	0.027	0.08	7.8	9.8	0.23	251	0.54	0.01
CC146789		0.55	17.9	2.51	2.36	<0.05	0.05	1.33	0.026	0.09	7.4	9.8	0.28	397	0.50	0.02
CC146790		0.51	11.2	4.00	4.49	<0.05	0.02	0.38	0.029	0.04	8.2	9.1	0.66	2120	0.97	0.03
CC146791		0.54	15.9	2.27	2.37	<0.05	0.03	0.78	0.023	0.08	6.9	8.3	3.20	1160	0.66	0.02
CC146792		0.85	29.2	3.11	3.42	<0.05	0.06	0.28	0.034	0.12	9.9	13.9	0.60	531	1.53	0.02
CC146793		0.70	31.8	3.04	3.00	0.05	0.06	0.36	0.037	0.11	9.6	12.3	0.70	484	1.04	0.02
CC146794		0.78	28.2	2.72	3.45	0.05	0.07	0.23	0.034	0.12	13.6	18.8	1.69	432	0.75	0.02

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 4- SEP- 2011
Account: RCM

Project: Rackla- Dale South Contour

CERTIFICATE OF ANALYSIS WH11163917

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
CC146783		0.11	24.4	100	38.7	6.1	<0.001	0.01	0.32	3.9	0.3	0.6	7.7	<0.01	0.02	5.1
CC146784		0.30	23.9	270	24.4	8.4	<0.001	0.02	0.51	4.2	0.2	0.5	19.5	<0.01	0.04	3.4
CC146785		0.42	20.5	250	23.7	10.2	0.001	0.02	0.41	4.5	<0.2	0.6	21.3	<0.01	0.04	3.6
CC146786		0.10	8.9	200	48.3	2.7	<0.001	0.02	0.15	2.2	<0.2	0.3	14.8	<0.01	0.02	2.9
CC146787		0.28	14.0	410	55.5	7.6	<0.001	0.06	0.26	2.7	0.6	0.4	52.5	<0.01	0.02	1.7
CC146788		0.28	18.3	610	22.8	10.0	0.001	0.11	0.36	3.0	1.1	0.4	72.8	<0.01	0.03	1.1
CC146789		0.25	17.1	420	43.0	7.4	<0.001	0.06	0.34	3.9	0.7	0.4	46.4	<0.01	0.03	2.8
CC146790		0.77	17.0	600	36.6	5.7	<0.001	0.06	1.57	2.5	<0.2	0.6	19.4	<0.01	0.06	1.2
CC146791		0.24	14.9	710	18.8	6.3	<0.001	0.07	0.52	2.3	0.5	0.4	60.8	<0.01	0.04	0.8
CC146792		0.34	26.9	470	23.8	8.4	0.001	0.06	0.79	5.2	0.5	0.6	57.6	<0.01	0.07	2.3
CC146793		0.25	27.9	510	19.9	7.3	<0.001	0.06	0.73	4.6	0.8	0.5	66.1	<0.01	0.03	1.8
CC146794		0.37	25.1	690	19.9	8.7	<0.001	0.04	0.45	4.8	0.7	0.5	71.8	<0.01	0.04	3.3

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 4- SEP- 2011
Account: RCM

Project: Rackla- Dale South Contour

CERTIFICATE OF ANALYSIS WH11163917

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
CC146783		<0.005	0.26	0.44	16	<0.05	4.26	110	1.3
CC146784		<0.005	0.13	0.82	28	0.07	4.74	98	1.3
CC146785		0.006	0.11	1.05	32	0.10	6.45	71	1.3
CC146786		<0.005	0.09	0.40	9	<0.05	4.03	50	0.7
CC146787		<0.005	0.17	1.37	14	0.05	5.09	86	1.1
CC146788		<0.005	0.16	2.05	17	<0.05	11.45	99	1.3
CC146789		<0.005	0.16	1.11	22	<0.05	6.98	116	1.3
CC146790		0.020	0.16	0.94	46	0.12	5.19	504	0.8
CC146791		0.005	0.07	1.48	22	0.05	5.99	149	1.0
CC146792		0.005	0.14	0.97	33	0.06	11.45	115	1.8
CC146793		<0.005	0.12	1.38	27	<0.05	9.26	88	1.4
CC146794		0.008	0.11	1.31	23	0.06	10.25	81	1.9

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 4- SEP- 2011
Account: RCM

Project: Rackla- Dale South Contour

CERTIFICATE OF ANALYSIS WH11163917

Method	CERTIFICATE COMMENTS
ME- MS41	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown.
ME- MS41	Gold determinations by this method are semi- quantitative due to the small sample weight used (0.5g).

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 4- SEP- 2011
Account: RCM

CERTIFICATE WH11163918

Project: Rackla- Rusty Recon Soil

P.O. No.:

This report is for 57 Soil samples submitted to our lab in Whitehorse, YT, Canada on 19- AUG- 2011.

The following have access to data associated with this certificate:

ROB CARNE JULIA LANE	ANDREW CARNE JOAN MARIACHER	MATT DUMALA

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
SCR- 41	Screen to - 180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- TL43	Trace Level Au - 25g AR	ICP- MS
ME- MS41	51 anal. aqua regia ICPMS	

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 4- SEP- 2011
Account: RCM

Project: Rackla- Rusty Recon Soil

CERTIFICATE OF ANALYSIS WH11163918

Sample Description	Method	WEI- 21	Au- TL43	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Recvd Wt.	Au	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
DD003481		0.28	0.004	0.20	1.18	15.8	<0.2	<10	150	0.27	0.30	0.10	0.17	26.4	11.0	31
DD003482		0.32	0.003	1.11	0.92	29.6	<0.2	<10	350	0.29	0.38	0.17	0.23	18.85	4.7	21
DD003483		0.32	0.003	0.87	1.57	16.8	<0.2	<10	290	0.79	0.30	0.63	2.58	28.6	18.9	40
DD003484		0.24	0.003	0.53	1.57	17.3	<0.2	<10	290	1.06	0.31	0.43	3.28	37.0	28.4	32
DD003485		0.26	0.003	0.38	1.43	14.0	<0.2	<10	280	0.77	0.26	0.66	2.28	32.2	17.2	34
DD003486		0.38	0.005	0.53	1.55	12.0	<0.2	<10	270	0.96	0.27	0.76	1.81	31.8	14.7	38
DD003487		0.48	0.002	0.41	1.21	25.6	<0.2	<10	140	1.14	0.33	0.12	1.11	45.2	11.1	19
DD003488		0.38	0.003	0.52	1.06	13.9	<0.2	<10	120	0.22	0.28	0.14	0.15	20.1	2.7	19
DD003489		0.46	0.010	1.68	0.87	73.0	<0.2	<10	530	0.38	0.31	0.41	1.30	35.8	23.5	23
DD003490		0.46	0.010	1.82	0.43	29.4	<0.2	<10	250	0.19	0.21	0.26	1.10	27.8	11.3	13
DD003491		0.36	0.006	1.59	0.57	9.6	<0.2	<10	260	0.13	0.22	0.23	0.64	36.1	9.7	13
DD003492		0.42	0.008	1.71	0.69	10.3	<0.2	<10	410	0.15	0.24	0.24	0.70	38.7	13.4	15
DD003493		0.46	0.008	1.89	0.73	13.7	<0.2	<10	280	0.26	0.26	0.24	0.99	36.2	12.0	14
DD003494		0.34	0.003	0.35	1.26	23.7	<0.2	<10	90	0.33	0.32	0.04	0.24	15.55	5.1	25
DD003495		0.28	0.006	1.84	0.65	29.7	<0.2	<10	610	0.41	0.27	0.33	1.39	13.75	5.3	16
DD003496		0.36	0.003	1.08	1.12	38.0	<0.2	<10	210	0.43	0.37	0.05	0.26	6.75	4.2	24
DD003497		0.48	0.003	1.19	0.87	34.2	<0.2	<10	130	0.27	0.43	0.02	0.10	5.42	0.8	20
DD003498		0.32	0.004	0.33	0.87	14.0	<0.2	<10	110	0.15	0.26	0.05	0.08	17.85	2.5	18
DD003499		0.34	0.005	0.29	1.40	19.3	<0.2	<10	110	0.41	0.27	0.07	0.18	20.9	6.8	25
DD003500		0.36	0.006	0.84	1.21	27.3	<0.2	<10	230	0.29	0.39	0.02	0.08	3.68	2.8	24
CC146686		0.42	0.009	0.72	1.25	33.4	<0.2	<10	330	0.38	0.37	0.04	0.09	8.97	3.2	27
CC146687		0.38	0.005	1.09	1.41	30.8	<0.2	<10	230	0.53	0.43	0.02	0.10	8.81	7.0	29
CC146688		0.38	0.003	1.43	1.39	21.7	<0.2	<10	590	0.57	0.39	0.05	0.18	10.45	7.9	29
CC146689		0.38	0.004	1.90	0.29	27.4	<0.2	<10	630	0.17	0.29	0.01	0.26	18.80	1.3	9
CC146690		0.38	0.003	1.32	0.32	27.8	<0.2	<10	610	0.15	0.28	0.06	0.17	19.50	1.3	10
CC146691		0.42	0.007	1.28	0.64	37.0	<0.2	<10	600	0.25	0.34	0.23	0.52	19.70	3.6	18
CC146692		0.34	0.003	0.40	1.22	15.6	<0.2	<10	310	0.39	0.27	0.08	0.42	11.45	8.9	24
CC146693		0.42	0.004	0.49	1.33	20.0	<0.2	<10	340	0.47	0.30	0.33	0.66	9.96	9.5	30
DD003492A		0.32	0.007	1.04	0.48	18.4	<0.2	<10	230	0.27	0.21	0.11	0.58	22.7	9.2	10
CC146890		0.44	0.003	0.65	1.06	19.9	<0.2	<10	160	0.25	0.33	0.15	0.15	16.15	3.6	21
CC146891		0.40	0.005	0.98	1.19	29.4	<0.2	<10	180	0.38	0.41	0.05	0.13	10.05	2.6	27
CC146892		0.44	0.002	0.80	0.89	23.9	<0.2	<10	120	0.38	0.38	0.05	0.18	15.30	2.7	16
CC146893		0.44	0.004	3.77	1.78	16.9	<0.2	<10	280	0.78	0.30	0.27	0.26	36.1	12.5	40
CC146894		0.40	0.004	0.36	1.53	11.6	<0.2	<10	240	0.65	0.24	1.13	0.55	33.3	14.2	37
CC146895		0.24	0.003	0.38	1.19	10.4	<0.2	<10	250	0.59	0.20	1.71	2.36	21.1	23.9	31
CC146896		0.48	0.005	0.26	1.16	61.6	<0.2	<10	140	0.87	0.38	0.13	0.65	24.9	12.1	24
CC146897		0.42	0.002	2.19	0.59	51.2	<0.2	<10	100	0.23	0.47	0.07	0.14	18.60	1.0	10
CC146898		0.44	0.008	1.03	0.73	41.1	<0.2	<10	240	0.36	0.28	0.17	0.84	19.15	9.6	17
CC146899		0.38	0.006	1.93	0.66	13.0	<0.2	<10	270	0.18	0.24	0.32	1.05	40.6	9.2	13
CC146900		0.40	0.003	2.65	0.65	36.3	<0.2	<10	390	0.38	0.33	0.54	1.31	30.2	14.7	18

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 4- SEP- 2011
Account: RCM

Project: Rackla- Rusty Recon Soil

CERTIFICATE OF ANALYSIS WH11163918

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
DD003481		1.48	22.5	3.29	5.28	0.05	<0.02	0.07	0.027	0.06	11.7	16.3	0.40	441	6.56	0.01
DD003482		2.02	42.1	3.04	4.12	0.05	<0.02	0.17	0.043	0.10	8.7	15.1	0.29	160	14.70	0.02
DD003483		1.17	82.6	4.06	4.67	0.08	0.14	0.31	0.040	0.12	13.6	28.6	0.78	787	5.51	0.02
DD003484		1.72	79.0	4.81	4.21	0.08	0.08	0.17	0.045	0.07	18.0	32.9	0.58	801	5.08	0.02
DD003485		0.99	56.7	3.56	3.95	0.05	0.09	0.15	0.036	0.07	15.8	25.4	0.60	579	3.39	0.02
DD003486		1.03	61.5	3.41	4.43	0.06	0.12	0.20	0.035	0.07	15.5	27.1	0.70	619	3.42	0.02
DD003487		1.34	46.2	3.68	3.21	0.07	0.02	0.10	0.070	0.05	20.9	18.7	0.28	301	8.09	0.01
DD003488		1.73	23.7	2.39	3.61	<0.05	0.02	0.14	0.032	0.04	9.6	18.2	0.28	65	2.19	0.01
DD003489		1.94	153.5	4.39	2.43	0.07	0.03	0.31	0.045	0.05	19.7	10.3	0.31	1350	6.08	0.02
DD003490		1.42	106.0	3.45	1.08	0.07	0.07	0.42	0.030	0.04	17.2	4.6	0.11	756	4.88	0.02
DD003491		0.71	85.3	2.82	1.52	0.06	0.04	0.39	0.027	0.03	22.0	13.6	0.20	655	3.37	0.01
DD003492		0.84	95.5	3.04	1.92	0.08	0.02	0.43	0.033	0.04	23.8	14.5	0.21	1060	3.94	0.01
DD003493		0.95	113.5	3.38	1.96	0.13	0.03	0.35	0.040	0.04	22.9	11.6	0.16	1100	5.03	0.01
DD003494		2.82	27.8	3.75	5.95	0.09	<0.02	0.08	0.048	0.05	7.5	17.2	0.19	190	2.78	0.01
DD003495		0.99	79.0	3.24	2.01	0.10	0.04	0.41	0.048	0.05	8.8	10.2	0.08	119	6.25	0.01
DD003496		3.21	59.3	4.39	3.85	0.09	0.05	0.25	0.074	0.06	3.3	25.5	0.16	75	3.36	0.01
DD003497		3.74	57.1	2.61	3.14	0.09	0.06	0.19	0.066	0.06	2.6	11.6	0.12	46	2.66	0.01
DD003498		0.90	11.0	2.36	5.69	0.08	<0.02	0.07	0.021	0.02	9.2	5.8	0.14	90	1.41	<0.01
DD003499		2.28	24.9	3.06	4.65	0.11	0.05	0.08	0.040	0.05	10.7	20.7	0.33	289	1.64	<0.01
DD003500		3.38	54.5	3.15	4.16	0.09	0.05	0.15	0.062	0.05	1.6	40.7	0.24	60	2.15	<0.01
CC146686		4.24	80.6	3.73	4.29	0.09	0.03	0.22	0.076	0.04	4.1	40.7	0.31	91	2.58	0.01
CC146687		5.28	67.5	4.22	5.24	0.09	0.09	0.23	0.071	0.05	3.9	45.8	0.25	76	2.31	0.01
CC146688		7.54	60.6	3.92	4.97	0.09	0.05	0.47	0.070	0.06	4.6	45.4	0.22	68	3.01	0.01
CC146689		1.36	42.1	2.47	1.60	0.12	<0.02	0.81	0.042	0.19	10.9	5.7	0.04	22	25.0	0.03
CC146690		1.22	40.9	2.50	1.56	0.10	<0.02	0.60	0.038	0.12	10.7	4.6	0.06	15	22.1	0.02
CC146691		1.55	59.3	2.99	2.66	0.11	0.02	0.65	0.045	0.10	10.8	13.5	0.15	57	19.75	0.02
CC146692		2.57	48.5	3.34	4.23	0.11	0.04	0.17	0.041	0.05	5.6	32.9	0.35	176	3.14	0.01
CC146693		2.00	71.2	4.83	4.06	0.10	0.07	0.18	0.048	0.05	4.4	44.3	0.41	240	3.41	0.01
DD003492A		1.28	78.2	3.07	1.25	0.11	0.03	0.18	0.029	0.04	13.8	3.4	0.05	764	4.16	0.01
CC146890		2.21	38.9	3.23	4.11	0.11	<0.02	0.14	0.036	0.05	7.6	20.7	0.32	124	4.22	0.01
CC146891		3.52	46.3	4.23	5.06	0.09	0.02	0.15	0.055	0.05	4.9	28.4	0.22	77	2.67	0.01
CC146892		3.38	51.4	3.16	3.11	0.11	0.18	0.18	0.054	0.05	7.3	16.2	0.21	108	8.60	0.01
CC146893		1.04	39.1	3.79	6.11	0.11	0.06	0.21	0.038	0.08	18.6	24.5	0.59	641	5.02	0.01
CC146894		0.97	48.8	3.24	5.19	0.11	0.10	0.10	0.034	0.08	16.9	29.9	0.99	583	1.76	0.01
CC146895		0.91	39.6	4.86	3.81	0.10	0.06	0.13	0.027	0.06	10.6	28.8	0.54	832	2.72	0.01
CC146896		1.12	152.5	6.10	3.47	0.11	0.04	0.11	0.107	0.07	11.9	11.4	0.32	597	17.90	0.01
CC146897		4.75	24.5	2.00	2.86	0.10	0.07	0.25	0.071	0.05	9.3	3.9	0.05	24	16.50	<0.01
CC146898		1.76	89.1	3.37	2.00	0.11	0.03	0.16	0.039	0.04	10.6	6.8	0.13	809	4.30	0.01
CC146899		0.82	94.2	3.08	1.70	0.12	0.04	0.33	0.031	0.04	26.4	9.9	0.18	802	4.80	0.01
CC146900		2.63	157.5	4.29	1.70	0.13	0.08	0.91	0.054	0.05	19.1	7.6	0.16	987	7.71	0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 4- SEP- 2011
Account: RCM

Project: Rackla- Rusty Recon Soil

CERTIFICATE OF ANALYSIS WH11163918

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
DD003481		2.04	27.1	490	17.4	10.4	<0.001	0.02	2.23	1.9	1.4	0.5	15.3	<0.01	0.09	0.9
DD003482		0.50	18.6	950	29.4	9.9	0.004	0.23	3.24	2.1	7.5	0.4	92.2	<0.01	0.19	1.2
DD003483		1.18	73.2	1310	23.4	7.2	0.005	0.04	2.66	5.5	1.6	0.3	42.4	<0.01	0.10	5.0
DD003484		1.80	106.5	1000	25.4	7.1	0.002	0.07	2.37	5.3	3.2	0.4	41.9	<0.01	0.09	4.7
DD003485		1.93	60.5	970	19.8	6.0	0.003	0.03	2.33	4.8	1.7	0.3	45.5	<0.01	0.05	4.3
DD003486		2.53	54.7	1080	22.3	6.3	0.003	0.04	2.01	5.3	1.6	0.3	45.9	<0.01	0.07	4.1
DD003487		1.56	47.3	680	26.0	6.1	0.003	0.04	2.58	2.5	3.2	0.4	21.3	<0.01	0.09	3.0
DD003488		0.62	15.6	500	18.4	6.8	<0.001	0.05	0.89	2.3	1.9	0.3	18.3	<0.01	0.06	2.2
DD003489		0.20	104.5	1080	29.6	3.2	0.003	0.03	4.59	5.8	2.9	0.3	44.0	<0.01	0.14	2.2
DD003490		<0.05	77.0	940	14.6	2.1	0.003	0.04	2.78	4.5	5.3	0.2	49.7	<0.01	0.12	3.2
DD003491		<0.05	59.3	880	14.0	2.1	0.003	0.04	1.59	2.7	3.5	<0.2	44.5	<0.01	0.09	3.8
DD003492		<0.05	64.6	940	16.1	2.9	0.002	0.04	1.92	2.0	3.2	0.2	38.4	<0.01	0.11	1.9
DD003493		<0.05	72.4	1210	18.0	3.6	0.003	0.05	1.99	2.6	5.6	0.2	50.5	<0.01	0.11	1.4
DD003494		0.58	18.7	910	18.8	9.1	<0.001	0.07	0.95	1.3	1.7	0.6	18.4	<0.01	0.10	0.7
DD003495		0.08	62.9	1300	16.2	4.0	<0.001	0.09	2.04	2.8	3.7	0.3	52.5	<0.01	0.15	1.5
DD003496		0.06	27.5	1850	31.4	5.9	0.001	0.15	1.34	2.6	4.6	0.3	41.5	<0.01	0.20	1.4
DD003497		0.06	13.6	930	29.6	7.2	0.002	0.10	1.13	1.3	4.4	0.3	36.0	<0.01	0.19	0.8
DD003498		1.08	7.8	330	11.5	3.8	<0.001	0.02	0.52	1.5	0.9	0.5	8.9	<0.01	0.05	1.0
DD003499		0.76	19.1	740	14.8	7.3	<0.001	0.03	0.79	2.7	2.1	0.4	16.5	<0.01	0.08	2.8
DD003500		0.08	29.7	730	29.5	6.7	<0.001	0.08	0.71	1.8	2.5	0.2	37.8	<0.01	0.19	1.8
CC146686		0.17	29.3	940	28.6	4.8	0.001	0.09	1.08	3.7	3.5	0.3	44.5	<0.01	0.18	2.5
CC146687		0.06	40.5	1090	32.6	5.9	0.001	0.11	1.14	3.2	4.0	0.3	42.8	<0.01	0.15	1.4
CC146688		<0.05	41.5	1120	35.3	7.2	0.001	0.13	1.39	3.3	5.1	0.3	48.2	<0.01	0.11	2.0
CC146689		<0.05	9.4	710	32.8	10.1	0.025	0.59	5.35	1.4	12.4	0.3	87.3	<0.01	0.09	1.0
CC146690		0.06	10.0	740	27.1	7.2	0.033	0.35	5.89	0.9	8.8	0.4	68.7	<0.01	0.12	0.7
CC146691		0.07	23.6	850	30.0	6.6	0.011	0.25	5.45	2.1	11.8	0.4	104.0	<0.01	0.12	1.5
CC146692		0.27	37.2	710	18.5	5.3	0.004	0.06	1.08	2.4	2.6	0.3	25.3	<0.01	0.09	2.0
CC146693		0.10	46.7	1050	21.6	4.1	0.001	0.11	1.25	3.4	2.8	0.2	55.8	<0.01	0.10	2.4
DD003492A		0.06	52.9	1050	14.0	3.3	0.001	0.05	1.76	2.0	4.1	0.2	26.7	<0.01	0.06	0.6
CC146890		0.58	18.2	1130	23.6	5.9	<0.001	0.14	1.79	2.1	3.4	0.3	51.0	<0.01	0.09	1.8
CC146891		0.37	24.9	930	28.9	7.7	<0.001	0.07	1.45	2.0	3.3	0.4	32.4	<0.01	0.18	2.7
CC146892		0.43	15.0	580	28.7	6.3	0.001	0.11	4.18	2.3	5.9	0.3	37.3	<0.01	0.07	3.3
CC146893		2.78	36.0	680	25.0	8.7	<0.001	0.04	4.06	5.4	3.0	0.5	26.9	<0.01	0.08	3.3
CC146894		2.28	44.2	1030	19.6	7.4	<0.001	0.05	1.25	5.3	1.4	0.4	38.4	<0.01	0.04	4.3
CC146895		1.65	139.0	880	15.3	8.0	0.007	0.20	1.41	3.5	3.1	0.3	63.4	<0.01	0.02	2.0
CC146896		1.71	53.8	930	66.5	5.2	<0.001	0.10	6.83	5.4	4.1	0.4	26.0	<0.01	0.12	4.3
CC146897		0.16	8.7	670	38.1	7.1	0.002	0.09	13.45	1.6	4.8	0.3	68.4	<0.01	0.14	2.7
CC146898		0.15	62.3	940	16.2	4.0	<0.001	0.10	2.45	3.9	3.9	0.3	28.3	<0.01	0.09	1.0
CC146899		<0.05	62.7	1050	15.0	2.2	0.002	0.10	1.84	3.8	4.2	0.2	66.2	<0.01	0.08	3.6
CC146900		<0.05	118.0	1300	21.0	3.3	0.014	0.19	3.62	6.0	8.3	0.4	93.1	<0.01	0.15	4.1

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 4- SEP- 2011
Account: RCM

Project: Rackla- Rusty Recon Soil

CERTIFICATE OF ANALYSIS WH11163918

Sample Description	Method Analyte Units LOR	ME- MS41 Ti % 0.005	ME- MS41 Tl ppm 0.02	ME- MS41 U ppm 0.05	ME- MS41 V ppm 1	ME- MS41 W ppm 0.05	ME- MS41 Y ppm 0.05	ME- MS41 Zn ppm 2	ME- MS41 Zr ppm 0.5
DD003481		0.057	0.26	0.68	65	0.23	2.83	86	<0.5
DD003482		0.021	0.47	1.18	74	0.14	4.30	63	<0.5
DD003483		0.052	0.21	0.93	51	0.07	10.55	236	7.6
DD003484		0.049	0.20	2.74	46	0.14	13.75	360	3.4
DD003485		0.054	0.12	1.46	48	0.23	10.75	223	3.5
DD003486		0.065	0.16	1.50	51	0.11	11.90	212	4.3
DD003487		0.021	0.21	2.14	39	0.11	9.68	285	<0.5
DD003488		0.017	0.11	0.79	36	0.16	3.10	53	0.7
DD003489		0.010	0.08	1.49	48	0.12	22.4	290	1.5
DD003490		<0.005	0.08	1.41	21	<0.05	18.20	218	5.2
DD003491		<0.005	0.11	1.26	16	<0.05	14.85	178	2.7
DD003492		<0.005	0.12	1.43	20	<0.05	13.10	190	0.6
DD003493		<0.005	0.13	1.92	23	<0.05	17.00	229	0.9
DD003494		0.015	0.14	0.79	53	0.15	2.71	70	<0.5
DD003495		<0.005	0.13	1.82	29	<0.05	15.60	211	1.7
DD003496		<0.005	0.12	1.47	39	<0.05	5.20	92	1.6
DD003497		<0.005	0.12	1.38	30	<0.05	2.29	29	1.7
DD003498		0.031	0.09	0.48	49	0.22	1.62	26	<0.5
DD003499		0.027	0.10	0.83	43	0.18	3.59	60	1.3
DD003500		<0.005	0.13	0.81	37	<0.05	3.37	67	1.7
CC146686		0.005	0.12	1.03	41	<0.05	6.13	76	1.4
CC146687		<0.005	0.11	1.05	40	<0.05	9.97	117	2.5
CC146688		<0.005	0.18	1.11	37	<0.05	7.70	111	1.7
CC146689		<0.005	1.62	1.78	47	<0.05	4.16	49	<0.5
CC146690		<0.005	1.08	1.97	46	<0.05	3.27	49	<0.5
CC146691		<0.005	1.00	2.01	58	<0.05	5.67	105	1.0
CC146692		0.008	0.14	0.91	33	0.10	5.77	126	1.4
CC146693		<0.005	0.14	1.20	33	<0.05	7.38	191	2.5
DD003492A		<0.005	0.11	1.12	19	<0.05	12.40	169	0.9
CC146890		0.017	0.13	0.85	36	0.11	3.54	66	<0.5
CC146891		0.008	0.11	0.80	49	0.05	2.84	99	1.3
CC146892		0.010	0.30	1.17	44	0.06	2.42	56	9.4
CC146893		0.063	0.20	0.86	64	0.13	11.30	82	1.4
CC146894		0.065	0.12	0.66	48	0.14	10.95	102	3.8
CC146895		0.034	0.15	2.42	36	0.07	6.96	318	2.4
CC146896		0.034	0.38	2.32	49	0.13	7.65	228	2.0
CC146897		<0.005	0.41	1.00	39	<0.05	4.72	44	4.1
CC146898		0.007	0.07	0.94	36	0.06	16.40	193	0.5
CC146899		<0.005	0.11	1.30	19	<0.05	18.30	181	2.3
CC146900		<0.005	0.17	2.91	34	<0.05	21.6	322	5.9

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 4- SEP- 2011
Account: RCM

Project: Rackla- Rusty Recon Soil

CERTIFICATE OF ANALYSIS WH11163918

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- TL43 Au ppm 0.001	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1
CC142571		0.42	0.005	2.50	0.35	20.1	<0.2	<10	390	0.25	0.24	0.60	1.66	25.0	9.3	8
CC142572		0.38	0.008	3.66	0.52	26.4	<0.2	<10	750	0.26	0.18	0.85	3.22	17.75	5.3	15
CC142573		0.42	0.004	0.42	1.41	21.1	<0.2	<10	130	0.43	0.26	0.08	0.19	21.7	6.8	25
CC142574		0.48	0.002	1.69	0.26	34.3	<0.2	<10	330	0.15	0.45	0.02	0.03	4.45	3.7	11
CC142575		0.38	0.001	1.05	0.97	33.2	<0.2	<10	270	0.69	0.44	0.01	0.07	5.35	3.2	29
CC142576		0.46	0.002	1.56	0.91	29.7	<0.2	<10	220	0.45	0.39	0.36	1.19	13.30	7.2	21
CC142577		0.46	0.004	1.03	1.25	31.0	<0.2	<10	320	0.44	0.46	0.10	0.46	9.73	3.8	24
CC142578		0.46	0.004	0.65	1.62	24.3	<0.2	<10	120	0.50	0.42	0.01	0.21	4.71	3.1	29
CC142579		0.40	0.005	0.44	1.48	25.4	<0.2	<10	120	0.36	0.40	0.05	0.13	11.85	5.8	30
CC142580		0.42	0.008	0.80	1.19	22.8	<0.2	<10	170	0.35	0.37	0.03	0.14	10.05	3.2	21
CC142581		0.36	0.003	0.41	0.78	16.2	<0.2	<10	90	0.16	0.32	0.01	0.03	12.25	1.6	14
CC142582		0.52	0.007	1.21	0.65	16.7	<0.2	<10	330	0.20	0.30	0.04	0.08	26.2	3.5	16
CC142583		0.38	0.006	1.33	1.13	68.4	<0.2	<10	530	0.32	0.22	0.19	0.34	27.3	4.6	19
CC142584		0.34	0.007	0.79	0.95	13.9	<0.2	<10	220	0.21	0.21	0.07	0.16	19.75	3.7	18
CC142585		0.34	0.008	0.85	1.18	13.2	<0.2	<10	580	0.44	0.23	0.51	0.63	19.95	13.9	22
CC142586		0.30	0.004	0.37	1.54	18.2	<0.2	<10	200	0.36	0.35	0.04	0.20	16.95	4.7	27
CC142587		0.32	0.015	0.10	1.53	16.3	<0.2	<10	130	0.58	0.24	0.14	0.27	28.4	19.1	26

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 4- SEP- 2011
Account: RCM

Project: Rackla- Rusty Recon Soil

CERTIFICATE OF ANALYSIS WH11163918

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
CC142571		1.10	129.5	3.17	0.75	0.11	0.14	0.66	0.037	0.04	16.2	2.0	0.06	356	6.50	0.01
CC142572		0.52	76.5	2.46	1.28	0.11	0.06	0.82	0.037	0.04	14.7	3.1	0.07	120	9.58	0.01
CC142573		2.08	32.3	3.01	4.86	0.09	0.02	0.10	0.039	0.05	10.8	17.7	0.33	291	2.37	0.01
CC142574		2.26	34.9	3.98	1.27	0.09	0.03	0.75	0.057	0.09	2.1	1.5	0.01	42	3.46	0.03
CC142575		3.29	63.8	5.59	4.70	0.11	0.12	0.41	0.081	0.07	2.6	11.8	0.10	26	2.94	0.01
CC142576		2.16	65.6	3.93	2.88	0.11	0.02	0.32	0.058	0.06	8.1	24.4	0.15	136	5.50	0.01
CC142577		3.75	60.5	3.88	4.18	0.09	0.04	0.16	0.081	0.07	4.3	34.0	0.25	181	2.77	0.01
CC142578		3.68	55.0	3.84	4.90	0.08	0.05	0.12	0.062	0.05	2.3	52.0	0.32	153	2.07	0.01
CC142579		4.02	44.4	3.96	5.59	0.09	0.02	0.09	0.051	0.06	6.1	27.3	0.31	268	2.53	0.01
CC142580		3.61	43.3	2.94	3.99	0.07	0.04	0.18	0.047	0.05	5.3	22.6	0.22	98	2.22	0.01
CC142581		2.95	20.0	2.46	5.03	0.06	0.02	0.05	0.032	0.04	6.4	4.6	0.05	56	1.79	0.01
CC142582		2.26	29.6	2.32	2.70	0.10	0.02	0.44	0.038	0.06	15.2	6.7	0.12	169	6.04	0.03
CC142583		2.04	22.4	3.08	3.35	0.10	0.08	0.40	0.037	0.09	14.7	8.8	0.21	198	40.0	0.02
CC142584		1.48	22.2	2.27	3.81	0.08	0.02	0.19	0.025	0.04	10.6	7.5	0.19	117	6.17	0.01
CC142585		1.98	40.6	3.12	3.47	0.08	0.06	0.18	0.032	0.05	10.9	14.7	0.29	389	2.57	0.02
CC142586		4.29	36.7	3.51	5.34	0.08	0.04	0.06	0.043	0.06	8.7	25.2	0.47	124	5.00	0.02
CC142587		1.73	29.9	3.15	4.84	0.09	0.03	0.06	0.029	0.05	14.3	20.1	0.46	689	1.92	0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 4- SEP- 2011
Account: RCM

Project: Rackla- Rusty Recon Soil

CERTIFICATE OF ANALYSIS WH11163918

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
CC142571		<0.05	103.5	1500	14.2	2.3	0.004	0.09	2.62	4.0	5.3	0.2	75.4	<0.01	0.09	3.7
CC142572		0.09	80.8	1610	11.2	2.8	0.002	0.05	2.65	2.7	8.1	0.3	73.4	<0.01	0.10	1.0
CC142573		0.48	19.3	1020	15.3	7.9	<0.001	0.06	0.96	1.9	2.0	0.4	20.6	<0.01	0.07	0.6
CC142574		<0.05	16.5	490	27.1	7.5	0.009	0.34	1.85	1.7	6.5	0.3	14.8	<0.01	0.26	2.4
CC142575		<0.05	22.2	1240	27.3	7.3	0.004	0.25	1.95	4.9	6.8	0.5	38.8	<0.01	0.19	2.7
CC142576		<0.05	53.8	1230	24.1	4.7	0.003	0.21	1.71	2.8	5.0	0.2	49.7	<0.01	0.15	2.4
CC142577		0.08	26.2	1880	37.7	7.1	0.001	0.22	1.13	2.4	3.3	0.3	44.7	<0.01	0.17	1.9
CC142578		0.07	28.6	730	30.4	6.8	<0.001	0.18	0.78	1.9	2.7	0.2	25.2	<0.01	0.18	2.2
CC142579		0.52	21.7	1080	21.8	10.4	<0.001	0.07	0.93	1.6	1.7	0.4	18.6	<0.01	0.16	0.8
CC142580		0.24	19.5	1060	21.7	8.2	<0.001	0.08	0.93	1.8	1.9	0.3	20.0	<0.01	0.16	0.7
CC142581		0.42	5.9	340	15.0	10.1	<0.001	0.02	0.72	1.4	1.0	0.5	13.8	<0.01	0.11	2.1
CC142582		0.19	7.5	740	18.9	7.3	0.002	0.18	3.04	1.2	5.6	0.2	38.6	<0.01	0.14	2.3
CC142583		0.30	16.8	3430	13.5	9.6	0.015	0.21	6.95	1.5	6.2	0.4	111.0	0.01	0.15	0.8
CC142584		0.15	11.3	1180	10.8	7.5	0.001	0.08	1.88	0.6	3.4	0.4	29.5	<0.01	0.08	0.2
CC142585		0.37	43.2	1250	12.3	8.4	<0.001	0.08	1.28	2.8	1.7	0.3	49.0	<0.01	0.08	1.5
CC142586		0.46	21.8	910	21.2	11.6	<0.001	0.11	1.24	2.5	1.8	0.4	43.6	<0.01	0.09	1.9
CC142587		0.66	27.8	890	12.1	9.4	<0.001	0.03	0.87	3.2	0.8	0.4	17.0	<0.01	0.05	2.3

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 4- SEP- 2011
Account: RCM

Project: Rackla- Rusty Recon Soil

CERTIFICATE OF ANALYSIS WH11163918

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
CC142571		<0.005	0.14	2.67	16	<0.05	19.55	289	9.9
CC142572		<0.005	0.17	2.65	28	0.12	25.8	286	1.9
CC142573		0.024	0.12	1.05	44	0.18	4.63	61	0.5
CC142574		<0.005	0.11	0.64	39	<0.05	3.27	109	2.9
CC142575		<0.005	0.15	1.78	56	<0.05	10.20	139	6.6
CC142576		<0.005	0.13	1.90	29	<0.05	10.45	204	1.2
CC142577		<0.005	0.15	1.33	39	<0.05	5.49	81	1.2
CC142578		<0.005	0.13	1.03	40	<0.05	4.93	87	2.0
CC142579		0.019	0.13	0.77	56	0.15	3.51	74	<0.5
CC142580		0.008	0.14	0.93	40	0.09	4.07	61	0.9
CC142581		0.011	0.11	0.35	50	0.09	1.51	29	0.9
CC142582		0.008	0.21	1.00	30	0.06	4.34	24	0.5
CC142583		0.019	0.97	10.95	51	0.18	8.61	55	2.2
CC142584		0.011	0.29	1.91	44	0.17	4.30	41	<0.5
CC142585		0.014	0.16	1.39	39	0.72	11.95	207	1.3
CC142586		0.015	0.28	1.13	42	0.12	4.06	76	1.0
CC142587		0.034	0.13	1.02	42	0.28	7.35	84	0.6

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 4- SEP- 2011
Account: RCM

Project: Rackla- Rusty Recon Soil

CERTIFICATE OF ANALYSIS WH11163918

Method	CERTIFICATE COMMENTS
ME- MS41	Gold determinations by this method are semi- quantitative due to the small sample weight used (0.5g).

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 4- SEP- 2011
Account: RCM

CERTIFICATE WH11163919

Project: Rackla- Sian Contour

P.O. No.:

This report is for 40 Soil samples submitted to our lab in Whitehorse, YT, Canada on 19- AUG- 2011.

The following have access to data associated with this certificate:

ROB CARNE JULIA LANE	ANDREW CARNE JOAN MARIACHER	MATT DUMALA

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
SCR- 41	Screen to - 180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- TL43	Trace Level Au - 25g AR	ICP- MS
ME- MS41	51 anal. aqua regia ICPMS	

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 4- SEP- 2011
Account: RCM

Project: Rackla- Sian Contour

CERTIFICATE OF ANALYSIS WH11163919

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- TL43 Au ppm 0.001	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1
CC146924		0.42	0.004	0.03	1.51	28.7	<0.2	<10	170	0.91	0.36	0.05	0.21	16.65	12.5	23
CC146925		0.34	0.004	0.22	1.15	37.5	<0.2	<10	200	0.90	0.31	1.27	0.66	28.5	14.4	22
CC146926		0.36	0.003	0.19	0.45	40.3	<0.2	<10	100	1.31	0.41	3.01	0.14	15.00	16.8	7
CC146927		0.44	0.002	0.13	0.80	25.4	<0.2	<10	150	0.49	0.27	0.32	1.00	12.95	5.7	11
CC146928		0.24	0.002	0.16	0.58	19.8	<0.2	<10	180	1.19	0.45	0.75	0.11	15.90	19.9	7
CC146929		0.34	0.005	0.43	0.71	282	<0.2	<10	90	0.86	0.30	0.16	2.37	8.06	8.3	10
CC146930		0.24	0.002	0.17	1.21	33.7	<0.2	<10	260	1.16	0.31	1.11	0.22	18.90	12.1	18
CC146931		0.28	0.003	0.15	1.09	41.4	<0.2	<10	170	0.83	0.30	0.22	0.34	14.20	9.6	15
CC146932		0.30	0.002	0.06	1.50	29.1	<0.2	<10	80	0.53	0.34	0.03	0.58	16.50	11.1	23
CC146933		0.30	0.005	0.10	0.58	66.3	<0.2	<10	120	1.22	0.44	0.47	0.23	18.70	15.8	13
CC146934		0.18	0.006	0.36	0.54	89.9	<0.2	<10	140	0.87	0.26	2.01	9.40	14.90	10.6	10
CC146935		0.30	0.009	0.41	0.43	120.0	<0.2	<10	90	1.05	0.29	1.88	0.98	12.70	14.6	12
CC146936		0.30	0.002	0.11	1.06	17.8	<0.2	<10	180	1.08	0.43	0.48	0.45	20.1	15.4	18
CC146937		0.28	0.002	0.08	1.65	109.5	<0.2	<10	160	1.07	0.28	0.93	1.15	22.5	11.6	24
CC146938		0.30	0.003	0.16	2.07	212	<0.2	<10	300	1.33	0.29	1.82	0.68	32.8	13.3	30
CC146939		0.28	0.003	0.13	1.68	62.1	<0.2	<10	230	0.94	0.31	1.10	0.45	27.5	13.1	27
CC146940		0.36	0.002	0.03	1.32	44.6	<0.2	<10	100	0.68	0.45	0.03	0.13	18.25	15.7	24
CC146941		0.30	0.003	0.05	1.69	26.2	<0.2	<10	190	1.09	0.32	0.10	0.36	26.6	15.2	26
CC146942		0.36	0.002	0.07	0.69	26.9	<0.2	<10	250	0.78	0.45	0.26	0.17	12.80	8.9	12
CC146943		0.38	0.002	0.06	1.48	19.9	<0.2	<10	400	0.59	0.28	0.48	0.29	17.15	9.5	23
CC146944		0.40	0.002	0.08	1.97	24.4	<0.2	<10	200	0.86	0.31	0.08	0.30	22.8	15.2	28
CC146945		0.34	0.004	0.34	1.47	63.1	<0.2	<10	500	1.01	0.30	1.51	0.72	19.05	13.2	22
CC146946		0.34	0.003	0.13	1.70	70.3	<0.2	<10	220	0.83	0.25	3.52	0.68	26.8	10.6	26
CC146947		0.36	0.003	0.03	0.41	3.7	<0.2	<10	140	1.55	0.47	0.11	0.02	15.20	9.1	8
CC146948		0.36	0.004	0.27	1.59	26.8	<0.2	<10	170	1.23	0.30	0.08	0.42	25.2	12.5	28
CC146949		0.38	0.002	0.11	1.38	12.0	<0.2	<10	220	1.36	0.41	0.35	0.36	19.10	12.6	23
CC146950		0.28	0.003	0.13	1.58	17.9	<0.2	<10	300	1.50	0.42	0.13	0.30	26.2	16.8	27
DD003651		0.34	0.002	0.04	1.31	15.9	<0.2	<10	110	0.60	0.64	0.01	0.15	9.03	15.4	27
DD003652		0.34	0.003	0.09	1.47	31.5	<0.2	<10	310	1.87	0.44	0.49	0.27	17.20	14.7	21
DD003653		0.44	0.002	0.05	0.55	59.0	<0.2	<10	210	1.35	0.58	0.12	0.56	13.50	34.8	10
DD003654		0.40	0.002	0.03	1.79	8.6	<0.2	<10	140	1.32	0.56	0.21	0.27	14.90	17.7	32
DD003655		0.24	0.001	0.07	0.44	291	<0.2	<10	190	0.35	0.10	11.55	1.10	8.20	12.1	5
DD003656		0.30	0.002	0.04	0.53	131.5	<0.2	<10	210	0.38	0.32	0.18	0.32	5.60	14.0	11
DD003657		0.34	0.002	0.04	1.69	20.0	<0.2	<10	190	0.87	0.37	0.09	0.19	16.85	15.9	25
DD003658		0.30	0.002	0.09	1.77	9.0	<0.2	<10	160	0.55	0.39	0.06	0.15	19.70	9.4	24
DD003659		0.30	0.002	0.04	0.60	28.9	<0.2	<10	60	0.82	0.56	0.06	0.15	19.20	14.5	13
DD003660		0.32	0.002	0.03	0.88	40.6	<0.2	<10	110	0.84	0.42	0.04	0.22	16.70	23.6	18
DD003661		0.26	0.003	0.22	2.04	188.0	<0.2	<10	230	1.25	0.27	3.43	0.62	32.8	13.7	26
DD003662		0.30	0.002	0.17	1.45	212	<0.2	<10	160	0.91	0.21	3.98	0.88	23.1	10.7	23
DD003663		0.30	0.002	0.13	0.69	233	<0.2	<10	70	0.42	0.05	12.55	1.28	11.20	6.0	14

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 4- SEP- 2011
Account: RCM

Project: Rackla- Sian Contour

CERTIFICATE OF ANALYSIS WH11163919

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
CC146924		1.80	27.8	4.22	4.55	0.09	0.03	0.17	0.041	0.06	7.7	22.3	0.37	473	1.51	0.01
CC146925		2.75	39.7	3.32	3.56	0.11	0.10	0.54	0.032	0.11	14.2	14.1	0.87	580	1.55	0.02
CC146926		2.86	43.7	3.69	1.05	0.09	0.06	0.36	0.053	0.07	6.3	3.2	0.08	414	0.77	0.01
CC146927		1.78	19.2	2.75	2.83	0.06	<0.02	0.41	0.027	0.07	6.3	5.1	0.10	223	2.27	0.01
CC146928		4.70	37.1	4.10	1.29	0.10	0.09	0.38	0.040	0.06	6.6	4.5	0.06	725	0.60	0.01
CC146929		2.01	21.8	2.72	1.70	0.05	0.02	6.75	0.027	0.06	2.9	4.3	0.11	254	1.48	0.01
CC146930		1.10	26.3	3.75	3.30	0.09	0.08	0.30	0.043	0.07	9.0	10.6	0.26	518	1.89	0.01
CC146931		0.99	27.3	3.23	2.74	0.06	0.03	0.83	0.033	0.05	5.4	9.2	0.18	414	6.02	0.01
CC146932		1.15	24.1	4.37	4.99	0.08	0.04	0.24	0.034	0.06	8.2	21.8	0.35	372	1.75	0.01
CC146933		2.57	32.6	3.26	1.46	0.08	0.07	0.47	0.047	0.06	7.5	4.4	0.14	419	0.76	0.01
CC146934		16.70	46.8	2.23	1.65	0.07	0.07	4.19	0.033	0.06	6.4	3.9	0.26	379	1.55	0.01
CC146935		2.87	55.1	2.91	1.07	0.08	0.08	1.83	0.039	0.07	5.2	2.6	0.55	394	3.27	0.01
CC146936		12.90	35.7	3.81	2.93	0.08	0.06	0.12	0.039	0.09	9.4	14.1	0.24	681	1.06	0.01
CC146937		1.23	18.0	3.84	4.78	0.09	0.08	0.30	0.032	0.09	9.8	14.4	0.63	1320	1.35	0.01
CC146938		1.17	25.6	5.67	5.57	0.13	0.14	1.03	0.040	0.10	19.4	16.0	1.24	3170	1.50	0.02
CC146939		1.83	21.9	4.90	4.85	0.11	0.09	0.80	0.038	0.08	14.9	13.7	0.65	2200	1.02	0.01
CC146940		8.92	24.0	4.33	4.64	0.10	0.02	0.11	0.038	0.09	9.0	16.4	0.33	347	1.81	0.01
CC146941		1.16	39.2	4.12	4.68	0.10	0.05	0.10	0.038	0.07	10.4	24.5	0.49	776	1.88	0.01
CC146942		6.76	28.3	2.79	2.75	0.07	0.02	0.69	0.026	0.07	6.8	6.8	0.14	239	1.03	0.01
CC146943		1.25	23.5	3.41	5.11	0.07	0.03	0.13	0.030	0.06	8.3	23.7	0.40	339	2.00	0.01
CC146944		1.50	29.3	4.45	5.10	0.09	0.06	0.19	0.040	0.07	10.6	31.8	0.53	598	2.21	<0.01
CC146945		1.66	47.6	3.16	4.23	0.07	0.08	2.81	0.035	0.09	8.8	19.9	0.50	803	1.31	0.01
CC146946		1.15	14.9	3.35	4.96	0.08	0.05	1.12	0.027	0.05	13.5	13.9	2.12	1280	1.11	0.02
CC146947		5.53	41.8	3.74	1.90	0.08	0.03	0.02	0.035	0.18	7.0	3.4	0.09	194	0.34	0.01
CC146948		1.53	39.9	4.08	4.30	0.10	0.07	0.14	0.040	0.08	11.4	28.6	0.43	634	2.90	0.01
CC146949		2.67	31.1	3.24	4.70	0.08	0.06	0.07	0.033	0.13	9.1	28.1	0.40	489	0.92	0.01
CC146950		1.74	46.1	4.34	4.77	0.11	0.09	0.10	0.039	0.10	12.2	31.9	0.53	724	1.57	0.01
DD003651		2.72	30.7	4.77	5.33	0.08	0.03	0.03	0.037	0.06	4.1	14.7	0.26	1460	1.55	0.01
DD003652		2.76	43.0	3.60	5.14	0.10	0.12	0.56	0.036	0.08	7.7	20.2	0.40	876	0.56	0.01
DD003653		2.22	59.5	2.40	2.26	0.08	0.07	0.18	0.040	0.07	5.5	6.6	0.16	1590	6.16	0.01
DD003654		2.40	34.8	3.90	8.40	0.10	0.05	0.06	0.043	0.07	6.4	25.5	0.61	509	0.47	0.01
DD003655		2.06	12.2	5.51	0.93	0.10	0.07	1.77	0.015	0.03	5.1	1.7	6.81	1820	0.39	0.02
DD003656		1.55	27.0	3.40	2.53	0.07	0.02	0.76	0.030	0.04	2.9	2.4	0.06	495	0.55	0.01
DD003657		1.39	38.9	4.33	5.11	0.10	0.04	0.04	0.038	0.08	6.8	29.2	0.41	959	2.02	0.01
DD003658		4.46	19.7	3.34	7.37	0.09	0.03	0.04	0.034	0.07	9.3	31.5	0.30	743	1.27	0.01
DD003659		4.43	49.7	4.93	2.44	0.10	0.02	0.04	0.055	0.09	9.7	4.2	0.12	573	1.04	0.01
DD003660		9.78	50.2	3.74	3.95	0.09	<0.02	0.03	0.038	0.14	7.3	8.4	0.20	599	1.81	0.01
DD003661		1.16	26.8	5.53	5.94	0.16	0.15	1.49	0.041	0.09	18.9	19.2	2.16	3680	1.28	0.02
DD003662		0.95	19.9	4.33	4.01	0.11	0.11	2.43	0.032	0.06	12.7	12.7	2.48	2120	1.15	0.02
DD003663		1.33	13.1	4.21	1.17	0.09	0.09	3.51	0.025	0.02	4.6	2.1	7.21	1440	0.45	0.02

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 4- SEP- 2011
Account: RCM

Project: Rackla- Sian Contour

CERTIFICATE OF ANALYSIS WH11163919

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
CC146924		0.48	23.3	250	23.9	11.9	<0.001	0.01	1.03	3.6	0.6	0.6	9.6	<0.01	0.06	3.0
CC146925		0.55	34.1	860	32.6	10.0	<0.001	0.01	2.11	5.8	0.6	0.5	38.0	<0.01	0.04	5.8
CC146926		0.10	37.8	770	26.0	5.7	<0.001	0.05	0.69	7.0	1.2	0.4	127.5	0.01	0.12	2.3
CC146927		0.32	13.2	180	88.6	9.4	<0.001	0.02	4.87	2.6	0.4	0.5	18.3	<0.01	0.07	2.0
CC146928		0.15	38.5	440	35.1	8.5	<0.001	0.04	0.77	6.8	1.0	0.3	30.9	0.01	0.09	2.4
CC146929		0.08	20.6	170	440	8.2	<0.001	0.02	50.2	4.9	0.5	0.4	7.8	<0.01	0.06	3.2
CC146930		0.31	25.8	470	24.4	10.5	<0.001	0.04	1.53	5.4	1.0	0.5	49.6	<0.01	0.08	2.3
CC146931		0.21	21.5	260	166.5	8.1	<0.001	0.02	5.64	4.1	0.9	0.5	10.4	<0.01	0.06	2.7
CC146932		0.46	21.7	290	43.4	12.0	<0.001	0.01	5.07	3.1	0.7	0.5	7.4	<0.01	0.06	2.8
CC146933		0.12	41.2	210	56.3	7.1	<0.001	0.02	2.15	8.8	0.9	0.4	23.0	0.01	0.03	5.6
CC146934		0.23	28.3	700	501	15.8	<0.001	0.08	8.33	3.9	1.8	0.4	84.6	<0.01	0.07	1.2
CC146935		0.13	36.3	740	77.7	6.7	<0.001	0.04	6.99	7.3	1.9	0.4	47.4	<0.01	0.08	3.0
CC146936		0.32	27.8	410	21.3	16.8	<0.001	0.03	0.75	6.5	0.9	0.4	39.4	<0.01	0.07	2.8
CC146937		0.52	21.3	450	36.0	14.0	<0.001	0.04	3.08	4.6	0.8	0.6	13.3	<0.01	0.06	2.6
CC146938		0.46	28.7	800	38.4	13.6	<0.001	0.05	5.05	6.4	1.3	0.6	25.3	0.01	0.09	2.5
CC146939		0.53	23.3	650	47.7	10.5	<0.001	0.04	2.65	5.2	0.8	0.6	17.8	0.01	0.08	2.4
CC146940		0.70	28.1	300	17.4	18.4	<0.001	0.02	0.96	4.2	0.6	0.6	10.7	<0.01	0.09	3.8
CC146941		0.36	31.5	500	22.9	10.8	<0.001	0.02	0.86	4.4	0.8	0.6	11.7	<0.01	0.06	3.1
CC146942		0.29	19.7	420	20.3	13.8	<0.001	0.02	1.36	2.9	0.5	0.5	16.9	<0.01	0.06	1.0
CC146943		0.41	22.5	340	16.5	12.6	<0.001	0.02	0.74	3.1	0.6	0.6	22.3	<0.01	0.06	2.1
CC146944		0.47	31.9	480	23.2	12.2	<0.001	0.01	1.04	3.9	1.0	0.5	12.6	<0.01	0.07	3.1
CC146945		0.35	27.7	840	55.9	11.0	<0.001	0.06	7.46	4.5	1.3	0.5	37.1	<0.01	0.08	1.7
CC146946		0.75	22.6	750	31.3	11.8	<0.001	0.03	2.56	4.0	0.8	0.6	24.8	<0.01	0.06	1.9
CC146947		0.16	21.3	230	13.1	16.0	<0.001	<0.01	0.19	5.2	0.3	0.5	17.4	<0.01	0.03	5.0
CC146948		0.34	33.8	660	21.2	12.8	<0.001	0.02	1.08	5.2	1.3	0.6	13.8	<0.01	0.07	4.1
CC146949		0.41	26.0	640	17.8	16.4	<0.001	0.04	0.46	4.6	0.7	0.6	45.1	<0.01	0.05	2.5
CC146950		0.27	37.8	440	25.5	10.5	<0.001	0.02	0.75	7.0	0.9	0.8	20.1	0.01	0.05	5.5
DD003651		0.60	18.3	450	31.7	11.5	<0.001	<0.01	0.57	3.4	0.5	0.9	5.9	<0.01	0.08	3.5
DD003652		0.33	27.7	560	32.2	10.3	<0.001	0.01	1.30	5.5	0.8	0.5	27.6	0.01	0.04	3.2
DD003653		0.08	31.4	280	53.3	7.3	<0.001	<0.01	0.51	5.4	0.4	0.4	33.2	<0.01	0.03	7.0
DD003654		0.32	31.4	240	30.1	8.5	<0.001	<0.01	0.19	5.0	0.4	0.8	12.7	<0.01	0.02	5.5
DD003655		0.16	16.4	760	62.2	3.5	<0.001	0.02	9.62	3.0	0.9	0.3	61.3	0.01	0.04	0.6
DD003656		0.22	19.0	500	44.2	9.0	<0.001	<0.01	12.60	2.8	0.3	0.7	26.7	<0.01	0.07	1.9
DD003657		0.39	30.1	370	26.0	11.4	<0.001	<0.01	0.69	4.0	0.7	0.6	9.3	<0.01	0.06	3.2
DD003658		0.90	15.2	330	20.2	16.4	<0.001	<0.01	0.39	3.5	0.4	0.8	9.4	<0.01	0.04	3.1
DD003659		0.28	24.8	400	23.9	12.3	<0.001	<0.01	0.39	5.2	0.4	0.6	21.5	<0.01	0.04	3.4
DD003660		0.39	21.3	630	16.6	21.5	<0.001	<0.01	0.70	2.3	0.5	0.8	12.1	<0.01	0.07	0.5
DD003661		0.53	28.3	970	33.1	11.9	<0.001	0.03	2.63	6.5	1.5	0.6	27.2	0.01	0.10	2.0
DD003662		0.40	23.9	950	86.6	10.4	<0.001	0.02	8.46	6.0	1.1	0.5	29.0	0.01	0.06	1.6
DD003663		0.15	14.8	920	120.5	2.3	<0.001	0.03	11.05	3.7	0.9	0.3	62.2	<0.01	0.02	2.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 4- SEP- 2011
Account: RCM

Project: Rackla- Sian Contour

CERTIFICATE OF ANALYSIS WH11163919

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
CC146924		0.008	0.15	0.55	43	0.11	3.92	99	0.8
CC146925		0.032	0.27	0.78	40	0.23	11.85	170	4.7
CC146926		<0.005	0.19	1.18	13	<0.05	19.20	101	1.3
CC146927		0.005	0.10	0.63	33	0.08	3.21	251	<0.5
CC146928		<0.005	0.17	0.83	13	0.05	23.9	92	2.0
CC146929		<0.005	0.44	1.49	18	<0.05	4.53	1080	1.0
CC146930		<0.005	0.12	1.95	37	0.07	12.80	112	1.8
CC146931		<0.005	0.14	1.42	39	0.07	5.49	125	0.9
CC146932		0.006	0.15	0.39	47	0.09	2.72	382	1.4
CC146933		<0.005	0.10	1.12	17	<0.05	14.90	217	2.5
CC146934		<0.005	0.65	5.45	21	0.08	11.25	2980	2.0
CC146935		<0.005	0.48	3.08	23	0.07	14.55	380	2.6
CC146936		0.006	0.15	1.31	31	0.07	13.05	112	1.2
CC146937		0.010	0.36	1.03	46	0.14	9.07	224	2.0
CC146938		0.010	0.53	1.32	59	0.16	25.0	344	3.3
CC146939		0.011	0.43	0.80	47	0.14	13.00	205	1.9
CC146940		0.015	0.29	0.52	44	0.17	3.51	73	0.5
CC146941		0.006	0.18	0.74	51	0.08	7.13	121	1.4
CC146942		0.006	0.18	0.62	29	0.08	8.47	74	<0.5
CC146943		0.007	0.14	0.50	58	0.09	3.75	112	0.9
CC146944		0.006	0.20	0.62	60	0.09	4.68	110	1.5
CC146945		0.005	0.53	1.34	43	0.08	10.10	170	1.9
CC146946		0.019	0.28	1.96	53	0.19	11.70	326	1.1
CC146947		<0.005	0.11	0.57	14	<0.05	6.72	59	0.7
CC146948		0.005	0.20	1.11	60	0.09	11.75	157	1.9
CC146949		0.009	0.11	1.07	35	0.09	11.40	96	1.3
CC146950		0.007	0.14	0.86	38	0.06	16.50	116	2.6
DD003651		0.010	0.11	0.67	42	0.15	3.15	72	0.9
DD003652		<0.005	0.21	1.75	18	0.05	13.05	286	2.7
DD003653		<0.005	0.11	0.90	7	<0.05	7.72	113	2.7
DD003654		0.006	0.06	0.67	22	<0.05	6.11	138	1.8
DD003655		<0.005	1.31	2.62	7	0.05	13.35	1840	1.4
DD003656		0.005	0.71	0.51	17	0.06	3.39	386	<0.5
DD003657		0.005	0.15	0.62	39	0.09	4.51	101	1.0
DD003658		0.012	0.16	0.67	49	0.18	3.59	61	0.6
DD003659		<0.005	0.17	0.76	20	0.07	3.87	67	<0.5
DD003660		0.021	0.12	0.66	30	0.17	4.47	73	<0.5
DD003661		0.011	0.55	1.44	46	0.16	26.1	323	3.0
DD003662		0.009	0.55	1.74	38	0.13	18.55	375	2.2
DD003663		<0.005	1.73	4.53	10	0.07	10.25	394	2.4

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 4- SEP- 2011
Account: RCM

Project: Rackla- Sian Contour

CERTIFICATE OF ANALYSIS WH11163919

Method	CERTIFICATE COMMENTS
ME- MS41	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown.
ME- MS41	Gold determinations by this method are semi- quantitative due to the small sample weight used (0.5g).

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 3- SEP- 2011
Account: RCM

CERTIFICATE WH11164700

Project: Rackla- Dale Contour

P.O. No.:

This report is for 58 Soil samples submitted to our lab in Whitehorse, YT, Canada on 19- AUG- 2011.

The following have access to data associated with this certificate:

ROB CARNE JULIA LANE	ANDREW CARNE JOAN MARIACHER	MATT DUMALA

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
SCR- 41	Screen to - 180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- TL43	Trace Level Au - 25g AR	ICP- MS
ME- MS41	51 anal. aqua regia ICPMS	

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 3- SEP- 2011
Account: RCM

Project: Rackla- Dale Contour

CERTIFICATE OF ANALYSIS WH11164700

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- TL43 Au ppm 0.001	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1
CC146795		0.28	0.002	0.91	0.64	29.8	<0.2	<10	190	0.85	0.24	0.15	5.69	13.25	11.5	10
CC146796		0.18	0.003	0.08	1.12	9.9	<0.2	<10	300	1.47	0.18	2.00	0.18	28.1	13.0	19
CC146797		0.16	0.004	0.15	0.96	10.8	<0.2	<10	110	1.06	0.23	1.65	0.18	20.9	10.7	12
CC146798		0.22	0.003	0.10	0.98	10.5	<0.2	<10	130	0.97	0.23	1.30	0.19	18.85	9.7	12
CC146799		0.18	0.003	0.09	0.63	2.1	<0.2	<10	80	0.24	0.13	0.15	0.21	5.30	2.9	10
CC146800		0.14	0.004	0.16	1.27	8.1	<0.2	<10	180	1.06	0.21	1.57	0.18	14.15	8.1	14
DD003551		0.16	0.003	0.16	1.02	12.3	<0.2	<10	180	0.89	0.22	1.67	0.15	14.55	8.6	18
DD003552		0.10	0.003	0.29	1.59	19.9	<0.2	<10	870	1.52	0.30	1.39	0.23	16.70	12.0	23
DD003553		0.22	0.004	0.15	1.65	21.7	<0.2	<10	280	1.42	0.35	0.72	0.13	18.05	13.2	29
DD003554		0.20	0.004	0.19	1.65	25.6	<0.2	<10	250	0.88	0.26	0.99	0.47	26.9	13.3	26
DD003555		0.24	0.003	0.20	1.82	39.1	<0.2	<10	440	1.42	0.32	0.61	0.19	24.2	13.5	29
DD003556		0.24	0.003	0.13	1.67	58.5	<0.2	<10	200	1.11	0.34	0.22	0.24	25.9	16.4	25
DD003557		0.30	0.003	0.23	1.54	62.2	<0.2	<10	210	1.30	0.33	0.31	0.47	29.3	19.6	26
DD003558		0.26	0.003	0.14	1.57	112.5	<0.2	<10	170	1.03	0.28	0.48	0.42	20.3	11.2	25
DD003559		0.20	0.002	0.09	1.69	135.5	<0.2	<10	170	0.86	0.29	0.46	0.19	20.4	10.7	24
DD003560		0.24	0.003	0.07	2.10	68.3	<0.2	<10	160	1.25	0.29	0.26	0.19	34.8	17.0	28
DD003561		0.20	0.004	0.03	1.68	31.2	<0.2	<10	100	0.45	0.32	0.10	0.12	17.90	11.2	25
DD003562		0.20	0.003	0.13	1.91	35.0	<0.2	<10	320	1.01	0.28	0.70	0.21	28.4	12.4	30
CC146713		0.16	0.004	0.28	1.27	16.7	<0.2	<10	310	0.84	0.21	1.30	3.90	18.75	12.0	22
CC146714		0.10	0.004	0.23	0.93	8.9	<0.2	10	260	0.58	0.14	3.58	0.60	8.27	6.9	12
CC146715		0.24	0.007	5.55	1.44	63.4	<0.2	10	290	1.25	0.24	1.84	11.20	28.0	9.8	26
CC146716		0.12	0.003	0.12	1.06	13.5	<0.2	<10	340	1.00	0.21	1.78	0.27	21.4	12.7	17
CC146717		0.24	0.002	0.11	1.37	10.6	<0.2	<10	260	1.27	0.27	0.75	0.27	24.1	13.3	21
CC146718		0.26	0.001	0.23	1.04	17.9	<0.2	<10	70	0.55	0.50	0.01	0.05	6.21	26.2	31
CC146719		0.26	0.002	0.08	1.80	13.0	<0.2	<10	150	1.06	0.35	0.13	0.18	28.8	14.2	31
CC146720		0.24	0.001	0.07	1.64	13.1	<0.2	<10	190	0.87	0.47	0.46	0.15	13.30	19.5	26
CC146721		0.26	0.001	0.03	1.39	2.2	<0.2	<10	170	0.75	0.46	0.22	0.06	8.38	16.1	33
CC146722		0.28	0.005	0.29	2.19	305	<0.2	<10	230	1.56	0.29	0.28	0.49	41.6	21.1	33
CC146723		0.22	0.002	0.05	1.76	16.5	<0.2	<10	110	0.53	0.35	0.12	0.27	18.90	10.0	32
CC146724		0.16	0.004	0.16	1.68	26.7	<0.2	<10	220	0.74	0.26	1.31	0.21	22.3	14.5	25
CC146725		0.24	0.004	0.16	1.55	30.1	<0.2	<10	170	0.86	0.27	0.89	0.35	25.3	16.2	25
CC146726		0.22	0.003	0.15	1.59	40.5	<0.2	<10	190	0.98	0.30	1.05	0.32	22.7	15.7	25
CC146727		0.10	0.002	0.08	1.21	13.3	<0.2	<10	230	0.67	0.21	2.45	1.04	15.50	11.0	17
CC146728		0.18	0.008	0.08	1.25	77.9	<0.2	10	140	1.08	0.24	1.01	0.14	41.0	12.3	30
CC146729		0.10	0.005	0.15	1.27	57.2	<0.2	10	180	0.92	0.20	2.39	0.20	20.4	10.9	21
CC146730		0.08	0.002	0.16	0.72	8.1	<0.2	10	90	0.57	0.18	3.95	0.17	13.55	6.9	11
CC146731		0.26	0.002	0.08	1.16	24.0	<0.2	<10	130	0.90	0.35	0.31	0.11	19.80	13.7	20
CC146732		0.16	0.003	0.12	1.30	37.7	<0.2	<10	190	0.84	0.24	2.07	0.24	17.25	12.4	20
CC146733		0.10	0.003	0.33	1.47	518	<0.2	<10	180	0.94	0.21	2.87	2.25	28.4	9.1	23
CC146734		0.28	0.003	0.15	1.41	61.1	<0.2	<10	130	1.03	0.30	1.23	0.37	20.9	16.0	23

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 3- SEP- 2011
Account: RCM

Project: Rackla- Dale Contour

CERTIFICATE OF ANALYSIS WH11164700

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
CC146795		5.07	48.7	2.84	2.58	0.10	0.06	0.13	0.038	0.12	5.9	7.4	0.17	171	10.45	0.01
CC146796		0.90	24.7	3.35	3.23	0.13	0.09	0.09	0.047	0.13	14.7	13.4	0.30	386	1.63	0.01
CC146797		2.20	24.0	2.38	2.97	0.11	0.09	0.07	0.032	0.09	9.4	13.8	0.31	1630	0.87	0.01
CC146798		2.15	21.6	2.18	3.21	0.09	0.07	0.06	0.030	0.09	7.6	15.1	0.33	1520	0.70	0.01
CC146799		1.63	13.5	1.14	2.84	<0.05	<0.02	0.05	0.015	0.06	2.6	2.5	0.08	285	0.62	0.02
CC146800		3.01	27.4	1.88	3.81	0.12	0.11	0.10	0.024	0.08	11.1	14.3	0.33	1020	0.71	0.02
DD003551		1.50	30.6	2.30	3.36	0.08	0.07	0.13	0.028	0.09	7.7	14.4	0.41	541	0.65	0.01
DD003552		2.35	55.8	2.84	5.22	0.09	0.08	0.16	0.033	0.09	8.5	17.4	0.46	657	1.22	0.03
DD003553		2.68	41.5	3.25	6.55	0.09	0.09	0.11	0.038	0.10	9.2	21.9	0.45	528	0.82	0.02
DD003554		1.03	26.1	3.15	5.62	0.10	0.06	0.16	0.037	0.07	12.4	17.0	0.46	775	0.93	0.01
DD003555		1.58	41.9	3.52	6.45	0.11	0.10	0.23	0.037	0.09	13.3	26.9	0.52	588	0.71	0.02
DD003556		1.77	43.0	4.45	5.95	0.12	0.06	0.29	0.041	0.07	11.6	25.8	0.44	1200	0.89	0.01
DD003557		1.54	57.7	4.97	5.08	0.15	0.10	0.23	0.047	0.09	14.8	23.0	0.54	1030	1.82	0.01
DD003558		1.35	33.3	5.08	4.66	0.13	0.07	0.59	0.040	0.06	11.4	22.8	0.43	1120	0.97	0.01
DD003559		1.49	24.7	4.15	5.88	0.11	0.05	0.51	0.038	0.06	10.3	18.6	0.40	989	0.93	0.01
DD003560		1.98	47.0	4.46	5.86	0.13	0.08	0.21	0.044	0.07	12.7	26.3	0.59	908	0.84	0.01
DD003561		1.79	27.4	4.93	6.87	0.10	0.03	0.03	0.038	0.05	8.5	30.3	0.41	361	1.25	0.01
DD003562		1.51	21.8	4.04	6.52	0.11	0.07	0.15	0.037	0.05	13.3	19.6	0.63	1030	1.18	0.02
CC146713		1.06	50.9	3.04	4.00	0.11	0.07	0.18	0.033	0.07	9.3	18.2	0.42	437	4.65	0.02
CC146714		1.19	53.5	1.73	2.99	0.06	0.07	0.20	0.019	0.07	4.9	13.0	0.36	443	0.56	0.02
CC146715		2.96	207	2.91	5.10	0.17	0.14	0.42	0.043	0.28	16.4	17.3	0.33	188	29.6	0.02
CC146716		1.17	38.7	3.06	3.33	0.10	0.13	0.14	0.034	0.12	10.3	19.2	0.53	455	1.43	0.01
CC146717		1.67	36.6	3.33	4.34	0.13	0.09	0.09	0.036	0.10	10.9	18.1	0.38	877	0.72	0.01
CC146718		3.35	9.7	4.46	4.22	<0.05	<0.02	0.01	0.031	0.14	2.2	10.4	0.32	2310	1.15	0.01
CC146719		2.87	28.0	3.46	6.60	<0.05	0.02	0.02	0.039	0.08	13.7	30.1	0.44	663	1.23	0.02
CC146720		2.02	29.2	4.01	6.13	<0.05	0.05	0.03	0.039	0.13	5.9	23.7	0.59	519	0.67	0.02
CC146721		2.32	13.8	4.11	5.41	<0.05	0.05	<0.01	0.028	0.19	3.8	23.5	0.46	198	0.39	0.02
CC146722		2.05	61.5	6.46	5.64	0.09	0.10	2.35	0.051	0.07	20.3	25.5	0.68	2620	0.91	0.01
CC146723		4.39	28.6	4.94	8.24	<0.05	0.02	0.03	0.045	0.07	9.1	32.1	0.50	281	1.65	0.01
CC146724		1.72	33.6	3.42	4.80	<0.05	0.05	0.15	0.033	0.06	9.4	24.8	0.45	980	0.98	0.02
CC146725		1.51	67.4	4.02	4.26	0.05	0.05	0.24	0.040	0.09	12.9	23.0	0.57	586	1.08	0.02
CC146726		1.44	56.6	4.29	4.30	0.06	0.05	0.26	0.046	0.07	12.7	20.6	0.50	571	0.95	0.01
CC146727		1.05	29.0	2.77	3.38	<0.05	0.04	0.09	0.034	0.06	6.7	14.8	0.31	781	0.71	0.01
CC146728		13.60	43.0	3.52	3.83	0.08	0.09	0.14	0.043	0.12	21.0	26.9	0.87	301	0.56	0.01
CC146729		6.68	43.6	2.84	3.56	<0.05	0.08	0.15	0.036	0.12	11.3	19.5	0.47	320	0.65	0.02
CC146730		2.30	29.3	1.76	1.94	<0.05	0.07	0.09	0.024	0.08	6.3	6.7	0.15	419	0.48	0.02
CC146731		4.57	53.3	3.76	3.40	<0.05	0.07	0.13	0.037	0.12	9.6	20.0	0.48	320	0.69	0.01
CC146732		1.47	38.4	3.17	3.64	<0.05	0.06	0.14	0.036	0.07	7.7	18.1	0.52	517	0.79	0.02
CC146733		0.85	15.1	3.97	3.84	<0.05	0.03	1.13	0.027	0.04	14.5	8.9	1.05	4250	1.67	0.02
CC146734		1.20	57.5	4.08	4.20	0.05	0.08	0.39	0.043	0.08	9.5	24.3	0.69	711	1.00	0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 3- SEP- 2011
Account: RCM

Project: Rackla- Dale Contour

CERTIFICATE OF ANALYSIS WH11164700

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
CC146795		0.22	34.0	320	19.5	10.0	0.001	0.02	6.05	5.1	4.2	0.4	19.6	<0.01	0.06	4.2
CC146796		0.35	37.0	570	15.6	10.1	<0.001	0.03	0.21	5.1	1.1	0.6	86.6	0.01	0.03	1.5
CC146797		0.23	20.2	770	19.8	9.8	<0.001	0.05	0.39	4.1	1.2	0.4	40.2	0.01	0.04	1.2
CC146798		0.27	17.7	660	19.0	9.4	<0.001	0.05	0.33	3.6	1.0	0.4	35.3	<0.01	0.03	1.1
CC146799		0.21	6.3	750	7.3	7.9	<0.001	0.02	0.19	1.1	0.5	0.4	8.2	<0.01	0.03	0.2
CC146800		0.46	13.3	1100	14.3	11.7	<0.001	0.10	0.30	2.6	1.4	0.4	51.0	0.01	0.05	0.7
DD003551		0.52	19.6	670	12.7	10.2	<0.001	0.06	0.42	3.5	1.2	0.4	49.9	<0.01	0.04	1.0
DD003552		0.78	19.0	1170	15.9	13.5	<0.001	0.09	0.43	3.6	1.3	0.6	60.0	0.01	0.08	1.1
DD003553		0.71	21.5	860	21.8	18.3	<0.001	0.03	0.34	5.3	0.9	0.8	44.9	0.01	0.05	1.8
DD003554		0.81	23.7	930	17.4	9.9	<0.001	0.05	0.51	3.9	1.2	0.5	46.1	0.01	0.05	1.4
DD003555		0.63	29.9	550	24.2	14.9	<0.001	<0.01	0.35	6.3	0.9	0.7	28.1	0.01	0.04	3.2
DD003556		0.42	28.7	530	27.8	12.4	<0.001	<0.01	0.36	6.6	0.7	0.6	15.4	<0.01	0.07	3.7
DD003557		0.32	38.4	450	29.9	10.3	<0.001	<0.01	0.91	9.0	1.4	0.6	22.5	0.01	0.07	5.6
DD003558		0.39	23.4	630	31.0	9.7	<0.001	0.01	0.48	6.7	0.9	0.4	22.8	0.01	0.07	2.2
DD003559		0.58	19.0	480	34.9	10.6	<0.001	<0.01	0.38	5.0	0.6	0.6	21.8	<0.01	0.06	2.6
DD003560		0.38	32.4	300	21.8	12.3	<0.001	<0.01	0.44	7.4	0.7	0.5	9.1	<0.01	0.08	4.2
DD003561		0.73	20.3	240	20.0	10.9	<0.001	<0.01	0.52	3.7	0.4	0.6	8.1	<0.01	0.08	2.7
DD003562		0.93	24.8	750	18.2	10.2	<0.001	0.02	0.55	4.8	0.8	0.6	17.7	0.01	0.06	1.8
CC146713		0.47	107.0	700	13.0	9.4	0.002	0.05	1.43	4.9	2.5	0.4	47.7	<0.01	0.08	1.3
CC146714		0.35	16.0	900	7.9	8.4	<0.001	0.12	0.54	2.0	2.0	0.3	106.5	<0.01	0.07	0.3
CC146715		0.33	63.5	5350	24.0	16.1	0.003	0.04	22.9	7.6	11.7	0.7	88.1	0.01	0.19	4.3
CC146716		0.34	29.1	690	15.8	9.5	<0.001	0.04	0.34	5.4	0.9	0.4	85.0	<0.01	0.04	2.9
CC146717		0.58	24.9	750	17.8	11.0	<0.001	0.04	0.37	6.1	1.1	0.5	24.5	0.01	0.05	2.5
CC146718		0.93	23.4	260	35.3	17.6	<0.001	0.02	1.20	3.4	0.3	1.1	4.1	<0.01	0.05	5.0
CC146719		1.01	20.6	370	22.9	18.3	<0.001	0.02	0.57	4.6	0.3	0.8	13.6	<0.01	0.02	3.9
CC146720		0.44	26.2	550	17.1	17.2	<0.001	0.04	0.30	4.6	0.3	0.8	48.0	<0.01	0.04	2.5
CC146721		0.60	29.2	170	17.1	24.0	<0.001	0.01	0.35	4.0	<0.2	1.1	18.2	<0.01	0.01	5.3
CC146722		0.21	37.9	460	108.5	11.6	<0.001	0.03	0.70	11.8	1.5	0.6	12.9	0.01	0.08	5.0
CC146723		1.29	21.9	310	15.5	12.3	<0.001	0.02	0.84	3.9	0.3	0.9	9.9	<0.01	0.12	3.0
CC146724		0.61	24.6	1110	16.4	10.2	<0.001	0.09	0.69	4.0	1.3	0.5	88.5	<0.01	0.05	1.1
CC146725		0.41	35.2	590	17.9	7.4	<0.001	0.05	0.77	8.1	1.0	0.5	72.5	<0.01	0.07	2.2
CC146726		0.36	32.9	620	21.8	8.5	<0.001	0.05	0.99	7.2	1.7	0.5	84.0	<0.01	0.05	1.3
CC146727		0.43	17.4	960	15.3	9.2	<0.001	0.11	0.49	3.1	0.6	0.4	119.5	<0.01	0.05	0.5
CC146728		0.22	30.3	590	13.8	12.5	<0.001	0.06	0.33	9.1	1.9	0.4	37.5	<0.01	0.04	3.9
CC146729		0.27	24.3	770	13.1	12.1	<0.001	0.09	0.42	4.7	0.9	0.4	107.5	<0.01	0.04	1.2
CC146730		0.20	16.9	970	11.5	9.1	<0.001	0.18	0.34	1.4	1.0	0.3	142.5	<0.01	0.03	0.5
CC146731		0.22	30.2	310	21.0	9.7	<0.001	0.03	0.49	7.2	0.4	0.4	17.9	<0.01	0.08	4.5
CC146732		0.37	25.8	800	16.6	6.8	<0.001	0.08	0.50	4.4	0.8	0.4	92.5	<0.01	0.05	1.4
CC146733		0.49	20.3	1650	51.4	6.2	<0.001	0.14	0.74	1.8	0.8	0.4	26.2	0.01	0.05	0.6
CC146734		0.27	33.3	720	20.4	7.0	<0.001	0.06	0.57	6.9	1.1	0.5	37.3	<0.01	0.06	2.2

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 3- SEP- 2011
Account: RCM

Project: Rackla- Dale Contour

CERTIFICATE OF ANALYSIS WH11164700

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
CC146795		<0.005	0.37	1.75	29	0.07	9.16	581	2.4
CC146796		<0.005	0.16	0.62	20	0.05	15.45	81	3.2
CC146797		0.005	0.12	1.57	12	0.05	19.35	71	1.7
CC146798		0.007	0.10	1.08	14	0.05	13.30	69	1.2
CC146799		0.009	0.08	0.35	13	<0.05	1.94	28	<0.5
CC146800		0.010	0.14	2.23	16	0.09	20.5	44	2.1
DD003551		0.009	0.13	1.52	19	0.13	11.45	61	1.6
DD003552		0.011	0.14	3.28	33	0.25	12.35	57	1.6
DD003553		0.016	0.17	2.63	38	0.18	11.20	82	1.8
DD003554		0.015	0.17	3.00	41	0.18	8.96	81	1.3
DD003555		0.010	0.26	2.02	34	0.15	15.25	78	1.9
DD003556		0.007	0.39	0.98	40	0.11	10.80	88	1.2
DD003557		0.006	0.34	1.66	37	0.08	18.00	120	2.7
DD003558		0.008	0.70	1.34	39	0.15	12.30	82	1.4
DD003559		0.008	0.73	1.06	44	0.22	7.20	76	1.0
DD003560		0.006	0.38	0.85	44	0.12	9.88	75	2.0
DD003561		0.011	0.22	0.41	52	0.15	2.68	52	1.3
DD003562		0.022	0.24	1.42	52	0.22	9.94	73	1.4
CC146713		0.008	0.25	2.64	147	0.09	10.75	639	1.8
CC146714		0.006	0.11	1.75	16	0.05	7.78	45	1.8
CC146715		0.006	0.44	7.04	303	0.11	29.0	723	5.2
CC146716		<0.005	0.15	1.07	20	0.07	10.65	78	4.8
CC146717		0.010	0.10	1.02	26	0.18	17.60	60	1.4
CC146718		0.023	0.11	0.87	32	0.66	3.04	66	<0.5
CC146719		0.026	0.15	0.90	54	0.26	5.72	93	0.7
CC146720		0.010	0.12	0.83	36	0.07	4.34	98	1.1
CC146721		0.022	0.14	0.99	34	0.17	5.03	91	1.7
CC146722		0.005	1.25	1.92	51	0.21	22.5	188	2.2
CC146723		0.029	0.11	0.49	73	0.24	2.75	73	0.9
CC146724		0.014	0.15	3.36	46	0.16	8.25	72	1.2
CC146725		0.012	0.16	1.45	43	0.11	18.05	90	1.4
CC146726		0.010	0.14	1.61	43	0.08	18.95	82	1.1
CC146727		0.009	0.09	1.68	32	0.15	8.21	51	0.9
CC146728		0.006	0.74	1.35	34	<0.05	17.80	93	2.0
CC146729		0.005	0.45	4.71	30	0.05	12.05	60	2.1
CC146730		<0.005	0.18	4.60	17	<0.05	9.26	59	2.1
CC146731		0.008	0.21	0.70	30	<0.05	10.40	79	2.5
CC146732		0.007	0.22	1.47	33	0.07	9.12	66	1.4
CC146733		0.018	5.16	3.24	37	0.62	15.15	432	0.9
CC146734		0.007	0.45	1.23	37	0.08	13.10	97	1.8

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 3- SEP- 2011
Account: RCM

Project: Rackla- Dale Contour

CERTIFICATE OF ANALYSIS WH11164700

Sample Description	Method	WEI- 21	Au- TL43	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Recvd Wt.	Au	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
CC146735		0.26	0.003	0.80	1.15	228	<0.2	<10	120	0.81	0.17	7.29	10.20	19.50	8.1	18
CC146736		0.24	0.001	0.23	1.46	60.2	<0.2	<10	160	0.88	0.24	2.07	0.25	26.6	10.9	25
DD003563		0.28	0.003	0.07	2.38	36.9	<0.2	<10	230	1.05	0.30	0.27	0.30	24.5	19.9	32
DD003564		0.22	0.004	0.09	1.61	40.3	<0.2	<10	220	0.89	0.26	1.20	0.26	25.0	16.1	25
DD003565		0.14	0.003	0.13	1.49	29.9	<0.2	<10	170	0.97	0.25	1.73	0.31	21.3	14.4	22
DD003566		0.26	0.004	0.11	1.48	21.4	<0.2	<10	360	1.08	0.29	1.32	0.24	31.3	16.1	27
DD003567		0.18	0.004	0.15	1.33	485	<0.2	10	210	1.08	0.29	0.88	0.22	20.1	11.3	22
DD003568		0.16	0.005	0.08	0.84	135.5	<0.2	<10	300	1.14	0.23	1.02	0.22	47.7	11.9	26
DD003569		0.16	0.003	0.09	1.49	23.8	<0.2	<10	160	0.99	0.26	1.50	0.24	24.8	11.7	27
DD003570		0.16	0.006	0.14	1.09	38.6	<0.2	10	410	0.99	0.21	2.12	0.20	21.7	10.9	24
DD003571		0.12	0.004	0.08	0.99	21.0	<0.2	<10	220	0.90	0.21	1.37	0.23	30.2	9.5	29
DD003572		0.18	0.001	0.04	0.85	20.0	<0.2	<10	190	1.17	0.20	0.67	0.21	59.2	11.6	28
DD003573		0.16	0.003	0.11	1.49	29.9	<0.2	<10	190	0.99	0.30	1.14	0.25	20.2	16.2	24
DD003574		0.18	0.001	0.07	1.23	23.2	<0.2	<10	190	1.03	0.24	0.85	0.35	33.1	13.3	31
DD003575		0.14	0.003	0.05	1.01	11.6	<0.2	<10	310	1.05	0.23	1.39	0.20	39.6	8.8	27
DD003576		0.28	0.004	0.11	1.39	33.8	<0.2	<10	190	1.16	0.28	1.71	0.37	31.1	17.3	27
DD003577		0.20	0.007	0.23	1.24	32.7	<0.2	<10	170	0.94	0.24	1.94	0.29	26.2	14.3	21
DD003578		0.28	0.006	0.16	1.55	33.5	<0.2	<10	230	0.88	0.29	0.89	0.26	18.70	17.3	25

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 3- SEP- 2011
Account: RCM

Project: Rackla- Dale Contour

CERTIFICATE OF ANALYSIS WH11164700

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
CC146735		1.21	23.2	3.12	3.37	<0.05	0.06	36.9	0.024	0.05	10.2	12.9	4.41	1950	1.28	0.02
CC146736		0.87	27.4	3.48	4.09	0.05	0.06	0.50	0.031	0.06	14.5	16.3	1.35	1230	1.04	0.02
DD003563		2.64	74.8	5.05	6.43	<0.05	0.05	0.25	0.062	0.07	9.3	36.7	0.64	539	1.23	0.01
DD003564		1.61	60.1	3.95	4.68	<0.05	0.06	0.27	0.046	0.07	9.3	23.1	0.56	764	0.96	0.01
DD003565		1.27	58.4	3.63	4.20	0.05	0.06	0.30	0.040	0.08	9.8	22.4	0.49	578	0.77	0.02
DD003566		3.86	56.7	3.60	4.33	0.06	0.08	0.22	0.041	0.10	14.7	27.7	0.74	575	0.71	0.02
DD003567		14.10	49.6	3.58	3.72	0.05	0.13	0.35	0.037	0.10	9.6	25.6	0.63	221	0.72	0.02
DD003568		4.40	41.6	3.14	3.11	0.08	0.08	0.21	0.038	0.09	25.5	14.0	0.34	384	0.68	0.01
DD003569		3.83	46.4	3.42	4.71	0.06	0.08	0.12	0.041	0.08	12.5	28.2	0.59	345	0.55	0.01
DD003570		7.64	51.0	2.86	3.25	0.05	0.08	0.22	0.036	0.10	14.6	15.7	0.47	260	0.52	0.01
DD003571		3.53	32.4	2.47	3.55	0.05	0.10	0.16	0.030	0.10	17.2	19.0	0.60	193	0.58	0.01
DD003572		6.24	31.9	3.01	3.27	0.08	0.08	0.14	0.042	0.10	32.2	13.9	0.41	355	0.42	0.01
DD003573		1.72	59.0	3.92	4.59	0.05	0.07	0.20	0.044	0.09	9.5	22.9	0.53	438	0.85	0.01
DD003574		1.71	60.9	3.93	3.86	0.05	0.06	0.12	0.046	0.08	17.6	16.8	0.43	533	0.77	0.01
DD003575		2.29	31.6	2.84	3.52	0.07	0.08	0.09	0.038	0.09	22.6	13.4	0.35	306	0.46	0.02
DD003576		1.51	68.2	4.20	4.25	0.06	0.07	0.26	0.053	0.10	17.4	23.7	0.64	524	1.07	0.02
DD003577		1.61	61.6	3.64	3.52	0.06	0.07	0.21	0.045	0.08	14.3	17.7	0.64	463	1.04	0.01
DD003578		1.64	73.8	4.49	4.39	<0.05	0.07	0.17	0.052	0.08	8.6	21.6	0.59	498	1.22	0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 3- SEP- 2011
Account: RCM

Project: Rackla- Dale Contour

CERTIFICATE OF ANALYSIS WH11164700

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
CC146735		0.44	21.1	930	128.5	7.0	<0.001	0.06	1.01	4.3	0.6	0.5	46.2	<0.01	0.05	1.8
CC146736		0.56	27.5	720	23.5	7.2	<0.001	0.05	0.75	4.8	0.7	0.5	21.8	<0.01	0.04	2.2
DD003563		0.48	36.4	300	16.4	12.0	<0.001	0.02	0.77	8.1	0.6	0.6	29.8	<0.01	0.11	3.6
DD003564		0.44	31.5	600	15.4	6.9	<0.001	0.05	0.80	7.7	0.9	0.5	83.3	<0.01	0.08	1.9
DD003565		0.36	29.0	730	16.3	8.0	<0.001	0.08	0.72	6.1	1.3	0.4	100.0	<0.01	0.06	1.1
DD003566		0.27	31.4	810	16.7	9.7	<0.001	0.07	0.42	7.7	2.0	0.5	51.5	<0.01	0.05	2.2
DD003567		0.22	28.3	660	19.8	14.7	<0.001	0.09	0.58	7.1	1.7	0.5	135.0	<0.01	0.04	2.4
DD003568		0.23	28.8	680	15.0	10.8	<0.001	0.06	0.41	7.6	1.9	0.4	46.4	<0.01	0.02	3.6
DD003569		0.37	30.3	680	19.7	10.0	<0.001	0.07	0.52	7.7	1.0	0.4	51.4	<0.01	0.06	2.7
DD003570		0.28	27.9	830	12.1	10.2	<0.001	0.09	0.50	6.0	2.0	0.4	90.6	<0.01	0.03	1.4
DD003571		0.35	24.8	650	13.3	10.8	<0.001	0.07	0.36	5.4	1.3	0.4	64.6	<0.01	0.01	2.7
DD003572		0.33	27.2	550	14.2	13.7	<0.001	0.04	0.28	8.6	1.9	0.4	30.7	<0.01	<0.01	4.3
DD003573		0.37	32.8	540	16.9	7.9	<0.001	0.05	0.60	7.7	1.0	0.5	49.6	<0.01	0.09	2.3
DD003574		0.32	28.7	530	16.7	10.0	<0.001	0.04	0.48	7.8	1.6	0.5	40.0	<0.01	0.08	3.1
DD003575		0.45	23.5	860	15.0	11.8	<0.001	0.07	0.34	6.5	1.5	0.4	48.8	<0.01	0.03	2.7
DD003576		0.34	36.0	570	18.4	10.2	<0.001	0.04	0.71	9.0	1.5	0.5	110.5	<0.01	0.07	3.0
DD003577		0.23	29.6	660	16.6	7.1	<0.001	0.06	0.62	7.7	1.6	0.4	89.9	<0.01	0.06	1.6
DD003578		0.27	35.7	440	17.1	7.0	<0.001	0.04	0.72	8.9	0.7	0.5	54.8	<0.01	0.09	2.3

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 3- SEP- 2011
Account: RCM

Project: Rackla- Dale Contour

CERTIFICATE OF ANALYSIS WH11164700

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
CC146735		0.013	0.95	1.90	30	0.38	11.85	1060	1.3
CC146736		0.019	0.31	1.81	41	0.18	13.30	104	1.4
DD003563		0.010	0.17	1.15	62	0.12	6.46	79	1.6
DD003564		0.010	0.13	1.22	46	0.10	10.90	70	1.3
DD003565		0.008	0.10	2.37	39	0.08	14.55	77	1.3
DD003566		0.006	0.16	3.45	36	<0.05	16.15	86	1.7
DD003567		0.005	1.09	5.65	31	<0.05	13.85	95	2.9
DD003568		0.005	0.69	2.34	32	0.05	17.70	94	2.1
DD003569		0.008	0.17	3.88	34	0.05	17.15	82	1.9
DD003570		0.005	0.34	6.11	28	0.06	18.35	74	2.1
DD003571		0.009	0.17	3.74	27	<0.05	12.45	91	2.5
DD003572		0.008	0.26	2.17	27	0.06	20.6	91	1.8
DD003573		0.008	0.13	2.83	44	0.08	10.95	88	1.8
DD003574		0.007	0.13	1.49	43	0.08	16.05	120	1.8
DD003575		0.010	0.10	3.62	32	0.06	15.20	80	2.1
DD003576		0.008	0.15	2.74	44	0.08	14.95	104	2.0
DD003577		0.005	0.16	2.81	37	0.06	16.30	64	1.6
DD003578		0.007	0.13	2.04	47	0.06	10.25	79	1.9

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 3- SEP- 2011
Account: RCM

Project: Rackla- Dale Contour

CERTIFICATE OF ANALYSIS WH11164700

Method	CERTIFICATE COMMENTS
ME- MS41	Gold determinations by this method are semi- quantitative due to the small sample weight used (0.5g).

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 9- SEP- 2011
Account: RCM

CERTIFICATE WH11164701

Project: Rackla- Leah Contour

P.O. No.:

This report is for 214 Soil samples submitted to our lab in Whitehorse, YT, Canada on 19- AUG- 2011.

The following have access to data associated with this certificate:

ROB CARNE JULIA LANE	ANDREW CARNE JOAN MARIACHER	MATT DUMALA

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
SCR- 41	Screen to - 180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- TL43	Trace Level Au - 25g AR	ICP- MS
ME- MS41	51 anal. aqua regia ICPMS	

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 9- SEP- 2011
Account: RCM

Project: Rackla- Leah Contour

CERTIFICATE OF ANALYSIS WH11164701

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- TL43 Au ppm 0.001	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1
DD003681		0.36	0.001	0.08	1.55	22.8	<0.2	<10	100	0.65	0.52	0.04	0.27	17.55	17.0	24
DD003682		0.40	0.002	0.12	0.90	18.2	<0.2	<10	130	0.93	0.63	0.09	0.16	22.4	24.2	17
DD003683		0.16	0.004	0.15	0.58	10.5	<0.2	<10	190	0.59	0.29	2.06	0.36	24.8	11.3	11
DD003684		0.28	0.003	0.19	1.15	8.9	<0.2	<10	170	0.80	0.30	1.90	0.33	41.5	16.0	17
DD003685		0.22	0.002	0.15	0.76	10.1	<0.2	<10	200	0.81	0.38	1.99	0.25	21.9	14.8	13
DD003686		0.28	0.001	0.12	0.91	36.2	<0.2	<10	160	0.54	0.28	4.83	1.01	26.3	10.6	13
DD003687		0.38	0.003	0.38	1.05	12.8	<0.2	<10	360	0.83	0.37	0.70	0.28	25.7	13.6	19
DD003688		0.30	0.002	0.25	1.18	12.2	<0.2	<10	650	0.79	0.34	0.47	0.21	24.4	12.1	22
DD003689		0.30	0.002	0.03	1.43	11.1	<0.2	<10	210	0.56	0.32	0.20	0.15	22.5	10.4	25
DD003690		0.26	0.001	0.19	1.31	16.4	<0.2	<10	240	0.81	0.34	0.75	0.30	22.3	14.3	22
DD003691		0.36	0.002	0.26	1.35	11.0	<0.2	<10	290	0.92	0.38	1.00	0.31	26.1	14.4	25
DD003692		0.44	0.001	0.07	0.93	25.0	<0.2	<10	140	0.88	0.56	0.43	0.18	19.85	20.1	15
DD003693		0.34	0.002	0.11	1.18	16.1	<0.2	<10	220	0.80	0.31	0.56	0.11	24.7	13.9	21
DD003694		0.28	0.001	0.15	0.65	15.8	<0.2	<10	180	0.96	0.33	1.68	0.20	16.70	11.7	11
DD003695		0.30	0.002	0.18	0.71	15.8	<0.2	<10	290	0.76	0.32	1.44	0.21	19.80	14.4	13
DD003696		0.40	0.001	0.13	0.61	18.1	<0.2	<10	150	0.76	0.33	1.75	0.18	20.9	12.4	11
DD003697		0.28	0.002	0.66	1.14	12.8	<0.2	<10	540	0.92	0.30	0.79	1.02	37.9	20.7	18
DD003698		0.40	<0.001	0.04	1.42	3.6	<0.2	<10	110	0.90	0.41	0.04	0.13	7.19	11.5	15
DD003699		0.36	0.001	0.20	0.74	11.7	<0.2	<10	180	0.61	0.29	0.21	0.33	39.1	15.1	15
DD003700		0.38	0.001	0.27	1.23	14.2	<0.2	<10	380	1.01	0.41	0.36	0.66	32.4	20.7	20
DD003501		0.30	0.001	0.10	0.67	10.4	<0.2	<10	150	0.27	0.25	0.20	0.15	27.5	4.8	13
DD003502		0.28	0.001	0.30	1.12	15.8	<0.2	<10	280	0.61	0.31	0.28	0.38	29.6	14.0	21
DD003503		0.32	0.001	0.37	0.95	91.4	<0.2	<10	240	0.67	0.21	1.20	1.08	31.5	13.4	16
DD003504		0.28	0.001	0.41	0.90	29.9	<0.2	<10	420	0.69	0.22	0.60	0.79	37.7	13.9	13
DD003505		0.34	0.001	0.33	0.87	10.5	<0.2	<10	280	0.81	0.29	0.79	0.54	30.1	14.7	16
DD003506		0.30	0.001	0.47	0.47	13.8	<0.2	<10	220	0.67	0.26	0.72	0.91	16.05	12.6	10
DD003507		0.30	0.002	0.57	0.57	12.9	<0.2	<10	280	0.75	0.26	0.76	1.15	18.65	12.4	12
DD003508		0.28	0.001	0.39	1.09	10.7	<0.2	<10	800	0.76	0.24	0.84	0.63	24.3	13.7	20
DD003509		0.34	0.001	0.08	1.16	8.2	<0.2	<10	140	0.86	0.60	0.11	0.11	14.80	16.3	26
DD003510		0.34	<0.001	0.09	1.22	64.9	<0.2	<10	110	0.98	0.35	0.16	0.12	54.2	17.7	18
DD003511		0.28	<0.001	0.99	0.70	12.1	<0.2	<10	120	0.89	0.27	1.11	3.09	37.3	18.5	10
DD003512		0.36	<0.001	0.77	1.03	8.2	<0.2	<10	130	0.99	0.29	0.66	0.83	37.7	15.8	19
DD003513		0.30	<0.001	0.76	1.09	13.3	<0.2	<10	180	1.02	0.31	0.28	0.92	31.1	27.3	18
DD003514		0.28	<0.001	0.26	0.84	14.4	<0.2	<10	200	0.90	0.25	0.38	0.31	43.0	12.7	16
DD003515		0.34	<0.001	0.97	0.97	10.9	<0.2	<10	160	0.77	0.26	0.29	1.31	48.0	15.8	16
DD003516		0.34	<0.001	0.34	1.02	14.7	<0.2	<10	280	1.09	0.29	0.74	1.34	31.6	15.8	19
DD003517		0.38	0.001	0.63	1.61	10.2	<0.2	<10	250	0.78	0.18	0.75	0.92	66.8	22.4	28
DD003518		0.28	0.002	0.33	1.99	8.6	<0.2	<10	310	0.89	0.13	1.46	0.50	62.3	19.7	72
DD003519		0.14	<0.001	0.34	1.23	11.2	<0.2	<10	250	0.74	0.17	1.29	0.52	41.7	14.4	20
DD003520		0.32	0.002	0.48	1.34	9.3	<0.2	<10	140	0.72	0.17	0.97	0.51	45.6	13.4	27

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 9- SEP- 2011
Account: RCM

Project: Rackla- Leah Contour

CERTIFICATE OF ANALYSIS WH11164701

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
DD003681		1.79	44.5	4.60	4.47	0.11	0.03	0.20	0.042	0.05	8.9	33.9	0.44	483	1.32	<0.01
DD003682		1.67	59.6	4.39	2.77	0.13	0.05	0.16	0.037	0.06	10.7	18.6	0.30	442	1.82	<0.01
DD003683		0.35	43.2	2.47	1.65	0.10	0.11	0.24	0.030	0.07	13.3	6.8	0.14	212	1.40	<0.01
DD003684		0.99	50.6	2.80	3.35	0.12	0.12	0.10	0.036	0.06	21.0	31.7	0.67	572	1.08	<0.01
DD003685		1.03	41.6	3.26	2.06	0.11	0.11	0.09	0.041	0.08	9.6	16.7	0.32	396	0.72	<0.01
DD003686		0.92	18.6	2.44	2.64	0.09	0.05	0.33	0.036	0.05	14.3	6.0	1.77	1350	0.53	0.01
DD003687		2.38	41.1	3.18	3.34	0.10	0.07	0.13	0.035	0.09	13.7	18.9	0.29	410	1.56	<0.01
DD003688		1.31	36.7	3.38	3.71	0.11	0.04	0.11	0.035	0.08	12.9	15.8	0.32	485	1.50	<0.01
DD003689		1.51	19.0	3.28	5.72	0.09	0.02	0.03	0.030	0.05	11.0	25.6	0.42	341	1.27	<0.01
DD003690		1.73	36.0	3.40	4.29	0.11	0.07	0.17	0.033	0.07	10.1	22.6	0.41	636	1.23	<0.01
DD003691		1.94	39.3	3.68	4.57	0.12	0.08	0.15	0.037	0.10	13.4	23.3	0.47	458	1.57	<0.01
DD003692		3.39	42.9	3.96	3.43	0.11	0.04	0.05	0.045	0.08	9.0	20.6	0.25	847	0.90	<0.01
DD003693		1.12	40.0	3.24	3.80	0.10	0.06	0.11	0.032	0.06	13.0	12.1	0.32	614	0.73	<0.01
DD003694		1.75	49.8	2.84	2.07	0.10	0.10	0.26	0.027	0.09	9.8	10.5	0.38	407	0.88	<0.01
DD003695		1.90	47.0	3.03	2.44	0.11	0.07	0.34	0.033	0.09	9.9	13.6	0.49	536	1.03	<0.01
DD003696		1.63	37.2	3.47	1.89	0.11	0.06	0.34	0.033	0.08	10.3	10.5	0.65	672	0.86	<0.01
DD003697		2.86	59.2	3.96	3.26	0.13	0.07	0.24	0.042	0.14	19.5	13.7	0.21	538	3.31	<0.01
DD003698		1.97	34.7	3.54	4.03	0.09	0.03	0.02	0.041	0.08	3.1	26.1	0.20	1500	0.72	<0.01
DD003699		1.11	45.1	3.40	2.72	0.12	0.02	0.07	0.035	0.10	21.0	7.4	0.13	426	4.06	<0.01
DD003700		1.79	59.3	4.25	4.11	0.13	0.04	0.14	0.041	0.10	16.3	21.2	0.40	785	2.63	<0.01
DD003501		1.39	18.9	1.99	3.87	0.09	<0.02	0.03	0.016	0.06	14.7	4.6	0.12	87	2.05	<0.01
DD003502		1.55	41.6	3.61	4.11	0.11	0.03	0.13	0.034	0.12	15.3	13.5	0.26	496	3.46	<0.01
DD003503		1.13	39.4	3.27	2.96	0.11	0.08	0.54	0.029	0.09	16.4	11.8	0.30	302	2.24	<0.01
DD003504		1.34	42.0	3.70	2.56	0.12	0.06	0.39	0.036	0.09	19.2	9.5	0.16	476	2.67	<0.01
DD003505		2.63	47.9	3.16	2.68	0.11	0.07	0.19	0.036	0.10	16.0	11.3	0.23	482	2.92	<0.01
DD003506		1.72	49.6	3.13	1.48	0.10	0.05	0.78	0.038	0.06	8.6	3.8	0.09	379	5.93	<0.01
DD003507		1.50	73.8	3.36	1.77	0.12	0.04	0.97	0.040	0.08	9.5	5.6	0.10	339	5.04	<0.01
DD003508		1.23	44.3	3.01	3.59	0.11	0.07	0.22	0.035	0.09	12.8	17.5	0.32	529	1.88	<0.01
DD003509		4.21	38.3	3.95	4.38	0.11	0.04	0.05	0.030	0.07	7.9	20.8	0.34	1310	1.29	<0.01
DD003510		5.73	32.2	3.59	4.09	0.13	0.06	0.03	0.032	0.14	26.8	22.6	0.30	1020	0.99	<0.01
DD003511		4.81	50.0	3.57	2.27	0.14	0.13	0.10	0.037	0.16	20.6	12.9	0.35	556	8.32	<0.01
DD003512		4.89	42.0	3.08	3.31	0.12	0.09	0.10	0.034	0.13	20.3	22.5	0.41	605	3.78	<0.01
DD003513		5.93	44.4	2.92	3.12	0.05	0.11	0.07	0.025	0.12	14.7	15.7	0.27	1510	3.77	<0.01
DD003514		3.74	28.1	3.33	2.82	0.06	0.06	0.06	0.030	0.14	20.6	12.2	0.21	392	1.73	<0.01
DD003515		3.57	39.0	3.23	2.95	0.05	0.04	0.13	0.030	0.16	23.0	15.1	0.27	469	4.96	<0.01
DD003516		2.50	52.6	3.82	3.15	0.07	0.05	0.10	0.028	0.10	13.9	22.8	0.59	1040	2.59	<0.01
DD003517		3.13	58.3	4.44	5.32	0.09	0.05	0.14	0.044	0.19	32.0	32.8	0.56	494	4.21	0.01
DD003518		1.17	40.0	4.37	6.64	0.10	0.08	0.08	0.044	0.15	31.6	35.0	1.46	849	2.75	0.01
DD003519		1.25	32.0	3.87	3.64	0.06	0.07	0.10	0.031	0.10	19.6	17.4	0.40	581	2.50	<0.01
DD003520		1.41	43.9	3.89	3.98	0.07	0.11	0.13	0.033	0.09	23.7	26.5	0.76	340	3.90	<0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 9- SEP- 2011
Account: RCM

Project: Rackla- Leah Contour

CERTIFICATE OF ANALYSIS WH11164701

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
DD003681		0.36	33.5	240	31.6	11.3	<0.001	<0.01	0.81	3.5	0.8	0.5	11.4	<0.01	0.06	4.3
DD003682		0.25	36.3	380	36.8	6.3	<0.001	<0.01	0.86	4.5	1.0	0.4	21.0	0.01	0.07	5.5
DD003683		0.21	25.6	440	20.1	7.2	<0.001	0.05	0.45	3.7	1.2	0.4	95.2	<0.01	0.04	2.9
DD003684		0.28	36.1	630	20.0	7.6	<0.001	0.05	0.49	4.6	1.4	0.3	95.2	0.01	0.05	2.9
DD003685		0.16	35.2	640	20.8	6.7	<0.001	0.03	0.49	5.3	0.9	0.3	65.9	0.01	0.05	4.3
DD003686		0.33	17.0	800	19.5	8.5	<0.001	0.05	0.44	3.1	0.8	0.4	57.6	0.01	0.09	0.8
DD003687		0.26	33.6	710	19.1	9.8	<0.001	0.01	0.72	4.4	0.9	0.4	37.5	0.01	0.05	4.6
DD003688		0.30	30.0	670	19.6	8.4	<0.001	<0.01	0.73	4.5	0.9	0.4	25.0	<0.01	0.05	4.2
DD003689		0.62	21.9	340	16.5	11.4	<0.001	0.01	0.59	2.7	0.4	0.5	19.4	<0.01	0.04	2.5
DD003690		0.42	26.4	660	19.4	12.4	<0.001	0.04	0.60	3.4	1.1	0.4	44.7	<0.01	0.06	1.8
DD003691		0.44	32.3	790	19.5	10.6	<0.001	0.03	0.71	4.9	1.2	0.4	41.0	0.01	0.05	4.1
DD003692		0.28	26.0	430	27.0	15.2	<0.001	0.01	0.47	4.3	0.4	0.4	64.2	<0.01	0.04	3.7
DD003693		0.42	27.4	640	17.1	9.1	<0.001	0.01	0.67	5.3	0.7	0.4	36.9	0.01	0.05	3.6
DD003694		0.21	27.1	690	21.8	7.8	<0.001	0.06	0.56	4.0	0.8	0.3	44.0	0.01	0.05	2.1
DD003695		0.18	30.8	630	21.9	8.6	<0.001	0.02	0.66	4.8	0.8	0.3	41.7	0.01	0.05	3.3
DD003696		0.12	27.3	560	25.7	6.8	<0.001	0.02	0.56	5.0	0.7	0.3	44.5	<0.01	0.06	3.4
DD003697		0.26	41.9	1370	23.2	17.4	0.002	0.05	1.50	6.3	2.3	0.4	49.5	0.01	0.08	3.9
DD003698		0.13	18.5	280	23.1	13.4	<0.001	<0.01	0.33	4.5	0.3	0.5	6.3	<0.01	0.03	3.5
DD003699		0.13	27.4	960	19.2	9.7	0.001	0.01	1.66	3.2	1.2	0.3	16.1	<0.01	0.04	2.8
DD003700		0.21	42.7	840	26.5	9.2	0.001	0.01	1.24	5.8	1.0	0.4	28.3	0.01	0.05	5.3
DD003501		0.30	12.7	370	12.6	10.0	<0.001	<0.01	0.64	1.4	0.8	0.4	12.1	<0.01	0.04	0.9
DD003502		0.34	29.3	1020	20.0	11.8	0.001	0.02	1.15	3.7	1.3	0.5	20.2	<0.01	0.05	2.2
DD003503		0.41	31.1	1090	32.1	9.9	0.001	0.03	1.33	4.6	1.5	0.3	29.0	<0.01	0.04	3.8
DD003504		0.27	32.6	1320	35.2	10.8	0.001	0.04	1.46	5.0	1.5	0.3	22.8	<0.01	0.05	3.2
DD003505		0.35	33.2	1090	15.2	12.2	<0.001	0.02	1.23	6.1	1.3	0.3	26.0	0.01	0.05	3.9
DD003506		0.17	32.7	870	23.0	6.7	0.001	0.04	2.36	5.1	1.5	0.3	35.1	<0.01	0.06	2.6
DD003507		0.16	32.4	1970	18.1	9.3	0.002	0.02	1.67	5.8	2.1	0.3	37.4	0.01	0.08	3.2
DD003508		0.26	34.5	920	17.1	10.1	0.001	0.03	0.87	5.2	1.2	0.4	36.8	<0.01	0.06	3.4
DD003509		0.32	19.0	600	33.3	13.2	<0.001	0.01	0.29	4.0	0.4	0.6	26.8	<0.01	0.05	5.2
DD003510		0.21	27.5	760	17.9	14.9	<0.001	0.03	0.49	4.8	0.6	0.4	15.3	0.01	0.04	4.2
DD003511		0.11	49.8	600	19.5	12.0	0.003	0.06	3.76	6.1	2.0	0.3	44.9	0.01	0.05	5.9
DD003512		0.17	39.2	790	18.8	12.4	0.001	0.02	2.17	5.8	1.4	0.4	34.4	0.01	0.04	4.1
DD003513		0.15	25.8	1020	39.0	12.5	<0.001	0.05	1.83	3.1	1.8	0.4	19.8	<0.01	0.12	2.7
DD003514		0.15	25.9	940	26.5	9.4	<0.001	0.13	0.79	3.7	0.9	0.3	46.9	<0.01	0.03	2.5
DD003515		0.08	31.8	1140	24.2	10.9	0.005	0.03	2.19	3.3	2.0	0.3	24.4	<0.01	0.17	3.9
DD003516		0.14	34.7	900	22.7	6.8	0.001	0.03	1.12	4.4	1.2	0.3	25.4	<0.01	0.07	4.1
DD003517		0.16	55.2	1630	18.8	10.4	0.002	0.08	1.57	6.5	1.8	0.5	51.9	<0.01	0.05	3.7
DD003518		0.47	52.0	1900	12.9	9.2	0.001	0.05	0.77	7.8	1.4	0.5	45.2	<0.01	0.04	2.3
DD003519		0.23	28.4	1270	15.0	9.1	<0.001	0.08	0.90	3.9	1.5	0.4	33.6	<0.01	0.03	2.4
DD003520		0.15	37.6	1430	16.9	5.5	0.002	0.04	1.06	5.3	1.4	0.4	34.1	<0.01	0.05	3.0

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 9- SEP- 2011
Account: RCM

Project: Rackla- Leah Contour

CERTIFICATE OF ANALYSIS WH11164701

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
DD003681		0.008	0.13	0.91	35	0.10	5.14	105	1.3
DD003682		0.009	0.10	1.40	26	0.07	12.15	101	1.7
DD003683		<0.005	0.10	6.72	15	0.05	11.60	100	5.1
DD003684		0.007	0.09	5.32	19	0.06	19.70	87	4.2
DD003685		<0.005	0.07	5.28	16	0.05	14.55	104	4.9
DD003686		0.009	0.09	1.92	26	0.07	17.15	113	1.0
DD003687		0.007	0.11	1.88	29	0.10	13.35	105	2.4
DD003688		0.011	0.11	1.19	37	0.11	11.60	109	1.0
DD003689		0.020	0.10	0.69	49	0.27	4.29	82	0.5
DD003690		0.014	0.13	1.63	36	0.12	9.47	103	2.0
DD003691		0.011	0.12	2.02	34	0.11	12.35	132	3.0
DD003692		0.008	0.11	1.13	24	0.09	7.06	98	1.0
DD003693		0.014	0.09	1.55	34	0.19	11.15	67	1.6
DD003694		0.005	0.08	1.40	16	0.05	13.85	105	3.3
DD003695		0.005	0.10	1.00	17	0.05	12.55	127	2.7
DD003696		<0.005	0.07	1.04	16	<0.05	12.85	131	1.8
DD003697		<0.005	0.28	2.28	34	0.06	15.00	154	2.0
DD003698		<0.005	0.10	0.48	22	<0.05	4.84	77	1.3
DD003699		<0.005	0.17	0.94	30	<0.05	7.84	117	<0.5
DD003700		0.008	0.16	1.03	34	0.07	11.85	164	0.8
DD003501		0.018	0.11	0.61	37	0.15	3.57	46	<0.5
DD003502		0.010	0.19	1.05	43	0.12	8.29	109	0.5
DD003503		0.009	0.19	1.27	31	0.14	11.80	313	3.3
DD003504		0.005	0.29	1.30	32	0.07	11.95	182	1.8
DD003505		0.011	0.21	1.50	30	0.10	13.85	131	2.2
DD003506		<0.005	0.18	1.50	29	0.06	10.95	166	1.7
DD003507		<0.005	0.15	2.61	37	0.05	16.30	166	1.1
DD003508		0.006	0.12	1.17	38	0.07	12.40	133	2.4
DD003509		0.010	0.08	1.53	32	0.11	6.07	61	1.0
DD003510		0.007	0.09	0.96	21	0.06	13.45	80	1.3
DD003511		<0.005	0.34	1.64	25	<0.05	17.00	315	7.9
DD003512		0.006	0.19	1.52	32	<0.05	14.30	191	3.3
DD003513		0.010	0.15	1.25	26	<0.05	9.30	125	2.8
DD003514		0.009	0.11	0.84	21	<0.05	13.30	98	1.7
DD003515		0.008	0.19	1.31	28	<0.05	11.30	182	1.7
DD003516		0.012	0.09	1.05	28	<0.05	14.45	152	1.9
DD003517		0.012	0.21	1.55	41	<0.05	20.8	166	1.7
DD003518		0.018	0.11	0.89	65	0.07	21.5	121	2.7
DD003519		0.010	0.11	1.02	33	<0.05	11.75	99	2.0
DD003520		0.009	0.12	0.85	30	<0.05	15.10	114	3.3

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 9- SEP- 2011
Account: RCM

Project: Rackla- Leah Contour

CERTIFICATE OF ANALYSIS WH11164701

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- TL43 Au ppm 0.001	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1
DD003521		0.40	<0.001	0.62	0.86	12.5	<0.2	<10	150	0.71	0.26	0.50	0.46	29.8	14.4	15
DD003522		0.32	<0.001	0.25	1.08	13.4	<0.2	<10	280	0.84	0.30	1.04	0.17	34.5	9.8	18
CC142588		0.46	0.001	0.07	1.93	10.4	<0.2	<10	80	1.89	0.61	0.11	0.07	20.1	31.7	29
CC142589		0.36	<0.001	0.05	1.48	10.3	<0.2	<10	50	0.82	0.50	0.05	0.10	9.34	16.6	21
CC142590		0.40	0.001	0.10	1.44	12.1	<0.2	<10	170	1.12	0.39	0.18	0.31	32.7	17.5	26
CC142591		0.34	0.001	0.07	1.40	11.3	<0.2	<10	150	1.16	0.50	0.16	0.16	23.4	23.3	25
CC142592		0.40	0.001	0.17	0.74	27.3	<0.2	<10	290	0.70	0.37	2.94	1.54	21.1	16.4	14
CC142593		0.34	0.001	0.16	0.83	14.8	<0.2	<10	470	0.92	0.38	0.66	0.59	18.40	13.5	15
CC142594		0.38	0.002	0.36	1.54	20.0	<0.2	<10	540	1.02	0.33	0.85	0.88	18.50	16.8	28
CC142595		0.36	0.001	0.34	1.36	16.0	<0.2	<10	510	1.09	0.33	1.74	1.18	23.4	13.3	23
CC142596		0.38	0.004	0.10	0.90	9.9	<0.2	<10	240	0.71	0.37	0.34	0.27	21.9	9.7	16
CC142597		0.42	0.002	0.22	0.45	17.7	<0.2	<10	540	1.26	0.46	0.87	1.20	19.35	14.6	10
CC142598		0.30	0.003	0.40	0.95	68.0	<0.2	<10	210	0.57	0.18	5.77	4.59	17.35	5.3	15
CC142599		0.32	0.003	0.24	1.08	14.0	<0.2	<10	360	0.82	0.26	3.37	0.83	24.2	10.3	18
CC142600		0.34	0.002	0.14	0.78	13.9	<0.2	<10	220	0.80	0.32	3.48	2.00	18.25	10.2	13
CC146501		0.44	0.002	0.10	0.80	15.3	<0.2	<10	290	1.22	0.51	0.53	0.13	14.90	15.8	13
CC146502		0.38	0.001	0.08	0.35	22.5	<0.2	<10	160	0.86	0.38	5.32	0.19	13.55	16.9	4
CC146503		0.44	0.002	0.10	0.41	35	<0.2	<10	140	0.44	0.17	12.30	0.56	17.45	8.5	7
CC146504		0.40	0.002	0.09	0.44	7.9	<0.2	<10	140	1.14	0.42	0.48	0.06	15.40	12.5	7
CC146505		0.44	0.001	0.07	0.35	8.1	<0.2	<10	100	1.08	0.49	0.37	0.03	19.30	16.6	6
CC146506		0.40	0.001	0.11	0.42	10.1	<0.2	<10	110	1.41	0.52	0.38	0.05	18.20	16.5	7
CC146507		0.42	0.002	0.12	1.25	10.7	<0.2	<10	180	0.93	0.36	0.80	0.51	20.5	12.2	20
CC146508		0.36	0.002	0.25	1.06	12.6	<0.2	<10	430	0.92	0.30	0.62	1.09	28.5	13.4	21
CC146509		0.36	0.002	0.34	1.05	16.4	<0.2	<10	770	1.09	0.34	1.14	0.65	25.8	15.7	19
CC146510		0.36	0.003	0.35	1.00	10.7	<0.2	<10	400	0.89	0.29	1.22	1.09	28.4	13.3	17
CC146511		0.30	0.003	0.13	1.07	11.1	<0.2	<10	620	1.05	0.26	0.92	0.51	25.7	11.4	17
CC146512		0.28	0.002	0.44	1.00	9.6	<0.2	<10	490	1.03	0.27	1.01	0.87	22.0	14.4	16
CC146513		0.32	0.002	0.20	0.87	9.8	<0.2	<10	910	0.88	0.31	1.28	0.46	18.20	11.6	15
CC146514		0.36	0.003	0.25	1.29	13.4	<0.2	<10	640	1.12	0.35	0.77	0.67	22.0	19.1	23
CC146515		0.30	0.002	0.27	1.13	10.8	<0.2	<10	400	1.15	0.36	0.74	0.54	29.7	18.3	20
CC146516		0.38	0.002	0.23	0.91	14.8	<0.2	<10	310	1.27	0.44	0.55	0.28	22.7	16.0	16
CC146517		0.36	0.001	0.31	1.05	10.3	<0.2	<10	380	1.07	0.36	0.92	0.49	24.7	16.0	18
CC146518		0.40	0.003	0.55	1.21	16.8	<0.2	<10	220	0.76	0.22	0.74	1.21	41.6	16.5	25
CC146519		0.24	0.003	0.37	1.02	12.6	<0.2	<10	200	0.67	0.17	1.63	0.92	39.1	13.8	20
CC146520		0.26	0.002	0.34	1.14	9.7	<0.2	<10	280	0.83	0.22	1.55	0.64	28.7	12.2	20
CC146521		0.36	0.001	0.22	1.15	11.5	<0.2	<10	280	1.00	0.34	0.43	0.28	25.1	13.9	21
CC146522		0.42	0.001	0.26	1.24	18.3	<0.2	<10	340	1.14	0.33	0.42	0.24	30.8	15.0	19
CC146523		0.36	0.001	0.31	1.09	12.1	<0.2	<10	420	0.80	0.26	0.25	0.51	29.2	10.5	19
CC146524		0.26	0.002	0.37	1.75	10.9	<0.2	<10	290	0.76	0.16	1.26	0.39	63.3	20.4	30
CC146525		0.20	0.001	0.41	1.32	10.1	<0.2	<10	220	0.73	0.15	1.18	0.64	50.8	15.7	22

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 9- SEP- 2011
Account: RCM

Project: Rackla- Leah Contour

CERTIFICATE OF ANALYSIS WH11164701

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
DD003521		3.33	37.9	2.66	2.83	<0.05	0.04	0.10	0.026	0.12	14.7	12.4	0.17	537	3.53	<0.01
DD003522		5.26	26.8	2.36	3.20	0.05	0.10	0.06	0.030	0.14	14.5	17.0	0.34	778	1.45	<0.01
CC142588		6.04	62.0	4.52	6.67	<0.05	0.04	0.01	0.029	0.09	6.6	67.4	0.58	1380	0.76	<0.01
CC142589		3.23	31.9	4.65	4.78	<0.05	0.04	<0.01	0.025	0.06	4.0	34.2	0.39	459	1.09	<0.01
CC142590		2.27	43.3	3.75	4.87	0.05	0.03	0.03	0.030	0.07	13.5	32.5	0.50	833	1.29	<0.01
CC142591		3.30	42.2	3.99	4.72	<0.05	0.04	0.04	0.034	0.08	8.7	33.7	0.44	887	1.12	<0.01
CC142592		1.78	52.5	3.45	2.46	0.06	0.08	1.09	0.035	0.10	9.2	8.8	1.57	551	3.70	0.01
CC142593		1.29	38.8	3.97	2.37	<0.05	0.06	0.46	0.034	0.09	8.3	8.7	0.28	817	2.11	0.01
CC142594		2.24	63.2	4.29	4.53	0.06	0.08	0.27	0.041	0.12	7.9	26.1	0.79	650	2.49	0.01
CC142595		1.57	53.6	3.78	4.05	0.05	0.08	0.38	0.036	0.10	10.6	20.0	1.17	833	2.21	0.01
CC142596		1.85	20.2	2.80	3.29	<0.05	0.05	0.09	0.030	0.08	9.8	10.4	0.21	423	1.17	<0.01
CC142597		3.44	33.4	3.96	1.33	<0.05	0.07	0.51	0.045	0.07	6.7	5.0	0.20	497	0.64	0.01
CC142598		0.82	13.9	4.04	2.91	<0.05	0.05	12.15	0.031	0.04	9.6	5.8	2.82	1860	0.72	0.01
CC142599		1.30	31.4	2.92	3.20	<0.05	0.06	0.48	0.025	0.09	11.5	13.1	1.75	820	0.92	0.01
CC142600		1.56	35.8	2.88	2.47	<0.05	0.06	0.99	0.028	0.10	9.3	7.5	1.70	601	1.00	0.01
CC146501		5.11	45.4	3.58	3.03	<0.05	0.08	0.52	0.037	0.11	6.6	14.5	0.30	585	0.48	<0.01
CC146502		2.55	39.0	3.04	0.97	<0.05	0.03	0.49	0.026	0.11	5.4	2.3	2.76	667	2.00	0.01
CC146503		0.92	18.4	2.48	1.08	<0.05	0.06	1.35	0.016	0.06	9.0	2.7	6.86	1320	0.28	0.02
CC146504		2.68	34.9	3.43	1.35	<0.05	0.09	0.19	0.033	0.11	6.9	2.7	0.14	632	0.75	<0.01
CC146505		3.00	47.8	3.66	1.23	<0.05	0.06	0.17	0.038	0.10	7.6	3.0	0.08	532	0.57	<0.01
CC146506		3.83	44.7	4.24	1.37	0.05	0.05	0.14	0.036	0.12	7.6	3.2	0.12	917	0.53	<0.01
CC146507		1.24	22.6	3.37	4.36	<0.05	0.06	0.30	0.035	0.09	8.5	18.3	0.42	679	0.98	<0.01
CC146508		1.00	42.4	3.62	3.31	0.05	0.05	0.16	0.043	0.09	13.7	18.0	0.31	398	4.38	0.01
CC146509		1.91	53.2	3.76	3.35	0.05	0.06	0.25	0.038	0.11	9.9	17.2	0.63	542	2.25	0.01
CC146510		1.42	51.7	3.08	3.05	0.05	0.06	0.28	0.035	0.11	14.1	16.0	0.44	772	3.12	0.01
CC146511		0.74	32.4	3.20	3.19	<0.05	0.07	0.18	0.030	0.09	12.4	13.0	0.28	556	1.84	0.01
CC146512		1.63	43.5	3.13	2.99	<0.05	0.08	0.19	0.033	0.11	9.7	14.0	0.29	840	2.57	0.01
CC146513		1.15	34.2	3.15	2.49	<0.05	0.05	0.18	0.034	0.08	8.7	10.8	0.25	601	1.21	0.01
CC146514		1.37	55.5	3.99	4.32	0.16	0.09	0.24	0.040	0.10	9.5	21.1	0.43	741	2.10	0.01
CC146515		1.62	51.6	3.75	3.78	0.17	0.08	0.18	0.036	0.11	13.9	18.3	0.44	752	1.82	0.01
CC146516		1.52	58.4	4.12	2.94	0.16	0.07	0.21	0.046	0.08	10.5	14.6	0.31	643	1.24	<0.01
CC146517		1.37	49.9	3.36	3.50	0.15	0.09	0.17	0.040	0.11	11.1	16.6	0.39	630	1.85	0.01
CC146518		1.59	66.0	4.13	4.17	0.20	0.09	0.18	0.038	0.16	21.0	19.5	0.42	367	6.18	0.01
CC146519		1.35	45.7	3.39	3.16	0.13	0.06	0.09	0.030	0.14	18.7	13.0	0.31	442	4.08	0.01
CC146520		1.57	45.3	2.93	3.39	0.12	0.07	0.09	0.029	0.12	15.1	17.3	0.41	688	2.06	0.01
CC146521		2.61	36.6	3.75	3.54	0.11	0.02	0.05	0.026	0.11	12.0	21.7	0.35	735	2.41	<0.01
CC146522		3.46	45.9	3.77	3.31	0.13	0.04	0.06	0.027	0.11	14.9	18.8	0.32	1400	1.89	<0.01
CC146523		3.23	33.7	3.09	3.65	0.09	0.02	0.06	0.027	0.10	14.3	18.2	0.30	539	3.31	0.01
CC146524		1.17	36.3	4.79	5.80	0.15	0.07	0.19	0.043	0.13	31.6	27.7	0.69	844	2.87	0.01
CC146525		1.45	32.8	3.71	4.48	0.13	0.08	0.10	0.034	0.10	25.3	23.3	0.55	628	4.13	0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 9- SEP- 2011
Account: RCM

Project: Rackla- Leah Contour

CERTIFICATE OF ANALYSIS WH11164701

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
DD003521		0.13	22.2	830	21.5	11.3	0.001	0.05	1.60	2.5	2.2	0.4	28.0	<0.01	0.07	2.1
DD003522		0.20	18.3	800	26.4	12.8	<0.001	0.08	0.58	3.4	1.1	0.4	42.0	<0.01	0.02	2.4
CC142588		0.15	37.8	390	44.6	10.1	<0.001	0.01	0.66	3.8	0.6	0.6	18.7	<0.01	0.06	5.2
CC142589		0.26	29.7	410	25.5	8.4	<0.001	0.01	0.66	2.6	0.4	0.4	10.1	<0.01	0.06	4.6
CC142590		0.41	34.4	740	25.4	7.4	<0.001	0.01	0.83	4.2	0.8	0.5	18.3	<0.01	0.06	5.6
CC142591		0.30	28.4	630	30.3	9.3	<0.001	0.02	0.69	3.6	0.7	0.5	17.6	<0.01	0.05	4.4
CC142592		0.21	40.7	600	72.2	6.8	<0.001	0.03	1.60	6.2	0.8	0.4	37.8	<0.01	0.07	4.9
CC142593		0.25	30.3	430	38.4	7.0	<0.001	0.03	0.98	5.3	1.1	0.4	18.4	<0.01	0.06	2.5
CC142594		0.13	49.5	780	22.6	8.6	0.001	0.02	1.18	6.7	1.1	0.5	27.0	<0.01	0.06	4.5
CC142595		0.22	41.3	780	31.2	8.1	<0.001	0.02	1.19	5.9	1.1	0.4	25.6	<0.01	0.07	4.0
CC142596		0.27	18.3	600	20.7	8.7	<0.001	0.02	0.54	3.2	0.6	0.4	20.5	<0.01	0.03	3.6
CC142597		0.07	40.8	640	54.7	5.1	<0.001	0.04	0.83	7.4	1.1	0.5	39.5	<0.01	0.02	8.6
CC142598		0.30	14.9	1040	50.2	6.3	<0.001	0.10	2.37	2.2	1.0	0.5	34.0	<0.01	0.05	0.8
CC142599		0.38	27.1	810	26.4	7.3	<0.001	0.04	0.84	3.9	0.9	0.4	31.6	<0.01	0.05	2.4
CC142600		0.31	24.5	740	27.0	9.0	<0.001	0.05	0.91	4.4	1.0	0.4	33.4	<0.01	0.05	2.0
CC146501		0.13	28.1	300	25.3	10.5	0.001	0.02	0.45	5.4	0.8	0.5	20.1	<0.01	0.04	4.4
CC146502		0.05	25.8	490	38.0	7.2	<0.001	0.06	0.83	6.7	0.9	0.4	30.0	<0.01	0.07	3.6
CC146503		0.07	13.6	1070	59.7	4.2	<0.001	0.06	0.86	2.4	1.1	0.3	44.3	<0.01	0.04	1.0
CC146504		0.10	23.1	360	19.4	8.3	<0.001	0.04	0.36	4.7	0.7	0.4	14.9	<0.01	0.03	3.5
CC146505		0.06	30.1	420	20.2	7.4	0.001	0.03	0.27	4.9	0.7	0.4	22.1	<0.01	0.03	5.0
CC146506		0.08	30.1	360	21.4	9.0	<0.001	0.03	0.38	5.7	0.7	0.5	21.9	<0.01	0.03	4.9
CC146507		0.34	23.2	560	23.9	9.4	0.001	0.04	0.55	3.8	0.9	0.5	15.3	<0.01	0.04	2.4
CC146508		0.27	40.9	1240	23.4	7.5	0.002	0.02	1.86	4.9	2.3	0.5	31.8	<0.01	0.05	3.8
CC146509		0.21	41.6	850	26.6	7.9	0.001	0.05	1.20	6.1	1.6	0.4	40.9	<0.01	0.06	4.5
CC146510		0.25	35.8	790	26.4	8.5	0.003	0.04	1.44	5.4	2.2	0.4	39.0	<0.01	0.05	3.1
CC146511		0.26	28.6	510	22.1	6.9	<0.001	0.06	0.91	4.8	1.3	0.4	36.4	<0.01	0.03	2.7
CC146512		0.28	36.3	710	22.4	8.8	0.002	0.05	1.15	5.4	1.4	0.4	41.2	<0.01	0.08	3.3
CC146513		0.18	29.6	750	21.7	6.5	0.001	0.06	0.68	4.2	1.0	0.3	39.4	<0.01	0.03	2.1
CC146514		0.26	44.1	750	29.3	8.6	<0.001	0.04	1.02	6.3	1.7	0.5	36.5	<0.01	0.05	4.7
CC146515		0.35	39.0	820	27.0	8.3	0.002	0.02	1.03	6.1	1.7	0.4	32.6	<0.01	0.05	5.5
CC146516		0.13	32.2	610	25.4	6.2	<0.001	0.02	0.64	7.2	1.2	0.4	28.8	<0.01	0.03	6.3
CC146517		0.24	33.4	770	24.1	7.8	0.002	0.03	0.99	5.9	1.1	0.4	31.1	<0.01	0.03	4.3
CC146518		0.23	53.1	1580	17.2	10.1	0.003	0.03	2.83	5.9	2.5	0.5	34.2	<0.01	0.05	4.5
CC146519		0.32	36.0	1240	16.1	9.2	0.002	0.05	1.86	4.3	1.5	0.4	30.4	<0.01	0.07	2.3
CC146520		0.36	32.5	900	17.4	9.1	0.002	0.05	1.02	4.1	1.2	0.4	33.3	<0.01	0.06	2.6
CC146521		0.29	27.4	530	28.9	9.6	<0.001	0.05	0.81	3.2	0.9	0.5	26.5	<0.01	0.06	3.4
CC146522		0.21	29.2	630	35.3	9.6	<0.001	0.03	0.70	4.3	0.9	0.4	17.9	<0.01	0.06	3.8
CC146523		0.32	22.7	550	28.2	10.8	<0.001	0.06	1.45	3.1	1.1	0.5	30.1	<0.01	0.06	2.5
CC146524		0.23	35.4	1510	17.8	10.0	0.002	0.07	0.73	6.6	1.8	0.6	61.5	<0.01	0.05	2.8
CC146525		0.25	28.8	1180	17.1	10.6	0.002	0.08	1.57	4.8	2.5	0.5	85.1	<0.01	0.04	2.6

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 9- SEP- 2011
Account: RCM

Project: Rackla- Leah Contour

CERTIFICATE OF ANALYSIS WH11164701

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
DD003521		0.009	0.16	1.09	25	<0.05	8.71	106	1.2
DD003522		0.011	0.13	1.59	19	<0.05	10.25	92	2.7
CC142588		0.012	0.10	0.98	22	<0.05	9.94	95	1.3
CC142589		0.016	0.08	0.77	26	0.09	4.89	75	1.3
CC142590		0.027	0.09	1.16	33	0.13	11.35	104	1.2
CC142591		0.018	0.09	1.01	28	0.07	9.97	107	1.0
CC142592		0.014	0.23	1.21	25	0.07	10.25	1030	4.0
CC142593		0.015	0.12	0.93	25	0.08	11.65	417	1.4
CC142594		0.010	0.20	0.78	43	0.05	13.10	219	3.4
CC142595		0.012	0.16	1.03	38	0.08	14.40	475	2.7
CC142596		0.012	0.09	0.78	29	0.10	6.01	115	1.3
CC142597		0.008	0.10	0.68	13	<0.05	14.50	392	3.3
CC142598		0.018	0.14	1.79	27	0.07	11.50	2660	1.0
CC142599		0.019	0.11	0.97	27	0.14	11.40	242	1.4
CC142600		0.014	0.11	1.42	21	0.08	13.20	1670	1.5
CC146501		0.008	0.08	1.14	14	<0.05	11.55	144	2.3
CC146502		0.007	0.12	0.84	7	<0.05	12.30	162	1.0
CC146503		0.008	0.19	1.08	11	0.08	12.75	242	1.4
CC146504		0.008	0.06	0.99	11	<0.05	11.20	52	2.5
CC146505		0.007	0.06	1.15	8	<0.05	10.50	64	2.1
CC146506		0.007	0.07	0.95	11	<0.05	13.70	67	1.7
CC146507		0.016	0.09	1.17	27	0.11	8.33	263	1.6
CC146508		0.012	0.11	1.40	53	0.09	13.10	211	1.2
CC146509		0.011	0.17	0.89	34	0.07	11.70	168	2.5
CC146510		0.012	0.12	1.86	28	0.06	13.60	171	2.2
CC146511		0.011	0.09	1.35	31	0.12	14.45	110	1.9
CC146512		0.012	0.11	1.90	27	0.05	13.15	121	3.0
CC146513		0.009	0.10	1.75	24	<0.05	10.05	137	1.4
CC146514		0.011	0.12	0.97	34	0.06	10.85	206	3.8
CC146515		0.014	0.10	1.15	31	0.08	11.55	144	3.3
CC146516		0.008	0.08	1.33	20	<0.05	11.50	142	2.9
CC146517		0.010	0.11	1.47	26	<0.05	10.65	144	3.7
CC146518		0.012	0.19	1.27	45	<0.05	13.00	220	5.0
CC146519		0.014	0.13	1.23	36	0.07	13.15	155	2.0
CC146520		0.013	0.07	1.04	31	0.09	11.75	118	2.5
CC146521		0.014	0.09	1.09	28	0.08	10.00	126	0.5
CC146522		0.013	0.06	1.20	24	0.09	17.15	154	0.9
CC146523		0.015	0.08	1.06	35	0.08	8.22	137	0.6
CC146524		0.009	0.09	1.14	49	<0.05	15.30	115	1.8
CC146525		0.010	0.12	1.74	43	<0.05	13.95	144	2.3

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 9- SEP- 2011
Account: RCM

Project: Rackla- Leah Contour

CERTIFICATE OF ANALYSIS WH11164701

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- TL43 Au ppm 0.001	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1
CC146737		0.28	<0.001	0.12	1.78	47.9	<0.2	<10	190	1.40	0.37	0.34	0.97	42.3	32.6	29
CC146738		0.18	0.003	0.34	1.32	15.7	<0.2	<10	320	0.87	0.26	0.82	0.47	24.5	12.0	25
CC146739		0.10	0.001	0.34	1.25	29.7	<0.2	<10	980	1.14	0.27	2.18	0.38	16.55	10.3	16
CC146740		0.30	0.001	0.18	0.68	20	<0.2	<10	210	0.38	0.12	13.00	1.10	19.20	6.5	11
CC146741		0.14	0.003	0.29	1.25	15.8	<0.2	<10	330	1.06	0.28	0.88	0.36	21.9	13.7	21
CC146742		0.20	0.002	0.31	1.38	17.5	<0.2	<10	270	0.91	0.28	0.84	0.42	22.4	13.4	27
CC146743		0.24	0.004	0.10	1.31	28.9	<0.2	<10	170	1.13	0.30	0.28	0.27	16.90	22.9	26
CC146744		0.22	0.002	0.13	1.10	9.4	<0.2	<10	130	0.97	0.31	0.33	0.16	17.85	11.3	16
CC146745		0.26	0.002	0.17	0.87	28.1	<0.2	<10	140	0.73	0.16	1.87	0.34	20.8	9.9	21
CC146746		0.18	0.002	0.59	0.74	14.3	<0.2	<10	160	0.83	0.18	1.58	2.13	19.45	10.4	21
CC146747		0.20	0.002	0.55	0.37	18.1	<0.2	<10	810	0.53	0.20	0.65	0.88	8.54	7.1	10
CC146748		0.22	0.004	1.08	0.82	26.6	<0.2	<10	450	0.71	0.22	0.74	1.75	17.35	11.7	15
CC146749		0.16	0.002	0.16	0.67	67.2	<0.2	<10	280	1.03	0.39	0.85	0.21	21.3	12.0	11
CC146750		0.22	0.001	0.10	1.31	3.1	<0.2	<10	120	0.62	0.32	0.06	0.10	22.7	10.5	14
DD003601		0.22	0.001	0.05	1.76	11.3	<0.2	<10	150	1.28	0.44	0.03	0.10	9.30	22.2	24
DD003602		0.30	<0.001	0.06	0.91	3.8	<0.2	<10	110	0.44	0.34	0.02	0.03	2.50	12.9	19
DD003603		0.24	<0.001	0.04	0.90	2.6	<0.2	<10	60	0.29	0.35	0.03	0.04	2.45	8.7	18
DD003604		0.26	0.001	0.10	1.82	16.3	<0.2	<10	130	1.56	0.39	0.11	0.19	20.0	19.8	28
DD003605		0.26	0.001	0.45	1.15	11.4	<0.2	<10	230	1.04	0.35	0.69	0.72	12.80	13.1	19
DD003606		0.18	0.001	0.51	1.09	18.3	<0.2	<10	260	1.05	0.22	3.10	0.86	13.30	9.2	18
DD003607		0.24	0.002	0.12	1.65	16.8	<0.2	<10	80	0.90	0.40	0.03	0.18	20.9	19.1	20
DD003608		0.20	0.002	0.14	3.08	5.7	<0.2	<10	370	0.38	0.10	0.47	0.59	11.80	51.4	197
DD003609		0.16	<0.001	0.44	1.47	10.1	<0.2	<10	250	0.55	0.13	0.22	1.03	27.2	14.4	54
DD003610		0.24	0.001	0.68	1.55	12.4	<0.2	<10	180	0.64	0.18	0.17	1.65	62.0	12.3	27
DD003579		0.22	0.002	0.45	1.31	14.6	<0.2	<10	270	0.88	0.29	1.50	0.37	34.6	11.7	19
DD003580		0.24	0.002	0.25	1.50	11.1	<0.2	<10	230	0.89	0.31	0.82	0.25	29.1	12.9	24
DD003581		0.16	0.002	0.11	0.60	6.0	<0.2	<10	100	0.94	0.36	1.50	0.25	21.1	14.2	11
DD003582		0.28	0.001	0.10	1.27	9.7	<0.2	<10	330	0.66	0.29	0.76	0.20	26.5	10.4	18
DD003583		0.18	0.001	0.13	0.85	24.4	<0.2	<10	150	0.76	0.26	2.37	0.33	25.9	9.1	12
DD003584		0.20	0.002	0.11	0.99	13.3	<0.2	<10	180	1.09	0.40	0.88	0.17	19.50	12.0	15
DD003585		0.12	0.003	0.28	1.65	8.0	<0.2	<10	280	1.43	0.30	1.23	0.16	34.9	10.1	22
DD003586		0.24	0.002	0.11	0.94	25.0	<0.2	<10	100	0.92	0.33	0.16	0.34	21.2	14.6	15
DD003587		0.14	0.002	0.24	0.93	8.7	<0.2	<10	280	0.93	0.31	0.78	0.12	24.2	5.4	10
DD003588		0.24	0.003	0.10	1.33	13.4	<0.2	<10	300	0.88	0.27	0.54	0.12	29.3	10.4	24
DD003589		0.20	0.001	0.16	1.77	9.7	<0.2	<10	220	0.95	0.52	0.16	0.47	15.75	14.4	27
DD003590		0.22	0.001	0.16	1.50	8.2	<0.2	<10	310	0.99	0.42	0.30	0.26	19.95	11.0	24
DD003591		0.26	0.002	0.17	1.35	9.1	<0.2	<10	260	1.60	0.33	0.22	0.30	36.0	12.1	24
DD003592		0.24	<0.001	0.05	0.72	10.9	<0.2	<10	40	0.39	0.52	0.03	0.07	18.05	6.3	13
DD003593		0.30	0.002	0.07	1.73	9.3	<0.2	<10	110	1.35	0.51	0.23	0.29	32.6	22.2	28
DD003594		0.30	0.001	0.13	1.31	6.9	<0.2	<10	340	1.40	0.51	0.39	0.15	24.5	12.1	20

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 9- SEP- 2011
Account: RCM

Project: Rackla- Leah Contour

CERTIFICATE OF ANALYSIS WH11164701

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
CC146737		2.06	99.6	7.40	4.21	0.11	0.06	0.10	0.075	0.08	10.1	26.7	0.32	2270	1.77	0.01
CC146738		1.99	44.6	3.44	4.12	0.12	0.08	0.23	0.035	0.09	11.3	19.6	0.45	484	1.52	0.01
CC146739		7.73	44.3	2.62	3.34	0.11	0.14	0.72	0.029	0.11	8.6	16.0	0.64	994	0.84	0.01
CC146740		0.69	15.0	2.43	1.83	0.10	0.04	0.95	0.021	0.05	10.1	5.3	7.52	1650	0.58	0.02
CC146741		2.94	47.9	3.49	3.82	0.11	0.09	0.15	0.035	0.09	10.0	19.7	0.37	674	0.91	0.01
CC146742		1.27	48.1	3.93	4.09	0.11	0.06	0.31	0.035	0.09	11.8	18.2	0.46	656	1.42	<0.01
CC146743		3.72	73.1	5.21	3.93	0.10	0.06	0.05	0.047	0.09	6.5	25.6	0.37	1220	1.23	<0.01
CC146744		4.98	33.7	3.43	3.07	0.09	0.03	0.01	0.032	0.12	6.5	15.6	0.18	1140	0.85	<0.01
CC146745		0.87	24.3	2.98	2.41	0.09	0.04	0.09	0.021	0.05	9.7	8.9	0.20	1040	1.59	0.01
CC146746		1.27	34.7	2.70	2.05	0.10	0.06	0.32	0.029	0.07	8.3	6.7	0.16	1050	4.23	0.01
CC146747		2.03	56.7	2.30	1.29	0.10	0.04	0.44	0.031	0.06	4.4	4.6	0.09	183	9.51	0.01
CC146748		6.20	72.4	3.79	2.28	0.10	0.05	0.74	0.043	0.08	8.1	7.8	0.16	324	7.69	0.01
CC146749		10.90	39.2	3.26	2.20	0.10	0.07	0.35	0.034	0.08	10.1	8.6	0.35	683	0.74	<0.01
CC146750		3.03	11.9	3.03	5.13	0.10	0.03	<0.01	0.026	0.08	7.7	21.2	0.26	1640	0.50	<0.01
DD003601		6.39	32.4	4.81	4.58	0.09	0.04	<0.01	0.022	0.08	3.9	50.3	0.51	970	1.05	<0.01
DD003602		4.92	22.1	3.48	4.02	0.09	0.02	<0.01	0.015	0.07	1.0	18.7	0.30	822	0.69	<0.01
DD003603		3.48	10.0	3.45	3.82	0.08	<0.02	0.01	0.014	0.07	1.1	14.7	0.30	296	0.57	<0.01
DD003604		7.06	50.1	3.85	4.47	0.11	0.06	0.01	0.028	0.09	8.2	40.7	0.57	1160	1.33	<0.01
DD003605		4.75	50.1	3.22	3.96	0.11	0.03	0.10	0.021	0.10	6.2	21.5	0.34	618	4.49	0.01
DD003606		2.11	43.7	2.70	2.71	0.10	0.05	0.12	0.026	0.09	7.6	11.5	0.34	1270	2.71	0.01
DD003607		6.84	35.8	4.49	5.01	0.09	0.06	0.01	0.025	0.09	7.6	26.6	0.25	1440	1.81	<0.01
DD003608		4.76	77.7	5.57	9.63	0.11	0.02	0.04	0.028	0.04	5.3	49.9	3.57	1050	1.18	0.01
DD003609		2.56	36.1	3.23	6.08	0.11	<0.02	0.07	0.025	0.07	13.5	18.4	0.82	446	4.76	0.01
DD003610		3.39	50.9	3.74	5.82	0.14	0.03	0.05	0.036	0.09	32.5	22.4	0.52	299	5.37	<0.01
DD003579		0.86	38.2	3.25	3.81	0.05	0.07	0.09	0.032	0.08	17.4	21.0	0.33	446	1.51	0.01
DD003580		1.95	45.0	3.52	4.46	<0.05	0.07	0.09	0.031	0.10	13.3	45.4	0.47	592	1.17	0.01
DD003581		1.11	40.6	3.34	1.49	<0.05	0.12	0.06	0.035	0.07	7.8	8.7	0.17	523	0.48	<0.01
DD003582		1.23	23.9	3.34	4.10	<0.05	0.03	0.05	0.027	0.08	11.9	19.2	0.28	622	1.26	0.01
DD003583		1.47	21.9	3.22	1.97	0.05	0.06	0.21	0.030	0.07	11.2	10.3	0.87	745	0.71	0.01
DD003584		3.19	33.4	3.40	2.79	<0.05	0.06	0.15	0.028	0.09	8.6	17.1	0.33	622	0.91	0.01
DD003585		4.99	48.3	2.76	4.50	0.08	0.09	0.12	0.030	0.09	18.3	27.3	0.44	602	1.05	0.01
DD003586		1.40	46.8	4.02	2.26	<0.05	0.03	0.16	0.032	0.07	9.2	16.0	0.21	681	1.19	<0.01
DD003587		1.79	33.8	2.40	3.29	0.06	0.03	0.17	0.020	0.08	15.6	6.4	0.09	373	0.78	<0.01
DD003588		1.12	31.1	3.29	3.68	0.05	0.04	0.14	0.028	0.06	16.5	17.8	0.38	436	1.10	<0.01
DD003589		2.64	26.8	5.27	7.21	<0.05	0.02	0.03	0.026	0.12	7.0	23.7	0.33	935	1.25	<0.01
DD003590		2.13	34.0	4.04	6.01	<0.05	<0.02	0.03	0.031	0.09	8.9	20.0	0.32	611	1.45	<0.01
DD003591		2.50	31.5	3.22	4.20	0.06	0.07	0.07	0.033	0.08	15.4	20.6	0.36	567	0.88	<0.01
DD003592		1.99	22.1	3.50	6.75	<0.05	0.03	0.01	0.034	0.06	8.3	4.3	0.08	353	1.22	<0.01
DD003593		2.95	51.2	4.61	6.28	0.06	0.05	0.03	0.039	0.09	14.0	30.8	0.57	835	1.36	<0.01
DD003594		5.15	36.0	3.55	5.10	<0.05	0.02	0.03	0.037	0.08	11.0	21.8	0.32	580	0.71	0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 9- SEP- 2011
Account: RCM

Project: Rackla- Leah Contour

CERTIFICATE OF ANALYSIS WH11164701

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
CC146737		0.32	49.0	1980	54.2	11.1	0.001	0.03	2.00	9.7	1.3	0.5	26.3	<0.01	0.11	3.7
CC146738		0.52	33.9	800	18.8	10.5	0.001	0.04	1.02	5.7	1.1	0.5	40.1	<0.01	0.06	3.2
CC146739		0.24	28.2	900	33.0	15.2	0.001	0.10	0.83	4.2	1.6	0.5	47.2	<0.01	0.05	3.0
CC146740		0.23	13.5	840	35.1	4.8	<0.001	0.04	0.98	2.7	0.8	0.3	55.1	<0.01	0.04	0.8
CC146741		0.46	28.4	780	20.2	14.7	<0.001	0.06	0.71	6.4	1.4	0.5	39.2	<0.01	0.06	2.4
CC146742		0.36	31.9	880	28.6	7.8	<0.001	0.03	1.03	7.1	1.2	0.5	47.2	<0.01	0.07	2.8
CC146743		0.27	35.4	480	30.5	11.0	<0.001	0.02	1.31	7.6	0.8	0.4	22.8	<0.01	0.08	3.3
CC146744		0.25	19.5	520	20.2	14.5	<0.001	0.02	0.40	3.5	0.5	0.4	18.0	<0.01	0.04	2.7
CC146745		0.26	32.4	630	19.5	5.4	<0.001	0.03	0.93	3.0	1.2	0.3	34.0	<0.01	0.04	1.6
CC146746		0.25	32.8	730	19.2	5.6	0.001	0.07	2.96	3.2	2.5	0.3	25.9	<0.01	0.07	0.9
CC146747		0.05	24.3	920	16.7	4.7	0.013	0.08	1.98	3.5	3.6	0.5	68.0	<0.01	0.11	1.2
CC146748		0.18	49.3	1410	17.0	9.5	0.003	0.05	2.91	5.8	2.9	0.4	74.0	<0.01	0.11	2.0
CC146749		0.25	23.4	500	25.7	16.2	<0.001	0.05	0.66	3.7	0.8	0.3	87.1	<0.01	0.05	2.6
CC146750		0.13	12.3	290	18.0	14.1	<0.001	0.01	0.23	2.5	0.3	0.4	6.8	<0.01	0.05	3.2
DD003601		0.33	28.5	440	31.4	12.5	<0.001	0.02	0.43	2.1	0.6	0.5	13.5	<0.01	0.06	4.9
DD003602		0.25	16.1	380	20.3	8.8	<0.001	0.01	0.23	1.4	<0.2	0.5	7.3	<0.01	0.04	3.1
DD003603		0.29	15.0	440	16.8	8.9	<0.001	0.02	0.25	1.3	0.7	0.5	6.4	<0.01	0.04	2.2
DD003604		0.63	29.0	640	32.5	12.1	0.001	0.02	0.55	2.8	0.8	0.6	11.5	<0.01	0.05	5.4
DD003605		0.31	26.9	530	22.4	11.0	0.001	0.03	1.81	3.6	1.2	0.5	19.7	<0.01	0.08	3.1
DD003606		0.26	26.7	970	14.2	8.0	<0.001	0.10	2.10	2.3	2.0	0.4	40.1	<0.01	0.04	0.6
DD003607		0.33	15.8	760	56.9	14.4	<0.001	0.04	0.52	2.0	0.6	0.5	5.7	<0.01	0.04	2.8
DD003608		1.27	206	930	7.3	4.5	<0.001	0.07	0.42	4.4	0.7	0.4	18.7	<0.01	0.05	0.7
DD003609		1.67	37.4	790	10.1	11.3	0.002	0.06	1.06	2.2	0.8	0.4	12.6	<0.01	0.04	0.6
DD003610		0.55	35.1	1180	15.1	12.1	0.001	0.05	2.27	2.9	2.1	0.6	12.9	<0.01	0.06	1.5
DD003579		0.45	25.1	580	20.2	7.9	0.001	0.05	0.62	4.2	1.4	0.5	100.5	<0.01	0.03	2.0
DD003580		0.41	32.5	700	20.2	11.9	<0.001	0.05	0.62	5.1	1.4	0.4	64.8	<0.01	0.03	2.4
DD003581		0.17	35.2	710	20.7	5.0	<0.001	0.06	0.41	5.5	0.8	0.3	60.9	<0.01	0.01	2.8
DD003582		0.37	20.5	530	19.8	8.9	0.001	0.03	0.56	2.8	0.6	0.5	34.6	<0.01	0.04	2.6
DD003583		0.19	22.6	1030	28.9	6.3	<0.001	0.07	0.53	3.8	0.7	0.3	28.1	<0.01	0.04	1.6
DD003584		0.37	25.7	560	20.7	11.2	<0.001	0.06	0.51	3.7	0.9	0.4	34.1	<0.01	0.02	2.0
DD003585		0.59	21.4	1090	25.3	14.7	<0.001	0.10	0.49	4.6	1.5	0.5	75.5	<0.01	0.02	1.7
DD003586		0.19	31.8	780	35.4	6.7	<0.001	0.03	0.82	3.7	0.6	0.3	21.2	<0.01	0.03	3.8
DD003587		0.22	15.0	620	17.5	8.0	<0.001	0.04	0.42	3.9	1.2	0.4	38.3	<0.01	0.02	1.3
DD003588		0.52	26.7	680	19.2	7.0	<0.001	0.02	0.71	4.7	0.6	0.4	26.0	<0.01	0.01	3.2
DD003589		0.69	19.6	850	24.0	19.1	<0.001	0.03	0.73	2.6	0.5	0.8	11.4	<0.01	0.05	2.0
DD003590		0.56	20.9	660	20.3	10.3	<0.001	0.03	0.64	2.5	0.4	0.6	33.6	<0.01	0.04	1.4
DD003591		0.46	28.5	780	24.1	12.5	<0.001	0.05	0.46	5.1	1.3	0.4	24.1	<0.01	0.02	2.6
DD003592		0.41	9.2	630	23.0	9.6	<0.001	0.02	0.53	2.0	0.3	0.8	10.3	<0.01	0.03	1.4
DD003593		0.24	36.0	720	37.0	9.4	<0.001	0.02	0.63	5.0	0.8	0.5	46.6	<0.01	0.02	6.2
DD003594		0.24	25.4	650	27.7	10.3	<0.001	0.03	0.36	4.0	0.8	0.5	48.9	<0.01	0.03	3.0

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 9- SEP- 2011
Account: RCM

Project: Rackla- Leah Contour

CERTIFICATE OF ANALYSIS WH11164701

Sample Description	Method Analyte Units LOR	ME- MS41 Ti % 0.005	ME- MS41 Tl ppm 0.02	ME- MS41 U ppm 0.05	ME- MS41 V ppm 1	ME- MS41 W ppm 0.05	ME- MS41 Y ppm 0.05	ME- MS41 Zn ppm 2	ME- MS41 Zr ppm 0.5
CC146737		0.012	0.08	1.07	44	0.08	19.05	175	1.5
CC146738		0.022	0.08	1.07	40	0.11	11.90	156	2.1
CC146739		0.008	0.09	2.28	20	<0.05	25.1	145	3.6
CC146740		0.016	0.07	0.86	20	0.06	8.78	374	0.9
CC146741		0.014	0.05	1.00	34	0.10	18.25	118	2.0
CC146742		0.015	0.06	0.95	41	0.10	15.35	179	1.4
CC146743		0.012	0.04	1.29	39	0.07	10.20	107	1.3
CC146744		0.010	0.06	1.03	22	0.06	6.49	80	0.8
CC146745		0.015	0.30	0.53	31	0.07	12.15	129	0.9
CC146746		0.010	0.50	1.47	40	0.09	14.20	309	1.5
CC146747		0.006	0.26	2.91	36	0.06	8.43	126	1.2
CC146748		0.010	0.33	2.24	50	0.07	15.90	258	1.4
CC146749		0.010	0.12	1.31	19	0.07	9.66	102	1.7
CC146750		0.009	0.05	0.31	21	<0.05	4.59	59	1.0
DD003601		0.015	0.04	0.95	27	0.11	5.34	100	1.1
DD003602		0.016	0.02	0.58	21	0.08	3.41	60	0.5
DD003603		0.019	0.02	0.58	21	0.10	2.88	57	<0.5
DD003604		0.027	0.04	0.95	34	0.19	6.30	113	1.7
DD003605		0.015	0.09	1.52	28	0.09	11.30	132	1.0
DD003606		0.010	0.17	1.22	30	0.06	13.95	167	0.9
DD003607		0.011	0.06	0.67	26	0.07	4.14	89	1.6
DD003608		0.082	0.05	0.48	73	0.09	4.60	95	0.5
DD003609		0.070	0.10	0.99	123	0.21	5.73	124	<0.5
DD003610		0.018	0.17	1.12	73	0.11	15.15	183	0.8
DD003579		0.014	0.08	3.60	34	0.13	13.30	71	2.0
DD003580		0.016	0.11	10.40	34	0.08	16.00	107	1.8
DD003581		0.009	0.05	7.40	12	<0.05	16.10	110	3.6
DD003582		0.015	0.11	1.07	36	0.08	6.17	71	1.0
DD003583		0.009	0.14	1.11	17	0.08	10.45	148	1.6
DD003584		0.014	0.10	2.63	21	0.07	9.63	121	1.6
DD003585		0.016	0.10	2.26	30	0.13	34.9	63	2.1
DD003586		0.012	0.10	1.14	20	0.06	7.79	113	1.1
DD003587		0.011	0.09	1.42	23	0.06	26.4	56	0.7
DD003588		0.026	0.08	1.05	36	0.17	13.20	83	1.1
DD003589		0.021	0.12	0.67	46	0.14	5.30	97	0.6
DD003590		0.020	0.07	0.78	47	0.16	5.23	92	<0.5
DD003591		0.022	0.07	1.41	34	0.12	18.75	85	1.9
DD003592		0.016	0.08	0.57	46	0.11	2.76	60	<0.5
DD003593		0.017	0.07	0.99	30	<0.05	9.37	125	2.0
DD003594		0.012	0.11	1.09	24	0.05	10.75	84	0.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 9- SEP- 2011
Account: RCM

Project: Rackla- Leah Contour

CERTIFICATE OF ANALYSIS WH11164701

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- TL43 Au ppm 0.001	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1
DD003595		0.28	0.002	0.21	1.27	7.4	<0.2	<10	310	0.85	0.33	0.36	0.24	22.7	9.4	22
DD003596		0.22	0.004	0.51	0.80	9.9	<0.2	<10	440	0.47	0.23	0.77	0.46	36.4	10.9	11
DD003597		0.22	0.009	0.95	1.25	24.2	<0.2	<10	230	0.54	0.28	0.05	0.50	33.1	12.0	23
DD003598		0.22	0.003	0.45	0.71	31.0	<0.2	<10	190	0.41	0.32	0.10	0.32	42.9	17.5	17
DD003599		0.30	<0.001	0.06	1.52	10.6	<0.2	<10	110	0.52	0.28	0.05	0.11	25.1	6.5	23
DD003600		0.22	<0.001	0.09	1.61	12.9	<0.2	<10	90	0.35	0.35	0.03	0.17	26.6	6.8	23
CC146551		0.24	<0.001	0.09	0.98	5.7	<0.2	<10	150	0.38	0.29	0.11	0.15	28.7	4.3	15
CC146552		0.24	<0.001	0.18	1.49	11.9	<0.2	<10	100	0.75	0.34	0.10	0.23	40.8	14.2	23
CC146553		0.32	<0.001	0.21	1.11	8.9	<0.2	<10	310	0.76	0.37	0.40	0.45	29.8	17.5	18
CC146554		0.16	0.001	0.79	0.89	9.1	<0.2	<10	870	0.62	0.22	0.51	0.45	19.20	14.9	14
CC146555		0.26	<0.001	0.20	0.89	10.2	<0.2	<10	440	0.68	0.27	0.23	0.48	30.3	15.6	18
CC146556		0.34	<0.001	0.22	1.02	8.2	<0.2	<10	320	0.79	0.23	1.21	0.39	28.9	18.3	24
CC146557		0.18	<0.001	0.26	0.94	7.7	<0.2	<10	330	0.70	0.19	1.93	0.33	24.1	9.4	18
DD003611		0.22	<0.001	0.34	1.13	14.6	<0.2	<10	510	0.92	0.32	0.82	0.62	16.05	10.5	17
DD003612		0.28	0.011	0.51	1.18	14.0	<0.2	<10	540	0.77	0.26	0.96	0.43	28.2	11.8	19
DD003613		0.20	0.002	0.47	1.40	15.2	<0.2	<10	880	0.78	0.21	1.21	0.70	41.1	13.8	20
DD003614		0.26	0.001	0.34	1.34	11.0	<0.2	<10	660	0.98	0.28	0.61	0.52	24.5	11.5	23
DD003615		0.18	0.002	0.63	1.36	8.8	<0.2	<10	1010	0.90	0.22	1.14	0.67	35.9	11.9	18
DD003616		0.24	<0.001	0.45	1.29	9.4	<0.2	<10	400	0.72	0.25	0.46	0.38	25.6	9.5	25
DD003617		0.10	<0.001	0.43	1.29	8.8	<0.2	<10	640	0.82	0.18	1.69	1.17	37.7	22.4	19
DD003618		0.20	0.001	0.57	1.23	14.5	<0.2	<10	410	0.74	0.19	1.21	0.70	50.6	18.0	30
DD003619		0.22	<0.001	0.28	1.64	13.1	<0.2	<10	340	0.93	0.18	1.07	0.51	81.5	24.7	22
DD003620		0.16	<0.001	0.30	1.48	11.3	<0.2	<10	410	0.85	0.22	0.96	0.49	59.7	18.0	21
DD003621		0.22	0.001	0.36	1.45	13.9	<0.2	<10	300	0.79	0.21	1.14	0.44	53.1	16.2	25
DD003622		0.26	0.001	0.56	0.68	12.3	<0.2	<10	170	0.61	0.23	0.85	0.69	40.3	13.4	13
DD003623		0.10	<0.001	0.56	0.70	11.4	<0.2	<10	240	0.51	0.19	1.30	0.86	30.9	11.5	12
DD003624		0.20	0.001	0.59	0.66	17.3	<0.2	<10	260	0.61	0.22	0.65	0.42	31.7	8.3	10
DD003625		0.18	0.007	0.70	0.53	10.8	<0.2	<10	210	0.56	0.20	1.37	0.69	29.1	11.2	9
DD003626		0.12	0.003	0.87	0.93	9.5	<0.2	<10	270	0.68	0.18	1.79	1.85	40.3	13.2	16
DD003627		0.14	0.007	0.48	0.67	12.0	<0.2	<10	260	0.63	0.21	1.14	0.58	36.1	15.0	12
DD003628		0.18	0.003	0.77	1.10	13.8	<0.2	<10	510	0.71	0.23	0.94	0.70	21.3	12.3	21
DD003629		0.18	0.003	1.29	0.98	15.3	<0.2	<10	410	0.64	0.26	0.72	0.84	16.05	7.4	20
DD003630		0.24	0.002	0.67	1.18	17.8	<0.2	<10	270	0.77	0.33	0.19	0.71	22.7	16.8	28
DD003631		0.28	<0.001	0.13	1.39	19.6	<0.2	<10	90	0.86	0.51	0.09	0.59	18.10	17.1	24
DD003632		0.18	0.001	0.56	1.08	13.3	<0.2	<10	350	0.63	0.24	0.62	1.69	21.1	11.7	19
DD003633		0.24	<0.001	0.46	0.99	13.5	<0.2	<10	280	0.67	0.21	0.62	1.23	28.0	10.8	20
DD003634		0.10	0.001	0.63	0.73	11.6	<0.2	<10	430	0.64	0.19	1.16	1.50	23.9	11.1	14
DD003635		0.18	0.003	0.68	0.98	11.7	<0.2	<10	490	0.70	0.23	0.92	3.31	25.7	11.8	18
DD003636		0.20	0.005	0.79	0.96	13.3	<0.2	<10	430	0.74	0.22	1.12	1.70	26.9	12.6	21
DD003637		0.08	0.008	0.73	0.71	9.3	<0.2	<10	560	0.44	0.17	2.07	0.98	14.65	6.8	12

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 9- SEP- 2011
Account: RCM

Project: Rackla- Leah Contour

CERTIFICATE OF ANALYSIS WH11164701

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
DD003595		1.53	23.9	3.22	4.19	<0.05	0.07	0.20	0.030	0.08	10.5	22.7	0.41	297	2.83	<0.01
DD003596		1.17	56.2	3.38	2.95	<0.05	0.05	0.16	0.027	0.08	20.1	8.2	0.23	241	3.58	<0.01
DD003597		1.67	77.6	4.64	4.13	<0.05	0.02	0.22	0.043	0.12	18.6	12.2	0.19	354	8.10	<0.01
DD003598		2.26	105.5	5.38	3.27	0.06	<0.02	0.11	0.041	0.13	24.0	5.9	0.14	235	8.24	<0.01
DD003599		1.60	17.3	3.09	5.70	<0.05	<0.02	0.01	0.022	0.05	13.2	16.2	0.26	369	1.81	<0.01
DD003600		1.71	13.6	4.29	6.69	<0.05	0.02	0.02	0.032	0.06	13.3	13.0	0.21	520	1.67	<0.01
CC146551		1.84	18.9	1.93	5.39	<0.05	<0.02	0.01	0.018	0.08	14.6	6.9	0.17	228	1.21	<0.01
CC146552		3.63	36.3	4.10	4.40	0.05	0.03	0.05	0.034	0.10	19.9	20.0	0.42	673	1.62	<0.01
CC146553		1.62	34.0	3.58	3.51	<0.05	0.04	0.31	0.045	0.08	14.5	15.1	0.24	1680	1.81	0.01
CC146554		1.12	47.7	3.74	2.23	<0.05	0.02	1.03	0.037	0.08	9.5	5.3	0.15	839	4.35	0.01
CC146555		1.31	42.7	3.52	2.78	<0.05	0.02	0.31	0.032	0.09	15.5	10.4	0.18	783	4.56	<0.01
CC146556		0.82	48.7	4.50	2.79	<0.05	0.05	0.86	0.042	0.07	14.7	11.0	0.25	1370	2.43	0.01
CC146557		0.76	30.6	2.66	2.57	<0.05	0.05	0.34	0.025	0.07	12.5	9.6	0.22	711	1.65	0.01
DD003611		1.25	29.1	3.21	3.14	<0.05	0.06	0.36	0.031	0.07	7.6	13.3	0.29	573	2.66	0.01
DD003612		2.11	67.7	3.17	3.60	0.06	0.06	0.31	0.034	0.13	17.9	19.6	0.42	793	1.86	0.01
DD003613		1.25	47.5	3.87	4.13	0.07	0.10	0.23	0.041	0.12	22.7	22.6	0.48	470	2.98	0.01
DD003614		1.92	43.5	3.26	3.95	<0.05	0.08	0.28	0.031	0.09	14.2	21.6	0.43	467	2.09	0.01
DD003615		2.13	48.8	2.98	3.70	<0.05	0.13	0.24	0.031	0.09	19.6	17.7	0.38	786	2.53	0.01
DD003616		2.81	30.3	2.99	3.83	<0.05	0.08	0.13	0.026	0.10	13.6	17.6	0.38	341	4.47	0.01
DD003617		1.35	54.3	3.41	3.56	0.06	0.10	0.20	0.030	0.10	19.9	15.2	0.34	1410	1.74	0.01
DD003618		2.62	38.4	4.05	3.57	0.09	0.09	0.22	0.041	0.17	25.9	15.5	0.32	646	2.36	0.01
DD003619		2.09	40.3	5.05	5.62	0.12	0.11	0.12	0.051	0.24	41.2	23.6	0.55	528	2.57	0.01
DD003620		1.67	32.3	3.97	4.74	0.09	0.11	0.15	0.045	0.18	30.9	22.8	0.51	551	2.09	0.01
DD003621		3.01	41.9	4.00	4.64	0.09	0.10	0.16	0.043	0.13	28.3	26.1	0.63	492	3.17	0.01
DD003622		1.52	34.2	3.29	2.14	0.08	0.07	0.18	0.037	0.10	20.7	9.4	0.21	420	4.42	0.01
DD003623		1.13	33.6	2.47	2.07	0.06	0.09	0.17	0.031	0.07	16.1	10.1	0.24	486	3.60	0.01
DD003624		0.73	42.5	2.71	1.89	0.06	0.06	0.17	0.035	0.08	17.1	8.2	0.15	203	5.42	0.01
DD003625		0.86	56.7	2.55	1.42	0.07	0.10	0.22	0.033	0.09	17.3	5.2	0.12	402	3.90	0.01
DD003626		1.24	53.7	2.58	2.72	0.08	0.13	0.19	0.031	0.09	22.5	14.6	0.31	1960	4.89	0.01
DD003627		1.06	49.2	2.93	1.88	0.07	0.09	0.24	0.036	0.09	20.4	8.3	0.18	829	3.46	0.01
DD003628		0.82	52.1	2.98	3.34	0.06	0.07	0.22	0.034	0.09	10.9	16.2	0.30	678	3.37	0.01
DD003629		1.02	32.2	2.58	3.36	0.05	0.06	0.30	0.029	0.07	8.5	12.2	0.21	465	3.44	0.01
DD003630		1.58	39.7	3.97	3.65	0.07	0.06	0.41	0.044	0.08	12.1	18.6	0.24	729	4.79	0.01
DD003631		1.85	33.3	4.32	3.83	0.06	0.07	0.13	0.048	0.08	7.8	18.8	0.26	1070	2.20	<0.01
DD003632		1.15	36.9	3.08	3.49	0.06	0.07	0.29	0.032	0.07	10.9	14.3	0.25	632	6.98	0.01
DD003633		0.82	39.1	2.91	3.18	0.07	0.07	0.15	0.033	0.09	14.6	16.8	0.34	211	4.63	0.01
DD003634		0.53	71.9	2.77	2.00	0.06	0.06	0.29	0.038	0.10	13.4	9.7	0.16	371	6.35	0.01
DD003635		0.75	75.6	2.74	2.90	0.06	0.07	0.26	0.035	0.09	13.4	14.6	0.26	569	3.40	0.01
DD003636		0.60	55.2	2.79	2.89	0.07	0.08	0.22	0.037	0.10	15.2	13.8	0.25	726	5.89	0.01
DD003637		0.37	167.0	1.81	2.11	0.05	0.11	0.20	0.026	0.08	9.0	11.3	0.20	185	2.79	0.02

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 9- SEP- 2011
Account: RCM

Project: Rackla- Leah Contour

CERTIFICATE OF ANALYSIS WH11164701

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
DD003595		0.33	24.8	590	17.0	9.7	0.001	0.03	0.54	4.1	0.7	0.5	43.7	<0.01	0.03	3.3
DD003596		0.19	23.9	1540	17.6	7.9	0.002	0.06	1.48	3.6	1.5	0.3	35.0	<0.01	0.03	1.8
DD003597		0.27	40.6	1250	20.5	11.0	0.002	0.03	1.91	3.3	2.1	0.6	20.2	<0.01	0.05	1.7
DD003598		0.23	40.4	1590	23.2	10.2	0.001	0.04	1.86	4.0	1.7	0.4	22.2	<0.01	0.08	1.5
DD003599		0.89	13.3	440	13.8	16.0	<0.001	0.02	0.64	2.3	0.5	0.7	8.9	<0.01	0.03	3.0
DD003600		0.85	11.5	440	21.1	15.6	0.001	0.02	0.61	2.5	0.6	0.8	8.5	<0.01	0.04	3.5
CC146551		0.24	11.3	670	13.2	9.5	<0.001	0.02	0.48	0.7	0.5	0.7	10.7	<0.01	0.02	0.3
CC146552		0.37	26.8	900	25.8	11.8	<0.001	0.03	0.81	3.1	0.6	0.4	12.5	<0.01	0.02	3.8
CC146553		0.36	21.2	1060	22.5	11.8	0.001	0.07	0.55	4.8	1.4	0.5	33.3	<0.01	0.05	2.4
CC146554		0.15	26.6	1570	21.6	7.5	0.002	0.08	1.22	6.5	1.4	0.4	25.6	<0.01	0.03	1.4
CC146555		0.22	25.5	1030	20.2	8.2	0.001	0.02	1.40	4.0	1.2	0.4	14.9	<0.01	0.04	2.6
CC146556		0.40	43.5	1540	17.8	6.0	<0.001	0.05	0.76	8.2	0.9	0.5	29.4	<0.01	0.03	2.9
CC146557		0.33	21.4	1110	15.4	6.5	0.001	0.08	0.80	3.0	1.1	0.4	26.8	<0.01	0.02	1.1
DD003611		0.21	24.2	1220	32.4	8.1	0.002	0.08	0.88	3.2	2.0	0.4	38.1	<0.01	0.01	1.4
DD003612		0.23	30.2	1150	22.6	9.9	0.001	0.05	1.00	5.6	1.9	0.4	39.7	<0.01	0.06	2.0
DD003613		0.27	31.5	1370	19.2	8.8	0.004	0.06	1.12	5.7	1.9	0.4	50.8	<0.01	0.06	2.8
DD003614		0.29	34.4	830	23.2	8.7	0.001	0.04	0.98	5.3	1.4	0.4	30.5	<0.01	0.03	3.2
DD003615		0.31	29.6	1520	18.8	10.9	0.001	0.10	0.79	4.7	1.4	0.4	62.1	<0.01	0.02	1.6
DD003616		0.28	27.8	720	14.0	12.2	0.001	0.03	1.87	4.5	1.3	0.5	28.9	<0.01	0.03	2.3
DD003617		0.27	44.5	1370	16.2	9.3	0.002	0.12	1.08	4.2	1.6	0.4	58.0	<0.01	0.01	1.3
DD003618		0.35	41.3	1730	15.8	12.6	0.001	0.06	0.91	7.6	1.7	0.5	42.4	0.01	0.05	2.1
DD003619		0.43	39.3	1970	20.4	15.7	0.001	0.04	0.88	8.7	1.6	0.7	37.4	0.01	0.04	4.3
DD003620		0.35	32.4	1430	21.5	13.3	0.001	0.04	0.84	6.4	1.2	0.5	35.2	0.01	0.04	3.9
DD003621		0.27	44.3	1100	17.6	11.7	0.001	0.07	1.06	6.5	1.6	0.5	49.4	0.01	0.05	2.1
DD003622		0.22	33.4	1410	20.9	8.8	0.003	0.04	1.26	6.4	1.6	0.3	42.2	<0.01	0.06	2.9
DD003623		0.24	25.2	1040	16.9	8.4	0.003	0.07	1.45	5.2	1.9	0.3	57.1	<0.01	0.07	1.5
DD003624		0.16	21.8	1300	20.8	7.6	0.002	0.04	1.75	5.0	1.9	0.3	25.1	<0.01	0.09	2.1
DD003625		0.21	32.0	1310	14.9	6.6	0.002	0.05	1.59	6.2	2.0	0.2	41.6	0.01	0.09	1.8
DD003626		0.27	42.5	1330	13.5	8.5	0.005	0.12	1.99	4.9	2.8	0.3	73.9	0.01	0.07	1.4
DD003627		0.28	27.9	1220	17.6	8.4	0.001	0.05	1.27	6.1	1.5	0.3	42.5	0.01	0.08	2.1
DD003628		0.25	33.8	1380	15.8	9.0	0.002	0.05	2.00	5.6	2.1	0.4	42.4	<0.01	0.10	2.3
DD003629		0.41	20.9	1080	16.9	11.2	0.003	0.05	2.03	3.5	2.3	0.4	49.7	<0.01	0.11	1.6
DD003630		0.23	36.8	1400	33.1	9.9	0.002	0.10	1.48	4.5	2.0	0.5	71.8	<0.01	0.08	2.8
DD003631		0.35	25.9	930	50.5	10.9	0.001	0.02	1.25	4.2	1.1	0.4	13.8	<0.01	0.06	4.0
DD003632		0.31	36.4	1090	17.8	10.6	0.005	0.05	2.16	4.3	2.4	0.4	38.2	<0.01	0.10	2.0
DD003633		0.25	39.6	1510	16.3	8.0	0.002	0.02	1.91	5.2	1.8	0.3	33.6	<0.01	0.07	3.6
DD003634		0.32	46.7	1180	14.3	7.7	0.005	0.06	2.51	5.1	2.7	0.3	51.2	<0.01	0.07	2.1
DD003635		0.28	42.3	1270	19.9	8.2	0.003	0.05	1.91	5.6	2.5	0.4	46.1	0.01	0.08	2.6
DD003636		0.27	40.5	1260	16.3	8.1	0.002	0.04	2.59	5.4	2.6	0.4	49.4	<0.01	0.09	2.4
DD003637		0.18	28.1	1050	11.0	5.7	0.003	0.10	1.79	4.2	3.3	0.3	76.8	<0.01	0.10	1.6

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 9- SEP- 2011
Account: RCM

Project: Rackla- Leah Contour

CERTIFICATE OF ANALYSIS WH11164701

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
DD003595		0.017	0.12	1.32	29	0.07	8.18	107	1.8
DD003596		0.011	0.11	1.44	30	<0.05	8.93	108	1.3
DD003597		0.014	0.22	1.26	82	0.09	7.54	170	0.6
DD003598		0.017	0.16	1.29	44	0.07	7.47	145	<0.5
DD003599		0.025	0.12	0.62	54	0.22	2.76	66	0.5
DD003600		0.020	0.13	0.49	56	0.17	2.47	58	0.7
CC146551		0.020	0.11	0.49	37	0.11	3.48	48	<0.5
CC146552		0.017	0.10	0.67	34	0.08	5.90	104	1.0
CC146553		0.012	0.11	2.35	35	0.07	9.92	83	1.3
CC146554		0.008	0.17	1.47	39	<0.05	14.05	86	0.6
CC146555		0.012	0.18	1.21	38	0.06	8.60	115	0.5
CC146556		0.011	0.16	1.05	49	0.09	13.75	123	1.6
CC146557		0.011	0.21	1.17	30	0.06	10.25	76	1.6
DD003611		0.010	0.12	6.79	28	0.05	10.15	253	1.4
DD003612		0.011	0.16	1.42	34	0.08	18.20	143	1.5
DD003613		0.010	0.13	1.31	44	0.05	14.70	157	3.1
DD003614		0.013	0.14	1.44	36	0.07	15.55	158	2.5
DD003615		0.012	0.13	1.54	36	0.06	20.1	108	3.4
DD003616		0.013	0.19	1.11	44	0.09	8.14	174	2.2
DD003617		0.011	0.14	1.45	36	<0.05	16.80	121	2.6
DD003618		0.007	0.18	1.54	42	0.07	16.30	144	2.2
DD003619		0.006	0.18	0.96	58	0.05	18.65	135	3.1
DD003620		0.005	0.18	0.87	44	0.06	14.45	143	2.9
DD003621		0.005	0.20	1.58	42	0.05	17.45	120	2.6
DD003622		<0.005	0.18	1.30	26	<0.05	14.05	138	2.5
DD003623		0.005	0.18	1.54	28	0.06	12.95	118	2.6
DD003624		<0.005	0.13	1.27	28	0.05	15.40	90	1.9
DD003625		0.005	0.12	1.58	20	0.07	19.70	124	3.1
DD003626		0.005	0.19	3.01	31	0.06	20.8	141	3.8
DD003627		0.005	0.12	1.25	27	0.12	17.25	106	2.7
DD003628		<0.005	0.13	1.35	45	0.07	11.60	166	2.1
DD003629		0.007	0.16	1.34	56	0.13	9.52	123	1.4
DD003630		0.005	0.24	1.28	42	0.10	10.10	192	1.7
DD003631		0.006	0.13	0.86	32	0.07	5.92	197	1.9
DD003632		0.005	0.25	1.83	67	0.10	12.30	222	1.6
DD003633		0.006	0.17	1.56	50	0.07	14.40	192	1.9
DD003634		0.005	0.29	2.14	41	0.06	11.80	183	2.3
DD003635		<0.005	0.21	1.85	45	0.07	14.20	218	2.4
DD003636		<0.005	0.19	1.93	67	0.08	16.40	210	2.4
DD003637		<0.005	0.13	1.93	48	0.05	8.78	116	3.6

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 9- SEP- 2011
Account: RCM

Project: Rackla- Leah Contour

CERTIFICATE OF ANALYSIS WH11164701

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- TL43 Au ppm 0.001	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1
DD003638		0.12	0.006	0.54	0.91	10.6	<0.2	<10	260	0.59	0.17	1.83	0.60	33.3	10.9	16
DD003639		0.14	0.007	0.42	0.93	10.0	<0.2	<10	310	0.57	0.18	1.35	0.36	39.5	12.8	14
DD003640		0.16	0.010	0.40	0.90	8.0	<0.2	<10	280	0.51	0.17	1.13	0.55	43.0	12.6	16
DD003641		0.12	0.002	0.58	0.72	11.1	<0.2	<10	210	0.65	0.15	2.37	1.09	38.6	11.1	10
DD003523		0.38	0.001	0.36	0.91	17.5	<0.2	<10	440	1.00	0.26	3.25	0.75	30.5	14.4	20
DD003524		0.24	0.001	0.42	1.10	8.7	<0.2	<10	200	0.77	0.19	1.09	0.95	41.0	14.0	18
DD003525		0.18	0.001	0.35	1.14	9.1	<0.2	<10	320	0.71	0.21	1.08	0.49	41.9	13.6	18
DD003526		0.26	0.001	0.44	1.08	13.3	<0.2	<10	210	0.68	0.17	1.00	0.79	55.0	13.6	18
DD003527		0.20	0.003	0.34	1.38	9.8	<0.2	<10	280	0.67	0.17	1.01	0.56	32.5	20.2	39
DD003528		0.34	0.014	0.48	1.16	12.3	<0.2	<10	200	0.60	0.23	0.41	0.66	44.1	19.8	25
DD003529		0.34	<0.001	0.24	0.81	10.3	<0.2	<10	550	0.57	0.27	1.27	0.12	20.8	5.5	13
DD003530		0.42	0.001	0.52	1.15	10.0	<0.2	<10	340	0.81	0.21	0.66	0.69	49.1	13.7	18
DD003531		0.34	<0.001	0.23	0.56	7.2	<0.2	<10	120	0.90	0.40	0.28	0.12	28.3	12.4	11
DD003532		0.38	<0.001	0.35	1.11	15.9	<0.2	<10	180	0.93	0.27	0.99	0.53	40.6	17.1	22
DD003533		0.30	0.004	0.74	1.82	11.8	<0.2	<10	230	0.78	0.22	1.02	0.88	53.5	19.2	61
DD003534		0.36	0.003	0.96	1.60	10.8	<0.2	<10	330	1.17	0.35	1.44	1.27	41.0	12.2	36
DD003535		0.34	0.002	1.09	1.27	7.9	<0.2	<10	330	1.04	0.25	0.97	1.35	38.1	15.3	35
DD003536		0.34	0.001	0.51	1.00	8.7	<0.2	<10	260	0.87	0.33	0.59	0.79	29.7	14.1	21
DD003537		0.28	0.001	0.56	1.03	6.5	<0.2	<10	360	1.07	0.35	0.69	1.26	39.3	21.8	17
DD003538		0.28	<0.001	0.61	0.87	8.4	<0.2	<10	250	0.75	0.21	0.89	0.59	47.4	8.8	22
DD003539		0.32	0.006	1.82	0.98	10.1	<0.2	<10	360	0.59	0.23	0.68	2.60	33.3	10.6	27
DD003540		0.42	0.001	0.40	1.32	10.8	<0.2	<10	310	0.68	0.24	0.60	0.72	38.2	11.5	30
DD003541		0.28	0.001	0.86	1.07	9.8	<0.2	<10	290	0.88	0.26	0.91	1.00	38.0	13.5	22
DD003542		0.24	<0.001	0.39	0.83	8.8	<0.2	<10	340	0.52	0.12	0.92	0.54	36.5	15.6	35
DD003543		0.34	0.002	0.57	1.17	9.4	<0.2	<10	260	0.88	0.27	0.92	1.02	27.1	16.6	41
DD003544		0.26	0.003	0.65	1.21	9.1	<0.2	<10	380	1.08	0.27	0.79	1.04	44.2	33.6	31
DD003545		0.28	<0.001	0.44	0.97	10.7	<0.2	<10	270	0.86	0.23	0.67	0.94	35.5	13.3	42
DD003546		0.18	0.001	0.41	1.27	19.2	<0.2	<10	360	0.77	0.19	0.89	0.92	45.1	12.6	23
DD003547		0.20	0.006	1.42	0.85	6.3	<0.2	<10	270	0.85	0.18	1.72	3.08	35.4	6.9	27
DD003548		0.18	0.001	0.47	1.57	11.2	<0.2	<10	220	0.70	0.15	0.87	0.68	60.5	15.2	26
DD003549		0.36	<0.001	0.24	1.34	9.6	<0.2	<10	150	0.63	0.17	0.74	0.51	49.8	18.3	25
DD003550		0.40	<0.001	0.31	1.45	9.5	<0.2	<10	230	0.93	0.24	0.65	0.48	50.6	16.9	23
CC146601		0.28	<0.001	0.14	1.18	12.7	<0.2	<10	300	0.71	0.24	0.40	0.30	25.0	11.9	22
CC146602		0.24	<0.001	0.67	1.18	10.3	<0.2	<10	240	0.73	0.18	1.00	0.85	41.0	17.2	25
CC146603		0.26	0.003	0.44	1.15	5.2	<0.2	<10	300	0.89	0.35	0.13	0.26	16.75	14.5	18
CC146604		0.30	0.003	0.30	1.04	9.8	<0.2	<10	240	1.05	0.36	0.47	0.33	14.35	14.2	19
CC146605		0.34	0.004	0.23	1.04	14.8	<0.2	<10	190	0.67	0.27	0.63	0.17	28.5	10.3	17
CC148951		0.22	0.004	0.26	0.82	12.6	<0.2	<10	110	0.93	0.31	0.19	0.35	49.5	20.8	13
CC148952		0.16	0.004	0.53	0.46	13.6	<0.2	<10	480	0.75	0.28	1.02	0.85	11.30	7.9	11
CC148953		0.22	0.004	0.71	0.54	18.1	<0.2	<10	420	0.89	0.27	1.27	0.99	21.3	13.6	9

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 9- SEP- 2011
Account: RCM

Project: Rackla- Leah Contour

CERTIFICATE OF ANALYSIS WH11164701

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
DD003638		1.23	47.2	2.58	2.65	0.07	0.09	0.15	0.031	0.10	18.2	17.1	0.37	316	2.40	0.01
DD003639		0.53	53.9	2.66	2.85	0.07	0.09	0.14	0.035	0.09	21.3	14.6	0.30	444	2.61	0.01
DD003640		0.95	65.4	2.54	2.78	0.08	0.11	0.17	0.034	0.15	25.1	17.4	0.46	1040	2.40	0.01
DD003641		0.73	39.5	2.52	2.10	0.07	0.12	0.17	0.031	0.07	21.1	9.8	0.23	389	2.74	0.01
DD003523		1.06	38.3	3.32	2.76	0.07	0.08	0.16	0.031	0.10	15.7	13.2	0.63	473	5.54	0.01
DD003524		1.78	36.5	3.27	3.39	0.08	0.08	0.09	0.031	0.11	19.0	21.6	0.31	292	3.07	0.01
DD003525		1.05	28.2	2.77	3.35	0.07	0.10	0.11	0.034	0.11	21.0	18.9	0.37	200	1.87	0.01
DD003526		1.13	38.4	3.28	3.39	0.09	0.10	0.09	0.034	0.14	27.4	20.4	0.48	415	4.60	<0.01
DD003527		1.16	35.5	3.58	4.76	0.07	0.09	0.13	0.032	0.11	16.9	19.4	0.97	603	3.99	0.01
DD003528		1.50	100.0	3.82	3.40	0.10	0.06	0.16	0.040	0.16	24.7	19.5	0.48	889	3.20	<0.01
DD003529		2.86	38.6	1.78	3.94	<0.05	0.02	0.06	0.018	0.08	10.9	8.3	0.19	239	1.48	0.01
DD003530		1.88	57.4	3.21	3.51	0.09	0.09	0.23	0.038	0.16	27.3	18.3	0.30	297	3.76	0.01
DD003531		2.54	43.5	2.75	1.50	0.07	0.06	0.08	0.029	0.12	13.3	9.2	0.17	684	1.81	<0.01
DD003532		2.76	40.3	3.53	3.49	0.08	0.10	0.09	0.034	0.11	19.3	23.0	0.40	641	3.20	0.01
DD003533		1.88	78.1	4.07	6.22	0.11	0.14	0.17	0.048	0.12	30.5	29.8	1.51	386	4.94	0.01
DD003534		1.85	95.3	2.97	5.26	0.09	0.13	0.20	0.056	0.16	24.4	30.9	1.35	317	3.89	0.01
DD003535		2.09	88.6	3.12	3.81	0.15	0.13	0.28	0.041	0.11	20.9	19.6	0.55	571	3.34	0.01
DD003536		2.26	53.7	3.16	3.32	0.11	0.07	0.21	0.039	0.09	14.7	15.4	0.35	740	3.19	<0.01
DD003537		2.22	68.4	3.38	3.06	0.14	0.15	0.31	0.047	0.09	19.4	14.5	0.29	2030	1.92	0.01
DD003538		1.44	54.2	2.42	2.87	0.13	0.09	0.26	0.041	0.11	25.5	9.8	0.32	270	2.74	0.01
DD003539		1.09	126.0	2.74	3.14	0.13	0.06	0.36	0.037	0.11	18.6	10.9	0.43	270	4.43	0.01
DD003540		1.17	53.9	3.57	4.66	0.15	0.09	0.13	0.039	0.11	20.7	18.9	0.99	332	6.54	0.01
DD003541		2.22	55.0	2.92	3.08	0.15	0.12	0.19	0.040	0.10	20.5	13.7	0.35	1040	3.54	0.01
DD003542		0.82	37.3	3.41	2.73	0.14	0.07	0.18	0.044	0.10	19.8	9.5	0.47	524	3.71	0.01
DD003543		1.81	68.1	3.58	3.73	0.14	0.10	0.14	0.039	0.11	14.3	19.9	0.82	737	3.69	0.01
DD003544		2.02	49.6	4.13	3.97	0.17	0.11	0.13	0.037	0.10	22.7	17.1	0.51	2260	4.42	0.01
DD003545		1.47	59.0	3.19	3.29	0.13	0.10	0.18	0.040	0.09	19.1	13.4	0.68	361	6.08	0.01
DD003546		0.78	42.6	4.23	3.93	0.16	0.10	0.13	0.039	0.09	23.5	16.3	0.43	328	4.41	0.01
DD003547		0.58	93.6	1.98	2.88	0.14	0.11	0.27	0.042	0.09	22.5	10.4	0.30	219	1.77	0.01
DD003548		1.19	35.8	4.08	5.19	0.17	0.10	0.12	0.039	0.11	31.2	25.6	0.72	314	4.12	0.01
DD003549		2.35	36.8	4.12	4.06	0.14	0.09	0.07	0.036	0.11	22.5	21.2	0.70	702	3.75	0.01
DD003550		2.01	40.0	3.97	4.57	0.16	0.09	0.10	0.036	0.11	25.3	26.4	0.61	474	3.01	0.01
CC146601		1.30	28.9	3.28	3.77	0.10	0.05	0.20	0.038	0.06	12.6	17.8	0.35	342	2.18	0.01
CC146602		1.63	39.5	3.21	4.07	0.13	0.09	0.12	0.035	0.09	20.0	18.6	0.50	757	5.85	0.01
CC146603		4.66	29.2	3.29	3.33	0.09	0.07	0.05	0.026	0.09	7.6	17.0	0.37	853	2.20	<0.01
CC146604		4.33	49.5	3.30	2.89	0.10	0.07	0.07	0.025	0.08	6.0	21.7	0.43	726	2.51	0.01
CC146605		1.55	30.2	2.56	3.08	0.10	0.08	0.09	0.027	0.10	14.4	14.0	0.32	550	1.11	0.01
CC148951		2.25	66.8	5.53	2.31	0.19	0.06	0.07	0.042	0.10	25.2	12.2	0.19	737	4.06	0.01
CC148952		1.90	45.2	1.75	2.23	0.06	0.08	0.34	0.050	0.09	5.3	3.2	0.15	322	3.69	0.01
CC148953		1.62	51.2	3.11	1.63	0.10	0.08	0.49	0.034	0.09	11.0	5.1	0.31	612	3.43	0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 9- SEP- 2011
Account: RCM

Project: Rackla- Leah Contour

CERTIFICATE OF ANALYSIS WH11164701

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
DD003638		0.26	29.7	1200	13.6	9.0	0.002	0.09	1.18	4.8	1.9	0.3	67.4	0.01	0.07	1.5
DD003639		0.26	26.3	1200	15.7	7.9	0.001	0.06	0.95	5.4	1.5	0.3	48.5	0.01	0.07	2.1
DD003640		0.18	29.7	1190	14.1	9.3	0.003	0.05	1.07	6.4	1.4	0.3	38.0	0.01	0.09	2.2
DD003641		0.21	29.1	1130	15.0	7.2	0.002	0.11	1.45	5.1	2.1	0.3	77.7	0.01	0.06	1.4
DD003523		0.30	44.5	1100	18.1	7.4	0.001	0.05	1.89	5.4	1.3	0.4	54.6	<0.01	0.05	3.7
DD003524		0.24	37.4	1150	15.8	9.5	0.002	0.05	1.36	5.2	1.8	0.4	31.6	<0.01	0.04	2.8
DD003525		0.31	24.8	1070	16.9	9.6	0.001	0.05	0.86	5.0	1.3	0.4	33.3	<0.01	0.06	3.0
DD003526		0.28	32.4	1770	16.3	9.6	0.003	0.03	1.25	5.5	1.3	0.4	33.9	0.01	0.05	3.2
DD003527		1.06	54.5	1200	13.1	10.7	0.001	0.05	1.09	4.5	1.4	0.4	26.3	<0.01	0.05	2.1
DD003528		0.28	48.0	1650	18.3	11.2	0.001	0.03	1.79	6.5	1.6	0.4	17.7	0.01	0.10	2.9
DD003529		0.31	13.7	560	11.0	10.2	<0.001	0.04	0.66	2.0	0.6	0.5	41.5	<0.01	0.05	0.9
DD003530		0.36	37.6	1280	14.3	12.0	0.001	0.03	1.52	6.9	1.5	0.4	28.0	0.01	0.06	2.9
DD003531		0.13	25.6	520	17.2	8.3	<0.001	0.03	0.72	6.3	0.7	0.3	21.6	0.01	0.03	5.0
DD003532		0.28	41.5	1110	19.9	9.9	0.001	0.06	1.44	5.4	1.6	0.4	29.2	0.01	0.06	3.0
DD003533		1.53	63.6	1610	17.1	9.6	0.002	0.04	2.10	7.3	1.7	0.5	44.3	0.01	0.10	3.6
DD003534		0.67	38.0	2270	13.5	12.2	0.003	0.05	2.02	7.2	2.9	1.0	45.7	0.01	0.15	3.2
DD003535		0.47	52.7	1520	20.4	11.8	0.003	0.04	1.72	6.7	3.1	0.5	42.7	0.01	0.07	3.3
DD003536		0.41	33.4	1210	22.8	11.4	0.002	0.02	1.41	5.0	1.3	0.5	30.5	0.01	0.05	3.5
DD003537		0.45	49.3	1160	28.4	11.4	0.001	0.04	1.14	7.8	2.0	0.4	36.1	0.01	0.05	3.8
DD003538		0.46	32.1	1500	18.7	10.5	0.003	0.04	1.69	4.9	2.0	0.4	42.4	0.01	0.06	3.8
DD003539		0.70	45.1	2220	18.3	10.3	0.005	0.03	2.57	5.3	3.1	0.5	44.4	0.01	0.10	3.2
DD003540		1.18	34.7	2060	15.8	11.9	0.003	0.01	1.79	4.2	1.5	0.7	31.8	0.01	0.07	4.6
DD003541		0.38	44.8	1170	19.5	12.8	0.004	0.05	1.68	5.4	2.3	0.4	39.6	0.01	0.06	2.6
DD003542		0.41	59.5	1570	11.9	8.5	0.003	0.07	1.10	6.2	1.3	0.4	49.9	0.01	0.04	3.1
DD003543		0.45	51.4	2260	20.6	10.5	0.002	0.02	1.59	6.1	1.5	0.5	43.5	0.01	0.08	4.3
DD003544		0.67	54.7	1050	21.9	13.7	0.001	0.03	1.27	5.7	1.6	0.5	34.2	0.01	0.10	3.2
DD003545		0.48	53.6	1240	18.5	9.3	0.004	0.04	2.01	5.2	1.8	0.4	35.1	0.01	0.05	3.7
DD003546		0.64	37.1	1440	18.2	11.1	0.001	0.04	1.52	5.7	1.7	0.4	34.9	0.01	0.06	3.4
DD003547		0.37	58.4	1970	14.2	8.5	0.003	0.06	2.71	5.6	3.3	0.4	52.0	0.01	0.09	2.6
DD003548		0.51	42.0	1640	16.5	12.1	0.003	0.04	1.50	5.1	1.5	0.5	35.9	0.01	0.05	3.3
DD003549		0.27	37.5	1440	18.5	10.2	0.001	0.04	1.22	4.5	1.2	0.4	27.3	0.01	0.04	2.8
DD003550		0.46	34.7	1120	22.4	11.3	0.001	0.03	0.92	5.1	1.2	0.5	27.4	0.01	0.04	4.4
CC146601		0.44	28.1	880	20.1	10.2	0.001	0.01	1.05	4.1	0.9	0.5	29.0	0.01	0.05	2.7
CC146602		0.25	35.8	1130	19.5	10.6	0.003	0.06	2.22	4.3	1.9	0.4	52.2	0.01	0.05	2.0
CC146603		0.39	25.7	690	24.3	11.7	<0.001	0.03	0.81	3.2	0.8	0.5	11.8	0.01	0.03	3.5
CC146604		0.37	31.6	500	25.4	10.5	0.001	0.02	1.08	3.6	0.9	0.4	24.5	<0.01	0.03	3.5
CC146605		0.37	22.2	510	24.4	10.3	<0.001	0.03	0.63	3.6	0.7	0.4	37.2	<0.01	0.05	2.5
CC148951		0.24	39.1	1450	27.9	10.1	0.001	0.01	1.22	4.8	1.3	0.5	25.6	0.01	0.04	6.1
CC148952		0.13	22.0	500	28.7	9.3	0.001	0.05	1.33	4.1	1.1	0.6	47.9	<0.01	0.07	2.0
CC148953		0.16	37.2	760	58.7	9.1	0.001	0.05	2.24	4.5	1.4	0.3	21.4	0.01	0.06	1.9

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 9- SEP- 2011
Account: RCM

Project: Rackla- Leah Contour

CERTIFICATE OF ANALYSIS WH11164701

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
DD003638		0.005	0.14	2.54	32	0.06	15.45	113	3.0
DD003639		<0.005	0.10	1.16	32	0.05	18.10	85	2.7
DD003640		<0.005	0.10	1.31	33	<0.05	21.7	95	3.6
DD003641		<0.005	0.13	1.87	29	<0.05	19.50	103	3.4
DD003523		0.008	0.23	1.20	41	0.07	12.20	151	3.1
DD003524		<0.005	0.16	1.05	32	<0.05	13.55	129	3.0
DD003525		<0.005	0.13	1.44	34	<0.05	13.00	106	3.1
DD003526		0.005	0.15	1.17	38	0.06	17.00	132	3.5
DD003527		0.013	0.13	0.96	42	0.06	11.40	126	2.7
DD003528		0.010	0.13	1.18	37	0.06	22.6	144	1.4
DD003529		0.009	0.11	1.07	30	0.08	4.44	55	0.5
DD003530		0.007	0.18	1.11	37	0.05	15.70	139	2.6
DD003531		<0.005	0.09	0.69	13	<0.05	14.30	97	2.1
DD003532		0.005	0.14	1.13	29	0.06	15.30	128	2.8
DD003533		0.039	0.24	1.28	69	0.10	19.40	171	5.7
DD003534		0.011	0.16	1.97	93	0.07	20.9	200	4.3
DD003535		0.006	0.14	2.16	47	0.08	22.7	164	3.2
DD003536		<0.005	0.12	1.36	33	0.07	11.15	130	1.8
DD003537		<0.005	0.13	1.61	29	0.06	17.85	145	4.1
DD003538		0.005	0.20	2.03	37	0.06	13.00	114	2.9
DD003539		0.013	0.17	2.24	71	0.11	16.70	238	1.5
DD003540		0.013	0.12	1.71	81	0.10	12.55	179	3.0
DD003541		0.005	0.21	2.12	33	0.08	18.55	149	3.1
DD003542		0.009	0.17	1.20	36	0.05	11.50	126	2.4
DD003543		0.010	0.11	1.73	53	0.08	14.80	180	3.1
DD003544		0.009	0.13	1.46	39	0.09	15.55	139	2.8
DD003545		0.005	0.17	1.75	41	0.06	14.05	152	3.2
DD003546		0.006	0.12	1.09	47	0.14	16.35	125	2.9
DD003547		<0.005	0.17	3.10	73	0.08	26.3	166	3.6
DD003548		0.006	0.17	1.12	69	0.08	12.90	188	2.4
DD003549		<0.005	0.09	0.72	36	<0.05	10.20	134	2.5
DD003550		0.005	0.10	1.05	37	0.06	12.65	127	2.6
CC146601		0.010	0.11	1.29	39	0.11	9.18	164	1.1
CC146602		<0.005	0.14	1.24	40	<0.05	10.95	147	2.4
CC146603		0.009	0.08	0.98	21	0.09	8.51	88	1.6
CC146604		0.008	0.08	1.33	20	0.09	8.83	102	1.8
CC146605		0.007	0.10	1.35	23	0.07	8.40	73	1.9
CC148951		<0.005	0.11	1.57	29	0.05	12.00	139	1.4
CC148952		<0.005	0.33	1.87	26	0.06	8.27	84	2.5
CC148953		<0.005	0.29	1.46	18	<0.05	12.60	249	2.2

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 9- SEP- 2011
Account: RCM

Project: Rackla- Leah Contour

CERTIFICATE OF ANALYSIS WH11164701

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- TL43 Au ppm 0.001	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1
CC148954		0.20	0.002	0.10	1.70	8.1	<0.2	<10	60	0.95	0.51	0.04	0.10	15.90	19.9	26
CC148955		0.30	0.006	0.79	1.21	28.8	<0.2	<10	430	0.48	0.26	0.34	0.98	77.0	24.1	19
CC148956		0.20	0.007	1.03	1.32	17.7	<0.2	<10	910	0.57	0.24	1.01	0.40	63.1	19.0	21
CC148957		0.28	0.009	0.42	0.33	17.1	<0.2	<10	170	0.51	0.28	0.55	0.64	35.2	21.9	10
CC148958		0.28	0.005	0.78	0.32	22.9	<0.2	<10	190	0.55	0.22	0.66	1.06	44.6	13.6	10
CC148959		0.26	0.004	0.52	0.86	12.5	<0.2	<10	620	0.44	0.20	0.12	0.78	58.1	12.0	15
CC148960		0.18	0.004	0.51	1.35	15.5	<0.2	<10	430	0.43	0.24	0.41	0.47	59.9	21.1	16
CC148961		0.22	0.004	0.13	1.44	9.8	<0.2	<10	190	1.42	0.49	0.07	0.03	11.95	23.6	22
CC148962		0.20	0.004	0.15	1.45	27.9	<0.2	<10	70	0.99	0.62	0.04	0.04	14.20	27.0	24
CC148963		0.32	0.003	0.13	1.06	12.1	<0.2	<10	560	1.21	0.39	0.26	0.18	17.00	14.3	19
CC148964		0.22	0.004	0.49	0.93	14.3	<0.2	<10	680	1.05	0.33	0.71	0.73	27.0	13.7	13
CC148965		0.22	0.002	0.10	1.39	13.0	<0.2	<10	100	0.49	0.38	0.05	0.15	17.80	14.4	24
CC148966		0.22	0.002	0.09	1.20	8.9	<0.2	<10	200	0.70	0.42	0.05	0.18	14.75	11.5	21
CC148967		0.26	0.004	0.55	1.09	12.0	<0.2	<10	400	0.45	0.23	0.45	0.46	45.9	13.0	17

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 9- SEP- 2011
Account: RCM

Project: Rackla- Leah Contour

CERTIFICATE OF ANALYSIS WH11164701

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
CC148954		4.98	37.0	4.40	6.39	0.10	0.08	0.04	0.041	0.06	6.7	25.9	0.43	1240	0.96	0.01
CC148955		2.95	105.5	5.47	4.25	0.25	0.11	0.21	0.058	0.24	42.7	15.1	0.38	287	10.70	0.01
CC148956		3.40	77.4	4.35	4.24	0.21	0.14	0.26	0.049	0.26	33.7	19.1	0.58	398	5.59	0.01
CC148957		1.14	110.0	4.29	1.33	0.14	0.04	0.12	0.049	0.07	19.1	1.8	0.07	730	8.42	0.01
CC148958		0.67	90.4	3.52	1.07	0.13	0.14	0.27	0.045	0.06	24.3	2.2	0.08	589	12.85	0.01
CC148959		1.30	56.5	2.74	3.39	0.14	0.07	0.16	0.038	0.17	33.1	8.0	0.19	171	6.85	0.01
CC148960		3.35	62.1	4.64	4.56	0.19	0.13	0.15	0.050	0.26	32.0	16.5	0.47	225	5.97	0.01
CC148961		8.85	48.1	4.25	4.26	0.09	0.05	0.03	0.030	0.09	4.8	27.7	0.46	1510	1.05	0.01
CC148962		6.47	38.9	4.57	5.31	0.10	0.05	0.06	0.039	0.06	6.0	19.1	0.35	2050	1.27	0.01
CC148963		3.68	42.0	3.70	3.49	0.10	0.04	0.12	0.031	0.08	8.4	18.7	0.34	799	2.14	0.01
CC148964		3.11	60.8	3.30	2.90	0.12	0.13	0.39	0.040	0.13	14.4	13.8	0.28	385	3.18	0.01
CC148965		2.29	27.9	4.78	4.75	0.11	0.04	0.03	0.033	0.07	8.0	20.4	0.37	903	1.85	0.01
CC148966		5.24	32.0	3.53	5.79	0.08	0.02	0.02	0.028	0.08	7.2	12.5	0.27	489	1.81	0.01
CC148967		1.78	50.3	3.28	4.35	0.15	0.06	0.20	0.040	0.16	26.2	13.0	0.28	355	5.63	0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 9- SEP- 2011
Account: RCM

Project: Rackla- Leah Contour

CERTIFICATE OF ANALYSIS WH11164701

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
CC148954		0.42	29.4	650	36.6	11.4	<0.001	0.03	0.41	3.9	0.6	0.5	10.3	<0.01	0.04	4.2
CC148955		0.42	58.1	1940	29.3	13.8	0.003	0.09	4.40	7.4	2.9	0.6	53.9	0.01	0.10	5.7
CC148956		0.54	43.8	1480	18.9	17.1	0.002	0.08	1.42	8.7	2.2	0.6	46.3	0.01	0.08	3.0
CC148957		0.16	45.7	1590	19.2	5.8	0.002	0.03	2.88	5.3	1.6	0.3	23.7	0.01	0.15	1.6
CC148958		0.18	52.5	980	17.7	4.2	0.003	0.02	2.98	6.4	1.9	0.3	22.7	0.01	0.12	4.0
CC148959		0.36	32.6	1280	17.9	12.6	0.002	0.05	2.02	4.0	1.8	0.5	34.6	0.01	0.08	1.9
CC148960		0.54	36.3	1640	19.2	17.3	0.001	0.07	1.74	6.1	1.6	0.6	34.8	0.01	0.09	2.7
CC148961		0.30	30.2	480	39.8	11.7	<0.001	0.04	0.34	3.6	0.5	0.4	15.0	0.01	0.04	4.3
CC148962		0.31	25.2	850	70.5	12.0	<0.001	0.05	0.34	3.7	0.6	0.5	12.1	<0.01	0.04	3.1
CC148963		0.50	30.1	590	29.2	11.5	<0.001	0.02	0.68	4.1	0.9	0.5	22.7	0.01	0.04	3.3
CC148964		0.25	36.4	810	59.1	13.3	0.001	0.03	1.70	5.3	1.2	0.4	29.6	0.01	0.05	3.6
CC148965		0.69	27.3	430	31.6	12.2	<0.001	0.01	0.76	3.0	0.5	0.5	11.4	<0.01	0.06	3.9
CC148966		0.50	19.8	460	27.6	9.6	<0.001	0.02	0.40	2.8	0.5	0.6	11.6	<0.01	0.04	2.6
CC148967		0.41	27.6	1370	17.3	12.0	0.002	0.04	1.41	4.4	1.8	0.5	34.1	0.01	0.07	2.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 9- SEP- 2011
Account: RCM

Project: Rackla- Leah Contour

CERTIFICATE OF ANALYSIS WH11164701

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
CC148954		0.006	0.06	1.09	21	0.05	5.94	86	2.0
CC148955		0.009	0.19	2.51	47	0.06	17.85	188	4.4
CC148956		0.010	0.17	2.04	37	0.08	19.20	126	4.5
CC148957		<0.005	0.10	2.62	28	0.05	17.30	164	0.5
CC148958		<0.005	0.10	2.25	50	0.05	20.8	199	5.9
CC148959		0.007	0.18	1.61	46	0.07	14.45	129	1.4
CC148960		0.011	0.15	1.33	40	0.06	13.85	137	4.0
CC148961		0.007	0.06	1.23	17	0.07	7.33	84	1.3
CC148962		0.005	0.06	1.22	21	0.06	5.99	68	1.4
CC148963		0.010	0.10	1.05	26	0.11	9.32	87	0.7
CC148964		<0.005	0.14	1.26	21	0.05	12.40	229	3.8
CC148965		0.011	0.10	0.64	35	0.12	4.31	94	1.1
CC148966		0.010	0.09	1.00	37	0.11	4.66	77	<0.5
CC148967		0.008	0.19	1.15	43	0.06	10.75	104	1.3

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 9- SEP- 2011
Account: RCM

Project: Rackla- Leah Contour

CERTIFICATE OF ANALYSIS WH11164701

Method	CERTIFICATE COMMENTS
ME- MS41	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown.
ME- MS41	Gold determinations by this method are semi- quantitative due to the small sample weight used (0.5g).

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 23- SEP- 2011
Account: RCM

CERTIFICATE WH11164702

Project: Rackla Gold (Nadaleen Trend)

P.O. No.: S4- Area B

This report is for 143 Soil samples submitted to our lab in Whitehorse, YT, Canada on 19- AUG- 2011.

The following have access to data associated with this certificate:

ROB CARNE JULIA LANE	ANDREW CARNE JOAN MARIACHER	MATT DUMALA

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
SCR- 41	Screen to - 180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- TL43	Trace Level Au - 25g AR	ICP- MS
ME- MS41	51 anal. aqua regia ICPMS	

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 23- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11164702

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- TL43 Au ppm 0.001	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1
CC72302		0.24	0.003	0.12	1.56	13.3	<0.2	<10	110	0.77	0.25	1.11	0.21	21.4	13.8	23
CC72303		0.42	0.005	0.05	1.73	20.8	<0.2	<10	210	1.22	0.45	0.07	0.16	33.6	29.9	26
CC72304		0.28	0.003	0.08	2.14	13.8	<0.2	<10	170	0.90	0.31	0.25	0.21	31.2	18.8	29
CC72305		0.28	0.001	0.03	1.78	13.7	<0.2	<10	100	0.77	0.33	0.08	0.20	27.2	15.3	24
CC72306		0.34	0.002	0.04	2.13	13.8	<0.2	<10	100	1.25	0.36	0.07	0.16	25.7	16.6	26
CC72307		0.38	0.003	0.07	1.89	13.8	<0.2	<10	200	1.04	0.32	0.19	0.17	34.7	17.4	31
CC72308		0.34	0.002	0.10	1.43	18.0	<0.2	<10	100	0.85	0.31	0.64	0.13	19.90	16.9	20
CC72309		0.22	0.002	0.10	0.97	15.9	<0.2	<10	100	0.70	0.23	1.69	0.15	19.50	13.3	15
CC72310		0.26	0.002	0.12	1.72	24.0	<0.2	<10	120	1.07	0.41	0.50	0.12	29.2	24.0	25
CC72339		0.40	0.001	0.10	0.29	11.3	<0.2	<10	80	0.83	0.28	6.77	0.18	5.18	14.5	6
CC72340		0.50	0.003	0.08	3.31	6.2	<0.2	<10	120	1.75	0.30	0.32	0.23	23.5	58.8	45
CC72341		0.44	0.005	1.06	1.31	20.7	<0.2	10	220	1.42	0.27	1.10	0.82	23.7	38.9	20
CC72342		0.50	0.003	0.21	1.97	13.3	<0.2	<10	140	1.09	0.21	0.28	0.21	39.0	36.4	34
CC72343		0.48	0.002	0.17	0.50	53.4	<0.2	<10	310	1.09	0.34	1.13	0.33	11.00	18.4	8
CC72344		0.40	0.007	0.15	4.24	30.1	<0.2	<10	80	1.49	0.25	0.29	0.42	44.5	58.0	63
CC72345		0.48	0.009	0.28	1.57	40.5	<0.2	<10	300	1.38	0.21	0.41	0.41	46.8	40.8	36
CC72346		0.36	0.007	0.25	2.37	8.3	<0.2	<10	240	1.46	0.20	0.92	0.48	61.0	47.3	41
CC72347		0.32	0.007	0.24	2.04	27.8	<0.2	<10	140	1.41	0.28	1.11	0.46	26.2	33.7	35
CC72348		0.30	0.003	0.11	2.00	18.3	<0.2	<10	160	0.86	0.27	0.52	0.45	15.15	33.6	34
CC72349		0.40	0.003	0.12	1.94	11.6	<0.2	<10	150	1.16	0.33	0.10	0.36	23.1	28.2	33
CC72350		0.36	0.004	0.16	2.85	5.0	<0.2	<10	190	1.25	0.24	0.78	0.34	50.6	45.4	45
CC72351		0.30	0.002	0.07	1.88	8.6	<0.2	<10	190	0.89	0.32	0.17	0.27	23.6	24.7	31
CC72352		0.42	0.003	0.13	1.91	11.1	<0.2	<10	220	0.74	0.26	0.13	0.23	24.4	27.5	33
CC72353		0.30	0.003	0.11	2.54	7.7	<0.2	<10	170	0.73	0.28	0.49	0.36	30.6	34.6	43
CC72354		0.46	0.003	0.08	2.24	11.3	<0.2	<10	170	1.01	0.28	0.25	0.26	37.8	26.4	38
CC72355		0.38	0.002	0.07	1.23	10.2	<0.2	<10	250	0.55	0.33	0.40	0.16	19.75	14.0	25
CC72356		0.42	0.001	0.15	1.10	9.6	<0.2	<10	210	0.41	0.28	0.24	0.15	18.10	8.6	20
CC72357		0.50	0.002	0.10	1.36	15.6	<0.2	<10	170	0.88	0.35	0.35	0.19	19.40	14.8	22
CC72358		0.32	0.001	0.05	1.41	9.7	<0.2	<10	70	0.48	0.23	0.18	0.21	20.7	15.0	24
CC72359		0.32	0.002	0.04	1.69	12.5	<0.2	<10	150	0.57	0.29	0.15	0.10	31.2	8.9	26
CC72361		0.26	0.001	0.09	2.26	14.0	<0.2	<10	100	0.94	0.34	0.09	0.20	26.3	19.6	29
CC72362		0.36	0.003	0.08	2.02	16.7	<0.2	<10	160	0.94	0.29	0.34	0.21	29.1	20.5	34
CC72363		0.20	0.002	0.18	1.28	10.8	<0.2	<10	170	1.02	0.24	0.81	0.21	22.1	23.3	17
CC72364		0.18	0.006	0.18	1.49	7.9	<0.2	<10	400	0.81	0.21	1.46	0.17	20.5	15.4	23
CC72365		0.16	0.006	0.38	1.27	6.4	<0.2	<10	240	1.08	0.13	3.18	0.31	19.20	9.8	16
CC72366		0.28	0.001	0.07	1.30	11.1	<0.2	<10	80	0.44	0.26	0.11	0.13	32.1	11.5	20
CC72367		0.38	0.002	0.06	1.76	13.3	<0.2	<10	200	0.95	0.27	0.21	0.22	33.7	17.0	29
CC72368		0.32	0.004	0.16	1.73	10.4	<0.2	<10	180	0.90	0.26	0.67	0.18	26.1	14.0	29
CC72369		0.34	0.003	0.17	1.27	10.4	<0.2	<10	190	0.78	0.22	1.79	0.26	18.85	13.9	20
CC72380		0.34	0.004	0.34	1.93	49.9	<0.2	<10	70	2.07	0.55	0.03	0.21	18.50	32.1	36

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 23- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11164702

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
CC72302		3.71	49.8	3.75	4.38	0.11	0.06	0.13	0.037	0.08	9.9	30.0	0.63	533	0.81	0.01
CC72303		1.90	122.5	5.64	4.75	0.13	0.06	0.22	0.043	0.06	16.1	41.7	0.69	982	0.56	<0.01
CC72304		4.29	90.0	4.33	6.13	0.11	0.04	0.04	0.042	0.07	14.0	42.4	0.71	795	0.80	<0.01
CC72305		2.14	26.5	4.17	5.84	0.11	0.03	0.02	0.038	0.05	12.7	42.2	0.45	438	1.01	<0.01
CC72306		1.35	36.0	4.84	4.85	0.11	0.07	0.07	0.036	0.07	10.4	56.4	0.55	735	0.63	<0.01
CC72307		2.18	51.6	4.34	5.25	0.13	0.03	0.07	0.036	0.08	16.9	39.2	0.65	641	0.89	0.01
CC72308		2.20	38.7	4.01	3.95	0.11	0.09	0.14	0.033	0.09	9.1	33.8	0.47	660	0.60	0.01
CC72309		2.00	35.5	3.44	2.79	0.12	0.04	0.11	0.033	0.07	6.9	25.6	0.40	537	0.73	0.01
CC72310		3.38	56.2	5.01	4.73	0.12	0.09	0.29	0.039	0.12	13.7	44.4	0.60	881	0.75	0.01
CC72339		1.39	40.3	3.89	0.75	0.09	0.14	0.68	0.045	0.10	1.5	1.8	2.61	1020	1.05	0.01
CC72340		8.48	159.5	7.51	11.85	0.13	0.06	0.03	0.084	0.11	5.5	62.8	1.46	1780	0.63	0.01
CC72341		2.02	107.5	4.31	4.24	0.16	0.16	0.20	0.063	0.09	8.0	19.5	0.66	1300	1.00	<0.01
CC72342		4.89	105.5	5.65	6.40	0.15	0.04	0.06	0.063	0.07	10.7	30.5	0.83	1610	1.04	0.01
CC72343		1.46	48.7	7.49	1.36	0.12	0.08	3.09	0.047	0.09	3.1	3.4	0.65	1800	16.85	0.01
CC72344		3.66	203	8.39	15.40	0.19	0.04	0.15	0.095	0.09	14.2	70.2	2.58	1520	0.56	0.01
CC72345		2.91	164.5	10.35	5.41	0.21	0.04	0.16	0.080	0.06	22.7	19.9	0.65	2710	0.99	0.01
CC72346		3.35	141.0	6.13	7.65	0.22	0.05	0.10	0.075	0.06	24.2	29.6	1.07	3350	0.84	0.01
CC72347		4.78	134.0	5.74	7.12	0.17	0.07	0.23	0.071	0.10	10.0	28.0	1.02	1240	2.27	0.01
CC72348		2.78	103.5	5.54	7.49	0.11	0.04	0.04	0.062	0.10	4.6	28.1	0.87	1500	1.07	0.01
CC72349		4.14	105.5	6.13	7.26	0.12	0.03	0.05	0.064	0.10	7.0	21.0	0.51	1080	1.22	<0.01
CC72350		3.75	128.5	5.86	9.41	0.15	0.05	0.06	0.080	0.08	17.0	40.8	1.36	2530	0.79	0.01
CC72351		2.45	81.1	5.44	7.81	0.12	0.04	0.04	0.052	0.11	8.2	26.0	0.61	1160	1.05	<0.01
CC72352		3.84	108.0	6.07	9.30	0.12	0.02	0.06	0.063	0.08	8.5	20.4	0.52	1780	1.04	<0.01
CC72353		3.81	106.0	5.96	10.40	0.13	0.03	0.05	0.066	0.10	13.0	34.3	1.14	1560	1.20	0.01
CC72354		2.89	95.9	5.19	7.72	0.15	0.03	0.04	0.065	0.08	15.7	32.9	0.86	1040	1.40	0.01
CC72355		5.72	53.6	4.34	6.84	0.12	0.04	0.04	0.045	0.12	8.8	6.2	0.26	1440	1.18	0.01
CC72356		2.49	28.8	2.81	5.30	<0.05	0.02	0.03	0.033	0.06	9.5	8.7	0.24	330	1.46	0.01
CC72357		2.65	40.9	3.79	4.30	<0.05	0.07	0.04	0.049	0.07	8.5	17.3	0.47	640	1.07	0.01
CC72358		1.38	50.3	3.96	5.01	<0.05	0.02	0.03	0.039	0.07	8.8	15.3	0.44	453	1.04	0.01
CC72359		2.06	19.4	2.88	5.73	<0.05	0.03	0.03	0.032	0.04	14.3	17.4	0.41	323	1.43	0.01
CC72361		2.07	50.6	5.14	6.21	0.07	0.07	0.03	0.046	0.08	12.2	55.8	0.60	313	0.86	0.01
CC72362		5.16	80.0	5.36	6.36	0.08	0.08	0.05	0.053	0.09	12.7	32.1	0.90	577	1.06	0.01
CC72363		4.79	48.9	2.53	4.46	<0.05	0.05	0.08	0.042	0.06	10.6	11.7	0.29	772	1.08	0.02
CC72364		4.82	69.4	2.95	4.32	0.05	0.09	0.13	0.038	0.07	10.9	22.8	0.64	514	0.86	0.02
CC72365		5.03	142.5	1.85	2.72	0.07	0.10	0.40	0.027	0.04	11.5	13.2	0.48	711	0.68	0.02
CC72366		2.09	44.2	3.02	6.00	0.05	0.04	0.04	0.032	0.05	14.9	18.9	0.40	288	0.93	0.01
CC72367		3.29	53.9	3.55	5.08	0.06	0.06	0.05	0.042	0.06	13.5	24.1	0.59	554	1.22	0.01
CC72368		2.11	54.5	3.26	5.36	0.06	0.08	0.19	0.042	0.06	12.9	24.4	0.68	491	0.99	0.01
CC72369		1.03	57.3	2.99	3.55	<0.05	0.07	0.14	0.033	0.05	9.6	21.0	0.54	940	0.96	0.01
CC72380		10.30	99.8	8.59	5.65	0.17	0.08	0.06	0.089	0.08	7.2	27.2	0.49	953	8.36	0.02

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 23- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11164702

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
CC72302		0.31	24.5	800	15.5	9.9	0.001	0.07	0.55	5.6	1.4	0.3	80.7	<0.01	0.05	1.6
CC72303		0.09	37.5	400	25.5	5.2	<0.001	<0.01	0.73	15.0	1.0	0.3	9.7	<0.01	0.11	6.3
CC72304		0.59	31.9	630	18.7	10.5	<0.001	0.01	0.65	6.7	0.4	0.5	19.4	<0.01	0.07	3.4
CC72305		0.59	20.1	320	20.9	9.5	<0.001	0.01	0.57	3.5	0.5	0.5	9.2	<0.01	0.08	3.9
CC72306		0.19	30.9	400	24.1	9.1	<0.001	0.01	0.61	4.3	0.6	0.3	11.2	<0.01	0.07	5.8
CC72307		0.58	35.2	630	18.5	9.9	<0.001	0.01	0.67	6.5	0.9	0.5	18.2	<0.01	0.07	4.5
CC72308		0.12	27.1	630	20.4	8.3	<0.001	0.04	0.71	4.8	0.7	0.3	38.9	<0.01	0.05	2.5
CC72309		0.10	22.6	660	17.2	5.8	<0.001	0.07	0.65	4.0	0.7	0.2	85.5	<0.01	0.05	1.2
CC72310		0.13	38.9	610	27.8	9.3	<0.001	0.02	1.00	6.6	0.9	0.3	41.5	<0.01	0.06	4.6
CC72339		<0.05	21.6	460	28.2	4.9	0.002	0.64	0.69	9.0	0.4	0.3	41.5	<0.01	0.08	3.3
CC72340		0.20	47.8	1400	27.3	15.1	0.001	0.05	0.42	13.3	0.9	0.8	12.0	<0.01	0.18	1.6
CC72341		0.09	37.8	1110	87.1	7.0	0.003	0.12	1.77	13.2	2.1	0.4	17.0	<0.01	0.11	1.5
CC72342		0.36	42.1	650	14.2	8.4	0.001	0.03	0.55	16.0	1.0	0.5	17.3	<0.01	0.10	2.1
CC72343		<0.05	28.2	450	40.1	5.2	<0.001	0.09	2.87	9.2	1.1	0.4	22.1	<0.01	0.07	2.4
CC72344		0.09	64.6	830	23.6	7.9	0.001	0.02	0.39	28.9	1.2	0.8	9.7	<0.01	0.21	2.2
CC72345		0.26	50.8	750	20.9	7.5	<0.001	0.04	0.77	34.4	2.9	0.4	22.1	0.01	0.12	2.2
CC72346		0.19	41.3	1770	17.9	7.2	0.001	0.10	0.42	27.4	2.5	0.4	31.6	<0.01	0.10	1.2
CC72347		0.16	44.0	1140	19.7	9.3	0.001	0.10	0.72	17.4	2.0	0.5	21.7	<0.01	0.19	1.4
CC72348		0.21	33.1	1330	16.3	9.6	<0.001	0.09	0.44	9.5	1.0	0.5	21.5	<0.01	0.17	1.0
CC72349		0.30	32.0	1170	21.9	12.3	<0.001	0.05	0.48	6.8	0.9	0.6	12.8	<0.01	0.22	1.2
CC72350		0.26	37.2	1760	18.8	9.6	<0.001	0.10	0.40	20.5	1.2	0.5	26.8	<0.01	0.13	1.4
CC72351		0.32	25.5	1070	18.1	13.0	<0.001	0.06	0.48	6.2	0.5	0.6	11.1	<0.01	0.15	1.3
CC72352		0.32	24.0	1210	14.1	14.8	<0.001	0.07	0.50	8.1	0.7	0.7	9.3	<0.01	0.15	0.9
CC72353		0.33	34.3	1240	15.1	14.0	<0.001	0.09	0.42	8.8	0.9	0.7	17.3	<0.01	0.16	0.9
CC72354		0.47	35.8	950	15.4	11.1	<0.001	0.04	0.63	10.0	1.3	0.6	16.7	<0.01	0.10	1.3
CC72355		0.38	18.5	1270	14.8	18.8	<0.001	0.07	0.54	5.9	0.5	0.8	12.4	<0.01	0.10	0.9
CC72356		0.69	15.1	710	12.5	14.0	<0.001	0.05	0.58	1.8	0.3	0.7	12.1	<0.01	0.07	0.2
CC72357		0.56	24.8	640	22.2	11.6	<0.001	0.03	0.73	6.5	0.5	0.5	11.0	0.01	0.08	2.2
CC72358		0.61	21.8	690	11.1	9.7	<0.001	0.03	0.50	4.1	0.3	0.5	9.5	<0.01	0.07	1.0
CC72359		1.13	20.8	580	15.2	9.1	<0.001	0.01	0.69	3.2	0.3	0.6	14.8	0.01	0.05	1.8
CC72361		0.54	32.7	290	21.6	13.7	<0.001	0.01	0.61	4.8	0.2	0.4	10.0	<0.01	0.08	4.5
CC72362		0.45	36.7	630	15.4	12.4	<0.001	0.03	0.49	9.2	0.6	0.4	13.7	0.01	0.09	2.7
CC72363		0.63	15.9	990	17.8	10.5	<0.001	0.09	0.40	4.2	1.0	0.4	23.3	0.01	0.08	0.7
CC72364		0.61	23.3	960	10.2	11.3	0.001	0.09	0.37	7.3	1.7	0.4	41.8	0.01	0.06	1.0
CC72365		0.42	15.1	1540	7.8	8.4	0.007	0.21	0.54	5.3	8.0	0.2	114.5	0.02	0.08	0.4
CC72366		0.58	16.5	240	10.5	10.5	<0.001	0.01	0.38	4.2	0.2	0.5	9.2	<0.01	0.07	3.4
CC72367		1.05	32.2	540	15.2	10.9	<0.001	0.02	0.68	5.7	0.8	0.5	18.1	0.01	0.06	3.3
CC72368		0.80	26.6	850	11.7	11.5	<0.001	0.05	0.52	7.6	1.5	0.5	33.9	0.01	0.07	1.6
CC72369		0.49	24.2	820	12.9	7.1	<0.001	0.09	0.55	4.4	1.9	0.3	77.8	0.01	0.07	0.8
CC72380		0.81	45.8	1930	52.4	10.9	0.001	0.10	2.21	9.8	1.8	0.6	41.9	0.01	0.13	10.3

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 23- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11164702

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
CC72302		0.008	0.05	1.00	38	0.06	8.53	90	1.6
CC72303		<0.005	0.02	0.70	39	<0.05	15.85	97	2.8
CC72304		0.017	0.05	0.64	47	0.16	9.50	80	1.2
CC72305		0.011	0.05	0.47	44	0.11	3.66	65	1.5
CC72306		<0.005	0.04	0.63	26	0.05	6.61	79	2.6
CC72307		0.018	0.05	0.81	46	0.15	10.70	96	1.0
CC72308		<0.005	0.04	0.91	23	0.06	8.47	87	2.4
CC72309		<0.005	<0.02	0.87	18	<0.05	8.00	82	1.8
CC72310		<0.005	0.08	1.67	26	<0.05	10.90	105	2.8
CC72339		<0.005	0.19	0.33	12	<0.05	10.35	70	5.0
CC72340		0.007	0.06	0.22	100	<0.05	9.16	102	1.3
CC72341		<0.005	0.06	0.45	48	<0.05	29.5	91	3.7
CC72342		0.016	0.07	0.39	81	0.09	13.20	85	1.0
CC72343		<0.005	1.17	0.38	16	<0.05	15.00	87	1.9
CC72344		0.006	0.07	0.19	154	<0.05	24.3	119	1.2
CC72345		0.013	0.09	0.48	130	0.10	49.0	118	0.7
CC72346		0.012	0.06	0.47	112	0.08	51.5	78	0.9
CC72347		0.005	0.20	0.38	80	<0.05	23.3	93	1.7
CC72348		0.007	0.06	0.29	83	<0.05	8.59	94	1.1
CC72349		0.008	0.09	0.40	87	0.07	5.74	79	0.6
CC72350		0.012	0.07	0.41	118	0.08	27.8	86	0.9
CC72351		0.009	0.06	0.31	90	0.07	4.23	83	0.9
CC72352		0.008	0.09	0.34	113	0.06	7.07	74	<0.5
CC72353		0.013	0.10	0.28	116	0.06	9.94	81	0.5
CC72354		0.018	0.09	0.52	89	0.12	14.85	86	0.5
CC72355		0.011	0.21	0.34	81	0.09	8.54	70	0.7
CC72356		0.015	0.14	0.48	58	0.17	4.45	45	<0.5
CC72357		0.010	0.14	0.60	40	0.14	11.35	67	1.4
CC72358		0.014	0.08	0.33	64	0.11	4.15	64	<0.5
CC72359		0.026	0.15	0.88	51	0.30	6.44	54	0.6
CC72361		0.005	0.09	0.42	48	0.08	4.06	60	3.4
CC72362		0.007	0.14	0.39	65	0.07	9.24	89	2.1
CC72363		0.013	0.13	0.58	37	0.10	10.90	35	0.9
CC72364		0.012	0.15	0.73	42	0.09	14.10	66	1.9
CC72365		0.008	0.08	1.44	24	0.08	25.5	31	1.4
CC72366		0.011	0.10	0.42	58	0.09	4.54	42	1.2
CC72367		0.022	0.12	0.76	50	0.30	10.35	71	1.3
CC72368		0.016	0.11	1.11	51	0.17	13.60	73	1.5
CC72369		0.009	0.07	1.52	33	0.15	12.50	58	1.6
CC72380		0.027	0.34	2.12	48	0.11	9.69	131	3.7

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 23- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11164702

Sample Description	Method	WEI- 21	Au- TL43	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Recvd Wt.	Au	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
CC72381		0.30	0.002	0.10	1.24	14.3	<0.2	<10	70	1.15	0.60	0.07	0.17	11.85	32.0	20
CC72434		0.18	0.002	0.21	1.23	38.4	<0.2	<10	50	1.08	0.45	0.05	0.19	7.30	49.4	13
CC72435		0.24	0.004	0.15	1.86	10.9	<0.2	<10	50	1.46	0.48	0.07	0.49	5.72	116.0	23
CC72436		0.22	0.001	0.19	0.54	72.8	<0.2	<10	50	1.01	0.40	0.34	0.17	8.94	43.7	14
CC72437		0.22	0.007	0.11	0.91	45.8	<0.2	<10	80	1.27	0.33	1.11	0.12	26.4	31.6	16
CC72438		0.14	0.004	0.07	0.82	72.6	<0.2	<10	100	1.12	0.28	1.10	0.13	22.2	29.9	20
CC72439		0.12	0.002	0.07	0.29	414	<0.2	<10	50	0.89	0.26	2.24	0.08	9.43	23.8	11
CC72440		0.20	0.003	0.10	0.32	76.5	<0.2	<10	50	1.34	0.44	0.34	0.11	9.06	29.7	8
CC72441		0.28	0.001	0.12	0.47	92.8	<0.2	<10	70	1.01	0.41	0.19	0.11	13.00	25.4	18
CC72442		0.24	0.002	0.26	0.75	52.1	<0.2	<10	80	1.08	0.33	0.31	0.17	11.70	25.8	22
CC72443		0.14	0.003	0.11	0.43	140.0	<0.2	<10	80	0.91	0.35	0.35	0.20	8.49	28.1	11
CC72444		0.36	0.008	0.21	0.47	19.2	<0.2	<10	40	1.13	0.62	0.22	0.08	4.65	62.1	14
CC72445		0.22	0.002	0.18	1.75	22.1	<0.2	<10	40	1.11	0.30	0.25	0.15	20.4	37.8	29
CC72446		0.16	0.007	0.26	1.44	16.9	<0.2	<10	70	1.42	0.37	0.97	0.13	25.2	39.7	23
CC72447		0.14	0.015	0.49	2.46	11.1	<0.2	<10	120	2.77	0.37	0.70	0.17	138.5	63.1	37
CC72448		0.14	0.004	0.15	2.43	13.5	<0.2	<10	90	1.75	0.33	0.99	0.16	66.2	55.3	36
CC72449		0.20	0.002	0.12	1.82	23.0	<0.2	<10	100	1.27	0.26	0.83	0.17	42.0	30.1	30
CC72450		0.14	0.002	0.11	2.40	33.3	<0.2	<10	150	1.72	0.20	1.04	0.11	60.4	44.9	37
CC72451		0.22	0.002	0.09	2.03	14.6	<0.2	<10	110	1.93	0.30	0.71	0.18	40.4	60.0	28
CC72452		0.18	0.002	0.08	0.71	24.0	<0.2	<10	60	1.32	0.26	1.05	0.12	26.6	25.5	21
CC72453		0.22	0.002	0.09	1.22	12.1	<0.2	<10	100	1.40	0.28	1.37	0.11	50.0	32.5	25
CC72454		0.20	0.001	0.05	0.48	76.1	<0.2	<10	50	0.29	0.35	0.04	0.09	17.90	17.2	16
CC72455		0.30	0.001	0.07	1.61	25.8	<0.2	<10	70	0.77	0.34	0.10	0.17	9.76	19.2	28
CC72456		0.24	0.001	0.07	0.48	216	<0.2	<10	80	0.57	0.35	0.15	0.13	8.77	13.5	9
CC72457		0.20	0.001	0.09	0.33	206	<0.2	<10	70	0.76	0.38	0.23	0.13	6.33	20.8	10
CC72458		0.16	0.002	0.10	1.44	17.8	<0.2	<10	90	0.81	0.26	1.76	0.12	35.2	20.9	23
CC72459		0.08	0.001	0.06	1.17	14.4	<0.2	<10	70	0.60	0.28	1.30	0.14	26.6	16.9	18
CC72460		0.20	0.002	0.12	0.72	102.5	<0.2	<10	70	0.83	0.52	0.26	0.20	11.55	32.4	15
CC72461		0.32	0.001	0.04	0.29	98.8	<0.2	<10	30	0.30	0.15	0.04	0.24	11.75	16.0	8
CC72462		0.10	0.001	0.14	0.48	42.0	<0.2	<10	60	0.21	0.20	0.16	0.34	6.62	10.3	13
CC72463		0.24	0.001	0.10	1.21	51.8	<0.2	<10	70	0.67	0.38	0.14	0.19	12.25	24.8	26
CC72464		0.24	0.002	0.06	0.75	85.9	<0.2	<10	60	0.41	0.34	0.07	0.15	13.85	20.0	17
CC72465		0.34	0.001	0.04	0.88	160.0	<0.2	<10	60	0.35	0.41	0.02	0.07	17.25	15.5	18
CC72466		0.24	0.003	0.09	0.98	76.9	<0.2	<10	140	0.70	0.39	0.34	0.14	19.25	17.9	16
CC72467		0.36	0.002	0.07	1.53	58.7	<0.2	<10	160	0.73	0.42	0.26	0.11	24.0	17.8	22
CC72468		0.12	0.001	0.07	1.02	46.1	<0.2	<10	190	0.50	0.32	0.58	0.34	10.70	14.5	17
CC72469		0.40	0.001	0.04	1.60	15.6	<0.2	<10	140	0.71	0.37	0.28	0.08	25.9	14.0	23
CC72470		0.34	0.001	0.03	1.64	14.1	<0.2	<10	90	0.73	0.40	0.06	0.14	27.0	15.9	21
CC72471		0.36	0.001	0.03	1.92	17.2	<0.2	<10	120	0.72	0.39	0.10	0.11	23.7	14.6	24
CC72472		0.18	0.001	0.06	1.65	11.9	<0.2	<10	160	0.70	0.41	0.44	0.17	19.80	13.6	22

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 23- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11164702

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
CC72381		3.78	51.4	4.67	3.48	<0.05	0.05	0.07	0.043	0.07	4.6	22.0	0.32	1220	1.94	0.01
CC72434		42.9	81.7	4.83	2.70	<0.05	0.14	1.97	0.056	0.14	2.4	11.0	0.07	1580	2.77	0.01
CC72435		17.00	113.0	7.98	4.78	0.13	0.14	0.45	0.063	0.08	1.4	52.2	0.51	3640	0.95	0.01
CC72436		5.50	79.0	5.89	1.68	0.08	0.10	0.30	0.059	0.09	3.0	6.6	0.15	1540	1.34	0.01
CC72437		4.48	65.6	5.42	2.80	0.15	0.11	0.25	0.057	0.07	12.4	9.2	0.22	1540	1.11	0.01
CC72438		3.47	59.9	5.28	2.47	0.09	0.15	0.12	0.059	0.09	9.1	9.1	0.22	886	0.62	0.01
CC72439		2.56	55.0	4.15	1.04	<0.05	0.13	0.34	0.044	0.07	3.1	2.0	0.09	658	0.87	0.01
CC72440		2.68	90.0	6.21	1.05	0.06	0.09	0.52	0.058	0.07	3.0	1.2	0.07	1160	1.19	0.01
CC72441		4.01	104.5	4.29	2.16	<0.05	0.06	0.22	0.063	0.09	5.3	3.4	0.10	816	0.75	0.01
CC72442		18.80	68.9	4.74	2.43	0.08	0.13	0.12	0.051	0.11	5.5	9.9	0.20	1020	0.50	0.01
CC72443		8.09	66.1	5.09	1.57	<0.05	0.07	0.19	0.051	0.09	2.9	1.9	0.07	1200	0.83	0.01
CC72444		9.50	83.2	6.14	1.67	0.05	0.06	0.37	0.070	0.09	1.9	4.2	0.12	1340	0.98	0.01
CC72445		6.22	86.1	6.79	4.67	0.16	0.15	0.62	0.060	0.07	7.0	38.1	0.61	1210	1.89	0.01
CC72446		12.10	69.5	5.71	4.19	0.19	0.18	0.33	0.063	0.06	11.5	26.9	0.47	1410	0.80	0.01
CC72447		11.15	61.0	9.34	8.86	0.70	0.46	0.47	0.089	0.04	64.9	47.2	0.78	5630	0.74	0.01
CC72448		4.89	60.9	6.39	7.23	0.25	0.24	0.22	0.097	0.08	24.3	49.0	0.90	1980	0.66	0.01
CC72449		4.76	49.0	5.55	5.23	0.16	0.14	0.13	0.065	0.06	16.6	31.5	0.62	900	0.86	0.01
CC72450		4.88	57.9	8.30	7.26	0.26	0.25	0.44	0.069	0.06	17.6	46.9	0.77	2680	0.45	0.01
CC72451		11.15	65.4	5.74	5.95	0.16	0.15	0.13	0.064	0.07	11.4	37.4	0.55	3210	1.16	0.01
CC72452		3.09	58.5	5.23	2.21	0.13	0.14	0.11	0.075	0.09	12.7	4.8	0.11	575	0.47	0.01
CC72453		8.58	60.6	5.87	3.79	0.18	0.19	0.14	0.072	0.09	20.9	18.5	0.38	1160	0.53	0.01
CC72454		2.85	55.6	4.41	4.06	<0.05	<0.02	0.05	0.033	0.06	8.3	1.3	0.05	225	1.88	0.01
CC72455		11.30	51.8	4.62	6.12	0.08	0.03	0.04	0.041	0.09	3.5	27.5	0.46	935	0.88	0.01
CC72456		4.25	46.5	4.98	2.60	0.08	0.03	0.07	0.042	0.07	3.2	1.2	0.04	340	1.18	0.01
CC72457		6.19	51.2	4.43	1.27	0.07	0.08	0.18	0.042	0.10	2.0	1.1	0.05	536	0.63	0.01
CC72458		4.15	39.8	4.20	4.31	0.12	0.08	0.17	0.052	0.06	12.4	22.3	0.41	786	0.55	0.01
CC72459		4.49	34.3	3.40	4.05	0.08	0.08	0.14	0.046	0.07	9.1	15.7	0.33	705	0.53	0.02
CC72460		18.85	64.8	5.32	2.58	0.10	0.07	0.10	0.043	0.08	3.3	7.5	0.21	984	0.77	0.01
CC72461		3.35	60.6	4.64	0.54	0.08	0.03	0.08	0.026	0.05	4.4	1.5	0.04	635	0.41	<0.01
CC72462		3.96	33.9	2.82	3.00	0.05	<0.02	0.10	0.023	0.06	2.7	1.4	0.06	239	1.17	0.01
CC72463		8.13	56.6	4.70	4.44	0.09	0.05	0.07	0.039	0.08	4.1	19.4	0.38	1020	0.74	0.01
CC72464		4.11	61.1	5.02	3.75	0.08	<0.02	0.07	0.032	0.08	5.0	6.3	0.11	677	1.32	0.01
CC72465		3.46	47.1	4.47	4.38	0.08	0.02	0.15	0.036	0.07	6.5	4.7	0.09	377	1.85	<0.01
CC72466		5.53	46.6	4.89	4.16	0.09	0.05	0.31	0.044	0.07	6.5	13.0	0.19	843	1.44	0.01
CC72467		3.70	37.6	4.76	5.43	0.09	0.04	0.09	0.043	0.07	8.1	26.3	0.36	672	1.60	0.01
CC72468		12.55	33.7	4.59	3.67	0.07	0.08	0.16	0.030	0.08	3.5	17.3	0.27	1790	2.36	0.01
CC72469		2.07	27.4	3.90	4.92	0.07	0.07	0.04	0.030	0.08	9.5	40.7	0.53	503	0.90	0.01
CC72470		1.67	29.1	3.98	5.26	0.08	0.06	0.05	0.029	0.08	10.2	45.3	0.44	634	0.84	0.01
CC72471		1.82	26.0	4.53	5.65	0.08	0.08	0.03	0.034	0.09	8.7	52.6	0.49	531	0.76	0.01
CC72472		3.51	28.8	3.93	6.10	0.07	0.08	0.04	0.040	0.07	8.0	32.6	0.41	893	0.98	0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 23- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11164702

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
CC72381		0.29	35.7	570	42.8	7.0	<0.001	0.02	0.79	4.5	0.5	0.4	34.9	<0.01	0.07	2.8
CC72434		0.09	56.4	210	33.9	25.2	0.002	0.03	1.45	13.3	1.2	0.6	22.9	0.01	0.06	2.6
CC72435		0.17	125.5	240	56.2	10.6	0.001	0.02	0.84	14.8	0.8	0.4	21.6	0.01	0.08	2.1
CC72436		0.15	57.1	390	30.1	7.4	0.001	0.04	0.98	12.9	1.1	0.4	25.7	0.01	0.08	2.2
CC72437		0.17	43.6	1030	25.4	8.3	0.001	0.10	1.08	8.8	2.1	0.3	92.7	0.02	0.07	0.8
CC72438		0.22	46.0	710	18.5	7.4	<0.001	0.08	0.67	12.5	1.0	0.4	83.2	0.01	0.04	2.0
CC72439		0.13	37.2	850	17.8	7.7	0.001	0.15	2.46	8.8	0.8	0.3	155.0	0.01	0.06	1.4
CC72440		0.15	51.2	690	27.2	7.5	0.001	0.04	1.57	15.2	0.9	0.3	18.5	0.01	0.11	2.5
CC72441		0.25	37.9	450	28.5	9.0	<0.001	0.02	1.86	11.4	0.5	0.4	28.7	0.01	0.10	1.8
CC72442		0.27	39.6	570	29.1	12.9	<0.001	0.03	0.86	15.5	1.2	0.4	20.0	0.01	0.08	2.8
CC72443		0.19	43.7	750	28.4	11.4	0.001	0.09	2.60	11.5	0.7	0.3	22.9	0.01	0.05	1.1
CC72444		0.14	56.1	250	36.8	8.9	0.001	0.02	1.05	14.1	0.8	0.4	18.7	0.01	0.12	1.9
CC72445		0.26	62.6	310	27.1	7.3	0.001	0.03	0.54	17.1	1.3	0.4	43.4	0.01	0.04	4.3
CC72446		0.29	48.6	820	32.7	9.5	0.001	0.08	1.20	15.7	2.3	0.4	90.2	0.02	0.07	1.6
CC72447		0.37	61.4	930	37.9	8.8	0.002	0.07	1.01	33.4	7.1	0.4	92.5	0.08	0.11	3.8
CC72448		0.30	48.4	840	35.6	10.1	0.001	0.08	0.67	21.5	2.5	0.4	109.0	0.03	0.06	2.3
CC72449		0.41	41.3	740	20.7	9.4	0.001	0.06	0.88	15.4	1.5	0.4	99.2	0.02	0.04	1.9
CC72450		0.24	63.2	730	19.2	9.3	0.001	0.06	0.89	17.9	2.2	0.4	153.0	0.03	0.03	2.7
CC72451		0.41	43.0	980	51.5	13.4	0.001	0.08	0.89	15.2	1.5	0.4	59.1	0.02	0.05	2.4
CC72452		0.20	42.5	790	18.3	8.8	0.001	0.07	1.29	15.6	1.4	0.3	108.0	0.02	0.04	1.9
CC72453		0.26	47.0	820	23.4	10.0	0.001	0.06	0.80	18.2	1.7	0.3	100.5	0.02	0.03	2.7
CC72454		1.08	33.4	320	17.9	13.0	<0.001	0.02	1.69	4.6	0.2	0.7	8.7	0.01	0.08	1.5
CC72455		0.49	25.8	700	24.0	14.2	<0.001	0.05	0.65	4.8	0.6	0.5	9.9	<0.01	0.09	1.2
CC72456		0.39	26.6	690	16.9	10.3	<0.001	0.05	1.70	7.8	0.6	0.4	9.0	0.01	0.08	1.3
CC72457		0.16	32.9	690	22.3	8.7	<0.001	0.07	1.54	10.2	0.7	0.2	15.9	0.01	0.08	1.8
CC72458		0.26	31.2	1120	15.8	8.1	<0.001	0.11	0.55	8.3	1.2	0.3	129.0	0.01	0.03	0.9
CC72459		0.38	22.4	1110	12.5	8.2	<0.001	0.16	0.41	8.0	1.1	0.3	122.5	0.01	0.06	0.9
CC72460		0.18	45.0	750	38.4	8.8	<0.001	0.06	0.93	8.7	0.9	0.3	19.0	0.01	0.13	1.7
CC72461		0.10	35.0	340	17.7	3.3	<0.001	0.01	0.54	8.0	0.4	<0.2	4.2	<0.01	0.04	3.9
CC72462		0.42	20.9	1040	9.1	7.6	<0.001	0.16	0.59	2.5	0.7	0.4	13.0	<0.01	0.06	<0.2
CC72463		0.34	34.4	840	24.5	10.4	<0.001	0.06	0.83	8.7	0.8	0.4	11.7	0.01	0.09	1.5
CC72464		0.50	33.2	550	21.9	10.5	<0.001	0.03	1.21	4.7	0.5	0.5	10.1	<0.01	0.08	1.2
CC72465		0.50	28.2	440	19.9	13.2	<0.001	0.02	2.03	3.6	0.8	0.6	10.9	<0.01	0.09	0.9
CC72466		0.39	32.9	920	24.7	12.0	<0.001	0.03	1.44	6.6	0.9	0.5	21.0	<0.01	0.09	1.5
CC72467		0.53	31.9	580	25.9	12.1	<0.001	0.02	0.86	5.1	0.6	0.5	19.6	<0.01	0.08	2.6
CC72468		0.28	22.8	940	16.1	13.2	<0.001	0.09	0.92	4.5	0.8	0.3	25.9	<0.01	0.07	1.5
CC72469		0.45	31.4	390	19.1	9.3	<0.001	0.02	0.76	3.6	0.5	0.4	20.7	<0.01	0.05	3.9
CC72470		0.38	27.8	320	21.6	9.2	<0.001	0.01	0.64	3.5	0.5	0.4	10.5	<0.01	0.05	4.9
CC72471		0.36	27.9	370	22.6	10.7	<0.001	0.01	0.65	3.2	0.5	0.4	13.0	<0.01	0.05	4.9
CC72472		0.36	19.0	900	17.8	12.2	<0.001	0.05	0.49	4.9	0.7	0.4	33.5	0.01	0.07	2.0

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 23- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11164702

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
CC72381		0.008	0.11	0.99	24	0.06	8.24	91	0.9
CC72434		<0.005	0.68	1.16	22	<0.05	12.05	83	5.6
CC72435		<0.005	0.32	0.81	26	<0.05	10.50	131	5.5
CC72436		<0.005	0.32	0.47	22	0.05	15.20	97	2.5
CC72437		<0.005	0.14	0.75	24	0.08	34.4	91	1.2
CC72438		<0.005	0.19	0.48	29	0.06	18.30	108	3.5
CC72439		<0.005	0.97	0.33	17	0.09	11.15	77	3.6
CC72440		<0.005	0.27	0.57	14	<0.05	10.55	107	2.2
CC72441		0.006	0.12	0.39	32	0.11	12.65	75	1.0
CC72442		0.005	0.23	0.43	34	0.08	22.7	85	2.4
CC72443		<0.005	0.79	0.39	21	0.14	9.97	93	1.2
CC72444		<0.005	0.12	0.36	23	<0.05	11.30	99	1.6
CC72445		0.006	0.15	0.65	33	0.06	24.6	104	3.6
CC72446		0.006	0.13	0.68	28	0.11	40.1	99	2.3
CC72447		0.005	0.14	1.28	45	0.33	153.0	127	3.5
CC72448		0.006	0.13	0.69	40	0.12	52.7	118	2.8
CC72449		0.009	0.09	0.68	39	0.22	32.0	100	1.8
CC72450		<0.005	0.12	0.50	46	0.13	44.9	104	4.6
CC72451		0.009	0.15	0.57	39	0.11	29.4	97	2.1
CC72452		<0.005	0.12	0.58	30	0.11	28.8	97	2.3
CC72453		<0.005	0.10	0.52	35	0.14	34.1	106	3.1
CC72454		0.021	0.18	0.40	54	0.21	3.51	79	<0.5
CC72455		0.012	0.13	0.38	46	0.10	4.60	82	0.6
CC72456		0.010	0.41	0.46	28	0.39	5.66	93	0.6
CC72457		<0.005	0.54	0.47	16	0.14	8.26	88	1.8
CC72458		0.006	0.09	0.56	27	0.07	21.1	72	1.1
CC72459		0.011	0.10	0.42	24	0.07	16.95	83	1.8
CC72460		<0.005	0.24	0.47	29	0.05	9.70	97	1.5
CC72461		<0.005	0.06	0.27	19	<0.05	5.52	55	0.9
CC72462		0.008	0.10	0.35	38	0.08	2.67	50	<0.5
CC72463		0.009	0.19	0.41	39	0.08	9.83	81	0.8
CC72464		0.012	0.16	0.38	39	0.10	3.99	79	<0.5
CC72465		0.013	0.43	0.41	42	0.16	3.62	77	<0.5
CC72466		0.008	0.61	0.61	34	0.18	9.60	85	0.9
CC72467		0.010	0.22	0.56	39	0.12	7.11	76	0.9
CC72468		0.006	0.24	0.44	26	0.06	5.75	83	2.3
CC72469		0.009	0.10	0.63	27	0.10	4.95	78	2.3
CC72470		0.007	0.10	0.57	26	0.07	5.47	70	2.1
CC72471		0.005	0.10	0.57	25	0.06	4.29	74	3.0
CC72472		0.009	0.10	0.63	33	0.07	8.30	71	1.8

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 23- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11164702

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- TL43 Au ppm 0.001	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1
CC72473		0.34	0.001	0.12	1.68	13.6	<0.2	<10	130	0.73	0.38	0.30	0.12	24.6	11.6	24
CC72474		0.18	0.003	0.24	1.65	15.7	<0.2	<10	170	1.02	0.32	1.02	0.31	28.0	15.2	24
CC72475		0.24	0.002	0.20	1.32	16.1	<0.2	<10	50	0.57	0.31	0.04	0.18	38.2	13.9	18
CC72476		0.42	0.002	0.07	1.63	14.2	<0.2	<10	130	0.77	0.30	0.30	0.13	44.0	12.6	28
CC72477		0.38	0.001	0.06	1.51	13.0	<0.2	<10	140	0.72	0.36	0.27	0.10	27.7	12.7	22
CC72500		0.32	0.001	0.06	1.43	14.4	<0.2	<10	120	0.67	0.35	0.30	0.14	24.8	14.3	20
CC81999		0.18	0.002	0.11	1.38	9.3	<0.2	<10	140	0.56	0.26	1.39	0.28	18.10	12.8	20
CC82000		0.20	0.003	0.15	1.48	11.4	<0.2	<10	120	0.68	0.26	1.44	0.27	19.90	15.1	22
ZZ07140		0.22	0.002	0.24	0.35	64.9	<0.2	<10	80	0.94	0.64	0.08	0.16	8.56	27.9	11
ZZ07141		0.24	0.003	0.14	0.25	120.0	<0.2	<10	40	0.38	0.39	0.02	0.09	4.16	18.9	5
ZZ07142		0.16	0.004	0.17	0.83	21.0	<0.2	<10	50	1.22	0.64	0.01	0.18	5.10	93.8	16
ZZ07143		0.22	<0.001	0.07	0.58	25.8	<0.2	<10	70	0.98	0.37	0.08	0.14	13.50	33.5	19
ZZ07144		0.22	0.001	0.06	0.49	178.0	<0.2	<10	50	0.37	0.39	0.02	0.09	12.95	14.1	14
ZZ07145		0.16	0.001	0.07	0.96	46.3	<0.2	<10	150	0.91	0.37	0.20	0.13	21.7	22.2	22
ZZ07146		0.20	0.001	0.10	2.09	15.7	<0.2	<10	110	1.52	0.56	0.32	0.22	28.4	47.9	30
ZZ07147		0.18	0.001	0.12	2.04	12.8	<0.2	<10	100	1.27	0.39	0.65	0.29	27.1	36.6	33
ZZ07148		0.20	0.001	0.27	1.47	32.9	<0.2	<10	60	1.12	0.36	0.07	0.16	20.7	27.5	27
ZZ07232		0.26	0.001	0.09	0.46	60.6	<0.2	<10	60	0.67	0.40	0.13	0.13	7.20	33.3	16
ZZ07578		0.20	0.005	0.10	1.99	12.2	<0.2	<10	150	1.00	0.22	0.50	0.26	67.7	22.9	70
ZZ07579		0.22	0.004	0.07	2.32	8.3	<0.2	<10	200	1.32	0.48	0.27	0.24	78.5	42.0	59
ZZ07580		0.36	0.004	0.07	2.17	8.9	<0.2	<10	130	1.29	0.45	0.27	0.19	75.1	27.4	50
ZZ07581		0.28	0.004	0.07	2.06	15.2	<0.2	<10	130	1.45	0.46	0.40	0.21	51.9	38.5	38
ZZ07582		0.22	0.004	0.12	1.91	34.3	<0.2	<10	40	0.90	0.57	0.04	0.05	19.60	39.8	31
ZZ07583		0.26	0.002	0.13	2.41	26.0	<0.2	<10	40	1.28	0.54	0.01	0.05	23.2	37.5	32
ZZ07584		0.24	0.001	0.09	0.77	18.8	<0.2	<10	40	0.99	0.43	0.23	0.09	13.65	20.5	10
ZZ07585		0.14	0.001	0.04	1.36	15.0	<0.2	<10	60	1.07	0.33	0.15	0.10	15.85	11.0	16
ZZ07586		0.18	0.001	0.05	1.05	12.8	<0.2	<10	60	0.86	0.41	0.05	0.08	12.10	13.1	19
ZZ07587		0.16	0.001	0.10	1.45	15.3	<0.2	<10	70	1.52	0.41	0.28	0.12	14.00	16.9	22
ZZ07598		0.18	0.001	0.10	1.68	20.3	<0.2	<10	80	1.28	0.46	0.11	0.19	14.20	19.7	23
ZZ07599		0.18	0.008	0.08	1.70	23.4	<0.2	<10	60	1.63	0.54	0.10	0.09	11.35	28.5	23
ZZ07600		0.28	0.005	0.26	2.14	51.5	<0.2	<10	100	1.88	0.84	0.30	0.18	34.5	48.2	22
ZZ07611		0.26	0.006	0.29	2.11	23.7	<0.2	<10	50	2.73	0.40	0.02	0.29	14.95	30.9	26
ZZ07612		0.24	0.007	0.30	1.90	10.7	<0.2	<10	40	2.80	0.67	0.05	0.18	13.90	52.6	23
ZZ07613		0.26	0.003	0.10	0.68	17.5	<0.2	<10	30	0.53	0.35	0.03	0.07	3.29	9.7	15
ZZ07614		0.32	0.004	0.11	1.36	6.3	<0.2	<10	30	0.85	0.29	0.39	0.17	9.95	19.3	27
ZZ07615		0.24	0.004	0.09	1.49	13.9	<0.2	<10	40	0.80	0.32	0.12	0.14	8.49	25.7	26
ZZ07616		0.22	0.003	0.07	1.29	8.7	<0.2	<10	70	0.83	0.32	0.14	0.11	7.48	19.4	23
ZZ07617		0.28	0.003	0.21	1.33	17.7	<0.2	<10	30	1.94	0.55	0.10	0.25	7.28	72.8	18
ZZ07618		0.26	0.003	0.07	1.06	13.1	<0.2	<10	50	0.72	0.28	0.10	0.12	12.10	25.2	19
ZZ07619		0.24	0.003	0.19	1.61	14.0	<0.2	<10	40	1.06	0.35	0.21	0.21	9.35	32.0	29

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 23- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11164702

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
CC72473		1.91	26.6	3.88	5.34	0.09	0.07	0.09	0.036	0.07	10.7	34.4	0.43	504	0.88	0.01
CC72474		8.59	54.1	3.54	4.76	0.10	0.11	0.16	0.039	0.09	13.3	30.6	0.51	663	0.85	0.01
CC72475		6.36	42.4	3.41	4.87	0.08	0.03	0.07	0.034	0.07	16.5	16.4	0.34	595	1.43	0.01
CC72476		1.28	32.1	3.26	5.12	0.08	0.05	0.03	0.029	0.05	16.0	26.1	0.57	473	0.80	0.01
CC72477		1.05	29.7	3.82	4.53	0.08	0.09	0.06	0.026	0.06	11.7	49.4	0.59	432	0.60	0.01
CC72500		1.08	28.0	3.75	4.44	0.07	0.07	0.04	0.026	0.05	9.0	45.1	0.55	639	0.59	0.01
CC81999		2.17	31.9	2.80	4.55	0.06	0.08	0.09	0.028	0.05	7.5	33.1	0.58	496	0.57	0.01
CC82000		4.85	61.8	3.31	4.70	0.08	0.08	0.14	0.031	0.07	9.0	34.8	0.65	520	0.52	0.01
ZZ07140		11.75	73.4	5.02	1.49	0.08	0.06	0.27	0.049	0.09	3.2	3.7	0.07	632	1.24	0.01
ZZ07141		2.56	42.3	2.85	1.09	0.05	0.02	0.21	0.029	0.08	1.5	1.3	0.02	390	0.71	<0.01
ZZ07142		21.0	124.5	9.98	2.22	0.16	0.06	0.36	0.054	0.07	1.0	11.5	0.11	4130	0.87	<0.01
ZZ07143		15.80	93.1	5.07	2.70	0.09	0.02	0.06	0.050	0.09	4.6	6.9	0.13	876	0.62	<0.01
ZZ07144		4.33	44.1	3.72	2.92	0.07	0.02	0.16	0.033	0.09	4.0	1.8	0.04	589	1.00	<0.01
ZZ07145		7.03	48.9	4.54	4.17	0.08	0.05	0.04	0.037	0.08	6.3	12.4	0.24	1230	0.88	0.01
ZZ07146		9.54	61.3	5.29	6.87	0.10	0.12	0.05	0.051	0.11	6.6	40.1	0.67	2850	1.00	0.01
ZZ07147		8.17	55.1	4.50	6.69	0.10	0.13	0.07	0.047	0.09	7.2	39.7	0.71	2880	0.96	0.01
ZZ07148		9.24	47.4	4.61	5.28	0.10	0.03	0.26	0.039	0.07	7.3	26.2	0.43	962	3.96	0.01
ZZ07232		3.88	135.5	4.95	1.99	0.08	0.04	0.09	0.047	0.08	2.5	3.3	0.12	396	0.62	0.01
ZZ07578		3.05	39.8	3.16	7.53	0.19	0.23	0.07	0.041	0.08	29.9	49.2	2.03	591	0.98	0.02
ZZ07579		6.74	65.8	3.46	8.46	0.20	0.20	0.03	0.041	0.11	33.4	77.1	2.30	1180	0.71	0.01
ZZ07580		4.60	55.7	3.39	7.88	0.22	0.31	0.03	0.035	0.11	33.8	71.7	2.27	599	0.98	0.02
ZZ07581		4.03	76.6	4.39	6.95	0.17	0.26	0.05	0.036	0.10	21.9	66.1	1.73	1040	0.80	0.02
ZZ07582		6.65	113.0	5.99	6.23	0.13	0.12	0.08	0.067	0.08	8.3	41.2	0.54	1350	0.95	0.01
ZZ07583		9.66	89.2	5.87	7.33	0.14	0.10	0.04	0.056	0.08	9.0	64.5	0.78	1300	0.80	0.01
ZZ07584		1.86	33.3	3.72	2.31	0.10	0.08	0.06	0.031	0.08	4.5	17.2	0.18	756	0.55	0.02
ZZ07585		1.29	23.9	3.85	3.81	0.10	0.12	0.03	0.040	0.05	5.6	41.5	0.38	444	0.77	0.01
ZZ07586		2.76	32.4	3.96	3.79	0.07	0.04	0.04	0.040	0.06	5.0	22.1	0.19	571	0.61	0.01
ZZ07587		5.56	39.2	4.07	4.59	0.06	0.11	0.04	0.036	0.08	5.0	55.1	0.39	628	0.68	<0.01
ZZ07598		4.86	33.2	4.62	5.66	0.05	0.04	0.06	0.040	0.05	3.9	49.7	0.37	1300	0.99	0.01
ZZ07599		5.96	42.4	5.02	5.57	0.05	0.07	0.04	0.043	0.06	3.3	58.0	0.44	1270	0.81	0.01
ZZ07600		8.65	62.2	7.89	5.81	0.14	0.14	0.12	0.054	0.07	9.3	84.7	0.78	1830	0.99	0.01
ZZ07611		21.5	71.1	6.79	6.12	0.09	0.07	0.19	0.060	0.08	4.4	47.5	0.75	1620	5.78	0.01
ZZ07612		14.95	104.5	5.48	5.41	0.09	0.07	0.10	0.046	0.07	4.1	50.0	0.77	2810	2.46	<0.01
ZZ07613		3.07	55.8	5.88	2.67	0.05	0.04	1.23	0.052	0.06	1.3	3.7	0.04	159	2.81	<0.01
ZZ07614		4.68	54.9	4.11	4.07	0.07	0.11	0.24	0.039	0.07	4.2	32.7	0.55	706	0.80	0.01
ZZ07615		5.11	49.8	4.47	4.23	0.05	0.05	0.26	0.032	0.05	3.4	33.0	0.54	471	0.87	<0.01
ZZ07616		6.13	48.2	4.55	4.95	<0.05	0.04	0.27	0.041	0.06	3.0	19.9	0.30	1080	1.00	0.01
ZZ07617		16.40	152.5	7.60	3.23	0.08	0.08	2.81	0.079	0.07	2.1	36.5	0.35	5630	1.95	<0.01
ZZ07618		8.21	50.5	4.63	3.11	0.06	0.04	0.11	0.036	0.05	4.3	23.1	0.32	751	0.83	0.01
ZZ07619		8.44	66.2	5.47	4.60	0.07	0.09	0.11	0.042	0.07	3.8	35.8	0.60	1120	0.87	0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 23- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11164702

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
CC72473		0.41	24.1	860	19.3	10.0	<0.001	0.02	0.57	4.8	1.0	0.5	25.7	0.01	0.06	2.7
CC72474		0.49	29.2	930	17.5	11.5	<0.001	0.07	0.78	7.5	1.9	0.4	63.7	0.01	0.06	2.1
CC72475		0.69	21.3	520	17.1	8.9	<0.001	0.03	0.76	3.5	1.1	0.5	5.6	<0.01	0.09	2.9
CC72476		0.85	34.3	440	15.8	8.0	<0.001	0.01	0.75	4.1	0.7	0.5	23.2	0.01	0.04	3.9
CC72477		0.27	31.2	360	18.8	5.7	<0.001	0.01	0.79	4.1	0.7	0.3	26.7	<0.01	0.05	5.8
CC72500		0.28	28.5	360	20.0	6.1	<0.001	0.02	0.71	3.2	0.7	0.3	25.0	<0.01	0.05	3.0
CC81999		0.45	22.2	750	13.0	7.8	<0.001	0.09	0.49	3.8	1.5	0.3	118.5	<0.01	0.05	1.4
CC82000		0.29	28.7	700	12.8	8.9	0.001	0.08	0.59	6.2	2.0	0.3	116.5	<0.01	0.06	1.6
ZZ07140		0.14	39.5	400	46.8	8.9	<0.001	0.03	4.72	8.2	0.7	0.4	22.7	<0.01	0.10	3.3
ZZ07141		0.07	24.7	370	27.9	6.6	<0.001	0.09	6.14	4.2	0.6	0.3	29.8	<0.01	0.07	1.5
ZZ07142		0.16	65.0	200	53.1	8.6	0.001	0.11	0.92	14.4	1.3	0.4	8.2	<0.01	0.11	2.2
ZZ07143		0.29	45.1	410	29.1	10.0	<0.001	0.01	0.73	7.9	0.5	0.6	15.0	<0.01	0.05	2.6
ZZ07144		0.21	20.1	650	22.6	11.4	<0.001	0.04	1.63	3.9	0.6	0.6	12.2	<0.01	0.06	1.1
ZZ07145		0.24	28.9	810	25.7	13.5	<0.001	0.03	0.67	5.5	0.6	0.5	12.8	<0.01	0.07	1.4
ZZ07146		0.31	29.5	1610	60.4	17.5	<0.001	0.09	0.76	8.4	1.0	0.6	21.1	0.01	0.10	2.8
ZZ07147		0.38	30.9	1710	37.1	13.8	<0.001	0.09	0.64	8.9	1.0	0.5	34.9	0.01	0.08	2.3
ZZ07148		0.68	33.0	520	49.1	9.9	<0.001	0.04	2.57	6.6	1.3	0.6	16.9	<0.01	0.08	2.7
ZZ07232		0.15	45.1	430	21.5	6.4	<0.001	0.02	1.99	5.5	0.4	0.4	19.8	<0.01	0.06	2.1
ZZ07578		0.34	36.4	1320	21.9	11.7	<0.001	0.05	0.51	8.6	1.4	0.4	37.2	0.01	0.03	6.3
ZZ07579		0.11	48.7	900	69.3	12.8	<0.001	0.03	0.33	8.3	1.0	0.4	30.3	0.01	0.03	11.6
ZZ07580		0.08	45.4	750	33.9	12.3	<0.001	0.05	0.30	6.7	0.9	0.4	39.7	0.01	0.02	12.0
ZZ07581		0.05	51.9	530	44.1	9.1	<0.001	0.05	0.46	6.7	0.8	0.5	72.3	0.01	0.04	10.2
ZZ07582		0.08	24.3	430	51.9	11.2	0.001	0.08	0.69	5.3	1.1	0.5	37.3	<0.01	0.13	6.4
ZZ07583		0.08	40.0	650	52.7	10.7	<0.001	0.08	0.75	7.8	0.8	0.5	40.1	<0.01	0.11	6.4
ZZ07584		0.05	35.6	710	29.9	5.0	0.001	0.13	0.30	4.3	0.9	0.3	42.7	0.01	0.05	5.2
ZZ07585		0.11	26.4	800	19.3	7.1	<0.001	0.03	0.29	4.3	0.8	0.4	18.3	<0.01	0.04	2.7
ZZ07586		0.21	25.5	900	24.5	8.8	<0.001	0.06	0.44	2.3	0.3	0.4	24.6	<0.01	0.05	1.3
ZZ07587		0.24	32.0	1040	31.1	11.5	<0.001	0.05	0.47	4.6	0.8	0.4	22.3	<0.01	0.05	2.3
ZZ07598		0.32	25.2	1310	36.7	12.6	<0.001	0.09	0.65	3.1	0.8	0.5	13.7	<0.01	0.09	1.1
ZZ07599		0.23	33.5	940	47.1	12.3	<0.001	0.05	0.64	4.7	0.8	0.5	11.3	<0.01	0.10	2.4
ZZ07600		0.17	57.8	870	73.8	9.8	<0.001	0.02	1.18	11.7	1.4	0.4	29.9	0.01	0.20	7.6
ZZ07611		0.21	45.0	1270	45.2	8.9	0.002	0.09	1.68	8.7	2.1	0.5	36.9	<0.01	0.06	10.4
ZZ07612		0.15	53.9	640	52.6	7.4	0.001	0.04	0.70	7.4	1.5	0.5	24.1	0.01	0.06	6.1
ZZ07613		0.12	24.9	840	19.4	8.4	0.002	0.04	1.41	3.5	1.6	0.4	9.5	<0.01	0.08	1.1
ZZ07614		0.14	32.9	860	22.0	6.8	<0.001	0.05	1.03	8.4	0.9	0.4	23.7	<0.01	0.05	2.1
ZZ07615		0.30	35.6	420	27.2	7.6	<0.001	0.02	2.12	5.0	0.5	0.4	12.1	<0.01	0.06	1.9
ZZ07616		0.21	25.8	1500	23.5	13.2	<0.001	0.07	1.13	4.1	0.6	0.5	13.3	<0.01	0.07	0.7
ZZ07617		0.09	96.7	460	110.0	8.4	0.001	0.05	2.35	12.0	2.0	0.5	14.3	<0.01	0.22	2.6
ZZ07618		0.26	37.5	440	20.9	7.7	<0.001	0.02	0.66	6.4	0.6	0.4	16.0	<0.01	0.06	1.7
ZZ07619		0.20	39.3	810	36.6	9.3	<0.001	0.04	0.72	10.6	1.0	0.4	20.1	<0.01	0.07	2.0

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 23- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11164702

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
CC72473		0.007	0.12	1.04	31	0.13	11.90	83	1.6
CC72474		0.011	0.15	1.42	32	0.11	21.9	78	2.2
CC72475		0.015	0.14	0.48	35	0.13	3.59	55	0.6
CC72476		0.032	0.13	0.77	41	0.18	8.40	76	1.1
CC72477		0.007	0.06	0.66	20	0.05	8.26	80	3.6
CC72500		0.007	0.06	0.82	21	0.06	5.77	72	2.2
CC81999		0.010	0.08	1.02	29	0.29	7.56	82	2.1
CC82000		0.006	0.13	0.92	33	0.07	11.80	81	2.2
ZZ07140		<0.005	0.41	0.59	18	0.06	8.96	108	1.9
ZZ07141		<0.005	0.94	0.30	10	0.05	4.98	60	0.6
ZZ07142		<0.005	0.25	0.70	22	<0.05	5.74	99	2.8
ZZ07143		0.007	0.18	0.50	36	0.05	6.86	97	<0.5
ZZ07144		0.005	0.92	0.35	30	0.08	3.98	77	<0.5
ZZ07145		0.007	0.22	0.38	40	0.07	6.25	81	0.9
ZZ07146		0.008	0.21	0.62	45	0.07	13.60	91	2.5
ZZ07147		0.012	0.17	0.67	49	0.09	15.35	84	2.7
ZZ07148		0.028	0.61	0.68	43	0.17	7.03	85	<0.5
ZZ07232		<0.005	0.11	0.34	35	<0.05	5.37	83	0.9
ZZ07578		0.019	0.14	2.27	40	0.09	26.9	118	7.2
ZZ07579		0.011	0.11	1.87	29	0.05	20.2	136	10.2
ZZ07580		0.013	0.10	2.11	28	<0.05	15.20	124	16.6
ZZ07581		0.007	0.13	1.86	21	<0.05	13.40	142	15.2
ZZ07582		<0.005	0.29	1.02	19	<0.05	4.88	84	6.4
ZZ07583		<0.005	0.16	1.44	22	<0.05	7.13	117	6.0
ZZ07584		<0.005	0.13	0.99	8	<0.05	12.60	91	3.2
ZZ07585		<0.005	0.09	0.82	14	0.06	12.15	100	2.9
ZZ07586		0.005	0.10	0.75	21	<0.05	3.95	99	1.1
ZZ07587		0.007	0.08	1.12	20	0.05	12.65	94	3.1
ZZ07598		0.009	0.12	0.86	29	0.05	6.11	84	1.1
ZZ07599		0.007	0.11	0.77	24	<0.05	8.36	91	1.8
ZZ07600		0.008	0.15	1.55	24	0.06	27.5	131	4.7
ZZ07611		0.007	0.27	1.58	32	<0.05	11.30	122	2.7
ZZ07612		0.006	0.13	1.68	24	<0.05	13.65	127	2.7
ZZ07613		<0.005	0.22	0.39	25	<0.05	2.80	86	1.0
ZZ07614		0.005	0.09	0.38	35	<0.05	12.15	86	2.9
ZZ07615		0.009	0.08	0.40	35	0.07	4.14	85	1.4
ZZ07616		0.006	0.15	0.41	40	0.05	5.16	77	0.9
ZZ07617		<0.005	1.28	0.53	20	<0.05	9.76	152	4.2
ZZ07618		0.008	0.09	0.47	32	0.06	6.58	83	1.1
ZZ07619		0.007	0.11	0.65	37	0.05	13.10	99	2.4

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 23- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11164702

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- TL43 Au ppm 0.001	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1
ZZ07620		0.24	0.004	0.29	1.70	16.2	<0.2	<10	40	1.41	0.51	0.20	0.17	8.66	41.0	29
ZZ07621		0.26	0.003	0.13	2.12	8.9	<0.2	<10	20	1.18	0.41	0.01	0.06	5.11	46.2	38
ZZ07622		0.20	0.002	0.09	0.53	26.6	<0.2	<10	40	0.87	0.32	0.26	0.09	7.47	23.0	21
ZZ07623		0.30	0.003	0.09	0.64	13.1	<0.2	<10	50	0.83	0.28	0.04	0.19	9.44	20.1	16
ZZ07624		0.24	0.003	0.20	0.88	6.9	<0.2	<10	60	1.04	0.28	0.29	0.15	10.25	24.9	25
ZZ07625		0.32	0.003	0.13	1.46	15.0	<0.2	<10	60	1.59	0.34	0.03	0.20	7.35	19.5	18
ZZ07626		0.34	0.003	0.19	0.53	21.7	<0.2	<10	80	1.07	0.60	0.52	0.23	8.98	25.3	10
ZZ07627		0.30	0.003	0.15	1.28	22.6	<0.2	<10	100	1.38	0.41	0.22	0.13	14.20	19.6	16
ZZ07628		0.26	0.002	0.16	0.45	20.5	<0.2	<10	50	1.26	0.41	2.95	0.23	11.15	25.4	8
ZZ07629		0.26	0.007	0.59	1.65	78.9	<0.2	<10	30	1.28	0.74	0.02	0.10	6.58	13.3	38
ZZ07630		0.26	0.003	0.20	1.47	78.6	<0.2	<10	20	1.50	0.58	<0.01	0.06	5.18	15.1	44
ZZ07671		0.12	0.004	0.13	0.95	15.5	<0.2	<10	120	0.93	0.31	1.34	0.28	26.8	12.1	16
ZZ07672		0.16	0.003	0.11	0.38	10.1	<0.2	<10	40	0.65	0.35	0.72	0.09	9.10	13.5	10
ZZ07673		0.16	0.006	0.13	1.03	13.9	<0.2	<10	110	0.92	0.28	1.46	0.16	13.75	11.9	15
ZZ07674		0.16	0.003	0.16	1.62	12.8	<0.2	<10	130	0.88	0.25	1.79	0.26	23.9	10.3	23
ZZ07675		0.20	0.004	0.12	1.73	17.4	<0.2	<10	150	1.16	0.33	1.35	0.12	21.4	15.9	23
ZZ07676		0.36	0.003	0.14	1.80	14.8	<0.2	<10	70	1.51	0.42	0.38	0.12	14.30	27.1	25
ZZ07677		0.14	0.006	0.09	1.28	9.6	<0.2	<10	90	1.04	0.25	2.41	0.26	8.96	11.1	17
ZZ07678		0.20	0.004	0.12	1.34	11.9	<0.2	<10	80	1.16	0.31	1.38	0.16	15.15	14.7	20
ZZ07679		0.20	0.002	0.08	1.28	10.3	<0.2	<10	70	0.93	0.29	1.83	0.22	9.30	14.1	17
ZZ07680		0.24	0.002	0.06	1.59	11.9	<0.2	<10	100	0.91	0.33	0.59	0.12	24.7	12.0	26
ZZ07681		0.18	0.003	0.11	1.39	26.1	<0.2	<10	90	1.69	0.59	0.29	0.18	27.1	34.4	20
ZZ07682		0.24	0.003	0.08	1.79	12.1	<0.2	<10	60	0.98	0.43	0.04	0.15	13.05	21.9	27

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 23- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11164702

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
ZZ07620		8.87	82.9	6.41	4.90	0.08	0.12	0.11	0.053	0.08	3.0	41.7	0.61	875	1.46	0.01
ZZ07621		19.45	119.5	9.33	5.58	0.09	0.06	0.17	0.094	0.08	1.5	41.5	0.49	1080	0.88	<0.01
ZZ07622		3.24	51.8	4.60	1.91	0.05	0.07	0.10	0.040	0.07	3.1	4.1	0.12	582	0.61	0.01
ZZ07623		2.11	55.5	5.00	2.07	0.06	0.03	0.17	0.040	0.05	3.8	8.0	0.13	834	0.92	<0.01
ZZ07624		14.05	58.5	6.67	2.33	0.08	0.11	0.12	0.047	0.05	4.2	11.8	0.28	1710	0.50	0.01
ZZ07625		3.59	46.6	4.39	3.92	0.06	0.06	0.05	0.038	0.06	2.8	30.1	0.43	1060	2.92	0.01
ZZ07626		4.80	75.0	6.05	1.48	0.07	0.08	1.23	0.050	0.08	3.4	6.7	0.20	818	4.20	0.02
ZZ07627		7.73	45.5	5.09	3.60	0.08	0.10	0.14	0.044	0.07	4.5	19.0	0.20	2210	1.59	0.02
ZZ07628		3.05	61.6	5.39	0.99	0.07	0.15	0.13	0.047	0.08	3.7	3.6	0.60	1360	4.02	0.01
ZZ07629		9.10	121.5	13.15	6.19	0.14	0.09	0.12	0.098	0.06	2.3	18.2	0.33	232	19.30	0.01
ZZ07630		6.03	141.5	13.40	5.59	0.15	0.15	0.31	0.103	0.04	1.9	22.3	0.35	231	15.25	0.01
ZZ07671		0.79	28.8	3.80	2.52	0.07	0.05	0.09	0.036	0.04	10.3	6.7	0.18	615	0.86	0.01
ZZ07672		1.11	38.2	3.20	1.36	0.05	0.07	0.06	0.029	0.05	4.0	2.8	0.06	212	0.44	0.01
ZZ07673		1.65	30.3	2.78	2.95	0.05	0.06	0.11	0.031	0.05	6.3	9.1	0.17	428	0.65	0.01
ZZ07674		1.27	17.0	3.02	4.72	0.11	0.04	0.13	0.028	0.05	10.9	15.5	0.39	528	0.84	0.02
ZZ07675		1.79	29.7	3.82	5.52	0.10	0.06	0.11	0.040	0.06	8.7	26.2	0.39	602	1.03	0.01
ZZ07676		5.97	51.9	5.37	5.47	0.11	0.11	0.17	0.037	0.12	6.5	55.7	0.68	885	1.31	0.01
ZZ07677		1.23	29.5	3.26	3.79	0.09	0.08	0.08	0.027	0.07	3.6	26.7	0.39	407	0.84	0.01
ZZ07678		2.66	35.2	4.08	3.89	0.11	0.11	0.13	0.039	0.09	5.6	32.9	0.45	621	0.74	0.01
ZZ07679		1.75	33.2	3.67	3.81	0.10	0.08	0.12	0.032	0.07	4.0	28.8	0.47	528	0.84	0.01
ZZ07680		1.55	19.5	3.61	5.90	0.09	0.05	0.06	0.035	0.06	10.7	35.7	0.47	434	1.10	0.01
ZZ07681		5.27	53.7	6.12	4.51	0.14	0.09	0.07	0.049	0.08	9.7	49.4	0.45	1600	0.71	0.01
ZZ07682		3.18	45.1	4.78	6.27	0.09	0.07	0.05	0.039	0.08	4.4	48.4	0.41	1020	1.05	0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 23- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11164702

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
ZZ07620		0.15	44.3	570	58.4	9.4	<0.001	0.08	0.96	12.1	1.0	0.5	34.4	<0.01	0.11	2.7
ZZ07621		0.16	36.6	510	57.5	12.1	<0.001	0.12	0.61	18.5	1.0	0.5	11.2	<0.01	0.08	2.7
ZZ07622		0.19	35.9	730	23.9	6.8	<0.001	0.04	0.63	9.4	0.7	0.4	19.5	<0.01	0.07	1.2
ZZ07623		0.17	35.0	660	23.4	6.4	<0.001	0.03	0.77	6.9	0.9	0.4	14.5	<0.01	0.06	1.6
ZZ07624		0.15	45.3	630	41.8	8.4	<0.001	0.04	0.49	11.9	1.1	0.3	20.1	0.01	0.07	1.6
ZZ07625		0.15	36.5	770	25.8	7.4	0.002	0.08	0.76	4.6	0.9	0.4	39.1	<0.01	0.06	3.6
ZZ07626		0.07	49.5	550	37.3	5.4	0.003	0.19	1.04	5.6	1.4	0.5	54.3	<0.01	0.12	3.4
ZZ07627		0.14	36.4	1460	32.2	9.8	0.001	0.13	0.69	5.5	1.3	0.4	64.2	0.01	0.11	3.2
ZZ07628		0.07	53.9	890	33.4	4.9	0.002	0.23	0.95	10.0	1.3	0.4	61.1	0.01	0.06	7.9
ZZ07629		0.18	23.3	2030	58.7	7.3	0.003	0.13	3.64	5.4	4.8	0.6	10.7	<0.01	0.24	7.7
ZZ07630		0.12	31.1	1740	34.3	4.0	0.007	0.32	3.09	6.9	4.8	0.5	20.6	<0.01	0.20	6.8
ZZ07671		0.37	26.1	990	20.1	6.0	<0.001	0.11	0.58	3.7	1.1	0.3	103.5	0.01	0.07	0.7
ZZ07672		0.12	27.7	600	24.1	5.0	<0.001	0.05	0.21	3.2	0.7	0.5	59.7	<0.01	0.06	2.2
ZZ07673		0.34	24.9	1070	18.8	9.5	<0.001	0.11	0.61	2.5	1.1	0.4	119.5	<0.01	0.05	0.7
ZZ07674		0.53	21.4	1370	15.1	7.6	<0.001	0.17	0.58	2.0	0.6	0.5	121.5	<0.01	0.05	0.6
ZZ07675		0.41	27.2	1270	22.2	9.7	<0.001	0.12	0.77	2.9	0.8	0.6	110.5	<0.01	0.07	1.0
ZZ07676		0.10	41.6	600	30.8	9.0	0.001	0.07	0.64	6.8	0.8	0.5	55.1	<0.01	0.07	5.6
ZZ07677		0.19	21.4	1070	16.5	7.3	<0.001	0.20	0.45	2.2	0.8	0.3	149.0	<0.01	0.05	0.8
ZZ07678		0.18	26.6	1260	21.1	10.0	<0.001	0.23	0.47	4.4	1.7	0.4	102.5	<0.01	0.06	1.4
ZZ07679		0.22	24.1	1010	18.3	8.2	<0.001	0.14	0.49	3.0	1.1	0.3	134.5	<0.01	0.06	0.8
ZZ07680		0.51	22.7	760	18.9	9.2	<0.001	0.04	0.57	4.0	0.7	0.6	55.1	<0.01	0.05	1.7
ZZ07681		0.14	43.3	840	58.5	8.8	<0.001	0.02	0.85	10.2	1.1	0.4	32.0	<0.01	0.09	5.9
ZZ07682		0.25	28.4	850	34.7	14.3	<0.001	0.06	0.57	3.3	0.7	0.5	8.9	<0.01	0.09	1.9

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 23- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11164702

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
ZZ07620		0.005	0.14	1.00	33	<0.05	12.35	112	3.5
ZZ07621		<0.005	0.24	0.54	34	<0.05	5.61	110	2.7
ZZ07622		0.006	0.10	0.40	36	0.05	8.17	82	1.8
ZZ07623		0.005	0.12	0.49	33	0.07	8.97	90	0.6
ZZ07624		0.005	0.10	0.59	45	<0.05	15.85	92	3.0
ZZ07625		<0.005	0.13	0.90	23	<0.05	8.41	90	1.4
ZZ07626		<0.005	0.19	1.00	19	<0.05	10.25	121	2.7
ZZ07627		<0.005	0.13	1.19	19	<0.05	17.45	85	2.1
ZZ07628		<0.005	0.13	1.25	16	<0.05	15.75	105	8.1
ZZ07629		0.005	0.30	1.08	47	<0.05	5.81	113	4.8
ZZ07630		<0.005	0.21	1.45	49	<0.05	5.65	146	7.2
ZZ07671		0.011	0.08	0.97	27	0.16	14.95	87	0.8
ZZ07672		<0.005	0.05	0.90	13	<0.05	8.28	75	2.1
ZZ07673		0.006	0.11	2.07	22	0.07	9.47	70	1.5
ZZ07674		0.017	0.13	1.41	39	0.24	9.54	74	1.0
ZZ07675		0.009	0.14	1.63	36	0.11	9.11	73	1.7
ZZ07676		<0.005	0.11	0.92	25	<0.05	13.00	111	4.1
ZZ07677		0.005	0.08	2.16	20	<0.05	6.12	84	2.2
ZZ07678		0.006	0.08	1.95	21	<0.05	11.20	87	4.1
ZZ07679		0.007	0.09	1.35	21	<0.05	6.78	110	2.0
ZZ07680		0.015	0.13	1.37	41	0.20	6.29	73	1.1
ZZ07681		0.008	0.13	1.33	21	<0.05	20.6	123	2.4
ZZ07682		0.009	0.16	0.83	31	0.06	4.87	107	1.8

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 23- SEP- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11164702

Method	CERTIFICATE COMMENTS
ME- MS41	Gold determinations by this method are semi- quantitative due to the small sample weight used (0.5g).

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 3- OCT- 2011
Account: RCM

CERTIFICATE WH11167454

Project: Rackla Gold (Nadaleen Trend)

P.O. No.: S6 Area B

This report is for 147 Soil samples submitted to our lab in Whitehorse, YT, Canada on 22- AUG- 2011.

The following have access to data associated with this certificate:

ROB CARNE JULIA LANE	ANDREW CARNE JOAN MARIACHER	MATT DUMALA

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
SCR- 41	Screen to - 180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- TL43	Trace Level Au - 25g AR	ICP- MS
ME- MS41	51 anal. aqua regia ICPMS	

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 3- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11167454

Sample Description	Method	WEI- 21	Au- TL43	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Recvd Wt.	Au	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
CC72152		0.30	0.002	0.05	0.30	7.9	<0.2	<10	50	1.19	0.38	0.08	0.04	15.95	15.1	16
CC72153		0.32	0.001	0.08	1.06	16.3	<0.2	<10	70	1.03	0.38	5.53	0.08	17.20	19.1	18
CC72154		0.26	0.001	0.19	1.40	30.2	<0.2	<10	110	1.73	0.51	0.71	0.29	20.6	33.3	23
CC72155		0.34	0.002	0.14	1.19	20.1	<0.2	<10	90	1.85	0.43	0.29	0.10	19.25	25.5	21
CC72156		0.34	0.002	0.14	0.37	13.7	<0.2	<10	60	1.41	0.58	0.10	0.06	22.5	32.6	20
CC72157		0.24	0.002	0.14	1.23	19.6	<0.2	20	70	0.90	0.47	2.31	0.09	14.20	24.8	17
CC72158		0.22	0.002	0.09	1.38	16.6	<0.2	10	70	0.88	0.47	1.49	0.09	19.60	24.3	19
CC72159		0.34	0.002	0.14	1.78	16.3	<0.2	10	80	1.13	0.36	0.37	0.11	24.7	27.9	21
CC72160		0.28	0.002	0.05	1.87	15.5	<0.2	10	60	0.89	0.38	0.09	0.10	8.89	29.8	23
CC72161		0.30	0.001	0.11	1.51	19.6	<0.2	10	50	0.93	0.35	0.39	0.11	17.20	18.2	15
CC72162		0.36	0.002	0.10	0.75	20.4	<0.2	10	40	0.87	0.28	2.06	0.13	19.55	14.4	11
CC72163		0.28	0.001	0.10	1.06	17.7	<0.2	10	40	0.81	0.29	0.85	0.11	19.10	16.0	14
CC72164		0.24	0.001	0.11	0.92	17.6	<0.2	<10	40	0.73	0.33	0.49	0.11	18.20	15.6	11
CC72165		0.32	0.002	0.10	1.10	16.5	<0.2	<10	70	1.12	0.24	0.47	0.28	35.0	11.8	16
CC72166		0.32	0.002	0.12	0.60	20.4	<0.2	<10	40	0.73	0.33	0.93	0.12	14.65	19.8	9
CC72167		0.18	0.001	0.12	1.21	18.4	<0.2	<10	50	0.87	0.29	1.38	0.18	21.8	18.0	15
CC72168		0.30	0.002	0.11	0.85	19.4	<0.2	<10	40	0.89	0.31	2.45	0.12	13.95	16.4	12
CC72169		0.32	0.002	0.11	1.18	17.5	<0.2	<10	60	1.18	0.39	0.54	0.09	18.20	21.8	14
CC72170		0.32	0.002	0.13	1.31	20.5	<0.2	<10	40	1.05	0.46	0.38	0.09	14.05	25.9	18
CC72171		0.38	0.002	0.19	0.91	25.6	<0.2	<10	60	1.31	0.42	1.16	0.15	20.5	26.0	12
CC72172		0.26	0.002	0.16	1.14	20.5	<0.2	<10	50	1.15	0.35	0.98	0.13	22.5	19.1	15
CC72173		0.34	0.001	0.11	1.09	14.6	<0.2	<10	30	0.81	0.29	0.44	0.07	12.10	13.1	13
CC72174		0.26	0.002	0.12	1.09	17.4	<0.2	<10	50	1.26	0.33	0.99	0.13	23.2	19.0	14
CC72175		0.28	0.002	0.28	1.42	18.7	<0.2	<10	60	1.07	0.43	0.53	0.12	20.0	24.8	18
CC72176		0.22	0.002	0.07	1.63	14.9	<0.2	<10	80	0.99	0.44	0.62	0.09	23.8	18.1	21
CC72177		0.40	0.002	0.17	1.53	20.1	<0.2	<10	70	1.06	0.52	1.45	0.09	20.2	41.3	18
CC72178		0.26	0.002	0.12	0.71	20.1	<0.2	<10	70	1.11	0.29	0.43	0.72	28.9	12.0	7
CC72179		0.22	0.001	0.12	1.75	19.7	<0.2	<10	80	1.17	0.55	0.38	0.08	20.0	32.1	24
CC72180		0.32	0.002	0.12	1.66	12.3	<0.2	<10	70	1.04	0.40	0.24	0.08	17.45	24.9	27
CC72181		0.32	0.001	0.12	1.30	20.0	<0.2	<10	70	1.19	0.45	0.04	0.08	11.95	25.3	22
CC72182		0.42	0.002	0.13	0.96	18.6	<0.2	<10	90	1.34	0.41	0.86	0.22	21.9	27.2	17
CC72183		0.24	0.002	0.20	1.80	36.0	<0.2	<10	80	1.70	0.82	0.30	0.17	26.3	47.0	21
CC72184		0.24	0.003	0.07	0.53	16.5	<0.2	<10	70	1.22	0.50	0.26	0.14	17.70	22.8	18
CC72185		0.40	0.002	0.08	1.26	18.3	<0.2	<10	70	1.04	0.49	0.54	0.13	22.9	28.6	18
CC72186		0.26	0.002	0.09	2.08	16.5	<0.2	<10	140	2.83	0.56	0.29	0.44	19.50	73.1	21
CC72187		0.34	0.002	0.20	1.92	20.5	<0.2	<10	50	1.61	0.43	0.04	0.18	19.85	25.1	25
CC72311		0.40	0.002	0.18	1.12	16.2	<0.2	<10	90	1.31	0.36	0.02	0.11	15.25	35.1	19
CC72312		0.26	0.001	0.11	0.44	17.8	<0.2	<10	80	1.26	0.34	1.50	0.10	13.45	15.4	12
CC72313		0.42	0.001	0.13	0.33	19.4	<0.2	<10	80	1.10	0.41	0.19	0.07	12.75	18.0	11
CC72314		0.34	0.001	0.11	1.31	19.0	<0.2	<10	70	1.18	0.46	2.34	0.08	16.35	23.6	18

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 3- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11167454

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
CC72152		1.67	47.5	3.14	1.98	0.05	0.13	0.03	0.043	0.10	6.6	3.2	0.07	514	0.37	<0.01
CC72153		2.53	36.4	4.35	3.41	0.07	0.06	0.10	0.056	0.08	5.3	39.0	0.43	649	0.76	0.01
CC72154		4.67	53.4	6.14	4.14	0.09	0.09	0.21	0.063	0.10	6.4	54.8	0.41	1530	3.31	0.01
CC72155		3.74	40.6	6.81	3.77	0.09	0.07	0.13	0.064	0.09	7.0	37.8	0.30	1160	1.05	0.01
CC72156		2.03	52.7	5.48	2.15	0.08	0.03	0.08	0.056	0.07	9.0	3.6	0.07	765	0.56	<0.01
CC72157		1.88	47.6	5.27	3.71	0.10	0.11	0.21	0.058	0.07	4.9	41.5	0.40	967	0.76	0.01
CC72158		1.48	47.6	4.86	4.23	0.10	0.11	0.08	0.053	0.08	7.3	47.4	0.44	832	0.53	0.01
CC72159		2.28	41.4	5.01	4.92	0.12	0.10	0.07	0.049	0.06	7.5	74.2	0.60	1860	0.57	0.01
CC72160		3.79	40.4	4.59	5.73	0.08	0.10	0.03	0.050	0.07	2.8	74.9	0.63	1350	0.71	0.01
CC72161		1.15	36.2	3.79	3.57	0.10	0.10	0.05	0.045	0.06	6.2	49.1	0.54	495	0.83	0.01
CC72162		0.75	29.9	3.52	2.15	0.10	0.06	0.08	0.039	0.05	6.7	18.6	0.25	579	0.91	0.01
CC72163		1.18	30.2	3.70	3.15	0.11	0.08	0.06	0.045	0.06	5.9	37.0	0.46	573	0.81	0.01
CC72164		0.84	33.6	3.25	2.74	0.10	0.09	0.05	0.043	0.05	6.7	29.9	0.39	542	0.61	0.01
CC72165		0.55	24.4	5.08	2.94	0.14	0.07	0.05	0.045	0.04	13.5	24.5	0.35	1050	0.77	<0.01
CC72166		1.01	36.2	3.72	1.62	0.09	0.06	0.07	0.039	0.06	5.8	9.5	0.15	547	0.83	0.01
CC72167		1.51	33.0	3.80	3.47	0.10	0.09	0.07	0.043	0.06	6.7	43.8	0.55	853	0.89	0.01
CC72168		1.13	34.0	3.82	2.55	0.10	0.16	0.06	0.043	0.07	3.8	30.6	0.43	650	0.94	0.01
CC72169		1.15	40.2	4.57	3.39	0.10	0.16	0.07	0.049	0.07	5.2	47.8	0.48	1050	0.60	<0.01
CC72170		1.23	49.2	4.20	4.32	0.13	0.10	0.06	0.052	0.05	3.6	67.3	0.64	687	0.59	<0.01
CC72171		1.58	46.1	4.62	2.97	0.11	0.10	0.10	0.052	0.06	4.8	40.5	0.40	1060	1.13	<0.01
CC72172		1.01	37.9	4.70	3.31	0.11	0.08	0.07	0.048	0.06	5.6	54.8	0.58	919	0.84	<0.01
CC72173		0.98	29.1	3.53	3.09	0.10	0.11	0.07	0.035	0.05	3.2	47.3	0.52	420	0.57	<0.01
CC72174		1.21	34.0	4.45	3.01	0.12	0.15	0.06	0.043	0.06	7.6	41.4	0.46	861	0.72	<0.01
CC72175		2.06	45.4	4.76	4.27	0.11	0.13	0.04	0.050	0.06	7.0	57.7	0.50	1050	0.62	<0.01
CC72176		1.39	37.6	5.07	4.74	0.10	0.11	0.02	0.044	0.05	7.8	57.6	0.49	949	0.54	<0.01
CC72177		3.16	53.0	5.07	4.48	0.12	0.11	0.08	0.053	0.06	5.6	65.9	0.57	1580	0.57	<0.01
CC72178		0.97	26.0	3.60	1.98	0.11	0.03	0.15	0.040	0.09	9.9	6.3	0.08	423	1.09	<0.01
CC72179		3.11	56.4	5.26	5.67	0.10	0.09	0.07	0.059	0.07	7.1	74.3	0.63	1400	0.43	<0.01
CC72180		3.55	43.4	5.02	5.72	0.10	0.05	0.04	0.051	0.06	6.0	73.8	0.49	1080	0.60	<0.01
CC72181		7.61	47.9	6.08	4.24	0.10	0.02	0.16	0.049	0.07	4.6	37.6	0.24	992	0.86	<0.01
CC72182		2.76	46.6	4.49	3.12	0.11	0.12	0.11	0.038	0.07	7.9	25.3	0.34	923	1.04	<0.01
CC72183		4.09	72.6	7.91	5.70	0.14	0.10	0.14	0.071	0.07	6.2	78.5	0.70	1380	0.83	<0.01
CC72184		1.26	55.0	4.35	2.30	0.10	0.07	0.08	0.051	0.08	4.3	11.7	0.13	658	0.50	<0.01
CC72185		1.89	54.6	4.78	4.09	0.10	0.11	0.08	0.055	0.07	5.7	53.4	0.47	759	0.51	<0.01
CC72186		2.50	78.0	5.57	5.18	0.11	0.10	0.04	0.047	0.09	5.5	62.8	0.49	2800	1.08	<0.01
CC72187		7.56	56.3	5.47	6.48	0.12	0.06	0.04	0.045	0.06	5.8	45.9	0.72	857	4.57	<0.01
CC72311		7.32	53.5	5.17	4.05	0.09	0.10	0.03	0.039	0.06	4.4	22.5	0.29	1220	5.52	<0.01
CC72312		1.57	32.8	5.65	1.50	0.09	0.10	0.19	0.064	0.09	4.2	5.1	0.09	448	0.84	<0.01
CC72313		2.04	42.7	6.55	1.18	0.10	0.10	0.85	0.058	0.07	5.0	4.1	0.04	611	0.77	<0.01
CC72314		2.75	46.8	5.37	3.72	0.10	0.14	0.26	0.054	0.08	4.8	57.1	0.44	837	0.61	<0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 3- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11167454

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
CC72152		<0.05	28.5	370	22.1	7.0	<0.001	0.01	0.19	4.9	0.4	0.7	33.4	<0.01	0.03	5.9
CC72153		0.16	36.1	790	26.1	6.4	<0.001	0.08	0.32	9.0	0.8	0.5	187.0	<0.01	0.05	6.4
CC72154		0.16	57.9	980	40.4	8.0	0.002	0.12	0.67	13.7	1.7	0.6	41.7	0.01	0.08	6.2
CC72155		0.15	44.7	690	46.7	8.2	<0.001	0.09	0.45	10.0	1.2	0.5	31.1	<0.01	0.05	4.8
CC72156		0.08	51.7	640	34.1	6.4	<0.001	0.01	0.41	4.9	0.6	0.6	34.8	<0.01	0.05	4.8
CC72157		0.14	50.8	770	33.6	4.9	0.001	0.06	0.30	9.8	0.9	0.4	125.5	0.01	0.05	5.6
CC72158		0.17	51.6	660	31.7	4.7	0.001	0.04	0.27	9.3	0.7	0.5	72.2	0.01	0.05	5.6
CC72159		0.15	52.9	670	34.4	4.8	<0.001	0.03	0.33	8.7	0.9	0.4	29.4	0.01	0.04	5.0
CC72160		0.22	42.6	620	37.5	7.0	0.001	0.03	0.36	4.3	0.6	0.4	12.4	<0.01	0.05	3.2
CC72161		0.18	42.1	440	25.3	4.0	0.001	0.07	0.29	6.0	1.4	0.4	37.1	0.01	0.05	6.1
CC72162		0.15	34.4	950	20.7	3.9	0.001	0.02	0.32	7.5	1.2	0.3	115.5	0.01	0.06	3.8
CC72163		0.14	39.4	920	23.9	4.5	0.001	0.04	0.27	8.0	1.1	0.4	48.9	0.01	0.04	4.7
CC72164		0.14	36.2	530	24.3	3.6	0.001	0.02	0.30	6.9	1.1	0.3	28.8	0.01	0.04	3.7
CC72165		0.19	30.0	940	20.4	5.0	0.001	0.03	0.30	7.5	1.2	0.3	21.6	0.01	0.03	2.5
CC72166		0.20	42.6	570	26.1	4.0	0.001	0.03	0.36	7.6	0.9	0.3	57.2	0.01	0.04	4.2
CC72167		0.15	40.8	840	23.2	4.3	0.001	0.04	0.36	7.5	1.0	0.3	66.7	0.01	0.04	4.8
CC72168		0.08	39.4	970	22.5	3.8	0.001	0.02	0.38	8.9	1.1	0.4	122.0	<0.01	0.04	7.3
CC72169		0.10	38.8	680	31.3	4.0	<0.001	0.07	0.38	8.5	1.3	0.4	35.6	<0.01	0.07	4.0
CC72170		0.06	47.7	510	32.3	3.5	<0.001	0.05	0.44	8.8	0.8	0.5	34.3	<0.01	0.08	6.9
CC72171		0.06	49.3	1050	31.2	3.9	<0.001	0.07	0.51	9.2	1.3	0.5	80.8	<0.01	0.03	7.4
CC72172		0.07	37.5	900	25.0	3.7	<0.001	0.06	0.36	9.9	1.4	0.5	61.7	<0.01	0.04	5.7
CC72173		0.05	27.5	730	21.9	3.2	<0.001	0.04	0.24	6.3	0.6	0.4	25.7	<0.01	0.04	6.1
CC72174		0.10	35.5	920	25.6	4.0	<0.001	0.07	0.37	7.3	1.2	0.4	52.1	<0.01	0.06	3.2
CC72175		0.13	42.8	720	34.2	5.1	<0.001	0.05	0.42	7.9	0.6	0.5	37.9	<0.01	0.08	4.2
CC72176		0.17	33.5	690	30.5	6.1	<0.001	0.06	0.35	7.4	0.5	0.4	41.7	<0.01	0.05	3.3
CC72177		0.08	56.7	670	43.7	4.7	<0.001	0.04	0.44	8.7	0.7	0.5	66.9	<0.01	0.08	6.4
CC72178		0.11	28.4	1180	87.3	7.2	<0.001	0.06	0.74	5.8	1.0	0.4	32.5	<0.01	0.04	2.2
CC72179		0.08	52.9	340	36.5	5.1	<0.001	0.04	0.27	10.2	0.6	0.5	34.7	<0.01	0.09	6.0
CC72180		0.19	37.1	570	33.0	6.7	<0.001	0.03	0.26	7.4	0.3	0.4	21.3	<0.01	0.05	4.5
CC72181		0.17	37.5	980	55.1	7.9	<0.001	0.07	0.52	5.8	0.7	0.4	34.6	<0.01	0.03	3.5
CC72182		0.17	41.9	1180	35.7	5.8	<0.001	0.07	0.58	6.8	1.0	0.3	43.6	<0.01	0.05	3.1
CC72183		0.09	62.9	490	66.2	6.1	<0.001	0.03	0.83	14.6	0.9	0.5	36.5	<0.01	0.17	8.3
CC72184		<0.05	38.4	460	30.9	5.0	<0.001	0.02	0.30	9.9	0.3	0.5	34.4	<0.01	0.06	7.6
CC72185		0.07	42.8	730	33.2	4.9	<0.001	0.03	0.39	10.4	0.6	0.3	40.3	<0.01	0.07	7.7
CC72186		<0.05	96.6	750	36.7	4.9	0.001	0.04	0.77	8.3	0.7	0.5	56.7	<0.01	0.10	7.1
CC72187		0.37	30.7	890	43.0	6.6	0.002	0.06	1.15	6.8	1.1	0.4	23.7	<0.01	0.06	9.7
CC72311		0.09	34.0	460	33.8	6.3	<0.001	0.03	0.86	5.7	0.9	0.5	51.7	<0.01	0.03	9.8
CC72312		<0.05	35.5	1190	30.9	6.0	<0.001	0.07	0.29	12.3	1.3	0.5	73.7	<0.01	0.03	6.9
CC72313		<0.05	37.3	950	40.6	5.3	0.001	0.06	0.53	9.0	1.2	0.5	50.4	<0.01	0.02	7.6
CC72314		0.05	45.1	620	33.1	5.5	<0.001	0.13	0.31	10.4	0.8	0.6	117.5	<0.01	0.03	7.0

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 3- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11167454

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
CC72152		<0.005	0.09	0.64	17	<0.05	10.20	81	6.0
CC72153		<0.005	0.09	0.66	17	<0.05	13.80	101	2.2
CC72154		<0.005	0.17	1.16	29	<0.05	24.5	132	3.6
CC72155		<0.005	0.12	1.04	20	<0.05	13.10	112	3.9
CC72156		<0.005	0.09	0.81	24	<0.05	12.25	135	0.6
CC72157		<0.005	0.12	0.75	14	<0.05	14.15	128	4.0
CC72158		<0.005	0.08	0.71	15	<0.05	14.75	115	4.1
CC72159		<0.005	0.08	0.89	16	<0.05	19.10	118	3.2
CC72160		<0.005	0.08	0.76	18	<0.05	6.34	117	3.1
CC72161		<0.005	0.09	1.17	12	<0.05	15.30	100	4.2
CC72162		<0.005	0.11	0.66	12	0.05	15.80	109	1.7
CC72163		<0.005	0.12	0.71	12	<0.05	18.10	90	2.4
CC72164		<0.005	0.08	0.57	10	<0.05	19.10	105	2.6
CC72165		<0.005	0.08	0.62	22	0.09	22.2	82	1.5
CC72166		<0.005	0.11	0.58	12	0.05	16.10	105	1.7
CC72167		<0.005	0.11	0.63	12	<0.05	16.40	131	2.8
CC72168		<0.005	0.09	0.67	11	<0.05	13.55	139	9.2
CC72169		<0.005	0.08	0.74	14	<0.05	18.80	105	4.5
CC72170		<0.005	0.09	0.58	13	<0.05	17.35	109	5.2
CC72171		<0.005	0.15	0.72	11	<0.05	15.25	152	5.7
CC72172		<0.005	0.12	0.58	14	<0.05	19.10	118	3.3
CC72173		<0.005	0.07	0.49	11	<0.05	12.05	81	4.8
CC72174		<0.005	0.08	0.56	14	<0.05	19.70	100	4.5
CC72175		<0.005	0.06	0.87	16	<0.05	15.85	110	4.2
CC72176		<0.005	0.06	0.96	20	<0.05	15.75	99	3.5
CC72177		<0.005	0.12	0.76	15	<0.05	14.95	123	4.6
CC72178		<0.005	0.27	0.96	11	0.07	19.00	374	0.7
CC72179		<0.005	0.07	0.61	17	<0.05	12.85	120	4.6
CC72180		0.006	0.07	0.82	21	<0.05	15.25	103	1.9
CC72181		0.007	0.12	0.84	20	<0.05	8.44	120	1.1
CC72182		0.005	0.10	0.86	19	0.05	17.95	110	3.6
CC72183		0.006	0.09	1.01	24	<0.05	23.6	141	6.3
CC72184		<0.005	0.11	0.62	18	<0.05	13.05	109	3.7
CC72185		<0.005	0.08	0.66	17	<0.05	16.85	111	5.7
CC72186		<0.005	0.10	1.32	21	<0.05	19.50	148	5.0
CC72187		0.019	0.18	1.46	34	0.07	7.72	98	3.2
CC72311		<0.005	0.14	1.61	26	<0.05	7.93	102	5.7
CC72312		<0.005	0.11	0.53	12	<0.05	13.45	112	6.5
CC72313		<0.005	0.15	0.66	12	<0.05	9.46	114	5.3
CC72314		<0.005	0.10	0.82	14	<0.05	13.65	107	7.8

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 3- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11167454

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- TL43 Au ppm 0.001	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1
CC72315		0.26	0.001	0.10	1.53	17.5	<0.2	<10	70	0.93	0.49	1.44	0.08	17.55	21.0	20
CC72316		0.28	0.001	0.10	1.44	21.7	<0.2	<10	60	1.16	0.52	1.06	0.14	21.0	23.9	19
CC72317		0.36	0.002	0.09	1.08	15.4	<0.2	<10	80	0.99	0.27	1.03	0.20	24.4	12.4	15
CC72318		0.34	0.002	0.06	1.79	13.9	<0.2	<10	110	0.85	0.32	0.22	0.25	29.8	10.5	23
CC72319		0.40	0.002	0.11	1.01	18.9	<0.2	<10	60	1.04	0.32	1.03	0.13	16.15	14.2	14
CC72320		0.32	0.002	0.11	0.58	16.1	<0.2	<10	50	1.01	0.23	1.61	0.28	28.9	10.4	9
CC72321		0.40	0.003	0.03	0.79	19.6	<0.2	<10	70	0.99	0.38	0.12	0.24	12.45	20.8	11
CC72322		0.38	0.004	0.16	0.68	14.8	<0.2	<10	100	0.63	0.37	0.70	0.11	30.2	12.1	9
CC72323		0.40	0.003	0.07	2.44	5.9	<0.2	<10	100	1.34	0.32	0.18	0.24	62.5	21.3	43
CC72324		0.52	0.003	0.04	2.39	5.6	<0.2	<10	80	1.31	0.38	0.07	0.15	56.7	20.9	45
CC72325		0.50	0.003	0.06	1.66	6.0	<0.2	<10	80	1.15	0.35	0.51	0.13	85.2	14.4	36
CC72326		0.34	0.005	0.09	2.31	6.3	<0.2	<10	180	1.37	0.23	0.36	0.24	77.6	13.8	62
CC72327		0.48	0.006	0.13	2.41	10.4	<0.2	<10	60	1.49	0.20	2.26	0.24	61.7	13.1	60
CC72328		0.26	0.016	0.74	1.63	23.4	<0.2	<10	140	1.11	0.26	1.96	0.46	44.2	10.2	34
CC72329		0.36	0.003	0.38	1.20	21.3	<0.2	<10	90	1.25	0.38	0.70	0.18	39.3	24.3	16
CC72330		0.42	0.002	0.10	1.66	22.5	<0.2	<10	60	1.51	0.41	0.21	0.13	15.90	29.6	22
CC72331		0.38	0.004	0.06	2.19	23.5	<0.2	<10	80	1.76	0.39	0.17	0.16	20.6	33.8	29
CC72332		0.34	0.002	0.05	1.97	18.2	<0.2	<10	50	1.80	0.39	0.11	0.07	16.90	29.5	26
CC72333		0.40	0.004	0.09	1.73	16.7	<0.2	<10	80	1.55	0.41	0.11	0.12	23.4	27.5	26
CC72334		0.28	0.003	0.08	1.84	18.2	<0.2	<10	100	1.79	0.45	0.28	0.15	17.65	22.6	23
CC72335		0.38	0.002	0.17	1.50	20.3	<0.2	<10	50	1.40	0.45	0.13	0.14	16.75	33.2	20
CC72336		0.46	0.003	0.08	1.78	12.4	<0.2	<10	70	1.32	0.39	0.13	0.09	16.20	18.7	28
CC72337		0.22	0.002	0.18	1.80	47.9	<0.2	<10	60	1.25	0.38	0.15	0.11	27.4	30.7	27
CC72338		0.38	0.002	0.28	1.83	12.4	<0.2	<10	120	1.27	0.33	0.13	0.12	35.2	13.2	32
CC72360		0.44	0.005	0.10	1.64	13.3	<0.2	<10	90	0.82	0.26	0.07	0.16	26.4	11.0	22
CC72376		0.38	0.006	0.12	1.77	19.8	<0.2	<10	90	2.47	0.36	0.03	0.44	20.2	74.0	23
CC72377		0.36	0.005	0.63	2.07	25.1	<0.2	<10	40	4.01	0.44	0.06	0.39	20.2	78.0	26
CC72378		0.26	0.003	0.28	2.10	43.9	<0.2	<10	80	2.11	0.43	0.01	0.15	14.40	31.6	30
CC72379		0.26	0.002	0.20	1.01	29.4	<0.2	<10	70	1.48	0.47	0.02	0.15	9.10	21.7	20
CC72383		0.40	0.002	0.17	1.47	19.8	<0.2	<10	80	1.28	0.32	0.27	0.09	22.6	21.9	22
CC72384		0.36	0.002	0.19	1.78	14.5	<0.2	<10	70	1.49	0.46	0.26	0.08	21.7	27.3	27
CC72385		0.38	0.004	0.11	1.90	14.5	<0.2	<10	70	1.39	0.45	0.20	0.12	25.2	22.9	30
CC72386		0.34	0.002	0.12	1.77	11.7	<0.2	<10	90	1.29	0.41	0.28	0.12	21.3	15.9	26
CC72387		0.36	0.002	0.10	1.72	10.3	<0.2	<10	100	1.30	0.33	0.35	0.14	35.4	15.9	26
CC72388		0.38	0.002	0.04	1.95	10.5	<0.2	<10	70	1.37	0.36	0.17	0.25	61.2	14.0	28
CC72389		0.28	0.002	0.18	1.59	12.6	<0.2	<10	90	1.68	0.40	0.81	0.48	71.9	12.1	25
CC72390		0.38	0.002	0.29	1.54	11.4	<0.2	<10	100	1.25	0.32	0.38	0.13	33.9	19.7	26
CC72391		0.32	0.002	0.09	1.44	11.7	<0.2	<10	70	1.28	0.36	0.33	0.09	21.2	20.3	27
CC72392		0.40	0.002	0.10	1.69	11.5	<0.2	<10	80	1.71	0.41	0.22	0.08	29.0	26.8	26
CC72393		0.36	0.002	0.09	2.01	11.7	<0.2	<10	90	1.46	0.36	0.44	0.11	35.5	16.3	26

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 3- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11167454

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
CC72315		1.68	43.4	4.44	4.80	0.09	0.10	0.09	0.052	0.08	6.9	56.6	0.49	639	0.53	<0.01
CC72316		0.78	54.1	4.57	4.57	0.09	0.10	0.06	0.057	0.08	7.4	56.8	0.52	639	0.73	<0.01
CC72317		0.53	28.3	3.70	2.85	0.10	0.07	0.11	0.035	0.06	9.0	25.4	0.33	682	0.67	<0.01
CC72318		1.08	24.3	3.87	5.30	0.09	0.02	0.04	0.039	0.05	10.9	31.7	0.39	482	0.94	<0.01
CC72319		0.44	32.8	3.69	2.77	0.11	0.12	0.18	0.042	0.07	7.0	29.9	0.31	484	0.79	<0.01
CC72320		0.37	23.6	3.46	1.34	0.12	0.08	0.17	0.037	0.05	12.7	8.0	0.13	396	0.74	<0.01
CC72321		1.58	37.5	4.47	2.40	0.08	<0.02	0.02	0.040	0.11	4.2	9.0	0.14	682	0.61	<0.01
CC72322		1.27	48.7	3.21	2.16	0.12	0.09	0.15	0.032	0.20	10.7	6.7	0.11	725	1.12	0.01
CC72323		2.65	40.8	3.79	8.45	0.12	0.02	0.04	0.040	0.17	22.3	74.7	1.60	937	0.67	<0.01
CC72324		2.77	35.3	3.49	8.07	0.11	0.03	0.02	0.038	0.13	19.5	63.2	1.47	882	0.59	<0.01
CC72325		0.91	41.1	2.99	5.92	0.13	0.12	0.02	0.034	0.14	44.6	27.2	1.26	269	0.33	<0.01
CC72326		2.19	37.3	3.15	8.41	0.17	0.17	0.03	0.037	0.15	37.4	49.8	2.57	347	0.52	<0.01
CC72327		2.69	41.1	2.86	8.70	0.17	0.29	0.06	0.035	0.24	29.4	73.7	3.56	293	0.87	<0.01
CC72328		0.46	46.3	2.72	4.90	0.09	0.19	0.22	0.036	0.09	30.0	28.7	0.76	311	2.96	0.01
CC72329		1.63	63.3	4.46	3.61	0.09	0.21	0.11	0.043	0.11	14.1	31.2	0.58	504	1.54	0.01
CC72330		2.30	50.3	4.32	5.34	0.07	0.12	0.03	0.039	0.08	6.6	52.9	0.65	1460	0.84	0.01
CC72331		3.72	44.9	4.45	6.89	0.05	0.11	0.03	0.046	0.11	6.2	66.4	0.82	1640	0.98	0.01
CC72332		6.67	48.6	4.08	6.65	0.06	0.04	0.03	0.036	0.09	4.7	68.1	0.77	1500	0.48	0.01
CC72333		5.29	44.6	4.04	6.38	0.07	0.04	0.03	0.040	0.09	8.4	59.3	0.68	1620	0.95	0.01
CC72334		2.86	38.7	4.56	6.12	0.06	0.11	0.03	0.050	0.08	6.1	47.3	0.49	1560	0.74	0.01
CC72335		3.14	46.9	5.08	4.21	0.06	0.08	0.05	0.047	0.06	5.6	51.4	0.39	1040	0.84	0.01
CC72336		2.52	44.6	3.81	5.28	0.05	0.09	0.02	0.043	0.08	6.2	65.9	0.61	700	0.49	0.01
CC72337		2.36	40.2	5.56	5.40	0.09	0.08	0.04	0.039	0.06	9.0	64.2	0.61	817	0.85	0.01
CC72338		1.97	30.3	3.81	5.98	0.06	0.08	0.03	0.041	0.07	12.3	44.5	0.70	691	0.76	0.01
CC72360		1.59	25.6	3.90	4.88	<0.05	0.04	0.04	0.033	0.04	8.6	38.7	0.41	437	0.89	0.01
CC72376		6.03	72.4	5.05	5.65	0.07	0.02	0.03	0.032	0.04	5.6	49.3	0.66	4300	4.80	0.01
CC72377		11.65	101.5	5.20	6.81	0.10	0.05	0.08	0.039	0.06	4.9	65.1	1.05	3130	4.53	0.01
CC72378		12.95	87.6	8.98	5.88	0.07	0.05	0.04	0.091	0.08	4.3	29.2	0.48	1430	4.89	0.02
CC72379		7.42	64.5	5.73	3.07	0.05	0.09	0.07	0.054	0.06	2.9	13.7	0.18	654	4.14	0.01
CC72383		2.76	43.1	4.15	4.54	0.07	0.07	0.04	0.040	0.06	8.3	50.0	0.49	761	0.63	0.01
CC72384		2.76	46.5	4.35	5.61	0.05	0.07	0.05	0.039	0.07	7.4	62.4	0.61	922	0.67	0.01
CC72385		3.48	46.6	4.37	6.01	0.06	0.06	0.03	0.046	0.08	8.5	67.3	0.65	757	0.62	0.02
CC72386		2.79	41.5	4.17	5.65	0.06	0.07	0.02	0.047	0.07	8.6	57.4	0.56	548	0.50	0.01
CC72387		3.05	40.9	4.65	5.38	0.07	0.06	0.02	0.044	0.07	14.5	58.0	0.56	625	0.64	0.01
CC72388		1.66	32.9	4.76	5.33	0.07	0.06	0.01	0.052	0.06	14.4	52.2	0.54	876	0.78	0.01
CC72389		1.27	34.8	4.60	3.90	0.10	0.09	0.05	0.077	0.06	20.8	30.6	0.37	568	0.86	0.01
CC72390		3.59	38.5	4.11	4.76	0.09	0.10	0.04	0.044	0.07	14.2	50.3	0.52	725	0.80	0.01
CC72391		1.80	43.9	3.65	5.01	0.05	0.11	0.01	0.045	0.09	6.8	56.5	0.48	526	0.92	0.01
CC72392		4.67	41.4	3.86	5.66	0.06	0.09	0.01	0.044	0.08	9.9	64.8	0.57	786	0.60	0.01
CC72393		2.90	34.4	4.55	5.88	0.08	0.10	0.01	0.049	0.07	11.2	63.7	0.55	787	0.52	0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 3- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11167454

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
CC72315		0.11	39.3	390	32.5	5.4	<0.001	0.05	0.27	7.6	0.5	0.6	88.0	<0.01	0.10	5.8
CC72316		0.10	45.8	660	33.8	3.9	<0.001	0.05	0.33	8.2	0.9	0.6	60.0	<0.01	0.08	6.4
CC72317		0.24	26.0	860	18.3	4.8	<0.001	0.04	0.43	6.2	0.7	0.4	61.5	<0.01	0.05	3.1
CC72318		0.40	23.5	1230	17.3	8.2	<0.001	0.05	0.44	3.1	0.7	0.6	18.3	<0.01	0.05	1.2
CC72319		0.18	29.5	660	21.5	4.1	0.001	0.06	0.40	6.6	0.3	0.5	58.9	<0.01	0.04	3.6
CC72320		0.12	23.9	870	24.6	4.0	0.001	0.08	0.36	5.1	0.6	0.3	61.6	<0.01	0.03	1.9
CC72321		0.17	33.2	750	55.1	8.6	<0.001	0.07	0.89	5.4	0.7	0.4	14.9	<0.01	0.05	2.5
CC72322		0.08	22.5	2760	27.4	9.3	<0.001	0.21	0.40	6.3	1.9	0.4	70.1	<0.01	0.05	7.1
CC72323		0.28	41.7	920	23.6	20.0	<0.001	0.04	0.36	4.3	0.6	0.7	15.9	<0.01	0.03	2.1
CC72324		0.40	40.4	820	37.3	16.6	<0.001	0.04	0.36	3.0	0.2	0.7	8.6	<0.01	0.01	1.9
CC72325		0.28	36.3	870	19.9	11.2	<0.001	0.03	0.20	6.8	0.5	0.5	18.3	<0.01	0.03	7.3
CC72326		0.41	29.9	860	15.8	19.6	<0.001	0.03	0.29	7.3	1.1	0.7	24.8	<0.01	0.02	8.6
CC72327		0.35	29.8	940	15.3	28.5	<0.001	0.04	0.30	7.1	1.3	0.8	78.4	<0.01	0.03	9.6
CC72328		0.41	30.4	2140	37.4	9.9	<0.001	0.11	0.66	2.3	1.6	0.5	209	<0.01	0.04	1.9
CC72329		0.13	47.1	1410	30.8	6.8	0.001	0.02	0.60	8.3	1.8	0.5	69.6	<0.01	0.08	7.7
CC72330		0.19	40.3	680	42.4	7.7	<0.001	0.02	0.51	10.0	1.2	0.5	18.8	<0.01	0.07	2.9
CC72331		0.25	41.1	1030	40.2	12.0	<0.001	0.02	0.53	6.6	0.8	0.7	23.0	<0.01	0.06	3.4
CC72332		0.18	38.8	730	29.8	11.3	0.001	0.02	0.34	7.9	1.0	0.6	19.5	<0.01	0.07	3.4
CC72333		0.33	40.0	780	41.5	10.4	<0.001	0.01	0.52	7.4	0.8	0.6	20.5	<0.01	0.11	5.1
CC72334		0.24	29.8	1220	42.5	13.5	<0.001	0.05	0.50	8.2	1.2	0.5	24.0	<0.01	0.10	2.1
CC72335		0.15	60.4	320	59.9	5.5	<0.001	0.02	0.87	6.9	1.1	0.4	16.6	<0.01	0.09	3.9
CC72336		0.18	41.1	310	29.8	6.9	<0.001	0.02	0.37	9.1	1.0	0.5	15.8	<0.01	0.06	3.8
CC72337		0.23	58.9	400	66.9	5.9	0.001	0.02	1.22	8.8	1.9	0.4	19.0	<0.01	0.07	4.5
CC72338		0.36	29.6	1080	25.5	12.1	<0.001	0.05	0.46	5.2	0.8	0.5	14.7	<0.01	0.06	2.3
CC72360		0.55	22.2	690	17.0	7.6	<0.001	0.03	0.54	2.9	0.7	0.4	8.4	<0.01	0.07	1.6
CC72376		0.33	52.1	710	55.3	4.6	0.001	0.03	0.92	3.3	1.0	0.4	30.3	<0.01	0.05	2.5
CC72377		0.13	53.3	640	71.0	5.6	0.001	0.03	0.89	5.6	1.8	0.4	26.4	<0.01	0.05	8.0
CC72378		0.35	43.8	2360	51.3	9.9	0.001	0.16	1.98	11.2	1.6	0.6	45.7	<0.01	0.12	15.3
CC72379		0.17	34.7	1000	33.5	6.3	0.002	0.04	1.33	6.4	1.7	0.5	42.5	<0.01	0.12	7.8
CC72383		0.19	40.1	600	35.2	5.9	<0.001	0.02	0.58	8.3	1.3	0.4	29.1	<0.01	0.09	4.6
CC72384		0.22	47.2	390	39.5	6.1	<0.001	0.01	0.57	8.3	1.0	0.5	34.4	<0.01	0.07	3.9
CC72385		0.24	42.9	500	38.8	7.8	0.001	0.02	0.50	9.7	1.0	0.5	23.1	<0.01	0.08	4.4
CC72386		0.26	38.3	490	30.8	8.0	<0.001	0.02	0.40	9.3	1.5	0.5	34.5	<0.01	0.07	3.8
CC72387		0.31	36.0	690	31.7	6.5	<0.001	0.02	0.45	8.9	0.9	0.4	36.1	<0.01	0.04	5.6
CC72388		0.45	36.9	550	27.8	8.3	<0.001	0.02	0.52	7.1	1.1	0.5	19.6	<0.01	0.06	3.5
CC72389		0.24	40.1	670	30.6	9.6	<0.001	0.03	0.50	9.8	1.5	0.5	61.1	<0.01	0.05	4.1
CC72390		0.46	39.0	690	40.5	7.6	0.001	0.03	0.63	11.0	1.4	0.5	43.5	<0.01	0.06	5.1
CC72391		0.18	44.3	340	24.7	5.9	<0.001	0.02	0.36	6.3	0.6	0.5	35.2	<0.01	0.08	4.8
CC72392		0.26	40.0	380	56.3	8.6	<0.001	0.02	0.44	9.4	1.3	0.5	26.1	<0.01	0.07	4.4
CC72393		0.25	35.5	860	30.6	9.6	<0.001	0.03	0.38	8.1	1.2	0.5	45.6	<0.01	0.06	3.6

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 3- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11167454

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
CC72315		<0.005	0.06	0.68	15	<0.05	10.55	101	4.4
CC72316		<0.005	0.05	0.79	15	<0.05	14.25	118	5.0
CC72317		0.007	0.06	0.57	21	0.07	13.85	83	2.2
CC72318		0.009	0.13	0.75	37	0.15	9.27	88	0.6
CC72319		0.005	0.06	0.56	18	0.05	14.45	95	3.3
CC72320		<0.005	0.07	0.66	13	0.06	17.55	114	2.7
CC72321		<0.005	0.14	0.82	15	<0.05	7.45	145	<0.5
CC72322		<0.005	0.25	1.13	10	<0.05	16.70	55	5.9
CC72323		0.016	0.18	1.04	29	0.06	14.70	121	<0.5
CC72324		0.016	0.17	0.70	30	0.05	6.77	112	0.8
CC72325		0.011	0.09	2.23	21	0.05	17.10	95	4.7
CC72326		0.023	0.14	1.95	42	0.05	17.25	112	7.4
CC72327		0.027	0.25	3.93	47	<0.05	15.00	110	15.1
CC72328		0.011	0.17	13.25	38	0.08	19.75	125	5.0
CC72329		0.007	0.20	2.85	17	<0.05	23.0	119	11.5
CC72330		0.008	0.09	1.13	21	<0.05	21.8	97	3.3
CC72331		0.009	0.13	1.20	27	<0.05	10.60	96	2.8
CC72332		0.009	0.10	0.83	25	<0.05	13.95	91	1.3
CC72333		0.018	0.09	1.06	30	0.07	11.05	91	1.4
CC72334		0.007	0.12	2.14	29	0.05	16.95	103	2.4
CC72335		0.006	0.14	1.38	18	<0.05	18.60	164	4.2
CC72336		0.008	0.08	0.63	22	<0.05	13.30	109	4.3
CC72337		0.010	0.08	1.00	26	<0.05	24.6	100	3.1
CC72338		0.011	0.11	1.35	34	0.08	12.60	92	1.8
CC72360		0.014	0.10	0.66	33	0.12	5.88	67	0.9
CC72376		0.022	0.27	2.24	34	0.10	8.09	113	0.7
CC72377		0.011	0.31	2.93	30	<0.05	13.20	118	2.0
CC72378		0.014	0.38	1.97	39	0.06	7.37	111	3.3
CC72379		0.007	0.26	1.50	32	<0.05	6.17	99	4.9
CC72383		0.010	0.09	0.98	22	0.05	19.35	102	2.5
CC72384		0.012	0.09	0.67	25	<0.05	18.25	112	2.7
CC72385		0.009	0.09	0.85	26	<0.05	17.90	113	2.3
CC72386		0.009	0.08	0.90	26	0.05	20.1	106	2.0
CC72387		0.015	0.08	1.03	30	0.06	20.9	103	2.1
CC72388		0.012	0.09	1.22	32	0.11	16.75	102	1.6
CC72389		0.005	0.14	2.15	23	0.06	32.5	106	2.2
CC72390		0.016	0.10	1.12	28	0.11	30.9	112	3.7
CC72391		0.007	0.08	0.66	18	<0.05	11.40	92	5.0
CC72392		0.008	0.09	0.97	23	<0.05	25.2	102	3.6
CC72393		0.006	0.09	1.27	27	0.05	22.7	96	2.7

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 3- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11167454

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- TL43 Au ppm 0.001	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1
CC72394		0.28	0.002	0.12	1.77	10.5	<0.2	<10	70	1.36	0.39	0.74	0.10	25.7	14.5	25
CC72395		0.32	0.002	0.10	1.97	10.3	<0.2	<10	90	1.58	0.40	0.67	0.14	24.0	13.1	25
CC72396		0.34	0.002	0.09	2.16	10.0	<0.2	<10	80	1.49	0.41	0.17	0.14	39.8	15.1	28
CC72397		0.28	0.002	0.10	1.75	12.0	<0.2	<10	90	1.30	0.43	0.42	0.11	24.8	21.0	24
CC72398		0.32	0.002	0.19	1.58	13.4	<0.2	<10	70	1.46	0.42	0.91	0.12	18.65	19.5	23
CC72399		0.38	0.002	0.14	1.91	21.3	<0.2	<10	80	1.57	0.42	0.38	0.06	12.35	19.8	28
CC72400		0.38	0.002	0.09	2.05	12.3	<0.2	<10	120	2.27	0.52	0.15	0.10	19.75	31.8	27
CC72401		0.36	0.002	0.12	1.90	23.1	<0.2	<10	60	2.36	0.47	0.13	0.12	12.95	32.9	27
CC72402		0.46	0.003	0.14	2.13	46.2	<0.2	<10	110	2.42	0.60	0.19	0.16	21.2	58.4	29
CC72403		0.34	0.002	0.11	2.01	13.1	<0.2	<10	100	2.36	0.49	0.13	0.18	13.25	32.6	30
CC135933		0.26	0.002	0.05	1.82	9.3	<0.2	<10	90	0.96	0.30	0.08	0.17	12.75	19.9	29
CC135934		0.56	0.003	0.07	1.17	13.2	<0.2	<10	80	0.79	0.32	0.07	0.21	19.45	11.8	23
CC135935		0.32	0.002	0.08	1.71	13.3	<0.2	<10	80	2.99	0.37	0.08	0.25	13.50	35.9	22
CC135936		0.56	0.003	0.07	1.26	15.3	<0.2	<10	100	1.50	0.42	0.04	0.16	10.35	17.0	17
CC135937		0.40	0.002	0.09	0.78	19.4	<0.2	<10	100	1.36	0.52	1.11	0.25	19.25	20.7	13
CC135938		0.42	0.002	0.10	0.76	20.0	<0.2	<10	80	1.46	0.51	1.10	0.16	18.60	20.7	13
CC135939		0.54	0.003	0.10	0.57	18.2	<0.2	<10	100	2.07	0.49	0.13	0.29	15.95	34.4	12
CC135940		0.48	0.003	0.12	0.88	16.9	<0.2	<10	90	1.39	0.53	0.10	0.26	13.65	24.8	13
CC135941		0.50	0.002	0.13	0.90	17.6	<0.2	<10	120	1.73	0.49	0.23	0.26	17.15	27.0	14
CC135942		0.30	0.004	0.12	1.18	17.8	<0.2	<10	120	1.18	0.36	0.76	0.27	20.4	15.6	20
CC135943		0.48	0.003	0.11	0.96	17.6	<0.2	<10	100	1.71	0.49	0.27	0.27	13.80	27.8	15
CC135944		0.44	0.002	0.09	1.04	15.8	<0.2	<10	90	1.67	0.48	0.22	0.28	12.60	24.8	15
CC135945		0.48	0.002	0.11	0.95	15.5	<0.2	<10	100	1.60	0.46	0.29	0.29	13.45	25.0	15
CC135946		0.52	0.002	0.08	0.97	17.1	<0.2	<10	100	1.71	0.45	0.33	0.26	14.00	26.9	16
CC135987		0.56	0.003	0.14	1.22	23.7	<0.2	<10	130	1.52	0.62	0.44	0.16	15.10	21.9	20
CC135988		0.42	0.005	0.10	0.70	35.4	<0.2	<10	120	1.13	0.42	1.10	0.22	19.10	14.5	15
CC135989		0.38	0.005	0.12	1.21	31.6	<0.2	<10	130	0.96	0.34	1.86	0.32	19.75	12.8	18
CC135990		0.38	0.005	0.10	1.07	26.0	<0.2	<10	120	0.83	0.29	1.69	0.52	27.0	13.1	18
CC135991		0.36	0.002	0.07	0.90	14.9	<0.2	<10	90	0.93	0.40	0.51	0.20	17.75	16.1	19
CC135992		0.46	0.005	0.08	0.76	16.4	<0.2	<10	110	0.69	0.26	0.48	0.28	26.8	11.1	13
CC135993		0.40	0.001	0.06	0.31	16.7	<0.2	<10	80	0.71	0.55	0.28	0.08	5.24	18.2	14
CC135994		0.34	0.002	0.07	1.12	7.2	<0.2	<10	160	0.82	0.36	0.45	0.15	7.45	9.7	20
CC135995		0.36	0.003	0.07	1.53	13.7	<0.2	<10	90	0.88	0.33	0.03	0.18	11.50	12.9	21
CC135996		0.44	0.002	0.05	1.74	11.4	<0.2	<10	90	0.74	0.33	0.05	0.17	14.30	10.8	27
CC135997		0.44	0.002	0.08	1.36	9.2	<0.2	<10	90	1.02	0.33	0.14	0.27	5.62	25.8	26
CC135998		0.42	0.001	0.03	1.38	8.6	<0.2	<10	60	0.73	0.33	0.04	0.13	9.11	17.6	23
CC135999		0.40	0.003	0.13	0.96	27.0	<0.2	<10	110	1.39	0.54	0.38	0.24	14.10	23.6	17
CC136000		0.36	0.003	0.15	1.22	18.2	<0.2	<10	150	1.39	0.45	0.40	0.23	12.95	24.1	20
CC135845		0.42	0.001	0.10	1.50	6.8	<0.2	<10	50	0.94	0.30	0.92	0.20	9.13	20.7	29
CC135846		0.50	0.001	0.07	1.27	9.9	<0.2	<10	80	0.96	0.36	0.08	0.13	14.15	24.8	24

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 3- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11167454

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
CC72394		1.56	38.4	4.37	5.19	0.08	0.17	0.01	0.046	0.08	10.9	60.4	0.53	527	0.45	0.01
CC72395		2.46	34.5	4.97	5.86	0.05	0.13	0.03	0.042	0.07	9.3	62.8	0.52	638	0.44	0.01
CC72396		2.01	38.6	5.21	6.00	0.07	0.12	0.02	0.046	0.06	9.3	76.3	0.58	624	0.46	0.01
CC72397		2.01	42.5	4.38	5.28	0.06	0.11	0.01	0.052	0.08	8.6	58.5	0.50	657	0.54	0.01
CC72398		1.49	42.5	4.24	4.60	0.06	0.19	0.03	0.048	0.09	6.4	55.5	0.56	569	0.58	0.01
CC72399		3.12	44.5	4.33	5.70	<0.05	0.14	0.01	0.041	0.10	4.6	71.9	0.65	976	0.48	0.01
CC72400		9.71	54.3	4.76	6.36	0.05	0.05	0.04	0.055	0.11	5.2	72.3	0.60	2310	0.46	0.01
CC72401		5.50	54.0	4.54	5.57	0.06	0.06	0.03	0.049	0.10	4.6	65.3	0.64	1880	0.86	0.01
CC72402		9.87	63.9	5.11	6.63	0.05	0.10	0.04	0.048	0.11	6.3	72.8	0.68	2130	0.75	0.01
CC72403		5.71	45.6	4.73	7.00	0.09	0.05	0.04	0.052	0.10	4.2	69.4	0.61	1920	0.90	<0.01
CC135933		2.57	47.4	4.79	5.53	0.11	0.04	0.07	0.046	0.07	4.3	40.2	0.53	570	0.93	<0.01
CC135934		1.78	44.2	4.60	3.93	0.10	0.02	0.13	0.045	0.06	8.9	17.5	0.39	351	1.74	<0.01
CC135935		4.23	58.4	4.82	5.71	0.10	0.02	0.06	0.058	0.09	5.0	45.8	0.51	2050	2.35	<0.01
CC135936		2.10	43.0	4.61	3.73	0.10	0.03	0.10	0.048	0.07	4.1	20.9	0.31	904	2.54	<0.01
CC135937		0.63	49.4	5.13	1.88	0.10	0.10	0.06	0.063	0.08	6.7	6.7	0.10	668	0.51	<0.01
CC135938		1.00	49.2	5.40	1.84	0.11	0.05	0.16	0.057	0.07	6.6	9.2	0.14	622	0.57	<0.01
CC135939		1.78	67.2	5.69	1.90	0.12	0.03	0.14	0.064	0.08	6.5	7.0	0.10	1460	2.05	<0.01
CC135940		2.53	54.4	5.24	2.89	0.10	0.02	0.14	0.058	0.07	5.6	11.5	0.15	1030	2.64	<0.01
CC135941		3.21	54.7	5.34	2.58	0.10	0.04	0.14	0.060	0.09	7.1	13.9	0.18	1330	2.87	<0.01
CC135942		1.00	42.5	3.99	3.57	0.11	0.04	0.09	0.043	0.07	8.7	15.5	0.29	557	1.35	0.01
CC135943		1.87	65.3	5.36	2.92	0.10	0.03	0.13	0.061	0.08	5.6	18.6	0.28	1670	3.48	<0.01
CC135944		1.98	59.9	5.28	3.03	0.11	0.03	0.11	0.054	0.08	5.1	18.1	0.25	1490	3.08	<0.01
CC135945		1.71	58.8	5.14	2.77	0.11	0.05	0.09	0.056	0.08	5.4	17.0	0.26	1560	3.10	<0.01
CC135946		1.73	62.3	5.38	3.00	0.10	0.03	0.17	0.061	0.09	5.7	18.6	0.26	1460	3.19	<0.01
CC135987		2.32	63.7	5.31	3.94	0.11	0.09	0.31	0.054	0.14	5.2	28.2	0.27	709	2.63	0.02
CC135988		0.53	40.7	3.57	2.30	0.10	0.06	0.19	0.050	0.08	9.0	5.5	0.12	408	0.70	<0.01
CC135989		0.30	38.9	4.10	3.01	0.10	0.09	0.11	0.041	0.06	10.1	11.2	0.26	320	0.95	0.01
CC135990		0.34	34.2	3.64	2.79	0.11	0.03	0.22	0.039	0.06	11.5	10.5	0.24	531	1.04	0.01
CC135991		1.06	43.4	3.96	2.96	0.11	0.03	0.06	0.046	0.07	7.5	11.4	0.21	542	0.96	<0.01
CC135992		0.41	33.1	2.72	1.86	0.11	0.03	0.21	0.034	0.05	8.3	5.5	0.08	878	0.58	<0.01
CC135993		0.28	59.4	3.43	1.48	0.09	0.04	0.27	0.051	0.07	1.9	1.4	0.03	272	0.53	<0.01
CC135994		2.67	33.0	3.69	3.79	0.10	0.03	0.09	0.046	0.11	2.9	17.8	0.22	544	1.61	0.01
CC135995		1.94	36.3	4.32	4.74	0.09	0.02	0.06	0.040	0.07	4.5	19.8	0.26	519	2.40	<0.01
CC135996		2.01	30.0	4.29	5.18	0.09	<0.02	0.07	0.040	0.08	6.0	20.0	0.34	527	1.94	<0.01
CC135997		3.19	47.3	5.53	4.19	0.09	0.03	0.07	0.045	0.08	2.2	20.4	0.29	1210	0.97	<0.01
CC135998		1.68	40.1	4.97	3.56	0.09	0.02	0.05	0.036	0.06	4.0	18.8	0.28	646	0.84	<0.01
CC135999		1.27	59.6	5.20	2.73	0.11	0.07	0.14	0.052	0.11	5.4	17.7	0.23	996	2.30	0.01
CC136000		1.57	62.8	5.47	3.55	0.12	0.11	0.17	0.051	0.11	4.4	29.3	0.39	1540	2.92	0.01
CC135845		1.64	55.2	4.50	4.03	0.11	0.09	0.08	0.040	0.10	3.7	33.3	0.69	1030	0.80	0.01
CC135846		4.10	56.6	4.74	4.35	0.10	0.02	0.04	0.048	0.11	4.9	27.0	0.39	1270	0.82	<0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 3- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11167454

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
CC72394		0.19	35.3	710	32.7	6.0	0.001	0.05	0.32	9.1	1.1	0.4	56.6	<0.01	0.07	3.2
CC72395		0.21	31.5	820	33.6	8.4	<0.001	0.06	0.39	7.1	1.2	0.5	53.1	<0.01	0.07	2.4
CC72396		0.25	43.0	710	30.0	8.5	<0.001	0.03	0.37	7.9	1.0	0.5	21.0	<0.01	0.07	3.4
CC72397		0.20	40.7	530	32.0	7.5	0.001	0.03	0.37	9.8	1.1	0.5	41.5	<0.01	0.06	4.0
CC72398		0.16	41.3	610	38.8	5.8	<0.001	0.04	0.50	7.5	1.1	0.5	63.8	<0.01	0.06	3.1
CC72399		0.20	40.0	510	39.6	7.3	<0.001	0.03	0.23	8.6	0.8	0.5	31.0	<0.01	0.09	2.8
CC72400		0.20	37.9	670	94.0	12.1	<0.001	0.03	0.30	11.4	1.4	0.5	19.7	<0.01	0.10	3.0
CC72401		0.20	44.0	450	71.8	10.0	0.001	0.02	0.58	10.0	1.2	0.5	19.0	<0.01	0.08	3.2
CC72402		0.23	48.0	640	120.5	11.8	<0.001	0.03	0.59	8.2	1.2	0.5	23.3	<0.01	0.17	3.2
CC72403		0.29	30.6	1090	58.1	14.1	<0.001	0.06	0.49	3.4	0.5	0.6	16.4	<0.01	0.08	1.2
CC135933		0.43	32.5	330	21.8	9.7	<0.001	0.03	0.54	6.2	0.3	0.6	14.7	<0.01	0.05	2.6
CC135934		0.64	29.4	520	17.3	6.8	0.001	0.03	0.78	6.0	0.8	0.6	17.2	<0.01	0.06	3.6
CC135935		0.30	39.2	650	33.8	8.0	0.001	0.06	0.60	4.7	0.8	0.7	26.3	<0.01	0.04	1.6
CC135936		0.19	31.2	730	22.5	7.1	0.001	0.06	0.71	5.8	1.2	0.7	28.6	<0.01	0.05	2.5
CC135937		0.09	38.4	800	31.9	5.3	<0.001	0.05	0.35	9.0	1.0	0.5	72.9	<0.01	0.09	2.2
CC135938		0.08	39.5	800	32.8	4.8	<0.001	0.06	0.36	8.6	1.0	0.5	73.2	<0.01	0.09	2.1
CC135939		0.06	56.3	320	26.0	4.7	0.002	0.03	0.65	8.3	0.6	0.6	43.0	<0.01	0.06	3.3
CC135940		0.18	40.3	700	28.9	7.5	0.002	0.05	1.08	4.5	0.9	0.7	38.2	<0.01	0.06	1.2
CC135941		0.14	44.3	600	30.8	7.3	0.001	0.05	0.80	7.1	1.0	0.7	47.6	<0.01	0.08	2.7
CC135942		0.35	32.9	790	21.8	6.6	<0.001	0.06	1.69	4.4	0.9	0.6	76.9	<0.01	0.05	1.5
CC135943		0.13	53.3	570	27.6	6.1	0.001	0.04	0.71	7.0	1.3	0.6	39.1	<0.01	0.06	2.1
CC135944		0.14	47.2	710	26.6	6.6	0.001	0.05	0.67	5.5	1.0	0.6	37.2	<0.01	0.07	1.7
CC135945		0.14	47.1	560	25.4	6.1	0.001	0.04	0.67	6.7	0.8	0.6	38.7	<0.01	0.06	2.2
CC135946		0.12	52.1	510	26.7	5.8	0.001	0.04	0.63	7.2	1.1	0.6	44.2	<0.01	0.08	2.5
CC135987		0.08	41.2	700	37.7	7.7	0.001	0.17	2.02	8.7	1.3	0.7	117.5	<0.01	0.09	6.1
CC135988		0.19	32.8	880	23.6	5.2	<0.001	0.05	3.39	5.2	0.6	0.5	108.5	<0.01	0.06	1.6
CC135989		0.29	30.7	1550	21.0	4.4	<0.001	0.08	4.49	4.2	1.1	0.4	138.5	<0.01	0.07	1.3
CC135990		0.33	28.4	980	18.2	4.2	<0.001	0.11	3.93	2.9	0.8	0.4	131.5	<0.01	0.04	0.6
CC135991		0.24	30.4	600	19.3	5.6	<0.001	0.04	1.10	4.0	0.4	0.6	53.3	<0.01	0.04	1.6
CC135992		0.17	24.1	840	18.9	4.6	<0.001	0.05	1.52	4.2	0.6	0.4	37.3	<0.01	0.07	1.3
CC135993		0.05	34.7	230	27.7	3.0	<0.001	0.03	0.46	6.2	0.6	0.6	74.9	<0.01	0.18	2.7
CC135994		0.20	20.6	640	22.4	9.2	0.001	0.10	0.28	5.1	0.5	0.6	31.9	<0.01	0.05	1.9
CC135995		0.30	25.3	1080	19.8	7.7	<0.001	0.06	0.70	1.4	0.7	0.6	15.2	<0.01	0.05	0.4
CC135996		0.49	22.6	960	18.6	10.0	<0.001	0.07	0.70	1.4	0.6	0.7	14.6	<0.01	0.05	0.4
CC135997		0.22	29.7	1210	32.8	10.6	<0.001	0.07	0.50	3.8	0.4	0.5	11.2	<0.01	0.03	0.7
CC135998		0.34	28.6	650	23.4	8.3	<0.001	0.03	0.52	2.8	0.4	0.6	10.2	<0.01	0.03	0.6
CC135999		0.12	46.3	760	31.6	5.8	0.001	0.11	2.87	8.3	1.2	0.6	85.4	<0.01	0.14	4.7
CC136000		0.13	42.9	1000	30.2	5.7	0.002	0.14	1.31	7.5	2.0	0.6	68.0	<0.01	0.09	3.9
CC135845		0.10	33.2	890	21.7	5.9	<0.001	0.11	0.37	9.7	0.9	0.4	26.4	<0.01	0.06	2.1
CC135846		0.12	28.5	630	30.0	9.9	<0.001	0.02	0.48	6.8	0.5	0.5	25.2	<0.01	0.05	2.7

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 3- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11167454

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
CC72394		0.005	0.05	1.12	22	<0.05	27.4	105	3.9
CC72395		0.005	0.08	1.33	25	<0.05	20.4	102	3.0
CC72396		0.005	0.08	1.42	26	<0.05	19.00	98	3.0
CC72397		0.005	0.09	1.00	22	<0.05	20.6	110	3.3
CC72398		<0.005	0.09	0.85	19	<0.05	19.85	123	5.7
CC72399		0.006	0.08	0.80	21	<0.05	14.40	114	4.1
CC72400		0.006	0.14	0.97	24	<0.05	21.9	130	1.6
CC72401		0.008	0.13	0.85	21	<0.05	21.5	130	2.0
CC72402		0.008	0.16	1.28	24	<0.05	18.25	158	3.1
CC72403		0.007	0.14	1.04	33	0.06	7.40	132	1.5
CC135933		0.007	0.11	0.42	46	0.06	4.04	85	1.6
CC135934		0.023	0.17	0.76	36	0.11	5.16	80	0.8
CC135935		0.007	0.17	0.89	29	<0.05	6.48	109	0.7
CC135936		<0.005	0.14	0.89	26	<0.05	9.56	101	0.7
CC135937		<0.005	0.08	0.56	20	<0.05	18.40	117	2.5
CC135938		<0.005	0.08	0.65	19	<0.05	16.75	114	1.1
CC135939		<0.005	0.13	0.75	28	<0.05	7.85	131	1.3
CC135940		<0.005	0.16	0.79	25	<0.05	7.95	109	0.5
CC135941		<0.005	0.16	0.87	24	<0.05	11.70	111	1.1
CC135942		0.011	0.09	0.81	33	0.13	10.20	93	1.3
CC135943		<0.005	0.15	0.74	24	<0.05	8.59	119	0.9
CC135944		<0.005	0.16	0.75	24	<0.05	7.05	122	0.8
CC135945		<0.005	0.14	0.69	23	<0.05	7.95	118	1.4
CC135946		<0.005	0.14	0.73	24	<0.05	8.26	119	1.0
CC135987		<0.005	0.17	1.23	22	<0.05	10.25	110	4.4
CC135988		0.005	0.09	0.66	22	0.07	13.20	93	1.6
CC135989		0.010	0.07	0.77	34	0.11	14.40	116	2.5
CC135990		0.010	0.07	0.72	34	0.14	14.35	89	0.8
CC135991		0.007	0.08	0.65	29	0.06	7.03	98	0.9
CC135992		0.005	0.08	0.82	20	0.10	11.00	70	0.9
CC135993		<0.005	0.07	0.36	17	<0.05	5.83	90	1.7
CC135994		0.005	0.12	0.63	18	<0.05	5.25	88	1.0
CC135995		0.005	0.14	0.74	33	0.08	5.40	84	0.5
CC135996		0.009	0.15	0.76	42	0.13	4.15	87	<0.5
CC135997		0.005	0.09	0.39	42	<0.05	3.16	105	0.8
CC135998		0.007	0.12	0.42	39	0.07	3.44	98	0.6
CC135999		0.005	0.12	1.08	20	<0.05	11.30	115	3.2
CC136000		<0.005	0.14	1.23	23	<0.05	15.75	112	3.2
CC135845		<0.005	0.08	0.43	34	<0.05	12.25	90	2.6
CC135846		0.005	0.11	0.47	35	<0.05	7.50	93	0.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 3- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11167454

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- TL43 Au ppm 0.001	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1
CC135847		0.48	0.002	0.25	0.90	23.4	<0.2	<10	100	1.09	0.42	0.15	0.14	12.95	21.8	19
CC135848		0.50	0.001	0.08	0.85	8.7	<0.2	<10	70	0.93	0.33	0.17	0.11	7.31	19.5	18
CC135849		0.62	0.007	0.08	0.27	107.5	<0.2	<10	40	0.79	0.51	0.07	0.16	8.92	26.6	13
CC135850		0.64	0.010	0.09	0.28	64.1	<0.2	<10	40	0.86	0.35	0.07	0.10	5.45	23.2	9
CC135851		0.54	0.001	0.07	1.82	11.1	<0.2	<10	100	1.36	0.36	0.10	0.19	19.35	32.3	30
CC135852		0.48	0.001	0.08	1.19	14.7	<0.2	<10	60	0.86	0.31	0.05	0.17	7.56	18.6	21
CC135853		0.48	0.001	0.17	1.75	9.2	<0.2	<10	110	1.33	0.32	0.48	0.30	13.75	27.2	29
CC135854		0.52	0.001	0.12	1.91	13.7	<0.2	<10	80	1.65	0.37	0.07	0.30	10.65	36.1	31
CC135855		0.50	0.002	0.12	1.82	8.8	<0.2	<10	80	1.71	0.34	0.17	0.18	15.60	43.2	31
CC135856		0.48	0.001	0.08	1.82	11.8	<0.2	<10	60	1.61	0.35	0.09	0.19	10.90	43.4	30
CC135857		0.56	0.002	0.13	1.78	10.0	<0.2	<10	70	1.65	0.35	0.19	0.21	14.40	56.8	29
CC135858		0.46	0.001	0.10	1.69	7.3	<0.2	<10	50	1.17	0.35	0.07	0.20	4.51	23.9	28
CC135859		0.52	0.002	0.07	1.95	6.0	<0.2	<10	60	1.35	0.34	0.05	0.11	6.02	42.1	33
CC135860		0.36	0.002	0.22	1.43	13.0	<0.2	<10	60	1.45	0.35	1.33	0.25	9.22	40.4	22
CC135861		0.56	0.002	0.17	1.02	21.3	<0.2	<10	50	1.37	0.34	0.38	0.16	8.61	33.1	22
CC135862		0.40	0.001	0.08	0.52	8.6	<0.2	<10	40	1.43	0.31	0.98	0.15	9.76	29.3	17
CC135863		0.56	0.003	0.07	0.49	25.9	<0.2	<10	60	1.75	0.54	0.04	0.20	10.40	21.9	8
CC135864		0.46	0.003	0.20	0.24	26.6	<0.2	<10	90	2.08	0.53	0.31	0.67	13.10	42.1	5
CC135865		0.68	0.001	0.08	0.62	9.6	<0.2	<10	40	0.81	0.40	0.07	0.02	2.59	26.1	13
CC135866		0.50	0.001	0.10	1.14	9.6	<0.2	<10	60	0.91	0.35	0.25	0.14	7.56	22.3	17
CC135867		0.42	0.001	0.05	0.63	7.7	<0.2	<10	70	0.66	0.30	0.11	0.13	5.28	15.6	13
CC135868		0.30	0.002	0.16	1.07	6.7	<0.2	<10	60	0.90	0.24	0.77	0.22	9.10	15.9	21
CC135869		0.56	0.001	0.08	1.86	10.5	<0.2	<10	80	1.14	0.33	0.17	0.23	14.15	26.4	31
CC135870		0.48	0.002	0.04	1.66	12.5	<0.2	<10	80	0.70	0.33	0.06	0.21	11.80	12.9	27
CC135871		0.44	0.003	0.32	1.77	22.4	<0.2	<10	70	1.67	0.47	0.29	0.21	18.60	34.9	33
CC135872		0.42	0.002	0.15	0.64	21.9	<0.2	<10	80	1.04	0.39	0.04	0.24	12.10	47.8	17
CC135873		0.50	0.005	0.21	1.17	14.9	<0.2	<10	130	1.45	0.47	0.55	0.14	8.08	43.4	18

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 3- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11167454

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
CC135847		5.07	57.8	5.11	2.87	0.10	0.04	0.17	0.038	0.09	4.8	17.0	0.26	867	0.86	<0.01
CC135848		4.16	57.9	4.64	3.10	0.09	0.04	0.10	0.044	0.11	3.1	13.7	0.24	701	0.54	<0.01
CC135849		1.69	90.8	4.51	1.21	0.09	0.11	1.25	0.059	0.08	4.0	1.9	0.06	583	1.46	<0.01
CC135850		1.49	69.0	4.76	1.05	0.09	0.06	0.74	0.048	0.08	2.3	3.1	0.08	580	0.73	<0.01
CC135851		8.38	61.2	5.53	5.76	0.11	0.04	0.04	0.048	0.10	5.4	43.3	0.60	1770	0.89	<0.01
CC135852		2.39	48.0	4.77	4.12	0.08	0.02	0.06	0.043	0.08	3.2	19.6	0.26	789	1.05	<0.01
CC135853		5.35	60.3	4.78	5.49	0.09	0.05	0.08	0.046	0.09	4.8	39.6	0.52	1590	1.12	<0.01
CC135854		6.77	63.1	6.17	6.70	0.11	0.04	0.06	0.054	0.09	3.6	48.3	0.55	1360	1.48	<0.01
CC135855		6.09	80.1	6.02	6.02	0.10	0.06	0.07	0.055	0.11	4.5	49.7	0.58	1570	1.00	<0.01
CC135856		4.36	72.9	6.04	5.67	0.09	0.02	0.05	0.048	0.09	3.2	41.2	0.57	1780	1.03	<0.01
CC135857		8.30	89.1	6.58	5.60	0.13	0.08	0.08	0.048	0.09	5.1	45.9	0.57	2130	1.10	<0.01
CC135858		4.18	65.0	5.41	5.13	0.08	0.06	0.09	0.047	0.09	1.9	36.2	0.35	687	0.85	<0.01
CC135859		5.62	77.1	5.96	6.16	0.11	0.05	0.10	0.053	0.12	2.0	50.2	0.50	838	0.72	<0.01
CC135860		3.41	85.4	4.77	4.15	0.09	0.11	0.11	0.044	0.08	3.3	34.9	0.54	1490	1.73	0.01
CC135861		6.81	84.1	5.81	3.45	0.10	0.11	0.33	0.054	0.10	3.8	21.9	0.36	1120	0.60	<0.01
CC135862		2.27	60.1	4.61	1.88	0.11	0.12	0.20	0.040	0.07	3.9	4.9	0.17	1220	0.81	<0.01
CC135863		0.74	67.9	4.92	1.51	0.11	0.02	0.95	0.059	0.05	4.8	2.1	0.04	656	3.43	<0.01
CC135864		1.73	94.7	7.71	0.71	0.10	0.11	1.05	0.057	0.07	5.0	1.8	0.09	1860	5.74	<0.01
CC135865		1.35	90.3	7.44	1.95	0.08	0.09	0.33	0.055	0.06	1.3	2.8	0.05	143	0.53	<0.01
CC135866		5.89	64.8	6.33	3.45	0.09	0.04	0.09	0.045	0.06	3.3	21.2	0.30	675	0.88	<0.01
CC135867		2.70	45.3	5.16	2.02	0.08	0.02	0.13	0.036	0.05	2.0	9.3	0.16	505	0.79	<0.01
CC135868		6.35	45.3	3.99	3.40	0.11	0.04	0.08	0.039	0.07	4.9	17.4	0.31	589	1.45	0.01
CC135869		6.22	52.8	5.58	6.18	0.09	0.03	0.09	0.047	0.10	4.7	43.4	0.42	994	1.22	<0.01
CC135870		2.77	30.8	4.77	7.33	0.08	0.02	0.04	0.038	0.05	5.9	32.9	0.27	346	1.44	<0.01
CC135871		8.67	76.6	5.60	5.93	0.13	0.10	0.13	0.056	0.09	7.9	43.8	0.66	1260	0.97	<0.01
CC135872		4.81	53.8	5.06	3.00	0.09	<0.02	0.18	0.050	0.09	2.9	4.5	0.11	2810	1.05	<0.01
CC135873		1.63	73.7	5.40	3.44	0.10	0.06	0.33	0.042	0.10	3.3	24.0	0.56	935	1.17	<0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 3- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11167454

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
CC135847		0.18	30.9	540	29.3	8.0	<0.001	0.02	0.76	6.2	0.9	0.5	27.3	<0.01	0.06	2.6
CC135848		0.10	31.5	550	20.2	8.5	<0.001	0.02	0.45	9.6	0.5	0.5	23.8	<0.01	0.05	2.1
CC135849		<0.05	42.7	190	25.9	4.0	<0.001	0.01	7.28	8.5	<0.2	0.4	46.2	<0.01	0.07	3.6
CC135850		<0.05	37.1	190	21.2	4.1	<0.001	0.03	4.78	8.5	0.2	0.3	24.1	<0.01	0.05	2.1
CC135851		0.21	31.8	990	40.0	11.5	<0.001	0.04	0.70	8.5	0.7	0.5	17.1	<0.01	0.05	1.9
CC135852		0.32	23.9	1050	23.2	9.9	<0.001	0.06	0.92	2.3	0.6	0.5	10.2	<0.01	0.06	0.4
CC135853		0.26	26.3	1420	32.6	10.9	<0.001	0.10	0.73	5.9	0.8	0.5	50.0	<0.01	0.03	1.0
CC135854		0.27	32.1	1100	40.3	12.0	<0.001	0.07	0.97	7.2	0.7	0.6	13.5	<0.01	0.07	1.4
CC135855		0.20	41.3	810	41.7	10.6	<0.001	0.05	0.65	13.7	0.8	0.5	21.5	<0.01	0.03	2.2
CC135856		0.22	41.5	920	37.1	9.0	<0.001	0.03	0.63	8.7	0.6	0.5	13.8	<0.01	0.08	1.6
CC135857		0.24	72.9	660	41.8	8.1	<0.001	0.03	0.68	13.8	1.1	0.5	18.9	<0.01	0.04	2.6
CC135858		0.23	34.6	830	24.3	9.3	<0.001	0.07	0.46	5.8	0.7	0.5	14.1	<0.01	0.04	0.8
CC135859		0.14	42.0	320	35.3	9.4	0.001	0.02	0.39	12.6	0.4	0.6	10.7	<0.01	0.02	2.2
CC135860		0.12	37.0	1170	40.3	5.6	<0.001	0.13	0.67	11.3	1.2	0.4	54.6	<0.01	0.07	1.9
CC135861		0.07	48.4	570	30.0	7.6	<0.001	0.03	1.28	11.5	0.8	0.4	37.9	<0.01	0.04	1.9
CC135862		0.08	43.7	1070	27.2	5.5	<0.001	0.11	0.66	8.5	0.8	0.4	59.7	<0.01	0.02	1.0
CC135863		0.05	48.7	410	23.9	4.4	0.002	0.02	1.41	9.4	1.2	0.5	14.0	<0.01	0.09	2.5
CC135864		<0.05	87.5	1000	34.0	3.4	0.005	0.30	1.14	11.7	2.2	0.5	56.0	<0.01	0.07	5.0
CC135865		<0.05	34.1	120	45.0	3.0	<0.001	0.03	0.89	9.5	0.7	0.5	16.4	<0.01	0.03	1.9
CC135866		0.23	34.2	860	29.7	8.0	<0.001	0.05	0.86	7.5	0.5	0.4	26.0	<0.01	0.06	1.2
CC135867		0.16	24.0	590	19.3	5.1	<0.001	0.03	0.51	5.6	0.4	0.3	10.2	<0.01	0.03	1.0
CC135868		0.31	28.0	1280	19.5	8.5	<0.001	0.14	0.58	4.5	0.6	0.4	57.9	<0.01	0.02	0.6
CC135869		0.48	31.0	720	26.4	14.2	<0.001	0.05	0.56	6.3	0.4	0.6	21.2	<0.01	0.03	0.9
CC135870		0.99	20.2	500	22.4	10.9	<0.001	0.03	0.81	4.2	0.6	0.7	9.0	<0.01	0.04	1.6
CC135871		0.33	41.7	940	43.3	11.6	0.001	0.04	0.93	16.2	1.0	0.6	36.2	<0.01	0.05	3.1
CC135872		0.18	32.8	650	53.8	12.4	<0.001	0.04	0.59	9.4	0.3	0.5	12.9	<0.01	0.06	1.4
CC135873		0.10	52.4	320	37.9	6.1	0.001	0.03	0.85	9.8	1.2	0.6	19.8	<0.01	0.07	2.9

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 3- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11167454

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
CC135847		0.007	0.11	0.75	31	0.05	10.65	89	1.2
CC135848		<0.005	0.10	0.42	29	<0.05	8.70	90	1.0
CC135849		<0.005	0.19	0.52	21	<0.05	6.11	99	4.9
CC135850		<0.005	0.15	0.30	17	<0.05	5.27	84	3.3
CC135851		0.008	0.14	0.68	44	0.05	13.00	108	1.2
CC135852		0.006	0.10	0.39	34	0.06	3.68	87	0.7
CC135853		0.009	0.11	0.69	41	0.05	12.20	94	1.5
CC135854		0.007	0.15	0.56	43	<0.05	7.28	103	1.3
CC135855		0.007	0.14	0.61	37	<0.05	13.85	106	1.7
CC135856		0.007	0.12	0.53	39	<0.05	7.98	112	0.8
CC135857		0.010	0.17	0.88	38	0.05	18.00	125	2.6
CC135858		0.005	0.09	0.52	31	<0.05	4.68	95	1.7
CC135859		0.007	0.15	0.47	36	<0.05	7.04	97	2.0
CC135860		<0.005	0.13	0.56	26	<0.05	18.05	87	3.5
CC135861		<0.005	0.12	0.51	33	<0.05	14.80	109	3.4
CC135862		<0.005	0.12	0.45	27	<0.05	14.40	77	3.2
CC135863		<0.005	0.26	0.98	15	<0.05	13.60	122	<0.5
CC135864		<0.005	0.51	1.05	14	<0.05	16.50	192	5.6
CC135865		<0.005	0.07	0.32	27	<0.05	4.51	108	5.4
CC135866		0.006	0.11	0.49	29	0.05	7.43	110	1.3
CC135867		<0.005	0.06	0.28	21	<0.05	3.94	82	0.7
CC135868		0.008	0.08	0.58	27	0.06	10.30	66	1.0
CC135869		0.012	0.14	0.56	44	0.07	7.97	98	0.7
CC135870		0.012	0.14	0.44	57	0.16	2.65	75	0.7
CC135871		0.009	0.15	0.83	43	0.06	22.1	99	2.4
CC135872		0.005	0.28	0.52	30	<0.05	7.24	86	<0.5
CC135873		<0.005	0.13	0.50	22	<0.05	11.85	106	1.8

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 3- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11167454

Method	CERTIFICATE COMMENTS
ME- MS41	Gold determinations by this method are semi- quantitative due to the small sample weight used (0.5g).

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 5- OCT- 2011
Account: RCM

CERTIFICATE WH11167459

Project: Rackla Gold (Nadaleen Trend)

P.O. No.: S7 Area C

This report is for 159 Soil samples submitted to our lab in Whitehorse, YT, Canada on 22- AUG- 2011.

The following have access to data associated with this certificate:

ROB CARNE JULIA LANE	ANDREW CARNE JOAN MARIACHER	MATT DUMALA

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
SCR- 41	Screen to - 180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- TL43	Trace Level Au - 25g AR	ICP- MS
ME- MS41	51 anal. aqua regia ICPMS	

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 5- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11167459

Sample Description	Method	WEI- 21	Au- TL43	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Recvd Wt.	Au	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
CC26313		0.26	<0.001	0.04	2.50	9.0	<0.2	<10	170	1.22	0.42	0.29	0.07	29.9	12.8	39
CC26314		0.18	<0.001	0.10	1.75	6.7	<0.2	<10	320	0.96	0.27	1.05	0.11	34.3	9.7	25
CC26315		0.14	<0.001	0.21	1.39	8.8	<0.2	<10	210	0.73	0.24	2.40	0.28	26.3	8.6	23
CC26316		0.08	<0.001	0.17	0.43	2.7	<0.2	<10	230	0.27	0.09	3.97	0.18	6.01	3.8	10
CC26317		0.18	<0.001	0.17	0.64	11.4	<0.2	<10	520	0.71	0.36	0.57	0.12	11.35	9.5	14
CC26318		0.12	<0.001	0.15	0.51	4.2	<0.2	<10	390	0.49	0.15	3.76	0.17	11.25	6.1	7
CC26319		0.14	<0.001	0.19	0.80	5.8	<0.2	<10	270	0.56	0.25	2.04	0.15	9.81	10.1	14
CC26320		0.16	<0.001	0.22	0.79	6.0	<0.2	<10	250	0.65	0.24	1.77	0.15	12.70	9.1	12
CC26321		0.16	<0.001	0.20	0.83	8.3	<0.2	<10	260	0.77	0.26	1.36	0.19	16.95	11.1	12
CC26322		0.14	0.001	0.23	0.78	9.2	<0.2	<10	350	0.81	0.27	1.56	0.17	20.9	10.6	13
CC26323		0.08	0.001	0.12	0.59	7.5	<0.2	<10	450	0.48	0.13	3.49	0.29	13.50	5.4	10
CC26324		0.16	0.001	0.17	0.91	13.8	<0.2	<10	330	0.93	0.25	1.31	0.20	25.2	11.1	15
CC70844		0.22	0.003	0.09	0.89	11.4	<0.2	<10	160	1.32	0.22	0.49	0.13	86.1	15.1	24
CC70845		0.20	0.005	0.08	0.93	8.1	<0.2	<10	120	1.43	0.21	1.50	0.24	62.6	12.6	35
CC70846		0.20	0.004	0.33	1.34	11.8	<0.2	<10	190	1.11	0.20	4.69	0.29	41.2	11.1	32
CC70847		0.16	0.004	0.22	0.91	12.4	<0.2	<10	180	1.04	0.19	8.14	0.39	35.4	9.3	22
CC70848		0.12	0.001	0.14	1.25	13.0	<0.2	<10	640	1.09	0.20	2.95	0.28	45.0	8.7	14
CC70849		0.10	0.001	0.10	0.95	10.6	<0.2	<10	210	0.74	0.22	3.34	0.24	31.4	10.1	11
CC70850		0.32	<0.001	0.03	2.37	12.2	<0.2	<10	80	1.43	0.43	0.03	0.07	6.99	19.2	32
CC72248		0.26	<0.001	0.06	2.13	10.2	<0.2	<10	120	1.06	0.38	0.08	0.06	10.25	14.0	33
CC72370		0.38	0.002	0.10	1.83	11.6	<0.2	<10	170	0.72	0.27	0.78	0.26	32.3	21.4	31
CC72371		0.26	0.002	0.15	1.42	10.1	<0.2	<10	180	0.75	0.23	1.64	0.52	22.7	14.7	25
CC72372		0.38	0.002	0.07	1.68	10.8	<0.2	<10	130	0.73	0.27	0.17	0.10	38.7	17.2	26
CC72373		0.22	0.003	0.10	1.42	12.7	<0.2	<10	150	0.71	0.24	0.68	0.19	24.8	15.8	25
CC72374		0.40	0.003	0.24	1.52	13.8	<0.2	<10	120	0.92	0.25	0.41	0.33	23.7	16.4	27
CC72375		0.30	0.003	0.23	1.42	14.7	<0.2	<10	230	0.79	0.24	0.91	0.40	23.8	14.2	29
CC82491		0.22	0.001	0.28	2.45	13.1	<0.2	<10	110	2.16	0.44	0.60	0.12	37.9	21.6	35
CC82492		0.14	<0.001	0.08	0.79	6.6	<0.2	<10	160	0.55	0.26	1.03	0.13	25.2	9.3	12
CC135902		0.14	0.001	0.12	1.04	14.4	<0.2	<10	180	0.76	0.20	2.04	0.40	18.70	9.2	16
CC135903		0.12	<0.001	0.13	0.95	13.7	<0.2	<10	270	0.67	0.20	2.39	0.35	16.85	8.0	14
CC135904		0.10	0.002	0.12	1.07	8.6	<0.2	<10	270	0.59	0.19	2.26	0.41	14.95	8.9	17
CC135905		0.12	<0.001	0.11	1.19	12.0	<0.2	<10	340	0.73	0.21	2.25	0.43	16.10	9.8	18
CC135906		0.16	0.002	0.49	1.36	18.8	<0.2	<10	320	0.96	0.29	1.13	0.45	22.4	11.1	22
CC135907		0.16	0.001	0.17	1.23	6.4	<0.2	10	210	0.94	0.29	1.81	0.37	16.10	10.5	24
CC135908		0.16	0.001	0.15	1.19	15.2	<0.2	<10	250	0.97	0.26	1.48	0.52	23.0	13.1	22
CC135909		0.20	0.001	0.11	0.99	10.2	<0.2	<10	140	0.74	0.24	6.74	0.44	18.55	11.3	19
CC135910		0.14	0.001	0.14	1.28	12.3	<0.2	<10	220	0.75	0.26	1.29	0.32	27.5	11.4	25
CC135911		0.22	0.001	0.10	1.31	15.5	<0.2	<10	240	0.92	0.37	0.72	0.18	22.4	16.2	26
CC135912		0.12	<0.001	0.07	0.96	9.0	<0.2	<10	260	0.42	0.23	2.18	0.66	11.80	8.0	18
ZZ07012		0.22	0.004	0.59	0.69	14.7	<0.2	<10	1020	0.50	0.23	0.19	1.18	29.8	10.5	9

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 5- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11167459

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
CC26313		2.11	22.8	4.68	6.67	0.10	0.03	0.03	0.051	0.12	8.8	45.3	0.58	624	1.61	0.01
CC26314		0.84	14.5	3.15	5.24	0.09	0.04	0.05	0.040	0.12	11.2	22.1	0.34	387	0.76	0.01
CC26315		0.68	20.6	2.64	3.90	0.10	0.03	0.10	0.032	0.07	11.1	12.7	0.26	523	0.84	0.01
CC26316		0.44	13.7	0.98	1.06	0.08	0.04	0.09	0.014	0.05	2.8	3.4	0.08	189	0.66	0.01
CC26317		1.38	24.4	3.35	1.56	0.09	0.04	0.04	0.044	0.09	4.2	6.5	0.10	152	1.19	<0.01
CC26318		0.33	19.9	1.86	1.08	0.08	0.03	0.09	0.022	0.04	3.7	3.4	0.05	340	0.58	0.01
CC26319		0.97	23.3	2.54	2.46	0.09	0.03	0.07	0.033	0.09	3.8	15.1	0.18	453	0.85	0.01
CC26320		0.82	22.1	2.39	2.09	0.10	0.03	0.07	0.034	0.08	4.6	11.6	0.14	346	0.65	0.01
CC26321		1.06	25.3	2.67	2.26	0.09	0.03	0.18	0.038	0.11	6.2	13.7	0.17	418	0.60	0.01
CC26322		0.93	25.5	2.64	2.03	0.10	0.04	0.28	0.034	0.10	8.2	10.6	0.18	416	0.85	0.01
CC26323		0.50	17.8	1.49	1.66	0.08	0.04	0.36	0.017	0.07	5.2	7.1	0.36	338	0.53	0.01
CC26324		0.74	21.2	2.67	2.58	0.10	0.04	0.47	0.033	0.10	9.4	11.9	0.24	571	0.78	0.01
CC70844		0.37	43.3	3.03	2.88	0.15	0.06	0.20	0.048	0.14	37.1	8.6	0.30	414	0.67	<0.01
CC70845		0.57	38.1	2.75	4.47	0.12	0.08	0.24	0.046	0.16	30.2	15.8	0.62	329	0.63	0.01
CC70846		0.67	32.2	2.36	4.78	0.12	0.11	0.09	0.033	0.29	19.6	33.7	0.84	273	1.48	0.01
CC70847		0.24	26.9	1.89	2.81	0.10	0.09	0.12	0.032	0.19	16.6	13.8	1.84	347	1.79	0.01
CC70848		0.35	21.8	2.32	3.29	0.12	0.14	0.39	0.034	0.07	21.0	12.2	0.17	514	0.99	0.01
CC70849		0.28	26.6	2.28	2.53	0.10	0.05	0.24	0.030	0.08	10.3	10.3	0.17	228	0.78	0.01
CC70850		3.15	43.7	3.89	7.64	0.08	0.03	0.03	0.047	0.16	2.8	70.1	0.59	601	0.90	0.01
CC72248		2.30	26.0	3.88	7.52	0.08	0.02	0.02	0.043	0.16	3.8	55.5	0.56	483	1.07	0.01
CC72370		1.23	49.5	3.87	6.70	0.11	0.05	0.10	0.043	0.07	13.4	35.6	0.86	725	0.91	0.01
CC72371		1.94	57.7	2.98	4.37	0.10	0.03	0.16	0.034	0.07	10.0	20.2	0.55	772	1.06	0.01
CC72372		1.15	62.6	4.05	5.40	0.11	0.07	0.13	0.034	0.07	17.1	43.8	0.71	432	0.56	<0.01
CC72373		1.26	53.5	3.99	4.30	0.10	0.04	0.08	0.039	0.07	10.7	21.2	0.52	674	1.20	<0.01
CC72374		2.18	64.3	4.31	4.45	0.11	0.08	0.10	0.045	0.09	9.8	29.6	0.71	534	1.04	<0.01
CC72375		1.14	64.6	3.96	3.86	0.11	0.06	0.08	0.039	0.09	10.9	24.1	0.56	549	1.46	0.01
CC82491		2.76	42.9	4.92	7.99	0.13	0.06	0.04	0.058	0.16	11.8	65.6	0.60	2170	0.60	0.01
CC82492		0.30	17.3	3.23	1.93	0.10	0.04	0.02	0.034	0.10	8.7	8.9	0.15	374	0.48	0.01
CC135902		0.79	23.0	2.48	2.97	0.09	0.03	0.58	0.026	0.11	8.1	14.9	0.38	711	0.61	0.01
CC135903		0.57	23.2	2.23	2.59	0.10	0.04	0.46	0.027	0.11	7.1	10.8	0.31	597	0.59	0.01
CC135904		0.68	21.9	2.18	3.16	0.08	0.03	0.16	0.027	0.09	5.9	11.6	0.42	599	0.81	0.01
CC135905		0.68	21.4	2.43	3.46	0.10	0.03	0.26	0.028	0.10	7.4	11.0	0.39	726	0.75	0.01
CC135906		0.67	24.6	3.20	4.57	<0.05	0.06	0.40	0.033	0.12	10.5	16.4	0.40	619	0.87	0.01
CC135907		1.40	42.5	2.50	4.66	<0.05	0.07	0.32	0.037	0.14	6.9	19.8	0.48	585	0.63	0.01
CC135908		0.66	24.5	2.99	4.19	<0.05	0.05	0.20	0.036	0.10	9.7	20.2	0.46	743	1.07	0.01
CC135909		1.42	21.5	2.58	3.42	0.05	0.06	0.11	0.030	0.13	8.1	15.5	0.77	453	0.84	0.02
CC135910		0.83	19.3	2.91	4.83	<0.05	0.05	0.10	0.030	0.09	12.0	26.8	0.52	627	1.19	0.01
CC135911		0.85	23.6	3.71	5.27	<0.05	0.05	0.17	0.040	0.12	9.1	23.3	0.44	851	0.81	0.01
CC135912		0.69	13.1	2.10	3.51	<0.05	0.04	0.12	0.028	0.09	5.3	9.8	0.38	559	0.78	0.01
ZZ07012		5.08	76.4	2.38	2.24	0.05	0.04	0.16	0.044	0.12	11.1	3.1	0.05	231	7.20	<0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 5- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11167459

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
CC26313		0.55	38.2	310	31.7	16.6	<0.001	0.02	0.46	5.0	0.4	0.8	18.6	<0.01	0.08	5.1
CC26314		0.59	22.4	350	19.6	18.0	<0.001	0.03	0.33	3.9	0.7	0.7	78.5	<0.01	0.05	3.4
CC26315		0.59	20.9	800	16.2	7.5	<0.001	0.08	0.42	2.3	1.1	0.5	153.5	<0.01	0.04	0.7
CC26316		0.21	11.4	800	6.6	3.6	<0.001	0.13	0.25	1.5	0.6	0.2	211	<0.01	0.02	0.5
CC26317		0.19	26.0	380	27.3	9.2	<0.001	0.02	0.38	4.3	0.7	0.4	31.6	<0.01	0.10	2.7
CC26318		0.16	15.4	790	11.4	3.3	<0.001	0.13	0.23	0.8	0.6	0.2	199.5	<0.01	0.03	0.4
CC26319		0.32	24.0	450	18.7	8.2	<0.001	0.06	0.34	2.6	1.0	0.4	100.5	<0.01	0.03	1.3
CC26320		0.24	23.8	480	19.3	8.9	<0.001	0.06	0.31	3.0	1.0	0.4	91.8	<0.01	0.02	1.3
CC26321		0.23	30.9	450	22.3	10.1	<0.001	0.05	0.30	4.2	0.7	0.4	68.4	<0.01	0.03	2.2
CC26322		0.19	32.4	530	24.3	9.2	<0.001	0.07	0.34	4.4	0.9	0.4	67.8	<0.01	0.03	2.3
CC26323		0.24	18.9	530	18.2	5.7	<0.001	0.09	0.36	1.9	0.5	0.2	115.5	<0.01	0.03	0.9
CC26324		0.29	27.3	390	31.0	8.8	<0.001	0.04	0.38	4.9	1.1	0.5	54.1	<0.01	0.04	2.9
CC70844		0.16	31.1	500	18.1	11.4	<0.001	<0.01	0.41	6.8	2.1	0.5	44.4	<0.01	0.02	9.1
CC70845		0.32	31.3	610	14.6	14.9	<0.001	0.04	0.23	6.2	2.0	0.6	78.2	<0.01	0.03	3.3
CC70846		0.40	28.4	730	18.5	18.4	<0.001	0.05	0.42	3.9	1.3	0.6	532	<0.01	0.03	2.4
CC70847		0.21	25.1	1160	17.2	9.2	<0.001	0.05	0.43	3.0	1.2	0.5	336	<0.01	0.04	1.7
CC70848		0.23	17.1	1820	18.4	6.2	<0.001	0.13	0.34	2.4	1.6	0.4	156.0	<0.01	0.06	1.3
CC70849		0.25	22.4	1010	14.5	7.4	<0.001	0.11	0.37	3.0	1.0	0.4	167.0	<0.01	0.04	1.1
CC70850		0.24	36.8	240	27.9	19.3	<0.001	<0.01	0.31	5.1	0.5	0.9	8.7	<0.01	0.06	3.5
CC72248		0.49	33.8	390	18.6	22.1	<0.001	<0.01	0.32	4.7	0.2	1.0	9.2	<0.01	0.08	2.6
CC72370		0.59	34.3	590	16.8	9.3	<0.001	0.03	0.49	7.0	1.1	0.5	37.9	<0.01	0.08	2.2
CC72371		0.44	26.6	1170	15.9	11.8	<0.001	0.09	0.61	4.4	2.0	0.4	61.1	<0.01	0.06	0.7
CC72372		0.21	35.1	440	15.0	6.5	<0.001	<0.01	0.51	7.6	0.9	0.3	15.3	<0.01	0.08	5.3
CC72373		0.25	28.7	650	15.0	7.5	<0.001	0.03	0.50	6.4	0.8	0.4	30.4	<0.01	0.08	1.7
CC72374		0.13	37.0	510	16.6	7.6	<0.001	0.01	0.51	12.9	1.3	0.3	22.9	<0.01	0.10	3.7
CC72375		0.16	36.0	790	16.1	6.8	<0.001	0.03	0.54	7.7	1.1	0.3	42.0	<0.01	0.08	2.7
CC82491		0.29	45.5	940	63.4	17.4	<0.001	<0.01	0.21	15.5	1.2	0.9	34.1	<0.01	0.09	6.4
CC82492		0.16	20.1	340	26.1	8.0	<0.001	0.01	0.29	2.9	0.4	0.3	56.4	<0.01	0.03	2.7
CC135902		0.47	21.3	530	24.0	11.2	<0.001	0.08	0.70	3.1	1.4	0.4	138.5	<0.01	0.05	1.1
CC135903		0.36	18.9	630	30.6	9.9	<0.001	0.08	0.77	2.9	1.2	0.4	70.5	<0.01	0.03	1.1
CC135904		0.57	18.5	600	13.6	10.8	<0.001	0.09	0.45	2.4	0.7	0.4	71.8	<0.01	0.03	0.7
CC135905		0.53	20.2	630	17.2	9.7	<0.001	0.07	0.56	2.7	1.1	0.4	54.6	<0.01	0.04	0.8
CC135906		0.59	23.9	470	23.8	10.1	<0.001	0.04	0.55	4.9	0.8	0.6	29.4	<0.01	0.02	2.2
CC135907		0.53	26.6	540	19.5	16.7	0.004	0.23	0.31	5.7	3.0	0.6	49.1	<0.01	0.01	2.5
CC135908		0.55	26.0	450	23.2	10.0	<0.001	0.05	0.49	3.9	1.0	0.5	45.7	<0.01	0.02	1.6
CC135909		0.51	22.7	530	17.5	19.1	<0.001	0.07	0.37	3.9	1.0	0.5	181.5	<0.01	0.01	2.1
CC135910		0.81	25.3	540	17.1	10.0	<0.001	0.06	0.54	3.7	0.8	0.6	83.4	<0.01	0.02	1.7
CC135911		0.57	26.8	340	26.8	12.3	<0.001	0.03	0.37	4.3	0.7	0.6	38.8	<0.01	0.02	2.9
CC135912		0.50	12.4	730	16.9	15.0	<0.001	0.10	0.30	2.2	0.7	0.4	69.2	<0.01	0.01	0.7
ZZ07012		0.15	52.4	1490	15.4	10.7	0.007	0.01	3.62	2.7	2.8	0.5	21.7	<0.01	0.11	3.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 5- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11167459

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
CC26313		0.009	0.17	0.77	46	0.14	6.53	92	1.1
CC26314		0.006	0.14	1.51	37	0.08	7.77	56	1.8
CC26315		0.018	0.10	3.36	35	0.13	11.55	66	1.2
CC26316		0.006	0.05	1.55	10	<0.05	5.22	22	2.0
CC26317		<0.005	0.12	0.71	14	<0.05	8.22	68	1.8
CC26318		<0.005	0.06	1.62	9	<0.05	5.87	36	1.2
CC26319		0.006	0.10	0.83	17	0.06	5.06	62	1.3
CC26320		<0.005	0.10	1.00	15	<0.05	7.85	60	1.4
CC26321		<0.005	0.14	0.81	15	<0.05	10.20	93	1.6
CC26322		<0.005	0.16	0.99	14	0.05	13.50	94	1.6
CC26323		0.005	0.09	1.33	12	<0.05	6.47	86	1.5
CC26324		<0.005	0.15	1.38	18	<0.05	11.90	94	1.9
CC70844		<0.005	0.14	1.76	24	0.05	19.25	120	3.8
CC70845		0.007	0.14	1.27	37	<0.05	16.75	106	2.8
CC70846		0.012	0.21	5.14	39	0.11	11.75	90	3.9
CC70847		<0.005	0.16	5.08	26	0.06	13.15	73	3.2
CC70848		<0.005	0.08	4.39	21	<0.05	24.1	35	3.7
CC70849		<0.005	0.11	2.13	14	<0.05	11.05	59	2.3
CC70850		<0.005	0.17	0.51	34	0.05	3.75	84	1.6
CC72248		0.008	0.14	0.64	43	0.14	2.74	91	0.8
CC72370		0.018	0.10	0.68	55	0.10	6.25	84	1.7
CC72371		0.014	0.11	1.35	37	0.14	10.25	112	1.1
CC72372		0.008	0.07	0.58	38	<0.05	9.83	74	2.9
CC72373		0.008	0.10	0.51	44	0.05	8.32	65	1.3
CC72374		<0.005	0.11	0.54	44	<0.05	14.35	108	2.6
CC72375		0.006	0.11	0.92	41	<0.05	12.40	99	2.5
CC82491		0.005	0.14	4.47	33	0.06	32.5	92	2.6
CC82492		<0.005	0.08	0.45	17	<0.05	8.36	64	1.8
CC135902		0.008	0.18	2.48	22	0.06	8.73	131	1.3
CC135903		0.006	0.17	1.78	19	0.05	8.83	118	1.4
CC135904		0.010	0.09	2.60	22	0.11	4.96	78	1.1
CC135905		0.010	0.10	1.83	25	0.08	7.57	86	1.1
CC135906		0.010	0.11	1.04	31	0.13	8.72	142	1.4
CC135907		0.009	0.13	5.40	22	0.06	8.05	92	2.0
CC135908		0.011	0.10	3.13	26	0.12	7.23	111	1.4
CC135909		0.011	0.12	1.20	21	0.10	6.50	134	2.0
CC135910		0.022	0.10	3.31	35	0.30	6.06	75	1.2
CC135911		0.013	0.11	1.45	29	0.10	4.64	86	1.1
CC135912		0.011	0.09	2.36	25	0.08	2.95	111	1.0
ZZ07012		<0.005	0.56	3.20	62	0.06	14.35	354	0.9

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 5- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11167459

Sample Description	Method	WEI- 21	Au- TL43	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Recvd Wt.	Au	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
ZZ07013		0.20	0.001	0.15	0.75	13.1	<0.2	<10	150	0.16	0.25	0.02	0.15	20.2	3.5	16
ZZ07014		0.26	0.002	0.27	0.81	16.0	<0.2	<10	150	0.33	0.32	0.03	0.38	8.56	4.2	14
ZZ07015		0.30	0.007	0.93	0.75	25.8	<0.2	<10	530	0.65	0.27	0.26	1.49	35.5	17.9	16
ZZ07016		0.28	<0.001	0.28	0.52	34.5	<0.2	<10	570	0.42	0.19	0.09	1.92	9.77	3.9	28
ZZ07017		0.20	0.001	0.12	1.80	11.5	<0.2	<10	210	0.90	0.15	0.07	3.24	30.9	12.3	31
ZZ07018		0.34	<0.001	0.26	1.12	12.5	<0.2	<10	180	1.29	0.53	0.04	0.06	7.02	27.2	39
ZZ07019		0.36	<0.001	0.06	0.89	5.8	<0.2	<10	270	1.23	0.45	0.04	0.03	6.89	22.0	31
ZZ07020		0.32	0.001	0.06	1.18	6.6	<0.2	<10	230	1.44	0.37	0.06	0.03	8.04	18.3	39
ZZ07021		0.30	<0.001	0.08	0.67	6.6	<0.2	<10	210	1.32	0.42	0.12	0.06	11.30	18.4	16
ZZ07053		0.18	0.003	0.16	1.31	9.1	<0.2	<10	270	0.94	0.27	2.04	0.35	20.3	10.7	26
ZZ07054		0.20	0.003	0.21	1.45	12.1	<0.2	10	250	1.14	0.31	2.51	0.44	28.8	13.8	27
ZZ07056		0.08	0.001	0.24	0.27	4.1	<0.2	10	490	0.30	0.09	3.37	0.85	4.99	3.3	6
ZZ07057		0.12	0.003	0.10	0.70	6.2	<0.2	10	290	0.73	0.18	2.96	0.31	28.7	8.6	15
ZZ07058		0.14	0.003	0.11	1.40	6.6	<0.2	<10	410	1.07	0.19	2.05	0.29	39.7	8.9	27
ZZ07059		0.14	0.005	0.17	1.52	15.2	<0.2	10	490	1.28	0.22	2.58	0.37	45.0	10.9	35
ZZ07060		0.06	0.005	0.12	0.58	7.1	<0.2	10	720	0.52	0.12	3.46	0.84	15.35	5.5	10
ZZ07061		0.14	0.002	0.13	1.02	13.1	<0.2	10	280	1.02	0.26	1.83	0.29	21.6	10.6	17
ZZ07062		0.20	0.002	0.10	1.26	8.4	<0.2	10	240	1.22	0.28	1.55	0.25	32.3	12.5	25
ZZ07063		0.16	0.001	0.13	0.95	9.9	<0.2	10	270	0.82	0.22	2.88	0.30	18.10	9.0	16
ZZ07064		0.20	0.002	0.11	1.33	8.1	<0.2	<10	140	0.92	0.26	2.03	0.17	20.9	11.8	22
ZZ07065		0.12	0.002	0.10	1.22	8.0	<0.2	<10	330	0.97	0.21	2.57	0.24	28.3	10.3	25
ZZ07066		0.12	0.002	0.07	1.34	4.9	<0.2	10	260	0.94	0.24	2.38	0.19	31.0	10.4	32
ZZ07067		0.06	0.001	0.07	0.90	5.0	<0.2	<10	310	0.82	0.16	2.62	0.27	30.0	8.4	23
ZZ07068		0.22	0.003	0.10	0.79	13.6	<0.2	<10	270	1.01	0.21	4.28	0.46	26.8	10.0	15
ZZ07351		0.30	0.001	0.04	0.79	11.4	<0.2	10	130	1.30	0.36	6.42	0.15	14.30	26.2	16
ZZ07352		0.18	0.003	0.05	0.52	3.7	<0.2	<10	160	1.07	0.19	7.52	0.12	24.6	13.0	18
ZZ07353		0.24	0.001	0.06	1.18	5.4	<0.2	<10	130	1.23	0.24	1.46	0.32	48.8	12.2	26
ZZ07354		0.10	0.012	0.54	0.58	29.8	<0.2	10	2590	1.24	0.30	3.06	0.58	36.6	14.8	11
ZZ07355		0.20	0.002	0.08	1.45	12.3	<0.2	<10	160	1.12	0.29	0.50	0.31	45.1	10.4	24
ZZ07356		0.14	0.002	0.13	1.09	12.5	<0.2	10	100	1.27	0.33	3.09	0.14	30.5	20.2	17
ZZ07357		0.16	0.001	0.05	1.95	8.0	<0.2	<10	140	1.83	0.39	0.24	0.14	21.9	25.9	26
ZZ07358		0.30	0.001	0.05	1.50	12.9	<0.2	<10	110	0.82	0.49	0.10	0.10	10.15	13.9	24
ZZ07359		0.10	0.003	0.04	0.46	3.4	<0.2	<10	110	0.95	0.14	8.33	0.25	26.3	6.3	10
ZZ07360		0.14	0.003	0.14	1.08	7.4	<0.2	<10	120	1.13	0.19	1.58	0.29	45.6	10.2	22
ZZ07481		0.22	0.004	0.21	1.07	11.3	<0.2	<10	310	1.01	0.24	2.92	0.56	22.5	9.8	18
ZZ07733		0.20	0.003	0.18	1.10	13.9	<0.2	<10	330	1.28	0.28	1.22	0.28	28.3	11.1	17
ZZ07734		0.16	0.001	0.10	1.03	10.2	<0.2	10	140	0.95	0.29	1.81	0.17	14.95	9.7	17
ZZ07735		0.36	0.001	0.07	1.37	19.6	<0.2	<10	90	1.29	0.44	2.19	0.16	14.90	19.4	21
ZZ07736		0.30	0.001	0.17	1.20	10.1	<0.2	<10	140	1.00	0.32	1.44	0.20	21.6	12.5	20
ZZ07791		0.10	0.001	0.11	0.90	8.7	<0.2	10	470	0.74	0.20	3.29	0.91	11.05	8.1	13

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 5- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11167459

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
ZZ07013		1.56	21.7	1.67	6.36	<0.05	<0.02	0.04	0.021	0.07	9.7	1.8	0.05	54	5.09	<0.01
ZZ07014		1.33	51.9	2.44	4.20	<0.05	0.02	0.08	0.037	0.11	4.1	2.6	0.06	128	7.06	<0.01
ZZ07015		1.68	85.2	4.23	2.39	0.07	0.04	0.18	0.065	0.23	13.4	2.5	0.04	496	16.85	0.03
ZZ07016		1.67	62.5	1.63	3.54	<0.05	<0.02	0.07	0.028	0.07	5.3	1.3	0.03	108	53.8	<0.01
ZZ07017		1.48	22.5	4.93	8.26	0.10	0.05	0.05	0.052	0.10	10.7	24.4	0.38	507	4.73	0.02
ZZ07018		3.26	26.0	4.80	5.01	0.09	0.02	0.01	0.036	0.15	2.6	13.1	0.30	2010	2.50	<0.01
ZZ07019		3.97	21.7	4.21	4.41	0.08	0.02	0.01	0.032	0.17	2.9	11.9	0.16	973	1.52	<0.01
ZZ07020		3.09	19.5	4.21	5.48	0.08	0.02	0.01	0.034	0.18	3.6	11.2	0.31	793	1.25	<0.01
ZZ07021		0.66	36.5	3.57	2.28	0.07	0.04	0.07	0.041	0.08	5.5	5.3	0.10	479	1.00	<0.01
ZZ07053		0.92	35.8	2.72	4.37	0.08	0.10	0.19	0.037	0.12	10.0	26.0	0.91	414	1.02	<0.01
ZZ07054		1.23	36.5	2.85	5.45	0.05	0.12	0.26	0.039	0.15	12.1	35.9	1.24	472	1.00	0.01
ZZ07056		0.55	24.6	0.82	0.92	<0.05	0.07	0.15	0.012	0.05	3.0	3.6	0.14	135	1.24	0.01
ZZ07057		0.68	32.3	1.76	2.37	0.05	0.08	0.16	0.024	0.10	12.0	17.8	0.68	205	0.57	0.01
ZZ07058		1.17	28.4	2.28	4.97	0.06	0.09	0.11	0.035	0.13	19.7	43.6	1.05	207	0.58	0.01
ZZ07059		1.40	34.8	2.49	5.76	0.07	0.14	0.17	0.039	0.21	24.0	65.7	1.24	322	1.30	0.01
ZZ07060		0.42	17.1	1.27	1.80	<0.05	0.12	0.17	0.020	0.09	7.7	6.9	0.24	226	0.88	0.01
ZZ07061		0.81	31.4	2.83	3.43	0.05	0.08	0.24	0.037	0.12	9.9	19.0	0.35	269	0.94	0.01
ZZ07062		0.83	33.2	2.58	4.54	0.05	0.10	0.16	0.037	0.14	12.9	28.7	0.82	565	0.52	0.01
ZZ07063		0.67	31.2	2.32	3.29	<0.05	0.06	0.21	0.028	0.09	8.5	17.9	0.64	462	0.60	0.01
ZZ07064		1.46	29.6	2.57	4.65	<0.05	0.10	0.14	0.037	0.13	8.8	33.2	1.07	427	0.47	0.01
ZZ07065		1.46	28.0	2.30	4.42	0.05	0.11	0.12	0.027	0.11	12.8	27.4	0.81	328	0.82	0.01
ZZ07066		2.00	30.5	2.27	5.28	0.06	0.15	0.09	0.031	0.16	13.6	36.5	1.05	233	0.42	0.01
ZZ07067		0.84	21.2	1.65	3.42	0.05	0.09	0.12	0.020	0.11	13.9	22.1	0.86	255	0.48	0.01
ZZ07068		0.59	27.5	2.31	2.46	<0.05	0.07	0.15	0.032	0.13	10.9	11.3	1.39	241	1.15	0.01
ZZ07351		1.80	44.9	3.39	2.63	<0.05	0.21	0.07	0.037	0.17	5.5	18.9	1.62	490	0.60	0.01
ZZ07352		1.12	24.5	2.51	2.04	<0.05	0.14	0.08	0.031	0.15	9.1	6.2	3.25	404	0.46	0.01
ZZ07353		1.00	24.0	2.86	4.19	0.06	0.12	0.05	0.040	0.15	19.4	34.0	0.98	368	0.61	0.01
ZZ07354		0.10	47.0	2.53	1.90	0.05	0.24	0.45	0.045	0.12	12.8	5.7	0.17	342	3.24	0.01
ZZ07355		0.81	25.1	2.82	4.69	0.05	0.04	0.15	0.033	0.07	15.8	17.6	0.35	687	8.25	<0.01
ZZ07356		0.46	51.3	4.02	3.70	0.06	0.13	0.23	0.055	0.13	11.4	23.8	0.57	356	1.21	0.01
ZZ07357		4.85	44.6	3.85	6.57	0.06	0.05	0.04	0.044	0.17	5.5	56.0	0.73	1270	0.52	<0.01
ZZ07358		2.36	31.3	3.47	7.21	<0.05	0.02	0.05	0.034	0.13	4.9	28.3	0.41	435	0.60	<0.01
ZZ07359		0.41	17.3	1.57	1.40	<0.05	0.10	0.10	0.022	0.12	9.1	11.7	3.29	240	0.30	0.01
ZZ07360		0.25	27.4	2.24	3.88	<0.05	0.14	0.16	0.034	0.12	16.9	29.2	0.57	351	0.95	<0.01
ZZ07481		0.49	28.0	2.68	3.39	<0.05	0.06	0.24	0.028	0.12	10.6	14.9	0.88	385	1.18	<0.01
ZZ07733		0.40	24.7	2.90	3.33	0.05	0.07	0.26	0.034	0.11	11.9	14.5	0.25	464	1.06	<0.01
ZZ07734		0.92	26.2	2.73	3.14	<0.05	0.07	0.21	0.031	0.09	6.4	22.1	0.40	366	0.65	0.01
ZZ07735		2.73	44.1	4.10	4.49	<0.05	0.07	0.34	0.038	0.15	6.1	26.8	0.87	788	0.62	0.01
ZZ07736		0.99	35.6	3.37	4.06	0.05	0.05	0.10	0.039	0.09	8.3	28.9	0.45	554	0.51	<0.01
ZZ07791		0.76	29.1	2.22	2.83	<0.05	0.05	0.21	0.022	0.11	5.7	8.6	0.68	515	0.85	0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 5- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11167459

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
ZZ07013		0.18	16.9	770	9.2	9.7	<0.001	0.05	1.40	0.3	1.1	1.0	10.0	<0.01	0.05	<0.2
ZZ07014		0.27	32.5	850	15.9	13.9	0.001	0.01	3.17	2.2	2.3	0.7	6.3	<0.01	0.11	1.0
ZZ07015		0.20	82.4	2970	30.6	13.1	0.004	0.45	6.90	3.3	7.9	0.6	131.0	<0.01	0.11	5.1
ZZ07016		0.09	91.7	1190	9.6	10.2	0.002	0.06	8.67	0.2	4.5	0.8	18.2	<0.01	0.13	<0.2
ZZ07017		0.51	29.6	2020	13.4	18.8	<0.001	0.11	0.95	2.2	0.9	1.0	6.4	<0.01	0.04	1.1
ZZ07018		0.77	25.3	320	35.2	18.2	<0.001	0.01	0.82	4.5	0.3	1.2	10.7	<0.01	0.05	4.5
ZZ07019		0.62	23.2	170	24.6	21.7	<0.001	<0.01	0.68	4.8	0.2	1.1	31.5	<0.01	0.05	3.3
ZZ07020		0.69	29.6	150	25.3	24.0	<0.001	<0.01	0.50	4.9	0.2	1.3	22.8	<0.01	0.04	3.4
ZZ07021		0.18	35.0	150	19.4	7.6	<0.001	<0.01	0.61	5.3	0.5	0.6	22.5	<0.01	0.01	3.6
ZZ07053		0.48	33.4	780	16.7	10.3	<0.001	0.03	0.65	5.5	1.0	0.5	52.4	0.01	0.03	2.8
ZZ07054		0.43	35.1	760	19.6	12.0	<0.001	0.04	0.59	6.7	0.9	0.6	90.2	<0.01	0.03	3.6
ZZ07056		0.09	19.5	880	4.8	4.6	0.002	0.18	0.47	1.1	1.5	0.2	104.0	<0.01	0.02	0.6
ZZ07057		0.27	20.4	610	11.7	8.1	<0.001	0.12	0.30	3.8	1.9	0.4	160.0	<0.01	0.02	1.5
ZZ07058		0.49	22.0	560	11.9	15.9	<0.001	0.08	0.26	4.9	1.9	0.6	83.4	<0.01	<0.01	2.0
ZZ07059		0.51	25.9	700	16.8	18.2	<0.001	0.10	0.38	4.7	2.0	0.7	235	<0.01	0.02	1.8
ZZ07060		0.20	11.4	710	10.4	7.0	<0.001	0.16	0.30	2.1	1.6	0.3	308	<0.01	<0.01	1.0
ZZ07061		0.30	26.7	620	19.2	13.9	<0.001	0.07	0.45	5.3	2.3	0.5	108.5	<0.01	0.01	2.3
ZZ07062		0.42	29.9	610	17.3	10.7	<0.001	0.03	0.31	6.7	1.3	0.6	58.5	<0.01	<0.01	3.6
ZZ07063		0.37	21.2	710	16.3	7.7	<0.001	0.08	0.46	3.1	1.1	0.4	90.9	<0.01	0.02	1.1
ZZ07064		0.35	26.8	560	13.8	10.0	<0.001	0.03	0.30	6.1	0.5	0.6	46.5	<0.01	0.02	3.4
ZZ07065		0.56	24.2	640	15.1	11.2	<0.001	0.07	0.44	5.1	1.2	0.5	60.0	<0.01	<0.01	2.8
ZZ07066		0.65	26.2	700	13.8	15.9	<0.001	0.09	0.27	5.7	0.6	0.5	63.1	<0.01	<0.01	3.3
ZZ07067		0.47	18.4	630	9.8	10.0	<0.001	0.13	0.25	3.8	1.5	0.4	83.3	<0.01	0.01	1.6
ZZ07068		0.26	23.7	680	14.4	6.8	0.001	0.04	0.51	5.3	1.4	0.4	146.0	<0.01	0.01	3.4
ZZ07351		0.07	50.1	500	20.1	10.4	<0.001	0.13	0.62	9.9	0.5	0.4	155.5	<0.01	<0.01	6.3
ZZ07352		<0.05	25.8	450	10.4	8.5	<0.001	0.02	0.23	7.3	1.8	0.4	280	<0.01	0.01	5.9
ZZ07353		0.40	26.5	580	14.5	13.1	<0.001	0.04	0.43	6.5	1.1	0.5	74.5	<0.01	0.01	3.8
ZZ07354		0.13	33.0	1280	37.4	5.0	<0.001	0.16	1.23	3.0	1.4	0.4	308	<0.01	0.01	1.9
ZZ07355		0.62	25.1	1270	19.8	8.8	<0.001	0.08	1.08	2.3	0.7	0.5	40.7	<0.01	0.01	1.0
ZZ07356		0.17	40.3	730	22.5	6.6	<0.001	0.06	0.61	7.5	0.8	0.5	173.0	<0.01	0.04	3.6
ZZ07357		0.22	36.7	740	31.2	16.0	<0.001	0.03	0.43	8.9	0.7	0.7	18.9	<0.01	0.04	4.8
ZZ07358		0.40	23.5	520	17.2	14.1	<0.001	0.04	0.61	2.4	<0.2	0.7	11.3	<0.01	0.04	1.0
ZZ07359		0.10	10.9	700	6.6	6.1	<0.001	0.08	0.24	3.2	0.9	0.3	166.0	<0.01	<0.01	1.9
ZZ07360		0.23	22.6	1010	14.0	8.5	<0.001	0.15	0.44	2.5	1.2	0.4	93.5	<0.01	0.03	1.2
ZZ07481		0.41	26.6	720	17.3	7.4	<0.001	0.09	0.58	3.7	1.0	0.5	146.5	<0.01	0.02	1.8
ZZ07733		0.35	23.0	290	21.0	8.0	<0.001	0.07	0.43	4.6	0.7	0.5	92.0	<0.01	0.04	2.3
ZZ07734		0.23	22.3	680	18.2	9.0	0.001	0.12	0.32	3.9	1.2	0.4	205	<0.01	0.02	1.6
ZZ07735		0.19	36.5	490	31.9	10.4	<0.001	0.05	0.42	6.4	0.6	0.6	103.5	<0.01	0.04	4.8
ZZ07736		0.21	28.7	810	20.8	6.6	0.001	0.07	0.42	5.1	1.2	0.4	173.5	<0.01	0.04	1.9
ZZ07791		0.38	21.2	620	12.9	9.1	<0.001	0.12	0.67	2.2	0.8	0.4	48.8	<0.01	0.03	0.7

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 5- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11167459

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
ZZ07013		0.011	0.36	0.77	95	0.25	1.88	96	<0.5
ZZ07014		0.008	0.39	1.07	109	0.10	2.15	283	<0.5
ZZ07015		<0.005	1.46	4.54	69	0.14	15.20	475	0.8
ZZ07016		0.005	1.21	4.61	516	0.32	11.45	413	<0.5
ZZ07017		0.007	0.18	0.75	71	<0.05	4.03	190	1.0
ZZ07018		0.020	0.13	1.04	38	0.60	6.77	64	<0.5
ZZ07019		0.018	0.15	0.86	31	0.54	6.47	61	<0.5
ZZ07020		0.015	0.17	0.77	28	0.46	7.44	66	<0.5
ZZ07021		<0.005	0.16	0.73	26	0.05	9.74	107	1.6
ZZ07053		0.006	0.13	1.57	28	0.06	14.35	115	2.9
ZZ07054		0.008	0.17	1.81	30	0.09	13.90	118	3.4
ZZ07056		<0.005	0.11	2.32	13	<0.05	6.93	170	1.6
ZZ07057		0.006	0.13	6.25	14	<0.05	8.53	81	2.7
ZZ07058		0.009	0.16	2.97	29	0.05	11.40	82	2.7
ZZ07059		0.010	0.22	6.80	41	0.07	13.05	89	4.0
ZZ07060		<0.005	0.11	16.30	17	0.08	5.61	83	3.4
ZZ07061		<0.005	0.13	5.46	22	0.06	12.05	84	2.4
ZZ07062		0.007	0.12	1.99	22	0.06	14.05	81	3.2
ZZ07063		0.006	0.10	5.03	19	0.06	9.45	84	1.9
ZZ07064		0.007	0.10	1.00	21	0.06	10.05	86	2.6
ZZ07065		0.012	0.14	2.17	26	0.14	10.70	77	3.7
ZZ07066		0.017	0.15	2.32	23	0.07	10.55	97	4.7
ZZ07067		0.012	0.09	2.98	20	<0.05	8.15	62	2.6
ZZ07068		0.006	0.13	3.17	28	0.11	10.15	89	2.2
ZZ07351		0.005	0.11	1.38	11	<0.05	13.55	139	9.1
ZZ07352		<0.005	0.09	0.91	17	<0.05	9.95	91	6.8
ZZ07353		0.013	0.14	1.50	27	0.10	14.75	94	3.0
ZZ07354		<0.005	0.23	11.80	18	0.05	12.90	105	8.0
ZZ07355		0.015	0.12	4.47	40	0.18	11.35	78	0.9
ZZ07356		0.005	0.14	1.32	19	<0.05	16.70	103	4.5
ZZ07357		0.008	0.18	0.78	25	<0.05	16.75	92	1.3
ZZ07358		0.010	0.14	0.58	33	0.06	3.56	92	0.7
ZZ07359		<0.005	0.06	1.44	11	<0.05	9.99	69	3.0
ZZ07360		0.005	0.10	3.07	24	<0.05	12.15	78	4.0
ZZ07481		0.007	0.13	3.78	32	0.06	11.55	104	1.9
ZZ07733		<0.005	0.15	4.37	25	0.06	10.85	62	2.3
ZZ07734		<0.005	0.10	3.66	18	0.06	9.83	103	2.0
ZZ07735		0.006	0.17	0.76	22	0.05	9.24	122	2.4
ZZ07736		<0.005	0.08	1.87	19	<0.05	16.50	97	1.6
ZZ07791		0.006	0.14	5.40	23	0.08	8.30	154	1.3

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 5- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11167459

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- TL43 Au ppm 0.001	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1
ZZ07792		0.12	0.001	0.12	1.22	13.2	<0.2	<10	390	0.85	0.28	1.92	0.58	17.10	11.1	20
ZZ07793		0.08	0.001	0.13	1.06	8.3	<0.2	10	450	0.82	0.19	3.49	1.11	10.45	8.4	16
ZZ07794		0.14	<0.001	0.05	1.52	14.0	<0.2	<10	260	1.15	0.33	1.16	0.61	22.9	13.4	26
ZZ07795		0.22	0.001	0.07	1.49	13.8	<0.2	<10	210	1.09	0.33	0.81	0.17	23.0	12.5	26
ZZ07796		0.14	0.001	0.06	1.25	19.3	<0.2	<10	230	1.03	0.24	2.58	1.52	18.20	10.3	17
ZZ07797		0.20	0.001	0.11	1.16	15.0	<0.2	<10	320	0.86	0.29	1.19	0.75	17.40	10.7	20
ZZ07798		0.06	0.001	0.16	0.95	8.7	<0.2	10	320	0.70	0.21	2.73	0.89	10.35	7.0	15
ZZ07799		0.14	0.001	0.20	0.94	10.1	<0.2	10	280	0.83	0.24	2.36	1.00	15.30	8.2	16
ZZ07800		0.06	0.001	0.13	0.72	7.8	<0.2	10	260	0.73	0.19	8.19	1.02	11.10	7.0	12
ZZ07901		0.20	<0.001	0.09	1.21	8.1	<0.2	<10	120	0.63	0.37	0.25	0.11	23.6	9.1	18
ZZ07902		0.10	<0.001	0.10	0.82	3.9	<0.2	<10	120	0.63	0.18	3.12	0.24	14.55	6.0	11
ZZ07903		0.22	<0.001	0.07	1.78	8.2	<0.2	<10	130	1.11	0.47	0.59	0.15	30.1	12.3	24
ZZ07904		0.14	0.001	0.11	1.90	8.5	<0.2	<10	200	1.48	0.36	1.50	0.44	32.3	12.6	22
ZZ07905		0.16	<0.001	0.23	1.75	14.5	<0.2	<10	180	1.67	0.40	2.10	0.29	55.8	17.1	25
ZZ07906		0.22	<0.001	0.09	2.05	7.8	<0.2	<10	110	1.20	0.44	0.25	0.09	12.40	11.4	29
ZZ07907		0.12	<0.001	0.12	1.35	7.0	<0.2	<10	160	0.90	0.32	0.97	0.23	20.7	11.7	18
ZZ07908		0.08	<0.001	0.11	1.25	7.2	<0.2	<10	430	0.82	0.27	2.01	0.16	16.25	6.9	16
ZZ07909		0.12	<0.001	0.42	1.44	14.1	<0.2	<10	130	1.48	0.33	1.03	0.17	56.8	11.1	24
ZZ07910		0.16	<0.001	0.06	1.02	8.7	<0.2	<10	180	0.46	0.45	0.14	0.52	12.70	12.1	18
ZZ07911		0.14	<0.001	0.13	1.22	8.1	<0.2	<10	210	0.96	0.29	1.10	0.25	28.4	11.3	18
ZZ07912		0.20	<0.001	0.05	1.67	9.9	<0.2	<10	90	0.74	0.44	0.05	0.13	12.25	9.6	26
ZZ07913		0.14	<0.001	0.07	1.38	16.0	<0.2	<10	140	0.91	0.44	0.28	0.13	16.25	11.3	24
ZZ07914		0.24	<0.001	0.07	1.08	9.9	<0.2	<10	110	0.42	0.40	0.10	0.18	13.45	7.8	18
ZZ07915		0.18	<0.001	0.12	0.89	9.6	<0.2	<10	160	0.77	0.41	0.18	0.17	10.55	15.1	14
ZZ07916		0.20	<0.001	0.13	1.01	8.7	<0.2	<10	160	0.86	0.37	0.32	0.09	8.24	13.6	15
ZZ07917		0.22	<0.001	0.17	0.99	10.4	<0.2	<10	50	0.87	0.44	0.04	0.05	8.48	15.1	17
ZZ07918		0.24	<0.001	0.06	1.47	18.8	<0.2	<10	90	0.63	0.30	0.12	0.13	17.25	8.8	20
ZZ07919		0.18	0.001	0.17	1.46	45	<0.2	10	190	0.81	0.16	10.30	0.50	23.4	7.8	16
ZZ07920		0.22	<0.001	0.11	1.18	18.4	<0.2	<10	130	1.33	0.36	0.33	0.18	24.5	14.9	18
ZZ07921		0.18	<0.001	0.09	0.77	9.0	<0.2	<10	110	1.36	0.42	0.28	0.10	17.25	16.1	12
ZZ07922		0.18	<0.001	0.14	0.94	9.2	<0.2	<10	150	1.38	0.36	0.47	0.13	19.00	10.2	12
ZZ07923		0.20	<0.001	0.42	1.95	18.7	<0.2	<10	390	1.47	0.32	0.29	0.49	31.3	14.8	31
ZZ07924		0.18	<0.001	0.11	0.73	12.6	<0.2	<10	80	0.82	0.26	1.56	0.30	17.25	10.3	11
ZZ07925		0.06	NSS	0.07	0.09	0.7	<0.2	10	50	0.06	0.02	2.50	0.26	0.69	0.6	1
ZZ07926		0.12	<0.001	0.11	1.07	6.7	<0.2	<10	160	0.88	0.27	0.61	0.15	14.25	12.0	17
ZZ07927		0.12	<0.001	0.20	1.15	7.2	<0.2	<10	240	1.36	0.24	1.78	0.23	16.30	9.9	15
ZZ07928		0.20	<0.001	0.05	1.18	16.4	<0.2	<10	130	0.83	0.35	0.33	0.15	17.90	13.3	22
ZZ07929		0.18	0.001	0.07	1.11	7.2	<0.2	<10	220	0.39	0.32	0.04	0.03	11.20	7.9	29
ZZ07930		0.14	0.001	0.17	1.03	7.0	<0.2	<10	260	0.31	0.26	0.19	0.23	13.95	7.0	16
ZZ07931		0.18	0.001	0.09	1.53	6.5	<0.2	<10	170	0.96	0.35	0.13	0.09	15.40	7.7	24

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 5- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11167459

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
ZZ07792		0.57	23.7	2.98	4.25	<0.05	0.05	1.03	0.022	0.10	7.1	15.5	0.66	613	0.80	0.01
ZZ07793		0.56	28.1	2.19	3.25	<0.05	0.04	0.25	0.023	0.09	5.4	9.4	0.57	819	0.58	0.01
ZZ07794		0.56	22.9	3.54	5.42	<0.05	0.05	0.15	0.034	0.10	8.4	20.0	0.55	912	0.60	<0.01
ZZ07795		0.71	24.9	3.56	5.19	0.07	0.08	0.21	0.037	0.12	11.4	21.9	0.61	559	0.88	0.01
ZZ07796		0.98	11.7	3.27	3.96	<0.05	0.06	0.57	0.031	0.10	8.2	11.0	1.43	1980	0.99	0.01
ZZ07797		0.52	27.3	3.34	4.09	0.05	0.05	0.32	0.028	0.11	7.3	12.1	0.38	957	1.24	0.01
ZZ07798		0.45	21.3	2.04	2.87	<0.05	0.07	0.19	0.018	0.09	4.9	12.3	0.41	490	1.20	0.01
ZZ07799		0.61	27.4	2.26	3.03	0.05	0.06	0.31	0.023	0.10	7.1	15.6	0.49	528	0.94	0.01
ZZ07800		1.12	23.3	1.92	2.20	<0.05	0.05	0.26	0.019	0.08	5.6	12.4	0.97	319	0.92	0.02
ZZ07901		1.16	27.0	3.53	6.00	<0.05	0.04	0.05	0.035	0.09	6.2	19.1	0.20	341	0.90	<0.01
ZZ07902		0.53	19.1	1.73	2.43	<0.05	0.06	0.11	0.020	0.07	5.6	11.2	0.19	412	0.53	0.01
ZZ07903		1.16	31.9	4.32	6.63	<0.05	0.05	0.02	0.051	0.11	8.5	36.5	0.29	440	0.71	<0.01
ZZ07904		1.00	24.9	4.21	5.43	<0.05	0.08	0.05	0.052	0.08	11.6	24.6	0.24	1400	0.72	0.01
ZZ07905		0.60	31.0	4.68	4.60	0.07	0.09	0.08	0.059	0.08	23.9	24.1	0.37	562	0.72	<0.01
ZZ07906		1.95	32.5	4.16	7.32	<0.05	0.05	0.03	0.042	0.10	5.1	54.4	0.40	491	0.59	<0.01
ZZ07907		0.78	21.3	3.25	4.51	<0.05	0.07	0.05	0.036	0.07	5.6	20.5	0.27	806	0.53	<0.01
ZZ07908		0.67	18.8	2.95	4.04	<0.05	0.06	0.05	0.027	0.07	6.6	18.2	0.18	395	0.66	0.01
ZZ07909		0.78	29.8	4.51	3.74	0.07	0.08	0.08	0.047	0.07	22.7	21.2	0.34	381	0.84	<0.01
ZZ07910		1.41	21.4	3.58	6.00	<0.05	<0.02	0.02	0.030	0.07	6.0	11.9	0.13	686	0.92	<0.01
ZZ07911		1.06	22.5	3.33	3.76	0.05	0.06	0.05	0.037	0.11	9.1	19.3	0.27	753	0.72	0.01
ZZ07912		1.20	28.6	4.19	6.41	<0.05	0.03	0.02	0.037	0.07	5.4	31.4	0.34	170	0.80	<0.01
ZZ07913		1.16	27.1	4.24	5.19	<0.05	0.03	0.02	0.052	0.09	5.9	32.5	0.25	321	0.83	<0.01
ZZ07914		0.79	19.4	4.24	4.68	<0.05	<0.02	0.03	0.027	0.11	6.4	14.0	0.19	386	0.87	<0.01
ZZ07915		1.39	20.9	3.70	3.44	<0.05	<0.02	0.02	0.036	0.14	4.9	17.5	0.12	430	0.62	<0.01
ZZ07916		1.32	24.0	4.16	3.41	<0.05	0.03	0.02	0.052	0.10	3.0	24.1	0.19	405	0.77	<0.01
ZZ07917		1.11	33.4	5.92	3.18	<0.05	0.02	0.01	0.054	0.11	3.3	12.3	0.07	324	0.84	<0.01
ZZ07918		1.03	19.4	4.25	5.02	<0.05	0.03	0.08	0.034	0.06	7.2	15.2	0.20	427	0.83	0.01
ZZ07919		0.45	22.1	4.31	3.34	<0.05	0.13	0.12	0.021	0.08	12.0	6.4	6.20	3520	0.76	0.02
ZZ07920		0.75	25.5	4.34	3.56	<0.05	0.09	0.13	0.044	0.16	10.0	16.3	0.27	1010	0.78	0.01
ZZ07921		0.63	26.5	4.48	2.38	<0.05	0.08	0.11	0.046	0.11	6.3	9.1	0.15	709	0.53	0.01
ZZ07922		0.78	23.1	3.49	2.75	<0.05	0.07	0.20	0.048	0.10	7.5	9.3	0.19	381	0.49	0.01
ZZ07923		0.79	18.8	5.69	6.39	<0.05	0.04	0.07	0.040	0.15	9.2	23.9	0.32	2580	0.93	0.01
ZZ07924		0.42	16.5	3.24	2.05	<0.05	0.07	0.16	0.030	0.09	5.9	7.4	0.56	899	0.51	0.01
ZZ07925		0.20	8.4	0.14	0.24	<0.05	0.02	0.05	<0.005	0.02	0.3	0.4	0.23	69	0.19	0.01
ZZ07926		0.74	22.5	2.72	3.86	<0.05	0.05	0.05	0.032	0.12	6.4	21.3	0.22	278	0.51	0.01
ZZ07927		0.71	31.4	2.61	3.41	<0.05	0.05	0.13	0.032	0.09	6.6	15.3	0.31	458	0.49	0.01
ZZ07928		0.75	20.1	3.86	4.52	<0.05	0.04	0.11	0.034	0.12	6.7	20.8	0.31	650	0.59	0.01
ZZ07929		1.59	8.1	3.62	6.44	<0.05	0.02	0.02	0.016	0.28	5.0	6.4	0.23	149	0.44	0.01
ZZ07930		0.60	14.7	2.76	6.33	<0.05	<0.02	0.03	0.015	0.13	6.3	6.4	0.13	810	0.61	<0.01
ZZ07931		0.63	19.1	2.95	7.86	<0.05	0.03	0.01	0.020	0.13	6.6	16.6	0.27	199	0.48	0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 5- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11167459

Sample Description	Method Analyte Units LOR	ME- MS41 Nb ppm 0.05	ME- MS41 Ni ppm 0.2	ME- MS41 P ppm 10	ME- MS41 Pb ppm 0.2	ME- MS41 Rb ppm 0.1	ME- MS41 Re ppm 0.001	ME- MS41 S % 0.01	ME- MS41 Sb ppm 0.05	ME- MS41 Sc ppm 0.1	ME- MS41 Se ppm 0.2	ME- MS41 Sn ppm 0.2	ME- MS41 Sr ppm 0.2	ME- MS41 Ta ppm 0.01	ME- MS41 Te ppm 0.01	ME- MS41 Th ppm 0.2
ZZ07792		0.54	23.7	420	18.4	8.5	<0.001	0.08	0.57	3.6	0.8	0.5	35.8	<0.01	0.03	1.5
ZZ07793		0.36	20.3	1060	12.4	8.7	<0.001	0.17	0.50	1.2	0.8	0.4	74.4	<0.01	0.02	0.4
ZZ07794		0.58	24.0	350	22.5	10.6	<0.001	0.07	0.38	3.7	0.3	0.6	33.0	<0.01	0.04	2.0
ZZ07795		0.72	30.6	200	19.9	10.8	<0.001	0.05	0.55	6.1	0.7	0.6	25.4	<0.01	0.03	4.9
ZZ07796		0.32	22.6	330	24.8	11.4	<0.001	0.06	0.59	4.0	0.2	0.5	21.0	<0.01	0.04	2.9
ZZ07797		0.42	28.6	350	18.9	9.2	<0.001	0.07	0.70	4.0	0.9	0.5	48.5	<0.01	0.02	2.5
ZZ07798		0.38	23.7	540	13.4	7.4	0.001	0.16	0.84	2.4	0.7	0.4	108.0	<0.01	<0.01	1.1
ZZ07799		0.43	26.5	720	15.3	8.5	0.003	0.17	0.89	3.3	1.2	0.4	114.0	<0.01	0.01	1.5
ZZ07800		0.30	21.0	580	14.0	7.2	0.002	0.15	0.68	2.8	1.3	0.3	302	<0.01	0.02	1.5
ZZ07901		0.43	21.2	590	21.9	10.8	<0.001	0.05	0.51	2.7	<0.2	0.6	18.3	<0.01	0.04	1.7
ZZ07902		0.24	14.3	1460	10.7	4.8	<0.001	0.23	0.29	1.5	0.6	0.2	149.5	<0.01	0.01	0.6
ZZ07903		0.40	28.2	360	26.6	14.0	<0.001	0.03	0.39	4.9	0.5	0.8	29.6	<0.01	0.09	3.3
ZZ07904		0.36	23.6	1000	22.5	11.5	<0.001	0.09	0.46	4.1	0.7	0.6	73.1	<0.01	0.10	2.0
ZZ07905		0.32	41.2	880	38.1	7.8	<0.001	0.07	0.53	7.2	1.6	0.5	100.5	<0.01	0.11	2.8
ZZ07906		0.41	25.9	520	24.7	15.6	0.001	0.04	0.32	4.0	0.4	0.8	21.5	<0.01	0.07	2.1
ZZ07907		0.30	21.0	1210	23.1	9.0	<0.001	0.11	0.38	3.7	0.5	0.4	68.4	<0.01	0.04	1.8
ZZ07908		0.47	18.3	1010	16.2	8.9	<0.001	0.13	0.40	2.0	0.8	0.5	114.5	<0.01	0.03	0.7
ZZ07909		0.30	29.8	570	22.5	7.7	<0.001	0.07	0.37	5.8	1.1	0.4	75.0	<0.01	0.07	3.3
ZZ07910		0.53	17.4	420	21.2	20.6	<0.001	0.03	0.47	1.6	0.2	0.7	13.4	<0.01	0.08	0.8
ZZ07911		0.34	21.1	1260	23.7	12.5	0.001	0.11	0.43	3.8	0.7	0.4	66.1	<0.01	0.04	1.8
ZZ07912		0.74	24.2	220	21.2	10.0	<0.001	0.02	0.38	2.6	0.3	0.7	7.3	<0.01	0.11	2.5
ZZ07913		0.39	27.1	420	28.5	15.0	<0.001	0.03	0.39	2.8	<0.2	0.5	25.1	<0.01	0.11	2.5
ZZ07914		0.40	18.3	700	20.1	13.7	<0.001	0.04	0.45	1.7	0.2	0.5	11.4	<0.01	0.02	0.8
ZZ07915		0.22	25.8	610	31.8	14.1	<0.001	0.04	0.29	2.1	0.3	0.5	23.0	<0.01	0.05	1.4
ZZ07916		0.31	27.5	570	32.8	12.9	<0.001	0.02	0.32	3.7	0.2	0.6	32.3	<0.01	0.03	2.9
ZZ07917		0.24	28.8	540	35.4	7.6	<0.001	0.03	0.35	2.8	0.4	0.7	31.0	<0.01	0.02	2.9
ZZ07918		0.60	18.7	210	22.4	9.2	<0.001	0.01	0.53	3.1	0.5	0.7	13.4	<0.01	0.04	3.3
ZZ07919		0.39	19.8	1930	40.4	5.5	<0.001	0.10	3.24	2.0	1.0	0.4	37.3	0.01	0.07	1.0
ZZ07920		0.44	37.3	490	41.4	8.9	<0.001	0.03	0.79	5.9	0.8	0.6	17.0	<0.01	0.03	3.8
ZZ07921		0.22	37.1	460	32.7	7.2	<0.001	0.03	0.33	6.1	0.6	0.6	35.0	<0.01	0.02	3.8
ZZ07922		0.31	31.7	480	24.6	9.6	<0.001	0.02	0.33	5.8	0.8	0.6	19.4	<0.01	0.02	3.4
ZZ07923		0.97	23.0	740	29.9	18.0	<0.001	0.03	0.80	3.7	0.2	0.9	10.9	<0.01	0.04	3.5
ZZ07924		0.30	20.6	540	31.5	10.4	<0.001	0.05	0.56	3.7	0.8	0.4	19.0	<0.01	<0.01	2.3
ZZ07925		0.11	3.6	430	0.8	0.9	<0.001	0.12	0.08	0.2	<0.2	<0.2	39.8	<0.01	<0.01	<0.2
ZZ07926		0.52	20.8	350	18.9	12.5	<0.001	0.04	0.26	3.7	0.3	0.6	43.5	<0.01	0.01	2.5
ZZ07927		0.45	24.6	720	17.7	9.7	<0.001	0.09	0.37	3.1	0.9	0.5	83.4	<0.01	0.01	1.0
ZZ07928		0.65	23.6	220	29.1	11.2	<0.001	0.01	0.53	4.2	0.5	0.7	24.3	<0.01	0.02	4.3
ZZ07929		1.53	14.7	220	14.1	31.6	<0.001	0.01	0.32	2.4	<0.2	1.2	5.8	<0.01	0.01	4.0
ZZ07930		0.78	10.6	410	14.2	15.7	<0.001	0.01	0.35	1.7	0.2	0.8	14.0	<0.01	<0.01	1.4
ZZ07931		0.67	16.7	180	24.1	15.6	<0.001	0.01	0.19	2.7	0.3	1.1	15.8	<0.01	0.02	3.6

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 5- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11167459

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
ZZ07792		0.009	0.10	2.01	28	0.13	7.37	156	1.2
ZZ07793		0.006	0.09	6.82	20	0.06	7.89	163	0.9
ZZ07794		0.010	0.12	2.27	32	0.07	6.58	142	1.1
ZZ07795		0.014	0.16	0.73	37	0.14	12.20	111	2.2
ZZ07796		0.005	0.15	0.96	34	0.07	8.51	332	1.4
ZZ07797		0.007	0.13	2.18	39	0.07	7.94	112	1.2
ZZ07798		0.006	0.16	1.13	43	0.06	6.29	180	1.7
ZZ07799		0.007	0.17	1.27	37	0.10	9.93	137	2.0
ZZ07800		0.006	0.15	1.14	24	0.06	8.08	143	1.6
ZZ07901		0.006	0.11	0.73	38	0.07	6.93	72	1.1
ZZ07902		0.007	0.05	0.59	13	<0.05	10.80	60	1.8
ZZ07903		0.005	0.12	0.85	37	0.06	9.54	94	1.4
ZZ07904		0.005	0.14	1.88	35	0.09	14.35	105	1.8
ZZ07905		0.005	0.13	1.22	32	0.09	28.0	99	2.0
ZZ07906		0.005	0.15	0.60	36	0.05	5.96	95	1.5
ZZ07907		0.005	0.08	0.89	26	0.05	11.20	76	2.2
ZZ07908		0.006	0.08	1.53	26	0.06	6.78	55	1.6
ZZ07909		0.005	0.12	2.15	23	0.07	23.8	78	2.2
ZZ07910		0.011	0.12	0.54	43	0.08	2.48	75	<0.5
ZZ07911		0.008	0.08	1.27	24	0.05	12.55	82	1.9
ZZ07912		0.009	0.14	0.62	38	0.11	3.04	78	1.2
ZZ07913		0.006	0.12	0.90	34	0.05	5.16	103	1.0
ZZ07914		0.010	0.09	0.44	34	0.06	2.54	80	<0.5
ZZ07915		0.005	0.11	0.50	22	<0.05	3.32	100	<0.5
ZZ07916		<0.005	0.12	0.45	22	<0.05	4.48	91	0.9
ZZ07917		<0.005	0.11	0.33	17	<0.05	3.17	113	0.6
ZZ07918		0.006	0.13	0.49	37	0.09	2.82	80	1.3
ZZ07919		0.009	0.34	2.15	25	0.09	15.90	150	3.5
ZZ07920		0.006	0.16	1.05	23	0.08	14.70	139	2.7
ZZ07921		<0.005	0.11	0.96	15	<0.05	13.55	113	2.2
ZZ07922		<0.005	0.10	0.82	15	0.05	13.50	96	2.1
ZZ07923		0.009	0.16	1.03	41	0.12	5.34	267	1.2
ZZ07924		<0.005	0.10	0.90	14	0.05	8.48	155	2.1
ZZ07925		<0.005	<0.02	0.18	2	<0.05	0.51	37	0.6
ZZ07926		0.005	0.06	0.87	20	0.05	8.28	75	1.4
ZZ07927		<0.005	0.06	1.32	18	0.06	12.30	63	1.5
ZZ07928		0.008	0.10	0.94	27	0.07	4.56	110	1.9
ZZ07929		0.027	0.19	0.69	42	0.24	2.14	55	0.8
ZZ07930		0.010	0.09	0.26	41	0.09	1.50	107	<0.5
ZZ07931		0.006	0.07	0.48	35	0.06	3.37	50	0.9

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 5- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11167459

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- TL43 Au ppm 0.001	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1
ZZ07932		0.18	0.001	0.09	1.62	5.8	<0.2	<10	230	1.03	0.32	0.11	0.10	15.40	7.2	27
ZZ07933		0.12	0.003	0.33	1.61	8.1	<0.2	<10	440	1.47	0.29	1.56	0.21	28.1	12.6	21
ZZ07934		0.08	0.002	0.15	1.06	4.9	<0.2	10	220	0.89	0.19	3.09	0.19	10.25	6.1	16
ZZ07935		0.12	0.002	0.23	1.73	10.8	<0.2	<10	340	1.37	0.28	1.39	0.18	19.20	11.0	24
ZZ07936		0.18	0.001	0.11	1.98	10.5	<0.2	<10	160	1.13	0.28	0.06	0.09	12.55	9.5	28
ZZ07937		0.20	0.001	0.10	1.41	9.8	<0.2	<10	80	0.39	0.26	0.04	0.15	17.25	7.1	25
ZZ07938		0.16	0.002	0.03	1.09	15.6	<0.2	<10	90	0.47	0.29	0.15	0.19	11.10	9.5	22
ZZ07939		0.18	0.003	0.08	1.76	22.4	<0.2	<10	200	1.39	0.32	0.57	0.22	23.0	19.4	26
ZZ07940		0.18	0.002	0.11	1.51	17.6	<0.2	<10	170	1.20	0.33	0.88	0.16	20.0	16.6	26
ZZ07941		0.14	0.002	0.10	1.28	8.0	<0.2	<10	210	0.72	0.24	1.85	0.27	13.40	8.9	21
ZZ07942		0.10	0.002	0.13	1.35	11.4	<0.2	10	180	0.88	0.26	1.94	0.23	12.45	11.6	21
ZZ07943		0.16	0.002	0.08	1.44	14.0	<0.2	10	150	1.09	0.30	1.24	0.18	13.30	14.0	26
ZZ07944		0.20	0.003	0.09	1.38	16.6	<0.2	10	130	1.14	0.30	1.02	0.15	15.80	15.9	23
ZZ07945		0.12	0.002	0.07	1.30	17.2	<0.2	<10	100	1.22	0.29	1.29	0.17	13.75	17.7	24
ZZ07946		0.20	0.002	0.09	1.39	16.1	<0.2	<10	100	0.99	0.28	1.06	0.14	13.10	16.3	24
ZZ07947		0.20	0.002	0.08	1.66	20.5	<0.2	<10	130	1.21	0.33	0.90	0.11	17.80	20.4	27
ZZ07948		0.14	0.002	0.08	1.13	12.1	<0.2	<10	170	0.92	0.24	1.79	0.19	11.15	11.5	21
ZZ07949		0.16	0.001	0.06	1.34	7.9	<0.2	<10	240	0.85	0.26	0.47	0.16	17.90	12.5	30
ZZ07950		0.20	0.003	0.10	1.34	19.7	<0.2	10	150	1.05	0.28	1.17	0.23	17.30	14.6	24
ZZ07951		0.20	0.004	0.06	1.60	19.3	<0.2	<10	160	1.45	0.33	0.53	0.11	21.2	14.8	31
ZZ07952		0.08	0.003	0.09	0.43	6.1	<0.2	20	190	0.35	0.09	4.60	0.21	4.96	3.9	7
ZZ07953		0.08	0.002	0.06	0.27	4.1	<0.2	10	110	0.16	0.04	5.21	0.29	2.17	2.3	4
ZZ07954		0.04	0.002	0.04	0.23	2.2	<0.2	10	100	0.16	0.04	4.69	0.25	2.13	2.2	4
ZZ07955		0.14	0.004	0.09	1.33	37.1	<0.2	10	120	0.93	0.29	1.58	0.15	14.30	16.2	23
ZZ07956		0.22	0.002	0.10	1.09	19.4	<0.2	10	100	0.91	0.28	2.62	0.10	14.15	10.0	22
ZZ07957		0.20	0.002	0.11	1.29	22.3	<0.2	10	120	1.07	0.35	2.67	0.14	12.55	18.7	24
ZZ07958		0.20	0.004	0.07	1.79	56.9	<0.2	10	200	1.15	0.38	1.18	0.08	17.80	17.1	25
ZZ07959		0.08	0.002	0.11	0.87	13.9	<0.2	10	150	0.67	0.20	3.85	0.20	10.65	7.6	13
ZZ07960		0.06	0.003	0.12	0.77	11.8	<0.2	10	210	0.63	0.16	3.97	0.22	11.95	6.3	13
ZZ07961		0.12	0.004	0.16	1.83	12.3	<0.2	<10	310	0.99	0.22	1.18	0.22	33.5	10.8	34
ZZ07962		0.12	0.009	0.23	1.01	13.9	<0.2	10	290	0.93	0.17	8.57	0.26	27.9	9.0	20
ZZ07963		0.04	0.002	0.08	1.04	12.2	<0.2	10	250	0.73	0.13	4.57	0.69	19.20	5.3	14
ZZ07964		0.10	0.011	0.73	0.73	16.6	<0.2	10	280	0.73	0.17	6.88	0.31	24.3	7.6	15
ZZ07965		0.12	0.001	0.06	0.85	11	<0.2	10	120	0.81	0.22	11.20	0.14	21.0	9.8	19
ZZ07966		0.10	0.002	0.15	1.21	12.6	<0.2	<10	220	0.77	0.23	1.99	0.26	19.15	10.7	24
ZZ07967		0.18	0.003	0.15	1.14	16.3	<0.2	10	310	0.87	0.22	5.35	0.35	18.75	10.7	18
ZZ07968		0.04	0.002	0.17	0.70	27.5	<0.2	10	470	0.49	0.12	4.50	0.24	11.35	6.2	11
ZZ07969		0.06	0.003	0.23	1.08	18.8	<0.2	<10	510	0.85	0.21	2.10	0.50	23.9	10.6	18
ZZ07970		0.12	0.004	0.29	1.21	23.2	<0.2	10	370	0.74	0.23	2.84	0.37	21.2	11.8	26

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 5- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11167459

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
ZZ07932		0.98	15.2	3.14	8.27	<0.05	0.02	0.02	0.028	0.12	6.8	23.1	0.30	322	0.59	0.01
ZZ07933		1.26	35.2	2.96	4.76	0.05	0.06	0.13	0.034	0.12	10.1	18.6	0.31	726	0.44	0.01
ZZ07934		0.92	28.8	1.81	3.72	<0.05	0.05	0.08	0.020	0.09	5.0	19.8	0.37	304	0.54	0.02
ZZ07935		1.57	46.9	3.29	5.46	<0.05	0.06	0.12	0.034	0.14	9.3	22.6	0.35	419	0.68	0.01
ZZ07936		1.54	20.4	3.78	7.38	<0.05	0.04	0.01	0.030	0.08	5.2	41.1	0.33	407	0.50	0.01
ZZ07937		1.15	13.3	3.86	7.24	<0.05	0.03	0.02	0.024	0.08	8.0	21.5	0.26	173	0.90	<0.01
ZZ07938		0.89	20.2	3.46	4.59	<0.05	0.04	0.03	0.027	0.08	4.8	24.8	0.37	267	0.72	<0.01
ZZ07939		1.47	50.7	4.49	5.18	0.05	0.08	0.17	0.040	0.15	9.1	34.3	0.52	959	0.84	0.01
ZZ07940		1.49	40.5	3.91	5.60	<0.05	0.07	0.11	0.034	0.15	7.1	35.9	0.51	642	0.75	0.01
ZZ07941		0.83	22.2	2.54	5.06	<0.05	0.04	0.05	0.024	0.10	5.9	17.1	0.30	307	0.86	0.01
ZZ07942		1.19	40.2	3.10	4.39	<0.05	0.09	0.12	0.030	0.13	5.7	27.5	0.47	459	0.60	0.01
ZZ07943		1.11	33.7	3.95	4.44	<0.05	0.09	0.12	0.033	0.15	5.2	29.2	0.55	467	0.97	0.01
ZZ07944		1.35	41.5	3.94	4.64	<0.05	0.10	0.17	0.035	0.14	6.1	31.3	0.54	495	0.74	0.01
ZZ07945		1.26	42.0	4.01	4.13	<0.05	0.10	0.16	0.035	0.14	5.0	26.4	0.51	653	1.02	0.01
ZZ07946		1.14	42.6	4.05	4.28	<0.05	0.09	0.15	0.030	0.12	5.5	29.3	0.47	497	1.01	0.01
ZZ07947		1.54	48.2	4.59	5.06	0.05	0.12	0.21	0.036	0.15	6.8	40.7	0.62	789	1.02	0.01
ZZ07948		1.21	32.8	2.94	3.92	<0.05	0.07	0.13	0.024	0.12	4.8	23.0	0.45	386	0.78	0.01
ZZ07949		1.43	21.8	3.04	7.38	<0.05	0.03	0.03	0.023	0.19	7.1	20.7	0.36	621	0.94	0.01
ZZ07950		1.35	43.0	4.08	4.49	<0.05	0.08	0.24	0.033	0.15	6.7	29.5	0.67	582	0.69	0.01
ZZ07951		1.67	37.0	4.25	5.49	<0.05	0.07	0.11	0.044	0.13	7.2	33.3	0.45	369	0.97	0.01
ZZ07952		0.55	24.9	0.99	1.31	0.06	0.04	0.13	0.012	0.04	2.6	6.1	0.40	254	0.61	0.01
ZZ07953		0.27	15.1	0.42	0.80	<0.05	0.03	0.10	0.006	0.03	1.1	1.8	0.15	240	0.50	0.01
ZZ07954		0.41	15.0	0.44	0.67	<0.05	0.03	0.08	0.005	0.03	1.0	1.9	0.23	53	0.31	0.01
ZZ07955		1.42	42.9	3.92	3.90	0.12	0.09	0.21	0.038	0.13	6.3	29.4	0.61	672	0.94	0.01
ZZ07956		1.07	35.1	3.25	3.32	0.11	0.09	0.20	0.039	0.11	6.2	24.8	1.03	218	1.18	<0.01
ZZ07957		1.65	42.0	4.06	4.01	0.12	0.08	0.16	0.046	0.15	5.2	29.5	0.61	609	1.08	0.01
ZZ07958		1.41	45.0	4.49	5.16	0.14	0.12	0.27	0.042	0.16	7.9	35.0	0.64	689	0.78	0.01
ZZ07959		0.56	22.0	2.21	2.40	0.09	0.06	0.33	0.025	0.08	5.0	11.0	0.97	459	0.57	0.01
ZZ07960		0.43	27.8	2.02	2.21	0.09	0.06	0.25	0.025	0.09	6.9	9.7	0.35	377	0.72	<0.01
ZZ07961		1.00	29.6	2.85	5.78	0.14	0.10	0.11	0.039	0.15	17.6	38.7	0.93	369	1.25	0.01
ZZ07962		0.40	29.0	2.14	3.13	0.10	0.10	0.15	0.031	0.20	12.6	18.9	1.32	261	1.38	0.01
ZZ07963		0.61	19.1	1.69	2.73	0.09	0.06	0.11	0.022	0.06	10.4	7.0	0.24	270	0.92	0.01
ZZ07964		0.24	26.7	1.93	2.04	0.09	0.14	0.25	0.028	0.15	11.3	8.7	1.12	229	2.31	0.01
ZZ07965		0.82	25.8	2.36	2.84	0.11	0.10	0.13	0.031	0.15	8.9	16.5	1.76	305	0.69	0.01
ZZ07966		0.66	26.1	3.02	3.68	0.11	0.08	0.19	0.033	0.11	8.9	18.8	0.90	462	1.48	0.01
ZZ07967		0.76	32.4	2.65	3.35	0.09	0.11	0.22	0.033	0.18	8.8	17.0	1.39	420	1.72	0.01
ZZ07968		0.49	22.6	1.51	1.95	0.07	0.06	0.45	0.018	0.07	5.7	8.5	0.34	266	0.65	0.01
ZZ07969		0.46	29.4	2.58	3.29	0.11	0.07	0.19	0.034	0.10	11.0	15.6	0.37	364	1.20	0.01
ZZ07970		0.78	27.9	2.70	3.71	0.11	0.07	0.29	0.033	0.12	9.0	16.0	0.77	435	2.15	0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 5- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11167459

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
ZZ07932		0.74	16.0	240	13.6	17.2	<0.001	0.01	0.20	2.9	<0.2	1.1	13.4	<0.01	0.01	3.2
ZZ07933		0.62	27.8	830	17.3	12.9	<0.001	0.09	0.36	5.8	1.0	0.6	111.0	<0.01	0.02	3.0
ZZ07934		0.59	16.1	710	12.1	15.2	<0.001	0.14	0.29	2.1	0.7	0.5	236	<0.01	<0.01	0.7
ZZ07935		0.72	24.4	710	18.6	15.8	<0.001	0.06	0.38	5.4	1.2	0.7	128.0	<0.01	0.02	2.5
ZZ07936		0.53	18.7	270	19.1	17.8	<0.001	0.01	0.26	3.1	0.3	0.9	7.8	<0.01	0.02	2.9
ZZ07937		0.93	15.5	220	15.2	19.9	<0.001	0.01	0.41	2.4	0.2	0.9	6.8	<0.01	0.01	2.8
ZZ07938		0.50	20.9	170	12.0	13.2	<0.001	0.01	0.34	2.7	0.2	0.4	17.7	<0.01	0.02	2.6
ZZ07939		0.36	37.6	550	22.9	10.0	<0.001	0.03	0.65	6.9	0.6	0.5	45.7	<0.01	0.04	3.8
ZZ07940		0.58	31.1	460	22.0	18.3	<0.001	0.04	0.47	5.7	0.8	0.6	55.6	<0.01	0.03	3.3
ZZ07941		0.88	17.3	600	12.7	13.1	<0.001	0.08	0.30	2.5	0.9	0.6	114.0	<0.01	0.01	1.2
ZZ07942		0.51	27.2	610	15.5	13.4	<0.001	0.11	0.47	4.0	1.1	0.5	132.0	<0.01	0.03	1.6
ZZ07943		0.41	29.4	360	18.1	11.7	<0.001	0.05	0.44	5.3	0.6	0.5	84.9	<0.01	0.02	2.9
ZZ07944		0.40	33.9	360	19.4	10.2	<0.001	0.05	0.51	6.0	0.7	0.5	63.5	<0.01	0.05	3.4
ZZ07945		0.35	35.3	350	19.2	7.6	<0.001	0.07	0.53	6.1	0.4	0.5	65.1	<0.01	0.03	3.3
ZZ07946		0.35	33.7	400	18.5	6.6	<0.001	0.06	0.56	5.6	0.7	0.4	69.2	<0.01	0.02	2.8
ZZ07947		0.34	41.1	290	22.6	8.3	<0.001	0.04	0.62	6.8	0.7	0.5	55.8	<0.01	0.02	4.8
ZZ07948		0.53	25.9	510	15.3	10.2	<0.001	0.09	0.42	3.9	0.6	0.5	90.3	<0.01	0.02	1.7
ZZ07949		0.91	21.1	430	16.3	19.9	<0.001	0.03	0.29	3.3	<0.2	1.0	32.1	<0.01	0.01	2.7
ZZ07950		0.44	31.4	540	20.1	10.9	<0.001	0.06	0.46	6.7	0.8	0.5	61.9	<0.01	0.02	2.8
ZZ07951		0.74	36.3	260	22.6	14.5	<0.001	0.02	0.47	5.9	0.5	0.7	35.2	<0.01	<0.01	4.7
ZZ07952		0.20	12.4	800	8.1	4.6	<0.001	0.25	0.32	1.1	2.1	0.2	215	<0.01	0.02	0.3
ZZ07953		0.15	8.9	700	2.7	2.1	<0.001	0.19	0.23	0.6	1.5	<0.2	207	<0.01	0.03	<0.2
ZZ07954		0.09	8.8	560	2.3	2.8	<0.001	0.23	0.19	0.7	1.5	<0.2	190.5	<0.01	0.02	0.2
ZZ07955		0.25	31.3	460	22.9	8.3	0.001	0.08	0.62	5.7	1.2	0.4	69.5	0.01	0.06	3.3
ZZ07956		0.21	27.8	400	22.6	10.2	0.001	0.04	0.45	6.0	1.6	0.4	71.2	0.01	0.05	3.3
ZZ07957		0.20	38.8	420	27.3	10.0	<0.001	0.08	0.47	7.1	1.0	0.6	110.5	0.01	0.05	4.6
ZZ07958		0.24	35.4	320	28.1	10.7	<0.001	0.03	0.58	6.8	1.1	0.6	44.9	0.01	0.06	5.6
ZZ07959		0.26	18.7	730	17.5	7.3	0.001	0.13	0.63	2.4	2.1	0.4	62.0	0.01	0.04	0.8
ZZ07960		0.25	19.9	880	15.9	6.2	<0.001	0.13	0.36	1.9	2.0	0.4	165.0	0.01	0.04	0.5
ZZ07961		0.79	27.3	310	16.5	17.7	<0.001	0.03	0.55	5.8	1.5	0.7	88.7	0.01	0.04	4.2
ZZ07962		0.38	24.7	600	14.9	10.3	<0.001	0.04	0.41	4.6	1.5	0.5	378	0.01	0.03	3.3
ZZ07963		0.39	15.0	530	13.5	9.4	<0.001	0.09	0.42	2.0	1.5	0.4	145.0	0.01	0.04	0.7
ZZ07964		0.30	21.1	920	18.0	7.5	0.001	0.07	0.55	3.5	2.0	0.4	268	0.01	0.04	2.3
ZZ07965		0.37	26.9	650	24.9	10.7	<0.001	0.02	0.37	5.9	1.1	0.4	262	0.01	0.02	5.1
ZZ07966		0.50	28.1	450	21.0	8.8	<0.001	0.02	0.69	4.9	1.0	0.5	58.2	0.01	0.04	4.2
ZZ07967		0.40	28.3	780	19.8	10.2	<0.001	0.05	0.87	4.8	1.3	0.5	121.0	0.01	0.04	3.5
ZZ07968		0.31	18.0	610	9.7	6.3	<0.001	0.10	1.45	1.6	1.9	0.3	145.5	0.01	0.03	0.5
ZZ07969		0.43	25.7	440	18.0	7.4	<0.001	0.04	0.78	3.6	1.7	0.5	90.9	0.01	0.05	1.6
ZZ07970		0.57	31.4	990	18.8	8.5	<0.001	0.05	1.37	3.4	1.5	0.5	94.4	0.01	0.06	1.9

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 5- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11167459

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
ZZ07932		0.006	0.08	0.38	36	0.06	3.71	72	0.7
ZZ07933		0.005	0.10	1.97	26	0.10	23.0	72	1.7
ZZ07934		0.006	0.06	1.28	19	0.05	9.15	69	1.4
ZZ07935		0.006	0.09	1.34	32	0.11	22.2	71	1.5
ZZ07936		<0.005	0.11	0.28	37	0.06	2.26	90	1.3
ZZ07937		0.010	0.09	0.27	42	0.11	1.88	73	1.0
ZZ07938		0.010	0.05	0.26	26	0.05	2.26	75	1.4
ZZ07939		0.005	0.11	0.89	28	0.07	17.55	104	2.8
ZZ07940		0.008	0.12	1.06	27	0.06	9.22	96	2.4
ZZ07941		0.013	0.07	2.70	31	0.12	5.10	52	1.2
ZZ07942		0.006	0.10	1.59	22	0.06	9.24	87	2.4
ZZ07943		0.005	0.10	0.61	25	0.05	7.54	102	2.9
ZZ07944		0.005	0.12	0.53	24	0.05	9.27	84	3.1
ZZ07945		<0.005	0.09	0.45	24	0.09	8.06	81	3.4
ZZ07946		0.005	0.08	0.55	26	0.05	7.99	86	3.2
ZZ07947		0.005	0.10	0.50	26	0.05	9.78	93	4.5
ZZ07948		0.008	0.09	0.96	21	0.07	7.55	93	2.1
ZZ07949		0.016	0.14	0.66	35	0.09	4.58	87	0.8
ZZ07950		0.007	0.12	0.51	26	0.06	10.15	116	2.1
ZZ07951		0.010	0.16	0.76	29	0.09	9.35	88	2.5
ZZ07952		0.005	0.06	2.57	9	<0.05	4.47	33	1.3
ZZ07953		0.006	0.03	2.08	5	<0.05	1.78	32	1.1
ZZ07954		<0.005	0.03	3.44	5	<0.05	1.62	17	1.1
ZZ07955		0.005	0.17	0.87	23	0.08	8.42	91	2.9
ZZ07956		<0.005	0.12	0.87	17	0.06	9.69	83	2.5
ZZ07957		<0.005	0.13	1.02	20	0.05	8.53	106	3.0
ZZ07958		<0.005	0.23	2.25	24	0.12	10.10	95	4.1
ZZ07959		<0.005	0.10	5.74	14	0.06	7.20	58	1.5
ZZ07960		<0.005	0.10	2.85	14	0.09	10.30	64	1.5
ZZ07961		0.015	0.17	1.92	48	0.15	12.00	88	3.0
ZZ07962		0.006	0.13	4.10	28	0.09	11.55	63	3.6
ZZ07963		0.005	0.10	2.27	25	0.09	8.09	55	2.0
ZZ07964		<0.005	0.12	5.92	30	0.08	10.60	62	5.2
ZZ07965		0.007	0.11	2.61	15	0.05	12.50	74	3.7
ZZ07966		0.010	0.12	1.05	34	0.10	9.04	106	2.6
ZZ07967		0.006	0.16	1.85	30	0.10	10.20	93	3.4
ZZ07968		0.006	0.11	5.56	21	0.06	6.90	46	1.7
ZZ07969		0.006	0.10	2.59	35	0.16	10.30	91	2.0
ZZ07970		0.011	0.18	3.34	38	0.15	8.68	95	2.2

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 5- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11167459

Method	CERTIFICATE COMMENTS
ALL METHODS	NSS is non- sufficient sample.
ME- MS41	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown.
ME- MS41	Gold determinations by this method are semi- quantitative due to the small sample weight used (0.5g).

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 1- NOV- 2011
Account: RCM

CERTIFICATE WH11167591

Project: Rackla (OCELOT)

P.O. No.:

This report is for 221 Soil samples submitted to our lab in Whitehorse, YT, Canada on 26- AUG- 2011.

The following have access to data associated with this certificate:

ROB CARNE JULIA LANE	ANDREW CARNE JOAN MARIACHER	MATT DUMALA

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
SCR- 41	Screen to - 180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- TL43	Trace Level Au - 25g AR	ICP- MS
ME- MS41	51 anal. aqua regia ICPMS	

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 1- NOV- 2011
Account: RCM

Project: Rackla (OCELOT)

CERTIFICATE OF ANALYSIS WH11167591

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- TL43 Au ppm 0.001	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1
CC141744		0.18	0.004	0.34	1.59	14.9	<0.2	<10	160	0.54	0.21	2.35	0.60	22.5	8.9	26
CC141745		0.22	0.005	0.38	1.09	17.3	<0.2	<10	140	0.37	0.19	6.58	1.26	16.70	8.3	21
CC141746		0.36	0.005	0.19	0.49	16	<0.2	<10	70	0.22	0.12	10.30	1.19	10.15	4.0	10
CC141747		0.36	0.001	0.50	0.28	20	<0.2	<10	80	0.16	0.16	10.20	0.84	6.39	2.4	6
CC141748		0.32	0.002	0.27	0.61	18.8	<0.2	<10	110	0.31	0.19	8.73	1.35	10.25	4.8	12
CC141749		0.18	0.003	0.84	1.17	23.6	<0.2	<10	190	0.44	0.26	2.39	1.98	19.50	9.0	22
CC141750		0.18	0.002	0.30	0.86	55.4	<0.2	<10	140	0.45	0.45	1.21	0.50	23.7	17.7	17
CC141771		0.20	<0.001	0.15	1.42	9.4	<0.2	<10	290	0.42	0.20	0.30	0.17	23.1	6.2	24
CC141772		0.18	0.001	0.08	1.65	15.1	<0.2	<10	180	0.46	0.30	0.14	0.14	26.2	8.7	28
CC141773		0.22	0.001	0.12	1.60	15.6	<0.2	<10	190	0.39	0.24	0.82	0.47	22.8	8.4	30
CC141774		0.22	0.001	0.13	1.01	5.4	<0.2	<10	110	0.12	0.26	0.04	0.09	26.4	2.2	23
CC141775		0.24	0.005	0.09	2.60	7.6	<0.2	<10	200	0.52	0.14	0.41	0.22	41.3	22.6	66
CC141776		0.26	0.002	0.06	1.42	18.0	<0.2	<10	150	0.32	0.21	0.59	0.23	27.6	10.4	32
CC141777		0.26	0.001	0.16	0.68	18.0	<0.2	<10	100	0.35	0.14	3.62	0.76	32.1	13.3	16
CC141778		0.22	0.002	0.11	1.35	14.1	<0.2	<10	240	0.35	0.26	0.41	0.17	21.9	8.3	30
CC141779		0.16	<0.001	0.13	1.57	14.2	<0.2	<10	310	0.36	0.26	0.40	0.19	19.10	9.4	28
CC141780		0.20	0.001	0.19	1.09	18.4	<0.2	<10	190	0.50	0.25	1.04	0.84	23.6	10.2	26
CC141781		0.22	0.001	0.17	1.09	16.0	<0.2	<10	190	0.49	0.25	0.98	0.25	16.30	7.1	21
CC141782		0.22	0.001	0.15	1.07	18.4	<0.2	<10	130	0.45	0.29	0.85	0.58	22.4	8.7	21
CC141783		0.24	0.001	0.21	1.01	18.6	<0.2	<10	210	0.51	0.27	1.34	0.38	19.85	9.7	19
CC141784		0.16	0.004	0.44	1.20	19.0	<0.2	<10	150	0.51	0.19	4.10	1.39	13.95	7.0	19
CC141785		0.28	0.002	0.22	0.73	15	<0.2	<10	100	0.34	0.12	10.60	0.76	11.85	5.3	12
CC141786		0.18	0.003	0.24	1.43	21.5	<0.2	<10	190	0.48	0.33	1.95	0.27	25.6	18.4	25
CC141787		0.14	0.002	0.24	1.01	16.7	<0.2	<10	180	0.46	0.40	2.44	1.07	16.15	8.1	17
CC141788		0.26	0.001	0.15	0.49	9.0	<0.2	<10	90	0.22	0.09	9.52	0.88	8.31	3.4	10
CC141789		0.20	0.001	0.22	0.81	10.7	<0.2	<10	160	0.36	0.15	5.92	0.83	10.35	5.8	18
CC141790		0.26	0.002	0.42	1.38	19.6	<0.2	<10	220	0.45	0.24	3.05	0.70	21.7	9.6	28
CC141791		0.32	0.003	0.43	1.10	16.2	<0.2	<10	160	0.45	0.22	3.48	0.55	27.9	8.6	25
CC141792		0.26	0.003	0.84	1.00	18.3	<0.2	<10	150	0.46	0.23	4.93	0.80	24.9	9.0	22
CC141793		0.20	0.006	0.17	1.49	15.9	<0.2	<10	210	0.55	0.27	0.74	0.52	30.3	10.6	32
CC141794		0.16	0.002	0.29	1.02	33.5	<0.2	<10	110	0.46	0.55	1.05	0.34	19.10	22.9	18
CC141795		0.28	0.003	0.48	0.57	18.7	<0.2	<10	70	0.39	0.36	1.52	0.72	23.6	16.2	16
CC141796		0.26	0.002	0.25	0.35	47.5	<0.2	<10	110	0.44	0.29	7.07	0.59	18.65	16.3	9
CC141797		0.20	0.001	0.29	0.29	65.1	<0.2	<10	40	0.38	0.34	4.37	0.43	18.25	20.9	8
CC141798		0.20	0.001	0.18	0.72	11.5	<0.2	<10	250	0.42	0.21	6.04	0.59	12.50	5.7	14
CC141799		0.30	0.001	0.11	0.29	5.6	<0.2	<10	50	0.20	0.12	9.28	0.39	7.23	2.7	6
CC141800		0.20	0.003	0.24	1.11	29.9	<0.2	<10	200	0.40	0.24	1.73	0.81	27.5	9.0	22
CC141801		0.26	0.004	0.25	1.03	31.7	<0.2	<10	260	0.46	0.23	2.12	0.83	30.8	9.2	21
CC141802		0.32	0.002	0.19	1.46	13.2	<0.2	<10	210	0.50	0.22	0.74	0.32	34.3	8.9	29
CC141803		0.24	0.001	0.16	1.33	14.6	<0.2	<10	210	0.46	0.26	0.62	0.34	31.7	8.6	26

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 1- NOV- 2011
Account: RCM

Project: Rackla (OCELOT)

CERTIFICATE OF ANALYSIS WH11167591

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
CC141744		0.95	11.4	2.65	4.54	0.10	<0.02	0.11	0.034	0.06	11.7	13.2	1.09	621	1.09	<0.01
CC141745		0.68	16.3	2.03	2.93	0.09	<0.02	0.18	0.041	0.05	10.0	10.1	3.86	601	1.73	0.01
CC141746		0.31	8.6	1.13	1.28	0.09	<0.02	0.10	0.061	0.03	5.8	5.1	6.32	475	0.68	0.01
CC141747		0.22	8.7	0.75	0.76	0.08	<0.02	0.14	0.087	0.02	3.7	3.1	6.20	599	0.56	<0.01
CC141748		0.38	13.4	1.31	1.64	0.09	<0.02	0.17	0.075	0.03	5.9	6.0	5.20	785	0.76	<0.01
CC141749		0.78	22.5	2.31	3.37	0.10	0.03	0.31	0.650	0.05	11.4	10.4	1.03	816	1.28	<0.01
CC141750		0.65	40.1	3.41	2.36	0.09	0.05	0.11	0.059	0.04	13.0	9.6	0.53	901	1.40	<0.01
CC141771		0.97	10.2	2.28	4.72	0.08	<0.02	0.05	0.031	0.04	12.2	11.5	0.37	283	1.54	<0.01
CC141772		1.06	16.1	3.13	5.46	0.08	<0.02	0.02	0.035	0.05	12.6	16.3	0.42	420	2.30	<0.01
CC141773		1.14	15.2	3.24	4.84	0.09	<0.02	0.04	0.029	0.05	12.7	15.1	0.50	524	1.39	<0.01
CC141774		1.46	6.7	1.74	7.17	0.10	<0.02	0.03	0.015	0.05	16.0	4.7	0.20	84	2.20	<0.01
CC141775		1.18	32.0	5.14	8.36	0.10	<0.02	0.02	0.040	0.07	19.1	24.9	1.58	785	1.12	<0.01
CC141776		1.06	18.2	3.33	5.26	0.09	<0.02	0.01	0.026	0.05	12.9	12.3	0.51	524	8.01	<0.01
CC141777		1.11	19.6	2.86	2.10	0.11	<0.02	0.14	0.042	0.05	18.5	6.1	2.03	492	5.21	<0.01
CC141778		1.07	13.4	2.90	4.87	0.10	<0.02	0.03	0.032	0.05	11.5	12.3	0.47	348	2.07	<0.01
CC141779		1.31	12.2	2.73	5.52	0.09	<0.02	0.03	0.031	0.05	10.0	13.3	0.53	534	2.35	<0.01
CC141780		0.75	22.3	2.88	3.07	0.10	0.05	0.07	0.035	0.07	11.5	9.4	0.42	779	2.23	<0.01
CC141781		0.65	20.4	2.52	3.00	0.09	0.08	0.07	0.026	0.05	9.6	8.0	0.41	301	1.85	<0.01
CC141782		0.61	21.0	2.89	2.78	0.09	0.04	0.05	0.029	0.05	11.7	8.5	0.43	498	2.18	<0.01
CC141783		0.53	22.3	2.83	2.60	0.09	0.03	0.10	0.029	0.05	11.0	7.7	0.43	731	1.75	<0.01
CC141784		0.76	18.6	2.02	3.06	0.09	<0.02	0.29	0.032	0.05	8.8	8.7	1.54	817	1.06	0.01
CC141785		0.42	10.3	1.36	1.87	0.09	<0.02	0.17	0.019	0.03	6.6	7.2	6.40	695	0.57	0.01
CC141786		0.93	49.7	3.44	3.71	0.11	0.03	0.13	0.037	0.04	15.5	13.9	1.18	800	0.95	<0.01
CC141787		0.55	12.9	2.05	2.83	0.09	<0.02	0.14	0.049	0.04	8.8	8.7	0.83	897	0.64	<0.01
CC141788		0.30	6.2	0.90	1.24	0.08	<0.02	0.11	0.023	0.03	4.4	4.2	5.60	547	0.79	<0.01
CC141789		0.43	13.0	1.46	2.09	0.09	0.02	0.10	0.032	0.03	5.8	6.8	3.03	679	1.15	0.01
CC141790		0.83	21.4	2.56	3.83	0.10	0.02	0.13	0.045	0.06	12.1	12.3	1.68	672	1.73	0.01
CC141791		0.57	30.7	2.55	3.22	0.10	0.05	0.08	0.031	0.05	14.1	12.2	2.09	399	1.54	0.01
CC141792		0.67	23.2	2.46	2.98	0.11	0.03	0.11	0.053	0.05	11.5	10.7	2.78	506	1.97	0.01
CC141793		1.28	22.0	2.94	4.38	0.11	<0.02	0.06	0.032	0.06	14.2	15.7	0.65	664	1.98	<0.01
CC141794		0.78	72.9	3.89	2.58	0.10	0.12	0.11	0.022	0.05	8.3	11.5	0.64	559	4.94	<0.01
CC141795		0.56	56.2	4.11	1.34	0.12	0.05	0.16	0.019	0.05	10.9	4.6	0.36	481	6.47	<0.01
CC141796		0.64	51.4	3.56	0.82	0.09	0.04	0.16	0.026	0.03	8.4	6.5	4.10	602	3.77	<0.01
CC141797		0.50	55.0	3.58	0.68	0.10	<0.02	0.09	0.030	0.03	8.5	4.4	2.21	636	1.62	<0.01
CC141798		0.49	11.2	1.42	1.96	0.09	<0.02	0.08	0.032	0.03	6.2	6.8	3.37	616	0.94	<0.01
CC141799		0.21	5.8	0.64	0.80	0.08	<0.02	0.04	0.011	0.02	3.4	3.4	5.66	299	0.48	<0.01
CC141800		1.09	30.1	2.41	3.01	0.10	0.07	0.14	0.027	0.07	14.9	11.1	0.47	622	3.61	<0.01
CC141801		0.76	26.8	2.51	3.02	0.10	0.03	0.17	0.026	0.06	15.9	10.5	0.90	463	3.83	<0.01
CC141802		0.85	21.1	2.78	4.12	0.11	0.04	0.09	0.027	0.06	16.9	14.0	0.55	435	2.27	<0.01
CC141803		0.83	20.4	2.63	4.07	0.11	<0.02	0.04	0.030	0.05	15.6	11.9	0.43	491	1.83	<0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 1- NOV- 2011
Account: RCM

Project: Rackla (OCELOT)

CERTIFICATE OF ANALYSIS WH11167591

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
CC141744		0.72	19.7	3160	87.1	7.4	<0.001	0.07	3.12	2.4	0.6	0.5	20.3	<0.01	0.03	1.2
CC141745		0.50	21.9	2920	175.5	6.5	<0.001	0.06	7.67	2.0	<0.2	0.6	30.0	<0.01	0.02	0.9
CC141746		0.34	10.8	1260	100.0	3.1	0.001	0.02	5.95	1.2	0.2	0.7	38.6	<0.01	0.01	0.8
CC141747		0.23	8.4	1370	87.1	1.8	<0.001	0.01	7.06	0.9	0.2	0.4	57.4	<0.01	0.01	0.7
CC141748		0.30	13.8	1500	59.2	3.4	<0.001	0.04	5.51	1.2	0.3	0.6	37.7	<0.01	0.01	0.5
CC141749		0.49	23.3	3480	459	6.3	<0.001	0.07	12.05	2.0	0.3	4.1	23.7	<0.01	0.04	0.9
CC141750		0.32	45.3	1790	51.4	4.7	<0.001	0.05	5.14	3.0	1.0	0.4	19.1	<0.01	0.03	1.9
CC141771		0.25	15.8	1500	25.6	10.4	<0.001	0.05	0.98	0.4	0.3	0.5	10.5	<0.01	0.02	<0.2
CC141772		0.42	22.3	770	30.0	10.4	<0.001	0.02	1.59	0.9	0.5	0.6	9.0	<0.01	0.04	0.2
CC141773		0.70	25.8	1440	19.3	12.8	<0.001	0.05	0.91	2.3	0.4	0.5	14.6	<0.01	0.01	0.8
CC141774		0.66	7.3	310	26.8	8.5	<0.001	0.03	0.51	0.9	<0.2	0.7	5.0	<0.01	0.06	0.2
CC141775		0.41	42.9	1620	10.2	13.0	<0.001	0.03	0.50	2.7	0.4	0.4	17.0	<0.01	0.03	0.4
CC141776		0.31	28.4	2850	16.4	9.1	<0.001	0.04	1.29	1.1	0.6	0.5	16.8	<0.01	0.06	0.3
CC141777		0.46	25.8	2280	73.1	4.1	0.001	0.02	1.82	3.1	0.8	0.4	26.3	<0.01	0.02	2.0
CC141778		0.46	21.7	1520	36.7	12.4	<0.001	0.04	1.33	1.6	0.2	0.5	14.1	<0.01	0.04	0.6
CC141779		0.42	19.8	1330	27.5	12.3	<0.001	0.05	0.91	1.3	<0.2	0.5	12.5	<0.01	0.03	0.4
CC141780		0.47	27.9	2840	51.4	13.5	0.001	0.05	2.60	2.5	0.5	0.4	19.8	<0.01	0.02	1.5
CC141781		0.40	22.7	2060	34.5	5.9	<0.001	0.08	2.40	1.9	0.2	0.3	14.8	<0.01	0.02	1.3
CC141782		0.41	26.3	1770	47.6	6.1	<0.001	0.05	2.74	2.2	0.3	0.3	18.1	<0.01	0.06	1.5
CC141783		0.36	24.7	1480	44.4	6.3	0.001	0.07	2.59	2.0	0.7	0.3	17.7	<0.01	0.04	1.1
CC141784		0.49	17.4	4420	279	7.3	<0.001	0.13	32.4	1.3	0.6	0.4	25.2	0.01	0.02	0.4
CC141785		0.35	12.4	1420	90.7	4.4	<0.001	0.05	7.18	1.0	0.3	0.3	58.6	<0.01	0.02	0.4
CC141786		0.49	47.3	1320	38.6	4.5	0.001	0.06	2.56	3.0	0.7	0.3	19.1	<0.01	0.05	1.3
CC141787		0.51	16.0	1440	74.9	5.2	<0.001	0.10	4.62	1.3	0.3	0.5	19.6	<0.01	0.01	0.5
CC141788		0.27	8.9	1740	73.6	3.4	<0.001	0.04	3.60	0.8	<0.2	0.4	34.6	<0.01	0.01	0.4
CC141789		0.42	15.8	1760	112.5	4.1	0.001	0.10	6.01	1.1	0.2	0.4	25.4	<0.01	0.02	0.5
CC141790		0.60	25.6	2850	219	7.8	<0.001	0.05	10.50	2.7	0.7	0.7	23.5	<0.01	0.03	1.5
CC141791		0.72	26.7	2150	112.5	5.9	<0.001	0.02	5.04	3.4	0.6	0.5	31.6	<0.01	0.03	3.3
CC141792		0.59	26.9	2700	310	6.3	<0.001	0.04	14.25	2.7	0.9	0.8	36.0	<0.01	0.02	1.8
CC141793		0.46	28.3	2640	30.8	9.3	<0.001	0.05	1.59	2.4	0.9	0.5	21.6	<0.01	0.04	0.8
CC141794		0.27	50.2	860	28.9	5.0	0.002	0.08	1.10	2.1	2.2	0.2	34.8	<0.01	0.09	2.7
CC141795		0.24	49.6	1300	27.7	3.5	0.001	0.10	1.93	1.8	2.4	0.2	36.0	<0.01	0.04	2.0
CC141796		0.09	45.1	830	27.8	2.0	0.001	0.18	4.87	2.5	1.4	0.2	54.6	<0.01	0.06	2.9
CC141797		0.12	45.6	940	60.3	2.0	<0.001	0.14	6.46	2.4	1.0	1.3	54.2	<0.01	0.04	2.0
CC141798		0.33	15.3	2000	32.1	4.4	<0.001	0.08	3.43	1.0	0.4	0.3	36.1	<0.01	0.02	0.5
CC141799		0.25	7.8	990	17.6	2.0	<0.001	0.02	2.20	0.8	0.3	0.2	41.8	<0.01	0.02	0.6
CC141800		0.40	29.6	6560	38.2	7.0	<0.001	0.05	3.22	2.7	1.1	0.4	20.8	<0.01	0.04	1.7
CC141801		0.53	30.0	3640	40.5	7.4	0.001	0.05	6.30	2.9	0.8	0.4	28.1	<0.01	0.05	2.0
CC141802		0.83	28.7	1850	22.4	8.0	<0.001	0.02	1.22	3.7	1.0	0.4	22.2	<0.01	0.02	3.5
CC141803		0.46	26.9	1960	30.4	7.9	<0.001	0.03	2.24	2.0	0.6	0.5	19.5	<0.01	0.02	0.7

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 1- NOV- 2011
Account: RCM

Project: Rackla (OCELOT)

CERTIFICATE OF ANALYSIS WH11167591

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
CC141744		0.028	0.12	2.11	57	0.28	8.13	133	0.9
CC141745		0.023	0.16	3.06	46	0.24	10.10	178	1.1
CC141746		0.017	0.14	1.04	24	0.22	4.53	139	0.8
CC141747		0.010	0.25	1.00	15	0.12	3.97	138	0.9
CC141748		0.014	0.15	1.16	25	0.12	5.84	153	1.0
CC141749		0.021	0.25	2.73	58	0.31	11.85	378	1.4
CC141750		0.012	0.14	1.31	25	0.12	16.00	140	2.2
CC141771		0.009	0.16	1.00	44	0.18	4.96	49	<0.5
CC141772		0.016	0.27	0.61	54	0.42	3.67	82	<0.5
CC141773		0.034	0.10	0.68	50	0.28	9.11	80	<0.5
CC141774		0.030	0.13	0.28	61	0.16	1.33	27	<0.5
CC141775		0.039	0.07	0.58	83	0.15	7.16	86	<0.5
CC141776		0.024	0.17	2.34	69	0.35	4.99	103	<0.5
CC141777		0.023	0.30	1.25	29	0.20	12.25	156	0.7
CC141778		0.025	0.14	1.02	54	0.29	5.00	99	<0.5
CC141779		0.021	0.25	0.73	57	0.31	3.45	80	<0.5
CC141780		0.020	0.14	2.89	39	0.26	10.30	156	1.8
CC141781		0.015	0.11	2.43	36	0.14	9.25	84	2.7
CC141782		0.017	0.12	1.88	37	0.17	10.20	98	1.9
CC141783		0.014	0.09	1.96	33	0.14	11.20	75	1.6
CC141784		0.020	0.26	3.50	44	0.20	9.98	225	1.2
CC141785		0.017	0.11	0.99	29	0.20	5.40	128	<0.5
CC141786		0.017	0.15	2.28	34	0.10	18.15	94	1.4
CC141787		0.019	0.16	1.12	36	0.13	6.80	149	0.9
CC141788		0.013	0.12	1.53	21	0.09	3.59	127	0.5
CC141789		0.016	0.14	2.01	29	0.15	5.93	95	1.1
CC141790		0.029	0.25	3.47	57	0.26	10.85	160	1.3
CC141791		0.037	0.10	2.15	46	0.70	12.00	123	2.3
CC141792		0.030	0.18	3.34	47	0.24	11.90	161	1.8
CC141793		0.027	0.13	2.74	51	0.23	13.95	110	0.6
CC141794		0.007	0.07	4.27	16	<0.05	9.07	62	4.5
CC141795		0.008	0.05	3.18	17	0.08	12.15	129	3.3
CC141796		<0.005	0.13	1.62	13	0.06	12.65	217	2.4
CC141797		<0.005	0.08	0.56	8	0.06	13.25	133	1.2
CC141798		0.014	0.12	1.09	27	0.10	6.91	94	0.9
CC141799		0.011	0.06	0.57	13	0.09	3.35	47	0.6
CC141800		0.021	0.38	4.90	46	0.20	21.4	146	2.1
CC141801		0.026	0.29	3.04	47	0.35	15.90	149	2.0
CC141802		0.039	0.14	1.75	52	0.32	13.00	85	1.9
CC141803		0.027	0.15	1.74	51	0.31	9.91	86	0.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 1- NOV- 2011
Account: RCM

Project: Rackla (OCELOT)

CERTIFICATE OF ANALYSIS WH11167591

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- TL43 Au ppm 0.001	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1
CC141804		0.22	0.001	0.25	1.80	17.3	<0.2	<10	290	0.61	0.91	0.80	0.44	27.1	9.7	28
CC141805		0.22	<0.001	0.11	1.33	10.1	<0.2	<10	330	0.38	0.26	0.28	0.24	25.2	6.4	24
CC141806		0.22	0.001	0.08	1.23	10.2	<0.2	<10	170	0.32	0.22	0.34	0.38	23.8	6.8	26
CC141807		0.34	0.001	0.16	0.53	28.5	<0.2	<10	80	0.29	0.14	1.50	0.51	56.9	28.2	10
CC141808		0.22	0.002	0.34	1.17	32.7	<0.2	<10	170	0.60	0.20	1.61	0.78	37.4	22.5	23
CC141809		0.24	<0.001	0.06	2.72	6.8	<0.2	<10	190	0.44	0.16	0.29	0.06	38.6	16.4	64
CC141810		0.20	<0.001	0.12	1.29	7.7	<0.2	<10	150	0.23	0.30	0.44	0.18	17.30	4.5	20
CC141811		0.22	0.001	0.11	1.11	20.0	<0.2	<10	170	0.43	0.21	0.53	0.33	34.9	10.3	24
CC141812		0.22	<0.001	0.12	1.77	14.9	<0.2	<10	230	0.46	0.36	0.37	0.22	26.9	8.1	29
CC141813		0.24	<0.001	0.14	1.52	19.5	<0.2	<10	400	0.45	0.41	0.34	0.21	27.0	7.9	26
CC141814		0.24	0.001	0.17	1.25	19.0	<0.2	<10	190	0.48	0.30	1.30	0.48	30.4	10.1	25
CC141899		0.14	<0.001	0.11	1.53	11.7	<0.2	<10	130	0.64	0.28	0.78	0.20	29.5	7.9	27
CC141900		0.18	0.001	0.12	1.68	17.9	<0.2	<10	130	0.71	0.29	0.62	0.24	34.8	9.6	30
CC141901		0.18	0.004	0.14	1.93	9.4	<0.2	<10	210	0.78	0.27	2.09	0.61	30.2	8.6	29
CC141902		0.18	0.001	0.22	1.44	8.8	<0.2	<10	210	0.58	0.24	3.06	0.95	22.8	7.6	22
CC141903		0.16	0.001	0.25	1.32	10.5	<0.2	<10	130	0.57	0.19	7.28	0.42	26.8	7.3	19
CC141904		0.16	<0.001	0.16	1.76	16.2	<0.2	<10	200	0.70	0.25	3.17	0.44	32.7	8.5	25
CC141905		0.18	<0.001	0.16	1.75	9.0	<0.2	<10	170	0.61	0.26	1.56	0.35	25.2	7.4	28
CC141906		0.26	0.001	0.23	1.05	15.3	<0.2	<10	110	0.45	0.25	2.73	0.46	26.7	8.3	20
CC141907		0.16	<0.001	0.29	1.84	12.6	<0.2	<10	190	0.72	0.32	1.30	0.57	24.7	9.0	26
CC141908		0.16	0.001	1.17	1.44	28.2	<0.2	<10	160	0.68	0.36	1.46	0.51	24.6	14.1	32
CC141909		0.18	0.001	0.62	1.12	22.3	<0.2	<10	120	0.60	0.29	1.09	0.35	26.3	12.5	26
CC141915		0.28	<0.001	0.27	1.11	70.4	<0.2	<10	50	0.52	0.32	1.26	0.46	28.0	30.2	27
CC141916		0.28	<0.001	0.55	0.48	31.3	<0.2	<10	70	0.45	0.77	0.33	0.96	34.9	18.5	10
CC141917		0.30	<0.001	0.33	0.72	42.2	<0.2	<10	40	0.30	0.48	2.68	0.82	21.8	23.0	18
CC141918		0.32	<0.001	0.65	0.92	45.1	<0.2	<10	40	0.44	0.62	0.14	1.27	64.7	28.8	18
CC141919		0.26	<0.001	0.24	0.66	9.1	<0.2	<10	120	0.22	0.37	0.08	0.23	32.5	4.6	12
CC141920		0.32	<0.001	0.62	0.46	42.4	<0.2	<10	70	0.31	0.90	0.21	1.20	40.6	17.6	9
CC141921		0.26	<0.001	0.58	0.27	31.9	<0.2	<10	30	0.20	0.76	0.33	0.19	20.8	19.2	8
CC141922		0.26	<0.001	0.09	1.06	28	<0.2	<10	20	0.32	0.05	10.85	0.71	14.65	19.1	18
CC141923		0.28	<0.001	0.12	1.23	43.0	<0.2	<10	50	0.51	0.22	5.17	0.41	24.1	23.8	33
CC141924		0.34	<0.001	0.08	2.11	29.5	<0.2	<10	40	0.50	0.11	7.68	0.59	25.6	29.7	48
CC141925		0.22	<0.001	0.20	1.20	7.4	<0.2	<10	200	0.44	0.18	0.35	0.35	51.4	6.9	21
CC141926		0.28	0.002	0.07	1.02	10.2	<0.2	<10	90	0.31	0.22	0.37	0.17	44.6	12.0	22
CC141927		0.28	0.001	0.25	1.01	16.6	<0.2	<10	180	0.39	0.20	0.34	0.18	59.3	8.9	22
CC141928		0.18	0.001	0.12	1.52	11.1	<0.2	<10	330	0.46	0.20	0.26	0.24	22.7	6.0	26
CC141929		0.28	0.002	0.14	1.40	13.6	<0.2	<10	300	0.48	0.18	0.37	0.30	42.3	10.2	26
CC141930		0.24	0.002	0.10	1.69	16.9	<0.2	<10	490	0.51	0.32	0.82	0.28	32.0	8.5	28
CC141931		0.32	0.002	0.14	1.21	15.0	<0.2	<10	250	0.40	0.56	3.98	0.31	17.70	5.8	20
CC141932		0.30	0.005	0.19	1.06	16.0	<0.2	<10	180	0.49	0.26	1.96	0.49	30.4	10.1	22

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 1- NOV- 2011
Account: RCM

Project: Rackla (OCELOT)

CERTIFICATE OF ANALYSIS WH11167591

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
CC141804		1.37	18.3	3.02	5.46	0.09	0.02	0.05	0.043	0.05	11.6	15.7	0.50	823	1.42	<0.01
CC141805		0.95	13.2	2.50	5.08	0.09	<0.02	0.04	0.027	0.05	11.1	10.1	0.33	400	1.93	<0.01
CC141806		0.94	13.5	2.59	4.82	0.10	<0.02	0.03	0.026	0.05	10.4	13.4	0.42	367	2.12	<0.01
CC141807		0.84	30.1	4.79	1.69	0.14	<0.02	0.13	0.038	0.05	26.6	4.7	0.74	857	7.08	<0.01
CC141808		0.70	25.0	5.20	3.32	0.10	<0.02	0.10	0.029	0.05	17.0	8.2	0.40	1160	17.10	<0.01
CC141809		1.37	21.3	4.60	8.80	0.11	<0.02	0.04	0.034	0.06	17.9	26.6	1.60	269	1.29	<0.01
CC141810		0.92	7.8	2.04	6.41	0.09	<0.02	0.05	0.024	0.03	7.7	10.2	0.24	463	1.12	<0.01
CC141811		0.66	15.4	4.34	3.92	0.11	<0.02	0.13	0.035	0.04	16.2	7.9	0.29	578	7.21	<0.01
CC141812		1.49	16.0	3.14	7.32	0.10	<0.02	0.04	0.036	0.05	11.7	14.7	0.44	405	1.76	<0.01
CC141813		1.40	18.1	2.97	5.74	0.09	<0.02	0.03	0.033	0.06	11.4	13.1	0.45	478	1.80	<0.01
CC141814		0.94	25.6	2.91	3.75	0.10	<0.02	0.07	0.031	0.07	14.0	13.7	0.91	617	1.55	<0.01
CC141899		0.79	12.0	2.97	4.17	0.09	<0.02	0.04	0.037	0.07	12.0	11.9	0.60	589	1.11	<0.01
CC141900		0.80	16.4	3.06	4.67	0.11	<0.02	0.03	0.033	0.06	14.2	11.6	0.52	782	3.20	<0.01
CC141901		0.87	11.4	2.81	4.95	0.10	0.02	0.03	0.034	0.08	13.8	14.4	1.04	1080	1.16	<0.01
CC141902		0.72	15.4	2.20	3.79	0.10	0.03	0.04	0.037	0.09	10.5	11.4	1.56	1150	0.99	<0.01
CC141903		0.53	13.5	1.81	3.22	0.10	0.02	0.05	0.025	0.07	13.0	10.7	4.35	887	0.98	0.01
CC141904		0.84	11.8	2.68	4.16	0.11	0.03	0.04	0.034	0.04	14.7	19.0	1.96	1270	1.13	<0.01
CC141905		0.86	12.3	2.71	4.64	0.09	0.02	0.04	0.047	0.04	10.6	16.5	0.93	785	1.06	<0.01
CC141906		0.57	17.3	2.86	2.70	0.10	0.03	0.08	0.031	0.04	11.6	9.6	1.55	561	1.73	<0.01
CC141907		0.57	16.4	2.94	5.61	0.11	0.02	0.07	0.065	0.04	12.3	13.5	0.74	703	0.93	<0.01
CC141908		1.15	29.3	3.82	4.10	0.09	0.03	0.10	0.120	0.06	13.1	12.3	0.77	1200	1.34	<0.01
CC141909		1.40	26.1	3.50	3.45	0.10	0.02	0.08	0.045	0.06	11.8	10.3	0.56	730	1.45	<0.01
CC141915		1.34	93.3	5.55	3.24	0.12	0.04	0.10	0.043	0.04	12.3	24.7	1.47	687	4.05	<0.01
CC141916		0.64	87.5	5.64	1.41	0.07	0.09	0.20	0.023	0.07	18.7	5.3	0.35	408	14.35	<0.01
CC141917		0.55	82.5	4.07	1.88	0.05	0.07	0.09	0.020	0.05	11.4	9.4	1.89	758	5.01	0.01
CC141918		0.83	121.5	5.97	2.21	0.10	0.09	0.15	0.019	0.07	33.1	10.4	0.43	427	13.50	<0.01
CC141919		0.91	15.9	2.25	4.01	<0.05	<0.02	0.06	0.015	0.05	17.5	4.8	0.06	94	5.44	<0.01
CC141920		0.57	112.0	4.49	1.21	0.08	0.11	0.20	0.020	0.06	21.0	3.8	0.18	190	12.40	<0.01
CC141921		0.43	73.9	2.60	0.88	0.05	0.09	0.11	0.007	0.06	12.2	3.0	0.19	208	12.55	<0.01
CC141922		0.55	59.5	1.31	2.77	0.05	0.04	0.03	0.023	0.01	8.8	12.7	1.82	973	0.61	0.01
CC141923		2.89	61.4	3.74	3.64	0.07	0.06	0.05	0.033	0.05	12.1	27.9	2.59	684	2.73	<0.01
CC141924		9.60	57.2	2.78	6.88	0.10	0.05	0.02	0.031	0.27	13.0	37.5	3.28	678	1.05	0.01
CC141925		0.85	12.4	2.48	4.61	0.05	0.02	0.04	0.032	0.06	27.4	8.8	0.21	243	1.98	<0.01
CC141926		0.69	16.7	3.97	4.25	0.06	<0.02	0.05	0.027	0.09	23.5	8.2	0.29	494	2.24	<0.01
CC141927		0.59	20.7	2.70	3.26	0.06	0.03	0.08	0.025	0.05	30.4	8.6	0.31	267	6.17	<0.01
CC141928		1.06	15.4	2.71	5.64	0.05	<0.02	0.03	0.026	0.04	11.4	12.4	0.38	236	2.12	<0.01
CC141929		0.88	23.5	2.84	4.14	0.06	0.04	0.05	0.026	0.05	21.8	12.4	0.42	416	2.82	<0.01
CC141930		1.10	18.8	2.70	4.53	0.05	0.03	0.04	0.032	0.05	16.6	13.3	0.42	325	1.27	<0.01
CC141931		1.05	14.0	2.06	4.30	<0.05	<0.02	0.04	0.030	0.04	9.6	10.2	2.28	387	1.51	0.01
CC141932		0.73	28.5	2.65	3.20	0.05	0.06	0.07	0.029	0.06	15.8	11.9	1.27	553	1.54	0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 1- NOV- 2011
Account: RCM

Project: Rackla (OCELOT)

CERTIFICATE OF ANALYSIS WH11167591

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
CC141804		0.50	24.7	2970	37.3	10.2	<0.001	0.07	3.51	1.8	0.7	0.6	18.9	<0.01	0.06	0.8
CC141805		0.24	16.5	1420	21.7	10.2	<0.001	0.05	1.42	0.5	0.5	0.6	13.1	<0.01	0.02	<0.2
CC141806		0.38	18.9	1140	18.1	8.3	<0.001	0.04	0.76	0.8	0.4	0.5	14.0	<0.01	0.04	0.2
CC141807		0.38	34.1	1890	11.6	3.3	0.001	0.01	1.13	5.3	1.6	0.4	16.2	<0.01	0.02	2.7
CC141808		0.38	47.8	3340	17.6	6.0	<0.001	0.05	1.36	2.5	2.0	0.4	24.5	<0.01	0.04	0.8
CC141809		0.46	31.2	1420	11.4	10.5	0.001	0.02	0.49	3.1	0.6	0.5	17.3	<0.01	0.03	0.5
CC141810		0.30	7.6	1080	27.5	4.0	<0.001	0.04	0.66	0.4	0.5	0.7	9.9	<0.01	0.03	<0.2
CC141811		0.19	24.0	1870	19.1	6.6	<0.001	0.05	1.84	0.5	1.3	0.4	14.7	<0.01	0.02	<0.2
CC141812		0.40	21.5	1150	25.4	9.1	<0.001	0.04	1.76	0.9	0.5	0.8	14.9	<0.01	0.05	<0.2
CC141813		0.26	21.2	1640	29.3	12.9	<0.001	0.06	2.48	0.6	0.6	0.6	12.6	<0.01	0.04	<0.2
CC141814		0.46	30.0	1710	33.3	8.1	<0.001	0.03	2.41	2.4	0.6	0.4	22.5	<0.01	0.03	0.8
CC141899		0.40	19.6	1640	29.6	10.5	<0.001	0.05	1.17	1.8	0.7	0.5	12.9	<0.01	0.02	0.9
CC141900		0.51	23.9	1540	28.3	9.2	<0.001	0.03	1.06	2.3	0.7	0.6	13.1	<0.01	0.01	1.0
CC141901		0.56	20.6	4420	40.3	13.4	<0.001	0.03	2.90	2.7	0.9	0.6	21.2	<0.01	0.03	1.1
CC141902		0.52	18.1	3110	37.9	19.5	0.001	0.06	3.05	1.8	0.4	0.5	22.0	<0.01	0.03	0.8
CC141903		0.38	16.6	2830	24.7	7.4	<0.001	0.09	2.09	1.2	0.7	0.4	39.2	<0.01	0.03	0.6
CC141904		0.57	18.9	1470	33.5	7.1	<0.001	0.06	2.61	2.7	0.9	0.5	20.0	<0.01	0.03	1.3
CC141905		0.62	18.0	1460	34.9	7.3	<0.001	0.04	1.63	2.5	0.5	0.5	16.2	<0.01	0.04	1.1
CC141906		0.43	23.8	1030	32.1	5.2	<0.001	0.03	1.76	2.6	0.5	0.4	20.2	<0.01	0.04	2.0
CC141907		0.67	20.1	620	29.7	6.0	<0.001	0.04	1.24	3.6	0.9	0.8	13.2	<0.01	0.06	1.3
CC141908		0.71	38.3	860	54.8	8.3	<0.001	0.05	6.20	4.2	0.7	0.8	20.3	<0.01	0.05	1.6
CC141909		0.64	30.8	700	28.0	8.1	<0.001	0.05	3.02	3.2	1.0	0.4	16.2	<0.01	0.06	1.5
CC141915		0.30	77.7	1060	38.3	4.3	<0.001	0.05	4.68	4.8	1.9	0.2	26.2	<0.01	0.06	3.5
CC141916		0.12	58.8	1190	41.8	3.1	0.001	0.10	3.24	2.1	2.1	<0.2	40.2	<0.01	0.09	6.9
CC141917		0.41	62.4	1030	31.4	2.3	0.001	0.09	1.58	2.7	1.1	0.2	36.2	<0.01	0.09	5.7
CC141918		0.17	90.1	1510	46.1	2.9	0.002	0.09	2.38	2.4	2.2	<0.2	58.1	<0.01	0.10	11.3
CC141919		0.38	15.6	580	17.2	6.2	<0.001	0.04	0.91	0.9	0.8	0.5	9.7	<0.01	0.06	0.7
CC141920		0.07	49.2	1750	59.2	2.7	0.001	0.08	2.83	2.2	2.8	<0.2	60.2	<0.01	0.12	10.3
CC141921		0.13	43.6	400	28.3	3.0	0.002	0.08	1.77	1.0	1.3	<0.2	26.7	<0.01	0.14	4.5
CC141922		0.29	34.5	1350	15.2	1.4	<0.001	0.06	0.35	2.4	0.6	<0.2	199.0	<0.01	0.02	1.0
CC141923		0.49	67.7	810	22.4	5.2	0.001	0.10	2.22	5.1	1.1	0.2	107.0	<0.01	0.04	4.4
CC141924		0.82	51.0	910	15.2	19.5	<0.001	0.01	1.30	6.1	0.6	0.4	218	<0.01	0.02	4.5
CC141925		0.14	15.1	2800	12.1	10.7	<0.001	0.07	0.71	0.5	0.6	1.1	21.9	<0.01	0.04	0.2
CC141926		0.28	22.8	1090	17.1	7.5	<0.001	0.13	0.87	1.1	0.7	0.5	20.6	<0.01	0.04	0.3
CC141927		0.42	28.0	880	14.2	5.6	<0.001	0.04	0.99	2.6	0.7	0.4	15.3	<0.01	0.05	1.7
CC141928		0.34	19.3	1060	11.8	7.5	<0.001	0.06	0.71	0.8	0.5	0.5	11.5	<0.01	0.05	0.2
CC141929		0.56	29.8	1550	16.7	7.2	<0.001	0.03	1.16	3.0	0.6	0.4	22.8	<0.01	0.04	1.7
CC141930		0.30	26.0	3950	68.9	8.7	<0.001	0.03	8.70	1.4	0.6	0.5	19.8	<0.01	0.05	0.5
CC141931		0.13	16.3	2580	30.8	6.2	<0.001	0.08	4.70	0.5	0.6	0.8	29.8	<0.01	0.04	<0.2
CC141932		0.58	28.0	1820	32.4	6.9	<0.001	0.02	2.94	3.6	0.6	0.3	25.2	<0.01	0.04	2.8

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 1- NOV- 2011
Account: RCM

Project: Rackla (OCELOT)

CERTIFICATE OF ANALYSIS WH11167591

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
CC141804		0.020	0.19	2.27	57	0.27	8.64	100	1.0
CC141805		0.012	0.16	1.01	55	0.19	4.03	73	<0.5
CC141806		0.023	0.12	1.00	56	0.30	3.74	90	<0.5
CC141807		0.018	0.51	1.38	33	0.11	22.2	117	1.1
CC141808		0.019	0.29	2.92	48	0.24	12.70	157	0.8
CC141809		0.053	0.09	0.96	85	0.14	5.56	63	<0.5
CC141810		0.015	0.14	0.69	63	0.19	2.08	58	<0.5
CC141811		0.010	0.18	1.25	46	0.31	7.93	85	<0.5
CC141812		0.023	0.17	0.98	67	0.23	4.35	79	<0.5
CC141813		0.013	0.17	1.05	54	0.23	4.59	78	<0.5
CC141814		0.028	0.13	1.32	41	0.26	11.35	100	<0.5
CC141899		0.019	0.13	0.95	47	0.17	9.83	83	0.8
CC141900		0.022	0.15	1.23	57	0.24	12.60	84	1.0
CC141901		0.028	0.14	1.81	57	0.51	11.90	164	0.9
CC141902		0.022	0.09	1.18	41	0.33	9.18	218	1.4
CC141903		0.015	0.09	1.39	36	0.20	15.05	106	1.2
CC141904		0.021	0.27	0.89	55	0.36	14.10	137	1.4
CC141905		0.023	0.13	0.99	52	0.24	8.10	124	1.1
CC141906		0.018	0.14	0.97	31	0.24	10.70	125	1.7
CC141907		0.020	0.13	0.88	55	0.19	12.05	134	1.3
CC141908		0.023	0.17	1.03	42	0.15	15.65	136	1.7
CC141909		0.024	0.11	0.49	36	0.15	10.75	79	1.3
CC141915		0.019	0.09	0.64	23	0.08	14.20	122	2.1
CC141916		0.005	0.05	3.55	12	0.08	10.30	159	4.4
CC141917		0.029	0.08	1.84	17	0.06	11.20	98	3.6
CC141918		0.011	0.05	5.02	18	0.08	12.85	148	5.3
CC141919		0.013	0.10	0.79	33	0.19	2.87	43	<0.5
CC141920		<0.005	0.06	3.88	13	0.06	11.65	120	7.8
CC141921		0.007	0.03	1.74	7	0.05	4.00	28	4.1
CC141922		0.017	0.02	0.32	14	0.06	9.49	27	1.0
CC141923		0.044	0.14	0.41	25	0.10	13.50	85	2.1
CC141924		0.147	0.24	0.38	40	0.13	13.30	54	1.5
CC141925		0.010	0.16	3.29	43	0.14	7.34	48	<0.5
CC141926		0.018	0.15	1.72	42	0.17	6.63	80	<0.5
CC141927		0.021	0.35	1.23	47	0.20	10.50	60	0.6
CC141928		0.016	0.17	0.98	55	0.19	4.56	66	<0.5
CC141929		0.030	0.24	1.50	48	0.25	12.00	99	0.8
CC141930		0.022	0.23	3.11	53	0.23	11.60	99	<0.5
CC141931		0.007	0.22	1.84	46	0.22	5.99	76	<0.5
CC141932		0.032	0.15	1.28	38	0.24	12.15	101	1.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 1- NOV- 2011
Account: RCM

Project: Rackla (OCELOT)

CERTIFICATE OF ANALYSIS WH11167591

Sample Description	Method	WEI- 21	Au- TL43	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Recvd Wt.	Au	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
CC141933		0.20	0.003	0.21	0.86	16.6	<0.2	<10	190	0.44	0.32	5.08	0.85	18.60	7.0	16
CC141934		0.24	0.003	0.25	1.04	21.9	<0.2	<10	250	0.54	0.70	2.05	1.06	22.1	8.3	19
CC141935		0.22	0.004	0.14	0.50	18.0	<0.2	<10	120	0.31	2.06	8.25	0.66	13.95	4.2	11
CC141936		0.20	0.003	0.22	0.75	20.6	<0.2	<10	150	0.42	2.20	6.39	0.98	17.05	5.7	14
CC141937		0.22	0.002	0.24	0.83	24.6	<0.2	<10	150	0.49	0.73	3.79	1.40	20.3	7.8	16
CC141938		0.22	0.002	0.17	0.46	17.2	<0.2	<10	90	0.30	0.48	9.65	0.91	12.85	5.2	9
CC141939		0.34	0.001	0.11	1.40	27.9	<0.2	<10	30	0.44	0.23	7.59	0.31	24.4	15.9	35
CC141940		0.24	0.002	0.32	0.38	59.4	<0.2	<10	80	0.46	0.48	1.11	0.37	18.45	13.4	7
CC141941		0.26	0.001	0.20	0.67	55.4	<0.2	<10	60	0.49	0.32	0.75	0.29	34.8	17.0	16
CC141942		0.24	0.002	0.20	0.29	49.7	<0.2	<10	130	0.37	1.39	4.78	0.74	19.55	10.7	5
CC141943		0.30	0.001	0.22	0.16	60.5	<0.2	<10	50	0.40	0.61	5.26	0.69	15.85	12.9	4
CC141944		0.46	0.001	0.25	0.12	78.2	<0.2	<10	50	0.39	0.48	5.96	0.47	18.95	14.5	3
CC141945		0.24	0.003	0.18	0.41	20.8	<0.2	<10	130	0.28	1.06	8.97	1.40	10.00	5.4	9
CC141946		0.30	0.003	0.05	0.27	3	<0.2	<10	190	0.17	0.26	13.60	0.33	5.95	2.0	6
CC141947		0.32	0.001	0.12	0.18	7	<0.2	<10	50	0.14	0.85	12.35	0.90	4.74	1.4	4
CC141948		0.26	0.001	0.12	0.20	13	<0.2	<10	60	0.17	0.69	13.05	0.80	6.36	1.7	6
CC141949		0.20	0.003	0.14	0.80	16.2	<0.2	<10	150	0.49	0.42	6.51	0.40	17.50	6.1	16
CC141950		0.24	0.001	0.16	1.23	14.7	<0.2	<10	160	0.43	0.25	0.65	0.43	20.6	5.7	21
CC141951		0.36	0.002	0.17	1.20	14.8	<0.2	<10	210	0.45	0.23	0.63	0.28	26.3	7.9	24
CC141952		0.26	0.002	0.20	1.57	18.4	<0.2	<10	280	0.48	0.67	1.03	0.28	23.9	7.3	28
CC141953		0.38	0.003	0.18	1.51	18.3	<0.2	<10	290	0.45	0.38	0.94	0.32	30.8	8.5	29
CC141954		0.34	0.002	0.08	1.59	12.4	<0.2	<10	260	0.44	0.21	0.47	0.18	30.4	8.4	27
CC141955		0.28	0.002	0.08	1.38	12.9	<0.2	<10	180	0.36	0.20	0.24	0.31	36.0	10.0	23
CC141956		0.28	0.001	0.06	1.18	5.0	<0.2	<10	200	0.25	0.22	0.70	0.29	15.30	5.6	18
CC141957		0.34	0.002	0.15	0.68	11.8	<0.2	<10	100	0.28	0.14	0.67	0.25	46.1	13.3	14
CC141958		0.36	0.004	0.08	2.66	6.0	<0.2	<10	190	0.40	0.12	0.61	0.19	53.4	21.2	67
CC141959		0.24	0.002	0.24	0.95	7.3	<0.2	<10	240	0.32	0.11	0.26	0.21	15.85	3.8	13
CC141960		0.26	0.002	0.37	1.46	12.2	<0.2	<10	190	0.37	0.15	1.33	0.42	22.1	4.3	26
CC141961		0.26	0.001	0.07	0.99	23.3	<0.2	<10	130	0.25	0.15	0.09	0.33	32.0	8.3	20
CC141962		0.24	0.001	0.08	1.35	15.6	<0.2	<10	230	0.38	0.17	0.31	0.31	30.4	8.4	23
CC141963		0.30	0.006	0.05	1.72	11.7	<0.2	<10	220	0.35	0.20	0.17	0.23	28.3	5.9	28
CC141964		0.20	0.001	0.11	2.13	10.2	<0.2	<10	530	0.56	0.30	3.80	0.22	30.7	3.9	29
CC141965		0.28	0.001	0.08	1.63	14.9	<0.2	<10	250	0.42	0.31	0.26	0.18	26.2	8.8	26
CC141966		0.32	0.003	0.21	1.33	17.5	<0.2	<10	190	0.46	0.30	0.84	0.46	33.3	11.5	26
CC141967		0.34	0.003	0.22	1.02	21.5	<0.2	<10	170	0.39	0.29	5.44	1.05	20.9	7.9	19
CC141968		0.40	0.002	0.18	0.35	14	<0.2	<10	70	0.20	0.38	11.70	0.87	9.53	3.5	7
CC141969		0.26	0.001	0.16	0.39	11	<0.2	<10	80	0.23	0.40	10.15	0.84	9.96	4.0	7
CC141970		0.22	0.002	0.18	0.67	15.3	<0.2	<10	110	0.35	0.31	4.02	0.87	14.45	5.6	11
CC141971		0.32	0.002	0.32	1.72	54.5	<0.2	<10	40	0.69	0.66	1.24	1.25	29.1	27.9	31
ZZ03366		0.34	0.002	0.22	1.77	14.5	<0.2	<10	270	0.65	0.22	0.45	0.26	47.2	12.5	29

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 1- NOV- 2011
Account: RCM

Project: Rackla (OCELOT)

CERTIFICATE OF ANALYSIS WH11167591

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
CC141933		0.73	21.0	1.93	2.34	<0.05	0.05	0.08	0.034	0.06	10.8	9.0	2.78	591	1.59	0.01
CC141934		0.82	25.1	2.29	2.89	<0.05	0.07	0.10	0.039	0.06	13.3	11.1	0.59	713	1.51	0.01
CC141935		0.55	16.5	1.29	1.37	<0.05	0.04	0.07	0.031	0.04	8.6	5.6	4.53	736	1.31	0.01
CC141936		0.74	21.2	1.72	2.02	<0.05	0.05	0.09	0.042	0.05	10.8	7.9	3.49	815	1.37	0.01
CC141937		0.82	21.7	2.09	2.40	<0.05	0.05	0.10	0.041	0.06	11.6	8.9	1.70	788	1.42	0.01
CC141938		0.59	16.6	1.31	1.22	<0.05	0.04	0.10	0.029	0.04	7.6	5.6	5.47	634	1.28	0.01
CC141939		5.09	43.0	3.16	4.03	0.07	0.06	0.04	0.028	0.09	12.8	27.7	3.31	506	1.35	0.01
CC141940		0.74	54.2	3.60	0.92	<0.05	0.11	0.12	0.026	0.05	9.5	3.9	0.19	369	4.46	<0.01
CC141941		0.63	56.4	3.80	1.93	0.06	0.09	0.12	0.035	0.04	17.6	12.5	0.59	393	2.96	<0.01
CC141942		0.64	44.4	2.42	0.78	<0.05	0.06	0.12	0.036	0.06	10.6	3.2	2.57	590	2.41	0.01
CC141943		0.50	45.9	2.84	0.42	<0.05	0.07	0.10	0.038	0.04	7.9	1.9	3.13	472	2.94	0.01
CC141944		0.42	54.2	3.59	0.30	0.05	0.11	0.09	0.032	0.05	9.7	1.8	3.49	410	4.72	0.01
CC141945		0.48	21.8	1.06	1.22	<0.05	0.04	0.10	0.053	0.03	6.2	4.7	5.18	1020	0.99	0.01
CC141946		0.27	6.6	0.50	0.65	<0.05	0.03	0.03	0.012	0.01	3.5	3.4	8.13	373	0.79	0.01
CC141947		0.23	10.0	0.49	0.47	<0.05	0.03	0.06	0.023	0.01	3.1	2.5	7.23	613	0.52	0.01
CC141948		0.27	16.5	0.61	0.58	<0.05	0.03	0.06	0.029	0.02	4.3	3.3	7.50	701	0.79	0.01
CC141949		0.70	15.5	1.79	2.26	<0.05	0.04	0.07	0.040	0.03	10.6	8.7	3.95	903	1.25	0.01
CC141950		1.31	7.9	2.54	5.40	<0.05	<0.02	0.08	0.034	0.03	10.6	14.9	0.32	317	2.86	<0.01
CC141951		0.94	20.0	2.28	4.75	<0.05	<0.02	0.08	0.027	0.04	13.8	10.8	0.43	289	2.15	<0.01
CC141952		1.10	21.1	2.55	5.09	0.09	0.03	0.06	0.043	0.06	12.9	11.9	0.48	300	1.45	0.01
CC141953		0.97	23.3	2.65	4.33	0.09	0.04	0.07	0.032	0.05	15.2	12.7	0.56	338	1.57	0.01
CC141954		1.19	15.3	2.77	4.74	0.09	0.02	0.02	0.029	0.04	12.9	11.7	0.46	300	2.43	0.01
CC141955		0.97	18.1	3.04	4.54	0.11	0.03	0.05	0.026	0.05	17.2	12.0	0.39	295	3.07	0.01
CC141956		1.14	9.7	1.85	5.41	0.06	<0.02	0.03	0.022	0.03	7.2	4.8	0.32	688	1.68	0.01
CC141957		0.69	17.7	4.25	2.32	0.15	0.05	0.06	0.027	0.07	22.6	4.7	0.20	534	3.21	0.01
CC141958		1.09	28.6	4.99	7.91	0.15	0.04	0.03	0.037	0.09	23.1	23.8	1.84	612	1.21	0.01
CC141959		0.83	10.9	1.10	2.76	0.05	<0.02	0.05	0.018	0.03	6.6	2.0	0.08	304	1.77	0.01
CC141960		1.55	17.9	1.96	4.11	0.08	0.03	0.09	0.027	0.07	12.8	10.4	0.35	177	2.61	0.01
CC141961		0.68	13.7	4.47	3.90	0.11	0.02	0.03	0.031	0.03	15.3	4.5	0.15	389	5.89	0.01
CC141962		0.90	15.9	2.86	4.41	0.09	0.02	0.03	0.026	0.04	13.9	10.4	0.35	314	4.93	0.01
CC141963		1.05	12.7	2.73	5.36	0.09	0.02	0.04	0.029	0.04	13.6	13.9	0.38	146	1.48	0.01
CC141964		1.79	8.4	2.11	7.25	0.12	0.04	0.04	0.035	0.08	19.6	16.0	0.28	300	1.04	0.02
CC141965		1.44	16.3	3.03	5.36	0.08	0.02	0.02	0.033	0.05	11.8	14.0	0.47	404	1.16	0.01
CC141966		1.42	32.9	3.09	3.93	0.11	0.07	0.10	0.031	0.06	17.2	14.7	0.93	568	1.18	0.01
CC141967		1.11	22.9	2.19	2.81	0.07	0.07	0.19	0.055	0.05	11.0	11.9	3.24	717	1.47	0.02
CC141968		0.47	11.6	0.86	0.99	<0.05	0.04	0.09	0.040	0.02	5.5	5.7	7.15	565	1.32	0.02
CC141969		0.53	15.0	1.02	1.13	<0.05	0.04	0.06	0.043	0.03	5.6	5.5	6.00	853	1.30	0.02
CC141970		0.75	16.6	1.54	1.83	0.05	0.04	0.05	0.047	0.03	7.3	7.6	2.30	814	0.73	0.01
CC141971		4.93	95.1	5.13	5.13	0.17	0.11	0.11	0.040	0.06	14.8	27.5	2.67	578	5.62	0.01
ZZ03366		0.92	25.0	3.19	4.20	0.13	0.09	0.06	0.035	0.04	19.9	14.0	0.55	654	1.72	0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 1- NOV- 2011
Account: RCM

Project: Rackla (OCELOT)

CERTIFICATE OF ANALYSIS WH11167591

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
CC141933		0.34	20.4	3190	39.4	7.4	<0.001	0.07	3.72	1.8	0.7	0.3	29.4	<0.01	0.04	0.8
CC141934		0.43	24.2	3890	41.5	9.8	<0.001	0.10	4.38	1.9	0.9	0.3	23.6	<0.01	0.05	0.8
CC141935		0.26	13.6	4480	46.7	4.5	<0.001	0.05	8.10	1.2	0.6	0.2	41.8	<0.01	0.04	0.6
CC141936		0.30	18.2	5240	57.6	7.1	<0.001	0.08	8.52	1.5	0.8	0.3	40.0	<0.01	0.05	0.6
CC141937		0.33	21.8	4260	54.8	7.6	<0.001	0.08	5.41	1.8	0.7	0.3	26.1	<0.01	0.05	0.9
CC141938		0.23	15.2	3210	45.8	4.5	<0.001	0.05	4.47	1.3	0.6	0.2	51.3	<0.01	0.04	0.7
CC141939		0.65	40.4	840	16.4	9.6	<0.001	0.04	2.23	4.9	0.7	0.3	164.5	<0.01	0.03	5.1
CC141940		0.11	33.0	1250	31.0	3.7	0.003	0.13	2.60	2.0	1.8	<0.2	33.2	<0.01	0.07	1.9
CC141941		0.20	49.3	670	39.6	3.2	<0.001	0.04	5.07	3.9	1.1	0.2	14.9	<0.01	0.06	4.0
CC141942		0.11	26.4	1700	53.0	4.2	<0.001	0.06	7.90	1.5	0.9	0.3	41.7	<0.01	0.05	2.1
CC141943		0.08	28.2	1060	37.2	2.3	<0.001	0.06	8.46	1.8	0.9	0.3	55.4	<0.01	0.05	2.4
CC141944		0.07	32.1	930	29.5	2.1	<0.001	0.11	8.76	2.5	1.0	0.2	84.0	<0.01	0.06	6.6
CC141945		0.20	13.4	3060	64.1	3.1	<0.001	0.06	9.23	1.0	0.5	0.8	47.5	<0.01	0.05	0.5
CC141946		0.17	6.0	1730	17.6	1.9	<0.001	0.04	3.32	0.6	0.4	0.2	56.6	<0.01	0.02	0.3
CC141947		0.14	4.4	2120	57.5	1.6	<0.001	0.05	14.00	0.5	0.4	0.2	45.8	<0.01	0.03	0.2
CC141948		0.15	6.5	3560	27.7	1.9	<0.001	0.05	7.88	0.6	0.4	0.2	52.7	<0.01	0.03	0.3
CC141949		0.34	16.3	2580	22.1	4.9	<0.001	0.10	2.89	1.4	0.7	0.3	36.6	<0.01	0.05	0.5
CC141950		0.57	14.1	1300	25.7	4.9	<0.001	0.06	1.34	1.3	0.6	0.6	13.1	<0.01	0.06	0.3
CC141951		0.22	23.6	1740	26.9	6.0	<0.001	0.04	1.99	1.0	0.5	0.5	16.1	<0.01	0.04	0.2
CC141952		0.28	25.0	3390	63.0	9.1	<0.001	0.04	7.07	1.1	0.6	0.5	20.0	0.01	0.03	<0.2
CC141953		0.48	27.3	2880	81.9	8.5	<0.001	0.01	11.30	2.9	0.5	0.4	21.0	0.01	0.03	1.1
CC141954		0.37	26.0	1110	20.3	9.3	<0.001	0.02	0.90	1.2	0.4	0.4	16.5	<0.01	0.03	0.2
CC141955		0.58	24.0	1120	19.9	8.0	<0.001	0.02	0.76	2.1	0.7	0.4	17.1	0.01	0.03	0.6
CC141956		0.34	10.1	1490	15.1	6.9	<0.001	0.08	0.53	0.8	0.3	0.5	13.1	<0.01	0.03	<0.2
CC141957		0.28	23.4	2620	16.2	5.0	0.001	0.07	0.87	2.6	1.1	0.2	31.5	0.01	0.02	0.7
CC141958		0.32	34.7	2280	10.1	7.2	<0.001	0.05	0.41	4.2	0.6	0.3	21.0	0.01	0.02	0.8
CC141959		<0.05	9.1	3230	7.1	5.1	<0.001	0.10	0.46	0.3	0.5	0.3	10.8	<0.01	0.02	<0.2
CC141960		0.24	20.3	6050	12.4	11.3	<0.001	0.06	0.86	0.9	0.9	0.4	26.4	0.01	0.03	0.2
CC141961		0.19	18.9	1450	16.6	6.1	<0.001	0.05	0.94	0.7	1.3	0.4	6.9	<0.01	0.02	<0.2
CC141962		0.22	27.2	1500	17.5	7.4	<0.001	0.03	0.87	0.8	0.5	0.4	14.4	<0.01	0.03	<0.2
CC141963		0.38	18.8	1000	21.8	7.2	<0.001	0.02	0.66	1.0	0.5	0.4	12.3	<0.01	0.03	<0.2
CC141964		0.20	11.0	>10000	22.2	12.9	<0.001	0.09	1.85	0.5	1.0	0.7	43.5	0.01	0.03	<0.2
CC141965		0.31	21.9	1340	24.8	9.9	<0.001	0.03	2.43	1.0	0.5	0.4	12.1	<0.01	0.03	0.2
CC141966		0.68	32.7	1490	32.4	9.6	<0.001	0.01	2.15	4.9	0.7	0.3	18.9	0.01	0.03	3.4
CC141967		0.45	22.8	2810	61.0	9.1	0.001	0.04	5.43	3.0	0.7	0.3	32.1	0.01	0.03	1.6
CC141968		0.31	9.6	1960	103.5	3.7	0.001	0.03	14.75	1.5	0.3	0.2	58.5	<0.01	0.02	0.7
CC141969		0.31	11.7	2560	82.9	4.1	0.001	0.03	6.28	1.6	0.4	0.2	53.7	<0.01	0.02	0.8
CC141970		0.30	16.1	1810	65.3	6.4	<0.001	0.04	7.28	1.7	0.5	0.2	23.1	0.01	0.02	0.7
CC141971		0.63	62.6	1650	35.1	6.9	0.001	0.10	1.62	7.2	2.1	0.2	44.8	0.01	0.06	7.0
ZZ03366		0.84	34.8	1190	26.8	7.4	<0.001	0.03	1.28	4.8	0.9	0.4	19.0	0.01	0.03	3.1

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 1- NOV- 2011
Account: RCM

Project: Rackla (OCELOT)

CERTIFICATE OF ANALYSIS WH11167591

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
CC141933		0.018	0.24	1.81	33	0.20	11.30	126	1.5
CC141934		0.019	0.27	2.73	43	0.36	14.55	152	1.9
CC141935		0.013	0.33	3.34	33	0.40	10.70	123	1.3
CC141936		0.015	0.40	3.76	40	0.44	13.50	150	1.4
CC141937		0.017	0.30	2.64	41	0.30	11.80	195	1.4
CC141938		0.011	0.24	3.69	28	0.20	9.13	128	1.3
CC141939		0.095	0.13	0.38	27	0.08	13.85	64	2.1
CC141940		<0.005	0.08	2.04	13	0.06	10.60	78	3.2
CC141941		0.007	0.11	0.64	16	0.08	14.95	122	2.5
CC141942		<0.005	0.20	1.23	14	0.12	8.00	113	2.1
CC141943		<0.005	0.10	0.65	9	0.08	9.26	101	2.0
CC141944		<0.005	0.09	0.71	7	0.07	9.85	89	6.7
CC141945		0.009	0.41	1.45	22	0.17	7.91	139	1.3
CC141946		0.007	0.09	1.09	13	0.09	3.88	48	1.1
CC141947		0.006	0.13	1.08	12	0.12	4.02	84	1.0
CC141948		0.005	0.18	1.75	17	0.18	6.07	93	1.1
CC141949		0.015	0.18	1.61	38	0.23	12.10	74	1.0
CC141950		0.021	0.21	1.41	61	0.27	6.94	54	<0.5
CC141951		0.018	0.24	1.50	49	0.21	8.95	81	<0.5
CC141952		0.018	0.22	3.81	55	0.31	12.65	100	<0.5
CC141953		0.028	0.20	2.30	50	0.44	12.55	94	0.5
CC141954		0.019	0.22	1.19	52	0.25	6.45	78	<0.5
CC141955		0.028	0.23	1.13	47	0.25	8.33	98	<0.5
CC141956		0.014	0.17	1.07	65	0.36	3.10	55	<0.5
CC141957		0.014	0.21	2.35	31	0.15	13.65	87	<0.5
CC141958		0.047	0.09	1.66	84	0.13	9.43	88	<0.5
CC141959		<0.005	0.19	3.56	36	0.08	5.20	45	<0.5
CC141960		0.014	0.22	6.66	66	0.19	14.05	109	<0.5
CC141961		0.008	0.38	1.61	53	0.26	5.06	127	<0.5
CC141962		0.014	0.26	1.48	53	0.19	7.95	91	<0.5
CC141963		0.019	0.20	0.99	55	0.23	5.46	75	<0.5
CC141964		0.009	0.24	8.17	74	0.24	27.1	66	<0.5
CC141965		0.017	0.19	0.86	48	0.23	5.60	75	<0.5
CC141966		0.039	0.15	1.12	40	0.25	15.30	106	1.2
CC141967		0.021	0.27	2.13	36	0.35	12.55	160	1.7
CC141968		0.010	0.18	2.59	22	0.63	7.02	107	1.3
CC141969		0.010	0.21	3.54	23	0.44	7.40	107	1.4
CC141970		0.013	0.18	1.22	22	0.23	9.14	125	1.0
CC141971		0.050	0.10	1.44	30	0.12	16.25	138	3.3
ZZ03366		0.028	0.10	1.23	45	0.26	16.60	89	1.7

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 1- NOV- 2011
Account: RCM

Project: Rackla (OCELOT)

CERTIFICATE OF ANALYSIS WH11167591

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- TL43 Au ppm 0.001	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1
ZZ03367		0.34	0.001	0.18	1.27	13.3	<0.2	<10	220	0.36	0.23	0.43	0.32	21.1	7.5	20
ZZ03368		0.34	0.001	0.18	1.79	14.6	<0.2	<10	160	0.59	0.21	0.81	0.18	30.5	10.7	34
ZZ03369		0.28	0.007	0.12	1.86	13.0	<0.2	<10	230	0.59	0.20	0.75	0.14	47.0	12.6	32
ZZ03370		0.26	0.005	0.14	1.24	19.5	<0.2	<10	160	0.47	0.23	0.47	0.59	41.2	11.6	26
ZZ03371		0.30	0.001	0.11	1.36	17.7	<0.2	<10	220	0.45	0.28	0.52	0.26	27.8	9.6	24
ZZ03372		0.32	0.003	0.21	0.90	18.9	<0.2	<10	190	0.43	0.24	1.96	0.56	22.7	9.5	15
ZZ03373		0.42	0.002	0.21	0.87	18.2	<0.2	<10	170	0.35	0.21	1.84	0.69	21.9	9.6	17
ZZ03374		0.32	0.004	0.26	0.91	16.0	<0.2	<10	300	0.36	0.22	2.73	0.74	21.4	10.1	18
ZZ03375		0.32	0.002	0.30	0.99	18.9	<0.2	<10	190	0.39	0.23	2.49	0.50	20.1	9.3	20
ZZ03376		0.46	0.002	0.22	1.00	19.0	<0.2	<10	130	0.42	0.28	3.76	0.55	22.8	9.9	19
ZZ03377		0.28	0.002	0.15	1.36	21.2	<0.2	<10	150	0.48	0.27	1.62	0.41	20.9	10.4	24
ZZ03378		0.32	0.002	0.18	1.59	14.2	<0.2	<10	160	0.43	0.19	2.07	0.86	17.00	6.5	23
ZZ03379		0.40	0.006	0.45	0.70	15.7	<0.2	<10	90	0.32	0.11	9.70	1.73	11.40	5.1	13
ZZ03380		0.42	0.003	0.23	1.10	12.1	<0.2	<10	150	0.40	0.13	8.68	1.29	17.05	11.3	15
ZZ03381		0.40	0.002	0.22	0.44	19	<0.2	<10	80	0.19	0.07	13.15	2.13	8.59	5.6	7
ZZ03382		0.58	0.001	0.10	0.24	19	<0.2	<10	100	0.29	0.19	10.55	0.38	18.65	10.3	4
ZZ03383		0.56	0.001	0.07	1.21	8.6	<0.2	<10	110	0.45	0.17	7.47	0.85	16.70	7.1	17
ZZ03384		0.30	0.004	0.51	1.18	16.2	<0.2	<10	100	0.45	0.15	4.49	0.78	23.9	7.1	17
ZZ03385		0.30	0.002	0.16	0.50	10.9	<0.2	<10	60	0.22	0.09	5.00	0.83	9.57	4.0	9
ZZ03386		0.30	0.002	0.11	1.29	12.1	<0.2	<10	110	0.47	0.24	2.72	0.51	22.1	9.2	21
ZZ03387		0.30	0.001	0.12	1.69	16.1	<0.2	<10	170	0.65	0.26	1.85	0.64	26.7	7.0	21
ZZ03388		0.32	0.002	0.09	1.74	16.7	<0.2	<10	170	0.72	0.23	1.27	0.77	29.5	10.4	27
ZZ03389		0.34	0.003	0.08	1.68	16.4	<0.2	<10	240	0.67	0.25	0.49	0.24	22.6	9.7	30
ZZ03390		0.34	0.006	0.07	1.10	17.5	<0.2	<10	120	0.46	0.21	0.42	0.29	30.5	10.8	25
ZZ03391		0.36	0.005	0.07	1.06	15.0	<0.2	<10	130	0.36	0.23	0.43	0.28	23.4	7.0	22
ZZ03392		0.30	0.005	0.05	1.35	15.9	<0.2	<10	170	0.52	0.21	0.32	0.22	39.9	9.2	25
ZZ03393		0.44	0.002	0.12	1.33	20.0	<0.2	<10	170	0.68	0.25	0.46	0.47	39.9	12.4	24
ZZ03394		0.28	0.002	0.05	1.75	16.5	<0.2	<10	180	0.48	0.24	0.29	0.15	26.9	11.6	45
ZZ03395		0.28	0.002	0.05	1.21	10.4	<0.2	<10	160	0.39	0.19	0.26	0.13	22.3	7.2	22
ZZ03396		0.36	0.002	0.10	1.71	12.1	<0.2	<10	140	0.66	0.19	0.28	0.26	39.6	10.1	27
ZZ03397		0.28	0.003	0.05	1.58	13.9	<0.2	<10	160	0.58	0.20	0.34	0.31	45.7	14.2	31
ZZ03398		0.36	0.003	0.56	1.29	10.1	<0.2	<10	130	0.49	0.18	2.45	0.65	71.1	14.6	23
ZZ03399		0.32	0.003	0.41	0.89	16.5	<0.2	<10	230	0.45	0.20	0.69	0.30	35.8	10.7	18
ZZ03400		0.28	0.001	0.08	1.74	11.5	<0.2	<10	90	0.40	0.24	0.09	0.20	32.5	9.3	24
ZZ03401		0.24	0.001	0.06	1.69	14.8	<0.2	<10	200	0.47	0.28	0.28	0.23	29.7	9.3	29
ZZ03402		0.24	0.003	0.07	1.23	12.5	<0.2	<10	230	0.39	0.29	0.24	0.28	24.3	6.7	22
ZZ03403		0.32	0.002	0.18	1.41	20.8	<0.2	<10	230	0.60	0.36	0.80	0.48	30.8	10.9	24
ZZ03404		0.46	0.003	0.22	1.10	21.0	<0.2	<10	170	0.47	0.28	2.39	0.44	31.3	11.4	20
ZZ03405		0.42	0.005	0.20	1.09	16.2	<0.2	<10	150	0.48	0.21	2.86	0.59	30.2	9.6	21
ZZ03406		0.32	0.005	0.28	1.69	17.4	<0.2	<10	270	0.59	0.26	1.23	0.38	29.1	11.6	30

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 1- NOV- 2011
Account: RCM

Project: Rackla (OCELOT)

CERTIFICATE OF ANALYSIS WH11167591

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
ZZ03367		0.94	18.0	2.66	4.14	0.08	0.03	0.05	0.027	0.04	11.0	11.3	0.31	400	1.55	0.01
ZZ03368		1.07	21.0	3.60	4.81	0.11	0.05	0.05	0.035	0.06	15.8	15.9	0.73	260	1.33	0.01
ZZ03369		1.29	24.6	3.41	5.45	0.14	0.07	0.05	0.033	0.06	23.0	18.2	0.71	396	1.52	0.01
ZZ03370		0.90	25.8	3.16	3.64	0.11	0.05	0.05	0.029	0.05	16.0	11.2	0.48	673	3.35	0.01
ZZ03371		1.20	18.5	3.09	4.48	0.10	0.04	0.04	0.032	0.05	12.8	11.8	0.43	568	2.08	0.01
ZZ03372		0.63	26.3	2.71	2.48	0.09	0.08	0.08	0.025	0.05	11.6	8.1	1.06	611	2.04	0.01
ZZ03373		0.54	26.6	2.63	2.30	0.08	0.08	0.09	0.022	0.05	10.9	7.3	0.93	655	2.26	0.01
ZZ03374		0.60	28.6	2.36	2.59	0.08	0.08	0.11	0.023	0.05	10.5	8.4	1.36	645	2.08	0.02
ZZ03375		0.73	21.3	2.49	2.73	0.07	0.07	0.10	0.027	0.07	10.0	8.5	1.05	700	2.08	0.01
ZZ03376		0.69	26.2	2.53	2.89	0.08	0.07	0.11	0.024	0.06	11.2	10.4	2.21	700	1.76	0.02
ZZ03377		0.92	20.3	2.92	3.96	0.08	0.07	0.10	0.031	0.06	10.4	12.5	0.91	506	1.77	0.01
ZZ03378		1.13	13.1	2.29	4.26	0.06	0.04	0.13	0.028	0.04	8.7	14.4	0.80	505	0.82	0.01
ZZ03379		0.62	12.2	1.38	1.92	<0.05	0.04	0.28	0.031	0.04	6.7	8.4	5.86	438	0.66	0.02
ZZ03380		0.86	12.4	1.83	2.54	0.06	0.04	0.13	0.021	0.04	9.0	10.2	5.34	945	1.49	0.02
ZZ03381		0.42	6.7	1.11	1.11	<0.05	0.03	0.10	0.020	0.02	4.6	5.4	8.01	791	1.42	0.02
ZZ03382		0.52	18.6	1.68	0.65	0.09	0.03	0.09	0.033	0.03	9.4	3.3	6.13	654	1.32	0.01
ZZ03383		0.68	8.8	1.79	2.93	0.09	0.02	0.07	0.025	0.03	7.7	10.9	4.45	907	0.63	0.01
ZZ03384		0.59	9.5	1.90	2.74	0.09	0.03	0.30	0.027	0.03	10.9	12.0	2.61	748	0.48	0.01
ZZ03385		0.30	6.4	1.05	1.49	0.09	0.02	0.14	0.014	0.02	5.0	5.5	2.80	434	0.42	0.01
ZZ03386		0.84	10.6	2.25	4.01	0.10	0.02	0.07	0.029	0.04	9.9	11.7	1.44	518	0.79	0.01
ZZ03387		1.00	9.8	2.48	5.16	0.10	0.02	0.07	0.031	0.03	12.5	10.1	0.80	403	1.35	<0.01
ZZ03388		1.08	12.2	2.77	5.11	0.11	0.02	0.05	0.033	0.04	14.5	15.4	0.67	608	1.25	<0.01
ZZ03389		1.22	16.1	2.95	5.23	0.10	0.06	0.02	0.035	0.05	12.6	15.9	0.56	458	1.26	<0.01
ZZ03390		0.82	19.5	2.90	4.14	0.10	<0.02	0.03	0.045	0.04	14.2	11.3	0.43	590	2.55	<0.01
ZZ03391		0.73	16.0	2.52	3.79	0.10	0.03	0.02	0.028	0.04	11.8	10.8	0.40	453	3.94	<0.01
ZZ03392		0.78	13.5	2.81	4.40	0.10	<0.02	0.02	0.030	0.04	16.0	11.6	0.39	338	2.15	<0.01
ZZ03393		1.05	27.9	2.85	4.13	0.10	0.03	0.06	0.032	0.05	19.0	15.3	0.53	644	1.66	<0.01
ZZ03394		2.35	18.1	3.24	6.26	0.10	<0.02	0.03	0.031	0.07	12.3	21.2	0.67	539	1.34	<0.01
ZZ03395		0.96	12.9	2.44	4.62	0.09	<0.02	0.02	0.024	0.04	11.2	10.3	0.31	420	1.87	<0.01
ZZ03396		0.86	14.8	2.92	4.50	0.10	<0.02	0.02	0.042	0.04	17.3	14.5	0.37	365	1.39	<0.01
ZZ03397		0.75	27.1	3.06	5.23	0.10	<0.02	0.02	0.036	0.05	17.6	16.4	0.58	667	1.57	<0.01
ZZ03398		0.70	62.5	3.27	4.06	0.13	0.07	0.12	0.032	0.08	40.4	11.4	0.48	520	4.45	0.01
ZZ03399		0.39	18.5	4.39	3.05	0.11	0.02	0.08	0.030	0.18	18.6	7.2	0.33	513	5.51	<0.01
ZZ03400		1.13	10.7	3.45	6.03	0.09	<0.02	0.05	0.033	0.05	13.9	14.8	0.25	315	1.67	<0.01
ZZ03401		1.56	15.5	3.19	6.27	0.10	<0.02	0.02	0.031	0.05	14.8	14.2	0.47	351	2.70	<0.01
ZZ03402		1.08	13.1	2.46	4.96	0.09	<0.02	0.03	0.022	0.05	12.5	9.8	0.31	408	1.88	<0.01
ZZ03403		1.03	24.7	2.81	4.27	0.11	<0.02	0.06	0.032	0.06	16.0	13.3	0.52	705	1.24	<0.01
ZZ03404		0.69	31.4	2.55	3.26	0.10	0.06	0.09	0.031	0.06	16.4	12.9	1.57	569	1.28	0.01
ZZ03405		0.69	25.3	2.41	3.34	0.12	0.07	0.07	0.027	0.05	17.1	12.3	1.50	531	2.18	0.01
ZZ03406		1.19	20.4	2.86	5.15	0.10	0.08	0.11	0.036	0.06	16.2	16.3	0.60	599	1.76	0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 1- NOV- 2011
Account: RCM

Project: Rackla (OCELOT)

CERTIFICATE OF ANALYSIS WH11167591

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
ZZ03367		0.38	19.7	1540	19.7	7.6	<0.001	0.07	0.99	1.5	0.5	0.4	17.2	0.01	0.04	0.4
ZZ03368		0.47	29.9	1480	23.3	10.1	<0.001	0.04	1.03	2.9	0.7	0.3	17.3	0.01	0.04	1.0
ZZ03369		0.72	32.2	2940	35.8	11.1	<0.001	0.01	2.32	3.9	0.7	0.4	26.6	0.01	0.03	3.1
ZZ03370		0.53	34.5	1670	74.5	9.1	<0.001	0.03	1.75	2.7	0.8	0.3	19.1	0.01	0.03	1.7
ZZ03371		0.42	22.3	1570	32.7	12.9	<0.001	0.03	1.35	2.2	0.6	0.4	14.7	0.01	0.03	0.9
ZZ03372		0.40	25.8	1390	38.6	8.8	<0.001	0.05	2.44	2.4	0.8	0.2	22.6	0.01	0.03	1.4
ZZ03373		0.36	25.0	1690	37.8	7.0	<0.001	0.06	2.79	2.3	0.8	0.3	21.7	0.01	0.03	1.2
ZZ03374		0.42	26.3	1820	37.3	6.9	<0.001	0.06	2.28	2.5	1.0	0.2	26.1	0.01	0.03	1.1
ZZ03375		0.39	23.9	3130	46.9	8.4	<0.001	0.06	2.77	2.5	0.7	0.3	27.0	0.01	0.03	1.2
ZZ03376		0.65	27.1	1210	55.1	7.1	<0.001	0.04	4.40	3.1	0.7	0.3	30.7	0.01	0.03	2.0
ZZ03377		0.64	24.8	1040	84.0	8.5	<0.001	0.06	8.46	3.1	0.7	0.4	16.1	0.01	0.04	1.5
ZZ03378		0.64	16.7	2740	92.3	5.5	<0.001	0.06	4.21	2.5	0.5	0.4	19.8	0.01	0.03	0.8
ZZ03379		0.42	11.9	2030	534	5.8	<0.001	0.03	77.3	1.7	0.4	0.4	47.9	<0.01	0.02	0.7
ZZ03380		0.53	20.4	2000	119.5	6.8	<0.001	0.05	5.08	2.1	0.5	0.3	47.1	0.01	0.03	0.8
ZZ03381		0.33	10.3	1420	126.5	3.7	0.001	0.04	4.53	1.1	0.5	0.2	62.8	<0.01	0.03	0.3
ZZ03382		0.11	18.9	730	33.7	1.7	<0.001	0.01	3.70	1.6	0.3	0.2	84.8	<0.01	0.04	2.0
ZZ03383		0.43	12.1	1600	24.1	5.2	<0.001	0.07	1.14	1.0	0.6	0.4	26.5	<0.01	0.04	0.4
ZZ03384		0.41	15.2	1380	245	4.5	<0.001	0.05	8.83	1.5	0.3	0.4	24.7	<0.01	0.04	0.6
ZZ03385		0.26	9.1	1250	57.7	2.9	<0.001	0.05	3.92	0.8	0.3	0.2	22.6	<0.01	0.02	0.4
ZZ03386		0.58	15.1	1610	25.0	6.2	<0.001	0.08	1.19	1.4	0.4	0.5	16.2	<0.01	0.06	0.5
ZZ03387		0.93	12.2	2250	53.7	6.1	<0.001	0.05	1.81	2.1	0.4	0.6	15.5	0.01	0.04	0.9
ZZ03388		0.62	19.2	1910	24.3	5.1	<0.001	0.05	1.01	1.7	0.6	0.5	15.1	<0.01	0.02	0.6
ZZ03389		0.65	22.6	1860	45.5	8.8	<0.001	0.04	1.39	2.5	0.5	0.5	14.2	<0.01	0.04	1.2
ZZ03390		0.56	22.3	1680	78.7	6.3	<0.001	0.03	1.93	1.7	0.5	0.6	15.9	<0.01	0.03	0.8
ZZ03391		0.54	18.4	1200	38.1	6.5	<0.001	0.04	1.03	1.6	0.6	0.4	11.1	<0.01	0.02	1.1
ZZ03392		0.49	22.5	1120	22.4	5.9	<0.001	0.03	0.94	1.1	0.6	0.4	13.9	<0.01	0.03	0.4
ZZ03393		0.56	33.6	1530	30.9	9.1	<0.001	0.02	1.95	2.7	0.5	0.4	17.7	<0.01	0.04	1.5
ZZ03394		0.40	28.8	850	18.8	12.3	<0.001	0.03	0.97	1.3	0.4	0.5	10.8	<0.01	0.04	0.2
ZZ03395		0.27	14.7	1360	13.3	9.1	0.001	0.04	0.75	0.6	0.4	0.5	11.4	<0.01	0.03	<0.2
ZZ03396		0.26	23.6	1510	15.6	7.6	<0.001	0.05	0.74	0.6	0.4	0.4	12.9	<0.01	0.04	<0.2
ZZ03397		0.51	34.7	1290	26.9	8.6	0.001	0.02	0.94	2.0	0.2	0.4	18.6	<0.01	0.04	0.6
ZZ03398		0.44	30.7	7930	16.9	7.5	0.001	0.06	1.22	3.0	1.6	0.3	76.7	<0.01	0.10	2.0
ZZ03399		0.40	20.5	1900	25.2	5.6	<0.001	0.32	1.51	3.0	2.5	0.5	27.6	<0.01	0.03	1.1
ZZ03400		0.57	14.7	1000	13.8	5.8	<0.001	0.09	0.79	0.7	0.9	0.6	10.9	<0.01	0.04	<0.2
ZZ03401		0.40	23.6	1140	19.9	9.1	0.001	0.04	1.07	0.8	0.6	0.6	12.9	<0.01	0.05	0.2
ZZ03402		0.17	16.8	1270	21.1	13.0	0.001	0.04	1.14	0.3	0.3	0.5	10.8	<0.01	0.03	<0.2
ZZ03403		0.29	29.1	2510	47.4	8.6	<0.001	0.03	3.49	1.1	0.6	0.4	18.4	<0.01	0.03	0.2
ZZ03404		0.64	30.2	1520	40.6	5.9	<0.001	0.01	3.34	3.7	0.7	0.3	27.4	<0.01	0.04	3.3
ZZ03405		0.68	25.7	3660	32.6	6.1	0.001	0.03	2.24	3.2	0.7	0.4	31.3	<0.01	0.03	2.6
ZZ03406		0.82	26.7	3420	54.1	9.2	<0.001	0.06	4.38	3.3	0.9	0.5	24.2	<0.01	0.03	1.6

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 1- NOV- 2011
Account: RCM

Project: Rackla (OCELOT)

CERTIFICATE OF ANALYSIS WH11167591

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
ZZ03367		0.015	0.12	0.95	41	0.15	8.40	67	<0.5
ZZ03368		0.021	0.12	0.77	48	0.16	11.10	76	0.8
ZZ03369		0.026	0.17	3.06	54	0.20	12.50	95	1.4
ZZ03370		0.024	0.15	1.56	44	0.25	9.93	133	0.8
ZZ03371		0.018	0.16	1.54	47	0.25	8.66	115	0.7
ZZ03372		0.015	0.13	1.45	29	0.17	12.10	115	2.0
ZZ03373		0.017	0.10	1.60	31	0.15	12.00	109	2.0
ZZ03374		0.017	0.14	1.81	32	0.27	13.05	117	1.8
ZZ03375		0.016	0.15	3.98	40	0.18	11.70	105	1.7
ZZ03376		0.024	0.12	1.26	35	0.24	10.60	101	1.9
ZZ03377		0.019	0.16	1.96	45	0.19	9.49	95	1.7
ZZ03378		0.021	0.13	4.17	50	0.16	8.52	108	0.9
ZZ03379		0.016	0.16	1.56	29	0.23	7.06	253	0.9
ZZ03380		0.020	0.20	3.16	32	0.14	9.81	156	0.9
ZZ03381		0.010	0.13	1.47	18	0.08	6.49	213	0.7
ZZ03382		0.005	0.26	0.73	8	0.07	10.85	77	0.9
ZZ03383		0.019	0.07	1.08	33	0.21	4.88	188	0.5
ZZ03384		0.016	0.13	0.92	34	0.17	7.16	167	0.8
ZZ03385		0.013	0.14	0.91	19	0.09	4.26	112	0.6
ZZ03386		0.021	0.11	1.04	45	0.22	5.82	91	0.5
ZZ03387		0.025	0.18	1.95	57	0.25	10.95	90	0.6
ZZ03388		0.020	0.13	4.05	84	0.34	10.70	80	0.7
ZZ03389		0.023	0.18	2.04	57	0.24	9.14	98	1.3
ZZ03390		0.031	0.14	1.39	50	0.38	6.35	87	<0.5
ZZ03391		0.027	0.12	1.10	48	0.84	6.36	74	0.8
ZZ03392		0.026	0.15	1.24	46	0.32	6.17	69	<0.5
ZZ03393		0.028	0.14	1.50	40	0.24	11.25	96	0.7
ZZ03394		0.025	0.13	0.88	56	0.18	4.30	76	<0.5
ZZ03395		0.016	0.11	1.35	49	0.19	3.69	56	<0.5
ZZ03396		0.014	0.10	2.01	45	0.21	8.22	57	<0.5
ZZ03397		0.029	0.09	1.32	50	0.21	9.11	85	<0.5
ZZ03398		0.017	0.15	9.08	79	0.13	26.9	127	2.1
ZZ03399		0.022	0.23	2.03	36	0.16	11.40	69	0.5
ZZ03400		0.019	0.15	1.08	52	0.21	4.02	68	<0.5
ZZ03401		0.020	0.28	1.42	64	0.22	4.77	90	<0.5
ZZ03402		0.012	0.18	1.03	49	0.21	4.31	75	<0.5
ZZ03403		0.020	0.16	2.05	48	0.32	11.65	101	<0.5
ZZ03404		0.032	0.12	1.19	37	0.23	12.80	90	2.0
ZZ03405		0.031	0.17	4.35	46	0.26	16.60	101	1.9
ZZ03406		0.029	0.22	4.80	64	0.28	16.15	127	1.8

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 1- NOV- 2011
Account: RCM

Project: Rackla (OCELOT)

CERTIFICATE OF ANALYSIS WH11167591

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- TL43 Au ppm 0.001	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1
ZZ03407		0.26	0.002	0.24	1.55	21.3	<0.2	<10	210	0.66	0.28	1.62	0.81	30.5	10.9	26
ZZ03408		0.32	0.002	0.08	2.03	13.5	<0.2	<10	250	0.79	0.26	0.34	0.14	35.1	9.3	29
ZZ03409		0.22	0.001	0.15	1.75	12.8	<0.2	<10	170	0.46	0.30	0.48	0.16	21.6	5.6	27
ZZ03410		0.28	0.001	0.15	1.87	13.3	<0.2	<10	210	0.71	0.28	0.66	0.31	28.0	7.5	29
ZZ03411		0.40	<0.001	0.16	1.43	9.2	<0.2	<10	220	0.43	0.28	0.25	0.28	27.5	6.1	22
ZZ03412		0.34	0.003	0.19	1.51	14.7	<0.2	<10	270	0.80	0.27	1.07	0.24	41.3	9.6	25
ZZ03413		0.34	0.001	0.10	1.72	13.1	<0.2	<10	220	0.55	0.27	0.30	0.22	39.0	10.5	28
ZZ03414		0.24	0.003	0.13	1.11	14.8	<0.2	<10	590	0.58	0.27	0.39	0.25	38.5	11.2	19
ZZ03415		0.24	0.001	0.18	1.94	14.5	<0.2	<10	220	1.05	0.28	1.08	0.71	35.2	11.8	31
ZZ03416		0.24	0.002	0.33	1.41	17.3	<0.2	<10	150	0.58	0.19	4.86	0.44	23.9	7.9	21
ZZ03417		0.30	0.001	0.19	1.84	14.6	<0.2	<10	160	0.93	0.26	2.98	0.44	31.6	10.2	27
ZZ03418		0.26	0.002	0.21	1.44	17.8	<0.2	<10	140	0.61	0.27	0.93	0.30	30.9	11.8	24
ZZ03419		0.34	0.001	0.08	1.69	10.1	<0.2	<10	180	0.51	0.24	0.42	0.19	25.0	10.1	26
ZZ03420		0.20	0.001	0.12	1.91	7.7	<0.2	<10	160	0.61	0.28	0.75	0.36	22.4	8.5	28
ZZ03421		0.26	0.001	0.07	2.75	9.3	<0.2	<10	130	1.01	0.15	0.71	0.16	39.0	61.9	288
ZZ03422		0.16	0.001	0.26	1.78	14.8	<0.2	<10	280	0.83	0.23	1.16	0.13	27.5	42.2	54
ZZ03423		0.34	0.001	0.23	1.35	15.0	<0.2	<10	210	0.59	0.20	1.61	0.30	28.3	31.4	48
ZZ03424		0.26	<0.001	0.16	1.47	15.3	<0.2	<10	190	0.63	0.31	0.59	0.26	38.5	15.7	30
ZZ03425		0.32	0.001	0.42	1.40	17.8	<0.2	<10	180	0.61	0.28	1.04	1.04	28.4	14.0	26
ZZ03426		0.28	0.001	0.31	1.31	12.0	<0.2	<10	160	0.47	0.35	0.91	0.72	32.2	16.1	27
ZZ03427		0.22	0.001	0.22	1.48	19.3	<0.2	<10	190	0.59	0.22	1.06	0.17	33.0	27.7	56
ZZ03428		0.32	0.001	0.17	1.25	16.1	<0.2	<10	140	0.62	0.30	0.54	0.19	42.9	22.0	36
ZZ03429		0.30	0.001	0.19	1.32	22.7	<0.2	<10	160	0.54	0.18	3.28	0.19	31.2	24.3	47
ZZ03430		0.32	0.002	0.14	2.42	21.3	<0.2	<10	230	0.91	0.15	1.58	0.20	27.8	37.7	144
ZZ03431		0.20	0.001	0.16	2.88	9.5	<0.2	<10	270	1.44	0.19	1.44	0.37	31.5	41.6	179
ZZ03432		0.24	0.001	0.20	1.04	16.2	<0.2	<10	110	0.78	0.26	4.83	0.38	31.7	18.0	20
ZZ03433		0.30	0.002	0.20	0.63	20.0	<0.2	<10	60	0.55	0.35	0.74	0.13	34.9	9.9	10
ZZ03434		0.22	0.001	0.16	2.14	12.3	<0.2	<10	160	0.93	0.29	0.89	0.43	29.3	10.5	31
ZZ03437		0.34	0.001	0.20	1.45	15.3	<0.2	<10	140	0.67	0.34	1.91	0.26	26.9	11.4	22
ZZ03438		0.36	0.002	0.21	0.96	12.3	<0.2	<10	130	0.42	0.59	6.99	0.41	18.35	6.2	14
ZZ03439		0.22	0.001	0.33	1.27	40.9	<0.2	<10	160	0.64	0.29	0.91	0.43	43.3	10.7	24
ZZ03440		0.30	0.001	0.19	0.43	12.2	<0.2	<10	40	0.35	0.24	5.70	0.23	26.2	13.6	8
ZZ03441		0.30	0.001	0.18	1.40	10.7	<0.2	<10	230	0.37	0.30	0.29	0.22	29.0	8.9	23
ZZ03442		0.24	0.001	0.19	1.10	6.4	<0.2	<10	90	0.32	0.33	0.08	0.31	52.9	6.5	18
ZZ03443		0.42	0.001	0.09	0.92	7.1	<0.2	<10	110	0.37	0.27	0.15	0.25	50.5	9.0	17
ZZ03444		0.28	0.003	0.07	1.26	14.7	<0.2	<10	190	0.31	0.37	0.22	0.16	31.2	7.3	24
ZZ03445		0.32	0.002	0.15	1.40	14.2	<0.2	<10	180	0.74	0.24	0.50	0.28	36.6	12.0	23
ZZ03446		0.30	0.002	0.18	1.81	19.2	<0.2	<10	180	0.95	0.29	3.60	0.48	40.4	11.5	26
ZZ03447		0.38	0.003	0.23	1.51	23.3	<0.2	<10	180	0.75	0.43	2.62	0.28	29.7	10.4	22
ZZ03959		0.18	0.003	0.47	1.25	50.4	<0.2	<10	180	0.48	0.19	1.50	0.17	30.7	23.0	34

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 1- NOV- 2011
Account: RCM

Project: Rackla (OCELOT)

CERTIFICATE OF ANALYSIS WH11167591

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
ZZ03407		0.73	18.3	2.92	4.44	0.12	0.04	0.06	0.038	0.05	15.6	15.1	1.08	836	1.01	0.01
ZZ03408		1.20	14.4	2.88	6.06	0.10	0.02	0.04	0.033	0.04	14.0	15.3	0.50	441	1.22	<0.01
ZZ03409		1.12	10.3	2.81	7.62	0.09	<0.02	0.02	0.034	0.03	10.4	12.4	0.34	377	1.29	<0.01
ZZ03410		1.28	12.2	2.78	5.75	0.10	<0.02	0.05	0.039	0.04	15.1	14.5	0.45	436	0.94	<0.01
ZZ03411		1.04	14.1	2.39	5.50	0.11	<0.02	0.02	0.029	0.03	12.9	10.2	0.25	450	0.83	<0.01
ZZ03412		0.80	17.2	2.82	3.88	0.11	0.06	0.05	0.043	0.06	23.3	12.0	0.55	473	1.10	<0.01
ZZ03413		1.18	13.1	3.00	5.53	0.09	<0.02	0.02	0.036	0.05	16.5	13.9	0.48	474	0.96	<0.01
ZZ03414		0.52	17.7	2.95	3.14	0.10	0.05	0.02	0.043	0.04	17.1	8.5	0.31	845	1.18	<0.01
ZZ03415		1.00	12.6	2.92	6.32	0.11	0.06	0.04	0.055	0.05	20.4	17.0	0.78	867	1.17	0.01
ZZ03416		0.72	12.6	2.29	3.57	0.10	0.04	0.05	0.084	0.06	13.7	12.7	2.42	1050	1.16	0.01
ZZ03417		0.66	13.8	2.79	5.01	0.11	0.05	0.05	0.049	0.05	17.1	17.2	1.82	1290	1.05	0.01
ZZ03418		0.76	23.0	2.87	4.36	0.09	0.06	0.08	0.038	0.05	16.1	12.4	0.72	585	0.82	0.01
ZZ03419		1.02	12.5	2.99	5.11	0.10	0.04	0.04	0.035	0.03	12.3	14.1	0.47	429	0.88	<0.01
ZZ03420		1.05	12.9	2.70	6.73	0.09	0.04	0.05	0.037	0.04	12.7	15.2	0.62	327	0.53	0.01
ZZ03421		6.36	74.5	7.37	11.25	0.13	0.03	0.04	0.069	0.21	20.7	29.3	2.47	836	1.14	<0.01
ZZ03422		6.03	54.7	4.87	6.51	0.11	0.02	0.08	0.051	0.20	15.0	30.3	1.02	683	1.51	<0.01
ZZ03423		2.13	48.0	4.45	4.74	0.10	0.04	0.06	0.044	0.12	15.2	18.7	0.95	735	1.53	0.01
ZZ03424		1.26	32.1	3.04	4.77	0.10	0.05	0.04	0.032	0.09	24.6	17.1	0.61	622	1.13	<0.01
ZZ03425		1.18	32.8	2.90	4.35	0.10	0.04	0.05	0.037	0.09	15.5	16.0	0.62	560	1.42	0.01
ZZ03426		1.19	39.9	3.00	4.47	0.10	0.05	0.06	0.035	0.11	16.8	17.8	0.56	404	1.31	<0.01
ZZ03427		3.39	73.8	4.99	5.29	0.10	0.03	0.06	0.060	0.17	17.2	19.7	1.00	483	1.00	0.01
ZZ03428		1.97	56.2	3.86	4.42	0.12	0.04	0.05	0.047	0.13	22.9	16.2	0.71	512	1.15	<0.01
ZZ03429		3.15	75.5	4.53	4.63	0.12	0.03	0.06	0.050	0.19	16.7	18.0	2.40	426	1.35	0.01
ZZ03430		3.40	68.6	5.79	9.21	0.12	0.02	0.06	0.057	0.16	14.9	23.2	2.57	432	2.08	<0.01
ZZ03431		3.31	67.9	5.86	11.35	0.12	0.03	0.05	0.065	0.05	17.7	22.6	2.96	1820	1.14	0.01
ZZ03432		0.48	46.0	4.20	2.84	0.12	0.06	0.10	0.041	0.04	16.0	10.0	2.78	1230	1.88	0.01
ZZ03433		0.48	27.9	3.13	2.06	0.09	0.09	0.13	0.037	0.04	18.7	6.0	0.41	326	1.50	<0.01
ZZ03434		0.89	12.6	3.27	6.51	0.10	0.07	0.05	0.056	0.03	17.8	17.5	0.73	650	0.78	0.01
ZZ03437		0.74	15.7	3.13	4.40	0.10	0.06	0.06	0.053	0.03	15.0	12.1	1.16	766	0.81	0.01
ZZ03438		0.62	11.6	1.76	2.57	0.10	0.04	0.06	0.046	0.04	11.0	9.2	3.87	573	0.92	0.01
ZZ03439		0.69	17.0	3.53	3.39	0.12	0.04	0.04	0.488	0.05	29.3	8.7	0.46	1610	19.70	<0.01
ZZ03440		0.39	17.9	2.47	1.18	0.11	0.05	0.04	0.030	0.03	12.4	4.6	3.35	569	0.75	0.01
ZZ03441		0.92	11.7	2.83	5.86	0.09	<0.02	0.02	0.035	0.06	13.9	15.3	0.38	347	0.97	<0.01
ZZ03442		0.96	6.0	2.31	4.82	0.11	<0.02	0.03	0.027	0.05	26.0	11.0	0.22	228	0.68	<0.01
ZZ03443		0.91	10.4	3.19	4.17	0.11	<0.02	0.01	0.018	0.07	26.8	9.4	0.22	310	1.49	<0.01
ZZ03444		1.06	13.5	3.55	6.34	0.10	<0.02	0.04	0.039	0.06	16.2	12.0	0.36	279	1.75	<0.01
ZZ03445		0.90	16.9	2.87	4.07	0.11	0.03	0.04	0.054	0.04	19.8	11.0	0.42	756	1.12	<0.01
ZZ03446		1.05	18.0	2.94	4.30	0.10	0.03	0.06	0.053	0.05	24.4	13.2	2.02	1250	1.26	0.01
ZZ03447		0.97	19.8	2.77	4.65	0.10	0.03	0.12	0.043	0.05	15.8	15.2	1.70	654	0.97	0.01
ZZ03959		1.63	41.0	3.34	4.18	0.11	0.04	0.06	0.075	0.07	15.0	16.2	0.94	774	3.76	<0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 1- NOV- 2011
Account: RCM

Project: Rackla (OCELOT)

CERTIFICATE OF ANALYSIS WH11167591

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
ZZ03407		0.64	24.4	1370	55.7	6.3	<0.001	0.04	5.60	2.7	0.4	0.5	21.7	<0.01	0.04	1.4
ZZ03408		0.73	24.0	880	19.9	7.2	0.001	0.03	0.96	1.9	0.5	0.6	13.3	<0.01	0.04	0.8
ZZ03409		0.51	14.0	1450	23.4	6.1	<0.001	0.03	1.18	0.7	0.2	0.9	11.1	<0.01	0.04	<0.2
ZZ03410		0.46	18.4	2110	26.8	8.5	0.001	0.04	0.99	1.3	0.7	0.6	13.8	<0.01	0.04	0.3
ZZ03411		0.36	12.3	1290	32.7	6.9	<0.001	0.04	0.72	0.5	0.6	0.6	13.5	<0.01	0.03	<0.2
ZZ03412		0.44	23.7	3090	35.4	9.9	0.001	0.05	1.54	2.6	0.9	0.5	18.5	<0.01	0.04	1.6
ZZ03413		0.60	22.1	1120	28.4	9.5	0.001	0.02	0.85	1.4	0.3	0.6	12.0	<0.01	0.03	0.6
ZZ03414		0.44	21.6	880	30.1	5.3	<0.001	0.03	1.19	2.7	1.0	0.4	8.3	<0.01	0.03	1.8
ZZ03415		0.84	25.9	2560	41.7	9.3	<0.001	0.03	1.54	3.9	0.9	0.8	17.2	<0.01	0.03	1.9
ZZ03416		0.37	18.2	5730	47.4	8.5	0.001	0.07	2.81	1.5	0.5	0.6	33.3	<0.01	0.03	0.7
ZZ03417		0.52	20.8	2410	56.0	6.5	<0.001	0.04	2.05	2.5	0.5	0.7	24.0	<0.01	0.03	1.1
ZZ03418		0.78	28.5	540	36.1	6.7	0.001	0.02	2.08	4.2	0.8	0.5	12.9	<0.01	0.03	3.1
ZZ03419		0.93	20.1	410	21.9	6.9	<0.001	0.01	0.74	3.7	1.1	0.6	11.4	<0.01	0.03	3.0
ZZ03420		1.04	17.6	460	21.8	8.1	0.001	0.02	0.40	3.8	0.3	0.8	11.4	<0.01	0.03	1.9
ZZ03421		0.88	161.5	1370	16.9	18.2	<0.001	0.01	1.30	12.4	0.9	0.6	23.5	<0.01	0.03	3.5
ZZ03422		0.63	91.4	1520	29.4	24.0	<0.001	0.05	1.42	5.1	0.7	0.5	41.8	<0.01	0.05	1.3
ZZ03423		0.62	70.3	820	25.7	13.0	0.001	0.05	1.57	4.0	0.9	0.4	28.1	<0.01	0.02	1.6
ZZ03424		1.29	37.0	480	28.9	12.4	<0.001	0.02	0.98	3.2	0.6	0.4	17.5	<0.01	0.03	4.3
ZZ03425		1.00	30.1	560	31.2	12.1	0.001	0.03	1.25	3.0	0.7	0.5	23.5	<0.01	0.03	2.0
ZZ03426		1.19	37.5	520	28.6	14.0	<0.001	0.03	1.24	3.2	0.9	0.4	21.6	<0.01	0.04	3.0
ZZ03427		1.00	65.8	1050	27.1	18.9	0.001	0.03	1.39	4.7	0.9	0.4	31.0	<0.01	0.04	2.5
ZZ03428		0.86	52.7	830	32.0	13.8	0.001	0.02	1.34	4.0	0.6	0.4	19.5	<0.01	0.04	4.1
ZZ03429		1.02	58.6	1030	27.5	16.2	<0.001	0.04	1.62	4.8	0.4	0.4	36.1	<0.01	0.04	2.9
ZZ03430		0.67	104.5	1110	19.4	17.8	<0.001	0.06	1.03	8.3	0.8	0.4	32.7	<0.01	0.03	1.8
ZZ03431		0.62	135.0	650	26.2	9.1	<0.001	0.03	0.74	12.0	1.2	0.5	23.1	<0.01	0.01	1.9
ZZ03432		0.39	44.0	1030	30.0	6.1	0.001	0.03	3.03	4.2	1.1	0.3	34.5	<0.01	0.05	1.7
ZZ03433		0.32	20.3	540	31.9	5.5	<0.001	0.02	2.27	3.3	0.9	0.3	10.0	<0.01	0.06	4.1
ZZ03434		0.95	23.0	830	37.0	5.9	0.001	0.03	1.54	4.6	0.8	0.8	13.8	<0.01	0.03	2.3
ZZ03437		0.69	20.9	1120	37.3	6.3	<0.001	0.03	1.66	3.8	0.9	0.5	21.6	<0.01	0.03	2.0
ZZ03438		0.28	13.1	3620	45.2	5.8	0.001	0.06	2.75	1.2	0.6	0.4	39.6	<0.01	0.02	0.6
ZZ03439		0.30	24.8	2150	72.4	8.2	0.001	0.04	2.56	3.1	1.2	1.4	11.2	<0.01	0.06	1.5
ZZ03440		0.16	23.4	810	24.8	3.2	<0.001	0.04	1.64	2.1	0.6	0.3	29.4	<0.01	0.03	1.5
ZZ03441		0.56	16.6	1320	25.5	11.4	<0.001	0.02	0.83	1.4	0.3	0.6	10.8	<0.01	0.03	0.5
ZZ03442		0.55	9.6	640	21.0	11.6	<0.001	0.04	0.47	0.9	0.3	0.6	6.8	<0.01	0.01	0.4
ZZ03443		0.43	19.1	690	18.3	16.0	0.001	0.02	0.45	0.9	0.6	0.5	12.2	<0.01	0.05	0.6
ZZ03444		0.54	17.3	710	27.1	18.4	0.001	0.03	1.47	1.0	0.5	0.8	9.8	<0.01	0.04	0.3
ZZ03445		0.41	26.5	1570	43.6	7.7	0.001	0.04	2.50	2.4	0.8	0.6	12.3	<0.01	0.04	1.2
ZZ03446		0.41	25.1	3630	43.6	9.8	0.001	0.05	3.56	2.7	1.0	0.6	25.6	<0.01	0.04	1.0
ZZ03447		0.69	23.4	1210	83.3	7.3	<0.001	0.03	7.37	3.2	0.7	0.6	24.9	<0.01	0.03	1.9
ZZ03959		1.13	43.7	920	34.9	9.6	<0.001	0.06	5.99	3.9	1.0	0.5	28.3	<0.01	0.02	1.7

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 1- NOV- 2011
Account: RCM

Project: Rackla (OCELOT)

CERTIFICATE OF ANALYSIS WH11167591

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
ZZ03407		0.025	0.11	1.01	51	0.46	10.75	115	1.1
ZZ03408		0.023	0.17	1.13	60	0.25	6.40	68	<0.5
ZZ03409		0.020	0.22	1.08	73	0.26	3.35	48	<0.5
ZZ03410		0.018	0.19	1.70	58	0.19	10.70	98	<0.5
ZZ03411		0.017	0.15	0.87	50	0.19	4.70	81	<0.5
ZZ03412		0.016	0.14	2.18	46	0.17	17.75	95	1.4
ZZ03413		0.019	0.17	0.96	57	0.24	5.04	126	<0.5
ZZ03414		0.014	0.14	0.84	35	0.17	19.45	58	1.2
ZZ03415		0.023	0.18	1.87	61	0.32	16.05	299	1.5
ZZ03416		0.016	0.12	1.91	45	1.06	12.50	130	1.1
ZZ03417		0.021	0.18	1.30	58	0.51	13.10	155	1.1
ZZ03418		0.023	0.22	0.70	45	0.61	13.60	111	1.9
ZZ03419		0.023	0.13	0.68	52	0.28	5.94	78	1.2
ZZ03420		0.024	0.14	0.99	62	0.17	6.66	131	1.2
ZZ03421		0.124	0.19	0.67	116	0.13	16.05	96	1.4
ZZ03422		0.073	0.19	1.22	64	0.19	11.65	96	0.8
ZZ03423		0.052	0.11	0.86	51	0.12	10.80	78	1.0
ZZ03424		0.029	0.11	0.63	39	0.21	7.84	87	1.7
ZZ03425		0.024	0.12	0.73	40	0.16	7.03	128	1.5
ZZ03426		0.026	0.10	0.94	37	0.17	8.25	111	1.9
ZZ03427		0.065	0.13	0.69	55	0.25	9.85	89	1.2
ZZ03428		0.045	0.11	0.63	42	0.14	10.10	90	1.6
ZZ03429		0.063	0.16	0.56	50	0.13	9.88	90	1.2
ZZ03430		0.070	0.12	0.67	94	0.09	10.35	90	0.8
ZZ03431		0.070	0.15	0.83	121	0.13	19.00	103	0.9
ZZ03432		0.014	0.11	0.96	32	0.20	22.1	127	1.9
ZZ03433		0.008	0.12	0.43	18	0.12	11.65	62	2.8
ZZ03434		0.019	0.14	1.08	65	0.35	11.70	118	1.8
ZZ03437		0.017	0.19	0.98	44	0.39	12.70	107	1.8
ZZ03438		0.014	0.13	1.70	32	0.33	9.69	107	1.0
ZZ03439		0.013	0.44	1.38	44	0.27	30.4	109	1.0
ZZ03440		0.007	0.22	0.46	13	0.18	12.00	45	1.6
ZZ03441		0.021	0.16	0.75	55	0.17	2.74	92	<0.5
ZZ03442		0.020	0.13	0.51	40	0.14	2.04	65	<0.5
ZZ03443		0.019	0.11	0.63	36	0.15	2.57	74	<0.5
ZZ03444		0.025	0.22	0.56	62	0.27	2.77	79	<0.5
ZZ03445		0.016	0.21	1.36	42	0.29	14.95	80	0.9
ZZ03446		0.019	0.19	2.62	52	0.32	20.0	115	0.6
ZZ03447		0.022	0.20	0.90	46	0.38	10.90	82	0.8
ZZ03959		0.039	0.14	0.63	40	0.18	8.44	69	1.2

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 1- NOV- 2011
Account: RCM

Project: Rackla (OCELOT)

CERTIFICATE OF ANALYSIS WH11167591

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- TL43 Au ppm 0.001	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1
ZZ03960		0.20	0.001	0.52	1.21	16.1	<0.2	<10	150	0.62	0.31	1.67	0.55	23.7	12.1	21
ZZ03961		0.20	0.001	0.42	1.20	13.1	<0.2	<10	170	0.59	0.24	1.73	0.79	25.0	10.4	22
ZZ03962		0.28	0.001	0.55	1.18	8.4	<0.2	<10	160	0.41	0.23	1.40	1.01	19.40	13.4	21
ZZ03963		0.20	0.001	0.34	1.29	19.2	<0.2	<10	180	0.58	0.23	2.00	0.42	24.0	17.5	25
ZZ03964		0.22	0.001	1.01	1.17	30.1	<0.2	<10	170	0.56	0.20	3.65	0.26	27.4	25.5	30
ZZ03965		0.30	0.002	3.90	1.20	120.0	<0.2	<10	130	0.77	0.23	4.59	0.29	26.8	51.4	25
ZZ03966		0.18	0.001	0.15	2.11	13.5	<0.2	<10	210	0.64	0.23	1.10	0.59	28.9	26.1	81
ZZ03967		0.26	0.001	0.06	1.80	12.7	<0.2	<10	160	0.69	0.24	0.35	0.31	29.9	10.4	32
ZZ03968		0.30	0.002	0.17	0.67	14.7	<0.2	<10	90	0.32	0.18	4.46	0.19	20.4	7.3	10
ZZ03969		0.20	0.002	0.19	1.31	18.3	<0.2	<10	70	0.59	0.22	2.59	0.34	26.9	7.2	19
ZZ03970		0.28	0.001	0.28	0.51	7	<0.2	<10	60	0.26	0.07	11.90	0.47	12.45	4.5	9
ZZ03971		0.22	0.001	0.20	1.16	12.1	<0.2	<10	160	0.46	0.16	4.95	1.18	19.45	7.6	17
ZZ03972		0.24	0.001	0.12	1.57	26.1	<0.2	<10	230	0.73	0.23	1.33	0.43	27.0	8.1	23
ZZ03973		0.16	0.002	0.21	1.16	12.1	<0.2	<10	190	0.48	0.23	0.77	0.49	30.5	10.3	18
ZZ03974		0.22	0.001	0.26	1.15	16.0	<0.2	<10	170	0.52	0.28	0.45	0.35	34.0	9.8	19
ZZ03975		0.26	0.001	0.22	1.06	7.6	<0.2	<10	160	0.30	0.27	0.32	0.20	21.2	7.5	19
ZZ03976		0.24	0.002	0.17	1.92	15.0	<0.2	<10	370	0.89	0.31	1.30	0.24	46.0	9.6	28
ZZ03977		0.18	<0.001	0.06	1.85	10.7	<0.2	<10	200	0.57	0.30	0.35	0.23	23.4	6.1	28
ZZ03978		0.16	0.002	0.19	1.95	14.9	<0.2	<10	210	0.83	0.29	1.29	0.38	29.8	8.2	30
ZZ03979		0.18	0.001	0.09	1.15	9.8	<0.2	<10	150	0.36	0.22	3.60	0.41	19.45	7.1	20
ZZ03980		0.20	0.001	0.07	1.44	11.1	<0.2	<10	180	0.55	0.26	1.26	0.23	23.2	7.1	23

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 1- NOV- 2011
Account: RCM

Project: Rackla (OCELOT)

CERTIFICATE OF ANALYSIS WH11167591

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
ZZ03960		1.12	52.4	2.44	3.78	0.10	0.06	0.07	0.036	0.07	14.6	13.4	0.60	516	1.40	0.01
ZZ03961		0.74	21.4	2.64	3.68	0.09	0.03	0.07	0.038	0.04	11.2	14.0	0.67	700	1.48	0.01
ZZ03962		0.90	34.3	2.37	3.89	0.09	0.07	0.07	0.028	0.06	10.2	13.0	0.52	418	1.88	0.01
ZZ03963		1.26	31.6	2.72	4.21	0.09	0.04	0.06	0.042	0.06	12.9	15.4	0.83	724	2.58	0.01
ZZ03964		1.91	53.2	3.64	3.94	0.09	0.04	0.07	0.119	0.09	15.3	15.4	2.12	547	10.25	0.01
ZZ03965		1.48	60.1	4.34	3.68	0.10	0.03	0.07	0.598	0.06	16.1	12.7	2.72	1340	15.70	0.01
ZZ03966		1.12	32.0	4.68	7.60	0.10	0.04	0.06	0.061	0.07	16.1	15.9	0.89	2180	1.22	0.01
ZZ03967		1.08	21.7	3.05	5.79	0.08	0.08	0.03	0.036	0.04	14.2	15.1	0.58	391	1.25	<0.01
ZZ03968		0.44	19.7	2.33	1.86	0.06	0.08	0.04	0.035	0.03	10.7	6.8	2.63	353	0.65	0.01
ZZ03969		0.76	12.2	2.69	3.60	0.08	0.07	0.04	0.048	0.03	14.1	16.2	1.60	444	1.08	0.01
ZZ03970		0.37	9.8	1.04	1.37	0.05	0.04	0.04	0.053	0.03	7.0	6.9	7.46	799	0.77	0.01
ZZ03971		0.60	15.3	1.94	3.24	0.06	0.05	0.04	0.049	0.06	10.2	10.1	2.66	1250	0.99	0.01
ZZ03972		0.78	12.7	3.86	4.56	0.10	0.08	0.04	0.171	0.05	15.9	15.1	0.59	3600	1.28	<0.01
ZZ03973		0.73	13.1	2.46	3.49	0.08	0.05	0.05	0.056	0.06	14.9	7.7	0.34	1120	2.17	<0.01
ZZ03974		0.74	16.0	2.62	3.60	0.09	0.04	0.04	0.034	0.07	15.6	8.3	0.31	694	2.68	<0.01
ZZ03975		1.06	10.5	2.12	4.67	0.07	<0.02	0.03	0.025	0.05	9.8	8.1	0.25	495	1.09	<0.01
ZZ03976		1.23	21.0	3.18	5.08	0.10	0.10	0.07	0.058	0.06	24.8	13.9	0.72	584	0.94	<0.01
ZZ03977		1.29	9.9	2.76	6.20	0.06	0.02	0.02	0.043	0.05	12.4	17.0	0.48	253	0.87	<0.01
ZZ03978		1.26	14.4	2.85	5.48	0.08	0.05	0.04	0.044	0.06	17.6	15.5	0.56	493	1.19	<0.01
ZZ03979		0.82	10.6	2.04	3.57	0.05	0.04	0.05	0.038	0.04	10.5	9.9	1.88	676	1.33	0.01
ZZ03980		0.93	11.0	2.49	4.52	0.06	0.04	0.05	0.038	0.04	12.7	11.2	0.62	491	0.96	<0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 1- NOV- 2011
Account: RCM

Project: Rackla (OCELOT)

CERTIFICATE OF ANALYSIS WH11167591

Sample Description	Method Analyte Units LOR	ME- MS41 Nb ppm 0.05	ME- MS41 Ni ppm 0.2	ME- MS41 P ppm 10	ME- MS41 Pb ppm 0.2	ME- MS41 Rb ppm 0.1	ME- MS41 Re ppm 0.001	ME- MS41 S % 0.01	ME- MS41 Sb ppm 0.05	ME- MS41 Sc ppm 0.1	ME- MS41 Se ppm 0.2	ME- MS41 Sn ppm 0.2	ME- MS41 Sr ppm 0.2	ME- MS41 Ta ppm 0.01	ME- MS41 Te ppm 0.01	ME- MS41 Th ppm 0.2
ZZ03960		0.88	25.9	760	42.5	10.9	0.001	0.07	1.63	2.3	0.6	0.4	28.8	<0.01	0.03	1.3
ZZ03961		0.68	23.9	850	31.6	6.5	<0.001	0.05	1.14	2.8	0.9	0.4	28.3	<0.01	0.03	1.2
ZZ03962		0.93	30.3	650	23.8	9.0	0.001	0.06	1.17	2.2	1.4	0.4	35.2	<0.01	0.03	1.3
ZZ03963		1.44	33.4	590	35.7	8.7	0.001	0.06	1.68	2.7	0.8	0.4	38.4	0.01	0.04	1.5
ZZ03964		0.78	47.4	890	27.3	10.1	0.001	0.05	3.21	3.4	0.8	0.5	32.9	<0.01	0.04	1.5
ZZ03965		0.63	53.3	810	41.2	8.3	0.001	0.05	6.20	3.8	0.9	0.9	24.5	<0.01	0.04	1.5
ZZ03966		0.97	61.1	850	21.8	8.9	<0.001	0.05	1.08	6.1	0.9	0.6	21.7	<0.01	0.04	1.3
ZZ03967		1.22	29.8	330	21.2	7.7	<0.001	0.01	0.75	5.0	0.6	0.6	11.2	<0.01	0.03	3.6
ZZ03968		0.40	16.6	950	25.9	5.1	<0.001	0.02	2.22	3.0	0.8	0.2	31.2	0.01	0.03	2.5
ZZ03969		0.60	20.0	910	40.3	6.9	<0.001	0.03	2.22	3.2	0.8	0.5	16.3	0.01	0.02	1.8
ZZ03970		0.28	10.0	1710	67.6	4.5	<0.001	0.05	2.22	0.9	0.7	0.4	58.2	<0.01	0.02	0.4
ZZ03971		0.44	17.0	2280	54.5	9.5	<0.001	0.07	3.26	1.2	0.8	0.7	30.4	0.01	0.03	0.4
ZZ03972		0.39	18.9	3570	72.8	8.6	<0.001	0.06	12.80	2.2	1.0	0.8	17.0	0.01	0.04	0.9
ZZ03973		0.41	19.5	1450	29.5	11.4	<0.001	0.07	1.08	1.5	0.9	0.8	13.7	0.01	0.03	0.7
ZZ03974		0.36	20.6	1200	33.2	11.8	<0.001	0.05	1.15	1.4	0.9	0.5	11.6	0.01	0.03	0.5
ZZ03975		0.25	11.8	1720	23.5	12.7	<0.001	0.06	0.67	0.4	0.6	0.6	10.8	<0.01	0.03	<0.2
ZZ03976		0.51	26.4	2980	42.1	11.9	<0.001	0.04	2.07	3.9	1.1	0.7	18.0	0.01	0.05	2.7
ZZ03977		0.51	15.6	1200	20.9	12.5	<0.001	0.03	0.91	2.0	0.5	0.7	10.2	<0.01	0.04	0.7
ZZ03978		0.54	21.5	3940	25.1	12.2	<0.001	0.05	1.54	2.9	0.9	0.6	18.2	0.01	0.04	1.2
ZZ03979		0.45	15.2	1750	25.0	8.1	<0.001	0.08	1.61	1.6	0.8	0.7	21.8	<0.01	0.04	0.6
ZZ03980		0.49	15.1	1600	22.9	10.5	<0.001	0.06	1.26	2.1	0.8	0.5	16.4	0.01	0.04	0.8

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 1- NOV- 2011
Account: RCM

Project: Rackla (OCELOT)

CERTIFICATE OF ANALYSIS WH11167591

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
ZZ03960		0.021	0.10	0.91	29	0.12	8.79	77	1.7
ZZ03961		0.017	0.10	0.76	40	0.17	7.38	85	1.3
ZZ03962		0.018	0.10	1.16	39	0.16	7.14	135	2.6
ZZ03963		0.030	0.09	0.63	35	0.13	7.81	73	1.5
ZZ03964		0.034	0.16	0.66	39	0.17	11.50	75	1.1
ZZ03965		0.021	0.35	0.56	34	0.16	12.75	71	1.1
ZZ03966		0.027	0.09	0.62	66	0.23	11.35	78	1.1
ZZ03967		0.026	0.15	0.74	57	0.25	8.33	94	2.5
ZZ03968		0.013	0.09	0.47	19	0.19	11.85	77	2.3
ZZ03969		0.014	0.19	0.92	39	1.84	15.65	128	1.9
ZZ03970		0.010	0.27	0.92	20	0.47	6.89	82	1.0
ZZ03971		0.016	0.14	0.92	37	0.58	9.31	176	1.0
ZZ03972		0.018	0.17	1.69	56	0.51	17.05	184	1.6
ZZ03973		0.015	0.25	0.65	35	0.18	10.30	111	0.9
ZZ03974		0.015	0.31	0.73	37	0.21	12.10	91	0.5
ZZ03975		0.011	0.13	0.67	43	0.23	3.57	74	<0.5
ZZ03976		0.015	0.15	2.29	48	0.26	18.55	111	2.4
ZZ03977		0.018	0.15	1.10	58	0.32	6.06	129	<0.5
ZZ03978		0.019	0.12	2.85	58	0.20	14.55	94	1.2
ZZ03979		0.016	0.12	1.26	39	0.20	7.76	89	0.7
ZZ03980		0.016	0.11	1.48	46	0.38	9.74	69	0.8

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 1- NOV- 2011
Account: RCM

Project: Rackla (OCELOT)

CERTIFICATE OF ANALYSIS WH11167591

Method	CERTIFICATE COMMENTS
ME- MS41	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown.
ME- MS41	Gold determinations by this method are semi- quantitative due to the small sample weight used (0.5g).

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 6- OCT- 2011
Account: RCM

CERTIFICATE WH11167592

Project: Rackla (OCELOT)

P.O. No.:

This report is for 224 Soil samples submitted to our lab in Whitehorse, YT, Canada on 25- AUG- 2011.

The following have access to data associated with this certificate:

ROB CARNE JULIA LANE	ANDREW CARNE JOAN MARIACHER	MATT DUMALA

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
SCR- 41	Screen to - 180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- TL43	Trace Level Au - 25g AR	ICP- MS
ME- MS41	51 anal. aqua regia ICPMS	

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 6- OCT- 2011
Account: RCM

Project: Rackla (OCELOT)

CERTIFICATE OF ANALYSIS WH11167592

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg .02	Au- TL43 Au ppm 0.001	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1
CC141513		0.16	0.002	0.25	1.18	10.2	<0.2	<10	370	0.54	0.26	3.62	0.91	19.85	11.2	23
CC141514		0.12	0.002	0.25	1.23	10.8	<0.2	<10	310	0.55	0.29	3.38	0.88	21.6	10.5	25
CC141515		0.14	0.002	0.28	1.55	12.6	<0.2	<10	330	0.69	0.35	1.83	0.70	25.4	11.3	29
CC141516		0.26	0.001	0.29	1.33	13.3	<0.2	<10	520	0.49	0.33	4.12	0.89	23.8	11.5	29
CC141517		0.24	0.008	0.36	1.43	12.0	<0.2	<10	530	0.61	0.35	2.58	0.87	27.0	11.0	30
CC141518		0.22	0.003	0.38	1.44	17.5	<0.2	<10	350	0.57	0.35	2.07	0.96	27.4	13.5	34
CC141519		0.12	0.002	0.36	1.36	11.5	<0.2	<10	520	0.57	0.30	2.29	1.34	20.7	11.3	30
CC141520		0.18	0.001	0.38	1.05	11.4	<0.2	<10	290	0.37	0.26	4.80	1.58	19.50	10.0	23
CC141521		0.26	0.002	0.37	1.56	10.7	<0.2	<10	510	0.55	0.31	2.85	0.61	28.1	13.3	45
CC141522		0.28	0.002	0.32	1.12	11.2	<0.2	<10	220	0.40	0.28	5.52	1.07	22.7	10.6	25
CC141523		0.18	0.004	0.53	1.56	12.6	<0.2	<10	340	0.74	0.33	1.44	1.14	25.3	10.9	28
CC141524		0.34	0.003	0.24	1.54	13.2	<0.2	<10	300	0.58	0.34	1.63	0.46	28.4	10.8	32
CC141525		0.20	0.002	0.22	1.60	11.3	<0.2	<10	200	0.65	0.33	2.23	1.09	27.1	10.2	30
CC141526		0.24	0.002	0.36	1.53	9.6	<0.2	<10	660	0.41	0.28	7.30	0.94	18.20	13.6	56
CC141527		0.16	0.001	0.37	1.63	12.2	<0.2	<10	610	0.48	0.35	4.12	0.95	23.5	14.0	54
CC141528		0.28	0.002	0.26	1.60	14	<0.2	<10	550	0.41	0.31	10.15	0.84	18.45	13.1	58
CC141529		0.24	0.002	0.28	1.29	11.4	<0.2	<10	390	0.44	0.31	4.71	1.37	20.7	11.4	33
CC141530		0.20	0.001	0.30	2.13	12.7	<0.2	<10	520	0.50	0.39	5.20	1.13	22.3	18.1	85
CC141531		0.26	0.002	0.22	1.76	9.0	<0.2	<10	550	0.38	0.21	9.11	0.80	16.10	15.2	77
CC141532		0.14	0.002	0.29	1.23	10.9	<0.2	<10	500	0.48	0.24	1.59	0.81	20.3	9.8	31
CC141533		0.24	0.001	0.37	1.38	11.4	<0.2	<10	530	0.55	0.30	3.94	1.15	24.8	12.4	36
CC141534		0.14	0.002	0.36	1.40	11.5	<0.2	<10	470	0.63	0.29	1.42	1.30	25.0	11.0	28
CC141535		0.24	0.002	0.28	1.27	13.0	<0.2	<10	290	0.65	0.30	1.29	0.93	26.5	10.4	27
CC141536		0.30	0.002	0.29	1.23	12.3	<0.2	<10	350	0.55	0.26	4.21	0.98	25.2	11.9	25
CC141537		0.22	0.002	0.28	1.25	13.4	<0.2	<10	240	0.60	0.31	3.06	0.88	25.1	11.3	24
CC141538		0.14	0.002	0.24	1.01	14.0	<0.2	<10	320	0.49	0.24	2.13	1.19	20.8	12.6	21
CC141539		0.18	0.001	0.20	0.87	11.0	<0.2	<10	240	0.38	0.19	5.31	1.07	19.30	9.3	18
CC141540		0.22	0.001	0.21	0.91	10.0	<0.2	<10	220	0.39	0.20	5.98	0.90	20.3	9.1	19
CC141541		0.28	0.001	0.26	0.92	8.2	<0.2	<10	210	0.29	0.21	8.53	0.78	17.75	8.9	22
CC141542		0.20	0.002	0.22	0.85	10.4	<0.2	<10	180	0.32	0.18	4.49	0.94	21.8	9.7	23
CC141543		0.14	0.002	0.26	1.09	10.9	<0.2	<10	190	0.40	0.22	2.03	1.02	24.9	10.9	28
CC141544		0.22	0.002	0.22	0.99	10.0	<0.2	<10	190	0.37	0.19	3.74	0.57	22.7	10.1	26
CC141545		0.22	0.001	0.28	1.17	10.2	<0.2	<10	230	0.50	0.25	4.17	0.85	20.6	9.5	23
CC141546		0.26	0.001	0.22	0.97	9.3	<0.2	<10	180	0.41	0.22	5.08	0.76	21.2	8.5	19
CC141547		0.18	0.001	0.24	1.08	10.7	<0.2	<10	210	0.46	0.23	4.35	0.75	22.0	10.9	21
CC141548		0.18	0.002	0.20	0.90	7.1	<0.2	<10	180	0.38	0.19	4.88	0.82	19.30	8.3	18
CC141549		0.20	0.001	0.19	0.74	10.9	<0.2	<10	130	0.34	0.17	4.69	0.94	18.80	8.0	16
CC141550		0.24	0.001	0.27	1.13	11.2	<0.2	<10	290	0.52	0.24	9.12	1.02	25.0	10.2	20
CC141551		0.30	0.002	0.25	1.05	17.1	<0.2	<10	170	0.34	0.12	0.57	0.50	48.3	11.9	20
CC141552		0.20	0.002	0.08	1.62	17.9	<0.2	<10	210	0.52	0.18	0.35	0.34	31.8	8.3	27

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 6- OCT- 2011
Account: RCM

Project: Rackla (OCELOT)

CERTIFICATE OF ANALYSIS WH11167592

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
CC141513		0.64	31.7	2.37	3.33	0.05	0.08	0.09	0.033	0.07	9.8	15.8	2.20	403	1.03	0.01
CC141514		0.69	31.2	2.76	3.42	0.06	0.07	0.08	0.038	0.10	10.8	15.0	1.72	702	1.11	0.01
CC141515		0.78	35.1	3.34	4.22	0.07	0.09	0.09	0.041	0.14	12.7	18.1	1.25	467	1.14	0.01
CC141516		0.64	27.6	3.81	3.74	0.08	0.07	0.07	0.044	0.08	11.9	15.5	2.47	762	1.10	0.02
CC141517		0.63	31.4	2.97	4.29	0.07	0.08	0.08	0.056	0.09	13.6	16.5	1.60	621	1.12	0.01
CC141518		0.65	28.7	3.46	4.33	0.08	0.07	0.07	0.078	0.08	13.8	16.4	1.50	952	1.47	0.01
CC141519		0.60	29.0	2.73	4.02	0.07	0.05	0.07	0.051	0.07	10.5	13.6	0.89	757	1.39	0.01
CC141520		0.56	21.3	2.31	3.17	0.06	0.05	0.05	0.090	0.07	9.2	11.8	2.84	681	1.26	0.02
CC141521		0.64	37.2	2.87	4.72	0.08	0.08	0.06	0.067	0.07	14.2	16.2	2.10	406	0.79	0.02
CC141522		0.56	24.8	2.55	3.34	0.07	0.07	0.05	0.123	0.08	11.4	12.4	3.57	705	1.66	0.02
CC141523		0.58	32.2	3.12	4.73	0.07	0.06	0.06	0.082	0.07	13.7	16.2	0.91	691	1.33	0.01
CC141524		0.58	21.9	3.20	4.59	0.08	0.07	0.05	0.088	0.07	15.1	14.9	1.32	555	1.71	0.01
CC141525		0.72	23.1	2.99	4.77	0.07	0.07	0.05	0.063	0.06	13.3	14.1	1.36	586	1.86	0.01
CC141526		0.81	36.7	2.80	4.29	0.07	0.05	0.07	0.057	0.11	9.4	14.1	4.70	952	1.18	0.02
CC141527		0.75	30.1	3.11	4.77	0.08	0.05	0.07	0.069	0.10	11.3	15.3	2.99	879	1.37	0.02
CC141528		0.84	26.3	2.76	4.35	0.07	0.05	0.05	0.061	0.11	9.5	14.2	5.86	787	1.18	0.02
CC141529		0.70	24.0	2.62	3.79	0.06	0.05	0.06	0.068	0.08	10.1	13.1	2.83	724	1.52	0.02
CC141530		0.95	34.2	3.73	5.97	0.08	0.05	0.06	0.087	0.13	11.3	18.1	4.57	985	1.52	0.02
CC141531		0.92	31.3	2.95	4.97	0.08	0.05	0.04	0.055	0.11	8.2	15.9	5.54	779	1.26	0.02
CC141532		0.61	24.8	2.46	3.84	0.06	0.05	0.06	0.048	0.06	10.3	13.7	0.87	547	1.08	0.01
CC141533		0.69	37.3	2.89	4.15	0.08	0.08	0.11	0.050	0.08	12.7	15.5	2.57	587	1.22	0.01
CC141534		0.67	34.8	2.72	4.27	0.07	0.08	0.09	0.040	0.11	12.5	17.6	0.78	337	0.74	0.01
CC141535		0.64	34.0	2.87	3.82	0.08	0.08	0.10	0.042	0.09	13.2	16.2	0.85	387	1.10	0.01
CC141536		0.71	35.6	2.91	3.64	0.08	0.08	0.09	0.035	0.08	12.8	16.3	2.65	686	1.59	0.01
CC141537		0.84	36.3	3.01	3.82	0.08	0.09	0.09	0.038	0.11	12.6	15.7	1.92	617	1.40	0.01
CC141538		0.53	28.5	2.89	3.05	0.07	0.07	0.08	0.032	0.07	10.5	12.7	1.16	1260	1.49	0.01
CC141539		0.49	27.8	2.36	2.60	0.07	0.07	0.07	0.028	0.05	9.8	10.7	3.12	759	1.97	0.02
CC141540		0.58	29.0	2.30	2.72	0.06	0.07	0.07	0.028	0.06	10.3	11.8	3.26	605	1.82	0.02
CC141541		0.67	23.6	2.22	2.63	0.07	0.06	0.06	0.038	0.11	9.1	11.2	4.14	690	1.60	0.02
CC141542		0.54	30.2	2.37	2.79	0.07	0.05	0.06	0.028	0.05	11.1	11.3	2.86	572	1.92	0.02
CC141543		0.60	34.4	2.72	3.52	0.07	0.06	0.07	0.032	0.06	12.8	13.6	1.30	746	1.79	0.01
CC141544		0.53	30.2	2.42	3.12	0.07	0.05	0.06	0.029	0.04	11.7	12.3	2.45	581	1.55	0.01
CC141545		0.66	31.2	2.72	3.43	0.07	0.08	0.08	0.034	0.09	10.5	14.5	2.54	740	1.17	0.02
CC141546		0.56	25.4	2.39	2.81	0.06	0.08	0.07	0.030	0.07	10.6	12.2	3.17	637	0.92	0.02
CC141547		0.67	24.7	2.64	3.21	0.07	0.08	0.08	0.032	0.09	11.1	13.4	2.64	1180	1.08	0.02
CC141548		0.57	23.8	2.16	2.64	0.06	0.07	0.07	0.028	0.07	9.7	11.4	3.10	615	0.93	0.01
CC141549		0.37	24.2	2.26	2.22	0.06	0.06	0.09	0.027	0.04	9.7	9.5	3.02	668	1.75	0.01
CC141550		1.11	32.7	2.67	3.09	0.07	0.11	0.10	0.032	0.12	12.6	13.8	3.53	739	2.32	0.02
CC141551		0.44	39.7	3.57	2.93	0.10	0.04	0.10	0.032	0.04	26.3	8.1	0.31	296	4.05	0.01
CC141552		0.91	13.6	3.12	5.00	0.08	0.02	0.03	0.031	0.04	14.9	12.1	0.39	382	2.20	0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 6- OCT- 2011
Account: RCM

Project: Rackla (OCELOT)

CERTIFICATE OF ANALYSIS WH11167592

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
CC141513		0.51	31.6	750	28.7	7.0	0.004	0.09	1.32	3.4	1.7	0.3	33.7	<0.01	0.03	2.4
CC141514		0.50	28.1	820	30.4	8.5	0.001	0.06	1.33	3.4	1.1	0.3	34.3	<0.01	0.04	2.2
CC141515		0.54	31.2	810	33.5	10.8	0.001	0.04	1.36	4.2	1.0	0.3	23.4	<0.01	0.05	3.0
CC141516		0.61	29.1	750	39.9	8.3	0.001	0.06	1.46	3.4	1.3	0.4	34.8	<0.01	0.03	2.5
CC141517		0.64	30.1	770	45.1	9.9	<0.001	0.04	1.58	3.9	1.2	0.4	27.4	<0.01	0.05	2.4
CC141518		0.69	34.1	540	72.1	8.8	<0.001	0.03	1.56	3.9	0.8	0.5	20.8	<0.01	0.05	2.0
CC141519		0.57	27.3	710	37.8	9.9	<0.001	0.07	1.46	2.4	1.3	0.4	27.7	<0.01	0.05	0.7
CC141520		0.49	25.5	700	76.6	7.4	<0.001	0.05	1.61	2.5	0.8	0.5	34.1	<0.01	0.03	1.1
CC141521		0.81	37.6	880	47.1	8.4	<0.001	0.03	1.80	4.5	1.1	0.4	29.9	<0.01	0.04	2.8
CC141522		0.57	29.9	720	70.9	7.7	<0.001	0.02	1.65	3.4	0.6	0.4	41.9	<0.01	0.03	2.6
CC141523		0.68	26.7	500	44.6	9.2	<0.001	0.04	1.23	3.6	1.0	0.5	19.6	<0.01	0.04	1.5
CC141524		0.73	28.9	400	48.2	8.5	<0.001	0.02	1.46	3.9	0.7	0.5	18.2	<0.01	0.04	2.5
CC141525		0.93	26.1	370	34.6	9.1	<0.001	0.03	1.02	4.1	0.7	0.5	24.4	<0.01	0.04	3.0
CC141526		0.53	42.5	960	63.5	9.8	<0.001	0.05	2.26	3.7	0.9	0.4	51.0	<0.01	0.03	1.1
CC141527		0.55	41.9	760	87.8	9.5	<0.001	0.05	3.05	3.6	0.9	0.5	32.0	<0.01	0.04	1.1
CC141528		0.56	43.1	780	70.2	9.0	<0.001	0.02	2.44	4.5	0.6	0.4	72.5	<0.01	0.02	2.0
CC141529		0.58	31.1	720	50.0	8.8	<0.001	0.05	1.72	2.9	0.9	0.4	36.5	<0.01	0.03	1.1
CC141530		0.62	60.7	910	78.0	10.4	<0.001	0.05	2.77	5.6	0.8	0.5	38.2	<0.01	0.03	1.8
CC141531		0.72	56.1	830	54.3	9.6	<0.001	0.02	2.18	5.3	0.6	0.3	72.4	<0.01	0.02	2.0
CC141532		0.65	27.3	670	38.1	8.8	<0.001	0.05	1.12	2.8	1.1	0.3	21.5	<0.01	0.04	1.1
CC141533		0.88	35.7	760	48.2	9.5	<0.001	0.03	1.59	4.5	1.1	0.4	34.8	<0.01	0.03	3.3
CC141534		0.82	29.9	770	32.9	11.2	0.002	0.06	1.32	4.3	2.9	0.4	25.9	<0.01	0.07	3.0
CC141535		0.67	30.6	860	40.6	9.0	0.001	0.04	1.33	4.1	1.7	0.3	21.9	<0.01	0.04	3.1
CC141536		0.72	33.8	740	31.8	8.8	0.001	0.02	1.43	4.1	1.5	0.3	37.2	<0.01	0.04	3.6
CC141537		0.65	33.1	810	36.7	10.4	0.001	0.03	1.46	4.0	1.2	0.3	31.7	<0.01	0.04	3.0
CC141538		0.55	31.1	860	30.7	6.9	0.002	0.05	1.32	3.1	1.4	0.3	27.1	<0.01	0.04	1.9
CC141539		0.64	31.7	750	21.8	5.9	0.001	0.02	1.37	3.1	1.2	0.3	44.7	<0.01	0.03	2.3
CC141540		0.61	30.9	740	23.3	6.2	<0.001	0.01	1.31	3.3	0.5	0.3	56.0	<0.01	0.03	2.8
CC141541		0.75	29.9	710	32.1	7.3	0.001	0.02	1.30	2.8	1.0	0.3	75.0	<0.01	0.02	2.3
CC141542		1.18	30.4	970	23.2	5.9	0.001	0.03	1.23	2.6	1.4	0.2	43.7	<0.01	0.03	2.0
CC141543		1.18	35.2	1000	27.0	8.0	0.001	0.03	1.32	3.1	1.2	0.3	31.0	<0.01	0.04	2.2
CC141544		1.28	30.0	980	23.6	5.8	<0.001	0.03	1.17	3.0	1.0	0.2	34.3	<0.01	0.03	2.3
CC141545		0.56	30.1	870	25.7	8.4	0.001	0.05	1.16	3.4	1.2	0.3	39.1	<0.01	0.04	2.3
CC141546		0.53	25.2	810	27.7	6.2	0.001	0.03	1.09	3.1	0.9	0.3	41.7	<0.01	0.03	2.6
CC141547		0.54	29.0	840	28.1	8.4	<0.001	0.03	1.04	3.3	0.8	0.3	34.3	<0.01	0.04	2.6
CC141548		0.53	25.4	760	23.4	6.1	0.001	0.03	1.00	2.8	0.8	0.3	38.8	<0.01	0.03	2.5
CC141549		0.52	30.4	750	21.1	4.3	<0.001	0.01	1.30	2.6	0.7	0.2	32.0	<0.01	0.03	2.2
CC141550		0.46	33.6	690	30.9	9.6	<0.001	0.01	1.60	3.7	0.7	0.3	102.0	<0.01	0.03	3.9
CC141551		0.34	46.4	2810	16.1	6.2	<0.001	0.02	1.36	2.3	0.9	0.3	24.8	0.01	0.03	1.0
CC141552		0.46	25.5	1510	27.8	7.8	<0.001	0.05	1.32	1.2	0.7	0.5	13.7	<0.01	0.04	0.3

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 6- OCT- 2011
Account: RCM

Project: Rackla (OCELOT)

CERTIFICATE OF ANALYSIS WH11167592

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
CC141513		0.014	0.11	1.42	40	0.21	8.98	157	2.8
CC141514		0.017	0.11	1.00	42	0.18	9.00	173	2.3
CC141515		0.017	0.13	0.59	51	0.19	9.62	200	2.9
CC141516		0.019	0.11	0.78	43	0.34	9.56	165	2.3
CC141517		0.021	0.10	1.06	47	0.35	10.65	199	2.4
CC141518		0.027	0.12	0.78	50	0.52	11.15	231	1.8
CC141519		0.018	0.10	1.46	43	0.54	9.08	199	1.2
CC141520		0.022	0.11	1.02	36	0.50	7.28	234	1.4
CC141521		0.035	0.10	0.97	52	0.83	11.15	166	2.4
CC141522		0.027	0.12	0.87	40	0.45	9.01	242	2.2
CC141523		0.022	0.10	0.87	50	0.34	10.30	178	1.4
CC141524		0.024	0.12	0.69	51	0.51	10.40	137	1.7
CC141525		0.025	0.13	0.71	50	0.24	9.55	133	2.1
CC141526		0.039	0.14	1.13	52	2.81	9.56	166	1.3
CC141527		0.036	0.14	1.44	54	3.56	9.15	180	1.3
CC141528		0.049	0.16	0.98	53	2.42	8.79	169	1.4
CC141529		0.025	0.11	0.89	42	0.92	8.12	201	1.4
CC141530		0.059	0.19	0.95	69	2.43	10.70	217	1.3
CC141531		0.060	0.16	1.04	57	2.17	7.60	163	1.6
CC141532		0.022	0.10	0.95	41	0.37	7.63	162	1.2
CC141533		0.031	0.11	0.75	46	0.49	10.05	195	2.5
CC141534		0.018	0.11	1.77	46	0.21	9.68	193	2.6
CC141535		0.017	0.11	1.00	47	0.28	9.91	169	2.6
CC141536		0.020	0.11	0.82	42	0.28	10.10	154	2.9
CC141537		0.017	0.13	0.98	44	0.15	10.10	176	2.8
CC141538		0.014	0.09	0.97	38	0.19	8.81	158	2.2
CC141539		0.019	0.09	0.81	34	0.31	8.14	153	2.1
CC141540		0.021	0.10	0.69	34	0.30	8.21	143	2.4
CC141541		0.028	0.12	0.81	33	0.30	7.15	165	1.9
CC141542		0.035	0.08	0.96	34	0.28	7.93	141	1.6
CC141543		0.034	0.10	0.98	41	0.21	8.99	162	1.9
CC141544		0.037	0.07	0.63	38	0.27	8.38	127	1.7
CC141545		0.014	0.11	0.76	39	0.16	9.00	164	2.4
CC141546		0.015	0.08	0.68	34	0.16	8.68	133	2.4
CC141547		0.015	0.11	0.59	37	0.15	8.64	149	2.2
CC141548		0.016	0.09	0.66	32	0.14	7.78	138	2.1
CC141549		0.017	0.07	0.60	32	0.29	8.14	151	1.7
CC141550		0.017	0.17	0.83	38	0.22	9.05	153	5.2
CC141551		0.014	0.27	2.21	40	0.15	13.90	128	0.5
CC141552		0.016	0.25	2.06	61	0.29	9.33	109	<0.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 6- OCT- 2011
Account: RCM

Project: Rackla (OCELOT)

CERTIFICATE OF ANALYSIS WH11167592

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg .02	Au- TL43 Au ppm 0.001	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1
CC141553		0.20	0.001	0.12	1.28	10.3	<0.2	<10	310	0.28	0.16	0.23	0.25	17.00	3.1	25
CC141554		0.32	0.003	0.07	1.25	10.1	<0.2	<10	130	0.40	0.17	0.18	0.23	41.9	7.5	21
CC141555		0.26	0.003	0.17	1.75	18.1	<0.2	<10	520	0.62	0.35	1.61	0.40	34.8	9.4	27
CC141556		0.22	0.002	0.05	1.36	21.1	<0.2	<10	150	0.29	0.56	0.18	0.24	20.9	6.7	24
CC141557		0.22	0.001	0.13	1.52	10.3	<0.2	<10	200	0.38	0.27	0.11	0.16	19.65	5.4	24
CC141558		0.28	0.002	0.15	1.42	17.0	<0.2	<10	230	0.52	0.32	0.52	0.33	26.3	10.1	35
CC141559		0.34	0.001	0.18	1.22	20.3	<0.2	<10	190	0.46	0.24	1.62	0.46	27.2	12.4	27
CC141560		0.22	0.001	0.16	1.13	21.5	<0.2	<10	190	0.44	0.23	1.66	0.65	24.8	11.0	23
CC141561		0.32	0.002	0.41	0.42	26.9	<0.2	<10	90	0.37	0.27	0.16	0.46	54.1	16.2	10
CC141562		0.24	0.002	0.24	1.19	19.2	<0.2	<10	210	0.47	0.23	1.09	0.48	25.4	13.1	23
CC141563		0.22	0.002	0.22	0.95	19.1	<0.2	<10	210	0.38	0.19	1.37	0.57	18.95	10.7	22
CC141564		0.24	0.002	0.18	0.88	33.6	<0.2	<10	150	0.50	0.25	1.55	0.38	30.2	13.2	17
CC141565		0.30	0.002	0.28	1.23	15.5	<0.2	<10	220	0.45	0.17	1.54	0.55	38.6	13.4	24
CC141566		0.28	0.002	0.29	1.03	11.5	<0.2	<10	310	0.45	0.23	6.55	1.45	18.20	9.3	20
CC141567		0.24	<0.001	0.13	0.53	7.1	<0.2	<10	110	0.20	0.14	7.05	0.83	14.75	6.0	12
CC141568		0.22	<0.001	0.24	1.03	4.0	<0.2	<10	270	0.46	0.31	1.48	3.03	21.6	6.1	22
CC141569		0.32	<0.001	0.15	0.57	8.2	<0.2	<10	110	0.23	0.18	7.30	1.07	17.55	6.0	13
CC141570		0.34	<0.001	0.20	0.75	12.2	<0.2	<10	160	0.30	0.20	5.80	1.10	19.75	7.0	18
CC141571		0.30	0.002	0.29	0.98	13.5	<0.2	<10	330	0.43	0.25	4.06	2.21	20.4	10.7	20
CC141572		0.32	0.001	0.32	1.19	11.6	<0.2	<10	270	0.46	0.32	5.51	1.08	24.9	11.0	24
CC141573		0.38	0.001	0.31	1.36	8.7	<0.2	<10	340	0.44	0.32	7.13	1.29	20.5	11.7	34
CC141574		0.26	0.001	0.34	1.30	8.9	<0.2	<10	280	0.48	0.71	4.57	1.06	25.3	10.1	31
CC141575		0.16	0.001	0.23	1.16	10.7	<0.2	<10	430	0.40	0.26	1.89	0.79	18.30	6.7	21
CC141576		0.14	0.002	0.22	0.98	9.4	<0.2	<10	310	0.36	0.24	2.23	0.73	17.00	7.5	17
CC141577		0.28	0.001	0.35	1.19	10.7	<0.2	<10	220	0.46	0.33	4.70	1.38	27.6	9.5	21
CC141578		0.22	0.001	0.29	1.29	11.8	<0.2	<10	240	0.48	0.35	3.13	1.17	30.0	11.2	23
CC141579		0.24	<0.001	0.10	1.73	9.9	<0.2	<10	230	0.58	0.30	0.28	0.22	29.7	9.6	28
CC141580		0.20	0.001	0.04	1.84	6.4	<0.2	<10	310	0.41	0.28	0.28	0.29	26.7	8.7	26
CC141581		0.26	0.001	0.15	1.59	11.3	<0.2	<10	270	0.61	0.33	0.50	0.45	27.3	9.4	27
CC141582		0.24	0.001	0.24	1.27	12.8	<0.2	<10	290	0.46	0.33	3.56	0.55	25.2	9.2	20
CC141583		0.40	0.001	0.33	0.80	11.7	<0.2	<10	180	0.31	0.46	9.50	1.35	20.5	7.7	15
CC141584		0.26	0.001	0.29	1.02	9.5	<0.2	<10	210	0.38	0.34	5.62	1.04	23.1	9.8	19
CC141585		0.40	0.002	0.22	0.83	14.8	<0.2	<10	230	0.33	0.24	6.55	1.45	21.0	8.5	18
CC141586		0.24	0.001	0.31	1.16	7.7	<0.2	<10	340	0.49	0.33	4.29	1.20	25.4	9.9	23
CC141587		0.34	0.001	0.28	1.09	9.1	<0.2	<10	280	0.42	0.30	4.91	2.48	23.5	10.4	26
CC141588		0.28	0.001	0.14	0.53	8.1	<0.2	<10	210	0.24	0.16	7.96	0.80	16.65	6.6	13
CC141589		0.32	0.001	0.12	0.54	7.5	<0.2	<10	130	0.24	0.16	7.83	0.76	16.95	5.7	13
CC141590		0.32	<0.001	0.27	1.29	12.4	<0.2	<10	330	0.59	0.34	8.48	0.84	27.8	11.8	23
CC141591		0.34	0.002	0.21	0.87	9.7	<0.2	<10	320	0.44	0.24	8.70	0.82	21.0	8.7	19
CC141592		0.32	0.001	0.26	1.17	10.7	<0.2	<10	270	0.50	0.29	8.53	0.94	25.4	10.5	20

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 6- OCT- 2011
Account: RCM

Project: Rackla (OCELOT)

CERTIFICATE OF ANALYSIS WH11167592

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
CC141553		0.74	7.9	1.75	5.86	0.05	<0.02	0.03	0.026	0.03	9.3	7.9	0.19	127	1.32	0.01
CC141554		0.71	24.5	2.43	3.53	0.08	0.03	0.03	0.018	0.03	21.4	10.7	0.33	174	1.30	0.01
CC141555		0.97	21.3	2.80	4.47	0.08	0.05	0.07	0.032	0.05	19.6	14.5	0.82	551	0.98	0.01
CC141556		1.02	15.8	2.79	5.39	0.06	<0.02	0.03	0.032	0.04	10.6	10.3	0.28	370	1.43	0.01
CC141557		1.49	10.2	2.55	5.86	0.06	<0.02	0.03	0.027	0.04	9.9	10.6	0.27	369	1.32	0.01
CC141558		1.01	30.1	3.23	4.20	0.08	0.04	0.05	0.039	0.05	14.1	14.7	0.60	535	2.44	0.01
CC141559		1.33	33.2	3.02	3.67	0.08	0.06	0.05	0.032	0.06	13.8	13.0	1.27	497	1.62	0.01
CC141560		0.85	26.4	3.19	3.18	0.08	0.06	0.05	0.047	0.05	12.3	11.4	1.12	968	1.64	0.01
CC141561		0.63	28.8	4.46	1.23	0.12	0.03	0.11	0.031	0.06	27.6	2.5	0.11	683	1.02	0.01
CC141562		0.74	42.2	3.09	3.35	0.08	0.08	0.12	0.029	0.06	13.4	10.8	0.63	557	2.00	0.01
CC141563		0.53	30.8	2.43	2.83	0.06	0.08	0.11	0.025	0.06	10.0	9.3	0.48	510	1.74	0.01
CC141564		0.61	48.5	3.20	2.49	0.08	0.09	0.17	0.028	0.07	16.3	7.9	0.96	685	2.96	0.01
CC141565		0.55	40.5	3.18	3.53	0.09	0.10	0.12	0.031	0.06	21.6	10.7	0.69	713	2.03	0.01
CC141566		0.83	35.9	2.67	2.90	0.07	0.08	0.13	0.033	0.09	9.5	12.5	2.73	888	2.35	0.01
CC141567		0.39	15.0	1.51	1.63	<0.05	0.05	0.06	0.022	0.03	7.6	9.3	3.81	350	1.48	0.02
CC141568		0.57	28.2	1.55	3.22	0.05	0.03	0.12	0.041	0.04	10.8	14.3	0.61	138	0.70	0.01
CC141569		0.42	23.8	1.39	1.76	<0.05	0.07	0.09	0.025	0.03	9.1	10.1	3.96	368	2.18	0.01
CC141570		0.48	31.1	1.92	2.27	0.05	0.07	0.12	0.030	0.04	10.3	12.2	3.68	273	2.59	0.01
CC141571		0.69	40.2	2.39	2.94	0.06	0.07	0.12	0.033	0.07	10.3	14.8	2.30	460	2.08	0.02
CC141572		1.05	32.8	2.52	3.59	0.07	0.10	0.09	0.059	0.13	12.7	17.2	3.40	542	1.37	0.02
CC141573		1.04	33.5	2.52	3.88	0.06	0.08	0.07	0.047	0.13	10.3	17.7	4.33	467	1.26	0.02
CC141574		1.46	28.9	2.47	3.81	0.06	0.08	0.07	0.058	0.08	13.0	17.2	3.05	430	0.87	0.02
CC141575		0.64	23.8	2.20	3.47	0.05	0.05	0.05	0.057	0.06	9.2	13.0	0.63	274	0.83	0.02
CC141576		0.54	18.4	2.01	2.97	<0.05	0.05	0.06	0.055	0.06	8.6	12.6	0.70	506	0.87	0.01
CC141577		0.73	34.6	2.29	3.52	0.06	0.08	0.07	0.109	0.09	14.0	16.2	3.02	440	0.91	0.02
CC141578		0.74	31.7	2.73	3.83	0.06	0.08	0.08	0.076	0.11	15.0	17.6	2.07	602	1.07	0.02
CC141579		0.85	17.5	2.85	5.14	0.05	0.06	0.04	0.042	0.05	14.8	17.0	0.58	380	1.14	0.01
CC141580		0.72	10.9	2.64	5.95	0.05	0.04	0.02	0.032	0.03	12.8	16.9	0.55	505	0.90	0.01
CC141581		0.64	22.0	2.96	4.87	0.06	0.06	0.05	0.044	0.05	15.8	13.7	0.58	775	1.09	0.01
CC141582		0.59	23.9	2.72	3.75	0.06	0.06	0.06	0.077	0.08	13.2	15.6	2.09	561	1.53	0.01
CC141583		0.68	24.3	1.90	2.29	0.06	0.11	0.05	0.107	0.10	10.6	11.5	4.72	546	1.46	0.02
CC141584		1.37	23.1	2.35	3.00	0.06	0.07	0.07	0.053	0.10	11.9	15.0	3.36	683	1.12	0.02
CC141585		2.32	23.5	2.58	2.45	0.06	0.06	0.07	0.029	0.08	10.8	13.3	3.49	591	1.55	0.02
CC141586		0.84	33.0	2.45	3.31	0.05	0.09	0.10	0.038	0.09	12.8	20.1	2.77	418	0.97	0.02
CC141587		0.61	42.6	2.18	3.20	0.06	0.07	0.13	0.046	0.06	12.2	17.3	3.27	379	3.31	0.02
CC141588		0.40	22.0	1.75	1.56	0.05	0.07	0.06	0.023	0.03	8.7	9.0	4.02	383	2.95	0.02
CC141589		0.41	21.1	1.48	1.63	<0.05	0.07	0.06	0.022	0.03	8.8	9.5	3.96	443	2.73	0.02
CC141590		1.39	38.9	2.97	3.42	0.06	0.17	0.09	0.038	0.16	14.3	19.9	3.43	766	2.14	0.02
CC141591		0.95	27.2	2.24	2.31	0.05	0.09	0.07	0.029	0.10	10.8	13.9	3.76	602	2.45	0.02
CC141592		1.21	34.6	2.65	3.03	0.06	0.13	0.09	0.033	0.16	13.2	16.8	3.50	691	2.44	0.02

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 6- OCT- 2011
Account: RCM

Project: Rackla (OCELOT)

CERTIFICATE OF ANALYSIS WH11167592

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
CC141553		0.23	13.3	1780	19.8	5.8	<0.001	0.07	0.78	0.6	0.5	0.5	11.0	<0.01	0.03	<0.2
CC141554		0.66	21.8	990	13.4	6.7	<0.001	0.01	0.88	2.4	0.7	0.3	15.9	<0.01	0.03	1.5
CC141555		0.58	29.3	3990	31.0	9.7	<0.001	0.02	3.31	2.9	0.8	0.4	26.0	0.01	0.04	1.4
CC141556		0.34	18.4	1300	27.1	7.9	<0.001	0.03	4.74	0.7	0.7	0.5	9.7	<0.01	0.05	<0.2
CC141557		0.30	12.4	1310	17.0	11.4	<0.001	0.04	1.09	0.7	0.6	0.6	8.9	<0.01	0.04	0.2
CC141558		0.54	33.5	1610	33.0	9.8	<0.001	0.02	2.63	2.9	0.7	0.4	14.6	<0.01	0.04	1.3
CC141559		0.55	32.3	1190	26.2	10.6	<0.001	0.02	3.18	3.6	0.7	0.3	29.0	<0.01	0.04	2.2
CC141560		0.58	28.9	1380	31.4	10.4	<0.001	0.02	1.94	3.4	0.7	0.3	21.2	<0.01	0.04	1.8
CC141561		0.25	46.2	1340	43.7	4.1	<0.001	0.06	3.86	2.0	0.9	0.2	21.6	0.01	0.03	4.2
CC141562		0.65	34.3	1080	33.0	7.3	<0.001	0.05	2.74	2.7	1.2	0.3	20.7	0.01	0.05	1.6
CC141563		0.55	29.3	1630	38.3	7.7	<0.001	0.07	3.66	2.3	1.1	0.3	22.0	<0.01	0.04	1.2
CC141564		0.56	38.3	950	39.1	6.1	<0.001	0.02	3.81	3.2	1.1	0.2	20.2	0.01	0.05	3.5
CC141565		0.56	32.7	2250	31.4	7.0	<0.001	0.06	2.64	2.9	1.4	0.3	35.5	0.01	0.05	1.7
CC141566		0.53	32.7	770	26.8	8.5	0.002	0.06	1.72	2.9	2.4	0.3	77.6	<0.01	0.05	1.8
CC141567		0.46	19.7	600	16.3	3.2	0.001	0.02	1.07	1.9	0.9	0.2	62.0	<0.01	0.02	2.0
CC141568		0.52	29.5	650	25.3	5.7	0.001	0.04	1.15	2.7	2.5	0.3	33.4	<0.01	0.04	1.1
CC141569		0.43	24.0	610	18.9	3.0	<0.001	0.01	1.23	2.2	0.6	0.2	61.6	<0.01	0.02	2.7
CC141570		0.61	25.3	660	23.5	4.7	0.001	0.01	1.42	3.0	2.8	0.2	38.0	<0.01	0.02	2.9
CC141571		0.55	34.1	780	23.4	6.5	0.002	0.08	1.61	3.2	4.4	0.3	45.3	<0.01	0.04	2.3
CC141572		0.69	28.6	660	50.5	9.9	0.001	0.03	1.35	3.9	1.0	0.4	50.0	<0.01	0.03	3.6
CC141573		0.77	31.9	770	51.0	10.1	<0.001	0.04	1.54	4.2	0.8	0.3	60.6	<0.01	0.02	3.1
CC141574		0.71	26.0	690	49.0	9.9	<0.001	0.03	1.28	4.1	0.9	0.4	33.4	<0.01	0.03	3.0
CC141575		0.56	19.3	810	36.7	8.5	0.001	0.09	1.07	2.1	1.0	0.4	26.2	<0.01	0.04	0.8
CC141576		0.53	17.4	780	30.9	8.9	<0.001	0.08	0.93	2.0	1.0	0.3	28.7	<0.01	0.03	0.9
CC141577		0.65	24.6	620	67.2	8.5	<0.001	0.02	1.42	4.0	0.8	0.5	34.0	<0.01	0.03	3.8
CC141578		0.76	27.1	570	48.8	9.7	<0.001	0.02	1.29	4.1	0.8	0.4	28.2	<0.01	0.03	4.1
CC141579		0.82	22.8	130	29.8	9.6	<0.001	<0.01	0.70	3.9	0.5	0.6	10.1	<0.01	0.03	4.1
CC141580		0.95	17.8	140	22.5	7.5	<0.001	<0.01	0.45	3.5	0.4	0.6	9.4	<0.01	0.02	3.3
CC141581		0.89	23.5	240	25.6	8.6	<0.001	0.01	0.83	4.6	0.7	0.5	12.7	<0.01	0.04	3.3
CC141582		0.59	22.7	510	33.8	8.4	<0.001	0.02	1.14	3.5	0.7	0.4	32.8	<0.01	0.03	2.4
CC141583		0.46	19.1	570	64.1	7.4	<0.001	0.01	1.96	3.0	0.6	0.5	75.8	<0.01	0.02	3.1
CC141584		0.53	21.6	680	41.9	9.0	0.001	0.03	1.12	3.3	1.0	0.3	42.2	<0.01	0.03	2.9
CC141585		0.53	23.1	680	27.8	7.5	<0.001	0.02	1.09	2.9	1.0	0.2	63.0	<0.01	0.02	3.2
CC141586		0.61	27.8	680	38.3	8.3	0.001	0.03	1.17	3.9	1.6	0.3	38.1	<0.01	0.03	4.0
CC141587		0.72	43.4	720	34.9	6.1	0.001	0.03	2.27	3.9	3.1	0.3	40.2	<0.01	0.03	3.6
CC141588		0.53	21.9	630	18.3	3.0	0.001	0.01	1.30	2.4	0.7	0.2	73.0	<0.01	0.02	2.5
CC141589		0.53	19.1	610	17.7	3.1	<0.001	0.01	1.22	2.4	0.5	0.2	72.2	<0.01	0.02	2.5
CC141590		0.33	29.0	630	35.2	9.9	0.002	0.02	1.36	4.6	0.8	0.3	97.7	<0.01	0.03	4.6
CC141591		0.35	23.5	640	24.8	6.4	0.001	0.02	1.25	3.4	0.6	0.3	94.3	<0.01	0.02	3.3
CC141592		0.36	26.9	630	31.8	9.1	0.001	0.01	1.38	4.1	0.7	0.4	91.7	<0.01	0.03	4.1

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 6- OCT- 2011
Account: RCM

Project: Rackla (OCELOT)

CERTIFICATE OF ANALYSIS WH11167592

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
CC141553		0.007	0.19	2.88	77	0.15	5.29	75	<0.5
CC141554		0.030	0.11	1.20	35	0.16	9.48	65	0.6
CC141555		0.023	0.16	3.98	53	0.35	18.50	107	1.0
CC141556		0.015	0.21	0.95	51	0.26	3.78	83	<0.5
CC141557		0.011	0.21	0.73	49	0.19	3.12	58	<0.5
CC141558		0.022	0.15	1.14	40	0.20	10.90	108	0.7
CC141559		0.028	0.14	0.70	35	0.17	9.83	103	1.5
CC141560		0.024	0.14	0.97	37	0.22	11.35	134	1.4
CC141561		0.011	0.32	0.71	13	0.08	12.95	123	<0.5
CC141562		0.020	0.14	1.87	33	0.15	11.05	110	2.1
CC141563		0.017	0.13	2.16	31	0.12	10.60	115	2.2
CC141564		0.019	0.12	1.00	28	0.15	12.55	105	2.9
CC141565		0.019	0.11	1.96	39	0.20	15.65	114	2.8
CC141566		0.012	0.14	1.47	33	0.17	8.77	167	2.6
CC141567		0.015	0.07	0.77	24	0.27	5.80	123	1.8
CC141568		0.015	0.09	3.23	42	0.43	8.82	132	0.9
CC141569		0.019	0.08	0.81	27	0.49	6.79	138	3.1
CC141570		0.022	0.09	0.71	32	0.62	8.29	161	3.1
CC141571		0.018	0.13	2.02	35	0.25	9.46	194	2.3
CC141572		0.025	0.17	0.88	40	0.29	9.44	189	3.5
CC141573		0.040	0.16	1.07	44	0.53	8.54	242	2.9
CC141574		0.028	0.12	0.76	43	0.75	10.05	233	2.4
CC141575		0.016	0.10	1.59	36	0.34	7.15	191	1.4
CC141576		0.015	0.10	1.02	32	0.27	6.14	203	1.4
CC141577		0.021	0.14	0.63	41	0.27	10.20	265	3.0
CC141578		0.024	0.13	0.61	45	0.31	9.90	203	3.0
CC141579		0.021	0.13	0.64	54	0.24	6.66	112	2.1
CC141580		0.023	0.13	0.44	59	0.23	3.20	99	1.6
CC141581		0.026	0.11	0.86	53	1.00	10.95	103	1.8
CC141582		0.020	0.13	0.85	43	0.28	9.72	157	1.6
CC141583		0.024	0.17	1.14	32	0.37	7.11	315	4.8
CC141584		0.020	0.14	0.73	37	0.25	8.48	208	2.3
CC141585		0.023	0.15	0.73	33	0.43	7.41	212	2.9
CC141586		0.017	0.12	0.94	41	0.38	9.53	176	3.4
CC141587		0.027	0.11	1.28	42	0.80	10.10	234	3.0
CC141588		0.021	0.08	0.73	26	0.33	6.82	115	3.2
CC141589		0.020	0.08	0.78	26	0.37	6.88	121	3.4
CC141590		0.021	0.17	1.04	44	0.14	9.27	163	7.9
CC141591		0.021	0.14	0.89	33	0.23	7.78	133	4.5
CC141592		0.023	0.19	0.88	41	0.17	8.77	156	6.1

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 6- OCT- 2011
Account: RCM

Project: Rackla (OCELOT)

CERTIFICATE OF ANALYSIS WH11167592

Sample Description	Method	WEI- 21	Au- TL43	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Recvd Wt.	Au	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
CC141593		0.20	0.002	0.30	1.13	11.6	<0.2	<10	240	0.50	0.31	5.44	1.41	17.25	10.1	21
CC141594		0.20	0.002	0.17	0.82	9.6	<0.2	<10	150	0.32	0.18	5.07	0.91	21.4	10.4	21
CC141595		0.26	0.002	0.21	0.91	10.1	<0.2	<10	170	0.37	0.21	4.71	0.78	20.1	9.5	23
CC141596		0.34	0.002	0.28	1.22	11.9	<0.2	<10	230	0.54	0.32	7.07	0.87	25.1	11.9	21
CC141597		0.26	0.003	0.33	1.43	14.4	<0.2	<10	280	0.65	0.39	3.50	0.73	28.5	13.3	26
CC141598		0.26	0.002	0.29	1.33	13.2	<0.2	<10	250	0.56	0.36	5.94	0.86	26.5	12.3	24
CC141599		0.26	0.002	0.25	1.30	13.5	<0.2	<10	300	0.57	0.32	4.72	0.71	23.5	11.7	23
CC141600		0.26	0.002	0.28	1.29	12.1	<0.2	<10	240	0.54	0.34	7.38	0.86	26.1	11.7	22
CC141601		0.30	0.002	0.30	1.56	14.1	<0.2	<10	280	0.65	0.40	4.86	0.74	30.1	13.6	27
CC141602		0.32	0.003	0.35	1.55	13.8	<0.2	<10	250	0.65	0.38	5.04	0.68	28.2	12.6	26
CC141603		0.30	0.003	0.33	1.56	14.4	<0.2	<10	270	0.52	0.40	5.11	0.81	29.6	11.2	26
CC141604		0.30	0.002	0.30	1.52	13.8	<0.2	<10	320	0.49	0.37	7.81	1.13	31.9	12.3	25
CC141605		0.24	0.002	0.34	1.52	14.9	<0.2	<10	280	0.53	0.38	5.09	1.04	29.3	12.5	26
CC141606		0.24	0.002	0.25	1.53	14.7	<0.2	<10	250	0.52	0.38	3.99	0.84	30.4	12.2	27
CC141607		0.24	0.002	0.29	1.44	13.1	<0.2	<10	410	0.54	0.35	3.25	0.85	27.6	10.7	26
CC141608		0.22	0.002	0.33	1.62	16.2	<0.2	<10	350	0.63	0.42	2.38	0.81	29.5	13.2	28
CC141609		0.24	0.003	0.34	1.61	15.0	<0.2	<10	310	0.57	0.42	4.12	0.81	31.1	12.7	27
CC141610		0.22	0.002	0.29	1.29	13.7	<0.2	<10	320	0.48	0.33	4.43	0.95	25.4	11.6	23
CC141611		0.34	0.001	0.04	1.83	6.1	<0.2	<10	200	0.47	0.26	0.31	0.22	26.3	8.1	26
CC141612		0.24	0.002	0.25	1.71	13.9	<0.2	<10	280	0.67	0.40	2.06	0.49	30.4	11.7	26
CC141613		0.20	0.002	0.14	2.01	13.2	<0.2	<10	300	0.82	0.41	0.72	0.54	34.4	12.5	30
CC141614		0.28	0.002	0.31	1.30	12.7	<0.2	<10	240	0.50	0.36	6.03	0.92	25.4	9.4	22
CC141615		0.24	0.002	0.32	1.53	17.2	<0.2	<10	260	0.58	0.39	3.10	0.91	29.8	11.7	27
CC141616		0.26	0.002	0.33	1.38	14.4	<0.2	<10	230	0.53	0.36	6.52	1.04	30.7	12.2	24
CC141617		0.26	0.002	0.27	1.48	13.4	<0.2	<10	290	0.48	0.38	7.18	0.91	29.2	11.8	25
CC141618		0.28	0.002	0.33	1.35	13.6	<0.2	<10	160	0.52	0.36	2.17	0.97	28.3	10.5	26
CC141619		0.20	0.002	0.25	0.95	9.0	<0.2	<10	260	0.33	0.26	8.02	1.09	21.9	9.2	18
CC141620		0.20	0.002	0.19	0.85	10.0	<0.2	<10	170	0.28	0.23	5.14	1.08	21.0	10.1	20
CC141621		0.22	0.003	0.17	0.87	8.9	<0.2	<10	130	0.27	0.20	4.44	0.86	22.9	8.9	22
CC141622		0.22	0.001	0.22	0.94	9.0	<0.2	<10	200	0.32	0.23	6.26	0.99	21.5	9.1	20
CC141623		0.22	0.002	0.20	0.89	10.3	<0.2	<10	180	0.28	0.22	5.81	1.14	22.4	9.8	21
CC141624		0.22	0.002	0.36	1.42	14.1	<0.2	<10	310	0.53	0.36	5.04	0.91	29.5	11.6	25
CC141625		0.32	0.002	0.27	1.25	12.5	<0.2	<10	180	0.42	0.29	7.39	0.96	26.0	10.0	20
CC141626		0.26	0.001	0.27	1.40	16.0	<0.2	<10	190	0.49	0.37	0.83	0.60	31.7	10.1	26
CC141627		0.24	0.001	0.28	1.11	12.4	<0.2	<10	210	0.38	0.29	7.57	1.10	24.0	9.7	18
CC141628		0.28	0.001	0.12	1.66	13.4	<0.2	<10	280	0.66	0.33	0.38	0.25	32.0	9.7	30
CC141629		0.22	0.001	0.07	1.59	9.6	<0.2	<10	190	0.51	0.34	0.20	0.15	36.5	8.9	27
CC141630		0.18	0.001	0.36	1.54	14.4	<0.2	<10	230	0.60	0.37	0.90	0.87	25.5	9.4	26
CC141631		0.30	0.002	0.20	1.42	11.9	<0.2	<10	310	0.42	0.31	0.58	0.40	31.3	11.1	26
CC141632		0.30	0.001	0.21	1.40	11.4	<0.2	<10	150	0.44	0.31	1.04	0.57	28.1	7.5	25

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 6- OCT- 2011
Account: RCM

Project: Rackla (OCELOT)

CERTIFICATE OF ANALYSIS WH11167592

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
CC141593		4.70	33.1	2.32	3.15	0.06	0.07	0.11	0.049	0.14	8.7	16.4	3.29	568	2.28	0.02
CC141594		0.48	24.9	2.24	2.41	0.06	0.05	0.06	0.024	0.04	11.2	11.7	3.28	820	1.69	0.02
CC141595		0.61	28.8	2.40	2.65	0.06	0.06	0.07	0.027	0.06	10.4	12.9	2.94	536	1.63	0.02
CC141596		1.03	37.8	2.77	3.28	0.06	0.08	0.09	0.035	0.14	12.9	16.4	3.33	771	1.90	0.02
CC141597		1.00	41.8	3.30	3.94	0.07	0.10	0.09	0.043	0.14	14.3	18.2	2.34	771	1.67	0.02
CC141598		1.09	40.2	3.00	3.53	0.06	0.08	0.10	0.038	0.13	13.5	17.3	2.78	749	1.85	0.02
CC141599		0.85	37.4	2.98	3.49	0.06	0.07	0.09	0.036	0.12	12.1	16.5	2.36	739	1.67	0.02
CC141600		1.16	37.9	2.79	3.40	0.06	0.08	0.08	0.051	0.14	13.2	17.0	3.33	704	1.63	0.02
CC141601		1.18	45.0	3.26	4.20	0.07	0.11	0.09	0.047	0.15	15.1	19.4	2.63	729	1.59	0.02
CC141602		1.11	45.3	3.20	4.13	0.07	0.10	0.08	0.047	0.15	14.3	18.7	2.64	732	1.75	0.02
CC141603		1.07	42.7	3.20	4.35	0.08	0.10	0.10	0.052	0.14	14.6	15.7	2.82	605	1.80	0.02
CC141604		1.33	41.2	3.21	4.05	0.09	0.10	0.09	0.039	0.15	15.9	15.2	3.29	880	2.47	0.02
CC141605		1.16	42.0	3.23	4.21	0.09	0.09	0.12	0.041	0.15	14.6	15.5	2.75	848	2.02	0.02
CC141606		1.00	38.9	3.27	4.34	0.08	0.08	0.08	0.044	0.13	15.1	15.9	2.54	774	1.89	0.02
CC141607		0.85	39.4	3.01	3.99	0.08	0.08	0.11	0.038	0.11	13.8	16.2	1.85	584	1.39	0.02
CC141608		1.03	44.7	3.37	4.64	0.09	0.10	0.11	0.045	0.14	14.7	18.1	1.55	789	1.70	0.01
CC141609		1.11	42.5	3.33	4.58	0.09	0.11	0.11	0.047	0.14	15.5	17.0	2.57	666	1.78	0.02
CC141610		0.86	34.0	2.90	3.66	0.08	0.08	0.11	0.040	0.11	12.6	13.6	2.53	847	1.48	0.01
CC141611		0.66	8.1	2.43	5.89	0.07	0.05	0.03	0.030	0.03	13.5	14.2	0.53	431	0.87	0.01
CC141612		0.84	35.0	3.32	5.05	0.09	0.09	0.10	0.046	0.11	15.8	16.4	1.43	593	1.85	0.01
CC141613		0.87	28.0	3.51	5.66	0.09	0.10	0.09	0.042	0.11	17.6	18.8	0.74	552	1.73	0.01
CC141614		1.79	39.2	2.57	3.77	0.08	0.09	0.11	0.038	0.14	13.0	14.6	2.97	514	1.44	0.02
CC141615		1.41	44.5	3.36	4.45	0.09	0.09	0.12	0.044	0.14	15.3	16.6	2.14	652	3.24	0.01
CC141616		1.32	40.6	3.01	3.96	0.09	0.08	0.12	0.039	0.15	15.4	15.0	3.13	822	2.41	0.02
CC141617		1.43	41.2	3.09	4.05	0.09	0.09	0.10	0.041	0.16	14.6	15.0	3.34	829	2.01	0.02
CC141618		3.55	31.4	3.02	3.98	0.09	0.07	0.13	0.044	0.10	15.0	15.6	1.56	557	1.75	0.01
CC141619		4.33	24.5	2.32	2.75	0.07	0.07	0.09	0.030	0.11	11.0	11.6	3.84	666	1.28	0.02
CC141620		0.84	31.6	2.37	2.62	0.08	0.06	0.08	0.026	0.07	10.4	11.2	3.11	847	2.18	0.01
CC141621		0.57	29.2	2.32	2.73	0.08	0.05	0.06	0.025	0.05	11.6	10.8	2.94	258	1.80	0.01
CC141622		2.31	27.8	2.34	2.76	0.08	0.06	0.08	0.028	0.08	10.8	11.2	3.50	577	1.64	0.02
CC141623		1.02	29.0	2.34	2.72	0.07	0.05	0.07	0.026	0.06	11.4	10.7	3.47	807	1.93	0.01
CC141624		1.28	38.4	3.08	3.98	0.08	0.08	0.13	0.039	0.15	15.0	15.2	2.93	723	2.15	0.02
CC141625		1.37	32.6	2.76	3.42	0.07	0.08	0.10	0.036	0.12	13.2	12.3	3.94	806	1.98	0.02
CC141626		2.80	14.5	3.18	4.10	0.08	0.06	0.09	0.039	0.08	15.2	17.4	0.75	859	2.17	0.01
CC141627		0.89	34.0	2.53	3.07	0.07	0.08	0.10	0.054	0.10	11.9	10.7	3.90	748	1.67	0.02
CC141628		0.67	30.0	3.28	4.82	0.09	0.09	0.06	0.038	0.08	18.5	15.5	0.70	374	1.52	0.01
CC141629		0.81	22.6	2.88	4.81	0.09	0.04	0.05	0.031	0.08	19.3	17.5	0.62	357	1.43	0.01
CC141630		0.78	42.7	3.28	4.28	0.09	0.07	0.15	0.038	0.09	15.0	15.6	0.70	541	2.51	0.01
CC141631		0.65	15.6	2.91	4.54	0.08	0.05	0.09	0.031	0.06	15.5	14.7	0.61	498	1.93	0.01
CC141632		0.86	22.3	2.63	4.30	0.08	0.05	0.12	0.039	0.05	15.8	14.6	0.93	302	3.91	0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 6- OCT- 2011
Account: RCM

Project: Rackla (OCELOT)

CERTIFICATE OF ANALYSIS WH11167592

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
CC141593		0.55	29.6	680	32.7	11.1	0.008	0.31	1.63	3.4	3.5	0.4	45.9	<0.01	0.04	2.3
CC141594		1.32	26.3	970	21.2	4.4	0.001	0.02	1.06	2.5	1.0	0.2	37.4	<0.01	0.03	2.3
CC141595		1.10	26.3	960	22.2	5.3	0.002	0.04	1.07	2.6	1.2	0.2	37.5	<0.01	0.03	2.1
CC141596		0.56	29.5	670	33.8	8.8	<0.001	0.02	1.30	4.1	0.7	0.3	69.3	<0.01	0.03	3.6
CC141597		0.59	34.1	740	39.3	10.1	<0.001	0.02	1.42	4.7	0.8	0.4	32.9	<0.01	0.04	3.7
CC141598		0.61	31.6	690	36.2	9.2	<0.001	0.01	1.50	4.3	0.7	0.3	61.5	<0.01	0.04	3.8
CC141599		0.50	29.4	620	34.4	8.6	<0.001	0.03	1.50	3.7	0.9	0.3	47.4	<0.01	0.04	2.4
CC141600		0.50	29.1	640	41.0	8.8	<0.001	0.01	1.34	4.2	0.6	0.4	72.7	<0.01	0.04	4.1
CC141601		0.60	34.0	690	39.5	11.1	<0.001	0.02	1.49	4.9	0.7	0.4	48.3	<0.01	0.04	4.4
CC141602		0.57	32.2	710	36.5	10.4	<0.001	0.01	1.44	4.6	0.6	0.4	48.7	<0.01	0.04	4.2
CC141603		0.64	31.9	770	38.3	11.6	<0.001	0.02	1.76	4.4	0.8	0.4	52.3	<0.01	0.05	4.1
CC141604		0.48	35.1	750	38.2	12.2	0.001	0.02	1.81	4.4	0.7	0.4	90.7	<0.01	0.04	4.7
CC141605		0.65	34.9	800	38.6	11.7	0.001	0.03	1.73	4.3	0.9	0.4	55.7	<0.01	0.04	3.5
CC141606		0.68	34.8	700	34.0	10.9	<0.001	0.02	1.59	4.4	0.8	0.4	40.4	<0.01	0.04	3.7
CC141607		0.72	30.8	860	31.3	10.1	0.002	0.05	1.63	3.9	1.8	0.4	40.1	<0.01	0.05	2.8
CC141608		0.67	36.2	690	42.6	11.6	0.001	0.05	1.78	4.3	1.7	0.4	31.2	<0.01	0.05	2.9
CC141609		0.67	35.1	740	40.4	12.5	<0.001	0.03	1.70	4.6	1.3	0.4	43.5	<0.01	0.04	3.8
CC141610		0.55	31.8	790	36.5	9.7	0.001	0.04	1.48	3.6	1.3	0.4	43.6	<0.01	0.05	2.4
CC141611		1.05	17.6	110	16.4	5.8	<0.001	0.01	0.45	3.8	0.3	0.7	8.6	<0.01	0.02	3.2
CC141612		0.67	33.8	530	36.9	12.9	<0.001	0.02	1.34	4.5	0.9	0.5	26.7	<0.01	0.05	3.6
CC141613		0.74	32.8	240	35.8	11.5	<0.001	0.02	1.22	4.9	0.9	0.6	15.3	<0.01	0.05	3.9
CC141614		0.62	28.2	730	33.3	13.5	0.001	0.05	1.50	4.0	1.0	0.4	76.4	<0.01	0.04	3.2
CC141615		0.56	38.1	710	35.5	12.0	<0.001	0.02	2.04	4.4	1.0	0.4	34.8	<0.01	0.05	3.1
CC141616		0.58	35.5	710	37.5	13.0	<0.001	0.02	1.74	4.4	0.8	0.4	74.6	<0.01	0.04	3.8
CC141617		0.54	32.0	690	37.8	13.1	<0.001	0.02	1.68	4.4	0.8	0.4	79.7	<0.01	0.04	4.0
CC141618		0.57	31.1	570	35.7	12.6	<0.001	0.03	1.32	4.1	1.0	0.4	32.2	<0.01	0.05	2.5
CC141619		0.54	23.2	710	31.3	12.2	0.001	0.04	1.09	3.1	1.3	0.3	91.5	<0.01	0.03	2.8
CC141620		1.07	33.1	930	22.1	8.0	0.001	0.07	1.35	2.4	1.5	0.2	52.4	<0.01	0.03	2.3
CC141621		1.31	28.6	1010	20.7	5.4	0.002	0.04	1.17	2.4	1.5	0.2	41.4	<0.01	0.03	2.4
CC141622		1.05	26.0	880	24.3	8.7	0.002	0.06	1.15	2.7	1.9	0.3	68.8	<0.01	0.03	2.3
CC141623		1.25	28.1	950	23.4	6.5	0.001	0.04	1.21	2.5	1.3	0.2	59.9	<0.01	0.03	2.2
CC141624		0.62	34.6	770	35.6	13.4	<0.001	0.02	1.67	4.3	0.8	0.4	49.4	<0.01	0.04	3.5
CC141625		0.49	29.3	750	31.4	11.3	<0.001	0.02	1.50	3.8	0.7	0.4	74.7	<0.01	0.04	3.7
CC141626		0.75	28.3	440	27.3	11.9	<0.001	0.03	1.14	3.8	0.8	0.4	17.8	<0.01	0.04	3.0
CC141627		0.51	28.0	740	38.5	9.0	<0.001	0.02	1.68	3.6	0.7	0.4	74.6	<0.01	0.03	3.2
CC141628		0.74	33.2	310	24.5	11.2	<0.001	0.01	1.16	4.8	0.8	0.5	13.7	0.01	0.04	3.8
CC141629		0.64	26.2	250	24.2	11.2	<0.001	0.01	0.91	3.8	0.5	0.5	10.0	<0.01	0.04	4.4
CC141630		0.56	33.6	790	26.9	10.1	<0.001	0.04	1.35	3.5	1.4	0.4	18.6	0.01	0.05	1.6
CC141631		0.97	23.6	800	17.4	8.2	<0.001	0.02	0.74	3.7	0.8	0.4	21.7	<0.01	0.04	2.9
CC141632		0.79	36.0	500	39.6	10.4	<0.001	0.02	1.44	4.3	0.9	0.5	14.7	<0.01	0.04	3.0

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 6- OCT- 2011
Account: RCM

Project: Rackla (OCELOT)

CERTIFICATE OF ANALYSIS WH11167592

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
CC141593		0.017	0.17	3.13	40	0.26	7.72	241	2.6
CC141594		0.040	0.07	0.68	34	0.25	7.15	119	1.9
CC141595		0.035	0.09	0.73	36	0.80	7.00	146	1.8
CC141596		0.021	0.17	0.74	42	0.19	9.33	153	3.1
CC141597		0.019	0.16	0.65	48	0.21	10.60	174	3.4
CC141598		0.021	0.16	0.71	44	0.21	9.41	166	3.4
CC141599		0.016	0.15	0.81	43	0.21	9.22	149	2.3
CC141600		0.021	0.19	0.73	44	0.19	8.97	170	4.0
CC141601		0.024	0.18	0.70	51	0.20	10.25	179	4.0
CC141602		0.025	0.17	0.68	51	0.20	9.72	172	3.6
CC141603		0.023	0.14	0.72	48	0.21	10.60	187	4.0
CC141604		0.028	0.17	0.86	47	0.23	10.45	183	5.1
CC141605		0.021	0.15	0.77	47	0.21	10.50	185	3.2
CC141606		0.026	0.15	0.60	50	0.24	10.05	171	2.8
CC141607		0.022	0.11	1.63	47	0.21	10.05	168	2.6
CC141608		0.020	0.14	1.13	51	0.18	10.40	194	3.3
CC141609		0.021	0.15	0.81	50	0.28	10.95	188	3.6
CC141610		0.016	0.12	0.88	42	0.17	9.90	175	2.5
CC141611		0.030	0.11	0.40	57	0.29	4.20	85	2.0
CC141612		0.016	0.13	1.02	53	0.20	10.35	129	3.0
CC141613		0.013	0.15	1.08	59	0.20	9.66	124	3.3
CC141614		0.018	0.14	1.17	41	0.40	10.50	156	3.1
CC141615		0.019	0.23	0.74	50	0.40	11.45	205	2.8
CC141616		0.020	0.17	0.75	44	0.21	10.75	173	3.0
CC141617		0.020	0.18	0.76	46	0.17	10.40	173	3.3
CC141618		0.018	0.47	1.21	47	0.33	11.75	231	2.0
CC141619		0.018	0.21	0.79	32	0.20	8.66	154	2.6
CC141620		0.029	0.09	0.91	32	0.23	7.58	141	2.4
CC141621		0.041	0.07	0.86	34	0.33	7.49	126	1.7
CC141622		0.032	0.17	0.90	34	0.18	8.13	160	2.0
CC141623		0.039	0.10	0.83	34	0.19	7.82	154	1.7
CC141624		0.021	0.16	0.66	46	0.25	10.75	187	2.9
CC141625		0.018	0.17	0.72	40	0.64	10.30	162	3.5
CC141626		0.026	0.13	0.81	47	0.85	7.80	165	1.5
CC141627		0.018	0.12	0.72	36	0.22	9.67	175	2.9
CC141628		0.025	0.10	0.59	54	0.24	12.00	116	2.4
CC141629		0.022	0.11	0.59	49	0.19	6.76	97	1.4
CC141630		0.018	0.10	1.79	46	0.22	12.70	167	1.8
CC141631		0.040	0.08	0.99	48	0.22	8.38	114	1.4
CC141632		0.024	0.14	0.97	49	0.37	11.70	177	1.3

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 6- OCT- 2011
Account: RCM

Project: Rackla (OCELOT)

CERTIFICATE OF ANALYSIS WH11167592

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg .02	Au- TL43 Au ppm 0.001	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1
CC141633		0.24	0.002	0.27	1.73	15.9	<0.2	<10	280	0.67	0.40	2.68	1.48	29.0	11.3	27
CC141634		0.20	0.002	0.41	1.69	16.0	<0.2	<10	280	0.70	0.43	1.06	1.04	32.1	13.8	28
CC141635		0.28	0.001	0.28	1.12	8.7	<0.2	<10	180	0.41	0.28	7.65	1.06	24.0	9.3	20
CC141636		0.22	0.001	0.19	0.91	9.4	<0.2	<10	170	0.30	0.20	4.85	1.01	23.4	9.3	24
CC141637		0.20	0.001	0.22	0.86	10.2	<0.2	<10	190	0.29	0.21	5.46	1.24	21.7	10.0	21
CC141638		0.20	0.002	0.20	0.90	9.9	<0.2	<10	150	0.27	0.21	5.34	0.93	22.5	9.1	21
CC141639		0.34	0.003	0.21	1.00	10.7	<0.2	<10	150	0.44	0.28	7.18	0.86	20.4	9.5	17
CC141640		0.26	0.002	0.31	1.37	12.7	<0.2	<10	400	0.67	0.36	2.71	1.41	26.9	12.1	24
CC141641		0.26	0.002	0.36	1.70	16.7	<0.2	<10	260	0.80	0.45	1.11	1.17	34.2	14.9	30
CC141642		0.32	0.003	0.30	1.77	14.8	<0.2	<10	260	0.72	0.43	1.62	1.64	33.2	15.0	33
CC141643		0.32	0.001	0.23	1.38	16.9	<0.2	<10	230	0.66	0.32	0.89	3.84	26.1	11.8	27
CC141644		0.26	0.004	0.34	1.31	219	<0.2	<10	230	0.47	0.31	1.47	37.1	24.1	9.5	23
CC141645		0.26	0.002	0.37	1.31	99.2	<0.2	<10	240	0.46	0.32	0.85	36.0	26.9	9.5	24
CC141646		0.24	0.002	0.38	1.57	21.6	<0.2	<10	270	0.80	0.43	1.21	3.74	33.2	13.0	28
CC141647		0.30	0.002	0.32	1.50	14.1	<0.2	<10	230	0.70	0.37	3.10	1.15	26.1	11.2	26
CC141648		0.38	0.002	0.04	1.78	9.7	<0.2	<10	190	0.55	0.39	0.21	0.35	26.6	8.9	27
CC141649		0.26	0.002	0.34	1.45	13.5	<0.2	<10	240	0.65	0.37	2.99	0.88	26.5	12.5	25
CC141650		0.34	0.002	0.26	1.12	10.4	<0.2	<10	200	0.44	0.26	7.95	0.77	24.7	8.7	18
CC141651		0.28	0.002	0.32	1.41	13.6	<0.2	<10	250	0.70	0.38	4.11	0.89	27.5	13.0	24
CC141652		0.34	0.002	0.33	1.53	13.4	<0.2	<10	250	0.67	0.39	5.66	0.76	29.7	12.2	25
CC141653		0.26	0.002	0.29	1.42	13.1	<0.2	<10	280	0.66	0.36	3.46	0.91	25.5	13.3	24
CC141654		0.28	0.002	0.32	1.31	12.7	<0.2	<10	200	0.58	0.35	5.91	0.89	28.6	13.6	22
CC141655		0.34	0.002	0.23	1.02	10.6	<0.2	<10	180	0.47	0.26	8.53	0.72	24.7	9.8	17
CC141656		0.30	0.002	0.30	1.46	13.2	<0.2	<10	330	0.65	0.37	5.57	0.73	29.0	12.9	23
CC141657		0.30	0.002	0.24	1.33	12.7	<0.2	<10	220	0.59	0.33	5.76	0.72	27.3	12.2	21
CC141658		0.26	0.002	0.21	1.55	15.4	<0.2	<10	170	0.69	0.42	3.54	0.58	32.0	14.2	23
CC141659		0.36	0.001	0.10	1.42	9.0	<0.2	<10	170	0.48	0.26	6.75	0.27	25.4	9.0	20
CC141660		0.44	0.001	0.20	1.09	9.7	<0.2	<10	160	0.41	0.26	8.32	0.89	25.5	10.0	16
CC141661		0.26	0.001	0.23	1.42	12.2	<0.2	<10	300	0.59	0.39	1.19	0.59	32.9	14.1	27
CC141662		0.34	0.001	0.29	1.43	13.0	<0.2	<10	220	0.57	0.38	6.61	0.84	31.6	13.2	22
CC141663		0.34	0.003	0.31	1.64	14.8	<0.2	<10	230	0.66	0.45	5.12	0.78	34.6	15.1	26
CC141664		0.32	0.002	0.31	1.39	12.0	<0.2	<10	270	0.59	0.38	3.79	1.09	29.3	12.8	22
CC141665		0.30	0.003	0.34	1.65	15.4	<0.2	<10	250	0.72	0.45	2.63	0.94	35.9	15.3	28
CC141666		0.32	0.003	0.33	1.62	15.7	<0.2	<10	250	0.78	0.49	0.98	0.91	35.7	16.3	29
CC141667		0.34	0.003	0.29	1.50	13.4	<0.2	<10	200	0.57	0.42	3.59	0.59	31.4	13.4	25
CC141668		0.36	0.003	0.24	1.20	11.1	<0.2	<10	120	0.46	0.36	4.29	0.53	27.6	10.6	19
CC141669		0.36	0.003	0.18	1.13	9.7	<0.2	<10	130	0.41	0.34	5.27	0.59	27.1	10.1	18
CC141670		0.34	0.002	0.22	1.48	13.9	<0.2	<10	210	0.67	0.44	1.73	0.54	34.0	12.0	23
CC141671		0.38	0.002	0.25	1.24	11.1	<0.2	<10	180	0.51	0.36	3.60	0.95	27.2	11.6	21
CC141672		0.32	0.002	0.24	1.24	11.1	<0.2	<10	140	0.50	0.36	5.03	0.67	30.6	10.4	20

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 6- OCT- 2011
Account: RCM

Project: Rackla (OCELOT)

CERTIFICATE OF ANALYSIS WH11167592

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
CC141633		1.12	40.5	3.61	4.62	0.09	0.09	0.12	0.050	0.13	15.7	16.0	1.58	783	2.32	0.01
CC141634		1.01	40.2	3.63	4.82	0.09	0.09	0.11	0.048	0.12	15.9	17.0	0.86	1010	1.95	0.01
CC141635		4.55	31.5	2.37	3.24	0.08	0.08	0.10	0.035	0.13	11.9	13.8	3.62	487	1.21	0.02
CC141636		0.69	27.7	2.40	2.81	0.07	0.05	0.06	0.024	0.06	11.9	11.2	3.08	518	1.57	0.02
CC141637		0.61	30.8	2.33	2.63	0.07	0.05	0.07	0.028	0.06	10.8	10.4	3.30	781	2.31	0.02
CC141638		1.65	26.9	2.36	2.80	0.08	0.05	0.06	0.027	0.07	11.3	11.7	3.40	597	1.63	0.02
CC141639		9.27	28.3	2.42	2.76	0.07	0.08	0.08	0.031	0.11	10.1	13.0	3.68	666	1.41	0.02
CC141640		0.88	43.1	2.96	3.87	0.08	0.08	0.11	0.036	0.13	13.4	17.5	1.78	386	1.78	0.01
CC141641		1.05	48.6	3.68	4.95	0.10	0.12	0.10	0.044	0.15	16.8	20.2	1.12	424	1.44	0.01
CC141642		1.00	49.5	3.87	5.10	0.10	0.13	0.09	0.046	0.15	16.7	19.0	1.53	747	2.00	0.01
CC141643		0.80	42.2	3.32	4.12	0.09	0.08	0.09	0.043	0.10	13.7	15.9	0.70	634	2.10	0.01
CC141644		3.78	33.1	10.00	3.50	0.16	0.08	0.11	0.105	0.11	12.4	12.9	1.10	575	2.56	0.01
CC141645		2.94	37.1	9.86	3.59	0.17	0.09	0.09	0.079	0.11	13.6	12.8	0.70	289	2.62	0.01
CC141646		1.04	47.4	3.09	4.71	0.09	0.10	0.12	0.051	0.13	16.3	19.6	1.10	273	1.14	0.01
CC141647		1.00	42.3	3.16	4.44	0.10	0.10	0.10	0.040	0.15	13.0	18.3	2.16	376	1.42	0.01
CC141648		0.68	14.6	3.11	5.73	0.08	0.03	0.03	0.033	0.04	12.9	16.9	0.45	346	1.50	<0.01
CC141649		0.92	42.4	3.16	4.16	0.09	0.09	0.10	0.038	0.13	13.3	17.1	2.00	722	1.39	0.01
CC141650		1.10	29.9	2.48	3.16	0.07	0.07	0.08	0.032	0.12	12.3	13.7	3.61	615	1.45	0.02
CC141651		0.96	43.1	3.10	4.01	0.08	0.10	0.10	0.036	0.12	13.7	16.9	2.68	691	1.49	0.01
CC141652		1.12	43.4	3.19	4.36	0.09	0.10	0.10	0.038	0.15	15.0	17.6	3.00	639	1.66	0.02
CC141653		0.86	41.3	3.07	4.00	0.08	0.08	0.12	0.035	0.12	12.7	16.2	2.15	1180	1.62	0.01
CC141654		1.08	39.2	2.89	3.82	0.08	0.09	0.10	0.035	0.14	14.1	15.7	3.15	922	1.83	0.01
CC141655		1.02	30.3	2.39	2.92	0.07	0.08	0.07	0.032	0.11	12.4	12.4	3.69	687	1.55	0.02
CC141656		1.02	42.4	3.05	4.23	0.08	0.09	0.10	0.037	0.12	14.6	17.5	2.71	774	1.47	0.01
CC141657		0.94	37.1	2.83	3.83	0.08	0.07	0.08	0.035	0.11	13.7	15.0	2.48	737	1.65	0.01
CC141658		0.93	42.7	3.27	4.58	0.09	0.10	0.10	0.040	0.11	16.2	17.3	2.46	862	2.04	0.01
CC141659		0.57	21.1	2.50	4.12	0.07	0.06	0.04	0.029	0.06	13.1	11.3	1.19	456	1.15	0.01
CC141660		0.80	35.1	2.33	3.16	0.07	0.11	0.07	0.030	0.12	12.9	11.5	3.67	741	2.06	0.02
CC141661		0.81	40.1	3.12	4.50	0.09	0.07	0.08	0.036	0.11	16.5	18.7	0.75	619	1.15	0.01
CC141662		1.07	45.5	2.96	4.29	0.08	0.09	0.09	0.037	0.13	15.8	15.9	3.04	866	1.92	0.01
CC141663		1.17	50.3	3.35	4.87	0.09	0.09	0.09	0.042	0.15	17.3	18.2	2.68	950	1.87	0.02
CC141664		0.78	46.8	2.88	4.01	0.08	0.08	0.10	0.035	0.10	15.1	15.0	2.52	954	1.47	0.01
CC141665		1.10	52.2	3.54	5.05	0.10	0.10	0.09	0.048	0.13	18.1	19.0	1.93	1040	1.75	0.01
CC141666		0.90	49.2	3.44	5.05	0.10	0.12	0.10	0.042	0.12	17.8	20.0	1.01	655	1.53	0.01
CC141667		0.94	44.8	3.24	4.34	0.09	0.09	0.08	0.039	0.11	15.8	16.7	2.25	748	1.43	0.01
CC141668		0.63	34.4	2.70	3.51	0.08	0.08	0.07	0.035	0.09	14.2	12.6	2.95	677	1.56	0.01
CC141669		0.67	33.9	2.50	3.30	0.08	0.07	0.06	0.030	0.09	13.5	12.2	3.23	742	1.51	0.01
CC141670		0.74	36.6	3.41	4.26	0.09	0.07	0.07	0.042	0.10	17.1	16.6	1.44	880	2.07	0.01
CC141671		0.73	34.6	2.80	3.61	0.08	0.06	0.07	0.035	0.10	13.8	13.4	2.34	937	1.78	0.01
CC141672		0.81	36.0	2.77	3.67	0.08	0.08	0.06	0.034	0.12	15.4	13.8	3.17	850	1.82	0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 6- OCT- 2011
Account: RCM

Project: Rackla (OCELOT)

CERTIFICATE OF ANALYSIS WH11167592

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
CC141633		0.51	37.3	590	36.7	11.7	<0.001	0.03	1.75	4.5	1.2	0.5	33.7	0.01	0.05	2.4
CC141634		0.47	36.1	750	41.4	12.0	<0.001	0.03	1.68	4.1	1.0	0.5	22.3	<0.01	0.05	2.2
CC141635		0.69	26.8	700	31.1	14.5	0.001	0.05	1.18	3.5	1.4	0.3	96.3	<0.01	0.03	3.3
CC141636		1.60	27.9	1070	20.7	6.7	0.001	0.06	1.14	2.5	1.3	0.2	49.6	<0.01	0.03	2.4
CC141637		1.18	31.4	970	22.8	6.2	0.002	0.06	1.33	2.5	1.5	0.3	58.9	<0.01	0.04	2.1
CC141638		1.42	27.7	970	22.7	12.1	0.001	0.05	1.22	2.6	1.1	0.2	62.0	<0.01	0.03	2.4
CC141639		0.44	24.8	720	30.9	17.6	<0.001	0.03	1.19	3.2	0.8	0.3	97.7	<0.01	0.05	2.4
CC141640		0.53	37.0	810	34.3	11.0	0.002	0.04	1.53	4.2	1.8	0.4	45.8	<0.01	0.04	2.6
CC141641		0.61	40.9	810	43.3	14.1	0.001	0.03	1.56	5.5	1.2	0.4	20.5	<0.01	0.06	4.5
CC141642		1.03	44.0	930	35.2	12.9	<0.001	0.02	1.52	5.3	0.8	0.4	24.9	<0.01	0.05	4.3
CC141643		0.71	39.4	910	28.0	11.9	<0.001	0.03	1.30	3.8	1.2	0.4	22.6	<0.01	0.05	2.5
CC141644		0.57	32.4	800	44.9	14.7	0.002	0.05	2.77	3.5	1.7	0.4	28.5	<0.01	0.06	2.6
CC141645		0.66	32.9	850	43.0	14.3	0.002	0.06	2.34	3.8	1.9	0.4	22.9	<0.01	0.05	3.2
CC141646		0.72	38.6	760	45.4	13.5	0.001	0.04	1.58	5.5	1.3	0.4	21.9	<0.01	0.05	4.7
CC141647		0.56	32.3	770	33.5	12.0	0.001	0.05	1.40	4.6	1.1	0.4	30.6	<0.01	0.04	3.5
CC141648		1.34	20.0	170	18.2	8.0	<0.001	0.01	0.71	3.7	0.4	0.6	8.1	<0.01	0.03	3.1
CC141649		0.51	33.2	830	35.7	11.6	0.001	0.03	1.33	4.3	1.2	0.4	30.6	<0.01	0.05	2.7
CC141650		0.47	23.2	670	28.2	9.8	0.001	0.02	1.20	3.7	0.7	0.3	92.9	<0.01	0.03	3.4
CC141651		0.51	33.3	750	40.2	11.1	0.001	0.02	1.44	4.3	1.0	0.4	37.1	<0.01	0.04	3.1
CC141652		0.54	31.8	730	34.0	12.7	0.001	0.02	1.40	4.7	0.7	0.4	59.2	<0.01	0.04	4.0
CC141653		0.50	33.4	800	35.9	10.9	0.001	0.05	1.36	3.9	1.0	0.3	36.5	<0.01	0.05	2.6
CC141654		0.52	33.4	700	36.5	11.5	<0.001	0.01	1.42	4.2	0.7	0.3	61.4	<0.01	0.03	3.5
CC141655		0.47	25.0	670	28.4	8.8	0.001	0.01	1.23	3.6	0.6	0.3	95.6	<0.01	0.02	3.4
CC141656		0.52	31.8	670	35.6	11.6	<0.001	0.02	1.39	4.5	0.7	0.4	59.7	<0.01	0.04	3.4
CC141657		0.60	30.5	630	31.4	10.3	<0.001	0.01	1.27	4.1	0.8	0.4	68.7	<0.01	0.04	3.1
CC141658		0.56	36.7	620	39.6	11.6	<0.001	0.01	1.59	4.8	0.8	0.4	35.9	<0.01	0.05	4.3
CC141659		0.68	21.0	280	17.5	8.5	<0.001	0.01	0.68	3.8	0.7	0.4	70.3	<0.01	0.03	2.9
CC141660		0.46	27.4	630	24.0	9.5	<0.001	0.01	1.33	3.7	0.7	0.3	83.8	<0.01	0.03	3.5
CC141661		1.02	32.9	770	24.7	13.7	<0.001	0.04	1.11	4.5	1.2	0.4	31.0	<0.01	0.04	3.6
CC141662		0.51	32.1	660	35.2	11.9	<0.001	0.01	1.50	4.7	0.6	0.4	75.5	<0.01	0.04	4.6
CC141663		0.55	36.8	700	41.1	13.8	<0.001	0.01	1.58	5.0	0.7	0.4	57.3	<0.01	0.05	4.5
CC141664		0.50	33.2	790	31.6	10.9	<0.001	0.02	1.36	4.0	1.0	0.3	33.1	<0.01	0.04	2.4
CC141665		0.75	38.6	800	38.5	12.9	<0.001	0.01	1.56	5.3	0.8	0.4	32.3	<0.01	0.05	4.8
CC141666		0.75	38.2	740	43.3	12.7	<0.001	0.03	1.39	5.5	1.0	0.4	20.5	<0.01	0.04	5.1
CC141667		0.60	32.2	710	36.2	10.7	<0.001	0.02	1.38	4.6	0.7	0.3	37.9	<0.01	0.04	4.0
CC141668		0.58	26.2	770	25.2	8.2	<0.001	0.01	1.35	4.0	0.7	0.3	32.9	<0.01	0.03	3.5
CC141669		0.60	24.3	720	21.8	8.9	<0.001	0.01	1.22	3.6	0.7	0.3	43.5	<0.01	0.02	3.1
CC141670		0.49	30.0	440	32.6	10.5	<0.001	0.03	1.72	4.3	0.9	0.4	18.2	<0.01	0.05	2.7
CC141671		0.44	27.1	770	27.8	9.7	<0.001	0.03	1.39	3.3	0.9	0.3	31.6	<0.01	0.04	1.9
CC141672		0.55	27.1	690	26.9	9.9	<0.001	0.02	1.41	4.0	0.7	0.3	43.5	<0.01	0.03	3.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 6- OCT- 2011
Account: RCM

Project: Rackla (OCELOT)

CERTIFICATE OF ANALYSIS WH11167592

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
CC141633		0.013	0.15	0.78	53	0.22	13.40	215	2.4
CC141634		0.013	0.12	0.63	53	0.19	11.25	194	2.4
CC141635		0.021	0.30	0.90	36	0.20	9.18	173	3.2
CC141636		0.047	0.07	0.86	35	0.31	7.66	134	1.6
CC141637		0.036	0.08	0.98	33	0.25	7.96	156	1.7
CC141638		0.043	0.10	0.92	34	0.34	7.74	139	2.0
CC141639		0.016	0.15	0.66	32	0.55	8.60	152	2.6
CC141640		0.018	0.14	1.17	44	0.20	10.80	216	2.7
CC141641		0.019	0.16	0.77	54	0.20	12.45	297	4.3
CC141642		0.034	0.15	0.66	55	0.20	12.00	632	4.4
CC141643		0.020	0.13	1.70	48	0.37	10.55	1760	2.4
CC141644		0.017	0.58	3.56	42	0.19	9.11	7830	2.3
CC141645		0.019	0.62	2.74	42	0.20	9.52	8940	2.9
CC141646		0.020	0.20	1.02	52	0.20	12.35	1270	4.0
CC141647		0.017	0.16	0.89	46	0.17	10.20	295	3.5
CC141648		0.033	0.11	0.40	61	0.29	4.96	99	1.3
CC141649		0.017	0.14	0.79	45	0.14	10.80	220	3.0
CC141650		0.018	0.14	0.74	34	0.13	9.45	156	3.0
CC141651		0.017	0.15	0.71	45	0.15	11.15	197	3.1
CC141652		0.020	0.15	0.72	46	0.16	11.15	175	3.6
CC141653		0.016	0.13	0.81	45	0.14	10.25	176	2.8
CC141654		0.020	0.16	0.65	42	0.16	10.30	160	3.1
CC141655		0.020	0.13	0.75	34	0.14	9.23	129	3.3
CC141656		0.018	0.14	0.63	44	0.17	11.00	151	2.8
CC141657		0.020	0.14	0.75	41	0.17	10.55	136	2.4
CC141658		0.020	0.17	0.76	47	0.18	12.40	146	3.3
CC141659		0.022	0.10	0.42	41	0.18	10.90	70	1.6
CC141660		0.028	0.18	0.78	39	0.23	10.20	133	5.0
CC141661		0.035	0.11	1.21	46	0.16	11.15	124	2.4
CC141662		0.027	0.17	0.75	46	0.17	11.15	154	4.4
CC141663		0.024	0.17	0.69	50	0.19	11.95	166	3.3
CC141664		0.020	0.14	0.80	46	0.18	12.50	133	2.2
CC141665		0.031	0.16	0.59	52	0.23	12.25	173	3.8
CC141666		0.026	0.13	0.72	54	0.24	12.10	183	4.4
CC141667		0.025	0.14	0.56	48	0.18	10.95	158	3.0
CC141668		0.030	0.14	0.69	41	0.27	11.40	113	2.7
CC141669		0.030	0.16	0.67	39	0.16	10.10	114	2.4
CC141670		0.020	0.17	0.64	49	0.25	12.50	130	1.9
CC141671		0.020	0.14	0.70	41	0.18	10.30	148	1.7
CC141672		0.026	0.17	0.67	41	0.31	11.10	134	2.4

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 6- OCT- 2011
Account: RCM

Project: Rackla (OCELOT)

CERTIFICATE OF ANALYSIS WH11167592

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg .02	Au- TL43 Au ppm 0.001	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1
CC141673		0.30	0.001	0.19	1.34	11.3	<0.2	<10	160	0.50	0.34	3.46	0.52	27.0	11.3	22
CC141674		0.32	0.002	0.26	1.50	12.5	<0.2	<10	200	0.58	0.41	6.05	0.72	32.5	13.4	23
CC141675		0.30	0.003	0.25	1.60	13.5	<0.2	<10	220	0.70	0.45	2.88	0.58	29.8	13.4	27
CC141676		0.32	0.002	0.30	1.63	14.0	<0.2	<10	260	0.73	0.43	2.31	0.71	32.3	14.9	26
CC141677		0.36	0.002	0.17	1.02	11.2	<0.2	<10	170	0.51	0.33	6.89	0.43	27.4	12.5	15
CC141678		0.22	0.002	0.14	1.45	15.8	<0.2	<10	230	0.63	0.33	1.23	0.72	31.7	14.2	26
CC141679		0.30	0.002	0.17	1.57	15.1	<0.2	<10	180	0.63	0.34	1.64	0.45	34.6	13.6	29
CC141680		0.36	0.002	0.16	1.43	14.2	<0.2	<10	220	0.57	0.28	4.27	0.61	32.3	13.5	24
CC141681		0.24	0.001	0.10	1.65	10.3	<0.2	<10	240	0.58	0.26	1.23	0.30	31.3	15.3	37
CC141682		0.32	0.001	0.02	2.52	1.5	<0.2	<10	240	0.66	0.01	3.00	0.04	29.9	33.1	119
CC141683		0.34	0.001	0.08	3.01	<2	<0.2	<10	230	0.54	0.04	14.40	0.07	16.70	20.2	74
CC141684		0.32	0.002	0.06	0.94	9	<0.2	<10	100	0.30	0.17	15.05	0.41	22.9	9.1	14
CC141685		0.34	0.001	0.02	0.89	4	<0.2	<10	50	0.17	0.05	20.4	0.15	16.10	4.7	11
CC141686		0.38	0.002	0.14	1.77	9.7	<0.2	<10	280	0.58	0.20	4.77	0.56	26.7	16.2	49
CC141687		0.34	0.003	0.17	1.36	13.7	<0.2	<10	370	0.54	0.25	4.74	1.05	24.6	12.4	25
CC141688		0.36	0.002	0.19	1.39	14.3	<0.2	<10	270	0.61	0.26	8.09	0.93	30.0	13.0	23
CC141689		0.32	0.003	0.20	1.45	14.9	<0.2	<10	260	0.66	0.26	6.48	0.90	30.3	13.1	25
CC141690		0.32	0.002	0.18	1.52	15.7	<0.2	<10	250	0.70	0.30	7.47	0.98	32.7	14.4	25
CC141691		0.38	0.002	0.15	1.03	19	<0.2	<10	250	0.47	0.20	10.50	0.97	25.2	10.6	17
CC141692		0.42	0.002	0.14	1.22	13.2	<0.2	<10	290	0.56	0.21	8.64	0.88	26.1	11.9	20
CC141693		0.38	0.002	0.16	1.32	13.8	<0.2	<10	260	0.57	0.24	7.05	0.88	26.5	12.0	22
CC141694		0.34	0.001	0.21	1.56	17.1	<0.2	<10	290	0.74	0.31	3.42	1.09	31.5	14.4	27
CC141695		0.36	0.002	0.21	1.39	15.6	<0.2	<10	290	0.69	0.27	2.72	1.26	29.0	13.4	25
CC141696		0.28	0.002	0.19	1.19	14.4	<0.2	<10	230	0.62	0.25	4.05	1.26	28.8	14.5	23
CC141697		0.30	0.002	0.21	1.80	20.9	<0.2	<10	320	0.84	0.32	1.26	10.90	31.9	14.2	32
CC141698		0.22	0.002	0.16	1.40	35.4	<0.2	<10	240	0.60	0.26	1.62	13.35	26.1	10.9	25
CC141699		0.28	0.002	0.06	1.51	16.6	<0.2	<10	220	0.42	0.19	0.56	4.23	22.1	7.5	25
CC141700		0.34	0.003	0.14	1.44	14.2	<0.2	<10	320	0.63	0.22	0.68	0.53	37.9	12.3	29
CC141701		0.30	0.001	0.23	1.11	14.9	<0.2	<10	360	0.51	0.21	3.92	1.25	24.4	10.3	22
CC141702		0.20	0.001	0.16	1.20	16.9	<0.2	10	170	0.53	0.22	4.82	0.85	21.3	10.6	21
CC141703		0.22	0.001	0.18	1.43	16.6	<0.2	10	290	0.69	0.28	2.87	1.07	24.4	13.3	25
CC141704		0.36	0.001	0.12	0.89	14.5	<0.2	<10	140	0.35	0.15	4.97	0.99	26.4	11.6	22
CC141705		0.38	0.002	0.21	1.42	14.9	<0.2	<10	290	0.64	0.28	7.88	1.07	32.2	13.9	22
CC141706		0.30	0.003	0.23	1.40	15.9	<0.2	<10	320	0.67	0.31	4.27	1.11	29.9	14.1	24
CC141707		0.24	0.001	0.16	1.04	19.7	<0.2	20	190	0.50	0.21	4.86	1.10	14.60	11.2	19
CC141708		0.22	0.002	0.12	0.82	24.8	<0.2	20	130	0.42	0.26	5.72	1.13	9.49	9.5	16
CC141709		0.24	0.001	0.18	1.16	17.9	<0.2	10	180	0.62	0.26	4.15	1.13	24.8	11.0	22
CC141710		0.30	0.002	0.05	1.71	26.5	<0.2	<10	180	0.62	0.19	0.18	0.24	40.6	13.1	30
CC141711		Not Recvd														
CC141712		Not Recvd														

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 6- OCT- 2011
Account: RCM

Project: Rackla (OCELOT)

CERTIFICATE OF ANALYSIS WH11167592

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
CC141673		0.69	35.5	2.96	3.98	0.08	0.07	0.06	0.037	0.09	13.9	15.9	1.93	681	1.62	0.02
CC141674		1.08	48.8	3.09	4.36	0.09	0.10	0.08	0.042	0.14	16.5	16.5	2.83	880	1.75	0.02
CC141675		0.93	48.0	3.34	4.77	0.15	0.10	0.07	0.041	0.14	15.6	18.4	1.96	691	1.22	<0.01
CC141676		0.82	46.6	3.47	4.82	0.15	0.11	0.08	0.039	0.12	16.9	18.6	1.78	677	1.28	<0.01
CC141677		0.54	27.7	3.07	3.23	0.15	0.06	0.04	0.032	0.05	13.4	9.8	1.58	758	1.37	<0.01
CC141678		0.82	41.2	3.41	4.30	0.07	0.08	0.07	0.038	0.10	15.8	16.7	0.75	544	1.91	0.01
CC141679		1.02	42.3	3.57	4.57	0.08	0.09	0.07	0.044	0.16	17.5	18.3	1.47	735	1.84	0.01
CC141680		0.90	42.7	3.04	4.20	0.07	0.06	0.07	0.041	0.10	16.3	16.0	1.82	748	1.32	0.02
CC141681		0.60	23.9	3.32	4.85	0.07	0.04	0.04	0.033	0.09	15.3	17.7	1.00	675	1.06	0.01
CC141682		2.53	22.4	4.15	11.55	0.13	0.05	0.01	0.027	0.18	15.3	30.9	3.65	451	0.23	0.01
CC141683		1.95	30.7	3.33	9.39	0.12	0.04	<0.01	0.038	0.15	8.0	25.8	3.87	558	0.40	0.01
CC141684		0.33	20.2	2.21	2.21	0.05	0.05	0.03	0.022	0.08	11.4	7.0	2.00	479	1.34	0.01
CC141685		0.28	8.4	1.46	2.01	<0.05	0.03	<0.01	0.017	0.05	8.1	8.3	1.87	289	0.25	0.01
CC141686		0.88	47.0	3.10	5.39	0.08	0.05	0.05	0.037	0.10	13.7	19.3	3.02	577	1.29	0.02
CC141687		0.86	41.0	3.09	3.84	0.06	0.07	0.08	0.033	0.11	12.5	14.5	2.65	792	1.79	0.02
CC141688		1.35	43.6	2.98	3.87	0.06	0.09	0.09	0.037	0.16	15.1	16.5	3.22	851	1.79	0.02
CC141689		1.31	45.0	3.05	4.18	0.07	0.09	0.09	0.039	0.15	15.1	17.3	2.97	773	1.83	0.02
CC141690		1.42	49.0	3.17	4.38	0.07	0.09	0.08	0.041	0.17	16.5	19.4	3.10	850	2.06	0.02
CC141691		1.17	33.2	2.38	2.94	0.06	0.13	0.08	0.038	0.13	12.6	13.6	4.07	708	1.75	0.02
CC141692		1.22	37.2	2.70	3.32	0.06	0.06	0.07	0.036	0.15	12.8	14.8	3.38	762	1.80	0.02
CC141693		1.10	39.7	2.91	3.55	0.06	0.06	0.08	0.037	0.14	13.2	15.5	3.27	769	1.57	0.02
CC141694		1.13	48.9	3.44	4.48	0.07	0.08	0.09	0.042	0.14	15.9	18.6	2.17	860	1.91	0.02
CC141695		0.84	43.0	3.15	3.98	0.06	0.08	0.10	0.042	0.12	14.6	16.4	1.67	718	1.36	0.01
CC141696		0.87	41.9	2.91	3.48	0.07	0.06	0.08	0.036	0.10	14.7	14.4	2.60	1030	1.76	0.02
CC141697		1.36	58.2	4.38	5.34	0.08	0.09	0.11	0.266	0.18	16.0	19.8	0.95	434	2.31	0.01
CC141698		1.09	35.7	4.20	4.02	0.07	0.06	0.08	0.218	0.11	13.0	15.3	0.88	608	1.97	0.01
CC141699		1.07	12.6	3.22	5.04	0.05	0.02	0.02	0.035	0.05	11.4	19.3	0.48	301	1.74	0.01
CC141700		0.85	39.4	2.86	4.69	0.07	0.07	0.07	0.037	0.06	19.0	17.7	0.70	261	1.96	0.02
CC141701		0.85	39.4	2.73	3.24	0.06	0.05	0.12	0.035	0.08	12.6	12.7	2.18	696	2.16	0.02
CC141702		19.25	27.5	2.31	3.48	0.06	0.06	0.07	0.039	0.17	10.2	19.7	2.46	474	1.11	0.02
CC141703		21.0	39.4	3.41	4.25	0.07	0.09	0.08	0.046	0.17	12.3	20.3	1.26	1630	1.28	0.02
CC141704		1.19	30.6	2.60	2.82	0.08	0.04	0.05	0.026	0.07	13.4	13.0	3.29	606	1.89	0.02
CC141705		1.34	47.3	3.08	3.98	0.07	0.12	0.09	0.037	0.16	15.8	17.7	3.30	866	2.16	0.02
CC141706		1.17	47.1	3.21	4.12	0.07	0.08	0.10	0.045	0.15	15.0	19.1	2.65	864	2.04	0.02
CC141707		16.00	34.3	2.36	3.13	0.06	0.08	0.07	0.034	0.15	7.3	17.2	2.21	1070	1.16	0.03
CC141708		19.90	33.8	3.55	2.33	0.06	0.07	0.08	0.035	0.13	4.6	13.1	1.88	561	3.08	0.03
CC141709		24.4	35.7	3.24	3.43	0.07	0.08	0.09	0.041	0.16	12.4	18.9	2.46	916	0.88	0.02
CC141710		1.25	31.3	3.49	5.04	0.07	0.02	0.02	0.038	0.05	18.7	18.3	0.47	410	2.89	0.01
CC141711																
CC141712																

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 6- OCT- 2011
Account: RCM

Project: Rackla (OCELOT)

CERTIFICATE OF ANALYSIS WH11167592

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
CC141673		0.56	25.9	560	28.8	9.7	<0.001	0.03	1.23	3.9	0.8	0.3	36.5	<0.01	0.04	2.7
CC141674		0.49	32.1	650	36.2	12.1	<0.001	0.01	1.53	4.7	0.6	0.4	62.0	<0.01	0.04	4.8
CC141675		0.58	34.3	720	35.7	9.5	<0.001	0.02	1.65	5.0	1.3	0.3	28.6	<0.01	0.05	3.9
CC141676		0.60	35.3	760	39.6	9.0	0.001	0.03	1.49	5.3	1.1	0.4	25.9	<0.01	0.04	4.4
CC141677		0.44	31.9	390	19.2	6.4	<0.001	0.03	1.01	4.1	1.0	0.3	45.1	<0.01	0.03	3.4
CC141678		0.79	33.3	830	30.1	10.7	<0.001	0.09	1.36	4.4	1.1	0.4	25.3	<0.01	0.04	2.9
CC141679		0.76	35.4	700	29.2	12.8	<0.001	0.03	1.35	5.0	0.7	0.4	25.9	<0.01	0.04	4.2
CC141680		0.73	34.4	750	25.4	9.4	<0.001	0.03	1.32	4.2	0.7	0.4	44.7	<0.01	0.04	2.6
CC141681		1.05	45.3	480	19.3	11.4	<0.001	0.03	0.77	3.7	0.7	0.4	30.6	<0.01	0.03	1.9
CC141682		4.87	118.0	2270	2.8	12.0	<0.001	0.03	0.13	3.3	0.5	0.4	69.5	<0.01	0.01	1.4
CC141683		3.16	66.6	1200	4.1	8.3	<0.001	0.02	0.09	6.3	0.4	0.4	405	<0.01	0.01	1.6
CC141684		0.36	22.3	310	14.1	5.2	<0.001	0.03	0.78	2.5	0.7	0.2	125.0	<0.01	0.03	3.6
CC141685		0.23	11.7	240	5.2	5.9	<0.001	0.02	0.17	2.6	0.6	<0.2	247	<0.01	0.01	1.6
CC141686		1.33	53.2	800	18.6	9.9	<0.001	0.03	1.18	5.1	1.0	0.3	55.1	<0.01	0.03	2.0
CC141687		0.63	34.8	780	22.3	9.9	<0.001	0.07	1.47	3.7	1.5	0.4	43.1	<0.01	0.04	1.7
CC141688		0.55	33.3	680	31.2	10.7	<0.001	0.03	1.61	4.5	0.8	0.4	88.4	<0.01	0.05	3.6
CC141689		0.60	35.3	700	30.2	11.5	<0.001	0.03	1.58	4.7	0.9	0.4	75.8	<0.01	0.05	3.4
CC141690		0.55	37.8	680	35.4	11.7	<0.001	0.02	1.71	5.0	0.7	0.4	83.4	<0.01	0.04	4.0
CC141691		0.25	29.1	640	27.3	8.1	<0.001	0.02	1.49	4.0	0.7	0.3	115.5	<0.01	0.03	3.3
CC141692		0.37	32.2	630	28.4	9.3	<0.001	0.02	1.49	4.2	0.7	0.3	92.5	<0.01	0.04	3.1
CC141693		0.47	33.6	720	29.0	9.3	<0.001	0.02	1.47	4.1	0.8	0.3	70.9	<0.01	0.03	2.5
CC141694		0.57	41.4	760	34.0	11.3	<0.001	0.03	1.78	4.7	1.1	0.4	34.8	<0.01	0.05	2.6
CC141695		0.56	37.0	890	33.1	9.5	<0.001	0.05	1.59	4.1	1.2	0.4	31.4	<0.01	0.04	2.3
CC141696		0.56	37.5	790	37.4	9.2	<0.001	0.04	1.71	4.0	1.0	0.3	32.8	<0.01	0.04	2.4
CC141697		0.73	47.8	930	30.5	15.3	<0.001	0.07	1.99	5.1	1.5	0.5	34.4	<0.01	0.05	2.8
CC141698		0.69	35.4	780	31.6	11.3	<0.001	0.06	1.67	3.5	1.3	0.4	38.0	<0.01	0.04	1.8
CC141699		1.30	20.3	310	17.7	9.8	<0.001	0.02	0.73	2.9	0.5	0.6	21.2	<0.01	0.02	1.8
CC141700		1.18	38.7	750	17.7	8.9	<0.001	0.02	1.45	5.2	0.8	0.5	23.1	<0.01	0.04	3.7
CC141701		0.64	36.6	960	24.6	8.1	<0.001	0.05	1.85	3.2	1.3	0.3	36.8	<0.01	0.04	1.2
CC141702		0.49	28.5	740	27.9	31.5	0.001	0.24	1.21	3.6	1.2	0.3	152.5	<0.01	0.02	2.4
CC141703		0.51	38.5	770	32.8	36.5	<0.001	0.10	1.66	3.8	1.5	0.4	115.0	<0.01	0.06	1.8
CC141704		1.56	34.7	1010	19.2	7.6	<0.001	0.04	1.40	2.9	1.0	0.2	48.7	<0.01	0.04	2.3
CC141705		0.50	35.9	710	34.4	10.6	<0.001	0.02	1.90	4.9	0.8	0.4	92.9	<0.01	0.04	4.0
CC141706		0.55	37.9	850	36.4	11.4	<0.001	0.05	1.84	4.6	1.3	0.4	48.7	<0.01	0.05	2.3
CC141707		0.46	30.9	720	27.5	24.3	0.003	1.43	1.35	3.2	1.7	0.3	182.5	<0.01	0.03	1.9
CC141708		0.43	28.2	620	24.1	24.2	0.006	3.76	2.65	2.6	2.2	0.3	216	<0.01	0.05	1.6
CC141709		0.57	29.4	820	35.3	33.4	0.001	0.15	1.44	4.0	1.6	0.3	142.5	<0.01	0.05	2.5
CC141710		0.62	42.1	1010	23.8	9.4	<0.001	0.04	1.85	1.6	0.9	0.5	12.6	<0.01	0.05	0.5
CC141711																
CC141712																

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 6- OCT- 2011
Account: RCM

Project: Rackla (OCELOT)

CERTIFICATE OF ANALYSIS WH11167592

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
CC141673		0.025	0.13	0.71	47	0.49	9.64	134	1.8
CC141674		0.031	0.17	0.69	48	0.18	10.90	159	4.4
CC141675		0.025	0.13	0.65	50	0.17	10.15	176	3.1
CC141676		0.024	0.12	0.99	50	0.16	10.30	171	3.3
CC141677		0.016	0.13	0.48	32	0.17	11.50	81	1.7
CC141678		0.025	0.09	1.98	51	0.17	10.50	147	2.7
CC141679		0.035	0.11	0.58	55	0.16	11.05	161	3.2
CC141680		0.032	0.10	0.49	48	0.19	11.15	128	1.7
CC141681		0.041	0.07	0.55	49	0.21	9.56	91	1.1
CC141682		0.201	0.03	0.22	54	0.14	8.13	85	1.4
CC141683		0.177	0.02	0.11	61	0.08	6.13	55	1.3
CC141684		0.021	0.07	0.63	21	0.09	12.20	75	1.8
CC141685		0.018	0.02	0.14	12	<0.05	8.49	29	1.0
CC141686		0.066	0.10	0.64	54	0.15	10.65	108	1.5
CC141687		0.025	0.15	0.97	46	0.16	10.90	133	2.1
CC141688		0.022	0.12	0.70	44	0.13	10.30	157	3.9
CC141689		0.023	0.12	0.63	45	0.14	11.05	158	3.5
CC141690		0.024	0.13	0.69	47	0.16	10.90	171	4.1
CC141691		0.020	0.12	0.76	35	0.13	9.43	139	6.0
CC141692		0.019	0.11	0.65	39	0.13	9.52	145	3.1
CC141693		0.018	0.10	0.54	43	0.14	9.82	161	2.2
CC141694		0.019	0.12	0.59	51	0.18	11.15	200	2.5
CC141695		0.017	0.09	0.87	47	0.20	11.00	197	2.5
CC141696		0.021	0.09	0.70	44	0.18	10.95	177	2.2
CC141697		0.018	0.27	3.19	57	0.18	11.80	3710	2.9
CC141698		0.019	0.20	2.29	48	0.18	9.21	3610	1.8
CC141699		0.028	0.12	0.99	62	0.46	3.43	1650	0.8
CC141700		0.043	0.07	0.53	53	0.32	12.60	143	2.5
CC141701		0.022	0.09	1.16	43	0.22	11.10	191	1.6
CC141702		0.015	0.13	0.96	35	0.31	8.20	201	2.5
CC141703		0.014	0.17	0.99	44	0.21	9.95	252	2.6
CC141704		0.049	0.07	0.63	36	0.24	8.32	138	1.7
CC141705		0.024	0.12	0.67	46	0.12	10.85	172	5.7
CC141706		0.019	0.11	0.78	46	0.15	11.70	197	2.8
CC141707		0.014	0.19	2.06	34	0.29	7.91	274	2.8
CC141708		0.013	0.13	5.64	31	1.15	6.49	281	3.1
CC141709		0.018	0.13	0.61	41	1.47	9.83	236	2.9
CC141710		0.020	0.11	0.84	46	0.21	8.04	79	<0.5
CC141711									
CC141712									

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 6- OCT- 2011
Account: RCM

Project: Rackla (OCELOT)

CERTIFICATE OF ANALYSIS WH11167592

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg .02	Au- TL43 Au ppm 0.001	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1
CC141713		Not Recvd														
CC141714		Not Recvd														
CC141715		Not Recvd														
CC141716		Not Recvd														
CC141717		Not Recvd														
CC141718		Not Recvd														
CC141719		Not Recvd														
CC141720		Not Recvd														
CC141721		Not Recvd														
CC141722		Not Recvd														
CC141723		Not Recvd														
CC141724		Not Recvd														
CC141725		Not Recvd														
CC141726		Not Recvd														
CC141727		Not Recvd														
CC141728		Not Recvd														
CC141729		Not Recvd														
CC141730		Not Recvd														
CC141731		Not Recvd														
CC141732		Not Recvd														
CC141733		Not Recvd														
CC141734		Not Recvd														
CC141735		Not Recvd														
CC141736		Not Recvd														

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 6- OCT- 2011
Account: RCM

Project: Rackla (OCELOT)

CERTIFICATE OF ANALYSIS WH11167592

Sample Description	Method Analyte Units LOR	ME- MS41 Cs ppm 0.05	ME- MS41 Cu ppm 0.2	ME- MS41 Fe % 0.01	ME- MS41 Ga ppm 0.05	ME- MS41 Ge ppm 0.05	ME- MS41 Hf ppm 0.02	ME- MS41 Hg ppm 0.01	ME- MS41 In ppm 0.005	ME- MS41 K % 0.01	ME- MS41 La ppm 0.2	ME- MS41 Li ppm 0.1	ME- MS41 Mg % 0.01	ME- MS41 Mn ppm 5	ME- MS41 Mo ppm 0.05	ME- MS41 Na % 0.01
CC141713																
CC141714																
CC141715																
CC141716																
CC141717																
CC141718																
CC141719																
CC141720																
CC141721																
CC141722																
CC141723																
CC141724																
CC141725																
CC141726																
CC141727																
CC141728																
CC141729																
CC141730																
CC141731																
CC141732																
CC141733																
CC141734																
CC141735																
CC141736																

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 6- OCT- 2011
Account: RCM

Project: Rackla (OCELOT)

CERTIFICATE OF ANALYSIS WH11167592

Sample Description	Method Analyte Units LOR	ME- MS41 Nb ppm 0.05	ME- MS41 Ni ppm 0.2	ME- MS41 P ppm 10	ME- MS41 Pb ppm 0.2	ME- MS41 Rb ppm 0.1	ME- MS41 Re ppm 0.001	ME- MS41 S % 0.01	ME- MS41 Sb ppm 0.05	ME- MS41 Sc ppm 0.1	ME- MS41 Se ppm 0.2	ME- MS41 Sn ppm 0.2	ME- MS41 Sr ppm 0.2	ME- MS41 Ta ppm 0.01	ME- MS41 Te ppm 0.01	ME- MS41 Th ppm 0.2
CC141713																
CC141714																
CC141715																
CC141716																
CC141717																
CC141718																
CC141719																
CC141720																
CC141721																
CC141722																
CC141723																
CC141724																
CC141725																
CC141726																
CC141727																
CC141728																
CC141729																
CC141730																
CC141731																
CC141732																
CC141733																
CC141734																
CC141735																
CC141736																

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 6- OCT- 2011
Account: RCM

Project: Rackla (OCELOT)

CERTIFICATE OF ANALYSIS WH11167592

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
CC141713 CC141714 CC141715 CC141716 CC141717									
CC141718 CC141719 CC141720 CC141721 CC141722									
CC141723 CC141724 CC141725 CC141726 CC141727									
CC141728 CC141729 CC141730 CC141731 CC141732									
CC141733 CC141734 CC141735 CC141736									

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 6- OCT- 2011
Account: RCM

Project: Rackla (OCELOT)

CERTIFICATE OF ANALYSIS WH11167592

Method	CERTIFICATE COMMENTS
ME- MS41	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown.
ME- MS41	Gold determinations by this method are semi- quantitative due to the small sample weight used (0.5g).

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 16- OCT- 2011
Account: RCM

CERTIFICATE WH11167593

Project: Rackla (OCELOT)

P.O. No.:

This report is for 224 Soil samples submitted to our lab in Whitehorse, YT, Canada on 25- AUG- 2011.

The following have access to data associated with this certificate:

ROB CARNE JULIA LANE	ANDREW CARNE JOAN MARIACHER	MATT DUMALA

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
SCR- 41	Screen to - 180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- TL43	Trace Level Au - 25g AR	ICP- MS
ME- MS41	51 anal. aqua regia ICPMS	

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 16- OCT- 2011
Account: RCM

Project: Rackla (OCELOT)

CERTIFICATE OF ANALYSIS WH11167593

Sample Description	Method	Au- TL43	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Au	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
	LOR	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1	0.05
CC141737																
CC141738																
CC141739																
CC141740																
CC141741																
CC141742																
CC141743																
CC141751		0.002	0.26	1.12	19.1	<0.2	20	170	0.61	0.31	3.52	1.59	15.65	10.4	21	22.7
CC141752		0.003	0.27	1.12	14.2	<0.2	<10	250	0.52	0.31	3.53	1.32	22.7	11.1	22	8.00
CC141753		0.002	0.27	0.97	19.3	<0.2	<10	120	0.51	0.28	5.20	1.03	15.20	10.8	19	18.35
CC141754		0.004	0.10	0.40	2	<0.2	20	160	0.23	0.10	17.30	0.50	3.81	2.5	7	13.25
CC141755		0.001	0.18	0.82	11.0	<0.2	<10	160	0.34	0.20	5.64	0.74	22.0	9.0	22	1.11
CC141756		0.005	0.18	0.87	9.4	<0.2	<10	170	0.38	0.19	4.92	0.82	23.3	9.8	22	0.67
CC141757		0.002	0.17	0.83	11.2	<0.2	<10	160	0.30	0.18	4.79	0.71	24.6	9.6	21	0.53
CC141758		0.002	0.17	0.81	8.2	<0.2	<10	110	0.34	0.18	4.64	0.55	23.0	7.7	21	9.02
CC141759		0.002	0.23	1.02	11.4	<0.2	<10	200	0.49	0.25	3.93	0.90	20.5	10.5	23	9.41
CC141760		0.002	0.20	1.08	20.1	<0.2	<10	150	0.43	0.25	2.88	0.58	21.4	10.3	22	0.63
CC141761		0.002	0.29	1.00	20.2	<0.2	<10	190	0.45	0.51	1.14	0.75	20.0	9.3	20	0.58
CC141762		0.002	0.22	1.13	20.2	<0.2	<10	190	0.47	0.22	1.47	0.68	21.6	10.7	23	0.56
CC141763		0.002	0.21	1.03	26.0	<0.2	<10	190	0.49	0.27	1.18	0.46	22.2	11.4	19	0.55
CC141764		0.002	0.19	1.17	12.6	<0.2	<10	180	0.39	0.19	1.11	0.51	29.0	11.2	22	0.46
CC141765		0.002	0.23	1.19	14.1	<0.2	<10	170	0.49	0.19	2.98	0.53	26.8	10.5	22	0.46
CC141766		0.002	0.22	1.04	15.0	<0.2	<10	160	0.41	0.21	1.34	0.53	28.5	10.5	20	0.45
CC141767		0.002	0.23	1.33	13.9	<0.2	<10	200	0.57	0.20	1.28	0.48	47.3	13.1	24	0.51
CC141768		0.002	0.18	1.47	12.5	<0.2	<10	270	0.56	0.20	0.79	0.26	31.3	9.1	27	0.62
CC141769		0.003	0.18	1.20	11.0	<0.2	<10	210	0.47	0.17	0.88	0.33	27.3	7.7	22	0.56
CC141770		0.002	0.18	1.30	18.7	<0.2	<10	230	0.56	0.21	0.88	0.39	34.7	11.7	25	0.65
CC141815		0.003	0.29	1.33	13.9	<0.2	<10	310	0.63	0.31	8.53	0.99	27.7	11.8	22	1.08
CC141816		0.003	0.32	1.41	13.9	<0.2	<10	290	0.68	0.32	2.98	0.71	28.0	11.0	25	0.71
CC141817		0.002	0.28	1.32	14.1	<0.2	<10	220	0.66	0.31	5.30	0.74	28.7	11.7	24	0.80
CC141818		0.002	0.32	1.44	14.3	<0.2	<10	290	0.71	0.33	4.66	0.77	27.4	11.8	25	0.81
CC141819		0.002	0.26	1.40	13.8	<0.2	<10	300	0.76	0.32	2.60	0.64	29.9	10.8	25	0.72
CC141820		0.002	0.32	1.39	14.3	<0.2	<10	260	0.71	0.34	3.12	0.76	31.1	12.1	25	0.81
CC141821		0.002	0.26	1.29	11.9	<0.2	<10	320	0.51	0.30	3.23	0.83	27.3	10.4	24	0.66
CC141822		0.004	0.30	1.40	15.4	<0.2	<10	270	0.67	0.35	2.24	0.62	29.9	13.0	26	0.77
CC141823		0.002	0.27	1.51	15.1	<0.2	<10	370	0.75	0.35	1.10	0.60	29.8	14.7	28	0.78
CC141824		0.003	0.31	1.31	15.5	<0.2	<10	340	0.67	0.33	4.03	0.64	27.0	12.7	24	0.87
CC141825		0.002	0.25	1.30	13.2	<0.2	<10	270	0.72	0.32	2.12	0.98	23.7	12.2	25	0.69
CC141826		0.002	0.23	1.10	13.1	<0.2	<10	190	0.61	0.29	4.07	0.68	23.6	12.6	21	0.67
CC141827		0.003	0.28	1.20	12.6	<0.2	<10	250	0.66	0.30	5.91	0.71	22.7	10.4	22	0.88

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 16- OCT- 2011
Account: RCM

Project: Rackla (OCELOT)

CERTIFICATE OF ANALYSIS WH11167593

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm
	LOR	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01	0.05
CC141737																
CC141738																
CC141739																
CC141740																
CC141741																
CC141742																
CC141743																
CC141751		42.8	2.14	3.15	<0.05	0.09	0.09	0.042	0.16	8.0	16.6	1.74	314	1.43	0.02	0.39
CC141752		41.1	2.32	3.32	0.05	0.09	0.10	0.039	0.15	11.4	17.8	2.08	292	0.83	0.02	0.52
CC141753		33.0	2.54	2.80	<0.05	0.07	0.10	0.031	0.12	7.8	15.3	2.84	447	0.84	0.02	0.49
CC141754		12.7	0.71	1.06	<0.05	0.05	0.05	0.011	0.05	1.9	6.7	1.00	838	0.19	0.05	0.16
CC141755		28.9	2.40	2.51	0.05	0.04	0.05	0.022	0.06	11.9	12.0	3.25	680	1.56	0.01	1.30
CC141756		27.1	2.34	2.61	0.05	0.04	0.06	0.025	0.05	11.9	12.4	3.07	614	1.47	0.01	1.30
CC141757		27.5	2.37	2.66	0.05	0.04	0.06	0.023	0.04	12.4	12.3	3.08	534	1.62	0.01	1.29
CC141758		23.2	2.14	2.63	<0.05	0.05	0.04	0.025	0.07	11.9	14.0	2.92	236	0.78	0.01	1.49
CC141759		29.1	2.72	3.17	<0.05	0.05	0.08	0.031	0.09	10.4	16.4	2.14	1570	1.09	0.01	0.68
CC141760		34.4	2.58	2.89	<0.05	0.06	0.11	0.024	0.06	11.1	10.4	1.69	519	1.13	0.01	0.41
CC141761		29.2	2.39	2.80	<0.05	0.06	0.12	0.036	0.06	10.5	9.7	0.51	548	1.04	0.01	0.39
CC141762		30.6	2.67	3.16	<0.05	0.06	0.10	0.029	0.07	11.0	11.0	0.64	552	1.26	0.01	0.44
CC141763		37.7	3.05	2.72	<0.05	0.06	0.10	0.026	0.07	11.4	9.5	0.52	542	1.62	0.01	0.39
CC141764		26.2	2.88	3.25	<0.05	0.07	0.10	0.027	0.05	16.0	11.2	0.58	474	1.47	0.01	0.46
CC141765		29.3	2.94	3.21	<0.05	0.06	0.09	0.027	0.06	14.9	11.3	1.76	442	1.54	0.01	0.44
CC141766		26.2	2.71	2.89	<0.05	0.06	0.09	0.024	0.06	14.7	10.2	0.76	469	1.69	0.01	0.48
CC141767		35.4	3.34	3.75	0.06	0.07	0.09	0.028	0.07	25.8	12.5	0.87	604	1.49	0.01	0.47
CC141768		24.6	3.16	4.25	<0.05	0.05	0.06	0.026	0.06	18.1	13.2	0.58	405	1.31	0.01	0.56
CC141769		20.3	2.60	3.54	<0.05	0.04	0.22	0.026	0.05	16.2	11.3	0.49	376	1.17	0.01	0.55
CC141770		33.4	3.08	3.94	0.05	0.03	0.11	0.028	0.06	18.3	13.1	0.75	501	2.09	0.01	0.55
CC141815		39.4	2.93	3.66	<0.05	0.10	0.09	0.035	0.15	14.0	16.9	3.39	789	1.79	0.01	0.19
CC141816		35.9	3.19	3.89	<0.05	0.07	0.11	0.041	0.10	14.4	16.6	1.98	623	0.98	0.01	0.53
CC141817		36.2	3.02	3.68	0.05	0.07	0.08	0.034	0.12	14.0	15.9	3.01	742	1.22	0.01	0.51
CC141818		38.2	3.17	3.98	<0.05	0.08	0.09	0.037	0.15	13.8	16.7	2.54	722	1.44	0.01	0.48
CC141819		34.7	3.08	4.01	0.05	0.07	0.08	0.038	0.11	15.1	17.5	1.74	564	1.08	0.01	0.56
CC141820		39.5	3.10	4.22	0.05	0.08	0.10	0.042	0.12	15.4	18.1	2.04	634	1.25	0.01	0.56
CC141821		32.5	2.88	3.48	<0.05	0.07	0.09	0.033	0.10	13.9	15.1	2.01	607	0.89	0.01	0.57
CC141822		36.4	3.27	4.13	<0.05	0.07	0.10	0.038	0.11	15.0	17.3	1.41	760	1.11	0.01	0.55
CC141823		34.0	3.37	4.45	0.05	0.07	0.11	0.035	0.09	14.5	18.5	0.82	994	0.94	0.01	0.61
CC141824		38.6	3.10	3.80	<0.05	0.07	0.10	0.032	0.10	13.0	16.1	2.34	617	1.23	0.01	0.58
CC141825		34.1	2.91	3.72	<0.05	0.07	0.09	0.034	0.10	11.7	15.1	1.11	454	0.79	0.01	0.50
CC141826		27.8	2.84	3.19	<0.05	0.07	0.08	0.031	0.09	12.0	14.1	2.64	701	1.09	0.01	0.44
CC141827		34.2	2.72	3.42	<0.05	0.07	0.08	0.033	0.12	11.2	14.9	2.82	521	1.34	0.01	0.50

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 16- OCT- 2011
Account: RCM

Project: Rackla (OCELOT)

CERTIFICATE OF ANALYSIS WH11167593

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti
	Units	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
	LOR	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2	0.005
CC141737																
CC141738																
CC141739																
CC141740																
CC141741																
CC141742																
CC141743																
CC141751		35.0	790	39.5	25.4	0.006	0.72	1.67	3.2	2.6	0.3	152.0	<0.01	0.02	1.8	0.013
CC141752		32.4	680	39.1	19.6	0.006	0.36	1.31	3.9	2.4	0.3	113.0	<0.01	0.05	2.9	0.020
CC141753		31.0	660	34.4	30.4	0.002	1.56	1.10	3.5	1.4	0.3	108.5	<0.01	0.04	2.6	0.022
CC141754		10.8	640	10.6	10.0	0.001	0.63	1.40	0.9	0.9	0.5	935	<0.01	0.01	0.4	0.007
CC141755		30.0	1040	20.8	6.5	0.001	0.05	1.13	2.3	1.0	0.2	65.2	<0.01	0.03	2.2	0.047
CC141756		31.5	980	21.5	5.2	0.001	0.04	1.01	2.5	1.0	0.2	49.6	<0.01	0.04	2.2	0.046
CC141757		29.5	990	20.2	4.3	0.001	0.03	1.07	2.4	0.9	0.2	43.2	<0.01	0.04	2.4	0.046
CC141758		23.5	950	20.8	14.9	<0.001	0.07	0.87	2.5	0.6	0.2	72.7	<0.01	0.02	2.2	0.047
CC141759		32.1	950	27.6	15.8	0.001	0.10	1.03	2.8	1.1	0.3	145.5	<0.01	0.03	1.6	0.024
CC141760		30.5	1350	64.1	5.9	<0.001	0.05	3.61	2.3	0.8	0.4	23.6	<0.01	0.04	1.3	0.022
CC141761		26.2	1760	218	6.5	<0.001	0.05	7.66	2.1	0.5	0.5	18.2	<0.01	0.04	1.2	0.018
CC141762		30.1	1810	64.4	6.8	<0.001	0.07	3.44	2.4	0.7	0.3	21.1	<0.01	0.03	1.2	0.020
CC141763		30.6	960	37.0	5.8	<0.001	0.06	2.72	2.4	0.7	0.2	19.0	<0.01	0.04	1.5	0.018
CC141764		28.5	1730	33.8	6.5	<0.001	0.07	1.97	2.7	0.8	0.3	25.3	<0.01	0.03	1.5	0.021
CC141765		27.0	1720	31.2	5.9	<0.001	0.05	1.98	3.0	0.8	0.3	31.2	<0.01	0.03	1.6	0.021
CC141766		27.0	1560	37.6	5.4	<0.001	0.04	2.35	2.8	0.7	0.3	26.3	<0.01	0.03	2.0	0.022
CC141767		32.4	1870	39.0	6.0	<0.001	0.03	2.14	3.5	0.9	0.3	32.2	<0.01	0.03	2.6	0.024
CC141768		26.6	1660	26.5	9.0	<0.001	0.05	1.45	3.3	0.6	0.4	23.5	<0.01	0.03	1.6	0.022
CC141769		23.4	1410	21.5	8.6	<0.001	0.06	1.14	2.3	0.5	0.3	24.2	<0.01	0.03	1.3	0.019
CC141770		34.1	1510	47.0	6.7	<0.001	0.03	2.30	3.2	0.7	0.4	25.3	<0.01	0.03	1.8	0.029
CC141815		35.2	670	38.3	9.6	<0.001	0.02	1.32	4.4	0.5	0.3	91.6	<0.01	0.04	3.9	0.023
CC141816		34.0	850	34.8	8.4	<0.001	0.03	1.26	4.3	0.8	0.4	29.0	<0.01	0.03	3.1	0.019
CC141817		33.8	740	35.1	8.7	<0.001	0.02	1.21	4.3	0.6	0.3	48.5	<0.01	0.04	3.1	0.021
CC141818		35.3	750	36.6	9.7	<0.001	0.03	1.35	4.2	0.8	0.4	46.3	<0.01	0.03	3.0	0.017
CC141819		31.7	740	37.1	9.1	0.001	0.03	1.24	4.3	1.1	0.4	28.7	<0.01	0.03	3.0	0.019
CC141820		35.5	750	37.2	9.4	<0.001	0.03	1.33	4.5	0.9	0.4	32.4	<0.01	0.04	3.3	0.020
CC141821		28.7	770	31.6	8.3	<0.001	0.04	1.12	3.8	0.9	0.3	29.6	<0.01	0.03	2.7	0.022
CC141822		34.5	760	39.1	9.1	<0.001	0.04	1.23	4.3	0.8	0.4	31.2	<0.01	0.04	2.7	0.020
CC141823		33.6	670	39.9	8.9	<0.001	0.04	1.12	4.6	1.0	0.4	22.4	<0.01	0.03	2.6	0.018
CC141824		31.9	760	36.4	8.1	<0.001	0.03	1.38	4.4	0.9	0.3	40.0	<0.01	0.03	2.7	0.020
CC141825		29.6	830	39.8	8.1	<0.001	0.06	1.22	3.8	1.3	0.3	29.1	<0.01	0.03	2.0	0.016
CC141826		28.9	740	40.2	6.3	<0.001	0.02	1.11	3.7	0.8	0.3	30.2	<0.01	0.03	2.7	0.018
CC141827		28.7	700	35.2	7.5	<0.001	0.03	1.37	3.9	0.8	0.3	62.4	<0.01	0.04	2.8	0.018

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 16- OCT- 2011
Account: RCM

Project: Rackla (OCELOT)

CERTIFICATE OF ANALYSIS WH11167593

Sample Description	Method Analyte Units LOR	ME- MS41 Tl ppm 0.02	ME- MS41 U ppm 0.05	ME- MS41 V ppm 1	ME- MS41 W ppm 0.05	ME- MS41 Y ppm 0.05	ME- MS41 Zn ppm 2	ME- MS41 Zr ppm 0.5	WEI- 21 Recvd Wt. kg .02
CC141737									Not Recvd
CC141738									Not Recvd
CC141739									Not Recvd
CC141740									Not Recvd
CC141741									Not Recvd
CC141742									Not Recvd
CC141743									Not Recvd
CC141751		0.20	2.75	39	0.90	8.20	255	3.1	0.18
CC141752		0.14	1.30	40	0.55	9.16	195	3.4	0.22
CC141753		0.15	0.94	35	2.91	8.36	162	3.2	0.24
CC141754		0.16	1.05	10	2.24	2.50	70	1.8	0.18
CC141755		0.08	0.81	34	0.36	7.32	132	1.5	0.24
CC141756		0.08	0.79	34	0.31	6.76	137	1.4	0.28
CC141757		0.06	0.72	33	0.29	7.39	123	1.5	0.26
CC141758		0.08	0.59	33	1.18	6.99	127	1.7	0.22
CC141759		0.13	0.90	35	1.04	7.52	178	1.7	0.20
CC141760		0.12	1.39	30	0.14	9.99	122	1.7	0.26
CC141761		0.19	1.54	36	0.13	9.54	133	1.8	0.20
CC141762		0.14	1.62	34	0.15	9.69	129	1.9	0.20
CC141763		0.11	0.89	29	0.14	8.96	115	2.0	0.20
CC141764		0.10	1.41	36	0.13	11.45	131	1.8	0.22
CC141765		0.11	1.64	38	0.15	12.20	131	1.8	0.34
CC141766		0.11	1.21	33	0.16	11.05	111	2.0	0.34
CC141767		0.09	1.02	38	0.33	15.55	108	2.1	0.32
CC141768		0.10	0.99	43	0.19	12.75	89	1.4	0.22
CC141769		0.10	0.86	35	0.27	10.80	92	1.3	0.30
CC141770		0.12	1.13	44	0.22	11.80	101	0.9	0.32
CC141815		0.15	0.75	44	0.16	9.02	165	4.9	0.22
CC141816		0.11	0.70	47	0.44	10.25	168	2.3	0.22
CC141817		0.13	0.58	44	0.20	9.63	153	2.5	0.28
CC141818		0.14	0.73	46	0.20	9.71	160	2.8	0.24
CC141819		0.12	0.79	48	0.21	9.73	155	2.5	0.20
CC141820		0.12	0.63	46	0.19	10.10	161	2.8	0.18
CC141821		0.10	0.71	43	0.19	9.14	160	2.2	0.20
CC141822		0.12	0.59	47	0.22	10.25	166	2.4	0.26
CC141823		0.12	0.85	49	0.21	11.25	144	2.0	0.16
CC141824		0.13	0.67	44	0.24	10.90	150	2.2	0.22
CC141825		0.11	0.77	45	0.17	10.25	161	2.0	0.18
CC141826		0.11	0.60	40	0.14	9.44	145	2.1	0.24
CC141827		0.14	0.88	40	0.18	9.20	156	2.4	0.20

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 16- OCT- 2011
Account: RCM

Project: Rackla (OCELOT)

CERTIFICATE OF ANALYSIS WH11167593

Sample Description	Method	Au- TL43	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Au	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
	LOR	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1	0.05
CC141828		0.003	0.29	1.27	12.4	<0.2	<10	330	0.66	0.32	1.47	1.24	26.1	11.8	25	0.65
CC141829		0.002	0.29	1.25	14.1	<0.2	<10	240	0.63	0.33	6.85	0.81	26.6	12.6	22	1.09
CC141830		0.001	0.32	1.28	14.7	<0.2	<10	270	0.72	0.32	4.22	0.71	27.8	13.0	24	0.82
CC141831		0.002	0.27	1.15	13.4	<0.2	<10	280	0.60	0.26	3.25	0.86	26.8	11.3	23	0.67
CC141832		0.002	0.29	1.29	14.5	<0.2	<10	260	0.80	0.33	7.17	0.87	26.1	12.7	22	1.16
CC141833		0.002	0.29	1.19	13.5	<0.2	<10	310	0.59	0.29	6.16	0.87	25.3	12.3	22	0.89
CC141834		0.002	0.24	0.92	12.0	<0.2	<10	320	0.51	0.23	5.39	1.21	21.5	10.1	19	0.53
CC141835		0.003	0.27	1.08	7.7	<0.2	<10	280	0.48	0.26	3.55	1.23	23.7	9.3	22	0.50
CC141836		0.003	0.30	1.04	7.9	<0.2	<10	230	0.44	0.28	5.24	1.59	24.1	9.3	22	0.55
CC141837		0.002	0.23	1.05	14.7	<0.2	<10	280	0.51	0.27	4.97	1.26	20.7	11.1	20	0.60
CC141838		0.001	0.27	1.08	10.6	<0.2	<10	200	0.59	0.29	3.45	0.78	23.5	9.5	22	0.64
CC141839		0.002	0.25	1.06	10.6	<0.2	<10	240	0.53	0.23	2.73	0.61	20.1	10.7	23	0.65
CC141840		0.002	0.16	0.76	10.2	<0.2	<10	140	0.33	0.17	5.13	0.72	19.25	9.2	20	0.46
CC141841		0.001	0.11	1.05	10.0	<0.2	<10	110	0.49	0.20	4.03	0.59	18.20	8.0	18	0.35
CC141842		0.001	0.18	0.97	12.8	<0.2	<10	140	0.51	0.24	1.41	0.69	24.1	10.0	21	0.44
CC141843		0.001	0.18	0.81	12.1	<0.2	<10	200	0.41	0.21	8.04	0.99	20.6	8.9	16	0.61
CC141844		0.002	0.27	1.32	11.6	<0.2	<10	280	0.59	0.30	1.54	0.70	23.0	10.2	26	0.70
CC141845		0.001	0.23	1.01	11.4	<0.2	<10	220	0.54	0.24	4.06	0.94	22.2	10.2	21	0.54
CC141846		0.001	0.21	0.97	16.1	<0.2	<10	330	0.50	0.22	4.38	0.91	18.45	9.9	19	0.50
CC141847		0.002	0.33	1.60	14.7	<0.2	<10	580	0.67	0.35	3.78	1.17	25.4	14.3	41	0.72
CC141848		0.002	0.32	1.52	12.7	<0.2	<10	400	0.72	0.31	7.25	1.03	21.9	14.0	42	0.87
CC141849		0.002	0.40	1.52	16.2	<0.2	<10	540	0.79	0.33	3.33	0.88	24.1	13.8	38	0.68
CC141850		0.002	0.34	1.81	12.9	<0.2	<10	510	0.57	0.34	6.00	1.23	18.20	17.0	70	0.80
CC141851		0.002	0.25	1.72	12.4	<0.2	<10	450	0.63	0.29	7.43	0.74	18.65	16.1	66	0.85
CC141852		0.001	0.38	1.62	14.0	<0.2	<10	460	0.72	0.34	4.35	1.29	21.0	14.1	49	0.74
CC141853		0.001	0.50	1.58	13.7	<0.2	<10	570	0.71	0.35	2.41	0.60	26.3	13.5	40	0.64
CC141854		0.002	0.40	1.35	13.4	<0.2	<10	230	0.60	0.33	4.59	1.17	23.6	11.6	26	0.65
CC141855		0.002	0.31	1.26	11.0	<0.2	<10	280	0.59	0.32	5.14	0.99	25.4	10.7	20	0.80
CC141856		0.003	0.31	1.17	12.7	<0.2	<10	260	0.56	0.29	3.97	0.69	25.2	10.8	21	0.60
CC141857		0.004	0.36	0.57	16.9	<0.2	<10	120	0.44	0.25	8.44	0.51	17.10	12.1	10	0.63
CC141858		0.002	0.13	1.53	13.9	<0.2	<10	150	0.66	0.24	1.63	0.71	41.6	11.2	21	0.77
CC141859		0.002	0.41	0.90	10	<0.2	<10	80	0.40	0.13	10.35	0.39	17.20	5.8	14	0.41
CC141860		0.002	0.14	1.44	18.5	<0.2	<10	170	0.62	0.29	0.65	0.44	43.2	12.4	23	0.85
CC141861		0.003	0.13	1.94	17.3	<0.2	<10	220	0.74	0.27	1.49	1.14	28.9	10.3	28	1.11
CC141862		0.002	0.15	2.20	21.1	<0.2	<10	320	0.89	0.30	1.78	0.97	36.2	12.0	30	1.03
CC141863		0.002	0.22	2.05	14.9	<0.2	<10	220	0.81	0.27	2.98	0.63	32.1	9.6	28	0.99
CC141864		0.002	0.20	1.91	18.0	<0.2	<10	230	0.78	0.25	1.10	0.37	32.8	10.8	29	0.78
CC141865		0.002	0.26	1.73	13.4	<0.2	<10	190	0.62	0.25	1.00	0.43	27.5	9.4	27	0.81
CC141866		0.007	1.24	0.17	47.3	<0.2	<10	30	0.23	0.30	1.08	0.22	39.6	7.7	3	0.35
CC141867		0.011	1.34	0.24	43.9	<0.2	<10	150	0.17	0.18	2.89	0.94	11.90	3.5	7	0.53

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 16- OCT- 2011
Account: RCM

Project: Rackla (OCELOT)

CERTIFICATE OF ANALYSIS WH11167593

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm
	LOR	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01	0.05
CC141828		32.2	2.86	3.68	<0.05	0.07	0.09	0.034	0.09	13.1	15.3	0.78	525	1.08	0.01	0.55
CC141829		37.3	2.85	3.69	<0.05	0.08	0.08	0.038	0.13	13.1	16.4	3.07	725	1.70	0.01	0.41
CC141830		36.3	2.95	3.82	<0.05	0.09	0.10	0.034	0.10	13.0	16.4	2.64	669	1.41	0.01	0.51
CC141831		32.8	2.87	3.42	<0.05	0.07	0.10	0.033	0.07	13.4	14.5	2.14	619	1.69	0.01	0.64
CC141832		36.9	2.94	3.64	<0.05	0.08	0.10	0.039	0.14	12.1	16.8	3.22	784	1.80	0.01	0.48
CC141833		36.1	2.80	3.54	<0.05	0.06	0.09	0.032	0.11	12.6	15.6	3.11	683	1.83	0.01	0.51
CC141834		28.7	2.38	2.66	<0.05	0.06	0.09	0.025	0.07	10.5	12.7	2.99	666	2.21	0.01	0.57
CC141835		35.1	2.14	3.27	<0.05	0.06	0.12	0.029	0.05	11.7	15.9	1.81	375	1.37	0.01	0.78
CC141836		37.6	2.38	3.05	<0.05	0.06	0.14	0.032	0.06	12.0	15.4	3.06	646	1.63	0.01	0.73
CC141837		27.6	2.94	2.91	0.05	0.07	0.09	0.031	0.08	10.8	12.7	3.01	1240	2.43	0.01	0.49
CC141838		28.3	2.30	3.16	<0.05	0.08	0.10	0.032	0.08	11.4	14.8	2.14	375	0.88	0.01	0.62
CC141839		24.7	2.76	3.04	<0.05	0.05	0.06	0.026	0.07	10.6	13.2	1.58	995	1.53	0.01	0.72
CC141840		21.7	2.19	2.31	<0.05	0.04	0.04	0.022	0.04	9.7	10.6	3.18	661	1.78	0.01	1.10
CC141841		19.3	2.36	2.86	<0.05	0.04	0.04	0.031	0.03	9.3	11.0	2.00	340	1.86	0.01	0.48
CC141842		24.6	2.58	2.90	<0.05	0.05	0.09	0.031	0.04	12.3	12.5	1.02	396	1.26	<0.01	0.47
CC141843		25.9	2.25	2.33	<0.05	0.07	0.08	0.024	0.06	10.1	10.6	3.70	598	2.14	0.01	0.35
CC141844		27.4	2.97	3.66	<0.05	0.07	0.09	0.033	0.08	11.9	15.5	0.95	432	1.08	0.01	0.50
CC141845		27.3	2.50	2.87	<0.05	0.06	0.08	0.028	0.07	10.6	13.0	2.58	643	1.41	0.01	0.46
CC141846		25.8	3.32	2.67	<0.05	0.06	0.08	0.028	0.06	9.3	12.1	2.62	684	1.91	0.01	0.48
CC141847		30.5	3.32	4.44	<0.05	0.07	0.08	0.052	0.10	12.6	17.2	2.79	724	0.95	0.01	0.70
CC141848		31.9	3.00	4.14	0.05	0.07	0.07	0.054	0.12	10.4	16.4	4.27	803	0.94	0.01	0.57
CC141849		25.7	3.21	4.32	<0.05	0.06	0.07	0.055	0.09	11.5	18.1	2.29	870	0.86	0.01	0.63
CC141850		28.3	3.27	4.98	<0.05	0.03	0.05	0.057	0.11	8.8	15.9	4.80	874	1.02	0.01	0.43
CC141851		29.4	3.06	4.81	<0.05	0.04	0.04	0.060	0.11	9.2	16.4	5.60	813	0.99	0.01	0.53
CC141852		32.9	3.10	4.63	0.05	0.04	0.07	0.070	0.11	11.0	15.4	3.14	815	1.09	0.01	0.51
CC141853		36.7	3.15	4.69	<0.05	0.05	0.06	0.056	0.08	13.1	17.3	1.89	584	1.04	0.01	0.62
CC141854		35.2	2.82	3.73	<0.05	0.05	0.07	0.083	0.09	12.3	13.5	3.00	778	1.28	0.01	0.46
CC141855		34.2	2.56	3.69	0.06	0.06	0.07	0.097	0.11	13.6	13.9	3.03	623	1.38	0.02	0.70
CC141856		23.5	2.57	3.50	0.05	0.06	0.05	0.066	0.08	12.8	12.8	2.61	757	1.25	0.01	0.58
CC141857		19.1	2.44	1.16	<0.05	0.05	0.11	0.063	0.04	8.9	5.0	5.23	622	0.98	0.01	0.18
CC141858		15.2	2.85	4.02	0.06	0.05	0.05	0.037	0.04	22.8	12.1	0.55	614	0.65	0.01	0.43
CC141859		12.1	1.44	2.07	0.10	0.05	0.06	0.044	0.04	10.7	6.4	6.38	980	0.84	0.02	0.21
CC141860		16.7	2.97	4.37	0.10	0.04	0.04	0.041	0.06	17.0	11.5	0.45	1060	1.08	0.01	0.51
CC141861		17.0	3.10	5.57	0.10	0.04	0.04	0.087	0.06	14.1	15.4	1.08	1520	0.90	0.02	0.67
CC141862		14.6	3.40	6.17	0.11	0.06	0.04	0.150	0.07	18.8	15.5	1.23	2490	1.02	0.02	0.64
CC141863		14.7	2.92	5.25	0.11	0.07	0.07	0.050	0.08	19.0	15.8	1.68	1760	1.00	0.02	0.58
CC141864		16.1	3.27	5.42	0.13	0.06	0.04	0.066	0.07	17.2	14.7	0.79	925	1.04	0.01	0.63
CC141865		12.8	3.07	4.59	0.10	0.06	0.06	0.034	0.04	14.3	15.2	0.59	860	1.19	0.01	0.64
CC141866		19.9	2.89	0.52	0.12	0.05	0.15	0.081	0.03	22.9	1.1	0.19	190	0.53	0.01	<0.05
CC141867		15.7	1.63	0.64	0.10	0.08	0.12	0.102	0.03	5.8	1.8	0.61	111	1.10	0.02	0.11

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 16- OCT- 2011
Account: RCM

Project: Rackla (OCELOT)

CERTIFICATE OF ANALYSIS WH11167593

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti
	Units	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
	LOR	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2	0.005
CC141828		29.3	880	38.8	8.0	<0.001	0.05	1.26	4.0	1.2	0.3	28.4	<0.01	0.05	2.6	0.016
CC141829		31.7	660	40.6	8.5	<0.001	0.01	1.41	4.5	0.6	0.4	73.3	<0.01	0.03	3.9	0.022
CC141830		34.1	710	38.9	8.0	<0.001	0.01	1.40	4.4	0.7	0.3	39.7	<0.01	0.04	3.2	0.018
CC141831		34.9	800	29.9	6.6	<0.001	0.02	1.38	4.1	0.9	0.4	30.3	<0.01	0.03	3.2	0.024
CC141832		32.8	660	41.8	8.7	<0.001	0.02	1.44	4.3	0.8	0.4	76.7	<0.01	0.03	3.5	0.019
CC141833		33.2	720	36.2	8.0	<0.001	0.02	1.45	4.2	0.8	0.4	60.2	<0.01	0.02	3.0	0.020
CC141834		30.9	730	27.1	4.9	0.001	0.03	1.39	3.3	1.0	0.3	45.1	<0.01	0.03	2.5	0.021
CC141835		33.0	750	22.5	5.6	0.002	0.07	1.61	3.6	2.6	0.3	35.1	<0.01	0.04	2.3	0.026
CC141836		33.1	780	28.4	5.6	<0.001	0.03	1.44	4.0	0.8	0.3	42.0	<0.01	0.04	2.9	0.029
CC141837		30.4	770	31.6	6.6	0.001	0.06	1.37	3.5	2.6	0.3	33.1	<0.01	0.03	2.3	0.019
CC141838		26.7	790	34.2	6.1	0.001	0.09	0.92	3.9	1.2	0.3	35.3	<0.01	0.03	3.0	0.019
CC141839		27.8	940	26.1	6.2	<0.001	0.06	1.01	2.8	1.3	0.3	31.2	<0.01	0.03	1.7	0.024
CC141840		25.4	940	20.3	4.1	<0.001	0.03	1.01	2.2	1.1	0.2	41.8	<0.01	0.03	2.0	0.039
CC141841		24.7	370	24.3	3.3	<0.001	0.01	0.93	2.7	0.7	0.3	37.2	<0.01	0.03	1.8	0.010
CC141842		32.5	680	29.0	4.6	<0.001	0.01	1.09	3.1	0.6	0.3	18.2	<0.01	0.03	1.9	0.016
CC141843		28.1	670	23.8	4.6	<0.001	0.01	1.41	3.1	0.6	0.2	73.5	<0.01	0.02	2.9	0.025
CC141844		29.4	940	32.3	7.6	0.002	0.06	1.07	3.5	1.2	0.3	23.4	<0.01	0.03	2.1	0.015
CC141845		29.3	790	30.1	5.3	<0.001	0.02	1.19	3.3	1.2	0.3	29.7	<0.01	0.03	2.4	0.017
CC141846		28.5	780	24.9	5.1	0.001	0.04	1.35	3.0	1.4	0.3	31.8	<0.01	0.03	2.1	0.016
CC141847		37.2	860	71.1	8.3	0.001	0.03	1.67	5.0	2.0	0.4	30.9	<0.01	0.02	3.3	0.031
CC141848		39.2	770	68.0	7.7	<0.001	0.02	1.52	4.8	1.0	0.4	59.6	<0.01	0.03	2.9	0.032
CC141849		33.3	650	70.6	7.7	<0.001	0.04	1.58	4.3	0.9	0.4	26.2	<0.01	0.02	2.1	0.027
CC141850		47.8	740	85.4	6.9	<0.001	0.05	2.34	4.8	0.5	0.4	36.5	<0.01	0.02	1.1	0.048
CC141851		48.5	800	85.2	7.4	<0.001	0.02	2.26	5.5	0.7	0.4	48.4	<0.01	0.04	1.9	0.055
CC141852		39.6	860	92.1	8.4	<0.001	0.04	2.41	3.9	0.7	0.5	31.6	<0.01	0.02	1.1	0.033
CC141853		35.5	690	60.9	8.0	<0.001	0.03	1.43	4.2	0.7	0.4	22.7	<0.01	0.03	1.6	0.030
CC141854		29.4	670	65.0	7.5	<0.001	0.02	1.55	3.5	0.8	0.4	31.8	<0.01	0.03	1.5	0.024
CC141855		29.1	690	47.1	10.1	<0.001	0.05	1.45	4.0	0.9	0.5	38.6	<0.01	0.04	2.2	0.026
CC141856		27.3	710	54.5	6.9	<0.001	0.02	1.38	3.4	0.6	0.4	30.3	<0.01	0.03	2.0	0.025
CC141857		30.8	1600	38.9	3.2	<0.001	0.03	9.55	1.4	0.7	0.4	44.0	<0.01	0.01	1.2	0.010
CC141858		20.5	3770	41.0	6.0	<0.001	0.05	3.60	2.2	0.8	0.5	22.2	<0.01	0.02	1.1	0.018
CC141859		13.2	2770	28.9	4.7	<0.001	0.09	2.03	1.1	1.0	0.6	52.2	<0.01	0.03	0.6	0.012
CC141860		19.4	1060	34.2	10.5	<0.001	0.05	2.05	3.1	0.6	0.6	14.6	<0.01	0.02	1.7	0.023
CC141861		22.1	880	46.8	11.5	<0.001	0.04	8.30	3.1	0.6	1.0	16.3	<0.01	0.04	1.4	0.029
CC141862		25.7	1680	57.2	10.5	<0.001	0.05	6.11	3.6	0.9	1.1	18.6	<0.01	0.04	1.5	0.030
CC141863		21.9	4190	95.7	10.9	<0.001	0.06	3.39	3.4	1.0	0.8	26.8	<0.01	0.04	1.5	0.026
CC141864		24.5	2180	99.0	11.7	<0.001	0.02	4.85	4.2	0.7	0.7	21.1	<0.01	0.03	2.1	0.023
CC141865		22.1	1170	24.6	5.7	<0.001	0.04	1.64	3.0	0.8	0.5	17.4	<0.01	0.02	1.6	0.022
CC141866		22.8	470	115.0	2.4	<0.001	0.02	7.89	1.8	1.0	0.3	14.5	<0.01	0.03	4.5	<0.005
CC141867		11.9	960	211	4.2	0.007	0.21	3.27	1.1	4.5	0.3	37.3	<0.01	0.02	1.1	0.005

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 16- OCT- 2011
Account: RCM

Project: Rackla (OCELOT)

CERTIFICATE OF ANALYSIS WH11167593

Sample Description	Method Analyte Units LOR	ME- MS41 Tl ppm 0.02	ME- MS41 U ppm 0.05	ME- MS41 V ppm 1	ME- MS41 W ppm 0.05	ME- MS41 Y ppm 0.05	ME- MS41 Zn ppm 2	ME- MS41 Zr ppm 0.5	WEI- 21 Recvd Wt. kg .02
CC141828		0.11	0.92	45	0.23	10.05	169	2.2	0.18
CC141829		0.17	0.76	42	0.18	9.49	162	3.4	0.28
CC141830		0.13	0.65	42	0.24	10.15	154	2.7	0.22
CC141831		0.11	0.70	43	0.31	9.98	159	2.3	0.24
CC141832		0.17	0.84	42	0.16	9.74	168	3.3	0.22
CC141833		0.14	0.70	41	0.32	9.46	163	2.2	0.24
CC141834		0.10	0.92	34	0.35	8.63	158	2.0	0.22
CC141835		0.10	1.25	38	0.29	10.20	199	2.1	0.14
CC141836		0.12	0.62	36	0.52	11.30	216	2.0	0.30
CC141837		0.12	0.78	39	0.29	9.01	187	1.9	0.28
CC141838		0.10	1.24	39	0.20	10.05	148	2.4	0.24
CC141839		0.10	0.91	38	0.23	7.74	153	1.5	0.12
CC141840		0.07	0.73	31	0.21	6.23	123	1.4	0.20
CC141841		0.08	0.51	43	0.29	6.30	97	1.3	0.26
CC141842		0.09	0.59	40	0.38	9.03	140	1.2	0.20
CC141843		0.11	0.75	33	0.89	7.36	146	3.3	0.40
CC141844		0.11	0.96	44	0.20	8.60	177	1.9	0.18
CC141845		0.09	0.72	38	0.23	8.81	154	2.0	0.28
CC141846		0.09	0.77	38	0.32	8.00	174	1.8	0.22
CC141847		0.12	1.00	54	1.81	9.99	217	2.3	0.30
CC141848		0.14	0.75	49	0.97	8.87	210	2.4	0.30
CC141849		0.11	0.78	52	1.08	9.08	203	1.8	0.24
CC141850		0.14	0.93	61	3.78	8.48	221	0.9	0.28
CC141851		0.16	0.89	58	3.36	8.58	175	1.3	0.40
CC141852		0.14	1.12	52	3.03	9.61	242	1.3	0.24
CC141853		0.10	0.68	52	0.86	10.95	155	1.5	0.20
CC141854		0.12	0.80	44	0.51	10.40	209	1.4	0.24
CC141855		0.15	1.06	42	0.40	10.60	201	2.1	0.32
CC141856		0.12	0.84	40	1.40	9.97	157	1.5	0.30
CC141857		0.21	1.07	16	0.38	12.00	175	1.6	0.22
CC141858		0.32	2.66	55	0.23	17.90	192	1.2	0.18
CC141859		0.33	1.67	34	0.14	11.20	85	1.4	0.18
CC141860		0.48	0.94	48	0.17	11.60	133	1.0	0.20
CC141861		0.19	0.95	61	0.25	9.73	278	1.2	0.18
CC141862		0.33	0.94	72	0.97	16.10	358	1.6	0.22
CC141863		0.25	1.65	63	0.63	18.00	191	1.9	0.14
CC141864		0.34	1.25	59	0.61	12.55	157	1.5	0.22
CC141865		0.26	1.00	56	0.26	10.45	152	1.5	0.16
CC141866		0.10	0.52	3	<0.05	8.62	99	2.2	0.22
CC141867		0.08	7.43	4	0.05	8.12	87	3.1	0.14

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 16- OCT- 2011
Account: RCM

Project: Rackla (OCELOT)

CERTIFICATE OF ANALYSIS WH11167593

Sample Description	Method	Au- TL43	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Au	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
	LOR	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1	0.05
CC141868		0.010	1.13	0.29	17.5	<0.2	<10	120	0.18	0.23	2.67	1.09	11.40	3.0	7	0.99
CC141869		0.013	1.95	0.36	27.2	<0.2	<10	130	0.23	0.39	2.57	0.60	14.70	6.9	10	1.80
CC141870		0.003	0.44	1.09	10.6	<0.2	<10	160	0.29	0.20	2.51	0.27	17.20	15.2	23	2.72
CC141871		0.004	0.67	1.72	24.0	<0.2	<10	170	0.54	0.19	4.63	0.51	25.2	20.3	37	3.43
CC141872		0.003	0.37	2.96	22.2	<0.2	<10	180	0.73	0.16	1.37	0.18	33.8	32.5	82	5.81
CC141873		0.002	0.59	1.46	17.0	<0.2	<10	240	0.56	0.37	1.81	0.46	24.0	13.8	33	1.73
CC141874		0.002	0.30	1.02	11.1	<0.2	<10	220	0.42	0.29	2.73	0.83	19.75	9.3	17	0.80
CC141875		0.004	0.53	1.42	17.7	<0.2	<10	200	0.66	0.37	0.74	0.18	57.0	14.2	24	0.93
CC141876		0.003	0.88	1.59	13.9	<0.2	<10	250	1.02	0.38	1.73	0.63	27.4	13.9	25	1.07
CC141877		0.001	0.32	1.09	9.4	<0.2	<10	230	0.23	0.39	0.40	0.36	29.5	10.6	23	1.50
CC141878		0.004	0.55	1.54	32.0	<0.2	<10	190	0.65	0.29	1.61	0.25	36.1	14.6	31	1.06
CC141879		0.002	0.37	2.17	17.9	<0.2	<10	180	0.64	0.29	0.91	0.22	28.9	24.2	61	3.37
CC141880		0.003	1.15	1.39	28.1	<0.2	<10	160	0.61	0.30	4.91	0.57	28.7	9.7	22	0.83
CC141881		0.004	0.38	0.96	37.3	<0.2	<10	140	0.42	0.32	1.91	0.60	29.5	13.5	14	0.61
CC141882		0.002	0.35	0.51	27.0	<0.2	<10	70	0.33	0.26	2.16	0.27	24.9	7.9	7	0.42
CC141883		0.002	0.23	1.83	12.6	<0.2	<10	410	0.78	0.27	2.53	0.47	32.2	9.6	28	0.87
CC141884		0.003	0.12	2.17	8.0	<0.2	<10	270	0.80	0.26	1.98	0.72	31.3	9.4	30	0.98
CC141885		0.003	0.32	1.26	11.6	<0.2	<10	130	0.54	0.16	8.77	0.84	22.8	6.9	19	0.60
CC141886		0.002	0.13	2.01	10.2	<0.2	<10	220	0.84	0.27	0.77	0.60	31.7	10.1	30	1.08
CC141887		0.002	0.23	1.64	12.1	<0.2	<10	250	0.68	0.21	4.80	1.14	29.3	8.7	22	1.05
CC141888		0.003	0.12	1.91	10.3	<0.2	<10	150	0.83	0.25	1.25	0.62	32.5	9.2	28	1.04
CC141889		0.003	0.18	2.16	16.2	<0.2	<10	200	0.89	0.28	1.77	0.56	35.9	10.2	32	1.25
CC141890		0.003	0.15	1.95	14.0	<0.2	<10	280	0.81	0.29	0.67	0.28	31.5	9.7	30	1.23
CC141891		<0.001	0.13	1.71	8.7	<0.2	<10	320	0.60	0.32	0.52	3.54	23.9	17.0	22	1.82
CC141892		0.002	0.24	1.56	12.3	<0.2	<10	260	0.65	0.27	1.50	0.44	28.3	8.3	26	0.79
CC141893		0.002	0.19	1.00	12	<0.2	<10	130	0.58	0.22	10.40	0.83	22.5	6.3	15	0.67
CC141894		0.002	0.12	2.04	12.5	<0.2	<10	240	0.68	0.29	0.43	0.26	33.0	8.4	32	1.29
CC141895		0.006	0.10	1.75	12.1	<0.2	<10	220	0.67	0.33	0.18	0.27	26.3	8.1	27	1.06
CC141896		0.002	0.13	1.85	12.3	<0.2	<10	240	0.52	0.32	0.21	0.22	22.1	9.7	29	1.27
CC141897		0.001	0.12	2.11	20.0	<0.2	<10	290	0.83	0.34	0.94	0.43	30.9	10.3	30	1.03
CC141898		0.002	0.11	1.68	15.5	<0.2	<10	180	0.77	0.31	0.57	0.54	33.2	9.3	27	0.93
ZZ00509																
ZZ00510																
ZZ00511																
ZZ00512																
ZZ00513																
ZZ00514																
ZZ00515																
ZZ00516																
ZZ00517																

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 16- OCT- 2011
Account: RCM

Project: Rackla (OCELOT)

CERTIFICATE OF ANALYSIS WH11167593

Sample Description	Method Analyte Units LOR	ME- MS41 Cu ppm 0.2	ME- MS41 Fe % 0.01	ME- MS41 Ga ppm 0.05	ME- MS41 Ge ppm 0.05	ME- MS41 Hf ppm 0.02	ME- MS41 Hg ppm 0.01	ME- MS41 In ppm 0.005	ME- MS41 K % 0.01	ME- MS41 La ppm 0.2	ME- MS41 Li ppm 0.1	ME- MS41 Mg % 0.01	ME- MS41 Mn ppm 5	ME- MS41 Mo ppm 0.05	ME- MS41 Na % 0.01	ME- MS41 Nb ppm 0.05
CC141868		17.9	1.07	0.74	0.09	0.07	0.09	0.081	0.03	5.6	2.6	0.67	64	1.50	0.02	0.13
CC141869		16.3	2.17	0.99	0.10	0.06	0.14	0.079	0.03	7.4	2.9	0.36	425	1.74	0.01	0.17
CC141870		22.6	2.44	3.39	0.10	0.03	0.07	0.037	0.06	9.3	14.3	0.69	523	0.99	0.02	1.17
CC141871		33.8	3.30	4.93	0.10	0.04	0.09	0.082	0.18	14.5	19.4	2.97	645	14.65	0.02	2.77
CC141872		32.4	4.94	9.83	0.13	0.06	0.05	0.059	0.11	17.2	40.0	2.73	869	5.93	0.01	7.35
CC141873		38.2	2.94	4.46	0.11	0.04	0.09	0.048	0.07	13.2	16.5	0.93	934	3.18	0.02	1.56
CC141874		38.2	2.07	2.79	0.10	0.05	0.08	0.029	0.06	10.9	9.6	0.71	613	1.54	0.02	0.56
CC141875		41.1	3.11	4.23	0.14	0.06	0.06	0.040	0.08	33.6	13.9	0.66	373	1.08	0.01	2.45
CC141876		99.1	2.61	4.60	0.11	0.05	0.11	0.037	0.06	15.9	13.6	0.60	847	0.96	0.01	0.79
CC141877		14.3	2.58	4.96	0.10	<0.02	0.06	0.025	0.09	15.5	9.5	0.50	1420	4.02	0.01	1.92
CC141878		38.2	3.47	4.64	0.12	0.05	0.06	0.049	0.08	18.3	16.9	1.40	549	1.51	0.02	1.17
CC141879		24.6	4.77	7.37	0.12	0.02	0.05	0.057	0.09	14.8	25.8	0.86	472	1.15	0.02	1.44
CC141880		20.6	2.77	3.71	0.11	0.06	0.09	0.154	0.05	15.9	12.7	3.15	1160	1.03	0.02	0.54
CC141881		23.8	3.61	2.85	0.12	0.05	0.05	0.042	0.04	15.3	9.2	0.72	763	1.58	0.01	0.45
CC141882		14.8	2.81	1.30	0.11	0.07	0.06	0.035	0.04	12.8	4.8	0.30	321	1.19	0.01	0.23
CC141883		14.7	2.97	5.03	0.11	0.05	0.04	0.049	0.07	14.9	16.2	1.67	1560	1.13	0.02	0.79
CC141884		12.0	2.85	6.36	0.10	0.05	0.04	0.040	0.05	15.5	18.7	1.33	1620	0.99	0.02	0.77
CC141885		13.0	1.79	3.28	0.11	0.05	0.09	0.026	0.06	13.8	12.1	5.48	820	0.76	0.02	0.40
CC141886		12.3	3.09	5.29	0.12	0.05	0.04	0.041	0.08	17.3	15.3	0.60	1380	0.97	0.02	0.52
CC141887		17.2	2.27	4.43	0.10	0.04	0.05	0.066	0.08	16.9	14.3	2.14	1620	1.33	0.02	0.36
CC141888		14.2	2.76	5.16	0.12	0.05	0.04	0.035	0.06	17.4	14.2	0.84	1100	1.13	0.01	0.52
CC141889		15.6	3.12	6.05	0.12	0.06	0.04	0.059	0.09	20.7	15.4	0.78	881	1.19	0.02	0.53
CC141890		15.3	3.46	5.94	0.10	0.04	0.04	0.044	0.06	17.2	15.3	0.64	972	0.93	0.01	0.48
CC141891		22.7	3.52	6.80	0.10	<0.02	0.04	0.053	0.07	11.2	12.6	0.51	2590	1.14	0.01	0.26
CC141892		19.3	3.05	4.03	0.11	0.07	0.09	0.037	0.07	17.9	13.2	0.91	407	0.97	0.02	0.48
CC141893		12.8	1.83	2.50	0.12	0.04	0.05	0.144	0.04	14.2	8.5	6.10	1620	1.24	0.02	0.24
CC141894		11.9	3.14	6.01	0.12	0.02	0.04	0.045	0.05	16.8	15.2	0.57	368	0.87	0.01	0.67
CC141895		13.8	3.15	5.76	0.05	<0.02	0.03	0.041	0.04	11.9	13.0	0.37	568	1.06	<0.01	0.38
CC141896		11.8	3.23	6.35	0.05	<0.02	0.05	0.042	0.05	11.0	14.6	0.46	599	1.62	0.01	0.42
CC141897		15.3	3.30	5.48	0.07	0.08	0.04	0.058	0.06	16.7	13.3	0.67	685	2.13	0.01	0.53
CC141898		13.3	3.08	4.67	0.07	0.03	0.03	0.040	0.06	16.6	11.5	0.51	667	0.98	0.01	0.44
ZZ00509																
ZZ00510																
ZZ00511																
ZZ00512																
ZZ00513																
ZZ00514																
ZZ00515																
ZZ00516																
ZZ00517																

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 16- OCT- 2011
Account: RCM

Project: Rackla (OCELOT)

CERTIFICATE OF ANALYSIS WH11167593

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti
	Units	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
	LOR	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2	0.005
CC141868		10.7	1020	139.5	6.5	0.006	0.45	2.46	1.1	3.5	0.2	36.1	<0.01	0.01	1.0	0.006
CC141869		10.8	1220	131.5	3.3	0.007	0.16	2.71	1.3	3.2	0.2	48.0	<0.01	0.06	0.8	0.006
CC141870		31.9	790	31.5	9.1	0.001	0.11	1.11	3.1	1.2	0.4	52.6	<0.01	0.03	0.9	0.028
CC141871		47.9	1390	33.3	18.1	<0.001	0.07	3.69	4.5	0.9	0.5	61.6	<0.01	0.03	1.6	0.076
CC141872		79.3	970	37.4	11.8	0.001	0.05	3.64	7.6	0.7	0.6	40.7	0.01	0.01	2.8	0.222
CC141873		36.3	780	41.1	10.3	<0.001	0.07	2.46	3.2	1.0	0.4	41.1	<0.01	0.05	1.5	0.047
CC141874		21.0	810	36.2	7.9	<0.001	0.10	1.71	1.7	0.7	0.3	47.1	<0.01	0.03	0.8	0.017
CC141875		37.2	920	38.0	9.4	<0.001	0.02	1.93	3.3	1.0	0.4	25.8	<0.01	0.11	4.6	0.023
CC141876		25.1	860	47.9	8.0	<0.001	0.07	1.20	2.8	0.8	0.5	37.3	<0.01	0.04	1.1	0.021
CC141877		18.5	390	27.0	14.5	<0.001	0.02	1.47	2.1	0.3	0.6	19.4	<0.01	0.05	1.9	0.062
CC141878		39.0	830	44.3	8.9	<0.001	0.01	2.46	4.8	0.8	0.5	23.4	<0.01	0.04	3.6	0.046
CC141879		65.4	440	48.6	18.3	<0.001	0.03	2.34	5.2	0.4	0.8	24.1	<0.01	0.04	2.8	0.063
CC141880		22.7	800	43.6	6.8	<0.001	0.04	3.06	4.0	1.3	0.7	24.3	<0.01	0.03	1.7	0.021
CC141881		23.6	790	56.4	4.7	<0.001	0.04	4.64	3.1	1.5	0.4	34.1	<0.01	0.06	2.2	0.014
CC141882		22.1	820	38.1	4.5	0.001	0.09	3.19	3.3	1.8	0.2	32.6	<0.01	0.02	2.2	0.008
CC141883		20.8	990	52.8	10.4	<0.001	0.03	2.87	4.2	0.8	0.6	19.5	<0.01	0.05	2.3	0.030
CC141884		18.5	1300	40.4	8.8	<0.001	0.04	1.51	3.6	0.5	0.7	22.7	<0.01	0.03	1.5	0.030
CC141885		16.1	2270	55.4	8.1	<0.001	0.07	4.06	2.0	1.1	0.4	48.0	<0.01	0.02	0.8	0.019
CC141886		21.8	2310	44.1	13.6	<0.001	0.04	3.25	3.1	0.6	0.6	16.3	<0.01	0.03	1.3	0.028
CC141887		16.8	7970	52.2	12.5	<0.001	0.07	3.21	2.0	1.0	0.7	34.0	<0.01	0.02	0.8	0.022
CC141888		20.5	2450	25.3	9.0	<0.001	0.05	1.14	2.8	0.7	0.7	18.1	<0.01	0.03	1.3	0.024
CC141889		24.1	6060	35.2	13.2	<0.001	0.05	1.40	3.3	0.9	0.9	24.6	0.01	0.03	1.6	0.026
CC141890		19.7	1590	32.3	14.0	<0.001	0.04	1.02	2.8	0.8	0.7	13.6	<0.01	0.03	1.1	0.020
CC141891		16.4	2060	43.4	22.1	<0.001	0.08	1.08	1.0	0.6	0.8	15.2	<0.01	0.04	0.2	0.017
CC141892		24.9	1690	27.0	10.5	<0.001	0.06	1.19	3.6	1.1	0.4	20.5	<0.01	0.04	2.1	0.019
CC141893		13.5	4140	29.8	5.5	<0.001	0.09	2.29	1.3	0.8	0.6	48.9	<0.01	0.04	0.5	0.013
CC141894		19.8	780	23.2	11.6	<0.001	0.03	0.82	3.2	0.6	0.7	15.0	<0.01	0.03	1.2	0.028
CC141895		15.3	800	24.3	8.3	<0.001	0.02	1.06	0.9	0.4	0.7	9.1	<0.01	0.05	0.2	0.019
CC141896		15.4	810	38.5	12.6	<0.001	0.03	1.18	1.0	0.6	0.7	10.3	<0.01	0.04	0.2	0.020
CC141897		20.9	1880	40.1	9.7	0.001	0.07	1.13	3.0	0.7	0.7	16.4	<0.01	0.05	1.6	0.020
CC141898		18.9	1870	26.6	9.9	<0.001	0.04	1.21	2.2	0.8	0.6	13.5	<0.01	0.04	1.0	0.019
ZZ00509																
ZZ00510																
ZZ00511																
ZZ00512																
ZZ00513																
ZZ00514																
ZZ00515																
ZZ00516																
ZZ00517																

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 16- OCT- 2011
Account: RCM

Project: Rackla (OCELOT)

CERTIFICATE OF ANALYSIS WH11167593

Sample Description	Method Analyte Units LOR	ME- MS41 Tl ppm 0.02	ME- MS41 U ppm 0.05	ME- MS41 V ppm 1	ME- MS41 W ppm 0.05	ME- MS41 Y ppm 0.05	ME- MS41 Zn ppm 2	ME- MS41 Zr ppm 0.5	WEI- 21 Recvd Wt. kg .02
CC141868		0.10	8.30	6	<0.05	7.13	134	2.4	0.16
CC141869		0.21	5.48	8	0.09	10.30	102	2.0	0.12
CC141870		0.22	2.81	32	0.12	6.69	124	1.1	0.08
CC141871		0.37	1.42	50	0.13	11.10	98	1.5	0.20
CC141872		0.37	0.89	90	0.18	8.64	90	2.4	0.22
CC141873		0.13	1.15	44	0.14	9.37	81	1.3	0.16
CC141874		0.09	1.40	27	0.11	7.56	96	1.6	0.10
CC141875		0.12	0.91	34	0.15	15.10	90	1.9	0.22
CC141876		0.08	2.28	40	0.12	15.05	78	1.3	0.12
CC141877		0.11	0.38	46	0.25	2.16	56	<0.5	0.14
CC141878		0.14	0.62	47	0.25	12.25	109	1.5	0.28
CC141879		0.17	0.91	75	0.20	5.33	107	1.1	0.20
CC141880		0.12	2.37	42	0.17	26.1	106	1.5	0.12
CC141881		0.10	2.56	28	0.38	13.35	134	1.4	0.16
CC141882		0.13	2.13	13	0.11	18.80	102	2.2	0.22
CC141883		0.23	0.81	57	0.42	10.25	159	1.3	0.14
CC141884		0.15	1.01	60	0.29	10.50	159	1.3	0.16
CC141885		0.13	1.33	39	0.34	13.00	162	1.5	0.20
CC141886		0.18	1.24	61	0.51	13.05	252	1.2	0.20
CC141887		0.23	4.69	48	0.45	16.35	162	1.1	0.14
CC141888		0.15	1.67	60	0.23	12.85	142	1.4	0.20
CC141889		0.27	3.14	70	0.22	18.55	182	1.7	0.28
CC141890		0.17	1.09	59	0.17	11.65	123	0.9	0.24
CC141891		0.16	0.79	89	0.15	5.34	269	<0.5	0.20
CC141892		0.17	1.18	43	0.17	14.85	100	2.0	0.22
CC141893		0.18	1.57	34	0.27	14.70	109	1.0	0.20
CC141894		0.17	1.14	59	0.23	9.60	103	0.6	0.24
CC141895		0.16	0.83	62	0.31	4.04	108	<0.5	0.18
CC141896		0.23	0.79	65	0.30	2.94	105	<0.5	0.20
CC141897		0.26	1.28	60	0.19	9.97	114	1.9	0.14
CC141898		0.16	1.32	51	0.20	15.00	98	0.9	0.24
ZZ00509									Not Recvd
ZZ00510									Not Recvd
ZZ00511									Not Recvd
ZZ00512									Not Recvd
ZZ00513									Not Recvd
ZZ00514									Not Recvd
ZZ00515									Not Recvd
ZZ00516									Not Recvd
ZZ00517									Not Recvd

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 16- OCT- 2011
Account: RCM

Project: Rackla (OCELOT)

CERTIFICATE OF ANALYSIS WH11167593

Sample Description	Method Analyte Units LOR	Au- TL43 Au ppm 0.001	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1	ME- MS41 Cs ppm 0.05
ZZ00518																
ZZ00519																
ZZ00520																
ZZ00521																
ZZ00522																
ZZ00523																
ZZ00524																
ZZ00525																
ZZ00526																
ZZ00527																
ZZ00528																
ZZ00529																
ZZ00530																
ZZ00531																
ZZ00532																
ZZ00533																
ZZ00534																
ZZ00535																
ZZ00536																
ZZ00537																
ZZ00538																
ZZ00539																
ZZ00540																
ZZ00541		0.002	0.38	1.50	15.1	<0.2	<10	350	0.70	0.43	2.56	1.65	29.3	14.1	27	0.95
ZZ00542		0.002	0.27	1.37	13.9	<0.2	<10	220	0.62	0.41	5.92	0.94	26.8	12.8	23	1.14
ZZ00543		0.001	0.25	0.99	12.3	<0.2	<10	170	0.47	0.29	5.42	0.93	21.8	10.1	19	0.71
ZZ00544		0.002	0.30	1.45	14.5	<0.2	<10	240	0.71	0.41	5.17	0.74	27.4	12.7	25	1.01
ZZ00545		0.002	0.34	1.49	15.1	<0.2	<10	250	0.84	0.41	5.59	0.75	28.7	13.8	24	1.23
ZZ00546		0.003	0.14	1.08	14.4	<0.2	<10	120	0.71	0.29	3.32	0.43	24.0	9.9	22	0.45
ZZ00547		0.001	0.17	0.60	9.9	<0.2	<10	110	0.35	0.18	8.92	0.57	14.45	7.3	13	0.44
ZZ00548		0.003	0.19	0.87	10.1	<0.2	<10	160	0.48	0.26	9.51	0.69	19.00	8.9	16	0.71
ZZ00549		0.002	0.20	0.99	12.1	<0.2	<10	240	0.54	0.27	5.94	0.60	21.2	9.4	19	0.61
ZZ00550		0.002	0.27	0.95	11.1	<0.2	<10	170	0.49	0.28	6.67	0.64	21.1	9.5	17	0.64
ZZ00551		0.002	0.25	1.04	9.1	<0.2	<10	230	0.58	0.28	4.63	0.75	20.1	9.6	19	0.70
ZZ00552		0.003	0.34	1.35	14.5	<0.2	<10	230	0.70	0.39	2.85	0.80	28.4	12.4	24	1.00
ZZ00553		0.001	0.21	0.69	5.8	<0.2	<10	190	0.38	0.20	9.22	0.50	17.15	5.2	14	0.60
ZZ00554		0.002	0.29	1.11	13.3	<0.2	<10	240	0.63	0.32	4.77	0.80	21.9	10.6	20	0.88
ZZ00555		0.001	0.20	0.74	9.7	<0.2	<10	210	0.38	0.19	7.56	0.48	15.05	7.4	14	0.48
ZZ00556		0.002	0.32	1.21	12.8	<0.2	<10	270	0.59	0.33	5.71	0.60	22.9	10.6	21	0.75
ZZ00557		0.002	0.20	0.65	9.6	<0.2	<10	170	0.41	0.18	9.58	0.68	14.80	7.4	13	0.51

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 16- OCT- 2011
Account: RCM

Project: Rackla (OCELOT)

CERTIFICATE OF ANALYSIS WH11167593

Sample Description	Method Analyte Units LOR	ME- MS41 Cu ppm 0.2	ME- MS41 Fe % 0.01	ME- MS41 Ga ppm 0.05	ME- MS41 Ge ppm 0.05	ME- MS41 Hf ppm 0.02	ME- MS41 Hg ppm 0.01	ME- MS41 In ppm 0.005	ME- MS41 K % 0.01	ME- MS41 La ppm 0.2	ME- MS41 Li ppm 0.1	ME- MS41 Mg % 0.01	ME- MS41 Mn ppm 5	ME- MS41 Mo ppm 0.05	ME- MS41 Na % 0.01	ME- MS41 Nb ppm 0.05
ZZ00518																
ZZ00519																
ZZ00520																
ZZ00521																
ZZ00522																
ZZ00523																
ZZ00524																
ZZ00525																
ZZ00526																
ZZ00527																
ZZ00528																
ZZ00529																
ZZ00530																
ZZ00531																
ZZ00532																
ZZ00533																
ZZ00534																
ZZ00535																
ZZ00536																
ZZ00537																
ZZ00538																
ZZ00539																
ZZ00540																
ZZ00541		47.5	3.31	4.28	0.08	0.08	0.15	0.042	0.11	15.1	15.9	1.57	708	1.85	0.02	0.57
ZZ00542		40.4	3.09	3.73	0.07	0.08	0.09	0.036	0.14	14.2	15.5	3.01	792	1.66	0.02	0.49
ZZ00543		32.7	2.48	2.78	0.05	0.05	0.06	0.028	0.08	11.8	11.8	3.25	632	1.53	0.02	0.51
ZZ00544		42.9	3.19	4.08	0.08	0.08	0.09	0.046	0.13	15.3	15.6	2.53	773	1.37	0.02	0.50
ZZ00545		43.1	3.25	4.02	0.08	0.10	0.09	0.035	0.15	15.1	16.5	2.76	801	1.53	0.02	0.45
ZZ00546		27.1	2.89	2.90	0.07	0.07	0.07	0.037	0.06	15.5	11.6	2.11	497	1.36	0.01	0.41
ZZ00547		18.0	1.89	1.76	0.05	0.03	0.07	0.021	0.04	7.5	8.5	4.77	536	0.95	0.02	0.23
ZZ00548		25.5	2.14	2.37	0.07	0.04	0.07	0.027	0.09	9.7	10.7	4.04	642	1.22	0.02	0.31
ZZ00549		24.8	2.48	2.76	0.05	0.05	0.08	0.028	0.07	10.6	11.8	3.14	582	1.25	0.02	0.36
ZZ00550		26.3	2.36	2.69	0.07	0.05	0.07	0.028	0.07	11.6	11.4	3.73	662	1.13	0.02	0.38
ZZ00551		28.4	2.15	2.86	0.05	0.06	0.09	0.030	0.08	11.0	12.4	2.93	595	0.65	0.02	0.38
ZZ00552		37.1	3.18	3.91	0.09	0.08	0.10	0.040	0.11	14.7	15.8	1.92	662	1.14	0.02	0.46
ZZ00553		19.9	1.48	1.98	0.07	0.04	0.06	0.025	0.06	9.0	9.7	4.51	310	0.61	0.02	0.32
ZZ00554		34.4	2.70	3.19	0.06	0.07	0.09	0.036	0.11	11.4	13.7	2.89	620	1.45	0.02	0.38
ZZ00555		17.6	2.00	1.93	<0.05	0.04	0.08	0.024	0.05	7.5	9.3	3.80	532	0.96	0.02	0.28
ZZ00556		31.6	2.75	3.23	0.06	0.06	0.09	0.033	0.10	12.1	13.9	2.99	642	1.29	0.02	0.42
ZZ00557		21.3	1.85	1.87	0.06	0.04	0.06	0.021	0.05	7.8	9.1	4.50	513	0.99	0.02	0.26

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 16- OCT- 2011
Account: RCM

Project: Rackla (OCELOT)

CERTIFICATE OF ANALYSIS WH11167593

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti
	Units	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
	LOR	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2	0.005
ZZ00518																
ZZ00519																
ZZ00520																
ZZ00521																
ZZ00522																
ZZ00523																
ZZ00524																
ZZ00525																
ZZ00526																
ZZ00527																
ZZ00528																
ZZ00529																
ZZ00530																
ZZ00531																
ZZ00532																
ZZ00533																
ZZ00534																
ZZ00535																
ZZ00536																
ZZ00537																
ZZ00538																
ZZ00539																
ZZ00540																
ZZ00541		38.7	890	40.1	8.6	0.001	0.02	1.90	4.4	1.3	0.4	34.3	<0.01	0.06	3.5	0.020
ZZ00542		32.0	730	38.5	8.6	<0.001	0.01	1.76	4.2	0.7	0.4	61.5	<0.01	0.05	4.2	0.023
ZZ00543		27.6	750	25.3	5.7	0.001	0.02	1.61	3.0	0.8	0.3	48.1	<0.01	0.03	2.6	0.023
ZZ00544		30.6	680	36.0	9.2	<0.001	0.01	1.67	4.5	0.7	0.4	51.7	<0.01	0.04	3.8	0.023
ZZ00545		33.6	720	40.2	10.0	<0.001	0.01	1.79	4.6	0.8	0.4	61.9	<0.01	0.06	4.2	0.021
ZZ00546		28.7	390	27.8	6.1	<0.001	0.01	1.35	5.0	0.8	0.3	23.7	<0.01	0.04	3.4	0.014
ZZ00547		20.2	630	19.9	3.2	<0.001	<0.01	1.05	2.4	0.7	0.3	71.5	<0.01	0.03	1.9	0.011
ZZ00548		22.7	620	23.7	5.9	<0.001	0.01	1.24	3.0	0.8	0.3	94.4	<0.01	0.03	2.4	0.015
ZZ00549		23.8	590	25.1	5.6	<0.001	0.01	1.22	3.1	0.8	0.3	59.0	<0.01	0.05	2.2	0.016
ZZ00550		23.1	700	24.3	5.8	0.001	0.01	1.25	3.0	0.7	0.3	61.6	<0.01	0.05	2.2	0.018
ZZ00551		26.2	750	27.3	6.1	0.001	0.03	1.36	3.1	0.8	0.3	35.7	<0.01	0.04	2.1	0.013
ZZ00552		30.7	830	33.6	8.8	0.001	0.02	1.56	4.1	1.3	0.4	28.9	<0.01	0.06	3.0	0.017
ZZ00553		15.9	640	19.8	4.0	0.001	0.01	0.86	2.5	0.6	0.2	81.6	<0.01	0.04	2.2	0.013
ZZ00554		27.3	700	30.3	7.4	<0.001	0.03	1.67	3.5	0.6	0.4	41.2	<0.01	0.05	2.2	0.013
ZZ00555		19.1	620	20.2	4.2	<0.001	0.01	1.07	2.3	0.6	0.2	65.8	<0.01	0.03	1.5	0.012
ZZ00556		27.3	690	30.8	7.0	0.001	0.01	1.44	3.6	0.6	0.4	61.6	<0.01	0.04	2.7	0.017
ZZ00557		19.9	570	20.2	3.7	<0.001	0.01	1.17	2.4	0.6	0.2	90.8	<0.01	0.04	1.8	0.012

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 16- OCT- 2011
Account: RCM

Project: Rackla (OCELOT)

CERTIFICATE OF ANALYSIS WH11167593

Sample Description	Method Analyte Units LOR	ME- MS41 Tl ppm 0.02	ME- MS41 U ppm 0.05	ME- MS41 V ppm 1	ME- MS41 W ppm 0.05	ME- MS41 Y ppm 0.05	ME- MS41 Zn ppm 2	ME- MS41 Zr ppm 0.5	WEI- 21 Recvd Wt. kg .02
ZZ00518									Not Recvd
ZZ00519									Not Recvd
ZZ00520									Not Recvd
ZZ00521									Not Recvd
ZZ00522									Not Recvd
ZZ00523									Not Recvd
ZZ00524									Not Recvd
ZZ00525									Not Recvd
ZZ00526									Not Recvd
ZZ00527									Not Recvd
ZZ00528									Not Recvd
ZZ00529									Not Recvd
ZZ00530									Not Recvd
ZZ00531									Not Recvd
ZZ00532									Not Recvd
ZZ00533									Not Recvd
ZZ00534									Not Recvd
ZZ00535									Not Recvd
ZZ00536									Not Recvd
ZZ00537									Not Recvd
ZZ00538									Not Recvd
ZZ00539									Not Recvd
ZZ00540									Not Recvd
ZZ00541		0.13	1.21	50	0.22	10.15	195	2.8	0.26
ZZ00542		0.15	0.75	45	0.20	8.88	179	3.2	0.34
ZZ00543		0.11	0.92	37	0.19	7.43	148	1.9	0.30
ZZ00544		0.15	0.63	47	0.18	9.33	165	2.9	0.30
ZZ00545		0.17	0.70	47	0.17	9.49	166	3.2	0.30
ZZ00546		0.09	0.82	40	0.20	13.90	109	2.7	0.30
ZZ00547		0.07	0.71	24	0.12	6.13	98	1.5	0.24
ZZ00548		0.11	0.73	31	0.13	7.02	112	1.5	0.28
ZZ00549		0.09	0.64	35	0.16	7.31	115	1.5	0.36
ZZ00550		0.10	0.68	33	0.14	7.45	119	1.6	0.32
ZZ00551		0.09	0.74	35	0.11	7.80	136	1.8	0.22
ZZ00552		0.13	0.66	45	0.13	9.84	177	2.5	0.26
ZZ00553		0.07	0.71	26	0.11	6.20	115	1.6	0.30
ZZ00554		0.13	0.82	37	0.55	8.30	155	2.3	0.20
ZZ00555		0.08	0.68	27	0.12	5.91	96	1.2	0.38
ZZ00556		0.11	0.68	39	0.26	8.18	135	1.9	0.34
ZZ00557		0.07	0.77	24	0.17	5.88	104	1.4	0.34

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 16- OCT- 2011
Account: RCM

Project: Rackla (OCELOT)

CERTIFICATE OF ANALYSIS WH11167593

Sample Description	Method Analyte Units LOR	Au- TL43 Au ppm 0.001	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1	ME- MS41 Cs ppm 0.05
ZZ00558		0.002	0.32	1.49	14.6	<0.2	<10	260	0.72	0.42	7.56	0.93	30.1	13.6	24	1.37
ZZ00559		0.002	0.34	1.29	14.8	<0.2	<10	240	0.73	0.39	6.76	1.01	29.7	13.5	23	1.48
ZZ00561		0.002	0.33	1.37	14.4	<0.2	<10	290	0.71	0.43	7.06	0.90	30.3	13.2	24	1.39
ZZ00562		0.002	0.26	1.25	13.4	<0.2	<10	250	0.68	0.39	5.53	0.77	27.7	12.1	24	1.14
ZZ00563		0.002	0.32	1.47	13.3	<0.2	<10	250	0.75	0.43	7.11	0.84	29.8	12.2	25	1.34
ZZ00564		0.001	0.38	1.50	14.4	<0.2	<10	300	0.79	0.46	6.04	0.92	31.2	13.5	26	1.32
ZZ00565		0.002	0.42	1.36	15.2	<0.2	<10	260	0.70	0.39	4.41	1.55	31.2	13.0	25	0.97
ZZ00566		0.001	0.37	1.41	15.7	<0.2	<10	230	0.69	0.40	7.48	1.35	31.7	13.7	23	1.32
ZZ00567		0.002	0.28	1.44	14.6	<0.2	<10	320	0.68	0.40	0.92	0.94	32.0	12.3	29	0.77
ZZ00568		0.002	0.41	1.26	17.8	<0.2	<10	250	0.67	0.38	2.68	2.15	29.5	11.8	25	0.83
ZZ00569		0.001	0.39	0.86	14.8	<0.2	<10	140	0.44	0.28	5.53	1.98	21.9	9.7	20	0.71
ZZ00570		0.002	0.41	1.05	11.9	<0.2	<10	200	0.50	0.31	4.64	1.89	27.3	10.2	22	0.65
ZZ00571		0.001	0.35	1.24	11.7	<0.2	<10	250	0.59	0.33	2.90	1.69	31.8	11.9	25	0.71
ZZ00572		0.003	0.59	1.00	10.5	<0.2	<10	160	0.45	0.27	5.06	1.35	21.6	8.0	19	0.63
ZZ00573		0.002	0.28	1.05	13.9	<0.2	<10	180	0.53	0.34	1.78	0.76	27.1	9.9	23	0.47
ZZ00574		0.001	0.31	0.92	10.0	<0.2	<10	120	0.39	0.25	6.05	0.67	24.7	7.7	19	0.76
ZZ00575		0.001	0.25	0.95	12.4	<0.2	<10	210	0.45	0.22	5.43	1.14	26.0	9.9	23	0.69
ZZ00576		0.002	0.27	1.06	13.2	<0.2	<10	180	0.48	0.26	3.77	1.56	21.2	7.1	20	0.63
ZZ00577		<0.001	0.11	1.30	12.2	<0.2	<10	230	0.48	0.31	0.65	0.48	25.1	8.7	25	0.76
ZZ00578		0.001	0.32	1.13	15.0	<0.2	<10	220	0.61	0.30	3.64	1.48	26.9	9.7	22	0.72
ZZ00579		0.001	0.31	1.39	13.8	<0.2	<10	340	0.77	0.37	2.52	1.26	24.7	10.9	24	0.89
ZZ00580		0.001	0.29	1.03	11.4	<0.2	<10	180	0.57	0.27	6.38	1.33	24.9	8.7	19	0.86
ZZ00581																
ZZ00582																
ZZ00583																
ZZ00584																
ZZ00585																
ZZ00586																
ZZ00587																
ZZ00588																
ZZ00589																
ZZ00590																
ZZ00591																
ZZ00592																
ZZ00593																
ZZ00594																
ZZ00595																
ZZ00596																
ZZ00597																
ZZ00598																

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 16- OCT- 2011
Account: RCM

Project: Rackla (OCELOT)

CERTIFICATE OF ANALYSIS WH11167593

Sample Description	Method Analyte Units LOR	ME- MS41 Cu ppm 0.2	ME- MS41 Fe % 0.01	ME- MS41 Ga ppm 0.05	ME- MS41 Ge ppm 0.05	ME- MS41 Hf ppm 0.02	ME- MS41 Hg ppm 0.01	ME- MS41 In ppm 0.005	ME- MS41 K % 0.01	ME- MS41 La ppm 0.2	ME- MS41 Li ppm 0.1	ME- MS41 Mg % 0.01	ME- MS41 Mn ppm 5	ME- MS41 Mo ppm 0.05	ME- MS41 Na % 0.01	ME- MS41 Nb ppm 0.05
ZZ00558		43.9	3.13	4.01	0.07	0.11	0.11	0.038	0.17	15.3	16.8	3.09	839	1.65	0.02	0.24
ZZ00559		42.7	2.80	4.07	0.09	0.12	0.10	0.038	0.17	15.6	16.9	2.85	739	1.76	0.01	0.27
ZZ00561		42.2	3.00	3.94	0.08	0.11	0.08	0.037	0.17	15.7	17.0	2.94	786	1.74	0.02	0.30
ZZ00562		39.2	2.77	3.78	0.07	0.08	0.09	0.033	0.14	14.9	16.0	2.70	681	1.56	0.01	0.56
ZZ00563		43.1	3.14	4.01	0.08	0.09	0.09	0.041	0.16	15.6	17.0	3.20	669	1.48	0.02	0.49
ZZ00564		45.3	3.18	4.32	0.06	0.10	0.10	0.038	0.16	16.8	18.2	2.89	714	1.57	0.02	0.52
ZZ00565		47.4	3.05	3.84	0.07	0.08	0.17	0.038	0.11	15.7	15.7	2.67	698	2.64	0.02	0.62
ZZ00566		46.1	3.12	3.95	0.08	0.13	0.12	0.044	0.16	16.6	16.5	3.08	847	2.80	0.02	0.37
ZZ00567		38.7	3.35	4.23	0.08	0.07	0.14	0.042	0.09	17.1	17.9	0.83	714	2.39	0.01	0.60
ZZ00568		47.8	3.35	3.58	0.07	0.06	0.20	0.045	0.09	16.1	15.0	1.91	661	3.74	0.02	0.63
ZZ00569		49.9	2.54	2.49	0.06	0.05	0.24	0.032	0.05	12.4	10.7	3.59	653	4.48	0.02	0.62
ZZ00570		42.3	2.48	3.11	0.06	0.07	0.19	0.038	0.06	14.1	13.1	2.95	420	3.28	0.02	0.73
ZZ00571		41.6	2.82	3.67	0.07	0.07	0.14	0.037	0.07	16.7	14.7	1.98	909	2.97	0.02	0.85
ZZ00572		39.6	2.51	2.71	0.06	0.05	0.16	0.032	0.05	11.9	11.3	3.28	765	2.58	0.02	0.58
ZZ00573		30.0	2.85	2.94	0.06	0.05	0.12	0.032	0.05	14.4	12.2	1.16	549	2.26	0.01	0.69
ZZ00574		31.8	2.31	2.62	0.14	0.06	0.08	0.031	0.09	12.4	10.8	3.60	461	1.36	0.02	0.54
ZZ00575		30.3	2.50	2.87	0.11	0.05	0.08	0.032	0.07	13.5	12.0	3.44	985	1.73	0.01	1.03
ZZ00576		34.5	2.45	2.99	0.11	0.03	0.10	0.032	0.04	11.8	12.6	2.11	546	1.78	0.01	0.48
ZZ00577		11.5	2.90	3.89	0.11	0.03	0.02	0.036	0.05	11.2	17.4	0.53	550	2.05	0.01	0.70
ZZ00578		40.4	2.83	3.24	0.13	0.07	0.11	0.035	0.07	14.4	13.4	2.24	624	2.74	0.02	0.57
ZZ00579		37.9	3.11	3.88	0.11	0.07	0.11	0.041	0.10	12.1	15.5	1.14	825	1.79	0.02	0.39
ZZ00580		32.9	2.24	2.91	0.11	0.08	0.11	0.031	0.07	12.7	12.0	3.32	517	1.90	0.02	0.53
ZZ00581																
ZZ00582																
ZZ00583																
ZZ00584																
ZZ00585																
ZZ00586																
ZZ00587																
ZZ00588																
ZZ00589																
ZZ00590																
ZZ00591																
ZZ00592																
ZZ00593																
ZZ00594																
ZZ00595																
ZZ00596																
ZZ00597																
ZZ00598																

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 16- OCT- 2011
Account: RCM

Project: Rackla (OCELOT)

CERTIFICATE OF ANALYSIS WH11167593

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti
	Units	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
	LOR	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2	0.005
ZZ00558		32.4	660	40.8	9.9	<0.001	<0.01	1.79	4.7	0.7	0.4	81.3	<0.01	0.06	4.8	0.023
ZZ00559		32.7	620	35.9	10.2	<0.001	<0.01	1.84	4.7	0.7	0.4	88.7	<0.01	0.08	4.7	0.024
ZZ00561		31.7	670	37.9	9.9	0.001	<0.01	1.75	4.5	0.8	0.4	83.5	<0.01	0.04	5.0	0.027
ZZ00562		30.7	700	34.6	9.2	0.001	0.01	1.66	4.3	0.8	0.4	64.4	<0.01	0.06	4.1	0.025
ZZ00563		30.6	710	35.3	10.1	<0.001	0.01	1.77	4.7	0.7	0.5	76.0	<0.01	0.06	4.6	0.023
ZZ00564		33.3	680	40.8	10.4	0.001	0.01	1.78	5.0	0.7	0.5	71.0	<0.01	0.05	4.7	0.023
ZZ00565		41.8	870	35.1	8.7	0.001	0.01	2.12	4.5	0.9	0.4	45.4	<0.01	0.05	4.3	0.027
ZZ00566		36.5	710	39.4	10.1	<0.001	<0.01	2.12	4.9	1.0	0.4	86.4	0.01	0.05	5.0	0.028
ZZ00567		39.8	590	31.7	8.2	0.001	0.02	1.94	4.5	0.9	0.5	18.4	<0.01	0.07	3.4	0.022
ZZ00568		45.3	880	31.8	7.7	<0.001	0.02	2.54	4.2	1.2	0.4	30.2	<0.01	0.07	3.9	0.025
ZZ00569		37.3	930	25.7	5.6	<0.001	0.02	2.20	3.4	1.1	0.3	45.0	<0.01	0.04	2.5	0.028
ZZ00570		38.7	870	23.1	5.9	<0.001	0.01	2.17	4.0	0.7	0.4	38.3	<0.01	0.06	3.7	0.033
ZZ00571		38.1	820	25.0	6.9	0.001	0.01	1.97	4.5	1.0	0.4	28.8	<0.01	0.04	4.3	0.033
ZZ00572		30.6	940	21.8	6.1	0.001	0.02	1.39	3.5	1.0	0.4	38.3	<0.01	0.05	2.4	0.025
ZZ00573		30.2	770	25.5	5.4	0.001	0.02	1.37	3.1	0.9	0.4	22.9	<0.01	0.05	2.4	0.027
ZZ00574		24.8	790	21.9	7.6	<0.001	0.01	1.10	3.1	0.8	0.3	50.3	<0.01	0.03	3.0	0.031
ZZ00575		30.6	980	24.1	6.1	<0.001	0.02	1.27	2.9	0.8	0.3	49.2	<0.01	0.04	2.5	0.040
ZZ00576		24.7	740	25.9	7.2	<0.001	0.04	1.38	2.7	0.9	0.4	30.4	<0.01	0.04	0.9	0.018
ZZ00577		20.7	460	17.6	9.7	<0.001	0.02	0.74	2.8	0.8	0.5	15.4	<0.01	0.03	2.0	0.023
ZZ00578		35.0	890	25.7	6.7	<0.001	0.02	1.62	3.7	0.8	0.4	34.4	<0.01	0.04	2.6	0.025
ZZ00579		30.3	850	35.2	10.3	<0.001	0.07	1.47	3.2	2.0	0.4	32.2	<0.01	0.06	1.3	0.012
ZZ00580		30.4	710	25.1	6.6	<0.001	0.01	1.52	3.7	1.0	0.4	65.1	<0.01	0.04	3.7	0.023
ZZ00581																
ZZ00582																
ZZ00583																
ZZ00584																
ZZ00585																
ZZ00586																
ZZ00587																
ZZ00588																
ZZ00589																
ZZ00590																
ZZ00591																
ZZ00592																
ZZ00593																
ZZ00594																
ZZ00595																
ZZ00596																
ZZ00597																
ZZ00598																

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 16- OCT- 2011
Account: RCM

Project: Rackla (OCELOT)

CERTIFICATE OF ANALYSIS WH11167593

Sample Description	Method Analyte Units LOR	ME- MS41 Tl ppm 0.02	ME- MS41 U ppm 0.05	ME- MS41 V ppm 1	ME- MS41 W ppm 0.05	ME- MS41 Y ppm 0.05	ME- MS41 Zn ppm 2	ME- MS41 Zr ppm 0.5	WEI- 21 Recvd Wt. kg .02
ZZ00558		0.17	0.76	46	0.14	8.71	170	5.4	0.22
ZZ00559		0.17	0.80	45	0.17	9.22	168	6.2	0.32
ZZ00561		0.17	0.83	46	0.18	9.06	171	6.1	0.30
ZZ00562		0.14	0.81	45	0.19	9.11	161	3.3	0.28
ZZ00563		0.16	0.79	46	0.15	9.09	172	3.9	0.30
ZZ00564		0.17	0.83	48	0.17	9.72	176	4.1	0.32
ZZ00565		0.15	0.83	49	0.28	10.75	229	3.2	0.34
ZZ00566		0.18	0.82	48	0.19	9.81	199	6.8	0.30
ZZ00567		0.12	0.88	54	0.31	11.10	220	2.3	0.20
ZZ00568		0.17	0.96	50	0.32	10.75	306	2.5	0.28
ZZ00569		0.16	0.97	42	0.29	10.70	268	1.9	0.34
ZZ00570		0.12	0.77	44	0.48	10.50	248	2.6	0.32
ZZ00571		0.12	0.69	47	0.50	11.60	213	2.8	0.30
ZZ00572		0.14	0.98	40	0.38	11.20	247	1.8	0.24
ZZ00573		0.09	0.70	44	0.31	10.00	144	1.4	0.26
ZZ00574		0.11	0.65	35	0.18	8.17	152	1.9	0.26
ZZ00575		0.09	0.79	37	0.22	7.86	153	1.6	0.28
ZZ00576		0.11	0.69	43	0.42	11.70	162	1.0	0.30
ZZ00577		0.09	0.50	48	0.20	3.76	164	0.9	0.30
ZZ00578		0.10	0.77	42	0.26	11.00	202	2.0	0.28
ZZ00579		0.14	1.23	44	0.14	10.15	219	1.8	0.16
ZZ00580		0.11	0.78	37	0.24	9.35	168	3.4	0.36
ZZ00581									Not Recvd
ZZ00582									Not Recvd
ZZ00583									Not Recvd
ZZ00584									Not Recvd
ZZ00585									Not Recvd
ZZ00586									Not Recvd
ZZ00587									Not Recvd
ZZ00588									Not Recvd
ZZ00589									Not Recvd
ZZ00590									Not Recvd
ZZ00591									Not Recvd
ZZ00592									Not Recvd
ZZ00593									Not Recvd
ZZ00594									Not Recvd
ZZ00595									Not Recvd
ZZ00596									Not Recvd
ZZ00597									Not Recvd
ZZ00598									Not Recvd

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 16- OCT- 2011
Account: RCM

Project: Rackla (OCELOT)

CERTIFICATE OF ANALYSIS WH11167593

Sample Description	Method Analyte Units LOR	Au- TL43 Au ppm 0.001	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1	ME- MS41 Cs ppm 0.05
ZZ00599																
ZZ00600																
ZZ00601																
ZZ00602																
ZZ00603																
ZZ00604																
ZZ00605																
ZZ00606																
ZZ00615																
ZZ00616																
ZZ00617																
ZZ00618																
ZZ00619																
ZZ00620																
ZZ00621																
ZZ00622																
ZZ00623																
ZZ00624																
ZZ00625																
ZZ00626																
ZZ00627																
ZZ00628																
ZZ00629																
ZZ00630																

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 16- OCT- 2011
Account: RCM

Project: Rackla (OCELOT)

CERTIFICATE OF ANALYSIS WH11167593

Sample Description	Method Analyte Units LOR	ME- MS41 Cu ppm 0.2	ME- MS41 Fe % 0.01	ME- MS41 Ga ppm 0.05	ME- MS41 Ge ppm 0.05	ME- MS41 Hf ppm 0.02	ME- MS41 Hg ppm 0.01	ME- MS41 In ppm 0.005	ME- MS41 K % 0.01	ME- MS41 La ppm 0.2	ME- MS41 Li ppm 0.1	ME- MS41 Mg % 0.01	ME- MS41 Mn ppm 5	ME- MS41 Mo ppm 0.05	ME- MS41 Na % 0.01	ME- MS41 Nb ppm 0.05
ZZ00599																
ZZ00600																
ZZ00601																
ZZ00602																
ZZ00603																
ZZ00604																
ZZ00605																
ZZ00606																
ZZ00615																
ZZ00616																
ZZ00617																
ZZ00618																
ZZ00619																
ZZ00620																
ZZ00621																
ZZ00622																
ZZ00623																
ZZ00624																
ZZ00625																
ZZ00626																
ZZ00627																
ZZ00628																
ZZ00629																
ZZ00630																

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 16- OCT- 2011
Account: RCM

Project: Rackla (OCELOT)

CERTIFICATE OF ANALYSIS WH11167593

Sample Description	Method Analyte Units LOR	ME- MS41 Ni ppm 0.2	ME- MS41 P ppm 10	ME- MS41 Pb ppm 0.2	ME- MS41 Rb ppm 0.1	ME- MS41 Re ppm 0.001	ME- MS41 S % 0.01	ME- MS41 Sb ppm 0.05	ME- MS41 Sc ppm 0.1	ME- MS41 Se ppm 0.2	ME- MS41 Sn ppm 0.2	ME- MS41 Sr ppm 0.2	ME- MS41 Ta ppm 0.01	ME- MS41 Te ppm 0.01	ME- MS41 Th ppm 0.2	ME- MS41 Ti % 0.005
ZZ00599 ZZ00600 ZZ00601 ZZ00602 ZZ00603																
ZZ00604 ZZ00605 ZZ00606 ZZ00615 ZZ00616																
ZZ00617 ZZ00618 ZZ00619 ZZ00620 ZZ00621																
ZZ00622 ZZ00623 ZZ00624 ZZ00625 ZZ00626																
ZZ00627 ZZ00628 ZZ00629 ZZ00630																

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 16- OCT- 2011
Account: RCM

Project: Rackla (OCELOT)

CERTIFICATE OF ANALYSIS WH11167593

Sample Description	Method Analyte Units LOR	ME- MS41 Tl ppm 0.02	ME- MS41 U ppm 0.05	ME- MS41 V ppm 1	ME- MS41 W ppm 0.05	ME- MS41 Y ppm 0.05	ME- MS41 Zn ppm 2	ME- MS41 Zr ppm 0.5	WEI- 21 Recvd Wt. kg .02
ZZ00599									Not Recvd
ZZ00600									Not Recvd
ZZ00601									Not Recvd
ZZ00602									Not Recvd
ZZ00603									Not Recvd
ZZ00604									Not Recvd
ZZ00605									Not Recvd
ZZ00606									Not Recvd
ZZ00615									Not Recvd
ZZ00616									Not Recvd
ZZ00617									Not Recvd
ZZ00618									Not Recvd
ZZ00619									Not Recvd
ZZ00620									Not Recvd
ZZ00621									Not Recvd
ZZ00622									Not Recvd
ZZ00623									Not Recvd
ZZ00624									Not Recvd
ZZ00625									Not Recvd
ZZ00626									Not Recvd
ZZ00627									Not Recvd
ZZ00628									Not Recvd
ZZ00629									Not Recvd
ZZ00630									Not Recvd

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 16- OCT- 2011
Account: RCM

Project: Rackla (OCELOT)

CERTIFICATE OF ANALYSIS WH11167593

Method	CERTIFICATE COMMENTS
ME- MS41	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown.
ME- MS41	Gold determinations by this method are semi- quantitative due to the small sample weight used (0.5g).

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 6- OCT- 2011
Account: RCM

CERTIFICATE WH11167594

Project: Rackla (OCELOT)

P.O. No.:

This report is for 222 Soil samples submitted to our lab in Whitehorse, YT, Canada on 25- AUG- 2011.

The following have access to data associated with this certificate:

ROB CARNE JULIA LANE	ANDREW CARNE JOAN MARIACHER	MATT DUMALA

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
SCR- 41	Screen to - 180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- TL43	Trace Level Au - 25g AR	ICP- MS
ME- MS41	51 anal. aqua regia ICPMS	

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 6- OCT- 2011
Account: RCM

Project: Rackla (OCELOT)

CERTIFICATE OF ANALYSIS WH11167594

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg .02	Au- TL43 Au ppm 0.001	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1
ZZ01599		0.30	0.001	0.36	1.58	17.3	<0.2	<10	360	0.77	0.41	2.84	0.86	30.7	15.4	29
ZZ01600		0.30	0.001	0.37	1.54	15.9	<0.2	<10	320	0.80	0.40	4.44	0.74	31.9	13.6	29
ZZ01601		0.28	0.001	0.35	1.56	15.5	<0.2	<10	350	0.70	0.39	4.86	0.80	29.0	14.1	29
ZZ01602		0.32	0.002	0.32	1.39	14.3	<0.2	<10	270	0.74	0.32	7.46	0.78	27.7	12.3	25
ZZ01603		0.32	0.001	0.34	1.51	16.1	<0.2	<10	320	0.68	0.38	7.21	0.94	29.7	13.2	27
ZZ01604		0.30	0.002	0.33	1.39	15.1	<0.2	<10	300	0.67	0.34	8.35	0.88	29.2	12.8	25
ZZ01605		0.30	0.001	0.28	1.26	14.7	<0.2	<10	270	0.65	0.30	8.11	0.83	27.7	12.2	24
ZZ01606		0.30	0.001	0.29	1.12	12.4	<0.2	<10	310	0.51	0.27	8.65	0.84	25.9	10.7	21
ZZ01607		0.30	<0.001	0.28	0.94	15.5	<0.2	<10	150	0.44	0.29	5.13	1.06	24.3	10.1	21
ZZ01608		0.34	0.001	0.29	1.22	13.6	<0.2	<10	310	0.58	0.29	8.33	0.95	26.4	11.5	22
ZZ01609		0.34	<0.001	0.30	1.30	14.3	<0.2	<10	250	0.67	0.33	8.16	0.90	28.6	12.8	22
ZZ01610		0.32	0.001	0.29	1.24	13.1	<0.2	<10	330	0.61	0.31	4.97	0.76	27.7	10.9	24
ZZ01611		0.32	0.001	0.30	1.30	14.4	<0.2	<10	290	0.57	0.33	6.69	0.86	27.2	12.4	24
ZZ01612		0.34	0.001	0.33	1.23	15.0	<0.2	<10	250	0.59	0.32	6.07	0.82	27.6	11.4	23
ZZ01613		0.26	0.001	0.21	0.85	10.4	<0.2	<10	180	0.34	0.19	5.35	0.86	23.2	10.4	22
ZZ01614		0.26	<0.001	0.27	0.73	10.3	<0.2	<10	150	0.31	0.20	5.79	0.37	19.90	8.3	17
ZZ01615		0.28	<0.001	0.25	1.31	13.0	<0.2	<10	370	0.58	0.28	0.95	0.49	25.2	9.7	25
ZZ01616		0.26	0.001	0.22	1.22	13.2	<0.2	<10	390	0.53	0.27	1.23	0.85	25.5	12.1	24
ZZ01617		0.28	0.002	0.42	1.02	12.9	<0.2	<10	240	0.44	0.24	5.10	1.66	17.95	9.1	21
ZZ01618		0.32	0.001	0.33	1.43	16.4	<0.2	<10	390	0.64	0.36	1.96	1.51	25.1	12.8	27
ZZ01627		0.36	0.001	0.33	1.59	15.2	<0.2	<10	240	0.70	0.48	3.11	0.76	31.3	13.7	28
ZZ01628		0.30	0.001	0.33	1.44	10.9	<0.2	<10	430	0.62	0.43	3.77	0.92	25.4	12.7	25
ZZ01629		0.26	0.001	0.33	1.50	14.7	<0.2	<10	290	0.64	0.42	2.30	0.78	24.4	14.1	26
ZZ01630		0.34	0.002	0.30	1.36	16.0	<0.2	<10	200	0.63	0.43	3.15	0.96	31.1	17.3	24
ZZ01631		0.32	0.001	0.30	1.45	16.0	<0.2	<10	200	0.61	0.41	5.24	0.71	27.5	14.4	24
ZZ01632		0.36	0.002	0.38	1.70	17.8	<0.2	<10	250	0.78	0.49	3.17	0.74	31.2	16.1	29
ZZ01633		0.36	0.002	0.33	1.55	16.9	<0.2	<10	240	0.65	0.45	4.16	0.81	31.3	15.5	28
ZZ01634		0.38	0.002	0.32	1.64	17.3	<0.2	<10	260	0.73	0.47	3.02	0.79	30.9	15.9	29
ZZ01635		0.32	0.002	0.30	1.60	13.9	<0.2	<10	280	0.67	0.36	1.79	0.34	30.8	12.5	27
ZZ01636		0.36	0.001	0.25	1.50	14.8	<0.2	<10	220	0.65	0.39	2.79	0.60	28.8	12.7	25
ZZ01637		0.24	0.002	0.31	1.43	15.3	<0.2	<10	240	0.60	0.40	1.63	0.86	25.8	13.1	26
ZZ01638		0.24	0.002	0.28	1.32	14.9	<0.2	<10	260	0.54	0.38	3.00	0.92	28.5	13.8	25
ZZ01639		0.38	0.001	0.27	1.04	13.5	<0.2	<10	180	0.46	0.29	8.21	0.85	19.95	10.9	19
ZZ01640		0.22	0.004	0.28	1.31	13.9	<0.2	<10	320	0.64	0.35	2.34	0.87	19.60	12.4	22
ZZ01641		0.32	0.002	0.34	1.55	16.9	<0.2	<10	250	0.69	0.47	6.26	0.86	30.3	15.7	26
ZZ01642		0.26	0.002	0.32	1.41	15.1	<0.2	<10	280	0.65	0.40	5.02	0.95	22.0	13.5	25
ZZ01643		0.38	0.001	0.26	1.22	13.9	<0.2	<10	260	0.58	0.30	8.04	0.83	21.7	11.3	21
ZZ01644		0.32	0.001	0.32	1.44	16.5	<0.2	<10	290	0.71	0.42	4.27	1.05	25.2	14.4	25
ZZ01645		0.24	0.002	0.32	1.82	18.5	<0.2	<10	270	0.84	0.49	3.21	0.81	27.6	13.6	31
ZZ01646		0.38	0.002	0.31	1.34	14.5	<0.2	<10	210	0.64	0.33	7.40	0.88	25.4	12.2	23

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 6- OCT- 2011
Account: RCM

Project: Rackla (OCELOT)

CERTIFICATE OF ANALYSIS WH11167594

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
ZZ01599		1.04	45.8	3.71	4.59	0.05	0.09	0.10	0.055	0.14	15.2	18.4	1.88	1100	1.29	0.01
ZZ01600		1.16	45.6	3.41	4.62	0.05	0.09	0.12	0.045	0.15	15.2	18.1	2.48	761	1.57	0.02
ZZ01601		1.08	45.8	3.40	4.46	0.05	0.10	0.09	0.043	0.14	13.7	18.2	2.81	761	1.36	0.02
ZZ01602		1.18	40.3	3.07	4.02	<0.05	0.08	0.10	0.036	0.15	13.4	16.8	3.39	738	1.58	0.02
ZZ01603		1.17	43.8	3.24	4.37	0.05	0.08	0.11	0.062	0.16	14.1	17.7	3.31	846	1.68	0.01
ZZ01604		1.26	41.4	3.09	4.00	<0.05	0.07	0.10	0.043	0.16	14.0	17.2	3.49	866	1.66	0.02
ZZ01605		1.03	37.8	2.92	3.65	<0.05	0.08	0.09	0.040	0.12	13.7	15.6	3.65	804	1.71	0.02
ZZ01606		1.00	34.4	2.63	3.15	<0.05	0.06	0.09	0.032	0.12	12.5	13.8	3.75	740	1.73	0.02
ZZ01607		0.59	37.4	2.72	2.84	<0.05	0.06	0.13	0.035	0.06	12.4	12.6	3.44	555	2.35	0.01
ZZ01608		1.05	37.9	2.82	3.53	0.05	0.08	0.09	0.033	0.13	12.6	15.5	3.52	782	1.77	0.01
ZZ01609		1.23	40.3	2.98	3.74	0.06	0.11	0.09	0.040	0.15	13.3	16.5	3.52	820	1.75	0.02
ZZ01610		0.92	36.0	2.89	3.47	<0.05	0.07	0.11	0.039	0.12	13.7	14.9	3.13	618	1.62	0.02
ZZ01611		1.09	37.1	3.01	3.67	<0.05	0.07	0.10	0.044	0.14	12.8	15.5	3.44	910	1.65	0.02
ZZ01612		1.00	36.7	3.02	3.48	<0.05	0.07	0.10	0.036	0.12	12.7	15.0	3.42	758	1.45	0.02
ZZ01613		0.49	28.4	2.27	2.65	0.05	0.04	0.06	0.028	0.05	11.0	11.4	3.44	692	1.71	0.02
ZZ01614		0.52	19.1	2.02	2.37	0.11	0.05	0.05	0.028	0.05	10.1	10.2	3.86	422	1.29	0.02
ZZ01615		0.53	27.9	3.06	3.67	<0.05	0.04	0.10	0.032	0.06	12.2	13.3	0.62	565	1.34	0.01
ZZ01616		0.59	27.7	3.08	3.59	<0.05	0.05	0.09	0.035	0.05	13.2	14.0	0.60	847	1.55	0.01
ZZ01617		0.52	49.4	2.33	3.01	0.05	0.06	0.26	0.031	0.05	10.1	12.5	3.14	429	2.93	0.01
ZZ01618		0.68	49.9	3.09	4.24	0.05	0.08	0.15	0.047	0.08	13.1	17.7	1.32	599	1.47	0.01
ZZ01627		0.84	52.9	3.42	4.69	0.06	0.11	0.09	0.047	0.12	15.4	18.8	2.18	638	1.33	0.01
ZZ01628		0.73	47.6	2.90	4.00	0.05	0.08	0.13	0.036	0.10	12.4	17.0	2.28	1080	1.16	0.01
ZZ01629		0.78	56.0	3.27	4.40	0.05	0.06	0.09	0.044	0.12	12.4	16.9	1.31	891	1.53	0.01
ZZ01630		0.76	34.9	3.30	4.04	0.05	0.08	0.08	0.047	0.10	14.1	16.2	2.15	1060	1.57	0.01
ZZ01631		0.85	51.2	3.25	4.04	0.05	0.07	0.08	0.044	0.12	13.2	17.1	2.70	898	1.44	0.01
ZZ01632		0.98	56.3	3.53	4.90	0.07	0.10	0.11	0.050	0.14	15.4	20.3	2.17	866	1.52	0.01
ZZ01633		0.98	50.7	3.47	4.24	0.05	0.12	0.12	0.033	0.13	14.3	18.2	2.45	813	1.34	0.01
ZZ01634		0.97	52.4	3.57	4.74	<0.05	0.09	0.11	0.039	0.12	15.1	19.7	2.01	951	1.41	0.01
ZZ01635		0.75	33.1	2.95	4.78	0.07	0.05	0.07	0.040	0.07	15.6	15.8	1.30	633	1.33	0.01
ZZ01636		0.75	37.8	3.04	4.33	0.05	0.06	0.07	0.040	0.08	14.1	16.9	1.80	619	1.20	0.01
ZZ01637		0.71	40.9	3.17	4.38	<0.05	0.06	0.08	0.036	0.10	12.7	17.6	0.85	840	1.19	<0.01
ZZ01638		0.88	41.5	3.11	3.88	0.05	0.07	0.08	0.040	0.13	13.2	15.4	1.77	1040	1.64	0.01
ZZ01639		0.85	34.4	2.58	2.84	0.06	0.06	0.10	0.038	0.10	10.3	12.1	3.82	796	1.28	0.01
ZZ01640		0.72	45.5	2.82	3.74	0.05	0.05	0.10	0.035	0.10	10.2	14.8	0.83	705	1.20	0.01
ZZ01641		1.23	53.5	3.37	4.43	0.06	0.10	0.10	0.038	0.15	14.9	19.5	2.96	936	1.81	0.01
ZZ01642		0.89	44.6	3.16	3.76	0.05	0.07	0.09	0.037	0.13	11.5	16.3	2.53	905	1.43	0.01
ZZ01643		0.81	39.0	2.66	3.32	0.06	0.06	0.10	0.040	0.12	11.3	14.4	3.81	769	1.69	0.01
ZZ01644		0.83	48.4	3.24	4.14	0.06	0.10	0.09	0.041	0.12	12.7	17.8	2.58	832	1.38	0.01
ZZ01645		1.12	56.3	3.81	5.04	0.06	0.15	0.10	0.044	0.17	13.9	21.8	2.24	621	1.65	0.01
ZZ01646		1.02	42.5	2.93	3.63	0.05	0.09	0.10	0.035	0.13	12.9	17.0	3.31	709	1.57	0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 6- OCT- 2011
Account: RCM

Project: Rackla (OCELOT)

CERTIFICATE OF ANALYSIS WH11167594

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
ZZ01599		0.59	42.5	860	46.0	10.8	<0.001	0.04	1.59	4.6	1.4	0.5	30.4	<0.01	0.04	3.2
ZZ01600		0.61	39.4	740	43.5	11.4	0.001	0.02	1.62	4.8	1.0	0.5	46.4	<0.01	0.03	3.5
ZZ01601		0.63	41.5	790	43.1	10.9	<0.001	0.02	1.48	4.9	1.1	0.4	48.6	<0.01	0.03	3.8
ZZ01602		0.46	36.7	730	35.7	10.4	<0.001	0.02	1.39	4.6	0.8	0.4	72.9	<0.01	0.04	3.8
ZZ01603		0.52	38.9	740	44.9	11.1	<0.001	0.01	1.46	4.9	0.8	0.5	68.8	<0.01	0.03	4.2
ZZ01604		0.54	36.8	720	39.1	10.6	<0.001	0.02	1.51	4.6	0.4	0.5	78.9	<0.01	0.02	3.9
ZZ01605		0.54	36.6	700	33.3	9.2	<0.001	0.01	1.41	4.3	0.8	0.4	74.8	<0.01	0.03	3.9
ZZ01606		0.47	32.6	690	31.3	8.3	<0.001	0.01	1.34	3.9	0.5	0.4	80.7	<0.01	0.03	3.6
ZZ01607		0.58	39.5	870	26.8	5.5	<0.001	0.01	1.65	3.2	0.5	0.3	34.5	<0.01	0.03	2.9
ZZ01608		0.51	35.2	700	33.6	8.8	0.001	0.01	1.45	4.1	0.8	0.4	83.5	<0.01	0.04	3.6
ZZ01609		0.49	35.8	670	39.4	9.9	<0.001	0.02	1.51	4.6	0.5	0.4	78.3	<0.01	0.05	4.3
ZZ01610		0.57	33.7	780	33.7	8.5	<0.001	0.02	1.37	4.1	0.6	0.5	39.7	<0.01	0.05	3.5
ZZ01611		0.51	34.9	710	39.4	9.2	0.001	0.02	1.35	4.1	0.7	0.4	65.5	<0.01	0.03	3.8
ZZ01612		0.54	34.0	750	36.3	8.5	0.001	0.02	1.40	4.1	1.0	0.4	55.7	<0.01	0.04	3.7
ZZ01613		1.42	33.1	990	21.8	4.4	0.002	0.05	1.15	2.4	1.0	0.3	44.1	<0.01	0.02	2.5
ZZ01614		0.88	23.6	800	28.3	4.6	0.001	0.02	1.04	2.4	0.8	0.3	42.8	<0.01	0.04	2.1
ZZ01615		0.56	30.7	730	24.9	6.9	<0.001	0.03	1.04	3.0	1.1	0.4	20.5	<0.01	0.02	1.5
ZZ01616		0.66	35.2	830	23.1	6.8	0.001	0.04	1.18	3.2	1.3	0.4	24.7	<0.01	0.01	1.8
ZZ01617		0.62	39.1	980	20.5	5.4	<0.001	0.04	1.97	3.5	1.3	0.4	41.5	<0.01	0.05	1.8
ZZ01618		0.64	43.8	850	34.1	8.0	0.001	0.05	1.71	4.8	2.2	0.4	26.3	<0.01	0.04	3.5
ZZ01627		0.73	37.9	840	39.6	9.2	0.002	0.02	1.47	5.4	1.0	0.4	31.3	<0.01	0.05	4.7
ZZ01628		0.44	34.0	790	35.4	8.5	0.002	0.05	1.44	4.3	1.6	0.3	29.8	<0.01	0.03	2.6
ZZ01629		0.52	37.0	790	40.4	9.3	0.001	0.06	1.64	3.9	1.1	0.4	25.9	<0.01	0.04	1.9
ZZ01630		0.52	38.8	790	46.7	8.2	0.001	0.03	1.27	4.6	0.8	0.4	28.3	<0.01	0.04	3.4
ZZ01631		0.51	35.6	720	42.6	8.2	<0.001	0.02	1.51	4.5	0.6	0.3	50.3	<0.01	0.04	3.8
ZZ01632		0.54	41.5	700	48.3	10.0	0.001	0.02	1.52	5.6	0.9	0.4	34.2	<0.01	0.05	4.4
ZZ01633		0.58	40.3	730	46.6	9.0	0.001	0.03	1.47	5.2	0.8	0.4	42.9	<0.01	0.03	4.5
ZZ01634		0.60	40.6	790	42.6	9.3	<0.001	0.03	1.41	5.2	0.9	0.4	34.9	<0.01	0.03	3.9
ZZ01635		0.78	30.6	610	27.2	8.5	<0.001	0.04	0.96	4.1	1.0	0.5	22.4	<0.01	0.02	2.4
ZZ01636		0.61	33.4	630	32.7	8.8	<0.001	0.04	1.09	4.4	0.7	0.4	25.8	<0.01	0.04	2.7
ZZ01637		0.51	31.4	780	37.0	10.1	<0.001	0.07	1.04	3.8	1.4	0.4	26.0	<0.01	0.03	1.7
ZZ01638		0.59	37.7	900	33.1	9.9	0.001	0.06	1.37	4.1	1.0	0.3	32.9	<0.01	0.04	2.4
ZZ01639		0.35	28.5	720	38.0	6.6	<0.001	0.02	1.35	3.7	0.8	0.3	82.4	<0.01	0.05	2.9
ZZ01640		0.46	32.2	780	34.4	8.1	<0.001	0.08	1.61	2.8	1.1	0.4	34.7	<0.01	0.03	1.2
ZZ01641		0.47	39.5	710	48.3	9.8	<0.001	0.02	1.62	5.3	0.9	0.4	68.0	<0.01	0.04	4.8
ZZ01642		0.46	36.2	770	42.7	8.2	0.002	0.04	1.50	3.9	1.0	0.3	51.3	<0.01	0.02	2.7
ZZ01643		0.44	33.3	710	32.9	7.9	<0.001	0.04	1.48	3.9	0.9	0.4	73.5	<0.01	0.03	2.9
ZZ01644		0.53	37.6	740	45.2	8.9	0.001	0.05	1.50	4.5	1.1	0.4	39.9	<0.01	0.05	3.6
ZZ01645		0.52	40.4	730	41.1	12.1	<0.001	0.04	1.69	5.5	1.1	0.5	31.3	<0.01	0.02	4.2
ZZ01646		0.48	33.8	750	36.6	8.8	0.001	0.03	1.41	4.5	1.0	0.4	77.0	<0.01	0.04	3.9

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 6- OCT- 2011
Account: RCM

Project: Rackla (OCELOT)

CERTIFICATE OF ANALYSIS WH11167594

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
ZZ01599		0.020	0.16	0.90	54	0.19	10.05	200	2.6
ZZ01600		0.022	0.15	0.79	52	0.18	9.89	187	3.0
ZZ01601		0.022	0.15	0.93	52	0.19	10.15	183	3.2
ZZ01602		0.019	0.15	0.71	46	0.16	9.23	166	3.0
ZZ01603		0.023	0.17	0.74	49	0.17	9.57	190	3.2
ZZ01604		0.023	0.16	0.79	46	0.16	9.05	175	3.0
ZZ01605		0.026	0.14	0.74	44	0.20	8.63	159	3.2
ZZ01606		0.023	0.13	0.76	39	0.19	8.03	150	3.0
ZZ01607		0.025	0.10	0.78	40	0.31	8.42	198	2.0
ZZ01608		0.021	0.13	0.74	42	0.16	8.57	161	3.2
ZZ01609		0.023	0.16	0.71	44	0.16	8.93	167	4.5
ZZ01610		0.022	0.13	0.60	46	0.26	8.83	163	2.4
ZZ01611		0.022	0.14	0.68	44	0.18	8.52	168	2.9
ZZ01612		0.021	0.13	0.65	42	0.21	8.65	164	2.8
ZZ01613		0.049	0.06	0.86	37	1.39	8.27	140	1.5
ZZ01614		0.030	0.06	0.73	31	0.23	6.64	115	1.6
ZZ01615		0.022	0.08	0.68	49	0.24	8.61	128	1.1
ZZ01616		0.022	0.07	1.15	45	0.30	8.47	150	1.4
ZZ01617		0.021	0.13	1.08	41	0.28	11.20	290	1.8
ZZ01618		0.014	0.15	1.32	51	0.35	11.10	217	2.9
ZZ01627		0.028	0.16	0.68	53	0.20	11.30	184	3.5
ZZ01628		0.017	0.15	0.83	47	0.15	11.25	176	2.4
ZZ01629		0.018	0.17	0.90	50	0.17	11.25	174	2.3
ZZ01630		0.022	0.16	0.69	50	0.21	10.50	194	2.4
ZZ01631		0.025	0.20	0.67	49	0.22	10.25	163	2.8
ZZ01632		0.022	0.16	0.64	55	0.18	11.50	193	3.6
ZZ01633		0.023	0.15	0.61	51	0.18	10.70	184	4.1
ZZ01634		0.025	0.17	0.59	55	0.21	11.65	177	3.1
ZZ01635		0.024	0.13	0.85	53	0.28	11.25	110	1.6
ZZ01636		0.018	0.14	0.73	53	0.16	11.55	142	2.0
ZZ01637		0.017	0.13	0.90	49	0.11	10.70	181	1.8
ZZ01638		0.025	0.23	1.07	50	0.23	11.30	158	2.2
ZZ01639		0.016	0.17	0.77	37	0.17	8.71	159	2.1
ZZ01640		0.013	0.13	1.51	42	0.14	8.92	172	1.9
ZZ01641		0.024	0.21	0.73	51	0.25	10.85	191	4.0
ZZ01642		0.017	0.16	0.77	47	0.18	9.73	185	2.6
ZZ01643		0.019	0.20	0.81	43	0.20	9.88	159	2.2
ZZ01644		0.017	0.18	0.88	47	0.16	10.80	178	3.5
ZZ01645		0.017	0.20	0.70	56	0.19	11.05	225	4.4
ZZ01646		0.021	0.15	0.76	44	0.15	10.00	190	3.1

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 6- OCT- 2011
Account: RCM

Project: Rackla (OCELOT)

CERTIFICATE OF ANALYSIS WH11167594

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg .02	Au- TL43 Au ppm 0.001	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1
ZZ01647		0.32	0.002	0.35	1.62	17.8	<0.2	<10	250	0.76	0.45	3.77	1.01	27.9	14.1	28
ZZ01648		0.28	0.001	0.36	1.64	18.3	<0.2	<10	260	0.85	0.45	3.39	1.05	29.6	14.0	29
ZZ01649		0.28	0.002	0.36	1.49	16.4	<0.2	<10	250	0.66	0.42	4.39	0.90	26.4	13.8	26
ZZ01650		0.34	0.002	0.49	1.50	17.2	<0.2	<10	260	0.73	0.41	3.93	1.13	31.2	16.2	27
ZZ01651		Not Recvd														
ZZ01652		Not Recvd														
ZZ01653		Not Recvd														
ZZ01654		Not Recvd														
ZZ01655		Not Recvd														
ZZ01656		Not Recvd														
ZZ01657		Not Recvd														
ZZ01658		Not Recvd														
ZZ01659		Not Recvd														
ZZ01660		Not Recvd														
ZZ01661		Not Recvd														
ZZ01662		Not Recvd														
ZZ01663		Not Recvd														
ZZ01664		Not Recvd														
ZZ01665		Not Recvd														
ZZ01666		Not Recvd														
ZZ01667		Not Recvd														
ZZ01668		Not Recvd														
ZZ01669		Not Recvd														
ZZ01670		Not Recvd														
ZZ01671		Not Recvd														
ZZ01672		Not Recvd														
ZZ01673		Not Recvd														
ZZ01674		Not Recvd														
ZZ01675		Not Recvd														
ZZ01676		Not Recvd														
ZZ01677		Not Recvd														
ZZ01678		Not Recvd														
ZZ01679		Not Recvd														
ZZ01680		Not Recvd														
ZZ01681		Not Recvd														
ZZ01682		Not Recvd														
ZZ01683		Not Recvd														
ZZ01684		Not Recvd														
ZZ01685		Not Recvd														
ZZ01686		Not Recvd														

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 6- OCT- 2011
Account: RCM

Project: Rackla (OCELOT)

CERTIFICATE OF ANALYSIS WH11167594

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
ZZ01647		1.06	50.7	3.54	4.61	0.06	0.11	0.12	0.042	0.15	13.7	20.0	2.53	753	1.49	0.01
ZZ01648		1.08	53.4	3.59	4.66	0.06	0.11	0.10	0.040	0.16	14.3	20.1	2.37	734	1.63	0.01
ZZ01649		0.99	45.4	3.29	4.14	0.05	0.08	0.09	0.032	0.13	13.3	17.9	2.55	838	1.38	0.01
ZZ01650		1.03	50.0	3.39	4.34	0.06	0.09	0.09	0.044	0.14	14.9	19.1	2.55	1020	1.56	0.01
ZZ01651																
ZZ01652																
ZZ01653																
ZZ01654																
ZZ01655																
ZZ01656																
ZZ01657																
ZZ01658																
ZZ01659																
ZZ01660																
ZZ01661																
ZZ01662																
ZZ01663																
ZZ01664																
ZZ01665																
ZZ01666																
ZZ01667																
ZZ01668																
ZZ01669																
ZZ01670																
ZZ01671																
ZZ01672																
ZZ01673																
ZZ01674																
ZZ01675																
ZZ01676																
ZZ01677																
ZZ01678																
ZZ01679																
ZZ01680																
ZZ01681																
ZZ01682																
ZZ01683																
ZZ01684																
ZZ01685																
ZZ01686																

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 6- OCT- 2011
Account: RCM

Project: Rackla (OCELOT)

CERTIFICATE OF ANALYSIS WH11167594

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
ZZ01647		0.52	40.0	800	44.4	10.4	<0.001	0.05	1.69	5.1	1.0	0.4	34.2	<0.01	0.06	3.7
ZZ01648		0.53	41.0	810	45.1	11.1	0.002	0.05	1.70	5.2	1.4	0.4	31.9	<0.01	0.04	3.7
ZZ01649		0.51	37.0	830	41.2	9.8	0.001	0.04	1.51	4.6	0.8	0.4	38.5	<0.01	0.05	3.3
ZZ01650		0.51	41.7	850	47.4	9.9	0.001	0.04	1.56	5.1	0.9	0.4	36.6	<0.01	0.04	3.9
ZZ01651																
ZZ01652																
ZZ01653																
ZZ01654																
ZZ01655																
ZZ01656																
ZZ01657																
ZZ01658																
ZZ01659																
ZZ01660																
ZZ01661																
ZZ01662																
ZZ01663																
ZZ01664																
ZZ01665																
ZZ01666																
ZZ01667																
ZZ01668																
ZZ01669																
ZZ01670																
ZZ01671																
ZZ01672																
ZZ01673																
ZZ01674																
ZZ01675																
ZZ01676																
ZZ01677																
ZZ01678																
ZZ01679																
ZZ01680																
ZZ01681																
ZZ01682																
ZZ01683																
ZZ01684																
ZZ01685																
ZZ01686																

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 6- OCT- 2011
Account: RCM

Project: Rackla (OCELOT)

CERTIFICATE OF ANALYSIS WH11167594

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
ZZ01647		0.018	0.16	0.79	52	1.27	11.20	225	3.5
ZZ01648		0.017	0.19	0.91	53	0.17	11.70	247	3.8
ZZ01649		0.019	0.16	0.77	49	0.19	10.45	224	2.9
ZZ01650		0.021	0.18	0.70	50	0.19	11.65	233	3.2
ZZ01651									
ZZ01652									
ZZ01653									
ZZ01654									
ZZ01655									
ZZ01656									
ZZ01657									
ZZ01658									
ZZ01659									
ZZ01660									
ZZ01661									
ZZ01662									
ZZ01663									
ZZ01664									
ZZ01665									
ZZ01666									
ZZ01667									
ZZ01668									
ZZ01669									
ZZ01670									
ZZ01671									
ZZ01672									
ZZ01673									
ZZ01674									
ZZ01675									
ZZ01676									
ZZ01677									
ZZ01678									
ZZ01679									
ZZ01680									
ZZ01681									
ZZ01682									
ZZ01683									
ZZ01684									
ZZ01685									
ZZ01686									

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 6- OCT- 2011
Account: RCM

Project: Rackla (OCELOT)

CERTIFICATE OF ANALYSIS WH11167594

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg .02	Au- TL43 Au ppm 0.001	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1
ZZ01687		Not Recvd														
ZZ01688		Not Recvd														
ZZ01689		Not Recvd														
ZZ01690		Not Recvd														
ZZ01691		0.36	0.001	0.31	1.31	15.6	<0.2	<10	310	0.61	0.35	6.83	1.13	24.3	12.2	24
ZZ01692		0.28	0.001	0.22	0.99	12.6	<0.2	<10	250	0.46	0.25	2.96	0.88	23.6	9.6	21
ZZ01693		0.26	0.001	0.24	1.04	12.6	<0.2	<10	240	0.47	0.26	2.78	1.12	20.9	9.9	21
ZZ01694		0.26	0.001	0.18	0.80	12.9	<0.2	<10	180	0.38	0.21	5.01	0.92	15.35	8.5	17
ZZ01695		0.24	0.001	0.25	1.02	13.0	<0.2	<10	350	0.52	0.28	3.42	0.76	18.95	9.8	21
ZZ01696		0.34	0.001	0.29	1.19	14.4	<0.2	<10	260	0.51	0.34	7.87	0.94	23.6	11.7	22
ZZ01697		0.20	0.002	0.24	1.25	12.8	<0.2	<10	470	0.55	0.30	1.91	1.01	23.3	10.8	24
ZZ01698		0.34	0.002	0.34	1.51	17.1	<0.2	<10	310	0.67	0.41	6.70	0.95	27.0	13.8	26
ZZ01699		0.28	0.001	0.29	1.27	14.6	<0.2	<10	320	0.61	0.34	4.05	0.87	28.0	12.0	25
ZZ01700		0.32	0.003	0.33	1.62	17.6	<0.2	<10	280	0.72	0.42	6.07	0.99	29.4	15.2	28
ZZ01701		0.30	0.002	0.29	1.36	14.5	<0.2	<10	260	0.53	0.31	8.44	0.79	29.3	12.5	24
ZZ01702		0.26	0.001	0.37	1.54	8.0	<0.2	<10	330	0.61	0.35	3.56	0.97	34.1	11.9	29
ZZ01703		0.28	0.001	0.34	1.53	15.3	<0.2	<10	390	0.60	0.36	6.80	0.89	31.2	14.0	27
ZZ01704		0.30	0.001	0.32	1.42	15.4	<0.2	<10	290	0.52	0.33	5.67	0.83	30.0	13.7	26
ZZ01705		0.30	0.001	0.23	1.15	12.7	<0.2	<10	240	0.42	0.29	3.92	0.87	28.0	11.4	22
ZZ01706		0.32	0.001	0.22	0.92	12.4	<0.2	<10	210	0.32	0.22	6.13	0.93	23.3	10.2	19
ZZ01707		0.28	<0.001	0.17	0.75	10.0	<0.2	<10	210	0.29	0.17	9.04	0.72	20.5	8.3	16
ZZ01708		0.26	<0.001	0.37	0.89	13.2	<0.2	<10	90	0.39	0.21	4.39	0.63	21.1	8.8	18
ZZ01709		0.30	<0.001	0.32	1.06	13.3	<0.2	<10	240	0.41	0.28	8.36	1.11	26.7	11.3	20
ZZ01710		0.30	0.001	0.27	1.18	12.9	<0.2	<10	220	0.44	0.28	8.40	0.87	27.1	12.1	21
ZZ01711		0.24	0.001	0.24	0.98	14.1	<0.2	<10	160	0.33	0.21	5.11	0.71	25.6	12.5	24
ZZ01712		0.18	0.001	0.22	0.96	10.4	<0.2	<10	150	0.37	0.25	5.14	0.62	24.1	9.7	21
ZZ01713		0.40	0.001	0.28	1.16	13.5	<0.2	<10	200	0.47	0.27	8.75	0.95	26.7	11.7	20
ZZ03251		0.32	0.002	0.29	1.27	15	<0.2	<10	270	0.52	0.30	10.10	0.84	27.1	12.2	21
ZZ03252		0.22	0.001	0.37	1.68	16.3	<0.2	<10	270	0.68	0.41	4.83	0.78	33.5	15.3	28
ZZ03253		0.36	0.001	0.32	1.49	15.5	<0.2	<10	280	0.61	0.35	7.12	0.86	30.3	13.7	24
ZZ03254		0.24	0.001	0.33	1.55	15.6	<0.2	<10	230	0.61	0.38	6.39	0.84	30.7	13.7	25
ZZ03255		0.38	0.001	0.26	1.16	13.3	<0.2	<10	250	0.46	0.26	4.38	0.90	26.7	10.6	23
ZZ03256		0.28	<0.001	0.39	1.07	5.2	<0.2	<10	180	0.47	0.33	5.07	2.90	26.8	9.0	22
ZZ03257		0.32	0.001	0.35	1.52	7.1	<0.2	<10	330	0.67	0.36	3.33	1.20	30.7	12.7	27
ZZ03258		0.32	0.001	0.35	1.53	15.8	<0.2	<10	280	0.57	0.37	7.02	0.85	31.9	13.9	25
ZZ03259		0.36	<0.001	0.29	1.38	14.5	<0.2	<10	270	0.55	0.34	8.57	0.92	29.3	12.6	24
ZZ03260		0.22	<0.001	0.36	1.24	14.1	<0.2	<10	210	0.50	0.30	3.07	1.60	31.1	11.2	25
ZZ03261		0.28	0.001	0.34	1.38	15.7	<0.2	<10	260	0.59	0.33	6.66	1.16	28.3	13.7	23
ZZ03262		0.28	0.017	0.41	1.32	16.9	<0.2	<10	230	0.55	0.30	1.70	1.47	31.2	11.1	26
ZZ03263		0.24	0.001	0.34	1.51	15.7	<0.2	<10	230	0.64	0.35	4.28	1.28	31.5	14.6	25

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 6- OCT- 2011
Account: RCM

Project: Rackla (OCELOT)

CERTIFICATE OF ANALYSIS WH11167594

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
ZZ01687																
ZZ01688																
ZZ01689																
ZZ01690																
ZZ01691		0.98	42.0	2.92	3.67	<0.05	0.07	0.09	0.044	0.12	12.1	16.5	3.25	768	1.67	0.01
ZZ01692		0.48	28.4	2.40	2.83	<0.05	0.09	0.12	0.032	0.04	11.9	12.4	1.91	538	1.30	0.01
ZZ01693		0.50	31.7	2.42	2.86	<0.05	0.06	0.13	0.030	0.04	10.8	13.4	1.75	403	0.99	0.01
ZZ01694		0.39	27.2	2.26	2.30	<0.05	0.04	0.09	0.032	0.04	8.2	10.0	2.84	583	2.09	0.01
ZZ01695		0.51	32.8	2.53	2.88	<0.05	0.04	0.11	0.031	0.06	10.1	13.6	1.80	624	1.27	0.01
ZZ01696		0.98	39.2	2.71	3.31	<0.05	0.11	0.09	0.045	0.12	11.9	15.5	3.49	771	1.83	0.01
ZZ01697		0.50	34.0	2.76	3.53	<0.05	0.06	0.10	0.034	0.06	10.9	15.9	0.98	505	1.14	0.01
ZZ01698		1.18	48.6	3.18	4.18	0.05	0.08	0.12	0.051	0.14	13.2	19.4	2.94	817	1.81	0.01
ZZ01699		0.74	39.2	2.80	3.74	<0.05	0.07	0.08	0.035	0.08	13.0	16.8	2.40	617	1.30	0.01
ZZ01700		1.19	49.5	3.43	4.44	0.05	0.10	0.08	0.046	0.16	14.5	20.3	3.12	865	1.84	0.01
ZZ01701		1.18	41.4	3.02	4.41	0.12	0.10	0.11	0.036	0.14	14.2	15.1	3.55	857	1.56	0.02
ZZ01702		1.00	47.4	2.73	5.00	0.11	0.10	0.12	0.043	0.12	16.2	18.0	2.33	484	1.14	0.02
ZZ01703		1.32	44.7	3.18	4.85	0.12	0.11	0.11	0.044	0.15	15.2	17.8	3.26	880	1.68	0.02
ZZ01704		1.07	43.5	3.13	4.60	0.11	0.10	0.09	0.039	0.12	14.5	16.2	2.91	822	1.69	0.02
ZZ01705		0.65	33.5	2.62	3.67	0.11	0.08	0.09	0.033	0.06	13.4	13.8	2.53	569	1.41	0.02
ZZ01706		0.60	29.3	2.41	2.97	0.11	0.07	0.09	0.029	0.06	11.7	10.7	3.31	707	1.68	0.02
ZZ01707		0.54	25.3	2.07	2.40	0.11	0.07	0.07	0.025	0.05	10.3	9.3	3.88	561	1.74	0.02
ZZ01708		0.45	27.1	2.51	2.83	0.10	0.05	0.10	0.034	0.04	11.0	11.2	2.81	506	1.74	0.01
ZZ01709		1.03	37.1	2.63	3.40	0.11	0.11	0.12	0.034	0.10	12.8	13.1	3.60	762	3.06	0.02
ZZ01710		1.01	37.8	2.71	3.84	0.11	0.09	0.10	0.033	0.12	13.1	13.5	3.55	831	1.88	0.02
ZZ01711		0.70	30.2	2.97	3.51	0.11	0.06	0.06	0.034	0.06	12.7	12.4	3.32	696	2.18	0.02
ZZ01712		0.65	26.3	2.46	3.24	0.11	0.06	0.08	0.031	0.07	11.9	12.2	3.22	312	1.51	0.02
ZZ01713		1.13	35.8	2.66	3.69	0.11	0.09	0.10	0.033	0.13	13.1	13.7	3.63	778	1.91	0.02
ZZ03251		1.24	38.7	2.82	3.97	0.12	0.09	0.10	0.041	0.14	13.1	14.7	3.83	807	1.64	0.02
ZZ03252		1.23	50.2	3.54	5.21	0.12	0.12	0.10	0.041	0.16	16.3	19.1	2.68	873	1.62	0.02
ZZ03253		1.38	45.7	3.17	4.65	0.12	0.11	0.11	0.039	0.16	14.8	17.0	3.15	816	1.79	0.02
ZZ03254		1.34	45.4	3.27	4.87	0.12	0.12	0.11	0.039	0.16	15.0	17.4	3.07	824	1.59	0.02
ZZ03255		0.60	33.8	2.74	3.64	0.11	0.08	0.10	0.033	0.07	13.3	13.5	2.78	543	1.31	0.01
ZZ03256		0.59	56.5	1.79	3.38	0.11	0.09	0.24	0.043	0.05	13.3	14.3	3.22	257	0.51	0.01
ZZ03257		0.90	50.3	2.56	4.78	0.10	0.11	0.12	0.042	0.11	14.9	17.5	2.01	327	0.83	0.02
ZZ03258		1.48	46.5	3.19	4.95	0.12	0.11	0.10	0.039	0.16	15.5	18.1	3.15	806	1.76	0.02
ZZ03259		1.35	42.7	2.97	4.52	0.11	0.14	0.10	0.040	0.15	14.2	15.9	3.44	794	1.88	0.02
ZZ03260		0.65	42.9	2.61	4.01	0.11	0.07	0.18	0.040	0.06	15.3	15.9	2.09	262	2.35	0.02
ZZ03261		1.19	43.6	3.18	4.29	0.11	0.10	0.12	0.039	0.14	13.8	15.8	3.29	1020	2.04	0.02
ZZ03262		0.67	45.0	3.28	4.02	0.11	0.06	0.20	0.044	0.06	16.1	15.6	1.16	706	3.09	0.02
ZZ03263		1.10	39.0	3.38	4.73	0.11	0.09	0.12	0.040	0.13	14.8	17.3	2.80	973	2.03	0.02

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 6- OCT- 2011
Account: RCM

Project: Rackla (OCELOT)

CERTIFICATE OF ANALYSIS WH11167594

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
ZZ01687																
ZZ01688																
ZZ01689																
ZZ01690																
ZZ01691		0.52	36.0	780	36.9	8.2	0.002	0.03	1.49	4.3	0.7	0.4	71.3	<0.01	0.03	3.5
ZZ01692		0.65	31.6	820	25.1	5.2	<0.001	0.03	1.22	3.5	1.3	0.3	26.2	<0.01	0.06	3.3
ZZ01693		0.51	36.1	840	27.9	5.1	<0.001	0.04	1.48	3.3	1.4	0.3	25.1	<0.01	0.04	2.4
ZZ01694		0.41	30.7	750	23.0	3.9	0.001	0.04	1.52	2.3	1.5	0.2	39.8	<0.01	0.04	1.6
ZZ01695		0.50	31.2	880	28.0	5.4	0.002	0.05	1.38	3.1	1.2	0.3	35.5	<0.01	0.02	1.7
ZZ01696		0.37	33.4	690	38.3	7.7	0.001	0.03	1.49	4.1	0.7	0.4	77.2	<0.01	0.03	4.0
ZZ01697		0.67	29.3	840	27.2	5.4	0.002	0.06	1.31	3.5	3.4	0.4	30.6	<0.01	0.03	2.3
ZZ01698		0.52	37.6	710	44.9	9.9	<0.001	0.03	1.63	4.8	0.8	0.5	73.1	<0.01	0.06	4.0
ZZ01699		0.65	34.8	810	31.9	7.0	0.002	0.04	1.41	4.1	0.8	0.4	39.8	<0.01	0.03	3.2
ZZ01700		0.55	40.8	760	47.9	10.1	<0.001	0.03	1.61	5.2	0.9	0.5	64.8	<0.01	0.06	4.6
ZZ01701		0.64	34.7	720	34.9	10.9	<0.001	0.02	1.11	5.3	0.9	0.4	86.3	<0.01	0.03	4.6
ZZ01702		0.98	39.4	860	39.2	10.4	<0.001	0.03	1.35	5.5	1.5	0.5	35.3	<0.01	0.04	4.9
ZZ01703		0.67	37.5	740	41.5	12.5	0.001	0.02	1.24	5.4	0.8	0.4	75.6	<0.01	0.04	5.0
ZZ01704		0.85	38.2	800	36.5	10.7	<0.001	0.02	1.32	5.1	0.8	0.4	56.0	<0.01	0.04	4.4
ZZ01705		0.93	34.9	830	26.9	6.9	<0.001	0.02	1.22	4.4	0.8	0.4	32.7	<0.01	0.03	4.4
ZZ01706		0.76	30.3	820	25.8	6.2	<0.001	0.02	1.17	3.8	0.6	0.3	56.4	<0.01	0.02	3.4
ZZ01707		0.70	25.6	720	20.5	5.1	0.001	0.02	1.14	3.5	0.7	0.2	78.7	<0.01	0.02	2.9
ZZ01708		0.51	31.5	790	23.2	5.3	0.001	0.02	1.28	3.4	1.0	0.3	28.1	<0.01	0.02	1.9
ZZ01709		0.43	34.9	750	32.3	8.4	0.001	0.02	1.29	4.5	0.8	0.3	84.5	<0.01	0.02	4.2
ZZ01710		0.57	33.2	730	32.1	9.3	0.001	0.02	1.14	4.6	0.7	0.3	78.7	<0.01	0.03	4.1
ZZ01711		1.72	33.0	1060	26.2	6.3	0.001	0.04	1.13	3.5	1.1	0.3	40.0	<0.01	0.03	3.1
ZZ01712		1.17	27.3	960	27.0	6.6	0.001	0.05	1.09	3.4	1.3	0.3	41.8	<0.01	0.03	2.7
ZZ01713		0.60	33.5	730	33.5	9.5	0.001	0.02	1.19	4.5	0.8	0.3	86.3	<0.01	0.03	4.1
ZZ03251		0.43	32.2	700	38.4	10.5	0.001	0.02	1.03	4.9	0.7	0.3	104.5	<0.01	0.04	4.4
ZZ03252		0.76	39.7	800	44.3	12.7	<0.001	0.03	1.33	5.7	0.8	0.4	48.9	<0.01	0.04	4.8
ZZ03253		0.62	37.2	720	38.5	12.1	<0.001	0.02	1.24	5.4	0.8	0.4	79.6	<0.01	0.04	4.8
ZZ03254		0.69	37.0	770	40.1	12.1	<0.001	0.02	1.23	5.3	0.8	0.4	67.8	<0.01	0.04	5.0
ZZ03255		0.89	33.5	830	29.3	7.0	0.001	0.02	1.18	4.3	0.9	0.4	34.2	<0.01	0.03	4.0
ZZ03256		0.76	51.8	880	32.5	6.4	<0.001	0.03	1.62	4.3	1.3	0.4	34.4	<0.01	0.04	3.7
ZZ03257		0.90	40.1	830	41.1	10.3	0.001	0.05	1.65	5.2	2.1	0.5	33.8	<0.01	0.04	4.3
ZZ03258		0.55	36.9	720	39.2	13.0	<0.001	0.02	1.21	5.4	0.7	0.4	78.0	<0.01	0.03	5.2
ZZ03259		0.50	34.9	710	34.8	11.4	0.001	0.01	1.14	5.1	0.8	0.4	86.9	<0.01	0.03	5.0
ZZ03260		0.91	48.7	920	29.7	8.0	<0.001	0.02	1.68	4.6	1.0	0.4	27.3	<0.01	0.04	3.9
ZZ03261		0.66	37.7	800	39.6	11.2	0.001	0.03	1.47	5.0	1.1	0.4	62.9	<0.01	0.03	3.9
ZZ03262		0.82	48.3	950	28.7	8.2	<0.001	0.04	1.57	5.0	1.2	0.5	22.3	0.01	0.04	2.7
ZZ03263		0.67	40.4	860	41.0	11.5	<0.001	0.03	1.25	5.3	1.0	0.4	35.7	<0.01	0.04	4.0

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 6- OCT- 2011
Account: RCM

Project: Rackla (OCELOT)

CERTIFICATE OF ANALYSIS WH11167594

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
ZZ01687									
ZZ01688									
ZZ01689									
ZZ01690									
ZZ01691		0.020	0.14	0.86	45	0.20	9.80	185	3.0
ZZ01692		0.021	0.10	0.78	40	0.78	9.21	155	2.2
ZZ01693		0.016	0.09	0.76	41	0.90	9.20	180	1.7
ZZ01694		0.015	0.08	1.12	34	0.36	7.23	160	1.3
ZZ01695		0.014	0.10	1.02	39	0.34	8.84	154	1.8
ZZ01696		0.024	0.14	0.81	42	0.24	8.80	172	4.4
ZZ01697		0.019	0.08	2.94	45	0.28	9.08	148	1.9
ZZ01698		0.021	0.22	0.90	49	0.17	9.97	188	3.2
ZZ01699		0.023	0.12	0.79	45	0.22	9.95	162	2.5
ZZ01700		0.023	0.20	0.76	53	0.20	10.75	203	4.0
ZZ01701		0.021	0.17	0.82	45	0.17	11.05	163	5.1
ZZ01702		0.022	0.16	1.07	52	0.31	11.80	192	4.6
ZZ01703		0.023	0.20	1.03	49	0.18	10.95	182	5.3
ZZ01704		0.024	0.17	0.95	47	0.24	10.95	170	4.3
ZZ01705		0.028	0.10	0.69	43	0.35	10.15	162	3.4
ZZ01706		0.023	0.10	0.72	36	0.40	8.97	146	3.0
ZZ01707		0.023	0.09	0.87	31	0.27	8.27	123	3.1
ZZ01708		0.016	0.09	0.86	37	0.94	10.10	147	1.6
ZZ01709		0.023	0.15	0.90	39	0.21	10.25	176	5.6
ZZ01710		0.023	0.16	0.78	41	0.21	10.30	160	4.3
ZZ01711		0.045	0.10	0.84	39	0.43	8.92	150	2.3
ZZ01712		0.029	0.09	0.96	37	0.22	8.50	148	2.4
ZZ01713		0.021	0.17	0.88	41	0.18	9.95	163	4.4
ZZ03251		0.016	0.18	0.93	42	0.11	11.00	160	4.7
ZZ03252		0.022	0.18	0.77	53	0.18	11.80	193	4.6
ZZ03253		0.021	0.19	0.88	48	0.17	10.90	174	5.2
ZZ03254		0.021	0.19	0.82	49	0.17	10.90	179	5.1
ZZ03255		0.023	0.10	0.70	43	0.28	9.69	157	3.4
ZZ03256		0.017	0.14	1.33	44	0.42	12.40	339	3.3
ZZ03257		0.017	0.14	1.76	51	0.23	11.55	198	4.6
ZZ03258		0.023	0.20	0.88	48	0.18	11.30	173	5.7
ZZ03259		0.023	0.18	0.85	45	0.16	10.95	167	7.2
ZZ03260		0.022	0.13	0.94	51	0.35	12.60	300	2.7
ZZ03261		0.017	0.19	0.94	46	0.18	10.80	195	4.3
ZZ03262		0.025	0.13	0.96	51	0.33	15.80	254	1.9
ZZ03263		0.016	0.16	0.77	49	0.21	11.75	213	3.4

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 6- OCT- 2011
Account: RCM

Project: Rackla (OCELOT)

CERTIFICATE OF ANALYSIS WH11167594

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg .02	Au- TL43 Au ppm 0.001	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1
ZZ03264		0.36	0.001	0.27	1.23	13.3	<0.2	<10	230	0.45	0.29	6.54	1.08	25.4	11.4	21
ZZ03265		0.22	0.001	0.35	1.30	17.1	<0.2	<10	350	0.61	0.34	4.37	1.37	25.8	14.0	24
ZZ03266		0.26	0.001	0.30	1.23	10.4	<0.2	<10	280	0.50	0.29	3.56	0.92	24.3	9.9	25
ZZ03267		0.24	<0.001	0.21	0.89	12.1	<0.2	<10	190	0.32	0.21	5.39	0.69	23.1	11.0	22
ZZ03268		0.18	0.001	0.22	0.96	10.6	<0.2	<10	160	0.36	0.21	3.71	0.88	22.3	10.4	23
ZZ03269		0.26	0.004	0.16	1.31	12.2	<0.2	<10	210	0.50	0.28	1.50	0.55	22.4	8.4	28
ZZ03270		0.30	0.001	0.47	1.11	16.6	<0.2	<10	300	0.48	0.26	3.68	1.82	21.7	9.2	25
ZZ03271		0.30	<0.001	0.34	1.54	18.0	<0.2	<10	260	0.65	0.38	4.38	1.26	32.1	14.3	31
ZZ03272		0.36	<0.001	0.31	1.44	15.0	<0.2	<10	250	0.57	0.36	7.96	1.05	30.1	13.9	24
ZZ03273		0.30	0.001	0.37	1.56	15.7	<0.2	<10	290	0.63	0.35	3.70	1.20	33.2	13.8	30
ZZ03274		0.36	0.001	0.33	1.59	15.8	<0.2	<10	290	0.76	0.42	4.43	1.00	31.9	14.2	30
ZZ03275		0.32	<0.001	0.29	1.02	10.9	<0.2	<10	240	0.48	0.25	5.29	2.08	24.1	9.2	21
ZZ03276		0.36	0.004	0.45	1.01	8.8	<0.2	<10	270	0.52	0.32	5.20	3.42	23.8	8.5	22
ZZ03277		0.30	<0.001	0.24	0.83	9.2	<0.2	<10	170	0.40	0.26	6.45	1.59	22.8	8.5	19
ZZ03278		0.32	<0.001	0.22	0.96	8.9	<0.2	<10	240	0.44	0.24	3.87	1.07	23.5	8.8	21
ZZ03279		0.38	0.001	0.20	0.88	11.3	<0.2	<10	250	0.41	0.23	5.17	1.14	22.9	8.6	19
ZZ03280		0.32	0.002	0.32	1.44	15.7	<0.2	<10	290	0.71	0.39	6.47	1.00	30.9	15.2	25
ZZ03281		0.32	0.004	0.29	1.48	14.7	<0.2	<10	290	0.63	0.40	3.85	1.16	26.7	13.5	27
ZZ03282		0.44	0.002	0.28	1.58	15.4	<0.2	<10	270	0.63	0.39	5.32	0.91	28.7	13.1	29
ZZ03283		0.32	0.001	0.21	0.96	11.0	<0.2	<10	200	0.40	0.25	8.36	0.71	20.4	9.6	18
ZZ03284		0.36	0.002	0.24	1.00	12.5	<0.2	<10	140	0.51	0.24	9.24	0.70	19.30	9.5	18
ZZ03285		0.34	0.002	0.30	1.20	14.0	<0.2	<10	250	0.62	0.33	6.28	0.91	23.2	11.6	22
ZZ03286		0.30	0.002	0.32	1.32	14.4	<0.2	<10	270	0.73	0.36	5.23	0.93	24.0	12.6	23
ZZ03287		0.28	0.002	0.22	1.03	10.3	<0.2	<10	170	0.49	0.25	5.75	0.66	22.3	10.2	19
ZZ03288		0.26	0.002	0.22	1.22	13.6	<0.2	<10	180	0.61	0.28	8.37	0.69	22.7	11.3	21
ZZ03289		0.28	0.001	0.27	1.28	13.5	<0.2	<10	240	0.60	0.30	8.56	0.92	22.6	11.4	22
ZZ03290		0.32	0.002	0.28	1.47	14.7	<0.2	<10	270	0.69	0.37	3.52	0.91	29.2	13.6	27
ZZ03291		0.34	0.003	0.27	1.36	14.5	<0.2	<10	210	0.59	0.33	3.75	0.86	29.2	12.9	26
ZZ03292		0.30	0.002	0.29	1.43	14.5	<0.2	<10	250	0.66	0.35	5.36	0.79	27.2	12.3	25
ZZ03293		0.26	0.002	0.28	1.47	14.6	<0.2	<10	220	0.68	0.36	7.03	0.88	31.4	13.7	25
ZZ03294		0.26	0.002	0.30	1.32	14.4	<0.2	<10	350	0.61	0.33	6.87	0.87	24.6	12.3	23
ZZ03295		0.30	0.003	0.29	1.52	13.1	<0.2	<10	370	0.71	0.37	3.82	0.72	30.5	12.8	28
ZZ03296		0.28	0.003	0.32	1.59	14.8	<0.2	<10	330	0.73	0.39	2.98	0.86	31.5	14.0	29
ZZ03297		0.26	0.002	0.22	0.90	13.0	<0.2	<10	230	0.39	0.23	6.04	1.34	22.8	9.3	20
ZZ03298		0.32	0.002	0.32	1.23	13.4	<0.2	<10	450	0.56	0.31	4.15	2.37	28.0	10.8	24
ZZ03299		0.20	0.002	0.37	1.63	15.9	<0.2	<10	270	0.79	0.39	5.55	0.88	29.8	13.8	27
ZZ03300		0.24	0.001	0.34	1.43	17.8	<0.2	<10	330	0.74	0.36	8.44	2.25	28.2	13.7	24
ZZ03301		0.26	0.002	0.34	1.49	16.3	<0.2	<10	240	0.73	0.39	4.48	1.31	28.8	13.7	25
ZZ03302		0.20	0.003	0.34	1.02	14.4	<0.2	<10	310	0.53	0.27	4.32	1.33	21.6	9.8	21
ZZ03303		0.40	0.001	0.21	1.40	10.0	<0.2	<10	220	0.57	0.51	5.17	0.80	32.7	13.1	23

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 6- OCT- 2011
Account: RCM

Project: Rackla (OCELOT)

CERTIFICATE OF ANALYSIS WH11167594

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
ZZ03264		0.95	37.5	2.79	3.84	0.11	0.06	0.10	0.034	0.12	12.8	13.6	3.59	838	2.09	0.02
ZZ03265		0.87	46.1	3.49	4.02	0.13	0.09	0.14	0.037	0.10	12.4	15.7	2.59	1250	2.21	0.02
ZZ03266		0.70	38.8	2.76	3.85	0.11	0.06	0.11	0.040	0.06	12.1	15.7	1.98	673	1.34	0.01
ZZ03267		0.66	30.7	2.48	2.98	0.11	0.05	0.07	0.029	0.06	11.6	12.1	3.33	969	1.64	0.02
ZZ03268		0.66	21.6	2.56	3.17	0.11	0.05	0.07	0.029	0.06	11.2	12.6	2.23	616	1.37	0.02
ZZ03269		0.54	20.4	2.79	4.30	0.10	0.04	0.06	0.035	0.04	11.7	15.1	0.87	385	1.81	0.01
ZZ03270		0.69	51.7	2.86	3.43	0.11	0.04	0.24	0.042	0.05	12.2	14.9	1.96	683	2.57	0.02
ZZ03271		1.16	51.5	3.47	4.84	0.12	0.09	0.15	0.044	0.13	15.8	18.1	2.83	892	2.93	0.02
ZZ03272		1.28	45.7	3.12	4.51	0.11	0.11	0.11	0.038	0.14	14.6	17.2	3.28	882	2.12	0.02
ZZ03273		1.04	47.8	3.28	5.03	0.12	0.10	0.14	0.044	0.12	16.1	18.8	2.32	767	2.61	0.02
ZZ03274		0.91	48.9	3.23	4.42	<0.05	0.11	0.13	0.040	0.12	16.2	18.4	2.60	728	1.77	0.01
ZZ03275		0.39	37.9	2.10	2.85	<0.05	0.05	0.14	0.033	0.04	12.1	12.5	3.45	250	1.86	0.01
ZZ03276		0.45	56.4	1.92	2.81	0.05	0.05	0.24	0.043	0.05	11.8	13.2	3.29	291	1.61	0.01
ZZ03277		0.45	33.6	1.92	2.36	<0.05	0.06	0.13	0.032	0.04	10.9	10.5	4.01	528	2.56	0.01
ZZ03278		0.44	28.2	1.78	2.84	<0.05	0.05	0.12	0.033	0.04	11.9	11.4	2.39	319	1.05	0.01
ZZ03279		0.39	26.6	1.96	2.52	<0.05	0.04	0.09	0.030	0.04	11.3	10.9	3.22	383	1.63	0.01
ZZ03280		1.14	46.1	3.12	3.93	<0.05	0.10	0.11	0.038	0.14	15.1	17.7	3.20	998	2.05	0.02
ZZ03281		0.98	38.3	3.24	3.94	<0.05	0.10	0.11	0.042	0.14	13.5	14.5	2.55	962	1.75	0.02
ZZ03282		0.88	42.9	3.30	3.96	<0.05	0.09	0.11	0.044	0.13	14.5	14.5	2.95	935	1.78	0.01
ZZ03283		0.70	27.0	2.35	2.56	<0.05	0.06	0.08	0.038	0.08	9.7	10.1	4.10	744	1.30	0.01
ZZ03284		0.58	30.1	2.35	2.56	<0.05	0.06	0.10	0.027	0.07	9.3	11.8	4.39	645	1.40	0.01
ZZ03285		0.79	35.8	2.76	3.15	<0.05	0.07	0.12	0.035	0.11	11.7	13.6	3.45	830	1.36	0.01
ZZ03286		0.82	41.0	2.92	3.56	<0.05	0.07	0.11	0.035	0.11	12.5	15.2	2.84	800	1.52	0.01
ZZ03287		0.63	28.7	2.28	2.92	<0.05	0.05	0.07	0.029	0.08	10.7	13.1	3.70	442	1.03	0.01
ZZ03288		0.73	32.3	2.80	3.10	<0.05	0.06	0.07	0.033	0.10	10.9	13.5	4.20	793	1.46	0.01
ZZ03289		0.90	35.5	2.76	3.18	<0.05	0.06	0.10	0.036	0.13	11.1	13.9	3.75	762	1.56	0.01
ZZ03290		0.76	41.6	3.20	3.95	<0.05	0.09	0.12	0.035	0.10	14.6	16.2	2.22	886	1.66	0.01
ZZ03291		0.70	41.9	3.02	3.80	0.05	0.08	0.08	0.035	0.09	14.5	15.1	2.49	758	1.68	0.01
ZZ03292		0.94	39.9	3.17	3.76	<0.05	0.08	0.09	0.046	0.12	14.0	15.4	3.00	1140	1.65	0.02
ZZ03293		0.99	43.7	3.09	3.90	0.05	0.11	0.10	0.036	0.13	15.0	15.6	3.56	927	1.32	0.02
ZZ03294		0.94	40.2	2.92	3.47	<0.05	0.08	0.10	0.032	0.12	11.9	14.9	3.03	811	1.39	0.02
ZZ03295		0.69	38.9	2.97	4.12	<0.05	0.09	0.10	0.036	0.10	15.3	17.8	2.38	637	1.18	0.01
ZZ03296		0.84	43.4	3.25	4.28	0.05	0.09	0.11	0.038	0.11	15.1	16.8	2.02	752	1.35	0.01
ZZ03297		0.45	32.6	2.39	2.63	<0.05	0.06	0.12	0.027	0.04	10.9	11.0	3.70	767	2.56	0.01
ZZ03298		0.45	42.6	2.62	3.49	<0.05	0.05	0.16	0.035	0.05	14.0	15.0	2.67	392	2.38	0.01
ZZ03299		1.06	51.5	3.33	4.42	<0.05	0.08	0.13	0.039	0.15	15.1	17.9	2.62	771	1.79	0.02
ZZ03300		1.02	54.7	3.12	3.75	0.05	0.10	0.18	0.040	0.13	13.6	16.0	3.72	871	2.94	0.01
ZZ03301		0.98	43.8	3.24	3.94	0.05	0.08	0.12	0.043	0.13	14.4	15.8	2.47	910	2.14	0.01
ZZ03302		0.54	32.2	2.52	2.86	0.05	0.05	0.13	0.030	0.06	11.0	11.7	2.31	713	2.85	0.01
ZZ03303		0.65	38.2	3.28	3.91	0.05	0.08	0.06	0.054	0.13	16.9	14.6	3.54	1500	1.97	0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 6- OCT- 2011
Account: RCM

Project: Rackla (OCELOT)

CERTIFICATE OF ANALYSIS WH11167594

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
ZZ03264		0.65	32.8	790	29.9	9.4	<0.001	0.03	1.29	4.2	0.9	0.4	58.3	<0.01	0.03	3.0
ZZ03265		0.61	43.9	920	40.2	9.6	<0.001	0.05	1.47	4.6	1.9	0.4	34.3	<0.01	0.04	2.9
ZZ03266		0.82	32.0	950	29.3	7.7	0.001	0.06	1.30	4.0	1.7	0.4	32.4	0.01	0.04	1.9
ZZ03267		1.36	33.1	960	24.8	7.3	0.001	0.03	1.24	3.1	1.1	0.3	46.6	<0.01	0.02	2.5
ZZ03268		1.16	27.0	1030	25.0	6.9	0.001	0.05	1.13	3.0	1.6	0.3	32.0	<0.01	0.03	1.9
ZZ03269		0.88	25.9	640	24.4	7.6	<0.001	0.04	0.79	3.4	1.0	0.4	19.2	<0.01	0.02	1.6
ZZ03270		0.66	38.3	880	27.6	8.1	<0.001	0.05	1.80	3.6	1.3	0.5	30.4	0.01	0.03	1.0
ZZ03271		0.72	47.8	870	41.9	11.5	<0.001	0.03	1.54	5.3	0.9	0.5	39.0	<0.01	0.04	4.4
ZZ03272		0.36	38.5	720	38.7	11.3	<0.001	0.02	1.21	5.3	0.8	0.4	84.1	<0.01	0.03	5.0
ZZ03273		0.87	44.1	880	36.4	11.1	<0.001	0.02	1.44	5.4	0.9	0.5	36.3	<0.01	0.04	4.7
ZZ03274		0.68	39.2	760	42.5	9.4	<0.001	0.02	1.54	4.8	0.6	0.4	43.1	<0.01	0.06	4.8
ZZ03275		0.61	40.0	800	23.9	4.3	<0.001	0.02	1.81	3.2	1.0	0.4	36.6	<0.01	0.05	3.2
ZZ03276		0.55	44.5	850	38.5	4.6	0.001	0.03	1.96	3.4	1.6	0.4	41.3	<0.01	0.06	2.6
ZZ03277		0.69	32.1	800	25.1	4.0	<0.001	0.02	1.80	3.0	0.7	0.3	49.7	<0.01	0.04	3.1
ZZ03278		0.73	29.8	820	24.5	4.5	0.001	0.03	1.28	3.0	1.0	0.3	33.1	<0.01	0.05	2.7
ZZ03279		0.67	29.0	780	23.1	3.9	0.001	0.02	1.26	2.9	1.0	0.3	36.7	<0.01	0.05	3.0
ZZ03280		0.57	37.4	730	44.5	9.4	0.002	0.02	1.52	4.6	0.8	0.4	73.7	<0.01	0.07	4.6
ZZ03281		0.55	34.8	740	43.5	9.5	0.001	0.04	1.45	4.0	0.8	0.4	35.8	<0.01	0.06	3.4
ZZ03282		0.53	36.1	780	40.6	8.6	<0.001	0.02	1.41	4.2	0.8	0.4	50.6	<0.01	0.03	3.9
ZZ03283		0.42	24.1	730	31.0	5.5	0.001	0.02	1.18	2.8	0.7	0.3	80.1	<0.01	0.03	2.7
ZZ03284		0.37	26.5	650	27.9	5.2	<0.001	0.02	1.19	3.2	0.8	0.3	96.0	<0.01	0.04	2.6
ZZ03285		0.49	29.5	770	38.0	7.1	<0.001	0.03	1.36	3.5	0.8	0.3	59.2	<0.01	0.06	2.9
ZZ03286		0.51	33.0	820	37.4	8.3	<0.001	0.04	1.52	3.6	0.7	0.4	50.5	<0.01	0.03	2.1
ZZ03287		0.50	26.3	750	28.2	5.9	0.001	0.03	1.11	3.1	0.6	0.3	44.6	<0.01	0.05	2.3
ZZ03288		0.43	30.4	740	32.8	6.6	<0.001	0.02	1.16	3.5	0.6	0.3	81.8	<0.01	0.06	2.9
ZZ03289		0.48	30.1	720	36.0	7.6	0.001	0.03	1.35	3.6	0.8	0.4	88.8	<0.01	0.03	2.8
ZZ03290		0.73	36.6	820	37.8	7.7	0.001	0.03	1.38	4.2	0.6	0.4	34.6	<0.01	0.04	3.9
ZZ03291		0.81	35.4	780	31.2	7.2	<0.001	0.02	1.38	4.3	0.4	0.4	34.6	<0.01	0.04	3.8
ZZ03292		0.60	33.2	750	35.0	8.6	<0.001	0.03	1.41	4.4	0.9	0.4	49.8	<0.01	0.06	3.7
ZZ03293		0.46	34.4	720	38.5	8.8	<0.001	0.01	1.45	4.7	0.8	0.4	71.3	<0.01	0.05	4.6
ZZ03294		0.57	31.6	760	34.2	8.2	<0.001	0.04	1.53	3.8	0.9	0.4	72.3	<0.01	0.04	2.9
ZZ03295		0.77	34.3	730	35.4	7.8	<0.001	0.02	1.30	4.5	0.8	0.4	37.0	<0.01	0.04	4.4
ZZ03296		0.73	38.0	880	39.1	9.2	<0.001	0.03	1.41	4.4	1.0	0.4	32.1	<0.01	0.04	3.8
ZZ03297		0.81	33.6	860	22.2	4.3	<0.001	0.03	1.75	3.0	0.8	0.3	45.9	<0.01	0.04	2.8
ZZ03298		0.74	47.4	910	25.3	5.4	<0.001	0.04	1.77	3.7	1.3	0.4	36.0	<0.01	0.04	3.3
ZZ03299		0.67	38.0	800	42.5	9.9	<0.001	0.04	1.78	4.5	0.9	0.5	61.3	<0.01	0.06	3.3
ZZ03300		0.39	48.7	780	41.4	8.9	0.001	0.02	2.09	4.6	0.8	0.5	94.8	<0.01	0.05	4.4
ZZ03301		0.56	39.2	760	42.7	9.1	<0.001	0.03	1.64	4.1	0.7	0.5	48.2	<0.01	0.05	3.3
ZZ03302		0.63	32.5	900	28.4	5.7	<0.001	0.06	1.86	2.5	1.3	0.3	39.5	<0.01	0.03	1.2
ZZ03303		0.86	31.4	730	27.0	8.5	<0.001	0.03	1.32	4.1	1.0	0.3	32.5	<0.01	0.04	3.2

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 6- OCT- 2011
Account: RCM

Project: Rackla (OCELOT)

CERTIFICATE OF ANALYSIS WH11167594

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
ZZ03264		0.021	0.18	0.89	45	0.17	10.80	180	2.3
ZZ03265		0.014	0.15	0.94	45	0.18	11.95	214	3.2
ZZ03266		0.019	0.11	1.14	45	0.21	11.15	181	2.0
ZZ03267		0.038	0.11	0.77	35	0.25	7.87	148	1.9
ZZ03268		0.031	0.10	1.54	38	0.20	7.73	187	1.8
ZZ03269		0.022	0.08	0.85	49	0.34	7.39	118	1.2
ZZ03270		0.020	0.12	1.08	46	0.30	14.10	287	1.2
ZZ03271		0.023	0.19	0.83	52	0.32	12.35	239	3.5
ZZ03272		0.022	0.18	0.85	46	0.15	11.20	187	6.1
ZZ03273		0.026	0.16	0.77	52	0.30	12.00	223	3.8
ZZ03274		0.024	0.14	0.76	53	0.24	10.60	209	4.0
ZZ03275		0.017	0.08	0.68	42	0.35	8.98	272	2.3
ZZ03276		0.015	0.08	0.83	41	0.29	10.85	326	2.1
ZZ03277		0.027	0.08	0.72	39	0.49	8.77	213	2.6
ZZ03278		0.019	0.07	0.96	39	0.42	8.60	150	1.9
ZZ03279		0.020	0.07	0.61	37	0.36	8.02	163	1.9
ZZ03280		0.023	0.15	0.79	48	0.15	9.95	191	4.6
ZZ03281		0.018	0.14	0.63	48	0.17	9.38	200	3.4
ZZ03282		0.020	0.14	0.67	52	0.19	10.25	206	3.1
ZZ03283		0.015	0.11	0.75	34	0.20	8.11	144	2.0
ZZ03284		0.011	0.11	0.81	34	0.11	8.22	125	2.2
ZZ03285		0.016	0.13	0.74	40	0.61	9.15	172	2.5
ZZ03286		0.014	0.13	0.91	43	0.17	10.00	177	2.3
ZZ03287		0.015	0.09	0.72	36	0.17	8.39	139	1.9
ZZ03288		0.015	0.12	0.75	40	0.12	8.89	155	2.2
ZZ03289		0.015	0.15	0.83	41	0.15	8.63	177	2.3
ZZ03290		0.024	0.13	0.71	51	0.20	10.00	188	3.1
ZZ03291		0.027	0.10	0.66	47	0.25	10.15	169	3.5
ZZ03292		0.021	0.12	0.70	47	0.16	10.70	175	3.1
ZZ03293		0.024	0.13	0.66	48	0.18	10.15	174	5.3
ZZ03294		0.017	0.12	1.03	43	0.16	9.27	160	2.9
ZZ03295		0.022	0.12	0.77	50	0.38	10.45	157	3.3
ZZ03296		0.023	0.12	0.99	53	0.26	10.55	188	3.0
ZZ03297		0.027	0.08	0.84	40	0.37	8.39	209	2.3
ZZ03298		0.020	0.09	1.16	48	0.40	10.75	295	2.4
ZZ03299		0.019	0.15	0.91	51	0.18	10.85	201	3.2
ZZ03300		0.022	0.17	0.92	49	0.24	10.15	314	4.9
ZZ03301		0.019	0.16	0.77	50	0.18	10.40	223	2.5
ZZ03302		0.019	0.10	1.12	40	1.50	9.67	217	1.6
ZZ03303		0.032	0.12	0.63	43	0.16	11.20	156	2.3

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 6- OCT- 2011
Account: RCM

Project: Rackla (OCELOT)

CERTIFICATE OF ANALYSIS WH11167594

Sample Description	Method	WEI- 21	Au- TL43	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Recvd Wt.	Au	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
ZZ03304		0.20	0.001	0.15	0.89	10.6	<0.2	<10	160	0.36	0.23	5.03	1.37	22.4	10.5	23
ZZ03305		0.26	0.001	0.21	1.38	11.1	<0.2	<10	170	0.50	0.35	7.59	1.05	27.1	12.3	22
ZZ03306		0.30	0.003	0.28	1.38	15.8	<0.2	<10	210	0.65	0.38	4.57	1.52	28.7	12.8	25
ZZ03307		0.24	0.001	0.25	1.30	15.9	<0.2	<10	230	0.64	0.33	8.96	1.30	25.3	12.3	23
ZZ03308		0.22	0.002	0.32	1.64	16.0	<0.2	<10	250	0.62	0.40	6.53	1.06	33.2	14.6	28
ZZ03309		0.18	0.002	0.33	1.49	14.3	<0.2	<10	340	0.64	0.36	1.51	0.91	27.5	11.7	28
ZZ03310		0.26	0.002	0.33	1.56	15.0	<0.2	<10	280	0.68	0.39	3.29	0.66	33.6	14.6	28
ZZ03311		0.26	0.002	0.32	1.58	14.0	<0.2	<10	270	0.63	0.38	3.78	0.78	33.7	14.4	27
ZZ03312		0.30	0.002	0.30	1.49	14.4	<0.2	<10	260	0.60	0.35	4.61	0.72	30.5	13.4	24
ZZ03313		0.28	0.002	0.35	1.63	15.3	<0.2	<10	290	0.73	0.36	1.40	0.65	28.7	12.8	28
ZZ03314		0.32	0.002	0.26	1.41	12.4	<0.2	<10	210	0.53	0.31	8.23	0.81	30.2	12.3	22
ZZ03315		0.28	0.003	0.28	1.57	14.0	<0.2	<10	280	0.67	0.37	1.48	0.45	32.5	12.8	28
ZZ03316		0.28	0.002	0.31	1.47	14.9	<0.2	<10	230	0.64	0.36	4.35	0.85	29.1	13.4	24
ZZ03317		0.32	0.002	0.30	1.55	14.7	<0.2	<10	330	0.68	0.36	1.91	0.66	30.0	13.4	27
ZZ03318		0.28	0.002	0.31	1.52	13.4	<0.2	<10	290	0.57	0.40	3.84	0.50	31.1	12.1	27
ZZ03319		0.28	0.002	0.31	1.52	15.9	<0.2	<10	300	0.67	0.34	4.32	0.81	29.6	13.6	26
ZZ03320		0.32	0.002	0.25	1.19	12.6	<0.2	<10	310	0.46	0.28	6.13	0.85	24.4	11.7	21
ZZ03321		0.26	0.002	0.36	1.60	17.1	<0.2	<10	380	0.69	0.38	2.78	1.09	29.2	14.3	27
ZZ03322		0.22	0.002	0.34	1.62	15.4	<0.2	<10	330	0.69	0.38	2.33	0.70	32.6	13.3	28
ZZ03323		0.32	0.002	0.35	1.65	15.4	<0.2	<10	320	0.67	0.39	3.30	0.78	31.4	14.0	28
ZZ03324		0.22	0.002	0.28	1.38	13.3	<0.2	<10	350	0.56	0.32	4.57	0.85	27.2	12.0	23
ZZ03325		0.28	0.002	0.31	1.42	14.3	<0.2	<10	230	0.56	0.33	5.23	0.85	29.1	12.9	24
ZZ03326		0.38	0.002	0.31	1.57	15.2	<0.2	<10	310	0.66	0.36	5.07	0.79	30.4	13.6	26
ZZ03327		0.28	0.001	0.24	1.24	11.7	<0.2	<10	260	0.50	0.27	8.70	0.82	25.8	11.0	19
ZZ03328		0.24	0.002	0.37	1.67	17.4	<0.2	<10	260	0.70	0.42	2.09	0.97	33.1	15.1	28
ZZ03329		0.28	0.002	0.32	1.61	16.2	<0.2	<10	280	0.61	0.37	4.80	0.80	32.1	13.9	26
ZZ03330		0.30	0.002	0.37	1.68	16.4	<0.2	<10	280	0.68	0.40	2.96	0.68	32.2	14.3	29
ZZ03331		0.24	0.002	0.33	1.69	16.4	<0.2	<10	350	0.70	0.38	4.77	0.76	32.7	14.9	28
ZZ03332		0.24	0.002	0.26	1.51	14.6	<0.2	<10	270	0.62	0.33	1.63	0.51	35.0	13.1	28
ZZ03333		0.36	0.001	0.31	1.52	14.2	<0.2	<10	240	0.60	0.37	6.40	0.89	32.5	13.8	24
ZZ03334		0.30	0.001	0.29	1.47	13.6	<0.2	<10	330	0.59	0.33	8.73	0.96	30.3	12.8	24
ZZ03335		0.34	0.001	0.31	1.48	14.0	<0.2	<10	300	0.57	0.36	7.90	0.89	32.8	12.8	24
ZZ03336		0.30	0.001	0.30	1.47	15.3	<0.2	<10	250	0.62	0.34	5.46	0.94	26.7	12.1	24
ZZ03337		0.32	0.002	0.20	0.89	9.6	<0.2	<10	140	0.30	0.20	4.97	0.73	23.3	8.4	22
ZZ03338		0.32	0.002	0.32	1.09	10.4	<0.2	<10	240	0.41	0.26	4.64	1.13	23.5	9.9	22
ZZ03339		0.36	0.003	0.38	1.30	14.5	<0.2	<10	370	0.58	0.30	4.63	1.56	24.1	11.5	24
ZZ03340		0.32	0.001	0.29	1.48	13.0	<0.2	<10	260	0.55	0.30	8.49	1.04	30.3	12.3	23
ZZ03341		0.30	0.002	0.29	1.55	12.4	0.2	<10	260	0.64	0.30	0.72	0.43	31.8	10.2	28
ZZ03342		0.40	0.001	0.36	1.33	12.9	<0.2	<10	360	0.46	0.27	4.03	0.97	30.4	11.4	25
ZZ03343		0.34	0.001	0.17	0.61	9.3	<0.2	<10	190	0.25	0.16	9.41	0.90	17.40	7.6	13

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 6- OCT- 2011
Account: RCM

Project: Rackla (OCELOT)

CERTIFICATE OF ANALYSIS WH11167594

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
ZZ03304		0.47	25.3	2.25	2.60	<0.05	0.05	0.06	0.026	0.05	11.8	11.2	3.14	719	1.77	0.01
ZZ03305		0.77	41.6	2.65	3.70	<0.05	0.11	0.07	0.034	0.14	13.7	13.9	3.75	848	2.12	0.02
ZZ03306		0.80	42.3	3.13	3.96	<0.05	0.07	0.11	0.044	0.11	14.7	14.9	2.96	896	2.83	0.01
ZZ03307		1.08	43.0	2.91	3.40	<0.05	0.08	0.13	0.034	0.14	12.3	14.3	3.85	804	2.38	0.02
ZZ03308		1.23	46.8	3.33	4.21	<0.05	0.07	0.10	0.041	0.17	16.0	15.7	3.23	977	1.83	0.02
ZZ03309		0.75	43.6	3.16	4.11	<0.05	0.07	0.12	0.042	0.11	14.1	13.9	0.81	681	1.50	0.01
ZZ03310		1.15	42.9	3.19	4.82	0.08	0.11	0.09	0.046	0.14	16.4	18.6	2.13	758	1.44	0.02
ZZ03311		1.00	37.3	3.32	4.68	0.08	0.10	0.09	0.045	0.13	16.4	18.6	2.45	922	1.67	0.03
ZZ03312		1.08	39.3	3.14	4.29	0.07	0.09	0.09	0.042	0.13	15.1	16.6	2.60	812	1.56	0.03
ZZ03313		0.86	41.0	3.41	4.54	0.07	0.09	0.11	0.041	0.12	14.7	17.8	0.86	783	1.49	0.02
ZZ03314		1.17	38.9	2.94	3.89	0.07	0.10	0.08	0.038	0.14	14.7	14.6	3.44	893	1.77	0.03
ZZ03315		0.81	37.2	3.25	4.54	0.09	0.09	0.09	0.040	0.10	15.9	19.3	1.06	643	0.98	0.03
ZZ03316		1.14	37.3	3.21	4.16	0.08	0.09	0.10	0.042	0.14	14.1	16.5	2.59	879	1.73	0.03
ZZ03317		0.91	37.6	3.28	4.40	0.07	0.08	0.09	0.041	0.11	14.4	17.2	1.26	798	1.41	0.03
ZZ03318		0.87	38.4	3.11	4.37	0.07	0.08	0.09	0.038	0.11	15.5	16.9	2.30	734	1.42	0.03
ZZ03319		1.08	41.1	3.27	4.46	0.08	0.09	0.10	0.039	0.13	14.8	17.2	2.36	853	1.54	0.03
ZZ03320		0.88	31.8	2.93	3.40	0.06	0.07	0.09	0.035	0.10	11.6	13.3	2.80	889	1.44	0.03
ZZ03321		1.10	46.3	3.47	4.65	0.08	0.10	0.11	0.050	0.14	14.3	17.3	1.65	963	1.58	0.03
ZZ03322		1.01	43.4	3.31	4.65	0.08	0.10	0.10	0.046	0.12	16.3	18.7	1.56	572	1.43	0.03
ZZ03323		1.11	45.1	3.39	4.85	0.08	0.10	0.10	0.048	0.15	15.9	18.4	2.06	734	1.74	0.03
ZZ03324		0.92	38.4	2.92	3.88	0.07	0.08	0.10	0.038	0.11	13.4	15.2	2.35	646	1.36	0.03
ZZ03325		1.17	37.8	3.05	4.02	0.07	0.09	0.09	0.042	0.13	14.2	15.3	2.92	842	1.69	0.03
ZZ03326		1.17	41.6	3.35	4.43	0.08	0.09	0.11	0.041	0.15	14.8	16.8	2.76	848	1.71	0.03
ZZ03327		1.16	33.4	2.72	3.40	0.06	0.09	0.09	0.035	0.14	12.4	13.3	3.29	764	1.69	0.03
ZZ03328		1.11	43.4	3.54	5.05	0.08	0.10	0.09	0.058	0.15	16.4	19.0	1.63	915	1.94	0.02
ZZ03329		1.17	43.7	3.35	4.69	0.08	0.10	0.10	0.054	0.14	15.6	17.1	2.58	858	1.87	0.03
ZZ03330		1.15	48.1	3.41	5.12	0.08	0.10	0.10	0.049	0.15	16.1	18.9	1.92	706	1.81	0.03
ZZ03331		1.16	45.1	3.50	4.88	0.07	0.10	0.09	0.048	0.14	16.2	18.8	2.58	865	1.76	0.03
ZZ03332		0.86	35.8	3.31	4.38	0.07	0.08	0.08	0.037	0.09	17.4	16.9	1.33	825	1.42	0.03
ZZ03333		1.37	42.7	3.15	4.35	0.07	0.10	0.10	0.048	0.16	16.1	16.8	3.01	865	1.90	0.03
ZZ03334		1.65	39.6	2.99	4.22	0.07	0.12	0.09	0.042	0.19	14.8	16.4	3.26	806	2.03	0.03
ZZ03335		1.53	41.9	3.07	4.26	0.07	0.10	0.10	0.045	0.17	15.9	16.3	3.24	803	2.02	0.03
ZZ03336		1.17	41.8	3.15	4.19	0.07	0.08	0.11	0.052	0.16	13.5	15.8	2.78	747	1.98	0.03
ZZ03337		0.63	27.4	2.34	2.74	0.06	0.06	0.06	0.028	0.06	11.7	11.5	3.13	326	1.61	0.02
ZZ03338		0.75	29.1	2.49	3.24	0.06	0.06	0.12	0.033	0.08	11.9	13.0	2.80	818	2.72	0.03
ZZ03339		0.83	49.9	2.93	3.70	0.06	0.07	0.18	0.036	0.09	12.4	13.8	2.53	928	2.41	0.03
ZZ03340		1.40	37.9	3.05	3.98	0.07	0.09	0.10	0.038	0.16	14.8	14.6	3.41	842	2.05	0.03
ZZ03341		0.69	28.8	2.91	4.55	0.07	0.05	0.08	0.035	0.05	16.0	13.9	0.65	400	2.05	0.02
ZZ03342		0.81	38.2	2.75	3.95	0.06	0.08	0.14	0.038	0.07	15.1	16.9	2.43	614	3.54	0.03
ZZ03343		0.53	22.9	1.88	1.88	0.06	0.06	0.07	0.025	0.04	8.6	8.6	4.31	547	2.20	0.03

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 6- OCT- 2011
Account: RCM

Project: Rackla (OCELOT)

CERTIFICATE OF ANALYSIS WH11167594

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
ZZ03304		1.42	29.7	1030	22.8	4.6	0.001	0.04	1.17	2.2	1.0	0.2	47.3	<0.01	0.02	2.3
ZZ03305		0.67	32.9	680	34.1	8.8	<0.001	0.02	1.40	4.0	0.8	0.4	66.2	<0.01	0.05	3.9
ZZ03306		0.72	40.6	780	39.4	9.0	<0.001	0.03	1.85	3.9	1.1	0.4	36.9	<0.01	0.05	2.8
ZZ03307		0.49	38.7	780	38.3	8.4	<0.001	0.03	1.63	4.0	0.8	0.4	101.0	<0.01	0.04	4.0
ZZ03308		0.54	38.5	750	46.2	10.5	<0.001	0.02	1.62	4.6	1.0	0.4	73.0	<0.01	0.05	4.7
ZZ03309		0.68	33.6	800	35.4	8.7	0.001	0.06	1.85	3.6	1.0	0.5	28.2	<0.01	0.04	2.1
ZZ03310		0.62	39.0	720	41.3	11.8	<0.001	0.02	1.50	5.3	0.7	0.5	38.2	<0.01	0.05	4.4
ZZ03311		0.71	38.0	790	38.0	11.1	<0.001	0.02	1.43	5.1	0.7	0.5	38.9	<0.01	0.05	4.3
ZZ03312		0.59	35.3	750	38.1	10.2	<0.001	0.02	1.47	4.6	0.6	0.4	50.5	<0.01	0.05	3.8
ZZ03313		0.56	35.2	650	35.5	9.8	<0.001	0.05	1.58	4.0	1.0	0.4	24.2	<0.01	0.05	2.0
ZZ03314		0.43	32.5	700	35.4	10.0	<0.001	0.01	1.51	4.4	0.5	0.4	90.1	<0.01	0.04	4.2
ZZ03315		0.68	33.4	640	35.3	9.5	<0.001	0.03	1.16	4.6	0.9	0.4	24.6	<0.01	0.05	3.3
ZZ03316		0.51	36.1	770	42.1	10.2	<0.001	0.02	1.56	4.4	0.7	0.4	45.5	<0.01	0.05	3.3
ZZ03317		0.52	35.1	730	38.3	9.9	<0.001	0.04	1.44	4.0	1.0	0.4	26.2	<0.01	0.05	2.3
ZZ03318		0.65	32.1	750	31.5	9.4	<0.001	0.02	1.34	4.5	0.6	0.4	41.9	<0.01	0.04	3.5
ZZ03319		0.63	35.9	800	35.4	10.4	<0.001	0.03	1.51	4.7	0.8	0.4	49.5	<0.01	0.05	3.4
ZZ03320		0.51	30.3	820	31.9	7.9	0.001	0.03	1.34	3.5	1.0	0.3	70.2	<0.01	0.04	2.7
ZZ03321		0.60	39.6	880	43.9	11.5	0.001	0.06	1.77	4.4	1.5	0.5	35.4	<0.01	0.05	2.6
ZZ03322		0.68	36.9	890	39.4	10.3	0.001	0.04	1.55	4.8	1.3	0.4	31.4	<0.01	0.05	3.4
ZZ03323		0.66	37.5	820	40.9	11.2	<0.001	0.03	1.66	4.9	0.9	0.5	39.9	<0.01	0.05	3.6
ZZ03324		0.62	33.2	810	33.5	8.9	0.001	0.04	1.50	3.9	1.2	0.4	52.2	<0.01	0.04	2.6
ZZ03325		0.58	34.7	770	36.4	10.7	<0.001	0.02	1.53	4.3	0.8	0.4	58.2	<0.01	0.04	3.3
ZZ03326		0.56	37.1	760	39.6	11.0	<0.001	0.02	1.56	4.8	0.8	0.4	54.1	<0.01	0.05	3.7
ZZ03327		0.46	29.1	660	32.5	9.3	<0.001	0.01	1.44	4.0	0.6	0.3	96.8	<0.01	0.03	3.6
ZZ03328		0.64	40.4	830	46.3	12.4	0.001	0.02	1.60	5.1	0.8	0.5	29.4	<0.01	0.05	4.1
ZZ03329		0.60	36.7	740	42.3	11.1	<0.001	0.02	1.69	4.9	0.7	0.5	54.6	<0.01	0.05	3.9
ZZ03330		0.67	39.1	810	37.7	11.9	<0.001	0.02	1.68	5.2	0.8	0.5	38.1	<0.01	0.05	3.8
ZZ03331		0.61	39.4	800	41.3	11.5	<0.001	0.02	1.62	5.2	0.8	0.5	51.0	<0.01	0.05	4.2
ZZ03332		0.72	36.3	710	29.0	9.0	<0.001	0.01	1.17	5.0	0.5	0.4	23.8	<0.01	0.04	4.4
ZZ03333		0.52	36.2	720	40.8	11.3	<0.001	0.01	1.63	4.9	0.6	0.4	76.8	<0.01	0.04	4.6
ZZ03334		0.29	34.5	680	39.3	12.0	<0.001	0.01	1.56	4.8	0.6	0.4	101.0	<0.01	0.03	4.7
ZZ03335		0.41	33.5	710	39.3	11.8	<0.001	0.01	1.65	4.8	0.6	0.4	91.0	<0.01	0.04	4.7
ZZ03336		0.50	34.5	740	37.1	10.6	<0.001	0.02	1.66	4.3	0.7	0.4	59.7	<0.01	0.04	3.3
ZZ03337		1.15	26.9	1030	23.3	6.0	0.002	0.04	1.06	2.6	1.4	0.3	48.0	<0.01	0.03	2.3
ZZ03338		0.64	35.1	840	24.7	7.6	0.001	0.03	1.32	3.6	1.0	0.4	46.9	<0.01	0.04	2.3
ZZ03339		0.58	37.8	1060	30.8	8.5	<0.001	0.06	1.80	3.3	1.4	0.3	41.9	0.01	0.05	1.2
ZZ03340		0.49	34.4	730	36.7	11.0	<0.001	0.01	1.54	4.6	0.6	0.4	97.0	<0.01	0.04	4.1
ZZ03341		0.79	32.4	540	22.9	7.1	<0.001	0.01	0.74	4.7	0.7	0.5	18.6	<0.01	0.04	2.7
ZZ03342		0.80	40.2	850	24.5	8.3	<0.001	0.01	1.68	4.5	0.6	0.4	43.5	<0.01	0.04	4.2
ZZ03343		0.52	26.1	690	18.5	3.8	0.002	0.02	1.33	2.6	0.8	0.2	93.4	<0.01	0.02	2.3

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 6- OCT- 2011
Account: RCM

Project: Rackla (OCELOT)

CERTIFICATE OF ANALYSIS WH11167594

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
ZZ03304		0.041	0.06	0.98	36	0.20	6.91	146	1.7
ZZ03305		0.039	0.19	0.93	49	0.12	9.96	169	5.4
ZZ03306		0.025	0.17	0.89	50	0.21	11.10	227	2.3
ZZ03307		0.019	0.16	0.88	45	0.19	9.91	222	4.3
ZZ03308		0.025	0.19	0.71	53	0.18	10.45	210	3.8
ZZ03309		0.018	0.13	1.54	50	0.20	10.05	184	2.8
ZZ03310		0.025	0.17	0.62	51	0.20	11.40	181	3.5
ZZ03311		0.025	0.18	0.76	53	0.20	11.25	179	3.4
ZZ03312		0.022	0.17	0.65	47	0.20	10.70	166	2.7
ZZ03313		0.016	0.14	0.85	50	0.21	11.40	148	2.3
ZZ03314		0.020	0.17	0.72	43	0.14	10.05	158	4.2
ZZ03315		0.021	0.13	0.60	51	0.20	11.00	144	2.4
ZZ03316		0.016	0.18	0.73	45	0.18	10.70	179	2.7
ZZ03317		0.017	0.15	0.71	49	0.22	10.40	166	2.0
ZZ03318		0.025	0.13	0.59	48	0.22	10.45	145	2.3
ZZ03319		0.020	0.15	0.80	48	0.19	10.55	179	2.9
ZZ03320		0.016	0.13	1.05	39	0.17	9.42	159	2.3
ZZ03321		0.017	0.18	1.13	50	0.19	11.25	204	3.0
ZZ03322		0.021	0.15	0.89	53	0.24	11.35	187	3.0
ZZ03323		0.021	0.16	1.04	51	0.18	11.20	194	3.3
ZZ03324		0.019	0.13	1.54	45	0.17	9.73	170	2.3
ZZ03325		0.019	0.16	0.70	44	0.18	10.80	173	3.1
ZZ03326		0.019	0.18	0.72	49	0.29	10.80	184	2.9
ZZ03327		0.017	0.17	0.77	38	0.15	8.94	153	3.6
ZZ03328		0.022	0.18	0.64	53	0.18	11.25	218	3.4
ZZ03329		0.020	0.18	0.70	50	0.24	10.95	190	3.3
ZZ03330		0.022	0.17	0.87	52	0.21	11.20	189	3.3
ZZ03331		0.022	0.18	0.79	52	0.22	11.30	184	3.4
ZZ03332		0.031	0.13	0.64	52	0.29	11.40	137	2.5
ZZ03333		0.022	0.20	0.78	48	0.18	10.85	182	3.8
ZZ03334		0.021	0.21	0.88	47	0.16	10.35	188	5.9
ZZ03335		0.023	0.20	0.81	47	0.16	10.60	185	4.8
ZZ03336		0.017	0.18	0.75	46	0.18	10.30	198	2.9
ZZ03337		0.038	0.08	1.08	35	0.59	8.45	145	1.7
ZZ03338		0.024	0.14	1.35	39	0.23	9.63	196	1.9
ZZ03339		0.016	0.13	1.19	43	1.13	13.30	216	1.8
ZZ03340		0.018	0.19	0.77	46	0.14	10.15	182	4.2
ZZ03341		0.025	0.11	1.11	54	0.32	11.95	107	1.1
ZZ03342		0.034	0.14	0.82	46	0.32	11.65	222	2.5
ZZ03343		0.022	0.10	1.01	27	0.35	7.56	139	2.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 6- OCT- 2011
Account: RCM

Project: Rackla (OCELOT)

CERTIFICATE OF ANALYSIS WH11167594

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg .02	Au- TL43 Au ppm 0.001	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1
ZZ03344		0.34	0.001	0.26	1.15	11.0	<0.2	<10	330	0.46	0.26	9.00	0.82	26.4	10.1	20
ZZ03345		0.30	0.001	0.33	1.13	11.4	<0.2	<10	210	0.50	0.28	6.26	1.26	25.6	12.1	21
ZZ03346		0.36	0.002	0.28	1.16	9.3	<0.2	<10	220	0.48	0.31	7.00	0.87	23.7	11.6	19
ZZ03347		0.28	0.002	0.25	1.63	14.5	<0.2	<10	240	0.72	0.36	1.13	0.40	31.3	12.4	26
ZZ03348		0.40	0.002	0.16	1.69	12.4	<0.2	<10	220	0.71	0.34	0.62	0.36	34.3	12.0	28
ZZ03349		0.38	0.002	0.27	1.46	14.7	<0.2	<10	200	0.64	0.36	3.47	0.69	29.2	14.2	24
ZZ03350		0.34	0.002	0.26	1.37	14.0	<0.2	<10	190	0.58	0.39	1.68	0.32	29.6	12.8	24
ZZ03351		0.26	0.002	0.15	1.88	11.1	<0.2	<10	290	0.69	0.31	0.66	0.27	28.4	9.9	29
ZZ03352		0.26	0.001	0.11	2.24	7.6	<0.2	<10	300	0.89	0.43	0.64	1.15	31.7	11.8	28
ZZ03353		0.34	0.001	0.20	1.66	11.0	<0.2	<10	170	0.67	0.28	2.24	1.08	21.2	9.2	23
ZZ03354		0.40	0.002	0.29	1.58	11.9	<0.2	<10	240	0.70	0.31	1.14	0.33	24.7	10.2	25
ZZ03355		0.26	0.001	0.23	1.77	11.0	<0.2	<10	280	0.83	0.37	0.54	0.43	29.7	11.3	27
ZZ03356		0.34	0.001	0.45	1.52	8.0	<0.2	<10	290	0.57	0.31	1.07	0.92	19.35	10.9	24
ZZ03357		0.44	0.003	0.27	1.05	10.7	<0.2	<10	240	0.51	0.27	8.90	1.08	22.5	10.3	19
ZZ03358		0.34	0.002	0.29	1.13	9.9	<0.2	<10	230	0.54	0.28	6.48	0.94	25.0	11.9	20
ZZ03359		0.52	0.002	0.30	1.06	9.9	<0.2	<10	200	0.54	0.30	6.44	1.37	25.1	12.7	20
ZZ03360		0.32	0.001	0.30	1.05	11.1	<0.2	<10	270	0.52	0.27	7.69	0.88	21.6	11.5	19
ZZ03361		0.44	0.002	0.32	1.40	14.6	<0.2	<10	320	0.62	0.35	8.58	1.05	29.9	14.3	22
ZZ03362		0.46	0.002	0.23	0.88	11.3	<0.2	<10	210	0.40	0.24	7.67	1.05	21.7	10.0	17
ZZ03363		0.34	0.004	0.27	1.03	11.9	<0.2	<10	240	0.50	0.28	5.56	1.46	22.9	11.8	20
ZZ03364		0.30	0.002	0.21	1.02	11.6	<0.2	<10	140	0.45	0.24	4.27	0.79	24.9	11.9	21
ZZ03365		0.36	0.002	0.15	1.86	16.5	<0.2	<10	190	0.90	0.36	1.17	0.86	35.2	14.3	32

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 6- OCT- 2011
Account: RCM

Project: Rackla (OCELOT)

CERTIFICATE OF ANALYSIS WH11167594

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
ZZ03344		1.16	31.6	2.62	3.20	0.06	0.11	0.09	0.034	0.13	12.9	13.8	3.71	671	1.93	0.03
ZZ03345		1.29	31.6	2.65	3.37	0.07	0.08	0.10	0.039	0.12	12.9	14.7	3.19	694	1.20	0.02
ZZ03346		1.51	33.0	2.50	3.47	0.08	0.08	0.07	0.041	0.13	12.2	15.0	3.24	765	1.13	0.02
ZZ03347		0.68	25.5	3.41	4.96	0.10	0.08	0.05	0.057	0.08	16.5	16.0	0.98	597	1.66	0.01
ZZ03348		0.81	23.2	3.32	5.14	0.11	0.09	0.05	0.045	0.07	17.9	16.1	0.74	717	1.42	0.01
ZZ03349		0.99	39.6	3.16	4.43	0.10	0.10	0.08	0.057	0.11	15.2	17.0	2.19	774	1.63	0.01
ZZ03350		0.76	32.6	3.05	4.08	0.09	0.08	0.07	0.043	0.08	16.0	15.0	1.32	711	1.54	0.01
ZZ03351		0.71	15.4	3.10	5.89	0.09	0.08	0.03	0.041	0.04	15.9	16.8	0.66	311	1.19	0.01
ZZ03352		0.90	9.7	3.35	6.82	0.09	0.09	0.03	0.051	0.04	15.1	12.3	0.64	1710	0.74	0.01
ZZ03353		0.82	16.5	2.61	4.64	0.08	0.06	0.04	0.038	0.04	11.5	11.5	1.45	604	0.84	0.01
ZZ03354		0.65	28.7	3.00	4.83	0.09	0.08	0.07	0.040	0.05	14.4	15.8	0.92	428	1.06	0.01
ZZ03355		0.61	14.3	3.14	5.18	0.09	0.08	0.04	0.047	0.05	15.0	15.1	0.61	758	1.22	0.01
ZZ03356		0.83	17.3	2.72	4.77	0.07	0.04	0.04	0.036	0.05	9.6	11.6	0.54	794	1.15	0.01
ZZ03357		2.18	32.2	2.47	3.16	0.09	0.10	0.08	0.036	0.12	11.6	15.5	3.55	563	1.66	0.02
ZZ03358		1.28	30.0	2.39	3.36	0.09	0.09	0.09	0.043	0.11	12.6	16.2	3.68	487	1.13	0.02
ZZ03359		5.17	30.6	2.50	3.25	0.09	0.10	0.10	0.038	0.11	12.6	16.0	3.80	905	1.26	0.02
ZZ03360		3.97	29.2	2.48	3.17	0.08	0.08	0.08	0.036	0.10	11.0	15.9	3.10	776	1.37	0.02
ZZ03361		1.67	44.1	3.08	4.21	0.11	0.12	0.10	0.048	0.17	15.3	20.1	3.39	764	2.24	0.01
ZZ03362		0.86	30.1	2.34	2.60	0.08	0.07	0.10	0.030	0.07	11.3	12.0	3.75	696	2.43	0.01
ZZ03363		0.84	35.6	2.46	2.99	0.08	0.08	0.13	0.037	0.07	11.8	13.8	3.48	795	2.31	0.01
ZZ03364		0.66	34.8	2.59	3.06	0.09	0.07	0.08	0.034	0.05	13.3	12.8	2.77	928	1.45	0.02
ZZ03365		1.02	29.8	3.75	5.22	0.12	0.09	0.07	0.054	0.06	18.8	18.6	1.03	982	2.19	0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 6- OCT- 2011
Account: RCM

Project: Rackla (OCELOT)

CERTIFICATE OF ANALYSIS WH11167594

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
ZZ03344		0.38	29.0	690	31.0	8.6	0.001	0.01	1.40	4.0	0.6	0.3	100.5	<0.01	0.03	4.0
ZZ03345		0.57	30.7	730	36.4	10.0	0.002	0.03	1.28	4.0	1.8	0.4	69.8	<0.01	0.04	3.1
ZZ03346		0.61	25.2	620	29.7	12.3	0.001	0.03	1.43	4.2	1.0	0.3	65.3	<0.01	0.04	2.8
ZZ03347		0.76	28.7	290	30.0	10.1	<0.001	0.01	1.38	5.5	0.9	0.5	16.3	0.01	0.04	2.9
ZZ03348		0.98	27.5	220	25.6	11.1	<0.001	0.01	1.11	5.2	0.8	0.5	12.6	0.01	0.04	4.1
ZZ03349		0.72	34.2	590	36.7	11.9	<0.001	0.02	1.60	5.1	0.9	0.5	33.1	0.01	0.04	3.2
ZZ03350		0.78	32.2	730	36.1	9.8	<0.001	0.01	1.33	4.5	0.8	0.4	23.1	0.01	0.04	3.1
ZZ03351		1.25	21.5	240	22.0	8.4	<0.001	0.01	0.79	5.1	0.7	0.6	12.8	0.01	0.03	3.4
ZZ03352		1.17	20.2	160	33.5	8.6	<0.001	0.01	0.71	5.9	0.6	0.8	8.9	<0.01	0.04	3.6
ZZ03353		0.81	19.5	500	32.0	9.6	<0.001	0.02	0.82	3.5	0.6	0.5	12.5	0.01	0.03	1.3
ZZ03354		0.82	25.4	460	22.1	8.5	<0.001	0.01	0.83	4.7	0.8	0.5	17.3	0.01	0.04	2.4
ZZ03355		0.76	23.7	220	26.5	8.0	<0.001	<0.01	0.94	5.2	0.7	0.5	11.1	<0.01	0.03	3.4
ZZ03356		0.81	19.0	380	23.2	11.0	<0.001	0.03	0.80	3.1	0.8	0.5	22.4	<0.01	0.04	1.1
ZZ03357		0.64	25.6	650	26.9	11.6	0.001	0.01	1.48	4.1	0.9	0.3	109.0	0.01	0.03	3.1
ZZ03358		0.65	28.3	710	33.3	10.7	0.001	0.03	1.38	4.2	1.5	0.4	58.8	<0.01	0.03	3.1
ZZ03359		0.61	28.6	730	36.3	15.0	0.002	0.03	1.20	4.2	1.7	0.4	58.1	0.01	0.04	3.2
ZZ03360		0.56	28.1	680	30.7	12.6	0.002	0.03	1.26	3.7	1.5	0.3	95.2	<0.01	0.04	2.3
ZZ03361		0.47	34.0	650	36.9	13.2	0.001	<0.01	1.81	5.5	0.8	0.4	98.0	0.01	0.04	4.5
ZZ03362		0.62	29.4	690	22.7	7.1	0.001	<0.01	1.58	3.7	0.7	0.3	72.1	<0.01	0.03	2.9
ZZ03363		0.61	36.0	760	29.8	8.5	0.001	0.01	1.77	4.0	0.9	0.4	39.8	0.01	0.04	2.8
ZZ03364		0.84	38.6	840	25.4	6.9	<0.001	0.01	1.21	3.6	0.7	0.3	31.3	<0.01	0.04	2.7
ZZ03365		1.18	39.9	360	34.3	10.8	0.001	0.01	1.44	5.9	1.1	0.6	18.2	0.01	0.05	3.7

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 6- OCT- 2011
Account: RCM

Project: Rackla (OCELOT)

CERTIFICATE OF ANALYSIS WH11167594

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
ZZ03344		0.021	0.16	0.94	38	0.21	9.15	163	5.1
ZZ03345		0.018	0.15	0.87	39	0.19	9.88	205	3.0
ZZ03346		0.021	0.25	0.71	38	0.24	8.97	129	2.8
ZZ03347		0.019	0.14	0.74	54	0.28	12.15	121	2.1
ZZ03348		0.025	0.14	0.90	53	0.25	10.15	106	2.6
ZZ03349		0.023	0.16	0.71	47	0.24	11.05	151	2.9
ZZ03350		0.028	0.13	0.69	45	0.27	11.20	111	2.2
ZZ03351		0.025	0.12	0.71	59	0.31	9.87	88	2.2
ZZ03352		0.024	0.12	0.75	67	0.54	8.95	192	3.2
ZZ03353		0.019	0.08	0.42	48	1.55	7.59	120	1.5
ZZ03354		0.022	0.09	0.77	48	0.32	10.10	93	1.8
ZZ03355		0.015	0.11	0.82	55	0.78	8.39	85	2.1
ZZ03356		0.018	0.11	1.12	52	0.39	4.30	116	1.1
ZZ03357		0.019	0.32	0.93	35	0.37	8.63	155	3.4
ZZ03358		0.018	0.15	0.84	36	0.24	9.14	153	3.2
ZZ03359		0.017	0.31	0.83	35	0.23	9.41	158	3.4
ZZ03360		0.015	0.19	0.80	34	0.20	8.63	152	2.7
ZZ03361		0.019	0.19	0.87	43	0.15	10.30	163	6.2
ZZ03362		0.021	0.12	0.73	33	0.26	8.56	140	2.8
ZZ03363		0.017	0.12	0.71	37	0.28	9.55	181	2.7
ZZ03364		0.027	0.10	0.67	36	0.35	9.33	148	2.0
ZZ03365		0.020	0.14	1.12	59	0.40	11.60	164	2.4

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 6- OCT- 2011
Account: RCM

Project: Rackla (OCELOT)

CERTIFICATE OF ANALYSIS WH11167594

Method	CERTIFICATE COMMENTS
ME- MS41	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown.
ME- MS41	Gold determinations by this method are semi- quantitative due to the small sample weight used (0.5g).

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 3- OCT- 2011
Account: RCM

CERTIFICATE WH11167710

Project: Rackla Gold (Nadaleen Trend)

P.O. No.: S5 Area B

This report is for 161 Soil samples submitted to our lab in Whitehorse, YT, Canada on 22- AUG- 2011.

The following have access to data associated with this certificate:

ROB CARNE JULIA LANE	ANDREW CARNE JOAN MARIACHER	MATT DUMALA

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
SCR- 41	Screen to - 180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- TL43	Trace Level Au - 25g AR	ICP- MS
ME- MS41	51 anal. aqua regia ICPMS	

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 3- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11167710

Sample Description	Method	WEI- 21	Au- TL43	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Recvd Wt.	Au	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
ZZ07055		0.14	0.001	0.13	0.81	5.8	<0.2	10	200	0.80	0.20	2.37	0.41	15.30	8.4	15
ZZ07149		0.20	0.001	0.10	1.72	12.9	<0.2	<10	120	1.47	0.32	0.23	0.24	20.6	42.9	28
ZZ07150		0.20	0.002	0.12	1.93	17.0	<0.2	<10	120	1.33	0.39	0.43	0.29	28.8	33.3	32
ZZ07229		0.18	0.001	0.06	1.35	13.5	<0.2	<10	60	1.15	0.32	0.06	0.09	19.75	26.6	25
ZZ07230		0.14	0.002	0.12	1.70	16.1	<0.2	<10	120	1.22	0.36	0.80	0.41	15.70	35.1	25
ZZ07231		0.14	0.001	0.17	1.95	13.7	<0.2	<10	120	1.43	0.42	0.14	0.32	9.95	29.5	29
ZZ07233		0.14	0.001	0.08	1.87	24.2	<0.2	<10	140	1.08	0.49	0.46	0.31	11.75	41.9	27
ZZ07234		0.18	0.002	0.28	1.76	9.9	<0.2	<10	90	1.25	0.28	0.14	0.17	24.6	36.5	27
ZZ07235		0.16	0.001	0.24	1.86	9.8	<0.2	<10	140	1.49	0.32	0.62	0.59	25.9	55.0	26
ZZ07236		0.18	0.002	0.22	0.82	53.9	<0.2	<10	120	1.70	0.38	0.44	0.33	23.6	53.6	30
ZZ07237		0.16	0.001	0.16	1.03	9.2	<0.2	<10	50	0.62	0.30	0.06	0.14	6.55	15.2	20
ZZ07238		0.20	0.002	0.08	1.72	10.6	<0.2	<10	100	1.20	0.34	0.22	0.16	15.40	28.7	29
ZZ07239		0.06	<0.001	0.10	0.29	3.6	<0.2	<10	40	0.28	0.07	2.21	0.28	2.76	8.8	4
ZZ07240		0.14	0.002	0.21	0.52	34.7	<0.2	<10	70	1.30	0.46	0.43	0.15	16.00	40.1	22
ZZ07241		0.14	0.001	0.10	0.52	26.2	<0.2	<10	50	0.55	0.37	0.04	0.15	8.13	20.5	19
ZZ07242		0.18	0.001	0.10	1.13	13.4	<0.2	<10	90	1.14	0.34	0.20	0.20	12.35	34.9	24
ZZ07243		0.08	<0.001	0.10	0.67	10.7	<0.2	<10	110	0.43	0.24	0.30	0.41	6.42	17.4	14
ZZ07244		0.14	0.001	0.13	1.59	15.5	<0.2	<10	100	1.13	0.36	0.43	0.25	14.20	43.9	25
ZZ07245		0.16	0.001	0.10	1.61	11.5	<0.2	<10	90	1.33	0.36	0.56	0.23	20.5	32.4	24
ZZ07246		0.22	0.001	0.07	1.90	11.4	<0.2	<10	50	1.07	0.52	0.11	0.21	7.12	28.3	28
ZZ07247		0.12	0.001	0.12	1.21	14.9	<0.2	<10	70	0.79	0.34	0.16	0.16	14.95	13.7	18
ZZ07248		0.14	0.002	0.05	1.25	15.0	<0.2	<10	50	0.48	0.37	0.03	0.12	17.00	11.0	19
ZZ07249		0.20	0.001	0.06	1.56	13.6	<0.2	<10	90	0.88	0.34	0.08	0.13	21.7	15.4	23
ZZ07250		0.18	0.002	0.25	1.64	15.7	<0.2	<10	80	1.30	0.38	0.17	0.11	28.5	20.5	24
ZZ07501		0.06	0.001	0.23	0.77	9.4	<0.2	<10	100	0.42	0.18	0.49	0.22	10.90	8.4	11
ZZ07502		0.16	0.001	0.06	1.17	14.3	<0.2	<10	80	0.52	0.38	0.05	0.14	18.25	10.4	18
ZZ07503		0.12	0.001	0.06	1.31	15.0	<0.2	<10	80	0.62	0.36	0.06	0.11	18.45	14.2	22
ZZ07504		0.14	0.001	0.09	1.44	13.9	<0.2	<10	100	0.85	0.36	0.22	0.23	16.85	14.2	23
ZZ07505		0.14	0.001	0.08	1.72	13.0	<0.2	<10	90	0.74	0.36	0.19	0.27	19.15	13.3	21
ZZ07506		0.04	<0.001	0.13	0.49	8.5	<0.2	<10	70	0.33	0.19	0.33	0.19	7.12	8.1	9
ZZ07507		0.12	0.001	0.11	1.34	13.0	<0.2	<10	200	0.72	0.32	0.79	0.10	16.05	12.4	20
ZZ07508		0.16	0.001	0.07	1.53	12.8	<0.2	<10	100	0.76	0.36	0.24	0.09	21.2	13.1	22
ZZ07509		0.20	0.001	0.12	1.71	12.7	<0.2	<10	160	0.95	0.36	0.26	0.13	24.1	15.1	23
ZZ07510		0.06	0.002	0.15	1.74	11.7	<0.2	<10	160	1.04	0.32	0.84	0.14	16.50	12.8	21
ZZ07511		0.08	0.002	0.13	1.77	11.8	<0.2	<10	130	1.07	0.33	0.83	0.12	17.05	12.9	23
ZZ07512		0.10	0.002	0.15	1.70	12.1	<0.2	<10	130	1.02	0.32	0.97	0.13	17.15	11.7	21
ZZ07513		0.08	0.001	0.14	1.63	11.3	<0.2	<10	120	1.06	0.31	1.01	0.11	17.35	11.6	21
ZZ07514		0.08	0.001	0.08	1.64	10.9	<0.2	<10	110	1.01	0.33	0.70	0.15	19.35	13.5	21
ZZ07515		0.04	0.002	0.15	1.50	11.2	<0.2	<10	120	1.09	0.28	1.62	0.21	16.35	12.5	20
ZZ07516		0.08	0.001	0.12	1.58	11.3	<0.2	<10	110	0.99	0.31	1.11	0.13	19.75	12.4	21

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 3- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11167710

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
ZZ07055		0.62	28.7	1.91	2.79	0.06	0.09	0.14	0.026	0.10	6.5	17.8	0.53	320	0.77	0.01
ZZ07149		14.00	42.7	4.20	6.19	0.08	0.03	0.06	0.041	0.09	6.4	34.8	0.43	2590	1.10	0.01
ZZ07150		12.95	48.7	4.60	6.67	0.11	0.09	0.08	0.049	0.10	8.6	30.1	0.54	3100	1.27	0.01
ZZ07229		13.85	39.9	4.40	5.13	0.09	0.02	0.04	0.036	0.06	6.1	28.4	0.41	1040	1.12	0.01
ZZ07230		9.56	43.6	4.07	5.93	0.09	0.08	0.09	0.041	0.08	5.1	27.6	0.52	2530	1.27	0.01
ZZ07231		11.15	50.7	5.33	7.13	0.09	0.05	0.08	0.050	0.08	3.4	32.7	0.43	2030	1.43	0.01
ZZ07233		8.05	52.8	5.43	6.68	0.11	0.06	0.06	0.047	0.10	4.2	36.9	0.50	1860	1.33	0.01
ZZ07234		6.71	45.3	4.34	5.76	0.10	0.04	0.05	0.036	0.06	8.4	33.3	0.47	2160	1.46	0.01
ZZ07235		6.61	51.8	4.91	6.15	0.13	0.09	0.12	0.056	0.12	6.3	32.4	0.41	4740	1.01	0.01
ZZ07236		6.43	62.5	7.54	3.45	0.15	0.08	0.13	0.047	0.09	7.5	8.9	0.18	2310	1.33	0.01
ZZ07237		5.00	41.2	3.92	4.64	0.09	0.03	0.11	0.037	0.07	2.8	11.0	0.19	524	0.95	<0.01
ZZ07238		8.49	44.8	4.55	6.83	0.13	0.04	0.05	0.046	0.07	6.3	33.8	0.52	1650	1.14	<0.01
ZZ07239		1.07	24.0	0.70	1.16	<0.05	0.03	0.14	0.009	0.04	0.9	2.7	0.21	655	0.30	0.02
ZZ07240		7.62	67.5	5.95	2.22	0.15	0.09	0.24	0.048	0.09	5.0	6.5	0.15	1200	0.70	<0.01
ZZ07241		7.34	55.2	5.13	4.07	0.11	<0.02	0.06	0.041	0.07	4.0	2.0	0.06	342	1.41	<0.01
ZZ07242		7.16	75.4	6.43	3.92	0.17	0.07	0.07	0.051	0.12	4.6	21.2	0.30	1440	0.53	<0.01
ZZ07243		4.95	31.5	3.03	3.45	0.07	<0.02	0.10	0.025	0.07	2.9	9.0	0.15	683	0.79	0.01
ZZ07244		11.10	46.3	4.78	5.74	0.13	0.05	0.12	0.043	0.09	4.9	31.6	0.42	1580	1.17	0.01
ZZ07245		12.65	42.8	4.49	6.18	0.13	0.05	0.10	0.047	0.09	5.8	31.1	0.38	1740	0.93	0.01
ZZ07246		5.98	66.5	5.16	5.82	0.12	0.07	0.09	0.051	0.12	3.1	41.1	0.54	679	0.78	0.01
ZZ07247		3.01	29.3	4.24	4.89	0.11	0.04	0.08	0.033	0.09	6.4	28.5	0.26	516	0.89	0.01
ZZ07248		1.97	26.3	4.44	6.10	0.11	0.03	0.07	0.033	0.08	7.7	26.5	0.27	465	0.96	<0.01
ZZ07249		2.63	30.5	4.56	6.20	0.12	0.05	0.05	0.039	0.07	8.0	33.3	0.32	580	1.40	<0.01
ZZ07250		3.13	42.6	4.87	4.81	0.17	0.14	0.10	0.038	0.10	14.6	46.3	0.57	1000	0.70	0.01
ZZ07501		1.97	21.7	1.96	2.55	0.06	0.02	0.14	0.024	0.06	4.9	3.6	0.08	532	0.90	0.01
ZZ07502		3.86	24.7	4.07	6.17	0.11	0.03	0.05	0.030	0.08	8.6	23.0	0.23	410	1.06	0.01
ZZ07503		4.46	27.6	4.20	5.72	0.11	0.02	0.06	0.031	0.09	7.8	26.2	0.30	790	1.04	0.01
ZZ07504		7.10	28.1	3.87	5.20	0.10	0.04	0.08	0.038	0.09	7.0	35.7	0.48	777	0.92	0.01
ZZ07505		4.82	27.3	5.12	6.30	0.13	0.05	0.05	0.036	0.11	8.5	43.6	0.33	769	0.87	0.01
ZZ07506		4.22	22.2	1.93	2.35	0.06	<0.02	0.13	0.018	0.08	2.8	5.1	0.10	316	0.62	0.01
ZZ07507		2.12	22.8	3.28	4.64	0.10	0.11	0.07	0.029	0.07	7.3	37.1	0.53	599	0.70	0.01
ZZ07508		1.91	30.8	3.78	5.45	0.11	0.05	0.06	0.029	0.11	9.5	41.7	0.48	453	0.69	<0.01
ZZ07509		2.16	32.4	4.05	5.26	0.12	0.13	0.10	0.032	0.11	10.2	47.9	0.53	689	0.62	0.01
ZZ07510		4.43	29.5	3.61	5.13	0.12	0.15	0.09	0.035	0.15	8.5	42.8	0.55	488	0.59	0.01
ZZ07511		3.25	32.8	3.77	5.02	0.11	0.17	0.11	0.036	0.14	8.7	44.0	0.57	447	0.60	0.01
ZZ07512		2.52	34.2	3.56	4.92	0.12	0.16	0.13	0.033	0.15	9.0	44.0	0.54	363	0.60	0.01
ZZ07513		2.25	31.9	3.51	4.65	0.12	0.14	0.15	0.034	0.13	8.7	45.2	0.52	360	0.56	0.01
ZZ07514		2.00	26.7	3.68	4.78	0.11	0.13	0.10	0.035	0.12	9.2	44.2	0.48	434	0.51	0.01
ZZ07515		3.92	38.5	3.26	4.23	0.11	0.14	0.17	0.031	0.13	8.5	39.2	0.48	468	0.56	0.01
ZZ07516		2.17	30.9	3.41	4.60	0.10	0.11	0.12	0.032	0.10	9.5	43.0	0.48	484	0.56	0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 3- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11167710

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
ZZ07055		0.41	22.1	830	11.3	8.0	<0.001	0.12	0.51	3.1	1.9	0.4	87.0	<0.01	0.04	1.4
ZZ07149		0.62	25.2	950	47.4	18.0	<0.001	0.04	0.73	4.2	1.0	0.6	20.0	<0.01	0.06	1.6
ZZ07150		0.58	28.9	1330	37.2	15.4	<0.001	0.06	0.84	7.5	1.4	0.6	36.7	0.01	0.10	2.7
ZZ07229		0.51	31.0	540	43.3	10.5	<0.001	0.01	0.67	4.1	0.8	0.5	13.7	<0.01	0.06	1.3
ZZ07230		0.55	22.2	1480	37.3	14.5	<0.001	0.11	0.83	7.2	1.4	0.5	46.4	0.01	0.09	1.5
ZZ07231		0.53	25.1	1710	36.6	22.2	<0.001	0.10	0.78	4.2	1.0	0.6	16.4	<0.01	0.08	1.1
ZZ07233		0.60	30.0	1080	35.1	18.8	<0.001	0.05	1.04	6.5	1.1	0.6	33.7	<0.01	0.10	1.7
ZZ07234		0.67	29.5	540	39.2	10.6	<0.001	0.01	0.78	5.7	0.9	0.5	15.6	0.01	0.05	2.2
ZZ07235		0.54	29.5	1470	50.3	15.8	<0.001	0.08	0.64	10.4	1.5	0.5	38.0	0.01	0.08	2.6
ZZ07236		0.40	52.4	1040	51.9	9.4	<0.001	0.05	1.14	14.7	1.5	0.5	35.4	0.01	0.09	1.6
ZZ07237		0.36	20.5	1290	23.6	13.2	<0.001	0.10	0.55	2.5	0.7	0.5	9.2	<0.01	0.05	0.4
ZZ07238		0.45	28.4	1230	35.7	16.8	<0.001	0.07	0.69	4.9	0.8	0.6	19.1	0.01	0.06	0.7
ZZ07239		0.11	8.6	1000	7.3	2.4	<0.001	0.29	0.20	2.4	0.7	<0.2	68.3	<0.01	0.02	0.4
ZZ07240		0.28	49.4	640	38.2	8.9	0.001	0.05	0.74	11.4	1.0	0.5	29.3	0.01	0.09	2.4
ZZ07241		0.45	36.7	820	24.0	14.1	<0.001	0.05	0.73	3.7	0.6	0.7	13.4	0.01	0.07	0.2
ZZ07242		0.20	51.9	590	28.5	11.0	0.001	0.03	0.50	11.2	0.7	0.5	22.3	0.01	0.04	2.6
ZZ07243		0.44	19.1	960	18.4	11.9	<0.001	0.10	0.62	2.1	0.7	0.4	16.2	<0.01	0.04	0.2
ZZ07244		0.48	32.9	1110	47.1	16.8	<0.001	0.08	0.89	6.4	0.8	0.5	29.3	0.01	0.06	1.3
ZZ07245		0.50	25.7	1260	30.4	16.5	<0.001	0.09	0.60	6.1	0.9	0.5	29.0	0.01	0.06	1.0
ZZ07246		0.35	37.6	730	29.6	12.2	<0.001	0.06	0.41	5.9	0.6	0.5	18.1	<0.01	0.08	1.5
ZZ07247		0.33	22.3	750	25.0	13.6	<0.001	0.07	0.62	3.1	0.6	0.4	16.1	<0.01	0.05	2.2
ZZ07248		0.62	20.7	610	22.2	14.0	<0.001	0.03	0.58	3.1	0.5	0.5	8.0	<0.01	0.05	2.4
ZZ07249		0.60	27.7	410	22.8	14.0	<0.001	0.02	0.58	4.4	0.5	0.6	12.0	0.01	0.04	3.8
ZZ07250		0.23	37.7	390	31.8	9.7	0.001	0.02	0.66	8.8	0.9	0.3	19.6	0.01	0.05	7.3
ZZ07501		0.46	13.5	1410	10.6	7.7	<0.001	0.20	0.54	1.4	0.9	0.3	37.0	<0.01	0.03	<0.2
ZZ07502		0.58	18.9	510	20.3	14.9	<0.001	0.03	0.66	2.8	0.4	0.5	9.1	<0.01	0.05	2.7
ZZ07503		0.41	22.1	840	24.4	15.9	<0.001	0.05	0.68	1.8	0.6	0.5	8.8	<0.01	0.06	0.5
ZZ07504		0.53	25.9	880	21.6	14.4	<0.001	0.07	0.60	3.5	0.7	0.4	18.9	<0.01	0.05	1.5
ZZ07505		0.55	24.2	480	28.3	14.3	<0.001	0.03	0.61	3.8	0.6	0.5	18.8	0.01	0.05	3.6
ZZ07506		0.28	10.0	1000	13.9	7.9	<0.001	0.10	0.38	2.3	0.6	0.3	17.0	<0.01	0.03	0.5
ZZ07507		0.45	24.2	860	19.0	12.1	<0.001	0.09	0.57	3.7	0.7	0.3	49.9	<0.01	0.04	2.7
ZZ07508		0.30	27.2	550	20.6	13.3	<0.001	0.03	0.57	3.6	0.5	0.4	20.7	<0.01	0.04	3.3
ZZ07509		0.26	30.3	640	23.0	11.5	<0.001	0.04	0.62	4.4	0.7	0.3	25.0	<0.01	0.04	4.0
ZZ07510		0.34	26.2	990	19.4	16.5	<0.001	0.08	0.58	4.8	0.8	0.4	70.1	0.01	0.04	2.9
ZZ07511		0.29	28.4	800	19.6	14.6	<0.001	0.07	0.62	4.7	0.9	0.4	61.8	0.01	0.04	3.3
ZZ07512		0.30	28.8	820	18.1	14.4	<0.001	0.08	0.73	4.7	1.1	0.4	70.4	0.01	0.04	3.0
ZZ07513		0.30	28.4	710	19.1	12.6	<0.001	0.07	0.58	4.6	1.1	0.3	73.0	0.01	0.04	2.8
ZZ07514		0.30	26.6	690	20.2	12.4	<0.001	0.05	0.48	4.9	0.9	0.4	55.0	0.01	0.03	3.1
ZZ07515		0.31	28.1	790	17.4	12.9	<0.001	0.12	0.76	4.8	1.7	0.3	137.0	0.01	0.04	2.4
ZZ07516		0.34	26.8	780	19.3	11.8	<0.001	0.08	0.78	4.1	1.2	0.3	93.9	0.01	0.04	2.1

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 3- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11167710

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
ZZ07055		0.010	0.12	2.65	18	0.06	10.65	89	2.7
ZZ07149		0.023	0.21	0.68	44	0.14	8.85	91	0.5
ZZ07150		0.023	0.25	0.86	49	0.13	13.15	84	2.0
ZZ07229		0.022	0.17	0.66	42	0.16	6.79	79	<0.5
ZZ07230		0.020	0.19	0.62	42	0.11	10.75	85	1.9
ZZ07231		0.014	0.23	0.58	45	0.07	4.63	93	1.3
ZZ07233		0.017	0.18	0.44	44	0.09	5.59	105	1.5
ZZ07234		0.028	0.15	0.77	42	0.19	9.52	86	0.9
ZZ07235		0.021	0.17	0.66	37	0.14	17.25	101	1.9
ZZ07236		0.017	0.25	0.85	60	0.09	21.5	104	2.6
ZZ07237		0.007	0.11	0.45	43	0.06	3.54	69	0.6
ZZ07238		0.013	0.14	0.58	50	0.14	8.86	87	0.5
ZZ07239		0.010	0.05	0.15	11	<0.05	2.73	51	1.2
ZZ07240		0.007	0.29	0.60	39	0.07	13.60	102	1.8
ZZ07241		0.010	0.21	0.43	53	0.11	3.46	100	<0.5
ZZ07242		<0.005	0.12	0.53	40	<0.05	13.00	113	1.6
ZZ07243		0.009	0.11	0.31	33	0.09	2.86	65	<0.5
ZZ07244		0.012	0.16	0.51	43	0.09	6.80	87	1.1
ZZ07245		0.013	0.15	0.50	43	0.10	9.44	74	0.7
ZZ07246		0.009	0.08	0.54	31	0.05	4.77	94	1.8
ZZ07247		0.006	0.09	0.65	26	0.06	3.37	62	1.3
ZZ07248		0.009	0.12	0.53	35	0.09	2.92	79	0.8
ZZ07249		0.008	0.13	0.61	40	0.10	4.37	64	1.3
ZZ07250		0.005	0.10	1.39	23	0.06	17.20	85	3.8
ZZ07501		0.010	0.10	0.49	23	0.07	4.31	38	<0.5
ZZ07502		0.011	0.11	0.53	35	0.10	3.00	59	0.7
ZZ07503		0.012	0.10	0.62	36	0.11	3.77	76	<0.5
ZZ07504		0.012	0.11	0.64	32	0.12	4.03	83	0.9
ZZ07505		0.007	0.12	0.47	33	0.09	5.24	69	1.5
ZZ07506		0.008	0.07	0.32	18	0.05	2.17	42	0.6
ZZ07507		0.008	0.09	0.82	25	0.09	4.42	61	3.5
ZZ07508		0.005	0.09	0.57	24	0.06	5.11	78	1.3
ZZ07509		<0.005	0.09	0.79	23	0.06	7.68	86	4.1
ZZ07510		0.005	0.10	1.00	23	0.07	10.40	93	4.4
ZZ07511		<0.005	0.10	1.06	23	0.06	9.57	97	5.0
ZZ07512		<0.005	0.09	1.15	21	0.06	10.55	95	5.0
ZZ07513		0.005	0.09	1.12	21	0.06	9.88	93	4.4
ZZ07514		0.005	0.08	1.10	21	0.06	9.78	117	3.8
ZZ07515		0.005	0.11	1.74	19	0.06	11.95	88	4.7
ZZ07516		0.006	0.08	2.10	21	0.06	10.75	90	3.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 3- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11167710

Sample Description	Method	WEI- 21	Au- TL43	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Recvd Wt.	Au	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
ZZ07517		0.04	0.001	0.12	1.43	10.9	<0.2	<10	110	0.80	0.29	1.35	0.20	17.05	11.4	19
ZZ07518		0.06	0.001	0.13	1.38	10.9	<0.2	<10	110	0.83	0.27	1.56	0.16	16.00	11.7	18
ZZ07519		0.12	0.001	0.10	1.54	11.4	<0.2	<10	90	0.87	0.29	0.75	0.12	21.3	13.1	21
ZZ07520		0.06	0.001	0.10	1.38	10.2	<0.2	<10	120	0.60	0.30	0.66	0.24	18.95	8.2	20
ZZ07521		0.14	0.001	0.07	1.67	12.6	<0.2	<10	100	0.81	0.30	0.19	0.09	28.5	12.2	21
ZZ07522		0.04	0.001	0.13	0.68	5.5	<0.2	<10	100	0.49	0.11	4.46	0.27	6.18	5.4	7
ZZ07523		0.10	0.002	0.53	1.60	12.1	<0.2	<10	110	0.87	0.28	1.94	0.18	15.90	10.6	20
ZZ07524		0.04	0.001	0.20	1.24	10.6	<0.2	<10	70	0.71	0.26	2.15	0.17	16.15	9.6	18
ZZ07525		0.12	0.002	0.10	1.45	11.2	<0.2	<10	80	0.65	0.30	0.54	0.12	18.30	10.3	18
ZZ07526		0.16	0.001	0.11	1.34	24.8	<0.2	<10	70	0.86	0.34	0.30	0.14	25.8	21.8	21
ZZ07527		0.18	0.001	0.09	1.50	25.6	<0.2	<10	60	0.88	0.37	0.31	0.11	27.5	21.9	23
ZZ07528		0.28	0.003	0.16	1.23	13.6	<0.2	<10	90	1.31	0.33	0.33	0.16	44.8	34.0	20
ZZ07529		0.20	0.001	0.06	1.73	10.0	<0.2	<10	90	1.08	0.34	0.09	0.14	40.7	12.1	27
ZZ07530		0.12	0.002	0.08	2.15	7.1	<0.2	<10	140	1.77	0.33	0.28	0.29	62.7	22.2	34
ZZ07531		0.26	0.002	0.17	1.06	19.7	<0.2	<10	50	1.02	0.53	0.07	0.07	18.55	14.0	21
ZZ07532		0.24	0.001	0.18	1.04	12.2	<0.2	<10	60	0.98	0.30	0.21	0.11	17.90	23.5	14
ZZ07533		0.36	0.001	0.11	0.91	18.7	<0.2	<10	60	0.52	0.42	0.01	0.01	11.55	3.9	19
ZZ07534		0.20	0.001	0.14	1.16	23.4	<0.2	<10	40	0.41	0.45	0.01	0.01	10.70	2.2	23
ZZ07535		0.20	0.001	0.20	1.65	25.7	<0.2	<10	110	1.44	0.48	0.04	0.05	23.2	41.6	29
ZZ07536		0.32	0.001	0.07	2.25	8.4	<0.2	<10	100	2.00	0.36	0.09	0.07	25.3	45.8	31
ZZ07537		0.30	0.002	0.16	1.93	20.4	<0.2	<10	60	2.13	0.39	0.23	0.10	22.9	28.3	25
ZZ07538		0.20	0.001	0.08	1.33	14.6	<0.2	<10	70	1.33	0.32	0.15	0.12	20.8	33.4	18
ZZ07539		0.20	0.001	0.10	0.69	24.0	<0.2	<10	90	1.15	0.38	0.16	0.07	10.85	15.5	15
ZZ07540		0.34	<0.001	0.05	0.52	15	<0.2	<10	50	0.81	0.11	11.00	0.31	14.05	13.1	9
ZZ07541		0.16	0.001	0.09	1.23	16.1	<0.2	<10	60	0.75	0.31	0.07	0.07	13.40	8.7	20
ZZ07542		0.20	0.002	0.06	1.71	15.9	<0.2	<10	120	0.96	0.29	0.08	0.16	24.6	10.7	27
ZZ07543		0.14	0.001	0.11	1.43	12.1	<0.2	<10	80	0.63	0.32	0.04	0.08	11.95	8.7	21
ZZ07544		0.20	0.004	0.11	1.68	13.3	<0.2	<10	90	1.48	0.25	0.51	0.22	45.2	18.1	29
ZZ07545		0.20	0.004	0.09	2.07	13.9	<0.2	<10	130	1.67	0.46	0.17	0.32	43.8	31.0	31
ZZ07546		0.16	0.001	0.07	1.66	12.8	<0.2	<10	120	0.97	0.31	0.11	0.15	21.9	12.6	24
ZZ07547		0.22	0.001	0.09	1.30	15.8	<0.2	<10	90	1.30	0.32	0.24	0.19	26.7	13.4	20
ZZ07548		0.18	0.001	0.08	1.27	13.9	<0.2	<10	80	0.83	0.28	0.07	0.18	19.05	14.0	18
ZZ07549		0.22	0.001	0.05	1.47	13.2	<0.2	<10	110	0.63	0.36	0.19	0.14	20.3	8.5	29
ZZ07550		0.20	0.001	0.03	1.71	3.7	<0.2	<10	120	1.27	0.34	0.13	0.15	60.8	16.7	39
ZZ07551		0.28	0.001	0.05	2.07	4.5	<0.2	<10	140	1.24	0.31	0.18	0.20	63.2	17.0	40
ZZ07552		0.30	0.003	0.05	1.84	4.4	<0.2	<10	160	1.53	0.31	0.28	0.22	88.0	19.8	40
ZZ07553		0.34	0.003	0.05	1.90	4.8	<0.2	<10	170	1.54	0.31	0.29	0.19	73.4	20.7	41
ZZ07554		0.34	0.004	0.06	2.44	4.9	<0.2	<10	200	1.45	0.29	0.35	0.23	71.7	25.3	46
ZZ07555		0.28	0.003	0.04	2.18	2.0	<0.2	<10	240	1.68	0.29	0.42	0.14	92.5	18.0	42
ZZ07556		0.18	0.002	0.04	1.59	2.7	<0.2	<10	460	1.06	0.22	0.35	0.16	60.2	12.9	38

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 3- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11167710

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
ZZ07517		1.35	26.7	3.12	4.28	0.10	0.11	0.12	0.030	0.11	8.9	36.8	0.44	510	0.56	0.01
ZZ07518		1.00	29.1	2.98	3.99	0.10	0.11	0.10	0.028	0.08	7.8	36.0	0.42	558	0.55	0.01
ZZ07519		1.11	26.4	3.50	4.65	0.11	0.10	0.10	0.031	0.08	9.8	47.8	0.51	419	0.53	0.01
ZZ07520		1.26	20.2	2.86	5.32	0.09	0.05	0.10	0.028	0.05	8.9	36.4	0.30	360	0.80	0.01
ZZ07521		1.37	26.1	3.84	5.31	0.11	0.06	0.05	0.034	0.06	10.8	45.4	0.42	474	0.55	<0.01
ZZ07522		0.74	30.0	1.21	1.73	0.06	0.08	0.16	0.016	0.06	4.0	9.0	0.15	750	0.42	0.02
ZZ07523		1.00	37.9	3.46	4.10	0.09	0.13	0.13	0.033	0.12	8.6	38.2	0.49	490	0.54	<0.01
ZZ07524		0.81	24.8	2.96	3.30	0.10	0.07	0.11	0.024	0.07	8.2	27.9	0.37	492	0.54	<0.01
ZZ07525		1.11	23.2	3.57	4.77	0.09	0.10	0.04	0.023	0.09	8.6	35.5	0.36	326	0.56	<0.01
ZZ07526		2.30	50.5	4.61	3.67	0.10	0.10	0.20	0.032	0.09	11.2	36.7	0.49	1160	0.62	<0.01
ZZ07527		2.41	49.1	4.95	4.18	0.10	0.12	0.21	0.033	0.10	13.5	43.0	0.56	855	0.60	<0.01
ZZ07528		1.67	45.0	4.27	3.72	0.11	0.06	0.08	0.035	0.15	19.0	29.9	0.65	1640	0.69	<0.01
ZZ07529		1.52	32.4	3.76	5.68	0.10	0.03	0.02	0.037	0.13	20.2	43.2	0.68	661	0.72	<0.01
ZZ07530		4.06	34.9	3.84	6.98	0.11	0.06	0.05	0.045	0.16	24.4	67.3	1.15	1200	0.70	<0.01
ZZ07531		1.61	62.5	4.61	4.23	0.09	0.10	0.07	0.041	0.13	6.4	20.5	0.24	358	0.95	<0.01
ZZ07532		1.44	36.7	4.60	2.36	0.09	0.03	0.15	0.028	0.10	5.5	19.9	0.25	1040	0.41	<0.01
ZZ07533		3.30	51.1	4.00	4.15	0.09	0.10	0.10	0.044	0.15	4.6	11.5	0.17	111	0.75	<0.01
ZZ07534		3.63	52.7	4.98	5.28	0.09	0.12	0.06	0.057	0.13	4.9	14.7	0.22	68	1.07	<0.01
ZZ07535		9.16	66.3	6.05	5.68	0.11	0.08	0.06	0.060	0.16	7.9	48.9	0.45	1440	1.00	<0.01
ZZ07536		4.77	72.3	5.95	6.13	0.12	0.04	0.03	0.039	0.14	7.4	91.2	0.82	1620	0.45	<0.01
ZZ07537		2.41	87.5	7.16	4.94	0.13	0.08	0.07	0.067	0.13	8.0	59.5	0.53	1020	0.72	<0.01
ZZ07538		2.00	43.8	5.26	3.46	0.10	0.02	0.05	0.037	0.08	6.8	40.9	0.41	3650	0.78	<0.01
ZZ07539		1.85	35.2	5.40	2.95	0.09	0.06	0.19	0.045	0.14	3.3	12.7	0.17	917	0.69	<0.01
ZZ07540		0.53	13.6	3.35	1.32	0.10	0.05	0.06	0.017	0.06	5.4	8.2	5.41	2510	0.64	0.02
ZZ07541		1.75	31.2	3.98	3.73	0.08	0.03	0.07	0.032	0.10	5.4	22.4	0.30	635	0.66	<0.01
ZZ07542		1.89	30.5	4.29	5.15	0.09	0.02	0.04	0.040	0.07	9.8	24.2	0.38	637	1.00	<0.01
ZZ07543		2.14	30.6	3.83	5.56	0.08	0.03	0.06	0.032	0.08	5.7	16.1	0.19	876	0.90	<0.01
ZZ07544		1.35	47.3	4.91	4.69	0.12	0.14	0.08	0.039	0.10	19.6	49.4	1.28	1220	0.57	<0.01
ZZ07545		4.45	47.3	5.01	6.02	0.13	0.05	0.06	0.049	0.13	15.8	48.9	0.80	1710	0.78	<0.01
ZZ07546		1.63	23.1	4.69	4.83	0.08	0.03	0.04	0.037	0.07	7.6	27.9	0.31	912	0.97	<0.01
ZZ07547		2.29	36.9	4.68	3.21	0.10	0.04	0.16	0.041	0.08	7.7	29.1	0.37	711	0.64	<0.01
ZZ07548		1.49	27.3	4.16	3.73	0.09	0.02	0.11	0.039	0.07	6.7	19.0	0.24	753	0.86	<0.01
ZZ07549		2.33	36.3	4.73	6.38	0.09	<0.02	0.04	0.042	0.10	10.0	16.0	0.30	628	1.28	<0.01
ZZ07550		2.02	35.0	4.45	5.48	0.12	0.03	0.04	0.036	0.12	30.1	33.4	0.78	790	0.51	<0.01
ZZ07551		1.66	30.4	3.76	6.71	0.12	0.02	0.05	0.040	0.14	32.3	43.4	1.22	1030	0.47	<0.01
ZZ07552		1.53	46.6	3.92	6.03	0.15	0.09	0.05	0.033	0.14	43.1	38.1	1.24	1020	0.43	<0.01
ZZ07553		1.76	47.2	4.52	5.79	0.17	0.09	0.06	0.041	0.13	38.7	37.2	1.28	1220	0.41	<0.01
ZZ07554		3.95	40.3	3.93	7.07	0.14	0.12	0.08	0.032	0.15	38.3	52.2	1.75	1420	0.41	<0.01
ZZ07555		2.99	39.6	3.98	6.80	0.16	0.08	0.05	0.034	0.16	44.4	42.2	1.34	1260	0.29	<0.01
ZZ07556		1.19	29.7	3.39	4.53	0.12	0.11	0.03	0.036	0.15	32.4	24.8	1.27	510	0.29	<0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 3- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11167710

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
ZZ07517		0.40	23.8	890	17.6	11.9	<0.001	0.10	0.63	3.8	1.0	0.3	91.9	0.01	0.04	2.0
ZZ07518		0.34	23.8	990	17.6	9.0	<0.001	0.12	0.61	3.2	1.3	0.3	95.1	0.01	0.04	1.6
ZZ07519		0.35	25.9	650	19.5	9.9	<0.001	0.06	0.52	4.1	1.0	0.3	47.5	0.01	0.03	2.7
ZZ07520		0.77	17.2	840	17.2	8.5	<0.001	0.08	0.45	2.5	1.5	0.5	46.1	0.01	0.04	1.4
ZZ07521		0.38	25.4	380	20.1	12.2	<0.001	0.01	0.46	3.8	0.4	0.4	21.8	<0.01	0.03	4.6
ZZ07522		0.21	15.6	1040	6.6	5.9	<0.001	0.20	0.81	1.4	1.6	0.2	201	<0.01	0.03	0.4
ZZ07523		0.20	27.2	820	17.5	8.1	<0.001	0.10	0.97	3.6	0.6	0.3	96.2	<0.01	0.05	1.8
ZZ07524		0.29	19.1	980	17.2	6.1	<0.001	0.13	0.60	2.8	0.9	0.2	111.0	<0.01	0.05	1.1
ZZ07525		0.31	21.7	370	16.5	8.6	<0.001	0.04	0.63	2.3	<0.2	0.3	40.8	<0.01	0.04	3.3
ZZ07526		0.12	41.5	540	24.7	6.3	<0.001	0.02	0.78	6.2	0.5	0.3	29.9	<0.01	0.06	4.8
ZZ07527		0.14	39.3	490	25.7	6.9	<0.001	0.03	0.80	6.7	0.5	0.3	29.4	<0.01	0.06	5.7
ZZ07528		0.14	44.9	690	30.2	8.9	<0.001	0.05	0.41	6.4	0.6	0.4	33.0	<0.01	0.04	6.7
ZZ07529		0.27	24.4	890	23.1	14.5	<0.001	0.05	0.34	2.7	0.4	0.5	14.0	<0.01	0.04	2.4
ZZ07530		0.39	34.4	1510	28.2	19.0	<0.001	0.09	0.39	3.9	0.5	0.6	21.0	<0.01	0.04	2.4
ZZ07531		0.11	18.4	810	40.3	8.6	<0.001	0.07	0.51	4.7	2.1	0.5	29.5	<0.01	0.06	6.8
ZZ07532		0.08	37.3	1240	30.4	6.0	<0.001	0.08	0.73	3.5	0.9	0.3	47.8	<0.01	0.05	3.5
ZZ07533		0.14	8.7	750	33.2	13.3	0.002	0.09	0.48	5.1	1.3	0.6	20.6	<0.01	0.08	5.4
ZZ07534		0.14	6.8	730	27.4	13.9	0.001	0.05	0.57	4.4	2.9	0.6	10.7	<0.01	0.07	6.1
ZZ07535		0.10	51.6	1060	75.3	14.1	<0.001	0.14	0.67	6.9	1.1	0.6	38.1	<0.01	0.07	7.0
ZZ07536		0.10	63.0	690	37.6	9.5	<0.001	0.05	0.30	6.8	0.8	0.5	28.4	<0.01	0.05	4.7
ZZ07537		0.11	69.6	1250	51.3	7.7	<0.001	0.21	0.50	7.1	1.7	0.5	76.1	<0.01	0.06	6.8
ZZ07538		0.12	49.4	1000	43.9	6.2	<0.001	0.06	0.77	5.9	1.1	0.4	29.6	<0.01	0.06	3.7
ZZ07539		0.05	28.6	780	42.1	8.0	<0.001	0.25	0.37	6.6	<0.2	0.5	43.8	<0.01	0.08	6.1
ZZ07540		0.08	21.3	3410	21.7	3.6	<0.001	0.05	0.57	2.3	0.4	0.2	175.0	<0.01	0.02	1.1
ZZ07541		0.16	14.7	1040	31.2	7.5	<0.001	0.13	0.54	2.2	0.3	0.4	35.7	<0.01	0.08	1.3
ZZ07542		0.37	22.1	1150	21.6	11.3	<0.001	0.05	0.59	3.1	0.3	0.6	12.7	<0.01	0.08	1.3
ZZ07543		0.38	14.8	1230	20.9	14.1	<0.001	0.08	0.62	1.6	0.2	0.6	11.8	<0.01	0.06	0.9
ZZ07544		0.15	39.9	1130	26.0	7.0	<0.001	0.06	0.54	7.6	0.6	0.3	37.0	<0.01	0.05	4.0
ZZ07545		0.31	42.2	1260	40.5	15.3	<0.001	0.05	0.59	6.5	0.9	0.6	20.1	<0.01	0.06	4.1
ZZ07546		0.32	25.4	1380	28.2	11.4	<0.001	0.06	0.45	3.2	0.3	0.6	10.6	<0.01	0.05	1.2
ZZ07547		0.17	31.6	820	37.5	9.8	<0.001	0.05	0.38	5.1	1.0	0.4	18.2	<0.01	0.02	2.5
ZZ07548		0.21	22.2	1300	26.5	10.2	<0.001	0.06	0.40	3.0	0.6	0.5	11.0	<0.01	0.05	1.2
ZZ07549		0.33	16.8	1010	20.8	12.7	<0.001	0.05	0.72	1.0	0.3	0.7	14.7	<0.01	0.07	0.2
ZZ07550		0.23	38.4	1070	22.5	13.5	<0.001	0.05	0.34	2.8	0.8	0.5	15.5	<0.01	0.02	2.0
ZZ07551		0.30	40.0	1150	23.8	15.6	<0.001	0.07	0.35	2.6	0.3	0.6	14.9	<0.01	0.02	1.7
ZZ07552		0.27	50.9	840	29.5	9.7	<0.001	0.04	0.34	6.4	0.7	0.5	18.4	<0.01	0.03	6.9
ZZ07553		0.30	53.6	920	29.2	9.5	<0.001	0.05	0.32	7.1	1.1	0.5	24.3	<0.01	0.02	6.3
ZZ07554		0.31	48.3	850	33.8	13.5	<0.001	0.04	0.36	5.1	0.7	0.5	18.0	<0.01	0.01	6.2
ZZ07555		0.25	50.2	1070	28.7	12.9	<0.001	0.04	0.20	6.8	1.0	0.5	17.4	<0.01	0.04	6.4
ZZ07556		0.26	37.3	860	25.1	10.2	<0.001	0.03	0.24	6.1	0.6	0.4	19.6	<0.01	<0.01	5.9

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 3- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11167710

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
ZZ07517		0.007	0.08	1.73	22	0.07	9.75	95	3.2
ZZ07518		0.006	0.07	2.99	19	0.07	8.88	76	3.4
ZZ07519		0.006	0.07	2.26	22	0.07	9.05	88	2.7
ZZ07520		0.014	0.11	4.83	35	0.15	5.93	62	1.5
ZZ07521		0.005	0.10	0.70	26	0.07	6.29	59	2.0
ZZ07522		<0.005	0.06	4.60	7	0.05	7.37	36	3.0
ZZ07523		0.006	0.07	1.51	18	<0.05	10.65	90	3.7
ZZ07524		0.007	0.06	2.75	19	0.06	10.15	72	2.0
ZZ07525		0.006	0.07	0.65	24	0.05	3.33	55	3.1
ZZ07526		<0.005	0.10	0.69	23	<0.05	10.20	87	3.1
ZZ07527		<0.005	0.11	0.60	24	<0.05	9.89	91	4.0
ZZ07528		0.007	0.25	1.05	19	<0.05	16.25	114	2.6
ZZ07529		0.007	0.18	0.74	25	0.05	6.38	92	0.7
ZZ07530		0.011	0.16	0.94	26	0.05	10.60	108	1.3
ZZ07531		0.005	0.26	1.04	21	<0.05	7.69	155	4.2
ZZ07532		<0.005	0.13	0.95	17	<0.05	14.60	120	1.0
ZZ07533		0.005	0.30	0.78	15	<0.05	4.86	44	5.3
ZZ07534		0.005	0.19	0.72	18	<0.05	3.54	39	6.3
ZZ07535		0.006	0.19	1.53	19	<0.05	9.38	123	5.3
ZZ07536		0.007	0.09	1.20	19	<0.05	12.45	136	2.6
ZZ07537		0.006	0.16	1.47	17	<0.05	17.05	180	6.5
ZZ07538		0.006	0.13	0.97	18	<0.05	14.00	155	0.8
ZZ07539		<0.005	0.25	0.70	13	<0.05	6.32	92	3.8
ZZ07540		0.005	0.06	1.06	17	0.06	9.24	211	2.6
ZZ07541		0.006	0.08	0.82	17	<0.05	4.24	88	0.9
ZZ07542		0.011	0.16	0.86	38	0.14	6.50	98	<0.5
ZZ07543		0.005	0.15	0.61	29	0.08	3.28	67	0.8
ZZ07544		0.005	0.34	0.94	19	<0.05	21.7	139	5.0
ZZ07545		0.010	0.15	1.33	30	0.07	15.35	150	1.6
ZZ07546		0.006	0.12	0.73	34	0.11	6.48	121	0.7
ZZ07547		<0.005	0.12	0.95	20	0.06	12.90	141	1.3
ZZ07548		0.005	0.13	0.78	24	0.08	6.62	110	0.6
ZZ07549		0.012	0.14	0.67	40	0.10	4.72	77	<0.5
ZZ07550		0.008	0.12	0.67	28	<0.05	6.49	125	0.7
ZZ07551		0.011	0.11	0.70	28	0.06	7.62	117	<0.5
ZZ07552		0.012	0.07	1.06	24	<0.05	24.5	127	2.6
ZZ07553		0.015	0.09	0.94	25	<0.05	23.2	130	2.8
ZZ07554		0.017	0.11	1.21	27	0.05	17.70	138	3.4
ZZ07555		0.010	0.10	1.09	25	<0.05	26.6	129	2.5
ZZ07556		0.013	0.07	1.82	23	0.07	17.30	117	3.8

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 3- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11167710

Sample Description	Method	WEI- 21	Au- TL43	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Recvd Wt.	Au	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
ZZ07557		0.36	0.005	0.08	1.38	14.4	<0.2	<10	100	1.33	0.20	2.20	0.21	55.9	16.2	62
ZZ07558		0.20	0.004	0.10	2.60	17.3	<0.2	<10	180	1.50	0.25	0.44	0.25	67.0	28.3	80
ZZ07559		0.22	0.003	0.14	2.04	14.1	<0.2	<10	170	1.52	0.28	0.67	0.23	54.0	19.7	64
ZZ07560		0.18	0.007	0.14	1.52	12.9	<0.2	<10	100	1.21	0.30	1.53	0.11	62.5	19.4	52
ZZ07561		0.20	0.004	0.12	1.25	10.7	<0.2	<10	120	1.48	0.28	0.35	0.27	52.3	21.0	52
ZZ07562		0.18	0.004	0.09	2.62	16.7	<0.2	10	140	1.78	0.20	1.16	0.31	51.7	22.3	76
ZZ07563		0.28	0.005	0.11	2.03	5.0	<0.2	<10	200	1.38	0.30	0.62	0.20	60.9	19.2	49
ZZ07564		0.20	0.010	0.20	0.92	10.3	<0.2	<10	190	1.33	0.25	3.18	0.13	58.6	27.0	32
ZZ07565		0.18	0.005	0.12	1.97	10.3	<0.2	<10	70	1.20	0.20	1.95	0.20	57.8	19.7	55
ZZ07566		0.20	0.006	0.09	2.46	7.0	<0.2	<10	90	1.36	0.20	0.58	0.21	62.6	17.6	59
ZZ07567		0.16	0.005	0.14	2.16	11.6	<0.2	<10	90	1.87	0.25	0.90	0.40	60.1	17.4	56
ZZ07568		0.16	0.010	0.20	1.29	13.4	<0.2	<10	190	1.12	0.29	0.75	0.13	51.0	20.1	40
ZZ07569		0.14	0.007	0.18	1.68	10.0	<0.2	<10	160	1.40	0.23	0.57	0.15	51.4	13.6	39
ZZ07570		0.16	0.006	0.09	2.07	8.2	<0.2	<10	100	1.25	0.26	5.53	0.17	42.1	16.2	43
ZZ07571		0.18	0.010	0.23	1.29	14.4	<0.2	<10	110	1.19	0.25	0.52	0.27	52.8	17.9	31
ZZ07572		0.14	0.004	0.16	1.58	12.5	<0.2	<10	120	1.13	0.25	0.44	0.19	67.9	17.1	35
ZZ07573		0.18	0.003	0.09	1.82	7.9	<0.2	<10	50	1.22	0.19	2.04	0.23	58.1	14.0	48
ZZ07574		0.14	0.003	0.11	2.38	8.0	<0.2	<10	70	1.44	0.22	0.34	0.26	59.2	13.2	61
ZZ07575		0.16	0.005	0.12	2.27	9.2	<0.2	<10	90	1.49	0.21	0.48	0.31	55.9	16.2	62
ZZ07576		0.16	0.003	0.11	2.40	8.3	<0.2	<10	110	1.45	0.22	0.49	0.26	55.2	14.6	57
ZZ07577		0.16	0.003	0.10	2.35	7.0	<0.2	<10	190	1.18	0.22	0.34	0.18	62.8	15.1	72
ZZ07588		0.22	0.001	0.07	1.61	19.8	<0.2	<10	90	1.74	0.48	0.10	0.13	15.30	35.3	25
ZZ07589		0.12	0.001	0.08	1.22	10.0	<0.2	<10	80	0.84	0.38	0.05	0.10	9.57	20.9	23
ZZ07590		0.22	0.001	0.08	1.15	12.3	<0.2	<10	90	1.20	0.42	0.08	0.16	19.05	21.6	22
ZZ07591		0.20	0.001	0.09	1.38	20.0	<0.2	<10	100	1.63	0.49	0.77	0.16	19.25	26.2	20
ZZ07592		0.28	0.002	0.35	1.83	37.2	<0.2	<10	200	2.61	0.61	0.28	0.15	23.0	80.9	25
ZZ07593		0.24	0.001	0.10	0.48	20.3	<0.2	<10	80	1.39	0.46	0.28	0.13	14.40	35.8	16
ZZ07594		0.26	0.001	0.10	1.40	19.1	<0.2	<10	100	1.51	0.49	0.38	0.11	9.83	42.6	21
ZZ07595		0.30	0.001	0.13	1.73	23.3	<0.2	<10	100	1.86	0.57	0.44	0.15	11.15	44.3	23
ZZ07596		0.16	0.001	0.10	1.38	23.2	<0.2	<10	80	1.74	0.57	0.21	0.22	15.70	34.8	21
ZZ07597		0.18	0.002	0.13	2.33	35.9	<0.2	<10	80	2.36	0.63	0.11	0.21	23.3	53.9	28
ZZ07601		0.20	0.001	0.04	0.53	22.2	<0.2	<10	60	0.90	0.40	0.08	0.07	9.89	21.3	16
ZZ07602		0.06	0.001	0.05	0.48	6.7	<0.2	<10	80	0.47	0.13	2.72	0.31	9.27	6.5	7
ZZ07603		0.10	0.001	0.06	0.47	10.9	<0.2	<10	120	0.54	0.12	3.32	0.28	10.05	15.5	7
ZZ07604		0.30	0.001	0.09	0.63	29.5	<0.2	<10	80	1.63	0.57	0.25	0.11	8.81	38.0	16
ZZ07605		0.22	0.002	0.28	1.65	29.3	<0.2	<10	120	2.13	0.48	0.69	0.35	17.65	54.4	21
ZZ07606		0.18	0.001	0.13	0.70	21.3	<0.2	<10	120	1.03	0.39	1.01	0.14	8.23	20.4	11
ZZ07607		0.30	0.002	0.17	1.07	51.9	<0.2	<10	180	1.48	0.62	0.48	0.27	24.6	51.6	15
ZZ07608		0.14	0.001	0.34	1.10	29.0	<0.2	<10	150	1.21	0.28	2.38	0.22	21.6	14.6	15
ZZ07609		0.14	0.001	0.15	0.70	16.5	<0.2	<10	120	0.96	0.22	2.79	0.24	18.30	17.3	9

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 3- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11167710

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
ZZ07557		1.35	47.8	3.34	5.31	0.13	0.16	0.13	0.039	0.09	26.7	39.6	2.34	489	0.94	0.01
ZZ07558		3.77	46.5	3.89	8.71	0.19	0.16	0.05	0.044	0.14	33.3	75.0	3.48	621	1.15	<0.01
ZZ07559		2.27	45.4	3.39	6.53	0.20	0.19	0.05	0.039	0.10	27.4	43.6	2.58	574	0.91	<0.01
ZZ07560		1.18	49.2	4.10	5.61	0.18	0.13	0.11	0.046	0.14	32.8	26.0	1.44	527	0.54	<0.01
ZZ07561		1.75	57.6	3.83	4.86	0.19	0.09	0.07	0.047	0.12	26.5	24.7	1.12	522	0.68	<0.01
ZZ07562		2.29	44.5	2.95	9.09	0.23	0.24	0.07	0.039	0.11	25.8	84.0	3.90	552	1.15	<0.01
ZZ07563		2.16	58.1	4.08	7.18	0.16	0.20	0.06	0.044	0.15	31.3	34.2	1.82	682	0.70	0.01
ZZ07564		2.57	41.9	3.08	3.34	0.15	0.11	0.16	0.042	0.14	30.9	12.8	1.47	444	0.92	0.01
ZZ07565		1.42	37.4	2.91	7.35	0.20	0.21	0.09	0.034	0.12	27.0	41.3	2.80	333	0.97	<0.01
ZZ07566		2.39	40.9	2.97	8.66	0.23	0.20	0.06	0.036	0.11	29.5	54.3	3.43	527	0.57	<0.01
ZZ07567		1.45	44.2	3.23	8.44	0.22	0.29	0.07	0.047	0.12	32.1	44.5	2.54	347	0.96	<0.01
ZZ07568		0.96	50.2	3.29	4.80	0.17	0.25	0.11	0.039	0.12	30.7	21.8	0.99	301	1.69	<0.01
ZZ07569		1.13	42.0	3.39	5.88	0.17	0.25	0.05	0.039	0.13	27.9	29.1	1.34	273	0.77	<0.01
ZZ07570		1.92	42.3	2.99	7.02	0.17	0.18	0.05	0.032	0.18	22.6	41.0	3.45	416	0.80	0.01
ZZ07571		1.19	50.2	3.15	4.61	0.15	0.13	0.11	0.036	0.14	26.7	23.8	0.97	391	0.95	<0.01
ZZ07572		1.42	45.7	3.78	5.49	0.20	0.18	0.05	0.041	0.16	32.8	28.9	1.32	408	0.95	<0.01
ZZ07573		0.99	31.0	2.74	6.50	0.19	0.27	0.04	0.029	0.11	28.9	35.8	3.18	387	0.87	0.01
ZZ07574		1.70	35.9	3.06	8.91	0.22	0.23	0.04	0.035	0.11	31.7	49.6	2.89	268	0.63	<0.01
ZZ07575		2.72	38.7	3.12	9.02	0.24	0.22	0.16	0.040	0.12	30.3	50.6	2.84	371	0.75	<0.01
ZZ07576		3.00	43.9	3.19	9.28	0.21	0.20	0.06	0.039	0.12	30.9	51.8	2.81	315	0.77	<0.01
ZZ07577		1.32	40.2	3.52	9.39	0.19	0.21	0.08	0.044	0.09	33.6	52.8	2.37	434	0.61	<0.01
ZZ07588		4.37	54.0	6.17	4.74	0.12	0.03	0.07	0.036	0.08	4.8	45.5	0.45	1440	1.03	<0.01
ZZ07589		3.18	38.7	4.39	5.19	0.12	0.02	0.03	0.031	0.10	4.3	24.0	0.25	1220	0.64	<0.01
ZZ07590		5.33	44.0	4.11	4.13	0.13	0.02	0.04	0.030	0.10	6.0	27.0	0.29	898	0.57	<0.01
ZZ07591		4.19	46.2	5.04	4.21	0.12	0.10	0.09	0.034	0.10	6.8	31.9	0.36	779	0.65	<0.01
ZZ07592		10.50	73.1	6.78	5.90	0.15	0.10	0.20	0.056	0.11	6.1	64.4	0.57	3000	0.95	<0.01
ZZ07593		2.65	55.4	4.38	2.08	0.12	0.05	0.18	0.034	0.09	5.0	6.4	0.09	1330	0.69	<0.01
ZZ07594		2.76	61.9	6.01	4.13	0.13	0.12	0.08	0.051	0.09	3.2	52.3	0.52	1120	0.66	<0.01
ZZ07595		4.15	64.3	6.62	4.97	0.16	0.14	0.15	0.065	0.08	3.1	69.6	0.71	1160	0.87	<0.01
ZZ07596		4.47	54.1	6.56	4.67	0.12	0.05	0.05	0.048	0.06	4.5	37.1	0.33	1640	0.80	<0.01
ZZ07597		6.95	56.9	7.48	7.12	0.15	0.06	0.06	0.060	0.06	5.7	86.7	0.76	2390	1.16	<0.01
ZZ07601		1.14	43.9	5.34	2.10	0.10	<0.02	0.12	0.045	0.05	2.5	3.3	0.06	731	0.71	<0.01
ZZ07602		0.53	16.2	1.77	1.26	0.11	0.05	0.16	0.022	0.04	3.8	2.4	0.13	555	0.85	0.01
ZZ07603		0.30	18.2	2.07	1.29	0.11	0.08	0.10	0.021	0.04	4.6	3.6	0.14	1540	0.96	<0.01
ZZ07604		2.80	54.2	6.30	2.09	0.13	0.05	0.17	0.046	0.08	2.8	11.9	0.14	1670	0.69	<0.01
ZZ07605		9.40	62.8	4.87	4.67	0.15	0.07	0.28	0.042	0.11	3.8	46.2	0.46	3320	0.90	0.01
ZZ07606		1.93	43.1	4.76	1.93	0.13	0.09	0.30	0.038	0.06	4.0	5.5	0.08	805	0.98	<0.01
ZZ07607		6.45	79.3	7.84	3.12	0.17	0.08	0.25	0.053	0.07	7.0	27.5	0.33	1780	1.29	<0.01
ZZ07608		0.72	35.0	4.18	2.88	0.11	0.12	0.06	0.041	0.07	9.7	16.7	0.37	898	1.31	0.01
ZZ07609		2.38	31.1	3.16	1.74	0.12	0.06	0.14	0.028	0.05	7.3	7.6	0.22	1200	1.66	0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 3- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11167710

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
ZZ07557		0.21	39.1	1210	28.5	9.3	<0.001	0.03	0.51	8.8	0.9	0.6	87.2	0.01	0.02	8.4
ZZ07558		0.23	39.9	980	24.4	18.7	<0.001	0.06	0.63	8.7	1.6	0.6	28.8	<0.01	0.03	7.7
ZZ07559		0.27	34.9	880	25.1	13.8	<0.001	0.05	0.43	8.5	1.3	0.5	38.4	<0.01	0.02	5.5
ZZ07560		0.18	47.5	1210	16.4	11.5	<0.001	0.03	0.41	9.1	1.4	0.6	63.1	<0.01	<0.01	8.4
ZZ07561		0.17	41.2	1010	18.9	12.1	<0.001	0.03	0.45	9.6	1.2	0.6	77.8	<0.01	0.01	6.6
ZZ07562		0.49	34.3	950	21.0	17.3	<0.001	0.11	0.67	7.2	2.5	0.7	60.6	<0.01	0.02	3.4
ZZ07563		0.25	38.6	960	18.5	17.6	<0.001	0.04	0.30	9.2	2.0	0.5	25.2	<0.01	0.02	5.2
ZZ07564		0.12	42.2	760	12.9	12.7	<0.001	0.02	0.43	8.8	2.8	0.5	217	<0.01	<0.01	8.0
ZZ07565		0.17	33.0	890	15.5	13.0	<0.001	0.02	0.42	6.3	1.6	0.5	63.2	<0.01	<0.01	8.7
ZZ07566		0.16	32.5	870	14.7	14.8	<0.001	0.02	0.24	7.6	1.7	0.5	25.6	<0.01	0.03	8.7
ZZ07567		0.42	35.5	930	19.3	15.5	<0.001	0.08	0.35	7.3	2.3	0.6	42.8	<0.01	0.03	4.9
ZZ07568		0.32	41.3	1100	19.0	12.6	<0.001	0.07	0.52	6.0	1.8	0.5	43.1	<0.01	0.02	4.0
ZZ07569		0.33	33.5	970	15.6	15.2	<0.001	0.06	0.39	6.8	2.0	0.5	35.3	<0.01	0.02	3.7
ZZ07570		0.23	33.1	1000	16.4	16.4	<0.001	0.05	0.24	6.3	1.6	0.5	169.0	<0.01	0.01	7.2
ZZ07571		0.25	34.9	940	20.2	12.3	<0.001	0.03	0.48	7.2	1.5	0.5	35.7	<0.01	0.02	6.0
ZZ07572		0.26	32.3	940	20.1	17.2	0.001	0.04	0.47	7.5	3.0	0.5	30.2	<0.01	0.02	5.0
ZZ07573		0.13	28.6	840	13.4	11.6	<0.001	0.02	0.28	6.3	1.6	0.4	68.1	<0.01	<0.01	9.2
ZZ07574		0.36	30.8	750	13.7	16.0	<0.001	0.03	0.29	7.7	1.4	0.5	25.7	<0.01	<0.01	6.0
ZZ07575		0.38	33.6	910	13.7	18.7	<0.001	0.04	0.37	8.1	1.8	0.6	39.6	<0.01	0.02	5.6
ZZ07576		0.40	33.8	980	14.9	19.5	0.001	0.06	0.35	7.4	2.0	0.5	31.5	<0.01	0.02	3.9
ZZ07577		0.30	39.7	920	22.3	13.4	<0.001	0.05	0.29	7.7	1.5	0.5	27.0	<0.01	0.03	4.5
ZZ07588		0.15	50.5	850	37.3	8.3	<0.001	0.04	0.52	5.0	1.1	0.5	21.4	<0.01	0.05	2.5
ZZ07589		0.26	26.5	920	31.9	12.6	<0.001	0.05	0.45	1.8	0.4	0.5	15.3	<0.01	0.03	1.0
ZZ07590		0.22	34.4	810	30.5	10.0	<0.001	0.05	0.53	2.1	0.7	0.5	22.8	<0.01	0.02	1.2
ZZ07591		0.16	40.3	1100	37.9	8.8	<0.001	0.07	0.97	4.3	0.8	0.5	46.7	<0.01	0.05	2.0
ZZ07592		0.12	59.7	690	110.0	13.4	<0.001	0.03	1.49	13.3	1.7	0.4	35.0	<0.01	0.08	7.3
ZZ07593		0.05	46.9	580	42.0	6.9	<0.001	0.03	0.87	4.6	1.1	0.5	48.4	<0.01	0.07	4.4
ZZ07594		<0.05	52.9	420	41.1	5.6	<0.001	0.02	0.44	8.6	0.6	0.5	41.8	<0.01	0.06	7.3
ZZ07595		<0.05	59.2	660	40.9	5.0	<0.001	0.05	0.46	10.6	0.8	0.4	58.8	<0.01	0.08	9.1
ZZ07596		0.12	42.7	1010	47.5	8.1	<0.001	0.04	0.54	6.5	0.8	0.6	36.5	<0.01	0.09	2.5
ZZ07597		0.23	53.2	1200	68.8	9.1	<0.001	0.03	0.79	8.9	1.0	0.6	18.4	<0.01	0.12	4.5
ZZ07601		0.10	37.8	800	27.4	6.0	<0.001	0.04	0.51	3.4	0.3	0.6	13.9	<0.01	0.11	1.2
ZZ07602		0.21	11.7	1550	9.5	3.5	<0.001	0.22	0.51	1.7	0.6	0.2	79.8	<0.01	0.02	0.5
ZZ07603		0.13	15.3	2260	19.2	1.9	<0.001	0.16	0.43	1.9	1.0	0.2	112.5	<0.01	0.03	0.6
ZZ07604		0.06	54.6	740	40.9	5.3	<0.001	0.04	0.48	7.5	1.4	0.6	46.9	<0.01	0.16	3.5
ZZ07605		0.14	55.0	1490	58.0	8.5	<0.001	0.14	0.64	6.3	1.7	0.5	92.0	<0.01	0.15	3.0
ZZ07606		0.12	38.2	1530	27.3	6.6	<0.001	0.12	1.07	5.5	1.1	0.4	49.9	<0.01	0.14	1.9
ZZ07607		0.11	75.6	1790	51.5	5.0	<0.001	0.04	1.79	10.9	1.7	0.4	37.5	<0.01	0.28	6.2
ZZ07608		0.20	28.6	2190	43.4	5.4	<0.001	0.15	1.30	3.7	0.8	0.3	74.3	<0.01	0.09	1.3
ZZ07609		0.10	26.7	2010	26.8	3.9	<0.001	0.21	1.16	2.0	0.9	0.3	74.6	<0.01	0.04	0.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 3- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11167710

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
ZZ07557		0.017	0.15	2.82	44	0.06	16.90	138	9.8
ZZ07558		0.020	0.24	1.75	46	0.06	21.4	132	7.6
ZZ07559		0.014	0.21	1.60	44	0.07	22.0	133	6.1
ZZ07560		0.009	0.19	1.45	36	0.05	20.4	113	5.7
ZZ07561		0.009	0.22	1.85	38	0.05	23.2	143	4.9
ZZ07562		0.018	0.28	2.45	49	0.09	20.2	154	8.3
ZZ07563		0.011	0.15	1.14	34	0.06	28.4	132	6.8
ZZ07564		0.005	0.15	1.66	27	<0.05	22.2	100	6.7
ZZ07565		0.015	0.16	2.05	39	<0.05	14.70	112	12.0
ZZ07566		0.016	0.16	1.40	42	<0.05	18.25	115	10.4
ZZ07567		0.014	0.17	3.90	46	0.10	24.5	147	9.9
ZZ07568		0.009	0.18	5.76	35	0.07	21.9	101	8.7
ZZ07569		0.011	0.16	2.79	34	0.07	26.2	100	8.7
ZZ07570		0.012	0.15	5.37	31	<0.05	14.60	89	8.8
ZZ07571		0.007	0.24	2.03	28	<0.05	20.4	109	5.8
ZZ07572		0.012	0.19	2.40	30	0.07	27.9	92	6.1
ZZ07573		0.014	0.14	2.02	35	<0.05	15.85	106	15.7
ZZ07574		0.017	0.15	2.20	47	0.06	24.1	115	8.2
ZZ07575		0.018	0.18	2.53	46	0.06	23.5	119	8.5
ZZ07576		0.017	0.17	3.94	46	0.09	27.8	116	6.5
ZZ07577		0.013	0.11	4.87	46	0.07	25.4	124	7.2
ZZ07588		0.006	0.14	1.12	23	<0.05	11.30	123	1.1
ZZ07589		0.008	0.08	0.82	26	0.06	3.98	101	0.8
ZZ07590		0.008	0.09	1.03	24	0.05	7.31	93	0.5
ZZ07591		0.005	0.09	1.27	21	0.06	16.30	108	2.9
ZZ07592		0.006	0.31	1.35	21	<0.05	33.5	143	4.7
ZZ07593		<0.005	0.14	1.04	18	<0.05	15.80	98	2.1
ZZ07594		<0.005	0.12	0.69	19	<0.05	10.90	135	7.3
ZZ07595		<0.005	0.10	0.82	22	<0.05	16.40	167	9.2
ZZ07596		<0.005	0.09	0.89	27	<0.05	14.30	127	1.1
ZZ07597		0.010	0.12	1.14	33	0.06	19.55	135	1.8
ZZ07601		<0.005	0.09	0.59	22	<0.05	5.67	83	<0.5
ZZ07602		0.008	0.07	0.89	14	<0.05	6.48	47	1.8
ZZ07603		0.005	0.07	1.32	19	<0.05	7.01	154	2.9
ZZ07604		<0.005	0.08	0.68	22	<0.05	17.95	120	1.5
ZZ07605		<0.005	0.16	0.90	17	<0.05	25.6	109	1.5
ZZ07606		<0.005	0.08	0.76	18	<0.05	13.45	93	2.4
ZZ07607		0.006	0.14	1.31	17	<0.05	25.0	147	3.0
ZZ07608		0.005	0.08	1.34	27	0.06	13.40	109	3.9
ZZ07609		<0.005	0.09	1.34	17	<0.05	11.80	72	2.0

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 3- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11167710

Sample Description	Method	WEI- 21	Au- TL43	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Recvd Wt.	Au	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
ZZ07610		0.26	0.005	0.31	2.37	65.6	<0.2	<10	50	2.02	0.60	0.03	0.53	17.05	160.5	42
ZZ07631		0.28	0.004	0.31	1.60	47.1	<0.2	<10	50	1.40	0.75	0.04	0.14	8.91	30.3	31
ZZ07632		0.22	0.003	0.14	1.15	18.3	<0.2	<10	90	0.94	0.29	1.78	0.54	15.90	10.0	17
ZZ07633		0.20	0.002	0.18	1.26	25.8	<0.2	<10	140	0.84	0.31	2.66	0.63	29.2	15.2	20
ZZ07634		0.22	0.002	0.26	2.09	50.3	<0.2	<10	20	1.76	0.51	0.04	0.07	8.74	27.2	37
ZZ07635		0.32	0.002	0.28	2.79	46.2	<0.2	<10	80	4.11	0.41	0.02	0.24	12.75	21.4	33
ZZ07636		0.28	0.002	0.43	2.17	38.0	<0.2	<10	40	3.24	0.44	0.03	0.30	12.15	24.6	30
ZZ07637		0.26	0.002	0.24	4.22	30.6	<0.2	<10	50	4.40	0.43	0.02	0.93	9.95	49.6	25
ZZ07638		0.32	<0.001	0.20	0.90	28.4	<0.2	<10	130	1.16	0.55	0.03	0.09	8.61	20.9	20
ZZ07639		0.26	0.003	0.27	2.38	52.2	<0.2	<10	70	2.98	0.52	0.02	0.20	20.2	21.4	34
ZZ07640		0.24	0.001	0.13	2.32	32.7	<0.2	<10	50	1.55	0.56	0.01	0.07	10.60	10.5	29
ZZ07641		0.26	0.002	0.17	0.71	39.0	<0.2	<10	30	0.97	0.45	0.09	0.18	5.73	8.3	25
ZZ07642		0.36	0.002	0.06	1.49	17.6	<0.2	<10	60	1.30	0.41	0.03	0.19	15.80	24.6	26
ZZ07643		0.26	0.001	0.12	0.76	13.2	<0.2	<10	60	1.17	0.45	0.12	0.19	22.8	43.6	23
ZZ07644		0.28	0.001	0.05	1.82	14.2	<0.2	<10	80	0.99	0.41	0.24	0.17	9.84	31.2	30
ZZ07645		0.18	0.001	0.08	1.54	9.8	<0.2	<10	60	0.81	0.33	0.24	0.45	6.82	26.2	27
ZZ07646		0.26	0.001	0.05	1.34	11.6	<0.2	<10	60	0.87	0.34	0.09	0.23	8.54	30.2	25
ZZ07647		0.30	0.002	0.08	1.03	13.2	<0.2	<10	50	1.30	0.52	0.08	0.11	12.30	37.6	21
ZZ07648		0.32	0.001	0.20	0.81	13.5	<0.2	<10	50	1.43	0.56	0.10	0.18	9.25	46.5	16
ZZ07649		0.28	0.001	0.08	1.79	16.3	<0.2	<10	40	1.64	0.65	0.12	0.30	11.55	63.3	28
ZZ07650		0.28	0.001	0.14	2.09	7.0	<0.2	<10	40	1.84	0.38	0.03	0.11	10.65	90.2	34
ZZ07651		0.26	0.001	0.15	1.39	4.0	<0.2	<10	80	1.83	0.33	0.02	0.17	7.51	114.5	29
ZZ07652		0.30	0.001	0.11	1.11	4.7	<0.2	<10	40	1.26	0.33	0.02	0.07	5.03	47.2	22
ZZ07653		0.28	0.001	0.09	0.69	16.7	<0.2	<10	40	1.21	0.32	0.02	0.11	2.84	48.9	25
ZZ07654		0.24	0.001	0.21	0.51	28.3	<0.2	<10	40	1.11	0.38	0.13	0.26	6.04	45.5	24
ZZ07655		0.28	0.001	0.09	0.94	10.7	<0.2	<10	30	1.12	0.38	0.10	0.21	8.89	30.8	22
ZZ07656		0.28	0.001	0.14	1.80	10.5	<0.2	<10	50	1.48	0.42	0.10	0.17	24.5	42.5	30
ZZ07657		0.22	0.002	0.10	1.74	14.6	<0.2	<10	80	0.91	0.40	0.07	0.36	22.1	37.1	30
ZZ07658		0.26	0.001	0.10	1.76	11.0	<0.2	<10	70	1.11	0.37	0.04	0.34	20.0	39.5	31
ZZ07659		0.28	0.001	0.09	0.63	16.2	<0.2	<10	40	0.83	0.34	0.04	0.14	8.44	18.6	14
ZZ07660		0.22	0.004	0.30	2.16	44.3	<0.2	<10	50	3.18	0.66	0.06	0.26	18.80	27.6	31
ZZ07661		0.24	0.001	0.09	0.78	24.8	<0.2	<10	80	0.99	0.43	0.80	0.16	10.85	14.1	11
ZZ07662		0.18	0.001	0.11	0.59	19.2	<0.2	<10	70	0.83	0.38	2.55	0.15	11.30	8.5	9
ZZ07663		0.20	0.001	0.09	0.79	16.4	<0.2	<10	60	0.89	0.35	2.04	0.15	8.39	6.8	11
ZZ07664		0.32	0.001	0.11	1.30	17.4	<0.2	<10	70	1.68	0.37	0.28	0.23	15.85	26.2	20
ZZ07665		0.26	0.001	0.12	0.63	28.4	<0.2	<10	120	1.11	0.47	0.52	0.28	14.75	34.9	13
ZZ07666		0.24	0.002	0.10	0.62	23.4	<0.2	<10	80	1.19	0.39	0.89	0.19	9.46	24.0	13
ZZ07667		0.18	0.003	0.32	0.98	20.1	<0.2	<10	70	1.13	0.55	0.51	0.39	10.45	33.2	16
ZZ07668		0.22	0.001	0.05	1.32	13.5	<0.2	<10	70	1.08	0.33	0.57	0.25	17.15	15.2	22
ZZ07669		0.20	0.001	0.11	0.92	13.3	<0.2	<10	100	1.13	0.25	2.68	0.37	9.50	13.1	15

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 3- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11167710

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
ZZ07610		16.55	155.5	11.95	7.44	0.15	0.07	0.17	0.114	0.08	3.1	49.7	0.64	8430	8.14	0.01
ZZ07631		8.22	102.0	8.78	5.80	0.12	0.16	0.65	0.055	0.08	3.6	24.5	0.42	953	9.33	<0.01
ZZ07632		1.39	32.6	3.29	2.92	0.11	0.04	0.15	0.029	0.06	6.1	11.2	0.23	442	1.47	0.01
ZZ07633		0.92	38.0	3.80	3.26	0.12	0.05	0.11	0.035	0.06	11.8	12.5	0.33	650	1.61	0.01
ZZ07634		7.97	107.0	11.10	7.66	0.15	0.04	0.18	0.078	0.06	3.8	40.4	0.71	291	6.28	0.01
ZZ07635		9.88	104.0	10.60	7.19	0.18	0.08	0.07	0.077	0.08	3.9	43.4	0.75	1040	7.00	0.02
ZZ07636		9.64	96.6	8.77	7.28	0.15	0.08	0.07	0.077	0.07	3.3	48.6	0.81	1890	5.17	0.01
ZZ07637		9.02	106.0	10.15	5.89	0.15	0.15	0.05	0.080	0.06	2.4	44.5	0.55	4250	4.77	<0.01
ZZ07638		10.05	56.5	8.55	2.69	0.12	0.09	1.07	0.075	0.07	3.5	7.8	0.11	473	4.14	<0.01
ZZ07639		9.72	104.0	8.80	7.42	0.15	0.06	0.12	0.090	0.07	6.1	44.8	0.79	1250	6.45	0.02
ZZ07640		7.50	57.8	5.95	6.72	0.12	0.03	0.01	0.061	0.07	3.9	45.4	0.84	308	5.31	0.01
ZZ07641		3.25	77.5	7.07	3.62	0.12	0.08	0.37	0.058	0.07	2.1	6.8	0.09	360	2.70	0.02
ZZ07642		7.88	61.5	6.33	3.90	0.12	0.03	0.19	0.050	0.07	5.6	23.2	0.35	947	1.68	0.01
ZZ07643		10.50	65.9	6.34	2.75	0.14	0.03	0.08	0.048	0.07	6.5	11.3	0.19	1600	0.84	<0.01
ZZ07644		8.01	49.2	5.83	5.91	0.10	<0.02	0.02	0.041	0.06	4.1	38.1	0.61	1670	1.45	<0.01
ZZ07645		4.66	43.3	5.04	5.54	0.10	0.02	0.04	0.039	0.08	2.7	35.3	0.54	1060	0.89	<0.01
ZZ07646		3.82	55.5	5.90	4.63	0.11	0.02	0.03	0.039	0.07	3.1	24.8	0.39	1710	0.94	<0.01
ZZ07647		7.36	67.1	5.99	3.55	0.12	0.02	0.07	0.035	0.06	5.0	22.7	0.36	1150	0.83	<0.01
ZZ07648		7.34	81.1	7.97	2.56	0.13	0.03	0.22	0.057	0.08	4.2	13.8	0.22	1800	0.95	<0.01
ZZ07649		9.26	92.3	6.59	5.87	0.12	0.03	0.09	0.043	0.11	4.3	43.6	0.59	977	1.64	<0.01
ZZ07650		19.60	106.5	8.00	6.21	0.13	0.04	0.09	0.051	0.11	2.6	48.9	0.65	2420	0.69	<0.01
ZZ07651		26.0	96.7	9.78	4.13	0.11	0.06	0.14	0.056	0.11	1.8	28.6	0.35	2700	0.39	<0.01
ZZ07652		20.4	97.6	7.29	3.55	0.11	0.04	0.11	0.039	0.10	1.8	19.4	0.25	790	0.42	<0.01
ZZ07653		10.25	97.8	7.92	2.59	0.11	0.12	0.38	0.053	0.13	0.9	11.7	0.16	1260	0.33	<0.01
ZZ07654		3.50	75.3	7.43	1.80	0.10	0.04	0.17	0.049	0.08	2.2	5.3	0.12	1460	1.52	<0.01
ZZ07655		3.57	61.1	6.09	2.95	0.12	0.04	0.13	0.044	0.09	2.8	17.8	0.30	1040	0.76	<0.01
ZZ07656		9.55	70.9	6.43	5.43	0.16	0.04	0.08	0.045	0.07	7.1	40.0	0.71	1900	0.86	<0.01
ZZ07657		5.41	63.3	6.32	5.44	0.12	<0.02	0.04	0.050	0.07	7.2	24.5	0.50	2180	1.50	<0.01
ZZ07658		5.95	69.8	6.07	5.57	0.12	0.03	0.09	0.052	0.07	5.9	27.8	0.44	2240	1.30	<0.01
ZZ07659		2.05	72.3	5.90	1.75	0.12	<0.02	0.30	0.056	0.06	3.4	5.0	0.07	463	1.63	<0.01
ZZ07660		10.60	117.5	10.15	5.55	0.14	0.06	0.12	0.097	0.07	6.2	32.8	0.44	921	6.96	0.01
ZZ07661		1.44	39.2	4.17	1.97	0.12	0.06	0.21	0.044	0.08	4.3	5.6	0.08	1060	0.88	<0.01
ZZ07662		0.91	28.2	3.77	1.83	0.11	0.07	0.23	0.038	0.10	4.8	5.1	0.11	614	0.99	0.01
ZZ07663		1.21	28.7	3.39	2.15	0.10	0.07	0.15	0.031	0.06	3.9	6.5	0.13	439	1.02	0.01
ZZ07664		2.77	56.0	5.03	4.11	0.10	0.11	0.24	0.048	0.08	5.9	30.3	0.52	841	3.57	0.01
ZZ07665		1.36	53.7	5.13	2.12	0.10	0.05	0.56	0.050	0.10	4.8	7.7	0.10	2400	1.61	0.01
ZZ07666		1.16	45.6	4.89	2.00	0.08	0.06	0.48	0.045	0.07	3.8	5.9	0.10	1520	1.26	0.01
ZZ07667		1.85	88.1	7.26	2.62	0.08	0.05	0.16	0.067	0.05	4.1	14.2	0.27	3240	3.66	0.01
ZZ07668		3.16	37.4	4.30	4.80	0.09	<0.02	0.05	0.035	0.06	6.9	19.0	0.34	766	2.04	0.01
ZZ07669		1.05	33.0	3.27	2.62	0.09	0.05	0.15	0.031	0.05	4.9	7.3	0.17	937	1.37	0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 3- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11167710

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
ZZ07610		0.30	82.9	2220	74.0	9.0	0.001	0.24	3.22	14.6	4.2	0.7	17.9	<0.01	0.17	8.7
ZZ07631		0.07	44.4	1120	49.8	6.4	0.005	0.04	2.17	6.7	1.8	0.5	24.5	<0.01	0.14	7.0
ZZ07632		0.40	23.4	1720	17.9	6.6	0.001	0.18	0.88	1.8	0.5	0.3	133.5	<0.01	0.05	0.6
ZZ07633		0.47	35.8	1380	19.0	6.2	<0.001	0.08	1.09	3.7	0.7	0.4	199.0	<0.01	0.07	1.6
ZZ07634		0.22	65.0	1700	38.4	5.4	0.004	0.06	2.15	7.6	2.4	0.7	37.8	<0.01	0.10	8.2
ZZ07635		0.33	55.4	2920	34.8	6.5	0.006	0.19	1.71	12.2	2.8	0.5	33.8	<0.01	0.06	14.8
ZZ07636		0.22	42.6	1770	47.7	6.5	0.004	0.12	1.78	10.1	1.9	0.6	27.9	<0.01	0.05	15.5
ZZ07637		0.18	96.3	1100	61.0	6.1	0.003	0.12	1.45	13.9	2.1	0.6	36.7	0.01	0.09	9.8
ZZ07638		0.15	55.0	1490	33.1	6.4	0.003	0.03	1.42	10.3	1.2	0.9	97.2	<0.01	0.09	10.2
ZZ07639		0.39	42.4	2050	46.8	8.4	0.001	0.14	2.30	11.0	2.7	0.6	44.6	<0.01	0.14	11.0
ZZ07640		0.17	26.7	1200	36.3	7.9	0.001	0.08	1.41	7.3	1.0	0.6	36.9	<0.01	0.08	7.7
ZZ07641		0.05	25.3	960	45.6	4.9	0.003	0.14	1.20	6.1	3.1	0.3	43.9	<0.01	0.10	4.6
ZZ07642		0.26	45.2	870	38.8	9.3	<0.001	0.06	1.02	6.3	1.0	0.6	14.2	<0.01	0.05	1.6
ZZ07643		0.17	45.4	790	41.3	7.9	<0.001	0.03	0.69	11.7	0.9	0.5	12.8	<0.01	0.06	1.7
ZZ07644		0.23	33.0	1090	42.6	9.1	<0.001	0.06	0.93	3.3	0.5	0.5	16.9	<0.01	0.10	0.6
ZZ07645		0.34	30.0	1040	29.2	9.5	<0.001	0.08	0.65	3.3	0.2	0.5	19.2	<0.01	0.06	0.5
ZZ07646		0.20	35.9	1000	36.4	9.4	<0.001	0.05	0.76	4.7	<0.2	0.4	12.9	<0.01	0.07	0.6
ZZ07647		0.22	47.3	480	43.7	5.6	<0.001	0.03	0.89	7.7	0.2	0.5	24.2	<0.01	0.08	2.1
ZZ07648		0.13	60.3	460	50.8	6.7	<0.001	0.02	0.73	14.0	0.7	0.5	26.2	<0.01	0.14	2.5
ZZ07649		0.17	54.2	770	51.2	7.5	<0.001	0.05	0.83	9.2	0.9	0.5	40.0	<0.01	0.13	2.3
ZZ07650		0.13	63.4	430	60.8	10.8	<0.001	0.03	0.44	13.4	0.6	0.5	18.9	<0.01	0.03	2.9
ZZ07651		<0.05	114.5	230	44.6	11.3	<0.001	0.03	0.26	13.2	0.5	0.5	35.5	<0.01	0.01	2.7
ZZ07652		0.05	54.0	230	33.1	10.3	<0.001	0.03	0.25	12.7	<0.2	0.4	19.3	<0.01	0.03	2.2
ZZ07653		<0.05	69.9	130	28.5	9.1	0.001	0.02	0.32	13.8	<0.2	0.6	30.9	<0.01	0.02	1.9
ZZ07654		0.07	69.1	400	37.3	5.2	<0.001	0.04	0.82	12.4	0.7	0.5	44.0	<0.01	0.08	2.1
ZZ07655		<0.05	49.3	560	32.2	5.9	<0.001	0.03	0.56	9.3	0.3	0.5	22.0	<0.01	0.06	2.9
ZZ07656		0.17	48.9	960	52.3	7.5	<0.001	0.04	0.62	11.8	0.8	0.5	19.8	<0.01	0.07	2.7
ZZ07657		0.29	42.7	1310	40.1	9.7	<0.001	0.05	0.93	6.6	1.2	0.6	16.4	<0.01	0.08	0.8
ZZ07658		0.31	42.0	1350	44.0	10.6	<0.001	0.09	0.69	7.9	0.8	0.5	12.3	<0.01	0.05	1.1
ZZ07659		0.14	44.5	650	24.0	6.0	<0.001	0.04	0.79	8.6	1.1	0.4	19.3	<0.01	0.06	2.1
ZZ07660		0.17	47.3	1780	75.1	6.2	0.001	0.12	2.17	11.2	3.3	0.5	54.7	<0.01	0.16	9.4
ZZ07661		0.08	34.7	810	31.3	5.5	<0.001	0.09	0.72	3.6	0.6	0.6	83.6	<0.01	0.10	1.5
ZZ07662		0.08	18.7	1110	35.7	5.9	<0.001	0.22	0.67	2.1	0.7	0.4	147.0	<0.01	0.09	1.0
ZZ07663		0.18	18.8	1060	22.4	5.0	<0.001	0.15	0.53	2.5	0.5	0.4	96.7	<0.01	0.07	1.0
ZZ07664		0.06	50.2	350	26.0	5.9	0.001	0.04	0.85	6.2	0.8	0.6	59.6	<0.01	0.05	8.5
ZZ07665		0.10	58.2	580	35.9	6.7	<0.001	0.16	1.37	6.1	0.4	0.6	94.9	<0.01	0.13	4.6
ZZ07666		0.06	45.8	690	31.3	5.3	0.001	0.11	1.16	4.3	0.6	0.5	82.8	<0.01	0.10	1.7
ZZ07667		0.11	68.7	770	29.1	5.3	<0.001	0.05	0.99	7.5	1.1	0.5	51.9	<0.01	0.18	1.9
ZZ07668		0.43	30.9	660	18.9	9.4	0.001	0.06	0.98	1.9	0.4	0.5	53.4	<0.01	0.06	0.4
ZZ07669		0.29	27.2	1390	16.5	5.8	<0.001	0.17	0.72	2.0	0.9	0.4	140.5	<0.01	0.05	0.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 3- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11167710

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
ZZ07610		0.011	0.75	1.86	46	0.05	10.35	158	2.5
ZZ07631		0.005	0.41	1.37	37	<0.05	8.78	143	8.7
ZZ07632		0.012	0.08	1.27	27	0.10	7.62	88	1.2
ZZ07633		0.016	0.09	1.09	35	0.12	12.45	113	1.6
ZZ07634		0.008	0.24	0.75	43	<0.05	7.25	176	2.8
ZZ07635		0.012	0.21	1.99	43	0.11	11.80	139	3.4
ZZ07636		0.010	0.21	1.55	35	<0.05	8.69	113	4.2
ZZ07637		0.009	0.29	1.93	36	0.06	12.20	175	7.3
ZZ07638		<0.005	0.23	1.20	46	<0.05	5.24	145	5.8
ZZ07639		0.014	0.36	2.20	41	0.06	9.01	145	2.8
ZZ07640		0.006	0.20	1.28	34	<0.05	6.07	102	1.3
ZZ07641		<0.005	0.28	0.60	30	<0.05	4.10	79	5.8
ZZ07642		0.008	0.28	0.67	39	0.07	8.78	110	0.7
ZZ07643		0.007	0.13	0.54	44	<0.05	16.75	109	0.6
ZZ07644		0.011	0.11	0.43	47	0.07	4.72	96	0.5
ZZ07645		0.011	0.06	0.37	42	0.06	3.15	119	0.5
ZZ07646		0.008	0.09	0.40	40	0.06	5.20	109	0.7
ZZ07647		0.009	0.10	0.53	32	0.06	7.83	97	0.7
ZZ07648		0.005	0.14	0.56	28	<0.05	13.25	115	0.9
ZZ07649		0.007	0.13	0.54	32	<0.05	9.74	122	1.1
ZZ07650		0.007	0.19	0.59	38	<0.05	9.77	119	2.1
ZZ07651		<0.005	0.55	0.65	38	<0.05	7.82	141	3.4
ZZ07652		<0.005	0.28	0.54	30	<0.05	5.55	117	2.5
ZZ07653		<0.005	0.34	0.47	40	<0.05	5.17	135	5.6
ZZ07654		<0.005	0.16	0.60	43	<0.05	9.44	143	2.1
ZZ07655		<0.005	0.15	0.49	35	<0.05	8.52	111	1.5
ZZ07656		0.009	0.18	0.63	45	0.05	22.2	114	1.1
ZZ07657		0.015	0.17	0.75	54	0.08	11.10	119	<0.5
ZZ07658		0.009	0.16	0.82	52	0.06	10.65	115	0.8
ZZ07659		<0.005	0.16	0.67	24	0.05	6.47	125	<0.5
ZZ07660		0.007	0.39	1.59	40	<0.05	11.75	139	3.8
ZZ07661		<0.005	0.13	0.71	17	<0.05	8.45	97	1.6
ZZ07662		<0.005	0.14	0.72	15	<0.05	7.54	65	2.2
ZZ07663		<0.005	0.11	0.90	17	<0.05	6.87	57	2.2
ZZ07664		<0.005	0.12	1.01	28	<0.05	10.05	116	4.3
ZZ07665		<0.005	0.28	0.58	22	<0.05	10.75	116	1.8
ZZ07666		<0.005	0.16	0.85	19	<0.05	10.10	104	1.7
ZZ07667		<0.005	0.17	0.94	30	<0.05	9.42	140	1.3
ZZ07668		0.019	0.12	1.30	38	0.19	5.01	89	<0.5
ZZ07669		0.008	0.10	2.10	27	0.06	9.63	82	1.2

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 3- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11167710

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- TL43 Au ppm 0.001	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1
ZZ07670		0.18	0.002	0.14	1.19	17.9	<0.2	<10	110	1.20	0.34	1.04	0.38	28.8	17.6	23

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 3- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11167710

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
ZZ07670		1.39	36.2	4.90	3.30	0.11	0.05	0.12	0.046	0.05	10.4	12.6	0.28	1020	1.21	0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 3- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11167710

Sample Description	Method Analyte Units LOR	ME- MS41 Nb ppm 0.05	ME- MS41 Ni ppm 0.2	ME- MS41 P ppm 10	ME- MS41 Pb ppm 0.2	ME- MS41 Rb ppm 0.1	ME- MS41 Re ppm 0.001	ME- MS41 S % 0.01	ME- MS41 Sb ppm 0.05	ME- MS41 Sc ppm 0.1	ME- MS41 Se ppm 0.2	ME- MS41 Sn ppm 0.2	ME- MS41 Sr ppm 0.2	ME- MS41 Ta ppm 0.01	ME- MS41 Te ppm 0.01	ME- MS41 Th ppm 0.2
ZZ07670		0.38	34.9	1050	28.7	8.0	<0.001	0.11	0.82	4.8	0.9	0.4	82.4	<0.01	0.09	1.2

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 3- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11167710

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
ZZ07670		0.014	0.11	1.11	34	0.12	14.40	103	1.4

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 3- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11167710

Method	CERTIFICATE COMMENTS
ME- MS41	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown.
ME- MS41	Gold determinations by this method are semi- quantitative due to the small sample weight used (0.5g).

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 3- OCT- 2011
Account: RCM

CERTIFICATE WH11170112

Project: Rackla Gold (Nadaleen)

P.O. No.: Batch 58 - Area C

This report is for 134 Soil samples submitted to our lab in Whitehorse, YT, Canada on 24- AUG- 2011.

The following have access to data associated with this certificate:

ROB CARNE JULIA LANE	ANDREW CARNE JOAN MARIACHER	MATT DUMALA

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
SCR- 41	Screen to - 180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- TL43	Trace Level Au - 25g AR	ICP- MS
ME- MS41	51 anal. aqua regia ICPMS	

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 3- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen)

CERTIFICATE OF ANALYSIS WH11170112

Sample Description	Method	WEI- 21	Au- TL43	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Recvd Wt.	Au	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
CC135882		0.06	0.002	0.12	0.77	11.5	<0.2	<10	190	0.54	0.19	1.77	0.60	13.95	7.7	14
CC135883		0.14	0.002	0.11	0.78	12.3	<0.2	<10	200	0.59	0.20	2.38	0.69	15.50	9.2	12
CC135884		0.16	0.002	0.25	1.00	13.4	<0.2	<10	230	0.65	0.23	1.88	0.64	17.80	9.3	16
CC135885		0.18	0.001	0.08	0.80	14.7	<0.2	<10	200	0.36	0.21	1.10	0.61	12.30	8.4	16
CC135886		0.14	0.001	0.15	1.15	12.1	<0.2	<10	370	0.96	0.23	1.54	1.09	21.6	7.7	16
CC135887		0.12	0.001	0.16	0.87	8.0	<0.2	<10	350	0.62	0.17	2.53	0.97	15.60	6.1	13
CC135888		0.14	0.002	0.17	0.93	10.1	<0.2	<10	280	0.73	0.21	1.84	1.02	18.00	7.4	15
CC135889		0.24	0.001	0.05	0.75	6	<0.2	<10	140	0.48	0.16	14.15	0.27	11.45	6.5	11
CC135890		0.06	0.001	0.13	0.54	3.7	<0.2	10	260	0.39	0.09	4.30	1.02	6.10	4.2	8
CC135891		0.06	<0.001	0.06	0.64	3.7	<0.2	<10	160	0.42	0.15	2.38	0.63	9.21	6.0	9
CC135892		0.14	0.001	0.11	0.96	15.2	<0.2	10	160	0.71	0.21	3.79	0.55	18.00	8.2	15
CC135893		0.06	0.001	0.06	0.60	5.2	<0.2	10	200	0.41	0.10	3.65	0.36	6.62	4.6	8
CC135894		0.18	0.001	0.10	0.91	7.2	<0.2	<10	190	0.58	0.16	3.25	0.83	11.85	7.2	12
CC135895		0.10	0.001	0.09	1.03	9.2	<0.2	<10	210	0.65	0.20	2.77	0.53	13.05	7.4	15
CC135896		0.12	0.001	0.05	0.85	6.0	<0.2	10	140	0.62	0.19	9.56	0.29	11.85	7.4	14
CC135897		0.16	0.001	0.08	0.84	5.5	<0.2	10	110	0.62	0.21	3.43	0.13	11.20	8.5	14
CC135898		0.22	0.001	0.10	1.14	7.9	<0.2	10	180	0.90	0.27	1.73	0.29	16.85	8.6	20
CC135899		0.12	0.003	0.10	1.03	14.0	<0.2	10	210	0.75	0.21	2.37	0.52	15.70	7.1	15
CC135900		0.12	0.002	0.14	1.23	14.0	<0.2	<10	270	0.84	0.23	2.02	0.57	18.30	8.0	18
CC135901		0.18	0.002	0.09	1.04	14.8	<0.2	<10	180	0.82	0.29	1.06	0.38	19.60	12.3	17
ZZ07683		0.06	0.001	0.11	1.09	9.2	<0.2	10	90	0.43	0.19	3.72	3.04	8.36	5.3	12
ZZ07684		0.34	0.001	0.10	0.69	14.2	<0.2	<10	190	1.16	0.40	2.99	0.24	13.00	17.0	10
ZZ07685		0.22	0.001	0.05	1.71	2.9	<0.2	<10	240	1.16	0.56	0.60	0.11	12.40	15.3	28
ZZ07686		0.32	0.003	0.05	1.28	6.2	<0.2	<10	160	1.11	0.52	0.17	0.09	14.65	12.6	19
ZZ07687		0.36	0.001	0.05	1.84	12.7	<0.2	<10	120	1.51	0.65	0.02	0.08	13.80	21.1	26
ZZ07688		0.24	0.001	0.08	0.71	13.2	<0.2	<10	220	0.92	0.33	2.35	0.57	15.70	11.0	12
ZZ07689		0.14	0.001	0.18	1.45	7.0	<0.2	<10	390	1.47	0.40	0.42	0.05	10.40	11.8	21
ZZ07690		0.30	0.001	0.04	1.52	3.2	<0.2	<10	100	1.05	0.48	0.02	0.03	10.15	19.2	28
ZZ07691		0.14	<0.001	0.05	0.99	6.8	<0.2	<10	270	0.65	0.36	0.12	0.04	7.61	6.2	18
ZZ07692		0.22	0.001	0.07	1.16	8.4	<0.2	<10	100	1.42	0.45	0.78	0.07	9.81	11.6	19
ZZ07693		0.26	0.001	0.08	1.50	8.8	<0.2	<10	230	1.40	0.45	0.70	0.08	11.20	14.0	23
ZZ07694		0.40	0.001	0.07	1.72	10.8	<0.2	<10	200	1.61	0.44	0.43	0.08	14.00	14.0	25
ZZ07695		0.30	0.001	0.09	1.91	17.1	<0.2	<10	70	1.50	0.58	0.51	0.08	10.75	26.8	25
ZZ07696		0.32	0.001	0.10	1.64	16.3	<0.2	<10	50	1.71	0.52	0.72	0.06	12.05	19.9	23
ZZ07697		0.10	0.001	0.08	1.04	9.1	<0.2	<10	100	1.04	0.33	2.48	0.08	8.94	12.4	14
ZZ07698		0.20	0.001	0.12	0.84	14.9	<0.2	<10	130	1.14	0.39	2.98	0.13	13.95	15.0	11
ZZ07699		0.08	0.001	0.09	0.64	13.9	<0.2	<10	130	0.93	0.35	2.53	0.10	9.26	13.0	8
ZZ07700		0.16	0.001	0.16	0.70	16.6	<0.2	10	70	1.64	0.32	2.01	0.26	6.91	10.4	10
ZZ07701		0.24	0.002	0.10	1.07	22.6	<0.2	<10	100	1.46	0.53	0.52	0.18	9.87	19.2	16
ZZ07702		0.12	0.001	0.11	0.94	15.0	<0.2	<10	140	1.08	0.37	1.75	0.11	10.00	12.8	13

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 3- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen)

CERTIFICATE OF ANALYSIS WH11170112

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
CC135882		0.71	24.1	2.01	2.54	<0.05	0.06	0.23	0.023	0.08	6.7	12.1	0.42	313	1.03	0.01
CC135883		0.67	21.6	2.20	2.55	0.05	0.05	0.28	0.025	0.06	7.1	13.0	0.49	546	1.13	0.01
CC135884		0.65	15.6	2.57	3.19	0.05	0.05	0.22	0.029	0.07	8.0	15.1	0.44	502	1.76	0.01
CC135885		0.52	19.3	2.40	3.15	<0.05	0.04	0.10	0.027	0.07	5.3	11.5	0.25	377	2.44	0.01
CC135886		0.68	24.5	2.67	3.44	0.05	0.05	0.22	0.034	0.07	10.8	11.8	0.17	301	1.75	0.01
CC135887		0.49	23.2	1.49	2.66	<0.05	0.06	0.32	0.024	0.07	7.7	10.9	0.30	265	0.48	0.01
CC135888		0.51	24.1	1.73	3.02	0.05	0.07	0.29	0.026	0.09	8.2	18.1	0.47	121	0.56	0.01
CC135889		1.28	15.3	1.76	2.26	<0.05	0.05	0.19	0.026	0.15	4.9	9.2	1.23	348	0.29	0.01
CC135890		0.94	19.2	0.92	1.62	<0.05	0.04	0.20	0.014	0.04	3.2	4.7	0.44	477	0.52	0.01
CC135891		0.64	14.1	1.21	2.15	<0.05	0.03	0.05	0.017	0.08	4.1	6.6	0.32	426	0.52	<0.01
CC135892		0.60	19.8	2.36	2.97	<0.05	0.06	0.39	0.026	0.11	8.7	14.2	1.72	753	0.78	0.01
CC135893		0.61	17.8	1.15	1.79	<0.05	0.04	0.13	0.016	0.06	3.5	8.5	0.34	454	0.59	0.01
CC135894		0.68	18.7	1.66	2.62	<0.05	0.04	0.12	0.021	0.06	5.8	8.8	0.31	660	0.57	0.01
CC135895		0.63	19.2	1.98	3.11	<0.05	0.04	0.14	0.025	0.08	6.3	10.2	0.31	485	0.65	0.01
CC135896		0.81	16.5	2.00	2.88	<0.05	0.05	0.12	0.023	0.13	5.2	12.7	0.83	385	0.35	0.01
CC135897		1.22	19.0	1.87	3.05	<0.05	0.05	0.08	0.021	0.10	3.9	17.7	0.55	343	0.36	0.01
CC135898		1.04	27.9	2.67	4.16	0.05	0.07	0.27	0.031	0.14	8.0	20.6	0.54	295	0.38	0.01
CC135899		0.64	21.5	2.30	3.03	<0.05	0.07	0.43	0.027	0.10	7.7	13.4	0.40	484	0.52	0.01
CC135900		0.80	29.4	2.70	3.65	0.05	0.06	0.34	0.031	0.09	9.3	16.2	0.40	326	0.56	0.01
CC135901		0.53	22.1	3.00	3.33	<0.05	0.05	0.32	0.031	0.10	8.6	15.5	0.33	848	0.59	<0.01
ZZ07683		8.01	14.7	1.55	2.71	<0.05	0.04	0.30	0.026	0.05	4.1	6.4	0.17	247	0.58	0.01
ZZ07684		3.41	44.5	3.36	2.17	0.08	0.06	0.15	0.033	0.21	5.2	4.9	1.59	939	0.47	0.02
ZZ07685		1.90	24.0	3.64	6.90	0.10	0.06	0.08	0.028	0.18	5.2	28.7	0.53	440	0.30	0.03
ZZ07686		1.71	21.4	3.45	5.71	0.09	0.02	0.02	0.033	0.14	6.5	24.1	0.33	385	0.47	0.02
ZZ07687		2.68	38.0	4.55	7.20	0.09	0.03	0.03	0.040	0.11	5.6	35.7	0.38	584	0.53	0.02
ZZ07688		1.45	23.4	3.18	2.45	0.09	0.07	0.20	0.031	0.13	6.2	11.3	1.22	763	0.40	0.03
ZZ07689		1.59	30.2	2.71	5.26	0.10	0.09	0.04	0.028	0.13	3.5	25.3	0.38	495	0.44	0.03
ZZ07690		3.64	39.5	3.98	6.09	0.10	0.03	0.02	0.036	0.19	3.7	24.1	0.36	373	0.38	0.02
ZZ07691		1.73	15.5	2.25	7.19	0.09	0.03	0.01	0.021	0.16	3.1	9.2	0.22	104	0.25	0.02
ZZ07692		1.44	31.6	3.27	4.27	0.09	0.07	0.08	0.035	0.12	3.8	22.3	0.47	239	0.39	0.03
ZZ07693		1.55	30.0	3.58	5.86	0.10	0.08	0.05	0.038	0.13	4.3	33.9	0.50	1360	0.36	0.02
ZZ07694		1.47	36.7	3.89	6.39	0.10	0.08	0.11	0.036	0.14	5.5	36.0	0.49	318	0.38	0.02
ZZ07695		3.38	57.7	5.70	5.82	0.10	0.09	0.11	0.056	0.10	4.4	71.6	0.69	655	0.39	0.03
ZZ07696		1.75	54.6	4.79	5.42	0.10	0.07	0.19	0.051	0.09	4.5	51.8	0.58	517	0.43	0.03
ZZ07697		1.06	32.6	3.00	2.89	0.09	0.05	0.18	0.035	0.07	3.6	26.0	0.28	499	0.23	0.03
ZZ07698		1.99	41.4	2.98	2.67	0.09	0.04	0.21	0.042	0.09	5.3	13.5	0.22	490	0.44	0.02
ZZ07699		1.30	31.6	2.68	1.90	0.10	0.06	0.18	0.038	0.09	4.0	6.6	0.14	291	0.39	0.03
ZZ07700		1.91	47.8	3.63	1.84	0.10	0.04	0.28	0.040	0.06	3.0	13.3	0.33	364	1.86	0.03
ZZ07701		1.69	42.5	4.28	3.62	0.07	0.07	0.24	0.048	0.09	4.1	21.5	0.34	498	1.75	0.02
ZZ07702		2.47	31.3	2.88	2.94	0.10	0.08	0.15	0.042	0.11	4.3	15.0	0.28	329	0.42	0.03

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 3- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen)

CERTIFICATE OF ANALYSIS WH11170112

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
CC135882		0.51	22.2	720	14.7	7.8	<0.001	0.09	0.74	3.2	0.8	0.3	52.9	<0.01	0.04	1.8
CC135883		0.49	23.9	600	19.7	7.1	0.001	0.12	0.75	3.0	1.1	0.3	152.5	<0.01	0.03	1.5
CC135884		0.46	21.2	500	20.9	8.6	0.001	0.08	0.75	3.7	1.0	0.4	101.0	<0.01	0.04	1.7
CC135885		0.47	21.7	460	17.2	6.9	0.001	0.04	1.16	2.6	0.7	0.4	44.2	<0.01	0.04	2.2
CC135886		0.43	21.6	660	20.5	9.6	0.001	0.06	0.81	3.9	1.0	0.5	66.4	<0.01	0.05	1.9
CC135887		0.46	18.5	830	15.1	7.6	0.001	0.15	0.66	2.5	1.3	0.3	83.1	<0.01	0.03	0.8
CC135888		0.49	22.3	700	18.7	7.5	0.002	0.12	0.66	3.5	1.2	0.4	105.0	<0.01	0.03	1.8
CC135889		0.41	13.7	300	13.4	15.8	0.001	0.13	0.16	3.8	0.7	0.3	169.5	<0.01	0.01	3.2
CC135890		0.33	10.3	1030	6.2	8.5	0.001	0.25	0.43	1.2	2.4	0.2	127.0	<0.01	0.03	0.3
CC135891		0.47	10.4	580	9.1	13.2	0.001	0.11	0.24	1.3	0.8	0.3	57.8	<0.01	0.03	0.5
CC135892		0.50	18.9	660	22.2	10.0	0.002	0.12	0.74	3.6	1.1	0.4	87.6	<0.01	0.04	1.6
CC135893		0.34	10.5	660	8.1	11.4	0.001	0.14	0.38	1.5	1.1	0.2	150.5	<0.01	0.02	0.5
CC135894		0.52	15.2	920	10.6	11.1	0.001	0.17	0.40	1.6	1.0	0.3	102.5	<0.01	0.04	0.4
CC135895		0.53	16.5	750	13.6	10.2	0.001	0.14	0.48	2.1	1.2	0.4	98.2	<0.01	0.04	0.6
CC135896		0.51	15.7	450	12.3	13.4	0.001	0.16	0.26	3.1	1.0	0.4	226	<0.01	0.03	1.8
CC135897		0.49	16.9	450	13.2	11.3	0.001	0.20	0.27	2.2	1.2	0.4	185.5	<0.01	0.03	1.2
CC135898		0.60	23.7	550	18.0	18.1	0.003	0.14	0.37	4.2	1.6	0.5	85.4	<0.01	0.04	2.5
CC135899		0.54	16.4	750	22.7	11.1	0.001	0.14	0.64	3.2	1.8	0.4	95.3	<0.01	0.04	1.4
CC135900		0.68	20.1	920	18.9	10.8	0.001	0.17	0.54	3.3	1.7	0.5	87.4	<0.01	0.04	1.2
CC135901		0.49	21.0	370	26.8	9.1	0.001	0.05	0.51	3.7	0.6	0.4	58.4	<0.01	0.03	2.3
ZZ07683		0.49	15.8	1440	19.6	9.8	0.001	0.30	0.27	1.2	2.0	0.3	51.8	0.01	0.05	0.2
ZZ07684		0.21	28.9	310	41.0	15.8	<0.001	0.09	0.33	5.2	0.2	0.5	34.6	<0.01	0.02	3.2
ZZ07685		0.51	29.2	350	15.3	19.0	0.001	0.03	0.18	4.5	<0.2	0.9	36.5	<0.01	0.01	3.2
ZZ07686		0.32	21.4	170	24.5	17.4	0.001	0.01	0.19	3.4	<0.2	0.8	16.9	<0.01	0.01	4.6
ZZ07687		0.25	31.5	230	26.8	14.5	<0.001	0.01	0.29	4.7	<0.2	0.9	13.2	<0.01	0.03	5.1
ZZ07688		0.18	22.9	460	46.8	9.2	<0.001	0.05	0.21	4.2	<0.2	0.4	26.6	<0.01	0.03	3.8
ZZ07689		0.35	22.8	570	22.9	13.3	0.002	0.06	0.30	4.5	<0.2	0.7	59.0	<0.01	0.01	3.1
ZZ07690		0.71	30.7	370	14.8	27.0	<0.001	0.01	0.21	4.0	0.3	1.1	7.4	<0.01	0.03	3.9
ZZ07691		0.56	11.3	270	11.0	29.6	0.002	0.02	0.23	2.9	<0.2	1.0	13.1	<0.01	0.03	2.2
ZZ07692		0.33	25.8	530	21.4	13.8	<0.001	0.10	0.25	4.3	0.3	0.6	56.7	<0.01	0.05	3.0
ZZ07693		0.40	29.3	450	18.9	16.8	0.001	0.09	0.21	4.8	0.6	0.9	57.3	<0.01	0.01	3.8
ZZ07694		0.36	34.1	360	23.2	13.4	<0.001	0.02	0.23	6.2	0.2	0.9	34.3	<0.01	0.06	5.2
ZZ07695		0.18	49.0	410	40.8	7.9	<0.001	0.10	0.35	8.8	0.8	0.8	49.1	<0.01	0.04	5.6
ZZ07696		0.23	44.5	460	29.5	8.5	<0.001	0.08	0.28	9.2	0.9	0.7	88.0	<0.01	0.05	4.7
ZZ07697		0.15	27.1	530	20.7	5.2	<0.001	0.10	0.27	5.2	0.4	0.4	126.0	<0.01	0.05	1.8
ZZ07698		0.18	31.8	680	21.5	7.1	<0.001	0.09	0.51	6.4	0.5	0.4	145.0	<0.01	0.07	1.5
ZZ07699		0.15	25.5	510	18.8	6.8	0.002	0.09	0.56	5.7	0.8	0.4	119.5	<0.01	0.03	1.7
ZZ07700		0.10	37.2	910	15.3	5.9	0.003	0.15	0.75	4.2	2.1	0.4	138.0	<0.01	0.04	1.2
ZZ07701		0.18	36.3	480	26.9	6.4	0.002	0.05	0.92	6.9	0.8	0.6	50.2	<0.01	0.06	3.7
ZZ07702		0.21	24.9	520	19.7	8.2	0.001	0.07	0.52	5.3	<0.2	0.5	93.8	<0.01	0.03	2.7

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 3- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen)

CERTIFICATE OF ANALYSIS WH11170112

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
CC135882		0.009	0.11	1.23	26	0.08	8.26	121	2.1
CC135883		0.007	0.14	2.93	26	0.10	9.77	116	1.9
CC135884		0.006	0.14	1.75	40	0.08	9.89	122	1.4
CC135885		0.008	0.11	0.74	42	0.20	3.68	122	1.4
CC135886		<0.005	0.12	2.50	39	0.09	13.95	100	1.3
CC135887		0.006	0.10	2.84	29	0.08	10.55	107	1.8
CC135888		0.006	0.10	1.54	35	0.08	10.75	129	1.9
CC135889		0.006	0.09	0.53	13	0.05	6.04	82	1.5
CC135890		0.007	0.06	5.69	10	0.05	4.19	96	1.2
CC135891		0.009	0.06	2.96	13	0.05	2.51	71	0.9
CC135892		0.007	0.11	2.60	26	0.08	10.55	117	1.6
CC135893		0.006	0.07	5.07	10	<0.05	4.11	79	1.2
CC135894		0.009	0.08	2.19	18	0.07	5.85	114	1.0
CC135895		0.008	0.08	3.48	21	0.07	6.52	100	1.1
CC135896		0.007	0.09	1.21	15	0.05	6.22	86	1.4
CC135897		0.008	0.11	3.51	14	<0.05	6.54	76	1.4
CC135898		0.007	0.12	1.45	22	0.07	8.98	109	1.8
CC135899		0.006	0.14	2.06	21	0.10	9.22	152	1.9
CC135900		0.009	0.10	7.20	25	0.11	10.90	108	1.8
CC135901		0.008	0.11	1.52	22	0.12	7.48	112	1.2
ZZ07683		0.009	1.39	4.32	16	0.06	4.08	1140	1.4
ZZ07684		0.005	0.47	1.02	14	0.06	9.47	153	1.6
ZZ07685		0.009	0.14	0.90	25	0.05	6.37	117	1.5
ZZ07686		0.005	0.15	0.46	19	<0.05	4.40	80	0.9
ZZ07687		<0.005	0.12	0.63	22	0.05	5.04	85	1.6
ZZ07688		<0.005	0.27	0.97	12	<0.05	8.41	240	2.3
ZZ07689		0.005	0.11	0.57	17	<0.05	11.05	69	2.0
ZZ07690		0.017	0.19	0.61	24	0.07	4.34	75	1.2
ZZ07691		0.009	0.12	0.39	26	0.05	3.59	49	0.9
ZZ07692		0.005	0.10	1.05	18	0.06	6.97	115	2.4
ZZ07693		0.005	0.13	1.07	20	0.06	7.67	86	2.3
ZZ07694		0.005	0.12	0.70	21	<0.05	10.40	131	2.7
ZZ07695		<0.005	0.08	0.42	20	<0.05	10.85	125	3.7
ZZ07696		<0.005	0.09	0.52	19	<0.05	11.75	108	2.9
ZZ07697		<0.005	0.07	0.54	12	<0.05	9.35	72	1.6
ZZ07698		<0.005	0.08	0.71	12	<0.05	11.10	87	1.7
ZZ07699		<0.005	0.08	0.54	10	<0.05	7.66	77	1.8
ZZ07700		<0.005	0.11	1.65	14	<0.05	12.55	86	1.3
ZZ07701		<0.005	0.10	0.70	19	<0.05	8.06	104	1.9
ZZ07702		<0.005	0.13	0.53	14	<0.05	7.04	79	2.9

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 3- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen)

CERTIFICATE OF ANALYSIS WH11170112

Sample Description	Method	WEI- 21	Au- TL43	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Recvd Wt.	Au	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
ZZ07703		0.28	0.001	0.11	1.11	21.8	<0.2	<10	150	1.39	0.49	1.55	0.10	11.30	14.3	15
ZZ07704		0.22	0.001	0.10	1.21	12.5	<0.2	<10	120	1.30	0.35	0.99	0.17	26.4	16.2	21
ZZ07705		0.24	0.001	0.08	1.00	12.0	<0.2	<10	60	1.31	0.40	0.96	0.13	14.95	13.1	17
ZZ07706		0.20	0.001	0.03	0.98	12.2	<0.2	<10	60	1.29	0.34	1.76	0.13	15.90	16.5	15
ZZ07707		0.18	0.001	0.07	0.74	11.7	<0.2	<10	70	0.93	0.27	1.59	0.22	14.10	13.2	13
ZZ07708		0.22	0.003	0.22	1.30	21.1	<0.2	<10	230	1.42	0.38	1.22	0.27	14.45	13.6	19
ZZ07709		0.24	0.004	0.49	1.24	32.2	<0.2	<10	190	1.59	0.45	1.47	0.45	15.40	19.3	18
ZZ07710		0.20	0.001	0.08	1.27	14.2	<0.2	<10	110	1.20	0.37	0.99	0.19	13.45	14.7	16
ZZ07711		0.20	<0.001	0.07	1.23	11.1	<0.2	<10	90	1.07	0.35	1.29	0.15	10.85	12.6	16
ZZ07712		0.42	0.001	0.08	1.20	16.4	<0.2	<10	70	1.04	0.34	1.40	0.21	10.75	13.2	16
ZZ07713		0.22	0.001	0.12	1.10	16.1	<0.2	<10	50	1.36	0.33	3.34	0.20	13.40	13.6	14
ZZ07714		0.34	0.001	0.16	1.75	18.7	<0.2	<10	120	1.53	0.47	0.99	0.11	15.00	18.0	22
ZZ07715		0.26	0.001	0.10	1.20	17.4	<0.2	<10	120	1.40	0.37	1.40	0.10	11.60	13.3	16
ZZ07716		0.48	0.001	0.08	1.45	19.6	<0.2	<10	140	1.33	0.48	1.18	0.13	14.00	14.6	19
ZZ07717		0.26	0.002	0.06	1.13	10.9	<0.2	<10	90	1.08	0.38	1.43	0.39	17.90	17.3	22
ZZ07718		0.24	0.001	0.12	1.09	13.1	<0.2	<10	100	1.34	0.35	1.04	0.57	21.1	17.6	19
ZZ07719		0.14	<0.001	0.16	0.89	15.0	<0.2	<10	90	1.12	0.27	2.78	1.60	14.80	12.0	11
ZZ07720		0.22	0.001	0.12	0.92	19.0	<0.2	<10	70	1.26	0.32	1.81	0.46	12.30	15.1	12
ZZ07721		0.14	0.001	0.11	1.13	10.1	<0.2	<10	100	1.15	0.30	1.58	0.21	14.55	13.6	18
ZZ07722		0.14	0.001	0.18	0.75	15.6	<0.2	<10	80	1.06	0.26	2.21	0.86	9.99	12.0	9
ZZ07723		0.14	0.001	0.13	0.55	9.2	<0.2	<10	80	0.66	0.17	3.63	1.45	12.20	7.8	6
ZZ07724		0.20	0.001	0.10	1.03	16.5	<0.2	<10	100	1.17	0.31	1.47	0.27	13.60	13.8	14
ZZ07725		0.14	0.002	0.10	0.92	7.6	<0.2	<10	80	1.06	0.31	0.88	0.24	21.9	14.2	22
ZZ07726		0.30	0.002	0.08	1.47	3.7	<0.2	<10	110	1.16	0.26	1.29	0.14	22.7	11.2	30
ZZ07727		0.18	0.001	0.04	1.14	6.0	<0.2	<10	180	1.28	0.36	1.37	0.21	23.7	13.8	25
ZZ07728		0.06	0.003	0.07	0.38	5.1	<0.2	<10	100	0.50	0.12	1.90	0.33	13.95	6.2	11
ZZ07729		0.06	0.002	0.05	0.18	2.2	<0.2	<10	100	0.09	0.04	1.95	0.90	3.30	1.5	3
ZZ07730		0.16	0.012	1.04	1.17	22.1	<0.2	<10	170	1.37	0.27	2.64	0.50	36.8	11.5	16
ZZ07731		0.12	0.005	0.49	1.06	16.3	<0.2	<10	150	1.11	0.17	3.93	0.66	38.9	7.8	13
ZZ07732		0.24	0.004	0.17	1.17	16.5	<0.2	<10	210	1.25	0.25	1.55	0.27	31.0	13.6	18
ZZ07751		0.18	0.001	0.21	1.19	11.2	<0.2	<10	110	0.28	0.31	0.06	0.18	14.95	3.7	14
ZZ07752		0.18	0.001	0.15	1.13	12.5	<0.2	<10	230	0.75	0.29	0.21	0.90	16.65	12.6	18
ZZ07753		0.20	<0.001	0.11	0.97	14.9	<0.2	<10	120	0.39	0.28	0.05	0.32	6.98	6.7	17
ZZ07754		0.16	0.001	0.16	1.26	15.2	<0.2	<10	160	1.08	0.28	0.09	0.80	18.85	12.2	20
ZZ07755		0.16	<0.001	0.06	1.20	6.6	<0.2	<10	270	0.61	0.22	1.41	0.63	13.20	7.3	15
ZZ07756		0.16	0.001	0.21	1.47	11.4	<0.2	<10	230	1.14	0.27	0.47	0.74	28.8	10.3	21
ZZ07757		0.16	0.001	0.06	1.42	10.5	<0.2	<10	120	0.56	0.27	0.10	0.30	18.25	5.9	20
ZZ07758		0.06	0.001	0.17	0.63	4.2	<0.2	<10	290	0.40	0.13	3.38	0.48	6.89	4.2	8
ZZ07759		0.12	0.002	0.16	1.02	6.5	<0.2	<10	430	0.51	0.17	2.85	0.54	11.95	6.4	14
ZZ07760		0.18	0.002	0.20	0.99	11.1	<0.2	<10	340	0.78	0.22	1.66	0.74	16.20	9.4	16

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 3- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen)

CERTIFICATE OF ANALYSIS WH11170112

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
ZZ07703		1.85	41.0	3.69	3.40	0.08	0.08	0.20	0.048	0.10	5.2	19.9	0.30	313	0.72	0.02
ZZ07704		1.16	31.1	3.88	4.10	0.10	0.08	0.13	0.040	0.10	8.2	32.6	0.49	475	0.56	0.02
ZZ07705		1.88	37.9	4.01	3.26	0.09	0.08	0.21	0.050	0.10	6.0	28.2	0.42	373	0.43	0.03
ZZ07706		1.10	33.8	3.85	3.22	0.11	0.07	0.14	0.043	0.10	5.6	24.6	0.33	612	0.40	0.02
ZZ07707		1.03	25.9	3.11	2.30	0.10	0.11	0.21	0.033	0.09	4.6	17.6	0.31	523	0.57	0.03
ZZ07708		1.07	39.6	3.87	4.10	0.10	0.05	0.17	0.041	0.08	7.0	24.2	0.43	680	3.31	0.03
ZZ07709		1.27	56.2	4.92	4.09	0.11	0.07	0.23	0.048	0.09	7.1	24.6	0.89	1400	7.94	0.03
ZZ07710		0.75	28.1	3.73	3.77	0.11	0.06	0.17	0.046	0.09	4.8	32.3	0.36	513	0.52	0.03
ZZ07711		0.80	25.9	3.41	3.68	0.10	0.05	0.13	0.039	0.07	3.9	33.4	0.37	428	0.40	0.03
ZZ07712		1.11	32.7	3.80	3.63	0.09	0.05	0.14	0.046	0.09	4.6	31.2	0.62	480	0.53	0.02
ZZ07713		1.02	33.9	3.58	3.38	0.12	0.05	0.14	0.045	0.07	4.1	29.2	0.40	397	0.62	0.03
ZZ07714		1.94	45.4	5.08	4.94	0.11	0.06	0.10	0.055	0.08	6.0	49.2	0.52	530	0.44	0.03
ZZ07715		1.28	33.3	4.47	3.55	0.11	0.05	0.31	0.052	0.08	4.6	24.7	0.30	452	0.62	0.03
ZZ07716		0.91	43.7	4.61	4.10	0.09	0.08	0.35	0.045	0.08	5.6	32.7	0.56	480	0.45	0.02
ZZ07717		1.53	39.1	3.68	3.57	0.12	0.12	0.19	0.037	0.14	6.7	30.6	0.57	649	0.47	0.02
ZZ07718		1.03	36.8	3.39	3.56	0.11	0.06	0.14	0.041	0.11	8.3	29.3	0.46	869	0.58	0.02
ZZ07719		0.54	26.6	2.91	2.58	0.10	0.05	0.08	0.036	0.08	5.2	21.3	0.24	543	0.44	0.03
ZZ07720		0.82	33.7	3.36	2.42	0.11	0.07	0.18	0.039	0.08	4.5	21.9	0.28	381	0.76	0.01
ZZ07721		1.05	36.2	3.04	3.56	0.10	0.09	0.14	0.034	0.10	5.7	32.0	0.44	460	0.47	0.02
ZZ07722		0.69	28.5	2.91	2.01	0.09	0.06	0.16	0.042	0.07	3.7	14.5	0.19	470	0.57	0.02
ZZ07723		0.37	17.1	1.78	1.38	0.09	0.04	0.18	0.021	0.06	4.8	6.8	0.36	416	0.30	0.02
ZZ07724		0.79	32.2	3.54	2.88	0.09	0.06	0.22	0.036	0.12	5.8	20.1	0.35	425	0.49	0.01
ZZ07725		0.74	30.9	3.03	3.03	0.11	0.09	0.21	0.039	0.12	8.9	18.9	0.37	428	0.52	0.02
ZZ07726		1.57	34.1	2.45	4.66	0.11	0.09	0.14	0.030	0.12	9.5	37.4	0.85	540	0.20	0.01
ZZ07727		0.94	34.3	3.24	3.75	0.12	0.08	0.18	0.046	0.11	9.4	25.3	0.47	446	0.39	0.02
ZZ07728		0.16	17.6	1.45	1.31	0.09	0.05	0.27	0.019	0.06	6.2	3.4	0.21	186	0.53	0.02
ZZ07729		0.33	8.0	0.38	0.52	0.08	0.02	0.25	0.008	0.04	1.8	0.6	0.05	49	1.08	0.02
ZZ07730		0.20	27.6	2.91	2.79	0.12	0.12	0.61	0.039	0.09	14.9	11.3	0.37	322	2.66	0.02
ZZ07731		0.19	21.8	2.19	2.34	0.11	0.06	0.82	0.033	0.05	18.6	8.8	0.17	270	1.92	0.02
ZZ07732		0.31	28.7	3.35	3.20	0.11	0.06	0.36	0.037	0.08	14.1	15.1	0.30	663	0.89	0.02
ZZ07751		1.15	8.5	2.74	6.69	0.08	0.03	0.09	0.019	0.05	7.5	11.3	0.10	217	1.06	0.01
ZZ07752		0.74	19.7	3.50	4.07	0.09	0.03	0.08	0.036	0.10	6.4	16.7	0.18	1340	1.82	0.01
ZZ07753		1.11	24.0	3.70	4.61	0.10	0.03	0.10	0.025	0.09	3.3	9.2	0.11	252	2.95	0.01
ZZ07754		1.01	32.3	3.89	3.84	0.10	0.04	0.11	0.033	0.10	6.8	21.0	0.23	644	3.06	0.01
ZZ07755		0.63	17.2	2.34	3.98	0.09	0.04	0.07	0.023	0.09	6.2	13.8	0.22	198	1.36	0.02
ZZ07756		0.79	31.6	3.52	4.10	0.11	0.06	0.12	0.046	0.08	12.2	20.0	0.20	488	2.35	0.02
ZZ07757		0.97	10.3	3.06	5.68	0.08	0.03	0.02	0.026	0.05	8.8	24.7	0.22	162	1.29	0.01
ZZ07758		0.35	18.1	1.41	1.87	0.09	0.05	0.09	0.015	0.06	3.2	6.6	0.16	487	0.66	0.02
ZZ07759		0.59	20.7	1.94	3.10	0.09	0.06	0.12	0.024	0.06	5.9	11.4	0.29	421	0.82	0.03
ZZ07760		0.63	28.1	2.91	2.80	0.11	0.06	0.14	0.026	0.08	8.3	15.9	0.34	453	1.73	0.02

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 3- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen)

CERTIFICATE OF ANALYSIS WH11170112

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
ZZ07703		0.23	33.6	490	26.1	7.3	0.001	0.07	0.91	6.6	0.6	0.5	81.2	<0.01	0.08	2.8
ZZ07704		0.25	34.5	750	21.0	8.3	<0.001	0.04	0.43	8.0	0.7	0.6	69.5	<0.01	0.06	4.7
ZZ07705		0.16	32.4	420	23.7	8.0	0.001	0.10	0.33	9.6	0.3	0.5	54.9	<0.01	0.04	5.2
ZZ07706		0.18	33.2	540	24.6	6.8	<0.001	0.08	0.38	8.6	0.7	0.5	85.1	<0.01	0.05	3.8
ZZ07707		0.15	24.4	630	20.2	6.7	0.002	0.12	0.40	5.6	0.8	0.4	78.1	<0.01	0.01	2.5
ZZ07708		0.36	35.1	530	24.0	7.3	0.001	0.08	0.52	6.8	1.6	0.6	54.6	<0.01	0.04	2.5
ZZ07709		0.25	53.9	600	30.2	7.7	0.004	0.09	0.72	8.2	2.0	0.6	54.7	<0.01	0.08	3.6
ZZ07710		0.24	28.8	530	26.4	7.6	0.001	0.08	0.33	6.6	1.0	0.6	69.4	<0.01	0.05	2.5
ZZ07711		0.21	27.0	490	20.9	6.6	<0.001	0.07	0.32	6.0	0.4	0.5	76.9	<0.01	0.01	2.2
ZZ07712		0.19	31.0	500	25.6	7.6	<0.001	0.06	0.36	7.1	0.9	0.5	85.8	<0.01	0.03	2.6
ZZ07713		0.12	34.2	610	22.5	5.1	0.001	0.05	0.35	7.1	1.1	0.5	163.0	<0.01	0.05	2.5
ZZ07714		0.24	41.6	530	26.8	7.0	<0.001	0.05	0.34	11.4	0.9	0.7	73.2	<0.01	0.03	4.4
ZZ07715		0.17	34.3	670	23.9	7.0	0.002	0.05	0.35	8.9	0.7	0.6	87.1	<0.01	0.03	3.3
ZZ07716		0.20	36.9	440	31.7	6.7	<0.001	0.05	0.36	8.9	0.5	0.5	61.5	<0.01	0.04	5.0
ZZ07717		0.20	39.7	720	29.5	9.5	<0.001	0.13	0.40	6.4	<0.2	0.5	83.4	<0.01	0.02	4.0
ZZ07718		0.19	37.4	730	35.0	8.5	0.001	0.08	0.41	7.4	1.3	0.5	80.9	<0.01	0.02	2.9
ZZ07719		0.16	27.6	720	52.7	4.6	0.001	0.11	0.35	4.9	1.0	0.4	85.8	<0.01	0.04	2.0
ZZ07720		0.13	34.4	510	37.0	4.8	0.001	0.06	0.44	5.8	0.7	0.4	64.1	<0.01	0.03	2.3
ZZ07721		0.26	29.9	580	24.7	8.5	0.001	0.11	0.42	5.4	1.1	0.5	128.0	<0.01	0.01	2.8
ZZ07722		0.13	25.7	570	56.5	4.9	<0.001	0.10	0.43	4.2	2.3	0.4	156.0	<0.01	0.02	1.6
ZZ07723		0.16	15.5	850	47.6	3.6	<0.001	0.16	0.38	1.6	0.9	0.2	253	<0.01	0.02	0.5
ZZ07724		0.20	29.5	550	38.2	6.2	0.002	0.07	0.36	5.6	0.9	0.4	101.5	<0.01	0.02	2.7
ZZ07725		0.24	29.7	630	21.9	9.8	<0.001	0.11	0.50	5.2	0.9	0.5	67.7	<0.01	0.02	2.9
ZZ07726		0.45	31.5	520	16.3	11.3	<0.001	0.07	0.29	5.9	0.8	0.4	187.5	<0.01	0.02	3.4
ZZ07727		0.36	30.4	390	19.7	10.2	<0.001	0.08	0.46	7.1	<0.2	0.5	87.9	<0.01	0.01	4.1
ZZ07728		0.14	12.4	440	10.5	3.9	<0.001	0.13	0.54	2.6	1.1	0.2	111.5	<0.01	0.01	1.0
ZZ07729		0.09	3.0	470	3.4	1.7	<0.001	0.16	0.45	0.6	<0.2	<0.2	146.0	<0.01	0.01	0.3
ZZ07730		0.23	22.1	460	34.6	5.4	<0.001	0.08	0.67	4.6	1.5	0.5	242	<0.01	0.03	2.5
ZZ07731		0.24	15.7	850	30.2	4.4	<0.001	0.12	0.59	1.4	0.6	0.4	361	<0.01	0.01	0.5
ZZ07732		0.33	23.0	350	24.3	5.9	<0.001	0.06	0.47	5.3	0.9	0.4	114.5	<0.01	0.02	2.9
ZZ07751		0.90	7.9	1050	15.6	8.3	<0.001	0.03	0.44	1.5	0.3	0.9	6.0	<0.01	0.04	2.2
ZZ07752		0.45	19.8	960	25.4	12.4	<0.001	0.04	0.75	3.1	0.6	0.5	12.5	<0.01	0.02	2.5
ZZ07753		0.47	17.2	450	18.9	12.2	0.001	0.05	1.17	2.6	0.4	0.6	6.8	<0.01	0.02	1.9
ZZ07754		0.29	29.3	550	24.7	9.6	0.001	0.04	1.18	4.5	1.2	0.6	9.3	<0.01	0.08	3.7
ZZ07755		0.56	15.3	330	12.5	11.4	<0.001	0.06	0.57	2.4	<0.2	0.5	60.7	<0.01	0.04	1.5
ZZ07756		0.25	29.2	570	22.2	9.2	0.002	0.05	1.09	6.0	1.5	0.5	26.0	<0.01	0.05	3.6
ZZ07757		1.11	13.1	270	18.8	10.3	<0.001	0.03	0.49	2.2	<0.2	0.7	9.3	<0.01	0.03	2.9
ZZ07758		0.20	10.9	430	8.4	5.4	<0.001	0.11	0.48	1.8	0.5	0.3	134.5	<0.01	0.03	0.7
ZZ07759		0.63	16.6	620	10.1	6.3	0.001	0.10	0.77	2.0	0.7	0.3	116.0	<0.01	0.01	0.7
ZZ07760		0.37	25.8	670	17.0	6.1	0.001	0.07	1.00	3.8	1.1	0.4	65.9	<0.01	0.02	1.6

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 3- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen)

CERTIFICATE OF ANALYSIS WH11170112

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
ZZ07703		<0.005	0.10	0.89	17	<0.05	9.35	90	2.6
ZZ07704		<0.005	0.10	1.15	19	<0.05	11.35	110	3.7
ZZ07705		<0.005	0.09	0.88	15	<0.05	12.25	110	2.8
ZZ07706		<0.005	0.09	0.84	14	<0.05	11.70	100	3.0
ZZ07707		<0.005	0.08	2.11	13	<0.05	7.55	110	2.8
ZZ07708		0.006	0.24	1.73	23	0.07	11.25	93	1.9
ZZ07709		<0.005	0.47	1.36	31	0.05	12.85	114	2.4
ZZ07710		<0.005	0.10	2.38	17	0.05	9.93	118	1.8
ZZ07711		<0.005	0.08	1.21	15	<0.05	9.06	104	1.8
ZZ07712		<0.005	0.11	1.18	15	<0.05	10.15	148	1.9
ZZ07713		<0.005	0.10	0.79	12	<0.05	13.50	129	1.7
ZZ07714		<0.005	0.09	0.95	20	<0.05	15.95	104	2.0
ZZ07715		<0.005	0.11	0.72	15	<0.05	13.70	90	1.5
ZZ07716		<0.005	0.12	0.66	18	<0.05	11.55	116	2.7
ZZ07717		0.005	0.16	1.34	16	<0.05	10.70	176	3.4
ZZ07718		<0.005	0.15	1.52	15	<0.05	13.55	195	2.4
ZZ07719		<0.005	0.11	0.72	10	0.05	10.30	353	1.9
ZZ07720		<0.005	0.12	0.60	11	<0.05	11.30	224	1.8
ZZ07721		<0.005	0.13	2.71	15	<0.05	10.90	109	2.4
ZZ07722		<0.005	0.14	5.98	10	<0.05	9.40	284	1.7
ZZ07723		<0.005	0.08	2.85	8	<0.05	6.52	290	1.2
ZZ07724		<0.005	0.15	0.88	15	0.05	9.96	149	2.0
ZZ07725		0.005	0.11	4.11	18	<0.05	10.45	111	2.2
ZZ07726		0.008	0.13	2.58	18	<0.05	11.45	91	2.3
ZZ07727		<0.005	0.11	1.30	20	<0.05	12.00	76	2.2
ZZ07728		0.005	0.06	3.01	14	<0.05	5.18	59	1.8
ZZ07729		0.006	0.04	2.20	5	<0.05	1.33	44	0.9
ZZ07730		<0.005	0.19	9.56	31	0.07	14.35	76	4.1
ZZ07731		<0.005	0.11	13.80	26	0.05	12.45	58	2.0
ZZ07732		0.005	0.10	4.03	25	0.09	12.25	73	1.9
ZZ07751		0.013	0.17	0.91	60	0.15	1.89	87	1.0
ZZ07752		0.007	0.17	1.08	55	0.10	6.15	150	0.7
ZZ07753		0.005	0.17	0.52	59	0.10	2.18	96	1.1
ZZ07754		<0.005	0.21	1.18	62	0.06	7.61	130	1.1
ZZ07755		0.007	0.11	1.48	38	0.11	5.70	55	1.1
ZZ07756		<0.005	0.19	2.11	57	0.07	17.20	114	1.7
ZZ07757		0.018	0.11	0.56	52	0.27	2.62	78	1.3
ZZ07758		<0.005	0.09	1.53	21	<0.05	5.14	53	1.5
ZZ07759		0.015	0.10	2.34	29	0.10	6.69	62	1.6
ZZ07760		0.008	0.13	1.60	37	0.08	12.15	110	1.6

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 3- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen)

CERTIFICATE OF ANALYSIS WH11170112

Sample Description	Method	WEI- 21	Au- TL43	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Recvd Wt.	Au	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
ZZ07761		0.12	0.002	0.21	0.88	9.2	<0.2	<10	270	0.70	0.21	1.55	1.14	17.05	7.7	13
ZZ07762		0.08	0.001	0.23	1.08	23.9	<0.2	<10	560	0.93	0.20	1.84	1.36	22.6	8.4	14
ZZ07763		0.26	0.002	0.15	1.14	12.6	<0.2	<10	380	0.79	0.20	0.40	0.43	20.9	9.7	20
ZZ07764		0.18	0.002	0.31	1.00	10.9	<0.2	<10	740	0.71	0.21	1.62	1.27	19.65	9.9	18
ZZ07765		0.18	0.001	0.20	1.12	17.2	<0.2	<10	390	0.90	0.22	1.01	1.52	22.9	10.7	17
ZZ07766		0.20	0.001	0.03	2.07	23.5	<0.2	<10	160	0.81	0.28	0.15	0.87	17.65	9.3	27
ZZ07767		0.16	0.002	0.10	0.81	19	<0.2	<10	160	0.65	0.12	11.05	0.54	12.40	6.0	11
ZZ07768		0.22	0.003	0.08	1.66	18.9	<0.2	<10	260	1.02	0.24	0.71	0.70	20.3	8.5	25
ZZ07769		0.22	0.002	0.04	1.27	11.8	<0.2	<10	210	0.60	0.25	0.48	0.37	19.15	9.3	16
ZZ07770		0.14	0.001	0.20	2.44	17.5	<0.2	<10	250	1.39	0.26	0.38	1.02	38.0	9.2	28
ZZ07771		0.22	0.001	0.03	1.60	12.0	<0.2	<10	330	0.89	0.22	0.48	0.29	13.20	8.8	22
ZZ07772		0.14	0.003	0.27	1.23	13.2	<0.2	<10	490	1.06	0.19	2.37	0.92	26.6	9.1	19
ZZ07773		0.16	0.002	0.21	1.09	9.8	<0.2	<10	540	0.89	0.19	2.07	1.03	17.65	7.8	17
ZZ07774		0.12	0.001	0.08	1.15	14.3	<0.2	<10	350	0.58	0.19	2.07	0.37	21.1	7.6	18
ZZ07775		0.14	0.001	0.20	1.21	9.4	<0.2	<10	520	0.97	0.20	2.19	1.16	21.7	9.4	18
ZZ07776		0.14	0.001	0.04	1.47	10.6	<0.2	<10	270	0.83	0.21	1.38	0.68	31.1	6.9	20
ZZ07777		0.20	0.001	0.08	1.22	11.1	<0.2	<10	450	0.89	0.19	2.18	0.84	20.4	7.2	17
ZZ07778		0.20	0.002	0.11	1.12	9.4	<0.2	<10	480	0.76	0.22	1.92	0.49	19.50	10.6	18
ZZ07779		0.20	0.003	0.13	1.28	9.6	<0.2	<10	570	0.83	0.23	1.47	0.45	20.1	10.7	19
ZZ07780		0.14	0.002	0.11	1.31	11.6	<0.2	<10	330	0.74	0.24	1.04	0.25	19.75	11.4	22
ZZ07781		0.12	0.002	0.12	1.21	9.1	<0.2	<10	350	0.79	0.19	2.29	0.48	18.70	9.8	18
ZZ07782		0.10	0.002	0.10	1.03	21.7	<0.2	10	330	0.78	0.16	3.09	4.75	12.25	8.0	14
ZZ07783		0.08	0.002	0.05	0.60	5.4	<0.2	<10	310	0.56	0.20	5.36	3.67	8.17	6.4	7
ZZ07784		0.14	0.002	0.08	0.99	10.7	<0.2	<10	330	0.81	0.18	2.39	0.54	17.75	8.9	16
ZZ07785		0.12	0.002	0.08	1.00	13.3	<0.2	<10	410	0.95	0.19	2.78	0.54	16.40	9.6	15
ZZ07786		0.14	0.002	0.06	0.96	8.0	<0.2	<10	440	1.04	0.20	2.61	0.41	11.75	8.9	14
ZZ07787		0.22	0.002	0.04	1.07	9.7	<0.2	<10	350	1.05	0.20	1.13	0.23	14.55	9.9	18
ZZ07788		0.10	0.002	0.07	0.83	11.0	<0.2	<10	310	0.77	0.14	4.07	0.71	12.40	7.0	11
ZZ07789		0.22	0.001	0.01	0.72	5.3	<0.2	<10	270	1.29	0.28	0.52	0.22	13.35	9.4	22
ZZ07790		0.12	0.001	0.04	0.93	12.0	<0.2	<10	320	0.93	0.27	1.27	0.30	15.00	11.9	14
ZZ07971		0.12	0.003	0.05	1.13	7.9	<0.2	<10	220	1.01	0.15	8.39	0.19	31.0	9.1	23
ZZ07972		0.06	0.002	0.08	1.02	8.5	<0.2	<10	300	0.94	0.19	3.23	0.30	12.25	8.1	14
ZZ07973		0.10	0.001	0.09	1.12	14.3	<0.2	<10	90	1.07	0.30	1.61	0.07	9.77	12.1	15
ZZ07974		0.12	0.001	0.14	0.56	3.7	<0.2	<10	300	0.47	0.10	4.10	0.47	12.40	5.6	12
ZZ07975		0.12	0.001	0.09	0.85	10.0	<0.2	<10	100	0.98	0.29	1.87	0.14	13.45	11.1	13
ZZ07976		0.12	0.001	0.10	0.71	5.7	<0.2	<10	110	0.95	0.30	1.18	0.06	13.05	7.6	10
ZZ07977		0.12	0.001	0.09	0.61	5.5	<0.2	<10	230	0.83	0.26	2.43	0.13	20.8	8.5	9
ZZ07978		0.10	0.001	0.07	0.44	5.0	<0.2	10	230	0.63	0.13	3.42	0.22	14.35	5.9	6
ZZ07979		0.08	0.002	0.14	1.12	25.7	<0.2	<10	650	0.87	0.15	3.95	0.81	13.25	7.8	14
ZZ07980		0.16	0.001	0.07	0.80	14.1	<0.2	<10	270	0.65	0.17	7.44	0.52	13.60	8.9	12

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 3- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen)

CERTIFICATE OF ANALYSIS WH11170112

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
ZZ07761		0.62	19.3	2.45	2.77	0.09	0.05	0.14	0.028	0.07	8.6	15.4	0.20	307	1.44	0.02
ZZ07762		0.66	19.1	2.87	3.06	0.10	0.04	0.83	0.028	0.08	10.2	8.6	0.52	772	1.52	0.02
ZZ07763		0.48	30.8	2.80	3.54	0.11	0.07	0.14	0.025	0.06	10.3	13.2	0.33	354	2.44	0.02
ZZ07764		0.47	31.1	2.73	3.06	0.11	0.06	0.20	0.029	0.08	9.8	15.8	0.51	510	1.64	0.02
ZZ07765		0.31	27.3	3.42	3.02	0.10	0.06	0.12	0.039	0.10	9.0	15.3	0.34	399	3.00	0.02
ZZ07766		0.74	17.3	5.51	6.39	0.10	0.08	0.10	0.034	0.05	9.0	22.6	0.30	626	1.19	0.01
ZZ07767		0.13	15.4	2.15	2.24	0.08	0.06	0.59	0.020	0.14	6.3	7.8	6.53	636	1.27	0.03
ZZ07768		0.58	15.3	3.50	4.80	0.11	0.08	0.18	0.036	0.09	11.5	16.6	0.50	501	1.20	0.02
ZZ07769		0.59	11.3	2.84	4.77	0.08	0.03	0.12	0.028	0.07	8.2	13.3	0.29	521	1.15	0.02
ZZ07770		0.83	15.4	4.00	5.22	0.10	0.07	0.20	0.041	0.07	12.6	18.5	0.26	712	2.17	0.01
ZZ07771		0.48	13.3	2.95	4.81	0.07	0.07	0.11	0.025	0.07	5.9	15.6	0.43	701	1.44	0.02
ZZ07772		0.29	31.4	3.11	3.26	0.14	0.05	0.19	0.035	0.08	15.2	14.1	0.47	592	2.39	0.02
ZZ07773		0.30	37.7	2.52	2.95	0.11	0.04	0.20	0.030	0.07	9.9	15.5	0.33	427	1.82	0.02
ZZ07774		0.54	9.7	2.56	3.40	0.05	0.05	0.13	0.023	0.05	7.2	11.6	0.38	861	0.80	0.02
ZZ07775		0.41	36.0	2.54	3.42	0.06	0.06	0.16	0.032	0.06	8.8	15.1	0.47	547	1.20	0.02
ZZ07776		0.57	11.9	3.26	4.76	0.06	0.05	0.08	0.027	0.06	12.7	15.5	0.78	1020	1.12	0.01
ZZ07777		0.46	19.6	2.68	3.60	0.06	0.04	0.10	0.028	0.05	13.0	10.6	0.31	721	0.80	0.02
ZZ07778		0.71	25.6	2.82	3.55	0.05	0.07	0.16	0.030	0.11	8.6	15.6	0.66	335	0.54	0.02
ZZ07779		0.61	30.4	2.86	4.04	0.05	0.06	0.15	0.028	0.09	9.3	15.5	0.44	431	0.65	0.02
ZZ07780		0.72	20.1	3.11	4.20	0.05	0.05	0.10	0.029	0.09	8.7	19.6	0.50	370	0.78	0.02
ZZ07781		0.59	23.5	2.38	3.69	<0.05	0.04	0.25	0.025	0.06	7.7	14.6	0.49	609	0.63	0.02
ZZ07782		1.67	34.3	2.17	3.04	0.05	0.05	0.35	0.023	0.07	5.8	10.7	0.57	554	0.64	0.02
ZZ07783		0.62	31.7	1.17	1.71	<0.05	0.04	0.18	0.014	0.05	3.9	3.8	0.50	478	0.40	0.02
ZZ07784		0.57	19.9	2.59	3.12	<0.05	0.04	0.14	0.026	0.06	7.6	12.8	0.52	682	0.55	0.02
ZZ07785		0.55	26.8	2.70	3.20	0.05	0.05	0.22	0.027	0.08	8.2	12.9	0.83	694	0.65	0.02
ZZ07786		0.95	30.5	2.30	3.02	<0.05	0.05	0.15	0.025	0.13	6.0	9.7	0.40	352	0.54	0.02
ZZ07787		1.01	17.2	2.92	3.41	0.05	0.05	0.09	0.031	0.12	6.1	13.8	0.36	548	0.65	0.02
ZZ07788		0.60	25.4	1.90	2.45	<0.05	0.04	0.23	0.020	0.06	6.0	8.6	0.70	511	0.56	0.02
ZZ07789		2.56	11.2	3.53	2.77	0.06	0.06	0.12	0.029	0.29	5.7	6.3	0.25	401	0.45	0.02
ZZ07790		0.79	27.7	3.13	3.11	0.05	0.06	0.15	0.035	0.15	5.7	11.5	0.34	606	0.73	0.02
ZZ07971		0.75	24.5	2.02	3.85	0.06	0.10	0.16	0.026	0.16	14.2	25.8	2.02	222	0.59	0.02
ZZ07972		0.72	30.0	1.87	3.04	<0.05	0.08	0.31	0.025	0.09	5.4	20.0	0.39	398	0.42	0.02
ZZ07973		1.71	31.8	2.63	3.69	<0.05	0.07	0.06	0.034	0.09	3.6	30.4	0.37	284	0.40	0.02
ZZ07974		0.35	18.7	1.41	1.77	<0.05	0.06	0.16	0.016	0.04	5.9	9.4	0.22	407	0.29	0.02
ZZ07975		0.99	32.4	2.80	2.67	0.05	0.07	0.07	0.038	0.10	5.1	18.8	0.34	202	0.48	0.02
ZZ07976		0.98	22.6	2.58	2.00	0.05	0.06	0.05	0.035	0.09	5.0	10.8	0.11	149	0.44	0.01
ZZ07977		0.69	23.3	2.04	1.80	0.05	0.05	0.14	0.028	0.09	7.4	8.9	0.13	466	0.44	0.01
ZZ07978		0.53	15.6	1.31	1.18	<0.05	0.04	0.49	0.018	0.06	6.3	5.3	0.13	347	0.29	0.02
ZZ07979		0.45	36.3	2.36	3.03	<0.05	0.08	1.07	0.023	0.08	6.6	10.0	0.85	848	1.26	0.03
ZZ07980		0.74	16.6	2.10	2.48	<0.05	0.05	0.55	0.021	0.09	5.4	11.2	3.75	574	0.65	0.03

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 3- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen)

CERTIFICATE OF ANALYSIS WH11170112

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
ZZ07761		0.40	20.9	540	19.2	6.4	<0.001	0.09	0.70	3.8	0.8	0.4	69.0	<0.01	0.04	1.5
ZZ07762		0.38	21.9	530	42.4	7.2	<0.001	0.07	0.70	3.6	1.0	0.5	27.7	<0.01	0.05	2.2
ZZ07763		0.44	30.6	640	15.1	5.9	<0.001	0.03	1.11	4.5	0.6	0.5	22.4	<0.01	0.04	4.7
ZZ07764		0.47	31.3	800	15.7	6.1	<0.001	0.08	1.00	4.0	1.6	0.4	54.4	<0.01	0.02	2.5
ZZ07765		0.26	27.6	470	23.1	7.6	<0.001	0.05	1.30	4.6	0.7	0.4	29.5	<0.01	0.05	3.2
ZZ07766		0.59	20.8	230	26.1	8.2	<0.001	0.03	0.60	3.8	0.5	0.8	8.6	<0.01	0.04	3.9
ZZ07767		0.26	16.5	530	24.3	3.5	<0.001	0.05	0.66	3.3	0.6	0.3	53.9	<0.01	0.03	2.3
ZZ07768		0.77	22.2	290	25.1	10.9	0.001	0.04	0.67	5.3	0.6	0.6	15.9	<0.01	<0.01	3.5
ZZ07769		0.59	13.8	220	22.9	10.1	<0.001	0.03	0.46	2.3	0.3	0.6	9.0	<0.01	0.03	2.7
ZZ07770		0.81	35.1	610	23.5	11.7	<0.001	0.04	0.79	4.9	0.5	0.6	12.6	<0.01	0.06	4.3
ZZ07771		0.47	21.4	150	18.3	8.1	<0.001	0.03	0.58	3.5	0.2	0.6	8.2	<0.01	0.04	2.9
ZZ07772		0.38	30.1	710	18.4	7.1	<0.001	0.08	1.10	5.6	2.0	0.4	71.8	<0.01	0.04	1.9
ZZ07773		0.35	29.8	540	14.9	6.5	0.001	0.08	0.97	3.7	0.9	0.4	55.3	<0.01	0.03	1.5
ZZ07774		0.80	16.8	440	13.2	7.4	<0.001	0.07	0.59	2.7	0.7	0.4	61.0	<0.01	0.03	1.6
ZZ07775		0.46	41.3	590	16.0	8.6	0.002	0.08	0.92	3.9	2.1	0.4	68.4	<0.01	0.05	1.8
ZZ07776		0.66	19.1	280	16.8	10.5	<0.001	0.03	0.52	4.0	0.5	0.6	19.5	<0.01	0.05	3.4
ZZ07777		0.48	16.4	900	16.5	6.3	<0.001	0.09	0.53	2.5	1.2	0.4	59.1	<0.01	0.03	0.7
ZZ07778		0.66	22.7	590	16.2	11.7	<0.001	0.09	0.55	4.5	1.3	0.4	45.2	<0.01	0.04	2.7
ZZ07779		0.68	24.3	560	15.0	10.3	<0.001	0.09	0.55	4.2	1.5	0.5	36.2	<0.01	0.03	1.9
ZZ07780		0.72	24.4	490	16.4	9.2	<0.001	0.05	0.61	4.1	0.9	0.5	29.8	<0.01	0.04	2.4
ZZ07781		0.68	20.5	690	13.1	8.5	<0.001	0.11	0.53	2.5	1.3	0.4	58.9	<0.01	0.03	0.8
ZZ07782		0.46	21.9	860	13.3	12.2	<0.001	0.13	0.59	1.9	2.4	0.4	75.2	<0.01	0.03	0.6
ZZ07783		0.33	12.9	830	6.9	7.1	<0.001	0.17	0.37	1.1	1.6	0.2	116.5	<0.01	0.03	0.3
ZZ07784		0.53	17.0	660	17.8	7.2	<0.001	0.10	0.56	2.7	1.0	0.4	72.5	<0.01	0.03	0.8
ZZ07785		0.45	20.5	630	18.7	8.6	<0.001	0.10	0.63	3.2	1.2	0.4	71.2	<0.01	0.03	1.0
ZZ07786		0.50	18.4	570	13.5	12.3	<0.001	0.10	0.49	2.9	1.1	0.4	67.7	<0.01	0.03	0.7
ZZ07787		0.56	20.3	300	15.0	12.3	<0.001	0.05	0.54	5.0	0.6	0.5	35.3	<0.01	0.04	1.9
ZZ07788		0.37	15.9	810	14.0	8.7	<0.001	0.15	0.58	1.8	1.6	0.3	108.0	<0.01	0.03	0.5
ZZ07789		0.85	17.4	220	12.5	25.1	<0.001	0.03	0.55	6.4	0.4	0.7	16.4	<0.01	0.05	3.6
ZZ07790		0.45	19.5	300	20.8	10.3	<0.001	0.07	0.48	4.5	0.9	0.5	33.8	<0.01	0.03	1.9
ZZ07971		0.54	19.3	670	11.6	12.7	<0.001	0.07	0.33	4.5	1.3	0.4	356	<0.01	0.02	3.0
ZZ07972		0.34	17.8	810	13.1	8.4	0.001	0.16	1.07	3.1	1.6	0.4	115.5	<0.01	0.04	1.0
ZZ07973		0.27	25.6	370	19.5	9.6	0.001	0.09	0.31	6.3	0.8	0.5	101.0	<0.01	0.07	1.9
ZZ07974		0.19	13.4	1070	7.6	4.1	<0.001	0.17	0.44	1.9	2.0	0.2	267	<0.01	0.03	0.6
ZZ07975		0.23	26.0	520	20.6	8.2	<0.001	0.08	0.36	5.5	0.9	0.5	91.9	<0.01	0.05	2.5
ZZ07976		0.18	20.0	430	22.3	7.6	<0.001	0.08	0.26	4.4	0.8	0.4	90.3	<0.01	0.04	2.2
ZZ07977		0.22	22.0	570	18.4	7.8	<0.001	0.11	0.28	3.1	1.2	0.4	149.5	<0.01	0.03	1.7
ZZ07978		0.20	14.7	610	17.0	5.2	<0.001	0.18	0.30	1.7	1.4	0.2	126.0	<0.01	0.02	0.7
ZZ07979		0.40	18.8	860	40.3	8.1	<0.001	0.13	1.25	2.5	2.1	0.4	58.4	<0.01	0.06	1.0
ZZ07980		0.26	13.7	720	26.7	6.9	<0.001	0.07	0.52	3.2	0.8	0.4	66.8	<0.01	0.04	1.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 3- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen)

CERTIFICATE OF ANALYSIS WH11170112

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
ZZ07761		0.006	0.10	1.27	36	0.08	13.30	100	1.6
ZZ07762		<0.005	0.15	1.41	41	0.08	11.45	185	1.2
ZZ07763		0.013	0.13	1.24	56	0.29	11.50	129	2.5
ZZ07764		0.012	0.16	2.08	46	0.13	12.05	133	1.9
ZZ07765		<0.005	0.18	1.75	66	0.06	12.45	146	2.0
ZZ07766		0.005	0.15	0.65	56	0.09	3.80	156	2.7
ZZ07767		<0.005	0.09	0.84	27	0.07	9.13	130	1.8
ZZ07768		0.011	0.15	1.00	47	0.12	10.25	152	1.8
ZZ07769		0.008	0.11	0.60	51	0.12	3.42	116	0.9
ZZ07770		0.008	0.21	1.54	68	0.15	11.20	154	1.5
ZZ07771		0.006	0.14	0.64	55	0.08	3.40	118	2.0
ZZ07772		<0.005	0.15	2.09	54	0.10	29.4	112	1.4
ZZ07773		0.005	0.12	1.93	48	0.07	15.95	90	1.7
ZZ07774		0.018	0.06	0.84	33	0.14	5.56	85	1.5
ZZ07775		0.005	0.09	3.29	37	0.13	13.45	101	1.7
ZZ07776		0.009	0.08	1.30	45	0.14	8.70	209	1.4
ZZ07777		0.008	0.06	2.26	40	0.09	17.00	80	0.8
ZZ07778		0.013	0.09	2.51	29	0.10	9.16	86	1.8
ZZ07779		0.012	0.08	3.96	30	0.11	9.98	69	1.6
ZZ07780		0.017	0.08	1.81	32	0.21	7.37	83	1.4
ZZ07781		0.015	0.06	8.56	27	0.12	7.55	68	1.0
ZZ07782		0.008	0.25	4.53	20	0.08	8.13	1130	1.2
ZZ07783		0.007	0.10	4.95	10	0.06	5.60	810	1.1
ZZ07784		0.012	0.05	3.85	22	0.11	8.09	175	0.9
ZZ07785		0.008	0.07	2.43	21	0.07	12.05	116	1.2
ZZ07786		0.007	0.08	3.51	19	0.08	10.15	68	1.0
ZZ07787		0.010	0.08	1.46	26	0.13	7.64	81	1.1
ZZ07788		0.006	0.08	5.02	17	0.07	9.55	141	1.1
ZZ07789		0.021	0.15	1.01	29	0.21	7.17	68	1.5
ZZ07790		0.006	0.10	3.78	21	0.06	6.77	123	1.4
ZZ07971		0.011	0.09	2.43	20	0.09	11.80	74	3.3
ZZ07972		0.005	0.08	3.04	16	<0.05	10.25	82	2.1
ZZ07973		<0.005	0.07	0.57	15	<0.05	11.20	76	2.2
ZZ07974		0.005	0.04	2.13	15	<0.05	11.60	72	1.9
ZZ07975		<0.005	0.06	0.83	15	<0.05	11.25	108	2.4
ZZ07976		<0.005	0.08	0.72	11	<0.05	10.50	67	1.9
ZZ07977		<0.005	0.13	0.87	10	0.05	10.15	72	1.5
ZZ07978		<0.005	0.13	1.36	9	<0.05	7.32	59	1.6
ZZ07979		0.005	0.30	2.53	28	0.07	11.00	261	2.3
ZZ07980		<0.005	0.09	0.82	19	0.05	7.75	173	1.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 3- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen)

CERTIFICATE OF ANALYSIS WH11170112

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- TL43 Au ppm 0.001	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1
ZZ07981		0.18	0.002	0.14	1.02	17.3	<0.2	<10	470	0.84	0.16	4.42	1.10	14.40	7.3	14
ZZ07982		0.30	0.002	0.14	0.98	17.4	<0.2	<10	260	0.83	0.19	4.99	0.79	16.95	10.2	14
ZZ07983		0.10	0.002	0.12	0.72	14.6	<0.2	<10	350	0.68	0.17	2.34	0.50	13.30	7.0	12
ZZ07984		0.08	0.002	0.15	0.91	15.8	<0.2	10	380	0.73	0.12	4.36	1.06	10.25	5.6	12
ZZ07985		0.08	0.002	0.30	0.95	11.3	<0.2	<10	420	0.78	0.19	1.17	0.25	16.75	12.1	17
ZZ07986		0.10	0.002	0.29	0.72	11.8	<0.2	<10	840	0.65	0.16	1.62	0.84	12.20	10.0	16
ZZ07987		0.14	0.002	0.05	0.73	3.7	<0.2	10	390	1.32	0.38	0.57	0.20	11.00	6.5	9
ZZ07988		0.20	0.002	0.19	0.95	6.1	<0.2	<10	960	0.76	0.16	3.58	1.84	16.10	7.8	15
ZZ07989		0.20	0.001	0.14	0.90	8.8	<0.2	<10	600	0.97	0.16	3.11	0.90	13.85	8.9	13
ZZ07990		0.14	0.003	0.40	1.03	17.4	<0.2	10	700	0.88	0.21	1.56	1.27	17.90	6.6	21
ZZ07991		0.10	0.002	0.28	0.65	8.0	<0.2	10	440	0.52	0.13	2.84	0.77	10.40	6.3	13
ZZ07992		0.14	0.003	0.40	0.98	10.1	<0.2	10	460	0.80	0.21	2.02	0.74	14.10	8.2	19
ZZ07993		0.10	0.004	0.25	0.50	7.4	<0.2	10	650	0.43	0.12	2.15	2.10	10.75	7.2	12
ZZ07994		0.08	0.002	0.20	0.86	12.1	<0.2	<10	1290	0.75	0.18	0.55	1.08	17.55	11.3	18

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 3- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen)

CERTIFICATE OF ANALYSIS WH11170112

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
ZZ07981		0.52	31.4	2.46	2.85	0.05	0.06	0.61	0.024	0.09	7.9	10.4	1.60	651	1.00	0.03
ZZ07982		0.73	25.5	2.67	2.94	0.05	0.05	0.41	0.026	0.09	7.6	12.7	2.68	706	1.49	0.02
ZZ07983		0.52	17.4	2.09	2.18	<0.05	0.06	1.10	0.024	0.07	5.4	8.1	0.28	339	0.85	0.02
ZZ07984		0.48	31.0	1.93	2.42	<0.05	0.05	0.86	0.018	0.06	5.9	7.0	0.91	987	0.80	0.02
ZZ07985		0.44	15.5	2.84	3.00	0.05	0.06	0.15	0.033	0.08	7.0	13.1	0.30	462	1.97	0.02
ZZ07986		0.62	30.9	2.36	2.27	0.05	0.07	0.14	0.030	0.09	5.8	10.3	0.22	279	2.99	0.03
ZZ07987		1.93	33.7	1.62	2.63	<0.05	0.07	0.45	0.026	0.27	4.7	4.6	0.18	229	0.50	0.02
ZZ07988		0.51	27.8	1.89	2.63	0.05	0.04	0.18	0.019	0.05	8.1	11.3	0.49	821	0.60	0.03
ZZ07989		0.47	28.1	2.29	2.39	0.05	0.05	0.19	0.027	0.08	6.4	7.9	0.38	614	0.75	0.02
ZZ07990		0.51	38.1	3.00	3.34	0.05	0.08	0.43	0.030	0.10	8.6	13.9	0.36	70	2.29	0.01
ZZ07991		0.42	19.0	1.78	2.08	<0.05	0.05	0.23	0.020	0.06	5.1	8.0	0.28	253	1.33	0.01
ZZ07992		0.48	28.0	2.32	3.20	<0.05	0.06	0.26	0.032	0.08	6.7	13.4	0.29	269	1.86	0.01
ZZ07993		0.45	17.6	1.76	1.73	<0.05	0.06	0.12	0.017	0.09	5.2	7.3	0.30	247	1.91	0.01
ZZ07994		0.45	24.7	2.74	2.95	<0.05	0.06	0.11	0.031	0.09	8.3	11.2	0.25	313	3.06	0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 3- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen)

CERTIFICATE OF ANALYSIS WH11170112

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
ZZ07981		0.30	19.5	920	24.0	7.0	<0.001	0.11	0.83	2.5	1.4	0.4	61.2	<0.01	0.04	0.8
ZZ07982		0.35	23.4	800	22.6	7.6	<0.001	0.07	1.05	3.5	1.0	0.4	55.6	<0.01	0.04	1.4
ZZ07983		0.32	15.7	650	22.3	5.7	<0.001	0.11	0.58	2.5	1.1	0.3	53.5	<0.01	0.04	1.4
ZZ07984		0.38	17.8	1190	17.3	6.3	<0.001	0.18	1.39	1.6	2.2	0.3	53.2	<0.01	0.05	0.5
ZZ07985		0.27	17.0	920	15.3	8.1	0.002	0.07	0.88	3.4	1.8	0.4	32.9	<0.01	0.05	1.9
ZZ07986		0.20	41.1	1110	11.4	8.7	0.004	0.12	1.30	3.6	3.1	0.4	54.7	<0.01	0.08	1.9
ZZ07987		0.29	12.8	170	4.8	19.4	0.001	0.06	0.27	5.9	0.5	0.5	34.2	<0.01	0.02	2.9
ZZ07988		0.55	20.8	780	10.5	6.4	<0.001	0.12	0.78	2.2	1.9	0.3	108.5	<0.01	0.03	0.6
ZZ07989		0.37	19.1	670	12.8	7.3	<0.001	0.12	0.63	3.0	1.8	0.3	109.0	<0.01	0.03	1.0
ZZ07990		0.38	36.2	830	18.2	9.5	0.004	0.12	1.27	4.2	3.9	0.5	65.0	<0.01	0.04	2.5
ZZ07991		0.22	20.3	820	10.0	6.2	0.006	0.18	0.85	1.5	3.6	0.3	76.5	<0.01	0.03	0.5
ZZ07992		0.32	31.0	830	15.2	6.9	0.003	0.10	0.86	3.2	2.6	0.5	64.0	<0.01	0.05	1.6
ZZ07993		0.16	25.8	960	9.0	5.7	0.001	0.11	0.87	2.4	1.8	0.3	50.4	<0.01	0.04	1.5
ZZ07994		0.25	32.6	920	13.6	7.1	0.003	0.05	1.14	3.6	1.9	0.4	41.1	<0.01	0.09	3.3

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 3- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen)

CERTIFICATE OF ANALYSIS WH11170112

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
ZZ07981		<0.005	0.10	1.45	30	0.06	12.60	247	1.6
ZZ07982		0.006	0.14	1.23	33	0.07	11.70	174	1.3
ZZ07983		<0.005	0.12	1.51	24	0.05	8.84	126	1.7
ZZ07984		0.007	0.26	2.43	25	0.06	10.80	133	1.5
ZZ07985		<0.005	0.12	1.98	44	0.08	13.25	105	1.5
ZZ07986		<0.005	0.15	2.57	40	0.06	15.30	192	2.2
ZZ07987		<0.005	0.15	0.90	15	<0.05	6.28	43	1.4
ZZ07988		0.016	0.06	2.36	30	0.15	10.55	73	1.1
ZZ07989		0.007	0.06	2.92	23	0.10	10.15	63	1.2
ZZ07990		0.005	0.17	5.08	45	0.07	14.80	203	2.4
ZZ07991		<0.005	0.12	6.88	29	<0.05	9.62	174	1.5
ZZ07992		<0.005	0.12	5.38	40	0.05	13.15	190	2.0
ZZ07993		<0.005	0.12	1.86	29	0.11	9.40	140	2.2
ZZ07994		0.005	0.13	2.10	46	0.14	15.40	180	2.2

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 3- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen)

CERTIFICATE OF ANALYSIS WH11170112

Method	CERTIFICATE COMMENTS
ME- MS41	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown.
ME- MS41	Gold determinations by this method are semi- quantitative due to the small sample weight used (0.5g).

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 23- SEP- 2011
Account: RCM

CERTIFICATE WH11174073

Project: Rackla - Gaia Silts

P.O. No.:

This report is for 28 Silt samples submitted to our lab in Whitehorse, YT, Canada on 31- AUG- 2011.

The following have access to data associated with this certificate:

ROB CARNE JULIA LANE	ANDREW CARNE JOAN MARIACHER	MATT DUMALA

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
SCR- 41	Screen to - 180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- ST43	Super Trace Au - 25g AR	ICP- MS
ME- MS41	51 anal. aqua regia ICPMS	

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 23- SEP- 2011
Account: RCM

Project: Rackla - Gaia Silts

CERTIFICATE OF ANALYSIS WH11174073

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- ST43 Au ppm 0.0001	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1
CC142748		0.46	0.0019	0.14	1.04	13.3	<0.2	<10	60	0.93	0.29	0.53	0.23	11.90	15.6	18
CC142749		0.36	0.0014	0.15	1.04	13.5	<0.2	<10	60	1.01	0.31	0.45	0.23	12.55	17.0	17
CC142750		0.40	0.0023	0.16	1.03	13.9	<0.2	<10	60	0.96	0.32	0.40	0.28	12.45	17.5	17
CC142751		0.34	0.0017	0.18	0.97	15.4	<0.2	<10	50	1.11	0.34	0.42	0.22	12.85	19.0	16
CC142752		0.40	0.0018	0.20	1.12	12.5	<0.2	<10	60	0.84	0.28	0.49	0.21	12.95	16.1	18
CC142753		0.36	0.0018	0.11	1.05	13.3	<0.2	<10	70	0.84	0.26	0.94	0.24	11.00	13.5	17
CC142754		0.46	0.0022	0.15	1.22	14.4	<0.2	<10	100	0.90	0.31	0.47	0.18	13.05	16.5	19
CC142755		0.32	0.0021	0.12	1.11	12.5	<0.2	<10	80	0.78	0.27	0.59	0.23	13.10	15.3	18
CC148277		0.36	0.0028	0.11	1.68	14.7	<0.2	<10	70	0.96	0.35	0.31	0.17	34.6	24.5	26
CC148278		0.36	0.0028	0.10	1.67	13.6	<0.2	<10	60	0.94	0.34	0.30	0.15	29.3	23.5	24
CC148279		0.44	0.0017	0.07	1.77	13.6	<0.2	<10	50	0.92	0.35	0.33	0.13	25.9	22.7	25
CC148280		0.34	0.0019	0.09	1.71	13.7	<0.2	<10	60	0.90	0.35	0.34	0.13	28.2	22.5	25
CC148281		0.30	0.0019	0.09	1.70	12.3	<0.2	<10	50	0.91	0.32	0.26	0.11	28.0	19.1	25
CC148282		0.32	0.0032	0.10	1.36	9.8	<0.2	<10	60	0.71	0.28	0.44	0.11	19.35	13.2	21
CC148283		0.30	0.0018	0.09	1.63	12.3	<0.2	<10	50	0.83	0.32	0.39	0.14	25.3	19.5	23
CC148284		0.36	0.0015	0.08	1.64	12.0	<0.2	<10	50	0.80	0.32	0.41	0.11	22.6	18.5	23
CC148285		0.38	0.0016	0.10	1.49	10.8	<0.2	<10	50	0.83	0.30	0.32	0.10	20.9	13.9	22
CC148291		0.44	0.0012	0.08	1.43	15.3	<0.2	<10	70	1.00	0.37	0.20	0.11	16.30	19.8	20
CC148292		0.34	0.0013	0.10	1.13	13.8	<0.2	<10	50	0.97	0.41	0.37	0.16	14.20	19.7	16
CC148293		0.24	0.0015	0.08	1.13	14.8	<0.2	<10	50	1.01	0.43	0.29	0.12	12.95	21.2	16
CC148294		0.28	0.0016	0.10	1.39	15.3	<0.2	<10	50	1.10	0.40	0.34	0.11	16.40	22.1	19
CC148295		0.34	0.0013	0.09	1.44	14.9	<0.2	<10	50	1.03	0.39	0.26	0.13	16.50	21.6	19
CC148296		0.24	0.0011	0.08	1.31	15.7	<0.2	<10	60	0.96	0.35	0.36	0.18	14.90	23.7	18
CC148297		0.30	0.0015	0.10	1.32	14.1	<0.2	<10	50	0.97	0.35	0.41	0.10	15.95	19.0	18
CC148298		0.32	0.0016	0.09	1.31	13.7	<0.2	<10	50	0.90	0.33	0.51	0.11	14.90	17.1	19
CC148299		0.40	0.0011	0.07	1.31	12.7	<0.2	<10	50	0.90	0.33	0.31	0.13	15.70	18.8	19
CC148300		0.36	0.0013	0.15	1.32	12.3	<0.2	<10	50	0.90	0.32	0.41	0.09	14.75	17.0	19
CC148301		0.34	0.0010	0.11	1.45	14.4	<0.2	<10	50	0.98	0.34	0.48	0.10	17.65	19.7	21

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 23- SEP- 2011
Account: RCM

Project: Rackla - Gaia Silts

CERTIFICATE OF ANALYSIS WH11174073

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
CC142748		7.60	41.0	3.91	3.00	0.08	0.09	0.30	0.032	0.08	5.2	30.3	0.45	338	1.07	0.01
CC142749		8.45	39.4	4.05	3.06	0.08	0.09	0.29	0.035	0.07	5.4	29.6	0.43	426	1.18	0.01
CC142750		10.20	40.8	4.13	2.96	0.07	0.08	0.30	0.036	0.07	5.4	28.3	0.41	531	1.21	0.02
CC142751		8.89	42.4	4.24	2.95	0.09	0.09	0.30	0.036	0.07	5.6	29.0	0.37	610	1.47	0.01
CC142752		6.83	46.9	3.88	3.29	0.09	0.08	0.30	0.032	0.08	5.6	30.2	0.48	275	0.93	0.01
CC142753		3.11	44.4	3.64	3.03	0.07	0.09	0.27	0.029	0.07	4.8	26.3	0.49	293	0.98	0.01
CC142754		3.64	49.0	4.20	3.61	0.08	0.09	0.31	0.035	0.07	6.0	30.1	0.46	484	1.22	0.01
CC142755		4.53	47.4	3.86	3.32	0.08	0.08	0.27	0.032	0.07	5.7	28.8	0.50	343	0.95	0.01
CC148277		3.09	50.5	3.90	5.22	0.13	0.07	0.06	0.027	0.05	16.2	74.1	0.99	1040	0.81	0.01
CC148278		2.94	46.0	3.99	5.04	0.12	0.07	0.05	0.027	0.05	13.7	73.6	0.94	1050	0.69	0.01
CC148279		2.64	43.0	4.26	5.31	0.12	0.06	0.04	0.026	0.04	12.0	82.8	0.96	974	0.58	0.01
CC148280		2.85	43.6	4.08	5.10	0.11	0.07	0.05	0.027	0.04	13.1	78.2	0.95	985	0.61	0.01
CC148281		2.28	39.3	3.83	4.97	0.10	0.09	0.06	0.027	0.04	13.0	76.7	0.89	576	0.60	0.01
CC148282		1.68	32.9	3.40	4.02	0.09	0.10	0.10	0.026	0.05	9.3	50.3	0.58	366	0.62	0.02
CC148283		2.51	39.4	3.82	4.92	0.11	0.08	0.06	0.027	0.05	11.7	72.8	0.90	832	0.56	0.01
CC148284		2.23	37.4	3.92	4.95	0.10	0.09	0.06	0.027	0.04	10.7	74.3	0.85	772	0.52	0.01
CC148285		1.83	32.5	3.53	4.45	0.10	0.12	0.07	0.028	0.04	9.7	65.7	0.67	481	0.62	0.01
CC148291		2.74	38.8	4.04	4.37	0.08	0.07	0.10	0.033	0.06	6.7	55.9	0.46	680	0.86	0.01
CC148292		4.59	39.3	4.35	3.35	0.08	0.07	0.15	0.038	0.06	6.0	52.3	0.40	720	0.65	0.01
CC148293		4.62	38.5	4.39	3.33	0.08	0.06	0.12	0.038	0.05	5.5	53.7	0.38	802	0.66	0.01
CC148294		3.31	43.5	4.42	4.09	0.09	0.08	0.15	0.036	0.06	6.8	64.1	0.51	968	0.72	0.01
CC148295		3.18	41.4	4.43	4.31	0.08	0.08	0.14	0.035	0.06	6.9	64.4	0.53	827	0.74	0.01
CC148296		2.98	39.5	4.51	3.97	0.09	0.08	0.13	0.033	0.05	6.1	60.5	0.49	1070	0.69	0.01
CC148297		3.00	39.3	4.04	3.95	0.08	0.10	0.15	0.033	0.06	6.8	57.3	0.50	622	0.66	0.01
CC148298		2.48	41.2	3.98	3.96	0.08	0.10	0.17	0.033	0.06	6.5	54.6	0.53	387	0.64	0.01
CC148299		2.75	42.0	3.99	3.94	0.09	0.09	0.15	0.031	0.06	6.7	56.0	0.51	372	0.60	0.01
CC148300		2.59	40.2	4.01	3.85	0.08	0.08	1.30	0.033	0.06	6.6	53.8	0.52	377	0.57	0.01
CC148301		3.32	44.5	4.28	4.22	0.09	0.09	0.17	0.035	0.07	8.2	56.4	0.61	533	0.60	0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 23- SEP- 2011
Account: RCM

Project: Rackla - Gaia Silts

CERTIFICATE OF ANALYSIS WH11174073

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
CC142748		0.25	31.9	620	20.3	10.6	0.001	0.09	0.77	5.7	1.4	0.3	57.0	<0.01	0.05	2.2
CC142749		0.22	33.3	640	21.6	11.1	0.001	0.08	0.77	5.8	1.4	0.3	54.3	<0.01	0.05	2.2
CC142750		0.22	33.9	690	22.8	9.8	0.001	0.08	0.80	5.7	1.5	0.3	45.5	<0.01	0.05	2.1
CC142751		0.22	35.7	740	25.1	9.6	0.001	0.07	0.84	5.5	1.5	0.3	45.8	<0.01	0.06	2.1
CC142752		0.19	31.9	570	18.7	10.1	0.001	0.08	0.71	5.8	1.4	0.3	52.5	<0.01	0.05	2.2
CC142753		0.20	29.8	540	16.8	8.9	0.002	0.09	0.79	5.2	1.7	0.3	84.2	<0.01	0.05	1.8
CC142754		0.20	31.8	570	19.9	8.8	0.001	0.05	0.76	6.0	1.2	0.3	49.3	<0.01	0.07	2.2
CC142755		0.17	31.0	560	18.0	9.2	0.001	0.08	0.69	5.5	1.6	0.3	51.6	<0.01	0.06	2.1
CC148277		0.18	40.5	740	31.3	4.0	<0.001	0.04	0.62	4.9	0.6	0.2	31.6	<0.01	0.06	5.4
CC148278		0.16	39.5	660	28.6	4.1	<0.001	0.04	0.54	4.6	0.6	0.2	34.7	<0.01	0.06	4.6
CC148279		0.09	41.0	540	26.3	3.5	<0.001	0.04	0.50	4.6	0.5	0.2	30.0	<0.01	0.05	5.2
CC148280		0.13	40.0	640	26.2	4.1	<0.001	0.04	0.51	4.6	0.6	0.2	35.4	<0.01	0.06	4.8
CC148281		0.17	36.7	660	25.1	4.3	<0.001	0.04	0.49	4.4	0.8	0.2	33.7	<0.01	0.05	4.4
CC148282		0.43	30.1	650	19.1	4.7	<0.001	0.03	0.63	4.5	0.8	0.3	43.5	<0.01	0.04	4.7
CC148283		0.15	37.4	610	24.5	4.3	<0.001	0.04	0.49	4.4	0.7	0.2	37.4	<0.01	0.05	4.4
CC148284		0.13	36.6	570	23.2	4.2	<0.001	0.04	0.47	4.4	0.7	0.2	39.3	<0.01	0.05	4.4
CC148285		0.19	31.2	650	21.9	4.6	<0.001	0.04	0.51	4.4	0.9	0.2	35.8	<0.01	0.04	3.5
CC148291		0.20	37.4	660	26.9	6.6	<0.001	0.04	0.61	4.2	0.7	0.4	28.0	<0.01	0.06	2.2
CC148292		0.15	37.9	610	29.5	7.0	<0.001	0.06	0.50	5.5	1.2	0.3	36.7	<0.01	0.06	2.7
CC148293		0.14	39.1	550	29.6	6.5	<0.001	0.05	0.49	5.4	1.2	0.3	31.7	<0.01	0.06	2.7
CC148294		0.14	42.7	680	31.5	6.0	<0.001	0.06	0.55	5.6	1.0	0.3	43.0	<0.01	0.06	3.2
CC148295		0.13	41.7	640	30.6	5.9	<0.001	0.05	0.56	5.4	1.0	0.3	35.8	<0.01	0.05	3.2
CC148296		0.13	41.0	610	27.2	5.6	<0.001	0.06	0.52	5.1	1.1	0.3	42.5	<0.01	0.06	3.1
CC148297		0.16	36.4	610	24.8	6.5	0.001	0.07	0.55	5.4	0.9	0.3	46.5	<0.01	0.05	3.0
CC148298		0.17	35.0	630	22.3	5.7	0.001	0.07	0.59	5.3	0.9	0.3	53.7	<0.01	0.05	2.8
CC148299		0.14	36.3	510	22.3	5.7	0.001	0.05	0.54	5.3	0.9	0.3	35.7	<0.01	0.05	3.3
CC148300		0.11	33.7	540	24.2	5.6	0.001	0.06	0.44	5.2	0.9	0.3	43.1	<0.01	0.04	3.1
CC148301		0.11	36.8	630	24.4	8.4	0.001	0.07	0.51	5.8	1.2	0.4	50.2	<0.01	0.04	3.3

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 23- SEP- 2011
Account: RCM

Project: Rackla - Gaia Silts

CERTIFICATE OF ANALYSIS WH11174073

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
CC142748		0.005	0.08	0.49	22	0.05	7.82	101	2.4
CC142749		0.005	0.08	0.56	21	0.06	8.52	106	2.4
CC142750		0.006	0.08	0.66	22	0.06	8.79	111	2.2
CC142751		0.006	0.08	1.13	21	0.06	9.40	107	2.4
CC142752		0.006	0.07	0.44	23	0.05	7.52	94	2.4
CC142753		<0.005	0.08	0.83	22	<0.05	7.59	80	2.7
CC142754		<0.005	0.09	0.62	26	0.06	8.49	93	2.3
CC142755		<0.005	0.07	0.44	23	<0.05	7.24	88	2.4
CC148277		0.009	0.06	2.22	21	0.05	10.60	99	3.1
CC148278		0.007	0.06	1.99	19	0.14	9.54	99	2.5
CC148279		<0.005	0.05	1.46	17	<0.05	8.03	102	3.2
CC148280		0.005	0.06	1.90	19	0.05	9.18	100	2.7
CC148281		0.006	0.05	2.02	19	<0.05	9.58	96	3.0
CC148282		0.017	0.05	1.11	23	0.08	8.74	92	3.7
CC148283		0.005	0.05	1.55	18	<0.05	8.81	96	3.1
CC148284		<0.005	0.05	1.40	17	<0.05	8.60	96	3.3
CC148285		0.005	0.05	2.72	17	0.05	9.69	89	3.4
CC148291		0.005	0.08	1.00	20	0.09	7.10	97	1.8
CC148292		<0.005	0.06	0.97	14	0.05	8.95	107	2.0
CC148293		<0.005	0.06	1.14	13	0.05	8.52	103	1.7
CC148294		<0.005	0.07	1.29	15	<0.05	9.38	106	2.4
CC148295		<0.005	0.07	1.10	16	<0.05	8.87	108	2.3
CC148296		<0.005	0.07	1.29	15	<0.05	8.42	109	2.6
CC148297		<0.005	0.07	0.95	17	0.05	8.46	86	2.8
CC148298		<0.005	0.06	0.93	19	<0.05	7.94	87	3.0
CC148299		<0.005	0.05	0.83	18	<0.05	7.76	90	2.8
CC148300		<0.005	0.04	1.01	17	<0.05	7.72	94	2.6
CC148301		<0.005	0.06	0.93	19	<0.05	8.24	92	2.9

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 23- SEP- 2011
Account: RCM

Project: Rackla - Gaia Silts

CERTIFICATE OF ANALYSIS WH11174073

Method	CERTIFICATE COMMENTS
ME- MS41	Gold determinations by this method are semi- quantitative due to the small sample weight used (0.5g).

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 23- SEP- 2011
Account: RCM

CERTIFICATE WH11174074

Project: Rackla - East Osiris

P.O. No.:

This report is for 181 Soil samples submitted to our lab in Whitehorse, YT, Canada on 31- AUG- 2011.

The following have access to data associated with this certificate:

ROB CARNE JULIA LANE	ANDREW CARNE JOAN MARIACHER	MATT DUMALA

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
SCR- 41	Screen to - 180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- TL43	Trace Level Au - 25g AR	ICP- MS
ME- MS41	51 anal. aqua regia ICPMS	

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 23- SEP- 2011
Account: RCM

Project: Rackla - East Osiris

CERTIFICATE OF ANALYSIS WH11174074

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- TL43 Au ppm 0.001	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1
CC148817		0.26	0.003	0.04	1.58	11.3	<0.2	<10	70	0.62	0.38	0.04	0.11	11.55	11.0	27
CC148818		0.28	0.003	0.05	1.99	13.5	<0.2	<10	130	0.78	0.31	0.32	0.28	26.1	10.1	30
CC148819		0.30	0.002	0.20	1.53	19.3	<0.2	<10	110	1.48	0.35	0.72	0.28	40.2	16.3	21
CC148820		0.36	0.002	0.13	2.09	21.8	<0.2	<10	70	1.59	0.57	0.41	0.15	14.35	27.4	25
CC148821		0.38	0.002	0.05	0.56	18.7	<0.2	<10	60	0.79	0.46	0.03	0.06	10.70	15.8	14
CC148822		0.34	0.002	0.06	1.70	19.4	<0.2	<10	80	1.05	0.54	0.19	0.14	19.15	22.3	23
CC148823		0.28	0.002	0.05	1.86	27.6	<0.2	<10	120	1.00	0.65	0.09	0.11	11.80	39.2	25
CC148824		0.32	0.002	0.13	0.72	17.2	<0.2	<10	60	1.32	0.51	0.76	0.14	13.80	19.4	16
CC148825		0.30	0.002	0.08	1.04	9.7	<0.2	<10	60	0.87	0.39	0.17	0.08	10.55	18.1	20
CC148826		0.28	0.004	0.12	2.34	25.1	<0.2	<10	160	2.13	0.47	0.79	0.48	68.3	21.2	27
CC148827		0.38	0.003	0.04	1.82	15.6	<0.2	<10	110	1.20	0.44	0.09	0.14	21.6	16.8	27
CC148828		0.38	0.003	0.05	1.32	13.3	<0.2	<10	90	0.99	0.34	0.17	0.21	26.6	15.5	25
CC148829		0.36	0.004	0.04	0.84	9.2	<0.2	<10	50	0.80	0.37	0.05	0.14	18.55	14.2	20
CC148830		0.28	0.002	0.07	1.07	17.4	<0.2	<10	110	1.13	0.44	0.17	0.15	28.6	19.8	21
CC148831		0.34	0.002	0.11	0.69	19.4	<0.2	<10	100	1.56	0.59	0.25	0.16	14.45	34.1	19
CC148832		0.34	0.002	0.03	1.18	18.1	<0.2	<10	90	0.74	0.42	0.08	0.09	15.60	13.7	22
CC148833		0.34	0.001	0.03	0.32	5.6	<0.2	<10	60	0.59	0.31	0.03	0.04	5.57	12.0	19
CC148834		0.30	0.003	0.05	1.20	13.3	<0.2	<10	120	0.68	0.41	0.09	0.08	14.75	13.1	21
CC148835		0.30	0.002	0.12	1.86	27.1	<0.2	<10	80	1.69	0.40	0.19	0.18	15.00	19.9	24
CC148836		0.34	0.002	0.12	1.90	18.8	<0.2	<10	50	0.86	0.48	0.16	0.06	12.60	28.4	23
CC148837		0.38	0.002	0.08	1.69	16.7	<0.2	<10	30	0.53	0.45	0.01	0.02	15.55	7.6	26
CC148838		0.38	0.004	0.05	2.43	4.2	<0.2	<10	110	1.67	0.46	0.17	0.16	90.1	26.8	46
CC148839		0.36	0.003	0.07	2.25	2.7	<0.2	<10	60	1.23	0.16	1.08	0.24	65.3	11.5	51
CC148840		0.30	0.009	0.10	1.78	7.3	<0.2	<10	290	0.99	0.18	0.76	0.78	61.9	12.7	40
CC148841		0.22	0.003	0.04	2.31	8.5	<0.2	<10	110	1.19	0.21	0.33	0.32	71.7	11.1	53
CC148842		0.28	0.003	0.06	2.80	8.2	<0.2	<10	100	1.42	0.33	0.13	0.35	85.7	18.4	58
CC148843		0.20	0.005	0.11	1.00	30.5	<0.2	<10	140	1.51	0.19	1.11	0.23	48.6	15.1	55
CC148844		0.34	0.003	0.04	2.72	2.0	<0.2	<10	100	1.88	0.44	0.07	0.11	80.1	18.5	48
CC148845		0.28	0.003	0.05	1.34	3.3	<0.2	<10	140	1.21	0.32	0.26	0.26	60.8	15.9	32
CC148846		0.24	0.024	0.07	1.63	3.7	<0.2	<10	100	1.12	0.32	0.08	0.15	51.5	13.0	36
CC148847		0.30	0.003	0.12	1.36	12.7	<0.2	<10	110	1.11	0.29	0.52	0.12	21.3	6.9	19
CC148848		0.26	0.002	0.03	0.79	15.0	<0.2	<10	60	0.61	0.35	0.03	0.12	10.70	10.8	11
CC148849		0.32	0.003	0.06	1.38	19.9	<0.2	<10	60	1.18	0.40	0.03	0.10	20.9	22.6	19
CC148850		0.38	0.002	0.05	1.55	15.0	<0.2	<10	90	1.47	0.38	0.10	0.10	19.40	16.2	20
CC148901		0.34	0.002	0.05	1.07	18.0	<0.2	<10	70	1.38	0.40	0.23	0.12	17.50	18.6	14
CC148902		0.40	0.002	0.28	1.48	18.2	<0.2	<10	60	1.71	0.44	0.13	0.06	18.90	15.2	22
CC148903		0.32	0.002	0.22	1.17	28.9	<0.2	<10	100	0.54	0.54	0.01	0.01	20.1	1.3	25
CC148904		0.22	0.002	0.07	1.29	12.9	<0.2	<10	50	0.36	0.34	0.03	0.09	15.10	7.6	20
CC148905		0.28	0.002	0.07	1.63	13.3	<0.2	<10	70	0.73	0.35	0.03	0.21	23.0	9.5	23
CC148906		0.28	0.002	0.09	1.95	9.1	<0.2	<10	100	1.54	0.32	0.33	0.22	62.8	22.8	32

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 23- SEP- 2011
Account: RCM

Project: Rackla - East Osiris

CERTIFICATE OF ANALYSIS WH11174074

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
CC148817		5.22	30.9	4.43	5.47	0.09	<0.02	0.05	0.024	0.07	4.9	23.9	0.36	526	1.14	0.01
CC148818		3.57	18.8	3.95	5.53	0.10	<0.02	0.06	0.028	0.05	10.9	21.5	0.43	1000	1.21	0.01
CC148819		1.94	28.2	6.61	4.22	0.12	0.03	0.13	0.041	0.05	9.2	27.4	0.22	1780	0.76	0.01
CC148820		2.80	52.9	5.89	6.72	0.11	0.12	0.08	0.046	0.06	4.5	76.0	0.73	989	0.73	0.01
CC148821		3.06	38.3	4.29	2.06	0.06	0.02	0.02	0.036	0.07	3.8	6.6	0.07	334	0.73	0.01
CC148822		4.91	41.4	5.56	5.92	0.09	0.07	0.06	0.054	0.07	6.5	47.0	0.49	1000	0.92	0.01
CC148823		5.92	44.5	6.16	6.67	0.08	0.07	0.06	0.044	0.06	3.2	67.8	0.50	1240	1.01	<0.01
CC148824		1.40	52.4	5.38	2.07	0.12	0.08	0.12	0.055	0.06	6.0	13.4	0.15	636	0.57	0.01
CC148825		4.26	42.7	4.21	4.30	0.06	0.05	0.05	0.035	0.09	3.4	22.8	0.22	1020	0.68	<0.01
CC148826		3.10	36.6	6.96	7.04	0.18	0.08	0.11	0.069	0.04	23.2	58.8	0.60	3090	1.17	0.01
CC148827		2.73	37.7	4.62	5.88	0.10	0.04	0.08	0.035	0.06	7.7	44.7	0.51	630	1.07	0.01
CC148828		2.24	36.4	3.77	4.25	0.12	0.02	0.05	0.026	0.05	10.4	23.8	0.41	484	1.23	0.01
CC148829		1.92	38.9	4.15	2.99	0.12	<0.02	0.06	0.029	0.05	7.7	9.4	0.17	538	0.85	0.01
CC148830		2.96	42.1	5.02	3.94	0.11	0.03	0.08	0.036	0.07	7.8	19.0	0.27	988	1.02	0.02
CC148831		2.51	62.0	6.13	2.55	0.10	0.16	0.29	0.058	0.06	3.6	19.0	0.21	1300	0.67	0.01
CC148832		2.63	39.3	3.80	4.97	0.08	<0.02	0.03	0.033	0.06	6.1	22.2	0.27	362	1.28	0.01
CC148833		1.08	36.7	3.58	1.48	0.07	<0.02	0.06	0.025	0.06	2.2	2.1	0.04	377	0.33	0.01
CC148834		5.34	30.7	3.74	4.20	0.08	0.02	0.05	0.019	0.07	5.8	19.1	0.19	857	0.79	0.01
CC148835		4.51	38.8	8.67	5.02	0.10	0.09	0.19	0.054	0.08	4.3	50.8	0.48	1610	1.71	0.01
CC148836		3.39	41.8	6.03	4.58	0.11	0.16	0.10	0.037	0.07	3.8	60.6	0.54	1160	1.01	0.01
CC148837		2.85	70.4	4.64	5.67	0.10	0.19	0.09	0.037	0.07	6.9	36.9	0.49	277	0.69	0.01
CC148838		4.63	61.1	3.79	8.65	0.19	0.25	0.04	0.029	0.14	44.7	68.6	1.85	982	0.40	0.01
CC148839		2.38	29.3	3.17	7.34	0.17	0.12	0.04	0.031	0.14	31.9	39.7	2.99	412	0.60	0.02
CC148840		2.44	33.9	2.47	5.41	0.14	0.11	0.10	0.028	0.09	27.8	28.0	1.63	678	0.72	0.02
CC148841		3.30	19.5	3.12	7.70	0.15	0.08	0.06	0.039	0.08	26.8	45.8	2.39	811	0.84	0.01
CC148842		3.20	37.3	3.49	10.90	0.18	0.04	0.05	0.046	0.17	38.8	58.2	2.94	679	0.98	0.02
CC148843		0.78	36.8	3.44	3.78	0.10	0.09	0.13	0.039	0.05	23.2	14.8	0.66	918	1.28	0.01
CC148844		4.02	40.3	4.21	9.03	0.17	0.14	0.06	0.040	0.15	41.3	48.6	1.34	1250	0.72	0.01
CC148845		1.53	34.9	3.45	4.26	0.13	0.06	0.07	0.030	0.12	30.6	20.0	0.57	989	0.65	0.01
CC148846		1.50	33.8	4.53	5.76	0.12	0.03	0.04	0.032	0.13	26.8	23.9	0.57	809	0.82	0.01
CC148847		1.16	20.8	3.83	3.68	0.09	0.06	0.20	0.042	0.05	9.4	22.2	0.28	431	0.82	0.01
CC148848		0.95	25.7	3.96	2.60	0.08	0.04	0.03	0.039	0.05	3.6	10.2	0.09	568	0.94	<0.01
CC148849		2.24	46.5	4.81	3.97	0.10	0.06	0.03	0.049	0.06	6.6	38.6	0.34	1220	0.85	0.01
CC148850		2.07	34.9	5.05	4.62	0.10	0.05	0.04	0.044	0.07	7.4	46.5	0.34	1420	0.81	0.01
CC148901		1.15	32.9	4.84	2.91	0.09	0.05	0.02	0.045	0.08	5.7	23.7	0.24	1010	0.89	0.01
CC148902		3.14	66.0	4.90	4.51	0.11	0.04	0.04	0.063	0.12	7.4	43.2	0.38	439	0.95	0.02
CC148903		3.03	64.6	5.68	4.84	0.10	0.13	0.18	0.089	0.20	7.4	16.4	0.22	40	1.76	0.06
CC148904		1.12	23.8	4.12	5.49	0.07	<0.02	0.04	0.033	0.06	6.2	13.0	0.15	377	1.29	0.01
CC148905		1.63	27.3	4.55	5.33	0.10	0.04	0.06	0.041	0.07	8.2	28.6	0.30	564	1.24	0.01
CC148906		2.47	46.7	4.20	5.78	0.12	0.11	0.03	0.039	0.11	27.3	53.9	1.20	935	1.56	0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 23- SEP- 2011
Account: RCM

Project: Rackla - East Osiris

CERTIFICATE OF ANALYSIS WH11174074

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
CC148817		0.48	21.0	730	26.2	11.8	<0.001	0.06	0.64	1.4	0.2	0.6	10.6	<0.01	0.06	0.6
CC148818		0.61	23.8	860	20.5	8.2	<0.001	0.05	0.82	2.0	0.7	0.6	30.2	<0.01	0.06	0.6
CC148819		0.31	28.4	1560	37.1	8.1	<0.001	0.08	0.64	3.4	0.7	0.5	57.4	<0.01	0.05	1.1
CC148820		0.25	43.5	780	46.8	7.6	<0.001	0.06	0.64	8.6	1.0	0.5	33.8	<0.01	0.12	4.2
CC148821		0.19	32.2	460	25.3	10.2	<0.001	0.02	0.89	2.4	0.3	0.6	24.2	<0.01	0.07	1.5
CC148822		0.30	35.2	1320	36.1	14.5	<0.001	0.05	0.64	5.5	0.8	0.6	23.3	0.01	0.09	2.5
CC148823		0.37	37.7	960	55.3	11.8	<0.001	0.04	0.85	3.1	0.6	0.5	14.9	<0.01	0.12	2.1
CC148824		0.06	40.4	530	36.2	4.8	<0.001	0.06	0.46	9.5	0.7	0.6	51.3	<0.01	0.08	3.6
CC148825		0.22	26.1	930	33.7	13.8	<0.001	0.05	0.42	2.3	0.5	0.5	14.9	<0.01	0.05	1.5
CC148826		0.53	44.0	1660	54.8	9.8	<0.001	0.06	0.89	10.3	1.9	0.6	76.1	0.01	0.10	3.6
CC148827		0.58	34.4	590	31.9	10.5	<0.001	0.03	0.68	3.6	0.7	0.6	14.6	<0.01	0.07	2.3
CC148828		0.75	34.3	730	24.9	7.5	<0.001	0.02	0.95	3.4	0.9	0.5	21.1	<0.01	0.06	3.7
CC148829		0.36	33.1	550	27.9	7.3	<0.001	0.03	0.53	2.7	0.6	0.5	16.4	<0.01	0.05	1.7
CC148830		0.53	39.4	660	35.4	10.0	<0.001	0.04	0.78	5.5	0.7	0.6	26.0	<0.01	0.06	2.9
CC148831		<0.05	54.7	460	49.9	4.7	<0.001	0.01	0.47	10.4	0.8	0.7	78.1	<0.01	0.09	8.3
CC148832		0.59	28.5	460	27.7	10.6	<0.001	0.04	0.97	2.2	0.5	0.7	29.1	<0.01	0.11	1.2
CC148833		0.06	24.7	250	21.2	4.3	<0.001	0.02	0.22	2.2	<0.2	0.4	33.9	<0.01	0.05	2.2
CC148834		0.31	20.9	690	39.3	12.3	<0.001	0.05	0.57	1.4	0.2	0.6	21.0	<0.01	0.07	1.1
CC148835		0.15	45.5	1280	53.5	9.6	<0.001	0.06	0.64	9.3	1.4	0.5	22.6	<0.01	0.07	3.6
CC148836		0.08	53.4	390	45.1	5.2	0.001	0.03	0.56	5.9	0.6	0.5	19.8	<0.01	0.10	8.2
CC148837		0.06	17.1	350	33.6	6.6	0.001	0.03	0.46	4.2	1.1	0.5	29.0	<0.01	0.10	5.4
CC148838		0.09	59.4	550	55.9	11.7	<0.001	0.01	0.20	6.3	1.0	0.6	23.5	<0.01	0.02	14.5
CC148839		0.20	27.0	710	12.1	17.3	<0.001	0.03	0.20	8.2	1.6	0.5	26.7	<0.01	0.01	8.0
CC148840		0.48	23.1	660	19.7	12.4	<0.001	0.04	0.51	4.4	1.1	0.5	42.5	<0.01	0.02	2.8
CC148841		0.47	23.3	980	15.8	17.9	<0.001	0.07	0.47	4.9	2.2	0.7	21.8	<0.01	0.03	2.1
CC148842		0.53	34.9	740	20.5	27.6	<0.001	0.03	0.50	6.9	1.2	0.9	13.2	<0.01	0.05	6.7
CC148843		0.27	30.4	1320	20.5	10.7	<0.001	0.11	0.79	4.9	2.0	0.5	69.6	0.01	0.03	1.1
CC148844		0.33	48.4	1380	30.7	23.9	<0.001	0.07	0.25	3.9	0.6	0.7	9.0	<0.01	0.03	5.2
CC148845		0.21	40.5	1080	20.2	10.9	<0.001	0.07	0.30	3.4	0.8	0.5	29.3	<0.01	0.02	2.9
CC148846		0.26	31.3	1270	21.0	13.2	<0.001	0.08	0.33	2.1	0.5	0.6	10.7	<0.01	0.02	1.6
CC148847		0.25	22.7	1270	21.1	8.5	<0.001	0.08	0.39	3.2	0.9	0.5	26.8	<0.01	0.03	1.0
CC148848		0.17	25.0	730	31.8	7.2	<0.001	0.05	0.40	3.0	0.4	0.4	5.7	<0.01	0.04	1.5
CC148849		0.22	34.3	690	31.5	9.2	<0.001	0.05	0.95	4.4	0.7	0.5	11.9	<0.01	0.07	2.5
CC148850		0.17	35.3	960	30.7	9.8	<0.001	0.06	0.62	5.1	0.7	0.5	20.5	<0.01	0.07	2.3
CC148901		0.09	38.0	1110	39.3	6.8	<0.001	0.07	0.60	5.1	0.7	0.5	39.1	<0.01	0.05	2.3
CC148902		0.15	34.5	890	49.8	7.6	<0.001	0.15	0.52	5.5	1.2	0.5	60.2	<0.01	0.04	5.7
CC148903		0.10	5.9	1320	39.2	15.0	0.002	0.45	0.62	7.8	3.3	0.7	57.2	<0.01	0.09	9.0
CC148904		0.26	17.2	1530	21.1	6.4	<0.001	0.08	0.71	0.6	0.4	0.7	8.6	<0.01	0.07	0.3
CC148905		0.46	20.6	960	20.8	10.5	<0.001	0.08	0.71	2.8	0.9	0.6	12.1	<0.01	0.06	1.2
CC148906		0.28	44.5	1070	27.6	11.5	<0.001	0.08	0.50	5.7	1.1	0.5	29.7	<0.01	0.04	3.6

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 23- SEP- 2011
Account: RCM

Project: Rackla - East Osiris

CERTIFICATE OF ANALYSIS WH11174074

Sample Description	Method Analyte Units LOR	ME- MS41 Ti % 0.005	ME- MS41 Tl ppm 0.02	ME- MS41 U ppm 0.05	ME- MS41 V ppm 1	ME- MS41 W ppm 0.05	ME- MS41 Y ppm 0.05	ME- MS41 Zn ppm 2	ME- MS41 Zr ppm 0.5
CC148817		0.017	0.09	0.70	39	0.13	3.81	80	<0.5
CC148818		0.028	0.09	0.89	49	0.22	6.89	99	<0.5
CC148819		0.012	0.05	1.26	30	0.14	18.20	85	0.7
CC148820		0.007	0.05	0.84	23	<0.05	17.05	120	3.6
CC148821		0.005	0.10	0.80	22	<0.05	4.17	89	<0.5
CC148822		0.009	0.11	0.91	29	0.06	12.90	113	1.5
CC148823		0.007	0.13	0.53	27	0.06	6.58	107	2.2
CC148824		<0.005	0.05	0.86	18	<0.05	22.8	109	2.4
CC148825		0.006	0.10	0.80	20	<0.05	6.68	89	1.1
CC148826		0.013	0.10	1.45	37	0.16	38.6	101	2.6
CC148827		0.016	0.09	0.91	36	0.14	6.90	92	1.2
CC148828		0.033	0.07	1.08	36	0.16	7.45	89	0.8
CC148829		0.015	0.09	0.97	27	0.13	6.31	91	<0.5
CC148830		0.016	0.08	0.85	30	0.09	10.70	105	0.8
CC148831		<0.005	0.14	0.76	23	<0.05	14.40	137	8.7
CC148832		0.013	0.11	0.67	33	0.15	4.28	83	0.6
CC148833		<0.005	<0.02	0.69	18	<0.05	3.76	80	0.5
CC148834		0.006	0.09	0.96	29	0.07	4.79	74	0.6
CC148835		<0.005	0.10	0.79	21	<0.05	16.15	183	2.6
CC148836		<0.005	0.10	1.45	15	<0.05	8.68	134	8.7
CC148837		0.005	0.09	0.84	18	<0.05	3.31	71	8.5
CC148838		0.008	0.06	1.17	20	<0.05	12.15	133	13.2
CC148839		0.012	0.11	0.99	33	<0.05	20.0	113	5.5
CC148840		0.022	0.14	1.95	40	0.13	19.85	104	3.3
CC148841		0.023	0.16	4.96	55	0.06	19.10	137	2.2
CC148842		0.024	0.19	1.43	48	0.07	16.75	128	1.8
CC148843		0.009	0.13	3.52	44	0.07	19.50	122	2.2
CC148844		0.008	0.15	0.91	26	<0.05	10.15	129	3.4
CC148845		0.006	0.06	0.76	19	<0.05	8.17	117	1.5
CC148846		0.008	0.09	0.70	26	0.05	4.12	127	0.6
CC148847		0.006	0.12	1.07	25	0.12	11.15	89	1.7
CC148848		<0.005	0.12	0.44	15	0.07	4.07	96	1.2
CC148849		0.005	0.13	0.80	20	0.07	8.58	105	1.7
CC148850		<0.005	0.14	0.94	20	0.06	12.55	101	1.7
CC148901		<0.005	0.12	0.83	17	0.05	11.50	123	1.7
CC148902		0.006	0.16	1.31	15	<0.05	8.35	114	3.1
CC148903		0.005	0.32	2.00	16	<0.05	3.35	27	7.4
CC148904		0.009	0.17	0.54	43	0.15	2.93	67	<0.5
CC148905		0.011	0.21	0.67	37	0.12	4.89	100	0.8
CC148906		0.008	0.19	1.06	20	0.05	16.75	117	3.7

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 23- SEP- 2011
Account: RCM

Project: Rackla - East Osiris

CERTIFICATE OF ANALYSIS WH11174074

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- TL43 Au ppm 0.001	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1
CC148907		0.30	0.001	0.05	2.22	3.9	<0.2	<10	110	1.38	0.39	0.12	0.17	66.0	16.3	39
CC148908		0.20	0.001	0.04	1.57	4.2	<0.2	<10	120	0.84	0.38	0.06	0.10	53.9	13.8	31
CC148909		0.28	0.002	0.03	1.94	4.4	<0.2	<10	90	0.99	0.39	0.04	0.13	58.9	12.6	37
CC148910		0.28	0.003	0.05	2.12	6.4	<0.2	<10	90	1.59	0.38	0.09	0.28	63.7	16.3	38
CC148911		0.24	0.002	0.07	1.60	4.8	<0.2	<10	80	0.94	0.34	0.08	0.17	55.3	11.6	33
CC148859		0.32	0.003	0.28	0.85	34.3	<0.2	<10	150	1.75	0.27	0.23	0.16	43.4	30.0	23
CC148860		0.36	0.002	0.10	0.46	8.5	<0.2	<10	60	1.35	0.40	0.39	0.13	28.6	40.6	14
CC148861		0.44	0.001	0.06	0.54	13.4	<0.2	<10	80	1.64	0.53	0.04	0.08	63.4	31.0	14
CC148862		0.34	0.001	0.09	0.99	8.6	<0.2	<10	100	1.48	0.27	0.98	0.20	55.6	29.2	24
CC148863		0.38	0.002	0.06	1.23	30.8	<0.2	<10	60	1.03	0.37	0.10	0.12	14.05	22.5	20
CC148864		0.34	0.003	0.31	1.11	23.7	<0.2	<10	90	1.18	0.46	0.70	0.23	39.5	36.7	17
CC148865		0.40	0.002	1.13	1.90	8.7	<0.2	<10	130	1.58	0.29	0.28	0.23	29.6	35.3	30
CC148866		0.44	0.001	0.10	0.51	7.5	<0.2	<10	100	1.22	0.33	0.11	0.10	4.82	47.4	15
CC148867		0.38	0.003	0.19	1.89	14.0	<0.2	<10	50	1.48	0.37	0.17	0.23	16.35	54.1	30
CC148868		0.38	0.001	0.23	0.35	27.3	<0.2	<10	30	0.96	0.44	0.29	0.27	4.12	18.2	9
CC148869		0.36	0.001	0.12	0.33	42.3	<0.2	<10	40	1.67	0.65	0.19	0.05	9.58	20.1	8
CC148870		0.24	0.002	0.08	1.79	21.5	<0.2	<10	40	1.24	0.24	0.05	0.11	11.85	19.5	28
CC148871		0.42	0.002	0.18	1.64	22.0	<0.2	<10	120	2.51	0.41	0.04	0.29	18.35	25.2	23
CC148872		0.36	0.003	0.40	2.57	49.6	<0.2	<10	70	3.29	0.65	0.06	0.09	16.15	23.4	34
CC148873		0.52	0.005	0.32	1.87	39.6	<0.2	<10	60	1.99	0.84	0.02	0.14	10.45	24.0	32
CC148874		0.32	0.003	0.08	1.69	23.3	<0.2	<10	90	1.22	0.47	0.09	0.16	10.35	21.6	23
CC148875		0.20	0.001	0.15	1.21	52.8	<0.2	10	150	0.74	0.27	9.27	0.51	23.0	15.7	15
CC148876		0.24	0.001	0.10	0.78	27.5	<0.2	<10	80	1.42	0.47	1.18	0.37	54.1	21.3	16
CC148877		0.26	0.002	0.14	1.38	25.1	<0.2	<10	130	1.20	0.41	1.38	0.56	41.4	14.5	25
CC148878		0.26	0.002	0.15	1.70	30.4	<0.2	<10	170	0.94	0.30	0.84	0.62	42.6	13.1	27
CC148879		0.18	0.002	0.08	1.16	17.1	<0.2	<10	130	0.87	0.27	2.64	0.54	24.6	10.5	16
CC148880		0.22	0.001	0.15	1.46	16.2	<0.2	<10	140	0.86	0.35	1.78	0.49	26.0	12.4	22
CC148881		0.34	0.002	0.12	1.67	29.3	<0.2	<10	130	1.86	0.46	0.23	0.13	39.4	21.6	23
CC148767		0.30	0.002	0.07	2.16	5.5	<0.2	<10	80	0.97	0.30	0.07	0.11	44.1	13.6	40
CC148768		0.28	0.003	0.14	2.09	8.9	<0.2	<10	120	1.32	0.14	0.59	0.23	96.5	8.3	63
CC148769		0.30	0.002	0.07	1.59	12.7	<0.2	<10	100	0.55	0.22	0.25	0.16	37.3	12.3	36
CC148770		0.26	0.005	0.11	2.08	9.4	<0.2	<10	120	1.37	0.22	0.68	0.37	58.5	11.6	46
CC148771		0.38	0.008	0.34	1.32	20.6	<0.2	<10	90	1.12	0.31	0.99	0.78	46.5	15.8	24
CC148772		0.30	0.002	0.17	1.59	14.0	<0.2	<10	100	1.25	0.45	0.72	0.18	38.7	15.8	22
CC148773		0.34	0.003	0.11	0.95	11.9	<0.2	<10	80	0.66	0.31	1.69	0.15	15.10	9.9	15
CC148774		0.38	0.003	0.18	0.35	11.6	<0.2	<10	40	0.22	0.42	0.12	0.03	5.36	1.8	9
CC148775		0.34	0.004	0.07	1.36	11.7	<0.2	<10	60	0.62	0.32	0.05	0.15	25.5	11.1	23
CC148776		0.40	0.003	0.04	1.59	14.1	<0.2	<10	90	0.96	0.35	0.16	0.13	26.7	14.9	23
CC148912		0.30	0.016	0.17	0.61	53	<0.2	<10	140	1.08	0.10	12.65	0.26	16.40	7.0	11
CC148913		0.28	0.002	0.60	0.87	21.8	<0.2	<10	80	4.18	0.41	0.34	0.40	29.3	36.7	6

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 23- SEP- 2011
Account: RCM

Project: Rackla - East Osiris

CERTIFICATE OF ANALYSIS WH11174074

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
CC148907		3.70	29.0	3.64	7.83	0.12	0.06	0.02	0.042	0.13	34.4	61.3	1.23	840	0.48	0.01
CC148908		2.08	21.8	3.34	7.35	0.11	0.03	0.02	0.035	0.11	27.3	22.8	0.47	1130	0.77	0.01
CC148909		2.22	25.5	4.04	8.29	0.12	0.06	0.02	0.040	0.11	33.8	26.9	0.56	1170	0.76	0.01
CC148910		3.65	35.9	3.69	7.34	0.12	0.05	0.02	0.048	0.10	32.2	47.0	0.90	912	0.93	0.01
CC148911		2.95	28.5	3.20	7.19	0.12	0.03	0.04	0.038	0.10	30.3	32.2	0.58	599	0.89	0.01
CC148859		3.60	54.1	6.07	2.48	0.17	0.02	0.42	0.056	0.05	19.3	6.7	0.16	2170	0.91	0.01
CC148860		10.20	92.3	6.14	1.42	0.13	0.06	0.14	0.044	0.09	9.5	6.2	0.17	2280	2.17	0.01
CC148861		8.07	89.2	6.17	2.27	0.15	<0.02	1.05	0.085	0.10	22.5	2.6	0.03	1740	1.40	0.01
CC148862		4.06	57.8	6.38	2.90	0.16	0.07	0.35	0.071	0.06	26.8	10.4	0.22	1100	0.72	0.01
CC148863		7.19	57.6	5.27	3.07	0.08	0.03	0.07	0.042	0.07	3.5	19.9	0.27	491	0.90	0.01
CC148864		9.85	61.5	6.25	3.13	0.13	0.08	0.15	0.042	0.10	15.1	15.7	0.26	1630	0.82	0.01
CC148865		45.6	58.8	6.62	5.05	0.16	0.10	0.25	0.044	0.08	11.3	34.7	0.64	2740	1.07	0.01
CC148866		5.73	82.8	8.35	1.72	0.09	0.08	0.21	0.063	0.10	1.6	8.6	0.14	2940	0.32	0.01
CC148867		13.05	69.7	7.36	5.20	0.11	0.06	0.09	0.047	0.06	5.9	45.0	0.60	2100	1.27	0.01
CC148868		2.02	54.0	5.61	0.82	0.08	0.05	2.28	0.051	0.07	1.6	1.9	0.04	452	2.30	0.03
CC148869		2.21	70.3	6.10	1.10	0.09	0.12	0.97	0.053	0.14	3.1	1.6	0.03	196	0.98	0.02
CC148870		6.38	71.3	8.11	4.92	0.09	<0.02	0.09	0.060	0.05	5.4	19.9	0.41	384	3.25	0.02
CC148871		11.20	72.0	7.78	4.17	0.11	0.04	0.16	0.064	0.08	6.5	26.9	0.47	1200	4.19	0.02
CC148872		15.70	108.5	10.05	6.88	0.15	0.06	0.06	0.116	0.07	5.3	41.3	0.67	709	7.61	0.02
CC148873		6.64	97.6	8.38	6.63	0.12	0.14	0.06	0.077	0.07	4.9	38.3	0.53	286	9.81	0.01
CC148874		9.95	38.0	5.13	5.53	0.09	0.05	0.05	0.047	0.07	3.7	26.6	0.26	1590	1.77	0.01
CC148875		0.58	31.2	3.66	2.38	0.10	0.11	0.15	0.036	0.08	7.9	7.3	0.26	1060	1.41	0.02
CC148876		0.50	45.0	5.28	2.22	0.13	0.03	0.15	0.069	0.06	18.7	5.5	0.07	652	0.76	0.01
CC148877		0.78	34.7	4.38	3.33	0.11	0.02	0.14	0.050	0.06	19.8	10.4	0.32	629	1.29	0.01
CC148878		1.44	26.9	3.46	4.60	0.11	0.02	0.08	0.042	0.05	16.3	13.5	0.42	696	1.48	0.01
CC148879		0.85	22.2	3.67	2.92	0.09	0.03	0.12	0.030	0.04	8.6	7.5	0.16	930	1.15	0.01
CC148880		1.21	29.7	3.76	4.02	0.11	0.03	0.13	0.056	0.07	7.5	15.3	0.28	531	1.21	0.02
CC148881		2.08	46.8	5.37	4.70	0.16	0.05	0.10	0.072	0.06	13.9	25.9	0.32	713	1.56	0.02
CC148767		2.44	27.8	3.37	8.35	0.16	0.06	0.03	0.037	0.08	19.9	67.9	1.34	450	0.71	0.01
CC148768		1.84	28.7	2.26	6.84	0.23	0.08	0.09	0.039	0.05	47.1	68.9	2.06	451	0.66	0.01
CC148769		1.60	25.8	3.27	6.23	0.15	<0.02	0.03	0.036	0.06	14.0	30.2	0.71	314	1.67	0.02
CC148770		1.39	33.8	3.07	7.12	0.19	0.14	0.07	0.042	0.10	29.9	54.3	2.12	401	0.97	0.01
CC148771		1.66	46.8	2.91	4.68	0.17	0.22	0.09	0.041	0.12	22.8	45.3	0.90	315	5.05	0.02
CC148772		3.01	37.9	4.78	6.04	0.16	0.06	0.05	0.064	0.06	14.5	59.9	0.38	813	1.02	0.01
CC148773		2.00	23.3	3.18	4.19	0.12	0.05	0.05	0.035	0.05	6.1	18.4	0.16	372	1.09	0.01
CC148774		2.09	13.9	2.73	2.15	0.11	0.03	0.04	0.032	0.06	2.3	5.0	0.06	65	0.84	0.01
CC148775		2.07	23.6	4.14	5.58	0.13	0.02	0.05	0.043	0.05	8.1	30.4	0.36	516	1.24	0.01
CC148776		1.74	30.5	4.22	5.45	0.13	0.07	0.02	0.041	0.06	8.4	40.9	0.52	639	0.90	0.01
CC148912		0.26	13.6	5.54	1.32	0.12	0.03	0.60	0.021	0.02	9.5	4.2	7.25	3200	0.37	0.02
CC148913		3.25	50.2	5.15	1.25	0.15	0.05	1.80	0.057	0.06	8.4	9.2	0.11	945	0.85	<0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 23- SEP- 2011
Account: RCM

Project: Rackla - East Osiris

CERTIFICATE OF ANALYSIS WH11174074

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
CC148907		0.38	41.4	960	30.9	16.8	<0.001	0.07	0.33	2.8	0.3	0.6	11.8	<0.01	0.01	3.3
CC148908		0.34	19.9	1160	30.3	18.1	<0.001	0.09	0.44	1.6	0.3	0.7	8.2	<0.01	0.02	1.2
CC148909		0.40	22.3	1420	24.4	19.7	<0.001	0.09	0.46	1.7	0.6	0.7	6.7	<0.01	0.03	1.5
CC148910		0.38	33.6	1240	30.3	16.4	<0.001	0.08	0.56	2.0	0.6	0.6	11.9	<0.01	0.03	1.3
CC148911		0.35	22.1	1330	22.7	16.7	<0.001	0.11	0.48	1.5	0.5	0.6	10.1	<0.01	0.04	0.9
CC148859		0.24	52.3	360	23.2	6.2	<0.001	0.03	0.94	21.9	2.1	0.4	30.9	<0.01	0.01	3.0
CC148860		<0.05	96.0	490	26.8	6.6	<0.001	0.12	0.67	11.8	0.8	0.3	47.7	<0.01	0.05	4.0
CC148861		0.05	58.9	680	47.2	8.1	<0.001	0.05	0.92	12.9	0.8	0.5	22.4	<0.01	0.11	6.3
CC148862		0.14	52.1	890	19.0	5.6	<0.001	0.08	0.45	13.6	1.3	0.4	112.5	<0.01	0.02	1.8
CC148863		0.13	35.9	480	26.2	7.5	<0.001	0.04	0.98	6.0	0.4	0.4	16.2	<0.01	0.06	2.3
CC148864		0.15	34.3	900	46.1	10.4	<0.001	0.08	0.74	14.9	1.2	0.4	41.3	<0.01	0.09	3.3
CC148865		0.31	37.6	980	60.6	12.1	<0.001	0.06	0.89	15.9	1.8	0.5	27.9	<0.01	0.07	3.3
CC148866		<0.05	67.8	120	30.2	6.1	<0.001	0.02	0.28	19.6	0.6	0.5	27.6	<0.01	0.02	1.8
CC148867		0.30	49.3	700	51.1	7.2	<0.001	0.06	1.10	11.7	1.3	0.5	23.7	<0.01	0.04	2.3
CC148868		<0.05	52.9	320	35.1	3.6	0.004	0.21	1.58	7.2	1.3	0.5	50.7	<0.01	0.08	1.8
CC148869		<0.05	44.8	760	44.6	7.6	<0.001	0.31	1.04	10.2	0.4	0.4	170.5	<0.01	0.11	11.5
CC148870		0.28	44.5	2200	22.5	4.7	<0.001	0.14	1.62	1.7	1.3	0.5	49.2	<0.01	0.03	0.6
CC148871		0.47	46.5	1110	36.3	6.8	0.002	0.09	1.36	9.4	2.2	0.6	42.6	<0.01	0.06	9.5
CC148872		0.24	40.0	2170	45.5	9.2	<0.001	0.13	2.57	12.6	1.9	0.8	75.9	<0.01	0.15	13.0
CC148873		0.15	44.7	1170	47.2	7.2	0.001	0.06	2.34	10.0	2.5	0.7	55.7	<0.01	0.18	8.1
CC148874		0.32	32.6	1290	32.5	11.0	<0.001	0.12	0.81	3.0	0.7	0.6	43.4	<0.01	0.11	2.2
CC148875		0.34	30.8	2780	21.3	5.6	<0.001	0.22	1.56	2.3	1.0	0.4	573	0.01	0.07	0.7
CC148876		0.11	44.1	1100	37.7	4.5	<0.001	0.11	0.69	7.3	1.6	0.4	112.5	<0.01	0.08	1.8
CC148877		0.34	35.1	1220	23.8	6.1	<0.001	0.10	1.06	3.7	1.4	0.5	114.0	<0.01	0.06	0.8
CC148878		0.57	32.2	960	16.6	8.5	<0.001	0.09	1.19	3.6	1.2	0.6	69.0	<0.01	0.05	0.9
CC148879		0.39	19.7	1780	17.8	5.2	<0.001	0.21	0.86	1.5	0.7	0.4	148.0	<0.01	0.08	0.3
CC148880		0.42	26.3	1250	21.8	7.0	<0.001	0.13	0.80	2.2	0.8	0.5	129.0	<0.01	0.04	0.7
CC148881		0.27	46.0	770	31.6	9.8	<0.001	0.06	0.85	7.1	1.2	0.5	51.9	<0.01	0.10	3.1
CC148767		0.42	41.3	700	18.3	12.2	<0.001	0.06	0.41	2.7	0.4	0.5	8.9	<0.01	<0.01	2.4
CC148768		0.44	29.0	1760	17.7	7.5	<0.001	0.04	0.45	10.3	1.3	0.4	43.8	<0.01	0.01	4.3
CC148769		0.74	30.6	780	15.6	8.3	<0.001	0.04	1.00	3.1	0.8	0.5	20.3	<0.01	0.02	1.3
CC148770		0.49	31.7	840	14.0	15.1	<0.001	0.07	0.55	7.1	1.8	0.5	33.7	<0.01	0.02	3.4
CC148771		0.40	38.8	1210	28.4	8.7	0.001	0.03	0.98	6.1	1.4	0.4	56.1	<0.01	0.06	7.4
CC148772		0.39	38.3	730	33.5	8.8	<0.001	0.05	0.58	8.1	1.3	0.5	69.0	<0.01	0.07	2.9
CC148773		0.44	24.3	1310	25.0	8.8	<0.001	0.11	0.60	2.0	0.8	0.5	119.5	0.01	0.04	0.5
CC148774		0.08	5.4	140	32.9	5.3	<0.001	0.06	0.36	1.6	0.8	0.5	11.4	<0.01	0.03	2.1
CC148775		0.45	24.6	680	30.2	10.7	<0.001	0.05	0.75	2.0	0.8	0.5	8.6	<0.01	0.04	0.7
CC148776		0.32	32.8	740	28.2	10.1	<0.001	0.04	0.55	3.3	0.6	0.4	21.7	<0.01	0.05	2.0
CC148912		0.11	14.8	1230	46.7	3.0	<0.001	0.08	2.23	2.7	1.1	0.3	106.5	<0.01	0.04	0.5
CC148913		0.06	99.8	740	49.1	7.3	0.001	0.03	0.72	9.8	1.7	0.5	28.9	<0.01	0.05	3.8

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 23- SEP- 2011
Account: RCM

Project: Rackla - East Osiris

CERTIFICATE OF ANALYSIS WH11174074

Sample Description	Method Analyte Units LOR	ME- MS41 Ti % 0.005	ME- MS41 Tl ppm 0.02	ME- MS41 U ppm 0.05	ME- MS41 V ppm 1	ME- MS41 W ppm 0.05	ME- MS41 Y ppm 0.05	ME- MS41 Zn ppm 2	ME- MS41 Zr ppm 0.5
CC148907		0.011	0.14	0.49	26	0.05	5.04	113	1.8
CC148908		0.010	0.18	0.73	30	0.07	4.50	71	0.7
CC148909		0.009	0.16	0.72	32	0.06	4.55	72	1.6
CC148910		0.013	0.16	0.77	32	0.09	7.24	93	1.4
CC148911		0.010	0.14	0.68	28	0.05	5.04	81	0.7
CC148859		0.010	0.15	0.79	34	0.09	53.7	91	0.6
CC148860		<0.005	0.08	0.47	25	<0.05	17.85	119	1.7
CC148861		<0.005	0.29	0.77	19	<0.05	16.90	95	<0.5
CC148862		0.005	0.14	0.81	36	0.06	32.1	114	2.1
CC148863		<0.005	0.13	0.47	28	<0.05	5.16	94	0.8
CC148864		0.005	0.22	0.57	24	<0.05	28.5	98	2.2
CC148865		0.016	0.31	1.17	38	0.08	42.5	104	3.1
CC148866		<0.005	0.14	0.31	27	<0.05	11.00	118	4.2
CC148867		0.015	0.16	0.87	42	0.11	13.00	110	1.7
CC148868		<0.005	0.50	0.46	19	<0.05	7.03	117	2.8
CC148869		<0.005	0.21	0.60	9	<0.05	5.23	106	6.4
CC148870		0.019	0.19	0.84	43	0.16	5.51	104	<0.5
CC148871		0.026	0.24	1.56	39	0.16	9.40	124	2.8
CC148872		0.011	0.43	2.44	42	0.06	7.90	142	4.1
CC148873		0.009	0.25	1.57	44	<0.05	9.29	132	8.2
CC148874		0.008	0.18	1.03	30	0.06	6.34	103	1.8
CC148875		0.013	0.15	1.19	30	0.11	13.20	124	3.2
CC148876		<0.005	0.07	1.23	23	0.05	23.6	138	0.9
CC148877		0.014	0.11	1.08	40	0.17	23.2	110	0.6
CC148878		0.023	0.14	1.16	48	0.25	12.20	100	0.6
CC148879		0.011	0.10	1.34	32	0.09	9.27	116	0.9
CC148880		0.017	0.11	1.05	37	0.09	7.73	103	0.7
CC148881		0.007	0.16	1.06	31	0.07	21.4	98	1.5
CC148767		0.014	0.12	0.60	29	0.08	4.68	89	1.5
CC148768		0.018	0.09	2.62	35	0.11	30.5	92	2.4
CC148769		0.052	0.10	0.71	52	0.36	6.44	82	<0.5
CC148770		0.021	0.13	2.02	41	0.09	20.4	114	3.6
CC148771		0.016	0.19	3.10	30	0.07	15.25	106	11.6
CC148772		0.009	0.10	1.18	28	0.08	21.5	97	1.9
CC148773		0.010	0.09	1.25	29	0.09	8.69	64	1.6
CC148774		<0.005	0.13	0.45	9	<0.05	2.96	20	1.7
CC148775		0.017	0.11	0.73	35	0.14	4.66	81	<0.5
CC148776		0.010	0.10	0.97	25	0.08	8.39	93	1.9
CC148912		0.007	0.18	1.38	17	0.14	15.35	45	0.9
CC148913		<0.005	0.25	1.72	9	0.05	36.1	194	1.1

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 23- SEP- 2011
Account: RCM

Project: Rackla - East Osiris

CERTIFICATE OF ANALYSIS WH11174074

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- TL43 Au ppm 0.001	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1
CC148914		0.34	0.001	0.05	1.33	14.5	<0.2	<10	130	1.04	0.40	0.13	0.09	21.2	9.6	16
CC148915		0.28	<0.001	0.06	1.03	9.3	<0.2	<10	150	0.76	0.42	0.37	0.14	16.25	9.5	15
CC148916		0.28	<0.001	0.05	1.05	7.2	<0.2	<10	100	0.61	0.34	0.04	0.08	16.50	6.5	15
CC148917		0.24	0.002	0.12	1.31	9.7	<0.2	<10	200	0.68	0.39	0.57	0.13	15.10	8.8	18
CC148918		0.26	0.002	0.06	0.93	7.9	<0.2	<10	50	0.61	0.36	0.02	0.08	10.10	8.0	13
CC148919		0.34	0.004	0.05	1.74	18.3	<0.2	<10	150	1.32	0.37	0.10	0.32	33.4	16.0	22
CC148920		0.30	0.002	0.08	2.06	11.6	<0.2	<10	230	0.79	0.35	0.55	0.07	29.8	11.1	29
CC148921		0.32	0.002	0.06	1.59	11.5	<0.2	<10	60	0.65	0.42	0.01	0.09	16.20	15.3	22
CC148922		0.34	0.002	0.04	1.60	8.2	<0.2	<10	50	0.86	0.45	0.01	0.07	9.65	12.6	22
CC148923		0.26	0.002	0.07	2.14	24.0	<0.2	<10	80	1.26	0.41	0.33	0.14	45.8	13.8	26
CC148924		0.32	0.002	0.20	1.37	26.0	<0.2	<10	150	1.31	0.37	0.76	0.21	35.6	12.8	19
CC148925		0.28	0.003	0.10	0.63	9.5	<0.2	<10	50	1.07	0.41	0.02	0.09	22.8	15.9	12
CC148926		0.32	0.002	0.06	1.18	10.4	<0.2	<10	110	1.08	0.41	0.02	0.10	38.6	13.2	14
CC148927		0.26	0.002	0.10	0.64	8.4	<0.2	<10	100	0.84	0.41	0.02	0.07	17.65	12.9	12
CC148928		0.34	0.002	0.12	1.65	13.5	<0.2	<10	100	1.02	0.38	0.06	0.18	35.3	14.5	23
CC148929		0.30	0.001	0.04	0.57	10.8	<0.2	<10	60	0.71	0.49	0.02	0.06	10.85	15.9	8
CC148930		0.30	0.002	0.10	1.52	14.6	<0.2	<10	70	0.90	0.43	0.04	0.15	23.9	20.3	22
CC148931		0.32	0.002	0.05	1.13	8.6	<0.2	<10	150	1.30	0.42	0.04	0.10	28.2	12.4	14
CC148932		0.34	0.002	0.03	0.94	10.6	<0.2	<10	80	0.87	0.41	0.07	0.13	17.30	9.4	13
CC148933		0.28	0.002	0.21	1.49	14.9	<0.2	<10	140	1.26	0.39	0.43	0.25	43.0	12.1	21
CC148934		0.30	0.002	0.10	1.49	14.8	<0.2	<10	290	1.29	0.35	0.49	0.11	27.4	12.6	20
CC148935		0.26	0.002	0.16	1.16	9.8	<0.2	<10	250	1.09	0.43	0.43	0.16	34.3	10.8	15
CC148936		0.32	0.002	0.16	0.92	10.6	<0.2	<10	120	1.06	0.48	0.27	0.10	19.55	14.9	14
CC148937		0.34	0.002	0.08	0.95	9.1	<0.2	<10	120	0.80	0.46	0.22	0.12	10.80	12.4	16
CC148938		0.30	0.002	0.10	1.27	7.9	<0.2	<10	90	1.33	0.44	0.08	0.09	19.60	14.6	16
CC148939		0.32	0.002	0.13	1.45	20.1	<0.2	<10	210	1.52	0.40	0.33	0.18	35.8	15.0	19
CC148940		0.32	0.003	0.05	1.30	15.5	<0.2	<10	100	1.18	0.37	0.05	0.20	40.6	16.2	19
CC148941		0.26	0.001	0.10	1.46	13.5	<0.2	<10	120	1.26	0.35	0.52	0.17	29.0	12.2	23
CC148942		0.26	0.001	0.08	1.62	8.4	<0.2	<10	120	1.27	0.37	0.73	0.31	34.2	13.0	23
CC148943		0.24	<0.001	0.13	0.77	9.5	<0.2	<10	100	0.82	0.30	0.51	0.27	31.9	11.6	11
CC148944		0.26	0.001	0.38	1.31	11.2	<0.2	<10	90	0.88	0.39	0.05	0.48	22.7	10.6	17
CC148945		0.26	0.002	0.29	1.55	14.5	<0.2	<10	170	1.28	0.28	0.39	2.51	51.9	8.3	22
CC148946		0.26	0.001	0.17	0.38	5.2	<0.2	<10	50	0.84	0.28	0.22	0.15	18.00	6.8	6
CC148947		0.24	0.003	0.22	0.90	12.6	<0.2	<10	90	0.63	0.20	9.43	0.83	24.2	7.8	14
CC148948		0.26	0.003	0.18	0.67	7	<0.2	<10	80	0.63	0.12	10.90	13.35	24.7	5.0	10
CC148949		0.26	0.003	0.17	1.15	10.9	<0.2	<10	110	0.82	0.19	6.78	2.93	26.3	7.6	17
CC148950		0.20	0.001	0.08	0.47	6	<0.2	<10	90	0.41	0.07	12.05	0.43	17.75	3.3	6
CC148701		0.24	0.001	0.02	1.54	10.9	<0.2	<10	120	0.58	0.33	0.11	0.07	29.0	8.3	24
CC148702		0.24	0.001	0.08	2.32	15.1	<0.2	<10	300	1.88	0.39	0.66	0.44	43.6	15.5	28
CC148703		0.22	0.002	0.17	1.37	12.4	<0.2	<10	110	0.97	0.29	2.98	0.33	44.6	11.8	22

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 23- SEP- 2011
Account: RCM

Project: Rackla - East Osiris

CERTIFICATE OF ANALYSIS WH11174074

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
CC148914		2.24	23.6	3.66	4.02	0.11	0.05	0.09	0.046	0.07	8.2	20.4	0.20	323	0.71	0.01
CC148915		2.51	26.1	3.67	4.65	0.11	0.03	0.03	0.046	0.09	6.4	13.8	0.12	387	0.85	0.01
CC148916		2.28	18.3	3.05	4.77	0.12	0.02	0.04	0.036	0.06	7.3	10.7	0.10	363	0.96	0.01
CC148917		2.68	22.9	3.85	5.52	0.11	0.02	0.02	0.042	0.06	6.5	17.5	0.18	418	1.04	0.01
CC148918		2.65	24.5	3.42	3.58	0.10	0.04	0.04	0.045	0.06	4.0	13.7	0.11	207	0.80	0.01
CC148919		1.79	36.7	4.25	4.74	0.13	0.04	0.12	0.046	0.07	13.8	23.3	0.37	752	0.70	0.01
CC148920		1.73	14.7	3.64	7.57	0.12	0.05	0.04	0.038	0.06	14.2	26.7	0.54	745	1.08	0.01
CC148921		2.19	29.6	6.82	5.46	0.11	0.04	0.02	0.062	0.06	6.6	37.0	0.25	677	0.89	0.01
CC148922		4.17	30.6	4.95	5.55	0.11	0.04	0.02	0.053	0.07	4.2	39.8	0.28	476	0.81	0.01
CC148923		1.30	28.4	4.44	6.01	0.12	0.07	0.11	0.047	0.10	11.8	33.0	0.41	611	0.60	0.01
CC148924		0.92	29.5	5.10	4.21	0.14	0.08	0.11	0.046	0.08	18.3	16.8	0.41	1700	0.65	0.01
CC148925		2.44	31.8	4.83	2.43	0.12	<0.02	0.05	0.042	0.09	8.1	4.9	0.08	402	0.85	0.01
CC148926		1.37	29.0	4.67	2.83	0.13	0.03	0.03	0.051	0.07	12.1	14.5	0.13	423	0.63	0.01
CC148927		1.97	32.6	4.41	1.76	0.12	0.03	0.14	0.051	0.05	4.3	10.5	0.05	370	0.57	<0.01
CC148928		1.92	32.1	4.11	4.91	0.13	0.05	0.04	0.042	0.06	10.7	36.6	0.44	720	0.79	0.01
CC148929		2.22	42.1	5.30	1.31	0.11	0.02	0.02	0.062	0.05	3.8	10.6	0.09	498	0.65	<0.01
CC148930		3.46	36.0	4.82	5.02	0.12	0.02	0.03	0.061	0.07	9.1	37.8	0.31	436	1.17	0.01
CC148931		1.96	28.8	4.78	2.92	0.12	0.04	0.03	0.050	0.06	7.5	22.4	0.14	516	0.51	0.01
CC148932		2.29	23.0	3.46	3.53	0.10	0.02	0.02	0.044	0.08	6.6	21.0	0.14	332	0.60	<0.01
CC148933		1.44	28.2	4.26	4.29	0.14	0.07	0.13	0.044	0.09	20.0	27.2	0.40	855	0.76	0.01
CC148934		3.01	26.0	4.18	4.96	0.14	0.06	0.04	0.047	0.11	13.4	20.1	0.24	657	0.82	0.01
CC148935		2.86	28.1	4.14	3.53	0.12	0.05	0.14	0.045	0.10	11.9	18.8	0.18	435	0.64	0.01
CC148936		1.82	31.7	5.26	2.42	0.07	0.07	0.06	0.053	0.07	7.7	17.2	0.20	511	0.50	0.01
CC148937		2.63	26.9	4.25	3.67	<0.05	0.04	0.04	0.045	0.07	4.3	15.8	0.16	512	0.72	<0.01
CC148938		1.76	29.5	4.36	3.26	0.05	0.06	0.03	0.047	0.05	6.6	37.5	0.29	451	0.40	<0.01
CC148939		1.34	30.8	4.87	3.34	0.05	0.08	0.07	0.047	0.06	11.8	15.7	0.21	1060	0.52	<0.01
CC148940		1.36	26.7	4.79	3.70	0.06	0.04	0.03	0.042	0.04	14.8	16.0	0.23	1030	0.98	<0.01
CC148941		2.38	24.9	4.33	4.13	0.05	0.10	0.04	0.040	0.06	10.2	30.7	0.38	828	0.92	<0.01
CC148942		2.16	21.4	4.53	5.33	0.06	0.09	<0.01	0.052	0.06	8.4	27.3	0.32	923	0.90	<0.01
CC148943		0.96	23.7	4.35	2.43	0.05	0.05	0.04	0.036	0.04	9.7	11.5	0.14	515	0.69	<0.01
CC148944		1.80	21.9	4.19	4.32	<0.05	0.03	0.03	0.034	0.06	9.4	14.3	0.20	972	1.08	<0.01
CC148945		0.96	17.6	7.79	4.20	0.07	0.06	0.31	0.036	0.04	26.0	9.9	0.27	4120	0.90	<0.01
CC148946		1.30	12.7	2.47	1.14	<0.05	0.05	0.12	0.023	0.05	7.0	2.8	0.10	523	0.24	<0.01
CC148947		0.40	15.4	4.45	2.41	0.05	0.06	0.16	0.020	0.04	13.5	6.1	5.78	2230	0.63	0.02
CC148948		0.29	11.1	5.29	2.16	0.05	0.06	1.12	0.019	0.03	12.7	4.2	6.35	3960	0.45	0.02
CC148949		0.69	13.8	4.18	3.33	<0.05	0.07	0.24	0.020	0.03	12.6	8.4	4.28	2260	0.86	0.01
CC148950		0.32	6.6	5.72	1.27	<0.05	0.04	0.04	0.009	0.02	8.6	2.5	7.20	3740	0.47	0.02
CC148701		1.13	12.9	3.46	6.38	<0.05	<0.02	0.01	0.034	0.03	8.0	18.7	0.31	345	1.09	<0.01
CC148702		1.22	27.9	6.81	5.76	0.05	0.11	0.03	0.048	0.07	19.0	35.4	0.49	2110	0.67	0.01
CC148703		0.44	20.8	3.00	3.85	0.05	0.06	0.20	0.029	0.06	24.4	11.1	1.20	828	0.87	0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 23- SEP- 2011
Account: RCM

Project: Rackla - East Osiris

CERTIFICATE OF ANALYSIS WH11174074

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
CC148914		0.26	27.6	660	26.0	15.3	<0.001	0.04	0.74	4.4	0.6	0.5	23.1	<0.01	0.02	2.3
CC148915		0.32	26.6	810	27.8	14.9	<0.001	0.04	0.47	3.1	0.6	0.7	48.1	<0.01	0.03	1.3
CC148916		0.32	16.4	750	17.8	17.1	<0.001	0.04	0.44	1.9	0.5	0.6	16.6	<0.01	0.03	0.7
CC148917		0.44	22.8	860	24.3	12.7	<0.001	0.05	0.51	2.3	0.9	0.7	52.3	<0.01	0.03	0.6
CC148918		0.27	20.5	800	26.9	12.2	<0.001	0.05	0.39	2.8	0.5	0.5	9.1	<0.01	0.04	1.4
CC148919		0.35	40.5	280	35.2	12.2	<0.001	0.02	0.65	6.7	0.6	0.6	17.6	<0.01	0.02	4.5
CC148920		0.79	22.3	790	23.0	11.7	<0.001	0.05	0.52	3.5	0.4	0.7	14.9	<0.01	0.03	1.5
CC148921		0.41	28.3	320	49.8	9.2	<0.001	0.04	0.48	4.1	0.7	0.6	5.3	<0.01	0.03	3.7
CC148922		0.37	29.7	390	39.5	15.1	<0.001	0.03	0.39	5.5	0.4	0.7	6.2	<0.01	0.03	3.3
CC148923		0.24	32.4	570	36.9	13.5	<0.001	0.04	0.51	5.0	0.6	0.7	21.2	<0.01	0.04	4.5
CC148924		0.23	32.7	1160	38.9	10.2	<0.001	0.05	0.67	5.5	1.2	0.5	32.5	<0.01	0.03	2.6
CC148925		0.15	39.1	460	43.0	10.7	<0.001	0.03	0.31	4.3	0.7	0.5	10.2	<0.01	0.03	2.6
CC148926		0.14	31.4	290	37.2	12.0	0.001	0.03	0.24	4.7	0.9	0.5	12.4	<0.01	0.01	5.0
CC148927		0.08	30.6	610	37.0	9.5	<0.001	0.02	0.34	5.9	0.6	0.4	36.6	<0.01	0.03	2.8
CC148928		0.42	34.4	540	34.4	12.7	<0.001	0.03	0.53	4.5	0.8	0.5	17.4	<0.01	0.05	3.1
CC148929		<0.05	32.8	410	50.9	7.8	<0.001	0.02	0.40	6.9	0.7	0.4	26.9	<0.01	0.02	2.7
CC148930		0.58	42.1	560	45.8	11.4	<0.001	0.04	0.71	4.0	1.3	0.6	22.9	<0.01	0.05	1.9
CC148931		0.12	31.0	420	39.8	12.8	<0.001	0.03	0.28	5.2	0.7	0.5	19.7	<0.01	0.01	3.6
CC148932		0.21	22.6	400	34.8	13.8	<0.001	0.03	0.32	3.1	0.4	0.5	19.4	<0.01	0.02	2.3
CC148933		0.31	32.4	670	34.4	11.7	0.001	0.05	0.59	5.0	0.9	0.5	33.6	<0.01	0.03	2.6
CC148934		0.32	28.2	840	40.4	15.2	0.001	0.05	0.47	3.6	0.6	0.6	49.4	<0.01	0.03	1.5
CC148935		0.23	31.7	640	31.6	12.0	<0.001	0.04	0.41	4.9	0.8	0.5	56.6	<0.01	0.02	3.1
CC148936		0.12	31.1	410	43.6	8.2	<0.001	0.03	0.35	6.4	0.4	0.5	35.9	<0.01	0.04	5.5
CC148937		0.33	24.8	780	35.9	12.5	<0.001	0.01	0.45	3.1	<0.2	0.6	33.8	<0.01	0.04	1.5
CC148938		0.17	32.8	280	38.3	8.2	0.001	<0.01	0.29	5.3	0.3	0.5	14.7	<0.01	0.04	3.9
CC148939		0.21	33.5	540	37.8	12.9	<0.001	<0.01	0.39	5.9	0.8	0.5	30.4	<0.01	0.05	4.0
CC148940		0.48	31.2	610	36.4	9.8	<0.001	<0.01	0.64	5.3	1.6	0.5	17.2	<0.01	0.04	2.1
CC148941		0.52	31.4	740	30.8	10.5	<0.001	0.02	0.64	5.1	0.9	0.5	55.0	<0.01	0.04	2.2
CC148942		0.43	23.5	1490	31.3	12.1	0.001	0.05	0.56	5.4	0.6	0.5	52.2	<0.01	0.05	2.1
CC148943		0.25	27.0	870	27.6	7.0	<0.001	0.01	0.47	3.8	0.6	0.4	43.7	<0.01	0.06	2.0
CC148944		0.50	23.1	820	48.7	12.4	<0.001	0.01	0.71	3.1	0.9	0.6	7.8	<0.01	0.04	1.4
CC148945		0.41	26.3	1740	165.5	7.6	<0.001	0.04	1.08	4.6	1.5	0.5	12.1	0.01	0.04	1.4
CC148946		0.19	13.7	310	42.6	3.7	<0.001	<0.01	0.29	5.7	0.9	0.3	3.3	<0.01	0.02	3.3
CC148947		0.36	19.9	1450	36.1	5.1	<0.001	0.02	1.63	3.1	0.9	0.4	38.3	<0.01	0.07	1.3
CC148948		0.28	11.7	1240	23.7	3.3	<0.001	0.03	1.14	2.4	0.7	0.3	39.2	<0.01	0.03	1.1
CC148949		0.62	19.8	1380	21.4	6.2	<0.001	0.02	1.01	2.8	0.8	0.4	33.3	<0.01	0.03	1.4
CC148950		0.19	7.0	1540	20.0	3.6	<0.001	0.05	0.74	0.8	0.8	0.2	35.6	<0.01	0.02	0.4
CC148701		0.96	16.9	550	22.9	5.8	<0.001	<0.01	0.57	2.0	0.4	0.7	9.1	<0.01	0.05	1.0
CC148702		0.44	33.5	790	39.3	11.5	<0.001	0.01	0.77	5.9	0.8	0.6	37.1	<0.01	0.04	3.7
CC148703		0.57	24.7	1900	21.0	6.1	0.001	0.07	1.06	2.2	1.4	0.5	85.2	<0.01	0.08	0.9

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 23- SEP- 2011
Account: RCM

Project: Rackla - East Osiris

CERTIFICATE OF ANALYSIS WH11174074

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
CC148914		<0.005	0.15	0.82	22	0.08	8.89	93	1.3
CC148915		0.006	0.16	0.64	25	0.09	4.78	95	0.7
CC148916		0.007	0.16	0.62	27	0.10	3.71	64	0.5
CC148917		0.010	0.17	0.55	35	0.13	4.47	78	<0.5
CC148918		0.005	0.13	0.56	21	0.06	3.42	71	0.9
CC148919		0.008	0.17	1.12	29	0.11	15.40	118	1.3
CC148920		0.017	0.20	1.22	49	0.26	8.00	56	1.2
CC148921		0.005	0.16	0.49	26	0.08	4.53	124	1.4
CC148922		0.005	0.18	0.47	26	0.09	3.92	104	0.9
CC148923		<0.005	0.15	1.49	25	0.07	11.50	105	2.0
CC148924		0.005	0.16	1.74	23	0.10	21.5	117	2.2
CC148925		<0.005	0.15	0.67	13	<0.05	10.65	69	<0.5
CC148926		<0.005	0.19	0.97	14	<0.05	9.02	98	0.8
CC148927		<0.005	0.19	0.56	16	<0.05	11.55	100	0.6
CC148928		0.010	0.14	1.11	26	0.12	7.81	107	1.4
CC148929		<0.005	0.19	0.58	9	<0.05	5.33	73	0.6
CC148930		0.012	0.18	0.77	29	0.13	5.68	118	0.6
CC148931		<0.005	0.15	0.83	16	<0.05	9.57	90	1.1
CC148932		<0.005	0.12	0.60	17	<0.05	4.04	92	0.6
CC148933		0.007	0.13	1.94	24	0.10	18.45	111	1.8
CC148934		0.006	0.16	1.54	31	0.10	16.60	80	1.6
CC148935		<0.005	0.14	1.12	19	0.07	11.95	109	1.3
CC148936		<0.005	0.14	0.70	15	0.05	10.75	114	1.8
CC148937		0.006	0.14	0.56	23	0.08	3.99	114	0.9
CC148938		<0.005	0.10	0.80	13	<0.05	10.10	99	1.8
CC148939		<0.005	0.16	1.37	19	0.06	15.20	122	2.0
CC148940		0.009	0.15	1.38	28	0.17	20.9	111	0.9
CC148941		0.012	0.15	3.07	28	0.11	14.55	115	2.5
CC148942		0.008	0.12	1.12	32	0.09	15.85	154	2.0
CC148943		0.006	0.10	1.12	16	0.05	17.85	102	1.4
CC148944		0.011	0.17	0.99	28	0.15	8.56	286	0.9
CC148945		0.014	0.15	3.54	34	0.15	30.4	627	1.5
CC148946		<0.005	0.05	0.67	8	<0.05	14.65	72	1.4
CC148947		0.012	0.08	2.16	21	0.14	18.60	350	1.6
CC148948		0.010	0.07	1.35	16	0.09	14.45	5330	1.6
CC148949		0.022	0.17	1.72	28	0.20	13.05	1810	1.8
CC148950		0.006	0.13	0.88	10	0.07	14.00	116	0.9
CC148701		0.020	0.14	0.91	44	0.21	3.32	54	<0.5
CC148702		0.005	0.13	5.49	28	0.12	13.50	171	2.9
CC148703		0.015	0.11	2.24	33	0.20	19.25	96	1.4

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 23- SEP- 2011
Account: RCM

Project: Rackla - East Osiris

CERTIFICATE OF ANALYSIS WH11174074

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- TL43 Au ppm 0.001	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1
CC148704		0.24	0.001	0.08	0.73	6	<0.2	<10	110	1.10	0.10	11.45	0.56	15.45	4.0	11
CC148705		0.22	0.002	0.10	1.30	14.0	<0.2	<10	130	1.72	0.20	5.53	1.02	28.0	8.3	18
CC148706		0.24	0.001	0.08	1.05	17	<0.2	<10	80	0.63	0.16	10.55	0.70	31.6	6.7	13
CC148707		0.26	0.001	0.06	0.55	6	<0.2	<10	80	0.33	0.08	13.65	0.38	10.15	3.6	7
CC148882		0.40	0.001	0.07	1.26	11.9	<0.2	<10	100	0.95	0.41	0.08	0.13	14.85	10.9	19
CC148883		0.48	0.001	0.16	1.09	24.1	<0.2	<10	120	1.82	0.44	0.08	0.11	11.00	35.7	16
CC148884		0.30	0.001	0.24	1.41	13.2	<0.2	<10	150	1.28	0.43	0.62	0.18	21.3	14.1	20
CC148885		0.18	<0.001	0.17	0.66	8.5	<0.2	<10	100	0.46	0.30	0.37	0.22	8.99	10.5	11
CC148886		0.32	<0.001	0.18	1.33	13.6	<0.2	<10	70	1.07	0.41	0.62	0.26	30.9	16.7	21
CC148887		0.32	<0.001	0.13	1.80	13.9	<0.2	<10	80	1.45	0.44	0.45	0.24	41.3	17.5	23
CC148888		0.38	0.001	0.11	1.68	13.3	<0.2	<10	100	1.14	0.44	0.03	0.13	9.72	21.3	26
CC148889		0.44	0.001	0.12	2.05	19.8	<0.2	<10	110	1.70	0.45	0.05	0.17	15.10	22.6	27
CC148890		0.38	0.001	0.11	1.58	16.4	<0.2	<10	90	1.59	0.42	0.50	0.15	31.3	21.3	22
CC148891		0.22	0.001	0.08	1.25	12.0	<0.2	<10	90	1.08	0.34	1.30	0.15	23.7	13.3	18
CC148892		0.34	0.002	0.08	1.66	12.1	<0.2	<10	130	1.25	0.35	0.38	0.17	35.0	15.3	25
CC148893		0.18	0.001	0.07	1.45	12.3	<0.2	<10	140	1.57	0.38	1.36	0.15	45.8	20.9	19
CC148894		0.20	0.002	0.12	0.90	5.6	<0.2	<10	70	0.82	0.17	2.27	0.35	32.1	8.6	12
CC148895		0.28	0.010	1.02	1.17	16.2	<0.2	<10	120	0.99	0.26	0.94	0.36	44.5	9.9	19
CC148896		0.36	0.004	0.28	1.47	10.2	<0.2	<10	90	1.12	0.26	0.52	0.32	46.8	14.0	22
CC148897		0.34	0.002	0.29	1.20	11.1	<0.2	<10	100	0.96	0.25	0.46	0.26	40.4	13.3	20
CC148898		0.36	0.001	0.12	1.62	12.2	<0.2	<10	120	1.14	0.28	0.58	0.26	59.8	15.9	24
CC148899		0.46	0.001	0.18	1.50	11.3	<0.2	<10	130	1.51	0.34	0.27	0.30	68.6	14.1	22
CC148900		0.42	0.002	0.18	2.03	11.0	<0.2	<10	160	1.01	0.26	0.21	0.23	68.2	11.8	34
CC148751		0.28	0.002	0.23	2.23	10.3	<0.2	<10	190	1.54	0.24	0.68	0.42	96.4	12.3	24
CC148752		0.32	0.001	0.05	2.18	11.5	<0.2	<10	180	0.99	0.28	0.12	0.19	49.8	12.6	28
CC148753		0.48	0.001	0.03	2.15	11.5	<0.2	<10	140	1.08	0.30	0.08	0.12	41.1	13.7	32
CC148754		0.36	0.002	0.03	2.27	12.3	<0.2	<10	170	0.87	0.30	0.07	0.11	28.7	13.9	32
CC148755		0.42	0.001	0.10	1.60	10.5	<0.2	<10	170	0.96	0.31	0.34	0.16	43.3	12.3	30
CC148756		0.28	0.001	0.04	2.06	13.9	<0.2	<10	100	0.80	0.34	0.04	0.11	19.65	14.0	27
CC148757		0.40	0.001	0.32	0.89	9.8	<0.2	<10	100	1.24	0.39	0.27	0.14	36.1	15.2	11
CC148758		0.30	0.002	0.07	2.13	10.8	<0.2	<10	100	1.01	0.25	0.35	0.12	54.6	10.6	52
CC148759		0.44	0.001	0.05	1.87	12.1	<0.2	<10	110	1.12	0.32	0.11	0.13	32.7	17.3	29
CC148760		0.42	0.001	0.04	2.04	12.0	<0.2	<10	100	0.62	0.33	0.10	0.15	38.0	9.1	31
CC148761		0.38	0.001	0.03	2.16	12.9	<0.2	<10	70	0.79	0.36	0.04	0.09	18.80	12.8	28
CC148762		0.34	<0.001	0.03	2.03	12.5	<0.2	<10	100	0.94	0.35	0.17	0.10	27.6	12.5	27
CC148763		0.36	0.001	0.02	1.92	12.8	<0.2	<10	90	0.66	0.35	0.04	0.06	17.15	13.6	26
CC148764		0.40	0.001	0.04	1.94	15.6	<0.2	<10	80	0.67	0.31	0.06	0.22	34.0	14.2	32
CC148765		0.34	0.001	0.04	2.30	12.6	<0.2	<10	130	0.96	0.32	0.23	0.22	36.2	14.6	31
CC148766		0.44	0.001	0.02	2.01	11.2	<0.2	<10	110	1.31	0.33	0.07	0.15	51.4	15.8	32
CC148708		0.24	0.001	0.22	1.10	8.3	<0.2	<10	130	1.33	0.39	0.66	0.18	30.3	14.5	17

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 23- SEP- 2011
Account: RCM

Project: Rackla - East Osiris

CERTIFICATE OF ANALYSIS WH11174074

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
CC148704		0.39	7.1	3.73	1.63	0.05	0.04	0.06	0.014	0.02	9.6	3.9	6.96	3840	0.44	0.01
CC148705		0.71	12.4	6.37	3.84	0.06	0.05	0.11	0.023	0.03	14.1	8.3	3.43	4900	0.88	0.01
CC148706		0.60	7.8	2.70	2.43	0.05	0.03	0.02	0.017	0.03	14.8	5.9	6.28	1680	0.75	0.02
CC148707		0.39	7.2	3.32	1.41	<0.05	0.04	<0.01	0.009	0.02	4.8	3.4	8.46	2540	0.43	0.02
CC148882		2.82	33.4	4.17	4.41	<0.05	0.11	<0.01	0.045	0.08	5.9	42.3	0.32	257	0.97	0.01
CC148883		4.66	41.0	4.62	3.32	<0.05	0.12	<0.01	0.045	0.07	3.8	49.9	0.24	864	0.92	0.01
CC148884		3.05	31.7	4.49	3.89	0.05	0.12	0.04	0.053	0.07	8.3	24.2	0.27	521	1.11	0.01
CC148885		1.85	25.1	2.70	3.49	<0.05	0.02	0.07	0.029	0.06	3.4	3.9	0.07	356	1.23	0.01
CC148886		1.07	34.2	4.56	4.46	0.05	0.09	0.03	0.052	0.05	8.9	38.3	0.39	534	0.59	0.01
CC148887		2.12	35.8	4.70	5.94	0.05	0.09	0.01	0.062	0.06	10.3	56.3	0.55	571	0.64	0.01
CC148888		3.22	28.7	4.62	7.44	<0.05	0.06	0.01	0.036	0.08	3.6	27.6	0.34	2210	0.94	<0.01
CC148889		4.52	33.8	4.38	7.63	<0.05	0.12	<0.01	0.048	0.09	4.7	49.9	0.52	2000	0.89	0.01
CC148890		1.19	46.1	4.14	4.89	0.06	0.16	0.02	0.056	0.07	14.5	48.2	0.62	801	0.73	0.01
CC148891		0.64	31.3	3.27	4.21	0.05	0.09	0.03	0.044	0.06	10.6	27.5	0.38	762	0.62	0.01
CC148892		1.22	31.2	3.53	5.67	<0.05	0.09	<0.01	0.042	0.05	9.8	37.4	0.54	452	1.26	0.01
CC148893		1.44	30.6	3.03	4.71	0.06	0.08	0.05	0.042	0.07	15.5	31.6	0.50	870	0.57	0.01
CC148894		0.34	22.1	1.69	2.84	<0.05	0.14	0.06	0.024	0.06	13.2	13.4	0.35	467	1.01	0.01
CC148895		0.54	32.4	2.59	3.38	0.05	0.10	0.12	0.033	0.07	20.7	21.5	0.47	266	2.11	0.01
CC148896		0.89	33.3	3.32	4.15	0.16	0.09	0.05	0.031	0.08	20.5	32.8	0.78	432	1.17	0.01
CC148897		0.87	34.3	3.18	3.56	0.15	0.06	0.06	0.034	0.06	20.1	22.9	0.49	364	1.27	0.01
CC148898		1.17	32.0	3.54	5.08	0.15	0.08	0.02	0.043	0.07	21.7	33.1	0.56	712	1.02	0.01
CC148899		1.28	27.2	3.96	3.74	0.16	0.07	0.07	0.043	0.07	26.3	21.9	0.44	669	1.30	0.01
CC148900		1.29	26.8	3.08	5.67	0.15	0.04	0.06	0.035	0.08	26.0	31.4	0.96	434	1.03	0.01
CC148751		0.84	26.8	3.13	3.52	0.17	0.09	0.09	0.045	0.07	31.6	27.7	0.58	742	1.05	0.01
CC148752		1.59	26.4	3.43	6.39	0.12	0.06	0.02	0.040	0.07	12.4	39.1	0.62	554	1.00	0.01
CC148753		1.50	34.2	3.62	5.90	0.12	0.06	0.02	0.037	0.07	13.5	43.4	0.90	544	0.66	0.01
CC148754		1.65	27.1	3.80	6.39	0.12	0.04	0.02	0.036	0.07	10.4	44.3	0.72	432	0.76	0.01
CC148755		1.54	29.1	3.45	4.85	0.13	0.07	0.05	0.033	0.08	18.7	30.7	0.78	395	0.75	0.01
CC148756		1.61	28.9	4.27	5.66	0.11	0.03	0.02	0.038	0.07	8.3	43.6	0.57	471	0.77	0.01
CC148757		1.35	42.5	3.97	2.15	0.16	0.14	0.12	0.055	0.07	13.3	15.4	0.18	423	0.41	0.01
CC148758		1.64	22.4	3.14	6.29	0.13	0.08	0.04	0.034	0.05	18.5	41.5	0.99	538	0.65	0.01
CC148759		1.11	36.3	3.74	5.66	0.13	0.03	0.04	0.030	0.06	14.2	54.3	0.85	758	0.62	0.01
CC148760		2.13	18.6	2.96	7.42	0.12	<0.02	0.03	0.033	0.05	16.3	22.4	0.45	312	1.29	0.01
CC148761		2.18	32.5	4.07	6.79	0.12	0.04	0.03	0.037	0.07	7.7	48.5	0.52	589	0.84	0.01
CC148762		1.89	28.4	4.20	5.83	0.12	0.04	0.03	0.038	0.07	8.3	35.8	0.45	522	0.80	0.01
CC148763		1.77	28.9	3.90	6.31	0.11	0.04	0.03	0.029	0.07	6.9	39.7	0.51	538	0.85	<0.01
CC148764		1.52	25.1	4.57	6.03	0.13	<0.02	0.03	0.042	0.04	11.3	35.9	0.52	586	1.28	0.01
CC148765		1.73	22.3	4.11	6.40	0.12	0.02	0.05	0.036	0.06	13.2	30.0	0.52	558	1.08	0.01
CC148766		1.88	30.5	4.18	5.26	0.14	0.06	0.02	0.047	0.07	11.7	47.4	0.79	641	0.86	0.01
CC148708		1.21	30.4	4.31	2.95	0.15	0.09	0.04	0.058	0.10	11.6	19.5	0.24	518	0.55	0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 23- SEP- 2011
Account: RCM

Project: Rackla - East Osiris

CERTIFICATE OF ANALYSIS WH11174074

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
CC148704		0.23	10.3	1210	13.8	3.9	<0.001	0.03	0.61	1.4	0.9	0.2	41.1	<0.01	0.04	0.4
CC148705		0.44	18.6	1330	25.2	6.4	<0.001	0.05	1.06	2.6	0.8	0.4	25.1	<0.01	0.05	0.9
CC148706		0.28	12.4	2600	19.9	5.5	<0.001	0.04	0.86	2.2	1.3	0.3	36.2	<0.01	0.05	0.6
CC148707		0.22	7.0	880	8.3	3.7	<0.001	0.04	0.41	0.9	0.6	0.2	28.3	<0.01	0.04	0.3
CC148882		0.32	25.7	480	33.7	8.1	0.001	0.03	0.53	6.2	0.4	0.6	40.6	<0.01	0.04	5.0
CC148883		0.14	56.3	420	58.9	7.5	<0.001	0.03	0.59	7.0	0.8	0.5	25.3	<0.01	0.04	3.8
CC148884		0.42	34.7	1160	42.4	11.5	<0.001	0.05	0.58	5.8	1.1	0.5	57.0	<0.01	0.04	2.0
CC148885		0.39	19.0	1660	20.7	8.6	0.001	0.13	0.66	2.4	1.1	0.6	30.1	<0.01	0.07	0.5
CC148886		0.27	37.9	470	35.6	6.6	0.001	0.02	0.48	7.5	1.2	0.6	52.0	<0.01	0.06	4.2
CC148887		0.30	39.1	860	39.4	9.4	<0.001	0.03	0.53	7.4	0.9	0.6	46.0	<0.01	0.06	2.6
CC148888		0.36	17.1	1720	39.4	14.7	0.001	0.06	0.56	2.4	0.8	0.7	7.5	<0.01	0.07	0.9
CC148889		0.39	28.3	1400	38.1	17.0	<0.001	0.05	0.50	4.4	0.8	0.8	12.0	<0.01	0.07	2.1
CC148890		0.21	35.7	780	26.1	6.3	<0.001	0.02	0.48	9.5	0.9	0.5	51.6	<0.01	0.05	2.7
CC148891		0.26	23.9	1180	19.1	6.1	0.001	0.09	0.45	5.0	1.0	0.4	112.5	<0.01	0.07	1.1
CC148892		0.47	33.1	720	22.6	8.5	<0.001	0.02	0.62	4.4	0.6	0.5	37.3	<0.01	0.08	2.2
CC148893		0.31	23.9	1070	28.9	8.2	0.001	0.08	0.45	4.4	1.1	0.4	119.5	<0.01	0.07	1.2
CC148894		0.29	13.4	2770	16.1	6.4	0.001	0.19	0.38	1.8	0.9	0.3	117.0	<0.01	0.03	1.0
CC148895		0.37	26.0	1470	27.3	7.7	0.001	0.03	0.87	2.5	1.1	0.4	76.7	<0.01	0.03	1.2
CC148896		0.30	33.3	1280	22.6	6.3	<0.001	0.05	0.64	4.7	1.3	0.4	30.8	<0.01	0.05	4.2
CC148897		0.49	31.5	940	17.9	5.6	0.001	0.08	0.65	5.4	1.1	0.3	46.2	<0.01	0.05	5.1
CC148898		0.47	34.3	950	20.4	9.0	<0.001	0.11	0.68	6.4	1.1	0.5	58.2	<0.01	0.06	3.1
CC148899		0.25	34.1	1030	36.0	10.9	<0.001	0.10	0.48	6.0	1.3	0.6	30.7	<0.01	0.05	2.3
CC148900		0.52	31.4	600	19.3	11.6	<0.001	0.04	0.61	5.6	1.0	0.5	20.8	<0.01	0.04	3.7
CC148751		0.25	28.0	1300	23.4	9.8	<0.001	0.07	0.43	6.1	1.2	0.3	49.4	<0.01	0.04	3.3
CC148752		0.43	29.9	760	20.7	12.6	<0.001	0.04	0.54	3.2	0.9	0.5	14.8	<0.01	0.06	1.8
CC148753		0.34	32.6	410	20.3	9.9	<0.001	0.02	0.51	3.7	0.9	0.4	11.4	<0.01	0.06	3.9
CC148754		0.49	30.9	470	18.1	10.4	<0.001	0.06	0.52	3.0	0.5	0.6	11.3	<0.01	0.05	2.2
CC148755		0.41	31.4	510	22.8	10.0	<0.001	0.06	0.49	5.4	0.7	0.4	34.3	<0.01	0.03	3.9
CC148756		0.48	29.1	570	21.1	9.7	<0.001	0.07	0.52	3.0	0.6	0.5	11.1	<0.01	0.05	2.2
CC148757		0.05	34.5	230	35.9	6.6	<0.001	0.09	0.42	8.8	1.8	0.4	23.2	<0.01	0.05	8.2
CC148758		0.30	28.3	1210	27.0	11.3	<0.001	0.13	0.47	3.6	0.9	0.5	30.4	<0.01	0.04	2.3
CC148759		0.20	35.7	290	22.7	6.1	<0.001	0.19	0.43	4.7	0.8	0.4	18.8	<0.01	0.04	5.4
CC148760		0.58	23.7	570	15.7	10.8	<0.001	0.27	0.69	1.9	1.1	0.7	12.5	<0.01	0.03	0.6
CC148761		0.46	27.3	710	21.5	10.7	<0.001	0.32	0.57	2.2	0.6	0.5	12.2	<0.01	0.05	1.3
CC148762		0.32	29.1	860	24.4	11.6	<0.001	0.25	0.48	2.6	0.8	0.5	22.2	<0.01	0.05	1.3
CC148763		0.42	27.7	540	22.4	8.3	<0.001	<0.01	0.51	2.8	0.5	0.6	10.6	<0.01	0.05	1.9
CC148764		0.69	30.9	680	29.9	7.0	<0.001	0.01	0.81	2.5	1.1	0.6	9.5	<0.01	0.06	0.9
CC148765		0.64	33.7	820	23.8	8.9	<0.001	0.02	0.67	2.5	0.9	0.6	20.3	<0.01	0.04	1.1
CC148766		0.26	37.1	620	31.3	11.3	<0.001	0.02	0.45	3.6	0.6	0.4	10.2	<0.01	0.04	3.0
CC148708		0.15	34.1	700	36.5	9.1	<0.001	0.06	0.35	6.3	1.2	0.6	52.1	<0.01	0.04	3.1

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 23- SEP- 2011
Account: RCM

Project: Rackla - East Osiris

CERTIFICATE OF ANALYSIS WH11174074

Sample Description	Method Analyte Units LOR	ME- MS41 Ti % 0.005	ME- MS41 Tl ppm 0.02	ME- MS41 U ppm 0.05	ME- MS41 V ppm 1	ME- MS41 W ppm 0.05	ME- MS41 Y ppm 0.05	ME- MS41 Zn ppm 2	ME- MS41 Zr ppm 0.5
CC148704		0.009	0.09	1.94	14	0.09	11.30	109	0.9
CC148705		0.016	0.28	1.97	30	0.16	20.4	250	1.2
CC148706		0.010	0.10	3.42	22	0.09	17.65	127	0.9
CC148707		0.009	0.07	1.12	12	0.05	8.12	86	1.0
CC148882		0.017	0.11	0.85	23	0.06	4.58	102	5.8
CC148883		0.006	0.11	1.17	16	<0.05	11.20	127	6.4
CC148884		0.008	0.19	1.76	25	0.11	19.60	105	3.1
CC148885		0.007	0.11	0.73	26	0.05	4.19	67	0.6
CC148886		0.005	0.09	0.75	20	<0.05	18.40	109	2.5
CC148887		0.005	0.09	1.45	25	0.05	22.3	130	2.5
CC148888		0.010	0.14	0.72	37	0.06	4.43	100	1.3
CC148889		0.008	0.13	0.88	30	0.05	6.07	102	3.2
CC148890		0.006	0.08	1.16	22	<0.05	26.2	104	3.8
CC148891		0.007	0.07	1.42	20	<0.05	17.95	85	2.4
CC148892		0.010	0.10	1.30	33	0.15	11.35	92	2.5
CC148893		0.007	0.08	2.30	19	0.06	24.6	114	2.5
CC148894		0.005	0.06	7.16	16	<0.05	9.45	53	4.0
CC148895		0.012	0.14	9.63	30	0.08	13.95	88	2.5
CC148896		0.016	0.10	2.73	27	0.10	15.40	88	3.2
CC148897		0.030	0.08	1.51	30	0.13	15.90	87	2.6
CC148898		0.020	0.10	1.48	36	0.13	19.85	87	2.2
CC148899		0.009	0.15	3.42	26	0.07	28.0	91	1.8
CC148900		0.020	0.15	3.08	39	0.14	15.50	86	1.3
CC148751		0.008	0.10	4.66	21	0.05	21.7	73	2.6
CC148752		0.011	0.15	1.56	35	0.09	7.53	83	1.5
CC148753		0.010	0.11	1.06	30	0.08	5.84	88	1.8
CC148754		0.013	0.14	0.70	35	0.14	4.68	95	0.9
CC148755		0.017	0.12	1.73	30	0.09	12.80	94	1.8
CC148756		0.011	0.12	0.63	30	0.11	4.83	87	0.8
CC148757		<0.005	0.12	1.50	9	<0.05	33.6	72	7.2
CC148758		0.011	0.09	3.77	31	0.06	11.25	77	2.1
CC148759		0.012	0.06	1.11	24	<0.05	9.54	82	1.9
CC148760		0.033	0.19	0.95	51	0.24	5.81	81	<0.5
CC148761		0.011	0.13	0.57	33	0.10	3.61	81	1.1
CC148762		0.009	0.12	0.81	33	0.12	6.30	87	1.0
CC148763		0.010	0.13	0.52	35	0.12	3.80	77	1.2
CC148764		0.027	0.12	0.87	40	0.21	5.28	95	<0.5
CC148765		0.022	0.16	0.98	45	0.29	7.54	94	0.5
CC148766		0.007	0.11	1.20	27	0.07	7.70	97	1.7
CC148708		<0.005	0.19	0.95	20	0.05	20.2	191	2.7

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 23- SEP- 2011
Account: RCM

Project: Rackla - East Osiris

CERTIFICATE OF ANALYSIS WH11174074

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- TL43 Au ppm 0.001	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1
CC148709		0.38	0.001	0.14	1.12	21.6	<0.2	10	130	0.95	0.46	0.29	0.10	21.0	20.0	20
CC148710		0.30	0.001	0.18	2.16	23.5	<0.2	10	230	1.45	0.28	3.16	0.26	87.4	26.7	30
CC148711		0.24	0.001	0.12	1.43	17.4	<0.2	<10	180	1.34	0.33	0.22	0.23	23.9	28.6	22
CC148712		0.22	0.001	0.10	1.67	11.6	<0.2	<10	80	0.56	0.30	0.09	0.16	26.1	12.6	27
CC148713		0.32	0.001	0.21	1.36	8.2	<0.2	10	90	1.02	0.35	0.03	0.09	15.05	18.2	20
CC148714		0.26	0.001	0.24	0.82	13.0	<0.2	<10	160	0.86	0.38	0.59	0.19	29.8	14.1	13
CC148715		0.28	0.001	0.10	1.68	8.7	<0.2	<10	70	0.90	0.41	0.05	0.17	12.00	18.0	25
CC148716		0.26	0.001	0.10	1.65	11.7	<0.2	<10	70	0.45	0.35	0.08	0.16	23.5	12.1	32
CC148717		0.20	<0.001	0.15	1.55	11.2	<0.2	<10	110	1.25	0.33	0.65	0.28	51.6	16.1	24
CC148718		0.26	<0.001	0.22	1.16	12.9	<0.2	<10	80	0.96	0.29	0.78	0.29	44.7	15.5	19
CC148719		0.30	0.001	0.15	2.17	12.8	<0.2	<10	200	1.02	0.31	0.20	0.22	47.8	13.8	33
CC148720		0.24	0.002	0.11	1.65	14.9	<0.2	<10	140	0.77	0.24	5.86	0.69	26.6	10.1	23
CC148721		0.24	0.002	0.24	1.53	13.9	<0.2	10	140	0.74	0.22	4.17	0.46	40.6	11.8	24
CC148506		0.34	0.001	0.08	1.70	13.2	<0.2	<10	100	1.26	0.45	0.40	0.13	28.6	18.4	23
CC148507		0.28	0.003	0.25	1.35	11.5	<0.2	10	100	1.15	0.22	1.49	0.49	49.6	14.2	22
CC148508		0.32	0.081	1.38	0.85	38.0	<0.2	10	130	1.21	0.26	4.39	0.79	64.3	14.9	18
CC148509		0.26	0.007	0.48	0.82	12.6	<0.2	<10	100	0.76	0.16	1.79	0.50	49.8	7.5	19
CC148510		0.22	0.009	0.36	0.73	9.0	<0.2	<10	90	0.79	0.19	2.05	0.49	36.2	9.5	16
CC148511		0.30	0.003	0.28	0.82	11.5	<0.2	<10	90	0.83	0.18	1.32	0.57	43.2	7.6	15
CC148512		0.24	0.003	0.20	0.93	8.7	<0.2	<10	70	0.86	0.21	1.17	0.38	35.3	8.3	18
CC148513		0.28	0.002	0.12	1.34	13.8	<0.2	<10	100	1.20	0.32	0.79	0.14	37.1	13.6	18

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 23- SEP- 2011
Account: RCM

Project: Rackla - East Osiris

CERTIFICATE OF ANALYSIS WH11174074

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
CC148709		5.78	56.2	7.60	3.96	0.13	0.02	0.03	0.063	0.10	7.6	14.5	0.20	1520	1.01	0.01
CC148710		2.56	34.5	8.89	5.01	0.22	0.04	0.03	0.037	0.16	38.6	34.6	0.43	2240	1.53	0.03
CC148711		4.89	38.3	6.37	3.99	0.12	0.03	0.03	0.047	0.09	8.6	28.4	0.29	1450	1.18	0.02
CC148712		3.56	26.0	3.36	5.45	0.12	<0.02	0.04	0.036	0.07	11.9	21.2	0.38	453	1.58	0.01
CC148713		7.91	39.6	4.54	4.37	0.12	0.03	0.04	0.046	0.08	5.8	33.2	0.23	422	1.05	0.01
CC148714		0.71	34.4	4.17	2.05	0.14	0.10	0.04	0.042	0.07	11.0	8.8	0.19	394	0.73	0.01
CC148715		4.94	35.5	4.29	5.46	0.11	0.03	0.04	0.047	0.08	5.0	25.5	0.30	1340	1.21	0.01
CC148716		3.45	25.3	4.11	6.84	0.10	<0.02	0.04	0.033	0.07	11.2	19.1	0.37	627	1.68	0.01
CC148717		1.90	31.6	4.70	5.28	0.15	0.05	0.04	0.064	0.06	15.1	33.2	0.34	858	0.77	0.01
CC148718		1.70	24.2	4.26	3.57	0.15	0.05	0.05	0.046	0.05	12.9	27.9	0.34	770	0.62	0.01
CC148719		2.26	25.1	3.82	6.47	0.15	0.02	0.05	0.040	0.06	20.3	28.6	0.56	545	1.18	0.01
CC148720		1.01	13.6	4.85	4.47	0.12	0.04	0.12	0.029	0.05	13.0	9.5	3.71	3180	0.86	0.02
CC148721		0.74	23.8	6.09	4.24	0.15	0.06	0.21	0.028	0.05	22.7	11.3	2.78	4070	0.95	0.02
CC148506		1.40	38.6	3.55	5.12	0.15	0.15	0.02	0.048	0.10	15.0	42.8	0.73	294	0.53	0.01
CC148507		0.33	33.0	2.59	3.75	0.06	0.19	0.04	0.037	0.11	22.4	26.5	0.92	585	1.14	0.01
CC148508		0.38	78.4	2.46	2.83	0.09	0.18	0.42	0.046	0.25	29.0	14.4	1.49	272	12.20	0.02
CC148509		0.45	24.5	2.00	2.45	0.06	0.05	0.17	0.026	0.06	24.6	11.5	0.42	353	1.17	0.01
CC148510		0.49	33.1	2.16	2.28	0.05	0.05	0.11	0.030	0.08	18.8	8.2	0.23	352	1.03	0.01
CC148511		0.23	25.3	2.34	2.22	0.06	0.05	0.08	0.032	0.06	22.4	8.7	0.34	463	2.11	0.01
CC148512		0.39	26.5	2.27	2.72	<0.05	0.05	0.06	0.029	0.06	18.8	11.8	0.38	343	0.81	0.01
CC148513		0.85	32.7	2.94	3.84	0.07	0.09	0.05	0.044	0.07	18.1	23.3	0.50	363	0.72	0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 23- SEP- 2011
Account: RCM

Project: Rackla - East Osiris

CERTIFICATE OF ANALYSIS WH11174074

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
CC148709		0.23	39.4	1470	81.7	13.3	<0.001	0.05	0.64	9.9	1.2	0.5	39.2	<0.01	0.07	4.5
CC148710		0.42	60.2	>10000	42.9	12.5	<0.001	0.13	0.71	12.5	2.1	0.6	515	<0.01	0.04	7.6
CC148711		0.18	40.9	2020	61.4	13.8	0.001	0.28	0.66	3.8	1.2	0.5	28.9	<0.01	0.05	1.0
CC148712		0.45	27.2	760	28.0	13.2	<0.001	0.36	0.91	1.6	1.2	0.6	10.5	<0.01	0.05	0.6
CC148713		0.30	30.6	830	40.8	12.5	<0.001	0.31	0.49	4.7	1.3	0.5	19.0	<0.01	0.03	2.7
CC148714		0.19	34.0	1260	30.9	5.5	0.001	0.03	0.47	5.2	1.1	0.3	41.0	<0.01	0.06	3.3
CC148715		0.30	20.8	1140	51.0	14.7	<0.001	0.05	0.67	2.2	0.8	0.5	8.3	<0.01	0.08	0.5
CC148716		0.48	22.5	750	30.7	11.7	<0.001	0.03	0.98	1.4	0.9	0.7	9.9	<0.01	0.06	0.3
CC148717		0.29	30.8	1380	29.9	9.9	0.001	0.05	0.55	7.3	1.3	0.5	54.4	<0.01	0.08	2.4
CC148718		0.22	35.4	750	47.9	6.6	<0.001	0.04	0.83	4.9	1.2	0.4	52.5	<0.01	0.04	1.9
CC148719		0.67	36.1	630	22.2	10.7	<0.001	0.01	0.82	4.9	1.1	0.7	21.2	<0.01	0.05	2.0
CC148720		0.30	18.6	1900	35.2	7.0	<0.001	0.09	1.28	2.1	0.8	0.5	19.5	<0.01	0.07	0.8
CC148721		0.53	28.4	870	46.4	6.4	<0.001	0.02	0.95	4.6	1.6	0.5	19.4	<0.01	0.06	3.1
CC148506		0.16	32.9	690	31.7	6.9	<0.001	0.02	0.35	7.1	0.9	0.5	38.8	<0.01	0.08	4.1
CC148507		0.17	26.7	1280	21.8	5.9	<0.001	0.08	0.57	3.1	1.0	0.4	73.7	<0.01	0.04	2.1
CC148508		0.20	39.2	3610	41.1	10.8	0.003	0.10	1.37	3.3	3.9	0.4	207	<0.01	0.05	3.4
CC148509		0.18	19.9	1000	16.8	6.3	0.001	0.09	0.52	1.4	1.1	0.3	137.0	<0.01	0.02	0.7
CC148510		0.19	22.8	820	17.9	5.4	<0.001	0.07	0.59	2.1	0.9	0.3	99.9	<0.01	0.01	0.9
CC148511		0.14	19.5	1160	18.3	4.1	0.001	0.07	0.56	1.8	0.8	0.3	67.0	<0.01	0.03	0.8
CC148512		0.18	21.8	870	15.8	5.4	<0.001	0.06	0.49	2.3	0.9	0.3	64.8	<0.01	0.04	0.9
CC148513		0.20	30.2	720	24.1	5.3	<0.001	0.04	0.48	5.0	0.9	0.3	67.6	<0.01	0.06	2.1

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 23- SEP- 2011
Account: RCM

Project: Rackla - East Osiris

CERTIFICATE OF ANALYSIS WH11174074

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
CC148709		0.009	0.21	1.15	25	0.08	13.50	118	1.6
CC148710		0.022	0.24	2.78	36	0.17	58.3	98	2.2
CC148711		0.009	0.19	1.17	28	0.12	12.90	115	1.0
CC148712		0.027	0.17	0.88	43	0.25	5.04	93	<0.5
CC148713		0.010	0.18	0.88	23	0.06	8.39	107	0.5
CC148714		0.008	0.12	1.57	18	0.08	19.80	113	2.9
CC148715		0.013	0.15	0.72	35	0.07	5.01	105	0.9
CC148716		0.029	0.14	0.81	53	0.18	4.20	86	<0.5
CC148717		0.010	0.11	1.78	33	0.07	24.1	97	1.5
CC148718		0.009	0.09	1.24	21	0.06	18.65	113	1.1
CC148719		0.026	0.18	1.31	50	0.24	16.05	95	0.6
CC148720		0.016	0.15	3.47	39	0.11	11.70	464	1.0
CC148721		0.023	0.16	1.74	41	0.21	21.4	234	1.7
CC148506		0.007	0.08	1.36	20	0.05	22.4	108	4.2
CC148507		0.007	0.10	3.34	25	0.06	14.75	104	5.8
CC148508		0.005	0.63	12.20	28	0.05	23.1	145	6.3
CC148509		0.007	0.13	3.85	23	0.06	14.25	87	1.8
CC148510		0.007	0.14	3.10	22	0.07	13.95	78	2.0
CC148511		0.006	0.10	2.80	22	0.06	17.10	73	1.7
CC148512		0.007	0.08	1.64	23	0.06	15.85	81	1.4
CC148513		0.007	0.07	1.11	18	0.05	24.8	79	2.7

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 23- SEP- 2011
Account: RCM

Project: Rackla - East Osiris

CERTIFICATE OF ANALYSIS WH11174074

Method	CERTIFICATE COMMENTS
ME- MS41	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown.
ME- MS41	Gold determinations by this method are semi- quantitative due to the small sample weight used (0.5g).

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 23- SEP- 2011
Account: RCM

CERTIFICATE WH11174075

Project: Rackla - Osiris East Silts

P.O. No.:

This report is for 81 Silt samples submitted to our lab in Whitehorse, YT, Canada on 31- AUG- 2011.

The following have access to data associated with this certificate:

ROB CARNE JULIA LANE	ANDREW CARNE JOAN MARIACHER	MATT DUMALA

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
SCR- 41	Screen to - 180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- ST43	Super Trace Au - 25g AR	ICP- MS
ME- MS41	51 anal. aqua regia ICPMS	

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 23- SEP- 2011
Account: RCM

Project: Rackla - Osiris East Silts

CERTIFICATE OF ANALYSIS WH11174075

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- ST43 Au ppm 0.0001	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1
CC148777		0.30	0.0036	0.21	1.84	5.9	<0.2	<10	120	1.09	0.25	0.52	0.28	50.3	10.2	44
CC148778		0.30	0.0068	0.32	1.78	14.4	<0.2	<10	180	1.52	0.36	0.90	0.47	37.7	14.2	33
CC148779		0.30	0.0035	0.28	1.37	10.6	<0.2	<10	120	1.07	0.34	0.69	0.35	23.5	18.2	23
CC148780		0.30	0.0022	0.36	1.75	8.3	<0.2	<10	130	1.10	0.32	0.76	0.30	18.25	12.2	25
CC148781		0.32	0.0021	0.22	1.49	9.1	<0.2	<10	130	0.95	0.31	0.46	0.14	21.0	11.8	23
CC148782		0.26	0.0025	0.30	1.60	10.3	<0.2	<10	140	1.33	0.36	0.78	0.32	21.6	15.0	25
CC148783		0.26	0.0024	0.21	1.57	9.2	<0.2	<10	120	1.05	0.31	0.60	0.21	22.3	13.1	26
CC148784		0.24	0.0026	0.17	1.58	10.3	<0.2	<10	130	1.31	0.33	0.74	0.28	25.0	14.2	26
CC148785		0.56	0.0015	0.09	1.85	11.6	<0.2	<10	100	1.25	0.33	0.43	0.25	23.2	18.3	26
CC148786		0.58	0.0017	0.06	1.96	11.0	<0.2	<10	90	1.18	0.34	1.11	0.12	24.1	15.6	30
CC148787		0.36	0.0013	0.09	1.61	10.7	<0.2	<10	90	1.20	0.30	0.74	0.18	24.8	14.0	22
CC148788		0.34	0.0015	0.11	1.74	9.8	<0.2	<10	80	1.26	0.32	0.44	0.15	21.8	14.7	29
CC148789		0.50	0.0029	0.11	1.76	12.1	<0.2	<10	80	1.99	0.34	0.56	0.20	24.7	17.9	30
CC148790		0.28	0.0027	0.13	1.93	12.7	<0.2	<10	100	3.15	0.35	0.55	0.36	27.6	24.2	31
CC148791		0.34	0.0025	0.12	1.84	14.0	<0.2	<10	100	2.47	0.38	0.45	0.26	27.7	23.8	31
CC148792		0.24	0.0040	0.16	2.27	14.6	<0.2	<10	190	4.33	0.32	0.58	0.65	39.1	43.3	36
CC148793		0.34	0.0035	0.12	2.13	13.3	<0.2	<10	130	3.45	0.34	0.42	0.38	38.1	33.3	37
CC148794		0.26	0.0026	0.13	2.21	14.3	<0.2	<10	160	4.26	0.34	0.51	0.48	37.1	39.8	34
CC148795		0.34	0.0025	0.11	2.01	13.4	<0.2	<10	110	2.38	0.34	0.40	0.26	35.5	32.3	36
CC148796		0.26	0.0016	0.13	1.74	13.5	<0.2	<10	100	1.79	0.41	0.36	0.19	17.45	17.7	26
CC148797		0.32	0.0015	0.15	1.77	5.1	<0.2	<10	160	1.13	0.30	0.55	0.31	16.60	8.7	25
CC148798		0.40	0.0017	0.09	1.67	13.0	<0.2	<10	70	1.45	0.45	0.19	0.14	16.35	14.9	25
CC148799		0.22	0.0013	0.10	1.63	6.7	<0.2	<10	90	1.06	0.32	0.61	0.17	14.90	9.9	26
CC148722		0.24	0.0019	0.41	1.50	22.2	<0.2	<10	100	1.78	0.44	0.89	0.35	42.4	26.4	23
CC148723		0.38	0.0016	0.27	1.62	22.9	<0.2	<10	90	1.62	0.50	0.64	0.15	22.2	25.0	24
CC148724		0.26	0.0032	0.30	1.58	17.4	<0.2	<10	110	1.49	0.42	1.19	0.22	33.9	19.1	24
CC148725		0.36	0.0020	0.09	0.41	9	<0.2	<10	40	0.47	0.18	11.55	0.45	14.95	7.4	6
CC148726		0.24	0.0023	0.15	1.09	10.2	<0.2	<10	90	1.10	0.28	4.82	0.16	33.4	12.4	15
CC148727		0.28	0.0015	0.09	0.55	9	<0.2	<10	30	0.53	0.17	11.80	0.13	11.85	7.4	8
CC148728		0.38	0.0013	0.14	0.45	7	<0.2	<10	40	0.57	0.21	11.40	0.16	11.65	9.2	8
CC148729		0.36	0.0009	0.14	0.44	7.9	<0.2	<10	40	0.73	0.29	8.83	0.14	11.15	11.1	9
CC148730		0.38	0.0011	0.12	0.53	8.3	<0.2	<10	50	0.75	0.26	8.24	0.11	11.50	12.0	10
CC148731		0.36	0.0011	0.13	0.60	8.3	<0.2	<10	50	0.80	0.29	7.84	0.11	11.50	12.2	11
CC148732		0.38	0.0010	0.11	0.49	7.4	<0.2	<10	40	0.64	0.25	9.08	0.11	11.05	10.6	9
CC148733		0.32	0.0016	0.09	1.38	24.5	<0.2	<10	40	1.23	0.41	0.52	0.08	17.60	21.6	20
CC148734		0.40	0.0013	0.08	1.40	22.2	<0.2	<10	40	1.23	0.36	1.15	0.08	15.10	23.1	20
CC148735		0.26	0.0014	0.11	0.43	12.1	<0.2	<10	40	0.66	0.24	8.96	0.16	12.85	10.3	7
CC148736		0.34	0.0016	0.10	0.40	15	<0.2	<10	40	0.66	0.22	11.20	0.20	13.70	9.2	6
CC148737		0.38	0.0011	0.08	1.38	24.8	<0.2	<10	40	1.33	0.37	1.54	0.09	15.15	26.3	19
CC148738		0.44	0.0014	0.08	1.33	24.7	<0.2	<10	40	1.14	0.38	1.41	0.10	15.95	23.3	19

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 23- SEP- 2011
Account: RCM

Project: Rackla - Osiris East Silts

CERTIFICATE OF ANALYSIS WH11174075

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
CC148777		2.24	26.0	2.80	6.44	0.10	0.20	0.09	0.044	0.11	24.1	54.2	1.57	264	0.61	0.01
CC148778		3.05	46.4	3.72	5.54	0.13	0.18	0.18	0.048	0.11	20.0	53.2	1.09	1020	1.20	0.01
CC148779		3.67	40.6	4.19	3.79	0.09	0.13	0.13	0.048	0.08	9.4	47.4	0.60	506	0.89	0.01
CC148780		2.98	34.0	3.90	4.76	0.08	0.19	0.13	0.044	0.11	8.9	57.1	0.52	542	0.71	0.01
CC148781		2.89	29.1	3.67	4.27	0.07	0.13	0.06	0.042	0.07	8.5	51.1	0.54	323	0.70	0.01
CC148782		3.13	37.1	4.00	4.63	0.11	0.13	0.12	0.049	0.09	9.8	55.2	0.70	531	0.78	0.01
CC148783		2.38	33.8	3.88	4.46	0.10	0.10	0.08	0.043	0.08	9.3	52.8	0.72	386	0.62	0.01
CC148784		2.48	38.0	3.81	4.73	0.11	0.13	0.08	0.045	0.09	10.9	52.9	0.74	576	0.68	0.01
CC148785		3.09	37.2	3.65	5.06	0.07	0.09	0.05	0.038	0.07	9.8	51.4	0.59	763	0.77	0.01
CC148786		1.80	43.8	3.85	5.68	0.08	0.20	0.05	0.035	0.14	11.2	62.2	1.05	716	0.35	0.02
CC148787		1.78	33.0	3.52	4.36	0.08	0.14	0.06	0.040	0.07	11.5	52.7	0.71	429	0.54	0.01
CC148788		2.95	34.2	3.35	5.19	0.08	0.15	0.06	0.035	0.06	11.2	63.1	0.73	418	0.51	0.01
CC148789		4.04	42.0	3.53	4.97	0.09	0.15	0.06	0.036	0.07	12.2	57.2	0.89	1440	0.53	0.01
CC148790		3.45	49.0	3.72	5.18	0.09	0.14	0.07	0.035	0.08	13.8	64.5	0.98	2900	0.56	0.01
CC148791		3.22	48.9	3.81	5.34	0.09	0.13	0.08	0.037	0.07	13.4	63.0	0.94	2030	0.54	0.01
CC148792		5.84	86.3	3.46	6.48	0.14	0.19	0.09	0.037	0.09	20.9	110.5	1.20	9690	1.24	0.01
CC148793		3.93	66.2	3.52	5.95	0.13	0.18	0.06	0.036	0.07	19.9	86.4	1.18	5530	0.76	0.01
CC148794		3.97	69.5	3.49	6.31	0.12	0.18	0.09	0.038	0.08	19.8	88.8	1.12	8990	0.91	0.01
CC148795		3.40	61.6	3.59	6.18	0.11	0.16	0.06	0.036	0.07	17.1	68.2	1.18	3080	0.73	0.01
CC148796		3.19	41.3	3.01	5.37	0.07	0.12	0.08	0.042	0.07	7.9	66.4	0.61	136	0.56	0.01
CC148797		2.41	24.7	2.87	5.20	0.08	0.19	0.06	0.035	0.06	8.5	53.7	0.52	167	0.47	0.02
CC148798		2.81	37.5	3.73	4.97	0.07	0.11	0.06	0.042	0.07	6.0	63.2	0.55	454	0.46	0.01
CC148799		2.41	28.3	2.59	4.77	0.06	0.11	0.06	0.035	0.06	6.4	56.6	0.54	126	0.44	0.01
CC148722		2.83	57.9	5.70	4.72	0.13	0.14	0.06	0.069	0.07	15.4	49.5	0.53	685	1.00	0.02
CC148723		4.82	54.4	4.97	4.99	0.10	0.12	0.07	0.060	0.09	8.8	64.1	0.67	639	0.82	0.01
CC148724		2.74	50.9	4.09	4.68	0.11	0.15	0.09	0.049	0.10	15.3	50.2	1.08	572	1.06	0.01
CC148725		0.96	15.1	2.50	1.20	0.06	0.05	0.09	0.017	0.08	6.7	9.4	6.40	1090	0.24	0.02
CC148726		1.29	30.1	2.97	3.16	0.08	0.09	0.08	0.038	0.08	12.5	30.2	1.48	479	0.55	0.02
CC148727		1.28	16.8	2.27	1.58	0.06	0.06	0.07	0.019	0.05	5.3	18.5	6.94	828	0.26	0.02
CC148728		1.28	21.2	2.56	1.38	0.05	0.05	0.09	0.024	0.06	4.9	14.1	5.45	736	0.37	0.02
CC148729		1.51	24.8	2.96	1.41	0.06	0.05	0.12	0.034	0.06	4.5	13.1	3.78	649	0.38	0.02
CC148730		1.54	26.5	2.91	1.70	0.06	0.05	0.09	0.031	0.06	4.5	17.5	3.22	642	0.41	0.02
CC148731		1.84	26.2	2.96	1.83	0.05	0.06	0.09	0.033	0.07	4.5	21.3	2.93	626	0.39	0.02
CC148732		1.53	22.8	2.74	1.49	0.06	0.05	0.10	0.030	0.06	4.2	17.6	3.60	621	0.35	0.02
CC148733		3.86	51.5	3.90	4.25	0.07	0.09	0.24	0.039	0.07	7.5	54.1	0.68	566	0.53	0.01
CC148734		3.64	47.0	4.06	4.12	0.08	0.08	0.23	0.034	0.06	6.1	57.2	0.97	1010	0.53	0.01
CC148735		1.64	19.9	2.59	1.28	0.06	0.05	0.11	0.026	0.06	5.1	13.3	3.74	546	0.33	0.02
CC148736		1.49	18.0	2.41	1.19	0.05	0.04	0.12	0.022	0.06	5.7	11.8	5.13	632	0.31	0.02
CC148737		3.72	49.9	4.15	4.31	0.08	0.08	1.41	0.035	0.06	6.2	58.4	1.03	1150	0.59	0.01
CC148738		3.08	48.2	4.09	4.17	0.08	0.07	0.50	0.036	0.06	6.7	54.3	1.21	1080	0.55	0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 23- SEP- 2011
Account: RCM

Project: Rackla - Osiris East Silts

CERTIFICATE OF ANALYSIS WH11174075

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
CC148777		0.44	27.4	1380	20.9	18.1	<0.001	0.06	0.34	6.6	1.3	0.5	50.8	0.01	0.03	3.7
CC148778		0.35	29.8	1360	33.7	16.0	0.001	0.12	0.56	7.6	4.5	0.5	78.0	<0.01	0.06	3.3
CC148779		0.25	38.3	1060	32.9	10.7	0.001	0.10	0.42	5.9	3.8	0.4	67.5	<0.01	0.05	3.3
CC148780		0.36	32.5	1020	23.4	16.5	0.001	0.09	0.34	5.8	1.8	0.5	85.4	<0.01	0.05	3.1
CC148781		0.28	30.6	860	24.8	11.2	<0.001	0.06	0.32	4.8	1.3	0.4	43.0	<0.01	0.04	2.8
CC148782		0.27	30.8	960	32.3	13.2	0.001	0.09	0.38	7.2	3.6	0.5	66.7	<0.01	0.06	3.2
CC148783		0.26	30.0	850	27.5	10.5	<0.001	0.07	0.35	6.4	1.6	0.4	51.9	<0.01	0.03	3.1
CC148784		0.26	32.7	900	29.8	12.8	<0.001	0.08	0.43	6.5	2.5	0.5	66.0	<0.01	0.05	3.2
CC148785		0.43	34.7	840	23.3	14.1	<0.001	0.07	0.47	3.9	1.3	0.4	37.5	<0.01	0.07	2.2
CC148786		0.10	37.5	510	20.9	8.9	<0.001	0.02	0.35	5.7	0.5	0.6	56.6	<0.01	0.05	6.7
CC148787		0.20	34.2	870	21.0	8.1	<0.001	0.08	0.30	5.2	1.3	0.3	55.1	<0.01	0.05	3.8
CC148788		0.28	33.8	740	20.8	12.2	<0.001	0.08	0.28	5.2	1.4	0.4	37.1	<0.01	0.06	2.9
CC148789		0.27	68.5	750	22.9	12.9	<0.001	0.07	0.33	5.3	1.5	0.4	48.2	0.01	0.07	3.2
CC148790		0.22	135.0	750	26.8	11.0	<0.001	0.07	0.37	5.4	2.4	0.4	51.3	0.01	0.06	3.7
CC148791		0.24	91.8	700	27.7	10.2	<0.001	0.07	0.36	5.6	1.7	0.4	44.8	0.01	0.08	4.1
CC148792		0.27	289	840	30.6	11.6	<0.001	0.07	0.56	6.1	3.3	0.4	56.7	0.01	0.09	3.9
CC148793		0.26	200	780	29.6	10.7	<0.001	0.05	0.45	6.0	2.1	0.3	43.0	0.01	0.08	4.3
CC148794		0.25	276	790	30.0	11.0	<0.001	0.06	0.46	5.6	2.4	0.4	47.8	0.01	0.08	4.2
CC148795		0.27	113.0	740	27.1	10.6	<0.001	0.06	0.41	6.2	2.9	0.4	38.4	0.01	0.06	4.1
CC148796		0.28	47.1	510	29.1	11.2	<0.001	0.62	0.31	6.0	1.7	0.5	38.8	<0.01	0.06	3.9
CC148797		0.30	25.1	750	21.2	9.8	<0.001	0.27	0.18	4.8	1.5	0.4	44.9	<0.01	0.04	3.1
CC148798		0.22	37.6	490	31.3	10.2	<0.001	0.12	0.31	6.0	0.9	0.4	27.7	<0.01	0.06	4.7
CC148799		0.28	27.7	700	23.4	10.4	<0.001	0.18	0.23	4.5	1.6	0.4	42.2	<0.01	0.04	2.7
CC148722		0.32	52.4	1240	50.6	9.3	<0.001	0.10	0.73	11.2	2.0	0.5	172.0	0.01	0.12	2.7
CC148723		0.24	48.0	810	47.2	10.2	<0.001	0.10	0.59	9.2	1.5	0.6	112.0	0.01	0.12	4.1
CC148724		0.27	39.1	1000	37.4	10.2	0.001	0.07	0.52	7.8	1.4	0.5	107.5	0.01	0.09	3.3
CC148725		0.15	16.2	650	25.3	5.1	<0.001	0.03	0.53	3.2	0.5	0.2	77.5	<0.01	0.05	3.1
CC148726		0.25	27.1	730	24.4	9.0	<0.001	0.08	0.36	5.4	1.2	0.3	262	0.01	0.05	2.4
CC148727		0.13	15.7	580	21.1	4.1	<0.001	0.06	0.31	3.6	0.7	0.2	76.0	<0.01	0.05	2.4
CC148728		0.12	22.0	500	22.2	4.3	<0.001	0.13	0.28	3.9	0.6	0.3	208	<0.01	0.05	3.2
CC148729		0.11	24.3	510	27.4	5.2	0.001	0.38	0.32	4.9	0.7	0.4	216	<0.01	0.05	3.6
CC148730		0.10	25.3	490	24.3	5.3	0.001	0.37	0.30	5.0	0.7	0.3	249	<0.01	0.05	3.6
CC148731		0.11	25.8	480	26.7	5.4	<0.001	0.35	0.30	5.0	0.7	0.3	255	<0.01	0.05	3.8
CC148732		0.10	22.4	470	23.7	5.0	0.001	0.33	0.26	4.8	0.6	0.3	273	<0.01	0.05	3.6
CC148733		0.13	41.2	470	29.9	6.3	0.001	0.07	1.44	5.8	0.9	0.3	40.1	<0.01	0.07	4.8
CC148734		0.10	44.1	430	25.2	5.1	0.001	0.15	1.10	5.2	0.7	0.3	53.2	<0.01	0.07	4.5
CC148735		0.13	26.8	550	25.4	5.8	<0.001	0.08	0.36	3.7	0.7	0.3	173.5	<0.01	0.04	3.1
CC148736		0.14	23.9	620	25.1	5.6	<0.001	0.07	0.43	3.6	0.7	0.3	165.5	<0.01	0.04	3.0
CC148737		0.10	47.1	410	26.9	5.4	<0.001	0.18	1.19	5.4	0.8	0.3	66.2	<0.01	0.07	4.9
CC148738		0.10	43.7	420	28.9	5.1	<0.001	0.12	1.20	5.2	0.8	0.3	41.0	<0.01	0.07	4.9

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 23- SEP- 2011
Account: RCM

Project: Rackla - Osiris East Silts

CERTIFICATE OF ANALYSIS WH11174075

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
CC148777		0.016	0.17	6.98	34	0.06	18.60	129	5.8
CC148778		0.009	0.15	14.05	31	0.08	26.9	129	5.2
CC148779		0.005	0.18	8.34	20	0.05	16.10	145	4.1
CC148780		0.006	0.14	4.64	21	0.06	16.30	156	5.3
CC148781		0.005	0.13	5.73	20	0.05	13.70	110	3.5
CC148782		0.006	0.09	5.96	21	0.05	17.20	140	4.1
CC148783		0.006	0.07	4.84	21	<0.05	14.35	126	3.3
CC148784		0.006	0.08	4.39	21	0.05	16.65	127	3.6
CC148785		0.010	0.10	1.76	23	0.09	9.02	151	2.1
CC148786		0.006	0.08	0.76	21	<0.05	9.02	101	9.4
CC148787		<0.005	0.09	2.72	16	0.05	14.65	97	4.0
CC148788		0.006	0.09	2.33	21	0.05	14.00	106	3.7
CC148789		0.007	0.08	2.37	21	0.06	17.30	162	4.1
CC148790		0.007	0.09	3.79	21	0.06	23.6	326	3.6
CC148791		0.007	0.09	3.89	22	0.06	19.35	228	3.7
CC148792		0.011	0.12	4.68	25	0.11	46.0	601	4.3
CC148793		0.010	0.11	3.34	23	0.09	32.6	391	4.3
CC148794		0.010	0.11	4.23	22	0.09	40.8	548	4.2
CC148795		0.009	0.10	4.88	23	0.07	24.1	221	4.4
CC148796		<0.005	0.11	1.98	23	0.05	14.65	125	3.5
CC148797		<0.005	0.13	2.10	22	0.05	14.25	85	5.2
CC148798		<0.005	0.09	1.28	22	<0.05	11.75	116	3.0
CC148799		0.005	0.10	2.24	20	<0.05	9.48	94	3.1
CC148722		0.008	0.13	1.46	28	0.09	34.4	151	2.7
CC148723		0.006	0.15	1.58	22	0.05	18.25	141	3.2
CC148724		0.007	0.15	3.28	23	0.06	20.5	131	3.7
CC148725		<0.005	0.09	1.43	7	<0.05	7.80	260	1.6
CC148726		0.006	0.11	1.75	17	0.06	15.30	105	2.3
CC148727		<0.005	0.07	1.39	8	<0.05	8.14	116	1.6
CC148728		<0.005	0.09	1.24	8	<0.05	8.48	118	1.8
CC148729		<0.005	0.09	1.16	11	<0.05	9.60	119	1.6
CC148730		<0.005	0.08	1.01	11	<0.05	9.36	101	2.1
CC148731		<0.005	0.09	1.07	11	<0.05	9.13	101	2.2
CC148732		<0.005	0.07	1.06	10	<0.05	9.22	97	2.1
CC148733		<0.005	0.08	1.43	16	<0.05	8.85	110	2.9
CC148734		<0.005	0.07	0.94	14	<0.05	7.98	110	3.4
CC148735		<0.005	0.11	1.36	7	<0.05	8.69	130	1.7
CC148736		<0.005	0.10	1.64	7	<0.05	8.61	138	1.3
CC148737		<0.005	0.08	1.05	14	<0.05	8.33	120	3.6
CC148738		<0.005	0.07	1.21	14	<0.05	8.11	114	3.1

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 23- SEP- 2011
Account: RCM

Project: Rackla - Osiris East Silts

CERTIFICATE OF ANALYSIS WH11174075

Sample Description	Method	WEI- 21	Au- ST43	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Recvd Wt.	Au	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.02	0.0001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
CC148739		0.42	0.0013	0.08	1.40	22.7	<0.2	<10	50	1.17	0.38	0.99	0.08	17.20	22.3	20
CC148740		0.42	0.0013	0.09	1.36	22.0	<0.2	<10	50	1.13	0.38	1.55	0.10	15.85	22.5	19
CC148741		0.28	0.0011	0.09	1.32	23.0	<0.2	<10	50	1.27	0.37	1.95	0.10	16.60	24.6	19
CC148742		0.36	0.0016	0.10	1.50	21.6	<0.2	<10	60	1.27	0.39	1.17	0.12	19.10	23.5	22
CC148743		0.28	0.0011	0.10	1.21	21.7	<0.2	<10	50	0.84	0.35	1.17	0.10	16.25	18.9	18
CC148744		0.30	0.0012	0.09	1.29	20.6	<0.2	<10	50	0.93	0.35	1.41	0.11	15.85	22.4	18
CC148745		0.38	0.0012	0.07	1.25	20.5	<0.2	<10	50	0.87	0.32	1.81	0.09	13.25	21.3	17
CC148689		0.30	0.0020	0.10	1.54	12.7	<0.2	<10	70	1.24	0.32	0.41	0.20	24.0	15.7	25
CC148690		0.32	0.0013	0.09	1.60	9.9	<0.2	<10	80	1.01	0.32	0.33	0.17	21.2	14.3	26
CC148691		0.28	0.0012	0.09	1.52	11.5	<0.2	<10	70	1.31	0.29	0.47	0.23	20.2	14.9	24
CC148692		0.36	0.0014	0.10	1.46	11.0	<0.2	<10	70	1.10	0.28	0.47	0.17	20.5	13.2	23
CC148693		0.28	0.0013	0.09	1.55	11.2	<0.2	<10	70	1.23	0.28	0.43	0.19	21.3	14.3	24
CC148694		0.26	0.0010	0.28	1.49	10.6	<0.2	<10	80	1.31	0.27	0.45	0.22	22.1	14.4	25
CC148695		0.34	0.0015	0.12	1.46	10.6	<0.2	<10	90	1.02	0.30	0.54	0.23	22.5	13.4	24
CC148696		0.28	0.0016	0.12	1.54	11.2	<0.2	<10	80	1.22	0.28	0.54	0.26	30.2	15.1	26
CC148697		0.42	0.0016	0.09	1.46	10.9	<0.2	<10	70	1.02	0.29	0.65	0.28	31.5	14.7	26
CC148698		0.40	0.0031	0.14	1.00	15.7	<0.2	<10	90	0.70	0.32	0.51	0.14	21.5	8.6	17
CC148699		0.38	0.0019	0.10	1.56	11.7	<0.2	<10	80	1.08	0.30	0.51	0.15	32.4	14.7	28
CC148633		0.28	0.0025	0.13	1.54	11.3	<0.2	<10	80	1.02	0.24	0.51	0.32	39.3	11.0	31
CC148634		0.32	0.0019	0.09	1.49	13.7	<0.2	<10	90	1.02	0.30	0.40	0.25	30.9	13.8	24
CC148635		0.34	0.0029	0.11	1.42	15.3	<0.2	<10	80	0.98	0.32	0.45	0.22	32.0	16.5	22
CC148636		0.34	0.0020	0.08	1.58	10.3	<0.2	<10	80	1.04	0.29	0.46	0.18	27.7	13.8	27
CC148637		0.38	0.0026	0.10	0.75	25.9	<0.2	<10	70	0.71	0.30	0.44	0.13	21.1	13.1	14
CC148638		0.40	0.0019	0.11	0.75	22.6	<0.2	<10	70	0.59	0.37	0.45	0.10	19.75	9.7	13
CC148639		0.40	0.0024	0.08	1.20	14.7	<0.2	<10	80	1.08	0.34	0.19	0.12	23.4	12.7	18
CC148640		0.50	0.0021	0.10	0.96	17.9	<0.2	<10	70	0.77	0.32	0.36	0.15	24.3	10.8	16
CC148641		0.40	0.0023	0.13	1.54	11.0	<0.2	<10	100	1.09	0.36	0.37	0.17	45.8	16.2	29
CC148642		0.46	0.0024	0.08	0.99	15.8	<0.2	<10	70	0.78	0.30	0.43	0.13	26.1	12.0	18
CC148643		0.46	0.0020	0.07	1.08	13.7	<0.2	<10	70	0.81	0.28	0.41	0.13	34.2	13.6	20
CC148644		0.42	0.0022	0.08	1.06	14.2	<0.2	<10	70	0.74	0.29	0.53	0.13	30.9	12.6	19
CC148645		0.34	0.0023	0.07	1.05	15.2	<0.2	<10	70	0.80	0.29	0.55	0.14	28.4	13.2	19
CC148646		0.32	0.0020	0.09	1.10	13.8	<0.2	<10	80	0.80	0.29	0.67	0.14	31.6	12.6	21
CC148647		0.36	0.0021	0.06	1.05	14.5	<0.2	<10	70	0.81	0.28	0.64	0.14	29.8	12.5	19
CC148648		0.28	0.0018	0.08	1.42	11.2	<0.2	<10	80	1.01	0.28	0.55	0.18	29.4	14.2	26
CC148649		0.38	0.0018	0.06	1.04	14.6	<0.2	<10	70	0.88	0.28	0.88	0.13	27.6	11.4	18
CC148650		0.38	0.0018	0.10	1.16	11.5	<0.2	<10	70	0.93	0.29	3.16	0.13	24.0	15.3	23
CC148501		0.40	0.0016	0.11	1.14	12.7	<0.2	<10	70	0.92	0.30	2.55	0.16	19.15	15.7	19
CC148502		0.36	0.0014	0.12	1.14	13.9	<0.2	<10	60	0.98	0.34	2.12	0.12	17.15	17.2	17
CC148503		0.46	0.0013	0.13	1.07	13.4	<0.2	<10	80	1.06	0.35	0.48	0.15	17.85	18.9	16
CC148504		0.44	0.0012	0.14	1.19	14.2	<0.2	<10	90	1.17	0.35	0.44	0.18	21.3	19.0	17

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 23- SEP- 2011
Account: RCM

Project: Rackla - Osiris East Silts

CERTIFICATE OF ANALYSIS WH11174075

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
CC148739		3.49	47.8	4.19	4.18	0.07	0.08	1.41	0.036	0.06	7.3	54.2	1.01	874	0.49	0.01
CC148740		3.32	49.1	4.15	4.04	0.07	0.08	0.18	0.036	0.07	6.4	53.8	1.10	1120	0.56	0.02
CC148741		3.23	47.4	4.06	4.06	0.07	0.08	0.29	0.036	0.06	6.7	54.6	1.24	969	0.51	0.02
CC148742		3.19	49.3	4.13	4.67	0.08	0.09	0.44	0.038	0.08	8.4	56.5	0.94	1000	0.57	0.01
CC148743		2.34	39.8	3.95	3.73	0.09	0.09	0.19	0.039	0.07	6.5	41.2	0.89	785	0.46	0.02
CC148744		2.46	41.6	3.95	3.77	0.08	0.08	0.18	0.034	0.06	6.0	44.4	1.07	969	0.45	0.02
CC148745		2.64	39.4	3.87	3.71	0.09	0.08	0.19	0.029	0.05	5.2	44.3	1.04	972	0.46	0.02
CC148689		1.79	38.7	3.62	4.73	0.09	0.12	0.06	0.032	0.06	10.8	48.4	0.73	402	0.55	0.02
CC148690		1.79	36.2	3.25	4.90	0.08	0.12	0.05	0.035	0.06	10.2	50.1	0.76	220	0.53	0.02
CC148691		1.90	33.9	3.65	4.43	0.10	0.10	0.06	0.033	0.06	9.1	50.8	0.76	938	0.45	0.02
CC148692		1.52	31.5	3.50	4.41	0.10	0.11	0.05	0.028	0.06	8.9	48.2	0.73	544	0.46	0.02
CC148693		1.71	33.3	3.60	4.73	0.11	0.11	0.07	0.029	0.06	9.5	52.4	0.79	771	0.45	0.02
CC148694		1.77	33.8	3.51	4.49	0.10	0.11	0.04	0.029	0.06	10.9	49.3	0.80	928	0.47	0.02
CC148695		1.65	31.7	3.44	4.31	0.09	0.12	0.06	0.030	0.07	10.6	46.1	0.84	748	0.50	0.02
CC148696		1.97	35.9	3.55	4.99	0.10	0.11	0.05	0.029	0.07	14.8	50.5	0.97	711	0.51	0.02
CC148697		1.65	32.1	3.43	4.71	0.11	0.10	0.05	0.032	0.06	14.7	47.7	1.01	703	0.49	0.02
CC148698		1.10	44.1	3.19	3.49	0.09	0.08	0.12	0.039	0.11	9.8	20.3	0.41	262	0.93	0.02
CC148699		1.66	36.9	3.51	5.20	0.11	0.12	0.06	0.032	0.06	15.9	50.9	1.04	449	0.51	0.02
CC148633		1.86	28.4	3.07	4.92	0.12	0.10	0.04	0.031	0.09	18.9	35.3	0.94	399	0.78	0.02
CC148634		1.94	31.9	3.59	4.80	0.10	0.08	0.05	0.034	0.06	13.3	42.7	0.65	650	0.70	0.02
CC148635		1.59	37.0	3.83	4.55	0.09	0.09	0.04	0.035	0.07	13.2	47.0	0.65	659	0.66	0.02
CC148636		1.55	33.3	3.44	4.87	0.11	0.11	0.05	0.029	0.07	14.2	48.5	1.01	635	0.43	0.02
CC148637		1.40	57.5	4.11	2.95	0.09	0.04	0.09	0.036	0.11	8.5	16.0	0.22	473	1.06	0.02
CC148638		1.33	49.8	3.82	3.18	0.09	0.04	0.13	0.037	0.13	8.0	14.9	0.21	407	1.07	0.02
CC148639		1.62	46.6	3.50	4.08	0.10	0.04	0.05	0.035	0.12	10.4	30.3	0.40	481	0.71	0.02
CC148640		1.51	43.7	3.61	3.54	0.10	0.04	0.07	0.035	0.11	10.7	24.2	0.35	451	0.83	0.02
CC148641		2.25	44.0	3.67	5.49	0.12	0.09	0.05	0.035	0.13	23.4	39.4	0.89	599	0.69	0.02
CC148642		1.35	43.1	3.53	3.59	0.11	0.05	0.05	0.034	0.10	12.7	26.6	0.50	460	0.74	0.02
CC148643		1.41	40.9	3.35	3.92	0.11	0.05	0.04	0.030	0.10	16.0	31.3	0.62	444	0.70	0.02
CC148644		1.37	41.0	3.38	3.73	0.10	0.05	0.06	0.029	0.11	14.8	28.9	0.63	422	0.73	0.02
CC148645		1.32	42.0	3.46	3.61	0.10	0.05	0.05	0.029	0.10	13.4	29.8	0.59	466	0.70	0.02
CC148646		1.49	41.6	3.36	3.90	0.11	0.07	0.06	0.027	0.11	15.4	31.2	0.70	444	0.70	0.02
CC148647		1.33	40.9	3.34	3.80	0.10	0.06	0.05	0.028	0.11	14.8	30.3	0.63	433	0.68	0.02
CC148648		1.56	34.1	3.35	4.60	0.12	0.10	0.05	0.030	0.07	13.8	45.2	0.97	754	0.53	0.02
CC148649		1.28	41.5	3.36	3.60	0.10	0.06	0.06	0.031	0.10	12.6	31.2	0.65	380	0.66	0.02
CC148650		1.65	32.4	3.35	3.90	0.12	0.09	0.03	0.030	0.07	10.3	37.6	0.97	413	0.54	0.02
CC148501		1.76	34.1	3.42	3.79	0.09	0.08	0.04	0.039	0.07	7.3	42.1	0.66	364	0.55	0.02
CC148502		1.66	35.2	3.67	3.69	0.09	0.09	0.02	0.038	0.06	5.8	42.8	0.49	393	0.50	0.02
CC148503		2.12	36.9	4.10	3.26	0.09	0.07	0.03	0.037	0.07	6.3	36.0	0.37	552	0.62	0.02
CC148504		1.72	39.1	4.12	3.66	0.09	0.09	0.04	0.043	0.07	8.6	37.7	0.43	478	0.67	0.02

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 23- SEP- 2011
Account: RCM

Project: Rackla - Osiris East Silts

CERTIFICATE OF ANALYSIS WH11174075

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
CC148739		0.11	41.3	430	26.6	6.1	<0.001	0.10	1.10	5.2	0.9	0.3	41.6	<0.01	0.07	4.9
CC148740		0.11	44.3	440	28.6	5.6	<0.001	0.17	1.07	5.4	0.8	0.3	59.5	<0.01	0.07	4.9
CC148741		0.11	44.5	440	28.4	5.8	<0.001	0.11	1.11	5.6	0.7	0.3	71.6	<0.01	0.07	4.9
CC148742		0.15	45.2	490	28.2	6.8	<0.001	0.09	0.92	5.7	0.8	0.3	65.5	<0.01	0.07	4.7
CC148743		0.11	37.8	410	27.6	4.9	<0.001	0.09	1.02	4.6	0.9	0.3	57.3	<0.01	0.08	4.2
CC148744		0.09	39.9	420	28.5	4.3	0.001	0.13	1.04	4.5	0.7	0.3	52.9	<0.01	0.07	4.3
CC148745		0.06	39.0	390	25.1	3.9	<0.001	0.16	0.97	4.2	0.6	0.3	72.8	<0.01	0.06	4.2
CC148689		0.20	40.4	760	23.8	6.9	<0.001	0.09	0.37	5.2	1.4	0.4	35.6	<0.01	0.05	3.1
CC148690		0.24	32.4	630	25.1	7.6	<0.001	0.14	0.34	5.0	1.6	0.4	34.6	<0.01	0.03	3.1
CC148691		0.18	43.7	760	21.5	7.2	<0.001	0.07	0.32	4.6	1.5	0.3	41.7	<0.01	0.05	3.1
CC148692		0.21	34.4	680	19.5	6.6	<0.001	0.07	0.31	4.8	0.9	0.3	40.7	<0.01	0.04	3.0
CC148693		0.19	40.4	720	20.7	7.1	<0.001	0.07	0.31	5.0	1.2	0.3	42.4	<0.01	0.05	3.3
CC148694		0.19	42.6	780	20.9	7.7	<0.001	0.07	0.31	4.5	1.4	0.3	41.9	<0.01	0.03	3.3
CC148695		0.19	36.5	800	22.3	7.1	<0.001	0.07	0.33	4.4	1.2	0.3	46.1	<0.01	0.03	3.2
CC148696		0.20	40.5	740	22.2	7.2	<0.001	0.06	0.34	5.2	1.3	0.4	42.6	<0.01	0.05	3.8
CC148697		0.19	34.6	660	21.9	6.7	<0.001	0.06	0.34	5.0	1.4	0.3	51.4	<0.01	0.02	3.7
CC148698		0.24	19.8	1200	27.0	9.1	<0.001	0.10	0.39	3.9	2.1	0.5	60.1	<0.01	0.05	2.3
CC148699		0.23	33.3	660	21.4	6.5	<0.001	0.06	0.32	5.1	1.4	0.4	51.7	<0.01	0.04	4.0
CC148633		0.49	27.5	1200	22.1	9.9	<0.001	0.05	0.49	5.2	1.5	0.5	45.9	<0.01	0.03	2.7
CC148634		0.37	29.9	920	31.0	7.2	<0.001	0.04	0.49	5.9	1.0	0.4	40.4	<0.01	0.03	2.9
CC148635		0.26	34.2	910	29.5	6.0	0.001	0.04	0.48	6.4	0.9	0.4	49.4	<0.01	0.06	3.6
CC148636		0.21	35.6	700	20.6	6.8	<0.001	0.06	0.28	5.0	0.9	0.3	45.1	<0.01	0.03	3.8
CC148637		0.12	25.6	1810	25.9	7.8	0.001	0.13	0.53	4.5	3.1	0.5	47.0	<0.01	0.08	4.6
CC148638		0.16	20.3	1610	26.6	8.1	<0.001	0.15	0.49	4.5	2.1	0.5	59.4	<0.01	0.07	4.6
CC148639		0.23	25.7	880	24.6	9.1	<0.001	0.13	0.39	3.6	1.5	0.5	32.4	<0.01	0.08	3.0
CC148640		0.18	23.1	1330	25.9	8.0	<0.001	0.11	0.42	4.6	1.6	0.5	40.2	<0.01	0.07	4.0
CC148641		0.34	35.8	910	27.8	10.5	<0.001	0.08	0.40	5.6	0.9	0.5	38.0	<0.01	0.04	4.8
CC148642		0.15	25.6	1180	22.8	7.3	<0.001	0.09	0.47	4.1	1.1	0.4	43.7	<0.01	0.05	4.4
CC148643		0.15	28.5	1030	22.4	7.3	<0.001	0.08	0.36	4.1	1.2	0.4	40.8	<0.01	0.04	5.3
CC148644		0.19	27.1	1130	23.1	7.5	<0.001	0.08	0.39	4.1	1.6	0.4	44.3	<0.01	0.05	4.9
CC148645		0.17	27.6	1140	23.5	7.0	<0.001	0.08	0.39	4.1	1.6	0.4	46.0	<0.01	0.04	4.9
CC148646		0.20	27.3	1000	22.0	7.6	<0.001	0.09	0.36	4.4	1.3	0.4	47.3	<0.01	0.07	5.0
CC148647		0.16	27.1	1060	22.5	7.3	0.001	0.08	0.35	4.2	1.0	0.4	51.2	<0.01	0.05	5.2
CC148648		0.20	35.0	740	20.3	6.5	<0.001	0.07	0.31	4.6	1.2	0.3	45.2	<0.01	0.03	3.9
CC148649		0.13	26.0	1050	20.6	6.7	<0.001	0.08	0.37	4.1	1.4	0.4	64.9	<0.01	0.03	5.0
CC148650		0.16	33.7	590	26.2	6.2	<0.001	0.08	0.35	5.1	0.9	0.4	183.5	<0.01	0.05	3.9
CC148501		0.17	35.3	580	28.2	5.9	<0.001	0.08	0.40	5.2	1.7	0.4	191.5	<0.01	0.04	3.2
CC148502		0.15	37.8	510	32.8	4.7	<0.001	0.07	0.40	5.5	0.9	0.4	141.0	<0.01	0.06	3.7
CC148503		0.17	40.8	640	35.3	6.2	<0.001	0.10	0.38	6.0	1.1	0.5	54.2	<0.01	0.07	3.3
CC148504		0.20	40.1	700	34.2	5.9	0.001	0.09	0.41	6.3	0.8	0.5	41.5	<0.01	0.06	3.0

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 23- SEP- 2011
Account: RCM

Project: Rackla - Osiris East Silts

CERTIFICATE OF ANALYSIS WH11174075

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
CC148739		<0.005	0.07	1.27	15	<0.05	7.97	109	3.1
CC148740		<0.005	0.08	1.03	15	<0.05	8.15	121	3.2
CC148741		<0.005	0.08	1.00	14	<0.05	8.84	115	3.2
CC148742		<0.005	0.09	1.11	17	<0.05	9.88	118	3.2
CC148743		<0.005	0.08	1.00	14	<0.05	8.23	104	2.9
CC148744		<0.005	0.06	0.99	14	<0.05	7.95	114	3.1
CC148745		<0.005	0.07	0.87	13	<0.05	7.25	105	3.8
CC148689		0.005	0.06	2.74	18	<0.05	16.10	118	3.6
CC148690		0.005	0.07	2.94	19	0.05	12.95	111	3.7
CC148691		0.005	0.06	2.20	16	<0.05	14.05	134	3.0
CC148692		0.005	0.06	2.28	17	<0.05	12.40	103	3.3
CC148693		<0.005	0.06	1.88	17	<0.05	14.45	117	3.2
CC148694		0.006	0.06	2.14	17	<0.05	13.85	137	3.1
CC148695		0.005	0.06	1.82	17	<0.05	12.15	127	3.3
CC148696		0.006	0.07	1.77	18	<0.05	14.65	129	3.3
CC148697		0.006	0.07	1.90	19	<0.05	13.90	122	3.3
CC148698		<0.005	0.15	4.30	15	<0.05	11.05	83	2.5
CC148699		0.006	0.06	2.57	19	<0.05	13.05	94	3.7
CC148633		0.018	0.11	3.69	31	0.10	17.20	110	2.8
CC148634		0.012	0.08	1.82	27	0.18	17.75	101	2.3
CC148635		0.008	0.08	1.98	21	0.08	16.95	101	3.1
CC148636		0.006	0.06	2.10	19	0.05	12.55	107	3.2
CC148637		<0.005	0.17	1.80	12	<0.05	11.95	84	1.9
CC148638		<0.005	0.17	1.44	12	<0.05	10.65	63	1.9
CC148639		0.006	0.15	0.96	14	<0.05	10.10	79	1.0
CC148640		0.006	0.14	1.48	15	<0.05	12.45	74	1.7
CC148641		0.010	0.16	1.54	20	<0.05	15.20	104	2.7
CC148642		0.005	0.13	1.53	13	<0.05	10.70	79	1.9
CC148643		0.006	0.11	1.47	14	<0.05	11.00	81	2.4
CC148644		0.006	0.13	1.71	14	<0.05	10.35	82	2.3
CC148645		0.005	0.12	1.79	13	<0.05	10.80	85	2.4
CC148646		0.007	0.12	1.73	14	<0.05	10.55	85	2.6
CC148647		0.005	0.11	1.75	14	<0.05	11.15	82	2.5
CC148648		0.006	0.07	2.18	18	<0.05	11.85	105	3.3
CC148649		<0.005	0.10	1.77	13	<0.05	10.50	81	2.8
CC148650		0.005	0.08	1.40	18	<0.05	11.40	100	3.4
CC148501		<0.005	0.07	1.46	15	<0.05	11.80	102	3.3
CC148502		<0.005	0.07	0.95	14	<0.05	12.45	104	3.4
CC148503		<0.005	0.09	1.29	14	<0.05	14.80	112	2.6
CC148504		0.005	0.09	1.25	17	<0.05	16.80	114	3.0

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 23- SEP- 2011
Account: RCM

Project: Rackla - Osiris East Silts

CERTIFICATE OF ANALYSIS WH11174075

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- ST43 Au ppm 0.0001	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1
CC148505		0.42	0.0013	0.19	1.32	12.0	<0.2	<10	90	1.11	0.36	0.41	0.20	24.2	18.6	21

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 23- SEP- 2011
Account: RCM

Project: Rackla - Osiris East Silts

CERTIFICATE OF ANALYSIS WH11174075

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
CC148505		2.12	35.8	4.52	4.10	0.09	0.09	0.05	0.047	0.08	8.3	41.8	0.40	574	0.64	0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 23- SEP- 2011
Account: RCM

Project: Rackla - Osiris East Silts

CERTIFICATE OF ANALYSIS WH11174075

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
CC148505		0.22	40.0	760	33.1	7.3	<0.001	0.04	0.51	6.4	0.9	0.5	48.6	<0.01	0.09	3.7

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 23- SEP- 2011
Account: RCM

Project: Rackla - Osiris East Silts

CERTIFICATE OF ANALYSIS WH11174075

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
CC148505		0.006	0.11	1.19	21	0.06	16.00	124	2.6

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 23- SEP- 2011
Account: RCM

Project: Rackla - Osiris East Silts

CERTIFICATE OF ANALYSIS WH11174075

Method	CERTIFICATE COMMENTS
ME- MS41	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown.
ME- MS41	Gold determinations by this method are semi- quantitative due to the small sample weight used (0.5g).

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 19- SEP- 2011
Account: RCM

CERTIFICATE WH11174076

Project: Rackla - Gaia

P.O. No.:

This report is for 85 Soil samples submitted to our lab in Whitehorse, YT, Canada on 31- AUG- 2011.

The following have access to data associated with this certificate:

ROB CARNE JULIA LANE	ANDREW CARNE JOAN MARIACHER	MATT DUMALA

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
SCR- 41	Screen to - 180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- TL43	Trace Level Au - 25g AR	ICP- MS
ME- MS41	51 anal. aqua regia ICPMS	

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 19- SEP- 2011
Account: RCM

Project: Rackla - Gaia

CERTIFICATE OF ANALYSIS WH11174076

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- TL43 Au ppm 0.001	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1
CC142722		0.38	0.002	0.14	2.41	14.1	<0.2	<10	60	0.74	0.34	0.02	0.07	14.25	14.6	31
CC142723		0.40	0.002	0.13	2.05	16.7	<0.2	<10	70	0.84	0.40	0.05	0.11	20.9	18.2	30
CC142724		0.42	0.002	0.10	2.51	14.1	<0.2	<10	70	1.23	0.34	0.03	0.04	15.40	17.9	31
CC142725		0.34	0.002	0.04	2.61	11.6	<0.2	<10	110	0.92	0.32	0.03	0.05	16.45	17.4	32
CC142726		0.40	0.002	0.04	2.23	14.1	<0.2	<10	100	0.96	0.36	0.15	0.05	25.8	20.2	29
CC142727		0.36	0.003	0.13	2.22	11.3	<0.2	<10	180	1.00	0.34	0.45	0.07	40.1	14.2	34
CC142728		0.38	0.003	0.08	2.61	13.8	<0.2	<10	130	1.37	0.35	0.32	0.10	25.1	20.3	33
CC142729		0.30	0.003	0.21	2.66	12.8	<0.2	<10	110	2.41	0.39	0.15	0.03	75.6	22.2	31
CC142730		0.44	0.003	0.05	2.25	16.9	<0.2	<10	80	0.72	0.36	0.03	0.09	19.70	22.1	29
CC142731		0.44	0.003	0.05	2.33	16.2	<0.2	<10	80	0.71	0.35	0.05	0.12	22.8	20.7	29
CC142732		0.40	0.002	0.06	2.49	15.5	<0.2	<10	80	0.75	0.37	0.02	0.10	16.50	22.2	29
CC142733		0.44	0.003	0.07	2.75	16.1	<0.2	<10	90	1.12	0.38	0.04	0.16	20.4	27.8	33
CC142734		0.40	0.003	0.12	1.70	12.4	<0.2	<10	90	1.00	0.30	0.40	0.10	25.0	14.6	28
CC142735		0.32	0.005	0.20	1.45	9.2	<0.2	<10	60	0.96	0.30	0.44	0.12	7.30	21.2	23
CC142736		0.50	0.002	0.07	1.53	13.2	<0.2	<10	100	0.85	0.32	0.10	0.15	17.20	20.6	23
CC142737		0.42	0.002	0.07	1.42	9.1	<0.2	<10	60	0.37	0.28	0.04	0.14	20.9	7.0	18
CC142738		0.38	0.003	0.07	1.25	16.3	<0.2	<10	70	0.42	0.36	0.05	0.16	20.3	12.2	22
CC142739		0.40	0.002	0.04	1.29	9.7	<0.2	<10	100	0.46	0.30	0.06	0.13	17.85	11.9	20
CC142740		0.48	0.002	0.08	0.23	12.1	<0.2	<10	40	0.15	0.33	<0.01	<0.01	2.09	2.6	9
CC142741		0.38	0.003	0.06	1.50	13.4	<0.2	<10	70	1.07	0.29	0.05	0.15	16.15	21.8	21
CC142742		0.38	0.003	0.12	2.34	10.0	<0.2	<10	80	1.27	0.34	0.05	0.38	12.70	31.7	35
CC142743		0.46	0.002	0.12	1.14	20.1	<0.2	<10	90	0.82	0.32	0.06	1.43	22.0	16.0	20
CC142744		0.42	0.002	0.15	2.11	9.5	<0.2	<10	140	0.77	0.29	0.15	0.30	27.2	21.9	33
CC142745		0.30	0.002	0.08	1.99	14.0	<0.2	<10	80	0.64	0.27	0.08	0.27	26.2	12.7	30
CC142746		0.40	0.003	0.05	2.34	17.1	<0.2	<10	100	0.99	0.31	0.04	0.12	30.0	25.0	31
CC142747		0.28	0.003	0.12	2.91	14.6	<0.2	<10	90	0.92	0.27	0.04	0.19	26.4	18.7	34
CC142756		0.42	0.004	0.11	2.18	21.6	<0.2	<10	80	1.57	0.42	0.13	0.06	21.1	37.0	27
CC142757		0.40	0.004	0.05	1.93	10.1	<0.2	<10	110	0.95	0.32	0.16	0.20	29.2	15.5	29
CC142758		0.60	0.005	0.13	2.05	25.0	<0.2	<10	70	2.02	0.51	0.05	0.11	25.5	31.3	31
CC142759		0.48	0.003	0.14	2.61	11.8	<0.2	<10	60	2.08	0.36	0.05	0.08	32.6	42.3	34
CC142760		0.44	0.003	0.10	2.23	22.7	<0.2	<10	50	1.83	0.50	0.03	0.07	26.8	41.1	31
CC142761		0.44	0.002	0.10	1.00	18.0	<0.2	<10	30	0.94	0.43	0.11	0.05	17.85	18.6	15
CC142762		0.38	0.003	0.13	0.83	14.7	<0.2	<10	70	1.53	0.32	0.79	0.13	14.10	15.6	12
CC142763		0.46	0.002	0.05	0.71	14.2	<0.2	<10	50	1.07	0.46	0.05	0.17	16.45	27.2	13
CC142764		0.40	0.004	0.07	1.01	15.1	<0.2	<10	110	1.03	0.42	0.17	0.12	19.30	14.7	18
CC142765		0.44	0.002	0.10	0.46	23.8	<0.2	<10	80	1.25	0.53	0.27	0.14	28.0	29.5	9
CC142766		0.42	0.002	0.11	1.53	12.9	<0.2	<10	110	1.17	0.40	0.39	0.16	21.6	15.2	22
CC142767		0.46	0.002	0.10	0.46	15.6	<0.2	<10	60	1.61	0.25	0.38	0.13	12.85	12.8	10
CC142768		0.44	0.002	0.12	1.25	17.4	<0.2	<10	100	1.96	0.54	0.44	0.09	18.25	31.2	19
CC142769		0.38	0.002	0.05	1.35	13.2	<0.2	<10	100	0.95	0.39	0.08	0.13	19.75	14.2	19

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 19- SEP- 2011
Account: RCM

Project: Rackla - Gaia

CERTIFICATE OF ANALYSIS WH11174076

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
CC142722		3.36	37.6	5.32	6.97	0.08	0.07	0.04	0.033	0.04	7.2	83.9	0.70	342	0.74	<0.01
CC142723		2.26	33.9	5.00	6.71	0.08	0.08	0.06	0.041	0.05	9.6	70.4	0.71	634	0.70	0.01
CC142724		1.70	43.0	4.83	6.27	0.08	0.07	0.04	0.036	0.06	7.1	89.3	0.90	547	0.45	0.01
CC142725		2.03	29.8	4.68	7.03	0.08	0.07	0.01	0.033	0.05	8.1	94.6	0.97	641	0.42	<0.01
CC142726		1.50	37.6	4.30	6.93	0.11	0.06	0.02	0.027	0.06	12.1	85.0	0.98	847	0.49	<0.01
CC142727		1.54	26.7	3.41	7.09	0.10	0.08	0.04	0.036	0.05	19.6	51.4	0.99	578	0.73	0.01
CC142728		1.95	49.5	4.27	7.72	0.11	0.12	0.04	0.035	0.07	15.1	74.7	1.00	947	0.56	0.01
CC142729		2.12	81.8	4.49	6.71	0.14	0.10	0.06	0.050	0.09	29.7	81.0	1.09	1210	0.34	<0.01
CC142730		1.87	41.4	4.22	6.84	0.08	0.06	0.03	0.026	0.04	9.5	73.7	0.77	839	0.80	<0.01
CC142731		2.43	39.6	4.10	7.08	0.09	0.07	0.03	0.030	0.04	10.3	61.6	0.59	830	1.29	<0.01
CC142732		1.92	35.0	4.56	7.23	0.08	0.08	0.03	0.031	0.04	8.0	77.7	0.72	716	0.88	<0.01
CC142733		1.74	45.6	4.44	5.92	0.08	0.11	0.04	0.037	0.05	8.5	79.9	0.88	966	0.62	<0.01
CC142734		2.90	34.2	3.57	5.19	0.10	0.09	0.08	0.027	0.07	14.1	42.7	0.62	585	0.87	0.01
CC142735		3.80	49.2	4.40	4.11	0.08	0.08	0.13	0.034	0.07	4.0	33.6	0.50	553	0.60	0.01
CC142736		2.57	42.7	4.76	5.39	0.08	0.03	0.07	0.037	0.07	7.9	37.1	0.42	885	1.49	0.01
CC142737		3.22	18.7	2.84	6.39	0.08	0.04	0.03	0.026	0.04	11.6	21.1	0.17	270	1.70	<0.01
CC142738		3.22	27.8	4.54	6.66	0.08	0.02	0.05	0.030	0.05	10.3	11.1	0.17	457	2.16	<0.01
CC142739		2.83	27.7	4.01	6.37	0.07	<0.02	0.04	0.026	0.05	9.1	25.5	0.27	532	1.85	<0.01
CC142740		1.97	15.7	4.97	2.06	0.07	0.10	2.06	0.029	0.05	0.9	1.3	0.01	55	1.13	<0.01
CC142741		1.71	43.8	4.46	3.79	0.08	0.05	0.11	0.033	0.05	6.9	32.9	0.44	690	1.28	<0.01
CC142742		5.22	32.0	6.57	7.18	0.08	0.03	0.08	0.038	0.08	6.0	31.6	0.36	1840	1.32	0.01
CC142743		2.24	49.1	4.63	4.51	0.09	<0.02	0.32	0.042	0.07	9.7	18.0	0.16	950	1.34	<0.01
CC142744		8.56	47.2	5.25	8.84	0.08	0.02	0.05	0.045	0.06	12.9	36.3	0.40	952	1.23	0.01
CC142745		10.55	28.5	5.44	8.76	0.09	0.04	0.06	0.047	0.06	13.5	48.6	0.40	582	1.20	<0.01
CC142746		2.13	57.6	5.50	6.30	0.09	0.06	0.07	0.046	0.06	14.5	50.8	0.62	595	1.08	<0.01
CC142747		3.93	58.4	5.38	6.79	0.09	0.07	0.09	0.047	0.07	13.3	62.2	0.58	285	1.14	<0.01
CC142756		4.81	81.1	4.28	6.71	0.10	0.24	0.03	0.032	0.05	10.0	93.2	0.96	1290	0.40	<0.01
CC142757		3.89	37.2	3.69	5.81	0.09	0.03	0.02	0.036	0.05	14.0	46.4	0.61	1090	1.35	0.01
CC142758		4.70	81.6	5.38	6.70	0.11	0.11	0.05	0.036	0.06	10.6	78.7	0.74	1240	3.46	0.02
CC142759		8.43	57.7	5.13	7.51	0.11	0.11	0.03	0.038	0.06	12.3	104.5	1.06	2610	0.87	0.01
CC142760		8.31	61.3	5.13	6.96	0.10	0.09	0.03	0.043	0.05	11.9	103.0	0.83	1720	0.82	0.01
CC142761		2.77	41.5	4.70	3.27	0.08	0.07	0.21	0.040	0.05	7.9	37.6	0.23	773	0.75	0.01
CC142762		1.06	32.9	5.13	2.17	0.09	0.14	0.10	0.048	0.06	6.4	20.1	0.20	1020	0.77	0.01
CC142763		2.32	44.2	5.61	2.23	0.08	<0.02	0.16	0.048	0.05	7.0	13.8	0.07	1270	0.92	<0.01
CC142764		3.24	34.9	4.41	3.94	<0.05	0.02	0.10	0.043	0.06	8.1	26.8	0.22	522	1.06	0.01
CC142765		1.56	53.4	6.69	1.28	0.06	0.15	0.35	0.056	0.06	9.6	7.3	0.11	1440	1.08	0.01
CC142766		3.57	38.6	4.83	4.66	<0.05	0.05	0.09	0.052	0.06	8.2	45.0	0.36	603	0.88	0.01
CC142767		2.07	26.5	6.14	1.03	0.06	0.15	0.40	0.057	0.07	5.0	5.6	0.10	609	0.90	0.01
CC142768		3.23	51.0	5.15	3.39	0.05	0.07	0.24	0.061	0.07	6.8	34.8	0.29	1180	0.78	0.01
CC142769		2.59	33.4	4.95	4.28	<0.05	0.04	0.07	0.045	0.06	5.7	30.5	0.23	594	1.06	0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 19- SEP- 2011
Account: RCM

Project: Rackla - Gaia

CERTIFICATE OF ANALYSIS WH11174076

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
CC142722		0.35	31.5	360	19.7	9.2	<0.001	0.01	0.46	3.3	<0.2	0.5	7.6	<0.01	0.04	3.0
CC142723		0.29	30.5	370	27.1	10.5	<0.001	0.02	0.43	3.7	0.3	0.4	10.5	<0.01	0.06	4.0
CC142724		0.08	42.8	190	22.7	8.6	<0.001	0.01	0.40	3.4	<0.2	0.3	11.0	<0.01	0.05	3.9
CC142725		0.09	35.8	190	22.7	11.2	<0.001	0.01	0.32	3.1	<0.2	0.4	10.8	<0.01	0.05	4.0
CC142726		0.17	40.5	360	27.5	7.7	<0.001	0.01	0.43	3.4	0.2	0.3	22.6	<0.01	0.08	4.6
CC142727		0.53	28.1	420	27.0	8.3	<0.001	0.02	0.41	4.6	0.2	0.5	36.7	<0.01	0.03	3.7
CC142728		0.22	40.4	310	28.0	11.9	<0.001	0.02	0.43	5.5	0.6	0.4	44.1	<0.01	0.06	3.9
CC142729		0.05	43.2	380	31.0	11.4	<0.001	0.01	0.40	9.7	1.4	0.4	19.3	<0.01	0.10	7.4
CC142730		0.52	34.3	260	27.3	8.0	<0.001	0.01	0.65	2.6	0.2	0.4	9.0	<0.01	0.06	3.8
CC142731		1.06	32.9	420	28.3	8.8	<0.001	0.01	0.97	2.8	0.6	0.6	10.3	0.01	0.05	3.7
CC142732		0.54	36.2	290	27.9	8.7	<0.001	0.01	0.77	2.7	0.2	0.4	8.1	0.01	0.07	3.9
CC142733		0.34	42.1	310	31.1	8.1	<0.001	0.01	0.60	3.1	0.3	0.3	9.0	<0.01	0.05	4.6
CC142734		0.55	30.2	610	22.5	8.7	<0.001	0.03	0.57	4.6	0.4	0.4	39.7	<0.01	0.02	2.4
CC142735		0.15	33.0	900	23.5	7.9	<0.001	0.07	0.57	6.2	0.7	0.4	42.5	<0.01	0.05	1.3
CC142736		0.28	35.4	540	24.0	12.3	<0.001	0.03	0.71	3.9	0.4	0.5	19.9	<0.01	0.05	1.7
CC142737		1.21	15.1	270	14.5	9.6	<0.001	0.01	0.73	2.5	0.4	0.8	8.5	<0.01	0.04	2.9
CC142738		1.89	22.7	340	22.0	11.1	<0.001	0.01	1.03	3.8	<0.2	0.9	11.6	0.01	0.05	2.8
CC142739		0.86	22.0	370	15.8	9.4	<0.001	0.02	0.70	3.2	0.3	0.7	13.8	<0.01	0.04	2.2
CC142740		<0.05	7.2	290	17.8	5.5	0.005	0.05	0.54	2.4	0.3	0.4	13.8	<0.01	0.06	2.0
CC142741		0.31	37.8	290	21.6	6.7	<0.001	0.01	0.73	5.1	0.3	0.4	17.2	<0.01	0.07	3.0
CC142742		0.99	22.8	1130	26.9	14.9	<0.001	0.04	0.77	3.4	0.4	0.6	8.9	0.01	0.04	1.8
CC142743		0.58	27.7	640	22.4	12.3	<0.001	0.03	0.80	4.3	0.4	0.6	9.0	<0.01	0.07	1.0
CC142744		0.95	22.8	490	15.0	14.1	<0.001	0.02	0.53	5.5	0.3	0.8	9.2	<0.01	0.07	2.5
CC142745		1.52	18.4	410	16.7	10.6	<0.001	0.02	0.62	4.2	0.2	0.9	8.1	<0.01	0.09	3.1
CC142746		0.40	36.0	360	21.9	10.9	<0.001	0.01	0.70	5.9	0.9	0.5	7.8	<0.01	0.07	4.8
CC142747		0.77	38.0	350	17.5	12.3	<0.001	0.02	0.72	5.6	0.6	0.6	6.6	<0.01	0.08	3.9
CC142756		<0.05	39.6	310	83.9	5.0	<0.001	<0.01	0.51	5.3	0.3	0.5	38.8	<0.01	0.07	4.7
CC142757		0.56	31.0	1050	15.0	7.8	<0.001	0.03	0.82	2.7	0.8	0.5	17.2	0.01	0.04	1.1
CC142758		0.13	35.0	1110	76.3	6.1	<0.001	0.11	1.28	4.5	0.9	0.4	95.1	<0.01	0.08	3.6
CC142759		0.16	42.1	1100	57.7	8.8	<0.001	0.04	0.57	5.2	0.6	0.4	32.6	<0.01	0.06	3.9
CC142760		0.16	41.7	600	65.7	6.4	<0.001	0.03	0.77	5.9	0.2	0.5	17.5	<0.01	0.05	3.0
CC142761		<0.05	31.5	420	37.5	3.7	0.001	0.03	0.42	6.2	0.8	0.4	22.6	<0.01	0.05	5.6
CC142762		0.06	34.6	790	27.0	4.5	<0.001	0.07	0.43	6.6	1.2	0.4	49.1	<0.01	0.04	2.0
CC142763		0.05	49.5	740	39.7	5.9	<0.001	0.02	0.41	4.7	0.7	0.4	12.2	<0.01	0.04	1.5
CC142764		0.36	31.1	770	31.2	8.8	<0.001	0.05	0.47	3.0	0.7	0.5	26.8	<0.01	0.05	1.2
CC142765		<0.05	59.7	910	43.2	3.9	<0.001	0.04	0.51	11.7	1.2	0.3	43.5	<0.01	0.09	7.1
CC142766		0.28	35.5	1040	27.0	9.8	<0.001	0.05	0.37	6.2	0.6	0.5	32.5	<0.01	0.05	1.6
CC142767		0.05	36.7	1530	30.8	4.9	<0.001	0.02	0.25	12.8	2.1	0.3	28.7	<0.01	0.02	6.6
CC142768		0.07	49.5	390	31.3	6.3	0.001	0.02	0.33	15.4	1.1	0.5	28.0	<0.01	0.05	6.3
CC142769		0.39	29.7	760	29.7	9.4	<0.001	0.03	0.50	3.9	0.8	0.4	11.1	<0.01	0.06	1.6

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 19- SEP- 2011
Account: RCM

Project: Rackla - Gaia

CERTIFICATE OF ANALYSIS WH11174076

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
CC142722		<0.005	0.10	0.52	36	0.07	2.65	81	2.3
CC142723		<0.005	0.08	0.88	28	<0.05	4.58	78	3.4
CC142724		<0.005	0.07	0.64	21	<0.05	3.81	88	3.0
CC142725		<0.005	0.07	0.64	22	<0.05	3.55	85	3.5
CC142726		<0.005	0.05	1.06	23	<0.05	6.12	89	2.6
CC142727		0.011	0.09	2.62	38	0.12	10.60	68	2.4
CC142728		<0.005	0.07	2.29	27	<0.05	13.15	96	3.8
CC142729		<0.005	0.09	2.14	18	<0.05	26.8	89	3.6
CC142730		0.011	0.08	0.62	31	0.10	3.67	78	2.3
CC142731		0.020	0.11	0.68	41	0.17	3.72	75	2.5
CC142732		0.009	0.07	0.56	31	0.09	3.35	78	3.4
CC142733		0.007	0.07	0.71	23	0.07	4.09	88	3.6
CC142734		0.014	0.08	1.78	34	0.14	9.60	85	2.3
CC142735		0.005	0.08	0.67	29	<0.05	9.50	82	1.9
CC142736		0.005	0.08	0.90	35	0.06	5.11	98	1.1
CC142737		0.017	0.15	0.51	54	0.22	2.43	57	1.2
CC142738		0.040	0.13	0.58	62	0.23	3.35	71	0.9
CC142739		0.015	0.12	0.49	56	0.16	3.18	72	0.6
CC142740		<0.005	0.14	0.17	17	<0.05	1.74	22	4.6
CC142741		0.006	0.08	0.71	28	0.05	4.87	88	1.6
CC142742		0.023	0.10	0.65	53	0.15	2.92	103	0.9
CC142743		0.014	0.17	0.50	42	0.12	4.44	90	<0.5
CC142744		0.015	0.13	0.39	86	0.12	3.49	123	0.6
CC142745		0.026	0.11	0.38	78	0.19	2.88	98	1.4
CC142746		0.006	0.11	0.53	45	0.07	4.24	77	2.9
CC142747		0.009	0.12	0.48	49	0.14	4.08	72	2.8
CC142756		0.005	0.05	1.43	20	<0.05	7.35	109	12.4
CC142757		0.027	0.09	1.10	42	0.24	6.67	93	0.8
CC142758		0.006	0.09	2.28	21	<0.05	8.30	99	3.1
CC142759		0.007	0.09	1.72	26	0.05	9.93	109	3.1
CC142760		0.005	0.07	1.26	25	<0.05	6.25	110	2.7
CC142761		<0.005	0.07	1.04	10	<0.05	6.81	88	4.0
CC142762		<0.005	0.06	0.70	15	<0.05	18.15	96	4.1
CC142763		<0.005	0.08	2.14	15	<0.05	7.51	129	<0.5
CC142764		0.006	0.11	0.86	27	0.09	6.10	88	0.8
CC142765		<0.005	0.10	0.98	13	<0.05	14.70	131	9.2
CC142766		0.005	0.10	0.92	26	0.06	9.95	106	1.7
CC142767		<0.005	0.09	0.65	11	<0.05	14.40	142	11.1
CC142768		<0.005	0.10	0.91	18	<0.05	23.9	120	3.1
CC142769		0.006	0.10	0.63	26	0.08	5.13	95	1.3

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 19- SEP- 2011
Account: RCM

Project: Rackla - Gaia

CERTIFICATE OF ANALYSIS WH11174076

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- TL43 Au ppm 0.001	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1
CC142770		0.34	0.003	0.04	0.97	19.9	<0.2	<10	60	0.82	0.35	0.07	0.14	21.7	17.9	18
CC142771		0.38	0.003	0.10	1.36	12.1	<0.2	<10	80	0.93	0.36	0.09	0.17	16.35	13.4	19
CC142772		0.36	0.002	0.05	1.91	11.2	<0.2	<10	70	0.69	0.33	0.05	0.21	16.80	9.3	26
CC142773		0.44	0.002	0.03	0.69	14.4	<0.2	<10	60	0.96	0.46	0.13	0.09	19.80	15.1	15
CC142774		0.42	0.004	0.09	0.22	26.3	<0.2	<10	30	1.03	0.63	0.04	0.05	25.0	26.7	8
CC142775		0.36	0.002	0.07	1.09	14.3	<0.2	<10	140	1.21	0.38	0.60	0.16	14.25	16.8	18
CC142776		0.38	0.002	0.05	0.96	27.2	<0.2	<10	100	1.29	0.47	0.07	0.11	10.50	19.7	16
CC142777		0.38	0.003	0.04	1.78	12.5	<0.2	<10	80	0.59	0.32	0.07	0.19	29.0	11.4	30
CC142778		0.36	0.003	0.03	1.53	10.9	<0.2	<10	70	0.39	0.35	0.07	0.09	23.1	7.2	27
CC142779		0.40	0.003	0.08	1.68	14.7	<0.2	<10	70	0.69	0.36	0.04	0.21	18.90	15.4	27
CC142780		0.38	0.002	0.05	1.81	10.6	<0.2	<10	100	0.59	0.38	0.05	0.27	24.8	11.6	30
CC142781		0.40	0.002	0.11	1.89	11.4	<0.2	<10	140	1.24	0.35	0.32	0.38	19.55	24.3	30
CC142782		0.36	0.005	0.08	1.50	19.0	<0.2	<10	70	1.10	0.40	0.04	0.09	29.6	27.8	21
CC142783		0.36	0.003	0.04	1.88	14.6	<0.2	<10	70	0.53	0.33	0.03	0.13	25.9	12.0	27
CC148251		0.36	0.003	0.02	1.83	12.9	<0.2	<10	90	1.01	0.38	0.06	0.06	19.05	16.8	24
CC148252		0.28	0.003	0.10	1.19	26.7	<0.2	<10	70	0.44	0.42	0.02	0.09	20.1	8.4	20
CC148253		0.24	0.002	0.06	1.12	11.0	<0.2	<10	80	0.43	0.26	0.09	0.13	18.80	7.4	22
CC148254		0.26	0.009	0.08	1.77	9.6	<0.2	<10	70	1.69	0.37	0.32	0.17	16.20	31.7	29
CC148255		0.34	0.003	0.06	0.81	28.7	<0.2	<10	40	0.50	0.29	0.01	0.07	6.49	13.9	17
CC148256		0.32	0.002	0.12	1.09	8.5	<0.2	<10	90	0.76	0.30	0.09	0.22	17.00	17.8	23
CC148257		0.26	0.002	0.03	1.65	14.5	<0.2	<10	70	1.25	0.37	0.02	0.08	23.2	16.8	20
CC148258		0.28	0.003	0.23	2.35	6.5	<0.2	<10	50	0.76	0.38	0.02	0.11	15.80	14.3	32
CC148259		0.30	0.002	0.08	1.99	13.1	<0.2	<10	110	0.59	0.35	0.06	0.16	24.5	13.4	28
CC148260		0.30	0.002	0.05	1.88	9.9	<0.2	<10	120	0.54	0.34	0.11	0.20	16.55	9.7	31
CC148261		0.26	0.002	0.08	1.84	8.6	<0.2	<10	120	0.78	0.38	0.08	0.19	19.80	11.6	29
CC148262		0.26	0.002	0.04	2.11	12.4	<0.2	<10	100	0.58	0.36	0.08	0.20	24.4	13.2	35
CC148263		0.32	0.003	0.23	2.07	19.1	<0.2	<10	80	0.88	0.39	0.02	0.19	12.00	18.6	29
CC148264		0.30	0.003	0.10	1.89	18.7	<0.2	<10	50	0.75	0.43	0.02	0.10	16.20	15.3	29
CC148265		0.36	0.003	0.02	1.88	37.5	<0.2	<10	30	1.02	0.46	0.02	0.09	18.00	30.8	26
CC148266		0.30	0.003	0.05	2.64	16.2	<0.2	<10	40	1.59	0.40	0.03	0.11	19.90	32.8	34
CC148267		0.30	0.003	0.09	2.29	11.0	<0.2	<10	50	0.77	0.34	0.02	0.08	22.8	22.3	34
CC148268		0.32	0.002	0.06	2.50	4.9	<0.2	<10	80	1.35	0.31	0.05	0.05	22.7	18.4	35
CC148269		0.38	0.003	0.08	2.26	16.0	<0.2	<10	80	1.07	0.32	0.09	0.16	24.6	21.4	31
CC148270		0.32	0.003	0.08	2.45	3.0	<0.2	<10	120	1.60	0.32	0.15	0.13	17.90	18.6	29
CC148271		0.38	0.002	0.04	2.60	4.5	<0.2	<10	60	1.30	0.52	0.04	0.01	20.9	21.7	34
CC148272		0.30	0.003	0.14	2.34	11.8	<0.2	<10	60	1.04	0.32	0.05	0.12	20.3	28.3	33
CC148273		0.28	0.003	0.09	1.69	12.4	<0.2	<10	50	0.39	0.41	0.02	0.10	16.10	13.3	30
CC148274		0.30	0.003	0.09	1.87	17.4	<0.2	<10	40	0.71	0.47	0.02	0.06	15.80	10.2	26
CC148275		0.34	0.002	0.09	1.50	13.7	<0.2	<10	40	0.67	0.43	0.02	0.08	16.20	7.2	25
CC148276		0.38	0.002	0.07	1.59	18.8	<0.2	<10	100	1.10	0.48	0.16	0.09	18.25	15.8	19

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 19- SEP- 2011
Account: RCM

Project: Rackla - Gaia

CERTIFICATE OF ANALYSIS WH11174076

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
CC142770		2.50	37.8	4.10	2.82	<0.05	0.04	0.07	0.034	0.05	8.2	20.1	0.25	530	0.85	0.01
CC142771		2.49	31.7	4.68	5.40	<0.05	0.02	0.08	0.047	0.05	5.4	26.5	0.20	889	1.41	<0.01
CC142772		2.50	21.1	4.32	6.01	<0.05	0.06	0.08	0.037	0.06	7.3	28.2	0.27	366	2.04	0.01
CC142773		3.07	43.4	4.31	2.48	<0.05	<0.02	0.02	0.040	0.05	7.9	14.3	0.15	699	0.57	<0.01
CC142774		0.91	54.2	3.89	1.01	<0.05	0.12	0.19	0.037	0.05	11.0	1.1	0.03	522	0.43	<0.01
CC142775		4.22	40.4	4.53	3.81	<0.05	0.02	0.07	0.059	0.05	5.9	11.0	0.16	800	1.41	0.01
CC142776		2.73	46.8	5.11	2.52	<0.05	<0.02	0.53	0.047	0.07	4.7	12.2	0.16	351	0.80	0.01
CC142777		4.16	27.3	3.64	6.29	<0.05	<0.02	0.04	0.038	0.06	12.0	19.9	0.44	605	1.73	0.01
CC142778		4.61	16.5	3.45	6.87	<0.05	<0.02	0.03	0.025	0.05	10.4	15.0	0.32	357	1.52	0.01
CC142779		2.62	37.9	5.31	4.67	<0.05	0.06	0.09	0.037	0.05	7.3	38.8	0.41	389	1.02	<0.01
CC142780		7.38	24.0	4.16	7.94	<0.05	<0.02	0.07	0.031	0.05	10.0	20.3	0.23	725	2.13	0.01
CC142781		6.56	40.4	4.96	5.96	<0.05	0.04	0.04	0.046	0.08	6.6	34.1	0.45	1700	1.30	0.01
CC142782		2.57	89.5	6.77	3.89	0.06	0.04	0.15	0.053	0.06	10.9	29.5	0.43	1300	1.71	0.01
CC142783		2.29	33.7	4.75	7.74	<0.05	0.06	0.03	0.034	0.05	10.6	35.1	0.33	317	1.59	0.01
CC148251		1.97	37.0	4.64	5.26	<0.05	0.05	0.08	0.032	0.05	6.7	54.6	0.54	523	0.57	0.01
CC148252		6.00	30.6	4.10	6.29	<0.05	0.02	0.17	0.031	0.06	8.3	11.1	0.13	211	2.30	<0.01
CC148253		3.25	23.4	2.90	5.14	<0.05	<0.02	0.05	0.026	0.07	7.7	8.4	0.17	472	1.33	<0.01
CC148254		3.21	98.9	8.14	4.66	0.06	0.07	0.34	0.067	0.06	8.4	34.5	0.76	2120	2.83	0.01
CC148255		3.57	43.9	3.88	3.09	<0.05	0.02	0.15	0.043	0.07	2.6	3.9	0.08	413	1.58	0.01
CC148256		3.60	45.2	4.92	4.10	<0.05	<0.02	0.06	0.041	0.07	5.2	16.7	0.25	959	0.71	0.01
CC148257		3.21	39.6	5.06	3.93	<0.05	0.07	0.04	0.047	0.07	7.2	37.5	0.33	1560	0.45	<0.01
CC148258		3.20	34.5	5.26	8.31	<0.05	0.20	0.03	0.025	0.05	6.9	56.1	0.58	1500	0.75	<0.01
CC148259		1.88	28.2	4.21	6.24	<0.05	0.02	0.03	0.030	0.05	9.1	43.2	0.53	590	1.34	0.01
CC148260		1.86	23.8	4.47	7.19	<0.05	<0.02	0.02	0.034	0.06	6.8	21.7	0.41	731	1.42	0.01
CC148261		2.44	35.2	4.50	8.79	<0.05	<0.02	0.05	0.040	0.06	7.7	18.4	0.31	917	1.79	0.01
CC148262		2.92	23.5	4.08	7.79	<0.05	<0.02	0.04	0.033	0.07	11.2	23.7	0.44	1040	2.05	0.01
CC148263		2.71	45.5	5.10	7.78	<0.05	0.07	0.09	0.031	0.06	5.4	31.8	0.37	2200	1.28	0.01
CC148264		5.81	37.0	4.76	7.39	<0.05	0.09	0.04	0.038	0.05	6.8	49.3	0.47	762	1.08	0.01
CC148265		2.78	41.2	5.77	5.42	<0.05	0.05	0.01	0.048	0.05	7.7	63.0	0.59	1200	0.95	0.01
CC148266		4.04	57.4	5.45	7.91	<0.05	0.13	0.03	0.047	0.05	7.3	94.7	0.94	1940	0.64	0.01
CC148267		5.19	41.3	4.96	8.22	0.08	0.14	0.04	0.040	0.05	10.1	69.3	0.71	4390	0.91	0.01
CC148268		5.46	45.9	4.51	7.37	0.07	0.13	0.04	0.029	0.06	10.5	78.3	0.86	848	0.60	0.01
CC148269		2.86	46.7	4.31	6.48	0.07	0.04	0.04	0.033	0.05	11.4	52.9	0.63	1640	1.49	0.01
CC148270		4.90	45.5	4.27	7.10	0.07	0.16	0.05	0.037	0.06	6.9	77.7	0.91	3730	0.96	0.01
CC148271		2.48	66.6	5.02	7.53	0.09	0.08	0.01	0.022	0.04	9.3	97.5	1.06	464	0.61	0.01
CC148272		4.93	43.8	5.18	7.73	0.09	0.13	0.06	0.034	0.05	8.3	66.9	0.74	3140	0.84	0.01
CC148273		3.25	26.6	4.73	7.97	0.07	0.07	0.06	0.029	0.05	7.7	38.3	0.44	1730	0.77	0.01
CC148274		5.22	40.6	4.94	7.76	0.07	0.09	0.06	0.040	0.04	7.5	40.9	0.40	601	1.18	0.01
CC148275		5.44	29.6	4.64	6.20	0.07	0.08	0.03	0.040	0.05	7.9	32.4	0.33	315	0.94	<0.01
CC148276		5.22	34.1	4.87	4.08	0.08	0.10	0.06	0.051	0.06	6.9	32.0	0.23	623	1.12	0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 19- SEP- 2011
Account: RCM

Project: Rackla - Gaia

CERTIFICATE OF ANALYSIS WH11174076

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
CC142770		0.41	37.3	410	32.4	5.7	<0.001	0.02	0.96	3.7	0.2	0.4	14.5	<0.01	0.04	2.9
CC142771		0.52	24.1	580	24.2	10.4	<0.001	0.03	0.56	4.0	0.4	0.6	10.0	<0.01	0.05	2.1
CC142772		1.21	20.2	650	15.2	10.8	<0.001	0.02	0.72	3.5	0.7	0.7	13.1	<0.01	0.04	3.6
CC142773		0.14	29.4	560	30.4	7.4	<0.001	0.02	0.27	5.6	0.5	0.5	13.2	<0.01	0.03	1.1
CC142774		<0.05	45.9	380	28.7	3.4	<0.001	0.01	0.58	7.5	0.5	0.3	12.4	<0.01	0.11	5.3
CC142775		0.36	36.2	1450	24.5	9.5	<0.001	0.08	0.69	3.5	0.4	0.5	30.1	<0.01	0.07	0.5
CC142776		0.20	41.7	210	25.1	7.0	<0.001	0.01	0.71	5.5	0.6	0.5	17.6	<0.01	0.05	2.8
CC142777		0.71	23.5	610	17.2	14.4	<0.001	0.03	0.89	2.0	0.4	0.8	10.9	<0.01	0.01	0.5
CC142778		0.87	15.4	410	15.0	11.4	<0.001	0.03	0.77	1.2	<0.2	0.7	8.5	<0.01	0.02	0.2
CC142779		0.83	31.5	390	25.7	9.8	<0.001	0.02	0.69	4.2	0.9	0.5	9.3	<0.01	0.03	3.2
CC142780		1.43	18.7	450	17.4	12.0	<0.001	0.02	0.92	2.6	0.3	1.0	7.4	<0.01	0.06	1.0
CC142781		0.53	25.5	1110	31.9	16.1	0.001	0.06	0.54	4.2	0.7	0.6	20.4	<0.01	0.04	1.6
CC142782		0.20	53.4	540	24.0	8.3	<0.001	0.04	0.49	6.9	0.6	0.3	6.7	<0.01	0.14	2.4
CC142783		1.46	23.2	330	15.9	10.1	<0.001	0.02	0.75	3.6	0.4	0.7	6.3	0.01	0.06	3.8
CC148251		0.26	32.1	350	26.1	7.8	<0.001	0.02	0.71	3.2	0.4	0.4	10.0	<0.01	0.05	2.6
CC148252		1.28	16.8	360	18.8	12.0	<0.001	0.03	1.03	3.4	0.5	0.8	7.1	<0.01	0.07	2.4
CC148253		0.39	15.5	950	11.2	15.3	<0.001	0.07	0.57	0.6	<0.2	0.7	9.4	<0.01	0.02	<0.2
CC148254		0.18	73.7	750	21.6	8.4	<0.001	0.04	0.51	15.4	1.5	0.4	50.7	<0.01	0.12	2.9
CC148255		0.19	23.0	600	20.3	11.3	0.001	0.04	1.14	3.6	0.5	0.5	7.6	<0.01	0.02	0.6
CC148256		0.22	27.1	1080	19.5	12.5	<0.001	0.06	0.44	4.2	<0.2	0.4	11.8	<0.01	0.08	1.0
CC148257		0.14	35.3	430	29.4	8.1	<0.001	0.03	0.27	4.3	0.6	0.4	7.9	<0.01	0.04	2.6
CC148258		0.28	26.2	1630	22.2	11.6	<0.001	0.06	0.27	1.9	0.3	0.5	8.9	<0.01	0.07	1.9
CC148259		0.69	28.5	550	22.2	7.9	<0.001	0.04	0.74	2.5	0.7	0.5	9.3	<0.01	0.03	1.2
CC148260		0.62	20.2	840	17.9	12.8	<0.001	0.07	0.72	1.1	0.7	0.7	9.8	<0.01	0.03	0.2
CC148261		0.82	19.1	840	21.8	14.1	<0.001	0.07	0.83	2.2	0.6	0.8	9.2	<0.01	0.07	0.3
CC148262		0.82	21.4	730	21.0	13.6	<0.001	0.05	1.07	1.3	0.5	0.8	10.5	<0.01	0.04	0.2
CC148263		0.39	19.6	1450	35.1	14.3	0.001	0.09	0.86	1.5	0.6	0.5	10.3	<0.01	0.09	0.6
CC148264		0.36	23.3	1630	32.4	11.4	<0.001	0.08	0.61	2.2	0.4	0.5	9.9	<0.01	0.08	0.9
CC148265		0.24	49.7	730	51.1	4.8	<0.001	0.04	2.42	5.0	0.2	0.4	32.0	<0.01	0.06	2.2
CC148266		0.13	37.1	1170	41.6	6.8	<0.001	0.05	0.67	3.9	0.5	0.4	18.0	<0.01	0.06	1.6
CC148267		0.23	35.6	1380	32.7	9.7	<0.001	0.07	0.59	3.1	0.5	0.4	23.0	<0.01	0.07	2.2
CC148268		0.20	34.4	1320	25.0	8.8	<0.001	0.09	0.28	3.0	0.7	0.3	23.0	<0.01	0.08	1.9
CC148269		0.42	28.1	1170	38.1	8.4	<0.001	0.05	0.74	2.1	0.7	0.5	16.9	<0.01	0.07	0.9
CC148270		0.17	28.5	1790	40.3	9.9	<0.001	0.11	0.30	4.8	0.5	0.3	21.4	0.01	0.07	1.7
CC148271		0.06	39.7	440	64.5	4.1	<0.001	0.05	0.20	3.1	0.2	0.2	62.5	<0.01	0.05	3.7
CC148272		0.23	27.6	1910	37.3	7.8	<0.001	0.09	0.92	2.6	0.6	0.3	23.7	0.01	0.07	1.6
CC148273		0.29	23.3	1860	17.5	7.8	<0.001	0.11	0.57	1.7	0.6	0.4	11.9	<0.01	0.09	1.0
CC148274		0.22	17.2	1650	30.7	9.1	<0.001	0.08	0.76	2.5	0.6	0.5	18.0	<0.01	0.09	1.0
CC148275		0.27	15.7	1000	31.1	9.6	<0.001	0.05	0.72	3.1	0.5	0.4	13.2	<0.01	0.06	1.8
CC148276		0.19	35.1	930	34.6	9.2	<0.001	0.06	0.59	3.9	0.8	0.5	29.7	<0.01	0.05	2.8

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 19- SEP- 2011
Account: RCM

Project: Rackla - Gaia

CERTIFICATE OF ANALYSIS WH11174076

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
CC142770		0.011	0.07	0.90	25	0.08	4.52	98	1.3
CC142771		0.009	0.10	0.65	35	0.08	5.96	88	0.9
CC142772		0.018	0.14	0.73	45	0.15	3.31	73	2.1
CC142773		<0.005	0.07	0.73	20	<0.05	7.90	97	<0.5
CC142774		<0.005	0.07	0.94	11	<0.05	8.77	109	5.0
CC142775		0.009	0.13	1.22	32	0.10	7.29	105	0.6
CC142776		<0.005	0.15	0.74	27	0.05	6.69	117	<0.5
CC142777		0.032	0.14	0.85	54	0.20	4.09	85	<0.5
CC142778		0.041	0.15	0.53	62	0.22	2.43	64	<0.5
CC142779		0.013	0.13	0.64	37	0.10	3.41	85	1.8
CC142780		0.028	0.25	0.66	72	0.21	2.93	69	<0.5
CC142781		0.012	0.13	0.54	49	0.09	5.31	99	1.0
CC142782		<0.005	0.08	0.52	30	<0.05	5.71	89	1.2
CC142783		0.021	0.12	0.46	61	0.17	2.65	70	2.4
CC148251		0.005	0.09	0.60	27	0.05	4.57	77	1.3
CC148252		0.019	0.23	0.59	52	0.17	2.86	55	0.7
CC148253		0.012	0.13	0.66	43	0.14	3.32	66	<0.5
CC148254		<0.005	0.10	0.84	35	<0.05	25.4	132	1.8
CC148255		0.005	0.16	0.44	33	0.05	2.86	71	0.5
CC148256		0.007	0.12	0.52	48	0.05	3.64	92	<0.5
CC148257		<0.005	0.10	0.62	17	<0.05	7.11	95	1.9
CC148258		0.007	0.09	0.74	28	<0.05	3.07	82	5.3
CC148259		0.023	0.13	0.70	46	0.16	4.09	88	<0.5
CC148260		0.018	0.14	0.49	62	0.15	2.70	84	<0.5
CC148261		0.017	0.18	0.54	66	0.14	3.86	69	<0.5
CC148262		0.038	0.16	0.62	68	0.21	3.29	86	<0.5
CC148263		0.010	0.13	0.88	39	0.06	3.40	85	1.6
CC148264		0.009	0.14	0.85	33	0.06	3.60	70	2.4
CC148265		0.007	0.07	1.00	23	0.05	4.44	102	1.3
CC148266		<0.005	0.06	1.21	28	<0.05	5.71	108	3.4
CC148267		0.009	0.10	1.11	29	0.06	4.92	94	4.0
CC148268		0.006	0.10	1.23	25	0.06	7.25	95	3.1
CC148269		0.023	0.12	1.10	40	0.18	5.48	92	0.8
CC148270		0.008	0.09	0.94	25	0.05	7.96	90	3.9
CC148271		<0.005	0.04	1.55	18	<0.05	4.55	104	2.5
CC148272		0.009	0.09	1.44	28	0.06	4.96	93	3.4
CC148273		0.009	0.09	0.70	29	0.07	2.42	67	1.9
CC148274		0.006	0.12	1.18	31	0.06	3.28	66	2.6
CC148275		0.007	0.11	0.90	26	0.08	3.15	66	2.2
CC148276		<0.005	0.16	1.56	19	0.08	9.85	93	2.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 19- SEP- 2011
Account: RCM

Project: Rackla - Gaia

CERTIFICATE OF ANALYSIS WH11174076

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- TL43 Au ppm 0.001	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1
CC148286		0.36	0.002	0.13	1.78	15.8	<0.2	<10	40	0.91	0.48	0.05	0.11	19.85	14.0	25
CC148287		0.36	0.002	0.14	0.57	15.8	<0.2	<10	30	0.82	0.34	6.26	0.11	9.60	15.5	6
CC148288		0.32	0.002	0.16	0.88	17.9	<0.2	<10	80	1.22	0.28	1.43	0.20	24.6	10.2	11
CC148289		0.24	0.002	0.16	1.14	12.5	<0.2	<10	80	0.67	0.35	0.05	0.10	12.70	7.8	16
CC148290		0.30	0.002	0.10	1.41	21.5	<0.2	<10	60	1.29	0.57	0.02	0.15	14.65	23.9	20

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 19- SEP- 2011
Account: RCM

Project: Rackla - Gaia

CERTIFICATE OF ANALYSIS WH11174076

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
CC148286		5.62	38.6	4.76	5.82	0.08	0.10	0.06	0.042	0.07	9.4	52.1	0.48	1280	0.71	0.01
CC148287		1.68	28.1	4.84	1.31	0.08	0.17	0.24	0.053	0.05	3.0	12.1	0.18	320	1.08	0.01
CC148288		1.18	20.8	4.57	1.87	0.09	0.16	0.10	0.057	0.05	12.3	10.0	0.13	616	0.89	0.01
CC148289		3.51	23.5	3.93	4.30	0.06	0.03	0.07	0.040	0.05	5.7	21.2	0.19	388	1.18	0.01
CC148290		5.47	46.5	5.73	4.26	0.08	0.08	0.10	0.057	0.06	5.7	33.3	0.22	1420	1.36	0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 19- SEP- 2011
Account: RCM

Project: Rackla - Gaia

CERTIFICATE OF ANALYSIS WH11174076

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
CC148286		0.15	23.7	870	32.2	7.6	<0.001	0.08	0.57	3.5	0.4	0.4	20.8	<0.01	0.07	2.5
CC148287		0.06	34.2	740	24.9	3.0	0.001	0.10	0.22	10.1	1.0	0.2	273	0.01	0.02	11.4
CC148288		0.13	25.3	1640	20.2	5.9	<0.001	0.09	0.25	6.6	1.2	0.3	35.5	0.01	0.03	2.6
CC148289		0.25	17.9	1090	22.4	8.6	<0.001	0.07	0.54	1.9	0.8	0.5	12.2	<0.01	0.05	0.5
CC148290		0.19	35.7	1330	47.6	8.4	<0.001	0.07	0.73	5.2	0.8	0.4	10.4	<0.01	0.08	1.9

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 19- SEP- 2011
Account: RCM

Project: Rackla - Gaia

CERTIFICATE OF ANALYSIS WH11174076

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
CC148286		<0.005	0.07	1.08	18	<0.05	3.92	81	2.8
CC148287		<0.005	0.12	0.84	5	0.07	15.35	170	9.8
CC148288		<0.005	0.10	0.96	13	0.09	22.1	108	4.3
CC148289		0.009	0.11	0.86	27	0.11	5.10	74	0.6
CC148290		0.006	0.15	1.18	20	0.06	6.75	114	2.1

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 19- SEP- 2011
Account: RCM

Project: Rackla - Gaia

CERTIFICATE OF ANALYSIS WH11174076

Method	CERTIFICATE COMMENTS
ME- MS41	Gold determinations by this method are semi- quantitative due to the small sample weight used (0.5g).

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 19- SEP- 2011
Account: RCM

CERTIFICATE WH11174077

Project: Rackla - Dale

P.O. No.:

This report is for 86 Soil samples submitted to our lab in Whitehorse, YT, Canada on 31- AUG- 2011.

The following have access to data associated with this certificate:

ROB CARNE JULIA LANE	ANDREW CARNE JOAN MARIACHER	MATT DUMALA

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
SCR- 41	Screen to - 180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- TL43	Trace Level Au - 25g AR	ICP- MS
ME- MS41	51 anal. aqua regia ICPMS	

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 19- SEP- 2011
Account: RCM

Project: Rackla - Dale

CERTIFICATE OF ANALYSIS WH11174077

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- TL43 Au ppm 0.001	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1
CC148319		0.62	0.004	4.82	0.13	199.5	<0.2	10	70	0.12	0.24	0.24	0.22	6.04	0.7	4
ZZ18062		0.24	0.002	0.16	1.28	53.1	<0.2	<10	230	0.58	0.29	0.18	0.90	19.15	7.7	21
ZZ18063		0.22	0.004	0.56	1.23	412	<0.2	<10	230	0.90	0.21	1.26	4.60	39.8	11.1	21
ZZ18064		0.32	0.003	0.22	1.56	92.6	<0.2	<10	210	1.05	0.22	1.98	0.59	42.9	14.8	30
ZZ18065		0.28	0.002	0.88	0.63	73.4	<0.2	<10	220	0.84	0.18	3.53	2.36	38.9	9.4	11
ZZ18066		0.26	0.002	0.69	0.91	82.2	<0.2	<10	220	0.93	0.23	3.76	4.91	37.2	11.8	14
ZZ18067		0.26	0.002	0.91	0.65	100.0	<0.2	<10	170	1.00	0.24	1.68	5.96	32.1	11.5	12
ZZ18068		0.30	0.002	2.07	0.79	91.4	<0.2	<10	240	1.25	0.19	1.25	3.87	35.6	9.7	26
ZZ18069		0.26	0.002	1.00	0.88	38.4	<0.2	<10	250	1.03	0.20	1.49	4.67	37.0	6.9	20
ZZ18070		0.30	0.002	0.26	0.78	14.7	<0.2	<10	170	1.08	0.19	5.15	1.59	41.4	10.6	13
ZZ18071		0.22	0.002	0.08	1.76	12.9	<0.2	<10	490	1.36	0.22	0.36	0.24	40.0	9.6	26
ZZ18072		0.30	0.002	0.06	1.42	6.5	<0.2	<10	870	1.39	0.18	0.93	0.19	48.7	10.0	15
ZZ18073		0.28	0.002	0.09	1.09	40.1	<0.2	<10	240	1.01	0.32	0.04	0.47	21.7	9.3	14
ZZ18074		0.30	0.002	0.14	0.92	15.8	<0.2	<10	120	0.44	0.26	0.04	0.27	19.50	10.7	20
ZZ18075		0.28	0.002	0.10	1.62	42.1	<0.2	<10	210	1.08	0.24	0.45	0.17	49.5	15.1	26
ZZ18076		0.26	0.002	0.06	1.81	10.4	<0.2	<10	370	1.23	0.26	0.42	0.20	32.8	12.8	27
ZZ18077		0.36	0.002	0.05	1.66	17.3	<0.2	<10	250	1.33	0.42	0.14	0.09	24.5	14.2	22
ZZ18078		0.30	0.002	0.30	2.07	9.7	<0.2	<10	480	1.49	0.25	1.02	0.24	28.7	11.4	28
ZZ18079		0.32	0.002	0.10	1.72	18.0	<0.2	<10	280	1.15	0.31	0.41	0.27	32.5	12.9	26
ZZ18080		0.34	0.003	0.11	1.23	20.2	<0.2	<10	200	1.19	0.35	0.26	0.17	32.2	15.1	21
ZZ18081		0.36	0.002	0.20	1.25	15.5	<0.2	<10	260	1.39	0.30	0.75	0.47	36.8	16.8	24
ZZ18082		0.32	0.002	0.55	0.75	23.3	<0.2	<10	230	0.85	0.16	0.85	1.44	18.90	9.4	10
ZZ18083		0.30	0.005	3.00	0.71	162.5	<0.2	<10	1170	0.75	0.24	0.47	7.99	17.20	5.6	51
ZZ18084		0.34	0.005	1.05	0.61	66.2	<0.2	<10	260	0.82	0.28	0.01	1.18	14.90	18.4	13
ZZ18085		0.38	0.006	0.76	0.34	32.1	<0.2	<10	560	0.66	0.25	0.20	2.25	20.1	12.6	8
ZZ18086		0.30	0.055	1.41	1.13	1420	<0.2	<10	590	1.17	0.26	0.51	20.2	19.40	26.3	25
ZZ18087		0.34	0.004	0.44	1.15	1055	<0.2	<10	310	0.75	0.19	0.03	2.20	14.55	6.7	21
ZZ18088		0.30	0.003	0.08	1.28	88.1	<0.2	<10	270	0.95	0.25	0.10	0.51	30.6	10.6	20
ZZ18089		0.38	0.003	0.21	1.59	95.6	<0.2	<10	510	1.39	0.26	0.27	1.17	49.1	14.4	24
ZZ18090		0.32	0.003	0.31	1.58	80.5	<0.2	<10	300	1.10	0.25	0.49	0.76	35.5	12.6	24
ZZ18091		0.22	0.003	0.78	1.26	30.3	<0.2	<10	260	1.03	0.25	1.44	1.75	28.3	12.4	19
ZZ18092		0.26	0.003	1.47	0.86	36.5	<0.2	<10	170	0.95	0.21	1.08	8.17	33.7	11.3	14
ZZ18093		0.26	0.003	0.70	0.79	28.2	<0.2	<10	390	1.07	0.19	1.83	1.35	26.7	10.1	13
ZZ18094		0.26	0.002	0.42	1.05	17.8	<0.2	<10	300	1.01	0.22	1.10	1.05	32.7	10.3	15
ZZ18095		0.24	0.002	0.13	1.09	21.3	<0.2	<10	190	2.63	0.19	0.14	0.56	74.9	15.6	9
ZZ18096		0.30	0.002	0.19	0.97	33.8	<0.2	<10	330	0.96	0.13	0.79	0.53	28.8	11.9	23
ZZ18097		0.24	0.003	0.42	1.56	15.3	<0.2	<10	170	0.46	0.23	0.04	1.33	21.6	7.3	21
ZZ18098		0.32	0.002	0.08	1.53	22.1	<0.2	<10	140	0.79	0.29	0.46	0.34	21.8	13.2	23
ZZ18099		0.18	0.003	0.09	1.36	11.9	<0.2	<10	290	0.73	0.22	0.98	0.29	23.2	8.1	18
ZZ18100		0.32	0.002	0.18	1.36	12.4	<0.2	<10	260	1.06	0.23	0.77	0.43	40.9	11.4	20

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 19- SEP- 2011
Account: RCM

Project: Rackla - Dale

CERTIFICATE OF ANALYSIS WH11174077

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
CC148319		8.88	12.8	0.26	1.06	0.07	0.10	3.18	0.014	0.09	2.6	0.6	0.02	6	0.83	<0.01
ZZ18062		1.87	21.9	3.80	6.18	0.05	<0.02	0.05	0.034	0.07	8.3	8.6	0.16	768	2.33	0.01
ZZ18063		1.43	21.5	3.37	3.43	0.08	0.10	0.14	0.038	0.09	21.7	9.8	0.25	453	4.67	0.01
ZZ18064		1.03	31.5	4.56	4.40	0.09	0.09	0.10	0.056	0.10	19.2	15.5	0.35	675	2.52	0.01
ZZ18065		0.23	25.8	2.66	1.59	0.07	0.10	0.10	0.037	0.09	26.7	3.3	0.74	234	5.60	0.01
ZZ18066		0.41	27.1	3.16	2.43	0.07	0.08	0.08	0.043	0.15	22.0	4.6	0.43	431	6.23	0.01
ZZ18067		0.70	29.4	3.09	1.96	0.07	0.09	0.12	0.038	0.12	20.7	3.9	0.39	341	7.16	0.01
ZZ18068		1.08	52.1	2.65	2.77	0.08	0.10	0.31	0.039	0.13	22.7	6.1	0.13	249	9.29	0.01
ZZ18069		0.98	37.5	2.77	2.54	0.08	0.09	0.11	0.037	0.12	23.4	7.1	0.23	286	12.35	0.01
ZZ18070		0.61	23.8	3.16	1.98	0.07	0.09	0.11	0.039	0.12	20.7	5.3	2.68	475	8.19	0.01
ZZ18071		0.90	13.7	4.77	5.69	0.06	0.07	0.02	0.056	0.12	14.7	16.7	0.26	760	1.64	0.01
ZZ18072		0.41	10.7	3.88	4.92	0.08	0.09	0.03	0.067	0.13	15.3	13.6	0.30	482	0.99	0.01
ZZ18073		2.79	29.1	4.09	4.08	0.06	0.03	0.03	0.059	0.12	8.5	3.6	0.09	384	2.68	0.01
ZZ18074		2.97	32.6	4.48	3.87	0.06	0.02	0.05	0.050	0.14	9.8	5.8	0.12	193	2.07	0.01
ZZ18075		1.33	23.1	7.23	5.12	0.11	0.08	0.03	0.049	0.13	18.0	12.8	0.18	1880	11.50	0.01
ZZ18076		1.40	19.5	4.61	5.67	0.08	0.08	0.04	0.053	0.16	10.9	18.3	0.36	649	1.27	0.01
ZZ18077		1.32	21.0	4.45	5.21	0.07	0.07	0.04	0.047	0.10	10.3	21.2	0.32	627	0.68	0.01
ZZ18078		1.76	21.6	3.81	5.66	0.07	0.11	0.04	0.047	0.15	12.6	21.9	0.35	458	2.28	0.01
ZZ18079		1.75	32.6	4.39	5.13	0.07	0.10	0.04	0.048	0.09	9.4	21.4	0.38	669	1.70	0.01
ZZ18080		1.63	42.8	4.27	3.99	0.08	0.04	0.08	0.044	0.08	13.1	12.9	0.32	683	1.12	0.01
ZZ18081		1.01	39.5	4.68	3.58	0.10	0.08	0.07	0.049	0.11	18.2	11.3	0.30	726	3.17	0.01
ZZ18082		2.75	27.3	2.50	2.30	0.08	0.10	0.07	0.033	0.16	11.5	7.4	0.12	181	7.71	0.01
ZZ18083		3.77	72.0	3.02	2.64	0.12	0.04	0.53	0.041	0.17	11.2	5.7	0.09	162	28.1	0.02
ZZ18084		10.05	65.9	3.51	2.17	0.07	0.02	0.18	0.048	0.11	5.6	2.9	0.07	654	5.35	0.01
ZZ18085		16.05	77.7	3.28	1.40	0.09	0.02	0.25	0.037	0.12	7.6	1.2	0.04	305	8.06	0.01
ZZ18086		5.33	79.7	4.03	3.71	0.14	0.04	4.14	0.045	0.10	13.7	7.2	0.14	586	33.3	0.01
ZZ18087		2.45	25.1	2.84	3.28	0.06	0.04	0.18	0.029	0.07	7.5	6.7	0.10	258	6.73	0.01
ZZ18088		1.39	23.2	3.59	3.97	0.08	0.07	0.08	0.037	0.07	15.4	14.2	0.23	833	2.67	0.01
ZZ18089		1.33	30.5	4.62	4.03	0.10	0.08	0.12	0.038	0.07	17.2	18.2	0.34	1340	2.98	0.01
ZZ18090		1.30	29.1	4.12	4.31	0.09	0.10	0.08	0.040	0.07	15.5	17.1	0.37	656	4.39	0.01
ZZ18091		0.89	36.4	3.62	3.48	0.09	0.08	0.17	0.039	0.11	17.4	17.0	0.45	558	3.62	0.01
ZZ18092		2.67	37.3	3.20	2.53	0.11	0.08	0.14	0.036	0.11	22.1	11.0	0.28	297	9.87	0.01
ZZ18093		0.58	37.0	2.66	2.04	0.08	0.07	0.18	0.038	0.09	18.0	8.1	0.14	303	5.31	0.02
ZZ18094		0.74	26.7	2.94	3.03	0.08	0.06	0.09	0.035	0.09	19.9	7.7	0.15	295	4.67	0.01
ZZ18095		5.30	21.7	4.62	2.60	0.16	0.07	0.10	0.106	0.14	29.1	8.4	0.07	348	2.55	0.01
ZZ18096		1.63	23.0	4.33	2.49	0.10	0.06	0.19	0.046	0.09	15.6	7.2	0.13	267	2.90	0.01
ZZ18097		2.54	17.6	2.57	5.50	0.05	0.02	0.08	0.027	0.07	7.9	11.0	0.18	516	2.57	0.01
ZZ18098		1.54	32.5	4.25	4.60	0.08	0.06	0.06	0.035	0.07	8.6	34.9	0.40	606	3.00	0.01
ZZ18099		1.45	16.1	2.63	4.37	0.06	0.08	0.06	0.028	0.07	9.3	16.4	0.26	370	2.90	0.01
ZZ18100		1.27	22.5	3.32	3.63	0.09	0.09	0.07	0.034	0.09	16.6	19.8	0.35	763	1.98	0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 19- SEP- 2011
Account: RCM

Project: Rackla - Dale

CERTIFICATE OF ANALYSIS WH11174077

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
CC148319		0.12	9.4	110	76.4	8.7	0.002	0.02	2.82	1.0	0.2	0.4	10.3	<0.01	0.06	3.2
ZZ18062		0.30	16.8	1920	23.0	15.4	<0.001	0.11	0.78	1.3	0.7	0.6	13.3	<0.01	0.05	0.2
ZZ18063		0.40	67.0	1250	23.1	10.9	<0.001	0.08	1.80	4.2	1.9	0.4	51.7	0.01	0.04	2.1
ZZ18064		0.28	40.9	1230	19.6	9.7	0.001	0.05	0.83	6.5	0.9	0.5	56.8	0.01	0.05	3.3
ZZ18065		0.14	49.8	1240	14.9	6.9	<0.001	0.10	2.85	3.1	2.2	0.2	64.8	0.01	0.03	1.6
ZZ18066		0.25	58.4	920	19.5	7.5	<0.001	0.07	3.23	3.2	1.5	0.4	92.2	0.01	0.04	1.3
ZZ18067		0.18	60.3	900	18.5	8.1	<0.001	0.10	4.54	3.7	2.0	0.3	45.4	0.01	0.04	1.4
ZZ18068		0.24	70.9	1030	18.0	13.6	0.001	0.09	5.17	3.9	2.9	0.5	37.9	0.01	0.10	1.5
ZZ18069		0.29	54.2	1670	16.8	15.7	0.001	0.10	5.16	3.2	3.0	0.4	42.1	0.01	0.09	1.5
ZZ18070		0.18	39.8	780	15.3	8.7	0.001	0.04	2.50	5.5	1.1	0.3	49.2	0.01	0.04	3.6
ZZ18071		0.50	19.2	2050	13.7	11.6	<0.001	0.08	0.40	3.0	0.5	0.8	17.4	0.01	0.03	1.7
ZZ18072		0.47	20.9	1050	13.1	9.6	<0.001	0.06	0.24	3.9	0.5	0.9	35.3	<0.01	0.02	3.0
ZZ18073		0.31	20.4	1210	19.4	13.6	<0.001	0.06	0.58	1.8	0.6	0.9	7.7	<0.01	0.04	0.9
ZZ18074		0.23	29.7	1660	20.7	14.5	<0.001	0.06	0.63	1.6	1.0	0.6	8.8	<0.01	0.07	0.3
ZZ18075		0.30	25.8	4230	22.4	15.1	<0.001	0.07	0.81	3.6	1.0	0.6	19.2	0.01	0.04	1.6
ZZ18076		0.47	25.2	1190	18.1	17.2	<0.001	0.05	0.38	3.4	0.4	0.8	25.4	<0.01	0.04	1.6
ZZ18077		0.35	23.5	390	28.1	15.9	<0.001	0.02	0.26	4.6	0.4	0.8	15.9	<0.01	0.03	4.1
ZZ18078		0.32	23.9	3570	18.8	18.3	<0.001	0.06	0.69	4.3	1.3	0.8	31.3	<0.01	0.09	2.2
ZZ18079		0.40	26.5	1160	25.9	14.5	<0.001	0.05	0.55	4.3	0.9	0.6	24.5	<0.01	0.06	2.3
ZZ18080		0.23	30.3	550	28.9	10.4	<0.001	0.03	0.42	5.6	0.7	0.6	21.3	0.01	0.10	3.3
ZZ18081		0.28	41.5	790	25.5	10.2	<0.001	0.03	0.50	7.2	0.8	0.6	45.0	0.01	0.03	3.9
ZZ18082		0.21	36.4	710	11.5	14.0	0.001	0.05	3.43	5.0	3.0	0.5	25.2	<0.01	0.03	2.0
ZZ18083		0.15	82.4	2330	22.5	14.2	0.006	0.28	8.23	4.5	10.2	0.6	175.5	<0.01	0.17	2.0
ZZ18084		0.27	47.8	1050	30.1	18.2	0.001	0.05	3.81	2.9	2.6	0.5	30.2	<0.01	0.10	1.7
ZZ18085		0.09	69.7	1230	21.4	15.9	0.002	0.02	4.37	3.3	3.2	0.4	26.5	<0.01	0.09	1.5
ZZ18086		0.31	186.0	1520	52.5	11.6	0.001	0.13	18.40	2.2	12.3	0.8	142.0	0.01	0.24	0.5
ZZ18087		0.23	65.6	1940	43.1	15.1	<0.001	0.09	2.94	1.3	2.2	0.5	39.9	<0.01	0.07	0.4
ZZ18088		0.32	28.3	690	29.0	11.7	<0.001	0.02	1.36	4.6	1.1	0.5	11.3	<0.01	0.05	2.4
ZZ18089		0.33	40.7	880	49.4	11.7	<0.001	0.03	1.78	5.3	1.2	0.5	15.0	0.01	0.06	2.9
ZZ18090		0.37	42.7	750	24.8	12.6	<0.001	0.03	2.92	4.5	1.3	0.5	24.3	<0.01	0.06	2.4
ZZ18091		0.27	40.0	940	27.4	8.9	<0.001	0.05	2.56	5.0	1.8	0.4	39.9	<0.01	0.06	2.1
ZZ18092		0.19	61.5	710	20.0	10.4	0.002	0.07	9.56	4.5	4.9	0.4	33.0	<0.01	0.07	1.5
ZZ18093		0.19	61.2	1430	15.0	6.6	0.001	0.10	2.73	3.5	2.9	0.3	46.2	0.01	0.07	0.9
ZZ18094		0.30	39.8	1070	15.9	9.9	<0.001	0.05	2.26	3.4	1.8	0.4	33.5	0.01	0.05	1.3
ZZ18095		0.36	36.6	920	16.3	12.7	0.001	0.02	0.46	7.5	1.0	0.8	11.0	0.01	0.02	4.6
ZZ18096		0.30	53.3	1100	11.3	8.3	0.001	0.09	0.92	5.2	1.0	0.5	48.1	<0.01	0.05	1.6
ZZ18097		0.29	17.5	1670	19.4	12.7	<0.001	0.06	1.31	0.9	1.1	0.7	8.7	<0.01	0.04	0.3
ZZ18098		0.39	26.5	1310	21.1	9.7	<0.001	0.04	0.91	4.0	0.7	0.4	20.3	<0.01	0.08	2.0
ZZ18099		0.52	17.9	1610	14.5	10.2	<0.001	0.07	0.72	2.6	0.9	0.5	30.4	<0.01	0.04	1.3
ZZ18100		0.36	28.6	830	19.6	10.1	<0.001	0.05	0.64	4.7	1.1	0.4	30.7	<0.01	0.04	2.4

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 19- SEP- 2011
Account: RCM

Project: Rackla - Dale

CERTIFICATE OF ANALYSIS WH11174077

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
CC148319		<0.005	1.24	0.37	16	0.63	1.56	24	3.6
ZZ18062		0.010	0.34	0.93	57	0.14	4.46	125	<0.5
ZZ18063		0.008	1.75	1.75	82	0.17	19.75	853	2.3
ZZ18064		0.005	0.33	1.10	59	0.09	16.05	179	2.1
ZZ18065		<0.005	0.38	1.70	82	0.10	28.1	305	2.2
ZZ18066		0.005	0.58	1.04	76	0.11	21.6	463	1.6
ZZ18067		<0.005	0.61	1.71	86	0.12	21.8	465	1.9
ZZ18068		0.005	0.53	3.75	301	0.16	32.0	552	2.5
ZZ18069		0.007	0.41	3.86	198	0.15	28.8	523	2.2
ZZ18070		<0.005	0.32	2.41	46	0.09	22.6	178	1.8
ZZ18071		0.007	0.23	0.65	41	0.11	7.08	100	1.6
ZZ18072		<0.005	0.17	0.57	24	0.08	9.46	104	2.4
ZZ18073		0.005	0.30	0.77	33	0.10	3.49	154	0.5
ZZ18074		0.007	0.11	0.67	38	0.07	3.06	152	<0.5
ZZ18075		0.006	0.38	2.72	48	0.11	12.55	93	1.5
ZZ18076		0.007	0.18	0.76	42	0.09	6.55	100	2.4
ZZ18077		0.005	0.21	0.95	30	0.08	6.77	87	1.6
ZZ18078		<0.005	0.23	3.12	63	0.10	11.60	112	2.9
ZZ18079		0.007	0.22	1.84	45	0.11	7.15	121	2.5
ZZ18080		0.006	0.14	1.22	36	0.10	12.45	104	0.7
ZZ18081		0.006	0.18	1.08	38	0.09	17.50	127	2.5
ZZ18082		<0.005	0.23	2.82	31	0.06	15.95	353	2.5
ZZ18083		<0.005	2.51	6.12	210	0.17	22.2	375	1.0
ZZ18084		0.007	0.72	1.43	51	0.12	7.81	273	<0.5
ZZ18085		<0.005	0.73	2.01	44	0.05	17.05	350	<0.5
ZZ18086		0.008	15.50	5.89	393	0.62	53.3	1100	<0.5
ZZ18087		0.006	1.84	1.86	140	0.23	10.30	343	0.7
ZZ18088		0.005	0.37	1.12	51	0.14	14.15	189	1.5
ZZ18089		0.006	0.39	1.42	53	0.14	15.75	266	1.6
ZZ18090		0.006	0.28	1.84	69	0.16	11.90	263	2.3
ZZ18091		<0.005	0.37	1.42	60	0.09	17.45	214	1.9
ZZ18092		<0.005	0.53	2.40	107	0.06	22.8	510	2.0
ZZ18093		<0.005	0.22	2.43	55	0.07	21.8	214	1.6
ZZ18094		0.005	0.23	1.38	60	0.09	17.35	156	1.3
ZZ18095		<0.005	0.52	0.65	16	0.12	24.1	129	1.1
ZZ18096		<0.005	0.39	0.98	28	0.08	13.55	107	1.4
ZZ18097		0.007	0.47	1.31	84	0.18	3.82	202	<0.5
ZZ18098		0.008	0.25	1.54	44	0.12	5.98	113	1.5
ZZ18099		0.010	0.14	1.90	40	0.15	6.39	68	2.0
ZZ18100		0.008	0.12	1.03	30	0.09	14.95	86	2.7

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 19- SEP- 2011
Account: RCM

Project: Rackla - Dale

CERTIFICATE OF ANALYSIS WH11174077

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- TL43 Au ppm 0.001	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1
ZZ19167		0.24	0.002	0.18	1.72	10.3	<0.2	<10	180	1.15	0.26	0.37	0.46	65.9	13.9	26
ZZ19168		0.30	0.002	0.06	1.76	13.8	<0.2	<10	430	1.18	0.27	0.41	0.29	36.6	13.5	25
CC148578		0.38	0.003	2.82	0.61	34.7	<0.2	<10	960	1.14	0.15	0.47	2.35	18.30	1.0	21
CC148579		0.28	0.004	3.92	0.85	38.6	<0.2	<10	2510	0.90	0.19	1.19	3.99	10.20	4.4	50
CC148580		0.36	0.003	2.28	0.56	52.5	<0.2	<10	1790	0.63	0.15	0.45	1.58	8.77	5.0	31
CC148581		0.38	0.014	0.98	0.84	1680	<0.2	<10	230	1.26	0.15	11.75	2.76	13.20	11.1	17
CC148582		0.20	0.004	0.19	0.75	156.0	<0.2	<10	170	0.42	0.10	3.71	1.59	8.48	3.3	11
CC148583		0.28	0.012	0.62	1.44	493	<0.2	<10	430	1.37	0.22	4.10	2.64	23.2	9.2	29
CC148584		0.38	0.005	0.58	1.14	>10000	<0.2	<10	1180	3.09	0.18	1.56	29.1	11.30	25.3	21
CC148585		0.26	0.004	0.39	1.34	343	<0.2	<10	270	0.84	0.20	1.98	5.39	24.3	8.5	23
CC148586		0.26	0.004	0.30	1.24	296	<0.2	<10	180	0.90	0.19	2.87	4.79	25.3	8.9	21
CC148587		0.28	0.006	0.62	1.97	569	<0.2	<10	310	1.42	0.31	1.00	1.55	31.2	16.7	36
CC148588		0.28	0.006	0.50	1.60	240	<0.2	<10	200	1.34	0.22	1.65	3.46	27.5	11.0	28
CC148589		0.34	0.005	0.50	1.69	563	<0.2	<10	330	2.08	0.24	2.46	4.66	28.6	12.4	27
CC148590		0.22	0.015	0.90	1.36	427	<0.2	<10	660	1.13	0.18	3.15	12.70	21.5	9.1	22
CC148591		0.34	0.003	2.18	0.53	36.8	<0.2	<10	1350	0.65	0.16	0.88	1.74	8.91	5.3	31
CC148592		0.28	0.003	3.31	0.55	32.8	<0.2	<10	1320	0.67	0.17	1.37	2.15	9.75	5.2	34
CC148593		0.30	0.004	2.46	0.97	240	<0.2	<10	1140	0.92	0.22	0.57	1.74	17.50	7.5	35
CC148594		0.32	0.005	4.32	0.56	19.5	<0.2	10	920	0.73	0.22	1.23	1.17	7.92	5.8	30
CC148595		0.46	0.005	5.10	0.44	29.4	<0.2	<10	940	0.68	0.20	0.95	1.28	8.97	8.9	35
CC148596		0.26	0.003	1.08	0.70	37.8	<0.2	<10	590	0.43	0.16	1.95	0.30	9.14	4.2	22
CC148597		0.28	0.003	0.44	0.81	26.8	<0.2	<10	350	0.38	0.20	2.48	1.75	18.85	6.2	21
CC148598		0.24	0.002	1.50	0.80	8.1	<0.2	<10	880	0.43	0.19	1.13	3.66	15.55	10.6	13
CC148599		0.18	0.003	1.11	0.97	9.8	<0.2	<10	820	0.51	0.23	1.85	0.99	20.3	6.8	22
CC148600		0.26	0.002	0.82	0.77	22.2	<0.2	<10	520	0.59	0.19	2.80	1.75	19.85	7.9	23
CC142701		0.32	0.002	0.51	1.20	20.9	<0.2	<10	530	0.73	0.26	2.50	2.87	26.0	8.9	29
CC142702		0.36	0.003	0.35	0.82	106	<0.2	<10	470	0.54	0.20	11.70	2.55	19.65	8.2	19
CC142703		0.32	0.003	0.76	0.94	84.0	<0.2	<10	330	0.90	0.29	1.73	1.75	19.95	10.8	28
CC142704		0.26	0.002	0.88	0.79	34.8	<0.2	<10	620	0.60	0.17	2.17	1.84	13.75	5.9	24
CC142705		0.40	0.002	0.16	1.01	163.0	<0.2	<10	250	0.60	0.24	1.14	1.52	20.5	14.0	24
CC142706		0.34	0.002	0.10	0.76	77.1	<0.2	<10	80	0.41	0.11	1.15	1.34	18.00	4.9	21
CC142707		0.32	0.002	0.25	0.81	71.1	<0.2	<10	230	0.46	0.15	3.01	1.46	15.50	6.1	21
CC142708		0.36	0.002	0.21	0.79	88.4	<0.2	<10	140	0.54	0.14	1.80	1.44	15.95	5.8	22
CC142709		0.32	0.002	0.10	0.89	340	<0.2	<10	190	0.47	0.24	0.47	1.01	14.05	10.4	23
CC142710		0.36	0.002	0.16	0.82	247	<0.2	<10	130	0.52	0.26	0.46	1.11	15.25	7.4	24
CC142711		0.38	0.001	0.09	0.45	108.5	<0.2	<10	140	0.28	0.19	0.89	1.72	7.21	5.1	16
CC142712		0.38	0.004	0.16	0.75	354	<0.2	<10	490	0.81	0.28	3.92	1.42	17.70	13.1	23
CC142713		0.32	0.002	0.50	0.84	35.3	<0.2	<10	520	0.60	0.20	3.60	2.01	19.70	6.9	23
CC142714		0.34	0.002	0.27	1.35	35.9	<0.2	<10	720	0.79	0.25	1.70	1.43	25.2	8.2	24
CC142715		0.30	0.002	0.54	0.91	104.0	<0.2	<10	600	0.62	0.20	1.69	1.74	21.9	6.7	23

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 19- SEP- 2011
Account: RCM

Project: Rackla - Dale

CERTIFICATE OF ANALYSIS WH11174077

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
ZZ19167		1.59	19.9	4.23	4.81	0.11	0.05	0.05	0.041	0.12	17.4	21.5	0.35	1250	2.02	0.01
ZZ19168		2.61	21.9	4.20	5.10	0.08	0.08	0.04	0.039	0.13	10.8	25.1	0.32	651	1.87	0.01
CC148578		7.01	91.1	1.27	1.63	0.12	0.10	0.27	0.025	0.12	10.8	2.1	0.02	5	14.10	0.02
CC148579		1.88	44.8	2.50	2.51	0.10	0.10	0.22	0.034	0.06	8.0	6.4	0.11	116	12.35	0.04
CC148580		2.92	44.5	2.56	1.72	0.08	0.04	0.28	0.030	0.08	5.7	3.5	0.06	149	7.92	0.03
CC148581		1.85	20.0	3.28	2.15	0.09	0.05	0.57	0.026	0.08	7.3	8.1	0.22	737	12.85	0.02
CC148582		0.65	11.4	1.00	1.81	<0.05	0.04	0.24	0.014	0.03	7.4	3.8	0.08	183	1.54	0.02
CC148583		2.61	34.7	2.62	3.82	0.07	0.06	0.29	0.037	0.10	15.9	18.2	0.63	686	4.16	0.02
CC148584		8.37	44.1	20.0	3.06	0.39	0.09	2.61	0.043	0.13	7.1	13.0	0.14	501	30.3	0.03
CC148585		1.38	19.9	2.64	3.73	0.08	0.05	0.39	0.028	0.05	20.8	11.2	0.28	470	3.16	0.02
CC148586		1.08	15.1	2.15	3.46	0.05	0.03	0.42	0.025	0.05	11.7	8.6	0.25	938	1.83	0.02
CC148587		3.19	34.8	3.83	5.52	0.09	0.07	0.51	0.039	0.10	16.1	18.3	0.50	523	4.75	0.02
CC148588		1.80	24.4	2.94	4.59	0.07	0.04	0.51	0.030	0.06	15.7	13.4	0.44	819	2.52	0.02
CC148589		1.87	25.0	3.35	4.32	0.08	0.04	0.36	0.032	0.08	15.5	13.7	0.34	1210	4.59	0.02
CC148590		1.22	22.9	2.46	3.39	0.06	0.04	2.68	0.028	0.05	15.3	9.7	0.25	824	3.15	0.03
CC148591		1.00	38.1	2.45	1.67	0.08	0.05	0.19	0.032	0.08	6.2	3.3	0.05	115	7.89	0.02
CC148592		1.44	39.6	2.59	1.65	0.08	0.05	0.21	0.031	0.07	7.5	3.7	0.06	110	7.78	0.02
CC148593		1.44	45.0	2.84	2.90	0.12	0.05	0.27	0.043	0.08	7.5	6.5	0.17	388	9.35	0.03
CC148594		1.78	92.9	2.42	1.53	0.13	0.05	0.29	0.051	0.12	5.7	2.1	0.06	91	4.56	0.02
CC148595		4.07	86.9	2.77	1.38	0.14	0.04	0.30	0.043	0.09	6.3	2.1	0.05	220	5.42	0.02
CC148596		1.65	25.8	1.65	2.41	0.10	0.03	0.12	0.026	0.04	4.7	4.5	0.10	172	1.71	0.02
CC148597		1.27	14.0	1.86	2.72	0.13	0.02	0.09	0.025	0.04	16.4	5.2	0.13	584	1.10	0.02
CC148598		2.64	12.4	1.69	2.60	0.10	<0.02	0.09	0.023	0.04	10.0	2.4	0.06	1160	0.83	0.02
CC148599		2.63	24.5	2.40	2.94	0.13	0.03	0.13	0.039	0.06	16.6	7.4	0.19	283	1.35	0.02
CC148600		1.91	21.3	2.28	2.19	0.16	0.02	0.09	0.036	0.06	24.1	6.6	0.17	348	1.28	0.02
CC142701		1.32	22.0	2.56	3.40	0.17	0.03	0.05	0.036	0.06	38.3	8.1	0.24	640	1.10	0.02
CC142702		0.94	20.8	1.82	2.41	0.15	0.03	0.09	0.033	0.08	24.6	6.4	0.18	630	1.35	0.02
CC142703		2.06	30.7	2.16	2.70	0.15	0.04	0.14	0.040	0.08	22.1	6.0	0.17	480	1.37	0.02
CC142704		1.57	28.4	1.94	2.17	0.13	0.03	0.17	0.030	0.06	16.8	4.9	0.12	223	3.98	0.02
CC142705		1.37	27.1	2.58	3.63	0.13	<0.02	0.09	0.035	0.08	11.7	7.3	0.18	473	2.96	0.02
CC142706		0.75	11.9	1.31	2.02	0.13	0.02	0.06	0.018	0.03	21.4	4.5	0.12	328	1.29	0.02
CC142707		0.71	15.4	1.46	2.21	0.13	0.03	0.08	0.020	0.04	23.8	5.0	0.16	439	1.64	0.02
CC142708		0.76	17.6	1.56	2.38	0.14	0.02	0.09	0.022	0.05	22.6	5.2	0.15	294	2.03	0.02
CC142709		1.08	24.3	2.85	3.84	0.11	<0.02	0.02	0.032	0.10	8.2	7.7	0.16	286	3.88	0.02
CC142710		1.34	19.8	2.78	4.18	0.11	<0.02	0.03	0.031	0.07	6.3	4.5	0.11	326	2.86	0.01
CC142711		0.85	25.4	1.75	2.05	0.11	0.03	0.03	0.030	0.06	7.3	2.1	0.04	377	7.24	0.02
CC142712		1.22	35.0	2.39	2.60	0.14	0.06	0.34	0.041	0.12	20.0	7.2	0.11	521	2.61	0.02
CC142713		0.61	19.2	2.12	2.43	0.15	0.02	0.09	0.035	0.05	25.3	6.5	0.19	339	1.60	0.02
CC142714		0.91	15.3	2.75	4.24	0.12	0.02	0.06	0.033	0.06	18.4	9.6	0.28	505	1.30	0.02
CC142715		0.74	20.7	2.35	2.63	0.12	0.02	0.13	0.034	0.04	14.2	6.9	0.19	315	3.00	0.02

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 19- SEP- 2011
Account: RCM

Project: Rackla - Dale

CERTIFICATE OF ANALYSIS WH11174077

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
ZZ19167		0.42	31.0	1060	25.2	13.4	<0.001	0.05	0.70	3.9	0.9	0.6	15.6	<0.01	0.05	1.8
ZZ19168		0.39	29.1	980	24.2	17.6	<0.001	0.04	0.64	3.8	0.7	0.6	17.5	<0.01	0.05	2.1
CC148578		<0.05	36.6	2710	9.4	10.8	0.011	0.14	6.98	3.9	13.9	0.6	171.0	<0.01	0.14	3.2
CC148579		0.22	69.5	1650	11.5	8.0	0.002	0.10	3.59	4.6	7.9	0.5	191.0	0.01	0.11	0.8
CC148580		0.11	67.0	1660	10.6	8.3	0.003	0.12	2.78	4.2	5.6	0.4	175.0	0.01	0.11	0.6
CC148581		0.31	118.0	980	45.6	6.5	<0.001	0.10	4.05	4.5	3.9	0.4	45.7	<0.01	0.06	0.6
CC148582		0.42	15.6	1300	13.9	4.6	<0.001	0.19	1.18	1.0	1.7	0.2	42.0	<0.01	0.05	<0.2
CC148583		0.48	56.7	1280	31.4	9.9	0.001	0.09	2.24	7.5	2.6	0.6	75.1	0.01	0.08	1.0
CC148584		0.36	357	860	28.5	10.7	0.001	0.09	6.69	12.2	9.1	0.4	84.4	0.01	0.06	3.4
CC148585		0.61	56.5	1540	16.9	9.7	0.001	0.13	1.67	2.1	2.6	0.5	38.1	0.01	0.08	0.5
CC148586		0.65	34.0	1410	24.8	7.6	<0.001	0.20	1.40	1.2	2.1	0.4	24.3	0.01	0.08	0.3
CC148587		0.74	104.0	680	53.5	14.6	<0.001	0.06	3.06	4.5	3.0	0.7	36.2	<0.01	0.08	2.0
CC148588		0.53	45.7	1190	37.7	10.2	<0.001	0.10	1.81	2.4	2.4	0.5	23.8	0.01	0.08	0.5
CC148589		0.55	72.6	1000	37.2	11.9	<0.001	0.11	2.22	2.8	2.6	0.6	25.7	0.01	0.08	0.6
CC148590		0.53	49.2	1770	54.6	7.6	<0.001	0.17	2.11	1.4	2.2	0.4	42.1	0.01	0.08	0.3
CC148591		0.11	63.6	1640	11.1	7.0	0.002	0.10	2.06	5.0	5.3	0.4	184.0	0.01	0.10	1.2
CC148592		0.18	69.2	1580	10.7	7.7	0.001	0.09	2.55	5.1	5.6	0.5	181.5	0.01	0.12	1.4
CC148593		0.40	85.1	1080	20.5	9.0	0.003	0.10	2.52	5.0	6.2	0.5	110.5	<0.01	0.11	1.0
CC148594		0.20	97.1	1810	11.8	9.6	0.004	0.14	1.41	5.6	6.8	0.4	114.5	<0.01	0.17	1.8
CC148595		0.21	130.0	1870	11.2	9.6	0.002	0.09	1.66	5.1	6.5	0.4	114.0	<0.01	0.09	1.5
CC148596		0.50	34.7	1060	9.7	5.8	0.001	0.11	0.71	1.6	3.1	0.4	53.3	<0.01	0.06	0.5
CC148597		0.55	20.3	1440	12.1	6.1	0.001	0.11	0.49	1.5	1.6	0.4	39.0	<0.01	0.09	0.3
CC148598		0.58	15.2	1300	10.9	9.4	0.001	0.11	0.42	1.1	0.7	0.4	28.1	<0.01	0.04	0.2
CC148599		0.59	34.8	1140	13.6	9.2	0.001	0.11	0.73	2.3	2.0	0.4	49.3	<0.01	0.08	0.6
CC148600		0.39	34.5	1070	13.6	8.4	<0.001	0.11	0.64	1.3	2.2	0.3	46.4	<0.01	0.10	0.4
CC142701		0.48	31.8	1460	16.8	11.3	<0.001	0.12	0.62	1.6	2.2	0.5	35.0	<0.01	0.12	0.4
CC142702		0.35	36.9	1250	15.7	7.1	<0.001	0.09	0.71	1.6	2.0	0.4	74.5	<0.01	0.13	0.5
CC142703		0.39	51.1	1260	19.4	10.5	0.001	0.07	0.80	2.6	2.2	0.5	32.8	<0.01	0.25	0.7
CC142704		0.36	55.9	1120	11.5	7.3	0.002	0.12	0.80	1.7	2.7	0.4	43.8	<0.01	0.05	0.3
CC142705		0.44	64.0	1640	17.8	10.4	0.001	0.08	1.07	1.3	1.9	0.5	27.9	<0.01	0.07	0.2
CC142706		0.40	30.0	1100	7.7	4.4	<0.001	0.06	0.55	1.6	1.5	0.3	18.5	<0.01	0.04	0.3
CC142707		0.39	30.3	1350	9.6	5.3	<0.001	0.11	0.65	1.0	1.9	0.3	38.7	<0.01	0.04	0.2
CC142708		0.38	39.4	1310	9.8	6.3	<0.001	0.07	0.65	1.6	2.0	0.3	32.1	<0.01	0.04	0.3
CC142709		0.61	98.1	740	16.5	13.0	0.001	0.04	1.21	2.0	2.8	0.5	23.0	<0.01	0.07	0.5
CC142710		0.25	43.3	1310	15.5	10.3	<0.001	0.06	0.84	0.3	6.2	0.5	11.4	<0.01	0.11	<0.2
CC142711		0.34	49.1	610	10.5	11.5	0.001	0.05	0.98	2.1	2.6	0.5	12.7	<0.01	0.08	0.5
CC142712		0.28	71.6	1340	20.8	7.9	0.001	0.04	1.19	4.4	2.0	0.5	39.1	<0.01	0.23	1.5
CC142713		0.42	28.9	1390	13.3	6.5	0.001	0.14	0.65	0.9	1.9	0.3	43.7	<0.01	0.15	0.3
CC142714		0.79	26.0	730	22.1	9.5	0.001	0.07	0.55	2.2	1.3	0.5	26.3	<0.01	0.08	0.6
CC142715		0.46	37.0	980	32.5	5.7	0.001	0.09	1.02	1.8	2.3	0.4	33.1	<0.01	0.08	0.4

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 19- SEP- 2011
Account: RCM

Project: Rackla - Dale

CERTIFICATE OF ANALYSIS WH11174077

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
ZZ19167		0.008	0.19	0.82	40	0.13	14.50	111	1.2
ZZ19168		0.006	0.19	1.19	38	0.28	7.76	99	2.0
CC148578		<0.005	2.17	10.10	201	0.09	24.4	124	4.8
CC148579		0.005	0.38	4.56	130	0.19	35.5	246	2.9
CC148580		<0.005	0.58	2.92	118	0.16	28.1	223	0.8
CC148581		0.011	0.65	2.34	84	0.67	22.8	1100	1.1
CC148582		0.011	0.12	3.10	35	0.20	12.50	162	1.1
CC148583		0.014	0.59	2.28	94	0.51	34.8	310	1.4
CC148584		0.005	6.21	5.45	206	1.31	46.0	1790	5.2
CC148585		0.017	0.28	4.36	68	0.40	26.3	200	1.0
CC148586		0.015	0.20	4.03	44	0.31	13.85	262	0.7
CC148587		0.016	0.77	1.32	91	0.58	17.80	571	1.6
CC148588		0.018	0.39	1.42	72	0.36	23.9	257	0.8
CC148589		0.020	0.57	1.28	81	0.80	22.2	363	0.8
CC148590		0.013	0.25	2.49	65	0.61	24.7	343	0.8
CC148591		<0.005	0.22	3.82	71	0.14	30.8	228	1.5
CC148592		<0.005	0.31	2.45	79	0.17	30.1	226	1.5
CC148593		0.008	0.82	3.13	117	0.30	22.7	263	1.7
CC148594		<0.005	0.20	3.07	44	0.05	39.2	277	1.9
CC148595		<0.005	0.49	2.65	51	0.05	34.0	368	1.4
CC148596		0.008	0.19	2.57	42	0.13	9.21	103	1.0
CC148597		0.013	0.16	1.45	43	0.09	28.1	140	0.5
CC148598		0.015	0.29	2.36	34	0.09	15.35	121	<0.5
CC148599		0.012	0.13	2.09	40	0.10	28.5	102	0.9
CC148600		0.007	0.22	0.86	33	0.10	40.4	139	0.6
CC142701		0.009	0.16	0.68	46	0.11	67.8	190	0.7
CC142702		0.006	0.30	1.07	39	0.10	44.5	182	0.7
CC142703		0.006	0.28	1.06	47	0.13	50.7	186	1.0
CC142704		<0.005	0.21	1.88	38	0.11	33.9	202	0.9
CC142705		0.009	0.33	2.42	51	0.13	21.3	262	<0.5
CC142706		0.009	0.17	3.47	37	0.10	35.5	139	0.5
CC142707		0.007	0.15	2.17	37	0.08	43.8	135	0.5
CC142708		0.008	0.22	1.68	42	0.11	46.8	160	0.5
CC142709		0.012	0.35	1.55	66	0.12	11.70	379	<0.5
CC142710		<0.005	0.40	2.05	62	0.10	8.47	218	<0.5
CC142711		0.005	0.24	1.41	36	0.06	15.10	201	0.8
CC142712		<0.005	0.68	2.06	51	0.15	47.7	275	1.6
CC142713		0.006	0.15	0.84	37	0.18	46.6	159	0.5
CC142714		0.014	0.14	0.89	49	0.17	25.0	102	0.6
CC142715		0.008	0.22	1.55	47	0.13	25.1	172	0.6

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 19- SEP- 2011
Account: RCM

Project: Rackla - Dale

CERTIFICATE OF ANALYSIS WH11174077

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- TL43 Au ppm 0.001	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1
CC142716		0.34	0.003	0.93	0.34	26.2	<0.2	<10	1070	0.39	0.17	1.13	0.68	10.80	5.8	11
CC142717		0.36	0.002	0.24	0.51	27.6	<0.2	<10	340	0.29	0.20	0.47	0.16	7.80	4.7	17
CC142718		0.40	0.002	0.63	1.02	51.2	<0.2	<10	540	0.73	0.22	0.21	0.55	20.9	7.8	24
CC142719		0.42	0.003	0.98	1.17	50.6	<0.2	<10	780	0.79	0.23	0.44	1.26	25.8	9.9	32
CC142720		0.28	0.002	0.65	0.62	39.4	<0.2	<10	1340	0.48	0.19	0.09	1.10	9.40	4.8	26
CC142721		0.40	0.004	0.61	0.89	126.5	<0.2	<10	250	0.70	0.23	0.06	1.24	19.25	9.9	19

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 19- SEP- 2011
Account: RCM

Project: Rackla - Dale

CERTIFICATE OF ANALYSIS WH11174077

Sample Description	Method Analyte Units LOR	ME- MS41 Cs ppm 0.05	ME- MS41 Cu ppm 0.2	ME- MS41 Fe % 0.01	ME- MS41 Ga ppm 0.05	ME- MS41 Ge ppm 0.05	ME- MS41 Hf ppm 0.02	ME- MS41 Hg ppm 0.01	ME- MS41 In ppm 0.005	ME- MS41 K % 0.01	ME- MS41 La ppm 0.2	ME- MS41 Li ppm 0.1	ME- MS41 Mg % 0.01	ME- MS41 Mn ppm 5	ME- MS41 Mo ppm 0.05	ME- MS41 Na % 0.01
CC142716		2.35	26.1	1.92	1.02	0.12	0.02	0.16	0.031	0.07	8.9	2.2	0.05	190	1.65	0.02
CC142717		1.95	21.8	1.90	2.74	0.10	<0.02	0.03	0.027	0.06	3.5	1.9	0.05	260	3.21	0.02
CC142718		1.50	30.1	3.04	2.98	0.11	0.02	0.08	0.036	0.08	7.8	6.8	0.14	371	3.53	0.02
CC142719		1.74	32.3	3.34	3.33	0.13	<0.02	0.10	0.043	0.08	11.2	11.6	0.25	386	3.59	0.02
CC142720		0.81	29.6	2.92	2.20	0.11	<0.02	0.04	0.028	0.06	4.1	2.7	0.05	147	6.16	0.02
CC142721		4.58	59.8	4.15	3.35	0.12	<0.02	0.09	0.042	0.08	6.6	7.6	0.15	457	5.80	0.02

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 19- SEP- 2011
Account: RCM

Project: Rackla - Dale

CERTIFICATE OF ANALYSIS WH11174077

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
CC142716		0.20	39.6	840	11.2	6.8	0.001	0.10	1.02	2.2	1.5	0.3	33.3	<0.01	0.16	0.4
CC142717		0.30	32.5	1460	11.7	14.4	0.002	0.08	0.87	0.5	1.8	0.5	28.7	<0.01	0.09	<0.2
CC142718		0.28	47.6	1500	17.6	11.1	0.001	0.08	0.98	1.2	2.5	0.5	38.5	<0.01	0.08	0.4
CC142719		0.45	57.8	1900	17.2	9.7	0.003	0.08	1.08	1.8	3.3	0.5	57.5	<0.01	0.13	0.4
CC142720		0.28	57.6	1410	28.1	7.2	0.001	0.07	1.27	1.1	3.4	0.4	50.2	<0.01	0.10	0.2
CC142721		0.36	59.5	1200	35.3	10.9	<0.001	0.07	2.84	1.1	2.0	0.5	31.1	<0.01	0.09	0.3

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 19- SEP- 2011
Account: RCM

Project: Rackla - Dale

CERTIFICATE OF ANALYSIS WH11174077

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
CC142716		<0.005	0.16	1.15	24	<0.05	21.4	157	0.6
CC142717		<0.005	0.29	0.94	48	0.12	2.75	134	<0.5
CC142718		<0.005	0.22	1.72	54	0.09	12.80	198	0.5
CC142719		0.009	0.27	2.85	63	0.14	22.2	274	<0.5
CC142720		<0.005	0.19	2.24	66	0.11	12.55	210	0.5
CC142721		0.005	0.58	1.56	67	0.09	9.19	338	<0.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 19- SEP- 2011
Account: RCM

Project: Rackla - Dale

CERTIFICATE OF ANALYSIS WH11174077

Method	CERTIFICATE COMMENTS
ME- MS41	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown.
ME- MS41	Gold determinations by this method are semi- quantitative due to the small sample weight used (0.5g).

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 24- SEP- 2011
Account: RCM

CERTIFICATE WH11175141

Project: Rackla - Regional

P.O. No.:

This report is for 9 Rock samples submitted to our lab in Whitehorse, YT, Canada on 31- AUG- 2011.

The following have access to data associated with this certificate:

ROB CARNE JULIA LANE	ANDREW CARNE JOAN MARIACHER	MATT DUMALA

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
WSH- 21	"Wash" crushers
WSH- 22	"Wash" pulverizers
CRU- 31	Fine crushing - 70% < 2mm
PUL- QC	Pulverizing QC Test
SPL- 22Y	Split Sample - Boyd Rotary Splitter
PUL- 31	Pulverize split to 85% < 75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- AA26	Ore Grade Au 50g FA AA finish	AAS
ME- MS61	48 element four acid ICP- MS	
Hg- CV41	Trace Hg - cold vapor/AAS	FIMS
ME- OG62	Ore Grade Elements - Four Acid	ICP- AES
Zn- OG62	Ore Grade Zn - Four Acid	VARIABLE
As- OG62	Ore Grade As - Four Acid	VARIABLE
Hg- CV42	High Grade Hg - cold vapor/AA	FIMS

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 24- SEP- 2011
Account: RCM

Project: Rackla - Regional

CERTIFICATE OF ANALYSIS WH11175141

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- AA26 Au ppm 0.01	ME- MS61 Ag ppm 0.01	ME- MS61 Al % 0.01	ME- MS61 As ppm 0.2	ME- MS61 Ba ppm 10	ME- MS61 Be ppm 0.05	ME- MS61 Bi ppm 0.01	ME- MS61 Ca % 0.01	ME- MS61 Cd ppm 0.02	ME- MS61 Ce ppm 0.01	ME- MS61 Co ppm 0.1	ME- MS61 Cr ppm 1	ME- MS61 Cs ppm 0.05	ME- MS61 Cu ppm 0.2
I357468		1.46	<0.01	22.5	0.29	4730	240	0.14	0.02	17.50	149.0	10.20	1.4	4	0.30	22.0
I357469		0.76	<0.01	0.95	0.18	574	60	0.09	0.01	21.1	7.61	2.90	1.3	4	0.56	3.6
I357470		1.18	<0.01	0.32	0.75	236	420	0.25	0.02	31.6	2.81	16.10	2.2	8	0.75	3.9
I357471		1.22	<0.01	0.11	4.51	73.9	450	0.51	0.09	0.71	1.36	49.7	15.4	34	1.20	5.4
I357472		1.48	<0.01	0.13	0.11	54	90	0.07	0.01	36.4	1.31	8.04	0.6	1	0.16	1.4
I357473		0.80	<0.01	0.22	0.45	5	1970	0.14	0.02	17.85	0.49	7.07	1.9	16	1.12	5.4
I357474		0.53	0.05	1.28	0.37	138	90	0.33	0.02	26.7	7.39	3.52	3.1	5	0.87	8.3
I357475		1.34	<0.01	0.10	0.13	463	100	0.25	<0.01	36.7	1.50	4.67	3.5	3	0.35	2.3
I357480		0.60	<0.01	0.85	0.54	>10000	1190	2.25	0.02	0.91	27.7	6.25	32.5	32	1.88	25.1

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 24- SEP- 2011
Account: RCM

Project: Rackla - Regional

CERTIFICATE OF ANALYSIS WH11175141

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	Hg- CV41	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
	Units	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOR	0.01	0.05	0.05	0.1	0.01	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2
I357468		0.51	2.10	0.11	0.1	>100	0.021	0.08	4.7	5.3	9.21	949	0.54	0.02	0.4	5.5
I357469		0.21	0.45	0.08	0.1	8.4	<0.005	0.05	2.2	2.1	13.10	395	0.12	0.02	0.3	0.8
I357470		0.41	1.81	0.07	0.3	0.48	0.010	0.35	11.7	2.4	0.27	150	0.99	0.01	1.4	11.0
I357471		4.95	10.35	0.12	2.5	0.09	0.030	0.57	19.8	53.8	0.84	511	1.36	0.84	6.5	24.2
I357472		0.12	0.39	0.09	<0.1	0.10	<0.005	0.04	7.1	0.8	0.34	90	1.04	0.01	0.5	4.6
I357473		1.19	0.78	<0.05	0.4	0.02	0.005	0.10	7.8	12.0	0.39	178	1.18	0.03	1.1	8.7
I357474		0.42	0.88	0.10	0.1	0.30	0.005	0.11	2.7	1.7	8.27	331	0.41	0.01	0.7	16.2
I357475		0.44	0.45	0.08	0.1	0.42	<0.005	0.04	6.7	0.7	0.17	211	2.53	0.01	0.6	14.0
I357480		>50	5.53	1.49	0.3	8.2	0.021	0.13	5.2	3.3	0.07	345	29.1	0.01	2.2	796

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 24- SEP- 2011
Account: RCM

Project: Rackla - Regional

CERTIFICATE OF ANALYSIS WH11175141

Sample Description	Method	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
	Analyte	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
	LOR	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02
I357468		210	536	3.7	<0.002	0.05	37.8	0.5	1	0.4	277	<0.05	<0.05	0.7	0.013	15.00
I357469		20	148.0	2.6	<0.002	0.01	4.73	0.7	<1	<0.2	137.0	<0.05	<0.05	0.2	0.006	2.20
I357470		100	10.6	13.3	0.010	0.16	1.01	1.9	3	0.3	1305	0.08	<0.05	1.2	0.038	0.75
I357471		470	22.3	30.9	<0.002	0.05	0.52	4.7	1	1.6	49.1	0.58	<0.05	9.5	0.179	0.58
I357472		710	1.3	1.7	0.002	0.03	0.37	0.5	1	<0.2	235	<0.05	<0.05	0.2	0.005	0.19
I357473		400	3.8	4.8	<0.002	0.47	0.54	2.5	2	0.2	650	0.06	0.06	0.7	0.021	0.16
I357474		180	51.4	4.6	<0.002	<0.01	3.79	4.9	1	0.2	90.2	<0.05	<0.05	0.4	0.012	0.12
I357475		200	8.0	1.7	<0.002	0.01	0.63	0.9	1	<0.2	469	<0.05	<0.05	0.3	0.005	0.06
I357480		590	4.9	6.9	0.002	0.09	9.36	7.4	39	0.2	54.6	<0.05	<0.05	2.6	0.017	0.65

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 24- SEP- 2011
Account: RCM

Project: Rackla - Regional

CERTIFICATE OF ANALYSIS WH11175141

Sample Description	Method Analyte Units LOR	ME- MS61 U ppm 0.1	ME- MS61 V ppm 1	ME- MS61 W ppm 0.1	ME- MS61 Y ppm 0.1	ME- MS61 Zn ppm 2	ME- MS61 Zr ppm 0.5	Zn- OG62 Zn % 0.001	As- OG62 As % 0.001	Hg- CV42 Hg ppm 0.1
I357468		4.3	10	1.2	2.0	>10000	3.4	2.69		179.5
I357469		0.3	5	0.3	2.1	421	1.8			
I357470		2.4	41	0.9	10.9	204	10.1			
I357471		2.0	42	1.0	13.1	169	76.0			
I357472		3.1	9	0.1	6.1	69	1.5			
I357473		1.7	19	0.1	12.2	58	18.9			
I357474		2.7	30	0.8	11.7	191	5.2			
I357475		8.4	23	0.4	8.6	137	2.0			
I357480		9.3	191	1.0	32.2	5050	18.4		2.56	

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 24- SEP- 2011
Account: RCM

Project: Rackla - Regional

CERTIFICATE OF ANALYSIS WH11175141

Method	CERTIFICATE COMMENTS
ME- MS61	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown.
ME- MS61	REE's may not be totally soluble in this method.
Hg- CV41	Detection limits on samples requiring dilutions due to interferences or high concentration levels have been increased according to the dilution factor.

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 8- OCT- 2011
Account: RCM

CERTIFICATE WH11175616

Project: Rackla Gold (Nadaleen Trend)

P.O. No.: Area B S10

This report is for 224 Soil samples submitted to our lab in Whitehorse, YT, Canada on 2- SEP- 2011.

The following have access to data associated with this certificate:

ROB CARNE JULIA LANE	ANDREW CARNE JOAN MARIACHER	MATT DUMALA

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
SCR- 41	Screen to - 180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- TL43	Trace Level Au - 25g AR	ICP- MS
ME- MS41	51 anal. aqua regia ICPMS	

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 8- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11175616

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- TL43 Au ppm 0.001	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1
DD024051		0.32	0.001	0.10	1.90	30.7	<0.2	10	80	1.42	0.40	0.09	0.12	11.95	24.3	30
DD024052		0.32	0.002	0.15	1.35	13.1	<0.2	10	110	1.29	0.31	1.32	0.20	27.4	15.3	19
DD024053		0.46	0.001	0.11	1.78	29.8	<0.2	10	120	1.49	0.43	0.77	0.16	27.5	17.5	24
DD024054		0.46	0.001	0.11	1.93	16.6	<0.2	10	80	1.47	0.55	0.19	0.06	23.2	24.4	31
DD024055		0.44	0.001	0.17	1.54	17.1	<0.2	<10	90	1.45	0.44	0.16	0.06	17.85	33.4	25
DD024056		0.44	0.001	0.21	1.72	22.8	<0.2	<10	100	1.56	0.47	0.27	0.07	20.8	38.0	29
DD024057		0.48	0.001	0.23	1.96	9.7	<0.2	<10	160	1.79	0.70	0.37	0.06	27.3	64.2	30
DD024058		0.38	0.001	0.20	1.57	18.3	<0.2	<10	80	1.44	0.38	0.55	0.12	27.8	20.2	24
DD024059		0.46	0.001	0.13	1.69	15.4	<0.2	<10	110	1.47	0.40	0.49	0.07	16.00	20.4	28
DD024060		0.44	0.001	0.21	1.43	24.5	<0.2	<10	140	1.67	0.39	0.53	0.13	17.95	27.5	21
DD024061		0.42	0.002	0.26	1.31	16.2	<0.2	<10	110	1.49	0.48	0.60	0.18	32.4	17.1	19
DD024062		0.40	0.002	0.14	1.49	13.7	<0.2	<10	100	1.46	0.35	0.12	0.13	12.25	18.0	23
DD024063		0.34	0.001	0.13	1.48	11.7	<0.2	<10	120	1.26	0.37	0.61	0.16	26.7	14.7	20
DD024064		0.42	0.001	0.41	0.89	27.1	<0.2	<10	110	1.34	0.41	0.19	0.25	37.9	23.2	8
DD024065		0.24	0.001	0.22	1.31	21.4	<0.2	<10	240	1.68	0.31	0.36	0.27	19.35	26.3	20
DD024066		0.32	0.001	0.21	1.55	25.6	<0.2	<10	140	1.68	0.30	0.12	0.14	22.1	28.2	25
DD024067		0.32	0.001	0.16	1.15	6.2	<0.2	<10	90	0.92	0.23	0.08	0.25	7.50	15.8	17
DD024068		0.30	0.001	0.25	1.31	19.4	<0.2	<10	240	1.32	0.29	0.18	0.43	14.75	35.4	23
DD024069		0.26	0.001	0.15	1.56	25.8	<0.2	<10	230	1.61	0.32	0.16	0.23	16.40	37.0	23
DD024070		0.04	0.003	0.12	1.04	7.4	<0.2	<10	100	1.34	0.22	3.70	0.39	43.5	8.9	16
DD024071		0.12	0.006	0.55	1.10	15.1	<0.2	<10	270	1.15	0.26	1.43	0.41	41.3	14.7	17
DD024072		0.16	0.003	0.34	1.61	7.6	<0.2	<10	350	1.16	0.21	2.28	0.77	46.1	7.8	25
DD024073		0.16	0.007	1.22	1.59	14.2	<0.2	<10	100	1.44	0.22	1.94	0.42	53.2	10.0	30
DD024074		0.22	0.014	0.59	1.38	14.2	<0.2	<10	90	1.19	0.18	1.10	0.24	49.4	7.2	29
DD024075		0.06	0.006	0.32	0.64	6.4	<0.2	<10	130	0.56	0.09	2.72	0.41	22.0	3.6	14
DD024076		0.26	0.007	0.47	1.76	14.0	<0.2	<10	140	1.53	0.21	4.89	0.25	56.0	11.6	36
DD024077		0.16	0.005	0.70	1.41	16.5	<0.2	<10	160	1.26	0.18	1.94	0.24	55.5	8.4	30
DD024078		0.10	0.004	0.19	1.37	7.8	<0.2	<10	130	1.14	0.18	5.04	0.44	40.6	8.5	25
DD024079		0.12	0.006	0.98	1.30	11.1	<0.2	<10	90	1.13	0.18	1.55	0.25	42.9	6.9	25
DD024080		0.06	<0.001	0.48	0.71	10.3	<0.2	<10	70	0.80	0.16	4.55	0.36	36.8	7.3	14
DD024081		0.24	0.006	0.29	0.98	21	<0.2	<10	70	0.81	0.15	15.10	0.24	34.7	7.2	13
DD024082		0.04	<0.001	0.07	0.19	2.1	<0.2	<10	40	0.25	0.05	4.00	0.60	6.38	2.2	3
DD024083		0.22	0.001	0.09	1.11	7.8	<0.2	<10	240	1.15	0.24	9.74	0.16	39.9	13.6	14
DD024084		0.06	<0.001	0.10	0.47	3.8	<0.2	<10	120	0.46	0.10	3.83	0.47	10.70	3.8	7
DD024085		0.08	<0.001	0.23	0.72	7.9	<0.2	<10	110	0.65	0.14	2.79	0.37	29.1	4.9	11
DD024086		0.20	0.008	0.39	0.47	10.5	<0.2	<10	50	0.73	0.15	2.46	0.41	48.7	9.0	16
DD024087		0.12	<0.001	0.12	1.13	7.1	<0.2	<10	170	1.14	0.17	1.07	0.19	39.7	6.8	26
DD024088		0.12	<0.001	0.14	1.37	7.5	<0.2	<10	150	1.18	0.18	0.90	0.18	48.6	7.8	35
DD024089		0.10	<0.001	0.12	1.05	4.2	<0.2	<10	220	0.78	0.14	1.84	0.32	34.3	6.4	25
DD024090		0.12	<0.001	0.07	1.54	6.4	<0.2	<10	200	1.05	0.22	0.48	0.14	35.7	10.1	38

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 8- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11175616

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
DD024051		4.86	30.7	4.44	6.88	0.09	0.08	0.05	0.046	0.11	4.1	47.4	0.47	1830	0.61	0.01
DD024052		0.83	28.6	3.63	3.82	0.11	0.15	0.04	0.043	0.09	13.5	29.3	0.43	1200	0.79	0.01
DD024053		2.34	33.8	4.49	5.21	0.12	0.11	0.05	0.050	0.08	12.5	53.1	0.49	644	0.87	0.01
DD024054		3.35	44.2	4.15	6.26	0.10	0.16	0.02	0.042	0.08	10.4	73.0	0.63	1000	0.48	0.01
DD024055		5.17	48.0	3.78	5.11	0.11	0.18	0.01	0.037	0.06	5.9	61.6	0.49	1440	0.56	<0.01
DD024056		3.96	54.2	4.09	5.60	0.12	0.18	0.03	0.054	0.08	6.9	63.6	0.58	1580	0.47	<0.01
DD024057		5.48	56.9	4.70	6.63	0.13	0.09	0.03	0.058	0.10	9.1	68.3	0.57	2050	0.23	0.01
DD024058		2.14	47.2	4.61	5.25	0.14	0.16	0.04	0.056	0.08	10.0	56.8	0.47	558	0.69	0.01
DD024059		2.08	52.5	4.05	5.63	0.12	0.16	0.02	0.048	0.10	7.1	65.0	0.53	605	0.45	<0.01
DD024060		3.62	44.4	3.98	4.20	0.12	0.15	0.03	0.050	0.09	4.7	42.3	0.33	1050	0.86	<0.01
DD024061		1.07	45.9	4.52	3.80	0.13	0.15	0.04	0.059	0.08	16.6	30.5	0.31	829	0.65	<0.01
DD024062		3.22	32.9	4.45	4.79	0.10	0.03	0.03	0.044	0.07	4.5	35.8	0.26	1080	1.02	<0.01
DD024063		1.89	31.5	4.00	4.49	0.10	0.07	0.01	0.050	0.06	7.4	27.5	0.21	767	0.98	<0.01
DD024064		1.15	52.7	6.12	1.49	0.16	0.06	0.11	0.054	0.04	11.8	8.4	0.09	457	1.14	<0.01
DD024065		6.95	34.2	4.46	4.72	0.11	0.02	0.08	0.044	0.10	5.4	33.4	0.31	2200	0.96	0.01
DD024066		5.12	29.9	4.83	4.59	0.11	0.02	0.06	0.050	0.08	7.2	41.0	0.33	2640	1.20	<0.01
DD024067		2.12	24.0	2.82	3.23	0.09	<0.02	0.07	0.035	0.09	2.9	22.5	0.25	1460	0.49	0.01
DD024068		5.40	28.7	5.10	4.36	0.11	0.03	0.08	0.044	0.09	4.8	19.7	0.21	3870	0.83	<0.01
DD024069		5.96	35.0	4.81	5.09	0.09	0.02	0.04	0.051	0.11	5.6	43.9	0.36	3340	0.95	<0.01
DD024070		0.27	37.0	1.75	3.44	0.13	0.19	0.25	0.026	0.12	21.1	23.2	0.50	742	0.66	0.01
DD024071		0.13	33.9	2.42	3.21	0.13	0.21	0.11	0.036	0.11	17.8	20.6	0.70	371	6.00	<0.01
DD024072		0.32	24.8	2.15	4.61	0.12	0.14	0.06	0.030	0.13	21.9	39.5	0.91	335	0.95	<0.01
DD024073		0.34	29.3	2.26	5.03	0.15	0.27	0.10	0.034	0.22	27.2	51.4	1.53	262	2.78	0.01
DD024074		0.37	35.3	2.19	4.13	0.14	0.12	0.23	0.032	0.13	30.6	33.5	0.74	169	1.02	<0.01
DD024075		0.35	17.6	1.04	2.09	0.11	0.10	0.18	0.016	0.08	12.1	15.3	0.41	137	0.98	<0.01
DD024076		1.14	35.7	2.59	5.55	0.14	0.14	0.16	0.037	0.25	27.1	53.3	1.99	311	1.51	0.01
DD024077		0.55	33.1	2.19	4.52	0.14	0.08	0.24	0.031	0.13	31.1	36.7	0.84	192	1.42	0.01
DD024078		0.57	26.3	1.81	4.23	0.12	0.13	0.09	0.023	0.20	19.1	35.5	2.10	253	0.76	0.01
DD024079		0.57	24.1	1.85	4.59	0.13	0.18	0.18	0.032	0.17	22.3	40.5	1.02	141	1.55	<0.01
DD024080		0.27	23.6	1.73	2.27	0.11	0.09	0.12	0.025	0.10	17.3	10.8	0.31	348	0.92	<0.01
DD024081		0.41	24.4	1.34	2.78	0.11	0.08	0.17	0.021	0.15	13.5	23.9	0.75	147	1.53	0.01
DD024082		0.14	10.0	0.42	0.52	0.08	0.08	0.12	0.006	0.04	3.5	2.5	0.17	156	0.56	<0.01
DD024083		0.64	26.7	1.86	3.10	0.12	0.11	0.06	0.037	0.13	13.1	27.2	0.76	347	0.66	0.01
DD024084		0.26	17.0	0.80	1.44	0.10	0.07	0.07	0.012	0.06	5.7	8.6	0.19	150	0.78	0.01
DD024085		0.20	18.7	1.28	2.30	0.10	0.07	0.13	0.024	0.07	13.1	11.6	0.24	186	1.22	0.01
DD024086		0.16	29.8	1.67	1.94	0.12	0.09	0.36	0.028	0.10	23.2	6.7	0.90	268	1.23	0.01
DD024087		0.37	26.2	2.19	3.67	0.13	0.09	0.09	0.030	0.09	26.3	21.8	0.55	172	0.72	<0.01
DD024088		0.40	25.2	2.39	4.65	0.14	0.09	0.09	0.036	0.10	28.8	32.3	0.83	206	0.67	<0.01
DD024089		0.38	19.5	1.86	3.50	0.12	0.08	0.09	0.030	0.10	17.7	19.8	0.60	273	0.50	0.01
DD024090		0.72	19.9	2.88	5.22	0.11	0.07	0.03	0.032	0.12	14.3	37.8	0.84	290	0.65	<0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 8- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11175616

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
DD024051		0.38	23.8	1940	34.1	18.8	<0.001	0.09	0.54	3.6	0.8	0.7	13.8	<0.01	0.12	1.7
DD024052		0.26	23.9	1550	29.9	8.4	<0.001	0.09	0.54	6.2	1.3	0.4	66.3	0.01	0.06	1.7
DD024053		0.36	35.9	780	31.9	12.7	<0.001	0.04	0.49	7.4	1.1	0.6	71.2	0.01	0.07	2.2
DD024054		0.09	39.7	300	49.5	8.4	<0.001	0.01	0.35	6.9	0.6	0.6	29.9	0.01	0.06	5.5
DD024055		0.05	41.2	220	92.4	7.8	<0.001	<0.01	0.47	6.2	0.7	0.6	28.5	<0.01	0.05	4.0
DD024056		0.05	45.0	340	80.1	8.3	<0.001	0.01	0.60	10.6	1.1	0.7	44.5	<0.01	0.05	5.1
DD024057		0.11	51.6	350	111.5	11.2	<0.001	0.01	0.62	12.4	1.0	0.8	46.8	<0.01	0.08	5.8
DD024058		0.26	43.8	630	48.0	8.0	<0.001	0.04	0.51	12.0	1.4	0.6	52.4	<0.01	0.06	5.2
DD024059		0.28	42.2	320	47.8	7.0	<0.001	0.02	0.50	10.2	0.9	0.5	41.6	<0.01	0.03	3.7
DD024060		0.22	43.5	930	51.6	11.0	<0.001	0.06	0.60	8.1	0.6	0.5	42.3	<0.01	0.06	2.6
DD024061		0.21	44.8	740	38.1	7.1	<0.001	0.03	0.43	10.3	1.5	0.6	50.7	<0.01	0.16	3.7
DD024062		0.35	30.0	1280	44.1	13.9	<0.001	0.08	0.66	2.5	0.8	0.5	15.5	<0.01	0.04	0.8
DD024063		0.30	26.9	1790	38.8	13.8	<0.001	0.11	0.52	3.0	0.4	0.5	61.5	<0.01	0.06	1.3
DD024064		0.08	66.9	400	45.7	5.9	<0.001	0.04	0.42	9.7	1.7	0.4	28.3	<0.01	0.12	3.8
DD024065		0.21	21.1	2420	82.9	14.9	<0.001	0.13	0.75	1.7	0.7	0.5	41.1	<0.01	0.05	0.7
DD024066		0.22	21.5	1670	73.3	13.8	<0.001	0.09	0.84	1.4	0.4	0.5	17.2	<0.01	0.01	0.7
DD024067		0.20	17.3	1920	27.3	10.0	<0.001	0.14	0.32	0.4	0.4	0.3	11.3	<0.01	0.03	0.2
DD024068		0.19	19.2	2760	87.5	15.5	<0.001	0.16	0.73	1.2	0.6	0.4	26.4	<0.01	0.03	0.5
DD024069		0.27	23.1	1670	85.7	17.2	<0.001	0.08	0.90	2.2	0.5	0.5	23.4	<0.01	0.05	1.1
DD024070		0.28	21.0	1550	18.8	8.5	<0.001	0.10	0.36	2.7	0.6	0.4	99.0	<0.01	0.02	1.6
DD024071		0.25	30.2	1140	23.4	6.0	0.001	0.06	0.61	3.7	1.3	0.4	65.0	<0.01	0.04	2.1
DD024072		0.34	20.9	1250	22.7	10.2	<0.001	0.08	0.39	2.1	1.0	0.6	117.0	<0.01	0.03	1.3
DD024073		0.38	24.9	1220	22.1	14.0	<0.001	0.08	0.51	3.3	1.1	0.5	133.0	<0.01	0.04	2.2
DD024074		0.34	26.2	1290	17.7	11.0	<0.001	0.07	0.43	3.0	0.7	0.4	112.0	<0.01	<0.01	1.8
DD024075		0.23	10.6	1610	8.1	6.2	<0.001	0.21	0.26	0.9	0.8	0.2	210	<0.01	<0.01	0.6
DD024076		0.39	30.3	1220	19.6	19.0	<0.001	0.04	0.44	6.3	1.4	0.6	331	<0.01	0.02	6.2
DD024077		0.37	25.9	1030	23.4	11.1	<0.001	0.10	0.51	2.1	1.3	0.4	159.0	<0.01	0.02	0.9
DD024078		0.39	21.2	950	17.4	12.5	<0.001	0.08	0.37	2.9	0.8	0.5	276	<0.01	0.02	1.9
DD024079		0.36	20.7	900	17.4	12.6	<0.001	0.10	0.42	2.2	1.2	0.5	129.0	<0.01	<0.01	1.2
DD024080		0.22	17.6	1120	20.3	7.6	<0.001	0.13	0.50	1.5	0.7	0.3	285	<0.01	0.01	0.7
DD024081		0.28	16.7	1270	23.6	8.3	<0.001	0.05	0.48	1.9	0.8	0.4	992	<0.01	0.04	2.0
DD024082		0.07	4.8	1150	5.2	2.4	<0.001	0.21	0.20	0.5	<0.2	<0.2	201	<0.01	<0.01	0.6
DD024083		0.18	21.7	670	15.4	8.7	<0.001	0.06	0.22	3.2	1.3	0.3	501	<0.01	0.02	1.8
DD024084		0.17	9.1	1230	8.5	4.8	<0.001	0.21	0.21	0.6	<0.2	0.2	159.5	<0.01	0.01	0.5
DD024085		0.28	12.1	1440	15.3	4.6	<0.001	0.18	0.31	0.9	0.9	0.3	185.0	<0.01	<0.01	0.4
DD024086		0.16	20.8	1310	18.9	6.2	<0.001	0.04	0.46	3.2	0.8	0.3	106.0	<0.01	0.02	2.3
DD024087		0.38	22.2	1020	13.1	10.1	<0.001	0.09	0.37	3.4	1.2	0.4	72.6	<0.01	0.02	1.6
DD024088		0.43	24.7	940	13.8	11.4	<0.001	0.07	0.33	4.6	1.7	0.5	58.9	<0.01	0.01	1.9
DD024089		0.36	16.0	1420	10.2	9.6	<0.001	0.15	0.25	2.9	1.6	0.3	94.7	<0.01	0.01	0.9
DD024090		0.51	27.5	770	13.5	13.1	<0.001	0.05	0.31	3.7	0.7	0.5	30.5	<0.01	<0.01	2.3

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 8- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11175616

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
DD024051		0.009	0.13	0.83	31	0.08	6.07	84	2.0
DD024052		0.006	0.08	3.18	25	0.08	23.0	85	3.4
DD024053		0.006	0.12	1.00	27	0.08	21.6	116	2.2
DD024054		0.007	0.09	0.78	23	<0.05	14.15	115	8.5
DD024055		0.007	0.15	0.82	20	<0.05	10.55	113	9.1
DD024056		0.006	0.18	0.70	23	<0.05	19.10	129	10.8
DD024057		0.007	0.17	1.18	26	<0.05	18.70	132	4.1
DD024058		0.006	0.11	1.06	23	<0.05	26.5	116	5.4
DD024059		0.008	0.10	0.85	22	<0.05	16.50	112	5.5
DD024060		0.005	0.13	1.01	20	<0.05	17.65	96	5.4
DD024061		0.005	0.15	1.28	20	0.05	27.5	117	4.1
DD024062		0.009	0.20	0.90	28	0.07	7.58	91	1.0
DD024063		0.007	0.13	1.45	25	0.07	14.25	84	2.4
DD024064		<0.005	0.32	1.42	10	<0.05	31.5	150	2.3
DD024065		0.010	0.19	1.01	32	0.08	8.45	93	0.6
DD024066		0.013	0.18	1.08	34	0.11	8.54	72	<0.5
DD024067		0.006	0.11	0.80	17	<0.05	3.68	67	<0.5
DD024068		0.010	0.16	0.96	28	0.06	6.43	97	0.5
DD024069		0.013	0.19	0.98	33	0.09	6.26	82	0.7
DD024070		0.008	0.19	6.74	21	<0.05	15.45	87	6.0
DD024071		0.007	0.18	2.99	30	0.09	14.05	96	6.6
DD024072		0.009	0.13	5.63	48	0.06	16.45	97	4.5
DD024073		0.011	0.26	7.64	42	0.05	15.20	94	9.7
DD024074		0.009	0.21	3.73	33	0.06	16.80	83	3.8
DD024075		0.007	0.12	3.35	17	0.05	7.47	50	3.1
DD024076		0.019	0.32	7.08	39	<0.05	15.40	100	8.4
DD024077		0.010	0.22	6.00	33	0.08	17.05	78	2.9
DD024078		0.012	0.16	3.80	29	0.05	11.15	116	5.7
DD024079		0.009	0.23	5.37	33	<0.05	13.95	64	7.0
DD024080		0.006	0.15	3.65	23	0.06	10.15	97	3.7
DD024081		0.008	0.14	7.64	20	<0.05	10.25	65	3.9
DD024082		<0.005	0.04	2.42	4	<0.05	2.56	46	2.6
DD024083		<0.005	0.11	2.15	14	<0.05	12.45	66	3.7
DD024084		0.005	0.07	6.76	11	<0.05	4.95	42	2.5
DD024085		0.006	0.11	6.28	17	<0.05	8.04	77	2.9
DD024086		0.005	0.14	3.31	20	0.05	11.30	83	2.7
DD024087		0.010	0.12	3.44	29	0.08	14.35	68	2.8
DD024088		0.011	0.10	2.68	31	0.11	16.55	74	2.6
DD024089		0.009	0.08	2.52	21	0.15	12.35	55	2.3
DD024090		0.015	0.10	1.43	31	0.07	6.54	83	2.0

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 8- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11175616

Sample Description	Method	WEI- 21	Au- TL43	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Recvd Wt.	Au	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
DD024091		0.14	<0.001	0.07	0.71	9.2	<0.2	<10	60	0.47	0.24	0.36	1.11	10.75	12.8	13
DD024092		0.12	<0.001	0.08	0.76	6.9	<0.2	<10	60	0.42	0.29	0.08	0.16	13.30	9.0	14
DD024093		0.14	<0.001	0.08	0.73	15.9	<0.2	<10	50	1.01	0.29	0.23	0.28	12.80	17.7	11
DD024094		0.22	<0.001	0.12	0.91	17.4	<0.2	<10	90	1.08	0.32	1.02	1.70	20.2	15.6	14
DD024095		0.04	<0.001	0.13	0.46	7.8	<0.2	<10	80	0.65	0.13	2.79	1.36	11.95	5.4	8
DD024096		0.04	<0.001	0.06	0.30	3.2	<0.2	<10	40	0.20	0.06	2.84	1.00	6.98	2.1	3
DD024097		0.20	<0.001	0.16	0.53	16.2	<0.2	<10	60	1.03	0.28	1.82	1.12	18.90	10.3	6
DD024098		0.10	<0.001	0.09	0.46	10.5	<0.2	<10	50	0.81	0.16	3.63	0.60	15.45	7.2	6
DD024099		0.06	<0.001	0.09	0.84	5.8	<0.2	<10	90	0.70	0.14	3.02	0.16	10.85	5.6	8
DD024100		0.26	<0.001	0.10	0.92	16.0	<0.2	<10	80	1.22	0.35	1.06	0.36	18.95	20.0	15
DD024101		0.22	<0.001	0.09	0.61	20.7	<0.2	<10	80	1.35	0.42	0.78	0.10	15.25	22.5	13
DD024102		0.48	0.001	0.09	0.91	14.9	<0.2	<10	90	1.04	0.32	1.69	0.11	12.25	19.5	16
DD024103		0.20	<0.001	0.05	0.80	15.3	<0.2	<10	70	1.15	0.31	1.10	0.16	12.15	16.7	12
DD024104		0.14	<0.001	0.07	0.66	17.6	<0.2	<10	90	0.90	0.27	2.23	0.13	9.03	12.1	9
DD024105		0.26	<0.001	0.05	0.46	20.6	<0.2	<10	70	1.02	0.35	3.39	0.10	9.99	19.1	7
DD024106		0.28	0.002	0.05	0.61	45.2	<0.2	<10	130	1.08	0.39	1.80	0.11	11.40	18.5	6
DD024107		0.08	<0.001	0.04	0.32	3.0	<0.2	<10	70	0.26	0.06	4.61	0.08	3.27	2.6	3
DD024108		0.12	<0.001	0.10	0.53	12.1	<0.2	<10	80	0.80	0.22	3.43	0.11	7.24	9.7	7
DD024109		0.14	<0.001	0.18	0.85	3.6	<0.2	<10	110	0.77	0.12	2.99	0.05	6.58	3.9	9
DD024110		0.18	<0.001	0.04	0.96	10.2	<0.2	<10	70	0.50	0.28	0.04	0.08	9.23	11.7	17
DD024111		0.14	<0.001	0.07	1.49	15.5	<0.2	<10	100	1.22	0.37	0.61	0.09	13.25	16.5	24
DD024112		0.12	0.001	0.19	1.11	10.7	<0.2	<10	100	1.07	0.24	2.73	0.21	9.02	9.5	15
DD024113		0.12	0.001	0.10	1.28	16.1	<0.2	<10	110	1.14	0.30	1.24	0.13	14.20	13.2	17
DD024114		0.24	0.001	0.45	1.01	20.2	<0.2	<10	110	1.19	0.35	1.55	0.10	16.50	14.4	15
DD024115		0.18	0.001	0.15	1.06	16.2	<0.2	<10	140	1.33	0.32	1.72	0.15	13.20	14.5	14
DD024116		0.08	0.001	0.16	0.59	9.9	<0.2	<10	130	0.99	0.21	3.80	0.17	11.80	9.3	8
DD024117		0.22	0.001	0.17	0.86	16.6	<0.2	<10	110	1.10	0.35	1.36	0.11	10.95	13.2	12
DD024118		0.30	0.002	0.11	1.00	19.4	<0.2	<10	110	1.43	0.38	1.33	0.09	12.80	16.4	14
DD024119		0.06	0.001	0.08	0.60	12.8	<0.2	<10	80	0.76	0.28	2.17	0.17	11.00	10.6	7
DD024120		0.24	0.001	0.09	0.63	20.0	<0.2	<10	70	1.06	0.40	1.18	0.06	12.20	14.8	9
DD024121		0.20	0.001	0.11	0.53	9.4	<0.2	<10	120	1.09	0.28	2.29	0.06	8.60	9.5	7
DD024122		0.18	0.001	0.10	0.79	12.8	<0.2	<10	90	1.04	0.33	1.38	0.10	10.90	13.6	11
DD024123		0.16	0.001	0.11	0.93	18.3	<0.2	<10	70	1.04	0.29	1.30	0.19	13.45	13.8	14
DD024124		0.12	0.001	0.12	0.79	15.5	<0.2	<10	90	1.02	0.33	1.41	0.14	9.71	13.0	12
DD024125		0.10	0.002	0.11	0.87	15.7	<0.2	<10	90	1.08	0.27	2.33	0.16	9.43	10.9	12
DD024126		0.14	0.001	0.10	1.16	17.6	<0.2	<10	100	1.15	0.32	1.38	0.14	11.45	14.4	16
DD024127		0.12	0.001	0.10	1.05	16.4	<0.2	<10	120	0.97	0.28	2.68	0.14	10.05	13.5	15
DD024128		0.18	0.001	0.11	1.15	18.2	<0.2	10	110	1.09	0.33	1.76	0.17	10.20	15.1	17
DD024129		0.06	0.001	0.12	0.75	13.0	<0.2	10	90	0.90	0.25	2.54	0.14	8.96	11.3	12
DD024130		0.24	0.001	0.11	1.01	16.9	<0.2	10	90	1.06	0.32	1.29	0.15	11.80	11.8	16

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 8- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11175616

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
DD024091		0.70	23.3	2.70	2.64	<0.05	0.06	0.05	0.028	0.10	4.0	10.7	0.22	561	0.57	<0.01
DD024092		0.48	14.2	2.34	4.00	<0.05	0.04	0.02	0.022	0.10	5.8	7.4	0.15	400	0.53	<0.01
DD024093		1.32	34.3	4.20	2.25	0.05	0.03	0.07	0.040	0.11	3.6	19.9	0.20	664	0.60	<0.01
DD024094		1.33	39.4	3.46	2.91	<0.05	0.13	0.11	0.047	0.09	7.4	22.9	0.36	350	0.78	<0.01
DD024095		0.46	15.7	1.47	1.35	<0.05	0.06	0.10	0.018	0.06	5.5	5.4	0.11	159	0.59	0.01
DD024096		0.22	7.3	0.66	0.81	<0.05	0.03	0.08	0.005	0.04	3.0	1.0	0.03	66	0.32	0.01
DD024097		0.38	26.3	2.63	1.32	<0.05	0.06	0.07	0.034	0.08	7.3	5.8	0.12	233	0.73	<0.01
DD024098		0.31	16.8	1.91	1.13	<0.05	0.05	0.06	0.023	0.05	6.3	5.5	0.13	329	0.53	<0.01
DD024099		0.33	15.1	1.63	1.96	<0.05	0.06	0.06	0.019	0.04	4.4	7.4	0.16	456	0.44	<0.01
DD024100		1.44	48.4	3.65	2.92	0.05	0.09	0.27	0.037	0.11	7.3	22.6	0.58	600	0.69	<0.01
DD024101		1.77	55.3	4.07	2.13	0.05	0.05	0.12	0.050	0.12	6.3	8.6	0.19	378	0.67	0.01
DD024102		1.39	45.9	3.90	2.69	<0.05	0.08	0.14	0.034	0.10	5.2	16.0	0.46	527	0.58	<0.01
DD024103		0.51	35.8	3.95	2.03	<0.05	0.06	0.08	0.034	0.10	4.7	11.2	0.20	482	0.53	<0.01
DD024104		0.47	28.4	3.09	1.47	<0.05	0.03	0.10	0.026	0.08	3.8	6.4	0.09	539	0.51	<0.01
DD024105		0.89	45.5	3.53	1.19	<0.05	0.08	0.08	0.035	0.09	3.6	5.9	0.20	638	0.41	<0.01
DD024106		0.23	42.4	4.01	1.33	<0.05	0.05	0.17	0.040	0.10	4.1	3.7	0.07	465	0.81	0.01
DD024107		0.34	12.0	0.70	0.73	<0.05	0.03	0.07	0.006	0.02	1.7	1.1	0.05	245	0.34	0.01
DD024108		0.61	25.5	2.27	1.12	<0.05	0.05	0.15	0.024	0.06	3.3	3.5	0.09	365	0.61	<0.01
DD024109		0.88	21.3	1.62	1.66	<0.05	0.03	0.15	0.019	0.04	3.4	6.7	0.13	131	0.33	<0.01
DD024110		0.96	27.4	3.45	3.96	<0.05	<0.02	0.03	0.028	0.09	4.5	8.8	0.14	626	0.55	<0.01
DD024111		1.83	42.1	3.98	5.17	<0.05	0.10	0.15	0.031	0.09	6.0	43.7	0.44	267	0.54	<0.01
DD024112		1.97	36.4	2.18	3.15	0.05	0.07	0.19	0.029	0.08	4.7	23.4	0.25	423	0.46	0.01
DD024113		1.10	32.5	3.78	3.59	<0.05	0.07	0.14	0.031	0.08	5.6	15.8	0.22	429	0.66	<0.01
DD024114		0.93	43.3	3.90	3.10	0.05	0.05	0.18	0.034	0.09	7.5	14.1	0.25	369	0.82	<0.01
DD024115		0.96	35.4	3.10	3.06	<0.05	0.06	0.17	0.035	0.10	5.9	11.5	0.18	390	0.56	<0.01
DD024116		0.79	31.8	2.12	1.51	<0.05	0.04	0.19	0.022	0.06	5.5	4.3	0.09	511	0.54	0.01
DD024117		1.60	34.1	3.18	2.64	<0.05	0.06	0.17	0.039	0.09	5.1	12.7	0.19	418	0.46	<0.01
DD024118		1.18	41.3	3.56	2.95	<0.05	0.08	0.26	0.037	0.10	5.6	15.7	0.23	354	0.46	<0.01
DD024119		0.48	28.3	2.35	1.60	<0.05	0.05	0.15	0.035	0.06	4.8	4.3	0.09	203	0.42	<0.01
DD024120		0.98	33.7	2.85	1.98	<0.05	0.08	0.15	0.046	0.08	5.6	8.9	0.13	237	0.39	<0.01
DD024121		0.65	43.3	1.91	1.46	<0.05	0.07	0.17	0.032	0.07	4.1	3.2	0.07	204	0.33	<0.01
DD024122		0.75	33.7	2.96	2.39	<0.05	0.07	0.12	0.042	0.09	4.5	14.3	0.20	385	0.57	<0.01
DD024123		0.70	32.2	3.63	2.87	<0.05	0.06	0.18	0.033	0.09	5.5	12.7	0.27	471	0.54	<0.01
DD024124		0.69	33.6	3.06	2.29	<0.05	0.06	0.27	0.036	0.10	4.5	8.8	0.18	297	0.47	<0.01
DD024125		0.85	34.6	2.82	2.47	<0.05	0.05	0.20	0.029	0.08	4.3	9.3	0.21	294	0.55	<0.01
DD024126		1.08	36.8	3.58	3.32	<0.05	0.06	0.20	0.032	0.10	4.9	14.0	0.24	390	0.55	<0.01
DD024127		1.71	39.2	3.19	3.09	0.05	0.07	0.19	0.034	0.09	4.5	14.7	0.25	410	0.55	<0.01
DD024128		1.87	41.6	3.60	3.56	0.06	0.08	0.20	0.037	0.10	4.5	21.4	0.47	341	0.76	<0.01
DD024129		1.46	36.2	2.81	2.14	0.05	0.07	0.30	0.029	0.08	4.3	9.4	0.27	345	0.69	<0.01
DD024130		1.49	34.6	3.78	3.06	0.06	0.10	0.26	0.040	0.11	5.7	16.6	0.42	219	0.78	<0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 8- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11175616

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
DD024091		0.33	18.7	770	16.4	9.9	0.001	0.04	0.33	3.1	0.6	0.4	20.3	<0.01	0.05	1.9
DD024092		0.48	9.0	600	13.2	10.9	<0.001	0.03	0.25	2.2	0.4	0.5	10.1	<0.01	0.09	1.4
DD024093		0.17	31.8	880	55.4	5.6	0.001	0.12	0.28	6.1	0.8	0.3	22.4	<0.01	0.05	4.3
DD024094		0.28	34.4	840	75.6	6.2	<0.001	0.06	0.54	5.2	1.3	0.4	50.9	<0.01	0.05	3.8
DD024095		0.26	13.9	830	51.1	4.4	<0.001	0.13	0.42	1.7	0.8	0.2	83.6	<0.01	0.03	0.7
DD024096		0.24	4.7	820	17.5	1.9	<0.001	0.17	0.23	0.7	0.8	<0.2	90.8	<0.01	0.02	0.2
DD024097		0.19	23.0	770	72.8	4.3	<0.001	0.05	0.40	4.3	0.9	0.3	59.5	<0.01	0.07	1.6
DD024098		0.19	16.1	820	24.5	3.3	0.001	0.14	0.29	1.3	1.0	0.2	117.0	<0.01	0.02	0.4
DD024099		0.35	10.2	1140	11.6	4.0	<0.001	0.17	0.30	1.4	0.3	0.2	113.5	<0.01	0.03	0.5
DD024100		0.26	41.6	700	32.1	7.4	0.001	0.11	0.69	5.7	0.9	0.4	65.4	<0.01	0.07	4.5
DD024101		0.15	41.7	460	26.0	7.1	<0.001	0.05	1.35	7.2	0.6	0.4	47.0	<0.01	0.07	3.4
DD024102		0.35	33.1	440	21.1	6.2	<0.001	0.02	0.79	5.7	<0.2	0.4	66.4	<0.01	0.06	3.4
DD024103		0.21	27.1	380	18.9	4.4	<0.001	0.03	1.20	5.8	0.6	0.3	80.2	<0.01	0.05	2.2
DD024104		0.20	21.4	710	16.0	5.1	0.001	0.07	2.20	4.1	0.8	0.3	129.0	<0.01	0.06	0.9
DD024105		0.14	33.1	690	22.6	4.0	0.001	0.03	1.28	7.0	0.4	0.3	168.0	<0.01	0.10	2.4
DD024106		0.15	35.6	570	24.9	4.4	<0.001	0.08	9.74	6.1	0.8	0.3	121.5	<0.01	0.10	1.9
DD024107		0.20	5.5	720	3.1	1.6	0.001	0.16	0.65	0.5	0.3	<0.2	249	<0.01	0.03	<0.2
DD024108		0.19	18.8	520	11.6	4.5	<0.001	0.08	1.62	2.4	0.3	0.3	214	<0.01	0.04	0.4
DD024109		0.34	11.7	750	6.2	5.0	<0.001	0.12	0.35	1.8	<0.2	0.2	206	<0.01	0.02	0.4
DD024110		0.40	16.9	410	17.0	8.5	<0.001	0.01	0.39	1.9	0.2	0.5	11.9	<0.01	0.06	0.9
DD024111		0.52	32.4	350	21.8	10.4	<0.001	0.04	0.56	5.3	0.3	0.6	79.9	<0.01	0.08	3.4
DD024112		0.39	21.5	800	13.3	13.0	<0.001	0.17	0.60	2.9	1.3	0.4	218	<0.01	0.04	0.6
DD024113		0.46	26.5	480	19.5	9.0	<0.001	0.04	0.66	5.8	0.4	0.5	76.8	<0.01	0.04	2.2
DD024114		0.45	33.1	490	23.1	7.6	<0.001	0.04	1.05	5.6	0.8	0.5	99.5	<0.01	0.04	1.9
DD024115		0.41	27.0	550	19.3	8.6	<0.001	0.05	0.77	4.2	0.9	0.5	107.0	<0.01	0.05	1.2
DD024116		0.30	17.7	940	12.2	6.1	0.001	0.13	0.88	2.0	0.5	0.3	198.5	<0.01	0.03	0.4
DD024117		0.31	25.8	500	20.1	8.5	<0.001	0.05	0.80	5.4	0.3	0.5	90.5	<0.01	0.06	1.5
DD024118		0.33	31.5	330	20.9	7.8	<0.001	0.03	1.13	6.9	0.9	0.5	86.1	<0.01	0.05	2.6
DD024119		0.28	19.3	560	14.1	4.5	0.001	0.09	1.28	3.3	0.4	0.3	120.0	<0.01	0.03	0.8
DD024120		0.21	25.9	270	19.8	6.0	<0.001	0.03	0.96	6.3	1.0	0.4	83.8	<0.01	0.06	2.4
DD024121		0.18	22.6	510	13.6	6.2	<0.001	0.08	0.77	3.3	0.6	0.4	128.5	<0.01	0.05	0.8
DD024122		0.27	25.6	460	18.0	5.9	0.001	0.05	0.68	5.7	0.4	0.4	87.6	<0.01	0.04	2.1
DD024123		0.39	25.7	470	19.6	7.6	<0.001	0.05	0.62	5.4	0.4	0.4	71.9	<0.01	0.04	1.9
DD024124		0.28	26.2	480	18.2	6.9	<0.001	0.05	0.67	5.2	0.8	0.4	90.7	<0.01	0.07	1.6
DD024125		0.35	23.5	640	16.0	7.4	0.001	0.08	0.73	3.1	0.8	0.4	131.5	<0.01	0.08	0.7
DD024126		0.39	28.5	490	20.0	8.7	<0.001	0.05	0.57	4.9	0.6	0.4	79.4	<0.01	0.06	1.7
DD024127		0.29	28.3	650	17.5	9.9	<0.001	0.10	0.55	3.8	0.9	0.4	128.5	<0.01	0.07	0.9
DD024128		0.28	31.0	690	19.4	9.5	0.001	0.09	0.57	5.6	0.8	0.5	101.5	<0.01	0.08	1.9
DD024129		0.23	26.9	770	14.3	9.2	<0.001	0.13	0.52	3.5	1.0	0.4	155.0	<0.01	0.06	0.8
DD024130		0.26	28.2	520	18.4	10.0	0.002	0.08	0.48	6.3	1.1	0.5	94.0	<0.01	0.07	2.2

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 8- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11175616

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
DD024091		0.010	0.09	0.75	14	<0.05	3.80	172	1.6
DD024092		0.010	0.09	0.66	21	0.05	2.98	53	0.8
DD024093		0.007	0.10	0.66	9	<0.05	9.25	166	1.4
DD024094		0.009	0.17	1.12	13	<0.05	12.00	614	3.3
DD024095		0.009	0.11	0.98	7	<0.05	7.07	290	1.9
DD024096		0.012	0.05	0.50	5	<0.05	3.08	137	1.1
DD024097		0.007	0.13	0.69	7	<0.05	13.35	372	1.9
DD024098		0.007	0.09	0.81	6	<0.05	8.80	126	1.4
DD024099		0.010	0.05	0.71	10	0.05	6.29	42	1.8
DD024100		0.009	0.12	1.04	13	<0.05	10.00	190	2.8
DD024101		0.009	0.10	0.48	17	<0.05	9.13	108	1.8
DD024102		0.011	0.09	0.39	19	<0.05	7.07	91	2.6
DD024103		0.007	0.06	0.44	15	<0.05	7.61	81	1.7
DD024104		0.007	0.06	0.52	12	<0.05	8.68	58	1.0
DD024105		0.007	0.09	0.41	9	<0.05	8.85	92	2.3
DD024106		0.006	0.10	0.38	10	<0.05	9.96	93	1.6
DD024107		0.008	0.03	0.63	5	<0.05	4.23	17	0.8
DD024108		0.007	0.06	0.67	9	<0.05	7.47	50	1.0
DD024109		0.010	0.06	0.38	10	<0.05	6.64	22	1.2
DD024110		0.010	0.04	0.28	29	<0.05	2.03	58	<0.5
DD024111		0.011	0.09	0.52	24	<0.05	6.92	95	3.3
DD024112		0.005	0.10	1.45	18	0.05	8.58	58	2.0
DD024113		0.009	0.10	0.83	23	0.05	8.16	63	1.9
DD024114		0.012	0.10	0.89	20	0.09	10.65	77	1.5
DD024115		0.009	0.08	0.96	18	0.05	9.05	67	1.7
DD024116		0.008	0.07	1.76	10	<0.05	10.85	44	1.2
DD024117		0.008	0.10	0.67	14	<0.05	8.75	73	1.8
DD024118		0.008	0.10	0.77	16	<0.05	9.72	73	2.6
DD024119		0.007	0.05	0.70	10	0.05	6.81	65	1.6
DD024120		0.007	0.06	0.76	11	<0.05	6.80	70	2.7
DD024121		0.006	0.07	1.43	9	<0.05	7.01	48	2.0
DD024122		0.007	0.07	0.61	13	<0.05	7.99	74	2.3
DD024123		0.009	0.10	0.62	18	0.05	8.38	82	1.7
DD024124		0.007	0.09	0.68	15	<0.05	7.97	82	2.0
DD024125		0.009	0.08	0.96	15	<0.05	7.47	77	1.4
DD024126		0.009	0.12	0.88	19	0.05	8.53	77	1.9
DD024127		0.005	0.12	1.08	18	0.10	8.48	80	1.7
DD024128		<0.005	0.10	0.76	20	0.05	9.47	97	2.1
DD024129		<0.005	0.10	0.80	15	0.06	7.88	75	1.7
DD024130		<0.005	0.10	0.66	21	0.07	8.50	85	2.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 8- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11175616

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- TL43 Au ppm 0.001	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1
DD024131		0.12	0.001	0.08	0.82	12.6	<0.2	10	90	0.68	0.23	7.89	0.24	9.86	11.5	12
DD024132		0.12	0.001	0.10	0.99	13.8	<0.2	10	110	0.90	0.25	1.84	0.24	11.95	14.3	15
DD024133		0.36	0.001	0.10	1.42	17.1	<0.2	<10	110	0.91	0.27	1.31	0.13	12.35	14.1	21
DD024134		0.32	0.002	0.13	1.43	18.9	<0.2	10	170	1.10	0.32	0.97	0.26	17.20	18.5	22
DD024151		0.36	0.002	0.23	1.16	14.9	<0.2	<10	70	1.18	0.37	1.56	0.21	32.5	16.0	18
DD024152		0.48	0.001	0.12	1.73	8.1	<0.2	<10	80	1.33	0.45	0.42	0.09	27.0	18.9	26
DD024153		0.42	0.001	0.15	2.04	14.7	<0.2	<10	90	1.57	0.44	0.56	0.10	23.5	20.2	27
DD024154		0.30	0.001	0.16	2.04	20.4	<0.2	<10	70	1.30	0.44	0.86	0.13	43.0	21.5	27
DD024155		0.40	0.001	0.27	1.65	26.6	<0.2	<10	80	1.58	0.49	0.84	0.10	26.0	30.1	24
DD024156		0.38	0.001	0.17	1.76	22.8	<0.2	<10	80	1.44	0.46	0.97	0.13	14.45	27.3	24
DD024157		0.34	0.001	0.12	1.76	14.7	<0.2	<10	80	1.66	0.44	1.34	0.15	20.1	25.1	24
DD024158		0.24	0.001	0.10	1.17	10.9	<0.2	<10	100	0.95	0.26	1.35	0.16	27.8	9.0	21
DD024159		0.40	0.002	0.07	1.39	8.3	<0.2	<10	190	1.12	0.26	1.18	0.19	37.8	11.3	25
DD024160		0.28	0.002	0.12	1.58	10.1	<0.2	<10	170	1.18	0.25	1.00	0.38	35.7	11.9	29
DD024161		0.32	0.001	0.06	1.63	9.4	<0.2	<10	80	0.87	0.25	0.16	0.10	28.8	9.1	32
DD024162		0.36	0.001	0.11	1.49	8.0	<0.2	<10	180	0.98	0.23	1.10	0.19	31.4	8.5	26
DD024163		0.36	0.001	0.10	1.51	6.7	<0.2	<10	120	0.98	0.22	1.06	0.37	34.9	12.3	31
DD024164		0.34	<0.001	0.07	1.20	6.1	<0.2	<10	60	0.68	0.28	0.24	0.42	30.7	8.9	31
DD024165		0.16	<0.001	0.06	0.74	2.5	<0.2	<10	150	0.35	0.12	1.68	1.12	17.90	5.1	13
DD024166		0.26	<0.001	0.08	1.27	9.9	<0.2	<10	80	1.01	0.23	1.21	0.28	28.1	13.3	25
DD024167		0.40	<0.001	0.09	1.39	10.3	<0.2	<10	60	0.96	0.24	1.10	0.30	30.8	12.3	29
DD024168		0.16	<0.001	0.07	1.53	10.3	<0.2	<10	80	0.98	0.27	0.62	0.22	30.7	15.2	28
DD024169		0.50	<0.001	0.09	1.47	6.8	<0.2	<10	70	0.78	0.20	5.82	0.21	33.5	12.7	28
DD024170		0.36	<0.001	0.09	1.98	4.9	<0.2	<10	100	1.60	0.31	0.53	0.25	60.8	20.1	37
DD024171		0.48	<0.001	0.12	1.51	7.1	<0.2	<10	90	0.94	0.21	4.70	0.21	33.5	10.5	28
DD024172		0.32	<0.001	0.11	1.55	9.0	<0.2	<10	80	1.16	0.28	0.89	0.18	32.2	13.7	30
DD024173		0.46	<0.001	0.09	1.65	8.2	<0.2	<10	100	1.19	0.27	0.72	0.21	46.4	13.6	37
DD024174		0.22	<0.001	0.12	1.53	7.1	<0.2	<10	130	0.97	0.24	1.31	0.37	33.8	9.7	31
DD024175		0.26	0.001	0.10	1.86	8.4	<0.2	<10	90	1.26	0.19	0.87	0.20	52.1	12.5	51
DD024176		0.22	<0.001	0.13	1.89	15.3	<0.2	<10	240	1.30	0.24	1.42	0.24	26.8	10.1	37
DD024177		0.24	<0.001	0.15	1.94	15.8	<0.2	<10	180	1.17	0.27	1.20	0.38	33.2	11.8	39
DD024178		0.20	<0.001	0.14	1.78	10.4	<0.2	<10	170	1.11	0.23	1.33	0.27	31.6	8.9	34
DD024179		0.30	<0.001	0.07	1.61	11.7	<0.2	<10	160	1.04	0.36	0.74	0.16	25.6	8.8	25
DD024180		0.30	<0.001	0.04	1.56	12.4	<0.2	<10	70	1.12	0.31	0.15	0.11	38.0	11.7	26
DD024428		0.30	<0.001	0.08	1.57	12.7	<0.2	<10	80	1.20	0.26	3.44	0.17	26.5	10.4	20
DD024429		0.26	<0.001	0.11	1.79	12.3	<0.2	<10	120	1.34	0.33	1.81	0.27	31.1	11.6	26
DD024430		0.20	<0.001	0.19	1.46	11.0	<0.2	<10	150	0.99	0.25	1.79	0.39	23.6	8.7	21
DD024431		0.34	<0.001	0.05	1.79	11.7	<0.2	<10	100	1.09	0.31	1.48	0.20	30.5	11.2	22
DD024432		0.28	<0.001	0.07	1.66	14.3	<0.2	<10	110	1.14	0.32	0.96	0.27	39.5	11.6	27
DD024433		0.16	<0.001	0.14	1.19	7.8	<0.2	<10	120	0.79	0.23	1.87	0.40	28.4	9.7	20

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 8- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11175616

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
DD024131		2.91	35.4	2.98	2.36	<0.05	0.09	0.18	0.029	0.11	4.5	14.8	0.47	501	0.42	0.01
DD024132		1.22	40.4	3.13	2.94	<0.05	0.08	0.19	0.031	0.11	5.0	18.6	0.46	693	0.48	0.01
DD024133		1.16	39.4	4.05	4.00	0.06	0.09	0.13	0.034	0.10	6.2	32.6	0.47	451	0.67	<0.01
DD024134		1.48	54.2	4.07	4.18	0.07	0.11	0.26	0.039	0.14	7.7	29.7	0.54	267	0.59	<0.01
DD024151		1.03	45.4	4.87	3.27	0.10	0.21	0.08	0.052	0.08	13.4	25.3	0.35	451	0.87	0.01
DD024152		2.11	48.8	3.90	5.64	0.08	0.15	0.02	0.044	0.09	13.1	63.2	0.59	596	0.36	<0.01
DD024153		2.54	47.9	4.84	6.20	0.10	0.22	0.01	0.055	0.09	12.4	72.3	0.63	655	0.44	<0.01
DD024154		2.46	45.4	5.74	6.32	0.16	0.24	0.04	0.066	0.08	18.3	80.8	0.69	1020	0.55	<0.01
DD024155		4.39	57.3	4.95	4.94	0.11	0.19	0.04	0.061	0.08	10.7	66.1	0.64	701	0.77	<0.01
DD024156		3.39	62.0	4.24	5.35	0.08	0.15	0.05	0.041	0.13	6.1	68.7	0.72	987	0.72	<0.01
DD024157		2.92	55.9	4.01	5.20	0.09	0.18	0.05	0.045	0.12	7.8	63.1	0.74	1230	0.73	<0.01
DD024158		1.03	35.0	2.94	3.85	0.08	0.15	0.06	0.031	0.10	15.0	26.0	0.53	394	0.82	<0.01
DD024159		1.19	39.5	2.92	4.48	0.09	0.18	0.05	0.036	0.10	23.9	29.5	0.74	443	0.51	0.01
DD024160		0.87	34.2	3.00	5.16	0.09	0.18	0.07	0.034	0.11	23.0	35.2	0.93	456	0.60	<0.01
DD024161		1.35	24.8	3.38	6.07	0.07	0.04	0.02	0.034	0.11	16.4	40.4	0.90	292	0.73	<0.01
DD024162		1.08	20.0	2.54	5.29	0.07	0.10	0.05	0.035	0.07	17.3	26.1	0.68	451	0.72	<0.01
DD024163		1.07	25.3	2.54	5.74	0.06	0.20	0.05	0.035	0.09	19.7	35.5	1.04	568	0.71	<0.01
DD024164		1.43	24.0	2.94	6.50	0.07	0.03	0.03	0.026	0.10	19.2	26.5	0.64	367	0.49	<0.01
DD024165		0.71	9.7	1.03	2.76	0.05	0.10	0.07	0.016	0.04	9.8	7.8	0.30	260	0.46	0.01
DD024166		2.50	42.2	2.70	4.20	0.09	0.17	0.09	0.030	0.08	16.9	39.2	0.91	392	0.83	<0.01
DD024167		1.49	29.6	2.72	4.57	0.08	0.18	0.09	0.033	0.10	18.1	45.1	1.10	376	0.64	<0.01
DD024168		1.74	34.2	3.48	4.80	0.10	0.14	0.07	0.031	0.09	15.3	53.0	0.96	567	0.44	<0.01
DD024169		1.35	33.9	2.59	4.63	0.06	0.10	0.07	0.025	0.10	19.1	44.0	1.73	487	0.41	0.01
DD024170		3.51	45.5	3.29	6.57	0.10	0.14	0.04	0.034	0.12	33.8	62.7	1.43	743	0.47	<0.01
DD024171		0.97	34.0	2.66	4.65	0.08	0.18	0.07	0.030	0.09	21.7	42.0	1.27	295	0.44	0.01
DD024172		1.62	37.0	3.04	5.16	0.08	0.15	0.07	0.034	0.08	19.0	52.9	1.08	317	0.50	<0.01
DD024173		1.91	36.0	3.09	5.54	0.11	0.18	0.07	0.034	0.11	29.0	48.1	1.52	428	0.58	<0.01
DD024174		1.95	26.5	2.27	5.33	0.09	0.11	0.07	0.033	0.09	20.1	29.7	1.02	332	0.84	<0.01
DD024175		1.24	33.9	2.86	6.69	0.11	0.22	0.08	0.036	0.10	31.7	47.5	2.09	294	0.56	<0.01
DD024176		6.53	63.7	2.84	6.04	0.08	0.23	0.10	0.037	0.12	17.6	40.7	1.03	350	0.76	0.01
DD024177		2.71	44.3	3.10	6.36	0.09	0.21	0.09	0.039	0.11	20.8	47.1	1.18	411	0.85	0.01
DD024178		2.00	29.0	2.57	5.93	0.09	0.16	0.07	0.033	0.07	22.4	31.2	0.94	473	0.83	<0.01
DD024179		1.73	23.0	3.53	5.65	0.05	0.03	0.04	0.042	0.05	8.8	42.8	0.49	612	1.24	<0.01
DD024180		1.02	32.0	3.67	4.94	0.06	0.07	0.04	0.038	0.04	13.4	40.0	0.69	585	0.69	<0.01
DD024428		0.94	18.2	3.63	4.41	0.05	0.09	0.05	0.035	0.06	12.9	26.4	2.13	1030	0.62	<0.01
DD024429		0.61	23.0	4.06	4.68	0.07	0.11	0.06	0.038	0.09	16.2	32.2	1.32	740	0.48	<0.01
DD024430		0.77	26.1	3.19	4.09	0.05	0.09	0.10	0.035	0.07	12.1	19.4	0.61	1020	0.65	<0.01
DD024431		0.68	17.9	3.88	4.97	0.06	0.08	0.04	0.042	0.06	12.5	23.1	1.05	943	0.52	<0.01
DD024432		0.59	17.7	4.26	4.92	0.07	0.10	0.07	0.046	0.08	20.1	20.5	0.78	1180	0.79	<0.01
DD024433		0.66	24.4	2.65	3.57	0.05	0.07	0.09	0.029	0.06	12.4	22.8	0.69	757	0.57	<0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 8- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11175616

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
DD024131		0.27	25.8	590	14.8	17.6	<0.001	0.19	0.48	5.0	1.0	0.3	291	<0.01	0.05	2.0
DD024132		0.28	31.3	570	16.4	8.9	0.001	0.11	0.53	5.0	0.9	0.4	119.0	<0.01	0.06	1.6
DD024133		0.26	28.8	470	17.1	7.6	<0.001	0.05	0.51	5.5	1.1	0.4	67.2	<0.01	0.07	2.2
DD024134		0.31	37.0	480	22.0	9.3	<0.001	0.08	0.57	7.8	0.8	0.5	84.2	<0.01	0.07	3.2
DD024151		0.30	46.0	2190	32.9	7.1	0.001	0.05	0.63	6.8	1.2	0.6	106.0	0.01	0.10	4.1
DD024152		0.23	41.2	500	34.5	6.9	<0.001	0.01	0.34	7.5	0.5	0.5	42.4	0.01	0.09	5.7
DD024153		0.24	42.1	840	36.8	8.6	0.001	0.03	0.35	10.1	0.7	0.5	47.8	0.01	0.09	4.7
DD024154		0.27	45.0	1010	38.3	7.2	0.001	0.04	0.45	15.1	1.3	0.5	60.8	0.02	0.11	7.0
DD024155		0.22	52.7	530	56.7	7.7	0.001	0.03	0.56	11.3	1.1	0.5	52.0	0.01	0.12	4.5
DD024156		0.22	42.1	640	41.8	8.5	<0.001	0.08	0.51	7.2	0.6	0.5	57.8	0.01	0.12	3.4
DD024157		0.24	37.7	960	38.3	8.7	<0.001	0.08	0.38	7.7	0.8	0.5	75.7	0.01	0.10	3.1
DD024158		0.28	23.9	1360	20.2	10.4	<0.001	0.10	0.31	4.1	1.0	0.4	68.7	0.01	0.06	2.1
DD024159		0.32	29.0	1060	21.2	10.3	0.001	0.09	0.28	5.0	1.1	0.4	44.9	0.01	0.05	2.6
DD024160		0.40	27.3	860	18.2	12.1	<0.001	0.06	0.36	4.8	0.9	0.4	42.2	0.01	0.07	2.9
DD024161		0.49	25.0	610	15.8	16.1	<0.001	0.02	0.35	2.4	0.5	0.5	18.8	<0.01	0.05	2.0
DD024162		0.54	19.9	1310	15.3	14.2	<0.001	0.07	0.33	3.0	0.8	0.4	66.8	0.01	0.05	1.4
DD024163		0.42	24.9	1080	14.8	14.4	<0.001	0.08	0.30	3.8	0.9	0.4	63.4	0.01	0.05	2.8
DD024164		0.35	19.6	720	15.4	15.8	<0.001	0.03	0.27	2.0	0.4	0.5	22.8	<0.01	0.05	2.0
DD024165		0.31	8.3	990	7.6	4.8	<0.001	0.14	0.20	1.9	0.8	0.3	88.7	<0.01	0.04	0.9
DD024166		0.27	27.1	960	20.7	10.1	<0.001	0.12	0.33	4.4	1.2	0.3	134.0	0.01	0.05	2.9
DD024167		0.26	29.4	1050	18.1	11.1	<0.001	0.09	0.35	5.3	1.1	0.3	72.6	0.01	0.05	3.5
DD024168		0.25	34.2	770	19.4	9.6	<0.001	0.05	0.32	5.3	0.9	0.3	39.1	0.01	0.06	3.9
DD024169		0.22	27.6	620	13.8	8.3	<0.001	0.02	0.27	5.0	0.7	0.3	312	<0.01	0.04	5.1
DD024170		0.40	43.0	890	30.1	13.3	<0.001	0.05	0.34	6.0	0.7	0.4	63.5	0.01	0.04	5.4
DD024171		0.24	27.0	820	14.8	8.6	<0.001	0.04	0.29	4.9	0.8	0.3	227	0.01	0.04	2.9
DD024172		0.29	33.9	800	18.9	8.9	<0.001	0.06	0.31	5.6	1.0	0.3	54.3	0.01	0.05	3.5
DD024173		0.35	34.2	730	19.7	11.5	0.001	0.05	0.31	6.3	1.1	0.4	41.2	0.01	0.04	4.9
DD024174		0.54	20.6	1890	16.5	15.6	<0.001	0.16	0.35	3.3	1.6	0.4	96.9	0.01	0.03	1.0
DD024175		0.41	30.9	810	14.7	14.8	<0.001	0.04	0.32	6.8	1.5	0.4	47.8	0.01	0.03	4.6
DD024176		0.39	25.3	1650	16.8	22.0	<0.001	0.15	0.44	7.6	3.0	0.4	132.0	0.01	0.06	1.9
DD024177		0.62	27.2	1470	17.6	23.2	<0.001	0.12	0.45	7.3	2.5	0.5	94.8	0.01	0.05	2.5
DD024178		0.57	20.4	1970	15.2	15.4	<0.001	0.15	0.44	4.7	2.1	0.4	85.5	0.01	0.05	1.6
DD024179		0.60	18.8	1100	21.3	9.8	0.001	0.07	0.49	2.0	1.1	0.5	59.3	<0.01	0.05	0.7
DD024180		0.24	22.4	1070	21.9	8.8	<0.001	0.05	0.35	3.5	0.5	0.4	14.1	<0.01	0.03	1.7
DD024428		0.44	20.0	620	25.4	9.7	0.001	0.03	0.53	5.1	0.6	0.5	28.3	<0.01	0.03	2.8
DD024429		0.37	27.4	520	29.3	9.8	0.001	0.03	0.58	5.2	0.5	0.5	21.4	<0.01	0.05	4.0
DD024430		0.52	19.8	1180	21.8	10.5	<0.001	0.10	0.74	3.3	1.0	0.4	31.7	<0.01	0.04	1.1
DD024431		0.43	18.3	380	21.6	9.0	<0.001	0.02	0.40	5.0	0.6	0.6	11.2	<0.01	0.03	3.3
DD024432		0.79	22.9	500	25.6	10.0	<0.001	0.02	0.70	6.2	1.0	0.5	14.6	<0.01	0.03	3.6
DD024433		0.45	20.4	680	19.9	7.6	0.001	0.07	0.40	3.2	0.6	0.3	54.3	<0.01	0.03	1.2

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 8- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11175616

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
DD024131		0.005	0.10	0.40	15	0.05	7.38	79	2.5
DD024132		<0.005	0.11	0.74	19	0.05	8.04	87	2.1
DD024133		0.005	0.09	0.87	24	0.05	7.90	78	2.3
DD024134		0.006	0.13	0.52	27	0.07	10.95	95	3.0
DD024151		0.006	0.16	1.57	20	0.08	21.1	131	6.9
DD024152		0.005	0.07	0.82	22	0.05	18.15	106	5.8
DD024153		0.005	0.09	1.18	25	0.06	24.8	114	5.7
DD024154		0.006	0.08	1.67	28	0.08	33.7	131	5.8
DD024155		0.005	0.11	1.01	19	0.05	22.8	146	5.1
DD024156		0.006	0.10	1.18	20	<0.05	14.05	184	4.8
DD024157		0.005	0.09	2.03	20	<0.05	18.05	122	5.2
DD024158		0.005	0.11	2.45	17	0.05	13.25	84	4.1
DD024159		0.007	0.11	3.46	18	0.07	19.65	79	4.9
DD024160		0.008	0.12	2.41	26	0.07	15.15	124	5.2
DD024161		0.011	0.11	1.28	32	0.10	3.76	94	1.1
DD024162		0.014	0.11	3.11	33	0.10	9.32	64	2.5
DD024163		0.008	0.10	2.96	28	0.06	8.93	87	5.8
DD024164		0.010	0.07	0.86	31	0.06	3.02	140	0.9
DD024165		0.010	0.07	1.94	15	<0.05	4.19	104	3.4
DD024166		0.008	0.09	3.47	18	0.05	12.70	87	5.1
DD024167		0.008	0.07	3.28	20	0.05	13.00	114	5.6
DD024168		0.007	0.07	1.69	20	0.05	12.55	128	4.4
DD024169		0.008	0.09	1.65	21	<0.05	11.20	86	4.5
DD024170		0.012	0.13	1.50	22	0.06	14.70	114	3.5
DD024171		0.007	0.09	1.89	22	0.05	14.50	85	4.9
DD024172		0.007	0.08	2.32	22	0.05	15.60	99	4.4
DD024173		0.010	0.10	2.10	26	0.06	17.90	101	5.2
DD024174		0.018	0.12	9.77	32	0.10	14.85	96	2.9
DD024175		0.013	0.14	2.29	38	0.09	18.95	97	6.8
DD024176		0.007	0.15	12.45	31	0.09	26.5	129	6.0
DD024177		0.016	0.14	8.18	37	0.12	22.0	140	5.6
DD024178		0.016	0.12	15.60	34	0.12	21.6	85	3.6
DD024179		0.016	0.11	3.60	37	0.13	8.49	71	0.7
DD024180		0.006	0.11	1.62	26	0.05	13.20	83	1.5
DD024428		<0.005	0.12	1.04	25	0.07	14.20	64	2.4
DD024429		0.005	0.11	1.36	24	0.06	13.35	78	3.1
DD024430		0.010	0.12	5.22	26	0.19	13.75	111	2.1
DD024431		<0.005	0.12	0.90	30	0.07	11.00	55	2.2
DD024432		0.013	0.12	1.72	38	0.13	16.90	82	2.2
DD024433		0.011	0.07	3.10	23	0.12	10.30	63	1.8

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 8- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11175616

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- TL43 Au ppm 0.001	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1
DD024434		0.24	<0.001	0.11	1.67	33.3	<0.2	<10	110	1.42	0.31	1.38	0.21	41.2	11.6	28
DD024435		0.32	<0.001	0.10	1.48	10.9	<0.2	<10	130	0.91	0.28	0.82	0.21	30.5	9.7	25
DD024436		0.20	<0.001	0.14	1.28	8.8	<0.2	<10	160	0.93	0.25	2.50	0.46	28.2	10.8	19
DD024437		0.22	<0.001	0.14	1.19	10.3	<0.2	<10	80	1.12	0.33	1.48	0.34	20.5	13.6	17
DD024480		0.46	<0.001	0.10	1.62	17.0	<0.2	<10	60	1.21	0.43	1.86	0.06	16.00	21.7	23
DD024481		0.26	<0.001	0.15	1.28	14.3	<0.2	<10	120	1.05	0.37	0.42	0.08	19.80	18.2	19
DD024482		0.28	<0.001	0.29	2.10	14.0	<0.2	<10	180	2.10	0.56	0.84	0.06	18.10	27.6	29
DD024483		0.40	<0.001	0.27	1.68	25.4	<0.2	<10	150	1.57	0.40	0.62	0.20	28.7	27.0	25
DD024484		0.24	<0.001	0.15	1.45	10.5	<0.2	<10	100	1.13	0.26	0.65	0.14	36.6	12.4	22
DD024485		0.24	<0.001	0.24	1.56	17.3	<0.2	<10	140	1.59	0.34	0.29	0.10	34.1	24.7	22
DD024486		0.24	<0.001	0.23	1.40	15.1	<0.2	<10	140	1.24	0.29	0.27	0.16	16.35	21.0	21
DD024487		0.30	<0.001	0.17	1.09	15.4	<0.2	<10	80	1.09	0.31	0.64	0.21	19.90	18.8	16
DD024488		0.32	<0.001	0.15	1.36	10.1	<0.2	<10	100	0.97	0.31	1.32	0.17	23.8	10.8	20
DD024489		0.36	0.001	0.18	1.14	9.8	<0.2	<10	110	1.06	0.33	0.87	0.21	14.25	9.7	18
DD024490		0.34	0.001	0.17	1.01	9.1	<0.2	<10	130	1.01	0.31	0.82	0.13	19.65	10.7	16
DD024491		0.40	0.001	0.15	1.30	11.4	<0.2	<10	100	0.98	0.29	1.07	0.18	31.2	10.6	20
DD024492		0.36	0.002	0.16	1.58	13.2	<0.2	<10	110	1.02	0.28	2.69	0.17	31.4	9.2	24
DD024493		0.28	0.001	0.11	1.55	11.0	<0.2	<10	80	1.02	0.24	4.98	0.33	28.5	7.4	21
DD024494		0.30	0.002	0.10	1.93	15.9	<0.2	<10	90	1.47	0.34	2.59	0.27	40.3	14.9	27
DD024495		0.28	0.002	0.14	1.56	14.3	<0.2	<10	120	1.24	0.25	4.77	0.18	35.1	10.6	23
DD024496		0.40	0.001	0.09	1.62	11.4	<0.2	<10	70	1.24	0.26	4.53	0.13	35.9	10.4	23
DD024497		0.38	0.001	0.15	2.05	11.7	<0.2	<10	120	1.38	0.29	0.45	0.25	40.8	11.2	29
DD024498		0.34	0.001	0.09	2.15	13.6	<0.2	<10	100	1.24	0.27	2.20	0.13	38.8	10.5	30
DD024499		0.38	0.001	0.13	1.56	13.5	<0.2	<10	100	1.10	0.29	4.06	0.23	33.3	11.3	22
DD024500		0.28	0.003	0.27	1.34	21.8	<0.2	<10	70	1.03	0.29	5.73	0.31	21.9	10.0	21
ZZ07742		0.28	0.002	0.15	1.53	27.3	<0.2	<10	110	1.31	0.27	0.11	0.21	15.50	19.5	24
ZZ07743		0.22	0.001	0.17	1.55	15.4	<0.2	<10	140	1.99	0.27	0.19	0.33	37.0	20.1	24
ZZ07744		0.36	0.001	0.17	1.22	15.5	<0.2	<10	60	1.17	0.37	0.13	0.21	14.95	15.5	16
ZZ07745		0.36	0.002	0.12	1.38	19.0	<0.2	<10	90	1.19	0.34	0.21	0.14	15.45	16.9	21
ZZ07746		0.34	0.001	0.12	1.45	11.0	<0.2	<10	90	0.87	0.36	0.15	0.23	19.15	15.4	25
ZZ07747		0.28	0.001	0.07	1.51	12.6	<0.2	<10	120	0.87	0.33	0.22	0.10	22.3	14.6	27
ZZ07748		0.20	0.001	0.28	1.11	7.7	<0.2	<10	120	0.65	0.26	0.68	0.08	13.70	12.0	19
ZZ07749		0.40	0.002	0.14	1.49	11.5	<0.2	<10	80	1.01	0.27	2.92	0.17	29.9	14.2	26
ZZ07750		0.38	0.002	0.19	1.66	15.5	<0.2	<10	120	1.20	0.31	2.54	0.12	23.7	21.6	25
CC035751		0.22	0.002	0.06	0.78	4.2	<0.2	<10	160	1.09	0.22	3.54	0.17	47.7	11.5	24
CC035752		0.16	0.002	0.05	1.64	5.9	<0.2	<10	180	1.20	0.25	0.46	0.20	52.5	13.3	52
CC035753		0.18	0.003	0.02	0.92	2.3	<0.2	<10	130	1.19	0.37	0.79	0.09	17.65	20.0	19
CC035754		0.18	0.003	0.09	1.09	8.1	<0.2	<10	260	1.30	0.29	0.54	0.20	34.9	13.4	37
CC035755		0.16	0.001	0.03	1.63	7.0	<0.2	<10	210	0.99	0.24	0.25	0.08	46.0	12.2	51
CC035756		0.10	0.001	0.05	0.90	5.1	<0.2	<10	220	0.91	0.18	1.12	0.15	21.7	9.8	20

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 8- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11175616

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
DD024434		0.52	22.5	4.06	4.48	0.07	0.08	0.08	0.049	0.06	20.6	25.5	0.81	641	2.39	<0.01
DD024435		0.86	22.2	3.42	4.56	0.05	0.05	0.04	0.034	0.07	12.4	24.6	0.62	547	0.77	<0.01
DD024436		0.70	25.7	3.33	3.96	0.05	0.06	0.08	0.033	0.07	10.6	26.3	0.90	1500	0.61	<0.01
DD024437		1.00	34.3	3.44	3.38	0.06	0.14	0.05	0.044	0.09	6.7	38.2	0.40	430	0.61	<0.01
DD024480		2.20	42.9	3.78	5.14	0.06	0.14	0.03	0.043	0.08	5.9	64.0	0.62	637	0.44	<0.01
DD024481		1.98	30.8	3.79	4.27	0.05	0.10	0.03	0.044	0.10	6.1	26.5	0.30	854	1.06	<0.01
DD024482		4.35	67.9	4.18	6.18	<0.05	0.15	0.04	0.055	0.15	6.2	65.8	0.65	850	0.52	<0.01
DD024483		5.57	51.3	4.51	5.36	0.08	0.12	0.04	0.051	0.13	11.0	58.5	0.73	1040	0.95	<0.01
DD024484		1.31	26.0	3.39	4.24	0.06	0.08	0.05	0.037	0.07	14.4	34.2	0.45	508	0.73	<0.01
DD024485		5.90	31.5	4.09	4.99	0.08	0.07	0.06	0.042	0.09	10.6	43.2	0.36	1680	0.89	<0.01
DD024486		4.64	29.1	3.88	4.96	<0.05	0.03	0.05	0.041	0.10	5.5	42.0	0.36	1000	0.79	<0.01
DD024487		2.26	33.0	3.82	3.20	0.06	0.11	0.04	0.040	0.08	6.5	36.5	0.31	623	0.75	<0.01
DD024488		1.57	30.3	3.33	4.49	0.05	0.04	0.05	0.036	0.06	9.6	34.2	0.40	364	0.72	<0.01
DD024489		1.69	32.1	3.66	3.65	0.05	0.09	0.05	0.041	0.09	6.3	33.7	0.27	350	0.73	<0.01
DD024490		1.10	28.3	3.38	2.95	0.05	0.09	0.09	0.038	0.07	8.8	23.3	0.32	353	0.57	<0.01
DD024491		1.09	20.8	4.04	3.50	0.06	0.07	0.07	0.032	0.07	14.0	19.7	0.75	949	0.68	<0.01
DD024492		0.70	16.3	4.11	4.40	0.06	0.07	0.11	0.036	0.07	17.1	15.5	1.66	1000	0.87	<0.01
DD024493		0.60	15.8	4.23	3.85	0.06	0.06	0.10	0.034	0.06	15.8	14.9	2.75	1360	0.62	<0.01
DD024494		0.80	27.1	4.94	5.41	0.08	0.14	0.09	0.041	0.08	23.2	26.5	1.83	1740	0.77	<0.01
DD024495		0.66	19.6	3.90	4.26	0.07	0.10	0.07	0.035	0.06	18.3	21.7	3.00	1400	0.76	<0.01
DD024496		0.86	20.1	3.53	4.33	0.05	0.11	0.04	0.036	0.08	15.1	26.6	3.04	995	0.59	<0.01
DD024497		1.01	17.0	4.12	6.40	0.06	0.09	0.03	0.043	0.10	17.6	31.2	0.65	1120	0.94	<0.01
DD024498		1.12	19.2	4.11	6.34	0.07	0.10	0.05	0.039	0.08	17.3	36.0	1.78	904	0.95	<0.01
DD024499		0.81	21.9	3.98	4.48	0.06	0.12	0.06	0.035	0.11	15.2	21.1	2.69	1640	0.71	<0.01
DD024500		0.24	20.4	4.03	3.48	0.07	0.14	0.19	0.043	0.07	14.6	6.7	3.20	1160	0.78	<0.01
ZZ07742		5.92	35.2	6.03	5.06	0.05	<0.02	0.05	0.037	0.07	5.7	36.2	0.36	1510	1.52	<0.01
ZZ07743		6.00	29.6	5.38	4.78	0.07	<0.02	0.07	0.044	0.10	8.2	21.0	0.31	1960	0.83	<0.01
ZZ07744		2.27	33.2	4.70	3.17	<0.05	0.08	0.05	0.046	0.08	4.7	19.1	0.23	720	0.88	<0.01
ZZ07745		2.67	31.2	4.86	4.05	0.05	0.02	0.03	0.042	0.11	5.3	26.5	0.38	860	0.72	<0.01
ZZ07746		2.06	22.6	4.41	4.82	0.05	0.03	0.04	0.040	0.10	6.4	19.4	0.29	837	0.89	<0.01
ZZ07747		2.57	24.4	4.06	6.39	<0.05	<0.02	0.03	0.037	0.11	8.6	34.2	0.50	771	0.87	<0.01
ZZ07748		1.95	18.6	2.39	5.12	<0.05	0.02	0.05	0.029	0.09	6.0	11.0	0.21	946	0.70	<0.01
ZZ07749		2.37	36.2	2.95	4.71	0.07	0.10	0.04	0.037	0.12	14.3	39.4	1.13	382	0.66	0.01
ZZ07750		3.21	42.6	3.63	4.97	0.07	0.09	0.04	0.039	0.15	10.0	44.9	0.81	610	0.70	0.01
CC035751		0.68	33.6	2.60	3.00	0.07	0.07	0.05	0.040	0.17	20.8	17.4	2.25	415	0.48	0.01
CC035752		1.06	29.3	3.16	6.58	0.09	0.16	0.06	0.040	0.14	21.5	61.4	1.34	485	0.35	<0.01
CC035753		1.32	49.4	3.38	3.06	0.06	0.14	0.01	0.032	0.16	7.2	23.1	0.80	540	0.15	<0.01
CC035754		1.24	39.6	3.51	3.89	0.08	0.12	0.21	0.041	0.10	21.9	23.4	0.49	378	0.58	<0.01
CC035755		0.91	25.1	3.43	6.01	0.06	0.09	0.04	0.039	0.10	17.8	44.2	0.96	293	0.75	<0.01
CC035756		0.25	33.2	2.51	2.90	<0.05	0.10	0.09	0.035	0.09	7.9	8.6	0.16	459	0.56	<0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 8- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11175616

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
DD024434		0.46	25.3	500	19.9	9.6	0.001	0.03	0.64	5.6	1.0	0.5	13.4	<0.01	0.03	2.9
DD024435		0.67	24.3	630	21.4	9.6	<0.001	0.04	0.64	3.7	0.6	0.4	28.1	<0.01	0.04	1.6
DD024436		0.52	21.7	870	21.5	7.4	<0.001	0.06	0.53	3.2	0.6	0.4	134.5	<0.01	0.04	1.4
DD024437		0.31	31.3	750	28.8	6.6	0.001	0.06	0.41	5.3	0.7	0.4	111.5	<0.01	0.05	2.5
DD024480		0.11	38.3	340	37.5	5.4	0.001	0.01	0.43	6.8	0.6	0.5	123.5	<0.01	0.06	4.0
DD024481		0.36	26.7	990	34.2	11.4	0.001	0.05	0.45	4.3	0.6	0.5	36.6	<0.01	0.08	1.9
DD024482		0.19	43.5	320	74.6	10.8	<0.001	0.02	0.31	9.7	0.8	0.6	76.6	<0.01	0.07	4.7
DD024483		0.34	42.1	1140	45.5	12.2	<0.001	0.03	0.60	8.2	0.9	0.5	58.9	<0.01	0.06	4.5
DD024484		0.52	27.3	820	23.5	8.4	<0.001	0.03	0.52	5.4	0.9	0.5	48.7	<0.01	0.04	2.6
DD024485		0.51	23.9	1320	46.6	14.4	0.001	0.08	0.60	3.8	0.8	0.5	26.5	<0.01	0.05	2.1
DD024486		0.60	21.9	870	36.3	16.0	<0.001	0.06	0.53	2.8	0.6	0.5	30.4	<0.01	0.05	1.4
DD024487		0.26	31.2	1050	35.2	9.1	0.001	0.07	0.51	4.3	0.7	0.3	56.2	<0.01	0.05	1.9
DD024488		0.53	24.4	670	26.4	8.9	<0.001	0.04	0.53	5.0	0.7	0.5	71.3	<0.01	0.05	2.0
DD024489		0.35	26.0	1090	27.4	12.5	0.001	0.07	1.85	3.5	0.9	0.4	80.9	<0.01	0.05	1.5
DD024490		0.40	26.0	550	28.8	6.7	0.001	0.04	0.53	5.5	0.7	0.4	43.1	<0.01	0.03	3.1
DD024491		0.50	24.1	550	30.6	8.4	<0.001	0.03	0.74	4.6	0.4	0.4	19.7	<0.01	0.03	2.9
DD024492		0.69	21.3	920	24.1	8.8	0.001	0.04	0.76	4.4	0.7	0.5	18.7	<0.01	0.03	2.0
DD024493		0.52	16.3	1080	24.7	7.8	<0.001	0.05	0.65	3.7	0.6	0.4	30.2	<0.01	0.04	1.5
DD024494		0.54	28.7	650	39.6	11.8	0.001	0.03	0.89	7.4	1.1	0.5	19.6	<0.01	0.07	4.8
DD024495		0.57	22.9	880	28.1	8.2	<0.001	0.03	0.76	5.6	1.0	0.4	30.1	<0.01	0.03	3.1
DD024496		0.46	22.6	550	25.7	9.9	<0.001	0.02	0.53	6.0	0.5	0.5	29.0	<0.01	0.04	4.5
DD024497		0.85	24.0	430	25.3	14.8	0.001	0.02	0.57	5.5	0.6	0.6	10.5	<0.01	0.03	4.3
DD024498		0.82	26.7	510	24.6	12.7	<0.001	0.02	0.72	5.4	0.7	0.7	19.3	<0.01	0.06	5.0
DD024499		0.58	23.3	700	26.9	12.4	<0.001	0.03	0.71	5.4	0.7	0.5	22.4	<0.01	0.05	3.4
DD024500		0.29	22.0	2310	31.6	7.4	<0.001	0.09	1.41	4.6	1.2	0.6	24.9	<0.01	0.04	1.3
ZZ07742		0.32	21.7	1470	61.8	9.4	<0.001	0.08	1.13	1.0	0.4	0.5	17.4	<0.01	0.02	0.4
ZZ07743		0.10	18.7	4080	38.6	11.6	<0.001	0.15	0.67	0.4	1.2	0.4	19.3	<0.01	0.05	0.2
ZZ07744		0.21	30.7	1680	41.9	9.3	0.001	0.05	0.53	2.3	0.4	0.4	13.4	<0.01	0.05	1.1
ZZ07745		0.10	23.3	3980	30.5	10.7	<0.001	0.07	0.56	0.4	1.0	0.5	24.4	<0.01	0.03	0.3
ZZ07746		0.31	19.5	1920	29.8	11.8	<0.001	0.10	0.64	0.9	0.5	0.5	12.5	<0.01	0.03	0.4
ZZ07747		0.46	21.1	1110	25.7	15.5	<0.001	0.05	0.48	1.7	0.5	0.6	20.6	<0.01	0.05	0.5
ZZ07748		0.37	10.7	1850	16.3	11.6	<0.001	0.12	0.42	1.0	0.4	0.6	48.4	<0.01	0.03	0.3
ZZ07749		0.46	28.9	830	21.5	10.1	<0.001	0.04	0.46	5.3	0.7	0.5	132.0	<0.01	0.04	3.2
ZZ07750		0.41	37.8	690	28.2	10.4	<0.001	0.03	0.52	6.4	0.7	0.5	123.0	<0.01	0.05	4.0
CC035751		0.23	24.1	680	13.4	12.0	<0.001	0.02	0.28	7.3	2.4	0.4	128.5	<0.01	<0.01	6.6
CC035752		0.56	31.5	790	30.5	13.8	<0.001	0.04	0.31	7.2	0.7	0.6	24.2	<0.01	0.01	6.6
CC035753		<0.05	48.2	370	12.9	9.7	<0.001	0.01	0.17	6.7	0.6	0.5	91.4	<0.01	0.01	6.0
CC035754		0.41	34.0	620	19.4	10.8	<0.001	0.04	0.43	8.5	1.6	0.5	44.1	<0.01	<0.01	4.0
CC035755		0.43	28.9	840	14.9	13.2	<0.001	0.04	0.39	3.9	0.6	0.6	25.7	<0.01	0.01	3.2
CC035756		0.17	21.1	820	15.5	9.7	<0.001	0.07	0.24	3.8	1.5	0.5	77.1	<0.01	0.01	1.6

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 8- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11175616

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
DD024434		0.005	0.10	3.09	42	0.08	20.2	70	1.8
DD024435		0.017	0.09	1.89	32	0.10	8.30	88	1.2
DD024436		0.013	0.07	2.01	25	0.11	10.55	89	1.6
DD024437		0.006	0.08	1.50	18	0.05	14.80	137	3.7
DD024480		0.005	0.07	0.65	19	<0.05	12.20	106	5.2
DD024481		0.009	0.11	1.30	26	0.06	10.40	74	2.4
DD024482		<0.005	0.13	1.02	24	<0.05	17.70	132	6.4
DD024483		0.009	0.17	1.32	24	<0.05	21.5	117	3.9
DD024484		0.010	0.09	1.14	27	0.17	19.45	85	2.0
DD024485		0.011	0.16	1.07	31	0.11	18.20	82	1.4
DD024486		0.010	0.13	0.58	32	0.10	5.07	99	0.9
DD024487		0.007	0.09	1.28	19	0.05	15.20	103	2.8
DD024488		0.008	0.09	0.96	28	0.11	14.95	72	1.1
DD024489		0.008	0.09	1.66	20	0.06	12.15	97	2.3
DD024490		0.007	0.10	0.88	20	0.07	15.15	80	3.0
DD024491		0.012	0.11	1.07	26	0.12	14.05	81	2.0
DD024492		0.018	0.10	1.06	37	0.23	18.00	83	1.7
DD024493		0.010	0.09	1.26	31	0.14	16.50	86	1.5
DD024494		0.008	0.21	1.55	32	0.11	26.7	118	3.4
DD024495		0.011	0.14	1.33	29	0.13	20.5	80	2.6
DD024496		0.007	0.12	1.08	25	0.10	14.75	69	2.9
DD024497		0.011	0.14	0.97	39	0.14	11.60	74	2.6
DD024498		0.009	0.19	1.22	37	0.11	12.00	68	3.2
DD024499		0.013	0.15	1.10	29	0.09	15.00	83	2.8
DD024500		0.006	0.11	1.59	28	0.07	22.6	66	3.3
ZZ07742		0.011	0.22	0.91	36	0.12	5.51	87	<0.5
ZZ07743		<0.005	0.13	1.33	31	0.05	14.85	97	<0.5
ZZ07744		0.008	0.18	0.75	19	0.06	6.32	111	2.1
ZZ07745		0.009	0.15	1.01	25	0.05	7.07	86	<0.5
ZZ07746		0.011	0.09	0.84	34	0.09	4.19	86	0.8
ZZ07747		0.014	0.11	1.03	37	0.11	4.34	75	<0.5
ZZ07748		0.007	0.12	0.72	30	0.07	3.55	43	0.5
ZZ07749		0.015	0.12	1.21	26	0.10	12.70	96	3.0
ZZ07750		0.012	0.14	0.97	26	0.05	12.95	109	3.5
CC035751		0.009	0.10	0.95	20	<0.05	13.60	106	2.7
CC035752		0.023	0.11	2.34	30	<0.05	17.95	106	6.0
CC035753		0.006	0.10	0.68	12	<0.05	11.05	127	6.1
CC035754		0.010	0.13	1.58	33	0.09	22.7	110	3.6
CC035755		0.009	0.15	0.69	40	0.06	6.35	95	2.4
CC035756		<0.005	0.12	2.27	25	<0.05	8.93	100	3.0

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 8- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11175616

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- TL43 Au ppm 0.001	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1
CC035757		0.12	0.002	0.10	1.02	8.6	<0.2	<10	300	1.33	0.21	1.23	0.55	69.2	11.3	37
CC035758		0.16	0.006	0.19	1.94	9.8	<0.2	<10	70	1.36	0.16	0.59	0.14	63.9	10.6	47
CC035759		0.12	0.004	0.11	1.59	6.8	<0.2	<10	100	1.02	0.13	1.57	0.18	62.6	8.1	39
CC035760		0.18	0.005	0.14	1.12	9.4	<0.2	<10	80	1.26	0.16	0.68	0.30	57.9	10.1	49
CC035761		0.10	0.002	0.09	1.94	6.6	<0.2	<10	220	1.16	0.17	0.72	0.28	43.8	7.2	41
CC035762		0.24	0.006	0.11	0.79	7.3	<0.2	<10	80	1.03	0.15	5.99	0.21	43.7	11.3	35
CC035763		0.20	0.003	0.10	1.10	7.1	<0.2	<10	90	1.01	0.18	1.03	0.19	54.9	10.8	41
CC035764		0.06	0.002	0.09	1.16	5.4	<0.2	<10	220	0.73	0.20	1.30	0.32	33.6	10.9	27
CC035765		0.20	0.005	0.06	2.03	6.2	<0.2	<10	210	1.42	0.29	0.31	0.17	32.1	16.7	52
CC035766		0.18	<0.001	0.09	0.87	14.2	<0.2	<10	100	1.06	0.39	0.12	0.03	15.55	22.5	16
CC035767		0.22	<0.001	0.06	1.08	11.7	<0.2	<10	40	1.09	0.40	0.06	0.04	14.55	18.7	19
CC035768		0.20	<0.001	0.05	0.84	11.4	<0.2	<10	40	0.88	0.30	0.18	0.34	15.45	12.8	10
CC035769		0.18	<0.001	0.09	0.36	12.6	<0.2	<10	70	1.38	0.33	0.42	0.24	15.90	21.8	6
CC035770		0.16	<0.001	0.05	1.33	20.1	<0.2	<10	60	1.50	0.44	0.20	0.09	17.15	25.1	20
CC035771		0.14	<0.001	0.05	1.24	15.9	<0.2	<10	70	1.48	0.39	0.39	0.09	18.70	25.1	18
CC035772		0.14	<0.001	0.05	0.69	11.9	<0.2	<10	60	1.27	0.36	0.21	0.08	11.55	14.1	10
CC035773		0.26	<0.001	0.05	1.48	10.5	<0.2	<10	70	0.97	0.36	0.06	0.12	14.30	15.7	21
CC035774		0.34	<0.001	0.08	0.62	17.3	<0.2	<10	60	1.28	0.41	0.16	0.06	17.90	18.4	8
CC035775		0.32	<0.001	0.09	0.36	11.9	<0.2	<10	90	1.30	0.46	0.22	0.03	7.64	30.6	6
CC035776		0.44	<0.001	0.04	2.08	10.1	<0.2	<10	170	1.42	0.48	0.03	0.06	12.90	39.7	32
CC035777		0.30	<0.001	0.03	2.10	16.8	<0.2	<10	150	1.58	0.56	0.06	0.05	14.20	36.0	30
CC035778		0.24	<0.001	0.02	2.43	8.1	<0.2	<10	260	2.04	0.25	0.23	0.36	48.8	18.3	31
CC035779		0.30	<0.001	0.10	0.99	25.7	<0.2	<10	80	0.72	0.26	0.02	0.69	7.53	13.3	15
CC035780		0.34	<0.001	0.01	2.24	12.8	<0.2	<10	230	1.29	0.45	0.04	0.09	15.25	12.8	30
CC035781		0.24	<0.001	0.01	1.95	12.7	<0.2	<10	70	0.94	0.48	0.02	0.06	8.60	13.5	30
CC035782		0.26	<0.001	0.04	2.01	11.4	<0.2	<10	90	0.89	0.50	0.03	0.12	16.30	13.1	30
CC035783		0.28	<0.001	0.03	1.93	8.3	<0.2	<10	120	1.35	0.53	0.03	0.15	13.65	14.8	26
CC035784		0.32	<0.001	0.02	1.78	7.5	<0.2	<10	100	1.24	0.45	0.03	0.07	17.75	24.4	29
CC035785		0.24	<0.001	0.03	1.83	13.5	<0.2	<10	80	0.99	0.44	0.04	0.21	18.65	19.4	30
CC035786		0.18	<0.001	0.07	1.94	10.0	<0.2	<10	370	1.29	0.46	0.29	0.08	11.60	13.0	31
CC035787		0.24	<0.001	0.04	1.83	17.9	<0.2	<10	180	0.72	0.39	0.26	0.06	20.9	10.3	24
CC035788		0.22	<0.001	0.04	1.81	21.7	<0.2	<10	90	1.08	0.50	0.02	0.11	14.55	17.7	27
CC035789		0.20	<0.001	0.03	1.86	16.6	<0.2	<10	270	1.13	0.55	0.04	0.06	15.80	13.6	27
CC035790		0.28	0.001	0.04	1.48	89.0	<0.2	<10	320	0.93	0.44	0.09	0.11	21.1	14.6	26
CC035791		0.28	0.006	0.10	1.46	66.5	<0.2	<10	110	0.59	0.24	0.08	0.09	26.3	8.9	26
CC035792		0.22	0.001	0.06	1.41	100.5	<0.2	<10	180	0.66	0.31	0.08	0.15	21.6	8.6	21
CC035793		0.28	0.001	0.03	1.82	84.5	<0.2	<10	160	0.78	0.34	0.04	0.14	24.8	16.3	26
CC035794		0.22	<0.001	0.07	0.61	23.4	<0.2	<10	80	0.28	0.31	0.04	0.12	14.00	7.4	13
CC035795		0.34	<0.001	0.05	1.32	11.6	<0.2	<10	80	0.69	0.28	0.04	0.20	21.9	8.9	20
CC035796		0.16	<0.001	0.06	1.37	38.9	<0.2	<10	90	0.65	0.31	0.02	0.28	18.60	15.2	22

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 8- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11175616

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
CC035757		0.17	32.1	2.77	3.65	0.08	0.07	0.17	0.043	0.10	32.9	17.0	0.35	659	0.73	<0.01
CC035758		1.87	28.7	2.58	7.39	0.11	0.12	0.19	0.036	0.15	30.5	84.3	2.20	279	0.84	0.01
CC035759		1.60	25.2	2.11	6.15	0.10	0.11	0.22	0.031	0.12	31.0	69.7	1.64	445	0.54	0.01
CC035760		0.50	36.0	2.96	4.49	0.08	0.11	0.18	0.034	0.11	30.3	36.1	0.85	357	0.64	<0.01
CC035761		1.40	27.3	2.39	6.99	0.06	0.06	0.07	0.029	0.13	21.6	62.3	1.43	333	0.75	<0.01
CC035762		0.94	28.7	2.33	3.28	0.06	0.10	0.34	0.032	0.11	23.4	18.6	2.21	371	0.46	0.01
CC035763		0.92	28.0	2.44	4.35	0.09	0.11	0.12	0.029	0.12	27.4	34.2	1.21	301	0.56	<0.01
CC035764		0.83	23.4	2.15	4.70	0.07	0.05	0.12	0.031	0.08	14.1	21.3	0.46	838	0.64	0.01
CC035765		3.26	37.0	3.39	7.12	0.08	0.13	0.04	0.035	0.17	13.0	72.5	1.61	828	0.38	<0.01
CC035766		1.74	45.4	4.65	3.16	0.05	0.09	0.11	0.036	0.18	4.7	22.1	0.29	739	0.48	0.02
CC035767		1.67	44.7	4.53	4.26	<0.05	<0.02	0.04	0.037	0.15	4.9	25.3	0.29	670	0.35	<0.01
CC035768		1.89	28.2	3.39	2.13	<0.05	0.02	0.08	0.048	0.10	4.8	9.4	0.03	391	0.45	<0.01
CC035769		2.24	36.5	4.56	0.93	0.06	0.10	0.07	0.052	0.11	4.8	2.9	0.04	955	0.44	0.01
CC035770		2.17	46.4	5.52	4.47	0.06	0.05	0.07	0.056	0.09	6.4	42.6	0.42	936	0.50	0.01
CC035771		2.24	44.0	5.25	4.35	0.07	0.07	0.06	0.058	0.11	6.1	37.6	0.35	1060	0.47	<0.01
CC035772		0.94	33.7	4.18	2.09	<0.05	0.03	0.14	0.048	0.10	4.4	10.7	0.11	522	0.46	<0.01
CC035773		3.49	30.8	4.15	5.24	<0.05	0.03	0.07	0.044	0.08	5.5	34.1	0.34	1020	0.67	<0.01
CC035774		2.34	37.6	5.36	1.74	0.05	0.03	0.14	0.046	0.10	5.7	10.3	0.08	900	0.48	0.01
CC035775		1.65	44.1	5.63	1.29	0.05	0.13	0.20	0.049	0.13	3.3	3.8	0.06	1280	0.37	<0.01
CC035776		3.10	35.4	4.33	7.34	<0.05	0.02	0.02	0.042	0.14	4.6	34.5	0.53	1290	0.58	0.01
CC035777		4.60	64.8	4.40	6.73	0.05	0.02	0.01	0.038	0.14	5.0	42.6	0.56	2220	1.21	0.01
CC035778		1.95	20.1	4.75	6.07	0.07	0.09	0.02	0.054	0.20	15.6	31.9	0.58	821	2.08	<0.01
CC035779		1.45	42.6	3.58	3.30	<0.05	0.04	0.04	0.037	0.11	3.2	6.0	0.17	278	20.1	<0.01
CC035780		1.48	23.8	4.00	8.16	<0.05	0.05	0.04	0.033	0.11	5.8	35.5	0.43	519	0.83	<0.01
CC035781		1.99	21.1	4.87	8.12	<0.05	0.06	0.02	0.033	0.09	3.6	28.8	0.37	357	0.54	<0.01
CC035782		1.83	20.5	3.87	8.22	<0.05	0.08	0.03	0.036	0.08	7.1	28.1	0.38	435	1.01	0.01
CC035783		2.20	24.7	3.58	7.18	<0.05	0.06	0.02	0.031	0.14	5.6	37.2	0.40	384	0.40	0.01
CC035784		2.42	24.4	4.29	7.28	<0.05	0.04	0.02	0.039	0.10	5.2	39.5	0.44	890	0.43	0.01
CC035785		1.59	26.9	3.88	6.86	<0.05	0.04	0.03	0.036	0.08	8.1	32.9	0.44	739	1.51	0.01
CC035786		1.87	22.2	3.75	8.20	<0.05	0.08	0.02	0.035	0.12	4.9	44.2	0.50	400	0.51	0.01
CC035787		1.70	15.4	3.45	8.40	<0.05	0.02	0.04	0.031	0.08	9.1	20.7	0.31	709	1.33	0.01
CC035788		1.80	24.2	4.32	7.75	<0.05	0.05	0.04	0.036	0.09	5.5	26.6	0.31	807	0.74	<0.01
CC035789		2.74	20.5	3.71	8.33	<0.05	0.05	0.02	0.035	0.10	7.0	24.0	0.32	605	0.82	0.01
CC035790		2.73	26.8	3.77	6.77	0.05	0.04	0.15	0.032	0.10	9.4	21.6	0.36	693	1.14	0.01
CC035791		1.71	25.6	2.93	5.55	<0.05	<0.02	0.11	0.026	0.06	13.9	19.6	0.43	250	1.10	0.01
CC035792		3.03	19.6	3.11	6.67	<0.05	<0.02	0.10	0.028	0.08	10.2	11.3	0.21	592	1.32	<0.01
CC035793		2.90	36.5	4.18	6.79	<0.05	0.03	0.14	0.037	0.08	12.4	22.8	0.43	790	1.47	0.01
CC035794		1.75	22.5	2.37	5.09	<0.05	<0.02	0.03	0.021	0.11	6.1	3.3	0.09	733	1.12	<0.01
CC035795		2.09	22.6	2.66	4.39	<0.05	0.02	0.02	0.028	0.10	9.4	15.2	0.31	383	1.17	<0.01
CC035796		2.06	41.2	4.08	5.45	<0.05	0.02	0.05	0.038	0.08	8.3	13.9	0.30	664	2.23	<0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 8- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11175616

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
CC035757		0.27	24.2	990	20.4	8.2	<0.001	0.09	0.36	3.5	1.9	0.6	77.9	<0.01	0.01	1.3
CC035758		0.66	24.4	560	13.0	19.8	<0.001	0.06	0.43	5.7	1.3	0.6	38.3	<0.01	0.01	3.1
CC035759		0.59	17.7	1180	10.0	15.7	<0.001	0.13	0.27	2.9	1.6	0.6	131.5	<0.01	0.01	1.2
CC035760		0.29	24.7	870	14.1	10.1	<0.001	0.05	0.34	4.4	1.7	0.7	101.5	<0.01	0.02	2.8
CC035761		0.43	18.2	1270	12.7	20.5	<0.001	0.12	0.37	2.4	1.0	0.7	49.1	<0.01	0.01	1.0
CC035762		0.18	24.6	630	14.6	8.8	<0.001	0.02	0.32	6.5	1.3	0.6	205	<0.01	<0.01	6.2
CC035763		0.43	26.5	950	13.4	10.3	<0.001	0.02	0.35	6.3	1.5	0.5	52.4	<0.01	0.01	6.2
CC035764		0.44	14.8	1640	16.4	10.9	<0.001	0.19	0.47	2.6	1.1	0.5	49.9	<0.01	0.01	0.7
CC035765		0.36	38.3	700	23.2	15.9	<0.001	0.03	0.28	7.2	0.7	0.7	15.1	<0.01	<0.01	6.8
CC035766		0.07	32.5	640	34.0	10.0	<0.001	0.22	0.33	5.3	0.6	0.4	70.1	<0.01	0.04	5.8
CC035767		0.11	30.2	610	27.7	8.8	<0.001	0.08	0.33	6.1	0.4	0.6	36.0	<0.01	0.06	4.5
CC035768		0.07	25.6	480	45.8	9.7	<0.001	0.03	0.18	5.1	0.4	0.5	22.6	<0.01	0.02	3.2
CC035769		<0.05	43.2	360	53.2	5.6	<0.001	0.06	0.19	8.2	0.7	0.4	34.5	<0.01	0.03	5.8
CC035770		0.16	40.4	460	35.1	6.8	<0.001	0.02	0.29	10.6	0.6	0.7	24.2	<0.01	0.03	4.8
CC035771		0.16	41.5	570	34.8	7.6	<0.001	0.04	0.26	12.0	0.9	0.7	27.3	<0.01	0.04	4.4
CC035772		0.09	29.6	540	21.4	5.9	<0.001	0.03	0.25	6.9	0.5	0.5	18.8	<0.01	0.05	2.5
CC035773		0.42	22.6	770	24.4	12.7	<0.001	0.05	0.38	4.7	0.8	0.7	9.5	<0.01	0.05	2.0
CC035774		0.05	36.9	480	34.7	6.8	<0.001	0.09	0.25	7.8	0.7	0.4	32.5	<0.01	0.05	5.3
CC035775		<0.05	47.1	220	35.4	6.5	<0.001	0.02	0.27	7.8	0.6	0.5	14.5	<0.01	0.03	5.3
CC035776		0.43	32.6	330	23.0	17.2	<0.001	0.02	0.24	6.1	0.5	1.1	9.8	<0.01	0.03	3.9
CC035777		0.31	37.8	490	40.5	17.2	<0.001	0.01	0.47	5.8	0.2	0.9	12.1	<0.01	0.05	4.3
CC035778		0.40	40.8	560	19.8	22.9	<0.001	0.03	0.42	5.4	0.6	0.9	11.3	<0.01	<0.01	3.1
CC035779		0.14	40.4	790	17.6	14.5	<0.001	0.04	6.26	2.1	2.4	0.5	2.9	<0.01	0.05	1.0
CC035780		0.32	23.3	500	27.6	19.2	<0.001	0.03	0.22	3.3	0.3	1.0	8.4	<0.01	<0.01	2.4
CC035781		0.42	21.9	640	22.5	13.5	<0.001	0.02	0.27	3.2	0.4	1.0	6.5	<0.01	0.05	3.9
CC035782		0.60	21.4	810	22.9	17.2	<0.001	0.03	0.34	2.9	0.6	1.0	9.5	<0.01	0.05	2.3
CC035783		0.30	24.8	310	31.0	15.7	<0.001	0.03	0.18	3.8	0.4	0.9	21.2	<0.01	0.04	4.4
CC035784		0.30	28.5	420	53.3	12.9	<0.001	0.01	0.16	4.3	0.4	0.9	13.4	<0.01	0.03	8.3
CC035785		0.73	27.1	630	27.0	13.2	<0.001	0.02	0.69	3.0	0.6	0.9	9.9	<0.01	0.05	2.3
CC035786		0.45	25.2	500	21.7	17.8	<0.001	0.02	0.15	4.5	0.5	1.1	60.2	<0.01	0.05	3.2
CC035787		0.79	15.6	680	18.8	13.6	<0.001	0.02	0.43	2.1	0.5	1.1	43.8	<0.01	0.05	1.0
CC035788		0.56	20.5	550	32.0	16.8	<0.001	0.02	0.32	3.7	0.5	1.0	8.0	<0.01	0.05	3.9
CC035789		0.69	19.1	510	26.9	24.8	<0.001	0.01	0.30	4.3	0.4	1.1	13.8	<0.01	0.05	3.2
CC035790		0.70	18.8	550	28.8	21.0	<0.001	0.02	0.42	4.3	0.4	0.9	22.0	<0.01	0.06	2.2
CC035791		0.59	19.5	570	14.6	11.9	<0.001	0.01	0.49	2.9	0.5	0.6	12.5	<0.01	0.05	1.0
CC035792		0.42	13.3	950	14.2	17.4	<0.001	0.04	0.46	1.2	0.5	0.8	11.7	<0.01	0.07	0.2
CC035793		0.90	23.4	380	20.7	16.9	<0.001	0.01	0.49	4.7	0.5	0.8	10.6	<0.01	0.09	3.0
CC035794		0.19	9.9	820	12.3	19.4	<0.001	0.04	0.50	0.7	0.4	0.6	6.3	<0.01	0.05	<0.2
CC035795		0.42	16.6	850	11.5	14.9	<0.001	0.04	0.56	1.7	0.6	0.6	10.7	<0.01	0.05	0.5
CC035796		0.52	22.0	670	19.5	13.4	<0.001	0.02	0.81	3.5	0.7	0.6	6.4	<0.01	0.09	1.4

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 8- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11175616

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
CC035757		0.007	0.12	4.40	38	0.05	16.40	132	2.1
CC035758		0.023	0.23	3.10	45	0.06	14.95	74	4.3
CC035759		0.020	0.14	4.43	41	0.07	16.55	61	3.4
CC035760		0.011	0.12	2.51	54	<0.05	16.65	121	2.9
CC035761		0.014	0.19	1.97	47	0.06	10.60	103	1.9
CC035762		0.009	0.21	1.76	35	<0.05	13.05	83	5.4
CC035763		0.016	0.10	1.30	36	0.06	14.65	82	4.5
CC035764		0.010	0.11	1.11	25	0.05	13.90	69	1.4
CC035765		0.023	0.13	1.29	30	<0.05	15.95	118	4.5
CC035766		0.006	0.28	0.98	14	<0.05	9.45	122	3.8
CC035767		<0.005	0.10	0.80	17	<0.05	6.74	87	0.5
CC035768		<0.005	0.14	0.53	14	<0.05	5.40	191	0.6
CC035769		<0.005	0.15	0.62	9	<0.05	9.73	181	3.5
CC035770		0.005	0.09	0.61	20	<0.05	12.75	123	1.7
CC035771		<0.005	0.10	0.56	18	<0.05	15.35	102	1.8
CC035772		<0.005	0.09	0.44	14	<0.05	10.20	98	0.9
CC035773		0.007	0.11	0.50	29	0.07	5.00	96	0.7
CC035774		<0.005	0.18	0.88	10	<0.05	10.85	110	1.4
CC035775		<0.005	0.07	0.56	10	<0.05	10.05	114	4.2
CC035776		0.008	0.15	0.83	29	0.13	6.82	90	0.7
CC035777		0.009	0.13	1.27	31	0.13	7.04	92	0.7
CC035778		<0.005	0.26	0.81	39	<0.05	11.65	107	2.9
CC035779		<0.005	0.43	1.74	52	<0.05	4.72	239	1.0
CC035780		<0.005	0.21	0.52	34	0.05	5.05	101	1.1
CC035781		<0.005	0.13	0.44	33	<0.05	2.83	77	1.6
CC035782		0.007	0.15	0.61	36	0.11	3.68	83	2.0
CC035783		<0.005	0.12	0.55	23	<0.05	4.35	89	1.7
CC035784		0.005	0.12	0.74	25	<0.05	6.36	96	1.1
CC035785		0.010	0.15	0.70	36	0.12	4.16	105	0.9
CC035786		<0.005	0.10	0.63	29	0.06	6.06	91	2.1
CC035787		0.009	0.23	0.60	47	0.15	5.19	60	<0.5
CC035788		0.005	0.18	0.59	32	0.07	4.38	93	1.1
CC035789		0.005	0.18	0.63	36	0.11	3.94	75	1.3
CC035790		0.011	0.26	0.72	42	0.18	4.69	98	0.9
CC035791		0.020	0.28	0.77	41	0.20	4.78	68	<0.5
CC035792		0.012	0.62	0.62	50	0.21	3.50	66	<0.5
CC035793		0.013	0.39	0.59	52	0.19	4.21	72	0.7
CC035794		0.009	0.15	0.37	40	0.10	1.81	83	<0.5
CC035795		0.013	0.14	0.62	32	0.12	3.75	79	<0.5
CC035796		0.007	0.23	0.58	48	0.09	3.08	89	0.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 8- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11175616

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- TL43 Au ppm 0.001	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1
CC035797		0.24	<0.001	0.11	1.58	30.0	<0.2	<10	110	0.83	0.25	0.03	0.21	23.2	14.6	27
CC035798		0.30	<0.001	0.04	2.09	30.4	<0.2	<10	140	1.34	0.25	0.03	0.25	28.8	22.6	42
CC035799		0.26	<0.001	0.04	1.92	29.4	<0.2	<10	100	0.63	0.29	0.03	0.18	24.9	14.7	30
CC035800		0.24	0.002	0.04	1.73	32.0	<0.2	<10	110	0.50	0.29	0.06	0.15	26.4	7.1	26
CC035801		0.26	<0.001	0.05	2.09	176.5	<0.2	<10	130	0.74	0.28	0.05	0.20	25.4	18.9	34
CC035802		0.26	0.001	0.06	2.38	120.5	<0.2	<10	120	0.99	0.31	0.04	0.13	27.4	21.9	32
CC035803		0.22	0.001	0.04	1.65	57.3	<0.2	<10	160	1.15	0.32	0.14	0.37	28.6	21.3	29
CC035804		0.22	0.001	0.01	1.75	53.2	<0.2	<10	130	1.20	0.37	0.07	0.28	27.2	24.2	28
CC035805		0.26	0.002	0.04	2.40	86.4	<0.2	<10	140	1.47	0.30	0.04	0.34	29.3	27.5	36
CC035806		0.16	<0.001	0.03	1.25	71.3	<0.2	<10	90	0.23	0.25	0.05	0.08	26.5	6.6	17
CC035807		0.28	0.001	0.06	2.09	64.9	<0.2	<10	100	0.77	0.29	0.09	0.32	27.3	15.7	31
CC035808		0.18	0.003	0.05	2.69	179.0	<0.2	<10	130	1.34	0.32	0.04	0.72	32.7	27.0	34
CC035809		0.22	0.002	0.04	1.68	128.5	<0.2	<10	150	1.34	0.39	0.05	0.25	26.9	20.1	21
CC035810		0.34	0.003	0.04	1.66	148.5	<0.2	<10	150	0.77	0.32	0.08	0.19	27.0	14.5	23
CC035811		0.26	<0.001	0.04	1.58	38.9	<0.2	<10	100	0.54	0.26	0.07	0.10	27.0	6.6	23
CC035812		0.22	<0.001	0.07	1.08	64.5	<0.2	<10	140	0.34	0.25	0.07	0.08	20.8	5.4	15
CC035813		0.32	0.002	0.15	2.16	104.0	<0.2	<10	510	1.11	0.29	0.37	0.17	27.8	10.1	31
CC035814		0.24	0.001	0.06	1.49	82.9	<0.2	<10	100	0.72	0.30	0.06	0.26	28.3	13.8	24
CC035815		0.26	<0.001	0.01	0.77	40.2	<0.2	<10	60	0.12	0.25	0.02	0.04	32.8	3.3	10
CC035816		0.32	<0.001	0.05	1.50	51.4	<0.2	<10	130	0.82	0.29	0.04	0.21	25.2	15.7	23
CC035817		0.16	<0.001	0.18	0.77	29.4	<0.2	<10	220	0.75	0.28	0.37	0.41	18.30	10.5	15
CC035818		0.16	0.004	0.19	1.38	126.5	<0.2	<10	250	1.02	0.29	0.35	0.45	28.9	16.4	25
CC035819		0.14	0.001	0.25	0.78	36.8	<0.2	<10	330	0.66	0.21	1.15	0.20	12.75	7.4	12
CC035820		0.16	<0.001	0.08	0.76	33.1	<0.2	<10	160	0.56	0.23	0.14	0.20	17.30	8.4	17

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 8- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11175616

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
CC035797		2.09	33.0	3.94	5.85	<0.05	0.03	0.05	0.037	0.09	9.3	16.7	0.33	612	2.26	<0.01
CC035798		2.02	44.8	5.49	6.29	0.07	0.06	0.07	0.047	0.09	12.7	26.0	0.42	673	2.03	<0.01
CC035799		2.35	31.4	4.44	7.65	0.06	0.03	0.04	0.041	0.09	11.6	18.6	0.39	447	1.82	<0.01
CC035800		2.43	14.7	2.80	6.96	<0.05	<0.02	0.05	0.028	0.06	12.7	15.8	0.29	432	1.34	<0.01
CC035801		3.18	51.8	5.40	7.60	0.07	0.05	0.10	0.046	0.10	11.4	21.4	0.57	730	1.82	0.01
CC035802		3.30	61.6	5.59	7.42	0.08	0.05	0.07	0.049	0.08	13.3	43.5	0.75	682	1.44	0.01
CC035803		2.68	41.9	4.80	5.52	0.07	0.03	0.07	0.042	0.12	11.3	34.0	0.53	926	2.00	0.01
CC035804		2.33	42.5	4.80	5.55	0.07	0.03	0.05	0.039	0.12	11.0	33.4	0.56	975	1.37	0.01
CC035805		3.01	71.2	5.56	6.30	0.09	0.05	0.11	0.056	0.09	13.2	30.9	0.69	867	2.19	<0.01
CC035806		2.92	20.4	2.65	7.76	0.05	<0.02	0.08	0.019	0.06	14.9	6.2	0.17	206	1.31	<0.01
CC035807		2.31	36.1	4.37	6.55	0.08	0.06	0.15	0.040	0.06	14.4	33.3	0.57	512	1.70	<0.01
CC035808		4.26	66.6	6.15	8.39	0.09	0.08	1.25	0.057	0.09	15.6	49.5	0.82	1100	1.13	<0.01
CC035809		5.84	34.6	5.41	4.53	0.07	0.05	0.17	0.054	0.09	9.9	31.9	0.24	770	1.13	<0.01
CC035810		4.28	43.3	4.03	6.92	0.08	0.04	0.36	0.036	0.08	14.2	20.9	0.42	578	1.28	<0.01
CC035811		2.56	19.1	2.79	6.72	0.07	0.02	0.06	0.028	0.06	12.6	18.2	0.28	184	1.35	<0.01
CC035812		4.15	13.1	1.80	6.05	<0.05	<0.02	0.15	0.020	0.08	10.0	5.9	0.11	334	0.84	<0.01
CC035813		4.05	21.5	3.49	7.57	0.08	0.09	0.25	0.039	0.07	15.3	23.5	0.46	1200	1.53	0.01
CC035814		3.79	36.9	4.44	6.61	0.07	0.02	0.29	0.040	0.11	14.7	21.2	0.39	434	2.89	<0.01
CC035815		2.45	9.7	1.52	6.55	0.06	0.02	0.02	0.010	0.05	19.0	2.1	0.05	92	1.72	<0.01
CC035816		2.15	38.9	4.01	5.55	0.07	0.03	0.05	0.036	0.08	12.8	22.5	0.36	618	1.98	<0.01
CC035817		1.91	33.9	2.90	3.01	0.10	0.06	0.06	0.033	0.12	7.6	10.3	0.26	469	1.94	0.01
CC035818		1.91	51.9	4.13	4.79	0.12	0.08	1.34	0.033	0.10	13.4	21.0	0.55	873	1.74	0.01
CC035819		1.12	24.8	2.46	2.87	0.10	0.06	0.08	0.022	0.09	7.3	8.4	0.26	325	0.97	0.01
CC035820		1.27	23.5	2.90	3.16	0.09	0.05	0.03	0.030	0.12	7.0	7.5	0.14	300	2.29	<0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 8- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11175616

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
CC035797		0.56	25.5	1170	17.5	16.6	<0.001	0.05	0.70	2.9	0.7	0.7	7.2	<0.01	0.08	1.0
CC035798		0.51	43.2	380	21.0	14.2	<0.001	0.01	0.64	7.9	0.8	0.7	6.7	<0.01	0.09	4.1
CC035799		0.86	24.3	400	19.7	12.9	<0.001	0.01	0.60	4.4	0.5	0.8	7.9	<0.01	0.09	3.1
CC035800		0.53	13.8	920	14.4	13.4	<0.001	0.03	0.46	1.2	0.7	0.8	10.7	<0.01	0.06	0.3
CC035801		0.71	28.6	1130	20.8	15.8	<0.001	0.03	0.61	4.4	0.8	0.7	9.2	<0.01	0.11	1.6
CC035802		0.56	31.8	900	19.9	12.0	<0.001	0.03	0.51	4.9	0.7	0.5	8.8	<0.01	0.13	1.9
CC035803		0.50	36.2	900	28.9	14.1	<0.001	0.02	0.90	4.2	0.7	0.6	15.6	<0.01	0.08	2.1
CC035804		0.58	36.3	510	33.0	14.2	<0.001	0.01	0.63	5.3	0.6	0.7	12.2	<0.01	0.09	4.2
CC035805		0.34	43.7	340	27.5	14.5	<0.001	0.01	0.79	7.1	0.8	0.6	9.6	<0.01	0.11	4.7
CC035806		0.54	9.7	530	13.4	13.0	<0.001	0.01	0.33	2.0	0.6	0.8	9.0	<0.01	0.08	0.5
CC035807		1.21	27.3	560	18.7	9.7	<0.001	0.02	0.79	4.7	0.9	0.6	11.6	<0.01	0.10	3.7
CC035808		0.43	36.8	510	62.9	14.1	<0.001	0.01	0.49	7.4	0.8	0.6	9.2	<0.01	0.14	4.6
CC035809		0.35	25.3	470	35.1	15.1	<0.001	0.01	0.35	5.4	0.6	0.7	16.0	<0.01	0.09	4.4
CC035810		0.70	22.5	470	21.9	16.5	<0.001	0.01	0.45	5.0	0.6	0.7	14.1	<0.01	0.09	2.7
CC035811		0.82	14.1	630	13.9	11.3	<0.001	0.02	0.46	2.3	0.5	0.7	10.5	<0.01	0.06	0.8
CC035812		0.34	6.9	1140	17.2	17.7	<0.001	0.03	0.27	0.8	0.5	0.8	11.8	<0.01	0.05	<0.2
CC035813		0.80	19.0	1990	13.7	15.4	<0.001	0.08	0.49	4.3	0.8	0.8	22.3	0.01	0.07	1.5
CC035814		0.67	23.6	730	20.0	16.6	<0.001	0.01	1.22	4.1	0.9	0.7	11.3	<0.01	0.10	2.9
CC035815		1.01	5.9	130	10.9	12.6	<0.001	<0.01	0.41	1.8	0.4	1.0	8.4	<0.01	0.04	4.1
CC035816		0.56	28.5	360	20.9	11.3	<0.001	<0.01	0.55	4.4	0.7	0.6	9.3	<0.01	0.09	3.5
CC035817		0.23	28.3	640	28.0	15.5	<0.001	0.07	0.61	3.2	0.7	0.4	26.3	<0.01	0.04	1.7
CC035818		0.42	36.4	710	31.2	11.7	<0.001	0.04	0.68	6.2	1.7	0.4	22.1	<0.01	0.03	2.4
CC035819		0.29	17.6	930	18.0	10.6	0.001	0.12	0.45	1.9	1.4	0.3	42.8	<0.01	0.03	0.6
CC035820		0.32	20.8	670	18.4	13.4	<0.001	0.04	0.47	2.7	0.9	0.4	11.8	<0.01	0.02	1.6

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 8- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11175616

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
CC035797		0.007	0.23	0.78	49	0.12	4.00	85	0.6
CC035798		0.005	0.26	0.95	57	0.07	7.28	82	1.4
CC035799		0.009	0.24	0.54	60	0.10	2.83	75	0.9
CC035800		0.013	0.32	0.69	52	0.18	2.99	45	<0.5
CC035801		0.008	0.58	0.60	66	0.13	3.37	83	1.0
CC035802		0.006	0.38	0.52	58	0.13	5.65	70	1.4
CC035803		0.009	0.26	0.72	46	0.14	6.00	125	0.5
CC035804		0.009	0.24	0.70	41	0.13	5.43	115	0.9
CC035805		<0.005	0.36	0.70	60	0.06	5.03	113	1.4
CC035806		0.014	0.37	0.39	61	0.15	2.14	31	<0.5
CC035807		0.020	0.24	0.69	56	0.20	4.30	73	1.7
CC035808		<0.005	0.60	0.63	65	0.09	5.11	529	2.5
CC035809		<0.005	0.63	0.81	31	0.08	6.05	101	1.2
CC035810		0.009	0.96	0.62	55	0.16	4.81	85	0.7
CC035811		0.017	0.28	0.62	51	0.21	3.56	47	<0.5
CC035812		0.008	0.47	0.56	38	0.13	2.27	34	<0.5
CC035813		0.014	0.51	1.69	58	0.23	10.15	82	1.7
CC035814		0.013	0.38	0.67	64	0.11	3.64	110	<0.5
CC035815		0.023	0.38	0.45	46	0.12	2.25	26	0.8
CC035816		0.008	0.27	0.67	43	0.10	5.03	78	0.7
CC035817		0.008	0.23	0.70	23	0.06	7.33	114	1.8
CC035818		0.013	0.41	1.21	42	0.12	13.55	161	2.3
CC035819		0.006	0.15	0.99	23	0.06	9.02	65	1.4
CC035820		0.005	0.22	0.58	29	0.05	3.93	81	1.2

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 8- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11175616

Method	CERTIFICATE COMMENTS
ME- MS41	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown.
ME- MS41	Gold determinations by this method are semi- quantitative due to the small sample weight used (0.5g).

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 14- OCT- 2011
Account: RCM

CERTIFICATE WH11177066

Project: Rackla Gold (Nadaleen Trend)

P.O. No.: S9 - Area B

This report is for 121 Soil samples submitted to our lab in Whitehorse, YT, Canada on 28- AUG- 2011.

The following have access to data associated with this certificate:

ROB CARNE JULIA LANE	ANDREW CARNE JOAN MARIACHER	MATT DUMALA

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
SCR- 41	Screen to - 180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- TL43	Trace Level Au - 25g AR	ICP- MS
ME- MS41	51 anal. aqua regia ICPMS	

To: **ATAC RESOURCES LTD.**
ATTN: JULIA LANE
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 14- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11177066

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- TL43 Au ppm 0.001	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1
CC72404		0.18	0.001	0.07	1.32	8.7	<0.2	<10	170	0.43	0.27	0.44	1.27	27.0	17.8	25
CC72405		0.18	0.008	0.35	1.73	10.0	<0.2	<10	470	2.76	0.30	0.86	0.58	35.5	60.2	24
CC72406		0.30	0.009	0.17	2.29	26.8	<0.2	<10	330	1.63	0.27	0.81	0.45	37.7	30.4	39
CC72407		0.18	0.004	0.15	1.58	9.4	<0.2	<10	330	0.93	0.24	0.74	0.37	23.3	27.2	26
CC72408		0.18	0.003	0.12	1.97	17.8	<0.2	<10	210	1.11	0.28	0.57	0.37	30.5	24.4	30
CC72409		0.24	0.004	0.15	1.28	23.4	<0.2	<10	220	0.98	0.25	1.30	0.77	31.9	30.2	23
CC72410		0.16	0.005	0.15	1.37	11.7	<0.2	<10	410	0.77	0.18	2.27	0.51	13.75	14.7	19
CC72411		0.16	<0.001	0.10	0.65	9.3	<0.2	<10	100	0.15	0.13	0.27	0.18	14.50	5.2	14
CC72412		0.16	0.003	0.52	0.91	20.3	<0.2	<10	110	0.83	0.31	1.12	0.28	18.90	13.0	15
CC72413		0.12	0.002	0.27	1.03	4.6	<0.2	<10	250	0.69	0.18	1.50	0.35	21.6	8.9	17
CC72414		0.24	0.019	0.20	1.77	23.8	<0.2	<10	400	1.19	0.27	0.75	0.38	27.3	23.8	29
CC72415		0.14	0.005	0.14	1.43	11.8	<0.2	<10	540	0.59	0.22	0.86	0.47	19.60	22.4	24
CC72416		0.28	0.003	0.13	1.72	26.4	<0.2	<10	350	1.11	0.33	0.34	0.21	31.5	24.6	32
CC72417		0.14	0.004	0.19	1.62	17.3	<0.2	<10	220	1.03	0.27	1.00	0.30	25.0	17.9	31
CC72418		0.12	0.004	0.16	1.72	18.8	<0.2	<10	190	0.98	0.28	0.91	0.47	26.6	29.3	29
CC72419		0.20	0.002	0.12	1.87	13.6	<0.2	<10	220	0.91	0.29	0.57	0.18	31.6	19.7	31
CC72420		0.20	0.004	0.16	1.35	27.0	<0.2	<10	150	1.02	0.31	0.75	0.27	28.1	17.7	26
CC72421		0.22	0.002	0.15	1.83	24.9	<0.2	<10	160	1.09	0.33	0.32	0.39	32.6	30.3	30
CC72422		0.34	0.005	0.17	1.84	32.8	<0.2	<10	180	1.37	0.33	0.27	0.30	42.7	27.2	33
CC72423		0.30	0.007	0.24	1.22	26.6	<0.2	<10	260	1.13	0.30	0.64	0.22	30.0	18.1	23
CC72424		0.30	0.009	0.16	1.93	22.0	<0.2	<10	170	1.52	0.25	0.46	0.42	31.3	54.7	30
CC72425		0.32	0.011	0.12	1.77	21.3	<0.2	<10	520	0.99	0.26	0.62	0.22	30.1	21.1	30
CC72426		0.08	0.003	0.16	1.14	4.2	<0.2	<10	470	0.65	0.23	0.81	0.48	20.6	8.0	15
CC72427		0.16	0.011	0.12	1.97	21.5	<0.2	<10	530	1.20	0.28	0.81	0.31	24.6	18.4	30
CC72428		0.28	0.005	0.06	2.19	37.5	<0.2	<10	130	1.51	0.31	0.09	0.40	43.5	42.8	32
CC72429		0.30	0.012	0.18	2.14	30.6	<0.2	<10	360	1.48	0.29	0.92	0.29	20.6	20.5	33
CC72430		0.22	0.001	0.04	1.17	14.2	<0.2	<10	130	0.52	0.28	0.14	0.19	25.5	13.3	20
CC72431		0.08	0.007	0.15	1.10	9.5	<0.2	<10	460	0.67	0.18	2.42	0.34	13.35	9.9	16
CC72432		0.34	0.002	0.06	2.25	18.6	<0.2	<10	110	1.35	0.36	0.04	0.22	30.7	19.6	26
CC72433		0.28	0.002	0.10	2.00	21.2	<0.2	<10	80	1.08	0.32	0.05	0.21	32.4	18.4	29
CC114940		0.54	0.003	0.14	1.58	21.0	<0.2	<10	40	1.00	0.34	0.03	0.08	7.32	33.1	29
CC114941		0.08	NSS	0.12	1.92	11.0	<0.2	<10	50	1.47	0.31	0.42	0.12	10.95	74.7	35
CC114942		0.30	0.003	0.12	0.87	68.3	<0.2	<10	50	1.22	0.35	0.52	0.12	8.00	45.0	20
CC114943		0.16	0.003	0.14	0.82	88.7	<0.2	<10	40	1.23	0.35	0.59	0.13	10.35	40.2	20
CC114944		0.20	0.007	0.15	0.67	72.0	<0.2	<10	40	1.08	0.33	0.87	0.12	8.04	26.1	16
CC114945		0.12	NSS	0.13	0.75	73.5	<0.2	<10	50	1.11	0.35	0.77	0.17	10.60	31.2	19
CC114946		0.26	0.002	0.12	0.66	29.9	<0.2	<10	40	1.02	0.28	1.52	0.11	7.44	17.8	13
CC114947		0.16	0.002	0.10	0.53	27.1	<0.2	<10	40	1.10	0.29	1.73	0.13	11.50	23.8	16
CC114948		0.36	0.003	0.13	0.73	49.2	<0.2	<10	40	1.13	0.44	0.38	0.13	8.31	35.6	16
CC114949		0.30	0.002	0.08	1.97	18.7	<0.2	<10	90	1.27	0.32	0.39	0.17	23.9	24.9	35

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 14- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11177066

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
CC72404		2.18	49.6	3.93	6.68	<0.05	0.02	0.08	0.032	0.10	11.2	17.9	0.51	902	0.82	0.01
CC72405		8.48	192.5	4.31	6.17	0.05	0.03	0.14	0.048	0.07	12.7	16.8	0.74	2730	1.08	0.01
CC72406		5.37	160.5	6.97	7.90	0.07	0.04	0.13	0.061	0.07	17.6	27.4	1.12	1840	0.95	0.01
CC72407		4.52	68.7	3.97	6.30	<0.05	<0.02	0.10	0.044	0.08	9.5	16.5	0.51	1680	1.00	0.01
CC72408		7.85	106.0	4.64	7.38	<0.05	0.04	0.12	0.049	0.11	12.8	26.9	0.73	863	0.95	0.01
CC72409		4.51	122.5	4.46	4.22	0.05	0.04	0.18	0.044	0.09	13.9	13.5	0.72	1350	1.15	0.01
CC72410		2.66	82.1	3.43	3.74	<0.05	0.05	0.21	0.036	0.08	7.1	14.5	0.60	960	0.66	0.02
CC72411		2.35	24.4	1.63	3.57	<0.05	<0.02	0.09	0.011	0.07	6.5	3.6	0.17	230	0.83	0.01
CC72412		2.84	45.0	3.50	2.76	<0.05	0.10	0.16	0.027	0.09	10.8	8.0	0.38	366	2.43	0.01
CC72413		1.50	59.4	2.43	3.71	<0.05	0.02	0.20	0.029	0.05	9.8	5.2	0.27	628	0.87	0.01
CC72414		5.28	137.0	5.41	5.29	0.07	0.07	0.20	0.043	0.09	15.9	25.4	0.80	1010	0.88	0.01
CC72415		6.17	72.5	4.14	5.12	<0.05	0.02	0.09	0.039	0.08	7.6	19.0	0.56	958	0.70	0.01
CC72416		5.07	92.8	6.16	5.21	0.05	0.06	0.07	0.049	0.09	13.8	20.9	0.74	864	1.24	0.01
CC72417		7.70	80.3	4.94	5.13	<0.05	0.05	0.14	0.042	0.08	13.5	16.6	0.61	1070	0.95	0.01
CC72418		7.73	104.5	4.44	5.52	0.05	0.04	0.13	0.043	0.09	12.7	19.8	0.73	1200	0.97	0.01
CC72419		5.90	73.7	4.93	6.76	<0.05	0.03	0.07	0.041	0.08	15.2	19.4	0.83	648	1.31	0.01
CC72420		5.08	73.4	5.13	4.54	0.05	0.05	0.13	0.043	0.10	13.8	14.1	0.58	577	1.14	0.01
CC72421		10.65	93.7	5.32	6.19	<0.05	0.02	0.11	0.047	0.09	14.3	25.3	0.74	968	1.26	0.01
CC72422		11.25	111.5	6.44	6.17	0.06	0.03	0.09	0.049	0.09	17.8	25.7	0.77	918	1.28	0.01
CC72423		5.39	86.1	5.51	3.85	0.07	0.08	0.18	0.046	0.08	17.0	12.9	0.57	778	2.11	0.01
CC72424		10.80	245	5.75	6.10	0.05	0.05	0.09	0.044	0.09	13.2	24.1	0.82	1100	1.04	<0.01
CC72425		4.63	105.5	5.14	5.38	0.05	0.07	0.13	0.051	0.10	14.0	27.4	0.85	730	0.66	0.01
CC72426		2.50	42.5	2.08	4.89	<0.05	0.04	0.15	0.029	0.05	11.1	6.9	0.15	291	0.76	0.01
CC72427		10.55	119.5	4.44	5.73	<0.05	0.08	0.13	0.044	0.12	11.4	30.6	0.54	724	0.80	0.01
CC72428		5.34	184.0	5.87	6.19	<0.05	0.04	0.08	0.056	0.08	12.4	34.3	0.72	1350	0.88	<0.01
CC72429		18.05	149.0	5.09	6.20	0.05	0.13	0.23	0.040	0.20	10.4	37.1	0.78	541	0.75	0.01
CC72430		3.37	59.7	3.87	6.38	<0.05	0.02	0.06	0.031	0.05	10.4	17.6	0.25	687	0.78	0.01
CC72431		3.70	45.8	2.31	3.26	<0.05	0.05	0.16	0.021	0.07	7.2	13.2	0.35	527	0.79	0.01
CC72432		1.37	45.4	4.97	4.90	<0.05	0.10	0.11	0.041	0.09	11.7	52.3	0.56	849	0.64	0.01
CC72433		1.38	43.0	5.64	5.58	0.07	0.10	0.07	0.047	0.04	10.9	35.7	0.44	626	0.94	<0.01
CC114940		11.80	80.6	6.89	5.44	0.09	0.06	0.33	0.060	0.10	2.7	27.8	0.43	572	0.91	0.01
CC114941		9.39	126.0	7.87	5.82	0.12	0.10	0.62	0.061	0.08	3.6	52.8	0.66	1530	0.52	0.01
CC114942		9.80	94.7	6.30	2.78	0.08	0.09	0.99	0.054	0.08	2.7	19.2	0.31	1070	0.68	0.01
CC114943		9.28	87.6	6.18	2.74	0.10	0.10	1.34	0.055	0.08	3.8	19.2	0.32	997	0.72	<0.01
CC114944		5.28	69.8	5.15	2.14	0.07	0.11	0.40	0.045	0.08	3.2	13.9	0.29	494	0.60	<0.01
CC114945		5.14	77.8	5.76	2.52	0.09	0.12	0.35	0.052	0.09	3.8	16.6	0.34	1080	0.79	0.01
CC114946		4.63	58.8	3.99	1.93	0.05	0.09	0.23	0.040	0.07	3.4	8.6	0.18	372	0.57	0.01
CC114947		4.02	66.5	4.47	1.64	0.07	0.10	0.50	0.045	0.07	4.4	7.5	0.18	749	0.83	0.01
CC114948		4.65	87.7	6.11	2.45	0.08	0.09	0.49	0.053	0.09	2.9	13.2	0.25	865	0.65	<0.01
CC114949		5.95	50.3	5.62	5.64	0.08	0.04	0.16	0.047	0.07	10.6	26.2	0.52	1000	1.10	<0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 14- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11177066

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
CC72404		0.41	19.0	630	16.8	13.6	<0.001	0.06	0.45	4.3	0.6	0.5	15.9	<0.01	0.10	1.6
CC72405		0.34	28.8	1520	37.1	8.2	<0.001	0.14	0.54	6.3	1.3	0.4	22.4	<0.01	0.16	0.4
CC72406		0.35	40.6	1280	21.3	10.7	<0.001	0.07	0.56	15.5	1.9	0.5	50.8	<0.01	0.11	1.5
CC72407		0.33	16.9	1530	15.8	8.7	<0.001	0.11	0.37	3.0	0.8	0.5	19.7	<0.01	0.06	0.2
CC72408		0.40	28.9	1100	14.6	13.0	<0.001	0.09	0.58	6.5	1.0	0.5	20.8	<0.01	0.11	0.9
CC72409		0.18	32.9	1050	20.2	6.2	<0.001	0.12	0.60	9.7	1.0	0.3	20.8	<0.01	0.11	1.2
CC72410		0.22	22.9	1080	10.6	6.5	0.001	0.17	0.48	5.2	1.0	0.2	50.0	0.01	0.06	0.6
CC72411		0.18	7.8	810	5.4	6.0	<0.001	0.07	0.21	1.3	0.3	0.4	8.9	<0.01	0.05	<0.2
CC72412		0.11	23.2	800	19.7	6.8	<0.001	0.09	0.40	6.6	1.1	0.3	19.3	<0.01	0.07	2.1
CC72413		0.35	13.2	1670	8.8	3.7	<0.001	0.19	0.31	4.1	1.0	0.3	25.3	<0.01	0.06	0.2
CC72414		0.18	39.1	1140	19.0	7.3	<0.001	0.08	0.57	14.0	2.0	0.3	22.4	<0.01	0.10	1.8
CC72415		0.33	23.7	960	13.2	9.0	<0.001	0.10	0.39	6.0	0.7	0.3	27.7	<0.01	0.09	0.9
CC72416		0.17	37.9	770	20.6	8.2	<0.001	0.05	0.47	12.9	1.0	0.3	14.7	<0.01	0.14	2.6
CC72417		0.38	28.2	1570	16.9	9.4	<0.001	0.13	0.52	9.8	1.4	0.4	27.4	<0.01	0.10	0.9
CC72418		0.37	31.6	1320	19.1	9.0	<0.001	0.12	0.58	6.9	1.3	0.4	19.4	<0.01	0.11	0.8
CC72419		0.28	30.4	900	16.1	11.3	<0.001	0.07	0.42	8.2	0.8	0.4	19.8	<0.01	0.11	1.4
CC72420		0.23	30.7	1010	21.7	8.2	<0.001	0.08	0.84	9.8	1.3	0.4	18.5	<0.01	0.08	1.7
CC72421		0.23	35.2	1050	27.3	9.2	0.001	0.08	0.73	7.1	0.8	0.4	11.9	<0.01	0.10	1.3
CC72422		0.25	44.2	910	26.3	10.3	<0.001	0.04	0.79	10.9	1.7	0.5	10.9	<0.01	0.11	2.3
CC72423		0.17	34.9	820	24.4	7.0	<0.001	0.06	0.84	12.0	1.9	0.3	16.2	<0.01	0.09	2.1
CC72424		0.20	49.1	830	19.2	9.0	<0.001	0.05	0.48	9.1	0.9	0.3	12.1	<0.01	0.12	1.6
CC72425		0.17	38.0	660	13.8	7.6	0.001	0.05	0.57	11.9	1.2	0.3	20.5	0.01	0.08	2.5
CC72426		0.51	9.7	820	12.8	4.5	<0.001	0.13	0.34	3.8	1.4	0.4	29.1	<0.01	0.06	0.7
CC72427		0.32	29.5	750	15.9	14.3	<0.001	0.06	0.69	9.7	1.2	0.4	31.5	<0.01	0.06	2.2
CC72428		0.26	43.7	560	21.0	10.1	<0.001	0.03	0.65	9.7	1.5	0.5	9.3	<0.01	0.12	3.0
CC72429		0.20	39.0	660	16.3	16.2	<0.001	0.06	0.71	12.7	1.5	0.4	30.2	<0.01	0.07	2.8
CC72430		0.30	14.9	600	12.9	9.3	<0.001	0.03	0.52	3.7	0.4	0.5	7.6	<0.01	0.07	1.7
CC72431		0.39	16.2	1190	10.3	10.0	<0.001	0.16	0.56	2.8	1.7	0.3	54.7	<0.01	0.06	0.5
CC72432		0.22	37.2	360	26.7	9.5	<0.001	0.01	0.65	4.5	0.7	0.3	9.4	<0.01	0.04	5.5
CC72433		0.81	30.6	420	23.7	9.7	<0.001	0.02	0.53	5.4	0.6	0.4	7.0	0.01	0.07	5.1
CC114940		0.26	37.8	410	32.9	10.6	<0.001	0.06	1.13	18.0	0.8	0.6	12.5	<0.01	0.04	2.4
CC114941		0.21	63.6	380	32.2	6.5	0.001	0.09	0.42	22.0	0.9	0.5	38.5	0.01	0.03	2.0
CC114942		0.14	53.3	410	27.2	6.6	0.001	0.10	2.02	15.2	0.8	0.4	41.6	<0.01	0.05	2.3
CC114943		0.16	50.1	440	28.6	6.2	0.001	0.08	1.84	15.1	0.9	0.4	47.2	0.01	0.04	2.6
CC114944		0.13	40.2	660	22.8	6.5	<0.001	0.07	1.58	9.9	0.8	0.3	79.6	<0.01	0.05	2.0
CC114945		0.14	46.5	760	28.4	6.6	0.001	0.07	1.63	12.4	0.9	0.3	68.5	0.01	0.06	2.7
CC114946		0.19	31.6	860	19.0	7.5	<0.001	0.11	1.55	6.9	1.0	0.3	126.0	0.01	0.06	0.9
CC114947		0.13	39.7	780	22.2	6.0	<0.001	0.12	1.72	9.8	1.1	0.3	116.5	0.01	0.06	1.6
CC114948		0.13	51.6	450	29.3	6.8	<0.001	0.05	2.20	12.1	0.7	0.4	42.0	<0.01	0.08	2.8
CC114949		0.70	36.7	620	22.6	12.4	<0.001	0.04	0.68	6.7	0.9	0.6	37.2	0.01	0.05	1.2

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 14- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11177066

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
CC72404		0.015	0.09	0.35	70	0.07	3.61	49	0.8
CC72405		0.012	0.14	0.49	58	0.06	13.60	77	0.7
CC72406		0.013	0.11	0.59	105	0.08	23.7	93	1.0
CC72407		0.011	0.14	0.38	74	0.07	7.32	53	<0.5
CC72408		0.012	0.12	0.45	64	0.06	10.05	65	1.0
CC72409		0.008	0.23	0.35	50	0.07	18.05	79	1.1
CC72410		0.007	0.08	0.34	38	<0.05	10.80	81	1.3
CC72411		0.008	0.07	0.32	38	0.05	1.39	28	<0.5
CC72412		<0.005	0.10	0.37	27	<0.05	13.25	49	2.6
CC72413		0.014	0.07	0.40	39	0.05	11.85	28	0.5
CC72414		0.008	0.10	0.44	61	<0.05	26.0	77	1.7
CC72415		0.010	0.09	0.26	53	0.06	5.67	54	0.6
CC72416		0.006	0.10	0.33	69	<0.05	10.05	85	1.3
CC72417		0.014	0.14	0.53	67	0.09	19.20	74	1.1
CC72418		0.014	0.15	0.50	57	0.12	17.00	74	0.9
CC72419		0.009	0.14	0.37	66	0.05	8.64	64	0.7
CC72420		0.007	0.14	0.51	52	0.06	16.00	77	1.4
CC72421		0.008	0.17	0.42	60	0.06	8.03	70	0.7
CC72422		0.009	0.15	0.51	69	0.05	20.6	86	0.9
CC72423		0.007	0.17	0.53	45	<0.05	26.1	79	2.0
CC72424		0.006	0.10	0.30	62	<0.05	11.05	77	1.3
CC72425		0.006	0.11	0.39	57	0.05	15.05	83	1.8
CC72426		0.015	0.13	0.69	35	0.07	14.45	21	1.4
CC72427		0.006	0.15	0.74	52	0.05	12.95	79	2.2
CC72428		0.006	0.15	0.43	60	0.05	9.04	77	1.2
CC72429		<0.005	0.21	0.99	50	<0.05	18.00	121	4.0
CC72430		0.007	0.12	0.32	54	0.05	3.58	65	0.5
CC72431		0.009	0.08	0.94	27	0.06	10.80	61	1.5
CC72432		<0.005	0.09	0.65	25	<0.05	6.23	78	3.5
CC72433		0.012	0.11	0.68	44	0.11	6.20	62	3.5
CC114940		0.007	0.23	0.55	30	<0.05	6.31	103	1.9
CC114941		0.005	0.15	0.42	37	0.05	16.90	118	2.2
CC114942		<0.005	0.21	0.41	28	<0.05	11.15	106	2.5
CC114943		<0.005	0.26	0.48	28	0.05	14.70	107	2.6
CC114944		<0.005	0.13	0.48	22	<0.05	11.70	98	3.3
CC114945		<0.005	0.13	0.52	25	0.05	14.35	102	3.4
CC114946		<0.005	0.09	0.55	18	<0.05	11.75	74	2.4
CC114947		<0.005	0.11	0.53	19	0.05	17.00	82	2.2
CC114948		<0.005	0.14	0.47	24	<0.05	11.40	110	2.8
CC114949		0.016	0.15	0.70	47	0.16	12.85	96	0.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 14- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11177066

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- TL43 Au ppm 0.001	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1
CC114950		0.26	0.003	0.14	1.21	11.2	<0.2	<10	70	1.01	0.19	1.36	0.11	8.54	22.2	20
CC114951		0.24	0.002	0.18	1.09	9.6	<0.2	<10	60	1.30	0.22	1.68	0.24	15.55	38.0	19
CC114952		0.42	0.002	0.05	0.95	51.7	<0.2	<10	40	0.86	0.49	0.04	0.11	5.97	29.2	23
CC114953		0.30	0.001	0.03	1.27	22.6	<0.2	<10	70	0.93	0.34	0.12	0.16	14.85	18.2	22
CC114954		0.34	0.002	0.14	0.45	30.1	<0.2	<10	40	1.27	0.40	0.22	0.12	6.29	44.5	19
CC114955		0.54	0.003	0.05	1.47	33.1	<0.2	<10	60	1.02	0.36	0.01	0.11	10.85	30.2	27
CC114956		0.32	0.003	0.21	1.40	21.8	<0.2	<10	90	1.28	0.33	0.33	0.16	19.45	23.5	29
CC114957		0.24	0.002	0.03	1.34	23.8	<0.2	<10	60	0.93	0.40	0.08	0.10	6.33	24.1	27
CC135874		0.32	0.003	0.07	1.76	16.5	<0.2	<10	160	1.08	0.31	0.17	0.20	31.4	20.6	26
CC135875		0.40	0.002	0.08	1.69	15.6	<0.2	<10	160	0.81	0.29	0.17	0.26	38.7	14.7	27
CC135876		0.40	0.001	0.05	1.93	14.3	<0.2	<10	140	0.90	0.31	0.14	0.15	25.5	17.1	24
CC135877		0.38	0.002	0.10	1.67	11.9	<0.2	<10	250	0.66	0.27	0.35	0.18	25.4	9.6	22
CC135878		0.48	<0.001	0.05	2.11	16.6	<0.2	<10	80	1.04	0.30	0.02	0.15	26.7	19.4	26
CC135879		0.34	<0.001	0.05	1.47	9.9	<0.2	<10	200	0.40	0.31	0.44	0.20	25.0	6.7	22
CC135880		0.46	<0.001	0.07	1.67	23.2	<0.2	<10	90	0.96	0.33	0.26	0.11	31.2	21.4	24
CC135881		0.44	<0.001	0.04	1.54	19.7	<0.2	<10	100	0.89	0.33	0.19	0.15	28.4	20.5	21
CC135913		0.30	<0.001	0.18	1.53	6.7	<0.2	<10	570	2.02	0.19	2.38	0.47	31.0	18.9	24
CC135914		0.24	0.001	0.15	1.24	5.1	<0.2	<10	700	1.77	0.17	1.45	0.37	21.5	12.8	18
CC135915		0.24	<0.001	0.14	1.04	2.8	<0.2	<10	160	0.86	0.25	1.04	0.34	16.70	9.3	16
CC135916		0.30	<0.001	0.57	1.24	13.7	<0.2	<10	280	1.06	0.21	1.58	1.39	29.8	8.5	19
CC135917		0.46	<0.001	0.22	1.77	18.7	<0.2	<10	240	0.87	0.22	0.11	1.26	30.2	14.0	27
CC135918		0.34	<0.001	0.07	1.48	5.6	<0.2	<10	180	0.68	0.25	0.32	0.98	23.1	7.0	18
CC135919		0.40	<0.001	0.23	1.30	16.2	<0.2	<10	250	0.72	0.24	0.12	1.06	21.6	11.2	23
CC135920		0.34	<0.001	0.07	1.54	18.9	<0.2	<10	230	0.74	0.33	0.07	0.65	21.3	13.6	32
CC135921		0.28	<0.001	0.05	0.85	3.2	<0.2	<10	320	1.72	0.41	0.08	0.23	17.35	20.7	26
CC135922		0.38	<0.001	0.08	1.27	17.5	<0.2	<10	190	0.56	0.47	0.04	0.64	16.05	9.1	21
CC135923		0.48	0.002	0.07	0.87	12.3	<0.2	<10	280	1.22	0.53	0.06	0.55	24.7	15.8	14
CC135924		0.42	<0.001	0.08	0.80	16.0	<0.2	<10	270	1.05	0.60	0.11	0.22	24.5	14.8	11
CC135925		0.42	<0.001	0.29	1.59	63.7	<0.2	<10	440	1.55	0.26	3.19	1.25	24.3	15.1	19
CC135926		0.44	<0.001	0.21	1.57	12.7	<0.2	<10	490	1.15	0.29	1.23	3.00	16.50	9.7	25
CC135927		0.44	<0.001	0.11	1.19	11.8	<0.2	<10	170	0.58	0.37	0.04	0.40	14.35	9.3	21
CC135928		0.44	<0.001	0.10	0.80	9.9	<0.2	<10	190	0.42	0.33	0.04	0.21	11.30	5.2	11
CC135929		0.38	<0.001	0.09	0.99	9.8	<0.2	<10	500	1.03	0.38	0.42	0.39	22.3	10.5	15
CC135930		0.34	<0.001	0.28	0.67	14.4	<0.2	<10	190	0.80	0.35	1.17	1.41	15.70	12.6	11
CC135931		0.52	<0.001	0.24	0.55	13.3	<0.2	<10	140	0.74	0.35	1.60	0.45	23.9	13.1	10
CC135932		0.28	<0.001	0.16	0.50	11.5	<0.2	<10	140	0.57	0.36	0.95	0.20	16.30	6.5	7
CC135947		0.22	0.003	0.41	0.73	82.2	<0.2	<10	70	1.20	0.81	0.16	0.16	13.15	64.8	21
CC135948		0.32	0.001	0.15	1.99	24.2	<0.2	<10	70	1.68	0.88	0.27	0.33	31.1	56.5	29
CC135949		0.14	0.001	0.30	1.49	16.5	<0.2	<10	80	1.09	0.46	0.26	0.24	22.8	39.7	25
CC135950		0.20	0.001	0.19	0.83	87.7	<0.2	<10	80	1.45	0.92	0.11	0.16	30.8	57.1	21

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 14- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11177066

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
CC114950		11.40	50.7	3.56	3.50	0.05	0.10	0.26	0.036	0.12	4.4	14.4	0.24	699	0.49	<0.01
CC114951		5.13	71.9	4.76	3.02	0.07	0.09	0.42	0.042	0.06	5.6	16.1	0.28	2200	0.95	0.01
CC114952		2.21	89.2	6.48	3.37	0.07	0.02	0.89	0.059	0.07	2.7	11.3	0.14	447	0.74	<0.01
CC114953		5.75	39.9	4.58	4.07	0.05	0.02	0.09	0.042	0.06	6.0	28.4	0.31	684	0.93	<0.01
CC114954		5.19	93.1	6.35	1.84	0.08	0.06	0.91	0.061	0.08	2.1	4.6	0.11	950	0.68	<0.01
CC114955		2.51	77.4	6.35	4.68	0.07	0.04	0.51	0.058	0.07	3.5	21.4	0.24	684	0.71	<0.01
CC114956		15.75	73.3	5.67	3.84	0.08	0.06	2.59	0.049	0.10	6.3	35.5	0.41	661	0.75	<0.01
CC114957		6.60	72.6	6.00	4.77	0.07	0.02	0.10	0.044	0.08	2.1	24.7	0.40	597	0.61	<0.01
CC135874		2.34	68.4	4.58	5.07	0.07	0.07	0.04	0.037	0.06	11.3	38.7	0.63	810	0.76	0.01
CC135875		3.00	53.4	3.88	5.51	0.07	0.05	0.03	0.037	0.06	13.8	29.2	0.51	640	1.17	0.01
CC135876		1.48	41.9	4.56	5.66	0.07	0.07	0.04	0.037	0.08	10.7	56.7	0.59	615	0.54	0.01
CC135877		3.00	32.5	3.08	6.02	0.05	0.04	0.06	0.031	0.07	11.5	29.0	0.32	339	0.71	0.01
CC135878		1.16	53.9	4.57	5.22	0.07	0.14	0.11	0.037	0.06	11.1	55.6	0.61	589	0.44	<0.01
CC135879		2.07	14.5	3.01	7.08	0.05	0.02	0.03	0.027	0.05	12.3	32.8	0.36	222	1.26	0.01
CC135880		0.98	53.5	4.87	5.01	0.09	0.11	0.15	0.034	0.07	13.7	49.0	0.68	890	0.48	0.01
CC135881		1.54	62.2	4.24	4.43	0.07	0.08	0.04	0.029	0.06	10.8	47.9	0.56	755	0.55	<0.01
CC135913		0.93	27.1	4.91	4.33	0.11	0.10	0.05	0.055	0.11	15.2	27.0	0.50	603	3.81	0.01
CC135914		0.75	21.3	3.59	3.42	0.07	0.09	0.05	0.047	0.11	12.2	18.5	0.32	225	2.75	0.01
CC135915		1.34	14.9	2.14	4.23	0.05	0.06	0.07	0.026	0.15	6.1	8.2	0.23	609	0.72	0.01
CC135916		0.56	21.1	2.69	3.56	0.07	0.08	0.09	0.031	0.08	20.5	9.6	0.25	2270	1.73	0.01
CC135917		1.37	42.2	4.36	5.50	0.08	0.05	0.05	0.050	0.10	13.0	18.8	0.32	330	7.18	<0.01
CC135918		2.14	13.9	2.62	5.55	<0.05	0.02	0.02	0.032	0.07	7.6	14.3	0.19	760	0.95	<0.01
CC135919		1.36	41.3	3.22	4.63	0.05	0.03	0.06	0.037	0.09	9.1	10.4	0.22	443	5.05	<0.01
CC135920		1.60	37.7	3.96	6.21	0.05	0.02	0.06	0.041	0.10	6.4	19.7	0.35	569	4.19	0.01
CC135921		2.67	35.0	4.28	5.06	0.06	0.02	0.16	0.037	0.18	7.2	11.2	0.19	563	0.62	<0.01
CC135922		1.74	33.2	3.20	5.23	0.06	0.02	0.04	0.033	0.09	7.8	9.3	0.17	354	5.23	0.01
CC135923		2.18	39.8	3.88	3.01	0.06	0.03	0.08	0.047	0.09	12.0	9.6	0.13	332	3.19	0.01
CC135924		2.14	32.4	3.99	2.72	0.08	0.04	0.16	0.036	0.09	11.7	5.8	0.11	428	2.34	0.01
CC135925		1.56	20.9	5.42	3.69	0.11	0.09	0.54	0.046	0.07	13.0	8.9	1.64	1900	3.81	0.01
CC135926		0.93	27.0	4.19	4.84	0.07	0.08	0.09	0.038	0.10	8.8	11.0	0.39	981	3.27	0.01
CC135927		1.54	24.5	3.20	5.03	0.07	0.02	0.13	0.033	0.08	7.1	10.2	0.20	401	2.12	0.01
CC135928		1.80	23.1	2.42	3.64	0.05	0.02	0.12	0.027	0.09	5.5	3.3	0.07	126	2.69	0.01
CC135929		1.64	28.4	3.94	3.36	0.07	0.06	0.11	0.047	0.09	7.6	8.8	0.13	478	1.65	0.01
CC135930		1.34	37.9	3.27	2.21	0.08	0.05	0.10	0.036	0.10	7.3	6.4	0.13	410	2.94	0.01
CC135931		0.96	38.2	3.78	1.56	0.09	0.06	0.15	0.034	0.09	10.7	5.1	0.16	308	0.97	0.01
CC135932		0.88	20.8	2.56	1.44	0.06	0.07	0.38	0.031	0.08	6.8	3.5	0.06	188	0.89	0.01
CC135947		18.70	94.6	7.48	2.39	0.13	0.07	0.40	0.042	0.07	5.2	14.5	0.26	1340	1.43	0.01
CC135948		30.8	94.0	6.76	5.70	0.14	0.10	0.11	0.058	0.10	10.5	33.8	0.66	2970	1.69	0.01
CC135949		27.4	85.0	10.75	4.84	0.21	0.14	0.12	0.043	0.08	9.1	26.0	0.64	4020	1.34	0.01
CC135950		15.10	79.1	7.15	3.13	0.15	0.07	0.24	0.041	0.09	10.8	15.6	0.20	1590	1.11	0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 14- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11177066

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
CC114950		0.25	27.8	720	17.8	12.0	<0.001	0.10	0.77	8.0	1.2	0.4	119.0	<0.01	0.03	1.0
CC114951		0.23	37.8	1110	29.6	5.8	0.001	0.17	0.64	10.3	1.5	0.3	90.9	0.01	0.04	0.9
CC114952		0.30	45.3	310	25.9	8.8	<0.001	0.02	1.59	8.8	0.6	0.6	17.6	<0.01	0.06	1.5
CC114953		0.63	30.0	580	19.5	12.0	<0.001	0.03	0.72	4.2	0.5	0.5	15.2	<0.01	0.06	1.1
CC114954		0.11	57.3	260	27.9	7.6	0.001	0.02	1.60	13.9	0.6	0.5	30.8	<0.01	0.05	2.3
CC114955		0.31	44.1	310	22.0	11.9	<0.001	0.02	0.82	9.6	0.5	0.5	10.6	<0.01	0.05	2.5
CC114956		0.45	47.2	650	23.5	16.0	<0.001	0.03	0.79	8.7	0.8	0.5	53.1	<0.01	0.07	2.1
CC114957		0.31	32.5	660	23.7	10.7	<0.001	0.02	0.66	6.1	0.4	0.5	13.1	<0.01	0.08	1.3
CC135874		0.59	35.6	440	20.3	9.3	<0.001	0.02	0.58	5.3	0.5	0.3	12.4	<0.01	0.06	4.8
CC135875		0.83	32.1	520	16.4	12.4	<0.001	0.03	0.70	4.3	0.7	0.5	13.0	<0.01	0.05	2.3
CC135876		0.33	33.3	460	20.8	11.0	<0.001	0.02	0.53	4.2	0.4	0.3	14.6	<0.01	0.05	4.3
CC135877		0.51	21.6	570	16.2	13.2	<0.001	0.02	0.39	3.8	0.5	0.5	20.5	<0.01	0.05	2.2
CC135878		0.26	35.8	270	19.6	9.2	<0.001	0.01	0.48	5.0	0.6	0.3	6.4	<0.01	0.06	6.4
CC135879		1.16	14.4	330	15.6	13.3	<0.001	0.02	0.39	2.5	0.9	0.7	25.6	<0.01	0.05	1.8
CC135880		0.16	38.9	560	24.5	5.7	<0.001	0.01	0.59	8.1	0.7	0.3	26.6	0.01	0.06	6.9
CC135881		0.18	40.3	640	20.2	6.0	<0.001	0.01	0.65	4.6	0.5	0.2	18.0	<0.01	0.05	5.8
CC135913		0.40	53.1	720	17.8	11.7	<0.001	0.04	0.55	7.9	1.4	0.7	72.9	0.01	0.02	3.2
CC135914		0.46	42.5	650	13.4	11.0	<0.001	0.08	0.42	4.8	1.0	0.7	40.3	<0.01	0.02	1.7
CC135915		0.52	12.9	1560	11.8	22.0	<0.001	0.15	0.36	2.2	0.7	0.6	27.2	<0.01	0.03	1.2
CC135916		0.30	23.2	2070	18.6	12.2	<0.001	0.15	0.76	2.2	1.2	0.4	30.8	0.01	0.03	0.8
CC135917		0.59	47.3	1460	17.7	15.8	0.001	0.06	2.35	2.8	2.3	0.6	15.1	<0.01	0.07	1.2
CC135918		0.43	12.7	960	12.2	20.1	<0.001	0.05	0.38	1.5	0.5	0.6	11.1	<0.01	0.03	0.5
CC135919		0.47	36.8	1590	16.7	16.1	0.001	0.06	2.18	1.3	1.8	0.6	15.0	<0.01	0.07	0.6
CC135920		0.65	41.9	840	18.7	16.0	0.001	0.05	1.91	2.1	1.6	0.8	9.7	<0.01	0.07	0.9
CC135921		0.61	32.8	220	15.9	27.9	<0.001	0.01	0.27	5.8	0.4	1.0	20.4	<0.01	0.02	4.5
CC135922		0.63	31.2	490	16.0	19.7	<0.001	<0.01	2.00	2.7	1.5	0.7	7.7	<0.01	0.06	1.5
CC135923		0.20	35.8	340	29.8	12.7	0.001	<0.01	1.13	5.4	1.1	0.7	16.1	<0.01	0.04	4.2
CC135924		0.25	26.4	520	45.2	12.1	<0.001	<0.01	0.70	3.9	1.0	0.6	22.5	<0.01	0.03	2.9
CC135925		0.45	32.7	1600	20.8	14.9	<0.001	0.03	1.46	5.4	1.3	0.5	20.7	0.01	0.05	1.4
CC135926		0.43	31.4	1800	16.2	16.9	<0.001	0.07	1.23	3.6	1.3	0.7	19.3	0.01	0.05	1.3
CC135927		0.48	21.0	800	17.9	20.1	<0.001	0.02	0.73	1.8	0.9	0.7	9.8	<0.01	0.03	0.6
CC135928		0.29	16.2	600	15.7	17.9	<0.001	0.01	0.76	1.9	0.9	0.6	7.2	<0.01	0.04	0.7
CC135929		0.24	25.2	840	29.6	16.7	<0.001	<0.01	0.63	4.8	0.8	0.6	17.2	<0.01	0.06	2.5
CC135930		0.25	39.5	730	26.2	11.5	<0.001	0.03	1.19	3.4	1.7	0.4	58.2	<0.01	0.07	1.1
CC135931		0.29	34.3	780	29.9	8.6	<0.001	0.02	0.51	4.1	1.2	0.3	65.1	0.01	0.05	2.2
CC135932		0.17	15.6	630	31.3	8.5	<0.001	0.07	0.35	2.4	0.8	0.3	47.9	<0.01	0.05	1.3
CC135947		0.25	56.7	570	57.7	9.6	<0.001	0.02	1.91	10.4	1.2	0.4	32.4	0.01	0.14	3.1
CC135948		0.36	39.9	1440	64.6	15.9	<0.001	0.05	1.15	11.4	1.5	0.5	25.8	0.01	0.14	2.1
CC135949		0.37	38.7	760	56.9	12.4	<0.001	0.01	0.90	13.1	1.5	0.3	29.9	0.01	0.10	2.8
CC135950		0.41	51.9	790	59.2	13.4	<0.001	0.01	1.39	11.6	1.6	0.4	18.2	0.01	0.16	2.9

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 14- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11177066

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
CC114950		<0.005	0.14	1.18	25	0.05	11.65	66	2.5
CC114951		0.007	0.14	0.83	24	0.06	19.85	74	1.9
CC114952		<0.005	0.16	0.45	38	0.05	4.50	112	<0.5
CC114953		0.010	0.11	0.64	36	0.15	4.64	81	<0.5
CC114954		<0.005	0.19	0.41	31	<0.05	11.05	109	1.9
CC114955		<0.005	0.17	0.42	42	0.05	5.03	91	1.0
CC114956		0.010	0.16	0.93	37	0.10	11.60	93	1.2
CC114957		0.007	0.09	0.32	37	0.05	3.84	93	0.5
CC135874		0.012	0.10	0.68	35	0.22	6.84	78	2.3
CC135875		0.018	0.13	0.81	46	0.25	8.14	86	1.0
CC135876		<0.005	0.09	0.56	29	0.07	6.18	80	2.2
CC135877		0.007	0.13	0.82	36	0.12	5.68	58	0.9
CC135878		<0.005	0.08	0.56	27	0.05	5.78	66	5.3
CC135879		0.021	0.15	0.58	57	0.24	2.92	87	0.5
CC135880		0.005	0.07	0.69	27	0.05	13.85	87	5.1
CC135881		<0.005	0.06	0.53	22	<0.05	7.64	77	3.5
CC135913		<0.005	0.20	0.74	41	0.05	15.05	102	4.7
CC135914		<0.005	0.24	0.60	29	0.05	11.05	86	4.3
CC135915		0.010	0.10	0.54	22	0.10	6.68	61	1.4
CC135916		0.006	0.12	1.78	45	0.09	27.3	139	1.2
CC135917		0.006	0.43	1.60	123	0.13	9.53	257	1.0
CC135918		0.007	0.15	0.69	39	0.09	6.98	83	<0.5
CC135919		0.007	0.36	1.61	100	0.14	7.31	222	0.6
CC135920		0.007	0.32	1.12	106	0.16	4.38	217	0.5
CC135921		0.013	0.21	1.14	35	0.12	9.52	102	0.5
CC135922		0.008	0.39	0.88	111	0.14	4.02	168	0.5
CC135923		<0.005	0.24	1.44	55	0.05	10.80	174	0.5
CC135924		<0.005	0.15	1.27	36	0.06	9.15	114	0.7
CC135925		0.005	0.39	1.64	74	0.14	24.3	139	1.5
CC135926		0.005	0.22	1.97	90	0.09	10.90	224	1.9
CC135927		0.007	0.23	0.78	49	0.13	3.90	101	<0.5
CC135928		<0.005	0.29	0.59	47	0.07	3.48	90	<0.5
CC135929		<0.005	0.19	1.19	39	0.08	11.65	143	1.3
CC135930		<0.005	0.19	1.56	57	0.06	12.80	147	1.3
CC135931		<0.005	0.14	1.35	21	0.07	17.95	110	1.8
CC135932		<0.005	0.15	1.05	16	<0.05	9.21	52	2.6
CC135947		0.006	0.41	0.64	39	0.05	15.75	106	1.8
CC135948		0.012	0.30	0.90	43	0.10	28.3	104	1.6
CC135949		0.010	0.27	0.83	40	0.09	30.1	92	3.1
CC135950		0.010	0.47	0.64	38	0.09	22.0	89	0.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 14- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11177066

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- TL43 Au ppm 0.001	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1
CC135951		0.14	<0.001	0.19	1.63	16.3	<0.2	<10	100	1.25	0.50	0.20	0.14	22.5	36.0	26
CC135952		0.18	0.001	0.08	1.49	15.5	<0.2	<10	130	0.87	0.33	0.11	0.31	28.8	18.7	27
CC135953		0.18	0.001	0.14	0.89	103.0	<0.2	<10	170	0.36	0.30	0.06	0.23	16.05	33.2	15
CC135954		0.20	0.001	0.12	1.18	9.6	<0.2	<10	100	1.30	0.31	0.33	0.11	34.7	28.9	25
CC135955		0.14	<0.001	0.11	1.36	6.8	<0.2	<10	120	1.19	0.28	0.53	0.16	50.2	27.0	26
CC135956		0.30	0.002	0.27	1.55	21.5	<0.2	<10	150	1.52	0.96	0.22	0.11	41.5	91.6	28
CC135957		0.28	0.004	0.10	0.52	9.9	<0.2	<10	90	1.36	0.45	0.17	0.20	39.9	36.1	16
CC135958		0.30	<0.001	0.17	0.49	131.5	<0.2	<10	100	0.98	0.54	0.06	0.20	32.1	58.2	14
CC135959		0.18	0.001	0.11	0.52	62.4	<0.2	<10	130	0.89	0.41	0.17	0.13	25.4	37.0	21
CC135960		0.24	0.002	0.12	0.61	12.5	<0.2	<10	90	1.23	0.49	0.15	0.12	34.5	46.6	16
CC135961		0.22	0.002	0.10	0.72	83.7	<0.2	<10	110	1.26	0.32	0.52	0.14	21.7	35.0	28
CC135962		0.18	0.003	0.13	0.79	14.7	<0.2	<10	120	1.23	0.41	0.43	0.09	35.0	49.3	21
CC135963		0.18	0.002	0.12	1.22	14.2	<0.2	<10	100	1.20	0.34	0.49	0.11	38.1	42.7	24
CC135964		0.24	0.002	0.14	1.34	12.9	<0.2	<10	90	1.26	0.35	0.40	0.10	29.7	45.0	25
CC135965		0.22	0.002	0.09	1.25	10.3	<0.2	<10	80	1.22	0.34	0.49	0.11	29.7	37.2	24
CC135966		0.20	0.004	0.19	1.11	9.1	<0.2	<10	90	1.30	0.33	0.75	0.13	19.70	38.9	19
CC135967		0.34	0.002	0.14	1.15	8.7	<0.2	<10	60	1.15	0.37	0.15	0.13	19.05	43.5	20
CC135968		0.28	0.002	0.11	1.08	10.2	<0.2	<10	70	1.25	0.34	0.19	0.14	19.70	37.8	20
CC135969		0.22	0.003	0.20	0.92	32.1	<0.2	<10	80	1.22	0.38	0.36	0.15	22.2	39.4	19
CC135970		0.28	0.003	0.15	0.61	35.1	<0.2	<10	70	1.14	0.42	0.15	0.13	25.4	43.7	18
CC135971		0.18	0.002	0.10	0.81	19.5	<0.2	<10	70	1.19	0.30	1.06	0.16	18.20	22.4	16
CC135972		0.18	0.002	0.17	0.90	29.1	<0.2	<10	80	1.17	0.33	0.86	0.17	19.05	25.7	19
CC135973		0.16	0.006	0.15	0.92	15.2	<0.2	<10	70	1.16	0.28	1.17	0.13	16.60	14.7	16
CC135974		0.26	0.002	0.17	1.15	22.5	<0.2	<10	70	1.25	0.37	0.21	0.20	21.2	36.7	21
CC135975		0.12	0.002	0.11	0.76	69.8	<0.2	<10	90	0.99	0.23	2.35	0.15	11.25	14.8	13
CC135976		0.14	0.001	0.18	0.91	32.5	<0.2	<10	140	1.16	0.40	0.95	0.20	20.5	12.7	15
CC135977		0.12	<0.001	0.07	1.31	65.7	<0.2	<10	150	1.13	0.35	0.99	11.85	10.95	17.7	21
CC135978		0.18	0.001	0.15	0.87	38.5	<0.2	<10	70	1.14	0.52	0.23	0.26	20.2	29.5	18
CC135979		0.12	0.001	0.08	1.45	16.2	<0.2	<10	70	1.22	0.43	0.34	0.10	16.50	20.3	21
CC135980		0.08	0.003	0.02	0.80	11.0	<0.2	<10	50	0.28	0.30	0.06	0.05	19.90	11.0	14
CC135981		0.08	<0.001	0.10	1.34	13.0	<0.2	<10	130	1.03	0.36	0.88	0.12	20.5	17.7	22
CC135982		0.12	0.001	0.15	0.98	36.4	<0.2	<10	90	1.10	0.31	1.46	0.16	25.6	18.8	20
CC135983		0.08	<0.001	0.10	1.27	10.7	<0.2	<10	70	1.08	0.28	1.51	0.28	38.1	22.0	22
CC135984		0.08	<0.001	0.07	1.04	6.8	<0.2	<10	90	0.86	0.25	1.82	0.18	29.0	16.4	17
CC135985		0.10	<0.001	0.04	1.01	9.7	<0.2	<10	90	0.58	0.31	0.10	0.13	21.3	10.5	15
CC135986		0.10	0.001	0.40	1.79	32.5	<0.2	<10	210	1.47	0.34	0.86	0.32	9.55	16.8	24
ZZ07737		0.16	0.001	0.07	1.78	150.0	<0.2	<10	140	0.95	0.30	0.18	0.63	28.6	24.6	30
ZZ07738		0.16	0.003	0.16	1.73	68.0	<0.2	<10	420	0.95	0.27	0.86	0.43	24.0	18.4	26
ZZ07739		0.22	0.001	0.08	1.79	20.6	<0.2	<10	180	0.77	0.30	0.48	0.58	26.7	29.8	27
ZZ07740		0.16	0.001	0.12	1.62	14.6	<0.2	<10	360	0.77	0.28	0.76	0.41	20.8	14.6	31

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 14- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11177066

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
CC135951		16.90	68.6	5.23	4.85	0.11	0.09	0.05	0.043	0.11	7.5	32.0	0.40	1250	1.05	0.01
CC135952		9.07	40.6	4.20	4.65	0.09	0.03	0.06	0.037	0.07	11.3	24.9	0.41	672	1.72	0.01
CC135953		2.74	39.1	3.01	3.14	0.07	0.02	0.48	0.022	0.06	7.3	10.1	0.20	3040	1.39	0.01
CC135954		6.99	57.6	5.98	3.48	0.16	0.10	0.11	0.057	0.07	17.8	15.1	0.31	752	0.84	0.01
CC135955		6.19	50.1	5.83	4.02	0.14	0.10	0.11	0.061	0.06	21.9	17.4	0.35	865	0.74	0.01
CC135956		32.2	136.0	8.32	4.79	0.19	0.12	0.32	0.060	0.09	16.0	33.6	0.73	2250	2.31	0.01
CC135957		4.14	91.0	5.36	2.16	0.13	0.09	0.22	0.053	0.10	15.7	5.6	0.17	3430	1.57	0.01
CC135958		3.88	119.5	7.49	1.53	0.15	0.05	1.30	0.057	0.08	12.6	4.1	0.07	2050	0.79	0.01
CC135959		4.18	97.1	5.99	2.16	0.11	0.07	0.40	0.044	0.08	10.0	3.8	0.12	1280	1.14	0.01
CC135960		10.55	93.4	6.32	2.10	0.15	0.07	0.18	0.049	0.09	13.6	8.6	0.21	2440	2.33	0.01
CC135961		2.20	71.6	5.95	2.25	0.11	0.10	0.54	0.070	0.07	11.3	4.4	0.11	974	0.64	0.01
CC135962		15.25	93.0	6.51	2.46	0.15	0.09	0.14	0.056	0.11	13.9	11.2	0.24	753	0.72	0.01
CC135963		8.75	79.0	6.03	3.80	0.15	0.11	0.18	0.058	0.10	14.6	24.3	0.46	868	0.59	0.01
CC135964		9.79	84.8	5.84	4.08	0.13	0.10	0.12	0.053	0.10	10.8	29.6	0.53	872	0.78	0.01
CC135965		5.02	77.1	5.71	3.67	0.12	0.13	0.12	0.052	0.10	12.5	27.7	0.48	615	0.54	0.01
CC135966		7.74	71.1	5.69	3.15	0.13	0.12	0.20	0.052	0.11	7.9	18.3	0.33	1460	0.61	0.01
CC135967		6.76	72.7	5.65	3.52	0.11	0.06	0.13	0.044	0.09	6.9	21.7	0.37	1540	0.81	0.01
CC135968		6.48	67.3	5.31	3.25	0.11	0.05	0.12	0.045	0.10	7.2	16.7	0.27	1750	0.88	0.01
CC135969		8.59	71.4	5.69	2.76	0.11	0.10	0.23	0.048	0.11	9.6	12.8	0.22	1600	0.88	0.01
CC135970		6.98	76.3	6.02	2.12	0.12	0.06	0.34	0.045	0.08	10.1	8.2	0.15	1460	0.80	0.01
CC135971		3.93	47.8	4.34	2.42	0.10	0.08	0.14	0.042	0.09	9.3	8.2	0.16	880	0.70	0.01
CC135972		5.68	56.0	4.69	2.49	0.08	0.09	0.28	0.046	0.12	10.7	9.8	0.20	1030	0.85	<0.01
CC135973		4.50	48.3	3.86	2.49	0.07	0.07	0.18	0.042	0.08	8.6	10.0	0.18	600	0.79	0.01
CC135974		8.05	66.6	5.72	3.22	0.08	0.08	0.31	0.052	0.12	9.5	17.5	0.30	1540	0.90	<0.01
CC135975		4.39	44.8	3.45	2.01	0.06	0.07	0.13	0.035	0.07	6.1	9.4	0.23	361	0.73	0.01
CC135976		2.33	53.5	4.23	2.52	0.07	0.09	0.40	0.042	0.09	11.8	10.3	0.20	328	1.02	0.01
CC135977		4.60	42.7	4.33	3.65	0.06	0.11	0.10	0.040	0.10	5.5	19.6	0.34	595	0.87	<0.01
CC135978		6.47	60.4	4.96	2.68	0.08	0.09	0.13	0.041	0.11	9.1	16.9	0.28	689	0.94	<0.01
CC135979		1.37	50.1	4.89	3.96	0.08	0.11	0.15	0.044	0.08	7.6	36.6	0.46	601	0.77	<0.01
CC135980		2.93	28.0	3.33	5.59	0.05	<0.02	0.03	0.025	0.06	9.1	5.3	0.09	377	1.11	<0.01
CC135981		2.84	33.2	4.29	3.94	0.06	0.07	0.12	0.042	0.07	9.0	24.5	0.33	782	0.79	0.01
CC135982		2.72	43.7	4.61	2.75	0.08	0.07	0.25	0.047	0.06	15.1	15.8	0.26	550	0.63	0.01
CC135983		3.86	40.5	4.87	3.63	0.09	0.07	0.16	0.052	0.06	19.4	25.2	0.41	658	0.52	0.01
CC135984		2.14	30.9	4.10	2.93	0.07	0.06	0.10	0.047	0.05	14.1	12.0	0.23	800	0.51	0.01
CC135985		6.50	22.3	2.59	4.79	0.05	0.02	0.04	0.032	0.07	10.8	8.0	0.08	345	1.11	<0.01
CC135986		8.28	52.6	4.23	4.78	0.06	0.19	0.33	0.049	0.18	5.1	25.2	0.37	440	0.95	0.01
ZZ07737		9.84	97.0	6.81	6.99	0.09	0.04	0.14	0.073	0.08	13.7	28.3	0.51	1010	1.31	0.01
ZZ07738		5.34	88.7	3.78	5.86	0.08	0.06	0.11	0.048	0.06	14.4	20.7	0.50	1210	1.15	0.01
ZZ07739		3.24	60.2	4.40	6.17	0.08	0.06	0.09	0.045	0.08	11.4	32.2	0.73	1450	1.15	0.01
ZZ07740		4.83	71.4	3.60	6.86	0.06	0.03	0.07	0.049	0.07	11.1	15.8	0.54	1060	1.21	0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 14- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11177066

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
CC135951		0.31	35.1	1120	44.6	18.0	<0.001	0.02	0.59	7.6	0.9	0.5	25.0	0.01	0.08	2.8
CC135952		0.75	33.6	610	23.3	13.8	<0.001	0.01	1.03	4.3	0.9	0.5	16.0	<0.01	0.05	1.8
CC135953		0.55	32.0	450	35.5	7.3	<0.001	0.01	5.30	3.1	0.9	0.3	36.2	<0.01	0.05	1.6
CC135954		0.42	47.0	710	21.1	9.7	<0.001	0.02	0.70	15.7	1.2	0.4	48.2	0.01	0.04	3.5
CC135955		0.42	44.8	750	19.9	9.5	0.001	0.03	0.46	14.8	1.0	0.4	65.3	0.01	0.03	2.6
CC135956		0.27	81.8	670	74.9	12.7	0.001	0.13	0.99	15.9	1.3	0.4	26.5	0.01	0.14	4.8
CC135957		0.22	67.7	580	25.8	8.2	0.001	0.02	0.62	12.8	1.2	0.4	24.8	0.01	0.08	4.6
CC135958		0.18	85.4	450	31.0	6.5	<0.001	<0.01	3.17	16.6	0.9	0.4	16.7	0.01	0.14	3.7
CC135959		0.23	60.7	490	30.2	8.2	<0.001	0.01	1.14	11.2	0.9	0.4	27.9	0.01	0.11	2.7
CC135960		0.18	84.5	590	30.0	8.5	0.001	0.05	0.57	11.9	1.0	0.3	26.9	0.01	0.10	4.8
CC135961		0.27	58.4	620	21.2	7.1	<0.001	0.03	3.68	18.5	1.2	0.4	52.1	0.01	0.04	1.9
CC135962		0.22	66.1	780	28.9	11.1	<0.001	0.03	0.80	15.3	0.9	0.4	52.7	0.01	0.04	4.7
CC135963		0.22	58.9	880	22.7	9.4	<0.001	0.01	0.84	16.3	0.9	0.3	46.6	0.01	0.04	5.0
CC135964		0.19	56.5	630	23.8	9.2	<0.001	0.02	0.71	16.1	0.8	0.3	45.6	0.01	0.04	4.9
CC135965		0.20	52.6	730	20.7	7.7	<0.001	0.02	0.63	14.4	0.8	0.3	50.0	0.01	0.04	4.1
CC135966		0.20	49.3	600	26.0	8.8	0.001	0.05	0.68	16.0	1.1	0.3	69.2	0.01	0.05	2.4
CC135967		0.20	48.7	350	29.3	8.3	0.001	0.02	0.90	11.7	0.8	0.3	20.8	0.01	0.05	3.3
CC135968		0.24	42.4	480	31.2	9.5	<0.001	0.02	0.74	11.5	0.9	0.4	23.1	0.01	0.05	2.4
CC135969		0.25	48.4	560	32.7	10.0	<0.001	0.02	1.05	13.0	1.2	0.4	40.4	0.01	0.06	2.7
CC135970		0.20	54.1	380	31.5	8.1	<0.001	<0.01	1.02	11.9	1.0	0.4	23.2	0.01	0.06	3.1
CC135971		0.25	33.6	1160	21.8	8.3	<0.001	0.09	0.71	8.8	1.1	0.3	73.0	0.01	0.05	1.0
CC135972		0.28	40.5	720	26.8	9.7	0.001	0.04	1.08	10.8	1.1	0.4	66.6	0.01	0.06	1.9
CC135973		0.26	31.2	930	16.2	9.2	<0.001	0.09	0.64	6.8	1.1	0.3	86.0	0.01	0.05	0.8
CC135974		0.20	47.7	530	30.0	10.0	<0.001	0.01	1.02	12.8	0.9	0.4	23.6	0.01	0.06	2.8
CC135975		0.22	29.0	880	17.2	8.4	<0.001	0.13	0.78	6.0	1.5	0.2	163.5	0.01	0.04	0.7
CC135976		0.30	33.1	930	22.8	10.1	<0.001	0.06	0.64	5.7	1.3	0.4	71.7	0.01	0.09	1.4
CC135977		0.23	33.5	1120	23.2	16.8	<0.001	0.05	0.78	4.6	1.0	0.4	76.9	<0.01	0.06	1.5
CC135978		0.17	43.0	650	30.4	8.2	<0.001	0.01	0.91	7.9	0.7	0.3	27.6	0.01	0.10	3.7
CC135979		0.17	41.9	330	24.5	7.0	<0.001	<0.01	0.52	7.7	0.7	0.4	38.1	0.01	0.06	5.2
CC135980		0.41	16.3	370	11.5	14.5	<0.001	<0.01	0.45	3.1	0.4	0.6	11.0	<0.01	0.05	1.7
CC135981		0.41	29.2	930	21.4	10.4	<0.001	0.03	0.58	5.7	0.8	0.4	88.8	0.01	0.06	1.9
CC135982		0.30	35.3	760	18.4	9.3	<0.001	0.04	1.29	8.3	1.2	0.3	137.5	0.01	0.05	1.3
CC135983		0.24	37.0	820	18.1	10.1	<0.001	0.05	0.45	8.2	1.1	0.3	144.5	0.01	0.06	1.2
CC135984		0.27	27.8	1070	14.7	7.5	<0.001	0.08	0.34	5.9	1.0	0.3	166.0	0.01	0.04	0.8
CC135985		0.40	15.4	800	14.5	16.3	<0.001	0.01	0.52	2.1	0.6	0.7	14.9	<0.01	0.05	0.3
CC135986		0.34	41.2	930	19.6	19.8	<0.001	0.06	1.24	7.9	1.0	0.6	78.7	0.01	0.07	2.5
ZZ07737		0.63	28.3	560	16.7	13.1	<0.001	0.01	0.86	10.3	0.8	0.5	10.6	<0.01	0.14	2.7
ZZ07738		0.49	22.4	1440	14.0	12.1	<0.001	0.10	0.46	6.1	1.5	0.4	31.4	0.01	0.09	0.6
ZZ07739		0.48	29.0	820	18.2	11.8	<0.001	0.03	0.54	7.5	1.1	0.4	18.7	<0.01	0.08	2.2
ZZ07740		0.43	19.8	1530	15.2	12.9	<0.001	0.10	0.45	5.1	1.0	0.5	21.5	0.01	0.09	0.3

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 14- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11177066

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
CC135951		0.005	0.21	0.71	34	0.08	16.65	101	1.7
CC135952		0.022	0.17	0.82	46	0.23	6.92	89	0.6
CC135953		0.026	0.50	0.60	30	0.15	4.69	63	0.5
CC135954		0.011	0.18	0.70	40	0.12	36.3	99	1.3
CC135955		0.010	0.12	0.85	42	0.15	29.6	94	1.4
CC135956		0.008	0.15	0.62	37	0.09	28.9	131	2.9
CC135957		0.007	0.17	0.62	22	0.08	30.0	109	1.2
CC135958		<0.005	0.83	0.48	24	0.05	15.00	120	1.1
CC135959		0.005	0.20	0.42	38	0.05	14.35	104	1.5
CC135960		0.005	0.10	0.56	28	0.05	21.8	102	1.5
CC135961		0.007	0.23	0.57	42	0.10	30.2	123	1.8
CC135962		0.005	0.15	0.50	29	0.05	20.6	124	2.4
CC135963		0.005	0.13	0.56	30	0.05	21.1	120	3.3
CC135964		0.005	0.12	0.46	28	0.05	19.40	115	3.1
CC135965		0.005	0.09	0.48	29	0.05	19.15	113	3.4
CC135966		<0.005	0.10	0.45	25	0.05	20.9	97	2.5
CC135967		0.006	0.11	0.47	28	0.05	13.45	93	1.6
CC135968		0.006	0.15	0.50	30	0.07	15.65	85	0.8
CC135969		0.005	0.21	0.56	29	0.08	20.3	89	2.0
CC135970		<0.005	0.25	0.48	30	0.06	16.15	95	1.3
CC135971		0.005	0.13	0.63	25	0.06	20.0	79	1.4
CC135972		0.012	0.19	0.68	28	0.09	18.10	93	1.7
CC135973		0.006	0.13	0.61	25	0.08	16.30	71	1.3
CC135974		<0.005	0.17	0.58	30	0.07	17.05	94	1.5
CC135975		0.005	0.18	1.02	19	0.06	14.55	70	1.6
CC135976		0.005	0.25	0.99	23	0.11	13.25	75	1.9
CC135977		0.005	0.17	1.30	25	0.06	9.76	351	3.0
CC135978		<0.005	0.17	0.53	24	<0.05	11.40	106	2.5
CC135979		<0.005	0.09	0.55	22	<0.05	12.95	90	3.5
CC135980		0.007	0.15	0.26	42	0.08	2.56	52	<0.5
CC135981		0.008	0.11	0.84	31	0.08	10.15	74	1.5
CC135982		0.006	0.15	1.00	28	0.08	18.20	90	1.2
CC135983		0.005	0.11	0.82	29	0.13	20.8	104	1.2
CC135984		0.005	0.10	0.93	27	0.06	15.10	96	1.0
CC135985		0.008	0.20	0.60	42	0.12	7.28	74	<0.5
CC135986		<0.005	0.22	0.98	30	0.06	13.10	125	4.8
ZZ07737		0.010	0.22	0.42	95	0.14	5.78	80	0.9
ZZ07738		0.014	0.15	0.64	62	0.11	15.90	62	0.8
ZZ07739		0.014	0.14	0.64	53	0.10	7.73	94	1.5
ZZ07740		0.014	0.17	0.55	80	0.12	9.87	57	<0.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 14- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11177066

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- TL43 Au ppm 0.001	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1
ZZ07741		0.34	0.004	0.24	1.35	18.4	<0.2	<10	130	1.40	0.35	0.52	0.26	33.7	17.1	19

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 14- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11177066

Sample Description	Method Analyte Units LOR	ME- MS41 Cs ppm 0.05	ME- MS41 Cu ppm 0.2	ME- MS41 Fe % 0.01	ME- MS41 Ga ppm 0.05	ME- MS41 Ge ppm 0.05	ME- MS41 Hf ppm 0.02	ME- MS41 Hg ppm 0.01	ME- MS41 In ppm 0.005	ME- MS41 K % 0.01	ME- MS41 La ppm 0.2	ME- MS41 Li ppm 0.1	ME- MS41 Mg % 0.01	ME- MS41 Mn ppm 5	ME- MS41 Mo ppm 0.05	ME- MS41 Na % 0.01
ZZ07741		3.44	79.8	4.11	4.18	0.09	0.10	0.12	0.042	0.09	19.7	20.3	0.62	825	1.43	<0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 14- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11177066

Sample Description	Method Analyte Units LOR	ME- MS41 Nb ppm 0.05	ME- MS41 Ni ppm 0.2	ME- MS41 P ppm 10	ME- MS41 Pb ppm 0.2	ME- MS41 Rb ppm 0.1	ME- MS41 Re ppm 0.001	ME- MS41 S % 0.01	ME- MS41 Sb ppm 0.05	ME- MS41 Sc ppm 0.1	ME- MS41 Se ppm 0.2	ME- MS41 Sn ppm 0.2	ME- MS41 Sr ppm 0.2	ME- MS41 Ta ppm 0.01	ME- MS41 Te ppm 0.01	ME- MS41 Th ppm 0.2
ZZ07741		0.20	31.5	580	24.5	7.9	<0.001	<0.01	0.38	9.7	1.2	0.3	13.1	0.01	0.10	2.6

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 14- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11177066

Sample Description	Method Analyte Units LOR	ME- MS41 Ti % 0.005	ME- MS41 Tl ppm 0.02	ME- MS41 U ppm 0.05	ME- MS41 V ppm 1	ME- MS41 W ppm 0.05	ME- MS41 Y ppm 0.05	ME- MS41 Zn ppm 2	ME- MS41 Zr ppm 0.5
ZZ07741		0.005	0.09	0.76	28	0.07	23.2	67	1.7

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ATAC RESOURCES LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 14- OCT- 2011
Account: RCM

Project: Rackla Gold (Nadaleen Trend)

CERTIFICATE OF ANALYSIS WH11177066

Method	CERTIFICATE COMMENTS
ALL METHODS	NSS is non- sufficient sample.
ME- MS41	Gold determinations by this method are semi- quantitative due to the small sample weight used (0.5g).

APPENDIX V

HERITAGE RESOURCES OVERVIEW ASSESSMENT STUDY



Archaeological and Heritage Consulting

Heritage Resources Overview Assessment and Preliminary Field Reconnaissance of ATAC Resources Ltd. Rackla Gold Property Conducted Under Permit 11-11ASR.

Prepared by: Matrix Research Ltd.

Prepared for: ATAC Resources Ltd.

April, 2012

CONTACTS

Heritage Resources Overview Assessment and Preliminary Field Reconnaissance of ATAC Resources Ltd. Rackla Gold Property Conducted Under Permit 11-11ASR.

Prepared for:

ATAC Resources Ltd.
1016 – 510 West Hastings Street
Vancouver, B.C. V6B 1L8
Contact: Rob Carne
☏ 604-688-2568
🖷 604-688-2578

Prepared by:

Matrix Research Ltd.
P.O. Box 30031
Whitehorse, Y.T. Y1A 5M2
☏ 867-633-3000
🖷 867-633-3002

Signed by



Todd Kristensen, M.A.

April, 2012

© 2012 Matrix Research Ltd.

ACKNOWLEDGEMENTS

Matrix Research Ltd. would like to thank all of the people from the various organizations who contributed to the project. The project proponent was ATAC Resources Ltd. Rob Carne, Bill Wengzynowski and Julia Lane of ATAC supplied information and mapping for the study area and information on the exploration program.

Joella Hogan, Manager of Heritage and Culture, First Nation of Na-Cho Nyak Dun, assisted the project by providing traditional land use and heritage information. Joella also helped arrange the participation of a Na-Cho Nyak Dun representative during field work and arranged meetings with Elders and knowledgeable staff at the First Nation of Na-Cho Nyak Dun Cultural Centre prior to fieldwork. Thank you to Jimmy Johnny for providing insight on traditional activities in the area.

Ruth Gotthardt and Chris Thomas at the Cultural Services Branch, Department of Tourism and Culture, Government of Yukon, discussed the project with us and provided information on past heritage resources work in the study area. We thank them for their input and comments.

The opinions, recommendations, omissions, and / or errors in this report are those of Matrix Research Ltd. alone and do not necessarily reflect the positions held by ATAC Resources Ltd., the First Nation of Na-Cho Nyak Dun, or the Government of Yukon.

CREDITS

Permit Holder

Todd Kristensen, M.A.

Report Authors

Todd Kristensen
Ty Heffner, M.A., R.P.C.A.

Field Director

Todd Kristensen

Field Assistant

James Guy, B.A.

First Nation Representative

Kissel Reid

GIS Technician

Deanna Windsor

Administration

Sharon Alton

MANAGEMENT SUMMARY

This report details the results of a Heritage Resources Overview Assessment (HROA) and Preliminary Field Reconnaissance (PFR) for proposed mineral exploration in the Rackla Gold Property in central Yukon (Map 1). The HROA and PFR were anticipated to be required as part of the Yukon Environmental and Socio-economic Assessment Board (YESAB) proposed development review process. The general objectives of this heritage study were to determine heritage potential within the proposed mineral exploration area, refine zones of heritage potential during aerial overview flights and pedestrian transects, and document above- and below-ground heritage resources during PFR fieldwork. Additional objectives are to assess degrees of impact on any heritage resources identified during the PFR and provide management recommendations.

As a result of a pre-field HROA, the entire study area was classified into zones of heritage resources potential, either high, moderate, or low. The classification scheme was refined in-field during helicopter overview flights prior to ground-truthing in 2011. Further heritage resources investigations were recommended for moderate and high heritage resources potential areas prior to any potentially ground-altering development activities. PFR fieldwork was conducted from July 6th to July 21st, 2011. Fieldwork consisted of visual inspection of moderate and high potential zones on foot for above-ground heritage resources and, if deemed necessary, shovel testing to identify below-ground heritage resources. Fourteen pre-contact heritage sites and one post-contact heritage site (Table 1) were identified during the PFR. If the heritage sites cannot be avoided with a 100 m buffer, a Heritage Resources Impact Assessment (HRIA) is recommended to determine full spatial extent of the sites prior to any ground disturbance. In the event of unavoidable impact, mitigation options including possible systematic data recovery can be provided.

Heritage resources are protected from non-permitted alterations or disturbance by the *Historic Resources Act* (Government of Yukon 2002) and the *Archaeological Sites Regulations* (Government of Yukon 2003). To ensure that the discovery of any unanticipated heritage resources is addressed, it is recommended that ATAC Resources Ltd. inform their personnel and contractors that, in the event that heritage resources are encountered, all development activities in the vicinity of the heritage resources must be suspended immediately. In such cases the Cultural Services Branch, Department of Tourism and Culture, Government of Yukon and the First Nation of Na-Cho Nyak Dun must be contacted immediately with information on the heritage remains and the nature of the disturbance. Information on the identification of heritage resources can be found in a publication entitled *Handbook for the Identification of Heritage Sites and Features* (Gotthardt and Thomas 2005).

This study was designed as a heritage resources overview assessment and preliminary field reconnaissance and was not intended to evaluate or comment on traditional Aboriginal use of

the areas in which development is proposed. The results of this study, therefore, should not be considered valid for that purpose.



MAP 1: STUDY AREA LOCATION

Table 1: Archaeological Sites Recorded Under Permit 11-11ASR.

Temporary Site Number / Borden Number	Site Classification	Site Type	NTS Mapsheet
M11-ATAC-1 / **LbTp-1**	Prehistoric	Cultural material, subsurface, lithics	106 C/3
M11-ATAC-2 / **LaTn-1**	Prehistoric	Cultural material, subsurface, lithics	106 C/1
M11-ATAC-3 / **LbTp-2**	Prehistoric	Cultural material, subsurface, lithics	106 C/3
M11-ATAC-4 / **LbTq-1**	Prehistoric	Cultural material, subsurface, lithics	106 C/4
M11-ATAC-5 / **LbTq-2**	Prehistoric	Cultural material, subsurface, lithics	106 C/4
M11-ATAC-6 / **LbTq-3**	Prehistoric	Cultural material, subsurface, lithics	106 C/4
M11-ATAC-7 / **LbTq-4**	Prehistoric	Cultural material, subsurface, lithics	106 C/3
M11-ATAC-8 / **LcTv-1**	Historic	Habitation, structure, log cabins (3)	106 D/6
M11-ATAC-9 / **LcTv-2**	Prehistoric	Cultural material, subsurface, lithics	106 D/6
M11-ATAC-10 / **LcTv-3**	Prehistoric	Cultural material, subsurface, lithics	106 D/6
M11-ATAC-11 / **LcTv-4**	Prehistoric	Cultural material, subsurface, lithics	106 D/6
M11-ATAC-12 / **LbTs-1**	Prehistoric	Cultural material, subsurface, lithics	106 D/1
M11-ATAC-13 / **LbTq-5**	Prehistoric	Cultural material, subsurface, lithics	106 C/3
M11-ATAC-14 / **LbTq-6**	Prehistoric	Cultural material, subsurface, lithics	106 C/3
M11-ATAC-15 / **LbTp-3**	Prehistoric	Cultural material, subsurface, lithics	106 C/3

TABLE OF CONTENTS

CONTACTS ..... *II*

ACKNOWLEDGEMENTS ..... *III*

CREDITS ..... *IV*

MANAGEMENT SUMMARY ..... *V*
Map 1: Study Area Location VII
Table 1: Archaeological Sites Recorded Under Permit 11-11ASR. VIII

TABLE OF CONTENTS ..... *IX*

1.0 Introduction *1*
Map 2: Rackla Gold Study Areas 3

1.1 Report Format and Distribution **4**

1.2 Legislative References **5**

1.3 First Nations Referral and Correspondence **5**

2.0 Heritage Assessment Description *6*

3.0 Proposed Development Area *7*

3.1 Natural Setting **7**

3.2 Post-contact History **8**

3.3 Ethnography and Traditional Use **9**

3.4 Previous Heritage Work **10**
Table 2: Archaeological Sites Recorded Under Permit 10-25ASR. 11

4.0 Methodology *13*

4.1 Heritage Resources Overview Assessment **13**

4.2 Limitations of the HROA **13**

5.0 Results *15*

5.1 HROA Results **15**

5.2 PFR Results **15**
Table 3: Shovel Test Results 16
Map 3: Rackla Gold Property HROA Results 17
Map 4.0: Rackla Gold Property HRIA Results 18
Map 4.1: Rackla Gold Property HRIA Results - Area of Detailed Work 1 19
Map 4.2: Rackla Gold Property HRIA Results - Area of Detailed Work 2 20
Map 4.3: Rackla Gold Property HRIA Results - Area of Detailed Work 3 21
Map 4.4: Rackla Gold Property HRIA Results - Areas of Detailed Work 4 and 5 22
Map 4.5: Rackla Gold Property HRIA Results - Areas of Detailed Work 6, 7, and 8 23
Map 4.6: Rackla Gold Property HRIA Results - Areas of Detailed Work 9, 10, and 12 24
Map 4.7: Rackla Gold Property HRIA Results - Areas of Detailed Work 9 and 11 25

6.0 Heritage Resource Management Recommendations *32*

6.1 Gaps in the Heritage Resources Record of the Study Area **32**

6.2 Heritage Resource Potential and Resource Values **32**

6.3 Heritage Resource Management Options **33**

6.4 Recommendations **33**

7.0 References Cited..... 35

List of Appendices

Appendix A: Glossary of Archaeological Terms
Appendix B: Heritage Site Maps
Appendix C: Pre-contact Artifact Photographs
Appendix D: Project Photographs
Appendix E: Modified Artifact and Debitage Catalogues

1.0 INTRODUCTION

This report details the results of a Heritage Resources Overview Assessment (HROA) and Preliminary Field Reconnaissance (PFR) for proposed mineral exploration in the Rackla Gold Property. This study was conducted at the request of ATAC Resources Ltd.

The Rackla Gold Property is located approximately 370 km north-northeast of Whitehorse and 30 km northeast of Keno City in central Yukon (Map 1). The proposed development area is located between the Wernecke Mountains and the Nadaleen Range north of Stewart River. The property encompasses valleys and tributaries of Rackla, East Rackla, Beaver, Nadaleen, and Stewart Rivers as well as surrounding uplands (Map 2). Claims within the Rackla Gold Property extend for approximately 170 km east-west by 10 km north-south.

ATAC Resources Ltd. is conducting gold and silver exploration in the Rackla Gold Property, which is a component of its Rau Project begun in 2006. Exploration activities in 2011 were proposed in 11 major exploration areas (Map 2) in which heritage assessments were conducted in addition to one small proposed camp location. The proposed developments include diamond drilling, geophysical surveys, soil and silt geochemical sampling, and camp/airstrip construction. Up to 1000 diamond drill holes and 300 trenches totaling an area of 10 000 m³ were proposed. Camps and exploration areas were largely accessed by helicopter or fixed wing plane with limited construction of access trails. The existing Rackla Gold airstrip will be utilized for air transportation in addition to a new airstrip near Stewart camp. The Rackla Gold project operates four major camps: Nadaleen camp (adjacent to the Osiris Exploration Area), Stewart camp (in the southeast portion of the Rackla Gold Property), Rau camp (north of the Beaver River) and the Rackla camp (adjacent to the existing Rackla airstrip). A new camp was proposed immediately north of Nadaleen River in the northwest portion of the Rackla Gold Property. Camps consist of tent frames and core shacks with a limited number of wooden sheds for machinery and food storage.

The HROA and PFR were anticipated to be required as part of the Yukon Environmental and Socio-economic Assessment Board (YESAB) proposed development review process. The HROA was also requested for the purposes of managing potential conflicts with heritage resources during future mining related development in the study area. The objectives of this heritage study were as follows:

1) Classification of the study area land base into zones of heritage potential and refinement of those zones through an aerial overview and ground-truthing during the PFR,
2) Identification and documentation of above- and below-ground heritage resources during the PFR of the proposed mineral exploration areas in the Rackla Gold Property.

Fieldwork was conducted by Todd Kristensen and James Guy of Matrix Research Ltd. from July 6th to July 21st, 2011 with the assistance of Kissel Reid of the First Nation of Na-Cho Nyak Dun on July 6th to 16th.

PERMIT #; 11-11ASR

DATE: 04-11-2011



Rackla Property
River/Lake
Area of Detailed Work
FN Settlement Lands
Trail
Stream
Road

MAP 2: Rackla Gold Study Areas

MATRIX Research Ltd

MAPSHEETS:
NTS: 106 B/4, 106 C/1-8
106 D/1, D/2, D/6, D/7, D/8

LOCATION: Rackla River

UTM: E 574254 N 7119878
PROJECTION: NAD83 Zone 8

PROPONENT: ATAC Resources

JOB #: Y11-015-Rackla

1.1 Report Format and Distribution

This report is divided into seven sections and five appendices.

Section 1: Introduction

This section introduces the heritage assessment study and discusses the work undertaken, duration of the study, relevant legislative references and definitions, and a summary of correspondences made with First Nations.

Section 2: Heritage Assessment Description

This section discusses the intent of the heritage assessment in relation to the proposed development.

Section 3: Study Area

This section describes the geographic location and natural setting of the study area. A brief overview of cultural history and previous archaeology within the vicinity of the development area is also presented.

Section 4: Methodology

This section discusses the methods used while conducting the heritage assessment.

Section 5: Results

This section describes the results of the HROA and PFR of the proposed developments in the Rackla Gold Property. A map is provided that shows refined heritage potential zones, survey transects, shovel tests, and heritage sites. Fifteen heritage sites were recorded during the PFR and descriptions of each site are provided. Maps of each site are provided in Appendix B.

Section 6: Recommendations

This section provides recommendations for the management of heritage resources and heritage potential identified during the HROA and PFR.

Section 7: References Cited

This section lists bibliographic information for all references cited in this report.

Appendices

Included with this report are five appendices containing a glossary of archaeological terms, heritage site maps, pre-contact artifact photographs, heritage assessment photographs, and catalogues of pre-contact lithic artifacts analyzed during the study.

1.2 Legislative References

The *Historic Resources Act* (Government of Yukon 2002) and *Archaeological Sites Regulations* (Government of Yukon 2003) contain legislation that ensures the management and protection of Yukon archaeological and historical resources. This legislation applies to archaeological and historical sites older than 45 years whether they are located on public or private land. The permit for this Heritage Resources Overview Assessment and Preliminary Field Reconnaissance (11-11ASR) was issued and administered by the Manager of Heritage Resources Unit, Cultural Services Branch, Department of Tourism and Culture. To ensure that the discovery of any unanticipated heritage resources is addressed, it is recommended that ATAC Resources Ltd. inform their personnel and contractors that, in the event that heritage resources are encountered, all development activities in the vicinity of the heritage resources must be suspended immediately. In such cases the Cultural Services Branch, Department of Tourism and Culture, Government of Yukon, and First Nation of Na-Cho Nyak Dun must be contacted as soon as possible with information on the heritage remains and nature of disturbance. Information on the identification of heritage resources can be found in a publication entitled *Handbook for the Identification of Heritage Sites and Features* (Gotthardt and Thomas 2005).

1.3 First Nations Referral and Correspondence

The area assessed during this study is located within the traditional territory of the First Nation of Na-Cho Nyak Dun (NND). Information on the proposed development was referred to NND as part of the Yukon Environmental and Socio-economic Assessment Board (YESAB) proposed development review process. Matrix Research Ltd. contacted NND to initiate discussion concerning the heritage resources overview assessment, the preliminary field reconnaissance, and any existing traditional land use information or oral history pertinent to the study area. The First Nation of Na-Cho Nyak Dun was also provided a copy of the Yukon Archaeological Sites Regulations permit application for review prior to the heritage assessment. A representative from NND was requested to assist with fieldwork and Kissel Reid participated from July 6th to 16th.

2.0 HERITAGE ASSESSMENT DESCRIPTION

The aim of a Heritage Resources Overview Assessment (HROA) is to assess the potential for heritage resources (such as archaeological or historic sites) within a proposed development area and to make recommendations concerning the need and scope for further heritage studies. An HROA is intended to classify the land base within a development area into zones of heritage potential, either high, moderate, or low. No further heritage studies are recommended in zones identified as low potential. In the event that zones of moderate and / or high heritage resources potential are identified within the development area, recommendations are provided for further heritage studies (a preliminary field reconnaissance or heritage resources impact assessment).

The objectives of a preliminary field reconnaissance (PFR) are as follows:

1) To support the HROA by providing baseline field data that is not available from extant sources,
2) To ground-truth predictions of heritage potential made during the HROA through aerial overview flights and pedestrian transects, and
3) To provide information necessary to design further heritage assessments

Additional objectives include the identification and documentation of any heritage resources encountered in the project area and provision of recommendations for managing future impacts to those resources.

3.0 PROPOSED DEVELOPMENT AREA

3.1 Natural Setting

The proposed development is located within the Yukon Plateau-North ecoregion of central Yukon in the Boreal Cordillera ecozone (Smith *et al*. 2004). The claims of the Rackla Gold Property encompass valleys and uplands of the Rackla and Nadaleen Ranges surrounding Rackla, East Rackla, Beaver, Stewart, and Nadaleen Rivers. The elevation in the study area generally ranges from approximately 700 m above sea level (asl) to 1600 m asl.

The Yukon Plateau-North ecoregion is characterized by a series of plateaus and valleys located northeast of the Tintina Trench. Forest cover is comprised mainly of lodgepole pine and black and white spruce up to elevations of 1500 m. Shrub birch, scattered pine, white spruce, and subalpine fir form the forest cover at higher elevations with an understory dominated by lichens. Temperatures in the ecoregion are the most extreme of the Yukon ranging from -62°C to +36°C in the valley areas, with higher terrain experiencing less extreme ranges in temperature. Annual average precipitation of the ecoregion is ~ 300 mm with areas in the east receiving upwards of 600 mm of precipitation (Smith *et al.* 2004).

Discontinuous permafrost is present in most of the ecoregion with areas on southern slopes experiencing thaw during summer months. The ecoregion was covered by the McConnell glaciations during the latter part of the Late Pleistocene with some evidence for the presence of Reid and pre-Reid glaciations (from up to 3 million years ago) found above and beyond the western limit of the McConnell glaciations. Deglaciation occurred approximately 10,000 years ago, leaving extensive areas of kettle kame topography and glacial lakes in the many valleys of the region (Smith *et al.*, 2004).

Sediments in higher elevations consist of thin blankets of weathered bedrock, with till found at middle to low elevations. Valley floors contain variable thicknesses of glaciofluvial sand and gravel that typically form stable surfaces. Valleys also contain glaciolacustrine deposits that can be upwards of 18 m thick in areas such as the Keno-Ladue River (Smith *et al.* 2004). Soil types include brunisols (consisting of immature soils with notable B horizons) and cryosols (consisting of silty colluvium and wind-blown loess that are influenced by permafrost conditions). Eutric brunisols are associated with aspen stands (formed on coarse moraine and river cobble deposits) and organic cryosols and gleysolic turbic cryosols are associated with lowlands and valley wetlands. Permafrost areas are characterized by orthic turbic cryosols. Upland areas often contain turbic cryosols that form on poorly drained sediments and eutric brunisols in well-drained areas.

3.2 Post-contact History

The Mayo area was rarely written about until the discovery of gold in the region in 1883. Early prospectors of the Stewart River area included Poplin, McCoskey, Beach and Marks who received help from men who had been trapping and running trading posts in the area for years such as McQuesten, Harper, and Mayo (Mayo Historical Society 1990:22). In 1885, news of gold found on Stewart River spread quickly and attracted 75 men to work the river that summer. In 1886, McQuesten, Harper, and Mayo set up a post, Fort Nelson, at the mouth of the Stewart River to sell supplies. Mayo ran the store and soon, a small town of 32 cabins was established. The area was quite profitable and produced an estimated $300,000 in gold between 1885 and 1886 but production declined quickly and in March of 1887, Fort Nelson was abandoned with the news of a gold strike near Fortymile. The store was packed up and relocated (Mayo Historical Society 1990:26). When it was discovered that the larger gold deposits at Fortymile were much more difficult to mine, some miners returned to the Stewart River area. Fort Nelson saw a brief revival during the Klondike gold rush as it served as a resting point, wintering ground after freeze up, and a place to gather wood for riverboats. Another influx of miners occurred in the area in 1901 when men from Duncan Creek in the Mayo area discovered large gold placer nuggets (Bleiler *et al*. 2006:33).

By 1901, McQuesten Village (an abandoned supply post on McQuesten River) served as an annual meeting ground for the First Nation of Na-Cho Nyak Dun (NND). In 1902, Frank Braine and Percival Nash established Lansing Post, at the confluence of the Stewart and Lansing Rivers and invited First Nations trappers to settle neighbouring land and bring in furs. The post exchanged hands three times until it was eventually abandoned in 1940 (Mayo Historical Society 1990:212).

The town of Mayo, or Mayo Landing, was established in 1903 and attracted people from older settlements on McQuesten River (Mayo Historical Society 1990:9). On July 10th, 1903, Jacob A. Davidson became the first man to find and stake a silver-lead ore claim in the area (Hell's Gate claim). He did not stay to mine it, however, and the claim lapsed until it was re-staked in 1913 by McWhorter, Alverson, Huffman, and Evans, which marks the beginning of the area's silver mining industry. More accessible roads and bridges were established from 1903 to 1917. Shortly after 1913, 59 tons of ore were stacked on the Mayo docks to be shipped to San Francisco (Mayo Historical Society 1990: 61). News of smelter returns caused an immediate stampede to the area which became known as the Silver King District, near Galena Creek, approximately 45 km north of Mayo. By 1915, the population of Mayo Landing was 234, with 80 First Nations residents living nearby at the Old Village (Bleiler *et al*. 2006:102).

In 1915, Julius Kendi and Rev. Frank Buck from the Anglican Church arrived to baptize and help the NND people establish a town of their own at a location 3.2 km below the village of

Mayo, on the banks of the Stewart River. The "Old Village" was occupied for over 40 years but was abandoned after 1958. The village still has some standing cabins and associated buildings. There were many areas in the region mined by companies and individuals during the early 20th century, the most notable of which include Keno City, Wernecke Camp, and Elsa Camp. Keno City was established in 1919 when John Kinman discovered galena above Lightning Creek: within three years cabins, hotels, roadhouses, and a post office were built. Keno Hill Limited operated the mine and in 1920 the population was estimated at just under 1000 people (Mayo Historical Society 1990:72). Wernecke Camp was a large settlement in the area that had the first working mill in the area in 1925. The camp was run by Treadwell Yukon Company and housed a recreation hall, bowling alley, library, silent movies, and a laundry service. In 1929, the mine decreased in productivity and slowly people left for more profitable areas (Mayo Historical Society 1990:76). Elsa camp was established in 1928 by Treadwell Yukon, and consisted of a 30 man camp. In 1935, it evolved into a town when the mill was built nearby. Shortly thereafter, a machine shop, bunkhouse, store, poolroom, school and post office were established (Mayo Historical Society 1990:82).

By 1942, most large mining operations had dissolved until a mining boom in the 1950's when United Keno Hill Mines Limited reopened many of the areas that Treadwell Yukon had closed (Mayo Historical Society 1990:89). Twenty other companies began to open large-scale mines in the area. A road was built to connect Mayo to Whitehorse in 1950, allowing year-round shipment of goods and ores (Bleiler *et al*. 2006:116). Silver mining continued to be a profitable business into the latter half of the 20th century.

3.3 Ethnography and Traditional Use

The area surrounding the Rackla Gold Property is within the traditional territory of the First Nation of Na-Cho Nyak Dun (NND), who are members of the Northern Tutchone. The following brief review of Northern Tutchone ethnography and material culture is taken from McClellan (1981). Emphasis has been placed on the seasonal round and subsistence strategies as they relate to activities most likely to have left physical evidence of past human use.

The Northern Tutchone are members of the Athapaskan language family. In the vicinity of the study area, Northern Tutchone people practiced a seasonal subsistence round that involved summer aggregation at fishing camps chosen for the availability of migrating salmon. Settlement near these locations involved several families who used the same fishing location each year. Berry gathering, medicinal plant harvesting, and meat preservation were also carried out at this time of year. A variety of berries and roots were available and constituted an important food source. By late summer, people dispersed into the upland region to capture game that could be dried for winter caches. Caribou, moose, mountain goat, sheep, and bear were among the large game animals taken while hare and beaver were also trapped / hunted for fur and food (McClellan

1981). In December and January, people usually regrouped and shared stored foods before dispersing again by late winter to find game. Food was generally dried or smoked on racks and storage was accomplished through the use of caches near main dwellings (McClellan 1981).

The Northern Tutchone generally built conical or rectangular lean-tos with a tied pole framework and brush walls with a roof of moss, bark or skin. These structures would often house several families sharing a central fireplace. Near the main dwellings, meat and fish drying racks would be erected, as well as racks for boat frames and toboggans, frames for skin tanning and smoking, and small huts for use during spiritually important events. Main foundations were not excavated, therefore, the primary features associated with these structures that are most likely to be found in the archaeological record are postholes and central hearths. During the winter when groups dispersed, domed winter tents of caribou or moose hide were stretched over sapling frameworks and insulated with moss and / or snow.

A wide variety of implements were used for hunting, fishing, and plant food gathering. Stone tools (projectile points, knives, scrapers, and flaking debris) are implements commonly recovered in archaeological contexts. In some cases these hunting / fishing implements were made from antler, bone and native copper, which are sometimes recovered at archaeological sites depending on preservation conditions. During historic times, many kinds of traps, snares, corrals and hunting blinds were used and still can be seen on the landscape today. Box and funnel traps were used in conjunction with weirs to catch salmon, trout, pike, and large whitefish. Dip nets, gill nets, leisters (pronged spears), hooks, gaffs, spears, and lines were also used to catch fish (McClellan 1981).

Oral history from the Germaine family indicates that they trapped and hunted in the area surrounding Keno Hill and McQuesten Lakes for generations as the valley is rich in moose, beaver, martin, and lynx. They also stated that the McQuesten Lakes have lingcod, whitefish, pike and inconnu, and that the family set nets in the narrows of an emptying creek. The area was also a good source of blueberries in the summer. Later, after the prospectors started to settle, the Germaines provided fish and wild game to the mining camps (K-L Services 2004). Currently, members of the First Nation of Na-Cho Nyak Dun have cabins in and around McQuesten Lakes and Clark Lakes. The region is known for good hunting and fishing (Joella Hogan, pers. comm.).

According to oral tradition members of the Fort Selkirk Nation traditionally travelled the Stewart River country to trap and hunt. Mayo Elder Sam Peter stated that from Fort Selkirk, they travelled up the McQuesten River (Et'O Nyak) to the Beaver River (Mayo Historical Society 1990).

3.4 Previous Heritage Work

There have only been two documented heritage surveys conducted in the vicinity of the proposed development area. Richard MacNeish identified the first archaeological site in 1957 under Permit 57-2ASR. The site (**LaTw-1**) is located at the south end of McQuesten Lake and

consists of lithic artifacts, debitage, bone, and charcoal. No further work beyond initial recording has been undertaken on this site to date.

Matrix Research Ltd. conducted a Heritage Resources Impact Assessment in 2010 for the proposed Rau road corridor, Rau airstrip, and Osiris mineral exploration zone within the Rackla Gold Property (Permit 10-25ASR; Kristensen and Heffner 2011). A total of 21 heritage sites were identified (Table 2) along the 87 km proposed road and associated airstrip. All 21 sites yielded pre-contact artifacts and two also had associated 20th century camps (**LaTu-1** and **LaTu-3**).

Table 2: Archaeological Sites Recorded Under Permit 10-25ASR.

Borden Number	Site Type	Artifacts	Location
KlTv-1	Pre-contact, subsurface	<10 stone flakes	SE of the confluence of Keno Ladue River and Ladue Lake
KlTv-2	Pre-contact, subsurface	<5 stone flakes	SE of the confluence of Keno Ladue River and Ladue Lake
KlTv-3	Pre-contact, subsurface	<5 stone flakes	SE of the confluence of Keno Ladue River and Ladue Lake
KlTv-4	Pre-contact, subsurface	<10 stone flakes	ESE of the confluence of Keno Ladue River and Ladue Lake
LaTt-1	Pre-contact, subsurface	<5 stone flakes	N of the confluence of Rackla Gold River and Beaver River
LbTt-1	Pre-contact, subsurface	<5 stone flakes	E of the confluence of Scougale Creek and Beaver River
LaTs-1	Pre-contact, surface	<5 stone flakes 1 stone tool	NE of the confluence of Rackla Gold River and Beaver River
LbTu-1	Pre-contact, subsurface	1 stone tool	NW of the confluence of Scougale Creek and Beaver River
LaTu-1	Pre- and post-contact, surface and subsurface	<5 stone flakes, <5 bone fragments, and a historic camp	SW of the confluence of Scougale Creek and Beaver River
LaTu-2	Pre-contact, subsurface	<5 stone flakes <10 bone fragments	SW of the confluence of Scougale Creek and Beaver River
LaTu-3	Pre- and post-contact, subsurface	<5 stone flakes historic camp	NE of the confluence of Scougale Creek and Scougale Lake
LaTu-4	Pre-contact, subsurface	<5 stone flakes	NE of the confluence of Scougale Creek and Clark Lakes
LaTu-5	Pre-contact, subsurface	<10 stone flakes	N of the confluence of Rankin Creek and Keno Ladue River
LaTu-6	Pre-contact, subsurface	<5 stone flakes <5 bone fragments	N of the confluence of Rankin Creek and Keno Ladue River
KlTv-5	Pre-contact, subsurface	<5 stone flakes	NE of the confluence of Barney Creek and Keno Ladue River
KlTv-6	Pre-contact, subsurface	<5 stone flakes	NW of the confluence of Barney Creek and Keno Ladue River
LaTu-7	Pre-contact, subsurface	<5 stone flakes	SSE of the confluence of Scougale Creek and Clark Lakes
LaTu-8	Pre-contact, subsurface	<5 stone flakes	SSE of the confluence of Scougale Creek and Clark Lakes
KlTv-7	Pre-contact, subsurface	<5 stone flakes	NE of the confluence of McKay Gulch and Keno Ladue River
KlTv-8	Pre-contact, subsurface	<25 stone flakes	S of the confluence of Keno Ladue River and Ladue Lake
KlTw-2	Pre-contact, subsurface	<5 stone flakes	N of Christal Creek and south of Hanson Lakes

The pre-contact sites were identified on lake terraces, knolls, ridges, and river terraces. The majority of sites are low density lithic scatters confined to small micro-topographic features that represent short term camps and/or stone tool maintenance areas.

4.0 METHODOLOGY

The following section describes the methods used for the heritage resources overview assessment (HROA) and subsequent preliminary field reconnaissance (PFR). Background information was combined with aerial and ground observations to produce a preliminary assessment of heritage resources potential in the study area. Moderate and high potential areas were then inspected for surface and/or subsurface features during the PFR. Results of the HROA and PFR are presented in Section 5.0.

4.1 Heritage Resources Overview Assessment

All available maps, digital elevation models, satellite imagery, air photographs, ethnographies, histories, and archaeological reports for the study area were examined. Criteria used to determine potential for heritage resources included: proximity to streams and water bodies, known heritage sites, known Aboriginal or historic trails, topography, vegetation cover, and presence of fish and wildlife habitat based on Wildlife Key Area (Yukon Department of Environment 2010).

4.2 Limitations of the HROA

Our current understanding of past settlement patterns and land use of the area is significantly limited by the lack of ethnographic data, the relative scarcity of heritage studies and recorded sites in the area, and the lack of detailed information on environmental and geomorphological changes throughout the glacial and post-glacial periods.

When viewing the HROA results it is important to note that low potential does not mean **no** potential. It is possible for heritage sites to be located outside of areas identified as having moderate or high heritage resources potential. To ensure that the discovery of any unanticipated heritage resources is addressed, it is recommended that ATAC Resources Ltd. inform their personnel and contractors that, in the event that heritage resources are encountered, all development activities in the vicinity of the heritage resources must be suspended immediately. In such cases, the Cultural Services Branch, Department of Tourism and Culture, Government of Yukon, and the First Nation of Na-Cho Nyak Dun must be contacted immediately with information on the heritage remains and nature of the disturbance.

4.3 Field Procedures

Aerial Survey

The first stage of the PFR was a series of short aerial surveys of the study areas, which consisted of flying along proposed mineral exploration areas at an elevation of approximately

150 m. Flight paths were recorded with a handheld GPS unit and are shown on Maps 3, 4.0, 4.1, 4.2, 4.3, 4.4, 4.5, 4.6, and 4.7. During the flight, moderate or high heritage resources potential zones were refined and charted on a map, as were all above-ground heritage features visible from the air. Delineation of moderate and high potential areas was based primarily on topographic and hydrological characteristics. Distinct topographic features, well-drained sediments, and proximity to major hydrological features were all determining criteria for heritage resources potential. Many of the topographic features were prominent on the landscape while well-drained sediments were identifiable based on distinct changes in vegetation cover. Potential zones were subsequently digitized and transposed over available digital imagery of the study area. The use of the imagery helped to ensure that areas deemed to be of elevated heritage resources potential were accurately plotted.

Pedestrian Survey

During the aerial survey, several locations were selected for pedestrian survey to confirm observations made from the air and / or to further assess the heritage resources potential of these locations. Pedestrian survey was judgmental in design and the brief traverses targeted notable topographic features (*e.g.*, saddles, knolls, and ridge tops) and surface exposures (*e.g.*, tree throws, cut banks, wind exposures, and areas with limited soil development). A GPS unit was used to record all pedestrian transects and the location of these are indicated on Maps 3, 4.0, 4.1, 4.2, 4.3, 4.4, 4.5, 4.6, and 4.7.

Visual inspection during the PFR resulted in the identification of several moderate and high potential areas, 49 of which were subjected to subsurface testing. The intent of testing during a PFR is to determine the presence of subsurface heritage resources when none are visible on the surface or to determine the presence of a subsurface component when heritage resources are identified on the surface. Subsurface tests were excavated by shovel and measured approximately 30 cm square and were excavated to sterile sediment, generally weathered bedrock located no more than 30 cm below surface. Sediments were passed through ¼ inch steel mesh screen. Subsurface testing was deemed unnecessary in low potential areas or in areas of moderate potential where surface exposures were considered adequate and intensive examinations failed to produce any indication of past human activity.

5.0 RESULTS

5.1 HROA Results

The land base in the study area has been classified into zones of heritage potential. Heritage potential is rated as high, moderate, or low. It is important to note that the classification scheme is a predictive tool and that low potential does not mean no potential as it is possible for heritage resources to be encountered anywhere in the study area. Zones of heritage potential are portrayed as polygons on the enclosed maps (Maps 3, 4.0, 4.1, 4.2, 4.3, 4.4, 4.5, 4.6, and 4.7). GIS shapefiles are provided so that these HROA polygons can be overlaid onto development planning maps.

The proposed developments are spread over uplands of the Rackla and Nadaleen Ranges and intervening valleys of East Rackla, Rackla, Beaver, Stewart, and Nadaleen Rivers and their tributaries. The HROA results are tailored to this varied topography and the range of potential pre- and post-contact human activities within it. Section 6.0 discusses general patterns regarding the assignment of heritage resources potential and provides recommendations specific to each classification.

5.2 PFR Results

This section contains descriptions of the 15 heritage sites identified within the study area and results of shovel testing (Table 2). Maps 3, 4.0, 4.1, 4.2, 4.3, 4.4, 4.5, 4.6, and 4.7 depict locations of the sites. Individual maps of each site are provided in Appendix B and photographs of all sites identified during this study are provided in Appendix D.

Table 3: Shovel Test Results

Testing Zone	Number of Tests	Results	Testing Zone	Number of Tests	Results
MPZ1	0 (shovel tests not necessary)	Negative	HPZ12	5	**LbTq-1**
MPZ2	0 (shovel tests not necessary)	Negative	MPZ14	6	Negative
MPZ3	0 (shovel tests not necessary)	Negative	HPZ13	14	**LbTq-2**
MPZ4	0 (shovel tests not necessary)	Negative	HPZ14	6	**LbTq-3**
HPZ1	2	**LbTp-1**	HPZ15	8	**LbTq-4**
MPZ5	0 (shovel tests not necessary)	Negative	HPZ16	10	Negative
MPZ6	10	Negative	HPZ17	16	Negative
HPZ2	6	**LaTn-1**	HPZ18	3	**LcTv-2**
HPZ3	5	Negative	HPZ19	3	**LcTv-3**
MPZ7	10	Negative	HPZ20	10	Negative
MPZ8	9	Negative	HPZ21	3	**LcTv-4**
MPZ9	10	Negative	MPZ15	6	Negative
MPZ10	8	Negative	MPZ16	5	Negative
HPZ4	10	Negative	HPZ22	2	**LbTs-1**
HPZ5	10	Negative	HPZ23	12	Negative
MPZ11	0 (shovel tests not necessary)	Negative	HPZ24	10	Negative
MPZ12	10	Negative	HPZ25	9	**LbTq-5**
HPZ6	14	Negative	HPZ26	3	**LbTq-6**
HPZ7	15	Negative	HPZ27	12	Negative
HPZ8	15	Negative	HPZ28	10	Negative
MPZ13	8	Negative	HPZ29	6	**LbTp-3**
HPZ9	5	Negative	HPZ30	14	**LbTp-2**
HPZ10	20	Negative	MPZ17	0 (shovel tests not necessary)	**LcTv-2**
HPZ11	10	Negative	MPZ18	6	Negative
			Total Tests	**390**	

PERMIT #; 11-11ASR

DATE: 04-11-2011



Rackla Property
High Potential
Moderate Potential
Area of Detailed Work
First Nation Settlement Area
Trail
Stream
River/Lake
Road

MAP 3: Rackla Property HROA Results

MATRIX Research Ltd

MAPSHEETS:
NTS: 106 B/4, 106 C/1-8
106 D/1, D/2, D/6, D/7, D/8

LOCATION: Rackla River
UTM: E 574254 N 7119878
PROJECTION: NAD83 Zone 8

PROPONENT: ATAC Resources
JOB #: Y11-015-Rackla

PERMIT #: 11-11ASR

DATE: 04-11-2011



Helicopter Transect
Ground Transect
Area of Detailed Work
FN Settlement Lands
Moderate Potential
Road
Stream
Rackla Property
River/Lake
High Potential

MAP 4: Rackla Gold HRIA Results

MATRIX Research Ltd

MAPSHEETS: NTS: 106 B/4, 106 C/1-8 106 D/1, D/2, D/6, D/7, D/8	LOCATION: Rackla River	PROPONENT: ATAC Resources
	UTM: E 574254 N 7119878 PROJECTION: NAD83 Zone 8	JOB #: Y11-015-Rackla

PERMIT #: 11-11ASR

DATE: 01-20-2012



MAP 4.1: Rackla Gold HRIA Results- Area of Detailed Work 1

MATRIX Research Ltd	MAPSHEETS: NTS: 106 D/6	LOCATION: Beaver River	PROPONENT: ATAC Resources
		PROJECTION: NAD83 Zone 8	JOB #: Y11-015-Rackla

PERMIT #: 11-11ASR

DATE: 01-20-2012



Rackla Property
River/Lake
Area of Detailed Work
Moderate Potential
Trail
Stream
30m Contour
High Potential

MAP 4.2: Rackla Gold HRIA Results- Area of Detailed Work 2

MATRIX Research Ltd

MAPSHEETS:

NTS: 106 D/1

LOCATION: Rackla River

PROJECTION: NAD83 Zone 8

PROPONENT: ATAC Resources

JOB #: Y11-015-Rackla

PERMIT #: 11-11ASR

DATE: 01-20-2012



Rackla Property
River/Lake
Area of Detailed Work
Moderate Potential
Trail
Stream
30m Contour
High Potential

MAP 4.3: Rackla Gold HRIA Results- Area of Detailed Work 3

MATRIX Research Ltd

MAPSHEETS: NTS: 106 C/3, C/4	LOCATION: Rackla River	PROPONENT: ATAC Resources
	PROJECTION: NAD83 Zone 8	JOB #: Y11-015-Rackla



Rackla Property
River/Lake
Area of Detailed Work
Moderate Potential
Trail
Stream
30m Contour
High Potential

MAP 4.4: Rackla Gold HRIA Results- Areas of Detailed Work 4 & 5

	MAPSHEETS:	LOCATION: Rackla River	PROPONENT: ATAC Resources
	NTS: 106 C/3	PROJECTION: NAD83 Zone 8	JOB #: Y11-015-Rackla

PERMIT #: 11-11ASR

DATE: 01-20-2012



Rackla Property
River/Lake
Area of Detailed Work
Moderate Potential
Trail
Stream
30m Contour
High Potential

MAP 4.5: Rackla Gold HRIA Results- Areas of Detailed Work 6, 7 & 8

MATRIX Research Ltd

MAPSHEETS: NTS: 106 C/2	LOCATION: Nadaleen River	PROPONENT: ATAC Resources
	PROJECTION: NAD83 Zone 8	JOB #: Y11-015-Rackla

PERMIT #: 11-11ASR

DATE: 01-20-2012



Rackla Property
River/Lake
Area of Detailed Work
Moderate Potential
Trail
Stream
30m Contour
High Potential

MAP 4.6: Rackla Gold HRIA Results- Areas of Detailed Work 9, 10 & 12

MATRIX Research Ltd

MAPSHEETS:

NTS: 106 C/1

LOCATION: Nadaleen River

PROJECTION: NAD83 Zone 8

PROPONENT: ATAC Resources

JOB #: Y11-015-Rackla



Rackla Property
River/Lake
Area of Detailed Work
Moderate Potential
Trail
Stream
30m Contour
High Potential

MAP 4.7: Rackla Gold HRIA Results- Area of Detailed Work 11

MATRIX Research Ltd

MAPSHEETS:

NTS: 106 C/1

LOCATION: Nadaleen River

PROJECTION: NAD83 Zone 8

PROPONENT: ATAC Resources

JOB #: Y11-015-Rackla

5.2.1 Heritage Resource Site Summaries

Fifteen newly recorded heritage sites were identified within the study area during this project. The following is a summary of all of these sites.

LbTp-1 (Temporary Site Number M11-ATAC-1)

LbTp-1 is a pre-contact site located approximately 8.4 km southeast (144°) of Rackla Lake, 674 m northeast (66°) of the confluence of an unnamed creek and East Rackla River, and 60 m northwest (312°) of East Rackla River. The site is situated at the tip of a ridge feature overlooking black spruce muskeg and East Rackla River to the southeast. The site consists of sub-surface cultural material including two pre-contact stone flakes identified in one of two shovel test locations. Natural topography and artifact types suggest short term tool maintenance at the site. The topographic feature on which the site is located represents a dry, sandy locale elevated approximately 8-10 m above adjacent muskeg and a wetland margin around East Rackla River to the southeast. A complete site assessment was not conducted and the dimensions are unknown but the site is surrounded by steep terrain and is likely confined to the ridge feature. The site may extend west. The location of other pre-contact sites along the East Rackla River (**LbTp-2** and **LbTp-3**) in proximity to a distinct trail that lies approximately 30 m west of **LbTp-1**, suggests the trail has pre-contact origins although it has been used into modern times for outfitting. Disturbance to the site is minimal and is limited to tree throws and minor wind erosion along the ridge slopes. All artifacts were collected for recording purposes and will be forwarded to the Yukon Archaeology Program after cataloguing and analysis is complete. Site vegetation consists of white spruce and black spruce forest cover with understory and ground cover that includes grass, lupin, blueberry, Labrador tea, reindeer lichen, moss, and toadflax.

LaTn-1 (Temporary Site Number M11-ATAC-2)

LaTn-1 is a pre-contact site located approximately 10 km southwest (245°) of Mount Stenbraten and 75 m southwest (231°) of Stewart River. The site is situated on a pointed terrace feature overlooking a tributary creek to the southwest and Stewart River to the north. The site consists of sub-surface cultural material including a pre-contact stone tool and flakes identified in one of six shovel test locations. Artifact types suggest tool maintenance and use at the site. The topographic feature on which the site is located represents a flat topped terrace feature elevated 20-30 m above a tributary of Stewart River. The area may have served as a fish camp based on its proximity to a major creek confluence with Stewart River. A complete site assessment was not conducted and the dimensions are unknown. The site is surrounded by steep terrain to the north, east, and west but likely extends to the south along the terrace feature. Disturbance to the site is minimal and is limited to tree throws and minor erosion along the terrace edge. All artifacts were collected for recording purposes and will be forwarded to the Yukon Archaeology Program after cataloguing and analysis is complete. Site vegetation consists of white spruce and black spruce forest cover with understory and ground cover that includes willow, scrub birch, fireweed, lupin, grass, blueberry, bunchberry, moss, and reindeer lichen.

LbTp-2 (Temporary Site Number M11-ATAC-3)

LbTp-2 is a pre-contact site located 8.8 km southwest (244°) of Nadaleen Mountain and 81 m south (183°) of the East Rackla River. The site is situated immediately north and south of the Rackla airstrip cleared over 20 years ago. The site lies on a flat terrace feature overlooking East Rackla River to the north. The site consists of surface cultural material including a stone tool and flakes identified in three surface find locations. Artifact types suggest general purpose activities at the site such as tool maintenance and use. The topographic feature on which the site is located represents a flat and dry terrace along what appears to be a heritage trail that follows East Rackla River. Sites **LbTp-1**, **LbTq-6**, and **LbTp-3** also appear to be associated with this trail. A complete site assessment was not conducted and the dimensions are unknown. The site is surrounded by

steep terrain to the north and muskeg to the south but likely extends east and west along the terrace feature. Disturbance due to previous airstrip clearing is likely significant. All artifacts were collected for recording purposes and will be forwarded to the Yukon Archaeology Program after cataloguing and analysis is complete. Site vegetation consists of white and black spruce forest cover with understory and ground cover that includes willow, scrub birch, young spruce, Labrador tea, grass, moss, and reindeer lichen.

LbTq-1 (Temporary Site Number M11-ATAC-4)

LbTq-1 is a pre-contact site located approximately 24.9 km north (9°) of the confluence of Stewart and Nadaleen Rivers, 303 m west (274°) of the western tip of a small unnamed lake, and 85 m southeast (130°) of the confluence of an unnamed creek and East Rackla River. The site is situated on a flat topped knoll feature overlooking East Rackla River to the north. The site consists of sub-surface cultural material including four stone flakes identified in one of five shovel test locations. Artifact types and the small topographic feature suggest short term tool maintenance at the site. The knoll on which the site is located is elevated 12-15 m above surrounding terrain and represents a small, sandy, dry, elevated area bordered by black spruce lowlands along the East Rackla River valley. A complete site assessment was not conducted and the dimensions are unknown but the site is surrounded by steep terrain and is likely confined to the small knoll. Shovel tests on knoll features in the vicinity failed to yield cultural material. Disturbance to the site is minimal and is limited to tree throws. All artifacts were collected for recording purposes and will be forwarded to the Yukon Archaeology Program after cataloguing and analysis is complete. Site vegetation consists of white spruce and black spruce forest cover with understory and ground cover that includes Labrador tea, blueberry, kinnikinnick, bearberry, toadflax, moss, grass, and reindeer lichen.

LbTq-2 (Temporary Site Number M11-ATAC-5)

LbTq-2 is a pre-contact site located approximately 14.1 km southeast (154°) of Rusty Mountain and 84 m east (75°) of East Rackla River. The site is situated on a prominent knoll feature overlooking East Rackla River to the south and west. The site consists of sub-surface cultural material including four pre-contact stone flakes identified in one of fourteen shovel test locations on the top and gently sloping margins of the knoll. Low artifact density and artifact types suggest short term tool maintenance was performed at the site. The topographic feature on which the site is located represents a sandy, dry, elevated site along the black spruce lowlands of East Rackla River valley. A complete site assessment was not conducted and the dimensions are unknown but the site is surrounded by steep terrain and is likely confined to the top of the knoll feature. Disturbance to the site is minimal and is limited to tree throws. All artifacts were collected for recording purposes and will be forwarded to the Yukon Archaeology Program after cataloguing and analysis is complete. Site vegetation consists of white and black spruce forest cover with understory and ground cover that includes willow, young spruce, scrub birch, Labrador tea, blueberry, kinnikinnick, toadflax, moss, and reindeer lichen.

LbTq-3 (Temporary Site Number M11-ATAC-6)

LbTq-3 is a pre-contact site located approximately 16.5 km southeast (144°) of Rusty Mountain and 216 m north (357°) of the confluence of an unnamed creek and East Rackla River. The site is situated on a large knoll and adjacent ridge feature overlooking a wetland and East Rackla River. The site consists of sub-surface cultural material including four pre-contact stone flakes identified in two of six shovel test locations on top of the ridge and knoll. Artifact types suggest short term tool maintenance at the site. The topographic feature on which the site is located represents a sandy, dry, elevated feature with good views of an adjacent wetland and bend in the East Rackla River. A complete site assessment was not conducted and the dimensions are unknown but the knoll and ridge are surrounded by steep terrain and the site is likely confined to the tops of these two features. Disturbance to the site is minimal and is limited to tree throws and erosion along the knoll edge. All artifacts were collected for recording purposes and will be forwarded to the Yukon

Archaeology Program after cataloguing and analysis is complete. Site vegetation consists of white spruce forest cover with understory and ground cover that includes young spruce, rose, juniper, Labrador tea, lupin, kinnikinnick, toadflax, grass, moss, and reindeer lichen.

LbTq-4 (Temporary Site Number M11-ATAC-7)

LbTq-4 is a pre-contact site located approximately 12.6 km southwest (213°) of Rackla Lake, 732 m east (91°) of the confluence of an unnamed creek and East Rackla River, and 105 m northeast of the western tip of a small unnamed lake. The site is situated on a large ridge feature overlooking muskeg lowlands along East Rackla River. The site consists of sub-surface cultural material including five stone flakes identified in two of eight shovel test locations. Low artifact density and artifact types suggest short term tool maintenance at the site, which may have served as a game lookout. The topographic feature on which the site is located is elevated 20-25 m above surrounding wetlands and East Rackla River to the north. A complete site assessment was not conducted and the dimensions are unknown but the site is surrounded by steep terrain and is likely confined to the ridge top. Disturbance to the site is minimal and is limited to tree throws and erosion along the ridge edge. All artifacts were collected for recording purposes and will be forwarded to the Yukon Archaeology Program after cataloguing and analysis is complete. Site vegetation consists of black spruce forest cover with understory and ground cover that includes scrub birch, rose, young spruce, juniper, soopallalie, Labrador tea, lupin, kinnikinnick, toadflax, grass, moss, and reindeer lichen.

LcTv-1 (Temporary Site Number M11-ATAC-8)

LcTv-1 is an historic site located approximately 7.9 km northwest (313°) of the confluence of Carpenter Creek and Beaver River and 167 m east (92°) of Carpenter Creek. The site is situated on flat black spruce lowlands east of a creek terrace. The site consists of surface cultural material including three historic cabins, two frames, one platform cache, a tin drum, wash pan, rusted fuel drum, historic debris, and a stove pipe. Butchered moose bones were found near one cabin and remains of an old trail with several blaze marks were detected along portions of the terrace margin south of the cabins. The cabins are all partially collapsed with saddle notch corner joints, unhewn logs with saw cut ends, and moss chinking. Roofs are single beam and gabbled and no internal cellars were detected although a notable depression in the vicinity of one cabin may have been for storage. An elevated cache with a high platform and four corner posts lined with tin metal was found adjacent to one cabin. Estimated age of the cabins is 50-60 years based on wood decay and refuse (such as sanitary cans). Artifact types and site location suggest the cabins were likely used for winter trapping. Shovel tests were not excavated. Based on the extent of surface features, the site is approximately 300 m north-south by 150 m east-west. A complete site assessment was not conducted and the dimensions are unknown but the site perimeters were extensively surveyed for surface remains. Disturbance to the site is minimal although the cabins and cache feature will continue to collapse. No cultural material was collected but the site was extensively photographed. Site vegetation consists of white spruce and black spruce forest cover with an understory and ground cover consisting of willow, young spruce, soopallalie, scrub birch, Labrador tea, blueberry, kinnikinnick, crowberry, clubmoss, and reindeer lichen.

LcTv-2 (Temporary Site Number M11-ATAC-9)

LcTv-2 is a pre-contact site located approximately 8.4 km northwest (313°) of the confluence of Carpenter Creek and Beaver River, and 304 m south (181°) of Carpenter Creek. The site is situated on a prominent hill overlooking Carpenter Creek to the north and west. The site consists of sub-surface cultural material including seven stone flakes identified in two of three shovel test locations. Artifact types suggest general purpose activities at the site such as tool maintenance and use. The topographic feature on which the site is located represents a dry, sandy area elevated 40 m above surrounding terrain with excellent views north, south, and east at Carpenter Creek valley. A complete site assessment was not conducted and the dimensions are unknown but the site is surrounded by steep slopes and is likely confined to the flat hill top. Disturbance is

minimal and is limited to tree throws. All artifacts were collected for recording purposes and will be forwarded to the Yukon Archaeology Program after cataloguing and analysis is complete. Site vegetation consists of white spruce and aspen forest cover with understory and ground cover that includes willow, soopallalie, young spruce, Labrador tea, kinnikinnick, blueberry, grass, crowberry, moss, and reindeer lichen.

LcTv-3 (Temporary Site Number M11-ATAC-10)

LcTv-3 is a pre-contact site located approximately 5.4 km southeast (160°) of Grey Copper Hill and 35 m northeast (35°) of Carpenter Creek. The site is situated on a high bedrock bluff feature overlooking Carpenter Creek to the west. The site consists of sub-surface cultural material including stone flakes identified in two of three shovel test locations. Artifact types suggest short term tool maintenance at the site. The topographic feature on which the site is located represents a dry, flat topped area with a good view of the valley and easy access to a notable constriction along Carpenter Creek. A complete site assessment was not conducted and the dimensions are unknown but the site is surrounded by steep slopes and irregular terrain and is likely confined to flat ground on top of the bluffs. Adjacent bluffs across Carpenter Creek were tested for cultural material but nothing was found. Disturbance in the form of tree throws and wind erosion along the bluff edge is minimal. All artifacts were collected for recording purposes and will be forwarded to the Yukon Archaeology Program after cataloguing and analysis is complete. Site vegetation consists of white spruce and black spruce forest cover with understory and ground cover that includes willow, juniper, scrub birch, Labrador tea, blueberry, kinnikinnick, crowberry, potentilla, and reindeer lichen.

LcTv-4 (Temporary Site Number M11-ATAC-11)

LcTv-4 is a pre-contact site located approximately 3.1 km southwest (223°) of Grey Copper Hill and 206 m northwest (339°) of the confluence of an unnamed creek and Carpenter River. The site is situated on a sandy bluff overlooking Carpenter Creek to the south. The site consists of sub-surface cultural material including stone flakes and unidentifiable calcined mammal bone fragments found in one of three shovel test locations. Artifact types suggest general purpose activities at the site such as tool maintenance, use, and food processing. The topographic feature on which the site is located represents a dry, sandy bluff eroded by a bend of Carpenter Creek. The bluff lies along an intermittent terrace feature on the east side of the creek. A complete site assessment was not conducted and the dimensions are unknown. The site is bordered by steep slopes to the east but may extend north and south along flat ground on top of the bluff feature. Disturbance to the site is minimal and limited to tree throws and erosion along the bluff edge. All pre-contact artifacts were collected for recording purposes and will be forwarded to the Yukon Archaeology Program after cataloguing and analysis is complete. Site vegetation consists of white spruce with understory and ground cover that includes willow, scrub birch, soopallalie, Labrador tea, blueberry, lupin, moss, grass, and reindeer lichen.

LbTs-1 (Temporary Site Number M11-ATAC-12)

LbTs-1 is a pre-contact site located approximately 11.9 km northeast (54°) of the confluence of Rackla and Beaver Rivers, 5.8 km south (202°) of the eastern tip of Kathleen Lakes, and 295 m east (94°) of Rackla River. The site is situated on a high hill feature overlooking Rackla River valley to the southwest and northeast. The site consists of sub-surface cultural material including two stone flakes identified in one of two shovel test locations on the hill top. Natural topography and artifact types suggest use of the site as a game lookout with tool maintenance. The topographic feature on which the site is located represents a small, prominent location with excellent views up and down Rackla River. A complete site assessment was not conducted and the dimensions are unknown but the site is surrounded by steep terrain and is likely confined to a small patch of flat ground on top of the hill feature. Disturbance to the site is minimal. All artifacts were collected for recording purposes and will be forwarded to the Yukon Archaeology Program after cataloguing and analysis is complete. Site vegetation consists of white spruce forest cover

with understory and ground cover that includes willow, young spruce, rose, soopallalie, toadflax, lupin, fireweed, moss, and grass.

LbTq-5 (Temporary Site Number M11-ATAC-13)

LbTq-5 is a pre-contact site located approximately 16.1 km southwest (223°) of the western tip of Rackla Lake, 560 m south (175°) of the confluence of an unnamed creek and East Rackla River, and 167 m west (274°) of an unnamed tributary of East Rackla River. The site is situated on a low ridge feature overlooking black spruce lowlands and the East Rackla River to the west. The site consists of sub-surface cultural material including two pre-contact stone flakes identified in one of nine shovel test locations. Natural topography and artifact types suggest the site was used for short term tool maintenance. The topographic feature on which the site is located represents a series of small knolls along a low ridge surrounded by gently sloping terrain and black spruce lowlands. The area would have provided a dry camping location along the East Rackla River valley. A complete site assessment was not conducted and the dimensions are unknown but the site is surrounded by sloping terrain and is likely confined to the relatively narrow ridge feature. Disturbance to the site is minimal and is limited to tree throws and wind erosion along the ridge edges. All artifacts were collected for recording purposes and will be forwarded to the Yukon Archaeology Program after cataloguing and analysis is complete. Site vegetation consists of white spruce forest cover with understory and ground cover that includes scrub birch, soopallalie, young spruce, toadflax, lupins, blueberry, Labrador tea, kinnikinnick, grass, and reindeer lichen.

LbTq-6 (Temporary Site Number M11-ATAC-14)

LbTq-6 is a pre-contact site located approximately 12.9 km southwest (223°) of the western tip of Rackla Lake and 170 m northeast (43°) of the confluence of an unnamed creek and East Rackla River. The site is situated on a high bluff at the end of a long sloping ridge feature overlooking East Rackla River to the south. The bluff is elevated approximately 25 m above the river. The site consists of sub-surface cultural material including stone flakes and mammal bone fragments identified in three of three shovel test locations. Artifact types and proximity to East Rackla River suggest general purpose activities at the site such as tool maintenance and food processing. A quartz crystal artifact recovered from the site appears to be an exhausted core used for some form of tool production. A complete site assessment was not conducted and the dimensions are unknown but the site is surrounded by steep terrain and is likely confined to the small patch of flat ground at the edge of the bluff. A well-worn trail is located immediately north of the site. The trail is used in modern times by outfitters but likely has pre-contact origins because of the identification of several associated pre-contact sites further to the east (**LbTp-1**, **LbTp-2**, and **LbTp-3**). Disturbance to the site is minimal and is limited to tree throws and wind erosion along the edge of the bluffs. All artifacts were collected for recording purposes and will be forwarded to the Yukon Archaeology Program after cataloguing and analysis is complete. Site vegetation consists of white spruce forest cover with understory and ground cover that includes scrub birch, willow, young spruce, willow, toadflax, lupins, blueberry, Labrador tea, bearberry, kinnikinnick, and reindeer lichen.

LbTp-3 (Temporary Site Number M11-ATAC-15)

LbTp-3 is a pre-contact site located approximately 7.5 km south (175°) of the western tip of Rackla Lake and 60 m north (0°) of the East Rackla River. The site is situated on a bluff along a high terrace feature elevated 20 m above East Rackla River to the south. The site consists of sub-surface cultural material including two pre-contact stone flakes identified in one of eight shovel test locations along the relatively flat terrace feature. Low artifact density and artifact types suggest short term tool maintenance was performed at the site. The topographic feature on which the site is located represents a sandy, dry, elevated area above the floodplain and black spruce lowlands along East Rackla River valley. A complete site assessment was not conducted and the dimensions are unknown. The site is surrounded by steep terrain to the south and west but may

extend further east along the terrace edge. Disturbance to the site is minimal. All artifacts were collected for recording purposes and will be forwarded to the Yukon Archaeology Program after cataloguing and analysis is complete. Site vegetation consists of white and black spruce forest cover with understory and ground cover that includes willow, young spruce, scrub birch, soopallalie, lupins, Labrador tea, kinnikinnick, and reindeer lichen.

6.0 HERITAGE RESOURCE MANAGEMENT RECOMMENDATIONS

This section provides recommendations resulting from this study, including a discussion of gaps in heritage data, a prediction of the type and number of sites expected, and a discussion of options for managing identified heritage sites during development planning.

6.1 Gaps in the Heritage Resources Record of the Study Area

Only one systematic archaeological survey has been undertaken within the Rackla Gold Property, which was conducted primarily along the proposed Rau road corridor that followed valley bottoms (Kristensen and Heffner 2011). Relatively little is known about heritage resources in the smaller tributaries, uplands, and lakes of the region. Additionally, there is a minimal amount of First Nations traditional land use information recorded for the study area. Therefore, regional site density / distribution and potential relationships of pre-contact sites to traditional activity areas are relatively unknown.

6.2 Heritage Resource Potential and Resource Values

A significant portion of the study area is considered to have low pre-contact heritage resources potential. Areas considered to have high to moderate pre-contact heritage resources potential are typically near hydrological resources on distinct, well-drained topographic features or are in upland areas on prominent landforms that provide good vantage points or strategic hunting positions. These topographic features include knolls, ridges, and saddles that represent favourable locations for camping while moving through the area and / or favourable hunting grounds for large mammals moving along the uplands. Moderate and high potential landforms also include terrace features along fish-bearing streams and rivers. Generally, moderate and high potential areas are more frequent along the valleys of rivers and major tributaries of the study area. This is based on heritage assessments conducted in the Rackla Gold Property in 2010 which revealed 21 pre-contact heritage sites in the valley bottoms of Keno-Ladue, Beaver, and Rackla Rivers. These sites were generally located on small elevated landforms (knolls, ridges, and eskers) that represent dry camping locales surrounded by spruce muskeg and wetlands. Initially, several moderate and high potential zones were also located in upland areas that would have provided easier travel and access to hunting locations than the steeply sloped upper valley walls and v-shaped valley bottoms of minor tributaries. Subsequent PFR fieldwork failed to yield cultural material in upland areas and the heritage potential zones have been refined accordingly. From the archaeological record, it is inferred that larger, more permanent pre-contact sites will be positioned adjacent to the major hydrological features (*i.e.*, Stewart, East Rackla, and Nadaleen Rivers). Short term camps with low artifact densities are likely to occur along smaller tributaries or at greater distances from major rivers. The remains of structures are not expected to be readily

visible in this area given the regularity of forest fires. Cultural depressions associated with pre-contact semi-subterranean dwellings may be present.

Post-contact heritage resources potential is highest along gold-bearing creek beds and along old trap lines. Drainage valleys in the study area have not been subjected to extensive dredging operations and therefore there is a high likelihood that if early mining and trapping sites (cabins and mining equipment) were located in the area, they are still preserved. Heritage resource sites in the region may also relate to more recent hunting and trapping in the 20th century as these activities are still being conducted in the study area. Brush structures, historic drying racks, tent remains, and trapping equipment may be present in the area.

6.3 Heritage Resource Management Options

The HROA is intended to facilitate the management of heritage resources and provide planning options for future mineral exploration or mine developments. For this study, areas of low heritage resources potential are characterized by significant distances from natural resources and / or have terrain characteristics that are not commonly associated with heritage sites. Developments proposed for these areas are not anticipated to have an impact on heritage resources, therefore, pre-construction heritage assessments are not recommended in low potential zones.

Conversely, those areas identified as having moderate or high heritage resources potential can be managed to avoid having an impact on heritage sites. The preferred management option for areas with moderate to high potential is avoidance. Preliminary Field Reconnaissance surveys (PFRs) and/or Heritage Resources Impact Assessments (HRIAs) are recommended in moderate and high heritage resource zones in order to ground-truth heritage resources potential and negate or confirm the presence of heritage resources. In the event that heritage resources are discovered in the development area that cannot be avoided, mitigation options can be provided. Specific recommendations regarding heritage resources identified in the Rackla Gold Property are outlined in the following section.

6.4 Recommendations

Several areas within the Rackla Gold Property exhibit moderate to high heritage potential. A PFR was recommended and conducted resulting in refinement of heritage resource potential zones and the discovery of 14 pre-contact and one historic heritage site (**LbTp-1**, **LaTn-1**, **LbTp-2**, **LbTp-3**, **LbTq-1**, **LbTq-2**, **LbTq-3**, **LbTq-4**, **LbTq-5**, **LbTq-6**, **LcTv-1**, **LcTv-2**, **LcTv-3**, **LcTv-4**, and **LbTs-1**). The refined zones of moderate and high heritage resources potential are shown on Map 3 (Section 5).

The majority of the 14 pre-contact heritage sites appear to be low density, sub-surface lithic scatters that are spatially confined by surrounding steep slopes. The historic site also

appears to be spatially confined to a small stretch of terrain along Carpenter Creek. Based on these site types and topographic setting, site-specific management recommendations in order of preference are:

1) Avoidance. If the site areas and appropriate buffers (100 m) around the sites can be avoided then no further heritage assessments of these sites are recommended.

2) If the site areas cannot be avoided, then detailed site assessments, and possibly systematic data recovery, are recommended prior to any potentially ground-altering development activities.

Heritage resources are protected from non-permitted alterations or disturbance by the *Historic Resources Act* (Government of Yukon 2002) and the *Archaeological Sites Regulations* (Government of Yukon 2003).

Several moderate and high potential zones were down-graded to low potential during aerial overview flights and pedestrian surveys but for the remaining moderate and high potential zones, it is recommended that additional Heritage Resources Impact Assessment (HRIA) fieldwork is conducted prior to development. If mineral exploration activities can be relocated to avoid moderate and high heritage resource potential zones, no further heritage assessments are required in the study areas surveyed in 2011. Additional HRIA fieldwork to negate or confirm the presence of heritage resources is recommended in those areas where future mineral exploration cannot avoid intersecting moderate or high potential zones.

The initial HROA and subsequent PFR were designed solely for the management of heritage resources. They should not be considered applicable to studies of traditional or contemporary land use by First Nations. It is recommended that concerns regarding traditional Aboriginal use in the proposed mineral exploration areas of the Rackla Gold property are discussed with the First Nation of Na-Cho Nyak Dun.

7.0 REFERENCES CITED

Bleiler, L., C. Burn, and M. O'Donoghue
2006 *Heart of the Yukon. A natural and cultural history of the Mayo area*. Village of Mayo, Mayo.

Gotthardt, Ruth and Chris Thomas
2005 *Handbook for the Identification of Heritage Sites and Features.* Yukon Tourism and Culture, Whitehorse.

Government of Yukon
2003 *Archaeological Sites Regulation.* Yukon Regulations O.I.C. 2003/73.

2002 *Historic Resources Act.* Revised Statutes of the Yukon 2002, Chapter 109.

Kristensen, Todd and Ty Heffner
2011 *Heritage Resources Impact Assessment of the ATAC Resources Ltd. Rau Pioneer Road and Rau Airstrip and Preliminary Field Reconnaissance of the Osiris Claim Area.* Report on file with Cultural Services Branch, Department of Tourism and Culture, Government of Yukon, Whitehorse.

Mayo Historical Society
1990 *Gold and Galena. A History of the Mayo District*. Friesen Printers, Mayo.

McClellan, Catherine
1981 Tutchone. In *Handbook of North American Indians, Vol 6., Subarctic*, edited by W. C. Sturtevant, pp 493-505. Smithsonian Institute, Washington.

Smith, C.A.S., J.C. Meikle and C.F. Roots
2004 *Ecoregions of the Yukon Territory: Biophysical Properties of Yukon Landscapes*, Minister of Supply and Services Canada, pp. 179-186.

K-L Services
2004 Exploring Keno Hill. Stories About a Silver Deposit. Report on file, Yukon Development Corporation, Whitehorse.

Yukon Department of Environment
2010 *Yukon Wildlife Key Area Inventory.* Digital database and software produced by Habitat Programs Section, Fish and Wildlife Branch, Department of Environment, Government of Yukon, Whitehorse.

APPENDIX A

Glossary of Archaeological Terms

ABORIGINAL; INDIGENOUS: Pertaining to the original occupants of a given region.

A-HORIZON: the uppermost, often dark-coloured natural level in a soil profile characterized by roots, humus, and a lack of clay, iron, carbonates and soluble salts which have leached to lower levels.

ARCHAEOLOGY: The science concerned with the recovery, analysis, description, and explanation of the remains of past human cultures.

ARCHAEOLOGICAL SURVEY OR SITE INVENTORY: Examination of a locality for evidence of past human activity and the recording of that evidence to produce an inventory of sites in that locality.

ARTIFACT: Any manually portable product of human workmanship. In its broadest sense includes tools, weapons, ceremonial items, art objects, all industrial waste, and all floral and faunal remains modified by human activity. In the Yukon, an artifact is an object that is older than 45 years and has been abandoned.

BARK-STRIPPED TREE: A tree which has had bark removed by First Nations people for a number of possible purposes (*e.g.,* fibre, food, medicine)

BASALT: A fine-grained volcanic rock used for the manufacture of chipped stone artifacts. Colour ranges from black to grey; texture granular to glass like.

B-HORIZON: That natural level within a soil profile which directly underlies the surficial A-horizon and which contains the clay, iron oxides and carbonates which have leached down from it.

BIFACE: A stone artifact flaked on both sides.

BORDEN NUMBER: A standardized number consisting of four letters and one number assigned to each archaeological site which identifies it and denotes its general location in Canada.

BORDEN SYSTEM: A code of 4 letters and a number used to designate archaeological sites in Canada (*e.g.,* GtRx 7; FlJr 10). Proposed by Charles E. Borden, University of British Columbia, in 1954. The alphabetic prefix refers to a block of l0 minutes by l0 minutes within a grid system that covers all of Canada south of 62 N latitude. The numerical suffix indicates the site within this block in numerical order of registration.

CACHE: A deliberate store of equipment, food, furs or other resources placed in, or on the ground (perhaps protected by a rock CAIRN), or raised above the ground on a platform.

CACHEPIT: Small circular depressions (less than 3 m) that were used to store food.

CHALCEDONY: A semi-translucent silicate (quartz) rock with a wax-like luster and a great range of colours, used as raw material for the manufacture of chipped stone artifacts. Commonly called agate.

CHERT: A mainly opaque, fairly granular, silicate rock with a dull shiny luster and a great range of colours, used as raw material for the manufacture of chipped stone artifacts. Varieties include jasper and flint.

CONCHOIDAL FLAKE: A type of spall resulting from the fracture of fine-grained, or glassy rocks. Characterized by a bulb of percussion, striking platform remnant, and extremely sharp edges. A predictable fracture pattern that allows the manufacture of predetermined tools from these materials.

CONTACT: The time of first prolonged direct contact between First Nations peoples and Europeans. The term is synonymous with the Historic period which is characterized by contemporary written works.

CONTEXT: The spatial relationships of archaeological items and samples within a site. "Primary Context" refers to materials found in their original position; "Secondary Context" refers to materials which have been displaced and redeposited by disturbance factors; "Geological Context" is the relationship of the archaeological finds to geological strata.

CONCENTRATION: A notable accumulation of archaeological materials in a small area, such as a "concentration of flakes" etc.

CORE: (1) A blocky nucleus of stone from which flakes or blades have been removed (see MICROBLADE CORE). (2) A column or lineal sample of materials obtained by "coring" the ground, trees, etc.

CORTEX: The naturally weathered outer surface of a pebble.

CULTURE: The distinctive lifeway – including language, technology, sustenance, social organization, customs, beliefs and rituals – practiced by a people. This term can also be used to refer to the culture of particular groups of people at a particular point in time. In an archaeological context, the term culture refers to materials or objects of human origin, in contract to natural.

CULTURAL DEPOSIT: Sediments and materials laid down by, or heavily modified by, human activity.

CULTURAL DEPRESSION: A pit excavated by people into natural sediments. Pits have been excavated for a variety of reasons including: houses (pithouses, house pit), food storage (cache, cache pit), food cooking (roasting pit, berry trenches, hearth) and burials.

CULTURALLY MODIFIED TREE (CMT): A tree that had been intentionally altered in some way. CMTs usually consists of bark-stripped trees, that is, trees that have had the bark to access the cambium for eating, for extracting tree sap, for manufacture, or for medicinal purposes, by First Nations people. Blazed trees may also be referred to as CMTs.

CULTURE SEQUENCE: The chronological succession of cultural traits, phases or traditions in a local area.

CULTURE TYPE: A chronologically limited cultural unit within a local culture sequence, characterized by sufficient descriptive traits to set it apart from all other units. A phase is generally represented by 2 or more components in several sites and is the basic classification of archaeological "cultures".

DACITE: Volcanic rock (or lava) that characteristically is light in color and contains 62% to 69% silica and moderate a mounts of sodium and potassium.

DATUM: A fixed reference point on an archaeological site from which measurements are taken.

DEBITAGE: Waste by-products from tool manufacture.

DETRITUS: Waste by-products from tool manufacture. Most frequently applied to chips and fragments resulting from stone flaking.

DISTURBANCE: A cultural deposit is said to be disturbed when the original sequence of deposition has been altered or upset by post-depositional factors. Agents of disturbance include natural forces such as stream or wind erosion, plant or animal activity, land-slides etc.; and cultural forces such as later excavations.

ETHNOGRAPHIC ANALOGY: Interpretation of archaeological remains by comparison to historical cultures.

ETHNOGRAPHY: That aspect of cultural anthropology concerned with the descriptive documentation of living cultures.

ETHNO-HISTORY: The study of ethnographic cultures through historical records.

ETHNOLOGY: The aspect of cultural anthropology concerned with the comparative and processional analysis of ethnographic cultures.

FAUNAL REMAINS: Bones and other animal parts found in archaeological sites. Important in the reconstruction of past ecosystems and cultural subsistence patterns (see: MICROFAUNAL REMAINS).

FEATURE: A non-portable product of human workmanship. Usually clusters of associated objects; pit houses, structures, hearths, cache pits, mining activities, cooking ovens, etc.

FLAKE: A fragment removed from a core or nucleus of cryptocrystaline or fine-grained rock by percussion or pressure. May be used as a tool with no further deliberate modification, may be RETOUCHED, or may serve as a PREFORM for further reduction.

FLINT: A microcrystaline silicate rock similar to CHERT, used for the manufacture of flaked stone tools. Colour most commonly grey, honey-brown, or black.

GROUND STONE: Stone artifacts shaped by sawing, grinding, and/or polishing with abrasive materials (*e.g.,* "ground slate knives", "polished soapstone pendants").

HEARTH: A fireplace, often circular and may be unlined, rock or clay-lined, or rock-filled. Minimally consists of fire-altered rock and charcoal.

HERITAGE RESOURCES IMPACT ASSESSMENT (HRIA): A study undertaken for a proposed development project to determine whether it will adversely affect historical, archaeological, or paleontological remains, generally indicated by the presence of shovel tests.

HERITAGE SITE: A location of archaeological or historical interest that contains evidence of past human activities. Heritage sites may consist of artifacts or features.

HISTORIC ARCHAEOLOGY: The archaeological investigation of POST-CONTACT sites.

HISTORIC PERIOD: The time after European contact or the beginning of written recording. In the Yukon, this period dates to the past 100 to 150 years.

HORIZON: Layers typical of the soil profile in a particular region.

HOUSE-PIT: An aboriginally excavated house floor. See PITHOUSE.

IN SITU: Archaeological items are said to be "*in situ*" when they are found in the location where they were last deposited.

LITHIC: Of/or pertaining to stone. A lithic artifact is one manufactured from stone.

LITHIC INDUSTRY: That part of an archaeological artifact assemblage manufactured of stone.

LITHIC SCATTER: An archaeological site consisting of two or more stone artifacts.

LITHIC TECHNOLOGY: The process of manufacturing tools etc., from stone. Most frequently refers to stone flaking.

LOCALITY: A very large site or site-area composed of 2 or more concentrations or clusterings of cultural remains.

MATRIX: An inclusive term for the natural and cultural sediments of an archaeological site.

MICROFAUNAL REMAINS: Very small animal remains, such as rodent bones, tiny bone fragments, insects, small molluscs, etc., discovered in an archaeological site.

MIDDEN: A deposit of camp refuse associated with human occupational sites. Most frequently refers to coastal SHELL-MIDDENS.

MUNSELL COLOUR CODE: A system of describing colours by a code of letters and numbers defining "hue", "value" and "chroma". Important in accurately describing the colours of archaeological soils and sediments.

OBSIDIAN: Natural volcanic glass. Colour ranges from nearly translucent through black, red and green. The most easily flaked raw material for the manufacture of flaked stone tools.

PALEOSOL: "Old Soil." Buried soil horizons indicative of past soil conditions different from that presently prevailing.

PETROGLYPH: Pictures, symbols, or other artwork pecked, carved or incised on natural rock surfaces.

PICTOGRAPH: Aboriginally painted designs on natural rock surfaces. Red ochre is the most frequently used pigment and natural or abstract designs may be represented.

PITHOUSE: A semi-subterranean "earth-lodge" winter dwelling. Usually consisted of an earth-covered log framework roof over a circular to rectangular excavation. The archaeological feature is called a housepit.

POST-CONTACT PERIOD (Also "Historic Period"): Refers to the period following the first arrival of Europeans.

POT-HUNTER: An "amateur archaeologist" who vandalizes and destroys sites to add to his private collection, or for monetary gain.

PRE-CONTACT: Refers to the period before the first arrival of Europeans in a given area.

PREHISTORIC: The period prior to written records for any given area. In North America synonymous with PRE-CONTACT.

PRELIMINARY FIELD RECONNAISSANCE (PFR): A study undertaken for a proposed development project to determine whether it will adversely affect heritage remains, generally indicated by the lack of need for shovel tests.

PROJECTILE POINT: An inclusive term for arrow, spear or dart-points. Characterized by a symmetrical point, a relatively thin cross-section and some element to allow attachment to the projectile shaft. Flaked stone projectile points are usually classified by their outline form: triangular, leaf-shaped, lanceolate, stemmed, corner-notched, and side-notched.

PROVENIENCE: The horizontal and/or vertical position of an object in relation to a set of spatial coordinates.

QUARTZ CRYSTAL: Pure silicate rock-crystal. Usually perfectly clear with six crystal surfaces. May be used as a raw material for lithic tool manufacture.

RETOUCH: The removal of small secondary flakes along the edge of a lithic artifact to improve or alter the cutting properties of that edge. Retouch flaking may be BIFACIAL or UNIFACIAL.

RETOUCHED FLAKE: A stone flake which has had one or more edges modified by the deliberate removal of secondary chips.

ROCK-SHELTER: A shallow cave or rock overhang large enough to have allowed human occupancy at some time.

SCRAPER: A tool presumably used in scraping, scouring, or planing functions. Most frequently refers to flaked stone artifacts with one or more steep UNIFACIALLY RETOUCHED edge(s).

SETTLEMENT PATTERN: The spatial distribution of cultural activities across a landscape at a given moment in time.

SHOVEL-SCREENING: A rapid excavation procedure in which the site matrix is shoveled directly through a screen (usually 1/4" mesh).

SHOVEL TEST: a small scale, generally informal test excavation to ascertain the nature of the deposits, to determine the presence or absence of a heritage site, or to delimit the boundaries of a known site.

SITE: Any location with detectable evidence of past human activity. Includes HISTORICAL SITES, HABITATION SITES, KILL-SITES, QUARRY SITES, ROCK-ART SITES, BURIAL SITES, etc. See HERITAGE SITE.

SITE SURVEY: The process of searching for and describing heritage sites in a given area.

SOIL-SAMPLE: A quantity of soil, site matrix, or sediments collected for physical, or chemical analysis.

STORAGE-PIT (Also called CACHE-PITS): Circular excavations usually less than 3 m in diameter assumed to have aboriginally functioned as storage "cellars".

STRATA: Depositional units or layers of sediment distinguished by composition or appearance. (Singular: "stratum").

STRATIGRAPHY: The study of various deposits, built up over time, which form delineated layers (such as ash, charcoal or crushed shell) in the earth walls of a pit.

SURVEY(ING): (1) In Archaeology, the process of locating archaeological sites. (2) More generally, the process of mapping and measuring points on the ground surface.

SURVEY AREA: The region within which heritage sites are to be located.

TOOL: An artifact that has been intentionally modified or formed for a specific purpose (*e.g.*, projectile point, knife, scraper).

TYPE: A distinctive formal artifact class restricted in space and time, *e.g.,* the "Folsom Point" is a projectile point "type".

TYPOLOGY: The classification of artifacts according to analytical criteria, to determine and define significant trends or variations in time and space.

UNIFACE: A stone artifact flaked only on one surface.

USE-WEAR: Polish, striations, breakage, or minor flaking which develop on a tool's edge during use. Microscopic examination and study of the wear may indicate the past function of tools.

WETLAND: Areas of land that are inundated by surface water or ground water sufficient to support the growth and reproduction of vegetative and aquatic life.

WORKED: Having chips, flakes, scratches or other evidence of deliberate modification on stone, bone, antler, shell, etc.

ZOOARCHAEOLOGY: The study of faunal remains found in archaeological sites and their cultural significance.

Modified from:

A Glossary of Terms: Artifacts BC.
http://www.for.gov.bc.ca/archaeology/glossary.htm

A Glossary of Manitoba Archaeology
http://www.umanitoba.ca/faculties/arts/anthropology/manarchnet/appendices/glossary.html

Handbook for the Identification of Heritage Sites and Features. Yukon Tourism and Culture, 2005

QFD: Archaeological Assessments Permit Report – Arcas 1999

APPENDIX B

Heritage Site Maps

Permit #: 11-11ASR

DATE: 01-27-2012



Positive Shovel Test
Negative Shovel Test
Base of Slope
Terrace
Minimum Site Extent
Site Center
Slope
5m Contour

SITE MAP: LbTp-3

MATRIX Research Ltd

MAPSHEETS:
NTS: 106 C/3

LOCATION: East Rackla River
UTM: E 584628 N 7123376
PROJECTION: NAD83 Zone 8

PROPONENT: ATAC Resources Ltd.
JOB #: Y11-015-Rackla

Permit #: 11-11ASR

DATE: 01-27-2012



Positive Shovel Test
Negative Shovel Test
Base of Slope
Terrace
Historic Trail
Minimum Site Extent
Site Center
Slope
5m Contour

SITE MAP: LbTq-6

MATRIX Research Ltd

MAPSHEETS:
NTS: 106 C/3

LOCATION: East Rackla River
UTM: E 576559 N 7120200
PROJECTION: NAD83 Zone 8

PROPONENT: ATAC Resources Ltd.
JOB #: Y11-015-Rackla

Permit #: 11-11ASR

DATE: 01-27-2012



Positive Shovel Test
Negative Shovel Test
Base of Slope
Terrace
Minimum Site Extent
Site Center
Slope
5m Contour

SITE MAP: LbTq-5

MATRIX Research Ltd

MAPSHEETS:
NTS: 106 C/3

LOCATION: East Rackla River
UTM: E 573142 N 7118860
PROJECTION: NAD83 Zone 8

PROPONENT: ATAC Resources Ltd.
JOB #: Y11-015-Rackla

Permit #: 11-11ASR

DATE: 01-09-2011



Positive Shovel Test
Negative Shovel Test
Terrace
Minimum Site Extent
Site Center
Slope
5m Contour

SITE MAP: LbTs-1

MATRIX Research Ltd

MAPSHEETS:
NTS: 106 D/1

LOCATION: Rackla River
UTM: E 540093 N 7117640
PROJECTION: NAD83 Zone 8

PROPONENT: ATAC Resources Ltd.
JOB #: Y11-015-Rackla

Permit #: 11-11ASR

DATE: 01-27-2012



Positive Shovel Test
Negative Shovel Test
Terrace
Base of Slope
Minimum Site Extent
Stream
Slope
5m Contour

SITE MAP: LcTv-4

MATRIX Research Ltd

MAPSHEETS:
NTS: 106 D/6

LOCATION: Carpenter Creek
UTM: E 485392 N 7142836
PROJECTION: NAD83 Zone 8

PROPONENT: ATAC Resources Ltd.
JOB #: Y11-015-Rackla

Permit #: 11-11ASR

DATE: 01-27-2012



Positive Shovel Test
Negative Shovel Test
Minimum Site Extent
5m Contour
River/Lake
Site Center
Terrace
Slope

SITE MAP: LcTv-3

MATRIX Research Ltd

MAPSHEETS:
NTS: 106 D/6

LOCATION: Carpenter Creek
UTM: E 489360 N 7140076
PROJECTION: NAD83 Zone 8

PROPONENT: ATAC Resources Ltd.
JOB #: Y11-015-Rackla

Permit #: 11-11ASR

DATE: 01-27-2012



Positive Shovel Test
Negative Shovel Test
5m Contour
Minimum Site Extent
Site Center
Terrace
Slope

SITE MAP: LcTv-2

MATRIX Research Ltd

MAPSHEETS:
NTS: 106 D/6

LOCATION: Carpenter Creek
UTM: E 484679 N 7145149
PROJECTION: NAD83 Zone 8

PROPONENT: ATAC Resources Ltd.
JOB #: Y11-015-Rackla

Permit #: 11-11ASR

DATE: 01-27-2012



Stream
Cabin
Can Midden
Platform
Minimum Site Extent
Site Center
5m Contour

SITE MAP: LcTv-1

MATRIX Research Ltd

MAPSHEETS:
NTS: 106 D/6

LOCATION: Carpenter Creek
UTM: E 484523 N 7144498
PROJECTION: NAD83 Zone 8

PROPONENT: ATAC Resources Ltd.
JOB #: Y11-015-Rackla

Permit #: 11-11ASR

DATE: 01-27-2012



Positive Shovel Test
Negative Shovel Test
5m Contour
Terrace
Minimum Site Extent
Site Center
Wetland
Slope

SITE MAP: LbTq-4

MATRIX Research Ltd

MAPSHEETS:
NTS: 106 C/3

LOCATION: East Rackla River
UTM: E 577181 N 7120078
PROJECTION: NAD83 Zone 8

PROPONENT: ATAC Resources Ltd.
JOB #: Y11-015-Rackla

Permit #: 11-11ASR

DATE: 01-27-2012



Stream
Positive Shovel Test
Negative Shovel Test
Wetland
Minimum Site Extent
Site Center
Terrace
5m Contour
Slope

SITE MAP: LbTq-3

MATRIX Research Ltd

MAPSHEETS:
NTS: 106 C/4

LOCATION: East Rackla River
UTM: E 571344 N 7119071
PROJECTION: NAD83 Zone 8

PROPONENT: ATAC Resources Ltd.
JOB #: Y11-015-Rackla

Permit #: 11-11ASR

DATE: 01-27-2012



Minimum Site Extent
Stream
Positive Shovel Test
Negative Shovel Test
Terrace
Base of Slope
Slope
5m Contour

SITE MAP: LbTq-2

MATRIX Research Ltd

MAPSHEETS:
NTS: 106 C/4

LOCATION: East Rackla River
UTM: E 567848 N 7119695
PROJECTION: NAD83 Zone 8

PROPONENT: ATAC Resources Ltd.
JOB #: Y11-015-Rackla

Permit #: 11-11ASR

DATE: 01-27-2012



Minimum Site Extent
Stream
Positive Shovel Test
Negative Shovel Test
Terrace
Slope
5m Contour

SITE MAP: LbTq-1

MATRIX Research Ltd

MAPSHEETS:
NTS: 106 C/4

LOCATION: East Rackla River
UTM: E 569691 N 7118554
PROJECTION: NAD83 Zone 8

PROPONENT: ATAC Resources Ltd.
JOB #: Y11-015-Rackla

Permit #: 11-11ASR

DATE: 01-27-2012



Minimum Site Extent
Stream
Surface Find
Site Center
Edge of Forest
Terrace
Trail
Slope
5m Contour

SITE MAP: LbTp-2

MATRIX Research Ltd

MAPSHEETS:

NTS: 106 C/3

LOCATION: East Rackla River

UTM: E 586366 N 7123039
PROJECTION: NAD83 Zone 8

PROPONENT: ATAC Resources Ltd.

JOB #: Y11-015-Rackla

Permit #: 11-11ASR

DATE: 01-27-2012



Positive Shovel Test
Negative Shovel Test
Base of Slope
Terrace
River/Lake
Minimum Site Extent
Slope
5m Contour

SITE MAP: LaTn-1

MATRIX Research Ltd

MAPSHEETS:
NTS: 106 C/1

LOCATION: Stewart River
UTM: E 630155 N 7105330
PROJECTION: NAD83 Zone 8

PROPONENT: ATAC Resources Ltd.
JOB #: Y11-015-Rackla

Permit #: 11-11ASR

DATE: 01-27-2012



Minimum Site Extent
Stream
Positive Shovel Test
Negative Shovel Test
Terrace
Base of Slope
Slope
5m Contour

SITE MAP: LbTp-1

MATRIX Research Ltd

MAPSHEETS:
NTS: 106 C/3

LOCATION: East Rackla River
UTM: E 590572 N 7124539
PROJECTION: NAD83 Zone 8

PROPONENT: ATAC Resources Ltd.
JOB #: Y11-015-Rackla

APPENDIX C

Pre-contact Artifact Photographs



Plate 1: Chert microblade identified at shovel test STTK1, at heritage site **LbTp-1** (Artifact # LbTp-1:1)



Plate 2: Chert scraper, identified at shovel test TK2, at heritage site **LaTn-1** (Artifact # LaTn-1:1)



Plate 3: Broken chert biface midsection, identified at surface find TK1, at heritage site **LbTp-2** (artifact # LbTp-2:1)



Plate 4: Chert microblade fragment, identified at shovel test KR1, at heritage site **LbTq-4** (artifact # LbTq-4:1).



Plate 5: Chert burin, identified at shovel test JG1, at heritage site **LcTv-2** (artifact # LcTv-2:1).



Plate 6: Retouched quartzite flake, identified at shovel test JG1, at heritage site **LcTv-2** (artifact # LcTv-2:2).



Plate 7: Retouched quartzite flake, identified at shovel test JG1, at heritage site **LcTv-2** (artifact # LcTv-2:3).



Plate 8: Quartz crystal, identified at shovel test JG4, at heritage site **LbTq-6** (artifact # LbTq-6:1).

Appendix D

Project Photographs



Plate 1: View east at STTK1 at heritage site **LbTp-1**.



Plate 2: View southeast at STTK2 at heritage site **LaTn-1.**



Plate 3: View northwest at SFTK1 discovered on existing airstrip at Rackla Camp at heritage site **LbTp-2**.



Plate 4: View west at STTK3 and Rackla River valley at heritage site **LbTq-1**.



Plate 5: View north at STTK4 at heritage site **LbTq-2** along Rackla River.



Plate 6: View east at Kissel and STTK5 at heritage site **LbTq-3**.



Plate 7: View north at STTK7 and small lake near Rackla River at heritage site **LbTq-4**.



Plate 8: View southwest at collapsed cabin 1 at heritage site **LcTv-1**.



Plate 9: View south at James, Kissel, and collapsed east wall of cabin 2 at heritage site **LcTv-1.**



Plate 10: View south at collapsed platform cache at heritage site **LcTv-1**.



Plate 11: View north at STTK8 and STJG1 on prominent hill at heritage site **LcTv-2.**



Plate 12: View north at STJG2 and Carpenter Creek at heritage site **LcTv-3.**



Plate 13: View northeast at STTK10 and Carpenter Creek at heritage site **LcTv-4**.



Plate 14: View northeast Rackla River valley from STTK11 at heritage site **LbTs-1.**



Plate 15: View north at East Rackla River valley STTK12 at heritage site **LbTq-5**.



Plate 16: View southwest at STTK13 and East Rackla River at heritage site **LbTq-6**.



Plate 17: View west along terrace edge at James testing at heritage site **LbTp-3**.

Appendix E

Modified Artifact and Debitage Catalogues

Modified Artifact Catalogue									
Borden Number	**Artifact #**	**Shovel Test / Surface Find**	**Depth Below Surface (cm)**	**Raw Material**	**Artifact Type**	**Count**	**Excavator**	**Date**	**Comments**
LbTp-1	LbTp-1:1	STTK1	0-5	Chert	Microblade fragment	2	Todd Kristensen	2011/07/06	
LaTn-1	LaTn-1:1	STTK2	10-15	Chalcedony	End scraper/burin	1	Todd Kristensen	2011/07/07	Re-fits with LaTn-1:2
LaTn-1	LaTn-1:2	STTK2	10-15	Chalcedony	Burial spall	1	Todd Kristensen	2011/07/07	Re-fits with LaTn-1:1
LbTp-2	LbTp-2:1	SFTK1	0	Chert	Biface fragment	1	Todd Kristensen	2011/07/11	
LbTq-4	LbTq-4:1	STKR1	5-10	Chert	Microblade fragment	1	Kissel Reid	2011/07/14	
LcTv-2	LcTv-2:1	STJG1	0-5	Chert	Possible burin	1	James Guy	2011/07/16	
LcTv-2	LcTv-2:3	STJG1	0-5	Chert	Retouched flake	1	James Guy	2011/07/16	
LcTv-2	LcTv-2:2	STJG1	0-5	Chert	Utilized flake	2	James Guy	2011/07/16	
LbTq-6	LbTq-6:1	STJG4	5-10	Quartz crystal	Polyhedral core	1	James Guy	2011/07/20	

Debitage Catalogue									
Borden #	**Artifact #**	**Shovel Test / Surface Find**	**Depth Below Surface (cm)**	**Raw Material**	**Artifact Type**	**Count**	**Excavator**	**Date**	**Comments**
LbTp-1	LbTp-1:2	SFJG1	0	Chert	Secondary flake	1	James Guy	2011/07/17	
LbTp-2	LbTp-2:3	SFTK2	0	Chert	Secondary flake	1	Todd Kristensen	2011/07/21	
LbTp-2	LbTp-2:4	SFTK3	0	Obsidian	Secondary flake	1	Todd Kristensen	2011/07/21	
LbTq-1	LbTq-1:1	SFTK3	5-10	Chert	Billet flake, and fragments	3	Todd Kristensen	2011/07/13	
LbTq-2	LbTq-2:1	STTK4	5-10	Chalcedony	Billet flake, and fragments	4	Todd Kristensen	2011/07/14	
LbTq-3	LbTq-3:1	STTK6	0-5	Chert	Billet flake	1	Todd Kristensen	2011/07/14	
LbTq-3	LbTq-3:2	STTK5	0-5	Chalcedony	Billet flakes	3	Todd Kristensen	2011/07/14	
LbTq-4	LbTq-4:2	STTK7	5-10	Obsidian, chert	Billet and secondary flakes	3	Todd Kristensen	2011/07/14	
LcTv-2	LcTv-2:4	STTK8	0-5	Chert, dacite	Billet flake and fragments	5	Todd Kristensen	2011/07/16	
LcTv-3	LcTv-3:1	STJG2	0-5	Chert	Billet flakes and secondary flake	3	James Guy	2011/07/17	
LcTv-3	LcTv-3:2	STTK9	5-10	Chert	Flake fragment	1	Todd Kristensen	2011/07/17	
LcTv-4	LcTv-4:1	STTK10	0-5	Chert	Shatter, billet, and secondary flakes	6	Todd Kristensen	2011/07/18	
LbTs-1	LbTs-1:1	STTK11	0-5	Chert, chalcedony	Billet flakes	2	Todd Kristensen	2011/07/19	
LbTq-5	LbTq-5:1	STTK12	0-5	Chert	Flake fragments	2	Todd Kristensen	2011/07/20	
LbTq-6	LbTq-6:2	STJG3	15-20	Chalcedony	Flake fragment	1	James Guy	2011/07/20	
LbTp-3	LbTp-3:1	STJG5	5-10	Chalcedony, chert	Billet and flake fragment	2	James Guy	2011/07/21	