



1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client:

Solomon Resources Ltd

Unit 3 - 2860 Smith Drive
Armstrong BC V0E 1B1 Canada

Submitted By: Steve Potts

Receiving Lab: Canada-Whitehorse

Received: September 17, 2010

Report Date: October 01, 2010

Page: 1 of 4

CERTIFICATE OF ANALYSIS

WHI10000479.1

CLIENT JOB INFORMATION

Project: Ten Mile
Shipment ID: TM-Batch 12
P.O. Number: NA-10-410
Number of Samples: 84

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
R200-250	82	Crush, split and pulverize 250 g rock to 200 mesh			WHI
1DX2	84	1:1:1 Aqua Regia digestion ICP-MS analysis	15	Completed	VAN

SAMPLE DISPOSAL

DISP-PLP Dispose of Pulp After 90 days
DISP-RJT Dispose of Reject After 90 days

ADDITIONAL COMMENTS

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Solomon Resources Ltd
Unit 3 - 2860 Smith Drive
Armstrong BC V0E 1B1
Canada

CC: Randy Rogers



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.
All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only.
"***" asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: **Solomon Resources Ltd**

Unit 3 - 2860 Smith Drive
Armstrong BC V0E 1B1 Canada

Project: Ten Mile

Report Date: October 01, 2010

Page: 2 of 4 Part 1

CERTIFICATE OF ANALYSIS

WHI10000479.1

	Method Analyte Unit MDL	WGHT	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Wgt kg	Mo ppm	Cu ppm	Pb ppm	Zn ppm	Ag ppm	Ni ppm	Co ppm	Mn ppm	Fe %	As ppm	U ppm	Au ppb	Th ppm	Sr ppm	Cd ppm	Sb ppm	Bi ppm	V ppm	Ca %
		0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01
143812	Rock	4.36	0.2	10.9	7.2	39	<0.1	21.6	7.9	192	1.97	68.1	0.8	1.4	11.2	68	<0.1	0.3	0.1	15	0.72
143813	Rock	5.10	0.3	17.8	6.4	46	<0.1	20.3	8.8	208	2.08	51.1	1.2	0.8	13.0	21	<0.1	0.2	0.1	13	0.23
143814	Rock	4.12	0.2	15.8	9.4	49	<0.1	24.0	9.1	245	2.15	74.0	0.8	0.9	8.2	37	<0.1	0.4	<0.1	14	0.54
143815	Rock	5.44	0.3	19.3	14.9	57	0.1	24.3	10.1	301	2.15	35.0	1.3	7.2	9.4	58	<0.1	0.1	0.2	13	1.39
143816	Rock	4.45	0.2	18.2	16.0	57	<0.1	18.8	9.0	385	2.20	45.6	1.0	2.1	11.9	62	0.2	0.3	0.2	14	1.54
143817	Rock	3.46	0.3	20.6	21.3	35	0.3	21.1	9.7	510	2.00	1248	1.7	134.2	14.0	60	0.1	0.9	0.2	8	0.75
143818	Rock	5.06	0.2	20.5	19.3	32	0.1	16.4	6.7	487	1.57	129.3	1.1	33.9	11.2	59	<0.1	0.4	0.2	8	1.31
143819	Rock	6.09	0.2	20.2	7.0	41	0.1	20.8	7.9	327	2.21	381.6	1.1	27.6	13.4	35	<0.1	0.4	0.1	9	0.77
143820	Rock	5.25	0.3	21.2	14.5	47	<0.1	22.0	9.2	482	2.29	165.1	1.0	21.0	11.9	81	0.1	0.4	0.1	10	1.94
143821	Rock	3.91	0.4	25.1	28.1	41	0.5	18.9	8.1	343	2.27	2007	1.3	148.8	11.4	57	0.2	1.5	0.4	8	0.91
143822	Rock	2.68	0.4	31.4	66.1	69	0.4	19.1	7.4	529	2.43	1748	1.6	118.0	12.6	70	0.7	1.3	0.4	8	1.45
143823	Rock	4.58	0.3	14.6	9.7	32	0.1	20.7	7.9	361	2.07	976.5	1.2	130.3	14.0	62	0.1	0.9	0.2	8	1.05
143824	Rock	4.81	0.4	31.1	48.1	72	0.3	24.9	8.7	367	2.18	494.0	1.3	19.5	15.6	50	0.4	1.0	0.2	16	0.54
143825	Rock	4.97	0.4	32.8	44.9	87	0.3	23.4	8.8	446	2.11	256.6	1.1	4.5	13.8	133	0.3	1.2	0.2	30	1.35
143826	Rock	5.19	0.3	21.2	20.7	67	0.2	23.6	8.6	265	2.34	407.5	1.0	25.9	12.9	46	0.3	0.4	0.2	11	0.51
143827	Rock	5.11	0.2	17.1	5.0	49	<0.1	18.6	8.2	259	2.03	111.1	0.9	2.8	10.2	50	0.1	0.3	0.1	11	0.79
143828	Rock	5.93	0.6	17.1	319.6	42	1.9	17.9	9.0	244	2.32	69.5	1.6	3.1	12.8	49	0.1	0.3	4.0	15	0.61
143829	Rock	5.48	0.4	12.6	6.8	42	<0.1	23.2	10.3	301	2.64	100.5	1.2	2.4	14.6	73	<0.1	0.4	0.2	16	0.98
143830	Rock	5.92	0.2	16.8	19.5	45	<0.1	24.6	9.5	349	2.56	289.3	1.0	17.5	13.2	87	0.1	0.4	0.2	16	0.85
143831	Rock	4.05	0.3	15.9	10.1	40	0.1	24.2	8.7	244	2.12	56.4	0.9	1.0	8.4	56	<0.1	0.3	0.2	18	0.61
143832	Rock	5.20	0.3	15.4	4.7	38	<0.1	26.1	9.8	267	2.24	77.0	1.3	5.7	12.8	64	<0.1	0.3	0.1	15	0.80
143833	Rock	6.56	0.4	18.6	12.2	58	<0.1	21.5	8.9	328	2.29	63.4	1.7	4.7	12.0	56	0.1	0.2	0.1	22	0.66
143834	Rock	4.53	0.4	22.8	19.4	65	0.2	21.4	8.9	343	2.30	267.7	1.3	19.7	12.8	58	0.3	0.5	0.2	18	1.00
143835	Rock	6.25	0.4	23.1	16.5	56	0.1	22.1	9.8	353	2.48	42.0	1.9	1.0	14.1	66	0.1	0.3	0.2	16	1.61
143836	Rock	4.75	0.4	168.6	246.0	37	1.6	35.1	11.7	685	2.53	598.5	1.1	116.6	10.7	49	0.1	0.9	0.4	17	1.10
143837	Rock	5.07	0.4	35.2	71.1	49	0.3	56.9	17.3	543	3.04	260.0	1.0	14.8	9.4	226	0.2	0.8	0.4	40	1.90
143838	Rock	5.26	0.5	23.7	17.8	58	0.1	26.6	11.1	370	2.76	129.3	1.6	6.0	14.1	66	0.1	0.5	0.2	14	1.15
143839	Rock	5.49	0.4	23.3	43.5	55	0.2	17.4	7.6	263	1.92	716.4	1.1	82.0	13.0	35	0.3	0.7	0.2	8	0.52
143840	Rock	5.44	0.5	18.6	17.8	46	0.1	19.3	8.4	419	2.00	20.8	1.8	1.2	10.9	171	0.1	0.3	0.1	14	3.76
143841	Rock	5.41	0.3	15.1	10.7	53	<0.1	19.2	9.5	380	2.22	38.0	1.2	2.5	11.5	112	<0.1	0.2	0.1	14	2.63



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: **Solomon Resources Ltd**

Unit 3 - 2860 Smith Drive
Armstrong BC V0E 1B1 Canada

Project: Ten Mile

Report Date: October 01, 2010

Page: 2 of 4 Part 2

CERTIFICATE OF ANALYSIS

WHI10000479.1

	Method Analyte Unit MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
		%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
143812	Rock	0.038	24	20	0.58	138	0.041	2	1.34	0.029	0.37	<0.1	<0.01	1.6	0.2	<0.05	4	<0.5	<0.2
143813	Rock	0.045	27	18	0.55	97	0.068	<1	1.32	0.025	0.62	<0.1	<0.01	1.5	0.3	<0.05	3	<0.5	<0.2
143814	Rock	0.033	18	21	0.62	108	0.054	1	1.33	0.021	0.52	0.1	<0.01	1.5	0.2	<0.05	3	<0.5	<0.2
143815	Rock	0.057	18	20	0.64	137	0.119	1	1.41	0.031	0.56	0.1	<0.01	1.6	0.2	<0.05	4	<0.5	<0.2
143816	Rock	0.043	25	18	0.53	104	0.050	2	1.18	0.026	0.48	0.1	<0.01	1.9	0.2	<0.05	4	<0.5	<0.2
143817	Rock	0.033	33	11	0.27	91	0.005	3	0.83	0.023	0.34	<0.1	<0.01	1.9	0.1	<0.05	3	<0.5	<0.2
143818	Rock	0.048	23	12	0.29	85	0.023	3	0.77	0.026	0.41	<0.1	<0.01	1.7	0.2	<0.05	3	<0.5	<0.2
143819	Rock	0.032	30	14	0.41	90	0.032	3	1.14	0.016	0.54	<0.1	<0.01	1.7	0.2	<0.05	3	<0.5	<0.2
143820	Rock	0.036	27	16	0.44	90	0.046	3	1.20	0.021	0.53	<0.1	<0.01	1.7	0.2	<0.05	4	<0.5	<0.2
143821	Rock	0.039	28	11	0.31	89	0.013	3	0.97	0.018	0.41	<0.1	<0.01	1.5	0.2	<0.05	3	<0.5	<0.2
143822	Rock	0.048	29	9	0.21	77	0.003	3	0.82	0.022	0.35	0.1	<0.01	2.0	0.1	0.10	3	<0.5	<0.2
143823	Rock	0.037	28	12	0.29	82	0.020	4	1.00	0.019	0.48	<0.1	<0.01	1.8	0.2	0.08	3	<0.5	<0.2
143824	Rock	0.033	32	20	0.40	81	0.020	2	1.07	0.033	0.38	<0.1	<0.01	2.7	0.2	<0.05	4	<0.5	<0.2
143825	Rock	0.035	29	27	0.44	105	0.042	<1	1.17	0.048	0.33	<0.1	<0.01	3.8	0.2	<0.05	5	<0.5	<0.2
143826	Rock	0.036	28	15	0.52	77	0.019	2	1.31	0.021	0.37	<0.1	<0.01	1.9	0.2	<0.05	4	<0.5	<0.2
143827	Rock	0.032	20	17	0.50	107	0.061	1	1.34	0.025	0.51	<0.1	<0.01	1.5	0.2	<0.05	4	<0.5	<0.2
143828	Rock	0.039	26	19	0.56	110	0.070	2	1.30	0.032	0.60	<0.1	<0.01	1.8	0.3	<0.05	4	0.7	<0.2
143829	Rock	0.047	31	21	0.66	122	0.079	2	1.58	0.031	0.71	<0.1	<0.01	2.1	0.3	<0.05	5	<0.5	<0.2
143830	Rock	0.057	36	24	0.65	99	0.044	2	1.52	0.026	0.53	<0.1	<0.01	2.4	0.2	<0.05	5	<0.5	<0.2
143831	Rock	0.048	18	27	0.76	93	0.080	1	1.45	0.040	0.47	<0.1	<0.01	2.0	0.2	<0.05	4	<0.5	<0.2
143832	Rock	0.038	27	25	0.74	94	0.039	2	1.49	0.027	0.40	<0.1	<0.01	2.1	0.2	<0.05	4	<0.5	<0.2
143833	Rock	0.044	25	26	0.72	146	0.110	2	1.36	0.044	0.67	<0.1	<0.01	2.0	0.3	0.11	5	<0.5	<0.2
143834	Rock	0.042	29	25	0.61	92	0.050	2	1.22	0.030	0.51	<0.1	<0.01	2.3	0.2	<0.05	5	<0.5	<0.2
143835	Rock	0.045	30	22	0.64	95	0.072	2	1.40	0.029	0.63	<0.1	<0.01	2.3	0.3	0.10	5	<0.5	<0.2
143836	Rock	0.039	20	25	0.73	67	0.012	4	1.34	0.017	0.44	0.2	<0.01	2.8	0.2	0.29	4	<0.5	<0.2
143837	Rock	0.048	24	82	1.13	100	0.030	3	1.88	0.015	0.52	<0.1	<0.01	7.4	0.2	0.05	5	<0.5	<0.2
143838	Rock	0.052	32	22	0.61	94	0.053	2	1.54	0.021	0.64	<0.1	<0.01	2.0	0.3	0.07	5	<0.5	<0.2
143839	Rock	0.026	29	13	0.33	76	0.021	2	0.92	0.017	0.39	<0.1	<0.01	1.5	0.2	0.14	3	<0.5	<0.2
143840	Rock	0.039	25	21	0.44	182	0.063	2	1.17	0.033	0.61	<0.1	<0.01	1.9	0.3	0.19	4	<0.5	<0.2
143841	Rock	0.030	25	21	0.54	100	0.087	2	1.35	0.020	0.70	<0.1	<0.01	1.6	0.4	<0.05	4	<0.5	<0.2



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client:

Solomon Resources Ltd

Unit 3 - 2860 Smith Drive
Armstrong BC V0E 1B1 Canada

Project:

Ten Mile

Report Date:

October 01, 2010

Page:

3 of 4

Part 1

CERTIFICATE OF ANALYSIS

WHI10000479.1

	Method Analyte Unit MDL	WGHT	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca
		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
143842	Rock	5.95	0.4	32.4	10.0	43	0.2	23.4	10.9	331	2.32	28.8	2.3	1.7	12.6	138	0.1	0.4	0.1	15	2.17
143843	Rock	6.11	3.2	57.8	12.7	77	0.4	49.3	10.1	397	2.21	27.3	2.0	1.1	7.8	95	0.7	2.4	0.2	35	1.40
143844	Rock	4.76	3.0	50.1	27.8	49	0.3	56.2	10.2	657	2.38	327.4	1.8	16.8	6.7	79	0.2	1.4	0.2	28	1.20
143845	Rock	6.12	2.2	41.1	15.6	66	0.4	39.7	9.1	222	2.70	24.2	2.6	2.0	6.1	30	0.2	0.4	0.2	34	0.31
143846	Rock	5.33	1.8	30.0	20.9	71	0.2	32.7	12.3	627	2.32	33.4	2.3	1.4	5.5	226	0.2	0.5	0.2	36	5.68
143847	Rock	6.84	2.8	48.3	26.2	75	0.5	37.8	12.4	930	2.69	10.7	1.8	0.7	2.4	110	0.5	0.4	0.3	51	3.67
143848	Rock	6.59	1.3	52.4	4.2	55	0.2	115.9	24.1	351	2.50	14.0	0.6	1.2	1.1	40	<0.1	0.1	<0.1	54	1.22
143849	Rock	5.81	1.1	45.0	2.9	58	0.2	53.2	17.2	495	2.75	5.5	1.2	1.3	2.4	173	0.1	0.2	<0.1	65	2.03
143850	Rock	5.51	1.3	39.2	13.7	52	0.3	40.5	10.6	245	2.39	15.3	2.5	1.6	6.9	28	0.2	0.2	0.2	34	0.44
143851	Rock	5.00	1.2	29.3	4.0	38	0.2	29.4	6.9	171	1.95	21.6	1.4	1.4	4.2	16	<0.1	0.2	<0.1	27	0.17
143852	Rock	5.89	2.9	44.6	6.2	99	0.3	60.2	9.3	292	2.26	14.6	2.0	1.1	4.8	29	0.6	0.4	<0.1	54	0.33
143853	Rock	6.35	4.2	57.1	9.6	150	0.4	56.1	9.8	375	2.49	39.5	2.7	0.8	4.8	35	1.0	0.8	0.1	75	0.51
143854	Rock	5.60	4.3	60.4	5.3	159	0.5	69.4	11.4	441	2.47	9.8	3.0	2.8	4.9	59	0.9	0.2	<0.1	79	0.64
143855	Rock	6.82	4.6	73.2	5.1	166	0.7	91.9	12.7	340	2.63	5.4	2.7	1.8	3.9	39	0.9	0.2	<0.1	77	0.53
143856	Rock	5.84	9.5	65.6	17.4	173	0.8	48.9	8.5	225	2.33	11.4	2.4	1.6	4.6	21	1.6	0.7	0.4	55	0.37
143857	Rock	5.84	4.1	64.6	16.9	205	0.6	99.5	21.7	721	3.74	19.5	1.7	0.6	2.3	228	2.0	1.9	0.1	98	2.12
143858	Rock	4.23	3.7	33.8	28.1	99	0.4	23.3	4.5	279	1.49	527.4	2.0	2.2	11.2	115	0.4	7.5	0.6	30	0.99
143859	Rock	4.70	4.0	53.8	18.6	154	0.6	38.0	6.9	402	2.02	115.2	2.0	5.0	6.6	115	1.1	3.9	0.3	52	1.27
143860	Rock	6.47	1.1	40.4	6.4	68	0.2	60.9	23.8	643	2.84	24.9	2.0	1.5	0.7	217	0.3	0.6	<0.1	69	2.65
143861	Rock	6.29	1.8	58.7	16.2	91	0.3	72.8	25.8	683	3.20	126.2	1.1	5.5	1.1	234	0.6	1.8	<0.1	71	2.45
143862	Rock	6.36	5.6	51.3	12.0	49	0.3	47.9	7.1	758	1.41	716.0	1.8	16.3	2.8	205	0.5	4.8	0.1	21	2.42
143863	Rock	4.49	4.2	52.0	19.2	123	0.5	39.8	10.1	863	2.26	726.3	1.9	8.1	5.1	417	0.9	8.6	0.2	30	3.87
143864	Rock	3.99	20.8	4.5	39.0	111	0.1	2.1	0.5	213	1.25	73.1	2.9	1.6	18.7	98	0.2	3.1	0.6	2	0.65
143865	Rock	5.20	9.3	4.5	33.3	124	0.1	0.4	0.2	245	1.14	11.9	5.1	2.3	21.6	72	0.2	1.1	0.7	<2	0.62
143866	Rock	5.42	3.3	7.9	29.6	116	0.1	0.4	0.1	199	1.06	12.0	5.8	1.0	20.1	43	0.6	0.4	1.0	<2	0.38
143867	Rock	5.06	5.4	8.2	39.8	138	0.2	3.1	0.7	162	1.13	23.5	3.6	1.1	16.9	32	0.5	0.5	1.0	<2	0.22
143868	Rock	5.50	6.6	63.5	24.3	179	0.9	64.9	14.5	422	3.19	338.6	2.9	5.3	4.0	179	1.6	1.9	2.1	67	1.87
143869	Rock	6.59	4.3	55.1	10.7	141	1.1	47.8	11.4	347	2.47	1732	2.3	13.6	4.9	92	1.4	4.6	14.0	52	1.24
143870	Rock	5.45	4.2	50.3	10.3	141	0.4	36.9	12.3	662	2.82	95.0	2.8	1.1	4.8	272	0.7	2.7	0.4	48	5.33
143871	Rock	5.89	4.6	51.2	13.3	127	0.4	65.4	12.2	462	2.58	58.0	2.3	1.1	5.2	80	0.8	0.9	0.3	55	1.11



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: **Solomon Resources Ltd**

Unit 3 - 2860 Smith Drive
Armstrong BC V0E 1B1 Canada

Project: Ten Mile

Report Date: October 01, 2010

Page: 3 of 4 Part 2

CERTIFICATE OF ANALYSIS

WHI10000479.1

	Method Analyte Unit MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
		%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
143842	Rock	0.039	30	21	0.53	124	0.044	2	1.42	0.020	0.55	<0.1	<0.01	2.0	0.2	0.22	4	1.1	<0.2
143843	Rock	0.119	19	26	0.72	232	0.011	2	0.94	0.014	0.30	0.1	<0.01	2.2	0.1	0.45	3	4.0	<0.2
143844	Rock	0.113	18	21	0.75	285	0.014	3	0.97	0.011	0.34	0.2	<0.01	2.1	0.1	0.36	3	1.9	<0.2
143845	Rock	0.065	13	29	0.72	207	0.077	2	1.08	0.022	0.46	0.1	<0.01	2.0	0.2	0.40	3	2.5	<0.2
143846	Rock	0.086	17	28	0.88	166	0.051	<1	1.30	0.011	0.35	<0.1	<0.01	2.5	0.2	0.33	5	2.0	<0.2
143847	Rock	0.076	9	30	0.83	113	0.056	<1	0.92	0.013	0.27	0.1	<0.01	3.2	0.3	1.04	3	2.9	<0.2
143848	Rock	0.096	5	94	1.23	255	0.152	<1	1.41	0.076	0.44	<0.1	<0.01	3.2	0.2	0.39	4	0.6	<0.2
143849	Rock	0.091	8	60	1.20	257	0.104	<1	1.43	0.043	0.41	<0.1	<0.01	4.5	0.2	0.29	5	0.8	<0.2
143850	Rock	0.057	15	32	0.75	282	0.064	<1	1.08	0.017	0.54	0.1	<0.01	1.9	0.3	0.55	4	1.4	<0.2
143851	Rock	0.043	12	33	0.79	118	0.024	<1	1.00	0.015	0.31	0.2	<0.01	1.7	0.1	0.26	3	1.2	<0.2
143852	Rock	0.076	15	51	0.87	302	0.047	<1	1.11	0.018	0.49	0.1	<0.01	1.9	0.2	0.42	4	2.6	<0.2
143853	Rock	0.097	15	45	0.82	248	0.052	<1	1.09	0.021	0.55	0.1	<0.01	2.0	0.3	0.69	4	4.0	<0.2
143854	Rock	0.097	15	56	0.90	318	0.073	<1	1.18	0.026	0.63	0.1	<0.01	2.1	0.3	0.63	4	3.5	0.2
143855	Rock	0.101	13	85	1.06	282	0.055	<1	1.23	0.019	0.52	0.1	<0.01	2.5	0.2	0.81	4	4.1	<0.2
143856	Rock	0.108	15	28	0.67	190	0.016	<1	0.91	0.015	0.30	0.1	<0.01	1.9	0.2	0.83	3	4.9	<0.2
143857	Rock	0.108	11	107	1.67	193	0.096	<1	1.79	0.019	0.25	0.1	<0.01	8.9	0.3	0.92	6	3.8	<0.2
143858	Rock	0.044	41	19	0.51	49	<0.001	<1	0.96	0.003	0.22	0.3	<0.01	1.1	0.1	0.28	4	3.9	<0.2
143859	Rock	0.084	23	28	0.59	109	0.005	<1	0.92	0.008	0.18	0.5	0.01	2.0	0.1	0.54	4	3.7	<0.2
143860	Rock	0.083	4	81	1.68	107	0.120	1	1.83	0.046	0.13	<0.1	<0.01	6.7	<0.1	0.30	4	1.1	<0.2
143861	Rock	0.092	5	93	1.98	112	0.087	1	1.89	0.040	0.17	<0.1	<0.01	8.0	0.1	0.34	5	1.2	<0.2
143862	Rock	0.097	7	9	0.62	145	0.003	2	0.41	0.007	0.17	0.1	<0.01	1.8	<0.1	0.39	2	2.5	<0.2
143863	Rock	0.080	17	19	0.75	108	0.002	<1	1.08	0.006	0.17	0.2	<0.01	3.3	0.1	0.27	4	2.5	<0.2
143864	Rock	0.004	48	1	0.18	43	<0.001	<1	0.76	0.003	0.17	0.2	<0.01	0.4	0.1	<0.05	6	<0.5	<0.2
143865	Rock	<0.001	51	<1	0.11	81	0.001	<1	0.67	0.007	0.20	0.3	<0.01	0.2	0.1	<0.05	6	<0.5	<0.2
143866	Rock	<0.001	49	<1	0.08	73	0.002	<1	0.63	0.007	0.20	0.3	<0.01	0.1	<0.1	<0.05	7	<0.5	<0.2
143867	Rock	0.005	56	1	0.15	45	0.002	<1	0.70	0.018	0.20	0.3	<0.01	0.3	0.1	0.06	6	0.5	<0.2
143868	Rock	0.175	14	46	0.98	162	0.030	2	1.25	0.013	0.18	0.2	<0.01	3.9	0.2	1.14	5	6.1	0.3
143869	Rock	0.090	16	34	0.75	170	0.018	<1	1.01	0.019	0.29	0.1	<0.01	2.9	0.2	0.90	4	6.0	1.3
143870	Rock	0.099	18	29	0.91	179	0.022	<1	1.25	0.012	0.27	<0.1	<0.01	4.0	0.2	0.96	5	3.9	<0.2
143871	Rock	0.090	17	57	1.01	213	0.033	<1	1.22	0.015	0.39	0.1	<0.01	3.3	0.2	0.69	4	2.5	<0.2



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: **Solomon Resources Ltd**
Unit 3 - 2860 Smith Drive
Armstrong BC V0E 1B1 Canada

Project: Ten Mile
Report Date: October 01, 2010

Page: 4 of 4 **Part** 1

CERTIFICATE OF ANALYSIS

WHI10000479.1

	Method Analyte Unit MDL	WGHT	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Wgt kg	Mo ppm	Cu ppm	Pb ppm	Zn ppm	Ag ppm	Ni ppm	Co ppm	Mn ppm	Fe %	As ppm	U ppm	Au ppb	Th ppm	Sr ppm	Cd ppm	Sb ppm	Bi ppm	V ppm	Ca %
		0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01
143872	Rock	6.09	1.7	34.4	15.4	75	0.2	33.7	8.8	252	2.52	1220	1.5	45.2	6.9	35	0.3	1.2	0.1	27	0.47
143873	Rock	5.54	2.3	39.7	8.0	65	0.3	31.3	7.3	138	2.20	71.7	1.6	2.2	5.7	19	0.3	1.8	0.1	20	0.25
143874	Rock	5.73	1.9	46.9	8.8	102	0.4	38.1	10.2	308	2.54	996.3	1.8	23.4	7.2	105	0.3	1.7	0.2	15	1.02
143875	Rock	5.44	1.0	3.3	46.3	132	0.1	0.4	0.1	141	0.75	19.7	6.8	1.2	19.9	83	0.3	0.3	1.2	<2	0.27
143876	Rock	5.61	1.3	18.0	41.4	123	0.3	12.8	4.0	252	1.58	827.6	4.1	29.0	15.3	135	0.3	1.7	0.9	3	0.99
143877	Rock	6.31	1.2	40.5	24.2	83	0.2	30.1	12.1	797	2.51	298.7	2.0	4.9	8.2	107	0.4	2.5	0.1	8	1.66
143878	Rock	6.74	1.9	41.8	12.1	64	0.2	78.3	16.9	910	2.95	66.7	3.0	1.3	6.8	114	0.1	1.3	<0.1	34	1.97
143879	Rock	6.04	2.6	57.1	16.6	91	0.4	49.0	21.2	988	3.99	108.9	1.3	1.0	5.1	136	0.3	1.5	0.2	63	1.95
143880	Rock	6.12	2.6	61.7	12.3	114	0.3	42.3	14.3	843	2.99	52.0	1.9	5.7	4.6	115	0.4	1.2	0.1	57	1.37
143881	Rock	6.77	7.0	75.1	22.7	98	0.4	53.7	10.6	779	2.72	26.6	3.7	2.8	3.9	55	0.6	0.6	0.3	54	1.12
143882	Rock	5.30	3.5	62.8	17.7	83	0.3	30.3	14.4	1099	2.96	57.2	2.4	2.8	3.7	101	0.3	0.4	0.1	45	1.18
143883	Rock	7.05	2.4	46.8	14.1	120	0.3	75.3	13.1	796	2.62	42.8	2.3	2.2	4.9	139	0.9	3.1	0.1	49	1.01
143884	Rock	5.38	2.0	36.4	9.6	78	0.2	29.7	7.6	602	1.93	137.9	2.4	3.1	4.6	79	0.4	1.2	0.1	29	0.86
143885	Rock	5.42	2.0	40.5	5.3	76	0.3	34.3	15.1	814	3.29	52.3	1.5	2.0	5.3	80	0.4	0.8	0.1	45	0.65
143886	Rock	5.58	2.9	65.6	6.9	116	0.5	42.9	9.8	455	2.39	51.0	2.1	5.8	5.3	40	0.5	0.9	0.1	25	0.37
143887	Rock	6.51	2.7	73.2	13.4	93	0.5	47.2	6.4	380	1.79	83.8	2.1	3.3	2.8	75	0.6	0.7	0.1	33	0.43
143888	Rock	5.65	4.5	60.4	22.4	131	0.4	56.2	5.1	470	1.65	30.4	2.7	0.8	2.2	122	1.2	2.1	0.2	49	0.72
143889	Rock	5.14	2.1	44.0	29.1	52	0.3	27.6	5.3	263	1.70	375.1	2.9	10.4	6.8	43	0.5	0.9	0.2	27	0.37
143890	Rock	4.78	2.3	47.0	18.9	96	0.3	50.3	12.2	755	2.75	163.4	1.9	6.9	5.2	84	0.5	1.2	0.2	47	1.03
143891	Rock	4.92	2.1	59.3	90.7	60	0.8	23.1	8.8	785	2.00	313.1	1.4	17.3	3.3	54	0.3	1.4	0.9	22	0.59
143892	Rock	5.90	1.0	35.5	6.8	56	0.3	19.4	7.0	789	1.37	1531	0.7	41.9	2.5	36	0.4	0.9	<0.1	19	0.41
143893	Rock	6.02	3.2	69.0	8.0	69	0.4	33.4	10.2	668	2.01	341.2	4.4	4.5	5.4	40	0.3	0.6	0.2	23	0.63
143253	Rock Pulp	0.11	14.2	957.8	12.4	83	0.9	24.4	19.3	767	4.46	40.6	0.5	175.4	0.8	107	1.4	2.7	0.3	116	4.00
143254	Rock Pulp	0.11	15.3	1042	13.8	92	0.9	26.1	21.6	820	4.80	43.3	0.6	103.6	0.9	116	1.3	3.2	0.3	125	4.35



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: **Solomon Resources Ltd**

Unit 3 - 2860 Smith Drive
Armstrong BC V0E 1B1 Canada

Project: Ten Mile

Report Date: October 01, 2010

Page: 4 of 4 Part 2

CERTIFICATE OF ANALYSIS

WHI10000479.1

	Method Analyte Unit MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
		%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
143872	Rock	0.038	18	21	0.71	108	0.008	1	1.11	0.011	0.24	<0.1	<0.01	1.8	<0.1	0.48	4	1.2	<0.2
143873	Rock	0.040	13	13	0.48	182	0.003	2	0.87	0.019	0.20	0.1	<0.01	1.1	0.1	0.82	3	2.1	0.3
143874	Rock	0.043	13	10	0.48	121	0.001	2	0.90	0.008	0.22	0.1	<0.01	1.6	<0.1	0.91	3	2.2	<0.2
143875	Rock	<0.001	15	<1	0.07	80	0.001	<1	0.51	0.031	0.21	0.5	<0.01	0.1	0.1	<0.05	5	<0.5	<0.2
143876	Rock	0.029	19	3	0.25	60	<0.001	<1	0.71	0.022	0.20	0.2	<0.01	0.8	0.1	0.41	4	1.5	<0.2
143877	Rock	0.064	18	6	0.65	82	0.002	2	0.69	0.016	0.25	0.1	<0.01	2.3	<0.1	0.52	2	0.6	<0.2
143878	Rock	0.065	19	93	1.44	81	0.008	<1	1.39	0.011	0.22	<0.1	<0.01	3.9	<0.1	0.47	4	0.8	<0.2
143879	Rock	0.101	21	50	1.66	154	0.035	<1	1.92	0.014	0.36	<0.1	<0.01	4.6	0.2	0.95	7	1.6	<0.2
143880	Rock	0.076	14	37	1.18	119	0.048	<1	1.26	0.015	0.34	<0.1	0.01	4.4	0.3	1.10	5	2.3	<0.2
143881	Rock	0.179	15	24	0.89	109	0.022	<1	1.06	0.010	0.31	0.1	<0.01	3.0	0.2	1.11	3	4.4	0.5
143882	Rock	0.076	13	22	1.25	143	0.030	<1	1.30	0.016	0.42	0.1	<0.01	4.2	0.2	0.95	4	1.3	<0.2
143883	Rock	0.080	14	87	1.31	162	0.025	<1	1.21	0.012	0.38	<0.1	<0.01	3.8	0.2	0.88	4	2.0	<0.2
143884	Rock	0.046	13	20	0.87	123	0.006	<1	1.08	0.012	0.17	0.1	<0.01	2.0	0.1	0.30	3	0.9	<0.2
143885	Rock	0.037	11	27	1.55	119	0.009	1	1.64	0.008	0.19	<0.1	<0.01	4.8	0.1	0.66	4	0.9	0.4
143886	Rock	0.041	14	16	0.92	134	0.009	1	0.98	0.007	0.22	0.1	<0.01	2.1	0.1	1.03	3	2.0	<0.2
143887	Rock	0.047	7	17	1.05	140	0.010	1	0.76	0.005	0.23	0.2	<0.01	1.9	0.2	0.98	3	3.1	0.6
143888	Rock	0.060	7	20	0.69	187	0.008	<1	0.54	0.009	0.19	0.1	<0.01	2.6	<0.1	0.76	2	3.8	0.4
143889	Rock	0.032	11	15	0.67	178	0.007	1	0.69	0.042	0.21	<0.1	<0.01	2.3	<0.1	0.66	2	2.1	<0.2
143890	Rock	0.042	13	33	1.52	175	0.009	1	1.27	0.010	0.34	<0.1	<0.01	4.4	0.2	0.87	5	1.3	<0.2
143891	Rock	0.066	8	10	0.81	119	0.007	1	0.76	0.006	0.20	<0.1	<0.01	2.2	0.1	0.79	3	1.6	<0.2
143892	Rock	0.045	7	13	0.65	91	0.005	1	0.64	0.007	0.12	<0.1	<0.01	2.3	<0.1	0.24	3	<0.5	<0.2
143893	Rock	0.124	14	12	0.89	129	0.010	<1	0.89	0.007	0.33	<0.1	<0.01	1.9	0.2	0.91	3	1.3	<0.2
143253	Rock Pulp	0.120	6	32	1.55	83	0.027	4	1.66	0.096	0.29	0.1	0.16	7.2	0.1	1.16	5	2.7	<0.2
143254	Rock Pulp	0.135	8	34	1.70	80	0.030	4	1.86	0.103	0.32	0.1	0.16	8.0	0.2	1.24	6	3.0	<0.2



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client:

Solomon Resources Ltd

Unit 3 - 2860 Smith Drive

Armstrong BC V0E 1B1 Canada

Project:

Ten Mile

Report Date:

October 01, 2010

Page:

1 of 1

Part 1

QUALITY CONTROL REPORT

WHI10000479.1

	Method Analyte Unit MDL	WGHT	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca
		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01
Pulp Duplicates																					
143815	Rock	5.44	0.3	19.3	14.9	57	0.1	24.3	10.1	301	2.15	35.0	1.3	7.2	9.4	58	<0.1	0.1	0.2	13	1.39
REP 143815	QC		0.3	18.9	14.1	54	0.1	23.4	9.7	294	2.13	33.4	1.3	5.9	9.2	57	<0.1	0.2	0.2	14	1.38
143864	Rock	3.99	20.8	4.5	39.0	111	0.1	2.1	0.5	213	1.25	73.1	2.9	1.6	18.7	98	0.2	3.1	0.6	2	0.65
REP 143864	QC		20.7	4.6	39.6	112	0.2	1.8	0.5	216	1.25	72.7	2.9	0.9	18.9	98	0.2	3.2	0.6	2	0.65
143880	Rock	6.12	2.6	61.7	12.3	114	0.3	42.3	14.3	843	2.99	52.0	1.9	5.7	4.6	115	0.4	1.2	0.1	57	1.37
REP 143880	QC		2.9	64.8	13.5	118	0.3	42.3	13.7	905	3.13	55.1	2.0	3.4	5.1	116	0.4	1.2	0.1	60	1.37
Core Reject Duplicates																					
143816	Rock	4.45	0.2	18.2	16.0	57	<0.1	18.8	9.0	385	2.20	45.6	1.0	2.1	11.9	62	0.2	0.3	0.2	14	1.54
DUP 143816	QC		0.2	20.4	16.2	60	0.1	21.2	9.4	399	2.28	47.9	1.0	3.3	11.9	64	0.2	0.3	0.2	14	1.64
143851	Rock	5.00	1.2	29.3	4.0	38	0.2	29.4	6.9	171	1.95	21.6	1.4	1.4	4.2	16	<0.1	0.2	<0.1	27	0.17
DUP 143851	QC		1.1	28.8	4.3	39	0.2	29.9	6.9	175	2.01	21.5	1.4	1.5	4.2	15	<0.1	0.2	<0.1	27	0.17
143886	Rock	5.58	2.9	65.6	6.9	116	0.5	42.9	9.8	455	2.39	51.0	2.1	5.8	5.3	40	0.5	0.9	0.1	25	0.37
DUP 143886	QC		2.9	64.1	6.4	109	0.5	45.7	8.9	469	2.37	50.0	1.9	3.5	5.0	38	0.4	0.9	0.1	25	0.33
Reference Materials																					
STD DS7	Standard		19.0	100.3	64.4	373	1.1	48.3	8.8	568	2.18	47.0	4.2	85.0	4.2	60	5.9	4.6	4.0	75	0.88
STD DS7	Standard		20.2	99.3	61.5	380	0.9	53.1	8.8	565	2.19	46.8	3.8	57.0	4.2	61	5.7	4.6	3.8	75	0.86
STD DS7	Standard		21.1	98.2	59.0	386	0.9	56.7	9.1	600	2.32	50.1	4.3	66.8	4.1	67	6.0	5.8	4.2	82	0.94
STD DS7	Standard		20.3	96.6	57.1	374	0.9	54.5	9.3	578	2.29	49.2	4.1	67.2	4.1	69	5.6	5.4	4.1	79	0.92
STD DS7	Standard		21.2	107.3	65.3	380	1.0	57.4	9.4	626	2.37	55.3	4.6	74.9	4.6	73	6.4	6.2	4.7	76	0.99
STD DS7	Standard		21.1	108.5	66.0	399	0.9	57.9	9.4	661	2.39	54.4	4.5	65.3	4.6	72	6.4	6.3	4.8	77	0.99
STD DS7 Expected			20.5	109	70.6	411	0.9	56	9.7	627	2.39	48.2	4.9	70	4.4	69	6.4	4.6	4.5	84	0.93
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01
Prep Wash																					
G1	Prep Blank		0.1	2.6	2.8	44	<0.1	3.2	4.2	567	1.91	0.5	2.0	0.5	5.8	54	<0.1	<0.1	0.1	34	0.48
G1	Prep Blank		0.1	2.4	2.8	42	<0.1	3.2	3.9	578	1.93	<0.5	2.1	0.7	5.4	61	<0.1	<0.1	0.1	35	0.53



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client:

Solomon Resources Ltd

Unit 3 - 2860 Smith Drive

Armstrong BC V0E 1B1 Canada

Project:

Ten Mile

Report Date:

October 01, 2010

Page:

1 of 1

Part 2

QUALITY CONTROL REPORT

WHI10000479.1

		Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Ti	S	Ga	Se
		Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm
		MDL	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5
Pulp Duplicates																			
143815	Rock		0.057	18	20	0.64	137	0.119	1	1.41	0.031	0.56	0.1	<0.01	1.6	0.2	<0.05	4	<0.5
REP 143815	QC		0.055	17	19	0.61	132	0.113	2	1.47	0.029	0.56	0.1	<0.01	1.5	0.2	<0.05	4	<0.5
143864	Rock		0.004	48	1	0.18	43	<0.001	<1	0.76	0.003	0.17	0.2	<0.01	0.4	0.1	<0.05	6	<0.5
REP 143864	QC		0.004	53	1	0.18	42	<0.001	<1	0.76	0.003	0.18	0.2	<0.01	0.4	0.1	<0.05	6	<0.5
143880	Rock		0.076	14	37	1.18	119	0.048	<1	1.26	0.015	0.34	<0.1	0.01	4.4	0.3	1.10	5	2.3
REP 143880	QC		0.082	16	38	1.19	133	0.050	<1	1.34	0.016	0.37	<0.1	<0.01	4.7	0.3	1.09	5	2.3
Core Reject Duplicates																			
143816	Rock		0.043	25	18	0.53	104	0.050	2	1.18	0.026	0.48	0.1	<0.01	1.9	0.2	<0.05	4	<0.5
DUP 143816	QC		0.047	27	20	0.54	114	0.053	2	1.31	0.029	0.52	0.3	<0.01	2.0	0.2	<0.05	5	<0.5
143851	Rock		0.043	12	33	0.79	118	0.024	<1	1.00	0.015	0.31	0.2	<0.01	1.7	0.1	0.26	3	1.2
DUP 143851	QC		0.043	12	33	0.80	128	0.024	<1	1.02	0.018	0.32	0.2	<0.01	1.7	0.1	0.26	3	1.3
143886	Rock		0.041	14	16	0.92	134	0.009	1	0.98	0.007	0.22	0.1	<0.01	2.1	0.1	1.03	3	2.0
DUP 143886	QC		0.039	13	15	0.89	145	0.009	1	0.99	0.007	0.21	0.1	0.01	2.1	0.2	0.99	3	2.6
Reference Materials																			
STD DS7	Standard		0.071	11	180	0.96	331	0.093	35	0.91	0.087	0.38	3.4	0.25	2.4	3.7	0.18	4	2.6
STD DS7	Standard		0.073	11	181	0.94	350	0.093	34	0.91	0.086	0.37	3.7	0.24	2.2	3.8	0.18	4	3.2
STD DS7	Standard		0.075	11	199	1.02	381	0.107	38	0.96	0.096	0.44	3.7	0.22	2.1	4.0	0.20	5	3.3
STD DS7	Standard		0.075	12	194	0.99	375	0.108	37	0.95	0.096	0.42	3.6	0.20	2.2	3.8	0.20	5	3.5
STD DS7	Standard		0.081	13	186	1.06	398	0.119	42	1.08	0.095	0.47	3.7	0.22	2.2	4.2	0.19	5	3.3
STD DS7	Standard		0.079	13	185	1.08	398	0.117	40	1.09	0.095	0.44	3.9	0.23	2.1	4.0	0.19	5	2.7
STD DS7 Expected			0.08	12	179	1.05	410	0.124	39	0.959	0.089	0.44	3.4	0.2	2.5	4.2	0.19	5	3.5
BLK	Blank		<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5
BLK	Blank		<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5
BLK	Blank		<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5
Prep Wash																			
G1	Prep Blank		0.086	12	5	0.53	177	0.120	1	0.98	0.079	0.50	0.1	<0.01	1.7	0.3	<0.05	5	<0.5
G1	Prep Blank		0.080	13	6	0.52	173	0.122	<1	0.99	0.103	0.53	<0.1	<0.01	1.9	0.3	<0.05	5	<0.5