

2011 GEOCHEMICAL ASSESSMENT REPORT
ON THE
BIG PROJECT

Clear Creek area, Yukon Territory

Dawson Mining District

BIG 1 – 96: YD89601 – YD89696

BIG 102: YD102202

BIG 104-136: YD102204-YD102236

BIG 141-144: YD102241-YD102244

63° 50' N Latitude; 137° 01' W Longitude

NTS sheets 115P/14 and 115P/15

Registered Claim Owner: Bearing Resources Ltd. 100%

Field Work Performed June 16 - 22, 2011

November 30, 2011

For: Bearing Resources Ltd.
Suite 1280 – 625 Howe St.
Vancouver, B.C., V6C 2T6
Tel: 604-614-7830
<http://www.bearingresources.ca/>

By: William D. Mann, M.Sc., P.Geo.
19 Hayes Cres.
Whitehorse, Y.T., Y1A 0E1
Tel: 867-667-7409
wdmgeology@gmail.com

Table of Contents

1.0	Introduction and Terms of Reference	4
1.1	Introduction	4
1.2	Terms of Reference	4
1.3	Sources of Information	4
1.4	Field Involvement of Qualified Person	4
2.0	Property Description and Location	4
3.0	Access, Physiography and Climate	5
4.0	History	6
5.0	Geology	9
5.1	Regional Geology	9
5.2	Property Geology	10
5.3	Structural Geology	10
6.0	Deposit Types	11
7.0	Mineralization	13
8.0	2011 Work Program	14
8.1	Work Program Results	14
8.2	Personnel	15
9.0	Sampling Method and Approach	17
10.0	Sample Preparation, Analysis and Approach	17
11.0	Data Verification	18
12.0	Adjacent Properties	18
13.0	Interpretation and Conclusions	19
13.1	Interpretation	19
13.2	Conclusions	19
14.0	Recommendations	20
15.0	References	21

Tables

	<u>Page</u>
Table 1: Rock sample locations and descriptions	15

List of Figures

Figure 1	Location Map	after 5
Figure 2	Granodiorite of the Big Creek Stock cutting diorite.	11
Figure 3	Quartz- tourmaline breccia vein adjacent to Big Creek stock.	14

Maps

Map 1	Geology, 2011 Soil & Rock Samples and Claim Outline	in pocket
-------	---	-----------

Appendices

Appendix 1	Statement of Qualifications
Appendix 2	Statement of Expenditures
Appendix 3	Soil Sample Location Data
Appendix 4	Certificate of Analysis - Rocks
Appendix 5	Certificate of Analysis - Soils

1.0 Introduction and Terms of Reference

1.1 Introduction

The author was engaged in June, 2011 by Bearing Resources Ltd. to conduct a field exploration program on the BIG claims. The BIG project lies at the headwaters of Clear Creek and Big Creek, and extends to the Dawson- Mayo mining district boundary.

1.2 Terms of Reference

The author was requested to write this report to summarize the results of the 2011 exploration program, to summarize the geology and exploration potential of the claims, and to fulfill the requirements of an assessment report for filing under the Yukon Quartz Mining Act, Yukon Territory, Canada.

1.3 Sources of Information

This report is based on information obtained by the author in the field, from government geological studies and summaries (Yukon Minfile), and from assessment reports, including geological and geochemical maps, rock, soil and silt geochemical results, and trenching and drilling results from the property and the adjacent area. Some assessment reports were produced by operators of claim blocks now covered by the Big property or in its vicinity, particularly geological mapping done in 1981 (Rainbird & Kelly) and in 2003 and 2005 (Schulze). Soil geochemistry covering parts of the claims was done in 1979 and 1980 for Ag, Zn and Sn (Kennedy, Woodsend), and in 1994 which identified anomalous Au & As in soil (Lueck) which was further extended in 2003 and 2005 (Schulze).

The report written by Schulze in 2005 has been extracted from extensively in this report, along with the 2010 BIG assessment report (Mann, 2011) . A complete list of references is presented in Section 15.0.

1.4 Field Involvement of Qualified Person

Mr. William Mann, M.Sc., P.Geo. was present on site during the field work, and supervised all work conducted in the 2010 program.

2.0 Property Description and Location

The project consists of 134 contiguous quartz mining claims (BIG 1 – 96, 102, 104 - 136, 141 - 144) staked and recorded in 2010. The claims are located in the Clear Creek area, 125 kilometres east-southeast of Dawson City and 62 kilometres northwest of the village of Mayo, central Yukon Territory (Figure 1).

The BIG claims are adjacent to the boundary between the Dawson and Mayo mining districts, but lie entirely within the Dawson district. The Clear Creek project of Golden Predator Corp. lies adjacent to the western and northern boundary of the BIG claims. This neighbouring property

has been the subject of numerous drilling campaigns including significant work in 2010 and 2011, and hosts several significant zones of gold mineralization. The Rhosgobel (aka Juno), Rhosgobel South Gold-Tungsten and Contact zones on the Clear Creek property lie less than 500m from the boundary with the BIG claims.

3.0 Access, Physiography and Climate

The BIG property lies at the headwaters of Clear creek, a major placer mining creek that is serviced by a network of rough roads and trails. Some trails extend onto the property, however these might not be passable without upgrading (Map 1). The trails connect to the Clear creek road, which is in good condition during the summer. This road connects to the Klondike Highway, about 60km to the southwest. Alternate transportation is by helicopter from Dawson City (about 110km) or Mayo (about 65km).

The BIG claim block lies within the Yukon Plateau North ecoregion (Smith et. al., 2004). The property covers gentle to rugged terrain, with elevations ranging from 915 metres (3000 feet) to 1,800 metres (5,900 feet). Much of the property extends above the tree line at roughly 1450 metres (4100 feet), where it is covered by sparse tundra vegetation; ridge lines are covered by felsenmeer (broken outcrop and rubblecrop) with little vegetation. Forest cover is fairly thin and consists mostly of black and white spruce and subalpine fir forests covering low-lying stream valleys. Permafrost is fairly continuous in the area, and where present in forested areas is covered with stunted black and white spruce.

The climate is sub-arctic continental, with short, mild summers and long, very cold winters. Precipitation is fairly light, totalling less than 50 cm per year; however, long winters result in accumulations of up to one metre of snow prior to spring thaw. The exploration season extends from early June to late September.

**Clear Creek
Project**




**Figure 1
Location Map
Clear Creek Project**

BEARING RESOURCES LTD.
NTS Sheets 115P/14, 15
BIG CLAIMS 2010

4.0 History

Placer mining began in the Clear Creek area towards the close of the 19th Century, with staking of numerous quartz claims and small mine workings occurring in the early 1900s. Placer mining continues to the present day, with total production of placer gold from the Clear Creek drainage estimated to exceed 130,000 ounces (Allen, 1999).

1943 to 1954 - A dredge operated along Clear Creek, with undisclosed gold production.

1961 to 1964 - Dredging for placer gold occurred, with declared production of 2,408 oz gold (Joy & VanTassell, 1971).

1971 - The first major quartz staking in the area now covered by the BIG claim blocks occurred in March 1971 when United Keno Hill Mines staked the NOP claims partially covering the Rhosgobel stock, about 500m west of the current BIG claims. This work included tungsten and molybdenum analysis of soils from one of the claims. This exploration identified a northwest-southeast trending zone of scheelite-bearing quartz veins within the stock (Joy & VanTassell). In July 1971 a joint venture between Canada Tungsten Mining Corporation Ltd. and the Standard Oil Company staked the RHOSGOBEL claims to the northwest, largely covering the stock. Later that year, Silver Standard Mines Ltd. staked three groups of WR claims to the southeast and northwest. Tungsten was the main commodity targeted during this episode of exploration.

1978 - A. Thom staked the RAIN 1-30 claims covering much of the Rhosgobel stock, and D. Hutton staked the BEE 1-16 claims slightly to the east, and the WIND claims to the northwest (Yukon Minfile).

1979, the Cortin Project, consisting of CCH Resources Ltd., Inco Ltd and Billiton Exploration Canada Ltd. staked the JUBJUB 1-32 claims adjoining the east margin of the BEE and RAIN blocks. The JUBJUB claims were staked to explore for the source of a silver in stream sediment anomaly, and cover the centre part of the current BIG claims. The Cortin Project consisted of soil geochemistry, with samples analyzed for silver, zinc and tin. This work returned anomalous silver values from gossanous scree associated with quartz-arsenopyrite veins in the “West Ridge Area” (Kennedy, 1980 & Woodsend, 1981).

1981 - Canada Tungsten Mining Corporation Ltd optioned the BEE and RAIN blocks and staked the CC 1-860 and SLUGGO 1-20 claims covering a large area containing the present BIG claims. Surface exploration programs targeted tungsten, tin and gold mineralization, and outlined an east-west trending zone of scheelite and arsenopyrite-bearing quartz stockwork mineralization roughly 800 metres long by 200 – 400 metres wide at Rhosgobel. Random sampling of quartz-arsenopyrite veining returned gold values from 0.112 to 1.313 g/tonne (Rainbird & Kelly, 1981; Rainbird, 1982). The program also revealed a quartz vein stockwork zone within the Pukelman stock to the north. Several rock grab samples returned gold values from 0.020 to 0.882 oz/ton gold with sub-economic tungsten values. A soil line between the two stocks returned an average gold value of 300 ppb across 850 metres, with values ranging from 30 to 1540 ppb gold. The Big Creek stock and adjacent geology was mapped during this program. The option on the Bee and Rain claims was discontinued following the program.

1981 – 1987 A dredge operated by Queenstake Resources Ltd. operated on Clear Creek and produced over 15,000 ounces of gold.

1984 - the RAIN claims were transferred to N. Harper who conducted trenching from 1984 to 1988.

1987 - Blackstone Placer Mining Ltd. and N. Harper surrounded the remaining five WIND claims with 125 SLEET claims (Yukon Minfile). A gradient array IP survey was conducted.

1988 - Geological, Geochemical, Geophysical surveys, Trenching and Diamond Drilling were conducted on the RUM, RYE and ROLL claims for Goldrite Mining Corp. The main focus of the work was the Contact Zone, which was tested by 8 trenches and 8 drill holes totalling 1236m (Robinson, 1988). Some of the Rum and Rye claims covered ground now held by Bearing Resources Ltd.

1989 – Diamond drilling was conducted by Cambridge Resources Ltd. to test the best IP anomaly on the WIND and SLEET claims, which underlies placer workings on Left Clear creek. Four short holes were drilled, with a best intersection of 0.546 ounces gold per ton over 0.49 metres from a pyritic fault structure (Feulgen & Stephens, 1989).

1992 – Hemlo Gold Mines drilled six reverse circulation holes totalling 644m into the Saddle, Eiger and Pukelman zones (Bidwell, 1992).

1993 - Ivanhoe Goldfields optioned all claims in the area, and 1993 conducted soil geochemical surveys across the Rhosgobel stock and staked the WET 1 – 28 claims to the south (Fleming, 1993). Ivanhoe was acquired by First Dynasty in 1994.

1993 - The FAR 1-70 claims were staked by B. Lueck and R. Wongda in the area of the current BIG claims. The blocks were optioned by Farallon Resources Ltd., which carried out reconnaissance sampling before dropping the option (Yukon Minfile).

1994 - Lueck staked the TP 2, 4-8 and JD 1-91 claims. Later that year grid soil sampling was conducted across the FAR 31-34 claims, outlining a strong gold-arsenic anomaly, measuring about 800 by 300 metres, open to the east, covering the southeastern edge of the Rhosgobel stock (Lueck, 1994). Gold values ranged from background to 306 ppb. Lueck also conducted soil sampling across the TP claims, obtaining spotty anomalous gold-arsenic values ranging from background to over 100 ppb. These claims partly coincide with the current BIG claims.

1995 - the Clear Creek area claims, including the RAIN, SLEET and WIND blocks were optioned by Kennecott Canada Inc (Coombes, 1995). The company conducted a 27-hole, 1970.5-metre reverse-circulation program across the central Rhosgobel stock, targeting the previously outlined anomaly. A resource of 40 million tonnes grading greater than 300 ppb gold was outlined, with a high-grade core of 2 million tonnes grading greater than 1 g/tonne gold (Yukon Minfile). This resource occurs about 500m west of the BIG claims. This author cannot confirm if the resource estimate meets NI 43-101 reporting standards, and therefore the estimate should not be relied upon. Kennecott dropped its option in late 1995.

1997 - New Millennium Mining Ltd, a wholly owned subsidiary of First Dynasty, became the operator of the Clear Creek area claims.

1998 - Newmont Exploration Ltd. entered into an option agreement with New Millennium on the CC, DUM, RAIN, RUM, RYE, SLEET, WET and WIND claims, west of the current BIG claims (Stammers, 1998). Newmont carried out airborne and radiometric surveys across the entire block (and much of the current BIG claims), and geological mapping, rock and soil sampling across much of the property. The compilation of geophysical anomalies presented in the report is considered to be a very relevant and important exploration tool for the BIG claims.

1999 - Redstar Resources Corporation entered into an option agreement with Newmont on the Clear Creek claim groups. Redstar drilled two diamond drill holes in 1999 and nine further holes in 2000 at the “Bear Paw Zone” on the SLEET 18 and 20 claims, roughly three kilometres west of the BIG claims. Significant mineralization was intersected in all holes, ranging from 1.03 g/tonne across 1.50 metres to 2.30 g/tonne gold across 31.81 metres (Stammers, 1999). Mineralization was described as intrusive related, occurring within sediment-hosted breccia zones, as well as within narrow calc-silicate (skarn) horizons. The program included soil sampling along what is now the northern boundary of the BIG claims, with anomalous gold results. Redstar dropped its option in 2002.

2003 - Thor Explorations Ltd conducted one-day exploration programs on the FAR 31-34, 51-54 claims and the TP 2, 4-8 and JD2 claims. These programs confirmed the presence of anomalous gold and tungsten values from soil sampling within the FAR 31-34, 51-54 claims. On the TP block, a single soil sample returned a value of 0.326 g/t gold (Schulze, 2003).

2005 - Thor Explorations Ltd contracted All-Terrane Mineral Exploration Services to conduct a two phase exploration program of soil geochemistry, geological mapping and prospecting. This work identified additional intrusive bodies on the southern edge of the property, minor skarn and dyke-hosted mineralization, and several areas of anomalous gold in soil. The best gold value, 1.63 g/t Au was returned from a grab sample of quartz-arsenopyrite float (Schulze, 2005).

2006 - StrataGold Corporation (now a subsidiary of Victoria Gold Corp.) conducted a detailed trenching and soil sampling program on the Bear Paw breccia and Contact zone. In addition, infill sampling was conducted to follow-up on geophysical and historical gold anomalies identified by previous explorers.

2010 – Golden Predator Corp. acquired most of the active claims in the area, including those covering the Rhosgobel, Pukelman, Contact, Eiger, Saddle and Bear Paw zones. They conducted a program of RC and diamond drilling on the Saddle, Josephine, Contact and Bear Paw zones. Much of the surrounding area was staked by other competitors later in the year. An initial geochemical and prospecting program was conducted on the BIG claims by Valley High Ventures, predecessor company of Bearing Resources Ltd.

2011 - Golden Predator Corp. conducted a program of diamond drilling on the Contact and Bear Paw zones.

5.0 Geology

5.1 Regional Geology

The area has been mapped at 1:50,000 scale (Murphy & Heon, 1996). The regional geology has been comprehensively studied and described by Murphy (1997). A study of the geology and geochemistry of the gold deposits in the area (Marsh et. al., 1999) contains the following description of the regional geology:

“The Clear Creek area is underlain by phyllite, quartzite, psammite, calc-phyllite, calc-silicate, grit and marble of the Yusezyu Formation of the Neoproterozoic to Early Cambrian Hyland Group (Murphy, 1997). The strata along the northern Selwyn Basin margin are imbricated by thrust faults of Jurassic and Early Cretaceous age. The Clear Creek area is in the hanging wall of the Robert Service Thrust within an east-trending, moderately north-dipping, transposed assemblage of lower greenschist facies rocks of the Tombstone Strain Zone (Murphy, 1997).

At the headwaters of Clear Creek, six Tombstone intrusions, the Saddle, Eiger, Pukelman, Rhosgobel, Josephine and Big Creek stocks, have surface exposures ranging from 0.2 to 3.5 km. They yield U-Pb dates of ~92 Ma and are part of the Tombstone plutonic suite (Murphy, 1997). Notable gold occurs within and surrounding all except the Big Creek stock. The Saddle, Pukelman and Rhosgobel stocks are composed of medium- to coarse-grained quartz monzonite characterized by large (1cm) alkali feldspar phenocrysts. Local zones are granitic and aplitic, particularly in the southern Rhosgobel stock. Biotite is the dominant mafic mineral, but hornblende is not uncommon. The Josephine and Big Creek stocks are composed of fine- to medium-grained, equigranular granodiorite. The Eiger stock is composed of fine to medium-grained, equigranular diorite with rare mafic phenocrysts. The intrusions have good exposure above treeline.

Contact metamorphism of the Hyland Group country rocks extends for as much as 0.5 km around the stocks and is dominated by a resistant, rusty weathering biotite hornfels. Calcareous rocks are altered to calc-silicate and thin carbonate beds locally form small skarns. Dykes, a common feature of the Clear Creek area, are dominantly ESE-trending and dip steeply.

Compositionally they are dominantly felsic, mostly composed of the porphyritic quartz monzonite. Also common are granite, quartz-feldspar porphyry, and rhyolite dykes. The felsic dykes are generally 0.5 to 2 m wide. Pegmatite and aplite dykes are thinner and are sparse outside of the intrusions. Lamprophyre dykes are up to 12 m wide, contain sparse biotite phenocrysts and biotite-diopside nodules, and cut all intrusive phases.”

The glacial history of the region is described by Allen et. al. (1999): *“...the Clear Creek region was affected by the pre-Reid (early Pleistocene), Reid (middle Pleistocene), and McConnell (late Pleistocene) glacial periods. The pre-Reid glacial period, the most extensive glaciation in the Yukon with multiple stages, was the only event that directly affected the valleys of Clear Creek.”*

5.2 Property Geology

The Big Creek stock (aka Far stock) lies in the centre of the BIG claims. This stock is composed of fine- to medium-grained, equigranular granodiorite of the early late Cretaceous Tombstone Intrusions. The southern ridge where the stock is exposed is granodioritic, while the northern ridge where gold mineralization was found in 2010 is more dioritic in composition and an older phase of intrusion (Fig. 2). Gold is spatially associated with the margins of the dioritic phase of intrusion. The gold mineralization associated with the Big Creek stock may be an extension of the Rhosgobel/ Juno mineralized system.

The Vancouver Creek Stock of the late Cretaceous to Paleocene McQuesten Intrusions lies about 2 km south of the BIG claims. The McQuesten intrusions consist of medium to coarse-grained, locally porphyritic and potassium feldspar megacrystic biotite +/- muscovite granite and quartz monzonite.

A variety of dykes and small plugs are exposed distal to the stocks on the property. Schulze (2005) mapped a dioritic plug near the southern border of the BIG claims. Rainbird and Kelly (1981) mapped a felsic plug on the north side of Clear Creek, southeast of the Rhosgobel intrusion on the current BIG claims. Most of these small plugs and dykes are likely to be of Tombstone age, as both the Tombstone and McQuesten suites form east-west trending belts of intrusions, and the BIG property lies within the Tombstone belt. However there could be some overlap between the two suites, due to proximity.

The Big Creek stock is surrounded by phyllite, quartzite, psammite, calc-phyllite, calc-silicate, grit and marble of the Yusezyu Formation of the Neoproterozoic to Early Cambrian Hyland Group that is hornfelsed adjacent to the stock and in other parts of the property where shallowly buried intrusions lie under these rocks. A biotite hornfels occurs closest to the intrusions, with andalusite hornfels extending further (Stephens et. al., 2000).

The Josephine Creek Fault is a major fault (extending about 10 km to the north of the property) which lies just east of the BIG claims, and runs south-southeast. Numerous smaller faults, lineaments and faults interpreted from airborne geophysics are present on the property (Stammers, 1998). The east-west trending linear branch of Big Creek which extends across the northern part of the BIG property is likely a fault, and may be a control on mineralization. The extension of this structure to the west may be part of the Contact Zone of Golden Predator, or a related parallel structure. Strongly anomalous gold in soils in the northwest corner of the BIG property may be a continuation of the Contact Zone mineralized system.

5.3 Structural Geology

The structural geology of the area and structural controls on gold mineralization has been studied recently (Stephens et. al., 2000). The following quote from this report summarizes the structural geology of the area: *“Gold mineralization in the Clear Creek area is associated with ca. 92 Ma Tombstone Plutonic Suite intrusions emplaced into metasedimentary rocks of the*

Neoproterozoic to Early Cambrian Hyland Group. Hyland Group rocks have undergone four ductile deformations (D1-D4) in the structurally thick (>10 km) Jura-Cretaceous Tombstone high strain zone. Kinematic features indicate overall top-to-the-northwest movement on shallow shear planes. Four different types of quartz veins developed during ductile deformation and are associated with a progression from ductile to brittle-ductile behaviour. Three major brittle structural trends postdate ductile deformation. A set of sinistral ~165° striking faults developed and are crosscut by secondary east-west fracture zones in Hyland Group rocks. The Tombstone Plutonic Suite was then emplaced in a broadly east-west oriented belt, with some local control exerted by the ~165° oriented faults. Continued development of the east-west fracture set after the Tombstone Plutonic Suite intrusion, resulted in an extensive system of gold-bearing sheeted quartz veins. Finally, sinistral reactivation and associated quartz-tourmaline veining occurred on ~165° oriented structures.”



Figure 2. Granodiorite of the Big Creek Stock cutting diorite. Felsenmeer on BIG claims.

6.0 Deposit Types

The most significant known deposit types in the area are intrusion-related gold deposits.

Tungsten is present in a skarn deposit at Harper Creek, and is also present as an accessory mineral in some intrusion-hosted gold zones including the South Rhosgobel W-Au Zone adjacent to the Big Claims. Molybdenum values are elevated in the Rhosgobel stock, and tin is locally anomalous, especially to the southeast of the property. Silver is present in anomalous levels over much of the area, especially associated with lead at the Galena Zone of Golden Predator.

There are three major types of gold deposits known in the Clear Creek area: a) Sheeted Veins within intrusions, with associated Bi and W (e.g. Rhosgobel, Pukelman) b) structurally controlled quartz-arsenopyrite veins (e.g. Contact Zone, Josephine Zone) and c) Breccia-hosted gold (e.g. Bear Paw Zone).

7.0 Mineralization

Gold mineralization in the area has been described by Marsh et. al. (1999): *“Various styles of auriferous mineralization occur in the Clear Creek area, but intrusion-hosted sheeted arrays of low-sulphide quartz veins are predominant and characterize the Tombstone gold belt.*

Irregularly spaced auriferous quartz veins are found in the adjacent hornfels. The sheeted and stockwork-style quartz veins, within the granitoids and hornfels, show traces to a few percent sulphide minerals, mainly arsenopyrite, pyrite, and less commonly, pyrrhotite. Scheelite is common in a minority of the veins and in local skarn zones. Molybdenite, galena, chalcopyrite, and bismuthinite have been also been reported (Coombes, 1997). K-feldspar, muscovite, biotite and carbonate are common gangue minerals, with less abundant tourmaline, albite and sericite.

Sheeted veins cut all intrusive rock types including felsic and lamprophyre dykes. Their localized coincidence with aplite and pegmatite dykes, and the presence of high-salinity fluid inclusions in metal-rich veins (Marsh, unpub. data), suggests a genetic link between mineralizing fluids and the latter phases of magma crystallization.

Arsenopyrite-rich veins are rare within the stocks but are normally in the margins or hosted by the hornfelsed country rocks. Notable occurrences occur on the margin of Josephine Creek stock in the Josephine Creek valley, and within the Contact zone at the southern margin of the Pukelman stock in the adjacent hornfels. Disseminated arsenopyrite is visible outside of some veins and within the most highly altered wall rocks.”

Analysis of multi-element geochemical data revealed the following: “Sulphide-bearing quartz veins and hydrothermally altered wall rocks are represented by two other factors. The first of these is the As-Au-Bi $\pm$ Sb, Te ore related mineral association characteristic of intrusion-related gold deposits throughout the Tombstone gold belt. Less consistently, anomalous concentrations of Ag, Co, Cu, Fe, and Mo occur within these auriferous rocks. The second metal suite noted from the factor analysis is defined by Ag-Bi-Pb $\pm$ As, Au, Te and characterizes metalliferous vein samples that have uncommonly low Au:Ag ratios. The geochemical signature particularly characterizes many samples from in and around the Pukelman stock. It may identify a second metalliferous hydrothermal event in the Clear Creek area. Tungsten shows little consistent correlation with the metalliferous rocks in either element suite.”

Mineralization discovered on the BIG claims in 2010 and 2011 consists of quartz-pyrite-arsenopyrite +/- tourmaline veins and breccias, and felsic dykes mineralized with pyrite-arsenopyrite.



Figure 3. Quartz- tourmaline breccia vein adjacent to Big Creek stock.

8.0 2011 Work Program

The 2011 work program consisted of reconnaissance prospecting, with 169 soil samples collected from UTM based grid lines, ridges & spurs, and from certain favourable sites. This work was supported from truck camp sites located northwest and southwest of the property. 16 rock samples were collected for analysis while prospecting.

8.1 Work Program Results

The 2011 exploration program resulted in the collection of 16 rocks samples and 169 soil samples. Gold values and sample locations are presented in Map 1, rock details in Table 1, soil locations in Appendix 3 and analytical certificates in Appendices 4 & 5.

Six of sixteen rock samples returned greater than 0.1 g/t gold, including a highest value of 3.85 g/t Au with 21.2 g/t Ag, the highest precious metal values reported from this property to date. The six highest gold in rock results (which are also elevated in silver) were all float rock collected from a steep gully in the northwest corner of the property. These mineralized rocks are altered felsic dykes with pyrite and arsenopyrite, and spatially related iron oxide-rich breccia (or ferricrete?).

Soil samples were mostly collected on grid lines in the north and northwest part of the property, with some collected along one ridge line near the Big Creek stock, plus a few selectively targeted samples. The soils in the area are overall slightly anomalous, with a median value of 15ppb Au, a low value of 5ppb (all samples above the detection limit of 2ppb) and three samples above 100ppb. The northwest corner of the property is clearly anomalous, with most samples above a 20ppb Au threshold.

Evaluating gold correlations with trace elements was done for all samples collected in 2010 and 2011. Gold correlates strongly with arsenic (a correlation coefficient of .71 in rocks and .77 in soils), with Pb and Sb in rocks, and with Ag, Bi, Hg, Te and W in soils. The analytical method used in 2011 had relatively high detection limits compared with 2010, and many of the 2011 pathfinder element results are below detection limits. Gold to silver correlation coefficients are .38 in rocks and .68 in soils, a relationship considered to be important.

8.2 Personnel

The following personnel were employed during the 2011 work program on the BIG property:

William Mann, M.Sc., P.Geo.	Consulting Geologist
Sandro Frizzi	Geologist
Max Mikhailytchev	Senior Exploration Technician

Table 1. BIG Project - 2011 Rock Sample Locations

SAMPLE	E	N	Sampler	Au ppm	Ag ppm	Sample Description
65601	398977	7082730	Bill	0.009	0.2	boulder 20x20x10cm, grab sample, grey QV w/ sparse rusty pits after pyrite
65602	398988	7082652	Bill	0.012	0.4	boulders, grab sample, grey QV w/ sparse rusty pits after pyrite, minor gn. (?)
65603	399509	7082297	Bill	0.280	24.2	boulders, grab sample, aphanitic pale grey-brown dyke, yellow-green oxide on fractures (jarosite- scorodite?)
65604	399513	7082302	Bill	0.197	2.3	boulders, grab sample, fine-grained siliceous dyke, dark grey
65605	399513	7082302	Bill	0.114	0.8	boulders, grab sample, porous, crumbly orange-yellow Fe-oxide rock
65606	399513	7082305	Bill	0.419	11.8	boulders, grab sample, aphanitic pale grey-brown dyke, yellow-green oxide on fractures (jarosite- scorodite?) w/ grey Qtz vein stockwork & bxia, rusty pits after pyrite and arsenopyrite
65607	399493	7082273	Bill	1.530	14.9	50 x 20cm angular boulder, f.g. Grey-brown felsic dyke w/ rusty pits after pyrite and arsenopyrite
65608	399480	7082264	Bill	3.850	21.2	30 x 15 cm boulder, porous iron oxide rock similar to 65605, possibly ferricrete
65609	398788	7077678	Bill	0.019	0.4	boulders in moss, fine-grained pale grey felsic dyke, rusty weathering
65610	399158	7077843	Bill	0.008	<0.2	Quartz vein boulder in rocky gully, rusty
65611	399402	7080850	Bill	0.003	0.4	boulders, white QV fragments in black tourmaline breccia veins
65612	399429	7080734	Bill	0.078	7.0	highly altered felsic dyke boulders, cut by grey Qtz veinlets, rusty pits, possible scorodite
65613	399429	7080734	Bill	0.006	<0.2	boulders, Hyland grit, silicified w/ sheeted Q-tourmaline-iron oxide veinlets (15 veinlets over 10cm)
65614	399470	7080627	Bill	0.028	<0.2	boulders, rusty felsic dyke cut by quartz veinlets
380451	402439	7082489	Max	0.004	<0.2	boulders, grab, white quartz vein cuts schist
380452	402234	7082269	Max	0.012	1.5	boulders, grab, rusty QV cuts grit

UTM NAD 83, zone 8

9.0 Sampling Method and Approach

Soil samples were collected with Dutch soil augers or Geotul type picks from the “C” horizon or from talus fines. Soils were collected along UTM grid lines near the northern boundary of the property, and also along a ridge crest in the central part of the claims near the stock. A few samples were collected from specific sites near mineralized rock, or from potentially favourable locations. Samples were placed into numbered paper envelopes along with a sample tag. Soils bags were placed into large plastic bags in numerical order. These plastic bags were then combined into a rice bag for shipment to the laboratory, and sealed with a nylon zip tie.

Rocks samples were collected based on favourable appearance and location relative to structures. Most samples were of apparently mineralized float rock, as solid bedrock is rare while felsenmeer or talus is quite abundant. Chips were taken of boulders, and total sample weight ranged from 210 to 860 grams. Samples were placed into numbered plastic ore bags along with a sample tag. Samples were described in a notebook along with sample location. The sample bags were tied closed with flagging tape. Plastic ore bags were placed into rice bags and sealed with a nylon zip tie.

All samples were transported in the care of the author, and delivered directly to the AGAT preparation laboratory in Whitehorse, Yukon.

10.0 Sample Preparation, Analysis and Approach

The 2011 samples were placed into rice bags in the field by the author, sealed and secured. The samples were delivered directly to the Whitehorse preparation facility of AGAT Laboratories by the author. AGAT Laboratories is accredited and certified to the International Organization for Standardization for ISO 9001 and ISO/IEC 17025 standards.

At the preparation facility samples were dried at 60°C. Soil samples were sieved to -80 mesh. Rocks were crushed to 90% minus 2mm, then a 250g split was pulverized to 85% minus 75um. The samples were then transported from Whitehorse to the Burnaby mineral geochemistry laboratory of AGAT.

The samples were analyzed by AGAT method #202051 for Gold, determined by fire assay of 30g with AAS finish. They were also analyzed by method #201073 for 46 elements by ICP-OES after digestion of 0.5g by aqua regia.

Quality control procedures were implemented at the laboratory, involving the regular insertion of blanks and standards and repeat analyses on the samples. Quality Assurance data is provided for each batch of samples and included with each analytical certificate (Appendix XX).

There was no evidence of any tampering with the samples during collection or shipping. All sample preparation was conducted by the laboratory.

11.0 Data Verification

The number of samples collected in this work was small and the work early stage, therefore no blank or standard samples were submitted into the analytical stream by the company. AGAT has a rigorous internal data verification system that was deemed to be adequate for the purposes of this study.

12.0 Adjacent Properties

The BIG claims are entirely surrounded by mineral claims owned by competitors. The known significant gold occurrences nearby are all located on ground owned by Golden Predator Corp., located immediately adjacent to the BIG claims on the west and north sides. Golden Predator is actively exploring their ground, including an extensive program of reverse-circulation and diamond drilling in 2010 and diamond drilling in 2011. The Clear Creek property of Golden Predator hosts the Rhosgobel, Pukelman, Contact, Saddle, Josephine, Eiger, Galena, Bear Paw and Tungsten Skarn zones. Some of these zones are enriched in tungsten, molybdenum and silver in addition to gold.

Results obtained by Golden Predator include RC Hole CC10-25 in the **Saddle Zone** which intercepted 1.24 g/t Au over 22.86 m, hole CC11-051 in the **Bear Paw Zone** which intercepted 2.26 g/t Au over 52.95 m, and hole CC11-43 in the **Contact Zone** which intercepted 2.19 g/t Au over 25.50 m and 4.70 g/t Au over 7.50 m and several narrower or lower grade intercepts within a 231 m interval (Golden Predator news releases on corporate website).

All information on the Golden Predator property is publicly disclosed and described under Section 4.0: "History", and is separate from mineralization described in this report. Information from the adjacent property is not necessarily indicative of the mineralization on the BIG property, the subject of this report.

Claims to the southeast of the BIG property have had historical exploration for tin and other commodities, with no known deposits near the BIG claims. The claims other than those owned by Golden Predator have been recently staked, and have seen little exploration in the past decade.

13.0 Interpretation and Conclusions

13.1 Interpretation

The BIG claims are thought to be underlain at shallow depth by intrusions in many areas beyond the known outcrop of the Big Creek stock, and therefore have good potential to host intrusion-related gold (+/- silver) deposits. This is evident from the widespread distribution of hornfels altered metasediments, the presence of dykes of various compositions, and from interpretation of the airborne geophysical survey conducted by Newmont (Stammers, 1998). Magnetic low anomalies are interpreted to be due to quartz monzonitic intrusions similar to Rhosgobel, and potassium high anomalies due to rhyolitic intrusions that may be similar to the Bear Paw breccia. Faults interpreted from topographic linears and geophysical discontinuities may produce favourable structural settings for mineralization on the BIG claims.

Prospecting in 2010 and 2011 identified two highly favourable areas, one along the contacts of the northwestern lobe of the Big Creek stock and the other in the northwest corner of the claims. The target adjacent to the Big Creek stock, with a best rock sample of 2.91 g/t gold may be a continuation of the Rhosgobel/ Juno mineralized system on the adjacent ground of Golden Predator. The target in the northwest corner of the BIG claims, with a best rock value of 3.85 g/t gold and 21.2 g/t silver may be a continuation of the Contact Zone mineralized system on the adjacent ground of Golden Predator. Silver content associated with gold mineralization may contribute significantly to the economic potential of this property.

13.2 Conclusions

Gold mineralization is present on the BIG claims, notably on the north ridge of the Big Creek stock and in the northwest corner of the property. Quartz- arsenopyrite veins found in 2010 and pyrite- arsenopyrite mineralized felsic dykes found in 2011 are similar to those found on the adjacent property. Gold in soil has been found at anomalous levels over good distances in several areas of the property.

The BIG property has never been drilled, and the next phase of work should focus on soil grids, mapping and prospecting to firm up drill targets at the Big Creek stock and the northwest area targets which have returned multi-gram gold results. These targets are more or less extensions of known mineralized zones on the adjacent competitor's property, and drill targets can be firmed up with a modest effort. The margins of the dioritic phase of the Big Creek stock appear to be a favourable environment for mineralization, and this relationship should be confirmed with further mapping and prospecting. The mineralized dykes in the northwest part of the property appear to be related to an east-west structure that is parallel to the Contact zone on the adjacent competitor's property.

Exploration to date on the property has been mostly on a cursory level, despite advanced exploration on the adjacent ground now held by Golden Predator. Small soil grids have been sampled on the southwestern edge of the claims and on the western edge near the Rhosgobel

stock, and now in the northwest part of the property with favourable results. Mapping and prospecting has not covered the entire property, with the eastern and especially the southeastern part of the claims mostly neglected. There is good untested surface potential remaining in these areas. Targeted soil geochemistry around lineaments and geophysical anomalies, in conjunction with prospecting is an effective method for developing drill targets on the property.

14.0 Recommendations

The next phase of work should consist of continuing the soil geochemistry grid started in the northern part of the property. It is likely that the Rhosgobel/ Juno Zone and the Contact Zone mineralized systems on the adjacent Clear Creek property of Golden Predator Corp. continue onto the BIG property, and systematic soil sampling in these areas should help to demonstrate this. Additional sampling and detailed mapping should result in the development of drill targets in these areas.

In addition, reconnaissance soil lines should be undertaken in the southeast part of the property where little work has been done to date, especially in areas where geophysical lineaments intersect. Soil lines should be sampled over the small felsic intrusion (and potassium anomaly) located at the southwest part of the property. Prospecting and detailed mapping should be conducted concurrently in the same areas.

The area along the eastern property boundary, which is also the Dawson mining district boundary has seen the least exploration, as it is furthest from access roads. A fly camp or two located near the eastern edge of the claims would facilitate exploration in this area.

15.0 References

Allen, T.L., Hart, C.J.R. and Marsh, E.E., 1999. Placer gold and associated heavy minerals of the Clear Creek drainage, central Yukon: past to present. In: Yukon Exploration and Geology 1998, C.F. Roots and D.S. Emond (eds.), Exploration and Geological Services Division, Yukon, Indian and Northern Affairs Canada, p. 197-214.

Bidwell, G. 1993. 1992 reverse circulation drill program at the Clear Creek Project for Hemlo Gold Mines. Assessment Report #093097.

Coombes, S. 1995. Reverse circulation drilling, geochemical sampling, geological mapping and road construction on the RAIN, WIND, SLEET, RUM, RYE, DUM, WET & CC claims by Kennecott Canada. Assessment Report #093372.

Feulgen, S. & Stephens, J.C. 1989. Diamond drilling on the Rain, Wind and Sleet claims, Clear Creek, Yukon for Cambridge Resources Ltd. Assessment Report #092752.

Golden Predator Corp., 2011. Corporate website at: www.goldenpredator.com.

Gordey, S.P. and Anderson, R.G. 1993: Evolution of the Northern Cordilleran Miogeocline, Nahanni Map area (105I), Yukon and Northwest Territories; Geological Survey of Canada, Memoir 428.

Joy, R.J. and VanTassell, R.E., 1971: Geological and Geochemical report on the NOP 1 to 10 Mineral Claims, Clear Creek, Dawson Mining District. Assessment Report #061132.

Kennedy, D.R., 1980: CCH Resources Ltd., Assessment Report #090550, Geochemical Survey, Jubjub claims 1 – 32, 115P/14.

Lueck, B.A., 1994: Geological and Geochemical Assessment Reports #093310 & #093270 for the FAR 1 – 70, TP 2, 4 – 8, FP 1 – 12 Claims and J D A 1 – 91; EFP 1 – 76 Claims, Dawson Mining Division.

Mann, W.D., 2011. 2010 Geochemical Assessment Report on the BIG claims.

Marsh, E.E., Hart, C.J.R., Goldfarb, R.J. and Allen, T.L., 1999. Geology and geochemistry of the Clear Creek gold occurrences, Tombstone gold belt, central Yukon Territory. In: Yukon Exploration and Geology 1998.

Murphy, D.C. and Heon, D., 1996: Geoscience Maps 1996-1 and 1996-2, Geological map of Clear Creek area and Sprague Creek area, western Selwyn Basin, Yukon (115P/14, 115P/15).

Murphy, D.C. 1997. Geology of the McQuesten River Region, Northern McQuesten and Mayo Map areas, Yukon Territory (115P/14, 15, 16; 105M/13, 14). Yukon Geological Survey Bulletin 6.

Poulson, K.H., Mortensen, J.K., Murphy, D.C, 1997: Styles of Intrusion-related mineralization in the Dawson-May area, Yukon Territory; in Current research 1997-A; Geological Survey of Canada, p. 1-10.

Rainbird, R.H., 1982: Geological and Geochemical Assessment Report #091368 on the West Ridge Claims, C.C. (1) 782-847, 850-859, 862-871, 973-881, 883-919, C.C. (2) 852-857, Dawson Mining Division; for: Canada Tungsten Mining Corporation Limited; by: Bema Industries Ltd.

Rainbird, R.H. and Kelly, D.A., 1981: Geological and Geochemical Assessment Report #090926 on the C.C. 1-860 (Fractions included), Sluggo 1-20, Rain 1-30 and Bee 1-14 Claim Groups, Dawson Mining Division; For: Canada Tungsten Mining Corporation Ltd.; by Bema Industries Ltd.

Robinson, S. 1988. Geological, Geochemical, Geophysical and Diamond Drilling report on the RUM, RYE and ROLL claims for Goldrite Mining Corp. Assessment Report #092748.

Schulze, C.M. 2004: Year-2003 Results on the FAR -TP Project, Thor Explorations Ltd. Assessment Report #094456.

Schulze, C.M. 2005: Year-2005 Geochemical and Geological Assessment Report #094654, FAR-TP project, Thor Explorations Ltd.

Smith, C.A.S., Meikle, J.C. & Roots, C.F. (editors) 2004. Ecoregions of the Yukon Territory: Biophysical properties of Yukon landscapes.

Stammers, M. 1998. Geological, Geochemical and Geophysical Report on the Clear Creek property, Newmont Mining. Assessment Report #093937.

Stammers, M. 1999. Geochemical and Diamond Drilling report on the Clear Creek property, Redstar Resources. Assessment Report #094058.

Stephens, J.R., Oliver, N.H.S., Baker, T. and Hart, C.J.R., 2000. Structural evolution and controls on gold mineralization at Clear Creek, Yukon. In: Yukon Exploration and Geology 1999.

Woodsend, A, 1981: Campbell Resources Incorporated; Assessment Report #090802, Geological and Geochemical Surveys, Jubjub claims 1 to 32.

Yukon Minfile, 115P: Yukon Geological Survey. Available in digital format at: <http://www.geology.gov.yk.ca>

APPENDIX I

STATEMENT OF QUALIFICATIONS

WILLIAM D. MANN, M.Sc., P.Geo.

19 HAYES CRESCENT, WHITEHORSE, YUKON Y1A 0E1

1. I am a member in good standing of the Association of Professional Engineers and Geoscientists of BC, Licence #31907.
2. I am a Graduate of Queen's University, 1986, with a Master of Science Degree in Mineral Exploration Geology.
3. I am a Graduate of the University of British Columbia, 1983, with a Bachelor of Science Degree in Geology.
4. I have worked in mineral exploration and mining continuously since 1979.
5. I supervised and participated in the work program on the BIG Project in 2011.
6. I am consulting geologist for Bearing Resources Ltd., owner of the claims. I hold no interest in the BIG property. I hold options to purchase the securities of Bearing Resources Ltd.

November 25, 2011

William D. Mann, M.Sc., P.Geo.

2011 BIG Project Statement of Expenditures - Bearing Resources Ltd.

DATE	INVOICE #	SUPPLIER	ITEM	COST	
<u>Expenses incurred by contractors on behalf of Bearing</u>					
06-25-2011	ER 20110625/ 11-94E	William Mann	Groceries, hardware, travel costs	3,230.89	
07-08-2011	ER JUL11-W MANN 11-96E	William Mann	motel accommodation - Dawson	272.30	
06-27-2011	ER JUN 11-S FRIZZI	Sandro Frizzi	travel cost	690.00	
07-31-2011	ER 20110731/ 11-98E	William Mann	radiotel and satellite phone	92.00	
06-27-2011	INV 1103B	Max Mikhailytchev	INV 1103B Max	115.00	
06-27-2011	INV 1103B	Max Mikhailytchev	truck, trailer, ATV	770.00	
				5,170.19	\$5,170.19
<u>Contractors and Consultant Fees</u>					
05-31-2011	2011-Bearing Res 01	Stewart Basin Exploration	Map preparation	570.00	
06-26-2011	INV 11-95	William Mann	QP project manager, geologist, truck	7,050.00	
06-27-2011	INV 118	Sandro Frizzi	Prospecting and sampling, ATV	3,300.00	
06-27-2011	INV 1103A	Max Mikhailytchev	Prospecting and sampling	2,450.00	
				13,370.00	\$13,370.00
<u>Geochemical Analysis</u>					
07-15-2011	INV 11K19850M	AGAT Lab	Soil geochemistry	3,336.18	
07-18-2011	INV 11K20017M	AGAT Lab	Rock geochemistry	396.80	
				3,732.98	\$3,732.98

TOTAL EXPENDITURES: **\$22,273.17**

field work conducted June 16 - 22, 2011

Signed: _____

Date: _____

Appendix 3.**2011 BIG Property Soil Sample Locations**

Sample #	Au	Ag	NAD83 UTM Zone9		Sample #	Au	Ag	NAD83 UTM Zone9	
	ppb	ppm	E	N		ppb	ppm	E	N
72951	8	<0.2	402200	7083200	73320	16	<0.2	400355	7083007
72952	7	<0.2	402155	7083203	73321	41	<0.2	400305	7083004
72953	7	<0.2	402106	7083204	73322	27	<0.2	400253	7083002
72954	16	<0.2	402057	7083204	73323	71	<0.2	400198	7083004
72955	10	<0.2	402008	7083204	73324	33	<0.2	400140	7082998
72956	16	<0.2	401956	7083203	73325	47	0.5	400097	7083002
72957	10	<0.2	401904	7083202	73326	50	<0.2	400047	7082992
72958	15	<0.2	401856	7083203	73327	67	<0.2	400001	7083002
72959	16	<0.2	401807	7083201	73328	48	<0.2	399943	7082998
72960	9	<0.2	401755	7083204	73329	116	<0.2	399897	7083000
72961	12	<0.2	401705	7083202	73330	20	<0.2	399850	7083009
72962	9	<0.2	401652	7083203	73331	23	<0.2	399785	7083008
72963	13	<0.2	401603	7083200	73332	16	<0.2	401150	7082394
72964	20	<0.2	401551	7083202	73333	10	<0.2	401106	7082395
72965	23	<0.2	401498	7083203	73334	19	<0.2	401045	7082398
72966	15	<0.2	401451	7083202	73335	6	<0.2	401001	7082398
72967	10	<0.2	401403	7083203	73336	7	<0.2	400948	7082395
72968	19	<0.2	401351	7083200	73337	11	<0.2	400902	7082396
72969	15	<0.2	401303	7083203	73338	18	<0.2	400856	7082397
72970	24	<0.2	401249	7083202	73339	7	0.2	400800	7082399
72971	12	<0.2	401200	7083201	73340	9	0.7	400748	7082395
72972	19	<0.2	401151	7083202	73341	10	<0.2	400698	7082401
72973	24	<0.2	401102	7083200	73342	7	<0.2	400651	7082392
72974	15	<0.2	401052	7083202	73343	10	0.3	400601	7082398
72975	18	<0.2	401001	7083204	73344	10	<0.2	400553	7082397
72976	24	<0.2	400951	7083203	73345	6	<0.2	400499	7082394
72977	27	<0.2	400901	7083199	73346	10	<0.2	400451	7082395
72978	17	<0.2	400851	7083202	73347	15	<0.2	400400	7082397
72979	21	<0.2	400800	7083200	73348	12	<0.2	400348	7082398
72980	22	<0.2	400750	7083201	73349	10	<0.2	400295	7082396
72981	23	<0.2	400700	7083200	73350	5	<0.2	400248	7082399
72982	30	<0.2	402329	7082917	73351	6	<0.2	400199	7082401
72983	15	<0.2	402379	7082793	73352	10	<0.2	400147	7082399
72984	6	<0.2	402564	7081829	73353	15	1.1	400100	7082399
72985	7	<0.2	402300	7082400	73355	25	<0.2	401053	7079630
72986	10	<0.2	402257	7082400	73356	17	<0.2	401011	7079671
72987	83	<0.2	402200	7082403	73357	37	<0.2	400970	7079695
72988	9	<0.2	402155	7082401	73358	16	<0.2	400923	7079732
72989	36	<0.2	402102	7082399	73359	20	<0.2	400881	7079753
72990	11	<0.2	402052	7082401	73360	36	<0.2	400834	7079775
72991	21	<0.2	402002	7082400	73361	13	<0.2	400791	7079782
72992	10	<0.2	401951	7082400	73362	12	<0.2	400736	7079785
72993	18	<0.2	401901	7082401	73363	12	<0.2	400681	7079812
72994	6	<0.2	401851	7082401	73364	15	<0.2	400637	7079835
72995	11	<0.2	401802	7082400	73365	8	<0.2	400601	7079858

	Au	Ag	NAD83 UTM Zone9			Au	Ag	NAD83 UTM Zone9	
Sample #	ppb	ppm	E	N	Sample #	ppb	ppm	E	N
72996	23	<0.2	401751	7082401	73366	8	<0.2	400559	7079887
72997	10	<0.2	401702	7082401	73367	12	<0.2	400522	7079924
72998	14	<0.2	401651	7082401	73368	8	<0.2	400491	7079965
72999	9	<0.2	401601	7082399	73451	17	<0.2	399100	7082350
73000	7	<0.2	401551	7082400	73452	10	<0.2	399100	7082400
73101	10	<0.2	401501	7082401	73453	9	<0.2	399100	7082450
73102	9	<0.2	401452	7082401	73454	12	<0.2	399100	7082500
73103	7	<0.2	401400	7082401	73455	8	0.4	399100	7082550
73104	8	<0.2	401350	7082402	73456	9	<0.2	399100	7082600
73105	25	<0.2	401301	7082401	73457	19	<0.2	399100	7082650
73106	6	<0.2	401250	7082400	73458	19	0.3	399100	7082700
73107	12	<0.2	401638	7079569	73459	39	0.3	399100	7082750
73108	20	<0.2	401601	7079536	73460	57	1.8	399100	7082800
73109	10	<0.2	401557	7079513	73461	88	0.4	399100	7082850
73110	20	<0.2	401512	7079484	73462	83	0.5	399200	7082900
73111	9	<0.2	401473	7079456	73463	104	0.9	399200	7082850
73112	8	<0.2	401400	7079444	73464	42	0.4	399200	7082800
73113	7	<0.2	401352	7079429	73465	20	0.3	399500	7082950
73114	7	<0.2	401307	7079405	73466	24	<0.2	399500	7082900
73115	9	<0.2	401261	7079411	73467	29	<0.2	399500	7082850
73116	10	<0.2	401189	7079436	73468	19	0.4	399500	7082800
73117	9	<0.2	401126	7079450	73469	36	0.5	399500	7082750
73118	7	<0.2	401075	7079454	73470	16	0.3	399500	7082700
73119	19	<0.2	401019	7079476	73471	29	0.4	399500	7082650
73120	112	<0.2	400965	7079503	73472	31	<0.2	399500	7082600
73121	15	<0.2	400917	7079524	73473	23	<0.2	399500	7082550
73301	11	<0.2	401300	7083000	73474	8	<0.2	399500	7082500
73302	16	<0.2	401255	7083000	73475	7	<0.2	399500	7082450
73303	9	<0.2	401205	7082998	73476	7	<0.2	399500	7082400
73304	11	<0.2	401155	7083000	73477	12	<0.2	399400	7080868
73305	8	<0.2	401100	7082998	73478	15	<0.2	399405	7080806
73306	12	<0.2	401057	7082999	73479	23	<0.2	399427	7080745
73307	28	<0.2	401004	7082999	73480	18	0.4	399460	7080716
73308	18	<0.2	400953	7083000	73481	11	<0.2	399477	7080628
73309	10	<0.2	400903	7082997					
73310	16	<0.2	400851	7082998					
73311	47	<0.2	400803	7082995					
73312	50	<0.2	400751	7082994					
73313	21	<0.2	400702	7082992					
73314	32	0.3	400653	7083000					
73315	14	0.5	400602	7083005					
73316	40	0.7	400556	7082998					
73317	10	<0.2	400499	7083004					
73318	14	0.5	400452	7083005					
73319	14	<0.2	400401	7083001					

CLIENT NAME: BEARING RESOURCES
1280 - 625 HOWE STREET
VANCOUVER, BC V6C2T6

ATTENTION TO: Bill Mann, Dave Tupper

PROJECT NO: BIG

AGAT WORK ORDER: 11Y504427

SOLID ANALYSIS REVIEWED BY: Ron Cardinali, General Manager

DATE REPORTED: Jul 15, 2011

PAGES (INCLUDING COVER): 9

Should you require any information regarding this analysis please contact your client services representative at (905) 501 9998, or at
1-800-856-6261

*NOTES



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 11Y504427

PROJECT NO: BIG

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: BEARING RESOURCES

ATTENTION TO: Bill Mann, Dave Tupper

Aqua Regia Digest - Metals Package, ICP-OES finish (201073)

DATE SAMPLED: Jun 23, 2011		DATE RECEIVED: Jun 23, 2011						DATE REPORTED: Jul 15, 2011				SAMPLE TYPE: Rock			
	Analyte:	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cu	Fe
	Unit:	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%
Sample Description	RDL:	0.2	0.01	1	5	1	0.5	1	0.01	0.5	1	0.5	0.5	0.5	0.01
65601		0.2	0.14	3	<5	2	<0.5	<1	0.02	<0.5	<1	1.1	229	7.8	0.55
65602		0.4	0.10	371	<5	15	<0.5	<1	0.03	<0.5	1	0.9	269	8.9	0.74
65603		24.2	0.09	4740	111	9	<0.5	<1	<0.01	0.7	31	<0.5	124	15.7	0.86
65604		2.3	0.32	1380	43	125	<0.5	3	<0.01	<0.5	49	0.5	66.9	4.9	2.94
65605		0.8	0.66	2110	15	54	0.6	<1	<0.01	<0.5	64	4.9	52.1	94.7	10.2
65606		11.8	0.19	3220	51	53	<0.5	<1	<0.01	<0.5	58	0.6	118	5.3	1.31
65607		14.9	0.44	998	25	75	<0.5	<1	<0.01	<0.5	69	<0.5	94.0	11.3	0.91
65608		21.2	0.47	>10000	16	185	0.7	<1	0.01	2.5	52	2.0	58.4	117	11.1
65609		0.4	0.51	85	<5	79	<0.5	<1	0.08	<0.5	25	0.6	60.0	14.2	1.04
65610		<0.2	0.20	18	<5	13	<0.5	<1	0.06	<0.5	11	2.7	240	16.4	0.71
65611		0.4	0.27	12	122	65	<0.5	<1	<0.01	<0.5	33	<0.5	109	4.9	0.74
65612		7.0	0.32	>10000	22	42	<0.5	2	<0.01	<0.5	35	0.6	141	10.0	1.44
65613		<0.2	0.65	38	<5	79	1.1	<1	0.02	<0.5	104	3.7	15.9	11.5	3.74
65614		<0.2	0.59	63	10	30	0.5	<1	<0.01	<0.5	38	3.0	90.2	35.4	9.08
380451		<0.2	4.04	7	9	10	<0.5	<1	<0.01	<0.5	5	6.0	128	15.3	7.80
380452		1.5	0.49	86	5	36	<0.5	<1	<0.01	<0.5	37	11.9	146	28.4	4.76

Certified By:

Ron Cardinal



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 11Y504427

PROJECT NO: BIG

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: BEARING RESOURCES

ATTENTION TO: Bill Mann, Dave Tupper

Aqua Regia Digest - Metals Package, ICP-OES finish (201073)

DATE SAMPLED: Jun 23, 2011

DATE RECEIVED: Jun 23, 2011

DATE REPORTED: Jul 15, 2011

SAMPLE TYPE: Rock

Analyte:	Ga	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Ni	P	Pb	Rb
Unit:	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
Sample Description RDL:	5	1	1	0.01	1	1	0.01	1	0.5	0.01	0.5	10	0.5	10
65601	<5	<1	<1	0.01	<1	2	0.09	49	3.7	<0.01	6.2	46	3.4	<10
65602	<5	<1	<1	0.01	<1	1	0.06	47	3.9	<0.01	5.3	181	0.7	<10
65603	<5	<1	<1	0.03	14	<1	0.01	18	2.3	<0.01	2.4	226	2810	<10
65604	<5	<1	<1	0.68	24	1	0.02	13	2.2	<0.01	<0.5	553	286	51
65605	<5	<1	<1	0.22	28	2	<0.01	70	1.5	<0.01	10.6	526	41.0	23
65606	<5	<1	<1	0.18	26	<1	0.01	22	1.5	<0.01	2.2	586	460	17
65607	<5	<1	<1	0.29	31	2	0.02	16	1.0	<0.01	1.7	450	3240	29
65608	<5	2	<1	0.20	22	1	<0.01	49	3.1	<0.01	1.1	1120	6470	24
65609	<5	<1	<1	0.19	14	7	0.04	98	2.7	0.05	1.4	94	85.2	25
65610	<5	<1	<1	0.03	4	5	0.10	241	3.1	0.01	13.0	232	11.4	<10
65611	<5	<1	<1	0.09	15	2	0.02	16	1.0	0.01	2.4	111	38.8	<10
65612	<5	<1	<1	0.19	16	1	0.01	23	2.5	<0.01	3.5	88	344	34
65613	<5	<1	<1	0.27	48	10	0.02	27	1.8	0.01	19.9	442	6.3	26
65614	<5	<1	<1	0.12	16	4	<0.01	68	5.3	<0.01	7.6	212	4.4	13
380451	8	<1	<1	0.03	<1	92	2.48	506	2.6	<0.01	18.6	46	7.3	<10
380452	<5	<1	<1	0.12	15	4	0.08	689	2.4	<0.01	27.0	229	11.8	13

Certified By:

Ron Cardinal



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 11Y504427

PROJECT NO: BIG

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: BEARING RESOURCES

ATTENTION TO: Bill Mann, Dave Tupper

Aqua Regia Digest - Metals Package, ICP-OES finish (201073)

DATE SAMPLED: Jun 23, 2011

DATE RECEIVED: Jun 23, 2011

DATE REPORTED: Jul 15, 2011

SAMPLE TYPE: Rock

	Analyte:	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V	W
	Unit:	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
Sample Description	RDL:	0.005	1	0.5	10	5	0.5	10	10	5	0.01	5	5	0.5	1
65601		<0.005	<1	<0.5	<10	<5	2.3	<10	<10	<5	<0.01	<5	<5	3.8	<1
65602		0.028	<1	<0.5	<10	<5	4.0	<10	<10	<5	<0.01	<5	<5	2.9	<1
65603		0.091	15	1.9	<10	<5	13.0	<10	<10	6	<0.01	<5	<5	2.7	<1
65604		0.943	6	4.6	<10	<5	26.7	<10	<10	38	<0.01	<5	<5	17.6	<1
65605		0.024	18	3.3	<10	<5	2.9	<10	<10	22	<0.01	<5	<5	15.6	<1
65606		0.190	9	2.4	<10	<5	18.8	<10	<10	13	<0.01	<5	<5	5.9	<1
65607		0.098	12	2.1	<10	<5	26.0	<10	<10	16	<0.01	<5	<5	5.7	<1
65608		0.313	125	3.4	<10	<5	35.3	<10	<10	28	<0.01	<5	<5	23.8	<1
65609		0.032	<1	2.0	<10	<5	21.3	<10	<10	15	0.01	<5	<5	2.2	<1
65610		<0.005	<1	0.5	<10	<5	4.2	<10	<10	<5	<0.01	<5	<5	4.3	<1
65611		0.184	<1	0.8	<10	<5	8.5	<10	<10	7	<0.01	<5	<5	2.5	<1
65612		0.066	7	1.0	<10	<5	4.0	<10	<10	9	<0.01	<5	<5	2.0	1
65613		<0.005	<1	2.6	<10	<5	11.2	<10	<10	20	<0.01	<5	<5	19.5	<1
65614		0.018	30	2.3	<10	<5	<0.5	<10	<10	15	<0.01	<5	<5	18.9	2
380451		<0.005	<1	1.8	<10	<5	<0.5	<10	<10	<5	<0.01	<5	<5	38.6	<1
380452		0.012	<1	2.7	<10	<5	2.8	<10	<10	11	<0.01	<5	<5	13.6	<1

Certified By:

Ron Cardinal



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 11Y504427

PROJECT NO: BIG

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: BEARING RESOURCES

ATTENTION TO: Bill Mann, Dave Tupper

Aqua Regia Digest - Metals Package, ICP-OES finish (201073)

DATE SAMPLED: Jun 23, 2011

DATE RECEIVED: Jun 23, 2011

DATE REPORTED: Jul 15, 2011

SAMPLE TYPE: Rock

Analyte:	Y	Zn	Zr
Unit:	ppm	ppm	ppm
Sample Description RDL:	1	0.5	5
65601	<1	4.9	<5
65602	<1	5.0	<5
65603	1	38.8	9
65604	3	7.5	17
65605	6	114	5
65606	2	8.3	9
65607	3	19.7	7
65608	8	135	6
65609	<1	18.0	12
65610	2	33.5	<5
65611	<1	1.5	<5
65612	2	28.8	<5
65613	10	64.5	8
65614	4	71.9	<5
380451	<1	220	<5
380452	9	150	<5

Comments: RDL - Reported Detection Limit

Certified By:

Ron Cardinal



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 11Y504427

PROJECT NO: BIG

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: BEARING RESOURCES

ATTENTION TO: Bill Mann, Dave Tupper

Fire Assay - Trace Au, AAS finish (202051)

DATE SAMPLED: Jun 23, 2011

DATE RECEIVED: Jun 23, 2011

DATE REPORTED: Jul 15, 2011

SAMPLE TYPE: Rock

Sample Description	Analyte:	Sample	Au
	Unit:	Login Weight	ppm
RDL:	kg	0.01	0.002
65601		0.73	0.009
65602		0.86	0.012
65603		0.59	0.280
65604		0.42	0.197
65605		0.50	0.114
65606		0.60	0.419
65607		0.63	1.53
65608		0.80	3.85
65609		0.49	0.019
65610		0.65	0.008
65611		0.26	0.003
65612		0.41	0.078
65613		0.50	0.006
65614		0.81	0.028
380451		0.21	0.004
380452		0.80	0.012

Comments: RDL - Reported Detection Limit

Certified By:

Ron Cardinal

Quality Assurance

CLIENT NAME: BEARING RESOURCES

AGAT WORK ORDER: 11Y504427

PROJECT NO: BIG

ATTENTION TO: Bill Mann, Dave Tupper

Solid Analysis											
RPT Date: Jul 15, 2011		REPLICATE				Method Blank	REFERENCE MATERIAL				
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery	Acceptable Limits	
										Lower	Upper

Fire Assay - Trace Au, AAS finish (202051)

Au	1	2496936	0.078	0.078	0.0%	< 0.002				80%	120%
----	---	---------	-------	-------	------	---------	--	--	--	-----	------

Aqua Regia Digest - Metals Package, ICP-OES finish (201073)

Ag	1	2496925	0.2	0.2	0.0%	< 0.2	8	7	118%	80%	120%
Al	1	2496925	0.14	0.14	0.0%	< 0.01	0.383	0.359	107%	80%	120%
As	1	2496925	3	3	0.0%	< 1				80%	120%
B	1	2496925	< 5	< 5	0.0%	< 5				80%	120%
Ba	1	2496925	2	2	0.0%	< 1				80%	120%
Be	1	2496925	< 0.5	< 0.5	0.0%	< 0.5				80%	120%
Bi	1	2496925	< 1	< 1	0.0%	< 1				80%	120%
Ca	1	2496925	0.02	0.02	0.0%	< 0.01	0.648	0.635	102%	80%	120%
Cd	1	2496925	< 0.5	< 0.5	0.0%	< 0.5				80%	120%
Ce	1	2496925	< 1	< 1	0.0%	< 1				80%	120%
Co	1	2496925	1.1	1.1	0.0%	< 0.5	5.6	5.0	113%	80%	120%
Cr	1	2496925	229	208	9.6%	< 0.5				80%	120%
Cu	1	2496925	7.84	7.90	0.8%	< 0.5	4831	4700	103%	80%	120%
Fe	1	2496925	0.546	0.543	0.6%	< 0.01	1.25	1.31	96%	80%	120%
Ga	1	2496925	< 5	< 5	0.0%	< 5				80%	120%
Hg	1	2496925	< 1	< 1	0.0%	< 1	1.3	1.3	102%	80%	120%
In	1	2496925	< 1	< 1	0.0%	< 1				80%	120%
K	1	2496925	0.01	0.01	0.0%	< 0.01	0.19	0.18	106%	80%	120%
La	1	2496925	< 1	< 1	0.0%	< 1				80%	120%
Li	1	2496925	2	2	0.0%	< 1				80%	120%
Mg	1	2496925	0.09	0.09	0.0%	< 0.01	0.11	0.098	112%	80%	120%
Mn	1	2496925	49	49	0.0%	< 1				80%	120%
Mo	1	2496925	3.70	3.52	5.0%	< 0.5	320	280	114%	80%	120%
Na	1	2496925	< 0.01	< 0.01	0.0%	< 0.01	0.033	0.038	86%	80%	120%
Ni	1	2496925	6.19	6.25	1.0%	< 0.5	7	7	95%	80%	120%
P	1	2496925	46	45	2.2%	< 10				80%	120%
Pb	1	2496925	3.39	3.47	2.3%	< 0.5	37	30	123%	80%	120%
Rb	1	2496925	< 10	< 10	0.0%	< 10				80%	120%
S	1	2496925	< 0.005	< 0.005	0.0%	< 0.005	0.686	0.621	110%	80%	120%
Sb	1	2496925	< 1	< 1	0.0%	< 1				80%	120%
Sc	1	2496925	< 0.5	< 0.5	0.0%	< 0.5				80%	120%
Se	1	2496925	< 10	< 10	0.0%	< 10				80%	120%
Sn	1	2496925	< 5	< 5	0.0%	< 5				80%	120%
Sr	1	2496925	2.3	1.0		< 0.5	277	390	71%	80%	120%
Ta	1	2496925	< 10	< 10	0.0%	< 10				80%	120%
Te	1	2496925	< 10	< 10	0.0%	< 10				80%	120%
Th	1	2496925	< 5	< 5	0.0%	< 5				80%	120%
Ti	1	2496925	< 0.01	< 0.01	0.0%	< 0.01	0.012	0.011	108%	80%	120%
Tl	1	2496925	< 5	< 5	0.0%	< 5				80%	120%
U	1	2496925	< 5	< 5	0.0%	< 5				80%	120%
V	1	2496925	3.8	3.7	2.7%	< 0.5				80%	120%



Quality Assurance

CLIENT NAME: BEARING RESOURCES

AGAT WORK ORDER: 11Y504427

PROJECT NO: BIG

ATTENTION TO: Bill Mann, Dave Tupper

Solid Analysis (Continued)

RPT Date: Jul 15, 2011		REPLICATE				Method Blank	REFERENCE MATERIAL			
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery	Acceptable Limits
										LowerUpper
W	1	2496925	< 1	< 1	0.0%	< 1				80%120%
Y	1	2496925	< 1	< 1	0.0%	< 1				80%120%
Zn	1	2496925	4.91	5.20	5.7%	< 0.5				80%120%
Zr	1	2496925	< 5	< 5	0.0%	< 5				80%120%

Certified By:

Ron Cardinal

Method Summary

CLIENT NAME: BEARING RESOURCES

AGAT WORK ORDER: 11Y504427

PROJECT NO: BIG

ATTENTION TO: Bill Mann, Dave Tupper

PARAMETER	AGAT S.O.P	LITERATURE REFERENCE	ANALYTICAL TECHNIQUE
Solid Analysis			
Ag	MIN-200-12020		ICP/OES
Al	MIN-200-12020		ICP/OES
As	MIN-200-12020		ICP/OES
B	MIN-200-12020		ICP/OES
Ba	MIN-200-12020		ICP/OES
Be	MIN-200-12020		ICP/OES
Bi	MIN-200-12020		ICP/OES
Ca	MIN-200-12020		ICP/OES
Cd	MIN-200-12020		ICP/OES
Ce	MIN-200-12020		ICP/OES
Co	MIN-200-12020		ICP/OES
Cr	MIN-200-12020		ICP/OES
Cu	MIN-200-12020		ICP/OES
Fe	MIN-200-12020		ICP/OES
Ga	MIN-200-12020		ICP/OES
Hg	MIN-200-12020		ICP/OES
In	MIN-200-12020		ICP/OES
K	MIN-200-12020		ICP/OES
La	MIN-200-12020		ICP/OES
Li	MIN-200-12020		ICP/OES
Mg	MIN-200-12020		ICP/OES
Mn	MIN-200-12020		ICP/OES
Mo	MIN-200-12020		ICP/OES
Na	MIN-200-12020		ICP/OES
Ni	MIN-200-12020		ICP/OES
P	MIN-200-12020		ICP/OES
Pb	MIN-200-12020		ICP/OES
Rb	MIN-200-12020		ICP/OES
S	MIN-200-12020		ICP/OES
Sb	MIN-200-12020		ICP/OES
Sc	MIN-200-12020		ICP/OES
Se	MIN-200-12020		ICP/OES
Sn	MIN-200-12020		ICP/OES
Sr	MIN-200-12020		ICP/OES
Ta	MIN-200-12020		ICP/OES
Te	MIN-200-12020		ICP/OES
Th	MIN-200-12020		ICP/OES
Ti	MIN-200-12020		ICP/OES
Tl	MIN-200-12020		ICP/OES
U	MIN-200-12020		ICP/OES
V	MIN-200-12020		ICP/OES
W	MIN-200-12020		ICP/OES
Y	MIN-200-12020		ICP/OES
Zn	MIN-200-12020		ICP/OES
Zr	MIN-200-12020		ICP/OES
Sample Login Weight			BALANCE
Au	MIN-200-12019	BUGBEE, E: A Textbook of Fire Assaying	AAS

CLIENT NAME: BEARING RESOURCES
1280 - 625 HOWE STREET
VANCOUVER, BC V6C2T6

ATTENTION TO: Bill Mann

PROJECT NO: BIG

AGAT WORK ORDER: 11Y504418

SOLID ANALYSIS REVIEWED BY: Ron Cardinali, General Manager

DATE REPORTED: Jul 15, 2011

PAGES (INCLUDING COVER): 43

Should you require any information regarding this analysis please contact your client services representative at (905) 501 9998, or at
1-800-856-6261

*NOTES



Certificate of Analysis

AGAT WORK ORDER: 11Y504418

PROJECT NO: BIG

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: BEARING RESOURCES

ATTENTION TO: Bill Mann

Aqua Regia Digest - Metals Package, ICP-OES finish (201073)

DATE SAMPLED: Jun 23, 2011

DATE RECEIVED: Jun 23, 2011

DATE REPORTED: Jul 15, 2011

SAMPLE TYPE: Soil

Analyte:	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cu	Fe
Unit:	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%
Sample Description RDL:	0.2	0.01	1	5	1	0.5	1	0.01	0.5	1	0.5	0.5	0.5	0.01
72951	<0.2	1.43	43	<5	89	<0.5	<1	0.10	<0.5	68	4.9	24.2	20.9	2.99
72952	<0.2	1.42	23	<5	105	<0.5	<1	0.10	<0.5	59	5.6	24.9	19.5	2.67
72953	<0.2	1.37	22	<5	91	<0.5	<1	0.08	<0.5	61	6.8	25.4	16.9	2.67
72954	<0.2	1.53	29	<5	107	<0.5	<1	0.10	<0.5	61	8.1	26.7	18.8	3.04
72955	<0.2	1.60	29	<5	108	<0.5	<1	0.08	<0.5	43	8.1	25.7	19.3	2.87
72956	<0.2	1.53	30	5	117	<0.5	<1	0.09	<0.5	63	10.7	26.2	22.0	2.83
72957	<0.2	1.85	28	<5	118	<0.5	<1	0.12	<0.5	46	7.5	29.6	20.2	3.01
72958	<0.2	1.49	39	7	87	<0.5	<1	0.12	<0.5	61	6.8	28.2	24.9	3.71
72959	<0.2	1.69	46	<5	120	<0.5	<1	0.10	<0.5	53	8.8	27.9	23.9	3.28
72960	<0.2	1.60	46	<5	130	<0.5	<1	0.11	<0.5	51	8.4	28.5	22.7	2.99
72961	<0.2	1.56	51	5	132	<0.5	<1	0.12	<0.5	50	10.3	28.0	24.7	3.10
72962	<0.2	1.46	48	<5	66	<0.5	<1	0.09	<0.5	55	8.8	23.5	24.3	3.43
72963	<0.2	1.35	89	<5	82	<0.5	<1	0.11	<0.5	59	26.2	22.4	31.8	3.20
72964	<0.2	1.79	63	<5	122	<0.5	<1	0.12	<0.5	58	8.5	31.4	24.2	3.41
72965	<0.2	1.65	118	<5	94	<0.5	<1	0.10	<0.5	57	8.6	32.5	31.6	3.35
72966	<0.2	1.73	34	<5	120	<0.5	<1	0.14	<0.5	35	8.1	25.6	17.8	2.69
72967	<0.2	1.84	61	<5	169	<0.5	<1	0.12	<0.5	44	7.2	30.8	21.8	3.00
72968	<0.2	1.81	48	5	123	0.5	<1	0.11	<0.5	45	9.1	29.3	24.6	3.14
72969	<0.2	1.54	95	<5	94	<0.5	<1	0.10	<0.5	44	4.4	28.4	18.5	2.87
72970	<0.2	1.42	125	<5	105	<0.5	<1	0.10	<0.5	40	6.1	24.9	18.2	2.83
72971	<0.2	2.00	53	6	144	0.5	<1	0.14	<0.5	41	6.6	30.8	20.8	3.07
72972	<0.2	1.43	66	<5	90	<0.5	<1	0.10	<0.5	39	3.7	28.5	17.9	2.81
72973	<0.2	1.54	82	<5	102	<0.5	<1	0.10	<0.5	39	4.6	54.4	21.8	2.77
72974	<0.2	1.57	83	<5	98	<0.5	<1	0.10	<0.5	39	4.6	26.7	17.1	2.93
72975	<0.2	1.54	86	<5	111	<0.5	<1	0.11	<0.5	39	5.2	29.1	16.4	2.84
72976	<0.2	1.63	97	<5	106	<0.5	<1	0.12	<0.5	48	7.0	30.4	23.5	3.05
72977	<0.2	1.39	75	<5	82	<0.5	<1	0.09	<0.5	39	3.7	32.4	16.4	2.55
72978	<0.2	1.54	65	<5	93	<0.5	<1	0.11	<0.5	41	7.1	29.7	17.6	2.74
72979	<0.2	1.69	72	<5	108	<0.5	<1	0.11	<0.5	38	5.0	31.4	18.7	2.89
72980	<0.2	1.57	120	7	90	<0.5	<1	0.10	<0.5	38	4.7	36.5	19.2	3.10
72981	<0.2	1.62	99	<5	104	<0.5	<1	0.10	<0.5	36	4.8	33.2	18.1	2.83
72982	<0.2	1.23	13	<5	107	<0.5	<1	0.20	<0.5	37	5.9	23.6	26.0	2.24

Certified By:

Ron Cardinal



Certificate of Analysis

AGAT WORK ORDER: 11Y504418

PROJECT NO: BIG

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: BEARING RESOURCES

ATTENTION TO: Bill Mann

Aqua Regia Digest - Metals Package, ICP-OES finish (201073)

DATE SAMPLED: Jun 23, 2011

DATE RECEIVED: Jun 23, 2011

DATE REPORTED: Jul 15, 2011

SAMPLE TYPE: Soil

Analyte:	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cu	Fe
Unit:	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%
Sample Description RDL:	0.2	0.01	1	5	1	0.5	1	0.01	0.5	1	0.5	0.5	0.5	0.01
72983	<0.2	1.50	10	<5	75	<0.5	<1	0.05	<0.5	85	3.9	24.2	53.4	4.34
72984	<0.2	1.66	11	<5	48	<0.5	<1	0.18	<0.5	103	19.0	19.5	44.4	3.63
72985	<0.2	1.09	10	<5	39	<0.5	<1	0.06	<0.5	40	1.8	17.6	18.0	2.05
72986	<0.2	1.74	16	5	79	<0.5	<1	0.12	<0.5	63	7.7	25.9	32.3	3.57
72987	<0.2	1.27	15	<5	74	<0.5	<1	0.12	<0.5	46	5.3	21.7	18.3	2.36
72988	<0.2	1.26	15	<5	64	<0.5	<1	0.11	<0.5	39	3.7	21.4	15.6	2.15
72989	<0.2	1.37	11	<5	84	<0.5	<1	0.12	<0.5	42	3.8	24.8	14.8	2.15
72990	<0.2	1.36	14	<5	78	<0.5	<1	0.13	<0.5	39	4.2	24.9	20.1	2.48
72991	<0.2	1.33	12	<5	89	<0.5	<1	0.16	<0.5	44	4.4	22.5	21.7	2.22
72992	<0.2	1.22	12	<5	65	<0.5	<1	0.11	<0.5	35	3.0	22.1	12.8	2.12
72993	<0.2	1.40	14	<5	92	<0.5	<1	0.13	<0.5	46	4.7	27.2	17.8	2.89
72994	<0.2	1.34	12	<5	99	<0.5	<1	0.17	<0.5	42	4.5	24.0	18.4	2.39
72995	<0.2	1.30	14	<5	89	<0.5	<1	0.11	<0.5	33	3.7	25.5	14.1	2.30
72996	<0.2	1.50	15	<5	84	<0.5	<1	0.13	<0.5	36	4.9	24.6	18.3	2.59
72997	<0.2	1.40	14	<5	102	<0.5	<1	0.19	<0.5	46	5.3	26.3	21.2	2.59
72998	<0.2	1.44	16	<5	138	<0.5	<1	0.20	<0.5	52	5.8	24.8	26.1	2.84
72999	<0.2	1.52	14	<5	123	<0.5	<1	0.18	<0.5	47	7.0	26.4	21.5	2.72
73000	<0.2	1.38	12	<5	107	<0.5	<1	0.17	<0.5	46	4.9	25.4	19.6	2.72
73101	<0.2	1.41	13	<5	121	<0.5	<1	0.16	<0.5	41	5.1	25.1	18.5	2.50
73102	<0.2	1.17	11	<5	72	<0.5	<1	0.13	<0.5	36	3.0	22.8	12.8	2.02
73103	<0.2	1.24	13	<5	87	<0.5	<1	0.16	<0.5	45	4.0	20.9	17.6	2.27
73104	<0.2	1.72	37	6	69	<0.5	<1	0.06	0.5	67	15.9	23.7	36.4	5.45
73105	<0.2	1.46	26	<5	123	<0.5	<1	0.25	<0.5	35	8.4	22.7	24.1	2.66
73106	<0.2	1.24	13	<5	91	<0.5	<1	0.14	<0.5	42	4.3	20.2	19.9	2.42
73107	<0.2	1.95	16	<5	197	<0.5	<1	0.32	<0.5	38	5.3	34.5	12.7	2.53
73108	<0.2	2.10	18	<5	214	0.7	<1	0.28	<0.5	37	6.7	36.0	13.4	2.71
73109	<0.2	2.15	43	5	192	0.9	<1	0.20	<0.5	58	10.1	26.4	12.2	3.05
73110	<0.2	2.04	11	5	300	0.8	<1	0.51	<0.5	42	8.4	87.5	22.2	2.78
73111	<0.2	2.51	19	5	240	1.0	<1	0.22	<0.5	53	14.3	45.4	15.0	3.28
73112	<0.2	1.48	60	6	132	0.5	<1	0.17	<0.5	42	8.6	28.1	21.1	3.04
73113	<0.2	2.12	40	6	101	0.6	<1	0.14	<0.5	58	20.0	35.9	34.0	3.69
73114	<0.2	2.58	14	8	126	0.7	<1	0.20	<0.5	40	6.8	44.8	18.8	3.25

Certified By:

Ron Cardinal



Certificate of Analysis

AGAT WORK ORDER: 11Y504418

PROJECT NO: BIG

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: BEARING RESOURCES

ATTENTION TO: Bill Mann

Aqua Regia Digest - Metals Package, ICP-OES finish (201073)

DATE SAMPLED: Jun 23, 2011

DATE RECEIVED: Jun 23, 2011

DATE REPORTED: Jul 15, 2011

SAMPLE TYPE: Soil

Analyte:	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cu	Fe
Unit:	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%
Sample Description RDL:	0.2	0.01	1	5	1	0.5	1	0.01	0.5	1	0.5	0.5	0.5	0.01
73115	<0.2	1.47	12	<5	82	<0.5	<1	0.11	<0.5	30	4.5	28.0	38.5	2.75
73116	<0.2	1.36	15	<5	73	<0.5	<1	0.10	<0.5	39	6.7	29.9	18.6	3.44
73117	<0.2	1.49	11	<5	70	<0.5	<1	0.10	<0.5	27	3.6	28.4	12.2	2.85
73118	<0.2	4.69	36	8	374	1.9	<1	0.40	0.7	68	20.7	62.0	48.5	4.32
73119	<0.2	1.88	13	<5	103	0.5	<1	0.17	<0.5	34	6.7	30.5	28.0	3.28
73120	<0.2	2.50	43	<5	168	1.1	<1	0.33	<0.5	63	8.0	67.8	26.3	2.71
73121	<0.2	2.18	11	<5	152	<0.5	<1	0.20	<0.5	27	2.5	16.7	16.2	3.03
73301	<0.2	1.67	53	<5	103	<0.5	<1	0.12	<0.5	38	4.8	27.5	22.0	3.04
73302	<0.2	1.65	106	<5	126	<0.5	<1	0.10	<0.5	49	6.9	27.1	29.1	3.14
73303	<0.2	1.44	48	<5	76	<0.5	<1	0.08	<0.5	37	2.6	25.4	13.1	2.46
73304	<0.2	1.50	95	<5	77	<0.5	<1	0.09	<0.5	40	3.7	27.2	14.9	2.83
73305	<0.2	1.31	44	<5	97	<0.5	<1	0.14	<0.5	33	7.6	24.2	16.5	2.76
73306	<0.2	1.39	31	<5	82	<0.5	<1	0.10	<0.5	33	2.1	26.6	8.5	2.17
73307	<0.2	1.37	55	<5	69	<0.5	<1	0.09	<0.5	35	5.0	25.4	14.8	2.66
73308	<0.2	1.62	68	<5	96	<0.5	<1	0.12	<0.5	42	6.5	28.6	19.5	2.87
73309	<0.2	1.27	47	<5	68	<0.5	<1	0.08	<0.5	38	3.7	25.0	13.7	2.43
73310	<0.2	1.33	103	<5	77	<0.5	<1	0.12	<0.5	44	3.3	27.2	16.0	2.21
73311	<0.2	1.54	53	<5	91	<0.5	<1	0.10	<0.5	33	3.2	29.4	13.9	2.38
73312	<0.2	0.81	38	<5	51	<0.5	<1	0.07	<0.5	33	0.9	16.0	4.6	0.94
73313	<0.2	1.18	67	<5	69	<0.5	<1	0.11	<0.5	37	3.4	23.0	14.0	2.13
73314	0.3	1.47	148	<5	94	<0.5	<1	0.16	<0.5	37	6.9	27.0	28.7	2.79
73315	0.5	1.17	83	<5	66	<0.5	<1	0.08	<0.5	34	2.2	20.6	9.9	1.98
73316	0.7	1.52	129	<5	78	<0.5	<1	0.09	<0.5	40	4.7	27.3	23.1	2.78
73317	<0.2	1.12	63	<5	72	<0.5	<1	0.10	<0.5	32	2.1	20.9	9.1	1.71
73318	0.5	1.37	102	<5	83	<0.5	<1	0.09	<0.5	34	3.1	26.0	14.2	2.37
73319	<0.2	1.77	117	<5	90	<0.5	<1	0.11	<0.5	38	3.7	30.1	16.6	3.00
73320	<0.2	1.50	95	<5	85	<0.5	<1	0.10	<0.5	40	3.5	27.1	13.4	2.47
73321	<0.2	1.61	377	<5	91	<0.5	<1	0.10	<0.5	50	4.5	33.2	20.8	3.52
73322	<0.2	1.75	217	<5	118	<0.5	<1	0.12	0.7	43	8.3	29.2	23.4	2.99
73323	<0.2	1.43	194	<5	89	<0.5	<1	0.08	0.6	46	6.2	25.6	23.8	2.90
73324	<0.2	1.50	197	<5	95	<0.5	<1	0.08	0.6	51	4.3	27.2	22.6	3.03
73325	0.5	1.48	241	<5	81	<0.5	<1	0.08	0.7	44	3.9	29.3	26.0	2.58

Certified By:



Certificate of Analysis

AGAT WORK ORDER: 11Y504418

PROJECT NO: BIG

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: BEARING RESOURCES

ATTENTION TO: Bill Mann

Aqua Regia Digest - Metals Package, ICP-OES finish (201073)

DATE SAMPLED: Jun 23, 2011

DATE RECEIVED: Jun 23, 2011

DATE REPORTED: Jul 15, 2011

SAMPLE TYPE: Soil

Analyte:	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cu	Fe
Unit:	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%
Sample Description RDL:	0.2	0.01	1	5	1	0.5	1	0.01	0.5	1	0.5	0.5	0.5	0.01
73326	<0.2	1.75	562	<5	105	<0.5	<1	0.08	1.3	54	4.0	32.6	32.4	3.67
73327	<0.2	1.68	548	<5	110	<0.5	<1	0.11	1.1	59	4.9	35.4	28.1	3.36
73328	<0.2	1.68	443	<5	153	0.5	<1	0.12	1.1	51	7.4	35.0	28.6	3.10
73329	<0.2	1.24	367	<5	82	<0.5	<1	0.10	<0.5	41	3.3	28.9	15.5	2.96
73330	<0.2	1.08	195	<5	84	<0.5	<1	0.08	0.6	35	2.9	20.7	19.8	2.26
73331	<0.2	1.48	200	<5	93	<0.5	<1	0.11	0.6	43	4.7	26.6	23.1	2.70
73332	<0.2	1.30	13	<5	69	<0.5	<1	0.10	<0.5	28	3.2	25.3	12.5	2.21
73333	<0.2	1.49	16	<5	113	<0.5	<1	0.16	<0.5	50	11.7	24.0	27.1	2.48
73334	<0.2	1.29	13	<5	112	<0.5	<1	0.20	<0.5	48	6.2	24.0	23.1	2.43
73335	<0.2	1.41	10	<5	80	<0.5	<1	0.14	<0.5	37	3.0	25.5	13.3	2.06
73336	<0.2	1.48	13	<5	103	<0.5	<1	0.18	<0.5	35	4.0	25.3	15.6	2.36
73337	<0.2	1.30	15	<5	86	<0.5	<1	0.15	<0.5	41	4.5	25.8	17.9	2.26
73338	<0.2	1.52	18	<5	91	<0.5	<1	0.13	<0.5	45	4.7	26.7	17.5	2.71
73339	0.2	1.58	19	<5	101	<0.5	<1	0.16	<0.5	41	4.1	28.0	16.9	2.59
73340	0.7	1.67	15	<5	120	<0.5	<1	0.14	<0.5	31	5.6	30.2	22.5	2.85
73341	<0.2	1.70	18	5	142	<0.5	<1	0.15	<0.5	41	13.5	30.6	19.9	2.95
73342	<0.2	1.66	18	<5	109	<0.5	<1	0.17	<0.5	47	5.9	27.6	22.4	2.80
73343	0.3	1.58	27	<5	138	<0.5	<1	0.17	<0.5	52	6.4	27.3	23.3	2.82
73344	<0.2	1.63	19	5	175	<0.5	<1	0.19	<0.5	54	7.8	29.0	27.8	2.84
73345	<0.2	1.44	16	<5	100	<0.5	<1	0.14	<0.5	42	5.2	26.3	22.1	2.62
73346	<0.2	1.14	14	<5	77	<0.5	<1	0.10	<0.5	32	3.8	25.0	13.8	2.18
73347	<0.2	1.19	25	<5	82	<0.5	<1	0.13	<0.5	31	3.4	23.2	14.5	2.05
73348	<0.2	1.46	27	<5	93	<0.5	<1	0.16	<0.5	42	3.6	25.6	15.0	2.25
73349	<0.2	1.45	27	<5	90	<0.5	<1	0.16	<0.5	43	3.8	26.4	15.3	2.24
73350	<0.2	1.36	14	<5	95	<0.5	<1	0.12	<0.5	28	3.6	26.0	13.2	2.23
73351	<0.2	1.40	10	<5	88	<0.5	<1	0.11	<0.5	26	2.7	23.0	12.7	2.09
73352	<0.2	1.21	16	<5	62	<0.5	<1	0.08	<0.5	38	3.7	26.3	16.5	2.53
73353	1.1	1.60	56	5	126	0.6	<1	0.14	<0.5	60	14.3	30.7	33.1	3.73
73354	nrc	nrc	nrc	nrc	nrc	nrc	nrc	nrc	nrc	nrc	nrc	nrc	nrc	nrc
73355	<0.2	3.60	101	5	150	1.3	<1	0.40	<0.5	65	22.5	52.1	70.4	3.46
73356	<0.2	1.96	53	<5	148	0.7	<1	0.24	<0.5	66	19.3	29.1	44.1	3.48
73357	<0.2	1.55	47	<5	126	<0.5	<1	0.27	<0.5	63	18.2	29.7	39.5	3.13

Certified By:

Ron Cardinal



Certificate of Analysis

AGAT WORK ORDER: 11Y504418

PROJECT NO: BIG

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: BEARING RESOURCES

ATTENTION TO: Bill Mann

Aqua Regia Digest - Metals Package, ICP-OES finish (201073)

DATE SAMPLED: Jun 23, 2011		DATE RECEIVED: Jun 23, 2011						DATE REPORTED: Jul 15, 2011				SAMPLE TYPE: Soil			
Analyte:	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cu	Fe	
Unit:	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	
Sample Description	RDL:	0.2	0.01	1	5	1	0.5	1	0.01	0.5	1	0.5	0.5	0.01	
73358		<0.2	2.29	31	<5	138	0.9	<1	0.18	<0.5	85	17.8	36.5	59.2	4.26
73359		<0.2	2.01	41	<5	111	1.7	<1	0.38	<0.5	96	8.2	25.0	38.6	3.24
73360		<0.2	1.63	67	<5	95	0.9	<1	0.23	<0.5	93	18.0	24.9	36.3	4.40
73361		<0.2	1.24	22	<5	66	<0.5	<1	0.10	<0.5	73	5.8	22.5	25.4	2.61
73362		<0.2	2.14	22	<5	113	0.8	<1	0.24	<0.5	136	9.3	24.5	26.8	3.36
73363		<0.2	3.18	33	<5	156	1.3	<1	0.41	<0.5	101	15.6	40.0	51.1	4.17
73364		<0.2	2.43	30	<5	137	1.0	<1	0.30	<0.5	84	14.3	32.7	54.9	3.75
73365		<0.2	1.05	13	<5	66	<0.5	<1	0.09	<0.5	35	5.4	21.7	18.4	2.51
73366		<0.2	1.11	30	<5	63	0.7	<1	0.13	<0.5	149	15.8	17.8	32.1	3.46
73367		<0.2	1.86	23	<5	157	<0.5	<1	0.26	<0.5	51	7.3	33.0	27.6	2.89
73368		<0.2	2.30	8	<5	149	0.9	<1	0.23	<0.5	76	18.4	23.2	35.5	3.67
73451		<0.2	1.61	42	<5	95	<0.5	<1	0.17	<0.5	58	14.8	28.8	28.4	3.10
73452		<0.2	1.48	92	5	77	0.6	<1	0.16	0.6	81	15.5	21.8	36.3	3.92
73453		<0.2	1.16	105	<5	79	<0.5	<1	0.14	0.5	46	7.6	21.0	25.9	2.87
73454		<0.2	1.16	69	5	54	<0.5	<1	0.08	<0.5	47	4.8	21.7	26.3	2.79
73455		0.4	1.50	39	<5	57	<0.5	<1	0.07	<0.5	48	4.1	26.3	25.6	3.19
73456		<0.2	1.93	77	<5	83	0.6	<1	0.09	<0.5	57	4.8	27.7	35.0	3.51
73457		<0.2	1.73	109	<5	84	0.8	<1	0.12	0.6	66	8.3	26.0	44.2	4.38
73458		0.3	1.65	137	<5	101	1.0	<1	0.09	0.8	77	7.1	23.6	45.8	4.57
73459		0.3	1.47	251	<5	131	0.6	<1	0.10	0.9	65	5.0	25.4	37.8	3.22
73460		1.8	0.98	449	<5	105	0.5	<1	0.08	1.1	85	6.9	19.6	34.7	2.88
73461		0.4	1.13	384	<5	59	<0.5	<1	0.05	<0.5	60	6.5	18.5	27.8	2.93
73462		0.5	1.58	744	5	111	0.6	<1	0.10	<0.5	53	6.6	25.4	38.8	3.26
73463		0.9	1.86	748	<5	137	0.7	<1	0.11	<0.5	54	14.6	25.3	44.7	3.36
73464		0.4	1.62	239	<5	90	<0.5	<1	0.10	0.8	43	4.8	26.8	21.5	3.17
73465		0.3	1.71	478	6	103	0.6	<1	0.10	1.1	47	8.1	33.0	31.0	3.12
73466		<0.2	2.27	553	5	146	0.7	<1	0.12	1.9	53	12.2	33.2	42.6	3.76
73467		<0.2	2.03	546	5	141	0.8	<1	0.12	1.5	58	18.7	28.4	49.9	3.52
73468		0.4	1.27	376	<5	84	<0.5	<1	0.07	<0.5	36	4.2	23.2	24.9	2.73
73469		0.5	1.42	475	<5	98	0.7	<1	0.07	1.4	72	17.0	21.9	45.6	3.56
73470		0.3	1.42	186	5	86	<0.5	<1	0.11	0.7	58	7.0	22.9	29.3	3.06
73471		0.4	1.50	412	5	77	<0.5	<1	0.09	1.1	56	8.3	23.5	34.6	3.44

Certified By:

Ron Cardinali



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 11Y504418

PROJECT NO: BIG

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: BEARING RESOURCES

ATTENTION TO: Bill Mann

Aqua Regia Digest - Metals Package, ICP-OES finish (201073)

DATE SAMPLED: Jun 23, 2011

DATE RECEIVED: Jun 23, 2011

DATE REPORTED: Jul 15, 2011

SAMPLE TYPE: Soil

Analyte:	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cu	Fe
Unit:	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%
Sample Description RDL:	0.2	0.01	1	5	1	0.5	1	0.01	0.5	1	0.5	0.5	0.5	0.01
73472	<0.2	1.14	148	<5	76	0.5	<1	0.12	0.7	78	18.0	18.6	32.1	3.03
73473	<0.2	1.58	144	<5	65	0.5	<1	0.09	0.8	70	15.7	23.5	39.9	3.81
73474	<0.2	1.62	44	<5	74	<0.5	<1	0.10	<0.5	50	4.2	27.4	21.4	3.25
73475	<0.2	1.19	98	<5	58	<0.5	<1	0.07	<0.5	53	4.3	23.4	18.8	3.19
73476	<0.2	1.28	29	6	59	<0.5	<1	0.07	<0.5	38	2.8	22.3	11.5	3.33
73477	<0.2	0.99	22	<5	59	0.5	<1	0.13	<0.5	60	6.9	20.8	26.3	3.79
73478	<0.2	1.43	20	7	64	0.7	<1	0.05	<0.5	69	9.0	28.2	46.7	4.48
73479	<0.2	2.03	90	<5	149	1.2	<1	0.15	<0.5	78	16.2	28.6	46.9	4.63
73480	0.4	0.90	168	<5	51	<0.5	<1	0.04	<0.5	81	5.1	21.2	37.1	3.40
73481	<0.2	1.62	78	7	105	0.7	<1	0.07	<0.5	68	7.2	31.2	49.2	4.81

Certified By:

Ron Cardinal



Certificate of Analysis

AGAT WORK ORDER: 11Y504418

PROJECT NO: BIG

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: BEARING RESOURCES

ATTENTION TO: Bill Mann

Aqua Regia Digest - Metals Package, ICP-OES finish (201073)

DATE SAMPLED: Jun 23, 2011

DATE RECEIVED: Jun 23, 2011

DATE REPORTED: Jul 15, 2011

SAMPLE TYPE: Soil

Analyte:	Ga	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Ni	P	Pb	Rb
Unit:	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
Sample Description RDL:	5	1	1	0.01	1	1	0.01	1	0.5	0.01	0.5	10	0.5	10
72951	<5	<1	<1	0.05	31	18	0.37	207	1.6	<0.01	15.0	458	12.6	18
72952	<5	<1	<1	0.05	27	15	0.37	244	1.2	<0.01	16.4	448	14.1	19
72953	<5	<1	<1	0.06	27	14	0.34	309	1.6	<0.01	15.1	519	13.9	19
72954	<5	<1	<1	0.06	28	17	0.41	330	1.4	<0.01	18.1	378	13.0	18
72955	<5	<1	1	0.05	19	15	0.40	366	1.7	<0.01	16.0	464	13.2	18
72956	<5	<1	<1	0.06	28	18	0.39	383	1.1	<0.01	21.1	382	14.2	20
72957	<5	<1	<1	0.06	20	17	0.45	331	1.7	<0.01	18.8	437	13.0	21
72958	<5	<1	<1	0.08	27	16	0.40	334	1.7	<0.01	19.8	435	14.3	21
72959	<5	<1	<1	0.05	23	18	0.44	418	1.3	<0.01	20.7	402	13.9	18
72960	<5	<1	<1	0.06	22	17	0.43	378	2.2	<0.01	18.7	485	13.9	19
72961	<5	<1	<1	0.06	20	16	0.44	494	1.6	<0.01	20.8	540	13.5	18
72962	<5	<1	<1	0.05	24	19	0.36	391	1.8	<0.01	20.5	436	14.6	13
72963	<5	<1	<1	0.05	24	20	0.46	612	1.5	<0.01	32.1	478	15.5	14
72964	<5	<1	<1	0.07	25	18	0.48	372	2.0	<0.01	20.0	509	12.1	23
72965	<5	<1	<1	0.08	25	18	0.45	380	2.5	<0.01	21.7	507	12.4	28
72966	<5	<1	<1	0.05	15	15	0.40	510	1.4	<0.01	15.2	539	9.9	19
72967	<5	<1	<1	0.07	19	16	0.47	347	1.9	<0.01	16.7	525	12.2	24
72968	<5	<1	<1	0.07	19	17	0.44	463	1.9	<0.01	20.1	494	13.0	22
72969	<5	<1	<1	0.07	20	13	0.36	208	1.9	<0.01	14.1	438	10.7	24
72970	<5	<1	<1	0.06	18	13	0.34	295	1.7	<0.01	15.2	476	11.6	20
72971	<5	<1	<1	0.08	18	19	0.41	317	1.5	<0.01	16.7	476	11.0	28
72972	<5	<1	<1	0.07	18	13	0.36	207	1.7	<0.01	13.0	501	9.3	25
72973	<5	<1	<1	0.09	17	14	0.45	193	2.0	0.01	18.4	513	9.6	25
72974	<5	<1	<1	0.07	17	14	0.36	253	2.3	<0.01	12.8	540	10.2	24
72975	<5	<1	<1	0.07	17	14	0.35	337	1.7	<0.01	13.5	519	10.7	25
72976	<5	<1	<1	0.08	21	18	0.45	308	1.5	<0.01	18.2	477	10.3	24
72977	<5	<1	<1	0.05	18	16	0.37	149	1.4	<0.01	13.0	409	8.4	23
72978	<5	<1	<1	0.07	18	15	0.40	324	1.8	<0.01	14.6	528	9.4	27
72979	<5	<1	<1	0.07	17	15	0.40	263	1.4	<0.01	14.4	537	10.6	30
72980	<5	<1	<1	0.07	17	15	0.39	257	2.4	<0.01	17.5	457	9.7	27
72981	<5	<1	<1	0.07	16	16	0.43	258	1.5	<0.01	16.3	487	9.4	30
72982	<5	<1	<1	0.04	15	10	0.35	263	0.9	<0.01	18.9	636	8.2	11

Certified By:

Ron Cardinal



Certificate of Analysis

AGAT WORK ORDER: 11Y504418

PROJECT NO: BIG

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: BEARING RESOURCES

ATTENTION TO: Bill Mann

Aqua Regia Digest - Metals Package, ICP-OES finish (201073)

DATE SAMPLED: Jun 23, 2011

DATE RECEIVED: Jun 23, 2011

DATE REPORTED: Jul 15, 2011

SAMPLE TYPE: Soil

Analyte:	Ga	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Ni	P	Pb	Rb
Unit:	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
Sample Description RDL:	5	1	1	0.01	1	1	0.01	1	0.5	0.01	0.5	10	0.5	10
72983	<5	<1	<1	0.05	41	31	0.58	211	2.5	<0.01	11.5	506	13.2	12
72984	<5	<1	<1	0.03	47	34	0.67	570	0.9	<0.01	31.3	350	17.4	<10
72985	5	<1	<1	0.04	18	9	0.22	107	3.3	0.01	6.6	555	9.8	<10
72986	<5	<1	<1	0.06	28	21	0.48	339	1.9	0.01	16.0	503	17.0	17
72987	<5	<1	<1	0.05	21	15	0.39	246	0.9	<0.01	13.6	506	13.3	14
72988	<5	<1	<1	0.04	17	14	0.35	151	0.8	<0.01	11.4	452	11.4	12
72989	<5	<1	<1	0.05	19	14	0.37	184	1.4	<0.01	12.4	403	11.1	15
72990	<5	<1	<1	0.04	17	14	0.41	188	1.5	<0.01	13.9	538	11.2	12
72991	<5	<1	<1	0.05	20	14	0.39	203	0.9	<0.01	14.5	586	9.9	12
72992	<5	<1	<1	0.04	16	11	0.33	133	1.1	<0.01	9.9	499	11.2	12
72993	<5	<1	<1	0.05	21	14	0.44	282	1.6	<0.01	13.6	470	11.6	16
72994	<5	<1	<1	0.05	19	17	0.41	253	1.5	<0.01	14.7	562	9.5	13
72995	<5	<1	<1	0.05	15	14	0.39	203	1.5	<0.01	13.2	389	10.4	14
72996	<5	<1	<1	0.04	15	17	0.43	287	1.3	<0.01	14.7	539	11.2	14
72997	<5	<1	<1	0.06	21	13	0.42	274	1.5	<0.01	16.9	602	11.1	16
72998	<5	<1	<1	0.07	22	15	0.47	335	1.1	<0.01	18.3	595	14.3	16
72999	<5	<1	<1	0.06	20	14	0.47	417	1.3	<0.01	17.0	660	14.5	17
73000	<5	<1	<1	0.04	20	15	0.49	249	1.2	<0.01	16.0	542	20.5	13
73101	<5	<1	<1	0.05	18	13	0.44	265	1.0	<0.01	15.9	614	10.7	15
73102	<5	<1	<1	0.05	16	10	0.31	125	1.2	<0.01	10.6	559	11.1	12
73103	<5	<1	<1	0.05	20	13	0.37	219	1.1	<0.01	12.8	521	10.1	13
73104	<5	<1	<1	0.05	31	20	0.36	300	2.5	<0.01	36.3	500	37.3	14
73105	<5	<1	<1	0.06	15	14	0.42	345	1.5	<0.01	19.2	630	9.2	16
73106	<5	<1	<1	0.05	20	12	0.34	194	1.2	<0.01	13.8	528	11.0	13
73107	<5	<1	<1	0.17	17	27	0.66	337	1.2	0.02	17.9	602	10.3	46
73108	<5	<1	<1	0.13	17	27	0.67	402	1.2	0.02	18.0	630	11.5	37
73109	<5	<1	<1	0.16	23	23	0.62	967	1.6	<0.01	16.0	488	25.9	45
73110	5	<1	<1	0.48	19	41	1.16	537	0.8	0.02	25.0	1170	13.8	173
73111	6	<1	<1	0.41	19	37	0.83	806	1.7	0.01	26.9	443	14.7	92
73112	<5	<1	<1	0.09	18	20	0.44	639	0.8	<0.01	24.7	444	10.5	24
73113	<5	<1	<1	0.12	24	29	0.67	437	1.5	<0.01	40.9	390	11.6	33
73114	7	<1	<1	0.13	17	36	0.94	549	3.1	0.01	22.5	505	13.8	44

Certified By:

Ron Cardinal



Certificate of Analysis

AGAT WORK ORDER: 11Y504418

PROJECT NO: BIG

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: BEARING RESOURCES

ATTENTION TO: Bill Mann

Aqua Regia Digest - Metals Package, ICP-OES finish (201073)

DATE SAMPLED: Jun 23, 2011

DATE RECEIVED: Jun 23, 2011

DATE REPORTED: Jul 15, 2011

SAMPLE TYPE: Soil

Analyte:	Ga	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Ni	P	Pb	Rb
Unit:	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
Sample Description RDL:	5	1	1	0.01	1	1	0.01	1	0.5	0.01	0.5	10	0.5	10
73115	<5	<1	<1	0.06	13	12	0.33	246	1.9	<0.01	14.2	451	10.2	17
73116	<5	<1	<1	0.09	17	17	0.43	305	1.7	<0.01	22.9	360	9.5	25
73117	6	<1	2	0.04	11	9	0.25	202	1.6	<0.01	11.6	411	11.9	14
73118	10	<1	<1	0.81	32	65	2.27	1440	0.7	<0.01	43.4	417	22.7	178
73119	<5	<1	<1	0.08	15	21	0.45	326	2.4	<0.01	19.7	1010	11.2	23
73120	7	<1	<1	0.23	31	27	0.91	461	1.1	0.01	17.0	527	15.4	63
73121	<5	<1	<1	0.13	10	34	0.92	255	1.5	0.01	15.4	116	7.8	14
73301	<5	<1	<1	0.06	16	15	0.42	205	1.9	<0.01	15.8	415	11.6	20
73302	<5	<1	<1	0.05	21	16	0.45	255	1.6	<0.01	18.6	420	12.2	18
73303	<5	<1	<1	0.04	16	11	0.27	100	1.0	<0.01	8.6	582	12.0	17
73304	<5	<1	<1	0.04	18	15	0.37	136	1.9	<0.01	11.0	522	15.0	17
73305	<5	<1	<1	0.05	14	14	0.41	432	1.3	<0.01	16.9	503	9.4	15
73306	5	<1	<1	0.05	15	12	0.26	96	1.2	<0.01	7.8	418	10.4	19
73307	<5	<1	<1	0.04	15	14	0.34	190	1.3	<0.01	13.5	416	9.9	16
73308	<5	<1	<1	0.06	18	16	0.42	255	1.8	<0.01	15.9	522	10.7	21
73309	<5	<1	<1	0.04	17	11	0.30	150	1.5	<0.01	10.4	483	10.4	17
73310	<5	<1	<1	0.06	19	12	0.31	122	0.9	<0.01	11.6	484	10.8	18
73311	<5	<1	<1	0.06	14	12	0.35	128	1.8	<0.01	12.8	391	12.0	19
73312	7	<1	<1	0.05	15	3	0.11	55	0.8	<0.01	4.4	224	12.4	10
73313	<5	<1	<1	0.06	16	11	0.29	142	1.8	<0.01	12.8	372	8.1	17
73314	<5	<1	<1	0.07	15	26	0.44	265	2.2	<0.01	22.0	484	12.4	16
73315	<5	<1	<1	0.04	15	9	0.21	89	1.5	<0.01	7.0	459	11.9	15
73316	<5	<1	<1	0.06	17	13	0.39	232	1.3	<0.01	16.2	442	13.3	22
73317	<5	<1	<1	0.06	14	7	0.21	89	1.4	<0.01	5.7	454	8.2	16
73318	<5	<1	<1	0.06	14	10	0.29	128	1.7	<0.01	11.1	451	11.1	19
73319	<5	<1	<1	0.07	16	15	0.39	186	2.3	<0.01	13.3	517	10.4	24
73320	<5	<1	<1	0.06	17	13	0.32	163	1.3	<0.01	12.4	402	9.4	22
73321	<5	<1	<1	0.08	21	13	0.37	239	3.2	<0.01	15.3	459	10.3	29
73322	<5	<1	<1	0.06	18	15	0.45	486	1.3	<0.01	18.7	613	10.2	21
73323	<5	<1	<1	0.06	20	13	0.38	284	1.1	<0.01	17.0	403	9.3	19
73324	<5	<1	<1	0.07	22	13	0.34	170	2.1	<0.01	15.3	374	11.2	26
73325	<5	<1	<1	0.07	19	9	0.29	143	2.4	0.01	16.5	558	9.9	23

Certified By:

Ron Cardinal



Certificate of Analysis

AGAT WORK ORDER: 11Y504418

PROJECT NO: BIG

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: BEARING RESOURCES

ATTENTION TO: Bill Mann

Aqua Regia Digest - Metals Package, ICP-OES finish (201073)

DATE SAMPLED: Jun 23, 2011

DATE RECEIVED: Jun 23, 2011

DATE REPORTED: Jul 15, 2011

SAMPLE TYPE: Soil

Analyte:	Ga	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Ni	P	Pb	Rb
Unit:	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
Sample Description RDL:	5	1	1	0.01	1	1	0.01	1	0.5	0.01	0.5	10	0.5	10
73326	<5	<1	<1	0.11	23	13	0.39	216	3.2	0.01	16.6	460	13.5	40
73327	<5	<1	<1	0.11	25	15	0.46	287	1.9	0.01	18.5	486	10.0	37
73328	<5	<1	<1	0.10	21	17	0.51	346	1.4	0.01	20.9	515	8.4	31
73329	<5	<1	<1	0.08	17	9	0.30	206	1.8	<0.01	12.1	523	8.3	19
73330	<5	<1	<1	0.06	15	8	0.24	138	1.7	<0.01	11.6	401	7.2	18
73331	<5	<1	1	0.08	18	13	0.37	236	1.3	0.01	16.3	510	7.6	26
73332	<5	<1	<1	0.05	12	11	0.35	127	1.4	<0.01	11.7	362	11.4	13
73333	<5	<1	<1	0.07	20	15	0.45	428	1.5	<0.01	21.8	526	12.1	15
73334	<5	<1	<1	0.06	20	13	0.40	301	1.5	<0.01	19.7	546	24.5	12
73335	<5	<1	<1	0.05	16	11	0.34	137	1.3	<0.01	12.2	527	9.5	14
73336	<5	<1	<1	0.05	15	16	0.42	172	1.4	<0.01	14.8	563	8.6	14
73337	<5	<1	<1	0.05	17	11	0.37	213	1.7	<0.01	15.2	554	9.4	13
73338	<5	<1	<1	0.05	19	14	0.44	247	1.5	<0.01	15.8	506	11.9	16
73339	<5	<1	<1	0.07	17	12	0.42	227	1.6	<0.01	15.2	516	19.0	19
73340	<5	<1	<1	0.07	12	11	0.44	393	2.3	0.01	18.6	669	35.3	17
73341	<5	<1	<1	0.08	16	15	0.52	601	1.8	0.01	18.7	475	12.6	22
73342	<5	<1	<1	0.07	20	14	0.46	336	1.5	<0.01	19.1	615	18.7	18
73343	<5	<1	<1	0.07	22	15	0.49	443	1.5	<0.01	20.0	561	21.6	19
73344	<5	<1	<1	0.08	23	16	0.52	516	1.6	<0.01	22.3	652	11.7	18
73345	<5	<1	<1	0.05	18	14	0.44	277	1.4	<0.01	17.9	555	9.7	15
73346	<5	<1	<1	0.04	14	11	0.36	178	1.6	<0.01	13.6	451	9.4	14
73347	<5	<1	<1	0.05	13	9	0.33	151	1.5	<0.01	12.9	544	10.8	12
73348	<5	<1	1	0.05	19	15	0.37	205	0.8	<0.01	13.7	499	11.9	14
73349	<5	<1	<1	0.05	19	15	0.37	201	1.6	<0.01	14.2	492	12.0	13
73350	<5	<1	2	0.06	12	13	0.39	151	1.3	<0.01	13.0	409	10.0	13
73351	<5	<1	<1	0.04	11	8	0.26	115	1.2	<0.01	10.3	612	8.6	<10
73352	<5	<1	<1	0.06	16	11	0.29	209	2.3	<0.01	12.6	320	8.6	21
73353	<5	<1	<1	0.09	25	26	0.55	661	1.5	0.01	21.3	540	28.5	23
73354	nrc	nrc	nrc	nrc	nrc	nrc	nrc	nrc	nrc	nrc	nrc	nrc	nrc	nrc
73355	9	<1	<1	0.23	30	51	1.47	1080	2.3	0.04	38.3	653	22.0	62
73356	<5	<1	<1	0.22	28	42	0.85	832	1.2	<0.01	40.6	585	11.2	55
73357	<5	<1	<1	0.16	26	28	0.62	614	1.8	<0.01	38.0	756	11.6	43

Certified By:

Ron Cardinal



Certificate of Analysis

AGAT WORK ORDER: 11Y504418

PROJECT NO: BIG

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: BEARING RESOURCES

ATTENTION TO: Bill Mann

Aqua Regia Digest - Metals Package, ICP-OES finish (201073)

DATE SAMPLED: Jun 23, 2011

DATE RECEIVED: Jun 23, 2011

DATE REPORTED: Jul 15, 2011

SAMPLE TYPE: Soil

Analyte:	Ga	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Ni	P	Pb	Rb
Unit:	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
Sample Description RDL:	5	1	1	0.01	1	1	0.01	1	0.5	0.01	0.5	10	0.5	10
73358	<5	<1	<1	0.15	37	40	0.78	649	1.9	0.01	43.1	636	16.0	48
73359	5	<1	<1	0.27	45	28	0.63	659	1.3	<0.01	18.5	654	19.0	84
73360	<5	<1	<1	0.29	43	39	0.69	1000	1.4	<0.01	36.1	491	16.9	71
73361	<5	<1	<1	0.14	33	13	0.35	307	1.4	0.01	19.9	651	17.6	36
73362	<5	<1	<1	0.29	62	26	0.73	343	1.1	<0.01	34.5	413	12.4	57
73363	8	<1	<1	0.60	49	44	1.39	703	0.6	<0.01	41.1	471	14.8	190
73364	<5	<1	<1	0.34	40	34	0.95	500	1.8	<0.01	35.5	461	15.2	91
73365	<5	<1	1	0.06	14	11	0.31	327	1.6	<0.01	15.9	565	10.3	15
73366	<5	<1	<1	0.09	71	15	0.42	248	0.9	<0.01	27.7	623	8.9	17
73367	<5	<1	<1	0.22	19	21	0.56	485	1.4	0.02	26.6	442	10.9	62
73368	<5	<1	<1	0.26	37	41	0.56	262	1.0	<0.01	30.6	418	7.9	46
73451	<5	<1	<1	0.07	24	18	0.46	498	1.7	0.01	27.4	533	11.5	17
73452	<5	<1	<1	0.10	35	18	0.39	435	2.1	0.02	26.7	718	20.5	19
73453	<5	<1	<1	0.07	19	14	0.37	331	1.4	0.01	17.8	541	9.9	15
73454	<5	<1	2	0.05	20	13	0.32	239	1.9	<0.01	15.0	444	10.1	14
73455	6	<1	<1	0.07	20	13	0.32	252	2.3	<0.01	13.7	499	13.3	20
73456	<5	<1	<1	0.13	24	17	0.38	322	3.2	0.01	14.7	747	12.3	32
73457	<5	<1	<1	0.14	28	24	0.49	428	2.0	0.02	22.0	685	18.4	30
73458	<5	<1	<1	0.15	33	26	0.46	297	2.5	0.01	25.2	488	18.3	29
73459	<5	<1	<1	0.15	28	16	0.35	225	2.3	0.01	17.0	655	9.1	40
73460	<5	<1	<1	0.12	39	9	0.20	241	1.9	<0.01	19.5	530	10.3	36
73461	<5	<1	1	0.08	27	11	0.20	252	1.3	<0.01	14.7	511	10.8	26
73462	<5	<1	<1	0.13	23	18	0.37	346	2.4	0.01	19.1	539	11.3	41
73463	<5	<1	<1	0.16	24	20	0.39	597	1.8	0.02	19.8	662	11.5	53
73464	<5	<1	<1	0.08	18	17	0.37	307	1.9	<0.01	14.4	453	9.1	28
73465	<5	<1	<1	0.11	20	17	0.40	415	1.9	0.02	18.5	722	9.5	36
73466	<5	<1	<1	0.13	22	23	0.54	493	2.8	0.02	22.5	591	11.0	43
73467	<5	<1	<1	0.13	25	21	0.49	545	1.9	0.02	23.5	734	13.0	43
73468	<5	<1	<1	0.07	16	11	0.27	207	1.9	0.01	12.1	610	9.3	24
73469	<5	<1	1	0.15	31	18	0.37	409	2.1	0.01	20.6	563	11.7	38
73470	<5	<1	<1	0.08	25	13	0.37	340	1.9	0.01	20.5	613	12.2	20
73471	<5	<1	<1	0.07	23	16	0.40	414	1.9	0.01	20.5	629	19.2	19

Certified By:

Ron Cardinal



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 11Y504418

PROJECT NO: BIG

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: BEARING RESOURCES

ATTENTION TO: Bill Mann

Aqua Regia Digest - Metals Package, ICP-OES finish (201073)

DATE SAMPLED: Jun 23, 2011

DATE RECEIVED: Jun 23, 2011

DATE REPORTED: Jul 15, 2011

SAMPLE TYPE: Soil

Analyte:	Ga	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Ni	P	Pb	Rb
Unit:	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
Sample Description RDL:	5	1	1	0.01	1	1	0.01	1	0.5	0.01	0.5	10	0.5	10
73472	<5	<1	<1	0.07	34	14	0.36	442	1.3	<0.01	28.5	481	13.3	14
73473	<5	<1	<1	0.06	30	17	0.43	496	1.9	<0.01	19.9	605	28.7	18
73474	6	<1	<1	0.08	22	13	0.31	290	1.9	<0.01	12.4	570	13.8	20
73475	<5	<1	<1	0.06	23	12	0.24	280	2.5	<0.01	11.5	428	13.0	18
73476	6	<1	<1	0.05	17	11	0.16	190	2.7	<0.01	8.6	284	14.7	17
73477	<5	<1	<1	0.06	26	14	0.27	337	1.8	<0.01	20.7	529	9.4	13
73478	<5	<1	1	0.15	30	26	0.48	279	2.6	<0.01	25.0	612	13.1	35
73479	<5	<1	<1	0.46	35	50	0.69	595	8.2	0.02	26.1	676	17.6	123
73480	<5	<1	<1	0.14	36	19	0.32	187	3.7	<0.01	13.4	405	13.2	34
73481	<5	<1	<1	0.34	29	35	0.57	284	8.8	0.01	21.2	577	15.4	87

Certified By:

Ron Cardinal



Certificate of Analysis

AGAT WORK ORDER: 11Y504418

PROJECT NO: BIG

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: BEARING RESOURCES

ATTENTION TO: Bill Mann

Aqua Regia Digest - Metals Package, ICP-OES finish (201073)

DATE SAMPLED: Jun 23, 2011		DATE RECEIVED: Jun 23, 2011					DATE REPORTED: Jul 15, 2011					SAMPLE TYPE: Soil			
Analyte:	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V	W	
Unit:	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	
Sample Description	RDL:	0.005	1	0.5	10	5	0.5	10	10	5	0.01	5	5	0.5	1
72951		0.011	<1	2.5	<10	<5	9.9	<10	<10	8	0.04	<5	<5	42.5	<1
72952		0.012	<1	2.3	<10	<5	8.6	<10	<10	<5	0.05	<5	<5	42.7	<1
72953		0.013	<1	1.6	<10	<5	9.5	<10	<10	<5	0.04	<5	<5	42.1	<1
72954		0.012	<1	2.6	<10	<5	10.1	<10	<10	6	0.05	<5	<5	44.5	<1
72955		0.012	<1	2.6	<10	<5	8.9	<10	<10	<5	0.04	<5	<5	45.5	<1
72956		0.012	<1	2.8	<10	<5	10.4	<10	<10	7	0.05	<5	<5	44.1	<1
72957		0.011	<1	3.1	<10	<5	11.6	<10	<10	5	0.05	<5	<5	50.8	<1
72958		0.017	<1	2.7	<10	<5	10.6	<10	<10	7	0.07	<5	<5	55.7	<1
72959		0.014	<1	2.8	<10	<5	9.0	<10	<10	8	0.04	<5	<5	43.5	<1
72960		0.015	<1	2.4	<10	<5	11.9	<10	<10	<5	0.05	<5	<5	47.5	<1
72961		0.013	<1	2.7	<10	<5	12.2	<10	<10	<5	0.05	<5	<5	47.4	<1
72962		0.019	<1	2.1	<10	<5	10.7	<10	<10	7	0.04	<5	<5	39.3	<1
72963		0.018	<1	2.2	<10	<5	10.9	<10	<10	6	0.04	<5	<5	35.5	<1
72964		0.017	<1	2.5	<10	<5	11.2	<10	<10	<5	0.05	<5	<5	50.2	<1
72965		0.041	<1	1.5	<10	<5	12.7	<10	<10	<5	0.03	<5	<5	48.2	<1
72966		0.019	<1	2.6	<10	<5	11.6	<10	<10	<5	0.05	<5	<5	47.2	<1
72967		0.015	<1	3.2	<10	<5	13.9	<10	<10	<5	0.06	<5	<5	57.3	<1
72968		0.015	<1	3.7	<10	<5	10.3	<10	<10	6	0.06	<5	<5	50.2	<1
72969		0.022	<1	2.1	<10	<5	11.9	<10	<10	<5	0.05	<5	<5	52.0	<1
72970		0.014	<1	2.5	<10	<5	10.7	<10	<10	<5	0.05	<5	<5	46.6	<1
72971		0.018	<1	3.5	<10	<5	13.0	<10	<10	<5	0.07	<5	<5	53.9	<1
72972		0.031	<1	1.3	<10	<5	11.3	<10	<10	<5	0.05	<5	<5	49.2	<1
72973		0.049	<1	1.4	<10	<5	13.7	<10	<10	<5	0.05	<5	<5	48.7	<1
72974		0.029	<1	1.8	<10	<5	11.4	<10	<10	<5	0.05	<5	<5	51.2	<1
72975		0.020	<1	2.4	<10	<5	12.3	<10	<10	<5	0.06	<5	<5	55.6	<1
72976		0.023	<1	3.0	<10	<5	13.7	<10	<10	6	0.07	<5	<5	48.8	<1
72977		0.021	<1	1.7	<10	<5	7.8	<10	<10	<5	0.05	<5	<5	43.6	<1
72978		0.016	<1	1.9	<10	<5	11.6	<10	<10	<5	0.05	<5	<5	49.5	<1
72979		0.027	<1	1.8	<10	<5	13.7	<10	<10	<5	0.05	<5	<5	54.8	<1
72980		0.043	<1	1.9	<10	<5	11.0	<10	<10	<5	0.06	<5	<5	54.4	<1
72981		0.023	<1	2.5	<10	<5	10.6	<10	<10	<5	0.06	<5	<5	51.7	<1
72982		0.011	<1	2.7	<10	<5	11.8	<10	<10	<5	0.05	<5	<5	41.9	<1

Certified By:

Ron Cardinal



Certificate of Analysis

AGAT WORK ORDER: 11Y504418

PROJECT NO: BIG

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: BEARING RESOURCES

ATTENTION TO: Bill Mann

Aqua Regia Digest - Metals Package, ICP-OES finish (201073)

DATE SAMPLED: Jun 23, 2011

DATE RECEIVED: Jun 23, 2011

DATE REPORTED: Jul 15, 2011

SAMPLE TYPE: Soil

Analyte:	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V	W
Unit:	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
Sample Description RDL:	0.005	1	0.5	10	5	0.5	10	10	5	0.01	5	5	0.5	1
72983	0.038	<1	1.8	<10	<5	10.2	<10	<10	15	0.02	<5	<5	27.6	<1
72984	0.006	<1	2.0	<10	<5	10.7	<10	<10	18	<0.01	<5	<5	16.7	<1
72985	0.035	<1	0.6	<10	<5	6.1	<10	<10	<5	0.03	<5	<5	41.4	<1
72986	0.029	<1	2.3	<10	<5	11.6	<10	<10	8	0.06	<5	<5	46.5	<1
72987	0.015	<1	1.4	<10	<5	11.1	<10	<10	<5	0.04	<5	<5	40.9	<1
72988	0.018	<1	1.1	<10	<5	8.9	<10	<10	<5	0.03	<5	<5	38.7	<1
72989	0.015	<1	1.6	<10	<5	10.6	<10	<10	<5	0.05	<5	<5	46.3	<1
72990	0.026	<1	1.5	<10	<5	10.1	<10	<10	<5	0.04	<5	<5	44.9	<1
72991	0.017	<1	2.1	<10	<5	11.2	<10	<10	<5	0.05	<5	<5	42.1	<1
72992	0.027	<1	0.9	<10	<5	9.8	<10	<10	<5	0.04	<5	<5	43.9	<1
72993	0.016	<1	2.2	<10	<5	12.6	<10	<10	<5	0.07	<5	<5	54.9	<1
72994	0.017	<1	1.9	<10	<5	14.4	<10	<10	<5	0.06	<5	<5	44.5	<1
72995	0.025	<1	1.7	<10	<5	9.7	<10	<10	<5	0.05	<5	<5	52.0	<1
72996	0.021	<1	2.0	<10	<5	9.9	<10	<10	<5	0.05	<5	<5	46.4	<1
72997	0.014	<1	2.7	<10	<5	13.0	<10	<10	<5	0.07	<5	<5	52.2	<1
72998	0.018	<1	2.7	<10	<5	15.6	<10	<10	<5	0.07	<5	<5	51.6	<1
72999	0.013	<1	3.1	<10	<5	15.0	<10	<10	<5	0.07	<5	<5	51.0	<1
73000	0.013	<1	2.6	<10	<5	11.6	<10	<10	<5	0.05	<5	<5	53.2	<1
73101	0.014	<1	2.7	<10	<5	12.5	<10	<10	<5	0.06	<5	<5	49.2	<1
73102	0.022	<1	1.1	<10	<5	10.3	<10	<10	<5	0.04	<5	<5	45.4	<1
73103	0.014	<1	1.9	<10	<5	12.2	<10	<10	<5	0.05	<5	<5	41.2	<1
73104	0.047	<1	3.4	<10	<5	12.1	<10	<10	10	0.04	<5	<5	70.9	<1
73105	0.021	<1	2.6	<10	<5	16.5	<10	<10	<5	0.08	<5	<5	53.2	<1
73106	0.020	<1	1.8	<10	<5	11.0	<10	<10	<5	0.05	<5	<5	41.6	<1
73107	0.022	<1	3.6	<10	<5	25.8	<10	<10	6	0.14	<5	<5	55.2	<1
73108	0.032	<1	3.8	<10	<5	21.5	<10	<10	<5	0.11	<5	<5	57.9	<1
73109	0.013	<1	5.0	<10	<5	14.4	<10	<10	10	0.05	<5	<5	46.0	1
73110	0.015	<1	6.3	<10	<5	51.2	<10	<10	5	0.17	6	<5	66.6	<1
73111	0.017	<1	5.6	<10	<5	16.9	<10	<10	6	0.15	<5	<5	58.0	1
73112	0.027	<1	2.8	<10	<5	11.9	<10	<10	<5	0.08	<5	<5	58.1	8
73113	0.023	<1	3.0	<10	<5	11.9	<10	<10	5	0.08	<5	<5	59.5	<1
73114	0.051	<1	3.3	<10	<5	15.1	<10	<10	<5	0.13	<5	<5	113	<1

Certified By:

Ron Cardinal



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 11Y504418

PROJECT NO: BIG

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: BEARING RESOURCES

ATTENTION TO: Bill Mann

Aqua Regia Digest - Metals Package, ICP-OES finish (201073)

DATE SAMPLED: Jun 23, 2011

DATE RECEIVED: Jun 23, 2011

DATE REPORTED: Jul 15, 2011

SAMPLE TYPE: Soil

Analyte:	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V	W
Unit:	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
Sample Description RDL:	0.005	1	0.5	10	5	0.5	10	10	5	0.01	5	5	0.5	1
73115	0.052	<1	1.6	<10	<5	11.0	<10	<10	<5	0.06	<5	<5	65.4	<1
73116	0.028	<1	2.0	<10	<5	7.3	<10	<10	<5	0.07	<5	<5	49.2	<1
73117	0.040	<1	1.8	<10	<5	9.3	<10	<10	<5	0.09	<5	<5	80.8	<1
73118	0.016	<1	8.1	<10	<5	26.8	<10	<10	8	0.23	8	<5	108	1
73119	0.067	<1	0.8	<10	<5	11.5	<10	<10	<5	0.04	<5	<5	59.5	<1
73120	0.013	<1	5.4	<10	<5	21.5	<10	<10	7	0.07	<5	<5	61.0	<1
73121	0.019	<1	1.9	<10	<5	14.0	<10	<10	<5	0.11	6	<5	39.3	<1
73301	0.023	<1	2.6	<10	<5	10.7	<10	<10	<5	0.06	<5	<5	50.6	<1
73302	0.018	<1	3.1	<10	<5	8.6	<10	<10	6	0.05	<5	<5	46.2	<1
73303	0.024	<1	0.8	<10	<5	6.6	<10	<10	<5	0.03	<5	<5	49.6	<1
73304	0.018	<1	1.6	<10	<5	7.9	<10	<10	<5	0.04	<5	<5	47.8	<1
73305	0.019	<1	2.4	<10	<5	11.3	<10	<10	<5	0.05	<5	<5	44.4	<1
73306	0.021	<1	0.9	<10	<5	9.2	<10	<10	<5	0.04	<5	<5	49.3	<1
73307	0.021	<1	1.6	<10	<5	8.8	<10	<10	<5	0.03	<5	<5	44.9	<1
73308	0.020	<1	2.4	<10	<5	11.6	<10	<10	<5	0.05	<5	<5	48.0	<1
73309	0.026	<1	0.7	<10	<5	8.0	<10	<10	<5	0.02	<5	<5	45.8	<1
73310	0.020	<1	1.3	<10	<5	12.2	<10	<10	<5	0.05	<5	<5	44.7	<1
73311	0.027	<1	1.4	<10	<5	12.3	<10	<10	<5	0.05	<5	<5	52.1	<1
73312	0.020	<1	0.7	<10	<5	10.0	<10	<10	<5	0.04	<5	<5	46.8	<1
73313	0.021	<1	1.4	<10	<5	11.2	<10	<10	<5	0.04	<5	<5	47.3	<1
73314	0.030	<1	2.7	<10	<5	14.3	<10	<10	<5	0.05	<5	<5	41.6	<1
73315	0.023	<1	0.9	<10	<5	9.9	<10	<10	<5	0.04	<5	<5	43.5	<1
73316	0.037	<1	1.6	<10	<5	12.4	<10	<10	<5	0.04	<5	<5	49.2	<1
73317	0.030	<1	0.5	<10	<5	10.8	<10	<10	<5	0.03	<5	<5	42.9	<1
73318	0.046	<1	1.1	<10	<5	12.1	<10	<10	<5	0.04	<5	<5	48.9	1
73319	0.033	<1	1.8	<10	<5	13.9	<10	<10	<5	0.06	<5	<5	55.1	<1
73320	0.018	<1	1.5	<10	<5	12.1	<10	<10	<5	0.05	<5	<5	50.0	<1
73321	0.035	<1	2.0	<10	<5	16.0	<10	<10	<5	0.07	<5	<5	61.7	<1
73322	0.022	<1	2.9	<10	<5	13.5	<10	<10	<5	0.06	<5	<5	46.9	<1
73323	0.022	<1	2.2	<10	<5	11.3	<10	<10	<5	0.05	<5	<5	44.0	<1
73324	0.030	<1	1.9	<10	<5	12.9	<10	<10	<5	0.05	<5	<5	47.1	<1
73325	0.073	<1	1.0	<10	<5	14.6	<10	<10	<5	0.03	<5	<5	42.7	<1

Certified By:

Ron Cardinal



Certificate of Analysis

AGAT WORK ORDER: 11Y504418

PROJECT NO: BIG

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: BEARING RESOURCES

ATTENTION TO: Bill Mann

Aqua Regia Digest - Metals Package, ICP-OES finish (201073)

DATE SAMPLED: Jun 23, 2011		DATE RECEIVED: Jun 23, 2011					DATE REPORTED: Jul 15, 2011					SAMPLE TYPE: Soil				
Analyte:	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V	W		
Unit:	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm		
Sample Description	RDL:	0.005	1	0.5	10	5	0.5	10	10	5	0.01	5	5	0.5	1	
73326		0.068	<1	2.6	<10	<5	17.1	<10	<10	6	0.06	<5	<5	57.9	<1	
73327		0.058	<1	2.3	<10	<5	17.2	<10	<10	<5	0.06	<5	<5	50.1	3	
73328		0.049	<1	2.3	<10	<5	18.7	<10	<10	<5	0.07	<5	<5	48.8	3	
73329		0.051	<1	1.1	<10	<5	15.0	<10	<10	<5	0.06	<5	<5	58.2	3	
73330		0.056	<1	1.0	<10	<5	14.2	<10	<10	<5	0.04	<5	<5	42.5	1	
73331		0.053	<1	1.5	<10	<5	16.6	<10	<10	<5	0.05	<5	<5	47.3	<1	
73332		0.021	<1	1.5	<10	<5	10.2	<10	<10	<5	0.05	<5	<5	51.1	<1	
73333		0.012	<1	3.0	<10	<5	14.2	<10	<10	<5	0.07	<5	<5	46.7	<1	
73334		0.012	<1	2.4	<10	<5	15.5	<10	<10	<5	0.07	<5	<5	46.0	<1	
73335		0.018	<1	1.2	<10	<5	12.6	<10	<10	<5	0.05	<5	<5	51.7	<1	
73336		0.021	<1	1.9	<10	<5	14.6	<10	<10	<5	0.06	<5	<5	48.7	<1	
73337		0.024	<1	1.7	<10	<5	13.9	<10	<10	<5	0.06	<5	<5	51.2	<1	
73338		0.018	<1	2.2	<10	<5	12.8	<10	<10	<5	0.06	<5	<5	53.5	<1	
73339		0.032	<1	1.9	<10	<5	14.7	<10	<10	<5	0.06	<5	<5	55.0	<1	
73340		0.071	<1	1.7	<10	<5	15.4	<10	<10	<5	0.06	<5	<5	59.8	<1	
73341		0.034	<1	2.4	<10	<5	16.0	<10	<10	<5	0.08	<5	<5	60.5	<1	
73342		0.018	<1	2.8	<10	<5	13.9	<10	<10	<5	0.07	<5	<5	54.0	<1	
73343		0.013	<1	3.3	<10	<5	16.8	<10	<10	<5	0.07	<5	<5	53.3	<1	
73344		0.012	<1	3.9	<10	<5	17.5	<10	<10	<5	0.08	<5	<5	55.4	<1	
73345		0.022	<1	2.1	<10	<5	11.8	<10	<10	<5	0.06	<5	<5	50.9	<1	
73346		0.031	<1	1.1	<10	<5	10.9	<10	<10	<5	0.03	<5	<5	45.2	<1	
73347		0.034	<1	1.1	<10	<5	11.7	<10	<10	<5	0.05	<5	<5	45.9	<1	
73348		0.017	<1	1.7	<10	<5	14.4	<10	<10	<5	0.06	<5	<5	47.4	<1	
73349		0.016	<1	1.7	<10	<5	13.5	<10	<10	<5	0.06	<5	<5	48.0	<1	
73350		0.029	<1	1.2	<10	<5	14.0	<10	<10	<5	0.05	<5	<5	52.0	<1	
73351		0.057	<1	0.6	<10	<5	12.2	<10	<10	<5	0.03	<5	<5	49.4	<1	
73352		0.022	<1	1.9	<10	<5	9.9	<10	<10	<5	0.07	<5	<5	60.0	<1	
73353		0.052	<1	2.5	<10	<5	16.2	<10	<10	<5	0.05	<5	<5	44.8	<1	
73354		nrc	nrc	nrc	nrc	nrc	nrc	nrc	nrc	nrc	nrc	nrc	nrc	nrc	nrc	
73355		0.064	<1	4.7	<10	<5	35.7	<10	<10	5	0.13	5	<5	80.5	<1	
73356		0.018	<1	3.7	<10	<5	18.0	<10	<10	10	0.10	<5	<5	49.1	<1	
73357		0.013	<1	3.6	<10	<5	16.7	<10	<10	10	0.09	<5	<5	48.7	<1	

Certified By:

Ron Cardinal



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 11Y504418

PROJECT NO: BIG

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: BEARING RESOURCES

ATTENTION TO: Bill Mann

Aqua Regia Digest - Metals Package, ICP-OES finish (201073)

DATE SAMPLED: Jun 23, 2011

DATE RECEIVED: Jun 23, 2011

DATE REPORTED: Jul 15, 2011

SAMPLE TYPE: Soil

Analyte:	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V	W
Unit:	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
Sample Description RDL:	0.005	1	0.5	10	5	0.5	10	10	5	0.01	5	5	0.5	1
73358	0.040	<1	3.6	<10	<5	18.0	<10	<10	6	0.07	<5	<5	48.9	<1
73359	0.020	<1	4.3	<10	<5	29.8	<10	<10	12	0.05	<5	<5	36.6	<1
73360	0.020	<1	3.5	<10	<5	15.3	<10	<10	15	0.08	<5	<5	34.3	<1
73361	0.068	<1	1.1	<10	<5	12.9	<10	<10	<5	0.05	<5	<5	37.1	<1
73362	0.008	<1	2.6	<10	<5	13.3	<10	<10	20	0.05	<5	<5	27.0	<1
73363	0.014	<1	4.5	<10	<5	25.3	<10	<10	20	0.12	5	<5	47.5	<1
73364	0.017	<1	3.0	<10	<5	20.1	<10	<10	13	0.09	<5	<5	43.4	<1
73365	0.051	<1	0.9	<10	<5	10.1	<10	<10	<5	0.04	<5	<5	47.9	<1
73366	0.022	<1	2.6	<10	<5	12.2	<10	<10	25	0.03	<5	<5	24.8	<1
73367	0.048	<1	2.7	<10	<5	22.9	<10	<10	<5	0.09	<5	<5	52.2	<1
73368	0.013	<1	3.5	<10	<5	20.7	<10	<10	10	0.04	<5	<5	24.2	<1
73451	0.031	<1	2.5	<10	<5	17.3	<10	<10	<5	0.07	<5	<5	57.2	<1
73452	0.069	<1	2.2	<10	<5	37.0	<10	<10	8	0.06	<5	<5	41.4	<1
73453	0.045	<1	1.8	<10	<5	16.3	<10	<10	<5	0.06	<5	<5	43.3	<1
73454	0.042	<1	1.5	<10	<5	10.2	<10	<10	<5	0.05	<5	<5	44.6	<1
73455	0.057	<1	2.0	<10	<5	14.4	<10	<10	<5	0.07	<5	<5	67.5	<1
73456	0.103	<1	1.6	<10	<5	19.1	<10	<10	<5	0.06	<5	<5	55.5	<1
73457	0.081	<1	2.2	<10	<5	27.1	<10	<10	<5	0.07	<5	<5	47.3	<1
73458	0.064	<1	2.4	<10	<5	26.1	<10	<10	8	0.05	<5	<5	39.9	<1
73459	0.095	<1	1.2	<10	<5	26.9	<10	<10	<5	0.04	<5	<5	38.9	4
73460	0.075	2	1.4	<10	<5	19.1	<10	<10	<5	0.02	<5	<5	28.2	3
73461	0.053	2	1.2	<10	<5	11.2	<10	<10	<5	0.03	<5	<5	35.3	8
73462	0.089	<1	2.0	<10	<5	18.7	<10	<10	<5	0.06	<5	<5	46.7	8
73463	0.126	<1	1.5	<10	<5	23.3	<10	<10	<5	0.05	<5	<5	42.4	8
73464	0.044	<1	2.1	<10	<5	13.9	<10	<10	<5	0.07	<5	<5	53.7	3
73465	0.105	<1	1.3	<10	<5	18.3	<10	<10	<5	0.05	<5	<5	51.5	1
73466	0.097	<1	2.0	<10	<5	22.9	<10	<10	<5	0.06	<5	<5	55.5	3
73467	0.108	<1	1.6	<10	<5	21.5	<10	<10	<5	0.05	<5	<5	46.2	6
73468	0.082	<1	1.3	<10	<5	13.6	<10	<10	<5	0.04	<5	<5	46.9	3
73469	0.081	<1	1.8	<10	<5	25.5	<10	<10	<5	0.04	<5	<5	33.9	7
73470	0.054	<1	1.5	<10	<5	14.5	<10	<10	<5	0.04	<5	<5	44.4	<1
73471	0.055	<1	1.4	<10	<5	16.4	<10	<10	<5	0.04	<5	<5	44.0	<1

Certified By:

Ron Cardinali



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 11Y504418

PROJECT NO: BIG

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: BEARING RESOURCES

ATTENTION TO: Bill Mann

Aqua Regia Digest - Metals Package, ICP-OES finish (201073)

DATE SAMPLED: Jun 23, 2011

DATE RECEIVED: Jun 23, 2011

DATE REPORTED: Jul 15, 2011

SAMPLE TYPE: Soil

Analyte:	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V	W
Unit:	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
Sample Description RDL:	0.005	1	0.5	10	5	0.5	10	10	5	0.01	5	5	0.5	1
73472	0.017	<1	2.4	<10	<5	18.7	<10	<10	12	0.05	<5	<5	34.0	<1
73473	0.044	<1	1.9	<10	<5	21.8	<10	<10	6	0.04	<5	<5	42.2	<1
73474	0.046	<1	1.6	<10	<5	14.4	<10	<10	<5	0.06	<5	<5	63.2	<1
73475	0.034	<1	1.8	<10	<5	7.6	<10	<10	5	0.07	<5	<5	65.7	<1
73476	0.016	<1	2.1	<10	<5	8.9	<10	<10	6	0.09	<5	<5	86.9	<1
73477	0.022	<1	2.4	<10	<5	9.5	<10	<10	10	0.05	<5	<5	37.6	1
73478	0.089	<1	2.4	<10	<5	11.4	<10	<10	7	0.05	<5	<5	41.5	1
73479	0.164	<1	4.3	<10	<5	21.7	<10	<10	12	0.11	<5	<5	48.5	3
73480	0.060	<1	2.3	<10	<5	6.1	<10	<10	14	0.04	<5	<5	34.0	1
73481	0.160	<1	2.9	<10	<5	10.5	<10	<10	8	0.08	<5	<5	45.0	1

Certified By:

Ron Cardinal



Certificate of Analysis

AGAT WORK ORDER: 11Y504418

PROJECT NO: BIG

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: BEARING RESOURCES

ATTENTION TO: Bill Mann

Aqua Regia Digest - Metals Package, ICP-OES finish (201073)

DATE SAMPLED: Jun 23, 2011

DATE RECEIVED: Jun 23, 2011

DATE REPORTED: Jul 15, 2011

SAMPLE TYPE: Soil

Analyte:	Y	Zn	Zr
Unit:	ppm	ppm	ppm
Sample Description RDL:	1	0.5	5
72951	4	56.8	<5
72952	5	60.6	<5
72953	4	52.9	<5
72954	5	61.9	<5
72955	4	62.1	<5
72956	5	65.9	<5
72957	5	65.6	<5
72958	5	76.0	<5
72959	5	72.7	<5
72960	5	66.0	<5
72961	5	72.3	<5
72962	4	81.2	<5
72963	5	82.3	<5
72964	5	73.7	<5
72965	5	67.8	<5
72966	5	62.4	<5
72967	5	66.7	<5
72968	6	78.1	<5
72969	4	55.7	<5
72970	4	58.0	<5
72971	5	61.3	<5
72972	4	50.5	<5
72973	4	53.0	<5
72974	4	52.9	<5
72975	4	55.3	<5
72976	5	63.1	<5
72977	3	43.1	<5
72978	4	55.1	<5
72979	4	55.9	<5
72980	4	56.1	<5
72981	4	59.4	<5
72982	7	58.8	<5

Certified By:

Ron Cardinal



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 11Y504418

PROJECT NO: BIG

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: BEARING RESOURCES

ATTENTION TO: Bill Mann

Aqua Regia Digest - Metals Package, ICP-OES finish (201073)

DATE SAMPLED: Jun 23, 2011

DATE RECEIVED: Jun 23, 2011

DATE REPORTED: Jul 15, 2011

SAMPLE TYPE: Soil

Analyte:	Y	Zn	Zr
Unit:	ppm	ppm	ppm
Sample Description RDL:	1	0.5	5
72983	4	71.8	<5
72984	7	87.9	<5
72985	2	38.8	<5
72986	5	71.3	<5
72987	4	58.2	<5
72988	3	48.7	<5
72989	4	51.3	<5
72990	4	58.8	<5
72991	5	56.8	<5
72992	3	44.6	<5
72993	4	61.2	<5
72994	5	55.0	<5
72995	3	61.7	<5
72996	4	61.5	<5
72997	6	65.8	<5
72998	8	74.2	<5
72999	7	73.3	<5
73000	5	71.1	<5
73101	6	64.7	<5
73102	4	48.4	<5
73103	5	56.3	<5
73104	7	109	<5
73105	6	60.6	<5
73106	6	54.1	<5
73107	7	78.4	<5
73108	7	80.0	<5
73109	8	86.7	<5
73110	9	84.2	<5
73111	9	76.1	<5
73112	6	73.2	<5
73113	6	81.8	<5
73114	5	81.6	<5

Certified By:

Ron Cardinal



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 11Y504418

PROJECT NO: BIG

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: BEARING RESOURCES

ATTENTION TO: Bill Mann

Aqua Regia Digest - Metals Package, ICP-OES finish (201073)

DATE SAMPLED: Jun 23, 2011

DATE RECEIVED: Jun 23, 2011

DATE REPORTED: Jul 15, 2011

SAMPLE TYPE: Soil

Analyte:	Y	Zn	Zr
Unit:	ppm	ppm	ppm
Sample Description RDL:	1	0.5	5
73115	3	57.4	<5
73116	4	67.2	<5
73117	3	53.3	<5
73118	14	119	<5
73119	5	65.5	<5
73120	10	85.0	<5
73121	3	41.2	<5
73301	4	60.1	<5
73302	5	71.1	<5
73303	3	37.9	<5
73304	3	46.9	<5
73305	4	60.9	<5
73306	3	33.6	<5
73307	4	52.2	<5
73308	4	63.0	<5
73309	3	46.0	<5
73310	4	45.1	<5
73311	4	77.2	<5
73312	2	62.1	<5
73313	3	48.9	<5
73314	6	64.3	<5
73315	3	28.8	<5
73316	4	57.1	<5
73317	3	29.1	<5
73318	3	39.7	<5
73319	4	53.3	<5
73320	4	44.6	<5
73321	4	55.4	<5
73322	5	73.1	<5
73323	4	58.8	<5
73324	4	52.7	<5
73325	4	44.0	<5

Certified By:

Ron Cardinal



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 11Y504418

PROJECT NO: BIG

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: BEARING RESOURCES

ATTENTION TO: Bill Mann

Aqua Regia Digest - Metals Package, ICP-OES finish (201073)

DATE SAMPLED: Jun 23, 2011

DATE RECEIVED: Jun 23, 2011

DATE REPORTED: Jul 15, 2011

SAMPLE TYPE: Soil

Analyte:	Y	Zn	Zr
Unit:	ppm	ppm	ppm
Sample Description RDL:	1	0.5	5
73326	5	58.2	<5
73327	5	61.5	<5
73328	6	68.3	<5
73329	4	48.7	<5
73330	3	44.0	<5
73331	4	54.2	<5
73332	3	43.0	<5
73333	7	64.2	<5
73334	6	63.7	<5
73335	4	42.1	<5
73336	5	52.0	<5
73337	5	54.1	<5
73338	5	60.7	<5
73339	5	58.7	<5
73340	6	76.9	<5
73341	5	70.8	<5
73342	6	71.1	<5
73343	7	81.8	<5
73344	9	80.4	<5
73345	5	64.6	<5
73346	3	51.1	<5
73347	4	56.5	<5
73348	5	54.1	<5
73349	5	55.3	<5
73350	3	48.5	<5
73351	4	42.1	<5
73352	3	47.8	<5
73353	7	88.4	<5
73354	nrc	nrc	nrc
73355	13	110	<5
73356	10	94.3	<5
73357	10	86.8	<5

Certified By:

Ron Cardinal



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 11Y504418

PROJECT NO: BIG

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: BEARING RESOURCES

ATTENTION TO: Bill Mann

Aqua Regia Digest - Metals Package, ICP-OES finish (201073)

DATE SAMPLED: Jun 23, 2011

DATE RECEIVED: Jun 23, 2011

DATE REPORTED: Jul 15, 2011

SAMPLE TYPE: Soil

Analyte:	Y	Zn	Zr
Unit:	ppm	ppm	ppm
Sample Description RDL:	1	0.5	5
73358	12	102	<5
73359	14	81.4	<5
73360	14	94.8	<5
73361	6	70.8	<5
73362	16	60.2	<5
73363	15	93.1	<5
73364	14	87.7	<5
73365	4	56.5	<5
73366	20	74.9	<5
73367	7	73.6	<5
73368	21	55.7	<5
73451	6	87.4	<5
73452	7	81.9	<5
73453	5	63.3	<5
73454	4	57.4	<5
73455	4	60.2	<5
73456	5	61.3	<5
73457	6	88.5	<5
73458	6	102	<5
73459	5	56.5	<5
73460	7	54.0	<5
73461	4	50.1	<5
73462	5	61.5	<5
73463	6	65.2	<5
73464	4	52.4	<5
73465	5	62.7	<5
73466	5	80.4	<5
73467	7	72.4	<5
73468	4	48.0	<5
73469	7	67.6	<5
73470	5	66.0	<5
73471	5	72.8	<5

Certified By:

Ron Cardinal



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 11Y504418

PROJECT NO: BIG

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: BEARING RESOURCES

ATTENTION TO: Bill Mann

Aqua Regia Digest - Metals Package, ICP-OES finish (201073)

DATE SAMPLED: Jun 23, 2011

DATE RECEIVED: Jun 23, 2011

DATE REPORTED: Jul 15, 2011

SAMPLE TYPE: Soil

Analyte:	Y	Zn	Zr
Unit:	ppm	ppm	ppm
Sample Description	RDL:		
73472	7	75.7	<5
73473	5	82.9	<5
73474	4	52.4	<5
73475	4	54.0	<5
73476	3	45.7	<5
73477	6	69.4	<5
73478	7	96.2	<5
73479	11	93.7	<5
73480	8	57.5	<5
73481	6	82.7	<5

Comments: RDL - Reported Detection Limit

Certified By:

Ron Cardinal



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 11Y504418

PROJECT NO: BIG

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: BEARING RESOURCES

ATTENTION TO: Bill Mann

Fire Assay - Trace Au, AAS finish (202051)

DATE SAMPLED: Jun 23, 2011

DATE RECEIVED: Jun 23, 2011

DATE REPORTED: Jul 15, 2011

SAMPLE TYPE: Soil

Sample Description	Analyte:	Sample	Au
	Unit:	Login Weight	ppm
RDL:	kg	0.01	0.002
72951		0.41	0.008
72952		0.50	0.007
72953		0.44	0.007
72954		0.45	0.016
72955		0.55	0.010
72956		0.50	0.016
72957		0.41	0.010
72958		0.42	0.015
72959		0.44	0.016
72960		0.47	0.009
72961		0.43	0.012
72962		0.36	0.009
72963		0.43	0.013
72964		0.40	0.020
72965		0.41	0.023
72966		0.42	0.015
72967		0.52	0.010
72968		0.42	0.019
72969		0.52	0.015
72970		0.42	0.024
72971		0.43	0.012
72972		0.42	0.019
72973		0.29	0.024
72974		0.44	0.015
72975		0.39	0.018
72976		0.40	0.024
72977		0.46	0.027
72978		0.54	0.017
72979		0.47	0.021
72980		0.40	0.022
72981		0.43	0.023
72982		0.54	0.030

Certified By:

Ron Cardinal



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 11Y504418

PROJECT NO: BIG

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: BEARING RESOURCES

ATTENTION TO: Bill Mann

Fire Assay - Trace Au, AAS finish (202051)

DATE SAMPLED: Jun 23, 2011

DATE RECEIVED: Jun 23, 2011

DATE REPORTED: Jul 15, 2011

SAMPLE TYPE: Soil

Sample Description	Analyte:	Sample	Au
	Unit:	Login Weight	ppm
RDL:	kg		
	0.01	0.002	
72983		0.51	0.015
72984		0.62	0.006
72985		0.30	0.007
72986		0.33	0.010
72987		0.50	0.083
72988		0.37	0.009
72989		0.45	0.036
72990		0.37	0.011
72991		0.49	0.021
72992		0.30	0.010
72993		0.38	0.018
72994		0.45	0.006
72995		0.40	0.011
72996		0.40	0.023
72997		0.49	0.010
72998		0.58	0.014
72999		0.64	0.009
73000		0.52	0.007
73101		0.50	0.010
73102		0.46	0.009
73103		0.37	0.007
73104		0.30	0.008
73105		0.57	0.025
73106		0.32	0.006
73107		0.47	0.012
73108		0.48	0.020
73109		0.50	0.010
73110		0.53	0.020
73111		0.51	0.009
73112		0.43	0.008
73113		0.54	0.007
73114		0.43	0.007

Certified By:

Ron Cardinal



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 11Y504418

PROJECT NO: BIG

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: BEARING RESOURCES

ATTENTION TO: Bill Mann

Fire Assay - Trace Au, AAS finish (202051)

DATE SAMPLED: Jun 23, 2011

DATE RECEIVED: Jun 23, 2011

DATE REPORTED: Jul 15, 2011

SAMPLE TYPE: Soil

Sample Description	Analyte:	Sample	Au
	Unit:	Login Weight	ppm
RDL:	kg		
	0.01	0.002	
73115		0.38	0.009
73116		0.47	0.010
73117		0.51	0.009
73118		0.50	0.007
73119		0.46	0.019
73120		0.54	0.112
73121		0.54	0.015
73301		0.30	0.011
73302		0.33	0.016
73303		0.31	0.009
73304		0.35	0.011
73305		0.32	0.008
73306		0.34	0.012
73307		0.30	0.028
73308		0.36	0.018
73309		0.32	0.010
73310		0.29	0.016
73311		0.32	0.047
73312		0.22	0.050
73313		0.32	0.021
73314		0.35	0.032
73315		0.29	0.014
73316		0.31	0.040
73317		0.29	0.010
73318		0.33	0.014
73319		0.34	0.014
73320		0.40	0.016
73321		0.42	0.041
73322		0.32	0.027
73323		0.53	0.071
73324		0.37	0.033
73325		0.30	0.047

Certified By:

Ron Cardinal



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 11Y504418

PROJECT NO: BIG

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: BEARING RESOURCES

ATTENTION TO: Bill Mann

Fire Assay - Trace Au, AAS finish (202051)

DATE SAMPLED: Jun 23, 2011

DATE RECEIVED: Jun 23, 2011

DATE REPORTED: Jul 15, 2011

SAMPLE TYPE: Soil

Sample Description	Analyte:	Sample	Au
	Unit:	Login Weight	ppm
RDL:	kg	0.01	0.002
73326		0.32	0.050
73327		0.35	0.067
73328		0.44	0.048
73329		0.30	0.116
73330		0.32	0.020
73331		0.36	0.023
73332		0.25	0.016
73333		0.36	0.010
73334		0.36	0.019
73335		0.30	0.006
73336		0.31	0.007
73337		0.30	0.011
73338		0.43	0.018
73339		0.29	0.007
73340		0.21	0.009
73341		0.24	0.010
73342		0.44	0.007
73343		0.55	0.010
73344		0.61	0.010
73345		0.47	0.006
73346		0.47	0.010
73347		0.33	0.015
73348		0.46	0.012
73349		0.40	0.010
73350		0.29	0.005
73351		0.25	0.006
73352		0.43	0.010
73353		0.45	0.015
73354	nrc		nrc
73355		0.32	0.025
73356		0.46	0.017
73357		0.51	0.037

Certified By:

Ron Cardinal



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 11Y504418

PROJECT NO: BIG

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: BEARING RESOURCES

ATTENTION TO: Bill Mann

Fire Assay - Trace Au, AAS finish (202051)

DATE SAMPLED: Jun 23, 2011

DATE RECEIVED: Jun 23, 2011

DATE REPORTED: Jul 15, 2011

SAMPLE TYPE: Soil

Sample Description	Analyte:	Sample	Au
	Unit:	Login Weight	ppm
	RDL:	kg	
		0.01	0.002
73358		0.41	0.016
73359		0.37	0.020
73360		0.37	0.036
73361		0.38	0.013
73362		0.61	0.012
73363		0.55	0.012
73364		0.61	0.015
73365		0.40	0.008
73366		0.50	0.008
73367		0.43	0.012
73368		0.47	0.008
73451		0.49	0.017
73452		0.47	0.010
73453		0.47	0.009
73454		0.53	0.012
73455		0.46	0.008
73456		0.55	0.009
73457		0.56	0.019
73458		0.63	0.019
73459		0.38	0.039
73460		0.56	0.057
73461		0.38	0.088
73462		0.40	0.083
73463		0.42	0.104
73464		0.41	0.042
73465		0.43	0.020
73466		0.51	0.024
73467		0.36	0.029
73468		0.38	0.019
73469		0.47	0.036
73470		0.42	0.016
73471		0.48	0.029

Certified By:

Ron Cardinal



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 11Y504418

PROJECT NO: BIG

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: BEARING RESOURCES

ATTENTION TO: Bill Mann

Fire Assay - Trace Au, AAS finish (202051)

DATE SAMPLED: Jun 23, 2011

DATE RECEIVED: Jun 23, 2011

DATE REPORTED: Jul 15, 2011

SAMPLE TYPE: Soil

Sample Description	Analyte:	Sample	Au
	Unit:	Login Weight	
	RDL:	kg	ppm
		0.01	0.002
73472		0.47	0.031
73473		0.46	0.023
73474		0.46	0.008
73475		0.37	0.007
73476		0.45	0.007
73477		0.44	0.012
73478		0.56	0.015
73479		0.54	0.023
73480		0.47	0.018
73481		0.35	0.011

Comments: RDL - Reported Detection Limit

Certified By:

Ron Cardinal

Quality Assurance

CLIENT NAME: BEARING RESOURCES

AGAT WORK ORDER: 11Y504418

PROJECT NO: BIG

ATTENTION TO: Bill Mann

Solid Analysis											
RPT Date: Jul 15, 2011		REPLICATE				Method Blank	REFERENCE MATERIAL				
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery	Acceptable Limits	
										Lower	Upper
Aqua Regia Digest - Metals Package, ICP-OES finish (201073)											
Ag	1	2496696	< 0.2	< 0.2	0.0%	< 0.2				80%	120%
Al	1	2496696	1.43	1.45	1.4%	< 0.01				80%	120%
As	1	2496696	43	43	0.0%	< 1				80%	120%
B	1	2496696	4	5	22.2%	< 5				80%	120%
Ba	1	2496696	89	89	0.0%	< 1				80%	120%
Be	1	2496696	< 0.5	< 0.5	0.0%	< 0.5				80%	120%
Bi	1	2496696	< 1	< 1	0.0%	< 1				80%	120%
Ca	1	2496696	0.10	0.10	0.0%	< 0.01				80%	120%
Cd	1	2496696	< 0.5	< 0.5	0.0%	< 0.5				80%	120%
Ce	1	2496696	68	70	2.9%	< 1	42	35	119%	80%	120%
Co	1	2496696	4.9	5.0	2.0%	< 0.5				80%	120%
Cr	1	2496696	24.2	24.0	0.8%	< 0.5				80%	120%
Cu	1	2496696	20.9	20.8	0.5%	< 0.5				80%	120%
Fe	1	2496696	2.99	3.00	0.3%	< 0.01				80%	120%
Ga	1	2496696	< 5	< 5	0.0%	< 5				80%	120%
Hg	1	2496696	< 1	< 1	0.0%	< 1				80%	120%
In	1	2496696	< 1	< 1	0.0%	< 1				80%	120%
K	1	2496696	0.052	0.055	5.6%	< 0.01				80%	120%
La	1	2496696	31	32	3.2%	< 1	20	17	117%	80%	120%
Li	1	2496696	18	18	0.0%	< 1				80%	120%
Mg	1	2496696	0.367	0.364	0.8%	< 0.01				80%	120%
Mn	1	2496696	207	210	1.4%	< 1				80%	120%
Mo	1	2496696	1.6	1.6	0.0%	< 0.5				80%	120%
Na	1	2496696	< 0.01	< 0.01	0.0%	< 0.01				80%	120%
Ni	1	2496696	15.0	14.9	0.7%	< 0.5				80%	120%
P	1	2496696	458	471	2.8%	< 10				80%	120%
Pb	1	2496696	12.6	13.0	3.1%	< 0.5				80%	120%
Rb	1	2496696	18	19	5.4%	< 10				80%	120%
S	1	2496696	0.011	0.011	0.0%	< 0.005				80%	120%
Sb	1	2496696	< 1	< 1	0.0%	< 1				80%	120%
Sc	1	2496696	2.51	2.60	3.5%	< 0.5				80%	120%
Se	1	2496696	< 10	< 10	0.0%	< 10				80%	120%
Sn	1	2496696	< 5	< 5	0.0%	< 5				80%	120%
Sr	1	2496696	9.90	9.98	0.8%	1.4				80%	120%
Ta	1	2496696	< 10	< 10	0.0%	< 10				80%	120%
Te	1	2496696	< 10	< 10	0.0%	< 10				80%	120%
Th	1	2496696	8	9	11.8%	< 5				80%	120%
Ti	1	2496696	0.044	0.047	6.6%	< 0.01	0.06	0.07	85%	80%	120%
Tl	1	2496696	< 5	< 5	0.0%	< 5				80%	120%
U	1	2496696	< 5	< 5	0.0%	< 5				80%	120%
V	1	2496696	42.5	42.7	0.5%	< 0.5				80%	120%
W	1	2496696	< 1	< 1	0.0%	< 1				80%	120%
Y	1	2496696	4	4	0.0%	< 1				80%	120%
Zn	1	2496696	56.8	56.4	0.7%	< 0.5	187	204	92%	80%	120%



Quality Assurance

CLIENT NAME: BEARING RESOURCES

AGAT WORK ORDER: 11Y504418

PROJECT NO: BIG

ATTENTION TO: Bill Mann

Solid Analysis (Continued)

RPT Date: Jul 15, 2011		REPLICATE				Method Blank	REFERENCE MATERIAL			
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery	Acceptable Limits
										Lower Upper
Zr	1	2496696	< 5	< 5	0.0%	< 5				80% 120%
Aqua Regia Digest - Metals Package, ICP-OES finish (201073)										
Ag	1	2496721	< 0.2	< 0.2	0.0%	< 0.2				80% 120%
Al	1	2496721	1.63	1.56	4.4%	< 0.01				80% 120%
As	1	2496721	97	95	2.1%	< 1				80% 120%
B	1	2496721	< 5	< 5	0.0%	< 5				80% 120%
Ba	1	2496721	106	97	8.9%	< 1				80% 120%
Be	1	2496721	< 0.5	< 0.5	0.0%	< 0.5				80% 120%
Bi	1	2496721	< 1	< 1	0.0%	< 1				80% 120%
Ca	1	2496721	0.12	0.11	8.7%	< 0.01				80% 120%
Cd	1	2496721	< 0.5	< 0.5	0.0%	< 0.5				80% 120%
Ce	1	2496721	48	45	6.5%	< 1	40	35	115%	80% 120%
Co	1	2496721	7.0	7.0	0.0%	< 0.5				80% 120%
Cr	1	2496721	30.4	29.4	3.3%	< 0.5				80% 120%
Cu	1	2496721	23.5	23.1	1.7%	< 0.5				80% 120%
Fe	1	2496721	3.05	3.00	1.7%	< 0.01				80% 120%
Ga	1	2496721	< 5	< 5	0.0%	< 5				80% 120%
Hg	1	2496721	< 1	< 1	0.0%	< 1				80% 120%
In	1	2496721	< 1	< 1	0.0%	< 1				80% 120%
K	1	2496721	0.077	0.068	12.4%	< 0.01				80% 120%
La	1	2496721	21	20	4.9%	< 1	20	17	120%	80% 120%
Li	1	2496721	18	18	0.0%	< 1				80% 120%
Mg	1	2496721	0.448	0.435	2.9%	< 0.01				80% 120%
Mn	1	2496721	308	296	4.0%	< 1				80% 120%
Mo	1	2496721	1.49	1.42	4.8%	< 0.5				80% 120%
Na	1	2496721	< 0.01	< 0.01	0.0%	< 0.01				80% 120%
Ni	1	2496721	18.2	18.6	2.2%	< 0.5				80% 120%
P	1	2496721	477	479	0.4%	< 10				80% 120%
Pb	1	2496721	10.3	10.0	3.0%	< 0.5				80% 120%
Rb	1	2496721	24	22	8.7%	< 10				80% 120%
S	1	2496721	0.0231	0.0225	2.6%	< 0.005				80% 120%
Sb	1	2496721	< 1	< 1	0.0%	< 1				80% 120%
Sc	1	2496721	3.0	2.9	3.4%	< 0.5				80% 120%
Se	1	2496721	< 10	< 10	0.0%	< 10				80% 120%
Sn	1	2496721	< 5	< 5	0.0%	< 5				80% 120%
Sr	1	2496721	13.7	11.6	16.6%	< 0.5				80% 120%
Ta	1	2496721	< 10	< 10	0.0%	< 10				80% 120%
Te	1	2496721	< 10	< 10	0.0%	< 10				80% 120%
Th	1	2496721	6	7	15.4%	< 5				80% 120%
Ti	1	2496721	0.067	0.063	6.2%	< 0.01	0.06	0.07	83%	80% 120%
Tl	1	2496721	< 5	< 5	0.0%	< 5				80% 120%
U	1	2496721	< 5	< 5	0.0%	< 5				80% 120%
V	1	2496721	48.8	47.4	2.9%	< 0.5				80% 120%
W	1	2496721	< 1	< 1	0.0%	< 1				80% 120%



Quality Assurance

CLIENT NAME: BEARING RESOURCES

AGAT WORK ORDER: 11Y504418

PROJECT NO: BIG

ATTENTION TO: Bill Mann

Solid Analysis (Continued)											
RPT Date: Jul 15, 2011		REPLICATE				Method Blank	REFERENCE MATERIAL				
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery	Acceptable Limits	
										Lower	Upper
Y	1	2496721	5	5	0.0%	< 1				80%	120%
Zn	1	2496721	63.1	62.6	0.8%	< 0.5	182	204	89%	80%	120%
Zr	1	2496721	< 5	< 5	0.0%	< 5				80%	120%
Aqua Regia Digest - Metals Package, ICP-OES finish (201073)											
Ag	1	2496746	< 0.2	< 0.2	0.0%	< 0.2	8	7	116%	80%	120%
Al	1	2496746	1.41	1.33	5.8%	< 0.01	0.401	0.359	112%	80%	120%
As	1	2496746	13	11	16.7%	< 1				80%	120%
B	1	2496746	< 5	< 5	0.0%	< 5				80%	120%
Ba	1	2496746	121	115	5.1%	< 1				80%	120%
Be	1	2496746	< 0.5	< 0.5	0.0%	< 0.5				80%	120%
Bi	1	2496746	< 1	< 1	0.0%	< 1				80%	120%
Ca	1	2496746	0.16	0.15	6.5%	< 0.01	0.632	0.635	100%	80%	120%
Cd	1	2496746	< 0.5	< 0.5	0.0%	< 0.5				80%	120%
Ce	1	2496746	41	36	13.0%	< 1				80%	120%
Co	1	2496746	5.1	4.8	6.1%	< 0.5	5.9	5.0	117%	80%	120%
Cr	1	2496746	25.1	23.0	8.7%	< 0.5				80%	120%
Cu	1	2496746	18.5	17.5	5.6%	< 0.5	4922	4700	105%	80%	120%
Fe	1	2496746	2.50	2.37	5.3%	< 0.01	1.28	1.31	98%	80%	120%
Ga	1	2496746	< 5	< 5	0.0%	< 5				80%	120%
Hg	1	2496746	< 1	< 1	0.0%	< 1	1.5	1.3	117%	80%	120%
In	1	2496746	< 1	< 1	0.0%	< 1				80%	120%
K	1	2496746	0.05	0.05	0.0%	< 0.01	0.19	0.18	105%	80%	120%
La	1	2496746	18	16	11.8%	< 1				80%	120%
Li	1	2496746	13	13	0.0%	< 1				80%	120%
Mg	1	2496746	0.44	0.42	4.7%	< 0.01	0.1	0.098	102%	80%	120%
Mn	1	2496746	265	247	7.0%	< 1				80%	120%
Mo	1	2496746	1.0	0.8	22.2%	< 0.5	308	280	110%	80%	120%
Na	1	2496746	< 0.01	< 0.01	0.0%	< 0.01	0.033	0.038	87%	80%	120%
Ni	1	2496746	15.9	14.4	9.9%	< 0.5	7	7	97%	80%	120%
P	1	2496746	614	562	8.8%	< 10				80%	120%
Pb	1	2496746	10.7	10.5	1.9%	0.6				80%	120%
Rb	1	2496746	15	14	6.9%	< 10				80%	120%
S	1	2496746	0.0137	0.0132	3.7%	< 0.005	0.627	0.621	101%	80%	120%
Sb	1	2496746	< 1	< 1	0.0%	< 1				80%	120%
Sc	1	2496746	2.67	2.40	10.7%	< 0.5				80%	120%
Se	1	2496746	< 10	< 10	0.0%	< 10				80%	120%
Sn	1	2496746	< 5	< 5	0.0%	< 5				80%	120%
Sr	1	2496746	12.5	10.4	18.3%	< 0.5				80%	120%
Ta	1	2496746	< 10	< 10	0.0%	< 10				80%	120%
Te	1	2496746	< 10	< 10	0.0%	< 10				80%	120%
Th	1	2496746	< 5	< 5	0.0%	< 5				80%	120%
Ti	1	2496746	0.06	0.06	0.0%	< 0.01	0.013	0.011	116%	80%	120%
Tl	1	2496746	< 5	< 5	0.0%	< 5				80%	120%
U	1	2496746	< 5	< 5	0.0%	< 5				80%	120%

Quality Assurance

CLIENT NAME: BEARING RESOURCES

AGAT WORK ORDER: 11Y504418

PROJECT NO: BIG

ATTENTION TO: Bill Mann

Solid Analysis (Continued)

RPT Date: Jul 15, 2011		REPLICATE				Method Blank	REFERENCE MATERIAL			
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery	Acceptable Limits
										Lower Upper
V	1	2496746	49.2	44.9	9.1%	< 0.5				80% 120%
W	1	2496746	< 1	< 1	0.0%	< 1				80% 120%
Y	1	2496746	6	5	18.2%	< 1				80% 120%
Zn	1	2496746	64.7	61.0	5.9%	< 0.5				80% 120%
Zr	1	2496746	< 5	< 5	0.0%	< 5				80% 120%
Aqua Regia Digest - Metals Package, ICP-OES finish (201073)										
Ag	1	2496771	< 0.2	< 0.2	0.0%	< 0.2	8	7	114%	80% 120%
Al	1	2496771	1.31	1.28	2.3%	< 0.01	0.407	0.359	113%	80% 120%
As	1	2496771	44	45	2.2%	< 1				80% 120%
B	1	2496771	< 5	< 5	0.0%	< 5				80% 120%
Ba	1	2496771	97	96	1.0%	< 1				80% 120%
Be	1	2496771	< 0.5	< 0.5	0.0%	< 0.5				80% 120%
Bi	1	2496771	< 1	< 1	0.0%	< 1				80% 120%
Ca	1	2496771	0.136	0.134	1.5%	< 0.01	0.641	0.635	101%	80% 120%
Cd	1	2496771	< 0.5	< 0.5	0.0%	< 0.5				80% 120%
Ce	1	2496771	33	33	0.0%	< 1				80% 120%
Co	1	2496771	7.55	7.44	1.5%	< 0.5	6	5.0	119%	80% 120%
Cr	1	2496771	24.2	24.6	1.6%	< 0.5				80% 120%
Cu	1	2496771	16.5	16.7	1.2%	< 0.5	4842	4700	103%	80% 120%
Fe	1	2496771	2.76	2.71	1.8%	< 0.01	1.3	1.31	99%	80% 120%
Ga	1	2496771	< 5	< 5	0.0%	< 5				80% 120%
Hg	1	2496771	< 1	< 1	0.0%	< 1	1.3	1.3	101%	80% 120%
In	1	2496771	< 1	< 1	0.0%	< 1				80% 120%
K	1	2496771	0.05	0.05	0.0%	< 0.01	0.19	0.18	106%	80% 120%
La	1	2496771	14	14	0.0%	< 1				80% 120%
Li	1	2496771	14	14	0.0%	< 1				80% 120%
Mg	1	2496771	0.407	0.402	1.2%	< 0.01	0.104	0.098	106%	80% 120%
Mn	1	2496771	432	435	0.7%	< 1				80% 120%
Mo	1	2496771	1.3	1.9		< 0.5	330	280	118%	80% 120%
Na	1	2496771	< 0.01	< 0.01	0.0%	< 0.01	0.033	0.038	86%	80% 120%
Ni	1	2496771	16.9	16.7	1.2%	< 0.5	7	7	100%	80% 120%
P	1	2496771	503	495	1.6%	< 10				80% 120%
Pb	1	2496771	9.42	9.52	1.1%	< 0.5				80% 120%
Rb	1	2496771	15	15	0.0%	< 10				80% 120%
S	1	2496771	0.0190	0.0181	4.9%	< 0.005	0.648	0.621	104%	80% 120%
Sb	1	2496771	< 1	< 1	0.0%	< 1				80% 120%
Sc	1	2496771	2.4	2.4	0.0%	< 0.5				80% 120%
Se	1	2496771	< 10	< 10	0.0%	< 10				80% 120%
Sn	1	2496771	< 5	< 5	0.0%	< 5				80% 120%
Sr	1	2496771	11.3	10.2	10.2%	1.2				80% 120%
Ta	1	2496771	< 10	< 10	0.0%	< 10				80% 120%
Te	1	2496771	< 10	< 10	0.0%	< 10				80% 120%
Th	1	2496771	< 5	< 5	0.0%	< 5				80% 120%
Ti	1	2496771	0.05	0.05	0.0%	< 0.01	0.013	0.011	120%	80% 120%
Tl	1	2496771	< 5	< 5	0.0%	< 5				80% 120%

Quality Assurance

CLIENT NAME: BEARING RESOURCES

AGAT WORK ORDER: 11Y504418

PROJECT NO: BIG

ATTENTION TO: Bill Mann

Solid Analysis (Continued)											
RPT Date: Jul 15, 2011		REPLICATE				Method Blank	REFERENCE MATERIAL				
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery	Acceptable Limits	
										Lower	Upper
U	1	2496771	< 5	< 5	0.0%	< 5				80%	120%
V	1	2496771	44.4	45.5	2.4%	< 0.5				80%	120%
W	1	2496771	< 1	< 1	0.0%	< 1				80%	120%
Y	1	2496771	4	4	0.0%	< 1				80%	120%
Zn	1	2496771	60.9	61.9	1.6%	< 0.5				80%	120%
Zr	1	2496771	< 5	< 5	0.0%	< 5				80%	120%
Aqua Regia Digest - Metals Package, ICP-OES finish (201073)											
Ag	1	2496776	< 0.2	< 0.2	0.0%	< 0.2	8	7	111%	80%	120%
Al	1	2496776	1.33	1.33	0.0%	< 0.01	0.385	0.359	107%	80%	120%
As	1	2496776	103	104	1.0%	< 1				80%	120%
B	1	2496776	< 5	< 5	0.0%	< 5				80%	120%
Ba	1	2496776	77	74	4.0%	< 1				80%	120%
Be	1	2496776	< 0.5	< 0.5	0.0%	< 0.5				80%	120%
Bi	1	2496776	< 1	< 1	0.0%	< 1				80%	120%
Ca	1	2496776	0.12	0.11	8.7%	< 0.01	0.637	0.635	100%	80%	120%
Cd	1	2496776	< 0.5	< 0.5	0.0%	< 0.5				80%	120%
Ce	1	2496776	44	42	4.7%	< 1				80%	120%
Co	1	2496776	3.33	3.37	1.2%	< 0.5	5.8	5.0	116%	80%	120%
Cr	1	2496776	27.2	26.0	4.5%	< 0.5				80%	120%
Cu	1	2496776	16.0	16.0	0.0%	< 0.5	4837	4700	103%	80%	120%
Fe	1	2496776	2.21	2.29	3.6%	< 0.01	1.28	1.31	98%	80%	120%
Ga	1	2496776	< 5	< 5	0.0%	< 5				80%	120%
Hg	1	2496776	< 1	< 1	0.0%	< 1	1.3	1.3	100%	80%	120%
In	1	2496776	< 1	< 1	0.0%	< 1				80%	120%
K	1	2496776	0.056	0.050	11.3%	< 0.01	0.18	0.18	100%	80%	120%
La	1	2496776	19	18	5.4%	< 1				80%	120%
Li	1	2496776	12	12	0.0%	< 1				80%	120%
Mg	1	2496776	0.311	0.319	2.5%	< 0.01	0.103	0.098	105%	80%	120%
Mn	1	2496776	122	121	0.8%	< 1				80%	120%
Mo	1	2496776	0.9	1.6		< 0.5	311	280	111%	80%	120%
Na	1	2496776	< 0.01	< 0.01	0.0%	< 0.01	0.033	0.038	86%	80%	120%
Ni	1	2496776	11.6	11.4	1.7%	< 0.5	7	7	99%	80%	120%
P	1	2496776	484	474	2.1%	< 10				80%	120%
Pb	1	2496776	10.8	10.7	0.9%	< 0.5				80%	120%
Rb	1	2496776	18	17	5.7%	< 10				80%	120%
S	1	2496776	0.0197	0.0189	4.1%	< 0.005	0.644	0.621	104%	80%	120%
Sb	1	2496776	< 1	< 1	0.0%	< 1				80%	120%
Sc	1	2496776	1.27	1.23	3.2%	< 0.5				80%	120%
Se	1	2496776	< 10	< 10	0.0%	< 10				80%	120%
Sn	1	2496776	< 5	< 5	0.0%	< 5				80%	120%
Sr	1	2496776	12.2	10.9	11.3%	< 0.5				80%	120%
Ta	1	2496776	< 10	< 10	0.0%	< 10				80%	120%
Te	1	2496776	< 10	< 10	0.0%	< 10				80%	120%
Th	1	2496776	< 5	< 5	0.0%	< 5				80%	120%

Quality Assurance

CLIENT NAME: BEARING RESOURCES

AGAT WORK ORDER: 11Y504418

PROJECT NO: BIG

ATTENTION TO: Bill Mann

Solid Analysis (Continued)											
RPT Date: Jul 15, 2011		REPLICATE				Method Blank	REFERENCE MATERIAL				
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery	Acceptable Limits	
										Lower	Upper
Ti	1	2496776	0.046	0.041	11.5%	< 0.01	0.012	0.011	111%	80%	120%
TI	1	2496776	< 5	< 5	0.0%	< 5				80%	120%
U	1	2496776	< 5	< 5	0.0%	< 5				80%	120%
V	1	2496776	44.7	42.9	4.1%	< 0.5				80%	120%
W	1	2496776	< 1	< 1	0.0%	< 1				80%	120%
Y	1	2496776	4	4	0.0%	< 1				80%	120%
Zn	1	2496776	45.1	42.4	6.2%	< 0.5				80%	120%
Zr	1	2496776	< 5	< 5	0.0%	< 5				80%	120%
Aqua Regia Digest - Metals Package, ICP-OES finish (201073)											
Ag	1	2496796	< 0.2	< 0.2	0.0%	< 0.2				80%	120%
Al	1	2496796	1.08	1.18	8.8%	< 0.01				80%	120%
As	1	2496796	195	206	5.5%	< 1				80%	120%
B	1	2496796	< 5	< 5	0.0%	< 5				80%	120%
Ba	1	2496796	84	91	8.0%	< 1				80%	120%
Be	1	2496796	< 0.5	< 0.5	0.0%	< 0.5				80%	120%
Bi	1	2496796	< 1	< 1	0.0%	< 1				80%	120%
Ca	1	2496796	0.081	0.097	18.0%	< 0.01				80%	120%
Cd	1	2496796	0.6	0.6	0.0%	< 0.5				80%	120%
Ce	1	2496796	35	40	13.3%	< 1	41	35	117%	80%	120%
Co	1	2496796	2.9	3.0	3.4%	< 0.5				80%	120%
Cr	1	2496796	20.7	21.8	5.2%	< 0.5				80%	120%
Cu	1	2496796	19.8	20.0	1.0%	< 0.5				80%	120%
Fe	1	2496796	2.26	2.33	3.1%	< 0.01				80%	120%
Ga	1	2496796	< 5	< 5	0.0%	< 5				80%	120%
Hg	1	2496796	< 1	< 1	0.0%	< 1				80%	120%
In	1	2496796	< 1	< 1	0.0%	< 1				80%	120%
K	1	2496796	0.06	0.07	15.4%	< 0.01				80%	120%
La	1	2496796	15	17	12.5%	< 1	20	17	116%	80%	120%
Li	1	2496796	8	9	11.8%	< 1				80%	120%
Mg	1	2496796	0.241	0.260	7.6%	< 0.01				80%	120%
Mn	1	2496796	138	145	4.9%	< 1				80%	120%
Mo	1	2496796	1.7	1.6	6.1%	< 0.5				80%	120%
Na	1	2496796	< 0.01	0.01		< 0.01				80%	120%
Ni	1	2496796	11.6	11.9	2.6%	< 0.5				80%	120%
P	1	2496796	401	432	7.4%	< 10				80%	120%
Pb	1	2496796	7.20	7.58	5.1%	< 0.5				80%	120%
Rb	1	2496796	18	21	15.4%	< 10				80%	120%
S	1	2496796	0.0559	0.0577	3.2%	< 0.005				80%	120%
Sb	1	2496796	< 1	< 1	0.0%	< 1				80%	120%
Sc	1	2496796	1.05	1.13	7.3%	< 0.5				80%	120%
Se	1	2496796	< 10	< 10	0.0%	< 10				80%	120%
Sn	1	2496796	< 5	< 5	0.0%	< 5				80%	120%
Sr	1	2496796	14.2	15.7	10.0%	< 0.5				80%	120%
Ta	1	2496796	< 10	< 10	0.0%	< 10				80%	120%

Quality Assurance

CLIENT NAME: BEARING RESOURCES

AGAT WORK ORDER: 11Y504418

PROJECT NO: BIG

ATTENTION TO: Bill Mann

Solid Analysis (Continued)

RPT Date: Jul 15, 2011		REPLICATE				Method Blank	REFERENCE MATERIAL			
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery	Acceptable Limits
										Lower Upper
Te	1	2496796	< 10	< 10	0.0%	< 10				80% 120%
Th	1	2496796	< 5	< 5	0.0%	< 5				80% 120%
Ti	1	2496796	0.044	0.052	16.7%	< 0.01	0.06	0.07	80%	80% 120%
Tl	1	2496796	< 5	< 5	0.0%	< 5				80% 120%
U	1	2496796	< 5	< 5	0.0%	< 5				80% 120%
V	1	2496796	42.5	46.3	8.6%	< 0.5				80% 120%
W	1	2496796	1	1	0.0%	< 1				80% 120%
Y	1	2496796	3	3	0.0%	< 1				80% 120%
Zn	1	2496796	44.0	44.9	2.0%	< 0.5	184	204	90%	80% 120%
Zr	1	2496796	< 5	< 5	0.0%	< 5				80% 120%
Aqua Regia Digest - Metals Package, ICP-OES finish (201073)										
Ag	1	2496821	< 0.2	< 0.2	0.0%	< 0.2				80% 120%
Al	1	2496821	3.60	3.67	1.9%	< 0.01				80% 120%
As	1	2496821	101	102	1.0%	< 1				80% 120%
B	1	2496821	5	4	22.2%	< 5				80% 120%
Ba	1	2496821	150	151	0.7%	< 1				80% 120%
Be	1	2496821	1.3	1.3	0.0%	< 0.5				80% 120%
Bi	1	2496821	< 1	< 1	0.0%	< 1				80% 120%
Ca	1	2496821	0.404	0.385	4.8%	< 0.01				80% 120%
Cd	1	2496821	< 0.5	< 0.5	0.0%	< 0.5				80% 120%
Ce	1	2496821	65	63	3.1%	< 1				80% 120%
Co	1	2496821	22.5	22.6	0.4%	< 0.5				80% 120%
Cr	1	2496821	52.1	52.2	0.2%	< 0.5				80% 120%
Cu	1	2496821	70.4	72.2	2.5%	< 0.5				80% 120%
Fe	1	2496821	3.46	3.52	1.7%	< 0.01				80% 120%
Ga	1	2496821	9	9	0.0%	< 5				80% 120%
Hg	1	2496821	< 1	< 1	0.0%	< 1				80% 120%
In	1	2496821	< 1	< 1	0.0%	< 1				80% 120%
K	1	2496821	0.23	0.23	0.0%	< 0.01				80% 120%
La	1	2496821	30	30	0.0%	< 1				80% 120%
Li	1	2496821	51	52	1.9%	< 1				80% 120%
Mg	1	2496821	1.47	1.51	2.7%	< 0.01				80% 120%
Mn	1	2496821	1080	1070	0.9%	< 1				80% 120%
Mo	1	2496821	2.3	2.4	4.3%	< 0.5				80% 120%
Na	1	2496821	0.04	0.04	0.0%	< 0.01				80% 120%
Ni	1	2496821	38.3	38.9	1.6%	< 0.5				80% 120%
P	1	2496821	653	637	2.5%	< 10				80% 120%
Pb	1	2496821	22.0	25.4	14.3%	< 0.5				80% 120%
Rb	1	2496821	62	62	0.0%	< 10				80% 120%
S	1	2496821	0.064	0.066	3.1%	< 0.005				80% 120%
Sb	1	2496821	< 1	< 1	0.0%	< 1				80% 120%
Sc	1	2496821	4.7	4.7	0.0%	< 0.5				80% 120%
Se	1	2496821	< 10	< 10	0.0%	< 10				80% 120%
Sn	1	2496821	< 5	< 5	0.0%	< 5				80% 120%
Sr	1	2496821	35.7	36.8	3.0%	< 0.5				80% 120%

Quality Assurance

CLIENT NAME: BEARING RESOURCES

AGAT WORK ORDER: 11Y504418

PROJECT NO: BIG

ATTENTION TO: Bill Mann

Solid Analysis (Continued)

RPT Date: Jul 15, 2011		REPLICATE				Method Blank	REFERENCE MATERIAL			
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery	Acceptable Limits
										Lower Upper
Ta	1	2496821	< 10	< 10	0.0%	< 10				80% 120%
Te	1	2496821	< 10	< 10	0.0%	< 10				80% 120%
Th	1	2496821	5	5	0.0%	< 5				80% 120%
Ti	1	2496821	0.127	0.112	12.6%	< 0.01				80% 120%
Tl	1	2496821	5	5	0.0%	< 5				80% 120%
U	1	2496821	< 5	< 5	0.0%	< 5				80% 120%
V	1	2496821	80.5	79.6	1.1%	< 0.5				80% 120%
W	1	2496821	< 1	< 1	0.0%	< 1				80% 120%
Y	1	2496821	13	13	0.0%	< 1				80% 120%
Zn	1	2496821	110	115	4.4%	< 0.5				80% 120%
Zr	1	2496821	< 5	< 5	0.0%	< 5				80% 120%
Aqua Regia Digest - Metals Package, ICP-OES finish (201073)										
Ag	1	2496846	0.5	0.5	0.0%	< 0.2				80% 120%
Al	1	2496846	1.58	1.60	1.3%	< 0.01				80% 120%
As	1	2496846	744	770	3.4%	< 1				80% 120%
B	1	2496846	5	5	0.0%	< 5				80% 120%
Ba	1	2496846	111	113	1.8%	< 1				80% 120%
Be	1	2496846	0.6	0.6	0.0%	< 0.5				80% 120%
Bi	1	2496846	< 1	< 1	0.0%	< 1				80% 120%
Ca	1	2496846	0.096	0.093	3.2%	< 0.01				80% 120%
Cd	1	2496846	< 0.5	< 0.5	0.0%	< 0.5				80% 120%
Ce	1	2496846	53	51	3.8%	< 1				80% 120%
Co	1	2496846	6.6	6.7	1.5%	< 0.5				80% 120%
Cr	1	2496846	25.4	25.9	1.9%	< 0.5				80% 120%
Cu	1	2496846	38.8	39.6	2.0%	< 0.5				80% 120%
Fe	1	2496846	3.26	3.37	3.3%	< 0.01				80% 120%
Ga	1	2496846	< 5	< 5	0.0%	< 5				80% 120%
Hg	1	2496846	< 1	< 1	0.0%	< 1				80% 120%
In	1	2496846	< 1	< 1	0.0%	< 1				80% 120%
K	1	2496846	0.13	0.13	0.0%	< 0.01				80% 120%
La	1	2496846	23	22	4.4%	< 1				80% 120%
Li	1	2496846	18	19	5.4%	< 1				80% 120%
Mg	1	2496846	0.367	0.375	2.2%	< 0.01				80% 120%
Mn	1	2496846	346	356	2.8%	< 1				80% 120%
Mo	1	2496846	2.4	2.0	18.2%	< 0.5				80% 120%
Na	1	2496846	0.01	0.01	0.0%	< 0.01				80% 120%
Ni	1	2496846	19.1	19.6	2.6%	< 0.5				80% 120%
P	1	2496846	539	549	1.8%	< 10				80% 120%
Pb	1	2496846	11.3	11.8	4.3%	< 0.5				80% 120%
Rb	1	2496846	41	42	2.4%	< 10				80% 120%
S	1	2496846	0.0894	0.0948	5.9%	< 0.005				80% 120%
Sb	1	2496846	< 1	< 1	0.0%	< 1				80% 120%
Sc	1	2496846	2.0	2.0	0.0%	< 0.5				80% 120%
Se	1	2496846	< 10	< 10	0.0%	< 10				80% 120%

Quality Assurance

CLIENT NAME: BEARING RESOURCES

AGAT WORK ORDER: 11Y504418

PROJECT NO: BIG

ATTENTION TO: Bill Mann

Solid Analysis (Continued)

RPT Date: Jul 15, 2011		REPLICATE				Method Blank	REFERENCE MATERIAL			
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery	Acceptable Limits
										Lower Upper
Sn	1	2496846	< 5	< 5	0.0%	< 5				80% 120%
Sr	1	2496846	18.7	18.7	0.0%	< 0.5				80% 120%
Ta	1	2496846	< 10	< 10	0.0%	< 10				80% 120%
Te	1	2496846	< 10	< 10	0.0%	< 10				80% 120%
Th	1	2496846	< 5	< 5	0.0%	< 5				80% 120%
Ti	1	2496846	0.06	0.06	0.0%	< 0.01				80% 120%
Tl	1	2496846	< 5	< 5	0.0%	< 5				80% 120%
U	1	2496846	< 5	< 5	0.0%	< 5				80% 120%
V	1	2496846	46.7	46.7	0.0%	< 0.5				80% 120%
W	1	2496846	8	5		< 1				80% 120%
Y	1	2496846	5	5	0.0%	< 1				80% 120%
Zn	1	2496846	61.5	61.1	0.7%	< 0.5				80% 120%
Zr	1	2496846	< 5	< 5	0.0%	< 5				80% 120%
Aqua Regia Digest - Metals Package, ICP-OES finish (201073)										
Ag	1	2496859	< 0.2	< 0.2	0.0%	< 0.2				80% 120%
Al	1	2496859	1.19	1.26	5.7%	< 0.01				80% 120%
As	1	2496859	98	102	4.0%	< 1				80% 120%
B	1	2496859	5	5	0.0%	< 5				80% 120%
Ba	1	2496859	58	64	9.8%	< 1				80% 120%
Be	1	2496859	< 0.5	< 0.5	0.0%	< 0.5				80% 120%
Bi	1	2496859	< 1	< 1	0.0%	< 1				80% 120%
Ca	1	2496859	0.07	0.07	0.0%	< 0.01				80% 120%
Cd	1	2496859	< 0.5	< 0.5	0.0%	< 0.5				80% 120%
Ce	1	2496859	53	55	3.7%	< 1				80% 120%
Co	1	2496859	4.29	4.38	2.1%	< 0.5				80% 120%
Cr	1	2496859	23.4	23.4	0.0%	< 0.5				80% 120%
Cu	1	2496859	18.8	19.1	1.6%	< 0.5				80% 120%
Fe	1	2496859	3.19	3.28	2.8%	< 0.01				80% 120%
Ga	1	2496859	< 5	< 5	0.0%	< 5				80% 120%
Hg	1	2496859	< 1	< 1	0.0%	< 1				80% 120%
In	1	2496859	< 1	< 1	0.0%	< 1				80% 120%
K	1	2496859	0.063	0.071	11.9%	< 0.01				80% 120%
La	1	2496859	23	24	4.3%	< 1				80% 120%
Li	1	2496859	12	14	15.4%	< 1				80% 120%
Mg	1	2496859	0.24	0.26	8.0%	< 0.01				80% 120%
Mn	1	2496859	280	294	4.9%	< 1				80% 120%
Mo	1	2496859	2.50	2.21	12.3%	< 0.5				80% 120%
Na	1	2496859	< 0.01	< 0.01	0.0%	< 0.01				80% 120%
Ni	1	2496859	11.5	11.8	2.6%	< 0.5				80% 120%
P	1	2496859	428	437	2.1%	< 10				80% 120%
Pb	1	2496859	13.0	13.2	1.5%	< 0.5				80% 120%
Rb	1	2496859	18	19	5.4%	< 10				80% 120%
S	1	2496859	0.0340	0.0346	1.7%	< 0.005				80% 120%
Sb	1	2496859	< 1	< 1	0.0%	< 1				80% 120%

Quality Assurance

CLIENT NAME: BEARING RESOURCES

AGAT WORK ORDER: 11Y504418

PROJECT NO: BIG

ATTENTION TO: Bill Mann

Solid Analysis (Continued)

RPT Date: Jul 15, 2011		REPLICATE				Method Blank	REFERENCE MATERIAL			
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery	Acceptable Limits
										Lower Upper
Sc	1	2496859	1.8	1.8	0.0%	< 0.5				80% 120%
Se	1	2496859	< 10	< 10	0.0%	< 10				80% 120%
Sn	1	2496859	< 5	< 5	0.0%	< 5				80% 120%
Sr	1	2496859	7.62	10.1	28.0%	< 0.5				80% 120%
Ta	1	2496859	< 10	< 10	0.0%	< 10				80% 120%
Te	1	2496859	< 10	< 10	0.0%	< 10				80% 120%
Th	1	2496859	5	5	0.0%	< 5				80% 120%
Ti	1	2496859	0.07	0.07	0.0%	< 0.01				80% 120%
Tl	1	2496859	< 5	< 5	0.0%	< 5				80% 120%
U	1	2496859	< 5	< 5	0.0%	< 5				80% 120%
V	1	2496859	65.7	67.1	2.1%	< 0.5				80% 120%
W	1	2496859	< 1	< 1	0.0%	< 1				80% 120%
Y	1	2496859	4	4	0.0%	< 1				80% 120%
Zn	1	2496859	54.0	55.3	2.4%	< 0.5				80% 120%
Zr	1	2496859	< 5	< 5	0.0%	< 5				80% 120%
Fire Assay - Trace Au, AAS finish (202051)										
Au	1	2496833	0.012	0.012	0.0%	< 0.002	0.427	0.417	102%	80% 120%
Fire Assay - Trace Au, AAS finish (202051)										
Au	1	2496846	0.083	0.068	19.9%	< 0.002	0.425	0.417	102%	80% 120%
Fire Assay - Trace Au, AAS finish (202051)										
Au	1	2496721	0.0241	0.0222	8.2%	< 0.002	0.0724	0.0849	85%	80% 120%
Fire Assay - Trace Au, AAS finish (202051)										
Au	1	2496696	0.008	0.009	11.8%	< 0.002	0.931	0.922	100%	80% 120%
Fire Assay - Trace Au, AAS finish (202051)										
Au	1	2496746	0.010	0.011	9.5%	< 0.002	0.197	0.203	97%	80% 120%
Fire Assay - Trace Au, AAS finish (202051)										
Au	1	2496758	0.007	0.008	13.3%	< 0.002	0.080	0.0849	94%	80% 120%
Fire Assay - Trace Au, AAS finish (202051)										
Au	1	2496759	0.0071	0.0078	9.4%	< 0.002				80% 120%
Fire Assay - Trace Au, AAS finish (202051)										
Au	1	2496771	0.008	0.008	0.0%	< 0.002				80% 120%
Fire Assay - Trace Au, AAS finish (202051)										
Au	1	2496784	0.014	0.013	7.4%	< 0.002				80% 120%
Fire Assay - Trace Au, AAS finish (202051)										
Au	1	2496796	0.0198	0.024	19.2%	< 0.002				80% 120%
Fire Assay - Trace Au, AAS finish (202051)										
Au	1	2496809	0.010	0.013	26.1%	< 0.002				80% 120%
Fire Assay - Trace Au, AAS finish (202051)										



Quality Assurance

CLIENT NAME: BEARING RESOURCES

AGAT WORK ORDER: 11Y504418

PROJECT NO: BIG

ATTENTION TO: Bill Mann

Solid Analysis (Continued)

RPT Date: Jul 15, 2011		REPLICATE				Method Blank	REFERENCE MATERIAL			
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery	Acceptable Limits
										Lower Upper
Au	1	2496821	0.025	0.026	3.9%	< 0.002				80% 120%

Certified By:

Ron Cardinal

Method Summary


CLIENT NAME: BEARING RESOURCES

AGAT WORK ORDER: 11Y504418

PROJECT NO: BIG

ATTENTION TO: Bill Mann

PARAMETER	AGAT S.O.P	LITERATURE REFERENCE	ANALYTICAL TECHNIQUE
Solid Analysis			
Ag	MIN-200-12020		ICP/OES
Al	MIN-200-12020		ICP/OES
As	MIN-200-12020		ICP/OES
B	MIN-200-12020		ICP/OES
Ba	MIN-200-12020		ICP/OES
Be	MIN-200-12020		ICP/OES
Bi	MIN-200-12020		ICP/OES
Ca	MIN-200-12020		ICP/OES
Cd	MIN-200-12020		ICP/OES
Ce	MIN-200-12020		ICP/OES
Co	MIN-200-12020		ICP/OES
Cr	MIN-200-12020		ICP/OES
Cu	MIN-200-12020		ICP/OES
Fe	MIN-200-12020		ICP/OES
Ga	MIN-200-12020		ICP/OES
Hg	MIN-200-12020		ICP/OES
In	MIN-200-12020		ICP/OES
K	MIN-200-12020		ICP/OES
La	MIN-200-12020		ICP/OES
Li	MIN-200-12020		ICP/OES
Mg	MIN-200-12020		ICP/OES
Mn	MIN-200-12020		ICP/OES
Mo	MIN-200-12020		ICP/OES
Na	MIN-200-12020		ICP/OES
Ni	MIN-200-12020		ICP/OES
P	MIN-200-12020		ICP/OES
Pb	MIN-200-12020		ICP/OES
Rb	MIN-200-12020		ICP/OES
S	MIN-200-12020		ICP/OES
Sb	MIN-200-12020		ICP/OES
Sc	MIN-200-12020		ICP/OES
Se	MIN-200-12020		ICP/OES
Sn	MIN-200-12020		ICP/OES
Sr	MIN-200-12020		ICP/OES
Ta	MIN-200-12020		ICP/OES
Te	MIN-200-12020		ICP/OES
Th	MIN-200-12020		ICP/OES
Ti	MIN-200-12020		ICP/OES
Tl	MIN-200-12020		ICP/OES
U	MIN-200-12020		ICP/OES
V	MIN-200-12020		ICP/OES
W	MIN-200-12020		ICP/OES
Y	MIN-200-12020		ICP/OES
Zn	MIN-200-12020		ICP/OES
Zr	MIN-200-12020		ICP/OES
Sample Login Weight			BALANCE
Au	MIN-200-12019	BUGBEE, E: A Textbook of Fire Assaying	AAS





BEARING
RESOURCES LTD.

Date: 11/29/2011
Compiler: G. B.
Office: Vancouver
Drawing: Map 1
Scale: 1:10000
Projection: UTM Zone 8 (NAD 83) Map Sheets: 115P14, 115P15

Big Property
Yukon, Canada
Map 1: 2010 & 2011 Samples
Gold Geochemistry

0 125 250 500
metres