



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ECO-TECH LABORATORIES LTD.
10041 DALLAS DR
KAMLOOPS BC V2C 6T4

Page: 1
Finalized Date: 6-NOV-2011
Account: UX

CERTIFICATE VA11207984

Project: Kestrel Gold 11-8255
P.O. No.: Dawson Area
This report is for 289 Pulp samples submitted to our lab in Vancouver, BC, Canada on 13-OCT-2011.

The following have access to data associated with this certificate:

LYNNE BRUCE

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-24	Pulp Login - Rcd w/o Barcode
TRA-21	Transfer sample
LOG-QC	QC Test on Received Samples

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
ME-ICP41	35 Element Aqua Regia ICP-AES	ICP-AES

To: ECO-TECH LABORATORIES LTD.
ATTN: LYNNE BRUCE
10041 DALLAS DR
KAMLOOPS BC V2C 6T4

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ECO-TECH LABORATORIES LTD.
10041 DALLAS DR
KAMLOOPS BC V2C 6T4

Page: 2 - A
Total # Pages: 9 (A - C)
Finalized Date: 6-NOV-2011
Account: UX

Project: Kestrel Gold 11-8255

CERTIFICATE OF ANALYSIS VA11207984

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-ICP41 Ag ppm	ME-ICP41 Al %	ME-ICP41 As ppm	ME-ICP41 B ppm	ME-ICP41 Ba ppm	ME-ICP41 Be ppm	ME-ICP41 Bi ppm	ME-ICP41 Ca %	ME-ICP41 Cd ppm	ME-ICP41 Co ppm	ME-ICP41 Cr ppm	ME-ICP41 Cu ppm	ME-ICP41 Fe %
		0.02	0.005	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
S8R280325		0.10	<0.005	<0.2	1.41	5	<10	390	0.7	<2	0.34	<0.5	9	23	7	2.45
S8R280326		0.06	<0.005	<0.2	1.64	6	<10	470	0.7	<2	0.39	<0.5	10	30	9	2.66
S8R280327		0.06	<0.005	<0.2	1.28	5	<10	300	0.6	<2	0.26	<0.5	9	24	5	2.27
S8R280328		0.06	<0.005	<0.2	1.55	6	<10	420	0.6	<2	0.43	<0.5	9	35	10	2.37
S8R280329		0.06	<0.005	<0.2	1.08	5	<10	250	0.5	<2	0.22	<0.5	8	25	5	1.96
S8R280330		0.08	<0.005	<0.2	0.88	3	<10	340	<0.5	<2	0.19	<0.5	6	16	4	1.65
S8R280331		0.06	<0.005	<0.2	1.24	5	<10	290	<0.5	<2	0.27	<0.5	8	32	8	2.32
S8R280332		0.06	<0.005	<0.2	1.17	6	<10	230	<0.5	<2	0.11	<0.5	7	15	6	2.09
S8R280333		0.08	<0.005	<0.2	1.08	9	<10	160	<0.5	<2	0.11	<0.5	7	17	7	2.13
S8R280334		0.08	<0.005	<0.2	0.92	4	<10	120	<0.5	<2	0.14	<0.5	6	13	5	1.69
S8R280335		0.08	<0.005	<0.2	1.02	7	<10	220	<0.5	<2	0.14	<0.5	6	14	5	1.94
S8R280336		0.10	<0.005	<0.2	0.87	3	<10	230	<0.5	<2	0.21	<0.5	3	15	8	1.62
S8R280337		0.06	<0.005	<0.2	1.15	5	<10	400	<0.5	<2	0.19	<0.5	6	21	7	2.03
S8R280338		0.06	<0.005	<0.2	1.11	8	<10	280	<0.5	<2	0.14	<0.5	5	21	8	2.04
S8R280339		0.06	<0.005	<0.2	0.99	5	<10	240	<0.5	<2	0.12	<0.5	5	15	4	1.70
S8R280340		0.08	<0.005	<0.2	1.11	6	<10	180	<0.5	<2	0.11	<0.5	4	20	8	1.95
S8R280341		0.08	<0.005	<0.2	1.58	8	<10	210	<0.5	<2	0.10	<0.5	6	24	8	2.43
S8R280342		0.10	<0.005	<0.2	0.73	4	<10	100	<0.5	<2	0.05	<0.5	2	6	3	1.02
S8R280343		0.04	<0.005	<0.2	1.26	7	<10	220	<0.5	<2	0.12	<0.5	5	21	8	2.37
S8R280344		0.12	<0.005	<0.2	1.81	11	<10	240	0.6	<2	0.09	<0.5	9	31	26	2.87
S8R280345		0.08	<0.005	<0.2	1.05	3	<10	130	<0.5	<2	0.09	<0.5	3	11	5	1.96
S8R280346		0.06	<0.005	<0.2	1.83	6	<10	410	0.6	<2	0.21	<0.5	9	34	5	3.04
S8R280347		0.08	<0.005	<0.2	1.51	2	<10	180	<0.5	<2	0.17	<0.5	7	39	6	2.60
S8R280348		0.08	<0.005	<0.2	1.05	4	<10	110	<0.5	<2	0.13	<0.5	4	22	8	1.80
S8R280349		0.04	<0.005	<0.2	1.58	2	<10	260	<0.5	<2	0.23	<0.5	6	26	8	2.47
S8R280350		0.06	<0.005	<0.2	1.34	6	<10	140	<0.5	<2	0.17	<0.5	4	22	9	2.23
S8R280351		0.08	0.005	<0.2	1.13	4	<10	220	<0.5	<2	0.24	<0.5	5	21	12	1.97
S8R280352		0.06	<0.005	<0.2	1.03	5	<10	290	<0.5	<2	0.30	<0.5	5	19	15	1.88
S8R280353		0.06	<0.005	<0.2	1.09	7	<10	300	<0.5	<2	0.28	<0.5	6	19	15	2.02
S8R280354		0.08	0.006	<0.2	1.14	5	<10	290	<0.5	<2	0.27	<0.5	4	18	9	1.81
S8R280355		0.06	<0.005	<0.2	1.06	6	<10	320	<0.5	<2	0.38	<0.5	7	16	11	1.94
S8R280356		0.12	<0.005	<0.2	0.99	7	<10	270	<0.5	<2	0.48	<0.5	6	19	15	2.06
S8R280357		0.10	<0.005	<0.2	0.97	9	<10	240	<0.5	<2	0.40	<0.5	7	20	21	2.19
S8R280358		0.08	<0.005	<0.2	1.17	12	<10	400	<0.5	<2	0.58	<0.5	10	24	29	2.64
S8R280359		0.10	<0.005	0.2	0.90	9	<10	330	<0.5	<2	0.91	<0.5	8	22	27	2.28
S8R280360		0.06	<0.005	<0.2	0.95	12	<10	320	<0.5	<2	0.43	<0.5	6	17	11	2.21
S8R280361		0.06	<0.005	<0.2	1.07	10	<10	370	<0.5	<2	0.52	<0.5	8	21	23	2.36
S8R280362		0.08	<0.005	<0.2	1.21	9	<10	390	<0.5	<2	0.46	<0.5	8	23	24	2.53
S8R280363		0.06	<0.005	<0.2	1.01	4	<10	300	<0.5	<2	0.36	<0.5	5	16	10	1.75
S8R280364		0.08	0.012	<0.2	1.02	6	<10	280	<0.5	<2	0.38	<0.5	6	17	12	1.94



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ECO-TECH LABORATORIES LTD.
10041 DALLAS DR
KAMLOOPS BC V2C 6T4

Page: 2 - B
Total # Pages: 9 (A - C)
Finalized Date: 6-NOV-2011
Account: UX

Project: Kestrel Gold 11-8255

CERTIFICATE OF ANALYSIS VA11207984

Sample Description	Method Analyte Units LOR	ME-ICP41 Ga ppm 10	ME-ICP41 Hg ppm 1	ME-ICP41 K % 0.01	ME-ICP41 La ppm 10	ME-ICP41 Mg % 0.01	ME-ICP41 Mn ppm 5	ME-ICP41 Mo ppm 1	ME-ICP41 Na % 0.01	ME-ICP41 Ni ppm 1	ME-ICP41 P ppm 10	ME-ICP41 Pb ppm 2	ME-ICP41 S % 0.01	ME-ICP41 Sb ppm 2	ME-ICP41 Sc ppm 1	ME-ICP41 Sr ppm 1
S8R280325		<10	<1	0.33	20	0.42	435	<1	0.01	14	310	8	0.02	<2	3	25
S8R280326		<10	<1	0.38	30	0.55	431	<1	0.01	15	430	7	0.02	<2	4	26
S8R280327		<10	<1	0.42	20	0.49	322	1	0.01	12	280	5	0.02	<2	3	20
S8R280328		10	<1	0.34	30	0.52	389	<1	0.01	12	430	5	0.04	<2	4	30
S8R280329		<10	<1	0.25	10	0.40	157	<1	0.01	14	190	3	0.02	<2	2	18
S8R280330		<10	<1	0.13	10	0.26	185	<1	0.01	10	280	4	0.02	<2	2	16
S8R280331		<10	<1	0.33	20	0.57	184	<1	0.01	15	240	4	0.02	<2	2	21
S8R280332		<10	<1	0.25	10	0.33	141	<1	0.01	10	120	5	0.02	<2	2	14
S8R280333		<10	<1	0.10	10	0.33	149	<1	0.01	11	140	7	0.02	<2	2	12
S8R280334		<10	<1	0.15	10	0.28	108	<1	0.01	8	210	5	0.02	<2	2	14
S8R280335		<10	<1	0.23	10	0.34	119	<1	0.01	8	170	4	0.02	<2	2	15
S8R280336		<10	<1	0.13	20	0.33	123	<1	0.01	12	430	8	0.01	<2	2	16
S8R280337		<10	<1	0.09	10	0.31	258	<1	0.01	12	260	7	0.01	<2	2	17
S8R280338		<10	<1	0.10	10	0.33	149	<1	0.01	13	100	5	0.01	2	2	15
S8R280339		<10	<1	0.11	10	0.22	132	<1	0.01	8	150	4	0.01	<2	1	13
S8R280340		<10	<1	0.10	10	0.33	114	<1	<0.01	12	110	4	<0.01	<2	2	13
S8R280341		<10	<1	0.07	10	0.38	172	<1	0.01	15	140	7	<0.01	<2	2	10
S8R280342		<10	<1	0.05	<10	0.10	<10	<1	<0.01	4	50	5	<0.01	<2	1	6
S8R280343		<10	<1	0.07	10	0.34	233	1	<0.01	12	300	7	0.01	<2	2	12
S8R280344		<10	<1	0.05	20	0.42	220	1	0.01	23	170	9	<0.01	2	5	11
S8R280345		<10	<1	0.17	10	0.34	166	<1	0.01	6	120	5	<0.01	2	2	12
S8R280346		10	<1	0.38	10	0.75	345	1	0.01	15	210	4	0.01	<2	2	18
S8R280347		<10	<1	0.29	10	0.62	212	<1	0.01	18	250	5	0.01	<2	3	14
S8R280348		<10	<1	0.11	10	0.35	139	<1	0.01	12	200	5	<0.01	<2	2	12
S8R280349		10	<1	0.26	30	0.41	285	<1	0.01	17	280	7	0.01	<2	3	20
S8R280350		<10	<1	0.14	20	0.37	155	<1	0.01	12	370	6	0.01	<2	2	15
S8R280351		<10	<1	0.12	20	0.36	173	<1	0.01	14	450	5	0.01	<2	2	19
S8R280352		<10	<1	0.07	10	0.36	187	<1	0.01	14	470	5	<0.01	<2	3	22
S8R280353		<10	<1	0.05	10	0.34	206	<1	0.01	14	470	7	0.01	2	3	21
S8R280354		<10	<1	0.06	20	0.32	132	<1	0.01	11	390	6	<0.01	<2	2	21
S8R280355		<10	<1	0.09	20	0.30	195	<1	0.01	11	470	6	0.01	<2	2	32
S8R280356		<10	<1	0.04	10	0.38	206	<1	0.02	17	550	6	0.01	<2	3	26
S8R280357		<10	<1	0.04	10	0.41	262	<1	0.02	19	720	7	0.01	<2	3	24
S8R280358		<10	<1	0.06	10	0.58	432	1	0.02	28	590	9	0.02	2	4	36
S8R280359		<10	<1	0.06	10	0.63	356	1	0.02	25	800	8	0.01	2	3	32
S8R280360		<10	<1	0.05	20	0.29	289	1	0.01	12	720	6	0.02	<2	2	29
S8R280361		<10	<1	0.06	10	0.48	398	1	0.02	23	740	8	0.01	2	3	28
S8R280362		<10	<1	0.04	10	0.43	349	1	0.02	22	610	7	0.01	2	3	27
S8R280363		<10	<1	0.06	20	0.29	182	<1	0.01	10	510	7	0.01	<2	2	27
S8R280364		<10	<1	0.05	20	0.34	224	<1	0.01	13	550	6	0.01	2	2	28



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ECO-TECH LABORATORIES LTD.
10041 DALLAS DR
KAMLOOPS BC V2C 6T4

Page: 2 - C
Total # Pages: 9 (A - C)
Finalized Date: 6-NOV-2011
Account: UX

Project: Kestrel Gold 11-8255

CERTIFICATE OF ANALYSIS VA11207984

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Th	Ti	Ti	U	V	W	Zn
		ppm 20	% 0.01	ppm 10	ppm 10	ppm 1	ppm 10	ppm 2
S8R280325		<20	0.07	<10	<10	31	<10	37
S8R280326		<20	0.08	<10	<10	34	<10	44
S8R280327		<20	0.07	<10	<10	27	<10	29
S8R280328		<20	0.06	<10	<10	30	<10	40
S8R280329		<20	0.07	<10	<10	26	<10	21
S8R280330		<20	0.05	<10	<10	28	<10	19
S8R280331		<20	0.10	<10	<10	35	<10	32
S8R280332		<20	0.07	<10	<10	28	<10	22
S8R280333		<20	0.06	<10	<10	35	<10	28
S8R280334		<20	0.05	<10	<10	24	<10	21
S8R280335		<20	0.06	<10	<10	23	<10	20
S8R280336		<20	0.05	<10	<10	22	<10	24
S8R280337		<20	0.04	<10	<10	38	<10	28
S8R280338		<20	0.05	<10	<10	33	<10	29
S8R280339		<20	0.03	<10	<10	27	<10	17
S8R280340		<20	0.05	<10	<10	30	<10	24
S8R280341		<20	0.05	<10	<10	44	<10	34
S8R280342		<20	0.02	<10	<10	14	<10	12
S8R280343		<20	0.05	<10	<10	46	<10	31
S8R280344		<20	0.07	<10	<10	52	<10	61
S8R280345		<20	0.05	<10	<10	27	<10	28
S8R280346		<20	0.09	<10	<10	33	<10	34
S8R280347		<20	0.09	<10	<10	31	<10	40
S8R280348		<20	0.06	<10	<10	28	<10	33
S8R280349		<20	0.07	<10	<10	36	<10	46
S8R280350		<20	0.07	<10	<10	32	<10	45
S8R280351		<20	0.07	<10	<10	30	<10	45
S8R280352		<20	0.05	<10	<10	29	<10	43
S8R280353		<20	0.05	<10	<10	32	<10	45
S8R280354		<20	0.05	<10	<10	29	<10	35
S8R280355		<20	0.05	<10	<10	28	<10	34
S8R280356		<20	0.04	<10	<10	34	<10	43
S8R280357		<20	0.05	<10	<10	35	<10	58
S8R280358		<20	0.05	<10	<10	45	<10	69
S8R280359		<20	0.06	<10	<10	42	<10	61
S8R280360		<20	0.04	<10	<10	39	<10	39
S8R280361		<20	0.05	<10	<10	38	<10	64
S8R280362		<20	0.05	<10	<10	42	<10	56
S8R280363		<20	0.04	<10	<10	26	<10	38
S8R280364		<20	0.04	<10	<10	32	<10	46

Sample Description	Method Analyte Units LOR	WEI-21	Au-AA23	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Recvd Wt.	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
		kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
		0.02	0.005	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
S8R280365		0.06	<0.005	<0.2	1.37	5	<10	380	0.5	<2	0.35	<0.5	6	20	10	2.10
S8R280366		0.06	<0.005	<0.2	0.97	3	<10	230	<0.5	<2	0.24	<0.5	4	15	7	1.61
S8R280367		0.06	<0.005	<0.2	1.02	4	<10	210	<0.5	<2	0.21	<0.5	4	15	5	1.78
S8R280368		0.06	0.008	<0.2	0.95	5	<10	190	<0.5	<2	0.20	<0.5	3	14	6	1.63
S8R280369		0.08	<0.005	<0.2	0.88	4	<10	210	<0.5	<2	0.19	<0.5	4	14	6	1.60
S8R280370		0.06	<0.005	<0.2	1.17	5	<10	260	<0.5	<2	0.21	<0.5	5	21	10	2.07
S8R280371		0.04	<0.005	<0.2	1.28	6	<10	240	0.5	<2	0.15	<0.5	7	27	14	2.20
S8R280372		0.04	<0.005	<0.2	1.26	7	<10	200	<0.5	<2	0.13	<0.5	4	24	13	1.97
S8R280373		0.04	<0.005	<0.2	1.22	5	<10	230	<0.5	<2	0.27	<0.5	7	26	12	2.10
S8R280374		0.04	<0.005	<0.2	1.81	9	<10	350	0.5	<2	0.26	<0.5	12	45	21	2.98
S8R280375		0.04	<0.005	<0.2	1.60	7	<10	310	0.5	<2	0.26	<0.5	10	56	14	2.69
S8R280376		0.04	<0.005	<0.2	1.20	4	<10	180	<0.5	<2	0.22	<0.5	8	47	21	1.87
S8R280377		0.12	<0.005	<0.2	0.70	5	<10	210	<0.5	<2	0.33	<0.5	4	14	8	1.43
S8R280378		0.08	<0.005	<0.2	1.08	10	<10	310	<0.5	<2	0.42	<0.5	8	21	16	2.45
S8R280379		0.12	0.011	<0.2	0.91	9	<10	380	<0.5	<2	0.55	<0.5	5	19	21	1.85
S8R280380		0.10	<0.005	<0.2	0.89	6	<10	360	<0.5	<2	0.59	<0.5	7	18	21	1.78
S8R280381		0.08	<0.005	<0.2	0.87	9	<10	290	<0.5	<2	0.35	<0.5	5	18	21	1.84
S8R280382		0.16	0.012	<0.2	0.83	13	<10	330	<0.5	<2	0.49	<0.5	7	20	20	2.19
S8R280383		0.08	<0.005	<0.2	1.17	12	<10	400	<0.5	2	0.88	<0.5	8	23	31	2.41
S8R280384		0.08	<0.005	<0.2	1.14	10	<10	500	0.5	<2	0.78	<0.5	8	22	33	2.22
S8R280385		0.08	<0.005	<0.2	1.01		<10	350	<0.5	<2	0.82	<0.5	7	20	16	1.89
S8R280386		0.08	<0.005	<0.2	1.19	10	<10	380	<0.5	<2	0.47	<0.5	8	22	23	2.39
S8R280387		0.06	<0.005	<0.2	1.06	10	<10	340	<0.5	<2	0.32	<0.5	6	19	12	1.99
S8R280388		0.10	0.006	<0.2	0.83	10	<10	270	<0.5	<2	0.39	<0.5	7	20	17	2.14
S8R280389		0.08	0.005	<0.2	1.34	15	<10	390	0.6	<2	0.46	<0.5	12	25	35	2.76
S8R280390		0.12	<0.005	<0.2	1.06	11	<10	350	<0.5	<2	0.32	<0.5	8	21	24	2.30
S8R280391		0.10	0.005	<0.2	1.04	12	<10	310	<0.5	<2	0.50	<0.5	8	21	20	2.27
S8R280392		0.10	<0.005	<0.2	1.06	8	<10	340	<0.5	<2	0.41	<0.5	7	20	18	2.27
S8R280393		0.06	<0.005	<0.2	0.96	10	<10	380	<0.5	<2	0.70	<0.5	7	18	20	1.98
S8R280394		0.10	<0.005	<0.2	0.91	11	<10	290	<0.5	<2	0.35	<0.5	7	19	19	2.04
S8R280395		0.10	0.006	<0.2	0.96	10	<10	320	<0.5	<2	0.64	<0.5	8	20	25	2.10



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ECO-TECH LABORATORIES LTD.
10041 DALLAS DR
KAMLOOPS BC V2C 6T4

Page: 3 - B
Total # Pages: 9 (A - C)
Finalized Date: 6-NOV-2011
Account: UX

Project: Kestrel Gold 11-8255

CERTIFICATE OF ANALYSIS VA11207984

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
		ppm 10	ppm 1	% 0.01	ppm 10	% 0.01	ppm 5	ppm 1	% 0.01	ppm 1	ppm 10	ppm 2	% 0.01	ppm 2	ppm 1	ppm 1
S8R280365		<10	<1	0.09	30	0.33	341	<1	0.01	13	480	6	0.01	<2	3	28
S8R280366		<10	<1	0.08	20	0.28	122	<1	0.01	9	360	4	<0.01	<2	2	19
S8R280367		<10	<1	0.06	20	0.27	125	<1	0.01	8	450	5	<0.01	<2	2	17
S8R280368		<10	<1	0.05	10	0.25	109	<1	0.01	8	410	5	<0.01	<2	2	15
S8R280369		<10	<1	0.08	20	0.26	123	<1	<0.01	8	310	5	<0.01	<2	2	14
S8R280370		<10	<1	0.09	30	0.37	147	<1	0.01	12	280	5	<0.01	<2	3	17
S8R280371		<10	<1	0.08	20	0.39	167	<1	<0.01	14	190	6	<0.01	<2	3	14
S8R280372		<10	<1	0.13	10	0.31	105	1	<0.01	18	280	8	0.02	<2	3	14
S8R280373		<10	<1	0.41	10	0.66	256	<1	<0.01	19	630	4	0.02	<2	2	16
S8R280374		<10	<1	0.07	10	0.74	421	<1	0.01	29	170	5	0.02	<2	4	20
S8R280375		<10	<1	0.07	10	0.79	328	<1	0.01	29	150	6	0.02	<2	5	20
S8R280376		<10	<1	0.03	10	0.67	219	<1	<0.01	29	130	2	0.02	<2	3	14
S8R280377		<10	<1	0.03	10	0.26	159	<1	<0.01	12	570	4	0.02	<2	2	22
S8R280378		<10	<1	0.04	10	0.37	386	<1	0.01	17	660	7	0.03	<2	3	26
S8R280379		<10	<1	0.03	10	0.34	226	<1	0.01	19	730	6	0.04	<2	3	31
S8R280380		<10	<1	0.03	10	0.33	515	<1	0.01	20	760	6	0.04	<2	2	31
S8R280381		<10	<1	0.03	10	0.36	179	<1	0.01	18	690	5	0.03	<2	3	23
S8R280382		<10	<1	0.04	10	0.38	356	<1	0.01	20	800	7	0.03	<2	3	30
S8R280383		<10	1	0.05	10	0.52	444	<1	0.02	26	770	8	0.04	<2	3	44
S8R280384		<10	<1	0.04	10	0.45	462	<1	0.02	28	730	8	0.05	<2	3	42
S8R280385		<10	1	0.03	10	0.34	332	<1	0.01	17	800	7	0.06	<2	3	47
S8R280386		<10	<1	0.04	10	0.42	333	<1	0.01	21	630	8	0.03	<2	3	29
S8R280387		<10	<1	0.05	10	0.35	207	<1	0.01	14	590	7	0.03	<2	2	26
S8R280388		<10	<1	0.04	10	0.40	253	1	0.01	21	670	7	0.02	<2	3	24
S8R280389		<10	<1	0.04	10	0.49	486	<1	0.01	27	640	9	0.03	2	4	29
S8R280390		<10	<1	0.04	10	0.41	320	<1	0.01	22	480	8	0.02	2	3	23
S8R280391		<10	<1	0.04	10	0.42	277	<1	0.01	20	680	8	0.03	<2	3	32
S8R280392		<10	<1	0.04	10	0.33	383	<1	0.01	18	670	7	0.03	<2	3	31
S8R280393		<10	1	0.03	10	0.42	395	<1	0.02	22	500	7	0.04	<2	2	36
S8R280394		<10	<1	0.06	10	0.37	347	<1	0.01	21	500	7	0.02	<2	3	21
S8R280395		<10	1	0.04	10	0.40	327	<1	0.01	21	690	7	0.04	2	3	34
S8R280396		<10	<1	0.04	20	0.38	474	<1	<0.01	15	480	120	0.02	<2	2	15
S8R280397		<10	<1	0.04	20	0.38	474	<1	<0.01	15	480	120	0.02	<2	2	15
S8R280398		<10	<1	0.04	20	0.38	474	<1	<0.01	15	480	120	0.02	<2	2	15
S8R280399		<10	<1	0.04	20	0.38	474	<1	<0.01	15	480	120	0.02	<2	2	15
S8R280400		<10	<1	0.04	20	0.38	474	<1	<0.01	15	480	120	0.02	<2	2	15
S8R280401		<10	<1	0.04	20	0.38	474	<1	<0.01	15	480	120	0.02	<2	2	15
S8R280402		<10	<1	0.04	20	0.38	474	<1	<0.01	15	480	120	0.02	<2	2	15
S8R280403		<10	<1	0.04	20	0.38	474	<1	<0.01	15	480	120	0.02	<2	2	15
S8R280404		<10	<1	0.04	20	0.38	474	<1	<0.01	15	480	120	0.02	<2	2	15
S8R280405		<10	<1	0.04	20	0.38	474	<1	<0.01	15	480	120	0.02	<2	2	15
S8R280406		<10	<1	0.04	20	0.38	474	<1	<0.01	15	480	120	0.02	<2	2	15
S8R280407		<10	<1	0.04	20	0.38	474	<1	<0.01	15	480	120	0.02	<2	2	15
S8R280408		<10	<1	0.04	20	0.38	474	<1	<0.01	15	480	120	0.02	<2	2	15
S8R280409		<10	<1	0.04	20	0.38	474	<1	<0.01	15	480	120	0.02	<2	2	15
S8R280410		<10	<1	0.04	20	0.38	474	<1	<0.01	15	480	120	0.02	<2	2	15
S8R280411		<10	<1	0.04	20	0.38	474	<1	<0.01	15	480	120	0.02	<2	2	15
S8R280412		<10	<1	0.04	20	0.38	474	<1	<0.01	15	480	120	0.02	<2	2	15
S8R280413		<10	<1	0.04	20	0.38	474	<1	<0.01	15	480	120	0.02	<2	2	15
S8R280414		<10	<1	0.04	20	0.38	474	<1	<0.01	15	480	120	0.02	<2	2	15
S8R280415		<10	<1	0.04	20	0.38	474	<1	<0.01	15	480	120	0.02	<2	2	15
S8R280416		<10	<1	0.04	20	0.38	474	<1	<0.01	15	480	120	0.02	<2	2	15
S8R280417		<10	<1	0.04	20	0.38	474	<1	<0.01	15	480	120	0.02	<2	2	15
S8R280418		<10	<1	0.04	20	0.38	474	<1	<0.01	15	480	120	0.02	<2	2	15
S8R280419		<10	<1	0.04	20	0.38	474	<1	<0.01	15	480	120	0.02	<2	2	15
S8R280420		<10	<1	0.04	20	0.38	474	<1	<0.01	15	480	120	0.02	<2	2	15
S8R280421		<10	<1	0.04	20	0.38	474	<1	<0.01	15	480	120	0.02	<2	2	15
S8R280422		<10	<1	0.04	20	0.38	474	<1	<0.01	15	480	120	0.02	<2	2	15
S8R280423		<10	<1	0.04	20	0.38	474	<1	<0.01	15	480	120	0.02	<2	2	15
S8R280424		<10	<1	0.04	20	0.38	474	<1	<0.01	15	480	120	0.02	<2	2	15
S8R280425		<10	<1	0.04	20	0.38	474	<1	<0.01	15	480	120	0.02	<2	2	15
S8R280426		<10	<1	0.04	20	0.38	474	<1	<0.01	15	480	120	0.02	<2	2	15
S8R280427		<10	<1	0.04	20	0.38	474	<1	<0.01	15	480	120	0.02	<2	2	15
S8R280428		<10	<1	0.04	20	0.38	474	<1	<0.01	15	480	120	0.02	<2	2	15
S8R280429		<10	<1	0.04	20	0.38	474	<1	<0.01	15	480	120	0.02	<2	2	15
S8R280430		<10	<1	0.04	20	0.38	474	<1	<0.01	15	480	120	0.02	<2	2	15
S8R280431		<10	<1	0.04	20	0.38	474	<1	<0.01	15	480	120	0.02	<2	2	15
S8R280432		<10	<1	0.04	20	0.38	474	<1	<0.01	15	480	120	0.02	<2	2	15
S8R280433		<10	<1	0.04	20	0.38	474	<1	<0.01	15	480	120	0.02	<2	2	15
S8R280434		<10	<1													



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ECO-TECH LABORATORIES LTD.
 10041 DALLAS DR
 KAMLOOPS BC V2C 6T4

Page: 3 - C
 Total # Pages: 9 (A - C)
 Finalized Date: 6-NOV-2011
 Account: UX

Project: Kestrel Gold 11-8255

CERTIFICATE OF ANALYSIS VA11207984

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Th	Ti	Ti	U	V	W	Zn
		ppm 20	% 0.01	ppm 10	ppm 10	ppm 1	ppm 10	ppm 2
S8R280365		<20	0.05	<10	<10	31	<10	40
S8R280366		<20	0.05	<10	<10	24	<10	32
S8R280367		<20	0.05	<10	<10	28	<10	32
S8R280368		<20	0.05	<10	<10	28	<10	31
S8R280369		<20	0.04	<10	<10	23	<10	30
S8R280370		<20	0.06	<10	<10	30	<10	33
S8R280371		<20	0.07	<10	<10	35	<10	40
S8R280372		<20	0.06	<10	<10	33	<10	31
S8R280373		<20	0.09	<10	<10	26	<10	52
S8R280374		<20	0.07	<10	<10	52	<10	53
S8R280375		<20	0.07	<10	<10	46	<10	46
S8R280376		<20	0.03	<10	<10	27	<10	31
S8R280377		<20	0.04	<10	<10	24	<10	32
S8R280378		<20	0.04	<10	<10	36	<10	51
S8R280379		<20	0.04	<10	<10	37	<10	42
S8R280380		<20	0.03	<10	<10	32	<10	42
S8R280381		<20	0.04	<10	<10	33	<10	42
S8R280382		<20	0.04	<10	<10	39	<10	54
S8R280383		<20	0.04	<10	<10	41	<10	61
S8R280384		<20	0.04	<10	<10	39	<10	51
S8R280385		<20	0.03	<10	<10	33	<10	48
S8R280386		<20	0.04	<10	<10	43	<10	53
S8R280387		<20	0.04	<10	<10	35	<10	44
S8R280388		<20	0.05	<10	<10	38	<10	53
S8R280389		<20	0.04	<10	<10	48	<10	60
S8R280390		<20	0.05	<10	<10	39	<10	55
S8R280391		<20	0.05	<10	<10	40	<10	56
S8R280392		<20	0.04	<10	<10	35	<10	47
S8R280393		<20	0.04	<10	<10	35	<10	44
S8R280394		<20	0.04	<10	<10	35	<10	47
S8R280395		<20	0.04	<10	<10	36	<10	45
S8R280396								
S8R280397								
S8R280398								
S8R280399								
S8R280400								
S8R280401								
S8R280402								
S8R280403								
S8R280404								



2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

**TO: ECO-TECH LABORATORIES LTD.
10041 DALLAS DR
KAMLOOPS BC V2C 6T4**

Page: 4 - A
Total # Pages: 9 (A - C)
Finalized Date: 6-NOV-2011
Account: UX

Project: Kestrel Gold 11-8255

CERTIFICATE OF ANALYSIS VA11207984

Sample Description	Method Analyte Units LOR	WEI-21	Au-AA23	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Recvd Wt.	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
		kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
		0.02	0.005	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01

PDFfill PDF Editor with Free Writer and Tools



2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

TO: ECO-TECH LABORATORIES LTD.
10041 DALLAS DR
KAMLOOPS BC V2C 6T4

Page: 4 - B
Total # Pages: 9 (A - C)
Finalized Date: 6-NOV-2011
Account: UX

Project: Kestrel Gold 11-8255

CERTIFICATE OF ANALYSIS VA11207984

[illegible]



2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

10041 DALLAS DR
KAMLOOPS BC V2C 6T4

10041 DALLAS DR
KAMLOOPS BC V2C 6T4

Total # Pages: 9 (A - C)

Finalized Date: 6-NOV-2011

Account: UX

Project: Kestrel Gold 11-8255

CERTIFICATE OF ANALYSIS VA11207984

[illegible]



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ECO-TECH LABORATORIES LTD.
10041 DALLAS DR
KAMLOOPS BC V2C 6T4

Page: 5 - A
Total # Pages: 9 (A - C)
Finalized Date: 6-NOV-2011
Account: UX

Project: Kestrel Gold 11-8255

CERTIFICATE OF ANALYSIS VA11207984

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-ICP41 Ag ppm	ME-ICP41 Al %	ME-ICP41 As ppm	ME-ICP41 B ppm	ME-ICP41 Ba ppm	ME-ICP41 Be ppm	ME-ICP41 Bi ppm	ME-ICP41 Ca %	ME-ICP41 Cd ppm	ME-ICP41 Co ppm	ME-ICP41 Cr ppm	ME-ICP41 Cu ppm	ME-ICP41 Fe %
		0.02	0.005	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
S8R279157		0.06	<0.005	<0.2	0.82	2	<10	260	<0.5	<2	0.19	<0.5	5	19	4	1.53
S8R279158		0.06	<0.005	<0.2	0.66	3	<10	380	<0.5	<2	0.21	<0.5	4	9	4	1.30
S8R279159		0.04	<0.005	<0.2	0.88	3	<10	400	0.5	<2	0.18	<0.5	5	12	4	1.75
S8R279160		0.08	<0.005	<0.2	0.74	3	<10	310	<0.5	<2	0.13	<0.5	5	11	4	1.54
S8R279161		0.08	<0.005	<0.2	1.27	5	<10	290	0.5	<2	0.16	<0.5	7	21	10	2.23
S8R279162		0.06	<0.005	<0.2	1.24	4	<10	210	<0.5	<2	0.14	<0.5	6	11	4	2.54
S8R279163		0.08	<0.005	<0.2	1.07	4	<10	260	<0.5	<2	0.19	<0.5	6	24	4	2.03
S8R279164		0.10	<0.005	<0.2	0.89	3	<10	270	<0.5	<2	0.15	<0.5	5	14	4	1.90
S8R279165		0.10	<0.005	<0.2	1.09	5	<10	280	<0.5	<2	0.22	<0.5	6	19	6	2.14
S8R279166		0.08	<0.005	<0.2	0.99	3	<10	310	<0.5	<2	0.17	<0.5	7	21	9	1.97
S8R279167		0.10	<0.005	<0.2	1.08	4	<10	330	<0.5	<2	0.27	<0.5	8	24	9	2.10
S8R279168		0.10	<0.005	<0.2	1.31	<2	<10	280	0.5	<2	0.36	<0.5	10	42	10	2.21
S8R279169		0.06	<0.005	0.2	1.06	3	<10	270	<0.5	<2	0.33	<0.5	6	18	9	1.92
S8R279170		0.02	<0.005	<0.2	1.21	3	<10	320	0.5	<2	0.24	<0.5	6	20	7	2.21
S8R279171		0.02	<0.005	<0.2	0.96	3	<10	200	<0.5	<2	0.15	<0.5	5	19	5	1.95
S8R279172		0.02	<0.005	<0.2	0.87	4	<10	180	<0.5	<2	0.12	<0.5	5	15	5	1.67
S8R279173		0.06	<0.005	<0.2	0.88	5	<10	200	<0.5	<2	0.14	<0.5	4	11	20	1.70
S8R279174		0.02	<0.005	<0.2	1.38	2	<10	200	0.6	<2	0.19	<0.5	9	37	4	2.66
S8R279175		0.02	<0.005	<0.2	1.10	3	<10	200	<0.5	<2	0.17	<0.5	7	25	5	1.90
S8R279176		0.02	<0.005	<0.2	0.98	3	<10	210	<0.5	<2	0.18	<0.5	5	23	4	2.12
S8R279177		0.02	<0.005	<0.2	1.31	5	<10	180	0.5	<2	0.09	<0.5	7	23	11	2.45
S8R279178		0.06	<0.005	<0.2	1.42	8	<10	180	<0.5	<2	0.14	<0.5	6	21	9	2.39
S8R279179		0.06	<0.005	<0.2	1.20	4	<10	140	<0.5	<2	0.10	<0.5	5	14	4	2.41
S8R279180		0.04	<0.005	<0.2	1.07	5	<10	130	<0.5	<2	0.10	<0.5	4	16	5	1.88
S8R279181		0.08	<0.005	<0.2	1.44	6	<10	130	<0.5	<2	0.10	<0.5	6	27	11	2.17
S8R279182		0.12	<0.005	<0.2	0.72	2	<10	70	<0.5	<2	0.08	<0.5	3	7	3	1.49
S8R279183		0.16	<0.005	<0.2	2.53	3	<10	250	0.5	<2	0.31	<0.5	22	45	6	3.76
S8R279184		0.10	<0.005	<0.2	1.88	10	<10	220	<0.5	<2	0.13	<0.5	8	27	11	2.81
S8R279185		0.10	<0.005	<0.2	2.33	33	<10	170	<0.5	<2	0.21	<0.5	14	23	8	4.19



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ECO-TECH LABORATORIES LTD.
10041 DALLAS DR
KAMLOOPS BC V2C 6T4

Page: 5 - B
Total # Pages: 9 (A - C)
Finalized Date: 6-NOV-2011
Account: UX

Project: Kestrel Gold 11-8255

CERTIFICATE OF ANALYSIS VA11207984

Sample Description	Method Analyte Units LOR	ME-ICP41 Ga ppm 10	ME-ICP41 Hg ppm 1	ME-ICP41 K % 0.01	ME-ICP41 La ppm 10	ME-ICP41 Mg % 0.01	ME-ICP41 Mn ppm 5	ME-ICP41 Mo ppm 1	ME-ICP41 Na % 0.01	ME-ICP41 Ni ppm 1	ME-ICP41 P ppm 10	ME-ICP41 Pb ppm 2	ME-ICP41 S % 0.01	ME-ICP41 Sb ppm 2	ME-ICP41 Sc ppm 1	ME-ICP41 Sr ppm 1
SI 15140005		10	1	0.04	10	0.45	251	<1	<0.01	1	430	12	0.01	<2	2	1
S8R279157		<10	<1	0.14	10	0.32	111	<1	<0.01	9	150	3	0.01	<2	3	16
S8R279158		<10	<1	0.12	10	0.13	270	<1	<0.01	5	150	4	0.01	<2	2	17
S8R279159		<10	<1	0.23	10	0.24	216	<1	<0.01	6	130	3	0.01	<2	2	18
S8R279160		<10	<1	0.22	10	0.23	122	<1	<0.01	5	110	3	0.01	<2	1	14
S8R279161		<10	<1	0.15	20	0.38	167	<1	<0.01	12	160	6	0.01	<2	3	17
S8R279162		<10	<1	0.40	10	0.33	136	<1	<0.01	8	270	4	0.01	<2	2	16
S8R279163		<10	<1	0.45	10	0.45	155	<1	<0.01	12	130	3	0.01	<2	2	22
S8R279164		<10	<1	0.20	10	0.23	139	<1	<0.01	9	160	5	0.01	<2	2	15
S8R279165		<10	<1	0.36	10	0.38	185	<1	<0.01	13	220	2	0.01	<2	2	26
S8R279166		<10	<1	0.11	10	0.33	236	<1	<0.01	13	130	6	0.01	<2	2	17
S8R279167		<10	<1	0.13	10	0.33	366	<1	<0.01	12	150	6	0.01	<2	2	25
S8R279168		<10	<1	0.38	20	0.68	206	<1	<0.01	27	200	3	0.01	<2	3	30
S8R279169		<10	1	0.18	30	0.33	177	<1	<0.01	11	340	6	0.01	<2	3	25
S8R279170		<10	<1	0.27	30	0.38	273	<1	<0.01	12	240	6	0.01	<2	4	18
S8R279171		<10	1	0.11	10	0.30	143	<1	<0.01	10	120	6	0.01	<2	2	16
S8R279172		<10	<1	0.15	10	0.27	135	<1	<0.01	9	70	5	0.01	<2	1	15
S8R279173		<10	<1	0.23	10	0.22	139	<1	<0.01	17	110	5	0.01	<2	1	21
S8R279174		<10	1	0.67	10	0.64	256	<1	<0.01	24	470	3	0.01	<2	2	27
S8R279175		<10	<1	0.21	<10	0.39	123	<1	<0.01	13	190	4	0.01	<2	1	15
S8R279176		<10	<1	0.17	10	0.32	184	<1	<0.01	7	430	5	0.01	<2	1	16
S8R279177		<10	<1	0.24	20	0.41	217	<1	<0.01	11	110	6	0.01	<2	3	13
S8R279178		<10	<1	0.17	10	0.38	430	<1	<0.01	13	340	7	0.01	<2	2	13
S8R279179		<10	<1	0.26	10	0.34	192	<1	<0.01	8	190	4	0.01	<2	2	14
S8R279180		<10	<1	0.09	10	0.25	97	<1	<0.01	7	200	6	0.01	<2	2	10
S8R279181		<10	<1	0.13	30	0.42	151	1	0.03	17	80	10	0.01	<2	2	12
S8R279182		<10	<1	0.18	10	0.18	131	<1	0.02	4	220	6	<0.01	<2	1	7
S8R279183		<10	<1	0.64	20	1.64	348	<1	0.03	24	490	4	<0.01	<2	2	13
S8R279184		10	<1	0.11	10	0.39	212	1	0.02	16	330	9	<0.01	<2	2	12
S8R279185		10	<1	0.16	10	1.00	357	1	0.03	20	380	5	0.01	<2	4	13



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ECO-TECH LABORATORIES LTD.
10041 DALLAS DR
KAMLOOPS BC V2C 6T4

Page: 5 - C
Total # Pages: 9 (A - C)
Finalized Date: 6-NOV-2011
Account: UX

Project: Kestrel Gold 11-8255

CERTIFICATE OF ANALYSIS VA11207984

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Th	Ti	Ti	U	V	W	Zn
		ppm	%	ppm	ppm	ppm	ppm	ppm
		20	0.01	10	10	1	10	2
S8R279156		<20	0.02	<10	<10	21	<10	21
S8R279157		<20	0.03	<10	<10	16	<10	13
S8R279158		<20	0.03	<10	<10	15	<10	16
S8R279159		<20	0.04	<10	<10	15	<10	18
S8R279160		<20	0.05	<10	<10	15	<10	15
S8R279161		<20	0.06	<10	<10	32	<10	29
S8R279162		<20	0.08	<10	<10	24	<10	19
S8R279163		<20	0.08	<10	<10	17	<10	13
S8R279164		<20	0.03	<10	<10	24	<10	22
S8R279165		<20	0.08	<10	<10	25	<10	24
S8R279166		<20	0.05	<10	<10	31	<10	30
S8R279167		<20	0.06	<10	<10	37	<10	30
S8R279168		<20	0.11	<10	<10	27	<10	24
S8R279169		<20	0.05	<10	<10	26	<10	27
S8R279170		<20	0.05	<10	<10	23	<10	28
S8R279171		<20	0.06	<10	<10	36	<10	29
S8R279172		<20	0.06	<10	<10	19	<10	36
S8R279173		<20	0.06	<10	<10	17	<10	26
S8R279174		<20	0.12	<10	<10	19	<10	28
S8R279175		<20	0.06	<10	<10	26	<10	24
S8R279176		<20	0.09	<10	<10	31	<10	30
S8R279177		<20	0.07	<10	<10	28	<10	31
S8R279178		<20	0.07	<10	<10	37	<10	39
S8R279179		<20	0.08	<10	<10	25	<10	22
S8R279180		<20	0.06	<10	<10	33	<10	21
S8R279181		<20	0.06	<10	<10	30	<10	34
S8R279182		<20	0.04	<10	<10	15	<10	13
S8R279183		<20	0.23	<10	<10	67	<10	47
S8R279184		<20	0.07	<10	<10	54	<10	47
S8R279185		<20	0.10	<10	<10	101	<10	41



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ECO-TECH LABORATORIES LTD.
10041 DALLAS DR
KAMLOOPS BC V2C 6T4

Page: 6 - A
Total # Pages: 9 (A - C)
Finalized Date: 6-NOV-2011
Account: UX

Project: Kestrel Gold 11-8255

CERTIFICATE OF ANALYSIS VA11207984

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-ICP41 Ag ppm	ME-ICP41 Al %	ME-ICP41 As ppm	ME-ICP41 B ppm	ME-ICP41 Ba ppm	ME-ICP41 Be ppm	ME-ICP41 Bi ppm	ME-ICP41 Ca %	ME-ICP41 Cd ppm	ME-ICP41 Co ppm	ME-ICP41 Cr ppm	ME-ICP41 Cu ppm	ME-ICP41 Fe %
		0.02	0.005	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
S8R279186		0.10	<0.005	<0.2	1.44	8	<10	140	<0.5	2	0.12	<0.5	6	15	4	3.01
S8R279187		0.10	0.011	<0.2	1.48	4	<10	120	<0.5	<2	0.13	<0.5	10	62	5	2.21
S8R279188		0.12	<0.005	<0.2	1.70	8	<10	240	<0.5	<2	0.08	<0.5	7	23	12	2.45
S8R279189		0.12	<0.005	<0.2	1.95	10	<10	210	<0.5	<2	0.12	<0.5	8	54	27	2.85
S8R279190		0.10	<0.005	<0.2	1.17	3	<10	220	<0.5	<2	0.24	<0.5	5	15	4	2.24
S8R279191		0.10	<0.005	<0.2	1.67	5	<10	160	<0.5	<2	0.23	<0.5	13	99	15	2.30
S8R279192		0.12	<0.005	<0.2	2.25	9	<10	220	<0.5	<2	0.18	<0.5	14	71	28	2.78
S8R279193		0.14	<0.005	<0.2	1.55	6	<10	100	<0.5	<2	0.13	<0.5	9	74	7	2.32
S8R279194		0.06	<0.005	<0.2	1.64	6	<10	170	<0.5	<2	0.09	<0.5	9	54	7	2.21
S8R279195		0.06	<0.005	<0.2	0.81	4	<10	120	<0.5	<2	0.13	<0.5	4	9	7	1.43
S8R279196		0.02	<0.005	<0.2	1.45	5	<10	230	<0.5	<2	0.25	<0.5	9	42	9	1.99
S8R279197		0.04	<0.005	<0.2	2.92	4	<10	350	<0.5	<2	0.16	<0.5	16	109	7	3.86
S8R279198		0.02	<0.005	<0.2	2.42	7	<10	150	<0.5	<2	0.21	<0.5	17	96	85	3.14
S8R279199		0.12	0.393	0.2	1.28	53	<10	100	<0.5	<2	1.42	<0.5	7	28	47	2.91
S8R279200		0.10	<0.005	<0.2	0.08	7	<10	10	<0.5	<2	18.2	<0.5	1	1	2	0.45
S8R279201		0.08	<0.005	0.2	1.90	14	<10	210	<0.5	<2	0.14	<0.5	8	29	17	2.61
S8R279202		0.10	<0.005	<0.2	2.37	13	<10	190	<0.5	<2	0.14	<0.5	12	57	28	3.05
S8R279203		0.08	<0.005	<0.2	1.80	10	<10	160	<0.5	<2	0.14	<0.5	10	43	47	2.84
S8R279204		0.08	<0.005	<0.2	1.64	8	<10	250	0.5	<2	0.18	<0.5	9	48	31	2.59
S8R279205		0.08	<0.005	<0.2	1.72	7	<10	210	<0.5	<2	0.12	<0.5	7	27	14	2.46
S8R279206		0.10	<0.005	<0.2	1.00	3	<10	130	<0.5	<2	0.08	<0.5	4	20	13	1.33
S8R279207		0.08	<0.005	<0.2	1.78	9	<10	210	<0.5	<2	0.19	<0.5	12	45	18	2.64
S8R279208		0.08	<0.005	<0.2	1.72	3	<10	100	<0.5	<2	0.16	<0.5	12	82	9	2.62
S8R279209		0.08	0.006	0.2	1.25	13	<10	400	<0.5	<2	0.67	<0.5	9	25	27	2.51
S8R279210		0.10	<0.005	<0.2	2.23	6	<10	440	0.5	2	0.38	<0.5	14	122	19	3.14
S8R279211		0.16	<0.005	<0.2	1.19	6	<10	240	<0.5	<2	0.17	<0.5	5	22	22	1.95
S8R279212		0.10	<0.005	<0.2	1.72	5	<10	290	<0.5	<2	0.34	<0.5	11	54	15	2.50
S8R279213		0.12	<0.005	<0.2	1.09	6	<10	260	<0.5	<2	0.19	<0.5	4	22	8	1.44
S8R279214		0.12	<0.005	<0.2	1.95	6	<10	100	<0.5	<2	0.32	<0.5	15	117	24	2.78
S8R279215		0.14	<0.005	<0.2	1.64	3	<10	210	<0.5	<2	0.35	<0.5	10	77	17	2.55
S8R279216		0.18	<0.005	<0.2	1.04	5	<10	320	<0.5	<2	0.56	<0.5	7	21	16	1.97
S8R279217		0.16	<0.005	<0.2	0.87	9	<10	250	<0.5	<2	0.40	<0.5	6	17	16	1.84
S8R279218		0.16	<0.005	<0.2	1.03	9	<10	360	<0.5	<2	0.50	<0.5	8	20	21	2.04
S8R279219		0.14	<0.005	<0.2	1.19	8	<10	330	<0.5	<2	0.43	<0.5	7	20	18	2.05
S8R279220		0.12	<0.005	<0.2	1.14	8	<10	350	<0.5	<2	0.40	<0.5	8	20	15	2.02
S8R279221		0.12	0.007	<0.2	0.97	9	<10	310	<0.5	<2	0.36	<0.5	6	16	11	1.80
S8R279222		0.26	0.009	<0.2	1.15	8	<10	330	<0.5	<2	0.32	<0.5	6	19	14	2.03
S8R279223		0.18	<0.005	<0.2	1.20	8	<10	310	<0.5	<2	0.44	<0.5	6	19	13	1.90
S8R279224		0.18	<0.005	<0.2	1.28	14	<10	440	<0.5	<2	0.50	<0.5	9	21	24	2.40
S8R279225		0.16	<0.005	<0.2	1.14	9	<10	360	<0.5	<2	0.39	<0.5	8	21	25	2.32



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ECO-TECH LABORATORIES LTD.
10041 DALLAS DR
KAMLOOPS BC V2C 6T4

Page: 6 - B
Total # Pages: 9 (A - C)
Finalized Date: 6-NOV-2011
Account: UX

Project: Kestrel Gold 11-8255

CERTIFICATE OF ANALYSIS VA11207984

Sample Description	Method Analyte Units LOR	ME-ICP41 Ga ppm 10	ME-ICP41 Hg ppm 1	ME-ICP41 K % 0.01	ME-ICP41 La ppm 10	ME-ICP41 Mg % 0.01	ME-ICP41 Mn ppm 5	ME-ICP41 Mo ppm 1	ME-ICP41 Na % 0.01	ME-ICP41 Ni ppm 1	ME-ICP41 P ppm 10	ME-ICP41 Pb ppm 2	ME-ICP41 S % 0.01	ME-ICP41 Sb ppm 2	ME-ICP41 Sc ppm 1	ME-ICP41 Sr ppm 1
S8R279186		10	<1	0.34	10	0.33	194	1	0.02	9	280	6	0.01	<2	2	16
S8R279187		10	<1	0.04	10	0.74	344	1	0.02	23	180	4	<0.01	<2	2	9
S8R279188		<10	<1	0.17	20	0.40	208	1	0.03	13	110	8	<0.01	<2	3	9
S8R279189		10	<1	0.08	10	0.50	239	1	0.02	22	210	8	<0.01	<2	3	10
S8R279190		10	<1	0.21	10	0.31	177	1	0.02	8	340	4	<0.01	<2	2	24
S8R279191		<10	<1	0.03	<10	1.03	337	<1	0.02	35	180	4	<0.01	<2	2	14
S8R279192		<10	<1	0.03	10	0.81	334	<1	0.02	31	140	8	<0.01	<2	3	13
S8R279193		<10	<1	0.04	10	0.87	233	<1	0.02	22	100	5	<0.01	<2	2	9
S8R279194		<10	<1	0.08	10	0.60	229	<1	0.01	22	90	4	<0.01	<2	2	11
S8R279195		<10	<1	0.18	<10	0.26	141	<1	0.02	7	130	3	<0.01	<2	1	12
S8R279196		<10	<1	0.05	<10	0.62	460	<1	0.02	24	290	5	<0.01	<2	2	14
S8R279197		10	<1	0.25	10	1.74	391	<1	0.02	53	120	5	0.03	<2	5	12
S8R279198		<10	<1	0.04	<10	1.72	435	<1	0.02	34	140	4	0.49	<2	6	12
S8R279199		<10	<1	0.10	<10	0.57	408	9	0.09	31	720	3	0.11	<2	4	40
S8R279200		<10	<1	0.05	<10	11.40	208	1	0.03	1	240	4	0.01	<2	<1	51
S8R279201		<10	<1	0.07	10	0.45	220	<1	0.02	21	210	9	<0.01	<2	3	13
S8R279202		<10	<1	0.04	10	0.76	252	1	0.02	28	180	10	<0.01	<2	4	11
S8R279203		<10	<1	0.05	10	0.76	238	1	0.02	23	120	8	<0.01	<2	3	13
S8R279204		<10	<1	0.07	20	0.64	223	<1	0.02	22	120	7	<0.01	<2	4	15
S8R279205		<10	<1	0.06	10	0.54	182	<1	0.02	17	120	8	<0.01	<2	2	13
S8R279206		<10	<1	0.08	20	0.51	120	<1	0.02	11	80	5	<0.01	<2	2	10
S8R279207		10	<1	0.05	10	0.60	387	1	0.02	24	220	7	<0.01	<2	3	15
S8R279208		<10	<1	0.04	<10	0.99	294	<1	0.02	33	180	4	<0.01	<2	2	9
S8R279209		<10	<1	0.07	10	0.55	533	1	0.03	27	770	9	0.02	<2	3	34
S8R279210		<10	<1	0.11	20	1.35	397	<1	0.03	57	120	4	<0.01	<2	7	22
S8R279211		<10	<1	0.09	30	0.41	177	<1	0.02	17	130	6	<0.01	<2	5	15
S8R279212		<10	<1	0.04	10	0.92	307	<1	0.02	29	100	4	<0.01	<2	4	18
S8R279213		<10	<1	0.05	10	0.28	110	<1	0.02	12	120	4	<0.01	<2	2	14
S8R279214		<10	<1	0.03	<10	1.64	390	<1	0.02	48	90	3	<0.01	<2	5	16
S8R279215		<10	<1	0.12	20	1.03	264	<1	0.02	36	130	4	<0.01	<2	5	17
S8R279216		<10	<1	0.05	10	0.40	417	<1	0.03	18	710	8	0.02	<2	3	34
S8R279217		<10	<1	0.04	10	0.31	220	<1	0.02	16	750	8	<0.01	<2	2	24
S8R279218		<10	<1	0.04	10	0.36	329	1	0.03	19	730	8	0.01	<2	3	29
S8R279219		<10	<1	0.04	10	0.37	266	1	0.02	16	680	9	0.01	<2	3	25
S8R279220		<10	<1	0.04	10	0.35	296	1	0.02	15	650	8	0.01	<2	3	26
S8R279221		<10	<1	0.04	10	0.29	322	<1	0.02	11	630	7	0.01	<2	2	25
S8R279222		<10	<1	0.05	10	0.33	181	<1	0.02	13	570	8	<0.01	<2	2	23
S8R279223		<10	<1	0.03	10	0.34	228	1	0.02	14	610	8	0.01	<2	2	28
S8R279224		<10	<1	0.04	10	0.39	297	1	0.03	21	610	10	0.01	2	3	29
S8R279225		<10	<1	0.04	10	0.40	267	<1	0.03	20	660	10	<0.01	<2	3	26



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ECO-TECH LABORATORIES LTD.
10041 DALLAS DR
KAMLOOPS BC V2C 6T4

Page: 6 - C
Total # Pages: 9 (A - C)
Finalized Date: 6-NOV-2011
Account: UX

Project: Kestrel Gold 11-8255

CERTIFICATE OF ANALYSIS VA11207984

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Th	Ti	Ti	U	V	W	Zn
		ppm 20	% 0.01	ppm 10	ppm 10	ppm 1	ppm 10	ppm 2
S8R279186		<20	0.07	<10	<10	31	<10	20
S8R279187		<20	0.05	<10	<10	44	<10	36
S8R279188		<20	0.08	<10	<10	40	<10	33
S8R279189		<20	0.07	<10	<10	55	<10	39
S8R279190		<20	0.03	<10	<10	18	<10	22
S8R279191		<20	0.04	<10	<10	45	<10	39
S8R279192		<20	0.06	<10	<10	62	<10	55
S8R279193		<20	0.06	<10	<10	45	<10	41
S8R279194		<20	0.04	<10	<10	30	<10	34
S8R279195		<20	0.03	<10	<10	12	<10	17
S8R279196		<20	0.03	<10	<10	41	<10	42
S8R279197		<20	0.13	<10	<10	62	<10	58
S8R279198		<20	0.06	<10	<10	58	<10	54
S8R279199		<20	0.11	<10	<10	51	<10	55
S8R279200		<20	<0.01	<10	<10	1	<10	18
S8R279201		<20	0.06	<10	<10	46	<10	40
S8R279202		<20	0.06	<10	<10	53	<10	50
S8R279203		<20	0.06	<10	<10	52	<10	50
S8R279204		<20	0.08	<10	<10	44	<10	42
S8R279205		<20	0.08	<10	<10	45	<10	42
S8R279206		<20	0.03	<10	<10	21	<10	20
S8R279207		<20	0.05	<10	<10	55	<10	42
S8R279208		<20	0.05	<10	<10	47	<10	39
S8R279209		<20	0.06	<10	<10	44	<10	74
S8R279210		<20	0.10	<10	<10	48	<10	55
S8R279211		<20	0.05	<10	<10	27	<10	29
S8R279212		<20	0.06	<10	<10	41	<10	41
S8R279213		<20	0.03	<10	<10	26	<10	21
S8R279214		<20	0.05	<10	<10	41	<10	59
S8R279215		<20	0.08	<10	<10	34	<10	35
S8R279216		<20	0.05	<10	<10	35	<10	53
S8R279217		<20	0.04	<10	<10	31	<10	45
S8R279218		<20	0.04	<10	<10	36	<10	48
S8R279219		<20	0.04	<10	<10	36	<10	49
S8R279220		<20	0.04	<10	<10	35	<10	50
S8R279221		<20	0.04	<10	<10	31	<10	43
S8R279222		<20	0.04	<10	<10	33	<10	47
S8R279223		<20	0.03	<10	<10	34	<10	53
S8R279224		<20	0.04	<10	<10	41	<10	60
S8R279225		<20	0.05	<10	<10	39	<10	58



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ECO-TECH LABORATORIES LTD.
10041 DALLAS DR
KAMLOOPS BC V2C 6T4

Page: 7 - A
Total # Pages: 9 (A - C)
Finalized Date: 6-NOV-2011
Account: UX

Project: Kestrel Gold 11-8255

CERTIFICATE OF ANALYSIS VA11207984

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppm 0.005	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01
S8R279226		0.14	<0.005	0.2	1.20	9	<10	370	<0.5	2	0.34	<0.5	6	20	14	2.05
S8R279227		0.16	<0.005	<0.2	1.28	10	<10	420	<0.5	<2	0.40	<0.5	7	22	22	2.29
S8R279228		0.12	<0.005	<0.2	1.15	4	<10	370	<0.5	<2	0.15	<0.5	4	20	12	1.86
S8R279229		0.12	<0.005	<0.2	1.15	6	<10	320	<0.5	<2	0.15	<0.5	5	21	16	1.88
S8R279230		0.14	<0.005	<0.2	1.15	8	<10	370	0.5	<2	0.15	<0.5	7	23	22	2.12
S8R279231		0.14	0.006	<0.2	1.35	7	<10	200	<0.5	<2	0.07	<0.5	6	19	13	2.29
S8R279232		0.10	<0.005	<0.2	0.98	3	<10	510	<0.5	<2	0.16	<0.5	4	18	7	1.67
S8R279233		0.12	<0.005	<0.2	1.21	9	<10	340	<0.5	<2	0.14	<0.5	6	21	17	2.06
S8R279234		0.10	<0.005	<0.2	0.97	6	<10	220	<0.5	<2	0.07	<0.5	4	12	8	1.64
S8R279235		0.10	<0.005	<0.2	1.15	3	<10	350	<0.5	<2	0.07	<0.5	4	13	11	1.70
S8R279236		0.10	<0.005	<0.2	1.23	8	<10	380	<0.5	<2	0.08	<0.5	6	20	13	2.17
S8R279237		0.12	<0.005	<0.2	1.36	4	<10	330	<0.5	<2	0.06	<0.5	7	17	14	2.13
S8R279238		0.12	<0.005	<0.2	1.56	6	<10	110	<0.5	<2	0.03	<0.5	3	8	7	2.07
S8R279239		0.12	<0.005	<0.2	1.78	7	<10	150	<0.5	<2	0.06	<0.5	5	20	13	2.32
S8R279240		0.12	<0.005	<0.2	1.76	11	<10	150	<0.5	<2	0.07	<0.5	6	23	13	2.62
S8R279241		0.18	<0.005	<0.2	1.03	7	<10	50	<0.5	<2	0.02	<0.5	2	4	3	0.98
S8R279242		0.16	<0.005	<0.2	1.02	6	<10	160	<0.5	2	0.08	<0.5	5	15	5	1.77
S8R279243		0.18	<0.005	<0.2	1.16	5	<10	150	0.6	<2	0.05	<0.5	5	16	12	1.84
S8R279244		0.18	<0.005	<0.2	1.13	5	<10	140	<0.5	<2	0.05	<0.5	3	14	12	1.86
S8R279245		0.18	<0.005	<0.2	1.24	9	<10	200	<0.5	<2	0.12	<0.5	6	21	15	2.13
S8R279246		0.18	<0.005	<0.2	1.40	6	<10	170	<0.5	<2	0.12	<0.5	7	27	14	2.20
S8R279247		0.20	<0.005	<0.2	1.04	7	<10	120	<0.5	2	0.09	<0.5	4	19	13	1.83
S8R279248		0.16	<0.005	<0.2	1.11	7	<10	110	<0.5	<2	0.09	<0.5	5	18	14	1.86
S8R279249		0.12	<0.005	<0.2	1.06	9	<10	440	<0.5	<2	0.22	<0.5	6	24	14	2.06



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ECO-TECH LABORATORIES LTD.
10041 DALLAS DR
KAMLOOPS BC V2C 6T4

Page: 7 - B
Total # Pages: 9 (A - C)
Finalized Date: 6-NOV-2011
Account: UX

Project: Kestrel Gold 11-8255

CERTIFICATE OF ANALYSIS VA11207984

Sample Description	Method Analyte Units LOR	ME-ICP41 Ga ppm 10	ME-ICP41 Hg ppm 1	ME-ICP41 K % 0.01	ME-ICP41 La ppm 10	ME-ICP41 Mg % 0.01	ME-ICP41 Mn ppm 5	ME-ICP41 Mo ppm 1	ME-ICP41 Na % 0.01	ME-ICP41 Ni ppm 1	ME-ICP41 P ppm 10	ME-ICP41 Pb ppm 2	ME-ICP41 S % 0.01	ME-ICP41 Sb ppm 2	ME-ICP41 Sc ppm 1	ME-ICP41 Sr ppm 1
S8R279226		<10	<1	0.04	10	0.34	239	1	0.02	14	510	8	<0.01	<2	3	24
S8R279227		<10	<1	0.05	10	0.40	270	1	0.03	19	560	9	<0.01	<2	3	27
S8R279228		<10	<1	0.04	20	0.35	138	<1	0.02	10	170	13	<0.01	<2	2	11
S8R279229		<10	<1	0.04	20	0.34	165	<1	0.01	13	140	12	<0.01	<2	3	12
S8R279230		<10	<1	0.03	20	0.37	150	<1	0.01	15	80	8	0.01	2	4	17
S8R279231		<10	<1	0.15	10	0.38	124	<1	0.01	13	100	8	0.01	<2	3	8
S8R279232		<10	<1	0.10	10	0.35	122	<1	0.01	8	110	6	0.01	<2	2	16
S8R279233		<10	<1	0.05	20	0.38	207	<1	0.01	10	230	10	0.01	<2	3	14
S8R279234		<10	<1	0.06	10	0.31	109	<1	0.01	6	140	27	0.01	<2	1	7
S8R279235		10	<1	0.08	30	0.35	116	<1	0.01	6	180	11	0.01	<2	2	8
S8R279236		<10	<1	0.06	30	0.49	182	<1	0.01	10	120	9	0.01	<2	3	11
S8R279237		<10	<1	0.21	40	0.66	229	<1	0.01	9	130	7	0.01	<2	2	8
S8R279238		<10	<1	0.15	30	0.66	193	1	0.01	5	160	18	0.03	<2	2	5
S8R279239		10	<1	0.15	50	0.79	211	<1	0.01	11	190	29	0.01	<2	2	6
S8R279240		<10	<1	0.09	10	0.51	312	<1	0.02	13	260	14	0.01	<2	2	8
S8R279241		<10	<1	0.09	20	0.50	93	<1	0.01	2	100	10	0.01	<2	1	2
S8R279242		<10	<1	0.13	10	0.38	245	<1	0.01	5	260	13	<0.01	<2	1	7
S8R279243		<10	<1	0.08	60	0.40	155	1	0.01	7	140	9	0.01	<2	3	7
S8R279244		<10	<1	0.04	30	0.33	136	1	0.01	9	140	12	<0.01	<2	2	7
S8R279245		<10	<1	0.06	20	0.53	237	1	0.02	13	230	9	<0.01	<2	3	11
S8R279246		<10	<1	0.10	30	0.68	217	1	0.02	13	170	10	<0.01	<2	2	12
S8R279247		<10	<1	0.04	20	0.34	151	1	0.02	10	190	9	<0.01	<2	2	9
S8R279248		<10	<1	0.04	20	0.35	150	1	0.01	12	170	8	<0.01	<2	2	9
S8R279249		<10	<1	0.06	30	0.40	171	<1	0.02	12	400	11	0.01	<2	3	16



2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Fax: 604 984 0218 www.alsglobal.com

TO: ECO-TECH LABORATORIES LTD.

10041 DALLAS DR

KAMLOOPS BC V2C 6T4

Page: 7 - C

Total # Pages: 9 (A - C)

Finalized Date: 6-NOV-2011

Account: UX

Project: Kestrel Gold 11-8255

CERTIFICATE OF ANALYSIS VA11207984

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Th	Ti	Ti	U	V	W	Zn
		ppm	%	ppm	ppm	ppm	ppm	ppm
		20	0.01	10	10	1	10	2
S8R279226		<20	0.04	<10	<10	36	<10	47
S8R279227		<20	0.05	<10	<10	37	<10	60
S8R279228		<20	0.05	<10	<10	33	<10	53
S8R279229		<20	0.04	<10	<10	35	<10	53
S8R279230		<20	0.05	<10	<10	38	<10	44
S8R279231		<20	0.06	<10	<10	35	<10	32
S8R279232		<20	0.05	<10	<10	31	<10	24
S8R279233		<20	0.05	<10	<10	36	<10	45
S8R279234		<20	0.05	<10	<10	28	<10	31
S8R279235		<20	0.05	<10	<10	30	<10	33
S8R279236		<20	0.06	<10	<10	36	<10	43
S8R279237		<20	0.07	<10	<10	28	<10	47
S8R279238		<20	0.05	<10	<10	19	<10	61
S8R279239		<20	0.08	<10	<10	29	<10	66
S8R279240		<20	0.06	<10	<10	41	<10	65
S8R279241		<20	0.03	<10	<10	8	<10	41
S8R279242		<20	0.06	<10	<10	30	<10	36
S8R279243		<20	0.04	<10	<10	23	<10	43
S8R279244		<20	0.05	<10	<10	28	<10	40
S8R279245		<20	0.07	<10	<10	34	<10	48
S8R279246		<20	0.08	<10	<10	31	<10	43
S8R279247		<20	0.05	<10	<10	30	<10	37
S8R279248		<20	0.05	<10	<10	31	<10	40
S8R279249		<20	0.05	<10	<10	36	<10	56
S8R279250		<20	0.05	<10	<10	32	<10	52
S8R279251		<20	0.05	<10	<10	32	<10	52
S8R279252		<20	0.05	<10	<10	32	<10	52
S8R279253		<20	0.05	<10	<10	32	<10	52
S8R279254		<20	0.05	<10	<10	32	<10	52
S8R279255		<20	0.05	<10	<10	32	<10	52
S8R279256		<20	0.05	<10	<10	32	<10	52
S8R279257		<20	0.05	<10	<10	32	<10	52
S8R279258		<20	0.05	<10	<10	32	<10	52
S8R279259		<20	0.05	<10	<10	32	<10	52
S8R279260		<20	0.05	<10	<10	32	<10	52
S8R279261		<20	0.05	<10	<10	32	<10	52
S8R279262		<20	0.05	<10	<10	32	<10	52
S8R279263		<20	0.05	<10	<10	32	<10	52
S8R279264		<20	0.05	<10	<10	32	<10	52
S8R279265		<20	0.05	<10	<10	32	<10	52
S8R279266		<20	0.05	<10	<10	32	<10	52
S8R279267		<20	0.05	<10	<10	32	<10	52
S8R279268		<20	0.05	<10	<10	32	<10	52
S8R279269		<20	0.05	<10	<10	32	<10	52
S8R279270		<20	0.05	<10	<10	32	<10	52
S8R279271		<20	0.05	<10	<10	32	<10	52
S8R279272		<20	0.05	<10	<10	32	<10	52
S8R279273		<20	0.05	<10	<10	32	<10	52
S8R279274		<20	0.05	<10	<10	32	<10	52
S8R279275		<20	0.05	<10	<10	32	<10	52
S8R279276		<20	0.05	<10	<10	32	<10	52
S8R279277		<20	0.05	<10	<10	32	<10	52
S8R279278		<20	0.05	<10	<10	32	<10	52
S8R279279		<20	0.05	<10	<10	32	<10	52
S8R279280		<20	0.05	<10	<10	32	<10	52
S8R279281		<20	0.05	<10	<10	32	<10	52
S8R279282		<20	0.05	<10	<10	32	<10	52
S8R279283		<20	0.05	<10	<10	32	<10	52
S8R279284		<20	0.05	<10	<10	32	<10	52
S8R279285		<20	0.05	<10	<10	32	<10	52
S8R279286		<20	0.05	<10	<10	32	<10	52
S8R279287		<20	0.05	<10	<10	32	<10	52
S8R279288		<20	0.05	<10	<10	32	<10	52
S8R279289		<20	0.05	<10	<10	32	<10	52
S8R279290		<20	0.05	<10	<10	32	<10	52
S8R279291		<20	0.05	<10	<10	32	<10	52
S8R279292		<20	0.05	<10	<10	32	<10	52
S8R279293		<20	0.05	<10	<10	32	<10	52
S8R279294		<20	0.05	<10	<10	32	<10	52
S8R279295		<20	0.05	<10	<10	32	<10	52
S8R279296		<20	0.05	<10	<10	32	<10	52
S8R279297		<20	0.05	<10	<10	32	<10	52
S8R279298		<20	0.05	<10	<10	32	<10	52
S8R279299		<20	0.05	<10	<10	32	<10	52
S8R279300		<20	0.05	<10	<10	32	<10	52
S8R279301		<20	0.05	<10	<10	32	<10	52
S8R279302		<20	0.05	<10	<10	32	<10	52
S8R279303		<20	0.05	<10	<10	32	<10	52
S8R279304		<20	0.05	<10	<10	32	<10	52
S8R279305		<20	0.05	<10	<10	32	<10	52
S8R279306		<20	0.05	<10	<10	32	<10	52
S8R279307		<20	0.05	<10	<10	32	<10	52
S8R279308		<20	0.05	<10	<10	32	<10	52
S8R279309		<20	0.05	<10	<10	32	<10	52
S8R279310		<20	0.05	<10	<10	32	<10	52
S8R279311		<20	0.05	<10	<10	32	<10	52
S8R279312		<20	0.05	<10	<10	32	<10	52
S8R279313		<20	0.05	<10	<10	32	<10	52
S8R279314		<20	0.05	<10	<10	32	<10	52
S8R279315		<20	0.05	<10	<10	32	<10	52
S8R279316		<20	0.05	<10	<10	32	<10	52
S8R279317		<20	0.05	<10	<10	32	<10	52
S8R279318		<20	0.05	<10	<10	32	<10	52
S8R279319		<20	0.05	<10	<10	32	<10	52
S8R279320		<20	0.05	<10	<10	32	<10	52
S8R279321		<20	0.05	<10	<10	32	<10	52
S8R279322		<20	0.05	<10	<10	32	<10	52
S8R279323		<20	0.05	<10	<10	32	<10	52
S8R279324		<20	0.05	<10	<10	32	<10	52
S8R279325		<20	0.05	<10	<10	32	<10	52
S8R279326		<20	0.05	<10	<10	32	<10	52
S8R279327		<20	0.05	<10	<10	32	<10	52
S8R279328		<20	0.05	<10	<10	32	<10	52
S8R279329		<20	0.05	<10	<10	32	<10	52
S8R279330		<20	0.05	<10	<10	32	<10	52
S8R279331		<20	0.05	<10	<10	32	<10	52
S8R279332		<20	0.05	<10	<10	32	<10	52
S8R279333		<20	0.05	<10	<10	32	<10	52
S8R279334		<20	0.05	<10	<10	32	<10	52
S8R279335		<20	0.05	<10	<10	32	<10	52
S8R279336		<20	0.05	<10	<10	32	<10	52
S8R279337		<20	0.05	<10	<10	32	<10	52
S8R279338		<20	0.05	<10	<10	32	<10	52
S8R279339		<20	0.05	<10	<10	32	<10	52
S8R279340		<20	0.05	<10	<10	32	<10	52
S8R279341		<20	0.05	<10	<10	32	<10	52
S8R279342		<20	0.05	<10	<10	32	<10	52
S8R279343		<20	0.05	<10	<10	32	<10	52
S8R279344		<20	0.05	<10	<10	32	<10	52
S8R279345		<20	0.05	<10	<10	32	<10	52
S8R279346		<20	0.05	<10	<10	32	<10	52
S8R279347		<20	0.05	<10	<10	32	<10	52
S8R279348		<20	0.05	<10	<10	32	<10	52
S8R279349		<20	0.05	<10	<10	32	<10	52
S8R279350		<20	0.05	<10	<10	32	<10	52
S8R279351		<20	0.05	<10	<10	32	<10	52
S8R279352		<20	0.05	<10	<10	32	<10	52
S8R279353		<20	0.05	<10	<10	32	<10	52
S8R279354		<20	0.05	<10	<10	32	<10	52
S8R279355		<20	0.05	<10	<10	32	<10	52
S8R279356		<20	0.05	<10	<10	32	<10	52
S8R279357		<20	0.05	<10	<10	32	<10	52
S8R279358		<20	0.05	<10	<10	32	<10	52
S8R279359		<20	0.05	<10	<10	32	<10	52
S8R279360		<20	0.05	<10	<10	32	<10	52
S8R279361		<20	0.05	<10	<10	32	<10	52
S8R279362		<20	0.05	<10	<10	32	<10	52
S8R279363		<20	0.05	<10	<10	32	<10	52
S8R279364		<20	0.05	<10	<10	32	<10	52
S8R279365		<20	0.05	<10	<10	32	<10	52
S8R279366		<20	0.05	<10	<10	32	<10	52
S8R279367		<20	0.05	<10	<10	32	<10	52
S8R279368		<20	0.05	<10	<10	32	<10	52
S8R279369		<20	0.05	<10	<10	32	<10	52
S8R279370		<20	0.05	<10	<10	32	<10	52
S8R279371		<20	0.05	<10	<10	32	<10	52
S8R279372		<20	0.05	<10	<10	32	<10	52
S8R279373		<20	0.05	<10	<10	32	<10	52
S8R279374		<20	0.05	<10	<10	32	<10	52
S8R279375		<20	0.05	<10	<10	32	<10	52
S8R279376		<20	0.05	<10	<10	32	<10	52
S8R279377		<20	0.05	<10				



2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

**TO: ECO-TECH LABORATORIES LTD.
10041 DALLAS DR
KAMLOOPS BC V2C 6T4**

Page: 8 - A
Total # Pages: 9 (A - C)
Finalized Date: 6-NOV-2011
Account: UX

Project: Kestrel Gold 11-8255

CERTIFICATE OF ANALYSIS VA11207984

[illegible]



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ECO-TECH LABORATORIES LTD.
10041 DALLAS DR
KAMLOOPS BC V2C 6T4

Page: 8 - B
Total # Pages: 9 (A - C)
Finalized Date: 6-NOV-2011
Account: UX

Project: Kestrel Gold 11-8255

CERTIFICATE OF ANALYSIS VA11207984

Sample Description	Method Analyte Units LOR	ME-ICP41 Ga ppm 10	ME-ICP41 Hg ppm 1	ME-ICP41 K % 0.01	ME-ICP41 La ppm 10	ME-ICP41 Mg % 0.01	ME-ICP41 Mn ppm 5	ME-ICP41 Mo ppm 1	ME-ICP41 Na % 0.01	ME-ICP41 Ni ppm 1	ME-ICP41 P ppm 10	ME-ICP41 Pb ppm 2	ME-ICP41 S % 0.01	ME-ICP41 Sb ppm 2	ME-ICP41 Sc ppm 1	ME-ICP41 Sr ppm 1
SBR279305		10	<1	0.33	<10	1.30	759	<1	<0.01	4	320	4	<0.01	<2	12	0

PDFfill PDF Editor with Free Writer and Tools



2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

**TO: ECO-TECH LABORATORIES LTD.
10041 DALLAS DR
KAMLOOPS BC V2C 6T4**

Page: 8 - C
Total # Pages: 9 (A - C)
Finalized Date: 6-NOV-2011
Account: UX

Project: Kestrel Gold 11-8255

CERTIFICATE OF ANALYSIS VA11207984

[illegible]



2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

**TO: ECO-TECH LABORATORIES LTD.
10041 DALLAS DR
KAMLOOPS BC V2C 6T4**

Page: 9 - A
Total # Pages: 9 (A - C)
Finalized Date: 6-NOV-2011
Account: UX

Project: Kestrel Gold 11-8255

CERTIFICATE OF ANALYSIS VA11207984

Sample Description	Method Analyte Units LOR	WEI-21	Au-AA23	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Recvd Wt.	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
		kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
		0.02	0.005	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
		0.10	0.005	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01



2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

TO: ECO-TECH LABORATORIES LTD.
10041 DALLAS DR
KAMLOOPS BC V2C 6T4

Page: 9 - B
Total # Pages: 9 (A - C)
Finalized Date: 6-NOV-2011
Account: UX

Project: Kestrel Gold 11-8255

CERTIFICATE OF ANALYSIS VA11207984

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
		ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
		10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1

PDFfill PDF Editor with Free Writer and Tools



2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

TO: ECO-TECH LABORATORIES LTD.
10041 DALLAS DR
KAMLOOPS BC V2C 6T4

Page: 9 - C
Total # Pages: 9 (A - C)
Finalized Date: 6-NOV-2011
Account: UX

Project: Kestrel Gold 11-8255

CERTIFICATE OF ANALYSIS VA11207984

[illegible]