



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ECO-TECH LABORATORIES LTD.
10041 DALLAS DR
KAMLOOPS BC V2C 6T4

Page: 1
Finalized Date: 6-NOV-2011
Account: UX

CERTIFICATE VA11207986

Project: Kestrel Gold 11-8295

P.O. No.: Dawson Area

This report is for 213 Pulp samples submitted to our lab in Vancouver, BC, Canada on 13-OCT-2011.

The following have access to data associated with this certificate:

LYNNE BRUCE

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-24	Pulp Login - Rcd w/o Barcode
TRA-21	Transfer sample
LOG-QC	QC Test on Received Samples

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
ME-ICP41	35 Element Aqua Regia ICP-AES	ICP-AES

To: ECO-TECH LABORATORIES LTD.
ATTN: LYNNE BRUCE
10041 DALLAS DR
KAMLOOPS BC V2C 6T4

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:


Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ECO-TECH LABORATORIES LTD.
10041 DALLAS DR
KAMLOOPS BC V2C 6T4

Page: 2 - A
Total # Pages: 7 (A - C)
Finalized Date: 6-NOV-2011
Account: UX

Project: Kestrel Gold 11-8295

CERTIFICATE OF ANALYSIS VA11207986

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-ICP41 Ag ppm	ME-ICP41 Al %	ME-ICP41 As ppm	ME-ICP41 B ppm	ME-ICP41 Ba ppm	ME-ICP41 Be ppm	ME-ICP41 Bi ppm	ME-ICP41 Ca %	ME-ICP41 Cd ppm	ME-ICP41 Co ppm	ME-ICP41 Cr ppm	ME-ICP41 Cu ppm	ME-ICP41 Fe %
		0.02	0.005	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
S11S140101		0.10	<0.005	0.3	1.53	16	<10	310	<0.5	<2	0.58	<0.5	13	42	39	2.65
S11S140102		0.12	<0.005	0.3	1.65	13	<10	340	<0.5	<2	0.49	<0.5	13	39	43	2.80
S11S140103		0.10	<0.005	0.2	1.84	17	<10	300	<0.5	2	0.63	<0.5	16	37	62	3.39
S11S140104		0.10	0.244	0.5	1.46	12	<10	160	<0.5	<2	0.35	<0.5	11	17	68	3.01
S11S140105		0.08	<0.005	0.3	2.01	49	<10	220	<0.5	<2	0.43	<0.5	15	59	60	3.67
S11S140106		0.08	0.019	0.4	2.06	32	<10	200	<0.5	<2	0.45	<0.5	15	53	79	3.91
S11S140107		0.10	0.008	0.3	1.61	16	<10	190	<0.5	<2	0.35	<0.5	12	26	51	3.17
S11S140108		0.10	0.012	0.4	2.03	25	<10	250	<0.5	<2	0.64	<0.5	14	51	71	3.66
S11S140109		0.14	0.008	<0.2	1.23	7	<10	200	<0.5	<2	0.44	<0.5	8	26	26	1.86
S11S140110		0.08	0.018	0.5	1.37	21	<10	190	<0.5	<2	0.34	<0.5	8	16	16	2.38
S11S140111		0.12	0.036	0.3	1.75	39	<10	240	<0.5	<2	0.42	0.9	13	18	25	3.20
S11S140112		0.08	0.011	0.4	1.71	27	<10	200	<0.5	<2	0.44	0.7	10	19	19	2.86
S11S140113		0.14	0.042	0.5	1.84	30	<10	210	<0.5	<2	0.37	0.5	11	20	20	3.03
S11S140114		0.14	0.042	0.5	1.76	25	<10	190	<0.5	2	0.32	0.6	10	20	20	2.87
S11S140115		0.12	0.017	0.4	1.74	31	<10	190	<0.5	2	0.28	0.5	10	19	22	2.98
S11S140116		0.18	0.018	0.3	1.49	38	<10	120	<0.5	<2	0.23	0.7	9	15	20	2.91
S11S140117		0.10	0.015	0.4	1.57	32	<10	170	<0.5	<2	0.27	0.6	9	18	20	2.80
S11S140118		0.12	0.006	0.2	1.54	20	<10	140	<0.5	<2	0.51	0.7	11	13	22	3.28
S11S140119		0.10	0.018	0.2	1.28	21	<10	130	<0.5	<2	0.48	<0.5	7	14	21	2.62
S11S140120		0.14	0.020	<0.2	1.21	21	<10	120	<0.5	<2	0.31	<0.5	9	12	18	2.67
S11S140121		0.14	<0.005	<0.2	3.39	48	<10	170	<0.5	<2	0.07	<0.5	26	16	69	5.95
S11S140122		0.12	<0.005	0.2	1.36	19	<10	130	<0.5	<2	0.08	<0.5	7	13	18	2.32
S11S140123		0.10	<0.005	0.3	2.12	22	<10	150	<0.5	2	0.21	<0.5	15	17	31	4.84
S11S140124		0.12	<0.005	<0.2	0.62	20	<10	90	<0.5	2	0.19	<0.5	4	4	8	1.35
S11S140125		0.08	0.011	<0.2	1.13	30	<10	100	<0.5	<2	0.22	<0.5	9	20	17	2.09
S11S140126		0.08	0.008	<0.2	1.23	11	<10	190	<0.5	<2	0.26	<0.5	7	20	20	2.18
S11S140127		0.12	0.011	<0.2	1.53	15	<10	190	<0.5	<2	0.27	<0.5	7	18	20	2.65
S11S140128		0.10	0.006	<0.2	1.43	10	<10	260	<0.5	<2	0.36	<0.5	8	20	21	2.29
S11S140129		0.10	0.005	<0.2	1.29	17	<10	190	<0.5	<2	0.20	<0.5	7	20	15	2.17
S11S140130		0.08	<0.005	<0.2	1.24	12	<10	110	<0.5	2	0.10	<0.5	5	15	11	1.92
S11S140131		0.16	<0.005	<0.2	2.12	24	<10	250	<0.5	<2	0.19	<0.5	12	35	25	3.42
S11S140132		0.12	<0.005	0.4	2.43	81	<10	300	0.5	<2	0.26	<0.5	18	58	33	3.91
S11S140133		0.14	0.069	<0.2	2.14	40	<10	210	<0.5	<2	0.19	<0.5	15	62	41	3.41
S11S140134		0.10	0.025	<0.2	2.18	50	<10	180	<0.5	<2	0.20	<0.5	16	46	38	3.84
S11S140135		0.08	0.065	0.3	1.85	61	<10	130	<0.5	2	0.07	<0.5	17	43	29	3.47
S11S140136		0.10	0.007	<0.2	2.16	13	<10	160	<0.5	<2	0.17	<0.5	14	16	33	3.98
S11S140137		0.10	0.005	<0.2	2.21	26	<10	160	<0.5	<2	0.18	<0.5	22	23	31	4.46
S11S140138		0.10	0.005	<0.2	2.21	30	<10	140	<0.5	3	0.41	<0.5	15	10	32	4.11
S11S140139		0.14	0.026	0.3	1.82	38	<10	180	<0.5	<2	0.29	0.5	10	10	24	3.48
S11S140140		0.10	<0.005	<0.2	1.55	61	<10	100	<0.5	<2	0.20	<0.5	10	3	14	3.07



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ECO-TECH LABORATORIES LTD.
10041 DALLAS DR
KAMLOOPS BC V2C 6T4

Page: 2 - B
Total # Pages: 7 (A - C)
Finalized Date: 6-NOV-2011
Account: UX

Project: Kestrel Gold 11-8295

CERTIFICATE OF ANALYSIS VA11207986

Sample Description	Method Analyte Units LOR	ME-ICP41 Ga ppm 10	ME-ICP41 Hg ppm 1	ME-ICP41 K % 0.01	ME-ICP41 La ppm 10	ME-ICP41 Mg % 0.01	ME-ICP41 Mn ppm 5	ME-ICP41 Mo ppm 1	ME-ICP41 Na % 0.01	ME-ICP41 Ni ppm 1	ME-ICP41 P ppm 10	ME-ICP41 Pb ppm 2	ME-ICP41 S % 0.01	ME-ICP41 Sb ppm 2	ME-ICP41 Sc ppm 1	ME-ICP41 Sr ppm 1
S11S140101		<10	1	0.04	10	0.85	543	<1	0.01	36	620	11	0.03	<2	4	30
S11S140102		<10	1	0.05	10	0.90	493	<1	0.01	33	670	6	0.03	<2	5	27
S11S140103		10	<1	0.05	10	1.01	625	1	0.01	32	810	7	0.04	<2	5	33
S11S140104		10	<1	0.16	10	0.77	326	1	0.01	14	620	94	0.01	<2	3	19
S11S140105		10	<1	0.04	10	1.23	420	1	0.01	48	610	12	0.02	<2	5	25
S11S140106		10	<1	0.08	10	1.33	596	1	0.01	41	570	19	0.01	<2	5	27
S11S140107		10	<1	0.06	10	0.80	382	1	0.02	20	630	7	0.01	<2	4	21
S11S140108		10	<1	0.06	10	1.22	446	1	0.02	41	810	8	0.05	<2	6	34
S11S140109		<10	<1	0.03	10	0.65	194	1	0.01	19	640	8	0.05	<2	3	23
S11S140110		<10	<1	0.03	10	0.69	283	1	0.01	11	600	39	0.03	<2	4	20
S11S140111		10	<1	0.04	10	0.92	1675	1	0.01	12	570	43	0.03	<2	5	27
S11S140112		10	<1	0.05	10	0.85	700	1	0.01	12	610	49	0.03	<2	5	28
S11S140113		10	<1	0.05	10	0.93	599	1	0.01	13	580	45	0.03	<2	5	23
S11S140114		10	<1	0.05	10	0.90	485	1	0.01	13	510	32	0.02	<2	5	21
S11S140115		10	<1	0.05	10	0.91	414	1	0.01	12	540	29	0.02	<2	5	18
S11S140116		<10	<1	0.04	10	0.85	419	1	0.01	10	440	31	0.02	<2	4	14
S11S140117		10	1	0.05	10	0.83	425	1	0.01	11	480	39	0.02	<2	4	17
S11S140118		10	<1	0.13	10	1.12	617	2	0.01	8	500	17	0.03	<2	4	24
S11S140119		10	<1	0.09	10	0.78	419	1	0.01	8	560	16	0.02	<2	4	25
S11S140120		<10	<1	0.18	10	0.88	504	1	<0.01	8	690	17	0.01	<2	4	14
S11S140121		10	<1	0.06	<10	2.19	792	<1	0.01	18	250	4	0.01	<2	12	6
S11S140122		10	<1	0.04	10	0.46	315	1	0.01	7	530	13	0.02	<2	3	10
S11S140123		10	<1	0.05	10	1.00	1095	1	0.01	11	370	12	0.01	<2	8	18
S11S140124		<10	<1	0.06	10	0.32	403	<1	0.01	4	590	10	0.01	<2	3	13
S11S140125		<10	<1	0.06	10	0.82	512	1	0.01	18	410	14	0.01	<2	4	14
S11S140126		<10	<1	0.04	10	0.60	302	1	0.01	15	540	8	0.01	<2	4	18
S11S140127		<10	<1	0.05	10	0.84	306	1	0.01	14	630	10	0.01	<2	4	21
S11S140128		<10	<1	0.04	10	0.53	234	1	0.01	16	690	6	0.02	<2	4	28
S11S140129		<10	<1	0.04	10	0.49	281	1	0.01	14	400	11	0.01	<2	3	15
S11S140130		<10	<1	0.05	10	0.42	209	1	0.01	9	170	9	<0.01	<2	2	10
S11S140131		10	<1	0.05	10	1.21	575	1	0.01	17	230	8	0.01	<2	7	14
S11S140132		10	<1	0.04	10	1.35	1140	1	0.02	27	390	15	0.02	<2	8	19
S11S140133		10	<1	0.03	10	1.48	538	<1	0.01	29	180	10	0.01	<2	9	14
S11S140134		10	<1	0.04	10	1.45	663	1	0.01	21	350	7	0.01	<2	10	14
S11S140135		10	<1	0.07	10	0.97	776	1	0.01	21	310	13	0.01	<2	6	9
S11S140136		10	<1	0.08	10	1.25	500	1	0.01	12	270	7	0.01	<2	9	12
S11S140137		10	<1	0.07	10	1.38	2100	1	0.01	11	470	18	0.01	<2	10	12
S11S140138		10	<1	0.05	10	1.36	653	1	0.01	9	380	5	0.01	<2	9	17
S11S140139		10	<1	0.04	10	1.05	592	1	<0.01	9	460	66	0.01	<2	5	14
S11S140140		<10	<1	0.08	10	0.87	705	<1	<0.01	3	640	15	<0.01	<2	4	8



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ECO-TECH LABORATORIES LTD.
 10041 DALLAS DR
 KAMLOOPS BC V2C 6T4

Page: 2 - C
 Total # Pages: 7 (A - C)
 Finalized Date: 6-NOV-2011
 Account: UX

Project: Kestrel Gold 11-8295

CERTIFICATE OF ANALYSIS VA11207986

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Th	Ti	Ti	U	V	W	Zn
		ppm 20	% 0.01	ppm 10	ppm 10	ppm 1	ppm 10	ppm 2
S11S140101		<20	0.05	<10	<10	62	<10	64
S11S140102		<20	0.05	<10	<10	68	<10	70
S11S140103		<20	0.06	<10	<10	84	<10	74
S11S140104		<20	0.07	<10	<10	80	<10	70
S11S140105		<20	0.06	<10	<10	86	<10	76
S11S140106		<20	0.07	<10	<10	93	<10	87
S11S140107		<20	0.07	<10	<10	72	<10	65
S11S140108		<20	0.04	<10	<10	76	<10	79
S11S140109		<20	0.04	<10	<10	47	<10	55
S11S140110		<20	0.03	<10	<10	43	<10	84
S11S140111		<20	0.03	<10	<10	53	<10	98
S11S140112		<20	0.03	<10	<10	47	<10	110
S11S140113		<20	0.03	<10	<10	48	<10	109
S11S140114		<20	0.03	<10	<10	47	<10	100
S11S140115		<20	0.03	<10	<10	48	<10	98
S11S140116		<20	0.03	<10	<10	44	<10	95
S11S140117		<20	0.04	<10	<10	44	<10	91
S11S140118		<20	0.05	<10	<10	45	<10	82
S11S140119		<20	0.04	<10	<10	36	<10	69
S11S140120		<20	0.06	<10	<10	44	<10	67
S11S140121		<20	0.05	<10	<10	172	<10	81
S11S140122		<20	0.03	<10	<10	55	<10	38
S11S140123		<20	0.05	<10	<10	148	<10	61
S11S140124		<20	0.03	<10	<10	14	<10	34
S11S140125		<20	0.02	<10	<10	26	<10	54
S11S140126		<20	0.03	<10	<10	40	<10	45
S11S140127		<20	0.04	<10	<10	48	<10	55
S11S140128		<20	0.04	<10	<10	41	<10	44
S11S140129		<20	0.03	<10	<10	36	<10	45
S11S140130		<20	0.02	<10	<10	28	<10	38
S11S140131		<20	0.04	<10	<10	80	<10	54
S11S140132		<20	0.03	<10	<10	94	<10	61
S11S140133		<20	0.04	<10	<10	75	<10	57
S11S140134		<20	0.05	<10	<10	99	<10	59
S11S140135		<20	0.04	<10	<10	71	<10	48
S11S140136		<20	0.08	<10	<10	120	<10	65
S11S140137		<20	0.06	<10	<10	132	<10	69
S11S140138		<20	0.04	<10	<10	108	<10	69
S11S140139		<20	0.02	<10	<10	54	<10	120
S11S140140		<20	0.02	<10	<10	42	<10	73



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ECO-TECH LABORATORIES LTD.
10041 DALLAS DR
KAMLOOPS BC V2C 6T4

Page: 3 - A
Total # Pages: 7 (A - C)
Finalized Date: 6-NOV-2011
Account: UX

Project: Kestrel Gold 11-8295

CERTIFICATE OF ANALYSIS VA11207986

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppm 0.005	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01
S11S140141		0.08	0.006	0.3	1.48	57	<10	100	<0.5	<2	0.11	<0.5	9	11	17	2.80
S11S140142		0.10	<0.005	0.3	1.85	54	<10	80	<0.5	<2	0.06	<0.5	8	3	14	3.50
S11S140143		0.08	0.015	0.4	1.73	105	<10	100	<0.5	<2	0.09	1.0	10	8	21	3.49
S11S140144		0.08	0.048	2.1	1.43	94	<10	140	<0.5	<2	0.11	1.4	7	17	24	2.62
S11S140145		0.08	0.011	0.4	1.51	64	<10	130	<0.5	<2	0.12	0.8	8	12	18	2.80
S11S140146		0.08	<0.005	0.3	1.32	27	<10	90	<0.5	<2	0.06	<0.5	8	12	11	2.47
S11S140147		0.10	<0.005	0.3	1.43	12	<10	110	<0.5	<2	0.12	<0.5	9	15	14	2.43
S11S140148		0.10	0.028	0.6	1.33	94	<10	120	<0.5	<2	0.12	0.8	12	12	15	2.82
S11S140149		0.10	0.043	0.4	1.19	83	<10	100	<0.5	2	0.10	<0.5	8	2	13	2.37
S11S140150		0.10	0.013	0.3	1.39	93	<10	80	<0.5	<2	0.10	<0.5	10	3	22	2.96
S11S140151		0.10	0.024	0.3	1.43	69	<10	90	<0.5	<2	0.24	<0.5	13	17	41	2.86
S11S140152		0.08	<0.005	0.9	1.56	55	<10	140	<0.5	<2	0.11	0.8	12	12	23	2.93
S11S140153		0.10	0.099	0.8	2.39	131	<10	110	<0.5	<2	0.08	<0.5	12	19	39	4.03
S11S140154		0.10	0.029	0.8	2.16	114	<10	150	<0.5	<2	0.11	<0.5	18	22	42	3.81
S11S140155		0.14	0.025	0.6	1.53	126	<10	120	<0.5	<2	0.15	0.5	12	15	30	2.83
S11S140156		0.10	<0.005	0.3	1.61	40	<10	160	<0.5	<2	0.10	<0.5	11	18	25	3.08
S11S140157		0.14	0.444	0.3	1.19	49	<10	110	<0.5	<2	1.35	<0.5	7	26	48	2.92
S11S140159		0.14	0.005	0.3	1.85	34	<10	180	<0.5	<2	0.17	<0.5	11	18	24	3.38
S11S140160		0.08	<0.005	0.4	1.53	16	<10	270	<0.5	<2	0.33	<0.5	9	33	21	2.41
S11S140161		0.08	<0.005	1.0	1.75	24	<10	180	<0.5	<2	0.14	<0.5	17	29	14	3.26
S11S140162		0.10	0.009	0.3	1.53	75	<10	190	<0.5	2	0.20	<0.5	9	24	21	2.84
S11S140163		0.12	0.011	0.4	2.19	84	<10	190	<0.5	<2	0.25	<0.5	14	15	41	4.21
S11S140164		0.10	0.006	0.7	1.65	69	<10	150	<0.5	<2	0.14	<0.5	11	11	25	3.36
S11S140165		0.14	<0.005	0.4	1.52	36	<10	130	<0.5	<2	0.15	<0.5	9	11	18	3.01
S11S140166		0.12	0.005	0.2	1.51	28	<10	110	<0.5	<2	0.07	<0.5	9	11	18	2.98
S11S140167		0.14	<0.005	0.4	1.44	20	<10	240	<0.5	<2	0.35	<0.5	10	19	23	2.53
S11S140168		0.10	0.015	0.4	2.26	29	<10	190	<0.5	<2	0.51	<0.5	14	16	38	3.88
S11S140169		0.16	0.016	0.4	1.72	38	<10	170	<0.5	<2	0.12	<0.5	10	20	26	2.98
S11S140170		0.12	0.010	0.4	1.46	21	<10	130	<0.5	<2	0.11	<0.5	8	16	23	2.34
S11S140171		0.14	0.010	0.6	1.59	31	<10	130	<0.5	<2	0.11	<0.5	8	18	26	2.70
S11S140172		0.14	<0.005	0.2	1.94	109	<10	70	<0.5	<2	0.07	<0.5	15	7	35	3.60
S11S140173		0.14	<0.005	<0.2	2.03	28	<10	230	<0.5	<2	0.14	<0.5	15	21	37	3.50
S11S140174		0.10	0.020	<0.2	1.92	39	<10	160	<0.5	3	0.08	<0.5	10	25	34	3.04
S11S140175		0.10	<0.005	0.2	1.82	41	<10	170	<0.5	<2	0.10	<0.5	11	24	41	2.94
S11S140176		0.12	<0.005	<0.2	2.23	54	<10	210	<0.5	2	0.12	<0.5	11	32	57	3.63
S11S140177		0.12	<0.005	<0.2	1.94	49	<10	140	<0.5	<2	0.10	<0.5	11	27	49	3.31
S11S140178		0.14	0.008	0.2	2.02	54	<10	190	<0.5	2	0.13	<0.5	13	28	57	3.55
S8R279315		0.10	<0.005	0.2	1.92	13	<10	130	<0.5	<2	0.76	<0.5	17	105	42	2.72
S8R279316		0.08	<0.005	<0.2	1.48	17	<10	140	<0.5	2	0.99	<0.5	15	78	33	2.19
S8R279317		0.10	<0.005	0.2	1.68	13	<10	200	<0.5	<2	0.47	<0.5	12	71	30	2.36



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ECO-TECH LABORATORIES LTD.
10041 DALLAS DR
KAMLOOPS BC V2C 6T4

Page: 3 - B
Total # Pages: 7 (A - C)
Finalized Date: 6-NOV-2011
Account: UX

Project: Kestrel Gold 11-8295

CERTIFICATE OF ANALYSIS VA11207986

Sample Description	Method Analyte Units LOR	ME-ICP41 Ga ppm 10	ME-ICP41 Hg ppm 1	ME-ICP41 K % 0.01	ME-ICP41 La ppm 10	ME-ICP41 Mg % 0.01	ME-ICP41 Mn ppm 5	ME-ICP41 Mo ppm 1	ME-ICP41 Na % 0.01	ME-ICP41 Ni ppm 1	ME-ICP41 P ppm 10	ME-ICP41 Pb ppm 2	ME-ICP41 S % 0.01	ME-ICP41 Sb ppm 2	ME-ICP41 Sc ppm 1	ME-ICP41 Sr ppm 1
S11S140141		<10	<1	0.04	10	0.60	350	<1	<0.01	9	280	39	0.01	<2	4	10
S11S140142		<10	<1	0.05	10	0.69	344	<1	<0.01	3	270	13	<0.01	<2	4	6
S11S140143		<10	<1	0.04	10	0.75	474	<1	<0.01	5	370	51	<0.01	<2	3	7
S11S140144		<10	<1	0.04	10	0.46	417	1	0.01	11	380	203	0.01	<2	3	12
S11S140145		<10	<1	0.07	10	0.70	341	1	<0.01	8	370	64	<0.01	<2	3	9
S11S140146		<10	1	0.04	10	0.60	364	1	<0.01	7	330	6	<0.01	<2	4	6
S11S140147		<10	1	0.04	10	0.59	352	1	<0.01	12	430	7	<0.01	<2	2	9
S11S140148		<10	<1	0.05	10	0.60	1090	1	<0.01	9	650	40	0.01	2	2	10
S11S140149		<10	1	0.04	10	0.50	700	<1	<0.01	2	590	7	<0.01	<2	3	5
S11S140150		<10	<1	0.05	10	0.78	623	<1	<0.01	3	600	10	<0.01	<2	4	6
S11S140151		<10	<1	0.03	10	1.05	627	<1	<0.01	14	730	21	<0.01	<2	5	12
S11S140152		<10	<1	0.04	10	0.70	970	<1	<0.01	9	550	27	0.01	<2	3	9
S11S140153		<10	1	0.04	10	1.39	504	<1	<0.01	15	250	36	<0.01	<2	6	8
S11S140154		<10	<1	0.04	10	1.40	688	<1	<0.01	17	370	25	<0.01	<2	5	10
S11S140155		<10	<1	0.03	10	0.96	530	<1	<0.01	12	390	47	<0.01	2	4	11
S11S140156		10	<1	0.05	10	0.82	489	1	0.01	10	300	6	<0.01	<2	5	10
S11S140157		<10	1	0.10	<10	0.57	395	9	0.07	30	720	2	0.11	2	4	39
S11S140159		10	1	0.03	10	1.13	429	<1	0.01	10	200	5	<0.01	<2	7	12
S11S140160		<10	<1	0.04	10	0.74	326	<1	0.01	17	410	7	0.01	<2	5	21
S11S140161		10	1	0.05	10	0.57	813	1	0.01	13	340	8	0.01	3	4	13
S11S140162		<10	<1	0.05	10	0.75	354	1	0.01	14	320	6	<0.01	<2	4	14
S11S140163		10	<1	0.05	10	1.31	705	<1	0.01	13	390	8	<0.01	<2	9	18
S11S140164		10	<1	0.07	10	0.77	516	1	<0.01	10	460	8	0.01	<2	5	11
S11S140165		<10	1	0.07	10	0.74	378	<1	<0.01	10	400	6	<0.01	<2	4	12
S11S140166		<10	<1	0.07	10	0.73	359	1	<0.01	8	300	6	0.01	<2	4	9
S11S140167		<10	1	0.03	10	0.84	324	<1	0.01	12	530	6	0.02	<2	5	21
S11S140168		10	1	0.04	10	1.36	517	1	<0.01	13	530	9	0.01	<2	9	21
S11S140169		<10	<1	0.03	10	0.81	330	<1	0.01	12	570	10	0.01	<2	3	10
S11S140170		<10	1	0.02	10	0.71	232	<1	<0.01	11	510	7	<0.01	<2	2	9
S11S140171		<10	<1	0.03	10	0.75	272	<1	<0.01	12	560	7	0.01	<2	2	9
S11S140172		10	<1	0.03	10	1.29	623	<1	<0.01	8	400	4	<0.01	<2	4	6
S11S140173		<10	<1	0.03	10	0.96	552	<1	<0.01	18	330	5	<0.01	<2	7	13
S11S140174		<10	1	0.03	10	0.81	346	1	<0.01	18	270	6	<0.01	<2	4	9
S11S140175		<10	1	0.03	10	0.91	411	<1	<0.01	17	360	9	<0.01	<2	4	9
S11S140176		10	<1	0.03	10	1.19	564	<1	0.01	21	460	15	<0.01	2	5	10
S11S140177		10	<1	0.03	10	1.14	546	<1	0.01	19	470	13	<0.01	<2	4	8
S11S140178		10	<1	0.03	10	1.21	626	<1	<0.01	21	430	13	<0.01	<2	5	9
S8R279315		10	<1	0.03	10	1.69	421	<1	0.01	71	460	8	0.02	2	6	49
S8R279316		<10	<1	0.03	10	1.16	720	<1	0.01	56	490	8	0.03	<2	4	60
S8R279317		10	<1	0.03	10	1.19	352	<1	0.01	39	510	11	0.03	<2	5	30



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ECO-TECH LABORATORIES LTD.
 10041 DALLAS DR
 KAMLOOPS BC V2C 6T4

Page: 3 - C
 Total # Pages: 7 (A - C)
 Finalized Date: 6-NOV-2011
 Account: UX

Project: Kestrel Gold 11-8295

CERTIFICATE OF ANALYSIS VA11207986

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Th	Ti	Ti	U	V	W	Zn
		ppm 20	% 0.01	ppm 10	ppm 10	ppm 1	ppm 10	ppm 2
S11S140141		<20	0.03	<10	<10	38	<10	60
S11S140142		<20	0.02	<10	<10	39	<10	66
S11S140143		<20	0.02	<10	<10	39	<10	139
S11S140144		<20	0.03	<10	<10	46	<10	171
S11S140145		<20	0.04	<10	<10	45	<10	117
S11S140146		<20	0.03	<10	<10	43	<10	45
S11S140147		<20	0.04	<10	<10	40	<10	52
S11S140148		<20	0.03	<10	<10	42	<10	85
S11S140149		<20	0.01	<10	<10	24	<10	47
S11S140150		<20	0.03	<10	<10	39	<10	54
S11S140151		<20	0.02	<10	<10	41	<10	72
S11S140152		<20	0.03	<10	<10	46	<10	65
S11S140153		<20	0.03	<10	<10	68	<10	88
S11S140154		<20	0.04	<10	<10	57	<10	60
S11S140155		<20	0.02	<10	<10	45	<10	79
S11S140156		<20	0.06	<10	<10	94	<10	49
S11S140157		<20	0.11	<10	<10	50	<10	54
S11S140159		<20	0.06	<10	<10	110	<10	51
S11S140160		<20	0.04	<10	<10	53	<10	46
S11S140161		<20	0.05	<10	<10	74	<10	51
S11S140162		<20	0.04	<10	<10	63	<10	48
S11S140163		<20	0.04	<10	<10	111	<10	65
S11S140164		<20	0.05	<10	<10	89	<10	55
S11S140165		<20	0.05	<10	<10	66	<10	55
S11S140166		<20	0.04	<10	<10	68	<10	55
S11S140167		<20	0.04	<10	<10	66	<10	53
S11S140168		<20	0.03	<10	<10	94	<10	82
S11S140169		<20	0.03	<10	<10	50	<10	66
S11S140170		<20	0.02	<10	<10	42	<10	56
S11S140171		<20	0.02	<10	<10	48	<10	61
S11S140172		<20	0.02	<10	<10	63	<10	65
S11S140173		<20	0.05	<10	<10	71	<10	66
S11S140174		<20	0.03	<10	<10	54	<10	75
S11S140175		<20	0.03	<10	<10	48	<10	82
S11S140176		<20	0.03	<10	<10	61	<10	101
S11S140177		<20	0.03	<10	<10	50	<10	102
S11S140178		<20	0.03	<10	<10	52	<10	100
S8R279315		<20	0.04	<10	<10	54	<10	49
S8R279316		<20	0.03	<10	<10	42	<10	41
S8R279317		<20	0.03	<10	<10	50	<10	50



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ECO-TECH LABORATORIES LTD.
10041 DALLAS DR
KAMLOOPS BC V2C 6T4

Page: 4 - A
Total # Pages: 7 (A - C)
Finalized Date: 6-NOV-2011
Account: UX

Project: Kestrel Gold 11-8295

CERTIFICATE OF ANALYSIS VA11207986

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppm 0.005	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01
S8R279318		0.12	<0.005	<0.2	1.16	7	<10	170	<0.5	2	0.48	<0.5	8	54	17	1.68
S8R279319		0.10	<0.005	<0.2	1.35	5	<10	250	<0.5	3	0.53	<0.5	10	47	24	2.09
S8R279320		0.10	<0.005	<0.2	1.42	12	<10	270	<0.5	3	0.40	<0.5	10	42	22	2.35
S8R279321		0.16	<0.005	<0.2	1.07	4	<10	210	<0.5	<2	0.32	<0.5	8	36	13	1.63
S8R279322		0.08	<0.005	<0.2	1.19	6	<10	210	<0.5	<2	0.40	<0.5	7	36	10	1.81
S8R279323		0.14	<0.005	<0.2	1.21	9	<10	210	<0.5	2	0.26	<0.5	6	28	13	2.02
S8R279324		0.10	0.006	0.3	2.50	15	<10	210	0.8	3	0.10	0.5	14	36	39	2.92
S8R279325		0.10	0.005	0.2	1.30	9	<10	200	<0.5	2	0.27	<0.5	5	30	10	1.95
S8R279326		0.12	<0.005	<0.2	1.41	15	<10	240	<0.5	3	0.30	<0.5	6	29	18	2.67
S8R279327		0.12	0.022	<0.2	1.34	9	<10	250	<0.5	2	0.29	<0.5	8	28	19	2.28
S8R279328		0.08	0.007	<0.2	1.30	6	<10	220	<0.5	2	0.28	<0.5	5	30	13	2.19
S8R279329		0.06	<0.005	<0.2	1.21	12	<10	220	<0.5	3	0.23	<0.5	6	38	15	2.20
S8R279330		0.10	<0.005	<0.2	1.53	12	<10	210	<0.5	<2	0.25	<0.5	11	53	32	2.64
S8R279331		0.10	0.005	0.3	1.81	12	<10	300	<0.5	2	0.34	<0.5	18	78	29	3.10
S8R279332		0.04	0.006	0.2	1.23	19	<10	230	<0.5	2	0.42	<0.5	16	126	14	2.59
S8R279333		0.04	<0.005	<0.2	1.55	9	<10	210	<0.5	3	0.38	<0.5	9	95	11	2.49
S8R279334		0.10	0.007	<0.2	1.22	16	<10	220	<0.5	3	0.38	<0.5	8	63	14	2.17
S8R279335		0.12	<0.005	<0.2	1.22	7	<10	190	<0.5	2	0.28	<0.5	9	116	21	2.00
S8R279336		0.12	0.010	<0.2	1.22	10	<10	250	<0.5	2	0.31	<0.5	7	29	21	2.03
S8R279337		0.10	<0.005	<0.2	1.08	11	<10	180	<0.5	2	0.31	<0.5	7	31	15	2.16
S8R279338		0.08	0.019	0.2	1.15	10	<10	290	<0.5	<2	0.43	<0.5	9	37	17	2.12
S8R279339		0.08	<0.005	0.2	1.19	11	<10	280	<0.5	<2	0.42	<0.5	9	31	19	2.09
S8R279340		0.08	0.005	<0.2	1.31	9	<10	310	<0.5	2	0.38	<0.5	8	36	18	1.98
S8R279341		0.06	0.012	<0.2	1.28	13	<10	210	<0.5	<2	0.36	<0.5	10	39	19	2.18
S8R279342		0.04	<0.005	<0.2	1.44	7	<10	220	<0.5	2	0.69	<0.5	12	52	23	2.46
S8R279343		0.04	0.005	<0.2	0.92	9	<10	190	<0.5	2	0.25	<0.5	5	16	7	1.53
S8R279344		0.08	<0.005	<0.2	1.06	14	<10	170	<0.5	2	0.27	<0.5	6	19	11	2.73
S8R279345		0.10	<0.005	<0.2	2.57	25	<10	90	<0.5	2	0.22	<0.5	17	7	33	5.33
S8R279346		0.06	<0.005	<0.2	1.90	34	<10	90	<0.5	<2	0.14	<0.5	9	13	19	3.67
S8R279347		0.08	0.045	<0.2	2.00	39	<10	100	<0.5	<2	0.19	<0.5	10	8	21	3.92
S8R279348		0.08	0.086	0.2	1.93	118	<10	140	<0.5	3	0.20	<0.5	12	17	26	3.58
S8R279349		0.04	0.052	<0.2	1.95	186	<10	130	<0.5	2	0.27	<0.5	13	15	25	3.72
S8R279350		0.02	0.071	<0.2	1.87	232	<10	110	<0.5	2	0.41	<0.5	12	13	24	3.58
S8R279351		0.06	0.028	<0.2	1.84	144	<10	130	<0.5	3	0.26	<0.5	12	15	23	3.48
S8R279352		0.06	<0.005	0.6	1.88	31	<10	110	<0.5	4	0.26	<0.5	13	14	24	3.43
S8R279353		0.06	0.010	<0.2	1.89	61	<10	140	<0.5	4	0.24	<0.5	10	21	22	3.30
S8R279354		0.08	0.024	<0.2	2.04	77	<10	140	<0.5	4	0.17	<0.5	12	19	23	3.57
S8R279355		0.04	0.009	0.2	1.73	88	<10	140	<0.5	5	0.23	<0.5	10	17	19	3.03
S8R279356		0.06	0.020	0.2	2.11	142	<10	190	<0.5	4	0.27	<0.5	12	19	26	3.77
S8R279357		0.06	0.022	0.3	1.87	120	<10	150	<0.5	3	0.17	<0.5	9	18	24	3.31



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ECO-TECH LABORATORIES LTD.
10041 DALLAS DR
KAMLOOPS BC V2C 6T4

Page: 4 - B
Total # Pages: 7 (A - C)
Finalized Date: 6-NOV-2011
Account: UX

Project: Kestrel Gold 11-8295

CERTIFICATE OF ANALYSIS VA11207986

Sample Description	Method Analyte Units LOR	ME-ICP41 Ga ppm 10	ME-ICP41 Hg ppm 1	ME-ICP41 K % 0.01	ME-ICP41 La ppm 10	ME-ICP41 Mg % 0.01	ME-ICP41 Mn ppm 5	ME-ICP41 Mo ppm 1	ME-ICP41 Na % 0.01	ME-ICP41 Ni ppm 1	ME-ICP41 P ppm 10	ME-ICP41 Pb ppm 2	ME-ICP41 S % 0.01	ME-ICP41 Sb ppm 2	ME-ICP41 Sc ppm 1	ME-ICP41 Sr ppm 1
S8R279318		<10	<1	0.02	10	0.80	293	<1	0.01	31	680	6	0.02	<2	4	29
S8R279319		10	<1	0.03	10	0.69	279	<1	0.01	28	570	11	0.03	<2	4	35
S8R279320		<10	<1	0.03	10	0.62	246	<1	0.01	24	630	10	0.05	<2	4	27
S8R279321		<10	<1	0.03	10	0.49	168	<1	0.01	22	500	9	0.02	<2	3	23
S8R279322		<10	<1	0.04	10	0.51	274	<1	0.01	21	670	9	0.02	<2	3	27
S8R279323		<10	<1	0.04	10	0.40	248	<1	0.01	17	600	11	0.01	<2	3	21
S8R279324		10	<1	0.04	10	0.43	366	<1	0.01	30	320	19	0.01	2	4	12
S8R279325		<10	<1	0.04	10	0.50	151	<1	0.01	17	640	11	0.02	<2	3	19
S8R279326		10	<1	0.04	10	0.50	159	<1	0.01	19	630	14	0.02	<2	3	21
S8R279327		<10	<1	0.04	10	0.53	166	<1	0.01	17	630	14	0.01	<2	4	21
S8R279328		<10	<1	0.04	10	0.53	138	<1	0.01	16	610	11	0.03	<2	3	20
S8R279329		<10	<1	0.04	10	0.55	164	<1	0.01	20	640	11	0.03	<2	3	18
S8R279330		<10	<1	0.06	10	0.84	238	<1	<0.01	26	470	11	0.01	<2	4	17
S8R279331		10	<1	0.07	20	1.02	689	<1	0.01	43	640	14	0.02	<2	5	21
S8R279332		<10	<1	0.05	20	0.89	778	1	0.01	71	560	20	0.02	<2	4	32
S8R279333		10	<1	0.05	10	0.67	335	<1	0.01	45	420	13	0.03	<2	3	31
S8R279334		<10	<1	0.05	20	0.71	305	1	0.01	44	520	15	0.02	<2	3	25
S8R279335		<10	<1	0.04	10	0.84	215	<1	0.01	48	470	11	<0.01	<2	3	19
S8R279336		10	<1	0.04	20	0.50	296	<1	0.01	17	550	16	0.01	<2	3	22
S8R279337		<10	<1	0.04	10	0.53	172	<1	0.01	17	570	14	0.01	<2	3	21
S8R279338		<10	<1	0.04	10	0.50	389	<1	0.01	19	590	16	0.03	<2	3	30
S8R279339		<10	<1	0.04	10	0.50	269	<1	0.01	18	550	16	0.03	<2	3	30
S8R279340		10	1	0.03	10	0.51	340	<1	0.01	18	630	14	0.05	<2	3	29
S8R279341		<10	<1	0.04	10	0.61	271	<1	0.01	21	590	13	0.01	<2	3	25
S8R279342		10	<1	0.07	10	0.90	425	<1	0.01	24	640	9	0.02	<2	4	39
S8R279343		<10	<1	0.04	20	0.31	185	1	0.01	9	340	13	0.01	<2	2	20
S8R279344		<10	<1	0.06	20	0.48	215	1	<0.01	13	690	24	0.01	<2	2	20
S8R279345		10	<1	0.16	<10	1.97	879	<1	<0.01	3	770	8	<0.01	<2	11	11
S8R279346		10	<1	0.05	10	1.04	353	<1	<0.01	6	410	9	<0.01	<2	5	10
S8R279347		10	<1	0.09	<10	1.37	478	<1	<0.01	4	460	9	<0.01	<2	7	9
S8R279348		10	<1	0.05	10	1.24	507	1	0.01	15	320	12	<0.01	<2	6	15
S8R279349		10	<1	0.06	10	1.27	633	<1	0.01	10	480	9	<0.01	<2	6	17
S8R279350		<10	<1	0.07	<10	1.38	590	<1	0.01	10	550	21	<0.01	<2	5	22
S8R279351		<10	<1	0.05	10	1.18	545	<1	0.01	11	430	10	<0.01	<2	5	15
S8R279352		10	<1	0.04	10	1.29	621	<1	0.01	12	410	9	<0.01	<2	5	15
S8R279353		10	<1	0.05	10	1.03	393	<1	0.01	14	330	13	0.01	<2	4	17
S8R279354		10	<1	0.04	10	1.21	524	<1	0.01	12	260	13	<0.01	<2	5	13
S8R279355		<10	<1	0.05	10	0.92	508	<1	0.01	11	380	11	0.01	<2	4	16
S8R279356		10	<1	0.06	10	1.08	763	<1	0.02	13	530	15	0.01	<2	5	19
S8R279357		10	<1	0.06	10	0.82	378	<1	0.01	12	550	19	0.01	<2	3	13



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ECO-TECH LABORATORIES LTD.
 10041 DALLAS DR
 KAMLOOPS BC V2C 6T4

Page: 4 - C
 Total # Pages: 7 (A - C)
 Finalized Date: 6-NOV-2011
 Account: UX

Project: Kestrel Gold 11-8295

CERTIFICATE OF ANALYSIS VA11207986

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Th	Ti	Ti	U	V	W	Zn
		ppm 20	% 0.01	ppm 10	ppm 10	ppm 1	ppm 10	ppm 2
S8R279318		<20	0.03	<10	<10	35	<10	38
S8R279319		<20	0.03	<10	<10	40	<10	52
S8R279320		<20	0.03	<10	<10	44	<10	47
S8R279321		<20	0.03	<10	<10	30	<10	43
S8R279322		<20	0.04	<10	<10	35	<10	53
S8R279323		<20	0.04	<10	<10	40	<10	46
S8R279324		<20	0.06	<10	<10	51	<10	56
S8R279325		<20	0.05	<10	<10	41	<10	50
S8R279326		<20	0.05	<10	<10	54	<10	59
S8R279327		<20	0.05	<10	<10	47	<10	60
S8R279328		<20	0.04	<10	<10	43	<10	48
S8R279329		<20	0.04	<10	<10	44	<10	47
S8R279330		<20	0.07	<10	<10	61	<10	54
S8R279331		<20	0.06	<10	<10	63	<10	68
S8R279332		<20	0.03	<10	<10	37	<10	64
S8R279333		<20	0.04	<10	<10	59	<10	41
S8R279334		<20	0.03	<10	<10	34	<10	52
S8R279335		<20	0.05	<10	<10	35	<10	50
S8R279336		<20	0.04	<10	<10	34	<10	54
S8R279337		<20	0.04	<10	<10	34	<10	51
S8R279338		<20	0.04	<10	<10	35	<10	50
S8R279339		<20	0.04	<10	<10	40	<10	48
S8R279340		<20	0.03	<10	<10	43	<10	48
S8R279341		<20	0.05	<10	<10	44	<10	55
S8R279342		<20	0.06	<10	<10	60	<10	51
S8R279343		<20	0.04	<10	<10	29	<10	36
S8R279344		<20	0.05	<10	<10	35	<10	61
S8R279345		<20	0.10	<10	<10	140	<10	91
S8R279346		<20	0.07	<10	<10	97	<10	61
S8R279347		<20	0.10	<10	<10	80	<10	71
S8R279348		<20	0.07	<10	<10	67	<10	71
S8R279349		<20	0.07	<10	<10	69	<10	69
S8R279350		<20	0.06	<10	<10	65	<10	75
S8R279351		<20	0.06	<10	<10	65	<10	68
S8R279352		<20	0.05	<10	<10	67	<10	66
S8R279353		<20	0.05	<10	<10	67	<10	64
S8R279354		<20	0.06	<10	<10	72	<10	66
S8R279355		<20	0.05	<10	<10	61	<10	58
S8R279356		<20	0.06	<10	<10	75	<10	74
S8R279357		<20	0.05	<10	<10	72	<10	58



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ECO-TECH LABORATORIES LTD.
10041 DALLAS DR
KAMLOOPS BC V2C 6T4

Page: 5 - A
Total # Pages: 7 (A - C)
Finalized Date: 6-NOV-2011
Account: UX

Project: Kestrel Gold 11-8295

CERTIFICATE OF ANALYSIS VA11207986

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-ICP41 Ag ppm	ME-ICP41 Al %	ME-ICP41 As ppm	ME-ICP41 B ppm	ME-ICP41 Ba ppm	ME-ICP41 Be ppm	ME-ICP41 Bi ppm	ME-ICP41 Ca %	ME-ICP41 Cd ppm	ME-ICP41 Co ppm	ME-ICP41 Cr ppm	ME-ICP41 Cu ppm	ME-ICP41 Fe %
		0.02	0.005	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
S8R279358		0.06	0.051	<0.2	1.97	55	<10	170	<0.5	4	0.17	<0.5	11	26	29	3.29
S8R279359		0.06	0.032	0.3	2.29	78	<10	180	<0.5	3	0.36	<0.5	15	30	45	3.73
S8R279360		0.04	0.038	0.5	2.38	105	<10	220	<0.5	3	0.45	<0.5	15	30	51	3.64
S8R279361		0.06	0.034	0.3	2.25	79	<10	230	<0.5	3	0.41	<0.5	13	30	41	3.60
S8R279362		0.04	0.023	0.3	2.32	91	<10	220	<0.5	4	0.45	<0.5	13	30	46	3.68
S8R279363		0.04	0.020	0.5	2.28	72	<10	200	<0.5	4	0.45	<0.5	15	29	41	3.78
S8R279364		0.06	0.161	0.6	2.14	67	<10	190	<0.5	5	0.41	0.5	13	24	37	3.61
S8R279365		0.06	0.061	0.4	1.93	52	<10	200	<0.5	2	0.49	<0.5	11	21	30	3.29
S8R279366		0.04	0.050	0.5	2.07	56	<10	220	<0.5	4	0.63	<0.5	13	23	36	3.28
S8R279367		0.02	0.018	1.0	2.36	89	<10	270	<0.5	4	0.59	<0.5	13	29	56	3.50
S8R279368		0.06	0.023	0.7	2.62	115	<10	280	0.5	4	0.33	0.6	20	30	67	4.00
S8R279369		0.08	0.133	0.2	2.57	147	<10	180	<0.5	3	0.35	<0.5	18	27	75	4.42
S8R279370		0.08	0.074	0.2	2.28	103	<10	150	<0.5	4	0.20	<0.5	14	27	50	3.63
S8R279371		0.10	0.012	<0.2	1.74	55	<10	140	<0.5	4	0.18	<0.5	9	25	28	2.80
S8R279372		0.12	0.040	0.3	2.13	74	<10	170	<0.5	4	0.16	<0.5	11	28	33	3.26
S8R279373		0.10	0.084	0.5	2.68	40	<10	140	<0.5	4	0.23	0.5	22	26	68	4.38
S8R279374		0.06	0.020	0.2	1.81	96	<10	160	<0.5	4	0.23	<0.5	10	20	39	2.81
S8R279375		0.06	<0.005	<0.2	2.66	17	<10	180	<0.5	4	0.11	<0.5	14	29	46	4.00
S8R279376		0.08	0.025	0.2	3.05	61	<10	130	<0.5	5	0.17	<0.5	26	23	87	5.26
S8R279377		0.06	<0.005	<0.2	2.71	26	<10	160	0.5	4	0.12	<0.5	12	36	42	4.23
S8R279378		0.08	<0.005	0.2	1.99	18	<10	130	<0.5	5	0.16	<0.5	7	26	31	2.98
S8R279379		0.06	0.016	0.3	2.36	60	<10	150	<0.5	4	0.20	<0.5	16	31	52	3.84
S8R279380		0.08	0.007	0.2	1.85	43	<10	140	<0.5	3	0.19	<0.5	9	25	34	3.11
S8R279381		0.10	0.028	<0.2	1.90	45	<10	170	<0.5	4	0.19	<0.5	11	26	29	3.47
S8R279382		0.08	0.020	<0.2	2.06	73	<10	130	<0.5	4	0.16	<0.5	12	24	27	3.77
S8R279383		0.08	0.113	<0.2	2.06	106	<10	140	<0.5	4	0.18	0.5	13	21	30	3.82
S8R279384		0.06	0.025	0.3	2.24	132	<10	150	<0.5	<2	0.36	0.5	17	18	47	4.10
S8R279385		0.04	0.012	0.4	1.81	60	<10	160	<0.5	<2	0.59	<0.5	12	17	36	3.20
S8R279386		0.08	0.028	0.4	1.84	47	<10	190	<0.5	<2	0.46	0.5	14	15	37	3.10
S8R279387		0.04	0.084	0.8	2.19	62	<10	220	<0.5	<2	0.46	0.7	15	23	45	3.59
S8R279388		0.02	0.056	1.4	2.06	47	<10	190	<0.5	<2	0.70	0.5	15	20	38	3.28
S8R279389		0.02	0.121	1.7	2.28	79	<10	190	<0.5	<2	0.55	0.9	12	25	49	3.47
S8R279390		0.06	0.043	1.7	1.99	129	<10	170	<0.5	<2	0.71	1.0	13	23	41	3.23
S8R279391		0.06	0.022	1.7	1.96	34	<10	180	<0.5	<2	0.46	<0.5	14	21	33	3.24
S8R279392		0.06	0.066	1.2	1.88	37	<10	190	<0.5	<2	0.44	0.8	12	19	30	3.15
S8R279393		0.04	0.021	1.2	2.00	70	<10	240	<0.5	<2	0.56	0.8	15	20	33	3.38
S8R279394		0.08	0.066	1.1	2.14	73	<10	190	<0.5	<2	0.34	0.6	17	19	30	3.97
S8R279395		0.06	0.021	0.6	2.10	37	<10	170	<0.5	<2	0.33	<0.5	16	21	31	3.76
S8R279396		0.04	0.038	0.4	1.88	24	<10	170	<0.5	<2	0.51	0.6	14	21	21	3.42
S8R279397		0.06	0.017	0.4	1.57	14	<10	170	<0.5	<2	0.25	<0.5	11	14	19	2.70



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ECO-TECH LABORATORIES LTD.
10041 DALLAS DR
KAMLOOPS BC V2C 6T4

Page: 5 - B
Total # Pages: 7 (A - C)
Finalized Date: 6-NOV-2011
Account: UX

Project: Kestrel Gold 11-8295

CERTIFICATE OF ANALYSIS VA11207986

Sample Description	Method Analyte Units LOR	ME-ICP41 Ga ppm 10	ME-ICP41 Hg ppm 1	ME-ICP41 K % 0.01	ME-ICP41 La ppm 10	ME-ICP41 Mg % 0.01	ME-ICP41 Mn ppm 5	ME-ICP41 Mo ppm 1	ME-ICP41 Na % 0.01	ME-ICP41 Ni ppm 1	ME-ICP41 P ppm 10	ME-ICP41 Pb ppm 2	ME-ICP41 S % 0.01	ME-ICP41 Sb ppm 2	ME-ICP41 Sc ppm 1	ME-ICP41 Sr ppm 1
S8R279358		<10	<1	0.04	10	1.00	461	<1	0.01	17	260	17	<0.01	<2	6	15
S8R279359		<10	<1	0.05	10	1.46	641	<1	0.02	20	370	18	0.01	<2	6	21
S8R279360		10	<1	0.05	10	1.46	698	<1	0.02	21	410	22	0.01	<2	7	26
S8R279361		10	<1	0.04	10	1.29	528	<1	0.02	21	440	18	0.01	<2	6	26
S8R279362		10	<1	0.05	10	1.43	529	<1	0.02	19	460	16	0.01	<2	7	27
S8R279363		10	<1	0.06	10	1.47	915	<1	0.02	20	490	16	0.01	<2	7	26
S8R279364		<10	<1	0.05	10	1.39	551	<1	0.02	17	490	17	0.01	<2	6	23
S8R279365		<10	<1	0.04	10	1.25	552	<1	0.02	16	520	15	0.01	<2	5	27
S8R279366		<10	<1	0.05	10	1.18	659	<1	0.02	20	580	18	0.02	<2	5	36
S8R279367		<10	<1	0.06	10	1.21	554	<1	0.02	22	780	17	0.06	<2	6	38
S8R279368		10	<1	0.06	10	1.21	1300	<1	0.02	25	520	19	0.02	<2	6	25
S8R279369		10	<1	0.05	10	1.93	811	<1	0.02	21	390	17	<0.01	<2	9	20
S8R279370		10	1	0.05	10	1.23	517	<1	0.01	19	250	16	<0.01	<2	6	14
S8R279371		10	<1	0.04	10	0.75	306	<1	0.02	17	270	16	<0.01	<2	4	15
S8R279372		<10	1	0.04	10	0.82	360	<1	0.02	19	190	24	<0.01	<2	5	13
S8R279373		10	<1	0.05	10	1.90	734	<1	0.01	21	360	53	<0.01	<2	9	14
S8R279374		10	<1	0.03	10	0.87	322	<1	0.01	14	350	17	0.01	<2	3	17
S8R279375		10	<1	0.03	10	1.34	490	<1	0.01	21	210	11	<0.01	<2	9	11
S8R279376		10	<1	0.05	10	2.66	763	<1	0.01	22	170	18	<0.01	<2	12	11
S8R279377		10	<1	0.05	10	1.03	357	<1	0.02	19	350	10	<0.01	<2	7	12
S8R279378		10	<1	0.04	10	0.44	194	<1	0.02	14	240	13	<0.01	<2	4	15
S8R279379		10	<1	0.04	10	1.37	620	<1	0.01	21	330	23	<0.01	<2	7	14
S8R279380		10	<1	0.04	10	0.78	330	<1	0.01	17	290	22	<0.01	<2	4	15
S8R279381		10	<1	0.06	10	0.96	508	<1	0.01	17	330	14	<0.01	<2	5	15
S8R279382		10	<1	0.06	10	1.03	527	<1	0.01	15	320	27	<0.01	<2	5	13
S8R279383		10	<1	0.06	10	1.09	725	1	0.01	14	530	128	0.01	<2	5	14
S8R279384		10	<1	0.06	10	1.41	912	2	0.01	16	630	59	0.01	<2	7	18
S8R279385		10	1	0.06	10	1.06	852	2	0.01	12	580	29	0.02	<2	5	27
S8R279386		10	<1	0.06	10	1.13	1340	1	0.01	12	430	37	0.02	<2	6	20
S8R279387		10	<1	0.05	10	1.29	802	2	0.01	18	620	98	0.03	<2	7	24
S8R279388		10	1	0.06	10	1.28	857	1	0.01	17	700	81	0.04	<2	6	33
S8R279389		10	1	0.06	10	1.50	502	1	0.01	20	590	99	0.02	<2	7	26
S8R279390		10	<1	0.06	10	1.31	588	1	0.01	17	730	90	0.04	<2	6	33
S8R279391		10	<1	0.05	10	1.28	662	1	0.01	16	590	71	0.03	<2	6	23
S8R279392		10	1	0.05	10	1.16	633	1	0.01	15	630	77	0.03	<2	6	22
S8R279393		10	1	0.05	10	1.22	953	1	0.01	17	610	68	0.04	<2	6	30
S8R279394		10	<1	0.04	10	1.43	942	1	0.01	16	630	72	0.02	<2	7	17
S8R279395		10	<1	0.04	10	1.44	687	1	0.01	17	590	42	0.01	<2	7	15
S8R279396		10	<1	0.05	10	1.29	986	1	0.01	14	650	27	0.02	<2	6	23
S8R279397		10	1	0.04	10	0.89	506	1	0.01	11	490	25	0.01	<2	5	13



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ECO-TECH LABORATORIES LTD.
 10041 DALLAS DR
 KAMLOOPS BC V2C 6T4

Page: 5 - C
 Total # Pages: 7 (A - C)
 Finalized Date: 6-NOV-2011
 Account: UX

Project: Kestrel Gold 11-8295

CERTIFICATE OF ANALYSIS VA11207986

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Th	Ti	Ti	U	V	W	Zn
		ppm 20	% 0.01	ppm 10	ppm 10	ppm 1	ppm 10	ppm 2
S8R279358		<20	0.05	<10	<10	66	<10	66
S8R279359		<20	0.05	<10	<10	74	<10	74
S8R279360		<20	0.04	<10	<10	74	<10	76
S8R279361		<20	0.04	<10	<10	73	<10	76
S8R279362		<20	0.05	<10	<10	80	<10	73
S8R279363		<20	0.05	<10	<10	80	<10	75
S8R279364		<20	0.04	<10	<10	67	<10	75
S8R279365		<20	0.04	<10	<10	60	<10	68
S8R279366		<20	0.04	<10	<10	62	<10	72
S8R279367		<20	0.04	<10	<10	70	<10	75
S8R279368		<20	0.04	<10	<10	81	<10	77
S8R279369		<20	0.06	<10	<10	85	<10	80
S8R279370		<20	0.05	<10	<10	80	<10	68
S8R279371		<20	0.06	<10	<10	64	<10	53
S8R279372		<20	0.06	<10	<10	66	<10	60
S8R279373		<20	0.07	<10	<10	95	<10	95
S8R279374		<20	0.04	<10	<10	57	<10	43
S8R279375		<20	0.05	<10	<10	99	<10	60
S8R279376		<20	0.06	<10	<10	120	<10	73
S8R279377		<20	0.06	<10	<10	92	<10	59
S8R279378		<20	0.06	<10	<10	68	<10	45
S8R279379		<20	0.05	<10	<10	84	<10	67
S8R279380		<20	0.05	<10	<10	66	<10	56
S8R279381		<20	0.06	<10	<10	65	<10	66
S8R279382		<20	0.06	<10	<10	68	<10	71
S8R279383		<20	0.05	<10	<10	77	<10	106
S8R279384		<20	0.04	<10	<10	76	<10	107
S8R279385		<20	0.04	<10	<10	62	<10	73
S8R279386		<20	0.05	<10	<10	54	<10	77
S8R279387		<20	0.04	<10	<10	62	<10	119
S8R279388		<20	0.05	<10	<10	59	<10	115
S8R279389		<20	0.05	<10	<10	59	<10	169
S8R279390		<20	0.05	<10	<10	50	<10	147
S8R279391		<20	0.04	<10	<10	58	<10	121
S8R279392		<20	0.04	<10	<10	56	<10	132
S8R279393		<20	0.03	<10	<10	59	<10	124
S8R279394		<20	0.04	<10	<10	69	<10	122
S8R279395		<20	0.04	<10	<10	69	<10	102
S8R279396		<20	0.04	<10	<10	59	<10	88
S8R279397		<20	0.04	<10	<10	46	<10	81



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ECO-TECH LABORATORIES LTD.
10041 DALLAS DR
KAMLOOPS BC V2C 6T4

Page: 6 - A
Total # Pages: 7 (A - C)
Finalized Date: 6-NOV-2011
Account: UX

Project: Kestrel Gold 11-8295

CERTIFICATE OF ANALYSIS VA11207986

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-ICP41 Ag ppm	ME-ICP41 Al %	ME-ICP41 As ppm	ME-ICP41 B ppm	ME-ICP41 Ba ppm	ME-ICP41 Be ppm	ME-ICP41 Bi ppm	ME-ICP41 Ca %	ME-ICP41 Cd ppm	ME-ICP41 Co ppm	ME-ICP41 Cr ppm	ME-ICP41 Cu ppm	ME-ICP41 Fe %
		0.02	0.005	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
S8R279398		0.08	0.007	0.4	1.70	18	<10	160	<0.5	<2	0.27	0.7	9	14	27	2.94
S8R279399		0.04	<0.005	<0.2	0.06	2	<10	10	<0.5	<2	20.0	<0.5	1	1	3	0.44
S8R279400		0.12	0.440	<0.2	1.23	44	<10	110	<0.5	<2	1.37	<0.5	6	27	47	2.89
S8R279401		0.06	0.008	0.5	1.52	10	<10	170	<0.5	<2	0.37	0.5	8	14	25	2.45
S8R279402		0.10	0.014	0.3	1.63	19	<10	160	<0.5	<2	0.24	<0.5	10	19	25	2.86
S8R279403		0.04	0.017	0.3	1.56	23	<10	170	<0.5	<2	0.28	0.5	9	20	23	2.59
S8R279404		0.04	0.010	0.5	1.64	37	<10	180	<0.5	<2	0.36	0.7	10	18	31	2.79
S8R279405		0.06	0.011	0.5	1.72	20	<10	200	<0.5	<2	0.32	0.6	10	21	25	2.71
S8R279406		0.08	0.032	0.3	1.89	148	<10	150	<0.5	<2	0.20	<0.5	13	21	35	3.42
S8R279407		0.06	0.094	0.7	2.12	344	<10	130	<0.5	<2	0.32	<0.5	21	11	64	4.89
S8R279408		0.06	0.022	0.3	1.88	177	<10	170	<0.5	<2	0.16	<0.5	14	21	39	3.44
S8R279409		0.04	0.027	<0.2	2.03	305	<10	110	<0.5	<2	0.13	<0.5	21	14	53	4.30
S8R279410		0.06	0.066	0.2	1.99	74	<10	110	<0.5	<2	0.21	<0.5	14	29	46	3.24
S8R279411		0.06	0.025	0.3	2.19	436	<10	110	<0.5	<2	0.18	<0.5	19	26	71	4.46
S8R279412		0.08	0.116	0.8	2.32	565	<10	130	<0.5	<2	0.86	0.5	26	23	83	5.26
S8R279413		0.06	0.038	1.0	2.44	614	<10	110	<0.5	<2	0.94	0.5	25	21	95	5.30
S8R279414		0.04	0.032	0.8	2.46	682	<10	140	<0.5	<2	1.15	<0.5	24	21	91	5.23
S8R279415		0.08	0.050	0.7	2.52	469	<10	150	<0.5	<2	1.00	<0.5	21	21	82	5.08
S8R279416		0.06	0.029	0.4	2.14	308	<10	110	<0.5	<2	0.69	<0.5	16	24	64	4.21
S8R279417		0.06	0.021	0.4	2.07	337	<10	140	<0.5	<2	1.46	<0.5	17	22	56	4.00
S8R279418		0.06	0.013	0.4	1.89	251	<10	130	<0.5	<2	1.10	<0.5	16	23	54	3.60
S8R279419		0.06	0.041	0.4	1.93	237	<10	130	<0.5	<2	0.87	<0.5	16	25	55	3.69
S8R279420		0.06	0.019	0.8	2.11	322	<10	160	<0.5	<2	1.47	0.5	19	26	82	4.10
S8R279421		0.10	0.032	0.5	2.06	214	<10	110	<0.5	<2	0.73	<0.5	18	29	58	3.87
S8R279422		0.06	0.017	0.2	1.78	173	<10	110	<0.5	<2	0.91	<0.5	16	31	49	3.33
S8R279423		0.06	0.016	0.3	1.70	181	<10	100	<0.5	<2	0.86	<0.5	15	23	45	3.21
S8R279424		0.06	0.016	0.4	1.79	180	<10	100	<0.5	<2	0.94	<0.5	17	26	47	3.36
S8R279425		0.08	0.038	0.2	1.90	133	<10	140	<0.5	<2	0.19	<0.5	13	24	25	3.55
S8R279426		0.10	0.010	0.5	1.71	72	<10	180	<0.5	<2	0.21	<0.5	11	21	25	2.81
S8R279427		0.14	0.018	0.2	1.79	182	<10	190	<0.5	<2	0.27	<0.5	14	23	32	3.02
S8R279428		0.06	0.075	2.5	2.18	224	<10	140	<0.5	<2	0.18	0.9	17	22	55	4.07
S8R279429		0.06	0.054	0.4	2.99	48	<10	120	<0.5	<2	0.40	<0.5	30	22	77	5.30
S8R279430		0.08	0.151	4.8	2.70	270	<10	220	0.6	<2	0.09	1.7	15	25	56	4.34
S8R279431		0.08	0.037	0.7	2.51	91	<10	240	0.5	<2	0.32	<0.5	15	34	55	3.71
S8R279432		0.10	0.089	0.5	2.31	407	<10	150	<0.5	<2	0.17	0.6	18	35	42	4.20
S8R279433		0.08	0.074	1.4	2.25	264	<10	210	<0.5	<2	0.22	<0.5	15	28	39	3.53
S8R279434		0.08	0.034	0.8	2.04	223	<10	160	<0.5	<2	0.18	1.2	16	23	42	3.47
S8R279435		0.06	0.091	0.6	2.29	144	<10	150	<0.5	<2	0.19	0.6	20	24	74	4.17
S8R279436		0.06	0.041	0.5	1.84	41	<10	170	<0.5	<2	0.31	<0.5	12	26	28	2.97
S8R279437		0.06	0.014	0.3	1.46	45	<10	150	<0.5	<2	0.36	0.9	13	29	21	3.09



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ECO-TECH LABORATORIES LTD.
10041 DALLAS DR
KAMLOOPS BC V2C 6T4

Page: 6 - B
Total # Pages: 7 (A - C)
Finalized Date: 6-NOV-2011
Account: UX

Project: Kestrel Gold 11-8295

CERTIFICATE OF ANALYSIS VA11207986

Sample Description	Method Analyte Units LOR	ME-ICP41 Ga ppm 10	ME-ICP41 Hg ppm 1	ME-ICP41 K % 0.01	ME-ICP41 La ppm 10	ME-ICP41 Mg % 0.01	ME-ICP41 Mn ppm 5	ME-ICP41 Mo ppm 1	ME-ICP41 Na % 0.01	ME-ICP41 Ni ppm 1	ME-ICP41 P ppm 10	ME-ICP41 Pb ppm 2	ME-ICP41 S % 0.01	ME-ICP41 Sb ppm 2	ME-ICP41 Sc ppm 1	ME-ICP41 Sr ppm 1
S8R279398		10	1	0.05	10	0.95	587	1	0.01	10	650	91	0.01	<2	4	12
S8R279399		<10	<1	0.05	<10	11.90	214	1	0.01	3	190	<2	<0.01	<2	<1	50
S8R279400		<10	1	0.10	<10	0.57	419	10	0.07	31	730	2	0.11	<2	5	39
S8R279401		<10	1	0.04	10	0.75	417	1	0.01	9	520	66	0.01	<2	4	18
S8R279402		10	1	0.04	10	0.88	467	1	0.01	13	520	53	0.01	<2	5	12
S8R279403		<10	<1	0.05	10	0.79	404	2	0.01	13	500	45	0.01	<2	4	16
S8R279404		10	<1	0.05	10	0.89	527	2	0.01	12	560	79	0.02	<2	5	20
S8R279405		10	<1	0.05	10	0.91	472	1	0.01	14	480	61	0.01	<2	5	18
S8R279406		<10	<1	0.06	10	0.99	479	1	0.01	19	400	38	0.01	<2	5	15
S8R279407		10	1	0.06	10	1.62	905	1	0.01	14	610	42	0.02	<2	7	20
S8R279408		<10	<1	0.05	10	0.90	516	1	0.01	19	410	29	0.01	<2	5	12
S8R279409		10	<1	0.04	10	1.49	806	1	0.01	16	330	35	0.01	<2	6	8
S8R279410		10	1	0.03	10	1.40	527	1	0.01	21	620	27	0.01	<2	6	12
S8R279411		10	<1	0.04	10	1.74	740	1	0.01	23	430	15	0.01	<2	9	11
S8R279412		10	<1	0.13	10	2.28	1115	<1	0.01	30	830	16	0.04	<2	11	47
S8R279413		10	1	0.11	10	2.29	1185	1	0.01	26	770	23	0.04	<2	12	52
S8R279414		10	1	0.07	<10	2.27	1225	1	0.01	27	550	17	0.07	<2	11	63
S8R279415		10	1	0.11	10	2.30	1000	1	0.01	25	700	14	0.04	<2	11	53
S8R279416		10	<1	0.06	10	1.93	699	1	0.01	23	730	11	0.03	<2	9	35
S8R279417		<10	<1	0.05	<10	1.66	776	1	0.01	20	500	13	0.06	<2	8	76
S8R279418		<10	<1	0.05	<10	1.58	864	1	0.01	21	650	13	0.05	<2	7	57
S8R279419		<10	<1	0.05	10	1.54	742	1	0.01	22	650	15	0.05	<2	7	46
S8R279420		<10	<1	0.06	10	1.69	782	2	0.03	39	710	29	0.09	<2	7	76
S8R279421		10	<1	0.05	10	1.78	587	<1	0.02	25	670	15	0.04	<2	8	38
S8R279422		<10	<1	0.04	10	1.47	670	<1	0.02	25	640	13	0.05	<2	6	47
S8R279423		<10	<1	0.04	<10	1.42	561	<1	0.02	19	580	12	0.05	<2	6	45
S8R279424		<10	<1	0.05	10	1.51	618	<1	0.02	21	590	13	0.05	<2	6	47
S8R279425		10	<1	0.05	10	0.87	398	1	0.02	15	280	41	0.01	<2	4	17
S8R279426		10	<1	0.04	10	0.69	302	<1	0.02	13	330	26	0.02	<2	3	18
S8R279427		<10	<1	0.05	10	0.84	438	<1	0.02	22	400	24	0.01	<2	5	20
S8R279428		10	<1	0.06	10	1.37	686	<1	0.02	17	420	137	0.03	2	5	13
S8R279429		10	<1	0.06	10	3.01	1460	<1	0.02	24	510	12	0.01	<2	14	21
S8R279430		10	<1	0.05	10	0.83	507	1	0.02	17	290	217	0.02	<2	5	11
S8R279431		10	<1	0.04	10	0.82	694	1	0.02	19	370	40	0.02	<2	7	21
S8R279432		10	<1	0.07	10	1.63	560	1	0.02	27	260	124	0.01	<2	5	14
S8R279433		10	<1	0.05	10	0.96	534	<1	0.02	21	280	127	0.01	<2	5	17
S8R279434		10	<1	0.05	10	1.05	567	<1	0.02	17	290	124	0.01	<2	5	15
S8R279435		10	<1	0.05	10	1.47	765	<1	0.02	22	220	81	0.01	<2	9	13
S8R279436		<10	<1	0.05	10	1.16	364	<1	0.02	18	550	17	0.02	<2	6	20
S8R279437		<10	<1	0.10	10	1.00	708	1	0.02	18	530	41	0.05	<2	5	27



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ECO-TECH LABORATORIES LTD.
 10041 DALLAS DR
 KAMLOOPS BC V2C 6T4

Page: 6 - C
 Total # Pages: 7 (A - C)
 Finalized Date: 6-NOV-2011
 Account: UX

Project: Kestrel Gold 11-8295

CERTIFICATE OF ANALYSIS VA11207986

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Th	Ti	Ti	U	V	W	Zn
		ppm 20	% 0.01	ppm 10	ppm 10	ppm 1	ppm 10	ppm 2
S8R279398		<20	0.03	<10	<10	46	<10	168
S8R279399		<20	<0.01	<10	<10	2	<10	18
S8R279400		<20	0.11	<10	<10	49	<10	51
S8R279401		<20	0.04	<10	<10	44	<10	95
S8R279402		<20	0.03	<10	<10	46	<10	97
S8R279403		<20	0.04	<10	<10	45	<10	90
S8R279404		<20	0.03	<10	<10	43	<10	129
S8R279405		<20	0.04	<10	<10	48	<10	99
S8R279406		<20	0.05	<10	<10	56	<10	69
S8R279407		<20	0.03	<10	<10	57	<10	72
S8R279408		<20	0.04	<10	<10	54	<10	64
S8R279409		<20	0.03	<10	<10	64	<10	68
S8R279410		<20	0.02	<10	<10	75	<10	50
S8R279411		<20	0.03	<10	<10	78	<10	66
S8R279412		<20	0.04	<10	<10	79	<10	85
S8R279413		<20	0.04	<10	<10	85	<10	83
S8R279414		<20	0.04	<10	<10	79	<10	88
S8R279415		<20	0.04	<10	<10	78	<10	88
S8R279416		<20	0.04	<10	<10	66	<10	76
S8R279417		<20	0.04	<10	<10	63	<10	86
S8R279418		<20	0.03	<10	<10	56	<10	73
S8R279419		<20	0.03	<10	<10	58	<10	73
S8R279420		<20	0.04	<10	<10	66	<10	102
S8R279421		<20	0.04	<10	<10	66	<10	80
S8R279422		<20	0.03	<10	<10	56	<10	68
S8R279423		<20	0.03	<10	<10	55	<10	66
S8R279424		<20	0.03	<10	<10	56	<10	68
S8R279425		<20	0.05	<10	<10	67	<10	71
S8R279426		<20	0.04	<10	<10	59	<10	48
S8R279427		<20	0.04	<10	<10	50	<10	58
S8R279428		<20	0.04	<10	<10	68	<10	134
S8R279429		<20	0.06	<10	<10	99	<10	73
S8R279430		<20	0.03	<10	<10	79	<10	251
S8R279431		<20	0.05	<10	<10	83	<10	83
S8R279432		<20	0.07	<10	<10	54	<10	136
S8R279433		<20	0.06	<10	<10	61	<10	110
S8R279434		<20	0.05	<10	<10	60	<10	206
S8R279435		<20	0.04	<10	<10	68	<10	144
S8R279436		<20	0.04	<10	<10	52	<10	72
S8R279437		<20	0.04	<10	<10	46	<10	104



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ECO-TECH LABORATORIES LTD.
 10041 DALLAS DR
 KAMLOOPS BC V2C 6T4

Page: 7 - A
 Total # Pages: 7 (A - C)
 Finalized Date: 6-NOV-2011
 Account: UX

Project: Kestrel Gold 11-8295

CERTIFICATE OF ANALYSIS VA11207986

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppm 0.005	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01
S8R279438		0.04	0.061	0.6	1.52	38	<10	150	<0.5	<2	0.33	<0.5	9	25	20	2.85
S8R279439		0.08	<0.005	<0.2	1.96	65	<10	90	<0.5	<2	0.23	<0.5	25	28	51	3.71
S8R279440		0.08	<0.005	<0.2	2.30	44	<10	80	<0.5	<2	0.10	<0.5	20	55	49	4.26
S8R279441		0.04	<0.005	0.3	2.88	29	<10	110	<0.5	<2	0.17	<0.5	25	131	76	4.67
S8R279442		0.08	<0.005	<0.2	2.98	179	<10	60	<0.5	<2	0.12	<0.5	40	84	99	6.25
S8R279443		0.04	<0.005	0.2	1.98	475	<10	130	<0.5	<2	0.20	<0.5	16	55	40	3.66
S8R279444		0.04	0.013	0.4	1.97	217	<10	250	<0.5	<2	0.49	<0.5	22	69	44	3.39
S8R279445		0.06	<0.005	0.4	2.21	504	<10	120	<0.5	<2	0.51	<0.5	31	52	76	5.53
S8R279446		0.06	<0.005	0.2	1.83	131	<10	110	<0.5	<2	0.35	<0.5	17	84	37	3.31
S8R279447		0.06	0.017	0.3	1.78	240	<10	130	<0.5	<2	0.33	<0.5	20	71	56	3.53
S8R279448		0.06	<0.005	0.2	1.74	143	<10	120	<0.5	<2	0.55	<0.5	19	65	52	3.14
S8R279449		0.04	<0.005	0.3	1.78	233	<10	100	<0.5	<2	0.66	<0.5	21	75	51	3.45
S8R279450		0.06	0.006	0.2	1.84	175	<10	90	<0.5	<2	0.57	<0.5	21	75	52	3.47



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ECO-TECH LABORATORIES LTD.
 10041 DALLAS DR
 KAMLOOPS BC V2C 6T4

Page: 7 - B
 Total # Pages: 7 (A - C)
 Finalized Date: 6-NOV-2011
 Account: UX

Project: Kestrel Gold 11-8295

CERTIFICATE OF ANALYSIS VA11207986

Sample Description	Method Analyte Units LOR	ME-ICP41 Ga ppm 10	ME-ICP41 Hg ppm 1	ME-ICP41 K % 0.01	ME-ICP41 La ppm 10	ME-ICP41 Mg % 0.01	ME-ICP41 Mn ppm 5	ME-ICP41 Mo ppm 1	ME-ICP41 Na % 0.01	ME-ICP41 Ni ppm 1	ME-ICP41 P ppm 10	ME-ICP41 Pb ppm 2	ME-ICP41 S % 0.01	ME-ICP41 Sb ppm 2	ME-ICP41 Sc ppm 1	ME-ICP41 Sr ppm 1
S8R279438		10	<1	0.07	10	0.89	369	1	0.02	15	500	16	0.04	<2	4	24
S8R279439		<10	<1	0.04	<10	1.83	822	<1	0.02	28	520	6	0.01	<2	6	15
S8R279440		10	<1	0.02	10	1.82	623	<1	0.02	27	480	6	0.02	<2	7	10
S8R279441		10	<1	0.03	10	2.92	941	<1	0.02	56	640	7	0.02	<2	13	11
S8R279442		10	<1	0.03	<10	3.14	1380	<1	0.02	57	550	9	0.02	<2	12	9
S8R279443		10	<1	0.04	10	1.23	647	1	0.02	28	630	11	0.03	<2	4	16
S8R279444		10	<1	0.04	10	1.30	1320	<1	0.03	40	920	11	0.06	<2	4	37
S8R279445		10	1	0.08	<10	2.40	1180	<1	0.02	40	680	12	0.03	<2	10	26
S8R279446		<10	<1	0.03	10	1.80	358	<1	0.02	40	540	8	0.02	<2	6	19
S8R279447		<10	<1	0.03	10	1.63	727	1	0.01	46	460	31	0.05	<2	7	18
S8R279448		<10	<1	0.03	10	1.46	890	1	0.02	38	740	11	0.03	<2	6	29
S8R279449		<10	<1	0.03	<10	1.64	895	<1	0.02	43	540	13	0.05	<2	7	34
S8R279450		<10	<1	0.03	10	1.74	753	<1	0.02	41	590	12	0.04	<2	7	29



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ECO-TECH LABORATORIES LTD.
 10041 DALLAS DR
 KAMLOOPS BC V2C 6T4

Page: 7 - C
 Total # Pages: 7 (A - C)
 Finalized Date: 6-NOV-2011
 Account: UX

Project: Kestrel Gold 11-8295

CERTIFICATE OF ANALYSIS VA11207986

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Th	Ti	Ti	U	V	W	Zn
		ppm 20	% 0.01	ppm 10	ppm 10	ppm 1	ppm 10	ppm 2
S8R279438		<20	0.05	<10	<10	50	<10	68
S8R279439		<20	0.02	<10	<10	49	<10	45
S8R279440		<20	0.02	<10	<10	104	<10	50
S8R279441		<20	0.02	<10	<10	108	<10	61
S8R279442		<20	0.02	<10	<10	110	<10	66
S8R279443		<20	0.02	<10	<10	64	<10	51
S8R279444		<20	0.03	<10	<10	66	<10	57
S8R279445		<20	0.03	<10	<10	69	<10	84
S8R279446		<20	0.02	<10	<10	55	<10	56
S8R279447		<20	0.02	<10	<10	50	<10	75
S8R279448		<20	0.02	<10	<10	48	<10	72
S8R279449		<20	0.02	<10	<10	55	<10	68
S8R279450		<20	0.02	<10	<10	57	<10	65