



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ECO-TECH LABORATORIES LTD.
10041 DALLAS DR
KAMLOOPS BC V2C 6T4

Page: 1
Finalized Date: 3-NOV-2011
Account: UX

CERTIFICATE VA11207987

Project: Kestrel Gold 11-8323
P.O. No.: Dawson Area
This report is for 214 Pulp samples submitted to our lab in Vancouver, BC, Canada on 13-OCT-2011.

The following have access to data associated with this certificate:

LYNNE BRUCE

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
----------	-------------

WEI-21	Received Sample Weight
LOG-24	Pulp Login - Rcd w/o Barcode
TRA-21	Transfer sample
LOG-QC	QC Test on Received Samples

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
----------	-------------	------------

Au-AA23	Au 30g FA-AA finish	AAS
ME-ICP41	35 Element Aqua Regia ICP-AES	ICP-AES

To: ECO-TECH LABORATORIES LTD.
ATTN: LYNNE BRUCE
10041 DALLAS DR
KAMLOOPS BC V2C 6T4

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:


Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ECO-TECH LABORATORIES LTD.
10041 DALLAS DR
KAMLOOPS BC V2C 6T4

Page: 2 - A
Total # Pages: 7 (A - C)
Plus Appendix Pages
Finalized Date: 3-NOV-2011
Account: UX

Project: Kestrel Gold 11-8323

CERTIFICATE OF ANALYSIS VA11207987

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg .02	Au-AA23 Au ppm 0.005	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01
S11S140179		0.10	<0.005	<0.2	1.86	10	<10	170	<0.5	<2	0.18	<0.5	13	15	44	3.68
S11S140181		0.10	0.005	<0.2	1.80	46	<10	150	<0.5	<2	0.13	<0.5	16	17	47	4.30
S11S140182		0.10	0.008	<0.2	1.68	29	<10	150	<0.5	<2	0.18	<0.5	13	17	41	3.75
S11S140183		0.12	0.021	<0.2	1.80	12	<10	140	<0.5	<2	0.22	<0.5	15	8	52	4.27
S11S140184		0.08	0.008	0.6	1.88	34	<10	260	<0.5	<2	0.56	<0.5	16	16	51	4.03
S11S140185		0.08	0.026	0.4	1.94	26	<10	200	<0.5	<2	0.34	<0.5	21	14	66	4.90
S11S140186		0.08	0.041	0.2	1.86	19	<10	120	<0.5	<2	0.37	<0.5	18	12	49	4.04
S11S140187		0.06	0.027	0.3	1.79	68	<10	140	<0.5	<2	0.39	<0.5	21	12	53	4.31
S11S140188		0.06	0.015	0.4	2.07	28	<10	220	<0.5	<2	0.52	0.5	19	13	52	4.50
S11S140189		0.04	0.035	0.5	2.09	7	<10	240	<0.5	<2	0.54	<0.5	16	20	41	3.57
S11S140190		0.08	0.014	0.2	1.98	4	<10	170	<0.5	<2	0.30	<0.5	15	20	35	3.52
S11S140191		0.06	<0.005	0.2	2.02	7	<10	170	<0.5	<2	0.46	<0.5	11	18	33	3.32
S11S140192		0.06	0.007	<0.2	2.11	<2	<10	130	<0.5	<2	0.77	<0.5	12	19	45	3.43
S11S140193		0.06	0.008	<0.2	2.02	6	<10	150	<0.5	<2	0.55	<0.5	16	17	52	3.98
S11S140194		0.04	0.016	<0.2	1.99	6	<10	170	<0.5	<2	0.44	<0.5	14	19	52	3.59
S11S140195		0.08	0.008	<0.2	2.60	3	<10	190	<0.5	<2	0.57	<0.5	19	28	70	4.58
S11S140196		0.08	0.005	0.2	1.88	2	<10	110	<0.5	<2	0.22	<0.5	13	12	25	3.32
S11S140197		0.06	0.056	<0.2	2.21	4	<10	230	<0.5	<2	0.50	<0.5	19	21	46	3.94
S11S140198		0.10	0.011	<0.2	2.20	5	<10	130	<0.5	<2	0.38	<0.5	12	18	43	3.75
S11S140199		0.10	0.031	0.2	2.05	5	<10	110	<0.5	<2	0.31	<0.5	11	16	34	3.44
S11S140200		0.10	0.011	<0.2	2.26	3	<10	160	<0.5	<2	0.29	<0.5	10	17	26	3.60
S11S140201		0.08	0.017	0.2	2.67	3	<10	70	<0.5	<2	0.27	<0.5	12	15	64	4.70
S11S140202		0.10	0.005	<0.2	1.87	3	<10	110	<0.5	<2	0.19	<0.5	10	14	18	3.06
S11S140203		0.10	0.005	0.3	2.12	2	<10	160	<0.5	<2	0.21	<0.5	11	16	26	3.45
S11S140204		0.12	<0.005	<0.2	2.09	2	<10	70	<0.5	<2	0.16	<0.5	9	10	28	3.59
S11S140205		0.10	0.005	<0.2	1.73	3	<10	90	<0.5	<2	0.15	<0.5	7	12	18	2.96
S11S140206		0.10	0.009	<0.2	1.63	6	<10	70	<0.5	<2	0.14	<0.5	8	10	20	2.85
S11S140207		0.18	0.655	0.2	1.80	8	<10	90	<0.5	2	0.17	<0.5	12	14	26	3.51
S11S140208		0.12	0.008	<0.2	1.86	3	<10	120	<0.5	<2	0.15	<0.5	10	15	22	3.30
S11S140209		0.12	0.007	<0.2	1.78	4	<10	140	<0.5	<2	0.13	<0.5	13	16	21	3.26
S11S140210		0.10	0.014	<0.2	1.86	4	<10	130	<0.5	<2	0.15	<0.5	10	19	22	3.33
S11S140211		0.08	0.088	<0.2	1.92	6	<10	90	<0.5	<2	0.13	<0.5	9	17	16	3.62
S11S140212		0.12	<0.005	<0.2	1.69	9	<10	130	<0.5	<2	0.12	<0.5	8	20	17	2.89
S11S140213		0.12	0.007	<0.2	1.75	8	<10	110	<0.5	<2	0.11	<0.5	9	20	14	2.80
S11S140214		0.10	<0.005	<0.2	1.93	42	<10	120	<0.5	<2	0.11	<0.5	9	29	42	3.06
S11S140215		0.10	<0.005	<0.2	1.78	34	<10	160	<0.5	<2	0.12	<0.5	9	29	45	2.95
S11S140216		0.06	<0.005	<0.2	1.85	23	<10	110	<0.5	<2	0.10	<0.5	8	27	53	2.93
S11S140217		0.06	<0.005	0.2	1.81	28	<10	110	<0.5	<2	0.09	<0.5	7	25	52	2.93
S11S140218		0.04	<0.005	<0.2	1.66	26	<10	120	<0.5	<2	0.11	0.6	10	23	57	2.88
S11S140219		0.04	<0.005	<0.2	1.83	36	<10	110	<0.5	<2	0.10	0.7	10	26	58	3.21



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ECO-TECH LABORATORIES LTD.
10041 DALLAS DR
KAMLOOPS BC V2C 6T4

Page: 2 - B
Total # Pages: 7 (A - C)
Plus Appendix Pages
Finalized Date: 3-NOV-2011
Account: UX

Project: Kestrel Gold 11-8323

CERTIFICATE OF ANALYSIS VA11207987

Sample Description	Method Analyte Units LOR	ME-ICP41 Ga ppm 10	ME-ICP41 Hg ppm 1	ME-ICP41 K % 0.01	ME-ICP41 La ppm 10	ME-ICP41 Mg % 0.01	ME-ICP41 Mn ppm 5	ME-ICP41 Mo ppm 1	ME-ICP41 Na % 0.01	ME-ICP41 Ni ppm 1	ME-ICP41 P ppm 10	ME-ICP41 Pb ppm 2	ME-ICP41 S % 0.01	ME-ICP41 Sb ppm 2	ME-ICP41 Sc ppm 1	ME-ICP41 Sr ppm 1
S11S140179		10	<1	0.02	10	0.81	768	<1	<0.01	11	460	5	0.01	<2	7	8
S11S140181		10	<1	0.02	10	0.75	795	1	<0.01	14	400	8	0.01	<2	7	7
S11S140182		10	<1	0.02	10	0.70	566	<1	<0.01	13	350	7	0.01	<2	6	8
S11S140183		10	<1	0.03	<10	0.89	1190	<1	<0.01	6	640	9	0.01	<2	9	7
S11S140184		10	<1	0.03	10	0.69	907	1	0.01	14	590	10	0.04	<2	6	22
S11S140185		10	<1	0.02	10	0.94	1685	<1	0.01	15	610	8	0.02	<2	8	11
S11S140186		10	<1	0.02	10	1.16	1145	<1	<0.01	14	820	9	0.02	<2	7	11
S11S140187		10	<1	0.02	10	1.00	1130	<1	<0.01	14	750	7	0.03	<2	7	11
S11S140188		10	<1	0.02	10	1.14	3690	<1	<0.01	13	680	8	0.03	<2	9	16
S11S140189		10	<1	0.02	10	1.14	1665	<1	0.01	17	740	7	0.02	<2	8	18
S11S140190		10	1	0.02	10	1.14	1050	<1	0.01	14	770	4	0.01	<2	7	12
S11S140191		10	<1	0.02	10	1.19	730	<1	0.01	13	590	6	<0.01	<2	7	13
S11S140192		10	<1	0.02	10	1.42	453	<1	0.01	14	600	4	0.02	<2	8	23
S11S140193		10	<1	0.02	10	1.42	669	<1	0.01	13	680	6	0.01	<2	10	15
S11S140194		10	<1	0.02	10	1.34	438	<1	0.01	15	580	4	<0.01	<2	9	14
S11S140195		10	<1	0.04	10	1.95	674	<1	0.01	19	710	3	0.01	<2	10	18
S11S140196		10	<1	0.01	10	1.13	979	<1	0.01	8	610	4	<0.01	<2	6	8
S11S140197		10	<1	0.02	10	1.23	1820	<1	0.01	15	700	7	<0.01	<2	9	14
S11S140198		10	<1	0.02	10	1.34	549	<1	0.01	13	600	4	<0.01	<2	8	10
S11S140199		10	<1	0.02	10	1.22	556	<1	0.01	12	630	4	<0.01	<2	7	12
S11S140200		10	1	0.02	10	1.20	454	<1	0.01	11	680	4	<0.01	<2	8	13
S11S140201		10	<1	0.02	10	1.79	916	<1	0.01	11	630	4	<0.01	<2	11	10
S11S140202		10	<1	0.02	10	0.98	438	<1	0.01	8	690	4	<0.01	<2	5	9
S11S140203		10	1	0.02	10	0.97	574	<1	0.01	9	740	6	<0.01	<2	6	13
S11S140204		10	<1	0.01	10	1.43	547	<1	0.01	6	510	2	<0.01	<2	8	7
S11S140205		10	<1	0.01	10	1.02	559	<1	0.01	6	410	2	<0.01	<2	6	8
S11S140206		10	<1	0.01	10	0.98	499	<1	0.01	7	470	3	<0.01	<2	6	6
S11S140207		10	<1	0.01	10	0.88	604	<1	0.01	9	750	6	<0.01	<2	5	7
S11S140208		10	<1	0.02	10	0.85	655	<1	0.01	8	730	6	<0.01	<2	3	10
S11S140209		10	<1	0.02	10	0.81	849	<1	0.01	10	510	4	<0.01	<2	6	8
S11S140210		10	<1	0.02	10	0.74	757	<1	0.01	10	620	6	<0.01	<2	5	9
S11S140211		10	1	0.02	10	0.90	861	<1	0.01	10	650	5	<0.01	<2	5	7
S11S140212		10	<1	0.02	10	0.63	508	<1	0.01	11	640	6	<0.01	<2	3	8
S11S140213		10	<1	0.02	10	0.72	409	<1	0.01	11	510	6	<0.01	<2	4	8
S11S140214		10	<1	0.03	10	0.94	413	<1	0.01	18	430	11	<0.01	<2	4	9
S11S140215		10	1	0.03	10	0.81	411	<1	0.01	19	520	11	<0.01	<2	4	10
S11S140216		10	1	0.03	10	0.93	354	<1	0.01	18	520	9	<0.01	<2	4	7
S11S140217		10	<1	0.03	10	0.94	420	<1	0.01	17	440	15	<0.01	<2	3	7
S11S140218		<10	<1	0.03	10	0.85	502	<1	0.01	21	410	19	<0.01	<2	3	9
S11S140219		10	<1	0.03	20	0.91	575	1	0.01	19	530	19	0.01	<2	3	8



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ECO-TECH LABORATORIES LTD.
 10041 DALLAS DR
 KAMLOOPS BC V2C 6T4

Page: 2 - C
 Total # Pages: 7 (A - C)
 Plus Appendix Pages
 Finalized Date: 3-NOV-2011
 Account: UX

Project: Kestrel Gold 11-8323

CERTIFICATE OF ANALYSIS VA11207987

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Th	Ti	Ti	U	V	W	Zn
		ppm 20	% 0.01	ppm 10	ppm 10	ppm 1	ppm 10	ppm 2
S11S140179		<20	0.02	<10	<10	63	<10	66
S11S140181		<20	0.02	<10	<10	55	<10	75
S11S140182		<20	0.02	<10	<10	51	<10	65
S11S140183		<20	0.01	<10	<10	70	<10	71
S11S140184		<20	0.02	<10	<10	64	<10	67
S11S140185		<20	0.01	<10	<10	62	<10	77
S11S140186		<20	0.01	<10	<10	54	<10	79
S11S140187		<20	0.01	<10	<10	57	<10	77
S11S140188		<20	0.01	<10	<10	68	<10	84
S11S140189		<20	0.01	<10	<10	60	<10	90
S11S140190		<20	0.02	<10	<10	57	<10	72
S11S140191		<20	0.02	<10	<10	56	<10	66
S11S140192		<20	0.02	<10	<10	72	<10	70
S11S140193		<20	0.02	<10	<10	83	<10	69
S11S140194		<20	0.03	<10	<10	78	<10	65
S11S140195		<20	0.03	<10	<10	106	<10	78
S11S140196		<20	0.01	<10	<10	57	<10	64
S11S140197		<20	0.02	<10	<10	66	<10	78
S11S140198		<20	0.02	<10	<10	66	<10	78
S11S140199		<20	0.02	<10	<10	57	<10	75
S11S140200		<20	0.02	<10	<10	56	<10	78
S11S140201		<20	0.01	<10	<10	69	<10	108
S11S140202		<20	0.02	<10	<10	46	<10	66
S11S140203		<20	0.02	<10	<10	58	<10	71
S11S140204		<20	0.01	<10	<10	57	<10	51
S11S140205		<20	0.02	<10	<10	36	<10	44
S11S140206		<20	0.02	<10	<10	40	<10	50
S11S140207		<20	0.03	<10	<10	52	<10	64
S11S140208		<20	0.02	<10	<10	57	<10	60
S11S140209		<20	0.03	<10	<10	49	<10	65
S11S140210		<20	0.03	<10	<10	52	<10	66
S11S140211		<20	0.03	<10	<10	54	<10	68
S11S140212		<20	0.03	<10	<10	47	<10	54
S11S140213		<20	0.03	<10	<10	58	<10	51
S11S140214		<20	0.03	<10	<10	54	<10	82
S11S140215		<20	0.03	<10	<10	51	<10	82
S11S140216		<20	0.03	<10	<10	49	<10	99
S11S140217		<20	0.02	<10	<10	43	<10	113
S11S140218		<20	0.03	<10	<10	41	<10	124
S11S140219		<20	0.02	<10	<10	47	<10	149



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ECO-TECH LABORATORIES LTD.
10041 DALLAS DR
KAMLOOPS BC V2C 6T4

Page: 3 - A
Total # Pages: 7 (A - C)
Plus Appendix Pages
Finalized Date: 3-NOV-2011
Account: UX

Project: Kestrel Gold 11-8323

CERTIFICATE OF ANALYSIS VA11207987

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg .02	Au-AA23 Au ppm 0.005	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01
S11S140220		0.04	<0.005	<0.2	1.68	47	<10	100	<0.5	<2	0.08	0.8	11	24	58	3.61
S11S140221		0.04	<0.005	0.2	2.03	39	<10	130	<0.5	2	0.09	0.6	14	29	56	3.46
S11S140222		0.04	<0.005	<0.2	2.35	100	<10	70	<0.5	<2	0.07	0.5	14	24	66	4.05
S11S140223		0.04	<0.005	0.3	1.93	41	<10	110	<0.5	<2	0.18	1.0	15	29	46	3.66
S11S140224		0.06	0.007	0.6	1.72	148	<10	90	<0.5	2	0.28	1.1	20	27	87	4.16
S11S140225		0.08	0.106	0.7	1.68	277	<10	100	<0.5	<2	0.54	1.8	18	23	106	4.23
S11S140226		0.12	0.037	0.6	1.92	82	<10	110	<0.5	<2	0.34	0.9	16	29	58	3.73
S11S140227		0.14	<0.005	0.3	2.38	36	<10	70	<0.5	<2	0.20	<0.5	14	36	35	3.80
S11S140228		0.12	<0.005	0.3	2.27	43	<10	100	<0.5	<2	0.27	<0.5	18	30	48	3.60
S11S140229		0.12	<0.005	0.5	1.91	43	<10	120	<0.5	<2	0.28	0.6	13	27	43	3.43
S11S140251		0.10	<0.005	0.3	1.97	185	<10	110	<0.5	<2	0.61	0.6	18	60	71	3.94
S11S140252		0.12	0.169	0.5	2.06	147	<10	120	<0.5	<2	0.56	0.7	18	64	71	3.89
S11S140253		0.12	<0.005	0.4	1.99	191	<10	110	<0.5	2	0.50	0.5	16	68	72	3.91
S11S140254		0.10	<0.005	0.6	2.26	168	<10	110	<0.5	<2	0.63	0.6	24	84	91	4.13
S11S140255		0.08	<0.005	0.4	1.68	105	<10	80	<0.5	<2	0.46	<0.5	17	46	51	3.37
S11S140256		0.06	0.012	0.7	1.89	145	<10	120	<0.5	<2	0.46	0.6	22	62	73	3.71
S11S140257		0.04	<0.005	0.2	2.04	65	<10	80	<0.5	<2	0.45	0.6	23	84	77	3.79
S11S140258		0.04	0.011	0.5	2.32	86	<10	100	<0.5	<2	1.10	1.1	24	64	118	4.27
S11S140261		0.06	0.006	<0.2	1.74	663	<10	120	<0.5	<2	0.22	<0.5	24	18	50	3.75
S11S140262		0.04	0.006	<0.2	2.00	79	<10	170	<0.5	<2	0.18	<0.5	12	24	30	3.30
S11S140263		0.04	0.079	0.3	2.28	61	<10	170	<0.5	<2	0.16	<0.5	10	26	58	3.55
S11S140264		0.06	0.045	0.8	2.22	50	<10	200	<0.5	<2	0.18	<0.5	11	29	39	3.31
S11S140265		0.08	0.005	0.5	2.09	66	<10	230	<0.5	<2	0.15	<0.5	13	29	40	3.22
S11S140266		0.06	0.097	1.1	2.15	621	<10	170	<0.5	<2	0.19	1.5	19	27	60	4.18
S11S140267		0.06	0.046	3.5	2.44	178	<10	250	0.7	<2	0.18	0.5	12	33	64	3.63
S11S140268		0.04	0.054	2.9	2.06	200	<10	230	<0.5	2	0.23	0.5	14	23	50	3.57
S11S140269		0.08	0.023	1.0	2.51	136	<10	170	<0.5	<2	0.12	0.9	23	31	55	4.60
S11S140270		0.06	0.019	<0.2	2.18	98	<10	200	<0.5	<2	0.20	<0.5	14	27	51	3.75
S11S140271		0.06	0.048	<0.2	2.99	147	<10	190	<0.5	<2	0.22	<0.5	22	23	91	5.07
S11S140272		0.06	0.089	0.4	2.11	127	<10	130	<0.5	<2	0.14	<0.5	16	24	50	3.70
S11S140273		0.08	0.019	0.5	2.46	87	<10	190	0.5	<2	0.15	0.6	14	29	57	3.92
S11S140274		0.06	0.012	0.7	1.92	140	<10	140	<0.5	<2	0.14	<0.5	12	21	42	3.33
S11S140275		0.04	0.034	0.2	0.61	23	<10	80	<0.5	<2	0.31	1.3	5	14	36	1.74
S11S140276		0.08	0.013	0.7	1.67	344	<10	100	<0.5	2	0.34	2.0	18	24	72	4.45
S11S140277		0.08	<0.005	0.8	1.21	75	<10	50	<0.5	<2	0.19	3.7	26	16	85	4.05
S11S140278		0.12	0.038	0.2	1.31	48	<10	50	<0.5	2	0.07	0.8	11	17	65	4.03
S11S140279		0.12	<0.005	0.5	1.58	41	<10	100	<0.5	<2	0.12	1.3	18	22	64	4.23
S11S140280		0.18	<0.005	0.3	2.64	13	<10	110	<0.5	<2	0.13	<0.5	14	43	36	4.08
S11S140281		0.10	0.010	0.2	2.03	61	<10	130	<0.5	2	0.12	<0.5	9	32	55	3.40
S11S140282		0.14	0.014	0.3	1.83	48	<10	130	<0.5	<2	0.10	<0.5	11	25	44	3.30



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ECO-TECH LABORATORIES LTD.
10041 DALLAS DR
KAMLOOPS BC V2C 6T4

Page: 3 - B
Total # Pages: 7 (A - C)
Plus Appendix Pages
Finalized Date: 3-NOV-2011
Account: UX

Project: Kestrel Gold 11-8323

CERTIFICATE OF ANALYSIS VA11207987

Sample Description	Method Analyte Units LOR	ME-ICP41 Ga ppm 10	ME-ICP41 Hg ppm 1	ME-ICP41 K % 0.01	ME-ICP41 La ppm 10	ME-ICP41 Mg % 0.01	ME-ICP41 Mn ppm 5	ME-ICP41 Mo ppm 1	ME-ICP41 Na % 0.01	ME-ICP41 Ni ppm 1	ME-ICP41 P ppm 10	ME-ICP41 Pb ppm 2	ME-ICP41 S % 0.01	ME-ICP41 Sb ppm 2	ME-ICP41 Sc ppm 1	ME-ICP41 Sr ppm 1
S11S140220		<10	<1	0.02	10	0.84	637	1	0.01	21	470	23	0.01	<2	2	7
S11S140221		10	1	0.03	10	1.08	707	1	0.01	29	460	36	0.01	<2	3	7
S11S140222		10	<1	0.03	10	1.29	686	1	0.01	22	570	44	0.01	<2	2	6
S11S140223		10	<1	0.03	10	1.03	672	2	0.01	22	780	44	0.02	<2	2	11
S11S140224		<10	<1	0.03	10	1.27	1105	1	0.01	36	960	25	0.02	<2	3	14
S11S140225		<10	<1	0.04	10	1.52	923	1	0.02	39	1220	44	0.07	<2	3	28
S11S140226		<10	1	0.03	10	1.60	739	1	0.01	30	890	26	0.06	<2	3	20
S11S140227		10	<1	0.04	10	2.48	542	1	0.01	21	840	16	0.05	<2	4	15
S11S140228		10	<1	0.03	10	2.41	635	1	0.01	22	950	23	0.06	<2	3	19
S11S140229		10	<1	0.04	10	1.60	536	1	0.01	26	940	22	0.05	<2	3	18
S11S140251		10	<1	0.04	10	1.84	765	1	0.01	37	720	11	0.07	<2	7	31
S11S140252		<10	<1	0.04	10	1.78	879	1	0.01	36	780	13	0.08	<2	7	30
S11S140253		<10	<1	0.04	10	1.91	656	1	0.01	41	740	10	0.06	<2	8	26
S11S140254		10	<1	0.05	10	2.52	1060	<1	0.01	53	750	12	0.07	<2	10	34
S11S140255		<10	<1	0.03	10	1.59	649	1	0.01	29	770	10	0.09	<2	6	26
S11S140256		<10	<1	0.04	10	1.98	1165	1	0.01	40	710	9	0.06	<2	7	26
S11S140257		10	1	0.03	<10	2.26	947	<1	0.01	45	810	8	0.08	<2	8	22
S11S140258		10	1	0.05	<10	2.22	1125	1	0.02	40	640	14	0.10	<2	10	59
S11S140261		<10	<1	0.06	10	1.42	792	<1	0.01	22	280	21	0.03	<2	6	15
S11S140262		<10	<1	0.04	10	0.80	414	<1	0.01	19	230	11	0.03	<2	4	15
S11S140263		10	<1	0.04	10	0.97	400	<1	0.01	20	230	35	0.04	<2	6	13
S11S140264		10	<1	0.04	10	0.74	523	<1	0.01	17	310	36	0.03	<2	6	15
S11S140265		10	1	0.04	10	0.71	619	<1	0.01	23	260	33	0.03	<2	5	14
S11S140266		10	1	0.05	10	1.42	714	<1	0.01	28	290	342	0.05	3	6	18
S11S140267		10	1	0.05	20	0.83	447	<1	0.01	22	250	164	0.03	2	8	16
S11S140268		10	1	0.04	10	1.12	678	<1	0.01	18	410	195	0.04	<2	6	15
S11S140269		10	<1	0.04	10	1.46	1135	<1	0.01	22	480	89	0.04	2	7	9
S11S140270		10	<1	0.05	10	1.36	585	<1	0.01	21	240	37	0.03	<2	8	16
S11S140271		10	<1	0.05	10	2.38	1105	<1	0.01	22	420	24	0.03	<2	11	14
S11S140272		10	<1	0.04	10	1.42	777	<1	0.01	19	400	37	0.04	<2	6	10
S11S140273		10	1	0.04	10	1.19	531	<1	0.01	21	270	57	0.04	<2	6	11
S11S140274		10	<1	0.04	10	1.23	527	<1	0.01	16	340	40	0.03	<2	5	11
S11S140275		<10	<1	0.04	<10	0.27	140	1	0.02	15	1110	6	0.11	<2	<1	15
S11S140276		<10	1	0.03	10	1.05	971	1	0.01	34	940	30	0.06	<2	2	18
S11S140277		<10	<1	0.01	20	0.83	1265	1	0.01	34	1190	131	0.06	<2	2	11
S11S140278		<10	<1	0.02	20	0.88	548	2	0.01	21	660	27	0.06	<2	1	11
S11S140279		<10	1	0.02	10	1.02	1075	1	0.01	30	800	46	0.05	<2	2	8
S11S140280		10	1	0.04	10	2.58	413	<1	0.01	24	630	14	0.04	<2	5	11
S11S140281		10	<1	0.03	10	1.36	493	1	0.01	21	650	21	0.03	<2	3	11
S11S140282		<10	<1	0.03	10	1.04	508	1	0.01	22	720	17	0.04	<2	2	8



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ECO-TECH LABORATORIES LTD.
 10041 DALLAS DR
 KAMLOOPS BC V2C 6T4

Page: 3 - C
 Total # Pages: 7 (A - C)
 Plus Appendix Pages
 Finalized Date: 3-NOV-2011
 Account: UX

Project: Kestrel Gold 11-8323

CERTIFICATE OF ANALYSIS VA11207987

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Th	Ti	Ti	U	V	W
		ppm 20	% 0.01	ppm 10	ppm 10	ppm 1	ppm 10
S11S140220		<20	0.02	<10	<10	39	<10
S11S140221		<20	0.02	<10	<10	41	<10
S11S140222		<20	0.02	<10	<10	44	<10
S11S140223		<20	0.03	<10	<10	51	<10
S11S140224		<20	0.01	<10	<10	29	<10
S11S140225		<20	0.01	<10	<10	33	<10
S11S140226		<20	0.02	<10	<10	40	<10
S11S140227		<20	0.03	<10	<10	52	<10
S11S140228		<20	0.01	<10	<10	36	<10
S11S140229		<20	0.02	<10	<10	40	<10
S11S140251		<20	0.02	<10	<10	55	<10
S11S140252		<20	0.02	<10	<10	58	<10
S11S140253		<20	0.02	<10	<10	58	<10
S11S140254		<20	0.03	<10	<10	69	<10
S11S140255		<20	0.02	<10	<10	51	<10
S11S140256		<20	0.02	<10	<10	52	<10
S11S140257		<20	0.02	<10	<10	57	<10
S11S140258		<20	0.03	<10	<10	65	<10
S11S140261		<20	0.05	<10	<10	50	<10
S11S140262		<20	0.05	<10	<10	56	<10
S11S140263		<20	0.04	<10	<10	67	<10
S11S140264		<20	0.04	<10	<10	68	<10
S11S140265		<20	0.05	<10	<10	60	<10
S11S140266		<20	0.04	<10	<10	61	<10
S11S140267		<20	0.05	<10	<10	67	<10
S11S140268		<20	0.03	<10	<10	58	<10
S11S140269		<20	0.04	<10	<10	77	<10
S11S140270		<20	0.04	<10	<10	63	<10
S11S140271		<20	0.03	<10	<10	86	<10
S11S140272		<20	0.03	<10	<10	64	<10
S11S140273		<20	0.05	<10	<10	70	<10
S11S140274		<20	0.04	<10	<10	67	<10
S11S140275		<20	0.01	<10	<10	26	<10
S11S140276		<20	0.02	<10	<10	37	<10
S11S140277		<20	0.01	<10	<10	21	<10
S11S140278		<20	0.01	<10	<10	28	<10
S11S140279		<20	0.01	<10	<10	27	<10
S11S140280		<20	0.03	<10	<10	62	<10
S11S140281		<20	0.02	<10	<10	49	<10
S11S140282		<20	0.02	<10	<10	40	<10



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ECO-TECH LABORATORIES LTD.
10041 DALLAS DR
KAMLOOPS BC V2C 6T4

Page: 4 - A
Total # Pages: 7 (A - C)
Plus Appendix Pages
Finalized Date: 3-NOV-2011
Account: UX

Project: Kestrel Gold 11-8323

CERTIFICATE OF ANALYSIS VA11207987

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg .02	Au-AA23 Au ppm 0.005	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01
S11S140283		0.10	0.015	<0.2	1.64	39	<10	180	<0.5	3	0.13	<0.5	8	27	36	2.97
S11S140284		0.12	0.007	0.2	1.59	20	<10	150	<0.5	<2	0.19	<0.5	13	25	34	2.65
S11S140285		0.12	<0.005	<0.2	1.42	30	<10	130	<0.5	<2	0.12	<0.5	7	22	34	2.41
S11S140286		0.12	<0.005	0.5	2.42	40	<10	110	<0.5	2	0.26	1.0	24	34	109	4.47
S11S140287		0.12	0.006	<0.2	2.39	76	<10	140	<0.5	<2	0.10	<0.5	16	43	55	3.60
S11S140288		0.12	<0.005	<0.2	1.87	31	<10	120	<0.5	<2	0.07	<0.5	12	31	50	2.53
S11S140289		0.10	<0.005	0.2	1.62	19	<10	190	<0.5	<2	0.17	<0.5	9	27	26	2.71
S11S140290		0.04	<0.005	<0.2	1.80	38	<10	210	<0.5	<2	0.28	<0.5	13	27	34	2.88
S11S140293		0.12	<0.005	<0.2	1.22	20	<10	150	<0.5	<2	0.12	<0.5	8	14	20	2.24
S11S140295		0.12	<0.005	<0.2	1.63	32	<10	180	<0.5	<2	0.24	<0.5	13	12	30	2.96
S11S140296		0.10	0.008	0.3	1.84	117	<10	200	<0.5	<2	0.43	<0.5	10	12	24	3.45
S11S140297		0.08	<0.005	<0.2	0.92	44	<10	130	<0.5	<2	0.27	<0.5	3	5	6	1.76
S11S140298		0.06	<0.005	<0.2	1.59	76	<10	130	<0.5	<2	0.24	<0.5	6	14	10	2.86
S11S140299		0.08	0.008	0.3	1.36	131	<10	160	<0.5	<2	0.26	<0.5	6	12	16	2.52
S11S140300		0.06	0.011	<0.2	1.67	59	<10	120	<0.5	<2	0.17	<0.5	8	15	21	2.97
S11S140301		0.04	<0.005	0.2	1.65	35	<10	130	<0.5	<2	0.15	<0.5	8	18	18	2.82
T8R286501		0.10	<0.005	<0.2	0.78	5	<10	250	<0.5	<2	0.39	<0.5	6	16	10	1.72
T8R286502		0.10	<0.005	0.2	0.70	3	<10	160	<0.5	<2	0.44	<0.5	3	10	10	1.08
T8R286503		0.04	<0.005	0.4	1.76	11	<10	350	<0.5	<2	1.54	0.5	16	19	42	4.04
T8R286504		0.12	<0.005	<0.2	0.97	6	<10	240	<0.5	<2	0.41	<0.5	5	16	12	1.83
T8R286505		0.04	<0.005	0.3	1.31	6	<10	460	0.6	<2	0.71	<0.5	6	20	17	2.06
T8R286506		0.12	0.018	<0.2	0.92	6	<10	270	<0.5	<2	0.32	<0.5	6	15	8	1.63
T8R286507		0.22	<0.005	<0.2	0.78	8	<10	120	<0.5	<2	0.32	<0.5	7	15	7	1.79
T8R286508		0.18	<0.005	<0.2	1.24	3	<10	90	<0.5	<2	0.36	<0.5	11	10	13	2.56
T8R286509		0.20	<0.005	<0.2	0.79	9	<10	180	<0.5	<2	0.35	<0.5	9	8	24	2.39
T8R286510		0.10	<0.005	0.2	0.70	26	<10	120	<0.5	<2	0.37	<0.5	14	9	18	2.76
T8R286511		0.04	<0.005	<0.2	0.90	3	<10	40	<0.5	<2	0.27	<0.5	8	20	7	2.02
T8R286512		0.16	<0.005	<0.2	0.80	5	<10	140	<0.5	<2	0.48	<0.5	5	9	13	1.77
T8R286513		0.06	<0.005	<0.2	1.00	3	<10	210	<0.5	<2	0.54	<0.5	7	14	16	1.81
T8R286514		0.08	<0.005	0.2	0.98	5	<10	70	<0.5	<2	0.30	<0.5	11	6	32	3.14
T8R286515		0.08	<0.005	<0.2	0.87	4	<10	230	<0.5	<2	0.41	<0.5	5	18	10	1.72
T8R286516		0.08	<0.005	<0.2	0.72	4	<10	220	<0.5	<2	0.28	<0.5	3	10	6	1.25
T8R286517		0.04	0.036	<0.2	0.90	10	<10	420	<0.5	<2	0.43	<0.5	5	20	10	2.75
T8R286518		0.06	<0.005	<0.2	0.90	4	<10	480	<0.5	<2	0.48	<0.5	6	17	8	1.67
T8R286519		Empty Bag														
T8R286520		Empty Bag														
T8R286521		0.06	0.005	0.2	1.22	16	<10	130	<0.5	<2	0.50	<0.5	9	24	20	2.20
S8R278836		0.10	0.042	0.4	1.45	267	<10	160	<0.5	<2	0.44	<0.5	19	14	47	4.28
S8R278837		0.10	0.066	0.3	1.48	166	<10	180	<0.5	<2	0.97	<0.5	17	12	40	3.81
S8R278838		0.08	0.025	<0.2	1.59	73	<10	180	<0.5	<2	0.38	<0.5	16	17	36	3.47



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ECO-TECH LABORATORIES LTD.
10041 DALLAS DR
KAMLOOPS BC V2C 6T4

Page: 4 - B
Total # Pages: 7 (A - C)
Plus Appendix Pages
Finalized Date: 3-NOV-2011
Account: UX

Project: Kestrel Gold 11-8323

CERTIFICATE OF ANALYSIS VA11207987

Sample Description	Method Analyte Units LOR	ME-ICP41 Ga ppm 10	ME-ICP41 Hg ppm 1	ME-ICP41 K % 0.01	ME-ICP41 La ppm 10	ME-ICP41 Mg % 0.01	ME-ICP41 Mn ppm 5	ME-ICP41 Mo ppm 1	ME-ICP41 Na % 0.01	ME-ICP41 Ni ppm 1	ME-ICP41 P ppm 10	ME-ICP41 Pb ppm 2	ME-ICP41 S % 0.01	ME-ICP41 Sb ppm 2	ME-ICP41 Sc ppm 1	ME-ICP41 Sr ppm 1
S11S140283		<10	<1	0.04	10	0.76	402	<1	0.01	19	580	15	0.04	<2	2	11
S11S140284		<10	<1	0.03	10	0.62	631	1	0.01	19	850	15	0.02	2	2	14
S11S140285		<10	<1	0.03	10	0.56	284	1	0.01	16	480	12	0.01	<2	2	11
S11S140286		10	<1	0.02	20	2.20	944	1	<0.01	31	1140	11	0.01	<2	5	16
S11S140287		10	<1	0.03	10	1.53	725	1	0.01	25	390	9	0.01	<2	6	9
S11S140288		<10	<1	0.03	10	0.95	422	<1	<0.01	21	230	8	<0.01	<2	5	7
S11S140289		<10	<1	0.03	10	0.66	343	<1	<0.01	17	320	8	0.01	<2	4	12
S11S140290		<10	<1	0.03	10	0.83	447	<1	<0.01	17	270	8	0.01	<2	5	14
S11S140293		<10	<1	0.03	10	0.60	304	<1	<0.01	10	290	5	<0.01	<2	3	9
S11S140295		<10	<1	0.11	10	0.97	547	<1	<0.01	11	470	5	<0.01	<2	4	14
S11S140296		10	<1	0.11	10	0.93	737	<1	0.01	9	610	21	0.02	2	7	21
S11S140297		<10	<1	0.07	10	0.32	369	<1	0.01	3	940	14	0.01	<2	4	11
S11S140298		10	<1	0.07	10	0.60	382	1	0.01	7	510	30	0.02	<2	5	14
S11S140299		<10	<1	0.03	10	0.56	323	<1	0.01	8	470	14	0.01	<2	4	14
S11S140300		10	<1	0.03	10	0.79	316	<1	0.01	10	340	12	0.01	<2	5	11
S11S140301		10	<1	0.04	10	0.73	408	<1	0.01	9	310	10	0.01	<2	5	10
T8R286501		<10	<1	0.04	10	0.30	249	<1	0.01	13	780	4	0.02	<2	2	24
T8R286502		<10	<1	0.03	10	0.25	84	<1	0.01	10	610	4	0.04	<2	2	19
T8R286503		<10	<1	0.04	10	0.83	1780	1	0.02	17	740	7	0.09	<2	5	44
T8R286504		<10	<1	0.05	20	0.30	182	<1	0.01	13	550	7	0.02	<2	2	25
T8R286505		<10	<1	0.11	60	0.33	589	1	0.02	14	570	10	0.05	<2	4	39
T8R286506		<10	<1	0.05	20	0.27	284	<1	0.01	11	540	7	0.02	<2	2	21
T8R286507		<10	<1	0.02	10	0.54	241	<1	0.01	11	780	7	0.02	<2	2	14
T8R286508		<10	<1	0.06	<10	0.95	594	<1	0.01	8	480	4	0.01	<2	3	12
T8R286509		<10	<1	0.05	10	0.40	526	1	0.01	9	560	7	0.02	<2	3	13
T8R286510		<10	<1	0.07	10	0.35	788	2	0.01	16	810	12	0.03	<2	3	15
T8R286511		<10	<1	0.01	<10	0.55	283	<1	0.01	9	570	<2	0.01	<2	2	9
T8R286512		<10	<1	0.06	10	0.45	203	<1	0.01	8	500	5	0.03	<2	2	16
T8R286513		<10	<1	0.03	10	0.48	215	<1	0.01	12	680	8	0.04	<2	3	23
T8R286514		<10	<1	0.01	<10	0.69	559	<1	0.01	6	730	11	0.03	<2	4	9
T8R286515		<10	<1	0.04	10	0.36	148	<1	0.02	14	640	5	0.02	<2	2	25
T8R286516		<10	<1	0.06	10	0.18	170	<1	0.01	7	360	6	0.01	<2	1	22
T8R286517		<10	<1	0.08	20	0.39	254	<1	0.01	10	1110	9	0.03	<2	2	25
T8R286518		<10	<1	0.06	20	0.35	539	<1	0.01	10	570	7	0.04	<2	2	29
T8R286519																
T8R286520																
T8R286521		<10	<1	0.04	10	0.75	428	<1	0.01	15	670	20	0.03	<2	3	25
S8R278836		<10	<1	0.03	10	0.56	990	<1	0.01	16	500	16	0.03	<2	6	16
S8R278837		<10	<1	0.02	10	0.54	1000	<1	0.01	14	690	11	0.07	<2	5	27
S8R278838		<10	<1	0.02	10	0.69	783	1	0.01	15	510	14	0.02	<2	5	15



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ECO-TECH LABORATORIES LTD.
 10041 DALLAS DR
 KAMLOOPS BC V2C 6T4

Page: 4 - C
 Total # Pages: 7 (A - C)
 Plus Appendix Pages
 Finalized Date: 3-NOV-2011
 Account: UX

Project: Kestrel Gold 11-8323

CERTIFICATE OF ANALYSIS VA11207987

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Th	Ti	Ti	U	V	W	Zn
		ppm 20	% 0.01	ppm 10	ppm 10	ppm 1	ppm 10	ppm 2
S11S140283		<20	0.03	<10	<10	45	<10	74
S11S140284		<20	0.03	<10	<10	45	<10	67
S11S140285		<20	0.03	<10	<10	41	<10	66
S11S140286		<20	0.01	<10	<10	59	<10	155
S11S140287		<20	0.03	<10	<10	67	<10	68
S11S140288		<20	0.03	<10	<10	52	<10	83
S11S140289		<20	0.05	<10	<10	55	<10	50
S11S140290		<20	0.04	<10	<10	62	<10	60
S11S140293		<20	0.04	<10	<10	37	<10	49
S11S140295		<20	0.05	<10	<10	53	<10	63
S11S140296		<20	0.05	<10	<10	64	<10	88
S11S140297		<20	0.03	<10	<10	17	<10	54
S11S140298		<20	0.05	<10	<10	58	<10	66
S11S140299		<20	0.03	<10	<10	48	<10	52
S11S140300		<20	0.04	<10	<10	66	<10	51
S11S140301		<20	0.05	<10	<10	68	<10	47
T8R286501		<20	0.05	<10	<10	32	<10	43
T8R286502		<20	0.03	<10	<10	16	<10	29
T8R286503		<20	0.02	<10	<10	49	<10	83
T8R286504		<20	0.05	<10	<10	31	<10	44
T8R286505		<20	0.03	<10	<10	31	<10	40
T8R286506		<20	0.04	<10	<10	29	<10	39
T8R286507		<20	0.02	<10	<10	26	<10	44
T8R286508		<20	0.05	<10	<10	46	<10	52
T8R286509		<20	0.02	<10	<10	26	<10	53
T8R286510		<20	0.02	<10	<10	30	<10	94
T8R286511		<20	0.02	<10	<10	23	<10	36
T8R286512		<20	0.02	<10	<10	23	<10	63
T8R286513		<20	0.03	<10	<10	29	<10	73
T8R286514		<20	0.01	<10	<10	35	<10	90
T8R286515		<20	0.04	<10	<10	30	<10	44
T8R286516		<20	0.03	<10	<10	19	<10	27
T8R286517		<20	0.04	<10	<10	28	<10	47
T8R286518		<20	0.04	<10	<10	25	<10	47
T8R286519								
T8R286520								
T8R286521		<20	0.04	<10	<10	42	<10	68
S8R278836		<20	0.02	<10	<10	38	<10	77
S8R278837		<20	0.01	<10	<10	37	<10	77
S8R278838		<20	0.02	<10	<10	48	<10	61



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ECO-TECH LABORATORIES LTD.
10041 DALLAS DR
KAMLOOPS BC V2C 6T4

Page: 5 - A
Total # Pages: 7 (A - C)
Plus Appendix Pages
Finalized Date: 3-NOV-2011
Account: UX

Project: Kestrel Gold 11-8323

CERTIFICATE OF ANALYSIS VA11207987

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg .02	Au-AA23 Au ppm 0.005	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01
S8R278839		0.12	0.012	0.3	2.01	83	<10	150	<0.5	<2	0.35	<0.5	26	22	82	4.60
S8R278840		0.10	0.006	<0.2	2.14	11	<10	100	<0.5	<2	0.23	<0.5	17	10	62	4.01
S8R278841		0.10	<0.005	<0.2	1.69	22	<10	110	<0.5	<2	0.85	<0.5	16	13	41	3.57
S8R278842		0.10	<0.005	<0.2	1.88	171	<10	110	<0.5	<2	0.80	<0.5	23	12	67	4.36
S8R278843		0.08	0.011	<0.2	1.94	83	<10	130	<0.5	<2	0.55	<0.5	17	13	47	3.98
S8R278844		0.06	<0.005	<0.2	1.57	54	<10	110	<0.5	<2	0.50	<0.5	18	14	47	4.38
S8R278845		0.04	0.007	0.2	1.79	54	<10	150	<0.5	<2	0.44	<0.5	16	16	52	4.16
S8R278846		0.10	<0.005	<0.2	2.02	24	<10	140	<0.5	<2	0.57	<0.5	21	18	62	4.85
S8R278847		0.04	<0.005	<0.2	2.00	14	<10	130	<0.5	<2	0.44	<0.5	15	19	48	3.88
S8R278848		0.04	0.006	<0.2	1.93	16	<10	170	<0.5	<2	0.36	<0.5	13	20	46	3.71
S8R278849		0.08	0.445	<0.2	1.21	47	<10	100	<0.5	<2	1.33	<0.5	7	26	47	2.92
S8R278851		0.04	0.043	<0.2	2.14	25	<10	190	<0.5	<2	0.39	<0.5	19	18	62	4.74
S8R278852		0.04	0.016	0.2	1.59	317	<10	160	<0.5	<2	0.20	<0.5	9	17	17	2.70
S8R278853		0.04	0.009	0.3	1.75	58	<10	180	<0.5	<2	0.42	<0.5	12	24	29	2.99
S8R278854		0.04	<0.005	<0.2	2.33	6	<10	120	<0.5	<2	0.33	<0.5	22	32	66	4.37
S8R278855		0.06	<0.005	<0.2	2.28	8	<10	160	<0.5	<2	0.41	<0.5	19	22	69	4.23
S8R278856		0.06	0.011	<0.2	2.27	23	<10	130	<0.5	<2	0.47	<0.5	21	19	49	4.61
S8R278857		0.06	<0.005	<0.2	2.21	30	<10	130	<0.5	<2	0.66	<0.5	25	19	53	4.67
S8R278858		0.06	<0.005	<0.2	2.33	14	<10	140	<0.5	<2	0.42	<0.5	20	20	56	4.28
S8R278859		0.12	0.005	0.2	1.48	69	<10	130	<0.5	<2	0.47	<0.5	27	14	42	4.35
S8R278860		0.12	0.007	0.3	1.71	62	<10	130	<0.5	<2	0.44	<0.5	22	11	55	4.69
S8R278861		0.14	<0.005	<0.2	1.68	76	<10	120	<0.5	<2	0.33	<0.5	21	9	49	4.36
S8R278862		0.14	<0.005	<0.2	2.01	43	<10	200	<0.5	<2	0.38	<0.5	19	13	50	4.26
S8R278863		0.12	0.007	0.2	1.54	74	<10	120	<0.5	<2	0.31	<0.5	18	9	53	4.27
S8R278864		0.16	<0.005	<0.2	1.58	69	<10	160	<0.5	<2	0.27	<0.5	15	14	39	3.73
S8R278865		0.14	<0.005	0.2	1.73	62	<10	130	<0.5	<2	0.23	<0.5	17	11	50	4.05
S8R278866		0.14	0.025	<0.2	1.52	156	<10	150	<0.5	<2	0.18	<0.5	17	16	36	4.00
S8R278867		0.12	0.007	<0.2	1.56	196	<10	160	<0.5	<2	0.13	<0.5	15	18	39	4.00
S8R278868		0.14	0.028	0.3	1.18	534	<10	120	<0.5	<2	0.24	<0.5	26	10	61	4.86
S8R278869		0.12	<0.005	<0.2	2.18	91	<10	160	<0.5	<2	0.31	<0.5	17	41	63	3.85
S8R278870		0.06	0.015	0.2	1.93	74	<10	150	<0.5	<2	0.25	<0.5	15	35	35	3.29
S8R278871		0.06	<0.005	<0.2	2.02	106	<10	140	<0.5	<2	0.16	<0.5	20	64	54	3.78
S8R278872		0.06	<0.005	<0.2	1.83	124	<10	160	<0.5	<2	0.21	<0.5	22	68	73	3.82
S8R278873		0.06	<0.005	<0.2	1.65	33	<10	160	<0.5	<2	0.17	<0.5	13	26	76	3.01
S8R278874		0.06	<0.005	0.3	1.98	57	<10	140	<0.5	<2	0.21	1.1	14	27	120	3.62
S8R278875		0.04	0.006	0.5	2.04	54	<10	60	<0.5	<2	0.20	1.2	16	31	124	3.45
S8R278876		0.04	<0.005	1.1	1.26	38	<10	160	<0.5	<2	0.12	1.7	6	16	76	2.17
S8R278877		0.04	<0.005	0.3	1.74	61	<10	90	<0.5	<2	0.15	2.0	15	26	73	3.22
S8R278878		0.08	<0.005	0.7	1.68	31	<10	80	<0.5	<2	0.20	1.2	16	22	81	3.20
S8R278879		0.04	<0.005	0.2	1.67	38	<10	50	<0.5	<2	0.11	<0.5	10	25	54	3.44



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ECO-TECH LABORATORIES LTD.
10041 DALLAS DR
KAMLOOPS BC V2C 6T4

Page: 5 - B
Total # Pages: 7 (A - C)
Plus Appendix Pages
Finalized Date: 3-NOV-2011
Account: UX

Project: Kestrel Gold 11-8323

CERTIFICATE OF ANALYSIS VA11207987

Sample Description	Method Analyte Units LOR	ME-ICP41 Ga ppm 10	ME-ICP41 Hg ppm 1	ME-ICP41 K % 0.01	ME-ICP41 La ppm 10	ME-ICP41 Mg % 0.01	ME-ICP41 Mn ppm 5	ME-ICP41 Mo ppm 1	ME-ICP41 Na % 0.01	ME-ICP41 Ni ppm 1	ME-ICP41 P ppm 10	ME-ICP41 Pb ppm 2	ME-ICP41 S % 0.01	ME-ICP41 Sb ppm 2	ME-ICP41 Sc ppm 1	ME-ICP41 Sr ppm 1
S8R278839		<10	<1	0.03	10	1.23	1140	<1	0.01	21	470	17	0.02	<2	10	13
S8R278840		10	<1	0.02	<10	1.45	949	<1	<0.01	11	380	7	0.01	2	8	7
S8R278841		<10	<1	0.02	<10	1.00	842	<1	0.01	11	570	12	0.04	<2	6	23
S8R278842		<10	<1	0.03	<10	1.29	1000	<1	0.01	15	880	12	0.06	<2	6	21
S8R278843		10	<1	0.02	10	1.07	692	<1	0.01	13	520	10	0.03	<2	8	18
S8R278844		<10	<1	0.02	<10	0.91	919	<1	0.01	12	460	7	0.03	<2	7	15
S8R278845		<10	<1	0.02	10	0.95	620	<1	0.01	14	610	8	0.02	<2	7	15
S8R278846		10	<1	0.03	<10	1.36	1015	<1	0.01	15	640	6	0.02	<2	10	17
S8R278847		10	<1	0.02	<10	1.29	605	<1	0.01	14	620	9	0.01	<2	7	15
S8R278848		10	<1	0.02	10	1.12	480	<1	0.01	14	480	7	0.01	<2	7	15
S8R278849		<10	<1	0.09	<10	0.57	397	10	0.07	31	700	3	0.12	<2	4	41
S8R278851		10	<1	0.07	<10	1.38	863	1	0.01	14	650	11	0.01	<2	9	16
S8R278852		<10	<1	0.05	10	0.56	353	1	0.01	12	390	46	0.01	<2	3	14
S8R278853		<10	<1	0.03	10	1.17	601	1	0.01	14	560	19	0.01	2	6	22
S8R278854		10	<1	0.09	<10	1.95	993	<1	0.01	19	900	6	0.01	<2	9	11
S8R278855		10	<1	0.14	<10	1.94	719	<1	0.01	16	660	5	0.01	<2	7	13
S8R278856		10	<1	0.05	<10	1.65	720	<1	0.01	16	680	7	0.02	<2	8	14
S8R278857		10	<1	0.04	<10	1.58	833	<1	0.01	16	540	11	0.02	<2	8	16
S8R278858		10	<1	0.12	<10	1.92	771	<1	0.01	15	700	6	0.01	<2	7	11
S8R278859		<10	<1	0.03	<10	0.76	843	<1	0.01	20	830	20	0.02	<2	5	11
S8R278860		<10	<1	0.02	<10	0.83	1040	<1	0.01	15	670	13	0.02	<2	7	12
S8R278861		<10	<1	0.02	<10	0.86	1360	<1	0.01	13	570	9	0.02	<2	6	10
S8R278862		<10	<1	0.02	10	0.83	1200	<1	0.01	14	590	15	0.02	<2	8	13
S8R278863		<10	<1	0.02	<10	0.68	1035	<1	0.01	12	600	12	0.02	<2	8	11
S8R278864		<10	<1	0.02	10	0.62	883	<1	0.01	13	520	10	0.01	<2	7	11
S8R278865		<10	<1	0.02	10	0.75	967	<1	0.01	14	640	10	0.01	<2	7	10
S8R278866		<10	<1	0.02	10	0.48	757	1	0.01	16	510	11	0.02	<2	5	10
S8R278867		<10	<1	0.02	10	0.47	686	1	0.01	16	420	11	0.02	<2	5	10
S8R278868		<10	<1	0.02	<10	0.44	1150	1	0.01	17	680	17	0.05	<2	6	10
S8R278869		<10	<1	0.03	10	1.85	955	<1	0.01	29	510	10	0.01	<2	8	14
S8R278870		<10	<1	0.03	10	1.00	785	<1	0.01	23	460	17	0.01	<2	5	16
S8R278871		<10	<1	0.04	10	1.39	737	<1	0.01	39	390	11	0.01	<2	6	12
S8R278872		<10	<1	0.03	10	1.67	839	1	0.01	44	430	13	0.02	<2	7	15
S8R278873		<10	<1	0.03	10	0.95	534	1	0.01	26	500	10	0.01	<2	4	14
S8R278874		10	<1	0.03	10	1.06	650	1	0.01	22	760	16	0.02	3	4	15
S8R278875		10	1	0.02	20	1.59	835	1	0.01	25	900	11	0.02	<2	6	8
S8R278876		10	<1	0.02	10	0.43	197	1	0.01	14	1140	13	0.05	<2	1	11
S8R278877		10	1	0.03	10	0.82	640	2	0.01	35	750	14	0.03	<2	4	10
S8R278878		10	<1	0.02	20	1.05	777	2	0.01	30	1100	16	0.02	2	4	10
S8R278879		10	1	0.03	10	0.89	496	1	0.01	19	660	13	0.03	2	3	8



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ECO-TECH LABORATORIES LTD.
10041 DALLAS DR
KAMLOOPS BC V2C 6T4

Page: 5 - C
Total # Pages: 7 (A - C)
Plus Appendix Pages
Finalized Date: 3-NOV-2011
Account: UX

Project: Kestrel Gold 11-8323

CERTIFICATE OF ANALYSIS VA11207987

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Th	Ti	Ti	U	V	W	Zn
		ppm 20	% 0.01	ppm 10	ppm 10	ppm 1	ppm 10	ppm 2
S8R278839		<20	0.01	<10	<10	63	<10	69
S8R278840		<20	0.01	<10	<10	67	<10	55
S8R278841		<20	0.01	<10	<10	59	<10	66
S8R278842		<20	0.01	<10	<10	54	<10	69
S8R278843		<20	0.02	<10	<10	70	<10	62
S8R278844		<20	0.01	<10	<10	66	<10	59
S8R278845		<20	0.02	<10	<10	60	<10	62
S8R278846		<20	0.02	<10	<10	90	<10	67
S8R278847		<20	0.02	<10	<10	76	<10	64
S8R278848		<20	0.03	<10	<10	77	<10	57
S8R278849		<20	0.10	<10	<10	47	<10	52
S8R278851		<20	0.04	<10	<10	97	<10	70
S8R278852		<20	0.03	<10	<10	40	<10	63
S8R278853		<20	0.02	<10	<10	49	<10	60
S8R278854		<20	0.03	<10	<10	110	<10	65
S8R278855		<20	0.05	<10	<10	106	<10	62
S8R278856		<20	0.03	<10	<10	100	<10	71
S8R278857		<20	0.03	<10	<10	98	<10	72
S8R278858		<20	0.04	<10	<10	97	<10	63
S8R278859		<20	0.01	<10	<10	45	<10	82
S8R278860		<20	0.01	<10	<10	49	<10	80
S8R278861		<20	0.01	<10	<10	42	<10	71
S8R278862		<20	0.01	<10	<10	55	<10	75
S8R278863		<20	0.01	<10	<10	43	<10	77
S8R278864		<20	0.02	<10	<10	49	<10	60
S8R278865		<20	0.02	<10	<10	53	<10	61
S8R278866		<20	0.03	<10	<10	43	<10	62
S8R278867		<20	0.03	<10	<10	41	<10	65
S8R278868		<20	0.01	<10	<10	27	<10	85
S8R278869		<20	0.02	<10	<10	50	<10	69
S8R278870		<20	0.03	<10	<10	51	<10	59
S8R278871		<20	0.03	<10	<10	52	<10	63
S8R278872		<20	0.02	<10	<10	46	<10	74
S8R278873		<20	0.03	<10	<10	44	<10	99
S8R278874		<20	0.02	<10	<10	48	<10	145
S8R278875		<20	0.01	<10	<10	50	<10	149
S8R278876		<20	0.01	<10	<10	37	<10	58
S8R278877		<20	0.03	<10	<10	46	<10	339
S8R278878		<20	0.02	<10	<10	43	<10	112
S8R278879		<20	0.03	<10	<10	54	<10	78



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ECO-TECH LABORATORIES LTD.
10041 DALLAS DR
KAMLOOPS BC V2C 6T4

Page: 6 - A
Total # Pages: 7 (A - C)
Plus Appendix Pages
Finalized Date: 3-NOV-2011
Account: UX

Project: Kestrel Gold 11-8323

CERTIFICATE OF ANALYSIS VA11207987

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg .02	Au-AA23 Au ppm 0.005	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01
S8R278880		0.06	<0.005	0.4	1.64	40	<10	70	<0.5	<2	0.15	0.7	14	23	102	2.94
S8R278881		0.08	<0.005	0.6	1.55	71	<10	110	<0.5	<2	0.27	1.4	12	26	133	3.05
S8R278882		0.12	<0.005	0.6	1.74	95	<10	140	<0.5	<2	0.24	1.6	15	27	75	3.30
S8R278883		0.06	0.006	0.9	1.70	54	<10	180	<0.5	<2	0.48	2.2	13	27	83	3.04
S8R278884		0.06	<0.005	0.7	1.53	36	<10	150	<0.5	<2	0.74	1.7	15	24	66	2.69
S8R280811		0.06	0.046	0.3	1.37	103	<10	160	<0.5	<2	0.44	0.5	9	13	22	2.91
S8R280812		0.16	0.006	<0.2	1.01	40	<10	110	<0.5	<2	0.20	<0.5	5	8	8	2.11
S8R280813		0.12	0.011	0.2	1.17	44	<10	140	<0.5	<2	0.20	<0.5	5	9	9	2.51
S8R280814		0.10	0.026	0.2	1.18	45	<10	120	<0.5	<2	0.28	<0.5	11	9	20	2.97
S8R280815		0.14	0.015	0.2	1.72	42	<10	190	<0.5	<2	0.51	0.5	17	21	41	3.47
S8R280816		0.08	0.009	<0.2	1.29	12	<10	280	<0.5	<2	0.46	<0.5	9	18	22	2.38
S8R280817		0.06	0.014	0.3	1.69	32	<10	210	<0.5	<2	0.38	<0.5	14	21	35	2.99
S8R280818		0.10	0.034	0.2	1.79	54	<10	310	<0.5	<2	0.38	<0.5	14	28	40	3.33
S8R280819		0.06	0.017	0.4	1.89	82	<10	240	<0.5	<2	0.42	<0.5	16	27	45	3.36
S8R280820		0.06	0.005	0.8	1.41	15	<10	330	<0.5	<2	1.21	<0.5	9	17	51	2.35
S8R280821		0.06	0.010	0.2	1.66	25	<10	230	<0.5	<2	0.33	<0.5	15	28	52	2.98
S8R280822		0.08	<0.005	0.2	1.78	13	<10	310	<0.5	<2	0.54	<0.5	13	27	43	3.05
S8R280823		0.06	0.008	0.5	2.12	29	<10	290	<0.5	<2	0.53	<0.5	15	25	52	3.57
S8R280824		0.06	0.006	<0.2	1.98	6	<10	170	<0.5	<2	0.22	<0.5	11	24	24	2.83
S8R280825		0.08	0.005	<0.2	1.73	8	<10	130	<0.5	<2	0.15	<0.5	10	18	19	2.94
S8R280826		0.10	0.010	<0.2	1.68	7	<10	100	<0.5	<2	0.17	<0.5	10	17	18	2.82
S8R280827		0.06	0.012	0.7	1.62	6	<10	160	<0.5	<2	0.15	<0.5	7	17	28	2.65
S8R280828		0.12	0.062	0.2	2.07	4	<10	100	<0.5	<2	0.27	<0.5	13	12	21	3.77
S8R280829		0.10	0.009	0.2	2.25	4	<10	90	<0.5	<2	0.31	<0.5	17	14	23	3.92
S8R280830		0.08	0.011	0.2	2.29	4	<10	110	<0.5	<2	0.31	<0.5	14	17	25	3.83
S8R280831		0.14	0.021	0.2	1.87	4	<10	110	<0.5	<2	0.25	<0.5	13	15	23	3.25
S8R280832		0.04	0.011	0.2	1.83	4	<10	130	<0.5	<2	0.24	<0.5	10	15	14	2.74
S8R280833		0.12	0.005	0.2	1.86	4	<10	90	<0.5	<2	0.29	<0.5	9	16	10	2.85
S8R280834		0.06	0.009	0.3	1.98	4	<10	110	<0.5	<2	0.36	<0.5	12	17	11	3.00
S8R280835		0.12	0.010	<0.2	2.05	5	<10	120	<0.5	<2	0.37	<0.5	12	17	14	3.23
S8R280836		0.06	<0.005	0.2	1.74	5	<10	80	<0.5	<2	0.38	<0.5	12	13	10	2.92
S8R280837		0.10	0.007	<0.2	1.75	7	<10	70	<0.5	<2	0.28	<0.5	21	13	10	3.31
S8R280838		0.08	<0.005	0.2	1.73	3	<10	100	<0.5	2	0.25	<0.5	11	13	14	3.14
S8R280839		0.12	0.010	<0.2	1.79	3	<10	80	<0.5	<2	0.22	<0.5	9	13	13	3.05
S8R280840		0.10	0.007	<0.2	1.87	6	<10	80	<0.5	<2	0.25	<0.5	13	14	15	3.43
S8R280841		0.12	0.007	0.2	1.78	6	<10	100	<0.5	<2	0.27	<0.5	11	14	16	3.26
S8R280842		0.12	<0.005	<0.2	1.81	13	<10	160	<0.5	<2	0.45	<0.5	22	17	14	4.69
S8R280843		0.08	<0.005	<0.2	1.69	5	<10	130	<0.5	<2	0.29	<0.5	12	13	10	2.87
S8R280844		0.04	NSS	<0.2	1.54	4	<10	160	<0.5	<2	0.60	<0.5	11	13	11	2.61
S8R280845		0.08	0.005	<0.2	1.34	5	<10	60	<0.5	<2	0.36	<0.5	9	8	7	2.58



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ECO-TECH LABORATORIES LTD.
10041 DALLAS DR
KAMLOOPS BC V2C 6T4

Page: 6 - B
Total # Pages: 7 (A - C)
Plus Appendix Pages
Finalized Date: 3-NOV-2011
Account: UX

Project: Kestrel Gold 11-8323

CERTIFICATE OF ANALYSIS VA11207987

Sample Description	Method Analyte Units LOR	ME-ICP41 Ga ppm 10	ME-ICP41 Hg ppm 1	ME-ICP41 K % 0.01	ME-ICP41 La ppm 10	ME-ICP41 Mg % 0.01	ME-ICP41 Mn ppm 5	ME-ICP41 Mo ppm 1	ME-ICP41 Na % 0.01	ME-ICP41 Ni ppm 1	ME-ICP41 P ppm 10	ME-ICP41 Pb ppm 2	ME-ICP41 S % 0.01	ME-ICP41 Sb ppm 2	ME-ICP41 Sc ppm 1	ME-ICP41 Sr ppm 1
S8R278880		10	<1	0.02	10	0.97	483	2	0.01	23	790	18	0.02	<2	3	9
S8R278881		10	<1	0.03	10	0.88	627	2	0.01	24	1000	16	0.02	<2	3	16
S8R278882		10	1	0.03	10	0.96	771	2	0.01	27	1040	25	0.02	<2	4	15
S8R278883		10	1	0.03	20	0.96	652	2	0.01	25	650	15	0.04	2	4	29
S8R278884		10	<1	0.03	10	0.89	857	2	0.01	23	670	15	0.04	<2	3	44
S8R280811		10	<1	0.06	10	0.72	605	1	0.01	9	690	27	0.03	<2	5	22
S8R280812		<10	1	0.04	10	0.40	396	2	0.01	5	500	9	0.01	<2	3	9
S8R280813		<10	<1	0.05	10	0.42	371	1	0.01	5	480	10	0.02	<2	3	12
S8R280814		<10	<1	0.06	10	0.72	507	1	0.01	8	690	13	0.02	<2	4	12
S8R280815		10	1	0.03	10	1.11	656	<1	0.01	17	720	10	0.06	<2	6	22
S8R280816		<10	<1	0.04	10	0.67	554	1	0.02	15	730	6	0.02	<2	3	27
S8R280817		10	<1	0.03	10	0.94	497	1	0.01	17	610	10	0.05	<2	5	19
S8R280818		10	<1	0.04	10	0.80	547	1	0.02	21	510	14	0.02	2	6	25
S8R280819		10	1	0.03	10	0.88	606	1	0.01	20	340	14	0.02	<2	6	21
S8R280820		<10	1	0.03	10	0.55	802	1	0.02	14	680	7	0.06	<2	5	45
S8R280821		10	<1	0.04	10	1.06	500	<1	0.01	18	530	8	0.01	<2	5	19
S8R280822		10	<1	0.05	10	0.84	475	<1	0.01	17	400	8	0.02	<2	5	21
S8R280823		10	<1	0.03	10	1.22	856	<1	0.01	16	390	8	0.02	<2	10	21
S8R280824		10	<1	0.02	10	1.08	349	1	0.01	16	410	8	0.02	<2	4	13
S8R280825		10	1	0.02	10	0.84	695	1	0.01	10	680	7	0.01	<2	4	9
S8R280826		<10	<1	0.02	10	0.75	510	1	0.01	10	680	7	0.01	<2	4	9
S8R280827		10	<1	0.02	10	0.60	261	1	0.01	11	850	9	0.04	<2	2	12
S8R280828		10	1	0.01	10	1.10	773	<1	0.01	8	880	8	0.01	<2	8	11
S8R280829		10	1	0.01	10	1.42	797	<1	0.01	11	810	5	0.02	<2	8	12
S8R280830		10	1	0.01	10	1.37	727	<1	0.01	12	720	8	0.02	<2	8	14
S8R280831		10	1	0.01	10	1.17	531	<1	<0.01	10	670	5	0.01	<2	6	11
S8R280832		10	1	0.01	10	1.04	298	<1	0.01	10	600	5	0.03	<2	5	13
S8R280833		10	<1	0.01	10	1.07	266	<1	0.01	10	580	6	0.03	<2	5	13
S8R280834		10	1	0.02	10	1.13	572	<1	0.01	10	560	8	0.04	<2	5	17
S8R280835		10	<1	0.01	10	1.29	450	<1	0.01	11	550	8	0.03	<2	5	16
S8R280836		10	<1	0.01	10	1.07	480	<1	0.01	9	580	7	0.03	<2	4	15
S8R280837		10	<1	0.01	10	1.02	1210	<1	0.01	9	590	9	<0.01	<2	4	13
S8R280838		10	<1	0.01	10	0.91	511	<1	0.01	6	850	6	0.01	<2	5	12
S8R280839		10	<1	0.02	10	0.88	392	<1	0.01	6	700	7	<0.01	<2	4	10
S8R280840		10	<1	0.02	10	0.95	555	<1	0.01	8	710	6	<0.01	<2	4	13
S8R280841		10	<1	0.02	10	0.86	505	<1	0.01	8	690	6	<0.01	<2	5	14
S8R280842		10	<1	0.02	10	0.89	1755	1	0.01	9	960	10	0.03	<2	5	22
S8R280843		<10	<1	0.02	10	0.92	638	<1	0.01	9	660	6	0.01	<2	4	14
S8R280844		<10	<1	0.02	10	0.76	810	<1	0.01	8	540	6	0.03	<2	4	26
S8R280845		<10	<1	0.01	10	0.70	363	<1	0.01	5	720	4	0.01	<2	4	12



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ECO-TECH LABORATORIES LTD.
 10041 DALLAS DR
 KAMLOOPS BC V2C 6T4

Page: 6 - C
 Total # Pages: 7 (A - C)
 Plus Appendix Pages
 Finalized Date: 3-NOV-2011
 Account: UX

Project: Kestrel Gold 11-8323

CERTIFICATE OF ANALYSIS VA11207987

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Th	Ti	Ti	U	V	W	Zn
		ppm 20	% 0.01	ppm 10	ppm 10	ppm 1	ppm 10	ppm 2
S8R278880		<20	0.02	<10	<10	44	<10	82
S8R278881		<20	0.03	<10	<10	49	<10	122
S8R278882		<20	0.03	<10	<10	49	<10	173
S8R278883		<20	0.02	<10	<10	47	<10	163
S8R278884		<20	0.02	<10	<10	42	<10	155
S8R280811		<20	0.03	<10	<10	52	<10	70
S8R280812		<20	0.02	<10	<10	20	<10	55
S8R280813		<20	0.03	<10	<10	27	<10	57
S8R280814		<20	0.02	<10	<10	42	<10	66
S8R280815		<20	0.03	<10	<10	65	<10	76
S8R280816		<20	0.05	<10	<10	41	<10	57
S8R280817		<20	0.03	<10	<10	59	<10	73
S8R280818		<20	0.06	<10	<10	65	<10	64
S8R280819		<20	0.04	<10	<10	75	<10	57
S8R280820		<20	0.03	<10	<10	51	<10	38
S8R280821		<20	0.06	<10	<10	63	<10	53
S8R280822		<20	0.06	<10	<10	72	<10	56
S8R280823		<20	0.04	<10	<10	97	<10	58
S8R280824		<20	0.03	<10	<10	63	<10	52
S8R280825		<20	0.02	<10	<10	49	<10	56
S8R280826		<20	0.03	<10	<10	51	<10	54
S8R280827		<20	0.02	<10	<10	47	<10	46
S8R280828		<20	0.02	<10	<10	45	<10	82
S8R280829		<20	0.02	<10	<10	63	<10	73
S8R280830		<20	0.02	<10	<10	62	<10	77
S8R280831		<20	0.02	<10	<10	59	<10	72
S8R280832		<20	0.02	<10	<10	56	<10	58
S8R280833		<20	0.02	<10	<10	53	<10	63
S8R280834		<20	0.02	<10	<10	55	<10	66
S8R280835		<20	0.02	<10	<10	56	<10	68
S8R280836		<20	0.02	<10	<10	52	<10	64
S8R280837		<20	0.02	<10	<10	54	<10	67
S8R280838		<20	0.02	<10	<10	45	<10	61
S8R280839		<20	0.02	<10	<10	42	<10	60
S8R280840		<20	0.02	<10	<10	46	<10	73
S8R280841		<20	0.02	<10	<10	42	<10	68
S8R280842		<20	0.02	<10	<10	58	<10	68
S8R280843		<20	0.02	<10	<10	51	<10	58
S8R280844		<20	0.02	<10	<10	42	<10	57
S8R280845		<20	0.01	<10	<10	34	<10	50



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ECO-TECH LABORATORIES LTD.
 10041 DALLAS DR
 KAMLOOPS BC V2C 6T4

Page: 7 - A
 Total # Pages: 7 (A - C)
 Plus Appendix Pages
 Finalized Date: 3-NOV-2011
 Account: UX

Project: Kestrel Gold 11-8323

CERTIFICATE OF ANALYSIS VA11207987

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg .02	Au-AA23 Au ppm 0.005	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01
S8R280846		0.04	0.010	<0.2	1.86	7	<10	270	<0.5	2	0.77	<0.5	17	10	22	3.83
S8R280847		0.04	0.015	<0.2	2.01	5	<10	140	<0.5	<2	0.70	<0.5	15	11	25	3.67
S8R280848		0.08	0.116	<0.2	1.55	5	<10	110	<0.5	<2	0.26	<0.5	11	9	16	2.98
S8R280849		0.08	0.019	<0.2	1.53	8	<10	80	<0.5	<2	0.25	<0.5	14	11	24	3.19
S8R280850		0.08	0.011	0.2	1.64	20	<10	110	<0.5	<2	0.22	<0.5	14	15	28	3.46
S8R280851		0.08	0.009	<0.2	1.81	6	<10	140	<0.5	<2	0.16	<0.5	11	21	19	2.74
S8R280852		0.06	0.006	<0.2	1.85	7	<10	110	<0.5	<2	0.14	<0.5	15	16	20	2.87
S8R280853		0.06	<0.005	<0.2	1.52	7	<10	80	<0.5	<2	0.13	<0.5	10	17	15	2.32
S8R280854		0.08	0.011	<0.2	1.64	6	<10	100	<0.5	<2	0.12	<0.5	11	19	19	2.48
S8R280855		0.08	0.008	<0.2	2.24	6	<10	100	<0.5	<2	0.08	<0.5	17	18	26	3.17
S8R280856		0.06	<0.005	<0.2	1.91	6	<10	90	<0.5	<2	0.10	<0.5	13	23	30	2.58
S8R280857		0.08	0.015	<0.2	2.19	7	<10	100	<0.5	<2	0.11	<0.5	13	25	30	2.80
S8R280858		0.08	<0.005	<0.2	1.97	5	<10	70	<0.5	<2	0.10	<0.5	11	21	25	2.48
S8R280859		0.06	0.008	<0.2	1.79	5	<10	80	<0.5	<2	0.10	<0.5	11	20	22	2.43



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ECO-TECH LABORATORIES LTD.
 10041 DALLAS DR
 KAMLOOPS BC V2C 6T4

Page: 7 - B
 Total # Pages: 7 (A - C)
 Plus Appendix Pages
 Finalized Date: 3-NOV-2011
 Account: UX

Project: Kestrel Gold 11-8323

CERTIFICATE OF ANALYSIS VA11207987

Sample Description	Method Analyte Units LOR	ME-ICP41 Ga ppm 10	ME-ICP41 Hg ppm 1	ME-ICP41 K % 0.01	ME-ICP41 La ppm 10	ME-ICP41 Mg % 0.01	ME-ICP41 Mn ppm 5	ME-ICP41 Mo ppm 1	ME-ICP41 Na % 0.01	ME-ICP41 Ni ppm 1	ME-ICP41 P ppm 10	ME-ICP41 Pb ppm 2	ME-ICP41 S % 0.01	ME-ICP41 Sb ppm 2	ME-ICP41 Sc ppm 1	ME-ICP41 Sr ppm 1
S8R280846		10	<1	0.01	10	0.81	3420	1	0.01	9	850	7	0.02	<2	9	27
S8R280847		10	<1	0.01	20	0.95	826	<1	0.01	8	880	6	0.02	<2	9	23
S8R280848		<10	1	0.01	10	0.85	628	<1	0.01	7	890	5	<0.01	<2	6	9
S8R280849		10	<1	0.02	10	0.79	917	<1	0.01	7	910	7	<0.01	<2	5	10
S8R280850		<10	<1	0.02	10	0.75	1035	1	0.01	10	760	11	<0.01	<2	5	12
S8R280851		<10	<1	0.02	10	0.82	328	<1	0.01	12	520	8	<0.01	<2	5	11
S8R280852		<10	<1	0.02	10	1.14	553	<1	0.01	12	300	6	<0.01	<2	5	10
S8R280853		<10	<1	0.02	10	0.79	263	<1	0.01	10	260	6	<0.01	<2	4	10
S8R280854		<10	<1	0.02	10	0.83	328	<1	0.01	14	340	6	<0.01	<2	4	9
S8R280855		10	<1	0.02	10	1.56	546	<1	0.01	13	120	5	<0.01	<2	7	8
S8R280856		10	<1	0.02	10	1.16	365	<1	0.01	14	320	7	<0.01	<2	4	10
S8R280857		10	<1	0.02	10	1.55	412	<1	0.01	17	200	5	<0.01	<2	5	11
S8R280858		<10	<1	0.02	10	1.43	314	<1	0.01	13	250	5	<0.01	<2	3	9
S8R280859		10	<1	0.02	10	1.11	337	<1	0.01	13	340	6	<0.01	<2	3	9



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ECO-TECH LABORATORIES LTD.
 10041 DALLAS DR
 KAMLOOPS BC V2C 6T4

Page: 7 - C
 Total # Pages: 7 (A - C)
 Plus Appendix Pages
 Finalized Date: 3-NOV-2011
 Account: UX

Project: Kestrel Gold 11-8323

CERTIFICATE OF ANALYSIS VA11207987

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Th	Ti	Ti	U	V	W	Zn
		ppm 20	% 0.01	ppm 10	ppm 10	ppm 1	ppm 10	ppm 2
S8R280846		<20	0.01	<10	<10	54	<10	76
S8R280847		<20	0.01	<10	<10	54	<10	69
S8R280848		<20	0.01	<10	<10	35	<10	53
S8R280849		<20	0.02	<10	<10	36	<10	61
S8R280850		<20	0.02	<10	<10	34	<10	76
S8R280851		<20	0.03	<10	<10	55	<10	49
S8R280852		<20	0.03	<10	<10	75	<10	51
S8R280853		<20	0.04	<10	<10	56	<10	38
S8R280854		<20	0.03	<10	<10	52	<10	49
S8R280855		<20	0.03	<10	<10	82	<10	55
S8R280856		<20	0.04	<10	<10	60	<10	42
S8R280857		<20	0.05	<10	<10	64	<10	48
S8R280858		<20	0.04	<10	<10	58	<10	44
S8R280859		<20	0.03	<10	<10	57	<10	45



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ECO-TECH LABORATORIES LTD.
10041 DALLAS DR
KAMLOOPS BC V2C 6T4

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 3-NOV-2011
Account: UX

Project: Kestrel Gold 11-8323

CERTIFICATE OF ANALYSIS VA11207987

Method	CERTIFICATE COMMENTS
ALL METHODS	NSS is non-sufficient sample.