



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SILVER QUEST RESOURCES LTD.  
P.O. BOX 11584  
650 WEST GEORGIA STREET, SUITE 1410  
VANCOUVER BC V6B 4N8

Page: 1  
Finalized Date: 22-OCT-2011  
Account: SIQURE

**CERTIFICATE WH11177392**

Project: Sessenta

P.O. No.: SS90403 - 05

This report is for 121 Soil samples submitted to our lab in Whitehorse, YT, Canada on 3-SEP-2011.

The following have access to data associated with this certificate:

KENDRA JOHNSTON

DAVID PAWLIUK

RANDY TURNER

**SAMPLE PREPARATION**

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
PUL-31	Pulverize split to 85% < 75 um
LOG-22d	Sample login - Rcd w/o BarCode dup
SCR-41	Screen to -180um and save both

**ANALYTICAL PROCEDURES**

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
ME-MS41	51 anal. aqua regia ICPMS	

To: SILVER QUEST RESOURCES LTD.  
ATTN: KENDRA JOHNSTON  
P.O. BOX 11584  
650 WEST GEORGIA STREET, SUITE 1410  
VANCOUVER BC V6B 4N8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

  
Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SILVER QUEST RESOURCES LTD.  
P.O. BOX 11584  
650 WEST GEORGIA STREET, SUITE 1410  
VANCOUVER BC V6B 4N8

Page: 2 - A  
Total # Pages: 5 (A - D)  
Plus Appendix Pages  
Finalized Date: 22-OCT-2011  
Account: SIQURE

Project: Sessenta

**CERTIFICATE OF ANALYSIS WH11177392**

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppb	ME-MS41 Ag ppm	ME-MS41 Al %	ME-MS41 As ppm	ME-MS41 Au ppm	ME-MS41 B ppm	ME-MS41 Ba ppm	ME-MS41 Be ppm	ME-MS41 Bi ppm	ME-MS41 Ca %	ME-MS41 Cd ppm	ME-MS41 Ce ppm	ME-MS41 Co ppm	ME-MS41 Cr ppm
		0.02	5	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
L839036		0.40	<5	0.06	1.47	8.1	<0.2	<10	250	0.50	0.13	0.46	0.06	25.7	8.5	28
L839037		0.40	<5	0.06	1.00	6.3	<0.2	<10	160	0.30	0.10	0.48	0.06	23.3	6.5	22
L839038		0.32	<5	0.08	1.17	7.9	<0.2	<10	190	0.41	0.11	0.62	0.09	24.7	9.0	26
L839039		0.32	<5	0.09	1.26	6.4	<0.2	<10	250	0.42	0.11	0.61	0.11	25.1	8.0	24
L839040		0.44	<5	0.12	1.41	7.3	<0.2	<10	300	0.48	0.13	0.69	0.15	25.5	10.1	25
L839041		0.26	<5	0.12	1.31	9.3	<0.2	<10	300	0.55	0.14	0.45	0.05	27.7	7.9	25
L839042		0.28	<5	0.10	1.42	7.8	<0.2	<10	280	0.50	0.12	0.51	0.04	26.2	7.6	25
L839043		0.28	5	0.12	1.15	7.4	<0.2	<10	250	0.42	0.12	0.46	0.04	24.0	6.7	22
L839044		0.36	<5	0.10	1.29	7.9	<0.2	<10	280	0.46	0.12	0.48	0.06	26.0	7.8	24
L839045		0.38	6	0.06	0.99	5.9	<0.2	<10	160	0.28	0.09	0.40	0.08	23.2	5.8	20
L839046		0.30	5	0.11	1.44	9.0	<0.2	<10	280	0.50	0.13	0.56	0.12	26.4	8.6	25
L839047		0.32	<5	0.06	1.43	6.9	<0.2	<10	320	0.43	0.13	0.39	0.08	25.6	8.2	24
L839048		0.32	<5	0.13	1.37	8.6	<0.2	<10	280	0.45	0.15	0.52	0.08	26.8	9.6	26
L839049		0.26	<5	0.08	1.47	9.0	<0.2	<10	280	0.45	0.15	0.46	0.10	30.0	11.3	26
L839050		0.22	<5	0.05	0.23	4.7	<0.2	<10	140	0.15	0.03	1.12	0.11	14.80	2.6	4
L838101		0.40	7	0.10	1.32	8.0	<0.2	<10	310	0.43	0.13	0.53	0.08	26.9	8.7	25
L838102		0.42	<5	0.09	1.38	10.0	<0.2	<10	290	0.45	0.16	0.52	0.18	28.3	11.2	26
L838103		0.38	<5	0.12	1.53	8.2	<0.2	<10	290	0.49	0.15	0.51	0.08	27.3	10.2	29
L838104		0.26	<5	0.11	1.16	8.1	<0.2	<10	290	0.39	0.18	0.68	0.15	24.0	9.1	24
L838105		0.30	<5	0.10	1.34	6.2	<0.2	<10	280	0.32	0.14	0.47	0.15	19.50	7.3	22
L838106		0.36	<5	0.11	1.32	8.8	<0.2	<10	310	0.43	0.15	0.66	0.12	24.0	9.9	25
L838107		0.42	6	0.12	1.42	8.6	<0.2	<10	290	0.46	0.15	0.57	0.13	26.0	9.7	26
L838108		0.34	6	0.10	1.36	7.8	<0.2	<10	240	0.41	0.14	0.52	0.17	30.0	8.5	26
L838109		0.40	9	0.08	1.17	6.3	<0.2	<10	190	0.33	0.12	0.50	0.06	27.3	7.3	23
L838110		0.22	<5	0.04	0.22	4.8	<0.2	<10	140	0.16	0.05	1.14	0.12	14.15	2.6	4
L838111		0.34	<5	0.07	1.33	6.9	<0.2	<10	230	0.39	0.13	0.48	0.11	27.4	8.4	28
L838112		0.20	<5	0.06	1.21	6.0	<0.2	<10	190	0.32	0.12	0.85	0.22	21.5	7.0	21
L838201		0.42	<5	0.05	2.56	5.3	<0.2	<10	160	0.78	0.11	0.75	0.05	29.0	7.0	39
L838202		0.54	<5	0.03	1.89	6.5	<0.2	<10	160	0.80	0.10	0.54	0.03	22.9	7.1	24
L838203		0.36	<5	0.10	1.40	6.0	<0.2	<10	230	0.53	0.12	1.25	0.18	20.3	7.3	23
L838204		0.46	<5	0.10	1.51	5.7	<0.2	<10	180	0.48	0.11	0.96	0.10	21.9	7.0	22
L838205		0.48	7	0.08	1.57	5.0	<0.2	<10	250	0.40	0.13	0.70	0.09	22.2	6.6	23
L838206		0.54	5	0.06	1.51	5.3	<0.2	<10	210	0.28	0.13	0.35	0.08	24.5	5.8	22
L838207		0.52	<5	0.07	1.43	5.7	<0.2	<10	250	0.33	0.13	0.39	0.11	21.5	6.3	23
L838208		0.54	<5	0.12	1.57	7.2	<0.2	<10	350	0.45	0.14	0.69	0.12	28.8	9.7	25
L838209		0.54	<5	0.08	1.43	7.1	<0.2	<10	280	0.36	0.14	0.45	0.10	25.0	7.9	24
L838210		0.26	<5	0.04	0.22	4.6	<0.2	<10	140	0.15	0.03	1.11	0.11	13.60	2.6	5
L838211		0.40	<5	0.07	1.20	5.8	<0.2	<10	210	0.27	0.11	1.05	0.14	20.1	6.9	20
L838212		0.34	<5	0.09	1.40	6.2	<0.2	<10	250	0.32	0.13	0.99	0.16	19.80	7.9	22
L838213		0.48	<5	0.08	1.45	6.7	<0.2	<10	270	0.38	0.14	0.68	0.11	23.3	8.9	24



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SILVER QUEST RESOURCES LTD.  
P.O. BOX 11584  
650 WEST GEORGIA STREET, SUITE 1410  
VANCOUVER BC V6B 4N8

Page: 2 - B  
Total # Pages: 5 (A - D)  
Plus Appendix Pages  
Finalized Date: 22-OCT-2011  
Account: SIQURE

Project: Sessenta

**CERTIFICATE OF ANALYSIS WH11177392**

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
L839036		0.50	21.4	2.38	4.46	0.13	0.12	<0.01	0.025	0.04	13.3	9.4	0.45	339	0.90
L839037		0.39	15.2	1.92	3.26	0.13	0.09	<0.01	0.018	0.03	12.2	7.5	0.39	228	0.66
L839038		0.52	23.4	2.32	3.65	0.13	0.09	<0.01	0.019	0.04	12.2	8.8	0.50	351	0.76
L839039		0.41	20.8	2.17	3.68	0.13	0.12	<0.01	0.019	0.04	13.0	8.0	0.41	343	0.93
L839040		0.49	28.0	2.31	4.36	0.14	0.12	0.01	0.023	0.04	13.1	9.3	0.46	507	1.10
L839041		0.44	25.2	2.28	3.98	0.13	0.22	0.01	0.021	0.05	15.1	11.6	0.47	220	0.67
L839042		0.47	21.2	2.27	4.11	0.12	0.23	<0.01	0.024	0.04	13.3	10.1	0.48	223	0.72
L839043		0.42	21.1	2.01	3.38	0.13	0.11	<0.01	0.019	0.04	12.8	9.4	0.42	193	0.59
L839044		0.43	20.2	2.23	3.57	0.12	0.15	0.01	0.020	0.04	12.7	9.1	0.43	264	0.61
L839045		0.45	10.9	1.86	3.13	0.13	0.12	<0.01	0.016	0.03	11.7	7.5	0.35	210	0.65
L839046		0.42	24.0	2.38	4.19	0.14	0.13	<0.01	0.024	0.04	13.6	10.6	0.45	271	0.89
L839047		0.43	15.8	2.22	4.00	0.12	0.14	<0.01	0.023	0.05	12.0	10.3	0.38	273	0.99
L839048		0.46	23.0	2.40	4.35	0.13	0.10	0.01	0.022	0.06	13.5	11.6	0.48	302	0.85
L839049		0.49	23.1	2.49	4.69	0.12	0.13	0.01	0.020	0.04	14.9	12.3	0.46	287	0.91
L839050		0.21	3.7	0.74	0.94	0.10	0.11	0.02	0.006	0.05	7.8	2.5	0.17	189	0.61
L838101		0.49	25.2	2.32	4.15	0.14	0.13	0.01	0.023	0.04	14.0	11.1	0.47	288	0.74
L838102		0.56	28.5	2.54	4.43	0.13	0.14	0.01	0.023	0.05	14.8	12.5	0.55	404	0.82
L838103		0.49	23.3	2.46	4.79	0.13	0.12	<0.01	0.023	0.06	14.2	12.3	0.49	244	0.85
L838104		0.40	20.6	2.24	3.85	0.14	0.09	0.01	0.018	0.05	12.7	10.6	0.55	345	0.66
L838105		0.39	18.0	2.11	4.32	0.11	0.11	<0.01	0.019	0.04	10.0	9.3	0.39	271	0.77
L838106		0.61	26.2	2.43	4.38	0.13	0.09	0.02	0.022	0.05	13.2	12.5	0.55	258	0.78
L838107		0.48	24.7	2.42	4.42	0.12	0.07	0.01	0.022	0.04	14.4	11.4	0.49	325	0.83
L838108		0.59	23.3	2.35	4.46	0.13	0.06	0.01	0.019	0.04	15.7	10.5	0.45	333	0.58
L838109		0.46	16.8	2.08	3.84	0.13	0.07	<0.01	0.017	0.04	15.0	9.7	0.44	227	0.46
L838110		0.20	3.4	0.72	0.90	0.11	0.10	<0.01	0.005	0.05	7.0	2.4	0.17	191	0.58
L838111		0.57	23.2	2.20	4.58	0.12	0.06	0.01	0.017	0.04	14.5	11.1	0.49	246	0.52
L838112		0.33	18.4	1.96	3.78	0.12	0.07	0.01	0.016	0.05	10.8	9.3	0.47	247	0.57
L838201		0.55	20.2	2.02	6.28	0.14	0.14	<0.01	0.024	0.03	15.4	26.2	2.35	285	0.22
L838202		0.61	27.6	2.31	6.65	0.14	0.20	<0.01	0.019	0.03	14.0	19.1	1.08	368	0.25
L838203		0.51	28.4	2.05	4.40	0.11	0.06	0.01	0.020	0.04	11.1	11.6	0.60	453	0.26
L838204		0.58	24.5	2.10	4.83	0.13	0.08	<0.01	0.020	0.04	11.9	15.6	0.78	311	0.25
L838205		0.48	18.7	2.17	4.76	0.12	0.07	<0.01	0.021	0.04	12.4	11.0	0.49	262	0.30
L838206		0.43	12.0	2.07	4.80	0.11	0.09	<0.01	0.019	0.04	12.3	9.5	0.41	172	0.51
L838207		0.52	16.6	2.07	4.94	0.10	0.08	<0.01	0.017	0.04	11.8	9.6	0.40	198	0.68
L838208		0.47	21.9	2.34	4.90	0.13	0.07	0.02	0.022	0.04	14.1	10.6	0.42	502	0.36
L838209		0.51	19.4	2.23	4.66	0.12	0.08	<0.01	0.020	0.04	12.7	10.4	0.41	243	0.68
L838210		0.19	3.4	0.85	0.94	0.09	0.10	<0.01	<0.005	0.05	7.0	2.4	0.16	198	0.65
L838211		0.32	12.9	1.79	3.65	0.11	0.07	0.01	0.015	0.03	10.8	8.1	0.42	416	0.41
L838212		0.43	15.9	2.01	4.22	0.12	0.08	0.02	0.019	0.03	10.9	9.4	0.49	408	0.44
L838213		0.40	16.1	2.20	4.38	0.12	0.07	0.01	0.017	0.04	12.8	10.0	0.48	533	0.33



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SILVER QUEST RESOURCES LTD.  
P.O. BOX 11584  
650 WEST GEORGIA STREET, SUITE 1410  
VANCOUVER BC V6B 4N8

Page: 2 - C  
Total # Pages: 5 (A - D)  
Plus Appendix Pages  
Finalized Date: 22-OCT-2011  
Account: SIQURE

Project: Sessenta

**CERTIFICATE OF ANALYSIS WH11177392**

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
L839036		0.99	20.2	490	7.7	6.3	<0.001	<0.01	0.53	5.0	0.7	0.4	31.4	<0.01	0.02
L839037		0.96	14.2	710	5.7	4.3	0.001	<0.01	0.45	3.2	0.4	0.3	28.9	<0.01	0.02
L839038		1.06	21.9	800	6.6	5.4	0.001	<0.01	0.59	4.2	0.7	0.4	40.1	<0.01	0.02
L839039		1.06	17.8	700	6.7	5.2	<0.001	<0.01	0.54	4.1	0.8	0.4	38.7	<0.01	0.02
L839040		1.17	22.4	630	7.7	5.9	0.001	<0.01	0.63	4.8	1.0	0.4	45.6	<0.01	0.03
L839041		0.86	23.6	540	8.3	6.1	<0.001	<0.01	0.66	5.2	0.6	0.4	30.8	<0.01	0.04
L839042		0.89	19.1	560	7.5	5.8	0.001	<0.01	0.52	4.9	0.7	0.4	35.6	<0.01	0.03
L839043		0.88	19.0	600	7.2	4.8	<0.001	<0.01	0.53	3.9	0.9	0.4	32.8	<0.01	0.03
L839044		0.84	18.9	660	7.4	5.2	0.001	<0.01	0.53	4.2	0.8	0.3	33.6	<0.01	0.02
L839045		1.00	11.7	650	5.8	5.1	<0.001	<0.01	0.45	2.9	0.3	0.3	24.2	<0.01	0.02
L839046		1.06	20.3	570	7.8	7.0	<0.001	<0.01	0.67	4.5	0.9	0.4	37.2	<0.01	0.02
L839047		1.02	17.5	480	7.4	8.3	<0.001	<0.01	0.57	3.8	0.6	0.4	26.4	<0.01	0.03
L839048		1.06	23.4	710	9.8	7.4	<0.001	0.02	0.55	4.3	0.6	0.4	32.5	<0.01	0.03
L839049		1.00	21.4	620	8.4	7.1	0.001	0.02	0.62	4.4	0.7	0.5	30.9	<0.01	0.02
L839050		0.19	6.7	190	3.3	3.1	<0.001	0.03	0.25	0.9	0.2	0.2	24.4	<0.01	0.01
L838101		0.96	21.4	710	7.3	6.2	0.001	0.02	0.62	4.5	0.6	0.4	32.9	<0.01	0.02
L838102		1.00	24.4	710	8.4	7.0	<0.001	0.02	0.65	4.8	0.7	0.4	36.4	<0.01	0.04
L838103		0.99	22.0	540	8.6	6.8	0.001	0.02	0.56	4.5	0.8	0.5	36.0	<0.01	0.02
L838104		1.03	22.8	720	7.6	5.1	0.001	0.03	0.55	3.9	0.6	0.4	41.8	<0.01	0.02
L838105		0.91	16.1	470	6.9	5.7	<0.001	0.02	0.45	3.4	0.5	0.4	31.1	<0.01	0.03
L838106		1.19	21.7	650	8.1	6.6	0.001	0.03	0.74	4.1	0.7	0.4	40.3	<0.01	0.01
L838107		1.12	20.4	660	7.8	6.3	<0.001	0.03	0.58	4.4	0.8	0.4	38.3	<0.01	0.02
L838108		1.07	19.5	780	7.1	7.3	<0.001	0.03	0.52	4.2	0.7	0.5	33.5	<0.01	0.03
L838109		1.03	16.5	740	6.3	5.6	<0.001	0.03	0.44	3.6	0.5	0.4	29.9	<0.01	0.01
L838110		0.20	6.7	200	3.3	3.1	<0.001	0.03	0.24	0.9	<0.2	<0.2	22.2	<0.01	<0.01
L838111		1.01	20.8	710	7.1	7.1	<0.001	0.02	0.44	4.3	0.7	0.4	30.6	<0.01	0.02
L838112		0.93	15.5	630	6.3	5.4	<0.001	0.04	0.40	3.4	0.7	0.4	42.6	<0.01	0.02
L838201		0.87	26.6	170	8.6	4.2	<0.001	0.03	0.22	6.2	1.0	0.6	19.2	<0.01	0.01
L838202		0.67	17.9	340	6.3	5.5	<0.001	0.02	0.28	5.6	0.7	0.4	18.9	<0.01	0.01
L838203		0.81	19.4	590	7.1	5.9	0.001	0.05	0.47	3.5	0.6	0.4	40.3	<0.01	0.03
L838204		0.90	15.6	610	6.5	7.3	<0.001	0.04	0.34	4.0	0.6	0.4	31.7	<0.01	0.02
L838205		0.98	15.3	450	6.5	5.9	<0.001	0.03	0.34	4.2	0.6	0.4	32.9	<0.01	0.01
L838206		0.87	10.9	390	6.6	7.9	<0.001	0.02	0.31	3.5	0.5	0.4	24.7	<0.01	0.02
L838207		1.03	14.3	390	6.4	7.7	<0.001	0.02	0.34	3.7	0.4	0.5	28.4	<0.01	0.03
L838208		1.03	16.7	630	7.1	6.7	<0.001	0.04	0.42	4.5	0.5	0.5	40.6	<0.01	0.02
L838209		1.01	15.9	470	7.3	7.6	<0.001	0.03	0.44	3.9	0.6	0.5	29.3	<0.01	0.03
L838210		0.23	6.4	190	3.1	2.9	<0.001	0.03	0.25	0.9	0.2	<0.2	21.2	<0.01	<0.01
L838211		0.88	12.6	630	6.0	3.9	<0.001	0.05	0.37	3.0	0.5	0.4	37.3	<0.01	0.01
L838212		0.98	15.0	610	7.4	4.8	<0.001	0.05	0.46	3.5	0.6	0.4	37.5	<0.01	0.02
L838213		1.04	16.5	510	7.9	5.7	<0.001	0.04	0.43	3.9	0.6	0.4	29.1	<0.01	0.01



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SILVER QUEST RESOURCES LTD.  
P.O. BOX 11584  
650 WEST GEORGIA STREET, SUITE 1410  
VANCOUVER BC V6B 4N8

Page: 2 - D  
Total # Pages: 5 (A - D)  
Plus Appendix Pages  
Finalized Date: 22-OCT-2011  
Account: SIQURE

Project: Sessenta

**CERTIFICATE OF ANALYSIS WH11177392**

Sample Description	Method Analyte Units LOR	ME-MS41 Ti %	ME-MS41 Ti ppm	ME-MS41 U ppm	ME-MS41 V ppm	ME-MS41 W ppm	ME-MS41 Y ppm	ME-MS41 Zn ppm	ME-MS41 Zr ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
L839036		0.075	0.06	1.17	53	0.23	8.86	43	5.1
L839037		0.072	0.04	0.92	46	0.15	6.81	36	3.2
L839038		0.076	0.06	0.93	52	0.16	9.29	46	3.2
L839039		0.080	0.04	1.64	49	0.71	8.17	42	4.3
L839040		0.080	0.05	2.13	50	0.25	9.29	47	4.8
L839041		0.068	0.05	0.66	44	0.15	11.15	51	8.6
L839042		0.074	0.06	1.27	46	0.20	9.13	47	8.2
L839043		0.057	0.06	0.82	39	0.34	8.57	41	4.3
L839044		0.063	0.05	1.10	45	0.45	8.13	45	6.2
L839045		0.075	0.05	0.73	43	0.51	5.10	39	4.5
L839046		0.066	0.05	0.91	48	0.16	8.60	46	5.1
L839047		0.067	0.05	1.36	46	0.21	6.85	45	4.7
L839048		0.080	0.06	0.56	50	0.47	7.71	54	4.1
L839049		0.075	0.05	0.82	53	0.25	8.93	51	5.4
L839050		0.010	0.07	0.53	7	<0.05	3.96	15	3.5
L838101		0.074	0.05	0.76	48	0.49	9.39	52	5.2
L838102		0.081	0.06	0.79	50	0.27	10.75	60	5.6
L838103		0.079	0.06	1.63	55	0.23	8.65	60	5.0
L838104		0.064	0.04	0.59	46	0.30	8.16	57	3.4
L838105		0.064	0.06	0.87	47	0.15	5.38	46	4.2
L838106		0.073	0.06	0.69	50	0.34	8.54	61	3.4
L838107		0.074	0.06	1.02	51	0.27	8.62	55	3.2
L838108		0.080	0.07	0.97	51	0.23	9.12	52	2.9
L838109		0.079	0.05	0.76	45	0.33	7.67	44	3.1
L838110		0.010	0.07	0.56	7	<0.05	3.80	14	3.4
L838111		0.083	0.07	0.93	49	0.26	8.82	50	2.8
L838112		0.068	0.04	0.75	41	0.28	6.43	48	2.6
L838201		0.071	0.05	0.35	47	0.13	15.30	44	6.2
L838202		0.082	0.06	0.55	48	0.12	10.60	44	8.9
L838203		0.057	0.04	1.05	43	0.14	9.39	38	2.1
L838204		0.070	0.05	0.76	42	0.17	8.96	41	3.1
L838205		0.069	0.05	1.26	46	0.48	7.31	39	2.8
L838206		0.078	0.05	0.49	45	0.14	4.88	42	3.6
L838207		0.070	0.06	0.65	46	0.11	4.92	37	3.3
L838208		0.074	0.05	1.00	51	0.27	8.48	44	3.1
L838209		0.071	0.06	0.74	47	0.23	6.09	42	3.2
L838210		0.010	0.06	0.54	7	<0.05	3.74	14	3.3
L838211		0.057	0.04	0.78	42	0.31	6.43	48	2.6
L838212		0.060	0.05	0.84	44	0.17	6.48	49	2.8
L838213		0.070	0.04	0.92	51	0.19	7.26	47	2.9



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SILVER QUEST RESOURCES LTD.  
P.O. BOX 11584  
650 WEST GEORGIA STREET, SUITE 1410  
VANCOUVER BC V6B 4N8

Page: 3 - A  
Total # Pages: 5 (A - D)  
Plus Appendix Pages  
Finalized Date: 22-OCT-2011  
Account: SIQURE

Project: Sessenta

**CERTIFICATE OF ANALYSIS WH11177392**

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppb 5	ME-MS41 Ag ppm 0.01	ME-MS41 Al % 0.01	ME-MS41 As ppm 0.1	ME-MS41 Au ppm 0.2	ME-MS41 B ppm 10	ME-MS41 Ba ppm 10	ME-MS41 Be ppm 0.05	ME-MS41 Bi ppm 0.01	ME-MS41 Ca % 0.01	ME-MS41 Cd ppm 0.01	ME-MS41 Ce ppm 0.02	ME-MS41 Co ppm 0.1	ME-MS41 Cr ppm 1
L838214		0.50	<5	0.08	1.33	4.8	<0.2	<10	230	0.35	0.12	0.73	0.14	22.1	6.4	22
L838215		0.44	<5	0.09	1.36	6.0	<0.2	<10	240	0.35	0.13	0.82	0.14	21.7	7.5	22
L838216		0.48	9	0.07	1.33	6.3	<0.2	<10	250	0.33	0.12	0.78	0.10	21.4	7.7	23
L838217		0.44	<5	0.09	1.23	6.6	<0.2	<10	230	0.35	0.11	1.30	0.19	21.4	7.7	21
L838218		0.46	<5	0.08	1.36	6.7	<0.2	<10	240	0.33	0.12	0.89	0.10	21.1	6.8	23
L838219		0.42	<5	0.08	1.01	6.2	<0.2	<10	190	0.30	0.10	1.62	0.17	20.4	7.0	18
L838220		0.32	<5	0.07	1.11	5.8	<0.2	<10	180	0.30	0.10	1.41	0.12	20.4	6.1	20
L838221		0.52	<5	0.09	1.20	5.6	<0.2	<10	220	0.34	0.11	1.64	0.14	19.95	6.4	20
L838222		0.42	12	0.12	1.21	5.8	<0.2	<10	230	0.33	0.12	1.40	0.11	18.75	6.5	19
L838223		0.32	16	0.11	1.50	3.7	<0.2	<10	240	0.46	0.14	0.94	0.09	23.8	6.1	23
L838224		0.44	<5	0.22	1.58	4.1	<0.2	<10	360	0.42	0.81	0.58	0.23	19.45	8.9	21
L838225		0.40	<5	0.08	1.75	6.2	<0.2	<10	690	0.47	0.25	0.54	0.10	25.9	9.5	22
L838226		0.34	5	0.14	1.37	5.2	<0.2	<10	420	0.26	0.23	0.30	0.15	14.65	6.4	16
L838227		0.42	<5	0.24	1.72	8.2	<0.2	<10	270	0.43	0.37	0.13	0.07	17.75	7.5	24
L838228		0.42	<5	0.05	1.62	6.8	<0.2	<10	590	0.43	0.17	0.30	0.04	20.7	7.9	25
L838229		0.36	5	0.05	1.84	7.9	<0.2	<10	300	0.54	0.18	0.57	0.10	24.4	10.0	32
L838230		0.26	<5	0.04	0.20	4.3	<0.2	<10	130	0.14	0.02	1.11	0.11	12.00	2.7	4
L838231		0.40	<5	0.08	1.56	7.9	<0.2	<10	450	0.49	0.16	0.41	0.07	24.9	9.8	27
L838232		0.36	<5	0.09	1.53	6.9	<0.2	<10	270	0.55	0.17	0.54	0.10	25.1	10.2	27
L838233		0.38	<5	0.11	1.75	4.0	<0.2	<10	700	0.66	0.21	0.51	0.12	38.2	9.5	25
L838113		0.38	<5	0.02	1.40	6.7	<0.2	<10	160	0.35	0.11	0.32	0.02	18.85	6.8	23
L838114		0.34	5	0.07	1.44	8.8	<0.2	<10	310	0.45	0.14	0.63	0.07	23.0	10.0	26
L838115		0.24	6	0.07	1.65	8.7	<0.2	<10	240	0.39	0.16	0.83	0.15	20.9	8.7	26
L838116		0.52	<5	0.12	1.43	9.4	<0.2	<10	250	0.43	0.13	0.57	0.05	24.1	9.0	26
L838117		0.40	9	0.05	1.31	7.5	<0.2	<10	180	0.41	0.11	0.48	0.05	25.1	8.8	28
L838118		0.34	<5	0.04	1.50	3.5	<0.2	<10	590	0.36	0.17	0.21	0.05	22.3	7.7	19
L838119		0.32	<5	0.07	1.69	7.7	<0.2	<10	370	0.43	0.13	0.34	0.05	25.0	8.8	27
L838120		0.32	<5	0.06	1.72	7.7	<0.2	<10	380	0.44	0.13	0.33	0.04	25.6	8.9	28
L838121		0.34	<5	0.04	1.62	7.9	<0.2	<10	300	0.48	0.13	0.43	0.03	23.6	9.3	27
L838122		0.38	<5	0.05	2.25	4.6	<0.2	<10	190	0.46	0.07	0.28	0.02	9.80	10.1	15
L838123		0.38	<5	0.06	1.65	7.9	<0.2	<10	230	0.39	0.15	0.29	0.05	17.10	9.3	31
L838124		0.40	<5	0.06	1.48	8.0	<0.2	<10	270	0.40	0.14	0.53	0.08	22.1	9.3	26
L838125		0.34	<5	0.07	1.37	7.2	<0.2	<10	230	0.33	0.14	0.56	0.08	18.55	7.4	22
L838126		0.46	8	0.06	1.45	5.5	<0.2	<10	310	0.28	0.14	0.33	0.04	13.30	6.8	22
L838127		0.42	<5	0.06	1.82	6.5	<0.2	<10	270	0.39	0.13	0.42	0.05	21.5	8.9	23
L838128		0.54	<5	0.07	1.42	7.4	<0.2	<10	370	0.36	0.14	0.57	0.06	20.2	7.2	23
L838129		0.48	<5	0.11	1.75	8.2	<0.2	<10	340	0.58	0.15	0.56	0.06	26.6	10.2	28
L838130		0.32	28	0.03	0.20	4.4	<0.2	<10	130	0.13	0.02	1.12	0.11	11.45	2.7	3
L838131		0.52	5	0.08	1.48	8.3	<0.2	<10	220	0.39	0.14	0.67	0.09	23.6	8.8	24
L838132		0.46	<5	0.07	1.39	6.4	<0.2	<10	270	0.38	0.13	0.46	0.04	19.30	7.5	24



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SILVER QUEST RESOURCES LTD.  
P.O. BOX 11584  
650 WEST GEORGIA STREET, SUITE 1410  
VANCOUVER BC V6B 4N8

Page: 3 - B  
Total # Pages: 5 (A - D)  
Plus Appendix Pages  
Finalized Date: 22-OCT-2011  
Account: SIQURE

Project: Sessenta

**CERTIFICATE OF ANALYSIS WH11177392**

Sample Description	Method Analyte Units LOR	ME-MS41 Cs ppm 0.05	ME-MS41 Cu ppm 0.2	ME-MS41 Fe % 0.01	ME-MS41 Ga ppm 0.05	ME-MS41 Ge ppm 0.05	ME-MS41 Hf ppm 0.02	ME-MS41 Hg ppm 0.01	ME-MS41 In ppm 0.005	ME-MS41 K % 0.01	ME-MS41 La ppm 0.2	ME-MS41 Li ppm 0.1	ME-MS41 Mg % 0.01	ME-MS41 Mn ppm 5	ME-MS41 Mo ppm 0.05	ME-MS41 Na % 0.01
L838214		0.39	16.3	1.85	3.99	0.12	0.07	0.02	0.017	0.03	11.2	9.0	0.45	226	0.25	0.04
L838215		0.31	15.1	2.03	4.00	0.11	0.08	0.02	0.019	0.03	11.0	9.3	0.41	234	0.30	0.03
L838216		0.40	14.4	2.09	3.77	0.12	0.07	0.01	0.019	0.03	11.7	8.9	0.43	364	0.38	0.04
L838217		0.30	16.7	1.93	3.70	0.11	0.07	0.02	0.018	0.03	11.5	8.4	0.60	363	0.28	0.04
L838218		0.37	16.1	2.02	4.07	0.10	0.08	0.02	0.018	0.03	11.6	9.3	0.49	271	0.26	0.04
L838219		0.30	13.4	1.60	3.05	0.11	0.06	0.01	0.013	0.03	10.3	7.4	0.57	962	0.31	0.04
L838220		0.33	13.5	1.65	3.43	0.12	0.06	0.01	0.016	0.03	10.6	8.2	0.51	566	0.28	0.04
L838221		0.24	18.7	1.83	3.46	0.11	0.07	0.02	0.017	0.03	10.7	8.4	0.47	256	0.25	0.03
L838222		0.34	17.9	1.93	3.69	0.08	0.08	0.03	0.019	0.03	9.4	9.9	0.44	229	0.35	0.02
L838223		0.51	21.7	1.89	4.31	0.07	0.11	0.05	0.021	0.03	11.7	10.8	0.43	111	0.16	0.03
L838224		0.57	52.4	2.69	5.74	0.08	0.06	0.02	0.033	0.12	10.4	12.9	0.58	345	2.31	0.01
L838225		0.56	15.4	2.54	5.48	0.08	0.13	0.02	0.026	0.06	14.5	10.8	0.37	654	1.03	0.02
L838226		0.31	13.6	2.38	4.91	0.07	0.06	0.02	0.019	0.11	8.5	9.8	0.37	273	1.24	0.01
L838227		0.54	23.3	2.59	5.14	0.06	0.09	0.02	0.028	0.05	9.8	13.8	0.39	162	1.03	0.01
L838228		0.45	14.4	2.41	4.87	0.07	0.08	0.01	0.023	0.04	10.5	10.5	0.38	364	1.02	0.02
L838229		0.42	13.2	2.76	5.53	0.08	0.11	0.01	0.027	0.05	9.5	9.4	0.38	552	0.82	0.02
L838230		0.20	3.4	0.73	0.86	<0.05	0.10	0.01	<0.005	0.04	6.1	2.7	0.16	182	0.62	0.02
L838231		0.48	15.6	2.85	4.61	0.09	0.20	0.01	0.026	0.14	11.8	9.7	0.41	629	1.12	0.02
L838232		0.43	17.9	2.68	4.61	0.08	0.13	0.01	0.027	0.07	11.7	8.6	0.37	602	0.82	0.02
L838233		0.49	19.5	2.81	5.21	0.09	0.07	0.02	0.025	0.19	14.7	9.6	0.50	683	0.92	0.02
L838113		0.46	14.6	2.21	4.17	0.07	0.16	0.01	0.019	0.05	10.0	13.5	0.47	160	0.73	0.02
L838114		0.48	23.0	2.54	4.57	0.09	0.08	0.02	0.022	0.05	11.5	11.9	0.48	433	0.69	0.03
L838115		0.48	25.0	2.59	5.20	0.10	0.20	0.03	0.025	0.13	10.6	13.2	0.60	299	0.76	0.03
L838116		0.50	26.0	2.59	4.53	0.10	0.16	0.03	0.023	0.04	12.4	11.7	0.51	271	0.83	0.03
L838117		0.52	25.5	2.42	4.08	0.10	0.24	0.02	0.021	0.05	12.5	10.1	0.48	282	0.70	0.03
L838118		0.63	14.1	2.19	4.95	0.07	0.04	0.01	0.019	0.11	9.1	10.0	0.44	491	0.99	0.01
L838119		0.85	19.5	2.67	5.03	0.08	0.18	0.01	0.032	0.19	9.4	11.5	0.54	667	0.94	0.01
L838120		0.86	18.3	2.75	5.19	0.09	0.21	0.01	0.030	0.17	9.9	11.6	0.52	627	0.93	0.02
L838121		0.62	22.6	2.70	4.86	0.09	0.27	0.02	0.022	0.07	12.4	11.9	0.53	479	0.61	0.02
L838122		2.62	23.2	2.87	5.62	0.09	0.08	0.01	0.018	0.50	5.1	15.7	1.00	338	0.38	0.01
L838123		0.53	12.1	2.63	4.89	0.08	0.16	0.01	0.023	0.08	8.0	11.8	0.48	332	0.96	0.01
L838124		0.46	20.1	2.49	4.61	0.09	0.20	0.02	0.024	0.06	10.3	12.5	0.52	293	0.65	0.03
L838125		0.44	20.8	2.33	4.45	0.09	0.13	0.01	0.020	0.07	9.4	11.4	0.49	239	0.69	0.03
L838126		0.48	10.6	2.26	4.75	0.07	0.08	0.01	0.020	0.05	6.9	11.6	0.38	145	1.02	0.02
L838127		0.64	17.5	2.54	5.54	0.09	0.17	0.02	0.022	0.07	10.3	11.7	0.55	280	0.79	0.02
L838128		0.38	20.5	2.32	4.44	0.09	0.09	0.02	0.022	0.05	10.9	10.9	0.44	309	0.56	0.02
L838129		0.64	34.2	2.65	5.17	0.10	0.29	0.03	0.024	0.05	15.5	12.6	0.60	347	0.64	0.03
L838130		0.20	3.2	0.66	0.84	<0.05	0.09	0.01	<0.005	0.04	6.3	2.5	0.16	175	0.59	0.02
L838131		0.63	22.0	2.35	4.76	0.10	0.16	0.02	0.022	0.07	12.1	12.7	0.57	259	0.38	0.03
L838132		0.40	17.1	2.26	4.38	0.09	0.17	0.01	0.021	0.04	10.2	10.1	0.42	243	0.67	0.02





ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SILVER QUEST RESOURCES LTD.  
P.O. BOX 11584  
650 WEST GEORGIA STREET, SUITE 1410  
VANCOUVER BC V6B 4N8

Page: 3 - C  
Total # Pages: 5 (A - D)  
Plus Appendix Pages  
Finalized Date: 22-OCT-2011  
Account: SIQURE

Project: Sessenta

**CERTIFICATE OF ANALYSIS WH11177392**

Sample Description	Method Analyte Units LOR	ME-MS41 Nb ppm 0.05	ME-MS41 Ni ppm 0.2	ME-MS41 P ppm 10	ME-MS41 Pb ppm 0.2	ME-MS41 Rb ppm 0.1	ME-MS41 Re ppm 0.001	ME-MS41 S % 0.01	ME-MS41 Sb ppm 0.05	ME-MS41 Sc ppm 0.1	ME-MS41 Se ppm 0.2	ME-MS41 Sn ppm 0.2	ME-MS41 Sr ppm 0.2	ME-MS41 Ta ppm 0.01	ME-MS41 Te ppm 0.01	ME-MS41 Th ppm 0.2
L838214		0.93	15.3	550	6.9	5.0	<0.001	0.04	0.39	3.5	0.6	0.4	28.4	<0.01	0.02	1.9
L838215		0.99	14.8	520	7.5	4.4	<0.001	0.04	0.39	3.6	0.6	0.4	30.8	<0.01	0.02	2.0
L838216		1.00	14.6	480	7.3	5.0	<0.001	0.04	0.42	3.4	0.6	0.4	30.8	<0.01	0.01	2.3
L838217		0.94	16.3	590	7.2	4.6	<0.001	0.05	0.44	3.2	0.6	0.4	36.8	<0.01	0.02	1.7
L838218		1.02	14.7	560	7.8	4.1	0.001	0.05	0.37	3.5	0.5	0.4	32.3	<0.01	0.01	2.0
L838219		0.72	14.6	640	6.4	3.4	<0.001	0.06	0.33	2.4	0.4	0.3	35.0	<0.01	0.01	1.1
L838220		0.82	14.5	650	6.6	3.6	<0.001	0.06	0.35	2.7	0.6	0.3	34.3	<0.01	0.02	1.3
L838221		0.87	16.2	600	7.1	3.1	<0.001	0.06	0.44	2.8	0.5	0.3	38.5	<0.01	0.01	1.2
L838222		0.97	15.0	550	8.1	4.9	<0.001	0.04	0.44	3.1	0.7	0.3	37.5	<0.01	0.02	1.7
L838223		1.21	17.0	400	8.8	6.0	<0.001	0.03	0.53	4.2	0.6	0.4	32.2	<0.01	0.02	2.7
L838224		0.87	13.7	530	19.6	16.4	<0.001	0.01	1.82	4.4	0.4	0.6	26.5	<0.01	0.07	4.7
L838225		1.16	14.3	310	9.9	11.8	<0.001	0.01	1.08	4.3	0.5	0.5	30.8	<0.01	0.02	4.8
L838226		0.93	12.7	300	8.9	11.8	<0.001	0.01	0.99	3.0	0.3	0.4	20.5	<0.01	0.02	3.0
L838227		1.12	16.0	210	10.7	9.5	<0.001	0.01	1.23	3.4	0.4	0.6	13.1	<0.01	0.03	3.6
L838228		1.15	16.5	200	8.5	6.4	<0.001	0.01	0.55	3.9	0.4	0.5	20.3	<0.01	0.02	3.4
L838229		1.31	19.8	170	11.3	8.5	<0.001	0.01	0.49	5.6	0.4	0.5	23.2	<0.01	0.02	3.3
L838230		0.19	7.0	190	3.0	3.3	<0.001	0.02	0.22	1.1	<0.2	<0.2	20.9	<0.01	<0.01	1.7
L838231		1.03	18.2	100	10.0	14.3	<0.001	0.01	0.87	5.8	0.4	0.4	18.6	<0.01	0.02	4.1
L838232		1.15	20.4	140	9.7	12.3	<0.001	0.01	0.63	5.2	0.5	0.4	25.3	<0.01	0.02	3.5
L838233		0.87	15.5	420	10.6	14.2	<0.001	0.02	1.95	4.7	0.3	0.4	26.1	<0.01	0.02	4.8
L838113		0.94	16.9	290	6.4	8.9	<0.001	0.01	0.44	3.3	0.4	0.4	23.1	<0.01	0.01	3.4
L838114		1.28	26.7	410	7.4	8.5	<0.001	0.01	0.57	4.6	0.5	0.4	39.7	<0.01	0.02	2.7
L838115		1.69	20.9	530	7.9	13.7	<0.001	0.02	0.61	5.2	0.5	0.4	54.5	<0.01	0.02	3.3
L838116		1.11	22.8	570	7.3	7.1	<0.001	0.01	0.51	4.9	0.6	0.4	39.5	<0.01	0.02	3.6
L838117		0.65	23.2	600	6.3	7.3	<0.001	0.01	0.50	5.6	0.5	0.4	31.7	<0.01	0.02	3.7
L838118		0.96	10.9	440	5.5	13.4	<0.001	0.01	0.25	3.6	0.3	0.4	15.6	<0.01	0.02	2.2
L838119		0.97	17.5	260	8.6	23.7	<0.001	0.01	0.47	6.9	0.4	0.4	23.8	<0.01	0.02	4.6
L838120		0.97	17.7	220	8.4	21.9	<0.001	0.01	0.46	6.8	0.4	0.4	23.4	<0.01	0.02	4.6
L838121		0.81	21.1	230	6.7	12.8	<0.001	0.01	0.49	6.2	0.5	0.4	26.6	<0.01	0.02	4.0
L838122		0.47	10.5	350	3.5	45.4	<0.001	0.01	0.25	5.0	0.3	0.3	17.8	<0.01	0.01	2.4
L838123		1.09	17.6	230	7.8	13.7	<0.001	0.01	0.45	4.5	0.4	0.4	23.0	<0.01	0.02	3.7
L838124		1.12	22.2	460	7.6	7.9	<0.001	0.01	0.58	4.9	0.5	0.4	38.0	<0.01	0.02	3.6
L838125		1.40	19.3	450	7.4	8.8	<0.001	0.01	0.50	4.1	0.6	0.4	39.2	<0.01	0.02	2.8
L838126		1.27	14.0	210	7.5	10.7	<0.001	0.01	0.40	2.8	0.3	0.4	24.7	<0.01	0.02	2.2
L838127		1.40	16.9	410	6.6	14.1	<0.001	0.02	0.44	4.6	0.6	0.5	31.8	<0.01	0.02	3.3
L838128		1.12	17.3	440	7.0	7.4	<0.001	0.02	0.42	4.1	0.6	0.4	38.2	<0.01	0.02	3.0
L838129		1.14	25.3	290	7.9	8.6	<0.001	0.02	0.67	5.9	0.7	0.5	39.5	0.01	0.02	4.0
L838130		0.20	7.1	190	2.9	3.1	<0.001	0.02	0.20	1.0	<0.2	<0.2	20.6	<0.01	<0.01	1.6
L838131		1.30	19.8	540	7.2	11.6	<0.001	0.02	0.55	4.8	0.6	0.4	39.1	<0.01	0.03	3.3
L838132		1.07	17.4	380	7.5	7.5	<0.001	0.01	0.42	4.2	0.5	0.4	32.2	<0.01	0.02	3.1





ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SILVER QUEST RESOURCES LTD.  
P.O. BOX 11584  
650 WEST GEORGIA STREET, SUITE 1410  
VANCOUVER BC V6B 4N8

Page: 3 - D  
Total # Pages: 5 (A - D)  
Plus Appendix Pages  
Finalized Date: 22-OCT-2011  
Account: SIQURE

Project: Sessenta

**CERTIFICATE OF ANALYSIS WH11177392**

Sample Description	Method Analyte Units LOR	ME-MS41 Ti %	ME-MS41 Ti ppm	ME-MS41 U ppm	ME-MS41 V ppm	ME-MS41 W ppm	ME-MS41 Y ppm	ME-MS41 Zn ppm	ME-MS41 Zr ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
L838214		0.065	0.04	0.96	43	0.46	7.12	48	2.4
L838215		0.062	0.04	0.97	45	0.16	7.10	46	2.6
L838216		0.068	0.05	0.88	48	0.16	6.65	44	2.7
L838217		0.061	0.03	0.74	44	0.12	7.22	45	2.5
L838218		0.067	0.05	1.00	47	0.16	7.42	47	3.1
L838219		0.049	0.03	0.71	37	0.10	6.61	40	2.0
L838220		0.053	0.04	0.72	37	0.15	7.01	44	2.2
L838221		0.051	0.03	0.78	38	0.08	7.68	45	2.8
L838222		0.054	0.04	1.21	40	0.18	7.72	46	3.1
L838223		0.062	0.07	1.09	44	0.37	8.80	44	4.5
L838224		0.036	0.09	0.69	49	0.16	5.87	70	2.3
L838225		0.047	0.08	0.98	47	0.30	9.31	42	5.3
L838226		0.041	0.07	0.48	42	0.23	3.73	39	2.0
L838227		0.043	0.09	0.47	50	0.20	3.38	39	3.3
L838228		0.051	0.09	0.53	52	0.21	4.33	37	3.3
L838229		0.057	0.07	0.46	57	0.20	6.55	47	4.3
L838230		0.008	0.07	0.52	6	<0.05	4.01	13	3.4
L838231		0.071	0.08	0.55	52	0.18	7.15	44	7.8
L838232		0.061	0.06	0.43	53	0.24	8.32	39	4.7
L838233		0.037	0.08	0.38	46	0.25	6.37	52	1.9
L838113		0.080	0.05	0.73	44	0.14	4.41	34	6.4
L838114		0.072	0.06	0.51	53	0.19	9.05	43	3.4
L838115		0.096	0.06	0.71	52	0.26	8.65	54	8.6
L838116		0.080	0.06	0.84	53	0.19	9.55	41	7.8
L838117		0.087	0.06	0.58	54	0.17	11.15	43	10.8
L838118		0.054	0.06	0.31	41	0.14	3.47	38	1.4
L838119		0.089	0.09	0.38	53	0.18	3.79	36	8.4
L838120		0.092	0.09	0.41	53	0.17	4.03	36	9.4
L838121		0.092	0.07	0.73	53	0.19	8.63	36	11.8
L838122		0.118	0.17	0.34	40	0.09	5.28	42	3.5
L838123		0.091	0.07	0.48	56	0.21	3.35	43	6.7
L838124		0.084	0.06	0.57	51	0.72	6.63	49	8.3
L838125		0.079	0.05	0.80	47	0.24	6.12	48	5.3
L838126		0.068	0.06	0.37	50	0.21	2.81	32	3.4
L838127		0.102	0.06	0.95	53	0.38	5.81	43	7.5
L838128		0.072	0.05	2.69	47	0.28	7.86	41	4.0
L838129		0.092	0.07	1.49	61	0.25	12.85	50	13.8
L838130		0.008	0.07	0.50	6	<0.05	3.87	13	3.3
L838131		0.090	0.07	0.83	50	0.16	8.71	51	7.0
L838132		0.076	0.05	0.94	45	0.22	7.30	39	6.9



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SILVER QUEST RESOURCES LTD.  
P.O. BOX 11584  
650 WEST GEORGIA STREET, SUITE 1410  
VANCOUVER BC V6B 4N8

Page: 4 - A  
Total # Pages: 5 (A - D)  
Plus Appendix Pages  
Finalized Date: 22-OCT-2011  
Account: SIQURE

Project: Sessenta

**CERTIFICATE OF ANALYSIS WH1177392**

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppb	ME-MS41 Ag ppm	ME-MS41 Al %	ME-MS41 As ppm	ME-MS41 Au ppm	ME-MS41 B ppm	ME-MS41 Ba ppm	ME-MS41 Be ppm	ME-MS41 Bi ppm	ME-MS41 Ca %	ME-MS41 Cd ppm	ME-MS41 Ce ppm	ME-MS41 Co ppm	ME-MS41 Cr ppm
		0.02	5	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
L838133		0.34	6	0.07	1.44	7.4	<0.2	<10	260	0.35	0.15	0.47	0.04	20.8	7.4	24
L838134		0.26	<5	0.08	1.43	5.8	<0.2	<10	320	0.37	0.14	0.49	0.13	18.80	7.4	24
L838135		0.34	<5	0.04	1.55	6.0	<0.2	<10	230	0.22	0.12	0.41	0.04	15.70	6.0	22
L838136		0.32	<5	0.08	1.46	5.9	<0.2	<10	280	0.36	0.13	0.48	0.12	20.5	7.3	23
L838137		0.40	<5	0.04	1.22	4.7	<0.2	<10	190	0.20	0.10	0.38	0.04	20.0	5.7	20
L838138		0.46	<5	0.05	1.36	4.7	<0.2	<10	260	0.30	0.10	0.40	0.04	21.2	5.8	20
L838139		0.32	<5	0.10	1.17	9.8	<0.2	<10	320	0.36	0.12	0.82	0.29	27.3	12.3	24
L838140		0.42	5	0.09	1.12	8.7	<0.2	<10	290	0.31	0.12	0.77	0.25	25.7	9.9	23
L838141		0.62	<5	0.11	1.85	5.1	<0.2	<10	280	0.53	0.12	0.68	0.05	33.5	11.3	70
L838142		0.42	<5	0.04	1.55	8.1	<0.2	<10	210	0.38	0.13	0.31	0.04	22.6	10.6	29
L838143		0.38	<5	0.03	1.51	5.2	<0.2	<10	190	0.34	0.13	0.31	0.04	22.2	9.9	24
L571015		0.38	<5	0.26	1.82	7.3	<0.2	<10	780	0.67	0.53	0.42	0.09	40.4	10.0	28
L571016		0.40	<5	0.12	1.78	7.9	<0.2	<10	640	0.55	0.21	0.39	0.06	31.8	9.9	32
L571017		0.28	21	0.48	1.84	5.2	<0.2	10	1810	1.00	0.43	7.90	0.93	53.6	11.1	24
L571018		0.38	<5	0.07	1.88	6.6	<0.2	<10	290	0.65	0.17	0.64	0.09	35.2	11.8	32
L571019		0.36	<5	0.09	1.90	9.7	<0.2	<10	340	0.66	0.18	0.71	0.09	33.9	12.9	31
L571020		0.28	<5	0.09	1.86	8.9	<0.2	<10	330	0.63	0.18	0.67	0.08	31.1	12.5	30
L571021		0.38	<5	0.08	1.88	10.9	<0.2	<10	270	0.60	0.17	2.03	0.08	31.2	11.5	31
L571022		0.38	20	0.06	1.98	6.7	<0.2	<10	290	0.58	0.16	1.58	0.11	29.0	10.4	31
L571023		0.32	<5	0.08	1.72	7.0	<0.2	<10	250	0.52	0.16	0.71	0.08	28.0	10.3	29
L571024		0.34	<5	0.04	1.76	7.1	<0.2	<10	260	0.45	0.15	1.49	0.12	23.9	9.5	28
L571025		0.30	<5	0.08	1.80	6.9	<0.2	<10	260	0.55	0.16	1.13	0.09	27.5	10.2	28
L571026		0.36	<5	0.12	1.83	7.0	<0.2	<10	320	0.66	0.17	1.34	0.16	28.1	10.5	27
L571027		0.50	6	0.10	1.54	8.6	<0.2	<10	320	0.45	0.14	1.78	0.15	28.4	10.6	25
L571028		0.50	<5	0.06	1.43	2.9	<0.2	<10	140	0.45	0.10	3.13	0.12	47.7	8.3	10
L571029		0.48	7	0.10	1.45	7.9	<0.2	<10	220	0.43	0.12	4.97	0.19	24.4	8.9	23
L571030		0.24	<5	0.04	0.24	4.5	<0.2	<10	150	0.13	0.03	1.18	0.10	14.00	2.8	6
L571031		0.44	7	0.02	1.24	7.6	<0.2	<10	200	0.34	0.12	0.41	0.10	26.3	10.0	28
L571032		0.60	<5	0.03	1.43	9.0	<0.2	<10	240	0.35	0.13	0.46	0.09	28.1	10.8	28
L571033		0.26	<5	0.13	1.69	2.3	<0.2	<10	220	0.37	0.13	0.49	0.11	27.3	10.7	18
L571034		0.58	<5	0.08	1.64	4.4	<0.2	<10	250	0.48	0.12	0.81	0.14	28.4	9.4	28
L571035		0.56	<5	0.18	3.15	10.2	<0.2	<10	470	0.71	0.20	1.49	0.21	57.3	21.9	46
L571036		0.48	<5	0.21	2.98	11.4	<0.2	<10	470	0.86	0.23	1.41	0.25	58.6	21.4	51
L571037		0.62	5	0.06	1.72	6.5	<0.2	<10	220	0.41	0.11	0.69	0.14	27.5	13.0	29
L571038		0.52	<5	0.05	2.11	7.5	<0.2	<10	270	0.48	0.15	0.82	0.15	30.8	17.0	33
L571039		0.46	5	0.06	1.79	7.0	<0.2	<10	230	0.44	0.11	0.70	0.15	31.1	13.9	29
L571040		0.44	<5	0.05	1.88	6.7	<0.2	<10	240	0.45	0.12	0.73	0.13	27.9	14.7	30
L571041		0.38	<5	0.07	1.59	5.5	<0.2	<10	280	0.33	0.13	0.40	0.06	21.4	8.3	26
L571042		0.48	<5	0.06	1.74	6.2	<0.2	<10	170	0.36	0.12	0.19	0.05	21.9	11.8	28
L571043		0.40	<5	0.10	1.75	6.3	<0.2	<10	300	0.39	0.15	0.28	0.13	23.4	11.1	27



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SILVER QUEST RESOURCES LTD.  
P.O. BOX 11584  
650 WEST GEORGIA STREET, SUITE 1410  
VANCOUVER BC V6B 4N8

Page: 4 - B  
Total # Pages: 5 (A - D)  
Plus Appendix Pages  
Finalized Date: 22-OCT-2011  
Account: SIQURE

Project: Sessenta

**CERTIFICATE OF ANALYSIS WH11177392**

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
L838133		0.38	18.1	2.43	4.50	0.09	0.32	0.02	0.021	0.06	10.9	12.2	0.49	205	0.61
L838134		0.44	17.6	2.26	4.58	0.08	0.13	0.01	0.021	0.04	9.7	10.1	0.42	348	0.73
L838135		0.50	9.6	2.17	4.81	0.07	0.15	0.01	0.019	0.04	8.0	13.3	0.45	151	0.80
L838136		0.47	18.4	2.18	4.85	0.08	0.15	0.02	0.021	0.04	10.2	10.8	0.41	273	0.66
L838137		0.40	14.1	1.93	3.63	0.10	0.16	0.03	0.019	0.04	10.4	8.4	0.38	140	0.42
L838138		0.47	11.5	2.00	4.38	0.10	0.13	0.03	0.018	0.04	11.3	10.0	0.38	164	0.55
L838139		0.49	22.9	2.37	3.75	0.12	0.06	0.06	0.023	0.07	12.9	12.1	0.57	972	0.75
L838140		0.47	20.0	2.28	3.52	0.11	0.05	0.04	0.020	0.07	12.8	11.1	0.55	622	0.62
L838141		1.81	28.3	2.91	5.98	0.15	0.09	0.03	0.019	0.44	19.9	20.8	1.31	462	0.33
L838142		0.54	18.3	2.69	4.99	0.09	0.12	0.03	0.023	0.12	10.7	11.7	0.51	431	0.68
L838143		0.73	14.0	2.66	4.99	0.08	0.05	0.03	0.022	0.24	9.7	11.6	0.58	418	0.71
L571015		0.28	28.4	2.87	5.62	0.10	0.06	0.02	0.038	0.14	20.1	8.9	0.40	556	1.00
L571016		0.30	14.2	2.87	5.27	0.11	0.16	0.02	0.029	0.18	15.0	10.3	0.42	386	0.95
L571017		0.42	118.0	2.33	5.67	0.20	0.13	0.03	0.029	0.12	70.4	6.6	0.54	1080	0.67
L571018		0.44	16.4	2.92	5.56	0.09	0.19	0.03	0.030	0.07	15.7	9.5	0.45	842	0.89
L571019		0.50	36.8	2.97	5.67	0.12	0.24	0.03	0.030	0.10	18.3	11.7	0.54	736	0.84
L571020		0.47	31.8	2.93	5.57	0.12	0.22	0.02	0.028	0.10	16.6	11.6	0.53	776	0.80
L571021		0.52	27.0	2.85	5.32	0.11	0.12	0.03	0.025	0.10	18.2	11.4	0.59	404	0.82
L571022		0.37	18.8	2.76	5.39	0.10	0.17	0.02	0.031	0.09	13.6	10.7	0.61	535	0.72
L571023		0.48	20.7	2.81	4.84	0.10	0.20	0.01	0.027	0.09	12.6	10.8	0.55	682	0.58
L571024		0.29	16.7	2.74	4.68	0.09	0.09	0.01	0.025	0.05	11.7	11.0	0.64	399	0.55
L571025		0.38	19.7	2.65	4.95	0.11	0.12	0.02	0.025	0.05	14.1	9.8	0.62	636	0.56
L571026		0.46	32.3	2.60	5.50	0.11	0.09	0.03	0.026	0.04	15.2	10.4	0.74	615	0.58
L571027		0.40	31.7	2.61	4.67	0.11	0.10	0.04	0.022	0.06	15.1	12.3	0.84	469	0.43
L571028		1.60	11.2	2.15	4.41	0.12	0.07	0.02	0.018	0.16	22.4	10.3	0.95	615	0.23
L571029		0.42	24.4	2.24	4.18	0.11	0.12	0.04	0.021	0.05	12.7	11.3	1.38	311	0.66
L571030		0.19	3.6	1.00	0.96	0.08	0.11	0.01	0.005	0.06	6.8	2.6	0.17	216	0.68
L571031		0.47	22.6	2.45	4.06	0.10	0.13	0.01	0.022	0.05	13.1	10.6	0.50	234	0.78
L571032		0.40	23.2	2.65	4.29	0.11	0.15	0.08	0.022	0.06	13.1	11.7	0.51	359	0.66
L571033		1.08	16.0	2.73	7.40	0.10	0.02	0.03	0.038	0.16	12.9	13.8	0.97	953	0.90
L571034		0.99	25.2	2.35	5.40	0.11	0.07	0.04	0.027	0.10	16.6	14.1	0.76	370	0.27
L571035		1.34	49.7	4.33	9.94	0.16	0.20	0.06	0.046	0.19	27.7	28.5	1.45	689	0.51
L571036		1.08	65.1	4.42	9.61	0.16	0.21	0.08	0.051	0.15	29.8	26.9	1.25	761	0.54
L571037		1.31	31.0	2.52	5.30	0.11	0.14	0.02	0.021	0.09	14.3	17.3	1.04	401	0.27
L571038		1.53	32.5	2.99	6.71	0.13	0.16	0.04	0.028	0.09	16.3	21.6	1.24	515	0.32
L571039		1.38	32.6	2.61	5.79	0.11	0.13	0.03	0.027	0.09	15.6	18.9	1.07	414	0.30
L571040		1.28	29.3	2.67	5.63	0.10	0.13	0.02	0.028	0.08	14.6	19.3	1.10	463	0.29
L571041		0.54	16.1	2.42	4.97	0.09	0.10	0.04	0.020	0.05	10.9	11.2	0.55	336	0.64
L571042		0.78	20.9	2.62	5.83	0.10	0.08	<0.01	0.021	0.11	10.7	15.0	0.72	505	0.70
L571043		0.54	23.5	2.72	5.68	0.09	0.08	0.01	0.026	0.08	10.7	11.0	0.53	788	0.71



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SILVER QUEST RESOURCES LTD.  
P.O. BOX 11584  
650 WEST GEORGIA STREET, SUITE 1410  
VANCOUVER BC V6B 4N8

Page: 4 - C  
Total # Pages: 5 (A - D)  
Plus Appendix Pages  
Finalized Date: 22-OCT-2011  
Account: SIQURE

Project: Sessenta

**CERTIFICATE OF ANALYSIS WH11177392**

Sample Description	Method Analyte Units LOR	ME-MS41 Nb ppm 0.05	ME-MS41 Ni ppm 0.2	ME-MS41 P ppm 10	ME-MS41 Pb ppm 0.2	ME-MS41 Rb ppm 0.1	ME-MS41 Re ppm 0.001	ME-MS41 S % 0.01	ME-MS41 Sb ppm 0.05	ME-MS41 Sc ppm 0.1	ME-MS41 Se ppm 0.2	ME-MS41 Sn ppm 0.2	ME-MS41 Sr ppm 0.2	ME-MS41 Ta ppm 0.01	ME-MS41 Te ppm 0.01	ME-MS41 Th ppm 0.2
L838133		1.06	19.4	450	7.5	6.6	<0.001	0.01	0.50	4.8	0.5	0.4	34.9	<0.01	0.02	3.9
L838134		1.22	17.3	450	7.2	7.8	<0.001	0.01	0.49	4.1	0.7	0.4	33.4	<0.01	0.02	3.1
L838135		1.14	13.8	390	7.4	8.0	<0.001	0.01	0.44	3.3	0.4	0.4	27.7	<0.01	0.02	2.5
L838136		1.26	16.6	410	6.8	7.9	<0.001	0.01	0.42	4.1	0.6	0.4	31.9	<0.01	0.02	3.1
L838137		0.72	13.5	410	8.0	6.5	<0.001	<0.01	0.30	3.1	0.5	0.4	23.4	<0.01	<0.01	3.1
L838138		0.74	12.6	390	6.5	5.7	<0.001	<0.01	0.34	3.2	0.3	0.4	23.8	<0.01	0.01	2.7
L838139		0.95	26.1	790	7.3	7.9	<0.001	0.03	0.58	3.7	0.6	0.4	43.5	<0.01	0.01	2.3
L838140		0.94	23.7	800	6.9	7.5	<0.001	0.02	0.52	3.7	0.6	0.4	39.5	<0.01	0.01	2.5
L838141		1.11	26.8	890	6.1	33.1	<0.001	0.01	0.39	6.2	0.5	0.4	29.1	<0.01	<0.01	4.6
L838142		0.81	21.7	150	7.8	15.6	<0.001	<0.01	0.51	5.7	0.2	0.4	19.5	<0.01	0.01	3.3
L838143		0.85	14.4	580	7.3	17.4	<0.001	<0.01	0.38	4.7	<0.2	0.5	16.9	<0.01	0.01	2.6
L571015		0.72	15.8	320	17.1	9.1	<0.001	0.01	2.59	5.6	0.3	0.7	25.7	<0.01	0.01	5.7
L571016		0.78	18.6	170	11.0	12.3	<0.001	<0.01	0.54	6.2	0.4	0.5	22.2	<0.01	0.02	5.1
L571017		0.82	28.7	2280	25.0	8.9	<0.001	0.10	1.93	5.7	2.5	0.5	171.0	0.01	0.04	6.2
L571018		0.84	22.8	120	13.8	8.0	0.001	<0.01	0.48	6.8	0.5	0.5	25.1	<0.01	<0.01	4.2
L571019		0.98	33.5	200	11.3	12.0	<0.001	0.01	0.50	6.4	0.6	0.6	31.0	<0.01	0.02	3.8
L571020		0.99	31.9	190	11.3	11.4	<0.001	0.01	0.46	6.0	0.8	0.5	29.4	<0.01	0.01	3.8
L571021		0.92	33.0	210	11.8	10.0	<0.001	0.01	0.51	6.4	0.8	0.5	34.5	<0.01	0.01	3.2
L571022		0.93	23.8	170	12.5	7.4	<0.001	0.01	0.40	6.5	0.5	0.5	33.6	<0.01	0.02	2.9
L571023		0.96	23.6	130	13.2	11.6	<0.001	0.01	0.48	5.7	0.4	0.5	25.6	<0.01	0.01	3.5
L571024		0.98	20.8	270	10.9	4.6	<0.001	0.02	0.46	4.5	0.5	0.5	34.2	<0.01	0.02	1.9
L571025		1.03	22.4	190	10.2	5.9	0.001	0.01	0.44	5.2	0.6	0.5	30.0	<0.01	0.02	2.5
L571026		1.00	27.2	260	10.2	6.8	<0.001	0.01	0.44	4.8	0.7	0.5	41.4	<0.01	0.01	2.0
L571027		0.94	28.4	540	9.0	7.0	<0.001	0.02	0.60	4.9	0.5	0.4	46.3	<0.01	0.01	2.4
L571028		0.71	11.6	590	4.7	15.3	<0.001	0.02	0.24	4.4	0.4	0.3	42.0	<0.01	0.01	3.7
L571029		0.94	25.6	530	9.3	6.8	0.001	0.03	0.52	4.3	0.7	0.4	75.1	<0.01	0.01	1.8
L571030		0.17	7.1	200	3.8	3.2	<0.001	0.01	0.21	0.9	0.3	0.2	23.0	<0.01	<0.01	1.6
L571031		0.48	24.9	670	6.8	6.1	<0.001	<0.01	0.51	4.4	0.4	0.4	28.3	<0.01	0.01	3.8
L571032		0.81	24.2	710	7.9	6.2	<0.001	<0.01	0.53	4.7	0.4	0.4	29.6	<0.01	0.01	3.8
L571033		1.19	12.8	510	6.7	26.6	<0.001	0.01	0.29	7.9	0.3	0.7	21.4	<0.01	0.02	1.6
L571034		1.08	19.3	680	6.0	15.6	<0.001	0.01	0.37	6.8	0.6	0.5	33.0	<0.01	0.01	2.9
L571035		1.82	34.4	1230	14.8	27.2	<0.001	0.03	0.65	11.5	0.8	0.8	59.9	<0.01	0.02	6.3
L571036		1.97	40.7	1090	26.7	20.4	0.001	0.03	0.76	10.7	1.3	0.8	56.2	<0.01	0.04	6.4
L571037		0.96	25.4	570	7.0	14.9	<0.001	0.01	0.44	6.8	0.6	0.4	27.4	<0.01	0.01	3.5
L571038		1.08	29.9	630	8.5	16.1	<0.001	0.01	0.50	8.2	0.9	0.5	31.6	<0.01	0.01	4.0
L571039		1.05	27.1	560	7.4	15.4	<0.001	0.01	0.46	7.7	0.8	0.4	28.0	<0.01	0.01	3.5
L571040		0.98	26.7	550	7.3	14.3	<0.001	0.01	0.42	7.6	0.6	0.4	28.6	<0.01	0.02	3.5
L571041		0.89	16.8	320	7.2	9.0	<0.001	<0.01	0.34	4.3	0.4	0.4	22.5	<0.01	0.01	2.7
L571042		1.02	20.7	320	6.7	18.7	<0.001	<0.01	0.40	5.2	0.6	0.5	15.6	<0.01	0.02	2.5
L571043		1.12	20.8	300	7.9	12.1	<0.001	0.01	0.38	4.7	0.3	0.5	21.6	<0.01	0.03	2.5



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SILVER QUEST RESOURCES LTD.  
P.O. BOX 11584  
650 WEST GEORGIA STREET, SUITE 1410  
VANCOUVER BC V6B 4N8

Page: 4 - D  
Total # Pages: 5 (A - D)  
Plus Appendix Pages  
Finalized Date: 22-OCT-2011  
Account: SIQURE

Project: Sessenta

**CERTIFICATE OF ANALYSIS WH11177392**

Sample Description	Method Analyte Units LOR	ME-MS41 Ti %	ME-MS41 Ti ppm	ME-MS41 U ppm	ME-MS41 V ppm	ME-MS41 W ppm	ME-MS41 Y ppm	ME-MS41 Zn ppm	ME-MS41 Zr ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
L838133		0.087	0.05	0.99	46	0.58	6.90	47	12.2
L838134		0.071	0.05	2.72	46	0.18	6.04	44	5.2
L838135		0.072	0.06	0.58	46	0.42	3.96	41	5.2
L838136		0.074	0.06	1.08	46	0.16	6.47	41	6.8
L838137		0.074	0.05	0.41	40	0.18	3.81	36	6.2
L838138		0.071	0.05	0.64	44	0.22	4.66	34	5.0
L838139		0.068	0.07	0.67	48	0.45	8.38	65	2.2
L838140		0.068	0.06	0.66	46	1.41	7.67	62	2.3
L838141		0.123	0.15	0.87	60	0.16	10.65	61	4.6
L838142		0.091	0.07	0.34	57	0.33	3.91	42	5.5
L838143		0.099	0.09	0.39	56	0.16	2.62	51	1.8
L571015		0.047	0.10	0.52	51	0.24	6.72	64	2.5
L571016		0.069	0.09	0.42	56	0.21	6.04	48	6.1
L571017		0.054	0.09	3.44	42	0.20	59.8	73	7.9
L571018		0.076	0.06	0.42	61	0.24	11.40	44	7.9
L571019		0.091	0.07	0.31	62	0.20	16.15	49	11.3
L571020		0.089	0.07	0.32	61	0.20	14.60	48	10.1
L571021		0.064	0.09	0.33	64	0.24	17.15	45	5.4
L571022		0.066	0.07	0.27	56	0.23	9.49	46	6.3
L571023		0.082	0.07	0.31	62	0.18	8.18	43	7.3
L571024		0.064	0.06	0.49	58	0.49	7.17	45	3.0
L571025		0.066	0.06	0.35	55	0.20	9.38	43	4.5
L571026		0.067	0.06	0.39	57	0.30	11.55	47	3.2
L571027		0.075	0.05	0.48	55	0.26	10.35	55	4.2
L571028		0.049	0.10	0.78	27	0.10	9.42	46	3.0
L571029		0.067	0.06	0.56	46	0.27	11.15	50	4.6
L571030		0.010	0.08	0.53	8	0.05	3.84	15	3.6
L571031		0.080	0.06	0.61	55	0.19	6.73	53	6.0
L571032		0.086	0.06	0.52	55	0.17	6.92	48	6.2
L571033		0.098	0.10	0.43	56	0.13	3.84	83	0.9
L571034		0.091	0.08	1.53	46	0.17	10.75	68	3.3
L571035		0.173	0.17	2.71	99	0.86	17.35	122	9.7
L571036		0.155	0.11	2.61	101	0.53	17.30	109	9.7
L571037		0.104	0.11	0.51	56	0.14	11.15	68	6.2
L571038		0.118	0.12	0.64	65	0.21	11.20	80	6.9
L571039		0.106	0.10	0.56	57	0.14	11.70	70	6.8
L571040		0.105	0.11	0.57	58	0.25	9.97	70	6.2
L571041		0.082	0.07	1.32	54	0.26	5.02	43	4.1
L571042		0.107	0.08	0.42	60	0.11	3.30	56	3.5
L571043		0.090	0.08	0.54	62	0.14	3.90	54	3.2



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SILVER QUEST RESOURCES LTD.  
 P.O. BOX 11584  
 650 WEST GEORGIA STREET, SUITE 1410  
 VANCOUVER BC V6B 4N8

Page: 5 - A  
 Total # Pages: 5 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 22-OCT-2011  
 Account: SIQURE

Project: Sessenta

**CERTIFICATE OF ANALYSIS WH11177392**

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppb 5	ME-MS41 Ag ppm 0.01	ME-MS41 Al % 0.01	ME-MS41 As ppm 0.1	ME-MS41 Au ppm 0.2	ME-MS41 B ppm 10	ME-MS41 Ba ppm 10	ME-MS41 Be ppm 0.05	ME-MS41 Bi ppm 0.01	ME-MS41 Ca % 0.01	ME-MS41 Cd ppm 0.01	ME-MS41 Ce ppm 0.02	ME-MS41 Co ppm 0.1	ME-MS41 Cr ppm 1
L571044		0.42	<5	0.10	1.66	8.3	<0.2	<10	310	0.41	0.14	0.47	0.12	24.2	9.9	28



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SILVER QUEST RESOURCES LTD.  
 P.O. BOX 11584  
 650 WEST GEORGIA STREET, SUITE 1410  
 VANCOUVER BC V6B 4N8

Page: 5 - B  
 Total # Pages: 5 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 22-OCT-2011  
 Account: SIQURE

Project: Sessenta

**CERTIFICATE OF ANALYSIS WH11177392**

Sample Description	Method Analyte Units LOR	ME-MS41 Cs ppm 0.05	ME-MS41 Cu ppm 0.2	ME-MS41 Fe % 0.01	ME-MS41 Ga ppm 0.05	ME-MS41 Ge ppm 0.05	ME-MS41 Hf ppm 0.02	ME-MS41 Hg ppm 0.01	ME-MS41 In ppm 0.005	ME-MS41 K % 0.01	ME-MS41 La ppm 0.2	ME-MS41 Li ppm 0.1	ME-MS41 Mg % 0.01	ME-MS41 Mn ppm 5	ME-MS41 Mo ppm 0.05	ME-MS41 Na % 0.01
L571044		0.75	19.4	2.67	5.47	0.08	0.13	0.02	0.024	0.07	11.7	12.2	0.64	396	0.67	0.03





ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SILVER QUEST RESOURCES LTD.  
 P.O. BOX 11584  
 650 WEST GEORGIA STREET, SUITE 1410  
 VANCOUVER BC V6B 4N8

Page: 5 - C  
 Total # Pages: 5 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 22-OCT-2011  
 Account: SIQURE

Project: Sessenta

**CERTIFICATE OF ANALYSIS WH11177392**

Sample Description	Method Analyte Units LOR	ME-MS41 Nb ppm 0.05	ME-MS41 Ni ppm 0.2	ME-MS41 P ppm 10	ME-MS41 Pb ppm 0.2	ME-MS41 Rb ppm 0.1	ME-MS41 Re ppm 0.001	ME-MS41 S % 0.01	ME-MS41 Sb ppm 0.05	ME-MS41 Sc ppm 0.1	ME-MS41 Se ppm 0.2	ME-MS41 Sn ppm 0.2	ME-MS41 Sr ppm 0.2	ME-MS41 Ta ppm 0.01	ME-MS41 Te ppm 0.01	ME-MS41 Th ppm 0.2
L571044		1.43	20.9	510	7.2	10.1	<0.001	<0.01	0.42	5.6	0.5	0.5	29.6	<0.01	0.02	3.4



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SILVER QUEST RESOURCES LTD.  
 P.O. BOX 11584  
 650 WEST GEORGIA STREET, SUITE 1410  
 VANCOUVER BC V6B 4N8

Page: 5 - D  
 Total # Pages: 5 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 22-OCT-2011  
 Account: SIQURE

Project: Sessenta

**CERTIFICATE OF ANALYSIS WH11177392**

Sample Description	Method Analyte Units LOR	ME-MS41 Ti %	ME-MS41 Ti ppm	ME-MS41 U ppm	ME-MS41 V ppm	ME-MS41 W ppm	ME-MS41 Y ppm	ME-MS41 Zn ppm	ME-MS41 Zr ppm
L571044		0.005	0.02	0.05	1	0.05	0.05	2	0.5
		0.094	0.07	0.54	61	0.15	5.95	56	6.3



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SILVER QUEST RESOURCES LTD.  
P.O. BOX 11584  
650 WEST GEORGIA STREET, SUITE 1410  
VANCOUVER BC V6B 4N8

Page: Appendix 1  
Total # Appendix Pages: 1  
Finalized Date: 22-OCT-2011  
Account: SIQURE

Project: Sessenta

**CERTIFICATE OF ANALYSIS WH11177392**

Method	CERTIFICATE COMMENTS
ME-MS41	Gold determinations by this method are semi-quantitative due to the small sample weight used (0.5g).