ASSESSMENT REPORT, 2011 DIAMOND DRILLING, GEOLOGICAL MAPPING AND SOIL SAMPLING PROGRAM
ANTIMONY MOUNTAIN

DAWSON MINING DIVISION, YUKON, CANADA
NTSMAP SHEETS: 116B/01 AND 08
64°19'N Lat., 138°16'W Long. UTM NAD83 Zone 7, 633000 E, 7134500 N

Claims and Owners:

Claim Name	Claim No.	Grant Number	Registered Owner
Ant	1 - 70	YC25769 - YC25838	Ryanwood Exploration Inc.
Antimony	71 - 112	YC35815 - YC35856	Ryanwood Exploration Inc.
Aant	1 - 100	YC36644 - YC36743	Ryanwood Exploration Inc
AB	1 - 152	YC36842 - YC36993	Ryanwood Exploration Inc
AB	153-167	YC96281-YC96295	Ryanwood Exploration Inc
AB	169	YC96297	Ryanwood Exploration Inc
AB	171-172	YC96299-YC96300	Ryanwood Exploration Inc
AB	173-198	YC96769-YC96794	Ryanwood Exploration Inc
AB	200	YC96796	Ryanwood Exploration Inc
AB	202-204	YC96798-YC96800	Ryanwood Exploration Inc
AB	205-208	YC95497-YC95500	Ryanwood Exploration Inc
AB	213-218	YC93205-YC93210	Ryanwood Exploration Inc
Jan	1 - 12	YC25889 - YC25900	Strategic Metals Ltd.
Jan	13 - 44	YC30201 - YC30232	Strategic Metals Ltd.
Jan	45 - 56	YC34383 - YC34394	Strategic Metals Ltd.
JIMI	1 - 4	YD102643 - YD102646	Golden Predator
JIMI	5 - 207	YD86705 - YD86907	Golden Predator
JIMI	208 - 209	YD102630, YD102633	Golden Predator
JIMI	210 - 316	YD86910 - YD87016	Golden Predator
F/JIMI	317	YD87017	Golden Predator
F/JIMI	359-360	YD87059-YD87060	Golden Predator
JIMI	318 - 358	YD87018-YD87057	Golden Predator
JIMI	361 - 454	YD87061 - YD867154	Golden Predator

Total of 932 Claims

PERIOD OF WORK: July 17 to 21, August 28 to October 1, 2011.
OPERATOR:

GOLDEN PREDATOR CANADA CORP.
201A-170 Titanium Way
Whitehorse, Yukon
Y1A 0G1

January 31, 2012

Prepared by:
Golden Predator Canada Corp.
Shane Carlos, B.Sc., (Historical data and formatting provided by Erin O'Brien, M.Sc., P. Geo.)

TABLE OF CONTENTS

TABLE OF CONTENTS 2
LIST OF FIGURES 3
LIST OF TABLES 3
LIST OF APPENDICES 3
1.0 EXECUTIVE SUMMARY 4
2.0 INTRODUCTION 5
2.1 Terms of Reference and Participating Personnel 5
2.2 Supporting Documents 5
3.0 PROPERTY LOCATION AND DESCRIPTION 5
3.1 Location 5
3.2 Description and Ownership 5
4.0 ACCESSIBILITY, CLIMATE, PHYSIOGRAPHY, AND INFRASTRUCTURE 9
4.1 Location and Access 9
4.2 Physiography 9
5.0 EXPLORATION HISTORY 9
5.1 Conwest Exploration 10
5.2 Acheron Mines Ltd. 10
5.3 Anaconda Exploration Ltd. 11
5.4 Cody Hawk Resources Inc. 11
5.5 Total Energold Corp. 12
5.6 Kennecott Canada Inc. 12
5.7 Ryanwood Exploration Inc. 13
5.8 Logan Resources Ltd. 13
5.9 Golden Predator Corp. 13
6.0 GEOLOGICAL SETTING 16
6.1 Regional Geology 16
6.2 Property Geology 16
7.0 MINERALIZATION 19
7.1 Vein-type Showings 19
7.2 Golden Wall Showing 19
8.0 EXPLORATION 19
8.1 Exploration Program 19
8.2 Summer Mapping Program 20
8.3 Drilling 20
8.4 Soil Sampling 22
8.5 Sampling Methodology 22
8.5 Analytical Quality Control and Assurance (QA/QC) 25
8.6 Results and Geological Conclusions 25
9.0 RECOMMENDATIONS 28
10.0 2011 EXPLORATION EXPENDITURES 29
11.0 STATEMENT OF AUTHORSHIP 32
12.0 REFERENCES AND BIBLIOGRAPHY 33

LIST OF FIGURES

Figure 3-1. Location of the Antimony Mountain property within the Yukon Territory. 7
Figure 3-2. Location of the Antimony Mountain mineral claims, Yukon Territory. 8
Figure 6-1. Generalized regional geology 15
Figure 6-2. Generalized geology of the Antimony Mountain property 18
Figure 8-1. Drill hole location plan proximal to the AJ vein 23
Figure 8-2. Drill hole location plan with claim boundaries.....24
Figure 8-3. JIMI Au Soil Plots within Ryanwood 1.8km buffer……..27
Figure 9-1. Hypothetical drill program in red as a follow-up to 2011 drilling shown in black……...28
Figure 10-1. Antimony Mountain-JIMI Soil Stations…...……30

LIST OF TABLES

Table 3-1. Antimony Mountain claim information.....5
Table 5-1. Summary of work and exploration history, Antimony Mountain Property. 9
Table 5-2. Significant intercepts encountered by Conwest Exploration on the AJ Vein in 1966. 10
Table 5-3. Significant intercept encountered by Acheron Mines Ltd. on the AJ Vein 11
Table 5-4. Interpretation of the conductors identified in 1983 geophysical survey in the AJ Vein area 11
Table 5-5.Significant intercepts encountered by Total Energold on the AJ Vein in 1989.....12
Table 5-6, Significant Intersections from the 2009 drilling program.....13
Table 8-1. Summary of 2011 drill collar positions, Antimony Mountain Project, YT. 20
Table 8-2. Downhole survey results for the 2011 Antimony Mountain Project, YT using the Reflex Ezshot.....20
Table 8-3. Summary of rock samples taken during the 2011 drilling program……...23
Table 8-4. Best gold mineralization from 2011 drilling……..26
Table 10-1. Summary of claimed exploration expenditures for 2009 program. 29

LIST OF APPENDICES

Appendix 1. Certificates of Author
Appendix 2. 2011 Summer Mapping-----Field Notes and Maps
Appendix 3. Diamond Drill Hole Logs, AJ11-26 to AJ11-31
Appendix 4. Oriented Core, Structural Measurements
Appendix 5. Geotechnical Log
Appendix 6. Analytical Summary
Appendix 7. Tabulated Soil Data, JIMI Claims
Appendix 8. Assay Certificates
Appendix 9. Description of Analytical Methods and Detection Limits
Appendix 10. Sample Insertion Standards and Blanks Description
Appendix 11. Summary of 2011 Exploration Expenditures of the JIMI Claims and Ant Claims
Appendix 12. 2011 Drill Plan Photo

1.0 EXECUTIVE SUMMARY

The Antimony Mountain Property consists of 932 contiguous claims, located about 65 kilometers NE of Dawson City, Yukon in the Dawson Mining District. The 2011 drill program was focused on the Ant claims, 100% owned by Ryanwood Exploration Inc. optioned by Golden Predator Canada Corp. The adjacent JIMI claims were staked in 2011 and increased the claim block size by 451 claims and are 100% owned by Golden Predator Canada Corp.

The 2011 drilling focused on the AJ vein showing on the Ant claims and comprised 6 core holes for a total of 1386.24m. Highlights included an 8m wide zone of massive sulphides running about 4g/t Au average within AJ11-29 and a weakly gold and zinc anomalous epithermal style veining occurrence in AJ11-27. The epithermal style colloform banded veining is a characteristically different style of alteration and weak mineralization than that seen in the typical AJ veins and may represent a new bulk tonnage style target type locally.

AJ11-28 was the only core hole not completed to target depth due to a strong fault gouge zone but AJ11-29 duplicated the hole and made it to target depth. All holes encountered Au mineralization to varying thicknesses, sometimes as narrow sheeted veins. Gold values are often accompanied by elevated arsenic, bismuth, copper, antimony and occasionally silver values. The mineralization is hosted within a monzonite intrusion as sheeted arsenopyrite-tourmaline veins and within adjacent biotite-hornfelsed siltstones/greywacke. Alteration includes massive hydrothermal silicification, high temperature tourmaline veins and occasionally argillic then propylitic alteration haloes up to several meters in width adjacent to massive arsenopyrite veins.

The width of massive sulphides in AJ11-29 is apparently the widest intersection of sulphides in the area, however the grade averages lower than what may be economical for mining. Historical and current mineralized zones are currently being looked at in 3-D for modelling purposes.

2.0 INTRODUCTION

2.1 Terms of Reference and Participating Personnel

This report details the results of a six drill core program at Antimony Mountain and includes the results of a soil sampling program on the adjacent JIMI claims. Only a portion of these soil results are provided that are within the 1.8 km zone of influence defined in the option agreement with Ryanwood Exploration. Total expenditures are approximately $686,343 spent on a drill contract with Klune Drilling of Whitehorse, Yukon, helicopter support from TransNorth Helicopters based in Dawson City and on general project support. Geological services were provided by Golden Predator Canada Corp and drill core analysis by ACME Labs, based in Vancouver, B.C.

2.2 Supporting Documents

The Report is based on exploration and property information and data supplied by Ryanwood Exploration Inc., a review of public domain geological and exploration data for the Antimony Mountain Property (primarily Yukon Assessment Reports), incorporation of relevant mining and geological literature, a property visit completed by the author and data generated by a 2011 drilling program.

3.0 PROPERTY LOCATION AND DESCRIPTION

3.1 Location

The Antimony Mountain property comprises 932 contiguous quartz claims. The property is located 65 km northeast of Dawson City, Yukon Territory, Canada, on NTS Map Sheet 116B/08 centred at 64 º 19’ north and 138 º 16’ west (NAD 83, Zone 7N: 633000 m E, 7134500 m N). The claims cover the Antimony Mountain stock, and extend west to the Dempster Highway.

3.2 Description and Ownership

The property covers approximately 18,530 hectares and consists of 932 contiguous two-post quartz claims (Table 3-1; Figure 3-2) staked according to the Yukon Quartz Mining Act. Expiration dates shown in Table 3-1 are subject to acceptance of assessment covered by this report.

Table 3-1
Claims and Owners:

Claim Name	Claim No.	Grant Number	Registered Owner	Current Expiry Dates	Anticipated New Expiry
Ant	1 - 70	YC25769 - YC25838	Ryanwood Exploration Inc.	03 March 2023 and 2024	+ 4 years
Antimony	71 - 112	YC35815 - YC35856	Ryanwood Exploration Inc.	24 February 2022 and 2023	+ 4 years
Aant	1 - 100	YC36644 - YC36743	Ryanwood Exploration Inc	03 March 2016	+ 4 years
AB	1 - 152	YC36842 - YC36993	Ryanwood Exploration Inc	27 February 2022	+ 4 years
AB	153-167	YC96281- YC96295	Ryanwood Exploration Inc	24 February 2016	+ 4 years
AB	169	YC96297	Ryanwood Exploration Inc	24 February 2016	+ 4 years
AB	171-172	YC96299- YC96300	Ryanwood Exploration Inc	24 February 2016	+ 4 years

Claim Name	Claim No.	Grant Number	Registered Owner	Current Expiry Dates	Anticipated New Expiry
AB	173-198	YC96769-YC96794	Ryanwood Exploration Inc	24 February 2016	+ 4 years
AB	200	YC96796	Ryanwood Exploration Inc	24 February 2016	+ 4 years
AB	202-204	YC96798-YC96800	Ryanwood Exploration Inc	24 February 2016	+ 4 years
AB	205-208	YC95497-YC95500	Ryanwood Exploration Inc	24 February 2016	+ 4 years
AB	213-218	YC93205-YC93210	Ryanwood Exploration Inc	24 February 2016	+ 4 years
Jan	1 - 12	YC25889 - YC25900	Strategic Metals Ltd.	18 March 2022	+ 4 years
Jan	13 - 44	YC30201 - YC30232	Strategic Metals Ltd.	18 March 2022	+ 4 years
Jan	45 - 56	YC34383 - YC34394	Strategic Metals Ltd.	18 March 2022	+ 4 years
JIMI	1 - 4	YD102643 - YD102646	Golden Predator	13 May 2012	+ 5 years
JIMI	5 - 207	YD86705 - YD86907	Golden Predator	13 May 2012	+ 5 years
JIMI	208 - 209	YD102630, YD102633	Golden Predator	13 May 2012	+ 5 years
JIMI	210 - 316	YD86910 - YD87016	Golden Predator	13 May 2012	+ 5 years
JIMI	317	YD87017		13 May 2012	+ 5 years
JIMI	318 - 358	YD87018-YD87057	Golden Predator	13 May 2012	+ 5 years
JIMI	359-360	YD87059-YD87060	Golden Predator	13 May 2012	+ 5 years
JIMI	361 - 454	YD87061 - YD867154	Golden Predator	13 May 2012	+ 5 years

The claim ownerships are summarized in **Table 3-1** above.


N
0 50 100 200 Kilometers
Antimony Mtn
Dawson
Mayo
Pelly Crossing
Carmacks
Faro
Ross River
Whitehorse
Skagway

Figure 3-1



★ **Antimony Project**

GPD CLAIMS

Claim Ownership

- Golden Predator (JIMI)
- Ryanwood
- Strategic Metals

2011 Drilling--AJ Vein and Ridge Targets

GOLDEN PREDATOR

Antimony Mountain

Claim Ownership

0 0.75 1.5 2.25 3

Kilometers

Scale:	1:36,000	Map ID:	--
Draw Date:	2012/01/13	Rev. Date:	--
Version:	1	Figure:	3-2
Author:	Shane Carlos	Office:	Whitehorse
Location:	~65 km NE of Dawson City, Yukon Territory		
Projection:	NAD 1983, UTM Zone 7W		
Filename:	GPD_20120113_24x36Landscape_02.mxd		

4.0 ACCESSIBILITY, CLIMATE, PHYSIOGRAPHY, AND INFRASTRUCTURE

4.1 Location and Access

The property is located approximately 65 km northeast of Dawson City, Yukon, (Fig. 3.2) at approximately 64º 19' and 138º 16' (NAD 83, Zone 7: 633000 m E, 7134500 m N on National Topographic System [NTS] map sheets 116B/01 and 116B/08).

The Property is accessible by helicopter on a 25 minute flight from Dawson. Dawson City is the nearest centre for obtaining food, fuel and supplies, and has two year-round helicopter bases. For the 2011 field season, a staging area was established at kilometre 50 on the Dempster Highway, to the south of Wolf Creek and base camp was set at Golden Predator's Brewery Creek Property.

4.2 Physiography

The Property is located in the Ogilvie Mountains on the Yukon Plateau at elevations ranging from approximately 1,200 m above sea level (ASL) in the valleys, to 2,036 m ASL at the summit of Antimony Mountain. Much of the property covers mountainous terrain at alpine elevations. The property is dissected by a series of mountain creeks that drain into Brewery Creek on the east and the North Klondike River on the west.

The Property underwent regional glaciation during the Pleistocene. Jagged mountain peaks and ridges offer good bedrock exposures but lower slopes are covered in talus, glacial sediments and alluvium.

The Property climate is typical for high mountains in the Yukon. Temperatures down to -40°C are common in the winter and the summers are cool to warm with daily highs of 10°C to 25°C (Andersen and Hulstein, 1998). Precipitation rates are fairly low with an average of 30 to 40 cm annual fall and the property is typically snow-free from early-June to the end of August (Coombes, 1996).

5.0 EXPLORATION HISTORY

Staking and hard rock exploration on the Antimony Mountain property commenced in 1916. Table 5-1 presents a summary of the historical exploration activity.

Table 5-1. Summary of work and exploration history, Antimony Mountain Property.

Year	Company	Exploration Activity
1916 - 1918	Mr W. Walker	5.5 m adit and hand trenching on Antimony Mountain in stibnite veins in an aplite dyke
1966	Conwest Exploration	Trenching, mapping and 201 m of drilling (4 drill holes) in the AJ vein
1970	Cream Silver Mines	Geological mapping and hand trenching of Rainbow and JC veins
1975	Acheron Mines (PanAcheron Resources)	Mapping, re-sampling of trenches, limited soil sampling, 165 m of drilling (3 drill holes)
1975 - 1976	Standard Oil Company	Airborne radiometric survey, stream sediment survey over Antimony Mnt stock; ground radiometrics (for U)

Year	Company	Exploration Activity
1979 - 1980	Anaconda Exploration Ltd.	Mapping and geochemical sampling, 4 DDHs totalling 1000 m in the Rainbow and JC veins
1980	Riocanex Ltd.	Limited geophysical survey using Apex Max-min (vertical loop) electromagnetics. North zone was found to be conductive, new conductor found ~65 m north of the North zone.
1983 - 1984	Cody Hawk Resources	Ground electromagnetic/ magnetic survey, limited mapping and sampling
1989	Total Energold Corporation	877 line km of airborne EM and mag. Soil, stream and rock geochemical sampling. Mapping and ground geophysics. Six DDHs totally 706.5 m of NQ/BQ
1994 – 1998	Kennecott Canada Inc.	Contour soil, stream and rock geochemical sampling, geological mapping, and regional prospecting.
2004 – 2005	Ryanwood Exploration Inc.	Prospecting, mapping, rock and soil geochemical sampling.
2005 - 2008	Logan Resources Ltd.	Optioned from Ryanwood in 2005. VLF-EM and mag ground survey (2006). 1157 line km of airborne radiometrics and mag flown (2007). Mapping and rock geochemistry at Golden Wall. 1650 soils on the property.
2009-2010	Golden Predator Corp.	Optioned from Ryanwood on July 7, 2009. 12 drill hole program on the AJ Vein, totalling 1142m. In 2010, 4 core holes were drilled on the Golden Wall showing.

5.1 Conwest Exploration

Prospector, Arthur John working for Conwest Exploration discovered the AJ vein outcropping in Cody Creek in 1966. Conwest completed four DDH totalling 201 m to test the vein. The best results from the drilling program were from DDH AJ#1 and AJ#2, which were both drilled from the same location (refer to Table 5.2; Grant,1966).

Table 5-2. Significant intercepts encountered by Conwest Exploration on the AJ Vein in 1966.

DDH	Azimuth	Dip	From (m)	To (m)	Interval (m)	Au (GPT)	From (ft)	To (ft)	Au (OPT)
AJ-01	0	-22	6.10	6.55	0.46	6.22	20	22	0.2
AJ-01	0	-22	6.55	6.89	0.34	27.99	21.5	23	0.9
AJ-01	0	-22	6.89	7.92	1.04	5.60	22.6	26	0.18
AJ-02	0	-56	9.14	10.21	1.07	16.80	30	34	0.54
AJ-02	0	-56	10.21	10.97	0.76	30.48	33.5	36	0.98
AJ-02	0	-56	10.97	11.52	0.55	52.25	36	38	1.68
AJ-04	38	-45	18.90	19.51	0.61	1.87	62	64	0.06
AJ-04	38	-45	20.12	21.34	1.22	3.11	66	70	0.1
AJ-04	38	-45	23.47	24.08	0.61	3.11	77	79	0.1

In addition to the drilling, Conwest completed detailed geological mapping and trenching and identified the North, South and Ridge zones.

5.2 Acheron Mines Ltd.

In 1975, Acheron Mines Ltd. (PanAcheron Resources) optioned the property. They completed mapping, trench sampling, soil sampling and three diamond drill holes in the AJ area. Two diamond drill holes were attempted in the South zone to test the AJ vein; however, the second hole was abandoned at a depth of 9.26 m in overburden (Holcapek, 1975). A third hole was completed on the North zone, located about 100 m downstream of the South zone, on the AJ vein to a depth of 74.07 m. In total, Acheron completed 165 m of diamond drilling. Their best intercept was from hole 75-1, drilled as a step-back from the AJ#1 and #2 pad (Table 5-3).

Table 5-3. Significant intercept encountered by Acheron Mines Ltd. on the AJ Vein

Holes	Azimuth	Dip	From (m)	To (m)	Interval (m)	Au (gpt)
75-1	360	70	17.50	20.45	2.95	20.47

5.3 Anaconda Exploration Ltd.

In 1979, Anaconda Exploration Ltd. staked the area covering the Rainbow and JC showings. A total of four NQ-diameter diamond drill holes targeting high grade polymetallic veins. Anaconda did not analyze for gold in the drill core (Pelletier and Tucker, 1989). Anaconda also completed geochemical sampling and EM surveys (Roots et. al., 1980). Anaconda concluded that the showings were narrow east-west trending fault-controlled veins (Coombes, 1996). The claims lapsed.

5.4 Cody Hawk Resources Inc.

Cody Hawk Resources Inc. optioned the claims and in 1983 completed VLF EM, vertical loop EM (maxmin) and a magnetics survey in the AJ vein area. The VLF EM and maxmin survey were effective at identifying and further defining three relatively poor conductors in the Cody Creek (AJ) area: the North zone, the South zone and a third conductor about 65 m north of the North zone. Previous investigations had not been effective at indentifying the South zone as conductive. The interpretation of the conductive zones is presented in Table 5-4 (Grant, 1983). The geophysical surveys were not able to delineate any of the individual veins within the zones.

Table 5-4. Interpretation of the conductors identified in 1983 geophysical survey in the AJ Vein area

	VLF Description	Maxmin Description	Overall Interpretation
Conductor A (North Zone)	Extends east-west 90 m Dip is southerly	Dip near vertical	Western margin is the creek Strike about 90 m 100°, open to east
Conductor B (South Zone)	Extends east-west 175+ m Dip is near to vertical	Anomaly coincides roughly with VLF anomaly except that it extends conductor an additional 30 m east Dip near vertical	Conductor appears to cross the creek Strike about 240 m at 265°
Conductor C (65 m north of North Zone)	Arcuate shaped 90 m Dip near to vertical	Anomaly coincides roughly with VLF anomaly except that it extends conductor an additional 30 m west Unknown dip	Strike length 120 m varies from 305° to 275° Possibly a third sulphide zone

The ground magnetic survey did not identify any correlating magnetic anomaly with the conductors (Grant, 1983). Cody Hawk also completed limited geological mapping and collection of metallurgical samples, however data collected from this program was not made public (Hodge, 1983).

5.5 Total Energold Corp.

Total Energold Corp. optioned the claims and in 1989 completed geological mapping; trenching (245 rock chip samples); diamond drilling totalling 706.5 m in six diamond drill holes (AJ89-07 to 12); geochemical surveys; airborne and surface magnetic and EM geophysical surveys.

Each of the holes encountered some gold mineralization during the 1989 program and highlights are shown below (Table 5-5; Basnett, 1989).

Table 5-5. Significant intercepts encountered by Total Energold on the AJ Vein in 1989.

DDH	Azimuth	Dip	From (m)	To (m)	Interval (m)	Au (GPT)	Au (OPT)
AJ89-07	337	45	68.01	68.25	0.24	54.74	1.76
AJ89-07	337	45	68.25	68.54	0.29	99.16	3.188
AJ89-07	337	45	68.78	68.92	0.14	8.46	0.272
AJ89-07	337	45	69.11	69.68	0.57	3.73	0.12
AJ89-07	337	45	70.10	70.29	0.19	27.87	0.896
AJ89-07	337	45	70.29	70.50	0.21	2.67	0.086
AJ89-08	337	62	75.24	75.50	0.26	4.88	0.157
AJ89-08	337	62	81.35	81.70	0.35	1.56	0.05
AJ89-09	337	50	59.70	59.83	0.13	2.52	0.081
AJ89-09	337	50	85.10	85.34	0.24	3.95	0.127
AJ89-09	337	50	86.88	87.19	0.31	6.44	0.207
AJ89-10	35	44	61.89	62.20	0.31	1.59	0.051
AJ89-11	340	47	63.70	64.00	0.30	41.21	1.325
AJ89-11	340	47	64.00	64.37	0.30	0.47	0.015
AJ89-11	340	47	64.37	64.63	0.26	13.69	0.440
AJ89-11	340	47	64.63	65.40	0.77	1.77	0.057
AJ89-11	340	47	65.40	65.70	0.30	3.83	0.123
AJ89-11	340	47	69.70	70.00	0.30	4.11	0.132
AJ89-11	340	47	79.30	79.90	0.60	2.24	0.072
AJ89-12	22	47	92.90	93.30	0.40	4.11	0.132
AJ89-12	22	47	93.30	94.30	1.00	14.15	0.455
AJ89-12	22	47	44.55	44.73	0.18	2.21	0.071

5.6 Kennecott Canada Inc.

Kennecott Canada Inc. (“Kennecott”) staked/optioned different portions of the property between 1994 and 1995. The 1994 work was focused on the intrusive stock. The 1995 work included contour soil sampling, geological mapping, and regional prospecting around the known showings (veins) and the intrusive stock (Heah, 1995a, 1995b). A short field program in 1996 consisted of

soil sampling and mapping. The 1998 field program consisted of property-wide stream geochemical sampling (34) plus 13 pan concentrates, 490 soil samples and139 rock geochemical samples. The 1998 program targeted disseminated and fracture-controlled gold in metasedmentary rocks (Andreson and Hulstein, 1998).

5.7 Ryanwood Exploration Inc.

Ryanwood Exploration Inc. (Ryanwood) completed prospecting, reconnaissance soil geochemistry and ground mag surveys in 2004 which lead to the discovery of the Golden Wall showing. Prospecting on the showing indicates that it consists of massive to disseminated sulphides in calcareous Proterozoic metasedimentary rocks. In 2005, additional soil sampling over the Golden Wall showing outlined an area 900 by 500 metres with significant anomalous gold and arsenic geochemical anomalies. Additional claims staked by Ryanwood include: 42 claims in March 2005, 100 claims in December 2005 and 152 claims in March 2006.

5.8 Logan Resources Ltd.

Logan Resources Ltd. obtained the property under option agreement from Ryanwood in December 2005. In 2006, Logan completed limited geologic mapping and very low frequency electromagnetic (VLF-EM) and magnetics ground geophysical surveys at several locations where previous workers had identified geochemical and/or geophysical anomalies. In 2007, Logan completed property-wide airborne magnetic and radiometrics survey of 1026 line km and 131 tie line km (Sheldrake, 2007). Additional mapping and geochemical sampling was carried out on the Golden Wall showing. Initial interpretations of the data collected during the Logan exploration programs indicate that the Golden Wall appears to be a stratabound Au mineralized zone within reactive limestone and limy clastic sedimentary rocks, proximal to the Tombstone-aged intrusives.

5.9 Golden Predator Corp.

In 2009 Golden Predator (then True North Mining), having optioned the property from Ryanwood, conducted a 12 hole drilling program at the AJ Vein area which detailed the AJ vein over a limited strike length. 2009 results are summarized in Table 5-6 below.

Table 5-6. Significant Intersections from the 2009 drilling program.

2009 Drill Highlights from the AJ Vein -- Antimony Mountain Project, YT						
Drill Hole #	**From (m)**	**To (m)**	**Interval (m)**	**Au (gpt)**	**Interval (ft)**	**Au (opt)**
AH09-014	48.85	49.17	0.32	4.50	1.05	0.131
	66.79	68.85	2.06	3.29	6.76	0.096
AJ09-016	67.55	68.55	1.00	5.48	3.28	0.160
AJ09-017	62.71	63.20	0.49	5.55	1.61	0.162
	70.70	75.58	4.88	12.45	16.01	0.364
including	70.70	73.15	2.45	28.81	8.04	0.841
including	71.15	72.53	1.38	32.78	4.53	0.957
	90.42	90.73	0.31	9.24	1.02	0.270

Drill Hole	From (m)	To (m)	Interval	Au ppm	Interval (ft)	Au opt
AJ09-018	42.97	43.53	0.56	14.56	1.84	0.425
	73.65	77.01	3.36	7.61	11.02	0.222
including	76.41	77.01	0.60	33.50	1.97	0.978
AJ09-019	49.66	63.54	13.88	2.30	45.54	0.067
including	60.90	63.54	2.64	8.58	8.66	0.251
AJ09-020	74.44	79.79	5.35	3.37	17.55	0.098
including	78.22	78.91	0.69	9.96	2.26	0.291
AJ09-021	66.28	69.43	3.15	25.06	10.33	0.732
including	67.00	67.51	0.51	112.43	1.67	3.283
including	68.75	69.06	0.31	20.58	1.02	0.601
AJ09-022	79.10	80.85	1.75	22.22	5.74	0.649
including	79.10	79.85	0.75	48.09	2.46	1.404
AJ09-025	32.24	33.05	0.81	4.73	2.66	0.138

In 2010, Golden Predator drilled 4 core holes on the Golden Wall showing. Gold values, mostly under 1 gram/metric tonne were encountered.

590000 600000 610000 620000 630000 640000 650000 660000 670000

7160000 7150000 7140000 7130000 7120000 7110000

Tombstone Thrust

Robert Service Thrust

Tintina Trench

N

Lithologies

- Q - Quaternary unconsolidated sediments
- ITR - Lower Tertiary felsic volcanics
- mKT - Mid-Cretaceous plutonic
- mKS - Mid-Cretaceous syenite
- JB - Jurassic clastics
- TrJ -Triassic fine clastics/limestone
- TrG - Triassic mafic volcanics
- PJC - Permian linestone/clastics
- CPA - Carboniferous Permian ultramafic
- CPK - Carboniferous Permian metaclastics
- CPMC - Carboniferous Permian clastics
- MK - Mississipian shale/quartzite
- DME - Devonian Mississipian clastics
- DMN - Devonian Mississipian metaclastics
- ODR - Ordivician Silurian Devonian fine clastics/limestone
- CSM -Cambrian Ordivician Silurian sandstone/volcanics
- COR - Cambrian Ordivician sediments
- ICG - Cambrian fine clastics
- PCH - U. Proterozoic Cambrian clastics/limestone

Legend

- Roads
- Antimony Property

0 1 2 4 6 8 10 Kilometers

NAD 83, UTM Zone 7N
Scale: 150,000

Golden Predator Canada Corp.

Fig. 6-1 Regional Geology

Antimony Mountain Property
Yukon Territory, Canada

6.0 GEOLOGICAL SETTING

6.1 Regional Geology

The property is located on the western edge of the Selwyn Basin. The Selwyn Basin is bounded on the south by the Tintina Fault (and the Yukon-Tanana Terrane) and bounded on the north by the Dawson Thrust Fault (and the North American Shelf; Figure 6-1). It is postulated that the present-day Tintina Fault was the location of an ancient suture zone. The suture has undergone ~450 km of transcurrent dextral slip since the end of the Mesozoic. The Robert Service Thrust Fault lies on the western edge of the Property.

Rocks of the Selwyn Basin are geosynclinal rocks from ancient North America, and range from Proterozoic basinal and platformal clastic and pelitic sediments to Jurassic clastic shelf sediments (Anderson and Hulstein, 1998).Various aged volcanic piles are stratabound within the sediments. The basin was subjected to rifting during the Proterozoic and again in the late Devonian and contemporaneous volcanics were exhaled onto the sea floor and as thick sill sequences (Anderson and Hulstein, 1998).

.

By late Jurassic, the rocks of the Intermontane Belt of the Cordillera collided with the passive margin of the North America Shelf, causing compressive tectonics. This resulted in crustal shortening, tight folding, and failure along hinges. Three regionally stacked thrust panels were formed: the Robert Service, Tombstone and Dawson thrust sheets (oldest to youngest).

The Selwyn Basin is intruded by granitoids ranging from Mississippian to Eocene age; the most extensive being the middle Cretaceous Tombstone Suite. The Tombstone rocks range in composition from intermediate to felsic. There is a spatial and possibly genetic link of the Tombstone Intrusions to gold deposits at Brewery Creek, Dublin Gulch, Clear Creek and Gold Dome, in Yukon; and Fort Knox, Ryan Lode, True North, and Pogo in Alaska.

6.2 Property Geology

Stratigraphy

The property is underlain by Upper Proterozoic to Early Cambrian Hyland Group which is subdivided into the Yusezyu and Narchilla Formations. The Yusezyu Formation consists of rusty weathering gritty quartzite, sandstone, and quartz-pebble conglomerate with minor interbeds of limestone, calcareous sandstone and shale. The formation was formed by deposition of sediment from granitic and high-grade metamorphic rocks to the southeast (Gabrielse and Campbell, 1991). The Narchilla formation consists of black, maroon and green shales and slates. Total thickness of the Hyland Group on the property is less than 1 km (Coombes, 1996).

The Hyland Group is overlain by the Lower Cambrian Gull Lake Group consisting of fine clastics, and minor sandstone. The Gull Lake Group is overlain by the Cambro-Ordovician carbonate rocks of the Rabbitkettle Group. Outcropping south of the property are Ordovician to Early Devonian Road River Group rocks consisting of chert, shale, calcareous siltstones. These are overlain by the Devonian -Mississippian Earn Group (chert, pebble conglomerate, greywacke, shale) further to the south (Gordey and Makepeace).

Structure

Bedding is generally east to southeast striking (070-150°) with dips to the north and south (Anderson and Hulstein, 1998). Variable strike and dips reveal asymmetric, isoclinal folding with the trend of fold-axes at northwest with a westerly closure (Anderson and Hulstein, 1998). Faults observed on the property are often intruded by intermediate dikes and quartz veins. East-west to northeast-southwest trending structures host the gold-arsenopyrite mineralized veins.

Mapping completed by Logan Resources at the Golden Wall area suggests that folding has deformed the metasedimentary rocks into an upright anticlinal structure with its axial plane following the Golden Wall ridge.

Igneous Rocks

The Antimony Mountain stock is the same age as the Tomstone Suite intrusions. It is a feldspar porphyritic hornblende monzonite with a quartz-monzonite core and measures approximately 7 by 3.5 km and with relatively well defined contacts (Pelletier and Tucker, 1989). Several smaller instrusives have been mapped northwest of the stock.

Kennecott's field programs in the 1990s identified three types of dikes (Anderson and Hulstein, 1998):

1. A fine grained quartz latite dikes, 1-3 m wide, observed beyond the Antimony Mountain stock but are thought to be related to it. On the North Ridge these dikes were mineralized with disseminated pyrite and pyrrhotite.
2. A feldspar-biotite porphyritic dike, pale orange with a very fine gained greyish brown groundmass. These dikes were hosted within gritty quartzites on the ridge spurs flanking Cody Creek. Dikes were 1-10 m thick and spaced 10-200 m apart. Appears to be related to Antimony Mountain stock but has undergone different alteration.
3. Lamprophyre dikes with a hornblende-biotite rich groundmass, often biotite porphyritic, were observed within and beyond the main stock and were observed in the 2009 drill program.

Other dikes that have been observed on the property include medium to fine grained, feldspar porphyritic syenitic dikes and aplitic and rare pegmatitic dikes are seen cutting the central stock.

Work completed by Logan Resources by Chris Ash (Ash, 2010, pers. comm.) on the Golden Wall showing indentified four dyke types on the Golden Wall Ridge:

1. Hornblende-biotite phyric dyke described as very fine grained to aphinitic, with a weakly glassy texture;
2. Hornblende-biotite phyric dyke similar in composition to the previous dyke, but coarser grained;
3. Hornblende phyric diorite dyke consisting of a fine to medium grained hornblende porphyry with recessive weathering;
4. Quartz monzodiorite(?), coarse grained and equigranular (mineralization is associated with this dyke type, refer to Section 7.2).

Alteration

Most alteration is fairly localized to near the contacts with the intrusive bodies, such as the Antimony Mountain stock. Hornfels with pyrrhotite occurs in metasediments surrounding the stock up to I km from the intrusion in resistant goassanous ridges (Coombes, 1996). Several of the goassans on the property were analyzed but not found to have significant mineralization (Hibbits and Nillos, 2006). What historic reports have described as skarn-type alteration is in all likelihood calc-silicate hornfels (Coombes, 1996). Coombes (1996) further indicates that the Antimony Stock has we alteration along its margins including secondary K-spar overprinting plagioclase, and some minor development of secondary fine-grained biotite.

625000 630000 635000 640000

7135000

7130000

North Klondike River

Brewery Creek

Antimony Creek

LITHOLOGY

- Mid-Cretaceous
- SKRN - Skarn
- Diorite dike
- MONZ Monzonite (Tombstone Plutonic)
- Cambrian-Ordivician
- CSSD- calcareite with calcareous silt
- Late Proterozoic
- CGWK - calcareous greywacke
- MGWK - metagreywacke
- MQTZ - metaquartzite
- SHL - shale
- GRIT - gritstone/arkose/ quartz pbl congl.
- Fault

Legend

- Dempster Highway
- Golden Wall Outline
- Antimony Property
- Drainage

N

0.5 0 0.5 1 1.5 2 km

NAD 83, UTM Zone 7N
Scale: 1:35,000

GOLDEN PREDATOR

Golden Predator Canada Corp.	
Fig. 6-2	Property Geology
Antimony Mountain Property Yukon Territory, Canada	

7.0 MINERALIZATION

According to previous reports (e.g., Pelletier and Tucker, 1989) and based on results obtained from the 2009 field program, most of the mineralization observed on the Property is vein-type arsenopyrite-tourmaline-quartz-pyrrhotite related and proximal to the Antimony Mountain intrusive stock or in the contact metamorphic aureole of the stock. The Golden Wall showing is skarn/replacement-type mineralization resulting from limestone or limy clastics proximal to intrusive bodies.

7.1 Vein-type Showings

The most common style of mineralization on the property fault controlled, base and precious metal-rich veins proximal to the contact of the Antimony Mountain intrusive (Coombes, 1996). Auriferous quartz veins contain arsenopyrite, +/-pyrite, pyrrhotite chalcopyrite, and locally stibnite and galena.

The most significant vein-type showings include: the AJ zone on Cody Creek (the focus of the 2011 drill program); the Rainbow, JC and TK zones (North Ridge); and the Tom, Toby and TT zones (Jan Creek). The veins occur in quartzites and meta-greywackes within 2 km of the Antimony Mountain intrusion.

7.2 Golden Wall Showing

The Golden Wall showing is "stratabound" replacement-type deposit with massive to disseminated sulphides (arsenopyrite, pyrite, and pyrrhotite) in limy Proterozoic sediments including interbedded limestone and siltstone with somewhat massive quartzite. These units appear to form a northeast trending, upright anticlinal structure with an axial trace that roughly parallels the Golden Wall Ridge in part (Ash, 2010, pers. comm.). The mineralized zone appears to strike in an east-northeast direction and dips southeast into the face of the ridge, with an approximate dip of 35 degrees (Ash, 2010, pers. comm.) The zone is exposed along the upper 100 metres of a ridge with a strike length of approximately 450 metres and vertical thickness of 5 to 7 metres. Preliminary soil geochemical sampling in the immediate vicinity of the Golden Wall showing suggests a potential strike length of 900 metres. The best developed mineralization occurs proximal to dykes which cut the axial trace of the sedimentary units.

Work completed by Logan has identified three types of mineralization at the Golden Wall showing including massive to semi-massive sulphide replacement and fracture fillings in limy breccia, sulphide disseminations in quartzite and both styles of mineralization in some of the dyke units.

8.0 EXPLORATION

8.1 Exploration Program

A mid-July mapping program by Bruce Otto, Max Ryan and Shane Carlos was carried out in order to determine an appropriate drill program to test the value of retaining the Antimony Mountain project. The mapping occurred over about one week and from what was seen, the AJ Vein area was recommended for further drill testing. The drilling was designed to determine the vertical and strike extent of the mineralizing system.

Based upon the mapping 4 core holes were proposed but in the end 6 holes were drilled. During the drilling, some brief reconnaissance of the AJ area was conducted and a soil sampling program on the adjacent JIMI claims was completed.

The nearby Brewery Creek facilities were used as a base camp and drill crews were flown the 15-20 minutes in and out of Brewery for crew changes. All drill core was flown off the property to Brewery Creek and later driven to Faro, Yukon for finalization of core logging and cutting in October. A staging area along the Dempster highway was used for the mobilization and de-mobilization of the drilling equipment.

Core is currently being stored in Whitehorse over the winter before its final storage destination at Brewery Creek in the spring of 2012.

8.2 Summer Mapping Program

From about the 16th to 24th of July, 2011, four days were spent mapping at the AJ and JC arsenopyrite showings. Rough field maps and notes (see Appendix 2) were produced and an interpretation for possible drilling on these targets was developed.

8.3 Diamond Drill Program-August 28th to October 1st, 2011.

Kluane Drilling, mobbed in over several days starting on August 28th and completed 1386.24m of drilling over the month of September before demobilizing over September 30th and the 1st of October. A total of 6 drill holes were completed over this time as recorded in Table 8-1.

Table 8-1. Summary of 2011 drill collar survey results using a handheld Garmin GPS.

2011 Hole ID	Antimony Mtn. Area	UTM83-7 Easting	UTM83-7 Northing	Elev. (m)	Azimuth	Dip	Length (m)
AJ11-26	AJ Vein	637556	7132165	1368	048	-55	253.90
AJ11-27	AJ Vein	637543	7132170	1367	332	-55	300.23
AJ11-28	AJ Vein	637647	7132147	1378	040	-55	141.73
AJ11-29	AJ Vein	637647	7132147	1378	040	-65	291.08
AJ11-30	AJ Vein	637728	7132227	1384	150	-65	172.21
AJ11-31	Ridge	637688	7131821	1551	143	-50	227.08

Down-hole surveys were completed for 4 of the six drill holes, with readings taken on one-hundred foot spacings. AJ11-26 was not surveyed due to there being no BTW sized EZ-Shot orientation tool on site and due to the inability to pull 447 feet of NTW drill rod. Survey results from AJ11-31 were unreliable due to a malfunctioning EZ-Shot tool.

Table 8-2. Down-hole survey results for the 2011 Antimony Mountain drilling using the Reflex EZ-Shot.

Drill Hole	Collar		DownHole Station (m)	E-Zshot Tool Measured	
	Azimuth	Dip		Dip	Azimuth
AJ11-26	48	-55	not surveyed-no tool available for BTW		
AJ11-27	332	-55	50.3	-54.4	330.8
			80.8	-54.5	330.8
			111.3	-54.7	331.4
			141.7	-54.7	331.8

Drill Hole	Collar		DownHole Station (m)	E-Zshot Tool Measured	
	Azimuth	Dip		Dip	Azimuth
AJ11-27	332	-55	172.2	-55.1	331.9
			202.7	-54.9	332.9
			233.2	-55.1	333
			263.7	-54.9	333
AJ11-28	40	-55	50.3	-53.6	39.5
			80.8	-53.9	39.8
			111.3	-53.8	39.5
AJ11-29	40	-65	47.2	-64.3	39.6
			77.2	-64.5	40.3
			108.2	-64.5	40.3
			138.7	-64.9	41.4
			169.2	-65.6	40.2
			199.6	-65.3	37.8
			230.1	-65.5	37.8
			260.6	-66	37.2
			291.1	-66.6	39.7
AJ11-30	150	-65	50.3	-64.7	148.8
			80.8	-65	149.1
AJ11-31	143	-50	not surveyed-malfunction		

Over the month of September AJ11-26 was completely logged and the massive sulphide intersection in AJ11-29, was prioritized with structural logging, sampling and cutting. A good portion of time was spent monitoring the drilling program geologically and logistically.

Monitoring down-hole surveys was necessary in several cases because a day shift driller was unfamiliar with the down-hole survey tool. During the first week of September, supplies and fuel were needed at the drill and was often dealt with by myself, Kita Billington and the helicopter pilot, Steve Heskamp, as there was no full-time Kluane foreman for this period of time.

Pad building consumed about a week of man hours, spread between, myself, and Brewery Creek staff (including: Rob Jones, Morgan Smarch, Luke Carlos, Yann, Jeremy and Jeff Bell). All-In Exploration provided three drill pads that were insufficiently constructed and needed to be rebuilt and/or extensively reinforced. After the first pad nearly toppled over and was unable to support the push and pull of the drill hydraulics, a day was spent adding reinforcements to this pad and later rebuilding and reinforcing the next two pads. Also, three additional drill pads were constructed, with one not being used. The unused pad was for a drill test to follow up mineralization in the monzonite intrusion (shown on Figure 8-1, at the North-West corner of the map).

Luke Carlos helped by measuring core recovery and the sum of core greater than 10cm, core box labelling and applying a bottom orientation line in blue crayon to the core.

Two rock samples from Antimony were also organized and sent to Inspectorate Labs in early September see Table 8-3.

Reconnaissance Mapping

In early September, Tyler Bourne mentioned seeing massive sulphide boulders while last on the AJ Vein area, that were clearly sourced from uphill. A one day reconnaissance of the area soon revealed massive pyrite-pyrrhotite-arsenopyrite boulders and the rediscovery of the historical 'Ridge' showing. A sample of the massive sulphides from the main exposure came back at 217.1

ppm silver, 0.8 ppm gold and 2% lead. Another sample of white clay and scorodite, exposed by marmots well below the ridge showing came back at 5.461 ppm gold (see Figure 8-1 or 8-2). Later, hand trenching by Luke Carlos exposing the marmot burrows revealed an approximately one foot layer of green-white scorodite-clay which had experienced some down slope movement. This material is unlikely sourced from the 'Ridge' showing but from another unseen source uphill before the ridge show.

A rush order of these samples from Inspectorate Labs helped in deciding to drill test the Ridge showing. No determined geological control on the scorodite-clay sample precluded drill testing for this occurrence in the short term. In total, two outcrop samples from Antimony Mtn. were sent for analysis, as shown in Table 8-3.

Table 8-3. Summary of outcrop samples taken during the 2011 drilling program.

Rock Sample #	Antimony Mtn. Area	UTM83-7 Easting	UTM83-7 Northing	Elevation (m)	Notable Assay
IO69958	below Ridge	637639	7131971	1439	5.461ppm Au
IO69959	Ridge	637738	7131783	1561	217.1ppm Ag

Core Logging + Sampling-October 17th –December 1st, 2011.

Antimony core was shipped from Brewery Creek to Faro, Yukon at the Grew Creek core logging facilities around mid-October. From the 17th of October to the 15th of November, the author logged 1135.37m of core from drill holes AJ11-27, 28, 29, 30, 31 and 'geoteched' and bottom lined AJ11-31.

Sanni Grawhler, (of Faro, Yukon) spent her time cutting and bagging Antimony core and finalized the last Antimony sample shipment to ACME Labs, Whitehorse on December 1st, 2011.

8.4 Soil Sampling-JIMI Claims-August 30th, 31st, September 9th, 2011.

Fox Exploration Ltd. took 361 soil samples on the JIMI claims, focusing along ridges. Nineteen percent of this work falls within a common area of interest (perimeter clause) with Golden Predator/Ryanwood's Antimony claims.

8.5 Sampling Methodology

All drill core was cut in half using a diamond studded saw at Brewery Creek and predominantly at Faro, Yukon. All drill core was sampled and sample intervals were generally at 1.5m or 2m with exceptions made to correlate with lithology, alteration and mineralization boundaries. Samples were handled by the author and Sanni Grawehr and sent by a company expeditor to ACME Labs Whitehorse for sample preparation. One kilogram was crushed until 80% passed 10 mesh, then


637400
637500
637600
637700
637800
7132350
Unused Drill Pad, constructed sept. 2011
Conductor -C
Arsenopyrite Veins hosted in Syenite Intrusive
AJ North
AJ South
Monzonite
AJ11-30
AJ11-27
AJ11-26
AJ11-28
AJ11-29
7132150
Sediments + Meta-Sediments
Talus; boulder fi
Massive sulphide boulders
7132050
CREEK
?
7131950
7131850
AJ11-31
'Ridge' Showing
7131750
N
AJ Vein Area-Antimony Mountain Plan

Figure 8-1



Antimony Project

GPD CLAIMS

Claim Ownership

Ryanwood

Strategic Metals

2011 Drill Hole

217 ppm Ag, outcrop (IO69959)

5.49 ppm Au, subcrop, (IO69958)

GOLDEN PREDATOR

Antimony Mountain

2011 Diamond Drill Holes

0 0.01 0.02 0.03 0.04

Kilometers

Scale:	1:1,000	Map ID:	--
Draw Date:	2012/01/19	Rev. Date:	--
Version:	1	Figure:	8-2
Author:	Shane Carlos	Office:	Whitehorse
Location:	NE of Dawson City, Yukon Territory		
Projection:	NAD 1983, UTM Zone 7W		
Filename:	GPD_20120103_24x36Landscape_02-copy.mxd		

a 250 gram split was separated, followed by pulverizing to 85% passing a 200 mesh screen. The prepared 'pulps' were then sent to ACME Labs in Vancouver where the multi-element analysis 1EX, four acid total digestion and fire assay Au fusion were applied to all samples, (see Appendix 9 for more details on the analysis).

8.6 Analytical Quality Control and Assurance

For compliance with the 43-101 regulations and for additional 'checks' on assay reproducibility an insertion of one reference material or duplicate for every 9 regular core samples was achieved. Standard reference material SRM-GS-6A, SRM-GS-1P5D, SRM-GS-P7E, BLK- BL-9 and a duplicate quartered core sample were alternated. Reference material 6A was from the Williams Mine in Ontario and the other materials were gold ores mixed with blank granitic ore. See Appendix 9 for details on the reference material chosen from Canadian Resource Laboratories Ltd.

In only one specific batch the reference material CDN-GS5G was used and white quartz aggregate for a blank material. Both materials returned expected values but were not used a second time due to a change in the available reference material.

Some reference material was slightly out of the accepted ranges for reproducibility but the variance would not change the results significantly.

In two cases the reference material was questionable. Reference material GS6A registered 0.002ppm contrasted to the accepted value of 5.69ppm Au and is somewhat near to a mineralized zone in AJ11-28. Surrounding blanks, duplicates and reference material were accurate however and re-running the samples has not been undertaken. In the second case, GS6A registered 0.002ppm Au but the next rock sample registered 5.845ppm Au, suggesting a mislabeling error between the two samples. This zone in AJ11-26 had no apparent geological reason for gold mineralization and is therefore assumed by the author that mislabeling of the samples occurred.

8.7 Results and Geological Conclusions

The AJ Vein system has been shown to be vertically and laterally extensive, progressing from massive arsenopyrite shear hosted veins to possible skarn to intrusion hosted stock-work veins with massive sericite.

The progression includes both increases and decreases in obvious sulphide mineralization and width of alteration zones.

Drill testing of AJ North showed that the surface arsenopyrite veins were apparently expressed as massive sericite-quartz and trace sulphide veins at depth in AJ11-26 and AJ11-29. The sericite-quartz veins are fairly narrow and hosted within altered sediments to meta-sediments. The presence of massive arsenopyrite veins extending to depth on AJ North has not been supported.

AJ11-27 also encountered massive sericite-quartz with trace sulphides but with a more diffuse stock work character with broad intense chlorite and pink carbonate alteration halos. AJ11-27 tested the Conductor-C anomaly, the down-dip and a 180m Westward projection of the AJ North showing, hosted almost entirely within the monzonite intrusion. Considering the broad area of alteration and veining encountered in the intrusive, a more disseminated or diffuse target type is developing. Unfortunately, only trace ppb Au values were detected along with less than 1% zinc as disseminated sphalerite grains. This zone of mineralization from 198.3m-222.0m also has many epithermal textures, such as banded quartz-calcite colloform veining up to 30% and is characteristically distinct from the AJ Vein.

The AJ South target revealed discrete massive arsenopyrite-tourmaline veins, from about 1.5m to less than 50cm wide, encountered in AJ11-26, AJ11-27 and AJ11-30. These veins are apparently typical of the historic drill results, extend the previously known extent of these veins but does not strikingly change the historical geological understanding. The highest grade intersected this year was from AJ11-26 with an 18 g/t Au sample over 1.69m, (see Appendix 3-Analytical Summary).

AJ11-28 and especially AJ11-29 have proven the hypothesized strike extension of AJ South across Cody Creek to the East and the existence of broader zones of massive sulphides in the area. Assay results for this zone average to about 4 g/t over ~25 feet of massive sulfides, (see Table 8-4). The intersection of 40 feet of massive sulphides in AJ11-29 has a true width closer to 25 feet and consists predominantly of arsenopyrite, pyrrhotite, pyrite with trace chalcopyrite.

The final drill hole of the season, AJ11-31 was further up the valley walls at the historical 'Ridge' showing and tested the silver rich sulfide outcrop with values up to 217ppm Ag. The drill hole intersected about 2 short zones of sulfides with fault gouge that correlated with the expected intersection of the 'ridge' showing at depth. Unfortunately, the zones apparently narrowed at this location at the least and returned about 300ppb Au from 154.96m-156.26m and 1.107 ppm Au and 72.8ppm Ag from 210.76m-212.26m.

Table 8-4. Best gold mineralization from 2011 drilling.

Drill Hole	Sample ID		From(m)	To(m)	Interval(m)	Sample	AU (ppm)
AJ11-0029	1273009	WHI11001799	110.02	111.52	1.50	1-ORG	**2.073**
AJ11-0029	1273010	WHI11001799	111.52	113.02	1.50	1-ORG	**2.558**
AJ11-0029	1273011	WHI11001799	113.02	114.42	1.40	1-ORG	**9.629**
AJ11-0029	1273012	WHI11001799	114.42	116.30	1.88	1-ORG	**1.026**
AJ11-0029	1273013	WHI11001799			0.00	Blk-white	0.047
AJ11-0029	1273014	WHI11001799	116.30	117.80	1.50	1-ORG	**6.002**
AJ11-0029	1273015	WHI11001799	117.80	118.95	1.15	1-ORG	**2.469**
AJ11-0029	1273016	WHI11001799	118.95	120.12	1.17	1-ORG	**1.578**
AJ11-0029	1273017	WHI11001799	120.12	121.97	1.85	1-ORG	**0.516**
AJ11-0029	1273018	WHI11001799	121.97	122.98	1.01	1-ORG	0.247
AJ11-0029	1273019	WHI11001799			0.00	SRM_GS5G	**4.724**

Soil sampling data from the JIMI claims is tabulated in Appendix 7 and consists of 70 points that fall within the 1.8km buffer with Ryanwood claims. Some weakly anomalous gold and antimony values are reported. See Figure 8-3 for a location map of sample stations with plotted gold values in relation to claim boundaries and the 1.8km buffer zone.


636,500
638,000
639,500
641,000
642,500
7,135,000
7,133,500
7,132,000
Jimi 266 YD86966
Jimi 267 YD86967
Jimi 268 YD86968
Jimi 269 YD86969
Jimi 270 YD86970
Jimi 271 YD86971
Jimi 272 YD86972
Jimi 273 YD86973
Jimi 274 YD86974
Jimi 275 YD86975
Jimi 276 YD86976
Jimi 277 YD86977
Jimi 278 YD86978
Jimi 279 YD86979
Jimi 280 YD86980
Jimi 281 YD86981
Jimi 282 YD86982
Jimi 283 YD86983
Jimi 284 YD86984
Jimi 285 YD86985
Jimi 286 YD86986
Jimi 287 YD86987
Jimi 288 YD86988
Jimi 289 YD86989
Jimi 290 YD86990
Jimi 291 YD86991
Jimi 292 YD86992
Jimi 293 YD86993
Jimi 294 YD86994
Jimi 295 YD86995
Jimi 296 YD86996
Jimi 297 YD86997
Jimi 298 YD86998
Jimi 212 YD86912
Jimi 213 YD86913
Jimi 214 YD86914
Jimi 215 YD86915
Jimi 216 YD86916
Jimi 217 YD86917
Jimi 218 YD86918
Jimi 219 YD86919
Jimi 220 YD86920
Jimi 221 YD86921
Jimi 222 YD86922
Jimi 223 YD86923
Jimi 224 YD86924
Jimi 225 YD86925
Jimi 226 YD86926
Jimi 227 YD86927
Jimi 228 YD86928
Jimi 229 YD86929
Jimi 230 YD86930
Jimi 231 YD86931
Jimi 232 YD86932
Jimi 233 YD86933
Jimi 234 YD86934
Jimi 235 YD86935
Jimi 236 YD86936
Jimi 158 YD86858
Jimi 160 YD86860
Jimi 161 YD86861
Jimi 162 YD86862
Jimi 163 YD86863
Jimi 164 YD86864
Jimi 165 YD86865
Jimi 166 YD86866
Jimi 167 YD86867
Jimi 168 YD86868
Jimi 169 YD86869
Jimi 170 YD86870
Jimi 171 YD86871
Jimi 172 YD86872
Jimi 174 YD86874
Jimi 102 YD86802
Jimi 104 YD86804
Jimi 105 YD86805
Jimi 106 YD86806
Jimi 107 YD86807
Jimi 108 YD86808
Jimi 110 YD86810
Jimi 318 YD87018
Jimi 319 YD87019
Jimi 320 YD87020
Jimi 321 YD87021
Jimi 322 YD87022
Jimi 323 YD87023
Jimi 324 YD87024
Jimi 325 YD87025
Jimi 326 YD87026
Jimi 327 YD87027
Jimi 328 YD87028
Jimi 329 YD87029
Jimi 330 YD87030
Jimi 331 YD87031
Jimi 332 YD87032
Jimi 333 YD87033
Jimi 334 YD87034
Jimi 335 YD87035
Jimi 336 YD87036
Jimi 337 YD87037
Jimi 338 YD87038
Jimi 339 YD87039
Jimi 340 YD87040
Jimi 341 YD87041
Jimi 342 YD87042
Jimi 359 YD87059
Jimi 360 YD87060
Jimi 361 YD87061
Jimi 362 YD87062
Jimi 363 YD87063
Jimi 364 YD87064
Jimi 365 YD87065
Jimi 366 YD87066
Jimi 367 YD87067
Jimi 368 YD87068
Jimi 369 YD87069
Jimi 370 YD87070
Jimi 371 YD87071
Jimi 372 YD87072
Jimi 373 YD87073
F/Jimi 317 YD87017
AB 151 YC36992
AB 152 YC36993
AB 111 YC36952
Aant 2 YC36645
AB 113 YC36954
AB 112 YC36953
AB 115 YC36956
AB 114 YC36955
AB 105 YC36946
AB 117 YC36958
Ant 25 YC25793
AB 106 YC36947
AB 116 YC36957
AB 119 YC36960
AB 107 YC36948
AB 118 YC36959
AB 121 YC36962
Ant 27 YC25795
AB 120 YC36961
AB 108 YC36949
Ant 29 YC25797
Ant 28 YC25796
AB 122 YC36963
AB 109 YC36950
Antimony 109 YC35853
Ant 30 YC25798
AB 110 YC36951
Antimony 111 YC35855
Antimony 110 YC35854
Antimony 107 YC35851
Antimony 112 YC35856
Ant 32 YC25800
Antimony 108 YC35852
Jan 49 YC34387
Ant 31 YC25799
Ant 34 YC25802
AB 93 YC36934
Jan 51 YC34389
Jan 50 YC34388
AB 95 YC36936
Ant 33 YC25801
AB 94 YC36935
Jan 52 YC34390
Jan 53 YC34391
Jan 54 YC34392
AB 97 YC36938
AB 96 YC36937
AB 98 YC36939
AB 99 YC36940
AB 79 YC36920
AB 81 YC36922
AJ Vein
16
17
12
N
0 220 Km
YUKON
Dawson City
Faro
Whitehorse
Watson Lake
Antimony Project
GPD CLAIMS
Claim Ownership
Golden Predator (JIMI)
Ryanwood
Strategic Metals
2011 Drilling--AJ Vein and Ridge Targets
1.8 km Perimeter of Common Interest
Au_2011_Geochem
Au_PPB
0-2
3-6
7-14
15-30
GOLDEN PREDATOR
Antimony Mountain
JIMI Soils
2011 Au Soils Within 1.8km Ryanwood Buffer
0 0.1 0.2 0.3 0.4
Kilometers
Scale: 1:8,000
Map ID: --
Draw Date: 2012/01/30
Rev. Date: --
Version: 1
Figure: 10-1
Author: Shane Carlos
Office: Whitehorse
Location: ~65 km NE of Dawson City, Yukon Territory
Projection: NAD 1983, UTM Zone 7W
Filename: ANM_20110130_GeochemJIMIBuffer.mxd

9.0 Recommendations

Perhaps further drill testing of the massive sulphides from AJ11-29 and AJ11-28 could be undertaken in order to detail the zone and see how continuous this new extension actually is and with the hope the grade will pick-up.

The 'Ridge' showing could be drill tested at an higher elevation in order to cut the silver rich sulfides closer to the outcropping.



Figure 9-1. Hypothetical drill program in red as a follow-up to 2011 drilling shown in black.

Please see Figure 9-1 for a possible drill program to bring the new sulfide intersection in AJ11-29 to inferred status on 25m spacings and a possible location for some more holes into the 'Ridge' showing.

10.0 2011 Exploration Expenditures

Total eligible Exploration expenditures for Ryanwood in the 2011 field season are $686,343 as set out in Table 10-1 below. Table 10-1 shows the costs that are eligible for expenditures per the Ryanwood option agreement and includes the cost of filing work for assessment with the Government of Yukon and the cost of staking the JIMI claims.

For the purposes of the Yukon Mining Recorder, the cost of filing work, the cost of staking and the cost of the JIMI claims soil sampling, if removed leaves a total of $646,002 that is eligible to apply to the 'good standing' of the claims. This amount is what was applied for in the 'Certificates of Work' and is well above the $418,200 required to attain the maximum number of years of 'good standing,' for the 929 contiguous claims. That is, 4 years applied to the Antimony, Ant, AB, Aant, Jan claims and 5 years applied to the JIMI claims in their year of expiry. In one certificate 210 claims were grouped with 38% of drilling falling on the Ant 33, 34 claims for a total of $245,480. In the second certificate 722 claims were grouped with 62% of the drilling falling on Ant 31, for a total of $400,521 of claimed work.

For the purposes of Ryanwood, the costs of filing work have been reduced in Table 10-1 to apply only to the 422 Ryanwood claims and 113 proximal JIMI claims.

In general, helicopter costs were high due to running the drill program out of the Brewery Creek campsite which is a 20 min flight one way into the property. Salary from the month of January was included as the cost of writing a government assessment report and the staking and soil sampling of/on the additional JIMI claims was also added. A ten percent administrative overhead was then applied to all costs. Explanation of the additional staking and soil sampling costs follows below.

Table 10-1. Summary of 2011 Exploration Expenditures

Cost Type	Canadian Dollar Value
Direct Drilling Costs-Kluane Invoice	$244,570.84
Helicopter Support-TransNorth Helicopters	$190,546.32
Drill Core Assay	$30,476.21
Diesel and Jet Fuel	$30,933.23
Wages	$59,521.23
Camp, Communications, Vehicle, Expediting, room and board, etc.	$27,559.85
Administrative Overhead	$62,394.84
JIMI Claims-sampling costs within buffer zone	$5287.36
JIMI Claims-staking 113 within buffer zone	$23,520.86
Work Filing and Grouping Fees	$11,532.50
Total 2011 Expenditures	**$686,343.21**

The JIMI claims are immediately in contact with the claims optioned from Ryanwood Exploration, and a 1.8 km buffer encloses a common area of interest between Golden Predator Canada



★ **Antimony Project**

GPD CLAIMS

Claim Ownership

- Golden Predator (JIMI)
- Ryanwood
- Strategic Metals

1.8 km Perimeter of Common Interest

2011 Geochem Sample Stations

GOLDEN PREDATOR

Antimony Mountain JIMI Soils

2011 JIMI Soil Sample Stations

0 0.6 1.2 1.8 2.4

Kilometers

Scale:	1:30,000	Map ID:	--
Draw Date:	2012/01/30	Rev. Date:	--
Version:	1	Figure:	Appendix 10
Author:	Shane Carlos	Office:	Whitehorse
Location:	~65 km NE of Dawson City, Yukon Territory		
Projection:	NAD 1983, UTM Zone 7W		
Filename:	ANM_20110130_GeochemJIMIBuffer_A1.mxd		

Corporation and Ryanwood Exploration. About nineteen percent of the JIMI claims soils work can then be applied to the Antimony work commitment as 19.4% of the sample costs fall within the buffer (perimeter clause in the option agreement). Please see Figure 10-1 for location of soil samples in relation to the Ryanwood owned claims and the 1.8 km buffer zone.

Approximately, $27,267.65 was spent on these samples, including helicopter time, assays and a $30/sample charge for a predetermined contract of 474 samples. Only 361 samples were collected, leaving an all in cost of $75.53/sample, [($27,267.65/361 samples) =$75.53]. Seventy of the soil sample locations out of the contracted 474 samples fall within the 1.8km common area of interest with Ryanwood. Seventy samples multiplied by a $75.53/sample is equal to $5287 applied to the work commitment.

One-hundred and thirteen of the JIMI claims fall within the 1.8km buffer and the cost of staking these claims is included as eligible expenditures. Staking costs for the 113 JIMI claims is equal to $23,580.26 which is 24.88% of the total $94,500 spent on staking all the JIMI claims.

The total work commitment for 2011 was $750,000, leaving **$63,657** in unfulfilled work expenditures, ($750,000 - $686,343=$63,657). Total expenditures were not met due to severe early winter weather that made continuing dangerous.

A more detailed summary of expenditures is provided in Appendix 11 and includes a JIMI claims expenditure table and a separate table of costs on the Ant 31/33/34 claims.

11.0 STATEMENT OF AUTHORSHIP

This Report titled "ASSESSMENT REPORT, 2011 DIAMOND DRILLING, GEOLOGICAL MAPPING AND SOIL SAMPLING PROGRAM, Antimony Mountain, Dawson Mining Division, Yukon Territory, Canada," and dated January 2012 was prepared and signed by the following author:

_~signed~
Shane A. Carlos, B.Sc.
Dated: January 31 , 2011
Vancouver, British Columbia

12.0 REFERENCES

Andersen, F. and Hulstein, R., 1998, Kennecott Canada Exploration Assessment Report on the Antimony Mountain Property, Antimony Mountain, Yukon Territory, Dawson Mining District NTS 116B08, 134p; Yukon Government Assessment File 093916.

Ash, C. 2010 (personal communication).

Basnett, R., 1989, Drilling Report, Con and AJ Claims, Total Energold Corporation, 98p.; Yukon Government Assessment File 092792.

Coombs, S., 1996, Kennecott Canada Exploration 1996 Assessment Report on the PM and TIM's Claims, Antimony Mountains, Dawson Mining District, Yukon Territory, NTS116B08, 51p.; Yukon Government Assessment File 093525.

Gordey, S.P. and A.J. Makepeace (compilers), 2001, Bedrock Geology, Yukon Territory; Geological Survey of Canada, Open File 3754 and Exploration, Explorationa dn Geological Services Division, Yukon and Northern Affairs Canada, Open File 2001-1, scale 1: 1 000 000.

Grant, G. W., 1966, Conwest Exploration Company Limited, Antimony Mountain Area, Yukon, drill logs only; Yukon Government Assessment File 091360.

Grant, G. W., 1983, Geophysical Report on part of the AJ-JA Group, Claim Sheet 116B08, Dawson Mining District, Yukon Territory, for Cody Lake Resources, 37p.; Yukon Government Assessment File 091576.

Hibbits, M.W.P. and T.E.P. Nillos, 2007, 2006 Geological and Geophysical Report on the Cheyenne Property, Dawson Mining District, Yukon Territory, Map Sheet 116B/01 and 08, 9 pages.

Heah, K. 1995a, Kennecott Canada Exploration Report on Geochemical Work on BUZ 1-6 and HUD 1-12 Claims, Dawson Mining District, Yukon Territory, NTS 116B08, 42 p.; Yukon Government Assessment File 093368.

Heah, K. 1995b, Kennecott Canada Exploration Assessment Report on 1995 Geological and Geochemical Work on the AM 1-120 Claims, Dawson Mining District, Yukon Territory, NTS116B08, 65 p.; Yukon Government Assessment File 093422.

Hodge, H. J., 1983, Report on the AJ-JA Property of Cody Hawk Resources, Dawson Mining District, Yukon Territory, NTS116B08, 29p.; Yukon Government Assessment File 092041.

Holcapek, F., 1975, Agiles Engineering and Acheron Mines Limited, O'Brien Creek Area, Yukon Territory; Yukon Government Assessment File 090123.

O'Brien, E., 2009, Assessment Report, 2009 Diamond Drilling Program, Antimony Mountain, Dawson Mining Division, Yukon, Canada Nts Map Sheets: 116b/01 and 08.

Pelletier, K. and Tucker, F., 1989, Geological and Geochemical Report on the BUZ 1-4, HUD 1-6, and TOOTH 1-180 claims, O'Brien Property, Antimony Mountain Area, Dawson Mining District, June-August 1989, Total Energold Corporation, 88p.; Yukon

Government Assessment File 092787.

Roots, C.F. Baldry, K., and Carson, G.C., 1980, Anaconda Canada Exploration Ltd., Assessment Work Report on the Geology, Geochemistry, Geophysics of the Thor 1-92 Group, July- September 1979, Antimony Mountain Area, Dawson Mining Distict, Yukon Territory; Yukon Government Assessment File 090552.

Sheldrake, R.F., 2007, Assessment Report: Helicopter Magnetic and Radiometric Survey on the Cheyenne Project, Tombstone Ranges Area, Yukon Territory, Dawson Mining District. Map Sheet 116B/08. Survey Conducted by Donegal Developments Ltd., 21 pages.

APPENDIX 1

CERTIFICATE OF AUTHOR

Shane Allen Carlos
201A-170 Titanium Way
Whitehorse, Yukon Territory
Canada Y1A 0G1
E-mail: scarlos@goldenpredator.com

Certificate of Author

I, Shane Allen Carlos of 201A-170 Titanium Way, Whitehorse, Yukon Territory, certify that:

1. I graduated from the University of British Columbia with a Bachelor of Science in Earth and Ocean Sciences, in 2009.
2. I have worked in the mineral exploration business for the last 15 years on diamond drill rigs, as a line cutter, soil sampler, claim staker and core logger, with the last 2 years as a geologist for Golden Predator Canada Corp.
3. I last visited the Antimony Mountain Property on October 3rd, 2011.

Shane Allen Carlos

Whitehorse, Yukon Territory

Dated this 31st day of January, 2012.

APPENDIX 2

2011 SUMMER MAPPING

FIELD NOTES

AND MAPS

2

Location _____ Date _____

Project / Client _____

3

Location Antimony Mountain Date July 17th, 2011.

Project / Client AJ vein

Scale

Purpose: Assess the AJ vein complex and design a drill program based on this work.

Working with B. Otto, Max Ryan.

ANT-001 0637605E 7132168N 1368m elev.

Quartzite, fine equigranular, grey, sulphidic (py. ≤ 1%). Strong jointing / faulting at 252/80, 231/86

0637595E 7132163N 1368m elev.

Meta-greywacke, dark grey with green and red hues, fine to cryptocrystalline, fairly massive, interbedded with sand graduating to clean, equigranular, white, (¼-½mm grains) quartzite

ANT-002 0TW 0637613E 7132199N 1373m

Quartzite, massive, ~½mm rounded silty grains 240/80, strong planar jointing

Location _____ Date July 17th, 2011.

Project / Client _____

282/78 fault surface, with qtz slickr, 10°→108 Az.

Contact with massive arsenopyrite + tourmaline + rodalite vein → AJ vein (complex) South exposure.

~25m (width) across Southern most exposure:

637611E 7132014N, 20cm thick AJ, 095/54

637616E 7132207N, ~3m wide AJ, 095/85
clean, smooth fract. surf. 125/90

637628E 7132222N, ~10cm wide AJ, 110/65
surface on vein, 120/58

ANT-003 07W 637649E 7132262N

Granitoid: ~6% biotite, sparse K-feldspar, abundant qtz.
Brecciation within it might be a granodiorite
Well developed jointing: 335/80, 054/75

ANT-004 637664E 7132307N 1373m

More granodiorite exposure. ~5%, 1mm size

Location _____ Date July 17th, 2011.

Project / Client _____

Scale _____

well-formed (subhed) biotite flakes.
Qtz ~ ~10% K-feldspars (white).

Jointing: 238/90 325/85.

ANT-005 07W 0637679E 7132299N

Quartzite, clear, white, equigranular, <1mm size

0637671E 7132287N

Granodiorite float. Massive arsenopyrite, qtz, rodalite float. Clasty/chalcedony, pinkish-white float. Northern most evidence of massive arsenopyrite. ½m × 20cm × ½m slab.

ANT-006 07W 637670E 7132277N 1373m elev.

AJ vein exposure, on the Northern, downstream, east side of creek. Arsenopyrite + qtz. + rodalite + tourmaline. ~30-40% arsen.

637674E 7132268N

~1m wide exposure of AJ vein complex North.

Location _____ Date July 17th, 2011.

Project / Client _____

103/78 , 110/80

637667E 7132256N

AJ vein (massive arsenopyrite etc), ~ ½m wide, 098/67 , and 20cm wide arsenopyrite vein at 100/67

ANT-008 07W 637610E 7132158N

Faulting in clean quartzite & meta-greywacke on east side of creek. Throughgoing fracture is 235/90, mounts 282/78, 15° → 287 Az. with qtz slickensides.

235 is predominant, with 282 originating from 235 structure.

ANT-009 637687E 7132199N

Quartzite & meta-greywacke. 10m to the North is the biotite granodiorite. Faulting @ 090/76.

Location _____ Date July 19th, 2011.

Project / Client _____

Scale

ANT-010 637713E 7132173N 1383m

Massive eq. granular tourmaline float boulders 40cm × 40cm × 15cm +qtz.

ANT-011 637773E 7132167N 1402m

Qtz. - tourmaline - arsenopy. float.

ANT-012 637800E 7132146 1418m

Outcrop of metagreywacke & white, clean quartzite

265/70 joint 150/40 bedding

ANT-013 637881E 7132211N 1428m

Contact betw. intrusive (qtz. + biotite + feldspar), strongly jointed and grey meta-greywacke

Looking East

Location _____ Date _____

Project / Client _____

ANT-014 637862E 7132193N 1429m

Massive tourmaline + qtz veining. float + subcrop? Intrusive → granodiorite immediately to the South, 1m wide on crop.

ANT-015 637873E 7132140N

~ mm tourmaline veining in qtzite float.

ANT-016 637878E 7132135N 1468m elev.

Large blocks of green-orange oxidized boulders ~40cm 'square' blocks, with blebs of arsenopyrite. ~4%

ANT-017 637937E 7132101N 1517m

Arsenopyrite showing. 'Old' (1989?) red spray painting on rock, indicates its previous recognition/discovery.

Massive irregular blobs of arsenopy. badly as replacements in quartzite.

Apparently @ 205/80, mineralization is joint controlled

Location Ketinemy Mtn. Project Date July 20th, 2011.

Project / Client JC vein.

Scale

Sunny, clear day, with Bruce Otto, Max Ryan, and E. O'Brian. Saw bear marks and bear scat in the valley.

Purpose: evaluate JC veins and devise a drill program.

ANT-018 07W 632730E 7133863N 1957m

drill collar, 80A-03, 006 Az. -60°

ANT-019 07W 632774E 7133881N 1957m

098/54

qtz.-tourmaline-arsenopyrite-pyrite vein 15-20cm wide, in trench exposure, heading 090, ~1m wide trench

105/60 tourmaline + pyrite hairline to 2mm veinlets in a bleached, clear white v.f.g. quartzite. Looks altered by bleaching + recrystallization.

Location _____ Date _____

Project / Client _____

ANT-020 632803E 7133878N ~~1951~~m

002/70 340/60

Slate bedding/cleavage cut by fracture cleavage

~1m thick, dark grey v.f.g. slatey cleavage.



← 1 meter →

ANT-021 07W 632827E 7133893N

Apex of tight fold in quartzite



Location _____ Date _____

Project / Client _____

Scale _____

ANT-022 0632838E 7133890N ~~1951~~m

Folded Quartzites, along fold planes there often occurs a 15-20° plunge to 025

Fair white gritty alt quartzite, possibly due to frictional sliding.



Location _____ Date _____

Project / Client _____

ANT-023 632851 E 7133851 N 1522m elev.

Slate: dark grey, good foliation to more massive
271/85 fracture in shale
conchoidal Fracturing. ~ 5m thick before qtzites
appear downstream. GPS point is furthest upstream
exposure of this local occurence.

ANT-024 07W 632889 E 7133844 N ~~1957~~m elev.

Intrusive outcrop. Granodiorite? with phases
of white, v.f.g. qtz. This may represent minor
localities in the folded quartzites → minor, irregular
dyklets.
Biotite, qtz, feldspars., equigranular
≤ 2mm grain size.
jointing 260/65 126/85

Location _____ Date July 20th, 2011.

Project / Client _____

_____ Scale

ANT-025 632903 E 7133874 N ~~1957~~m elev.

Weakly
Mineralized shale, dark grey with rare
1cm thick, 2mm euhedral black tourmaline crystals
Some diss. arsenopyrite in local grey quartzites.
Contact approx. btw. monzonite talus/boulder
field and shale to the North.

Walking WNW down slope to point
632811E 7133961N 1957m elev. was on
large block talus (50cm × 50cm × ~40cm) of
intrusion. → Monzonite with up to 1cm long
tabular pottassium feldspars, up to 80% in some
pieces. ← pinky-white

Monzonite: bimodal grain size (hornblende + K-spar phyric)
< 1% black biotite books, ≤ 1mm size
~5-10% euhedral hornblende, ≤ ½ cm
≥ 50% clear, to pink rimmed to pink
subhedral pottassium feldspars, ~ 1cm lengths mostly
~ 10% quartz, as < 1mm equigranular matrix
% Plagioclase?

Location _____ Date July 21st, 2011.

Project / Client _____

ANT-026 632705E 7133670N 1532m

Talus fan, of quartzite, grey slate, monzonite (coarse ~1cm crystals), and fine granodiorite.

Tourmaline + 2cm long euhedral white quartz crystals. Similar to JL veins but no arsenopyrite

ANT-027 07W 632513E 7133780N 1497m elev.

drill hole collar, 80A-4, 005 Az, -62°

ANT-028 07W 632499E 7133833N 1487m

Trench, West end, heading 095 Az.

Quartzites + meta-greywackes as rubble/subcrop 4cm wide piece of arsenopyrite + scorodite + qtz + iron oxide (goethite) vein, trace fine granular tourmaline.

Note GPS gives conflicting location to compass readings of trench strike, 5m to North further than should be.

Location _____ Date _____

Project / Client _____

Scale _____

ANT-029 07W 632479E 7133837N

10-15cm thick coarse euhedral qtz + massive arsenopyrite ± tourmaline ± iron oxide (goethite) float → abundant, probably subcrop.

ANT-030 632431E 7133854N 1481m

40cm 'square' block of v.f.g. white quartz, recrystallized quartzite? vein with vuggy cavities filled with arsenopyrite ~ 10% arsenopy.

ANT-031 632440E 7133902N 1476m

125/90 strong predominant jointing in quartzite + meta-greywacke, white to grey respectively

ANT-032 632168E 7133899N 1559m

Quartzite, interesting texture. white 285/86 jointing.



Location _____ Date _____

Project / Client _____

ANT - 033 632113E 7133867N 1598m

quartzite, with yellow jarosite staining, garlic odour when struck.
~5% diss arsenopy. locally
103/70 fracture pattern

ANT - 034 632433E 7133996N 1462m

Quartzite + meta-greywacke
with 2cm wide qtz - tourmaline vein. Vuggy center filled with acicular tourmaline crystals.
105/90
with strong parallel fracture pattern locally + proximal to vein.



Location _____ Date _____

Project / Client _____

Scale _____

ANT-035 632748E 7133990N 1490m

Arsenopyrite + scorodite qtz vein float
+ diss. arsenopyrite ~3% in a sugary white (equigranular) vuggy qtzite float + pyrite diss.

Ant-036 632172E 7133849N 1571m

095/71 jointing / preferred fracture in a yellow-grey fine-grained, dense plag. bearing dyke with ~5-10% disseminated arsenopyrite, jarosite + goethite stained



Location _____ Date _____

Project / Client _____

Within ~ ½ m goes from dark grey meta-siltstone to lighter more siliceous + conchoidal to a chert or alteration by silica flooding proximal to the mineralized dyke.

Along strike upslope ~ 20m sampled more and is sugary qtz with 1mm laths to acicular greenish crystals → amphibole? ~ 5% disseminated in the v.f.g. dyke

Ant-037 07W 632014E 7133909N 1617m

Gossan of massive amphibole ~~[illegible]~~ 100% over local areas ~30cm across. piece 105/72 contact + fracture preferred btw. quartzite downslope and amphibole + plag. dyke diss. arsenopyrite uphill.
~ 6m at least exposed, approx. true width

Some spheroidal iron oxide weathering features
~ 1 - 5cm spheres
goethite + greeny arseno staining with exfoliating iron oxide scales

Location _____ Date July 21st, 2011.

Project / Client _____

Scale _____




637600
637700
7132400
7132300
7132200
7132100
LEGEND
tourmaline veins, cm to mm scale
veining, qtz. + arsenopyrite + tourmaline + scorodite
jointing, faults
quartzite
granodiorite, unaltered, strongly jointed/and local biotite hornfels
meta-greywacke + quartzites
bedding
N
AJ North-West
untested
AJ vein complex
South-West
Drill collar
345 Az
irregular arsenopyrite vein
253m
141m
Meta-greywacke
Syenite
Dore AJII-27
AJII-26 Dore
AJII-28
AJII-29
Talus blocks
85
80
78
72
65
57
10
15
91

7132300

AJ vein complex
North-East

AJ South-East
untested

7132200

qtz.-tourmaline
vein float

tourmaline vein
float (mm veinlets)

7132100

637800

637900


JC Vein
N
7134000
7133900
7133800
Monzonite Float
80A-03
006 Az., -60°

APPENDIX 3

DIAMOND DRILL HOLE LOGS

AJ11-26 THROUGH AJ11-31

DRILLHOLE SUMMARY FORM

PREDATOR GROUP

HOLE_ID:	AJ11- 26
PROJECT:	ANTIMONY MTN.
PROSPECT:	AJ VEIN
PROJECT CODE:	ANM
End Of Hole CODE	E OH
LOGGED BY:	SHANE A. CARLOS
DATE:	Sept. 27th, 2011.
DRILL TYPE:	KD1000
NAD83 UTM E:	637556
NAD83 UTM N:	7132165
GRID ID:	
GRID X:	
GRID Y:	
ELEV:	1368m
COLLAR DIP:	-55
GRID AZIMUTH:	
TRUE AZIMUTH:	048
PRECOLLAR LENGTH:	250m
TOTAL LENGTH:	253.90m
DH SURVEYED (Y/N):	No
DH SURVEYED BY:	
DH SURVEY TOOL:	
ORIENTED CORE:	No
TOOL TYPE:	

DRILL CONTRACTOR:	KLUANE DRILLING
DRILLER:	Marcelo Giaeeaglia / Douglas Abad

START DATE / TIME:	30 Aug. 11' / NIGHT
FINISH DATE / TIME:	7 Sept. 11' / NIGHT

DRILLHOLE SUMMARY (Slow drilling, etc)

FROM / TO:

0 - 19.50m overburden of muddy-clay with blocks of granodiorite + meta-sediments. 19.50m - 32.55m silicified (pink) hornfelsed siltstone + greywacke with Po + Py. 32.55m - 34.24m Arsenopyrite-sulphide vein with an argillic alteration halo to 37.10m. To 64.80, minor veining + silicification + sulphides overprinting biotite hornfels. 64.80m - 74.28m Propolytic to Argillic to Qtz-Arseno-Py vein (70.73 - 72.69m) to AR to silicified, nice alteration sequence. 74.28m - 97.70m Qtzite + biotite hornfels with ~ 1% qtz.-tourmaline, then essentially un-metamorphosed siltstones to 140.10m with shallow angle fault gouge zones, then alternating beds of sandstone + siltstones (~1m beds) to 161.54m. 161.54m - 170.20m Porphyroblastic grey hornfels, then Quartzite with sericite-qtz-tourmaline-py veins, from 170.20m - 184.25m, Interbedded, quartzite + cordierite hornfels to 253.90 (end of hole)

@ 136.25m reduced to BTW size core, from NTW

CROSS SECTION:



MG1 MGW MGW

PREDATOR GROUP

PROJECT: Antimony - AJ Vein HOLE_ID: AJ11-26 LOGGED BY: Shane Carlos DATE: Sept. 10th, 2011.

INTERVAL (meters)	STRUCTURE	LITHOLOGY	ROCKCODE	MODIFYCODE	GRAIN_SIZE	COLOR	OXIDE_CODE	SULF1	SULF1_PCT CODE	SULF2	SULF2_PCT CODE	ALT-1	ALT-1_FORM	ALT-1_INT	ALT-1_VEIN_TYPE	ALT-1_VEIN_%	ALT-1_MIN1	ALT-1_MIN1_PCT CODE	ALT-1_MIN2	ALT-1_MIN2_PCT CODE	ALT-2	ALT-2_FORM	ALT-2_INT	ALT-2_VEIN_TYPE	ALT-2_VEIN_%	ALT-2_MIN1	ALT-2_MIN1_PCT CODE	COMMENTS / DESCRIPTION
GRAPHIC			LITHOLOGY					MINERALIZATION				ALTERATION-1									ALTERATION-2								
15																												0-19.50m Overburden, blocks of granodiorite + meta-sediments with brown muddy-clay overburden.
17																												
19																												
			19.50																									19.50m – 22.00m Meta-greywacke, blocky ground, partially oxidized, fine sand grains → recrystallized, silty fraction.
21			xhb	BED	FG	OGY	1																					
			22.00																									
			xhb	BED	FG	GRG	0	Po	1			Si	PER	3			Qz	5										~~22.00m – 26.40m~~ Pinking of sediment layers, with silica flooding.
23																												22.00m – 26.40m Meta-greywacke, fine sand grains recrystallized gte bands, interbedded silty layers and quartzite layers.
25	65°																											
27	65°							Py	1																			26.40m – 29.10m Brown unaltered Meta-greywacke or Biotite Hornfels @ 2280 disc. py. follows bedding @ 28.00m tourmaline-qte vein @ 20° t.c.a.
			Xhb	BED	FG	GBR	1																					
29	20°																											

PREDATOR GROUP

PROJECT: Antimony - AJ Vein HOLE_ID: AJ11-26 LOGGED BY: Shane Carlos DATE: Sept. 10th, 2011.

INTERVAL (meters)	STRUCTURE	LITHOLOGY	ROCKCODE	MODIFYCODE	GRAIN_SIZE	COLOR	OXIDE_CODE	SULF1	SULF1_PCT CODE	SULF2	SULF2_PCT CODE	ALT-1	ALT-1_FORM	ALT-1_INT	ALT-1_VEIN_TYPE	ALT-1_VEIN_%	ALT-1_MIN1	ALT-1_MIN1_PCT CODE	ALT-1_MIN2	ALT-1_MIN2_PCT CODE	ALT-2	ALT-2_FORM	ALT-2_INT	ALT-2_VEIN_TYPE	ALT-2_VEIN_%	ALT-2_MIN1	ALT-2_MIN1_PCT CODE	COMMENTS / DESCRIPTION
	GRAPHIC		LITHOLOGY					MINERALIZATION				ALTERATION-1									ALTERATION-2								
30			Xhb	Bed	FG	GBR	O					Si	Pat	1			Qz	2			PR	Per	2	Py	1%	CL	2	29.10m - 32.55m Meta-greywacke, ¼mm size sand grains pyrite + chlorite + trace patchy silicification
32	24°		32.55																									
			VN			GY	O	As	7	Py	5																	32.55m - 34.24m, Vein, massive arsenopyrite ~70% 14% pyrite, 1% chalcopyrite, 2% qtz, 1% scorodite ~2% black-green chlorite
34	32°		34.24																									
			Xhb	BED	FG	GY	O					Si	Pat	2	QS	20%	Qz.				PR	PER	2	Py	5%	CL		24° t.c.a. upper contact, 32° t.c.a. lower contact
			35.76																									34.24m - 35.76m Silicified meta-greywacke., qtz. veining and py.-arsenopy. veins, diss. arsenopy + py.
36	30°	20% Siltstone	Xhb	BED	FG	GYO	O					AR	Per	3			KLN	5	CL	5								
			37.10																									35.76m - 37.10m Argillically altered meta-siltstone. Soft core, with abundant chlorite. Possibly degree of faulting as core Halo of alteration to sulphide zone uphole. is quite soft + disintegr
38			Xhb	BED	FG	GRG	O	As	1	Py	1	Si	Pat	3	QCS	0.5%	Qz	5										
40																												37.10m - 51.40m - Meta-greywacke and meta-siltstone. patchy silicification, ~1% py, ~1% arseno, as veins and disseminations.
42	15°																											43.10 - 43.80m Qtz - Calcite - arsenopyrite - Pyrite vein @ 15° t.c.a
44																												

PROJECT: Antimony - AJ Vein HOLE_ID: AJ11-26 LOGGED BY: Shane Carlos DATE: Sept. 19th, 2011.

PREDATOR GROUP

INTERVAL	STRUCTURE	LITHOLOGY	ROCKCODE	MODIFYCODE	GRAIN_SIZE	COLOR	OXIDE_CODE	SULF1	SULF1_PCT CODE	SULF2	SULF2_PCT CODE	ALT-1	ALT-1_FORM	ALT-1_INT	ALT-1_VEIN_TYPE	ALT-1_VEIN_%	ALT-1_MIN1	ALT-1_MIN1_PCT CODE	ALT-1_MIN2	ALT-1_MIN2_PCT CODE	ALT-2	ALT-2_FORM	ALT-2_INT	ALT-2_VEIN_TYPE	ALT-2_VEIN_%	ALT-2_MIN1	ALT-2_MIN1_PCT CODE	COMMENTS / DESCRIPTION
	GRAPHIC		LITHOLOGY					MINERALIZATION				ALTERATION-1									ALTERATION-2								
45			Xhb	BED	FG	GRG	O	As	1	Py	1	Si	Pat	3	QCS	0.5%	Qz	5			HF	Pat	2			Biot.	2	Colouration is patchy light green-tan silicification with sections (≈40cm) of brown, v.f.g. biotite hornfels? Biotite is overprinted by Silicification.
47																												
49	15°																											@ 49.30 ~5cm wide faulted zone, clay altered, @ 15° t.c.a.
51								51.40m																				51.40m – 57.30m Meta-greywacke + meta-siltstones disseminated arsenopyrite + pyrite, with grey-white sericite pervaded zones, essentially sericite veins.
53	sericite		Xhb	Bed	FG	GY	O	As	2	Py	1	PH	Pat	2	QS	3%	SER	3	Kspar	1								
55	+ Kspar sericite veining																											56.10 – 56.80, Sericite-Pyrite-Pink Feldspar Vein, @ 25-30° t.c.a.
57	20°							64.80																				@ 57.00m Fault Gouge in thin shear zones, ~20° t.c.a.
59			Xhb	Bed	FG	WGR	O	Py	1			Si	Per	3	QCS	½%	Qz	6			HF	Pat	1			Biot.	3	57.30m – 64.80m Meta-Siltstones + greywacke, silicified, bleached → with relict brown cores of non-bleached core → v.f.g. biotite hornfels. Calcite veining and trace py. restricted to a single vein.

PROJECT: Antimony Mtn - AJ HOLE_ID: AJ11-26 LOGGED BY: Shane Carlos DATE: Sept. 19th, 2011.

PREDATOR GROUP

CL = chlorite

INTERVAL	STRUCTURE	LITHOLOGY	ROCKCODE	MODIFYCODE	GRAIN_SIZE	COLOR	OXIDE_CODE	SULF1	SULF1_PCT CODE	SULF2	SULF2_PCT CODE	ALT-1	ALT-1_FORM	ALT-1_INT	ALT-1_VEIN_TYPE	ALT-1_VEIN_%	ALT-1_MIN1	ALT-1_MIN1_PCT CODE	ALT-1_MIN2	ALT-1_MIN2_PCT CODE	ALT-2	ALT-2_FORM	ALT-2_INT	ALT-2_VEIN_TYPE	ALT-2_VEIN_%	ALT-2_MIN1	ALT-2_MIN1_PCT CODE	ALT-2_Min2	ALT-2_Min2_PCT CODE	COMMENTS / DESCRIPTION
GRAPHIC			LITHOLOGY					MINERALIZATION				ALTERATION-1									ALTERATION-2									
60		45°	Xhb	Bed	FG	WGR	O	Py	1			Si	Per	3	QCS	½%	Qz	6			Hf	Pat	1			Biot.	3			Biotite hornfels is overprinted by silicification and bleaching.
62																														
64																														
								64.80																						64.80m - 67.71m Meta-Siltstones, with relict brown pervasive altered patches, that are full of vfg. biotite and represent a biotite hornfels. Overprinted by silicification, then propylitic alt. Green Black, with pink siliceous patches.
66		45°	Xhb	BED	FG	GRA	O	Py	3	As	1	PR	PER	3	QCS	1%	CL	4	CC	1	Si	Pat	3	X	X	Qz	5			
68		45° Bedding	Xhb	BED	FG	TA	O					AR	PER	3			KLN	4			Si	Pat	3	QT	6%	Qz	6	SFR	2	67.71m - 70.73m Meta-Siltstone, argillically altered and bleached, tan colour, soft.
70	25°	75°																												
			70.73m																											
72	35°	35°	VN		MG	GWH	O	As	6	Py	5																			70.73m - 72.69m VEIN ~40% white, euhedral prismatic, ≤ 0.5cm qtz. ~40% arsenopyrite ~20% pyrite + chalcopyrite + trace sphalerite
			72.69m																											
74			Xhb	BED	FG	TN	O					AR	PER	2			KLN	3												72.69m - 74.28m meta-siltstones, tan colour argillically altered

PROJECT: Antimony - AJ Vein HOLE_ID: AJII-26 LOGGED BY: Shane Carlos DATE: Sept. 20th, 2011.

PREDATOR GROUP

INTERVAL	STRUCTURE	LITHOLOGY	ROCKCODE	MODIFYCODE	GRAIN_SIZE	COLOR	OXIDE_CODE	SULF1	SULF1_PCT CODE	SULF2	SULF2_PCT CODE	ALT-1	ALT-1_FORM	ALT-1_INT	ALT-1_VEIN_TYPE	ALT-1_VEIN_%	ALT-1_MIN1	ALT-1_MIN1_PCT CODE	ALT-1_MIN2	ALT-1_MIN2_PCT CODE	ALT-2	ALT-2_FORM	ALT-2_INT	ALT-2_VEIN_TYPE	ALT-2_VEIN_%	ALT-2_MIN1	ALT-2_MIN1_PCT CODE	COMMENTS / DESCRIPTION
GRAPHIC			LITHOLOGY					MINERALIZATION				ALTERATION-1									ALTERATION-2							
74.28			74.28									74.28																
75		40° Bedding	Xhb	Bed	FG	BR	O	As	1	Py	1	Si	Pat	1	QS	½%	Qz	1										74.28m – 81.20m Meta-Siltstones, fine-grained (~0.1mm) with v.f.g. biotite throughout, causing the brown colouration. Biotite Hornfels? and some chlorite
77																												80 – 80.20m qtz.-arsenopyrite vein, 15° t.c.a., fine-grained biotite selvages.
79	15°	40°																										
81			81.20																									
			Xq	MAS	FG	WH	O																					81.20 – 82.93 Quartzite, fine-grained clear qtz. sand recrystallized, with interbeds of meta-siltstone. ~¼mm grain size. unaltered
83		40°	82.93																									
			Xhb	Bed	FG	GBR	O																					82.93m – 86.87m Meta-Siltstone / Meta-greywacke fine grained, unaltered, v.fine-grained biotite throughout. Biotite Hornfels?
85	45° qtz+calcite	40°																										
87			86.87																									
			Xq	Mas	FG	WH	O					Si	Pat	1	QT.	1%	Qz	1										86.87m – 90.80m Quartzite, light-grey-white, select sand grains, qtz. veining irregular @ 88.98m 2mm thick tourmaline veins 5° t.c.a.
89																												@ 87.80m <10cm argillicaly alt. fault gouge.

PREDATOR GROUP

PROJECT: Antimony Mtn. - AJ Vein. HOLE_ID: AJ11-26 LOGGED BY: Shane Carlos DATE: September 20th, 2011.

INTERVAL	STRUCTURE	LITHOLOGY	ROCKCODE	MODIFYCODE	GRAIN_SIZE	COLOR	OXIDE_CODE	SULF1	SULF1_PCT CODE	SULF2	SULF2_PCT CODE	ALT-1	ALT-1_FORM	ALT-1_INT	ALT-1_VEIN_TYPE	ALT-1_VEIN_%	ALT-1_MIN1	ALT-1_MIN1_PCT CODE	ALT-1_MIN2	ALT-1_MIN2_PCT CODE	ALT-2	ALT-2_FORM	ALT-2_INT	ALT-2_VEIN_TYPE	ALT-2_VEIN_%	ALT-2_MIN1	ALT-2_MIN1_PCT CODE	COMMENTS / DESCRIPTION
GRAPHIC			LITHOLOGY					MINERALIZATION				ALTERATION-1									ALTERATION-2							
90	15°		Xq				0																					@ 90.00m qtz-tourmaline vein, @ ~15° t.c.a
			90.80																									very blocky ground with minor gouge
92			Xhb	Bed	FG		0																					90.80m — 93.57m meta-siltstone with qtzite interbeds, up to 4cm wide.
			93.57																									
94			Xq	MAS	FG	WH	0					Si	Pat	3	QT	4%	Qz.	5			AR	Pat	2			KLN	3	93.57m - 97.70m Quartzite, predominantly quartzite with top + bottom gradational into meta-silts
	5°																											Patchy silicification as diffuse veining.
96	10°																											
			97.70																									
98			Xhb	Bed	FG	GBR	0																					97.70m - 101m Siltstone, weakly metamorphosed, not silicified
100																												
	25°		101.00																									
			GG			GBR	0																					101-102m Fault Gouge, clay altered meta-siltstones. @ 25° t.c.a. up-hole contact, down-hole contact is disintegrated.
102			102.00																									
			Sdt	Bed	FG	GBR	0																					102.00m - 106.12m grey-brown siltstone to weakly meta-siltstones
	60° fracturing																											
104																												

PROJECT: Antimony Mtn. - AJ Vein HOLE_ID: AJ11-26 LOGGED BY: Shane Carlos DATE: September 22nd, 2011.

PREDATOR GROUP

INTERVAL	STRUCTURE	LITHOLOGY	ROCKCODE	MODIFYCODE	GRAIN_SIZE	COLOR	OXIDE_CODE	SULF1	SULF1_PCT CODE	SULF2	SULF2_PCT CODE	ALT-1	ALT-1_FORM	ALT-1_INT	ALT-1_VEIN_TYPE	ALT-1_VEIN_%	ALT-1_MIN1	ALT-1_MIN1_PCT CODE	ALT-1_MIN2	ALT-1_MIN2_PCT CODE	ALT-2	ALT-2_FORM	ALT-2_INT	ALT-2_VEIN_TYPE	ALT-2_VEIN_%	ALT-2_MIN1	ALT-2_MIN1_PCT CODE	ALT-2_MIN2	ALT-2_MIN2_PCT CODE	COMMENTS / DESCRIPTION
GRAPHIC			LITHOLOGY					MINERALIZATION				ALTERATION-1									ALTERATION-2									
105																														
	?		106.12 GG			GY	O																							106.12m - 106.57m Fault Gouge contacts are disintigrated.
107	?		106.57 Sdt	Bed	FG	GYD	O					PR	Pat	1	Qtz. chlorite	1/4 %	CL	1											106.57m - 108.66m Siltstone, some sandy component, trace chlorite on shear with qtz. vein.
			108.66 GG			GY	O																						108.66m - 108.93m Fault Gouge
109	20°		108.93 Sdt	Bed	FG	GY	O	Py	1																				108.93m - 134.50m Siltstone - Greywacke, unaltered, no metamorphism. Bedding at ~35° t.c.a., with shallow angle fractures + faults
111	25° fracture																												@ 111.25m fracture 25° t.c.a.
		35°																											Mostly massive, with discrete < 1cm sandy beds, occurring rarely throughout.
113																													Some trace chlorite on fractures and with the occassional 'hairline' qtz-py-chl. veins.
115																													
		35° bed																											
117																													
119																													

PROJECT: Antimony Mtn. - AJ Vein HOLE_ID: AJ11-26 LOGGED BY: Shane A. Carlos DATE: Sept. 23rd, 2016

PREDATOR GROUP

	GRAPHIC	LITHOLOGY						MINERALIZATION				ALTERATION-1									ALTERATION-2									
INTERVAL	STRUCTURE	LITHOLOGY	ROCKCODE	MODIFYCODE	GRAIN_SIZE	COLOR	OXIDE_CODE	SULF1	SULF1_PCT CODE	SULF2	SULF2_PCT CODE	ALT-1	ALT-1_FORM	ALT-1_INT	ALT-1_VEIN_TYPE	ALT-1_VEIN_%	ALT-1_MIN1	ALT-1_MIN1_PCT CODE	ALT-1_MIN2	ALT-1_MIN2_PCT CODE	ALT-2	ALT-2_FORM	ALT-2_INT	ALT-2_VEIN_TYPE	ALT-2_VEIN_%	ALT-2_MIN1	ALT-2_MIN1_PCT CODE	ALT-2_MIN2	ALT-2_MIN2_PCT CODE	COMMENTS / DESCRIPTION
120			Sdt	Bed	FG	GY	O	Py	1																					
122																														
124																														
126	55° 26°																													@ 125.60m ~1cm wide, py.-chlorite vein, ~45° t.c.a. @ 126.30m 2mm wide qtz vein with diss. pyrite halos, ~1cm each side.
128	45° fract																													
130	35° fracture 60°																													@ 131.50m Trace pyrrhotite in ½cm chlorite vein, ~60° t.c.a.
132																														~ from ~132 - 134.50m, colour changes from grey to light grey. More sandy but also maybe some weak bleaching
134	10°																													

PROJECT: Antimony Mtn. – AJ Vein HOLE_ID: AJ11-26 LOGGED BY: Shane A. Carlos DATE: Sept. 23rd, 2011.

PREDATOR GROUP

INTERVAL	STRUCTURE	LITHOLOGY	ROCKCODE	MODIFYCODE	GRAIN_SIZE	COLOR	OXIDE_CODE	SULF1	SULF1_PCT CODE	SULF2	SULF2_PCT CODE	ALT-1	ALT-1_FORM	ALT-1_INT	ALT-1_VEIN_TYPE	ALT-1_VEIN_%	ALT-1_MIN1	ALT-1_MIN1_PCT CODE	ALT-1_MIN2	ALT-1_MIN2_PCT CODE	ALT-2	ALT-2_FORM	ALT-2_INT	ALT-2_VEIN_TYPE	ALT-2_VEIN_%	ALT-2_MIN1	ALT-2_MIN1_PCT CODE	ALT-2_MIN2	ALT-2_MIN2_PCT CODE	COMMENTS / DESCRIPTION
			134.50																											134.50m – 136.25m Fault Gouge. Reduced to
135	10°		GG			GYL	O																							BTW size core at 136.25m. (1 3/8" ; 4.1cm)
			136.25																											
137					FG	GY	O																							136.25m – 140.10m Siltstone to Greywacke
			Sdt	BED				Py	1																					
139	32°																													@ 139.00m 1/2cm wide, 32° t.c.a., Py. veinlet with silicified margins, ~1/2cm wide.
			140.10m																											
			Sdsg	MAS	FG	TN	O																							140.10m – 141.12m Sandstone, grainy-sandy surface textured
141			141.12																											
			Sdt	BED	FG	GY	O																							141.12m – 143.26m Siltstone, grey, very fine grained mostly sandy, mostly silt size. (< 1/16mm grains) blocky jointed.
143			143.26																											
	30°		Sdsg		FG	TN	O	Py	3			Si	Pat	2	QPy	50%	Qz	5													143.26m – 144.90m Sandstone – Siltstone, very fine grained, tan, with qtz-py. vein ~30° t.c.a. → (143.70m – 144.50m) Tan colour is likely due to bleaching.
			144.90																											
145			Sdt		FG	GY	O																							144.90m – 148.05m Siltstone, grey, v. fg.,
147	60° broken																													
			148.05																											
149			Sdsg																											148.05m – 150.17m Fine, Sandstone to Quartzite, with fine white sericite and a brown mineral, occurring as a spotted texture.

PROJECT: Antimony Mtn. - AI Vein HOLE_ID: AJ11-26 LOGGED BY: Shane A. Carlos DATE: Sept. 23rd, 2011.

PREDATOR GROUP

INTERVAL	STRUCTURE	LITHOLOGY	ROCKCODE	MODIFYCODE	GRAIN_SIZE	COLOR	OXIDE_CODE	SULF1	SULF1_PCT CODE	SULF2	SULF2_PCT CODE	ALT-1	ALT-1_FORM	ALT-1_INT	ALT-1_VEIN_TYPE	ALT-1_VEIN_%	ALT-1_MIN1	ALT-1_MIN1_PCT CODE	ALT-1_MIN2	ALT-1_MIN2_PCT CODE	ALT-2	ALT-2_FORM	ALT-2_INT	ALT-2_VEIN_TYPE	ALT-2_VEIN_%	ALT-2_MIN1	ALT-2_MIN1_PCT CODE	ALT-2_MIN2	ALT-2_MIN2_PCT CODE	COMMENTS / DESCRIPTION
GRAPHIC			LITHOLOGY					MINERALIZATION				ALTERATION-1									ALTERATION-2									
150			150.17																											
			Sdt	BED	FG	GY	O																							150.17m – 153.48m Siltstone, weakly metamorphosed, with trace pyrrhotite
152	15°																													@ 152.60m, grey-milky qtz. vein, ~1cm wide
	20° FAU		153.48																											153.48m – 155.87m Sandstone, light-green-grey. very fine grained with silty component.
154	30°		Sdsg	MAS	FG	GRG	O	Py	2			Si	Pat	3	QT	10%														< 15% matrix = greywacke.
			155.87																											154.90m – 155.45m Qtz-Tourmaline-Py. Vein, ~30° t.c.a.
156			GG			GY	O																							155.87m – 156.23m Qtz-Tourmaline-Clay-Py Vein. Coincident with Fault Gouge zone. Crushed Vein.
			156.23																											
			Sdsg	MAS	FG	GRG	O																							156.23m – 158.54m Sandstone, light green-grey, v.f.g., with silty component.
158	35°		158.54m																											158.54m – 161.54m Transitional to meta-siltstones.
			Sdt	Bed	FG	GY	O					PH	PAT	3	QT	25%	Qz.	4	SER	4										158.54m – 159.26m Vein. ~33% white qtz. ~33% thin, ~1mm long, aggregates of euhedral black tourmaline. ~33% Sericite
160	60° Bed																													
	60° Bed		161.54																											
162			Xhb	POB	FG	GYD	O	Po	1			Si	Per	3			Qz.	5			HF	PER	2			AND	4			161.54m – 165.66m Meta-Siltstones with interbeds of irregular (wavy) quartzite beds from 10's of cm's to <1cm in width. Intensely silicified, extremely hard and smooth. ~8% porphyroblastic, white, 1mm size grains with dark margins
	30°																													@ 163.60 some fine-grained spotted texture in meta-silts, possibly andalusite. → alt. andalusite.
164			65° Bed																											

PROJECT: Antimony Mtn. - HJ Vein HOLE_ID: AJ11-26 LOGGED BY: Shane A. Carlos DATE: Sept. 23rd, 2011.

PREDATOR GROUP

INTERVAL	STRUCTURE	LITHOLOGY	ROCKCODE	GRAPHIC / LITHOLOGY: MODIFYCODE	GRAIN_SIZE	COLOR	OXIDE_CODE	MINERALIZATION: SULF1	SULF1_PCT CODE	SULF2	SULF2_PCT CODE	ALTERATION-1: ALT-1	ALT-1_FORM	ALT-1_INT	ALT-1_VEIN_TYPE	ALT-1_VEIN_%	ALT-1_MIN1	ALT-1_MIN1_PCT CODE	ALT-1_MIN2	ALT-1_MIN2_PCT CODE	ALTERATION-2: ALT-2	ALT-2_FORM	ALT-2_INT	ALT-2_VEIN_TYPE	ALT-2_VEIN_%	ALT-2_MIN1	ALT-2_MIN1_PCT CODE	ALT-2_MIN2	ALT-2_MIN2_PCT CODE	COMMENTS / DESCRIPTION
																														32° t.c.a. fracture planes.
165	25°	75°					0					Si	PER	3		Ø	Qz	5			HF	PER	2			AND	4			75° t.c.a. bedding planes, defined by porphyroblastic andalusites.
			165.66 GG									AR	PER	3			KLN	5												165.66m – 165.90m Fault Gouge, 25° t.c.a.
			165.90 Xhb	POB	FG	GYD	0					Si	Per	3			Qz.	5			HF	PER	2			AND	4			argillically altered
167																														165.90m – 170.20m, same as 161.54m – 165.66m
169																														
			170.20																											
171			Xq	MAS	FG	GYL	0																							170.20m – 172.50m Quartzite., with some micro-breccia textures
			172.50																											172.50m – 173.64m, ~75% Vein. Massive Sulphides Qtz. – Py. – Tourmaline – Chlorite Vein.
173	30°		VN				0																							~75% Py, ~12% Qtz, ~12% Tourmaline (black fine aggregates) ~1% chalcopyrite ~30° t.c.a.
	30°		173.64																											
			Xq.	MAS	FG	GYL	0																							173.64m – 176.00m Quartzite.
175																														
	70°		176.00																											
			VN				0					PH	Per	3	QT	85%	Qz.	6	SER	5										176.00m – 177.30m Massive Silicification, qtz. vein, tourmaline (black) and massive green sericite
177			177.30																											
			Xq	MAS	FG	GYL	0																							177.30m – 180.75m Quartzite., same as, 173.64m – 176.00m
179																														

PROJECT: Antimony Mtn. - AJ Vein HOLE_ID: AJ11 - 26 LOGGED BY: Shane Carlos DATE: Sept. 27th, 2011.

PREDATOR GROUP

INTERVAL	STRUCTURE	LITHOLOGY	ROCKCODE	MODIFYCODE	GRAIN_SIZE	COLOR	OXIDE_CODE	SULF1	SULF1_PCT CODE	SULF2	SULF2_PCT CODE	ALT-1	ALT-1_FORM	ALT-1_INT	ALT-1_VEIN_TYPE	ALT-1_VEIN_%	ALT-1_MIN1	ALT-1_MIN1_PCT CODE	ALT-1_MIN2	ALT-1_MIN2_PCT CODE	ALT-2	ALT-2_FORM	ALT-2_INT	ALT-2_VEIN_TYPE	ALT-2_VEIN_%	ALT-2_MIN1	ALT-2_MIN1_PCT CODE	ALT-2_MIN2	ALT-2_MIN2_PCT CODE	COMMENTS / DESCRIPTION
GRAPHIC			LITHOLOGY					MINERALIZATION				ALTERATION-1									ALTERATION-2									
180	40°		Xq	MAS	FG	GYL	0																							179.40m - 179.70m Qtz - Tourmaline - Py. Vein and silica replacement, following bedding planes @ 60°
			180.75																											
			GG			GY	0					AR	PAT	3			KLN													180.05m - 180.46m Tourmaline - Sericite vein, contacts are disintigrated
182			181.36																											
				MAS	FG	GYL	0																							180.75m - 181.36m Fault Gouge + broken zone argillically alt. with trace tourmaline.
			Xq																											181.36m - 183.18m Quartzite, same as. 177.30m - 180.75m
	60°	60° Bed	183.18																											
184	69°		VN				0					PH	Per	3	SER	60%	SER	7													183.18m - 184.25m Massive Sericite - Black Tourmaline - Quartz Vein. ~ 55% massive sericite as whole core pieces ~ 15% fine-grained aggregate of black tourmaline ~ 30% qtz + intense silicification of bedding planes in metaseds
	39°		184.25																											
			Xhb		FG	GYL	0					Si	Per	1			Qz.	2													184.25m - 197.25m Interbedded meta-siltstones and ~ 20% quartzite beds → mostly < ½cm
186	40°																													silicification and/or hornfelsing increasing down hole.
																														Somewhat undulose beds, distorted from metamorphism — minor folding + recrystallization.
188																														
190		69° Bedding																												Fractures are at ~ 40° t.c.a. with apex's at about 90° to the bedding plane apex's.
192	40°																													
194																														

PROJECT: Antimony Mtn.- AJ Vein HOLE_ID: AJ11-26 LOGGED BY: Shane Carlos DATE: Sept. 27th, 2011.

PREDATOR GROUP

INTERVAL	STRUCTURE	LITHOLOGY	ROCKCODE	MODIFYCODE	GRAIN_SIZE	COLOR	OXIDE_CODE	SULF1	SULF1_PCT CODE	SULF2	SULF2_PCT CODE	ALT-1	ALT-1_FORM	ALT-1_INT	ALT-1_VEIN_TYPE	ALT-1_VEIN_%	ALT-1_MIN1	ALT-1_MIN1_PCT CODE	ALT-1_MIN2	ALT-1_MIN2_PCT CODE	ALT-2	ALT-2_FORM	ALT-2_INT	ALT-2_VEIN_TYPE	ALT-2_VEIN_%	ALT-2_MIN1	ALT-2_MIN1_PCT CODE	ALT-2_MIN2	ALT-2_MIN2_PCT CODE	COMMENTS / DESCRIPTION
							0																							
196	40°																													
			197.25																											197.25m – 197.56m Fault Gouge, argillically alt., ~10° t.c.a.
			GG				0																							
198			197.56																											
	60° Bed		Xhb	POR	FG	GYD	0	Po	1			Si	Per	3			Qz.	6			HF	Per	3	S	1%	AND	3	Bi	1	197.56m – ~215.73m Meta-Siltstones interbedded with quartzite layers (~30%) from ½cm – 1cm wide, undulose and partly folded
200																														Trace pyrrhotite following bedding plane contacts and partly disseminated.
	70° Bed																													Pyrrhotite increases down along with silicification
202																														A porphyroblastic texture is evident, up to ~5% white, ≤1mm, disseminated cloudy, grainy mineral → possibly andalusite from intense contact metamorphism → hornfelsing
204																														Also, patchy fine grained biotite
206																														
208	30° Fault																													

PROJECT: Antimony Mtn. - AJ Vein HOLE_ID: AJ11-26 LOGGED BY: Shane Carlos DATE: Sept. 27th, 2011.

PREDATOR GROUP

INTERVAL	STRUCTURE	LITHOLOGY	ROCKCODE	MODIFYCODE	GRAIN_SIZE	COLOR	OXIDE_CODE	SULF1	SULF1_PCT CODE	SULF2	SULF2_PCT CODE	ALT-1	ALT-1_FORM	ALT-1_INT	ALT-1_VEIN_TYPE	ALT-1_VEIN_%	ALT-1_MIN1	ALT-1_MIN1_PCT CODE	ALT-1_MIN2	ALT-1_MIN2_PCT CODE	ALT-2	ALT-2_FORM	ALT-2_INT	ALT-2_VEIN_TYPE	ALT-2_VEIN_%	ALT-2_MIN1	ALT-2_MIN1_PCT CODE	ALT-2_MIN2	ALT-2_MIN2_PCT CODE	COMMENTS / DESCRIPTION
GRAPHIC			LITHOLOGY					MINERALIZATION				ALTERATION-1									ALTERATION-2									
210			Xhb	POB	FG	GYD	O	Po	1			Si	Per	3			Qz	6			HF	Per	3	S	1%	And	1	Bi	1	
212																														
214																														
216		20°																												@ 216.30 biotite + pyrite occurring as patches and along thin <1cm quartzite beds
			217.08																											
218	qtz 20° Tourm. Tourm.	20°	Xhb	BED	FG	GY	O	As	1			Si	Per	3	Qz.	~8%	Qz	7			HF	Per	3			Bi	1			217.08m - 222.5 Meta-siltstones, somewhat sandy with thin interbeds of quartzite. Silicification and qtz-tourmaline-trace arsenopyrite overprints hornfelsing. Somewhat 'sugary' granular, white qtz. veining. ~75° t.c.a., hairline tourmaline + arseno. veins cross-cut more massive irregular qtz. veins. Some of the qtz. veins may be recrystallized + bleached primary qtzite beds.
220																														
222	52° qtz	55° Bedding																												
			222.50																											
224			Xhlt	Bed	FG	GY	O	Po	1			Si	Per	2			Qz	6			HF	Per	3			AND ?	1	Bi	1	222.50m - 234.89m Meta-siltstone & Quartzite with some patchy pyrrhotite + biotite alteration in hornfelsed sediments. Dense, hard. 0.1 - 0.25mm sand + silt grains

PROJECT: Antimony Mtn.-AJ Vein HOLE_ID: AJ11-26 LOGGED BY: Shane Carlos DATE: Sept. 27th, 2011.

PREDATOR GROUP

INTERVAL	STRUCTURE	LITHOLOGY	ROCKCODE	MODIFYCODE	GRAIN_SIZE	COLOR	OXIDE_CODE	SULF1	SULF1_PCT CODE	SULF2	SULF2_PCT CODE	ALT-1	ALT-1_FORM	ALT-1_INT	ALT-1_VEIN_TYPE	ALT-1_VEIN_%	ALT-1_MIN1	ALT-1_MIN1_PCT CODE	ALT-1_MIN2	ALT-1_MIN2_PCT CODE	ALT-2	ALT-2_FORM	ALT-2_INT	ALT-2_VEIN_TYPE	ALT-2_VEIN_%	ALT-2_MIN1	ALT-2_MIN1_PCT CODE	ALT-2_MIN2	ALT-2_MIN2_PCT CODE	COMMENTS / DESCRIPTION
225	37°		Xhb	Bed	FG	GY	O	Po	1			Si	Per	2			Qz	6			HF	Per	3			AND ?	1	Bi	1	very broken-blocky rock, from 224.80 to 226.80m. in a quartzite interbed. with 50mm py. along fractures.
227	29°	50° Bed																												
229																														@ 228.30m py.-chlorite vein, 3mm wide, ~29° t.c.a. 229.40m – 229.90m Quartzite.
231																														230.50m – 231.70m highly silicified with rare blue cordierite grains
233																														@ 232.50m patchy, fine-grained biotite
			234.89																											
235			Xq	MAS	FG	GYL	O																							234.89m – 237.93m Quartzite, light grey, fine-grained (≤½ mm sand grains), dense, recrystallized
237	40° FRA.	70° Bed																												
	60° Bed		237.93																											
239			Xhb	Part	FG	GYD	O																							237.93m – 239.11m Meta-siltstone, interbedded with ~20% quartzite, v ≤ 1cm beds. 0.1mm – 0.25mm grains of silt + sand

PROJECT: Antimony Mtn. - AJ Vein HOLE_ID: AJ11-26 LOGGED BY: Shane A. Carlos DATE: September 27th, 2011.

PREDATOR GROUP

INTERVAL	STRUCTURE	LITHOLOGY	ROCKCODE	MODIFYCODE	GRAIN_SIZE	COLOR	OXIDE_CODE	SULF1	SULF1_PCT CODE	SULF2	SULF2_PCT CODE	ALT-1	ALT-1_FORM	ALT-1_INT	ALT-1_VEIN_TYPE	ALT-1_VEIN_%	ALT-1_MIN1	ALT-1_MIN1_PCT CODE	ALT-1_MIN2	ALT-1_MIN2_PCT CODE	ALT-2	ALT-2_FORM	ALT-2_INT	ALT-2_VEIN_TYPE	ALT-2_VEIN_%	ALT-2_MIN1	ALT-2_MIN1_PCT CODE	ALT-2_MIN2	ALT-2_MIN2_PCT CODE	COMMENTS / DESCRIPTION
			239.11	MAS	FG	GY	0								Qz	1														239.11m — 243.55m Quartzite
240			Xq																											
242																														
244																														
	60°		243.55																											
			Xhb	BED	FG	GYD	0																							243.55m — 245.78m
			245.78																											lower contact is bounded by ~20cm shearing + clay alt. @ 25° to c.a.
246	25°		Xhb	MAS	FG	GR	0	Po	2			Si	Per	3			Qz	6			HF	Per	3			Biot.	2			245.78m — 248.30m Hornfelsed beds (siltstone + sandstone layers), bright green layers (beds), alternating with red-brown biotite rich beds, and pink siliceous layers. Extremely silicified. Green qtz.? or maybe some granular pyroxene.
248			248.30																											Pyrrhotite ~2%.
			Xhb	Bed	FG	GYD	0	Po	1			Si	Per	3			Qz	6			HF	Per	3			Biot.	1			248.30m — 253.90m Meta-siltstone interbedded with thin quartzite layers. mm to cm beds, finely bedded.
250	45° Bedding																													upper contact is highly undulose - deformed.
																														- very fine grained biotite, under microscope only
252																														
			253.90																											253.90m End of Hole.
254			END OF HOLE																											

DRILLHOLE SUMMARY FORM

PREDATOR GROUP

HOLE_ID:	AJ11- 27
PROJECT:	ANTIMONY MTN.
PROSPECT:	AJ VEIN
PROJECT CODE:	ANM
End Of Hole CODE	E. O. H.
LOGGED BY:	SHANE A. CARLOS
DATE:	October 27th, 2011.
DRILL TYPE:	KD1000
NAD83 UTM E:	637543
NAD83 UTM N:	7132170
GRID ID:	
GRID X:	
GRID Y:	
ELEV:	1367m
COLLAR DIP:	-55
GRID AZIMUTH:	
TRUE AZIMUTH:	332
PRECOLLAR LENGTH:	300m
TOTAL LENGTH:	300.23m
DH SURVEYED (Y/N):	Y
DH SURVEYED BY:	Shane Carlos
DH SURVEY TOOL:	EZ Shot
ORIENTED CORE:	Yes
TOOL TYPE:	Ez Shot

DRILL CONTRACTOR:	KLUANE DRILLING
DRILLER:	Marcello Giaccaglia / Adam Morrison
START DATE / TIME:	8 Sept. 2011 / 7pm
FINISH DATE / TIME:	13 Sept. 11. / 10am

DRILLHOLE SUMMARY (Slow drilling, etc)

FROM / TO:

From 0 - 21.60m, overburden → boulder + sand field, with some arsenopyrite clasts. 21.60m - 87.33m, intense silicification, with sections of unaltered biotite monzonite. Veining is high temp. Qtz - Tourm. - Arsen. 87.33 - 95.47m, hornfelsed siltstones. 95.47m - 121.56m, intensely silic. monzonite (mafics are bleached), then weakly alt. biotite monzonite to 147m, then carbonatized, silicified, and moderately faulted monzonite to 198.30m. Characteristically different style of veining begins, in this interval as opposed to the qtz-tourm.-arsen. sheeted veins up-hole. @ 152.30m is first occurrence of colloform banded qtz-ankerite-v.f.g. arseno veining. 198.30m - 222.20m Intense qtz-ankerite-py-arseno. veining, in intense phyllic altered monzonite, ~16% veining, colloform banded ankerite, with trace arseno, pyrite and sphalerite. (30% veining within sub-interval 199.50m - 206.65).

CROSS SECTION:

222.20m - 238.15m, silic. + carbonatized monz., then intensely faulted silicified-mineralized siltstones to 264.76m, with ~2% sulfide (arseno-py-sphalerite). Including vein breccias, and replacement mineralization along bedding planes.

264.76m - 300.23m, silicified, carbonatized monzonite with patchy phyllic alteration + propyllitic - dark green chlorite.

End of Hole.



X-Section 1:3000 Scale.

PROJECT: Antimony Mountain-AJ Vein HOLE_ID: AJ11-27 LOGGED BY: Shane Carlos DATE: October 19th, 2011.

PREDATOR GROUP

INTERVAL (meters) / STRUCTURE	GRAPHIC: LITHOLOGY	LITHOLOGY: ROCKCODE	MODIFYCODE	GRAIN_SIZE	COLOR	OXIDE_CODE	MINERALIZATION: SULF1	SULF1_PCT CODE	SULF2	SULF2_PCT CODE	ALTERATION-1: ALT-1	ALT-1_FORM	ALT-1_INT	ALT-1_VEIN_TYPE	ALT-1_VEIN_%	ALT-1_MIN1	ALT-1_MIN1_PCT CODE	ALT-1_MIN2	ALT-1_MIN2_PCT CODE	ALTERATION-2: ALT-2	ALT-2_FORM	ALT-2_INT	ALT-2_VEIN_TYPE	ALT-2_VEIN_%	ALT-2_MIN1	ALT-2_MIN1_PCT CODE	COMMENTS / DESCRIPTION
16		OVB																									0 - 21.60m Overburden, ~40% brown sand + soil / ~60% boulder size clasts of intrusive (syenite?) fresh + altered (silicified), and about 3 boulders of sediments → hornfelsed and in one case replaced by white-pink silica.
18																											
20																											@ 19.63m 6cm wide tourmaline-arsenopyrite vein in an 18cm monz. boulder.
22		21.60 MZT	FQ	FMG	WH	O	As	1	Po	1	Si	Per	3	S	2%	Qz	7										21.60m - 30.76m Intrusive, intensely silicified + bleached. ~25% biotite ± hornblende (bleached + alt.) before alt. as seen downhole. Plag. + K-spar., ~8% qtz grains. ≈ 50% qtz due to silicification.
24																											Po + green silicate hairline veins, ~1%
26	30°																										Tourmaline-arsenopyrite veins, ~2% 26.03m - 26.53m Black Tourmaline 30%, Arsenopyrite 30%, 40% grey sericitically alt. monzonite intrusive.
28																											
30'																											

PROJECT: Antimony Mountain-AJ Vein HOLE_ID: AJ11-27 LOGGED BY: Shane Carlos DATE: October 21st, 2011.

PREDATOR GROUP

INTERVAL (meters) / STRUCTURE	LITHOLOGY	ROCKCODE	MODIFYCODE	GRAIN_SIZE	COLOR	OXIDE_CODE	SULF1	SULF1_PCT CODE	SULF2	SULF2_PCT CODE	ALT-1	ALT-1_FORM	ALT-1_INT	ALT-1_VEIN_TYPE	ALT-1_VEIN_%	ALT-1_MIN1	ALT-1_MIN1_PCT CODE	ALT-1_MIN2	ALT-1_MIN2_PCT CODE	ALT-2	ALT-2_FORM	ALT-2_INT	ALT-2_VEIN_TYPE	ALT-2_VEIN_%	ALT-2_MIN1	ALT-2_MIN1_PCT CODE	COMMENTS / DESCRIPTION
		MZT 30.76	EQ	FMG	WH	0	As	1	Po	1	Si	Per	3	S	2%	Qz	7										
31		MZT	MAG	FMG	GYD	0	Po	1																			30.76m – 32.63m, Same as 36.00m – 38.52m
		32.63																									
33	42°	MZT	EQ	FMG	GRG	0	As	3			PH	Pat	3	QS	~30%	SER	3	CC	2								32.63m – 36.00m Intrusive, green-grey, green alt. biotites + hornblende? Weak silicification? Tourmaline-sulphide-qtz veining 34.95 – 36.00m vein @ 20° t.c.a, ~40cm true width
35	20°																										
		36.00																									
		MZT	MAG	FMG	GYD	0	Po	1																			36.00m – 38.52m Intrusive, equigranular, fmg (1-4mm), salt + pepper appearance, ~5% fresh biotite, ~25% green-alt. mafics (biotite + some hornblende rare), Plagioclase, K-spar, ~1.5% Pyrrhotite. Weakly altered, Magnetic. Po in alt. biotites, rarely in feldspar matrix.
37																											
		38.52																									
39		MZT	EQ	FMG	WH	0	Po	1	As	1	Si	Per	3			Qz	7										38.52m – 57.60m Intrusive, white-bleached, silicified ~9% qtz grains, ~25% biotite – alt. to qtz, Plag + K-spar
																											~1% Tourmaline – Arsenopyrite – Calcite vein, and Po-green-silicate (Single hairline veins)
41																											Intensely silicified. ~50% qtz?
43																											
45																											

PROJECT: Antimony Mountain-AJ Vein HOLE_ID: AJ11-27 LOGGED BY: Shane Carlos DATE: October 21st, 2011.

PREDATOR GROUP

INTERVAL (meters) / STRUCTURE	LITHOLOGY	ROCKCODE	MODIFYCODE	GRAIN_SIZE	COLOR	OXIDE_CODE	SULF1	SULF1_PCT CODE	SULF2	SULF2_PCT CODE	ALT-1	ALT-1_FORM	ALT-1_INT	ALT-1_VEIN_TYPE	ALT-1_VEIN_%	ALT-1_MIN1	ALT-1_MIN1_PCT CODE	ALT-1_MIN2	ALT-1_MIN2_PCT CODE	ALT-2	ALT-2_FORM	ALT-2_INT	ALT-2_VEIN_TYPE	ALT-2_VEIN_%	ALT-2_MIN1	ALT-2_MIN1_PCT CODE	COMMENTS / DESCRIPTION
46		MZT	EQ	FMG	WH	O	Po	1	As	1	Si	Pec	3	S		Qz	7										45.30m - 46.02m Tourmaline - Arsenopyrite - Calcite (Bladed 3cm long) - white feldspar Vein, ~ 40% arseno.
25°																											
48																											
50																											
52																										~ 52.70m hairline Po + green silicate replacement halos up to ~2cm wide. @ ~ 22° t.c.a
22°																											
54																										Rare calcite veins are oriented 180° to the apex of Po + Tourm-Ars. Veins. Represent a seperate structural setting to the mineralized sheeted veins.
56																										57.85m - 57.93m Fault Gouge + Calcite veining, + orange iron oxide.
		57.60																									
58																										57.60m - 62.06m Intrusive, grey-green diss. Po, Veins are white feldspar, qtz, tourmaline, sericite, + calcite ~ 2% calcite disseminated throughout matrix or replacing crystals, + in hairline veins ~ 1% Po disseminated ~ 1% arsenopyrite mostly within veins Trace orange iron oxide along fractures.
47°		MZT	EQ	FMG	GY	1	Po	1	As	1	PH	Pat	2	QS					CC	2							
60																											

PROJECT: Antimony Mountain-AJ Vein HOLE_ID: AJ11-27 LOGGED BY: Shane Carlos DATE: October 21st, 2011.

PREDATOR GROUP

INTERVAL (meters) / STRUCTURE	LITHOLOGY	ROCKCODE	MODIFYCODE	GRAIN_SIZE	COLOR	OXIDE_CODE	SULF1	SULF1_PCT CODE	SULF2	SULF2_PCT CODE	ALT-1	ALT-1_FORM	ALT-1_INT	ALT-1_VEIN_TYPE	ALT-1_VEIN_%	ALT-1_MIN1	ALT-1_MIN1_PCT CODE	ALT-1_MIN2	ALT-1_MIN2_PCT CODE	ALT-2	ALT-2_FORM	ALT-2_INT	ALT-2_VEIN_TYPE	ALT-2_VEIN_%	ALT-2_MIN1	ALT-2_MIN1_PCT CODE	COMMENTS / DESCRIPTION
GRAPHIC		LITHOLOGY					MINERALIZATION				ALTERATION-1									ALTERATION-2								
61		MZT	EQ	FMG	GY	1	Po	1	As	1	PH	Pat	2	QA	8%			SER	3								+ tourmaline.
		62.06																									
63	45°	VN			GBK	3	AS	4			TCC	Per	3	TML	6			CC	4								62.06m - 63.15m Black Tourmaline 85%, 10% Arseno., 5% calcite vein + grey sericite
		63.15																									
		MZT	EQ	FMG	GY	1																					63.15m - 65.94m Intrusive, same as 69.14m - 74.50m
65																											
		65.94																									
	40°	MZT	EQ	FMG	OWH	3					PH	PAT	3	QA	20%	Qz				AR	PER	2			KLN	3	65.94m - 68.80m Veining + Fault Gouge + Monzanite → albite?
67	30°																							+	CC	4	White feldspar + grey sericite + calcite veins, ≤20cm wide + KLN + Qtz.
		68.80																									68.80-69.14m Fault Gouged Clay-Calcite Vein
69	30°	GG																									
		69.14	EQ	FMG	GWH	0					Si	PER	3	Qz.						CB							69.14m - 74.50m Intrusive, equigranular, fine-med. grained (1-4mm)
		MZT																									g/white with green-grey bands of alteration → green silicate
71																											Also, ~6% g Qz-green silicate veining. 1cm-25cm wide veins.
73																											
		74.50																									
75		MZT	EQ	FMG	WH	0	Po	1			Si	Per	3			Qz	6										74.50m - 84.39m Intrusive, equigranular, fine-med grained, white intensely silicified, mafics are bleached + silic Plag. + K-spar?

PROJECT: Antimony Mountain-AJ Vein HOLE_ID: AJ11-27 LOGGED BY: Shane Carlos DATE: October 20th, 2011.

PREDATOR GROUP

INTERVAL (meters) / STRUCTURE	LITHOLOGY	ROCKCODE	MODIFYCODE	GRAIN_SIZE	COLOR	OXIDE_CODE	SULF1	SULF1_PCT CODE	SULF2	SULF2_PCT CODE	ALT-1	ALT-1_FORM	ALT-1_INT	ALT-1_VEIN_TYPE	ALT-1_VEIN_%	ALT-1_MIN1	ALT-1_MIN1_PCT CODE	ALT-1_MIN2	ALT-1_MIN2_PCT CODE	ALT-2	ALT-2_FORM	ALT-2_INT	ALT-2_VEIN_TYPE	ALT-2_VEIN_%	ALT-2_MIN1	ALT-2_MIN1_PCT CODE	COMMENTS / DESCRIPTION
GRAPHIC			LITHOLOGY				MINERALIZATION				ALTERATION-1									ALTERATION-2								
76																												
78																												~77m - 79.25m ~2% diss. blotches of v.f.g. grey-black mineral (Tourmaline?) with py-po
80																												
82																												83.17m - 84.39m ~2% diss. blotches of v.f.g. grey-black mineral with py-po. Tourmaline?
84	35°	84.39			GBK	0	AS	6			TML	PER	3	SU	100%	TML	6											84.39m - 85.63m Black Tourmaline - Arsenopyrite Vein, ~45% Arsen 50% tourm. ~5% Po + Calcite + Qtz. /with replacement textures of intrusive grains.
		VN																										
		85.63																										85.63m - 87.33m Intrusive, equigranular, fine to med. grained (1-4mm), intensely silicified and bleached. ~20% mafics are completely bleached + silic. Abundant Plag., ~K-spar?
86		MZT	EQ	FMG	GWH																							
		87.33																										
	47°		BED	FG	GBR		Po	2																				87.33m - 93.05m Biotite Hornfels Quartzite interbedded, >30cm
88	65°	Xhb																										bed size. Strongly silicified, grey-brown Hornfelsed siltstones, with ~2% pyrrhotite alligned along relict bedding planes. ~ 10% v.f.g. biotite ~10cm cryptocrystalline, milky white Qtz. replacement at
	37°																											
90'																												the intrusive contact up-hole

PROJECT: Antimony Mountain-AJ Vein HOLE_ID: AJ11-27 LOGGED BY: Shane Carlos DATE: October 20th, 2011.

PREDATOR GROUP

INTERVAL (meters) / STRUCTURE	LITHOLOGY	ROCKCODE	MODIFYCODE	GRAIN_SIZE	COLOR	OXIDE_CODE	SULF1	SULF1_PCT CODE	SULF2	SULF2_PCT CODE	ALT-1	ALT-1_FORM	ALT-1_INT	ALT-1_VEIN_TYPE	ALT-1_VEIN_%	ALT-1_MIN1	ALT-1_MIN1_PCT CODE	ALT-1_MIN2	ALT-1_MIN2_PCT CODE	ALT-2	ALT-2_FORM	ALT-2_INT	ALT-2_VEIN_TYPE	ALT-2_VEIN_%	ALT-2_MIN1	ALT-2_MIN1_PCT CODE	COMMENTS / DESCRIPTION
91		Xhb	Bed	FG	GBR		Po	2																			87.33m – 88.29m Biotite Hornfels 88.29m – 88.69m Intrusive 88.69m – 89.14m Quartzite
93	80°	93.05																									
		Xqv	EQ	FG	WH	O																					93.05m – 95.47m Quartzite? Sugary qtz. vein?, ⅓ mm granular qtz., white to clear, with ~5% milky white feldspar grains. Lower contact pinches into a 'vein' into the intrusive.
95	35°	95.47																									95.47m – 108.66m Intrusive – Monzonite? → Monzogabbro?
	34°	MZT	EQ	FMG	WGY	O	As	1			Si	Per	3	Qz.	5%	Qz.	6	Ser	2								grey-white, ~1mm – 5mm interlocking qtz, mostly feldspars. ~25% biotite + hornblende? → bleached + silicified.
97	45°																										~5% white qtz ± white sericite veins, ≤5cm wide, 34–45° t.c.a. Trace arsenopyrite as disseminations within veins.
99	35°																										99.86 – 99.95m white qtz-sericite vein, 2cm wide
101																											
103	30°																										@ 103.34m 10cm Qtz.-Calcite-White Sericite-Arsen. Vein (Green) ~4% arsenopyrite
105																											

PROJECT: Antimony Mountain-AJ Vein HOLE_ID: AJ11-27 LOGGED BY: Shane Carlos DATE: October 23rd, 2011.

PREDATOR GROUP

INTERVAL (meters) / STRUCTURE	LITHOLOGY	ROCKCODE	MODIFYCODE	GRAIN_SIZE	COLOR	OXIDE_CODE	SULF1	SULF1_PCT CODE	SULF2	SULF2_PCT CODE	ALT-1	ALT-1_FORM	ALT-1_INT	ALT-1_VEIN_TYPE	ALT-1_VEIN_%	ALT-1_MIN1	ALT-1_MIN1_PCT CODE	ALT-1_MIN2	ALT-1_MIN2_PCT CODE	ALT-2	ALT-2_FORM	ALT-2_INT	ALT-2_VEIN_TYPE	ALT-2_VEIN_%	ALT-2_MIN1	ALT-2_MIN1_PCT CODE	COMMENTS / DESCRIPTION
GRAPHIC		LITHOLOGY					MINERALIZATION				ALTERATION-1									ALTERATION-2								
106		MZT	EQ	FMG	WGY	O	As	1			Si	Per	3	Qz	5%	Qz	6	Ser	2								@ 106.29 1.0cm wide white qtz. flooding, replacing interlocking intrusive crystals
108	50																										
		108.66																									@ 108.66m 1.2cm wide, fine silica vein.
110		MZT	EQ	FMG	WH	O	Po	1			Si	Per	3	QS	1.5%	Qz	7										108.66m – 121.56m Intrusive, equigranular, white, with ~1% green silicate + Po veins, 1-4mm grain size, ~20% biotite bleached + silicified. Plagioclase, albite twins visible ~ ½% Pyrrhotite in veins only Total
112																											
114	30°																										
116																											116.78 – 117.20 Fresher Intrusive, ~25% mafics → biotite ~5% of which is unaltered, trace Po, dark grey
118	22°																										
120																											

PROJECT: Antimony Mountain-AJ Vein HOLE_ID: AJ11-27 LOGGED BY: Shane Carlos DATE: October 23rd, 2011.

PREDATOR GROUP

INTERVAL (meters) / STRUCTURE	LITHOLOGY	ROCKCODE	MODIFYCODE	GRAIN_SIZE	COLOR	OXIDE_CODE	SULF1	SULF1_PCT CODE	SULF2	SULF2_PCT CODE	ALT-1	ALT-1_FORM	ALT-1_INT	ALT-1_VEIN_TYPE	ALT-1_VEIN_%	ALT-1_MIN1	ALT-1_MIN1_PCT CODE	ALT-1_MIN2	ALT-1_MIN2_PCT CODE	ALT-2	ALT-2_FORM	ALT-2_INT	ALT-2_VEIN_TYPE	ALT-2_VEIN_%	ALT-2_MIN1	ALT-2_MIN1_PCT CODE	COMMENTS / DESCRIPTION
18°		MZT	EQ	FNG	WH		Po	1			Si	Per	3	QS	1.5	Qz.	7										Qtz.-calcite vein @ 120.55,
121.56			EQ	FNG	GYD	O	Po	1			Ch	Pat	2	CC	1%	CC	1										121.56m – 135.70m Intrusive, Monzonite - Monzogabbro? equigranular interlocking plagioclase, ~8% qtz., K-spar?, ~20% dark green alt. biotites (semihard though ~some chlorite), ~5% fresh brown biotite. Pyrrhotite, ≈1% replacing alt biotites and occassionally within the feldspar groundmass. Dark grey overall, but with Salt & Pepper color scheme.
		MZT																									Very competant rock. ~<1% Pyrrhotite (Po) - Calcite veins
31°																											@ 129.21, 1.3cm Grey Calcite + Po vein, @ 31° t.c.a.

Page 8 of 19

PROJECT: Antimony Mountain-AJ Vein HOLE_ID: AJ11-27 LOGGED BY: Shane Carlos DATE: October 23rd, 2011.

PREDATOR GROUP

INTERVAL (meters)	STRUCTURE	LITHOLOGY	ROCKCODE	MODIFYCODE	GRAIN_SIZE	COLOR	OXIDE_CODE	SULF1	SULF1_PCT CODE	SULF2	SULF2_PCT CODE	ALT-1	ALT-1_FORM	ALT-1_INT	ALT-1_VEIN_TYPE	ALT-1_VEIN_%	ALT-1_MIN1	ALT-1_MIN1_PCT CODE	ALT-1_MIN2	ALT-1_MIN2_PCT CODE	ALT-2	ALT-2_FORM	ALT-2_INT	ALT-2_VEIN_TYPE	ALT-2_VEIN_%	ALT-2_MIN1	ALT-2_MIN1_PCT CODE	COMMENTS / DESCRIPTION
			MZT 135.70	EQ	FMG	GYD	0	Po	1																			
136			MZT	EQ	FMG	GY	0	Po	1			Si	Pat	2	QC	3%	Qz	3											135.70m – 140.21m Intrusive, equigranular, SsP texture, some feldspars are altered bright white hard mineral, ~qtz? probably
138																												qtz-calcite-Black Tourmaline, and calcite-Po-green silicate veins
																												@ 138.88m, 0.3cm, Po vein
																												@ 140.00m, 6.5cm, Tourm.-Qtz.-Calcite vein @ 12° t.c.a.
140	20°		140.21																									
			MZT	EQ	FMG	GYD	0	Po	1																			140.21m – 147.00m Intrusive, same as 121.56m – 135.70m
142																												relatively unaltered, other than the secondary Po + green altered biotites.
144																												
146																												
			147.00																									
			MZT	EQ	FMG	WH	0					Si	Pat	3	QCS	1%	Qz	5										147.00m – 150.48m Intrusive. equigranular, bleached white, intensely silicified,
148																												
																												149.83m With 1 qtz-carbonate ~5% diss. arsenopyrite-Tourm. vein, ~23° t.c.a., ~8cm wide.
150	23°																											

PROJECT: Antimony Mountain-AJ Vein HOLE_ID: AJ11-27 LOGGED BY: Shane Carlos DATE: October , 2011.

PREDATOR GROUP

INTERVAL (meters) / STRUCTURE	LITHOLOGY	ROCKCODE	MODIFYCODE	GRAIN_SIZE	COLOR	OXIDE_CODE	SULF1	SULF1_PCT CODE	SULF2	SULF2_PCT CODE	ALT-1	ALT-1_FORM	ALT-1_INT	ALT-1_VEIN_TYPE	ALT-1_VEIN_%	ALT-1_MIN1	ALT-1_MIN1_PCT CODE	ALT-1_MIN2	ALT-1_MIN2_PCT CODE	ALT-2	ALT-2_FORM	ALT-2_INT	ALT-2_VEIN_TYPE	ALT-2_VEIN_%	ALT-2_MIN1	ALT-2_MIN1_PCT CODE	COMMENTS / DESCRIPTION
20°		150.48																									
		MZT																									150.48m - 152.30m Intrusive, altered, pervasive calcite throughout matrix + within colloform banded fine qtz, yellow calcite, dark grey sulphidic carbonate bands.
50°			EQ	FMG	GRG	0	As	2			CB	PER	3	QCS	10%	CC	5										
		152.30																									
		GG	BX		OR	3					AR	PER	2	QCS	50%	KLN	5	CC	5								152.30m - 152.48 Fault Gouge, KLN + calcite, brecciated veins. ~45° to c.a. cont.
45°		152.48																									
			EQ	FMG	GYL	0					Si	Pat	3			Qz	5										152.48m - 157.30m Intrusive, equigranular interlocking crystals, matics are altered green → red, fine to medium grained (1-4mm)
		MZT																									
15°		157.30																									
		GG			OGY	3					PR	PEP	2			CL	5										157.30m - 157.46m Fault Gouge, abundant light green chlorite stears with calcite-py-po vein at same orientation.
		157.46																									
			EQ	FMG	GYL	0					Si	PAT	2			Qz	4										157.46m - 165.34m Intrusive, same as 152.48m - 157.30m
		MZT																									

PROJECT: Antimony Mountain-AJ Vein HOLE_ID: AJ11-27 LOGGED BY: Shane Carlos DATE: October 24th, 2011.

PREDATOR GROUP

INTERVAL (meters) / STRUCTURE	LITHOLOGY	ROCKCODE	MODIFYCODE	GRAIN_SIZE	COLOR	OXIDE_CODE	SULF1	SULF1_PCT CODE	SULF2	SULF2_PCT CODE	ALT-1	ALT-1_FORM	ALT-1_INT	ALT-1_VEIN_TYPE	ALT-1_VEIN_%	ALT-1_MIN1	ALT-1_MIN1_PCT CODE	ALT-1_MIN2	ALT-1_MIN2_PCT CODE	ALT-2	ALT-2_FORM	ALT-2_INT	ALT-2_VEIN_TYPE	ALT-2_VEIN_%	ALT-2_MIN1	ALT-2_MIN1_PCT CODE	COMMENTS / DESCRIPTION
		165.34																									
		GG			WH	0																					165.34m - 165.70m FAULT GOUGE, ~50° t.c.a.
50°		165.70																									
166		MZT	EQ	FMG	GRG	0					CB	PER	3			CC	3										165.70m - 167.10m Intrusive, green-grey, ~5% calcite replacement of crystals.
		167.10																									
		GG			GY	0					PR	PER	3			CL	7										167.10m - 167.49m FAULT GOUGE, ~55° t.c.a., chlorite stearing.
55°		167.49																									
168		MZT	EQ	FMG	GY	1	Po	1	As	1	PH	Pat	3	QCS	1	SER	5	Qz	5								167.49m - 178.51m Intrusive. green-grey-orange, equi-gran. (1-4mm crystal grains), abundant qtz - sericite ± chlorite with massive (rare) to disseminated Po throughout.
170																											Trace arsenopyrite. ~0.75% Patchy calcite replacement.
172																											169.22m 2cm wide colloform banded tan carbonate - white cryptocrystalline qtz vein, with trace black vf.g. sulphides.
174																											169.30 - 169.50m Massive Pyrrhotite replacement with dark green chlorite + some black Tourmaline.
176																											
178	10°																										
		178.51																									
		GG			OR	4										CL	6										178.51m - 178.70m Fault Gouge, orange iron oxidized, lots of greasy chlorite - orange-green.
		178.70																									
180		MZT	EQ	FMG	OR	3	Py	1			PH	PAT	2	QCS	0.5%	SER	3	Qz	3	CB	PER	2			CC	3	178.70m - 190.10m Intrusive, ~80% orange iron oxidized.

PROJECT: Antimony Mountain-AJ Vein HOLE_ID: AJ11-27 LOGGED BY: Shane Carlos DATE: October 24th, 2011.

PREDATOR GROUP

INTERVAL (meters)	STRUCTURE	LITHOLOGY	ROCKCODE	MODIFYCODE	GRAIN_SIZE	COLOR	OXIDE_CODE	SULF1	SULF1_PCT CODE	SULF2	SULF2_PCT CODE	ALT-1	ALT-1_FORM	ALT-1_INT	ALT-1_VEIN_TYPE	ALT-1_VEIN_%	ALT-1_MIN1	ALT-1_MIN1_PCT CODE	ALT-1_MIN2	ALT-1_MIN2_PCT CODE	ALT-2	ALT-2_FORM	ALT-2_INT	ALT-2_VEIN_TYPE	ALT-2_VEIN_%	ALT-2_MIN1	ALT-2_MIN1_PCT CODE	COMMENTS / DESCRIPTION
181	40°		MZT	EQ	FMG	OR	3	P_y	1			PH	PAT	2	QCS	0.5%	SER	3	Qz.	3	CB	PER	2			CC	3	@ 179.60, 5cm wide colloform banded qtz-carbonate vein with trace blackish sulphides @ 60° t.c.a.
																												180.40m - 180.48m Fault Gouge, orange oxidized, KLN.
183																												→ Phyllic alteration is patchy, but intense, with white sericite and silicification. Calcite is prevalent as disseminations pervading the alt. intrusive, up to 4-5%.
	25°		184.40																									Trace py. disseminations.
185			GG			OGY	3																					184.40m - 184.70m FAULT GOUGE, ~25° t.c.a.
			184.70	EQ	FMG	OGY	3					PH	Pat	2	QCS	0.5%	SER	3	Qz.	3	CB	PER	3			CC	6	184.70m - 192.52m Intrusive. intense calcite replacement of intrusive crystal grains, up to ≥50% calcite. with dark green chlorite.
187			MZT																									Tourmaline grains are present with sericite + silicification.
189																												189.75 - 189.80m Fault Gouge, grey,
	20°																											@ 191.00 - 4cm wide calcite vein, ~20° t.c.a.
191	20°																											
	25°																											
			192.52																									
193			GG			OR	4																					192.52m - 192.70m Fault Gouge.
			192.70				1					CB					CC	6	Cc	4								192.70m - 197.32m Intrusive., same as 184.70m - 192.52m
195																												

Page 12 of 19

PROJECT: Antimony Mountain-AJ Vein HOLE_ID: AJ11-27 LOGGED BY: Shane Carlos DATE: October 23rd, 2011.

PREDATOR GROUP

INTERVAL (meters) / STRUCTURE	GRAPHIC: LITHOLOGY	ROCKCODE	LITHOLOGY: MODIFYCODE	GRAIN_SIZE	COLOR	OXIDE_CODE	MINERALIZATION: SULF1	SULF1_PCT CODE	SULF2	SULF2_PCT CODE	ALTERATION-1: ALT-1	ALT-1_FORM	ALT-1_INT	ALT-1_VEIN_TYPE	ALT-1_VEIN_%	ALT-1_MIN1	ALT-1_MIN1_PCT CODE	ALT-1_MIN2	ALT-1_MIN2_PCT CODE	ALTERATION-2: ALT-2	ALT-2_FORM	ALT-2_INT	ALT-2_VEIN_TYPE	ALT-2_VEIN_%	ALT-2_MIN1	ALT-2_MIN1_PCT CODE	COMMENTS / DESCRIPTION
196																											from ~196.80 - 197.32m + calcite ~ 4% @ fault cont. is intense black chlorite, ~35° t.c.a fault contact.
35°		197.32																									
198		GG			GYL	0					AR	PER	3			KLN	7										197.32m - 198.30 Fault Gouge? Intense Kaolin alt., ~50% core rec. ~90-100% Kaolin, sticky clay, relict intrusive crystal texture evident.
		198.30			GYL	0					AR	PER	3			KLN	6										198.30m - 199.80m Intrusive.
55°		MZT																									
200		199.50	EQ	FMG	GRG	1	Py	1	SUL SP +As	1	PH	PER	3	QCS	34%	Qz	5	SER	5	AR	Per	2			KLN	4	199.50 - 206.65m Intrusive, equigranular, interlocking feldspar, ~8% qtz, alt. mafics (~25%), green-grey, trace oxidation at
		MZT																+CC	3						+CL	2	199.50m - 200.50m → Brecciated qtz-carbonate-pyrite vein @ 55° t.c.a. Trace orange iron oxidation.
202																											~202.50m Brecciated Qtz.-Carb. veins Alteration over interval is phyllic, with silicification and fine green-white sericite flakes!
78°																											203.40 - 204.60m ~90% WH. Qtz - Sericite
204																											-Ankerite - Sulphide Vein, with ~1% sulph. disseminations. ~ Trace Py, trace SPHALERITE (red + black Jack),
75°																											trace arsenopyrite, ~50% white massive qtz.
206																											
75°		206.65																									
30°		MZT	EQ	FMG	YGRD	0	Py	1	SUL	1	PH	PER	3	QCS	11%	Qz	5	SER	5	AR	Per	2			KLN	4	206.65m - 214.20m Intrusive pyrite + arsenopyrite - sphalerite.
208																		+CC	3						+CL	2	
50°																											
210'																											

PROJECT: Antimony Mountain-AJ Vein HOLE_ID: AJ11-27 LOGGED BY: Shane Carlos DATE: October 23rd, 2011.

PREDATOR GROUP

INTERVAL (meters) / STRUCTURE	LITHOLOGY	ROCKCODE	MODIFYCODE	GRAIN_SIZE	COLOR	OXIDE_CODE	SULF1	SULF1_PCT CODE	SULF2	SULF2_PCT CODE	ALT-1	ALT-1_FORM	ALT-1_INT	ALT-1_VEIN_TYPE	ALT-1_VEIN_%	ALT-1_MIN1	ALT-1_MIN1_PCT CODE	ALT-1_MIN2	ALT-1_MIN2_PCT CODE	ALT-2	ALT-2_FORM	ALT-2_INT	ALT-2_VEIN_TYPE	ALT-2_VEIN_%	ALT-2_MIN1	ALT-2_MIN1_PCT CODE	COMMENTS / DESCRIPTION
GRAPHIC / STRUCTURE			LITHOLOGY				MINERALIZATION				ALTERATION-1									ALTERATION-2							
211 — 50°			EQ	FMG	YGRD	O	Py	1			PH	Per	3	QCS	11%	Qz	5	SER	3	AR	PER	2			KLN	4	Trace Pyrite, up to 4% in local 20cm whole core pieces, ~1% overal as disseminations.
213 — 45°		MZT																									
		214.20 GG			GRG	O					AR	PER	3			KLN	5										214.20 – 214.50 Fault Brecciated, qtz-carb. veins + KLN alt. Intrusive, ~35° t.c.a.
215 — 36° 80°		214.50 MZT	EQ	FMG	YGRD	O	Py	1			PH	Per	3	QCS	11%	Qz.	5	SER	3								214.50m – 222.20m, same as 206.65m – 214.20m
217																											
219 — 35																											
221 — 75°		222.20 GG			GRG	O					AR	PER	3			KLN	5										222.20m – 222.50m Fault Gouge. KLN alt., ~20° t.c.a. green-grey.
		222.5 MZT	EQ	FMG	GYD						Si	PER	1			Qz.	4			CB	Pat	2			CC	4	222.50m – 229.40m Intrusive. Equigranular, dark grey-green silicified, biotites are all altered to a green mineral → chlorite?
223 — 20°																											
225'																											

Page 14 of 19

PROJECT: Antimony Mountain-AJ Vein HOLE_ID: AJ11-27 LOGGED BY: Shane Carlos DATE: October 27th, 2011.

PREDATOR GROUP

INTERVAL (meters)	STRUCTURE	LITHOLOGY	ROCKCODE	MODIFYCODE	GRAIN_SIZE	COLOR	OXIDE_CODE	SULF1	SULF1_PCT CODE	SULF2	SULF2_PCT CODE	ALT-1	ALT-1_FORM	ALT-1_INT	ALT-1_VEIN_TYPE	ALT-1_VEIN_%	ALT-1_MIN1	ALT-1_MIN1_PCT CODE	ALT-1_MIN2	ALT-1_MIN2_PCT CODE	ALT-2	ALT-2_FORM	ALT-2_INT	ALT-2_VEIN_TYPE	ALT-2_VEIN_%	ALT-2_MIN1	ALT-2_MIN1_PCT CODE	COMMENTS / DESCRIPTION
226			MZT	EQ	FMG	GYD	O					Si	Per	1			Qz	4			CB	Pat	2			CC	4	
228																												
	25°		229.40																									
			GG			GY	O					AR	Per	2	CC	2	KLN	4										229.40 – 229.90 Fault Gouge, clay altered, with calcite veins @ same orientation, ~25° t.c.a.
230			229.90																									
				EQ	FMG	GY	O					Si	Per	1			Qz	4			CB	Per	3			CC	b	229.90m – 235.10m Intrusive., same as 222.50–229.40m
232			MZT																									Silicified with abundant diss. calcite, up to ~30%
234																												
			235.10																									
	10°		MZT	EQ	FMG	TA	O	Py	1			PH	Per	2	CC	5	SER	5	Qz	2								235.10–238.15m Intrusive.
236																												Lots of sericite, trace pyrite, patchy silicification. ~5% calcite veins @ ~10° t.c.a.
	75°																											
238			238.15																									
			GG	SA		GYD	O					AR	Pat	3			KLN	6	CL	6	Si	Pat	1	QC	3			238.15 – 240.52m Fault Gouge + Sand
240																												Argillically altered intrusive, contacts ~90% black chlorite alt. siltstone + sandstone, grading into 100% unconsolidated sand. ~15° t.c.a. up-hole contact., down-hole disintigrated other than 38° bedding plane. ~5% qtz-carb. vein 15cm long, floating in the fault.

PROJECT: Antimony Mountain-AJ Vein HOLE_ID: AJ11-27 LOGGED BY: Shane Carlos DATE: October 27th, 2011.

PREDATOR GROUP

INTERVAL (meters)	STRUCTURE	LITHOLOGY	ROCKCODE	MODIFYCODE	GRAIN_SIZE	COLOR	OXIDE_CODE	SULF1	SULF1_PCT CODE	SULF2	SULF2_PCT CODE	ALT-1	ALT-1_FORM	ALT-1_INT	ALT-1_VEIN_TYPE	ALT-1_VEIN_%	ALT-1_MIN1	ALT-1_MIN1_PCT CODE	ALT-1_MIN2	ALT-1_MIN2_PCT CODE	ALT-2	ALT-2_FORM	ALT-2_INT	ALT-2_VEIN_TYPE	ALT-2_VEIN_%	ALT-2_MIN1	ALT-2_MIN1_PCT CODE	COMMENTS / DESCRIPTION
			240.52																									
241		38°	Xh	Bx	FG	GRAD	0	Py	1			Si	Pat	2	Qz.	20%	Qz.	6										240.52m – 242.80m Hornfelsed Siltstones, with siliceous interbeds due to silicification. Dark black green, brittle. Chlorite? → no. With zones of silicified sandy breccia, with <2cm sediment clasts, and intensely silic., white vein breccia. ~20%
			242.80																									
243	?		GG	SA	FG	GYO	0	Py	1			Si	Pat	2			Qz.	1										242.80m – 245.60m Fault Gouge., with fragments of silicified siltstone that have graphitic slickensided shears, crossing bedding. The graphitic shears are parallel to core axis.
245																												
			245.60																									~90% is fine to coarse sand. Fault cont. grade into broken rock.
	?		Sdt	Bed	FG	GY	0	Py	1	As	1	Si	Pat	2			Qz	4										245.60m – 248.40m Silicified, pyritized Siltstone with interbedded sandstone layers, 2cm and less beds. ≤ 1% Py, ≤ 1% Arsenopyrite, trace red sphalerite, all as very fine disseminations and along fractures.
247	Bed 15°																											Abundant graphitic slickensided shear planes throughout. Highly fractured, incompetant rock.
	?		GG	SA			0																					248.40m – 248.70m Fault gouge, sandy
249	?		Sdt	Bed	FG	TGY	0	AsPy	1	SP	1	Si	Pat	2			Qz	4			AR	Pat	2			KLN	4	
	Beds 25°																											248.70m – 253.76m Interbedded Siltstones + Sandstones, possibly hornfelsed initially but silicification and clay
251																												alteration has overwhelmed the rock.
																												Mineralized: ~1% diss. Arseno, ~2% diss. Py, Trace red
																												sphalerite. Mineralization Sulphides are extremely fine grained.
253	25°																											Silicifi. follows bedding planes, replacing them selectively. Py. does the same.
			253.76																									
			GG				0																					~~253.76m – 254.36m~~
			254.36																									Fault Gouge, clay altered, x-cuts bedding planes in dark-green hornfelsed sediments.
255																												

PROJECT: Antimony Mountain-AJ Vein HOLE_ID: AJ11-27 LOGGED BY: Shane Carlos DATE: October 27th, 2011.

PREDATOR GROUP

INTERVAL (meters) STRUCTURE	LITHOLOGY	ROCKCODE	MODIFYCODE	GRAIN_SIZE	COLOR	OXIDE_CODE	SULF1	SULF1_PCT CODE	SULF2	SULF2_PCT CODE	ALT-1	ALT-1_FORM	ALT-1_INT	ALT-1_VEIN_TYPE	ALT-1_VEIN_%	ALT-1_MIN1	ALT-1_MIN1_PCT CODE	ALT-1_MIN2	ALT-1_MIN2_PCT CODE	ALT-2	ALT-2_FORM	ALT-2_INT	ALT-2_VEIN_TYPE	ALT-2_VEIN_%	ALT-2_MIN1	ALT-2_MIN1_PCT CODE	COMMENTS / DESCRIPTION
		Sdt	BX	FG	TGY	0	Py	2	As	1	PH	PER	3	Qz	6%	Qz	7	SER	5								254.36m – 260.21m Siltstone. Brecciated → then sealed by silicification, Tan colour. Bedding - sub-parallel to perpendicular. Brecciated siltstone is healed by silicification. Disseminated to 1-3cm blebs of v.f.g. pyrite, ~2% Disseminated Arsenopyrite + Trace sphalerite, mostly only visible under the microscope.
15°																											259.08m – 259.75m Qtz. vein + massive silicification + massive green-white sericite halo, on down-hole side only. ~25° bedding control.
?		260.21 GG				0					AR	PER	3			KLN	5										260.21m – 260.71m Fault Gouge, clay alt., contacts are disintigrated
?		260.71 Sdt	BED	FG	GRD											CL	6										260.71m – 261.71m CHLORITE alt. Siltstones., dark green – black chlorite.
		261.71 VN			GWH	0	As	1			PH	PER	3	QS	80%	Qz	7	SER	7								261.71m – 264.26m Qtz-Sericite-Calcite Vein + Massive replacement of sedimentary beds. ~1% diss. blebs of arsenopyrite + Black Tourmaline.
~80°		264.26 GG									AR	PER	3			SER	7	KLN	2								264.26m – 264.63m Fault Gouge, ~70% sericite, ~2% KLN. apparently 80° contacts, but very disintigrated.
		264.63 MZI																									264.63m – 270.60m Intrusive. equigranular

256 258 260 262 264 266 268 270

PROJECT: Antimony Mountain-AJ Vein HOLE_ID: AJ11-27 LOGGED BY: Shane Carlos DATE: October 27th, 2011.

PREDATOR GROUP

INTERVAL (meters)	STRUCTURE	LITHOLOGY	ROCKCODE	MODIFYCODE	GRAIN_SIZE	COLOR	OXIDE_CODE	SULF1	SULF1_PCT CODE	SULF2	SULF2_PCT CODE	ALT-1	ALT-1_FORM	ALT-1_INT	ALT-1_VEIN_TYPE	ALT-1_VEIN_%	ALT-1_MIN1	ALT-1_MIN1_PCT CODE	ALT-1_MIN2	ALT-1_MIN2_PCT CODE	ALT-2	ALT-2_FORM	ALT-2_INT	ALT-2_VEIN_TYPE	ALT-2_VEIN_%	ALT-2_MIN1	ALT-2_MIN1_PCT CODE	COMMENTS / DESCRIPTION
GRAPHIC			LITHOLOGY					MINERALIZATION				ALTERATION-1									ALTERATION-2								
271			270.6m																									270.60m – 273.30m Fault Gouge, ground-up Intrusive.
			GG		FG	WH	O					AR	Pec	2			SER	4	KLN	4								~~Sericite~~ Sericite is present, ~~with~~ with KLN.
273			273.30																									
	20°		MZT	EQ	FMG	GY	O					Si	Pat	2	X	X	Qz	5			CB	PER	3			CC	6	273.30m – 285m Intrusive. equigranular, ~8% qtz grains, plagioclase, ~ K-spar?, ~25% biotite is altered to a green mineral → chlorite and then extensively replaced by calcite. Appears silicified.
275																												
277																												
279																												
281																												
283																												
285'																												

PROJECT: Antimony Mountain-AJ Vein HOLE_ID: AJ11-27 LOGGED BY: Shane Carlos DATE: October 27th, 2011.

PREDATOR GROUP

INTERVAL (meters)	STRUCTURE	LITHOLOGY	ROCKCODE	MODIFYCODE	GRAIN_SIZE	COLOR	OXIDE_CODE	SULF1	SULF1_PCT CODE	SULF2	SULF2_PCT CODE	ALT-1	ALT-1_FORM	ALT-1_INT	ALT-1_VEIN_TYPE	ALT-1_VEIN_%	ALT-1_MIN1	ALT-1_MIN1_PCT CODE	ALT-1_MIN2	ALT-1_MIN2_PCT CODE	ALT-2	ALT-2_FORM	ALT-2_INT	ALT-2_VEIN_TYPE	ALT-2_VEIN_%	ALT-2_MIN1	ALT-2_MIN1_PCT CODE	COMMENTS / DESCRIPTION
GRAPHIC		LITHOLOGY						MINERALIZATION				ALTERATION-1									ALTERATION-2							
285	?		GG			GY	O																					285.00m - 285.40m Fault Gouge. Contacts are disintigrated.
			285.40																									
286	?		MZT	EQ	FMG	GRGD	O					PR	Pat	3			CL	6	CC	5								285.40m - 287.94m Intrusive. same as 273.30 - 285, except more abundant dark green chlorite, ~10% calcite.
	22°		287.94																									
288			GG			GY	O					PH	PER	3	CC	1	SER	7	CC	1								287.94m - 288.70m Fault Gouge, massive grey-green sericite flecks
			288.70																									
290	10°		MZT	EQ	FMG	GRG	O					Si	Pat	1			Qtz	5			PR	Pat	2			CL	4	288.70m - 300.23m Intrusive. equigranular, green-grey.
																										CC	5	silicified, with propolytic shears, consiting of green chlorite + calcite.
292																												288.70m - 290.30 PHYLLIC alteration. - with qtz-calcite - arsenopyrite vein. + Black radiating tourmaline crystals, euhedral
294																												@ 290.30m - 290.40m Black-green chlorite abruptly appears.
296																												
298																												
300																												

300.23m
End of Hole

DRILLHOLE SUMMARY FORM

PREDATOR GROUP

HOLE_ID:	AJ11- 28
PROJECT:	ANTIMONY MTN.
PROSPECT:	AJ VEIN
PROJECT CODE:	ANM
End Of Hole CODE	EOH
LOGGED BY:	SHANE A. CARLOS
DATE:	October, 31st, 2011.
DRILL TYPE:	KD1000
NAD83 UTM E:	637647
NAD83 UTM N:	7132147
GRID ID:	
GRID X:	
GRID Y:	
ELEV:	1378m
COLLAR DIP:	-55°
GRID AZIMUTH:	
TRUE AZIMUTH:	040
PRECOLLAR LENGTH:	250m
TOTAL LENGTH:	141.73m
DH SURVEYED (Y/N):	Y
DH SURVEYED BY:	Adam Morrison
DH SURVEY TOOL:	EZ SHOT
ORIENTED CORE:	No
TOOL TYPE:	

DRILL CONTRACTOR:	KLUANE DRILLING
DRILLER:	Marcello G. / Adam Morrison

START DATE / TIME:	13 Sept. 2011. / NIGHT
FINISH DATE / TIME:	16 Sept. 2011 / Day

DRILLHOLE SUMMARY (Slow drilling, etc)

FROM / TO:

0 - 10.50m Overburden, clay matrix with cobbles of hornfelsed siltstones + unaltered biotite monzonite. 10.50m - 43.45m Biotite Hornfelsed Siltstones with trace qtzite interbeds, @ ~73° t.c.a. with fault gouge @ 12.98-13.60 @ 25° t.c.a. 43.45m - 96.01m ~ 50:50 interbedded quartzite + bedded to porphyroblastic biotite + andalusite Hornfelsed Siltstones. with trace black tourmaline veining. 96.35m - 96.94m Massive Sulphides (arseno + pyrite) then blocky quartzite to 104.59m, then interbedded massive sulphides with chlorite hornfelsed siltstones to 112.52m (109.83m - 112.52m → 60% py + 30% arsenopyrite). 112.52m - 117.76m Quartzite + Hornfels + arseno vein 117.76m - 118.55m Biotite Monzonite Dyke @ ~90° to bedding, then Hornfelsed Siltstones to 134.72m, then ~fault gouge to 141.73m (End of Hole)

CROSS SECTION:



PROJECT: Antimony Mountain-AJ Vein HOLE_ID: AJ11-28 LOGGED BY: Shane Carlos DATE: October 28th, 2011.

PREDATOR GROUP

INTERVAL (meters) / STRUCTURE	GRAPHIC: LITHOLOGY	LITHOLOGY: ROCKCODE	MODIFYCODE	GRAIN_SIZE	COLOR	OXIDE_CODE	MINERALIZATION: SULF1	SULF1_PCT CODE	SULF2	SULF2_PCT CODE	ALTERATION-1: ALT-1	ALT-1_FORM	ALT-1_INT	ALT-1_VEIN_TYPE	ALT-1_VEIN_%	ALT-1_MIN1	ALT-1_MIN1_PCT CODE	ALT-1_MIN2	ALT-1_MIN2_PCT CODE	ALTERATION-2: ALT-2	ALT-2_FORM	ALT-2_INT	ALT-2_VEIN_TYPE	ALT-2_VEIN_%	ALT-2_MIN1	ALT-2_MIN1_PCT CODE	COMMENTS / DESCRIPTION
5		OVB																									0-10.50m Overburden.
																											Cobbles + boulders of hornfelsed siltstones, unaltered biotite monzonite. A matrix of clay, no sand.
7																											
9																											
		10.50m																									
11		Xhb	Bed	FG	GRB	1	Po	1																			Biotite Hornfelsed, siltstones, interbedded with quartzites, ~90 ll-siltstone 1cm beds to 30cm beds with < 4mm layers within these beds. Green-Brown. Brown colour is due to v.f.g. biotite flecks, barely visible under microscope.
		12.98																									
13		GG			OGY	3																					12.98m - 13.60m Fault Gouge, 2 closely spaced zones. Orange, iron oxidized, clay alt.
		13.60																									
15		Xhb	BED	FG	GBR	1																					Biotite Hornfels 13.60m - 43.45m Hornfelsed Siltstones, with rare interbeds of quartzite. Very dense. Not silicified though. Gray-brown colour is due to v.f.g. biotite disseminated throughout the rock matrix, probably ≤10%. Grain size is about ≤0.3mm.
17																											
																											Note: in the area have encountered very weakly to not metamorphosed siltstones, ∴ the Hornfels fits the situation best.
19																											

PROJECT: Antimony Mountain-AJ Vein HOLE_ID: AJ11-28 LOGGED BY: Shane Carlos DATE: October 28th, 2011.

PREDATOR GROUP

INTERVAL (meters) / STRUCTURE	LITHOLOGY	ROCKCODE	MODIFYCODE	GRAIN_SIZE	COLOR	OXIDE_CODE	SULF1	SULF1_PCT CODE	SULF2	SULF2_PCT CODE	ALT-1	ALT-1_FORM	ALT-1_INT	ALT-1_VEIN_TYPE	ALT-1_VEIN_%	ALT-1_MIN1	ALT-1_MIN1_PCT CODE	ALT-1_MIN2	ALT-1_MIN2_PCT CODE	ALT-2	ALT-2_FORM	ALT-2_INT	ALT-2_VEIN_TYPE	ALT-2_VEIN_%	ALT-2_MIN1	ALT-2_MIN1_PCT CODE	COMMENTS / DESCRIPTION
GRAPHIC	LITHOLOGY						MINERALIZATION				ALTERATION-1									ALTERATION-2							
20	75°	Xhb	BED	FG	GBR	1					Si	Pat	1	Qz	1%	Qz	1										Trace oxidation, along fracture planes.
22																											~22 – 28m, quartzite interbeds increase to about 50% quartzite, repeating about every ½ cm. bedding is at 75% to the long axis of the core.
24																											
26	35°																										@ 26.80m rough surfaced, iron oxidized fracture plane. ~35° t.c.a.
28	26°																										@ 28.46m Qtz. vein, 1.4cm wide ~26° t.c.a. x-cutting bedding planes which are still ~75° t.c.a.
30	75° Bedding																										@ 33m some irregular, vuggy qtz veining.
32																											
34																											

PROJECT: Antimony Mountain-AJ Vein HOLE_ID: AJ11-28 LOGGED BY: Shane Carlos DATE: October 28th, 2011.

PREDATOR GROUP

INTERVAL (meters)	STRUCTURE	LITHOLOGY	ROCKCODE	MODIFYCODE	GRAIN_SIZE	COLOR	OXIDE_CODE	SULF1	SULF1_PCT CODE	SULF2	SULF2_PCT CODE	ALT-1	ALT-1_FORM	ALT-1_INT	ALT-1_VEIN_TYPE	ALT-1_VEIN_%	ALT-1_MIN1	ALT-1_MIN1_PCT CODE	ALT-1_MIN2	ALT-1_MIN2_PCT CODE	ALT-2	ALT-2_FORM	ALT-2_INT	ALT-2_VEIN_TYPE	ALT-2_VEIN_%	ALT-2_MIN1	ALT-2_MIN1_PCT CODE	COMMENTS / DESCRIPTION
35		73°	Xhb	BED	FG	GBR	1					Si	Pat	1	Qz	1%	Qz	1										-silicification is restricted to the qtz. in the veins themselves and does not refer to a permeating silicification.
37																												
39																												
41								Py	3																			41.17m – 42.07m disseminated pyrite, and vuggy qtz. veining stockwork, veins from 35° to 60° and random. The quartzite has been leached of it's cement (or clay alt. any non-qtz. matrix) leaving a granular sandstone.
43			43.45																									
45			Xq	MAS	FG	GYL	1					TML	BL	2			TML	1										43.45m – 46.68m Quartzite, light grey to white in places, fine-grained (~ ½mm or less / qtz grains), ~98% qtz, very 'clean' quartzite. Bedding contacts are ~72° t.c.a. Qtzite is massive. ~1% black tourmaline 'blebs', <2mm diameters, with euhedral crystal faces.
47			46.68 Xhb	BED	FG	GBR	1																					46.68m – 48.77m Hornfelsed Siltstones. → Biotite Hornfels v.f.g. brown biotite, visible as disseminations under microscope.
49			48.77																									

PROJECT: Antimony Mountain-AJ Vein HOLE_ID: AJ11-28 LOGGED BY: Shane Carlos DATE: October 28th, 2011.

PREDATOR GROUP

INTERVAL (meters) / STRUCTURE	GRAPHIC: LITHOLOGY	LITHOLOGY: ROCKCODE	MODIFYCODE	GRAIN_SIZE	COLOR	OXIDE_CODE	MINERALIZATION: SULF1	SULF1_PCT CODE	SULF2	SULF2_PCT CODE	ALTERATION-1: ALT-1	ALT-1_FORM	ALT-1_INT	ALT-1_VEIN_TYPE	ALT-1_VEIN_%	ALT-1_MIN1	ALT-1_MIN1_PCT CODE	ALT-1_MIN2	ALT-1_MIN2_PCT CODE	ALTERATION-2: ALT-2	ALT-2_FORM	ALT-2_INT	ALT-2_VEIN_TYPE	ALT-2_VEIN_%	ALT-2_MIN1	ALT-2_MIN1_PCT CODE	COMMENTS / DESCRIPTION
50	56°	Xq	MAS	FG	GYL	1																					48.77m – 51.20m Quartzite, light grey, massive bed
51.20		GG				3																					51.20m – 51.38m Fault Gouge.
51.38		Xhb	BED	FG	GBRN	1																					51.38m – 52.38m Biotite Hornfelsed Siltstones, dark grey-brown.
52																											
52.38			MAS	FG	WH	0																					52.38m – 55.60m Quartzite. massive, white, granular, fine grained
		Xq																									(< 0.5mm). With trace Po + Py. Py is along fractures, Po is disseminated. 46° t.c.a. bedding contacts.
54																											
55.60																											
56	46°		BED	FG	GY	0																					55.60m – 69.80m Interbedded Quartzites + Biotite Hornfels (hornfelsed siltstones)
	60°	Xhb																									Regularly repeating/alternating HF+QZT beds, from 14cm beds to 60cm beds on average.
58																											
																											Trace qtz. veining.
60	58°																										
62																											
64'																											

PROJECT: Antimony Mountain-AJ Vein HOLE_ID: AJ11-28 LOGGED BY: Shane Carlos DATE: October 29th, 2011.

PREDATOR GROUP

INTERVAL (meters)	STRUCTURE	LITHOLOGY	ROCKCODE	MODIFYCODE	GRAIN_SIZE	COLOR	OXIDE_CODE	SULF1	SULF1_PCT CODE	SULF2	SULF2_PCT CODE	ALT-1	ALT-1_FORM	ALT-1_INT	ALT-1_VEIN_TYPE	ALT-1_VEIN_%	ALT-1_MIN1	ALT-1_MIN1_PCT CODE	ALT-1_MIN2	ALT-1_MIN2_PCT CODE	ALT-2	ALT-2_FORM	ALT-2_INT	ALT-2_VEIN_TYPE	ALT-2_VEIN_%	ALT-2_MIN1	ALT-2_MIN1_PCT CODE	COMMENTS / DESCRIPTION
GRAPHIC			LITHOLOGY					MINERALIZATION				ALTERATION-1									ALTERATION-2								
65	25°			BED	FG	GY	1																					
			64.80 GG			GY	O																					64.80m – 65.67 Fault Gouge. contacts ~25° t.c.a.
			65.67																									
67			Xhb	BED	FG	OGY	2																					65.67m – 72.10m Quartzite + Biotite Hornfelsed Siltstones. Porphyroblastic texture in the hornfels, consisting of white andalusites? Highly fractured rock, orange iron oxidized.
69																												
71																												
			72.10.																									
73			Xhb	POB	FG	GY	O																					72.10m – 73.24m Biotite Hornfelsed Siltstones, possibly andalusite as white ~~porphyroblasts~~.
			73.24	BED	FG	GY	O	Py	1			TML	Pat	2	TML	1%	TML	1										73.24m – 79.94m Quartzite + Biotite Hornfelsed Siltstones.
75			Xhb																									Interbedded, from 50cm to 10cm alternating beds. ~50-60° t.c.a. bedding planes.
	Tourm. 140																											Fine grained: ≤0.3mm qtz. grains, ≤ 0.2mm silt grains.
77																												Trace pyrite and Black Tourmaline veining.
79																												

PROJECT: Antimony Mountain-AJ Vein HOLE_ID: AJ11-28 LOGGED BY: Shane Carlos DATE: October 29th, 2011.

PREDATOR GROUP

INTERVAL (meters)	STRUCTURE	LITHOLOGY	ROCKCODE	MODIFYCODE	GRAIN_SIZE	COLOR	OXIDE_CODE	SULF1	SULF1_PCT CODE	SULF2	SULF2_PCT CODE	ALT-1	ALT-1_FORM	ALT-1_INT	ALT-1_VEIN_TYPE	ALT-1_VEIN_%	ALT-1_MIN1	ALT-1_MIN1_PCT CODE	ALT-1_MIN2	ALT-1_MIN2_PCT CODE	ALT-2	ALT-2_FORM	ALT-2_INT	ALT-2_VEIN_TYPE	ALT-2_VEIN_%	ALT-2_MIN1	ALT-2_MIN1_PCT CODE	COMMENTS / DESCRIPTION
		54°	79.94																									
80			Xq	MAS	FG	GY	0	Py	1																			79.94m – 81.20m Quartzite.
		65°	81.20	BED	FG	GBR	0	Py	1																			81.20m – 83.16m Biotite Hornfelsed Siltstones
82			Xhb																									
			83.16																									
				MAS	FG	WH	0	Py	1			TML	PAT	2	TML	1%	TML	1										83.16m – 84.96m Quartzite
84			Xq																									
		62°	84.96																									84.96m – 85.94m Biotite Hornfelsed Siltstones., dark grey-brown.
			Xhb	POR		GBRD	0																					lower cont. ~40° t.c.a., upper ~62° t.c.a.
86			85.94																									85.94m – 88.54m Quartzite + Biotite Hornfelsed Siltstones
		45°	Xq	BED	FG	GY	0																					
88			88.54																									
			Xhb	BED	FG	GRG	0	Py	2																			88.54m – 89.70m Hornfelsed Siltstones. ~2% pyrite in massive
		40°	89.70																									sulphide vein with arsenopyrite., green-grey, dark green-black chlorite.
90			Xq	MAS	FG	GY	0																					89.70 – 90.83m Quartzite, grey, must have been a greywacke.
		35°																										27° t.c.a. lower contact, fine biotite in matrix.
			90.83																									90.83m – 91.83m Hornfelsed Siltstones, biotite v.fg., grey-brown-dark.
		27°	Xhb	BED	FG	GBRD	0																					upper 27° bedding contact, down-hole ~35° bedding contact
92		55°	91.83																									91.83m – 94.30m Quartzite, grey, fine-grained
			Xq	MAS	FG	GY	0	Py	1																			
																												35° t.c.a. 1cm pyrite vein, // to bedding
94																												

PROJECT: Antimony Mountain-AJ Vein HOLE_ID: AJ11-28 LOGGED BY: Shane Carlos DATE: October 29th, 2011.

PREDATOR GROUP

INTERVAL (meters) / STRUCTURE	LITHOLOGY	ROCKCODE	MODIFYCODE	GRAIN_SIZE	COLOR	OXIDE_CODE	SULF1	SULF1_PCT CODE	SULF2	SULF2_PCT CODE	ALT-1	ALT-1_FORM	ALT-1_INT	ALT-1_VEIN_TYPE	ALT-1_VEIN_%	ALT-1_MIN1	ALT-1_MIN1_PCT CODE	ALT-1_MIN2	ALT-1_MIN2_PCT CODE	ALT-2	ALT-2_FORM	ALT-2_INT	ALT-2_VEIN_TYPE	ALT-2_VEIN_%	ALT-2_MIN1	ALT-2_MIN1_PCT CODE	COMMENTS / DESCRIPTION
		94.30																									
95		Xhb	BED	FG		O																					94.30m – 96.10m Biotite Hornfelsed Siltstones
	35°																										95.04m – 95.61m Quartzite, with some brittle-ductile shearing
		96.10m																									
		GG				O	Py	2	AS	2																	96.10m – 96.35m Fault Gouge + pyrite + arsenopyrite, ~ 10% sulphides
97		96.35m MSU				O	AS	6	Py	6																	96.35m – 96.94m Massive Sulphide + Hornfels, ~ 47° t.c.a.
		96.94	BLK	FG	GY	O	Py	1	AS	1																	~ 33% Arseno, 33% Hornfels, 33% Pyrite.
99		Xq																									96.94m – 104.59m Quartzite, highly fractured, brittle, blocky.
	35°																										with ~1% Py, ~1% As in ≤ 3cm wide veins
101																											@ 99.72m
	50° Bedding																										
	32°																										
103																											
		104.59																									
105	?	Xh	BED	FG	GRA	O	Py	6	AS	5																	104.59m – 109.82m Massive Sulphides and Chlorite Hornfelsed Siltstones, green-black, abundant dark green chlorite, ~ 20% chlorite
																											~ 105.60 – 105.70 fault gouged massive sulphide veins contacts are broken + disintigrated ✓
107																											
																											108.47m – 109m Quartzite, grey, with ~1% arsenopyrite veins.
109																											

PROJECT: Antimony Mountain-AJ Vein HOLE_ID: AJ11-28 LOGGED BY: Shane Carlos DATE: October 30th, 2011.

PREDATOR GROUP

INTERVAL (meters) / STRUCTURE	LITHOLOGY	ROCKCODE	MODIFYCODE	GRAIN_SIZE	COLOR	OXIDE_CODE	SULF1	SULF1_PCT CODE	SULF2	SULF2_PCT CODE	ALT-1	ALT-1_FORM	ALT-1_INT	ALT-1_VEIN_TYPE	ALT-1_VEIN_%	ALT-1_MIN1	ALT-1_MIN1_PCT CODE	ALT-1_MIN2	ALT-1_MIN2_PCT CODE	ALT-2	ALT-2_FORM	ALT-2_INT	ALT-2_VEIN_TYPE	ALT-2_VEIN_%	ALT-2_MIN1	ALT-2_MIN1_PCT CODE	COMMENTS / DESCRIPTION
		109.83																									109.83 – 112.52 Massive Sulphide, ~60% py, ~30% Arsenopyrite.
110	45°	MSU		MG	GYD	O	Py	6	As	6																	
	32°																										
	35°																										
112		112.52																									112.52m – 113.72m Quartzite, grey, fine-grained
	35°	Xq	MAS	FG	GY	O																					
		113.72																									
114		Xh	BED	FG	GRGL	O	Py	1	As	1																	113.72m – 116.43m Hornfelsed siltstones, with ~1% py + arseno in veinlets green-grey-light in colour,
																											116.30 – 116.40 Massive arsenopyrite @ 43° t.c.a.
116	43°	116.43																									
	44°	Xq	MAS	FG	GY	O	Py	2			TML	Pat	3	TML	8%	TML	4										116.43m – 117.76m Quartzite, grey, fine-grained. Black Tourmaline veining is irregular and fills up spaces btw. fractured qtzite., ~8% Tourmaline. ~2% pyrite occurring with the tourmaline
		117.76																									
118	40°	MZT	POR	FMG	GYD	O	Po	1																			117.76m – 118.55m Intrusive, Dyke, porphyritic, subhedral forms replaced by v.f.g. brown-red biotite. Monzonite? fine grained matrix, few percent qtz grains visible. Appears to be a dyke with x-cutting orientation ~90° to qtzite bedding → fractured through.
		118.55																									
		Xq																									
120		122.23																									118.55m – 122.23m Quartzite + some hornfelsed siltsones,
			BED	FG	GRGL	O	Py	2			TML	Pat	3	TML	5%	TML	4										
		Xhb																									122.23m – 125.30m Hornfelsed Siltsones, green-grey, argillically altered? → slightly bleached from the regular biotite hornfels down-hole + in AJ11-27
122	34°																										
124																											

PROJECT: Antimony Mountain-AJ Vein HOLE_ID: AJ11-28 LOGGED BY: Shane Carlos DATE: October 30th, 2011.

PREDATOR GROUP

INTERVAL (meters)	STRUCTURE	LITHOLOGY	ROCKCODE	MODIFYCODE	GRAIN_SIZE	COLOR	OXIDE_CODE	SULF1	SULF1_PCT CODE	SULF2	SULF2_PCT CODE	ALT-1	ALT-1_FORM	ALT-1_INT	ALT-1_VEIN_TYPE	ALT-1_VEIN_%	ALT-1_MIN1	ALT-1_MIN1_PCT CODE	ALT-1_MIN2	ALT-1_MIN2_PCT CODE	ALT-2	ALT-2_FORM	ALT-2_INT	ALT-2_VEIN_TYPE	ALT-2_VEIN_%	ALT-2_MIN1	ALT-2_MIN1_PCT CODE	COMMENTS / DESCRIPTION
125	45°	34°	125.30	BED	FG	GYD	D																					124.28 – 124.84m Massive Black Tourmaline + Qtz.-Tourm. vein breccia, + ~ 5% pyrite., ~45° t.c.a.
			Xhb																									125.30m – 134.72m Biotite Hornfelsed Siltstone
127																												125.95m – 126.16m White Quartzite with Tourmaline veins.
129																												
131																												
133																												
			134.72																									134.72m – 141.73m Ground-up Hornfels – Fault Gouge
135			GG			GY	D																					~soft ground-up, unconsolidated, gel, to aerated 'slop'. Drill bit has obviously 'whipped' up this soft, fault prepared, hydrated, sediment. Not argillic alteration, as it is not sticky, but a 'gel' of silt & mud.
137																												
139																												Poor Recovery

PROJECT: Antimony Mountain-AJ Vein HOLE_ID: AJ11-28 LOGGED BY: Shane Carlos DATE: October 30th, 2011.

PREDATOR GROUP

INTERVAL (meters) / STRUCTURE	GRAPHIC: LITHOLOGY	LITHOLOGY: ROCKCODE	LITHOLOGY: MODIFYCODE	LITHOLOGY: GRAIN_SIZE	LITHOLOGY: COLOR	LITHOLOGY: OXIDE_CODE	MINERALIZATION: SULF1	MINERALIZATION: SULF1_PCT CODE	MINERALIZATION: SULF2	MINERALIZATION: SULF2_PCT CODE	ALTERATION-1: ALT-1	ALTERATION-1: ALT-1_FORM	ALTERATION-1: ALT-1_INT	ALTERATION-1: ALT-1_VEIN_TYPE	ALTERATION-1: ALT-1_VEIN_%	ALTERATION-1: ALT-1_MIN1	ALTERATION-1: ALT-1_MIN1_PCT CODE	ALTERATION-1: ALT-1_MIN2	ALTERATION-1: ALT-1_MIN2_PCT CODE	ALTERATION-2: ALT-2	ALTERATION-2: ALT-2_FORM	ALTERATION-2: ALT-2_INT	ALTERATION-2: ALT-2_VEIN_TYPE	ALTERATION-2: ALT-2_VEIN_%	ALTERATION-2: ALT-2_MIN1	ALTERATION-2: ALT-2_MIN1_PCT CODE	COMMENTS / DESCRIPTION
140																											~ 138.62 – 141.73m ~ 90% silty / muddy gel
																											~ 134.72 – 138.62m broken, soft, hydrated sediment → siltstone, fractured into ~1cm size clasts
		141.73																									
142		EOH																									

DRILLHOLE SUMMARY FORM

PREDATOR GROUP

HOLE_ID:	AJ11- 29
PROJECT:	ANTIMONY MTN.
PROSPECT:	AJ VEIN
PROJECT CODE:	ANM
End Of Hole CODE	EOH
LOGGED BY:	SHANE A. CARLOS
DATE:	Nov. 3rd, 2011.
DRILL TYPE:	KD1000
NAD83 UTM E:	637647
NAD83 UTM N:	7132147
GRID ID:	
GRID X:	
GRID Y:	
ELEV:	1378m
COLLAR DIP:	-65
GRID AZIMUTH:	
TRUE AZIMUTH:	040
PRECOLLAR LENGTH:	250m
TOTAL LENGTH:	291.08m
DH SURVEYED (Y/N):	Yes
DH SURVEYED BY:	Marcello G.
DH SURVEY TOOL:	EZ SHOT
ORIENTED CORE:	Yes
TOOL TYPE:	EZ SHOT

DRILL CONTRACTOR:	KLUANE DRILLING
DRILLER:	Marcello Giaeeglia / Adam Morrison

START DATE / TIME:	16 Sept. 2011 / NIGHT
FINISH DATE / TIME:	19 Sept. 2011 / MORNING

DRILLHOLE SUMMARY (Slow drilling, etc) **FROM / TO:**

0 - 8.84m OVERBURDEN, brown soil + cobbles of biot MZT + silic. hornfelsed siltstones + Quartzite. 8.84m - 49.57m Biotite Hornfelsed Siltstones, patchy silicification with trace Black Tourmaline + Py + Calcite veining. 49.57m - 83.96m, Interbedded Hornfelsed Siltstones + Quartzite, from 1m beds + larger, then massive hornfelsed siltstone to 93.50m. 93.50m - 95.86m argillized HF by MZT sill, 95.86 - 96.36m. 96.36m - 100.58m Qzt + HF, then MZT Sill to 103.48m with some py + arsenopyrite. 103.48m - 109.73m Hornfelsed Sandy Siltstones / Wacke, then, gouge to 110.82m @ 15° t.c.a. 110.82m to 122.20m Massive Sulphides with conglomerate interbed. 122.20m - 144.87m Hornfelsed siltstones + Quartzite. 144.87m - 220.98m Intensely Silicified Biotite Hornfelsed Siltstones, with pink silica flooding, then Quartzite to 233.17m, then Interbedded Qtz.ite + HF to 291.08, End of Hole. with a hundred fault Gouge throughout + sandstone, + Cataclastite from 272.94m - 274.70m.

CROSS SECTION:



X-Section 1:3000 Scale 10m 50m 100m

PROJECT: Antimony Mountain-AJ Vein HOLE_ID: AJ11-29 LOGGED BY: Shane Carlos DATE: Oct. 31st, 2011.

PREDATOR GROUP

INTERVAL (meters) / STRUCTURE	GRAPHIC: LITHOLOGY	LITHOLOGY: ROCKCODE	MODIFYCODE	GRAIN_SIZE	COLOR	OXIDE_CODE	MINERALIZATION: SULF1	SULF1_PCT CODE	SULF2	SULF2_PCT CODE	ALTERATION-1: ALT-1	ALT-1_FORM	ALT-1_INT	ALT-1_VEIN_TYPE	ALT-1_VEIN_%	ALT-1_MIN1	ALT-1_MIN1_PCT CODE	ALT-1_MIN2	ALT-1_MIN2_PCT CODE	ALTERATION-2: ALT-2	ALT-2_FORM	ALT-2_INT	ALT-2_VEIN_TYPE	ALT-2_VEIN_%	ALT-2_MIN1	ALT-2_MIN1_PCT CODE	COMMENTS / DESCRIPTION
6		OVB																									0m – 8.84m Overburden. Brown soil and cobbles of biotite monzonite, silicified hornfelsed siltstones, and quartzite.
8																											
		8.84																									
10		Xh	BED	FG	OGY	2	Py	2			TM	Pat	2	TM	2%	TM	2			Si	Per	3			Qz	5	8.84m – 11.00m Hornfelsed siltstones. brecciated in places. v.f.g. particle size (< 1mm), finely bedded (1mm and >) siltstone layers. Generally, massive with no strongly preferred fracture. Only silicified in 1st portion of hole.
	?	11.00																									
		GG			OR	4																					11.00m – 11.20m Fault Gouge
12	?	11.20	BED	FG	OBR		Py	2			TM	Pat	2	TM	2%	TM	2			Si	Per	2			Qz	3	
		Xh																									11.20m – 13.44m Hornfelsed siltstones. orange-brown
	?	13.44																									
		GG			OR	2																					13.44m – 13.72m Fault Gouge
14	?	13.72	BED	FG	OR	3					TM	Pat	2	TM	1%	TM	2			Si	Per	2			Qz	4	13.72m – 18.06m Hornfelsed siltstones.
		Xh																									
	65° Bedding																										
16																											
18		18.06																									
	60°				GBR	1	Py	3			TM	Pat	2	TM	6%	TM	3	SER	2	Si	Per	2			Qz	4	18.06m – 30.27m Hornfelsed siltstones.
		Xh																									
20'																											18.64 – 18.86m Black Tourmaline – Qtz – Sericite vein x-cutting bedding.

PROJECT: Antimony Mountain-AJ Vein HOLE_ID: AJ11-29 LOGGED BY: Shane Carlos DATE: Oct. 31st, 2011.

PREDATOR GROUP

INTERVAL (meters)	STRUCTURE	LITHOLOGY	ROCKCODE	MODIFYCODE	GRAIN_SIZE	COLOR	OXIDE_CODE	SULF1	SULF1_PCT CODE	SULF2	SULF2_PCT CODE	ALT-1	ALT-1_FORM	ALT-1_INT	ALT-1_VEIN_TYPE	ALT-1_VEIN_%	ALT-1_MIN1	ALT-1_MIN1_PCT CODE	ALT-1_MIN2	ALT-1_MIN2_PCT CODE	ALT-2	ALT-2_FORM	ALT-2_INT	ALT-2_VEIN_TYPE	ALT-2_VEIN_%	ALT-2_MIN1	ALT-2_MIN1_PCT CODE	COMMENTS / DESCRIPTION
21	55°		Xh	BED	FG	GBR	1	Py	1	Po	1	TML	Pat	2	TML	6%												20.77m - 21.09m Massive Black Tourmaline, with ~5% calcite and ~4% pyrite, ~55° t.c.a and x-cuts bedding.
23	65°	65°																										22.52m - 22.78m Mass. Black Tourm. with, ~20% py. and ~5% calcite. ~ // to. bedding, ~65°
	15°		24.27 GG				4																					24.27m - 24.60m Fault Gouge. completely oxidized
25			24.60 Xhb	BED	FG	GRB	0					Si	Pat	1														24.60m - 26.90m green-brown, silicification is selective along <½cm bands/bedding.
			26.90																									
27			Xhb	BED	FG	OBR	3	Py	2			Si	Pat	2	Qz.	3%													26.90 - 28.08 Silicified Hornfelsed Siltstones. orange-brown. v.fg. pyritic clays. with qtz. stockwork, hairline qtz. veins.
	30°		28.08 GG				4																					28.08m - 28.75m Fault Gouge, completely oxidized
29			28.75																									28.75m - 34.12m Biotite + Chlorite Hornfelsed Siltstones, green-brown to red brown.
			Xhb	BED	FG	GRB																						
31		50°																										
33																												
	30°		34.12 GG				3																					34.12m - 34.64 Fault Gouge. ~30° t.c.a.
35			34.64																									

PROJECT: Antimony Mountain-AJ Vein HOLE_ID: AJ11-29 LOGGED BY: Shane Carlos DATE: Oct. 31st, 2011.

PREDATOR GROUP

INTERVAL (meters)	STRUCTURE	LITHOLOGY	ROCKCODE	MODIFYCODE	GRAIN_SIZE	COLOR	OXIDE_CODE	SULF1	SULF1_PCT CODE	SULF2	SULF2_PCT CODE	ALT-1	ALT-1_FORM	ALT-1_INT	ALT-1_VEIN_TYPE	ALT-1_VEIN_%	ALT-1_MIN1	ALT-1_MIN1_PCT CODE	ALT-1_MIN2	ALT-1_MIN2_PCT CODE	ALT-2	ALT-2_FORM	ALT-2_INT	ALT-2_VEIN_TYPE	ALT-2_VEIN_%	ALT-2_MIN1	ALT-2_MIN1_PCT CODE	COMMENTS / DESCRIPTION
36	25°	60°	Xhb	BED	FG	GYD	1																					34.64m – 38.43m Hornfelsed Siltstones.
																												35.63 – 35.73m a partially oxidized fault gouge zone. @ 25° t.c.a, which crosses the bedding 180° ± 10° Beta angle for the apexes. ie beds → Fault orientation
38		45°	38.43																									
				BED	FG	GYD	1	Po	1			Si	Pat	1	Qz	1/10%												38.43m – 47.24m Biotite Hornfelsed Siltstones and Quartzites.
40			Xq																									Interbedded, up to 80cm downhole thickness, some beds altern. every 3cm. In total, ~50% quartzite, ~50% Hornfels.
																												Trace Po., trace oxidation along fractures.
42		45°																										Some porphyroblastic crystal aggregates in the hornfels. Possibly andalusites.
																												47.86m – 43.24m Quartzite
44																												@ 45.28m ~ 0.7cm wide qtz – Po vein ~ 30° t.c.a.
		60°																										45.53 – 45.77 Quartzite, ~80° t.c.a. bed.
46		44°																										46.41 – 47.10m Quartzite, ~44° t.c.a.
			47.24																									
			Xh	BED	FG	GYD	1																					47.24m – 49.57m Hornfelsed Siltstones, biotite is not visible under microscope, less intense metamorphism.
48																												
			49.57																									
50			Xq																									49.57m – 50.66 Quartzite, ~48° t.c.a. beds

PROJECT: Antimony Mountain-AJ Vein HOLE_ID: AJ11-29 LOGGED BY: Shane Carlos DATE: Oct. 31st, 2011.

PREDATOR GROUP

INTERVAL (meters) / STRUCTURE	GRAPHIC: LITHOLOGY	LITHOLOGY: ROCKCODE	LITHOLOGY: MODIFYCODE	LITHOLOGY: GRAIN_SIZE	LITHOLOGY: COLOR	LITHOLOGY: OXIDE_CODE	MINERALIZATION: SULF1	MINERALIZATION: SULF1_PCT CODE	MINERALIZATION: SULF2	MINERALIZATION: SULF2_PCT CODE	ALTERATION-1: ALT-1	ALT-1_FORM	ALT-1_INT	ALT-1_VEIN_TYPE	ALT-1_VEIN_%	ALT-1_MIN1	ALT-1_MIN1_PCT CODE	ALT-1_MIN2	ALT-1_MIN2_PCT CODE	ALTERATION-2: ALT-2	ALT-2_FORM	ALT-2_INT	ALT-2_VEIN_TYPE	ALT-2_VEIN_%	ALT-2_MIN1	ALT-2_MIN1_PCT CODE	COMMENTS / DESCRIPTION
50.66		Xh																										50.66m - 51.52m Hornfelsed, weakly silicified, Siltstones.
51.52	65°	Xq	MAS	FG	GY	O																						51.52m - 54.24m Quartzite. ~65° t.c.a. bedding
54.24		Xh	BED	FG	GYD	I																						54.24m - 56.00m Hornfelsed Siltstones + Quartzites, interbedded.
																												56.00m - 57.50m Quartzite.
58.14		Xq	MAS	FG	GY	O																						58.14m - 61.28m Quartzite
61.28		Xh	BED	FG	GYD	I																						61.28m - 63.75m Hornfelsed Siltstones The quartzite here, is highly fractured and oxidized, orange.
63.75	50°	Xq	MAS	FG	GY	I																						63.75m - 64.75m Quartzite.
64.75																												

Page 5 of 21

PROJECT: Antimony Mountain-AJ Vein HOLE_ID: AJ11-29 LOGGED BY: Shane Carlos DATE: , 2011.

PREDATOR GROUP

INTERVAL (meters) / STRUCTURE	LITHOLOGY	ROCKCODE	MODIFYCODE	GRAIN_SIZE	COLOR	OXIDE_CODE	SULF1	SULF1_PCT CODE	SULF2	SULF2_PCT CODE	ALT-1	ALT-1_FORM	ALT-1_INT	ALT-1_VEIN_TYPE	ALT-1_VEIN_%	ALT-1_MIN1	ALT-1_MIN1_PCT CODE	ALT-1_MIN2	ALT-1_MIN2_PCT CODE	ALT-2	ALT-2_FORM	ALT-2_INT	ALT-2_VEIN_TYPE	ALT-2_VEIN_%	ALT-2_MIN1	ALT-2_MIN1_PCT CODE	COMMENTS / DESCRIPTION
66		Xh	BED	FG	GYD	0																					64.75m – 68.94m Hornfelsed Siltstones
68																											
68.94																											
55°		Xq	MAS	FG	OGY	1																					68.94m – 70.10m Quartzite
70.10																											
70	60°	Xh	BED	FG	GYD	0																					70.10m – 71.34m Hornfelsed Siltstones
71.34																											71.34m – 73.48m Quartzite
72	65° Bedding	Xq	MAS	FG	OGY	1																					
73.48																											73.48m – 76.62m Hornfelsed Siltstones → Mudstone, upper contact @ 15° t.c.a.
74	60°	Xh	MAS	FG	GYD	1																					Trace v.f.g. biotite visible under microscope.
76																											
76.62																											76.62m – 77.94m Network of wormy qtz veining in a sandy altered matrix. The rock is argillically altered leaving behind a qtz. sand, weakly held together. Trace arsenopyrite. Qtz-As veins
78		Xq		FG	TA	3	AS	1			AR	PER	2			ILL	5			Si	Pat	2	Qz	6%			
77.94			MAS	FG	GY	1					TM	Pat	2	TM	1%												77.94m – 81.50m Quartzite with some thin (~4cm) interbeds of hornfelsed + silicified siltstones.
80'		Xq																									Tourmaline veining at ~12° t.c.a.

PROJECT: Antimony Mountain-AJ Vein HOLE_ID: AJ11-29 LOGGED BY: Shane Carlos DATE: Oct. 31st, 2011.

PREDATOR GROUP

INTERVAL (meters)	STRUCTURE	LITHOLOGY	ROCKCODE	MODIFYCODE	GRAIN_SIZE	COLOR	OXIDE_CODE	SULF1	SULF1_PCT CODE	SULF2	SULF2_PCT CODE	ALT-1	ALT-1_FORM	ALT-1_INT	ALT-1_VEIN_TYPE	ALT-1_VEIN_%	ALT-1_MIN1	ALT-1_MIN1_PCT CODE	ALT-1_MIN2	ALT-1_MIN2_PCT CODE	ALT-2	ALT-2_FORM	ALT-2_INT	ALT-2_VEIN_TYPE	ALT-2_VEIN_%	ALT-2_MIN1	ALT-2_MIN1_PCT CODE	COMMENTS / DESCRIPTION
81			Xq				1																					
			81.50																									
			Xhb	POB	FNG	GYD	0																					81.50–82.50m: Hornfelsed Siltstones. Porphyroblastic andalusites locally.
			82.50																									
83	55° Beds		Xq	MAS	FG	GY	0																					82.50m–83.96m Quartzite, massive, fine-grained (≤ ¼ mm) grey, no oxidation.
			83.96																									
			Xhb	MAS		GBK	0	Po	1			TML	Pat	2	TML	2%					Si	Per	3			Qz	5	83.96m–93.50 Biotite Hornfelsed Siltstones, brown-dark grey/black with black Tourmaline veining. Bedding laminations are present but hazy vis. due to black colouration and intense silicification + hornfelsing, ~55° t.c.a. bedding.
85																												
87	20°																											@ ~87m 2 // black Tourmaline veins, @ ~20° t.c.a, ≒ 1.5cm thick.
89	55° Beds																											
91																												
93																												
			93.50																									
95	50°		Xh	BED	FG	GRGL	0					AR	PER	2							TM	PAT	2	TM	12%	TM	4	93.50–95.86m Hornfels, not really recognizable as such due to the bleaching and argillic alteration. Light green-grey

PROJECT: Antimony Mountain-AJ Vein HOLE_ID: AJ11-29 LOGGED BY: Shane Carlos DATE: Nov. 2nd, 2011.

PREDATOR GROUP

INTERVAL (meters) / STRUCTURE	LITHOLOGY	ROCKCODE	MODIFYCODE	GRAIN_SIZE	COLOR	OXIDE_CODE	SULF1	SULF1_PCT CODE	SULF2	SULF2_PCT CODE	ALT-1	ALT-1_FORM	ALT-1_INT	ALT-1_VEIN_TYPE	ALT-1_VEIN_%	ALT-1_MIN1	ALT-1_MIN1_PCT CODE	ALT-1_MIN2	ALT-1_MIN2_PCT CODE	ALT-2	ALT-2_FORM	ALT-2_INT	ALT-2_VEIN_TYPE	ALT-2_VEIN_%	ALT-2_MIN1	ALT-2_MIN1_PCT CODE	COMMENTS / DESCRIPTION
		Xh 95.86	BED	FG	GRGL	0																					94.20-94.40m Black Tourmaline+Pyrite vein, ~50° t.c.a, // to bedding.
96	50°	MZT ? 96.36		FG	GRG	0	Py	3	As	1	PH	PER	3			SER	6	Qz	6								95.86m-96.36m Monzonite? Sill. green-grey, massive sericite, qtz., ~5% fg. pyrite, // to bedding blebs in the surrounding Hornfels+qtzite, trace arsenopyrite. ~50° t.c.a.
98		Xq 98.56	MAS	MCG	GYL	0					Si	PER	2	Qz	2	Qz	3										96.36m-98.56m Quartzite, med.-coarse grained (1mm-3mm), rounded to sub-angular 3mm grains, some silicification→addition of qtz. veins. Bi-modal grain size.
	70°	Xhb			GYO	0					Si	PER	3			Qz	7										98.56m-100.58m Silicified, Hornfelsed Siltstones. dark-grey, intense silicification→>50% fine silica replacing. With 'blotches' of fine grained brown biotite.
100	45°	100.58																									
		MZT	POR	FMG	GY	0																					100.58m-103.48m Intrusive, porphyritic, magnetic+~5% bio →Po, biotite v.f.g replacing porphyro crysts. ~ ≤1cm crysts.
102																											This 'dyke' has been veined by black Tourmaline and replaced by massive py+arsenopyrite from ~103-103.63m
		103.48																									
104			BED	FG	GRGL	0																					103.48m-109.73m Hornfelsed Siltstones + possible minor volcaniclastic. light-green-gray, with chlorite.
106		Xh																									103.48m-103.90m Massive Sulphides.
																											@ 106m interesting layer in the alt. Hornfelsed siltstones.
108																											Contains poikolitic grains, euhedral alt. feldspar laths, rounded igneous clasts and a sandy matrix. ~10cm wide volcaniclastic layer?
	15°	109.73																									109.73m-110.82m Fault Gouge, with sericite-chlorite
110																											

PROJECT: Antimony Mountain-AJ Vein HOLE_ID: AJ11-29 LOGGED BY: Shane Carlos DATE: Nov. 2nd, 2011.

PREDATOR GROUP

INTERVAL (meters) / STRUCTURE	LITHOLOGY	ROCKCODE	MODIFYCODE	GRAIN_SIZE	COLOR	OXIDE_CODE	SULF1	SULF1_PCT CODE	SULF2	SULF2_PCT CODE	ALT-1	ALT-1_FORM	ALT-1_INT	ALT-1_VEIN_TYPE	ALT-1_VEIN_%	ALT-1_MIN1	ALT-1_MIN1_PCT CODE	ALT-1_MIN2	ALT-1_MIN2_PCT CODE	ALT-2	ALT-2_FORM	ALT-2_INT	ALT-2_VEIN_TYPE	ALT-2_VEIN_%	ALT-2_MIN1	ALT-2_MIN1_PCT CODE	COMMENTS / DESCRIPTION
																											alteration, ~15-20° t.c.a.
111		110.82				0																					
		MSU	MAS		YGY	0																					110.82m – 114.42m Massive Sulphides. yellow grey ~40% pyrite, ~20% qtz., 25% Arsenopyrite, ~5% pyrrhotite, trace chalcopyrite
113																											
		114.42																									
		METS	PBY	CG	GY	0					Si	Per	3			Qz	6										114.42m – 116.25m Meta-Conglomerate, with fine qtzite matrix. Pebby = PBY. Silicified/recrystallized, as pebbles are only component still retaining original forms more or less.
115		116.25																									
		MSU	MAS	CG	YGY	0																					116.25m – 122.20m Massive Sulphides., yellow grey. with euhedral, coarse grained ($\frac{1}{2}$cm x ≥1cm) clear qtz. crystals
117																											~40% pyrite, ~20% qtz., 25% arsenopyrite, ~5% pyrrhotite, trace chalcopyrite
119																											Sulfide texture locally is ~1cm – 2cm elongate 'laths' of pyrite + arsenopyrite in a pyrrhotite matrix. Has a 'trachytic' looking texture → possible replacement of feldspars → pseudomorphic sulphides.
121																											
		122.10																									
		GG				0	Py	3	As	3																	122.20m – 122.80m Fault Gouge, upper contact ~25° t.c.a. // to massive sulphide veining, lower cont. disinticrated.
123		122.80																									
		Xh	BED	FG	GYD	0	Po	1			Si	PER	3			Qz	5										122.80 – 127m Hornfelsed Siltstones, moderately silicified.
125'																											

PROJECT: Antimony Mountain-AJ Vein HOLE_ID: AJ11-29 LOGGED BY: Shane Carlos DATE: Nov. 2nd, 2011.

PREDATOR GROUP

INTERVAL (meters) / STRUCTURE	LITHOLOGY	ROCKCODE	MODIFYCODE	GRAIN_SIZE	COLOR	OXIDE_CODE	SULF1	SULF1_PCT CODE	SULF2	SULF2_PCT CODE	ALT-1	ALT-1_FORM	ALT-1_INT	ALT-1_VEIN_TYPE	ALT-1_VEIN_%	ALT-1_MIN1	ALT-1_MIN1_PCT CODE	ALT-1_MIN2	ALT-1_MIN2_PCT CODE	ALT-2	ALT-2_FORM	ALT-2_INT	ALT-2_VEIN_TYPE	ALT-2_VEIN_%	ALT-2_MIN1	ALT-2_MIN1_PCT CODE	COMMENTS / DESCRIPTION
GRAPHIC	LITHOLOGY						MINERALIZATION				ALTERATION-1									ALTERATION-2							
126	60°	Xh		FG	GYD	O																					
		127																									
128		Xh	BED	FG	GYD	O																					~127m – 133.90 Hornfelsed Siltstones, not silicified., ~40° t.c.a. fine-grained (≤ 1/16 mm)
130																											128.90 – 129m Sandy layer with 2mm long biotite laths. + Po
	40°																										
132																											
		133.90																									
134		Xq	BED	FG	GY	O																					133.90m – 137.90m Quartzite. with thin interbeds of hornfelsed siltstone.
136																											
		137.90																									
138		Xq	BED	FG	GY	O																					~~137.90m – 144.87m~~ Quartzites + Hornfelsed Siltstones. Thin (mm ≤ 1cm sizes) interbeds, alternating, probably Quartzite is > than HF, here.
	40°																										
140'																											

PROJECT: Antimony Mountain-AJ Vein HOLE_ID: AJ11-29 LOGGED BY: Shane Carlos DATE: Nov. 2nd, 2011.

PREDATOR GROUP

INTERVAL (meters)	STRUCTURE	LITHOLOGY	ROCKCODE	MODIFYCODE	GRAIN_SIZE	COLOR	OXIDE_CODE	SULF1	SULF1_PCT CODE	SULF2	SULF2_PCT CODE	ALT-1	ALT-1_FORM	ALT-1_INT	ALT-1_VEIN_TYPE	ALT-1_VEIN_%	ALT-1_MIN1	ALT-1_MIN1_PCT CODE	ALT-1_MIN2	ALT-1_MIN2_PCT CODE	ALT-2	ALT-2_FORM	ALT-2_INT	ALT-2_VEIN_TYPE	ALT-2_VEIN_%	ALT-2_MIN1	ALT-2_MIN1_PCT CODE	COMMENTS / DESCRIPTION
GRAPHIC				LITHOLOGY				MINERALIZATION				ALTERATION-1									ALTERATION-2							
141	50° Bedding		Xq	BED	FG	GY	0																					
143																												
			144.87																									
145				BED	FG	GRB	0	Po	1	Py	1	Si	Per	3		Qz	7											144.87m – 191m Biotite Hornfelsed Siltstones, intensely silicified, ~1% Po as ≤1cm length, roundish blotches. Coloration is brown, due to v.fg. biotite, some layers are greenish due to chlorite. Locally silicification bleaches out the vivid browns resulting in a pale brown or pale green. Bright white-pink silicification occurs locally, replacing selective bedding horizons. usually < 1cm thick. Trace Pyrite in veinlets
147	50° Bedding		Xhb																									
149																												Some of the colour banding may be brown = HF, and green = qtzite, however silicification is so intense, not sure if the green represents a qtzite or not. → most likely interbedded qtzites + HF siltstones.
151																												
153	50°																											153.32 – 153.43 m Quartzite bed, fine-grained (<¼mm grains), grey, ~50° t.c.a.
155'																												

PROJECT: Antimony Mountain-AJ Vein HOLE_ID: AJ11-29 LOGGED BY: Shane Carlos DATE: Nov. 2nd , 2011.

PREDATOR GROUP

INTERVAL (meters)	STRUCTURE	LITHOLOGY	ROCKCODE	GRAPHIC	LITHOLOGY: MODIFYCODE	GRAIN_SIZE	COLOR	OXIDE_CODE	MINERALIZATION: SULF1	SULF1_PCT CODE	SULF2	SULF2_PCT CODE	ALTERATION-1: ALT-1	ALT-1_FORM	ALT-1_INT	ALT-1_VEIN_TYPE	ALT-1_VEIN_%	ALT-1_MIN1	ALT-1_MIN1_PCT CODE	ALT-1_MIN2	ALT-1_MIN2_PCT CODE	ALTERATION-2: ALT-2	ALT-2_FORM	ALT-2_INT	ALT-2_VEIN_TYPE	ALT-2_VEIN_%	ALT-2_MIN1	ALT-2_MIN1_PCT CODE	COMMENTS / DESCRIPTION
156			Xhb		BED	FG	GRB	O	Po	1	Py	1	Si	PER	3	QS	1/4%	Qz	7											155.45 – 159.70m light gray-green colour with thin layers of silicified brownd hornfelsed siltstone layers, predominantly Quartzite but not long sections.
158																													
160		45°																											@ 161.30 blotches of Po in pink-white and light green-grey and brown layered hornfels
162																													
164																													
166																													
168		47°																											
170																													

PROJECT: Antimony Mountain-AJ Vein HOLE_ID: AJ11-29 LOGGED BY: Shane Carlos DATE: Nov. 3rd, 2011.

PREDATOR GROUP

INTERVAL (meters)	STRUCTURE	LITHOLOGY	ROCKCODE	MODIFYCODE	GRAIN_SIZE	COLOR	OXIDE_CODE	SULF1	SULF1_PCT CODE	SULF2	SULF2_PCT CODE	ALT-1	ALT-1_FORM	ALT-1_INT	ALT-1_VEIN_TYPE	ALT-1_VEIN_%	ALT-1_MIN1	ALT-1_MIN1_PCT CODE	ALT-1_MIN2	ALT-1_MIN2_PCT CODE	ALT-2	ALT-2_FORM	ALT-2_INT	ALT-2_VEIN_TYPE	ALT-2_VEIN_%	ALT-2_MIN1	ALT-2_MIN1_PCT CODE	COMMENTS / DESCRIPTION
GRAPHIC				LITHOLOGY				MINERALIZATION				ALTERATION-1									ALTERATION-2								
171			Xhb	BED	FG	GRB		Po	1	Py	1	Si	PER	3			Qz	7											@ 172.15m pyrite veinlets, ~ 4 anastomosing
173																												py. veins, ~ 1 - 2mm thick, ~ 22° t.c.a.
175																												Some colouration is pink.
177	45°																											
179																												179.30m - 179.55m Layer in the Hornfels invaded by bleaching solutions that branch out up-hole, bleeding out the brown biotite colouration along fractures and slightly into the bedding, along the fracture. The bleaching is pink silicification grading into green colours with a Po core.
181						PK																						
183																												
185	50°																											

PROJECT: Antimony Mountain-AJ Vein HOLE_ID: AJ11-29 LOGGED BY: Shane Carlos DATE: Nov. 3rd, 2011.

PREDATOR GROUP

INTERVAL (meters)	STRUCTURE	GRAPHIC LITHOLOGY	ROCKCODE	MODIFYCODE	GRAIN_SIZE	COLOR	OXIDE_CODE	SULF1	SULF1_PCT CODE	SULF2	SULF2_PCT CODE	ALT-1	ALT-1_FORM	ALT-1_INT	ALT-1_VEIN_TYPE	ALT-1_VEIN_%	ALT-1_MIN1	ALT-1_MIN1_PCT CODE	ALT-1_MIN2	ALT-1_MIN2_PCT CODE	ALT-2	ALT-2_FORM	ALT-2_INT	ALT-2_VEIN_TYPE	ALT-2_VEIN_%	ALT-2_MIN1	ALT-2_MIN1_PCT CODE	COMMENTS / DESCRIPTION
186			Xhb	BED	FG	GRB	O					Si	PER	3	Qz	2	Qz	7										
188																												
190	55° Bed																											
			191																									
192			Xhb	BED	FG	BR	O	Po	1			Si	PER	3	Qz	1	Qz.	6										191.00m – 220.98m Hornfelsed Siltstones, v.fg. biotite, brown in colour, green and pink colours have stopped. ~~indicating the~~ Silicification is still very intense, only the bleaching and green + pink siliceous layers have terminated.
194																												Thin alternating beds of HF + Quartzite, ~90% biotite Hornfelsed Siltstones, ~10% quartzite, mostly occurring from 215 – 220.98m
196	37° Bedding																											Po ~1%, as blotches and replacement along bedding planes, as thin <3mm layers.
198																												
200																												

PROJECT: Antimony Mountain-AJ Vein HOLE_ID: AJ11-29 LOGGED BY: Shane Carlos DATE: Nov. 3rd, 2011.

PREDATOR GROUP

INTERVAL (meters) / STRUCTURE	LITHOLOGY	ROCKCODE	MODIFYCODE	GRAIN_SIZE	COLOR	OXIDE_CODE	SULF1	SULF1_PCT CODE	SULF2	SULF2_PCT CODE	ALT-1	ALT-1_FORM	ALT-1_INT	ALT-1_VEIN_TYPE	ALT-1_VEIN_%	ALT-1_MIN1	ALT-1_MIN1_PCT CODE	ALT-1_MIN2	ALT-1_MIN2_PCT CODE	ALT-2	ALT-2_FORM	ALT-2_INT	ALT-2_VEIN_TYPE	ALT-2_VEIN_%	ALT-2_MIN1	ALT-2_MIN1_PCT CODE	COMMENTS / DESCRIPTION
GRAPHIC	LITHOLOGY						MINERALIZATION				ALTERATION-1									ALTERATION-2								
201	25° bedding		BED	FG	BR	O	Po	1			Si	Per	3	Qz	1	Qz	6											
203		xhb																										
205																												
207																												
209																												
211																												
213	34° Bedding																											
215'																												

PROJECT: Antimony Mountain-AJ Vein HOLE_ID: AJ11-29 LOGGED BY: Shane Carlos DATE: Nov. 9th, 2011.

PREDATOR GROUP

INTERVAL (meters)	STRUCTURE	LITHOLOGY	ROCKCODE	MODIFYCODE	GRAIN_SIZE	COLOR	OXIDE_CODE	SULF1	SULF1_PCT CODE	SULF2	SULF2_PCT CODE	ALT-1	ALT-1_FORM	ALT-1_INT	ALT-1_VEIN_TYPE	ALT-1_VEIN_%	ALT-1_MIN1	ALT-1_MIN1_PCT CODE	ALT-1_MIN2	ALT-1_MIN2_PCT CODE	ALT-2	ALT-2_FORM	ALT-2_INT	ALT-2_VEIN_TYPE	ALT-2_VEIN_%	ALT-2_MIN1	ALT-2_MIN1_PCT CODE	COMMENTS / DESCRIPTION
216	30°		Xhb	Bed	FG	BR	O	Po	1			Si	Per	3	Qz	1	Qz	6										@ ~ 215.30m a rapid change in the angle of bedding to core axis, coinciding with appearance of quartzite layers. Flow regime change during original sedimentation.
218	60°																											
220	50°																											
			220.98m																									
222			Xq	BED	FG	GY	O	Po																				220.98m – 233.17m Quartzite with mostly thin interbeds of hornfelsed siltstones, grey colour → biotite hornfelsing has ended, but generally hornfelsed siltstones persist. Quite dense + tough, contrasted to the nearly fresh, uncooked siltstones in hole AJ11-26.
224																												
226	40° Bed.																											
228																												
230'																												

PROJECT: Antimony Mountain-AJ Vein HOLE_ID: AJ11-29 LOGGED BY: Shane Carlos DATE: Nov. 4th, 2011.

PREDATOR GROUP

INTERVAL (meters) / STRUCTURE	LITHOLOGY	ROCKCODE	MODIFYCODE	GRAIN_SIZE	COLOR	OXIDE_CODE	SULF1	SULF1_PCT CODE	SULF2	SULF2_PCT CODE	ALT-1	ALT-1_FORM	ALT-1_INT	ALT-1_VEIN_TYPE	ALT-1_VEIN_%	ALT-1_MIN1	ALT-1_MIN1_PCT CODE	ALT-1_MIN2	ALT-1_MIN2_PCT CODE	ALT-2	ALT-2_FORM	ALT-2_INT	ALT-2_VEIN_TYPE	ALT-2_VEIN_%	ALT-2_MIN1	ALT-2_MIN1_PCT CODE	COMMENTS / DESCRIPTION
231		Xq	BED	FG	GY	O																					
233	233.17																										
		Xh	BED	FG	GYD	O	Py	1																			233.17m – 239.63m Hornfelsed siltstones, hard, some quartzite interbeds
235																											Pyrite as 3mm veinlets, rare.
237																											
239	26° Bedding																										
	239.63	Xq	MMS	FG	GY	O																					239.63m – 242.03m Quartzite, with thin interbeds of meta-graywacke
241	242.03																										
		Xh	BED	FG	GYD	O																					242.03m – 244.03 @ 242.20, 4cm x 1cm blotch of fine grained pyrrhotite.
243	244.03																										
		GG			GY	O																					244.03m – 244.36m Fault Breccia-Gouge. Angular clasts of quartzite in a milled-gouge matrix, contacts are discontinuated
245	244.36																										

PROJECT: Antimony Mountain-AJ Vein HOLE_ID: AJ11-29 LOGGED BY: Shane Carlos DATE: Nov. 4th, 2011.

PREDATOR GROUP

INTERVAL (meters) / STRUCTURE	LITHOLOGY	ROCKCODE	MODIFYCODE	GRAIN_SIZE	COLOR	OXIDE_CODE	SULF1	SULF1_PCT CODE	SULF2	SULF2_PCT CODE	ALT-1	ALT-1_FORM	ALT-1_INT	ALT-1_VEIN_TYPE	ALT-1_VEIN_%	ALT-1_MIN1	ALT-1_MIN1_PCT CODE	ALT-1_MIN2	ALT-1_MIN2_PCT CODE	ALT-2	ALT-2_FORM	ALT-2_INT	ALT-2_VEIN_TYPE	ALT-2_VEIN_%	ALT-2_MIN1	ALT-2_MIN1_PCT CODE	COMMENTS / DESCRIPTION
246		245.36 GG			GY	O																					245.36m – 245.80m Fault Gouge. Crushed quartzite + meta-siltstones ~~Some of the~~
		245.80 Xq	MAS	FG	GY	O																					245.80m – 248.25m Quartzite, well recrystallized, fine silica in places, especially lower contact, but with zones of a more sandy textured sandstone.
248	42°	248.25 GG				O																					249.25m – 249.52m Fault Breccia + Gouge. angular clasts floating in fine clay matrix. ~42° upper-hole contact with hard Quartzite → recrystallized, massive qtz.
		249.52 Xh	BED	FG	GYO	O																					249.52m – 254m Meta-Siltstones → Hornfels, but have been highly fractured and prepared by tectonisms Have a soapy feel, and fracture irregularly as if it had been homogenized by hornfelsing.
252																											
254	10°	254 GG			GY	O																					254 – 254.70m Fault Gouge + Shear Zone in chloritic-muddy siltstones. Strongly slickensided in muddy chlorite, ~ 10° t.ca.
		254.70 Xhb	BED	FG	GBR	D																					254.70m – 261.40m Biotite Hornfelsed siltstones, with interbeds of grey quartzite. → Brown colored HF, with recrystallized sandstone → massive quartzite. ~30° t.ca. bedding
256	30° Bed																										
258																											
260																											

PROJECT: Antimony Mountain-AJ Vein HOLE_ID: AJ11-29 LOGGED BY: Shane Carlos DATE: Nov. 4th, 2011.

PREDATOR GROUP

INTERVAL (meters) / STRUCTURE	LITHOLOGY	ROCKCODE	GRAPHIC: MODIFYCODE	LITHOLOGY: GRAIN_SIZE	LITHOLOGY: COLOR	LITHOLOGY: OXIDE_CODE	MINERALIZATION: SULF1	MINERALIZATION: SULF1_PCT CODE	MINERALIZATION: SULF2	MINERALIZATION: SULF2_PCT CODE	ALTERATION-1: ALT-1	ALT-1_FORM	ALT-1_INT	ALT-1_VEIN_TYPE	ALT-1_VEIN_%	ALT-1_MIN1	ALT-1_MIN1_PCT CODE	ALT-1_MIN2	ALT-1_MIN2_PCT CODE	ALTERATION-2: ALT-2	ALT-2_FORM	ALT-2_INT	ALT-2_VEIN_TYPE	ALT-2_VEIN_%	ALT-2_MIN1	ALT-2_MIN1_PCT CODE	COMMENTS / DESCRIPTION
261						0																					
10°		261.40																									
		Bx				0																					261.40m – 262.34m Fault Breccia. 3cm x 2cm and smaller SNDstone + HF Siltstone clasts, highly competent, with ~10% milled matrix.
		262.34																									262.34m – 263.22m Quartzite + HF Siltstones Interbedded.
263		Xh	BED			0																					
		263.22																									263.22m – 264.67m Fault Breccia - Gouge. Angular to sub-angular quartzite + alt. hornfels clasts in a fine clay gouge matrix. Jig-saw textures, some milling in central portion of fault.
35°		GG	Bxd			0																					
		264.67																									264.67m – 269.88m
265																											Quartzite? – Weakly so, tending more towards a sandstone
			BED	FG	GYL	0																					
		Sdsg																									Some of the zones in the gray sandstone are strongly recrystallized to a clear, massive, white qtz. → Quartzite
267																											Bedding @ ~47° t.c.a.
																											264.67m – 266.10m highly fractured incompetent to highly competent sandstone with jig-saw + minor milling textures.
269																											
47° Bed		269.88																									
			BED	FG	GY	0																					269.88m – 272.94m Grey Quartzite + HF Siltstones
271		Xq																									
																											→ lithologic contact, → Qtzite hosts cataclasis.
																											60° contact with Cataclastic Qtzite below
		272.94																									
273																											272.94m – 274.70m Brittle - Ductile Shear Qtz Breccia. Pervasive Qtz. → re-crystallized together to form snow-white qtz matrix with angular grey qtz. clasts floating. + some round qtz. clasts.
9°		Xc	FOL	FG	WH	0	Py	1																			
		274.70																									size up to 1cm, mostly <1mm.
275																											Strongly foliated, undulose, defined by pyrite wisps and other blackish minerals. → almost stylolitic.

Xc = Cataclastite

PROJECT: Antimony Mountain-AJ Vein HOLE_ID: AJ11-29 LOGGED BY: Shane Carlos DATE: Nov. 4th, 2011.

PREDATOR GROUP

INTERVAL (meters)	STRUCTURE	LITHOLOGY	ROCKCODE	MODIFYCODE	GRAIN_SIZE	COLOR	OXIDE_CODE	SULF1	SULF1_PCT CODE	SULF2	SULF2_PCT CODE	ALT-1	ALT-1_FORM	ALT-1_INT	ALT-1_VEIN_TYPE	ALT-1_VEIN_%	ALT-1_MIN1	ALT-1_MIN1_PCT CODE	ALT-1_MIN2	ALT-1_MIN2_PCT CODE	ALT-2	ALT-2_FORM	ALT-2_INT	ALT-2_VEIN_TYPE	ALT-2_VEIN_%	ALT-2_MIN1	ALT-2_MIN1_PCT CODE	COMMENTS / DESCRIPTION
276	?		Xq	FOL	FG	WH	O																					274.10m – 280.16m Brecciated Quartzite. Variable cataclasis up to about 277.90m, then grading into grey quartzite ~@276. // shearing t.c.a. in qtz-qtz vein
	?																											276.60m – 276.80m gebbly fault gouge, very intense, only clay slop + pebbles, unconsolidated.
278																												
280																												
			280.16																									
			Xhb	BED	FG	BR	O																					280.16m – 284.90m HF Siltstones, brown, variably silicified with rare interbeds of white-grey massive quartzite. Biotite → v.f.g.
282																												281.41m – 281.51m } Quartzite bed, ~70° t.c.a.
																												281.90m – 282.07m }
284	?																											
			284.90																									
			GG			GY	O																					284.90m – 285.30 FAULT GOUGE Brittle BLACK Siltstones.
	?		285.30	BED	FG	BR	O																					285.30 – 286.95
286			HF																									
			286.95																									
		60°	Sdt	BED	FG	BR	O																					286.95m – 291.08m HF? Siltstones, but soft and crumbling, some qtzite layers downhole. Brown colours, ~60° t.c.a. bedding
288																												
290																												

PROJECT: Antimony Mountain-AJ Vein HOLE_ID: AJ11-29 LOGGED BY: Shane Carlos DATE: Nov. 4th, 2011.

PREDATOR GROUP

INTERVAL (meters)	STRUCTURE	GRAPHIC: LITHOLOGY	LITHOLOGY: ROCKCODE	LITHOLOGY: MODIFYCODE	LITHOLOGY: GRAIN_SIZE	LITHOLOGY: COLOR	LITHOLOGY: OXIDE_CODE	MINERALIZATION: SULF1	MINERALIZATION: SULF1_PCT CODE	MINERALIZATION: SULF2	MINERALIZATION: SULF2_PCT CODE	ALTERATION-1: ALT-1	ALTERATION-1: ALT-1_FORM	ALTERATION-1: ALT-1_INT	ALTERATION-1: ALT-1_VEIN_TYPE	ALTERATION-1: ALT-1_VEIN_%	ALTERATION-1: ALT-1_MIN1	ALTERATION-1: ALT-1_MIN1_PCT CODE	ALTERATION-1: ALT-1_MIN2	ALTERATION-1: ALT-1_MIN2_PCT CODE	ALTERATION-2: ALT-2	ALTERATION-2: ALT-2_FORM	ALTERATION-2: ALT-2_INT	ALTERATION-2: ALT-2_VEIN_TYPE	ALTERATION-2: ALT-2_VEIN_%	ALTERATION-2: ALT-2_MIN1	ALTERATION-2: ALT-2_MIN1_PCT CODE	COMMENTS / DESCRIPTION
291			291.08 E.O.H.	BFD	FG	BR	O																						End of Hole.
293																													

DRILLHOLE SUMMARY FORM

PREDATOR GROUP

HOLE_ID:	AJ11- 30
PROJECT:	ANTIMONY MTN.
PROSPECT:	AJ VEIN
PROJECT CODE:	ANM
End Of Hole CODE	EOH
LOGGED BY:	SHANE A. CARLOS
DATE:	Nov. 6th, 2011.
DRILL TYPE:	KD1000
NAD83 UTM E:	637728
NAD83 UTM N:	7132227
GRID ID:	
GRID X:	
GRID Y:	
ELEV:	1384m
COLLAR DIP:	-65
GRID AZIMUTH:	
TRUE AZIMUTH:	150
PRECOLLAR LENGTH:	200m
TOTAL LENGTH:	172.21m
DH SURVEYED (Y/N):	Yes
DH SURVEYED BY:	Marcello G.
DH SURVEY TOOL:	EZ SHOT
ORIENTED CORE:	Yes
TOOL TYPE:	EZ SHOT

DRILL CONTRACTOR:	KLUANE DRILLING
DRILLER:	Marcello G. / Edwin M.

START DATE / TIME:	20 Sept. 2011 / 6pm
FINISH DATE / TIME:	24 Sept. 2011 / 6am

DRILLHOLE SUMMARY (Slow drilling, etc)

FROM / TO:

0 – 2.97m Overburden of quartzite, biotite monzonite and brown biotite hornfelsed siltstones, 2.97m – 4.02m silicified, hornfelsed siltstones, 4.02m – 4.57m Biotite Monz.(?) Sill, 49° // to bedding. 4.57m – 32.60m Hornfelsed Siltstones, & quartzite interbeds, with Tourmaline veins, then quartzite & arenite to 44.60m. 44.60m – 45.40m Semi-Massive Sulphides in chloritic hornfelsed siltstones., then quartzite to 47.13m, fault gouge + sulphides to 48.00m. 48.00m – 93.40m Moderately recrystallized to Quartzite with rare interbeds of spotted hosfels. 93.40m – 104.91m Spotted Andalusite(?) Siltstone / Greywacke., then quartzite to 110.86, then Biot. Monz. Sill to 113.27m, then quartzite to 130.13m. 130.13m – 172.21m (END OF HOLE) thick beds of quartzite and spotted meta-greywacke.

CROSS SECTION:



X-Section 1:3000 Scale

10m 50m 100m

PROJECT: Antimony Mountain-AJ Vein HOLE_ID: AJ11-30 LOGGED BY: Shane Carlos DATE: Nov. 5th, 2011.

PREDATOR GROUP

INTERVAL (meters) / STRUCTURE	LITHOLOGY	ROCKCODE	MODIFYCODE	GRAIN_SIZE	COLOR	OXIDE_CODE	SULF1	SULF1_PCT CODE	SULF2	SULF2_PCT CODE	ALT-1	ALT-1_FORM	ALT-1_INT	ALT-1_VEIN_TYPE	ALT-1_VEIN_%	ALT-1_MIN1	ALT-1_MIN1_PCT CODE	ALT-1_MIN2	ALT-1_MIN2_PCT CODE	ALT-2	ALT-2_FORM	ALT-2_INT	ALT-2_VEIN_TYPE	ALT-2_VEIN_%	ALT-2_MIN1	ALT-2_MIN1_PCT CODE	COMMENTS / DESCRIPTION
		OVB																									0 – 2.97m Overburden, Broken core pieces and pebbles of biotite monzonite? and brown-biotite Hornfelsed Siltstones and some quartzite.
2																											
		2.97m																									
		Xhb	BED	FG	GBR	1					Si	PER	3			Qz.	6										2.97m – 4.02m Hornfelsed Siltstones, silicified
4		4.02																									
		MZT	EQ	FMG	GYD	0																					4.02m – 4.57m Biotite Monzonite? Sill, ~49° bedding + contact og unigranular
		4.57																									
		Xhb	BED	FG	GBR	0	Py	1	Po	1	Si	PER	3			Qz.	6										
6		6.94																									4.57m – 6.94m Hornfelsed Siltstones, with thin (≤ 3cm) interbeds of quartzite, silicified.
		Xhb	BED	FG	GRGL	0	Py	4	As	1	TM	Pat	3	TM	20%	TM	10%			AR	PER	1			KLN	1	6.94m – 10.57m Hornfelsed Siltstones with 2 interbeds of quartzite < 30cm thick (downhole), light-green-grey → bleaching + weak argillic alt. haloes around a central vein.
8																											
x-cuts bedding																											8.77m – 9.46m Black Tourmaline – Pyrite – Calcite – trace Arsenopyrite Vein. Fine-grained (<1mm) tourmaline crystals, massive, ~56%, pyrite ~40%, calcite + arsenop. ~4%. Contacts are fault gouged.
10		10.57m																									siltstones (~3cm thick) @ ~26° to core axis
		Xq	BED	FG	GY	0																					10.57m – 14.35m Quartzite with interbeds of grey and brown Hornfelsed Siltstones. Also, some sandstone layers at centre of this interval → grainy surface → not recrystallized.
12																											
14		14.35m																									
		Xhb	BED	FG	BR	0	Po	1	Py	1	Si	PER	3	QS	1%	Qz	~~95~~										14.35m – 16.80m Hornfelsed Siltstones with minor quartzite.

PROJECT: Antimony Mountain-AJ Vein HOLE_ID: AJ11-30 LOGGED BY: Shane Carlos DATE: Nov. 5th, 2011.

PREDATOR GROUP

INTERVAL (meters)	STRUCTURE	LITHOLOGY	ROCKCODE	MODIFYCODE	GRAIN_SIZE	COLOR	OXIDE_CODE	SULF1	SULF1_PCT CODE	SULF2	SULF2_PCT CODE	ALT-1	ALT-1_FORM	ALT-1_INT	ALT-1_VEIN_TYPE	ALT-1_VEIN_%	ALT-1_MIN1	ALT-1_MIN1_PCT CODE	ALT-1_MIN2	ALT-1_MIN2_PCT CODE	ALT-2	ALT-2_FORM	ALT-2_INT	ALT-2_VEIN_TYPE	ALT-2_VEIN_%	ALT-2_MIN1	ALT-2_MIN1_PCT CODE	COMMENTS / DESCRIPTION
GRAPHIC		LITHOLOGY						MINERALIZATION				ALTERATION-1									ALTERATION-2								
16	32°		Xhb	BED	FG	BR	0	Po	1	Py	1	Si	Per	3	QS	2%	Qz	5										with a single qtz-pyrite-black tourmaline vein cutting the hornfels ~32° t.c.a. – cross-cutting bedding planes.
	44°																											
			16.80																									16.80m – 21.96m Quartzite, strongly recrystallized sand grains into massive qtz. (clear white-gray)
18				MAS	FG	GY	0																					
			Xq																									
20																												
			21.96																									
22				BED	FG	GYD	0																					21.96m – 24.21m Hornfelsed Siltstones, with an interbed of quartzite from 23.03m – 23.40m, with ≤4mm pebbles at the up-hole contact, ~3cm wide ie. silt → pebbly sand → grading rapidly into sand. ~26° t.c.a. So. coarsening up-hole.
			Xh																									
24			24.21																									
				MAS	FMG	GY	0	Po	1	Py	2																	24.21m – 29.53m Quartzite, fine grained, with rare ≤3mm pebbly grains. Moderately recrystallized, as sand grains are visible. Py veinlet parallels the core axis from 25.30 – 26.10m. ~3mm ϕ
26	37°		QZT																									26.33m – 26.49m Po-Py-CPY vein, about equal amounts each, ~33° t.c.a.
28																												
	70° Bed		29.53																									
30'			Xh	POB	FG	GYD	0	Py	1																			29.53m – 30.60m Hornfelsed Siltstones

PROJECT: Antimony Mountain-AJ Vein HOLE_ID: AJ11-30 LOGGED BY: Shane Carlos DATE: Nov. 5th, 2011.

PREDATOR GROUP

INTERVAL (meters) / STRUCTURE	LITHOLOGY	ROCKCODE	MODIFYCODE	GRAIN_SIZE	COLOR	OXIDE_CODE	SULF1	SULF1_PCT CODE	SULF2	SULF2_PCT CODE	ALT-1	ALT-1_FORM	ALT-1_INT	ALT-1_VEIN_TYPE	ALT-1_VEIN_%	ALT-1_MIN1	ALT-1_MIN1_PCT CODE	ALT-1_MIN2	ALT-1_MIN2_PCT CODE	ALT-2	ALT-2_FORM	ALT-2_INT	ALT-2_VEIN_TYPE	ALT-2_VEIN_%	ALT-2_MIN1	ALT-2_MIN1_PCT CODE	COMMENTS / DESCRIPTION
31		Xh	POR	FG	GY(D)	O	Py	1																			white, mostly ≤ ½mm, grainy porphyroblastic mineral, with no preferred orientation of c-axis of crystal, save general accumulations along certain bedding layers.
																											Bedding goes from 70° - 20° - 45°, upper contact - middle - lower respectively. Change in the ancient flow regime.
		32.60																									32.60m - 35.17m Quartzite.
33		Xq	MAS	FG	WH	O																					
35		35.17																									
		Xh			GRG	O					AR	PER	1														35.17m - 36.46m Hornfels. (green-gray)
		36.46																									
37																											36.46m - 44.60m Arenite (~qtz-arenite, gray, fine-grained, ≤ ¼mm, locally intense ~hornfelsing of the arenite due to proximity to Tourmaline-Pyrite veins.
			MAS	FG	GY	O	Py							S													
		Sdsg																									Minor recrystallization of qtz grains, locally to form quartzite.
39																											
41																											
43																											
		44.60																									44.60m - 45.40m Massive Sulphides replacing a chlorite...
45																											

PROJECT: Antimony Mountain-AJ Vein HOLE_ID: AJ11-30 LOGGED BY: Shane Carlos DATE: Nov. 5th, 2011.

PREDATOR GROUP

INTERVAL (meters) / STRUCTURE	LITHOLOGY	ROCKCODE	MODIFYCODE	GRAIN_SIZE	COLOR	OXIDE_CODE	SULF1	SULF1_PCT CODE	SULF2	SULF2_PCT CODE	ALT-1	ALT-1_FORM	ALT-1_INT	ALT-1_VEIN_TYPE	ALT-1_VEIN_%	ALT-1_MIN1	ALT-1_MIN1_PCT CODE	ALT-1_MIN2	ALT-1_MIN2_PCT CODE	ALT-2	ALT-2_FORM	ALT-2_INT	ALT-2_VEIN_TYPE	ALT-2_VEIN_%	ALT-2_MIN1	ALT-2_MIN1_PCT CODE	COMMENTS / DESCRIPTION
		MSU		FMG	YGY	0	As	4	Py	7																		Hornfelsed siltstone. ~60% Py, ~30% hornfels, 9% Arsenopyrite, ~1% Chalcopyrite. ~35-40° t.c.a. Sulphides are replacing the hornfels bedding
46		45.40				0																					
		Xq																									45.40m - 47.13m Quartzite, grey, fine-med. grained (~1-3mm), grains are moderately recrystallized (ie. relict grains still visible)
		47.13																									
		GG			YGY	0	Py	5																			47.13m - 48.00m Equft Gouged Massive Sulphides + ~45% gouged chlorite hornfelsed siltstones. ~20° t.c.a.
48		48.00		FG	GY	0	Py	3			TML	Pat	2	S	2%	TML	2										48.00m - 50.37m Quartzite with 3 ≤1.5cm pyrite-tourmale veins, ~25° t.c.a. Highly fractured rock,
		Xq																									
50		50.37																									
				FG	GY	0																					50.37m - 53.90m Quartzite.
		Xq																									51.72m - 51.92m green-grey chlorite hornfelsed siltstones, tough, homogenous, irregular fracture, no foliations. ~60° t.c.a
52																											
		53.90																									
54	45° tcl																										
		Xh	POR	FG	GYD	0																					53.90m - 55.70m Hornfelsed siltstones and interbedded quartzites, some moderate porphyroblastic, grainy white mineral aggregates, overprinting local beds, (≤4mm)
		55.70																									
56		Xq	MAS	FG	GYL	0	Py	1	Po	1	Si	Pat	2	QS	2%	Qz	3										55.70m - 74.56m Quartzite, fine grained, grey to white where recrystallization is more intense along with white qtz. veining. Clean quartzite, very little amount of matrix material.
																											Rare interbeds of hornfelsed siltstones.
58																											
60																											

PROJECT: Antimony Mountain-AJ Vein HOLE_ID: AJ11-30 LOGGED BY: Shane Carlos DATE: Nov. 5th, 2011.

PREDATOR GROUP

INTERVAL (meters)	STRUCTURE	LITHOLOGY	ROCKCODE	MODIFYCODE	GRAIN_SIZE	COLOR	OXIDE_CODE	SULF1	SULF1_PCT CODE	SULF2	SULF2_PCT CODE	ALT-1	ALT-1_FORM	ALT-1_INT	ALT-1_VEIN_TYPE	ALT-1_VEIN_%	ALT-1_MIN1	ALT-1_MIN1_PCT CODE	ALT-1_MIN2	ALT-1_MIN2_PCT CODE	ALT-2	ALT-2_FORM	ALT-2_INT	ALT-2_VEIN_TYPE	ALT-2_VEIN_%	ALT-2_MIN1	ALT-2_MIN1_PCT CODE	COMMENTS / DESCRIPTION
GRAPHIC		LITHOLOGY						MINERALIZATION				ALTERATION-1									ALTERATION-2								
61	~42°		Xq	MAS	FG	GYL	O	Py	1	Po		Si	Pat	2	QS	2%	Qz	3										Trace Po + Py
63																												
65																												~67.08m - 67.68m ~15° t.c.a. bed of HF siltstones.
67	15° bed																											~68.05 - 71m white qtz - stockwork with pyrite grains, ~ 10% veining. , ~80° t.c.a. and ~30° t.c.a.
69																												
71																												
73																												
75			74.56																									74.56m - 75.60m Hornfelsed Siltstones.

PROJECT: Antimony Mountain-AJ Vein HOLE_ID: AJ11-30 LOGGED BY: Shane Carlos DATE: Nov. 5th, 2011.

PREDATOR GROUP

INTERVAL (meters)	STRUCTURE	LITHOLOGY	ROCKCODE	MODIFYCODE	GRAIN_SIZE	COLOR	OXIDE_CODE	SULF1	SULF1_PCT CODE	SULF2	SULF2_PCT CODE	ALT-1	ALT-1_FORM	ALT-1_INT	ALT-1_VEIN_TYPE	ALT-1_VEIN_%	ALT-1_MIN1	ALT-1_MIN1_PCT CODE	ALT-1_MIN2	ALT-1_MIN2_PCT CODE	ALT-2	ALT-2_FORM	ALT-2_INT	ALT-2_VEIN_TYPE	ALT-2_VEIN_%	ALT-2_MIN1	ALT-2_MIN1_PCT CODE	COMMENTS / DESCRIPTION
GRAPHIC		LITHOLOGY						MINERALIZATION				ALTERATION-1									ALTERATION-2								
76	70°		Xhb 75.60	BED	FG	GBR	O																					Brown + Grey alternating colour bands, associated to interbeds, ~ 5cm. ~30° t.c.a.
			Xq 76.60	MAS	FG	GY	O																					75.60m – 76.60m
	60°		Xhb 78.10	BED	FG	GYD	O																					76.60m – 78.10m Hornfelsed siltstones, with minor qtzite interbeds.
78				BED	FMG	WGY	O	Py	1	Po	1	Si	Pat	2	QS	3%	Qz	5										78.10m – 93.40m Quartzite, grey and white sections + dark grey interbeds of spotted hornfelsed greywacke.
	65°		Xq																									Spots are just white zones with fine grains → a bleaching overprint? Porphyroblastic. Minor interbeds of the HF-greywacke.
80																												Grain size ~¼mm up to ~1mm locally.
																												Trace blebs of diss. pyrrhotite throughout.
82																												
84																												
86																												85.34m – 86.80m, white qtz veining + pyrite stringer veins (~½mm to ~1cm wide), Py is ~3%
	40°																											Over this section the quartzite is very well developed probably due to silicification and pyritic fluids.
88																												~Veins ~ 42° – 20° t.c.a.
90																												

PROJECT: Antimony Mountain-AJ Vein HOLE_ID: AJ11-30 LOGGED BY: Shane Carlos DATE: Nov. 5th, 2011.

PREDATOR GROUP

INTERVAL (meters)	STRUCTURE	GRAPHIC LITHOLOGY	ROCKCODE	MODIFYCODE	GRAIN_SIZE	COLOR	OXIDE_CODE	MINERALIZATION SULF1	SULF1_PCT CODE	SULF2	SULF2_PCT CODE	ALTERATION-1 ALT-1	ALT-1_FORM	ALT-1_INT	ALT-1_VEIN_TYPE	ALT-1_VEIN_%	ALT-1_MIN1	ALT-1_MIN1_PCT CODE	ALT-1_MIN2	ALT-1_MIN2_PCT CODE	ALTERATION-2 ALT-2	ALT-2_FORM	ALT-2_INT	ALT-2_VEIN_TYPE	ALT-2_VEIN_%	ALT-2_MIN1	ALT-2_MIN1_PCT CODE	COMMENTS / DESCRIPTION
91		60°	Xq	BED	FINE	WGY	0	Py	1	Po	1	Si	Pat	2	QS	3%	Qz.	5										90.80 - 91.00m Thin bed of coarse-grained, black lithic rich hornfelsed sandstone, ±1mm grains, very well lithified but not intensely recrystallized enough to wipe out these coarse sand grains.
93		60°																										
			93.40																									
				POR	FG	GY/D	0	Po	1																			93.40m - 104.91m Spotted Hornfelsed Siltstones to Greywacke. v.f.grained, dark grey, minor interbeds of quartzite. Bedding: ~50-60° t.c.a. Locally Po is developed in the quartzite bed below.
95			Xh																									
		50°																										
97																												
99																												
101																												
		60°																										
103																												102.60m - 103.10m Quartzite with Po blotches.
			104.91																									
105																												

Page 8 of 13

PROJECT: Antimony Mountain-AJ Vein HOLE_ID: AJ11-30 LOGGED BY: Shane Carlos DATE: Nov. 6th, 2011.

PREDATOR GROUP

INTERVAL (meters)	STRUCTURE	LITHOLOGY	ROCKCODE	MODIFYCODE	GRAIN_SIZE	COLOR	OXIDE_CODE	SULF1	SULF1_PCT CODE	SULF2	SULF2_PCT CODE	ALT-1	ALT-1_FORM	ALT-1_INT	ALT-1_VEIN_TYPE	ALT-1_VEIN_%	ALT-1_MIN1	ALT-1_MIN1_PCT CODE	ALT-1_MIN2	ALT-1_MIN2_PCT CODE	ALT-2	ALT-2_FORM	ALT-2_INT	ALT-2_VEIN_TYPE	ALT-2_VEIN_%	ALT-2_MIN1	ALT-2_MIN1_PCT CODE	COMMENTS / DESCRIPTION
106			Xq	BED	FG	GY	O																					104.91m – 110.86m Quartzite and interbeds of spotted Hornfelsed siltstones. Maybe more of a hornfelsed sandstone
108																												
110		22°																										
			110.86																									
112			MZT	POR	FMG	GY	O	Po	3																			110.86m – 113.27m Biotite Monzonite Sill, ~22° t.c.a. parallel to bedding. ~4% porphyritic tabular to anhedral crystals, ≤ ½ cm in length, replaced by a v.f.g. biotite. ~3% Po disseminated, feldspar matrix ..., trace qtz. grains.
			113.27																									22° up-hole, CONT., 32° down-hole, CONT.
114		32°	Xq	BED	FMG	GY	O	Py	2			Si	Per	2	QS	5%	Qz	4										113.27m – 118.49m Quartzite with thin interbeds of HF Brown Siltstone. ~5% white qtz. veining and 3% diss. to stringer veins of pyrite, locally up to 5% ~38°/t.c.a. – 80°
116	38° 80°																											
118	78°																											
			118.49																									
120			Xq	BED	FMG	GY	O					Si	Pat	1	Qz	1%	Qz	3										118.49 – 130.13m Quartzite and spotted Hornfelsed Siltstones – Greywacke interbeds. Patchy qtz veining, localized around 126.05m – 128.30m

PROJECT: Antimony Mountain-AJ Vein HOLE_ID: AJ11-30 LOGGED BY: Shane Carlos DATE: Nov. 6th, 2011.

PREDATOR GROUP

INTERVAL (meters)	STRUCTURE	GRAPHIC LITHOLOGY	ROCKCODE	LITHOLOGY MODIFYCODE	GRAIN_SIZE	COLOR	OXIDE_CODE	MINERALIZATION SULF1	SULF1_PCT CODE	SULF2	SULF2_PCT CODE	ALTERATION-1 ALT-1	ALT-1_FORM	ALT-1_INT	ALT-1_VEIN_TYPE	ALT-1_VEIN_%	ALT-1_MIN1	ALT-1_MIN1_PCT CODE	ALT-1_MIN2	ALT-1_MIN2_PCT CODE	ALTERATION-2 ALT-2	ALT-2_FORM	ALT-2_INT	ALT-2_VEIN_TYPE	ALT-2_VEIN_%	ALT-2_MIN1	ALT-2_MIN1_PCT CODE	COMMENTS / DESCRIPTION
121	45° Beds		Xq	BED	FMG	GY	O					Si	Pat	1	Qz	1%	Qz	3										Fine to med. grained (½mm – ≤1mm), well-lithified + recrystallized, but not bull white qtz, still very granular.
																												121.26m – 121.75m } Spotted Hornfelsed Greywacke.
123																												122.44m – 123.31m }
125																												
127	15° vein																											
129																												
			130.13																									(Greywacke)
131			Xh	MAS	FG	GYD	O																					130.13m – 140.32m Hornfelsed Silty Sandstones., dark-grey, some very local spotted texture → when viewed under microscope appears as fine white qtz. grains bleached of their surrounding matrix.
133																												
135																												

PROJECT: Antimony Mountain-AJ Vein HOLE_ID: AJ11-30 LOGGED BY: Shane Carlos DATE: Nov. 6th, 2011.

PREDATOR GROUP

INTERVAL (meters) / STRUCTURE	GRAPHIC: LITHOLOGY	LITHOLOGY: ROCKCODE	LITHOLOGY: MODIFYCODE	LITHOLOGY: GRAIN_SIZE	LITHOLOGY: COLOR	LITHOLOGY: OXIDE_CODE	MINERALIZATION: SULF1	MINERALIZATION: SULF1_PCT CODE	MINERALIZATION: SULF2	MINERALIZATION: SULF2_PCT CODE	ALTERATION-1: ALT-1	ALTERATION-1: ALT-1_FORM	ALTERATION-1: ALT-1_INT	ALTERATION-1: ALT-1_VEIN_TYPE	ALTERATION-1: ALT-1_VEIN_%	ALTERATION-1: ALT-1_MIN1	ALTERATION-1: ALT-1_MIN1_PCT CODE	ALTERATION-1: ALT-1_MIN2	ALTERATION-1: ALT-1_MIN2_PCT CODE	ALTERATION-2: ALT-2	ALTERATION-2: ALT-2_FORM	ALTERATION-2: ALT-2_INT	ALTERATION-2: ALT-2_VEIN_TYPE	ALTERATION-2: ALT-2_VEIN_%	ALTERATION-2: ALT-2_MIN1	ALTERATION-2: ALT-2_MIN1_PCT CODE	COMMENTS / DESCRIPTION
136		Xh	MAS	FG	GYD	O																					
138																											
140	50° BRD QFPD	140.32																									
			MAS	FG	GYD	O																					140.32m – 152.30m Interbedded Qtzite → HF Graywacke to Siltstones.
142		Xq																									
																											140.32m – 140.59m Breccia with sandy matrix. Qtz + black lithics up to 2cm lengths, angular white qtz. clasts.
144																											
146																											
148																											
150																											

PROJECT: Antimony Mountain-AJ Vein HOLE_ID: AJ11-30 LOGGED BY: Shane Carlos DATE: Nov. 6th, 2011.

PREDATOR GROUP

INTERVAL (meters)	STRUCTURE	LITHOLOGY	ROCKCODE	MODIFYCODE	GRAIN_SIZE	COLOR	OXIDE_CODE	SULF1	SULF1_PCT CODE	SULF2	SULF2_PCT CODE	ALT-1	ALT-1_FORM	ALT-1_INT	ALT-1_VEIN_TYPE	ALT-1_VEIN_%	ALT-1_MIN1	ALT-1_MIN1_PCT CODE	ALT-1_MIN2	ALT-1_MIN2_PCT CODE	ALT-2	ALT-2_FORM	ALT-2_INT	ALT-2_VEIN_TYPE	ALT-2_VEIN_%	ALT-2_MIN1	ALT-2_MIN1_PCT CODE	COMMENTS / DESCRIPTION
151			Xq	MAS	FG	GYD	0																					
	?		152.30																									
			GG				0																					152.30m – 152.40 Fault Gouge
153			152.40																									
			Sdsg	SND	FG	GRGL	0																					152.40m – 155.15m Arenite. green-grey-light, sandy textured.
155			155.15																									
				DKD	FG	GYD	0																					155.15m – 161.54m Hornfels
			Xh																									
157																												
159																												
161	?																											
			161.54																									
			GG																									161.54 – 162.06m Fault Gouge
			162.06		FG	GYD	0																					162.06m – 165.26m Meta-Greywacke
163			Xh																									fine-grained, dark grey,
																												163.80m – 164.28m Quartzite, light grey, clean pure qtz., fine grained
165'																												

PROJECT: Antimony Mountain-AJ Vein HOLE_ID: AJ11-30 LOGGED BY: Shane Carlos DATE: Nov. 6th, 2011.

PREDATOR GROUP

INTERVAL (meters) / STRUCTURE	GRAPHIC: LITHOLOGY	ROCKCODE	LITHOLOGY: MODIFYCODE	GRAIN_SIZE	COLOR	OXIDE_CODE	MINERALIZATION: SULF1	SULF1_PCT CODE	SULF2	SULF2_PCT CODE	ALTERATION-1: ALT-1	ALT-1_FORM	ALT-1_INT	ALT-1_VEIN_TYPE	ALT-1_VEIN_%	ALT-1_MIN1	ALT-1_MIN1_PCT CODE	ALT-1_MIN2	ALT-1_MIN2_PCT CODE	ALTERATION-2: ALT-2	ALT-2_FORM	ALT-2_INT	ALT-2_VEIN_TYPE	ALT-2_VEIN_%	ALT-2_MIN1	ALT-2_MIN1_PCT CODE	COMMENTS / DESCRIPTION
165.26		MFGS		MCG	GYD	O																					165.26m – 166.23m Hornfelsed Conglomerate, matrix supported. medium to coarse grained
166.23		XH		FG	GYD	O																					166.23m – 172.21m Meta-greywacke, very fine grained sand with fine biotite + metasilt matrix. Dark-grey, hard.
172.21		EOH																									

DRILLHOLE SUMMARY FORM

PREDATOR GROUP

HOLE_ID:	AJ11- 31
PROJECT:	ANTIMONY MTN.
PROSPECT:	AJ VEIN
PROJECT CODE:	ANM
End Of Hole CODE	EOH
LOGGED BY:	SHANE A. CARLOS
DATE:	Nov. 9th, 2011.
DRILL TYPE:	KD1000
NAD83 UTM E:	637688
NAD83 UTM N:	7131821
GRID ID:	
GRID X:	
GRID Y:	
ELEV:	1551 m
COLLAR DIP:	-50°
GRID AZIMUTH:	
TRUE AZIMUTH:	143
PRECOLLAR LENGTH:	200m
TOTAL LENGTH:	227.08m
DH SURVEYED (Y/N):	No - malfunctioning EZ SHOT
DH SURVEYED BY:	/
DH SURVEY TOOL:	/
ORIENTED CORE:	Yes
TOOL TYPE:	EZ SHOT

DRILL CONTRACTOR:	KLUANE DRILLING
DRILLER:	Brook W. / Shawn L.

START DATE / TIME:	27 Sept. 2011 / 6pm
FINISH DATE / TIME:	29 Sept. 2011 / 6am

DRILLHOLE SUMMARY (Slow drilling, etc) **FROM / TO:**

0 - 6.09m CASING, trace pebbles of metaseds. in box. 6.09m - 30.26m Silicified Biotite Hornfels, brown. 30.26m - 34.36m Black Hornfelsed Argillite, then Quartzite to 44.77m, then dark-grey meta-grey-wacke (weakly hornfelsed). 72.62m - 82.40m py + arsenopy. + calcite veining in Black Hornfelsed Argillite, then Quartzite to 94.78m, then Fault Gouge with massive sulphides to 98.76m, @ 30° t.c.a. Quartzite to 105.16m, then Interbedded Quartzite and Black Hornfelsed Argillite to 154.96m (Beds are ≤ 10m thick). Massive Sulphide vein cuts bedding @ 154.96m - 156.26m. 156.26m - 227.08m (END OF HOLE) Black Hornfelsed(?) Argillite. with qtz-carb.-spy. veining + massive sulphide / fault gouge @ 211 - 211.61m.

CROSS SECTION:



X-Section Scale: 1:3000

10m 50m 100m

PROJECT: Antimony Mtn.-Ridge Showing HOLE_ID: AJ11-31 LOGGED BY: Shane Carlos DATE: Nov. 8th, 2011.

PREDATOR GROUP

INTERVAL (meters)	STRUCTURE	GRAPHIC: LITHOLOGY	ROCKCODE	LITHOLOGY: MODIFYCODE	GRAIN_SIZE	COLOR	OXIDE_CODE	MINERALIZATION: SULF1	SULF1_PCT CODE	SULF2	SULF2_PCT CODE	ALTERATION-1: ALT-1	ALT-1_FORM	ALT-1_INT	ALT-1_VEIN_TYPE	ALT-1_VEIN_%	ALT-1_MIN1	ALT-1_MIN1_PCT CODE	ALT-1_MIN2	ALT-1_MIN2_PCT CODE	ALTERATION-2: ALT-2	ALT-2_FORM	ALT-2_INT	ALT-2_VEIN_TYPE	ALT-2_VEIN_%	ALT-2_MIN1	ALT-2_MIN1_PCT CODE	COMMENTS / DESCRIPTION
0																												0 - 6.09m NW Casing to 6.09m
																												Some pebbles of metaseds in box.
2			CAS																									
4																												
6			6.09																									
		44° Bedding	Xhb	BSD	FG	BR	1	Py	1	Po	1	Si	PER	2			Qz	4										6.09m - 30.26m Hornfelsed Siltstones + some Quartzite
8																												moderately silicified, hornfelsed with v.f.g. biotite casting the rock brown colour. Sand grains are still visible → not the cryptocrystalline silicification.
																												Some beds are still scratchable but incredibly
10																												dense + tough. Trace pyrite + Pyrrhotite blebs.
																												ie. Biotite Hornfels.
12																												
14		43°																										

PROJECT: Antimony Mtn.-Ridge Showing HOLE_ID: AJ11-31 LOGGED BY: Shane Carlos DATE: Nov. 8th, 2011.

PREDATOR GROUP

INTERVAL (meters)	STRUCTURE	GRAPHIC: LITHOLOGY	LITHOLOGY: ROCKCODE	LITHOLOGY: MODIFYCODE	LITHOLOGY: GRAIN_SIZE	LITHOLOGY: COLOR	LITHOLOGY: OXIDE_CODE	MINERALIZATION: SULF1	MINERALIZATION: SULF1_PCT CODE	MINERALIZATION: SULF2	MINERALIZATION: SULF2_PCT CODE	ALTERATION-1: ALT-1	ALTERATION-1: ALT-1_FORM	ALTERATION-1: ALT-1_INT	ALTERATION-1: ALT-1_VEIN_TYPE	ALTERATION-1: ALT-1_VEIN_%	ALTERATION-1: ALT-1_MIN1	ALTERATION-1: ALT-1_MIN1_PCT CODE	ALTERATION-1: ALT-1_MIN2	ALTERATION-1: ALT-1_MIN2_PCT CODE	ALTERATION-2: ALT-2	ALTERATION-2: ALT-2_FORM	ALTERATION-2: ALT-2_INT	ALTERATION-2: ALT-2_VEIN_TYPE	ALTERATION-2: ALT-2_VEIN_%	ALTERATION-2: ALT-2_MIN1	ALTERATION-2: ALT-2_MIN1_PCT CODE	COMMENTS / DESCRIPTION
16			Xhb	BED	FG	BR	1	Py	1	Po	1	Si	Per	2			Qz	4											
18																													
20																													
22																													
24																													
26																													
28																													
30'																													

Page 3 of 17

PROJECT: Antimony Mtn.-Ridge Showing HOLE_ID: AJ11-31 LOGGED BY: Shane Carlos DATE: Nov. 8th, 2011.

PREDATOR GROUP

INTERVAL (meters)	STRUCTURE	LITHOLOGY	ROCKCODE	MODIFYCODE	GRAIN_SIZE	COLOR	OXIDE_CODE	SULF1	SULF1_PCT CODE	SULF2	SULF2_PCT CODE	ALT-1	ALT-1_FORM	ALT-1_INT	ALT-1_VEIN_TYPE	ALT-1_VEIN_%	ALT-1_MIN1	ALT-1_MIN1_PCT CODE	ALT-1_MIN2	ALT-1_MIN2_PCT CODE	ALT-2	ALT-2_FORM	ALT-2_INT	ALT-2_VEIN_TYPE	ALT-2_VEIN_%	ALT-2_MIN1	ALT-2_MIN1_PCT CODE	COMMENTS / DESCRIPTION
			30.26																									30.26m - 34.36m Hornfelsed Black Siltstone / Argillite
31			Xha	MAS	FG	BK	0	Py	1																			Dark-grey-black, v.f.g., indistinguishable silt size grains, tough, homogenous, irregular fracturing, hornfelsed?, very dense.
33	32°																											Trace pyrite grains. 30.95m - 32.52m light-grey Quartzite interbed.
			34.36																									
35			Xq	MAS	FG	OGY	2	Py	2			Si	PER	3	S	2	Qz	5											34.36m - 37.90m Quartzite, silicified and pyritized
37																												
	30°		37.90																									
			Xhb	BED	FG	BR	0																					37.90m - 40.74m Hornfelsed Siltstones and Sandstones with brown, v.f.g. biotite amongst sand grains. Interbedded (1mm - 3cm beds)
39																												
			40.74																									
41			Xq	MAS	FG	OGY	2	Py	1			Si	PER	2	S	1	Qz	5											40.74m - 44.77m Quartzite, strongly recrystallized + silicified, pyritized (~1-5%), fractured and oxidized.
43																												
			44.77																									
45																												

PROJECT: Antimony Mtn.-Ridge Showing HOLE_ID: AJ11-31 LOGGED BY: Shane Carlos DATE: Nov. 8th, 2011.

PREDATOR GROUP

INTERVAL (meters) / STRUCTURE	LITHOLOGY	ROCKCODE	MODIFYCODE	GRAIN_SIZE	COLOR	OXIDE_CODE	SULF1	SULF1_PCT CODE	SULF2	SULF2_PCT CODE	ALT-1	ALT-1_FORM	ALT-1_INT	ALT-1_VEIN_TYPE	ALT-1_VEIN_%	ALT-1_MIN1	ALT-1_MIN1_PCT CODE	ALT-1_MIN2	ALT-1_MIN2_PCT CODE	ALT-2	ALT-2_FORM	ALT-2_INT	ALT-2_VEIN_TYPE	ALT-2_VEIN_%	ALT-2_MIN1	ALT-2_MIN1_PCT CODE	COMMENTS / DESCRIPTION
46		xh	Bed	FG	GYD	O	Py	1																			44.97m - 47.80m Hornfelsed Grey-Wacke, same as 49.53m - 72.62m
47.80																											
48		B	BR	FG	WH	O	Py	2			Si	Pat	2	S	2	Qz	4										47.80m - 49.53m Fault Brecciated meta-graywacke and disseminated pyrite, ~2%, with bleaching & silicification. + vein
49.53																											
50		Xh	BED	FG	GYD	O	Py	1																			49.53m - 72.62m Hornfelsed? Grey-Wacke, dark-grey, very fine sand grains with ~10-15% grey fine silty matrix, alternating beds of white sandstone, to ~~grey~~ very fine grained, dark-grey, greywacke. The hornfelsing is weak.
52																											
																											No alteration save a single py.-calcite vein @ 68.80m No other sulfide except that ore location.
54	60° Beds																										
56																											
58																											
60																											

PROJECT: Antimony Mtn.-Ridge Showing HOLE_ID: AJ11-31 LOGGED BY: Shane Carlos DATE: Nov. 8th, 2011.

PREDATOR GROUP

INTERVAL (meters)	STRUCTURE	LITHOLOGY	ROCKCODE	MODIFYCODE	GRAIN_SIZE	COLOR	OXIDE_CODE	SULF1	SULF1_PCT CODE	SULF2	SULF2_PCT CODE	ALT-1	ALT-1_FORM	ALT-1_INT	ALT-1_VEIN_TYPE	ALT-1_VEIN_%	ALT-1_MIN1	ALT-1_MIN1_PCT CODE	ALT-1_MIN2	ALT-1_MIN2_PCT CODE	ALT-2	ALT-2_FORM	ALT-2_INT	ALT-2_VEIN_TYPE	ALT-2_VEIN_%	ALT-2_MIN1	ALT-2_MIN1_PCT CODE	COMMENTS / DESCRIPTION
61	30° Beds		Xh	BED	FG	GYD	O	Py	1																			
63																												
65																												
67	30° Bedding																											@ 69.80m 30° t.c.a. massive pyrite with calcite vein, x-cutting bedding, 2-10cm wide
69	30°																											
71																												@ ~72.60m, ~15° t.c.a. silicified breccia zone.
73	15°		72.62 Xha	BED	FG	BK	O	As	1	Py	1	CB	Pat	2	CC	4%	CC	4										Vein - fault. 72.62m - 82.40m Hornfelsed Mudstone/Siltstone, sand size particles restricted to thin (<5cm) interbeds. A sand poor version of immediately uphole.
75'																												

PROJECT: Antimony Mtn.-Ridge Showing HOLE_ID: AJ11-31 LOGGED BY: Shane Carlos DATE: Nov. 8th, 2011.

PREDATOR GROUP

INTERVAL (meters) / STRUCTURE	LITHOLOGY	ROCKCODE	MODIFYCODE	GRAIN_SIZE	COLOR	OXIDE_CODE	SULF1	SULF1_PCT CODE	SULF2	SULF2_PCT CODE	ALT-1	ALT-1_FORM	ALT-1_INT	ALT-1_VEIN_TYPE	ALT-1_VEIN_%	ALT-1_MIN1	ALT-1_MIN1_PCT CODE	ALT-1_MIN2	ALT-1_MIN2_PCT CODE	ALT-2	ALT-2_FORM	ALT-2_INT	ALT-2_VEIN_TYPE	ALT-2_VEIN_%	ALT-2_MIN1	ALT-2_MIN1_PCT CODE	COMMENTS / DESCRIPTION
76		Xha	BED	FG	BK	O	As	1	Py	1	CB	2	CC	4%	CC	4												~4% white calcite, trace pyrite + arsenopyrite vein stockwork
78																												
80																												
82																												
82.40			BED	FG	BR	O	Py	3						CC	4	CC												82.40m – 89m Hornfelsed Sandstone, v.f.g. Bleaching and biotite overprint. ~4% white calcite, ~~trace~~ pyrite and arsenopyrite vein stockwork + brecciation
84		Xq																										Pyrite disseminations + stringers along fractures, ~5%, up to 5% locally (82.50m – 83.80m)
86																												
88																												@ 87m, 3cm wide calcite-pyrite vein // to core axis with a po vein, ½cm wide adjacent.
89.00																												
90		Xq	BED	FG	GBR	O	Po	1	Py	1																		89m – 94.78m Hornfelsed Sandstone to Quartzite

PROJECT: Antimony Mtn.-Ridge Showing HOLE_ID: AJ11-31 LOGGED BY: Shane Carlos DATE: Nov. 8th, 2011.

PREDATOR GROUP

INTERVAL (meters)	STRUCTURE	LITHOLOGY	ROCKCODE	MODIFYCODE	GRAIN_SIZE	COLOR	OXIDE_CODE	SULF1	SULF1_PCT CODE	SULF2	SULF2_PCT CODE	ALT-1	ALT-1_FORM	ALT-1_INT	ALT-1_VEIN_TYPE	ALT-1_VEIN_%	ALT-1_MIN1	ALT-1_MIN1_PCT CODE	ALT-1_MIN2	ALT-1_MIN2_PCT CODE	ALT-2	ALT-2_FORM	ALT-2_INT	ALT-2_VEIN_TYPE	ALT-2_VEIN_%	ALT-2_MIN1	ALT-2_MIN1_PCT CODE	COMMENTS / DESCRIPTION
91	20°		Xq		FG	GBR	O	Py	1	Po	1																	Trace Po blebbies. ~1% pyrite veins + stringers along fractures. Grey-brown, bedded, some hornfelsed siltstone interbeds, v.f.g. pyrite in matrix, casting the rock brown.
93																												
94.78																												
95	?		GG			GYD	O																					94.78m – 98.76m Fault Gouge, gritty, no clay development Some whole core pieces which exhibit jig-saw breccia textures - patterns. Contacts are disintegrated, some vertical fractures. 95.81m – 96.33m Semi-Massive Sulphides. - 60% pyrite, - 30% Arsenopyrite, large crystals (±cm widths) 10% quartzite
97	30°																											
98.76	?																											
99			Xq	BED	FG	GBR	O																					98.76m – 100.90m same as 101.20 – 105.16m
100.90	25°		GG			GY	O																					
101	30°																											100.90m – 101.20m Fault Gouge, gritty, no clay development 25° - 30° to core long axis
101.20			Xq	BED	FG	GBR	O																					101.20m – 105.16m Quartzite to Hornfelsed Sandstone. Cryptocrystalline silica on fractures when broke, rough surfaced grains along diamond cut surface. light-grey brown, with v.f.g. disseminated biotite grains.
103																												
105'																												

PROJECT: Antimony Mtn.-Ridge Showing HOLE_ID: AJ11-31 LOGGED BY: Shane Carlos DATE: Nov. 8th, 2011.

PREDATOR GROUP

INTERVAL (meters) / STRUCTURE	LITHOLOGY	ROCKCODE	MODIFYCODE	GRAIN_SIZE	COLOR	OXIDE_CODE	SULF1	SULF1_PCT CODE	SULF2	SULF2_PCT CODE	ALT-1	ALT-1_FORM	ALT-1_INT	ALT-1_VEIN_TYPE	ALT-1_VEIN_%	ALT-1_MIN1	ALT-1_MIN1_PCT CODE	ALT-1_MIN2	ALT-1_MIN2_PCT CODE	ALT-2	ALT-2_FORM	ALT-2_INT	ALT-2_VEIN_TYPE	ALT-2_VEIN_%	ALT-2_MIN1	ALT-2_MIN1_PCT CODE	COMMENTS / DESCRIPTION
		105.16m Xha	MAS	FG	GBR	O																					105.16m – 106.32m Hornfelsed Black Mudstone/Argillite
		106.32 Xq			GBR	O																					106.32m – 110.87m Biotite Quartzite, grey-brown, brown, thin interbeds, (<1cm) of biotite rich hornfels. Rough, sandy textured, but cryptocrystalline silica on irregular fractures = quartzite.
106																											
108																											
110		110.87																									
		Xha	MAS	FG	BK	O																					110.87m – 114.98m Hornfelsed Black Mudstone/Argillite to Wacke.
112																											
114		114.98																									
		Xq	BED	FG	GBR	O																					114.98m – 118.92m Quartzite, grey-brown, biotite in matrix, rough textured-grainy, so the recrystallization is not complete. Some interbeds of grey-black siltstone → hornfels, <1cm to 10cm beds.
116																											
118		118.92																									
		Xha	MAS	FG	BK	O																					118.92m – 129.75m Hornfelsed Black Mudstone/Argillite to Wacke Hard, >4 Mohs, extremely dense, dark black, very fine
120'																											

PROJECT: Antimony Mtn.-Ridge Showing HOLE_ID: AJ11-31 LOGGED BY: Shane Carlos DATE: Nov. 8th, 2011.

PREDATOR GROUP

INTERVAL (meters)	STRUCTURE	GRAPHIC: LITHOLOGY	LITHOLOGY: ROCKCODE	LITHOLOGY: MODIFYCODE	LITHOLOGY: GRAIN_SIZE	LITHOLOGY: COLOR	LITHOLOGY: OXIDE_CODE	MINERALIZATION: SULF1	MINERALIZATION: SULF1_PCT CODE	MINERALIZATION: SULF2	MINERALIZATION: SULF2_PCT CODE	ALTERATION-1: ALT-1	ALTERATION-1: ALT-1_FORM	ALTERATION-1: ALT-1_INT	ALTERATION-1: ALT-1_VEIN_TYPE	ALTERATION-1: ALT-1_VEIN_%	ALTERATION-1: ALT-1_MIN1	ALTERATION-1: ALT-1_MIN1_PCT CODE	ALTERATION-1: ALT-1_MIN2	ALTERATION-1: ALT-1_MIN2_PCT CODE	ALTERATION-2: ALT-2	ALTERATION-2: ALT-2_FORM	ALTERATION-2: ALT-2_INT	ALTERATION-2: ALT-2_VEIN_TYPE	ALTERATION-2: ALT-2_VEIN_%	ALTERATION-2: ALT-2_MIN1	ALTERATION-2: ALT-2_MIN1_PCT CODE	COMMENTS / DESCRIPTION
121			Xha	MAS	FG	BK	O																					grained. ~ ~~the~~ silicified ... can see extremely fine grained qtz sand grains ....
123																												
125																												
127																												126.80m - 129.75m bleaching (light grey) due to proximity to intense silicification starting at 129.75m.
129																												
		40°	129.75																									
131		24°	Xq	Bed	FG	WGR	O	Po	2			Si	PER	3			Qz	7										129.75m - 139.36m Hornfelsed Sandstone + Siltstone Interbeds. Intensely silicified milky pink-white qtz. flooding along sediment beds, with sections of brown biotite siltstone, and bands of dark green to black chlorite alternating with the pink-white cryptocrystalline silica beds. Vibrant colours.
133																												
135																												

PROJECT: Antimony Mtn.-Ridge Showing HOLE_ID: AJ11-31 LOGGED BY: Shane Carlos DATE: Nov. 8th, 2011.

PREDATOR GROUP

INTERVAL (meters)	STRUCTURE	LITHOLOGY	ROCKCODE	MODIFYCODE	GRAIN_SIZE	COLOR	OXIDE_CODE	SULF1	SULF1_PCT CODE	SULF2	SULF2_PCT CODE	ALT-1	ALT-1_FORM	ALT-1_INT	ALT-1_VEIN_TYPE	ALT-1_VEIN_%	ALT-1_MIN1	ALT-1_MIN1_PCT CODE	ALT-1_MIN2	ALT-1_MIN2_PCT CODE	ALT-2	ALT-2_FORM	ALT-2_INT	ALT-2_VEIN_TYPE	ALT-2_VEIN_%	ALT-2_MIN1	ALT-2_MIN1_PCT CODE	COMMENTS / DESCRIPTION
136			Xq		FG	WGR	O	Po	2			Si	PER	3			Qz	7										
138																												
		18°																										
139.36																												
140			Xha	MAS	FG	BK	O	Po	1																			139.36m – 148.27m Hornfelsed Black Mudstone / Argillite/Wacke
																												Hard, ≥4 Moh's, extremely dense, dark black, very fine grained. Same extremely fine grained qtz. sand, so in places leaning to a wacke.
142		32° Ca																										
144																												
146																												
148																												
	148.27																											
		33°	Xq		FG	GBR	O					Si	Pat	2			Qz	4										148.27m – 150.90m Quartzite - hornfelsed Sandstone. Portions are not totally recrystallized hull qtz, but granular.
150'																												

PROJECT: Antimony Mtn.-Ridge Showing HOLE_ID: AJ11-31 LOGGED BY: Shane Carlos DATE: Nov. 8th, 2011.

PREDATOR GROUP

INTERVAL (meters) / STRUCTURE	GRAPHIC: LITHOLOGY	ROCKCODE	LITHOLOGY: MODIFYCODE	GRAIN_SIZE	COLOR	OXIDE_CODE	MINERALIZATION: SULF1	SULF1_PCT CODE	SULF2	SULF2_PCT CODE	ALTERATION-1: ALT-1	ALT-1_FORM	ALT-1_INT	ALT-1_VEIN_TYPE	ALT-1_VEIN_%	ALT-1_MIN1	ALT-1_MIN1_PCT CODE	ALT-1_MIN2	ALT-1_MIN2_PCT CODE	ALTERATION-2: ALT-2	ALT-2_FORM	ALT-2_INT	ALT-2_VEIN_TYPE	ALT-2_VEIN_%	ALT-2_MIN1	ALT-2_MIN1_PCT CODE	COMMENTS / DESCRIPTION
150.90																											
151	54°	Xha	BSD	FG	BK	O	As	1	Py	1																		150.90m - 154.96m Hornfelsed Argillite, very dense, v.f.g.
153																												Arsenopyrite-pyrite vein, x-cuts bedding ~orthogonal to bedding.
154.96	35°																											
155		MSU		CG	YGY	O	Po	3	As	3																		154.96m - 156.26m Semi-massive sulphides, ~5% Po, ~5% Arsenopyrite ~8% Pyrite, ~35° t. long axis of core, x-cuts bedding (orthogonal to)
156.26																												
157		Xha	MBS	FG	BK	O					Si	Pat	1	QC	1	Qz	1	CC	1									156.26m - 180.04m Hornfelsed BLACK Argillite, very dense, v.f.g.
159																												~1% qtz-calcite stockwork, silicification refers to this stockwork.
161																												159 - 159.64m light brown-grey quartzite - or hornfelsed biotite sandstone.
163																												
165'																												

PROJECT: Antimony Mtn.-Ridge Showing HOLE_ID: AJ11-31 LOGGED BY: Shane Carlos DATE: Nov. 9th, 2011.

PREDATOR GROUP

INTERVAL (meters)	STRUCTURE	LITHOLOGY	ROCKCODE	MODIFYCODE	GRAIN_SIZE	COLOR	OXIDE_CODE	SULF1	SULF1_PCT CODE	SULF2	SULF2_PCT CODE	ALT-1	ALT-1_FORM	ALT-1_INT	ALT-1_VEIN_TYPE	ALT-1_VEIN_%	ALT-1_MIN1	ALT-1_MIN1_PCT CODE	ALT-1_MIN2	ALT-1_MIN2_PCT CODE	ALT-2	ALT-2_FORM	ALT-2_INT	ALT-2_VEIN_TYPE	ALT-2_VEIN_%	ALT-2_MIN1	ALT-2_MIN1_PCT CODE	COMMENTS / DESCRIPTION
GRAPHIC			LITHOLOGY					MINERALIZATION				ALTERATION-1									ALTERATION-2								
166			Xha	MAS	FG	BK	O					Si	Pat	1	QC	1	Qz	1	CC	1								
	75°																											
168																												
170																												
172	47°																											
174																												
176																												
			177.20																									
178	47° beds		Xha	MAS	FG	GRBR	O					Si	Per			Qz	6											177.20m – 180.04m Hornfelsed Argillite + minor sandstone/tuff, Light grey-brown color, intensely silicified and bleached.
180																												

PROJECT: Antimony Mtn.-Ridge Showing HOLE_ID: AJ11-31 LOGGED BY: Shane Carlos DATE: Nov. 10th, 2011.

PREDATOR GROUP

INTERVAL (meters) / STRUCTURE	LITHOLOGY	ROCKCODE	MODIFYCODE	GRAIN_SIZE	COLOR	OXIDE_CODE	SULF1	SULF1_PCT CODE	SULF2	SULF2_PCT CODE	ALT-1	ALT-1_FORM	ALT-1_INT	ALT-1_VEIN_TYPE	ALT-1_VEIN_%	ALT-1_MIN1	ALT-1_MIN1_PCT CODE	ALT-1_MIN2	ALT-1_MIN2_PCT CODE	ALT-2	ALT-2_FORM	ALT-2_INT	ALT-2_VEIN_TYPE	ALT-2_VEIN_%	ALT-2_MIN1	ALT-2_MIN1_PCT CODE	COMMENTS / DESCRIPTION
181		180.04 Xha	MA	FG	BK	O					Si	Pat	2	QC	2	Qz	1										180.04m – 188.03m Hornfelsed Black Argillite, very dense, v.f.g., hard irregular fractures, qtz-calcite stockwork ~2%. Rare evidence of bedding, mostly massive + homogeneous. Occasionally along shears, can see well developed graphite, → carbonaceous.
183																											
185																											
187																											
		188.03																									
189	10° Bedding	Xq 189.20	MAS	FG	GBR	O																					188.03m – 189.20m Quartzite? to silicified, Hornfelsed, Bleached, Argillite.
191		Xha	MAS	FG	BK	O	Py	2			Si	Pat	2	QCS	5%	Qz	4										189.20m – 200.08m Hornfelsed BLACK Argillite, intensely dense, v.f.g., some silicification, qtz-py-calcite stockwork ~5%, with open space-vuggy / euhedral qtz crystals. - Locally, up to 5% pyrite stringers + disseminations Bedding @ ~10° - vertical to core long axis (parallel)
193	10° Bedding																										
195'																											

PROJECT: Antimony Mtn.-Ridge Showing HOLE_ID: AJ11-31 LOGGED BY: Shane Carlos DATE: Nov. 10th, 2011.

PREDATOR GROUP

INTERVAL (meters)	STRUCTURE	LITHOLOGY	ROCKCODE	MODIFYCODE	GRAIN_SIZE	COLOR	OXIDE_CODE	SULF1	SULF1_PCT CODE	SULF2	SULF2_PCT CODE	ALT-1	ALT-1_FORM	ALT-1_INT	ALT-1_VEIN_TYPE	ALT-1_VEIN_%	ALT-1_MIN1	ALT-1_MIN1_PCT CODE	ALT-1_MIN2	ALT-1_MIN2_PCT CODE	ALT-2	ALT-2_FORM	ALT-2_INT	ALT-2_VEIN_TYPE	ALT-2_VEIN_%	ALT-2_MIN1	ALT-2_MIN1_PCT CODE	COMMENTS / DESCRIPTION
196			Xha	MBS	FG	BK	0	Py	2			Si	Pat	2	QCS	5%	Qz.	4										
198																												
200																												
			200.08																									
					FG	GBR	0																					200.08m – 205.28m Hornfelsed Sandstone – Argillite. green-brown. Brown due to v.f.g. biotite
	40°		Xha																									
202																												
204																												
			205.28																									
206	40°		Xha		FG	GYO	0	Py	2			TML	Pat	2	TML	3%	TML	3			Si	Pat	2			Qz	4	205.28m – 211.00m Hornfelsed Black Argillite, with ~3% black, f.g. Tourmaline (80%) – Py (10%) – Calcite (10%) veining (≤ 5cm wide). Abundant fractures Also some quartzite here as well. Bedding @ ∠ 25° to core long axis.
208	25°																											@ 206m – 5cm wide massive Black Tourmaline vein.
210																												

PROJECT: Antimony Mtn.-Ridge Showing HOLE_ID: AJ11-31 LOGGED BY: Shane Carlos DATE: Nov. 10th, 2011.

PREDATOR GROUP

INTERVAL (meters) / STRUCTURE	LITHOLOGY	ROCKCODE	MODIFYCODE	GRAIN_SIZE	COLOR	OXIDE_CODE	SULF1	SULF1_PCT CODE	SULF2	SULF2_PCT CODE	ALT-1	ALT-1_FORM	ALT-1_INT	ALT-1_VEIN_TYPE	ALT-1_VEIN_%	ALT-1_MIN1	ALT-1_MIN1_PCT CODE	ALT-1_MIN2	ALT-1_MIN2_PCT CODE	ALT-2	ALT-2_FORM	ALT-2_INT	ALT-2_VEIN_TYPE	ALT-2_VEIN_%	ALT-2_MIN1	ALT-2_MIN1_PCT CODE	COMMENTS / DESCRIPTION
211		Xha		FG	(GY)	O	Py	2			TM	Pat	2	TM	3%	TM	3	CC	2	Si	Pat	2			Qz	4	
	42°	211.00																									211.00m – 211.61m Fault Gouge + Massive Py - Arseno..
		GG-MSU		MG	GY	O	AS	6	Py	5																	211.21m – 211.61m massive arsenopyrite (~70%), pyrite ~20%
		211.61																									black argillite, ~10%. + calcite + chlorite (dark green)
213		Xha	MAS	FG	BK	O	Py	2			Si	Por	2	QCS	6%	Qz.	4										211.61m – 227.08m Hornfelsed BLACK Argillite, extremely dense + brittle, with qtz-calcite-pyrite stockwork (~6%) filling the fracture network. Very fine grained → mud size particles
																											~1-2% pyrite as disseminations and stringer veins.
215																											Local silicification with silica replacement with pyrite along bedding.
																											Often, the white qtz-calcite veins have angular clasts
217																											of wallrock incorporated. The veins are thin (~< 1/2 cm, mostly)
																											Some more qtzite rich layers, due in part to more qtz-sericite
219																											and mainly silicification.
																											25-20° bedding angle to core long axis.
221																											
223																											
225'																											

PROJECT: Antimony Mtn.-Ridge Showing HOLE_ID: AJ11-31 LOGGED BY: Shane Carlos DATE: Nov. , 2011.

PREDATOR GROUP

INTERVAL (meters) / STRUCTURE	GRAPHIC: LITHOLOGY	LITHOLOGY: ROCKCODE	MODIFYCODE	GRAIN_SIZE	COLOR	OXIDE_CODE	MINERALIZATION: SULF1	SULF1_PCT CODE	SULF2	SULF2_PCT CODE	ALTERATION-1: ALT-1	ALT-1_FORM	ALT-1_INT	ALT-1_VEIN_TYPE	ALT-1_VEIN_%	ALT-1_MIN1	ALT-1_MIN1_PCT CODE	ALT-1_MIN2	ALT-1_MIN2_PCT CODE	ALTERATION-2: ALT-2	ALT-2_FORM	ALT-2_INT	ALT-2_VEIN_TYPE	ALT-2_VEIN_%	ALT-2_MIN1	ALT-2_MIN1_PCT CODE	COMMENTS / DESCRIPTION
226		Xhau	MAS	FG	BK	O	Py	2			Si	Per	2	QCS	6%	Qz	4										
227.08																											End of Hole @ 227.08m → different than Kluane time sheets due to marker block errors that were corrected.
		EOH																									
228																											
230																											
232																											
234																											

APPENDIX 4

ORIENTED CORE

STRUCTURAL MEASUREMENTS

PREDATOR GROUP

Structural Data for Oriented Core

Project: Antimony Mtn.	Prospect: 'AJ' - 'Ridge'		Dip: -50°	Azimuth: 143	Page: 1 Of: 5
Hole_ID: AJ11-31			Date: Nov. 7th, 2011	Total Depth: 227.08 m	Logged by: Shane Carlos

Box No.	Depth (M) to mid-point	Reference Line Position	True Thickness	Downhole Thickness	Type	Alpha	Beta	Description / Notes
4	20.38	Bottom			Bed	44	212	alternating gtz to HF silt layers.
4	20.86 m	Bottom	3mm		VN	5	302	arsenopyrite - calcite vein, with iron oxidation
4	20.79 m	Bottom			FRA	24	035	iron oxidation - orange
5	23.80	Bottom			BED	42	202	
5	23.49	Bottom			FRA	42	202	iron oxidation along bedding plane fractures.
5	24.02	Bottom			FRA	30	062	rough surface, iron oxidation.
7	32.52	Bottom		Con	/Bed	20	166	
7	32.78	Bottom	3-4mm		VN	33	085	pyrite - calcite
7	31.49	Bottom			FRA	44	025	rough surface, iron oxidation
8	36-22	Bottom	4/mm		VN	30	295	pyrite stringer
8	34.38	Bottom			CON	35	185	Bedding plane, black HF silt up-hole + gtz/pyrite downhole
8	34.40	Bottom			FRA	52	015	rough surface
10	43.62	Bottom			BED	44	170	alternating thin beds of gtz/pyrite.
10	43.98	Bottom	2mm		VN	6	303	calcite veinlet
10	44.43	Bottom			FRA	55	028	rough surface, iron oxidation.
11	46.94	Bottom	~3mm		VN	17	290	calcite vein
11	47.06	Bottom			BED	44	204	
11	46.86	Bottom			FR	40	020	very rough locally surface
12	54.62	Bottom			BED	60	150	quartzose sandy layers.

PREDATOR GROUP

Structural Data for Oriented Core

Project:	Antimony Mtn.	Prospect:	AJ - 'Ridge'	Dip:	-50	Azimuth:	143
Hole_ID:	AJ11-31	Date:	Nov. 7th, 2011.	Total Depth:	227.08	Logged by:	Shane Carlos

Box No.	Depth (M) to mid-point	Reference Line Position	True Thickness	Downhole Thickness	Type	Alpha	Beta	Description / Notes
12	54.48	Bottom			FRA	60	325	rough surface
13	58.62				BED	31	185	
13	58.86				FRA	29	320	rough, iron-oxidized → rusty. bottom line
14	62.67				BED	35	215	26° OFF with next box in Box 14, suspect.....
14	62.72		4mm		VN	13	072	Py - Calcite veinlet
15	67.34				BED	25	175	
15	67.64		2mm		VN	16	310	Py - Calcite
16	68.80		2.10cm		VN	33	067	- pyrite - calcite
16	71.75				BED	40	225	
16	72.62				FRA	21	264	orange iron oxidized fracture.
17	76.40		1.6cm		VN	30	004	Arsenopyrite - Calcite vein
17	74.90		~2cm		VN	31	038	calcite - pyrite vein
17	75.00				FRA + Bed	24	180	fine sandy layers within dark grey brittle-hard silt
18	79.46		5cm		BED	33	227	white silt in dark silt - crushed.
18	80.10				FRA	39	227	breaks along bedding.
18	79.58		0.5cm		VN	25	050	calcite
18	79.67		0.7cm		VN	65	074	calcite
22	96.01			40cm	VN	~35°	320-040	spread of vein in fault zone, massive sulphides
22	95.80	↓			FRA	35	040	jig-saw breccia trend

PREDATOR GROUP

Structural Data for Oriented Core

Project:	Antimony Mtn.	Prospect:	AJ - 'Ridge'	Dip:	-50	Azimuth:	143
Hole_ID:	AJ11-31	Date:	Nov. 9th, 2011.	Total Depth:	227.08m	Logged by:	Shane Carlos

Box No.	Depth (M) to mid-point	Reference Line Position	True Thickness	Downhole Thickness	Type	Alpha	Beta	Description / Notes
24	105.46	Bottom			BED	55	211	
24	105.40	Bottom			FRA	55	211	good breaks on bedding, rarely cleaves through
24	105.30	Bottom	2mm		VN	29	045	qtz-calcite
25	110.87	Bottom			CON	44	200	bedding contact
25	109.80	Bottom	2mm		VN	14	242	qtz. -calcite
25	108.60	Bottom			FRA	44	320	
29	128.20				BED	30	215	
29	128.40				FRA	35	126	rough surface, iron oxidation
31	136.64				BED	36	215	
31	137.65				VN	46	070	vuggy, open spaced vein, partially separates the core.
33	147.50				BED	44	170	
33	147.91				FRA	80	150	HF Argillite fractures in direction of force
35	154.96		15cm		VN	42	025	massive Pb-Hs vein
35	156.36				BED	35	216	
35	156.54				FRA	45	025	
36	159.00				BED	27	211	
36	158.20				FRA	78	096	blocky surface.
~~37~~	161m				VN	26	010	qtz-calcite
~~38~~		↓						

PREDATOR GROUP

Structural Data for Oriented Core

Project: Antimony Mtn.	Prospect: AJ - 'RIDGE'		Dip: -50	Azimuth: 143		Page: 4	Of: 5
Hole_ID: AJ11-31			Date: Nov. 10th, 2011.		Total Depth: 227.08m	Logged by: Shane Carlos	

Box No.	Depth (M) to mid-point	Reference Line Position	True Thickness	Downhole Thickness	Type	Alpha	Beta	Description / Notes
38	166.84	Bottom			BED	32	190	
38	167.68	Bottom	3mm		VN	30	187	
38	167.30	Bottom			FRA	56	310	
39	170.14	Bottom			BED	28	269	
39	170.85	Bottom	2mm		VN	30	045	qtz. calcite
39	170.93	Bottom			FRA	35	000	
39	170.55	Bottom			FRA	58	090	
40	175.50	Bottom			BED	26	190	
40	175.40	Bottom	1cm		VN	60	330	qtz - calcite
41	180.00				BED	52	175	
42	185.18				BED	15	183	
42	184.80				FRA	84	173	
43	190.00		3.75cm		VN	30	285	qtz-calcite-glycite
43	191.38		1cm		VN	4°	100	
43	188.03				BED	15°	150	
44	195.83		0.4cm		VN	26°	046	
44	193.94			FRA+	BED	25	136	
45	198.38		0.4cm		VN	22	040	qtz - calcite
45	196.10		2cm		VN	60°	196	x-cuts bedding

PREDATOR GROUP

Structural Data for Oriented Core

Project:	Antimony Mtn.	Prospect:	AJ - 'RIDGE'		Dip: -50	Azimuth: 143	Page: 5 Of: 5
Hole_ID:	AJ11-31			Date:		Total Depth: 227.09m	Logged by: Shane Carlos

Box No.	Depth (M) to mid-point	Reference Line Position	True Thickness	Downhole Thickness	Type	Alpha	Beta	Description / Notes
45	196.90	Bottom			BED	10	196	
47					FRA	42	255	

PREDATOR GROUP

Structural Data for Oriented Core

Project: Antimony Mtn.	Prospect: AJ Vein		Dip: -65	Azimuth: 150		Page: 1	Of: 2
Hole_ID: AJ11-30			Date: Nov. 5th, 2011.		Total Depth: 172.21	Logged by: Shane Carlos	

Box No.	Depth (M) to mid-point	Reference Line Position	True Thickness	Downhole Thickness	Type	Alpha	Beta	Description / Notes
7	29.53m	Bottom			CON	67	225	btw. qtz + HF drillhole → bedding.
7	29.10	Bottom			FRA	3	220	rough surface, iron oxidized
8	32.60	Bottom			BED	42	233	
8	32.70	Bottom			FRA	24	046	smooth surface, not polished though.
9	34.50				FRA	27	010	
9	34.70				FRA	31	072	flat, rough surface.
9	34.90		2.5mm		VN	25	040	Tourmaline - Pyrite
15								
19	74.76				BED	45°	045	Brown-biotite bands along bedding
20	75.60		2.5cm		BED	33	043	Qtzite interbeds
20	75.90				FRA	24	225	
21	80.66				BED	40	225	HF siltstn interbed in Qtzite
21	83.20				BED	40	190	
21	83.36				FRA	40	290	rough surface with pyrite.
22	85.70				VN	47	355	pyrite vein
22	87.30				BED	45	170	
22	87.50				FRA	45	330	
24	94.10		4cm		BED	70	235	Qtzite interbed
24	94.29	↓			FRA	27	050	strong fracture orientation, very planar-flat, rough surface.

PREDATOR GROUP

Structural Data for Oriented Core

Project: Antimony Mtn.	Prospect: AJ Vein		Dip: -65	Azimuth: 150		Page: 2	Of: 2
Hole_ID: AJ11-30			Date: Nov. 6th, 2011.		Total Depth: 172.21	Logged by: Shane Carlos	

Box No.	Depth (M) to mid-point	Reference Line Position	True Thickness	Downhole Thickness	Type	Alpha	Beta	Description / Notes
25	96.50	Bottom			FRA	10	045	Polished surface, Chlorite Slickensides; $\delta = 112°$ downhole, 360° clockwise.
25	96.30	Bottom			BED	54	190	spotted texture alignment in HF Siltstones
25	100.00	Bottom			BED	52	200	
27	104.91	Bottom			CON	32	280	Qtzite downhole, contact, HF silted, spotted up-hole
28	110.86	Bottom			CON	30	226	Biotite Monzonite Sill downhole, Quartzite up-hole.
28	110.95	Bottom			FRA	40	040	rough planar surface
29	111.70				FRA	37	300	pyritic fracture in the MZT Sill.
30	117.50		~ 2mm		VN	19	340	qtz - pyrite veins
30	117.92		~ 3mm		VN	039	019	qtz - py veins
30	120.80				BED	44	210	
30	120.20				FRA	32	059	
31	122.10			65cm	BED	43	192	Qtzite bed
31	122.80				FRA	49	065	pyritic fracture, common here, ~ 10 fractures surrounding
37	148.10				BED	50	285	Qtzite interbeds
37	149.30				FRA	35	125	good planar break, rough surface
38	152.30				FRA	35	200	fault gouge, // to bedding, irregular, wavy beds.

PREDATOR GROUP

Structural Data for Oriented Core

Project: Antimony Mtn.	Prospect: AJ Vein		Dip: -65	Azimuth: 040	Page: 1	Of: 5	
Hole_ID: AJ11C-29			Date: Oct. 31st, 2011		Total Depth: 291.08	Logged by: Shane A. Carlos	

Box No.	Depth (M) to mid-point	Reference Line Position	True Thickness	Downhole Thickness	Type	Alpha	Beta	Description / Notes
15	65.95m	Bottom	3.0cm		BED	55	340	3cm layer of HF siltstone within qtzite. - distorted bedding
15	69.75m	Bottom			BED/CON	40	230	Bedding Cont. with Quartzite up-hole - HF down.
15	67.10m	Bottom			BED	50	265	
16	68.94	Bottom			CON	55	240	Quartzite downhole, contact with HF uphole
16	70.86	Bottom			FRA	35	348	
16	71.34	Bottom			CON	65	220	Quartzite downhole, HF uphole
17	72.50	Bottom			FRA	43	070	rough surface
19	82.20				FRA	46	045	very rough surface.
19	82.30				BED	45	257	
19	83.40m		3.0cm		BED	80	265	HF siltstone bed in massive quartzite bed
20	87.05		0.4cm		VN	10	295	Black Tourmaline
20	86.70		1.2cm		VN	23	295	Black Tourmaline.
20	83.96				CON	60	000	Quartzite up-hole, HF down, bifurcation walking wellbore.
20	84.73				FRA	25	300	rough surface
21	88.80				BED	50	258	in HF.
21	91.20				FRA	60	185	
22	94.50		16cm		VN	50	265	Qtz - Tourmaline - Pyrite
22	92.10				BED	49	255	in HF
23	97.35		3mm		VN	45	065	Qtz. - Tourmaline

PREDATOR GROUP

Structural Data for Oriented Core

Project: Antimony Mtn - Prospect: AJ Vein | Dip: -65 | Azimuth: 040 | Page: 2 Of: 5

Hole_ID: AJ11 - 29 | Date: Sept. 28th, 2011. | Total Depth: 291.08m | Logged by: Jriane H. Carlos

Box No.	Depth (M) to mid-point	Reference Line Position	True Thickness	Downhole Thickness	Type	Alpha	Beta	Description / Notes
24	100.20	Bottom	/		BED	47°		apparent bedding planes in hornfelsed siltstone
24	100.58	Bottom	/		CON	40-45°		somewhat irregular contact betw. hornfels + biot-feldsp. Dyke same Beta / orientation as bedding @ 100.20m
24	101.68	Bottom	3mm		FRA	35°	approx. 180°to	with ~1.5mm halos of light green chlorite
24	101.48	Bottom	~ 1cm		VN	23°	same beta as →	arsenopyrite vein, same beta as cont. + bedding @ 100.20m + 100.58m
24	102.88	Bottom	/		FRA	35°	293	γ 40° (downhole, clockwise 360) of chlorite slickensides
								shear plane.
24	103.23	Bottom	1.3cm		FLT	25°	082	fault gouge, with sericite + XLN mix
24	103.48	Bottom			CON	30°	276	contact with biotite-feldspar dyke uphole and vein-massive sulphide downhole
24	103.69	Bottom	2cm			40	271	qtz vein in massive pyrite
25	104.10	Bottom	?	22cm	FLT	10°		fault gouge, contacts destroyed
25	106.68	Bottom			BED/VN	44°		pyrite with bedding?
25	106.23	Bottom			Bed	50°		relict bedding plane in hornfels
26	111.19	Bottom	0.9cm	appx to appx 15cm	VN	10°	280	one of many arsenopyrite veins/veinlets
26	108.30	Bottom	/		BED	40°	/	
26	110.28	Bottom		6.16cm	GG	15-20°	305	Fault gouge with pyrite+chlorite alteration 109.72m - 110.82 also Lower cont.
27	111.90	Bottom	1.1cm		VN	42	270	arsenopyrite band in massive sulphides
27	113.59	Bottom	1.2cm	appx-appx 8.5cm	VN	36	268	arsenopyrite band in massive sulphides
27	114.63	Bottom	/	/	FRA	31	041	chlorite slicks on Fracture, irregular γ
28	115.65	Bottom	?	31cm	FLT	10	105	fault slicks separating qtz-pebble intra-conglomerate and massive py-arsen.

γ = 085

PREDATOR GROUP

Structural Data for Oriented Core

Project: Antimony Mtn. Prospect: AJ Vein | Dip: -65 Azimuth: 040 | Page: 3 Of: 5

Hole_ID: | Date: | Total Depth: 291.08m | Logged by: Shane A Carlos

Box No.	Depth (M) to mid-point	Reference Line Position	True Thickness	Downhole Thickness	Type	Alpha	Beta	Description / Notes
28	116.25	Bottom	/		CON	62	252	contact with, gtz-lithic greywacke matrix conglomerate w/clasts of massive sulphide-qtz above below
28	116.32	Bottom	2cm	/	VN	28	093	arsenopyrite band cross-cuts contact @ 116.25m, is most likely the vein direction, whereas contact may
								represent an original lithology change.
28	117.24	Bottom			FRA	56	023	rough surfaced fracture plane.
28	118.73	Bottom	1.1cm		VN	25	240	gtz vein, in massive sulphides surrounding
29	119.84	Bottom	/	/	BED/VN	43	250	bedding in massive sulphides, or bedding in sulphide vein
29	120.14	Bottom			Bed/VN	18	272	same as 119.84m. Py - Arseno - Qtz. - Pyrrotite?
29	120.63	Bottom			VN	50	249	diss. arseno-pyrite band in fine green-black sedst. breccia.
								vein is cut-off by breccia clast @ 249 beta 20 alpha
29	120.63	Bottom	/	/	Breccia clast	20	249	12cm long x ? cm wide breccia clast of silicified sedstone
29	121.05	Bottom			BED	42	227	bedding plane in silicified hornfelsed
								alternating ±1cm beds of siltstone + sandstone.
29							1	py.-arseno follows bedding plane.
29	121.07	Bottom		apex to apex 7cm	BED	50	190	bedding in silic.-hornf.
29	121.18	Bottom		apex to apex 11cm	VN	26	253	massive sulphides + bedding not bedding
29	121.94	Bottom			VN	30	290	massive sulphides, bedding in vein.
29	122.50	Bottom		60cm	GG	25	290	Fault Gouge 122.20m - 122.80m, disintegrated, though upper cont. recognizable.
29	122.46	Bottom			Bed	53	215	bedding in siltstone. lower cont disintegrated

$\gamma = 43°$ in chlorite slips.

PREDATOR GROUP

Structural Data for Oriented Core

Project:	Antimony Mtn.	Prospect:	AJ Vein		Dip: -65	Azimuth: 040	Page: 4	Of: 5
Hole_ID:	AJ11-29			Date:	Nov 2nd, 2011.	Total Depth: 291.08m	Logged by:	Shane Carlos

Box No.	Depth (M) to mid-point	Reference Line Position	True Thickness	Downhole Thickness	Type	Alpha	Beta	Description / Notes
~~35~~	146.50	?Bottom?			~~Bed~~	~~70~~	~~300~~	~~select fracture in intact core. Fractures~~ 52° aFF from ~~and 2 set. have.~~
36		~~Bottom~~						box 35-37 quartzwacke
40	167.88	Bottom			Bed	75	292	in brown biotite quartzite.
41	171.12	Bottom			Bed	60	250	
41	172.10	Bottom	1mm		VN	25	310	Qtz-pyrite stringers } bottom 1cm with 30 Hz
41	168.65		3mm		VN	30	125	Po vein / 180° Brk diff in hydrothermite.
42	174.00				Bed	55	245	sandy-silty layer in HF. Brittle
42	175.74				FRA	44	270	
43	178.40				Bed	56	240	
43	178.70		0.75cm		VN	12	190	wht. Qtz.
43	180.87		2cm		VN	10	090	Po vein, multiple 1mm thick anastomosing veins.
43	180.42				FRA	40	062	
44	184.80				Bed	40	228	
44	185.00				FRA	45	075	
45	189.31				Bed	39	210	
46	191.19				Bed	50	210	
46	191.12		3mm		VN	30	025	wh. Qtz
46	191.04		2mm		VN	30	320	wh. qtz.
46	192.85	↓			FRA	50	130	very rough surface

PREDATOR GROUP

Structural Data for Oriented Core

Project: Antimony Mtn.	Prospect: AJ Vein		Dip: -65	Azimuth: 040	Page: 5	Of: 5	
Hole_ID: AJ11-29			Date: Nov. 3rd, 2011.		Total Depth: 291.08m	Logged by: Shane Carlos	

Box No.	Depth (M) to mid-point	Reference Line Position	True Thickness	Downhole Thickness	Type	Alpha	Beta	Description / Notes
47	196.50	Bottom	/		FRA	24	325	polished shear plane, with slickensides. δ = 095°
47	196.60	Bottom			Bed	29	228	
48	199.82	Bottom			Bed	44	227	
63	259.05	Bottom			BED	50	212	
63	261.45	Bottom			FRA	25	016	Shear plane @ edge of major fault breccia. δ = 105° slickenslides.

PREDATOR GROUP

Structural Data for Oriented Core

Project:	Antimony Mtn - AJ Vein	**Prospect:**	Conductor 'C'		**Dip:**	-55	**Azimuth:**	332	**Page:** 1 **Of:**
Hole_ID:	AJ11-27				**Date:**	October 19th, 2011.	**Total Depth:**	300.23m	**Logged by:** Shane Carlos

Box No.	Depth (M) to mid-point	Reference Line Position	True Thickness	Downhole Thickness	Type	Alpha	Beta	Description / Notes
8	33.48	Bottom	7.2cm		VN	42	020	grainy white qtz vein, with py + tourmaline - arseno.
8	34.10	Bottom	~5cm		VN	30	050	diss. alt. along hairline cracks with arsenopyrite + chalcopyrite
9	34.51	Bottom	~1cm		VN	8	042	diss pyrite + chalcopyrite proximal to hairline fract.
9	35.45	Bottom		1.05m	VN	20	030	Tourm. - Arseno. - Sericite - Calcite Vein, partially oxidized
							>020	Beta changes along core axis
9	37.20	Bottom	—	—	FRA	20	045	orange oxidized fract.
9	38.05		1.3cm		VN	25	037	pyrrhotite vein, 1mm thick with alt. envelope
9	38.52				CON	15	040	alteration contact, less alt. upstairs, more silicified downhole
10	40.80		1cm		VN	20	024	qtz + green silicate vein
10	40.97		2.4cm		VN	32	005	qtz. vein + green silicate replacing white crystals + inclusions
10	42.50				FRA + VN	9	305	<1mm qtz vein + parallel fract, no oxide
11	45.72		62cm		VN	25	010	Arseno - Tourmaline - Blebby Calcite vein
12	49.24		0.6cm		VN	45	185	Calcite vein
12	50.22		0.4cm		VN	20	338	Qtz. vein
12	50.73				FRA	45	180	fracture
13	52.44				FRA	40	184	Fracture, rough surface (uneven)
13	52.70		3.4cm		VN	22	032	Po, 1mm wide with green silicate halo
13	53.68		4.4cm		VN	21	038 010	Qtz - Tourm. - Py - Green silicate replacement mineral - white feldspar.
14	58.88	nil	17.5cm		VN	40	—	Tourm. - Arseno - Py Vein with [illegible]

no bottom line

PREDATOR GROUP

Structural Data for Oriented Core

Project: Antimony Mtn.	Prospect: AJ Vein - Conductor C		Dip: -55	Azimuth: 332		Page: 2	Of:
Hole_ID: AJP-27			Date: October 20th, 2011		Total Depth: 300.23m	Logged by: Shane A. Carlos	

Box No.	Depth (M) to mid-point	Reference Line Position	True Thickness	Downhole Thickness	Type	Alpha	Beta	Description / Notes
15	62.33	Bottom		~60cm	VN	35	337	Massive Black Tourmaline with - arseno. - calcite - qtz - py. vein.
								sparse bottom lines in this box
16	64.15	Bottom			FRA	28	233	rough, uneven surface with orange oxidation.
16	66.70	Bottom		30cm	VN	35	345	Tourm - grey sericite - white feldspar vein
16	66.90	Bottom		15cm	GG	35	345?	Kaolin and iron oxide gouge zone
16	65.84	Bottom			FRA	42	207	rough, iron oxidized fracture.
18	73.84	nil	25cm		VN	40	340	vein, Qtz - black Tourm. - White Feldspar - green silicate
								grey sericite vein.
								→ estimated from 76.20m bottom line
								box 17 + 18 mismatches on bottom lines
19	78.00	bottom	11cm		VN	30	310	Pyrrhotite (Po) ~4, ~1mm Po veins with green
								silicate replacement halo's
19	78.52	Bottom			FRA	30	000	Smooth surface fracture.
19	78.55	Bottom	0.2cm		VN	19	210	Calcite
20	82.77	Bottom	6cm		VN	25	210	Qtz. - Calcite, 5 // veins, 3mm to 6mm thick
20	83.86		½ mm		VN	29	350	hairline tourmaline vein
20	83.90		½ mm		VN	35	260	grey hairline x-cuts
21	85.00			130cm	VN	35	335, 020, 350	Massive Black Tourm. + Massive Arsenopyrite + calcite + Po margin downhole.
								→ Beta changes from 350 to 335 to 020

PREDATOR GROUP

Structural Data for Oriented Core

Project: Antimony Mtn.	**Prospect:** AJ Vein - Conductor 'C'		**Dip:** -55	**Azimuth:** 332	**Page:** 3 **Of:**
Hole_ID: AJII - 27			**Date:** October 20th 2011	**Total Depth:** 300.23m	**Logged by:** Shane Carlos

Box No.	Depth (M) to mid-point	Reference Line Position	True Thickness	Downhole Thickness	Type	Alpha	Beta	Description / Notes
21	87.33	Bottom			CON	47	248	Contact : Intrusive up-hole, hornfels + silicification down hole sediments.
21	88.29	(			CON	65	310	Hornfelsed sedi up-hole, intrusive down hole
22	88.69	(			CON	37	285	Intrusive up-hole, qtzite + hornfels down hole.
22	89.14	Bottom			CON	40	312	qtzite - vein? , silic. hornfelsed sedi down hole.
22	90.58				FRA	44	087	iron oxidized, rough fracture.
22	90.38		10cm		BED	42	087	qtzite bed in hornfelsed siltstones.
23	95.47				CON	35	240	sugary qtzite - vein? up hole, intrusive down hole
23	93.05				CON	80	//	hornfelsed siltstone up hole sugary qtzite - vein? down hole.
24	96.85		1.2cm		VN	34	005	Qtz vein
24	97.52		3.0cm		VN	45	000	Qtz. , milky grey - white with 3.5cm silicified margins
24	99.91		4.0cm		VN	38	018	Qtz - white Sericite
24	100.54				CON	38	255	Milky white cryptocrystalline qtz with layered texture.
24	100.92				CON	38	255	different style of veining. → replacement of sediments? lower cont. with intrusive, with black Tourmaline.
~~24~~								
24	100.74				VN	33	030	Qtz. vein cross-cuts silic. +tourmaline sedi above.
24	101.15				FRA	50	163	rough surface fracture
25	102.26		9cm		VN	23	350	Qtz - Calcite - Wh. Sericite - trace arsen. vein, white
25	103.34		10.1cm		VN	30	020	Qtz - Calcite - wh. Sericite - Arsen. , white.
25	104.63	↓	0.3cm		VN	40	010	Qtz-green silicate halored qtz vein

PREDATOR GROUP

Structural Data for Oriented Core

Project: Antimony Mtn.	Prospect: AJ Vein - Grid 'C'		Dip: -55	Azimuth: 332	Page: 4 Of:
Hole_ID: AJ11-27			Date: Oct. 20th, 2011	Total Depth: 300.23m	Logged by: Shane Carlos

Box No.	Depth (M) to mid-point	Reference Line Position	True Thickness	Downhole Thickness	Type	Alpha	Beta	Description / Notes
25	103.73	Bottom	0.6cm		VN	31	312	fine silica - chalcedony vein, single phase
25	104.20				FRA	35	126	rough surface
26	105.62		0.9cm		VN	38	348	white qtz.
26	106.29		1.0cm		VN	40	350	white qtz. flooding, replacing interlocking intrusive crystals
26	108.66		1.2cm		VN	50	325	fine silica - chalcedony? vein
26	108.49				FRA	015	135	rough surface
27	113.22		0.9cm		VN	30	000	white greasy qtz + grey cryptocrystalline qtz with green
								silicate halos as replacing biotites that would have been
								already bleached? 4 halos, but sometimes halos
								halos are ~ 2cm either side of vein
27	113.44				FRA	15	310	rough surface, iron oxidation
28	114.65	Bottom	3cm		VN	35	040	qtz-calcite with white folds + green silicate → some
								chlorite, carbonate?
28	115.66				FRA	35	153	rough surface
28	118.11		0.4cm		VN	28	030	Qtz + green silicate, vein of calcite + qtz? or carbonate?
28	118.11		0.2cm		VN	015	065	↳ x-cut by calcite veins at 065
29	120.00		0.3cm		VN	15	060	Qtz - calcite, white, partly vuggy
29	120.55		0.3cm		VN	18	060	Qtz - calcite, white, vuggy
29	121.79				FRA	30	325	rough surface in weathered intrusive.

PREDATOR GROUP

Structural Data for Oriented Core

Project: Antimony Mtn | Prospect: AJ Vein - Cond. 'C' | Dip: -55 | Azimuth: 332 | Page: 5 Of:

Hole_ID: AJ11-27 | Date: Oct. 23rd, 2011. | Total Depth: 306.23m | Logged by: Shane, Carlos

Box No.	Depth (M) to mid-point	Reference Line Position	True Thickness	Downhole Thickness	Type	Alpha	Beta	Description / Notes
30	124.87	Bottom			FRA	50	345	rough surface, in unaltered Intrusive
30	125.06	Bottom	2mm		VN	46	345	Qtz - Calcite, ~~Tourmaline~~
31	129.21	Bottom	1.3cm		VN	31	042	Calcite (grey) - Po vein, 1cm white halos (qtz related)
31	127.27	Bottom			FRA	30	167	rough surface
32	132.48	Bottom	2mm		FRA	40	300	rough surface, rooted in calcite
32	134.59	↓			FRA	35	023	rough surface, in unaltered Intrusive
33	135.70	↓	3cm		VN	26	027	Calcite - Po vein grey., ~5% Po
33	138.88	↓	0.3cm		VN	12	040	Calcite - Po vein
33	138.56	↓			FRA	40	315	rough surface
34	140.00	↓	6.5cm		VN	12	028	Black - Green Tourmaline - Qtz. - Calcite
35	147.84	↓	0.3cm		VN	15	032	Qtz - Calcite - Green Silicate ~ Tourmaline?...
36	149.83	↓	7cm		VN	25	030	Qtz - Calcite - Tourmaline - Arsenopyrite, ~ 1% arsen.
36	150.28	Bottom			FRA	70	291	rough surface
36	152.20	↓			VN	50	025	Colloform Qtz - Calcite, with fine grey-black sulphide mins.
37	158.60	↓			FRA	24	310	rough surface
43	177.20	↓	1.5cm		VN	35	345	Tan Qtz - Carbonate ~ some brecciations
43	177.15	↓	0.7cm		VN	45	310	Tan Qtz - Carbonate
43	178.20	↓			FRA	70	262	calcite coated - rough surface
		↓						

PREDATOR GROUP

Structural Data for Oriented Core

Project: Antimony Mtn.	Prospect: AJ Vein - Cond. 'C'		Dip: -55	Azimuth: 332		Page: 6	Of:
Hole_ID: AJ11-27			Date: Oct. 24th, 2011.		Total Depth: 300.23m	Logged by: Shane Carlos	

Box No.	Depth (M) to mid-point	Reference Line Position	True Thickness	Downhole Thickness	Type	Alpha	Beta	Description / Notes
39	161.10m	Bottom?	1cm		VN	28	300	No matches on either side as no orientations possible in broken ground, Otz vein. Suspect quality of Data.
41	/				/	/	/	
41	/	/				/	/	mismatch ref. lines with lines in box 42
41	169.84	Bottom?			VN	33	260	Tourm. - WH. Sericite alt. bands — more likely orientation bc 010 Beta — 110° off with line at 178.31m
42	X	X	X	X	X	X	X	2 reference lines mismatch with reference line from 178.31m and with each other. No way to confidently decipher. 180° + 90° off.
48	195.36	Bottom?			VN	48	045	Tourmaline + Qtz-Calcite — no lines to match for confirmation
48	195.63	Bottom?			FRA	35	085	
50	204.18	Bottom?	2cm		VN	55	211	measured tan-sericite in white qtz vein, good measurement difficult
50	204.00	Bottom?			FRA	90	090	fracture lineations within qtz vein $\gamma = 90°$ 
50	205.31	none	4cm			60-75°		colloform banded ankerite, light pinkish, harder than Mohs, with <1% sulphides, sph + As + py
50			0.8cm			75		black sulphide qtz stringer with >50cm vein
53	216.65	Bottom	0.4cm		VN	40	091	Tan - Qtz - Carb.
53	216.80	Bottom	0.5cm		VN	45	020	Tan - Qtz - Carb.

PREDATOR GROUP

Structural Data for Oriented Core

Project: Antimony Mtn.	Prospect: AJ Vein - Cond. 'C'		Dip: -55	Azimuth: 332		Page: 7	Of:
Hole_ID: AJ 11 - 27			Date: Oct. 24th, 2011.		Total Depth: 300.23m	Logged by: Shane Carlos	

Box No.	Depth (M) to mid-point	Reference Line Position	True Thickness	Downhole Thickness	Type	Alpha	Beta	Description / Notes
53	217.40	Bottom	3cm		VN	70	035	Sericite - Qtz - Tourmaline dissemination as a band in intrusive
53	218.50	Bottom	0.7cm		VN	36	195	Qtz - tan sericite
53	218.70	Bottom	1.1cm		VN	43	211	Qtz - tan sericite
53	219.08	Bottom			FRA	50	235	NW rooted fractures

APPENDIX 5

GEOTECHNICAL LOGS

AJ11-26, drill run interval data				
From (m)	To (m)	Recovery (m)	% Recovery	Sum Core >0.1m
19.5	19.81	0.3	96.8	0
19.81	21.34	1.53	100.0	0
21.34	22.8	1.53	104.8	0
22.8	24.88	1.39	66.8	0.1
24.88	28.96	3.74	91.7	2.21
28.96	32	2.76	90.8	1.96
32	35.05	2.8	91.8	2
35.05	38.1	2.57	84.3	1
38.1	41.15	2.7	88.5	1.34
41.15	44.2	2.92	95.7	2.09
44.2	47.24	2.94	96.7	2.22
47.24	50.29	2.82	92.5	1.96
50.29	56.08	5.2	89.8	1.61
56.08	59.13	2.9	95.1	2.11
59.13	62.18	2.93	96.1	2.22
62.18	65.23	2.84	93.1	1.92
65.23	68.28	2.86	93.8	1.98
68.28	71.32	2.49	81.9	1.05
71.32	71.63	0.31	100.0	0.29
71.63	74.68	2.81	92.1	1.72
74.68	77.72	3.02	99.3	2.74
77.72	80.77	2.92	95.7	2.64
80.77	83.82	3.05	100.0	1.94
83.82	86.87	2.91	95.4	1.94
86.87	89.92	2.67	87.5	0.89
89.92	92.96	2.89	95.1	2.19
92.96	96.01	2.82	92.5	1.36
96.01	99.06	2.89	94.8	1.82
99.06	102.11	1.79	58.7	0.78
102.11	105.16	2.54	83.3	0.52
105.16	108.2	2.29	75.3	0.23
108.2	111.25	1.9	62.3	0.2
111.25	114.3	1.75	57.4	0.13
114.3	117.35	1.93	63.3	0.39
117.35	120.4	1.82	59.7	0.1
120.4	123.44	2.4	78.9	0.3
123.44	126.49	2.05	67.2	0.8
126.49	129.54	2.21	72.5	0.55
129.54	132.59	2.8	91.8	0.34
132.59	135.64	2.2	72.1	0.45
135.64	136.25	0.48	78.7	0
136.25	138.38	1.4	65.7	0.1
138.38	140.21	1.3	71.0	0.1
140.21	141.12	0.67	73.6	0
141.12	142.04	0.49	53.3	0
142.04	143.26	0.44	36.1	0
143.26	144.78	0.97	63.8	0
144.78	145.69	0.88	96.7	0
145.69	147.83	1.3	60.7	0.14
147.83	149.96	1.07	50.2	0
149.96	151.18	0.7	57.4	0
151.18	152.4	0.52	42.6	0
152.4	155.45	2.46	80.7	0
155.45	158.5	1.7	55.7	0.1
158.5	161.54	2.16	71.1	0.11
161.54	164.59	2.25	73.8	0.2
164.59	167.64	2	65.6	0.24

AJ11-26, drill run interval data				
From (m)	To (m)	Recovery (m)	% Recovery	Sum Core >0.1m
167.64	170.69	2.73	89.5	0.33
170.69	173.74	2.57	84.3	0
173.74	176.78	2.16	71.1	0.1
176.78	178.31	1.22	79.7	0
178.31	179.83	1.02	67.1	0
179.83	181.36	1.17	76.5	0
181.36	183.18	1.54	84.6	0.54
183.18	184.4	0.94	77.0	0
184.4	185.32	0.5	54.3	0
185.32	186.23	0.62	68.1	0
186.23	186.84	0.22	36.1	0
186.84	188.06	0.88	72.1	0.37
188.06	188.67	0.46	75.4	0
188.67	190.5	1.19	65.0	0
190.5	191.72	0.6	49.2	0.1
191.72	193.55	1.21	66.1	0.23
193.55	195.99	2.26	92.6	0.61
195.99	199.03	2.4	78.9	0.44
199.03	202.08	2.3	75.4	1.24
202.08	204.22	1.73	80.8	0.66
204.22	207.26	2.52	82.9	1.42
207.26	210.31	2.53	83.0	0.97
210.31	213.36	2.36	77.4	0.8
213.36	216.41	2.43	79.7	1.02
216.41	219.46	2.7	88.5	1.53
219.46	222.5	2.56	84.2	1.23
222.5	225.55	2.77	90.8	0.3
225.55	228.6	2.76	90.5	0.45
228.6	230.43	1.3	71.0	0.1
230.43	233.48	2.57	84.3	1.38
233.48	234.7	1.17	95.9	0
234.7	237.74	2.88	94.7	0.31
237.74	240.79	2.81	92.1	0.5
240.79	243.84	2.8	91.8	0.52
243.84	246.89	2.7	88.5	1.43
246.89	249.94	2.93	96.1	2.09
249.94	252.98	2.76	90.8	1.58
252.98	253.9	0.67	72.8	0.28

AJ11-27, drill run interval data				
From (m)	To (m)	Recovery (m)	% Recovery	Sum Core >0.1m
1.22	1.52	0.3	100	0
1.52	3.05	0.77	50.3268	0.12
3.05	4.57	0.71	46.71053	0
4.57	6.1	1	65.35947	0
6.1	7.32	0.9	73.77049	0
7.32	8.23	0.83	91.20879	0
8.23	9.45	0.82	67.21311	0
9.45	10.67	1.2	98.36066	0
10.67	12.19	1.09	71.71053	0
12.19	13.11	0.48	52.17391	0.15
13.11	14.63	0.72	47.36842	0
14.63	15.54	0.64	70.32967	0
15.54	16.76	0.77	63.11475	0
16.76	18.29	1.03	67.32026	0.1
18.29	19.51	0.84	68.85246	0
19.51	21.95	1.94	79.50819	0.1
21.95	24.38	2.1	86.41975	1.14
24.38	27.43	2.88	94.42623	1.02
27.43	30.48	2.96	97.04918	1.58
30.48	33.53	2.82	92.45901	1.55
33.53	36.58	2.73	89.50819	1.47
36.58	39.62	2.93	96.38158	2.05
39.62	42.67	2.97	97.37705	2.41
42.67	45.72	2.9	95.08197	1.13
45.72	48.77	2.82	92.45901	1.84
48.77	51.82	2.98	97.70492	2.34
51.82	54.86	2.9	95.39474	1.98
54.86	57.91	2.75	90.16393	1.22
57.91	60.96	2.88	94.42623	1.64
60.96	64.01	2.73	89.50819	1.23
64.01	67.06	2.7	88.52459	1.3
67.06	70.1	2.58	84.86842	0.92
70.1	73.15	2.97	97.37705	2.24
73.15	76.2	3	98.36066	2.25
76.2	79.25	3.02	99.0164	2.41
79.25	82.3	2.92	95.7377	1.93
82.3	85.34	2.97	97.69736	2.08
85.34	88.39	3.02	99.0164	2.54
88.39	91.44	2.92	95.7377	1.62
91.44	94.49	3.05	100	1.36
94.49	96.01	1.22	80.26316	0.55
96.01	99.06	2.88	94.42623	1.63
99.06	102.11	2.95	96.72131	1.4
102.11	105.16	2.95	96.72131	2.07
105.16	108.2	2.83	93.0921	2.27
108.2	109.73	1.57	102.6144	1.02
109.73	112.78	2.88	94.42623	2.66
112.78	115.82	2.92	96.05264	2.15
115.82	118.87	3	98.36066	2.4
118.87	121.92	2.9	95.08197	2.14
121.92	124.97	2.97	97.37705	2
124.97	128.02	2.9	95.08197	2.43
128.02	131.06	3.04	100	2.54
131.06	134.11	2.87	94.09836	2
134.11	137.16	3.01	98.68852	2.09
137.16	140.21	2.76	90.49181	1.81
140.21	143.26	2.96	97.04918	1.75

AJ11-27, drill run interval data				
From (m)	To (m)	Recovery (m)	% Recovery	Sum Core >0.1m
143.26	146.3	3	98.7	2.17
146.3	149.35	2.99	98.0	1.83
149.35	152.4	2.94	96.4	1.01
152.4	155.45	2.82	92.5	0.67
155.45	158.5	2.92	95.7	0.1
158.5	160.02	1.4	92.1	0.17
160.02	163.07	3.01	98.7	1.13
163.07	166.12	2.78	91.1	0.48
166.12	169.16	3.03	99.7	0.45
169.16	172.21	2.85	93.4	1.78
172.21	175.26	2.82	92.5	0.77
175.26	178.31	2.93	96.1	1.43
178.31	181.36	2.84	93.1	0
181.36	182.88	1.19	78.3	0.17
182.88	185.93	2.51	82.3	0.99
185.93	188.98	2.74	89.8	1.19
188.98	192.02	3	98.7	1.73
192.02	195.07	2.69	88.2	0.71
195.07	198.12	2.92	95.7	1.35
198.12	201.17	2.68	87.9	1
201.17	204.22	2.52	82.6	0.48
204.22	207.26	2.9	95.4	0.92
207.26	210.31	2.92	95.7	1.77
210.31	213.36	2.87	94.1	1.23
213.36	216.41	2.7	88.5	0.98
216.41	219.46	2.91	95.4	0.64
219.46	222.5	2.98	98.0	1.24
222.5	225.55	2.88	94.4	1.46
225.55	228.6	2.69	88.2	0.22
228.6	231.65	2.67	87.5	0.63
231.65	234.7	2.75	90.2	0.65
234.7	237.74	2.92	96.1	2.01
237.74	239.27	1.14	74.5	0.19
239.27	240.79	0.96	63.2	0.1
240.79	242.93	1.35	63.1	0
242.93	245.36	1.64	67.5	0
245.36	248.41	3.05	100.0	0.1
248.41	249.94	1.22	79.7	0.1
249.94	252.98	2.39	78.6	0.27
252.98	256.03	2.82	92.5	0.36
256.03	259.08	3.05	100.0	0.68
259.08	262.13	3.05	100.0	0.3
262.13	264.26	2.08	97.7	0.58
264.26	265.18	0.92	100.0	0.5
265.18	266.7	1.31	86.2	0.77
266.7	269.75	2.97	97.4	1.85
269.75	272.8	3.05	100.0	0.13
272.8	275.84	2.86	94.1	0.68
275.84	278.89	2.9	95.1	1.41
278.89	281.94	2.98	97.7	0.2
281.94	284.99	3	98.4	2.4
284.99	288.04	2.57	84.3	0.74
288.04	291.08	2.77	91.1	0.94
291.08	292.91	1.32	72.1	0.21
292.91	295.66	2.1	76.4	0.14
295.66	298.7	1.31	43.1	0.15
298.7	300.23	1.75	114.4	0.13

AJ11-28, drill run interval data				
From (m)	To (m)	Recovery (m)	% Recovery	Sum Core >0.1m
5.5	6.1	0.6	100.0	0
6.1	7.62	0.5	32.9	0
7.62	9.14	0.52	34.2	0
9.14	10.67	1.12	73.2	0
10.67	13.72	2.38	78.0	0.49
13.72	16.76	2.75	90.5	1.38
16.76	19.81	2.75	90.2	1.16
19.81	22.86	2.86	93.8	1.75
22.86	25.91	2.87	94.1	1.56
25.91	28.96	2.96	97.0	1.46
28.96	32	2.94	96.7	1.4
32	35.05	2.91	95.4	1.57
35.05	38.1	2.92	95.7	2.29
38.1	41.15	2.71	88.9	1.16
41.15	44.2	2.92	95.7	1.39
44.2	47.24	2.83	93.1	0.7
47.24	48.77	0.59	38.6	0.13
48.77	51.82	2.48	81.3	0.95
51.82	54.86	2.96	97.4	2.28
54.86	57.91	3.02	99.0	1.25
57.91	60.96	2.96	97.0	1.79
60.96	64.01	2.79	91.5	1.07
64.01	67.06	2.85	93.4	0.12
67.06	70.1	2.59	85.2	0.11
70.1	73.15	2.75	90.2	0.84
73.15	76.2	2.72	89.2	1.28
76.2	79.25	2.88	94.4	1.74
79.25	82.3	2.87	94.1	1.92
82.3	85.34	2.95	97.0	1.66
85.34	88.39	2.8	91.8	0.9
88.39	91.44	2.82	92.5	1.15
91.44	94.49	2.83	92.8	1.46
94.49	97.54	2.64	86.6	0.52
97.54	98.45	0.67	73.6	0
98.45	101.5	3.05	100.0	0
101.5	103.63	1.8	84.5	0.11
103.63	106.07	2.14	87.7	0.11
106.07	108.2	1.96	92.0	1.06
108.2	111.25	2.77	90.8	1.37
111.25	114.3	2.88	94.4	0.88
114.3	116.74	2.04	83.6	0.39
116.74	119.79	2.8	91.8	0.59
119.79	122.83	2.34	77.0	0
122.83	125.88	2.74	89.8	0.34
125.88	128.93	2.67	87.5	0.51
128.93	131.98	2.77	90.8	0.33
131.98	134.72	1.92	70.1	0.2
134.72	135.64	0.8	87.0	0
135.64	137.16	1.1	72.4	0
137.16	140.21	1.62	53.1	0
140.21	141.73	1.05	69.1	0

AJ11-29, drill run interval data				
From (m)	To (m)	Recovery (m)	% Recovery	Sum Core >0.1m
5.29	5.49	0.2	100.0	0
5.49	8.84	1.12	33.4	0
8.84	10.67	1.43	78.1	0
10.67	13.72	2.4	78.7	0.22
13.72	16.76	2.68	88.2	0.61
16.76	19.81	2.94	96.4	1.46
19.81	22.86	2.74	89.8	1.44
22.86	25.91	2.83	92.8	1.14
25.91	28.96	2.86	93.8	1.22
28.96	32	2.88	94.7	0.82
32	35.05	2.92	95.7	1.27
35.05	38.1	2.73	89.5	0.95
38.1	41.15	2.92	95.7	1.03
41.15	44.2	2.86	93.8	1.69
44.2	47.24	2.95	97.0	1.62
47.24	50.29	2.84	93.1	1.4
50.29	51.82	1.53	100.0	0.89
51.82	54.86	2.88	94.7	1.88
54.86	57.91	2.5	82.0	0.82
57.91	60.96	2.82	92.5	1.32
60.96	64.01	2.66	87.2	1.2
64.01	67.06	2.79	91.5	1.21
67.06	70.1	2.87	94.4	1.72
70.1	73.15	2.68	87.9	1.32
73.15	76.2	2.72	89.2	0.66
76.2	79.25	2.75	90.2	0.95
79.25	82.3	2.99	98.0	1.58
82.3	85.34	2.96	97.4	2.43
85.34	88.39	2.92	95.7	1.36
88.39	91.44	2.82	92.5	1.74
91.44	94.49	2.81	92.1	1.23
94.49	97.54	2.69	88.2	0.75
97.54	100.58	2.91	95.7	1.58
100.58	103.63	2.8	91.8	1.13
103.63	106.68	2.72	89.2	0.76
106.68	109.73	2.85	93.4	0.19
109.73	112.78	2.77	90.8	1.46
112.78	115.82	2.84	93.4	1.57
115.82	118.87	2.94	96.4	1.62
118.87	121.92	2.96	97.0	1.17
121.92	122.98	0.93	87.7	0
122.98	124.97	1.68	84.4	0.85
124.97	127.56	2.53	97.7	1.07
127.56	129.54	1.68	84.8	0.25
129.54	132.59	2.97	97.4	1.12
132.59	135.64	2.78	91.1	0.9
135.64	138.68	2.67	87.8	0.31
138.68	140.21	1.48	96.7	0.8
140.21	143.26	2.66	87.2	0.76
143.26	146.3	2.9	95.4	1.61
146.3	149.35	2.92	95.7	2.11
149.35	152.4	2.97	97.4	1.89
152.4	155.45	2.96	97.0	1.99
155.45	158.5	2.64	86.6	1.66
158.5	161.54	3.01	99.0	2.36
161.54	164.59	2.86	93.8	2.13
164.59	167.64	2.91	95.4	2.24

AJ11-29, drill run interval data				
From (m)	To (m)	Recovery (m)	% Recovery	Sum Core >0.1m
167.64	170.69	3.03	99.3	2.55
170.69	172.21	1.5	98.7	1.14
172.21	175.26	2.97	97.4	2.44
175.26	178.31	2.97	97.4	2.32
178.31	181.36	2.99	98.0	2.53
181.36	184.4	3.03	99.7	2.57
184.4	187.45	3.03	99.3	2.51
187.45	190.5	2.99	98.0	2.25
190.5	193.55	3	98.4	2.33
193.55	196.6	2.79	91.5	1.25
196.6	199.64	2.9	95.4	0.97
199.64	202.69	2.84	93.1	1.62
202.69	205.74	3.02	99.0	2.22
205.74	208.79	2.8	91.8	1.73
208.79	211.84	2.93	96.1	1.72
211.84	214.88	2.98	98.0	1.56
214.88	217.93	2.97	97.4	1.35
217.93	220.98	3.02	99.0	1.24
220.98	224.03	2.82	92.5	1.09
224.03	227.08	2.84	93.1	1.07
227.08	230.12	2.58	84.9	0.84
230.12	233.17	2.67	87.5	0.54
233.17	236.22	2.67	87.5	0.52
236.22	239.27	2.75	90.2	0.61
239.27	242.32	2.66	87.2	0.5
242.32	245.36	2.45	80.6	0.58
245.36	247.19	1.55	84.7	0.1
247.19	249.94	2.64	96.0	0.65
249.94	252.98	2.79	91.8	0.52
252.98	256.03	2.8	91.8	0.68
256.03	259.08	2.82	92.5	0.44
259.08	262.13	2.71	88.9	0.57
262.13	265.18	2.76	90.5	1.23
265.18	268.22	2.58	84.9	0.68
268.22	271.27	2.46	80.7	0.24
271.27	274.32	2.62	85.9	0.28
274.32	276.6	1.66	72.8	0.1
276.6	278.59	1.99	100.0	0.1
278.59	280.42	1.56	85.2	0.75
280.42	283.46	2.81	92.4	0.5
283.46	284.99	1.16	75.8	0
284.99	288.04	2.62	85.9	0.43
288.04	291.08	2.78	91.4	0.83

AJ11-30, drill run interval data				
From (m)	To (m)	Recovery (m)	% Recovery	Sum Core >0.1m
2.67	3.05	0.37	97.36842	0
3.05	4.57	1.23	80.92105	0.67
4.57	6.1	1.42	92.81046	0.96
6.1	7.62	1.29	84.86842	0.35
7.62	9.14	1.36	89.47369	0.18
9.14	10.67	1.41	92.15686	0.13
10.67	12.19	1.26	82.89474	0.12
12.19	13.72	1.52	99.34641	0.43
13.72	15.24	1.43	94.07895	1.01
15.24	16.76	1.43	94.07895	0.42
16.76	18.29	1.52	99.34641	0.25
18.29	21.34	2.71	88.85246	0.65
21.34	24.38	3.04	100	0.89
24.38	25.91	1.43	93.46405	0.48
25.91	28.96	3.05	100	1.43
28.96	32	2.9	95.39474	1.37
32	35.05	3.03	99.34426	1.29
35.05	38.1	3.05	100	1.9
38.1	41.15	3.05	100	0.57
41.15	44.2	2.22	72.78689	0.51
44.2	47.24	2.68	88.1579	1.1
47.24	48.77	1.56	101.9608	0
48.77	51.82	2.11	69.18033	0
51.82	53.34	1.66	109.2105	0.39
53.34	56.39	3.05	100	1.01
56.39	59.44	2.91	95.40984	1.04
59.44	62.48	2.86	94.07895	0.81
62.48	64.01	1.41	92.15686	0.93
64.01	67.06	2.77	90.81967	1.36
67.06	70.1	2.73	89.80264	1.09
70.1	73.15	2.98	97.70492	0.77
73.15	76.2	2.75	90.16393	1.13
76.2	78.94	2.52	91.9708	1.14
78.94	80.77	1.58	86.3388	0.48
80.77	83.82	2.84	93.11475	1.9
83.82	85.34	1.52	100	1.23
85.34	88.39	2.78	91.14754	1.13
88.39	91.44	2.84	93.11475	2.11
91.44	94.49	3.02	99.0164	1.45
94.49	97.54	2.81	92.13115	1.72
97.54	100.58	2.87	94.4079	0.64
100.58	103.63	2.95	96.72131	1.69
103.63	106.68	2.89	94.7541	0.96
106.68	109.73	2.95	96.72131	1.57
109.73	112.78	2.87	94.09836	1.23
112.78	115.82	2.75	90.46053	0.72
115.82	118.87	2.94	96.39344	1.57
118.87	121.92	3	98.36066	2.06
121.92	124.97	2.95	96.72131	1.01
124.97	128.02	2.76	90.49181	0.44
128.02	131.06	3.04	100	1.8
131.06	133.5	2.38	97.54099	0.31
133.5	136.55	2.92	95.7377	1.29
136.55	138.68	2.13	100	1.35
138.68	141.12	2.3	94.2623	1.21
141.12	143.26	2.06	96.26168	1.23
143.26	145.69	2.5	102.8807	0.63

AJ11-30, drill run interval data				
From (m)	To (m)	Recovery (m)	% Recovery	Sum Core >0.1m
145.69	147.83	1.77	82.71028	0.85
147.83	150.88	3	98.36066	1.65
150.88	152.4	1.44	94.73684	0.54
152.4	154.23	1.83	100	0.33
154.23	156.97	2.42	88.32117	1.59
156.97	158.8	1.6	87.43169	0.27
158.8	161.54	2.16	78.83212	0.24
161.54	164.59	2.31	75.7377	0.45
164.59	166.12	1.53	100	0
166.12	169.16	2.92	96.05264	1.07
169.16	172.21	2.73	89.50819	0.52

AJ11-31, drill run interval data				
From (m)	To (m)	Recovery (m)	% Recovery	Sum Core >0.1m
3.05	6.09	0.22	7.2	0
6.09	6.7	0.69	113.1	0
6.7	7.31	0.72	118.0	0.14
7.31	10.36	2.88	94.4	0.63
10.36	12.19	2.07	113.1	0.71
12.19	15.24	3.09	101.3	1.44
15.24	18.29	3.14	103.0	1.8
18.29	21.33	3.07	101.0	1.51
21.33	24.38	3.21	105.2	2.52
24.38	27.43	3.18	104.3	2.32
27.43	30.48	3.12	102.3	1.61
30.48	33.53	3.12	102.3	2.29
33.53	36.57	3.18	104.6	1.42
36.57	39.62	3.03	99.3	2.31
39.62	42.67	3	98.4	1.65
42.67	45.72	3.02	99.0	1.77
45.72	48.77	3	98.4	1.18
48.77	51.81	3.03	99.7	2.44
51.81	54.86	3	98.4	2.45
54.86	57.91	3.06	100.3	2.44
57.91	60.96	2.89	94.8	1.84
60.96	64	3.17	104.3	2.15
64	67.05	3.04	99.7	2.41
67.05	70.1	2.97	97.4	1.97
70.1	73.15	3.01	98.7	2.25
73.15	76.2	3.07	100.7	1.65
76.2	79.24	2.99	98.4	1.46
79.24	82.29	2.89	94.8	1.18
82.29	83.82	1.51	98.7	1.08
83.82	86.87	2.71	88.9	1.54
86.87	89.92	3.03	99.3	1.16
89.92	92.96	2.93	96.4	1.66
92.96	96.01	3.15	103.3	0.54
96.01	98.76	0.83	30.2	0.32
98.76	101.8	3.03	99.7	1.41
101.8	105.16	3.2	95.2	2.05
105.16	108.2	3.11	102.3	2.08
108.2	111.25	3	98.4	2.18
111.25	114.3	3.02	99.0	2.16
114.3	117.35	3.05	100.0	2.52
117.35	120.4	3.04	99.7	2.36
120.4	123.44	2.99	98.4	2.3
123.44	126.49	3	98.4	2.34
126.49	129.54	2.51	82.3	1.63
129.54	132.28	3.06	111.7	2.04
132.28	135.02	2.35	85.8	1.62
135.02	137.16	2.22	103.7	1.46
137.16	138.68	1.41	92.8	1.19
138.68	141.73	3.03	99.3	2.36
141.73	144.78	3.04	99.7	2.04
144.78	147.83	3.01	98.7	2.41
147.83	150.88	3	98.4	2.47
150.88	153.92	3.05	100.3	2.05
153.92	156.97	2.91	95.4	1.9
156.97	160.02	2.99	98.0	2.02
160.02	163.07	3.03	99.3	2.11
163.07	166.12	2.98	97.7	2.05

AJ11-31, drill run interval data				
From (m)	To (m)	Recovery (m)	% Recovery	Sum Core >0.1m
166.12	169.16	3.9	128.3	2.57
169.16	172.21	3.01	98.7	2.54
172.21	175.26	3	98.4	1.83
175.26	178.31	3.03	99.3	2.53
178.31	181.36	3.04	99.7	2.47
181.36	184.4	3	98.7	2.52
184.4	187.45	3.03	99.3	2.37
187.45	190.5	2.95	96.7	2.17
190.5	193.55	3.02	99.0	2
193.55	196.6	2.96	97.0	1.96
196.6	199.64	2.97	97.7	1.67
199.64	202.69	2.87	94.1	1.91
202.69	205.74	2.95	96.7	1.79
205.74	208.79	2.7	88.5	0.98
208.79	211.84	2.9	95.1	1.64
211.84	214.88	3	98.7	2.67
214.88	217.93	2.72	89.2	2.3
217.93	220.98	3.06	100.3	3.04
220.98	224.03	2.74	89.8	1.94
224.03	227.08	3.05	100.0	2.49

APPENDIX 6

ANALYTICAL SUMMARY

DRILL CORE

+ 2 OUTCROP SAMPLES

HoleID	SampleID	Au_CertName	From (m)	To (m)	Interval (m)	SampleCode	Au_ppm
AJ11-0026	K939451	WHI11001939	19.50	21.00	1.50	1-ORG	0.002
AJ11-0026	K939452	WHI11001939	21.00	22.00	1.00	1-ORG	0.002
AJ11-0026	K939453	WHI11001939	22.00	23.50	1.50	1-ORG	0.006
AJ11-0026	K939454	WHI11001939	23.50	25.00	1.50	1-ORG	0.009
AJ11-0026	K939455	WHI11001939	25.00	26.40	1.40	1-ORG	0.002
AJ11-0026	K939456	WHI11001939	26.40	27.90	1.50	1-OFD	0.008
AJ11-0026	K939457	WHI11001939	26.40	27.90	1.50	2-FDU	0.016
AJ11-0026	K939458	WHI11001939	27.90	29.10	1.20	1-ORG	0.002
AJ11-0026	K939459	WHI11001939	29.10	30.60	1.50	1-ORG	0.007
AJ11-0026	K939460	WHI11001939	30.60	31.58	0.98	1-ORG	0.018
AJ11-0026	K939461	WHI11001939	31.58	32.55	0.97	1-ORG	0.095
AJ11-0026	K939462	WHI11001939	32.55	34.24	1.69	1-ORG	**18.000**
AJ11-0026	K939463	WHI11001939			0.00	SRM_GS6A	**6.112**
AJ11-0026	K939464	WHI11001939	34.24	35.76	1.52	1-ORG	**1.564**
AJ11-0026	K939465	WHI11001939	35.76	37.10	1.34	1-ORG	0.030
AJ11-0026	K939466	WHI11001939	37.10	38.60	1.50	1-ORG	0.015
AJ11-0026	K939467	WHI11001939	38.60	40.10	1.50	1-ORG	0.009
AJ11-0026	K939468	WHI11001939	40.10	41.60	1.50	1-ORG	0.015
AJ11-0026	K939469	WHI11001939	41.60	43.10	1.50	1-ORG	0.006
AJ11-0026	K939470	WHI11001939	43.10	44.60	1.50	1-ORG	0.298
AJ11-0026	K939471	WHI11001939	44.60	46.10	1.50	1-ORG	0.007
AJ11-0026	K939472	WHI11001939	46.10	47.60	1.50	1-ORG	0.006
AJ11-0026	K939473	WHI11001939	47.60	49.10	1.50	1-ORG	0.006
AJ11-0026	K939474	WHI11001939	49.10	50.60	1.50	1-ORG	0.002
AJ11-0026	K939475	WHI11001939	50.60	51.40	0.80	1-ORG	0.002
AJ11-0026	K939476	WHI11001939			0.00	Blk_BL-9	0.027
AJ11-0026	K939477	WHI11001939	51.40	52.90	1.50	1-ORG	0.012
AJ11-0026	K939478	WHI11001939	52.90	54.40	1.50	1-ORG	0.008
AJ11-0026	K939479	WHI11001939	54.40	55.90	1.50	1-ORG	0.043
AJ11-0026	K939480	WHI11001939	55.90	57.40	1.50	1-ORG	0.276
AJ11-0026	K939481	WHI11001939	57.40	58.90	1.50	1-ORG	0.013
AJ11-0026	K939482	WHI11001939	58.90	60.40	1.50	1-ORG	0.022
AJ11-0026	K939483	WHI11001939	60.40	61.90	1.50	1-ORG	0.005
AJ11-0026	K939484	WHI11001939	61.90	63.40	1.50	1-ORG	0.008
AJ11-0026	K939485	WHI11001939	63.40	64.90	1.50	1-OFD	0.012
AJ11-0026	K939486	WHI11001939	63.40	64.90	1.50	2-FDU	0.006
AJ11-0026	K939487	WHI11001939	64.90	66.40	1.50	1-ORG	0.018
AJ11-0026	K939488	WHI11001939	66.40	67.71	1.31	1-ORG	0.059
AJ11-0026	K939489	WHI11001939	67.71	69.21	1.50	1-ORG	0.008
AJ11-0026	K939490	WHI11001939	69.21	70.73	1.52	1-ORG	0.046

HoleID	SampleID	Au_CertName	From (m)	To (m)	Interval (m)	SampleCode	Au_ppm
Aj11-0026	K939491	WHI11001939	70.73	71.71	0.98	1-ORG	**4.736**
AJ11-0026	K939492	WHI11001939	71.71	72.69	0.98	1-ORG	**1.583**
AJ11-0026	K939493	WHI11001939	72.69	74.28	1.59	1-ORG	0.020
AJ11-0026	K939494	WHI11001939	74.28	75.78	1.50	1-ORG	0.008
AJ11-0026	K939495	WHI11001939	75.78	77.28	1.50	1-ORG	0.008
AJ11-0026	K939496	WHI11001939			0.00	SRM_GSp7E	**0.792**
AJ11-0026	K939497	WHI11001939	77.28	78.78	1.50	1-ORG	0.005
AJ11-0026	K939498	WHI11001939	78.78	80.28	1.50	1-ORG	0.007
AJ11-0026	K939499	WHI11001939	80.28	81.78	1.50	1-ORG	0.008
AJ11-0026	K939500	WHI11001939	81.78	83.28	1.50	1-ORG	0.002
AJ11-0026	K939501	WHI11001939	83.28	84.78	1.50	1-ORG	0.005
AJ11-0026	K939502	WHI11001939	84.78	86.28	1.50	1-ORG	0.009
AJ11-0026	K939503	WHI11001939	86.28	87.78	1.50	1-ORG	0.002
AJ11-0026	K939504	WHI11001939	87.78	89.28	1.50	1-ORG	0.002
AJ11-0026	K939505	WHI11001939			0.00	Blk_BL-9	0.006
AJ11-0026	K939506	WHI11001939	89.28	90.80	1.52	1-ORG	0.002
AJ11-0026	K939507	WHI11001939	90.80	92.30	1.50	1-ORG	0.002
AJ11-0026	K939508	WHI11001939	92.30	93.57	1.27	1-ORG	0.002
AJ11-0026	K939509	WHI11001939	93.57	95.07	1.50	1-ORG	0.002
AJ11-0026	K939510	WHI11001939	95.07	96.57	1.50	1-ORG	0.002
AJ11-0026	K939511	WHI11001939	96.57	97.70	1.13	1-ORG	0.006
AJ11-0026	K939512	WHI11001939	97.70	99.20	1.50	1-ORG	0.002
AJ11-0026	K939513	WHI11001939	99.20	101.00	1.80	1-ORG	0.007
AJ11-0026	K939514	WHI11001939	101.00	102.50	1.50	1-ORG	0.002
AJ11-0026	K939515	WHI11001939	102.50	104.00	1.50	1-OFD	0.002
AJ11-0026	K939516	WHI11001939	102.50	104.00	1.50	2-FDU	0.002
AJ11-0026	K939517	WHI11001939	104.00	106.00	2.00	1-ORG	0.002
AJ11-0026	K939518	WHI11001939	106.00	108.00	2.00	1-ORG	0.002
AJ11-0026	K939519	WHI11001939	108.00	110.00	2.00	1-ORG	0.002
AJ11-0026	K939520	WHI11001939	110.00	112.00	2.00	1-ORG	0.002
AJ11-0026	K939521	WHI11001939	112.00	114.00	2.00	1-ORG	0.008
AJ11-0026	K939522	WHI11001939	114.00	116.00	2.00	1-ORG	0.002
AJ11-0026	K939523	WHI11001939	116.00	118.00	2.00	1-ORG	0.002
AJ11-0026	K939524	WHI11001939	118.00	120.00	2.00	1-ORG	0.002
AJ11-0026	K939525	WHI11001939	120.00	122.00	2.00	1-ORG	0.002
AJ11-0026	K939526	WHI11001939	122.00	124.00	2.00	1-ORG	0.002
AJ11-0026	K939527	WHI11001939	124.00	126.00	2.00	1-ORG	0.015
AJ11-0026	K939528	WHI11001939			0.00	SRM_GS1p5D	**1.403**
AJ11-0026	K939529	WHI11001939	126.00	128.00	2.00	1-ORG	0.005
AJ11-0026	K939530	WHI11001939	128.00	130.00	2.00	1-ORG	0.002

HoleID	SampleID	Au_CertName	From (m)	To (m)	Interval (m)	SampleCode	Au_ppm
AJ11-0026	K939531	WHI11001939	130.00	132.00	2.00	1-ORG	0.002
AJ11-0026	K939532	WHI11001939	132.00	134.50	2.50	1-ORG	0.002
AJ11-0026	K939533	WHI11001939	134.50	136.25	1.75	1-ORG	0.008
AJ11-0026	K939534	WHI11001939	136.25	138.25	2.00	1-ORG	0.002
AJ11-0026	K939535	WHI11001939	138.25	140.10	1.85	1-ORG	0.002
AJ11-0026	K939536	WHI11001939			0.00	Blk_BL-9	0.002
AJ11-0026	K939537	WHI11001939	140.10	141.12	1.02	1-ORG	0.002
AJ11-0026	K939538	WHI11001939	141.12	142.62	1.50	1-ORG	0.002
AJ11-0026	K939539	WHI11001939	142.62	143.26	0.64	1-ORG	0.002
AJ11-0026	K939540	WHI11001939	143.26	144.90	1.64	1-ORG	0.009
AJ11-0026	K939541	WHI11001939	144.90	146.40	1.50	1-ORG	0.002
AJ11-0026	K939542	WHI11001939	146.40	147.90	1.50	1-ORG	0.002
AJ11-0026	K939543	WHI11001939	147.90	149.40	1.50	1-ORG	0.002
AJ11-0026	K939544	WHI11001939	149.40	150.90	1.50	1-ORG	0.002
AJ11-0026	K939545	WHI11001939	150.90	152.40	1.50	1-OFD	0.005
AJ11-0026	K939546	WHI11001939	150.90	152.40	1.50	2-FDU	0.002
AJ11-0026	K939547	WHI11001939	152.40	153.90	1.50	1-ORG	0.013
AJ11-0026	K939548	WHI11001939	153.90	155.45	1.55	1-ORG	0.007
AJ11-0026	K939549	WHI11001939	155.45	156.95	1.50	1-ORG	0.002
AJ11-0026	K939550	WHI11001939	156.95	158.54	1.59	1-ORG	0.002
AJ11-0026	K939551	WHI11001939	158.54	160.04	1.50	1-ORG	0.006
AJ11-0026	K939552	WHI11001939	160.04	161.54	1.50	1-ORG	0.002
AJ11-0026	K939553	WHI11001939	161.54	163.04	1.50	1-ORG	0.002
AJ11-0026	K939554	WHI11001939	163.04	164.54	1.50	1-ORG	0.002
AJ11-0026	K939555	WHI11001939			0.00	SRM_GS6A	0.002
AJ11-0026	K939556	WHI11001939	164.54	166.04	1.50	1-ORG	**5.845**
AJ11-0026	K939557	WHI11001939	166.04	168.04	2.00	1-ORG	0.007
AJ11-0026	K939558	WHI11001939	168.04	170.20	2.16	1-ORG	0.006
AJ11-0026	K939559	WHI11001939	170.20	172.50	2.30	1-ORG	0.002
AJ11-0026	K939560	WHI11001939	172.50	173.64	1.14	1-ORG	0.032
AJ11-0026	K939561	WHI11001939	173.64	176.00	2.36	1-ORG	0.002
AJ11-0026	K939562	WHI11001939	176.00	177.30	1.30	1-ORG	0.002
AJ11-0026	K939563	WHI11001939	177.30	179.40	2.10	1-ORG	0.002
AJ11-0026	K939564	WHI11001939	179.40	180.46	1.06	1-ORG	0.002
AJ11-0026	K939565	WHI11001939	180.46	181.36	0.90	1-ORG	0.002
AJ11-0026	K939566	WHI11001939	181.36	183.18	1.82	1-ORG	0.002
AJ11-0026	K939567	WHI11001939			0.00	Blk_BL-9	0.002
AJ11-0026	K939568	WHI11001939	183.18	184.25	1.07	1-ORG	0.002
AJ11-0026	K939569	WHI11001939	184.25	185.25	1.00	1-ORG	0.002
AJ11-0026	K939570	WHI11001939	185.25	187.75	2.50	1-ORG	0.012

HoleID	SampleID	Au_CertName	From (m)	To (m)	Interval (m)	SampleCode	Au_ppm
AJ11-0026	K939571	WHI11001939	187.75	189.75	2.00	1-ORG	0.002
AJ11-0026	K939572	WHI11001939	189.75	191.75	2.00	1-ORG	0.002
AJ11-0026	K939573	WHI11001939	191.75	193.75	2.00	1-ORG	0.002
AJ11-0026	K939574	WHI11001939	193.75	195.75	2.00	1-OFD	0.002
AJ11-0026	K939575	WHI11001939	193.75	195.75	2.00	2-FDU	0.002
AJ11-0026	K939576	WHI11001939	195.75	197.75	2.00	1-ORG	0.002
AJ11-0026	K939577	WHI11001939	197.75	199.75	2.00	1-ORG	0.002
AJ11-0026	K939578	WHI11001939	199.75	201.75	2.00	1-ORG	0.006
AJ11-0026	K939579	WHI11001939	201.75	203.75	2.00	1-ORG	0.002
AJ11-0026	K939580	WHI11001939	203.75	205.75	2.00	1-ORG	0.002
AJ11-0026	K939581	WHI11001939	205.75	207.75	2.00	1-ORG	0.002
AJ11-0026	K939582	WHI11001939	207.75	209.75	2.00	1-ORG	0.006
AJ11-0026	K939583	WHI11001939	209.75	211.75	2.00	1-ORG	0.002
AJ11-0026	K939584	WHI11001939	211.75	213.75	2.00	1-ORG	0.002
AJ11-0026	K939585	WHI11001939	213.75	215.75	2.00	1-ORG	0.002
AJ11-0026	K939586	WHI11001939			0.00	SRM_GSp7E	**0.739**
AJ11-0026	K939587	WHI11001939	215.75	217.08	1.33	1-ORG	0.002
AJ11-0026	K939588	WHI11001939	217.08	219.08	2.00	1-ORG	0.002
AJ11-0026	K939589	WHI11001939	219.08	221.08	2.00	1-ORG	0.002
AJ11-0026	K939590	WHI11001939	221.08	222.50	1.42	1-ORG	0.002
AJ11-0026	K939591	WHI11001939	222.50	224.50	2.00	1-ORG	0.002
AJ11-0026	K939592	WHI11001939	224.50	226.50	2.00	1-ORG	0.002
AJ11-0026	K939593	WHI11001939	226.50	228.50	2.00	1-ORG	0.002
AJ11-0026	K939594	WHI11001939	228.50	230.50	2.00	1-ORG	0.002
AJ11-0026	K939595	WHI11001939	230.50	232.50	2.00	1-ORG	0.002
AJ11-0026	K939596	WHI11001939			0.00	Blk_BL-9	0.008
AJ11-0026	K939597	WHI11001939	232.50	234.89	2.39	1-ORG	0.002
AJ11-0026	K939598	WHI11001939	234.89	237.93	3.04	1-ORG	0.007
AJ11-0026	K939599	WHI11001939	237.93	239.11	1.18	1-ORG	0.002
AJ11-0026	K939600	WHI11001939	239.11	241.11	2.00	1-ORG	0.002
AJ11-0026	K939601	WHI11001939	241.11	243.11	2.00	1-ORG	0.002
AJ11-0026	K939602	WHI11001939	243.11	245.78	2.67	1-ORG	0.002
AJ11-0026	K939603	WHI11001939	245.78	248.30	2.52	1-ORG	0.006
AJ11-0026	K939604	WHI11001939	248.30	250.30	2.00	1-OFD	0.002
AJ11-0026	K939605	WHI11001939	248.30	250.30	2.00	2-FDU	0.002
AJ11-0026	K939606	WHI11001939	250.30	253.90	3.60	1-ORG	0.002
AJ11-0027	1273051	WHI11001941	21.60	23.60	2.00	1-ORG	0.002
AJ11-0027	1273052	WHI11001941	23.60	25.60	2.00	1-ORG	0.027
AJ11-0027	1273053	WHI11001941	25.60	26.60	1.00	1-ORG	0.013
AJ11-0027	1273054	WHI11001941	26.60	28.60	2.00	1-OFD	0.002

HoleID	SampleID	Au_CertName	From (m)	To (m)	Interval (m)	SampleCode	Au_ppm
AJ11-0027	1273055	WHI11001941	26.60	28.60	2.00	2-FDU	0.002
AJ11-0027	1273056	WHI11001941	28.60	30.76	2.16	1-ORG	0.017
AJ11-0027	1273057	WHI11001941	30.76	32.63	1.87	1-ORG	0.006
AJ11-0027	1273058	WHI11001941	32.63	34.32	1.69	1-ORG	**0.425**
AJ11-0027	1273059	WHI11001941	34.32	36.00	1.68	1-ORG	0.133
AJ11-0027	1273060	WHI11001941	36.00	38.52	2.52	1-ORG	0.002
AJ11-0027	1273061	WHI11001941	38.52	40.52	2.00	1-ORG	0.002
AJ11-0027	1273062	WHI11001941	40.52	42.52	2.00	1-ORG	0.002
AJ11-0027	1273063	WHI11001941	42.52	43.91	1.39	1-ORG	0.002
AJ11-0027	1273064	WHI11001941	43.91	45.30	1.39	1-ORG	0.009
AJ11-0027	1273065	WHI11001941	45.30	46.15	0.85	1-ORG	**2.092**
AJ11-0027	1273066	WHI11001941			0.00	Blk_BL-9	0.006
AJ11-0027	1273067	WHI11001941	46.15	47.65	1.50	1-ORG	0.002
AJ11-0027	1273068	WHI11001941	47.65	49.65	2.00	1-ORG	0.002
AJ11-0027	1273069	WHI11001941	49.65	51.65	2.00	1-ORG	0.002
AJ11-0027	1273070	WHI11001941	51.65	53.65	2.00	1-ORG	0.002
AJ11-0027	1273071	WHI11001941	53.65	55.65	2.00	1-ORG	0.021
AJ11-0027	1273072	WHI11001941	55.65	57.60	1.95	1-ORG	0.002
AJ11-0027	1273073	WHI11001941	57.60	59.60	2.00	1-ORG	**0.431**
AJ11-0027	1273074	WHI11001941	59.60	60.83	1.23	1-ORG	0.018
AJ11-0027	1273075	WHI11001941	60.83	62.06	1.23	1-ORG	0.009
AJ11-0027	1273076	WHI11001941	62.06	63.15	1.09	1-ORG	0.170
AJ11-0027	1273077	WHI11001941			0.00	SRM_GS1p5D	**1.447**
AJ11-0027	1273078	WHI11001941	63.15	64.50	1.35	1-ORG	0.002
AJ11-0027	1273079	WHI11001941	64.50	65.94	1.44	1-ORG	0.002
AJ11-0027	1273080	WHI11001941	65.94	67.44	1.50	1-ORG	0.002
AJ11-0027	1273081	WHI11001941	67.44	69.50	2.06	1-ORG	0.002
AJ11-0027	1273082	WHI11001941	69.50	71.14	1.64	1-ORG	0.009
AJ11-0027	1273083	WHI11001941	71.14	73.14	2.00	1-ORG	0.002
AJ11-0027	1273084	WHI11001941	73.14	75.14	2.00	1-OFD	0.002
AJ11-0027	1273085	WHI11001941	73.14	75.14	2.00	2-FDU	0.002
AJ11-0027	1273086	WHI11001941	75.14	77.14	2.00	1-ORG	0.002
AJ11-0027	1273087	WHI11001941	77.14	79.14	2.00	1-ORG	0.002
AJ11-0027	1273088	WHI11001941	79.14	81.14	2.00	1-ORG	0.002
AJ11-0027	1273089	WHI11001941	81.14	83.14	2.00	1-ORG	0.002
AJ11-0027	1273090	WHI11001941	83.14	84.34	1.20	1-ORG	0.005
AJ11-0027	1273091	WHI11001941	84.34	85.63	1.29	1-ORG	0.214
AJ11-0027	1273092	WHI11001941	85.63	87.33	1.70	1-ORG	0.002
AJ11-0027	1273093	WHI11001941	87.33	89.14	1.81	1-ORG	0.002
AJ11-0027	1273094	WHI11001941	89.14	91.14	2.00	1-ORG	0.002

HoleID	SampleID	Au_CertName	From (m)	To (m)	Interval (m)	SampleCode	Au_ppm
AJ11-0027	1273095	WHI11001941			0.00	Blk_BL-9	0.002
AJ11-0027	1273096	WHI11001941	91.14	93.05	1.91	1-ORG	0.009
AJ11-0027	1273097	WHI11001941	93.05	95.47	2.42	1-ORG	0.005
AJ11-0027	1273098	WHI11001941	95.47	96.97	1.50	1-ORG	0.002
AJ11-0027	1273099	WHI11001941	96.97	98.47	1.50	1-ORG	0.002
AJ11-0027	1273100	WHI11001941	98.47	100.00	1.53	1-ORG	0.002
AJ11-0027	1273101	WHI11001941	100.00	101.47	1.47	1-ORG	0.002
AJ11-0027	1273102	WHI11001941	101.47	102.97	1.50	1-ORG	0.002
AJ11-0027	1273103	WHI11001941	102.97	104.47	1.50	1-ORG	0.002
AJ11-0027	1273104	WHI11001941	104.47	105.97	1.50	1-ORG	0.002
AJ11-0027	1273105	WHI11001941	105.97	107.47	1.50	1-ORG	0.002
AJ11-0027	1273106	WHI11001941			0.00	SRM_GSp7E	**0.885**
AJ11-0027	1273107	WHI11001941	107.47	108.66	1.19	1-ORG	0.002
AJ11-0027	1273108	WHI11001941	108.66	110.66	2.00	1-ORG	0.005
AJ11-0027	1273109	WHI11001941	110.66	112.66	2.00	1-ORG	0.002
AJ11-0027	1273110	WHI11001941	112.66	114.66	2.00	1-ORG	0.002
AJ11-0027	1273111	WHI11001941	114.66	116.66	2.00	1-ORG	0.002
AJ11-0027	1273112	WHI11001941	116.66	118.66	2.00	1-ORG	0.002
AJ11-0027	1273113	WHI11001941	118.66	121.56	2.90	1-ORG	0.002
AJ11-0027	1273114	WHI11001941	121.56	124.56	3.00	1-ORG	0.002
AJ11-0027	1273115	WHI11001941	124.56	127.56	3.00	1-ORG	0.002
AJ11-0027	1273116	WHI11001941	127.56	130.56	3.00	1-OFD	0.002
AJ11-0027	1273117	WHI11001941	127.56	130.56	3.00	2-FDU	0.002
AJ11-0027	1273118	WHI11001941	130.56	132.56	2.00	1-ORG	0.009
AJ11-0027	1273119	WHI11001941	132.56	134.56	2.00	1-ORG	0.011
AJ11-0027	1273120	WHI11001941	134.56	135.70	1.14	1-ORG	0.007
AJ11-0027	1273121	WHI11001941	135.70	137.20	1.50	1-ORG	0.016
AJ11-0027	1273122	WHI11001941	137.20	138.70	1.50	1-ORG	0.125
AJ11-0027	1273123	WHI11001941	138.70	140.21	1.51	1-ORG	0.006
AJ11-0027	1273124	WHI11001941			0.00	Blk_BL-9	0.002
AJ11-0027	1273125	WHI11001941	140.21	142.21	2.00	1-ORG	0.011
AJ11-0027	1273126	WHI11001941	142.21	145.21	3.00	1-ORG	0.010
AJ11-0027	1273127	WHI11001941	145.21	147.00	1.79	1-ORG	0.015
AJ11-0027	1273128	WHI11001941	147.00	148.74	1.74	1-ORG	0.006
AJ11-0027	1273129	WHI11001941	148.74	150.48	1.74	1-ORG	**0.404**
AJ11-0027	1273130	WHI11001941	150.48	151.48	1.00	1-ORG	0.265
AJ11-0027	1273131	WHI11001941	151.48	152.48	1.00	1-ORG	0.068
AJ11-0027	1273132	WHI11001941	152.48	154.00	1.52	1-ORG	0.007
AJ11-0027	1273133	WHI11001941	154.00	155.50	1.50	1-ORG	0.008
AJ11-0027	1273134	WHI11001941	155.50	157.00	1.50	1-ORG	0.013

HoleID	SampleID	Au_CertName	From (m)	To (m)	Interval (m)	SampleCode	Au_ppm
AJ11-0027	1273135	WHI11001938	157.00	158.50	1.50	1-ORG	0.007
AJ11-0027	1273136	WHI11001938			0.00	SRM_GS6A	**5.777**
AJ11-0027	1273137	WHI11001938	158.50	160.00	1.50	1-ORG	0.007
AJ11-0027	1273138	WHI11001938	160.00	161.50	1.50	1-ORG	0.005
AJ11-0027	1273139	WHI11001938	161.50	163.00	1.50	1-ORG	0.002
AJ11-0027	1273140	WHI11001938	163.00	164.50	1.50	1-ORG	0.002
AJ11-0027	1273141	WHI11001938	164.50	165.70	1.20	1-ORG	0.002
AJ11-0027	1273142	WHI11001938	165.70	167.10	1.40	1-ORG	0.002
AJ11-0027	1273143	WHI11001938	167.10	168.60	1.50	1-ORG	0.002
AJ11-0027	1273144	WHI11001938	168.60	170.10	1.50	1-ORG	0.006
AJ11-0027	1273145	WHI11001938	170.10	171.60	1.50	1-OFD	0.005
AJ11-0027	1273146	WHI11001938	170.10	171.60	1.50	2-FDU	0.006
AJ11-0027	1273147	WHI11001938	171.60	173.10	1.50	1-ORG	0.002
AJ11-0027	1273148	WHI11001938	173.10	174.60	1.50	1-ORG	0.002
AJ11-0027	1273149	WHI11001938	174.60	176.10	1.50	1-ORG	0.002
AJ11-0027	1273150	WHI11001938	176.10	177.60	1.50	1-ORG	0.002
AJ11-0027	1273151	WHI11001938	177.60	179.10	1.50	1-ORG	0.002
AJ11-0027	1273152	WHI11001938	179.10	180.60	1.50	1-ORG	0.002
AJ11-0027	1273153	WHI11001938	180.60	182.10	1.50	1-ORG	0.002
AJ11-0027	1273154	WHI11001938	182.10	183.60	1.50	1-ORG	0.006
AJ11-0027	1273155	WHI11001938	183.60	185.10	1.50	1-ORG	0.002
AJ11-0027	1273156	WHI11001938	185.10	186.60	1.50	1-ORG	0.005
AJ11-0027	1273157	WHI11001938			0.00	Blk_BL-9	0.002
AJ11-0027	1273158	WHI11001938	186.60	188.10	1.50	1-ORG	0.002
AJ11-0027	1273159	WHI11001938	188.10	189.60	1.50	1-ORG	0.002
AJ11-0027	1273160	WHI11001938	189.60	191.10	1.50	1-ORG	0.002
AJ11-0027	1273161	WHI11001938	191.10	192.70	1.60	1-ORG	0.002
AJ11-0027	1273162	WHI11001938	192.70	194.10	1.40	1-ORG	0.002
AJ11-0027	1273163	WHI11001938	194.10	195.60	1.50	1-ORG	0.002
AJ11-0027	1273164	WHI11001938	195.60	197.32	1.72	1-ORG	0.002
AJ11-0027	1273165	WHI11001938	197.32	199.50	2.18	1-ORG	0.005
AJ11-0027	1273166	WHI11001938			0.00	SRM_GS1p5D	**1.535**
AJ11-0027	1273167	WHI11001938	199.50	200.58	1.08	1-ORG	0.009
AJ11-0027	1273168	WHI11001938	200.58	201.80	1.22	1-ORG	0.008
AJ11-0027	1273169	WHI11001938	201.80	203.40	1.60	1-ORG	0.006
AJ11-0027	1273170	WHI11001938	203.40	204.61	1.21	1-ORG	0.025
AJ11-0027	1273171	WHI11001938	204.61	206.11	1.50	1-ORG	0.002
AJ11-0027	1273172	WHI11001938	206.11	207.61	1.50	1-ORG	0.002
AJ11-0027	1273173	WHI11001938	207.61	209.11	1.50	1-OFD	0.002
AJ11-0027	1273174	WHI11001938	207.61	209.11	1.50	2-FDU	0.002

HoleID	SampleID	Au_CertName	From (m)	To (m)	Interval (m)	SampleCode	Au_ppm
AJ11-0027	1273175	WHI11001938	209.11	210.60	1.49	1-ORG	0.002
AJ11-0027	1273176	WHI11001938	210.60	212.10	1.50	1-ORG	0.002
AJ11-0027	1273177	WHI11001938	212.10	213.60	1.50	1-ORG	0.002
AJ11-0027	1273178	WHI11001938	213.60	215.10	1.50	1-ORG	0.002
AJ11-0027	1273179	WHI11001938	215.10	216.60	1.50	1-ORG	0.002
AJ11-0027	1273180	WHI11001938	216.60	218.10	1.50	1-ORG	0.002
AJ11-0027	1273181	WHI11001938	218.10	219.60	1.50	1-ORG	0.002
AJ11-0027	1273182	WHI11001938	219.60	221.10	1.50	1-ORG	0.002
AJ11-0027	1273183	WHI11001938	221.10	222.60	1.50	1-ORG	0.002
AJ11-0027	1273184	WHI11001938	222.60	224.10	1.50	1-ORG	0.002
AJ11-0027	1273185	WHI11001938	224.10	225.60	1.50	1-ORG	0.010
AJ11-0027	1273186	WHI11001938			0.00	Blk_BL-9	0.002
AJ11-0027	1273187	WHI11001938	225.60	227.10	1.50	1-ORG	0.002
AJ11-0027	1273188	WHI11001938	227.10	229.10	2.00	1-ORG	0.002
AJ11-0027	1273189	WHI11001938	229.10	231.10	2.00	1-ORG	0.002
AJ11-0027	1273190	WHI11001938	231.10	233.10	2.00	1-ORG	0.002
AJ11-0027	1273191	WHI11001938	233.10	235.10	2.00	1-ORG	0.002
AJ11-0027	1273192	WHI11001938	235.10	236.60	1.50	1-ORG	0.002
AJ11-0027	1273193	WHI11001938	236.60	238.15	1.55	1-ORG	0.002
AJ11-0027	1273194	WHI11001938	238.15	240.52	2.37	1-ORG	0.002
AJ11-0027	1273195	WHI11001938	240.52	241.66	1.14	1-ORG	0.012
AJ11-0027	1273196	WHI11001938			0.00	SRM_GS6A	**5.637**
AJ11-0027	1273197	WHI11001938	241.66	242.80	1.14	1-ORG	0.006
AJ11-0027	1273198	WHI11001938	242.80	245.60	2.80	1-ORG	0.002
AJ11-0027	1273199	WHI11001938	245.60	247.10	1.50	1-ORG	0.002
AJ11-0027	1273200	WHI11001938	247.10	248.60	1.50	1-ORG	0.009
AJ11-0027	1273201	WHI11001938	248.60	250.10	1.50	1-ORG	0.002
AJ11-0027	1273202	WHI11001938	250.10	251.60	1.50	1-ORG	0.002
AJ11-0027	1273203	WHI11001938	251.60	253.10	1.50	1-ORG	0.018
AJ11-0027	1273204	WHI11001938	253.10	254.64	1.54	1-ORG	0.015
AJ11-0027	1273205	WHI11001938	254.64	256.10	1.46	1-OFD	0.024
AJ11-0027	1273206	WHI11001938	254.64	256.10	1.46	2-FDU	0.033
AJ11-0027	1273207	WHI11001938	256.10	257.90	1.80	1-ORG	0.053
AJ11-0027	1273208	WHI11001938	257.90	259.75	1.85	1-ORG	0.023
AJ11-0027	1273209	WHI11001938	259.75	261.56	1.81	1-ORG	0.049
AJ11-0027	1273210	WHI11001938	261.56	262.91	1.35	1-ORG	0.028
AJ11-0027	1273211	WHI11001938	262.91	264.26	1.35	1-ORG	0.052
AJ11-0027	1273212	WHI11001938	264.26	265.76	1.50	1-ORG	0.011
AJ11-0027	1273213	WHI11001938	265.76	267.26	1.50	1-ORG	0.006
AJ11-0027	1273214	WHI11001938			0.00	Blk_BL-9	0.002

HoleID	SampleID	Au_CertName	From (m)	To (m)	Interval (m)	SampleCode	Au_ppm
AJ11-0027	1273215	WHI11001938	267.26	268.80	1.54	1-ORG	0.005
AJ11-0027	1273216	WHI11001938	268.80	270.60	1.80	1-ORG	0.005
AJ11-0027	1273217	WHI11001938	270.60	271.95	1.35	1-ORG	0.078
AJ11-0027	1273218	WHI11001938	271.95	273.30	1.35	1-ORG	0.015
AJ11-0027	1273219	WHI11001938	273.30	275.30	2.00	1-ORG	0.006
AJ11-0027	1273220	WHI11001938	275.30	277.30	2.00	1-ORG	0.002
AJ11-0027	1273221	WHI11001938	277.30	279.30	2.00	1-ORG	0.010
AJ11-0027	1273222	WHI11001938	279.30	281.30	2.00	1-ORG	0.011
AJ11-0027	1273223	WHI11001938	281.30	283.30	2.00	1-ORG	0.005
AJ11-0027	1273224	WHI11001938	283.30	285.30	2.00	1-ORG	0.033
AJ11-0027	1273225	WHI11001938	285.30	287.30	2.00	1-ORG	0.008
AJ11-0027	1273226	WHI11001938			0.00	SRM_GSp7E	**0.720**
AJ11-0027	1273227	WHI11001938	287.30	288.80	1.50	1-ORG	0.010
AJ11-0027	1273228	WHI11001938	288.80	290.40	1.60	1-ORG	0.064
AJ11-0027	1273229	WHI11001938	290.40	291.90	1.50	1-ORG	0.002
AJ11-0027	1273230	WHI11001938	291.90	293.30	1.40	1-ORG	0.002
AJ11-0027	1273231	WHI11001938	293.30	295.30	2.00	1-ORG	0.002
AJ11-0027	1273232	WHI11001938	295.30	297.30	2.00	1-ORG	0.016
AJ11-0027	1273233	WHI11001938	297.30	299.30	2.00	1-OFD	0.002
AJ11-0027	1273234	WHI11001938	297.30	299.30	2.00	2-FDU	0.002
AJ11-0027	1273235	WHI11001938	299.30	300.23	0.93	1-ORG	0.002
AJ11-0028	1273236	WHI11001938	10.50	12.00	1.50	1-ORG	0.002
AJ11-0028	1273237	WHI11001938	12.00	13.60	1.60	1-ORG	0.010
AJ11-0028	1273238	WHI11001938	13.60	15.60	2.00	1-ORG	0.006
AJ11-0028	1273239	WHI11001938	15.60	17.60	2.00	1-ORG	0.051
AJ11-0028	1273240	WHI11001938	17.60	19.60	2.00	1-ORG	0.002
AJ11-0028	1273241	WHI11001938	19.60	21.60	2.00	1-ORG	0.006
AJ11-0028	1273242	WHI11001938	21.60	23.60	2.00	1-ORG	0.007
AJ11-0028	1273243	WHI11001938	23.60	25.60	2.00	1-ORG	0.002
AJ11-0028	1273244	WHI11001938	25.60	27.60	2.00	1-ORG	0.002
AJ11-0028	1273245	WHI11001938			0.00	Blk_BL-9	0.002
AJ11-0028	1273246	WHI11001938	27.60	29.10	1.50	1-ORG	0.002
AJ11-0028	1273247	WHI11001938	29.10	31.10	2.00	1-ORG	0.002
AJ11-0028	1273248	WHI11001938	31.10	33.10	2.00	1-ORG	0.002
AJ11-0028	1273249	WHI11001938	33.10	35.10	2.00	1-ORG	0.002
AJ11-0028	1273250	WHI11001938	35.10	37.10	2.00	1-ORG	0.002
AJ11-0028	1273251	WHI11001938	37.10	39.10	2.00	1-ORG	0.002
AJ11-0028	1273252	WHI11001938	39.10	41.10	2.00	1-ORG	0.002
AJ11-0028	1273253	WHI11001938	41.10	42.60	1.50	1-ORG	0.002
AJ11-0028	1273254	WHI11001938	42.60	44.10	1.50	1-ORG	0.002

HoleID	SampleID	Au_CertName	From (m)	To (m)	Interval (m)	SampleCode	Au_ppm
AJ11-0028	1273255	WHI11001957			0.00	SRM_GS1p5D	**1.479**
AJ11-0028	1273256	WHI11001957	44.10	45.39	1.29	1-ORG	0.020
AJ11-0028	1273257	WHI11001957	45.39	46.68	1.29	1-ORG	0.002
AJ11-0028	1273258	WHI11001957	46.68	48.77	2.09	1-ORG	0.006
AJ11-0028	1273259	WHI11001957	48.77	50.77	2.00	1-ORG	0.005
AJ11-0028	1273260	WHI11001957	50.77	52.77	2.00	1-ORG	0.002
AJ11-0028	1273261	WHI11001957	52.77	54.77	2.00	1-ORG	0.002
AJ11-0028	1273262	WHI11001957	54.77	56.77	2.00	1-ORG	0.044
AJ11-0028	1273263	WHI11001957	56.77	58.77	2.00	1-ORG	0.002
AJ11-0028	1273264	WHI11001957	58.77	60.77	2.00	1-ORG	0.002
AJ11-0028	1273265	WHI11001957	60.77	62.77	2.00	1-OFD	0.005
AJ11-0028	1273266	WHI11001957	60.77	62.77	2.00	2-FDU	0.002
AJ11-0028	1273267	WHI11001957	62.77	64.77	2.00	1-ORG	0.002
AJ11-0028	1273268	WHI11001957	64.77	66.77	2.00	1-ORG	0.002
AJ11-0028	1273269	WHI11001957	66.77	68.77	2.00	1-ORG	0.002
AJ11-0028	1273270	WHI11001957	68.77	70.77	2.00	1-ORG	0.002
AJ11-0028	1273271	WHI11001957	70.77	72.77	2.00	1-ORG	0.002
AJ11-0028	1273272	WHI11001957	72.77	74.77	2.00	1-ORG	0.002
AJ11-0028	1273273	WHI11001957	74.77	76.27	1.50	1-ORG	0.002
AJ11-0028	1273274	WHI11001957	76.27	77.77	1.50	1-ORG	0.002
AJ11-0028	1273275	WHI11001957	77.77	79.27	1.50	1-ORG	0.002
AJ11-0028	1273276	WHI11001957			0.00	Blk_BL-9	0.002
AJ11-0028	1273277	WHI11001957	79.27	80.77	1.50	1-ORG	0.002
AJ11-0028	1273278	WHI11001957	80.77	82.27	1.50	1-ORG	0.002
AJ11-0028	1273279	WHI11001957	82.27	83.77	1.50	1-ORG	0.002
AJ11-0028	1273280	WHI11001957	83.77	85.27	1.50	1-ORG	0.002
AJ11-0028	1273281	WHI11001957	85.27	86.77	1.50	1-ORG	0.002
AJ11-0028	1273282	WHI11001957	86.77	88.54	1.77	1-ORG	0.008
AJ11-0028	1273283	WHI11001957			0.00	SRM_GS6A	0.002
AJ11-0028	1273284	WHI11001957	88.54	89.70	1.16	1-ORG	0.039
AJ11-0028	1273285	WHI11001957	89.70	91.20	1.50	1-ORG	0.002
AJ11-0028	1273286	WHI11001957	91.20	92.70	1.50	1-ORG	0.002
AJ11-0028	1273287	WHI11001957	92.70	94.20	1.50	1-ORG	0.002
AJ11-0028	1273288	WHI11001957	94.20	95.70	1.50	1-ORG	0.005
AJ11-0028	1273289	WHI11001957	95.70	96.74	1.04	1-ORG	**2.619**
AJ11-0028	1273290	WHI11001957	96.74	98.44	1.70	1-ORG	0.037
AJ11-0028	1273291	WHI11001957	98.44	99.94	1.50	1-ORG	0.054
AJ11-0028	1273292	WHI11001957	99.94	101.44	1.50	1-ORG	0.016
AJ11-0028	1273293	WHI11001957	101.44	102.94	1.50	1-OFD	0.010
AJ11-0028	1273294	WHI11001957	101.44	102.94	1.50	2-FDU	0.017

HoleID	SampleID	Au_CertName	From (m)	To (m)	Interval (m)	SampleCode	Au_ppm
AJ11-0028	1273295	WHI11001957	102.94	104.59	1.65	1-ORG	0.152
AJ11-0028	1273296	WHI11001957	104.59	106.46	1.87	1-ORG	0.209
AJ11-0028	1273297	WHI11001957	106.46	108.47	2.01	1-ORG	**1.632**
AJ11-0028	1273298	WHI11001957	108.47	109.83	1.36	1-ORG	0.024
AJ11-0028	1273299	WHI11001957	109.83	111.18	1.35	1-ORG	**5.451**
AJ11-0028	1273300	WHI11001957	111.18	112.52	1.34	1-ORG	**7.480**
AJ11-0028	1273301	WHI11001957	112.52	114.02	1.50	1-ORG	0.021
AJ11-0028	1273302	WHI11001957	114.02	115.52	1.50	1-ORG	0.032
AJ11-0028	1273303	WHI11001957	115.52	116.43	0.91	1-ORG	**0.346**
AJ11-0028	1273304	WHI11001957	116.43	117.76	1.33	1-ORG	0.011
AJ11-0028	1273305	WHI11001957	117.76	118.55	0.79	1-ORG	0.013
AJ11-0028	1273306	WHI11001957	118.55	120.05	1.50	1-ORG	0.019
AJ11-0028	1273307	WHI11001957	120.05	121.55	1.50	1-ORG	0.026
AJ11-0028	1273308	WHI11001957			0.00	Blk_BL-9	0.002
AJ11-0028	1273309	WHI11001957	121.55	123.05	1.50	1-ORG	0.018
AJ11-0028	1273310	WHI11001957	123.05	124.28	1.23	1-ORG	0.013
AJ11-0028	1273311	WHI11001957	124.28	126.05	1.77	1-ORG	0.029
AJ11-0028	1273312	WHI11001957	126.05	128.05	2.00	1-ORG	0.002
AJ11-0028	1273313	WHI11001957	128.05	130.05	2.00	1-ORG	0.006
AJ11-0028	1273314	WHI11001957	130.05	132.05	2.00	1-ORG	0.002
AJ11-0028	1273315	WHI11001957	132.05	134.05	2.00	1-ORG	0.002
AJ11-0028	1273316	WHI11001957			0.00	SRM_GSp7E	**0.795**
AJ11-0028	1273317	WHI11001957	134.05	136.05	2.00	1-ORG	0.007
AJ11-0028	1273318	WHI11001957	136.05	138.05	2.00	1-ORG	0.009
AJ11-0028	1273319	WHI11001957	138.05	140.05	2.00	1-ORG	0.009
AJ11-0028	1273320	WHI11001957	140.05	141.73	1.68	1-ORG	0.015
AJ11-0029	1273321	WHI11001957	8.84	10.34	1.50	1-ORG	0.036
AJ11-0029	1273322	WHI11001957	10.34	11.84	1.50	1-ORG	0.014
AJ11-0029	1273323	WHI11001957	11.84	13.34	1.50	1-ORG	0.002
AJ11-0029	1273324	WHI11001957	13.34	14.84	1.50	1-OFD	0.002
AJ11-0029	1273325	WHI11001957	13.34	14.84	1.50	2-FDU	0.002
AJ11-0029	1273326	WHI11001957	14.84	16.34	1.50	1-ORG	0.002
AJ11-0029	1273327	WHI11001957	16.34	17.84	1.50	1-ORG	0.006
AJ11-0029	1273328	WHI11001957	17.84	19.34	1.50	1-ORG	0.006
AJ11-0029	1273329	WHI11001957	19.34	20.84	1.50	1-ORG	0.007
AJ11-0029	1273330	WHI11001957	20.84	22.34	1.50	1-ORG	0.025
AJ11-0029	1273331	WHI11001957	22.34	23.84	1.50	1-ORG	0.022
AJ11-0029	1273332	WHI11001957	23.84	25.34	1.50	1-ORG	0.015
AJ11-0029	1273333	WHI11001957	25.34	26.90	1.56	1-ORG	0.008
AJ11-0029	1273334	WHI11001957	26.90	28.75	1.85	1-ORG	0.007

HoleID	SampleID	Au_CertName	From (m)	To (m)	Interval (m)	SampleCode	Au_ppm
AJ11-0029	1273335	WHI11001957	28.75	30.25	1.50	1-ORG	0.006
AJ11-0029	1273336	WHI11001957			0.00	Blk_BL-9	0.002
AJ11-0029	1273337	WHI11001957	30.25	31.75	1.50	1-ORG	0.008
AJ11-0029	1273338	WHI11001957	31.75	33.25	1.50	1-ORG	0.002
AJ11-0029	1273339	WHI11001957	33.25	34.75	1.50	1-ORG	0.005
AJ11-0029	1273340	WHI11001957	34.75	36.25	1.50	1-ORG	0.002
AJ11-0029	1273341	WHI11001957	36.25	37.75	1.50	1-ORG	0.002
AJ11-0029	1273342	WHI11001957	37.75	39.25	1.50	1-ORG	0.002
AJ11-0029	1273343	WHI11001957	39.25	40.75	1.50	1-ORG	0.002
AJ11-0029	1273344	WHI11001957	40.75	42.25	1.50	1-ORG	0.002
AJ11-0029	1273345	WHI11001957	42.25	43.75	1.50	1-ORG	0.002
AJ11-0029	1273346	WHI11001957			0.00	SRM_GS1p5D	**1.527**
AJ11-0029	1273347	WHI11001957	43.75	45.75	2.00	1-ORG	0.002
AJ11-0029	1273348	WHI11001957	45.75	47.75	2.00	1-ORG	0.002
AJ11-0029	1273349	WHI11001957	47.75	49.75	2.00	1-ORG	0.002
AJ11-0029	1273350	WHI11001957	49.75	51.75	2.00	1-ORG	0.002
AJ11-0029	1273351	WHI11001957	51.75	53.75	2.00	1-ORG	0.002
AJ11-0029	1273352	WHI11001957	53.75	55.75	2.00	1-ORG	0.002
AJ11-0029	1273353	WHI11001957	55.75	57.75	2.00	1-ORG	0.002
AJ11-0029	1273354	WHI11001957	57.75	59.75	2.00	1-ORG	0.002
AJ11-0029	1273355	WHI11001957	59.75	61.75	2.00	1-OFD	0.002
AJ11-0029	1273356	WHI11001957	59.75	61.75	2.00	2-FDU	0.002
AJ11-0029	1273357	WHI11001957	61.75	63.75	2.00	1-ORG	0.002
AJ11-0029	1273358	WHI11001957	63.75	65.75	2.00	1-ORG	0.002
AJ11-0029	1273359	WHI11001957	65.75	67.75	2.00	1-ORG	0.006
AJ11-0029	1273360	WHI11001957	67.75	69.75	2.00	1-ORG	0.006
AJ11-0029	1273361	WHI11001957	69.75	71.75	2.00	1-ORG	0.005
AJ11-0029	1273362	WHI11001957	71.75	73.75	2.00	1-ORG	0.002
AJ11-0029	1273363	WHI11001957	73.75	75.75	2.00	1-ORG	0.002
AJ11-0029	1273364	WHI11001957	75.75	77.75	2.00	1-ORG	0.029
AJ11-0029	1273365	WHI11001957	77.75	79.75	2.00	1-ORG	0.002
AJ11-0029	1273366	WHI11001957			0.00	Blk_BL-9	0.002
AJ11-0029	1273367	WHI11001957	79.75	81.50	1.75	1-ORG	0.017
AJ11-0029	1273368	WHI11001957	81.50	82.50	1.00	1-ORG	0.002
AJ11-0029	1273369	WHI11001957	82.50	84.00	1.50	1-ORG	0.002
AJ11-0029	1273370	WHI11001957	84.00	85.50	1.50	1-ORG	0.002
AJ11-0029	1273371	WHI11001957	85.50	87.00	1.50	1-ORG	0.002
AJ11-0029	1273372	WHI11001957	87.00	88.50	1.50	1-ORG	0.002
AJ11-0029	1273373	WHI11001957	88.50	90.00	1.50	1-ORG	0.002
AJ11-0029	1273374	WHI11001957	90.00	91.50	1.50	1-ORG	0.002

HoleID	SampleID	Au_CertName	From (m)	To (m)	Interval (m)	SampleCode	Au_ppm
AJ11-0029	1273375	WHI11001957	91.50	93.50	2.00	1-ORG	0.032
AJ11-0029	1273376	WHI11001957	93.50	95.00	1.50	1-ORG	0.002
AJ11-0029	1273377	WHI11001957			0.00	SRM_GS6A	**5.536**
AJ11-0029	1273378	WHI11001957	95.00	96.50	1.50	1-ORG	0.002
AJ11-0029	1273379	WHI11001957	96.50	98.56	2.06	1-ORG	0.002
AJ11-0029	1273380	WHI11001957	98.56	100.58	2.02	1-ORG	0.002
AJ11-0029	1273001	WHI11001799	100.59	102.09	1.50	1-ORG	0.229
AJ11-0029	1273002	WHI11001799	102.09	103.48	1.39	1-ORG	0.028
AJ11-0029	1273003	WHI11001799	103.48	103.89	0.41	1-ORG	**2.344**
AJ11-0029	1273004	WHI11001799	103.89	105.39	1.50	1-ORG	0.016
AJ11-0029	1273005	WHI11001799	105.39	106.89	1.50	1-OFD	0.046
AJ11-0029	1273006	WHI11001799	105.39	106.89	1.50	2-FDU	0.039
AJ11-0029	1273007	WHI11001799	106.89	108.39	1.50	1-ORG	0.012
AJ11-0029	1273008	WHI11001799	108.39	110.02	1.63	1-ORG	0.094
AJ11-0029	1273009	WHI11001799	110.02	111.52	1.50	1-ORG	**2.073**
AJ11-0029	1273010	WHI11001799	111.52	113.02	1.50	1-ORG	**2.558**
AJ11-0029	1273011	WHI11001799	113.02	114.42	1.40	1-ORG	**9.629**
AJ11-0029	1273012	WHI11001799	114.42	116.30	1.88	1-ORG	**1.026**
AJ11-0029	1273013	WHI11001799			0.00	Blk-wh. stones	0.047
AJ11-0029	1273014	WHI11001799	116.30	117.80	1.50	1-ORG	**6.002**
AJ11-0029	1273015	WHI11001799	117.80	118.95	1.15	1-ORG	**2.469**
AJ11-0029	1273016	WHI11001799	118.95	120.12	1.17	1-ORG	**1.578**
AJ11-0029	1273017	WHI11001799	120.12	121.97	1.85	1-ORG	**0.516**
AJ11-0029	1273018	WHI11001799	121.97	122.98	1.01	1-ORG	0.247
AJ11-0029	1273019	WHI11001799			0.00	SRM_GS5G	**4.724**
AJ11-0029	1273381	WHI11001957	122.98	124.48	1.50	1-ORG	0.019
AJ11-0029	1273382	WHI11001957	124.48	125.98	1.50	1-ORG	0.012
AJ11-0029	1273383	WHI11001957	125.98	128.00	2.02	1-ORG	0.002
AJ11-0029	1273384	WHI11001957	128.00	130.00	2.00	1-OFD	0.002
AJ11-0029	1273385	WHI11001957	128.00	130.00	2.00	2-FDU	0.002
AJ11-0029	1273386	WHI11001957	130.00	132.00	2.00	1-ORG	0.002
AJ11-0029	1273387	WHI11001957	132.00	134.00	2.00	1-ORG	0.002
AJ11-0029	1273388	WHI11001957	134.00	136.00	2.00	1-ORG	0.016
AJ11-0029	1273389	WHI11001957	136.00	138.00	2.00	1-ORG	0.002
AJ11-0029	1273390	WHI11001957	138.00	140.00	2.00	1-ORG	0.002
AJ11-0029	1273391	WHI11001957	140.00	142.00	2.00	1-ORG	0.002
AJ11-0029	1273392	WHI11001957	142.00	144.00	2.00	1-ORG	0.042
AJ11-0029	1273393	WHI11001957	144.00	146.00	2.00	1-ORG	0.002
AJ11-0029	1273394	WHI11001957	146.00	147.50	1.50	1-ORG	0.007
AJ11-0029	1273395	WHI11001957			0.00	Blk_BL-9	0.002

HoleID	SampleID	Au_CertName	From (m)	To (m)	Interval (m)	SampleCode	Au_ppm
AJ11-0029	1273396	WHI11001957	147.50	149.00	1.50	1-ORG	0.008
AJ11-0029	1273397	WHI11001957	149.00	150.50	1.50	1-ORG	0.009
AJ11-0029	1273398	WHI11001957	150.50	152.00	1.50	1-ORG	0.010
AJ11-0029	1273399	WHI11001957	152.00	153.50	1.50	1-ORG	0.009
AJ11-0029	1273400	WHI11001957	153.50	155.00	1.50	1-ORG	0.025
AJ11-0029	1273401	WHI11001957	155.00	156.50	1.50	1-ORG	0.017
AJ11-0029	1273402	WHI11001957	156.50	158.00	1.50	1-ORG	0.020
AJ11-0029	1273403	WHI11001957	158.00	160.00	2.00	1-ORG	0.015
AJ11-0029	1273404	WHI11001957	160.00	162.00	2.00	1-ORG	0.008
AJ11-0029	1273405	WHI11001958	162.00	164.00	2.00	1-ORG	0.005
AJ11-0029	1273406	WHI11001958			0.00	SRM_GS1p5D	**1.528**
AJ11-0029	1273407	WHI11001958	164.00	166.00	2.00	1-ORG	0.025
AJ11-0029	1273408	WHI11001958	166.00	168.00	2.00	1-ORG	0.008
AJ11-0029	1273409	WHI11001958	168.00	170.00	2.00	1-ORG	0.013
AJ11-0029	1273410	WHI11001958	170.00	172.00	2.00	1-ORG	0.008
AJ11-0029	1273411	WHI11001958	172.00	174.00	2.00	1-ORG	0.010
AJ11-0029	1273412	WHI11001958	174.00	176.00	2.00	1-ORG	0.008
AJ11-0029	1273413	WHI11001958	176.00	178.00	2.00	1-ORG	0.006
AJ11-0029	1273414	WHI11001958	178.00	180.00	2.00	1-ORG	0.007
AJ11-0029	1273415	WHI11001958	180.00	182.00	2.00	1-ORG	0.006
AJ11-0029	1273416	WHI11001958	182.00	184.00	2.00	1-OFD	0.009
AJ11-0029	1273417	WHI11001958	182.00	184.00	2.00	2-FDU	0.012
AJ11-0029	1273418	WHI11001958	184.00	186.00	2.00	1-ORG	0.011
AJ11-0029	1273419	WHI11001958	186.00	188.00	2.00	1-ORG	0.008
AJ11-0029	1273420	WHI11001958	188.00	190.00	2.00	1-ORG	0.009
AJ11-0029	1273421	WHI11001958	190.00	192.00	2.00	1-ORG	0.006
AJ11-0029	1273422	WHI11001958	192.00	194.00	2.00	1-ORG	0.008
AJ11-0029	1273423	WHI11001958	194.00	196.00	2.00	1-ORG	0.012
AJ11-0029	1273424	WHI11001958	196.00	198.00	2.00	1-ORG	0.007
AJ11-0029	1273425	WHI11001958	198.00	200.00	2.00	1-ORG	0.007
AJ11-0029	1273426	WHI11001958	200.00	202.00	2.00	1-ORG	0.007
AJ11-0029	1273427	WHI11001958			0.00	Blk_BL-9	0.002
AJ11-0029	1273428	WHI11001958	202.00	204.00	2.00	1-ORG	0.002
AJ11-0029	1273429	WHI11001958	204.00	206.00	2.00	1-ORG	0.006
AJ11-0029	1273430	WHI11001958	206.00	208.00	2.00	1-ORG	0.002
AJ11-0029	1273431	WHI11001958	208.00	210.00	2.00	1-ORG	0.007
AJ11-0029	1273432	WHI11001958	210.00	212.00	2.00	1-ORG	0.007
AJ11-0029	1273433	WHI11001958	212.00	214.00	2.00	1-ORG	0.002
AJ11-0029	1273434	WHI11001958	214.00	216.00	2.00	1-ORG	0.002
AJ11-0029	1273435	WHI11001958	216.00	218.00	2.00	1-ORG	0.006

HoleID	SampleID	Au_CertName	From (m)	To (m)	Interval (m)	SampleCode	Au_ppm
AJ11-0029	1273436	WHI11001958			0.00	SRM_GSp7E	**0.866**
AJ11-0029	1273437	WHI11001958	218.00	220.00	2.00	1-ORG	0.007
AJ11-0029	1273438	WHI11001958	220.00	222.00	2.00	1-ORG	0.006
AJ11-0029	1273439	WHI11001958	222.00	224.00	2.00	1-ORG	0.006
AJ11-0029	1273440	WHI11001958	224.00	226.00	2.00	1-ORG	0.002
AJ11-0029	1273441	WHI11001958	226.00	228.00	2.00	1-ORG	0.002
AJ11-0029	1273442	WHI11001958	228.00	230.00	2.00	1-ORG	0.002
AJ11-0029	1273443	WHI11001958	230.00	232.00	2.00	1-ORG	0.011
AJ11-0029	1273444	WHI11001958	232.00	234.00	2.00	1-ORG	0.002
AJ11-0029	1273445	WHI11001958	234.00	236.00	2.00	1-ORG	0.002
AJ11-0029	1273446	WHI11001958	236.00	238.00	2.00	1-OFD	0.002
AJ11-0029	1273447	WHI11001958	236.00	238.00	2.00	2-FDU	0.002
AJ11-0029	1273448	WHI11001958	238.00	239.63	1.63	1-ORG	0.002
AJ11-0029	1273449	WHI11001958	239.63	242.03	2.40	1-ORG	0.002
AJ11-0029	1273450	WHI11001958	242.03	244.03	2.00	1-ORG	0.002
AJ11-0029	1273451	WHI11001958	244.03	246.03	2.00	1-ORG	0.002
AJ11-0029	1273452	WHI11001958	246.03	248.03	2.00	1-ORG	0.002
AJ11-0029	1273453	WHI11001958	248.03	249.52	1.49	1-ORG	0.002
AJ11-0029	1273454	WHI11001958	249.52	251.52	2.00	1-ORG	0.002
AJ11-0029	1273455	WHI11001958	251.52	253.52	2.00	1-ORG	0.002
AJ11-0029	1273456	WHI11001958	253.52	255.52	2.00	1-ORG	0.002
AJ11-0029	1273457	WHI11001958			0.00	Blk_BL-9	0.002
AJ11-0029	1273458	WHI11001958	255.52	257.52	2.00	1-ORG	0.002
AJ11-0029	1273459	WHI11001958	257.52	259.52	2.00	1-ORG	0.002
AJ11-0029	1273460	WHI11001958	259.52	261.40	1.88	1-ORG	0.002
AJ11-0029	1273461	WHI11001958	261.40	263.04	1.64	1-ORG	0.002
AJ11-0029	1273462	WHI11001958	263.04	264.67	1.63	1-ORG	0.002
AJ11-0029	1273463	WHI11001958	264.67	266.67	2.00	1-ORG	0.002
AJ11-0029	1273464	WHI11001958	266.67	268.67	2.00	1-ORG	0.002
AJ11-0029	1273465	WHI11001958	268.67	270.67	2.00	1-ORG	0.002
AJ11-0029	1273466	WHI11001958			0.00	SRM_GS6A	**5.823**
AJ11-0029	1273467	WHI11001958	270.67	272.94	2.27	1-ORG	0.007
AJ11-0029	1273468	WHI11001958	272.94	274.70	1.76	1-ORG	0.006
AJ11-0029	1273469	WHI11001958	274.70	276.20	1.50	1-ORG	0.009
AJ11-0029	1273470	WHI11001958	276.20	277.70	1.50	1-ORG	0.006
AJ11-0029	1273471	WHI11001958	277.70	279.70	2.00	1-ORG	0.006
AJ11-0029	1273472	WHI11001958	279.70	281.70	2.00	1-ORG	0.006
AJ11-0029	1273473	WHI11001958	281.70	283.70	2.00	1-ORG	0.007
AJ11-0029	1273474	WHI11001958	283.70	285.70	2.00	1-ORG	0.002
AJ11-0029	1273475	WHI11001958	285.70	287.70	2.00	1-OFD	0.011

HoleID	SampleID	Au_CertName	From (m)	To (m)	Interval (m)	SampleCode	Au_ppm
AJ11-0029	1273476	WHI11001958	285.70	287.70	2.00	2-FDU	0.007
AJ11-0029	1273477	WHI11001958	287.70	289.90	2.20	1-ORG	0.008
AJ11-0029	1273478	WHI11001958	289.90	291.08	1.18	1-ORG	0.009
AJ11-0030	1273495	WHI11001959	24.07	25.57	1.50	1-ORG	0.007
AJ11-0030	1273496	WHI11001959	25.57	27.07	1.50	1-ORG	0.014
AJ11-0030	1273497	WHI11001959			0.00	SRM_GSp7E	**0.755**
AJ11-0030	1273498	WHI11001959	27.07	28.57	1.50	1-ORG	0.016
AJ11-0030	1273499	WHI11001959	28.57	30.07	1.50	1-ORG	0.009
AJ11-0030	1273500	WHI11001959	30.07	31.57	1.50	1-ORG	0.006
AJ11-0030	1273501	WHI11001959	31.57	33.07	1.50	1-ORG	0.007
AJ11-0030	1273502	WHI11001959	33.07	34.57	1.50	1-ORG	0.006
AJ11-0030	1273503	WHI11001959	34.57	36.07	1.50	1-ORG	0.007
AJ11-0030	1273504	WHI11001959	36.07	37.57	1.50	1-ORG	0.006
AJ11-0030	1273505	WHI11001959	37.57	39.07	1.50	1-ORG	0.006
AJ11-0030	1273506	WHI11001959	39.07	40.57	1.50	1-ORG	0.008
AJ11-0030	1273507	WHI11001959	40.57	42.07	1.50	1-OFD	0.203
AJ11-0030	1273508	WHI11001959	40.57	42.07	1.50	2-FDU	0.167
AJ11-0030	1273509	WHI11001959	42.07	43.37	1.30	1-ORG	0.009
AJ11-0030	1273510	WHI11001959	43.37	44.60	1.23	1-ORG	0.011
AJ11-0030	1273511	WHI11001959	44.60	45.40	0.80	1-ORG	**1.338**
AJ11-0030	1273512	WHI11001959	45.40	47.15	1.75	1-ORG	0.160
AJ11-0030	1273513	WHI11001959	47.15	48.00	0.85	1-ORG	**1.651**
AJ11-0030	1273514	WHI11001959	48.00	50.05	2.05	1-ORG	0.107
AJ11-0030	1273515	WHI11001959	50.05	52.10	2.05	1-ORG	0.011
AJ11-0030	1273516	WHI11001959	52.10	53.60	1.50	1-ORG	0.009
AJ11-0030	1273517	WHI11001959			0.00	Blk_BL-9	0.007
AJ11-0030	1273518	WHI11001959	53.60	55.10	1.50	1-ORG	0.008
AJ11-0030	1273519	WHI11001959	55.10	56.60	1.50	1-ORG	0.006
AJ11-0030	1273520	WHI11001959	56.60	58.10	1.50	1-ORG	0.007
AJ11-0030	1273521	WHI11001959	58.10	59.60	1.50	1-ORG	0.006
AJ11-0030	1273522	WHI11001959	59.60	61.10	1.50	1-ORG	0.002
AJ11-0030	1273523	WHI11001959	61.10	62.60	1.50	1-ORG	0.008
AJ11-0030	1273524	WHI11001959	62.60	64.10	1.50	1-ORG	0.006
AJ11-0030	1273525	WHI11001959			0.00	SRM_GS1p5D	**1.501**
AJ11-0030	1273526	WHI11001959	64.10	65.60	1.50	1-ORG	0.017
AJ11-0030	1273527	WHI11001959	65.60	67.10	1.50	1-ORG	0.005
AJ11-0030	1273528	WHI11001959	67.10	68.60	1.50	1-ORG	0.007
AJ11-0030	1273529	WHI11001959	68.60	70.10	1.50	1-ORG	0.007
AJ11-0030	1273530	WHI11001959	70.10	71.60	1.50	1-ORG	0.006
AJ11-0030	1273531	WHI11001959	71.60	73.10	1.50	1-ORG	0.006

HoleID	SampleID	Au_CertName	From (m)	To (m)	Interval (m)	SampleCode	Au_ppm
AJ11-0030	1273532	WHI11001959	73.10	74.60	1.50	1-ORG	0.007
AJ11-0030	1273533	WHI11001959	74.60	76.10	1.50	1-ORG	0.008
AJ11-0030	1273534	WHI11001959	76.10	77.60	1.50	1-OFD	0.006
AJ11-0030	1273535	WHI11001959	76.10	77.60	1.50	2-FDU	0.006
AJ11-0030	1273536	WHI11001959	77.60	79.60	2.00	1-ORG	0.002
AJ11-0030	1273537	WHI11001959	79.60	81.60	2.00	1-ORG	0.002
AJ11-0030	1273538	WHI11001959	81.60	83.60	2.00	1-ORG	0.008
AJ11-0030	1273539	WHI11001959	83.60	85.34	1.74	1-ORG	0.005
AJ11-0030	1273540	WHI11001959	85.34	86.84	1.50	1-ORG	0.006
AJ11-0030	1273541	WHI11001959	86.84	88.34	1.50	1-ORG	0.007
AJ11-0030	1273542	WHI11001959	88.34	89.84	1.50	1-ORG	0.009
AJ11-0030	1273543	WHI11001959	89.84	91.34	1.50	1-ORG	0.009
AJ11-0030	1273544	WHI11001959			0.00	Blk_BL-9	0.007
AJ11-0030	1273545	WHI11001959	91.34	93.34	2.00	1-ORG	0.006
AJ11-0030	1273546	WHI11001959	93.34	95.34	2.00	1-ORG	0.006
AJ11-0030	1273547	WHI11001959	95.34	97.34	2.00	1-ORG	0.009
AJ11-0030	1273548	WHI11001959	97.34	99.34	2.00	1-ORG	0.009
AJ11-0030	1273549	WHI11001959	99.34	101.34	2.00	1-ORG	0.007
AJ11-0030	1273550	WHI11001959	101.34	103.34	2.00	1-ORG	0.008
AJ11-0030	1273551	WHI11001959	103.34	105.34	2.00	1-ORG	0.008
AJ11-0030	1273552	WHI11001959	105.34	107.34	2.00	1-ORG	0.012
AJ11-0030	1273553	WHI11001959	107.34	109.34	2.00	1-ORG	0.007
AJ11-0030	1273554	WHI11001959	109.34	110.86	1.52	1-ORG	0.006
AJ11-0030	1273555	WHI11001959			0.00	SRM_GS6A	**5.981**
AJ11-0030	1273556	WHI11001959	110.86	112.06	1.20	1-ORG	0.011
AJ11-0030	1273557	WHI11001959	112.06	113.27	1.21	1-ORG	0.010
AJ11-0030	1273558	WHI11001959	113.27	114.77	1.50	1-ORG	0.008
AJ11-0030	1273559	WHI11001959	114.77	116.27	1.50	1-ORG	0.015
AJ11-0030	1273560	WHI11001959	116.27	117.77	1.50	1-ORG	0.006
AJ11-0030	1273561	WHI11001959	117.77	119.27	1.50	1-ORG	0.005
AJ11-0030	1273562	WHI11001959	119.27	120.77	1.50	1-ORG	0.006
AJ11-0030	1273563	WHI11001959	120.77	122.27	1.50	1-OFD	0.006
AJ11-0030	1273564	WHI11001959	120.77	122.27	1.50	2-FDU	0.006
AJ11-0030	1273565	WHI11001959	122.27	124.27	2.00	1-ORG	0.006
AJ11-0030	1273566	WHI11001959	124.27	126.27	2.00	1-ORG	0.002
AJ11-0030	1273567	WHI11001959	126.27	128.27	2.00	1-ORG	0.007
AJ11-0030	1273568	WHI11001959	128.27	130.27	2.00	1-ORG	0.002
AJ11-0030	1273569	WHI11001959	130.27	132.27	2.00	1-ORG	0.006
AJ11-0030	1273570	WHI11001959	132.27	134.27	2.00	1-ORG	0.009
AJ11-0030	1273571	WHI11001959	134.27	136.27	2.00	1-ORG	0.002

HoleID	SampleID	Au_CertName	From (m)	To (m)	Interval (m)	SampleCode	Au_ppm
AJ11-0030	1273572	WHI11001959	136.27	138.27	2.00	1-ORG	0.002
AJ11-0030	1273573	WHI11001959	138.27	140.27	2.00	1-ORG	0.006
AJ11-0030	1273574	WHI11001959	140.27	142.27	2.00	1-ORG	0.005
AJ11-0030	1273575	WHI11001959			0.00	Blk_BL-9	0.007
AJ11-0030	1273576	WHI11001959	142.27	144.27	2.00	1-ORG	0.007
AJ11-0030	1273577	WHI11001959	144.27	146.27	2.00	1-ORG	0.002
AJ11-0030	1273578	WHI11001959	146.27	148.27	2.00	1-ORG	0.005
AJ11-0030	1273579	WHI11001959	148.27	150.27	2.00	1-ORG	0.002
AJ11-0030	1273580	WHI11001959	150.27	152.27	2.00	1-ORG	0.008
AJ11-0030	1273581	WHI11001959	152.27	154.27	2.00	1-ORG	0.006
AJ11-0030	1273582	WHI11001959	154.27	156.27	2.00	1-ORG	0.006
AJ11-0030	1273583	WHI11001959	156.27	158.27	2.00	1-ORG	0.006
AJ11-0030	1273584	WHI11001959	158.27	160.27	2.00	1-ORG	0.007
AJ11-0030	1273585	WHI11001959	160.27	162.27	2.00	1-ORG	0.012
AJ11-0030	1273586	WHI11001959			0.00	SRM_GSp7E	**0.819**
AJ11-0030	1273587	WHI11001959	162.27	164.27	2.00	1-ORG	0.009
AJ11-0030	1273588	WHI11001959	164.27	166.27	2.00	1-ORG	0.008
AJ11-0030	1273589	WHI11001959	166.27	168.27	2.00	1-ORG	0.002
AJ11-0030	1273590	WHI11001959	168.27	170.27	2.00	1-ORG	0.007
AJ11-0030	1273591	WHI11001959	170.27	172.21	1.94	1-ORG	0.002
AJ11-0030	1273479	WHI11001958	2.97	4.47	1.50	1-ORG	0.010
AJ11-0030	1273480	WHI11001958	4.47	5.97	1.50	1-ORG	0.012
AJ11-0030	1273481	WHI11001958	5.97	6.94	0.97	1-ORG	0.009
AJ11-0030	1273482	WHI11001958	6.94	8.77	1.83	1-ORG	0.105
AJ11-0030	1273483	WHI11001958	8.77	9.46	0.69	1-ORG	**0.428**
AJ11-0030	1273484	WHI11001958	9.46	10.57	1.11	1-ORG	0.013
AJ11-0030	1273485	WHI11001958			0.00	Blk_BL-9	0.007
AJ11-0030	1273486	WHI11001958	10.57	12.07	1.50	1-ORG	0.007
AJ11-0030	1273487	WHI11001958	12.07	13.57	1.50	1-ORG	0.006
AJ11-0030	1273488	WHI11001958	13.57	15.07	1.50	1-ORG	0.007
AJ11-0030	1273489	WHI11001958	15.07	16.57	1.50	1-ORG	0.056
AJ11-0030	1273490	WHI11001958	16.57	18.07	1.50	1-ORG	0.006
AJ11-0030	1273491	WHI11001958	18.07	19.57	1.50	1-ORG	0.006
AJ11-0030	1273492	WHI11001958	19.57	21.07	1.50	1-ORG	0.008
AJ11-0030	1273493	WHI11001958	21.07	22.57	1.50	1-ORG	0.006
AJ11-0030	1273494	WHI11001958	22.57	24.07	1.50	1-ORG	0.006
AJ11-0031	1273592	WHI11001959	6.09	8.09	2.00	1-ORG	0.002
AJ11-0031	1273593	WHI11001959	8.09	10.09	2.00	1-ORG	0.002
AJ11-0031	1273594	WHI11001959	10.09	12.09	2.00	1-OFD	0.008
AJ11-0031	1273595	WHI11001959	10.09	12.09	2.00	2-FDU	0.002

HoleID	SampleID	Au_CertName	From (m)	To (m)	Interval (m)	SampleCode	Au_ppm
AJ11-0031	1273596	WHI11001959	12.09	14.09	2.00	1-ORG	0.006
AJ11-0031	1273597	WHI11001959	14.09	16.09	2.00	1-ORG	0.011
AJ11-0031	1273598	WHI11001959	16.09	18.09	2.00	1-ORG	0.018
AJ11-0031	1273599	WHI11001959	18.09	20.09	2.00	1-ORG	0.006
AJ11-0031	1273600	WHI11001959	20.09	22.09	2.00	1-ORG	0.002
AJ11-0031	1273601	WHI11001959	22.09	24.09	2.00	1-ORG	0.002
AJ11-0031	1273602	WHI11001959	24.09	26.09	2.00	1-ORG	0.008
AJ11-0031	1273603	WHI11001959	26.09	28.09	2.00	1-ORG	0.002
AJ11-0031	1273604	WHI11001959	28.09	30.09	2.00	1-ORG	0.002
AJ11-0031	1273605	WHI11001959	30.09	32.09	2.00	1-ORG	0.002
AJ11-0031	1273606	WHI11001959			0.00	Blk_BL-9	0.002
AJ11-0031	1273607	WHI11001959	32.09	34.36	2.27	1-ORG	0.019
AJ11-0031	1273608	WHI11001959	34.36	35.86	1.50	1-ORG	0.002
AJ11-0031	1273609	WHI11001959	35.86	37.36	1.50	1-ORG	0.002
AJ11-0031	1273610	WHI11001959	37.36	38.86	1.50	1-ORG	0.015
AJ11-0031	1273611	WHI11001959	38.86	40.36	1.50	1-ORG	0.026
AJ11-0031	1273612	WHI11001959	40.36	41.86	1.50	1-ORG	0.011
AJ11-0031	1273613	WHI11001959	41.86	43.36	1.50	1-ORG	0.009
AJ11-0031	1273614	WHI11001959	43.36	44.86	1.50	1-ORG	0.010
AJ11-0031	1273615	WHI11001959	44.86	46.36	1.50	1-ORG	0.032
AJ11-0031	1273616	WHI11001959			0.00	SRM_GS1p5D	**1.377**
AJ11-0031	1273617	WHI11001959	46.36	47.86	1.50	1-ORG	0.022
AJ11-0031	1273618	WHI11001959	47.86	49.53	1.67	1-ORG	0.011
AJ11-0031	1273619	WHI11001959	49.53	51.53	2.00	1-ORG	0.013
AJ11-0031	1273620	WHI11001959	51.53	53.53	2.00	1-ORG	0.009
AJ11-0031	1273621	WHI11001959	53.53	55.53	2.00	1-ORG	0.007
AJ11-0031	1273622	WHI11001959	55.53	57.53	2.00	1-ORG	0.006
AJ11-0031	1273623	WHI11001959	57.53	59.53	2.00	1-ORG	0.019
AJ11-0031	1273624	WHI11001959	59.53	61.53	2.00	1-ORG	0.007
AJ11-0031	1273625	WHI11001959	61.53	63.53	2.00	1-ORG	0.002
AJ11-0031	1273626	WHI11001959	63.53	65.53	2.00	1-ORG	0.006
AJ11-0031	1273627	WHI11001959	65.53	67.53	2.00	1-OFD	0.002
AJ11-0031	1273628	WHI11001959	65.53	67.53	2.00	2-FDU	0.002
AJ11-0031	1273629	WHI11001959	67.53	69.03	1.50	1-ORG	0.002
AJ11-0031	1273630	WHI11001959	69.03	70.53	1.50	1-ORG	0.002
AJ11-0031	1273631	WHI11001959	70.53	72.03	1.50	1-ORG	0.002
AJ11-0031	1273632	WHI11001959	72.03	73.53	1.50	1-ORG	0.012
AJ11-0031	1273633	WHI11001959	73.53	75.03	1.50	1-ORG	0.007
AJ11-0031	1273634	WHI11001959	75.03	76.53	1.50	1-ORG	0.002
AJ11-0031	1273635	WHI11001959	76.53	78.03	1.50	1-ORG	0.002

HoleID	SampleID	Au_CertName	From (m)	To (m)	Interval (m)	SampleCode	Au_ppm
AJ11-0031	1273636	WHI11001959			0.00	Blk_BL-9	0.002
AJ11-0031	1273637	WHI11001959	78.03	79.53	1.50	1-ORG	0.008
AJ11-0031	1273638	WHI11001959	79.53	81.03	1.50	1-ORG	0.010
AJ11-0031	1273639	WHI11001959	81.03	82.53	1.50	1-ORG	0.014
AJ11-0031	1273640	WHI11001959	82.53	84.03	1.50	1-ORG	0.002
AJ11-0031	1273641	WHI11001959	84.03	85.53	1.50	1-ORG	0.009
AJ11-0031	1273642	WHI11001959	85.53	87.03	1.50	1-ORG	0.028
AJ11-0031	1273643	WHI11001959	87.03	88.53	1.50	1-ORG	0.023
AJ11-0031	1273644	WHI11001959	88.53	90.03	1.50	1-ORG	0.016
AJ11-0031	1273645	WHI11001960			0.00	SRM_GS6A	**5.765**
AJ11-0031	1273646	WHI11001960	90.03	91.53	1.50	1-ORG	0.012
AJ11-0031	1273647	WHI11001960	91.53	93.03	1.50	1-ORG	0.038
AJ11-0031	1273648	WHI11001960	93.03	94.78	1.75	1-ORG	0.020
AJ11-0031	1273649	WHI11001960	94.78	96.33	1.55	1-ORG	0.072
AJ11-0031	1273650	WHI11001960	96.33	98.76	2.43	1-ORG	0.002
AJ11-0031	1273651	WHI11001960	98.76	100.26	1.50	1-ORG	0.007
AJ11-0031	1273652	WHI11001960	100.26	101.76	1.50	1-ORG	0.052
AJ11-0031	1273653	WHI11001960	101.76	103.26	1.50	1-ORG	0.016
AJ11-0031	1273654	WHI11001960	103.26	104.76	1.50	1-ORG	0.007
AJ11-0031	1273655	WHI11001960	104.76	106.26	1.50	1-ORG	0.024
AJ11-0031	1273656	WHI11001960	106.26	107.76	1.50	1-OFD	0.009
AJ11-0031	1273657	WHI11001960	106.26	107.76	1.50	2-FDU	0.011
AJ11-0031	1273658	WHI11001960	107.76	109.76	2.00	1-ORG	0.011
AJ11-0031	1273659	WHI11001960	109.76	111.76	2.00	1-ORG	0.011
AJ11-0031	1273660	WHI11001960	111.76	113.76	2.00	1-ORG	0.009
AJ11-0031	1273661	WHI11001960	113.76	115.76	2.00	1-ORG	0.009
AJ11-0031	1273662	WHI11001960	115.76	117.76	2.00	1-ORG	0.008
AJ11-0031	1273663	WHI11001960	117.76	119.76	2.00	1-ORG	0.006
AJ11-0031	1273664	WHI11001960	119.76	121.76	2.00	1-ORG	0.015
AJ11-0031	1273665	WHI11001960	121.76	123.76	2.00	1-ORG	0.009
AJ11-0031	1273666	WHI11001960	123.76	125.76	2.00	1-ORG	0.010
AJ11-0031	1273667	WHI11001960			0.00	Blk_BL-9	0.002
AJ11-0031	1273668	WHI11001960	125.76	127.76	2.00	1-ORG	0.009
AJ11-0031	1273669	WHI11001960	127.76	129.76	2.00	1-ORG	0.007
AJ11-0031	1273670	WHI11001960	129.76	131.76	2.00	1-ORG	0.006
AJ11-0031	1273671	WHI11001960	131.76	133.76	2.00	1-ORG	0.010
AJ11-0031	1273672	WHI11001960	133.76	135.76	2.00	1-ORG	0.006
AJ11-0031	1273673	WHI11001960	135.76	137.76	2.00	1-ORG	0.002
AJ11-0031	1273674	WHI11001960	137.76	139.76	2.00	1-ORG	0.007
AJ11-0031	1273675	WHI11001960			0.00	SRM_GS1p5D	**1.516**

HoleID	SampleID	Au_CertName	From (m)	To (m)	Interval (m)	SampleCode	Au_ppm
AJ11-0031	1273676	WHI11001960	139.76	141.76	2.00	1-ORG	0.008
AJ11-0031	1273677	WHI11001960	141.76	143.76	2.00	1-ORG	0.008
AJ11-0031	1273678	WHI11001960	143.76	145.76	2.00	1-ORG	0.007
AJ11-0031	1273679	WHI11001960	145.76	148.27	2.51	1-ORG	0.005
AJ11-0031	1273680	WHI11001960	148.27	149.77	1.50	1-ORG	0.005
AJ11-0031	1273681	WHI11001960	149.77	151.50	1.73	1-ORG	0.002
AJ11-0031	1273682	WHI11001960	151.50	153.20	1.70	1-ORG	0.010
AJ11-0031	1273683	WHI11001960	153.20	154.96	1.76	1-ORG	0.012
AJ11-0031	1273684	WHI11001960	154.96	156.26	1.30	1-ORG	**0.313**
AJ11-0031	1273685	WHI11001960	156.26	157.76	1.50	1-OFD	0.007
AJ11-0031	1273686	WHI11001960	156.26	157.76	1.50	2-FDU	0.002
AJ11-0031	1273687	WHI11001960	157.76	159.76	2.00	1-ORG	0.002
AJ11-0031	1273688	WHI11001960	159.76	161.76	2.00	1-ORG	0.011
AJ11-0031	1273689	WHI11001960	161.76	163.76	2.00	1-ORG	0.009
AJ11-0031	1273690	WHI11001960	163.76	165.76	2.00	1-ORG	0.011
AJ11-0031	1273691	WHI11001960	165.76	167.76	2.00	1-ORG	0.009
AJ11-0031	1273692	WHI11001960	167.76	169.76	2.00	1-ORG	0.013
AJ11-0031	1273693	WHI11001960	169.76	171.76	2.00	1-ORG	0.016
AJ11-0031	1273694	WHI11001960	171.76	173.76	2.00	1-ORG	0.012
AJ11-0031	1273695	WHI11001960	173.76	175.76	2.00	1-ORG	0.016
AJ11-0031	1273696	WHI11001960			0.00	Blk_BL-9	0.007
AJ11-0031	1273697	WHI11001960	175.76	177.76	2.00	1-ORG	0.011
AJ11-0031	1273698	WHI11001960	177.76	179.76	2.00	1-ORG	0.013
AJ11-0031	1273699	WHI11001960	179.76	181.76	2.00	1-ORG	0.010
AJ11-0031	1273700	WHI11001960	181.76	183.76	2.00	1-ORG	0.015
AJ11-0031	1273701	WHI11001960	183.76	185.76	2.00	1-ORG	0.012
AJ11-0031	1273702	WHI11001960	185.76	187.76	2.00	1-ORG	0.011
AJ11-0031	1273703	WHI11001960	187.76	189.76	2.00	1-ORG	0.010
AJ11-0031	1273704	WHI11001960	189.76	191.26	1.50	1-ORG	0.011
AJ11-0031	1273705	WHI11001960			0.00	SRM_GSp7E	**0.822**
AJ11-0031	1273706	WHI11001960	191.26	192.76	1.50	1-ORG	0.012
AJ11-0031	1273707	WHI11001960	192.76	194.26	1.50	1-ORG	0.011
AJ11-0031	1273708	WHI11001960	194.26	195.76	1.50	1-ORG	0.011
AJ11-0031	1273709	WHI11001960	195.76	197.26	1.50	1-ORG	0.010
AJ11-0031	1273710	WHI11001960	197.26	198.76	1.50	1-ORG	0.012
AJ11-0031	1273711	WHI11001960	198.76	200.26	1.50	1-ORG	0.015
AJ11-0031	1273712	WHI11001960	200.26	201.76	1.50	1-ORG	0.012
AJ11-0031	1273713	WHI11001960	201.76	203.26	1.50	1-ORG	0.011
AJ11-0031	1273714	WHI11001960	203.26	204.76	1.50	1-OFD	0.012
AJ11-0031	1273715	WHI11001960	203.26	204.76	1.50	2-FDU	0.014

HoleID	SampleID	Au_CertName	From (m)	To (m)	Interval (m)	SampleCode	Au_ppm
AJ11-0031	1273716	WHI11001960	204.76	206.26	1.50	1-ORG	0.013
AJ11-0031	1273717	WHI11001960	206.26	207.76	1.50	1-ORG	0.011
AJ11-0031	1273718	WHI11001960	207.76	209.26	1.50	1-ORG	0.011
AJ11-0031	1273719	WHI11001960	209.26	210.76	1.50	1-ORG	0.037
AJ11-0031	1273720	WHI11001960	210.76	212.26	1.50	1-ORG	**1.107**
AJ11-0031	1273721	WHI11001960	212.26	213.76	1.50	1-ORG	0.015
AJ11-0031	1273722	WHI11001960	213.76	215.26	1.50	1-ORG	0.013
AJ11-0031	1273723	WHI11001960	215.26	216.76	1.50	1-ORG	0.013
AJ11-0031	1273724	WHI11001960	216.76	218.26	1.50	1-ORG	0.015
AJ11-0031	1273725	WHI11001960			0.00	Blk-BL-9	0.009
AJ11-0031	1273726	WHI11001960	218.26	220.26	2.00	1-ORG	0.009
AJ11-0031	1273727	WHI11001960	220.26	222.26	2.00	1-ORG	0.012
AJ11-0031	1273728	WHI11001960	222.26	224.26	2.00	1-ORG	0.010
AJ11-0031	1273729	WHI11001960	224.26	227.08	2.82	1-ORG	0.014
Outcrop	IO69958	11-360-07068-01v06				1-ORG	**5.46**
Sub-crop	IO69959	11-360-07068-01v06				1-ORG	**217 Ag**

APPENDIX 7

TABULATED SOIL DATA

JIMI CLAIMS

SampleID	POINT_X	POINT_Y	Au_PPB	Ag_ppm	Cu_ppm	Pb_ppm	Zn_ppm	Al_pct	Ars_ppm	B_ppm	Ba_ppm	Bi_ppm	Ca_pct	Cd_ppm	Co_ppm	Cr_ppm	Fe_pct	Ga_ppm	Hg_ppm	K_pct	La_ppm
1336937	641207	7132389	4	0.50	15.0	21.7	50	1.57	9.60	2.0	293	0.6	0.23	0.2	8.1	26	2.40	4	0.11	0.07	12
1336936	641178	7132420	3	0.30	18.6	20.6	61	1.61	11.10	2.0	288	0.6	0.24	0.2	10.2	28	2.60	5	0.04	0.07	15
1336935	641145	7132458	2	0.10	15.6	14.2	50	1.46	8.80	2.0	171	0.5	0.16	0.1	8.5	25	2.28	4	0.04	0.06	15
1336934	641104	7132494	12	0.10	24.3	13.2	47	1.62	10.70	2.0	292	0.4	0.14	0.2	8.8	27	2.78	4	0.03	0.06	17
1336933	641079	7132530	2	0.05	24.7	10.5	51	1.28	8.10	2.0	167	0.3	0.12	0.2	10.2	27	2.46	4	0.02	0.06	16
1336932	641037	7132553	3	0.05	16.0	13.3	50	1.87	9.50	1.0	170	0.4	0.09	0.2	8.0	30	2.52	5	0.04	0.07	12
1336931	640987	7132584	1	0.05	12.9	12.0	41	1.49	8.20	2.0	142	0.4	0.07	0.2	5.5	26	2.32	5	0.02	0.05	11
1336930	640945	7132607	4	0.10	19.5	11.6	45	1.32	7.30	0.5	129	0.4	0.11	0.1	7.3	25	2.19	4	0.03	0.05	14
1336929	640896	7132623	2	0.05	19.6	8.6	43	0.91	5.80	0.5	130	0.3	0.15	0.1	7.0	20	1.94	3	0.03	0.05	14
1336928	640854	7132639	4	0.05	18.0	10.9	42	1.39	7.70	1.0	179	0.3	0.13	0.1	6.9	26	2.19	4	0.03	0.04	15
1336927	640799	7132661	2	0.05	15.5	8.6	43	1.22	6.20	0.5	111	0.3	0.14	0.1	5.8	23	1.90	3	0.02	0.05	15
1338424	638681	7132671	2	0.05	39.7	17.7	53	1.23	16.90	1.0	146	0.9	0.10	0.2	31.6	21	3.58	4	0.03	0.08	29
1336926	640759	7132672	2	0.05	14.8	10.7	37	1.27	7.80	2.0	88	0.4	0.10	0.2	6.6	24	2.13	4	0.03	0.05	13
1338429	638927	7132682	2	0.05	15.6	14.8	67	1.19	36.10	2.0	129	0.3	0.18	0.1	8.5	19	2.49	4	0.03	0.05	19
1338425	638729	7132688	2	0.10	29.8	25.7	47	1.16	13.50	1.0	90	0.5	0.10	0.2	14.9	23	2.71	3	0.04	0.06	17
1336925	640716	7132692	4	0.05	14.1	12.5	41	1.35	7.90	1.0	88	0.4	0.07	0.1	6.2	24	2.06	4	0.04	0.04	11
1338426	638783	7132697	2	0.05	20.4	13.8	54	1.49	13.40	1.0	114	0.2	0.10	0.2	9.5	24	2.59	4	0.03	0.05	15
1338428	638883	7132697	5	0.05	18.1	16.7	51	1.24	18.10	0.5	96	0.9	0.07	0.2	10.4	20	2.55	4	0.04	0.05	16
1338430	639010	7132698	3	0.05	21.9	31.2	58	1.24	24.90	2.0	83	0.7	0.06	0.2	9.0	20	2.70	4	0.04	0.06	26
1338427	638838	7132701	1	0.05	14.3	13.8	53	1.67	16.50	1.0	125	0.2	0.09	0.1	6.9	26	2.53	5	0.03	0.03	13
1336924	640659	7132708	2	0.05	13.9	11.2	41	1.31	7.30	1.0	104	0.4	0.09	0.1	6.2	23	2.07	4	0.04	0.05	12
1338431	639050	7132719	1	0.05	25.8	12.2	51	1.28	10.40	0.5	123	0.2	0.08	0.1	15.5	23	2.71	5	0.03	0.05	17
1336923	640618	7132728	3	0.05	20.4	10.1	48	1.48	8.00	0.5	137	0.2	0.09	0.2	7.5	27	2.23	4	0.04	0.05	12
1338432	639093	7132737	1	0.05	18.8	12.2	56	1.60	11.50	1.0	95	0.2	0.11	0.1	10.6	24	2.55	4	0.03	0.05	14
1336922	640573	7132749	4	0.05	14.6	11.0	50	1.38	7.80	2.0	121	0.3	0.09	0.1	9.6	27	2.34	4	0.03	0.05	12
1338433	639134	7132757	16	0.05	22.0	12.7	64	1.64	11.60	1.0	120	0.2	0.11	0.2	9.7	25	2.56	5	0.04	0.04	14
1336921	640524	7132761	4	0.05	21.2	10.0	51	1.42	6.80	2.0	190	0.2	0.12	0.1	8.9	27	2.35	4	0.04	0.05	15
1336920	640474	7132763	1	0.05	16.6	8.3	45	1.16	5.30	1.0	121	0.2	0.13	0.1	6.6	22	1.94	3	0.03	0.05	12
1336919	640420	7132765	8	0.05	13.1	9.7	37	1.32	6.30	1.0	97	0.2	0.07	0.1	7.0	24	2.03	4	0.03	0.04	11
1336916	640267	7132767	0	0.20	17.4	16.6	43	1.29	9.20	1.0	97	0.5	0.08	0.2	5.6	25	2.23	4	0.06	0.05	12
1336918	640371	7132768	2	0.05	16.4	9.4	53	1.27	6.60	1.0	103	0.2	0.14	0.2	9.2	24	2.13	4	0.03	0.05	12
1336917	640321	7132771	3	0.05	17.6	13.4	58	1.41	9.30	2.0	112	0.3	0.08	0.2	13.6	27	2.70	4	0.04	0.05	12
1338445	639765	7132773	1	0.05	18.9	11.9	46	1.29	9.60	1.0	135	0.4	0.09	0.2	7.3	20	2.23	3	0.04	0.05	14
1336913	640119	7132776	2	0.10	16.9	12.2	55	1.37	10.10	1.0	121	0.3	0.07	0.4	9.7	25	2.86	5	0.04	0.06	8
1336915	640220	7132776	2	0.05	14.0	12.0	44	1.24	7.70	2.0	103	0.4	0.07	0.1	6.9	24	2.22	4	0.04	0.05	11
1336914	640169	7132777	2	0.20	14.0	13.0	38	1.38	9.00	2.0	92	0.5	0.06	0.1	5.2	25	2.33	5	0.05	0.04	10
1336912	640064	7132779	2	0.20	23.7	23.8	65	1.22	8.10	2.0	120	0.3	0.05	0.2	12.6	24	3.02	5	0.03	0.07	9
1338448	639913	7132782	2	0.10	15.8	16.6	45	1.15	11.10	1.0	85	0.6	0.07	0.2	8.0	21	2.61	4	0.05	0.06	14
1336911	640027	7132782	17	0.10	19.3	23.5	48	1.08	8.10	2.0	101	0.5	0.08	0.2	9.4	23	2.45	3	0.04	0.05	13
1338439	639472	7132783	6	0.05	15.6	14.7	43	1.44	9.80	1.0	107	0.3	0.06	0.2	7.4	21	2.54	4	0.03	0.05	15
1338449	639964	7132783	4	0.20	12.1	19.9	33	1.10	8.30	0.5	79	0.5	0.07	0.2	4.4	21	2.05	5	0.03	0.05	13
1338440	639523	7132786	1	0.05	20.6	18.0	56	0.95	7.90	2.0	137	0.2	0.11	0.2	11.0	16	2.23	3	0.04	0.08	18
1338444	639715	7132786	1	0.05	16.0	14.4	57	1.70	10.60	2.0	96	0.4	0.07	0.2	7.9	24	2.63	5	0.05	0.06	14
NoSample	639171	7132787																			

SampleID	POINT_X	POINT_Y	Mg_pct	Mn_ppm	Mo_ppm	Na_pct	Ni_ppm	P_ppm	S_pct	Sb_ppm	Sc_ppm	Se_ppm	Sr_ppm	Te_ppm	Th_ppm	Ti_pct	Tl_ppm	V_ppm	W_ppm	Comments
1336937	641207	7132389	0.32	241	1.4	0.01	17.2	700	0.06	1.5	2.6	0.60	23	0.1	1.9	0.01	0.20	43	0.20	rocky
1336936	641178	7132420	0.37	457	1.5	0.01	21.2	550	0.03	1.9	2.7	0.25	23	0.1	2.7	0.01	0.20	50	0.20	camera won't work
1336935	641145	7132458	0.35	376	1.3	0.01	15.8	490	0.03	2.1	1.9	0.25	15	0.1	1.8	0.02	0.20	42	0.20	
1336934	641104	7132494	0.32	327	1.3	0.01	22.9	570	0.03	2.9	1.8	0.25	17	0.1	0.6	0.01	0.10	45	0.20	rocky
1336933	641079	7132530	0.40	411	0.8	0.01	20.9	430	0.03	2.4	2.7	0.25	11	0.1	3.9	0.03	0.05	41	0.10	rocky
1336932	641037	7132553	0.38	302	1.1	0.01	17.5	500	0.03	1.7	2.2	0.25	10	0.1	1.6	0.02	0.20	52	0.20	
1336931	640987	7132584	0.31	183	1.0	0.01	14.4	270	0.03	1.6	1.1	0.25	9	0.1	0.3	0.02	0.10	50	0.10	rocky
1336930	640945	7132607	0.34	288	0.9	0.01	16.5	630	0.03	2.2	1.4	0.25	10	0.1	0.7	0.02	0.10	39	0.10	
1336929	640896	7132623	0.33	254	0.6	0.01	16.7	490	0.03	2.8	2.2	0.25	13	0.1	4.0	0.03	0.05	32	0.10	
1336928	640854	7132639	0.35	239	0.8	0.01	16.1	430	0.03	2.1	2.7	0.25	13	0.1	2.4	0.02	0.10	42	0.20	
1336927	640799	7132661	0.34	184	0.7	0.01	15.7	470	0.03	1.9	1.7	0.25	11	0.1	1.4	0.02	0.10	35	0.20	
1338424	638681	7132671	0.35	1068	1.9	0.01	47.4	670	0.03	5.5	2.2	0.25	28	0.1	4.3	0.02	0.50	30	0.10	First sample of the day
1336926	640759	7132672	0.29	282	0.9	0.01	13.4	420	0.03	2.0	1.6	0.25	9	0.1	1.3	0.02	0.10	40	0.20	
1338429	638927	7132682	0.34	493	1.0	0.01	17.6	630	0.03	4.3	1.7	0.25	16	0.1	2.5	0.02	0.20	33	0.20	
1338425	638729	7132688	0.33	1045	1.4	0.00	27.9	550	0.03	8.9	1.8	0.60	11	0.1	2.5	0.03	0.30	35	0.20	hard rocky ground.
1336925	640716	7132692	0.29	228	0.9	0.01	12.8	450	0.03	1.7	1.2	0.25	7	0.1	0.7	0.01	0.10	39	0.10	
1338426	638783	7132697	0.41	339	0.9	0.01	20.9	520	0.03	1.9	2.2	0.25	11	0.1	1.6	0.03	0.10	43	0.10	
1338428	638883	7132697	0.31	449	1.0	0.00	17.9	400	0.03	5.3	1.5	0.60	10	0.1	1.6	0.02	0.10	39	0.20	
1338430	639010	7132698	0.27	395	1.0	0.00	18.8	500	0.03	9.4	1.3	0.25	10	0.1	1.4	0.02	0.20	38	0.10	
1338427	638838	7132701	0.38	240	0.8	0.01	17.8	390	0.03	2.0	1.6	0.25	10	0.1	1.1	0.03	0.20	47	0.20	
1336924	640659	7132708	0.31	203	0.7	0.01	12.9	490	0.03	1.7	1.1	0.25	8	0.1	0.5	0.01	0.10	37	0.20	
1338431	639050	7132719	0.40	935	1.1	0.01	21.7	460	0.03	3.2	1.8	0.25	9	0.1	1.2	0.03	0.20	40	0.20	
1336923	640618	7132728	0.36	241	0.7	0.01	17.9	420	0.03	0.8	2.2	0.25	9	0.1	1.5	0.02	0.10	40	0.20	
1338432	639093	7132737	0.43	399	0.8	0.01	20.3	480	0.03	1.1	2.4	0.25	11	0.1	2.6	0.04	0.10	43	0.20	
1336922	640573	7132749	0.33	483	0.8	0.01	15.5	430	0.03	1.1	2.1	0.25	9	0.1	2.4	0.02	0.10	42	0.20	
1338433	639134	7132757	0.43	372	1.1	0.01	22.8	490	0.03	0.8	2.4	0.80	12	0.1	1.8	0.03	0.10	44	0.20	
1336921	640524	7132761	0.37	351	0.6	0.01	20.3	510	0.03	0.8	3.3	0.25	11	0.1	3.9	0.03	0.05	40	0.30	
1336920	640474	7132763	0.33	208	0.6	0.01	15.9	470	0.03	0.6	1.9	0.25	10	0.1	2.3	0.02	0.05	33	0.10	
1336919	640420	7132765	0.29	240	0.7	0.00	12.5	390	0.03	0.6	1.7	0.25	8	0.1	1.8	0.02	0.10	37	0.20	
1336916	640267	7132767	0.29	246	1.1	0.01	14.7	500	0.06	3.6	0.9	0.25	8	0.1	0.3	0.02	0.20	43	0.20	rocky
1336918	640371	7132768	0.37	382	0.7	0.01	17.5	560	0.03	0.7	2.0	0.25	12	0.1	2.9	0.03	0.05	36	0.20	
1336917	640321	7132771	0.36	851	1.0	0.01	18.4	560	0.03	1.5	1.8	0.25	9	0.1	1.1	0.02	0.10	45	0.10	
1338445	639765	7132773	0.31	333	0.8	0.01	20.4	460	0.03	1.9	2.0	0.80	11	0.1	2.1	0.02	0.05	34	0.20	
1336913	640119	7132776	0.29	739	1.4	0.01	16.7	510	0.03	0.9	1.5	0.25	9	0.1	0.8	0.02	0.10	47	0.10	
1336915	640220	7132776	0.30	292	0.9	0.01	14.3	520	0.03	1.7	1.0	0.25	8	0.1	0.4	0.01	0.10	40	0.10	
1336914	640169	7132777	0.26	210	1.3	0.00	11.6	610	0.03	1.3	0.7	0.25	7	0.1	0.2	0.01	0.10	47	0.10	
1336912	640064	7132779	0.32	699	1.1	0.01	21.4	440	0.03	1.3	2.2	0.25	8	0.1	2.2	0.02	0.20	38	0.10	
1338448	639913	7132782	0.30	501	1.2	0.00	14.4	460	0.03	5.1	1.6	0.25	10	0.1	1.9	0.03	0.10	42	0.10	
1336911	640027	7132782	0.31	504	0.9	0.00	19.4	510	0.03	4.8	1.9	0.25	9	0.1	2.2	0.02	0.10	36	0.20	
1338439	639472	7132783	0.29	290	1.3	0.01	15.1	400	0.03	1.7	1.9	0.60	10	0.1	3.1	0.02	0.20	40	0.20	
1338449	639964	7132783	0.25	182	0.9	0.01	10.6	440	0.03	4.0	0.9	0.25	9	0.1	0.4	0.02	0.10	40	0.05	
1338440	639523	7132786	0.24	519	0.7	0.01	21.8	370	0.03	1.6	2.6	0.25	11	0.1	4.0	0.01	0.10	24	0.20	
1338444	639715	7132786	0.30	602	1.1	0.01	14.7	510	0.03	1.6	1.6	0.60	11	0.1	0.9	0.02	0.20	43	0.20	just to the side of boulder field
NoSample	639171	7132787																		no sample, boulder field.

SampleID	POINT_X	POINT_Y	Au_PPB	Ag_ppm	Cu_ppm	Pb_ppm	Zn_ppm	Al_pct	Ars_ppm	B_ppm	Ba_ppm	Bi_ppm	Ca_pct	Cd_ppm	Co_ppm	Cr_ppm	Fe_pct	Ga_ppm	Hg_ppm	K_pct	La_ppm
1338446	639828	7132789	3	0.20	18.3	28.4	50	1.17	11.80	2.0	111	1.6	0.10	0.1	9.2	19	2.33	3	0.04	0.06	16
1338447	639873	7132789	1	0.10	15.7	20.2	46	1.24	10.70	1.0	89	0.8	0.07	0.2	8.1	22	2.51	4	0.03	0.05	13
1338434	639214	7132793	2	0.30	30.3	33.7	72	0.89	15.90	2.0	105	0.3	0.06	0.1	7.9	17	3.31	4	0.06	0.07	27
1338435	639282	7132793	2	0.10	17.0	15.2	44	1.21	8.70	2.0	112	0.3	0.10	0.2	9.9	20	2.77	4	0.05	0.07	18
1338443	639673	7132794	0	0.10	17.2	18.2	49	0.99	7.40	0.5	169	0.3	0.14	0.2	7.8	17	2.29	3	0.03	0.06	13
1338438	639425	7132795	1	0.20	22.2	21.6	26	0.91	9.60	0.5	126	2.6	0.07	0.1	4.7	15	2.23	4	0.04	0.06	28
1338441	639573	7132797	0	0.20	22.2	32.5	54	0.70	12.60	2.0	168	0.3	0.09	0.1	7.4	11	2.76	2	0.05	0.13	12
1338436	639324	7132799	3	0.50	37.5	20.6	37	0.90	17.30	2.0	128	2.2	0.05	0.2	22.1	15	3.35	3	0.06	0.11	37
1338437	639372	7132800	0	0.10	10.7	16.8	20	0.59	6.40	2.0	101	0.9	0.11	0.1	3.6	14	1.36	4	0.04	0.06	17
1338442	639613	7132802	2	0.30	29.9	16.1	45	1.08	11.70	2.0	138	0.3	0.19	0.2	10.3	18	2.62	3	0.09	0.08	16
1337746	638985	7135320	2	0.10	23.3	18.7	56	1.18	11.40	2.0	115	0.3	0.13	0.2	11.5	22	2.98	3	0.05	0.06	11
1337747	638971	7135367	1	0.05	18.4	10.8	33	0.46	4.30	3.0	127	0.4	0.23	0.1	17.2	13	5.78	1	0.24	0.11	6
1337748	638948	7135412	1	0.05	31.2	14.1	38	0.54	9.20	2.0	129	0.4	0.16	0.1	13.8	13	4.50	2	0.08	0.09	5
1337749	638925	7135452	2	0.20	18.8	16.2	52	0.55	9.40	4.0	160	0.4	0.27	0.1	15.2	10	7.78	2	0.16	0.12	7
1337750	638908	7135494	0	0.10	41.2	24.3	69	0.49	6.40	1.0	169	0.7	0.19	0.2	18.2	18	4.35	1	0.23	0.09	17
1338351	638892	7135553	1	0.05	19.1	12.6	49	1.52	10.10	2.0	93	0.2	0.10	0.1	8.9	23	2.45	4	0.03	0.05	12
1338352	638863	7135592	1	0.05	18.2	12.1	44	1.20	10.40	0.5	95	0.3	0.08	0.1	8.7	19	2.28	4	0.03	0.04	9
1338353	638824	7135635	1	0.05	15.4	12.2	49	1.54	8.80	1.0	106	0.3	0.10	0.1	9.0	25	2.47	4	0.03	0.05	12
1338354	638791	7135674	2	0.05	14.5	17.0	55	1.41	8.10	0.5	97	0.2	0.11	0.1	7.9	23	2.32	4	0.04	0.04	11
1338355	638762	7135713	0	0.05	13.5	20.8	44	1.25	8.50	0.5	83	0.2	0.08	0.1	6.7	20	2.49	4	0.03	0.04	11
1338356	638736	7135754	1	0.05	14.9	14.0	47	1.43	8.30	1.0	70	0.3	0.07	0.1	6.5	22	2.47	4	0.03	0.04	10
1338357	638716	7135801	2	0.05	20.9	19.0	66	0.77	9.10	1.0	190	0.4	0.06	0.1	11.1	16	2.76	2	0.02	0.05	9
1338358	638696	7135846	2	0.05	22.9	12.2	59	1.49	9.80	0.5	138	0.4	0.09	0.2	11.8	28	2.99	5	0.04	0.06	11
1338359	638672	7135890	2	0.05	15.9	14.5	50	1.50	8.00	2.0	105	0.2	0.09	0.1	8.2	26	2.45	4	0.04	0.04	11
1338360	638660	7135941	0	0.05	17.4	11.4	58	1.52	8.00	0.5	111	0.3	0.08	0.1	9.7	26	3.18	5	0.02	0.05	11
1338361	638646	7135992	0	0.05	16.4	10.7	51	1.55	8.80	1.0	116	0.2	0.09	0.1	9.6	26	2.54	4	0.03	0.05	13

SampleID	POINT_X	POINT_Y	Mg_pct	Mn_ppm	Mo_ppm	Na_pct	Ni_ppm	P_ppm	S_pct	Sb_ppm	Sc_ppm	Se_ppm	Sr_ppm	Te_ppm	Th_ppm	Ti_pct	Tl_ppm	V_ppm	W_ppm	Comments
1338446	639828	7132789	0.33	538	1.2	0.01	18.1	440	0.03	10.2	1.6	0.50	13	0.1	2.2	0.02	0.10	33	0.20	
1338447	639873	7132789	0.30	451	1.1	0.01	14.7	450	0.03	6.1	1.6	0.25	10	0.1	1.6	0.02	0.10	40	0.10	
1338434	639214	7132793	0.21	210	12.2	0.01	20.8	520	0.03	1.8	1.8	1.10	15	0.1	2.2	0.02	0.30	33	0.05	rocky shale
1338435	639282	7132793	0.26	547	1.0	0.01	17.9	440	0.03	1.2	1.8	0.25	12	0.1	2.8	0.02	0.10	35	0.20	
1338443	639673	7132794	0.25	430	0.9	0.01	19.4	460	0.03	1.2	2.1	0.60	18	0.1	2.8	0.01	0.20	29	0.10	
1338438	639425	7132795	0.13	150	1.5	0.00	11.8	510	0.03	7.1	1.2	0.25	14	0.1	1.6	0.01	0.20	28	0.10	
1338441	639573	7132797	0.12	270	3.9	0.01	17.2	650	0.18	2.1	1.6	0.60	83	0.1	1.8	0.01	0.40	20	0.10	
1338436	639324	7132799	0.15	1349	1.6	0.00	27.9	680	0.03	14.7	2.4	0.60	25	0.1	3.9	0.01	0.30	27	0.20	
1338437	639372	7132800	0.07	183	1.5	0.00	9.1	600	0.03	2.6	0.9	0.70	12	0.1	0.4	0.02	0.20	32	0.20	
1338442	639613	7132802	0.28	469	2.2	0.01	24.1	1060	0.03	2.8	2.3	0.70	66	0.1	4.6	0.03	0.20	32	0.10	
1337746	638985	7135320	0.41	843	1.3	0.01	26.5	450	0.03	3.3	2.7	0.60	18	0.1	3.7	0.03	0.20	36	0.30	
1337747	638971	7135367	0.13	2169	0.9	0.00	26.2	300	0.03	3.9	5.0	0.50	14	0.1	2.9	0.01	0.20	16	1.50	
1337748	638948	7135412	0.13	1638	1.0	0.00	21.8	360	0.03	3.5	3.5	0.50	15	0.1	2.1	0.01	0.10	19	0.80	
1337749	638925	7135452	0.18	4224	1.8	0.01	34.1	560	0.03	4.1	4.0	0.25	18	0.1	4.2	0.01	0.20	16	0.50	
1337750	638908	7135494	0.08	1341	1.4	0.00	22.0	760	0.03	1.8	5.4	0.25	14	0.1	4.7	0.00	0.10	24	0.50	
1338351	638892	7135553	0.43	380	0.8	0.01	18.3	440	0.03	2.2	1.9	0.50	11	0.1	1.7	0.02	0.10	40	0.10	
1338352	638863	7135592	0.29	304	1.0	0.01	17.8	390	0.03	1.0	1.5	0.25	11	0.1	1.3	0.01	0.10	38	0.05	
1338353	638824	7135635	0.43	375	0.9	0.01	18.2	500	0.03	0.8	2.1	0.70	12	0.1	1.7	0.02	0.10	44	0.20	
1338354	638791	7135674	0.41	300	1.0	0.01	17.5	480	0.03	0.9	1.8	0.50	12	0.1	1.9	0.03	0.05	42	0.20	
1338355	638762	7135713	0.34	294	0.8	0.01	15.9	330	0.03	0.8	1.9	0.60	10	0.1	2.7	0.03	0.05	43	0.20	
1338356	638736	7135754	0.35	301	1.0	0.01	16.1	350	0.03	0.7	1.5	0.25	10	0.1	0.9	0.02	0.10	42	0.10	
1338357	638716	7135801	0.25	1170	1.5	0.01	20.1	250	0.03	0.5	2.4	0.25	13	0.1	4.0	0.01	0.05	24	0.05	
1338358	638696	7135846	0.43	716	1.5	0.01	21.0	610	0.03	0.7	2.1	0.70	14	0.1	1.0	0.03	0.05	48	0.10	
1338359	638672	7135890	0.41	320	1.1	0.01	16.7	420	0.03	0.7	1.7	0.50	13	0.1	0.9	0.02	0.10	46	0.05	
1338360	638660	7135941	0.41	406	1.2	0.01	16.5	490	0.03	0.8	1.7	0.50	13	0.1	1.1	0.03	0.05	51	0.10	
1338361	638646	7135992	0.47	337	0.8	0.01	19.7	340	0.03	0.7	2.3	0.25	12	0.1	2.5	0.04	0.10	44	0.10	

APPENDIX 8

ASSAY CERTIFICATES

Certificate of Analysis

11-360-07068-01

Inspectorate Exploration & Mining Services Ltd.
#200 - 11620 Horseshoe Way
Richmond, British Columbia V7A 4V5 Canada
Phone: 604-272-7818

Distribution List

Attention: Hugh Baker
201A- Titanium Way
Whitehorse, Yukon Y1A 0G1
Phone: 867-633-4653
EMail: hbaker@predatorgroup.ca

Attention: Jack Cote
EMail: Cote.jack@gmail.com

Attention: Shane A Carlos
EMail: scarlos@goldenpredator.com

Submitted By: **Golden Predator Corp.**
201A- Titanium Way
Whitehorse, Yukon Y1A 0G1

Attention: **Hugh Baker**

Description: **Brewery Creek**

Date Received: 09/09/2011
Date Completed: 09/16/2011
Invoice:

Location	Samples	Type	Preparation Description
Whitehorse, YT	2	Rock	SP-RX-2K/Rock/Chips/Drill Core

Location	Method	Description
Vancouver, BC	30-AR-TR	30 Element, Aqua Regia, ICP, Trace Level
Vancouver, BC	Au-1AT-AA	Au, 1AT Fire Assay, AAS
Vancouver, BC	Hg-AR-TR-CVAA	Hg, AQR, CVAA, Trace Levels
Vancouver, BC	Pb-AR-OR-AA	Pb, Ore Grade, AQR, AA
Vancouver, BC	Ag-AR-OR	Ag, Aqua Regia, AA Ore Grade

The results of this assay were based solely upon the content of the sample submitted. Any decision to invest should be made only after the potential investment value of the claim or deposit has been determined based on the results of assays of multiple samples of geologic materials collected by the prospective investor or by a qualified person selected by him and based on an evaluation of all engineering data which is available concerning any proposed project. For our complete terms and conditions please see our website at www.inspectorate.com.

By
Mike Caron, Lab Manager

INSPECTORATE
A Bureau Veritas Group Company
#200 - 11620 Horseshoe Way
Richmond, British Columbia V7A 4V5
Canada

Certificate of Analysis

11-360-07068-01

Golden Predator Corp.
201A- Titanium Way
Whitehorse, Yukon Y1A 0G1

		Au	Ag	Pb	Ag	Al	As	Ba	Bi	Ca	Cd	Co	Cr	Cu	Fe
		Au-1AT-AA	Ag-AR-OR	Pb-AR-OR-AA	30-AR-TR	30-AR-TR	30-AR-TR	30-AR-TR	30-AR-TR	30-AR-TR	30-AR-TR	30-AR-TR	30-AR-TR	30-AR-TR	30-AR-TR
Sample	Sample	ppm	ppm	%	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
Description	Type	0.005	1	0.01	0.1	0.01	5	10	2	0.01	0.5	1	1	1	0.01
IO69958	Rock	5.461			34.0	0.07	>10000	<10	208	<0.01	<0.5	9	26	2235	>10
IO69959	Rock	0.824	217.1	2.61	>100	<0.01	1340	<10	1367	0.03	8.7	86	17	4046	>10

INSPECTORATE
A Bureau Veritas Group Company
#200 - 11620 Horseshoe Way
Richmond, British Columbia V7A 4V5
Canada

Certificate of Analysis

11-360-07068-01

Golden Predator Corp.
201A- Titanium Way
Whitehorse, Yukon Y1A 0G1

		Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	Sb	Sc	Sr	Ti
		30-AR-TR	30-AR-TR	30-AR-TR	30-AR-TR	30-AR-TR	30-AR-TR	30-AR-TR	30-AR-TR	30-AR-TR	30-AR-TR	30-AR-TR	30-AR-TR	30-AR-TR	30-AR-TR
Sample Description	Sample Type	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%
		3	0.01	2	0.01	5	1	0.01	1	10	2	2	1	1	0.01
IO69958	Rock	<3	0.02	<2	<0.01	14	13	<0.01	<1	370	100	861	1	2	<0.01
IO69959	Rock	7	<0.01	<2	0.03	68	<1	<0.01	82	35	>10000	4422	<1	3	<0.01

INSPECTORATE
A Bureau Veritas Group Company
#200 - 11620 Horseshoe Way
Richmond, British Columbia V7A 4V5
Canada

Certificate of Analysis

11-360-07068-01

Golden Predator Corp.
201A- Titanium Way
Whitehorse, Yukon Y1A 0G1

Sample Description	Sample Type	Tl 30-AR-TR ppm 10	V 30-AR-TR ppm 1	W 30-AR-TR ppm 10	Zn 30-AR-TR ppm 2	Zr 30-AR-TR ppm 2	Hg Hg-AR-TR-CVAA ppm 0.01
IO69958	Rock	<10	1	<10	55	3	21.45
IO69959	Rock	<10	3	46	486	<2	86.52

INSPECTORATE
A Bureau Veritas Group Company
#200 - 11620 Horseshoe Way
Richmond, British Columbia V7A 4V5
Canada

Certificate of Analysis

11-360-07068-01

Golden Predator Corp.
201A- Titanium Way
Whitehorse, Yukon Y1A 0G1

Sample Description	Sample Type	Au Au-1AT-AA ppm 0.005	Ag Ag-AR-OR ppm 1	Pb Pb-AR-OR-AA % 0.01	Ag 30-AR-TR ppm 0.1	Al 30-AR-TR % 0.01	As 30-AR-TR ppm 5	Ba 30-AR-TR ppm 10	Bi 30-AR-TR ppm 2	Ca 30-AR-TR % 0.01	Cd 30-AR-TR ppm 0.5	Co 30-AR-TR ppm 1	Cr 30-AR-TR ppm 1	Cu 30-AR-TR ppm 1	Fe 30-AR-TR % 0.01
IO69958	Rock				34.0	0.07	>10000	<10	208	<0.01	<0.5	9	26	2235	>10
IO69958 Dup					33.7	0.07	>10000	<10	206	<0.01	<0.5	9	26	2291	>10
QCV1109-00882-0002-BLK					<0.1	<0.01	<5	<10	<2	<0.01	<0.5	<1	<1	<1	<0.01
STD-DS-1 expected					0.5		6930					10			
STD-DS-1 result					0.3		7378					8			
IO69958	Rock	5.461													
IO69958 Dup		5.413													
QCV1109-00883-0002-BLK		0.008													
STD-OxD87 expected		0.417													
STD-OxD87 result		0.399													

INSPECTORATE
A Bureau Veritas Group Company
#200 - 11620 Horseshoe Way
Richmond, British Columbia V7A 4V5
Canada

Certificate of Analysis

11-360-07068-01

Golden Predator Corp.
201A- Titanium Way
Whitehorse, Yukon Y1A 0G1

Sample Description	Sample Type	Hg 30-AR-TR ppm 3	K 30-AR-TR % 0.01	La 30-AR-TR ppm 2	Mg 30-AR-TR % 0.01	Mn 30-AR-TR ppm 5	Mo 30-AR-TR ppm 1	Na 30-AR-TR % 0.01	Ni 30-AR-TR ppm 1	P 30-AR-TR ppm 10	Pb 30-AR-TR ppm 2	Sb 30-AR-TR ppm 2	Sc 30-AR-TR ppm 1	Sr 30-AR-TR ppm 1	Ti 30-AR-TR % 0.01
IO69958	Rock	<3	0.02	<2	<0.01	14	13	<0.01	<1	370	100	861	1	2	<0.01
IO69958 Dup		<3	0.02	<2	<0.01	14	13	<0.01	<1	383	98	884	1	2	<0.01
QCV1109-00882-0002-BLK		<3	<0.01	<2	<0.01	<5	<1	<0.01	<1	<10	<2	<2	<1	<1	<0.01
STD-DS-1 expected		82			2.76	437			49	340	14				
STD-DS-1 result		83			2.59	442			43	331	15				

INSPECTORATE
A Bureau Veritas Group Company
#200 - 11620 Horseshoe Way
Richmond, British Columbia V7A 4V5
Canada

Certificate of Analysis

11-360-07068-01

Golden Predator Corp.
201A- Titanium Way
Whitehorse, Yukon Y1A 0G1

Sample Description	Sample Type	Tl 30-AR-TR ppm 10	V 30-AR-TR ppm 1	W 30-AR-TR ppm 10	Zn 30-AR-TR ppm 2	Zr 30-AR-TR ppm 2	Hg Hg-AR-TR-CVAA ppm 0.01
IO69958	Rock	<10	1	<10	55	3	
IO69958 Dup		<10	1	<10	56	3	
QCV1109-00882-0002-BLK		<10	<1	<10	<2	<2	
STD-DS-1 expected					206		
STD-DS-1 result					205		
QCV1109-00884-0002-BLK							<0.01

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada

www.acmelab.com

Client: **Golden Predator Canada Corp.**
11th Floor, 888 Dunsmuir Street
Vancouver BC V6C 3K4 Canada

Submitted By: M. Burke
Receiving Lab: Canada-Whitehorse
Received: October 21, 2011
Report Date: November 02, 2011
Page: 1 of 2

CERTIFICATE OF ANALYSIS WHI11001799.1

CLIENT JOB INFORMATION

Project: Antimony Mountain
Shipment ID: ANM-2011-JC-1932
P.O. Number
Number of Samples: 19

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
R200-250	18	Crush, split and pulverize 250 g rock to 200 mesh			WHI
G601	19	Lead Collection Fire - Assay Fusion - AAS Finish	30	Completed	VAN

SAMPLE DISPOSAL

RTRN-PLP Return
STOR-RJT Store After 90 days Invoice for Storage

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

ADDITIONAL COMMENTS

Invoice To: Golden Predator Canada Corp.
11th Floor, 888 Dunsmuir Street
Vancouver BC V6C 3K4
Canada

CC: Jack Cote
Gilles Dessureau
Mike Maslowski
Bruce Otto

BRITISH COLUMBIA CERTIFIED ASSAYER
CLARENCE LEONG
GENERAL MANAGER

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.
All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
"*" asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Golden Predator Canada Corp.**
11th Floor, 888 Dunsmuir Street
Vancouver BC V6C 3K4 Canada

Project: Antimony Mountain
Report Date: November 02, 2011

CERTIFICATE OF ANALYSIS WHI11001799.1

Method		WGHT	G6
Analyte		Wgt	Au
Unit		kg	ppm
MDL		0.01	0.005
1273001	Drill Core	4.77	0.229
1273002	Drill Core	3.95	0.028
1273003	Drill Core	1.93	2.344
1273004	Drill Core	4.51	0.016
1273005	Drill Core	2.13	0.046
1273006	Drill Core	2.02	0.039
1273007	Drill Core	4.51	0.012
1273008	Drill Core	4.43	0.094
1273009	Drill Core	3.96	2.073
1273010	Drill Core	6.23	2.558
1273011	Drill Core	6.26	9.629
1273012	Drill Core	5.12	1.026
1273013	Rock	0.65	0.047
1273014	Drill Core	4.98	6.002
1273015	Drill Core	6.82	2.469
1273016	Drill Core	3.88	1.578
1273017	Drill Core	7.82	0.516
1273018	Drill Core	3.81	0.247
1273019	Rock Pulp	0.08	4.724

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Golden Predator Canada Corp.**
11th Floor, 888 Dunsmuir Street
Vancouver BC V6C 3K4 Canada

Project: Antimony Mountain
Report Date: November 02, 2011

QUALITY CONTROL REPORT WHI11001799.1

	Method	WGHT	G6
	Analyte	Wgt	Au
	Unit	kg	ppm
	MDL	0.01	0.005
REP 1273013	QC		0.045
Core Reject Duplicates			
1273013	Rock	0.65	0.047
DUP 1273013	QC		0.046
Reference Materials			
STD OXH82	Standard		1.356
STD OXH82	Standard		1.326
STD OXK79	Standard		3.505
STD OXK79	Standard		3.446
STD OXH82 Expected			1.278
STD OXK79 Expected			3.532
BLK	Blank		0.007
BLK	Blank		<0.005
BLK	Blank		0.005
BLK	Blank		0.005
Prep Wash			
G1	Prep Blank		<0.005
G1	Prep Blank		0.007

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada

www.acmelab.com

Client: **Golden Predator Canada Corp.**
11th Floor, 888 Dunsmuir Street
Vancouver BC V6C 3K4 Canada

Submitted By: M. Burke
Receiving Lab: Canada-Whitehorse
Received: October 21, 2011
Report Date: January 05, 2012
Page: 1 of 2

CERTIFICATE OF ANALYSIS WHI11001799.2

CLIENT JOB INFORMATION

Project: Antimony Mountain
Shipment ID: ANM-2011-JC-1932
P.O. Number
Number of Samples: 19

SAMPLE DISPOSAL

RTRN-PLP Return
STOR-RJT Store After 90 days Invoice for Storage

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
R200-250	18	Crush, split and pulverize 250 g rock to 200 mesh			WHI
G601	19	Lead Collection Fire - Assay Fusion - AAS Finish	30	Completed	VAN
1EX	18	4 Acid digestion ICP-MS analysis	0.25	Completed	VAN

ADDITIONAL COMMENTS

Version 2: 1EX for Samples 1273001 to 1273018 included.

Invoice To: Golden Predator Canada Corp.
11th Floor, 888 Dunsmuir Street
Vancouver BC V6C 3K4
Canada

CC: Jack Cote
Gilles Dessureau
Mike Maslowski
Bruce Otto

BRITISH COLUMBIA CERTIFIED ASSAYER
CLARENCE LEONG
GENERAL MANAGER

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.
All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
"*" asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Golden Predator Canada Corp.**
11th Floor, 888 Dunsmuir Street
Vancouver BC V6C 3K4 Canada

Project: Antimony Mountain
Report Date: January 05, 2012

CERTIFICATE OF ANALYSIS WHI11001799.2

Method		WGHT	G6	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX
Analyte		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
Unit		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
MDL		0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.2	1	0.01	1	0.1	0.1	0.1	1	0.1	0.1	0.1	1
1273001	Drill Core	4.77	0.229	2.2	141.1	18.9	58	0.2	14.5	20.6	753	4.21	1181	6.2	0.2	17.9	615	0.2	10.6	3.6	93
1273002	Drill Core	3.95	0.028	8.4	384.5	42.0	90	1.0	13.5	71.5	999	8.10	2361	17.2	<0.1	31.2	230	0.6	20.1	0.8	85
1273003	Drill Core	1.93	2.344	18.3	1875	59.9	95	10.6	190.5	1237	1054	20.26	>10000	10.0	2.4	14.0	70	0.8	238.2	25.2	27
1273004	Drill Core	4.51	0.016	1.3	118.1	49.3	76	0.6	27.4	18.8	335	3.28	216	2.8	<0.1	12.5	62	0.7	6.0	0.8	53
1273005	Drill Core	2.13	0.046	5.3	295.6	24.7	47	0.8	44.1	36.2	498	4.98	1033	5.2	<0.1	20.2	67	0.3	13.0	3.4	89
1273006	Drill Core	2.02	0.039	3.2	172.4	24.4	37	0.5	38.5	28.7	502	4.71	565	4.8	<0.1	18.9	68	0.2	11.1	2.7	87
1273007	Drill Core	4.51	0.012	3.3	64.5	25.0	48	0.4	33.7	16.2	627	4.56	67	3.3	<0.1	14.5	93	0.3	6.4	0.5	76
1273008	Drill Core	4.43	0.094	8.3	103.9	25.9	37	0.3	37.3	32.5	286	3.21	632	7.6	0.1	18.1	126	0.2	7.2	3.3	75
1273009	Drill Core	3.96	2.073	43.5	834.7	54.9	77	2.8	172.3	1046	618	13.48	>10000	75.6	1.9	60.8	281	0.5	159.4	18.2	83
1273010	Drill Core	6.23	2.558	45.5	818.9	66.1	56	4.7	199.1	1359	779	15.69	>10000	38.1	2.8	19.5	189	0.4	207.6	25.8	69
1273011	Drill Core	6.26	9.629	73.8	1578	27.2	47	4.6	109.9	2007	1176	28.26	>10000	31.8	9.2	3.8	35	0.2	403.4	98.7	22
1273012	Drill Core	5.12	1.026	32.8	426.6	37.7	39	2.3	55.9	774.7	403	7.29	>10000	23.6	1.0	10.2	87	0.3	109.7	9.3	13
1273013	Rock	0.65	0.047	0.3	13.0	1.3	17	<0.1	1.4	8.4	215	0.60	394	0.8	<0.1	<0.1	42	<0.1	1.7	1.2	2
1273014	Drill Core	4.98	6.002	20.0	1914	28.4	55	6.5	55.2	733.5	1044	25.30	>10000	5.8	6.2	3.4	76	0.4	343.2	76.2	21
1273015	Drill Core	6.82	2.469	52.9	1720	10.1	53	4.2	172.5	774.3	612	23.42	>10000	1.6	1.6	1.6	17	0.4	229.0	30.0	11
1273016	Drill Core	3.88	1.578	73.7	2987	39.3	150	8.5	54.8	1662	2235	34.71	>10000	24.0	1.5	4.1	42	1.1	436.0	13.7	30
1273017	Drill Core	7.82	0.516	60.0	1029	34.4	61	3.8	64.4	766.2	453	13.41	>10000	114.7	0.5	18.9	271	0.2	147.1	4.2	69
1273018	Drill Core	3.81	0.247	15.2	336.5	20.9	42	0.8	42.4	250.4	323	7.81	4749	13.6	0.3	13.0	163	0.3	35.6	1.7	79
1273019	Rock Pulp	0.08	4.724	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Golden Predator Canada Corp.**
11th Floor, 888 Dunsmuir Street
Vancouver BC V6C 3K4 Canada

Project: Antimony Mountain
Report Date: January 05, 2012

CERTIFICATE OF ANALYSIS WHI11001799.2

Method		1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX
Analyte		Ca	P	La	Cr	Mg	Ba	Ti	Al	Na	K	W	Zr	Ce	Sn	Y	Nb	Ta	Be	Sc	Li
Unit		%	%	ppm	ppm	%	ppm	%	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
MDL		0.01	0.001	0.1	1	0.01	1	0.001	0.01	0.001	0.01	0.1	0.1	1	0.1	0.1	0.1	0.1	1	1	0.1
1273001	Drill Core	3.41	0.097	27.5	77	2.00	448	0.450	7.36	2.418	2.55	1.1	141.0	59	4.1	25.4	17.1	1.0	3	13	51.7
1273002	Drill Core	0.70	0.107	>2000	75	0.88	68	0.298	6.43	0.375	1.98	4.0	132.1	>2000	7.3	29.9	11.3	0.6	2	12	32.8
1273003	Drill Core	0.50	0.096	395.9	10	0.27	31	0.036	1.57	0.055	0.18	3.5	14.8	671	4.8	17.2	1.4	<0.1	<1	6	13.6
1273004	Drill Core	0.17	0.035	34.8	58	0.40	574	0.221	7.13	0.078	1.87	12.6	41.0	68	7.3	9.5	6.4	0.4	2	10	41.8
1273005	Drill Core	0.16	0.047	54.4	67	0.39	776	0.339	8.99	0.093	2.40	3.6	65.1	112	3.6	15.5	11.4	0.7	<1	13	44.8
1273006	Drill Core	0.17	0.045	50.0	66	0.38	794	0.326	8.88	0.086	2.44	3.4	61.3	104	2.6	15.6	10.6	0.8	2	13	42.3
1273007	Drill Core	0.25	0.042	27.9	67	0.67	2082	0.387	9.15	0.149	3.81	8.7	43.4	64	4.1	11.6	13.3	0.9	3	14	40.6
1273008	Drill Core	0.20	0.042	51.3	54	0.55	1161	0.313	7.85	0.176	3.28	4.5	48.5	101	4.0	13.9	10.6	0.7	3	10	41.3
1273009	Drill Core	0.44	0.083	>2000	67	0.90	49	0.196	6.28	0.232	0.95	8.8	38.4	>2000	9.3	32.2	5.0	0.3	2	12	36.0
1273010	Drill Core	0.47	0.042	486.9	26	0.69	50	0.095	4.18	0.187	0.64	3.4	12.0	836	7.3	8.6	1.8	0.1	2	8	13.6
1273011	Drill Core	0.34	0.032	117.2	4	0.20	35	0.010	1.01	0.015	0.15	1.7	1.6	175	1.6	5.8	0.4	<0.1	<1	2	4.0
1273012	Drill Core	0.44	0.073	545.3	15	0.23	43	0.040	1.39	0.045	0.28	3.9	12.2	896	3.9	12.9	1.8	0.1	<1	2	7.3
1273013	Rock	21.66	0.012	2.4	<1	11.89	33	0.004	0.07	0.003	0.02	<0.1	0.2	4	<0.1	0.8	0.1	<0.1	<1	<1	1.1
1273014	Drill Core	0.24	0.025	57.3	12	0.36	19	0.031	1.03	0.083	0.01	2.7	5.6	91	6.4	6.3	0.9	<0.1	<1	2	4.9
1273015	Drill Core	0.24	0.046	2.0	1	0.19	22	0.020	0.26	0.010	<0.01	0.9	0.3	4	1.4	3.9	0.2	<0.1	<1	<1	3.2
1273016	Drill Core	0.46	0.063	76.6	6	0.42	7	0.015	1.21	0.029	0.13	3.2	1.5	118	2.4	7.1	0.5	<0.1	1	3	4.3
1273017	Drill Core	0.51	0.093	>2000	25	0.91	30	0.128	4.55	0.250	0.50	3.0	17.5	>2000	8.9	21.9	2.7	0.2	2	10	16.2
1273018	Drill Core	0.29	0.053	501.2	54	0.65	56	0.353	6.47	0.535	3.05	4.5	26.1	868	5.8	17.2	11.7	0.7	2	10	37.2
1273019	Rock Pulp	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Golden Predator Canada Corp.**
11th Floor, 888 Dunsmuir Street
Vancouver BC V6C 3K4 Canada

Project: Antimony Mountain
Report Date: January 05, 2012

CERTIFICATE OF ANALYSIS WHI11001799.2

Method		1EX	1EX	1EX
Analyte		S	Rb	Hf
Unit		%	ppm	ppm
MDL		0.1	0.1	0.1
1273001	Drill Core	0.9	98.9	3.7
1273002	Drill Core	2.5	103.1	3.3
1273003	Drill Core	>10	11.0	0.3
1273004	Drill Core	1.0	108.8	1.2
1273005	Drill Core	1.1	112.2	1.7
1273006	Drill Core	0.9	114.8	1.7
1273007	Drill Core	0.4	187.9	1.3
1273008	Drill Core	0.5	149.7	1.3
1273009	Drill Core	7.6	34.1	0.9
1273010	Drill Core	9.1	37.5	0.4
1273011	Drill Core	>10	9.4	<0.1
1273012	Drill Core	3.8	16.9	0.3
1273013	Rock	<0.1	1.1	<0.1
1273014	Drill Core	>10	0.3	0.1
1273015	Drill Core	>10	<0.1	<0.1
1273016	Drill Core	>10	7.1	<0.1
1273017	Drill Core	9.0	29.0	0.5
1273018	Drill Core	3.3	141.8	0.6
1273019	Rock Pulp	N.A.	N.A.	N.A.

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Golden Predator Canada Corp.**
11th Floor, 888 Dunsmuir Street
Vancouver BC V6C 3K4 Canada

Project: Antimony Mountain
Report Date: January 05, 2012

QUALITY CONTROL REPORT WHI11001799.2

	Method	WGHT	G6	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX
	Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
	Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	MDL	0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.2	1	0.01	1	0.1	0.1	0.1	1	0.1	0.1	0.1	1
REP 1273013	QC		0.045																		
Core Reject Duplicates																					
1273013	Rock	0.65	0.047	0.3	13.0	1.3	17	<0.1	1.4	8.4	215	0.60	394	0.8	<0.1	<0.1	42	<0.1	1.7	1.2	2
DUP 1273013	QC		0.046	0.4	12.6	1.3	17	<0.1	3.0	8.9	224	0.57	475	0.5	<0.1	<0.1	43	<0.1	2.0	1.5	2
Reference Materials																					
STD OREAS24P	Standard			1.3	46.1	3.1	113	<0.1	143.1	45.0	1089	7.30	47	0.7	<0.1	3.2	410	<0.1	<0.1	<0.1	156
STD OREAS24P	Standard			1.4	53.6	2.9	121	<0.1	155.4	48.8	1121	7.96	1	0.6	<0.1	2.7	382	0.2	<0.1	<0.1	169
STD OREAS45C	Standard			2.1	612.9	23.0	75	0.3	332.9	99.8	1180	17.35	12	2.2	<0.1	10.2	39	<0.1	0.8	0.3	267
STD OREAS45C	Standard			2.6	679.3	26.3	94	0.4	363.2	118.4	1247	20.60	14	2.3	<0.1	11.0	40	0.2	1.0	0.2	297
STD OXH82	Standard		1.356																		
STD OXH82	Standard		1.326																		
STD OXK79	Standard		3.505																		
STD OXK79	Standard		3.446																		
STD OXH82 Expected			1.278																		
STD OXK79 Expected			3.532																		
STD OREAS45C Expected				2.26	620	24	83	0.28	333	104	1160	18.33	10.1	2.4	0.045	10.2	36.4	0.15	0.79	0.21	270
STD OREAS24P Expected				1.5	52	2.9	119	0.06	141	44	1100	7.53	1.2	0.75		2.85	403	0.15	0.09		158
BLK	Blank		0.007																		
BLK	Blank		<0.005																		
BLK	Blank		0.005																		
BLK	Blank		0.005																		
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.2	<1	<0.01	15	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1
BLK	Blank			<0.1	0.4	<0.1	<1	<0.1	<0.1	<0.2	<1	<0.01	<1	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1
Prep Wash																					
G1	Prep Blank		<0.005	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
G1	Prep Blank		0.007	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Golden Predator Canada Corp.**
11th Floor, 888 Dunsmuir Street
Vancouver BC V6C 3K4 Canada

Project: Antimony Mountain
Report Date: January 05, 2012

QUALITY CONTROL REPORT WHI11001799.2

	Method	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX
	Analyte	Ca	P	La	Cr	Mg	Ba	Ti	Al	Na	K	W	Zr	Ce	Sn	Y	Nb	Ta	Be	Sc	Li
	Unit	%	%	ppm	ppm	%	ppm	%	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	MDL	0.01	0.001	0.1	1	0.01	1	0.001	0.01	0.001	0.01	0.1	0.1	1	0.1	0.1	0.1	0.1	1	1	0.1
REP 1273013	QC																				
Core Reject Duplicates																					
1273013	Rock	21.66	0.012	2.4	<1	11.89	33	0.004	0.07	0.003	0.02	<0.1	0.2	4	<0.1	0.8	0.1	<0.1	<1	<1	1.1
DUP 1273013	QC	21.45	0.013	2.5	<1	11.93	37	0.002	0.06	0.003	0.03	<0.1	0.2	4	<0.1	0.8	0.2	<0.1	<1	<1	1.0
Reference Materials																					
STD OREAS24P	Standard	5.84	0.128	19.8	189	4.06	298	1.072	7.52	2.362	0.66	0.4	141.6	40	1.6	24.3	20.3	1.2	1	20	8.2
STD OREAS24P	Standard	5.74	0.135	19.2	235	4.33	281	1.095	8.10	2.582	0.69	0.4	138.3	36	1.6	22.3	20.1	1.1	1	22	7.7
STD OREAS45C	Standard	0.48	0.050	24.6	955	0.24	267	1.197	7.39	0.097	0.35	1.0	161.4	49	2.7	13.3	22.2	1.3	1	60	17.7
STD OREAS45C	Standard	0.56	0.052	29.0	1042	0.28	327	1.247	8.09	0.105	0.40	1.3	180.2	56	3.1	14.2	25.5	1.5	1	66	18.3
STD OXH82	Standard																				
STD OXH82	Standard																				
STD OXK79	Standard																				
STD OXK79	Standard																				
STD OXH82 Expected																					
STD OXK79 Expected																					
STD OREAS45C Expected		0.482	0.051	26.2	962	0.25	270	1.1313	7.59	0.097	0.36	1.06	169.7	54	2.9	12.9	23.05	1.43		59.03	15.69
STD OREAS24P Expected		5.83	0.136	17.4	196	4.13	285	1.1	7.66	2.34	0.7	0.5	141	37.6	1.6	21.3	21	1.04		20	8.7
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank	<0.01	<0.001	<0.1	<1	<0.01	<1	<0.001	<0.01	<0.001	<0.01	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<0.1	<1	<1	<0.1
BLK	Blank	<0.01	<0.001	<0.1	4	<0.01	<1	<0.001	<0.01	<0.001	<0.01	<0.1	0.1	<1	<0.1	<0.1	<0.1	<0.1	<1	<1	<0.1
Prep Wash																					
G1	Prep Blank	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
G1	Prep Blank	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Golden Predator Canada Corp.**
11th Floor, 888 Dunsmuir Street
Vancouver BC V6C 3K4 Canada

Project: Antimony Mountain
Report Date: January 05, 2012

QUALITY CONTROL REPORT WHI11001799.2

		Method	1EX	1EX	1EX
		Analyte	S	Rb	Hf
		Unit	%	ppm	ppm
		MDL	0.1	0.1	0.1
REP 1273013	QC				
Core Reject Duplicates					
1273013	Rock		<0.1	1.1	<0.1
DUP 1273013	QC		<0.1	1.4	<0.1
Reference Materials					
STD OREAS24P	Standard		<0.1	22.3	3.6
STD OREAS24P	Standard		<0.1	22.5	3.6
STD OREAS45C	Standard		<0.1	22.8	4.0
STD OREAS45C	Standard		<0.1	26.7	4.9
STD OXH82	Standard				
STD OXH82	Standard				
STD OXK79	Standard				
STD OXK79	Standard				
STD OXH82 Expected					
STD OXK79 Expected					
STD OREAS45C Expected			0.021	24	4.27
STD OREAS24P Expected				22.4	3.6
BLK	Blank				
BLK	Blank				
BLK	Blank				
BLK	Blank				
BLK	Blank		<0.1	<0.1	<0.1
BLK	Blank		<0.1	0.3	<0.1
Prep Wash					
G1	Prep Blank		N.A.	N.A.	N.A.
G1	Prep Blank		N.A.	N.A.	N.A.

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada

www.acmelab.com

Client: **Golden Predator Canada Corp.**
11th Floor, 888 Dunsmuir Street
Vancouver BC V6C 3K4 Canada

Submitted By: Jack Cote
Receiving Lab: Canada-Whitehorse
Received: November 17, 2011
Report Date: December 02, 2011
Page: 1 of 5

CERTIFICATE OF ANALYSIS WHI11001938.1

CLIENT JOB INFORMATION

Project: Antimony
Shipment ID: ANM-2011-JC-2063
P.O. Number
Number of Samples: 120

SAMPLE DISPOSAL

RTRN-PLP Return
STOR-RJT Store After 90 days Invoice for Storage

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
R200-250	112	Crush, split and pulverize 250 g rock to 200 mesh			WHI
G601	120	Lead Collection Fire - Assay Fusion - AAS Finish	30	Completed	VAN
1EX	120	4 Acid digestion ICP-MS analysis	0.25	Completed	VAN

ADDITIONAL COMMENTS

Invoice To: Golden Predator Canada Corp.
11th Floor, 888 Dunsmuir Street
Vancouver BC V6C 3K4
Canada

CC: Andrew Caldwell

BRITISH COLUMBIA CERTIFIED ASSAYER
CLARENCE LEONG
GENERAL MANAGER

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.
All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
"*" asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Golden Predator Canada Corp.**
11th Floor, 888 Dunsmuir Street
Vancouver BC V6C 3K4 Canada

Project: Antimony
Report Date: December 02, 2011

CERTIFICATE OF ANALYSIS WHI11001938.1

Method		WGHT	G6	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX
Analyte		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
Unit		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
MDL		0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.2	1	0.01	1	0.1	0.1	0.1	1	0.1	0.1	0.1	1
1273135	Drill Core	4.60	0.007	9.3	46.9	25.5	38	0.2	44.3	7.2	605	2.45	94	11.2	<0.1	33.0	1048	0.2	28.7	0.2	122
1273136	Rock Pulp	0.13	5.777	675.9	85.3	99.9	80	1.2	31.2	10.5	658	3.81	30	1.1	7.0	2.7	289	<0.1	24.6	0.3	229
1273137	Drill Core	4.62	0.007	1.1	4.7	34.1	45	0.1	3.0	3.4	542	1.22	8	5.9	<0.1	23.6	1181	0.3	2.3	<0.1	128
1273138	Drill Core	5.20	0.005	0.4	3.5	24.1	44	0.1	4.7	3.5	612	2.46	10	6.8	<0.1	23.1	1032	0.3	6.4	<0.1	128
1273139	Drill Core	4.59	<0.005	0.4	3.9	27.0	35	<0.1	3.0	5.6	518	1.42	12	6.9	<0.1	23.7	1166	0.2	2.1	0.1	121
1273140	Drill Core	4.79	<0.005	0.6	2.8	26.4	37	0.1	3.0	3.6	496	1.30	4	6.1	<0.1	23.6	1160	0.2	2.0	<0.1	119
1273141	Drill Core	3.90	<0.005	0.4	1.9	20.8	33	<0.1	3.2	2.9	480	1.28	4	6.0	<0.1	22.5	1027	0.1	2.7	<0.1	110
1273142	Drill Core	4.92	<0.005	1.3	2.2	26.0	42	0.1	5.9	4.3	518	2.16	9	6.8	<0.1	23.3	994	0.2	5.7	<0.1	116
1273143	Drill Core	4.60	<0.005	2.5	2.4	17.0	26	<0.1	5.8	4.2	448	1.04	30	7.4	<0.1	13.1	556	0.1	6.7	<0.1	62
1273144	Drill Core	4.74	0.006	138.7	66.3	8.3	56	0.2	112.9	9.6	1008	3.41	21	13.2	<0.1	7.4	287	0.3	10.9	0.1	93
1273145	Drill Core	2.15	0.005	3.4	2.4	18.6	33	0.1	7.3	4.9	582	1.56	14	7.8	<0.1	17.4	767	0.2	4.9	<0.1	86
1273146	Drill Core	2.11	0.006	4.3	2.2	16.5	32	<0.1	9.0	4.6	658	1.72	13	7.2	<0.1	17.3	761	0.1	4.4	<0.1	91
1273147	Drill Core	5.71	<0.005	1.1	2.3	27.9	44	<0.1	5.0	3.9	562	1.90	18	8.7	<0.1	26.9	1130	0.3	4.4	<0.1	138
1273148	Drill Core	4.14	<0.005	0.7	3.0	34.5	48	0.1	4.4	4.4	545	1.83	16	7.5	<0.1	27.9	1090	0.2	4.0	<0.1	138
1273149	Drill Core	5.53	<0.005	0.4	1.9	28.0	41	0.2	4.7	4.4	606	1.44	5	7.1	<0.1	26.9	1065	0.2	2.8	<0.1	173
1273150	Drill Core	5.05	<0.005	0.9	2.3	28.5	40	0.1	4.1	5.0	946	1.47	6	7.3	<0.1	23.0	774	0.2	5.8	<0.1	152
1273151	Drill Core	4.54	<0.005	5.5	1.9	34.0	74	0.1	5.5	6.0	1528	1.99	64	11.8	<0.1	25.0	278	0.5	9.9	0.1	152
1273152	Drill Core	4.20	<0.005	3.9	1.5	17.9	37	0.1	8.5	4.2	960	2.89	63	11.3	<0.1	26.8	482	0.1	8.6	<0.1	148
1273153	Drill Core	4.55	<0.005	2.2	1.4	18.3	33	<0.1	8.3	4.3	539	2.24	13	11.3	<0.1	23.0	836	0.1	4.7	<0.1	136
1273154	Drill Core	4.39	0.006	3.7	1.7	13.7	28	0.1	7.5	3.9	488	2.08	8	11.5	<0.1	23.5	754	0.1	4.8	<0.1	114
1273155	Drill Core	3.41	<0.005	8.9	1.4	20.6	40	0.1	5.5	3.7	611	1.97	12	13.6	<0.1	22.5	774	0.2	6.4	<0.1	117
1273156	Drill Core	4.09	0.005	5.9	2.4	14.9	37	0.1	5.9	6.1	767	1.91	19	11.6	<0.1	18.7	638	0.1	7.2	<0.1	113
1273157	Rock Pulp	0.12	<0.005	3.1	23.1	4.6	41	0.4	21.9	10.1	471	2.43	4	0.8	<0.1	2.2	242	0.3	0.9	<0.1	78
1273158	Drill Core	4.27	<0.005	0.4	1.7	21.1	33	0.1	3.9	4.4	609	1.71	3	7.1	<0.1	25.9	942	0.1	4.2	<0.1	142
1273159	Drill Core	5.77	<0.005	1.3	1.2	19.2	34	0.1	4.0	4.8	692	2.06	2	8.7	<0.1	24.6	883	0.2	7.9	<0.1	156
1273160	Drill Core	5.04	<0.005	1.2	1.3	17.7	28	0.1	3.4	3.7	708	1.48	6	10.2	<0.1	21.5	852	0.2	6.4	<0.1	135
1273161	Drill Core	4.91	<0.005	1.1	1.6	20.5	34	0.2	3.6	4.1	668	1.89	14	9.3	<0.1	24.4	975	0.2	7.6	<0.1	148
1273162	Drill Core	4.01	<0.005	1.8	3.4	22.5	35	0.1	5.5	4.4	723	2.23	10	8.9	<0.1	18.4	819	0.2	8.6	<0.1	133
1273163	Drill Core	5.06	<0.005	1.8	5.5	25.9	52	0.1	5.8	8.0	795	2.93	22	11.2	<0.1	23.2	924	0.2	6.2	<0.1	147
1273164	Drill Core	6.42	<0.005	1.6	5.8	33.3	55	<0.1	6.7	8.9	784	3.70	16	9.0	<0.1	23.4	916	0.3	6.4	<0.1	150

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Golden Predator Canada Corp.**
11th Floor, 888 Dunsmuir Street
Vancouver BC V6C 3K4 Canada

Project: Antimony
Report Date: December 02, 2011

CERTIFICATE OF ANALYSIS WHI11001938.1

	Method	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX
	Analyte	Ca	P	La	Cr	Mg	Ba	Ti	Al	Na	K	W	Zr	Ce	Sn	Y	Nb	Ta	Be	Sc	Li
	Unit	%	%	ppm	ppm	%	ppm	%	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	MDL	0.01	0.001	0.1	1	0.01	1	0.001	0.01	0.001	0.01	0.1	0.1	1	0.1	0.1	0.1	0.1	1	1	0.1
1273135	Drill Core	6.12	0.149	33.3	24	2.61	384	0.536	8.42	3.080	0.33	0.7	47.5	77	6.0	23.8	15.3	0.9	4	16	32.1
1273136	Rock Pulp	1.51	0.054	11.8	49	0.92	142	0.333	6.64	1.918	1.76	13.6	63.8	26	2.0	13.0	4.7	0.3	1	11	30.4
1273137	Drill Core	7.46	0.172	29.9	19	2.39	302	0.552	9.12	3.758	0.25	0.6	57.2	71	3.8	25.1	15.7	0.9	3	17	18.6
1273138	Drill Core	6.01	0.126	35.0	25	2.48	616	0.523	8.68	3.655	0.48	0.4	58.8	77	4.5	23.4	15.6	0.9	5	20	27.7
1273139	Drill Core	7.45	0.174	30.4	17	2.34	401	0.519	8.79	3.482	0.25	0.5	57.8	71	1.5	23.6	14.5	0.8	3	17	19.6
1273140	Drill Core	7.29	0.160	29.9	20	2.33	345	0.537	8.86	3.464	0.27	0.5	55.7	74	1.6	24.3	15.5	0.9	3	17	19.6
1273141	Drill Core	7.05	0.153	29.5	18	2.33	259	0.535	8.83	3.068	0.34	0.3	51.9	73	1.9	24.1	15.2	0.9	3	16	30.0
1273142	Drill Core	6.55	0.104	43.0	22	2.02	298	0.537	8.84	3.854	0.32	0.6	60.5	86	5.1	23.8	15.0	0.8	4	20	31.2
1273143	Drill Core	4.87	0.049	20.6	14	0.72	600	0.472	8.03	2.916	0.81	3.9	62.9	50	7.2	21.9	12.3	0.7	4	7	63.1
1273144	Drill Core	6.13	0.086	37.5	12	0.97	528	0.291	6.72	1.116	1.49	5.7	36.7	73	9.2	19.8	8.0	0.6	5	4	33.3
1273145	Drill Core	5.71	0.091	27.6	16	1.19	496	0.469	8.63	3.792	0.65	2.5	55.0	64	5.6	21.9	10.9	0.7	5	11	40.2
1273146	Drill Core	5.92	0.091	30.9	16	1.25	551	0.465	8.62	3.783	0.66	2.6	51.0	70	5.7	22.5	11.3	0.7	5	12	40.9
1273147	Drill Core	6.90	0.156	34.9	19	2.37	346	0.512	9.16	3.884	0.37	0.5	60.8	77	4.2	21.7	13.9	0.8	4	17	23.8
1273148	Drill Core	7.14	0.148	32.7	21	2.68	375	0.491	8.93	3.946	0.44	0.4	59.9	77	3.7	20.6	13.5	0.8	4	18	21.9
1273149	Drill Core	8.27	0.164	33.8	22	2.91	263	0.617	8.84	3.415	0.29	0.5	58.0	80	1.4	24.1	14.5	0.9	3	21	23.6
1273150	Drill Core	9.22	0.144	28.6	22	1.83	449	0.518	8.08	2.226	0.44	6.3	51.8	69	2.7	21.6	12.9	0.7	3	19	28.3
1273151	Drill Core	9.91	0.140	28.6	23	0.58	476	0.484	7.87	0.423	0.57	12.3	56.7	68	4.3	19.6	12.6	0.7	4	19	39.0
1273152	Drill Core	8.07	0.130	35.9	23	1.29	2670	0.491	7.97	1.454	0.91	8.2	57.2	80	5.9	21.5	13.7	0.8	5	18	36.1
1273153	Drill Core	5.87	0.098	31.9	25	1.85	470	0.507	8.45	3.767	0.47	1.1	56.4	71	6.7	22.0	14.7	1.0	5	18	24.9
1273154	Drill Core	5.20	0.099	46.2	21	1.56	622	0.463	8.52	3.810	0.81	2.2	59.5	90	7.3	20.2	15.0	1.1	6	15	22.9
1273155	Drill Core	5.94	0.111	54.2	18	1.55	930	0.452	8.34	2.616	1.30	1.3	51.4	110	4.3	19.8	13.0	1.0	6	13	22.9
1273156	Drill Core	6.22	0.103	26.9	18	1.36	543	0.361	7.58	2.753	0.74	15.6	46.5	63	3.8	18.2	9.3	0.7	5	12	25.0
1273157	Rock Pulp	1.83	0.050	9.4	34	0.77	499	0.296	5.07	1.995	0.84	20.7	37.9	20	0.7	12.1	3.5	0.2	<1	10	13.0
1273158	Drill Core	7.21	0.133	28.2	26	2.15	684	0.472	7.68	3.007	0.55	1.0	55.5	70	2.2	21.4	13.0	0.8	3	18	22.7
1273159	Drill Core	7.76	0.104	26.6	25	2.17	688	0.503	7.84	3.031	0.66	0.7	47.9	68	4.3	21.3	13.0	0.7	4	21	24.9
1273160	Drill Core	7.99	0.091	28.8	20	1.61	525	0.483	8.00	2.513	0.68	2.8	50.4	68	3.1	20.7	12.5	0.7	4	19	17.1
1273161	Drill Core	8.34	0.137	31.1	22	1.71	524	0.485	8.07	2.361	0.41	2.6	52.1	75	3.7	22.7	13.1	0.7	4	19	14.8
1273162	Drill Core	6.99	0.112	28.3	19	1.49	642	0.465	7.87	3.334	0.85	3.1	48.2	63	9.0	21.9	11.9	0.6	4	19	22.7
1273163	Drill Core	6.86	0.118	39.1	24	1.83	1209	0.495	8.15	3.123	1.12	1.5	53.3	83	7.4	21.6	12.8	0.8	5	20	20.1
1273164	Drill Core	6.18	0.134	36.9	23	1.82	1232	0.515	8.29	2.632	1.28	2.2	52.9	76	8.0	23.7	13.1	0.8	4	20	17.6

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Golden Predator Canada Corp.**
11th Floor, 888 Dunsmuir Street
Vancouver BC V6C 3K4 Canada

Project: Antimony
Report Date: December 02, 2011

CERTIFICATE OF ANALYSIS WHI11001938.1

Method		1EX	1EX	1EX
Analyte		S	Rb	Hf
Unit		%	ppm	ppm
MDL		0.1	0.1	0.1
1273135	Drill Core	0.3	20.0	1.6
1273136	Rock Pulp	0.7	48.4	1.8
1273137	Drill Core	<0.1	15.8	1.7
1273138	Drill Core	<0.1	24.3	1.8
1273139	Drill Core	<0.1	13.3	1.8
1273140	Drill Core	<0.1	14.0	1.8
1273141	Drill Core	<0.1	24.5	1.6
1273142	Drill Core	<0.1	18.5	1.9
1273143	Drill Core	<0.1	51.8	1.7
1273144	Drill Core	0.6	109.0	1.2
1273145	Drill Core	<0.1	40.2	1.8
1273146	Drill Core	<0.1	41.5	1.7
1273147	Drill Core	<0.1	21.4	1.8
1273148	Drill Core	<0.1	22.1	1.9
1273149	Drill Core	<0.1	15.4	1.9
1273150	Drill Core	<0.1	25.5	1.5
1273151	Drill Core	<0.1	41.7	1.7
1273152	Drill Core	<0.1	57.6	1.7
1273153	Drill Core	<0.1	30.3	1.7
1273154	Drill Core	<0.1	45.6	1.9
1273155	Drill Core	<0.1	71.5	1.7
1273156	Drill Core	<0.1	48.1	1.4
1273157	Rock Pulp	<0.1	28.5	1.1
1273158	Drill Core	<0.1	34.5	1.8
1273159	Drill Core	<0.1	39.6	1.6
1273160	Drill Core	<0.1	43.6	1.5
1273161	Drill Core	<0.1	25.8	1.6
1273162	Drill Core	<0.1	51.3	1.6
1273163	Drill Core	<0.1	58.4	1.7
1273164	Drill Core	<0.1	63.8	1.7

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Golden Predator Canada Corp.**
11th Floor, 888 Dunsmuir Street
Vancouver BC V6C 3K4 Canada

Project: Antimony
Report Date: December 02, 2011

CERTIFICATE OF ANALYSIS WHI11001938.1

Method		WGHT	G6	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX
Analyte		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
Unit		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
MDL		0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.2	1	0.01	1	0.1	0.1	0.1	1	0.1	0.1	0.1	1
1273165	Drill Core	5.79	0.005	2.6	2.0	44.1	86	0.2	4.3	3.9	701	1.75	11	8.8	<0.1	18.7	167	0.7	9.7	<0.1	128
1273166	Rock Pulp	0.12	1.535	21.5	318.0	11.2	97	0.5	35.9	9.2	581	3.76	9	0.9	1.1	2.2	230	0.2	2.7	0.3	87
1273167	Drill Core	3.49	0.009	14.3	7.0	49.9	158	0.3	6.2	5.0	1732	3.37	39	15.5	<0.1	14.9	250	1.4	18.6	<0.1	82
1273168	Drill Core	4.09	0.008	5.4	7.6	136.0	917	0.7	5.7	3.8	1714	2.78	8	7.5	<0.1	23.3	395	9.4	10.9	<0.1	114
1273169	Drill Core	5.27	0.006	3.8	12.8	459.7	324	2.2	4.8	5.0	1459	2.39	10	5.9	<0.1	17.2	315	3.4	9.5	0.2	117
1273170	Drill Core	3.50	0.025	66.4	13.8	38.8	160	0.2	12.5	3.3	2131	3.52	28	3.1	<0.1	5.9	356	1.2	12.3	3.1	194
1273171	Drill Core	5.08	<0.005	3.7	8.0	59.4	326	0.3	6.0	3.8	2435	3.13	13	8.8	<0.1	25.9	443	2.7	9.9	0.1	103
1273172	Drill Core	4.34	<0.005	3.0	3.9	18.9	63	<0.1	6.3	5.0	1720	4.02	11	9.9	<0.1	31.1	428	<0.1	11.8	0.2	133
1273173	Drill Core	2.07	<0.005	18.3	2.9	20.5	75	0.1	12.8	6.9	2051	4.78	10	19.9	<0.1	35.5	278	0.1	12.0	<0.1	221
1273174	Drill Core	2.54	<0.005	26.4	2.4	17.2	77	0.2	12.9	6.4	2205	4.78	12	14.2	<0.1	31.9	280	0.2	10.8	0.1	186
1273175	Drill Core	4.84	<0.005	1.8	3.7	44.5	57	0.2	7.8	4.0	1248	2.57	7	7.3	<0.1	21.1	263	0.2	11.8	0.1	138
1273176	Drill Core	5.05	<0.005	1.7	3.3	23.8	56	0.1	6.3	4.1	1839	3.55	4	6.9	<0.1	17.0	195	<0.1	12.6	<0.1	123
1273177	Drill Core	4.43	<0.005	4.8	3.1	12.2	55	<0.1	5.2	4.4	1868	3.42	10	7.2	<0.1	20.4	310	<0.1	10.6	<0.1	129
1273178	Drill Core	5.68	<0.005	1.7	4.7	11.4	68	0.1	8.0	7.3	2326	4.25	9	6.8	<0.1	18.2	256	<0.1	12.5	<0.1	115
1273179	Drill Core	4.50	<0.005	2.8	14.4	40.1	80	0.2	11.4	6.1	1943	3.69	11	5.7	<0.1	20.5	218	0.2	21.8	0.1	124
1273180	Drill Core	4.62	<0.005	2.2	5.7	27.2	62	0.2	11.1	6.7	1624	3.79	9	5.7	<0.1	21.2	202	0.1	10.0	<0.1	110
1273181	Drill Core	4.58	<0.005	4.4	13.3	33.3	66	0.2	8.4	9.0	1414	3.45	24	6.2	<0.1	22.9	198	0.2	10.6	0.2	107
1273182	Drill Core	5.01	<0.005	4.5	19.2	25.3	80	<0.1	8.4	9.7	1333	3.30	37	7.1	<0.1	23.7	240	0.1	12.9	<0.1	113
1273183	Drill Core	5.13	<0.005	1.7	4.2	10.8	51	<0.1	7.9	8.0	1668	3.99	6	7.9	<0.1	28.7	288	<0.1	10.9	<0.1	110
1273184	Drill Core	4.96	<0.005	3.7	3.0	25.4	40	<0.1	5.0	3.4	576	1.72	3	7.2	<0.1	25.8	931	0.1	7.7	<0.1	115
1273185	Drill Core	4.43	0.010	9.3	8.1	29.4	41	0.1	8.0	4.7	554	1.92	30	8.4	<0.1	25.8	968	0.1	7.1	0.2	121
1273186	Rock Pulp	0.13	<0.005	3.0	23.4	4.7	46	0.4	22.5	10.6	481	2.49	3	0.8	<0.1	2.0	276	0.2	1.0	<0.1	85
1273187	Drill Core	4.62	<0.005	4.4	43.8	30.9	37	0.2	15.9	7.1	412	1.66	15	9.6	<0.1	25.9	1085	<0.1	11.6	0.1	129
1273188	Drill Core	6.93	<0.005	0.9	45.4	32.0	39	0.5	15.7	8.5	437	1.84	8	8.8	<0.1	26.7	1102	0.2	6.3	0.2	123
1273189	Drill Core	6.38	<0.005	0.9	14.2	19.3	34	<0.1	9.9	4.9	591	1.77	6	7.6	<0.1	25.4	880	<0.1	5.9	<0.1	115
1273190	Drill Core	6.45	<0.005	0.5	3.6	21.9	30	0.1	3.2	2.4	418	1.21	4	7.3	<0.1	25.2	1104	0.1	1.3	<0.1	110
1273191	Drill Core	6.80	<0.005	0.9	4.3	18.3	40	0.1	5.2	3.1	915	2.26	8	8.0	<0.1	26.5	820	<0.1	7.4	<0.1	117
1273192	Drill Core	4.77	<0.005	1.9	1.9	5.3	63	<0.1	11.7	7.7	1593	3.32	7	9.4	<0.1	23.0	184	<0.1	11.2	<0.1	108
1273193	Drill Core	4.96	<0.005	1.5	2.5	6.8	56	<0.1	10.8	6.4	1360	1.76	11	9.6	<0.1	22.4	162	<0.1	14.1	<0.1	102
1273194	Drill Core	5.95	<0.005	2.9	17.0	34.3	171	0.4	15.7	8.2	1287	3.71	32	7.8	<0.1	19.8	407	1.4	10.2	0.4	116

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Golden Predator Canada Corp.**
11th Floor, 888 Dunsmuir Street
Vancouver BC V6C 3K4 Canada

Project: Antimony
Report Date: December 02, 2011

CERTIFICATE OF ANALYSIS WHI11001938.1

	Method	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX
	Analyte	Ca	P	La	Cr	Mg	Ba	Ti	Al	Na	K	W	Zr	Ce	Sn	Y	Nb	Ta	Be	Sc	Li
	Unit	%	%	ppm	ppm	%	ppm	%	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	MDL	0.01	0.001	0.1	1	0.01	1	0.001	0.01	0.001	0.01	0.1	0.1	1	0.1	0.1	0.1	0.1	1	1	0.1
1273165	Drill Core	2.91	0.088	24.8	34	1.35	480	0.541	11.56	0.043	1.04	7.7	63.0	64	6.1	19.3	14.6	0.9	3	24	23.0
1273166	Rock Pulp	1.65	0.057	10.4	35	0.85	551	0.289	5.47	2.146	0.93	0.9	40.6	22	2.2	13.1	4.0	0.2	<1	11	14.6
1273167	Drill Core	7.55	0.062	22.6	11	2.79	414	0.292	5.80	0.019	0.59	12.3	32.1	49	6.5	17.5	8.2	0.5	2	10	29.8
1273168	Drill Core	6.53	0.087	32.0	14	2.05	463	0.401	7.38	0.017	0.73	14.2	40.1	68	5.9	22.2	12.0	0.7	4	12	43.7
1273169	Drill Core	5.10	0.090	22.7	13	1.66	571	0.476	8.12	0.017	0.70	7.8	36.1	57	2.8	21.3	14.3	0.9	3	13	37.9
1273170	Drill Core	7.68	0.317	16.3	13	2.28	157	0.059	1.86	0.006	0.20	3.7	6.6	36	4.2	21.9	1.6	<0.1	1	10	15.3
1273171	Drill Core	6.18	0.089	43.3	10	2.03	407	0.364	7.50	0.012	0.78	8.0	36.6	85	7.5	23.3	11.9	0.7	3	11	33.6
1273172	Drill Core	5.75	0.096	49.2	10	1.99	606	0.313	7.02	0.019	0.71	6.3	36.0	90	7.2	23.1	10.7	0.6	3	11	28.0
1273173	Drill Core	5.32	0.123	48.8	19	1.96	295	0.389	7.65	0.007	0.29	17.8	34.7	97	3.4	24.8	11.6	0.7	3	18	29.1
1273174	Drill Core	6.03	0.098	41.9	14	2.20	328	0.357	7.25	0.007	0.33	15.1	31.9	84	3.6	23.8	10.7	0.7	2	14	29.7
1273175	Drill Core	4.90	0.132	23.7	16	2.09	337	0.482	14.80	0.008	0.26	22.1	44.6	61	2.9	20.8	16.9	1.1	3	25	33.8
1273176	Drill Core	4.14	0.109	20.5	14	1.68	665	0.457	11.07	0.016	1.01	19.4	39.0	48	8.7	20.4	14.7	1.1	3	18	35.2
1273177	Drill Core	6.09	0.105	21.1	19	2.05	832	0.410	7.34	0.016	1.33	16.6	32.0	51	8.5	24.4	11.9	0.7	3	14	33.9
1273178	Drill Core	4.82	0.102	21.5	21	1.76	1224	0.370	7.29	0.025	1.41	15.3	31.4	52	10.6	22.4	10.3	0.6	4	13	30.3
1273179	Drill Core	4.85	0.121	21.4	22	1.67	1151	0.426	7.88	0.025	1.19	15.5	29.2	54	8.7	21.9	12.3	0.7	3	14	37.4
1273180	Drill Core	4.62	0.110	44.3	21	1.65	1274	0.385	9.28	0.095	1.03	4.2	24.4	91	7.4	22.1	11.1	0.6	4	15	37.8
1273181	Drill Core	5.01	0.117	31.0	20	1.60	1283	0.428	7.89	0.043	0.92	7.6	28.3	65	7.3	24.0	12.9	0.8	3	13	33.9
1273182	Drill Core	5.21	0.120	32.1	21	1.55	1608	0.434	8.19	0.072	1.06	7.8	28.7	66	7.4	24.7	13.1	0.8	4	14	31.4
1273183	Drill Core	7.47	0.110	92.2	16	1.59	796	0.327	7.56	0.274	0.92	3.7	25.8	165	6.3	29.0	10.0	0.6	3	13	47.0
1273184	Drill Core	6.82	0.113	30.8	17	1.41	730	0.465	8.55	3.612	0.71	0.8	28.9	71	3.3	23.8	13.9	0.8	3	14	27.0
1273185	Drill Core	6.49	0.117	28.3	16	1.73	727	0.488	8.70	3.797	0.75	0.7	30.5	67	3.2	25.2	14.0	0.9	3	15	31.5
1273186	Rock Pulp	1.83	0.055	8.5	36	0.79	494	0.328	4.94	2.206	0.88	20.8	41.9	18	0.9	14.5	3.9	0.2	<1	10	13.2
1273187	Drill Core	6.54	0.123	29.3	19	1.86	519	0.499	8.88	3.698	0.39	0.5	28.9	70	1.0	26.5	14.8	0.9	3	15	26.1
1273188	Drill Core	6.81	0.119	27.7	19	1.75	494	0.499	8.83	3.528	0.37	1.5	28.3	67	1.0	25.7	14.6	0.9	3	15	26.8
1273189	Drill Core	7.29	0.112	28.4	17	1.60	725	0.466	8.58	2.701	0.82	1.3	26.7	67	1.6	25.4	13.9	0.8	3	14	30.0
1273190	Drill Core	6.75	0.098	27.3	18	1.81	928	0.477	8.88	3.552	0.47	0.6	29.6	70	1.2	24.2	15.3	0.9	3	14	16.9
1273191	Drill Core	7.71	0.108	28.4	17	1.46	919	0.444	8.26	2.635	0.78	2.4	25.9	66	3.3	29.1	13.4	0.8	4	14	33.6
1273192	Drill Core	6.97	0.071	17.6	17	1.03	1157	0.292	6.64	0.033	1.06	8.2	24.4	44	8.2	18.6	8.6	0.5	3	11	35.5
1273193	Drill Core	9.38	0.067	36.0	11	0.65	745	0.269	6.39	0.024	0.84	7.7	21.1	74	6.4	21.0	8.0	0.5	3	9	25.2
1273194	Drill Core	7.52	0.146	35.8	59	1.05	1057	0.438	6.80	0.266	0.73	8.2	35.2	68	2.5	35.3	11.6	0.7	2	12	25.3

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Golden Predator Canada Corp.**
11th Floor, 888 Dunsmuir Street
Vancouver BC V6C 3K4 Canada

Project: Antimony
Report Date: December 02, 2011

CERTIFICATE OF ANALYSIS WHI11001938.1

Method		1EX	1EX	1EX
Analyte		S	Rb	Hf
Unit		%	ppm	ppm
MDL		0.1	0.1	0.1
1273165	Drill Core	<0.1	35.1	2.0
1273166	Rock Pulp	<0.1	31.0	1.2
1273167	Drill Core	0.8	46.1	1.1
1273168	Drill Core	0.4	35.4	1.5
1273169	Drill Core	<0.1	16.7	1.3
1273170	Drill Core	0.2	13.1	0.4
1273171	Drill Core	0.2	36.3	1.2
1273172	Drill Core	<0.1	43.2	1.4
1273173	Drill Core	<0.1	16.1	1.4
1273174	Drill Core	<0.1	17.2	1.2
1273175	Drill Core	<0.1	3.4	1.7
1273176	Drill Core	<0.1	13.1	1.4
1273177	Drill Core	<0.1	63.1	1.2
1273178	Drill Core	<0.1	45.6	1.2
1273179	Drill Core	<0.1	28.9	1.0
1273180	Drill Core	<0.1	24.9	0.9
1273181	Drill Core	<0.1	29.1	1.0
1273182	Drill Core	0.1	34.7	1.1
1273183	Drill Core	<0.1	56.5	1.0
1273184	Drill Core	<0.1	37.2	1.1
1273185	Drill Core	<0.1	36.1	1.1
1273186	Rock Pulp	<0.1	18.9	1.3
1273187	Drill Core	0.2	17.9	1.1
1273188	Drill Core	0.3	17.0	1.1
1273189	Drill Core	<0.1	56.7	1.1
1273190	Drill Core	<0.1	20.7	1.1
1273191	Drill Core	<0.1	49.5	1.1
1273192	Drill Core	<0.1	78.0	0.8
1273193	Drill Core	<0.1	58.0	0.8
1273194	Drill Core	0.3	38.5	1.3

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Golden Predator Canada Corp.**
11th Floor, 888 Dunsmuir Street
Vancouver BC V6C 3K4 Canada

Project: Antimony
Report Date: December 02, 2011

CERTIFICATE OF ANALYSIS WHI11001938.1

Method		WGHT	G6	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX
Analyte		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
Unit		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
MDL		0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.2	1	0.01	1	0.1	0.1	0.1	1	0.1	0.1	0.1	1
1273195	Drill Core	3.07	0.012	5.3	81.9	16.0	111	0.6	36.5	17.4	2184	5.93	584	3.6	<0.1	6.5	312	1.1	15.6	0.7	103
1273196	Rock Pulp	0.17	5.637	689.4	88.5	73.0	85	1.4	35.0	11.5	716	3.92	31	1.1	5.4	2.5	315	1.1	29.6	0.2	235
1273197	Drill Core	2.16	0.006	4.2	47.7	56.5	225	0.4	46.7	9.7	571	3.11	48	4.7	<0.1	10.0	252	1.5	23.8	1.0	145
1273198	Drill Core	5.47	<0.005	3.6	52.1	42.0	648	10.2	37.6	9.8	826	4.42	31	6.3	<0.1	15.1	283	4.9	22.4	0.4	141
1273199	Drill Core	4.74	<0.005	7.5	51.4	30.7	3756	0.6	50.4	9.8	2224	5.51	14	4.1	<0.1	7.5	140	26.0	28.3	0.8	129
1273200	Drill Core	4.86	0.009	5.6	49.1	23.6	1203	1.1	49.7	9.2	1844	5.00	28	4.0	<0.1	8.6	130	8.4	40.6	1.9	131
1273201	Drill Core	4.73	<0.005	3.0	47.6	45.5	1171	0.9	53.7	10.1	989	3.19	17	4.1	<0.1	8.8	123	7.6	16.3	0.7	162
1273202	Drill Core	3.08	<0.005	2.5	59.3	22.8	1230	0.2	33.6	8.1	2646	4.68	20	4.2	<0.1	8.9	160	7.1	13.1	0.6	137
1273203	Drill Core	5.35	0.018	2.5	54.2	16.0	370	0.2	35.1	10.1	3216	7.69	66	4.0	<0.1	8.3	161	1.6	20.3	4.1	132
1273204	Drill Core	4.98	0.015	2.4	54.7	14.5	224	0.2	30.9	8.5	1457	6.36	245	3.6	<0.1	7.1	353	1.8	8.3	1.1	115
1273205	Drill Core	2.59	0.024	4.3	88.9	13.4	197	0.2	39.5	6.6	2216	4.66	61	4.7	<0.1	9.6	129	1.2	17.2	1.4	145
1273206	Drill Core	2.50	0.033	4.3	83.7	14.6	423	0.2	38.6	7.8	2213	4.58	67	4.6	<0.1	9.8	137	2.5	17.5	3.3	145
1273207	Drill Core	5.99	0.053	1.2	39.8	14.2	108	0.2	26.0	17.7	1066	2.29	751	3.2	<0.1	6.8	44	0.4	22.4	1.3	91
1273208	Drill Core	5.23	0.023	2.1	58.2	14.2	45	0.1	33.2	12.6	850	1.94	292	3.8	<0.1	8.6	60	0.2	21.2	0.5	122
1273209	Drill Core	5.77	0.049	3.9	8.9	12.3	51	<0.1	29.3	15.4	836	4.68	363	4.3	<0.1	7.2	126	0.2	11.6	0.4	135
1273210	Drill Core	5.05	0.028	2.9	4.2	6.2	13	<0.1	12.6	41.0	1248	0.86	755	1.9	<0.1	3.6	1072	<0.1	8.0	0.4	34
1273211	Drill Core	4.03	0.052	5.8	1.5	7.6	15	<0.1	8.3	19.3	922	0.72	1455	1.0	<0.1	1.8	322	<0.1	13.0	0.6	15
1273212	Drill Core	6.05	0.011	1.1	7.4	30.9	38	0.8	5.2	4.9	435	1.44	75	3.2	<0.1	11.1	1083	0.3	4.3	0.2	100
1273213	Drill Core	4.48	0.006	0.3	2.5	26.3	30	0.1	1.8	5.2	420	1.17	7	4.6	<0.1	16.3	1186	0.1	1.9	0.1	122
1273214	Rock Pulp	0.13	<0.005	3.3	24.0	4.9	43	0.4	23.0	10.5	482	2.45	6	0.9	<0.1	2.0	242	0.2	1.0	<0.1	79
1273215	Drill Core	4.73	0.005	0.4	2.3	32.0	42	0.2	2.0	4.6	483	1.16	6	4.9	<0.1	16.3	1132	0.2	2.2	0.1	118
1273216	Drill Core	5.93	0.005	3.2	18.6	29.5	35	0.1	7.4	8.2	423	1.47	8	5.2	<0.1	16.6	1080	0.2	3.5	0.2	113
1273217	Drill Core	3.37	0.078	5.5	2.2	28.8	20	0.4	106.5	94.3	266	0.50	669	3.4	0.1	9.0	1097	0.2	7.6	0.6	37
1273218	Drill Core	4.57	0.015	24.1	1.3	22.3	17	<0.1	9.6	24.5	396	0.59	181	4.5	<0.1	6.1	578	0.1	3.3	0.5	28
1273219	Drill Core	7.23	0.006	0.6	2.2	26.9	29	<0.1	2.6	4.7	403	0.86	16	3.5	<0.1	14.0	1020	0.2	2.1	<0.1	90
1273220	Drill Core	6.34	<0.005	3.2	29.2	36.4	41	0.2	11.5	7.3	391	1.45	39	5.8	<0.1	18.0	1125	0.2	7.8	0.2	115
1273221	Drill Core	5.92	0.010	1.2	3.8	31.6	28	0.1	8.6	8.9	372	0.79	61	3.7	<0.1	8.3	914	0.2	3.6	0.1	60
1273222	Drill Core	7.27	0.011	0.3	1.7	19.2	14	<0.1	4.1	3.2	432	0.61	16	2.9	<0.1	6.6	587	<0.1	2.5	0.1	25
1273223	Drill Core	6.47	0.005	0.7	16.7	23.3	31	<0.1	5.4	7.0	514	1.38	13	3.6	<0.1	10.9	864	0.2	4.8	0.1	93
1273224	Drill Core	6.72	0.033	2.7	31.2	26.7	31	0.1	26.5	33.2	556	1.77	278	4.8	<0.1	14.7	1049	0.1	8.0	1.6	112

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Golden Predator Canada Corp.**
11th Floor, 888 Dunsmuir Street
Vancouver BC V6C 3K4 Canada

Project: Antimony
Report Date: December 02, 2011

CERTIFICATE OF ANALYSIS WHI11001938.1

	Method	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX
	Analyte	Ca	P	La	Cr	Mg	Ba	Ti	Al	Na	K	W	Zr	Ce	Sn	Y	Nb	Ta	Be	Sc	Li
	Unit	%	%	ppm	ppm	%	ppm	%	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	MDL	0.01	0.001	0.1	1	0.01	1	0.001	0.01	0.001	0.01	0.1	0.1	1	0.1	0.1	0.1	0.1	1	1	0.1
1273195	Drill Core	8.40	0.253	24.5	112	1.94	259	0.297	3.49	0.319	0.76	4.8	33.5	41	3.8	34.0	6.9	0.5	1	6	24.8
1273196	Rock Pulp	1.76	0.062	11.9	52	0.96	199	0.384	7.50	2.068	1.89	14.7	68.7	26	2.1	16.2	5.4	0.4	1	13	30.7
1273197	Drill Core	2.39	0.325	32.1	172	0.61	69	0.436	5.36	0.029	0.44	8.0	38.0	53	2.5	34.6	9.6	0.6	1	10	31.8
1273198	Drill Core	3.28	0.232	34.9	128	0.61	556	0.487	5.52	0.207	0.56	108.3	48.7	63	2.9	31.3	11.6	0.7	3	11	34.2
1273199	Drill Core	1.90	0.292	36.1	148	0.61	90	0.348	4.01	0.006	0.03	9.7	42.9	58	2.0	31.3	7.5	0.5	2	8	29.1
1273200	Drill Core	3.40	0.235	36.4	147	0.57	106	0.365	4.32	0.034	0.10	17.3	37.2	61	2.0	41.8	7.9	0.5	2	9	30.4
1273201	Drill Core	2.08	0.314	25.6	191	0.24	81	0.473	5.11	0.082	1.53	11.4	47.4	44	2.3	34.5	10.5	0.7	2	10	26.4
1273202	Drill Core	3.68	0.364	37.9	152	0.54	440	0.389	4.43	0.070	1.46	11.3	33.9	62	3.2	51.0	8.5	0.5	2	11	23.2
1273203	Drill Core	4.42	0.303	34.5	140	0.88	148	0.330	4.47	0.246	0.69	10.4	39.0	55	5.0	38.7	8.3	0.6	2	11	23.0
1273204	Drill Core	8.07	0.276	32.1	119	2.19	1000	0.311	3.90	0.849	1.25	0.9	60.4	54	7.8	34.5	7.4	0.5	1	8	19.1
1273205	Drill Core	3.45	0.365	35.5	132	0.72	588	0.379	4.86	0.038	0.61	12.6	48.3	60	5.6	37.0	9.0	0.6	2	10	20.4
1273206	Drill Core	3.93	0.376	36.7	138	0.73	586	0.395	4.85	0.039	0.64	11.3	48.2	62	6.2	38.5	9.3	0.6	1	11	22.0
1273207	Drill Core	2.21	0.341	57.7	87	0.43	187	0.237	3.36	0.015	0.25	6.7	24.0	94	3.0	32.9	5.3	0.4	1	8	18.5
1273208	Drill Core	3.13	0.216	28.7	91	0.50	486	0.313	5.07	0.030	0.53	5.2	32.0	52	2.8	34.6	6.9	0.5	2	9	16.8
1273209	Drill Core	6.10	0.261	25.4	114	0.75	445	0.316	4.57	0.022	0.38	6.3	33.5	53	3.3	36.3	8.1	0.5	3	10	21.0
1273210	Drill Core	6.56	0.037	6.7	27	0.29	4203	0.323	8.40	0.066	2.89	11.3	29.1	19	4.6	13.5	8.7	0.7	7	<1	9.0
1273211	Drill Core	5.98	0.034	3.6	17	0.24	1416	0.048	3.13	0.030	1.28	2.1	12.4	8	2.9	7.0	1.3	0.1	3	<1	7.4
1273212	Drill Core	6.16	0.115	17.5	32	1.06	703	0.482	8.39	3.082	0.36	7.5	25.5	40	4.4	21.9	13.7	0.8	3	11	11.9
1273213	Drill Core	7.72	0.101	23.8	13	1.58	480	0.476	8.93	3.324	0.26	0.9	19.6	56	2.7	18.9	13.7	0.8	2	17	12.7
1273214	Rock Pulp	1.85	0.051	9.3	34	0.77	512	0.295	5.35	1.983	0.81	20.2	37.9	19	0.8	12.8	3.8	0.3	<1	10	12.4
1273215	Drill Core	7.58	0.093	24.0	11	1.28	413	0.458	8.59	3.297	0.26	1.2	22.7	56	1.7	18.5	14.8	1.0	2	15	20.2
1273216	Drill Core	7.29	0.098	27.3	13	1.18	462	0.442	8.68	3.259	0.25	1.2	22.6	61	1.4	18.7	16.3	1.0	2	14	21.7
1273217	Drill Core	3.91	0.057	14.1	9	0.36	477	0.488	10.80	4.591	0.70	1.6	21.3	41	1.5	13.1	16.3	1.2	4	<1	46.6
1273218	Drill Core	4.30	0.011	12.9	6	0.47	710	0.430	10.11	2.210	1.27	1.3	19.9	39	1.4	14.2	12.5	0.9	4	<1	52.1
1273219	Drill Core	6.67	0.070	21.8	12	1.00	497	0.448	8.96	3.545	0.46	1.1	20.0	55	1.5	19.5	16.1	1.0	3	12	27.8
1273220	Drill Core	6.62	0.093	29.9	18	1.58	569	0.456	8.88	3.627	0.28	0.6	25.7	66	0.9	17.0	17.2	1.1	2	14	26.8
1273221	Drill Core	5.03	0.045	19.6	10	0.68	443	0.416	10.17	3.389	0.77	0.6	22.5	56	1.2	16.1	13.5	0.9	3	7	75.3
1273222	Drill Core	4.59	0.007	16.9	7	0.28	646	0.375	11.27	2.875	1.75	1.2	31.1	51	1.4	16.1	11.4	0.8	3	<1	58.0
1273223	Drill Core	6.96	0.095	27.8	10	0.95	337	0.463	8.40	3.138	0.65	0.6	27.1	69	1.1	19.3	13.4	0.8	3	13	23.8
1273224	Drill Core	7.94	0.115	30.1	14	1.14	261	0.499	8.53	3.160	0.24	0.5	26.6	71	1.6	22.4	14.3	0.8	2	14	32.3

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Golden Predator Canada Corp.**
11th Floor, 888 Dunsmuir Street
Vancouver BC V6C 3K4 Canada

Project: Antimony
Report Date: December 02, 2011

CERTIFICATE OF ANALYSIS WHI11001938.1

Method		1EX	1EX	1EX
Analyte		S	Rb	Hf
Unit		%	ppm	ppm
MDL		0.1	0.1	0.1
1273195	Drill Core	0.5	37.6	1.2
1273196	Rock Pulp	0.8	39.9	2.1
1273197	Drill Core	1.7	12.3	1.3
1273198	Drill Core	0.7	15.0	1.5
1273199	Drill Core	1.6	1.6	1.4
1273200	Drill Core	2.3	4.4	1.2
1273201	Drill Core	1.9	46.4	1.5
1273202	Drill Core	0.4	56.3	1.2
1273203	Drill Core	1.1	43.9	1.4
1273204	Drill Core	0.4	72.5	1.3
1273205	Drill Core	0.3	36.4	1.8
1273206	Drill Core	0.2	37.4	1.5
1273207	Drill Core	0.3	17.9	0.8
1273208	Drill Core	0.8	38.3	1.1
1273209	Drill Core	<0.1	31.6	1.1
1273210	Drill Core	<0.1	166.5	1.1
1273211	Drill Core	<0.1	108.6	0.3
1273212	Drill Core	<0.1	19.7	0.9
1273213	Drill Core	<0.1	11.7	0.9
1273214	Rock Pulp	<0.1	27.8	1.2
1273215	Drill Core	<0.1	11.5	0.8
1273216	Drill Core	0.2	11.7	0.9
1273217	Drill Core	<0.1	40.5	0.8
1273218	Drill Core	<0.1	84.1	0.7
1273219	Drill Core	<0.1	24.9	0.9
1273220	Drill Core	0.1	14.1	1.0
1273221	Drill Core	<0.1	41.2	0.8
1273222	Drill Core	<0.1	106.8	1.0
1273223	Drill Core	<0.1	45.3	1.0
1273224	Drill Core	0.2	18.3	1.1

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Golden Predator Canada Corp.**
11th Floor, 888 Dunsmuir Street
Vancouver BC V6C 3K4 Canada

Project: Antimony
Report Date: December 02, 2011

CERTIFICATE OF ANALYSIS WHI11001938.1

	Method	WGHT	G6	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX
	Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
	Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	MDL	0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.2	1	0.01	1	0.1	0.1	0.1	1	0.1	0.1	0.1	1
1273225	Drill Core	4.96	0.008	1.3	7.0	28.4	32	<0.1	6.1	7.8	464	1.39	37	5.1	<0.1	17.0	1026	<0.1	2.4	0.3	110
1273226	Rock Pulp	0.17	0.720	6.9	47.5	7.3	62	0.6	35.8	16.0	660	3.63	8	1.0	1.7	2.5	229	0.3	1.8	0.2	94
1273227	Drill Core	5.10	0.010	20.4	15.3	26.3	51	0.2	15.9	15.9	1197	1.84	299	8.5	<0.1	16.6	434	0.4	8.8	0.2	84
1273228	Drill Core	5.29	0.064	2.2	2.8	5.2	28	0.2	31.2	93.4	1984	1.93	717	8.0	<0.1	15.2	340	<0.1	12.0	0.9	68
1273229	Drill Core	3.60	<0.005	0.6	27.8	24.7	32	0.1	8.5	11.5	506	2.24	21	6.5	<0.1	20.4	1128	0.1	3.4	0.2	141
1273230	Drill Core	3.42	<0.005	0.7	50.9	26.8	37	0.1	10.5	12.4	551	2.36	13	6.4	<0.1	21.4	1276	0.2	4.0	0.1	138
1273231	Drill Core	7.24	<0.005	1.4	14.2	28.8	31	0.1	6.6	11.8	511	1.85	59	7.2	<0.1	21.8	1253	0.1	3.3	0.2	124
1273232	Drill Core	4.75	0.016	2.1	29.9	37.8	47	0.1	6.2	12.6	669	2.73	42	8.1	<0.1	22.5	1277	0.2	4.6	0.2	142
1273233	Drill Core	1.97	<0.005	0.8	17.2	28.0	37	0.1	5.4	9.5	604	2.12	23	7.6	<0.1	20.2	1353	0.3	4.0	0.1	138
1273234	Drill Core	1.89	<0.005	0.6	14.9	28.6	39	<0.1	5.3	9.7	589	2.08	26	7.6	<0.1	19.4	1465	0.2	3.5	<0.1	138
1273235	Drill Core	2.45	<0.005	1.7	43.9	26.8	36	0.1	9.4	8.0	609	1.97	18	6.9	<0.1	19.6	1393	0.2	14.3	0.1	138
1273236	Drill Core	5.26	<0.005	1.4	65.6	8.7	24	<0.1	35.8	20.0	214	3.12	97	3.1	<0.1	18.1	251	0.4	4.1	0.3	89
1273237	Drill Core	3.23	0.010	1.1	99.5	8.9	60	<0.1	36.6	14.9	387	3.77	121	3.8	<0.1	15.4	219	0.6	5.2	0.3	75
1273238	Drill Core	6.70	0.006	1.2	39.4	15.7	35	<0.1	25.2	11.5	912	4.07	33	2.5	<0.1	12.6	256	0.1	2.1	0.4	63
1273239	Drill Core	4.84	0.051	0.9	42.3	13.9	26	<0.1	34.4	14.2	252	2.77	51	2.7	<0.1	14.6	259	0.3	2.4	0.4	68
1273240	Drill Core	5.73	<0.005	0.6	31.4	15.8	34	<0.1	29.7	11.6	296	2.31	50	2.4	<0.1	14.1	292	0.3	2.6	0.3	50
1273241	Drill Core	7.56	0.006	0.9	39.3	10.6	32	0.1	31.7	15.1	332	3.30	71	3.4	<0.1	14.7	157	0.3	4.6	0.3	58
1273242	Drill Core	5.81	0.007	1.3	70.1	12.8	23	<0.1	27.0	14.0	306	3.52	49	2.4	<0.1	11.9	216	<0.1	5.4	0.5	66
1273243	Drill Core	5.39	<0.005	1.1	45.7	10.3	22	<0.1	29.5	14.4	370	3.34	44	2.2	<0.1	14.8	245	<0.1	3.2	0.2	58
1273244	Drill Core	6.60	<0.005	0.3	36.2	9.8	18	<0.1	23.0	11.5	344	2.84	42	1.8	<0.1	14.4	267	<0.1	2.0	0.2	51
1273245	Rock Pulp	0.17	<0.005	3.3	24.3	4.3	43	1.8	22.8	10.5	476	2.48	4	0.8	<0.1	1.9	246	0.7	0.9	<0.1	78
1273246	Drill Core	4.48	<0.005	0.4	46.4	5.7	15	<0.1	34.6	20.5	238	3.22	187	2.2	<0.1	14.4	217	<0.1	4.4	0.2	69
1273247	Drill Core	6.27	<0.005	0.6	35.7	7.1	16	<0.1	28.7	14.0	234	3.21	31	1.7	<0.1	14.2	213	<0.1	2.7	<0.1	65
1273248	Drill Core	6.81	<0.005	0.7	36.7	9.2	19	<0.1	30.7	13.9	308	3.52	25	1.7	<0.1	16.0	243	<0.1	3.1	<0.1	64
1273249	Drill Core	5.72	<0.005	0.2	35.7	9.1	18	<0.1	31.2	13.8	282	3.44	20	1.5	<0.1	14.0	196	0.1	2.6	<0.1	65
1273250	Drill Core	5.96	<0.005	0.2	16.2	10.0	20	<0.1	30.4	13.7	297	3.36	7	1.4	<0.1	14.4	235	<0.1	3.8	<0.1	72
1273251	Drill Core	7.09	<0.005	0.4	32.6	5.2	18	<0.1	38.4	19.1	318	3.92	16	2.6	<0.1	12.9	169	<0.1	3.6	<0.1	80
1273252	Drill Core	6.11	<0.005	0.9	46.4	9.8	37	<0.1	40.4	21.3	401	3.92	61	3.6	<0.1	15.1	257	0.1	3.6	0.1	78
1273253	Drill Core	4.74	<0.005	0.4	23.1	8.2	22	<0.1	20.9	9.6	302	3.12	44	2.8	<0.1	18.8	172	<0.1	2.9	<0.1	50
1273254	Drill Core	4.20	<0.005	0.5	19.0	6.4	17	<0.1	15.5	8.2	229	2.23	28	2.4	<0.1	16.8	100	<0.1	2.1	<0.1	36

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Golden Predator Canada Corp.**
11th Floor, 888 Dunsmuir Street
Vancouver BC V6C 3K4 Canada

Project: Antimony
Report Date: December 02, 2011

CERTIFICATE OF ANALYSIS WHI11001938.1

	Method	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX
	Analyte	Ca	P	La	Cr	Mg	Ba	Ti	Al	Na	K	W	Zr	Ce	Sn	Y	Nb	Ta	Be	Sc	Li
	Unit	%	%	ppm	ppm	%	ppm	%	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	MDL	0.01	0.001	0.1	1	0.01	1	0.001	0.01	0.001	0.01	0.1	0.1	1	0.1	0.1	0.1	0.1	1	1	0.1
1273225	Drill Core	7.45	0.126	27.3	11	1.22	318	0.520	8.88	3.142	0.28	0.8	23.0	69	2.2	20.7	13.9	0.7	3	14	35.3
1273226	Rock Pulp	1.74	0.062	10.5	46	1.02	621	0.316	5.90	2.038	1.00	39.7	43.5	22	1.6	14.0	4.2	0.3	1	12	16.1
1273227	Drill Core	9.38	0.098	23.3	10	0.79	1700	0.404	8.03	0.820	1.99	9.5	25.5	56	6.8	20.4	10.7	0.5	5	9	22.8
1273228	Drill Core	11.81	0.162	25.1	16	0.64	2122	0.373	7.26	0.230	2.46	15.6	28.9	62	9.9	31.6	10.5	0.5	5	7	31.3
1273229	Drill Core	6.96	0.132	35.1	15	2.14	720	0.599	9.11	3.041	0.46	1.3	37.2	80	1.2	20.6	15.7	0.8	2	16	24.0
1273230	Drill Core	7.44	0.133	34.9	15	2.40	697	0.550	8.77	3.199	0.37	0.5	31.1	82	0.9	24.1	14.9	0.8	3	18	22.3
1273231	Drill Core	6.47	0.131	33.5	12	2.53	837	0.504	8.43	2.748	0.40	0.6	30.5	79	1.5	21.6	14.3	0.8	2	16	26.6
1273232	Drill Core	6.84	0.144	40.6	16	2.48	1169	0.585	8.83	3.013	0.88	0.6	35.3	88	2.5	22.5	14.9	0.8	2	19	33.8
1273233	Drill Core	7.09	0.151	39.2	17	2.94	717	0.570	8.65	2.518	0.34	0.5	34.4	90	1.4	23.7	15.2	0.8	2	18	32.9
1273234	Drill Core	6.98	0.159	39.4	17	2.98	809	0.568	8.83	2.575	0.34	0.4	30.5	92	1.3	24.8	15.3	0.8	2	18	33.5
1273235	Drill Core	7.22	0.148	39.3	16	2.70	640	0.557	8.35	2.735	0.24	0.2	30.2	92	0.9	22.7	14.4	0.8	2	17	29.5
1273236	Drill Core	1.09	0.066	41.2	59	1.18	1346	0.367	8.24	0.995	3.32	1.1	46.3	82	1.5	12.8	7.8	0.6	3	14	109.7
1273237	Drill Core	2.35	0.182	41.7	58	1.35	1020	0.392	6.48	0.367	2.49	0.7	41.2	83	3.3	22.4	10.7	0.7	2	11	77.8
1273238	Drill Core	3.69	0.096	34.7	43	0.79	151	0.270	5.00	0.570	1.79	0.6	43.5	68	4.5	23.7	8.4	0.6	1	8	37.0
1273239	Drill Core	1.26	0.027	35.8	55	0.83	169	0.261	5.71	0.746	2.44	0.9	49.1	70	1.4	17.1	7.3	0.5	2	8	60.7
1273240	Drill Core	1.26	0.025	33.3	41	0.74	889	0.284	5.12	0.483	2.27	1.1	37.4	65	1.1	16.5	8.9	0.6	2	6	60.2
1273241	Drill Core	1.19	0.026	38.6	46	0.80	846	0.280	5.94	0.402	2.13	1.1	36.7	75	2.2	16.5	9.1	0.6	2	7	63.1
1273242	Drill Core	1.91	0.074	38.6	44	0.73	263	0.253	5.35	0.537	2.47	0.6	41.3	73	2.1	19.7	6.6	0.5	2	8	57.3
1273243	Drill Core	2.35	0.059	39.3	46	1.20	320	0.387	5.83	0.711	2.68	0.7	47.9	80	2.3	23.0	11.8	0.8	2	9	60.3
1273244	Drill Core	2.28	0.039	37.2	36	0.94	655	0.328	5.22	0.607	1.87	0.6	38.8	74	2.4	21.4	9.1	0.6	2	8	45.5
1273245	Rock Pulp	1.84	0.051	8.7	42	0.79	486	0.284	5.09	2.303	0.85	20.5	38.2	17	0.9	13.7	3.9	0.2	<1	9	13.8
1273246	Drill Core	0.95	0.035	36.0	53	1.16	994	0.352	6.37	0.703	2.40	1.5	36.9	71	1.1	11.3	11.8	0.8	2	10	84.6
1273247	Drill Core	1.08	0.042	35.6	50	1.22	809	0.360	5.91	0.771	2.28	1.2	34.7	71	1.1	12.7	10.8	0.7	2	9	78.4
1273248	Drill Core	1.11	0.036	39.8	57	1.10	1078	0.407	6.47	0.531	2.54	1.5	32.5	78	1.4	13.0	13.3	0.9	3	10	69.3
1273249	Drill Core	1.00	0.034	34.9	52	1.10	887	0.364	6.41	0.619	2.37	1.6	27.5	71	1.4	11.6	11.5	0.7	3	10	71.0
1273250	Drill Core	0.56	0.038	34.6	54	1.09	1072	0.428	6.81	0.887	2.67	2.0	25.0	72	2.0	10.3	14.2	0.9	3	10	76.2
1273251	Drill Core	0.53	0.039	29.0	65	1.05	1251	0.426	7.10	0.601	2.84	1.8	37.5	65	1.9	8.4	14.5	0.9	3	10	82.9
1273252	Drill Core	0.80	0.051	38.3	58	1.01	1028	0.417	7.54	0.766	2.78	2.3	45.4	81	1.6	12.5	14.6	0.9	3	11	76.3
1273253	Drill Core	0.63	0.032	42.3	40	0.55	989	0.323	6.79	0.268	2.22	1.6	34.3	82	1.4	9.7	11.7	0.8	2	8	53.5
1273254	Drill Core	0.37	0.050	32.5	35	0.37	610	0.258	4.93	0.535	1.90	1.2	30.1	63	1.1	9.7	9.9	0.7	2	5	44.8

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Golden Predator Canada Corp.**
11th Floor, 888 Dunsmuir Street
Vancouver BC V6C 3K4 Canada

Project: Antimony
Report Date: December 02, 2011

CERTIFICATE OF ANALYSIS WHI11001938.1

Method		1EX	1EX	1EX
Analyte		S	Rb	Hf
Unit		%	ppm	ppm
MDL		0.1	0.1	0.1
1273225	Drill Core	<0.1	16.8	0.9
1273226	Rock Pulp	<0.1	35.8	1.3
1273227	Drill Core	<0.1	162.4	0.9
1273228	Drill Core	<0.1	194.9	1.0
1273229	Drill Core	0.3	29.7	1.3
1273230	Drill Core	0.4	21.8	1.2
1273231	Drill Core	0.2	24.2	1.1
1273232	Drill Core	0.2	46.7	1.4
1273233	Drill Core	0.2	17.6	1.1
1273234	Drill Core	0.1	16.9	1.2
1273235	Drill Core	0.2	12.7	1.1
1273236	Drill Core	0.5	216.3	1.4
1273237	Drill Core	0.4	149.8	1.2
1273238	Drill Core	0.6	79.1	1.4
1273239	Drill Core	0.7	136.4	1.4
1273240	Drill Core	0.2	107.2	1.1
1273241	Drill Core	0.3	112.5	1.1
1273242	Drill Core	0.8	101.5	1.2
1273243	Drill Core	0.6	108.0	1.4
1273244	Drill Core	0.5	84.4	1.1
1273245	Rock Pulp	<0.1	20.7	1.1
1273246	Drill Core	0.3	168.3	1.1
1273247	Drill Core	0.4	138.4	1.0
1273248	Drill Core	0.4	136.3	0.9
1273249	Drill Core	0.4	130.0	0.8
1273250	Drill Core	0.1	141.2	0.7
1273251	Drill Core	0.3	138.6	1.1
1273252	Drill Core	0.5	126.5	1.3
1273253	Drill Core	0.1	125.5	1.0
1273254	Drill Core	<0.1	99.3	0.8

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Golden Predator Canada Corp.**
11th Floor, 888 Dunsmuir Street
Vancouver BC V6C 3K4 Canada

Project: Antimony
Report Date: December 02, 2011

QUALITY CONTROL REPORT WHI11001938.1

	Method	WGHT	G6	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX
	Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
	Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	MDL	0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.2	1	0.01	1	0.1	0.1	0.1	1	0.1	0.1	0.1	1
Pulp Duplicates																					
1273156	Drill Core	4.09	0.005	5.9	2.4	14.9	37	0.1	5.9	6.1	767	1.91	19	11.6	<0.1	18.7	638	0.1	7.2	<0.1	113
REP 1273156	QC		<0.005																		
1273160	Drill Core	5.04	<0.005	1.2	1.3	17.7	28	0.1	3.4	3.7	708	1.48	6	10.2	<0.1	21.5	852	0.2	6.4	<0.1	135
REP 1273160	QC			1.0	1.3	17.4	27	<0.1	3.9	4.5	678	1.47	9	9.3	<0.1	20.9	850	0.2	6.4	<0.1	133
1273183	Drill Core	5.13	<0.005	1.7	4.2	10.8	51	<0.1	7.9	8.0	1668	3.99	6	7.9	<0.1	28.7	288	<0.1	10.9	<0.1	110
REP 1273183	QC			2.9	4.3	11.0	49	<0.1	7.5	6.8	1654	3.95	8	8.0	<0.1	30.1	286	<0.1	10.7	<0.1	110
1273185	Drill Core	4.43	0.010	9.3	8.1	29.4	41	0.1	8.0	4.7	554	1.92	30	8.4	<0.1	25.8	968	0.1	7.1	0.2	121
REP 1273185	QC		0.010																		
1273201	Drill Core	4.73	<0.005	3.0	47.6	45.5	1171	0.9	53.7	10.1	989	3.19	17	4.1	<0.1	8.8	123	7.6	16.3	0.7	162
REP 1273201	QC		<0.005																		
1273221	Drill Core	5.92	0.010	1.2	3.8	31.6	28	0.1	8.6	8.9	372	0.79	61	3.7	<0.1	8.3	914	0.2	3.6	0.1	60
REP 1273221	QC		0.008																		
1273224	Drill Core	6.72	0.033	2.7	31.2	26.7	31	0.1	26.5	33.2	556	1.77	278	4.8	<0.1	14.7	1049	0.1	8.0	1.6	112
REP 1273224	QC			2.6	28.8	26.0	32	0.1	24.7	33.1	537	1.67	284	4.6	<0.1	13.8	1001	0.2	8.0	2.2	109
1273246	Drill Core	4.48	<0.005	0.4	46.4	5.7	15	<0.1	34.6	20.5	238	3.22	187	2.2	<0.1	14.4	217	<0.1	4.4	0.2	69
REP 1273246	QC			0.4	45.8	5.8	14	<0.1	32.6	19.9	232	3.12	187	2.1	<0.1	13.2	210	<0.1	4.4	0.2	67
Core Reject Duplicates																					
1273158	Drill Core	4.27	<0.005	0.4	1.7	21.1	33	0.1	3.9	4.4	609	1.71	3	7.1	<0.1	25.9	942	0.1	4.2	<0.1	142
DUP 1273158	QC		<0.005	0.3	1.5	21.6	33	0.2	3.6	4.6	624	1.77	3	7.2	<0.1	27.3	941	0.2	4.2	<0.1	147
1273193	Drill Core	4.96	<0.005	1.5	2.5	6.8	56	<0.1	10.8	6.4	1360	1.76	11	9.6	<0.1	22.4	162	<0.1	14.1	<0.1	102
DUP 1273193	QC		<0.005	1.3	2.3	8.6	56	<0.1	9.6	6.6	1370	1.72	7	9.3	<0.1	22.2	166	<0.1	13.4	<0.1	105
1273228	Drill Core	5.29	0.064	2.2	2.8	5.2	28	0.2	31.2	93.4	1984	1.93	717	8.0	<0.1	15.2	340	<0.1	12.0	0.9	68
DUP 1273228	QC		0.076	2.3	3.1	5.8	26	0.1	35.1	104.5	1926	2.01	1006	7.2	<0.1	14.6	336	<0.1	13.6	1.1	69
Reference Materials																					
STD OREAS24P	Standard			1.4	47.5	3.3	111	<0.1	137.5	42.8	1085	7.17	3	0.7	<0.1	3.0	359	0.2	<0.1	<0.1	152
STD OREAS24P	Standard			1.3	45.3	3.0	106	<0.1	126.0	40.6	978	7.01	1	0.7	<0.1	2.8	329	0.1	0.3	0.1	146
STD OREAS24P	Standard			1.6	49.0	3.3	115	<0.1	145.5	47.6	1084	7.55	1	0.7	<0.1	3.0	403	<0.1	0.1	<0.1	157
STD OREAS24P	Standard			1.4	53.0	3.1	126	<0.1	144.8	46.4	1136	7.61	<1	0.7	<0.1	3.1	390	0.2	0.1	<0.1	166

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Golden Predator Canada Corp.**
11th Floor, 888 Dunsmuir Street
Vancouver BC V6C 3K4 Canada

Project: Antimony
Report Date: December 02, 2011

QUALITY CONTROL REPORT WHI11001938.1

	Method	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX
	Analyte	Ca	P	La	Cr	Mg	Ba	Ti	Al	Na	K	W	Zr	Ce	Sn	Y	Nb	Ta	Be	Sc	Li
	Unit	%	%	ppm	ppm	%	ppm	%	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	MDL	0.01	0.001	0.1	1	0.01	1	0.001	0.01	0.001	0.01	0.1	0.1	1	0.1	0.1	0.1	0.1	1	1	0.1
Pulp Duplicates																					
1273156	Drill Core	6.22	0.103	26.9	18	1.36	543	0.361	7.58	2.753	0.74	15.6	46.5	63	3.8	18.2	9.3	0.7	5	12	25.0
REP 1273156	QC																				
1273160	Drill Core	7.99	0.091	28.8	20	1.61	525	0.483	8.00	2.513	0.68	2.8	50.4	68	3.1	20.7	12.5	0.7	4	19	17.1
REP 1273160	QC	7.91	0.089	28.5	21	1.61	525	0.477	8.11	2.575	0.65	2.9	48.9	66	3.2	20.2	12.2	0.7	4	19	16.8
1273183	Drill Core	7.47	0.110	92.2	16	1.59	796	0.327	7.56	0.274	0.92	3.7	25.8	165	6.3	29.0	10.0	0.6	3	13	47.0
REP 1273183	QC	7.41	0.110	97.4	16	1.57	804	0.328	7.36	0.273	0.79	3.4	26.2	168	6.5	28.9	9.9	0.6	3	13	45.4
1273185	Drill Core	6.49	0.117	28.3	16	1.73	727	0.488	8.70	3.797	0.75	0.7	30.5	67	3.2	25.2	14.0	0.9	3	15	31.5
REP 1273185	QC																				
1273201	Drill Core	2.08	0.314	25.6	191	0.24	81	0.473	5.11	0.082	1.53	11.4	47.4	44	2.3	34.5	10.5	0.7	2	10	26.4
REP 1273201	QC																				
1273221	Drill Core	5.03	0.045	19.6	10	0.68	443	0.416	10.17	3.389	0.77	0.6	22.5	56	1.2	16.1	13.5	0.9	3	7	75.3
REP 1273221	QC																				
1273224	Drill Core	7.94	0.115	30.1	14	1.14	261	0.499	8.53	3.160	0.24	0.5	26.6	71	1.6	22.4	14.3	0.8	2	14	32.3
REP 1273224	QC	7.81	0.114	28.9	13	1.12	255	0.496	8.27	2.843	0.25	0.6	23.3	67	1.5	21.0	13.4	0.8	3	13	33.6
1273246	Drill Core	0.95	0.035	36.0	53	1.16	994	0.352	6.37	0.703	2.40	1.5	36.9	71	1.1	11.3	11.8	0.8	2	10	84.6
REP 1273246	QC	0.95	0.033	32.5	55	1.14	972	0.347	6.35	0.697	2.56	1.5	36.2	65	1.3	10.7	11.7	0.7	2	10	83.3
Core Reject Duplicates																					
1273158	Drill Core	7.21	0.133	28.2	26	2.15	684	0.472	7.68	3.007	0.55	1.0	55.5	70	2.2	21.4	13.0	0.8	3	18	22.7
DUP 1273158	QC	7.45	0.138	29.1	25	2.29	709	0.495	7.96	3.127	0.57	1.2	51.3	73	2.1	22.5	13.4	0.8	3	19	23.3
1273193	Drill Core	9.38	0.067	36.0	11	0.65	745	0.269	6.39	0.024	0.84	7.7	21.1	74	6.4	21.0	8.0	0.5	3	9	25.2
DUP 1273193	QC	9.32	0.072	33.3	11	0.65	752	0.271	6.58	0.024	1.05	7.3	22.0	70	6.8	20.8	8.0	0.5	3	10	24.6
1273228	Drill Core	11.81	0.162	25.1	16	0.64	2122	0.373	7.26	0.230	2.46	15.6	28.9	62	9.9	31.6	10.5	0.5	5	7	31.3
DUP 1273228	QC	11.67	0.178	26.0	17	0.66	2065	0.362	7.04	0.230	2.29	15.6	27.9	67	10.0	32.6	9.5	0.5	5	7	31.4
Reference Materials																					
STD OREAS24P	Standard	5.56	0.128	18.5	192	3.92	273	1.040	7.31	2.189	0.63	0.5	131.4	37	1.7	20.5	18.7	1.1	1	20	7.7
STD OREAS24P	Standard	5.33	0.127	17.9	177	3.83	259	1.009	6.98	2.058	0.60	0.5	123.4	35	1.5	18.4	17.0	1.0	1	19	8.2
STD OREAS24P	Standard	6.12	0.135	20.1	186	4.34	297	1.095	8.06	2.578	0.69	0.5	139.6	39	1.8	24.3	20.9	1.2	1	20	8.2
STD OREAS24P	Standard	6.04	0.140	20.5	198	4.17	291	1.125	7.80	2.513	0.61	0.5	136.9	40	1.7	26.1	20.6	1.1	1	20	8.7

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Golden Predator Canada Corp.**
11th Floor, 888 Dunsmuir Street
Vancouver BC V6C 3K4 Canada

Project: Antimony
Report Date: December 02, 2011

QUALITY CONTROL REPORT WHI11001938.1

		Method	1EX	1EX	1EX
		Analyte	S	Rb	Hf
		Unit	%	ppm	ppm
		MDL	0.1	0.1	0.1
Pulp Duplicates					
1273156	Drill Core		<0.1	48.1	1.4
REP 1273156	QC				
1273160	Drill Core		<0.1	43.6	1.5
REP 1273160	QC		<0.1	42.6	1.5
1273183	Drill Core		<0.1	56.5	1.0
REP 1273183	QC		<0.1	52.2	0.9
1273185	Drill Core		<0.1	36.1	1.1
REP 1273185	QC				
1273201	Drill Core		1.9	46.4	1.5
REP 1273201	QC				
1273221	Drill Core		<0.1	41.2	0.8
REP 1273221	QC				
1273224	Drill Core		0.2	18.3	1.1
REP 1273224	QC		0.2	17.6	1.0
1273246	Drill Core		0.3	168.3	1.1
REP 1273246	QC		0.3	152.9	1.0
Core Reject Duplicates					
1273158	Drill Core		<0.1	34.5	1.8
DUP 1273158	QC		<0.1	35.6	1.7
1273193	Drill Core		<0.1	58.0	0.8
DUP 1273193	QC		<0.1	72.6	0.9
1273228	Drill Core		<0.1	194.9	1.0
DUP 1273228	QC		<0.1	190.6	1.0
Reference Materials					
STD OREAS24P	Standard		<0.1	24.0	3.4
STD OREAS24P	Standard		<0.1	23.5	3.1
STD OREAS24P	Standard		<0.1	21.2	3.7
STD OREAS24P	Standard		<0.1	20.0	3.6

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Golden Predator Canada Corp.**
11th Floor, 888 Dunsmuir Street
Vancouver BC V6C 3K4 Canada

Project: Antimony
Report Date: December 02, 2011

QUALITY CONTROL REPORT WHI11001938.1

		WGHT	G6	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.2	1	0.01	1	0.1	0.1	0.1	1	0.1	0.1	0.1	1
STD OREAS45C	Standard			2.0	630.4	25.4	78	0.3	328.1	97.3	1143	17.07	11	2.2	<0.1	10.4	36	0.3	0.8	0.2	265
STD OREAS45C	Standard			2.3	611.0	26.6	76	0.4	332.0	101.7	1167	17.84	12	2.5	<0.1	11.5	30	0.2	1.0	0.3	261
STD OREAS45C	Standard			2.4	619.7	26.8	79	0.4	344.9	100.2	1119	17.68	11	2.6	<0.1	11.7	39	0.2	0.9	0.2	265
STD OREAS45C	Standard			2.2	623.2	26.8	93	0.3	341.2	100.6	1172	17.29	11	2.5	<0.1	10.6	39	0.2	1.0	0.2	274
STD OXH82	Standard		1.247																		
STD OXH82	Standard		1.165																		
STD OXH82	Standard		1.263																		
STD OXH82	Standard		1.211																		
STD OXH82	Standard		1.218																		
STD OXH82	Standard		1.221																		
STD OXH82	Standard		1.342																		
STD OXK79	Standard		3.424																		
STD OXK79	Standard		3.529																		
STD OXK79	Standard		3.591																		
STD OXK79	Standard		3.258																		
STD OXK79	Standard		3.211																		
STD OXK79 Expected			3.532																		
STD OXH82 Expected			1.278																		
STD OREAS24P Expected				1.5	52	2.9	119	0.06	141	44	1100	7.53	1.2	0.75		2.85	403	0.15	0.09		158
STD OREAS45C Expected				2.26	620	24	83	0.28	333	104	1160	18.33	10.1	2.4	0.045	10.2	36.4	0.15	0.79	0.21	270
BLK	Blank		0.006																		
BLK	Blank		<0.005																		
BLK	Blank		<0.005																		
BLK	Blank		<0.005																		
BLK	Blank		<0.005																		
BLK	Blank		<0.005																		
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.2	<1	<0.01	<1	<0.1	<0.1	<0.1	2	<0.1	<0.1	<0.1	<1
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.2	<1	<0.01	<1	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.2	<1	<0.01	<1	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Golden Predator Canada Corp.**
11th Floor, 888 Dunsmuir Street
Vancouver BC V6C 3K4 Canada

Project: Antimony
Report Date: December 02, 2011

QUALITY CONTROL REPORT WHI11001938.1

		1EX Ca % 0.01	1EX P % 0.001	1EX La ppm 0.1	1EX Cr ppm 1	1EX Mg % 0.01	1EX Ba ppm 1	1EX Ti % 0.001	1EX Al % 0.01	1EX Na % 0.001	1EX K % 0.01	1EX W ppm 0.1	1EX Zr ppm 0.1	1EX Ce ppm 1	1EX Sn ppm 0.1	1EX Y ppm 0.1	1EX Nb ppm 0.1	1EX Ta ppm 0.1	1EX Be ppm 1	1EX Sc ppm 1	1EX Li ppm 0.1
STD OREAS45C	Standard	0.45	0.048	25.4	930	0.25	279	1.056	7.22	0.105	0.33	1.0	152.4	50	2.6	10.8	17.8	1.3	<1	59	15.9
STD OREAS45C	Standard	0.50	0.051	26.3	946	0.27	295	1.169	7.15	0.111	0.36	1.2	181.8	52	3.4	13.5	23.8	1.5	<1	60	16.3
STD OREAS45C	Standard	0.48	0.052	28.5	992	0.24	291	1.158	7.21	0.102	0.35	1.2	172.4	53	3.2	13.7	23.6	1.5	<1	59	16.4
STD OREAS45C	Standard	0.47	0.053	25.9	859	0.28	281	1.249	6.96	0.106	0.34	1.0	168.7	49	2.9	13.6	23.2	1.4	<1	57	17.2
STD OXH82	Standard																				
STD OXH82	Standard																				
STD OXH82	Standard																				
STD OXH82	Standard																				
STD OXH82	Standard																				
STD OXH82	Standard																				
STD OXH82	Standard																				
STD OXK79	Standard																				
STD OXK79	Standard																				
STD OXK79	Standard																				
STD OXK79	Standard																				
STD OXK79	Standard																				
STD OXK79 Expected																					
STD OXH82 Expected																					
STD OREAS24P Expected		5.83	0.136	17.4	196	4.13	285	1.1	7.66	2.34	0.7	0.5	141	37.6	1.6	21.3	21	1.04		20	8.7
STD OREAS45C Expected		0.482	0.051	26.2	962	0.25	270	1.1313	7.59	0.097	0.36	1.06	169.7	54	2.9	12.9	23.05	1.43		59.03	15.69
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank	<0.01	<0.001	<0.1	<1	<0.01	<1	<0.001	<0.01	<0.001	<0.01	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<0.1	<1	<1	<0.1
BLK	Blank	<0.01	<0.001	<0.1	<1	<0.01	<1	<0.001	<0.01	<0.001	<0.01	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<0.1	<1	<1	<0.1
BLK	Blank	<0.01	<0.001	<0.1	<1	<0.01	<1	<0.001	<0.01	<0.001	<0.01	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<0.1	<1	<1	<0.1

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Golden Predator Canada Corp.**
11th Floor, 888 Dunsmuir Street
Vancouver BC V6C 3K4 Canada

Project: Antimony
Report Date: December 02, 2011

QUALITY CONTROL REPORT WHI11001938.1

		1EX S % 0.1	1EX Rb ppm 0.1	1EX Hf ppm 0.1
STD OREAS45C	Standard	<0.1	25.4	3.9
STD OREAS45C	Standard	<0.1	27.0	4.8
STD OREAS45C	Standard	<0.1	24.0	4.5
STD OREAS45C	Standard	<0.1	21.4	4.5
STD OXH82	Standard			
STD OXH82	Standard			
STD OXH82	Standard			
STD OXH82	Standard			
STD OXH82	Standard			
STD OXH82	Standard			
STD OXH82	Standard			
STD OXK79	Standard			
STD OXK79	Standard			
STD OXK79	Standard			
STD OXK79	Standard			
STD OXK79	Standard			
STD OXK79 Expected				
STD OXH82 Expected				
STD OREAS24P Expected			22.4	3.6
STD OREAS45C Expected		0.021	24	4.27
BLK	Blank			
BLK	Blank			
BLK	Blank			
BLK	Blank			
BLK	Blank			
BLK	Blank			
BLK	Blank	<0.1	<0.1	<0.1
BLK	Blank	<0.1	<0.1	<0.1
BLK	Blank	<0.1	<0.1	<0.1

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Golden Predator Canada Corp.**
11th Floor, 888 Dunsmuir Street
Vancouver BC V6C 3K4 Canada

Project: Antimony
Report Date: December 02, 2011

QUALITY CONTROL REPORT WHI11001938.1

		WGHT	G6	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.2	1	0.01	1	0.1	0.1	0.1	1	0.1	0.1	0.1	1
BLK	Blank		<0.005																		
BLK	Blank		<0.005																		
BLK	Blank		<0.005																		
BLK	Blank		<0.005																		
BLK	Blank		<0.005																		
BLK	Blank		<0.005																		
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.2	<1	<0.01	<1	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1
Prep Wash																					
G1	Prep Blank		0.005	0.3	6.0	22.7	61	<0.1	4.9	5.6	834	2.37	<1	3.4	<0.1	10.5	871	<0.1	2.6	0.3	48
G1	Prep Blank		<0.005	0.3	3.4	22.5	58	<0.1	3.5	5.7	828	2.38	<1	2.8	<0.1	10.5	829	<0.1	0.3	0.2	48

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Golden Predator Canada Corp.**
11th Floor, 888 Dunsmuir Street
Vancouver BC V6C 3K4 Canada

Project: Antimony
Report Date: December 02, 2011

QUALITY CONTROL REPORT WHI11001938.1

		1EX Ca % 0.01	1EX P % 0.001	1EX La ppm 0.1	1EX Cr ppm 1	1EX Mg % 0.01	1EX Ba ppm 1	1EX Ti % 0.001	1EX Al % 0.01	1EX Na % 0.001	1EX K % 0.01	1EX W ppm 0.1	1EX Zr ppm 0.1	1EX Ce ppm 1	1EX Sn ppm 0.1	1EX Y ppm 0.1	1EX Nb ppm 0.1	1EX Ta ppm 0.1	1EX Be ppm 1	1EX Sc ppm 1	1EX Li ppm 0.1
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank	<0.01	<0.001	<0.1	<1	<0.01	<1	<0.001	<0.01	<0.001	<0.01	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<0.1	<1	<1	<0.1
Prep Wash																					
G1	Prep Blank	2.60	0.091	38.1	13	0.61	1285	0.303	9.49	2.677	2.86	0.2	14.6	69	1.9	17.0	28.1	1.6	4	6	39.0
G1	Prep Blank	2.52	0.082	32.6	8	0.60	1265	0.297	9.14	2.645	2.77	0.2	12.9	67	1.8	16.3	27.7	1.5	3	6	37.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Golden Predator Canada Corp.**
11th Floor, 888 Dunsmuir Street
Vancouver BC V6C 3K4 Canada

Project: Antimony
Report Date: December 02, 2011

QUALITY CONTROL REPORT WHI11001938.1

		1EX S % 0.1	1EX Rb ppm 0.1	1EX Hf ppm 0.1
BLK	Blank			
BLK	Blank			
BLK	Blank			
BLK	Blank			
BLK	Blank			
BLK	Blank			
BLK	Blank	<0.1	<0.1	<0.1
Prep Wash				
G1	Prep Blank	<0.1	157.3	0.7
G1	Prep Blank	<0.1	136.3	0.7

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada

www.acmelab.com

Client: **Golden Predator Canada Corp.**
11th Floor, 888 Dunsmuir Street
Vancouver BC V6C 3K4 Canada

Submitted By: Jack Cote
Receiving Lab: Canada-Whitehorse
Received: November 17, 2011
Report Date: December 09, 2011
Page: 1 of 7

CERTIFICATE OF ANALYSIS WHI11001939.1

CLIENT JOB INFORMATION

Project: Antimony
Shipment ID: ANM-2011-JC-2062
P.O. Number
Number of Samples: 156

SAMPLE DISPOSAL

RTRN-PLP Return
STOR-RJT Store After 90 days Invoice for Storage

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
R200-250	146	Crush, split and pulverize 250 g rock to 200 mesh			WHI
G601	156	Lead Collection Fire - Assay Fusion - AAS Finish	30	Completed	VAN
1EX	156	4 Acid digestion ICP-MS analysis	0.25	Completed	VAN
G6Gr	1	Lead collection fire assay 30G fusion - Grav finish	30	Completed	VAN

ADDITIONAL COMMENTS

Invoice To: Golden Predator Canada Corp.
11th Floor, 888 Dunsmuir Street
Vancouver BC V6C 3K4
Canada

CC: Andrew Caldwell

BRITISH COLUMBIA CERTIFIED ASSAYER
CLARENCE LEONG
GENERAL MANAGER

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.
All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
"*" asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Golden Predator Canada Corp.**
11th Floor, 888 Dunsmuir Street
Vancouver BC V6C 3K4 Canada

Project: Antimony
Report Date: December 09, 2011

CERTIFICATE OF ANALYSIS WHI11001939.1

Method		WGHT	G6	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX
Analyte		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
Unit		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
MDL		0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.2	1	0.01	1	0.1	0.1	0.1	1	0.1	0.1	0.1	1
K939451	Drill Core	4.13	<0.005	0.9	40.0	16.5	52	0.3	39.3	11.9	844	2.20	138	3.7	<0.1	6.7	328	0.3	11.6	0.3	89
K939452	Drill Core	2.74	<0.005	1.2	24.7	12.0	34	0.1	33.0	9.9	707	2.15	100	2.9	<0.1	6.9	284	0.1	5.0	0.2	92
K939453	Drill Core	4.60	0.006	1.8	69.4	12.8	29	0.1	37.4	14.9	470	3.06	129	3.6	<0.1	7.8	396	0.2	4.1	0.3	119
K939454	Drill Core	5.23	0.009	1.5	71.2	10.5	25	0.1	28.5	9.5	546	2.40	71	3.0	<0.1	6.0	366	<0.1	5.3	0.3	80
K939455	Drill Core	5.17	<0.005	3.0	90.9	9.3	21	0.1	33.9	17.7	761	3.81	43	4.3	<0.1	7.9	315	0.1	5.6	0.5	161
K939456	Drill Core	1.82	0.008	2.3	96.1	10.6	27	4.0	30.2	13.6	1193	5.13	23	4.2	<0.1	8.1	280	<0.1	10.3	0.5	210
K939457	Drill Core	1.55	0.016	2.7	151.4	10.6	25	3.1	35.5	14.5	1223	5.53	21	4.3	<0.1	8.0	230	0.1	14.3	0.7	186
K939458	Drill Core	4.31	<0.005	2.0	88.3	54.3	88	0.7	45.0	15.9	995	4.83	64	3.4	<0.1	8.7	222	0.5	8.8	0.6	148
K939459	Drill Core	4.36	0.007	5.1	171.0	56.9	100	1.0	61.8	18.6	778	5.98	133	5.5	<0.1	9.2	129	0.7	22.5	0.5	144
K939460	Drill Core	2.95	0.018	5.2	122.7	22.6	54	0.7	39.9	57.3	410	5.93	1505	8.6	<0.1	10.4	114	0.3	44.2	0.4	113
K939461	Drill Core	3.09	0.095	5.8	213.7	17.0	50	0.5	55.7	267.4	961	7.92	4411	16.1	0.1	11.9	137	0.1	40.5	1.6	141
K939462	Drill Core	7.77	>10	28.8	1206	72.9	32	12.2	149.3	2785	3527	34.47	>10000	13.5	21.1	2.4	51	0.3	760.7	288.5	24
K939463	Rock Pulp	0.17	6.112	643.4	85.2	94.1	80	1.2	30.7	10.9	638	3.69	55	0.9	6.3	2.4	301	<0.1	24.7	0.3	224
K939464	Drill Core	5.78	1.564	26.9	421.4	41.7	64	1.8	113.8	1499	623	12.48	>10000	31.8	1.5	14.0	300	0.6	203.0	17.6	94
K939465	Drill Core	3.35	0.030	3.9	149.8	17.0	51	0.2	35.4	31.7	1228	7.11	541	11.6	<0.1	10.3	64	0.2	15.2	0.9	204
K939466	Drill Core	5.12	0.015	3.0	81.6	15.4	32	0.2	35.9	23.5	1403	6.51	380	2.9	<0.1	8.0	354	0.2	8.0	0.3	174
K939467	Drill Core	4.81	0.009	3.3	166.4	12.2	30	0.1	29.0	11.0	970	4.86	149	4.1	<0.1	7.9	366	0.2	9.5	0.6	148
K939468	Drill Core	5.08	0.015	5.1	175.5	9.7	27	0.1	30.8	23.9	788	5.10	504	7.0	<0.1	8.6	370	0.1	10.8	0.6	139
K939469	Drill Core	4.56	0.006	5.4	78.7	11.1	34	0.1	31.8	15.2	1222	4.37	179	6.7	<0.1	10.4	432	0.1	7.9	0.4	224
K939470	Drill Core	5.80	0.298	23.5	131.5	18.5	61	0.8	20.2	204.3	2004	7.27	6985	25.7	0.3	8.3	272	0.1	29.5	2.5	136
K939471	Drill Core	4.68	0.007	14.2	128.9	10.6	38	0.2	30.0	9.9	1037	5.59	52	5.3	<0.1	10.2	408	<0.1	7.2	0.4	135
K939472	Drill Core	5.00	0.006	2.5	104.6	10.1	29	0.1	36.2	11.7	837	5.03	31	3.3	<0.1	10.1	433	0.1	6.5	0.5	116
K939473	Drill Core	4.65	0.006	4.3	52.9	8.4	29	<0.1	35.2	15.5	843	4.06	210	6.5	<0.1	11.5	462	0.1	6.3	0.2	191
K939474	Drill Core	5.35	<0.005	1.3	35.6	9.3	39	<0.1	19.6	8.5	901	3.91	107	5.5	<0.1	12.9	511	<0.1	6.0	0.2	152
K939475	Drill Core	2.73	<0.005	5.4	44.9	7.1	33	0.1	28.8	9.5	969	4.19	86	5.7	<0.1	14.1	563	0.2	9.8	0.1	199
K939476	Rock Pulp	0.13	0.027	2.9	22.4	4.6	40	0.5	21.2	10.1	468	2.40	2	0.7	<0.1	1.9	250	0.2	0.7	<0.1	77
K939477	Drill Core	5.74	0.012	18.1	62.8	5.6	30	<0.1	21.8	92.6	798	4.73	2591	7.5	<0.1	10.5	401	0.2	12.1	0.3	161
K939478	Drill Core	5.30	0.008	1.2	70.7	6.1	38	0.2	32.3	13.2	1355	5.58	196	6.1	<0.1	11.4	533	<0.1	5.3	0.2	164
K939479	Drill Core	4.23	0.043	26.2	52.7	8.0	36	0.1	31.8	86.1	761	4.88	3007	18.4	<0.1	11.5	523	<0.1	12.9	0.4	166
K939480	Drill Core	4.37	0.276	31.6	145.4	14.3	31	0.2	46.3	152.1	608	5.27	3683	9.8	0.3	11.3	676	<0.1	18.6	1.8	184

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Golden Predator Canada Corp.**
11th Floor, 888 Dunsmuir Street
Vancouver BC V6C 3K4 Canada

Project: Antimony
Report Date: December 09, 2011

CERTIFICATE OF ANALYSIS WHI11001939.1

Method		1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX
Analyte		Ca	P	La	Cr	Mg	Ba	Ti	Al	Na	K	W	Zr	Ce	Sn	Y	Nb	Ta	Be	Sc	Li
Unit		%	%	ppm	ppm	%	ppm	%	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
MDL		0.01	0.001	0.1	1	0.01	1	0.001	0.01	0.001	0.01	0.1	0.1	1	0.1	0.1	0.1	0.1	1	1	0.1
K939451	Drill Core	2.51	0.100	27.9	44	0.97	936	0.468	3.62	0.950	0.69	7.4	32.8	61	4.0	23.1	21.7	1.3	2	8	38.4
K939452	Drill Core	2.84	0.085	27.7	42	1.14	625	0.477	3.99	0.891	0.71	3.2	25.3	56	3.4	21.9	21.8	1.2	2	9	35.7
K939453	Drill Core	2.36	0.104	32.2	54	1.64	812	0.461	4.83	1.404	1.31	0.7	30.0	62	1.9	25.5	24.2	1.4	2	11	45.6
K939454	Drill Core	3.21	0.101	26.5	37	1.27	558	0.407	3.39	1.031	0.50	0.7	27.5	51	4.5	21.4	18.4	1.0	1	7	43.0
K939455	Drill Core	3.56	0.175	34.9	49	1.50	449	0.633	4.70	1.416	1.37	0.7	42.7	68	4.1	28.9	33.0	1.8	2	11	40.0
K939456	Drill Core	3.32	0.152	34.9	56	1.56	505	0.987	5.25	1.250	0.79	8.9	49.6	70	6.6	28.3	39.6	2.1	1	13	35.4
K939457	Drill Core	2.95	0.143	32.4	52	1.52	273	0.925	5.12	0.947	0.75	6.6	44.9	66	6.8	26.0	38.8	2.1	2	12	33.7
K939458	Drill Core	1.89	0.147	38.7	73	2.20	1292	0.839	5.99	0.569	2.65	4.5	18.7	78	6.8	29.1	43.5	2.3	2	14	69.4
K939459	Drill Core	0.77	0.137	39.3	100	1.42	266	0.818	5.61	0.197	1.77	8.9	29.2	81	9.2	23.7	47.3	2.4	1	13	47.8
K939460	Drill Core	0.41	0.128	435.3	67	0.44	90	0.525	4.66	0.119	0.11	16.9	22.7	719	13.4	30.6	29.0	1.5	2	10	29.8
K939461	Drill Core	0.33	0.138	924.8	61	0.36	130	0.675	5.72	0.088	0.15	28.9	28.0	1287	11.8	42.1	33.8	1.8	2	11	23.2
K939462	Drill Core	0.14	0.028	263.2	4	0.28	15	0.022	0.64	0.035	0.01	3.1	1.8	395	3.9	12.8	1.1	<0.1	<1	2	2.2
K939463	Rock Pulp	1.46	0.058	15.1	47	0.89	162	0.340	5.78	1.960	1.81	12.8	65.4	29	2.0	13.0	5.0	0.3	1	10	30.1
K939464	Drill Core	0.40	0.253	>2000	26	0.24	78	0.318	2.93	0.043	0.41	10.9	23.9	>2000	10.0	45.8	17.2	0.8	2	4	11.5
K939465	Drill Core	0.88	0.175	69.9	66	0.58	382	1.180	6.90	0.031	0.55	17.3	44.7	139	21.7	31.8	42.4	2.3	1	21	16.7
K939466	Drill Core	5.04	0.196	46.8	48	2.31	700	1.022	5.90	2.165	1.03	1.6	39.9	97	15.1	37.6	36.9	2.1	2	18	23.3
K939467	Drill Core	6.35	0.284	112.1	38	2.09	896	0.861	6.24	2.497	1.28	1.0	47.8	174	13.8	33.8	31.8	1.8	3	16	27.6
K939468	Drill Core	5.12	0.143	118.5	42	2.01	880	0.904	6.38	2.264	1.93	1.0	60.3	198	17.8	33.7	33.6	1.9	2	18	30.0
K939469	Drill Core	7.59	0.156	51.9	50	2.20	798	0.935	6.53	2.672	1.28	0.6	105.9	97	15.6	31.5	35.8	2.0	3	17	34.1
K939470	Drill Core	11.96	0.117	181.4	35	2.27	334	0.478	3.98	1.044	0.41	1.1	61.9	275	17.9	24.3	19.5	1.0	3	7	26.6
K939471	Drill Core	6.99	0.242	85.5	46	2.36	941	0.509	5.61	1.830	1.10	0.6	97.2	139	15.4	28.4	31.4	1.6	3	11	32.0
K939472	Drill Core	4.97	0.173	44.0	51	1.99	941	0.634	6.36	1.911	2.26	0.7	44.7	85	5.9	31.2	43.1	2.4	2	14	35.1
K939473	Drill Core	7.49	0.327	60.2	44	2.79	813	0.545	6.26	2.345	1.21	0.5	82.6	109	8.7	32.7	38.6	2.3	3	12	33.7
K939474	Drill Core	7.18	0.147	66.5	48	2.84	319	0.545	5.85	2.834	0.32	0.5	79.1	116	9.9	29.7	34.4	2.1	2	12	25.5
K939475	Drill Core	7.65	0.138	43.7	43	3.06	375	0.594	6.09	2.749	0.34	0.4	118.1	86	8.9	33.9	46.7	2.8	4	13	25.4
K939476	Rock Pulp	1.84	0.053	8.5	35	0.77	484	0.299	4.84	2.139	0.85	20.7	42.8	17	0.8	12.2	3.6	0.2	<1	10	12.5
K939477	Drill Core	6.28	0.281	116.5	43	2.36	209	0.525	5.30	2.362	0.22	0.5	103.5	190	11.6	31.3	35.4	1.9	4	11	31.7
K939478	Drill Core	10.62	0.101	58.8	43	3.04	306	0.577	5.76	2.762	0.32	0.3	92.2	100	14.9	30.1	33.8	1.9	3	11	28.8
K939479	Drill Core	5.69	0.101	202.6	44	2.90	477	0.520	5.95	2.261	0.56	0.5	72.9	318	15.0	31.5	31.8	1.8	5	11	41.9
K939480	Drill Core	4.79	0.393	106.1	47	2.59	530	0.526	5.40	1.641	0.45	0.4	67.8	179	9.6	34.1	33.2	1.9	4	12	37.3

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Golden Predator Canada Corp.**
11th Floor, 888 Dunsmuir Street
Vancouver BC V6C 3K4 Canada

Project: Antimony
Report Date: December 09, 2011

CERTIFICATE OF ANALYSIS WHI11001939.1

Method		1EX	1EX	1EX	G6Gr
Analyte		S	Rb	Hf	Au
Unit		%	ppm	ppm	gm/t
MDL		0.1	0.1	0.1	0.9
K939451	Drill Core	<0.1	46.3	1.1	
K939452	Drill Core	<0.1	44.3	0.8	
K939453	Drill Core	0.5	87.6	0.9	
K939454	Drill Core	0.4	32.9	0.9	
K939455	Drill Core	1.1	71.6	1.3	
K939456	Drill Core	1.1	44.3	1.8	
K939457	Drill Core	1.7	42.8	1.6	
K939458	Drill Core	0.4	126.6	0.5	
K939459	Drill Core	0.9	79.4	0.9	
K939460	Drill Core	2.1	8.0	0.6	
K939461	Drill Core	2.1	10.9	0.7	
K939462	Drill Core	>10	1.7	<0.1	18.0
K939463	Rock Pulp	0.7	44.4	1.9	
K939464	Drill Core	7.7	31.9	0.6	
K939465	Drill Core	0.6	19.9	1.7	
K939466	Drill Core	0.3	40.5	1.4	
K939467	Drill Core	0.9	61.1	1.7	
K939468	Drill Core	1.2	91.1	2.0	
K939469	Drill Core	0.5	68.9	3.1	
K939470	Drill Core	1.2	29.8	1.9	
K939471	Drill Core	0.8	66.9	1.8	
K939472	Drill Core	0.8	117.2	1.6	
K939473	Drill Core	0.3	62.6	3.1	
K939474	Drill Core	0.2	20.5	2.5	
K939475	Drill Core	0.2	20.0	2.8	
K939476	Rock Pulp	<0.1	22.9	1.2	
K939477	Drill Core	0.6	15.2	2.3	
K939478	Drill Core	0.4	18.9	3.1	
K939479	Drill Core	0.6	45.4	2.4	
K939480	Drill Core	1.5	38.6	2.1	

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Golden Predator Canada Corp.**
11th Floor, 888 Dunsmuir Street
Vancouver BC V6C 3K4 Canada

Project: Antimony
Report Date: December 09, 2011

CERTIFICATE OF ANALYSIS WHI11001939.1

Method		WGHT	G6	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX
Analyte		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
Unit		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
MDL		0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.2	1	0.01	1	0.1	0.1	0.1	1	0.1	0.1	0.1	1
K939481	Drill Core	5.03	0.013	6.5	79.5	10.9	27	0.2	39.8	12.4	603	3.38	243	4.7	<0.1	10.8	631	<0.1	8.3	0.2	162
K939482	Drill Core	5.00	0.022	5.4	29.2	7.6	26	<0.1	30.2	11.5	772	3.14	224	5.7	<0.1	12.1	502	0.2	6.2	0.2	187
K939483	Drill Core	4.85	0.005	3.8	54.4	7.8	29	<0.1	35.2	14.2	896	4.23	66	4.8	<0.1	11.7	536	<0.1	5.7	0.2	172
K939484	Drill Core	5.40	0.008	5.5	111.3	7.3	39	0.1	55.3	12.0	1452	5.01	60	7.5	<0.1	12.2	595	0.2	6.6	0.3	220
K939485	Drill Core	2.00	0.012	2.1	87.9	7.3	53	0.1	39.6	6.9	1100	4.59	44	7.4	<0.1	11.9	446	0.3	6.3	0.2	228
K939486	Drill Core	1.98	0.006	2.8	56.7	6.8	32	<0.1	29.3	7.3	1145	4.19	50	7.1	<0.1	10.9	425	0.2	6.0	0.2	218
K939487	Drill Core	1.89	0.018	9.2	479.9	9.1	34	0.4	84.4	20.1	849	6.55	281	8.6	<0.1	11.5	621	0.2	9.2	1.0	240
K939488	Drill Core	4.64	0.059	12.8	579.4	9.0	30	0.3	93.5	27.7	742	8.34	296	11.4	<0.1	11.8	281	0.3	15.7	3.2	216
K939489	Drill Core	4.76	0.008	8.7	160.8	13.4	40	0.1	53.5	14.8	390	2.87	119	7.9	<0.1	12.4	75	0.2	5.7	0.4	224
K939490	Drill Core	4.53	0.046	11.6	104.5	36.6	60	0.2	53.8	45.9	174	1.29	1020	5.0	<0.1	10.2	66	0.4	26.3	0.7	137
K939491	Drill Core	4.36	4.736	55.5	959.4	25.7	42	3.6	482.4	1559	50	21.38	>10000	1.5	5.4	3.4	202	0.4	692.9	35.3	12
K939492	Drill Core	3.08	1.583	49.0	329.1	30.0	29	2.3	195.2	1100	44	10.71	>10000	15.0	1.7	5.6	229	0.3	392.6	17.2	25
K939493	Drill Core	4.60	0.020	20.9	123.0	9.9	40	<0.1	57.0	49.7	222	2.85	1666	11.0	<0.1	12.1	78	0.1	17.8	1.6	235
K939494	Drill Core	4.87	0.008	10.5	123.2	5.9	26	<0.1	38.3	14.5	358	4.10	167	7.3	<0.1	10.2	307	<0.1	5.2	0.5	220
K939495	Drill Core	4.84	0.008	11.7	52.7	4.8	27	<0.1	39.8	12.3	378	3.60	76	9.7	<0.1	10.9	379	<0.1	2.8	0.8	224
K939496	Rock Pulp	0.13	0.792	7.3	48.7	7.3	61	0.3	35.7	15.2	637	3.60	12	1.4	0.7	2.4	242	0.2	1.9	0.1	88
K939497	Drill Core	4.75	0.005	9.9	74.3	3.8	24	<0.1	36.6	14.7	278	3.78	22	8.5	<0.1	9.9	361	0.1	1.8	0.2	173
K939498	Drill Core	4.62	0.007	8.4	32.9	6.3	32	<0.1	38.8	13.4	501	3.95	27	6.6	<0.1	9.5	428	0.1	2.2	0.3	196
K939499	Drill Core	4.91	0.008	2.4	32.2	7.1	27	<0.1	32.2	10.6	431	3.37	33	3.6	<0.1	10.3	459	0.1	3.0	0.2	95
K939500	Drill Core	4.64	<0.005	5.0	7.7	10.5	14	<0.1	13.6	4.9	143	1.10	30	6.1	<0.1	18.2	293	0.1	1.8	<0.1	27
K939501	Drill Core	4.30	0.005	24.1	23.0	9.1	14	<0.1	18.9	10.8	183	1.78	217	19.3	<0.1	16.1	272	<0.1	2.6	0.1	35
K939502	Drill Core	4.80	0.009	5.3	13.4	8.2	19	<0.1	27.1	11.2	250	3.59	87	9.3	<0.1	21.1	160	0.1	8.5	0.2	66
K939503	Drill Core	5.11	<0.005	2.2	33.3	10.1	12	<0.1	24.7	10.7	169	2.53	28	3.9	<0.1	20.2	155	<0.1	3.3	0.1	41
K939504	Drill Core	4.25	<0.005	4.4	9.7	10.7	15	<0.1	9.0	2.9	113	0.73	26	1.9	<0.1	13.5	99	<0.1	2.8	<0.1	12
K939505	Rock Pulp	0.13	0.006	2.9	22.8	4.6	42	0.3	20.1	9.4	439	2.39	8	0.8	<0.1	2.0	237	0.2	0.8	<0.1	72
K939506	Drill Core	4.55	<0.005	22.6	38.0	12.4	20	<0.1	23.5	6.0	158	1.21	87	4.3	<0.1	16.3	169	0.2	5.3	<0.1	23
K939507	Drill Core	4.88	<0.005	0.7	47.0	5.4	10	<0.1	40.3	18.1	245	4.00	23	2.5	<0.1	18.1	319	<0.1	6.5	0.2	83
K939508	Drill Core	4.57	<0.005	1.4	64.4	7.3	15	<0.1	47.9	22.8	241	4.38	24	6.5	<0.1	17.5	260	0.1	6.3	0.2	83
K939509	Drill Core	4.50	<0.005	4.2	28.6	7.9	13	<0.1	27.7	12.5	227	2.34	36	5.4	<0.1	18.5	434	0.2	5.2	<0.1	45
K939510	Drill Core	4.48	<0.005	2.9	8.6	10.4	15	<0.1	12.8	4.8	112	0.84	58	2.3	<0.1	16.5	633	0.2	1.7	<0.1	23

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Golden Predator Canada Corp.**
11th Floor, 888 Dunsmuir Street
Vancouver BC V6C 3K4 Canada

Project: Antimony
Report Date: December 09, 2011

CERTIFICATE OF ANALYSIS WHI11001939.1

Method		1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX
Analyte		Ca	P	La	Cr	Mg	Ba	Ti	Al	Na	K	W	Zr	Ce	Sn	Y	Nb	Ta	Be	Sc	Li
Unit		%	%	ppm	ppm	%	ppm	%	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
MDL		0.01	0.001	0.1	1	0.01	1	0.001	0.01	0.001	0.01	0.1	0.1	1	0.1	0.1	0.1	0.1	1	1	0.1
K939481	Drill Core	4.93	0.162	42.9	44	2.41	1021	0.625	6.20	2.814	1.00	0.6	68.0	89	8.3	31.1	42.4	2.4	3	12	26.6
K939482	Drill Core	6.51	0.146	51.0	44	2.45	822	0.604	6.51	3.318	0.92	0.7	85.3	95	10.5	31.9	45.0	2.6	3	13	24.0
K939483	Drill Core	6.52	0.151	65.6	49	2.21	1301	0.667	6.77	2.609	1.49	0.7	90.4	113	11.9	31.6	42.9	2.3	3	15	32.1
K939484	Drill Core	9.00	0.193	95.5	42	2.49	949	0.592	6.30	2.854	0.81	0.7	105.7	153	16.8	31.2	34.7	2.1	2	13	24.2
K939485	Drill Core	7.68	0.362	107.2	40	2.59	555	0.488	5.75	2.708	0.60	0.6	94.9	174	16.9	32.1	30.7	1.9	2	12	18.7
K939486	Drill Core	7.56	0.208	75.3	39	2.60	416	0.519	5.80	2.935	0.44	0.4	91.3	122	14.3	28.5	30.7	1.9	3	12	18.2
K939487	Drill Core	4.58	0.438	50.5	46	1.73	60	0.540	5.87	2.000	1.03	0.5	84.0	95	11.4	37.7	37.8	2.3	2	12	26.8
K939488	Drill Core	2.42	0.258	43.5	41	1.92	137	0.460	5.85	1.006	1.33	2.5	99.1	81	5.8	29.8	38.3	2.3	2	11	41.5
K939489	Drill Core	0.57	0.180	58.6	46	0.17	127	0.546	6.03	0.031	0.19	5.9	90.4	100	5.7	32.3	40.2	2.5	<1	13	17.6
K939490	Drill Core	0.29	0.128	35.4	37	0.11	213	0.508	4.89	0.025	0.29	19.5	67.5	66	3.7	16.8	25.0	1.5	<1	6	18.6
K939491	Drill Core	0.27	0.040	111.6	5	0.03	75	0.009	0.38	0.026	0.02	13.4	1.4	187	1.8	7.3	0.6	<0.1	<1	<1	8.4
K939492	Drill Core	0.48	0.049	310.2	6	0.11	16	0.040	1.21	0.074	0.08	16.6	9.7	520	5.3	15.5	2.7	0.1	<1	<1	11.2
K939493	Drill Core	0.41	0.153	39.2	50	0.11	129	0.477	5.60	0.016	0.07	8.1	84.8	71	2.5	22.5	23.7	1.5	<1	11	21.6
K939494	Drill Core	1.27	0.140	32.6	37	1.84	382	0.460	5.43	0.494	2.18	1.3	79.5	64	1.4	22.0	24.4	1.5	2	11	77.4
K939495	Drill Core	2.02	0.171	39.3	38	1.74	1319	0.455	5.48	0.544	1.97	0.5	80.1	75	1.8	23.5	26.2	1.5	2	11	73.1
K939496	Rock Pulp	1.75	0.063	9.2	39	1.02	596	0.293	5.64	2.140	1.05	41.4	49.7	20	1.5	13.7	4.1	0.3	<1	12	17.4
K939497	Drill Core	1.85	0.134	29.6	32	1.87	331	0.387	5.05	0.472	1.57	0.3	72.8	56	1.7	20.6	23.0	1.3	1	10	69.9
K939498	Drill Core	3.14	0.150	35.2	39	2.28	1051	0.587	5.47	1.049	1.47	1.0	72.5	69	8.0	24.9	26.8	1.7	2	11	66.5
K939499	Drill Core	2.89	0.093	39.6	36	1.93	666	0.471	5.42	1.226	1.03	1.1	41.7	76	6.8	22.9	22.2	1.3	2	10	51.1
K939500	Drill Core	1.05	0.052	22.8	20	0.45	883	0.215	4.66	1.300	1.68	1.6	22.6	50	1.3	11.6	8.5	0.6	1	5	43.9
K939501	Drill Core	1.00	0.023	21.4	22	0.49	879	0.246	5.26	1.227	1.83	1.9	24.9	47	0.8	9.6	9.4	0.7	1	5	49.6
K939502	Drill Core	1.01	0.055	39.6	55	0.49	973	0.394	9.05	0.422	4.73	8.3	33.2	89	2.0	11.8	15.0	1.1	3	12	46.5
K939503	Drill Core	0.57	0.050	36.5	32	0.45	1825	0.263	6.30	0.467	3.53	2.4	30.8	79	1.0	10.5	9.5	0.8	3	7	40.4
K939504	Drill Core	1.08	0.014	13.1	10	0.26	499	0.096	3.21	0.486	1.04	1.1	16.0	29	0.9	6.7	3.5	0.3	<1	3	26.7
K939505	Rock Pulp	1.78	0.049	8.1	34	0.76	464	0.268	5.18	2.069	0.84	19.2	37.6	18	0.7	11.7	3.3	0.2	<1	10	13.1
K939506	Drill Core	1.36	0.024	15.7	16	0.41	828	0.162	4.61	0.586	1.78	1.3	24.4	36	4.4	10.4	6.3	0.4	<1	4	31.2
K939507	Drill Core	0.52	0.042	39.9	66	1.05	1787	0.434	8.57	0.884	3.90	2.5	31.2	93	1.1	9.2	13.5	1.0	4	14	91.3
K939508	Drill Core	0.39	0.059	32.1	71	0.91	1206	0.369	8.97	0.669	4.72	2.2	41.3	74	1.6	8.8	13.1	1.0	3	10	82.1
K939509	Drill Core	1.21	0.081	34.9	36	0.66	1772	0.265	7.04	0.463	3.50	1.8	32.7	76	1.0	12.3	10.2	0.8	2	7	58.8
K939510	Drill Core	0.75	0.025	26.3	15	0.50	1093	0.134	4.33	0.736	1.69	1.1	25.8	56	0.9	9.3	5.0	0.4	<1	4	45.9

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Golden Predator Canada Corp.**
11th Floor, 888 Dunsmuir Street
Vancouver BC V6C 3K4 Canada

Project: Antimony
Report Date: December 09, 2011

CERTIFICATE OF ANALYSIS WHI11001939.1

Method		1EX	1EX	1EX	G6Gr
Analyte		S	Rb	Hf	Au
Unit		%	ppm	ppm	gm/t
MDL		0.1	0.1	0.1	0.9
K939481	Drill Core	0.4	50.9	2.3	
K939482	Drill Core	0.1	43.2	2.3	
K939483	Drill Core	0.3	80.1	2.3	
K939484	Drill Core	0.6	37.9	3.0	
K939485	Drill Core	0.6	33.1	2.7	
K939486	Drill Core	0.4	20.9	2.8	
K939487	Drill Core	2.9	47.5	2.4	
K939488	Drill Core	4.5	87.8	2.7	
K939489	Drill Core	0.7	13.5	2.4	
K939490	Drill Core	0.2	18.2	1.7	
K939491	Drill Core	>10	1.5	<0.1	
K939492	Drill Core	8.6	5.3	0.3	
K939493	Drill Core	0.5	6.2	2.1	
K939494	Drill Core	0.8	133.1	1.9	
K939495	Drill Core	0.5	123.9	1.9	
K939496	Rock Pulp	<0.1	29.1	1.4	
K939497	Drill Core	1.0	112.2	1.8	
K939498	Drill Core	0.3	103.5	1.9	
K939499	Drill Core	0.3	74.2	1.1	
K939500	Drill Core	<0.1	82.6	0.6	
K939501	Drill Core	0.2	95.2	0.6	
K939502	Drill Core	0.7	200.4	1.0	
K939503	Drill Core	0.3	166.4	0.9	
K939504	Drill Core	0.2	52.7	0.5	
K939505	Rock Pulp	<0.1	20.7	1.0	
K939506	Drill Core	0.2	86.6	0.7	
K939507	Drill Core	0.6	179.2	0.9	
K939508	Drill Core	1.0	172.2	1.3	
K939509	Drill Core	0.5	164.6	1.0	
K939510	Drill Core	<0.1	78.7	0.7	

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Golden Predator Canada Corp.**
11th Floor, 888 Dunsmuir Street
Vancouver BC V6C 3K4 Canada

Project: Antimony
Report Date: December 09, 2011

CERTIFICATE OF ANALYSIS WHI11001939.1

Method		WGHT	G6	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX
Analyte		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
Unit		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
MDL		0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.2	1	0.01	1	0.1	0.1	0.1	1	0.1	0.1	0.1	1
K939511	Drill Core	4.28	0.006	2.5	5.9	15.7	17	<0.1	17.9	5.1	152	0.87	34	3.0	<0.1	19.0	530	0.1	2.5	<0.1	47
K939512	Drill Core	4.18	<0.005	0.7	9.0	13.4	41	<0.1	40.1	12.5	564	4.72	17	1.9	<0.1	15.3	497	0.1	4.4	0.1	92
K939513	Drill Core	2.55	0.007	1.1	36.6	7.3	41	<0.1	39.8	20.8	1091	5.13	12	2.8	<0.1	16.1	484	<0.1	3.0	0.1	80
K939514	Drill Core	8.00	<0.005	1.6	49.8	7.2	27	<0.1	36.9	26.9	1157	3.90	18	2.4	<0.1	16.2	163	<0.1	4.9	0.2	67
K939515	Drill Core	2.67	<0.005	0.6	33.0	5.8	31	<0.1	36.3	16.3	505	5.52	13	1.6	<0.1	13.2	171	<0.1	4.7	<0.1	72
K939516	Drill Core	2.61	<0.005	0.9	54.7	7.2	33	<0.1	37.6	19.3	515	5.78	13	1.9	<0.1	14.1	192	<0.1	7.1	<0.1	74
K939517	Drill Core	4.57	<0.005	0.7	32.0	4.3	29	<0.1	39.5	21.3	477	5.44	10	2.9	<0.1	13.1	128	<0.1	5.9	<0.1	79
K939518	Drill Core	5.82	<0.005	0.6	8.6	4.7	25	<0.1	40.1	22.3	375	5.51	7	2.5	<0.1	13.5	100	<0.1	4.2	<0.1	77
K939519	Drill Core	5.02	<0.005	0.6	12.4	6.4	28	<0.1	46.3	26.1	617	5.34	7	1.8	<0.1	16.5	139	<0.1	7.6	0.3	99
K939520	Drill Core	6.77	<0.005	0.7	16.5	12.0	37	<0.1	42.6	17.4	645	5.04	9	2.6	<0.1	18.4	275	0.1	6.0	0.2	98
K939521	Drill Core	2.43	0.008	0.8	281.6	12.9	58	0.1	43.4	22.1	915	4.99	8	3.7	<0.1	20.4	282	0.1	3.9	0.2	111
K939522	Drill Core	3.63	<0.005	1.4	60.1	10.9	49	<0.1	51.9	21.5	789	5.21	10	2.2	<0.1	18.1	325	0.1	7.3	0.2	87
K939523	Drill Core	6.12	<0.005	0.6	9.3	6.2	32	<0.1	50.1	25.3	711	5.98	4	1.4	<0.1	15.3	167	<0.1	4.2	0.1	159
K939524	Drill Core	4.06	<0.005	1.1	18.0	5.2	59	<0.1	50.9	28.0	1426	5.42	4	3.3	<0.1	15.1	93	<0.1	7.4	0.1	135
K939525	Drill Core	6.50	<0.005	0.5	4.0	3.5	33	<0.1	49.1	26.6	739	6.08	1	1.4	<0.1	14.4	100	<0.1	4.9	0.1	84
K939526	Drill Core	5.24	<0.005	0.7	2.1	6.0	13	<0.1	45.5	19.2	339	5.92	2	1.5	<0.1	14.8	128	<0.1	3.8	<0.1	85
K939527	Drill Core	4.06	0.015	0.6	11.8	5.4	13	<0.1	41.1	17.6	348	5.38	3	1.7	<0.1	14.6	160	<0.1	5.4	<0.1	96
K939528	Rock Pulp	0.13	1.403	21.3	305.6	9.5	52	0.6	37.2	9.3	555	3.74	8	0.8	2.8	2.0	240	0.2	2.5	0.4	85
K939529	Drill Core	6.67	0.005	0.4	67.5	8.0	28	<0.1	40.7	17.2	312	5.65	2	2.4	<0.1	15.6	161	<0.1	5.2	<0.1	87
K939530	Drill Core	5.13	<0.005	1.2	75.3	12.8	51	0.1	40.3	18.2	396	6.12	5	2.3	<0.1	14.9	131	<0.1	6.8	<0.1	85
K939531	Drill Core	6.29	<0.005	1.6	108.7	19.2	45	0.1	38.1	15.8	499	5.01	22	2.0	<0.1	15.6	229	0.1	9.2	0.1	85
K939532	Drill Core	10.72	<0.005	1.2	480.8	5.3	35	0.4	40.2	25.8	527	4.91	27	3.2	<0.1	16.3	130	<0.1	11.2	0.2	92
K939533	Drill Core	3.75	0.008	2.2	43.7	23.3	73	2.1	37.7	28.1	1779	5.44	42	2.1	<0.1	11.7	46	0.3	15.9	0.2	89
K939534	Drill Core	3.10	<0.005	0.7	18.2	8.8	44	<0.1	44.1	22.6	660	5.60	19	1.9	<0.1	14.3	68	<0.1	12.3	0.1	95
K939535	Drill Core	2.79	<0.005	0.9	34.1	4.4	29	0.1	47.1	24.9	483	5.50	26	2.4	<0.1	14.1	113	<0.1	6.8	0.2	92
K939536	Rock Pulp	0.12	<0.005	3.4	23.2	4.2	45	0.5	22.3	9.9	486	2.43	5	0.8	<0.1	1.9	255	0.3	0.6	<0.1	76
K939537	Drill Core	1.25	<0.005	1.4	24.0	5.0	32	<0.1	38.1	14.4	486	3.75	104	2.0	<0.1	17.4	29	<0.1	16.7	<0.1	98
K939538	Drill Core	1.66	<0.005	0.9	31.1	5.9	57	<0.1	41.5	14.4	514	7.09	12	2.2	<0.1	14.6	89	<0.1	5.3	<0.1	96
K939539	Drill Core	0.83	<0.005	0.7	73.8	4.1	32	<0.1	41.2	19.2	565	6.27	11	9.5	<0.1	14.9	89	<0.1	6.2	0.1	99
K939540	Drill Core	2.16	0.009	3.3	14.2	41.1	72	0.2	38.7	12.2	260	5.48	61	4.4	<0.1	10.8	68	0.5	37.9	0.2	85

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Golden Predator Canada Corp.**
11th Floor, 888 Dunsmuir Street
Vancouver BC V6C 3K4 Canada

Project: Antimony
Report Date: December 09, 2011

CERTIFICATE OF ANALYSIS WHI11001939.1

Method		1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX
Analyte		Ca	P	La	Cr	Mg	Ba	Ti	Al	Na	K	W	Zr	Ce	Sn	Y	Nb	Ta	Be	Sc	Li
Unit		%	%	ppm	ppm	%	ppm	%	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
MDL		0.01	0.001	0.1	1	0.01	1	0.001	0.01	0.001	0.01	0.1	0.1	1	0.1	0.1	0.1	0.1	1	1	0.1
K939511	Drill Core	1.34	0.039	27.2	27	0.66	1111	0.215	7.25	1.964	2.31	1.4	31.1	61	2.1	15.0	7.7	0.6	3	7	59.8
K939512	Drill Core	0.79	0.031	38.3	69	1.05	1981	0.448	9.33	1.385	4.54	1.8	14.2	89	2.6	9.5	13.3	0.9	3	16	125.2
K939513	Drill Core	0.36	0.037	39.8	66	0.87	2076	0.448	8.79	0.595	4.20	2.2	22.0	91	2.9	8.7	15.4	1.1	3	14	97.8
K939514	Drill Core	0.49	0.038	42.0	60	0.95	1251	0.439	8.23	0.444	3.63	2.4	25.5	91	2.8	8.9	15.2	1.1	3	12	85.6
K939515	Drill Core	0.33	0.028	32.5	66	0.98	1659	0.454	8.45	0.596	4.30	1.9	10.1	78	4.0	7.3	15.8	1.0	3	14	82.2
K939516	Drill Core	0.41	0.032	34.4	72	1.05	1676	0.454	8.56	0.676	4.37	1.9	10.2	82	3.8	7.3	14.9	1.0	3	15	88.7
K939517	Drill Core	0.37	0.029	32.4	66	1.09	1458	0.452	8.17	0.578	3.76	2.1	14.0	74	4.6	6.9	15.5	1.0	4	14	82.4
K939518	Drill Core	0.44	0.030	33.1	63	1.15	1338	0.436	8.38	0.430	3.74	2.9	9.4	78	3.9	7.3	14.6	0.9	2	16	60.7
K939519	Drill Core	0.49	0.039	38.5	73	1.30	1517	0.464	8.21	0.700	3.20	3.4	9.1	86	4.6	8.3	15.5	1.0	4	15	78.7
K939520	Drill Core	0.48	0.037	39.6	69	1.07	1558	0.487	8.56	1.083	3.34	2.5	11.4	86	6.1	8.5	16.4	1.1	4	16	85.2
K939521	Drill Core	0.47	0.047	48.1	85	1.10	2200	0.517	9.43	1.042	3.47	2.6	14.4	104	5.4	10.5	18.2	1.2	3	18	94.8
K939522	Drill Core	0.83	0.040	50.6	79	1.17	2059	0.544	9.61	1.193	3.25	2.6	11.3	107	5.4	9.5	17.1	1.1	4	19	96.6
K939523	Drill Core	0.31	0.037	37.6	73	1.12	1466	0.522	7.74	0.822	3.25	2.3	5.8	87	5.0	8.5	17.0	1.1	3	15	92.3
K939524	Drill Core	0.29	0.041	35.6	74	1.28	1540	0.465	8.15	0.699	3.56	1.9	15.1	84	3.7	10.3	13.1	0.9	3	15	97.0
K939525	Drill Core	0.17	0.036	32.5	74	1.12	1257	0.443	7.68	0.670	3.54	1.7	4.6	78	3.6	8.6	13.7	0.9	3	15	74.1
K939526	Drill Core	0.25	0.035	37.3	70	1.13	1417	0.492	9.44	0.582	4.30	2.6	6.2	86	6.2	8.5	15.2	1.0	3	19	81.0
K939527	Drill Core	0.33	0.032	38.2	69	1.05	1662	0.498	8.83	0.559	5.10	2.9	11.9	82	7.7	7.5	14.6	1.0	3	17	71.5
K939528	Rock Pulp	1.66	0.059	10.0	35	0.83	525	0.284	5.23	2.097	0.95	0.7	36.1	20	2.1	12.3	3.7	0.2	<1	10	13.9
K939529	Drill Core	0.27	0.034	41.3	76	1.00	1613	0.494	9.88	0.805	4.25	3.8	13.3	92	4.8	9.4	15.7	1.0	3	18	101.1
K939530	Drill Core	0.16	0.035	37.8	73	1.02	1708	0.429	9.48	0.559	4.38	1.7	7.2	88	3.9	9.5	13.5	0.9	3	17	129.4
K939531	Drill Core	0.34	0.036	37.1	70	0.97	2245	0.424	9.36	0.786	4.43	5.2	9.3	84	6.0	10.1	13.3	0.9	4	16	121.8
K939532	Drill Core	0.18	0.034	41.5	71	1.09	2121	0.466	10.19	0.572	4.57	1.9	13.5	94	3.6	11.6	13.8	0.9	4	18	123.2
K939533	Drill Core	0.24	0.036	24.1	81	0.80	1235	0.375	7.69	0.179	3.51	15.1	12.8	58	3.7	9.2	11.8	0.8	3	12	109.0
K939534	Drill Core	0.19	0.032	31.2	80	0.75	1615	0.442	7.95	0.305	3.12	6.5	12.9	75	3.2	10.3	14.2	1.0	4	13	111.6
K939535	Drill Core	0.20	0.032	35.7	72	0.97	1834	0.488	9.04	0.437	4.58	2.6	15.5	84	2.6	9.9	15.3	1.0	3	17	101.8
K939536	Rock Pulp	1.77	0.048	7.9	44	0.74	484	0.272	4.99	2.173	0.85	21.2	37.0	18	0.8	12.7	3.5	0.2	<1	9	10.8
K939537	Drill Core	0.17	0.035	43.3	94	0.28	1477	0.511	9.62	0.120	2.92	8.6	10.1	102	3.2	10.5	17.6	1.2	3	19	39.8
K939538	Drill Core	0.18	0.030	37.9	72	0.86	1785	0.445	9.24	0.586	4.57	2.7	8.9	88	4.0	8.7	14.3	0.9	3	18	88.3
K939539	Drill Core	0.22	0.032	37.2	77	1.00	1685	0.485	9.98	0.471	4.23	2.9	24.0	87	3.3	9.4	15.8	1.0	3	19	91.5
K939540	Drill Core	0.26	0.029	26.3	58	0.48	51	0.320	5.89	0.147	2.77	11.5	23.1	63	7.1	11.3	10.7	0.7	2	11	29.8

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Golden Predator Canada Corp.**
11th Floor, 888 Dunsmuir Street
Vancouver BC V6C 3K4 Canada

Project: Antimony
Report Date: December 09, 2011

CERTIFICATE OF ANALYSIS WHI11001939.1

Method		1EX	1EX	1EX	G6Gr
Analyte		S	Rb	Hf	Au
Unit		%	ppm	ppm	gm/t
MDL		0.1	0.1	0.1	0.9
K939511	Drill Core	<0.1	100.9	0.9	
K939512	Drill Core	<0.1	223.6	0.4	
K939513	Drill Core	0.3	208.9	0.7	
K939514	Drill Core	0.2	180.6	0.8	
K939515	Drill Core	0.1	225.2	0.3	
K939516	Drill Core	0.4	221.1	0.3	
K939517	Drill Core	0.2	184.9	0.4	
K939518	Drill Core	0.1	181.2	0.3	
K939519	Drill Core	<0.1	163.3	0.3	
K939520	Drill Core	<0.1	177.0	0.3	
K939521	Drill Core	<0.1	186.5	0.5	
K939522	Drill Core	<0.1	210.4	0.4	
K939523	Drill Core	<0.1	177.5	0.2	
K939524	Drill Core	<0.1	194.7	0.5	
K939525	Drill Core	<0.1	192.5	0.2	
K939526	Drill Core	<0.1	231.9	0.2	
K939527	Drill Core	0.1	279.3	0.4	
K939528	Rock Pulp	<0.1	27.7	1.2	
K939529	Drill Core	<0.1	220.1	0.5	
K939530	Drill Core	<0.1	231.6	0.2	
K939531	Drill Core	0.1	234.6	0.3	
K939532	Drill Core	0.1	247.3	0.4	
K939533	Drill Core	0.6	168.2	0.4	
K939534	Drill Core	0.2	169.9	0.4	
K939535	Drill Core	0.1	239.7	0.5	
K939536	Rock Pulp	<0.1	20.4	1.1	
K939537	Drill Core	0.2	102.3	0.3	
K939538	Drill Core	0.1	237.9	0.2	
K939539	Drill Core	<0.1	255.4	0.7	
K939540	Drill Core	4.1	124.4	0.7	

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Golden Predator Canada Corp.**
11th Floor, 888 Dunsmuir Street
Vancouver BC V6C 3K4 Canada

Project: Antimony
Report Date: December 09, 2011

CERTIFICATE OF ANALYSIS WHI11001939.1

Method		WGHT	G6	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX
Analyte		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
Unit		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
MDL		0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.2	1	0.01	1	0.1	0.1	0.1	1	0.1	0.1	0.1	1
K939541	Drill Core	2.92	<0.005	0.9	32.2	4.3	16	<0.1	43.6	21.3	408	5.43	37	2.7	<0.1	15.7	193	<0.1	7.3	0.1	95
K939542	Drill Core	1.98	<0.005	0.8	29.8	4.0	14	<0.1	45.9	31.5	387	4.68	35	2.2	<0.1	15.8	117	<0.1	8.2	0.3	85
K939543	Drill Core	1.69	<0.005	2.2	18.9	12.4	21	0.1	31.8	28.2	358	1.93	253	3.4	<0.1	21.6	235	0.1	10.1	0.2	66
K939544	Drill Core	1.89	<0.005	1.2	31.6	14.1	17	0.1	21.4	10.3	339	2.17	73	3.4	<0.1	17.5	140	<0.1	6.7	0.2	42
K939545	Drill Core	0.94	0.005	1.2	20.0	5.9	12	<0.1	18.4	9.5	378	2.58	27	2.5	<0.1	16.8	98	<0.1	6.7	<0.1	37
K939546	Drill Core	1.01	<0.005	0.8	14.7	7.2	11	0.1	17.6	8.0	352	2.32	25	2.8	<0.1	17.3	116	<0.1	6.8	<0.1	46
K939547	Drill Core	2.63	0.013	1.4	15.9	7.7	9	<0.1	24.3	11.3	551	3.01	40	4.3	<0.1	23.3	97	<0.1	7.7	<0.1	76
K939548	Drill Core	3.29	0.007	1.6	24.8	39.3	77	0.2	7.0	5.3	190	1.57	35	2.4	<0.1	11.3	64	0.5	3.4	0.1	16
K939549	Drill Core	2.21	<0.005	3.0	21.9	26.5	49	0.1	14.7	7.4	205	2.49	27	5.5	<0.1	14.5	80	0.3	9.3	0.1	33
K939550	Drill Core	1.71	<0.005	1.9	17.2	9.5	19	<0.1	27.5	10.8	305	3.07	40	3.6	<0.1	19.8	78	<0.1	8.2	0.1	65
K939551	Drill Core	2.89	0.006	1.5	18.7	11.0	31	0.2	31.1	10.8	295	3.74	138	5.5	<0.1	16.3	155	0.2	5.6	0.1	67
K939552	Drill Core	2.29	<0.005	1.1	9.6	7.3	27	<0.1	34.2	17.3	337	3.79	48	2.2	<0.1	15.5	44	<0.1	3.7	<0.1	72
K939553	Drill Core	2.53	<0.005	0.6	23.6	8.5	15	<0.1	20.5	8.0	240	2.25	21	3.5	<0.1	19.2	176	<0.1	5.2	0.1	45
K939554	Drill Core	2.98	<0.005	1.4	28.3	5.5	8	<0.1	30.9	14.2	307	4.19	20	2.4	<0.1	16.5	107	<0.1	5.4	0.3	75
K939555	Rock Pulp	0.13	<0.005	2.5	30.6	11.5	7	<0.1	30.2	12.7	208	2.91	25	3.7	<0.1	22.5	194	<0.1	4.7	0.2	73
K939556	Drill Core	2.46	5.845	607.7	76.7	92.8	75	1.3	27.7	10.2	611	3.60	32	1.0	5.7	2.4	259	0.2	22.6	0.3	225
K939557	Drill Core	2.79	0.007	1.0	4.1	13.8	13	<0.1	13.3	4.8	159	1.29	47	2.9	<0.1	21.8	219	<0.1	1.8	<0.1	44
K939558	Drill Core	4.14	0.006	1.2	7.1	12.8	13	<0.1	14.5	4.8	196	1.59	18	2.7	<0.1	17.9	215	<0.1	1.3	0.2	40
K939559	Drill Core	4.15	<0.005	1.6	16.8	20.5	20	<0.1	16.6	5.7	191	1.26	36	2.7	<0.1	16.0	75	0.1	3.5	0.2	35
K939560	Drill Core	2.09	0.032	4.7	1250	108.9	255	9.3	621.3	133.0	1028	11.83	277	3.2	<0.1	13.9	154	2.4	77.9	0.5	28
K939561	Drill Core	4.22	<0.005	1.4	10.3	21.3	22	<0.1	20.6	6.1	211	1.69	35	3.2	<0.1	20.6	145	0.1	4.7	0.1	51
K939562	Drill Core	2.75	<0.005	0.9	8.9	15.0	21	0.1	12.8	4.1	530	1.46	27	9.0	<0.1	18.4	176	0.1	3.3	<0.1	41
K939563	Drill Core	2.71	<0.005	1.5	11.6	14.2	20	<0.1	39.5	18.8	233	2.47	72	3.4	<0.1	19.4	101	<0.1	11.0	0.1	98
K939564	Drill Core	1.81	<0.005	1.5	4.2	34.3	51	0.2	21.8	6.3	286	3.66	33	4.6	<0.1	12.3	204	0.3	7.2	0.2	89
K939565	Drill Core	0.76	<0.005	3.3	12.3	31.5	48	0.1	35.9	8.7	359	3.72	67	2.8	<0.1	14.1	212	0.3	11.5	0.2	84
K939566	Drill Core	3.56	<0.005	1.1	25.8	11.3	27	<0.1	44.5	24.8	278	3.34	71	2.7	<0.1	17.1	43	0.1	10.2	0.1	101
K939567	Rock Pulp	0.13	<0.005	3.2	22.1	4.7	41	0.4	22.5	10.0	478	2.42	4	0.8	<0.1	2.1	256	0.2	0.7	<0.1	84
K939568	Drill Core	1.68	<0.005	0.2	1.1	4.1	14	<0.1	7.8	1.9	848	2.81	5	6.6	<0.1	9.5	232	<0.1	3.1	<0.1	85
K939569	Drill Core	1.68	<0.005	0.8	3.9	21.8	36	<0.1	9.1	4.1	531	2.29	15	4.8	<0.1	8.9	100	0.3	6.2	<0.1	49
K939570	Drill Core	3.57	0.012	1.6	28.1	19.8	25	1.0	26.9	14.8	420	2.23	75	2.6	<0.1	18.2	155	0.1	4.4	0.1	62

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Golden Predator Canada Corp.**
11th Floor, 888 Dunsmuir Street
Vancouver BC V6C 3K4 Canada

Project: Antimony
Report Date: December 09, 2011

CERTIFICATE OF ANALYSIS WHI11001939.1

Method		1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX
Analyte		Ca	P	La	Cr	Mg	Ba	Ti	Al	Na	K	W	Zr	Ce	Sn	Y	Nb	Ta	Be	Sc	Li
Unit		%	%	ppm	ppm	%	ppm	%	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
MDL		0.01	0.001	0.1	1	0.01	1	0.001	0.01	0.001	0.01	0.1	0.1	1	0.1	0.1	0.1	0.1	1	1	0.1
K939541	Drill Core	0.39	0.034	41.7	72	1.05	1825	0.465	9.67	0.816	5.09	2.2	15.6	96	2.1	10.1	15.9	1.0	4	19	104.7
K939542	Drill Core	0.30	0.034	37.7	68	1.02	1109	0.488	9.15	0.470	4.38	3.4	14.8	87	2.1	9.4	15.4	1.0	3	17	132.3
K939543	Drill Core	1.29	0.108	43.4	50	0.85	1105	0.318	9.20	0.672	3.12	2.0	24.8	95	1.7	18.2	9.2	0.6	3	12	89.4
K939544	Drill Core	0.66	0.038	36.4	35	0.60	1126	0.267	6.94	0.356	3.22	1.8	23.9	74	1.3	11.0	9.0	0.6	2	8	64.2
K939545	Drill Core	0.21	0.030	33.4	29	0.55	871	0.303	5.60	0.307	2.72	1.9	21.3	71	0.8	8.6	11.2	0.8	2	6	85.2
K939546	Drill Core	0.23	0.033	38.8	41	0.50	1008	0.334	6.38	0.381	2.99	2.0	24.6	81	1.0	9.1	11.4	0.8	2	8	79.9
K939547	Drill Core	0.18	0.053	52.5	65	0.53	1231	0.494	9.92	0.284	3.93	3.3	35.1	117	0.9	11.2	16.4	1.2	3	13	86.7
K939548	Drill Core	0.45	0.173	29.4	15	0.40	305	0.132	2.90	0.058	0.69	3.1	22.1	61	3.3	13.5	5.1	0.3	<1	3	19.5
K939549	Drill Core	0.57	0.253	28.1	28	0.41	377	0.251	4.81	0.131	1.16	4.8	31.5	61	5.2	20.9	10.4	0.8	1	6	34.4
K939550	Drill Core	0.35	0.147	43.9	51	0.49	729	0.380	8.49	0.146	3.26	3.4	29.6	96	1.6	18.4	14.6	1.1	3	11	57.5
K939551	Drill Core	0.50	0.054	30.7	57	0.99	1081	0.361	7.86	0.341	3.17	4.0	24.3	69	5.2	12.6	10.8	0.7	3	12	61.2
K939552	Drill Core	0.32	0.033	41.6	60	0.82	1034	0.399	8.78	0.175	4.07	5.2	21.6	94	1.6	10.9	12.7	0.8	3	13	63.9
K939553	Drill Core	0.94	0.256	42.4	42	0.50	1366	0.314	7.04	0.506	3.19	2.0	28.0	99	0.7	19.8	13.4	1.0	2	8	50.9
K939554	Drill Core	0.21	0.039	37.8	53	0.81	1376	0.347	7.50	0.345	4.22	2.2	23.8	80	1.3	8.2	13.8	0.9	3	11	109.0
K939555	Rock Pulp	0.42	0.066	45.6	54	0.74	1785	0.377	8.03	0.806	4.26	2.1	36.6	96	1.6	9.7	13.2	1.0	3	11	87.1
K939556	Drill Core	1.41	0.058	10.1	42	0.88	133	0.277	5.97	1.987	1.74	18.5	60.2	23	1.8	12.9	4.6	0.3	1	10	30.3
K939557	Drill Core	0.49	0.033	41.6	28	0.51	1424	0.247	5.74	0.841	3.44	1.3	33.9	84	1.1	9.8	9.4	0.7	2	7	50.2
K939558	Drill Core	0.82	0.027	36.3	22	0.65	1192	0.251	5.25	1.234	2.64	0.8	31.2	72	0.7	9.1	10.7	0.8	1	7	49.6
K939559	Drill Core	0.81	0.054	32.7	23	0.32	854	0.142	5.22	0.116	2.07	2.9	26.6	65	1.3	9.7	5.8	0.4	2	7	39.0
K939560	Drill Core	3.44	0.042	81.7	19	0.75	62	0.144	3.64	0.098	0.65	3.5	23.6	131	7.6	19.9	7.0	0.5	1	7	23.2
K939561	Drill Core	0.57	0.035	45.6	33	0.49	954	0.259	6.37	0.275	2.57	3.5	25.5	88	2.2	10.3	10.3	0.7	2	8	52.7
K939562	Drill Core	2.71	0.019	9.5	26	0.57	786	0.199	5.27	0.196	1.28	4.1	30.1	24	5.3	13.1	7.6	0.5	3	7	36.6
K939563	Drill Core	0.47	0.049	42.9	65	0.59	1529	0.397	9.30	0.220	4.17	4.4	23.8	96	3.8	13.5	14.2	1.0	3	16	69.6
K939564	Drill Core	0.80	0.028	11.5	72	0.96	870	0.432	7.87	0.307	1.93	11.2	28.4	32	17.6	16.3	17.8	1.0	3	13	50.9
K939565	Drill Core	0.76	0.047	45.3	60	0.67	517	0.339	9.11	0.189	1.82	12.9	12.4	97	8.7	15.0	12.4	0.7	3	13	80.9
K939566	Drill Core	0.27	0.036	41.6	64	0.44	1307	0.401	9.35	0.122	3.78	6.0	20.5	93	3.2	12.6	15.0	1.0	3	17	51.9
K939567	Rock Pulp	1.81	0.057	9.2	32	0.77	510	0.266	4.98	2.188	0.90	21.7	38.9	19	0.8	12.8	3.9	0.3	1	10	13.3
K939568	Drill Core	3.04	0.014	8.7	55	1.06	1641	0.353	7.72	0.349	1.95	5.5	64.7	25	8.6	20.4	13.2	0.9	3	13	22.1
K939569	Drill Core	1.53	0.011	5.9	41	0.49	3351	0.340	9.68	0.183	3.66	8.6	33.5	19	12.2	14.1	15.4	1.0	6	7	28.5
K939570	Drill Core	1.16	0.033	40.3	38	0.49	883	0.270	6.75	0.465	2.45	6.3	34.1	83	2.5	11.6	11.3	0.8	2	9	71.6

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Golden Predator Canada Corp.**
11th Floor, 888 Dunsmuir Street
Vancouver BC V6C 3K4 Canada

Project: Antimony
Report Date: December 09, 2011

CERTIFICATE OF ANALYSIS WHI11001939.1

Method		1EX	1EX	1EX	G6Gr
Analyte		S	Rb	Hf	Au
Unit		%	ppm	ppm	gm/t
MDL		0.1	0.1	0.1	0.9
K939541	Drill Core	<0.1	285.9	0.5	
K939542	Drill Core	<0.1	255.8	0.5	
K939543	Drill Core	<0.1	175.4	0.7	
K939544	Drill Core	0.3	147.7	0.7	
K939545	Drill Core	0.3	140.7	0.5	
K939546	Drill Core	0.2	143.6	0.7	
K939547	Drill Core	0.2	160.4	1.1	
K939548	Drill Core	0.2	41.3	0.6	
K939549	Drill Core	0.6	60.0	0.9	
K939550	Drill Core	0.2	155.2	0.8	
K939551	Drill Core	0.3	178.2	0.7	
K939552	Drill Core	<0.1	212.7	0.6	
K939553	Drill Core	0.3	160.1	0.8	
K939554	Drill Core	0.4	181.1	0.7	
K939555	Rock Pulp	0.4	163.3	1.1	
K939556	Drill Core	0.7	38.5	1.8	
K939557	Drill Core	<0.1	156.1	1.0	
K939558	Drill Core	<0.1	133.2	1.0	
K939559	Drill Core	<0.1	94.6	0.7	
K939560	Drill Core	8.6	37.9	0.7	
K939561	Drill Core	0.1	121.1	0.8	
K939562	Drill Core	<0.1	74.1	0.8	
K939563	Drill Core	<0.1	192.9	0.6	
K939564	Drill Core	<0.1	94.3	0.9	
K939565	Drill Core	<0.1	88.9	0.4	
K939566	Drill Core	0.1	174.5	0.6	
K939567	Rock Pulp	<0.1	22.4	1.2	
K939568	Drill Core	0.2	110.1	1.6	
K939569	Drill Core	0.2	166.5	1.0	
K939570	Drill Core	0.2	122.9	0.9	

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Golden Predator Canada Corp.**
11th Floor, 888 Dunsmuir Street
Vancouver BC V6C 3K4 Canada

Project: Antimony
Report Date: December 09, 2011

CERTIFICATE OF ANALYSIS WHI11001939.1

Method		WGHT	G6	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX
Analyte		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
Unit		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
MDL		0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.2	1	0.01	1	0.1	0.1	0.1	1	0.1	0.1	0.1	1
K939571	Drill Core	3.45	<0.005	1.2	38.6	9.2	12	0.8	20.4	12.1	448	2.42	19	2.4	<0.1	18.3	127	<0.1	4.0	0.2	41
K939572	Drill Core	1.84	<0.005	1.2	26.1	6.0	23	<0.1	33.7	17.9	857	5.11	18	3.2	<0.1	20.1	111	<0.1	5.8	0.1	92
K939573	Drill Core	3.60	<0.005	1.2	24.2	12.6	28	<0.1	32.2	15.0	490	4.80	15	3.6	<0.1	21.7	38	<0.1	9.9	0.2	78
K939574	Drill Core	1.83	<0.005	1.2	26.3	8.3	31	<0.1	35.2	16.7	608	4.92	20	3.6	<0.1	19.5	50	<0.1	11.1	0.2	96
K939575	Drill Core	1.83	<0.005	1.1	26.1	7.1	30	<0.1	33.7	15.7	590	4.75	17	3.6	<0.1	21.4	50	<0.1	9.9	0.2	95
K939576	Drill Core	3.35	<0.005	1.5	27.7	10.7	30	<0.1	30.4	14.3	610	4.84	13	4.3	<0.1	22.4	58	<0.1	9.6	0.2	87
K939577	Drill Core	3.55	<0.005	0.7	18.7	14.1	17	<0.1	27.1	10.1	499	3.68	15	3.4	<0.1	21.2	121	0.1	6.5	0.1	74
K939578	Drill Core	3.24	0.006	0.6	16.9	18.4	22	<0.1	24.3	10.9	544	3.98	16	3.4	<0.1	21.3	135	0.1	6.6	0.1	74
K939579	Drill Core	3.80	<0.005	0.9	35.2	11.4	18	<0.1	26.0	15.3	399	3.95	10	3.1	<0.1	19.7	156	<0.1	2.9	<0.1	65
K939580	Drill Core	3.74	<0.005	0.6	38.1	30.0	35	0.1	30.2	13.5	523	4.23	6	3.5	<0.1	21.0	105	0.1	5.0	0.1	74
K939581	Drill Core	3.69	<0.005	0.8	15.6	28.5	45	<0.1	26.1	11.9	579	4.04	5	3.5	<0.1	20.6	128	0.2	4.0	<0.1	70
K939582	Drill Core	3.53	0.006	0.8	22.0	16.3	42	0.1	27.4	11.9	451	3.62	4	3.4	<0.1	19.5	179	0.2	4.0	<0.1	65
K939583	Drill Core	3.47	<0.005	1.0	14.4	14.3	28	<0.1	26.1	12.3	490	3.19	12	2.5	<0.1	17.9	316	0.1	2.5	<0.1	64
K939584	Drill Core	3.09	<0.005	0.5	20.0	32.3	36	<0.1	34.4	14.6	609	4.49	7	3.4	<0.1	19.5	234	<0.1	2.6	0.1	88
K939585	Drill Core	3.00	<0.005	0.6	24.2	13.2	32	<0.1	37.0	13.8	604	4.53	7	3.4	<0.1	18.9	188	<0.1	1.2	<0.1	82
K939586	Rock Pulp	0.13	0.739	6.8	44.2	7.3	57	0.7	33.8	14.4	642	3.54	8	1.0	0.5	2.5	241	0.3	1.5	0.1	97
K939587	Drill Core	3.03	<0.005	0.8	56.0	6.9	11	<0.1	35.9	18.2	324	4.02	7	3.3	<0.1	20.2	182	<0.1	2.3	0.1	76
K939588	Drill Core	3.53	<0.005	1.4	22.8	7.3	6	<0.1	18.5	8.8	97	1.31	20	2.4	<0.1	14.7	104	<0.1	1.7	0.2	81
K939589	Drill Core	3.71	<0.005	0.7	33.7	8.5	11	<0.1	21.1	11.4	142	2.01	9	2.7	<0.1	16.5	110	<0.1	1.8	0.5	52
K939590	Drill Core	2.22	<0.005	1.0	19.6	9.3	10	0.4	18.0	6.5	140	1.61	6	2.7	<0.1	17.5	141	<0.1	2.2	0.4	53
K939591	Drill Core	4.40	<0.005	1.2	25.1	6.9	10	0.2	27.3	11.4	274	2.98	11	3.7	<0.1	20.3	105	<0.1	2.9	0.2	80
K939592	Drill Core	3.56	<0.005	1.8	25.2	7.3	14	<0.1	24.4	10.2	236	2.71	16	2.5	<0.1	18.2	52	<0.1	3.9	0.2	45
K939593	Drill Core	3.00	<0.005	1.5	34.5	9.4	12	<0.1	36.0	15.0	271	3.48	41	3.9	<0.1	21.1	106	<0.1	3.7	0.2	89
K939594	Drill Core	2.93	<0.005	1.2	20.5	8.7	12	<0.1	20.9	8.7	138	1.80	8	2.4	<0.1	15.2	110	<0.1	1.4	0.2	43
K939595	Drill Core	3.65	<0.005	0.6	24.1	6.5	20	<0.1	15.4	8.4	253	3.80	7	1.8	<0.1	11.6	143	<0.1	1.3	0.2	30
K939596	Rock Pulp	0.13	0.008	3.0	22.8	4.3	43	0.5	21.6	10.0	452	2.32	4	0.8	<0.1	1.8	230	0.2	0.9	<0.1	80
K939597	Drill Core	4.10	<0.005	1.2	29.1	8.0	10	<0.1	17.5	9.7	122	1.82	11	1.9	<0.1	12.7	95	<0.1	2.2	0.1	33
K939598	Drill Core	4.84	0.007	1.2	23.7	7.8	10	<0.1	13.2	6.4	100	1.40	13	1.7	<0.1	10.7	87	<0.1	1.3	0.1	28
K939599	Drill Core	2.12	<0.005	2.0	34.5	11.3	10	0.1	32.8	15.1	189	2.58	6	4.6	<0.1	23.7	173	<0.1	2.4	0.2	91
K939600	Drill Core	3.17	<0.005	0.7	8.5	6.7	11	<0.1	5.6	2.9	105	1.13	3	1.1	<0.1	8.9	70	<0.1	0.5	<0.1	13

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Golden Predator Canada Corp.**
11th Floor, 888 Dunsmuir Street
Vancouver BC V6C 3K4 Canada

Project: Antimony
Report Date: December 09, 2011

CERTIFICATE OF ANALYSIS WHI11001939.1

	Method	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX
	Analyte	Ca	P	La	Cr	Mg	Ba	Ti	Al	Na	K	W	Zr	Ce	Sn	Y	Nb	Ta	Be	Sc	Li
	Unit	%	%	ppm	ppm	%	ppm	%	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	MDL	0.01	0.001	0.1	1	0.01	1	0.001	0.01	0.001	0.01	0.1	0.1	1	0.1	0.1	0.1	0.1	1	1	0.1
K939571	Drill Core	1.17	0.034	40.4	31	0.52	781	0.239	5.84	0.546	2.25	4.9	24.2	83	1.3	9.2	10.3	0.7	1	7	75.1
K939572	Drill Core	0.29	0.050	47.1	66	0.89	1194	0.440	9.35	0.486	3.62	2.1	26.4	103	2.3	10.6	18.4	1.3	2	15	135.5
K939573	Drill Core	0.21	0.054	49.5	58	0.89	1107	0.380	8.84	0.168	3.82	2.0	25.1	105	2.6	14.6	16.0	1.2	3	13	112.9
K939574	Drill Core	0.25	0.053	47.5	66	0.92	1199	0.394	9.63	0.209	3.94	2.7	26.3	103	2.6	14.7	15.1	1.0	3	15	130.4
K939575	Drill Core	0.25	0.052	51.5	67	0.91	1241	0.394	9.43	0.193	4.17	1.7	27.6	109	2.7	15.4	15.4	1.1	4	15	130.5
K939576	Drill Core	0.23	0.048	53.8	63	0.91	1201	0.403	9.54	0.248	4.13	1.5	29.8	111	2.5	14.4	16.4	1.1	4	14	127.5
K939577	Drill Core	0.24	0.045	50.4	55	0.75	1273	0.364	8.57	0.497	3.90	1.2	31.0	104	2.1	10.6	12.8	0.9	2	12	116.8
K939578	Drill Core	0.31	0.089	51.9	54	0.63	1270	0.378	8.33	0.591	3.76	1.5	35.2	109	2.4	12.9	16.1	1.1	2	12	118.4
K939579	Drill Core	0.33	0.035	43.3	45	0.76	1146	0.358	7.14	0.454	3.55	1.3	36.8	89	2.1	9.2	15.6	1.1	2	11	91.6
K939580	Drill Core	0.21	0.052	46.6	54	0.73	1237	0.374	8.57	0.422	4.02	1.2	37.0	97	1.7	10.5	14.5	1.0	2	12	135.8
K939581	Drill Core	0.18	0.049	46.1	49	0.71	1150	0.375	8.17	0.469	3.68	1.2	28.4	96	2.2	10.7	15.5	1.1	2	12	127.3
K939582	Drill Core	0.41	0.045	45.7	47	0.80	1178	0.355	7.35	0.676	3.63	1.5	33.7	93	1.8	9.5	14.1	1.0	2	11	110.9
K939583	Drill Core	1.10	0.043	46.4	48	1.12	1211	0.390	7.35	1.024	3.12	2.3	38.7	96	1.4	10.3	14.6	1.0	2	12	87.8
K939584	Drill Core	0.50	0.045	46.1	65	0.99	1650	0.453	8.91	0.688	4.01	1.8	37.5	100	1.7	9.6	16.8	1.2	4	14	113.9
K939585	Drill Core	0.47	0.039	47.0	68	0.87	1558	0.446	8.82	0.583	3.73	1.1	38.8	101	1.8	9.7	16.7	1.1	2	13	115.2
K939586	Rock Pulp	1.68	0.063	10.1	40	1.00	603	0.271	5.60	2.238	1.06	40.9	45.7	21	1.6	14.2	4.4	0.2	<1	11	16.3
K939587	Drill Core	0.83	0.046	53.8	56	0.81	1307	0.298	8.27	0.610	3.67	1.1	46.2	110	1.7	10.3	10.2	0.7	3	11	87.6
K939588	Drill Core	0.51	0.040	35.0	26	0.27	835	0.114	4.70	0.465	2.56	0.9	45.7	72	1.2	8.7	4.4	0.3	1	5	40.2
K939589	Drill Core	0.32	0.021	43.5	37	0.32	866	0.179	5.04	0.470	2.66	0.9	41.2	86	1.7	8.6	7.0	0.5	1	7	57.9
K939590	Drill Core	0.47	0.021	42.7	31	0.33	1066	0.191	5.18	0.525	3.00	1.9	46.2	88	2.0	8.7	7.0	0.5	2	6	57.1
K939591	Drill Core	0.22	0.039	44.4	56	0.44	1352	0.405	6.82	0.328	3.43	2.1	51.7	95	2.2	9.6	16.2	1.1	3	9	88.1
K939592	Drill Core	0.69	0.020	41.1	34	0.35	860	0.259	5.16	0.104	2.32	1.3	37.7	83	1.6	8.3	10.0	0.7	1	6	57.4
K939593	Drill Core	0.17	0.033	49.0	60	0.39	1476	0.373	7.33	0.365	3.50	1.4	50.7	105	2.2	9.3	13.6	0.9	2	10	102.1
K939594	Drill Core	0.35	0.025	39.5	29	0.28	937	0.189	4.13	0.355	2.50	0.6	43.1	80	1.8	9.0	7.1	0.5	2	5	59.6
K939595	Drill Core	0.81	0.014	26.4	25	0.46	644	0.182	3.56	0.667	1.51	0.5	32.1	56	4.4	10.3	7.4	0.5	1	4	48.7
K939596	Rock Pulp	1.69	0.053	7.8	31	0.78	483	0.265	4.42	2.201	0.89	21.0	38.7	16	0.8	11.9	3.6	0.2	<1	9	13.7
K939597	Drill Core	0.53	0.030	26.3	24	0.24	789	0.151	3.81	0.423	2.14	0.7	32.9	56	1.0	7.0	5.9	0.4	1	4	55.5
K939598	Drill Core	0.42	0.016	30.9	28	0.17	589	0.155	2.90	0.362	1.67	0.6	28.8	61	1.0	7.1	6.2	0.4	1	4	39.3
K939599	Drill Core	0.41	0.044	56.3	67	0.37	2014	0.423	7.83	0.920	3.42	1.4	64.7	121	2.2	11.3	15.7	1.1	4	11	97.4
K939600	Drill Core	0.41	0.008	19.4	11	0.25	232	0.109	1.61	0.328	0.57	0.3	20.6	41	0.7	7.8	4.3	0.3	<1	2	39.3

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Golden Predator Canada Corp.**
11th Floor, 888 Dunsmuir Street
Vancouver BC V6C 3K4 Canada

Project: Antimony
Report Date: December 09, 2011

CERTIFICATE OF ANALYSIS WHI11001939.1

Method		1EX	1EX	1EX	G6Gr
Analyte		S	Rb	Hf	Au
Unit		%	ppm	ppm	gm/t
MDL		0.1	0.1	0.1	0.9
K939571	Drill Core	0.4	109.5	0.7	
K939572	Drill Core	0.3	154.0	0.8	
K939573	Drill Core	0.2	178.5	0.8	
K939574	Drill Core	0.3	177.8	0.8	
K939575	Drill Core	0.1	198.4	0.8	
K939576	Drill Core	0.2	196.4	0.9	
K939577	Drill Core	0.2	165.2	0.9	
K939578	Drill Core	0.2	153.5	1.0	
K939579	Drill Core	0.4	170.2	1.1	
K939580	Drill Core	0.4	165.1	1.1	
K939581	Drill Core	0.1	151.3	0.8	
K939582	Drill Core	0.2	169.7	1.0	
K939583	Drill Core	0.1	175.5	1.1	
K939584	Drill Core	0.2	160.6	1.1	
K939585	Drill Core	0.3	138.6	1.1	
K939586	Rock Pulp	<0.1	28.8	1.3	
K939587	Drill Core	0.9	155.5	1.5	
K939588	Drill Core	0.3	107.7	1.5	
K939589	Drill Core	0.6	113.7	1.2	
K939590	Drill Core	0.2	120.5	1.3	
K939591	Drill Core	0.4	134.7	1.5	
K939592	Drill Core	0.7	104.1	1.3	
K939593	Drill Core	0.8	129.3	1.6	
K939594	Drill Core	0.2	106.4	1.1	
K939595	Drill Core	0.3	75.9	1.0	
K939596	Rock Pulp	<0.1	18.9	1.3	
K939597	Drill Core	0.5	92.8	0.9	
K939598	Drill Core	0.3	66.6	0.8	
K939599	Drill Core	0.5	126.5	1.9	
K939600	Drill Core	<0.1	33.6	0.7	

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Golden Predator Canada Corp.**
11th Floor, 888 Dunsmuir Street
Vancouver BC V6C 3K4 Canada

Project: Antimony
Report Date: December 09, 2011

CERTIFICATE OF ANALYSIS WHI11001939.1

Method		WGHT	G6	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX
Analyte		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
Unit		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
MDL		0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.2	1	0.01	1	0.1	0.1	0.1	1	0.1	0.1	0.1	1
K939601	Drill Core	3.28	<0.005	0.5	12.4	8.1	11	<0.1	8.0	2.9	78	0.83	3	1.5	<0.1	10.7	104	<0.1	0.7	<0.1	16
K939602	Drill Core	4.62	<0.005	3.7	45.7	12.2	15	<0.1	36.4	12.1	159	2.84	2	4.5	<0.1	18.0	150	<0.1	2.2	0.3	112
K939603	Drill Core	4.59	0.006	4.8	38.0	8.1	33	<0.1	26.2	13.7	583	5.22	6	3.4	<0.1	12.0	216	<0.1	1.6	0.5	117
K939604	Drill Core	1.78	<0.005	1.8	40.4	9.8	19	<0.1	43.7	22.5	345	3.93	18	2.8	<0.1	16.0	262	<0.1	1.2	0.3	100
K939605	Drill Core	1.85	<0.005	1.4	34.1	8.7	16	<0.1	39.1	18.4	314	3.64	13	2.6	<0.1	14.7	258	<0.1	1.2	0.3	103
K939606	Drill Core	5.76	<0.005	0.5	23.6	6.8	25	<0.1	39.0	18.0	488	4.18	3	2.0	<0.1	17.2	249	<0.1	0.8	0.1	93

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Golden Predator Canada Corp.**
11th Floor, 888 Dunsmuir Street
Vancouver BC V6C 3K4 Canada

Project: Antimony
Report Date: December 09, 2011

CERTIFICATE OF ANALYSIS WHI11001939.1

Method		1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX
Analyte		Ca	P	La	Cr	Mg	Ba	Ti	Al	Na	K	W	Zr	Ce	Sn	Y	Nb	Ta	Be	Sc	Li
Unit		%	%	ppm	ppm	%	ppm	%	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
MDL		0.01	0.001	0.1	1	0.01	1	0.001	0.01	0.001	0.01	0.1	0.1	1	0.1	0.1	0.1	0.1	1	1	0.1
K939601	Drill Core	0.49	0.009	27.8	19	0.20	363	0.133	2.09	0.807	0.78	0.4	23.8	56	1.6	8.0	5.3	0.4	<1	2	34.9
K939602	Drill Core	0.48	0.047	40.8	45	0.64	1312	0.227	5.54	0.768	3.11	0.8	70.5	84	1.7	10.2	7.5	0.5	3	7	98.3
K939603	Drill Core	3.71	0.077	30.2	46	0.60	540	0.292	4.98	1.001	1.31	1.0	65.8	63	8.1	18.6	11.1	0.8	2	8	39.7
K939604	Drill Core	1.63	0.049	40.0	64	1.25	1589	0.473	8.07	0.965	3.54	1.7	61.0	82	2.8	12.7	16.5	1.1	3	15	95.6
K939605	Drill Core	1.53	0.048	35.5	60	1.25	1594	0.450	7.62	0.919	3.24	1.5	60.7	74	2.5	12.5	15.2	1.0	3	14	91.8
K939606	Drill Core	1.47	0.050	45.1	65	1.42	1841	0.492	8.79	1.052	3.06	1.8	47.7	94	3.1	12.9	17.6	1.3	3	16	83.8

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Golden Predator Canada Corp.**
11th Floor, 888 Dunsmuir Street
Vancouver BC V6C 3K4 Canada

Project: Antimony
Report Date: December 09, 2011

CERTIFICATE OF ANALYSIS WHI11001939.1

Method		1EX	1EX	1EX	G6Gr
Analyte		S	Rb	Hf	Au
Unit		%	ppm	ppm	gm/t
MDL		0.1	0.1	0.1	0.9
K939601	Drill Core	0.1	36.6	0.8	
K939602	Drill Core	0.6	135.0	2.0	
K939603	Drill Core	0.2	51.4	2.1	
K939604	Drill Core	0.3	176.9	1.7	
K939605	Drill Core	0.3	147.1	1.8	
K939606	Drill Core	0.1	174.6	1.5	

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Golden Predator Canada Corp.**
11th Floor, 888 Dunsmuir Street
Vancouver BC V6C 3K4 Canada

Project: Antimony
Report Date: December 09, 2011

QUALITY CONTROL REPORT WHI11001939.1

	Method	WGHT	G6	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX
	Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
	Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	MDL	0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.2	1	0.01	1	0.1	0.1	0.1	1	0.1	0.1	0.1	1
Pulp Duplicates																					
K939452	Drill Core	2.74	<0.005	1.2	24.7	12.0	34	0.1	33.0	9.9	707	2.15	100	2.9	<0.1	6.9	284	0.1	5.0	0.2	92
REP K939452	QC			0.9	23.8	12.4	35	<0.1	32.9	9.9	667	2.09	120	2.8	<0.1	6.3	280	0.2	4.7	0.2	90
K939494	Drill Core	4.87	0.008	10.5	123.2	5.9	26	<0.1	38.3	14.5	358	4.10	167	7.3	<0.1	10.2	307	<0.1	5.2	0.5	220
REP K939494	QC		0.007																		
K939501	Drill Core	4.30	0.005	24.1	23.0	9.1	14	<0.1	18.9	10.8	183	1.78	217	19.3	<0.1	16.1	272	<0.1	2.6	0.1	35
REP K939501	QC			23.2	24.9	9.3	15	<0.1	19.3	11.1	190	1.84	204	20.2	<0.1	16.8	275	<0.1	2.8	0.1	34
K939516	Drill Core	2.61	<0.005	0.9	54.7	7.2	33	<0.1	37.6	19.3	515	5.78	13	1.9	<0.1	14.1	192	<0.1	7.1	<0.1	74
REP K939516	QC		<0.005																		
K939553	Drill Core	2.53	<0.005	0.6	23.6	8.5	15	<0.1	20.5	8.0	240	2.25	21	3.5	<0.1	19.2	176	<0.1	5.2	0.1	45
REP K939553	QC			0.7	24.0	7.7	14	<0.1	19.2	8.4	228	2.20	20	3.4	<0.1	18.5	178	0.1	4.8	<0.1	45
K939555	Rock Pulp	0.13	<0.005	2.5	30.6	11.5	7	<0.1	30.2	12.7	208	2.91	25	3.7	<0.1	22.5	194	<0.1	4.7	0.2	73
REP K939555	QC		0.006																		
K939556	Drill Core	2.46	5.845	607.7	76.7	92.8	75	1.3	27.7	10.2	611	3.60	32	1.0	5.7	2.4	259	0.2	22.6	0.3	225
REP K939556	QC			619.2	77.6	91.5	73	1.4	29.9	10.1	637	3.62	31	1.0	9.1	2.4	270	<0.1	23.5	0.3	228
K939568	Drill Core	1.68	<0.005	0.2	1.1	4.1	14	<0.1	7.8	1.9	848	2.81	5	6.6	<0.1	9.5	232	<0.1	3.1	<0.1	85
REP K939568	QC		<0.005																		
REP K939597	QC			1.2	29.2	7.7	9	<0.1	18.4	9.2	132	1.93	10	1.9	<0.1	12.7	99	<0.1	1.9	0.1	34
Core Reject Duplicates																					
K939457	Drill Core	1.55	0.016	2.7	151.4	10.6	25	3.1	35.5	14.5	1223	5.53	21	4.3	<0.1	8.0	230	0.1	14.3	0.7	186
DUP K939457	QC		0.013	2.3	119.1	10.5	29	2.6	32.2	12.6	1228	5.30	19	4.5	<0.1	8.3	242	0.2	12.6	0.6	186
K939492	Drill Core	3.08	1.583	49.0	329.1	30.0	29	2.3	195.2	1100	44	10.71	>10000	15.0	1.7	5.6	229	0.3	392.6	17.2	25
DUP K939492	QC		1.683	38.5	280.5	21.7	24	1.7	171.3	947.6	57	9.11	>10000	11.5	1.9	5.4	248	0.3	364.5	16.9	23
K939527	Drill Core	4.06	0.015	0.6	11.8	5.4	13	<0.1	41.1	17.6	348	5.38	3	1.7	<0.1	14.6	160	<0.1	5.4	<0.1	96
DUP K939527	QC		<0.005	0.5	17.1	6.5	14	0.1	43.4	18.9	384	5.49	5	2.0	<0.1	14.7	187	<0.1	5.5	<0.1	97
K939562	Drill Core	2.75	<0.005	0.9	8.9	15.0	21	0.1	12.8	4.1	530	1.46	27	9.0	<0.1	18.4	176	0.1	3.3	<0.1	41
DUP K939562	QC		<0.005	1.0	12.1	13.6	22	0.1	13.8	3.9	555	1.52	24	8.4	<0.1	18.2	189	0.2	3.9	<0.1	44
K939597	Drill Core	4.10	<0.005	1.2	29.1	8.0	10	<0.1	17.5	9.7	122	1.82	11	1.9	<0.1	12.7	95	<0.1	2.2	0.1	33
DUP K939597	QC		<0.005	1.2	29.9	7.8	9	<0.1	16.8	9.2	116	1.81	9	2.1	<0.1	13.4	100	<0.1	1.9	0.1	35

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Golden Predator Canada Corp.**
11th Floor, 888 Dunsmuir Street
Vancouver BC V6C 3K4 Canada

Project: Antimony
Report Date: December 09, 2011

QUALITY CONTROL REPORT WHI11001939.1

	Method	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX
	Analyte	Ca	P	La	Cr	Mg	Ba	Ti	Al	Na	K	W	Zr	Ce	Sn	Y	Nb	Ta	Be	Sc	Li
	Unit	%	%	ppm	ppm	%	ppm	%	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	MDL	0.01	0.001	0.1	1	0.01	1	0.001	0.01	0.001	0.01	0.1	0.1	1	0.1	0.1	0.1	0.1	1	1	0.1
Pulp Duplicates																					
K939452	Drill Core	2.84	0.085	27.7	42	1.14	625	0.477	3.99	0.891	0.71	3.2	25.3	56	3.4	21.9	21.8	1.2	2	9	35.7
REP K939452	QC	2.77	0.086	26.0	39	1.10	596	0.443	3.98	0.885	0.67	3.0	23.4	53	3.4	21.9	20.9	1.1	2	9	35.1
K939494	Drill Core	1.27	0.140	32.6	37	1.84	382	0.460	5.43	0.494	2.18	1.3	79.5	64	1.4	22.0	24.4	1.5	2	11	77.4
REP K939494	QC																				
K939501	Drill Core	1.00	0.023	21.4	22	0.49	879	0.246	5.26	1.227	1.83	1.9	24.9	47	0.8	9.6	9.4	0.7	1	5	49.6
REP K939501	QC	1.04	0.025	21.9	22	0.50	912	0.241	5.52	1.228	1.82	2.0	23.3	49	0.8	10.2	9.3	0.7	2	5	50.9
K939516	Drill Core	0.41	0.032	34.4	72	1.05	1676	0.454	8.56	0.676	4.37	1.9	10.2	82	3.8	7.3	14.9	1.0	3	15	88.7
REP K939516	QC																				
K939553	Drill Core	0.94	0.256	42.4	42	0.50	1366	0.314	7.04	0.506	3.19	2.0	28.0	99	0.7	19.8	13.4	1.0	2	8	50.9
REP K939553	QC	0.94	0.253	46.5	41	0.50	1391	0.327	6.80	0.491	3.04	1.9	28.2	104	0.7	20.1	13.3	1.0	1	8	47.5
K939555	Rock Pulp	0.42	0.066	45.6	54	0.74	1785	0.377	8.03	0.806	4.26	2.1	36.6	96	1.6	9.7	13.2	1.0	3	11	87.1
REP K939555	QC																				
K939556	Drill Core	1.41	0.058	10.1	42	0.88	133	0.277	5.97	1.987	1.74	18.5	60.2	23	1.8	12.9	4.6	0.3	1	10	30.3
REP K939556	QC	1.42	0.057	10.1	43	0.88	141	0.285	6.07	1.971	1.76	15.5	60.1	22	1.8	13.1	4.7	0.3	1	11	29.4
K939568	Drill Core	3.04	0.014	8.7	55	1.06	1641	0.353	7.72	0.349	1.95	5.5	64.7	25	8.6	20.4	13.2	0.9	3	13	22.1
REP K939568	QC																				
REP K939597	QC	0.53	0.031	27.5	25	0.24	793	0.151	3.79	0.412	2.16	0.7	33.2	58	0.9	7.3	5.9	0.4	2	4	53.4
Core Reject Duplicates																					
K939457	Drill Core	2.95	0.143	32.4	52	1.52	273	0.925	5.12	0.947	0.75	6.6	44.9	66	6.8	26.0	38.8	2.1	2	12	33.7
DUP K939457	QC	3.19	0.155	34.5	53	1.49	341	0.952	5.16	1.000	0.76	6.1	47.5	69	7.4	26.6	39.4	2.1	2	13	37.3
K939492	Drill Core	0.48	0.049	310.2	6	0.11	16	0.040	1.21	0.074	0.08	16.6	9.7	520	5.3	15.5	2.7	0.1	<1	<1	11.2
DUP K939492	QC	0.59	0.046	321.7	6	0.10	39	0.033	1.33	0.085	0.07	15.1	8.5	543	5.6	15.2	2.3	0.1	<1	<1	11.3
K939527	Drill Core	0.33	0.032	38.2	69	1.05	1662	0.498	8.83	0.559	5.10	2.9	11.9	82	7.7	7.5	14.6	1.0	3	17	71.5
DUP K939527	QC	0.40	0.033	40.4	72	1.07	1743	0.480	8.84	0.554	5.08	3.0	12.9	87	9.1	8.3	15.3	1.1	3	17	71.4
K939562	Drill Core	2.71	0.019	9.5	26	0.57	786	0.199	5.27	0.196	1.28	4.1	30.1	24	5.3	13.1	7.6	0.5	3	7	36.6
DUP K939562	QC	2.80	0.022	9.4	28	0.60	760	0.198	5.26	0.211	1.24	3.9	45.9	24	5.6	14.0	7.8	0.5	2	7	35.7
K939597	Drill Core	0.53	0.030	26.3	24	0.24	789	0.151	3.81	0.423	2.14	0.7	32.9	56	1.0	7.0	5.9	0.4	1	4	55.5
DUP K939597	QC	0.53	0.028	28.6	24	0.25	811	0.157	3.99	0.414	2.18	0.6	33.7	60	0.9	7.4	5.9	0.4	1	5	56.3

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Golden Predator Canada Corp.**
11th Floor, 888 Dunsmuir Street
Vancouver BC V6C 3K4 Canada

Project: Antimony
Report Date: December 09, 2011

QUALITY CONTROL REPORT WHI11001939.1

Method		1EX	1EX	1EX	G6Gr
Analyte		S	Rb	Hf	Au
Unit		%	ppm	ppm	gm/t
MDL		0.1	0.1	0.1	0.9
Pulp Duplicates					
K939452	Drill Core	<0.1	44.3	0.8	
REP K939452	QC	<0.1	43.5	0.8	
K939494	Drill Core	0.8	133.1	1.9	
REP K939494	QC				
K939501	Drill Core	0.2	95.2	0.6	
REP K939501	QC	0.2	97.3	0.7	
K939516	Drill Core	0.4	221.1	0.3	
REP K939516	QC				
K939553	Drill Core	0.3	160.1	0.8	
REP K939553	QC	0.3	159.4	0.8	
K939555	Rock Pulp	0.4	163.3	1.1	
REP K939555	QC				
K939556	Drill Core	0.7	38.5	1.8	
REP K939556	QC	0.7	38.8	1.8	
K939568	Drill Core	0.2	110.1	1.6	
REP K939568	QC				
REP K939597	QC	0.5	94.6	1.0	
Core Reject Duplicates					
K939457	Drill Core	1.7	42.8	1.6	
DUP K939457	QC	1.3	43.8	1.7	
K939492	Drill Core	8.6	5.3	0.3	
DUP K939492	QC	7.3	5.0	0.3	
K939527	Drill Core	0.1	279.3	0.4	
DUP K939527	QC	0.2	271.2	0.4	
K939562	Drill Core	<0.1	74.1	0.8	
DUP K939562	QC	<0.1	71.0	0.9	
K939597	Drill Core	0.5	92.8	0.9	
DUP K939597	QC	0.5	98.6	1.0	

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Golden Predator Canada Corp.**
11th Floor, 888 Dunsmuir Street
Vancouver BC V6C 3K4 Canada

Project: Antimony
Report Date: December 09, 2011

QUALITY CONTROL REPORT WHI11001939.1

		WGHT Wgt kg 0.01	G6 Au ppm 0.005	1EX Mo ppm 0.1	1EX Cu ppm 0.1	1EX Pb ppm 0.1	1EX Zn ppm 1	1EX Ag ppm 0.1	1EX Ni ppm 0.1	1EX Co ppm 0.2	1EX Mn ppm 1	1EX Fe % 0.01	1EX As ppm 1	1EX U ppm 0.1	1EX Au ppm 0.1	1EX Th ppm 0.1	1EX Sr ppm 1	1EX Cd ppm 0.1	1EX Sb ppm 0.1	1EX Bi ppm 0.1	1EX V ppm 1
Reference Materials																					
STD OREAS24P	Standard			1.8	50.5	3.0	114	<0.1	143.5	45.2	1102	7.18	2	0.7	<0.1	3.1	378	0.1	0.3	0.1	156
STD OREAS24P	Standard			1.3	49.7	2.6	117	<0.1	134.0	43.4	1064	7.00	3	0.7	<0.1	2.9	392	0.2	<0.1	<0.1	152
STD OREAS24P	Standard			1.3	50.2	3.0	118	<0.1	145.7	45.5	1147	7.82	2	0.8	<0.1	3.2	410	<0.1	<0.1	<0.1	163
STD OREAS24P	Standard			1.6	45.5	4.2	110	<0.1	136.7	43.9	1064	7.55	3	0.7	<0.1	3.0	388	<0.1	<0.1	<0.1	166
STD OREAS45C	Standard			2.1	606.7	25.5	82	0.3	323.3	103.1	1153	17.35	13	2.3	<0.1	11.0	39	<0.1	0.8	0.2	268
STD OREAS45C	Standard			2.0	607.9	25.3	87	0.3	334.1	102.7	1121	18.48	11	2.3	<0.1	10.8	37	0.2	0.9	0.2	254
STD OREAS45C	Standard			2.2	590.6	25.4	82	0.1	326.0	97.9	1185	17.14	14	2.2	<0.1	10.9	36	0.2	1.0	0.2	217
STD OREAS45C	Standard			2.3	643.5	25.9	95	0.4	329.1	109.6	1221	18.65	16	2.5	<0.1	11.4	34	0.1	0.6	<0.1	281
STD OREAS45C	Standard			2.3	634.5	28.4	84	0.4	340.7	100.1	1198	17.92	12	2.5	<0.1	11.2	39	<0.1	0.9	0.3	269
STD OREAS45C	Standard			2.3	625.8	26.1	84	0.3	336.8	103.0	1145	18.98	12	2.5	<0.1	11.4	40	0.2	0.8	0.3	273
STD OXH82	Standard		1.297																		
STD OXH82	Standard		1.290																		
STD OXH82	Standard		1.306																		
STD OXH82	Standard		1.303																		
STD OXH82	Standard		1.300																		
STD OXH82	Standard		1.215																		
STD OXH82	Standard		1.318																		
STD OXK79	Standard		3.620																		
STD OXK79	Standard		3.709																		
STD OXK79	Standard		3.483																		
STD OXK79	Standard		3.484																		
STD OXK79	Standard		3.674																		
STD OXK79	Standard		3.840																		
STD OXK79	Standard		3.646																		
STD SP49	Standard																				
STD OXH82 Expected			1.278																		
STD OXK79 Expected			3.532																		
STD SP49 Expected																					

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Golden Predator Canada Corp.**
11th Floor, 888 Dunsmuir Street
Vancouver BC V6C 3K4 Canada

Project: Antimony
Report Date: December 09, 2011

QUALITY CONTROL REPORT WHI11001939.1

		1EX Ca % 0.01	1EX P % 0.001	1EX La ppm 0.1	1EX Cr ppm 1	1EX Mg % 0.01	1EX Ba ppm 1	1EX Ti % 0.001	1EX Al % 0.01	1EX Na % 0.001	1EX K % 0.01	1EX W ppm 0.1	1EX Zr ppm 0.1	1EX Ce ppm 1	1EX Sn ppm 0.1	1EX Y ppm 0.1	1EX Nb ppm 0.1	1EX Ta ppm 0.1	1EX Be ppm 1	1EX Sc ppm 1	1EX Li ppm 0.1
Reference Materials																					
STD OREAS24P	Standard	5.78	0.138	17.6	192	4.00	273	1.089	7.59	2.353	0.63	0.4	132.4	34	1.7	21.4	18.6	1.0	2	20	7.9
STD OREAS24P	Standard	5.35	0.131	18.7	207	3.91	274	1.033	7.67	2.414	0.63	0.6	123.4	38	1.4	21.3	17.9	1.0	<1	18	7.1
STD OREAS24P	Standard	6.18	0.143	19.3	196	4.16	292	1.156	7.98	2.518	0.72	0.5	136.9	40	1.6	22.5	20.0	1.2	1	21	8.8
STD OREAS24P	Standard	5.52	0.138	18.7	204	4.13	292	1.019	7.58	2.501	0.68	0.3	134.3	38	1.6	21.7	19.5	1.1	1	20	8.0
STD OREAS45C	Standard	0.45	0.053	25.6	901	0.26	271	1.184	7.26	0.103	0.34	1.1	158.3	51	3.0	12.3	20.9	1.4	<1	59	15.6
STD OREAS45C	Standard	0.49	0.052	26.6	878	0.27	285	1.128	7.37	0.110	0.38	1.0	165.4	52	2.7	12.8	21.8	1.4	1	60	16.4
STD OREAS45C	Standard	0.49	0.050	24.5	954	0.26	271	1.202	7.20	0.094	0.35	1.1	165.1	50	2.7	11.8	21.2	1.5	1	57	16.4
STD OREAS45C	Standard	0.49	0.052	25.7	949	0.28	290	1.097	7.53	0.103	0.35	1.2	169.6	52	2.8	12.7	22.1	1.5	<1	57	14.5
STD OREAS45C	Standard	0.47	0.053	25.7	991	0.23	287	1.246	7.35	0.110	0.41	1.1	172.7	52	3.0	13.1	23.7	1.5	1	61	18.3
STD OREAS45C	Standard	0.48	0.052	27.0	960	0.23	285	1.121	7.34	0.107	0.37	0.9	178.9	54	2.9	13.5	23.6	1.5	1	60	18.1
STD OXH82	Standard																				
STD OXH82	Standard																				
STD OXH82	Standard																				
STD OXH82	Standard																				
STD OXH82	Standard																				
STD OXH82	Standard																				
STD OXH82	Standard																				
STD OXK79	Standard																				
STD OXK79	Standard																				
STD OXK79	Standard																				
STD OXK79	Standard																				
STD OXK79	Standard																				
STD OXK79	Standard																				
STD OXK79	Standard																				
STD SP49	Standard																				
STD OXH82 Expected																					
STD OXK79 Expected																					
STD SP49 Expected																					

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Golden Predator Canada Corp.**
11th Floor, 888 Dunsmuir Street
Vancouver BC V6C 3K4 Canada

Project: Antimony
Report Date: December 09, 2011

QUALITY CONTROL REPORT WHI11001939.1

		1EX S % 0.1	1EX Rb ppm 0.1	1EX Hf ppm 0.1	G6Gr Au gm/t 0.9
Reference Materials					
STD OREAS24P	Standard	<0.1	26.2	3.6	
STD OREAS24P	Standard	<0.1	21.0	3.1	
STD OREAS24P	Standard	<0.1	21.7	3.7	
STD OREAS24P	Standard	<0.1	21.1	3.6	
STD OREAS45C	Standard	<0.1	24.7	4.5	
STD OREAS45C	Standard	<0.1	25.6	4.4	
STD OREAS45C	Standard	<0.1	23.4	4.4	
STD OREAS45C	Standard	<0.1	21.9	4.4	
STD OREAS45C	Standard	<0.1	24.5	4.5	
STD OREAS45C	Standard	<0.1	24.4	4.4	
STD OXH82	Standard				
STD OXH82	Standard				
STD OXH82	Standard				
STD OXH82	Standard				
STD OXH82	Standard				
STD OXH82	Standard				
STD OXH82	Standard				
STD OXK79	Standard				
STD OXK79	Standard				
STD OXK79	Standard				
STD OXK79	Standard				
STD OXK79	Standard				
STD OXK79	Standard				
STD SP49	Standard				18.2
STD OXH82 Expected					
STD OXK79 Expected					
STD SP49 Expected					18.34

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Golden Predator Canada Corp.**
11th Floor, 888 Dunsmuir Street
Vancouver BC V6C 3K4 Canada

Project: Antimony
Report Date: December 09, 2011

QUALITY CONTROL REPORT WHI11001939.1

		WGHT	G6	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.2	1	0.01	1	0.1	0.1	0.1	1	0.1	0.1	0.1	1
STD OREAS24P Expected				1.5	52	2.9	119	0.06	141	44	1100	7.53	1.2	0.75		2.85	403	0.15	0.09		158
STD OREAS45C Expected				2.26	620	24	83	0.28	333	104	1160	18.33	10.1	2.4	0.045	10.2	36.4	0.15	0.79	0.21	270
BLK	Blank		<0.005																		
BLK	Blank		<0.005																		
BLK	Blank		<0.005																		
BLK	Blank		<0.005																		
BLK	Blank		0.008																		
BLK	Blank		<0.005																		
BLK	Blank		<0.005																		
BLK	Blank		<0.005																		
BLK	Blank		<0.005																		
BLK	Blank		<0.005																		
BLK	Blank		0.007																		
BLK	Blank		<0.005																		
BLK	Blank		0.007																		
BLK	Blank																				
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.2	<1	<0.01	<1	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.2	<1	<0.01	<1	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.2	<1	<0.01	<1	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.2	<1	<0.01	<1	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.2	<1	<0.01	<1	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.2	<1	<0.01	<1	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1
Prep Wash																					
G1	Prep Blank		<0.005	0.2	1.6	20.5	52	<0.1	4.1	5.1	735	2.28	<1	2.5	<0.1	7.6	696	0.1	<0.1	0.3	49
G1	Prep Blank		0.007	0.3	2.7	19.2	53	<0.1	4.5	5.3	756	2.35	2	2.4	<0.1	7.3	707	0.1	<0.1	0.2	48

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Golden Predator Canada Corp.**
11th Floor, 888 Dunsmuir Street
Vancouver BC V6C 3K4 Canada

Project: Antimony
Report Date: December 09, 2011

QUALITY CONTROL REPORT WHI11001939.1

		1EX Ca % 0.01	1EX P % 0.001	1EX La ppm 0.1	1EX Cr ppm 1	1EX Mg % 0.01	1EX Ba ppm 1	1EX Ti % 0.001	1EX Al % 0.01	1EX Na % 0.001	1EX K % 0.01	1EX W ppm 0.1	1EX Zr ppm 0.1	1EX Ce ppm 1	1EX Sn ppm 0.1	1EX Y ppm 0.1	1EX Nb ppm 0.1	1EX Ta ppm 0.1	1EX Be ppm 1	1EX Sc ppm 1	1EX Li ppm 0.1
STD OREAS24P Expected		5.83	0.136	17.4	196	4.13	285	1.1	7.66	2.34	0.7	0.5	141	37.6	1.6	21.3	21	1.04		20	8.7
STD OREAS45C Expected		0.482	0.051	26.2	962	0.25	270	1.1313	7.59	0.097	0.36	1.06	169.7	54	2.9	12.9	23.05	1.43		59.03	15.69
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank	<0.01	<0.001	<0.1	<1	<0.01	<1	<0.001	<0.01	<0.001	<0.01	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<0.1	<1	<1	<0.1
BLK	Blank	<0.01	<0.001	<0.1	<1	<0.01	<1	<0.001	<0.01	<0.001	<0.01	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<0.1	<1	<1	<0.1
BLK	Blank	<0.01	<0.001	<0.1	<1	<0.01	<1	<0.001	<0.01	<0.001	<0.01	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<0.1	<1	<1	<0.1
BLK	Blank	<0.01	<0.001	<0.1	<1	<0.01	<1	<0.001	<0.01	<0.001	<0.01	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<0.1	<1	<1	<0.1
BLK	Blank	<0.01	<0.001	<0.1	<1	<0.01	<1	<0.001	<0.01	<0.001	<0.01	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<0.1	<1	<1	<0.1
BLK	Blank	<0.01	<0.001	<0.1	<1	<0.01	<1	<0.001	<0.01	<0.001	<0.01	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<0.1	<1	<1	<0.1
Prep Wash																					
G1	Prep Blank	2.30	0.082	26.3	7	0.63	985	0.262	7.26	2.598	3.02	0.2	14.1	52	1.6	15.7	25.6	1.5	3	5	35.4
G1	Prep Blank	2.23	0.081	20.2	6	0.63	944	0.245	7.25	2.661	3.03	0.2	13.6	46	1.7	14.4	25.7	1.4	3	5	35.7

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Golden Predator Canada Corp.**
11th Floor, 888 Dunsmuir Street
Vancouver BC V6C 3K4 Canada

Project: Antimony
Report Date: December 09, 2011

QUALITY CONTROL REPORT WHI11001939.1

		1EX S % 0.1	1EX Rb ppm 0.1	1EX Hf ppm 0.1	G6Gr Au gm/t 0.9
STD OREAS24P Expected			22.4	3.6	
STD OREAS45C Expected		0.021	24	4.27	
BLK	Blank				
BLK	Blank				
BLK	Blank				
BLK	Blank				
BLK	Blank				
BLK	Blank				
BLK	Blank				
BLK	Blank				
BLK	Blank				
BLK	Blank				
BLK	Blank				
BLK	Blank				
BLK	Blank				
BLK	Blank				
BLK	Blank				
BLK	Blank				<0.9
BLK	Blank	<0.1	<0.1	<0.1	
BLK	Blank	<0.1	<0.1	<0.1	
BLK	Blank	<0.1	<0.1	<0.1	
BLK	Blank	<0.1	<0.1	<0.1	
BLK	Blank	<0.1	<0.1	<0.1	
BLK	Blank	<0.1	<0.1	<0.1	
Prep Wash					
G1	Prep Blank	<0.1	144.7	0.7	
G1	Prep Blank	<0.1	135.1	0.9	

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada

www.acmelab.com

Client: **Golden Predator Canada Corp.**
11th Floor, 888 Dunsmuir Street
Vancouver BC V6C 3K4 Canada

Submitted By: Jack Cote
Receiving Lab: Canada-Whitehorse
Received: November 17, 2011
Report Date: November 30, 2011
Page: 1 of 4

CERTIFICATE OF ANALYSIS WHI11001941.1

CLIENT JOB INFORMATION

Project: Antimony
Shipment ID: ANM-2011-JC-2062
P.O. Number
Number of Samples: 84

SAMPLE DISPOSAL

RTRN-PLP Return
STOR-RJT Store After 90 days Invoice for Storage

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
R200-250	79	Crush, split and pulverize 250 g rock to 200 mesh			WHI
G601	84	Lead Collection Fire - Assay Fusion - AAS Finish	30	Completed	VAN
1EX	84	4 Acid digestion ICP-MS analysis	0.25	Completed	VAN

ADDITIONAL COMMENTS

Invoice To: Golden Predator Canada Corp.
11th Floor, 888 Dunsmuir Street
Vancouver BC V6C 3K4
Canada

CC: Andrew Caldwell

BRITISH COLUMBIA CERTIFIED ASSAYER
CLARENCE LEONG
GENERAL MANAGER

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.
All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
"*" asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Golden Predator Canada Corp.**
11th Floor, 888 Dunsmuir Street
Vancouver BC V6C 3K4 Canada

Project: Antimony
Report Date: November 30, 2011

CERTIFICATE OF ANALYSIS WHI11001941.1

Method		WGHT	G6	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX
Analyte		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
Unit		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
MDL		0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.2	1	0.01	1	0.1	0.1	0.1	1	0.1	0.1	0.1	1
1273051	Drill Core	5.80	<0.005	2.1	18.3	34.5	36	0.1	6.3	9.3	434	1.42	57	6.4	<0.1	24.0	1172	0.1	4.9	0.1	131
1273052	Drill Core	6.64	0.027	3.1	17.5	30.7	29	<0.1	5.1	14.3	394	1.38	787	6.9	<0.1	22.9	1123	0.1	11.0	0.2	135
1273053	Drill Core	3.08	0.013	6.5	19.4	14.9	29	<0.1	5.5	19.9	467	2.83	2339	8.1	<0.1	28.2	761	0.1	10.8	0.2	165
1273054	Drill Core	3.28	<0.005	0.9	19.4	26.9	35	0.1	4.1	2.9	499	2.17	17	6.1	<0.1	23.2	1035	0.2	5.6	<0.1	141
1273055	Drill Core	3.29	<0.005	0.6	12.1	29.4	37	<0.1	3.2	2.9	504	2.06	19	5.9	<0.1	22.0	1037	<0.1	5.4	0.2	142
1273056	Drill Core	6.90	0.017	2.4	51.7	33.2	43	0.2	8.3	4.9	494	2.81	26	8.4	<0.1	22.3	1049	0.3	7.0	0.2	131
1273057	Drill Core	4.97	0.006	1.6	20.1	31.8	67	<0.1	6.0	15.3	927	4.72	129	4.8	<0.1	13.8	827	0.1	5.1	0.5	126
1273058	Drill Core	6.18	0.425	2.2	47.5	31.0	61	0.1	5.3	78.5	744	4.13	4270	7.9	0.5	18.3	705	0.2	22.3	4.1	119
1273059	Drill Core	5.48	0.133	3.0	116.5	21.0	36	0.3	10.7	173.7	633	3.90	8554	10.5	0.1	15.3	505	0.1	51.7	1.6	98
1273060	Drill Core	7.50	<0.005	1.7	12.4	34.5	80	<0.1	6.7	15.7	1082	4.98	84	4.1	<0.1	15.8	1002	0.2	3.7	0.1	133
1273061	Drill Core	7.08	<0.005	115.7	6.8	34.4	38	<0.1	16.9	3.8	498	1.82	27	6.9	<0.1	21.4	1147	0.2	8.2	<0.1	142
1273062	Drill Core	6.07	<0.005	3.0	24.8	29.7	32	<0.1	9.5	4.8	412	1.45	7	7.2	<0.1	20.0	1178	0.2	6.8	0.1	133
1273063	Drill Core	4.34	<0.005	2.6	3.0	32.2	36	0.1	2.0	6.0	444	1.24	147	7.8	<0.1	22.7	1179	0.2	2.4	<0.1	152
1273064	Drill Core	4.03	0.009	9.8	7.3	34.9	41	0.2	2.1	9.6	459	1.31	317	8.1	<0.1	21.7	926	0.2	5.0	0.2	156
1273065	Drill Core	3.32	2.092	245.0	5.3	18.6	20	0.3	24.8	1509	435	6.36	>10000	132.2	2.8	17.3	466	<0.1	287.2	17.0	131
1273066	Rock Pulp	0.17	0.006	3.2	24.2	4.8	45	0.5	23.8	10.4	466	2.38	4	0.8	<0.1	2.1	236	0.1	0.8	<0.1	81
1273067	Drill Core	5.11	<0.005	1.6	3.3	27.0	28	<0.1	2.3	1.6	435	1.08	14	5.8	<0.1	22.2	1098	<0.1	3.3	<0.1	143
1273068	Drill Core	6.56	<0.005	0.9	2.6	27.3	25	<0.1	2.4	3.1	426	1.00	50	6.8	<0.1	24.8	1106	<0.1	2.8	<0.1	137
1273069	Drill Core	5.91	<0.005	8.2	3.0	29.5	31	<0.1	2.4	2.3	444	1.20	15	13.0	<0.1	28.1	1073	0.1	3.2	0.2	147
1273070	Drill Core	6.73	<0.005	2.2	7.1	23.4	26	<0.1	2.3	2.2	421	1.67	14	7.1	<0.1	27.4	1078	<0.1	3.4	<0.1	132
1273071	Drill Core	6.29	0.021	0.5	4.1	31.1	31	<0.1	2.8	3.1	442	1.21	18	5.0	<0.1	25.2	1000	0.1	2.7	0.1	141
1273072	Drill Core	6.40	<0.005	6.0	4.4	34.6	35	0.1	2.3	4.1	426	1.22	42	5.0	<0.1	28.8	1054	0.2	3.0	<0.1	135
1273073	Drill Core	6.05	0.431	63.3	37.4	18.6	34	0.1	11.2	47.7	537	2.93	2169	10.7	0.5	37.0	681	0.2	10.3	4.0	176
1273074	Drill Core	3.83	0.018	7.6	75.9	22.8	33	0.2	6.4	7.1	480	2.16	287	7.5	<0.1	37.5	929	0.2	5.9	0.6	169
1273075	Drill Core	4.24	0.009	5.0	14.2	21.0	30	<0.1	3.7	6.1	434	1.70	216	9.2	<0.1	29.7	863	0.1	3.5	0.2	138
1273076	Drill Core	3.86	0.170	40.1	25.0	11.6	25	<0.1	31.2	146.0	451	3.61	5215	9.7	0.2	35.1	539	0.1	23.1	1.9	139
1273077	Rock Pulp	0.17	1.447	21.9	316.5	10.1	55	0.4	37.1	8.8	570	3.80	20	0.9	1.5	2.0	253	0.2	2.7	0.4	87
1273078	Drill Core	3.98	<0.005	9.0	9.0	25.9	36	<0.1	1.9	2.2	511	1.58	12	6.8	<0.1	34.4	981	0.1	2.7	<0.1	162
1273079	Drill Core	5.18	<0.005	39.4	13.6	21.8	35	<0.1	2.8	3.4	522	2.20	48	10.3	<0.1	35.3	958	0.1	6.3	<0.1	150
1273080	Drill Core	3.97	<0.005	5.3	40.5	22.1	39	0.1	4.6	17.7	600	2.47	332	10.3	<0.1	46.9	946	0.2	9.2	0.1	157

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Golden Predator Canada Corp.**
11th Floor, 888 Dunsmuir Street
Vancouver BC V6C 3K4 Canada

Project: Antimony
Report Date: November 30, 2011

CERTIFICATE OF ANALYSIS WHI11001941.1

Method		1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX
Analyte		Ca	P	La	Cr	Mg	Ba	Ti	Al	Na	K	W	Zr	Ce	Sn	Y	Nb	Ta	Be	Sc	Li
Unit		%	%	ppm	ppm	%	ppm	%	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
MDL		0.01	0.001	0.1	1	0.01	1	0.001	0.01	0.001	0.01	0.1	0.1	1	0.1	0.1	0.1	0.1	1	1	0.1
1273051	Drill Core	7.25	0.112	30.2	11	1.74	374	0.488	8.86	3.545	0.42	0.9	33.2	73	2.6	24.0	14.7	0.9	2	15	19.9
1273052	Drill Core	7.51	0.116	25.8	11	1.78	344	0.488	9.02	3.612	0.33	0.7	32.6	63	3.5	22.9	14.7	0.9	3	15	18.5
1273053	Drill Core	6.15	0.167	32.5	17	2.25	379	0.426	7.95	2.549	0.66	0.6	25.9	70	8.3	22.4	11.3	0.7	3	21	39.5
1273054	Drill Core	6.78	0.130	31.9	13	2.03	580	0.462	8.91	3.405	0.72	0.7	27.6	73	3.8	24.6	14.6	0.8	2	16	17.2
1273055	Drill Core	6.97	0.122	29.1	12	2.03	542	0.459	8.87	3.519	0.67	0.9	28.5	68	3.3	23.7	14.3	0.9	3	16	16.8
1273056	Drill Core	6.09	0.112	33.2	13	1.89	1031	0.463	8.87	3.231	1.21	1.0	33.0	76	3.5	23.8	14.4	0.9	2	15	22.4
1273057	Drill Core	4.68	0.103	27.5	13	1.57	2037	0.498	7.76	2.286	2.54	2.3	33.1	62	2.8	20.1	14.0	0.8	2	13	27.4
1273058	Drill Core	4.62	0.113	158.3	13	1.31	1909	0.485	7.70	1.986	2.60	1.8	31.2	272	4.9	24.4	14.4	0.8	3	13	29.4
1273059	Drill Core	4.64	0.111	87.0	12	1.03	383	0.409	7.63	1.880	2.86	2.5	29.2	151	7.2	25.0	12.3	0.7	3	11	29.2
1273060	Drill Core	5.07	0.109	32.6	13	1.71	2354	0.465	8.07	2.267	2.46	1.5	29.2	73	2.2	20.6	14.8	0.8	2	14	44.4
1273061	Drill Core	7.47	0.119	31.9	9	2.03	397	0.477	9.18	3.680	0.45	0.6	26.0	79	2.3	25.4	15.3	0.8	3	16	18.1
1273062	Drill Core	7.66	0.107	28.4	11	1.78	308	0.481	8.98	3.688	0.34	0.6	26.6	70	1.1	22.5	14.5	0.8	3	16	14.9
1273063	Drill Core	7.84	0.107	35.2	12	2.05	352	0.493	9.08	3.802	0.31	0.4	28.2	75	1.2	20.9	14.6	0.8	3	16	22.0
1273064	Drill Core	7.52	0.089	39.4	13	2.14	360	0.487	8.99	3.015	0.33	0.2	24.4	75	1.6	19.5	13.8	0.8	3	19	25.1
1273065	Drill Core	7.89	0.102	266.8	15	1.25	314	0.348	6.77	1.408	0.81	1.6	20.3	416	9.2	20.7	9.6	0.6	3	14	39.3
1273066	Rock Pulp	1.83	0.049	9.6	33	0.75	513	0.298	4.98	2.077	0.85	21.1	40.8	19	0.8	12.9	3.7	0.2	<1	10	12.6
1273067	Drill Core	7.81	0.081	25.4	12	1.99	272	0.464	8.93	3.449	0.24	0.4	26.5	64	0.9	21.3	13.8	0.9	2	17	16.9
1273068	Drill Core	7.63	0.093	26.5	10	1.79	275	0.479	8.78	3.474	0.27	0.5	38.5	64	0.8	22.2	14.0	0.9	3	15	15.9
1273069	Drill Core	7.44	0.055	22.3	15	1.90	233	0.474	8.61	3.476	0.32	0.6	32.0	57	1.7	21.3	13.6	0.9	2	20	15.8
1273070	Drill Core	6.84	0.068	23.5	13	1.73	377	0.473	8.84	3.526	0.47	0.6	37.0	60	2.0	21.5	13.8	0.9	3	17	17.3
1273071	Drill Core	7.46	0.101	26.2	12	1.95	278	0.479	8.61	3.435	0.33	0.5	40.9	64	1.1	23.0	13.2	0.9	3	17	15.4
1273072	Drill Core	7.33	0.091	24.5	11	1.83	277	0.465	8.69	3.466	0.33	0.4	34.2	59	1.4	21.8	13.4	0.8	3	17	14.3
1273073	Drill Core	6.77	0.061	25.5	35	1.78	359	0.444	7.46	2.720	0.59	0.8	44.0	61	14.2	23.2	12.7	0.8	3	27	30.0
1273074	Drill Core	6.91	0.039	27.0	27	1.93	336	0.486	8.23	3.495	0.46	0.4	40.3	66	2.9	23.7	14.0	0.9	4	29	20.8
1273075	Drill Core	6.39	0.044	23.8	17	1.60	321	0.441	8.53	3.473	0.48	0.6	26.4	58	2.9	20.7	14.9	1.0	3	20	22.3
1273076	Drill Core	5.99	0.039	62.0	27	1.42	468	0.443	7.34	1.547	0.78	1.4	26.8	104	13.4	23.4	12.1	0.8	2	24	30.6
1273077	Rock Pulp	1.69	0.055	8.6	37	0.86	520	0.300	5.35	1.984	0.93	1.0	40.2	19	2.1	14.4	4.0	0.2	<1	10	13.9
1273078	Drill Core	7.70	0.053	18.9	23	2.12	291	0.449	8.35	3.315	0.36	0.5	25.7	48	2.3	22.3	14.1	0.9	3	25	16.7
1273079	Drill Core	6.94	0.048	22.6	23	1.89	319	0.488	8.47	3.569	0.43	0.9	27.8	53	4.1	23.3	14.7	0.9	4	21	20.6
1273080	Drill Core	6.39	0.030	19.7	31	1.61	435	0.479	8.46	3.572	0.51	1.2	26.0	49	4.4	24.0	14.3	0.8	3	25	30.5

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Golden Predator Canada Corp.**
11th Floor, 888 Dunsmuir Street
Vancouver BC V6C 3K4 Canada

Project: Antimony
Report Date: November 30, 2011

CERTIFICATE OF ANALYSIS WHI11001941.1

Method		1EX	1EX	1EX
Analyte		S	Rb	Hf
Unit		%	ppm	ppm
MDL		0.1	0.1	0.1
1273051	Drill Core	0.1	10.0	1.3
1273052	Drill Core	0.2	6.3	1.1
1273053	Drill Core	0.2	32.8	1.1
1273054	Drill Core	<0.1	21.2	1.0
1273055	Drill Core	<0.1	18.4	1.0
1273056	Drill Core	0.3	37.3	1.2
1273057	Drill Core	0.3	51.8	1.2
1273058	Drill Core	0.5	80.4	1.1
1273059	Drill Core	1.0	104.4	1.0
1273060	Drill Core	0.2	54.1	1.0
1273061	Drill Core	<0.1	11.3	0.9
1273062	Drill Core	0.1	7.4	0.9
1273063	Drill Core	<0.1	8.3	1.0
1273064	Drill Core	<0.1	12.8	0.9
1273065	Drill Core	2.6	42.1	0.7
1273066	Rock Pulp	<0.1	22.6	1.1
1273067	Drill Core	<0.1	4.0	1.0
1273068	Drill Core	<0.1	4.9	1.4
1273069	Drill Core	<0.1	6.9	1.1
1273070	Drill Core	<0.1	14.2	1.3
1273071	Drill Core	<0.1	7.7	1.3
1273072	Drill Core	<0.1	8.4	1.3
1273073	Drill Core	0.2	32.8	1.4
1273074	Drill Core	0.5	23.6	1.4
1273075	Drill Core	<0.1	21.5	1.0
1273076	Drill Core	0.4	47.1	1.0
1273077	Rock Pulp	<0.1	25.3	1.1
1273078	Drill Core	<0.1	12.4	1.0
1273079	Drill Core	<0.1	15.1	1.1
1273080	Drill Core	<0.1	26.7	1.0

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Golden Predator Canada Corp.**
11th Floor, 888 Dunsmuir Street
Vancouver BC V6C 3K4 Canada

Project: Antimony
Report Date: November 30, 2011

CERTIFICATE OF ANALYSIS WHI11001941.1

Method		WGHT	G6	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX
Analyte		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
Unit		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
MDL		0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.2	1	0.01	1	0.1	0.1	0.1	1	0.1	0.1	0.1	1
1273081	Drill Core	3.31	<0.005	0.4	3.8	7.3	9	<0.1	1.3	5.0	226	0.63	89	2.8	<0.1	22.4	671	<0.1	2.9	<0.1	73
1273082	Drill Core	8.64	0.009	0.9	4.4	24.4	30	<0.1	1.8	2.5	521	1.29	6	4.7	<0.1	32.2	1037	<0.1	2.3	<0.1	156
1273083	Drill Core	6.34	<0.005	2.4	5.7	26.2	32	<0.1	3.0	2.6	500	1.29	4	6.6	<0.1	31.3	1128	<0.1	2.6	<0.1	142
1273084	Drill Core	2.98	<0.005	0.5	2.6	26.6	31	0.1	2.9	2.6	485	1.35	33	6.1	<0.1	31.2	914	0.1	2.2	0.1	135
1273085	Drill Core	3.10	<0.005	0.5	4.0	28.2	34	0.1	2.3	1.9	519	1.50	7	6.0	<0.1	31.8	921	0.1	2.6	0.1	136
1273086	Drill Core	6.49	<0.005	0.3	2.9	25.4	31	0.1	2.7	2.2	430	1.08	7	4.3	<0.1	27.2	991	0.1	2.3	<0.1	117
1273087	Drill Core	6.75	<0.005	0.6	18.8	23.0	31	0.2	3.0	2.9	524	1.80	10	9.6	<0.1	40.9	949	0.2	4.4	0.1	167
1273088	Drill Core	6.57	<0.005	0.9	4.0	31.2	31	0.2	3.2	2.1	638	1.38	6	9.1	<0.1	74.4	1055	0.2	2.3	0.1	194
1273089	Drill Core	6.72	<0.005	0.2	2.8	25.7	33	0.2	2.6	2.0	608	1.33	8	9.6	<0.1	76.5	1054	0.1	2.5	<0.1	182
1273090	Drill Core	4.06	0.005	0.3	13.3	18.1	34	0.2	3.2	5.3	651	2.00	86	9.3	<0.1	52.2	961	0.2	4.8	0.1	233
1273091	Drill Core	4.10	0.214	12.4	49.5	6.4	26	0.1	36.7	520.8	569	5.09	>10000	20.2	0.3	62.6	457	<0.1	64.3	2.1	211
1273092	Drill Core	5.20	<0.005	0.3	6.0	29.7	35	0.2	3.2	2.3	507	1.52	22	5.5	<0.1	22.8	985	0.2	3.2	<0.1	146
1273093	Drill Core	6.17	<0.005	7.8	56.2	17.3	31	0.2	25.4	8.0	288	2.44	36	5.3	<0.1	12.0	427	0.1	5.2	0.2	154
1273094	Drill Core	6.47	<0.005	2.7	49.5	12.8	28	0.1	33.1	13.6	286	2.49	176	5.0	<0.1	21.3	544	<0.1	6.7	0.2	60
1273095	Rock Pulp	0.17	<0.005	3.3	27.7	4.9	44	0.7	23.0	10.4	503	2.49	4	0.8	<0.1	2.0	276	0.3	0.9	<0.1	84
1273096	Drill Core	6.05	0.009	2.2	43.1	6.9	12	<0.1	26.7	14.1	296	3.17	137	5.6	<0.1	19.7	327	<0.1	5.6	0.2	57
1273097	Drill Core	7.44	0.005	0.6	3.9	17.5	21	0.1	6.6	1.9	133	0.64	9	1.4	<0.1	13.8	241	<0.1	1.4	<0.1	15
1273098	Drill Core	4.48	<0.005	0.3	2.5	27.2	34	0.1	5.9	2.3	432	1.11	10	4.1	<0.1	17.7	921	<0.1	3.5	<0.1	145
1273099	Drill Core	4.78	<0.005	0.3	2.6	17.9	22	<0.1	2.6	1.5	285	0.67	24	2.1	<0.1	15.9	892	0.1	1.7	<0.1	116
1273100	Drill Core	5.04	<0.005	0.2	6.8	20.9	29	<0.1	2.5	11.2	425	1.48	181	4.2	<0.1	24.3	947	<0.1	4.1	0.1	137
1273101	Drill Core	4.41	<0.005	0.3	5.3	18.4	34	<0.1	6.2	2.5	317	1.07	12	1.9	<0.1	14.9	726	0.1	2.9	<0.1	81
1273102	Drill Core	4.82	<0.005	0.1	5.7	16.3	27	<0.1	2.6	6.7	430	1.79	52	4.1	<0.1	22.0	867	<0.1	5.2	<0.1	111
1273103	Drill Core	4.78	<0.005	0.9	4.0	18.7	35	0.1	3.3	23.8	530	2.12	1091	6.0	<0.1	24.5	833	<0.1	8.6	0.2	123
1273104	Drill Core	4.87	<0.005	0.1	3.0	35.5	57	0.2	3.0	4.4	576	1.64	114	5.9	<0.1	25.1	918	0.3	4.6	0.1	134
1273105	Drill Core	4.17	<0.005	0.4	3.0	34.8	34	0.1	2.5	2.0	493	1.22	10	6.0	<0.1	25.3	1034	0.2	2.7	0.1	136
1273106	Rock Pulp	0.17	0.885	6.5	46.4	7.3	60	0.5	33.5	15.4	628	3.57	6	1.0	0.5	2.6	245	0.3	1.7	0.2	94
1273107	Drill Core	4.09	<0.005	0.2	2.9	33.5	30	<0.1	1.7	2.1	427	1.01	7	3.4	<0.1	22.6	1084	<0.1	2.0	<0.1	126
1273108	Drill Core	6.64	0.005	0.3	3.2	28.9	27	0.1	2.5	2.6	463	1.13	6	5.3	<0.1	25.0	1073	0.1	2.3	0.1	148
1273109	Drill Core	6.20	<0.005	0.2	2.7	29.5	27	<0.1	2.2	2.0	484	1.16	4	5.9	<0.1	24.7	1060	0.1	2.4	<0.1	145
1273110	Drill Core	6.73	<0.005	0.4	5.7	30.9	38	<0.1	3.1	3.1	540	1.52	32	6.1	<0.1	28.7	1042	0.2	3.6	<0.1	155

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Golden Predator Canada Corp.**
11th Floor, 888 Dunsmuir Street
Vancouver BC V6C 3K4 Canada

Project: Antimony
Report Date: November 30, 2011

CERTIFICATE OF ANALYSIS WHI11001941.1

Method		1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX
Analyte		Ca	P	La	Cr	Mg	Ba	Ti	Al	Na	K	W	Zr	Ce	Sn	Y	Nb	Ta	Be	Sc	Li
Unit		%	%	ppm	ppm	%	ppm	%	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
MDL		0.01	0.001	0.1	1	0.01	1	0.001	0.01	0.001	0.01	0.1	0.1	1	0.1	0.1	0.1	0.1	1	1	0.1
1273081	Drill Core	5.04	0.003	6.9	18	0.68	220	0.465	8.07	2.557	0.88	0.6	23.9	26	2.2	19.5	12.2	0.9	4	8	105.5
1273082	Drill Core	7.52	0.062	19.6	22	2.21	224	0.476	8.51	3.420	0.30	0.5	27.1	54	2.3	24.1	14.0	0.9	3	22	24.2
1273083	Drill Core	7.75	0.106	26.8	20	2.11	207	0.487	8.50	3.727	0.28	0.6	30.4	68	2.1	24.0	14.2	0.9	3	19	17.2
1273084	Drill Core	7.29	0.089	20.5	20	2.08	178	0.454	8.14	3.411	0.31	0.5	31.9	57	2.6	23.5	14.2	0.9	3	19	22.1
1273085	Drill Core	7.49	0.095	22.2	20	2.10	197	0.453	8.29	3.473	0.30	0.5	33.4	61	3.0	24.1	14.6	1.0	4	20	26.1
1273086	Drill Core	6.89	0.098	20.1	15	1.72	221	0.420	8.06	3.580	0.29	0.5	34.7	57	1.6	22.2	14.5	1.0	3	13	15.5
1273087	Drill Core	7.85	0.171	22.9	23	2.35	174	0.471	8.17	3.799	0.29	0.4	69.6	67	3.2	26.6	16.8	1.0	3	21	16.1
1273088	Drill Core	8.57	0.227	29.6	22	2.55	218	0.455	8.15	3.846	0.23	0.2	111.8	82	4.2	29.6	22.5	1.5	4	19	23.4
1273089	Drill Core	8.46	0.206	28.6	19	2.33	231	0.450	8.36	3.988	0.27	0.2	123.5	82	3.6	28.7	23.4	1.6	5	18	24.0
1273090	Drill Core	8.74	0.213	29.2	37	3.02	153	0.478	7.72	3.587	0.17	0.2	95.6	82	5.6	27.8	18.1	1.1	4	27	21.2
1273091	Drill Core	6.06	0.166	154.9	40	2.21	327	0.442	5.87	1.390	0.48	0.4	71.8	253	16.1	27.7	14.3	0.9	2	26	43.2
1273092	Drill Core	7.84	0.103	22.4	19	2.18	211	0.481	8.40	3.384	0.26	0.6	24.0	58	2.5	23.5	14.2	0.8	3	19	16.6
1273093	Drill Core	2.58	0.088	25.3	35	1.45	723	0.449	4.88	1.677	1.01	0.3	25.4	56	1.5	20.3	18.8	1.1	1	10	44.2
1273094	Drill Core	1.64	0.031	32.3	49	0.72	819	0.382	7.09	1.932	1.37	1.4	16.8	75	1.1	15.3	13.5	1.1	4	8	122.1
1273095	Rock Pulp	1.86	0.053	8.0	34	0.81	514	0.323	5.23	2.330	0.90	21.7	40.9	18	0.8	14.2	3.8	0.2	<1	10	12.8
1273096	Drill Core	0.89	0.028	43.3	43	0.66	1153	0.417	8.34	1.233	2.43	2.1	17.6	94	0.8	10.9	15.4	1.1	2	9	119.4
1273097	Drill Core	1.03	0.028	16.3	16	0.24	289	0.156	2.41	0.967	0.35	0.3	8.0	37	1.1	10.1	5.5	0.4	<1	2	35.9
1273098	Drill Core	7.17	0.050	28.9	48	1.61	158	0.632	8.68	3.640	0.31	0.5	27.5	73	1.6	20.9	21.7	1.4	2	18	17.7
1273099	Drill Core	6.28	0.035	16.4	27	0.91	179	0.651	7.82	3.945	0.34	0.5	24.5	52	1.5	22.2	16.7	1.1	3	11	13.7
1273100	Drill Core	6.50	0.054	21.1	16	1.65	236	0.484	8.68	3.543	0.38	0.6	28.4	56	2.0	22.6	13.5	1.0	3	21	21.1
1273101	Drill Core	4.00	0.032	20.5	24	0.91	199	0.372	6.62	3.054	0.39	0.6	20.4	51	2.1	18.5	11.1	0.8	3	12	32.2
1273102	Drill Core	5.47	0.043	15.6	20	1.66	163	0.416	8.21	3.564	0.49	0.4	22.5	43	2.9	20.8	13.5	0.9	4	17	28.7
1273103	Drill Core	5.91	0.048	19.0	22	1.84	170	0.500	8.55	4.056	0.49	0.6	20.5	57	3.7	22.8	14.3	0.9	5	20	35.8
1273104	Drill Core	7.02	0.054	17.1	21	2.06	167	0.495	8.64	4.171	0.41	0.6	19.0	51	3.0	21.2	14.1	0.8	4	24	26.7
1273105	Drill Core	7.61	0.068	22.6	22	2.01	208	0.485	8.59	3.791	0.27	0.5	23.0	61	2.4	21.0	14.7	0.8	3	20	19.3
1273106	Rock Pulp	1.68	0.060	9.0	40	1.00	577	0.320	5.50	2.212	1.02	42.0	44.4	20	1.5	15.6	4.2	0.2	1	11	13.8
1273107	Drill Core	7.47	0.056	21.0	18	1.82	211	0.505	8.71	4.005	0.31	0.6	23.5	58	2.1	20.9	14.9	0.9	3	18	18.6
1273108	Drill Core	7.98	0.090	24.3	21	2.11	210	0.492	8.57	3.593	0.20	0.5	23.3	64	1.8	21.6	14.5	0.8	4	21	21.7
1273109	Drill Core	8.21	0.129	25.1	17	2.11	221	0.481	8.60	3.521	0.20	0.5	23.3	65	1.9	22.2	13.9	0.8	3	18	24.2
1273110	Drill Core	7.94	0.139	29.1	22	2.21	219	0.479	8.66	3.624	0.25	0.5	22.4	72	2.3	24.3	14.6	0.9	3	20	22.5

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Golden Predator Canada Corp.**
11th Floor, 888 Dunsmuir Street
Vancouver BC V6C 3K4 Canada

Project: Antimony
Report Date: November 30, 2011

CERTIFICATE OF ANALYSIS WHI11001941.1

Method		1EX	1EX	1EX
Analyte		S	Rb	Hf
Unit		%	ppm	ppm
MDL		0.1	0.1	0.1
1273081	Drill Core	<0.1	44.4	1.1
1273082	Drill Core	<0.1	11.7	1.0
1273083	Drill Core	<0.1	7.7	1.2
1273084	Drill Core	<0.1	13.6	1.2
1273085	Drill Core	<0.1	15.0	1.2
1273086	Drill Core	<0.1	7.0	1.4
1273087	Drill Core	<0.1	8.8	2.2
1273088	Drill Core	<0.1	7.9	3.0
1273089	Drill Core	<0.1	7.5	3.2
1273090	Drill Core	<0.1	4.4	2.8
1273091	Drill Core	1.2	27.2	2.0
1273092	Drill Core	<0.1	7.3	0.9
1273093	Drill Core	0.4	50.3	0.8
1273094	Drill Core	0.4	61.7	0.6
1273095	Rock Pulp	<0.1	21.6	1.3
1273096	Drill Core	0.4	113.4	0.6
1273097	Drill Core	<0.1	16.2	0.3
1273098	Drill Core	<0.1	7.4	1.0
1273099	Drill Core	<0.1	4.6	1.0
1273100	Drill Core	<0.1	15.9	1.1
1273101	Drill Core	<0.1	11.7	0.7
1273102	Drill Core	<0.1	17.9	0.9
1273103	Drill Core	<0.1	20.2	0.9
1273104	Drill Core	<0.1	10.1	0.7
1273105	Drill Core	<0.1	4.9	0.9
1273106	Rock Pulp	<0.1	27.7	1.3
1273107	Drill Core	<0.1	5.2	0.9
1273108	Drill Core	<0.1	3.9	1.0
1273109	Drill Core	<0.1	3.7	1.0
1273110	Drill Core	<0.1	7.5	1.0

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Golden Predator Canada Corp.**
11th Floor, 888 Dunsmuir Street
Vancouver BC V6C 3K4 Canada

Project: Antimony
Report Date: November 30, 2011

CERTIFICATE OF ANALYSIS WHI11001941.1

Method		WGHT	G6	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX
Analyte		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
Unit		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
MDL		0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.2	1	0.01	1	0.1	0.1	0.1	1	0.1	0.1	0.1	1
1273111	Drill Core	6.26	<0.005	0.6	15.9	34.6	38	0.2	5.6	3.8	499	1.46	53	6.9	<0.1	25.9	1065	0.1	4.8	0.1	134
1273112	Drill Core	5.73	<0.005	0.9	25.9	36.2	44	0.2	7.4	4.9	558	2.33	17	8.8	<0.1	25.1	1015	0.2	5.0	0.1	130
1273113	Drill Core	9.40	<0.005	0.9	4.5	31.4	34	0.1	3.7	2.7	466	1.29	7	7.5	<0.1	24.8	1123	0.1	3.0	<0.1	133
1273114	Drill Core	9.81	<0.005	1.9	15.5	42.3	69	<0.1	9.5	12.3	894	4.20	29	6.7	<0.1	21.8	992	0.2	5.0	0.2	127
1273115	Drill Core	9.49	<0.005	1.1	10.8	36.2	60	<0.1	7.0	7.8	753	3.26	6	7.5	<0.1	22.6	997	0.2	5.6	0.1	118
1273116	Drill Core	4.98	<0.005	2.5	16.9	33.3	64	0.1	9.6	14.0	849	4.36	36	5.8	<0.1	20.7	844	0.1	5.5	0.1	112
1273117	Drill Core	4.66	<0.005	2.0	15.8	32.7	67	<0.1	8.4	12.7	849	4.40	30	6.1	<0.1	19.8	837	0.2	4.3	0.1	115
1273118	Drill Core	6.58	0.009	1.9	21.5	29.7	77	<0.1	6.9	16.0	984	4.99	128	5.8	<0.1	19.6	861	0.2	3.4	0.2	114
1273119	Drill Core	6.40	0.011	1.4	10.8	32.8	81	<0.1	7.8	14.4	888	4.54	48	5.3	<0.1	16.4	769	0.2	3.3	0.4	104
1273120	Drill Core	3.60	0.007	2.0	16.9	36.7	70	<0.1	7.4	13.6	746	4.12	58	6.5	<0.1	21.7	824	0.2	4.1	0.3	104
1273121	Drill Core	4.65	0.016	1.0	5.5	27.2	42	0.1	10.4	9.7	502	2.66	54	6.1	<0.1	28.3	980	0.2	5.5	0.2	128
1273122	Drill Core	4.73	0.125	4.6	16.4	31.1	54	0.1	30.6	27.5	656	3.26	398	8.8	0.1	30.0	879	<0.1	9.3	0.9	155
1273123	Drill Core	4.69	0.006	4.8	11.3	24.7	46	0.1	10.3	8.3	649	2.70	49	7.4	<0.1	23.9	840	0.2	6.1	0.2	110
1273124	Rock Pulp	0.17	<0.005	3.0	21.9	4.5	42	0.3	21.8	10.4	439	2.36	3	0.8	<0.1	1.8	227	0.2	0.8	<0.1	78
1273125	Drill Core	6.25	0.011	1.9	12.3	29.7	73	<0.1	8.0	14.1	888	4.43	74	6.2	<0.1	17.7	903	0.2	3.5	<0.1	110
1273126	Drill Core	9.84	0.010	1.7	17.4	31.7	83	<0.1	8.5	18.2	965	5.03	143	5.2	<0.1	15.9	908	0.2	3.6	<0.1	111
1273127	Drill Core	5.19	0.015	2.4	23.7	30.6	74	<0.1	8.1	17.8	927	4.85	183	5.7	<0.1	16.2	903	0.2	3.1	<0.1	106
1273128	Drill Core	5.73	0.006	0.4	6.3	31.8	43	0.2	4.7	6.3	481	1.62	74	4.9	<0.1	23.0	1054	0.2	4.2	<0.1	111
1273129	Drill Core	5.99	0.404	5.3	22.2	23.7	36	0.1	39.5	36.9	556	2.29	1497	8.5	0.4	22.8	1070	<0.1	9.6	2.1	114
1273130	Drill Core	3.49	0.265	10.8	4.0	25.4	40	0.2	37.5	21.5	701	2.44	432	8.3	0.2	25.8	832	<0.1	8.7	1.2	125
1273131	Drill Core	2.53	0.068	5.5	20.7	1617	706	2.6	17.7	13.7	2748	2.32	401	7.0	<0.1	19.9	714	6.0	18.0	0.6	99
1273132	Drill Core	4.49	0.007	0.3	2.5	26.0	35	<0.1	2.0	3.1	453	1.12	5	6.3	<0.1	24.9	1051	0.1	2.5	<0.1	111
1273133	Drill Core	5.21	0.008	0.4	5.1	29.6	38	0.1	3.9	3.1	474	1.26	11	6.5	<0.1	23.6	1042	0.1	2.9	<0.1	106
1273134	Drill Core	5.52	0.013	0.5	5.5	29.0	39	0.1	2.8	3.1	486	1.32	36	6.7	<0.1	22.4	982	0.2	2.4	<0.1	109

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Golden Predator Canada Corp.**
11th Floor, 888 Dunsmuir Street
Vancouver BC V6C 3K4 Canada

Project: Antimony
Report Date: November 30, 2011

CERTIFICATE OF ANALYSIS WHI11001941.1

	Method	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX
	Analyte	Ca	P	La	Cr	Mg	Ba	Ti	Al	Na	K	W	Zr	Ce	Sn	Y	Nb	Ta	Be	Sc	Li
	Unit	%	%	ppm	ppm	%	ppm	%	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	MDL	0.01	0.001	0.1	1	0.01	1	0.001	0.01	0.001	0.01	0.1	0.1	1	0.1	0.1	0.1	0.1	1	1	0.1
1273111	Drill Core	7.77	0.124	27.0	16	2.01	248	0.491	8.83	3.702	0.25	0.6	25.5	68	2.0	24.7	15.0	0.9	2	17	21.6
1273112	Drill Core	6.77	0.112	33.8	21	1.88	877	0.478	8.73	3.500	1.05	0.7	31.4	76	3.0	24.8	15.4	0.9	3	16	26.7
1273113	Drill Core	7.96	0.121	26.8	16	1.96	274	0.491	8.79	3.631	0.22	0.6	30.2	68	1.4	23.9	15.1	0.9	3	16	21.9
1273114	Drill Core	5.58	0.116	35.4	22	1.78	1874	0.499	8.15	2.659	2.27	2.0	33.1	81	3.4	22.4	16.0	1.0	3	14	49.6
1273115	Drill Core	5.99	0.126	40.5	21	1.82	1379	0.491	8.52	3.017	1.42	1.3	36.1	85	3.9	23.6	14.7	0.9	3	14	34.6
1273116	Drill Core	4.96	0.111	30.7	22	1.68	1953	0.456	7.73	2.284	2.39	1.7	29.3	70	2.6	20.6	14.5	0.9	2	13	42.8
1273117	Drill Core	5.07	0.113	31.3	21	1.71	1977	0.499	7.60	2.352	2.37	1.3	28.8	71	2.7	20.6	14.2	0.9	3	13	43.3
1273118	Drill Core	4.85	0.123	31.6	22	1.70	2155	0.502	7.94	2.201	2.86	1.5	32.2	69	3.4	22.8	16.0	0.9	2	13	36.0
1273119	Drill Core	4.26	0.102	31.9	22	1.58	2149	0.420	7.37	1.889	2.64	1.7	32.5	62	3.4	17.1	13.1	0.8	3	12	40.0
1273120	Drill Core	4.48	0.106	39.8	24	1.64	1736	0.447	7.85	2.568	2.10	1.7	50.6	79	4.6	18.7	14.1	0.9	3	13	30.3
1273121	Drill Core	4.98	0.150	64.1	22	1.96	682	0.457	8.51	4.032	0.79	0.5	49.1	117	6.0	22.2	14.7	0.9	3	18	25.7
1273122	Drill Core	5.60	0.183	47.9	31	2.23	841	0.429	7.84	3.110	0.75	0.9	49.1	90	6.0	22.0	12.9	0.8	3	26	34.2
1273123	Drill Core	5.30	0.123	37.3	20	1.86	731	0.436	8.25	3.619	0.73	0.6	39.4	77	7.6	20.8	13.4	0.8	3	15	36.7
1273124	Rock Pulp	1.70	0.052	7.8	32	0.76	460	0.289	4.64	2.156	0.81	20.2	36.5	17	0.7	12.1	3.7	0.2	<1	10	12.3
1273125	Drill Core	4.81	0.113	36.6	23	1.79	1940	0.494	7.97	2.356	2.33	1.3	20.9	75	3.9	19.3	13.6	0.8	2	14	30.5
1273126	Drill Core	4.68	0.120	36.3	23	1.73	2243	0.470	7.76	1.812	2.69	1.8	27.6	75	3.4	19.7	14.1	0.8	2	14	36.2
1273127	Drill Core	4.59	0.123	33.7	23	1.64	2267	0.488	7.48	1.898	2.82	1.4	59.1	71	3.2	19.2	14.0	0.8	3	13	35.6
1273128	Drill Core	6.55	0.136	31.2	15	1.96	278	0.465	8.70	4.011	0.31	0.5	56.9	71	2.3	23.1	15.3	0.8	3	15	16.8
1273129	Drill Core	6.58	0.137	33.4	22	2.10	384	0.480	8.67	3.795	0.43	0.5	57.4	75	3.3	24.9	15.6	0.9	3	19	25.2
1273130	Drill Core	6.60	0.123	40.4	26	2.02	329	0.475	8.40	3.555	0.60	0.8	59.2	85	3.8	23.5	14.6	0.8	3	26	31.2
1273131	Drill Core	10.78	0.115	27.2	19	1.09	629	0.424	7.36	1.302	1.17	9.4	52.7	63	2.8	22.6	12.4	0.7	5	19	19.5
1273132	Drill Core	7.50	0.139	27.0	15	1.92	411	0.512	8.56	3.432	0.33	0.6	61.7	64	2.3	24.6	16.5	1.0	3	15	14.6
1273133	Drill Core	6.80	0.143	27.1	15	2.19	330	0.496	8.51	3.413	0.38	0.5	58.8	65	2.4	24.4	15.8	0.9	3	15	23.5
1273134	Drill Core	6.64	0.142	33.0	15	2.28	283	0.507	8.68	3.472	0.30	0.6	58.6	75	3.4	23.8	15.2	0.8	3	15	28.5

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Golden Predator Canada Corp.**
11th Floor, 888 Dunsmuir Street
Vancouver BC V6C 3K4 Canada

Project: Antimony
Report Date: November 30, 2011

CERTIFICATE OF ANALYSIS WHI11001941.1

Method		1EX	1EX	1EX
Analyte		S	Rb	Hf
Unit		%	ppm	ppm
MDL		0.1	0.1	0.1
1273111	Drill Core	<0.1	7.6	1.1
1273112	Drill Core	<0.1	32.8	1.2
1273113	Drill Core	<0.1	5.1	1.2
1273114	Drill Core	<0.1	46.8	1.2
1273115	Drill Core	<0.1	47.6	1.3
1273116	Drill Core	0.1	53.4	1.2
1273117	Drill Core	0.1	55.5	1.1
1273118	Drill Core	0.1	63.7	1.3
1273119	Drill Core	<0.1	63.4	1.2
1273120	Drill Core	0.1	64.1	1.8
1273121	Drill Core	<0.1	43.9	1.6
1273122	Drill Core	<0.1	34.6	1.7
1273123	Drill Core	<0.1	39.4	1.3
1273124	Rock Pulp	<0.1	20.5	1.2
1273125	Drill Core	<0.1	70.2	0.9
1273126	Drill Core	0.1	81.8	1.2
1273127	Drill Core	0.2	72.5	1.9
1273128	Drill Core	<0.1	14.3	1.8
1273129	Drill Core	0.2	21.8	1.7
1273130	Drill Core	<0.1	35.0	1.8
1273131	Drill Core	0.2	66.3	1.6
1273132	Drill Core	<0.1	14.5	1.8
1273133	Drill Core	<0.1	18.1	1.8
1273134	Drill Core	<0.1	13.8	1.9

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Golden Predator Canada Corp.**
11th Floor, 888 Dunsmuir Street
Vancouver BC V6C 3K4 Canada

Project: Antimony
Report Date: November 30, 2011

QUALITY CONTROL REPORT WHI11001941.1

	Method	WGHT	G6	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX
	Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
	Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	MDL	0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.2	1	0.01	1	0.1	0.1	0.1	1	0.1	0.1	0.1	1
Pulp Duplicates																					
REP 1273055	QC		<0.005																		
1273067	Drill Core	5.11	<0.005	1.6	3.3	27.0	28	<0.1	2.3	1.6	435	1.08	14	5.8	<0.1	22.2	1098	<0.1	3.3	<0.1	143
REP 1273067	QC		<0.005																		
1273092	Drill Core	5.20	<0.005	0.3	6.0	29.7	35	0.2	3.2	2.3	507	1.52	22	5.5	<0.1	22.8	985	0.2	3.2	<0.1	146
REP 1273092	QC			0.4	6.7	29.6	36	<0.1	2.7	1.8	511	1.45	6	5.7	<0.1	23.2	965	0.2	3.2	0.1	145
1273105	Drill Core	4.17	<0.005	0.4	3.0	34.8	34	0.1	2.5	2.0	493	1.22	10	6.0	<0.1	25.3	1034	0.2	2.7	0.1	136
REP 1273105	QC		<0.005																		
REP 1273125	QC			1.8	11.6	28.5	70	<0.1	8.0	14.6	873	4.34	79	6.0	<0.1	17.9	864	0.2	3.5	<0.1	108
Core Reject Duplicates																					
1273055	Drill Core	3.29	<0.005	0.6	12.1	29.4	37	<0.1	3.2	2.9	504	2.06	19	5.9	<0.1	22.0	1037	<0.1	5.4	0.2	142
DUP 1273055	QC		<0.005	0.8	17.0	28.7	38	<0.1	3.2	3.7	514	2.12	15	6.3	<0.1	23.2	1036	0.2	5.9	0.1	138
1273090	Drill Core	4.06	0.005	0.3	13.3	18.1	34	0.2	3.2	5.3	651	2.00	86	9.3	<0.1	52.2	961	0.2	4.8	0.1	233
DUP 1273090	QC		<0.005	0.4	15.7	18.8	36	0.2	4.0	5.1	667	2.03	70	9.4	<0.1	54.0	962	0.1	4.9	0.1	237
1273125	Drill Core	6.25	0.011	1.9	12.3	29.7	73	<0.1	8.0	14.1	888	4.43	74	6.2	<0.1	17.7	903	0.2	3.5	<0.1	110
DUP 1273125	QC		0.010	2.2	11.9	29.2	73	<0.1	7.7	14.1	882	4.27	68	5.5	<0.1	16.3	892	<0.1	3.6	<0.1	109
Reference Materials																					
STD OREAS24P	Standard			1.5	48.5	3.4	113	<0.1	144.7	45.8	1097	7.48	2	0.8	<0.1	3.0	392	<0.1	0.1	<0.1	159
STD OREAS24P	Standard			1.2	47.1	3.5	109	<0.1	138.9	45.6	1075	7.08	1	0.6	<0.1	2.8	353	<0.1	<0.1	<0.1	147
STD OREAS24P	Standard			1.6	46.9	3.0	110	<0.1	136.4	44.8	1093	7.28	<1	0.7	<0.1	3.1	359	0.1	0.1	<0.1	156
STD OREAS24P	Standard			1.6	51.1	3.6	126	0.1	145.1	47.1	1090	7.59	1	0.8	<0.1	3.3	351	<0.1	<0.1	<0.1	174
STD OREAS45C	Standard			2.3	577.8	24.8	80	0.3	325.8	95.8	1110	16.96	11	2.4	<0.1	10.8	31	0.2	0.9	0.2	248
STD OREAS45C	Standard			2.0	572.0	24.2	75	0.3	302.4	96.4	1102	16.18	10	2.1	<0.1	9.5	26	0.1	0.8	0.2	246
STD OREAS45C	Standard			2.2	593.5	25.1	77	0.4	329.6	97.2	1111	16.77	11	2.4	<0.1	11.0	35	0.2	1.0	0.2	255
STD OREAS45C	Standard			2.1	647.3	26.6	86	0.4	351.3	110.2	1164	19.09	13	2.7	<0.1	12.0	36	0.3	0.7	0.2	285
STD OXH82	Standard		1.383																		
STD OXH82	Standard		1.297																		
STD OXH82	Standard		1.329																		
STD OXH82	Standard		1.323																		

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Golden Predator Canada Corp.**
11th Floor, 888 Dunsmuir Street
Vancouver BC V6C 3K4 Canada

Project: Antimony
Report Date: November 30, 2011

QUALITY CONTROL REPORT WHI11001941.1

	Method	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX
	Analyte	Ca	P	La	Cr	Mg	Ba	Ti	Al	Na	K	W	Zr	Ce	Sn	Y	Nb	Ta	Be	Sc	Li
	Unit	%	%	ppm	ppm	%	ppm	%	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	MDL	0.01	0.001	0.1	1	0.01	1	0.001	0.01	0.001	0.01	0.1	0.1	1	0.1	0.1	0.1	0.1	1	1	0.1
Pulp Duplicates																					
REP 1273055	QC																				
1273067	Drill Core	7.81	0.081	25.4	12	1.99	272	0.464	8.93	3.449	0.24	0.4	26.5	64	0.9	21.3	13.8	0.9	2	17	16.9
REP 1273067	QC																				
1273092	Drill Core	7.84	0.103	22.4	19	2.18	211	0.481	8.40	3.384	0.26	0.6	24.0	58	2.5	23.5	14.2	0.8	3	19	16.6
REP 1273092	QC	7.77	0.104	22.3	20	2.18	213	0.487	8.41	3.425	0.26	0.6	23.6	57	2.9	23.2	14.1	0.8	2	19	16.6
1273105	Drill Core	7.61	0.068	22.6	22	2.01	208	0.485	8.59	3.791	0.27	0.5	23.0	61	2.4	21.0	14.7	0.8	3	20	19.3
REP 1273105	QC																				
REP 1273125	QC	4.78	0.115	36.1	21	1.73	1880	0.474	7.91	2.355	2.30	1.2	21.2	74	3.7	19.2	13.9	0.8	2	14	30.3
Core Reject Duplicates																					
1273055	Drill Core	6.97	0.122	29.1	12	2.03	542	0.459	8.87	3.519	0.67	0.9	28.5	68	3.3	23.7	14.3	0.9	3	16	16.8
DUP 1273055	QC	6.84	0.121	29.0	12	2.03	563	0.493	8.98	3.490	0.67	0.9	27.3	68	3.6	23.5	14.2	0.9	2	17	16.5
1273090	Drill Core	8.74	0.213	29.2	37	3.02	153	0.478	7.72	3.587	0.17	0.2	95.6	82	5.6	27.8	18.1	1.1	4	27	21.2
DUP 1273090	QC	8.96	0.238	31.6	38	3.04	157	0.494	7.83	3.608	0.18	0.3	103.1	90	5.5	28.8	19.1	1.2	3	27	22.6
1273125	Drill Core	4.81	0.113	36.6	23	1.79	1940	0.494	7.97	2.356	2.33	1.3	20.9	75	3.9	19.3	13.6	0.8	2	14	30.5
DUP 1273125	QC	4.80	0.113	32.2	24	1.77	1842	0.477	7.80	2.444	2.25	1.5	22.1	66	3.8	19.4	14.0	0.7	3	13	29.5
Reference Materials																					
STD OREAS24P	Standard	5.97	0.134	18.6	195	4.10	274	1.082	7.87	2.416	0.70	0.5	139.4	39	1.6	25.2	19.9	1.2	1	20	7.4
STD OREAS24P	Standard	5.43	0.125	18.1	181	3.93	258	1.010	7.34	2.359	0.64	0.4	125.7	36	1.5	20.7	18.4	1.1	1	20	7.4
STD OREAS24P	Standard	5.79	0.125	17.5	197	4.04	275	1.065	7.57	2.391	0.66	0.4	136.1	37	1.7	23.4	19.2	1.2	<1	20	7.7
STD OREAS24P	Standard	5.74	0.137	20.0	198	4.26	281	1.075	7.89	2.540	0.67	0.4	138.5	36	1.6	21.4	19.6	1.2	1	20	7.5
STD OREAS45C	Standard	0.48	0.048	25.2	804	0.25	266	1.124	7.02	0.098	0.39	1.0	163.5	51	2.9	13.9	21.8	1.4	<1	58	13.2
STD OREAS45C	Standard	0.43	0.048	22.5	832	0.25	251	1.164	6.48	0.091	0.34	1.1	158.3	46	2.9	11.4	22.2	1.4	1	53	14.4
STD OREAS45C	Standard	0.46	0.047	24.8	801	0.25	266	1.159	7.07	0.093	0.33	1.1	162.9	51	2.7	14.0	22.3	1.5	<1	59	14.8
STD OREAS45C	Standard	0.48	0.051	27.8	1001	0.30	283	1.203	7.44	0.111	0.37	1.1	172.9	51	3.4	13.2	24.6	1.5	1	58	17.3
STD OXH82	Standard																				
STD OXH82	Standard																				
STD OXH82	Standard																				
STD OXH82	Standard																				

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Golden Predator Canada Corp.**
11th Floor, 888 Dunsmuir Street
Vancouver BC V6C 3K4 Canada

Project: Antimony
Report Date: November 30, 2011

QUALITY CONTROL REPORT WHI11001941.1

	Method	1EX	1EX	1EX
	Analyte	S	Rb	Hf
	Unit	%	ppm	ppm
	MDL	0.1	0.1	0.1
Pulp Duplicates				
REP 1273055	QC			
1273067	Drill Core	<0.1	4.0	1.0
REP 1273067	QC			
1273092	Drill Core	<0.1	7.3	0.9
REP 1273092	QC	<0.1	6.6	0.9
1273105	Drill Core	<0.1	4.9	0.9
REP 1273105	QC			
REP 1273125	QC	<0.1	67.5	0.9
Core Reject Duplicates				
1273055	Drill Core	<0.1	18.4	1.0
DUP 1273055	QC	<0.1	19.6	0.9
1273090	Drill Core	<0.1	4.4	2.8
DUP 1273090	QC	<0.1	6.4	3.1
1273125	Drill Core	<0.1	70.2	0.9
DUP 1273125	QC	<0.1	60.3	0.9
Reference Materials				
STD OREAS24P	Standard	<0.1	22.7	3.5
STD OREAS24P	Standard	<0.1	21.8	3.4
STD OREAS24P	Standard	<0.1	21.6	3.4
STD OREAS24P	Standard	<0.1	22.5	3.3
STD OREAS45C	Standard	<0.1	23.8	4.3
STD OREAS45C	Standard	<0.1	21.8	4.3
STD OREAS45C	Standard	<0.1	23.3	4.3
STD OREAS45C	Standard	<0.1	25.2	4.4
STD OXH82	Standard			
STD OXH82	Standard			
STD OXH82	Standard			
STD OXH82	Standard			

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Golden Predator Canada Corp.**
11th Floor, 888 Dunsmuir Street
Vancouver BC V6C 3K4 Canada

Project: Antimony
Report Date: November 30, 2011

QUALITY CONTROL REPORT WHI11001941.1

		WGHT	G6	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.2	1	0.01	1	0.1	0.1	0.1	1	0.1	0.1	0.1	1
STD OXH82	Standard		1.283																		
STD OXK79	Standard		3.674																		
STD OXK79	Standard		3.637																		
STD OXK79	Standard		3.406																		
STD OXK79	Standard		3.421																		
STD OXK79	Standard		3.414																		
STD OXH82 Expected			1.278																		
STD OXK79 Expected			3.532																		
STD OREAS24P Expected				1.5	52	2.9	119	0.06	141	44	1100	7.53	1.2	0.75		2.85	403	0.15	0.09		158
STD OREAS45C Expected				2.26	620	24	83	0.28	333	104	1160	18.33	10.1	2.4	0.045	10.2	36.4	0.15	0.79	0.21	270
BLK	Blank		<0.005																		
BLK	Blank		<0.005																		
BLK	Blank		<0.005																		
BLK	Blank		0.006																		
BLK	Blank		<0.005																		
BLK	Blank		<0.005																		
BLK	Blank		0.006																		
BLK	Blank		<0.005																		
BLK	Blank		0.007																		
BLK	Blank		0.009																		
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.2	<1	<0.01	<1	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.2	<1	<0.01	<1	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.2	<1	<0.01	<1	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.2	<1	<0.01	<1	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1
Prep Wash																					
G1	Prep Blank		0.005	0.6	3.9	23.9	62	<0.1	5.6	5.4	877	2.47	2	3.1	<0.1	8.1	825	<0.1	<0.1	0.2	51
G1	Prep Blank		<0.005	0.8	3.9	24.5	66	<0.1	5.2	5.9	920	2.55	1	2.9	<0.1	7.7	848	<0.1	<0.1	0.2	52

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Golden Predator Canada Corp.**
11th Floor, 888 Dunsmuir Street
Vancouver BC V6C 3K4 Canada

Project: Antimony
Report Date: November 30, 2011

QUALITY CONTROL REPORT WHI11001941.1

		1EX Ca % 0.01	1EX P % 0.001	1EX La ppm 0.1	1EX Cr ppm 1	1EX Mg % 0.01	1EX Ba ppm 1	1EX Ti % 0.001	1EX Al % 0.01	1EX Na % 0.001	1EX K % 0.01	1EX W ppm 0.1	1EX Zr ppm 0.1	1EX Ce ppm 1	1EX Sn ppm 0.1	1EX Y ppm 0.1	1EX Nb ppm 0.1	1EX Ta ppm 0.1	1EX Be ppm 1	1EX Sc ppm 1	1EX Li ppm 0.1
STD OXH82	Standard																				
STD OXK79	Standard																				
STD OXK79	Standard																				
STD OXK79	Standard																				
STD OXK79	Standard																				
STD OXK79	Standard																				
STD OXH82 Expected																					
STD OXK79 Expected																					
STD OREAS24P Expected		5.83	0.136	17.4	196	4.13	285	1.1	7.66	2.34	0.7	0.5	141	37.6	1.6	21.3	21	1.04		20	8.7
STD OREAS45C Expected		0.482	0.051	26.2	962	0.25	270	1.1313	7.59	0.097	0.36	1.06	169.7	54	2.9	12.9	23.05	1.43		59.03	15.69
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank	<0.01	<0.001	<0.1	<1	<0.01	<1	<0.001	<0.01	<0.001	<0.01	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<0.1	<1	<1	<0.1
BLK	Blank	<0.01	<0.001	<0.1	<1	<0.01	<1	<0.001	<0.01	<0.001	<0.01	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<0.1	<1	<1	<0.1
BLK	Blank	<0.01	<0.001	<0.1	<1	<0.01	<1	<0.001	<0.01	<0.001	<0.01	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<0.1	<1	<1	<0.1
BLK	Blank	<0.01	<0.001	<0.1	<1	<0.01	<1	<0.001	<0.01	<0.001	<0.01	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<0.1	<1	<1	<0.1
Prep Wash																					
G1	Prep Blank	2.57	0.091	22.2	6	0.76	1195	0.310	9.79	2.714	3.03	0.2	14.4	53	1.6	17.5	29.4	1.8	3	7	39.3
G1	Prep Blank	2.62	0.092	20.0	9	0.77	1203	0.322	10.22	2.753	3.07	0.3	15.3	51	1.5	17.3	29.0	1.6	3	7	39.7

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Golden Predator Canada Corp.**
11th Floor, 888 Dunsmuir Street
Vancouver BC V6C 3K4 Canada

Project: Antimony
Report Date: November 30, 2011

QUALITY CONTROL REPORT WHI11001941.1

		1EX S % 0.1	1EX Rb ppm 0.1	1EX Hf ppm 0.1
STD OXH82	Standard			
STD OXK79	Standard			
STD OXK79	Standard			
STD OXK79	Standard			
STD OXK79	Standard			
STD OXK79	Standard			
STD OXH82 Expected				
STD OXK79 Expected				
STD OREAS24P Expected			22.4	3.6
STD OREAS45C Expected		0.021	24	4.27
BLK	Blank			
BLK	Blank			
BLK	Blank			
BLK	Blank			
BLK	Blank			
BLK	Blank			
BLK	Blank			
BLK	Blank			
BLK	Blank			
BLK	Blank			
BLK	Blank	<0.1	<0.1	<0.1
BLK	Blank	<0.1	<0.1	<0.1
BLK	Blank	<0.1	<0.1	<0.1
BLK	Blank	<0.1	<0.1	<0.1
Prep Wash				
G1	Prep Blank	<0.1	114.9	0.8
G1	Prep Blank	<0.1	121.3	0.9

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada

www.acmelab.com

Client: **Golden Predator Canada Corp.**
11th Floor, 888 Dunsmuir Street
Vancouver BC V6C 3K4 Canada

Submitted By: Jack Cote
Receiving Lab: Canada-Whitehorse
Received: December 02, 2011
Report Date: December 20, 2011
Page: 1 of 6

CERTIFICATE OF ANALYSIS WHI11001957.1

CLIENT JOB INFORMATION

Project: Antimony
Shipment ID: ANM-2011-JC-2064
P.O. Number
Number of Samples: 150

SAMPLE DISPOSAL

RTRN-PLP Return
STOR-RJT Store After 90 days Invoice for Storage

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
R200-250	140	Crush, split and pulverize 250 g rock to 200 mesh			WHI
G601	150	Lead Collection Fire - Assay Fusion - AAS Finish	30	Completed	VAN
1EX	150	4 Acid digestion ICP-MS analysis	0.25	Completed	VAN

ADDITIONAL COMMENTS

Invoice To: Predator Mining Group
11th Floor- 888 Dunsmuir Street
Vancouver BC V6C 3K4
Canada

CC: Andrew Caldwell

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.
All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
"*" asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Golden Predator Canada Corp.**
11th Floor, 888 Dunsmuir Street
Vancouver BC V6C 3K4 Canada

Project: Antimony
Report Date: December 20, 2011

CERTIFICATE OF ANALYSIS WHI11001957.1

Method		WGHT	G6	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX
Analyte		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
Unit		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
MDL		0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.2	1	0.01	1	0.1	0.1	0.1	1	0.1	0.1	0.1	1
1273255	Rock Pulp	0.16	1.479	21.4	311.9	9.2	51	0.5	35.7	8.6	627	3.70	10	0.8	1.9	2.0	242	0.3	2.5	0.5	86
1273256	Drill Core	4.36	0.020	0.6	14.4	7.0	15	<0.1	8.8	4.1	140	1.00	11	1.9	<0.1	14.3	107	<0.1	1.1	<0.1	20
1273257	Drill Core	3.22	<0.005	0.6	24.3	10.4	21	<0.1	10.6	6.7	180	1.64	20	2.8	<0.1	15.5	139	<0.1	1.3	0.1	20
1273258	Drill Core	4.17	0.006	1.2	25.8	4.8	28	<0.1	32.0	14.7	499	4.61	19	4.0	<0.1	20.1	146	<0.1	3.1	<0.1	83
1273259	Drill Core	5.95	0.005	0.7	30.6	11.5	21	<0.1	9.8	6.9	173	1.92	32	2.7	<0.1	15.2	266	0.1	1.8	0.1	19
1273260	Drill Core	5.27	<0.005	0.7	29.0	5.6	19	<0.1	21.2	9.1	251	2.76	56	3.0	<0.1	19.2	130	0.1	3.7	0.1	46
1273261	Drill Core	6.44	<0.005	0.2	26.4	5.4	9	<0.1	6.5	2.9	119	1.12	5	1.7	<0.1	12.9	89	<0.1	1.0	<0.1	12
1273262	Drill Core	5.85	0.044	0.6	17.9	7.8	10	<0.1	16.2	5.7	101	1.13	21	2.2	<0.1	18.2	327	<0.1	2.2	<0.1	35
1273263	Drill Core	6.20	<0.005	0.5	31.1	10.4	11	<0.1	19.2	9.2	141	2.01	20	2.5	<0.1	18.9	250	<0.1	4.8	0.1	46
1273264	Drill Core	6.33	<0.005	0.9	27.1	8.6	16	<0.1	25.8	11.8	262	3.52	12	3.8	<0.1	20.9	156	<0.1	4.9	0.1	65
1273265	Drill Core	2.70	0.005	0.6	18.4	6.6	19	<0.1	23.9	10.6	265	3.30	41	3.1	<0.1	18.8	124	<0.1	3.9	<0.1	55
1273266	Drill Core	2.71	<0.005	0.5	20.6	7.0	16	0.1	25.0	12.5	259	3.39	44	2.9	<0.1	18.1	143	<0.1	3.5	<0.1	55
1273267	Drill Core	7.46	<0.005	0.8	28.5	6.4	24	<0.1	26.6	13.6	231	3.63	117	2.8	<0.1	15.5	115	<0.1	4.4	0.2	57
1273268	Drill Core	5.58	<0.005	0.5	38.9	8.1	18	<0.1	17.7	11.9	284	3.28	32	2.8	<0.1	17.4	105	0.2	4.9	0.1	42
1273269	Drill Core	7.39	<0.005	0.7	16.0	6.1	18	<0.1	20.5	11.0	269	3.09	32	2.9	<0.1	18.1	127	<0.1	3.2	<0.1	52
1273270	Drill Core	4.77	<0.005	0.9	69.3	7.4	21	<0.1	21.2	16.9	223	3.06	48	3.1	<0.1	18.7	181	0.3	4.6	0.2	48
1273271	Drill Core	6.85	<0.005	0.6	23.9	6.6	21	<0.1	20.9	15.6	198	2.38	45	2.8	<0.1	18.2	180	0.1	3.3	<0.1	46
1273272	Drill Core	6.94	<0.005	1.0	64.9	7.9	19	0.2	32.9	13.2	179	3.00	30	3.1	<0.1	18.3	218	<0.1	4.4	0.2	55
1273273	Drill Core	4.40	<0.005	1.3	85.8	7.2	25	0.2	27.8	11.9	217	2.91	54	3.1	<0.1	18.1	256	0.2	6.2	0.2	56
1273274	Drill Core	5.23	<0.005	0.6	28.5	6.9	22	<0.1	33.9	15.8	357	3.35	54	3.3	<0.1	16.6	261	0.1	4.9	0.1	101
1273275	Drill Core	4.78	<0.005	0.6	20.0	5.9	16	<0.1	19.2	7.9	176	2.09	28	2.5	<0.1	19.0	228	0.1	2.8	<0.1	41
1273276	Rock Pulp	0.17	<0.005	3.2	23.8	3.7	46	0.5	24.2	10.0	516	2.48	4	0.6	<0.1	1.8	263	0.2	0.7	<0.1	78
1273277	Drill Core	4.58	<0.005	0.6	52.6	8.0	15	0.2	15.6	4.6	162	1.61	16	2.0	<0.1	16.3	187	0.1	1.8	0.1	29
1273278	Drill Core	4.58	<0.005	0.6	68.3	6.9	16	0.2	21.7	6.7	176	2.17	18	2.7	<0.1	17.6	290	0.1	2.5	<0.1	40
1273279	Drill Core	4.93	<0.005	1.1	14.9	12.7	28	<0.1	16.1	5.0	119	1.77	14	3.1	<0.1	19.1	121	<0.1	2.7	<0.1	41
1273280	Drill Core	4.89	<0.005	0.9	46.4	10.0	17	<0.1	15.6	6.8	132	1.59	26	3.1	<0.1	17.5	92	0.2	4.4	0.1	40
1273281	Drill Core	4.63	<0.005	0.9	39.7	7.5	22	<0.1	28.3	12.5	308	3.26	38	2.8	<0.1	16.2	169	<0.1	7.9	0.2	68
1273282	Drill Core	5.60	0.008	2.6	36.0	9.4	19	0.1	23.1	11.5	278	2.80	127	3.2	<0.1	17.0	151	<0.1	6.4	0.3	53
1273283	Rock Pulp	0.17	<0.005	661.7	84.1	86.1	84	1.6	31.7	10.8	709	3.87	32	0.8	6.0	2.2	300	0.3	25.0	0.2	217
1273284	Drill Core	3.91	0.039	3.9	159.2	25.0	81	1.0	23.3	40.2	543	5.16	876	30.4	<0.1	16.4	121	0.6	29.8	0.7	36

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Golden Predator Canada Corp.**
11th Floor, 888 Dunsmuir Street
Vancouver BC V6C 3K4 Canada

Project: Antimony
Report Date: December 20, 2011

CERTIFICATE OF ANALYSIS WHI11001957.1

	Method	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX
	Analyte	Ca	P	La	Cr	Mg	Ba	Ti	Al	Na	K	W	Zr	Ce	Sn	Y	Nb	Ta	Be	Sc	Li
	Unit	%	%	ppm	ppm	%	ppm	%	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	MDL	0.01	0.001	0.1	1	0.01	1	0.001	0.01	0.001	0.01	0.1	0.1	1	0.1	0.1	0.1	0.1	1	1	0.1
1273255	Rock Pulp	1.67	0.053	8.8	36	0.87	515	0.272	5.54	2.204	0.95	0.9	38.9	19	2.2	12.9	3.8	0.2	<1	11	14.2
1273256	Drill Core	0.31	0.019	25.1	16	0.24	509	0.124	3.54	0.666	1.22	1.0	25.6	55	0.6	7.3	4.3	0.3	<1	3	35.1
1273257	Drill Core	0.25	0.016	23.1	21	0.31	505	0.156	3.69	0.703	1.36	1.1	24.2	50	0.7	7.0	5.2	0.4	1	3	42.4
1273258	Drill Core	0.33	0.053	44.9	67	0.78	1273	0.512	9.59	0.406	3.92	1.8	44.5	104	1.8	11.2	18.3	1.3	3	13	78.2
1273259	Drill Core	0.52	0.020	24.5	22	0.36	348	0.123	3.46	0.794	0.96	1.1	27.2	55	0.5	8.7	4.8	0.3	1	3	42.0
1273260	Drill Core	0.38	0.035	38.5	37	0.51	916	0.324	5.51	0.475	2.68	1.7	38.1	84	1.4	10.0	11.8	0.8	2	7	66.1
1273261	Drill Core	0.62	0.033	25.0	19	0.31	195	0.089	2.22	0.470	0.53	0.6	22.9	53	0.8	8.4	3.5	0.2	<1	2	34.3
1273262	Drill Core	0.73	0.033	32.4	23	0.44	1053	0.171	6.38	1.023	1.99	1.7	35.7	70	0.8	8.7	5.6	0.4	1	6	54.5
1273263	Drill Core	0.86	0.090	38.0	34	0.52	945	0.227	6.76	1.064	2.58	1.8	34.3	86	1.0	12.8	7.8	0.5	2	8	59.0
1273264	Drill Core	0.56	0.064	50.2	50	0.68	1002	0.411	8.05	0.754	3.02	1.8	43.9	112	1.6	13.4	14.6	1.0	2	11	80.3
1273265	Drill Core	0.40	0.047	40.5	46	0.63	946	0.397	7.20	0.602	3.09	1.4	36.9	93	1.5	11.4	15.1	1.0	2	9	74.1
1273266	Drill Core	0.47	0.043	40.6	45	0.63	937	0.384	7.50	0.534	3.16	1.3	32.8	91	1.5	10.2	14.7	1.0	2	9	76.2
1273267	Drill Core	0.49	0.032	35.1	46	0.61	857	0.330	7.27	0.376	2.75	1.5	28.0	81	1.6	10.4	11.4	0.8	2	9	84.5
1273268	Drill Core	0.42	0.029	35.5	36	0.57	826	0.340	5.87	0.442	2.42	1.4	34.8	78	1.1	10.8	13.1	0.9	2	7	63.2
1273269	Drill Core	0.33	0.040	38.8	44	0.57	862	0.376	6.91	0.635	2.61	2.1	39.7	87	1.8	10.9	15.1	1.1	2	8	70.5
1273270	Drill Core	0.40	0.030	42.8	40	0.51	865	0.336	6.59	0.777	2.70	1.9	39.3	93	1.4	10.8	13.5	0.9	2	8	66.2
1273271	Drill Core	0.40	0.049	37.8	40	0.52	899	0.322	6.38	0.874	2.78	1.8	47.2	85	1.5	11.1	13.4	0.9	1	8	64.0
1273272	Drill Core	0.49	0.049	42.5	45	0.64	1111	0.331	7.11	0.863	3.30	2.4	36.6	94	2.2	11.0	12.3	0.9	2	10	65.5
1273273	Drill Core	0.49	0.043	32.7	44	0.70	1217	0.332	7.15	1.182	3.19	2.6	45.3	74	2.7	11.1	12.6	1.0	2	9	53.9
1273274	Drill Core	0.50	0.044	37.2	58	0.87	1922	0.419	9.01	0.988	4.06	1.6	31.6	88	3.2	12.0	14.0	0.9	3	13	57.9
1273275	Drill Core	0.53	0.051	40.5	34	0.50	966	0.318	5.97	0.863	2.74	1.2	39.0	91	1.2	10.9	13.3	1.0	2	7	41.0
1273276	Rock Pulp	1.77	0.048	7.6	35	0.78	472	0.276	5.05	2.200	0.86	20.2	37.9	17	0.6	12.2	3.5	0.2	<1	10	12.8
1273277	Drill Core	0.71	0.028	31.6	27	0.38	772	0.190	4.83	0.811	1.93	1.0	33.1	70	1.4	9.5	8.6	0.6	<1	5	35.9
1273278	Drill Core	0.47	0.027	35.2	33	0.45	1111	0.286	5.72	0.617	2.47	1.0	36.4	78	1.3	9.2	11.8	0.8	2	7	35.6
1273279	Drill Core	0.32	0.047	42.2	33	0.40	949	0.265	6.24	0.267	2.53	1.6	40.1	93	2.8	12.6	11.1	0.8	2	7	30.3
1273280	Drill Core	0.22	0.026	38.6	29	0.36	793	0.219	5.26	0.255	2.21	1.2	41.9	85	1.7	10.5	8.9	0.6	1	6	39.4
1273281	Drill Core	0.27	0.032	32.9	55	0.61	416	0.395	7.58	0.431	3.60	2.1	52.0	80	1.8	9.2	15.2	1.0	3	11	71.2
1273282	Drill Core	0.28	0.048	48.1	41	0.50	1088	0.351	7.11	0.321	2.96	2.3	45.9	105	1.9	10.8	14.9	1.0	2	9	36.1
1273283	Rock Pulp	1.50	0.056	9.0	46	0.92	146	0.304	6.40	1.988	1.76	13.9	61.3	23	1.7	12.9	4.8	0.3	<1	11	31.2
1273284	Drill Core	0.29	0.025	33.1	34	0.37	25	0.254	5.51	0.098	1.20	5.2	40.5	74	2.7	10.7	11.3	0.8	<1	7	25.3

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Golden Predator Canada Corp.**
11th Floor, 888 Dunsmuir Street
Vancouver BC V6C 3K4 Canada

Project: Antimony
Report Date: December 20, 2011

CERTIFICATE OF ANALYSIS WHI11001957.1

Method		1EX	1EX	1EX
Analyte		S	Rb	Hf
Unit		%	ppm	ppm
MDL		0.1	0.1	0.1
1273255	Rock Pulp	<0.1	24.1	1.2
1273256	Drill Core	<0.1	57.9	0.6
1273257	Drill Core	0.2	56.0	0.6
1273258	Drill Core	0.2	178.8	1.3
1273259	Drill Core	0.3	46.2	0.7
1273260	Drill Core	0.2	126.5	1.1
1273261	Drill Core	0.1	36.5	0.7
1273262	Drill Core	0.1	101.5	0.9
1273263	Drill Core	0.3	126.2	1.0
1273264	Drill Core	0.3	141.7	1.3
1273265	Drill Core	<0.1	143.9	1.1
1273266	Drill Core	0.1	143.7	0.9
1273267	Drill Core	<0.1	142.8	0.8
1273268	Drill Core	0.4	113.3	0.9
1273269	Drill Core	0.1	134.2	1.1
1273270	Drill Core	0.5	124.5	1.0
1273271	Drill Core	0.1	132.5	1.1
1273272	Drill Core	0.4	164.5	1.1
1273273	Drill Core	0.4	157.5	1.4
1273274	Drill Core	<0.1	241.3	1.0
1273275	Drill Core	<0.1	135.9	1.2
1273276	Rock Pulp	<0.1	19.9	1.1
1273277	Drill Core	0.1	94.3	1.1
1273278	Drill Core	0.2	137.0	1.1
1273279	Drill Core	<0.1	125.7	1.0
1273280	Drill Core	0.3	107.8	1.2
1273281	Drill Core	0.5	188.0	1.5
1273282	Drill Core	0.3	139.3	1.2
1273283	Rock Pulp	0.7	38.2	1.8
1273284	Drill Core	3.2	57.1	1.3

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Golden Predator Canada Corp.**
11th Floor, 888 Dunsmuir Street
Vancouver BC V6C 3K4 Canada

Project: Antimony
Report Date: December 20, 2011

CERTIFICATE OF ANALYSIS WHI11001957.1

Method		WGHT	G6	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX
Analyte		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
Unit		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
MDL		0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.2	1	0.01	1	0.1	0.1	0.1	1	0.1	0.1	0.1	1
1273285	Drill Core	4.64	<0.005	0.8	14.1	4.7	16	<0.1	19.6	9.2	378	2.74	34	3.0	<0.1	17.9	319	<0.1	3.3	0.1	58
1273286	Drill Core	4.79	<0.005	1.2	66.8	9.5	19	0.2	15.3	7.6	464	2.56	45	2.5	<0.1	16.8	133	0.1	8.2	0.2	35
1273287	Drill Core	4.47	<0.005	0.9	53.8	11.2	15	0.1	9.3	4.0	295	1.20	62	2.1	<0.1	13.8	146	0.1	4.6	0.1	20
1273288	Drill Core	5.20	0.005	1.0	72.8	17.6	27	0.2	27.7	21.0	351	2.75	131	3.9	<0.1	19.6	108	0.2	10.1	0.6	41
1273289	Drill Core	4.58	2.619	22.1	422.8	88.7	105	4.8	132.8	1606	3877	17.49	>10000	22.3	3.0	13.5	147	1.0	269.2	95.8	51
1273290	Drill Core	3.42	0.037	2.9	103.2	53.2	131	0.7	12.6	39.3	325	2.27	868	4.8	<0.1	13.8	41	1.1	12.0	0.8	31
1273291	Drill Core	4.39	0.054	1.3	61.5	41.5	65	0.6	14.0	34.3	364	2.02	1017	3.8	<0.1	17.5	49	0.5	11.7	1.2	38
1273292	Drill Core	4.44	0.016	0.5	56.2	23.3	34	0.2	11.9	9.1	239	1.97	250	3.6	<0.1	19.5	34	0.3	5.6	0.4	32
1273293	Drill Core	2.06	0.010	2.0	176.8	47.1	77	1.2	16.8	20.2	248	3.14	335	4.8	<0.1	17.4	57	0.8	15.1	0.4	32
1273294	Drill Core	2.09	0.017	2.4	128.5	47.5	67	0.7	14.4	26.8	252	2.54	889	4.8	<0.1	19.6	59	0.7	12.3	0.5	32
1273295	Drill Core	6.42	0.152	5.8	326.6	51.4	71	1.8	18.5	60.0	300	4.08	2318	4.8	0.1	16.1	63	0.6	17.2	2.1	25
1273296	Drill Core	5.22	0.209	5.5	597.9	59.4	87	2.4	39.8	154.1	738	8.83	3908	5.6	0.2	16.1	83	0.8	38.6	3.3	66
1273297	Drill Core	6.73	1.632	31.6	1106	41.9	75	4.2	54.5	535.0	759	15.34	>10000	23.0	1.8	21.5	174	0.6	117.9	15.9	49
1273298	Drill Core	5.28	0.024	9.7	90.9	50.0	112	0.4	15.3	42.7	323	3.99	983	13.6	<0.1	20.3	246	1.3	9.0	0.6	63
1273299	Drill Core	4.50	5.451	91.6	1070	48.9	91	5.9	69.3	1243	1327	21.78	>10000	268.7	6.5	24.1	457	0.9	254.7	44.8	54
1273300	Drill Core	5.23	7.480	43.2	1311	63.2	66	7.3	123.7	959.3	2064	21.52	>10000	159.8	9.3	6.4	63	0.9	334.0	130.1	19
1273301	Drill Core	4.50	0.021	1.8	114.9	22.7	38	0.2	36.4	17.4	329	3.01	289	5.2	<0.1	18.9	148	0.1	11.5	0.5	66
1273302	Drill Core	5.05	0.032	4.9	120.2	27.5	45	0.3	29.8	22.5	238	3.07	576	8.4	<0.1	20.1	72	0.3	9.2	0.9	67
1273303	Drill Core	2.80	0.346	78.8	39.1	75.0	109	1.0	40.2	289.0	286	4.84	6466	438.0	0.4	27.6	212	1.0	62.4	5.2	67
1273304	Drill Core	5.02	0.011	5.5	29.8	24.3	41	0.2	8.5	4.7	146	1.46	211	9.6	<0.1	18.1	102	0.3	2.6	0.2	19
1273305	Drill Core	2.39	0.013	9.4	119.7	56.0	109	0.4	18.2	20.0	764	6.20	580	11.1	<0.1	21.3	356	0.8	9.5	0.4	89
1273306	Drill Core	4.61	0.019	3.0	41.9	37.5	54	0.2	22.1	23.9	327	3.17	596	4.9	<0.1	20.8	131	0.4	4.9	0.3	49
1273307	Drill Core	3.84	0.026	5.3	136.0	34.7	51	0.5	17.4	31.0	158	2.99	1197	54.4	<0.1	20.6	112	0.4	14.5	0.5	45
1273308	Rock Pulp	0.17	<0.005	3.3	25.7	6.0	49	0.6	23.4	10.5	493	2.44	37	0.9	<0.1	2.1	259	0.4	0.9	<0.1	83
1273309	Drill Core	5.93	0.018	2.4	29.5	32.6	63	0.1	20.7	17.8	152	1.98	627	4.3	<0.1	19.2	99	0.7	5.8	0.4	52
1273310	Drill Core	3.53	0.013	1.1	49.3	20.4	35	<0.1	31.3	14.1	127	2.01	190	5.8	<0.1	20.7	133	0.3	5.0	0.5	72
1273311	Drill Core	5.96	0.029	9.9	74.1	21.1	32	0.5	19.7	15.7	137	2.19	363	25.8	<0.1	18.5	234	0.2	9.1	0.3	56
1273312	Drill Core	6.58	<0.005	1.0	34.6	5.0	12	<0.1	36.4	18.8	278	4.16	105	2.8	<0.1	15.4	282	<0.1	8.5	0.2	89
1273313	Drill Core	6.10	0.006	1.0	6.3	3.5	12	<0.1	37.0	32.9	280	3.31	146	2.5	<0.1	16.0	314	<0.1	9.8	<0.1	88
1273314	Drill Core	7.41	<0.005	0.7	23.0	4.1	21	<0.1	34.4	15.6	303	4.44	28	1.7	<0.1	13.8	222	<0.1	9.2	0.2	89

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Golden Predator Canada Corp.**
11th Floor, 888 Dunsmuir Street
Vancouver BC V6C 3K4 Canada

Project: Antimony
Report Date: December 20, 2011

CERTIFICATE OF ANALYSIS WHI11001957.1

	Method	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX
	Analyte	Ca	P	La	Cr	Mg	Ba	Ti	Al	Na	K	W	Zr	Ce	Sn	Y	Nb	Ta	Be	Sc	Li
	Unit	%	%	ppm	ppm	%	ppm	%	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	MDL	0.01	0.001	0.1	1	0.01	1	0.001	0.01	0.001	0.01	0.1	0.1	1	0.1	0.1	0.1	0.1	1	1	0.1
1273285	Drill Core	0.43	0.067	39.2	45	0.57	1864	0.382	7.63	0.943	2.94	2.0	52.0	93	1.6	10.9	16.7	1.1	3	9	50.9
1273286	Drill Core	0.25	0.048	36.9	34	0.32	121	0.238	5.52	0.124	1.44	6.7	39.4	83	1.6	10.2	10.7	0.8	1	6	34.3
1273287	Drill Core	0.13	0.018	21.8	17	0.17	331	0.118	3.59	0.042	0.79	3.8	32.2	51	1.3	6.5	4.9	0.4	<1	3	30.4
1273288	Drill Core	0.15	0.036	33.8	41	0.27	84	0.243	6.13	0.074	2.28	7.9	56.5	67	2.3	11.6	9.4	0.7	1	7	23.0
1273289	Drill Core	0.83	0.063	52.3	31	0.68	36	0.142	4.58	0.187	0.71	17.6	25.7	82	11.6	24.4	5.4	0.3	<1	8	17.2
1273290	Drill Core	0.09	0.027	21.7	22	0.25	116	0.196	3.91	0.065	1.58	17.8	34.5	41	5.4	9.9	7.8	0.6	<1	5	16.4
1273291	Drill Core	0.10	0.037	28.6	27	0.24	176	0.245	5.35	0.064	1.83	14.3	44.5	56	4.2	10.6	9.7	0.8	2	6	28.3
1273292	Drill Core	0.07	0.019	34.5	21	0.20	507	0.198	5.70	0.044	1.33	9.4	53.5	63	2.8	9.1	7.9	0.6	<1	6	39.6
1273293	Drill Core	0.13	0.025	31.6	32	0.30	69	0.137	5.31	0.089	1.36	9.8	42.2	58	3.1	9.9	5.2	0.4	1	5	37.1
1273294	Drill Core	0.11	0.024	39.1	26	0.30	117	0.136	5.50	0.087	1.33	8.3	42.8	69	3.0	9.5	5.0	0.4	<1	6	38.1
1273295	Drill Core	0.13	0.029	74.2	34	0.32	52	0.105	4.34	0.098	1.10	7.1	37.3	114	4.4	8.9	3.8	0.3	<1	4	27.3
1273296	Drill Core	0.23	0.046	88.2	51	0.51	41	0.245	7.93	0.108	1.88	14.4	32.5	146	4.8	13.1	7.2	0.5	2	12	41.3
1273297	Drill Core	0.45	0.058	795.6	32	0.46	59	0.213	5.93	0.131	0.73	12.0	21.9	1176	8.9	17.9	8.2	0.5	1	9	29.4
1273298	Drill Core	0.21	0.042	521.2	40	0.75	373	0.242	6.41	0.228	1.05	9.5	33.6	828	14.6	16.6	7.4	0.5	1	10	37.8
1273299	Drill Core	0.58	0.154	1745	19	0.85	19	0.126	3.67	0.251	0.05	7.7	18.1	>2000	16.8	38.1	3.2	0.2	<1	6	11.5
1273300	Drill Core	0.59	0.022	412.3	8	0.23	21	0.012	1.08	0.041	0.14	4.7	5.9	607	3.7	21.3	0.8	<0.1	<1	3	3.5
1273301	Drill Core	0.19	0.065	43.2	52	0.46	379	0.256	8.21	0.113	1.50	9.3	51.3	84	4.4	15.6	7.4	0.6	2	12	49.7
1273302	Drill Core	0.15	0.035	41.0	51	0.42	287	0.287	8.68	0.106	1.62	7.0	52.2	83	7.7	15.1	9.0	0.6	2	12	50.7
1273303	Drill Core	0.32	0.065	534.5	46	0.75	214	0.264	7.43	0.275	0.81	12.9	38.2	914	15.7	23.1	8.4	0.6	2	10	45.2
1273304	Drill Core	0.14	0.026	39.4	16	0.26	566	0.125	3.49	0.069	0.94	3.1	36.7	65	3.8	8.9	5.3	0.4	<1	3	22.6
1273305	Drill Core	1.22	0.129	99.9	88	1.84	559	0.393	7.88	0.693	4.06	3.9	164.4	160	6.5	24.3	15.2	0.9	2	13	71.5
1273306	Drill Core	0.24	0.039	41.1	37	0.51	1269	0.202	6.93	0.155	2.80	3.5	59.5	78	5.5	16.2	7.2	0.5	2	9	40.5
1273307	Drill Core	0.18	0.043	113.9	34	0.38	123	0.200	5.00	0.128	0.77	6.0	49.2	177	9.6	13.8	7.4	0.6	1	6	37.7
1273308	Rock Pulp	1.89	0.057	9.3	34	0.81	530	0.432	5.38	2.317	0.88	21.1	38.8	19	0.8	13.6	3.8	0.2	<1	11	13.1
1273309	Drill Core	0.22	0.060	59.0	35	0.37	799	0.384	6.85	0.140	2.07	6.1	46.4	107	6.5	14.6	9.2	0.6	2	10	43.9
1273310	Drill Core	0.23	0.054	36.4	50	0.45	553	0.334	9.50	0.211	3.69	6.3	56.8	77	4.4	15.0	12.0	0.9	2	12	52.8
1273311	Drill Core	0.57	0.039	25.8	36	0.65	141	0.248	6.75	0.538	2.25	2.8	43.0	54	5.7	12.1	8.6	0.7	2	8	39.1
1273312	Drill Core	0.86	0.039	36.6	66	0.95	1417	0.406	9.01	1.006	4.74	2.0	41.4	79	1.8	9.4	13.6	0.9	2	16	122.6
1273313	Drill Core	1.22	0.038	40.5	61	0.98	1469	0.408	9.44	1.239	4.26	2.5	27.6	85	2.0	8.9	13.3	0.9	4	16	129.6
1273314	Drill Core	0.62	0.035	34.4	65	1.01	1845	0.452	8.78	0.838	4.56	2.4	33.3	73	2.8	9.4	15.7	1.0	3	17	120.6

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Golden Predator Canada Corp.**
11th Floor, 888 Dunsmuir Street
Vancouver BC V6C 3K4 Canada

Project: Antimony
Report Date: December 20, 2011

CERTIFICATE OF ANALYSIS WHI11001957.1

Method		1EX	1EX	1EX
Analyte		S	Rb	Hf
Unit		%	ppm	ppm
MDL		0.1	0.1	0.1
1273285	Drill Core	0.1	138.5	1.5
1273286	Drill Core	0.7	74.9	1.2
1273287	Drill Core	0.4	42.6	1.0
1273288	Drill Core	1.7	111.6	1.6
1273289	Drill Core	7.0	50.0	0.7
1273290	Drill Core	0.9	95.3	1.0
1273291	Drill Core	0.5	104.4	1.3
1273292	Drill Core	0.3	76.6	1.3
1273293	Drill Core	1.5	81.7	1.2
1273294	Drill Core	0.9	75.3	1.3
1273295	Drill Core	2.1	64.1	1.1
1273296	Drill Core	4.0	109.5	0.9
1273297	Drill Core	8.7	51.3	0.8
1273298	Drill Core	0.6	54.9	1.1
1273299	Drill Core	>10	3.5	0.5
1273300	Drill Core	>10	10.6	0.4
1273301	Drill Core	0.5	88.1	1.5
1273302	Drill Core	0.7	96.8	1.6
1273303	Drill Core	1.3	39.1	1.1
1273304	Drill Core	0.2	51.3	1.1
1273305	Drill Core	0.4	164.1	4.4
1273306	Drill Core	0.2	130.1	1.8
1273307	Drill Core	1.0	43.2	1.6
1273308	Rock Pulp	<0.1	21.6	1.2
1273309	Drill Core	0.1	98.6	1.4
1273310	Drill Core	0.5	142.1	1.8
1273311	Drill Core	0.8	93.0	1.3
1273312	Drill Core	0.2	219.8	1.2
1273313	Drill Core	<0.1	211.9	0.8
1273314	Drill Core	0.1	220.9	0.9

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Golden Predator Canada Corp.**
11th Floor, 888 Dunsmuir Street
Vancouver BC V6C 3K4 Canada

Project: Antimony
Report Date: December 20, 2011

CERTIFICATE OF ANALYSIS WHI11001957.1

Method		WGHT	G6	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX
Analyte		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
Unit		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
MDL		0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.2	1	0.01	1	0.1	0.1	0.1	1	0.1	0.1	0.1	1
1273315	Drill Core	3.69	<0.005	1.0	38.1	4.6	17	<0.1	42.0	26.4	304	5.19	35	1.2	<0.1	13.6	219	<0.1	8.3	0.3	72
1273316	Rock Pulp	0.17	0.795	7.0	48.1	7.2	66	0.5	34.5	16.1	648	3.81	18	1.1	0.3	2.6	256	0.4	1.8	0.1	96
1273317	Drill Core	7.65	0.007	1.3	24.4	9.7	31	<0.1	42.7	20.8	470	3.97	58	1.7	<0.1	14.7	160	<0.1	8.7	0.8	94
1273318	Drill Core	5.25	0.009	1.2	25.6	7.2	23	0.5	45.8	24.4	542	4.26	54	1.7	<0.1	15.7	161	<0.1	10.0	1.0	93
1273319	Drill Core	3.46	0.009	1.5	55.8	8.7	21	2.6	50.5	22.2	483	4.97	76	1.7	<0.1	15.0	205	<0.1	22.8	0.2	73
1273320	Drill Core	2.24	0.015	19.2	158.6	9.1	57	18.2	46.1	20.4	510	4.73	95	2.6	<0.1	14.0	195	0.5	9.0	0.3	106
1273321	Drill Core	4.13	0.036	1.6	318.3	15.4	64	0.9	24.4	30.3	192	4.32	1656	5.8	<0.1	16.5	196	0.6	14.9	0.8	58
1273322	Drill Core	5.39	0.014	2.4	585.0	19.3	79	1.3	30.0	13.5	368	5.82	531	4.6	<0.1	13.6	181	0.6	10.3	1.4	67
1273323	Drill Core	2.39	<0.005	1.6	195.9	34.7	84	0.7	25.1	7.2	562	3.78	59	3.3	<0.1	13.8	234	0.5	4.9	0.6	73
1273324	Drill Core	2.45	<0.005	1.5	146.5	62.6	138	0.9	23.8	9.6	535	3.43	150	3.0	<0.1	12.2	130	1.2	5.3	0.6	63
1273325	Drill Core	2.33	<0.005	1.2	152.7	51.0	118	0.8	22.7	9.9	521	3.76	116	2.9	<0.1	12.1	133	1.0	6.2	0.4	67
1273326	Drill Core	3.92	<0.005	0.8	98.2	80.2	105	0.9	26.8	8.6	348	2.75	119	1.8	<0.1	12.5	94	0.7	6.1	0.7	58
1273327	Drill Core	4.25	0.006	0.9	62.7	45.1	64	0.3	27.5	8.3	773	2.62	104	2.1	<0.1	12.3	167	0.3	5.9	0.4	56
1273328	Drill Core	4.82	0.006	0.4	55.8	10.7	19	0.1	24.2	8.0	376	2.27	38	2.1	<0.1	12.8	305	0.2	2.1	0.3	63
1273329	Drill Core	4.33	0.007	0.8	70.3	23.2	38	0.2	36.4	15.3	221	3.22	27	3.0	<0.1	17.1	223	0.2	4.5	0.5	69
1273330	Drill Core	4.37	0.025	1.1	122.2	31.8	56	0.7	20.8	18.4	411	3.01	222	3.6	<0.1	12.7	311	0.5	5.6	0.6	48
1273331	Drill Core	4.83	0.022	0.7	88.9	15.3	29	0.2	24.3	24.7	715	3.81	1446	2.3	<0.1	10.0	270	0.2	12.7	0.4	54
1273332	Drill Core	4.71	0.015	1.9	68.7	11.3	24	<0.1	29.9	22.3	696	3.61	182	2.7	<0.1	10.6	312	<0.1	5.0	0.4	66
1273333	Drill Core	4.95	0.008	0.7	32.2	8.5	18	<0.1	22.8	12.7	410	2.64	63	2.0	<0.1	13.6	205	<0.1	3.3	0.2	63
1273334	Drill Core	4.53	0.007	0.5	39.0	9.1	21	<0.1	15.4	8.7	345	2.94	154	2.4	<0.1	12.9	145	<0.1	5.5	0.2	60
1273335	Drill Core	4.24	0.006	0.3	31.4	9.1	20	<0.1	24.6	14.7	452	3.39	30	1.7	<0.1	13.0	115	<0.1	3.8	0.1	67
1273336	Rock Pulp	0.17	<0.005	3.3	21.8	4.1	42	0.4	20.4	9.8	494	2.32	3	0.7	<0.1	1.8	257	0.2	0.9	<0.1	80
1273337	Drill Core	3.73	0.008	0.2	28.4	8.1	22	<0.1	31.6	17.0	482	3.60	38	1.5	<0.1	13.3	115	<0.1	2.7	0.2	74
1273338	Drill Core	5.11	<0.005	0.6	25.3	10.2	21	<0.1	27.0	12.7	337	2.80	34	1.6	<0.1	13.1	157	<0.1	1.8	<0.1	65
1273339	Drill Core	4.09	0.005	0.5	42.4	6.1	25	<0.1	27.7	13.7	435	3.97	44	1.8	<0.1	13.1	294	<0.1	1.9	0.1	58
1273340	Drill Core	5.21	<0.005	1.5	34.0	5.8	20	<0.1	31.6	15.7	454	4.00	11	3.2	<0.1	15.8	161	<0.1	2.2	<0.1	77
1273341	Drill Core	4.77	<0.005	0.8	32.6	9.5	51	<0.1	40.2	17.5	831	5.13	35	3.4	<0.1	15.0	127	0.1	1.2	0.1	89
1273342	Drill Core	4.73	<0.005	0.7	43.5	7.5	31	<0.1	36.2	15.4	651	4.82	20	2.8	<0.1	15.2	121	<0.1	1.6	0.2	76
1273343	Drill Core	4.48	<0.005	0.4	25.2	16.1	37	0.1	28.9	12.8	600	3.45	50	3.1	<0.1	17.8	236	0.2	2.1	0.1	82
1273344	Drill Core	5.30	<0.005	0.6	32.4	10.4	20	<0.1	28.4	11.6	421	3.37	16	2.7	<0.1	17.6	199	<0.1	2.1	0.1	65

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Golden Predator Canada Corp.**
11th Floor, 888 Dunsmuir Street
Vancouver BC V6C 3K4 Canada

Project: Antimony
Report Date: December 20, 2011

CERTIFICATE OF ANALYSIS WHI11001957.1

	Method	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX
	Analyte	Ca	P	La	Cr	Mg	Ba	Ti	Al	Na	K	W	Zr	Ce	Sn	Y	Nb	Ta	Be	Sc	Li
	Unit	%	%	ppm	ppm	%	ppm	%	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	MDL	0.01	0.001	0.1	1	0.01	1	0.001	0.01	0.001	0.01	0.1	0.1	1	0.1	0.1	0.1	0.1	1	1	0.1
1273315	Drill Core	0.64	0.035	38.9	64	1.11	1664	0.474	8.59	0.964	4.58	2.4	20.5	83	2.7	8.2	14.9	1.0	3	17	107.5
1273316	Rock Pulp	1.74	0.070	10.7	45	1.05	643	0.302	6.02	2.297	1.08	42.5	45.1	22	1.7	15.4	4.3	0.3	<1	12	17.1
1273317	Drill Core	0.96	0.047	36.4	62	1.26	1381	0.534	8.93	0.646	3.94	3.2	28.0	79	3.1	11.0	16.5	1.1	3	17	105.6
1273318	Drill Core	1.30	0.039	44.1	61	1.27	1632	0.498	9.31	0.584	4.39	5.8	20.1	93	2.7	11.1	17.5	1.1	3	18	112.4
1273319	Drill Core	1.42	0.037	50.0	67	1.23	1044	0.440	8.93	0.753	4.86	22.9	15.0	97	3.5	10.1	14.8	1.0	4	17	105.3
1273320	Drill Core	1.11	0.048	35.5	138	1.19	2088	0.416	8.13	0.772	4.08	190.8	28.6	74	4.9	10.8	14.6	0.9	3	15	94.9
1273321	Drill Core	0.34	0.051	25.5	40	0.92	154	0.299	5.63	0.315	1.99	9.1	40.3	47	8.3	19.4	9.4	0.7	1	9	33.3
1273322	Drill Core	0.43	0.052	22.8	48	1.02	65	0.311	6.07	0.329	2.85	9.0	41.0	47	9.9	22.2	10.2	0.7	2	10	43.2
1273323	Drill Core	0.91	0.185	46.7	52	0.65	3669	0.313	6.41	0.273	4.13	6.0	40.6	93	10.3	20.3	11.1	0.7	2	10	45.1
1273324	Drill Core	2.16	0.097	76.5	39	0.58	800	0.244	5.17	0.131	1.99	9.5	50.8	142	7.4	19.4	7.7	0.5	2	8	39.6
1273325	Drill Core	1.82	0.084	55.1	41	0.62	748	0.265	5.48	0.131	2.11	11.0	53.1	104	6.9	16.9	8.1	0.6	2	9	39.4
1273326	Drill Core	0.92	0.084	35.5	36	0.35	600	0.191	5.48	0.099	2.70	7.3	43.0	80	5.5	16.5	5.3	0.3	2	8	33.4
1273327	Drill Core	2.46	0.042	32.3	36	0.56	1103	0.199	5.22	0.215	2.56	4.6	59.8	69	3.2	16.6	6.0	0.4	2	7	40.9
1273328	Drill Core	2.82	0.079	20.8	38	0.78	801	0.262	5.38	0.888	1.73	0.7	46.3	49	3.1	19.9	7.9	0.5	2	7	39.3
1273329	Drill Core	1.10	0.031	41.3	40	0.88	961	0.162	8.27	0.934	3.90	1.9	47.5	94	1.5	12.3	5.0	0.3	2	10	63.1
1273330	Drill Core	2.86	0.041	16.5	30	0.79	249	0.193	6.19	0.985	1.72	3.4	38.5	36	4.9	14.4	5.8	0.4	2	6	48.6
1273331	Drill Core	2.97	0.059	39.6	38	0.77	235	0.218	5.07	0.421	2.08	1.4	36.8	77	4.5	15.8	6.0	0.4	2	7	35.7
1273332	Drill Core	3.06	0.227	31.9	39	0.66	285	0.263	5.18	0.366	2.22	0.6	36.8	75	3.3	25.5	7.7	0.5	2	9	39.4
1273333	Drill Core	2.38	0.127	34.8	38	1.07	1032	0.340	6.04	0.477	2.60	0.7	45.4	78	1.7	16.7	9.9	0.6	2	10	56.4
1273334	Drill Core	2.21	0.034	30.8	36	0.88	932	0.301	6.35	0.360	2.32	0.9	35.9	71	1.2	12.8	8.6	0.6	<1	9	42.3
1273335	Drill Core	1.23	0.034	34.6	46	1.11	1038	0.358	6.73	0.256	2.86	1.4	26.8	78	1.5	11.2	12.0	0.8	2	11	70.9
1273336	Rock Pulp	1.79	0.050	7.9	32	0.75	481	0.262	5.06	2.149	0.82	19.5	37.8	17	0.7	12.0	3.3	0.3	<1	10	12.8
1273337	Drill Core	0.98	0.034	35.3	49	1.12	1140	0.373	6.98	0.264	2.65	1.5	30.6	79	1.6	11.1	12.7	0.9	3	12	79.4
1273338	Drill Core	1.14	0.043	33.5	42	1.05	995	0.308	6.27	0.393	2.92	1.1	29.5	77	1.2	10.9	9.0	0.7	2	10	67.7
1273339	Drill Core	1.67	0.037	26.8	40	1.15	338	0.340	6.54	0.464	1.95	1.2	33.9	61	1.1	11.6	11.5	0.8	3	11	73.4
1273340	Drill Core	0.82	0.041	42.0	61	1.00	1193	0.386	8.53	0.668	3.65	1.7	50.4	96	2.1	10.6	13.3	0.9	3	13	86.6
1273341	Drill Core	0.47	0.050	40.6	68	1.08	1361	0.468	8.49	0.487	3.93	1.7	46.0	96	2.2	11.7	17.2	1.1	4	14	135.6
1273342	Drill Core	0.64	0.046	43.0	60	1.07	612	0.428	8.12	0.410	3.86	1.5	37.5	101	1.9	13.3	14.7	1.0	3	13	100.1
1273343	Drill Core	1.25	0.047	52.2	58	0.83	1500	0.411	9.64	0.751	4.30	2.1	45.5	116	1.8	14.7	15.1	1.1	3	15	83.1
1273344	Drill Core	0.67	0.054	39.7	48	0.74	703	0.384	7.52	0.604	3.74	1.7	45.6	91	1.2	11.4	14.6	1.0	3	11	86.3

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Golden Predator Canada Corp.**
11th Floor, 888 Dunsmuir Street
Vancouver BC V6C 3K4 Canada

Project: Antimony
Report Date: December 20, 2011

CERTIFICATE OF ANALYSIS WHI11001957.1

Method		1EX	1EX	1EX
Analyte		S	Rb	Hf
Unit		%	ppm	ppm
MDL		0.1	0.1	0.1
1273315	Drill Core	0.2	220.0	0.6
1273316	Rock Pulp	<0.1	29.7	1.3
1273317	Drill Core	<0.1	190.8	0.8
1273318	Drill Core	<0.1	206.4	0.6
1273319	Drill Core	0.4	229.5	0.5
1273320	Drill Core	<0.1	190.8	0.8
1273321	Drill Core	0.7	95.5	1.2
1273322	Drill Core	1.7	125.6	1.2
1273323	Drill Core	0.2	167.9	1.2
1273324	Drill Core	0.4	98.6	1.5
1273325	Drill Core	0.6	101.4	1.4
1273326	Drill Core	0.4	128.2	1.3
1273327	Drill Core	0.3	122.9	1.1
1273328	Drill Core	0.3	72.7	1.3
1273329	Drill Core	0.8	189.2	1.4
1273330	Drill Core	0.8	65.6	1.2
1273331	Drill Core	1.0	88.9	1.1
1273332	Drill Core	0.9	86.3	1.2
1273333	Drill Core	0.4	117.3	1.2
1273334	Drill Core	0.2	102.6	1.0
1273335	Drill Core	0.2	131.3	0.7
1273336	Rock Pulp	<0.1	19.9	1.0
1273337	Drill Core	0.2	121.9	0.9
1273338	Drill Core	0.4	141.8	0.9
1273339	Drill Core	0.7	113.3	1.0
1273340	Drill Core	0.5	152.5	1.4
1273341	Drill Core	0.3	178.0	1.4
1273342	Drill Core	0.7	174.7	0.9
1273343	Drill Core	0.4	183.8	1.4
1273344	Drill Core	0.6	159.1	1.3

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Golden Predator Canada Corp.**
11th Floor, 888 Dunsmuir Street
Vancouver BC V6C 3K4 Canada

Project: Antimony
Report Date: December 20, 2011

CERTIFICATE OF ANALYSIS WHI11001957.1

Method		WGHT	G6	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX
Analyte		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
Unit		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
MDL		0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.2	1	0.01	1	0.1	0.1	0.1	1	0.1	0.1	0.1	1
1273345	Drill Core	4.81	<0.005	0.6	18.9	9.1	18	<0.1	21.0	9.2	307	2.50	32	2.7	<0.1	17.8	191	<0.1	3.0	<0.1	50
1273346	Rock Pulp	0.17	1.527	19.0	319.9	9.9	59	0.5	36.6	8.9	646	3.76	8	0.8	1.7	2.1	260	0.3	2.9	0.3	89
1273347	Drill Core	6.53	<0.005	0.6	24.1	8.2	14	<0.1	22.7	10.0	238	2.68	8	2.7	<0.1	18.5	196	0.1	2.8	<0.1	54
1273348	Drill Core	7.44	<0.005	0.7	19.0	8.1	17	<0.1	21.3	8.7	280	2.70	8	2.9	<0.1	18.4	204	0.2	2.6	<0.1	55
1273349	Drill Core	6.86	<0.005	0.4	22.6	4.7	28	<0.1	25.0	11.6	504	4.12	6	3.0	<0.1	18.3	101	0.1	2.4	<0.1	64
1273350	Drill Core	7.40	<0.005	0.7	22.0	10.2	26	<0.1	22.5	10.4	387	3.41	7	3.0	<0.1	20.1	190	0.1	2.8	0.1	55
1273351	Drill Core	6.53	<0.005	0.4	24.5	13.9	25	<0.1	13.0	6.4	240	1.93	2	2.0	<0.1	16.1	185	<0.1	1.3	<0.1	24
1273352	Drill Core	6.75	<0.005	0.6	18.3	9.5	24	<0.1	21.2	9.8	411	3.38	8	2.9	<0.1	19.2	138	<0.1	2.3	0.1	51
1273353	Drill Core	5.32	<0.005	0.7	23.5	14.2	33	<0.1	16.0	10.5	250	2.22	42	2.4	<0.1	15.9	180	0.2	2.5	0.1	31
1273354	Drill Core	7.18	<0.005	0.7	19.2	12.0	19	0.1	14.0	7.0	209	1.96	8	2.3	<0.1	17.0	190	<0.1	2.9	<0.1	31
1273355	Drill Core	2.92	<0.005	0.4	27.2	11.5	16	<0.1	17.4	9.1	193	2.16	12	2.4	<0.1	17.0	206	<0.1	3.9	0.1	38
1273356	Drill Core	3.15	<0.005	0.6	24.9	10.1	15	<0.1	18.7	8.7	214	2.24	10	2.4	<0.1	17.5	219	<0.1	3.8	0.1	42
1273357	Drill Core	6.19	<0.005	0.8	30.4	11.9	28	<0.1	25.2	16.5	299	2.94	50	3.2	<0.1	17.8	129	0.1	3.6	0.1	53
1273358	Drill Core	6.02	<0.005	0.8	29.3	14.5	38	<0.1	26.8	14.9	389	3.79	25	2.4	<0.1	18.2	89	<0.1	2.3	0.3	61
1273359	Drill Core	6.90	0.006	0.7	60.2	19.3	73	<0.1	49.9	27.2	391	5.96	28	3.1	<0.1	18.0	105	0.1	1.7	0.7	94
1273360	Drill Core	6.49	0.006	1.4	118.7	10.7	34	<0.1	50.3	38.1	389	5.58	37	3.3	<0.1	18.2	74	<0.1	5.3	0.5	69
1273361	Drill Core	7.18	0.005	0.8	27.7	4.4	18	<0.1	30.0	17.0	319	4.07	38	2.9	<0.1	19.2	111	<0.1	4.2	0.2	69
1273362	Drill Core	5.70	<0.005	0.7	24.1	3.5	14	<0.1	15.8	9.2	174	2.16	44	2.4	<0.1	16.9	124	<0.1	2.7	0.1	33
1273363	Drill Core	6.49	<0.005	0.5	27.0	3.7	18	<0.1	44.6	22.2	271	4.28	113	2.9	<0.1	18.2	151	<0.1	4.5	0.2	92
1273364	Drill Core	6.98	0.029	1.8	25.8	6.5	18	<0.1	36.6	49.8	236	2.99	1323	2.7	<0.1	19.2	209	<0.1	5.1	0.5	70
1273365	Drill Core	5.78	<0.005	0.8	34.7	7.2	18	<0.1	18.6	18.7	139	1.51	320	1.9	<0.1	14.5	205	0.1	2.5	0.2	31
1273366	Rock Pulp	0.17	<0.005	3.1	23.7	4.5	41	0.9	22.6	10.2	461	2.39	6	0.8	<0.1	2.0	250	0.4	0.8	<0.1	79
1273367	Drill Core	5.39	0.017	1.9	47.1	8.2	13	<0.1	14.8	9.7	130	1.42	87	1.9	<0.1	13.9	242	<0.1	2.7	0.1	26
1273368	Drill Core	3.46	<0.005	1.8	22.2	3.7	12	<0.1	36.0	16.7	206	3.57	91	3.6	<0.1	21.5	219	<0.1	4.3	0.1	81
1273369	Drill Core	4.57	<0.005	1.6	52.6	7.1	11	<0.1	16.0	7.8	112	1.53	7	2.3	<0.1	16.0	215	<0.1	2.9	0.1	24
1273370	Drill Core	5.40	<0.005	0.5	23.1	3.6	15	<0.1	40.9	23.6	301	4.44	29	1.9	<0.1	13.0	301	<0.1	7.4	0.1	91
1273371	Drill Core	4.92	<0.005	0.7	22.8	7.1	14	<0.1	36.6	12.7	224	3.41	12	1.7	<0.1	13.2	443	<0.1	6.5	<0.1	74
1273372	Drill Core	4.93	<0.005	0.3	8.0	8.4	18	<0.1	37.7	19.2	254	5.00	10	1.5	<0.1	13.2	304	<0.1	4.1	<0.1	86
1273373	Drill Core	5.29	<0.005	0.2	9.7	6.5	20	<0.1	39.2	21.9	470	5.70	3	1.2	<0.1	13.3	155	<0.1	4.8	<0.1	86
1273374	Drill Core	4.93	<0.005	1.6	14.1	4.2	22	<0.1	41.1	23.3	1102	5.49	10	2.7	<0.1	16.5	190	<0.1	6.7	<0.1	112

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Golden Predator Canada Corp.**
11th Floor, 888 Dunsmuir Street
Vancouver BC V6C 3K4 Canada

Project: Antimony
Report Date: December 20, 2011

CERTIFICATE OF ANALYSIS WHI11001957.1

Method		1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX
Analyte		Ca	P	La	Cr	Mg	Ba	Ti	Al	Na	K	W	Zr	Ce	Sn	Y	Nb	Ta	Be	Sc	Li
Unit		%	%	ppm	ppm	%	ppm	%	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
MDL		0.01	0.001	0.1	1	0.01	1	0.001	0.01	0.001	0.01	0.1	0.1	1	0.1	0.1	0.1	0.1	1	1	0.1
1273345	Drill Core	0.42	0.029	39.3	37	0.50	1139	0.333	6.38	0.488	2.99	2.0	37.6	86	1.3	9.4	12.5	0.9	2	8	66.5
1273346	Rock Pulp	1.65	0.060	8.9	38	0.84	574	0.261	5.31	2.118	0.98	0.9	41.2	21	2.3	13.4	4.2	0.2	<1	11	16.4
1273347	Drill Core	0.49	0.050	41.9	41	0.53	1149	0.343	6.95	0.553	3.18	1.6	38.0	94	1.1	10.7	12.7	0.9	1	9	63.1
1273348	Drill Core	0.46	0.042	40.6	44	0.56	1226	0.322	7.24	0.669	3.29	2.7	35.7	91	1.5	9.2	13.0	0.8	3	9	62.8
1273349	Drill Core	0.36	0.045	41.3	46	0.71	1059	0.391	7.38	0.396	3.28	1.4	34.5	93	1.5	9.7	15.5	1.2	3	10	76.0
1273350	Drill Core	0.50	0.060	44.6	45	0.67	993	0.395	7.47	0.713	3.08	2.1	39.7	103	1.5	12.1	15.9	1.1	2	10	74.2
1273351	Drill Core	0.48	0.024	28.0	20	0.40	541	0.193	4.22	0.748	1.48	1.2	27.6	64	0.7	9.2	7.4	0.5	<1	4	42.7
1273352	Drill Core	0.69	0.097	44.3	41	0.64	897	0.367	7.06	0.649	2.96	2.0	35.8	100	1.7	13.3	14.4	1.1	3	9	76.8
1273353	Drill Core	0.41	0.025	28.7	22	0.48	570	0.231	5.20	0.859	1.90	1.6	27.2	64	1.2	8.7	9.2	0.7	<1	5	55.3
1273354	Drill Core	0.53	0.029	31.9	27	0.46	630	0.226	5.13	0.775	1.97	1.4	27.8	71	1.1	10.3	8.7	0.6	1	5	51.5
1273355	Drill Core	0.58	0.044	34.2	28	0.50	706	0.241	5.41	0.917	2.18	1.3	33.4	77	1.2	10.5	8.7	0.6	<1	7	56.3
1273356	Drill Core	0.57	0.053	39.1	35	0.53	794	0.267	6.25	0.864	2.62	1.3	31.6	88	1.1	11.3	10.1	0.7	2	8	60.3
1273357	Drill Core	0.27	0.049	40.7	41	0.55	1052	0.336	6.49	0.530	2.81	2.3	31.8	93	1.9	10.5	13.4	1.0	2	9	65.8
1273358	Drill Core	0.19	0.033	42.5	56	0.71	972	0.411	7.60	0.357	3.21	1.8	28.9	88	2.4	10.1	14.5	1.0	3	11	69.2
1273359	Drill Core	0.17	0.068	45.3	79	0.93	771	0.467	10.62	0.550	4.76	1.9	26.4	96	3.6	11.0	15.5	1.1	3	17	116.2
1273360	Drill Core	0.24	0.050	42.7	67	0.65	97	0.393	8.56	0.428	3.84	1.9	33.1	91	2.5	11.0	14.4	1.0	3	11	56.3
1273361	Drill Core	0.29	0.040	46.3	59	0.68	1165	0.416	8.33	0.375	3.91	2.1	33.8	92	1.9	10.8	15.5	1.0	2	12	72.4
1273362	Drill Core	0.46	0.026	35.1	31	0.47	555	0.247	5.45	0.672	1.77	1.3	31.4	70	1.2	9.8	9.8	0.7	2	6	48.6
1273363	Drill Core	0.44	0.078	45.4	77	0.91	1381	0.489	9.88	0.631	4.44	2.9	35.0	101	2.7	12.2	18.4	1.3	4	15	72.9
1273364	Drill Core	0.92	0.041	45.7	53	0.79	1187	0.409	8.40	0.804	3.39	2.7	34.6	93	2.4	11.8	14.2	1.0	3	12	66.7
1273365	Drill Core	0.50	0.034	28.3	29	0.47	872	0.198	5.23	1.012	1.90	1.8	26.2	54	1.4	9.7	7.3	0.5	<1	6	45.8
1273366	Rock Pulp	1.84	0.051	9.1	38	0.79	486	0.305	5.37	2.255	0.86	20.4	38.5	18	0.7	13.1	3.7	0.2	<1	10	12.7
1273367	Drill Core	0.72	0.031	22.8	23	0.38	901	0.161	4.92	0.934	2.00	2.0	25.0	45	1.2	8.8	6.3	0.4	1	5	40.1
1273368	Drill Core	0.41	0.074	49.9	65	0.80	1500	0.524	9.71	0.689	4.25	2.4	37.9	104	2.4	12.4	21.8	1.6	3	13	87.0
1273369	Drill Core	0.48	0.022	30.1	24	0.43	725	0.147	4.34	0.991	1.81	1.5	25.6	60	0.9	8.3	5.4	0.4	1	4	50.8
1273370	Drill Core	0.54	0.035	34.8	70	1.04	1404	0.463	9.03	1.058	4.11	2.6	21.6	78	2.0	8.6	14.7	1.0	3	16	123.6
1273371	Drill Core	0.94	0.032	33.9	60	0.96	1369	0.426	8.75	1.482	3.33	2.8	17.8	70	6.8	12.6	12.9	0.8	2	14	76.4
1273372	Drill Core	0.48	0.034	33.1	71	0.90	1934	0.478	8.88	1.336	4.07	1.8	11.9	73	6.8	9.4	15.9	1.0	3	16	116.8
1273373	Drill Core	0.28	0.031	36.3	73	0.90	1863	0.483	8.70	1.063	3.91	2.1	11.4	79	4.4	7.7	15.3	1.0	3	17	156.7
1273374	Drill Core	0.37	0.076	41.5	79	0.93	1793	0.567	10.27	0.816	4.33	2.9	22.0	90	6.0	10.8	19.2	1.4	4	17	145.1

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Golden Predator Canada Corp.**
11th Floor, 888 Dunsmuir Street
Vancouver BC V6C 3K4 Canada

Project: Antimony
Report Date: December 20, 2011

CERTIFICATE OF ANALYSIS WHI11001957.1

	Method	1EX	1EX	1EX
	Analyte	S	Rb	Hf
	Unit	%	ppm	ppm
	MDL	0.1	0.1	0.1
1273345	Drill Core	0.3	127.2	1.1
1273346	Rock Pulp	<0.1	25.2	1.2
1273347	Drill Core	0.4	136.7	1.1
1273348	Drill Core	0.2	139.7	1.0
1273349	Drill Core	0.2	142.8	1.0
1273350	Drill Core	0.3	130.3	1.2
1273351	Drill Core	0.4	70.6	0.8
1273352	Drill Core	0.2	136.7	1.0
1273353	Drill Core	0.2	91.6	0.8
1273354	Drill Core	0.2	90.0	0.8
1273355	Drill Core	0.4	97.3	0.9
1273356	Drill Core	0.3	113.8	0.9
1273357	Drill Core	0.2	127.5	0.8
1273358	Drill Core	<0.1	151.4	0.9
1273359	Drill Core	0.6	201.4	0.8
1273360	Drill Core	1.7	161.9	1.0
1273361	Drill Core	0.3	182.1	1.0
1273362	Drill Core	0.2	101.0	0.9
1273363	Drill Core	0.1	217.2	1.0
1273364	Drill Core	<0.1	179.1	1.0
1273365	Drill Core	<0.1	98.6	0.8
1273366	Rock Pulp	<0.1	23.3	1.1
1273367	Drill Core	0.2	95.8	0.7
1273368	Drill Core	0.1	211.2	1.2
1273369	Drill Core	0.3	87.0	0.8
1273370	Drill Core	0.2	216.3	0.6
1273371	Drill Core	0.1	185.2	0.5
1273372	Drill Core	<0.1	226.5	0.4
1273373	Drill Core	<0.1	219.0	0.3
1273374	Drill Core	<0.1	220.1	0.7

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Golden Predator Canada Corp.**
11th Floor, 888 Dunsmuir Street
Vancouver BC V6C 3K4 Canada

Project: Antimony
Report Date: December 20, 2011

CERTIFICATE OF ANALYSIS WHI11001957.1

Method		WGHT	G6	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX
Analyte		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
Unit		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
MDL		0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.2	1	0.01	1	0.1	0.1	0.1	1	0.1	0.1	0.1	1
1273375	Drill Core	6.06	0.032	1.9	292.4	31.0	48	1.5	39.4	26.9	507	5.40	323	3.5	<0.1	16.3	109	0.3	24.3	4.1	78
1273376	Drill Core	4.74	<0.005	1.5	50.7	4.9	15	<0.1	38.6	20.7	424	4.40	9	2.1	<0.1	16.1	237	<0.1	6.6	0.2	80
1273377	Rock Pulp	0.17	5.536	646.4	87.2	95.0	76	1.3	31.5	11.0	651	3.81	27	1.0	7.5	2.5	268	<0.1	24.1	0.2	221
1273378	Drill Core	4.36	<0.005	93.9	189.2	16.3	28	0.4	44.9	25.7	401	4.65	147	19.6	<0.1	10.6	113	<0.1	9.3	0.4	58
1273379	Drill Core	6.31	<0.005	2.7	27.1	9.5	13	0.1	6.7	7.5	124	0.84	76	2.3	<0.1	13.3	136	0.1	2.0	<0.1	13
1273380	Drill Core	6.36	<0.005	1.4	29.4	13.9	23	<0.1	24.0	9.5	238	1.81	104	2.8	<0.1	16.5	515	0.2	4.4	0.2	65
1273381	Drill Core	3.95	0.019	5.9	26.2	14.5	34	<0.1	48.8	43.3	836	3.92	720	4.2	<0.1	17.2	371	<0.1	7.1	0.3	103
1273382	Drill Core	5.34	0.012	1.1	15.7	11.5	33	<0.1	41.9	26.3	657	3.72	481	3.1	<0.1	15.7	380	<0.1	7.6	0.6	93
1273383	Drill Core	6.51	<0.005	0.7	22.7	4.4	25	<0.1	46.3	22.7	1123	4.68	72	2.2	<0.1	14.5	213	<0.1	9.2	0.2	103
1273384	Drill Core	2.97	<0.005	0.7	54.2	4.5	36	<0.1	52.0	28.1	1170	6.02	35	2.5	<0.1	14.8	162	<0.1	11.0	0.3	103
1273385	Drill Core	2.81	<0.005	0.9	45.9	4.0	35	<0.1	51.9	28.6	1191	6.04	62	2.5	<0.1	14.1	141	<0.1	11.5	0.3	101
1273386	Drill Core	6.50	<0.005	1.0	54.6	7.7	39	<0.1	43.6	23.1	1192	5.39	55	2.6	<0.1	14.8	147	<0.1	8.5	0.4	96
1273387	Drill Core	7.74	<0.005	2.2	181.5	5.9	56	<0.1	47.2	26.0	2386	5.18	23	2.3	<0.1	13.1	81	<0.1	7.6	0.4	108
1273388	Drill Core	5.81	0.016	0.5	68.9	7.6	24	<0.1	41.3	24.9	534	4.58	157	2.1	<0.1	14.7	165	<0.1	6.2	0.5	85
1273389	Drill Core	5.90	<0.005	0.6	66.6	9.4	15	<0.1	29.5	15.0	241	3.46	134	2.7	<0.1	18.5	182	<0.1	6.0	0.4	66
1273390	Drill Core	6.57	<0.005	4.1	61.7	6.9	20	<0.1	44.4	18.4	238	3.86	45	3.9	<0.1	15.9	133	<0.1	3.9	0.8	120
1273391	Drill Core	6.52	<0.005	7.6	52.3	6.2	11	<0.1	47.0	16.0	165	3.13	35	6.0	<0.1	17.2	182	<0.1	4.1	0.5	167
1273392	Drill Core	5.93	0.042	6.8	154.9	10.1	17	0.2	52.8	33.8	205	3.30	665	5.3	<0.1	16.6	262	<0.1	7.5	0.8	142
1273393	Drill Core	6.75	<0.005	5.1	70.8	11.1	29	<0.1	30.7	13.4	739	3.66	59	4.5	<0.1	12.2	352	<0.1	6.6	0.4	139
1273394	Drill Core	4.58	0.007	1.6	104.6	9.4	36	<0.1	24.4	8.5	807	4.48	16	2.6	<0.1	7.9	275	0.1	6.1	0.4	81
1273395	Rock Pulp	0.17	<0.005	2.8	23.7	4.8	45	0.8	22.1	10.0	471	2.37	4	0.9	<0.1	2.0	236	0.4	0.9	<0.1	84
1273396	Drill Core	3.85	0.008	0.9	56.6	10.9	22	<0.1	20.8	8.9	339	3.34	115	1.6	<0.1	9.1	253	<0.1	2.9	0.3	104
1273397	Drill Core	5.06	0.009	1.2	62.8	5.9	28	<0.1	23.9	14.6	399	4.05	136	2.9	<0.1	9.6	250	<0.1	4.2	0.4	117
1273398	Drill Core	4.84	0.010	0.9	52.3	7.5	58	<0.1	24.3	13.2	1438	4.86	111	2.2	<0.1	7.0	219	<0.1	5.4	0.4	78
1273399	Drill Core	5.27	0.009	1.5	74.5	7.3	59	<0.1	29.1	15.9	1457	4.60	113	1.9	<0.1	7.9	238	0.1	7.2	0.4	74
1273400	Drill Core	4.39	0.025	1.5	102.2	6.5	26	<0.1	26.1	17.2	474	3.40	335	2.5	<0.1	7.7	233	<0.1	7.0	0.7	101
1273401	Drill Core	4.74	0.017	1.2	50.9	9.3	57	0.1	21.4	10.0	1196	3.84	88	3.9	<0.1	7.6	344	0.2	6.3	0.4	100
1273402	Drill Core	3.57	0.020	3.4	60.7	11.4	34	0.2	29.7	12.9	584	3.28	49	4.4	<0.1	8.9	431	0.2	6.0	0.6	220
1273403	Drill Core	7.14	0.015	1.3	35.2	12.8	42	0.1	26.0	10.5	801	3.09	24	3.1	<0.1	8.0	321	0.2	7.2	0.4	89
1273404	Drill Core	6.82	0.008	1.3	54.8	9.3	31	<0.1	27.7	13.1	456	3.60	29	2.9	<0.1	8.8	287	<0.1	4.4	0.6	108

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Golden Predator Canada Corp.**
11th Floor, 888 Dunsmuir Street
Vancouver BC V6C 3K4 Canada

Project: Antimony
Report Date: December 20, 2011

CERTIFICATE OF ANALYSIS WHI11001957.1

Method		1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX
Analyte		Ca	P	La	Cr	Mg	Ba	Ti	Al	Na	K	W	Zr	Ce	Sn	Y	Nb	Ta	Be	Sc	Li
Unit		%	%	ppm	ppm	%	ppm	%	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
MDL		0.01	0.001	0.1	1	0.01	1	0.001	0.01	0.001	0.01	0.1	0.1	1	0.1	0.1	0.1	0.1	1	1	0.1
1273375	Drill Core	0.31	0.039	109.4	71	0.53	101	0.467	9.29	0.179	2.58	11.8	13.2	193	4.4	16.2	13.9	0.9	2	16	45.2
1273376	Drill Core	0.31	0.039	46.8	68	0.85	1875	0.480	9.06	0.823	4.59	2.7	22.8	96	3.0	10.1	16.1	1.1	3	15	102.8
1273377	Rock Pulp	1.57	0.060	11.7	49	0.92	180	0.337	7.01	2.010	1.81	13.1	60.2	26	1.9	14.5	4.9	0.3	1	11	29.1
1273378	Drill Core	0.32	0.027	15.7	48	0.64	98	0.369	9.14	0.265	3.85	2.9	33.1	46	4.2	22.2	11.0	0.8	5	9	47.8
1273379	Drill Core	0.49	0.038	11.8	14	0.20	479	0.097	2.77	0.261	0.95	0.9	26.0	26	0.8	8.9	3.7	0.3	<1	2	24.7
1273380	Drill Core	2.11	0.034	24.9	51	0.76	1380	0.340	8.69	2.000	3.26	2.4	47.6	54	1.9	16.6	10.1	0.7	2	11	81.8
1273381	Drill Core	0.92	0.051	40.1	70	1.16	2068	0.473	9.45	1.701	4.62	2.7	38.9	83	3.1	15.1	14.6	1.0	2	15	96.0
1273382	Drill Core	1.07	0.042	35.6	67	1.08	1673	0.471	9.52	1.866	3.47	2.3	18.8	75	3.2	13.0	13.9	1.0	3	16	149.8
1273383	Drill Core	0.59	0.041	37.8	72	1.15	1594	0.522	9.17	1.397	3.36	2.5	24.0	82	2.4	10.7	15.8	1.0	3	17	172.9
1273384	Drill Core	0.95	0.040	42.4	70	1.34	1441	0.533	9.30	0.791	3.57	2.1	27.9	91	2.6	12.0	16.8	1.1	3	17	199.8
1273385	Drill Core	0.64	0.046	37.5	75	1.34	1622	0.568	9.33	0.792	3.58	2.1	29.2	82	2.5	11.4	17.3	1.1	3	18	194.1
1273386	Drill Core	0.79	0.048	42.3	66	1.18	1682	0.487	8.91	0.649	3.38	2.2	27.5	90	2.5	12.0	15.2	1.0	3	16	169.2
1273387	Drill Core	0.30	0.048	33.5	69	1.10	1471	0.491	9.08	0.518	3.41	2.0	31.7	75	2.5	10.9	15.3	1.0	3	17	148.0
1273388	Drill Core	0.50	0.047	39.2	64	0.83	408	0.530	8.01	0.744	3.88	2.2	32.0	86	2.5	11.3	17.3	1.1	3	14	118.4
1273389	Drill Core	0.60	0.039	41.2	54	0.77	813	0.368	7.82	0.689	4.25	1.8	39.7	86	2.8	10.6	11.7	0.8	3	12	86.2
1273390	Drill Core	0.42	0.057	39.8	62	0.99	248	0.263	8.33	0.568	4.26	1.0	58.5	83	1.3	12.1	7.0	0.5	2	12	128.2
1273391	Drill Core	0.75	0.091	42.8	58	1.02	388	0.224	8.08	0.772	4.21	0.9	74.1	86	1.1	13.3	6.0	0.4	3	11	130.3
1273392	Drill Core	1.31	0.114	53.1	57	0.92	232	0.290	8.33	0.963	4.00	1.6	71.4	105	4.5	19.4	8.2	0.6	2	12	102.4
1273393	Drill Core	4.57	0.116	39.4	47	1.65	625	0.486	5.56	0.934	2.22	1.1	62.8	72	7.6	23.1	17.5	1.1	2	9	56.1
1273394	Drill Core	4.60	0.126	39.3	41	1.44	334	0.508	3.88	0.924	1.17	0.8	46.4	68	9.7	24.6	24.4	1.3	2	7	40.3
1273395	Rock Pulp	1.71	0.055	9.5	38	0.76	507	0.289	4.97	2.086	0.87	21.6	36.2	19	0.8	13.1	3.6	0.2	<1	9	12.2
1273396	Drill Core	1.45	0.137	34.5	48	1.38	1120	0.707	5.53	1.071	2.59	1.4	43.8	64	4.3	24.1	33.6	1.9	2	12	68.0
1273397	Drill Core	2.69	0.138	47.9	49	1.78	708	0.765	5.35	0.898	2.01	1.2	57.9	81	11.4	32.3	36.6	2.0	2	11	62.9
1273398	Drill Core	4.33	0.108	32.5	38	1.22	716	0.508	3.73	0.605	1.27	0.7	48.2	53	8.0	23.1	22.6	1.3	1	7	46.9
1273399	Drill Core	3.71	0.100	32.7	52	1.28	439	0.429	4.31	0.564	2.00	0.8	44.1	57	5.4	20.1	16.5	1.0	1	9	63.5
1273400	Drill Core	3.14	0.094	33.5	51	1.50	198	0.483	3.89	0.488	1.81	0.7	47.8	57	4.8	24.2	22.2	1.3	1	8	49.5
1273401	Drill Core	6.33	0.137	41.9	48	1.61	970	0.527	3.84	0.567	1.48	0.8	69.5	66	9.7	24.6	24.0	1.4	2	7	34.8
1273402	Drill Core	4.68	0.193	36.9	64	1.55	1068	0.620	5.17	0.915	2.15	1.9	70.6	65	8.3	30.5	29.2	1.7	2	12	46.0
1273403	Drill Core	4.75	0.114	33.9	47	1.39	889	0.459	4.09	0.743	1.22	1.3	64.7	56	6.3	24.2	22.6	1.3	1	7	33.9
1273404	Drill Core	3.14	0.120	35.0	53	1.63	337	0.540	4.90	0.736	1.79	0.8	49.3	60	3.6	26.2	27.5	1.5	2	10	65.8

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Golden Predator Canada Corp.**
11th Floor, 888 Dunsmuir Street
Vancouver BC V6C 3K4 Canada

Project: Antimony
Report Date: December 20, 2011

CERTIFICATE OF ANALYSIS WHI11001957.1

Method		1EX	1EX	1EX
Analyte		S	Rb	Hf
Unit		%	ppm	ppm
MDL		0.1	0.1	0.1
1273375	Drill Core	2.1	124.7	0.4
1273376	Drill Core	0.3	223.9	0.7
1273377	Rock Pulp	0.7	40.1	1.7
1273378	Drill Core	1.7	181.9	1.1
1273379	Drill Core	0.1	48.1	0.8
1273380	Drill Core	0.2	144.8	1.4
1273381	Drill Core	0.2	224.2	1.2
1273382	Drill Core	<0.1	178.1	0.5
1273383	Drill Core	<0.1	161.7	0.7
1273384	Drill Core	0.3	172.9	0.7
1273385	Drill Core	0.3	160.5	0.9
1273386	Drill Core	0.3	166.4	0.8
1273387	Drill Core	0.2	158.8	0.9
1273388	Drill Core	0.6	185.5	1.0
1273389	Drill Core	0.5	210.6	1.2
1273390	Drill Core	0.9	177.9	1.6
1273391	Drill Core	0.6	181.9	2.2
1273392	Drill Core	1.0	173.1	2.1
1273393	Drill Core	0.5	104.3	1.9
1273394	Drill Core	0.6	69.7	1.3
1273395	Rock Pulp	<0.1	21.7	1.1
1273396	Drill Core	0.4	140.2	1.1
1273397	Drill Core	0.4	130.3	1.5
1273398	Drill Core	0.4	77.4	1.3
1273399	Drill Core	0.6	107.5	1.2
1273400	Drill Core	0.7	105.4	1.4
1273401	Drill Core	0.3	71.6	1.8
1273402	Drill Core	0.4	111.8	2.0
1273403	Drill Core	0.2	60.9	1.6
1273404	Drill Core	0.5	104.6	1.5

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Golden Predator Canada Corp.**
11th Floor, 888 Dunsmuir Street
Vancouver BC V6C 3K4 Canada

Project: Antimony
Report Date: December 20, 2011

QUALITY CONTROL REPORT WHI11001957.1

	Method	WGHT	G6	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX
	Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
	Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	MDL	0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.2	1	0.01	1	0.1	0.1	0.1	1	0.1	0.1	0.1	1
Pulp Duplicates																					
1273267	Drill Core	7.46	<0.005	0.8	28.5	6.4	24	<0.1	26.6	13.6	231	3.63	117	2.8	<0.1	15.5	115	<0.1	4.4	0.2	57
REP 1273267	QC		<0.005																		
1273269	Drill Core	7.39	<0.005	0.7	16.0	6.1	18	<0.1	20.5	11.0	269	3.09	32	2.9	<0.1	18.1	127	<0.1	3.2	<0.1	52
REP 1273269	QC			0.6	16.2	5.7	18	<0.1	22.1	11.0	263	3.08	33	2.6	<0.1	17.2	126	<0.1	3.2	0.1	51
1273300	Drill Core	5.23	7.480	43.2	1311	63.2	66	7.3	123.7	959.3	2064	21.52	>10000	159.8	9.3	6.4	63	0.9	334.0	130.1	19
REP 1273300	QC			42.7	1307	61.8	66	7.2	124.1	907.8	2074	21.62	>10000	164.7	8.7	6.5	68	0.7	335.3	127.2	20
1273303	Drill Core	2.80	0.346	78.8	39.1	75.0	109	1.0	40.2	289.0	286	4.84	6466	438.0	0.4	27.6	212	1.0	62.4	5.2	67
REP 1273303	QC		0.333																		
1273323	Drill Core	2.39	<0.005	1.6	195.9	34.7	84	0.7	25.1	7.2	562	3.78	59	3.3	<0.1	13.8	234	0.5	4.9	0.6	73
REP 1273323	QC		<0.005																		
1273326	Drill Core	3.92	<0.005	0.8	98.2	80.2	105	0.9	26.8	8.6	348	2.75	119	1.8	<0.1	12.5	94	0.7	6.1	0.7	58
REP 1273326	QC			0.8	97.4	79.6	101	0.8	25.7	7.8	333	2.61	109	1.8	<0.1	12.6	88	1.3	5.4	0.7	56
REP 1273368	QC		<0.005																		
1273373	Drill Core	5.29	<0.005	0.2	9.7	6.5	20	<0.1	39.2	21.9	470	5.70	3	1.2	<0.1	13.3	155	<0.1	4.8	<0.1	86
REP 1273373	QC			0.2	10.0	6.9	20	<0.1	41.8	23.1	491	5.93	3	1.3	<0.1	13.9	164	<0.1	4.8	<0.1	91
1273379	Drill Core	6.31	<0.005	2.7	27.1	9.5	13	0.1	6.7	7.5	124	0.84	76	2.3	<0.1	13.3	136	0.1	2.0	<0.1	13
REP 1273379	QC		<0.005																		
Core Reject Duplicates																					
1273263	Drill Core	6.20	<0.005	0.5	31.1	10.4	11	<0.1	19.2	9.2	141	2.01	20	2.5	<0.1	18.9	250	<0.1	4.8	0.1	46
DUP 1273263	QC		<0.005	0.4	30.3	9.9	12	<0.1	22.9	9.9	144	2.08	18	2.8	<0.1	20.1	265	<0.1	4.8	0.1	52
1273298	Drill Core	5.28	0.024	9.7	90.9	50.0	112	0.4	15.3	42.7	323	3.99	983	13.6	<0.1	20.3	246	1.3	9.0	0.6	63
DUP 1273298	QC		0.024	9.9	93.1	46.7	105	0.4	16.3	43.7	322	4.03	1021	12.6	<0.1	19.9	250	1.0	9.0	0.6	63
1273333	Drill Core	4.95	0.008	0.7	32.2	8.5	18	<0.1	22.8	12.7	410	2.64	63	2.0	<0.1	13.6	205	<0.1	3.3	0.2	63
DUP 1273333	QC		0.008	0.9	29.2	8.4	17	<0.1	23.9	12.5	419	2.64	61	2.1	<0.1	13.7	222	<0.1	3.4	0.2	61
1273368	Drill Core	3.46	<0.005	1.8	22.2	3.7	12	<0.1	36.0	16.7	206	3.57	91	3.6	<0.1	21.5	219	<0.1	4.3	0.1	81
DUP 1273368	QC		<0.005	1.5	21.7	3.6	12	<0.1	34.5	15.6	205	3.48	79	3.5	<0.1	20.7	204	<0.1	4.5	0.1	81
1273403	Drill Core	7.14	0.015	1.3	35.2	12.8	42	0.1	26.0	10.5	801	3.09	24	3.1	<0.1	8.0	321	0.2	7.2	0.4	89
DUP 1273403	QC		0.009	1.2	35.2	11.8	40	<0.1	24.6	10.2	805	3.06	22	2.9	<0.1	7.6	309	0.2	5.8	0.5	82

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Golden Predator Canada Corp.**
11th Floor, 888 Dunsmuir Street
Vancouver BC V6C 3K4 Canada

Project: Antimony
Report Date: December 20, 2011

QUALITY CONTROL REPORT WHI11001957.1

	Method	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX
	Analyte	Ca	P	La	Cr	Mg	Ba	Ti	Al	Na	K	W	Zr	Ce	Sn	Y	Nb	Ta	Be	Sc	Li
	Unit	%	%	ppm	ppm	%	ppm	%	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	MDL	0.01	0.001	0.1	1	0.01	1	0.001	0.01	0.001	0.01	0.1	0.1	1	0.1	0.1	0.1	0.1	1	1	0.1
Pulp Duplicates																					
1273267	Drill Core	0.49	0.032	35.1	46	0.61	857	0.330	7.27	0.376	2.75	1.5	28.0	81	1.6	10.4	11.4	0.8	2	9	84.5
REP 1273267	QC																				
1273269	Drill Core	0.33	0.040	38.8	44	0.57	862	0.376	6.91	0.635	2.61	2.1	39.7	87	1.8	10.9	15.1	1.1	2	8	70.5
REP 1273269	QC	0.35	0.039	38.4	43	0.60	823	0.362	6.82	0.649	2.63	2.0	37.8	85	1.7	11.0	14.9	1.0	2	8	70.0
1273300	Drill Core	0.59	0.022	412.3	8	0.23	21	0.012	1.08	0.041	0.14	4.7	5.9	607	3.7	21.3	0.8	<0.1	<1	3	3.5
REP 1273300	QC	0.60	0.022	404.9	9	0.24	26	0.062	1.09	0.041	0.14	4.7	6.1	595	3.5	21.0	0.8	<0.1	<1	2	3.6
1273303	Drill Core	0.32	0.065	534.5	46	0.75	214	0.264	7.43	0.275	0.81	12.9	38.2	914	15.7	23.1	8.4	0.6	2	10	45.2
REP 1273303	QC																				
1273323	Drill Core	0.91	0.185	46.7	52	0.65	3669	0.313	6.41	0.273	4.13	6.0	40.6	93	10.3	20.3	11.1	0.7	2	10	45.1
REP 1273323	QC																				
1273326	Drill Core	0.92	0.084	35.5	36	0.35	600	0.191	5.48	0.099	2.70	7.3	43.0	80	5.5	16.5	5.3	0.3	2	8	33.4
REP 1273326	QC	0.90	0.083	34.4	34	0.35	482	0.178	5.36	0.099	2.61	7.5	48.3	76	5.5	15.8	4.9	0.4	3	7	32.6
REP 1273368	QC																				
1273373	Drill Core	0.28	0.031	36.3	73	0.90	1863	0.483	8.70	1.063	3.91	2.1	11.4	79	4.4	7.7	15.3	1.0	3	17	156.7
REP 1273373	QC	0.31	0.032	38.3	76	0.95	1989	0.508	9.28	1.112	3.96	2.2	13.3	81	4.8	8.2	16.3	1.1	4	18	164.7
1273379	Drill Core	0.49	0.038	11.8	14	0.20	479	0.097	2.77	0.261	0.95	0.9	26.0	26	0.8	8.9	3.7	0.3	<1	2	24.7
REP 1273379	QC																				
Core Reject Duplicates																					
1273263	Drill Core	0.86	0.090	38.0	34	0.52	945	0.227	6.76	1.064	2.58	1.8	34.3	86	1.0	12.8	7.8	0.5	2	8	59.0
DUP 1273263	QC	0.88	0.104	42.4	38	0.56	1097	0.263	7.20	1.122	1.91	2.1	37.6	97	1.3	14.0	9.6	0.6	2	9	66.6
1273298	Drill Core	0.21	0.042	521.2	40	0.75	373	0.242	6.41	0.228	1.05	9.5	33.6	828	14.6	16.6	7.4	0.5	1	10	37.8
DUP 1273298	QC	0.21	0.042	528.8	40	0.75	311	0.234	6.37	0.230	1.00	8.6	33.2	853	13.8	17.1	7.0	0.5	1	10	38.0
1273333	Drill Core	2.38	0.127	34.8	38	1.07	1032	0.340	6.04	0.477	2.60	0.7	45.4	78	1.7	16.7	9.9	0.6	2	10	56.4
DUP 1273333	QC	2.44	0.114	36.2	40	1.08	1016	0.337	5.96	0.476	2.66	0.7	52.0	79	1.6	17.0	9.7	0.7	2	10	54.4
1273368	Drill Core	0.41	0.074	49.9	65	0.80	1500	0.524	9.71	0.689	4.25	2.4	37.9	104	2.4	12.4	21.8	1.6	3	13	87.0
DUP 1273368	QC	0.43	0.076	47.3	74	0.78	1487	0.527	9.85	0.651	4.01	2.3	36.5	99	2.4	11.9	21.2	1.5	3	13	87.4
1273403	Drill Core	4.75	0.114	33.9	47	1.39	889	0.459	4.09	0.743	1.22	1.3	64.7	56	6.3	24.2	22.6	1.3	1	7	33.9
DUP 1273403	QC	4.66	0.115	32.7	44	1.34	846	0.482	3.86	0.706	1.14	1.2	58.1	55	5.9	22.6	22.8	1.3	2	7	33.6

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Golden Predator Canada Corp.**
11th Floor, 888 Dunsmuir Street
Vancouver BC V6C 3K4 Canada

Project: Antimony
Report Date: December 20, 2011

QUALITY CONTROL REPORT WHI11001957.1

		Method	1EX	1EX	1EX
		Analyte	S	Rb	Hf
		Unit	%	ppm	ppm
		MDL	0.1	0.1	0.1
Pulp Duplicates					
1273267	Drill Core		<0.1	142.8	0.8
REP 1273267	QC				
1273269	Drill Core		0.1	134.2	1.1
REP 1273269	QC		0.1	132.7	0.9
1273300	Drill Core		>10	10.6	0.4
REP 1273300	QC		>10	10.6	0.2
1273303	Drill Core		1.3	39.1	1.1
REP 1273303	QC				
1273323	Drill Core		0.2	167.9	1.2
REP 1273323	QC				
1273326	Drill Core		0.4	128.2	1.3
REP 1273326	QC		0.4	123.2	1.2
REP 1273368	QC				
1273373	Drill Core		<0.1	219.0	0.3
REP 1273373	QC		<0.1	231.8	0.4
1273379	Drill Core		0.1	48.1	0.8
REP 1273379	QC				
Core Reject Duplicates					
1273263	Drill Core		0.3	126.2	1.0
DUP 1273263	QC		0.3	103.4	1.1
1273298	Drill Core		0.6	54.9	1.1
DUP 1273298	QC		0.6	60.8	1.0
1273333	Drill Core		0.4	117.3	1.2
DUP 1273333	QC		0.4	128.0	1.5
1273368	Drill Core		0.1	211.2	1.2
DUP 1273368	QC		0.1	186.4	1.1
1273403	Drill Core		0.2	60.9	1.6
DUP 1273403	QC		0.2	58.6	1.7

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Golden Predator Canada Corp.**
11th Floor, 888 Dunsmuir Street
Vancouver BC V6C 3K4 Canada

Project: Antimony
Report Date: December 20, 2011

QUALITY CONTROL REPORT WHI11001957.1

		WGHT	G6	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.2	1	0.01	1	0.1	0.1	0.1	1	0.1	0.1	0.1	1
Reference Materials																					
STD OREAS24P	Standard			1.6	53.9	2.9	127	<0.1	154.9	48.2	1167	8.24	3	0.7	<0.1	3.1	445	0.2	<0.1	<0.1	165
STD OREAS24P	Standard			1.4	48.5	2.6	119	<0.1	134.5	42.9	1109	7.51	4	0.7	<0.1	2.8	419	<0.1	<0.1	<0.1	155
STD OREAS24P	Standard			1.6	48.6	2.9	114	<0.1	143.4	44.1	1060	7.27	4	0.7	<0.1	2.8	381	0.1	<0.1	<0.1	156
STD OREAS24P	Standard			1.4	47.9	3.0	117	<0.1	137.2	44.6	1112	7.24	3	0.7	<0.1	2.9	380	0.1	<0.1	<0.1	153
STD OREAS24P	Standard			1.6	54.4	2.7	129	<0.1	148.9	46.3	1175	7.90	11	0.8	<0.1	3.4	419	0.2	0.1	<0.1	169
STD OREAS45C	Standard			2.1	621.2	24.1	90	0.4	329.1	102.1	1161	18.04	11	2.2	<0.1	10.3	39	0.3	0.8	0.3	276
STD OREAS45C	Standard			2.3	611.5	24.3	95	0.4	329.3	100.5	1176	18.04	12	2.2	<0.1	10.4	40	0.2	0.8	0.3	259
STD OREAS45C	Standard			1.9	582.8	23.0	72	0.3	325.9	98.7	1021	16.71	11	2.1	<0.1	9.8	37	0.2	0.8	0.2	248
STD OREAS45C	Standard			2.3	628.8	28.9	90	0.3	359.1	105.0	1196	19.63	13	2.6	<0.1	12.1	41	0.2	1.0	0.2	291
STD OREAS45C	Standard			2.1	616.6	27.4	88	0.3	353.1	103.2	1220	18.46	15	2.6	<0.1	12.2	43	0.3	1.0	0.2	264
STD OXH82	Standard		1.378																		
STD OXH82	Standard		1.234																		
STD OXH82	Standard		1.272																		
STD OXH82	Standard		1.183																		
STD OXH82	Standard		1.305																		
STD OXH82	Standard		1.293																		
STD OXK79	Standard		3.651																		
STD OXK79	Standard		3.458																		
STD OXK79	Standard		3.630																		
STD OXK79	Standard		3.699																		
STD OXK79	Standard		3.722																		
STD OXK79	Standard		3.554																		
STD OXH82 Expected			1.278																		
STD OXK79 Expected			3.532																		
STD OREAS24P Expected				1.5	52	2.9	119	0.06	141	44	1100	7.53	1.2	0.75		2.85	403	0.15	0.09		158
STD OREAS45C Expected				2.26	620	24	83	0.28	333	104	1160	18.33	10.1	2.4	0.045	10.2	36.4	0.15	0.79	0.21	270
BLK	Blank		<0.005																		
BLK	Blank		<0.005																		

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Golden Predator Canada Corp.**
11th Floor, 888 Dunsmuir Street
Vancouver BC V6C 3K4 Canada

Project: Antimony
Report Date: December 20, 2011

QUALITY CONTROL REPORT WHI11001957.1

		1EX Ca % 0.01	1EX P % 0.001	1EX La ppm 0.1	1EX Cr ppm 1	1EX Mg % 0.01	1EX Ba ppm 1	1EX Ti % 0.001	1EX Al % 0.01	1EX Na % 0.001	1EX K % 0.01	1EX W ppm 0.1	1EX Zr ppm 0.1	1EX Ce ppm 1	1EX Sn ppm 0.1	1EX Y ppm 0.1	1EX Nb ppm 0.1	1EX Ta ppm 0.1	1EX Be ppm 1	1EX Sc ppm 1	1EX Li ppm 0.1
Reference Materials																					
STD OREAS24P	Standard	6.11	0.143	19.5	221	4.39	290	1.182	8.30	2.583	0.74	0.6	146.4	40	1.7	23.7	21.1	1.2	1	21	8.6
STD OREAS24P	Standard	5.76	0.133	16.7	203	4.02	280	1.026	7.52	2.454	0.68	0.5	137.5	37	1.5	22.0	19.5	1.1	1	20	8.5
STD OREAS24P	Standard	5.82	0.136	19.2	193	4.01	275	1.047	7.69	2.387	0.67	0.4	134.6	37	1.6	22.8	19.7	1.1	1	19	7.7
STD OREAS24P	Standard	5.62	0.141	19.3	204	4.04	282	1.122	7.71	2.323	0.70	0.4	130.7	37	1.7	21.4	18.8	1.0	1	19	7.9
STD OREAS24P	Standard	6.28	0.153	22.0	189	4.29	315	1.048	7.91	2.507	0.70	0.4	142.3	40	1.9	24.5	20.6	1.2	1	22	9.0
STD OREAS45C	Standard	0.51	0.052	25.5	959	0.27	282	1.142	7.38	0.101	0.37	1.0	167.4	53	2.7	12.8	22.5	1.4	<1	61	15.9
STD OREAS45C	Standard	0.48	0.051	25.1	948	0.26	291	1.117	7.22	0.103	0.36	1.1	172.0	55	2.9	13.0	23.0	1.5	2	60	16.8
STD OREAS45C	Standard	0.46	0.049	26.2	852	0.25	271	1.094	7.15	0.095	0.34	1.1	146.9	50	2.6	12.4	20.1	1.3	<1	57	14.2
STD OREAS45C	Standard	0.52	0.055	29.7	955	0.26	311	1.302	7.24	0.107	0.38	1.1	183.7	54	3.1	14.3	23.8	1.4	1	59	16.3
STD OREAS45C	Standard	0.49	0.054	30.4	912	0.25	306	1.188	7.48	0.104	0.36	1.2	172.6	56	3.2	14.3	23.0	1.4	<1	63	16.7
STD OXH82	Standard																				
STD OXH82	Standard																				
STD OXH82	Standard																				
STD OXH82	Standard																				
STD OXH82	Standard																				
STD OXH82	Standard																				
STD OXK79	Standard																				
STD OXK79	Standard																				
STD OXK79	Standard																				
STD OXK79	Standard																				
STD OXK79	Standard																				
STD OXK79	Standard																				
STD OXH82 Expected																					
STD OXK79 Expected																					
STD OREAS24P Expected		5.83	0.136	17.4	196	4.13	285	1.1	7.66	2.34	0.7	0.5	141	37.6	1.6	21.3	21	1.04		20	8.7
STD OREAS45C Expected		0.482	0.051	26.2	962	0.25	270	1.1313	7.59	0.097	0.36	1.06	169.7	54	2.9	12.9	23.05	1.43		59.03	15.69
BLK	Blank																				
BLK	Blank																				

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Golden Predator Canada Corp.**
11th Floor, 888 Dunsmuir Street
Vancouver BC V6C 3K4 Canada

Project: Antimony
Report Date: December 20, 2011

QUALITY CONTROL REPORT WHI11001957.1

		1EX S % 0.1	1EX Rb ppm 0.1	1EX Hf ppm 0.1
Reference Materials				
STD OREAS24P	Standard	<0.1	21.6	3.3
STD OREAS24P	Standard	<0.1	21.2	3.4
STD OREAS24P	Standard	<0.1	22.3	3.6
STD OREAS24P	Standard	<0.1	20.5	3.2
STD OREAS24P	Standard	<0.1	23.9	3.5
STD OREAS45C	Standard	<0.1	23.3	4.5
STD OREAS45C	Standard	<0.1	24.3	4.5
STD OREAS45C	Standard	<0.1	22.9	4.0
STD OREAS45C	Standard	<0.1	26.1	4.3
STD OREAS45C	Standard	<0.1	26.9	4.4
STD OXH82	Standard			
STD OXH82	Standard			
STD OXH82	Standard			
STD OXH82	Standard			
STD OXH82	Standard			
STD OXH82	Standard			
STD OXK79	Standard			
STD OXK79	Standard			
STD OXK79	Standard			
STD OXK79	Standard			
STD OXK79	Standard			
STD OXK79	Standard			
STD OXH82 Expected				
STD OXK79 Expected				
STD OREAS24P Expected			22.4	3.6
STD OREAS45C Expected		0.021	24	4.27
BLK	Blank			
BLK	Blank			

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Golden Predator Canada Corp.**
11th Floor, 888 Dunsmuir Street
Vancouver BC V6C 3K4 Canada

Project: Antimony
Report Date: December 20, 2011

QUALITY CONTROL REPORT WHI11001957.1

		WGHT	G6	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.2	1	0.01	1	0.1	0.1	0.1	1	0.1	0.1	0.1	1
BLK	Blank		<0.005																		
BLK	Blank		<0.005																		
BLK	Blank		<0.005																		
BLK	Blank		<0.005																		
BLK	Blank		<0.005																		
BLK	Blank		<0.005																		
BLK	Blank		<0.005																		
BLK	Blank		<0.005																		
BLK	Blank		<0.005																		
BLK	Blank		<0.005																		
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.2	<1	<0.01	<1	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.2	<1	<0.01	<1	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.2	<1	<0.01	<1	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.2	<1	<0.01	<1	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.2	<1	<0.01	12	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1
Prep Wash																					
G1	Prep Blank		0.006	0.6	41.0	20.3	54	<0.1	3.3	4.9	794	2.31	1	2.5	<0.1	8.1	740	0.1	0.1	0.6	48
G1	Prep Blank		<0.005	0.3	5.0	19.4	52	<0.1	2.8	4.9	812	2.40	2	2.6	<0.1	8.0	715	<0.1	0.2	0.3	49

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Golden Predator Canada Corp.**
11th Floor, 888 Dunsmuir Street
Vancouver BC V6C 3K4 Canada

Project: Antimony
Report Date: December 20, 2011

QUALITY CONTROL REPORT WHI11001957.1

		1EX Ca % 0.01	1EX P % 0.001	1EX La ppm 0.1	1EX Cr ppm 1	1EX Mg % 0.01	1EX Ba ppm 1	1EX Ti % 0.001	1EX Al % 0.01	1EX Na % 0.001	1EX K % 0.01	1EX W ppm 0.1	1EX Zr ppm 0.1	1EX Ce ppm 1	1EX Sn ppm 0.1	1EX Y ppm 0.1	1EX Nb ppm 0.1	1EX Ta ppm 0.1	1EX Be ppm 1	1EX Sc ppm 1	1EX Li ppm 0.1
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank	<0.01	<0.001	<0.1	<1	<0.01	<1	<0.001	<0.01	<0.001	<0.01	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<0.1	<1	<1	<0.1
BLK	Blank	<0.01	<0.001	<0.1	<1	<0.01	<1	<0.001	<0.01	<0.001	<0.01	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<0.1	<1	<1	<0.1
BLK	Blank	<0.01	<0.001	<0.1	<1	<0.01	<1	<0.001	<0.01	<0.001	<0.01	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<0.1	<1	<1	<0.1
BLK	Blank	<0.01	<0.001	<0.1	<1	<0.01	<1	<0.001	<0.01	<0.001	<0.01	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<0.1	<1	<1	<0.1
BLK	Blank	<0.01	<0.001	<0.1	<1	<0.01	<1	<0.001	<0.01	<0.001	<0.01	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<0.1	<1	<1	<0.1
Prep Wash																					
G1	Prep Blank	2.41	0.081	25.7	9	0.59	1119	0.243	7.66	2.694	2.79	0.5	10.6	57	1.6	14.2	24.4	1.4	2	5	32.0
G1	Prep Blank	2.43	0.075	23.3	11	0.61	1069	0.244	7.49	2.754	2.80	0.2	11.0	53	1.4	13.7	25.7	1.4	3	5	32.7

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Golden Predator Canada Corp.**
11th Floor, 888 Dunsmuir Street
Vancouver BC V6C 3K4 Canada

Project: Antimony
Report Date: December 20, 2011

QUALITY CONTROL REPORT WHI11001957.1

		1EX S % 0.1	1EX Rb ppm 0.1	1EX Hf ppm 0.1
BLK	Blank			
BLK	Blank			
BLK	Blank			
BLK	Blank			
BLK	Blank			
BLK	Blank			
BLK	Blank			
BLK	Blank			
BLK	Blank			
BLK	Blank			
BLK	Blank	<0.1	<0.1	<0.1
BLK	Blank	<0.1	<0.1	<0.1
BLK	Blank	<0.1	<0.1	<0.1
BLK	Blank	<0.1	<0.1	<0.1
BLK	Blank	<0.1	<0.1	<0.1
Prep Wash				
G1	Prep Blank	<0.1	101.7	0.7
G1	Prep Blank	<0.1	99.7	0.8

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada

www.acmelab.com

Client: **Golden Predator Canada Corp.**
11th Floor, 888 Dunsmuir Street
Vancouver BC V6C 3K4 Canada

Submitted By: Jack Cote
Receiving Lab: Canada-Whitehorse
Received: December 02, 2011
Report Date: December 16, 2011
Page: 1 of 4

CERTIFICATE OF ANALYSIS WHI11001958.1

CLIENT JOB INFORMATION

Project: Antimony
Shipment ID: ANM-2011-JC-2064
P.O. Number
Number of Samples: 90

SAMPLE DISPOSAL

RTRN-PLP Return
STOR-RJT Store After 90 days Invoice for Storage

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
R200-250	84	Crush, split and pulverize 250 g rock to 200 mesh			WHI
G601	90	Lead Collection Fire - Assay Fusion - AAS Finish	30	Completed	VAN
1EX	90	4 Acid digestion ICP-MS analysis	0.25	Completed	VAN

ADDITIONAL COMMENTS

Invoice To: Predator Mining Group
11th Floor- 888 Dunsmuir Street
Vancouver BC V6C 3K4
Canada

CC: Andrew Caldwell

BRITISH COLUMBIA CERTIFIED ASSAYER
CLARENCE LEONG
GENERAL MANAGER

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.
All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
"*" asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Golden Predator Canada Corp.**
11th Floor, 888 Dunsmuir Street
Vancouver BC V6C 3K4 Canada

Project: Antimony
Report Date: December 16, 2011

CERTIFICATE OF ANALYSIS WHI11001958.1

Method		WGHT	G6	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX
Analyte		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
Unit		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
MDL		0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.2	1	0.01	1	0.1	0.1	0.1	1	0.1	0.1	0.1	1
1273405	Drill Core	6.35	0.005	1.4	44.5	6.9	27	<0.1	28.6	13.3	406	4.04	47	2.9	<0.1	8.9	268	0.1	3.0	0.4	121
1273406	Rock Pulp	0.17	1.528	22.0	337.3	10.1	58	0.4	39.6	9.5	619	3.99	11	1.0	1.4	2.2	253	0.2	2.8	0.4	94
1273407	Drill Core	6.77	0.025	1.1	58.2	8.8	36	<0.1	24.5	15.1	919	4.78	17	2.1	<0.1	8.6	279	<0.1	3.1	0.7	112
1273408	Drill Core	6.51	0.008	1.8	57.0	8.8	27	<0.1	31.2	18.5	438	3.65	109	2.5	<0.1	8.5	279	<0.1	2.3	0.4	114
1273409	Drill Core	6.87	0.013	1.5	37.0	10.2	45	<0.1	28.6	14.7	1061	3.87	39	2.2	<0.1	6.4	265	0.2	5.3	0.4	92
1273410	Drill Core	6.74	0.008	3.3	71.5	9.8	35	0.1	33.2	20.3	837	4.79	29	3.4	<0.1	8.8	357	<0.1	4.1	0.4	222
1273411	Drill Core	6.71	0.010	3.4	76.8	8.4	35	<0.1	49.2	25.5	670	5.28	27	3.6	<0.1	9.7	320	<0.1	5.0	0.5	194
1273412	Drill Core	6.73	0.008	2.2	55.3	7.4	31	<0.1	45.0	22.1	640	5.34	15	3.0	<0.1	10.7	340	<0.1	1.6	0.3	145
1273413	Drill Core	6.70	0.006	4.0	56.0	7.7	37	<0.1	59.7	22.2	519	4.97	20	3.8	<0.1	10.8	439	<0.1	3.0	0.3	178
1273414	Drill Core	7.19	0.007	4.4	71.9	7.0	33	<0.1	41.0	18.5	740	5.29	14	4.6	<0.1	10.1	360	<0.1	4.3	0.6	163
1273415	Drill Core	7.31	0.006	4.1	67.3	7.6	45	<0.1	45.1	14.8	1048	5.36	15	4.5	<0.1	9.9	443	0.1	6.5	0.8	176
1273416	Drill Core	3.68	0.009	10.3	51.3	9.1	53	<0.1	38.4	21.6	876	4.81	107	5.7	<0.1	10.9	425	0.1	6.1	0.5	196
1273417	Drill Core	3.05	0.012	8.9	52.0	8.4	48	<0.1	37.5	17.8	855	4.66	66	5.9	<0.1	10.7	444	0.1	6.8	0.6	198
1273418	Drill Core	7.53	0.011	7.0	53.3	7.7	48	0.1	45.5	19.5	1017	4.79	59	7.0	<0.1	10.9	383	0.1	7.9	0.7	207
1273419	Drill Core	7.00	0.008	11.4	80.5	8.4	21	<0.1	48.7	18.3	476	3.89	30	7.7	<0.1	12.0	354	0.2	4.5	0.7	229
1273420	Drill Core	6.91	0.009	5.3	23.9	8.8	35	0.2	25.0	9.7	962	4.48	31	5.0	<0.1	11.3	384	0.1	5.8	1.4	203
1273421	Drill Core	6.83	0.006	6.3	99.5	6.3	33	<0.1	44.4	18.8	426	5.08	14	6.7	<0.1	10.5	303	<0.1	4.9	1.4	212
1273422	Drill Core	6.89	0.008	8.9	132.2	12.1	31	0.1	53.9	19.5	266	5.07	7	7.9	<0.1	9.3	278	<0.1	2.9	1.5	231
1273423	Drill Core	6.87	0.012	3.8	110.7	11.8	57	0.1	52.5	24.9	324	5.60	37	6.4	<0.1	9.2	277	<0.1	3.1	2.4	209
1273424	Drill Core	6.69	0.007	2.8	99.2	18.4	131	0.2	53.1	27.2	322	6.15	23	3.9	<0.1	9.4	226	0.2	1.6	0.6	168
1273425	Drill Core	6.96	0.007	2.7	79.5	19.0	120	0.1	42.2	23.5	383	6.13	10	3.3	<0.1	10.2	280	0.2	1.5	0.4	138
1273426	Drill Core	6.63	0.007	4.8	81.1	11.9	67	<0.1	42.7	22.5	403	5.91	11	4.0	<0.1	11.1	282	<0.1	1.9	0.5	148
1273427	Rock Pulp	0.17	<0.005	3.1	22.7	4.6	40	0.4	22.0	10.6	485	2.43	5	0.8	<0.1	1.8	253	0.2	0.8	<0.1	81
1273428	Drill Core	6.87	<0.005	3.5	57.7	10.8	44	<0.1	35.7	18.9	438	5.44	5	3.4	<0.1	11.4	321	<0.1	1.7	0.5	140
1273429	Drill Core	6.27	0.006	2.8	57.2	7.9	43	0.1	35.1	22.5	599	5.36	8	3.3	<0.1	11.0	365	<0.1	1.6	0.6	137
1273430	Drill Core	6.11	<0.005	2.2	52.3	5.7	44	0.1	38.0	19.6	560	5.59	5	3.2	<0.1	12.3	347	<0.1	1.4	0.8	141
1273431	Drill Core	7.43	0.007	4.4	66.3	5.4	33	0.1	40.4	21.2	474	5.59	7	4.3	<0.1	12.2	364	<0.1	2.3	1.5	155
1273432	Drill Core	6.66	0.007	3.0	83.4	4.2	32	<0.1	38.7	21.8	600	6.16	21	3.6	<0.1	11.4	333	0.1	2.2	1.7	149
1273433	Drill Core	6.79	<0.005	2.8	59.4	4.9	32	<0.1	35.6	19.2	548	5.10	8	4.3	<0.1	11.4	304	<0.1	1.6	0.9	149
1273434	Drill Core	6.68	<0.005	5.6	74.1	6.1	32	<0.1	36.3	18.8	564	5.14	6	4.9	<0.1	10.1	350	<0.1	1.4	0.8	158

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Golden Predator Canada Corp.**
11th Floor, 888 Dunsmuir Street
Vancouver BC V6C 3K4 Canada

Project: Antimony
Report Date: December 16, 2011

CERTIFICATE OF ANALYSIS WHI11001958.1

Method		1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX
Analyte		Ca	P	La	Cr	Mg	Ba	Ti	Al	Na	K	W	Zr	Ce	Sn	Y	Nb	Ta	Be	Sc	Li
Unit		%	%	ppm	ppm	%	ppm	%	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
MDL		0.01	0.001	0.1	1	0.01	1	0.001	0.01	0.001	0.01	0.1	0.1	1	0.1	0.1	0.1	0.1	1	1	0.1
1273405	Drill Core	2.09	0.126	42.6	50	1.70	1217	0.653	5.61	1.165	2.29	1.1	67.1	80	4.7	29.3	33.3	2.0	1	13	88.5
1273406	Rock Pulp	1.76	0.054	10.9	41	0.89	554	0.306	5.63	2.297	0.93	0.9	42.8	22	2.1	14.5	4.0	0.2	<1	11	12.9
1273407	Drill Core	4.21	0.126	40.4	44	1.67	673	0.769	5.29	1.045	1.71	1.2	45.0	77	5.2	26.7	33.9	2.0	2	12	64.1
1273408	Drill Core	2.64	0.123	36.0	62	1.54	372	0.615	5.66	0.919	2.73	0.6	42.5	70	2.6	25.0	28.0	1.7	2	14	62.9
1273409	Drill Core	3.98	0.100	26.5	40	1.32	618	0.492	3.73	0.704	1.62	0.9	41.6	50	4.8	20.4	22.7	1.3	1	9	42.6
1273410	Drill Core	6.06	0.139	38.5	51	1.75	436	1.043	5.35	1.455	1.49	1.3	69.9	74	7.9	27.2	42.0	2.4	2	15	36.3
1273411	Drill Core	4.23	0.158	43.3	68	2.03	245	0.992	6.15	1.276	2.30	1.1	65.8	86	4.0	30.1	47.5	2.7	3	16	72.5
1273412	Drill Core	2.98	0.149	46.4	76	2.41	520	0.893	6.80	0.966	2.58	1.9	58.4	89	2.3	27.6	44.5	2.6	3	17	85.4
1273413	Drill Core	3.71	0.161	49.0	93	2.31	343	0.852	6.15	0.642	2.66	1.1	69.2	93	2.1	27.8	47.7	2.7	2	15	59.4
1273414	Drill Core	6.68	0.279	47.6	56	2.35	283	0.482	5.71	0.828	2.39	1.0	84.6	84	3.2	30.0	29.7	1.7	2	13	39.7
1273415	Drill Core	8.52	0.170	42.1	50	2.31	618	0.521	5.44	1.435	1.88	0.8	95.2	77	4.8	29.5	37.9	2.4	3	12	29.7
1273416	Drill Core	8.44	0.221	34.3	52	2.38	1269	0.544	5.71	1.309	2.36	1.2	111.6	67	4.8	30.8	32.7	2.0	2	13	33.6
1273417	Drill Core	8.36	0.215	36.4	48	2.30	1493	0.557	5.80	1.370	2.52	1.2	110.8	68	5.0	30.7	32.7	1.9	2	13	32.0
1273418	Drill Core	7.32	0.179	42.6	49	2.02	853	0.540	5.73	1.350	2.40	1.0	120.2	79	7.0	33.2	36.5	2.2	2	13	33.2
1273419	Drill Core	5.13	0.124	38.9	46	2.04	508	0.576	6.24	1.597	2.31	0.8	142.7	76	5.7	37.8	48.1	2.8	2	14	47.7
1273420	Drill Core	8.51	0.126	50.7	38	2.96	1513	0.560	5.72	1.496	1.63	0.6	132.4	86	8.3	33.3	43.9	2.6	3	13	32.0
1273421	Drill Core	3.87	0.232	42.9	52	2.11	189	0.551	6.00	1.024	2.43	0.8	121.3	79	3.3	33.2	34.6	2.1	2	14	64.8
1273422	Drill Core	2.32	0.295	39.0	54	1.72	106	0.463	5.96	1.166	2.49	2.5	130.3	75	1.3	30.3	18.9	1.2	3	14	65.1
1273423	Drill Core	1.50	0.185	40.9	58	2.01	113	0.502	6.14	1.064	2.26	1.8	131.6	75	1.9	22.2	25.2	1.5	2	15	82.8
1273424	Drill Core	1.36	0.142	38.2	61	2.07	253	0.678	7.09	0.682	3.08	1.7	123.3	75	2.2	20.6	34.9	2.1	3	17	82.4
1273425	Drill Core	1.41	0.143	41.9	52	2.08	287	0.665	7.27	0.748	2.92	1.6	108.5	82	2.4	20.6	35.1	2.1	2	17	77.8
1273426	Drill Core	1.48	0.121	42.4	56	2.20	241	0.568	6.91	0.730	2.89	1.3	132.0	82	2.1	19.1	27.3	1.8	2	16	69.4
1273427	Rock Pulp	1.85	0.049	8.8	34	0.77	481	0.310	5.11	2.240	0.81	20.8	36.9	18	0.8	12.7	3.4	0.2	<1	10	11.3
1273428	Drill Core	1.77	0.149	49.8	51	2.12	459	0.587	7.34	0.960	3.22	1.0	119.4	97	1.7	22.0	30.6	1.9	2	18	61.5
1273429	Drill Core	1.85	0.117	41.3	52	2.24	268	0.684	7.19	0.871	3.11	1.1	105.7	79	1.8	19.5	28.8	1.9	3	18	61.7
1273430	Drill Core	1.81	0.120	52.5	55	2.47	1394	0.662	6.93	0.870	3.03	1.0	114.5	99	2.1	20.3	40.0	2.5	2	17	63.5
1273431	Drill Core	2.14	0.111	45.7	57	2.44	426	0.630	7.22	0.834	2.98	1.0	129.5	86	1.9	21.0	34.4	2.1	3	17	65.3
1273432	Drill Core	2.45	0.115	42.8	57	2.45	280	0.611	6.85	0.785	2.58	1.0	115.6	78	1.9	20.8	33.0	2.1	3	16	48.6
1273433	Drill Core	2.07	0.117	44.4	55	2.34	336	0.593	6.80	0.788	2.83	0.9	120.8	83	1.5	19.2	29.3	1.9	3	16	53.4
1273434	Drill Core	1.92	0.112	38.5	51	2.12	231	0.560	6.23	0.731	2.38	0.9	118.8	74	1.4	18.1	22.2	1.4	2	15	51.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Golden Predator Canada Corp.**
11th Floor, 888 Dunsmuir Street
Vancouver BC V6C 3K4 Canada

Project: Antimony
Report Date: December 16, 2011

CERTIFICATE OF ANALYSIS WHI11001958.1

Method		1EX	1EX	1EX
Analyte		S	Rb	Hf
Unit		%	ppm	ppm
MDL		0.1	0.1	0.1
1273405	Drill Core	0.3	138.0	1.8
1273406	Rock Pulp	<0.1	29.0	1.3
1273407	Drill Core	0.5	82.8	1.3
1273408	Drill Core	0.5	118.3	1.3
1273409	Drill Core	0.4	72.7	1.3
1273410	Drill Core	0.6	69.8	2.3
1273411	Drill Core	0.8	115.8	2.0
1273412	Drill Core	0.6	119.8	1.7
1273413	Drill Core	0.8	132.1	2.0
1273414	Drill Core	0.9	96.3	2.3
1273415	Drill Core	0.6	78.9	2.6
1273416	Drill Core	0.4	89.0	3.2
1273417	Drill Core	0.4	90.5	3.0
1273418	Drill Core	0.5	91.4	3.3
1273419	Drill Core	0.7	92.7	4.2
1273420	Drill Core	0.2	68.7	4.1
1273421	Drill Core	0.9	108.3	3.2
1273422	Drill Core	1.4	109.6	3.2
1273423	Drill Core	1.1	105.5	3.3
1273424	Drill Core	0.9	111.6	3.0
1273425	Drill Core	1.0	117.1	2.6
1273426	Drill Core	1.0	127.0	3.4
1273427	Rock Pulp	<0.1	20.2	1.2
1273428	Drill Core	0.9	118.8	3.0
1273429	Drill Core	0.7	118.7	2.7
1273430	Drill Core	0.4	145.5	2.8
1273431	Drill Core	0.7	135.4	3.2
1273432	Drill Core	0.9	127.1	2.8
1273433	Drill Core	0.8	124.7	3.1
1273434	Drill Core	0.9	114.7	3.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Golden Predator Canada Corp.**
11th Floor, 888 Dunsmuir Street
Vancouver BC V6C 3K4 Canada

Project: Antimony
Report Date: December 16, 2011

CERTIFICATE OF ANALYSIS WHI11001958.1

Method		WGHT	G6	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX
Analyte		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
Unit		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
MDL		0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.2	1	0.01	1	0.1	0.1	0.1	1	0.1	0.1	0.1	1
1273435	Drill Core	6.53	0.006	6.7	54.7	7.5	23	<0.1	37.1	12.7	390	3.41	14	5.2	<0.1	8.5	348	<0.1	1.1	0.8	153
1273436	Rock Pulp	0.17	0.866	7.3	48.3	6.5	61	0.4	37.9	16.9	633	3.62	9	1.0	0.6	2.4	247	0.3	1.6	<0.1	93
1273437	Drill Core	5.79	0.007	0.3	49.0	4.9	31	<0.1	20.0	9.2	669	3.95	9	1.2	<0.1	6.1	208	<0.1	1.1	1.2	44
1273438	Drill Core	7.46	0.006	3.8	79.3	7.3	30	<0.1	33.3	15.0	579	4.23	14	2.2	<0.1	11.2	221	0.1	2.8	1.2	78
1273439	Drill Core	5.75	0.006	9.6	66.6	10.7	26	<0.1	22.5	15.9	453	3.50	13	3.2	<0.1	16.3	143	0.1	3.8	5.7	59
1273440	Drill Core	5.91	<0.005	1.8	60.7	11.0	30	<0.1	39.6	18.7	606	4.19	16	3.3	<0.1	18.4	149	<0.1	5.5	2.5	107
1273441	Drill Core	7.34	<0.005	5.9	47.0	16.1	29	<0.1	17.7	13.1	418	2.61	9	2.6	<0.1	16.1	94	0.3	3.1	0.6	43
1273442	Drill Core	5.99	<0.005	0.8	58.3	13.8	36	<0.1	31.2	15.7	543	3.90	13	2.4	<0.1	16.8	89	0.1	11.5	0.3	68
1273443	Drill Core	6.93	0.011	1.3	37.7	10.1	42	<0.1	29.5	18.0	581	3.90	17	3.6	<0.1	17.2	78	<0.1	9.5	0.5	70
1273444	Drill Core	6.74	<0.005	0.9	27.0	9.7	40	<0.1	33.8	16.3	616	4.86	6	2.4	<0.1	16.4	104	<0.1	6.2	0.4	74
1273445	Drill Core	5.80	<0.005	0.6	32.5	15.7	61	<0.1	39.7	19.9	859	5.81	7	2.6	<0.1	15.4	163	<0.1	5.9	0.3	86
1273446	Drill Core	3.10	<0.005	0.8	31.7	26.5	55	<0.1	37.3	17.3	842	5.02	10	3.4	<0.1	17.8	161	0.1	8.0	0.4	88
1273447	Drill Core	2.91	<0.005	0.8	23.3	27.7	55	0.1	36.1	15.4	851	5.04	10	3.3	<0.1	17.6	159	0.2	8.6	0.3	88
1273448	Drill Core	5.93	<0.005	0.5	21.5	13.5	38	<0.1	39.1	16.7	805	5.36	7	2.3	<0.1	15.8	183	<0.1	5.3	0.3	93
1273449	Drill Core	7.59	<0.005	1.1	30.5	13.4	25	<0.1	20.4	10.9	492	3.16	6	2.7	<0.1	17.7	103	<0.1	5.3	0.2	50
1273450	Drill Core	6.82	<0.005	1.0	48.4	13.9	26	<0.1	26.3	17.4	674	3.94	14	3.3	<0.1	18.8	105	0.1	4.1	0.3	68
1273451	Drill Core	5.11	<0.005	1.7	35.2	19.8	37	1.5	20.9	10.2	533	3.06	4	2.8	<0.1	19.1	106	<0.1	3.1	1.5	47
1273452	Drill Core	6.07	<0.005	0.5	25.9	15.3	28	<0.1	15.0	6.9	418	2.35	4	2.2	<0.1	17.0	128	0.2	3.8	0.2	33
1273453	Drill Core	4.60	<0.005	1.6	54.7	12.8	25	0.1	14.3	11.6	352	2.19	2	1.7	<0.1	12.9	89	0.2	12.1	0.3	22
1273454	Drill Core	6.54	<0.005	0.6	13.0	15.9	25	<0.1	20.4	7.7	639	2.64	10	3.3	<0.1	20.8	216	0.1	3.2	0.1	72
1273455	Drill Core	6.86	<0.005	1.4	22.2	14.2	30	<0.1	24.3	11.2	700	3.51	5	3.0	<0.1	18.4	151	<0.1	3.6	0.2	70
1273456	Drill Core	6.39	<0.005	3.5	26.8	15.6	33	<0.1	28.8	13.1	607	3.69	35	3.4	<0.1	17.9	187	0.1	4.9	0.2	72
1273457	Rock Pulp	0.17	<0.005	2.7	23.3	4.7	42	0.5	22.8	10.0	469	2.35	4	0.8	<0.1	1.9	261	0.2	0.9	<0.1	85
1273458	Drill Core	5.60	<0.005	2.3	56.3	18.6	33	0.2	32.3	15.4	752	4.44	108	3.7	<0.1	18.1	228	<0.1	4.0	0.3	76
1273459	Drill Core	7.08	<0.005	1.8	49.3	11.4	27	<0.1	34.7	24.1	410	4.08	140	2.9	<0.1	15.6	180	<0.1	4.4	0.5	69
1273460	Drill Core	5.59	<0.005	0.9	30.2	12.9	26	<0.1	25.6	12.7	368	3.23	12	2.2	<0.1	16.0	162	0.1	2.7	0.4	62
1273461	Drill Core	5.48	<0.005	1.0	37.4	17.7	30	<0.1	26.3	14.7	447	3.19	71	2.3	<0.1	16.7	111	<0.1	3.9	0.2	54
1273462	Drill Core	5.17	<0.005	1.3	32.8	15.1	27	<0.1	23.4	17.1	565	2.59	58	4.0	<0.1	17.7	150	0.1	3.8	0.2	68
1273463	Drill Core	6.70	<0.005	1.1	17.4	12.8	22	<0.1	12.3	6.2	273	1.68	6	2.4	<0.1	16.6	91	0.1	1.9	<0.1	32
1273464	Drill Core	5.71	<0.005	0.7	14.0	23.6	37	0.1	11.4	5.7	241	1.37	8	2.5	<0.1	16.8	87	0.1	2.4	<0.1	35

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Golden Predator Canada Corp.**
11th Floor, 888 Dunsmuir Street
Vancouver BC V6C 3K4 Canada

Project: Antimony
Report Date: December 16, 2011

CERTIFICATE OF ANALYSIS WHI11001958.1

Method		1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX
Analyte		Ca	P	La	Cr	Mg	Ba	Ti	Al	Na	K	W	Zr	Ce	Sn	Y	Nb	Ta	Be	Sc	Li
Unit		%	%	ppm	ppm	%	ppm	%	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
MDL		0.01	0.001	0.1	1	0.01	1	0.001	0.01	0.001	0.01	0.1	0.1	1	0.1	0.1	0.1	0.1	1	1	0.1
1273435	Drill Core	1.58	0.245	30.8	37	1.38	181	0.330	4.20	0.391	1.39	0.9	64.4	55	0.9	16.3	13.4	0.7	2	8	41.1
1273436	Rock Pulp	1.70	0.057	10.8	44	1.02	570	0.333	5.76	2.291	0.96	40.1	42.0	21	1.4	17.2	4.1	0.3	<1	12	14.4
1273437	Drill Core	0.85	0.074	25.7	23	1.36	773	0.258	3.43	0.221	1.00	1.1	29.3	44	0.9	10.3	12.3	0.7	2	7	53.4
1273438	Drill Core	1.00	0.085	39.4	37	1.18	931	0.355	5.24	0.580	1.64	1.3	55.7	68	1.9	14.4	14.4	0.9	2	9	86.0
1273439	Drill Core	0.68	0.041	42.5	33	0.73	902	0.359	6.32	0.832	2.32	2.4	62.4	81	2.3	12.2	14.7	1.1	2	9	78.9
1273440	Drill Core	0.45	0.048	48.8	55	0.85	1484	0.502	8.18	0.722	3.45	2.6	70.9	100	3.0	13.9	19.9	1.5	3	14	94.9
1273441	Drill Core	0.49	0.027	36.7	25	0.55	649	0.287	5.10	0.658	1.79	1.5	47.2	71	1.9	10.8	11.6	0.9	2	7	52.1
1273442	Drill Core	0.26	0.042	46.0	48	0.77	1070	0.419	7.70	0.534	3.42	1.5	45.3	90	2.9	11.9	14.3	1.0	3	12	85.2
1273443	Drill Core	0.30	0.056	46.6	52	0.81	1000	0.437	8.00	0.495	3.32	1.7	58.3	93	2.8	12.5	14.8	1.0	3	12	87.5
1273444	Drill Core	0.23	0.044	38.8	56	0.91	1072	0.423	8.01	0.342	3.59	1.4	45.7	82	3.1	10.6	14.3	1.0	3	13	106.5
1273445	Drill Core	0.30	0.046	35.8	68	1.08	1350	0.497	9.03	0.479	4.00	1.9	56.5	78	3.2	10.4	16.8	1.2	3	14	117.0
1273446	Drill Core	0.31	0.057	43.6	67	0.88	1304	0.470	9.51	0.578	3.59	1.8	60.2	94	3.2	11.8	17.1	1.3	4	15	121.2
1273447	Drill Core	0.25	0.054	40.7	65	0.89	1308	0.475	9.59	0.581	3.47	1.9	61.6	87	3.2	11.3	17.6	1.3	4	15	118.7
1273448	Drill Core	0.34	0.039	41.1	66	1.01	1371	0.491	9.00	0.601	3.66	2.1	52.1	87	3.1	10.7	17.5	1.2	4	16	127.2
1273449	Drill Core	0.32	0.070	45.1	35	0.59	882	0.336	6.46	0.552	2.83	1.0	45.1	88	1.8	11.2	12.4	0.8	2	8	76.9
1273450	Drill Core	0.23	0.048	44.6	51	0.67	1179	0.410	8.16	0.395	3.46	1.3	55.4	91	2.1	11.1	14.1	1.0	2	11	90.5
1273451	Drill Core	0.34	0.028	45.3	33	0.62	893	0.313	6.22	0.423	2.83	1.1	44.9	84	1.5	9.5	12.4	0.9	2	8	81.2
1273452	Drill Core	0.40	0.022	36.7	22	0.48	788	0.271	5.25	0.849	1.95	1.0	41.1	69	1.1	8.6	10.4	0.7	1	5	66.5
1273453	Drill Core	0.62	0.019	22.7	15	0.58	453	0.186	4.06	0.357	1.22	0.8	30.3	44	0.8	6.9	7.4	0.5	<1	4	51.8
1273454	Drill Core	0.70	0.038	57.6	46	0.79	1767	0.419	8.89	0.431	3.74	1.6	55.8	109	1.9	11.9	14.3	1.0	3	12	93.0
1273455	Drill Core	0.44	0.061	49.4	49	0.74	1310	0.445	8.26	0.296	2.99	1.9	54.8	96	2.3	11.5	15.6	1.1	3	11	109.5
1273456	Drill Core	0.44	0.047	44.6	51	0.85	1216	0.382	8.38	0.372	3.18	1.9	54.6	91	2.0	11.3	12.3	0.9	2	12	118.0
1273457	Rock Pulp	1.86	0.049	9.3	31	0.77	493	0.293	5.34	2.317	0.84	20.9	39.2	18	0.7	13.8	3.7	0.2	<1	9	12.0
1273458	Drill Core	0.76	0.046	40.7	55	1.02	1551	0.349	8.98	0.850	4.35	2.4	61.0	83	2.0	12.0	11.0	0.8	3	13	151.4
1273459	Drill Core	0.66	0.037	37.5	51	1.14	1303	0.275	8.42	0.631	3.49	1.3	69.6	78	2.6	13.0	6.9	0.5	4	13	147.1
1273460	Drill Core	0.59	0.040	41.6	46	0.75	974	0.426	6.87	0.445	2.93	2.8	56.5	82	1.9	13.4	13.6	0.9	3	11	107.5
1273461	Drill Core	0.69	0.036	42.6	41	0.63	946	0.367	6.88	0.162	2.55	5.8	49.8	85	1.5	13.1	11.2	0.8	3	10	94.6
1273462	Drill Core	1.14	0.035	42.5	44	0.65	1364	0.349	7.50	0.217	3.10	2.3	69.2	83	1.8	13.1	10.8	0.8	3	11	85.9
1273463	Drill Core	0.48	0.016	31.9	21	0.40	688	0.222	5.02	0.180	2.40	1.0	43.2	63	1.2	8.2	7.9	0.6	1	6	46.6
1273464	Drill Core	0.84	0.018	35.8	23	0.25	1027	0.163	5.75	0.206	2.98	0.9	51.5	71	1.1	8.4	5.1	0.4	<1	6	39.1

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Golden Predator Canada Corp.**
11th Floor, 888 Dunsmuir Street
Vancouver BC V6C 3K4 Canada

Project: Antimony
Report Date: December 16, 2011

CERTIFICATE OF ANALYSIS WHI11001958.1

Method		1EX	1EX	1EX
Analyte		S	Rb	Hf
Unit		%	ppm	ppm
MDL		0.1	0.1	0.1
1273435	Drill Core	0.5	83.7	1.7
1273436	Rock Pulp	<0.1	30.2	1.2
1273437	Drill Core	0.4	69.1	0.8
1273438	Drill Core	0.4	96.5	1.5
1273439	Drill Core	0.4	100.8	2.0
1273440	Drill Core	0.4	135.6	2.1
1273441	Drill Core	0.3	88.2	1.4
1273442	Drill Core	0.2	149.7	1.3
1273443	Drill Core	0.1	138.0	1.8
1273444	Drill Core	0.1	154.8	1.4
1273445	Drill Core	0.2	155.8	1.8
1273446	Drill Core	0.2	143.6	1.9
1273447	Drill Core	0.2	142.1	1.8
1273448	Drill Core	0.2	152.8	1.6
1273449	Drill Core	0.3	114.0	1.3
1273450	Drill Core	0.4	136.8	1.6
1273451	Drill Core	0.3	121.9	1.3
1273452	Drill Core	0.4	87.5	1.3
1273453	Drill Core	0.5	66.4	1.0
1273454	Drill Core	<0.1	142.2	1.7
1273455	Drill Core	0.1	127.8	1.6
1273456	Drill Core	0.4	126.9	1.6
1273457	Rock Pulp	<0.1	21.5	1.1
1273458	Drill Core	0.9	166.4	1.7
1273459	Drill Core	0.7	159.5	2.0
1273460	Drill Core	0.3	134.8	1.7
1273461	Drill Core	0.4	123.9	1.5
1273462	Drill Core	0.5	129.4	2.0
1273463	Drill Core	0.2	105.7	1.4
1273464	Drill Core	0.3	115.4	1.5

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Golden Predator Canada Corp.**
11th Floor, 888 Dunsmuir Street
Vancouver BC V6C 3K4 Canada

Project: Antimony
Report Date: December 16, 2011

CERTIFICATE OF ANALYSIS WHI11001958.1

Method		WGHT	G6	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX
Analyte		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
Unit		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
MDL		0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.2	1	0.01	1	0.1	0.1	0.1	1	0.1	0.1	0.1	1
1273465	Drill Core	4.93	<0.005	1.1	27.5	19.8	64	<0.1	15.2	8.9	351	2.14	13	2.4	<0.1	14.9	117	0.3	3.1	0.1	45
1273466	Rock Pulp	0.17	5.823	664.5	84.5	92.8	82	1.3	31.9	10.5	682	3.85	33	1.0	6.4	2.5	304	1.0	25.7	0.2	226
1273467	Drill Core	9.68	0.007	1.2	41.4	14.4	20	<0.1	24.6	14.7	367	2.68	179	3.7	<0.1	18.0	212	<0.1	4.0	0.2	82
1273468	Drill Core	4.11	0.006	0.7	8.3	9.8	13	<0.1	7.6	5.1	97	0.94	24	1.6	<0.1	9.2	43	<0.1	2.4	0.1	24
1273469	Drill Core	5.06	0.009	1.2	49.2	13.0	14	<0.1	24.0	13.3	180	1.87	16	3.1	<0.1	18.5	41	0.1	4.8	0.3	64
1273470	Drill Core	4.97	0.006	2.7	16.4	10.5	18	3.7	10.1	5.3	57	0.54	18	1.5	<0.1	9.7	28	1.1	1.3	0.1	26
1273471	Drill Core	4.96	0.006	1.2	30.6	13.2	13	<0.1	17.8	7.0	97	1.35	12	1.9	<0.1	12.8	51	<0.1	1.9	0.4	30
1273472	Drill Core	6.67	0.006	3.6	40.1	14.7	26	0.1	30.6	9.6	379	2.61	16	4.1	<0.1	14.2	154	0.1	2.6	0.9	118
1273473	Drill Core	5.36	0.007	5.1	58.9	16.2	25	0.1	40.0	16.5	487	4.05	24	4.0	<0.1	14.1	185	<0.1	2.8	3.0	168
1273474	Drill Core	5.66	<0.005	2.2	48.5	10.4	19	1.0	40.3	18.6	406	3.85	6	2.6	<0.1	14.8	226	<0.1	0.8	0.1	90
1273475	Drill Core	3.09	0.011	0.3	28.9	7.0	22	<0.1	39.4	21.2	399	4.05	5	1.6	<0.1	14.3	188	<0.1	0.5	0.2	93
1273476	Drill Core	3.07	0.007	0.3	28.8	7.3	21	<0.1	39.8	21.4	384	4.10	4	1.6	<0.1	14.5	200	<0.1	0.5	0.1	94
1273477	Drill Core	4.67	0.008	0.4	39.9	7.0	38	<0.1	37.0	17.6	298	5.50	4	1.4	<0.1	11.2	168	<0.1	0.6	0.1	80
1273478	Drill Core	5.90	0.009	0.4	35.2	8.6	22	<0.1	30.5	15.6	330	3.35	5	1.6	<0.1	15.9	143	0.1	0.6	0.3	63
1273479	Drill Core	4.36	0.010	2.9	91.7	11.0	38	<0.1	38.8	16.6	370	4.54	65	6.0	<0.1	16.7	400	0.3	2.8	0.3	159
1273480	Drill Core	4.36	0.012	4.4	260.7	9.3	18	<0.1	109.8	24.8	294	6.18	30	5.7	<0.1	10.6	234	<0.1	2.6	0.5	205
1273481	Drill Core	3.36	0.009	2.2	68.7	8.2	16	<0.1	47.6	14.2	270	3.13	79	3.8	<0.1	14.0	279	<0.1	4.6	0.2	170
1273482	Drill Core	5.58	0.105	3.3	181.5	53.1	62	0.4	61.8	106.4	389	3.88	4793	4.1	0.1	17.8	145	0.4	19.2	1.5	75
1273483	Drill Core	2.42	0.428	4.2	3637	378.0	289	8.7	30.4	146.0	1233	11.77	3014	8.0	0.4	11.6	287	2.8	125.3	4.0	53
1273484	Drill Core	3.30	0.013	1.1	127.0	22.0	35	0.2	37.4	15.2	325	4.30	92	3.0	<0.1	17.3	86	0.2	10.5	0.8	85
1273485	Rock Pulp	0.18	0.007	3.1	25.7	4.7	42	0.2	21.9	10.9	504	2.49	6	0.7	<0.1	1.8	258	0.2	1.1	0.1	80
1273486	Drill Core	4.36	0.007	0.3	74.0	7.2	10	<0.1	38.1	14.3	326	3.94	37	2.7	<0.1	17.3	72	<0.1	9.5	0.3	79
1273487	Drill Core	5.51	0.006	0.7	55.2	3.9	8	<0.1	43.5	20.4	484	4.51	21	2.8	<0.1	17.1	81	<0.1	16.7	0.2	79
1273488	Drill Core	4.45	0.007	0.9	63.6	7.8	11	<0.1	41.3	18.3	239	3.42	25	3.9	<0.1	17.0	290	<0.1	6.6	0.3	66
1273489	Drill Core	5.34	0.056	0.5	103.9	9.0	15	0.2	44.2	22.9	307	3.36	399	4.2	<0.1	20.9	244	<0.1	10.4	0.8	93
1273490	Drill Core	5.15	0.006	0.8	24.5	8.9	12	<0.1	18.8	10.6	181	1.82	44	2.7	<0.1	17.4	164	<0.1	2.9	0.2	40
1273491	Drill Core	5.78	0.006	1.2	39.4	8.0	15	<0.1	19.0	10.5	127	1.76	11	2.5	<0.1	15.9	157	0.1	2.5	0.2	36
1273492	Drill Core	3.83	0.008	0.8	44.2	8.8	11	<0.1	17.2	10.7	106	1.89	8	2.4	<0.1	15.8	138	<0.1	10.5	0.2	29
1273493	Drill Core	4.55	0.006	1.2	42.7	8.0	11	<0.1	33.7	15.6	221	3.42	8	3.3	<0.1	18.8	109	<0.1	6.9	0.3	66
1273494	Drill Core	5.93	0.006	1.7	42.3	8.6	11	<0.1	28.7	10.8	203	2.78	16	3.5	<0.1	19.7	156	0.1	5.3	0.3	66

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Golden Predator Canada Corp.**
11th Floor, 888 Dunsmuir Street
Vancouver BC V6C 3K4 Canada

Project: Antimony
Report Date: December 16, 2011

CERTIFICATE OF ANALYSIS WHI11001958.1

Method		1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX
Analyte		Ca	P	La	Cr	Mg	Ba	Ti	Al	Na	K	W	Zr	Ce	Sn	Y	Nb	Ta	Be	Sc	Li
Unit		%	%	ppm	ppm	%	ppm	%	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
MDL		0.01	0.001	0.1	1	0.01	1	0.001	0.01	0.001	0.01	0.1	0.1	1	0.1	0.1	0.1	0.1	1	1	0.1
1273465	Drill Core	0.45	0.026	39.8	32	0.45	1018	0.247	5.58	0.313	2.67	1.4	47.4	78	1.2	7.8	7.9	0.6	1	8	73.1
1273466	Rock Pulp	1.57	0.058	12.7	42	0.92	118	0.344	6.79	2.131	1.76	15.6	67.5	27	1.9	15.6	5.3	0.3	<1	11	30.6
1273467	Drill Core	0.63	0.041	48.4	59	0.57	1600	0.390	9.13	0.720	3.58	2.1	65.4	98	2.2	10.5	12.2	0.9	3	14	85.9
1273468	Drill Core	0.20	0.013	20.4	15	0.24	285	0.122	3.30	0.058	0.93	1.1	30.7	39	1.4	6.4	4.4	0.3	<1	4	31.1
1273469	Drill Core	0.13	0.025	52.2	39	0.33	424	0.290	7.77	0.060	1.95	8.0	62.2	102	1.5	12.2	9.5	0.7	3	11	63.5
1273470	Drill Core	0.10	0.015	25.2	18	0.17	220	0.088	3.51	0.032	0.94	12.4	31.8	49	1.2	6.4	3.8	0.2	1	4	27.2
1273471	Drill Core	0.20	0.013	28.8	20	0.25	517	0.143	4.07	0.120	1.58	1.1	41.5	56	1.2	7.5	4.6	0.3	<1	5	31.3
1273472	Drill Core	1.68	0.275	41.7	40	0.70	1296	0.247	6.20	0.171	2.58	1.7	80.6	81	1.5	21.0	8.3	0.6	2	9	78.0
1273473	Drill Core	1.56	0.049	35.9	55	1.25	1117	0.451	6.72	0.387	2.95	2.3	92.2	71	3.8	12.9	12.8	0.9	3	12	85.7
1273474	Drill Core	1.43	0.042	36.3	62	1.46	1750	0.483	7.69	0.563	3.50	2.2	81.2	77	3.2	12.6	16.1	1.0	3	13	87.0
1273475	Drill Core	1.03	0.043	36.5	57	1.17	1544	0.484	7.29	0.366	3.78	2.1	54.7	77	2.5	10.9	13.7	0.9	2	13	91.1
1273476	Drill Core	0.98	0.044	34.8	60	1.13	1636	0.449	7.28	0.424	3.66	2.0	60.5	74	2.7	11.1	14.4	0.9	3	14	93.5
1273477	Drill Core	0.43	0.030	23.4	60	1.04	1673	0.483	6.98	0.287	3.99	2.6	38.6	54	3.4	7.5	14.2	0.9	3	12	76.0
1273478	Drill Core	0.86	0.039	37.0	48	0.72	1286	0.425	6.73	0.228	3.23	2.3	51.5	78	2.0	11.8	12.9	0.9	2	12	75.3
1273479	Drill Core	2.62	0.374	43.2	69	1.60	581	0.451	7.10	1.095	2.60	1.3	144.0	84	2.0	30.0	15.7	0.9	2	12	80.9
1273480	Drill Core	2.14	0.482	44.1	54	1.45	407	0.379	5.69	0.611	1.85	1.1	82.2	71	0.9	35.3	14.9	0.8	2	11	80.8
1273481	Drill Core	1.07	0.169	37.0	61	1.06	373	0.299	6.58	0.909	3.62	1.8	83.3	70	1.3	17.5	10.2	0.6	3	11	75.9
1273482	Drill Core	0.81	0.055	50.7	58	0.46	102	0.264	8.91	0.189	4.44	11.2	82.5	109	4.4	16.0	7.3	0.5	3	13	52.8
1273483	Drill Core	2.45	0.042	16.7	49	1.27	78	0.318	6.19	0.407	0.44	23.1	65.0	31	9.1	17.2	9.8	0.6	<1	10	68.1
1273484	Drill Core	0.17	0.053	39.0	67	0.45	374	0.453	8.51	0.090	1.94	16.7	53.5	87	3.5	14.4	15.3	1.0	2	14	62.7
1273485	Rock Pulp	1.86	0.049	8.3	35	0.78	493	0.321	5.02	2.290	0.85	20.5	41.0	18	0.8	13.0	3.9	0.2	<1	10	13.3
1273486	Drill Core	0.22	0.041	38.0	59	0.62	969	0.400	7.12	0.162	3.00	5.7	77.5	83	1.4	12.6	12.3	0.8	2	12	76.6
1273487	Drill Core	1.20	0.041	40.7	65	1.05	925	0.445	8.81	0.232	3.08	2.7	78.2	89	1.1	13.0	13.7	0.9	3	14	102.7
1273488	Drill Core	1.71	0.051	37.1	54	1.06	1141	0.324	8.96	1.148	3.11	1.5	83.2	83	1.2	14.9	9.4	0.6	2	14	89.7
1273489	Drill Core	1.26	0.058	47.4	69	1.00	1671	0.401	11.45	0.679	3.34	8.4	87.2	105	1.8	14.3	11.1	0.8	4	18	110.2
1273490	Drill Core	0.74	0.039	28.6	29	0.56	970	0.263	5.65	0.602	2.88	1.8	55.9	62	0.9	10.7	9.0	0.7	1	6	51.8
1273491	Drill Core	0.64	0.054	28.7	26	0.53	874	0.192	5.17	0.562	2.56	1.3	52.3	64	1.1	11.3	6.1	0.4	<1	6	55.0
1273492	Drill Core	0.68	0.021	25.4	22	0.41	674	0.153	4.47	0.588	1.96	1.5	44.8	55	0.9	10.9	5.5	0.4	1	5	45.6
1273493	Drill Core	0.33	0.053	37.4	52	0.68	886	0.350	6.41	0.406	3.41	2.0	66.0	84	1.4	10.7	11.5	0.8	3	10	77.5
1273494	Drill Core	0.52	0.043	38.5	46	0.77	1403	0.410	6.95	0.546	3.63	1.9	79.0	83	1.7	11.5	12.9	0.9	2	10	73.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Golden Predator Canada Corp.**
11th Floor, 888 Dunsmuir Street
Vancouver BC V6C 3K4 Canada

Project: Antimony
Report Date: December 16, 2011

CERTIFICATE OF ANALYSIS WHI11001958.1

Method		1EX	1EX	1EX
Analyte		S	Rb	Hf
Unit		%	ppm	ppm
MDL		0.1	0.1	0.1
1273465	Drill Core	0.4	120.3	1.3
1273466	Rock Pulp	0.7	41.4	2.0
1273467	Drill Core	0.4	139.1	1.9
1273468	Drill Core	0.2	47.0	0.9
1273469	Drill Core	0.2	93.2	1.7
1273470	Drill Core	<0.1	47.1	0.9
1273471	Drill Core	0.3	64.1	1.2
1273472	Drill Core	0.4	125.2	2.4
1273473	Drill Core	0.5	140.2	2.5
1273474	Drill Core	0.2	157.7	2.2
1273475	Drill Core	0.1	193.0	1.5
1273476	Drill Core	0.1	159.6	1.6
1273477	Drill Core	<0.1	164.5	1.0
1273478	Drill Core	0.3	139.2	1.6
1273479	Drill Core	0.9	106.0	3.6
1273480	Drill Core	2.6	120.6	1.9
1273481	Drill Core	0.6	159.0	2.0
1273482	Drill Core	1.9	168.4	2.4
1273483	Drill Core	9.5	16.8	1.8
1273484	Drill Core	0.5	104.1	1.6
1273485	Rock Pulp	<0.1	19.0	1.2
1273486	Drill Core	0.9	125.4	2.1
1273487	Drill Core	1.0	125.2	2.1
1273488	Drill Core	0.8	146.4	2.3
1273489	Drill Core	0.9	136.3	2.4
1273490	Drill Core	0.3	119.9	1.7
1273491	Drill Core	0.4	105.9	1.5
1273492	Drill Core	0.8	85.8	1.3
1273493	Drill Core	0.9	126.1	1.9
1273494	Drill Core	0.5	132.8	2.1

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Golden Predator Canada Corp.**
11th Floor, 888 Dunsmuir Street
Vancouver BC V6C 3K4 Canada

Project: Antimony
Report Date: December 16, 2011

QUALITY CONTROL REPORT WHI11001958.1

	Method	WGHT	G6	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX
	Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
	Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	MDL	0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.2	1	0.01	1	0.1	0.1	0.1	1	0.1	0.1	0.1	1
Pulp Duplicates																					
1273405	Drill Core	6.35	0.005	1.4	44.5	6.9	27	<0.1	28.6	13.3	406	4.04	47	2.9	<0.1	8.9	268	0.1	3.0	0.4	121
REP 1273405	QC		<0.005																		
1273407	Drill Core	6.77	0.025	1.1	58.2	8.8	36	<0.1	24.5	15.1	919	4.78	17	2.1	<0.1	8.6	279	<0.1	3.1	0.7	112
REP 1273407	QC			1.4	56.1	8.3	35	0.2	24.7	15.5	944	4.78	17	2.2	<0.1	8.7	276	<0.1	2.7	0.6	112
1273432	Drill Core	6.66	0.007	3.0	83.4	4.2	32	<0.1	38.7	21.8	600	6.16	21	3.6	<0.1	11.4	333	0.1	2.2	1.7	149
REP 1273432	QC		0.006																		
1273451	Drill Core	5.11	<0.005	1.7	35.2	19.8	37	1.5	20.9	10.2	533	3.06	4	2.8	<0.1	19.1	106	<0.1	3.1	1.5	47
REP 1273451	QC		<0.005																		
1273457	Rock Pulp	0.17	<0.005	2.7	23.3	4.7	42	0.5	22.8	10.0	469	2.35	4	0.8	<0.1	1.9	261	0.2	0.9	<0.1	85
REP 1273457	QC			3.3	25.6	7.2	46	0.8	22.8	10.4	484	2.49	5	0.8	<0.1	1.8	260	0.5	0.8	<0.1	82
1273485	Rock Pulp	0.18	0.007	3.1	25.7	4.7	42	0.2	21.9	10.9	504	2.49	6	0.7	<0.1	1.8	258	0.2	1.1	0.1	80
REP 1273485	QC			3.1	23.3	4.9	42	0.2	23.5	10.1	486	2.40	5	0.7	<0.1	1.9	256	0.2	0.9	<0.1	79
Core Reject Duplicates																					
1273425	Drill Core	6.96	0.007	2.7	79.5	19.0	120	0.1	42.2	23.5	383	6.13	10	3.3	<0.1	10.2	280	0.2	1.5	0.4	138
DUP 1273425	QC		0.008	2.4	81.1	19.7	114	0.1	42.9	23.4	355	5.99	9	3.3	<0.1	9.8	263	0.1	1.4	0.4	140
1273460	Drill Core	5.59	<0.005	0.9	30.2	12.9	26	<0.1	25.6	12.7	368	3.23	12	2.2	<0.1	16.0	162	0.1	2.7	0.4	62
DUP 1273460	QC		<0.005	0.9	32.8	12.3	26	<0.1	26.2	12.9	389	3.38	11	2.3	<0.1	16.2	167	<0.1	2.8	0.5	61
Reference Materials																					
STD OREAS24P	Standard			1.4	48.4	2.9	112	<0.1	148.7	50.4	1160	7.60	5	0.7	<0.1	2.9	390	<0.1	<0.1	<0.1	158
STD OREAS24P	Standard			1.7	51.7	2.5	124	<0.1	140.2	44.8	1071	7.50	2	0.7	<0.1	2.8	381	0.2	<0.1	<0.1	162
STD OREAS24P	Standard			1.6	53.2	3.2	121	<0.1	153.0	49.4	1177	7.95	6	0.8	<0.1	3.0	402	<0.1	0.1	<0.1	164
STD OREAS45C	Standard			2.0	635.8	24.2	81	0.2	334.4	104.7	1170	17.41	12	2.3	<0.1	10.8	37	0.2	0.8	0.2	270
STD OREAS45C	Standard			2.3	615.3	26.8	94	0.4	328.3	101.4	1127	18.49	11	2.3	<0.1	10.3	39	0.3	1.0	0.2	261
STD OREAS45C	Standard			2.1	629.8	27.1	83	0.4	329.1	105.0	1174	17.92	12	2.5	<0.1	11.0	39	0.2	1.0	0.2	255
STD OXH82	Standard		1.274																		
STD OXH82	Standard		1.315																		
STD OXH82	Standard		1.322																		
STD OXH82	Standard		1.247																		

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Golden Predator Canada Corp.**
11th Floor, 888 Dunsmuir Street
Vancouver BC V6C 3K4 Canada

Project: Antimony
Report Date: December 16, 2011

QUALITY CONTROL REPORT WHI11001958.1

	Method	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX
	Analyte	Ca	P	La	Cr	Mg	Ba	Ti	Al	Na	K	W	Zr	Ce	Sn	Y	Nb	Ta	Be	Sc	Li
	Unit	%	%	ppm	ppm	%	ppm	%	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	MDL	0.01	0.001	0.1	1	0.01	1	0.001	0.01	0.001	0.01	0.1	0.1	1	0.1	0.1	0.1	0.1	1	1	0.1
Pulp Duplicates																					
1273405	Drill Core	2.09	0.126	42.6	50	1.70	1217	0.653	5.61	1.165	2.29	1.1	67.1	80	4.7	29.3	33.3	2.0	1	13	88.5
REP 1273405	QC																				
1273407	Drill Core	4.21	0.126	40.4	44	1.67	673	0.769	5.29	1.045	1.71	1.2	45.0	77	5.2	26.7	33.9	2.0	2	12	64.1
REP 1273407	QC	4.21	0.129	41.0	46	1.66	535	0.770	5.40	1.053	1.74	1.0	41.7	78	5.1	26.6	34.0	1.9	1	12	61.8
1273432	Drill Core	2.45	0.115	42.8	57	2.45	280	0.611	6.85	0.785	2.58	1.0	115.6	78	1.9	20.8	33.0	2.1	3	16	48.6
REP 1273432	QC																				
1273451	Drill Core	0.34	0.028	45.3	33	0.62	893	0.313	6.22	0.423	2.83	1.1	44.9	84	1.5	9.5	12.4	0.9	2	8	81.2
REP 1273451	QC																				
1273457	Rock Pulp	1.86	0.049	9.3	31	0.77	493	0.293	5.34	2.317	0.84	20.9	39.2	18	0.7	13.8	3.7	0.2	<1	9	12.0
REP 1273457	QC	1.88	0.055	9.0	35	0.77	496	0.304	5.20	2.319	0.86	21.0	40.5	18	0.8	13.7	3.6	0.2	<1	10	12.8
1273485	Rock Pulp	1.86	0.049	8.3	35	0.78	493	0.321	5.02	2.290	0.85	20.5	41.0	18	0.8	13.0	3.9	0.2	<1	10	13.3
REP 1273485	QC	1.84	0.051	7.6	33	0.76	469	0.315	4.95	2.220	0.86	20.0	40.3	17	0.6	13.1	3.8	0.2	<1	10	11.8
Core Reject Duplicates																					
1273425	Drill Core	1.41	0.143	41.9	52	2.08	287	0.665	7.27	0.748	2.92	1.6	108.5	82	2.4	20.6	35.1	2.1	2	17	77.8
DUP 1273425	QC	1.35	0.136	38.9	53	2.05	327	0.696	7.21	0.745	2.96	1.3	108.6	77	2.8	20.0	33.8	2.2	2	17	77.1
1273460	Drill Core	0.59	0.040	41.6	46	0.75	974	0.426	6.87	0.445	2.93	2.8	56.5	82	1.9	13.4	13.6	0.9	3	11	107.5
DUP 1273460	QC	0.64	0.041	41.0	46	0.78	984	0.427	7.13	0.468	2.96	2.9	58.3	83	1.8	13.7	13.2	1.0	3	11	111.5
Reference Materials																					
STD OREAS24P	Standard	6.00	0.142	18.2	185	4.14	275	1.141	7.96	2.435	0.69	0.5	138.2	37	1.4	23.1	19.2	1.1	<1	20	8.1
STD OREAS24P	Standard	5.63	0.129	20.1	190	4.17	281	1.075	7.85	2.675	0.65	0.5	134.2	38	1.4	23.4	19.4	1.1	1	20	7.9
STD OREAS24P	Standard	6.18	0.138	20.2	209	4.08	286	1.073	7.82	2.530	0.68	0.5	148.5	41	1.6	23.7	20.8	1.2	<1	22	7.9
STD OREAS45C	Standard	0.47	0.049	23.8	891	0.28	265	1.254	7.09	0.103	0.35	1.1	165.2	48	2.8	12.8	22.4	1.4	1	57	15.5
STD OREAS45C	Standard	0.48	0.052	28.2	896	0.25	280	1.182	7.43	0.105	0.35	1.2	166.8	52	3.0	13.9	22.5	1.4	1	62	16.7
STD OREAS45C	Standard	0.50	0.052	27.9	891	0.28	283	1.080	7.37	0.109	0.33	1.6	171.7	53	3.2	13.3	22.2	1.5	1	61	15.5
STD OXH82	Standard																				
STD OXH82	Standard																				
STD OXH82	Standard																				
STD OXH82	Standard																				

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Golden Predator Canada Corp.**
11th Floor, 888 Dunsmuir Street
Vancouver BC V6C 3K4 Canada

Project: Antimony
Report Date: December 16, 2011

QUALITY CONTROL REPORT WHI11001958.1

	Method	1EX	1EX	1EX
	Analyte	S	Rb	Hf
	Unit	%	ppm	ppm
	MDL	0.1	0.1	0.1
Pulp Duplicates				
1273405	Drill Core	0.3	138.0	1.8
REP 1273405	QC			
1273407	Drill Core	0.5	82.8	1.3
REP 1273407	QC	0.5	82.4	1.3
1273432	Drill Core	0.9	127.1	2.8
REP 1273432	QC			
1273451	Drill Core	0.3	121.9	1.3
REP 1273451	QC			
1273457	Rock Pulp	<0.1	21.5	1.1
REP 1273457	QC	<0.1	20.6	1.2
1273485	Rock Pulp	<0.1	19.0	1.2
REP 1273485	QC	<0.1	18.8	1.1
Core Reject Duplicates				
1273425	Drill Core	1.0	117.1	2.6
DUP 1273425	QC	1.0	110.0	2.8
1273460	Drill Core	0.3	134.8	1.7
DUP 1273460	QC	0.3	137.1	1.7
Reference Materials				
STD OREAS24P	Standard	<0.1	21.6	3.1
STD OREAS24P	Standard	<0.1	20.9	3.5
STD OREAS24P	Standard	<0.1	24.3	3.7
STD OREAS45C	Standard	<0.1	21.7	4.0
STD OREAS45C	Standard	<0.1	23.6	4.4
STD OREAS45C	Standard	<0.1	24.3	4.6
STD OXH82	Standard			
STD OXH82	Standard			
STD OXH82	Standard			
STD OXH82	Standard			

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Golden Predator Canada Corp.**
11th Floor, 888 Dunsmuir Street
Vancouver BC V6C 3K4 Canada

Project: Antimony
Report Date: December 16, 2011

QUALITY CONTROL REPORT WHI11001958.1

		WGHT	G6	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.2	1	0.01	1	0.1	0.1	0.1	1	0.1	0.1	0.1	1
STD OXK79	Standard		3.492																		
STD OXK79	Standard		3.455																		
STD OXK79	Standard		3.557																		
STD OXK79	Standard		3.606																		
STD OXH82 Expected			1.278																		
STD OXK79 Expected			3.532																		
STD OREAS24P Expected				1.5	52	2.9	119	0.06	141	44	1100	7.53	1.2	0.75		2.85	403	0.15	0.09		158
STD OREAS45C Expected				2.26	620	24	83	0.28	333	104	1160	18.33	10.1	2.4	0.045	10.2	36.4	0.15	0.79	0.21	270
BLK	Blank		<0.005																		
BLK	Blank		0.010																		
BLK	Blank		<0.005																		
BLK	Blank		<0.005																		
BLK	Blank		0.007																		
BLK	Blank		<0.005																		
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.2	<1	<0.01	<1	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1
BLK	Blank		<0.005																		
BLK	Blank		<0.005																		
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.2	<1	<0.01	<1	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.2	<1	<0.01	<1	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1
Prep Wash																					
G1	Prep Blank		<0.005	0.2	3.3	20.3	52	<0.1	4.2	4.9	803	2.75	2	3.7	<0.1	11.7	761	<0.1	0.1	0.3	51
G1	Prep Blank		<0.005	0.3	5.8	20.7	56	<0.1	3.4	5.4	808	2.43	2	2.7	<0.1	9.0	723	<0.1	0.1	0.2	50

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Golden Predator Canada Corp.**
11th Floor, 888 Dunsmuir Street
Vancouver BC V6C 3K4 Canada

Project: Antimony
Report Date: December 16, 2011

QUALITY CONTROL REPORT WHI11001958.1

		1EX Ca % 0.01	1EX P % 0.001	1EX La ppm 0.1	1EX Cr ppm 1	1EX Mg % 0.01	1EX Ba ppm 1	1EX Ti % 0.001	1EX Al % 0.01	1EX Na % 0.001	1EX K % 0.01	1EX W ppm 0.1	1EX Zr ppm 0.1	1EX Ce ppm 1	1EX Sn ppm 0.1	1EX Y ppm 0.1	1EX Nb ppm 0.1	1EX Ta ppm 0.1	1EX Be ppm 1	1EX Sc ppm 1	1EX Li ppm 0.1
STD OXK79	Standard																				
STD OXK79	Standard																				
STD OXK79	Standard																				
STD OXK79	Standard																				
STD OXH82 Expected																					
STD OXK79 Expected																					
STD OREAS24P Expected		5.83	0.136	17.4	196	4.13	285	1.1	7.66	2.34	0.7	0.5	141	37.6	1.6	21.3	21	1.04		20	8.7
STD OREAS45C Expected		0.482	0.051	26.2	962	0.25	270	1.1313	7.59	0.097	0.36	1.06	169.7	54	2.9	12.9	23.05	1.43		59.03	15.69
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank	<0.01	<0.001	<0.1	<1	<0.01	<1	<0.001	<0.01	<0.001	<0.01	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<0.1	<1	<1	<0.1
BLK	Blank																				
BLK	Blank																				
BLK	Blank	<0.01	<0.001	<0.1	<1	<0.01	<1	0.006	<0.01	<0.001	<0.01	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<0.1	<1	<1	<0.1
BLK	Blank	<0.01	<0.001	<0.1	<1	<0.01	<1	<0.001	<0.01	<0.001	<0.01	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<0.1	<1	<1	<0.1
Prep Wash																					
G1	Prep Blank	2.42	0.080	35.5	9	0.62	1120	0.292	8.00	2.906	3.19	0.2	13.2	69	1.7	17.1	26.7	1.6	2	5	34.6
G1	Prep Blank	2.44	0.077	27.3	8	0.61	1010	0.286	8.03	2.909	2.60	0.3	11.9	60	1.6	15.8	25.4	1.5	3	5	31.7

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Golden Predator Canada Corp.**
11th Floor, 888 Dunsmuir Street
Vancouver BC V6C 3K4 Canada

Project: Antimony
Report Date: December 16, 2011

QUALITY CONTROL REPORT WHI11001958.1

		1EX S % 0.1	1EX Rb ppm 0.1	1EX Hf ppm 0.1
STD OXK79	Standard			
STD OXK79	Standard			
STD OXK79	Standard			
STD OXK79	Standard			
STD OXH82 Expected				
STD OXK79 Expected				
STD OREAS24P Expected			22.4	3.6
STD OREAS45C Expected		0.021	24	4.27
BLK	Blank			
BLK	Blank			
BLK	Blank			
BLK	Blank			
BLK	Blank			
BLK	Blank			
BLK	Blank	<0.1	<0.1	<0.1
BLK	Blank			
BLK	Blank			
BLK	Blank	<0.1	<0.1	<0.1
BLK	Blank	<0.1	<0.1	<0.1
Prep Wash				
G1	Prep Blank	<0.1	127.7	0.7
G1	Prep Blank	<0.1	98.6	0.7

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada

www.acmelab.com

Client: **Golden Predator Canada Corp.**
11th Floor, 888 Dunsmuir Street
Vancouver BC V6C 3K4 Canada

Submitted By: Jack Cote
Receiving Lab: Canada-Whitehorse
Received: December 02, 2011
Report Date: December 27, 2011
Page: 1 of 6

CERTIFICATE OF ANALYSIS WHI11001959.1

CLIENT JOB INFORMATION

Project: Antimony
Shipment ID: ANM-2011-JC-2065
P.O. Number
Number of Samples: 150

SAMPLE DISPOSAL

RTRN-PLP Return
STOR-RJT Store After 90 days Invoice for Storage

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
R200-250	140	Crush, split and pulverize 250 g rock to 200 mesh			WHI
G601	150	Lead Collection Fire - Assay Fusion - AAS Finish	30	Completed	VAN
1EX	150	4 Acid digestion ICP-MS analysis	0.25	Completed	VAN

ADDITIONAL COMMENTS

Invoice To: Predator Mining Group
11th Floor- 888 Dunsmuir Street
Vancouver BC V6C 3K4
Canada

CC: Andrew Caldwell

BRITISH COLUMBIA CERTIFIED ASSAYER
RAYMOND CHAN
CHIEF ASSAYER

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.
All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
"*" asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Golden Predator Canada Corp.**
11th Floor, 888 Dunsmuir Street
Vancouver BC V6C 3K4 Canada

Project: Antimony
Report Date: December 27, 2011

CERTIFICATE OF ANALYSIS WHI11001959.1

Method		WGHT	G6	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX
Analyte		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
Unit		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
MDL		0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.2	1	0.01	1	0.1	0.1	0.1	1	0.1	0.1	0.1	1
1273495	Drill Core	4.70	0.007	1.6	123.3	14.4	22	0.3	17.3	5.0	117	2.25	16	3.0	<0.1	17.4	82	0.2	3.9	0.2	27
1273496	Drill Core	5.47	0.014	1.5	145.5	12.2	17	0.4	12.0	9.8	153	1.95	215	3.2	<0.1	17.9	87	0.1	4.2	0.2	20
1273497	Rock Pulp	0.18	0.755	7.5	51.2	8.1	64	0.5	37.8	16.4	659	3.71	6	1.0	0.8	2.5	221	0.4	1.4	0.2	96
1273498	Drill Core	4.63	0.016	0.4	275.8	10.1	22	0.7	12.8	9.0	118	2.78	154	2.5	<0.1	14.0	51	0.1	2.0	0.3	21
1273499	Drill Core	4.13	0.009	0.8	37.5	8.8	11	<0.1	29.3	15.1	219	3.32	28	4.5	<0.1	22.3	119	<0.1	3.9	0.2	82
1273500	Drill Core	5.70	0.006	0.5	43.8	2.9	9	<0.1	37.2	15.8	231	4.78	6	3.5	<0.1	18.3	87	<0.1	4.7	0.2	96
1273501	Drill Core	4.98	0.007	0.5	41.5	4.8	19	<0.1	44.6	18.9	269	6.13	5	3.4	<0.1	20.0	129	<0.1	5.6	0.3	95
1273502	Drill Core	4.86	0.006	0.6	21.1	17.6	27	0.1	14.6	6.9	184	1.70	46	3.3	<0.1	22.7	95	0.3	2.3	0.3	37
1273503	Drill Core	4.94	0.007	1.2	84.5	21.1	36	0.3	27.5	11.2	144	2.50	121	3.8	<0.1	19.8	117	0.3	4.8	0.3	53
1273504	Drill Core	5.21	0.006	0.9	63.6	41.3	61	0.3	24.9	7.3	169	2.58	24	4.1	<0.1	22.6	81	0.3	2.9	0.2	51
1273505	Drill Core	5.30	0.006	0.7	177.9	33.9	47	0.8	19.3	7.0	216	2.87	32	4.2	<0.1	23.0	91	0.2	3.7	0.2	40
1273506	Drill Core	4.73	0.008	0.7	59.5	14.0	20	<0.1	25.9	12.2	219	2.25	57	4.0	<0.1	21.8	136	<0.1	3.7	0.2	52
1273507	Drill Core	2.15	0.203	1.4	213.0	60.5	95	1.6	20.8	50.2	193	3.07	2342	3.8	0.3	19.8	57	0.7	18.7	2.8	33
1273508	Drill Core	3.16	0.167	1.4	263.6	32.2	49	1.7	23.8	45.4	183	3.42	2459	3.5	0.2	19.5	49	0.5	18.3	2.6	35
1273509	Drill Core	3.66	0.009	1.0	53.2	32.1	46	0.2	23.5	9.8	215	2.13	145	4.0	<0.1	22.3	102	0.2	3.6	0.3	55
1273510	Drill Core	2.87	0.011	0.6	69.6	49.8	79	0.4	25.5	8.6	249	2.86	53	4.2	<0.1	19.4	99	0.7	5.2	0.3	62
1273511	Drill Core	3.20	1.338	6.0	2184	73.2	190	14.4	45.7	491.3	963	18.61	6603	16.7	1.4	16.4	286	1.7	107.0	28.1	44
1273512	Drill Core	4.74	0.160	0.5	190.2	41.9	52	1.4	20.4	34.3	372	3.74	893	3.9	<0.1	19.3	55	0.6	11.1	2.6	49
1273513	Drill Core	2.83	1.651	2.5	1243	110.6	220	10.3	97.3	295.4	1287	14.70	6890	3.5	1.7	13.0	50	1.8	118.6	21.3	27
1273514	Drill Core	3.58	0.107	0.9	214.1	45.6	65	1.9	27.6	18.1	382	4.12	860	2.7	0.1	14.4	44	0.7	20.3	1.1	26
1273515	Drill Core	7.60	0.011	0.7	126.3	32.6	40	0.7	19.4	7.6	280	2.10	25	2.8	<0.1	15.5	58	0.3	4.7	0.3	29
1273516	Drill Core	5.45	0.009	1.4	88.6	13.3	15	0.2	18.3	10.3	251	2.02	50	2.6	<0.1	16.9	50	<0.1	3.4	0.2	30
1273517	Rock Pulp	0.16	0.007	3.5	26.4	5.2	46	0.6	23.9	10.1	462	2.38	3	0.9	<0.1	2.0	243	0.3	0.7	<0.1	79
1273518	Drill Core	8.20	0.008	0.5	35.5	5.1	14	<0.1	31.6	15.0	235	4.02	37	2.9	<0.1	18.5	73	<0.1	3.4	0.1	74
1273519	Drill Core	5.44	0.006	0.9	37.5	8.8	13	<0.1	22.9	11.4	256	2.56	25	3.2	<0.1	21.3	80	0.1	2.7	0.1	51
1273520	Drill Core	5.31	0.007	0.4	26.0	7.2	11	<0.1	7.4	4.5	111	1.14	3	2.0	<0.1	15.3	74	0.1	1.1	<0.1	12
1273521	Drill Core	4.79	0.006	0.6	38.2	8.0	11	<0.1	13.8	8.7	157	1.91	7	2.7	<0.1	18.3	143	<0.1	1.6	<0.1	30
1273522	Drill Core	5.35	<0.005	0.5	22.8	8.4	14	<0.1	18.1	8.8	209	2.34	9	3.0	<0.1	19.8	135	<0.1	2.0	<0.1	39
1273523	Drill Core	4.09	0.008	0.7	20.7	12.2	17	<0.1	13.6	5.6	139	1.52	12	2.0	<0.1	13.8	98	0.1	2.6	<0.1	20
1273524	Drill Core	3.91	0.006	0.7	40.8	15.4	20	<0.1	16.1	8.2	101	1.96	6	2.4	<0.1	16.9	134	<0.1	1.8	0.1	21

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Golden Predator Canada Corp.**
11th Floor, 888 Dunsmuir Street
Vancouver BC V6C 3K4 Canada

Project: Antimony
Report Date: December 27, 2011

CERTIFICATE OF ANALYSIS WHI11001959.1

	Method	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX
	Analyte	Ca	P	La	Cr	Mg	Ba	Ti	Al	Na	K	W	Zr	Ce	Sn	Y	Nb	Ta	Be	Sc	Li
	Unit	%	%	ppm	ppm	%	ppm	%	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	MDL	0.01	0.001	0.1	1	0.01	1	0.001	0.01	0.001	0.01	0.1	0.1	1	0.1	0.1	0.1	0.1	1	1	0.1
1273495	Drill Core	0.59	0.033	57.4	28	0.42	675	0.174	4.10	0.177	1.93	9.7	46.9	100	2.2	10.0	5.7	0.4	1	5	35.6
1273496	Drill Core	0.79	0.040	50.1	23	0.39	571	0.135	3.70	0.140	1.92	6.9	49.8	87	2.3	8.9	4.9	0.4	<1	4	31.6
1273497	Rock Pulp	1.76	0.058	9.6	42	1.02	609	0.330	5.71	2.259	1.04	44.3	45.7	20	1.6	13.9	4.2	0.3	1	11	15.5
1273498	Drill Core	0.34	0.021	31.0	29	0.32	231	0.145	3.31	0.082	1.57	36.6	31.7	55	1.3	7.6	4.5	0.4	<1	4	31.8
1273499	Drill Core	0.30	0.046	43.2	63	0.59	1364	0.445	7.37	0.372	2.93	2.3	80.1	86	2.0	9.9	16.4	1.1	2	11	80.2
1273500	Drill Core	0.20	0.045	35.9	66	0.83	1177	0.403	8.61	0.382	2.88	2.0	70.7	76	1.5	9.3	14.3	1.0	3	13	91.9
1273501	Drill Core	0.32	0.047	38.4	71	0.95	1404	0.418	8.96	0.459	3.16	2.3	59.9	84	1.9	9.1	14.4	1.0	3	14	150.3
1273502	Drill Core	0.74	0.027	29.1	31	0.38	780	0.184	5.53	0.191	2.40	4.3	54.7	57	1.8	9.0	6.2	0.5	2	6	65.9
1273503	Drill Core	0.38	0.041	38.1	46	0.41	1015	0.275	6.24	0.184	3.70	11.4	62.9	74	2.8	10.2	9.4	0.7	3	8	43.4
1273504	Drill Core	0.26	0.030	39.7	41	0.41	900	0.322	6.21	0.140	3.00	16.4	67.6	76	2.9	10.5	11.4	0.8	1	8	46.9
1273505	Drill Core	0.55	0.056	42.4	39	0.35	607	0.277	5.96	0.161	3.11	4.9	66.9	84	2.8	11.6	10.5	0.8	2	7	39.4
1273506	Drill Core	0.47	0.026	47.5	42	0.52	1336	0.336	6.26	0.373	3.54	2.6	72.8	90	1.6	9.7	11.7	0.9	2	8	48.6
1273507	Drill Core	0.29	0.082	32.2	36	0.37	300	0.182	4.81	0.104	1.86	7.5	55.6	66	2.8	11.1	7.1	0.5	2	6	40.1
1273508	Drill Core	0.19	0.022	30.8	35	0.36	170	0.184	4.91	0.096	1.75	6.5	51.4	58	2.2	8.6	6.6	0.5	2	6	42.4
1273509	Drill Core	0.16	0.045	42.3	45	0.41	1105	0.345	6.35	0.149	3.26	6.8	62.7	82	3.4	10.7	13.3	0.9	2	8	44.5
1273510	Drill Core	0.31	0.124	76.9	48	0.51	487	0.303	6.40	0.144	1.95	17.3	58.3	135	3.5	14.2	10.3	0.8	2	9	55.4
1273511	Drill Core	0.59	0.041	7.8	28	1.29	28	0.245	6.21	0.446	0.29	9.4	33.7	15	13.5	8.1	4.8	0.4	1	9	22.5
1273512	Drill Core	0.16	0.044	42.5	43	0.41	350	0.218	6.57	0.100	2.31	18.3	59.6	80	4.4	12.4	7.4	0.6	2	8	44.3
1273513	Drill Core	0.19	0.020	21.1	26	0.63	22	0.145	4.68	0.097	1.38	17.3	38.7	43	4.9	17.8	4.3	0.3	1	5	24.1
1273514	Drill Core	0.11	0.018	31.0	27	0.36	88	0.149	3.98	0.066	0.90	19.3	51.6	58	2.7	13.0	5.7	0.4	1	5	35.9
1273515	Drill Core	0.28	0.028	27.6	28	0.35	259	0.178	4.11	0.115	1.13	16.5	42.6	50	3.3	7.5	5.8	0.5	<1	5	36.6
1273516	Drill Core	0.68	0.023	33.2	28	0.33	483	0.183	4.53	0.078	1.69	5.3	46.5	64	1.5	7.9	6.2	0.5	2	5	38.9
1273517	Rock Pulp	1.78	0.055	8.7	35	0.73	515	0.309	4.86	2.089	0.89	21.4	41.2	18	0.8	12.7	4.0	0.3	<1	9	12.9
1273518	Drill Core	0.31	0.049	40.3	55	0.59	1152	0.398	7.27	0.208	3.65	2.1	59.3	80	1.9	9.6	14.0	1.0	3	12	86.0
1273519	Drill Core	0.62	0.039	45.2	46	0.45	1005	0.332	6.55	0.198	3.31	1.9	62.6	84	2.1	9.7	12.7	0.8	2	8	60.8
1273520	Drill Core	0.78	0.018	19.3	22	0.25	322	0.098	2.57	0.423	0.93	0.8	30.9	39	0.5	6.9	3.9	0.3	<1	2	33.8
1273521	Drill Core	0.50	0.025	34.5	33	0.35	799	0.232	4.34	0.595	2.06	1.2	55.0	66	1.2	10.0	8.5	0.6	2	5	51.7
1273522	Drill Core	0.37	0.035	37.0	36	0.48	937	0.305	4.94	0.650	2.74	1.9	56.2	72	1.7	10.1	11.8	0.9	1	6	64.1
1273523	Drill Core	0.46	0.032	19.7	29	0.37	406	0.160	3.06	0.484	1.10	1.0	37.5	39	1.0	8.4	6.5	0.4	<1	4	43.1
1273524	Drill Core	0.66	0.017	22.9	24	0.28	547	0.142	3.66	0.516	1.56	0.8	44.0	45	0.9	9.0	4.5	0.4	<1	4	33.8

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Golden Predator Canada Corp.**
11th Floor, 888 Dunsmuir Street
Vancouver BC V6C 3K4 Canada

Project: Antimony
Report Date: December 27, 2011

CERTIFICATE OF ANALYSIS WHI11001959.1

	Method	1EX	1EX	1EX
	Analyte	S	Rb	Hf
	Unit	%	ppm	ppm
	MDL	0.1	0.1	0.1
1273495	Drill Core	0.9	105.3	1.3
1273496	Drill Core	0.9	89.1	1.5
1273497	Rock Pulp	<0.1	27.7	1.5
1273498	Drill Core	1.4	86.3	1.0
1273499	Drill Core	0.5	119.4	2.5
1273500	Drill Core	0.6	126.8	2.4
1273501	Drill Core	0.7	160.6	1.8
1273502	Drill Core	0.2	116.2	1.7
1273503	Drill Core	0.8	171.9	2.1
1273504	Drill Core	0.4	148.9	2.1
1273505	Drill Core	1.2	160.1	1.9
1273506	Drill Core	0.4	153.6	2.3
1273507	Drill Core	1.5	96.3	1.6
1273508	Drill Core	2.1	86.1	1.7
1273509	Drill Core	0.3	146.4	1.9
1273510	Drill Core	0.5	105.7	1.8
1273511	Drill Core	>10	18.4	1.0
1273512	Drill Core	1.3	122.3	1.7
1273513	Drill Core	>10	81.0	1.1
1273514	Drill Core	2.8	51.8	1.3
1273515	Drill Core	0.6	58.4	1.4
1273516	Drill Core	0.8	78.0	1.7
1273517	Rock Pulp	<0.1	22.0	1.4
1273518	Drill Core	0.5	132.9	1.8
1273519	Drill Core	0.4	162.7	1.9
1273520	Drill Core	0.3	45.6	0.9
1273521	Drill Core	0.4	97.7	1.7
1273522	Drill Core	0.3	125.0	1.8
1273523	Drill Core	0.3	53.6	1.0
1273524	Drill Core	0.5	71.1	1.3

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Golden Predator Canada Corp.**
11th Floor, 888 Dunsmuir Street
Vancouver BC V6C 3K4 Canada

Project: Antimony
Report Date: December 27, 2011

CERTIFICATE OF ANALYSIS WHI11001959.1

Method		WGHT	G6	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX
Analyte		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
Unit		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
MDL		0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.2	1	0.01	1	0.1	0.1	0.1	1	0.1	0.1	0.1	1
1273525	Rock Pulp	0.17	1.501	21.1	305.9	9.5	54	0.4	37.8	9.5	575	3.69	8	0.9	1.6	2.0	212	0.2	2.1	0.3	85
1273526	Drill Core	5.08	0.017	0.7	33.1	15.7	21	<0.1	24.1	11.9	174	2.41	47	4.1	<0.1	24.3	231	<0.1	3.8	0.1	56
1273527	Drill Core	4.89	0.005	0.5	29.6	11.8	29	<0.1	20.6	10.1	311	2.59	9	3.1	<0.1	21.8	154	<0.1	2.1	0.1	42
1273528	Drill Core	4.66	0.007	0.6	33.8	10.7	15	<0.1	21.5	9.5	281	2.54	23	3.5	<0.1	23.8	199	0.1	2.0	0.6	67
1273529	Drill Core	4.43	0.007	0.3	25.8	7.3	14	<0.1	5.9	4.7	162	1.46	1	1.6	<0.1	14.2	99	<0.1	1.7	0.4	10
1273530	Drill Core	4.36	0.006	0.6	34.6	11.8	20	<0.1	8.8	7.4	219	1.95	2	1.7	<0.1	12.2	126	<0.1	1.2	0.3	16
1273531	Drill Core	4.68	0.006	0.9	37.5	9.3	12	<0.1	9.0	8.0	172	1.81	3	1.6	<0.1	12.5	96	<0.1	1.1	0.3	12
1273532	Drill Core	4.80	0.007	1.4	22.1	11.9	14	<0.1	13.5	6.1	226	1.93	7	1.9	<0.1	15.3	96	<0.1	2.5	0.2	26
1273533	Drill Core	4.78	0.008	0.2	22.4	9.0	43	<0.1	41.0	19.1	630	6.26	14	2.7	<0.1	17.1	109	<0.1	2.0	0.3	89
1273534	Drill Core	1.92	0.006	0.4	23.9	8.6	27	<0.1	34.5	15.7	662	4.76	23	2.7	<0.1	16.9	95	<0.1	1.1	0.3	97
1273535	Drill Core	2.07	0.006	0.4	23.6	9.5	25	<0.1	35.5	16.0	655	4.75	25	2.6	<0.1	16.6	96	<0.1	1.3	0.2	97
1273536	Drill Core	7.41	<0.005	0.6	34.9	13.9	19	<0.1	20.9	10.8	274	2.85	2	2.2	<0.1	15.5	92	<0.1	2.1	0.2	49
1273537	Drill Core	5.74	<0.005	0.4	18.9	8.5	13	<0.1	18.8	10.7	263	2.77	6	2.8	<0.1	18.8	119	<0.1	3.1	<0.1	51
1273538	Drill Core	6.33	0.008	<0.1	43.9	9.0	15	<0.1	33.2	16.8	314	3.56	15	2.6	<0.1	17.4	151	<0.1	3.2	0.2	67
1273539	Drill Core	5.64	0.005	0.4	40.8	8.8	9	<0.1	30.8	14.0	230	2.75	14	2.5	<0.1	17.2	135	<0.1	2.9	0.2	66
1273540	Drill Core	4.49	0.006	0.6	29.2	8.7	14	<0.1	11.9	6.5	134	1.88	10	2.3	<0.1	15.4	79	0.1	2.4	0.1	30
1273541	Drill Core	4.60	0.007	0.6	21.8	7.0	12	<0.1	24.2	12.6	349	3.20	61	3.1	<0.1	18.6	171	<0.1	3.5	<0.1	64
1273542	Drill Core	4.74	0.009	0.7	40.8	13.1	16	<0.1	17.7	10.2	196	2.14	33	2.5	<0.1	18.0	211	<0.1	2.8	0.1	37
1273543	Drill Core	4.16	0.009	0.6	74.0	10.0	18	<0.1	21.4	10.7	327	3.15	14	2.0	<0.1	14.2	137	<0.1	2.4	0.2	49
1273544	Rock Pulp	0.18	0.007	2.8	23.5	4.1	38	0.8	24.0	11.5	536	2.60	3	0.8	<0.1	1.9	239	<0.1	0.7	<0.1	84
1273545	Drill Core	3.12	0.006	1.8	29.0	29.4	57	0.2	11.3	5.2	180	1.56	22	3.8	<0.1	18.9	90	0.3	2.3	0.1	40
1273546	Drill Core	9.25	0.006	2.2	45.2	8.1	14	<0.1	22.1	11.8	459	2.87	12	2.6	<0.1	16.9	210	<0.1	2.6	0.2	47
1273547	Drill Core	6.33	0.009	1.9	27.8	4.8	18	<0.1	40.9	20.2	695	4.45	39	2.5	<0.1	17.9	183	<0.1	3.7	0.2	105
1273548	Drill Core	7.01	0.009	0.4	50.0	11.4	23	<0.1	40.3	17.1	444	4.86	21	2.5	<0.1	13.9	140	<0.1	4.1	0.3	106
1273549	Drill Core	6.97	0.007	0.4	29.0	13.1	43	<0.1	40.7	21.1	715	5.22	4	1.9	<0.1	14.4	119	0.1	1.5	0.1	91
1273550	Drill Core	6.16	0.008	0.5	77.1	14.5	29	<0.1	35.6	27.9	494	4.55	6	1.6	<0.1	15.4	113	<0.1	2.6	0.2	71
1273551	Drill Core	7.60	0.008	1.0	63.6	11.7	24	<0.1	32.8	17.0	476	3.52	9	1.8	<0.1	14.6	131	<0.1	2.0	0.4	81
1273552	Drill Core	5.59	0.012	1.5	30.6	9.3	14	<0.1	16.3	11.8	121	1.36	191	3.0	<0.1	20.5	252	0.1	2.2	0.2	42
1273553	Drill Core	6.11	0.007	0.8	33.4	8.7	42	<0.1	39.3	21.9	288	4.80	71	2.6	<0.1	17.2	184	<0.1	2.2	0.3	89
1273554	Drill Core	4.94	0.006	1.2	32.1	10.0	13	<0.1	19.7	9.9	238	2.53	19	2.7	<0.1	17.6	127	<0.1	1.8	0.1	48

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Golden Predator Canada Corp.**
11th Floor, 888 Dunsmuir Street
Vancouver BC V6C 3K4 Canada

Project: Antimony
Report Date: December 27, 2011

CERTIFICATE OF ANALYSIS WHI11001959.1

	Method	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX
	Analyte	Ca	P	La	Cr	Mg	Ba	Ti	Al	Na	K	W	Zr	Ce	Sn	Y	Nb	Ta	Be	Sc	Li
	Unit	%	%	ppm	ppm	%	ppm	%	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	MDL	0.01	0.001	0.1	1	0.01	1	0.001	0.01	0.001	0.01	0.1	0.1	1	0.1	0.1	0.1	0.1	1	1	0.1
1273525	Rock Pulp	1.62	0.057	9.3	36	0.82	508	0.283	5.19	2.073	0.92	0.9	39.3	18	2.1	12.4	3.8	0.2	<1	10	12.8
1273526	Drill Core	0.64	0.039	42.5	49	0.60	1392	0.298	6.92	0.956	3.48	1.7	71.9	79	1.7	11.1	10.4	0.7	2	9	74.2
1273527	Drill Core	0.40	0.037	41.3	39	0.52	994	0.319	5.33	0.715	2.81	1.8	70.3	78	1.4	9.6	11.3	0.8	2	7	75.7
1273528	Drill Core	0.42	0.030	46.6	49	0.60	1313	0.398	7.53	0.666	4.11	2.1	84.4	94	1.6	9.6	13.7	1.2	3	10	70.9
1273529	Drill Core	0.31	0.013	20.7	18	0.21	141	0.123	1.93	0.553	0.38	1.2	37.3	45	0.5	7.0	5.2	0.4	<1	2	31.6
1273530	Drill Core	0.39	0.014	21.6	28	0.34	264	0.149	2.72	0.607	0.64	0.5	33.1	46	0.5	7.8	6.4	0.5	1	3	41.8
1273531	Drill Core	0.34	0.016	18.8	20	0.23	147	0.113	2.10	0.630	0.37	0.7	28.6	42	0.3	7.5	4.6	0.3	<1	2	31.1
1273532	Drill Core	0.21	0.016	23.7	27	0.37	474	0.187	3.51	0.833	1.29	1.3	42.2	53	0.9	8.1	7.3	0.5	<1	4	54.9
1273533	Drill Core	0.23	0.032	41.7	69	1.05	1265	0.484	9.23	0.581	4.25	1.7	63.8	95	2.9	9.5	17.5	1.2	4	17	148.0
1273534	Drill Core	0.21	0.039	40.7	67	0.90	1349	0.495	9.11	0.490	4.77	1.9	71.0	93	2.0	8.9	16.6	1.2	3	17	100.8
1273535	Drill Core	0.21	0.034	41.0	67	0.89	1365	0.493	9.49	0.515	4.84	2.1	67.8	91	2.4	8.8	17.1	1.2	4	17	95.2
1273536	Drill Core	0.22	0.031	33.5	37	0.55	808	0.289	5.43	0.615	2.77	1.3	53.9	71	1.4	8.0	10.5	0.8	2	8	48.5
1273537	Drill Core	0.30	0.035	35.9	39	0.54	861	0.361	5.88	0.792	2.79	1.7	60.3	76	1.5	8.8	13.9	1.0	1	8	66.6
1273538	Drill Core	0.47	0.075	41.2	50	0.70	558	0.354	7.19	0.836	3.49	1.9	58.5	90	1.4	10.4	12.4	0.8	2	12	98.5
1273539	Drill Core	0.46	0.029	38.6	48	0.66	1084	0.360	6.61	0.609	3.90	1.6	61.2	82	1.6	8.7	12.4	0.8	3	10	82.2
1273540	Drill Core	0.21	0.018	24.0	27	0.40	347	0.200	3.87	0.700	1.70	1.7	44.3	50	0.9	5.5	8.1	0.5	1	5	42.0
1273541	Drill Core	0.35	0.031	40.5	49	0.65	1153	0.399	7.07	0.565	3.87	2.0	69.7	84	1.5	8.2	15.2	1.1	2	10	71.7
1273542	Drill Core	0.58	0.029	32.3	31	0.51	990	0.206	5.26	0.668	2.54	1.3	58.8	68	0.8	8.8	7.6	0.5	2	7	48.2
1273543	Drill Core	0.46	0.037	32.1	40	0.65	393	0.249	5.77	0.394	2.88	1.3	49.7	67	1.7	8.4	8.6	0.6	3	10	75.7
1273544	Rock Pulp	1.78	0.048	9.3	31	0.85	481	0.281	5.08	2.113	0.79	28.1	37.5	20	0.6	12.0	3.5	0.3	<1	11	11.4
1273545	Drill Core	0.60	0.025	30.7	29	0.44	509	0.241	5.69	0.132	1.51	11.0	59.9	65	3.7	10.3	9.2	0.7	2	7	87.0
1273546	Drill Core	0.80	0.091	38.7	40	0.51	520	0.249	6.36	0.835	2.52	1.7	47.8	84	1.3	11.1	9.1	0.6	2	9	65.7
1273547	Drill Core	0.53	0.037	45.4	73	0.95	1548	0.478	9.65	0.834	4.70	3.1	57.7	99	3.7	8.9	16.3	1.1	4	18	97.2
1273548	Drill Core	0.43	0.031	35.4	70	0.93	1386	0.449	9.14	0.652	4.67	2.1	43.7	84	3.3	8.4	13.7	0.9	3	18	82.9
1273549	Drill Core	0.18	0.033	35.9	68	0.88	1799	0.465	9.21	0.463	4.77	2.0	34.9	83	3.2	7.4	14.6	1.0	3	17	92.7
1273550	Drill Core	0.32	0.029	39.9	53	0.93	819	0.377	7.82	0.471	3.69	1.4	42.5	87	2.5	7.7	12.5	0.9	3	15	68.1
1273551	Drill Core	0.35	0.029	37.0	55	0.77	1735	0.379	8.01	0.557	4.00	1.9	48.6	80	2.1	7.6	11.7	0.8	3	15	63.2
1273552	Drill Core	1.00	0.027	22.1	30	0.54	718	0.181	5.87	0.950	1.72	1.3	66.0	47	1.6	8.1	6.9	0.5	1	7	61.4
1273553	Drill Core	0.33	0.038	41.4	67	0.92	1288	0.389	9.18	0.583	4.31	1.9	58.8	92	2.8	8.4	13.1	0.9	4	16	115.7
1273554	Drill Core	0.38	0.030	36.3	40	0.56	961	0.278	5.84	0.518	2.76	1.7	50.9	73	1.5	7.3	10.7	0.8	2	8	59.6

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Golden Predator Canada Corp.**
11th Floor, 888 Dunsmuir Street
Vancouver BC V6C 3K4 Canada

Project: Antimony
Report Date: December 27, 2011

CERTIFICATE OF ANALYSIS WHI11001959.1

Method		1EX	1EX	1EX
Analyte		S	Rb	Hf
Unit		%	ppm	ppm
MDL		0.1	0.1	0.1
1273525	Rock Pulp	<0.1	24.5	1.2
1273526	Drill Core	0.5	139.6	2.1
1273527	Drill Core	0.4	135.5	2.2
1273528	Drill Core	0.3	185.0	2.4
1273529	Drill Core	0.4	27.8	1.0
1273530	Drill Core	0.4	47.1	0.8
1273531	Drill Core	0.6	30.1	0.9
1273532	Drill Core	0.4	77.5	1.3
1273533	Drill Core	0.4	239.2	1.9
1273534	Drill Core	0.4	229.1	2.1
1273535	Drill Core	0.4	234.4	2.0
1273536	Drill Core	0.7	142.6	1.4
1273537	Drill Core	0.3	140.7	1.8
1273538	Drill Core	0.8	171.2	1.8
1273539	Drill Core	0.6	191.0	1.9
1273540	Drill Core	0.6	90.8	1.3
1273541	Drill Core	0.2	187.6	2.1
1273542	Drill Core	0.4	127.6	1.7
1273543	Drill Core	0.7	156.6	1.4
1273544	Rock Pulp	<0.1	27.3	1.2
1273545	Drill Core	0.2	90.4	1.7
1273546	Drill Core	0.6	131.0	1.3
1273547	Drill Core	0.4	248.1	1.7
1273548	Drill Core	0.5	277.3	1.1
1273549	Drill Core	0.2	279.2	1.1
1273550	Drill Core	0.6	245.3	1.2
1273551	Drill Core	0.4	225.7	1.4
1273552	Drill Core	0.3	91.6	1.7
1273553	Drill Core	0.4	224.9	1.6
1273554	Drill Core	0.5	144.3	1.6

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Golden Predator Canada Corp.**
11th Floor, 888 Dunsmuir Street
Vancouver BC V6C 3K4 Canada

Project: Antimony
Report Date: December 27, 2011

CERTIFICATE OF ANALYSIS WHI11001959.1

Method		WGHT	G6	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX
Analyte		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
Unit		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
MDL		0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.2	1	0.01	1	0.1	0.1	0.1	1	0.1	0.1	0.1	1
1273555	Rock Pulp	0.18	5.981	619.2	79.6	82.2	70	1.2	30.5	10.8	675	3.63	27	0.9	6.4	2.3	274	<0.1	21.9	0.2	222
1273556	Drill Core	3.90	0.011	2.1	107.1	11.9	98	0.2	12.9	15.0	923	5.88	3	6.8	<0.1	20.1	613	<0.1	1.2	0.7	104
1273557	Drill Core	4.34	0.010	2.7	102.7	13.6	116	0.3	15.0	14.9	1044	6.46	10	7.8	<0.1	22.5	587	0.2	1.0	0.9	99
1273558	Drill Core	4.17	0.008	2.0	49.2	11.3	21	0.2	25.3	10.4	290	3.13	23	3.4	<0.1	20.7	123	<0.1	3.1	0.2	65
1273559	Drill Core	4.88	0.015	1.3	151.0	15.8	19	1.4	12.5	6.0	157	2.76	120	2.3	<0.1	11.3	67	<0.1	7.4	0.1	12
1273560	Drill Core	5.23	0.006	0.6	62.5	10.0	14	0.3	18.8	12.0	152	2.18	48	2.7	<0.1	17.8	43	<0.1	2.3	0.2	39
1273561	Drill Core	4.46	0.005	1.1	39.5	7.1	9	0.1	12.9	6.3	145	1.58	12	2.6	<0.1	17.6	178	<0.1	1.5	<0.1	34
1273562	Drill Core	4.62	0.006	1.0	36.1	8.6	12	<0.1	24.6	15.2	200	2.38	57	3.2	<0.1	20.1	273	0.1	2.3	0.1	59
1273563	Drill Core	2.45	0.006	0.6	31.6	10.7	22	<0.1	24.0	11.2	296	2.97	6	3.0	<0.1	18.3	99	0.1	1.4	0.2	41
1273564	Drill Core	2.35	0.006	0.6	29.6	9.8	23	<0.1	21.3	11.0	291	2.97	8	2.6	<0.1	16.6	107	0.1	1.6	0.2	38
1273565	Drill Core	6.06	0.006	0.7	28.4	7.4	18	<0.1	23.6	12.6	318	2.79	7	3.1	<0.1	17.5	114	<0.1	2.3	0.2	52
1273566	Drill Core	7.70	<0.005	0.9	48.1	10.9	20	0.2	17.5	6.5	173	1.67	10	2.8	<0.1	16.9	223	<0.1	2.1	0.2	35
1273567	Drill Core	5.25	0.007	0.8	26.4	10.4	16	0.2	6.4	2.0	109	0.68	4	2.2	<0.1	14.0	69	<0.1	0.8	0.1	11
1273568	Drill Core	6.24	<0.005	1.6	54.3	12.5	19	0.3	13.3	5.7	172	1.50	14	2.5	<0.1	17.5	196	0.1	1.9	0.2	30
1273569	Drill Core	6.58	0.006	2.1	71.6	13.5	35	<0.1	39.6	19.0	747	4.09	15	2.6	<0.1	17.1	227	<0.1	3.3	0.3	63
1273570	Drill Core	6.70	0.009	0.4	28.1	29.8	57	<0.1	32.3	18.4	617	4.82	<1	1.5	<0.1	14.1	94	0.2	1.8	0.2	64
1273571	Drill Core	5.66	<0.005	0.6	12.1	21.8	75	<0.1	38.1	21.2	673	5.30	<1	1.1	<0.1	15.5	189	<0.1	0.7	0.4	57
1273572	Drill Core	6.55	<0.005	0.9	11.9	33.4	90	<0.1	33.3	20.2	560	5.02	<1	1.2	<0.1	13.6	126	0.1	0.8	0.2	58
1273573	Drill Core	6.73	0.006	0.6	26.5	28.7	111	<0.1	41.1	24.6	1209	6.19	<1	1.1	<0.1	14.8	163	<0.1	0.3	0.2	59
1273574	Drill Core	6.92	0.005	1.4	33.4	35.7	94	<0.1	42.3	23.9	925	5.99	1	2.6	<0.1	15.2	111	0.1	2.7	0.3	71
1273575	Rock Pulp	0.18	0.007	3.6	26.5	4.8	53	0.5	23.4	12.0	500	2.58	3	0.9	<0.1	2.1	247	0.3	0.7	<0.1	62
1273576	Drill Core	6.29	0.007	0.9	30.2	11.7	30	<0.1	39.3	21.6	538	4.44	3	1.8	<0.1	12.6	121	0.1	5.3	0.2	64
1273577	Drill Core	7.40	<0.005	0.5	6.7	25.9	66	<0.1	39.6	29.0	918	5.67	<1	2.6	<0.1	16.4	119	<0.1	2.3	0.2	77
1273578	Drill Core	6.00	0.005	0.5	8.8	23.7	73	<0.1	40.2	27.0	1432	5.33	<1	1.9	<0.1	17.1	149	0.1	0.4	0.2	68
1273579	Drill Core	6.84	<0.005	0.6	42.2	14.5	258	<0.1	42.5	27.9	727	5.57	<1	2.8	<0.1	16.4	122	<0.1	2.8	0.3	79
1273580	Drill Core	6.23	0.008	0.6	52.1	6.8	143	<0.1	38.1	22.4	563	4.70	8	2.2	<0.1	17.4	131	<0.1	2.8	0.3	56
1273581	Drill Core	6.32	0.006	1.2	41.6	16.8	113	<0.1	27.5	9.4	167	1.54	47	3.4	<0.1	22.4	76	0.1	2.7	0.2	41
1273582	Drill Core	6.80	0.006	2.9	88.5	12.1	70	<0.1	42.4	27.5	862	4.45	26	3.0	<0.1	17.1	147	0.2	3.7	0.4	57
1273583	Drill Core	4.43	0.006	0.6	30.2	21.5	94	<0.1	37.1	18.8	637	5.34	1	1.6	<0.1	15.2	131	<0.1	1.4	0.2	58
1273584	Drill Core	5.30	0.007	0.9	16.4	36.3	90	<0.1	37.1	18.5	462	4.84	3	1.5	<0.1	14.6	115	0.4	3.0	0.1	59

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Golden Predator Canada Corp.**
11th Floor, 888 Dunsmuir Street
Vancouver BC V6C 3K4 Canada

Project: Antimony
Report Date: December 27, 2011

CERTIFICATE OF ANALYSIS WHI11001959.1

	Method	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX
	Analyte	Ca	P	La	Cr	Mg	Ba	Ti	Al	Na	K	W	Zr	Ce	Sn	Y	Nb	Ta	Be	Sc	Li
	Unit	%	%	ppm	ppm	%	ppm	%	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	MDL	0.01	0.001	0.1	1	0.01	1	0.001	0.01	0.001	0.01	0.1	0.1	1	0.1	0.1	0.1	0.1	1	1	0.1
1273555	Rock Pulp	1.46	0.053	11.7	44	0.92	99	0.299	6.28	1.845	1.57	11.7	58.6	26	1.7	11.4	4.5	0.3	<1	11	26.5
1273556	Drill Core	3.26	0.099	42.9	85	2.22	190	0.452	8.08	1.375	1.82	0.7	182.4	85	4.2	21.2	15.5	1.1	3	16	46.4
1273557	Drill Core	3.48	0.102	50.8	89	2.39	175	0.437	8.18	1.323	1.68	0.8	180.0	93	5.2	22.3	16.8	0.9	3	16	48.4
1273558	Drill Core	0.33	0.035	47.3	48	0.62	1156	0.355	7.71	0.205	3.58	7.7	59.5	93	2.1	8.9	13.7	1.1	3	11	78.5
1273559	Drill Core	0.90	0.013	15.9	20	0.39	136	0.084	2.23	0.096	0.49	3.9	26.3	30	2.5	5.7	2.9	0.2	<1	2	21.7
1273560	Drill Core	0.81	0.040	30.9	30	0.32	360	0.215	5.86	0.051	1.60	9.6	53.1	61	1.3	8.5	7.6	0.7	2	7	98.4
1273561	Drill Core	1.07	0.019	24.7	30	0.40	703	0.201	5.37	0.418	1.57	3.4	50.8	50	1.8	7.8	8.2	0.6	2	6	73.3
1273562	Drill Core	0.91	0.034	42.6	43	0.58	1001	0.280	7.37	0.930	2.70	2.8	55.2	86	1.9	8.5	10.5	0.8	2	10	79.2
1273563	Drill Core	0.28	0.034	42.2	48	0.48	570	0.335	6.88	0.333	3.31	2.3	48.4	77	2.2	7.4	12.7	0.9	2	7	55.0
1273564	Drill Core	0.36	0.034	39.0	44	0.48	575	0.309	6.35	0.366	2.79	2.3	44.2	71	1.9	7.0	11.2	0.8	2	7	55.0
1273565	Drill Core	0.27	0.042	42.7	54	0.62	790	0.333	8.20	0.360	3.79	1.8	60.5	79	2.3	8.3	11.9	0.8	3	9	55.6
1273566	Drill Core	0.67	0.023	26.7	33	0.55	870	0.226	6.29	1.029	2.26	2.7	48.4	50	1.9	9.1	7.7	0.6	1	6	57.7
1273567	Drill Core	0.79	0.018	14.2	15	0.27	343	0.100	3.10	0.244	0.79	2.5	29.8	27	1.4	7.1	4.1	0.3	1	2	38.5
1273568	Drill Core	0.98	0.026	22.2	25	0.36	617	0.157	4.90	0.734	1.20	2.4	47.4	47	1.7	9.8	6.0	0.5	2	5	34.7
1273569	Drill Core	0.45	0.047	39.2	70	0.79	474	0.335	9.04	0.809	4.09	1.9	58.1	81	2.5	10.0	10.3	0.7	3	14	78.7
1273570	Drill Core	0.23	0.025	34.9	66	0.81	1470	0.449	8.42	0.530	3.51	1.8	36.5	71	3.2	7.5	14.1	1.0	2	14	69.0
1273571	Drill Core	0.37	0.028	36.9	66	0.85	1612	0.445	7.98	0.624	3.05	1.8	27.6	76	3.4	7.2	13.5	1.0	2	15	81.8
1273572	Drill Core	0.23	0.027	33.1	62	0.82	1554	0.428	7.65	0.574	2.82	2.0	20.7	68	3.1	5.9	13.5	0.9	3	12	61.0
1273573	Drill Core	0.20	0.030	30.9	74	0.93	1823	0.493	9.09	0.690	2.87	1.8	20.5	68	3.1	6.3	15.2	1.1	4	16	72.7
1273574	Drill Core	0.23	0.039	36.9	70	0.96	1190	0.510	9.09	0.645	3.43	2.3	45.9	77	3.1	8.6	17.1	1.2	2	15	87.3
1273575	Rock Pulp	1.85	0.053	9.7	40	0.83	552	0.319	5.30	2.242	0.93	32.0	39.1	18	0.9	13.4	4.0	0.3	<1	9	15.2
1273576	Drill Core	0.30	0.039	32.7	60	0.82	597	0.437	7.66	0.580	3.31	1.9	37.6	68	2.4	8.7	13.7	0.9	3	13	88.2
1273577	Drill Core	0.28	0.044	40.5	70	0.82	1955	0.519	8.34	0.720	3.09	1.9	25.0	85	3.8	9.2	17.5	1.1	3	15	100.0
1273578	Drill Core	0.44	0.047	44.9	62	0.83	1788	0.535	8.12	0.719	2.77	1.8	41.8	94	3.3	10.5	18.2	1.2	3	15	78.0
1273579	Drill Core	0.40	0.035	44.1	68	0.83	1235	0.497	8.56	0.657	3.80	1.7	39.5	91	2.7	9.6	16.0	1.0	3	16	110.0
1273580	Drill Core	0.42	0.034	47.7	69	0.90	1036	0.421	8.93	0.475	3.60	2.5	37.1	91	2.5	9.6	14.2	1.0	4	14	92.7
1273581	Drill Core	0.21	0.038	39.8	41	0.34	868	0.250	7.94	0.117	2.23	8.6	57.8	75	1.9	11.9	8.9	0.6	2	7	63.3
1273582	Drill Core	0.50	0.033	38.2	65	0.80	761	0.368	8.61	0.584	3.36	2.2	53.3	76	2.6	9.4	12.6	0.9	3	13	92.7
1273583	Drill Core	0.37	0.027	36.9	65	0.77	1647	0.425	8.86	0.400	2.88	1.9	31.7	78	3.1	8.3	14.0	0.9	4	14	137.9
1273584	Drill Core	0.33	0.025	37.0	65	0.81	1596	0.392	8.67	0.522	3.71	1.9	23.3	74	2.6	7.6	12.6	0.9	3	14	101.0

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Golden Predator Canada Corp.**
11th Floor, 888 Dunsmuir Street
Vancouver BC V6C 3K4 Canada

Project: Antimony
Report Date: December 27, 2011

CERTIFICATE OF ANALYSIS WHI11001959.1

Method		1EX	1EX	1EX
Analyte		S	Rb	Hf
Unit		%	ppm	ppm
MDL		0.1	0.1	0.1
1273555	Rock Pulp	0.7	44.4	1.8
1273556	Drill Core	1.4	87.0	4.5
1273557	Drill Core	1.3	116.6	4.6
1273558	Drill Core	0.6	175.9	1.7
1273559	Drill Core	2.0	33.6	1.0
1273560	Drill Core	0.9	102.2	1.4
1273561	Drill Core	0.5	88.9	1.7
1273562	Drill Core	0.5	129.0	1.3
1273563	Drill Core	0.4	144.0	1.5
1273564	Drill Core	0.4	124.8	1.5
1273565	Drill Core	0.3	167.2	1.8
1273566	Drill Core	0.3	105.4	1.4
1273567	Drill Core	0.1	36.9	0.9
1273568	Drill Core	0.5	48.8	1.6
1273569	Drill Core	0.7	189.8	1.7
1273570	Drill Core	0.2	241.4	1.1
1273571	Drill Core	0.2	245.1	0.8
1273572	Drill Core	0.1	210.5	0.6
1273573	Drill Core	<0.1	238.3	0.7
1273574	Drill Core	0.3	195.9	1.3
1273575	Rock Pulp	<0.1	24.6	1.1
1273576	Drill Core	0.2	183.6	1.2
1273577	Drill Core	<0.1	241.4	0.7
1273578	Drill Core	<0.1	231.4	1.3
1273579	Drill Core	0.2	234.3	1.2
1273580	Drill Core	0.3	187.9	1.2
1273581	Drill Core	<0.1	137.4	1.7
1273582	Drill Core	0.4	171.4	1.7
1273583	Drill Core	<0.1	247.6	0.9
1273584	Drill Core	0.2	227.8	0.7

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Golden Predator Canada Corp.**
11th Floor, 888 Dunsmuir Street
Vancouver BC V6C 3K4 Canada

Project: Antimony
Report Date: December 27, 2011

CERTIFICATE OF ANALYSIS WHI11001959.1

Method		WGHT	G6	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX
Analyte		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
Unit		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
MDL		0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.2	1	0.01	1	0.1	0.1	0.1	1	0.1	0.1	0.1	1
1273585	Drill Core	6.40	0.012	0.6	19.1	15.2	39	0.7	39.7	16.2	421	4.28	5	2.0	<0.1	16.6	186	0.1	2.9	0.1	66
1273586	Rock Pulp	0.18	0.819	6.7	46.1	6.6	64	0.6	34.5	15.6	603	3.34	7	0.9	0.9	2.4	213	0.4	1.4	<0.1	65
1273587	Drill Core	4.70	0.009	1.1	27.0	12.7	34	0.1	34.1	14.2	289	3.45	10	2.0	<0.1	16.0	206	<0.1	4.8	0.1	49
1273588	Drill Core	7.30	0.008	1.1	62.9	8.8	38	0.2	33.8	19.1	556	4.47	5	3.5	<0.1	17.7	260	<0.1	1.8	0.3	67
1273589	Drill Core	6.29	<0.005	0.3	44.0	19.9	77	<0.1	40.8	18.8	977	6.27	2	1.4	<0.1	15.2	122	<0.1	0.9	0.3	62
1273590	Drill Core	6.70	0.007	4.7	52.3	18.0	70	0.1	39.8	30.7	2438	4.95	6	2.9	<0.1	15.9	88	0.1	1.6	0.3	56
1273591	Drill Core	5.75	<0.005	0.8	36.1	10.6	57	0.5	40.4	18.8	1034	6.25	2	1.8	<0.1	17.0	123	0.1	0.9	<0.1	72
1273592	Drill Core	7.28	<0.005	6.5	119.2	10.8	30	0.1	45.1	20.2	164	4.07	38	6.9	<0.1	12.3	196	0.2	4.3	0.5	110
1273593	Drill Core	6.36	<0.005	2.1	30.9	8.4	43	<0.1	21.5	8.2	400	2.53	39	2.3	<0.1	9.5	170	<0.1	2.4	0.1	56
1273594	Drill Core	3.51	0.008	0.7	56.1	12.0	50	<0.1	19.5	9.7	494	2.63	7	2.0	<0.1	8.2	132	0.1	1.7	0.2	39
1273595	Drill Core	3.49	<0.005	0.5	59.2	11.2	47	<0.1	18.8	9.6	467	2.57	6	1.7	<0.1	6.5	124	0.2	1.4	0.2	35
1273596	Drill Core	6.82	0.006	2.0	114.1	10.3	42	<0.1	26.8	11.6	522	3.63	13	2.2	<0.1	5.8	88	0.1	2.5	0.2	51
1273597	Drill Core	6.33	0.011	0.4	32.8	6.2	39	<0.1	19.5	11.8	613	4.26	428	1.1	<0.1	6.9	116	<0.1	2.2	0.1	33
1273598	Drill Core	6.92	0.018	0.4	27.5	6.4	46	<0.1	18.9	10.2	1049	4.80	988	0.6	<0.1	6.4	116	0.2	3.3	0.2	41
1273599	Drill Core	6.38	0.006	0.9	48.2	8.8	44	<0.1	17.2	8.6	685	3.43	46	1.2	<0.1	5.7	111	0.1	2.6	0.2	43
1273600	Drill Core	6.18	<0.005	1.6	75.2	8.0	46	<0.1	22.6	11.2	641	3.62	41	1.8	<0.1	7.5	229	0.1	2.1	0.2	61
1273601	Drill Core	6.31	<0.005	10.7	115.2	13.0	23	<0.1	42.4	12.3	228	3.42	25	7.1	<0.1	13.0	254	0.1	4.3	0.4	174
1273602	Drill Core	6.37	0.008	1.3	53.2	11.1	42	<0.1	18.9	11.2	671	3.16	71	1.5	<0.1	7.0	216	0.1	2.4	0.2	56
1273603	Drill Core	7.18	<0.005	1.4	52.4	11.1	38	<0.1	24.3	9.7	622	2.85	23	2.1	<0.1	8.2	222	<0.1	2.8	0.2	62
1273604	Drill Core	6.95	<0.005	0.8	41.1	8.5	30	<0.1	18.0	8.1	395	2.90	14	1.1	<0.1	7.7	210	<0.1	2.2	0.2	53
1273605	Drill Core	6.55	<0.005	5.7	122.1	10.0	23	0.1	43.7	11.2	234	4.13	18	3.8	<0.1	6.3	148	<0.1	4.0	0.7	168
1273606	Rock Pulp	0.17	<0.005	3.4	23.8	4.3	43	0.5	21.8	11.0	527	2.61	3	0.8	<0.1	1.9	262	0.2	0.9	<0.1	84
1273607	Drill Core	7.39	0.019	15.0	236.9	9.0	17	0.2	75.5	13.3	407	6.36	35	10.9	<0.1	6.5	193	<0.1	7.8	1.7	256
1273608	Drill Core	4.94	<0.005	2.3	97.0	13.2	24	0.2	23.4	7.3	180	2.91	47	1.9	<0.1	3.8	52	<0.1	9.0	0.4	37
1273609	Drill Core	4.84	<0.005	1.0	88.8	11.4	29	<0.1	21.1	7.5	223	2.71	50	1.7	<0.1	3.1	37	<0.1	6.5	0.4	49
1273610	Drill Core	4.67	0.015	0.4	249.3	9.2	34	0.1	62.4	16.1	422	5.44	93	1.2	<0.1	4.3	97	<0.1	8.5	0.6	59
1273611	Drill Core	4.66	0.026	2.7	190.1	5.6	34	<0.1	71.3	15.7	625	6.55	66	4.8	<0.1	8.5	202	<0.1	5.3	1.4	183
1273612	Drill Core	4.42	0.011	2.1	114.6	6.1	28	<0.1	36.7	9.5	548	3.90	49	2.9	<0.1	5.7	132	<0.1	4.8	0.4	125
1273613	Drill Core	4.84	0.009	0.5	45.8	8.7	42	<0.1	17.7	4.7	1049	2.92	27	1.2	<0.1	3.3	57	<0.1	3.2	0.3	34
1273614	Drill Core	4.65	0.010	0.3	68.7	5.6	73	<0.1	45.4	10.8	2552	5.74	20	1.6	<0.1	5.8	130	<0.1	3.0	0.4	82

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Golden Predator Canada Corp.**
11th Floor, 888 Dunsmuir Street
Vancouver BC V6C 3K4 Canada

Project: Antimony
Report Date: December 27, 2011

CERTIFICATE OF ANALYSIS WHI11001959.1

	Method	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX
	Analyte	Ca	P	La	Cr	Mg	Ba	Ti	Al	Na	K	W	Zr	Ce	Sn	Y	Nb	Ta	Be	Sc	Li
	Unit	%	%	ppm	ppm	%	ppm	%	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	MDL	0.01	0.001	0.1	1	0.01	1	0.001	0.01	0.001	0.01	0.1	0.1	1	0.1	0.1	0.1	0.1	1	1	0.1
1273585	Drill Core	0.53	0.026	42.4	64	0.86	1820	0.431	8.77	0.720	2.82	4.9	31.7	83	2.7	8.6	14.2	0.9	2	15	85.2
1273586	Rock Pulp	1.59	0.057	9.8	46	0.94	553	0.294	5.49	2.105	0.93	42.6	41.7	18	1.6	13.2	4.0	0.2	<1	8	15.8
1273587	Drill Core	0.48	0.029	35.1	56	0.78	1425	0.345	7.61	1.127	3.21	2.6	31.3	68	2.2	7.2	10.7	0.7	3	12	67.3
1273588	Drill Core	1.09	0.057	44.2	75	1.18	626	0.461	8.70	0.947	3.26	2.7	82.6	86	1.7	10.8	14.3	1.0	2	15	76.1
1273589	Drill Core	0.23	0.029	36.8	80	0.85	1358	0.480	9.85	0.502	3.97	2.4	40.1	79	2.9	8.3	15.0	1.1	4	16	107.7
1273590	Drill Core	0.21	0.031	35.1	63	0.91	617	0.438	8.54	0.435	3.42	2.6	56.4	74	2.4	8.8	15.5	1.1	4	13	77.0
1273591	Drill Core	0.28	0.032	42.3	79	1.05	1862	0.502	10.34	0.552	3.85	8.4	48.1	90	2.8	8.1	16.4	1.1	4	17	91.4
1273592	Drill Core	1.39	0.179	39.1	51	1.64	94	0.309	7.00	0.785	3.88	1.1	97.3	75	0.8	21.4	12.8	0.8	2	10	61.9
1273593	Drill Core	1.37	0.066	27.1	32	1.28	477	0.239	4.62	0.530	1.89	1.0	27.5	45	0.8	10.9	9.9	0.5	1	6	55.4
1273594	Drill Core	1.52	0.101	24.5	30	1.29	226	0.272	3.77	0.351	1.35	13.0	39.0	39	1.2	13.2	13.6	0.7	2	5	48.0
1273595	Drill Core	1.40	0.084	20.4	30	1.25	198	0.256	3.63	0.344	1.22	1.4	33.2	32	0.8	11.4	12.6	0.7	1	5	44.0
1273596	Drill Core	1.48	0.177	17.7	35	1.26	96	0.213	3.14	0.204	0.92	2.1	31.2	29	0.8	14.4	9.9	0.5	<1	5	46.9
1273597	Drill Core	0.91	0.052	25.1	29	1.32	524	0.251	3.72	0.400	1.20	0.8	14.5	41	0.5	11.3	13.6	0.7	2	6	92.6
1273598	Drill Core	0.77	0.025	24.3	25	1.33	966	0.228	3.62	0.359	0.98	0.8	10.6	43	2.3	9.6	13.5	0.7	1	7	94.7
1273599	Drill Core	1.42	0.087	20.4	23	1.10	976	0.198	3.11	0.195	1.04	0.5	15.8	34	0.8	11.2	11.4	0.6	2	6	48.0
1273600	Drill Core	1.83	0.104	23.8	33	1.59	268	0.274	4.26	0.379	1.29	0.4	34.5	41	0.6	15.5	13.8	0.7	3	8	51.4
1273601	Drill Core	0.99	0.193	36.2	59	1.15	123	0.123	6.32	0.781	3.36	1.0	58.3	71	0.6	20.1	4.1	0.2	2	8	53.7
1273602	Drill Core	1.29	0.085	21.5	32	1.43	334	0.243	3.91	0.439	1.64	0.6	27.9	38	0.6	12.6	11.3	0.6	2	8	51.0
1273603	Drill Core	1.58	0.112	24.0	31	1.37	809	0.258	4.21	0.363	1.80	0.9	38.1	43	0.6	17.4	10.6	0.6	1	8	53.0
1273604	Drill Core	1.21	0.044	24.6	31	1.38	776	0.266	4.17	0.495	1.63	0.5	17.0	43	0.4	10.4	12.0	0.7	3	8	57.1
1273605	Drill Core	0.97	0.088	18.1	36	1.08	54	0.160	3.28	0.319	1.46	0.8	41.1	33	0.5	14.4	6.3	0.4	<1	6	42.7
1273606	Rock Pulp	1.84	0.056	8.5	26	0.83	491	0.276	5.26	2.197	0.88	26.6	37.9	18	0.7	14.3	3.6	0.2	<1	10	13.3
1273607	Drill Core	2.56	0.532	21.9	47	1.40	48	0.156	3.61	0.157	1.17	1.5	39.2	38	1.8	28.2	3.3	0.2	4	7	33.5
1273608	Drill Core	1.08	0.031	11.5	24	0.44	269	0.092	2.43	0.114	0.97	0.8	16.8	19	1.6	7.3	2.9	0.2	<1	5	31.9
1273609	Drill Core	0.75	0.031	9.6	20	0.49	410	0.089	1.91	0.047	0.76	0.8	13.4	15	0.8	6.2	3.1	0.2	1	4	32.3
1273610	Drill Core	0.89	0.020	23.0	30	1.15	107	0.153	2.64	0.170	0.77	0.3	19.2	33	0.4	13.7	5.6	0.3	<1	6	45.2
1273611	Drill Core	1.65	0.264	39.9	54	1.83	97	0.293	4.94	0.532	1.73	0.4	45.0	58	0.5	31.9	13.1	0.7	2	10	71.4
1273612	Drill Core	1.37	0.095	19.6	48	1.12	447	0.190	3.25	0.268	0.91	0.4	36.2	29	0.5	16.0	8.1	0.4	2	7	48.3
1273613	Drill Core	0.61	0.016	12.2	17	0.74	448	0.110	1.92	0.134	0.60	0.5	7.5	18	0.6	7.3	4.9	0.2	<1	4	48.9
1273614	Drill Core	1.12	0.062	33.6	31	1.40	961	0.208	3.51	0.265	1.22	0.3	18.8	45	0.8	19.3	8.8	0.5	2	8	64.0

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Golden Predator Canada Corp.**
11th Floor, 888 Dunsmuir Street
Vancouver BC V6C 3K4 Canada

Project: Antimony
Report Date: December 27, 2011

CERTIFICATE OF ANALYSIS WHI11001959.1

Method		1EX	1EX	1EX
Analyte		S	Rb	Hf
Unit		%	ppm	ppm
MDL		0.1	0.1	0.1
1273585	Drill Core	<0.1	253.7	0.9
1273586	Rock Pulp	<0.1	30.1	1.3
1273587	Drill Core	0.2	199.4	0.9
1273588	Drill Core	0.5	174.7	2.1
1273589	Drill Core	0.3	268.3	1.1
1273590	Drill Core	0.5	167.7	1.6
1273591	Drill Core	0.2	268.4	1.3
1273592	Drill Core	1.5	183.0	2.6
1273593	Drill Core	0.2	116.5	0.8
1273594	Drill Core	0.5	81.1	0.9
1273595	Drill Core	0.4	73.5	0.9
1273596	Drill Core	1.1	64.6	0.8
1273597	Drill Core	0.2	74.6	0.4
1273598	Drill Core	0.3	49.9	0.1
1273599	Drill Core	0.4	57.1	0.6
1273600	Drill Core	0.9	77.5	0.8
1273601	Drill Core	1.5	131.0	1.6
1273602	Drill Core	0.7	76.7	0.7
1273603	Drill Core	0.5	90.0	1.0
1273604	Drill Core	0.5	84.9	0.5
1273605	Drill Core	1.9	82.6	1.1
1273606	Rock Pulp	<0.1	22.7	1.1
1273607	Drill Core	3.5	63.7	0.8
1273608	Drill Core	1.4	54.1	0.4
1273609	Drill Core	0.6	47.9	0.3
1273610	Drill Core	2.8	54.4	0.4
1273611	Drill Core	2.5	117.0	1.0
1273612	Drill Core	1.0	60.9	0.8
1273613	Drill Core	0.3	37.6	0.2
1273614	Drill Core	0.4	73.3	0.4

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Golden Predator Canada Corp.**
11th Floor, 888 Dunsmuir Street
Vancouver BC V6C 3K4 Canada

Project: Antimony
Report Date: December 27, 2011

CERTIFICATE OF ANALYSIS WHI11001959.1

Method		WGHT	G6	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX
Analyte		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
Unit		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
MDL		0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.2	1	0.01	1	0.1	0.1	0.1	1	0.1	0.1	0.1	1
1273615	Drill Core	4.55	0.032	1.4	175.8	3.7	91	<0.1	82.9	15.1	3840	7.72	61	4.3	<0.1	7.4	161	<0.1	4.5	0.3	200
1273616	Rock Pulp	0.18	1.377	20.9	337.9	10.3	58	0.5	37.8	9.7	664	3.97	9	0.9	1.3	2.2	262	0.2	2.7	0.4	94
1273617	Drill Core	4.33	0.022	6.1	143.7	5.1	66	<0.1	56.4	9.6	2048	6.28	41	4.7	<0.1	8.5	176	<0.1	4.3	0.3	184
1273618	Drill Core	5.53	0.011	9.9	179.2	14.1	35	0.1	50.6	12.3	211	4.18	30	4.7	<0.1	8.6	83	0.2	18.7	0.6	170
1273619	Drill Core	6.14	0.013	13.5	145.2	11.8	24	0.1	56.5	10.4	151	3.76	38	8.6	<0.1	10.4	108	<0.1	8.2	0.4	289
1273620	Drill Core	6.47	0.009	12.8	149.0	9.2	13	0.1	54.7	13.4	119	3.86	33	9.5	<0.1	13.7	147	<0.1	7.7	0.3	217
1273621	Drill Core	6.52	0.007	11.6	123.0	8.7	13	0.1	51.9	14.0	77	3.81	8	8.2	<0.1	15.4	143	<0.1	4.9	0.3	197
1273622	Drill Core	6.78	0.006	8.6	140.5	13.1	19	0.2	56.0	13.0	89	3.59	17	10.7	<0.1	13.4	229	<0.1	9.3	0.4	268
1273623	Drill Core	6.06	0.019	8.0	152.5	28.0	23	0.2	58.2	12.5	96	3.30	17	10.5	<0.1	11.8	232	<0.1	12.0	0.8	231
1273624	Drill Core	6.28	0.007	8.2	147.6	17.9	23	0.3	55.2	13.6	101	2.93	41	7.3	<0.1	13.5	249	0.2	9.5	0.6	203
1273625	Drill Core	6.25	<0.005	11.2	154.1	29.3	40	0.3	61.2	12.3	80	3.17	20	11.2	<0.1	13.6	262	0.4	16.7	0.6	284
1273626	Drill Core	6.05	0.006	13.1	191.2	12.9	12	0.2	69.5	15.1	70	4.41	34	10.9	<0.1	13.4	233	<0.1	11.0	0.7	287
1273627	Drill Core	3.09	<0.005	17.3	163.9	11.9	10	0.2	45.3	13.7	63	3.85	37	16.4	<0.1	16.4	235	<0.1	8.7	0.9	109
1273628	Drill Core	2.66	<0.005	14.9	150.0	11.3	10	0.2	41.7	12.8	60	3.60	27	14.3	<0.1	16.4	259	<0.1	7.3	0.8	111
1273629	Drill Core	5.12	<0.005	10.5	425.4	28.4	65	1.6	50.2	15.4	164	4.95	86	12.2	<0.1	14.0	211	0.6	27.2	0.9	212
1273630	Drill Core	4.06	<0.005	8.6	121.7	10.8	12	0.2	44.2	10.6	82	3.29	35	8.0	<0.1	15.1	246	<0.1	9.0	0.9	145
1273631	Drill Core	3.78	<0.005	8.5	100.4	14.6	16	<0.1	28.3	10.9	75	3.62	24	4.8	<0.1	17.5	161	<0.1	13.6	0.5	56
1273632	Drill Core	4.87	0.012	13.4	96.3	10.7	11	0.1	47.4	12.6	109	3.67	109	13.6	<0.1	14.5	129	<0.1	15.8	0.5	334
1273633	Drill Core	4.48	0.007	16.5	137.7	12.2	18	<0.1	59.9	12.6	97	3.42	92	14.5	<0.1	16.0	164	0.1	17.3	0.8	343
1273634	Drill Core	4.19	<0.005	17.6	75.7	20.8	43	<0.1	48.0	86.3	163	1.90	1209	11.7	<0.1	10.6	141	0.3	10.3	0.6	360
1273635	Drill Core	4.36	<0.005	13.2	76.9	77.2	161	0.2	45.7	10.5	124	1.78	139	11.0	<0.1	8.4	144	1.6	10.9	0.6	447
1273636	Rock Pulp	0.18	<0.005	3.4	23.8	5.1	47	0.2	21.8	11.6	486	2.57	4	0.8	<0.1	2.1	260	0.3	0.9	<0.1	77
1273637	Drill Core	4.49	0.008	16.6	128.9	12.7	31	<0.1	51.1	7.8	93	2.70	31	13.3	<0.1	8.6	128	0.2	7.6	0.6	350
1273638	Drill Core	4.30	0.010	14.1	147.7	13.1	29	<0.1	53.4	10.0	107	3.31	39	9.8	<0.1	9.8	148	0.2	10.9	0.7	287
1273639	Drill Core	4.91	0.014	9.7	167.5	16.5	31	0.1	51.5	11.3	151	3.67	44	8.9	<0.1	11.3	170	0.1	12.5	0.6	276
1273640	Drill Core	4.71	<0.005	2.4	158.1	16.0	32	<0.1	38.9	12.0	157	3.74	64	3.4	<0.1	8.6	135	0.2	8.0	0.4	65
1273641	Drill Core	4.99	0.009	3.7	117.1	12.0	32	<0.1	46.2	9.9	266	3.32	58	5.0	<0.1	10.4	181	<0.1	4.7	0.5	140
1273642	Drill Core	3.38	0.028	8.6	319.5	14.9	43	0.2	111.6	17.0	376	6.62	77	8.5	<0.1	10.7	244	0.1	10.0	0.9	366
1273643	Drill Core	4.40	0.023	2.6	427.8	5.6	59	<0.1	105.8	19.7	726	7.61	57	5.2	<0.1	10.6	224	<0.1	7.2	0.4	170
1273644	Drill Core	4.46	0.016	0.3	170.8	9.1	74	<0.1	51.0	9.1	1801	4.89	24	1.3	<0.1	6.7	149	0.1	9.2	0.2	80

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Golden Predator Canada Corp.**
11th Floor, 888 Dunsmuir Street
Vancouver BC V6C 3K4 Canada

Project: Antimony
Report Date: December 27, 2011

CERTIFICATE OF ANALYSIS WHI11001959.1

	Method	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX
	Analyte	Ca	P	La	Cr	Mg	Ba	Ti	Al	Na	K	W	Zr	Ce	Sn	Y	Nb	Ta	Be	Sc	Li
	Unit	%	%	ppm	ppm	%	ppm	%	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	MDL	0.01	0.001	0.1	1	0.01	1	0.001	0.01	0.001	0.01	0.1	0.1	1	0.1	0.1	0.1	0.1	1	1	0.1
1273615	Drill Core	1.29	0.145	29.5	66	1.64	368	0.285	4.70	0.262	1.70	0.4	30.5	41	0.5	23.9	12.9	0.6	1	9	77.5
1273616	Rock Pulp	1.75	0.063	9.8	37	0.88	557	0.288	5.55	2.224	1.01	0.8	40.0	20	2.1	15.7	4.1	0.2	1	10	15.0
1273617	Drill Core	1.08	0.085	32.7	58	1.58	82	0.229	4.65	0.309	1.81	0.8	32.4	51	0.5	17.8	9.6	0.6	3	8	70.8
1273618	Drill Core	1.18	0.131	26.5	34	0.90	40	0.083	4.93	0.157	1.94	0.7	49.8	46	0.9	15.6	3.1	0.2	2	6	60.1
1273619	Drill Core	1.13	0.374	31.1	59	0.95	75	0.075	5.05	0.172	2.37	0.5	65.5	61	0.7	25.5	2.7	0.1	2	7	73.4
1273620	Drill Core	0.89	0.310	36.0	54	1.13	101	0.088	6.55	0.364	2.91	0.9	76.8	74	1.0	23.0	2.7	0.2	2	8	64.2
1273621	Drill Core	0.48	0.193	36.8	66	1.06	151	0.099	7.03	0.454	2.96	0.8	75.7	75	0.7	14.8	3.3	0.2	2	8	60.1
1273622	Drill Core	1.55	0.503	36.5	96	1.10	157	0.097	7.06	0.587	3.21	0.8	84.0	72	0.7	28.6	2.9	0.2	4	10	54.5
1273623	Drill Core	2.05	0.614	35.5	88	1.14	137	0.099	6.60	0.541	3.17	1.5	86.7	69	0.8	31.1	3.1	0.2	2	10	48.0
1273624	Drill Core	1.18	0.212	28.5	81	0.99	144	0.110	6.51	0.636	2.96	2.6	74.0	54	0.6	15.4	3.5	0.2	3	8	46.0
1273625	Drill Core	1.83	0.519	35.8	88	1.07	126	0.097	6.73	0.573	3.22	4.8	88.8	71	0.5	26.8	3.1	0.2	3	9	50.4
1273626	Drill Core	1.40	0.426	34.4	61	1.09	82	0.091	6.27	0.710	2.99	1.8	78.0	69	0.7	23.7	2.6	0.2	2	8	47.7
1273627	Drill Core	0.80	0.164	38.5	51	0.96	126	0.082	6.58	0.729	3.51	3.2	79.8	81	0.7	15.6	2.9	0.2	2	8	42.0
1273628	Drill Core	0.94	0.188	41.2	56	0.98	148	0.088	6.93	0.789	3.50	3.1	84.5	84	0.8	17.1	2.8	0.2	2	8	40.0
1273629	Drill Core	1.82	0.323	21.7	79	0.87	64	0.158	5.99	0.356	2.83	8.3	76.7	44	9.9	20.7	5.2	0.3	1	8	32.3
1273630	Drill Core	1.47	0.322	41.1	57	1.05	231	0.085	7.16	0.605	3.66	2.1	64.2	82	0.8	19.8	2.3	0.1	3	8	46.3
1273631	Drill Core	0.32	0.029	42.9	46	1.05	240	0.077	7.03	0.575	3.87	3.0	62.8	89	1.7	11.9	2.8	0.2	2	7	53.4
1273632	Drill Core	1.40	0.117	40.0	72	1.11	764	0.092	6.77	0.211	2.91	1.1	76.0	77	1.4	14.5	2.6	0.2	2	8	62.8
1273633	Drill Core	1.26	0.260	46.1	74	1.21	703	0.152	6.88	0.204	2.82	1.3	99.8	82	1.0	19.8	5.7	0.3	2	9	71.7
1273634	Drill Core	2.14	0.366	26.9	36	0.53	407	0.113	3.52	0.135	1.66	1.5	54.8	46	1.2	19.9	3.8	0.2	<1	5	41.8
1273635	Drill Core	1.34	0.290	19.3	42	0.49	424	0.111	3.50	0.190	1.74	1.8	53.6	31	1.2	14.5	3.5	0.3	1	5	42.3
1273636	Rock Pulp	1.80	0.054	8.6	32	0.81	487	0.300	5.17	2.189	0.87	28.9	40.0	17	0.8	13.3	3.8	0.3	<1	9	13.6
1273637	Drill Core	1.45	0.552	34.0	50	0.59	504	0.113	3.78	0.115	1.75	0.6	54.7	56	0.6	23.4	3.6	0.2	1	5	51.9
1273638	Drill Core	1.20	0.191	24.2	47	0.75	622	0.118	4.36	0.137	1.89	0.7	63.4	38	0.6	13.0	3.9	0.3	2	6	61.2
1273639	Drill Core	1.24	0.322	36.5	61	0.95	715	0.124	5.24	0.224	2.52	0.8	75.4	57	0.7	20.3	4.5	0.3	2	8	65.8
1273640	Drill Core	1.02	0.141	29.9	31	0.91	182	0.129	3.76	0.151	1.50	1.4	44.3	47	0.4	16.1	3.7	0.3	1	6	66.2
1273641	Drill Core	1.24	0.243	38.6	50	1.20	603	0.257	4.56	0.212	2.19	1.6	54.6	54	0.4	19.5	9.6	0.6	1	8	69.6
1273642	Drill Core	1.76	0.453	33.1	85	1.34	56	0.247	5.41	0.246	2.47	1.5	73.9	51	0.3	30.6	7.3	0.5	2	10	74.5
1273643	Drill Core	1.72	0.201	41.1	55	1.93	203	0.313	4.96	0.317	1.30	0.4	58.7	54	0.2	21.0	13.5	0.8	3	9	69.5
1273644	Drill Core	1.16	0.031	32.1	35	1.25	617	0.221	3.36	0.183	0.84	0.3	20.8	40	0.4	13.7	8.7	0.5	1	7	61.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Golden Predator Canada Corp.**
11th Floor, 888 Dunsmuir Street
Vancouver BC V6C 3K4 Canada

Project: Antimony
Report Date: December 27, 2011

CERTIFICATE OF ANALYSIS WHI11001959.1

		Method	1EX	1EX	1EX
		Analyte	S	Rb	Hf
		Unit	%	ppm	ppm
		MDL	0.1	0.1	0.1
1273615	Drill Core		1.0	90.5	0.7
1273616	Rock Pulp		<0.1	27.8	1.2
1273617	Drill Core		1.4	94.6	0.8
1273618	Drill Core		3.1	87.6	1.1
1273619	Drill Core		1.7	107.7	1.7
1273620	Drill Core		2.0	119.4	2.0
1273621	Drill Core		1.8	114.3	1.9
1273622	Drill Core		1.6	144.4	2.0
1273623	Drill Core		1.6	148.3	2.1
1273624	Drill Core		1.4	142.7	1.8
1273625	Drill Core		1.6	150.8	2.3
1273626	Drill Core		2.3	141.7	2.0
1273627	Drill Core		1.9	160.8	2.1
1273628	Drill Core		1.6	170.4	2.1
1273629	Drill Core		2.4	116.2	2.0
1273630	Drill Core		1.2	175.4	1.7
1273631	Drill Core		1.2	164.1	1.7
1273632	Drill Core		0.8	128.5	2.0
1273633	Drill Core		0.8	97.9	2.5
1273634	Drill Core		0.5	82.8	1.3
1273635	Drill Core		0.6	88.9	1.4
1273636	Rock Pulp		<0.1	20.8	1.2
1273637	Drill Core		0.8	81.5	1.4
1273638	Drill Core		1.0	87.0	1.6
1273639	Drill Core		1.4	116.1	1.9
1273640	Drill Core		1.9	81.7	1.2
1273641	Drill Core		0.9	125.2	1.2
1273642	Drill Core		3.0	92.9	1.8
1273643	Drill Core		3.2	96.7	1.4
1273644	Drill Core		0.8	53.5	0.5

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Golden Predator Canada Corp.**
11th Floor, 888 Dunsmuir Street
Vancouver BC V6C 3K4 Canada

Project: Antimony
Report Date: December 27, 2011

QUALITY CONTROL REPORT WHI11001959.1

	Method	WGHT	G6	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX
	Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
	Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	MDL	0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.2	1	0.01	1	0.1	0.1	0.1	1	0.1	0.1	0.1	1
Pulp Duplicates																					
REP 1273512	QC			0.7	199.1	38.4	54	1.4	19.2	37.9	383	3.97	989	3.8	0.2	18.7	58	0.5	11.2	3.3	49
1273517	Rock Pulp	0.16	0.007	3.5	26.4	5.2	46	0.6	23.9	10.1	462	2.38	3	0.9	<0.1	2.0	243	0.3	0.7	<0.1	79
REP 1273517	QC		0.009																		
1273528	Drill Core	4.66	0.007	0.6	33.8	10.7	15	<0.1	21.5	9.5	281	2.54	23	3.5	<0.1	23.8	199	0.1	2.0	0.6	67
REP 1273528	QC		0.007																		
1273540	Drill Core	4.49	0.006	0.6	29.2	8.7	14	<0.1	11.9	6.5	134	1.88	10	2.3	<0.1	15.4	79	0.1	2.4	0.1	30
REP 1273540	QC			0.5	30.0	9.0	14	<0.1	11.0	6.3	143	1.94	10	2.1	<0.1	15.5	85	<0.1	2.5	<0.1	30
1273584	Drill Core	5.30	0.007	0.9	16.4	36.3	90	<0.1	37.1	18.5	462	4.84	3	1.5	<0.1	14.6	115	0.4	3.0	0.1	59
REP 1273584	QC			0.8	16.1	32.7	86	<0.1	35.8	18.1	446	4.51	2	1.6	<0.1	14.8	109	0.3	2.8	0.1	55
1273587	Drill Core	4.70	0.009	1.1	27.0	12.7	34	0.1	34.1	14.2	289	3.45	10	2.0	<0.1	16.0	206	<0.1	4.8	0.1	49
REP 1273587	QC		0.006																		
1273615	Drill Core	4.55	0.032	1.4	175.8	3.7	91	<0.1	82.9	15.1	3840	7.72	61	4.3	<0.1	7.4	161	<0.1	4.5	0.3	200
REP 1273615	QC		0.028																		
1273624	Drill Core	6.28	0.007	8.2	147.6	17.9	23	0.3	55.2	13.6	101	2.93	41	7.3	<0.1	13.5	249	0.2	9.5	0.6	203
REP 1273624	QC			7.9	138.3	17.8	19	0.3	56.1	13.2	105	3.02	34	7.3	<0.1	14.5	254	<0.1	9.7	0.6	205
Core Reject Duplicates																					
1273512	Drill Core	4.74	0.160	0.5	190.2	41.9	52	1.4	20.4	34.3	372	3.74	893	3.9	<0.1	19.3	55	0.6	11.1	2.6	49
DUP 1273512	QC		0.177	0.9	190.5	38.6	57	1.5	19.7	43.8	379	3.88	1159	3.9	0.2	19.1	58	0.4	11.9	2.7	48
1273547	Drill Core	6.33	0.009	1.9	27.8	4.8	18	<0.1	40.9	20.2	695	4.45	39	2.5	<0.1	17.9	183	<0.1	3.7	0.2	105
DUP 1273547	QC		0.010	1.4	24.0	4.6	17	<0.1	36.9	18.1	636	4.24	36	2.4	<0.1	16.4	180	<0.1	3.8	<0.1	98
1273582	Drill Core	6.80	0.006	2.9	88.5	12.1	70	<0.1	42.4	27.5	862	4.45	26	3.0	<0.1	17.1	147	0.2	3.7	0.4	57
DUP 1273582	QC		<0.005	2.9	88.6	12.5	72	0.1	41.6	27.4	865	4.52	28	2.9	<0.1	16.6	145	<0.1	3.8	0.3	56
1273617	Drill Core	4.33	0.022	6.1	143.7	5.1	66	<0.1	56.4	9.6	2048	6.28	41	4.7	<0.1	8.5	176	<0.1	4.3	0.3	184
DUP 1273617	QC		0.022	5.8	144.4	5.2	69	<0.1	56.9	9.7	2058	6.18	37	4.5	<0.1	8.5	173	<0.1	4.2	0.3	182
Reference Materials																					
STD OREAS24P	Standard			1.5	51.5	3.1	117	<0.1	140.8	46.0	1098	7.58	3	0.8	<0.1	3.0	414	0.1	<0.1	<0.1	152
STD OREAS24P	Standard			1.4	50.3	2.8	123	<0.1	143.4	44.1	967	7.75	1	0.7	<0.1	3.0	336	0.2	<0.1	<0.1	156
STD OREAS24P	Standard			1.9	48.3	2.2	110	<0.1	151.8	45.4	1094	7.53	<1	0.7	<0.1	2.9	377	<0.1	<0.1	<0.1	165

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Golden Predator Canada Corp.**
11th Floor, 888 Dunsmuir Street
Vancouver BC V6C 3K4 Canada

Project: Antimony
Report Date: December 27, 2011

QUALITY CONTROL REPORT WHI11001959.1

	Method	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX
	Analyte	Ca	P	La	Cr	Mg	Ba	Ti	Al	Na	K	W	Zr	Ce	Sn	Y	Nb	Ta	Be	Sc	Li
	Unit	%	%	ppm	ppm	%	ppm	%	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	MDL	0.01	0.001	0.1	1	0.01	1	0.001	0.01	0.001	0.01	0.1	0.1	1	0.1	0.1	0.1	0.1	1	1	0.1
Pulp Duplicates																					
REP 1273512	QC	0.16	0.046	41.1	44	0.42	377	0.225	6.45	0.103	2.34	18.2	59.6	76	4.3	11.7	7.6	0.5	2	8	45.4
1273517	Rock Pulp	1.78	0.055	8.7	35	0.73	515	0.309	4.86	2.089	0.89	21.4	41.2	18	0.8	12.7	4.0	0.3	<1	9	12.9
REP 1273517	QC																				
1273528	Drill Core	0.42	0.030	46.6	49	0.60	1313	0.398	7.53	0.666	4.11	2.1	84.4	94	1.6	9.6	13.7	1.2	3	10	70.9
REP 1273528	QC																				
1273540	Drill Core	0.21	0.018	24.0	27	0.40	347	0.200	3.87	0.700	1.70	1.7	44.3	50	0.9	5.5	8.1	0.5	1	5	42.0
REP 1273540	QC	0.22	0.019	25.8	24	0.41	295	0.202	4.32	0.704	1.73	2.0	45.0	54	0.8	6.2	8.3	0.6	2	5	42.0
1273584	Drill Core	0.33	0.025	37.0	65	0.81	1596	0.392	8.67	0.522	3.71	1.9	23.3	74	2.6	7.6	12.6	0.9	3	14	101.0
REP 1273584	QC	0.32	0.026	37.7	61	0.77	1639	0.381	8.44	0.502	3.46	1.9	22.6	76	2.4	7.4	11.9	0.9	2	14	97.1
1273587	Drill Core	0.48	0.029	35.1	56	0.78	1425	0.345	7.61	1.127	3.21	2.6	31.3	68	2.2	7.2	10.7	0.7	3	12	67.3
REP 1273587	QC																				
1273615	Drill Core	1.29	0.145	29.5	66	1.64	368	0.285	4.70	0.262	1.70	0.4	30.5	41	0.5	23.9	12.9	0.6	1	9	77.5
REP 1273615	QC																				
1273624	Drill Core	1.18	0.212	28.5	81	0.99	144	0.110	6.51	0.636	2.96	2.6	74.0	54	0.6	15.4	3.5	0.2	3	8	46.0
REP 1273624	QC	1.21	0.213	31.0	80	1.00	189	0.109	6.70	0.638	3.39	2.5	76.3	59	0.8	16.0	3.4	0.2	4	9	44.9
Core Reject Duplicates																					
1273512	Drill Core	0.16	0.044	42.5	43	0.41	350	0.218	6.57	0.100	2.31	18.3	59.6	80	4.4	12.4	7.4	0.6	2	8	44.3
DUP 1273512	QC	0.17	0.045	44.2	44	0.42	433	0.216	6.48	0.104	2.30	18.5	57.3	81	4.4	11.6	7.3	0.5	2	8	44.2
1273547	Drill Core	0.53	0.037	45.4	73	0.95	1548	0.478	9.65	0.834	4.70	3.1	57.7	99	3.7	8.9	16.3	1.1	4	18	97.2
DUP 1273547	QC	0.47	0.036	43.8	67	0.91	1476	0.455	9.12	0.820	4.42	2.6	56.9	97	4.1	8.4	15.7	1.2	3	17	85.1
1273582	Drill Core	0.50	0.033	38.2	65	0.80	761	0.368	8.61	0.584	3.36	2.2	53.3	76	2.6	9.4	12.6	0.9	3	13	92.7
DUP 1273582	QC	0.50	0.033	36.2	62	0.79	727	0.359	8.58	0.578	3.28	2.4	51.1	75	2.6	9.3	12.6	0.8	3	13	90.1
1273617	Drill Core	1.08	0.085	32.7	58	1.58	82	0.229	4.65	0.309	1.81	0.8	32.4	51	0.5	17.8	9.6	0.6	3	8	70.8
DUP 1273617	QC	1.08	0.081	33.5	59	1.60	89	0.229	4.65	0.300	1.84	0.8	31.8	52	0.4	17.3	9.8	0.5	2	8	67.7
Reference Materials																					
STD OREAS24P	Standard	6.17	0.137	20.9	190	4.27	298	1.106	7.89	2.578	0.66	0.4	135.7	37	1.7	23.1	19.9	1.2	1	21	7.8
STD OREAS24P	Standard	5.40	0.130	19.8	201	3.88	276	1.031	7.62	2.432	0.64	0.5	127.5	36	1.7	20.6	18.8	1.1	<1	19	7.6
STD OREAS24P	Standard	5.53	0.132	20.3	198	4.12	267	1.082	7.61	2.474	0.64	0.4	137.5	41	1.6	20.1	18.8	1.1	1	21	7.4

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Golden Predator Canada Corp.**
11th Floor, 888 Dunsmuir Street
Vancouver BC V6C 3K4 Canada

Project: Antimony
Report Date: December 27, 2011

QUALITY CONTROL REPORT WHI11001959.1

		Method	1EX	1EX	1EX
		Analyte	S	Rb	Hf
		Unit	%	ppm	ppm
		MDL	0.1	0.1	0.1
Pulp Duplicates					
REP 1273512	QC		1.3	124.2	1.7
1273517	Rock Pulp		<0.1	22.0	1.4
REP 1273517	QC				
1273528	Drill Core		0.3	185.0	2.4
REP 1273528	QC				
1273540	Drill Core		0.6	90.8	1.3
REP 1273540	QC		0.6	94.1	1.3
1273584	Drill Core		0.2	227.8	0.7
REP 1273584	QC		0.2	220.8	0.7
1273587	Drill Core		0.2	199.4	0.9
REP 1273587	QC				
1273615	Drill Core		1.0	90.5	0.7
REP 1273615	QC				
1273624	Drill Core		1.4	142.7	1.8
REP 1273624	QC		1.3	155.6	1.9
Core Reject Duplicates					
1273512	Drill Core		1.3	122.3	1.7
DUP 1273512	QC		1.3	121.7	1.8
1273547	Drill Core		0.4	248.1	1.7
DUP 1273547	QC		0.4	240.7	1.7
1273582	Drill Core		0.4	171.4	1.7
DUP 1273582	QC		0.4	177.6	1.7
1273617	Drill Core		1.4	94.6	0.8
DUP 1273617	QC		1.4	93.9	0.7
Reference Materials					
STD OREAS24P	Standard		<0.1	17.6	3.5
STD OREAS24P	Standard		<0.1	22.2	3.4
STD OREAS24P	Standard		<0.1	25.8	3.6

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Golden Predator Canada Corp.**
11th Floor, 888 Dunsmuir Street
Vancouver BC V6C 3K4 Canada

Project: Antimony
Report Date: December 27, 2011

QUALITY CONTROL REPORT WHI11001959.1

		WGHT	G6	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.2	1	0.01	1	0.1	0.1	0.1	1	0.1	0.1	0.1	1
STD OREAS24P	Standard			1.4	44.5	2.8	106	<0.1	136.5	42.5	1074	7.35	<1	0.7	<0.1	2.7	380	<0.1	<0.1	<0.1	158
STD OREAS24P	Standard			1.7	48.6	3.0	106	<0.1	136.4	42.9	1006	7.12	<1	0.7	<0.1	2.7	344	<0.1	<0.1	<0.1	150
STD OREAS24P	Standard			1.4	47.3	2.9	112	<0.1	137.8	43.1	1028	7.16	<1	0.7	<0.1	3.0	322	0.1	<0.1	<0.1	153
STD OREAS45C	Standard			2.6	613.5	27.8	92	0.2	338.1	107.0	1155	18.13	11	2.8	<0.1	12.0	41	0.2	0.8	0.3	248
STD OREAS45C	Standard			2.2	572.1	26.6	77	0.4	289.7	98.4	1027	18.04	10	2.5	<0.1	11.4	35	0.2	0.8	0.2	234
STD OREAS45C	Standard			2.2	604.0	21.9	65	0.2	324.4	101.0	1098	17.44	10	2.1	<0.1	10.5	34	<0.1	0.7	0.2	265
STD OREAS45C	Standard			2.2	632.8	23.3	72	0.4	328.7	99.9	1149	18.58	10	2.2	<0.1	10.2	39	0.1	0.8	0.2	252
STD OREAS45C	Standard			2.3	595.0	24.2	71	0.3	305.0	94.0	1085	17.23	9	2.3	<0.1	10.7	30	0.1	0.9	0.3	248
STD OREAS45C	Standard			2.3	609.0	27.1	82	0.4	323.6	102.7	1113	17.52	10	2.5	<0.1	11.9	36	0.3	0.8	0.2	253
STD OXH82	Standard		1.314																		
STD OXH82	Standard		1.299																		
STD OXH82	Standard		1.239																		
STD OXH82	Standard		1.316																		
STD OXH82	Standard		1.281																		
STD OXK79	Standard		3.675																		
STD OXK79	Standard		3.457																		
STD OXK79	Standard		3.432																		
STD OXK79	Standard		3.544																		
STD OXK79	Standard		3.425																		
STD OXH82 Expected			1.278																		
STD OXK79 Expected			3.532																		
STD OREAS24P Expected				1.5	52	2.9	119	0.06	141	44	1100	7.53	1.2	0.75		2.85	403	0.15	0.09		158
STD OREAS45C Expected				2.26	620	24	83	0.28	333	104	1160	18.33	10.1	2.4	0.045	10.2	36.4	0.15	0.79	0.21	270
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.2	<1	<0.01	<1	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1
BLK	Blank		0.005																		
BLK	Blank		0.005																		
BLK	Blank		0.007																		
BLK	Blank		<0.005																		
BLK	Blank		0.006																		

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Golden Predator Canada Corp.**
11th Floor, 888 Dunsmuir Street
Vancouver BC V6C 3K4 Canada

Project: Antimony
Report Date: December 27, 2011

QUALITY CONTROL REPORT WHI11001959.1

		1EX Ca % 0.01	1EX P % 0.001	1EX La ppm 0.1	1EX Cr ppm 1	1EX Mg % 0.01	1EX Ba ppm 1	1EX Ti % 0.001	1EX Al % 0.01	1EX Na % 0.001	1EX K % 0.01	1EX W ppm 0.1	1EX Zr ppm 0.1	1EX Ce ppm 1	1EX Sn ppm 0.1	1EX Y ppm 0.1	1EX Nb ppm 0.1	1EX Ta ppm 0.1	1EX Be ppm 1	1EX Sc ppm 1	1EX Li ppm 0.1
STD OREAS24P	Standard	5.32	0.130	18.3	201	4.08	273	1.038	7.65	2.518	0.68	0.7	131.3	36	1.5	23.3	18.6	1.1	2	19	7.3
STD OREAS24P	Standard	5.31	0.125	17.4	195	3.89	269	1.007	7.62	2.363	0.65	0.4	126.5	37	1.4	21.6	18.0	1.1	2	18	8.2
STD OREAS24P	Standard	5.24	0.130	18.8	182	3.94	271	0.991	7.43	2.438	0.63	0.5	126.6	35	1.7	20.7	18.7	1.0	<1	18	7.7
STD OREAS45C	Standard	0.49	0.048	29.6	966	0.25	286	1.199	7.55	0.101	0.33	1.2	174.0	53	3.3	14.4	22.8	1.5	<1	61	14.9
STD OREAS45C	Standard	0.46	0.045	27.6	925	0.26	272	1.133	7.31	0.102	0.32	1.1	160.4	48	2.9	12.1	21.5	1.4	<1	60	14.6
STD OREAS45C	Standard	0.48	0.049	26.4	957	0.24	254	1.127	7.08	0.104	0.31	0.9	163.5	51	2.6	11.0	21.0	1.3	1	58	14.7
STD OREAS45C	Standard	0.50	0.053	25.7	946	0.27	276	1.121	7.38	0.102	0.36	0.9	160.8	50	2.5	14.0	21.1	1.3	2	59	16.3
STD OREAS45C	Standard	0.45	0.042	24.8	887	0.24	258	1.136	7.34	0.110	0.33	0.8	158.2	49	2.6	12.4	21.5	1.3	1	59	14.6
STD OREAS45C	Standard	0.48	0.049	28.6	925	0.28	281	1.120	7.16	0.104	0.34	1.0	165.2	51	2.8	13.0	23.0	1.6	<1	59	17.5
STD OXH82	Standard																				
STD OXH82	Standard																				
STD OXH82	Standard																				
STD OXH82	Standard																				
STD OXH82	Standard																				
STD OXK79	Standard																				
STD OXK79	Standard																				
STD OXK79	Standard																				
STD OXK79	Standard																				
STD OXK79	Standard																				
STD OXH82 Expected																					
STD OXK79 Expected																					
STD OREAS24P Expected		5.83	0.136	17.4	196	4.13	285	1.1	7.66	2.34	0.7	0.5	141	37.6	1.6	21.3	21	1.04		20	8.7
STD OREAS45C Expected		0.482	0.051	26.2	962	0.25	270	1.1313	7.59	0.097	0.36	1.06	169.7	54	2.9	12.9	23.05	1.43		59.03	15.69
BLK	Blank	<0.01	<0.001	<0.1	<1	<0.01	<1	<0.001	<0.01	<0.001	<0.01	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<0.1	<1	<1	<0.1
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Golden Predator Canada Corp.**
11th Floor, 888 Dunsmuir Street
Vancouver BC V6C 3K4 Canada

Project: Antimony
Report Date: December 27, 2011

QUALITY CONTROL REPORT WHI11001959.1

		1EX S % 0.1	1EX Rb ppm 0.1	1EX Hf ppm 0.1
STD OREAS24P	Standard	<0.1	21.0	3.3
STD OREAS24P	Standard	<0.1	20.1	3.3
STD OREAS24P	Standard	<0.1	21.3	3.2
STD OREAS45C	Standard	<0.1	23.7	4.8
STD OREAS45C	Standard	<0.1	23.8	4.5
STD OREAS45C	Standard	<0.1	25.2	4.0
STD OREAS45C	Standard	<0.1	23.5	3.8
STD OREAS45C	Standard	<0.1	21.8	3.8
STD OREAS45C	Standard	<0.1	23.6	4.5
STD OXH82	Standard			
STD OXH82	Standard			
STD OXH82	Standard			
STD OXH82	Standard			
STD OXH82	Standard			
STD OXK79	Standard			
STD OXK79	Standard			
STD OXK79	Standard			
STD OXK79	Standard			
STD OXK79	Standard			
STD OXH82 Expected				
STD OXK79 Expected				
STD OREAS24P Expected			22.4	3.6
STD OREAS45C Expected		0.021	24	4.27
BLK	Blank	<0.1	<0.1	<0.1
BLK	Blank			
BLK	Blank			
BLK	Blank			
BLK	Blank			
BLK	Blank			

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Golden Predator Canada Corp.**
11th Floor, 888 Dunsmuir Street
Vancouver BC V6C 3K4 Canada

Project: Antimony
Report Date: December 27, 2011

QUALITY CONTROL REPORT WHI11001959.1

		WGHT	G6	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.2	1	0.01	1	0.1	0.1	0.1	1	0.1	0.1	0.1	1
BLK	Blank		0.007																		
BLK	Blank		<0.005																		
BLK	Blank		0.005																		
BLK	Blank		<0.005																		
BLK	Blank		0.010																		
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.2	<1	<0.01	<1	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.2	<1	<0.01	<1	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.2	<1	<0.01	<1	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.2	<1	<0.01	<1	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.2	<1	<0.01	<1	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1
Prep Wash																					
G1	Prep Blank		0.005	0.4	3.0	22.8	57	<0.1	3.1	5.0	776	2.44	1	3.9	<0.1	9.8	772	<0.1	0.2	0.2	47
G1	Prep Blank		0.006	0.4	2.9	22.3	57	<0.1	3.4	4.5	789	2.31	<1	2.9	<0.1	10.5	739	<0.1	0.1	0.2	47

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Golden Predator Canada Corp.**
11th Floor, 888 Dunsmuir Street
Vancouver BC V6C 3K4 Canada

Project: Antimony
Report Date: December 27, 2011

QUALITY CONTROL REPORT WHI11001959.1

		1EX Ca % 0.01	1EX P % 0.001	1EX La ppm 0.1	1EX Cr ppm 1	1EX Mg % 0.01	1EX Ba ppm 1	1EX Ti % 0.001	1EX Al % 0.01	1EX Na % 0.001	1EX K % 0.01	1EX W ppm 0.1	1EX Zr ppm 0.1	1EX Ce ppm 1	1EX Sn ppm 0.1	1EX Y ppm 0.1	1EX Nb ppm 0.1	1EX Ta ppm 0.1	1EX Be ppm 1	1EX Sc ppm 1	1EX Li ppm 0.1
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank	<0.01	<0.001	<0.1	<1	<0.01	<1	<0.001	<0.01	<0.001	<0.01	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<0.1	<1	<1	<0.1
BLK	Blank	<0.01	<0.001	<0.1	<1	<0.01	<1	<0.001	<0.01	<0.001	<0.01	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<0.1	<1	<1	<0.1
BLK	Blank	<0.01	<0.001	<0.1	<1	<0.01	<1	<0.001	<0.01	<0.001	<0.01	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<0.1	<1	<1	<0.1
BLK	Blank	<0.01	<0.001	<0.1	<1	<0.01	<1	<0.001	<0.01	<0.001	<0.01	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<0.1	<1	<1	<0.1
BLK	Blank	<0.01	<0.001	<0.1	<1	<0.01	<1	<0.001	<0.01	<0.001	<0.01	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<0.1	<1	<1	<0.1
Prep Wash																					
G1	Prep Blank	2.38	0.078	28.9	9	0.54	1161	0.287	7.54	2.826	3.23	0.2	11.6	57	1.7	15.7	26.3	1.6	3	5	35.1
G1	Prep Blank	2.37	0.080	27.7	7	0.54	1046	0.274	7.13	2.793	3.13	0.4	11.9	54	1.5	13.8	25.3	1.4	3	4	34.8

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Golden Predator Canada Corp.**
11th Floor, 888 Dunsmuir Street
Vancouver BC V6C 3K4 Canada

Project: Antimony
Report Date: December 27, 2011

QUALITY CONTROL REPORT WHI11001959.1

		1EX S % 0.1	1EX Rb ppm 0.1	1EX Hf ppm 0.1
BLK	Blank			
BLK	Blank			
BLK	Blank			
BLK	Blank			
BLK	Blank			
BLK	Blank	<0.1	<0.1	<0.1
BLK	Blank	<0.1	<0.1	<0.1
BLK	Blank	<0.1	<0.1	<0.1
BLK	Blank	<0.1	<0.1	<0.1
BLK	Blank	<0.1	<0.1	<0.1
Prep Wash				
G1	Prep Blank	<0.1	127.1	0.7
G1	Prep Blank	<0.1	120.1	0.7

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada

www.acmelab.com

Client: **Golden Predator Canada Corp.**
11th Floor, 888 Dunsmuir Street
Vancouver BC V6C 3K4 Canada

Submitted By: Jack Cote
Receiving Lab: Canada-Whitehorse
Received: December 02, 2011
Report Date: December 19, 2011
Page: 1 of 4

CERTIFICATE OF ANALYSIS WHI11001960.1

CLIENT JOB INFORMATION

Project: Antimony
Shipment ID: ANM-2011-JC-2065
P.O. Number
Number of Samples: 85

SAMPLE DISPOSAL

RTRN-PLP Return
STOR-RJT Store After 90 days Invoice for Storage

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
R200-250	79	Crush, split and pulverize 250 g rock to 200 mesh			WHI
G601	85	Lead Collection Fire - Assay Fusion - AAS Finish	30	Completed	VAN
1EX	85	4 Acid digestion ICP-MS analysis	0.25	Completed	VAN

ADDITIONAL COMMENTS

Invoice To: Predator Mining Group
11th Floor- 888 Dunsmuir Street
Vancouver BC V6C 3K4
Canada

CC: Andrew Caldwell

BRITISH COLUMBIA CERTIFIED ASSAYER
RAYMOND CHAN
CHIEF ASSAYER

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.
All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
"*" asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Golden Predator Canada Corp.**
11th Floor, 888 Dunsmuir Street
Vancouver BC V6C 3K4 Canada

Project: Antimony
Report Date: December 19, 2011

CERTIFICATE OF ANALYSIS WHI11001960.1

Method		WGHT	G6	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX
Analyte		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
Unit		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
MDL		0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.2	1	0.01	1	0.1	0.1	0.1	1	0.1	0.1	0.1	1
1273645	Rock Pulp	0.18	5.765	605.6	77.6	86.4	70	1.2	29.0	9.7	619	3.56	30	0.9	5.8	2.2	238	0.2	19.6	0.2	216
1273646	Drill Core	4.68	0.012	1.1	152.6	8.6	32	0.1	39.0	9.7	612	3.57	32	0.9	<0.1	5.1	111	0.1	9.4	0.5	55
1273647	Drill Core	4.17	0.038	1.5	119.4	12.7	39	0.1	37.3	19.9	718	2.96	238	2.2	<0.1	3.7	117	0.1	8.0	0.4	55
1273648	Drill Core	5.57	0.020	0.6	49.2	10.6	32	0.1	16.2	8.0	585	2.31	161	1.4	<0.1	3.5	115	0.2	5.2	0.2	43
1273649	Drill Core	4.31	0.072	1.4	436.8	62.6	43	2.7	16.1	22.7	288	4.61	725	2.5	<0.1	2.5	127	0.2	18.4	5.4	47
1273650	Drill Core	1.39	<0.005	2.9	113.4	23.5	46	3.5	9.7	5.1	302	1.99	46	0.8	<0.1	2.7	54	0.3	5.2	0.5	19
1273651	Drill Core	4.88	0.007	0.3	48.5	9.3	36	<0.1	28.5	5.6	972	3.28	31	0.8	<0.1	4.9	90	<0.1	3.1	0.3	57
1273652	Drill Core	4.76	0.052	1.0	147.7	14.0	47	0.2	28.8	30.5	635	3.39	769	1.8	<0.1	2.9	75	0.2	13.3	0.8	31
1273653	Drill Core	4.44	0.016	0.9	52.9	11.9	30	<0.1	18.4	9.8	635	2.36	159	1.4	<0.1	3.5	115	<0.1	4.1	0.3	41
1273654	Drill Core	4.62	0.007	0.8	64.7	13.1	28	<0.1	14.2	6.2	494	2.36	47	0.7	<0.1	3.7	102	0.2	4.8	0.3	27
1273655	Drill Core	4.45	0.024	20.2	166.9	9.1	41	0.3	84.4	14.1	689	6.98	26	11.9	<0.1	5.9	186	<0.1	9.1	1.0	265
1273656	Drill Core	2.27	0.009	1.0	76.0	10.8	59	<0.1	32.5	9.5	1305	4.94	22	2.0	<0.1	5.1	141	<0.1	5.0	0.2	84
1273657	Drill Core	2.15	0.011	0.8	84.7	11.6	67	<0.1	36.5	11.4	1694	5.65	25	1.8	<0.1	6.3	177	0.1	4.7	0.2	88
1273658	Drill Core	6.60	0.011	1.0	104.7	8.7	35	<0.1	28.3	9.6	548	3.85	58	2.5	<0.1	5.2	193	<0.1	3.2	0.2	79
1273659	Drill Core	5.79	0.011	8.3	96.8	8.0	21	0.1	34.6	9.2	169	2.84	107	5.6	<0.1	7.7	254	<0.1	3.4	0.4	186
1273660	Drill Core	5.85	0.009	5.7	101.9	9.4	27	<0.1	35.1	9.9	166	2.79	49	3.9	<0.1	6.7	210	0.1	2.9	0.5	160
1273661	Drill Core	6.46	0.009	4.6	86.1	7.0	24	<0.1	30.9	8.3	210	2.80	21	5.5	<0.1	7.0	204	<0.1	4.0	0.3	203
1273662	Drill Core	5.89	0.008	5.4	70.3	6.9	33	0.1	36.3	14.9	331	4.08	44	5.6	<0.1	9.7	290	0.2	2.8	0.3	183
1273663	Drill Core	6.35	0.006	9.4	68.3	10.9	33	0.1	34.8	10.5	154	3.05	23	6.7	<0.1	7.3	202	0.2	2.0	0.4	131
1273664	Drill Core	5.91	0.015	24.2	57.4	8.5	25	0.2	82.5	16.4	104	4.69	30	13.2	<0.1	7.1	135	<0.1	4.0	1.2	150
1273665	Drill Core	6.43	0.009	15.9	49.7	10.1	43	0.1	78.8	12.0	119	4.03	18	9.9	<0.1	4.5	101	0.3	2.6	0.7	241
1273666	Drill Core	5.45	0.010	9.4	64.1	9.5	54	0.1	61.9	10.6	108	3.14	32	5.6	<0.1	4.3	72	0.3	4.7	0.6	377
1273667	Rock Pulp	0.18	<0.005	3.5	26.6	4.7	46	0.9	22.0	11.5	506	2.56	5	0.7	<0.1	1.9	244	0.4	0.9	<0.1	83
1273668	Drill Core	5.94	0.009	4.4	73.9	11.9	62	0.1	31.4	8.1	245	2.37	33	4.4	<0.1	5.6	179	0.2	2.5	0.3	162
1273669	Drill Core	4.32	0.007	2.8	62.5	15.8	46	<0.1	18.5	8.2	328	2.58	22	2.9	<0.1	8.2	249	0.1	2.5	0.3	78
1273670	Drill Core	6.21	0.006	0.8	71.2	10.4	79	0.2	23.8	10.9	1245	3.67	26	2.7	<0.1	14.9	683	0.1	5.9	0.4	74
1273671	Drill Core	7.95	0.010	0.7	10.5	11.0	134	0.1	18.0	10.3	2185	6.07	55	2.9	<0.1	10.6	453	<0.1	7.0	0.3	69
1273672	Drill Core	5.59	0.006	0.8	137.7	12.6	87	0.3	21.4	9.8	1541	8.43	18	4.6	<0.1	10.6	279	<0.1	12.1	3.1	77
1273673	Drill Core	6.18	<0.005	0.5	10.8	9.0	94	<0.1	25.0	10.9	1224	3.01	49	2.8	<0.1	13.1	513	<0.1	3.9	0.2	92
1273674	Drill Core	6.92	0.007	2.7	35.6	19.5	149	0.2	26.1	11.6	2490	5.59	38	4.1	<0.1	12.1	344	0.3	8.0	0.4	132

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Golden Predator Canada Corp.**
11th Floor, 888 Dunsmuir Street
Vancouver BC V6C 3K4 Canada

Project: Antimony
Report Date: December 19, 2011

CERTIFICATE OF ANALYSIS WHI11001960.1

Method		1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX
Analyte		Ca	P	La	Cr	Mg	Ba	Ti	Al	Na	K	W	Zr	Ce	Sn	Y	Nb	Ta	Be	Sc	Li
Unit		%	%	ppm	ppm	%	ppm	%	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
MDL		0.01	0.001	0.1	1	0.01	1	0.001	0.01	0.001	0.01	0.1	0.1	1	0.1	0.1	0.1	0.1	1	1	0.1
1273645	Rock Pulp	1.43	0.051	9.7	43	0.87	165	0.299	6.17	1.915	1.60	12.4	56.7	21	1.9	12.7	4.4	0.3	1	11	29.2
1273646	Drill Core	1.48	0.036	27.8	25	0.85	118	0.192	2.83	0.170	0.76	0.7	14.8	40	1.9	10.9	7.0	0.5	<1	6	48.9
1273647	Drill Core	1.33	0.103	15.9	20	0.82	466	0.154	1.97	0.116	0.62	0.6	24.5	26	1.0	16.4	4.8	0.3	<1	5	42.1
1273648	Drill Core	0.80	0.039	12.8	14	0.68	641	0.128	1.97	0.099	0.67	0.6	14.9	20	0.8	8.2	4.4	0.2	<1	5	43.1
1273649	Drill Core	0.64	0.009	9.5	10	0.70	109	0.108	2.39	0.166	0.25	2.9	6.9	14	7.8	4.6	2.2	<0.1	<1	5	21.1
1273650	Drill Core	0.92	0.012	27.8	13	0.38	104	0.083	1.43	0.071	0.26	8.8	8.1	41	5.1	5.1	2.9	0.1	<1	4	18.0
1273651	Drill Core	0.92	0.032	21.8	20	0.97	941	0.189	2.72	0.250	0.96	0.6	12.9	30	1.4	10.5	6.5	0.4	1	7	56.4
1273652	Drill Core	0.80	0.019	17.8	18	0.79	95	0.139	1.80	0.087	0.46	0.9	14.9	27	1.2	10.0	5.2	0.3	<1	5	50.4
1273653	Drill Core	0.77	0.094	16.0	15	0.72	394	0.139	2.12	0.270	0.75	0.8	15.7	26	0.7	10.2	4.7	0.3	<1	5	58.9
1273654	Drill Core	0.61	0.015	13.3	17	0.60	233	0.132	2.01	0.180	0.81	1.0	10.8	21	0.7	6.1	5.0	0.3	<1	5	60.8
1273655	Drill Core	3.12	0.507	18.7	37	1.50	48	0.215	3.44	0.205	1.29	1.3	44.2	34	0.5	24.9	7.7	0.5	2	8	35.4
1273656	Drill Core	1.37	0.137	24.1	39	1.33	87	0.258	3.30	0.224	1.50	0.5	21.8	38	0.6	16.6	11.7	0.6	2	9	61.2
1273657	Drill Core	1.45	0.137	31.8	38	1.54	148	0.292	3.60	0.263	1.66	0.5	27.5	47	0.5	20.5	12.6	0.7	1	10	63.2
1273658	Drill Core	1.51	0.229	22.9	36	1.22	70	0.209	2.92	0.284	0.91	0.3	27.0	36	0.4	19.2	8.0	0.4	1	7	52.6
1273659	Drill Core	2.03	0.584	28.6	36	1.04	120	0.208	3.56	0.447	1.71	0.7	57.7	54	0.2	22.7	6.8	0.4	2	7	45.1
1273660	Drill Core	1.27	0.249	19.8	38	1.03	107	0.183	3.31	0.409	1.53	0.5	47.0	35	0.3	15.4	6.2	0.3	1	7	43.8
1273661	Drill Core	2.30	0.556	26.0	36	1.28	77	0.234	3.20	0.285	1.24	0.4	50.9	49	0.6	22.4	9.1	0.5	1	7	44.0
1273662	Drill Core	3.33	0.196	28.6	48	2.05	78	0.496	5.13	0.513	1.75	0.4	80.8	62	0.8	29.9	29.7	1.7	1	12	38.8
1273663	Drill Core	1.61	0.188	18.4	38	1.23	126	0.236	3.67	0.513	1.29	0.7	51.5	36	0.7	17.3	8.2	0.5	1	8	41.1
1273664	Drill Core	0.82	0.029	20.3	38	0.88	73	0.158	4.13	0.542	2.39	1.3	79.3	45	0.3	13.9	3.5	0.2	1	7	37.7
1273665	Drill Core	0.69	0.024	15.8	33	0.87	116	0.156	2.90	0.395	1.26	0.6	44.1	27	0.4	9.3	2.8	0.2	2	6	39.3
1273666	Drill Core	1.25	0.027	14.1	34	0.65	101	0.140	2.34	0.221	0.98	0.5	45.6	25	0.4	8.5	4.8	0.2	<1	5	44.7
1273667	Rock Pulp	1.79	0.055	8.3	31	0.81	499	0.308	4.96	2.208	0.87	30.0	38.4	17	0.8	12.6	3.6	0.3	<1	11	13.2
1273668	Drill Core	1.83	0.409	24.4	47	0.93	74	0.181	2.79	0.407	1.27	0.5	13.4	42	0.6	23.0	6.2	0.1	1	6	38.8
1273669	Drill Core	2.61	0.222	22.6	47	1.41	96	0.279	3.91	0.664	1.71	0.5	41.4	40	1.2	18.3	12.8	0.8	<1	9	32.4
1273670	Drill Core	7.79	0.095	39.5	46	1.87	955	0.375	7.05	0.781	3.35	0.4	50.5	72	3.1	18.7	13.4	0.8	2	12	23.0
1273671	Drill Core	10.84	0.089	39.8	49	2.24	1410	0.293	5.76	1.098	1.66	0.5	47.3	67	17.4	15.7	10.3	0.6	3	9	23.7
1273672	Drill Core	8.03	0.105	242.3	40	2.66	312	0.272	5.33	0.793	2.45	0.8	50.7	330	44.9	22.7	9.5	0.6	3	9	43.5
1273673	Drill Core	6.83	0.090	37.8	46	2.36	3201	0.353	6.70	1.246	3.40	0.2	47.2	66	2.8	17.6	12.2	0.8	2	11	50.6
1273674	Drill Core	9.38	0.097	45.3	41	2.42	493	0.300	5.55	0.901	2.35	0.7	60.5	74	6.8	18.9	12.0	0.8	2	9	31.5

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Golden Predator Canada Corp.**
11th Floor, 888 Dunsmuir Street
Vancouver BC V6C 3K4 Canada

Project: Antimony
Report Date: December 19, 2011

CERTIFICATE OF ANALYSIS WHI11001960.1

Method		1EX	1EX	1EX
Analyte		S	Rb	Hf
Unit		%	ppm	ppm
MDL		0.1	0.1	0.1
1273645	Rock Pulp	0.7	36.3	1.7
1273646	Drill Core	1.1	55.6	0.3
1273647	Drill Core	0.8	43.5	0.5
1273648	Drill Core	0.4	43.1	0.5
1273649	Drill Core	2.6	19.0	0.2
1273650	Drill Core	0.4	21.6	0.2
1273651	Drill Core	0.2	64.7	0.2
1273652	Drill Core	1.6	33.6	0.4
1273653	Drill Core	0.4	49.2	0.4
1273654	Drill Core	0.6	53.2	0.3
1273655	Drill Core	4.3	57.2	1.1
1273656	Drill Core	0.9	85.5	0.5
1273657	Drill Core	0.7	93.7	0.7
1273658	Drill Core	1.1	58.4	0.7
1273659	Drill Core	1.2	75.3	1.4
1273660	Drill Core	1.3	67.0	1.2
1273661	Drill Core	1.2	56.5	1.1
1273662	Drill Core	1.7	68.7	2.2
1273663	Drill Core	1.5	64.6	1.3
1273664	Drill Core	2.7	86.6	2.1
1273665	Drill Core	2.3	60.0	1.1
1273666	Drill Core	1.4	47.5	1.0
1273667	Rock Pulp	<0.1	21.0	1.2
1273668	Drill Core	1.0	58.8	<0.1
1273669	Drill Core	1.0	83.6	1.3
1273670	Drill Core	0.6	112.6	1.8
1273671	Drill Core	<0.1	60.0	1.6
1273672	Drill Core	0.8	127.6	1.6
1273673	Drill Core	<0.1	141.9	1.4
1273674	Drill Core	0.4	77.5	1.9

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Golden Predator Canada Corp.**
11th Floor, 888 Dunsmuir Street
Vancouver BC V6C 3K4 Canada

Project: Antimony
Report Date: December 19, 2011

CERTIFICATE OF ANALYSIS WHI11001960.1

Method		WGHT	G6	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX
Analyte		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
Unit		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
MDL		0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.2	1	0.01	1	0.1	0.1	0.1	1	0.1	0.1	0.1	1
1273675	Rock Pulp	0.18	1.516	18.8	326.7	9.6	57	0.7	37.1	9.4	581	3.73	10	0.8	4.6	2.2	218	0.2	2.4	0.3	89
1273676	Drill Core	6.32	0.008	13.2	61.2	12.8	92	<0.1	77.1	12.4	127	3.92	19	8.6	<0.1	4.1	148	0.5	5.1	0.5	264
1273677	Drill Core	6.39	0.008	22.7	63.5	9.3	37	0.1	86.0	15.5	115	4.83	30	11.8	<0.1	4.4	140	<0.1	4.3	0.9	156
1273678	Drill Core	6.44	0.007	13.4	103.8	8.4	83	0.2	61.4	14.4	93	4.76	23	8.8	<0.1	7.0	171	0.2	5.3	0.6	130
1273679	Drill Core	7.89	0.005	3.9	70.1	8.0	22	<0.1	30.6	7.8	98	2.30	24	4.0	<0.1	6.3	201	0.2	2.5	0.4	185
1273680	Drill Core	4.49	0.005	3.0	85.3	11.4	32	<0.1	20.4	8.5	143	2.86	23	3.1	<0.1	7.6	250	0.2	3.9	0.3	84
1273681	Drill Core	6.17	<0.005	1.8	47.6	10.9	26	<0.1	15.1	7.0	163	2.10	56	3.2	<0.1	7.9	201	0.2	2.9	0.3	55
1273682	Drill Core	4.95	0.010	6.6	83.6	10.4	25	0.1	29.8	122.5	135	2.81	1384	7.2	<0.1	8.4	159	<0.1	11.0	1.0	178
1273683	Drill Core	5.34	0.012	5.2	234.9	10.3	35	0.5	32.4	18.2	201	3.28	154	4.0	<0.1	7.1	183	0.2	6.8	1.6	158
1273684	Drill Core	4.31	0.313	21.9	793.0	113.0	51	4.7	43.0	292.0	307	6.78	1958	10.6	0.4	9.2	148	0.4	33.9	120.8	172
1273685	Drill Core	2.00	0.007	5.2	115.2	7.5	24	0.1	31.2	7.4	120	2.78	22	5.2	<0.1	8.3	204	0.2	3.9	0.8	194
1273686	Drill Core	1.91	<0.005	5.4	129.1	7.6	25	0.2	32.9	8.7	126	2.95	31	4.8	<0.1	8.1	202	0.2	4.5	1.1	196
1273687	Drill Core	5.96	<0.005	3.4	79.3	9.5	38	<0.1	22.1	6.6	167	2.55	27	3.6	<0.1	7.9	174	0.2	3.6	0.4	99
1273688	Drill Core	5.89	0.011	4.3	89.9	8.2	43	<0.1	30.6	7.6	150	2.44	34	3.9	<0.1	5.9	208	0.3	3.0	0.3	227
1273689	Drill Core	5.87	0.009	5.3	89.5	8.4	46	<0.1	33.3	7.3	202	2.63	21	3.4	<0.1	6.5	196	0.3	3.9	0.4	209
1273690	Drill Core	6.11	0.011	5.4	81.4	10.4	72	<0.1	29.5	6.7	260	2.44	17	6.0	<0.1	10.4	220	0.4	4.1	0.3	187
1273691	Drill Core	6.30	0.009	5.1	80.9	8.9	49	<0.1	27.9	6.8	217	2.34	23	5.2	<0.1	7.2	231	0.3	1.8	0.2	199
1273692	Drill Core	6.84	0.013	5.1	90.8	9.9	49	0.1	27.6	9.3	207	2.67	21	4.7	<0.1	7.5	300	0.3	1.9	0.3	130
1273693	Drill Core	6.63	0.016	4.2	103.9	12.3	50	0.1	24.2	8.8	224	3.17	14	3.8	<0.1	7.9	269	0.3	1.8	0.3	95
1273694	Drill Core	5.92	0.012	6.1	84.2	9.4	34	<0.1	37.3	8.1	137	2.57	19	4.3	<0.1	5.8	194	0.2	1.6	0.3	226
1273695	Drill Core	6.53	0.016	9.2	99.3	7.9	34	<0.1	36.5	10.5	182	2.96	17	4.9	<0.1	7.1	211	0.2	2.1	0.4	156
1273696	Rock Pulp	0.18	0.007	3.4	24.3	4.7	44	0.5	22.7	11.4	483	2.49	4	0.8	<0.1	1.8	239	0.3	0.7	<0.1	82
1273697	Drill Core	5.93	0.011	3.2	74.6	10.4	32	<0.1	23.5	8.0	147	2.12	29	3.4	<0.1	6.1	210	0.2	1.7	0.2	106
1273698	Drill Core	6.16	0.013	3.9	70.9	12.8	39	0.1	25.8	8.5	178	2.25	25	4.9	<0.1	9.3	231	0.4	5.8	0.3	122
1273699	Drill Core	5.96	0.010	4.4	82.0	9.1	34	<0.1	34.4	8.1	144	2.40	26	4.0	<0.1	5.7	207	0.3	1.9	0.4	185
1273700	Drill Core	6.07	0.015	6.3	92.6	9.8	28	<0.1	33.3	9.0	141	2.60	44	4.9	<0.1	7.9	193	0.3	6.1	0.5	170
1273701	Drill Core	6.42	0.012	5.1	80.8	9.1	28	<0.1	32.6	7.9	160	2.42	30	5.1	<0.1	9.2	219	0.3	9.3	0.3	182
1273702	Drill Core	6.57	0.011	6.3	102.0	7.1	27	<0.1	37.6	9.8	164	2.96	27	4.0	<0.1	7.0	234	0.2	2.4	0.3	306
1273703	Drill Core	6.30	0.010	8.5	103.9	13.8	41	0.1	37.0	10.3	169	2.87	51	4.6	<0.1	7.0	201	0.2	4.1	0.3	297
1273704	Drill Core	4.19	0.011	7.8	79.8	8.4	26	0.1	41.6	9.1	151	2.53	48	4.5	<0.1	4.7	77	0.2	14.4	0.4	203

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Golden Predator Canada Corp.**
11th Floor, 888 Dunsmuir Street
Vancouver BC V6C 3K4 Canada

Project: Antimony
Report Date: December 19, 2011

CERTIFICATE OF ANALYSIS WHI11001960.1

Method		1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX
Analyte		Ca	P	La	Cr	Mg	Ba	Ti	Al	Na	K	W	Zr	Ce	Sn	Y	Nb	Ta	Be	Sc	Li
Unit		%	%	ppm	ppm	%	ppm	%	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
MDL		0.01	0.001	0.1	1	0.01	1	0.001	0.01	0.001	0.01	0.1	0.1	1	0.1	0.1	0.1	0.1	1	1	0.1
1273675	Rock Pulp	1.64	0.056	8.9	36	0.84	519	0.277	5.23	2.130	0.88	0.8	40.1	18	1.9	12.3	3.8	0.2	<1	11	13.3
1273676	Drill Core	1.03	0.025	14.9	35	0.82	71	0.233	2.67	0.338	1.21	0.7	41.5	29	0.6	12.8	9.1	0.5	<1	6	34.5
1273677	Drill Core	1.06	0.030	9.6	42	0.99	25	0.251	3.25	0.405	1.33	1.1	45.1	22	1.0	15.8	7.8	0.4	1	7	38.7
1273678	Drill Core	1.31	0.140	19.2	35	1.19	737	0.182	4.34	0.440	1.94	1.1	77.2	38	1.9	16.7	4.8	0.3	1	7	46.2
1273679	Drill Core	2.18	0.497	23.4	36	1.13	344	0.200	3.29	0.414	1.13	0.4	53.7	44	0.9	23.5	5.1	0.3	1	7	43.7
1273680	Drill Core	1.57	0.170	21.4	33	1.31	247	0.304	3.86	0.579	1.34	0.5	67.1	42	0.6	19.1	10.8	0.7	1	8	49.9
1273681	Drill Core	1.51	0.258	22.8	26	1.21	248	0.219	3.28	0.456	1.17	0.4	47.3	40	0.6	16.5	9.5	0.5	1	7	50.2
1273682	Drill Core	1.39	0.194	26.0	34	1.02	553	0.229	3.34	0.477	1.43	2.8	63.3	48	1.5	18.7	10.0	0.5	1	6	38.6
1273683	Drill Core	2.61	0.619	30.2	36	1.30	298	0.239	3.34	0.345	1.10	4.6	58.7	55	2.5	27.2	9.3	0.5	1	7	37.5
1273684	Drill Core	3.27	0.427	28.5	35	1.16	42	0.160	2.44	0.107	0.58	>200	44.5	57	8.5	27.9	7.6	0.4	1	10	31.6
1273685	Drill Core	2.21	0.542	31.1	36	1.05	257	0.214	3.59	0.419	1.62	1.8	62.6	57	2.1	26.6	7.1	0.4	1	6	33.8
1273686	Drill Core	2.26	0.582	27.3	40	1.14	294	0.228	3.70	0.424	1.58	4.3	60.9	52	2.4	26.2	7.6	0.6	2	7	33.7
1273687	Drill Core	1.64	0.358	23.3	31	1.31	323	0.240	3.55	0.367	1.41	0.5	57.1	44	0.8	20.7	9.4	0.5	2	7	49.9
1273688	Drill Core	2.02	0.562	23.7	41	1.13	106	0.201	3.11	0.373	1.11	0.5	23.7	43	0.4	23.3	6.2	0.3	1	6	45.5
1273689	Drill Core	1.77	0.312	16.6	38	1.30	224	0.212	3.54	0.302	1.33	0.3	45.4	31	0.4	15.5	6.3	0.4	2	7	61.5
1273690	Drill Core	1.54	0.340	24.4	36	1.21	330	0.173	4.27	0.451	1.79	0.4	79.0	51	0.5	16.6	6.2	0.4	1	7	72.1
1273691	Drill Core	1.76	0.488	21.5	34	1.01	336	0.178	3.35	0.370	1.47	0.4	55.6	38	0.4	20.3	5.7	0.3	1	6	51.5
1273692	Drill Core	1.79	0.364	20.1	40	1.25	185	0.237	3.89	0.573	1.51	0.4	53.4	35	0.5	17.2	6.3	0.4	2	8	45.3
1273693	Drill Core	1.79	0.395	21.3	37	1.28	446	0.239	4.47	0.689	1.76	0.4	61.4	40	0.6	20.6	7.8	0.4	2	8	52.5
1273694	Drill Core	1.38	0.233	16.7	36	1.03	228	0.184	3.05	0.388	0.94	0.4	51.6	30	0.4	14.3	6.7	0.3	1	6	41.3
1273695	Drill Core	1.75	0.386	28.9	37	1.13	206	0.189	3.67	0.425	1.30	0.3	54.8	55	0.4	19.0	6.2	0.4	1	6	46.7
1273696	Rock Pulp	1.77	0.054	8.7	30	0.79	483	0.293	5.00	2.137	0.70	30.1	36.8	18	0.7	13.2	3.7	0.2	<1	10	13.6
1273697	Drill Core	1.54	0.343	27.6	35	1.07	120	0.183	3.34	0.481	1.08	0.2	39.9	49	0.4	17.8	7.0	0.4	<1	6	46.6
1273698	Drill Core	1.67	0.413	34.4	30	1.12	417	0.199	4.12	0.588	1.80	0.6	68.5	68	0.5	23.5	7.9	0.5	1	8	60.3
1273699	Drill Core	1.55	0.278	20.2	41	1.02	248	0.173	3.16	0.474	1.04	0.4	43.6	36	0.3	14.0	5.2	0.3	1	6	41.3
1273700	Drill Core	1.84	0.447	32.9	45	1.00	444	0.172	3.85	0.488	1.66	0.4	60.6	59	0.4	24.6	4.9	0.3	2	7	47.1
1273701	Drill Core	2.00	0.427	34.3	38	1.18	531	0.212	3.99	0.506	1.55	0.3	71.7	62	0.4	24.5	7.1	0.5	2	7	47.2
1273702	Drill Core	2.17	0.440	19.6	44	1.39	187	0.248	3.76	0.524	1.18	0.3	57.6	35	0.4	19.0	6.6	0.4	1	7	44.6
1273703	Drill Core	1.59	0.278	17.5	45	1.14	191	0.209	3.42	0.455	1.19	0.5	68.7	31	0.5	16.2	5.9	0.4	1	6	49.5
1273704	Drill Core	4.40	0.164	16.5	29	0.69	115	0.146	2.85	0.160	0.71	0.4	31.6	28	0.4	12.3	4.2	0.2	1	5	31.7

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Golden Predator Canada Corp.**
11th Floor, 888 Dunsmuir Street
Vancouver BC V6C 3K4 Canada

Project: Antimony
Report Date: December 19, 2011

CERTIFICATE OF ANALYSIS WHI11001960.1

Method		1EX	1EX	1EX
Analyte		S	Rb	Hf
Unit		%	ppm	ppm
MDL		0.1	0.1	0.1
1273675	Rock Pulp	<0.1	25.4	1.3
1273676	Drill Core	2.3	55.2	1.0
1273677	Drill Core	2.7	73.7	1.0
1273678	Drill Core	2.7	86.2	2.1
1273679	Drill Core	1.1	62.2	1.4
1273680	Drill Core	1.3	74.6	1.7
1273681	Drill Core	0.6	72.9	1.1
1273682	Drill Core	1.2	79.6	1.5
1273683	Drill Core	1.3	66.2	1.4
1273684	Drill Core	2.9	66.6	1.2
1273685	Drill Core	1.1	85.9	1.7
1273686	Drill Core	1.2	88.0	1.6
1273687	Drill Core	0.7	82.5	1.9
1273688	Drill Core	1.0	59.9	0.5
1273689	Drill Core	1.2	70.7	1.2
1273690	Drill Core	1.1	77.5	2.2
1273691	Drill Core	1.0	65.3	1.2
1273692	Drill Core	1.1	70.5	1.4
1273693	Drill Core	1.3	81.9	1.7
1273694	Drill Core	1.1	52.3	1.2
1273695	Drill Core	1.4	65.8	1.3
1273696	Rock Pulp	<0.1	17.8	1.1
1273697	Drill Core	0.8	61.7	1.1
1273698	Drill Core	0.8	83.0	1.9
1273699	Drill Core	1.1	57.3	1.1
1273700	Drill Core	1.1	66.8	1.8
1273701	Drill Core	0.9	68.7	2.0
1273702	Drill Core	1.3	65.2	1.5
1273703	Drill Core	1.3	64.2	1.7
1273704	Drill Core	1.9	32.0	1.0

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Golden Predator Canada Corp.**
11th Floor, 888 Dunsmuir Street
Vancouver BC V6C 3K4 Canada

Project: Antimony
Report Date: December 19, 2011

CERTIFICATE OF ANALYSIS WHI11001960.1

Method		WGHT	G6	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX
Analyte		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
Unit		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
MDL		0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.2	1	0.01	1	0.1	0.1	0.1	1	0.1	0.1	0.1	1
1273705	Rock Pulp	0.18	0.822	7.2	47.8	7.7	65	0.5	37.0	16.4	632	3.50	8	0.9	0.5	2.3	238	0.4	1.6	0.1	96
1273706	Drill Core	4.26	0.012	5.4	83.1	9.7	32	0.1	32.8	7.9	182	2.36	23	4.7	<0.1	6.9	118	0.2	9.1	0.3	196
1273707	Drill Core	5.02	0.011	3.1	63.4	8.2	43	0.1	23.1	6.7	218	2.28	14	3.6	<0.1	7.2	199	0.2	4.6	0.2	101
1273708	Drill Core	4.04	0.011	5.4	95.9	8.8	46	0.2	40.9	9.0	207	2.82	31	4.2	<0.1	6.0	135	0.3	13.6	0.3	207
1273709	Drill Core	3.86	0.010	1.7	91.5	10.2	67	0.2	22.0	7.1	292	2.73	21	3.1	<0.1	7.9	288	0.3	3.6	0.2	56
1273710	Drill Core	4.58	0.012	5.1	94.4	11.8	75	0.2	33.3	9.1	388	2.80	38	4.2	<0.1	9.1	225	0.4	4.0	0.3	185
1273711	Drill Core	4.18	0.015	7.5	89.6	11.4	56	0.1	35.6	7.7	299	2.73	29	6.1	<0.1	10.2	140	0.3	6.3	0.3	247
1273712	Drill Core	4.85	0.012	4.0	83.8	14.8	76	0.1	28.1	8.2	369	2.55	43	3.9	<0.1	8.7	237	0.5	2.3	0.2	160
1273713	Drill Core	4.51	0.011	2.5	61.7	16.4	75	<0.1	28.9	9.0	457	2.68	26	3.5	<0.1	10.9	229	0.5	4.9	0.3	138
1273714	Drill Core	2.40	0.012	0.7	30.1	23.6	59	<0.1	28.0	11.4	446	3.27	24	2.2	<0.1	15.4	354	0.2	4.8	0.5	75
1273715	Drill Core	2.09	0.014	0.6	26.6	18.4	54	<0.1	28.2	10.7	388	3.14	19	2.1	<0.1	15.6	325	0.1	4.9	0.4	75
1273716	Drill Core	4.86	0.013	6.6	94.9	19.5	83	<0.1	38.8	8.5	435	2.54	34	5.6	<0.1	9.5	235	0.5	6.4	0.6	215
1273717	Drill Core	4.79	0.011	3.8	211.5	377.4	596	2.2	16.8	5.6	553	3.59	78	5.2	<0.1	6.9	131	5.5	10.2	3.3	95
1273718	Drill Core	5.23	0.011	5.9	356.3	48.2	99	1.4	29.6	5.6	377	2.90	24	5.9	<0.1	8.7	146	1.0	8.0	3.3	189
1273719	Drill Core	4.33	0.037	28.3	383.4	17.5	53	0.3	73.5	27.1	494	6.86	34	4.5	<0.1	6.8	150	0.3	20.4	7.7	241
1273720	Drill Core	5.53	1.107	5.6	6933	4441	3306	72.8	32.6	57.8	645	10.08	>10000	5.5	0.9	7.0	112	31.1	506.4	847.6	178
1273721	Drill Core	4.61	0.015	6.0	91.1	18.8	61	<0.1	33.5	7.8	309	2.32	98	6.3	<0.1	12.1	171	0.6	6.9	0.8	205
1273722	Drill Core	5.01	0.013	5.9	98.0	21.6	61	0.2	33.9	7.4	296	2.42	36	5.2	<0.1	10.2	116	0.4	10.2	2.2	215
1273723	Drill Core	4.01	0.013	3.8	72.5	9.5	50	<0.1	29.5	6.8	213	2.12	23	4.4	<0.1	6.8	110	0.3	5.3	0.4	150
1273724	Drill Core	4.58	0.015	4.0	84.3	12.4	66	0.1	24.4	6.3	375	2.35	26	4.9	<0.1	8.7	169	0.4	4.8	0.5	126
1273725	Rock Pulp	0.18	0.009	3.3	24.5	5.0	42	0.9	21.8	11.8	485	2.63	2	1.0	<0.1	2.3	255	0.4	0.9	<0.1	80
1273726	Drill Core	5.81	0.009	7.0	75.0	14.6	61	0.1	32.4	9.1	316	2.44	30	7.5	<0.1	9.4	153	0.4	5.5	0.4	187
1273727	Drill Core	6.60	0.012	5.6	95.7	16.0	84	0.2	33.6	10.5	395	2.76	49	4.8	<0.1	7.7	187	0.6	8.1	0.5	184
1273728	Drill Core	5.23	0.010	8.8	95.5	12.7	55	<0.1	23.2	8.6	498	3.32	25	4.4	<0.1	8.5	110	0.2	7.2	0.5	98
1273729	Drill Core	8.39	0.014	4.4	96.8	17.8	67	0.2	23.4	8.2	450	2.42	82	4.5	<0.1	9.3	116	0.5	7.1	1.5	127

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Golden Predator Canada Corp.**
11th Floor, 888 Dunsmuir Street
Vancouver BC V6C 3K4 Canada

Project: Antimony
Report Date: December 19, 2011

CERTIFICATE OF ANALYSIS WHI11001960.1

Method		1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX
Analyte		Ca	P	La	Cr	Mg	Ba	Ti	Al	Na	K	W	Zr	Ce	Sn	Y	Nb	Ta	Be	Sc	Li
Unit		%	%	ppm	ppm	%	ppm	%	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
MDL		0.01	0.001	0.1	1	0.01	1	0.001	0.01	0.001	0.01	0.1	0.1	1	0.1	0.1	0.1	0.1	1	1	0.1
1273705	Rock Pulp	1.71	0.060	9.4	44	1.00	567	0.320	5.62	2.163	0.76	41.2	44.3	20	1.5	15.0	4.2	0.3	<1	11	16.1
1273706	Drill Core	4.27	0.270	23.0	38	0.96	171	0.165	3.53	0.225	1.29	0.1	59.8	42	0.5	16.8	5.1	0.3	<1	6	48.3
1273707	Drill Core	1.51	0.328	25.4	34	1.19	218	0.207	3.48	0.242	1.57	0.4	44.4	46	0.4	17.2	7.7	0.4	1	7	52.5
1273708	Drill Core	1.91	0.365	21.3	38	1.06	277	0.177	3.25	0.194	1.10	0.3	49.6	38	0.4	16.1	4.9	0.3	1	6	51.3
1273709	Drill Core	1.48	0.170	18.2	42	1.53	58	0.227	3.61	0.251	1.08	0.2	50.3	29	0.5	12.2	8.5	0.5	1	7	48.9
1273710	Drill Core	1.88	0.482	24.1	61	1.17	61	0.230	3.95	0.522	1.73	0.3	46.9	41	0.5	19.3	5.9	0.3	1	8	52.2
1273711	Drill Core	1.62	0.183	17.7	31	0.92	94	0.183	3.85	0.226	1.93	0.5	64.8	30	0.5	11.7	6.3	0.4	<1	5	48.1
1273712	Drill Core	1.90	0.414	25.0	45	1.16	114	0.228	3.31	0.296	1.42	0.3	51.0	42	1.0	21.6	7.8	0.5	1	6	39.6
1273713	Drill Core	2.77	0.401	43.5	59	1.66	261	0.288	4.95	0.507	2.10	0.6	37.1	66	2.3	22.5	10.8	0.6	1	9	57.9
1273714	Drill Core	2.86	0.089	49.9	65	2.31	2596	0.401	7.38	1.172	3.55	0.7	25.4	79	2.7	18.6	13.2	0.8	2	11	82.4
1273715	Drill Core	2.34	0.082	48.1	63	2.29	2768	0.394	7.45	1.180	3.74	0.8	26.9	75	1.7	17.2	13.6	0.9	2	12	81.8
1273716	Drill Core	2.36	0.487	23.1	46	1.17	84	0.207	3.26	0.300	1.65	0.5	51.8	37	1.4	20.6	8.4	0.6	1	6	34.9
1273717	Drill Core	3.30	0.464	29.4	44	0.95	45	0.210	2.51	0.177	0.73	17.6	40.6	46	10.7	19.4	9.2	0.5	<1	5	18.1
1273718	Drill Core	2.10	0.398	28.2	37	0.95	92	0.189	3.13	0.229	1.13	8.9	59.5	45	8.5	20.6	8.2	0.4	<1	5	30.1
1273719	Drill Core	2.00	0.404	29.1	37	1.39	27	0.222	3.35	0.276	1.21	0.7	48.8	49	1.4	20.8	8.1	0.5	1	6	36.8
1273720	Drill Core	2.14	0.396	16.9	29	0.91	14	0.157	2.90	0.169	0.70	>200	48.6	32	11.2	20.5	5.7	0.3	1	6	20.6
1273721	Drill Core	1.81	0.464	31.4	36	1.08	150	0.190	3.99	0.413	2.03	0.8	73.8	53	0.8	22.9	8.2	0.6	1	5	48.0
1273722	Drill Core	1.92	0.333	23.5	35	1.11	120	0.196	3.98	0.276	1.97	1.8	66.0	40	0.7	17.2	7.5	0.5	1	6	46.1
1273723	Drill Core	2.05	0.326	19.3	28	0.90	108	0.165	2.67	0.199	1.05	0.4	35.3	30	0.5	15.6	5.2	0.2	1	5	45.0
1273724	Drill Core	2.16	0.474	26.5	48	1.21	76	0.202	3.49	0.310	1.44	0.6	54.7	43	0.7	20.0	7.2	0.4	2	6	42.0
1273725	Rock Pulp	1.83	0.050	10.5	32	0.81	517	0.298	5.31	2.172	0.83	33.9	37.6	20	0.9	13.8	3.5	0.2	<1	10	12.5
1273726	Drill Core	1.68	0.351	32.5	41	1.10	52	0.193	3.76	0.324	1.65	0.6	58.3	57	0.6	19.6	7.8	0.5	1	7	46.6
1273727	Drill Core	2.12	0.338	21.2	52	1.22	55	0.246	3.91	0.298	1.61	0.7	54.3	36	0.7	17.9	8.2	0.5	<1	7	48.3
1273728	Drill Core	1.58	0.168	25.4	33	1.30	46	0.220	3.45	0.303	1.49	0.6	50.6	43	0.7	15.3	9.6	0.5	1	6	48.6
1273729	Drill Core	1.74	0.267	29.4	29	1.16	104	0.194	4.01	0.294	1.67	0.6	56.4	51	1.4	16.8	8.1	0.5	1	6	40.8

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Golden Predator Canada Corp.**
11th Floor, 888 Dunsmuir Street
Vancouver BC V6C 3K4 Canada

Project: Antimony
Report Date: December 19, 2011

CERTIFICATE OF ANALYSIS WHI11001960.1

Method		1EX	1EX	1EX
Analyte		S	Rb	Hf
Unit		%	ppm	ppm
MDL		0.1	0.1	0.1
1273705	Rock Pulp	<0.1	19.1	1.3
1273706	Drill Core	1.3	58.3	1.3
1273707	Drill Core	0.7	72.6	1.4
1273708	Drill Core	1.2	56.0	1.2
1273709	Drill Core	1.2	57.4	1.2
1273710	Drill Core	1.2	69.5	1.3
1273711	Drill Core	1.0	66.3	1.8
1273712	Drill Core	0.6	61.0	1.5
1273713	Drill Core	0.4	92.4	1.0
1273714	Drill Core	0.2	152.0	0.8
1273715	Drill Core	0.1	158.4	0.8
1273716	Drill Core	0.9	72.8	1.4
1273717	Drill Core	2.1	40.2	1.1
1273718	Drill Core	1.1	71.7	1.7
1273719	Drill Core	3.5	75.1	1.3
1273720	Drill Core	9.2	41.9	1.2
1273721	Drill Core	0.8	87.7	2.2
1273722	Drill Core	1.0	77.6	1.8
1273723	Drill Core	0.6	52.9	0.8
1273724	Drill Core	0.9	60.3	1.4
1273725	Rock Pulp	<0.1	22.8	1.1
1273726	Drill Core	1.4	70.4	1.6
1273727	Drill Core	1.4	70.8	1.3
1273728	Drill Core	1.7	62.8	1.3
1273729	Drill Core	0.9	71.6	1.4

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Golden Predator Canada Corp.**
11th Floor, 888 Dunsmuir Street
Vancouver BC V6C 3K4 Canada

Project: Antimony
Report Date: December 19, 2011

QUALITY CONTROL REPORT WHI11001960.1

	Method	WGHT	G6	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX
	Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
	Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	MDL	0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.2	1	0.01	1	0.1	0.1	0.1	1	0.1	0.1	0.1	1
Pulp Duplicates																					
1273650	Drill Core	1.39	<0.005	2.9	113.4	23.5	46	3.5	9.7	5.1	302	1.99	46	0.8	<0.1	2.7	54	0.3	5.2	0.5	19
REP 1273650	QC		0.005																		
1273659	Drill Core	5.79	0.011	8.3	96.8	8.0	21	0.1	34.6	9.2	169	2.84	107	5.6	<0.1	7.7	254	<0.1	3.4	0.4	186
REP 1273659	QC			7.8	95.8	8.2	20	<0.1	33.1	9.5	169	2.81	111	4.5	<0.1	7.5	240	<0.1	3.5	0.4	180
1273689	Drill Core	5.87	0.009	5.3	89.5	8.4	46	<0.1	33.3	7.3	202	2.63	21	3.4	<0.1	6.5	196	0.3	3.9	0.4	209
REP 1273689	QC			5.3	94.2	8.4	50	<0.1	33.8	7.4	199	2.65	22	3.9	<0.1	6.5	195	0.4	4.1	0.4	209
1273691	Drill Core	6.30	0.009	5.1	80.9	8.9	49	<0.1	27.9	6.8	217	2.34	23	5.2	<0.1	7.2	231	0.3	1.8	0.2	199
REP 1273691	QC		0.010																		
1273707	Drill Core	5.02	0.011	3.1	63.4	8.2	43	0.1	23.1	6.7	218	2.28	14	3.6	<0.1	7.2	199	0.2	4.6	0.2	101
REP 1273707	QC		0.010																		
1273709	Drill Core	3.86	0.010	1.7	91.5	10.2	67	0.2	22.0	7.1	292	2.73	21	3.1	<0.1	7.9	288	0.3	3.6	0.2	56
REP 1273709	QC			2.0	97.3	10.7	70	0.2	24.0	7.9	311	2.96	23	3.1	<0.1	8.3	308	0.4	3.9	0.2	59
Core Reject Duplicates																					
1273660	Drill Core	5.85	0.009	5.7	101.9	9.4	27	<0.1	35.1	9.9	166	2.79	49	3.9	<0.1	6.7	210	0.1	2.9	0.5	160
DUP 1273660	QC		0.010	6.4	105.9	8.8	27	<0.1	37.7	9.6	156	2.98	31	4.5	<0.1	6.4	206	0.1	2.8	0.5	171
1273695	Drill Core	6.53	0.016	9.2	99.3	7.9	34	<0.1	36.5	10.5	182	2.96	17	4.9	<0.1	7.1	211	0.2	2.1	0.4	156
DUP 1273695	QC		0.017	10.0	102.9	7.8	33	0.3	37.4	11.0	180	3.18	20	5.8	<0.1	7.2	205	0.3	2.2	0.4	153
Reference Materials																					
STD OREAS24P	Standard			1.6	49.1	3.5	121	<0.1	137.9	43.8	1098	7.22	5	0.7	<0.1	3.1	350	0.2	0.1	<0.1	156
STD OREAS24P	Standard			1.5	51.7	3.3	123	<0.1	136.8	45.4	1087	7.31	4	0.7	<0.1	3.0	382	0.2	<0.1	<0.1	162
STD OREAS24P	Standard			1.4	48.7	3.0	110	<0.1	141.7	45.3	1090	7.04	<1	0.8	<0.1	3.2	377	<0.1	<0.1	<0.1	148
STD OREAS45C	Standard			2.5	611.1	25.3	85	0.3	332.5	106.3	1176	17.77	12	2.4	<0.1	11.8	39	0.2	0.8	0.2	270
STD OREAS45C	Standard			2.1	620.0	25.7	92	0.3	323.8	102.5	1123	17.25	11	2.4	<0.1	10.8	37	0.2	0.7	0.2	266
STD OREAS45C	Standard			2.5	678.3	29.1	100	0.4	353.2	106.8	1223	18.84	14	2.7	<0.1	12.6	43	0.2	0.9	0.3	282
STD OXH82	Standard		1.344																		
STD OXH82	Standard		1.322																		
STD OXH82	Standard		1.332																		
STD OXH82	Standard		1.312																		

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Golden Predator Canada Corp.**
11th Floor, 888 Dunsmuir Street
Vancouver BC V6C 3K4 Canada

Project: Antimony
Report Date: December 19, 2011

QUALITY CONTROL REPORT WHI11001960.1

	Method	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX
	Analyte	Ca	P	La	Cr	Mg	Ba	Ti	Al	Na	K	W	Zr	Ce	Sn	Y	Nb	Ta	Be	Sc	Li
	Unit	%	%	ppm	ppm	%	ppm	%	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	MDL	0.01	0.001	0.1	1	0.01	1	0.001	0.01	0.001	0.01	0.1	0.1	1	0.1	0.1	0.1	0.1	1	1	0.1
Pulp Duplicates																					
1273650	Drill Core	0.92	0.012	27.8	13	0.38	104	0.083	1.43	0.071	0.26	8.8	8.1	41	5.1	5.1	2.9	0.1	<1	4	18.0
REP 1273650	QC																				
1273659	Drill Core	2.03	0.584	28.6	36	1.04	120	0.208	3.56	0.447	1.71	0.7	57.7	54	0.2	22.7	6.8	0.4	2	7	45.1
REP 1273659	QC	2.00	0.574	28.9	37	1.00	86	0.202	3.48	0.411	1.69	0.8	55.9	54	0.3	21.1	6.5	0.4	1	7	45.4
1273689	Drill Core	1.77	0.312	16.6	38	1.30	224	0.212	3.54	0.302	1.33	0.3	45.4	31	0.4	15.5	6.3	0.4	2	7	61.5
REP 1273689	QC	1.78	0.308	16.8	38	1.28	218	0.210	3.49	0.297	1.33	0.3	46.9	31	0.5	15.3	6.3	0.4	1	7	63.6
1273691	Drill Core	1.76	0.488	21.5	34	1.01	336	0.178	3.35	0.370	1.47	0.4	55.6	38	0.4	20.3	5.7	0.3	1	6	51.5
REP 1273691	QC																				
1273707	Drill Core	1.51	0.328	25.4	34	1.19	218	0.207	3.48	0.242	1.57	0.4	44.4	46	0.4	17.2	7.7	0.4	1	7	52.5
REP 1273707	QC																				
1273709	Drill Core	1.48	0.170	18.2	42	1.53	58	0.227	3.61	0.251	1.08	0.2	50.3	29	0.5	12.2	8.5	0.5	1	7	48.9
REP 1273709	QC	1.57	0.181	20.4	44	1.60	64	0.237	3.81	0.272	1.18	0.2	52.2	32	0.5	13.2	8.9	0.5	2	7	51.2
Core Reject Duplicates																					
1273660	Drill Core	1.27	0.249	19.8	38	1.03	107	0.183	3.31	0.409	1.53	0.5	47.0	35	0.3	15.4	6.2	0.3	1	7	43.8
DUP 1273660	QC	1.27	0.251	19.3	42	1.02	275	0.186	3.31	0.445	1.57	0.5	50.7	35	0.3	14.6	6.3	0.4	<1	7	44.0
1273695	Drill Core	1.75	0.386	28.9	37	1.13	206	0.189	3.67	0.425	1.30	0.3	54.8	55	0.4	19.0	6.2	0.4	1	6	46.7
DUP 1273695	QC	1.72	0.383	28.8	38	1.11	162	0.188	3.61	0.425	1.29	0.5	49.8	52	0.4	18.6	5.8	0.4	1	7	47.1
Reference Materials																					
STD OREAS24P	Standard	5.59	0.130	17.7	194	3.96	275	1.036	7.51	2.475	0.63	0.4	130.7	35	1.6	21.1	18.8	1.2	1	21	8.1
STD OREAS24P	Standard	5.83	0.135	19.6	193	4.18	283	1.054	7.92	2.494	0.58	0.4	133.7	39	1.6	23.8	19.6	1.2	<1	20	8.6
STD OREAS24P	Standard	5.58	0.130	20.8	198	4.03	278	1.084	7.56	2.352	0.64	0.4	126.9	37	1.7	22.5	18.4	1.1	<1	19	6.9
STD OREAS45C	Standard	0.48	0.050	26.8	902	0.29	284	1.167	7.27	0.106	0.33	1.1	169.7	49	2.9	12.5	22.9	1.6	<1	62	15.9
STD OREAS45C	Standard	0.48	0.051	27.2	922	0.24	272	1.110	7.21	0.100	0.34	1.1	157.3	53	2.8	13.1	21.7	1.4	1	59	17.6
STD OREAS45C	Standard	0.50	0.054	31.7	983	0.26	304	1.246	7.52	0.096	0.37	1.2	175.2	54	3.1	13.9	23.3	1.5	<1	61	15.0
STD OXH82	Standard																				
STD OXH82	Standard																				
STD OXH82	Standard																				
STD OXH82	Standard																				

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Golden Predator Canada Corp.**
11th Floor, 888 Dunsmuir Street
Vancouver BC V6C 3K4 Canada

Project: Antimony
Report Date: December 19, 2011

QUALITY CONTROL REPORT WHI11001960.1

	Method	1EX	1EX	1EX
	Analyte	S	Rb	Hf
	Unit	%	ppm	ppm
	MDL	0.1	0.1	0.1
Pulp Duplicates				
1273650	Drill Core	0.4	21.6	0.2
REP 1273650	QC			
1273659	Drill Core	1.2	75.3	1.4
REP 1273659	QC	1.2	73.3	1.3
1273689	Drill Core	1.2	70.7	1.2
REP 1273689	QC	1.2	70.2	1.3
1273691	Drill Core	1.0	65.3	1.2
REP 1273691	QC			
1273707	Drill Core	0.7	72.6	1.4
REP 1273707	QC			
1273709	Drill Core	1.2	57.4	1.2
REP 1273709	QC	1.2	62.6	1.3
Core Reject Duplicates				
1273660	Drill Core	1.3	67.0	1.2
DUP 1273660	QC	1.5	67.6	1.2
1273695	Drill Core	1.4	65.8	1.3
DUP 1273695	QC	1.5	64.4	1.5
Reference Materials				
STD OREAS24P	Standard	<0.1	21.0	3.5
STD OREAS24P	Standard	<0.1	20.7	3.6
STD OREAS24P	Standard	<0.1	19.7	3.2
STD OREAS45C	Standard	<0.1	24.1	4.5
STD OREAS45C	Standard	<0.1	23.2	4.5
STD OREAS45C	Standard	<0.1	24.5	4.6
STD OXH82	Standard			
STD OXH82	Standard			
STD OXH82	Standard			
STD OXH82	Standard			

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Golden Predator Canada Corp.**
11th Floor, 888 Dunsmuir Street
Vancouver BC V6C 3K4 Canada

Project: Antimony
Report Date: December 19, 2011

QUALITY CONTROL REPORT WHI11001960.1

		WGHT	G6	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.2	1	0.01	1	0.1	0.1	0.1	1	0.1	0.1	0.1	1
STD OXK79	Standard		3.681																		
STD OXK79	Standard		3.557																		
STD OXK79	Standard		3.769																		
STD OXK79	Standard		3.650																		
STD OXH82 Expected			1.278																		
STD OXK79 Expected			3.532																		
STD OREAS24P Expected				1.5	52	2.9	119	0.06	141	44	1100	7.53	1.2	0.75		2.85	403	0.15	0.09		158
STD OREAS45C Expected				2.26	620	24	83	0.28	333	104	1160	18.33	10.1	2.4	0.045	10.2	36.4	0.15	0.79	0.21	270
BLK	Blank		0.006																		
BLK	Blank		0.006																		
BLK	Blank		0.007																		
BLK	Blank		<0.005																		
BLK	Blank		<0.005																		
BLK	Blank		<0.005																		
BLK	Blank		<0.005																		
BLK	Blank		<0.005																		
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.2	<1	<0.01	<1	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.2	<1	<0.01	<1	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.2	<1	<0.01	<1	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1
Prep Wash																					
G1	Prep Blank		0.006	0.4	4.7	20.3	53	<0.1	3.8	5.0	747	2.29	2	2.5	<0.1	8.9	739	<0.1	<0.1	0.3	48
G1	Prep Blank		0.006	0.4	6.7	19.9	53	<0.1	3.0	4.7	798	2.27	2	2.6	<0.1	9.4	743	<0.1	<0.1	0.2	48

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Golden Predator Canada Corp.**
11th Floor, 888 Dunsmuir Street
Vancouver BC V6C 3K4 Canada

Project: Antimony
Report Date: December 19, 2011

QUALITY CONTROL REPORT WHI11001960.1

		1EX Ca % 0.01	1EX P % 0.001	1EX La ppm 0.1	1EX Cr ppm 1	1EX Mg % 0.01	1EX Ba ppm 1	1EX Ti % 0.001	1EX Al % 0.01	1EX Na % 0.001	1EX K % 0.01	1EX W ppm 0.1	1EX Zr ppm 0.1	1EX Ce ppm 1	1EX Sn ppm 0.1	1EX Y ppm 0.1	1EX Nb ppm 0.1	1EX Ta ppm 0.1	1EX Be ppm 1	1EX Sc ppm 1	1EX Li ppm 0.1
STD OXK79	Standard																				
STD OXK79	Standard																				
STD OXK79	Standard																				
STD OXK79	Standard																				
STD OXH82 Expected																					
STD OXK79 Expected																					
STD OREAS24P Expected		5.83	0.136	17.4	196	4.13	285	1.1	7.66	2.34	0.7	0.5	141	37.6	1.6	21.3	21	1.04		20	8.7
STD OREAS45C Expected		0.482	0.051	26.2	962	0.25	270	1.1313	7.59	0.097	0.36	1.06	169.7	54	2.9	12.9	23.05	1.43		59.03	15.69
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank	<0.01	<0.001	<0.1	<1	<0.01	<1	<0.001	<0.01	<0.001	<0.01	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<0.1	<1	<1	<0.1
BLK	Blank	<0.01	<0.001	<0.1	<1	<0.01	<1	<0.001	<0.01	<0.001	<0.01	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<0.1	<1	<1	<0.1
BLK	Blank	<0.01	<0.001	<0.1	<1	<0.01	<1	<0.001	<0.01	<0.001	<0.01	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<0.1	<1	<1	<0.1
Prep Wash																					
G1	Prep Blank	2.30	0.084	23.4	10	0.58	1100	0.269	7.20	2.777	3.18	0.2	11.7	51	1.7	14.4	25.1	1.4	3	5	34.4
G1	Prep Blank	2.34	0.079	26.7	7	0.54	1021	0.269	7.21	2.636	3.00	0.2	12.2	56	1.5	15.3	24.9	1.5	3	5	37.5

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Golden Predator Canada Corp.**
11th Floor, 888 Dunsmuir Street
Vancouver BC V6C 3K4 Canada

Project: Antimony
Report Date: December 19, 2011

QUALITY CONTROL REPORT WHI11001960.1

		1EX S % 0.1	1EX Rb ppm 0.1	1EX Hf ppm 0.1
STD OXK79	Standard			
STD OXK79	Standard			
STD OXK79	Standard			
STD OXK79	Standard			
STD OXH82 Expected				
STD OXK79 Expected				
STD OREAS24P Expected			22.4	3.6
STD OREAS45C Expected		0.021	24	4.27
BLK	Blank			
BLK	Blank			
BLK	Blank			
BLK	Blank			
BLK	Blank			
BLK	Blank			
BLK	Blank			
BLK	Blank			
BLK	Blank	<0.1	<0.1	<0.1
BLK	Blank	<0.1	<0.1	<0.1
BLK	Blank	<0.1	<0.1	<0.1
Prep Wash				
G1	Prep Blank	<0.1	116.4	0.5
G1	Prep Blank	<0.1	113.9	0.7

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

APPENDIX 9

DESCRIPTION OF ANALYTICAL METHODS

AND DETECTION LIMITS

AcmeLabs
CARECOMMITMENTPERFORMANCE

METHOD SPECIFICATIONS

GROUP 1E & 1T – GEOCHEMICAL FOUR-ACID DIGESTION

Package Codes: 1E, 1EX, 1T
Sample Digestion: $HF-HNO_3-HClO_4$ acid digestion
Instrumentation Method: ICP-ES (1E), ICP-MS (1EX, 1T)
Applicability: Sediment, Soil, Non-mineralized Rock and Drill Core

Method Description:

Prepared sample is digested to complete dryness with an acid solution of (2:2:1:1) H_2O-HF-$HClO_4$-HNO_3.
50% HCl is added to the residue and heated using a mixing hot block. After cooling the solutions are transferred to test-tubes and brought to volume using dilute HCl. Sample splits of 0.25g are analyzed.

Element	Group 1E Detection	Group 1EX Detection	Group 1T Detection	Upper Limit
Ag	0.5 ppm	0.1 ppm	20 ppb	200 ppm
Al*	0.01%	0.01%	0.02%	20%
As†	5 ppm	1 ppm	0.2 ppm	10000 ppm
Au†	4 ppm	0.1 ppm	0.1 ppm	200 ppm
Ba*	1ppm	1 ppm	1 ppm	10000 ppm
Be*	1 ppm	1 ppm	1 ppm	1000 ppm
Bi	5 ppm	0.1 ppm	0.04 ppm	4000 ppm
Ca	0.01%	0.01%	0.02%	40%
Cd	0.4 ppm	0.1 ppm	0.02 ppm	4000 ppm
Ce	-	1 ppm	0.02 ppm	2000 ppm
Co	2 ppm	0.2 ppm	0.2 ppm	4000 ppm
Cr	2 ppm	1 ppm	1 ppm	10000 ppm
Cs	-	-	0.1 ppm	2000 ppm
Cu	2 ppm	0.1 ppm	0.02 ppm	10000 ppm
Dy	-	-	0.1 ppm	2000 ppm
Er	-	-	0.1 ppm	2000 ppm
Eu	-	-	0.1 ppm	2000 ppm
Fe*	0.01%	0.01%	0.02%	60%
Ga			0.02 ppm	100 ppm
Gd	-	-	0.1 ppm	2000 ppm
Hf*	-	0.1 ppm	0.02 ppm	1000 ppm
Ho	-	-	0.1 ppm	2000 ppm
K	0.01%	0.01%	0.02%	10%
La	2 ppm	0.1 ppm	0.1 ppm	2000 ppm
Li	-	0.1 ppm	0.1 ppm	2000 ppm
Lu	-	-	0.1 ppm	2000 ppm

AcmeLabs
CARECOMMITMENTPERFORMANCE

Element	Group 1E Detection	Group 1EX Detection	Group 1T Detection	Upper Limit
Mg*	0.01%	0.01%	0.02%	30%
Mn*	5 ppm	1 ppm	2 ppm	10000 ppm
Mo	2 ppm	0.1 ppm	0.05 ppm	4000 ppm
Na	0.01%	0.001%	0.002%	10%
Nb	2 ppm	0.1 ppm	0.04 ppm	2000 ppm
Nd	-	-	0.1 ppm	2000 ppm
Ni	2ppm	0.1 ppm	0.1 ppm	10000 ppm
P	0.002%	0.001%	0.001%	5%
Pb	5 ppm	0.1 ppm	0.02 ppm	10000 ppm
Pr	-	-	0.1 ppm	2000 ppm
Rb	-	0.1 ppm	0.1 ppm	2000 ppm
S*	0.1%	0.1%	0.04%	10%
Sb†	5 ppm	0.1 ppm	0.02 ppm	4000 ppm
Sc	1 ppm	1 ppm	0.1 ppm	200 ppm
Sm	-	-	0.1 ppm	2000 ppm
Sn*	2 ppm	0.1 ppm	0.1 ppm	2000 ppm
Sr	2 ppm	1 ppm	1 ppm	10000 ppm
Ta*	-	0.1 ppm	0.1 ppm	2000 ppm
Tb	-	-	0.1 ppm	2000 ppm
Th	2 ppm	0.1 ppm	0.1 ppm	4000 ppm
Ti	0.01%	0.001%	0.001%	10%
Tm	-	-	0.1 ppm	2000 ppm
U	20 ppm	0.1 ppm	0.1 ppm	4000 ppm
V	2 ppm	4 ppm	1 ppm	10000 ppm
W*	4 ppm	0.1 ppm	0.1 ppm	200 ppm
Y	2 ppm	0.1 ppm	0.1 ppm	2000 ppm
Yb	-	-	0.1 ppm	2000 ppm
Zn	2 ppm	1 ppm	0.2 ppm	10000 ppm
Zr*	2 ppm	0.1 ppm	0.2 ppm	2000

Limitations:

*This digestion is only partial for some Cr and Ba minerals and some oxides of Al, Hf, Mn, Sn, Ta and Zr.

†Volatilization may occur during fuming resulting in some loss of As, Sb and Au

AcmeLabs
CARECOMMITMENTPERFORMANCE

METHOD SPECIFICATIONS

GROUP 3B AND G6 – PRECIOUS METALS BY FIRE ASSAY FUSION

Package Codes: **3B01 to 3B04, G601 to G614**

Sample Digestion: **Lead-collection fire assay fusion**

Instrumentation Method: **ICP-ES (3B, G6), ICP-MS (3B-MS), AA (3B, G6), Gravimetric (G6)**

Applicability: **Rock, Drill Core**

Method Description:

Prepared sample is custom-blended with fire-assay fluxes, PbO litharge and a Ag inquart. Firing the charge at 1050 ^{O}c liberates Ag ± Au ± PGEs that report to the molten Pb-metal phase. After cooling the Pb button is recovered, placed in a cupel and fired at 950 ^{O}c to render a Ag ± Au ± PGEs dore bead. The bead is digested for ICP analysis or weighed and parted in ACS grade HNO_3 to dissolve Ag leaving a Au sponge. Au is weighed for Gravimetric determination; ACS grade HCl is added dissolving the Au ± PGE sponge for Instrument determination.

Element	3B Detection	3B Upper Limit	3B-MS Detection	3B-MS Upper Limit
Au	2 ppb	10000 ppb	1 ppb	10000 ppb
Pt	3 ppb	10000 ppb	0.1 ppb	10000 ppb
Pd	2 ppb	10000 ppb	0.5 ppb	10000 ppb

Element	G6 (Inst) Detection	G6 (Inst) Upper Limit	G6 (Grav) Detection	G6 (Grav) Upper Limit
Ag	--	--	50 g/t	1 ton
Au	0.005 g/t	10 g/t	0.9 g/t	1 ton
Pt	0.01 g/t	100 g/t	--	--
Pd	0.01 g/t	100 g/t	--	--

Note:

*Sulphide-rich samples require a 15g or smaller sample for proper fusion.

APPENDIX 10

SAMPLE INSERTION

STANDARDS AND BLANKS DESCRIPTION

CDN Resource Laboratories Ltd.

#2, 20148 - 102nd Avenue, Langley, B.C., Canada, V1M 4B4, Ph: 604-882-8422 Fax: 604-882-8466 (www.cdnlabs.com)

REFERENCE MATERIAL: CDN-GS-1P5D

Recommended value and the "Between Laboratory" two standard deviations
Gold concentration: 1.47 ± 0.15 g/t

PREPARED BY: CDN Resource Laboratories Ltd.
CERTIFIED BY: Duncan Sanderson, B.Sc., Licensed Assayer of British Columbia
INDEPENDENT GEOCHEMIST: Dr. Barry Smee., Ph.D., P. Geo.
DATE OF CERTIFICATION: April 21, 2011

ORIGIN OF REFERENCE MATERIAL:

Standard CDN-GS-1P5D was prepared using 790 kg of a blank granitic ore and 11 kg of a high grade gold ore.

METHOD OF PREPARATION:

Reject ore material was dried, crushed, pulverized and then passed through a 270 mesh screen. The +270 material was discarded. The -270 material was mixed for 5 days in a double-cone blender. Splits were taken and sent to 14 commercial laboratories for round robin assaying. Round robin results are displayed below:

	Lab 1	Lab 2	Lab 3	Lab 4	Lab 5	Lab 6	Lab 7	Lab 8	Lab 9	Lab 10	Lab 11	Lab 12	Lab 13	Lab 14
Sample	Au g/t	Au g/t	Au g/t	Au g/t	Au g/t	Au g/t	Au g/t	Au g/t	Au g/t	Au g/t	Au g/t	Au g/t	Au g/t	Au g/t
GS-1P5D-1	1.22	1.46	1.54	1.51	1.43	1.37	1.41	1.31	1.41	1.58	1.45	1.50	1.51	1.42
GS-1P5D-2	1.24	1.50	1.60	1.56	1.47	1.44	1.45	1.49	1.40	1.52	1.44	1.48	1.42	1.61
GS-1P5D-3	1.20	1.43	1.51	1.60	1.39	1.46	1.50	1.45	1.43	1.56	1.48	1.63	1.40	1.41
GS-1P5D-4	1.19	1.51	1.53	1.63	1.38	1.46	1.39	1.46	1.40	1.62	1.44	1.46	1.45	1.56
GS-1P5D-5	1.17	1.41	1.43	1.52	1.40	1.44	1.41	1.46	1.43	1.63	1.45	1.50	1.37	1.44
GS-1P5D-6	1.22	1.44	1.36	1.58	1.55	1.37	1.53	1.43	1.44	1.56	1.45	1.33	1.40	1.43
GS-1P5D-7	1.17	1.47	1.59	1.58	1.60	1.29	1.39	1.45	1.33	1.65	1.44	1.41	1.40	1.47
GS-1P5D-8	1.16	1.41	1.35	1.53	1.48	1.39	1.49	1.56	1.64	1.68	1.47	1.54	1.38	1.52
GS-1P5D-9	1.21	1.57	1.54	1.59	1.61	1.42	1.38	1.45	1.47	1.63	1.42	1.39	1.43	1.49
GS-1P5D-10	1.17	1.45	1.54	1.51	1.46	1.39	1.37	1.37	1.58	1.67	1.39	1.46	1.33	1.48
Mean	1.19	1.47	1.50	1.56	1.48	1.40	1.43	1.44	1.45	1.61	1.44	1.47	1.41	1.48
Std. Dev'n	0.0255	0.0499	0.0893	0.0419	0.0841	0.0525	0.0555	0.0665	0.0914	0.0535	0.0248	0.0831	0.0486	0.0646
%RSD	2.14	3.41	5.96	2.68	5.69	3.74	3.88	4.61	6.29	3.33	1.72	5.66	3.45	4.36

Assay Procedure: all assays were fire assay, ICP or AA finish on 30g samples.

Data from Lab 1 was excluded for failing the t test.

APPROXIMATE CHEMICAL COMPOSITION (by whole rock analysis):

	Percent			Percent
SiO2	75.2		Na2O	2.8
Al2O3	10.1		MgO	1.4
Fe2O3	5.4		K2O	1.1
CaO	2.4		TiO2	0.5
MnO	0.1		LOI	1.5
S	0.1			

REFERENCE MATERIAL: CDN-GS-1P5D

Statistical Procedures:

The final limits were calculated after first determining if all data was compatible within a spread normally expected for similar analytical methods done by reputable laboratories. Data from any one laboratory was removed from further calculations when the mean of all analyses from that laboratory failed a t test of the global means of the other laboratories. The mean and standard deviation were calculated using all remaining data. Any analysis that fell outside of the mean ±2 standard deviations was removed from the ensuing data base. The mean and standard deviations were again calculated using the remaining data. This method is different from that used by Government agencies in that the actual "between-laboratory" standard deviation is used in the calculations. This produces upper and lower limits that reflect actual individual analyses rather than a grouped set of analyses. The limits can therefore be used to monitor accuracy from individual analyses, unlike the Confidence Limits published on other standards.

Participating Laboratories:
(not in same order as table of assays)

Acme Analytical Laboratories Ltd., Vancouver, B.C., Canada
Activation Laboratories, Ancaster, Ontario, Canada
Activation Laboratories, Thunder Bay, Ontario, Canada
ALS Chemex, North Vancouver, B.C., Canada
AHK Geochem, Alaska, USA
Alex Stewart, Mendoza, Argentina
Alex Stewart, Kamloops, B.C., Canada
Genalysis Lab. Services, Perth, Australia
Inspectorate, Richmond, B.C., Canada
Omac Laboratory, Ireland
Skyline Assayers & Laboratories Ltd, Arizona, USA
SGS, Lima, Peru
TSL Laboratories Ltd., Saskatoon, SK, Canada
Ultra Trace Pty. Ltd., Perth, Australia

Legal Notice:

This certificate and the reference material described in it have been prepared with due care and attention. However CDN Resource Laboratories Ltd. nor Barry Smee accept any liability for any decisions or actions taken following the use of the reference material. Our liability is limited solely to the cost of the reference material.

Certified by



Duncan Sanderson, Certified Assayer of B.C.

Geochemist

Dr. Barry Smee, Ph.D., P. Geo.

CDN Resource Laboratories Ltd.

#2, 20148 – 102nd Avenue, Langley, B.C., Canada, V1M 4B4, 604-882-8422, Fax: 604-882-8466 (www.cdnlabs.com)

GOLD ORE REFERENCE MATERIAL: CDN-GS-6A

Recommended value and the "Between Laboratory" two standard deviations

Gold concentration: 5.69 ± 0.48 g/t (Fire Assay / ICP)
Gold concentration: 5.79 ± 0.46 g/t (Fire Assay / Grav.)

PREPARED BY: CDN Resource Laboratories Ltd.
CERTIFIED BY: Duncan Sanderson, B.Sc., Licensed Assayer of British Columbia
INDEPENDENT GEOCHEMIST: Dr. Barry Smee., Ph.D., P. Geo.
DATE OF CERTIFICATION: December 9, 2009

ORIGIN OF REFERENCE MATERIAL:

Standard CDN-GS-6A was prepared using ore supplied by Williams Operating Corporation from their Williams Mine in Ontario, Canada. 165 kg of Williams ore was mixed with 635 kg of a blank, granitic ore.

METHOD OF PREPARATION:

Reject ore material was dried, crushed, pulverized and then passed through a 270 mesh screen. The +270 material was discarded. The -270 material was mixed for 5 days in a double-cone blender. Splits were taken and sent to 15 commercial laboratories for round robin assaying. Round robin results are displayed below:

	Lab 1	Lab 2	Lab 3	Lab 4	Lab 5	Lab 6	Lab 7	Lab 8	Lab 9	Lab 10	Lab 11	Lab 12	Lab 13	Lab 14	Lab 15
ICP	Au g/t	Au g/t	Au g/t	Au g/t	Au g/t	Au g/t	Au g/t	Au g/t	Au g/t	Au g/t	Au g/t	Au g/t	Au g/t	Au g/t	Au g/t
CDN-GS-6A-1	5.29	5.47	5.90	5.63	5.99	5.53	5.53	5.85		5.65	6.04	5.93	4.88	5.82	5.44
CDN-GS-6A-2	5.72	5.65	6.05	5.74	6.20	5.58	5.71	5.69		5.99	6.33	5.34	5.15	5.60	5.69
CDN-GS-6A-3	5.42	5.83	5.92	5.75	6.06	5.74	5.68	5.64		5.63	5.75	5.75	5.26	5.31	5.56
CDN-GS-6A-4	5.76	5.39	6.02	5.86	5.64	5.66	5.68	5.72		5.91	5.69	5.74	5.32	5.30	5.56
CDN-GS-6A-5	5.46	5.81	5.94	5.58	6.59	5.62	5.63	5.69		6.15	5.94	5.34	4.90	5.43	5.62
CDN-GS-6A-6	5.63	5.65	5.78	5.81	5.83	5.76	5.87	6.20		5.87	5.95	5.83	5.28	5.80	5.41
CDN-GS-6A-7	5.94	5.20	5.95	5.70	6.18	5.58	5.79	5.97		5.40	5.61	5.69	4.94	5.95	5.38
CDN-GS-6A-8	5.70	5.15	6.04	5.46	5.81	5.35	5.64	6.00		5.82	5.87	5.79	5.29	5.37	5.46
CDN-GS-6A-9	5.79	5.72	6.08	5.49	6.19	5.73	5.59	5.60		5.69	5.90	5.43	5.10	5.28	5.76
CDN-GS-6A-10	5.51	5.77	5.75	5.57	6.58	5.61	5.54	5.98		6.10	5.64	5.47	5.30	5.68	5.40
Mean	5.62	5.56	5.94	5.66	6.11	5.62	5.67	5.83		5.82	5.87	5.63	5.14	5.55	5.53
Std. Dev'n	0.1983	0.2485	0.1115	0.1347	0.3121	0.1210	0.1062	0.1975		0.2322	0.2160	0.2159	0.1768	0.2482	0.1313
%RSD	3.53	4.47	1.88	2.38	5.11	2.16	1.87	3.38		3.99	3.68	3.83	3.44	4.47	2.38

	Lab 1	Lab 2	Lab 3	Lab 4	Lab 5	Lab 6	Lab 7	Lab 8	Lab 9	Lab 10	Lab 11	Lab 12	Lab 13	Lab 14	Lab 15
Gravimetric	Au g/t	Au g/t	Au g/t	Au g/t	Au g/t	Au g/t	Au g/t	Au g/t	Au g/t	Au g/t	Au g/t	Au g/t	Au g/t	Au g/t	Au g/t
CDN-GS-6A-1	5.93	5.80	5.86	5.79	5.90				5.76	5.62	5.93	5.87	5.05	5.07	5.86
CDN-GS-6A-2	5.63	5.87	6.03	5.59	5.97				5.49	5.34	6.50	5.98	5.53	5.25	5.59
CDN-GS-6A-3	5.75	5.63	5.60	5.77	5.93				5.83	5.66	5.90	6.17	4.98	5.59	5.30
CDN-GS-6A-4	5.88	5.73	5.83	5.73	5.88				6.07	5.46	6.10	6.00	5.20	5.38	5.76
CDN-GS-6A-5	6.11	5.80	6.00	5.60	5.83				5.76	5.69	6.00	6.11	5.83	5.42	5.73
CDN-GS-6A-6	6.16	5.57	6.17	5.57	5.94				5.83	5.94	6.23	5.85	5.57	5.66	5.81
CDN-GS-6A-7	5.93	5.67	6.17	5.71	6.01				5.90	6.00	5.67	6.06	5.39	4.97	5.48
CDN-GS-6A-8	5.83	5.37	5.80	5.64	5.86				5.90	6.11	5.80	6.03	5.13	5.76	5.38
CDN-GS-6A-9	6.08	5.53	6.19	5.66	5.84				5.83	5.75	5.97	5.93	5.13	5.73	5.80
CDN-GS-6A-10	5.57	5.40	5.93	5.56	5.93				6.07	6.15	6.57	5.95	5.56	4.97	5.38
Mean	5.89	5.64	5.96	5.66	5.91				5.84	5.77	6.07	6.00	5.34	5.38	5.61
Std. Dev'n	0.1983	0.1702	0.1916	0.0822	0.0578				0.1661	0.2717	0.2901	0.1014	0.2792	0.3040	0.2094
%RSD	3.37	3.02	3.22	1.45	0.98				2.84	4.71	4.78	1.69	5.23	5.65	3.73

Note: ***Lab 9 did not report ICP results and Labs 6, 7 and 8 did not report gravimetric results.***

Assay Procedure: ***Fire assay on 30g samples. Both ICP and gravimetric finishes were requested.***

GOLD ORE REFERENCE MATERIAL: CDN-GS-6A

APPROXIMATE CHEMICAL COMPOSITION:

	Percent			Percent
SiO2	65.0		Na2O	2.6
Al2O3	14.5		MgO	1.5
Fe2O3	7.0		K2O	2.0
CaO	2.2		TiO2	0.6
MnO	0.1		LOI	2.3
S	0.9		C	0.1

Statistical Procedures:

The final limits were calculated after first determining if all data was compatible within a spread normally expected for similar analytical methods done by reputable laboratories. Data from any one laboratory was removed from further calculations when the mean of all analyses from that laboratory failed a t test of the global means of the other laboratories. The mean and standard deviation were calculated using all remaining data. Any analysis that fell outside of the mean ±2 standard deviations was removed from the ensuing data base. The mean and standard deviations were again calculated using the remaining data. This method is different from that used by Government agencies in that the actual "between-laboratory" standard deviation is used in the calculations. This produces upper and lower limits that reflect actual individual analyses rather than a grouped set of analyses. The limits can therefore be used to monitor accuracy from individual analyses, unlike the Confidence Limits published on other standards.

Participating Laboratories: (not in same order as table of assays)

Acme Analytical Laboratories Ltd., Vancouver, B.C., Canada
Activation Laboratories, Ancaster, Ontario, Canada
Activation Laboratories, Thunder Bay, Ontario, Canada
ALS Chemex, North Vancouver, B.C., Canada
Assayers Canada Ltd., Vancouver, Canada
Assayers Canada Ltd., Vancouver, B.C., Canada
Eco Tech Laboratory Ltd., Kamloops, B.C., Canada
Genalysis Lab. Services, Perth, Australia
Inspectorate America, Nevada, USA
International Plasma Laboratories, Richmond, B.C., Canada
Labtium Inc., Finland
Omac Laboratory, Ireland
Skyline Assayers & Laboratories Ltd, Arizona, USA
TSL Laboratories Ltd., Saskatoon, SK, Canada
Ultra Trace Pty. Ltd., Perth, Australia

Legal Notice:

This certificate and the reference material described in it have been prepared with due care and attention. However CDN Resource Laboratories Ltd. nor Barry Smee accept any liability for any decisions or actions taken following the use of the reference material. Our liability is limited solely to the cost of the reference material.

Certified by Duncan Sanderson

Duncan Sanderson, Certified Assayer of B.C.

Geochemist B W Smee

Dr. Barry Smee, Ph.D., P. Geo.

CDN Resource Laboratories Ltd.

#2, 20148 – 102nd Avenue, Langley, B.C., Canada, V1M 4B4, 604-882-8422, Fax: 604-882-8466 (www.cdnlabs.com)

REFERENCE MATERIAL: CDN-GS-P7E

Recommended value and the "Between Laboratory" two standard deviations

Gold concentration: 0.766 ± 0.086 g/t (30g Fire Assay / Instrumental finish)

PREPARED BY: CDN Resource Laboratories Ltd.
CERTIFIED BY: Duncan Sanderson, B.Sc., Licensed Assayer of British Columbia
INDEPENDENT GEOCHEMIST: Dr. Barry Smee., Ph.D., P. Geo.
DATE OF CERTIFICATION: July 18, 2011

ORIGIN OF REFERENCE MATERIAL:

Standard CDN-GS-P7E was prepared using 797 kg of a blank granitic ore and 3 kg of a high grade gold ore.

METHOD OF PREPARATION:

Reject ore material was dried, crushed, pulverized and then passed through a 270 mesh screen. The +270 material was discarded. The -270 material was mixed for 5 days in a double-cone blender. Splits were taken and sent to 15 commercial laboratories for round robin assaying. Round robin results are displayed below:

	Lab 1	Lab 2	Lab 3	Lab 4	Lab 5	Lab 6	Lab 7	Lab 8	Lab 9	Lab 10	Lab 11	Lab 12	Lab 13	Lab 14	Lab 15
Sample	Au g/t	Au g/t	Au g/t	Au g/t	Au g/t	Au g/t	Au g/t	Au g/t	Au g/t	Au g/t	Au g/t	Au g/t	Au g/t	Au g/t	Au g/t
GS-P7E-1	0.812	0.775	0.698	0.747	0.901	0.73	0.760	0.791	0.805	0.803	0.860	0.777	0.762	0.782	0.91
GS-P7E-2	0.792	0.733	0.655	0.711	0.841	0.73	0.700	0.745	0.818	0.761	0.890	0.808	0.763	0.739	0.83
GS-P7E-3	0.808	0.712	0.745	0.750	0.830	0.74	0.780	0.823	0.830	0.759	0.750	0.788	0.785	0.797	0.92
GS-P7E-4	0.808	0.744	0.700	0.736	0.898	0.73	0.680	0.766	0.832	0.818	0.750	0.811	0.781	0.739	0.85
GS-P7E-5	0.754	0.758	0.679	0.725	0.864	0.75	0.720	0.778	0.749	0.730	0.830	0.775	0.751	0.782	0.83
GS-P7E-6	0.764	0.832	0.679	0.736	0.891	0.75	0.790	0.812	0.841	0.807	0.720	0.751	0.771	0.813	0.83
GS-P7E-7	0.768	0.771	0.751	0.746	0.864	0.71	0.740	0.754	0.760	0.792	0.710	0.769	0.759	0.838	0.80
GS-P7E-8	0.704	0.785	0.732	0.754	0.864	0.71	0.730	0.744	0.754	0.770	0.800	0.760	0.751	0.824	0.83
GS-P7E-9	0.686	0.782	0.687	0.739	0.899	0.70	0.680	0.824	0.755	0.849	0.780	0.789	0.777	0.695	0.84
GS-P7E-10	0.724	0.760	0.689	0.749	0.846	0.75	0.720	0.782	0.808	0.811	0.780	0.792	0.761	0.839	0.76
Mean	0.762	0.765	0.702	0.739	0.870	0.729	0.730	0.782	0.795	0.790	0.787	0.782	0.766	0.785	0.841
Std. Dev'n	0.0451	0.0328	0.0313	0.0131	0.0261	0.0175	0.0383	0.0304	0.0367	0.0349	0.0589	0.0194	0.0119	0.0478	0.0453
%RSD	5.92	4.28	4.46	1.78	3.01	2.40	5.25	3.88	4.62	4.42	7.48	2.48	1.56	6.08	5.39

Note: results from Lab. 5 were excluded for failing the t test

APPROXIMATE CHEMICAL COMPOSITION (by whole rock analysis):

	Percent				Percent
SiO2	73.3			Na2O	2.9
Al2O3	10.9			MgO	1.7
Fe2O3	5.4			K2O	1.2
CaO	2.4			TiO2	0.5
MnO	< 0.1			LOI	2.4
Total S	<0.1				

REFERENCE MATERIAL: CDN-GS-P7E

Statistical Procedures:

The final limits were calculated after first determining if all data was compatible within a spread normally expected for similar analytical methods done by reputable laboratories. Data from any one laboratory was removed from further calculations when the mean of all analyses from that laboratory failed a t test of the global means of the other laboratories. The mean and standard deviation were calculated using all remaining data. Any analysis that fell outside of the mean ±2 standard deviations was removed from the ensuing data base. The mean and standard deviations were again calculated using the remaining data. This method is different from that used by Government agencies in that the actual "between-laboratory" standard deviation is used in the calculations. This produces upper and lower limits that reflect actual individual analyses rather than a grouped set of analyses. The limits can therefore be used to monitor accuracy from individual analyses, unlike the Confidence Limits published on other standards.

Participating Laboratories: (not in same order as table of assays)

Acme Analytical Laboratories Ltd., Vancouver, B.C., Canada
Activation Laboratories, Ancaster, Ontario, Canada
Activation Laboratories, Thunder Bay, Ontario, Canada
Alex Stewart, Kamloops, Canada
Alex Stewart, Menodosa, Argentina
ALS Chemex, North Vancouver, B.C., Canada
American Assay Laboratories, Nevada, USA
CIMM, Lima, Peru
Genalysis Lab Services, Australia
Inspectorate, Richmond, B.C., Canada
OMAC Laboratories Ltd., Ireland
SGS, Lima, Peru
Skyline, Arizona, USA
TSL Laboratories Ltd., Saskatoon, SK, Canada
Ultra Trace Laboratories Ltd., Australia

Legal Notice:

This certificate and the reference material described in it have been prepared with due care and attention. However CDN Resource Laboratories Ltd. nor Barry Smee accept any liability for any decisions or actions taken following the use of the reference material. Our liability is limited solely to the cost of the reference material.

Certified by Duncan Sanderson

Duncan Sanderson, Certified Assayer of B.C.

Geochemist B W Smee

Dr. Barry Smee, Ph.D., P. Geo.

CDN Resource Laboratories Ltd.

#2, 20148 - 102nd Avenue, Langley, B.C., Canada, V1M 4B4, Ph: 604-882-8422 Fax: 604-882-8466
(www.cdnlabs.com)

STANDARD REFERENCE MATERIAL: CDN-BL-9

Recommended values:

Gold concentration: ***< 0.01 g/t***
Platinum concentration: ***< 0.01 g/t***
Palladium concentration: ***< 0.01 g/t***

PREPARED BY: CDN Resource Laboratories Ltd.
CERTIFIED BY: Duncan Sanderson, B.Sc., Licensed Assayer of British Columbia
INDEPENDENT GEOCHEMIST: Dr. Barry Smee., Ph. D., P. Geo.
DATE OF CERTIFICATION: June 17, 2011

ORIGIN OF REFERENCE MATERIAL:

Standard CDN-BL-9 was prepared using a blank granitic material.

METHOD OF PREPARATION:

The granitic material was dried, crushed, pulverized and then passed through a 270 mesh screen. The +270 material was discarded. The -270 (<53 micron) material was mixed for 5 days in a double-cone blender. Splits were taken and sent to 8 commercial laboratories for round robin assaying. Round robin results are displayed on the next page.

APPROXIMATE CHEMICAL COMPOSITION (by whole rock analysis):

	Percent			Percent
SiO2	75.0		Na2O	2.7
Al2O3	10.1		MgO	1.3
Fe2O3	3.6		K2O	1.0
CaO	2.6		TiO2	0.4
MnO	0.1		LOI	1.8
C	0.1		S	<0.1

Statistical Procedures: There was no statistical analysis performed on the data.

Participating Laboratories: (not in same order as table of assays)

Acme Analytical Laboratories Ltd., Vancouver
Actlabs, Ancaster, Ontario
Actlabs, Thunder Bay, Ontario
ALS Chemex Laboratories, North Vancouver
Eco Tech Laboratory Ltd., Kamloops, B.C., Canada
TSL Laboratories, Saskatoon
Genalysis, Perth, Australia
Ultra Trace, Perth, Australia

Assay Procedure: assays were fire assay, AA or ICP finish on 30g samples.
Assay results on the following page

	Lab 1	Lab 2	Lab 3	Lab 4	Lab 5	Lab 6	Lab 7	Lab 8
Sample	Au ppm	Au ppm	Au ppm	Au ppm	Au ppm	Au ppm	Au ppm	Au ppm
CDN-BL-9-1	0.003	0.004	<.005	0.005	<0.001	<.001	<.005	0.002
CDN-BL-9-2	0.002	0.002	<.005	0.005	<0.001	<.001	0.005	0.001
CDN-BL-9-3	< 0.002	0.002	<.005	0.004	0.002	<.001	<.005	0.001
CDN-BL-9-4	< 0.002	0.003	<.005	0.005	<0.001	<.001	<.005	0.001
CDN-BL-9-5	< 0.002	< 0.002	<.005	0.007	<0.001	0.001	<.005	0.001
CDN-BL-9-6	< 0.002	< 0.002	<.005	0.004	<0.001	0.002	<.005	0.002
CDN-BL-9-7	0.002	0.002	<.005	0.003	0.001	0.001	<.005	0.001
CDN-BL-9-8	< 0.002	0.003	<.005	0.004	<.001	0.003	0.005	0.001
CDN-BL-9-9	< 0.002	< 0.002	<.005	0.002	0.002	0.002	<.005	0.004
CDN-BL-9-10	< 0.002	< 0.002	<.005	0.005	<.001	<.001	<.005	0.003
	Pt ppm	Pt ppm	Pt ppm	Pt ppm	Pt ppm	Pt ppm	Pt ppm	Pt ppm
CDN-BL-9-1	< 0.005	< 0.005	<0.010	< 0.005	0.003	<.001	<.005	<0.005
CDN-BL-9-2	< 0.005	< 0.005	<0.010	< 0.005	0.002	<.001	<.005	<0.005
CDN-BL-9-3	< 0.005	< 0.005	<0.010	< 0.005	0.004	<.001	<.005	<0.005
CDN-BL-9-4	< 0.005	< 0.005	<0.010	< 0.005	0.003	<.001	<.005	<0.005
CDN-BL-9-5	< 0.005	< 0.005	<0.010	< 0.005	0.003	<.001	<.005	<0.005
CDN-BL-9-6	< 0.005	< 0.005	<0.010	< 0.005	0.005	<.001	<.005	<0.005
CDN-BL-9-7	< 0.005	< 0.005	<0.010	< 0.005	0.003	<.001	<.005	<0.005
CDN-BL-9-8	< 0.005	< 0.005	<0.010	< 0.005	0.004	<.001	<.005	<0.005
CDN-BL-9-9	< 0.005	< 0.005	<0.010	< 0.005	0.004	<.001	<.005	<0.005
CDN-BL-9-10	< 0.005	< 0.005	<0.010	< 0.005	0.003	<.001	<.005	<0.005
	Pd ppm	Pd ppm	Pd ppm	Pd ppm	Pd ppm	Pd ppm	Pd ppm	Pd ppm
CDN-BL-9-1	< 0.005	< 0.005	<.005	< 0.005	<0.001	<.001	<.005	0.001
CDN-BL-9-2	< 0.005	< 0.005	<.005	< 0.005	<0.001	<.001	<.005	0.001
CDN-BL-9-3	< 0.005	< 0.005	<.005	< 0.005	<0.001	<.001	<.005	<0.001
CDN-BL-9-4	< 0.005	< 0.005	<.005	< 0.005	<0.001	<.001	<.005	0.001
CDN-BL-9-5	< 0.005	< 0.005	<.005	< 0.005	<0.001	<.001	<.005	0.001
CDN-BL-9-6	< 0.005	0.005	<.005	< 0.005	<0.001	<.001	<.005	<0.001
CDN-BL-9-7	< 0.005	< 0.005	<.005	< 0.005	<0.001	<.001	<.005	<0.001
CDN-BL-9-8	< 0.005	0.007	<.005	< 0.005	<0.001	<.001	<.005	<0.001
CDN-BL-9-9	< 0.005	< 0.005	<.005	< 0.005	<0.001	<.001	<.005	0.001
CDN-BL-9-10	< 0.005	< 0.005	<.005	< 0.005	<0.001	<.001	<.005	0.001

Legal Notice:

This certificate and the reference material described in it have been prepared with due care and attention. However CDN Resource Laboratories Ltd. nor Barry Smee accept any liability for any decisions or actions taken following the use of the reference material. Our liability is limited solely to the cost of the reference material.

Certified by

Duncan Sanderson, Certified Assayer of B.C.

Geochemist

Dr. Barry Smee, Ph.D., P. Geo.

CDN Resource Laboratories Ltd.

#2, 20148 - 102nd Avenue, Langley, B.C., Canada, V1M 4B4, Ph: 604-882-8422 Fax: 604-882-8466
(www.cdnlabs.com)

REFERENCE MATERIAL: CDN-GS-5G

Recommended values and the "Between Lab" Two Standard Deviations

Gold concentration: ***4.77 ± 0.40 g/t***
Silver concentration: ***101.8 ± 7.0 g/t***

PREPARED BY: CDN Resource Laboratories Ltd.
CERTIFIED BY: Duncan Sanderson, B.Sc., Licensed Assayer of British Columbia
INDEPENDENT GEOCHEMIST: Dr. Barry Smee., Ph.D., P. Geo.
DATE OF CERTIFICATION: February 17, 2011

METHOD OF PREPARATION:

Reject ore material was dried, crushed, pulverized and then passed through a 270 mesh screen. The +270 material was discarded. The -270 material was mixed for 5 days in a double-cone blender. Splits were taken and sent to 15 laboratories for round robin assaying.

ORIGIN OF REFERENCE MATERIAL:

Standard CDN-GS-5G was prepared using a variety of siliceous ores.

Approximate chemical composition is as follows (from whole rock analysis):

	Percent			Percent
SiO2	70.9		MgO	1.2
Al2O3	10.9		K2O	1.8
Fe2O3	5.2		TiO2	0.4
CaO	1.9		LOI	3.0
Na2O	2.0		S	1.3

Statistical Procedures:

The final limits were calculated after first determining if all data was compatible within a spread normally expected for similar analytical methods done by reputable laboratories. Data from any one laboratory was removed from further calculations when the mean of all analyses from that laboratory failed a t test of the global means of the other laboratories. The means and standard deviations were calculated using all remaining data. Any analysis that fell outside of the mean ±2 standard deviations was removed from the ensuing data base. The mean and standard deviations were again calculated using the remaining data. This method is different from that used by Government agencies in that the actual "between-laboratory" standard deviation is used in the calculations. This produces upper and lower limits that reflect actual individual analyses rather than a grouped set of analyses. The limits can therefore be used to monitor accuracy from individual analyses, unlike the Confidence Limits published on other standards.

REFERENCE MATERIAL CDN-GS-5G

Results from round-robin assaying:

Assay Procedures: **Au:** Fire assay pre-concentration, AA or ICP finish (30g sub-sample).
Ag: 4-acid digestion, AA or ICP finish.

	Lab 1	Lab 2	Lab 3	Lab 4	Lab 5	Lab 6	Lab 7	Lab 8	Lab 9	Lab 10	Lab 11	Lab 12	Lab 13	Lab 14	Lab 15
	Au g/t	Au g/t	Au g/t	Au g/t	Au g/t	Au g/t	Au g/t	Au g/t	Au g/t	Au g/t	Au g/t	Au g/t	Au g/t	Au g/t	Au g/t
GS-5G-1	4.84	4.11	5.03	4.80	4.67	4.63	4.85	4.53	4.90	4.98	4.48	5.10	4.77	4.48	5.02
GS-5G-2	4.80	4.01	4.88	4.78	4.35	4.70	4.79	4.70	4.42	4.97	4.28	4.85	4.71	4.62	4.99
GS-5G-3	4.80	4.23	5.27	4.75	4.86	4.96	4.77	4.73	4.59	5.06	4.09	4.93	4.77	4.51	4.82
GS-5G-4	5.24	4.23	5.15	5.00	4.82	5.03	4.76	4.49	5.04	5.10	4.64	4.43	4.63	4.36	5.03
GS-5G-5	4.65	4.21	5.08	4.69	4.71	4.91	4.87	4.56	4.73	5.00	4.42	4.90	4.70	4.38	5.06
GS-5G-6	4.98	4.08	5.23	4.69	4.70	4.92	4.75	4.36	4.66	4.98	4.39	4.52	4.90	4.53	5.02
GS-5G-7	4.78	4.10	5.01	4.88	4.87	4.19	4.82	4.70	4.87	4.93	4.58	4.63	4.60	4.48	4.76
GS-5G-8	4.75	4.02	5.14	4.67	4.80	4.94	4.87	4.80	4.66	5.08	4.53	4.74	4.71	4.40	4.89
GS-5G-9	4.50	4.22	5.05	4.73	4.81	5.00	4.69	4.94	4.63	4.97	4.07	4.64	4.59	4.71	5.03
GS-5G-10	4.56	4.15	4.97	4.52	4.74	5.20	4.80	4.81	4.42	5.05	4.63	4.59	4.71	4.27	4.69
Mean	4.79	4.14	5.08	4.75	4.73	4.85	4.80	4.66	4.69	5.01	4.41	4.73	4.71	4.47	4.93
Std. Dev'n	0.2107	0.0849	0.1190	0.1277	0.1503	0.2814	0.0576	0.1749	0.2005	0.0568	0.2068	0.2087	0.0921	0.1280	0.1318
%RSD	4.40	2.05	2.34	2.69	3.18	5.80	1.20	3.75	4.27	1.13	4.69	4.41	1.96	2.86	2.67
	Ag g/t	Ag g/t	Ag g/t	Ag g/t	Ag g/t	Ag g/t	Ag g/t	Ag g/t	Ag g/t	Ag g/t	Ag g/t	Ag g/t	Ag g/t	Ag g/t	Ag g/t
GS-5G-1	96	95.1	106	106.5	103	102	99.5	101.0	102.6	98.8	102.3	104	96	97.2	88.2
GS-5G-2	102	98.4	105	109.2	104	102	100	103.3	103.0	98.9	97.3	101	100	100.0	94.9
GS-5G-3	100	97.3	110	108.4	100	98	101	105.3	99.9	98.5	101.6	106	105	98.1	91.4
GS-5G-4	100	97.1	103	106.1	105	100	100	106.9	95.5	100.7	99.5	106	102	98.1	91.6
GS-5G-5	103	98.2	105	109.9	105	105	101	106.5	99.1	100.2	96.2	104	105	98.5	88.8
GS-5G-6	101	97.2	106	108.1	102	104	102	104.5	100.6	101.6	102.1	108	103	100.1	86.8
GS-5G-7	99	96.3	107	108.2	100	101	98.5	103.9	99.8	100.5	101.2	110	107	100.4	90.4
GS-5G-8	98	94.4	104	108.1	105	99	102	106.7	99.7	100.4	97.6	102	103	99.3	90.7
GS-5G-9	104	95.1	108	107.4	102	97	98	102.2	101.0	99.8	99.4	109	102	99.7	86.4
GS-5G-10	104	95.7	105	105.6	103	99	98	106.0	102.7	96.7	97.8	102	105	98.9	87.8
Mean	100.7	96.5	105.9	107.8	102.9	100.7	100.0	104.6	100.4	99.6	99.5	105.2	102.8	99.0	89.7
Std. Dev'n	2.627	1.374	2.025	1.359	1.912	2.584	1.509	2.020	2.213	1.401	2.215	3.120	3.120	1.047	2.603
%RSD	2.61	1.42	1.91	1.26	1.86	2.57	1.51	1.93	2.20	1.41	2.23	2.97	3.03	1.06	2.90

Note: Au data from Lab. 2 was excluded for failing the t test.
Ag data from Lab. 15 was excluded for failing the t test.

STANDARD REFERENCE MATERIAL CDN-GS-5G

Participating Laboratories:
(not in same order as listed in table of results)

Acme Analytical Laboratories Ltd., Vancouver, B.C., Canada
Actlabs, Ancaster, Ontario, Canada
Actlabs, Thunder Bay, Ontario, Canada
AGAT Laboratories, Ontario, Canada
ALS Chemex Laboratories, North Vancouver, B.C., Canada
Alaska Assay Laboratories, Alaska, USA
ASA Argentina, Mendoza, Argentina
Assayers Canada Ltd., Vancouver, B.C., Canada
Eco Tech Laboratory Ltd., Kamloops, B.C., Canada
Genalysis Laboratory Services Pty. Ltd., Australia
International Plasma Laboratories, Richmond, B.C., Canada
OMAC Laboratories Ltd., Ireland
Skyline Assayers & Laboratories, Arizona, USA
TSL Laboratories, Saskatoon, Canada
Ultra Trace Analytical Laboratories, Australia

Legal Notice:

This certificate and the reference material described in it have been prepared with due care and attention. However CDN Resource Laboratories Ltd. or Barry Smee accept no liability for any decisions or actions taken following the use of the reference material. Our liability is limited solely to the cost of the reference material.

Certified by 
Duncan Sanderson, Certified Assayer of B.C.

Geochemist
Dr. Barry Smee, Ph.D., P. Geo.

APPENDIX 11

SUMMARY OF 2011 EXPLORATION EXPENDITURES ON THE JIMI CLAIMS AND ANT CLAIMS

2011 Ryanwood Claims Expenditures, Ant 31/33/34

	YTD
1800 · MINERAL PROPERTIES	
1801.1 · Acquisition costs - cash	100,000.00
1801.2 · Acquisition costs - shares	208,850.91
1801.3 · Acq.cost-Filing/claim grouping fees	11,532.50
1801.3. · Recording / Permitting	50.00
1801.3 · Acq.cost-BLM/staking/permit/fil - Other	0.00
Total 1801.3 · Acq.cost-BLM/staking/permit/fil	50.00
1801.4 · Acquisition costs - lease	0.00
1803.1 · Salaries - field	53,271.23
1803.2 · Salaries - office	6,250.00
Total 1803.3 · Salaries and Benefits	0.00
Administrative Overhead, 10% of costs	59,514.02
1804.2 · Contract - geology	733.62
1804.3 · Contract - data processing	327.16
1804.5 · Contract - surveying	580.36
1805 · Casual labour	4,335.00
1809 · Trenching	164.50
1810 · Fuel	30,933.23
1813 · Groceries and camp supplies	8,275.98
1814 · Room and board	914.25
1815 · Communications	1,700.44
1816 · Field Supplies	802.23
1817 · Expediting	4,662.30
1818 · Travel	2.68
1819 · Equipment rentals	5,951.85
1820 · Vehicle	3,311.33
1821 · Helicopter	190,546.32
1822 · Freight	0.00
1823 · Drilling	244,570.84
1824 · Assaying	30,476.21
1853 · Geological Consultants	0.00
1857 · Equipment	-4,301.85
Total 1800 · MINERAL PROPERTIES	963,505.11
Total Other Assets	963,505.11
TOTAL ASSETS	**963,505.11**
LIABILITIES & EQUITY	0.00

	Cash	$	100,000.00
	Shares	$	208,850.91
Total Cash and Shares Paid to Ryanwood	**Total**	$	308,850.91
Total Mineral Property Costs		$	963,505.11
Total Eligible Work Expenditures		**$**	**654,654.20**

APPENDIX 12

2011 DRILL PLAN PHOTO


AJ North axial trace
AJ11-30
AJ11-31
AJ11-27
AJ11-26
AJ11-28
AJ11-29
AJ South axial trace

Drillcore Note: This report states that drill core would move to its final storage destination at Brewery Creek in the spring of 2012. This did not occur and some of the holes were donated to H.R. Bostock core library. Remaining holes were discarded in 2013 (M. Burke, personal communication).