



1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client:

Golden Predator Canada Corp.

11th Floor, 888 Dunsmuir Street
Vancouver BC V6C 3K4 Canada

Submitted By: M. Burke

Receiving Lab: Canada-Whitehorse

Received: September 29, 2011

Report Date: October 21, 2011

Page: 1 of 5

CERTIFICATE OF ANALYSIS

WHI11001616.1

CLIENT JOB INFORMATION

Project: Brewery Creek
Shipment ID: BRC-2011-JC-1924
P.O. Number
Number of Samples: 91

SAMPLE DISPOSAL

RTRN-PLP Return
RTRN-RJT Return

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Golden Predator Canada Corp.
11th Floor, 888 Dunsmuir Street
Vancouver BC V6C 3K4
Canada

CC: Jack Cote
Gilles Dessureau
Mike Maslowski
Bruce Otto

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
R200-250	89	Crush, split and pulverize 250 g rock to 200 mesh			WHI
G601	91	Lead Collection Fire - Assay Fusion - AAS Finish	30	Completed	VAN
7TD1	91	4-acid Digestion ICP-ES Finish	0.5	Completed	VAN

ADDITIONAL COMMENTS



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted. ** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Golden Predator Canada Corp.

11th Floor, 888 Dunsmuir Street
Vancouver BC V6C 3K4 Canada

Project: Brewery Creek

Report Date: October 21, 2011

Page: 2 of 5 **Part** 1

CERTIFICATE OF ANALYSIS

WHI11001616.1

	Method Analyte Unit MDL	WGHT	G6	7TD
		Wgt	Au	Ag
		kg	ppm	gm/t
		0.01	0.005	2
K740349	Drill Core	2.46	0.021	5
K740350	Drill Core	2.71	0.046	4
K740351	Drill Core	1.65	0.202	4
K740352	Drill Core	1.66	0.232	4
K740353	Drill Core	4.28	0.053	5
K740354	Drill Core	3.27	0.025	<2
K740355	Drill Core	4.16	0.048	<2
K740356	Drill Core	1.96	0.057	5
K740357	Drill Core	2.09	0.088	10
K740358	Drill Core	3.92	0.027	9
K740359	Drill Core	4.99	0.761	3
K740360	Drill Core	4.91	0.035	<2
K740361	Drill Core	5.29	0.025	<2
K740362	Rock Pulp	0.09	0.458	<2
K740363	Drill Core	5.34	0.020	<2
K740364	Drill Core	5.55	0.018	<2
K740365	Drill Core	5.66	0.040	3
K740366	Drill Core	5.48	0.048	4
K740367	Drill Core	6.21	0.030	<2
K740368	Drill Core	5.53	0.019	<2
K740369	Drill Core	5.68	0.023	<2
K740370	Drill Core	5.55	0.036	<2
K740371	Drill Core	5.98	0.116	<2
K740372	Rock	0.92	0.022	<2
K740373	Drill Core	4.93	0.046	<2
K740374	Drill Core	4.48	0.025	<2
K740375	Drill Core	4.20	0.016	<2
K740376	Drill Core	6.38	0.034	<2
K740377	Drill Core	4.93	0.030	<2
K740378	Drill Core	5.91	0.024	<2



Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Golden Predator Canada Corp.

11th Floor, 888 Dunsmuir Street
Vancouver BC V6C 3K4 Canada

Project: Brewery Creek

Report Date: October 21, 2011

Page: 3 of 5 **Part** 1

CERTIFICATE OF ANALYSIS

WHI11001616.1

Method	WGHT	G6	7TD
Analyte	Wgt	Au	Ag
Unit	kg	ppm	gm/t
MDL	0.01	0.005	2
K740379	Drill Core	5.86	0.027
K740380	Drill Core	5.71	0.012
K740381	Drill Core	2.97	0.008
K740382	Drill Core	3.11	0.007
K740383	Drill Core	5.69	0.008
K740384	Drill Core	5.94	0.045
K740385	Drill Core	6.65	0.389
K740386	Drill Core	5.33	0.012
K740387	Drill Core	4.13	0.011
K740388	Drill Core	2.46	<0.005
K740389	Drill Core	4.12	0.026
K740390	Drill Core	2.22	0.040
K740391	Drill Core	2.11	0.024
K740392	Drill Core	1.93	0.021
K740393	Drill Core	3.21	0.032
K740394	Drill Core	3.50	0.015
K740395	Drill Core	3.81	0.013
K740396	Drill Core	3.52	0.014
K740397	Drill Core	4.67	0.010
K740398	Drill Core	3.67	0.012
K740399	Drill Core	4.48	0.014
K740400	Drill Core	3.96	0.012
K740401	Drill Core	2.80	0.023
K740402	Rock Pulp	0.09	0.481
K740403	Drill Core	3.39	0.859
K740404	Drill Core	4.41	0.663
K740405	Drill Core	4.80	0.084
K740406	Drill Core	4.08	0.082
K740407	Drill Core	2.91	0.040
K740408	Drill Core	5.39	0.252



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: **Golden Predator Canada Corp.**

11th Floor, 888 Dunsmuir Street
Vancouver BC V6C 3K4 Canada

Project: Brewery Creek

Report Date: October 21, 2011

Page: 4 of 5 **Part** 1

CERTIFICATE OF ANALYSIS

WHI11001616.1

	Method Analyte Unit MDL	WGHT	G6	7TD
		Wgt	Au	Ag
		kg	ppm	gm/t
		0.01	0.005	2
K740409	Drill Core	5.08	3.219	<2
K740410	Drill Core	4.71	0.017	<2
K740411	Drill Core	5.08	0.011	<2
K740412	Rock	0.96	0.006	<2
K740413	Drill Core	6.17	0.018	<2
K740414	Drill Core	4.39	0.017	<2
K740415	Drill Core	3.72	0.027	<2
K740416	Drill Core	3.47	0.031	<2
K740417	Drill Core	4.83	0.024	<2
K740418	Drill Core	3.44	0.010	<2
K740419	Drill Core	4.90	0.009	<2
K740420	Drill Core	3.67	0.010	<2
K740421	Drill Core	2.38	0.010	<2
K740422	Drill Core	2.23	0.009	<2
K740423	Drill Core	5.04	0.008	<2
K740424	Drill Core	3.79	0.014	<2
K740425	Drill Core	4.61	0.007	<2
K740426	Drill Core	4.57	0.007	<2
K740427	Drill Core	4.74	0.008	<2
K740428	Drill Core	5.20	0.010	<2
K740429	Drill Core	4.26	0.010	<2
K740430	Drill Core	4.55	0.029	<2
K740431	Drill Core	1.81	0.012	<2
K740432	Drill Core	1.91	0.009	<2
K740433	Drill Core	4.06	0.013	<2
K740434	Drill Core	2.58	0.024	<2
K740435	Drill Core	4.76	0.018	<2
K740436	Drill Core	4.60	0.009	<2
K740437	Drill Core	3.01	0.006	<2
K740438	Drill Core	4.16	0.009	<2



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: **Golden Predator Canada Corp.**

11th Floor, 888 Dunsmuir Street
Vancouver BC V6C 3K4 Canada

Project: Brewery Creek

Report Date: October 21, 2011

Page: 5 of 5 **Part** 1

CERTIFICATE OF ANALYSIS

WHI11001616.1

Method		WGHT	G6	7TD
Analyte		Wgt	Au	Ag
Unit		kg	ppm	gm/t
MDL		0.01	0.005	2
K740439	Drill Core	4.91	0.011	<2



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Golden Predator Canada Corp.

11th Floor, 888 Dunsmuir Street
Vancouver BC V6C 3K4 Canada

Project: Brewery Creek

Report Date: October 21, 2011

Page: 1 of 3 **Part** 1

QUALITY CONTROL REPORT

WHI11001616.1

	Method Analyte Unit MDL	WGHT	G6	7TD
		Wgt	Au	Ag
		kg	ppm	gm/t
		0.01	0.005	2
Pulp Duplicates				
K740364	Drill Core	5.55	0.018	<2
REP K740364	QC		0.022	
K740366	Drill Core	5.48	0.048	4
REP K740366	QC			4
K740376	Drill Core	6.38	0.034	<2
REP K740376	QC		0.032	
K740399	Drill Core	4.48	0.014	2
REP K740399	QC			2
K740419	Drill Core	4.90	0.009	<2
REP K740419	QC			<2
K740431	Drill Core	1.81	0.012	<2
REP K740431	QC		0.011	
Core Reject Duplicates				
K740375	Drill Core	4.20	0.016	<2
DUP K740375	QC		0.010	<2
K740410	Drill Core	4.71	0.017	<2
DUP K740410	QC		0.017	<2
Reference Materials				
STD OREAS131B	Standard			33
STD OREAS153A	Standard			<2
STD OREAS131B	Standard			33
STD OREAS153A	Standard			<2
STD OREAS131B	Standard			30
STD OREAS153A	Standard			<2
STD OREAS131B	Standard			35
STD OREAS153A	Standard			<2
STD OXH82	Standard		1.264	
STD OXH82	Standard		1.310	



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Golden Predator Canada Corp.

11th Floor, 888 Dunsmuir Street
Vancouver BC V6C 3K4 Canada

Project: Brewery Creek

Report Date: October 21, 2011

Page: 2 of 3 **Part** 1

QUALITY CONTROL REPORT

WHI11001616.1

		WGHT	G6	7TD
		Wgt	Au	Ag
		kg	ppm	gm/t
		0.01	0.005	2
STD OXH82	Standard		1.298	
STD OXH82	Standard		1.318	
STD OXH82	Standard		1.249	
STD OXK79	Standard		3.440	
STD OXK79	Standard		3.660	
STD OXK79	Standard		3.509	
STD OXK79	Standard		3.413	
STD OXK79	Standard		3.389	
STD SU-1B	Standard			6
STD SU-1B	Standard			7
STD SU-1B	Standard			6
STD SU-1B	Standard			7
STD OXH82 Expected			1.278	
STD OXK79 Expected			3.532	
STD OREAS131B Expected				33.3
STD SU-1B Expected				6.4
BLK	Blank		0.005	
BLK	Blank		0.007	
BLK	Blank		0.006	
BLK	Blank		0.007	
BLK	Blank		<0.005	
BLK	Blank		0.009	
BLK	Blank			<2
BLK	Blank			<2
BLK	Blank		<0.005	
BLK	Blank		0.006	
BLK	Blank		0.008	
BLK	Blank		0.007	
BLK	Blank			<2



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: **Golden Predator Canada Corp.**

11th Floor, 888 Dunsmuir Street
Vancouver BC V6C 3K4 Canada

Project: Brewery Creek

Report Date: October 21, 2011

Page: 3 of 3 **Part** 1

QUALITY CONTROL REPORT

WHI11001616.1

		WGHT	G6	7TD
		Wgt	Au	Ag
		kg	ppm	gm/t
		0.01	0.005	2
BLK	Blank			<2
Prep Wash				
G1	Prep Blank		0.011	<2
G1	Prep Blank		0.010	<2