



1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client:

Golden Predator Canada Corp.

11th Floor, 888 Dunsmuir Street
Vancouver BC V6C 3K4 Canada

Submitted By: M. Burke

Receiving Lab: Canada-Whitehorse

Received: October 05, 2011

Report Date: October 25, 2011

Page: 1 of 5

CERTIFICATE OF ANALYSIS

WHI11001650.1

CLIENT JOB INFORMATION

Project: Brewery Creek
Shipment ID: NONE_GIVEN
P.O. Number
Number of Samples: 110

SAMPLE DISPOSAL

RTRN-PLP Return
RTRN-RJT Return

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Golden Predator Canada Corp.
11th Floor, 888 Dunsmuir Street
Vancouver BC V6C 3K4
Canada

CC: Jack Cote
Gilles Dessureau
Mike Maslowski
Bruce Otto

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

| Method Code | Number of Samples | Code Description | Test Wgt (g) | Report Status | Lab |
|-------------|-------------------|---|--------------|---------------|-----|
| R200-250 | 106 | Crush, split and pulverize 250 g rock to 200 mesh | | | WHI |
| G601 | 110 | Lead Collection Fire - Assay Fusion - AAS Finish | 30 | Completed | VAN |
| 7TD1 | 110 | 4-acid Digestion ICP-ES Finish | 0.5 | Completed | VAN |
| G6Gr | 0 | Lead collection fire assay 30G fusion - Grav finish | 30 | Completed | VAN |

ADDITIONAL COMMENTS



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted. ** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Golden Predator Canada Corp.**

11th Floor, 888 Dunsmuir Street
Vancouver BC V6C 3K4 Canada

Project: Brewery Creek

Report Date: October 25, 2011

Page: 2 of 5 **Part** 1

CERTIFICATE OF ANALYSIS

WHI11001650.1

| | Method | WGHT | G6 | 7TD |
|---------|------------|------|--------|------|
| | Analyte | Wgt | Au | Ag |
| | Unit | kg | ppm | gm/t |
| | MDL | 0.01 | 0.005 | 2 |
| K740631 | Drill Core | 4.66 | 0.119 | <2 |
| K740632 | Drill Core | 8.54 | 0.017 | <2 |
| K740633 | Drill Core | 5.78 | 0.040 | <2 |
| K740634 | Rock Pulp | 0.11 | 4.656 | 102 |
| K740635 | Drill Core | 5.17 | 0.008 | <2 |
| K740636 | Drill Core | 5.51 | 0.010 | <2 |
| K740637 | Drill Core | 7.97 | 0.006 | <2 |
| K740638 | Drill Core | 6.81 | 0.006 | <2 |
| K740639 | Drill Core | 3.06 | 0.006 | <2 |
| K740640 | Drill Core | 6.31 | 0.011 | <2 |
| K740641 | Drill Core | 4.41 | 0.050 | <2 |
| K740642 | Drill Core | 5.92 | 0.223 | 9 |
| K740643 | Drill Core | 4.89 | 0.035 | <2 |
| K740644 | Rock | 0.60 | <0.005 | <2 |
| K740645 | Drill Core | 6.30 | 0.025 | <2 |
| K740646 | Drill Core | 6.14 | 0.022 | <2 |
| K740647 | Drill Core | 6.83 | 0.020 | <2 |
| K740648 | Drill Core | 3.45 | 0.016 | <2 |
| K740649 | Drill Core | 4.02 | 0.044 | <2 |
| K740650 | Drill Core | 3.44 | 0.023 | <2 |
| K740651 | Drill Core | 2.41 | 0.022 | <2 |
| K740652 | Drill Core | 3.56 | 0.020 | <2 |
| K740653 | Drill Core | 2.65 | 0.017 | <2 |
| K740654 | Drill Core | 2.30 | 0.010 | <2 |
| K740655 | Drill Core | 3.09 | 0.016 | <2 |
| K740656 | Drill Core | 7.43 | 0.032 | <2 |
| K740657 | Drill Core | 7.48 | 0.012 | <2 |
| K740658 | Drill Core | 4.57 | 0.006 | <2 |
| K740659 | Drill Core | 4.93 | 0.124 | <2 |
| K740660 | Drill Core | 4.41 | 0.082 | <2 |



Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Golden Predator Canada Corp.**

11th Floor, 888 Dunsmuir Street
Vancouver BC V6C 3K4 Canada

Project: Brewery Creek

Report Date: October 25, 2011

Page: 3 of 5 **Part** 1

CERTIFICATE OF ANALYSIS

WHI11001650.1

| | Method | WGHT | G6 | 7TD |
|---------|------------|------|--------|------|
| | Analyte | Wgt | Au | Ag |
| | Unit | kg | ppm | gm/t |
| | MDL | 0.01 | 0.005 | 2 |
| K740661 | Drill Core | 4.84 | 0.035 | <2 |
| K740662 | Drill Core | 4.83 | 0.035 | 3 |
| K740663 | Drill Core | 4.49 | 0.008 | <2 |
| K740664 | Rock Pulp | 0.11 | 4.902 | 106 |
| K740665 | Drill Core | 4.21 | 0.012 | <2 |
| K740666 | Drill Core | 5.73 | 0.388 | 11 |
| K740667 | Drill Core | 5.46 | 0.007 | <2 |
| K740668 | Drill Core | 7.15 | 0.058 | <2 |
| K740669 | Drill Core | 3.90 | 0.751 | 16 |
| K740670 | Drill Core | 4.70 | 0.923 | 21 |
| K740671 | Drill Core | 4.18 | 0.862 | 19 |
| K740672 | Drill Core | 4.24 | 0.719 | 5 |
| K740673 | Drill Core | 4.52 | 0.868 | 19 |
| K740674 | Rock | 0.86 | <0.005 | <2 |
| K740675 | Drill Core | 4.18 | 1.624 | 15 |
| K740676 | Drill Core | 4.28 | 1.572 | 27 |
| K740677 | Drill Core | 4.11 | 3.098 | 3 |
| K740678 | Drill Core | 4.32 | 1.053 | <2 |
| K740679 | Drill Core | 4.86 | 0.166 | <2 |
| K740680 | Drill Core | 4.78 | 1.031 | 5 |
| K740681 | Drill Core | 4.77 | 0.897 | <2 |
| K740682 | Drill Core | 4.20 | 0.827 | 4 |
| K740683 | Drill Core | 2.37 | 0.753 | 3 |
| K740684 | Drill Core | 2.22 | 0.938 | 4 |
| K740685 | Drill Core | 4.29 | 0.397 | <2 |
| K740686 | Drill Core | 4.33 | 0.335 | 3 |
| K740687 | Drill Core | 4.84 | 0.820 | 4 |
| K740688 | Drill Core | 4.28 | 0.384 | 3 |
| K740689 | Drill Core | 4.46 | 1.096 | 2 |
| K740690 | Drill Core | 4.50 | 1.185 | 4 |



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: **Golden Predator Canada Corp.**

11th Floor, 888 Dunsmuir Street
Vancouver BC V6C 3K4 Canada

Project: Brewery Creek

Report Date: October 25, 2011

Page: 4 of 5 **Part** 1

CERTIFICATE OF ANALYSIS

WHI11001650.1

| | Method Analyte Unit MDL | WGHT | G6 | 7TD |
|---------|----------------------------------|------|--------|------|
| | | Wgt | Au | Ag |
| | | kg | ppm | gm/t |
| | | 0.01 | 0.005 | 2 |
| K740691 | Drill Core | 4.06 | 1.276 | 3 |
| K740692 | Drill Core | 4.78 | 0.489 | 2 |
| K740693 | Drill Core | 5.24 | 0.013 | <2 |
| K740694 | Rock Pulp | 0.11 | 1.464 | <2 |
| K740695 | Drill Core | 4.13 | 0.024 | <2 |
| K740696 | Drill Core | 4.44 | 0.044 | <2 |
| K740697 | Drill Core | 4.85 | 0.047 | 2 |
| K740698 | Drill Core | 5.22 | 0.870 | 7 |
| K740699 | Drill Core | 4.42 | 1.087 | 2 |
| K740700 | Drill Core | 4.01 | 0.150 | 4 |
| K740701 | Drill Core | 5.04 | 0.007 | <2 |
| K740702 | Drill Core | 5.27 | <0.005 | <2 |
| K740703 | Drill Core | 4.78 | 0.005 | <2 |
| K740704 | Rock | 0.85 | 0.007 | <2 |
| K740705 | Drill Core | 4.84 | <0.005 | <2 |
| K740706 | Drill Core | 5.21 | 0.028 | <2 |
| K740707 | Drill Core | 4.92 | 0.028 | <2 |
| K740708 | Drill Core | 5.03 | 0.280 | 22 |
| K740709 | Drill Core | 5.38 | 0.156 | 5 |
| K740710 | Drill Core | 4.85 | 0.134 | 11 |
| K740711 | Drill Core | 5.82 | 0.013 | <2 |
| K740712 | Drill Core | 3.03 | <0.005 | <2 |
| K740713 | Drill Core | 2.94 | 0.014 | <2 |
| K740714 | Drill Core | 6.58 | 0.357 | <2 |
| K740715 | Drill Core | 6.90 | 0.138 | <2 |
| K740716 | Drill Core | 5.83 | 0.005 | <2 |
| K740717 | Drill Core | 6.52 | 0.036 | <2 |
| K740718 | Drill Core | 5.02 | 0.017 | <2 |
| K740719 | Drill Core | 0.80 | 0.018 | <2 |
| K740720 | Drill Core | 8.36 | 0.093 | <2 |



Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Golden Predator Canada Corp.**

11th Floor, 888 Dunsmuir Street
Vancouver BC V6C 3K4 Canada

Project: Brewery Creek

Report Date: October 25, 2011

Page: 5 of 5 **Part** 1

CERTIFICATE OF ANALYSIS

WHI11001650.1

| | Method | WGHT | G6 | 7TD |
|---------|------------|------|--------|------|
| | Analyte | Wgt | Au | Ag |
| | Unit | kg | ppm | gm/t |
| | MDL | 0.01 | 0.005 | 2 |
| K740721 | Drill Core | 6.12 | 0.014 | <2 |
| K740722 | Drill Core | 7.48 | <0.005 | <2 |
| K740723 | Rock Pulp | 0.10 | 1.470 | <2 |
| K740724 | Drill Core | 6.17 | 0.053 | <2 |
| K740725 | Drill Core | 6.77 | 0.009 | <2 |
| K740726 | Drill Core | 6.97 | 0.012 | <2 |
| K740727 | Drill Core | 3.98 | 0.032 | <2 |
| K740728 | Drill Core | 4.80 | 0.018 | <2 |
| K740729 | Drill Core | 5.75 | 0.010 | <2 |
| K740730 | Drill Core | 7.26 | 0.088 | <2 |
| K740731 | Drill Core | 5.55 | 0.005 | <2 |
| K740732 | Drill Core | 4.34 | <0.005 | <2 |
| K740733 | Rock | 0.73 | <0.005 | <2 |
| K740734 | Drill Core | 4.44 | 0.007 | <2 |
| K740735 | Drill Core | 6.68 | 0.010 | <2 |
| K740736 | Drill Core | 6.15 | 0.153 | <2 |
| K740737 | Drill Core | 6.06 | 0.009 | <2 |
| K740738 | Drill Core | 6.70 | 0.054 | <2 |
| K740739 | Drill Core | 5.74 | 0.014 | <2 |
| K740740 | Drill Core | 5.67 | 0.010 | <2 |



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Golden Predator Canada Corp.

11th Floor, 888 Dunsmuir Street
Vancouver BC V6C 3K4 Canada

Project: Brewery Creek

Report Date: October 25, 2011

Page: 1 of 3 **Part** 1

QUALITY CONTROL REPORT

WHI11001650.1

| | Method Analyte Unit MDL | WGHT | G6 | 7TD | G6Gr |
|------------------------|----------------------------------|--------|--------|------|-------|
| | | Wgt | Au | Ag | Au |
| | | kg | ppm | gm/t | gm/t |
| | | 0.01 | 0.005 | 2 | 0.9 |
| Pulp Duplicates | | | | | |
| K740633 | Drill Core | 5.78 | 0.040 | <2 | |
| REP K740633 | QC | <2 | | | |
| K740640 | Drill Core | 6.31 | 0.011 | <2 | |
| REP K740640 | QC | 0.008 | | | |
| K740661 | Drill Core | 4.84 | 0.035 | <2 | |
| REP K740661 | QC | 0.041 | | | |
| K740673 | Drill Core | 4.52 | 0.868 | 19 | |
| REP K740673 | QC | 0.849 | | | |
| K740694 | Rock Pulp | 0.11 | 1.464 | <2 | |
| REP K740694 | QC | <2 | | | |
| K740698 | Drill Core | 5.22 | 0.870 | 7 | |
| REP K740698 | QC | 6 | | | |
| K740728 | Drill Core | 4.80 | 0.018 | <2 | |
| REP K740728 | QC | <2 | | | |
| Core Reject Duplicates | | | | | |
| K740642 | Drill Core | 5.92 | 0.223 | 9 | |
| DUP K740642 | QC | 0.222 | | | 9 |
| K740677 | Drill Core | 4.11 | 3.098 | 3 | |
| DUP K740677 | QC | 2.627 | | | 2 2.7 |
| K740712 | Drill Core | 3.03 | <0.005 | <2 | |
| DUP K740712 | QC | <0.005 | | | <2 |
| Reference Materials | | | | | |
| STD CDN-ME-3 | Standard | 10.0 | | | |
| STD OREAS131B | Standard | 35 | | | |
| STD OREAS153A | Standard | <2 | | | |
| STD OREAS131B | Standard | 34 | | | |
| STD OREAS131B | Standard | 32 | | | |
| STD OREAS153A | Standard | <2 | | | |



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: **Golden Predator Canada Corp.**

11th Floor, 888 Dunsmuir Street
Vancouver BC V6C 3K4 Canada

Project: Brewery Creek

Report Date: October 25, 2011

Page: 2 of 3 **Part** 1

QUALITY CONTROL REPORT

WHI11001650.1

| | | WGHT | G6 | 7TD | G6Gr |
|------------------------|----------|------|-------|------|------|
| | | Wgt | Au | Ag | Au |
| | | kg | ppm | gm/t | gm/t |
| | | 0.01 | 0.005 | 2 | 0.9 |
| STD OREAS131B | Standard | | | 33 | |
| STD OREAS153A | Standard | | | <2 | |
| STD OREAS131B | Standard | | | 34 | |
| STD OREAS153A | Standard | | | <2 | |
| STD OREAS131B | Standard | | | 34 | |
| STD OREAS153A | Standard | | | <2 | |
| STD OXH82 | Standard | | 1.333 | | |
| STD OXH82 | Standard | | 1.299 | | |
| STD OXH82 | Standard | | 1.224 | | |
| STD OXH82 | Standard | | 1.315 | | |
| STD OXH82 | Standard | | 1.279 | | |
| STD OXH82 | Standard | | 1.271 | | |
| STD OXH82 | Standard | | 1.267 | | |
| STD OXK79 | Standard | | 3.690 | | |
| STD OXK79 | Standard | | 3.768 | | |
| STD OXK79 | Standard | | 3.663 | | |
| STD OXK79 | Standard | | 3.601 | | |
| STD OXK79 | Standard | | 3.543 | | |
| STD OXK79 | Standard | | 3.398 | | |
| STD OXK79 | Standard | | 3.443 | | |
| STD SU-1B | Standard | | | 7 | |
| STD SU-1B | Standard | | | 6 | |
| STD SU-1B | Standard | | | 6 | |
| STD SU-1B | Standard | | | 6 | |
| STD SU-1B | Standard | | | 8 | |
| STD OREAS131B Expected | | | | 33.3 | |
| STD SU-1B Expected | | | | 6.4 | |
| STD OXH82 Expected | | | 1.278 | | |
| STD OXK79 Expected | | | 3.532 | | |



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: **Golden Predator Canada Corp.**

11th Floor, 888 Dunsmuir Street
Vancouver BC V6C 3K4 Canada

Project: Brewery Creek

Report Date: October 25, 2011

Page: 3 of 3 **Part** 1

QUALITY CONTROL REPORT

WHI11001650.1

| | | WGHT | G6 | 7TD | G6Gr |
|-----------------------|------------|------|--------|------|------|
| | | Wgt | Au | Ag | Au |
| | | kg | ppm | gm/t | gm/t |
| | | 0.01 | 0.005 | 2 | 0.9 |
| STD CDN-ME-3 Expected | | | | | 9.77 |
| BLK | Blank | | 0.007 | | |
| BLK | Blank | | <0.005 | | |
| BLK | Blank | | 0.009 | | |
| BLK | Blank | | <0.005 | | |
| BLK | Blank | | 0.006 | | |
| BLK | Blank | | 0.006 | | |
| BLK | Blank | | | <2 | |
| BLK | Blank | | <0.005 | | |
| BLK | Blank | | <0.005 | | |
| BLK | Blank | | | <2 | |
| BLK | Blank | | | <2 | |
| BLK | Blank | | | <2 | |
| BLK | Blank | | | <2 | |
| BLK | Blank | | <0.005 | | |
| BLK | Blank | | 0.009 | | |
| BLK | Blank | | <0.005 | | |
| BLK | Blank | | <0.005 | | |
| BLK | Blank | | | <2 | |
| BLK | Blank | | 0.007 | | |
| BLK | Blank | | | | <0.9 |
| Prep Wash | | | | | |
| G1 | Prep Blank | | <0.005 | <2 | |
| G1 | Prep Blank | | <0.005 | <2 | |