



1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client:

Golden Predator Canada Corp.

11th Floor, 888 Dunsmuir Street
Vancouver BC V6C 3K4 Canada

Submitted By: M. Burke

Receiving Lab: Canada-Whitehorse

Received: October 08, 2011

Report Date: October 25, 2011

Page: 1 of 6

CERTIFICATE OF ANALYSIS

WHI11001676.1

CLIENT JOB INFORMATION

Project: Brewery Creek
Shipment ID: BRC-2011-JC-1939
P.O. Number
Number of Samples: 133

SAMPLE DISPOSAL

RTRN-PLP Return
RTRN-RJT Return

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Golden Predator Canada Corp.
11th Floor, 888 Dunsmuir Street
Vancouver BC V6C 3K4
Canada

CC: Jack Cote
Gilles Dessureau
Mike Maslowski
Bruce Otto

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
R200-250	128	Crush, split and pulverize 250 g rock to 200 mesh			WHI
G601	133	Lead Collection Fire - Assay Fusion - AAS Finish	30	Completed	VAN
7TD1	133	4-acid Digestion ICP-ES Finish	0.5	Completed	VAN

ADDITIONAL COMMENTS



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted. ** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: **Golden Predator Canada Corp.**

11th Floor, 888 Dunsmuir Street
Vancouver BC V6C 3K4 Canada

Project: Brewery Creek

Report Date: October 25, 2011

Page: 2 of 6 **Part** 1

CERTIFICATE OF ANALYSIS

WHI11001676.1

	Method	WGHT	G6	7TD
	Analyte	Wgt	Au	Ag
	Unit	kg	ppm	gm/t
	MDL	0.01	0.005	2
1292150	Drill Core	1.92	0.012	<2
1292151	Drill Core	4.07	0.029	<2
1292152	Drill Core	4.35	0.012	<2
1292153	Drill Core	7.93	0.014	<2
1292154	Rock Pulp	0.10	0.445	<2
1292155	Drill Core	4.93	0.010	<2
1292156	Drill Core	7.47	0.009	<2
1292157	Drill Core	7.87	0.010	<2
1292158	Drill Core	8.07	0.009	<2
1292159	Drill Core	3.49	0.011	<2
1292160	Drill Core	4.01	0.086	<2
1292161	Drill Core	3.51	0.009	<2
1292162	Drill Core	7.61	0.012	<2
1292163	Drill Core	11.04	0.025	<2
1292164	Rock	1.22	<0.005	<2
1292165	Drill Core	7.62	0.014	<2
1292166	Drill Core	8.82	0.008	<2
1292167	Drill Core	10.70	0.007	<2
1292168	Drill Core	10.20	0.008	<2
1292169	Drill Core	9.90	0.006	<2
1292170	Drill Core	9.14	0.016	<2
1292171	Drill Core	7.96	0.027	<2
1292172	Drill Core	7.05	0.017	<2
1292173	Drill Core	5.46	0.026	2
1292174	Drill Core	3.50	0.028	4
1292175	Drill Core	7.39	0.030	<2
1292176	Drill Core	7.41	0.009	<2
1292177	Drill Core	7.31	0.009	<2
1292178	Drill Core	7.23	0.054	<2
1292179	Drill Core	4.24	0.009	<2



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: **Golden Predator Canada Corp.**

11th Floor, 888 Dunsmuir Street
Vancouver BC V6C 3K4 Canada

Project: Brewery Creek

Report Date: October 25, 2011

Page: 3 of 6 **Part** 1

CERTIFICATE OF ANALYSIS

WHI11001676.1

	Method	WGHT	G6	7TD
	Analyte	Wgt	Au	Ag
	Unit	kg	ppm	gm/t
	MDL	0.01	0.005	2
1292180	Drill Core	6.48	0.009	<2
1292181	Drill Core	6.11	0.007	<2
1292182	Drill Core	8.54	<0.005	<2
1292183	Drill Core	7.41	0.006	<2
1292184	Rock Pulp	0.11	1.372	<2
1292185	Drill Core	7.98	0.011	<2
1292186	Drill Core	6.34	0.010	<2
1292187	Drill Core	6.15	0.026	<2
1292188	Drill Core	6.49	0.019	3
1292189	Drill Core	5.74	0.122	2
1292190	Drill Core	5.17	0.017	<2
1292191	Drill Core	5.80	0.372	9
1292192	Drill Core	11.03	0.009	<2
1292193	Drill Core	11.37	0.009	<2
1292194	Rock	0.74	0.008	<2
1292195	Drill Core	7.45	0.011	<2
1292196	Drill Core	7.33	0.008	<2
1292197	Drill Core	6.68	0.013	<2
1292198	Drill Core	6.85	0.010	<2
1292199	Drill Core	7.59	0.060	<2
1292200	Drill Core	7.26	0.175	2
1292201	Drill Core	5.92	0.412	3
1292202	Drill Core	7.09	0.511	12
1292203	Drill Core	5.84	0.075	<2
1292204	Drill Core	4.91	0.083	<2
1292205	Drill Core	6.10	0.347	3
1292206	Drill Core	7.49	0.740	3
1292207	Drill Core	6.18	0.745	12
1292208	Drill Core	7.49	0.748	10
1292209	Drill Core	4.42	0.012	<2



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: **Golden Predator Canada Corp.**

11th Floor, 888 Dunsmuir Street
Vancouver BC V6C 3K4 Canada

Project: Brewery Creek

Report Date: October 25, 2011

Page: 4 of 6 **Part** 1

CERTIFICATE OF ANALYSIS

WHI11001676.1

	Method	WGHT	G6	7TD
	Analyte	Wgt	Au	Ag
	Unit	kg	ppm	gm/t
	MDL	0.01	0.005	2
1292210	Drill Core	8.41	1.067	11
1292211	Drill Core	5.47	0.056	<2
1292212	Drill Core	5.53	0.009	<2
1292213	Drill Core	4.55	0.008	<2
1292214	Rock Pulp	0.10	4.395	109
1292215	Drill Core	5.76	0.534	<2
1292216	Drill Core	4.78	1.147	10
1292217	Drill Core	5.63	1.160	45
1292218	Drill Core	4.39	2.465	75
1292219	Drill Core	5.57	2.045	17
1292220	Drill Core	4.74	0.938	5
1292221	Drill Core	5.65	0.772	12
1292222	Drill Core	5.45	0.389	<2
1292223	Drill Core	6.35	0.535	<2
1292224	Rock	0.59	0.007	<2
1292225	Drill Core	5.46	0.010	<2
1292226	Drill Core	6.21	0.046	<2
1292227	Drill Core	5.35	0.025	2
1292228	Drill Core	5.90	0.076	3
1292229	Drill Core	5.87	0.106	<2
1292230	Drill Core	4.80	0.018	<2
1292231	Drill Core	6.86	0.008	5
1292232	Drill Core	4.44	<0.005	<2
1292233	Drill Core	2.84	0.006	<2
1292234	Drill Core	2.61	<0.005	<2
1292235	Drill Core	4.63	<0.005	<2
1292236	Drill Core	5.74	<0.005	<2
1292237	Drill Core	5.06	0.036	8
1292238	Drill Core	4.55	<0.005	<2
1292239	Drill Core	6.42	0.034	<2



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: **Golden Predator Canada Corp.**

11th Floor, 888 Dunsmuir Street
Vancouver BC V6C 3K4 Canada

Project: Brewery Creek

Report Date: October 25, 2011

Page: 5 of 6 **Part** 1

CERTIFICATE OF ANALYSIS

WHI11001676.1

	Method	WGHT	G6	7TD
	Analyte	Wgt	Au	Ag
	Unit	kg	ppm	gm/t
	MDL	0.01	0.005	2
1292240	Drill Core	6.06	<0.005	<2
1292241	Drill Core	7.85	<0.005	<2
1292242	Drill Core	3.69	0.010	<2
1292243	Drill Core	5.66	<0.005	<2
1292244	Rock Pulp	0.11	4.914	109
1292245	Drill Core	6.26	0.008	<2
1292246	Drill Core	4.28	0.006	<2
1292247	Drill Core	8.80	0.014	<2
1292248	Drill Core	6.06	0.007	<2
1292249	Drill Core	4.19	0.012	<2
1292250	Drill Core	6.55	<0.005	<2
1292251	Drill Core	5.05	0.007	<2
1292252	Drill Core	5.33	<0.005	<2
1292253	Drill Core	5.71	0.013	4
1292254	Rock	0.52	0.016	<2
1292255	Drill Core	7.47	0.029	<2
1292256	Drill Core	7.45	0.019	<2
1292257	Drill Core	7.63	0.006	<2
1292258	Drill Core	7.01	0.011	<2
1292259	Drill Core	7.02	0.016	<2
1292260	Drill Core	7.59	0.015	<2
1292261	Drill Core	4.88	0.012	<2
1292262	Drill Core	5.29	0.007	<2
1292263	Drill Core	4.16	0.019	<2
1292264	Drill Core	3.97	0.011	<2
1292265	Drill Core	7.81	0.038	<2
1292266	Drill Core	7.98	<0.005	<2
1292267	Drill Core	6.03	0.008	<2
1292268	Drill Core	5.11	<0.005	<2
1292269	Drill Core	5.12	<0.005	<2



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: **Golden Predator Canada Corp.**

11th Floor, 888 Dunsmuir Street
Vancouver BC V6C 3K4 Canada

Project: Brewery Creek

Report Date: October 25, 2011

Page: 6 of 6 **Part** 1

CERTIFICATE OF ANALYSIS

WHI11001676.1

	Method	WGHT	G6	7TD
	Analyte	Wgt	Au	Ag
	Unit	kg	ppm	gm/t
	MDL	0.01	0.005	2
1292270	Drill Core	5.83	<0.005	<2
1292271	Drill Core	7.35	<0.005	<2
1292272	Drill Core	8.05	<0.005	<2
1292273	Drill Core	7.47	<0.005	<2
1292274	Rock Pulp	0.11	1.417	<2
1292275	Drill Core	7.59	0.016	<2
1292276	Drill Core	7.65	<0.005	<2
1292277	Drill Core	7.97	<0.005	<2
1292278	Drill Core	7.62	<0.005	<2
1292279	Drill Core	7.78	<0.005	<2
1292280	Drill Core	9.27	0.009	<2
1292281	Drill Core	7.08	0.006	<2
1292282	Drill Core	5.06	0.006	<2



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Golden Predator Canada Corp.

11th Floor, 888 Dunsmuir Street
Vancouver BC V6C 3K4 Canada

Project: Brewery Creek

Report Date: October 25, 2011

Page: 1 of 4 **Part** 1

QUALITY CONTROL REPORT

WHI11001676.1

	Method Analyte Unit MDL	WGHT	G6	7TD
		Wgt	Au	Ag
		kg	ppm	gm/t
		0.01	0.005	2
Pulp Duplicates				
REP 1292170	QC			<2
1292178	Drill Core	7.23	0.054	<2
REP 1292178	QC		0.046	
1292183	Drill Core	7.41	0.006	<2
REP 1292183	QC		0.006	
1292211	Drill Core	5.47	0.056	<2
REP 1292211	QC			<2
1292222	Drill Core	5.45	0.389	<2
REP 1292222	QC			<2
1292252	Drill Core	5.33	<0.005	<2
REP 1292252	QC			<2
1292256	Drill Core	7.45	0.019	<2
REP 1292256	QC			<2
Core Reject Duplicates				
1292170	Drill Core	9.14	0.016	<2
DUP 1292170	QC		0.014	<2
1292205	Drill Core	6.10	0.347	3
DUP 1292205	QC		0.301	3
1292240	Drill Core	6.06	<0.005	<2
DUP 1292240	QC		<0.005	<2
1292275	Drill Core	7.59	0.016	<2
DUP 1292275	QC		0.020	<2
Reference Materials				
STD OREAS131B	Standard			27
STD OREAS153A	Standard			<2
STD OREAS131B	Standard			34
STD OREAS131B	Standard			32
STD OREAS153A	Standard			<2



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Golden Predator Canada Corp.

11th Floor, 888 Dunsmuir Street
Vancouver BC V6C 3K4 Canada

Project: Brewery Creek

Report Date: October 25, 2011

Page: 2 of 4 **Part** 1

QUALITY CONTROL REPORT

WHI11001676.1

		WGHT	G6	7TD
		Wgt	Au	Ag
		kg	ppm	gm/t
		0.01	0.005	2
STD OREAS131B	Standard			35
STD OREAS153A	Standard			<2
STD OREAS131B	Standard			34
STD OREAS153A	Standard			<2
STD OREAS131B	Standard			34
STD OREAS153A	Standard			<2
STD OREAS131B	Standard			35
STD OREAS153A	Standard			<2
STD OREAS131B	Standard			34
STD OXH82	Standard		1.315	
STD OXH82	Standard		1.198	
STD OXH82	Standard		1.277	
STD OXH82	Standard		1.325	
STD OXH82	Standard		1.256	
STD OXH82	Standard		1.249	
STD OXH82	Standard		1.277	
STD OXH82	Standard		1.250	
STD OXK79	Standard		3.636	
STD OXK79	Standard		3.357	
STD OXK79	Standard		3.304	
STD OXK79	Standard		3.636	
STD OXK79	Standard		3.436	
STD OXK79	Standard		3.431	
STD OXK79	Standard		3.435	
STD OXK79	Standard		3.481	
STD SU-1B	Standard			5
STD SU-1B	Standard			6
STD SU-1B	Standard			7
STD SU-1B	Standard			6



Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Golden Predator Canada Corp.
11th Floor, 888 Dunsmuir Street
Vancouver BC V6C 3K4 Canada

Project: Brewery Creek

Report Date: October 25, 2011

Page: 3 of 4 **Part** 1

QUALITY CONTROL REPORT

WHI11001676.1

		WGHT	G6	7TD
		Wgt	Au	Ag
		kg	ppm	gm/t
		0.01	0.005	2
STD SU-1B	Standard			7
STD SU-1B	Standard			7
STD SU-1B Expected				6.4
STD OREAS131B Expected				33.3
STD OXH82 Expected			1.278	
STD OXK79 Expected			3.532	
BLK	Blank		<0.005	
BLK	Blank		<0.005	
BLK	Blank		0.007	
BLK	Blank		0.006	
BLK	Blank		0.006	
BLK	Blank			<2
BLK	Blank			<2
BLK	Blank			<2
BLK	Blank			<2
BLK	Blank			<2
BLK	Blank		0.006	
BLK	Blank		<0.005	
BLK	Blank			<2
BLK	Blank			<2
BLK	Blank			<2
BLK	Blank		<0.005	
BLK	Blank		0.005	
BLK	Blank		<0.005	
BLK	Blank		<0.005	
BLK	Blank		<0.005	
BLK	Blank		0.007	
BLK	Blank		0.005	
BLK	Blank		0.005	



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Golden Predator Canada Corp.**

11th Floor, 888 Dunsmuir Street
Vancouver BC V6C 3K4 Canada

Project: Brewery Creek

Report Date: October 25, 2011

Page: 4 of 4 **Part** 1

QUALITY CONTROL REPORT

WHI11001676.1

		WGHT	G6	7TD
		Wgt	Au	Ag
		kg	ppm	gm/t
		0.01	0.005	2
Prep Wash				
G1	Prep Blank		0.005	<2
G1	Prep Blank		<0.005	<2