



1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client:

Golden Predator Canada Corp.

11th Floor, 888 Dunsmuir Street
Vancouver BC V6C 3K4 Canada

Submitted By: M. Burke

Receiving Lab: Canada-Whitehorse

Received: October 08, 2011

Report Date: October 24, 2011

Page: 1 of 5

CERTIFICATE OF ANALYSIS

WHI11001685.1

CLIENT JOB INFORMATION

Project: Brewery Creek
Shipment ID: BRC-2011-JC-1954
P.O. Number
Number of Samples: 92

SAMPLE DISPOSAL

RTRN-PLP Return
RTRN-RJT Return

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Golden Predator Canada Corp.
11th Floor, 888 Dunsmuir Street
Vancouver BC V6C 3K4
Canada

CC: Jack Cote
Gilles Dessureau
Mike Maslowski
Bruce Otto

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
R200-250	90	Crush, split and pulverize 250 g rock to 200 mesh			WHI
G601	92	Lead Collection Fire - Assay Fusion - AAS Finish	30	Completed	VAN
7TD1	92	4-acid Digestion ICP-ES Finish	0.5	Completed	VAN

ADDITIONAL COMMENTS



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted. ** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Golden Predator Canada Corp.

11th Floor, 888 Dunsmuir Street
Vancouver BC V6C 3K4 Canada

Project: Brewery Creek

Report Date: October 24, 2011

Page: 2 of 5 **Part** 1

CERTIFICATE OF ANALYSIS

WHI11001685.1

	Method	WGHT	G6	7TD
	Analyte	Wgt	Au	Ag
	Unit	kg	ppm	gm/t
	MDL	0.01	0.005	2
1340097	Drill Core	6.73	0.012	<2
1340098	Drill Core	8.48	0.011	<2
1340099	Drill Core	8.83	0.012	<2
1340100	Drill Core	6.13	0.008	<2
1340101	Drill Core	6.22	0.009	<2
1340102	Drill Core	6.80	0.008	<2
1340103	Drill Core	7.88	0.009	<2
1340104	Drill Core	7.00	0.232	<2
1340105	Drill Core	6.11	0.048	<2
1340106	Drill Core	6.28	0.116	<2
1340107	Drill Core	5.96	0.135	2
1340108	Drill Core	6.58	0.013	<2
1340109	Drill Core	7.00	0.039	<2
1340110	Drill Core	7.45	0.989	3
1340111	Rock Pulp	0.11	0.443	<2
1340112	Drill Core	6.58	0.066	4
1340113	Drill Core	6.02	0.013	<2
1340114	Drill Core	6.46	0.022	2
1340115	Drill Core	5.99	0.010	<2
1340116	Drill Core	4.81	0.023	4
1340117	Drill Core	9.67	0.038	<2
1340118	Drill Core	7.29	0.007	<2
1340119	Drill Core	11.69	0.012	<2
1340120	Drill Core	6.93	0.011	<2
1340121	Rock	0.58	<0.005	<2
1340122	Drill Core	8.07	0.011	<2
1340123	Drill Core	8.52	0.009	<2
1340124	Drill Core	7.91	0.007	<2
1340125	Drill Core	6.86	0.031	<2
1340126	Drill Core	6.49	0.803	<2



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: **Golden Predator Canada Corp.**

11th Floor, 888 Dunsmuir Street
Vancouver BC V6C 3K4 Canada

Project: Brewery Creek

Report Date: October 24, 2011

Page: 3 of 5 **Part** 1

CERTIFICATE OF ANALYSIS

WHI11001685.1

	Method	WGHT	G6	7TD
	Analyte	Wgt	Au	Ag
	Unit	kg	ppm	gm/t
	MDL	0.01	0.005	2
1340127	Drill Core	10.39	0.649	<2
1340128	Drill Core	8.57	0.018	<2
1340129	Drill Core	7.81	0.009	<2
1340130	Drill Core	4.36	0.009	<2
1340131	Drill Core	4.67	0.011	<2
1340132	Drill Core	10.90	0.010	<2
1340133	Drill Core	5.51	0.009	<2
1340134	Drill Core	8.34	0.013	<2
1340135	Drill Core	8.16	0.010	<2
1340136	Drill Core	8.29	0.013	<2
1340137	Drill Core	9.18	0.011	<2
1340138	Drill Core	8.96	0.106	<2
1340139	Drill Core	8.13	0.035	<2
1340140	Drill Core	3.74	0.022	<2
1340141	Drill Core	4.86	0.012	<2
1340142	Drill Core	9.33	0.019	<2
1340143	Drill Core	7.87	0.013	<2
1340144	Drill Core	5.47	0.021	4
1340145	Drill Core	4.80	0.035	3
1340146	Drill Core	6.06	0.947	<2
1340147	Drill Core	9.57	0.107	2
1340148	Drill Core	9.01	<0.005	<2
1340149	Drill Core	9.20	0.052	<2
1340150	Drill Core	9.56	0.012	<2
1340151	Rock Pulp	0.10	0.485	<2
1340152	Drill Core	8.31	0.014	<2
1340153	Drill Core	5.08	0.029	<2
1340154	Drill Core	9.30	0.090	<2
1340155	Drill Core	7.49	0.011	<2
1340156	Drill Core	8.35	0.281	<2



Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Golden Predator Canada Corp.**
11th Floor, 888 Dunsmuir Street
Vancouver BC V6C 3K4 Canada

Project: Brewery Creek
Report Date: October 24, 2011

Page: 4 of 5 **Part** 1

CERTIFICATE OF ANALYSIS

WHI11001685.1

	Method	WGHT	G6	7TD
	Analyte	Wgt	Au	Ag
	Unit	kg	ppm	gm/t
	MDL	0.01	0.005	2
1340157	Drill Core	9.83	0.016	<2
1340158	Drill Core	9.82	0.098	<2
1340159	Drill Core	5.07	0.019	<2
1340160	Drill Core	11.68	0.015	<2
1340161	Rock	0.87	0.008	<2
1340162	Drill Core	11.73	0.634	<2
1340163	Drill Core	8.14	1.285	<2
1340164	Drill Core	11.36	0.323	<2
1340165	Drill Core	8.74	0.019	<2
1340166	Drill Core	7.69	0.016	<2
1340167	Drill Core	9.73	0.009	<2
1340168	Drill Core	9.27	0.010	<2
1340169	Drill Core	8.87	0.009	<2
1340170	Drill Core	4.06	0.009	<2
1340171	Drill Core	5.26	0.010	<2
1340172	Drill Core	9.43	0.015	<2
1340173	Drill Core	7.83	0.018	<2
1340174	Drill Core	6.40	0.017	<2
1340175	Drill Core	5.47	0.024	<2
1340176	Drill Core	3.36	0.025	<2
1340177	Drill Core	4.43	0.796	<2
1340178	Drill Core	5.86	2.614	<2
1340179	Drill Core	4.42	0.200	<2
1340180	Drill Core	2.24	0.015	<2
1340181	Drill Core	2.53	0.014	<2
1340182	Drill Core	4.38	0.017	<2
1340183	Drill Core	5.13	0.009	<2
1340184	Drill Core	4.12	0.010	<2
1340185	Drill Core	4.43	0.007	<2
1340186	Drill Core	4.11	0.007	<2



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: **Golden Predator Canada Corp.**

11th Floor, 888 Dunsmuir Street
Vancouver BC V6C 3K4 Canada

Project: Brewery Creek

Report Date: October 24, 2011

Page: 5 of 5 **Part** 1

CERTIFICATE OF ANALYSIS

WHI11001685.1

	Method Analyte Unit MDL	WGHT	G6	7TD
		Wgt	Au	Ag
		kg	ppm	gm/t
		0.01	0.005	2
1340187	Drill Core	4.85	0.009	<2
1340188	Drill Core	3.78	0.008	<2



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Golden Predator Canada Corp.

11th Floor, 888 Dunsmuir Street
Vancouver BC V6C 3K4 Canada

Project: Brewery Creek

Report Date: October 24, 2011

Page: 1 of 2 **Part** 1

QUALITY CONTROL REPORT

WHI11001685.1

	Method Analyte Unit MDL	WGHT	G6	7TD
		Wgt	Au	Ag
		kg	ppm	gm/t
		0.01	0.005	2
Pulp Duplicates				
1340102	Drill Core	6.80	0.008	<2
REP 1340102	QC			<2
1340129	Drill Core	7.81	0.009	<2
REP 1340129	QC		0.009	
1340131	Drill Core	4.67	0.011	<2
REP 1340131	QC			<2
1340137	Drill Core	9.18	0.011	<2
REP 1340137	QC		0.012	
1340186	Drill Core	4.11	0.007	<2
REP 1340186	QC			<2
Core Reject Duplicates				
1340108	Drill Core	6.58	0.013	<2
DUP 1340108	QC		0.014	<2
1340143	Drill Core	7.87	0.013	<2
DUP 1340143	QC		0.029	<2
1340178	Drill Core	5.86	2.614	<2
DUP 1340178	QC		2.515	<2
Reference Materials				
STD OREAS131B	Standard			34
STD OREAS131B	Standard			34
STD OREAS153A	Standard			<2
STD OREAS131B	Standard			34
STD OREAS153A	Standard			<2
STD OREAS131B	Standard			34
STD OREAS153A	Standard			<2
STD OXH82	Standard		1.284	
STD OXH82	Standard		1.262	
STD OXH82	Standard		1.316	



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Golden Predator Canada Corp.

11th Floor, 888 Dunsmuir Street
Vancouver BC V6C 3K4 Canada

Project: Brewery Creek

Report Date: October 24, 2011

Page: 2 of 2 **Part** 1

QUALITY CONTROL REPORT

WHI11001685.1

		WGHT	G6	7TD
		Wgt	Au	Ag
		kg	ppm	gm/t
		0.01	0.005	2
STD OXH82	Standard		1.267	
STD OXK79	Standard		3.600	
STD OXK79	Standard		3.502	
STD OXK79	Standard		3.517	
STD OXK79	Standard		3.443	
STD SU-1B	Standard			7
STD SU-1B	Standard			6
STD SU-1B	Standard			7
STD OREAS131B Expected				33.3
STD SU-1B Expected				6.4
STD OXH82 Expected			1.278	
STD OXK79 Expected			3.532	
BLK	Blank			<2
BLK	Blank		0.006	
BLK	Blank		0.008	
BLK	Blank		<0.005	
BLK	Blank		<0.005	
BLK	Blank			<2
BLK	Blank			<2
BLK	Blank		0.006	
BLK	Blank		0.007	
BLK	Blank			<2
BLK	Blank		0.007	
Prep Wash				
G1	Prep Blank		<0.005	<2
G1	Prep Blank		0.006	<2