



1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Acme Analytical Laboratories (Vancouver) Ltd.

[www.acmelab.com](http://www.acmelab.com)

Client:

**Golden Predator Canada Corp.**

11th Floor, 888 Dunsmuir Street  
Vancouver BC V6C 3K4 Canada

Submitted By: M. Burke

Receiving Lab: Canada-Whitehorse

Received: December 08, 2011

Report Date: January 03, 2012

Page: 1 of 6

## CERTIFICATE OF ANALYSIS

WHI11001971.1

### CLIENT JOB INFORMATION

Project: Brewery Creek  
Shipment ID: BRC-2100-JC-2045  
P.O. Number  
Number of Samples: 138

### SAMPLE DISPOSAL

RTRN-PLP Return  
RTRN-RJT Return

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Predator Mining Group  
11th Floor- 888 Dunsmuir Street  
Vancouver BC V6C 3K4  
Canada

CC: Jack Cote  
Gilles Dessureau  
Mike Maslowski  
Bruce Otto

### SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
R200-250	129	Crush, split and pulverize 250 g rock to 200 mesh			WHI
G601	138	Lead Collection Fire - Assay Fusion - AAS Finish	30	Completed	VAN
7TD1	138	4-acid Digestion ICP-ES Finish	0.5	Completed	VAN

### ADDITIONAL COMMENTS



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.  
All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.  
\*\* asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



1020 Cordova St. East Vancouver BC V6A 4A3 Canada  
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

[www.acmelab.com](http://www.acmelab.com)

**Client:** **Golden Predator Canada Corp.**

11th Floor, 888 Dunsmuir Street  
Vancouver BC V6C 3K4 Canada

**Project:** Brewery Creek

**Report Date:** January 03, 2012

**Page:** 2 of 6 **Part** 1

## CERTIFICATE OF ANALYSIS

WHI11001971.1

	Method	WGHT	G6	7TD
	Analyte	Wgt	Au	Ag
	Unit	kg	ppm	gm/t
	MDL	0.01	0.005	2
1327796	Drill Core	5.69	0.029	<2
1327797	Drill Core	4.03	0.010	<2
1327798	Drill Core	2.16	0.016	<2
1327799	Drill Core	2.49	0.042	<2
1327800	Rock Pulp	0.11	0.007	<2
1327801	Drill Core	4.28	0.014	<2
1327802	Drill Core	4.45	0.036	<2
1327803	Drill Core	4.15	0.041	<2
1327804	Drill Core	4.06	0.181	<2
1327805	Drill Core	5.81	0.155	<2
1327806	Drill Core	4.64	0.233	<2
1327807	Drill Core	4.26	0.912	<2
1327808	Drill Core	7.23	0.863	26
1327809	Drill Core	1.47	0.772	37
1327810	Drill Core	1.76	0.513	20
1327811	Drill Core	4.37	0.124	2
1327812	Drill Core	4.68	0.070	<2
1327813	Drill Core	5.06	0.280	<2
1327814	Drill Core	4.62	0.117	<2
1327815	Drill Core	4.97	0.007	<2
1327816	Drill Core	4.50	0.047	<2
1327817	Drill Core	3.34	0.008	<2
1327818	Drill Core	2.70	0.154	6
1327819	Drill Core	3.81	1.287	7
1327820	Rock Pulp	0.11	1.434	<2
1327821	Drill Core	4.86	0.032	<2
1327822	Drill Core	4.34	0.006	<2
1327823	Drill Core	4.29	<0.005	<2
1327824	Drill Core	3.54	<0.005	<2
1327825	Drill Core	3.31	<0.005	<2



1020 Cordova St. East Vancouver BC V6A 4A3 Canada  
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

[www.acmelab.com](http://www.acmelab.com)

**Client:** **Golden Predator Canada Corp.**

11th Floor, 888 Dunsmuir Street  
Vancouver BC V6C 3K4 Canada

**Project:** Brewery Creek

**Report Date:** January 03, 2012

**Page:** 3 of 6 **Part** 1

## CERTIFICATE OF ANALYSIS

WHI11001971.1

	Method	WGHT	G6	7TD
	Analyte	Wgt	Au	Ag
	Unit	kg	ppm	gm/t
	MDL	0.01	0.005	2
1327826	Drill Core	5.72	0.022	<2
1327827	Drill Core	3.62	0.151	8
1327828	Drill Core	4.94	0.043	<2
1327829	Drill Core	5.02	0.058	<2
1327830	Rock Pulp	0.11	0.005	<2
1327831	Drill Core	5.38	0.042	<2
1327832	Drill Core	5.52	0.046	<2
1327833	Drill Core	6.28	0.517	12
1327834	Drill Core	4.14	0.319	<2
1327835	Drill Core	5.27	0.158	3
1327836	Drill Core	4.35	0.385	13
1327837	Drill Core	5.55	0.028	<2
1327838	Drill Core	4.52	0.024	<2
1327839	Drill Core	2.61	0.016	<2
1327840	Drill Core	2.31	0.014	<2
1327841	Drill Core	5.32	0.265	<2
1327842	Drill Core	4.88	0.117	<2
1327843	Drill Core	4.59	0.023	<2
1327844	Drill Core	6.45	0.793	8
1327845	Drill Core	5.07	0.024	<2
1327846	Drill Core	4.88	0.025	<2
1327847	Drill Core	3.97	0.012	<2
1327848	Drill Core	8.27	0.524	5
1327849	Drill Core	5.66	0.037	<2
1327850	Rock Pulp	0.11	1.514	<2
1327851	Drill Core	5.66	0.043	<2
1327852	Drill Core	5.14	0.052	<2
1327853	Drill Core	6.86	0.461	4
1327854	Drill Core	4.77	0.203	<2
1327855	Drill Core	4.37	0.054	<2



1020 Cordova St. East Vancouver BC V6A 4A3 Canada  
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

[www.acmelab.com](http://www.acmelab.com)

**Client:** **Golden Predator Canada Corp.**

11th Floor, 888 Dunsmuir Street  
Vancouver BC V6C 3K4 Canada

**Project:** Brewery Creek

**Report Date:** January 03, 2012

**Page:** 4 of 6 **Part** 1

## CERTIFICATE OF ANALYSIS

WHI11001971.1

	Method Analyte Unit MDL	WGHT	G6	7TD
		Wgt	Au	Ag
		kg	ppm	gm/t
		0.01	0.005	2
1327856	Drill Core	4.97	0.938	5
1327857	Drill Core	5.87	0.534	2
1327858	Drill Core	5.09	0.019	<2
1327859	Drill Core	4.62	0.033	<2
1327860	Rock Pulp	0.10	0.009	<2
1327861	Drill Core	6.78	1.722	15
1327862	Drill Core	3.11	0.064	<2
1327863	Drill Core	3.78	0.047	<2
1327864	Drill Core	5.03	0.009	<2
1327865	Drill Core	7.51	0.095	<2
1327866	Drill Core	4.83	0.010	<2
1327867	Drill Core	6.28	0.008	<2
1327868	Drill Core	4.61	0.009	<2
1327869	Drill Core	2.13	0.030	<2
1327870	Drill Core	1.83	0.036	<2
1327871	Drill Core	5.43	0.058	<2
1327872	Drill Core	6.11	0.015	<2
1327873	Drill Core	5.41	0.026	<2
1327874	Drill Core	5.93	0.015	<2
1327875	Drill Core	6.30	0.077	<2
1327876	Drill Core	5.83	0.046	<2
1327877	Drill Core	5.67	0.011	<2
1327878	Drill Core	6.49	0.008	<2
1327879	Drill Core	6.42	0.418	<2
1327880	Rock Pulp	0.11	1.443	<2
1327881	Drill Core	6.12	0.724	4
1327882	Drill Core	5.88	0.111	<2
1327883	Drill Core	6.61	0.286	<2
1327884	Drill Core	5.66	0.147	<2
1327885	Drill Core	3.19	0.271	<2



1020 Cordova St. East Vancouver BC V6A 4A3 Canada  
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

[www.acmelab.com](http://www.acmelab.com)

**Client:** **Golden Predator Canada Corp.**

11th Floor, 888 Dunsmuir Street  
Vancouver BC V6C 3K4 Canada

**Project:** Brewery Creek

**Report Date:** January 03, 2012

**Page:** 5 of 6 **Part** 1

## CERTIFICATE OF ANALYSIS

WHI11001971.1

Method	WGHT	G6	7TD
Analyte	Wgt	Au	Ag
Unit	kg	ppm	gm/t
MDL	0.01	0.005	2
1327886	Drill Core	3.38	0.012
1327887	Drill Core	7.78	0.008
1327888	Drill Core	5.78	0.013
1327889	Drill Core	7.66	0.328
1327890	Rock Pulp	0.11	0.010
1327891	Drill Core	5.24	0.007
1327892	Drill Core	5.11	0.054
1327893	Drill Core	3.83	0.649
1327894	Drill Core	2.88	1.443
1327895	Drill Core	4.52	1.796
1327896	Drill Core	5.44	1.997
1327897	Drill Core	4.47	1.022
1327898	Drill Core	7.41	1.021
1327899	Drill Core	2.41	0.184
1327900	Drill Core	2.54	0.136
1327901	Drill Core	6.08	0.121
1327902	Drill Core	6.39	0.152
1327903	Drill Core	7.79	0.184
1327904	Drill Core	6.73	0.016
1327905	Drill Core	4.86	0.008
1327906	Drill Core	6.23	0.016
1327907	Drill Core	4.44	0.018
1327908	Drill Core	3.79	0.054
1327909	Drill Core	5.72	0.080
1327910	Rock Pulp	0.11	0.443
1327911	Drill Core	5.77	0.126
1327912	Drill Core	5.40	0.083
1327913	Drill Core	4.57	0.256
1327914	Drill Core	3.74	0.059
1327915	Drill Core	5.14	0.212



1020 Cordova St. East Vancouver BC V6A 4A3 Canada  
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

[www.acmelab.com](http://www.acmelab.com)

**Client:** **Golden Predator Canada Corp.**

11th Floor, 888 Dunsmuir Street  
Vancouver BC V6C 3K4 Canada

**Project:** Brewery Creek

**Report Date:** January 03, 2012

**Page:** 6 of 6 **Part** 1

## CERTIFICATE OF ANALYSIS

WHI11001971.1

	Method	WGHT	G6	7TD
	Analyte	Wgt	Au	Ag
	Unit	kg	ppm	gm/t
	MDL	0.01	0.005	2
1327916	Drill Core	5.94	0.251	<2
1327917	Drill Core	5.51	1.080	<2
1327918	Drill Core	4.76	0.213	<2
1327919	Drill Core	5.16	0.068	<2
1327920	Rock Pulp	0.11	0.014	<2
1327921	Drill Core	4.42	0.653	6
1327922	Drill Core	4.32	1.475	6
1327923	Drill Core	3.79	0.598	<2
1327924	Drill Core	4.04	0.070	8
1327925	Drill Core	5.42	0.013	<2
1327926	Drill Core	4.68	0.036	<2
1327927	Drill Core	3.80	0.157	<2
1327928	Drill Core	4.99	0.058	<2
1327929	Drill Core	2.26	0.009	<2
1327930	Drill Core	1.83	0.008	<2
1327931	Drill Core	4.66	0.072	<2
1327932	Drill Core	4.52	0.900	<2
1327933	Drill Core	4.51	0.309	<2



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

[www.acmelab.com](http://www.acmelab.com)

**Client:** Golden Predator Canada Corp.

11th Floor, 888 Dunsmuir Street  
Vancouver BC V6C 3K4 Canada

**Project:** Brewery Creek

**Report Date:** January 03, 2012

**Page:** 1 of 3 **Part** 1

## QUALITY CONTROL REPORT

WHI11001971.1

	Method	WGHT	G6	7TD
	Analyte	Wgt	Au	Ag
	Unit	kg	ppm	gm/t
	MDL	0.01	0.005	2
Pulp Duplicates				
1327811	Drill Core	4.37	0.124	2
REP 1327811	QC			2
1327815	Drill Core	4.97	0.007	<2
REP 1327815	QC		0.006	
1327860	Rock Pulp	0.10	0.009	<2
REP 1327860	QC		0.010	
REP 1327862	QC			<2
1327873	Drill Core	5.41	0.026	<2
REP 1327873	QC			<2
1327881	Drill Core	6.12	0.724	4
REP 1327881	QC		0.697	
1327902	Drill Core	6.39	0.152	<2
REP 1327902	QC			<2
1327906	Drill Core	6.23	0.016	<2
REP 1327906	QC		0.015	
REP 1327932	QC			<2
Core Reject Duplicates				
1327827	Drill Core	3.62	0.151	8
DUP 1327827	QC		0.151	8
1327862	Drill Core	3.11	0.064	<2
DUP 1327862	QC		0.061	<2
1327897	Drill Core	4.47	1.022	3
DUP 1327897	QC		0.963	2
1327932	Drill Core	4.52	0.900	<2
DUP 1327932	QC		0.833	<2
Reference Materials				
STD OREAS131B	Standard			32
STD OREAS153A	Standard			<2



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

[www.acmelab.com](http://www.acmelab.com)

**Client:** **Golden Predator Canada Corp.**

11th Floor, 888 Dunsmuir Street  
Vancouver BC V6C 3K4 Canada

**Project:** Brewery Creek

**Report Date:** January 03, 2012

**Page:** 2 of 3 **Part** 1

## QUALITY CONTROL REPORT

WHI11001971.1

		WGHT	G6	7TD
		Wgt	Au	Ag
		kg	ppm	gm/t
		0.01	0.005	2
STD OREAS131B	Standard			34
STD OREAS153A	Standard			<2
STD OREAS131B	Standard			34
STD OREAS153A	Standard			<2
STD OREAS131B	Standard			34
STD OREAS153A	Standard			<2
STD OREAS131B	Standard			34
STD OREAS153A	Standard			<2
STD OREAS131B	Standard			35
STD OREAS153A	Standard			<2
STD OXH82	Standard		1.199	
STD OXH82	Standard		1.287	
STD OXH82	Standard		1.242	
STD OXH82	Standard		1.313	
STD OXH82	Standard		1.233	
STD OXH82	Standard		1.352	
STD OXK79	Standard		3.318	
STD OXK79	Standard		3.690	
STD OXK79	Standard		3.772	
STD OXK79	Standard		3.653	
STD OXK79	Standard		3.614	
STD OXK79	Standard		3.696	
STD OXK79	Standard		3.432	
STD SU-1B	Standard			6
STD SU-1B	Standard			7
STD SU-1B	Standard			7
STD SU-1B	Standard			6
STD SU-1B	Standard			9
STD SU-1B	Standard			7





1020 Cordova St. East Vancouver BC V6A 4A3 Canada  
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

[www.acmelab.com](http://www.acmelab.com)

**Client:** **Golden Predator Canada Corp.**

11th Floor, 888 Dunsmuir Street  
Vancouver BC V6C 3K4 Canada

**Project:** Brewery Creek

**Report Date:** January 03, 2012

**Page:** 3 of 3 **Part** 1

## QUALITY CONTROL REPORT

WHI11001971.1

		WGHT	G6	7TD
		Wgt	Au	Ag
		kg	ppm	gm/t
		0.01	0.005	2
STD OXH82 Expected		1.278		
STD SU-1B Expected		6.4		
STD OREAS131B Expected		33.3		
STD OXK79 Expected		3.532		
BLK	Blank	<0.005		
BLK	Blank	<0.005		
BLK	Blank	<2		
BLK	Blank	<2		
BLK	Blank	<0.005		
BLK	Blank	0.005		
BLK	Blank	0.007		
BLK	Blank	<0.005		
BLK	Blank	0.007		
BLK	Blank	<0.005		
BLK	Blank	0.010		
BLK	Blank	<2		
BLK	Blank	<2		
BLK	Blank	0.013		
BLK	Blank	<2		
BLK	Blank	<2		
BLK	Blank	<0.005		
BLK	Blank	0.006		
Prep Wash				
G1	Prep Blank	0.006 <2		
G1	Prep Blank	0.007 <2		