



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: GOLDEN PREDATOR CANADA CORP.
888 DUNSMUIR STREET
11TH FLOOR
VANCOUVER BC V6C 3K4

Page: 1
Finalized Date: 12-OCT-2011
Account: GOPRED

CERTIFICATE FA11193205

Project: Brewery Creek-1811 2/6

P.O. No.: BRC-2011-JC-1811

This report is for 35 Percussion samples submitted to our lab in Fairbanks, AK, USA on 18-AUG-2011.

The following have access to data associated with this certificate:

TYLER BOURNE
JACK COTE
BRUCE OTTO

MIKE BURKE
GILLES DESSUREAU
BILL SHERIFF

ANDREW CALDWELL
MIKE MASLOWSKI

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-21	Sample logging - ClientBarCode
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um
LOG-23	Pulp Login - Rcvd with Barcode
TRA-21	Transfer sample
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
DRY-21	High Temperature Drying

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
ME-ICP41	35 Element Aqua Regia ICP-AES	ICP-AES

To: GOLDEN PREDATOR CANADA CORP.
ATTN: JACK COTE
888 DUNSMUIR STREET
11TH FLOOR
VANCOUVER BC V6C 3K4

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

Project: Brewery Creek-1811 2/6

Total # Pages: 2 (A - C)

Finalized Date: 12-OCT-2011

Account: GOPRED

CERTIFICATE OF ANALYSIS	FA11193205
-------------------------	------------

Sample Description	Method Analyte Units LOR	WEI-21	Au-AA23	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Recvd Wt.	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
		kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
		0.02	0.005	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
L801329		7.03	0.007	0.5	0.49	18	10	140	0.6	<2	3.44	1.1	7	13	38	2.23
L801330		0.70	<0.005	<0.2	0.03	<2	<10	20	<0.5	<2	20.0	<0.5	1	1	1	0.44
L801331		8.52	0.006	0.3	0.49	13	10	190	0.7	<2	4.56	0.5	7	11	37	2.35
L801332		14.51	<0.005	0.5	0.32	11	<10	120	0.5	<2	3.44	0.7	7	8	36	1.90
L801333		7.87	0.006	0.4	0.48	25	10	70	0.6	<2	3.62	2.0	6	13	39	2.48
L801334		11.18	0.006	0.3	0.42	30	10	120	0.6	<2	4.24	2.4	6	12	41	1.91
L801335		4.22	<0.005	<0.2	0.41	49	10	180	0.7	<2	6.22	0.9	6	14	29	1.56
L801336		13.32	<0.005	<0.2	0.32	51	<10	200	0.6	<2	4.98	1.0	5	11	30	1.33
L801337		6.17	<0.005	0.2	0.39	47	10	170	0.7	<2	3.49	1.5	6	14	40	1.61
L801338		10.90	0.014	0.2	0.36	77	<10	190	0.6	<2	4.64	2.3	6	12	45	1.50
L801339		12.60	0.276	0.7	0.67	144	<10	80	0.5	<2	2.92	0.6	10	17	55	2.75
L801340		0.13	0.447	<0.2	1.23	53	<10	110	<0.5	<2	1.38	<0.5	7	28	49	2.86
L801341		6.24	0.074	3.6	1.02	152	10	70	0.8	<2	6.06	1.8	4	132	186	1.46
L801342		6.61	0.016	3.7	0.65	95	10	110	0.7	<2	5.22	1.1	3	110	168	1.37
L801343		11.72	0.009	3.4	0.65	69	10	120	0.8	<2	6.14	1.7	3	101	154	1.11
L801344		7.01	0.039	3.8	0.64	123	10	260	1.3	<2	8.8	3.3	2	167	178	1.11
L801345		3.54	0.039	4.7	0.94	108	10	100	1.1	<2	6.69	1.4	4	139	223	1.34
L801346		10.27	0.153	2.4	0.57	153	10	150	0.7	<2	5.42	18.5	4	49	152	1.41
L801347		6.31	0.056	1.2	0.46	176	10	170	0.6	<2	5.19	14.9	5	24	110	1.57
L801348		9.01	0.013	0.3	0.33	80	<10	310	0.5	<2	7.9	7.7	4	14	57	1.41
L801349		14.49	0.011	0.4	0.36	73	<10	240	0.6	<2	5.56	4.0	6	12	50	1.64
L801350		0.77	<0.005	<0.2	0.03	2	<10	10	<0.5	<2	19.5	<0.5	1	1	1	0.42
L801351		10.15	0.011	0.8	0.43	37	<10	240	0.6	<2	3.98	1.9	7	11	61	1.87
L801352		10.28	0.006	0.6	0.40	14	<10	210	0.6	<2	3.86	0.8	7	10	43	1.80
L801353		12.35	0.006	0.4	0.44	7	<10	270	0.7	<2	3.53	<0.5	8	8	47	1.65
L801354		11.37	0.006	0.5	0.37	7	<10	210	0.6	<2	2.48	<0.5	9	8	49	1.54
L801355		9.00	<0.005	0.2	0.41	10	<10	210	0.6	<2	3.66	0.6	8	7	33	1.66
L801356		9.52	0.005	<0.2	0.44	11	<10	210	0.6	<2	3.54	0.6	9	9	37	1.69
L801357		16.16	<0.005	<0.2	0.36	7	<10	200	0.6	<2	4.31	0.5	9	7	30	1.87
L801358		14.07	<0.005	0.2	0.48	5	<10	230	0.7	<2	4.77	<0.5	6	9	26	1.77
L801359		12.55	<0.005	0.4	0.48	10	<10	220	0.7	<2	2.35	<0.5	7	8	44	1.42
L801360		0.13	1.500	0.4	1.32	10	<10	120	<0.5	<2	0.79	<0.5	7	30	330	3.30
L801361		8.76	<0.005	<0.2	0.47	7	<10	220	0.7	<2	4.29	<0.5	6	8	33	1.47
L801362		14.11	<0.005	<0.2	0.40	10	<10	330	0.7	<2	4.40	0.5	7	7	31	1.80
L801363		14.23	<0.005	<0.2	0.49	6	<10	420	0.7	<2	2.93	<0.5	5	7	38	1.36

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: GOLDEN PREDATOR CANADA CORP.
 888 DUNSMUIR STREET
 11TH FLOOR
 VANCOUVER BC V6C 3K4

Page: 2 - C
 Total # Pages: 2 (A - C)
 Finalized Date: 12-OCT-2011
 Account: GOPRED

Project: Brewery Creek-1811 2/6

CERTIFICATE OF ANALYSIS FA11193205

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Th	Ti	Ti	U	V	W	Zn
		ppm 20	% 0.01	ppm 10	ppm 10	ppm 1	ppm 10	ppm 2
L801329		<20	<0.01	<10	<10	43	<10	160
L801330		<20	<0.01	<10	<10	<1	<10	16
L801331		<20	<0.01	<10	<10	20	<10	114
L801332		<20	<0.01	<10	<10	20	<10	140
L801333		<20	<0.01	<10	<10	69	<10	237
L801334		<20	<0.01	<10	10	105	<10	249
L801335		<20	<0.01	<10	10	86	<10	129
L801336		<20	<0.01	<10	10	86	<10	154
L801337		<20	<0.01	<10	20	108	<10	182
L801338		<20	<0.01	<10	20	132	<10	277
L801339		<20	<0.01	<10	<10	34	<10	129
L801340		<20	0.12	<10	<10	53	<10	54
L801341		<20	<0.01	<10	10	113	<10	609
L801342		<20	<0.01	<10	10	95	<10	497
L801343		<20	<0.01	<10	10	117	<10	452
L801344		<20	<0.01	<10	10	185	<10	544
L801345		<20	<0.01	<10	10	114	<10	703
L801346		<20	0.01	<10	20	556	<10	1765
L801347		<20	<0.01	<10	20	337	<10	1430
L801348		<20	<0.01	<10	20	232	<10	799
L801349		<20	<0.01	<10	20	130	<10	460
L801350		<20	<0.01	<10	<10	1	<10	23
L801351		<20	<0.01	<10	<10	50	<10	307
L801352		<20	<0.01	<10	<10	22	<10	159
L801353		<20	<0.01	<10	<10	13	<10	79
L801354		<20	<0.01	<10	<10	11	<10	112
L801355		<20	<0.01	<10	<10	13	<10	99
L801356		<20	<0.01	<10	<10	16	<10	115
L801357		<20	<0.01	<10	<10	14	<10	93
L801358		<20	<0.01	<10	<10	11	<10	34
L801359		<20	<0.01	<10	<10	11	<10	86
L801360		<20	0.13	<10	<10	58	<10	49
L801361		<20	<0.01	<10	<10	10	<10	41
L801362		<20	<0.01	<10	<10	12	<10	96
L801363		<20	<0.01	<10	<10	8	<10	22