



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: GOLDEN PREDATOR CANADA CORP.
888 DUNSMUIR STREET
11TH FLOOR
VANCOUVER BC V6C 3K4

Page: 1
Finalized Date: 27-OCT-2011
Account: GOPRED

CERTIFICATE FA11193208

Project: Brewery Creek-1811 5/6

P.O. No.: BRC-2011-JC-1811

This report is for 35 Percussion samples submitted to our lab in Fairbanks, AK, USA on 18-AUG-2011.

The following have access to data associated with this certificate:

TYLER BOURNE
JACK COTE
BRUCE OTTO

MIKE BURKE
GILLES DESSUREAU
BILL SHERIFF

ANDREW CALDWELL
MIKE MASLOWSKI

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-21	Sample logging - ClientBarCode
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um
LOG-23	Pulp Login - Rcvd with Barcode
TRA-21	Transfer sample
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
DRY-21	High Temperature Drying

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-OG46	Ore Grade Elements - AquaRegia	ICP-AES
Au-AA23	Au 30g FA-AA finish	AAS
ME-ICP41	35 Element Aqua Regia ICP-AES	ICP-AES
Ag-OG46	Ore Grade Ag - Aqua Regia	VARIABLE

To: GOLDEN PREDATOR CANADA CORP.
ATTN: JACK COTE
888 DUNSMUIR STREET
11TH FLOOR
VANCOUVER BC V6C 3K4

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

Sample Description	Method Analyte Units LOR	WEI-21	Au-AA23	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Recvd Wt.	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
		kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
		0.02	0.005	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
L801434		16.26	0.011	<0.2	0.98	18	<10	230	0.5	<2	1.99	<0.5	16	33	55	2.48
L801435		2.87	0.036	0.4	0.99	34	<10	240	0.7	3	2.44	<0.5	17	29	48	2.66
L801436		10.24	0.074	0.4	0.98	65	<10	220	0.7	<2	1.69	<0.5	15	28	53	2.60
L801437		15.22	0.038	0.4	1.01	31	<10	230	0.6	<2	4.05	<0.5	18	33	49	2.76
L801438		16.52	0.037	0.2	2.03	28	<10	1490	<0.5	<2	12.6	<0.5	12	43	44	3.47
L801439		13.79	0.062	0.3	1.61	56	<10	1570	<0.5	<2	15.6	<0.5	9	41	43	2.91
L801440		0.15	4.85	>100	1.07	77	<10	80	<0.5	3	0.64	29.6	9	38	76	2.81
L801441		16.66	0.029	0.4	3.66	40	<10	>10000	<0.5	2	6.72	<0.5	20	49	68	4.78
L801442		13.62	0.032	0.3	4.22	33	<10	6050	0.5	<2	4.94	<0.5	26	38	90	6.11
L801443		12.30	0.052	0.3	4.25	52	10	>10000	0.5	<2	2.70	<0.5	22	82	75	4.89
L801444		11.88	0.012	<0.2	5.17	15	10	>10000	0.5	<2	3.11	<0.5	25	150	78	5.43
L801445		12.97	0.020	<0.2	6.07	13	10	>10000	0.5	<2	3.01	<0.5	24	171	78	5.11
L801446		12.76	0.057	0.3	4.70	62	10	>10000	0.5	<2	2.64	<0.5	19	117	68	4.28
L801447		9.98	0.009	0.2	3.80	8	<10	>10000	<0.5	<2	6.66	<0.5	21	125	65	4.97
L801448		13.39	0.008	0.3	5.06	5	<10	>10000	<0.5	<2	5.16	<0.5	24	211	78	5.42
L801449		15.82	0.060	0.4	3.78	53	<10	2510	0.5	<2	3.41	<0.5	26	220	75	5.46
L801450		0.42	<0.005	<0.2	0.09	2	<10	240	<0.5	2	19.1	<0.5	2	3	3	0.47
L801451		8.93	0.013	<0.2	2.34	14	<10	970	0.5	<2	2.13	<0.5	17	117	64	4.33
L801452		13.19	0.029	0.3	3.87	17	10	710	0.7	2	4.34	<0.5	45	264	74	6.95
L801453		15.23	0.034	0.7	2.26	38	<10	70	0.6	<2	6.9	3.3	25	76	68	5.19
L801454		8.67	0.012	2.2	0.91	34	10	50	0.6	<2	2.34	10.0	14	28	94	3.99
L801455		9.72	0.007	0.5	0.23	13	<10	50	<0.5	<2	1.65	<0.5	3	16	26	2.94
L801456		16.86	<0.005	0.4	0.17	8	<10	80	<0.5	<2	1.89	<0.5	3	10	20	3.15
L801457		11.39	0.053	0.5	0.38	54	<10	150	<0.5	<2	1.71	<0.5	6	16	35	2.18
L801458		12.41	0.037	0.9	0.98	38	10	60	1.4	<2	3.71	1.2	9	27	73	3.39
L801459		11.36	0.022	0.6	0.67	18	10	220	1.1	<2	2.91	<0.5	13	16	73	2.79
L801460		0.10	0.447	0.2	1.18	46	<10	110	<0.5	<2	1.35	<0.5	6	27	48	2.84
L801461		13.23	0.066	0.5	0.48	55	10	220	0.7	<2	3.77	0.9	6	11	46	2.25
L801462		10.23	0.015	0.3	0.39	14	<10	330	0.5	<2	3.08	<0.5	7	7	37	2.00
L801463		11.92	0.035	<0.2	0.38	27	<10	290	0.5	<2	2.04	<0.5	7	7	36	1.94
L801464		15.50	0.064	0.5	0.43	46	<10	200	0.6	<2	3.29	<0.5	7	11	36	2.57
L801465		12.77	0.020	0.4	0.14	15	<10	230	<0.5	<2	1.63	<0.5	3	12	16	2.07
L801466		11.74	0.026	0.5	0.40	16	<10	270	<0.5	<2	2.27	<0.5	3	22	30	1.53
L801467		11.93	0.084	0.7	0.53	79	10	60	0.7	<2	2.00	1.2	7	17	56	2.61
L801468		11.87	0.015	1.8	0.62	32	10	50	0.6	<2	5.65	8.3	12	39	94	3.07



2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

Project: Brewery Creek-1811 5/6

Account: GOPRED

CERTIFICATE OF ANALYSIS FA11193208

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
		ppm 10	ppm 1	% 0.01	ppm 10	% 0.01	ppm 5	ppm 1	% 0.01	ppm 1	ppm 10	ppm 2	% 0.01	ppm 2	ppm 1	ppm 1
L801434		<10	<1	0.15	20	0.71	254	2	0.02	36	800	7	0.92	<2	3	86
L801435		10	<1	0.19	10	0.61	284	1	0.03	40	740	7	1.31	5	4	91
L801436		<10	1	0.20	20	0.69	243	2	0.02	39	1020	9	1.14	7	4	95
L801437		10	<1	0.21	10	0.63	410	3	0.03	38	820	9	1.58	3	4	142
L801438		10	<1	0.15	10	1.33	1255	1	0.06	36	880	<2	0.29	3	7	502
L801439		10	1	0.16	10	1.07	1435	2	0.05	31	980	2	0.25	5	8	608
L801440		10	2	0.15	10	0.44	324	486	0.08	29	420	888	1.06	154	3	58
L801441		10	<1	0.34	20	2.00	962	2	0.24	43	1280	3	0.07	3	11	407
L801442		20	<1	0.38	20	2.68	1045	2	0.17	40	1530	3	0.06	3	18	393
L801443		10	1	0.49	20	2.58	776	2	0.39	47	1370	2	0.04	4	16	374
L801444		20	<1	0.48	20	3.18	971	1	0.67	58	1180	<2	0.03	3	20	395
L801445		20	<1	0.75	20	2.91	999	1	1.16	62	1100	<2	0.03	3	21	436
L801446		10	1	0.57	20	2.24	731	2	0.72	54	1200	3	0.03	5	16	308
L801447		10	<1	0.28	20	2.61	1020	<1	0.28	51	1090	<2	0.10	3	14	352
L801448		20	1	0.47	20	3.09	882	<1	0.57	79	1050	<2	0.05	3	20	323
L801449		10	1	0.29	10	3.13	679	1	0.09	91	1170	2	0.15	6	18	239
L801450		<10	<1	0.03	<10	12.30	202	<1	0.02	2	180	<2	0.02	<2	<1	58
L801451		10	<1	0.13	10	2.41	403	1	0.04	60	650	3	0.29	2	10	136
L801452		20	1	0.17	20	3.92	562	1	0.05	162	1550	3	0.62	4	20	174
L801453		10	<1	0.19	20	1.80	965	4	0.03	66	1980	5	2.10	8	11	181
L801454		<10	1	0.29	10	0.89	294	13	0.02	75	3400	12	2.70	15	8	151
L801455		<10	<1	0.10	10	0.11	193	7	0.01	31	1540	14	2.55	3	2	54
L801456		<10	1	0.08	10	0.07	202	7	0.01	26	1040	13	2.93	<2	1	46
L801457		<10	<1	0.15	10	0.39	259	5	0.01	28	2680	11	1.18	6	2	115
L801458		<10	1	0.44	10	1.17	346	13	0.02	45	7350	23	2.39	7	4	239
L801459		<10	<1	0.33	10	1.28	289	4	0.02	42	2430	21	1.62	3	5	134
L801460		<10	<1	0.09	<10	0.56	395	9	0.08	30	730	2	0.12	3	4	38
L801461		<10	1	0.23	10	1.97	307	9	0.01	32	830	9	1.38	6	4	137
L801462		<10	<1	0.21	<10	1.63	481	2	0.01	22	260	9	0.86	3	4	110
L801463		<10	<1	0.17	<10	1.11	590	1	0.01	18	340	5	0.79	2	4	78
L801464		<10	1	0.18	10	1.15	635	4	0.01	26	2520	9	1.38	5	4	153
L801465		<10	<1	0.06	<10	0.42	485	3	0.01	15	1330	6	0.97	3	1	63
L801466		<10	<1	0.15	10	0.22	181	5	0.01	28	7850	10	0.95	2	2	113
L801467		<10	1	0.21	10	0.46	233	9	0.01	53	4300	24	2.15	9	4	136
L801468		<10	1	0.25	10	1.11	310	11	0.02	83	4290	4	2.71	11	7	185



2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Fax: 604 984 0218 www.alsglobal.com

888 DUNSMUIR STREET

VANCOUVER BC V6C 3K4

Total # Pages: 2 (A - C)

Account: GOPRED

CERTIFICATE OF ANALYSIS FA11193208

[illegible]