



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: GOLDEN PREDATOR CANADA CORP.  
888 DUNSMUIR STREET  
11TH FLOOR  
VANCOUVER BC V6C 3K4

Page: 1  
Finalized Date: 20-OCT-2011  
Account: GOPRED

**CERTIFICATE FA11194094**

Project: Brewery Creek-1826  
P.O. No.: BRC-2011-JC-1826  
This report is for 116 Percussion samples submitted to our lab in Fairbanks, AK, USA on 25-AUG-2011.

The following have access to data associated with this certificate:

TYLER BOURNE  
JACK COTE  
BRUCE OTTO

MIKE BURKE  
GILLES DESSUREAU  
BILL SHERIFF

ANDREW CALDWELL  
MIKE MASLOWSKI

**SAMPLE PREPARATION**

| ALS CODE | DESCRIPTION                    |
|----------|--------------------------------|
| WEI-21   | Received Sample Weight         |
| LOG-21   | Sample logging - ClientBarCode |
| CRU-31   | Fine crushing - 70% <2mm       |
| SPL-21   | Split sample - riffle splitter |
| PUL-31   | Pulverize split to 85% <75 um  |
| LOG-23   | Pulp Login - Rcvd with Barcode |
| TRA-21   | Transfer sample                |
| CRU-QC   | Crushing QC Test               |
| PUL-QC   | Pulverizing QC Test            |
| DRY-21   | High Temperature Drying        |

**ANALYTICAL PROCEDURES**

| ALS CODE | DESCRIPTION                    | INSTRUMENT |
|----------|--------------------------------|------------|
| ME-OG46  | Ore Grade Elements - AquaRegia | ICP-AES    |
| Au-AA23  | Au 30g FA-AA finish            | AAS        |
| ME-ICP41 | 35 Element Aqua Regia ICP-AES  | ICP-AES    |
| Ag-OG46  | Ore Grade Ag - Aqua Regia      | VARIABLE   |

To: GOLDEN PREDATOR CANADA CORP.  
ATTN: JACK COTE  
888 DUNSMUIR STREET  
11TH FLOOR  
VANCOUVER BC V6C 3K4

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

  
Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: GOLDEN PREDATOR CANADA CORP.  
888 DUNSMUIR STREET  
11TH FLOOR  
VANCOUVER BC V6C 3K4

Page: 2 - A  
Total # Pages: 4 (A - C)  
Finalized Date: 20-OCT-2011  
Account: GOPRED

Project: Brewery Creek-1826

**CERTIFICATE OF ANALYSIS FA11194094**

| Sample Description | Method<br>Analyte<br>Units<br>LOR | WEI-21<br>Recvd Wt.<br>kg | Au-AA23<br>Au<br>ppm | ME-ICP41<br>Ag<br>ppm | ME-ICP41<br>Al<br>% | ME-ICP41<br>As<br>ppm | ME-ICP41<br>B<br>ppm | ME-ICP41<br>Ba<br>ppm | ME-ICP41<br>Be<br>ppm | ME-ICP41<br>Bi<br>ppm | ME-ICP41<br>Ca<br>% | ME-ICP41<br>Cd<br>ppm | ME-ICP41<br>Co<br>ppm | ME-ICP41<br>Cr<br>ppm | ME-ICP41<br>Cu<br>ppm | ME-ICP41<br>Fe<br>% |
|--------------------|-----------------------------------|---------------------------|----------------------|-----------------------|---------------------|-----------------------|----------------------|-----------------------|-----------------------|-----------------------|---------------------|-----------------------|-----------------------|-----------------------|-----------------------|---------------------|
|                    |                                   | 0.02                      | 0.005                | 0.2                   | 0.01                | 2                     | 10                   | 10                    | 0.5                   | 2                     | 0.01                | 0.5                   | 1                     | 1                     | 1                     | 0.01                |
| L801855            |                                   | 6.37                      | <0.005               | <0.2                  | 0.61                | 27                    | <10                  | 430                   | 0.7                   | <2                    | 0.06                | <0.5                  | 11                    | 9                     | 52                    | 2.81                |
| L801856            |                                   | 6.23                      | 0.005                | 0.2                   | 0.53                | 35                    | <10                  | 630                   | 0.7                   | <2                    | 0.08                | <0.5                  | 14                    | 10                    | 98                    | 2.31                |
| L801857            |                                   | 16.02                     | <0.005               | 0.2                   | 0.51                | 24                    | <10                  | 650                   | 0.7                   | <2                    | 0.05                | <0.5                  | 12                    | 10                    | 52                    | 2.68                |
| L801858            |                                   | 7.35                      | 0.023                | 0.8                   | 0.44                | 43                    | <10                  | 690                   | <0.5                  | <2                    | 0.11                | <0.5                  | 9                     | 10                    | 56                    | 2.45                |
| L801859            |                                   | 3.35                      | 0.027                | 0.4                   | 0.86                | 27                    | 10                   | 2600                  | 0.6                   | 2                     | 0.58                | <0.5                  | 11                    | 20                    | 76                    | 2.56                |
| L801860            |                                   | 0.10                      | 0.434                | <0.2                  | 1.22                | 49                    | <10                  | 110                   | <0.5                  | <2                    | 1.35                | <0.5                  | 8                     | 28                    | 49                    | 3.08                |
| L801861            |                                   | 8.19                      | 0.029                | 0.4                   | 0.49                | 14                    | 10                   | 850                   | 0.5                   | <2                    | 0.25                | <0.5                  | 9                     | 12                    | 60                    | 2.04                |
| L801862            |                                   | 4.19                      | 0.020                | 0.3                   | 0.62                | 22                    | 10                   | 1120                  | 0.7                   | 2                     | 0.35                | 0.5                   | 12                    | 13                    | 52                    | 3.15                |
| L801863            |                                   | 7.30                      | 0.015                | 0.3                   | 0.60                | 21                    | 10                   | 570                   | 0.8                   | <2                    | 0.26                | <0.5                  | 12                    | 11                    | 51                    | 2.90                |
| L801864            |                                   | 13.58                     | 0.011                | 0.2                   | 0.53                | 12                    | <10                  | 500                   | 0.8                   | 2                     | 0.85                | <0.5                  | 11                    | 10                    | 51                    | 2.81                |
| L801865            |                                   | 11.55                     | 0.010                | 0.2                   | 0.61                | 17                    | 10                   | 620                   | 0.8                   | <2                    | 0.42                | <0.5                  | 11                    | 11                    | 55                    | 2.61                |
| L801866            |                                   | 13.50                     | 0.013                | 0.3                   | 0.65                | 41                    | 10                   | 800                   | 0.8                   | <2                    | 1.80                | 0.7                   | 14                    | 15                    | 63                    | 3.51                |
| L801867            |                                   | 17.80                     | 0.041                | 0.4                   | 0.58                | 252                   | 10                   | 630                   | 0.7                   | <2                    | 1.04                | 0.6                   | 12                    | 14                    | 48                    | 3.30                |
| L801868            |                                   | 13.42                     | 0.264                | 0.2                   | 0.50                | 752                   | <10                  | 1050                  | 0.7                   | <2                    | 1.04                | <0.5                  | 13                    | 16                    | 51                    | 2.97                |
| L801869            |                                   | 5.77                      | 0.019                | 0.2                   | 0.57                | 138                   | 10                   | 600                   | 0.8                   | <2                    | 4.92                | <0.5                  | 14                    | 12                    | 41                    | 3.19                |
| L801870            |                                   | 0.38                      | <0.005               | <0.2                  | 0.08                | 8                     | <10                  | 50                    | <0.5                  | <2                    | 19.3                | <0.5                  | 3                     | 1                     | 4                     | 0.50                |
| L801871            |                                   | 6.77                      | 0.005                | 0.3                   | 0.56                | 38                    | 10                   | 340                   | 0.8                   | 2                     | 4.64                | <0.5                  | 11                    | 11                    | 39                    | 2.12                |
| L801872            |                                   | 11.34                     | 0.005                | 0.2                   | 0.44                | 26                    | 10                   | 380                   | 0.8                   | <2                    | 3.91                | <0.5                  | 11                    | 10                    | 37                    | 2.04                |
| L801873            |                                   | 7.59                      | 0.008                | 0.2                   | 0.48                | 50                    | 10                   | 620                   | 0.8                   | <2                    | 2.73                | <0.5                  | 14                    | 11                    | 44                    | 2.88                |
| L801874            |                                   | 5.86                      | <0.005               | <0.2                  | 0.38                | 21                    | 10                   | 500                   | 0.8                   | <2                    | 4.07                | <0.5                  | 8                     | 9                     | 36                    | 2.77                |
| L801875            |                                   | 13.21                     | <0.005               | <0.2                  | 0.38                | 22                    | <10                  | 460                   | 0.7                   | <2                    | 3.00                | <0.5                  | 8                     | 8                     | 43                    | 2.20                |
| L801876            |                                   | 10.69                     | <0.005               | <0.2                  | 0.39                | 22                    | <10                  | 440                   | 0.8                   | <2                    | 2.65                | <0.5                  | 9                     | 8                     | 44                    | 2.15                |
| L801877            |                                   | 8.04                      | <0.005               | <0.2                  | 0.37                | 35                    | <10                  | 380                   | 0.7                   | <2                    | 3.13                | <0.5                  | 11                    | 7                     | 43                    | 2.60                |
| L801878            |                                   | 6.94                      | 0.018                | 0.3                   | 0.44                | 138                   | 10                   | 340                   | 0.8                   | <2                    | 3.09                | <0.5                  | 11                    | 9                     | 47                    | 2.56                |
| L801879            |                                   | 10.60                     | 0.044                | 0.6                   | 0.45                | 334                   | 10                   | 360                   | 0.8                   | <2                    | 2.31                | <0.5                  | 12                    | 12                    | 55                    | 2.72                |
| L801880            |                                   | 0.10                      | 1.625                | 0.4                   | 1.30                | 10                    | <10                  | 120                   | <0.5                  | <2                    | 0.75                | <0.5                  | 9                     | 29                    | 336                   | 3.40                |
| L801881            |                                   | 9.60                      | 0.007                | <0.2                  | 0.34                | 43                    | <10                  | 550                   | 0.7                   | <2                    | 4.60                | <0.5                  | 8                     | 7                     | 39                    | 2.49                |
| L801882            |                                   | 11.71                     | 0.009                | 0.6                   | 0.33                | 16                    | <10                  | 440                   | 0.5                   | <2                    | 1.49                | <0.5                  | 9                     | 8                     | 54                    | 1.82                |
| L801883            |                                   | 10.65                     | 0.006                | 0.2                   | 0.34                | 12                    | <10                  | 420                   | 0.5                   | <2                    | 1.93                | <0.5                  | 8                     | 7                     | 48                    | 1.89                |
| L801884            |                                   | 6.25                      | 0.009                | 0.2                   | 0.38                | 24                    | <10                  | 630                   | 0.6                   | <2                    | 1.68                | <0.5                  | 11                    | 8                     | 48                    | 2.17                |
| L801885            |                                   | 7.22                      | 0.005                | 0.3                   | 0.40                | 9                     | <10                  | 560                   | 0.7                   | <2                    | 2.14                | 0.5                   | 12                    | 9                     | 41                    | 2.52                |
| L801886            |                                   | 10.01                     | 0.007                | 0.5                   | 0.38                | 14                    | <10                  | 510                   | 0.7                   | <2                    | 1.35                | 0.5                   | 11                    | 9                     | 46                    | 2.04                |
| L801887            |                                   | 4.03                      | 0.006                | 0.2                   | 0.34                | 18                    | <10                  | 510                   | 0.6                   | <2                    | 1.73                | <0.5                  | 9                     | 8                     | 41                    | 2.25                |
| L801888            |                                   | 1.30                      | 0.006                | 0.4                   | 0.42                | 17                    | 10                   | 440                   | 0.7                   | <2                    | 2.27                | 0.9                   | 9                     | 9                     | 36                    | 3.29                |
| L801889            |                                   | 5.12                      | <0.005               | 0.4                   | 0.40                | 16                    | <10                  | 450                   | 0.7                   | <2                    | 2.93                | 0.8                   | 9                     | 10                    | 33                    | 2.68                |
| L801890            |                                   | 0.33                      | <0.005               | <0.2                  | 0.06                | <2                    | <10                  | 20                    | <0.5                  | <2                    | 18.7                | <0.5                  | 2                     | 1                     | 3                     | 0.44                |
| L801891            |                                   | 2.46                      | 0.006                | 0.3                   | 0.32                | 19                    | <10                  | 380                   | 0.6                   | <2                    | 2.14                | 1.2                   | 8                     | 8                     | 39                    | 2.24                |
| L801892            |                                   | 4.77                      | <0.005               | <0.2                  | 0.29                | 10                    | <10                  | 370                   | 0.7                   | <2                    | 5.41                | 0.5                   | 7                     | 8                     | 34                    | 2.50                |
| L801893            |                                   | 3.66                      | <0.005               | 0.2                   | 0.29                | 12                    | <10                  | 290                   | 0.5                   | <2                    | 1.60                | 0.6                   | 8                     | 8                     | 33                    | 1.98                |
| L801894            |                                   | 4.44                      | 0.005                | 0.3                   | 0.31                | 12                    | 10                   | 190                   | 0.5                   | <2                    | 3.70                | 0.5                   | 7                     | 8                     | 27                    | 2.50                |



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: GOLDEN PREDATOR CANADA CORP.  
888 DUNSMUIR STREET  
11TH FLOOR  
VANCOUVER BC V6C 3K4

Page: 2 - B  
Total # Pages: 4 (A - C)  
Finalized Date: 20-OCT-2011  
Account: GOPRED

Project: Brewery Creek-1826

**CERTIFICATE OF ANALYSIS FA11194094**

| Sample Description | Method<br>Analyte<br>Units<br>LOR | ME-ICP41<br>Ga<br>ppm<br>10 | ME-ICP41<br>Hg<br>ppm<br>1 | ME-ICP41<br>K<br>%<br>0.01 | ME-ICP41<br>La<br>ppm<br>10 | ME-ICP41<br>Mg<br>%<br>0.01 | ME-ICP41<br>Mn<br>ppm<br>5 | ME-ICP41<br>Mo<br>ppm<br>1 | ME-ICP41<br>Na<br>%<br>0.01 | ME-ICP41<br>Ni<br>ppm<br>1 | ME-ICP41<br>P<br>ppm<br>10 | ME-ICP41<br>Pb<br>ppm<br>2 | ME-ICP41<br>S<br>%<br>0.01 | ME-ICP41<br>Sb<br>ppm<br>2 | ME-ICP41<br>Sc<br>ppm<br>1 | ME-ICP41<br>Sr<br>ppm<br>1 |
|--------------------|-----------------------------------|-----------------------------|----------------------------|----------------------------|-----------------------------|-----------------------------|----------------------------|----------------------------|-----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|
| L801855            |                                   | <10                         | 1                          | 0.25                       | 20                          | 0.08                        | 565                        | 2                          | 0.01                        | 23                         | 250                        | 5                          | 0.03                       | 7                          | 4                          | 20                         |
| L801856            |                                   | <10                         | <1                         | 0.23                       | 20                          | 0.07                        | 508                        | 3                          | 0.01                        | 30                         | 500                        | 4                          | 0.01                       | 9                          | 3                          | 46                         |
| L801857            |                                   | <10                         | <1                         | 0.24                       | 20                          | 0.06                        | 719                        | 3                          | 0.01                        | 26                         | 330                        | 5                          | 0.03                       | 7                          | 4                          | 37                         |
| L801858            |                                   | <10                         | 1                          | 0.25                       | 10                          | 0.04                        | 228                        | 2                          | 0.01                        | 23                         | 690                        | 10                         | 0.17                       | 6                          | 3                          | 127                        |
| L801859            |                                   | <10                         | 1                          | 0.25                       | 10                          | 0.43                        | 288                        | 4                          | 0.02                        | 28                         | 1480                       | 8                          | 0.15                       | 6                          | 4                          | 127                        |
| L801860            |                                   | <10                         | 1                          | 0.10                       | <10                         | 0.59                        | 411                        | 10                         | 0.07                        | 34                         | 730                        | 3                          | 0.11                       | <2                         | 5                          | 41                         |
| L801861            |                                   | <10                         | 1                          | 0.22                       | 10                          | 0.10                        | 156                        | 3                          | 0.01                        | 26                         | 1030                       | 7                          | 0.08                       | 5                          | 3                          | 84                         |
| L801862            |                                   | <10                         | 1                          | 0.26                       | 20                          | 0.17                        | 404                        | 6                          | 0.01                        | 38                         | 1060                       | 16                         | 0.07                       | 7                          | 4                          | 78                         |
| L801863            |                                   | <10                         | 1                          | 0.29                       | 20                          | 0.09                        | 473                        | 3                          | 0.01                        | 35                         | 790                        | 9                          | 0.05                       | 8                          | 4                          | 66                         |
| L801864            |                                   | <10                         | <1                         | 0.26                       | 20                          | 0.32                        | 400                        | 2                          | 0.01                        | 29                         | 490                        | 7                          | 0.05                       | 6                          | 4                          | 56                         |
| L801865            |                                   | <10                         | 1                          | 0.27                       | 20                          | 0.12                        | 313                        | 3                          | 0.01                        | 33                         | 1190                       | 9                          | 0.04                       | 9                          | 4                          | 71                         |
| L801866            |                                   | <10                         | 1                          | 0.27                       | 20                          | 0.55                        | 704                        | 4                          | 0.01                        | 43                         | 960                        | 12                         | 0.04                       | 12                         | 5                          | 91                         |
| L801867            |                                   | <10                         | 1                          | 0.26                       | 10                          | 0.23                        | 806                        | 4                          | 0.01                        | 35                         | 390                        | 7                          | 0.03                       | 16                         | 5                          | 44                         |
| L801868            |                                   | <10                         | 2                          | 0.22                       | 10                          | 0.38                        | 704                        | 4                          | 0.01                        | 37                         | 300                        | 8                          | 0.05                       | 16                         | 4                          | 64                         |
| L801869            |                                   | <10                         | 1                          | 0.26                       | 10                          | 2.09                        | 912                        | 3                          | 0.01                        | 41                         | 310                        | 12                         | 0.28                       | 13                         | 6                          | 106                        |
| L801870            |                                   | <10                         | 1                          | 0.04                       | <10                         | 12.55                       | 217                        | <1                         | 0.01                        | 2                          | 200                        | <2                         | 0.01                       | <2                         | <1                         | 54                         |
| L801871            |                                   | <10                         | 2                          | 0.27                       | 10                          | 2.19                        | 536                        | 1                          | 0.01                        | 30                         | 150                        | 9                          | 0.27                       | 10                         | 6                          | 108                        |
| L801872            |                                   | <10                         | 1                          | 0.22                       | 10                          | 1.75                        | 493                        | 1                          | 0.01                        | 26                         | 200                        | 7                          | 0.22                       | 8                          | 5                          | 97                         |
| L801873            |                                   | <10                         | 1                          | 0.23                       | 10                          | 1.15                        | 613                        | 3                          | 0.01                        | 38                         | 310                        | 9                          | 0.35                       | 11                         | 6                          | 71                         |
| L801874            |                                   | <10                         | 1                          | 0.20                       | 10                          | 1.59                        | 841                        | 2                          | 0.01                        | 20                         | 140                        | 3                          | 0.15                       | 6                          | 5                          | 91                         |
| L801875            |                                   | <10                         | 1                          | 0.20                       | 10                          | 1.20                        | 490                        | 1                          | 0.01                        | 20                         | 170                        | 2                          | 0.10                       | 6                          | 5                          | 65                         |
| L801876            |                                   | <10                         | <1                         | 0.21                       | 10                          | 1.07                        | 442                        | 1                          | 0.01                        | 24                         | 130                        | 4                          | 0.10                       | 6                          | 5                          | 57                         |
| L801877            |                                   | <10                         | <1                         | 0.18                       | 10                          | 1.31                        | 578                        | 2                          | 0.01                        | 30                         | 260                        | 6                          | 0.15                       | 8                          | 6                          | 72                         |
| L801878            |                                   | <10                         | 1                          | 0.22                       | 10                          | 1.30                        | 450                        | 3                          | 0.01                        | 42                         | 230                        | 11                         | 0.05                       | 10                         | 6                          | 57                         |
| L801879            |                                   | <10                         | 2                          | 0.21                       | 10                          | 1.01                        | 399                        | 4                          | 0.01                        | 54                         | 190                        | 16                         | 0.14                       | 11                         | 6                          | 69                         |
| L801880            |                                   | 10                          | 1                          | 0.10                       | 10                          | 0.60                        | 440                        | 21                         | 0.08                        | 34                         | 550                        | 5                          | 0.07                       | <2                         | 5                          | 38                         |
| L801881            |                                   | <10                         | 1                          | 0.16                       | 10                          | 2.22                        | 691                        | 1                          | 0.01                        | 22                         | 320                        | 6                          | 0.23                       | 6                          | 5                          | 167                        |
| L801882            |                                   | <10                         | 1                          | 0.16                       | <10                         | 0.50                        | 422                        | 1                          | 0.01                        | 23                         | 600                        | 5                          | 0.06                       | 4                          | 4                          | 66                         |
| L801883            |                                   | <10                         | 1                          | 0.16                       | <10                         | 0.66                        | 479                        | 2                          | 0.01                        | 21                         | 470                        | 5                          | 0.06                       | 3                          | 4                          | 72                         |
| L801884            |                                   | <10                         | 1                          | 0.18                       | 10                          | 0.57                        | 568                        | 3                          | 0.01                        | 33                         | 420                        | 7                          | 0.10                       | 6                          | 4                          | 68                         |
| L801885            |                                   | <10                         | 1                          | 0.18                       | 10                          | 0.83                        | 521                        | 4                          | 0.01                        | 34                         | 270                        | 10                         | 0.53                       | 6                          | 5                          | 85                         |
| L801886            |                                   | <10                         | 1                          | 0.18                       | 10                          | 0.68                        | 398                        | 6                          | 0.01                        | 40                         | 260                        | 10                         | 0.16                       | 6                          | 5                          | 61                         |
| L801887            |                                   | <10                         | 1                          | 0.16                       | <10                         | 0.87                        | 424                        | 9                          | 0.01                        | 34                         | 340                        | 8                          | 0.18                       | 7                          | 4                          | 79                         |
| L801888            |                                   | <10                         | 1                          | 0.18                       | 10                          | 1.31                        | 578                        | 11                         | 0.01                        | 49                         | 590                        | 9                          | 0.55                       | 9                          | 5                          | 85                         |
| L801889            |                                   | <10                         | 1                          | 0.18                       | 10                          | 1.64                        | 739                        | 9                          | 0.01                        | 41                         | 560                        | 7                          | 0.29                       | 8                          | 5                          | 103                        |
| L801890            |                                   | <10                         | 1                          | 0.03                       | <10                         | 12.20                       | 198                        | <1                         | 0.01                        | 1                          | 190                        | <2                         | 0.01                       | <2                         | <1                         | 45                         |
| L801891            |                                   | <10                         | 1                          | 0.15                       | 10                          | 1.09                        | 453                        | 18                         | 0.01                        | 58                         | 560                        | 10                         | 0.24                       | 11                         | 4                          | 87                         |
| L801892            |                                   | <10                         | 1                          | 0.15                       | 10                          | 2.95                        | 895                        | 6                          | 0.01                        | 33                         | 230                        | 6                          | 0.68                       | 6                          | 4                          | 151                        |
| L801893            |                                   | <10                         | 1                          | 0.14                       | <10                         | 0.88                        | 396                        | 8                          | 0.01                        | 36                         | 360                        | 7                          | 0.28                       | 6                          | 4                          | 55                         |
| L801894            |                                   | <10                         | 1                          | 0.15                       | 10                          | 2.06                        | 523                        | 4                          | 0.01                        | 28                         | 510                        | 5                          | 1.38                       | 4                          | 4                          | 120                        |



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: GOLDEN PREDATOR CANADA CORP.  
 888 DUNSMUIR STREET  
 11TH FLOOR  
 VANCOUVER BC V6C 3K4

Page: 2 - C  
 Total # Pages: 4 (A - C)  
 Finalized Date: 20-OCT-2011  
 Account: GOPRED

Project: Brewery Creek-1826

**CERTIFICATE OF ANALYSIS FA11194094**

| Sample Description | Method<br>Analyte<br>Units<br>LOR | ME-ICP41  | ME-ICP41  | ME-ICP41  | ME-ICP41  | ME-ICP41 | ME-ICP41  | ME-ICP41 | Ag-OG46  |
|--------------------|-----------------------------------|-----------|-----------|-----------|-----------|----------|-----------|----------|----------|
|                    |                                   | Th        | Ti        | Ti        | U         | V        | W         | Zn       | Ag       |
|                    |                                   | ppm<br>20 | %<br>0.01 | ppm<br>10 | ppm<br>10 | ppm<br>1 | ppm<br>10 | ppm<br>2 | ppm<br>1 |
| L801855            |                                   | <20       | <0.01     | <10       | <10       | 10       | <10       | 102      |          |
| L801856            |                                   | <20       | <0.01     | <10       | <10       | 11       | <10       | 143      |          |
| L801857            |                                   | <20       | <0.01     | <10       | <10       | 8        | <10       | 122      |          |
| L801858            |                                   | <20       | <0.01     | <10       | <10       | 14       | <10       | 90       |          |
| L801859            |                                   | <20       | 0.05      | <10       | <10       | 44       | <10       | 117      |          |
| L801860            |                                   | <20       | 0.11      | <10       | <10       | 51       | <10       | 54       |          |
| L801861            |                                   | <20       | 0.01      | <10       | <10       | 20       | <10       | 93       |          |
| L801862            |                                   | <20       | 0.01      | <10       | <10       | 25       | <10       | 97       |          |
| L801863            |                                   | <20       | <0.01     | <10       | <10       | 13       | <10       | 103      |          |
| L801864            |                                   | <20       | <0.01     | <10       | <10       | 11       | <10       | 103      |          |
| L801865            |                                   | <20       | <0.01     | <10       | <10       | 16       | <10       | 110      |          |
| L801866            |                                   | <20       | <0.01     | <10       | <10       | 24       | <10       | 170      |          |
| L801867            |                                   | <20       | <0.01     | <10       | <10       | 20       | <10       | 188      |          |
| L801868            |                                   | <20       | <0.01     | <10       | <10       | 22       | <10       | 147      |          |
| L801869            |                                   | <20       | <0.01     | <10       | <10       | 17       | <10       | 137      |          |
| L801870            |                                   | <20       | <0.01     | <10       | <10       | 2        | <10       | 20       |          |
| L801871            |                                   | <20       | <0.01     | <10       | <10       | 14       | <10       | 81       |          |
| L801872            |                                   | <20       | <0.01     | <10       | <10       | 10       | <10       | 72       |          |
| L801873            |                                   | <20       | <0.01     | <10       | <10       | 13       | <10       | 113      |          |
| L801874            |                                   | <20       | <0.01     | <10       | <10       | 9        | <10       | 64       |          |
| L801875            |                                   | <20       | <0.01     | <10       | <10       | 8        | <10       | 45       |          |
| L801876            |                                   | <20       | <0.01     | <10       | <10       | 8        | <10       | 53       |          |
| L801877            |                                   | <20       | <0.01     | <10       | <10       | 10       | <10       | 90       |          |
| L801878            |                                   | <20       | <0.01     | <10       | <10       | 13       | <10       | 114      |          |
| L801879            |                                   | <20       | <0.01     | <10       | <10       | 15       | <10       | 135      |          |
| L801880            |                                   | <20       | 0.12      | <10       | <10       | 58       | <10       | 49       |          |
| L801881            |                                   | <20       | <0.01     | <10       | <10       | 10       | <10       | 66       |          |
| L801882            |                                   | <20       | <0.01     | <10       | <10       | 10       | <10       | 87       |          |
| L801883            |                                   | <20       | <0.01     | <10       | <10       | 9        | <10       | 71       |          |
| L801884            |                                   | <20       | <0.01     | <10       | <10       | 15       | <10       | 122      |          |
| L801885            |                                   | <20       | <0.01     | <10       | <10       | 13       | <10       | 142      |          |
| L801886            |                                   | <20       | <0.01     | <10       | <10       | 23       | <10       | 180      |          |
| L801887            |                                   | <20       | <0.01     | <10       | <10       | 16       | <10       | 152      |          |
| L801888            |                                   | <20       | <0.01     | <10       | <10       | 28       | <10       | 218      |          |
| L801889            |                                   | <20       | <0.01     | <10       | <10       | 27       | <10       | 164      |          |
| L801890            |                                   | <20       | <0.01     | <10       | <10       | 2        | <10       | 19       |          |
| L801891            |                                   | <20       | <0.01     | <10       | <10       | 52       | <10       | 254      |          |
| L801892            |                                   | <20       | <0.01     | <10       | <10       | 21       | <10       | 135      |          |
| L801893            |                                   | <20       | <0.01     | <10       | <10       | 20       | <10       | 124      |          |
| L801894            |                                   | <20       | <0.01     | <10       | <10       | 24       | <10       | 93       |          |



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: GOLDEN PREDATOR CANADA CORP.  
888 DUNSMUIR STREET  
11TH FLOOR  
VANCOUVER BC V6C 3K4

Page: 3 - A  
Total # Pages: 4 (A - C)  
Finalized Date: 20-OCT-2011  
Account: GOPRED

Project: Brewery Creek-1826

**CERTIFICATE OF ANALYSIS FA11194094**

| Sample Description | Method<br>Analyte<br>Units<br>LOR | WEI-21<br>Recvd Wt.<br>kg | Au-AA23<br>Au<br>ppm | ME-ICP41<br>Ag<br>ppm | ME-ICP41<br>Al<br>% | ME-ICP41<br>As<br>ppm | ME-ICP41<br>B<br>ppm | ME-ICP41<br>Ba<br>ppm | ME-ICP41<br>Be<br>ppm | ME-ICP41<br>Bi<br>ppm | ME-ICP41<br>Ca<br>% | ME-ICP41<br>Cd<br>ppm | ME-ICP41<br>Co<br>ppm | ME-ICP41<br>Cr<br>ppm | ME-ICP41<br>Cu<br>ppm | ME-ICP41<br>Fe<br>% |
|--------------------|-----------------------------------|---------------------------|----------------------|-----------------------|---------------------|-----------------------|----------------------|-----------------------|-----------------------|-----------------------|---------------------|-----------------------|-----------------------|-----------------------|-----------------------|---------------------|
|                    |                                   | 0.02                      | 0.005                | 0.2                   | 0.01                | 2                     | 10                   | 10                    | 0.5                   | 2                     | 0.01                | 0.5                   | 1                     | 1                     | 1                     | 0.01                |
| L801895            |                                   | 5.83                      | 0.006                | 0.3                   | 0.28                | 11                    | <10                  | 240                   | 0.5                   | <2                    | 2.08                | 0.9                   | 7                     | 8                     | 37                    | 2.05                |
| L801896            |                                   | 5.67                      | <0.005               | 0.2                   | 0.28                | 18                    | <10                  | 230                   | 0.6                   | <2                    | 2.05                | 1.4                   | 7                     | 10                    | 42                    | 1.70                |
| L801897            |                                   | 5.40                      | <0.005               | <0.2                  | 0.26                | 27                    | <10                  | 230                   | 0.6                   | <2                    | 4.65                | 0.9                   | 7                     | 9                     | 31                    | 1.51                |
| L801898            |                                   | 3.92                      | 0.011                | 0.2                   | 0.27                | 82                    | <10                  | 240                   | 0.7                   | <2                    | 3.20                | 5.0                   | 7                     | 12                    | 57                    | 1.48                |
| L801899            |                                   | 2.78                      | 0.050                | 0.9                   | 0.45                | 114                   | 10                   | 400                   | 0.7                   | <2                    | 2.75                | 9.4                   | 9                     | 21                    | 89                    | 1.80                |
| L801900            |                                   | 0.10                      | 4.75                 | >100                  | 1.10                | 81                    | <10                  | 90                    | <0.5                  | <2                    | 0.60                | 30.6                  | 11                    | 39                    | 77                    | 3.02                |
| L801901            |                                   | 5.77                      | 0.039                | 0.7                   | 0.34                | 61                    | <10                  | 470                   | 0.5                   | <2                    | 2.88                | 2.4                   | 9                     | 14                    | 50                    | 1.99                |
| L801902            |                                   | 6.89                      | 0.045                | <0.2                  | 0.27                | 55                    | <10                  | 280                   | <0.5                  | <2                    | 2.26                | 0.5                   | 7                     | 9                     | 41                    | 2.44                |
| L801903            |                                   | 10.73                     | 0.118                | 0.4                   | 0.19                | 67                    | <10                  | 250                   | <0.5                  | <2                    | 0.68                | <0.5                  | 5                     | 13                    | 26                    | 1.64                |
| L801904            |                                   | 10.17                     | 0.069                | 0.6                   | 0.39                | 112                   | <10                  | 70                    | 0.5                   | <2                    | 1.86                | <0.5                  | 11                    | 15                    | 51                    | 3.04                |
| L801905            |                                   | 4.30                      | 0.097                | 0.5                   | 0.26                | 66                    | <10                  | 350                   | <0.5                  | <2                    | 1.44                | 0.5                   | 9                     | 13                    | 41                    | 2.43                |
| L801906            |                                   | 2.12                      | 0.056                | <0.2                  | 0.53                | 531                   | 10                   | 70                    | 0.7                   | <2                    | 3.73                | 0.7                   | 26                    | 20                    | 60                    | 5.12                |
| L801907            |                                   | 7.81                      | 0.022                | 0.4                   | 0.24                | 46                    | <10                  | 220                   | <0.5                  | <2                    | 0.81                | <0.5                  | 8                     | 13                    | 39                    | 2.12                |
| L801908            |                                   | 6.07                      | 0.056                | 0.4                   | 0.50                | 180                   | 10                   | 170                   | 0.5                   | <2                    | 2.38                | 0.6                   | 13                    | 19                    | 50                    | 3.28                |
| L801909            |                                   | 10.41                     | 0.030                | 0.4                   | 0.29                | 37                    | <10                  | 200                   | <0.5                  | <2                    | 2.27                | <0.5                  | 9                     | 15                    | 40                    | 2.57                |
| L801910            |                                   | 0.45                      | <0.005               | <0.2                  | 0.03                | 2                     | <10                  | 20                    | <0.5                  | <2                    | 18.1                | <0.5                  | 2                     | 1                     | 1                     | 0.42                |
| L801911            |                                   | 4.64                      | 0.016                | 0.6                   | 0.70                | 81                    | 10                   | 60                    | 0.9                   | <2                    | 3.51                | 0.7                   | 14                    | 24                    | 68                    | 3.65                |
| L801912            |                                   | 5.38                      | 0.043                | 0.7                   | 0.71                | 87                    | 10                   | 60                    | 0.8                   | 2                     | 3.14                | 0.6                   | 11                    | 25                    | 64                    | 3.29                |
| L801913            |                                   | 4.02                      | 0.011                | 3.2                   | 0.90                | 35                    | 20                   | 70                    | 1.2                   | <2                    | 7.8                 | 1.0                   | 7                     | 73                    | 139                   | 2.45                |
| L801914            |                                   | 6.20                      | 0.011                | 3.6                   | 0.57                | 56                    | 10                   | 410                   | 1.2                   | <2                    | 6.92                | 1.6                   | 4                     | 108                   | 150                   | 1.24                |
| L801915            |                                   | 7.14                      | 0.021                | 1.9                   | 1.00                | 67                    | 20                   | 80                    | 1.2                   | <2                    | 5.18                | 1.5                   | 9                     | 49                    | 106                   | 2.62                |
| L801916            |                                   | 3.54                      | <0.005               | 2.6                   | 0.39                | 88                    | 10                   | 270                   | 0.9                   | 2                     | 4.81                | 37.7                  | 4                     | 41                    | 218                   | 1.21                |
| L801917            |                                   | 8.06                      | <0.005               | 2.3                   | 0.31                | 69                    | 10                   | 190                   | 0.7                   | <2                    | 6.17                | 29.2                  | 6                     | 29                    | 181                   | 1.23                |
| L801918            |                                   | 7.04                      | 0.010                | 2.0                   | 0.47                | 82                    | 10                   | 320                   | 0.9                   | <2                    | 4.43                | 22.9                  | 8                     | 36                    | 162                   | 1.75                |
| L801919            |                                   | 3.56                      | 0.021                | 2.2                   | 0.48                | 116                   | 10                   | 260                   | 0.9                   | <2                    | 3.76                | 21.3                  | 9                     | 36                    | 171                   | 2.05                |
| L801920            |                                   | 0.10                      | 0.469                | <0.2                  | 1.22                | 48                    | <10                  | 110                   | <0.5                  | <2                    | 1.30                | <0.5                  | 8                     | 27                    | 49                    | 2.98                |
| L801921            |                                   | 10.67                     | 0.005                | 1.8                   | 0.36                | 88                    | 10                   | 260                   | 0.7                   | <2                    | 5.95                | 30.5                  | 6                     | 26                    | 184                   | 1.25                |
| L801922            |                                   | 8.04                      | <0.005               | 1.4                   | 0.31                | 79                    | 10                   | 240                   | 0.6                   | <2                    | 6.21                | 27.6                  | 6                     | 20                    | 161                   | 1.13                |
| L801923            |                                   | 15.99                     | <0.005               | 1.7                   | 0.40                | 93                    | 10                   | 300                   | 0.8                   | <2                    | 5.61                | 28.2                  | 7                     | 28                    | 179                   | 1.41                |
| L801924            |                                   | 5.11                      | 0.005                | 1.4                   | 0.33                | 108                   | 10                   | 260                   | 0.6                   | <2                    | 5.45                | 36.0                  | 6                     | 19                    | 177                   | 1.28                |
| L801925            |                                   | 5.36                      | <0.005               | 0.9                   | 0.29                | 58                    | 10                   | 200                   | 0.5                   | <2                    | 6.43                | 26.3                  | 6                     | 16                    | 123                   | 1.07                |
| L801926            |                                   | 5.90                      | 0.008                | 0.5                   | 0.29                | 51                    | 10                   | 180                   | 0.6                   | <2                    | 6.63                | 19.6                  | 6                     | 13                    | 99                    | 1.14                |
| L801927            |                                   | 6.68                      | 0.005                | 1.3                   | 0.33                | 60                    | <10                  | 250                   | 0.6                   | <2                    | 6.23                | 24.7                  | 5                     | 15                    | 117                   | 1.17                |
| L801928            |                                   | 8.58                      | 0.005                | 0.8                   | 0.27                | 52                    | <10                  | 160                   | 0.5                   | <2                    | 6.46                | 17.5                  | 5                     | 11                    | 91                    | 1.08                |
| L801929            |                                   | 14.54                     | 0.006                | 0.9                   | 0.28                | 59                    | <10                  | 210                   | 0.6                   | <2                    | 5.82                | 20.2                  | 5                     | 13                    | 103                   | 1.16                |
| L801930            |                                   | 0.35                      | <0.005               | 0.2                   | 0.03                | 2                     | <10                  | <10                   | <0.5                  | <2                    | 17.6                | <0.5                  | 2                     | <1                    | 1                     | 0.43                |
| L801931            |                                   | 10.78                     | <0.005               | 0.3                   | 0.25                | 66                    | <10                  | 230                   | 0.7                   | <2                    | 3.38                | 3.2                   | 5                     | 11                    | 47                    | 1.31                |
| L801932            |                                   | 6.53                      | <0.005               | 0.3                   | 0.30                | 89                    | <10                  | 260                   | 1.0                   | <2                    | 4.33                | 2.6                   | 7                     | 12                    | 48                    | 1.52                |
| L801933            |                                   | 8.96                      | <0.005               | 0.6                   | 0.35                | 50                    | <10                  | 270                   | 0.9                   | <2                    | 4.13                | 7.5                   | 8                     | 18                    | 60                    | 2.12                |
| L801934            |                                   | 5.08                      | <0.005               | 0.2                   | 0.31                | 53                    | <10                  | 240                   | 0.8                   | <2                    | 4.11                | 1.6                   | 6                     | 13                    | 29                    | 1.68                |



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: GOLDEN PREDATOR CANADA CORP.  
888 DUNSMUIR STREET  
11TH FLOOR  
VANCOUVER BC V6C 3K4

Page: 3 - B  
Total # Pages: 4 (A - C)  
Finalized Date: 20-OCT-2011  
Account: GOPRED

Project: Brewery Creek-1826

**CERTIFICATE OF ANALYSIS FA11194094**

| Sample Description | Method<br>Analyte<br>Units<br>LOR | ME-ICP41<br>Ga<br>ppm<br>10 | ME-ICP41<br>Hg<br>ppm<br>1 | ME-ICP41<br>K<br>%<br>0.01 | ME-ICP41<br>La<br>ppm<br>10 | ME-ICP41<br>Mg<br>%<br>0.01 | ME-ICP41<br>Mn<br>ppm<br>5 | ME-ICP41<br>Mo<br>ppm<br>1 | ME-ICP41<br>Na<br>%<br>0.01 | ME-ICP41<br>Ni<br>ppm<br>1 | ME-ICP41<br>P<br>ppm<br>10 | ME-ICP41<br>Pb<br>ppm<br>2 | ME-ICP41<br>S<br>%<br>0.01 | ME-ICP41<br>Sb<br>ppm<br>2 | ME-ICP41<br>Sc<br>ppm<br>1 | ME-ICP41<br>Sr<br>ppm<br>1 |
|--------------------|-----------------------------------|-----------------------------|----------------------------|----------------------------|-----------------------------|-----------------------------|----------------------------|----------------------------|-----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|
| L801895            |                                   | <10                         | 1                          | 0.15                       | 10                          | 1.13                        | 294                        | 21                         | 0.01                        | 48                         | 570                        | 6                          | 0.56                       | 8                          | 3                          | 82                         |
| L801896            |                                   | <10                         | 2                          | 0.13                       | <10                         | 1.08                        | 256                        | 51                         | 0.01                        | 83                         | 530                        | 8                          | 0.33                       | 8                          | 3                          | 67                         |
| L801897            |                                   | <10                         | 4                          | 0.12                       | <10                         | 2.67                        | 405                        | 52                         | 0.01                        | 81                         | 450                        | 6                          | 0.90                       | 5                          | 3                          | 110                        |
| L801898            |                                   | <10                         | 13                         | 0.13                       | 10                          | 1.83                        | 215                        | 76                         | 0.01                        | 131                        | 550                        | 8                          | 0.70                       | 21                         | 3                          | 84                         |
| L801899            |                                   | <10                         | 15                         | 0.17                       | 10                          | 1.37                        | 279                        | 41                         | 0.01                        | 95                         | 1890                       | 9                          | 0.99                       | 64                         | 3                          | 173                        |
| L801900            |                                   | 10                          | 2                          | 0.15                       | 10                          | 0.47                        | 336                        | 496                        | 0.08                        | 30                         | 430                        | 926                        | 1.10                       | 158                        | 4                          | 56                         |
| L801901            |                                   | <10                         | 5                          | 0.14                       | <10                         | 1.43                        | 427                        | 20                         | 0.01                        | 56                         | 970                        | 8                          | 0.82                       | 56                         | 4                          | 313                        |
| L801902            |                                   | <10                         | 3                          | 0.14                       | <10                         | 1.02                        | 546                        | 8                          | 0.01                        | 28                         | 370                        | 4                          | 1.29                       | 24                         | 3                          | 242                        |
| L801903            |                                   | <10                         | 1                          | 0.07                       | <10                         | 0.24                        | 178                        | 4                          | <0.01                       | 21                         | 970                        | 11                         | 1.28                       | 5490                       | 1                          | 111                        |
| L801904            |                                   | <10                         | 3                          | 0.16                       | <10                         | 0.72                        | 335                        | 5                          | 0.01                        | 37                         | 2240                       | 10                         | 2.60                       | 126                        | 3                          | 366                        |
| L801905            |                                   | <10                         | 2                          | 0.11                       | <10                         | 0.61                        | 433                        | 10                         | 0.01                        | 34                         | 700                        | 7                          | 1.10                       | 130                        | 3                          | 141                        |
| L801906            |                                   | <10                         | 2                          | 0.25                       | 10                          | 1.37                        | 822                        | 3                          | 0.01                        | 55                         | 1880                       | 4                          | 2.12                       | 151                        | 10                         | 225                        |
| L801907            |                                   | <10                         | 2                          | 0.11                       | <10                         | 0.24                        | 174                        | 3                          | <0.01                       | 29                         | 1200                       | 7                          | 1.35                       | 25                         | 2                          | 79                         |
| L801908            |                                   | <10                         | 3                          | 0.21                       | 10                          | 0.65                        | 410                        | 5                          | 0.01                        | 40                         | 3960                       | 9                          | 1.63                       | 89                         | 5                          | 176                        |
| L801909            |                                   | <10                         | 2                          | 0.13                       | 10                          | 0.70                        | 483                        | 5                          | 0.01                        | 25                         | 2660                       | 14                         | 1.71                       | 33                         | 3                          | 145                        |
| L801910            |                                   | <10                         | <1                         | 0.02                       | <10                         | 12.00                       | 178                        | <1                         | 0.01                        | 1                          | 180                        | <2                         | 0.02                       | <2                         | <1                         | 43                         |
| L801911            |                                   | <10                         | 2                          | 0.30                       | 10                          | 1.07                        | 450                        | 9                          | 0.01                        | 50                         | 5710                       | 19                         | 2.87                       | 36                         | 4                          | 320                        |
| L801912            |                                   | <10                         | 3                          | 0.30                       | 10                          | 0.73                        | 376                        | 10                         | 0.01                        | 47                         | 7700                       | 18                         | 2.75                       | 49                         | 4                          | 217                        |
| L801913            |                                   | <10                         | 3                          | 0.36                       | 10                          | 2.46                        | 294                        | 8                          | 0.02                        | 79                         | >10000                     | 11                         | 2.66                       | 26                         | 4                          | 521                        |
| L801914            |                                   | <10                         | 4                          | 0.21                       | 20                          | 0.81                        | 204                        | 9                          | 0.02                        | 65                         | >10000                     | 5                          | 0.83                       | 38                         | 3                          | 639                        |
| L801915            |                                   | <10                         | 3                          | 0.39                       | 20                          | 1.19                        | 335                        | 12                         | 0.01                        | 62                         | >10000                     | 14                         | 2.10                       | 36                         | 5                          | 377                        |
| L801916            |                                   | <10                         | 7                          | 0.17                       | 10                          | 2.30                        | 354                        | 75                         | 0.02                        | 129                        | 920                        | 12                         | 1.15                       | 67                         | 3                          | 145                        |
| L801917            |                                   | <10                         | 7                          | 0.15                       | 10                          | 3.77                        | 257                        | 70                         | 0.01                        | 125                        | 540                        | 9                          | 1.38                       | 48                         | 4                          | 148                        |
| L801918            |                                   | <10                         | 7                          | 0.20                       | 10                          | 2.03                        | 363                        | 50                         | 0.01                        | 93                         | 2970                       | 12                         | 1.23                       | 61                         | 4                          | 196                        |
| L801919            |                                   | <10                         | 7                          | 0.21                       | 10                          | 1.69                        | 370                        | 56                         | 0.01                        | 115                        | 1980                       | 12                         | 1.43                       | 73                         | 4                          | 166                        |
| L801920            |                                   | <10                         | 1                          | 0.10                       | <10                         | 0.58                        | 398                        | 9                          | 0.07                        | 30                         | 710                        | 2                          | 0.11                       | 2                          | 4                          | 41                         |
| L801921            |                                   | <10                         | 8                          | 0.16                       | 10                          | 3.15                        | 240                        | 73                         | 0.01                        | 131                        | 650                        | 9                          | 1.42                       | 60                         | 3                          | 149                        |
| L801922            |                                   | <10                         | 5                          | 0.15                       | 10                          | 3.66                        | 221                        | 66                         | 0.01                        | 113                        | 450                        | 8                          | 1.27                       | 51                         | 3                          | 146                        |
| L801923            |                                   | <10                         | 7                          | 0.18                       | 10                          | 2.97                        | 270                        | 68                         | 0.01                        | 122                        | 1140                       | 10                         | 1.38                       | 59                         | 4                          | 156                        |
| L801924            |                                   | <10                         | 7                          | 0.16                       | 10                          | 3.01                        | 301                        | 77                         | 0.01                        | 122                        | 430                        | 9                          | 1.28                       | 79                         | 3                          | 122                        |
| L801925            |                                   | <10                         | 5                          | 0.14                       | 10                          | 3.53                        | 269                        | 55                         | 0.01                        | 91                         | 550                        | 8                          | 1.14                       | 46                         | 3                          | 123                        |
| L801926            |                                   | <10                         | 4                          | 0.14                       | 10                          | 3.79                        | 334                        | 50                         | 0.01                        | 83                         | 360                        | 7                          | 1.24                       | 37                         | 3                          | 123                        |
| L801927            |                                   | <10                         | 5                          | 0.15                       | 10                          | 3.58                        | 238                        | 59                         | 0.01                        | 90                         | 400                        | 8                          | 1.26                       | 42                         | 3                          | 121                        |
| L801928            |                                   | <10                         | 5                          | 0.13                       | 10                          | 3.75                        | 245                        | 51                         | 0.01                        | 79                         | 360                        | 6                          | 1.23                       | 38                         | 3                          | 116                        |
| L801929            |                                   | <10                         | 5                          | 0.13                       | 10                          | 3.33                        | 253                        | 62                         | 0.01                        | 98                         | 420                        | 7                          | 1.28                       | 38                         | 3                          | 124                        |
| L801930            |                                   | <10                         | <1                         | 0.01                       | <10                         | 11.20                       | 199                        | <1                         | 0.01                        | <1                         | 440                        | <2                         | 0.02                       | <2                         | <1                         | 49                         |
| L801931            |                                   | <10                         | 3                          | 0.11                       | 10                          | 1.81                        | 180                        | 93                         | <0.01                       | 148                        | 560                        | 6                          | 1.36                       | 22                         | 3                          | 102                        |
| L801932            |                                   | <10                         | 3                          | 0.13                       | 20                          | 2.40                        | 273                        | 98                         | <0.01                       | 146                        | 720                        | 13                         | 1.38                       | 22                         | 3                          | 201                        |
| L801933            |                                   | <10                         | 3                          | 0.14                       | 20                          | 2.10                        | 452                        | 57                         | <0.01                       | 98                         | 1060                       | 12                         | 1.05                       | 22                         | 7                          | 237                        |
| L801934            |                                   | <10                         | 4                          | 0.13                       | 10                          | 2.19                        | 320                        | 55                         | 0.01                        | 93                         | 540                        | 9                          | 1.11                       | 13                         | 4                          | 197                        |



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: GOLDEN PREDATOR CANADA CORP.  
888 DUNSMUIR STREET  
11TH FLOOR  
VANCOUVER BC V6C 3K4

Page: 3 - C  
Total # Pages: 4 (A - C)  
Finalized Date: 20-OCT-2011  
Account: GOPRED

Project: Brewery Creek-1826

**CERTIFICATE OF ANALYSIS FA11194094**

| Sample Description | Method<br>Analyte<br>Units<br>LOR | ME-ICP41  | ME-ICP41  | ME-ICP41  | ME-ICP41  | ME-ICP41 | ME-ICP41  | ME-ICP41 | Ag-OG46  |
|--------------------|-----------------------------------|-----------|-----------|-----------|-----------|----------|-----------|----------|----------|
|                    |                                   | Th        | Ti        | Ti        | U         | V        | W         | Zn       | Ag       |
|                    |                                   | ppm<br>20 | %<br>0.01 | ppm<br>10 | ppm<br>10 | ppm<br>1 | ppm<br>10 | ppm<br>2 | ppm<br>1 |
| L801895            |                                   | <20       | <0.01     | <10       | <10       | 62       | <10       | 173      |          |
| L801896            |                                   | <20       | <0.01     | <10       | 10        | 106      | <10       | 200      |          |
| L801897            |                                   | <20       | <0.01     | <10       | 10        | 80       | <10       | 140      |          |
| L801898            |                                   | <20       | <0.01     | <10       | 20        | 207      | <10       | 344      |          |
| L801899            |                                   | <20       | <0.01     | <10       | 10        | 243      | <10       | 578      |          |
| L801900            |                                   | <20       | 0.08      | <10       | <10       | 57       | 20        | 3030     | 98       |
| L801901            |                                   | <20       | <0.01     | <10       | 10        | 67       | <10       | 306      |          |
| L801902            |                                   | <20       | <0.01     | <10       | <10       | 25       | <10       | 122      |          |
| L801903            |                                   | <20       | <0.01     | <10       | <10       | 17       | <10       | 703      |          |
| L801904            |                                   | <20       | <0.01     | <10       | <10       | 27       | <10       | 150      |          |
| L801905            |                                   | <20       | <0.01     | <10       | <10       | 24       | <10       | 122      |          |
| L801906            |                                   | <20       | <0.01     | <10       | <10       | 40       | <10       | 244      |          |
| L801907            |                                   | <20       | <0.01     | <10       | <10       | 18       | <10       | 98       |          |
| L801908            |                                   | <20       | <0.01     | <10       | <10       | 41       | <10       | 178      |          |
| L801909            |                                   | <20       | <0.01     | <10       | <10       | 21       | <10       | 106      |          |
| L801910            |                                   | <20       | <0.01     | <10       | <10       | 2        | <10       | 14       |          |
| L801911            |                                   | <20       | <0.01     | <10       | <10       | 50       | <10       | 202      |          |
| L801912            |                                   | <20       | <0.01     | <10       | <10       | 66       | <10       | 207      |          |
| L801913            |                                   | <20       | <0.01     | <10       | 10        | 106      | <10       | 370      |          |
| L801914            |                                   | <20       | <0.01     | <10       | 10        | 126      | <10       | 290      |          |
| L801915            |                                   | <20       | <0.01     | <10       | 10        | 120      | <10       | 321      |          |
| L801916            |                                   | <20       | 0.01      | <10       | 30        | 899      | <10       | 2630     |          |
| L801917            |                                   | <20       | 0.01      | <10       | 20        | 624      | <10       | 2310     |          |
| L801918            |                                   | <20       | 0.01      | <10       | 10        | 624      | <10       | 1570     |          |
| L801919            |                                   | <20       | 0.01      | <10       | 20        | 523      | <10       | 1725     |          |
| L801920            |                                   | <20       | 0.11      | <10       | <10       | 50       | <10       | 54       |          |
| L801921            |                                   | <20       | 0.01      | <10       | 30        | 602      | <10       | 2610     |          |
| L801922            |                                   | <20       | 0.01      | <10       | 20        | 500      | <10       | 2380     |          |
| L801923            |                                   | <20       | 0.01      | <10       | 20        | 561      | <10       | 2330     |          |
| L801924            |                                   | <20       | 0.01      | <10       | 30        | 506      | <10       | 2750     |          |
| L801925            |                                   | <20       | 0.01      | <10       | 20        | 376      | <10       | 2180     |          |
| L801926            |                                   | <20       | 0.01      | <10       | 20        | 302      | <10       | 1795     |          |
| L801927            |                                   | <20       | 0.02      | <10       | 20        | 359      | <10       | 2150     |          |
| L801928            |                                   | <20       | 0.01      | <10       | 20        | 258      | <10       | 1680     |          |
| L801929            |                                   | <20       | 0.02      | <10       | 20        | 298      | <10       | 1815     |          |
| L801930            |                                   | <20       | 0.01      | <10       | <10       | 5        | <10       | 27       |          |
| L801931            |                                   | <20       | 0.02      | <10       | 30        | 152      | <10       | 363      |          |
| L801932            |                                   | <20       | 0.02      | <10       | 30        | 129      | <10       | 291      |          |
| L801933            |                                   | <20       | 0.01      | <10       | 20        | 175      | <10       | 724      |          |
| L801934            |                                   | <20       | 0.01      | <10       | 20        | 91       | <10       | 181      |          |



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: GOLDEN PREDATOR CANADA CORP.  
888 DUNSMUIR STREET  
11TH FLOOR  
VANCOUVER BC V6C 3K4

Page: 4 - A  
Total # Pages: 4 (A - C)  
Finalized Date: 20-OCT-2011  
Account: GOPRED

Project: Brewery Creek-1826

**CERTIFICATE OF ANALYSIS FA11194094**

| Sample Description | Method<br>Analyte<br>Units<br>LOR | WEI-21<br>Recvd Wt.<br>kg | Au-AA23<br>Au<br>ppm | ME-ICP41<br>Ag<br>ppm | ME-ICP41<br>Al<br>% | ME-ICP41<br>As<br>ppm | ME-ICP41<br>B<br>ppm | ME-ICP41<br>Ba<br>ppm | ME-ICP41<br>Be<br>ppm | ME-ICP41<br>Bi<br>ppm | ME-ICP41<br>Ca<br>% | ME-ICP41<br>Cd<br>ppm | ME-ICP41<br>Co<br>ppm | ME-ICP41<br>Cr<br>ppm | ME-ICP41<br>Cu<br>ppm | ME-ICP41<br>Fe<br>% |
|--------------------|-----------------------------------|---------------------------|----------------------|-----------------------|---------------------|-----------------------|----------------------|-----------------------|-----------------------|-----------------------|---------------------|-----------------------|-----------------------|-----------------------|-----------------------|---------------------|
|                    |                                   | 0.02                      | 0.005                | 0.2                   | 0.01                | 2                     | 10                   | 10                    | 0.5                   | 2                     | 0.01                | 0.5                   | 1                     | 1                     | 1                     | 0.01                |
| L801935            |                                   | 14.44                     | <0.005               | 0.2                   | 0.30                | 89                    | <10                  | 230                   | 0.8                   | <2                    | 4.51                | 1.5                   | 7                     | 10                    | 35                    | 1.60                |
| L801936            |                                   | 7.48                      | 0.061                | 0.3                   | 0.26                | 86                    | <10                  | 290                   | 0.6                   | <2                    | 4.63                | 4.6                   | 7                     | 10                    | 29                    | 1.92                |
| L801937            |                                   | 5.42                      | 0.347                | 0.7                   | 0.35                | 871                   | <10                  | 260                   | 0.7                   | <2                    | 2.05                | 1.3                   | 8                     | 8                     | 43                    | 1.86                |
| L801938            |                                   | 9.98                      | 1.500                | 0.5                   | 0.35                | 2500                  | <10                  | 400                   | 0.6                   | <2                    | 3.88                | 0.9                   | 8                     | 12                    | 32                    | 2.18                |
| L801939            |                                   | 4.91                      | 1.535                | 0.4                   | 0.46                | 3350                  | <10                  | 450                   | 0.6                   | <2                    | 4.13                | 0.7                   | 8                     | 16                    | 27                    | 2.45                |
| L801940            |                                   | 0.10                      | 1.480                | 0.4                   | 1.25                | 15                    | <10                  | 100                   | <0.5                  | <2                    | 0.71                | 0.6                   | 7                     | 28                    | 320                   | 3.16                |
| L801941            |                                   | 2.98                      | 3.16                 | 0.6                   | 0.41                | 4970                  | <10                  | 160                   | 0.6                   | <2                    | 3.43                | 1.6                   | 9                     | 18                    | 34                    | 2.81                |
| L801942            |                                   | 5.21                      | 8.63                 | 1.0                   | 0.50                | 6940                  | <10                  | 100                   | 0.6                   | <2                    | 4.19                | 1.3                   | 9                     | 21                    | 28                    | 3.38                |
| L801943            |                                   | 14.02                     | 2.02                 | 0.6                   | 0.83                | 2710                  | <10                  | 210                   | 0.6                   | <2                    | 6.30                | 1.9                   | 23                    | 86                    | 55                    | 4.91                |
| L801944            |                                   | 5.30                      | 0.055                | 0.3                   | 3.52                | 70                    | <10                  | 180                   | 0.5                   | <2                    | 9.4                 | 1.1                   | 35                    | 169                   | 74                    | 5.86                |
| L801945            |                                   | 6.99                      | 0.087                | 0.4                   | 3.48                | 121                   | <10                  | 420                   | 0.5                   | <2                    | 9.7                 | 1.1                   | 30                    | 173                   | 76                    | 5.82                |
| L801946            |                                   | 6.43                      | 0.032                | 0.2                   | 3.58                | 56                    | <10                  | 410                   | 0.5                   | <2                    | 9.2                 | 1.2                   | 36                    | 170                   | 75                    | 5.96                |
| L801947            |                                   | 1.29                      | 0.456                | 0.5                   | 3.26                | 425                   | <10                  | 340                   | 0.6                   | <2                    | 8.8                 | 1.7                   | 28                    | 158                   | 77                    | 5.60                |
| L801948            |                                   | 13.13                     | 0.402                | 0.5                   | 3.12                | 414                   | <10                  | 190                   | 0.8                   | <2                    | 5.83                | 3.3                   | 33                    | 140                   | 85                    | 5.64                |
| L801949            |                                   | 9.29                      | 0.063                | 0.4                   | 3.53                | 68                    | 10                   | 160                   | 0.7                   | <2                    | 3.96                | 1.8                   | 33                    | 92                    | 69                    | 7.16                |
| L801950            |                                   | 0.35                      | <0.005               | 0.2                   | 0.06                | 8                     | <10                  | 30                    | <0.5                  | <2                    | 17.7                | <0.5                  | 2                     | 1                     | 1                     | 0.46                |
| L801951            |                                   | 12.80                     | 0.181                | 0.4                   | 2.35                | 176                   | <10                  | 190                   | 0.7                   | <2                    | 4.81                | 5.0                   | 25                    | 71                    | 75                    | 5.80                |
| L801952            |                                   | 5.65                      | 0.030                | 0.2                   | 1.22                | 60                    | <10                  | 220                   | 0.8                   | <2                    | 3.12                | 1.4                   | 32                    | 39                    | 57                    | 4.72                |
| L801953            |                                   | 3.92                      | 0.010                | 0.4                   | 1.94                | 27                    | <10                  | 210                   | 0.7                   | <2                    | 2.54                | 1.1                   | 31                    | 55                    | 54                    | 5.50                |
| L801954            |                                   | 6.94                      | 0.128                | 0.6                   | 1.27                | 150                   | <10                  | 150                   | 0.7                   | <2                    | 4.37                | 6.1                   | 22                    | 44                    | 69                    | 4.44                |
| L801955            |                                   | 12.05                     | 0.051                | 0.6                   | 1.27                | 73                    | <10                  | 300                   | 0.6                   | <2                    | 9.5                 | 6.2                   | 18                    | 43                    | 61                    | 3.78                |
| L801956            |                                   | 6.05                      | 0.033                | 0.6                   | 1.64                | 61                    | 10                   | 180                   | 0.7                   | <2                    | 7.8                 | 3.9                   | 22                    | 49                    | 57                    | 4.68                |
| L801957            |                                   | 4.57                      | 0.052                | 0.6                   | 1.95                | 66                    | 10                   | 180                   | 0.8                   | <2                    | 4.53                | 3.6                   | 26                    | 63                    | 62                    | 5.42                |
| L801958            |                                   | 2.86                      | 0.013                | 0.5                   | 1.46                | 56                    | 20                   | 50                    | 0.9                   | <2                    | 5.34                | 1.6                   | 22                    | 41                    | 51                    | 5.05                |
| L801959            |                                   | 8.68                      | 0.043                | 0.5                   | 1.13                | 64                    | 10                   | 70                    | 0.7                   | <2                    | 9.1                 | 1.6                   | 21                    | 42                    | 41                    | 4.39                |
| L801960            |                                   | 0.10                      | 4.91                 | >100                  | 1.11                | 80                    | <10                  | 70                    | <0.5                  | 2                     | 0.59                | 29.4                  | 10                    | 38                    | 74                    | 2.77                |
| L801961            |                                   | 11.61                     | 0.012                | 0.4                   | 0.81                | 30                    | 10                   | 70                    | 0.5                   | <2                    | 2.54                | 0.7                   | 10                    | 36                    | 37                    | 3.27                |
| L801962            |                                   | 8.34                      | 0.050                | 0.4                   | 0.35                | 46                    | <10                  | 290                   | <0.5                  | <2                    | 1.81                | 1.2                   | 5                     | 23                    | 27                    | 2.05                |
| L801963            |                                   | 8.73                      | 0.018                | 0.6                   | 0.48                | 22                    | 10                   | 330                   | <0.5                  | <2                    | 1.57                | 0.7                   | 7                     | 28                    | 34                    | 2.33                |
| L801964            |                                   | 5.28                      | 0.013                | 0.5                   | 0.76                | 24                    | 10                   | 310                   | 0.9                   | <2                    | 3.99                | 0.6                   | 8                     | 21                    | 45                    | 2.43                |
| L801965            |                                   | 9.60                      | 0.010                | 0.3                   | 0.53                | 25                    | 10                   | 120                   | 0.7                   | 2                     | 7.17                | <0.5                  | 8                     | 17                    | 28                    | 3.06                |
| L801966            |                                   | 11.22                     | 0.099                | 0.6                   | 0.51                | 81                    | 10                   | 90                    | 0.5                   | <2                    | 2.89                | 1.6                   | 8                     | 20                    | 43                    | 2.64                |
| L801967            |                                   | 3.10                      | 0.027                | 0.5                   | 0.41                | 29                    | 10                   | 260                   | <0.5                  | <2                    | 1.54                | 0.5                   | 5                     | 22                    | 31                    | 2.44                |
| L801968            |                                   | 17.92                     | 0.015                | 0.4                   | 0.29                | 24                    | <10                  | 260                   | <0.5                  | <2                    | 1.28                | <0.5                  | 5                     | 18                    | 25                    | 2.15                |
| L801969            |                                   | 6.70                      | 0.013                | 0.3                   | 1.56                | 13                    | 10                   | 90                    | 0.6                   | <2                    | 8.1                 | <0.5                  | 23                    | 42                    | 41                    | 4.77                |
| L801970            |                                   | 0.34                      | <0.005               | <0.2                  | 0.03                | <2                    | <10                  | 20                    | <0.5                  | 2                     | 19.3                | <0.5                  | 1                     | <1                    | 1                     | 0.49                |





ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: GOLDEN PREDATOR CANADA CORP.  
888 DUNSMUIR STREET  
11TH FLOOR  
VANCOUVER BC V6C 3K4

Page: 4 - B  
Total # Pages: 4 (A - C)  
Finalized Date: 20-OCT-2011  
Account: GOPRED

Project: Brewery Creek-1826

**CERTIFICATE OF ANALYSIS FA11194094**

| Sample Description | Method<br>Analyte<br>Units<br>LOR | ME-ICP41<br>Ga<br>ppm<br>10 | ME-ICP41<br>Hg<br>ppm<br>1 | ME-ICP41<br>K<br>%<br>0.01 | ME-ICP41<br>La<br>ppm<br>10 | ME-ICP41<br>Mg<br>%<br>0.01 | ME-ICP41<br>Mn<br>ppm<br>5 | ME-ICP41<br>Mo<br>ppm<br>1 | ME-ICP41<br>Na<br>%<br>0.01 | ME-ICP41<br>Ni<br>ppm<br>1 | ME-ICP41<br>P<br>ppm<br>10 | ME-ICP41<br>Pb<br>ppm<br>2 | ME-ICP41<br>S<br>%<br>0.01 | ME-ICP41<br>Sb<br>ppm<br>2 | ME-ICP41<br>Sc<br>ppm<br>1 | ME-ICP41<br>Sr<br>ppm<br>1 |
|--------------------|-----------------------------------|-----------------------------|----------------------------|----------------------------|-----------------------------|-----------------------------|----------------------------|----------------------------|-----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|
| L801935            |                                   | <10                         | 6                          | 0.13                       | 10                          | 2.65                        | 245                        | 89                         | 0.01                        | 118                        | 510                        | 9                          | 1.62                       | 21                         | 3                          | 125                        |
| L801936            |                                   | <10                         | 5                          | 0.11                       | 10                          | 2.59                        | 531                        | 63                         | 0.01                        | 88                         | 370                        | 8                          | 1.68                       | 20                         | 3                          | 172                        |
| L801937            |                                   | <10                         | 2                          | 0.17                       | 10                          | 0.89                        | 331                        | 8                          | <0.01                       | 34                         | 160                        | 11                         | 1.24                       | 24                         | 4                          | 168                        |
| L801938            |                                   | <10                         | 2                          | 0.14                       | 10                          | 1.68                        | 838                        | 3                          | <0.01                       | 28                         | 170                        | 10                         | 0.98                       | 22                         | 5                          | 251                        |
| L801939            |                                   | <10                         | 2                          | 0.14                       | 10                          | 1.77                        | 1020                       | 1                          | 0.01                        | 21                         | 390                        | 12                         | 0.90                       | 734                        | 8                          | 256                        |
| L801940            |                                   | <10                         | <1                         | 0.10                       | <10                         | 0.54                        | 421                        | 19                         | 0.07                        | 30                         | 530                        | 5                          | 0.07                       | 4                          | 4                          | 36                         |
| L801941            |                                   | <10                         | 3                          | 0.12                       | 20                          | 1.49                        | 752                        | 12                         | <0.01                       | 35                         | 580                        | 15                         | 1.58                       | 93                         | 9                          | 324                        |
| L801942            |                                   | <10                         | 3                          | 0.13                       | 10                          | 1.61                        | 1135                       | 2                          | <0.01                       | 20                         | 910                        | 12                         | 1.63                       | 47                         | 10                         | 315                        |
| L801943            |                                   | <10                         | 3                          | 0.15                       | 10                          | 2.31                        | 1195                       | 3                          | 0.01                        | 86                         | 950                        | 7                          | 1.31                       | 27                         | 15                         | 262                        |
| L801944            |                                   | 10                          | <1                         | 0.14                       | 20                          | 3.61                        | 1045                       | <1                         | 0.01                        | 146                        | 1240                       | <2                         | 1.07                       | 8                          | 21                         | 242                        |
| L801945            |                                   | 10                          | <1                         | 0.14                       | 20                          | 3.70                        | 1085                       | <1                         | 0.01                        | 144                        | 1310                       | <2                         | 0.84                       | 9                          | 21                         | 264                        |
| L801946            |                                   | 10                          | 1                          | 0.13                       | 20                          | 3.75                        | 1025                       | <1                         | 0.01                        | 152                        | 1370                       | 2                          | 0.87                       | 11                         | 21                         | 263                        |
| L801947            |                                   | 10                          | 1                          | 0.13                       | 20                          | 3.39                        | 964                        | 1                          | 0.01                        | 141                        | 1370                       | <2                         | 0.68                       | 14                         | 22                         | 250                        |
| L801948            |                                   | 10                          | 1                          | 0.18                       | 20                          | 3.09                        | 784                        | 4                          | 0.01                        | 133                        | 1450                       | 2                          | 0.85                       | 17                         | 19                         | 165                        |
| L801949            |                                   | 10                          | 1                          | 0.22                       | 20                          | 2.90                        | 611                        | 1                          | 0.01                        | 78                         | 1820                       | 3                          | 1.14                       | 6                          | 19                         | 147                        |
| L801950            |                                   | <10                         | <1                         | 0.01                       | <10                         | 11.35                       | 189                        | <1                         | 0.01                        | <1                         | 180                        | <2                         | 0.02                       | <2                         | <1                         | 46                         |
| L801951            |                                   | 10                          | 2                          | 0.20                       | 10                          | 2.65                        | 673                        | 8                          | 0.01                        | 75                         | 1610                       | 2                          | 1.32                       | 13                         | 15                         | 155                        |
| L801952            |                                   | <10                         | 1                          | 0.25                       | 10                          | 1.54                        | 531                        | 1                          | 0.01                        | 67                         | 1700                       | 3                          | 1.37                       | 11                         | 11                         | 128                        |
| L801953            |                                   | 10                          | 1                          | 0.23                       | 10                          | 1.55                        | 432                        | <1                         | 0.01                        | 71                         | 1760                       | 3                          | 1.54                       | 6                          | 12                         | 93                         |
| L801954            |                                   | <10                         | 2                          | 0.21                       | 10                          | 1.92                        | 583                        | 14                         | 0.01                        | 73                         | 1480                       | 4                          | 1.44                       | 20                         | 10                         | 130                        |
| L801955            |                                   | <10                         | 2                          | 0.24                       | 10                          | 1.72                        | 1030                       | 12                         | 0.01                        | 62                         | 1320                       | 2                          | 1.00                       | 14                         | 10                         | 183                        |
| L801956            |                                   | 10                          | 1                          | 0.28                       | 10                          | 1.56                        | 922                        | 6                          | 0.01                        | 63                         | 1400                       | 2                          | 1.51                       | 10                         | 11                         | 156                        |
| L801957            |                                   | 10                          | 2                          | 0.30                       | 10                          | 1.69                        | 658                        | 6                          | 0.01                        | 66                         | 1660                       | 3                          | 1.46                       | 10                         | 13                         | 111                        |
| L801958            |                                   | <10                         | 2                          | 0.48                       | 10                          | 1.18                        | 657                        | 11                         | 0.01                        | 66                         | 4830                       | 5                          | 3.50                       | 9                          | 10                         | 160                        |
| L801959            |                                   | <10                         | 1                          | 0.29                       | 10                          | 1.86                        | 1010                       | 2                          | 0.01                        | 52                         | 1710                       | 3                          | 1.59                       | 9                          | 11                         | 229                        |
| L801960            |                                   | 10                          | 2                          | 0.15                       | 10                          | 0.42                        | 326                        | 482                        | 0.07                        | 28                         | 420                        | 859                        | 1.08                       | 150                        | 3                          | 58                         |
| L801961            |                                   | <10                         | 1                          | 0.25                       | 10                          | 0.72                        | 470                        | 7                          | 0.01                        | 46                         | 2130                       | 8                          | 1.72                       | 9                          | 5                          | 109                        |
| L801962            |                                   | <10                         | 1                          | 0.10                       | <10                         | 0.49                        | 303                        | 6                          | 0.01                        | 28                         | 1610                       | 7                          | 0.95                       | 8                          | 3                          | 94                         |
| L801963            |                                   | <10                         | 1                          | 0.14                       | 10                          | 0.39                        | 263                        | 5                          | 0.01                        | 32                         | 2220                       | 9                          | 1.10                       | 6                          | 3                          | 82                         |
| L801964            |                                   | <10                         | 1                          | 0.30                       | 10                          | 1.74                        | 456                        | 5                          | 0.01                        | 34                         | 1600                       | 10                         | 1.42                       | 6                          | 5                          | 129                        |
| L801965            |                                   | <10                         | 2                          | 0.21                       | 10                          | 3.35                        | 984                        | 21                         | 0.01                        | 28                         | 1030                       | 13                         | 2.09                       | 7                          | 4                          | 150                        |
| L801966            |                                   | <10                         | 1                          | 0.19                       | 10                          | 0.89                        | 356                        | 6                          | 0.01                        | 36                         | 1810                       | 11                         | 1.57                       | 10                         | 4                          | 90                         |
| L801967            |                                   | <10                         | 1                          | 0.16                       | 10                          | 0.37                        | 238                        | 4                          | 0.01                        | 30                         | 2020                       | 9                          | 1.36                       | 5                          | 2                          | 59                         |
| L801968            |                                   | <10                         | 1                          | 0.10                       | 10                          | 0.29                        | 208                        | 5                          | 0.01                        | 26                         | 1400                       | 9                          | 1.24                       | 4                          | 2                          | 63                         |
| L801969            |                                   | 10                          | 1                          | 0.31                       | 10                          | 1.30                        | 926                        | <1                         | 0.02                        | 55                         | 1720                       | 3                          | 2.44                       | <2                         | 11                         | 146                        |
| L801970            |                                   | <10                         | <1                         | 0.01                       | <10                         | 11.85                       | 198                        | <1                         | 0.01                        | 1                          | 170                        | <2                         | 0.04                       | <2                         | <1                         | 43                         |



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: GOLDEN PREDATOR CANADA CORP.  
 888 DUNSMUIR STREET  
 11TH FLOOR  
 VANCOUVER BC V6C 3K4

Page: 4 - C  
 Total # Pages: 4 (A - C)  
 Finalized Date: 20-OCT-2011  
 Account: GOPRED

Project: Brewery Creek-1826

**CERTIFICATE OF ANALYSIS FA11194094**

| Sample Description | Method<br>Analyte<br>Units<br>LOR | ME-ICP41  | ME-ICP41  | ME-ICP41  | ME-ICP41  | ME-ICP41 | ME-ICP41  | ME-ICP41 | Ag-OG46  |
|--------------------|-----------------------------------|-----------|-----------|-----------|-----------|----------|-----------|----------|----------|
|                    |                                   | Th        | Ti        | Ti        | U         | V        | W         | Zn       | Ag       |
|                    |                                   | ppm<br>20 | %<br>0.01 | ppm<br>10 | ppm<br>10 | ppm<br>1 | ppm<br>10 | ppm<br>2 | ppm<br>1 |
| L801935            |                                   | <20       | 0.01      | <10       | 20        | 64       | <10       | 171      |          |
| L801936            |                                   | <20       | 0.01      | <10       | 20        | 53       | <10       | 513      |          |
| L801937            |                                   | <20       | 0.01      | <10       | <10       | 32       | <10       | 183      |          |
| L801938            |                                   | <20       | 0.01      | <10       | <10       | 27       | <10       | 114      |          |
| L801939            |                                   | <20       | 0.01      | <10       | <10       | 25       | <10       | 90       |          |
| L801940            |                                   | <20       | 0.12      | <10       | <10       | 54       | <10       | 46       |          |
| L801941            |                                   | <20       | 0.01      | <10       | <10       | 54       | <10       | 196      |          |
| L801942            |                                   | <20       | 0.01      | <10       | <10       | 43       | <10       | 108      |          |
| L801943            |                                   | <20       | 0.01      | <10       | <10       | 85       | <10       | 147      |          |
| L801944            |                                   | <20       | 0.02      | <10       | <10       | 152      | <10       | 62       |          |
| L801945            |                                   | <20       | 0.02      | <10       | <10       | 156      | <10       | 75       |          |
| L801946            |                                   | <20       | 0.02      | <10       | <10       | 155      | <10       | 65       |          |
| L801947            |                                   | <20       | 0.02      | <10       | <10       | 164      | <10       | 135      |          |
| L801948            |                                   | <20       | 0.02      | <10       | <10       | 180      | <10       | 253      |          |
| L801949            |                                   | <20       | 0.02      | <10       | <10       | 174      | <10       | 139      |          |
| L801950            |                                   | <20       | 0.01      | <10       | <10       | 3        | <10       | 14       |          |
| L801951            |                                   | <20       | 0.02      | <10       | <10       | 185      | <10       | 374      |          |
| L801952            |                                   | <20       | 0.01      | <10       | <10       | 79       | <10       | 118      |          |
| L801953            |                                   | <20       | 0.02      | <10       | <10       | 99       | <10       | 101      |          |
| L801954            |                                   | <20       | 0.02      | <10       | <10       | 168      | <10       | 504      |          |
| L801955            |                                   | <20       | 0.02      | <10       | <10       | 189      | <10       | 511      |          |
| L801956            |                                   | <20       | 0.02      | <10       | <10       | 158      | <10       | 316      |          |
| L801957            |                                   | <20       | 0.02      | <10       | <10       | 168      | <10       | 302      |          |
| L801958            |                                   | <20       | 0.02      | <10       | <10       | 94       | <10       | 151      |          |
| L801959            |                                   | <20       | 0.01      | <10       | <10       | 77       | <10       | 135      |          |
| L801960            |                                   | <20       | 0.09      | <10       | <10       | 55       | 20        | 2790     | 96       |
| L801961            |                                   | <20       | <0.01     | <10       | <10       | 78       | <10       | 108      |          |
| L801962            |                                   | <20       | <0.01     | <10       | <10       | 54       | <10       | 118      |          |
| L801963            |                                   | <20       | <0.01     | <10       | <10       | 48       | <10       | 89       |          |
| L801964            |                                   | <20       | <0.01     | <10       | <10       | 49       | <10       | 104      |          |
| L801965            |                                   | <20       | <0.01     | <10       | <10       | 40       | <10       | 56       |          |
| L801966            |                                   | <20       | <0.01     | <10       | <10       | 63       | <10       | 181      |          |
| L801967            |                                   | <20       | <0.01     | <10       | <10       | 40       | <10       | 80       |          |
| L801968            |                                   | <20       | <0.01     | <10       | <10       | 30       | <10       | 56       |          |
| L801969            |                                   | <20       | 0.01      | <10       | <10       | 72       | <10       | 102      |          |
| L801970            |                                   | <20       | <0.01     | <10       | 10        | 2        | <10       | 14       |          |