



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: GOLDEN PREDATOR CANADA CORP.  
C/O PREDATOR MINING GROUP  
888 DUNSMUIR STREET, 11TH FLOOR  
VANCOUVER BC V6C 3K4

Page: 1  
Finalized Date: 25-OCT-2011  
This copy reported on  
6-JAN-2012  
Account: GOPRED

**CERTIFICATE FA11196780**

Project: Brewery Creek

P.O. No.: BRC-2011-JC-1855

This report is for 133 Percussion samples submitted to our lab in Fairbanks, AK, USA on 27-AUG-2011.

The following have access to data associated with this certificate:

TYLER BOURNE  
JACK COTE  
BRUCE OTTO

MIKE BURKE  
GILLES DESSUREAU  
BILL SHERIFF

ANDREW CALDWELL  
MIKE MASLOWSKI

**SAMPLE PREPARATION**

| ALS CODE | DESCRIPTION                    |
|----------|--------------------------------|
| WEI-21   | Received Sample Weight         |
| LOG-21   | Sample logging - ClientBarCode |
| CRU-31   | Fine crushing - 70% <2mm       |
| SPL-21   | Split sample - riffle splitter |
| PUL-31   | Pulverize split to 85% <75 um  |
| LOG-23   | Pulp Login - Rcvd with Barcode |
| TRA-21   | Transfer sample                |
| CRU-QC   | Crushing QC Test               |
| PUL-QC   | Pulverizing QC Test            |
| DRY-21   | High Temperature Drying        |

**ANALYTICAL PROCEDURES**

| ALS CODE | DESCRIPTION                    | INSTRUMENT |
|----------|--------------------------------|------------|
| ME-OG46  | Ore Grade Elements - AquaRegia | ICP-AES    |
| Au-AA23  | Au 30g FA-AA finish            | AAS        |
| ME-ICP41 | 35 Element Aqua Regia ICP-AES  | ICP-AES    |
| Aq-OG46  | Ore Grade Ag - Aqua Regia      | VARIABLE   |

To: GOLDEN PREDATOR CANADA CORP.  
ATTN: JACK COTE  
C/O PREDATOR MINING GROUP  
888 DUNSMUIR STREET, 11TH FLOOR  
VANCOUVER BC V6C 3K4

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Comments: \*\*Corrected Copy for Au-AA23 on Samples L803510-L803530.\*\*

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: GOLDEN PREDATOR CANADA CORP.  
C/O PREDATOR MINING GROUP  
888 DUNSMUIR STREET, 11TH FLOOR  
VANCOUVER BC V6C 3K4

Page: 2 - A  
Total # Pages: 5 (A - C)  
Finalized Date: 25-OCT-2011  
Account: GOPRED

Project: Brewery Creek

**CERTIFICATE OF ANALYSIS FA11196780**

| Sample Description | Method<br>Analyte<br>Units<br>LOR | WEI-21<br>Recvd Wt.<br>kg | Au-AA23<br>Au<br>ppm | ME-ICP41<br>Ag<br>ppm | ME-ICP41<br>Al<br>% | ME-ICP41<br>As<br>ppm | ME-ICP41<br>B<br>ppm | ME-ICP41<br>Ba<br>ppm | ME-ICP41<br>Be<br>ppm | ME-ICP41<br>Bi<br>ppm | ME-ICP41<br>Ca<br>% | ME-ICP41<br>Cd<br>ppm | ME-ICP41<br>Co<br>ppm | ME-ICP41<br>Cr<br>ppm | ME-ICP41<br>Cu<br>ppm | ME-ICP41<br>Fe<br>% |
|--------------------|-----------------------------------|---------------------------|----------------------|-----------------------|---------------------|-----------------------|----------------------|-----------------------|-----------------------|-----------------------|---------------------|-----------------------|-----------------------|-----------------------|-----------------------|---------------------|
|                    |                                   | 0.02                      | 0.005                | 0.2                   | 0.01                | 2                     | 10                   | 10                    | 0.5                   | 2                     | 0.01                | 0.5                   | 1                     | 1                     | 1                     | 0.01                |
| L803406            |                                   | 7.66                      | 0.006                | <0.2                  | 0.55                | 34                    | 10                   | 540                   | 0.7                   | <2                    | 0.66                | <0.5                  | 7                     | 15                    | 47                    | 2.37                |
| L803407            |                                   | 4.07                      | 0.007                | 0.2                   | 0.64                | 50                    | 10                   | 670                   | 0.9                   | <2                    | 0.36                | 0.5                   | 7                     | 18                    | 59                    | 2.34                |
| L803408            |                                   | 7.44                      | 0.010                | 0.2                   | 0.71                | 51                    | 10                   | 660                   | 0.8                   | <2                    | 1.25                | <0.5                  | 10                    | 17                    | 57                    | 3.02                |
| L803409            |                                   | 2.92                      | 0.006                | 0.2                   | 0.54                | 15                    | 10                   | 760                   | 0.8                   | <2                    | 1.08                | <0.5                  | 8                     | 12                    | 56                    | 2.32                |
| L803410            |                                   | 0.48                      | <0.005               | <0.2                  | 0.03                | <2                    | <10                  | 20                    | <0.5                  | <2                    | 21.5                | <0.5                  | <1                    | 1                     | 3                     | 0.49                |
| L803411            |                                   | 2.36                      | 0.006                | <0.2                  | 0.54                | 19                    | 10                   | 630                   | 0.7                   | <2                    | 0.91                | <0.5                  | 7                     | 12                    | 71                    | 2.11                |
| L803412            |                                   | 6.46                      | 0.008                | 0.2                   | 0.53                | 20                    | 10                   | 680                   | 0.6                   | <2                    | 0.58                | <0.5                  | 6                     | 12                    | 59                    | 2.18                |
| L803413            |                                   | 4.89                      | 0.006                | 0.2                   | 0.49                | 7                     | 10                   | 540                   | 0.6                   | <2                    | 0.65                | <0.5                  | 8                     | 11                    | 56                    | 1.70                |
| L803414            |                                   | 2.49                      | 0.007                | 0.3                   | 0.56                | 14                    | 10                   | 630                   | 0.7                   | <2                    | 0.49                | <0.5                  | 7                     | 11                    | 63                    | 1.46                |
| L803415            |                                   | 8.75                      | 0.005                | 0.2                   | 0.58                | 14                    | 10                   | 860                   | 0.9                   | <2                    | 1.24                | <0.5                  | 7                     | 12                    | 45                    | 2.31                |
| L803416            |                                   | 6.39                      | 0.006                | 0.2                   | 0.58                | 10                    | 10                   | 570                   | 0.7                   | <2                    | 0.66                | <0.5                  | 6                     | 11                    | 52                    | 1.53                |
| L803417            |                                   | 4.84                      | <0.005               | 0.3                   | 0.61                | 8                     | 10                   | 770                   | 0.8                   | <2                    | 0.44                | <0.5                  | 8                     | 11                    | 56                    | 2.23                |
| L803418            |                                   | 6.05                      | 0.006                | 0.3                   | 0.53                | 8                     | 10                   | 560                   | 0.6                   | <2                    | 1.43                | <0.5                  | 5                     | 11                    | 40                    | 2.20                |
| L803419            |                                   | 7.45                      | <0.005               | 0.2                   | 0.59                | 15                    | 10                   | 660                   | 0.8                   | <2                    | 2.99                | 0.7                   | 6                     | 13                    | 39                    | 2.07                |
| L803420            |                                   | 0.09                      | 1.365                | 0.4                   | 1.32                | 6                     | <10                  | 120                   | <0.5                  | <2                    | 0.77                | <0.5                  | 6                     | 30                    | 338                   | 3.41                |
| L803421            |                                   | 6.79                      | 0.008                | 0.3                   | 0.78                | 11                    | 10                   | 670                   | 1.0                   | <2                    | 1.34                | 0.6                   | 11                    | 17                    | 45                    | 2.56                |
| L803422            |                                   | 6.94                      | 0.006                | 0.2                   | 0.89                | 11                    | 10                   | 540                   | 1.0                   | <2                    | 3.86                | 0.7                   | 6                     | 20                    | 37                    | 2.31                |
| L803423            |                                   | 4.31                      | 0.006                | 0.4                   | 1.51                | 27                    | 10                   | 480                   | 1.1                   | <2                    | 0.99                | 1.1                   | 7                     | 35                    | 36                    | 2.67                |
| L803424            |                                   | 5.34                      | 0.007                | 1.0                   | 1.91                | 67                    | <10                  | 420                   | 1.2                   | <2                    | 1.00                | 1.7                   | 13                    | 51                    | 45                    | 2.83                |
| L803425            |                                   | 5.69                      | 0.006                | 0.8                   | 1.55                | 45                    | 10                   | 590                   | 1.0                   | <2                    | 1.31                | 2.4                   | 10                    | 39                    | 43                    | 2.33                |
| L803426            |                                   | 10.77                     | 0.015                | 3.8                   | 2.59                | 237                   | <10                  | 800                   | 1.7                   | <2                    | 1.05                | 53.7                  | 10                    | 40                    | 20                    | 3.77                |
| L803427            |                                   | 1.98                      | 0.009                | 1.6                   | 2.67                | 253                   | <10                  | 760                   | 1.6                   | <2                    | 1.27                | 27.8                  | 10                    | 43                    | 18                    | 3.62                |
| L803428            |                                   | 8.73                      | 0.007                | 1.2                   | 2.12                | 301                   | <10                  | 430                   | 1.1                   | 2                     | 2.39                | 24.4                  | 10                    | 38                    | 14                    | 3.30                |
| L803429            |                                   | 8.50                      | 0.091                | 5.2                   | 1.72                | 1105                  | <10                  | 600                   | 1.1                   | 6                     | 0.87                | 37.2                  | 10                    | 33                    | 21                    | 3.65                |
| L803430            |                                   | 0.42                      | <0.005               | <0.2                  | 0.04                | 8                     | <10                  | 20                    | <0.5                  | <2                    | 20.2                | <0.5                  | 1                     | 1                     | 2                     | 0.52                |
| L803431            |                                   | 4.51                      | 0.038                | 2.8                   | 2.13                | 502                   | <10                  | 750                   | 1.3                   | <2                    | 0.97                | 38.7                  | 10                    | 37                    | 21                    | 3.72                |
| L803432            |                                   | 11.20                     | 0.013                | 0.6                   | 2.34                | 260                   | <10                  | 470                   | 1.6                   | <2                    | 2.38                | 8.9                   | 9                     | 41                    | 19                    | 3.32                |
| L803433            |                                   | 9.45                      | 0.011                | 1.0                   | 1.76                | 528                   | 10                   | 520                   | 1.4                   | <2                    | 0.73                | 13.4                  | 9                     | 42                    | 41                    | 3.45                |
| L803434            |                                   | 4.13                      | 0.006                | 0.6                   | 0.62                | 107                   | 10                   | 480                   | 1.1                   | <2                    | 0.70                | 5.3                   | 8                     | 21                    | 54                    | 2.34                |
| L803435            |                                   | 1.70                      | 0.005                | 0.9                   | 0.43                | 109                   | 10                   | 380                   | 1.0                   | <2                    | 4.95                | 1.8                   | 8                     | 14                    | 29                    | 2.18                |
| L803436            |                                   | 4.62                      | 0.005                | 0.8                   | 0.44                | 109                   | 10                   | 380                   | 1.0                   | <2                    | 4.51                | 1.9                   | 8                     | 15                    | 31                    | 2.32                |
| L803437            |                                   | 8.78                      | 0.040                | 1.1                   | 0.45                | 92                    | 10                   | 580                   | 1.0                   | <2                    | 4.01                | 1.7                   | 8                     | 15                    | 40                    | 2.43                |
| L803438            |                                   | 3.66                      | 0.078                | 4.3                   | 1.16                | 272                   | 10                   | 1210                  | 1.8                   | <2                    | 4.27                | 10.5                  | 4                     | 142                   | 247                   | 1.89                |
| L803439            |                                   | 6.16                      | 0.043                | 4.0                   | 0.95                | 366                   | 10                   | 1830                  | 1.3                   | <2                    | 2.98                | 4.3                   | 3                     | 136                   | 235                   | 1.97                |
| L803440            |                                   | 0.08                      | 4.88                 | >100                  | 1.13                | 80                    | <10                  | 100                   | <0.5                  | 2                     | 0.64                | 30.0                  | 9                     | 39                    | 79                    | 2.85                |
| L803441            |                                   | 8.65                      | 0.019                | 2.5                   | 0.69                | 485                   | <10                  | 450                   | 1.0                   | 2                     | 0.51                | 6.4                   | 7                     | 23                    | 60                    | 3.42                |
| L803442            |                                   | 2.42                      | 0.024                | 2.1                   | 1.65                | 415                   | <10                  | 910                   | 1.6                   | 2                     | 1.42                | 6.5                   | 9                     | 51                    | 83                    | 3.17                |
| L803443            |                                   | 10.40                     | 0.011                | 0.6                   | 2.49                | 238                   | <10                  | 1330                  | 1.9                   | <2                    | 0.90                | 4.9                   | 12                    | 50                    | 26                    | 3.81                |
| L803444            |                                   | 3.83                      | 0.007                | 0.4                   | 2.26                | 142                   | <10                  | 1070                  | 1.5                   | <2                    | 1.22                | 4.3                   | 12                    | 56                    | 26                    | 3.73                |
| L803445            |                                   | 5.27                      | 0.009                | 1.4                   | 1.41                | 199                   | 10                   | 2180                  | 1.5                   | <2                    | 1.09                | 4.7                   | 12                    | 58                    | 97                    | 3.38                |

Comments: \*\*Corrected Copy for Au-AA23 on Samples L803510-L803530.\*\*



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: GOLDEN PREDATOR CANADA CORP.  
C/O PREDATOR MINING GROUP  
888 DUNSMUIR STREET, 11TH FLOOR  
VANCOUVER BC V6C 3K4

Page: 2 - B  
Total # Pages: 5 (A - C)  
Finalized Date: 25-OCT-2011  
Account: GOPRED

Project: Brewery Creek

**CERTIFICATE OF ANALYSIS FA11196780**

| Sample Description | Method<br>Analyte<br>Units<br>LOR | ME-ICP41<br>Ga<br>ppm<br>10 | ME-ICP41<br>Hg<br>ppm<br>1 | ME-ICP41<br>K<br>%<br>0.01 | ME-ICP41<br>La<br>ppm<br>10 | ME-ICP41<br>Mg<br>%<br>0.01 | ME-ICP41<br>Mn<br>ppm<br>5 | ME-ICP41<br>Mo<br>ppm<br>1 | ME-ICP41<br>Na<br>%<br>0.01 | ME-ICP41<br>Ni<br>ppm<br>1 | ME-ICP41<br>P<br>ppm<br>10 | ME-ICP41<br>Pb<br>ppm<br>2 | ME-ICP41<br>S<br>%<br>0.01 | ME-ICP41<br>Sb<br>ppm<br>2 | ME-ICP41<br>Sc<br>ppm<br>1 | ME-ICP41<br>Sr<br>ppm<br>1 |
|--------------------|-----------------------------------|-----------------------------|----------------------------|----------------------------|-----------------------------|-----------------------------|----------------------------|----------------------------|-----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|
| L803406            |                                   | <10                         | <1                         | 0.21                       | 20                          | 0.29                        | 396                        | 1                          | 0.03                        | 28                         | 320                        | 7                          | 0.18                       | 4                          | 4                          | 65                         |
| L803407            |                                   | <10                         | <1                         | 0.23                       | 20                          | 0.20                        | 347                        | 3                          | 0.03                        | 39                         | 370                        | 8                          | 0.08                       | 4                          | 5                          | 62                         |
| L803408            |                                   | <10                         | 1                          | 0.25                       | 20                          | 0.34                        | 516                        | <1                         | 0.03                        | 39                         | 460                        | 10                         | 0.43                       | 4                          | 6                          | 64                         |
| L803409            |                                   | <10                         | <1                         | 0.23                       | 20                          | 0.39                        | 490                        | <1                         | 0.03                        | 32                         | 260                        | 9                          | 0.14                       | 3                          | 5                          | 58                         |
| L803410            |                                   | <10                         | <1                         | 0.02                       | <10                         | 13.10                       | 219                        | <1                         | 0.04                        | 3                          | 210                        | <2                         | 0.02                       | <2                         | <1                         | 52                         |
| L803411            |                                   | <10                         | <1                         | 0.23                       | 20                          | 0.34                        | 405                        | <1                         | 0.03                        | 28                         | 270                        | 6                          | 0.09                       | 2                          | 5                          | 50                         |
| L803412            |                                   | <10                         | <1                         | 0.23                       | 10                          | 0.22                        | 259                        | <1                         | 0.03                        | 29                         | 460                        | 5                          | 0.14                       | 3                          | 4                          | 79                         |
| L803413            |                                   | <10                         | <1                         | 0.22                       | 20                          | 0.20                        | 475                        | <1                         | 0.03                        | 32                         | 550                        | 4                          | 0.05                       | 2                          | 4                          | 71                         |
| L803414            |                                   | <10                         | <1                         | 0.25                       | 20                          | 0.14                        | 220                        | <1                         | 0.03                        | 20                         | 420                        | 11                         | 0.07                       | 3                          | 4                          | 66                         |
| L803415            |                                   | <10                         | <1                         | 0.24                       | 20                          | 0.43                        | 470                        | <1                         | 0.03                        | 25                         | 500                        | 6                          | 0.05                       | <2                         | 5                          | 86                         |
| L803416            |                                   | <10                         | <1                         | 0.26                       | 20                          | 0.14                        | 277                        | <1                         | 0.03                        | 19                         | 400                        | 11                         | 0.06                       | <2                         | 4                          | 64                         |
| L803417            |                                   | <10                         | <1                         | 0.26                       | 20                          | 0.20                        | 264                        | <1                         | 0.03                        | 30                         | 530                        | 7                          | 0.07                       | 2                          | 5                          | 79                         |
| L803418            |                                   | <10                         | <1                         | 0.25                       | 20                          | 0.55                        | 255                        | <1                         | 0.04                        | 26                         | 370                        | 8                          | 0.12                       | 2                          | 4                          | 93                         |
| L803419            |                                   | <10                         | <1                         | 0.24                       | 20                          | 1.17                        | 392                        | <1                         | 0.04                        | 28                         | 340                        | 9                          | 0.13                       | 2                          | 4                          | 150                        |
| L803420            |                                   | <10                         | <1                         | 0.11                       | <10                         | 0.59                        | 448                        | 18                         | 0.11                        | 34                         | 550                        | 6                          | 0.08                       | <2                         | 5                          | 38                         |
| L803421            |                                   | <10                         | <1                         | 0.30                       | 20                          | 0.61                        | 459                        | <1                         | 0.03                        | 36                         | 440                        | 14                         | 0.06                       | 4                          | 5                          | 71                         |
| L803422            |                                   | <10                         | <1                         | 0.27                       | 20                          | 1.75                        | 433                        | <1                         | 0.04                        | 27                         | 400                        | 10                         | 0.41                       | 3                          | 4                          | 163                        |
| L803423            |                                   | <10                         | <1                         | 0.35                       | 20                          | 1.64                        | 406                        | <1                         | 0.03                        | 39                         | 630                        | 15                         | 0.19                       | 4                          | 5                          | 76                         |
| L803424            |                                   | 10                          | 1                          | 0.28                       | 20                          | 2.20                        | 464                        | 9                          | 0.01                        | 59                         | 610                        | 63                         | 0.04                       | 16                         | 5                          | 63                         |
| L803425            |                                   | 10                          | <1                         | 0.29                       | 20                          | 1.60                        | 509                        | 4                          | 0.02                        | 41                         | 690                        | 46                         | 0.08                       | 14                         | 5                          | 76                         |
| L803426            |                                   | 10                          | 1                          | 0.58                       | 50                          | 1.31                        | 787                        | 2                          | 0.03                        | 15                         | 1460                       | 534                        | 0.02                       | 27                         | 10                         | 42                         |
| L803427            |                                   | 10                          | 1                          | 0.48                       | 40                          | 1.53                        | 708                        | 1                          | 0.03                        | 17                         | 1360                       | 200                        | 0.01                       | 26                         | 10                         | 62                         |
| L803428            |                                   | 10                          | 2                          | 0.20                       | 50                          | 1.19                        | 806                        | 1                          | 0.02                        | 13                         | 1450                       | 88                         | 0.01                       | 29                         | 9                          | 119                        |
| L803429            |                                   | 10                          | 1                          | 0.37                       | 50                          | 0.94                        | 945                        | 1                          | 0.02                        | 10                         | 1430                       | 550                        | 0.01                       | 42                         | 9                          | 43                         |
| L803430            |                                   | <10                         | <1                         | 0.02                       | <10                         | 12.40                       | 245                        | <1                         | 0.02                        | 1                          | 190                        | 2                          | 0.01                       | <2                         | <1                         | 49                         |
| L803431            |                                   | 10                          | 1                          | 0.40                       | 50                          | 1.24                        | 849                        | 1                          | 0.02                        | 11                         | 1430                       | 407                        | 0.02                       | 40                         | 10                         | 51                         |
| L803432            |                                   | 10                          | <1                         | 0.26                       | 40                          | 1.68                        | 990                        | 1                          | 0.02                        | 16                         | 1210                       | 66                         | 0.04                       | 28                         | 9                          | 91                         |
| L803433            |                                   | 10                          | 1                          | 0.31                       | 30                          | 1.51                        | 569                        | 10                         | 0.02                        | 49                         | 880                        | 68                         | 0.05                       | 31                         | 7                          | 79                         |
| L803434            |                                   | <10                         | 2                          | 0.23                       | 30                          | 0.36                        | 274                        | 51                         | 0.01                        | 105                        | 610                        | 30                         | 0.06                       | 18                         | 4                          | 88                         |
| L803435            |                                   | <10                         | 2                          | 0.18                       | 20                          | 2.51                        | 458                        | 47                         | 0.02                        | 97                         | 400                        | 13                         | 0.05                       | 13                         | 4                          | 307                        |
| L803436            |                                   | <10                         | 2                          | 0.18                       | 20                          | 2.24                        | 467                        | 53                         | 0.02                        | 106                        | 430                        | 13                         | 0.04                       | 13                         | 4                          | 276                        |
| L803437            |                                   | <10                         | 4                          | 0.19                       | 20                          | 1.97                        | 479                        | 45                         | 0.02                        | 93                         | 360                        | 11                         | 0.05                       | 10                         | 4                          | 357                        |
| L803438            |                                   | <10                         | 15                         | 0.31                       | 30                          | 0.41                        | 280                        | 39                         | 0.02                        | 124                        | >10000                     | 24                         | 0.04                       | 20                         | 5                          | 341                        |
| L803439            |                                   | <10                         | 6                          | 0.18                       | 30                          | 0.12                        | 327                        | 17                         | 0.02                        | 145                        | >10000                     | 51                         | 0.03                       | 24                         | 5                          | 341                        |
| L803440            |                                   | 10                          | 2                          | 0.15                       | 10                          | 0.45                        | 336                        | 488                        | 0.08                        | 30                         | 450                        | 914                        | 1.10                       | 160                        | 4                          | 58                         |
| L803441            |                                   | <10                         | 7                          | 0.17                       | 40                          | 0.07                        | 588                        | 16                         | 0.01                        | 98                         | 2180                       | 122                        | 0.08                       | 31                         | 7                          | 68                         |
| L803442            |                                   | <10                         | 5                          | 0.30                       | 40                          | 0.60                        | 433                        | 15                         | 0.02                        | 148                        | 4740                       | 60                         | 0.03                       | 37                         | 7                          | 129                        |
| L803443            |                                   | 10                          | 2                          | 0.58                       | 50                          | 1.29                        | 643                        | 7                          | 0.04                        | 100                        | 1870                       | 28                         | 0.05                       | 29                         | 10                         | 72                         |
| L803444            |                                   | 10                          | 1                          | 0.61                       | 50                          | 1.32                        | 610                        | 6                          | 0.05                        | 98                         | 1870                       | 21                         | 0.10                       | 26                         | 10                         | 84                         |
| L803445            |                                   | <10                         | 5                          | 0.35                       | 30                          | 0.43                        | 528                        | 22                         | 0.03                        | 146                        | 4430                       | 34                         | 0.10                       | 39                         | 6                          | 177                        |

Comments: \*\*Corrected Copy for Au-AA23 on Samples L803510-L803530.\*\*



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: GOLDEN PREDATOR CANADA CORP.  
C/O PREDATOR MINING GROUP  
888 DUNSMUIR STREET, 11TH FLOOR  
VANCOUVER BC V6C 3K4

Page: 2 - C  
Total # Pages: 5 (A - C)  
Finalized Date: 25-OCT-2011  
Account: GOPRED

Project: Brewery Creek

**CERTIFICATE OF ANALYSIS FA11196780**

| Sample Description | Method<br>Analyte<br>Units<br>LOR | ME-ICP41  | ME-ICP41  | ME-ICP41  | ME-ICP41  | ME-ICP41 | ME-ICP41  | ME-ICP41 | Ag-OG46  |
|--------------------|-----------------------------------|-----------|-----------|-----------|-----------|----------|-----------|----------|----------|
|                    |                                   | Th        | Ti        | Ti        | U         | V        | W         | Zn       | Ag       |
|                    |                                   | ppm<br>20 | %<br>0.01 | ppm<br>10 | ppm<br>10 | ppm<br>1 | ppm<br>10 | ppm<br>2 | ppm<br>1 |
| L803406            |                                   | <20       | <0.01     | <10       | <10       | 23       | <10       | 91       |          |
| L803407            |                                   | <20       | <0.01     | <10       | <10       | 26       | <10       | 118      |          |
| L803408            |                                   | <20       | <0.01     | <10       | <10       | 27       | <10       | 118      |          |
| L803409            |                                   | <20       | <0.01     | <10       | <10       | 17       | <10       | 65       |          |
| L803410            |                                   | <20       | <0.01     | <10       | 10        | 1        | <10       | 20       |          |
| L803411            |                                   | <20       | <0.01     | <10       | <10       | 15       | <10       | 55       |          |
| L803412            |                                   | <20       | <0.01     | <10       | <10       | 18       | <10       | 81       |          |
| L803413            |                                   | <20       | <0.01     | <10       | <10       | 14       | <10       | 92       |          |
| L803414            |                                   | <20       | <0.01     | <10       | <10       | 15       | <10       | 78       |          |
| L803415            |                                   | <20       | <0.01     | <10       | <10       | 14       | <10       | 73       |          |
| L803416            |                                   | <20       | <0.01     | <10       | <10       | 14       | <10       | 76       |          |
| L803417            |                                   | <20       | <0.01     | <10       | <10       | 18       | <10       | 103      |          |
| L803418            |                                   | <20       | <0.01     | <10       | <10       | 26       | <10       | 93       |          |
| L803419            |                                   | <20       | <0.01     | <10       | <10       | 25       | <10       | 109      |          |
| L803420            |                                   | <20       | 0.13      | <10       | <10       | 59       | <10       | 50       |          |
| L803421            |                                   | <20       | <0.01     | <10       | <10       | 33       | <10       | 132      |          |
| L803422            |                                   | <20       | 0.01      | <10       | <10       | 46       | <10       | 115      |          |
| L803423            |                                   | <20       | 0.01      | <10       | <10       | 94       | <10       | 161      |          |
| L803424            |                                   | <20       | 0.01      | <10       | <10       | 90       | <10       | 306      |          |
| L803425            |                                   | <20       | 0.02      | <10       | <10       | 77       | <10       | 347      |          |
| L803426            |                                   | 20        | 0.14      | <10       | <10       | 94       | <10       | 2580     |          |
| L803427            |                                   | 20        | 0.12      | <10       | <10       | 96       | <10       | 1550     |          |
| L803428            |                                   | 20        | 0.01      | <10       | <10       | 73       | <10       | 1145     |          |
| L803429            |                                   | 20        | 0.06      | <10       | <10       | 72       | <10       | 1505     |          |
| L803430            |                                   | <20       | <0.01     | <10       | 10        | <1       | <10       | 28       |          |
| L803431            |                                   | 20        | 0.08      | <10       | <10       | 82       | <10       | 1580     |          |
| L803432            |                                   | <20       | 0.05      | <10       | <10       | 83       | <10       | 837      |          |
| L803433            |                                   | <20       | 0.02      | <10       | <10       | 128      | <10       | 1300     |          |
| L803434            |                                   | <20       | 0.01      | <10       | <10       | 174      | <10       | 531      |          |
| L803435            |                                   | <20       | <0.01     | <10       | <10       | 109      | <10       | 285      |          |
| L803436            |                                   | <20       | <0.01     | <10       | <10       | 113      | <10       | 306      |          |
| L803437            |                                   | <20       | <0.01     | <10       | <10       | 117      | <10       | 235      |          |
| L803438            |                                   | <20       | 0.01      | <10       | <10       | 744      | <10       | 414      |          |
| L803439            |                                   | <20       | <0.01     | <10       | <10       | 223      | <10       | 538      |          |
| L803440            |                                   | <20       | 0.08      | <10       | <10       | 60       | 20        | 2820     | 100      |
| L803441            |                                   | <20       | <0.01     | <10       | <10       | 64       | <10       | 1150     |          |
| L803442            |                                   | <20       | 0.05      | <10       | <10       | 127      | <10       | 1205     |          |
| L803443            |                                   | 20        | 0.17      | <10       | <10       | 119      | <10       | 912      |          |
| L803444            |                                   | 20        | 0.18      | <10       | <10       | 120      | <10       | 862      |          |
| L803445            |                                   | <20       | 0.03      | <10       | <10       | 184      | <10       | 1220     |          |

Comments: \*\*Corrected Copy for Au-AA23 on Samples L803510-L803530.\*\*



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: GOLDEN PREDATOR CANADA CORP.  
C/O PREDATOR MINING GROUP  
888 DUNSMUIR STREET, 11TH FLOOR  
VANCOUVER BC V6C 3K4

Page: 3 - A  
Total # Pages: 5 (A - C)  
Finalized Date: 25-OCT-2011  
Account: GOPRED

Project: Brewery Creek

**CERTIFICATE OF ANALYSIS FA11196780**

| Sample Description | Method<br>Analyte<br>Units<br>LOR | WEI-21<br>Recvd Wt.<br>kg | Au-AA23<br>Au<br>ppm | ME-ICP41<br>Ag<br>ppm | ME-ICP41<br>Al<br>% | ME-ICP41<br>As<br>ppm | ME-ICP41<br>B<br>ppm | ME-ICP41<br>Ba<br>ppm | ME-ICP41<br>Be<br>ppm | ME-ICP41<br>Bi<br>ppm | ME-ICP41<br>Ca<br>% | ME-ICP41<br>Cd<br>ppm | ME-ICP41<br>Co<br>ppm | ME-ICP41<br>Cr<br>ppm | ME-ICP41<br>Cu<br>ppm | ME-ICP41<br>Fe<br>% |
|--------------------|-----------------------------------|---------------------------|----------------------|-----------------------|---------------------|-----------------------|----------------------|-----------------------|-----------------------|-----------------------|---------------------|-----------------------|-----------------------|-----------------------|-----------------------|---------------------|
|                    |                                   | 0.02                      | 0.005                | 0.2                   | 0.01                | 2                     | 10                   | 10                    | 0.5                   | 2                     | 0.01                | 0.5                   | 1                     | 1                     | 1                     | 0.01                |
| L803446            |                                   | 6.29                      | 0.008                | 0.5                   | 0.73                | 58                    | 10                   | 910                   | 1.0                   | <2                    | 0.32                | 2.1                   | 8                     | 18                    | 54                    | 2.65                |
| L803447            |                                   | 11.83                     | <0.005               | 0.3                   | 0.62                | 27                    | 10                   | 480                   | 1.0                   | <2                    | 0.73                | 0.7                   | 10                    | 10                    | 51                    | 2.27                |
| L803448            |                                   | 6.12                      | <0.005               | 0.2                   | 0.45                | 12                    | 10                   | 290                   | 0.6                   | <2                    | 1.42                | <0.5                  | 8                     | 7                     | 40                    | 2.12                |
| L803449            |                                   | 7.44                      | <0.005               | 0.2                   | 0.43                | 9                     | 10                   | 260                   | 0.7                   | <2                    | 1.69                | <0.5                  | 8                     | 6                     | 42                    | 2.29                |
| L803450            |                                   | 0.44                      | <0.005               | <0.2                  | 0.04                | <2                    | <10                  | 10                    | <0.5                  | <2                    | 19.7                | <0.5                  | 2                     | 1                     | 3                     | 0.47                |
| L803451            |                                   | 9.75                      | 0.006                | <0.2                  | 0.69                | 15                    | 10                   | 220                   | 0.8                   | <2                    | 2.51                | <0.5                  | 8                     | 11                    | 42                    | 2.64                |
| L803452            |                                   | 6.62                      | 0.005                | <0.2                  | 0.87                | 24                    | 10                   | 420                   | 0.8                   | <2                    | 1.55                | <0.5                  | 9                     | 9                     | 44                    | 2.46                |
| L803453            |                                   | 4.51                      | 0.006                | <0.2                  | 0.71                | 18                    | 10                   | 490                   | 0.7                   | <2                    | 1.14                | <0.5                  | 9                     | 11                    | 46                    | 2.20                |
| L803454            |                                   | 7.85                      | 0.005                | 0.2                   | 0.72                | 22                    | 10                   | 370                   | 0.7                   | <2                    | 4.04                | <0.5                  | 9                     | 11                    | 34                    | 2.37                |
| L803455            |                                   | 9.99                      | 0.008                | 0.2                   | 0.58                | 18                    | 10                   | 660                   | 0.7                   | <2                    | 1.89                | <0.5                  | 9                     | 8                     | 42                    | 2.11                |
| L803456            |                                   | 5.66                      | 0.007                | 0.2                   | 0.54                | 6                     | 10                   | 250                   | 0.5                   | <2                    | 2.58                | <0.5                  | 7                     | 8                     | 39                    | 2.10                |
| L803457            |                                   | 7.54                      | <0.005               | <0.2                  | 0.55                | 14                    | 10                   | 270                   | 0.5                   | <2                    | 2.11                | <0.5                  | 6                     | 11                    | 44                    | 2.11                |
| L803458            |                                   | 6.52                      | 0.005                | <0.2                  | 0.71                | 7                     | 10                   | 220                   | 0.6                   | <2                    | 3.03                | <0.5                  | 8                     | 8                     | 65                    | 2.14                |
| L803459            |                                   | 5.27                      | <0.005               | <0.2                  | 0.61                | 21                    | 10                   | 300                   | 0.7                   | <2                    | 3.37                | <0.5                  | 8                     | 9                     | 24                    | 2.09                |
| L803460            |                                   | 0.09                      | 0.440                | 0.2                   | 1.29                | 50                    | <10                  | 110                   | <0.5                  | <2                    | 1.43                | <0.5                  | 7                     | 30                    | 52                    | 2.97                |
| L803461            |                                   | 6.78                      | <0.005               | <0.2                  | 0.62                | 39                    | 10                   | 520                   | 0.7                   | <2                    | 3.39                | <0.5                  | 6                     | 10                    | 29                    | 3.11                |
| L803462            |                                   | 6.21                      | <0.005               | <0.2                  | 0.58                | 25                    | 10                   | 330                   | 0.7                   | <2                    | 3.26                | <0.5                  | 8                     | 10                    | 38                    | 2.15                |
| L803463            |                                   | 5.69                      | 0.005                | <0.2                  | 0.63                | 22                    | 10                   | 360                   | 0.6                   | <2                    | 2.41                | <0.5                  | 10                    | 12                    | 40                    | 2.68                |
| L803464            |                                   | 7.26                      | 0.010                | 0.4                   | 0.57                | 23                    | 10                   | 290                   | 0.6                   | <2                    | 1.30                | <0.5                  | 10                    | 15                    | 66                    | 2.21                |
| L803465            |                                   | 7.36                      | 0.028                | 0.6                   | 0.58                | 73                    | 10                   | 300                   | 0.6                   | <2                    | 1.00                | 0.8                   | 7                     | 14                    | 59                    | 1.95                |
| L803466            |                                   | 7.24                      | 0.017                | 0.3                   | 0.52                | 28                    | 10                   | 260                   | 0.6                   | <2                    | 3.22                | <0.5                  | 8                     | 13                    | 49                    | 2.27                |
| L803467            |                                   | 11.20                     | 0.010                | 0.3                   | 0.56                | 25                    | 10                   | 270                   | 0.6                   | <2                    | 2.69                | 0.5                   | 7                     | 19                    | 45                    | 2.19                |
| L803468            |                                   | 12.95                     | 0.006                | <0.2                  | 0.59                | 59                    | 10                   | 230                   | 0.7                   | <2                    | 5.22                | 1.1                   | 7                     | 19                    | 37                    | 1.74                |
| L803469            |                                   | 8.53                      | 0.047                | 0.6                   | 0.61                | 112                   | 10                   | 220                   | 0.8                   | <2                    | 6.14                | 11.8                  | 6                     | 25                    | 81                    | 1.52                |
| L803470            |                                   | 0.55                      | <0.005               | <0.2                  | 0.04                | <2                    | <10                  | 10                    | <0.5                  | <2                    | 19.6                | <0.5                  | 2                     | 1                     | 2                     | 0.44                |
| L803471            |                                   | 8.47                      | 0.012                | 2.5                   | 0.93                | 89                    | 20                   | 140                   | 1.0                   | <2                    | 6.38                | 9.2                   | 5                     | 88                    | 166                   | 1.53                |
| L803472            |                                   | 4.37                      | 0.005                | 1.6                   | 0.81                | 26                    | 20                   | 210                   | 0.9                   | <2                    | 10.0                | 5.6                   | 4                     | 52                    | 85                    | 1.44                |
| L803473            |                                   | 7.53                      | 0.010                | 2.7                   | 0.68                | 45                    | 20                   | 300                   | 0.9                   | <2                    | 5.54                | 9.0                   | 4                     | 92                    | 165                   | 1.23                |
| L803474            |                                   | 6.58                      | 0.009                | 1.9                   | 0.60                | 73                    | 10                   | 240                   | 0.9                   | <2                    | 6.14                | 26.4                  | 6                     | 35                    | 152                   | 1.50                |
| L803475            |                                   | 4.56                      | 0.006                | 0.7                   | 0.76                | 26                    | 10                   | 430                   | 1.4                   | <2                    | 4.04                | 2.8                   | 8                     | 35                    | 64                    | 2.86                |
| L803476            |                                   | 3.73                      | 0.007                | 0.5                   | 0.83                | 20                    | 10                   | 390                   | 1.6                   | <2                    | 3.68                | 1.8                   | 9                     | 33                    | 49                    | 3.26                |
| L803477            |                                   | 6.23                      | 0.033                | 0.3                   | 0.77                | 49                    | 10                   | 300                   | 0.8                   | <2                    | 5.21                | <0.5                  | 8                     | 13                    | 44                    | 2.08                |
| L803478            |                                   | 9.98                      | 0.008                | 2.3                   | 0.72                | 44                    | 10                   | 250                   | 1.4                   | <2                    | 6.48                | 13.9                  | 6                     | 52                    | 149                   | 1.88                |
| L803479            |                                   | 7.08                      | <0.005               | 2.8                   | 0.64                | 81                    | 20                   | 310                   | 1.1                   | <2                    | 5.65                | 30.5                  | 6                     | 52                    | 220                   | 1.27                |
| L803480            |                                   | 0.08                      | 1.495                | 0.7                   | 1.36                | 7                     | <10                  | 120                   | <0.5                  | <2                    | 0.79                | <0.5                  | 7                     | 30                    | 344                   | 3.34                |
| L803481            |                                   | 8.47                      | 0.007                | 1.0                   | 0.65                | 67                    | 10                   | 320                   | 0.9                   | <2                    | 6.14                | 20.8                  | 6                     | 24                    | 123                   | 1.64                |
| L803482            |                                   | 5.87                      | 0.005                | 0.9                   | 0.51                | 59                    | 10                   | 290                   | 0.7                   | <2                    | 5.47                | 17.7                  | 6                     | 22                    | 100                   | 1.68                |
| L803483            |                                   | 5.93                      | 0.008                | 0.4                   | 0.91                | 30                    | 10                   | 310                   | 0.8                   | <2                    | 3.45                | 2.2                   | 9                     | 24                    | 57                    | 2.11                |
| L803484            |                                   | 6.28                      | 0.009                | 0.6                   | 0.85                | 28                    | 10                   | 320                   | 0.9                   | <2                    | 2.87                | 1.1                   | 9                     | 19                    | 63                    | 2.26                |
| L803485            |                                   | 5.29                      | 0.005                | <0.2                  | 0.80                | 17                    | 10                   | 390                   | 0.8                   | <2                    | 4.08                | <0.5                  | 7                     | 15                    | 44                    | 2.42                |

Comments: \*\*Corrected Copy for Au-AA23 on Samples L803510-L803530.\*\*



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: GOLDEN PREDATOR CANADA CORP.  
C/O PREDATOR MINING GROUP  
888 DUNSMUIR STREET, 11TH FLOOR  
VANCOUVER BC V6C 3K4

Page: 3 - B  
Total # Pages: 5 (A - C)  
Finalized Date: 25-OCT-2011  
Account: GOPRED

Project: Brewery Creek

**CERTIFICATE OF ANALYSIS FA11196780**

| Sample Description | Method<br>Analyte<br>Units<br>LOR | ME-ICP41<br>Ga<br>ppm<br>10 | ME-ICP41<br>Hg<br>ppm<br>1 | ME-ICP41<br>K<br>%<br>0.01 | ME-ICP41<br>La<br>ppm<br>10 | ME-ICP41<br>Mg<br>%<br>0.01 | ME-ICP41<br>Mn<br>ppm<br>5 | ME-ICP41<br>Mo<br>ppm<br>1 | ME-ICP41<br>Na<br>%<br>0.01 | ME-ICP41<br>Ni<br>ppm<br>1 | ME-ICP41<br>P<br>ppm<br>10 | ME-ICP41<br>Pb<br>ppm<br>2 | ME-ICP41<br>S<br>%<br>0.01 | ME-ICP41<br>Sb<br>ppm<br>2 | ME-ICP41<br>Sc<br>ppm<br>1 | ME-ICP41<br>Sr<br>ppm<br>1 |
|--------------------|-----------------------------------|-----------------------------|----------------------------|----------------------------|-----------------------------|-----------------------------|----------------------------|----------------------------|-----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|
| L803446            |                                   | <10                         | 1                          | 0.28                       | 20                          | 0.17                        | 322                        | 14                         | 0.01                        | 79                         | 990                        | 18                         | 0.14                       | 16                         | 5                          | 68                         |
| L803447            |                                   | <10                         | 1                          | 0.26                       | 20                          | 0.37                        | 481                        | 8                          | 0.01                        | 53                         | 390                        | 13                         | 0.43                       | 11                         | 5                          | 79                         |
| L803448            |                                   | <10                         | <1                         | 0.24                       | 20                          | 0.68                        | 463                        | 3                          | 0.01                        | 28                         | 240                        | 9                          | 1.21                       | 6                          | 4                          | 108                        |
| L803449            |                                   | <10                         | <1                         | 0.23                       | 10                          | 0.80                        | 455                        | 3                          | 0.01                        | 28                         | 190                        | 10                         | 1.33                       | 5                          | 4                          | 117                        |
| L803450            |                                   | <10                         | <1                         | 0.02                       | <10                         | 12.25                       | 195                        | <1                         | 0.02                        | <1                         | 150                        | <2                         | 0.03                       | <2                         | <1                         | 48                         |
| L803451            |                                   | <10                         | 1                          | 0.32                       | 10                          | 1.20                        | 575                        | 3                          | 0.01                        | 31                         | 240                        | 9                          | 1.60                       | 7                          | 5                          | 140                        |
| L803452            |                                   | <10                         | <1                         | 0.35                       | 20                          | 0.74                        | 401                        | 11                         | 0.01                        | 54                         | 170                        | 6                          | 0.71                       | 11                         | 4                          | 136                        |
| L803453            |                                   | <10                         | <1                         | 0.35                       | 10                          | 0.63                        | 345                        | 5                          | 0.01                        | 42                         | 240                        | 8                          | 0.61                       | 8                          | 4                          | 86                         |
| L803454            |                                   | <10                         | 1                          | 0.37                       | 10                          | 2.11                        | 530                        | 9                          | 0.02                        | 51                         | 220                        | 10                         | 0.51                       | 10                         | 4                          | 142                        |
| L803455            |                                   | <10                         | <1                         | 0.31                       | 10                          | 0.96                        | 351                        | 11                         | 0.02                        | 50                         | 170                        | 10                         | 0.52                       | 8                          | 4                          | 89                         |
| L803456            |                                   | <10                         | <1                         | 0.30                       | 10                          | 1.37                        | 493                        | 2                          | 0.02                        | 32                         | 140                        | 4                          | 0.66                       | 5                          | 4                          | 98                         |
| L803457            |                                   | <10                         | <1                         | 0.30                       | 10                          | 1.09                        | 451                        | 3                          | 0.01                        | 26                         | 160                        | 4                          | 0.80                       | 8                          | 4                          | 97                         |
| L803458            |                                   | <10                         | <1                         | 0.34                       | 10                          | 1.56                        | 591                        | 1                          | 0.02                        | 29                         | 140                        | 3                          | 0.37                       | 7                          | 4                          | 91                         |
| L803459            |                                   | <10                         | <1                         | 0.34                       | 10                          | 1.68                        | 598                        | 1                          | 0.02                        | 25                         | 170                        | 4                          | 0.27                       | 11                         | 4                          | 101                        |
| L803460            |                                   | <10                         | 1                          | 0.11                       | 10                          | 0.59                        | 419                        | 10                         | 0.09                        | 34                         | 740                        | 4                          | 0.14                       | 2                          | 5                          | 41                         |
| L803461            |                                   | <10                         | <1                         | 0.33                       | 10                          | 1.61                        | 879                        | 3                          | 0.02                        | 32                         | 170                        | 3                          | 0.60                       | 14                         | 5                          | 132                        |
| L803462            |                                   | <10                         | <1                         | 0.31                       | 10                          | 1.63                        | 736                        | <1                         | 0.02                        | 21                         | 180                        | 3                          | 0.20                       | 6                          | 4                          | 101                        |
| L803463            |                                   | <10                         | <1                         | 0.32                       | 10                          | 1.20                        | 640                        | <1                         | 0.02                        | 23                         | 250                        | 3                          | 1.08                       | 4                          | 5                          | 115                        |
| L803464            |                                   | <10                         | <1                         | 0.26                       | 10                          | 0.64                        | 379                        | 1                          | 0.01                        | 28                         | 1010                       | 6                          | 0.93                       | 5                          | 4                          | 100                        |
| L803465            |                                   | <10                         | 1                          | 0.27                       | 10                          | 0.40                        | 247                        | 3                          | 0.01                        | 26                         | 1530                       | 8                          | 1.11                       | 6                          | 3                          | 100                        |
| L803466            |                                   | <10                         | 1                          | 0.26                       | 10                          | 1.62                        | 401                        | 2                          | 0.02                        | 24                         | 700                        | 8                          | 1.35                       | 6                          | 3                          | 172                        |
| L803467            |                                   | <10                         | 1                          | 0.25                       | 10                          | 1.37                        | 368                        | 11                         | 0.01                        | 36                         | 370                        | 6                          | 1.65                       | 7                          | 3                          | 233                        |
| L803468            |                                   | <10                         | 3                          | 0.24                       | 10                          | 2.94                        | 453                        | 48                         | 0.02                        | 83                         | 500                        | 6                          | 1.60                       | 13                         | 4                          | 185                        |
| L803469            |                                   | <10                         | 15                         | 0.21                       | 10                          | 3.68                        | 402                        | 65                         | 0.02                        | 111                        | 340                        | 8                          | 1.55                       | 30                         | 4                          | 209                        |
| L803470            |                                   | <10                         | <1                         | 0.02                       | <10                         | 12.40                       | 203                        | <1                         | 0.02                        | 1                          | 200                        | <2                         | 0.05                       | <2                         | <1                         | 50                         |
| L803471            |                                   | <10                         | 14                         | 0.29                       | 20                          | 2.31                        | 350                        | 33                         | 0.02                        | 129                        | 9940                       | 7                          | 1.32                       | 28                         | 4                          | 311                        |
| L803472            |                                   | <10                         | 3                          | 0.29                       | 20                          | 4.69                        | 950                        | 31                         | 0.03                        | 88                         | 6190                       | 5                          | 1.21                       | 15                         | 3                          | 313                        |
| L803473            |                                   | <10                         | 5                          | 0.26                       | 20                          | 1.84                        | 286                        | 30                         | 0.02                        | 116                        | >10000                     | 6                          | 1.06                       | 25                         | 3                          | 295                        |
| L803474            |                                   | <10                         | 7                          | 0.27                       | 10                          | 3.36                        | 274                        | 67                         | 0.02                        | 118                        | 1370                       | 9                          | 1.27                       | 47                         | 3                          | 193                        |
| L803475            |                                   | <10                         | 2                          | 0.31                       | 40                          | 1.83                        | 655                        | 13                         | 0.03                        | 56                         | 2860                       | 12                         | 0.65                       | 13                         | 9                          | 335                        |
| L803476            |                                   | <10                         | 1                          | 0.35                       | 40                          | 1.70                        | 711                        | 9                          | 0.04                        | 43                         | 2350                       | 13                         | 0.53                       | 9                          | 11                         | 371                        |
| L803477            |                                   | <10                         | 1                          | 0.37                       | 10                          | 2.76                        | 526                        | 2                          | 0.02                        | 19                         | 290                        | 6                          | 1.15                       | 6                          | 4                          | 159                        |
| L803478            |                                   | <10                         | 2                          | 0.30                       | 30                          | 3.64                        | 420                        | 36                         | 0.03                        | 94                         | 1840                       | 12                         | 1.16                       | 20                         | 6                          | 234                        |
| L803479            |                                   | <10                         | 5                          | 0.29                       | 20                          | 3.10                        | 240                        | 72                         | 0.02                        | 144                        | 1680                       | 11                         | 1.40                       | 43                         | 4                          | 136                        |
| L803480            |                                   | <10                         | <1                         | 0.11                       | 10                          | 0.59                        | 446                        | 22                         | 0.09                        | 33                         | 550                        | 7                          | 0.10                       | 3                          | 5                          | 38                         |
| L803481            |                                   | <10                         | 6                          | 0.29                       | 10                          | 3.58                        | 400                        | 52                         | 0.02                        | 91                         | 690                        | 9                          | 1.30                       | 35                         | 4                          | 163                        |
| L803482            |                                   | <10                         | 6                          | 0.23                       | 10                          | 3.12                        | 314                        | 47                         | 0.02                        | 84                         | 400                        | 7                          | 1.49                       | 30                         | 3                          | 217                        |
| L803483            |                                   | <10                         | 2                          | 0.36                       | 10                          | 1.73                        | 354                        | 7                          | 0.02                        | 37                         | 400                        | 8                          | 1.28                       | 10                         | 4                          | 282                        |
| L803484            |                                   | <10                         | 2                          | 0.36                       | 10                          | 1.42                        | 441                        | 5                          | 0.02                        | 39                         | 340                        | 9                          | 1.15                       | 9                          | 5                          | 193                        |
| L803485            |                                   | <10                         | 1                          | 0.35                       | 10                          | 2.15                        | 671                        | <1                         | 0.02                        | 21                         | 130                        | 4                          | 0.72                       | 6                          | 5                          | 163                        |

Comments: \*\*Corrected Copy for Au-AA23 on Samples L803510-L803530.\*\*



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: GOLDEN PREDATOR CANADA CORP.  
 C/O PREDATOR MINING GROUP  
 888 DUNSMUIR STREET, 11TH FLOOR  
 VANCOUVER BC V6C 3K4

Page: 3 - C  
 Total # Pages: 5 (A - C)  
 Finalized Date: 25-OCT-2011  
 Account: GOPRED

Project: Brewery Creek

**CERTIFICATE OF ANALYSIS FA11196780**

| Sample Description | Method<br>Analyte<br>Units<br>LOR | ME-ICP41  | ME-ICP41  | ME-ICP41  | ME-ICP41  | ME-ICP41 | ME-ICP41  | ME-ICP41 | Ag-OG46  |
|--------------------|-----------------------------------|-----------|-----------|-----------|-----------|----------|-----------|----------|----------|
|                    |                                   | Th        | Ti        | Ti        | U         | V        | W         | Zn       | Ag       |
|                    |                                   | ppm<br>20 | %<br>0.01 | ppm<br>10 | ppm<br>10 | ppm<br>1 | ppm<br>10 | ppm<br>2 | ppm<br>1 |
| L803446            |                                   | <20       | 0.01      | <10       | <10       | 36       | <10       | 777      |          |
| L803447            |                                   | <20       | <0.01     | <10       | <10       | 14       | <10       | 404      |          |
| L803448            |                                   | <20       | <0.01     | <10       | <10       | 10       | <10       | 178      |          |
| L803449            |                                   | <20       | <0.01     | <10       | <10       | 7        | <10       | 168      |          |
| L803450            |                                   | <20       | <0.01     | <10       | 10        | <1       | <10       | 24       |          |
| L803451            |                                   | <20       | <0.01     | <10       | <10       | 11       | <10       | 217      |          |
| L803452            |                                   | <20       | <0.01     | <10       | <10       | 10       | <10       | 501      |          |
| L803453            |                                   | <20       | <0.01     | <10       | <10       | 11       | <10       | 374      |          |
| L803454            |                                   | <20       | <0.01     | <10       | <10       | 12       | <10       | 531      |          |
| L803455            |                                   | <20       | <0.01     | <10       | <10       | 12       | <10       | 479      |          |
| L803456            |                                   | <20       | <0.01     | <10       | <10       | 7        | <10       | 270      |          |
| L803457            |                                   | <20       | <0.01     | <10       | <10       | 7        | <10       | 235      |          |
| L803458            |                                   | <20       | <0.01     | <10       | <10       | 8        | <10       | 249      |          |
| L803459            |                                   | <20       | <0.01     | <10       | <10       | 8        | <10       | 188      |          |
| L803460            |                                   | <20       | 0.12      | <10       | <10       | 54       | <10       | 59       |          |
| L803461            |                                   | <20       | <0.01     | <10       | <10       | 15       | <10       | 322      |          |
| L803462            |                                   | <20       | <0.01     | <10       | <10       | 8        | <10       | 129      |          |
| L803463            |                                   | <20       | <0.01     | <10       | <10       | 9        | <10       | 155      |          |
| L803464            |                                   | <20       | <0.01     | <10       | <10       | 14       | <10       | 202      |          |
| L803465            |                                   | <20       | <0.01     | <10       | <10       | 29       | <10       | 194      |          |
| L803466            |                                   | <20       | <0.01     | <10       | <10       | 13       | <10       | 153      |          |
| L803467            |                                   | <20       | <0.01     | <10       | <10       | 30       | <10       | 162      |          |
| L803468            |                                   | <20       | <0.01     | <10       | 10        | 108      | <10       | 228      |          |
| L803469            |                                   | <20       | <0.01     | <10       | 20        | 407      | <10       | 1250     |          |
| L803470            |                                   | <20       | <0.01     | <10       | 10        | 2        | <10       | 24       |          |
| L803471            |                                   | <20       | 0.01      | <10       | 10        | 446      | <10       | 1135     |          |
| L803472            |                                   | <20       | 0.01      | <10       | 10        | 245      | <10       | 705      |          |
| L803473            |                                   | <20       | 0.01      | <10       | 10        | 384      | <10       | 1115     |          |
| L803474            |                                   | <20       | 0.01      | <10       | 20        | 534      | <10       | 2410     |          |
| L803475            |                                   | <20       | <0.01     | <10       | <10       | 109      | <10       | 435      |          |
| L803476            |                                   | 20        | <0.01     | <10       | <10       | 90       | <10       | 310      |          |
| L803477            |                                   | <20       | <0.01     | <10       | <10       | 16       | <10       | 65       |          |
| L803478            |                                   | <20       | 0.01      | <10       | 10        | 552      | <10       | 1200     |          |
| L803479            |                                   | <20       | 0.01      | <10       | 20        | 819      | <10       | 2620     |          |
| L803480            |                                   | <20       | 0.13      | <10       | <10       | 60       | <10       | 53       |          |
| L803481            |                                   | <20       | 0.01      | <10       | 10        | 509      | <10       | 1945     |          |
| L803482            |                                   | <20       | <0.01     | <10       | 10        | 366      | <10       | 1570     |          |
| L803483            |                                   | <20       | <0.01     | <10       | <10       | 64       | <10       | 284      |          |
| L803484            |                                   | <20       | <0.01     | <10       | <10       | 39       | <10       | 222      |          |
| L803485            |                                   | <20       | <0.01     | <10       | <10       | 12       | <10       | 62       |          |

Comments: \*\*Corrected Copy for Au-AA23 on Samples L803510-L803530.\*\*



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: GOLDEN PREDATOR CANADA CORP.  
C/O PREDATOR MINING GROUP  
888 DUNSMUIR STREET, 11TH FLOOR  
VANCOUVER BC V6C 3K4

Page: 4 - A  
Total # Pages: 5 (A - C)  
Finalized Date: 25-OCT-2011  
Account: GOPRED

Project: Brewery Creek

**CERTIFICATE OF ANALYSIS FA11196780**

| Sample Description | Method<br>Analyte<br>Units<br>LOR | WEI-21<br>Recvd Wt.<br>kg | Au-AA23<br>Au<br>ppm | ME-ICP41<br>Ag<br>ppm | ME-ICP41<br>Al<br>% | ME-ICP41<br>As<br>ppm | ME-ICP41<br>B<br>ppm | ME-ICP41<br>Ba<br>ppm | ME-ICP41<br>Be<br>ppm | ME-ICP41<br>Bi<br>ppm | ME-ICP41<br>Ca<br>% | ME-ICP41<br>Cd<br>ppm | ME-ICP41<br>Co<br>ppm | ME-ICP41<br>Cr<br>ppm | ME-ICP41<br>Cu<br>ppm | ME-ICP41<br>Fe<br>% |
|--------------------|-----------------------------------|---------------------------|----------------------|-----------------------|---------------------|-----------------------|----------------------|-----------------------|-----------------------|-----------------------|---------------------|-----------------------|-----------------------|-----------------------|-----------------------|---------------------|
|                    |                                   | 0.02                      | 0.005                | 0.2                   | 0.01                | 2                     | 10                   | 10                    | 0.5                   | 2                     | 0.01                | 0.5                   | 1                     | 1                     | 1                     | 0.01                |
| L803486            |                                   | 5.93                      | <0.005               | 0.2                   | 0.77                | 39                    | 10                   | 520                   | 0.9                   | <2                    | 3.39                | <0.5                  | 10                    | 15                    | 43                    | 2.09                |
| L803487            |                                   | 4.82                      | 0.688                | 0.7                   | 0.65                | 2480                  | 10                   | 50                    | 0.5                   | <2                    | 1.35                | 0.7                   | 9                     | 21                    | 65                    | 2.34                |
| L803488            |                                   | 4.75                      | 0.016                | 0.2                   | 0.63                | 92                    | 10                   | 330                   | 0.6                   | <2                    | 0.73                | <0.5                  | 9                     | 14                    | 67                    | 2.77                |
| L803489            |                                   | 7.10                      | <0.005               | <0.2                  | 0.71                | 30                    | 10                   | 530                   | 0.7                   | <2                    | 7.0                 | <0.5                  | 8                     | 10                    | 48                    | 2.71                |
| L803490            |                                   | 0.41                      | <0.005               | <0.2                  | 0.04                | 4                     | <10                  | 20                    | <0.5                  | <2                    | 19.3                | <0.5                  | 2                     | 1                     | 2                     | 0.46                |
| L803491            |                                   | 7.40                      | 0.020                | <0.2                  | 0.71                | 279                   | 10                   | 290                   | 0.6                   | <2                    | 4.91                | <0.5                  | 7                     | 10                    | 24                    | 2.41                |
| L803492            |                                   | 9.50                      | 0.387                | 0.5                   | 0.64                | 1355                  | 10                   | 310                   | 0.8                   | <2                    | 4.32                | 0.8                   | 7                     | 15                    | 48                    | 2.33                |
| L803493            |                                   | 6.17                      | 0.264                | 0.5                   | 0.80                | 462                   | 10                   | 200                   | 0.8                   | <2                    | 3.20                | <0.5                  | 8                     | 12                    | 38                    | 2.13                |
| L803494            |                                   | 9.26                      | 0.063                | 0.3                   | 0.72                | 626                   | 10                   | 240                   | 0.8                   | <2                    | 2.61                | <0.5                  | 8                     | 12                    | 37                    | 2.09                |
| L803495            |                                   | 5.38                      | 0.167                | 0.4                   | 0.84                | 655                   | 10                   | 260                   | 0.9                   | <2                    | 2.88                | <0.5                  | 9                     | 14                    | 38                    | 2.11                |
| L803496            |                                   | 4.16                      | 0.143                | 0.4                   | 1.46                | 525                   | 30                   | 380                   | 1.1                   | <2                    | 3.00                | 0.6                   | 8                     | 20                    | 48                    | 2.42                |
| L803497            |                                   | 7.00                      | 0.009                | 0.7                   | 1.46                | 82                    | 30                   | 390                   | 1.2                   | <2                    | 4.22                | 3.4                   | 7                     | 26                    | 68                    | 2.72                |
| L803498            |                                   | 11.34                     | 0.008                | 0.8                   | 1.31                | 205                   | 20                   | 110                   | 1.4                   | <2                    | 4.12                | 2.4                   | 8                     | 25                    | 70                    | 3.13                |
| L803499            |                                   | 7.98                      | 0.005                | 0.8                   | 2.02                | 66                    | 40                   | 70                    | 2.0                   | <2                    | 3.97                | 0.9                   | 9                     | 53                    | 86                    | 3.70                |
| L803500            |                                   | 0.09                      | 5.05                 | >100                  | 1.14                | 83                    | <10                  | 90                    | <0.5                  | <2                    | 0.65                | 31.0                  | 9                     | 40                    | 82                    | 2.99                |
| L803501            |                                   | 6.47                      | 0.009                | 0.8                   | 1.60                | 31                    | 30                   | 200                   | 1.8                   | <2                    | 2.79                | 1.2                   | 9                     | 31                    | 81                    | 3.21                |
| L803502            |                                   | 7.64                      | 0.009                | 0.9                   | 1.68                | 38                    | 30                   | 190                   | 1.5                   | <2                    | 2.64                | 2.1                   | 9                     | 35                    | 88                    | 3.19                |
| L803503            |                                   | 7.87                      | 0.039                | 0.7                   | 1.15                | 66                    | 30                   | 140                   | 1.0                   | <2                    | 3.19                | 0.6                   | 7                     | 32                    | 67                    | 3.21                |
| L803504            |                                   | 9.29                      | 0.527                | 1.1                   | 1.59                | 386                   | 40                   | 50                    | 1.4                   | <2                    | 3.56                | 1.1                   | 8                     | 57                    | 75                    | 3.75                |
| L803505            |                                   | 3.27                      | 0.013                | 0.9                   | 2.18                | 175                   | 40                   | 20                    | 2.0                   | <2                    | 3.43                | 0.7                   | 19                    | 54                    | 93                    | 7.24                |
| L803506            |                                   | 4.07                      | 0.005                | 1.0                   | 2.41                | 57                    | 60                   | 30                    | 1.3                   | <2                    | 1.90                | 0.8                   | 13                    | 66                    | 101                   | 5.31                |
| L803507            |                                   | 2.22                      | 0.011                | 0.6                   | 1.93                | 37                    | 40                   | 50                    | 0.9                   | <2                    | 1.68                | 1.1                   | 25                    | 50                    | 75                    | 6.16                |
| L803508            |                                   | 5.97                      | <0.005               | 0.3                   | 2.62                | 21                    | 50                   | 60                    | 1.0                   | <2                    | 1.72                | 0.5                   | 27                    | 64                    | 69                    | 6.03                |
| L803509            |                                   | 7.17                      | <0.005               | 0.4                   | 1.95                | 189                   | 40                   | 70                    | 1.1                   | <2                    | 3.21                | <0.5                  | 25                    | 118                   | 66                    | 6.18                |
| L803510            |                                   | 0.51                      | <0.005               | <0.2                  | 0.09                | <2                    | <10                  | 30                    | <0.5                  | 2                     | 19.5                | <0.5                  | 1                     | <1                    | 6                     | 0.46                |
| L803511            |                                   | 6.11                      | 0.355                | 0.3                   | 1.66                | 456                   | 30                   | 50                    | 1.1                   | <2                    | 3.24                | <0.5                  | 24                    | 39                    | 64                    | 5.45                |
| L803512            |                                   | 6.49                      | 0.038                | 0.2                   | 1.43                | 47                    | 30                   | 440                   | 1.0                   | <2                    | 5.22                | <0.5                  | 7                     | 20                    | 45                    | 2.27                |
| L803513            |                                   | 6.79                      | 0.011                | 0.3                   | 1.27                | 17                    | 20                   | 520                   | 0.9                   | <2                    | 8.7                 | <0.5                  | 6                     | 15                    | 33                    | 2.37                |
| L803514            |                                   | 6.29                      | 0.027                | <0.2                  | 1.25                | 218                   | 20                   | 180                   | 1.0                   | <2                    | 5.74                | <0.5                  | 8                     | 17                    | 33                    | 2.99                |
| L803515            |                                   | 5.46                      | 0.045                | 0.7                   | 1.22                | 241                   | 20                   | 160                   | 0.8                   | <2                    | 1.61                | 1.2                   | 7                     | 27                    | 64                    | 2.69                |
| L803516            |                                   | 3.93                      | 0.024                | 0.6                   | 0.43                | 99                    | 10                   | 280                   | 0.5                   | <2                    | 1.10                | 0.9                   | 7                     | 14                    | 72                    | 2.43                |
| L803517            |                                   | 3.10                      | 0.100                | 0.2                   | 0.35                | 1730                  | <10                  | 240                   | <0.5                  | <2                    | 1.11                | <0.5                  | 7                     | 10                    | 53                    | 2.33                |
| L803518            |                                   | 7.25                      | 0.020                | <0.2                  | 0.40                | 206                   | <10                  | 290                   | 0.5                   | <2                    | 3.52                | <0.5                  | 8                     | 6                     | 29                    | 2.12                |
| L803519            |                                   | 7.23                      | 0.107                | <0.2                  | 0.38                | 1115                  | <10                  | 280                   | 0.5                   | <2                    | 2.40                | <0.5                  | 7                     | 7                     | 33                    | 2.45                |
| L803520            |                                   | 0.09                      | 0.443                | <0.2                  | 1.30                | 55                    | <10                  | 120                   | <0.5                  | <2                    | 1.46                | <0.5                  | 7                     | 29                    | 53                    | 3.09                |
| L803521            |                                   | 6.88                      | 0.019                | 0.3                   | 0.42                | 296                   | 10                   | 240                   | 0.6                   | <2                    | 2.69                | <0.5                  | 6                     | 5                     | 41                    | 1.86                |
| L803522            |                                   | 6.32                      | 1.070                | 0.4                   | 0.55                | 1845                  | 10                   | 200                   | 0.7                   | <2                    | 3.04                | <0.5                  | 12                    | 7                     | 46                    | 2.57                |
| L803523            |                                   | 8.46                      | 0.311                | 0.5                   | 0.57                | 1065                  | 10                   | 130                   | 0.7                   | <2                    | 3.97                | <0.5                  | 10                    | 16                    | 45                    | 2.92                |
| L803524            |                                   | 7.81                      | 0.164                | 0.4                   | 0.29                | 131                   | <10                  | 210                   | <0.5                  | <2                    | 1.61                | <0.5                  | 4                     | 16                    | 30                    | 2.42                |
| L803525            |                                   | 5.96                      | 0.029                | 0.6                   | 0.70                | 109                   | 10                   | 50                    | 0.8                   | <2                    | 3.83                | <0.5                  | 18                    | 26                    | 77                    | 4.62                |

Comments: \*\*Corrected Copy for Au-AA23 on Samples L803510-L803530.\*\*





ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: GOLDEN PREDATOR CANADA CORP.  
C/O PREDATOR MINING GROUP  
888 DUNSMUIR STREET, 11TH FLOOR  
VANCOUVER BC V6C 3K4

Page: 4 - B  
Total # Pages: 5 (A - C)  
Finalized Date: 25-OCT-2011  
Account: GOPRED

Project: Brewery Creek

**CERTIFICATE OF ANALYSIS FA11196780**

| Sample Description | Method<br>Analyte<br>Units<br>LOR | ME-ICP41<br>Ga<br>ppm<br>10 | ME-ICP41<br>Hg<br>ppm<br>1 | ME-ICP41<br>K<br>%<br>0.01 | ME-ICP41<br>La<br>ppm<br>10 | ME-ICP41<br>Mg<br>%<br>0.01 | ME-ICP41<br>Mn<br>ppm<br>5 | ME-ICP41<br>Mo<br>ppm<br>1 | ME-ICP41<br>Na<br>%<br>0.01 | ME-ICP41<br>Ni<br>ppm<br>1 | ME-ICP41<br>P<br>ppm<br>10 | ME-ICP41<br>Pb<br>ppm<br>2 | ME-ICP41<br>S<br>%<br>0.01 | ME-ICP41<br>Sb<br>ppm<br>2 | ME-ICP41<br>Sc<br>ppm<br>1 | ME-ICP41<br>Sr<br>ppm<br>1 |
|--------------------|-----------------------------------|-----------------------------|----------------------------|----------------------------|-----------------------------|-----------------------------|----------------------------|----------------------------|-----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|
| L803486            |                                   | <10                         | 1                          | 0.35                       | 10                          | 1.66                        | 503                        | 1                          | 0.01                        | 24                         | 690                        | 5                          | 0.65                       | 7                          | 5                          | 242                        |
| L803487            |                                   | <10                         | 2                          | 0.25                       | <10                         | 0.52                        | 238                        | 4                          | 0.01                        | 27                         | 1380                       | 8                          | 1.60                       | 16                         | 4                          | 192                        |
| L803488            |                                   | <10                         | 1                          | 0.31                       | 10                          | 0.57                        | 286                        | <1                         | 0.01                        | 21                         | 530                        | 9                          | 0.97                       | 6                          | 4                          | 73                         |
| L803489            |                                   | <10                         | <1                         | 0.36                       | 10                          | 3.47                        | 923                        | <1                         | 0.02                        | 16                         | 300                        | 4                          | 0.60                       | 3                          | 4                          | 238                        |
| L803490            |                                   | <10                         | <1                         | 0.02                       | <10                         | 12.15                       | 218                        | <1                         | 0.02                        | 1                          | 170                        | <2                         | 0.04                       | <2                         | <1                         | 45                         |
| L803491            |                                   | <10                         | <1                         | 0.38                       | 10                          | 2.37                        | 741                        | <1                         | 0.02                        | 13                         | 100                        | 3                          | 0.30                       | 3                          | 4                          | 282                        |
| L803492            |                                   | <10                         | 3                          | 0.29                       | <10                         | 1.99                        | 464                        | 8                          | 0.01                        | 32                         | 240                        | 9                          | 1.57                       | 14                         | 4                          | 278                        |
| L803493            |                                   | <10                         | 1                          | 0.35                       | <10                         | 1.55                        | 500                        | 3                          | 0.02                        | 30                         | 180                        | 9                          | 1.53                       | 13                         | 5                          | 256                        |
| L803494            |                                   | <10                         | 1                          | 0.33                       | <10                         | 1.27                        | 435                        | 2                          | 0.02                        | 26                         | 140                        | 10                         | 1.63                       | 13                         | 5                          | 161                        |
| L803495            |                                   | <10                         | 2                          | 0.37                       | <10                         | 1.40                        | 465                        | 2                          | 0.01                        | 31                         | 140                        | 10                         | 1.60                       | 13                         | 5                          | 235                        |
| L803496            |                                   | <10                         | 2                          | 0.59                       | <10                         | 1.52                        | 518                        | 6                          | 0.02                        | 35                         | 200                        | 16                         | 1.49                       | 12                         | 5                          | 278                        |
| L803497            |                                   | <10                         | 2                          | 0.64                       | 10                          | 2.33                        | 383                        | 17                         | 0.02                        | 48                         | 1100                       | 21                         | 1.34                       | 10                         | 5                          | 219                        |
| L803498            |                                   | <10                         | 3                          | 0.59                       | 10                          | 2.34                        | 374                        | 19                         | 0.02                        | 50                         | 1120                       | 30                         | 1.91                       | 11                         | 6                          | 187                        |
| L803499            |                                   | 10                          | 4                          | 0.98                       | 10                          | 1.93                        | 313                        | 12                         | 0.02                        | 68                         | 4700                       | 22                         | 2.35                       | 8                          | 6                          | 229                        |
| L803500            |                                   | 10                          | 2                          | 0.16                       | 10                          | 0.48                        | 350                        | 520                        | 0.09                        | 30                         | 460                        | 970                        | 1.15                       | 165                        | 4                          | 61                         |
| L803501            |                                   | <10                         | 2                          | 0.82                       | 10                          | 1.28                        | 263                        | 19                         | 0.02                        | 51                         | 3550                       | 21                         | 1.64                       | 9                          | 6                          | 191                        |
| L803502            |                                   | <10                         | 2                          | 0.82                       | 10                          | 1.38                        | 304                        | 13                         | 0.02                        | 57                         | 1490                       | 17                         | 1.75                       | 10                         | 6                          | 211                        |
| L803503            |                                   | <10                         | 3                          | 0.49                       | 10                          | 0.99                        | 337                        | 9                          | 0.02                        | 50                         | 5650                       | 19                         | 2.05                       | 12                         | 4                          | 285                        |
| L803504            |                                   | <10                         | 5                          | 0.61                       | 10                          | 1.06                        | 550                        | 7                          | 0.02                        | 61                         | 6050                       | 23                         | 2.81                       | 24                         | 6                          | 237                        |
| L803505            |                                   | 10                          | 10                         | 0.82                       | 10                          | 1.29                        | 509                        | 13                         | 0.03                        | 98                         | 2690                       | 14                         | 7.90                       | 21                         | 10                         | 178                        |
| L803506            |                                   | 10                          | 5                          | 0.95                       | 10                          | 0.85                        | 315                        | 4                          | 0.02                        | 96                         | 1930                       | 18                         | 4.72                       | 3                          | 10                         | 114                        |
| L803507            |                                   | 10                          | 5                          | 0.72                       | 10                          | 1.30                        | 380                        | 3                          | 0.02                        | 82                         | 2340                       | 11                         | 3.58                       | 5                          | 11                         | 86                         |
| L803508            |                                   | 10                          | 3                          | 0.93                       | 10                          | 1.41                        | 359                        | 2                          | 0.02                        | 74                         | 1850                       | 7                          | 2.59                       | 8                          | 14                         | 85                         |
| L803509            |                                   | 10                          | 2                          | 0.70                       | 10                          | 1.84                        | 840                        | 2                          | 0.02                        | 72                         | 2000                       | 7                          | 1.99                       | 13                         | 13                         | 169                        |
| L803510            |                                   | <10                         | <1                         | 0.04                       | <10                         | 12.30                       | 193                        | <1                         | 0.02                        | 1                          | 180                        | <2                         | 0.02                       | <2                         | <1                         | 53                         |
| L803511            |                                   | <10                         | 3                          | 0.58                       | 10                          | 1.49                        | 655                        | 2                          | 0.02                        | 59                         | 2000                       | 9                          | 2.96                       | 19                         | 11                         | 184                        |
| L803512            |                                   | <10                         | 1                          | 0.64                       | 10                          | 2.82                        | 541                        | 2                          | 0.03                        | 21                         | 280                        | 7                          | 1.11                       | 7                          | 5                          | 157                        |
| L803513            |                                   | <10                         | 1                          | 0.60                       | 10                          | 4.49                        | 931                        | 1                          | 0.03                        | 18                         | 290                        | 6                          | 0.93                       | 7                          | 5                          | 240                        |
| L803514            |                                   | <10                         | 1                          | 0.57                       | 10                          | 3.11                        | 558                        | 8                          | 0.03                        | 27                         | 390                        | 10                         | 1.78                       | 11                         | 5                          | 233                        |
| L803515            |                                   | <10                         | 1                          | 0.55                       | 10                          | 0.72                        | 277                        | 5                          | 0.02                        | 28                         | 2490                       | 11                         | 1.22                       | 8                          | 4                          | 156                        |
| L803516            |                                   | <10                         | 1                          | 0.21                       | 10                          | 0.60                        | 199                        | 2                          | 0.02                        | 26                         | 1530                       | 11                         | 1.18                       | 7                          | 3                          | 97                         |
| L803517            |                                   | <10                         | 1                          | 0.19                       | <10                         | 0.51                        | 251                        | 1                          | 0.02                        | 19                         | 330                        | 7                          | 1.38                       | 12                         | 3                          | 87                         |
| L803518            |                                   | <10                         | <1                         | 0.23                       | 10                          | 1.56                        | 827                        | <1                         | 0.02                        | 19                         | 190                        | 6                          | 0.34                       | 7                          | 4                          | 132                        |
| L803519            |                                   | <10                         | 1                          | 0.23                       | <10                         | 1.09                        | 499                        | <1                         | 0.02                        | 18                         | 150                        | 4                          | 0.68                       | 10                         | 4                          | 124                        |
| L803520            |                                   | <10                         | 1                          | 0.11                       | 10                          | 0.61                        | 435                        | 10                         | 0.09                        | 33                         | 760                        | 4                          | 0.12                       | 3                          | 5                          | 45                         |
| L803521            |                                   | <10                         | 1                          | 0.25                       | 10                          | 1.17                        | 613                        | 1                          | 0.02                        | 14                         | 160                        | 7                          | 0.99                       | 10                         | 4                          | 97                         |
| L803522            |                                   | <10                         | 2                          | 0.29                       | <10                         | 1.36                        | 663                        | 5                          | 0.02                        | 31                         | 610                        | 19                         | 1.94                       | 1405                       | 5                          | 185                        |
| L803523            |                                   | <10                         | 2                          | 0.24                       | 10                          | 1.57                        | 871                        | 6                          | 0.02                        | 31                         | 2470                       | 19                         | 1.81                       | 126                        | 4                          | 198                        |
| L803524            |                                   | <10                         | 1                          | 0.12                       | <10                         | 0.55                        | 525                        | 5                          | 0.01                        | 21                         | 910                        | 11                         | 1.49                       | 19                         | 2                          | 78                         |
| L803525            |                                   | <10                         | 3                          | 0.30                       | 10                          | 0.97                        | 595                        | 6                          | 0.02                        | 76                         | 2080                       | 15                         | 3.40                       | 22                         | 8                          | 155                        |

Comments: \*\*Corrected Copy for Au-AA23 on Samples L803510-L803530.\*\*



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: GOLDEN PREDATOR CANADA CORP.  
C/O PREDATOR MINING GROUP  
888 DUNSMUIR STREET, 11TH FLOOR  
VANCOUVER BC V6C 3K4

Page: 4 - C  
Total # Pages: 5 (A - C)  
Finalized Date: 25-OCT-2011  
Account: GOPRED

Project: Brewery Creek

**CERTIFICATE OF ANALYSIS FA11196780**

| Sample Description | Method<br>Analyte<br>Units<br>LOR | ME-ICP41  | ME-ICP41  | ME-ICP41  | ME-ICP41  | ME-ICP41 | ME-ICP41  | ME-ICP41 | Ag-OG46  |
|--------------------|-----------------------------------|-----------|-----------|-----------|-----------|----------|-----------|----------|----------|
|                    |                                   | Th        | Ti        | Ti        | U         | V        | W         | Zn       | Ag       |
|                    |                                   | ppm<br>20 | %<br>0.01 | ppm<br>10 | ppm<br>10 | ppm<br>1 | ppm<br>10 | ppm<br>2 | ppm<br>1 |
| L803486            |                                   | <20       | <0.01     | <10       | <10       | 17       | <10       | 69       |          |
| L803487            |                                   | <20       | <0.01     | <10       | <10       | 33       | <10       | 159      |          |
| L803488            |                                   | <20       | <0.01     | <10       | <10       | 12       | <10       | 74       |          |
| L803489            |                                   | <20       | <0.01     | <10       | <10       | 12       | <10       | 47       |          |
| L803490            |                                   | <20       | <0.01     | <10       | 10        | <1       | <10       | 16       |          |
| L803491            |                                   | <20       | <0.01     | <10       | <10       | 8        | <10       | 37       |          |
| L803492            |                                   | <20       | <0.01     | <10       | <10       | 35       | <10       | 107      |          |
| L803493            |                                   | <20       | <0.01     | <10       | <10       | 25       | <10       | 82       |          |
| L803494            |                                   | <20       | <0.01     | <10       | <10       | 15       | <10       | 57       |          |
| L803495            |                                   | <20       | <0.01     | <10       | <10       | 22       | <10       | 80       |          |
| L803496            |                                   | <20       | <0.01     | <10       | <10       | 42       | <10       | 88       |          |
| L803497            |                                   | <20       | 0.01      | <10       | <10       | 116      | <10       | 291      |          |
| L803498            |                                   | <20       | 0.01      | <10       | <10       | 74       | <10       | 300      |          |
| L803499            |                                   | <20       | 0.01      | <10       | <10       | 137      | <10       | 284      |          |
| L803500            |                                   | <20       | 0.09      | <10       | <10       | 61       | 30        | 3140     | 102      |
| L803501            |                                   | <20       | <0.01     | <10       | <10       | 108      | <10       | 237      |          |
| L803502            |                                   | <20       | <0.01     | <10       | <10       | 124      | <10       | 227      |          |
| L803503            |                                   | <20       | 0.01      | <10       | <10       | 100      | <10       | 150      |          |
| L803504            |                                   | <20       | 0.01      | <10       | <10       | 125      | <10       | 200      |          |
| L803505            |                                   | <20       | 0.01      | <10       | <10       | 116      | <10       | 242      |          |
| L803506            |                                   | <20       | 0.01      | <10       | <10       | 151      | <10       | 273      |          |
| L803507            |                                   | <20       | 0.01      | <10       | <10       | 124      | <10       | 224      |          |
| L803508            |                                   | <20       | 0.01      | <10       | <10       | 136      | <10       | 162      |          |
| L803509            |                                   | <20       | 0.01      | <10       | <10       | 105      | <10       | 154      |          |
| L803510            |                                   | <20       | <0.01     | <10       | 10        | 2        | <10       | 21       |          |
| L803511            |                                   | <20       | 0.01      | <10       | <10       | 85       | <10       | 144      |          |
| L803512            |                                   | <20       | 0.01      | <10       | <10       | 25       | <10       | 61       |          |
| L803513            |                                   | <20       | 0.01      | <10       | <10       | 21       | <10       | 44       |          |
| L803514            |                                   | <20       | <0.01     | <10       | <10       | 24       | <10       | 84       |          |
| L803515            |                                   | <20       | <0.01     | <10       | <10       | 59       | <10       | 151      |          |
| L803516            |                                   | <20       | <0.01     | <10       | <10       | 25       | <10       | 142      |          |
| L803517            |                                   | <20       | <0.01     | <10       | <10       | 12       | <10       | 91       |          |
| L803518            |                                   | <20       | <0.01     | <10       | <10       | 8        | <10       | 46       |          |
| L803519            |                                   | <20       | <0.01     | <10       | <10       | 8        | <10       | 50       |          |
| L803520            |                                   | <20       | 0.12      | <10       | <10       | 56       | <10       | 60       |          |
| L803521            |                                   | <20       | <0.01     | <10       | <10       | 7        | <10       | 33       |          |
| L803522            |                                   | <20       | <0.01     | <10       | <10       | 16       | <10       | 62       |          |
| L803523            |                                   | <20       | <0.01     | <10       | <10       | 39       | <10       | 118      |          |
| L803524            |                                   | <20       | <0.01     | <10       | <10       | 20       | <10       | 58       |          |
| L803525            |                                   | <20       | <0.01     | <10       | <10       | 49       | <10       | 167      |          |

Comments: \*\*Corrected Copy for Au-AA23 on Samples L803510-L803530.\*\*



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: GOLDEN PREDATOR CANADA CORP.  
 C/O PREDATOR MINING GROUP  
 888 DUNSMUIR STREET, 11TH FLOOR  
 VANCOUVER BC V6C 3K4

Page: 5 - A  
 Total # Pages: 5 (A - C)  
 Finalized Date: 25-OCT-2011  
 Account: GOPRED

Project: Brewery Creek

**CERTIFICATE OF ANALYSIS FA11196780**

| Sample Description | Method<br>Analyte<br>Units<br>LOR | WEI-21<br>Recvd Wt.<br>kg | Au-AA23<br>Au<br>ppm | ME-ICP41<br>Ag<br>ppm | ME-ICP41<br>Al<br>% | ME-ICP41<br>As<br>ppm | ME-ICP41<br>B<br>ppm | ME-ICP41<br>Ba<br>ppm | ME-ICP41<br>Be<br>ppm | ME-ICP41<br>Bi<br>ppm | ME-ICP41<br>Ca<br>% | ME-ICP41<br>Cd<br>ppm | ME-ICP41<br>Co<br>ppm | ME-ICP41<br>Cr<br>ppm | ME-ICP41<br>Cu<br>ppm | ME-ICP41<br>Fe<br>% |
|--------------------|-----------------------------------|---------------------------|----------------------|-----------------------|---------------------|-----------------------|----------------------|-----------------------|-----------------------|-----------------------|---------------------|-----------------------|-----------------------|-----------------------|-----------------------|---------------------|
|                    |                                   | 0.02                      | 0.005                | 0.2                   | 0.01                | 2                     | 10                   | 10                    | 0.5                   | 2                     | 0.01                | 0.5                   | 1                     | 1                     | 1                     | 0.01                |
| L803526            |                                   | 7.48                      | 0.010                | 0.2                   | 2.37                | 37                    | 10                   | 310                   | 0.6                   | <2                    | 5.90                | <0.5                  | 25                    | 65                    | 59                    | 6.45                |
| L803527            |                                   | 7.85                      | 0.009                | <0.2                  | 1.35                | 24                    | 10                   | 600                   | 0.8                   | <2                    | 12.3                | <0.5                  | 9                     | 24                    | 22                    | 2.79                |
| L803528            |                                   | 6.12                      | 0.023                | <0.2                  | 1.44                | 49                    | 10                   | 490                   | 0.8                   | <2                    | 12.4                | <0.5                  | 7                     | 20                    | 14                    | 2.48                |
| L803529            |                                   | 5.78                      | 0.006                | <0.2                  | 1.34                | 18                    | 10                   | 570                   | 0.7                   | <2                    | 14.8                | <0.5                  | 7                     | 18                    | 14                    | 2.16                |
| L803530            |                                   | 0.45                      | <0.005               | <0.2                  | 0.06                | <2                    | <10                  | 30                    | <0.5                  | 2                     | 20.1                | <0.5                  | 1                     | <1                    | 1                     | 0.49                |
| L803531            |                                   | 6.83                      | <0.005               | <0.2                  | 1.51                | 16                    | 10                   | 620                   | 0.7                   | <2                    | 15.4                | <0.5                  | 6                     | 18                    | 12                    | 2.18                |
| L803532            |                                   | 5.35                      | 0.017                | <0.2                  | 1.40                | 41                    | 10                   | 1000                  | 0.7                   | <2                    | 13.8                | <0.5                  | 7                     | 18                    | 17                    | 2.04                |
| L803533            |                                   | 6.23                      | <0.005               | 0.2                   | 2.24                | 17                    | 10                   | 100                   | 0.8                   | <2                    | 8.0                 | 0.8                   | 18                    | 48                    | 49                    | 4.27                |
| L803534            |                                   | 7.38                      | <0.005               | 0.2                   | 2.13                | 18                    | 10                   | 60                    | 0.6                   | <2                    | 6.57                | 0.5                   | 21                    | 73                    | 46                    | 4.99                |
| L803535            |                                   | 3.67                      | 0.008                | 0.3                   | 2.22                | 27                    | 10                   | 50                    | 0.7                   | <2                    | 3.48                | 0.8                   | 25                    | 64                    | 61                    | 5.30                |
| L803536            |                                   | 2.19                      | <0.005               | 0.4                   | 2.34                | 14                    | 20                   | 50                    | 0.8                   | <2                    | 2.88                | 0.8                   | 27                    | 63                    | 65                    | 5.61                |
| L803537            |                                   | 7.26                      | <0.005               | 0.3                   | 2.29                | 16                    | 10                   | 60                    | 0.7                   | <2                    | 2.46                | 1.5                   | 27                    | 66                    | 74                    | 5.71                |
| L803538            |                                   | 7.95                      | <0.005               | <0.2                  | 2.46                | 10                    | 10                   | 160                   | 0.8                   | <2                    | 3.93                | 0.6                   | 24                    | 66                    | 62                    | 5.23                |

Comments: \*\*Corrected Copy for Au-AA23 on Samples L803510-L803530.\*\*



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: GOLDEN PREDATOR CANADA CORP.  
 C/O PREDATOR MINING GROUP  
 888 DUNSMUIR STREET, 11TH FLOOR  
 VANCOUVER BC V6C 3K4

Page: 5 - B  
 Total # Pages: 5 (A - C)  
 Finalized Date: 25-OCT-2011  
 Account: GOPRED

Project: Brewery Creek

**CERTIFICATE OF ANALYSIS FA11196780**

| Sample Description | Method<br>Analyte<br>Units<br>LOR | ME-ICP41<br>Ga<br>ppm<br>10 | ME-ICP41<br>Hg<br>ppm<br>1 | ME-ICP41<br>K<br>%<br>0.01 | ME-ICP41<br>La<br>ppm<br>10 | ME-ICP41<br>Mg<br>%<br>0.01 | ME-ICP41<br>Mn<br>ppm<br>5 | ME-ICP41<br>Mo<br>ppm<br>1 | ME-ICP41<br>Na<br>%<br>0.01 | ME-ICP41<br>Ni<br>ppm<br>1 | ME-ICP41<br>P<br>ppm<br>10 | ME-ICP41<br>Pb<br>ppm<br>2 | ME-ICP41<br>S<br>%<br>0.01 | ME-ICP41<br>Sb<br>ppm<br>2 | ME-ICP41<br>Sc<br>ppm<br>1 | ME-ICP41<br>Sr<br>ppm<br>1 |
|--------------------|-----------------------------------|-----------------------------|----------------------------|----------------------------|-----------------------------|-----------------------------|----------------------------|----------------------------|-----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|
| L803526            |                                   | 10                          | 1                          | 0.23                       | 20                          | 2.47                        | 899                        | 2                          | 0.04                        | 64                         | 1770                       | 6                          | 1.44                       | 6                          | 13                         | 211                        |
| L803527            |                                   | <10                         | 1                          | 0.32                       | 10                          | 1.39                        | 610                        | 1                          | 0.03                        | 24                         | 1120                       | 7                          | 0.41                       | 3                          | 7                          | 370                        |
| L803528            |                                   | <10                         | <1                         | 0.34                       | 10                          | 1.35                        | 497                        | 1                          | 0.03                        | 16                         | 840                        | 7                          | 0.29                       | 4                          | 6                          | 335                        |
| L803529            |                                   | <10                         | <1                         | 0.33                       | 10                          | 1.28                        | 532                        | <1                         | 0.03                        | 15                         | 990                        | 8                          | 0.28                       | 3                          | 6                          | 383                        |
| L803530            |                                   | <10                         | <1                         | 0.02                       | <10                         | 12.60                       | 219                        | <1                         | 0.02                        | <1                         | 180                        | <2                         | 0.01                       | <2                         | <1                         | 52                         |
| L803531            |                                   | <10                         | <1                         | 0.33                       | 10                          | 1.26                        | 421                        | 1                          | 0.03                        | 13                         | 970                        | 8                          | 0.21                       | 3                          | 6                          | 364                        |
| L803532            |                                   | <10                         | 1                          | 0.32                       | 10                          | 1.14                        | 446                        | 1                          | 0.03                        | 14                         | 820                        | 5                          | 0.31                       | 6                          | 5                          | 372                        |
| L803533            |                                   | 10                          | <1                         | 0.33                       | 10                          | 1.58                        | 566                        | 2                          | 0.02                        | 47                         | 1240                       | 5                          | 1.38                       | 4                          | 11                         | 235                        |
| L803534            |                                   | 10                          | 1                          | 0.27                       | 20                          | 1.47                        | 1260                       | 2                          | 0.03                        | 60                         | 1560                       | 5                          | 2.34                       | <2                         | 13                         | 149                        |
| L803535            |                                   | 10                          | 1                          | 0.32                       | 10                          | 1.48                        | 537                        | 2                          | 0.02                        | 71                         | 1410                       | 5                          | 2.67                       | 3                          | 11                         | 115                        |
| L803536            |                                   | 10                          | <1                         | 0.37                       | 10                          | 1.49                        | 413                        | 3                          | 0.02                        | 76                         | 1390                       | 5                          | 2.95                       | <2                         | 11                         | 99                         |
| L803537            |                                   | 10                          | 1                          | 0.30                       | 10                          | 1.67                        | 381                        | 4                          | 0.02                        | 86                         | 1530                       | 6                          | 2.93                       | 2                          | 11                         | 109                        |
| L803538            |                                   | 10                          | <1                         | 0.32                       | 10                          | 1.82                        | 612                        | 2                          | 0.02                        | 60                         | 1450                       | 5                          | 1.62                       | <2                         | 12                         | 166                        |

Comments: \*\*Corrected Copy for Au-AA23 on Samples L803510-L803530.\*\*



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: GOLDEN PREDATOR CANADA CORP.  
 C/O PREDATOR MINING GROUP  
 888 DUNSMUIR STREET, 11TH FLOOR  
 VANCOUVER BC V6C 3K4

Page: 5 - C  
 Total # Pages: 5 (A - C)  
 Finalized Date: 25-OCT-2011  
 Account: GOPRED

Project: Brewery Creek

**CERTIFICATE OF ANALYSIS FA11196780**

| Sample Description | Method<br>Analyte<br>Units<br>LOR | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | Ag-OG46 |
|--------------------|-----------------------------------|----------|----------|----------|----------|----------|----------|----------|---------|
|                    |                                   | Th       | Ti       | Ti       | U        | V        | W        | Zn       | Ag      |
|                    |                                   | ppm      | %        | ppm      | ppm      | ppm      | ppm      | ppm      | ppm     |
|                    |                                   | 20       | 0.01     | 10       | 10       | 1        | 10       | 2        | 1       |
| L803526            |                                   | <20      | 0.01     | <10      | <10      | 127      | <10      | 126      |         |
| L803527            |                                   | <20      | 0.01     | <10      | <10      | 31       | <10      | 97       |         |
| L803528            |                                   | <20      | 0.01     | <10      | <10      | 20       | <10      | 66       |         |
| L803529            |                                   | <20      | 0.01     | <10      | <10      | 17       | <10      | 62       |         |
| L803530            |                                   | <20      | <0.01    | <10      | 10       | <1       | <10      | 17       |         |
| L803531            |                                   | <20      | 0.01     | <10      | <10      | 16       | <10      | 69       |         |
| L803532            |                                   | <20      | 0.01     | <10      | <10      | 15       | <10      | 65       |         |
| L803533            |                                   | <20      | 0.01     | <10      | <10      | 78       | <10      | 120      |         |
| L803534            |                                   | <20      | 0.01     | <10      | <10      | 96       | <10      | 109      |         |
| L803535            |                                   | <20      | 0.01     | <10      | <10      | 105      | <10      | 132      |         |
| L803536            |                                   | <20      | 0.01     | <10      | <10      | 111      | <10      | 132      |         |
| L803537            |                                   | <20      | 0.01     | <10      | <10      | 118      | <10      | 180      |         |
| L803538            |                                   | <20      | 0.01     | <10      | <10      | 102      | <10      | 117      |         |

Comments: \*\*Corrected Copy for Au-AA23 on Samples L803510-L803530.\*\*