



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: GOLDEN PREDATOR CANADA CORP.  
888 DUNSMUIR STREET  
11TH FLOOR  
VANCOUVER BC V6C 3K4

Page: 1  
Finalized Date: 22-SEP-2011  
Account: GOPRED

**CERTIFICATE RE11175882**

Project: Brewery Creek

P.O. No.: BRC-2011-JC-1757

This report is for 56 Percussion samples submitted to our lab in Whitehorse, YT, Canada on 31-JUL-2011.

The following have access to data associated with this certificate:

TYLER BOURNE  
JACK COTE  
BRUCE OTTO

MIKE BURKE  
GILLES DESSUREAU  
BILL SHERIFF

ANDREW CALDWELL  
MIKE MASLOWSKI

**SAMPLE PREPARATION**

| ALS CODE | DESCRIPTION                    |
|----------|--------------------------------|
| WEI-21   | Received Sample Weight         |
| LOG-21   | Sample logging - ClientBarCode |
| CRU-31   | Fine crushing - 70% <2mm       |
| SPL-21   | Split sample - riffle splitter |
| PUL-31   | Pulverize split to 85% <75 um  |
| LOG-23   | Pulp Login - Rcvd with Barcode |
| CRU-QC   | Crushing QC Test               |
| PUL-QC   | Pulverizing QC Test            |
| DRY-21   | High Temperature Drying        |

**ANALYTICAL PROCEDURES**

| ALS CODE | DESCRIPTION                   | INSTRUMENT |
|----------|-------------------------------|------------|
| Au-AA23  | Au 30g FA-AA finish           | AAS        |
| ME-ICP41 | 35 Element Aqua Regia ICP-AES | ICP-AES    |

The results of this assay were based solely upon the content of the sample submitted. Any decision to invest should be made only after the potential investment value of the claim 'or deposit has been determined based on the results of assays of multiple samples of geological materials collected by the prospective investor or by a qualified person selected by him/her and based on an evaluation of all engineering data which is available

To: GOLDEN PREDATOR CANADA CORP.  
ATTN: JACK COTE  
888 DUNSMUIR STREET  
11TH FLOOR  
VANCOUVER BC V6C 3K4

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:   
Joyce Quiroz, Laboratory Manager, Reno



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: GOLDEN PREDATOR CANADA CORP.  
888 DUNSMUIR STREET  
11TH FLOOR  
VANCOUVER BC V6C 3K4

Page: 2 - A  
Total # Pages: 3 (A - C)  
Finalized Date: 22-SEP-2011  
Account: GOPRED

Project: Brewery Creek

**CERTIFICATE OF ANALYSIS RE11175882**

| Sample Description | Method<br>Analyte<br>Units<br>LOR | WEI-21<br>Recvd Wt.<br>kg | Au-AA23<br>Au<br>ppm | ME-ICP41<br>Ag<br>ppm | ME-ICP41<br>Al<br>% | ME-ICP41<br>As<br>ppm | ME-ICP41<br>B<br>ppm | ME-ICP41<br>Ba<br>ppm | ME-ICP41<br>Be<br>ppm | ME-ICP41<br>Bi<br>ppm | ME-ICP41<br>Ca<br>% | ME-ICP41<br>Cd<br>ppm | ME-ICP41<br>Co<br>ppm | ME-ICP41<br>Cr<br>ppm | ME-ICP41<br>Cu<br>ppm | ME-ICP41<br>Fe<br>% |
|--------------------|-----------------------------------|---------------------------|----------------------|-----------------------|---------------------|-----------------------|----------------------|-----------------------|-----------------------|-----------------------|---------------------|-----------------------|-----------------------|-----------------------|-----------------------|---------------------|
|                    |                                   | 0.02                      | 0.005                | 0.2                   | 0.01                | 2                     | 10                   | 10                    | 0.5                   | 2                     | 0.01                | 0.5                   | 1                     | 1                     | 1                     | 0.01                |
| L799642            |                                   | 8.44                      | 0.047                | 0.2                   | 1.07                | 52                    | <10                  | 130                   | 7.5                   | 3                     | 0.63                | <0.5                  | 10                    | 52                    | 16                    | 3.66                |
| L799643            |                                   | 6.26                      | 0.107                | 0.2                   | 1.51                | 315                   | <10                  | 140                   | 5.6                   | 10                    | 0.93                | <0.5                  | 13                    | 69                    | 87                    | 4.18                |
| L799644            |                                   | 6.98                      | 0.888                | 0.5                   | 1.73                | 1650                  | <10                  | 220                   | 4.2                   | 16                    | 1.01                | <0.5                  | 14                    | 59                    | 46                    | 3.92                |
| L799645            |                                   | 0.94                      | 0.184                | 0.4                   | 1.65                | 276                   | <10                  | 200                   | 4.3                   | 11                    | 0.93                | <0.5                  | 14                    | 63                    | 65                    | 3.70                |
| L799646            |                                   | 1.28                      | 0.403                | 1.5                   | 1.40                | 712                   | <10                  | 190                   | 4.5                   | 12                    | 0.98                | 0.7                   | 12                    | 60                    | 154                   | 3.48                |
| L799647            |                                   | 4.44                      | 0.137                | 0.6                   | 0.79                | 335                   | <10                  | 90                    | 5.1                   | 7                     | 0.54                | <0.5                  | 6                     | 33                    | 62                    | 2.36                |
| L799648            |                                   | 5.52                      | 0.135                | 0.4                   | 2.20                | 256                   | 10                   | 280                   | 5.1                   | 7                     | 2.87                | 0.5                   | 5                     | 23                    | 95                    | 1.91                |
| L799649            |                                   | 5.84                      | 0.033                | 0.8                   | 2.74                | 139                   | 10                   | 2080                  | 2.6                   | 2                     | 1.87                | <0.5                  | 23                    | 73                    | 160                   | 3.90                |
| L799650            |                                   | 0.68                      | <0.005               | <0.2                  | 0.03                | 3                     | <10                  | <10                   | <0.5                  | <2                    | 18.4                | <0.5                  | 2                     | <1                    | 23                    | 0.45                |
| L799651            |                                   | 5.48                      | 0.036                | 0.4                   | 2.62                | 145                   | 10                   | 5140                  | 1.6                   | <2                    | 1.47                | <0.5                  | 25                    | 68                    | 111                   | 5.10                |
| L799652            |                                   | 4.30                      | 0.022                | 0.2                   | 0.51                | 86                    | <10                  | 290                   | 2.4                   | <2                    | 1.97                | <0.5                  | 7                     | 32                    | 22                    | 1.52                |
| L799653            |                                   | 5.68                      | 0.180                | 1.2                   | 0.73                | 211                   | 20                   | 130                   | 4.7                   | 5                     | 2.07                | <0.5                  | 7                     | 31                    | 234                   | 1.93                |
| L799654            |                                   | 4.12                      | 0.276                | 1.5                   | 1.83                | 941                   | 200                  | 220                   | 10.2                  | 9                     | 7.4                 | 0.7                   | 5                     | 19                    | 308                   | 2.04                |
| L799655            |                                   | 3.40                      | 0.025                | 0.4                   | 2.54                | 87                    | 110                  | 230                   | 3.4                   | 2                     | 5.28                | <0.5                  | 7                     | 14                    | 43                    | 0.94                |
| L799656            |                                   | 3.90                      | 0.024                | 0.4                   | 2.44                | 84                    | 100                  | 230                   | 3.3                   | 2                     | 5.25                | <0.5                  | 6                     | 13                    | 42                    | 0.89                |
| L799657            |                                   | 5.52                      | 0.037                | <0.2                  | 0.96                | 141                   | 20                   | 260                   | 2.4                   | <2                    | 1.57                | <0.5                  | 10                    | 45                    | 60                    | 2.00                |
| L799658            |                                   | 6.90                      | 0.155                | 0.4                   | 1.02                | 357                   | 10                   | 260                   | 2.3                   | 2                     | 1.52                | 0.5                   | 15                    | 73                    | 128                   | 2.71                |
| L799659            |                                   | 3.66                      | 0.735                | 0.7                   | 1.64                | 1300                  | 30                   | 250                   | 4.5                   | 14                    | 1.64                | <0.5                  | 13                    | 104                   | 82                    | 3.29                |
| L799660            |                                   | 0.08                      | 1.290                | <0.2                  | 1.55                | 3                     | <10                  | 70                    | 0.8                   | <2                    | 0.67                | <0.5                  | 17                    | 51                    | 26                    | 2.89                |
| L799661            |                                   | 7.48                      | 0.122                | <0.2                  | 1.57                | 366                   | 10                   | 280                   | 4.1                   | 3                     | 1.38                | <0.5                  | 14                    | 108                   | 32                    | 3.35                |
| L799662            |                                   | 8.52                      | 0.105                | <0.2                  | 1.44                | 269                   | 10                   | 300                   | 3.4                   | <2                    | 1.52                | <0.5                  | 14                    | 107                   | 36                    | 3.31                |
| L799663            |                                   | 4.12                      | 0.059                | <0.2                  | 0.73                | 123                   | <10                  | 140                   | 2.7                   | 2                     | 0.78                | <0.5                  | 7                     | 54                    | 33                    | 1.92                |
| L799664            |                                   | 8.04                      | 0.078                | 0.2                   | 0.40                | 267                   | <10                  | 60                    | 4.6                   | 2                     | 0.57                | <0.5                  | 5                     | 20                    | 71                    | 1.52                |
| L799665            |                                   | 7.92                      | 0.170                | 0.3                   | 0.73                | 343                   | <10                  | 120                   | 5.1                   | 4                     | 0.56                | <0.5                  | 8                     | 43                    | 50                    | 1.97                |
| L799666            |                                   | 3.96                      | 0.072                | 0.2                   | 1.43                | 98                    | <10                  | 300                   | 4.3                   | 3                     | 0.86                | <0.5                  | 11                    | 83                    | 53                    | 2.72                |
| L799667            |                                   | 7.20                      | 0.035                | 0.2                   | 1.65                | 73                    | 10                   | 340                   | 4.2                   | 3                     | 0.90                | <0.5                  | 13                    | 96                    | 59                    | 3.02                |
| L799668            |                                   | 6.28                      | 0.013                | 0.2                   | 1.78                | 67                    | 10                   | 380                   | 5.1                   | <2                    | 0.89                | <0.5                  | 14                    | 96                    | 73                    | 3.21                |
| L799669            |                                   | 4.88                      | <0.005               | <0.2                  | 1.26                | 39                    | <10                  | 180                   | 5.0                   | <2                    | 0.73                | <0.5                  | 12                    | 80                    | 54                    | 3.02                |
| L799670            |                                   | 0.60                      | <0.005               | <0.2                  | 0.06                | 6                     | <10                  | 20                    | <0.5                  | <2                    | 20.8                | <0.5                  | 1                     | 1                     | 6                     | 0.48                |
| L799671            |                                   | 5.48                      | <0.005               | 0.2                   | 0.92                | 117                   | <10                  | 190                   | 4.8                   | <2                    | 0.69                | <0.5                  | 10                    | 36                    | 83                    | 2.80                |
| L799672            |                                   | 6.52                      | 0.018                | 0.2                   | 0.71                | 105                   | <10                  | 130                   | 3.7                   | 2                     | 0.50                | <0.5                  | 7                     | 28                    | 89                    | 2.15                |
| L799673            |                                   | 6.58                      | 0.011                | 0.2                   | 0.55                | 82                    | <10                  | 140                   | 3.9                   | 2                     | 0.42                | <0.5                  | 6                     | 20                    | 53                    | 1.64                |
| L799674            |                                   | 8.52                      | 0.017                | <0.2                  | 0.86                | 115                   | <10                  | 140                   | 5.8                   | <2                    | 0.76                | <0.5                  | 8                     | 35                    | 42                    | 2.65                |
| L799675            |                                   | 4.60                      | 0.014                | 0.2                   | 0.73                | 111                   | <10                  | 130                   | 5.1                   | <2                    | 0.70                | <0.5                  | 7                     | 26                    | 39                    | 2.22                |
| L799676            |                                   | 2.26                      | 0.020                | <0.2                  | 0.71                | 109                   | <10                  | 130                   | 5.0                   | <2                    | 0.68                | <0.5                  | 7                     | 26                    | 38                    | 2.17                |
| L799677            |                                   | 3.70                      | 0.022                | <0.2                  | 0.81                | 79                    | <10                  | 140                   | 5.4                   | <2                    | 0.75                | <0.5                  | 7                     | 29                    | 38                    | 2.39                |
| L799678            |                                   | 10.60                     | 0.061                | <0.2                  | 0.73                | 152                   | <10                  | 100                   | 4.4                   | 2                     | 0.88                | <0.5                  | 7                     | 29                    | 38                    | 2.30                |
| L799679            |                                   | 10.16                     | 0.024                | <0.2                  | 0.70                | 84                    | <10                  | 130                   | 4.0                   | <2                    | 0.80                | <0.5                  | 6                     | 28                    | 30                    | 2.12                |
| L799680            |                                   | 0.06                      | 8.84                 | 0.8                   | 1.52                | 39                    | <10                  | 60                    | 0.9                   | 2                     | 1.24                | <0.5                  | 16                    | 50                    | 65                    | 5.21                |
| L799681            |                                   | 4.36                      | 0.022                | <0.2                  | 0.79                | 96                    | <10                  | 130                   | 5.2                   | 2                     | 0.88                | <0.5                  | 8                     | 31                    | 47                    | 2.51                |



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: GOLDEN PREDATOR CANADA CORP.  
888 DUNSMUIR STREET  
11TH FLOOR  
VANCOUVER BC V6C 3K4

Page: 2 - B  
Total # Pages: 3 (A - C)  
Finalized Date: 22-SEP-2011  
Account: GOPRED

Project: Brewery Creek

**CERTIFICATE OF ANALYSIS RE11175882**

| Sample Description | Method<br>Analyte<br>Units<br>LOR | ME-ICP41<br>Ga<br>ppm<br>10 | ME-ICP41<br>Hg<br>ppm<br>1 | ME-ICP41<br>K<br>%<br>0.01 | ME-ICP41<br>La<br>ppm<br>10 | ME-ICP41<br>Mg<br>%<br>0.01 | ME-ICP41<br>Mn<br>ppm<br>5 | ME-ICP41<br>Mo<br>ppm<br>1 | ME-ICP41<br>Na<br>%<br>0.01 | ME-ICP41<br>Ni<br>ppm<br>1 | ME-ICP41<br>P<br>ppm<br>10 | ME-ICP41<br>Pb<br>ppm<br>2 | ME-ICP41<br>S<br>%<br>0.01 | ME-ICP41<br>Sb<br>ppm<br>2 | ME-ICP41<br>Sc<br>ppm<br>1 | ME-ICP41<br>Sr<br>ppm<br>1 |
|--------------------|-----------------------------------|-----------------------------|----------------------------|----------------------------|-----------------------------|-----------------------------|----------------------------|----------------------------|-----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|
| L799642            |                                   | 10                          | <1                         | 0.49                       | 80                          | 0.91                        | 589                        | <1                         | 0.06                        | 11                         | 1450                       | 24                         | 0.02                       | 3                          | 10                         | 72                         |
| L799643            |                                   | 10                          | <1                         | 0.59                       | 80                          | 1.48                        | 500                        | 1                          | 0.04                        | 7                          | 2450                       | 39                         | 0.02                       | 5                          | 10                         | 123                        |
| L799644            |                                   | 10                          | <1                         | 0.77                       | 80                          | 1.54                        | 551                        | 1                          | 0.04                        | 7                          | 2310                       | 45                         | 0.02                       | 4                          | 7                          | 230                        |
| L799645            |                                   | 10                          | <1                         | 0.86                       | 80                          | 1.72                        | 630                        | 1                          | 0.04                        | 8                          | 2290                       | 65                         | 0.01                       | 3                          | 6                          | 214                        |
| L799646            |                                   | 10                          | <1                         | 0.77                       | 80                          | 1.54                        | 597                        | 1                          | 0.05                        | 7                          | 2260                       | 73                         | 0.02                       | 4                          | 6                          | 221                        |
| L799647            |                                   | 10                          | <1                         | 0.36                       | 80                          | 0.93                        | 424                        | 1                          | 0.05                        | 5                          | 1060                       | 35                         | 0.01                       | 3                          | 5                          | 89                         |
| L799648            |                                   | 10                          | <1                         | 0.25                       | 60                          | 1.99                        | 563                        | 2                          | 0.29                        | 4                          | 1290                       | 23                         | 0.03                       | 6                          | 3                          | 374                        |
| L799649            |                                   | 10                          | <1                         | 0.69                       | 30                          | 1.64                        | 558                        | 1                          | 0.29                        | 54                         | 1660                       | 24                         | 0.02                       | 7                          | 8                          | 527                        |
| L799650            |                                   | <10                         | <1                         | 0.01                       | <10                         | 11.85                       | 211                        | <1                         | 0.03                        | <1                         | 150                        | 6                          | 0.04                       | <2                         | <1                         | 48                         |
| L799651            |                                   | 10                          | <1                         | 0.93                       | 40                          | 2.08                        | 517                        | 1                          | 0.24                        | 44                         | 2080                       | 25                         | 0.03                       | 6                          | 10                         | 392                        |
| L799652            |                                   | <10                         | <1                         | 0.23                       | 60                          | 0.73                        | 264                        | 2                          | 0.07                        | 7                          | 2250                       | 17                         | 0.04                       | <2                         | 4                          | 74                         |
| L799653            |                                   | <10                         | <1                         | 0.22                       | 60                          | 0.95                        | 294                        | 2                          | 0.05                        | 9                          | 1940                       | 19                         | 0.02                       | 5                          | 3                          | 146                        |
| L799654            |                                   | 10                          | <1                         | 0.12                       | 40                          | 2.32                        | 428                        | 1                          | 0.08                        | 8                          | 920                        | 27                         | 0.02                       | 21                         | 2                          | 507                        |
| L799655            |                                   | <10                         | <1                         | 0.14                       | 40                          | 0.80                        | 233                        | 2                          | 0.45                        | 14                         | 1380                       | 26                         | 0.05                       | 11                         | 1                          | 868                        |
| L799656            |                                   | <10                         | <1                         | 0.14                       | 30                          | 0.78                        | 226                        | 2                          | 0.42                        | 13                         | 1360                       | 25                         | 0.05                       | 9                          | 1                          | 856                        |
| L799657            |                                   | <10                         | <1                         | 0.57                       | 60                          | 0.92                        | 249                        | 1                          | 0.08                        | 26                         | 2060                       | 17                         | 0.01                       | 3                          | 3                          | 136                        |
| L799658            |                                   | 10                          | <1                         | 0.81                       | 60                          | 1.15                        | 344                        | 1                          | 0.06                        | 29                         | 2320                       | 13                         | 0.01                       | 4                          | 4                          | 91                         |
| L799659            |                                   | 10                          | 1                          | 1.15                       | 70                          | 1.52                        | 489                        | 1                          | 0.06                        | 10                         | 2620                       | 54                         | 0.01                       | 4                          | 5                          | 203                        |
| L799660            |                                   | <10                         | <1                         | 0.38                       | 10                          | 1.32                        | 409                        | <1                         | 0.60                        | 67                         | 1080                       | 6                          | 0.01                       | <2                         | 1                          | 163                        |
| L799661            |                                   | 10                          | <1                         | 1.18                       | 70                          | 1.55                        | 493                        | 1                          | 0.05                        | 9                          | 2610                       | 24                         | 0.01                       | 2                          | 6                          | 129                        |
| L799662            |                                   | 10                          | <1                         | 1.14                       | 70                          | 1.56                        | 456                        | 1                          | 0.05                        | 9                          | 2700                       | 19                         | 0.01                       | <2                         | 5                          | 102                        |
| L799663            |                                   | <10                         | <1                         | 0.48                       | 60                          | 0.83                        | 290                        | 1                          | 0.05                        | 6                          | 1670                       | 18                         | 0.01                       | <2                         | 4                          | 80                         |
| L799664            |                                   | <10                         | <1                         | 0.16                       | 70                          | 0.45                        | 387                        | 1                          | 0.04                        | 9                          | 1390                       | 19                         | <0.01                      | 4                          | 3                          | 82                         |
| L799665            |                                   | <10                         | <1                         | 0.36                       | 60                          | 0.75                        | 426                        | 1                          | 0.04                        | 7                          | 1450                       | 21                         | <0.01                      | 2                          | 4                          | 88                         |
| L799666            |                                   | 10                          | <1                         | 0.73                       | 70                          | 1.37                        | 472                        | 1                          | 0.04                        | 8                          | 2300                       | 32                         | 0.01                       | <2                         | 4                          | 160                        |
| L799667            |                                   | 10                          | <1                         | 0.90                       | 70                          | 1.70                        | 498                        | <1                         | 0.05                        | 12                         | 2440                       | 41                         | 0.01                       | 2                          | 4                          | 170                        |
| L799668            |                                   | 10                          | 1                          | 0.89                       | 70                          | 1.73                        | 499                        | 1                          | 0.05                        | 10                         | 2470                       | 53                         | 0.01                       | 3                          | 4                          | 193                        |
| L799669            |                                   | 10                          | <1                         | 0.82                       | 80                          | 1.48                        | 440                        | <1                         | 0.05                        | 10                         | 2140                       | 54                         | 0.01                       | 3                          | 4                          | 90                         |
| L799670            |                                   | <10                         | <1                         | 0.04                       | <10                         | 13.05                       | 228                        | <1                         | 0.02                        | <1                         | 190                        | 10                         | 0.09                       | <2                         | <1                         | 55                         |
| L799671            |                                   | 10                          | <1                         | 0.79                       | 90                          | 0.89                        | 700                        | <1                         | 0.07                        | 10                         | 1920                       | 42                         | 0.01                       | 7                          | 3                          | 112                        |
| L799672            |                                   | <10                         | <1                         | 0.55                       | 70                          | 0.65                        | 556                        | <1                         | 0.06                        | 7                          | 1260                       | 25                         | <0.01                      | 5                          | 3                          | 102                        |
| L799673            |                                   | <10                         | <1                         | 0.31                       | 60                          | 0.47                        | 326                        | <1                         | 0.05                        | 5                          | 960                        | 16                         | <0.01                      | 4                          | 3                          | 151                        |
| L799674            |                                   | 10                          | <1                         | 0.62                       | 90                          | 0.86                        | 436                        | <1                         | 0.05                        | 7                          | 1300                       | 18                         | <0.01                      | 3                          | 4                          | 125                        |
| L799675            |                                   | <10                         | <1                         | 0.59                       | 90                          | 0.67                        | 355                        | <1                         | 0.06                        | 6                          | 1320                       | 19                         | <0.01                      | 2                          | 4                          | 159                        |
| L799676            |                                   | <10                         | <1                         | 0.53                       | 80                          | 0.65                        | 349                        | <1                         | 0.06                        | 6                          | 1280                       | 19                         | <0.01                      | <2                         | 3                          | 149                        |
| L799677            |                                   | <10                         | <1                         | 0.55                       | 80                          | 0.79                        | 380                        | <1                         | 0.07                        | 6                          | 1280                       | 26                         | <0.01                      | 2                          | 4                          | 153                        |
| L799678            |                                   | <10                         | <1                         | 0.54                       | 80                          | 0.77                        | 383                        | <1                         | 0.06                        | 6                          | 1380                       | 22                         | 0.01                       | 2                          | 4                          | 112                        |
| L799679            |                                   | <10                         | 1                          | 0.56                       | 80                          | 0.68                        | 352                        | <1                         | 0.07                        | 6                          | 1200                       | 23                         | <0.01                      | <2                         | 4                          | 121                        |
| L799680            |                                   | <10                         | <1                         | 0.34                       | 10                          | 1.49                        | 370                        | <1                         | 0.55                        | 60                         | 1080                       | 66                         | 3.65                       | <2                         | 1                          | 216                        |
| L799681            |                                   | <10                         | <1                         | 0.51                       | 100                         | 0.82                        | 431                        | <1                         | 0.06                        | 7                          | 1500                       | 24                         | 0.01                       | <2                         | 5                          | 146                        |



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: GOLDEN PREDATOR CANADA CORP.  
 888 DUNSMUIR STREET  
 11TH FLOOR  
 VANCOUVER BC V6C 3K4

Page: 2 - C  
 Total # Pages: 3 (A - C)  
 Finalized Date: 22-SEP-2011  
 Account: GOPRED

Project: Brewery Creek

**CERTIFICATE OF ANALYSIS RE11175882**

| Sample Description | Method<br>Analyte<br>Units<br>LOR | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 |
|--------------------|-----------------------------------|----------|----------|----------|----------|----------|----------|----------|
|                    |                                   | Th       | Ti       | Ti       | U        | V        | W        | Zn       |
|                    |                                   | ppm      | %        | ppm      | ppm      | ppm      | ppm      | ppm      |
|                    |                                   | 20       | 0.01     | 10       | 10       | 1        | 10       | 2        |
| L799642            |                                   | 60       | 0.22     | <10      | <10      | 80       | <10      | 88       |
| L799643            |                                   | 40       | 0.21     | <10      | <10      | 114      | <10      | 100      |
| L799644            |                                   | 50       | 0.23     | <10      | <10      | 100      | <10      | 98       |
| L799645            |                                   | 60       | 0.25     | <10      | <10      | 80       | <10      | 107      |
| L799646            |                                   | 70       | 0.22     | <10      | <10      | 75       | <10      | 98       |
| L799647            |                                   | 110      | 0.13     | <10      | <10      | 50       | <10      | 56       |
| L799648            |                                   | 70       | 0.10     | <10      | <10      | 33       | 10       | 45       |
| L799649            |                                   | 20       | 0.40     | <10      | <10      | 113      | <10      | 70       |
| L799650            |                                   | <20      | <0.01    | <10      | <10      | 2        | <10      | 23       |
| L799651            |                                   | 20       | 0.51     | <10      | <10      | 162      | <10      | 72       |
| L799652            |                                   | 40       | 0.12     | <10      | <10      | 32       | <10      | 33       |
| L799653            |                                   | 50       | 0.11     | <10      | <10      | 36       | <10      | 53       |
| L799654            |                                   | 40       | 0.10     | <10      | 10       | 24       | <10      | 62       |
| L799655            |                                   | 30       | 0.09     | <10      | <10      | 14       | <10      | 24       |
| L799656            |                                   | 30       | 0.08     | <10      | <10      | 13       | <10      | 23       |
| L799657            |                                   | 50       | 0.19     | <10      | <10      | 50       | <10      | 55       |
| L799658            |                                   | 30       | 0.22     | <10      | <10      | 80       | <10      | 82       |
| L799659            |                                   | 40       | 0.22     | <10      | <10      | 101      | <10      | 112      |
| L799660            |                                   | <20      | 0.37     | <10      | <10      | 47       | <10      | 39       |
| L799661            |                                   | 50       | 0.24     | <10      | <10      | 99       | <10      | 99       |
| L799662            |                                   | 50       | 0.29     | <10      | <10      | 95       | <10      | 96       |
| L799663            |                                   | 40       | 0.15     | <10      | <10      | 50       | <10      | 51       |
| L799664            |                                   | 40       | 0.04     | <10      | <10      | 24       | <10      | 34       |
| L799665            |                                   | 40       | 0.10     | <10      | <10      | 40       | <10      | 45       |
| L799666            |                                   | 30       | 0.19     | <10      | <10      | 61       | <10      | 73       |
| L799667            |                                   | 50       | 0.23     | <10      | <10      | 63       | <10      | 83       |
| L799668            |                                   | 40       | 0.24     | <10      | <10      | 73       | <10      | 88       |
| L799669            |                                   | 70       | 0.21     | <10      | <10      | 57       | <10      | 122      |
| L799670            |                                   | <20      | <0.01    | <10      | 10       | 2        | <10      | 21       |
| L799671            |                                   | 110      | 0.22     | <10      | 10       | 41       | <10      | 118      |
| L799672            |                                   | 60       | 0.15     | <10      | <10      | 37       | <10      | 93       |
| L799673            |                                   | 60       | 0.10     | <10      | <10      | 27       | <10      | 62       |
| L799674            |                                   | 100      | 0.17     | <10      | 10       | 45       | <10      | 103      |
| L799675            |                                   | 110      | 0.16     | <10      | 10       | 36       | <10      | 86       |
| L799676            |                                   | 110      | 0.16     | <10      | 10       | 35       | <10      | 87       |
| L799677            |                                   | 100      | 0.17     | <10      | <10      | 40       | <10      | 97       |
| L799678            |                                   | 80       | 0.16     | <10      | <10      | 39       | <10      | 87       |
| L799679            |                                   | 60       | 0.14     | <10      | <10      | 39       | <10      | 78       |
| L799680            |                                   | <20      | 0.36     | <10      | <10      | 44       | <10      | 91       |
| L799681            |                                   | 100      | 0.16     | <10      | <10      | 45       | <10      | 94       |



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: GOLDEN PREDATOR CANADA CORP.  
 888 DUNSMUIR STREET  
 11TH FLOOR  
 VANCOUVER BC V6C 3K4

Page: 3 - A  
 Total # Pages: 3 (A - C)  
 Finalized Date: 22-SEP-2011  
 Account: GOPRED

Project: Brewery Creek

**CERTIFICATE OF ANALYSIS RE11175882**

| Sample Description | Method<br>Analyte<br>Units<br>LOR | WEI-21<br>Recvd Wt.<br>kg | Au-AA23<br>Au<br>ppm | ME-ICP41<br>Ag<br>ppm | ME-ICP41<br>Al<br>% | ME-ICP41<br>As<br>ppm | ME-ICP41<br>B<br>ppm | ME-ICP41<br>Ba<br>ppm | ME-ICP41<br>Be<br>ppm | ME-ICP41<br>Bi<br>ppm | ME-ICP41<br>Ca<br>% | ME-ICP41<br>Cd<br>ppm | ME-ICP41<br>Co<br>ppm | ME-ICP41<br>Cr<br>ppm | ME-ICP41<br>Cu<br>ppm | ME-ICP41<br>Fe<br>% |
|--------------------|-----------------------------------|---------------------------|----------------------|-----------------------|---------------------|-----------------------|----------------------|-----------------------|-----------------------|-----------------------|---------------------|-----------------------|-----------------------|-----------------------|-----------------------|---------------------|
|                    |                                   | 0.02                      | 0.005                | 0.2                   | 0.01                | 2                     | 10                   | 10                    | 0.5                   | 2                     | 0.01                | 0.5                   | 1                     | 1                     | 1                     | 0.01                |
| L799682            |                                   | 7.96                      | 0.007                | <0.2                  | 0.53                | 62                    | <10                  | 90                    | 4.2                   | <2                    | 0.93                | <0.5                  | 5                     | 21                    | 46                    | 1.65                |
| L799683            |                                   | 12.32                     | 0.009                | <0.2                  | 0.48                | 92                    | <10                  | 90                    | 3.7                   | 2                     | 0.76                | <0.5                  | 5                     | 19                    | 37                    | 1.54                |
| L799684            |                                   | 4.62                      | 0.016                | <0.2                  | 0.70                | 86                    | <10                  | 120                   | 3.1                   | <2                    | 0.71                | <0.5                  | 7                     | 34                    | 40                    | 1.96                |
| L799685            |                                   | 9.28                      | 0.040                | 0.2                   | 1.12                | 142                   | <10                  | 180                   | 2.7                   | 2                     | 1.37                | 0.6                   | 12                    | 67                    | 93                    | 2.78                |
| L799686            |                                   | 12.00                     | 0.018                | 0.3                   | 1.39                | 79                    | <10                  | 290                   | 2.6                   | <2                    | 1.63                | <0.5                  | 13                    | 67                    | 59                    | 2.64                |
| L799687            |                                   | 3.02                      | 0.456                | 0.5                   | 1.08                | 4150                  | <10                  | 340                   | 3.5                   | 5                     | 1.45                | <0.5                  | 10                    | 64                    | 52                    | 3.02                |
| L799688            |                                   | 4.24                      | 0.457                | 0.6                   | 1.32                | 2870                  | <10                  | 320                   | 2.9                   | 4                     | 1.30                | <0.5                  | 13                    | 81                    | 75                    | 3.20                |
| L799689            |                                   | 6.42                      | 0.088                | 0.6                   | 1.18                | 374                   | <10                  | 210                   | 2.8                   | <2                    | 1.64                | 0.5                   | 12                    | 68                    | 65                    | 2.94                |
| L799690            |                                   | 0.50                      | <0.005               | <0.2                  | 0.02                | 17                    | <10                  | 10                    | <0.5                  | <2                    | 20.6                | <0.5                  | 1                     | 1                     | 1                     | 0.51                |
| L799691            |                                   | 3.22                      | 0.109                | 0.6                   | 1.41                | 332                   | 10                   | 410                   | 3.7                   | 3                     | 1.81                | 0.7                   | 11                    | 60                    | 109                   | 2.84                |
| L799692            |                                   | 5.74                      | 0.135                | 0.4                   | 1.44                | 323                   | 10                   | 390                   | 2.8                   | 5                     | 1.76                | <0.5                  | 12                    | 71                    | 69                    | 3.08                |
| L799693            |                                   | 4.42                      | 0.114                | 0.2                   | 1.75                | 260                   | 10                   | 290                   | 2.2                   | <2                    | 2.62                | <0.5                  | 19                    | 88                    | 67                    | 3.19                |
| L799694            |                                   | 9.84                      | 0.040                | 0.4                   | 2.04                | 365                   | 360                  | 240                   | 13.2                  | <2                    | 7.11                | 0.6                   | 8                     | 25                    | 42                    | 1.50                |
| L799695            |                                   | 8.90                      | 0.041                | 0.2                   | 2.01                | 226                   | 230                  | 580                   | 9.9                   | 2                     | 9.8                 | <0.5                  | 6                     | 15                    | 39                    | 1.26                |
| L799696            |                                   | 2.80                      | 0.041                | 0.2                   | 1.90                | 209                   | 210                  | 540                   | 8.5                   | 2                     | 9.2                 | <0.5                  | 5                     | 16                    | 41                    | 1.28                |
| L799697            |                                   | 7.58                      | 0.024                | 0.2                   | 1.96                | 118                   | 120                  | 860                   | 4.5                   | 2                     | 8.3                 | <0.5                  | 7                     | 34                    | 33                    | 1.55                |



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: GOLDEN PREDATOR CANADA CORP.  
 888 DUNSMUIR STREET  
 11TH FLOOR  
 VANCOUVER BC V6C 3K4

Page: 3 - B  
 Total # Pages: 3 (A - C)  
 Finalized Date: 22-SEP-2011  
 Account: GOPRED

Project: Brewery Creek

**CERTIFICATE OF ANALYSIS RE11175882**

| Sample Description | Method<br>Analyte<br>Units<br>LOR | ME-ICP41<br>Ga<br>ppm<br>10 | ME-ICP41<br>Hg<br>ppm<br>1 | ME-ICP41<br>K<br>%<br>0.01 | ME-ICP41<br>La<br>ppm<br>10 | ME-ICP41<br>Mg<br>%<br>0.01 | ME-ICP41<br>Mn<br>ppm<br>5 | ME-ICP41<br>Mo<br>ppm<br>1 | ME-ICP41<br>Na<br>%<br>0.01 | ME-ICP41<br>Ni<br>ppm<br>1 | ME-ICP41<br>P<br>ppm<br>10 | ME-ICP41<br>Pb<br>ppm<br>2 | ME-ICP41<br>S<br>%<br>0.01 | ME-ICP41<br>Sb<br>ppm<br>2 | ME-ICP41<br>Sc<br>ppm<br>1 | ME-ICP41<br>Sr<br>ppm<br>1 |
|--------------------|-----------------------------------|-----------------------------|----------------------------|----------------------------|-----------------------------|-----------------------------|----------------------------|----------------------------|-----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|
| L799682            |                                   | <10                         | <1                         | 0.38                       | 70                          | 0.57                        | 301                        | <1                         | 0.07                        | 7                          | 1190                       | 21                         | 0.01                       | <2                         | 3                          | 118                        |
| L799683            |                                   | <10                         | <1                         | 0.33                       | 70                          | 0.50                        | 285                        | <1                         | 0.05                        | 6                          | 1070                       | 26                         | <0.01                      | 2                          | 2                          | 107                        |
| L799684            |                                   | <10                         | <1                         | 0.46                       | 60                          | 0.68                        | 321                        | <1                         | 0.04                        | 6                          | 1120                       | 24                         | <0.01                      | <2                         | 3                          | 87                         |
| L799685            |                                   | 10                          | <1                         | 0.68                       | 60                          | 1.15                        | 411                        | <1                         | 0.05                        | 14                         | 1920                       | 28                         | 0.01                       | 3                          | 4                          | 111                        |
| L799686            |                                   | 10                          | <1                         | 0.80                       | 70                          | 1.39                        | 445                        | <1                         | 0.07                        | 10                         | 2290                       | 43                         | 0.01                       | 2                          | 3                          | 189                        |
| L799687            |                                   | 10                          | <1                         | 0.70                       | 70                          | 1.17                        | 456                        | <1                         | 0.04                        | 9                          | 1870                       | 30                         | 0.06                       | 9                          | 5                          | 175                        |
| L799688            |                                   | 10                          | <1                         | 0.98                       | 70                          | 1.48                        | 514                        | <1                         | 0.05                        | 10                         | 2360                       | 34                         | 0.03                       | 7                          | 6                          | 200                        |
| L799689            |                                   | 10                          | <1                         | 0.72                       | 70                          | 1.24                        | 480                        | <1                         | 0.04                        | 12                         | 2190                       | 65                         | 0.01                       | 3                          | 4                          | 168                        |
| L799690            |                                   | <10                         | <1                         | 0.01                       | <10                         | 13.05                       | 291                        | <1                         | 0.02                        | <1                         | 190                        | 7                          | 0.06                       | <2                         | <1                         | 52                         |
| L799691            |                                   | 10                          | <1                         | 0.86                       | 70                          | 1.30                        | 458                        | <1                         | 0.05                        | 9                          | 2060                       | 62                         | 0.01                       | 5                          | 3                          | 286                        |
| L799692            |                                   | 10                          | <1                         | 0.88                       | 70                          | 1.34                        | 488                        | <1                         | 0.05                        | 11                         | 2440                       | 53                         | 0.01                       | 4                          | 4                          | 241                        |
| L799693            |                                   | 10                          | <1                         | 0.74                       | 50                          | 1.90                        | 469                        | <1                         | 0.07                        | 92                         | 1530                       | 36                         | 0.02                       | 5                          | 3                          | 147                        |
| L799694            |                                   | 10                          | 1                          | 0.35                       | 80                          | 3.80                        | 511                        | 1                          | 0.04                        | 21                         | 700                        | 79                         | 0.01                       | 10                         | 1                          | 258                        |
| L799695            |                                   | 10                          | <1                         | 0.20                       | 50                          | 2.29                        | 483                        | <1                         | 0.05                        | 11                         | 760                        | 56                         | 0.02                       | 10                         | 1                          | 347                        |
| L799696            |                                   | 10                          | <1                         | 0.20                       | 50                          | 2.15                        | 467                        | <1                         | 0.06                        | 11                         | 740                        | 48                         | 0.03                       | 9                          | 1                          | 312                        |
| L799697            |                                   | 10                          | <1                         | 0.40                       | 40                          | 1.84                        | 430                        | <1                         | 0.05                        | 15                         | 1170                       | 34                         | 0.02                       | 6                          | 2                          | 354                        |



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: GOLDEN PREDATOR CANADA CORP.  
 888 DUNSMUIR STREET  
 11TH FLOOR  
 VANCOUVER BC V6C 3K4

Page: 3 - C  
 Total # Pages: 3 (A - C)  
 Finalized Date: 22-SEP-2011  
 Account: GOPRED

Project: Brewery Creek

**CERTIFICATE OF ANALYSIS RE11175882**

| Sample Description | Method<br>Analyte<br>Units<br>LOR | ME-ICP41  | ME-ICP41  | ME-ICP41  | ME-ICP41  | ME-ICP41 | ME-ICP41  | ME-ICP41 |
|--------------------|-----------------------------------|-----------|-----------|-----------|-----------|----------|-----------|----------|
|                    |                                   | Th        | Ti        | Ti        | U         | V        | W         | Zn       |
|                    |                                   | ppm<br>20 | %<br>0.01 | ppm<br>10 | ppm<br>10 | ppm<br>1 | ppm<br>10 | ppm<br>2 |
| L799682            |                                   | 70        | 0.10      | <10       | <10       | 63       | <10       | 57       |
| L799683            |                                   | 70        | 0.09      | <10       | <10       | 34       | <10       | 55       |
| L799684            |                                   | 50        | 0.12      | <10       | <10       | 46       | <10       | 61       |
| L799685            |                                   | 40        | 0.20      | <10       | <10       | 76       | <10       | 83       |
| L799686            |                                   | 40        | 0.20      | <10       | <10       | 61       | <10       | 86       |
| L799687            |                                   | 50        | 0.18      | <10       | <10       | 75       | <10       | 75       |
| L799688            |                                   | 40        | 0.20      | <10       | <10       | 90       | <10       | 83       |
| L799689            |                                   | 50        | 0.22      | <10       | <10       | 80       | <10       | 91       |
| L799690            |                                   | <20       | <0.01     | <10       | 10        | 2        | <10       | 24       |
| L799691            |                                   | 60        | 0.22      | <10       | <10       | 74       | <10       | 88       |
| L799692            |                                   | 60        | 0.24      | <10       | <10       | 96       | <10       | 89       |
| L799693            |                                   | 40        | 0.21      | <10       | <10       | 64       | <10       | 78       |
| L799694            |                                   | 150       | 0.10      | <10       | 40        | 19       | <10       | 67       |
| L799695            |                                   | 80        | 0.08      | <10       | 20        | 15       | <10       | 69       |
| L799696            |                                   | 70        | 0.08      | <10       | 20        | 15       | <10       | 68       |
| L799697            |                                   | 40        | 0.12      | <10       | <10       | 26       | <10       | 61       |