



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: GOLDEN PREDATOR CANADA CORP.
888 DUNSMUIR STREET
11TH FLOOR
VANCOUVER BC V6C 3K4

Page: 1
Finalized Date: 12-APR-2011
Account: GOPRED

CERTIFICATE WH11046604

Project: Brewery Creek

P.O. No.: BRC-2011-JC-1459

This report is for 36 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 23-MAR-2011.

The following have access to data associated with this certificate:

TYLER BOURNE
GILLES DESSUREAU

COR COE
BILL SHERIFF

JACK COTE

SAMPLE PREPARATION

| ALS CODE | DESCRIPTION |
|----------|--------------------------------|
| WEI-21 | Received Sample Weight |
| LOG-22 | Sample login - Rcd w/o BarCode |
| CRU-QC | Crushing QC Test |
| PUL-QC | Pulverizing QC Test |
| CRU-31 | Fine crushing - 70% <2mm |
| SPL-21 | Split sample - riffle splitter |
| PUL-31 | Pulverize split to 85% <75 um |
| LOG-24 | Pulp Login - Rcd w/o Barcode |

ANALYTICAL PROCEDURES

| ALS CODE | DESCRIPTION | INSTRUMENT |
|----------|-------------------------------|------------|
| Au-AA23 | Au 30g FA-AA finish | AAS |
| Au-GRA21 | Au 30g FA-GRAV finish | WST-SIM |
| ME-ICP41 | 35 Element Aqua Regia ICP-AES | ICP-AES |

To: GOLDEN PREDATOR CANADA CORP.
ATTN: JACK COTE
888 DUNSMUIR STREET
11TH FLOOR
VANCOUVER BC V6C 3K4

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: GOLDEN PREDATOR CANADA CORP.
888 DUNSMUIR STREET
11TH FLOOR
VANCOUVER BC V6C 3K4

Page: 2 - A
Total # Pages: 2 (A - C)
Finalized Date: 12-APR-2011
Account: GOPRED

Project: Brewery Creek

CERTIFICATE OF ANALYSIS WH11046604

| Sample Description | Method Analyte Units LOR | WEI-21 Recvd Wt. kg | Au-AA23 Au ppm | Au-GRA21 Au ppm | ME-ICP41 Ag ppm | ME-ICP41 Al % | ME-ICP41 As ppm | ME-ICP41 B ppm | ME-ICP41 Ba ppm | ME-ICP41 Be ppm | ME-ICP41 Bi ppm | ME-ICP41 Ca % | ME-ICP41 Cd ppm | ME-ICP41 Co ppm | ME-ICP41 Cr ppm | ME-ICP41 Cu ppm |
|--------------------|-----------------------------------|---------------------------|----------------------|-----------------------|-----------------------|---------------------|-----------------------|----------------------|-----------------------|-----------------------|-----------------------|---------------------|-----------------------|-----------------------|-----------------------|-----------------------|
| | | 0.02 | 0.005 | 0.05 | 0.2 | 0.01 | 2 | 10 | 10 | 0.5 | 2 | 0.01 | 0.5 | 1 | 1 | 1 |
| J968436 | | 6.33 | 0.011 | | 0.3 | 0.60 | 74 | <10 | 200 | 0.6 | <2 | 0.53 | 1.6 | 6 | 7 | 47 |
| J968437 | | 4.24 | 0.010 | | 0.4 | 0.68 | 34 | <10 | 320 | 0.8 | <2 | 0.46 | 3.8 | 8 | 7 | 53 |
| J968438 | | 2.37 | 0.064 | | 5.3 | 0.81 | 328 | <10 | 1270 | 1.0 | <2 | 1.75 | 4.5 | 6 | 37 | 93 |
| J968439 | | 5.73 | 0.115 | | 3.5 | 1.09 | 275 | <10 | 480 | 0.9 | <2 | 1.73 | 11.9 | 5 | 60 | 86 |
| J968440 | | 6.83 | 0.092 | | 1.3 | 0.85 | 450 | <10 | 470 | 0.7 | <2 | 1.43 | 3.9 | 8 | 9 | 16 |
| J968441 | | 6.44 | 0.138 | | 3.8 | 1.34 | 293 | 10 | 920 | 1.0 | <2 | 3.59 | 6.4 | 3 | 75 | 106 |
| J968442 | | 6.66 | 0.016 | | 4.5 | 0.82 | 87 | 10 | 460 | 1.1 | <2 | 2.29 | 24.4 | 1 | 121 | 215 |
| J968443 | | 5.65 | 2.40 | | 0.9 | 0.93 | 1945 | <10 | 440 | 0.8 | <2 | 1.83 | 1.0 | 8 | 15 | 22 |
| J968444 | | 4.23 | 3.82 | | 1.0 | 0.90 | 3110 | <10 | 650 | 0.7 | <2 | 1.75 | <0.5 | 8 | 16 | 16 |
| J968445 | | 1.31 | 0.012 | | <0.2 | 0.05 | 40 | <10 | 10 | <0.5 | <2 | 19.0 | <0.5 | 1 | 1 | 1 |
| J968446 | | 3.81 | 3.25 | | 0.8 | 1.05 | 4380 | <10 | 660 | 0.8 | <2 | 0.66 | <0.5 | 9 | 19 | 15 |
| J968447 | | 4.24 | 7.33 | | 2.2 | 0.62 | 5660 | <10 | 600 | 0.6 | <2 | 1.49 | <0.5 | 8 | 12 | 17 |
| J968448 | | 5.42 | 2.97 | | 1.0 | 0.95 | 3080 | <10 | 560 | 0.8 | <2 | 2.10 | 0.5 | 8 | 14 | 16 |
| J968449 | | 4.32 | 9.50 | | 2.3 | 0.58 | 8520 | <10 | 520 | 0.6 | <2 | 1.32 | <0.5 | 8 | 10 | 15 |
| J968450 | | 5.21 | 3.28 | | 1.5 | 0.95 | 4300 | <10 | 670 | 0.9 | <2 | 1.20 | 3.1 | 10 | 13 | 15 |
| J968451 | | 3.57 | >10.0 | 20.4 | 5.6 | 0.48 | >10000 | <10 | 410 | 0.5 | <2 | 0.66 | 4.5 | 8 | 8 | 19 |
| J968452 | | 4.51 | >10.0 | 15.70 | 3.7 | 0.83 | >10000 | <10 | 700 | 0.7 | <2 | 0.75 | <0.5 | 8 | 11 | 17 |
| J968453 | | 5.00 | >10.0 | 11.65 | 2.8 | 0.51 | 9530 | <10 | 400 | 0.5 | <2 | 1.23 | 1.0 | 14 | 9 | 25 |
| J968454 | | 0.08 | 3.65 | | 0.9 | 1.30 | 23 | <10 | 130 | <0.5 | <2 | 1.02 | <0.5 | 8 | 39 | 398 |
| J968455 | | 4.79 | >10.0 | 12.30 | 2.7 | 0.76 | >10000 | <10 | 580 | 0.7 | <2 | 1.45 | 1.2 | 7 | 10 | 19 |
| J968456 | | 5.93 | >10.0 | 14.40 | 3.0 | 0.58 | >10000 | <10 | 580 | 0.7 | <2 | 0.64 | 0.8 | 10 | 10 | 18 |
| J968457 | | 5.69 | 7.81 | | 2.7 | 0.81 | 5830 | <10 | 610 | 0.7 | <2 | 0.29 | 2.1 | 10 | 11 | 17 |
| J968458 | | 5.78 | >10.0 | 9.47 | 2.4 | 0.58 | 7920 | <10 | 480 | 0.6 | <2 | 0.50 | <0.5 | 11 | 10 | 20 |
| J968459 | | 6.40 | >10.0 | 10.60 | 2.8 | 0.66 | 6010 | <10 | 550 | 0.7 | <2 | 0.46 | 0.9 | 8 | 9 | 12 |
| J968460 | | 4.24 | >10.0 | 13.65 | 3.8 | 0.54 | >10000 | <10 | 290 | 0.6 | <2 | 1.26 | 0.9 | 11 | 8 | 15 |
| J968461 | | 4.68 | 8.91 | | 2.4 | 0.86 | 8710 | <10 | 560 | 0.7 | <2 | 1.19 | 0.5 | 8 | 13 | 18 |
| J968462 | | 4.05 | 7.34 | | 1.3 | 0.61 | 7560 | <10 | 460 | 0.7 | <2 | 1.58 | 0.8 | 9 | 11 | 16 |
| J968463 | | 4.03 | 0.535 | | 0.5 | 1.40 | 1400 | <10 | 700 | 1.1 | <2 | 2.61 | 0.6 | 9 | 9 | 13 |
| J968464 | | 5.55 | 7.14 | | 1.0 | 0.77 | 5450 | <10 | 540 | 0.8 | <2 | 1.04 | 3.7 | 10 | 16 | 17 |
| J968465 | | 6.14 | 6.80 | | 1.3 | 0.87 | 4950 | <10 | 530 | 0.8 | <2 | 0.58 | 5.7 | 9 | 13 | 17 |
| J968466 | | 2.93 | >10.0 | 10.25 | 1.8 | 0.58 | 7040 | <10 | 410 | 0.6 | <2 | 1.06 | 4.1 | 12 | 29 | 30 |
| J968467 | | 2.92 | >10.0 | 12.55 | 2.1 | 0.54 | 7510 | <10 | 370 | 0.6 | <2 | 1.10 | 4.3 | 10 | 11 | 20 |
| J968468 | | 6.87 | 7.42 | | 1.4 | 1.13 | 6040 | <10 | 560 | 0.9 | <2 | 0.86 | 5.8 | 9 | 13 | 18 |
| J968469 | | 5.74 | 5.96 | | 2.3 | 0.68 | 5450 | <10 | 710 | 0.7 | <2 | 2.38 | 6.2 | 9 | 9 | 16 |
| J968470 | | 5.41 | >10.0 | 12.55 | 1.7 | 0.83 | 8400 | <10 | 190 | 0.6 | <2 | 2.38 | 1.1 | 7 | 10 | 18 |
| J968471 | | 6.29 | 6.30 | | 1.3 | 0.59 | 5720 | <10 | 530 | 0.7 | <2 | 1.68 | 0.9 | 8 | 9 | 18 |



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: GOLDEN PREDATOR CANADA CORP.
888 DUNSMUIR STREET
11TH FLOOR
VANCOUVER BC V6C 3K4

Page: 2 - B
Total # Pages: 2 (A - C)
Finalized Date: 12-APR-2011
Account: GOPRED

Project: Brewery Creek

CERTIFICATE OF ANALYSIS WH11046604

| Sample Description | Method Analyte Units LOR | ME-ICP41 Fe % | ME-ICP41 Ga ppm | ME-ICP41 Hg ppm | ME-ICP41 K % | ME-ICP41 La ppm | ME-ICP41 Mg % | ME-ICP41 Mn ppm | ME-ICP41 Mo ppm | ME-ICP41 Na % | ME-ICP41 Ni ppm | ME-ICP41 P ppm | ME-ICP41 Pb ppm | ME-ICP41 S % | ME-ICP41 Sb ppm | ME-ICP41 Sc ppm |
|--------------------|-----------------------------------|---------------------|-----------------------|-----------------------|--------------------|-----------------------|---------------------|-----------------------|-----------------------|---------------------|-----------------------|----------------------|-----------------------|--------------------|-----------------------|-----------------------|
| | | 0.01 | 10 | 1 | 0.01 | 10 | 0.01 | 5 | 1 | 0.01 | 1 | 10 | 2 | 0.01 | 2 | 1 |
| J968436 | | 2.27 | <10 | 1 | 0.27 | 20 | 0.16 | 308 | 4 | <0.01 | 23 | 130 | 10 | 0.14 | 11 | 3 |
| J968437 | | 2.17 | <10 | 1 | 0.32 | 20 | 0.18 | 556 | 1 | 0.09 | 27 | 200 | 12 | 0.12 | 9 | 4 |
| J968438 | | 3.13 | <10 | 3 | 0.25 | 20 | 0.61 | 469 | 5 | 0.04 | 57 | 2780 | 16 | 0.12 | 18 | 6 |
| J968439 | | 2.78 | <10 | 9 | 0.18 | 20 | 0.56 | 923 | 7 | 0.03 | 56 | 4350 | 118 | 0.36 | 60 | 6 |
| J968440 | | 3.37 | <10 | 2 | 0.16 | 20 | 0.60 | 1425 | 2 | <0.01 | 21 | 1010 | 89 | 0.48 | 35 | 10 |
| J968441 | | 1.83 | <10 | 12 | 0.23 | 20 | 0.34 | 501 | 6 | <0.01 | 36 | >10000 | 25 | 0.33 | 24 | 7 |
| J968442 | | 1.22 | <10 | 13 | 0.25 | 20 | 0.93 | 217 | 45 | <0.01 | 54 | 3820 | 12 | 0.14 | 31 | 4 |
| J968443 | | 2.96 | <10 | 4 | 0.19 | 30 | 0.13 | 1035 | 1 | <0.01 | 15 | 1170 | 38 | 0.08 | 104 | 6 |
| J968444 | | 2.73 | <10 | 4 | 0.11 | 20 | 0.22 | 895 | 1 | <0.01 | 10 | 600 | 30 | 0.24 | 3490 | 8 |
| J968445 | | 0.45 | <10 | <1 | 0.02 | <10 | 11.85 | 204 | <1 | <0.01 | <1 | 210 | 2 | <0.01 | 10 | <1 |
| J968446 | | 3.23 | <10 | 5 | 0.09 | 20 | 0.07 | 1355 | 1 | <0.01 | 11 | 380 | 31 | 0.08 | 60 | 10 |
| J968447 | | 3.17 | <10 | 6 | 0.11 | 20 | 0.26 | 1295 | 1 | <0.01 | 9 | 740 | 27 | 0.16 | 185 | 8 |
| J968448 | | 3.11 | <10 | 3 | 0.19 | 30 | 0.29 | 1230 | 1 | <0.01 | 9 | 1020 | 40 | 0.12 | 79 | 8 |
| J968449 | | 3.14 | <10 | 6 | 0.13 | 20 | 0.25 | 1340 | <1 | <0.01 | 10 | 390 | 29 | 0.29 | 526 | 8 |
| J968450 | | 3.31 | <10 | 5 | 0.16 | 20 | 0.12 | 1530 | 1 | <0.01 | 16 | 750 | 79 | 0.09 | 231 | 8 |
| J968451 | | 2.64 | <10 | 8 | 0.10 | 20 | 0.13 | 1380 | <1 | <0.01 | 11 | 350 | 161 | 0.59 | 5150 | 7 |
| J968452 | | 3.13 | <10 | 9 | 0.15 | 20 | 0.16 | 1135 | <1 | <0.01 | 10 | 510 | 27 | 0.36 | 135 | 9 |
| J968453 | | 3.15 | <10 | 7 | 0.11 | 10 | 0.37 | 1330 | 1 | <0.01 | 13 | 290 | 40 | 0.32 | 98 | 8 |
| J968454 | | 3.40 | <10 | <1 | 0.20 | 10 | 0.59 | 682 | 306 | 0.08 | 26 | 450 | 43 | 0.64 | 6 | 4 |
| J968455 | | 3.36 | <10 | 8 | 0.14 | 20 | 0.49 | 1615 | 1 | <0.01 | 12 | 350 | 43 | 0.20 | 122 | 9 |
| J968456 | | 3.33 | <10 | 9 | 0.11 | 20 | 0.16 | 1360 | 1 | <0.01 | 18 | 350 | 39 | 0.14 | 251 | 9 |
| J968457 | | 3.48 | <10 | 6 | 0.12 | 20 | 0.08 | 2070 | 2 | <0.01 | 29 | 360 | 71 | 0.10 | 3230 | 7 |
| J968458 | | 3.07 | <10 | 6 | 0.10 | 20 | 0.13 | 1400 | 1 | <0.01 | 20 | 360 | 28 | 0.16 | 1065 | 8 |
| J968459 | | 2.81 | <10 | 5 | 0.13 | 20 | 0.14 | 1760 | 1 | <0.01 | 17 | 360 | 33 | 0.08 | 332 | 6 |
| J968460 | | 3.28 | <10 | 6 | 0.13 | 10 | 0.43 | 2350 | 1 | <0.01 | 15 | 380 | 31 | 0.65 | 194 | 7 |
| J968461 | | 3.19 | <10 | 6 | 0.12 | 20 | 0.39 | 2200 | 1 | <0.01 | 16 | 330 | 29 | 0.28 | 84 | 9 |
| J968462 | | 3.42 | <10 | 4 | 0.13 | 20 | 0.43 | 1830 | 1 | <0.01 | 15 | 480 | 40 | 0.47 | 58 | 8 |
| J968463 | | 3.38 | <10 | 1 | 0.32 | 30 | 0.59 | 2450 | 2 | <0.01 | 18 | 830 | 18 | 0.07 | 37 | 7 |
| J968464 | | 3.42 | <10 | 4 | 0.10 | 30 | 0.26 | 1395 | 1 | <0.01 | 26 | 1060 | 30 | 0.12 | 50 | 10 |
| J968465 | | 3.52 | <10 | 3 | 0.14 | 20 | 0.17 | 1365 | 1 | <0.01 | 16 | 470 | 51 | 0.06 | 56 | 8 |
| J968466 | | 3.03 | <10 | 4 | 0.11 | 20 | 0.32 | 2020 | 1 | <0.01 | 20 | 260 | 45 | 0.22 | 1060 | 9 |
| J968467 | | 3.15 | <10 | 4 | 0.11 | 20 | 0.33 | 2100 | 1 | <0.01 | 14 | 240 | 46 | 0.20 | 663 | 9 |
| J968468 | | 3.12 | <10 | 4 | 0.14 | 20 | 0.29 | 1250 | 1 | <0.01 | 26 | 880 | 30 | 0.22 | 48 | 8 |
| J968469 | | 4.01 | <10 | 4 | 0.12 | 30 | 0.71 | 3230 | 1 | <0.01 | 16 | 1000 | 101 | 0.36 | 38 | 8 |
| J968470 | | 3.02 | <10 | 2 | 0.13 | 10 | 0.82 | 1620 | <1 | <0.01 | 10 | 290 | 27 | 0.78 | 28 | 8 |
| J968471 | | 3.19 | <10 | 2 | 0.13 | 20 | 0.62 | 1300 | 1 | <0.01 | 13 | 270 | 21 | 0.20 | 30 | 8 |



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: GOLDEN PREDATOR CANADA CORP.
 888 DUNSMUIR STREET
 11TH FLOOR
 VANCOUVER BC V6C 3K4

Page: 2 - C
 Total # Pages: 2 (A - C)
 Finalized Date: 12-APR-2011
 Account: GOPRED

Project: Brewery Creek

CERTIFICATE OF ANALYSIS WH11046604

| Sample Description | Method Analyte Units LOR | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 |
|--------------------|-----------------------------------|----------|-----------|-----------|-----------|-----------|----------|-----------|
| | | Sr | Th | Ti | Ti | U | V | W |
| | | ppm 1 | ppm 20 | % 0.01 | ppm 10 | ppm 10 | ppm 1 | ppm 10 |
| J968436 | | 35 | <20 | <0.01 | <10 | <10 | 10 | <10 |
| J968437 | | 47 | <20 | <0.01 | <10 | <10 | 13 | <10 |
| J968438 | | 441 | <20 | <0.01 | <10 | <10 | 90 | 20 |
| J968439 | | 628 | <20 | <0.01 | <10 | <10 | 289 | <10 |
| J968440 | | 240 | <20 | <0.01 | <10 | <10 | 35 | <10 |
| J968441 | | 493 | <20 | <0.01 | <10 | 10 | 458 | <10 |
| J968442 | | 296 | <20 | 0.01 | <10 | 10 | 2050 | <10 |
| J968443 | | 94 | <20 | <0.01 | <10 | <10 | 44 | <10 |
| J968444 | | 161 | <20 | <0.01 | <10 | <10 | 49 | <10 |
| J968445 | | 51 | <20 | <0.01 | <10 | <10 | 2 | <10 |
| J968446 | | 112 | <20 | <0.01 | <10 | <10 | 56 | <10 |
| J968447 | | 194 | <20 | <0.01 | <10 | <10 | 34 | <10 |
| J968448 | | 143 | <20 | <0.01 | <10 | <10 | 37 | <10 |
| J968449 | | 171 | <20 | <0.01 | <10 | <10 | 31 | <10 |
| J968450 | | 128 | <20 | <0.01 | <10 | <10 | 38 | <10 |
| J968451 | | 205 | <20 | <0.01 | 10 | <10 | 23 | <10 |
| J968452 | | 255 | <20 | <0.01 | <10 | <10 | 32 | <10 |
| J968453 | | 234 | <20 | <0.01 | <10 | <10 | 28 | <10 |
| J968454 | | 41 | <20 | 0.11 | <10 | <10 | 62 | 10 |
| J968455 | | 303 | <20 | <0.01 | <10 | <10 | 34 | <10 |
| J968456 | | 341 | <20 | <0.01 | <10 | <10 | 33 | <10 |
| J968457 | | 214 | <20 | <0.01 | <10 | <10 | 36 | <10 |
| J968458 | | 212 | <20 | <0.01 | <10 | <10 | 29 | <10 |
| J968459 | | 155 | <20 | <0.01 | <10 | <10 | 24 | <10 |
| J968460 | | 224 | <20 | <0.01 | <10 | <10 | 24 | <10 |
| J968461 | | 253 | <20 | <0.01 | <10 | <10 | 37 | <10 |
| J968462 | | 207 | <20 | <0.01 | <10 | <10 | 31 | <10 |
| J968463 | | 254 | <20 | <0.01 | <10 | <10 | 28 | <10 |
| J968464 | | 180 | <20 | <0.01 | <10 | <10 | 52 | <10 |
| J968465 | | 151 | <20 | <0.01 | <10 | <10 | 45 | <10 |
| J968466 | | 182 | <20 | 0.01 | <10 | <10 | 36 | <10 |
| J968467 | | 189 | <20 | <0.01 | <10 | <10 | 33 | <10 |
| J968468 | | 165 | <20 | <0.01 | <10 | <10 | 43 | <10 |
| J968469 | | 270 | <20 | <0.01 | <10 | <10 | 43 | <10 |
| J968470 | | 278 | <20 | <0.01 | <10 | <10 | 28 | <10 |
| J968471 | | 233 | <20 | <0.01 | <10 | <10 | 24 | <10 |