



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: GOLDEN PREDATOR CANADA CORP.
888 DUNSMUIR STREET
11TH FLOOR
VANCOUVER BC V6C 3K4

Page: 1
Finalized Date: 13-JUN-2011
Account: GOPRED

CERTIFICATE WH11095696

Project: Brewery Creek

P.O. No.: BRC-2011-JC-1526

This report is for 36 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 31-MAY-2011.

The following have access to data associated with this certificate:

TYLER BOURNE
JACK COTE

ANDREW CALDWELL
GILLES DESSUREAU

COR COE
BILL SHERIFF

SAMPLE PREPARATION

| ALS CODE | DESCRIPTION |
|----------|--------------------------------|
| WEI-21 | Received Sample Weight |
| LOG-22 | Sample login - Rcd w/o BarCode |
| CRU-31 | Fine crushing - 70% <2mm |
| SPL-21 | Split sample - riffle splitter |
| PUL-31 | Pulverize split to 85% <75 um |
| CRU-QC | Crushing QC Test |
| PUL-QC | Pulverizing QC Test |
| LOG-24 | Pulp Login - Rcd w/o Barcode |

ANALYTICAL PROCEDURES

| ALS CODE | DESCRIPTION | INSTRUMENT |
|----------|-------------------------------|------------|
| ME-ICP41 | 35 Element Aqua Regia ICP-AES | ICP-AES |
| Au-AA23 | Au 30g FA-AA finish | AAS |

To: GOLDEN PREDATOR CANADA CORP.
ATTN: JACK COTE
888 DUNSMUIR STREET
11TH FLOOR
VANCOUVER BC V6C 3K4

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:


Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: GOLDEN PREDATOR CANADA CORP.
888 DUNSMUIR STREET
11TH FLOOR
VANCOUVER BC V6C 3K4

Page: 2 - A
Total # Pages: 2 (A - C)
Finalized Date: 13-JUN-2011
Account: GOPRED

Project: Brewery Creek

CERTIFICATE OF ANALYSIS WH11095696

| Sample Description | Method Analyte Units LOR | WEI-21 Recvd Wt. kg | Au-AA23 Au ppm | ME-ICP41 Ag ppm | ME-ICP41 Al % | ME-ICP41 As ppm | ME-ICP41 B ppm | ME-ICP41 Ba ppm | ME-ICP41 Be ppm | ME-ICP41 Bi ppm | ME-ICP41 Ca % | ME-ICP41 Cd ppm | ME-ICP41 Co ppm | ME-ICP41 Cr ppm | ME-ICP41 Cu ppm | ME-ICP41 Fe % |
|--------------------|-----------------------------------|---------------------------|----------------------|-----------------------|---------------------|-----------------------|----------------------|-----------------------|-----------------------|-----------------------|---------------------|-----------------------|-----------------------|-----------------------|-----------------------|---------------------|
| | | 0.02 | 0.005 | 0.2 | 0.01 | 2 | 10 | 10 | 0.5 | 2 | 0.01 | 0.5 | 1 | 1 | 1 | 0.01 |
| I823409 | | 7.91 | <0.005 | 0.2 | 0.52 | 24 | <10 | 200 | 0.9 | 3 | 0.41 | 0.8 | 21 | 11 | 46 | 4.31 |
| I823410 | | 6.78 | <0.005 | 0.2 | 0.49 | 25 | <10 | 250 | 0.9 | <2 | 0.48 | 0.5 | 19 | 12 | 40 | 4.32 |
| I823411 | | 5.67 | 0.009 | 0.4 | 0.50 | 28 | <10 | 290 | 0.9 | 5 | 0.66 | <0.5 | 17 | 11 | 50 | 3.70 |
| I823412 | | 5.62 | 0.084 | 0.7 | 0.52 | 1385 | <10 | 110 | 0.6 | 5 | 0.68 | 0.5 | 10 | 10 | 54 | 4.65 |
| I823413 | | 0.09 | 0.220 | 0.2 | 0.17 | 444 | <10 | 1370 | <0.5 | 2 | 1.03 | <0.5 | 2 | 21 | 62 | 3.67 |
| I823414 | | 4.81 | 0.053 | 1.6 | 0.93 | 209 | <10 | 130 | 1.7 | 3 | 0.57 | 3.5 | 17 | 20 | 46 | 4.21 |
| I823415 | | 5.64 | 0.269 | 2.5 | 0.67 | 743 | <10 | 160 | 1.2 | <2 | 0.86 | 6.1 | 15 | 16 | 41 | 3.67 |
| I823416 | | 5.15 | 0.751 | 2.1 | 0.50 | 2010 | <10 | 220 | 0.7 | <2 | 1.87 | 4.6 | 7 | 9 | 15 | 2.69 |
| I823417 | | 4.52 | 1.580 | 29.8 | 0.45 | 2970 | <10 | 120 | 0.7 | <2 | 1.71 | 34.7 | 6 | 7 | 32 | 4.25 |
| I823418 | | 5.27 | 1.810 | 13.0 | 0.41 | 3810 | <10 | 70 | 0.7 | 2 | 1.90 | 24.3 | 6 | 3 | 29 | 4.02 |
| I823419 | | 6.23 | 1.150 | 4.2 | 0.44 | 2670 | <10 | 140 | 0.8 | <2 | 1.57 | 6.2 | 7 | 7 | 13 | 2.74 |
| I823420 | | 4.80 | 1.500 | 5.0 | 0.43 | 3310 | <10 | 110 | 0.9 | <2 | 2.13 | 14.7 | 6 | 4 | 12 | 3.31 |
| I823421 | | 2.12 | 1.810 | 2.3 | 0.38 | 3420 | 10 | 190 | 0.8 | <2 | 1.90 | 5.5 | 8 | 4 | 10 | 2.42 |
| I823422 | | 2.29 | 1.805 | 2.2 | 0.39 | 3280 | <10 | 160 | 0.8 | <2 | 1.88 | 4.0 | 6 | 4 | 10 | 2.38 |
| I823423 | | 4.78 | 2.11 | 8.7 | 0.39 | 5000 | <10 | 50 | 0.7 | <2 | 1.53 | 11.7 | 5 | 3 | 12 | 4.95 |
| I823424 | | 4.48 | 1.250 | 8.5 | 0.38 | 3010 | <10 | 200 | 0.6 | <2 | 1.16 | 11.7 | 5 | 3 | 18 | 1.63 |
| I823425 | | 5.99 | 1.295 | 26.7 | 0.37 | 3830 | 10 | 140 | 0.8 | <2 | 1.82 | 18.2 | 6 | 3 | 22 | 2.67 |
| I823426 | | 6.46 | 1.160 | 18.4 | 0.40 | 3810 | <10 | 90 | 0.9 | <2 | 2.58 | 15.1 | 6 | 4 | 21 | 3.96 |
| I823427 | | 6.08 | 0.914 | 13.0 | 0.50 | 1700 | <10 | 210 | 1.1 | <2 | 1.80 | 11.8 | 7 | 11 | 22 | 3.15 |
| I823428 | | 6.32 | 1.270 | 16.7 | 0.46 | 3620 | <10 | 70 | 0.8 | 4 | 2.07 | 16.1 | 7 | 4 | 43 | 4.92 |
| I823429 | | 6.05 | 3.19 | 8.9 | 0.41 | 5150 | <10 | 130 | 0.9 | <2 | 1.95 | 16.7 | 7 | 4 | 23 | 3.35 |
| I823430 | | 0.99 | <0.005 | 0.2 | 0.02 | 15 | <10 | 10 | <0.5 | <2 | 19.1 | <0.5 | <1 | 1 | <1 | 0.44 |
| I823431 | | 4.59 | 3.63 | 2.5 | 0.42 | 6020 | 10 | 220 | 0.9 | <2 | 2.54 | 7.3 | 7 | 6 | 11 | 2.68 |
| I823432 | | 4.40 | 0.077 | 0.4 | 0.52 | 172 | 10 | 130 | 1.1 | <2 | 2.32 | 3.2 | 7 | 14 | 9 | 2.78 |
| I823433 | | 6.54 | 0.144 | 0.3 | 0.49 | 168 | <10 | 210 | 1.0 | <2 | 2.30 | 0.6 | 6 | 16 | 8 | 2.89 |
| I823434 | | 5.94 | 0.074 | <0.2 | 0.50 | 277 | <10 | 100 | 1.1 | <2 | 2.27 | <0.5 | 7 | 17 | 9 | 2.82 |
| I823435 | | 5.91 | 0.067 | 0.2 | 0.88 | 256 | <10 | 80 | 1.3 | <2 | 2.23 | 0.6 | 6 | 20 | 11 | 2.81 |
| I823436 | | 6.31 | 0.063 | 0.2 | 0.58 | 206 | <10 | 70 | 1.5 | <2 | 2.32 | <0.5 | 7 | 15 | 15 | 3.11 |
| I823437 | | 6.27 | 0.030 | 1.1 | 0.57 | 266 | <10 | 110 | 1.3 | 2 | 2.54 | 1.0 | 8 | 12 | 16 | 3.00 |
| I823438 | | 5.78 | <0.005 | <0.2 | 1.14 | 17 | <10 | 120 | 1.2 | <2 | 2.30 | <0.5 | 6 | 29 | 9 | 2.79 |
| I823439 | | 6.86 | 0.075 | 0.2 | 1.24 | 156 | <10 | 230 | 1.1 | <2 | 2.25 | 0.6 | 11 | 31 | 15 | 3.01 |
| I823440 | | 6.25 | 0.037 | 0.2 | 0.86 | 69 | <10 | 180 | 1.2 | <2 | 2.06 | <0.5 | 9 | 23 | 13 | 2.97 |
| I823441 | | 6.24 | 0.014 | 0.2 | 0.60 | 36 | <10 | 90 | 1.3 | <2 | 1.88 | <0.5 | 8 | 22 | 13 | 3.07 |
| I823442 | | 6.98 | <0.005 | <0.2 | 1.49 | 7 | <10 | 230 | 1.0 | <2 | 2.01 | <0.5 | 7 | 33 | 10 | 3.13 |
| I823443 | | 5.08 | <0.005 | 0.2 | 0.99 | 5 | <10 | 90 | 1.5 | <2 | 2.93 | 0.5 | 7 | 27 | 11 | 2.89 |
| I823444 | | 7.13 | <0.005 | <0.2 | 1.41 | 4 | <10 | 100 | 1.1 | <2 | 2.29 | 0.6 | 7 | 35 | 8 | 2.94 |



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: GOLDEN PREDATOR CANADA CORP.
888 DUNSMUIR STREET
11TH FLOOR
VANCOUVER BC V6C 3K4

Page: 2 - B
Total # Pages: 2 (A - C)
Finalized Date: 13-JUN-2011
Account: GOPRED

Project: Brewery Creek

CERTIFICATE OF ANALYSIS WH11095696

| Sample Description | Method Analyte Units LOR | ME-ICP41 Ga ppm 10 | ME-ICP41 Hg ppm 1 | ME-ICP41 K % 0.01 | ME-ICP41 La ppm 10 | ME-ICP41 Mg % 0.01 | ME-ICP41 Mn ppm 5 | ME-ICP41 Mo ppm 1 | ME-ICP41 Na % 0.01 | ME-ICP41 Ni ppm 1 | ME-ICP41 P ppm 10 | ME-ICP41 Pb ppm 2 | ME-ICP41 S % 0.01 | ME-ICP41 Sb ppm 2 | ME-ICP41 Sc ppm 1 | ME-ICP41 Sr ppm 1 |
|--------------------|-----------------------------------|-----------------------------|----------------------------|----------------------------|-----------------------------|-----------------------------|----------------------------|----------------------------|-----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|
| I823409 | | <10 | 1 | 0.26 | 20 | 0.87 | 327 | 3 | 0.02 | 69 | 140 | 18 | 1.54 | 4 | 4 | 52 |
| I823410 | | <10 | <1 | 0.25 | 10 | 0.91 | 363 | 2 | 0.02 | 63 | 80 | 14 | 0.97 | 10 | 4 | 60 |
| I823411 | | <10 | <1 | 0.26 | 10 | 0.72 | 334 | 2 | 0.02 | 66 | 90 | 16 | 0.72 | 95 | 3 | 81 |
| I823412 | | <10 | 1 | 0.19 | 10 | 0.62 | 498 | 2 | 0.01 | 15 | 210 | 17 | 1.91 | 43 | 6 | 126 |
| I823413 | | <10 | 3 | 0.07 | <10 | 0.02 | 100 | 16 | 0.02 | 18 | 50 | 18 | 0.14 | 27 | 1 | 32 |
| I823414 | | <10 | <1 | 0.27 | 10 | 0.65 | 603 | 3 | 0.01 | 63 | 200 | 37 | 2.02 | 125 | 9 | 123 |
| I823415 | | <10 | <1 | 0.23 | 10 | 0.84 | 982 | 2 | 0.01 | 53 | 200 | 119 | 1.33 | 615 | 7 | 127 |
| I823416 | | <10 | <1 | 0.18 | 10 | 0.81 | 1725 | 1 | 0.01 | 10 | 290 | 63 | 1.46 | 3110 | 5 | 161 |
| I823417 | | <10 | 1 | 0.19 | 10 | 0.72 | 2780 | <1 | <0.01 | 9 | 420 | 5430 | 3.74 | 5460 | 5 | 152 |
| I823418 | | <10 | 1 | 0.23 | 10 | 0.68 | 3060 | <1 | <0.01 | 7 | 640 | 626 | 3.95 | 1020 | 4 | 131 |
| I823419 | | <10 | 1 | 0.21 | 10 | 0.60 | 2240 | <1 | <0.01 | 9 | 740 | 156 | 1.94 | 491 | 5 | 145 |
| I823420 | | <10 | <1 | 0.25 | 10 | 0.70 | 2360 | <1 | <0.01 | 8 | 800 | 274 | 2.87 | 856 | 5 | 159 |
| I823421 | | <10 | <1 | 0.21 | 20 | 0.66 | 2430 | <1 | <0.01 | 7 | 840 | 60 | 1.92 | 2470 | 4 | 157 |
| I823422 | | <10 | 1 | 0.21 | 20 | 0.67 | 2560 | <1 | <0.01 | 8 | 800 | 47 | 1.90 | 3680 | 5 | 165 |
| I823423 | | <10 | 1 | 0.22 | 10 | 0.52 | 2170 | <1 | <0.01 | 8 | 710 | 392 | 5.03 | 942 | 3 | 123 |
| I823424 | | <10 | 1 | 0.19 | 10 | 0.41 | 1825 | <1 | <0.01 | 6 | 600 | 382 | 1.39 | 511 | 3 | 151 |
| I823425 | | <10 | 1 | 0.21 | 10 | 0.64 | 3030 | <1 | <0.01 | 7 | 770 | 2110 | 2.40 | 2690 | 5 | 171 |
| I823426 | | <10 | 1 | 0.23 | 10 | 0.85 | 3840 | <1 | <0.01 | 7 | 880 | 1910 | 3.47 | 1880 | 5 | 210 |
| I823427 | | <10 | 1 | 0.17 | 20 | 0.69 | 1830 | 1 | <0.01 | 9 | 880 | 1190 | 1.40 | 1415 | 8 | 190 |
| I823428 | | <10 | 1 | 0.26 | 10 | 0.65 | 2220 | <1 | <0.01 | 7 | 780 | 1320 | 4.58 | 1930 | 4 | 197 |
| I823429 | | <10 | 1 | 0.21 | 20 | 0.63 | 1810 | <1 | <0.01 | 9 | 780 | 500 | 2.84 | 8950 | 5 | 232 |
| I823430 | | <10 | 1 | 0.01 | <10 | 11.85 | 200 | <1 | <0.01 | 5 | 220 | 2 | 0.01 | 21 | <1 | 49 |
| I823431 | | <10 | <1 | 0.22 | 20 | 0.80 | 1855 | 1 | <0.01 | 9 | 860 | 221 | 1.33 | 3630 | 7 | 260 |
| I823432 | | <10 | 1 | 0.20 | 20 | 0.82 | 1400 | <1 | <0.01 | 8 | 1010 | 32 | 0.26 | 197 | 7 | 111 |
| I823433 | | <10 | <1 | 0.15 | 20 | 0.87 | 829 | <1 | <0.01 | 7 | 860 | 32 | 0.25 | 141 | 7 | 200 |
| I823434 | | <10 | 1 | 0.17 | 20 | 0.83 | 712 | <1 | <0.01 | 8 | 980 | 17 | 0.43 | 219 | 7 | 125 |
| I823435 | | <10 | <1 | 0.20 | 30 | 0.84 | 702 | <1 | 0.01 | 8 | 1020 | 18 | 0.43 | 538 | 7 | 146 |
| I823436 | | <10 | <1 | 0.18 | 30 | 0.92 | 702 | <1 | <0.01 | 7 | 1020 | 14 | 0.54 | 217 | 7 | 170 |
| I823437 | | <10 | <1 | 0.20 | 30 | 0.83 | 757 | <1 | 0.01 | 8 | 1030 | 47 | 0.58 | 102 | 6 | 228 |
| I823438 | | 10 | <1 | 0.19 | 40 | 0.92 | 597 | 1 | 0.02 | 9 | 1010 | 21 | 0.14 | 23 | 7 | 147 |
| I823439 | | 10 | <1 | 0.26 | 40 | 1.05 | 635 | 1 | 0.04 | 10 | 1050 | 48 | 0.21 | 67 | 8 | 161 |
| I823440 | | <10 | 1 | 0.18 | 40 | 1.09 | 578 | <1 | 0.02 | 10 | 1000 | 32 | 0.15 | 59 | 7 | 228 |
| I823441 | | <10 | <1 | 0.08 | 30 | 1.20 | 541 | <1 | <0.01 | 11 | 980 | 31 | 0.12 | 56 | 7 | 279 |
| I823442 | | 10 | <1 | 0.24 | 40 | 1.17 | 620 | 1 | 0.04 | 8 | 1100 | 27 | 0.12 | 17 | 8 | 140 |
| I823443 | | 10 | 1 | 0.10 | 40 | 1.16 | 738 | <1 | 0.01 | 6 | 1040 | 37 | 0.08 | 15 | 7 | 199 |
| I823444 | | 10 | 1 | 0.12 | 40 | 1.05 | 653 | <1 | 0.02 | 8 | 1040 | 26 | 0.10 | 14 | 7 | 133 |



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: GOLDEN PREDATOR CANADA CORP.
 888 DUNSMUIR STREET
 11TH FLOOR
 VANCOUVER BC V6C 3K4

Page: 2 - C
 Total # Pages: 2 (A - C)
 Finalized Date: 13-JUN-2011
 Account: GOPRED

Project: Brewery Creek

CERTIFICATE OF ANALYSIS WH11095696

| Sample Description | Method Analyte Units LOR | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 |
|--------------------|-----------------------------------|-----------|-----------|-----------|-----------|----------|-----------|----------|
| | | Th | Ti | Ti | U | V | W | Zn |
| | | ppm 20 | % 0.01 | ppm 10 | ppm 10 | ppm 1 | ppm 10 | ppm 2 |
| I823409 | | <20 | <0.01 | <10 | <10 | 24 | <10 | 207 |
| I823410 | | <20 | <0.01 | <10 | <10 | 23 | <10 | 142 |
| I823411 | | <20 | <0.01 | <10 | <10 | 23 | <10 | 63 |
| I823412 | | <20 | <0.01 | <10 | <10 | 24 | <10 | 81 |
| I823413 | | <20 | 0.01 | 10 | <10 | 10 | <10 | 17 |
| I823414 | | <20 | <0.01 | <10 | <10 | 61 | <10 | 301 |
| I823415 | | <20 | <0.01 | <10 | <10 | 50 | <10 | 544 |
| I823416 | | <20 | <0.01 | <10 | <10 | 21 | <10 | 399 |
| I823417 | | <20 | <0.01 | <10 | <10 | 19 | <10 | 2430 |
| I823418 | | <20 | <0.01 | <10 | <10 | 8 | <10 | 1870 |
| I823419 | | <20 | <0.01 | <10 | <10 | 16 | <10 | 516 |
| I823420 | | <20 | <0.01 | <10 | <10 | 9 | <10 | 1160 |
| I823421 | | <20 | <0.01 | <10 | <10 | 9 | <10 | 471 |
| I823422 | | <20 | <0.01 | <10 | <10 | 10 | <10 | 355 |
| I823423 | | <20 | <0.01 | <10 | <10 | 6 | <10 | 881 |
| I823424 | | <20 | <0.01 | <10 | <10 | 6 | <10 | 950 |
| I823425 | | <20 | <0.01 | <10 | <10 | 8 | <10 | 1310 |
| I823426 | | <20 | <0.01 | <10 | <10 | 11 | <10 | 1080 |
| I823427 | | <20 | <0.01 | <10 | <10 | 32 | <10 | 829 |
| I823428 | | <20 | <0.01 | <10 | <10 | 9 | <10 | 1155 |
| I823429 | | <20 | <0.01 | <10 | <10 | 10 | <10 | 1235 |
| I823430 | | <20 | <0.01 | <10 | <10 | <1 | <10 | 14 |
| I823431 | | <20 | <0.01 | <10 | <10 | 14 | <10 | 604 |
| I823432 | | <20 | <0.01 | <10 | <10 | 36 | <10 | 333 |
| I823433 | | <20 | <0.01 | <10 | <10 | 40 | <10 | 117 |
| I823434 | | <20 | <0.01 | <10 | <10 | 44 | <10 | 95 |
| I823435 | | <20 | 0.01 | <10 | <10 | 48 | <10 | 128 |
| I823436 | | <20 | <0.01 | <10 | <10 | 39 | <10 | 107 |
| I823437 | | <20 | <0.01 | <10 | <10 | 31 | <10 | 154 |
| I823438 | | <20 | 0.03 | <10 | <10 | 68 | <10 | 94 |
| I823439 | | 20 | 0.05 | <10 | <10 | 71 | <10 | 118 |
| I823440 | | <20 | 0.03 | <10 | <10 | 63 | <10 | 104 |
| I823441 | | <20 | <0.01 | <10 | <10 | 65 | <10 | 115 |
| I823442 | | 20 | 0.06 | <10 | <10 | 76 | <10 | 102 |
| I823443 | | <20 | 0.01 | <10 | <10 | 70 | <10 | 118 |
| I823444 | | 20 | 0.02 | <10 | <10 | 78 | <10 | 130 |