



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: GOLDEN PREDATOR CANADA CORP.
888 DUNSMUIR STREET
11TH FLOOR
VANCOUVER BC V6C 3K4

Page: 1
Finalized Date: 26-SEP-2011
Account: GOPRED

CERTIFICATE WH11160279

Project: Brewery Creek

P.O. No.: BRC-2011-JC-1791

This report is for 28 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 16-AUG-2011.

The following have access to data associated with this certificate:

TYLER BOURNE
JACK COTE
BRUCE OTTO

MIKE BURKE
GILLES DESSUREAU
BILL SHERIFF

ANDREW CALDWELL
MIKE MASLOWSKI

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um
LOG-23	Pulp Login - Rcvd with Barcode
CRU-QC	Crushing QC Test
SPL-22Y	Split Sample - Boyd Rotary Splitter
PUL-QC	Pulverizing QC Test

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-OG46	Ore Grade Elements - AquaRegia	ICP-AES
Au-AA23	Au 30g FA-AA finish	AAS
ME-ICP41	35 Element Aqua Regia ICP-AES	ICP-AES
Ag-OG46	Ore Grade Ag - Aqua Regia	VARIABLE

To: GOLDEN PREDATOR CANADA CORP.
ATTN: JACK COTE
888 DUNSMUIR STREET
11TH FLOOR
VANCOUVER BC V6C 3K4

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:


Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: GOLDEN PREDATOR CANADA CORP.
888 DUNSMUIR STREET
11TH FLOOR
VANCOUVER BC V6C 3K4

Page: 2 - A
Total # Pages: 2 (A - C)
Finalized Date: 26-SEP-2011
Account: GOPRED

Project: Brewery Creek

CERTIFICATE OF ANALYSIS WH11160279

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-ICP41 Ag ppm	ME-ICP41 Al %	ME-ICP41 As ppm	ME-ICP41 B ppm	ME-ICP41 Ba ppm	ME-ICP41 Be ppm	ME-ICP41 Bi ppm	ME-ICP41 Ca %	ME-ICP41 Cd ppm	ME-ICP41 Co ppm	ME-ICP41 Cr ppm	ME-ICP41 Cu ppm	ME-ICP41 Fe %
		0.02	0.005	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
K941649		2.13	0.014	1.8	0.94	96	<10	910	0.8	<2	1.15	1.8	8	22	40	2.39
K941650		0.50	<0.005	<0.2	0.08	2	<10	20	<0.5	<2	19.2	<0.5	1	1	2	0.49
K941651		5.49	0.131	1.6	0.73	268	10	860	0.9	<2	0.09	0.8	4	16	56	2.31
K941652		4.31	0.024	1.5	0.67	92	10	360	0.8	<2	0.08	0.6	8	9	150	1.34
K941653		5.31	0.027	<0.2	0.83	251	10	420	0.9	<2	0.89	0.7	10	9	36	2.53
K941654		8.51	0.019	0.2	0.70	163	10	350	0.7	2	0.05	1.0	7	8	38	2.25
K941655		2.59	0.081	2.5	0.98	279	10	1100	1.5	<2	0.50	13.8	19	18	119	4.92
K941656		2.43	0.075	2.3	1.05	242	10	1300	1.5	<2	0.64	11.3	19	20	108	4.54
K941657		2.28	0.179	1.5	0.86	90	<10	450	0.8	<2	0.13	3.0	13	11	44	2.77
K941658		3.26	2.38	0.8	0.57	1640	<10	260	0.7	<2	0.33	1.1	9	7	29	2.34
K941659		7.67	0.680	0.9	0.56	556	<10	220	0.6	<2	1.01	4.0	8	8	32	2.32
K941660		0.07	5.24	>100	1.15	81	<10	60	<0.5	<2	0.63	31.0	9	41	80	2.99
K941661		4.90	0.534	2.1	0.58	917	<10	190	0.5	<2	1.80	2.3	8	7	48	2.69
K941662		5.28	0.097	1.2	0.75	239	<10	220	0.6	<2	2.20	3.1	6	8	38	2.24
K941663		5.67	0.057	0.3	0.81	193	<10	280	0.7	<2	1.07	1.4	9	9	33	2.90
K941664		5.03	0.080	0.6	0.63	461	<10	270	0.6	<2	0.47	2.0	12	8	38	3.00
K941665		4.22	0.009	0.5	0.82	66	<10	250	0.6	<2	0.03	<0.5	7	11	35	2.39
K941666		5.75	0.023	0.7	0.82	142	<10	280	0.7	<2	0.07	1.8	9	11	47	2.61
K941667		4.90	0.083	1.3	0.66	447	<10	320	0.7	<2	0.06	2.5	7	8	69	2.69
K941668		2.17	0.012	0.7	0.52	56	10	350	<0.5	<2	0.04	<0.5	1	8	13	1.12
K941669		2.14	0.045	1.6	0.55	32	10	990	<0.5	<2	0.09	<0.5	<1	13	17	0.88
K941670		0.43	<0.005	<0.2	0.05	2	<10	20	<0.5	<2	20.6	<0.5	<1	<1	<1	0.48
K941671		4.32	0.102	1.9	0.57	152	<10	1430	<0.5	<2	0.14	2.3	1	16	29	1.47
K941672		4.02	4.11	1.6	1.00	4420	<10	820	0.9	<2	1.51	2.1	7	13	32	3.24
K941673		3.49	4.21	1.8	0.76	4480	<10	660	0.9	<2	1.32	2.3	7	11	28	3.21
K941674		0.47	0.013	<0.2	0.04	30	<10	30	<0.5	<2	20.7	<0.5	<1	<1	<1	0.46
K941675		5.21	0.145	1.1	1.74	502	20	1090	2.4	2	2.37	4.3	14	47	157	4.15
K941676		4.09	0.027	1.1	1.68	659	10	1130	2.6	<2	2.45	3.7	13	44	217	4.16



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: GOLDEN PREDATOR CANADA CORP.
888 DUNSMUIR STREET
11TH FLOOR
VANCOUVER BC V6C 3K4

Page: 2 - B
Total # Pages: 2 (A - C)
Finalized Date: 26-SEP-2011
Account: GOPRED

Project: Brewery Creek

CERTIFICATE OF ANALYSIS WH11160279

Sample Description	Method Analyte Units LOR	ME-ICP41 Ga ppm 10	ME-ICP41 Hg ppm 1	ME-ICP41 K % 0.01	ME-ICP41 La ppm 10	ME-ICP41 Mg % 0.01	ME-ICP41 Mn ppm 5	ME-ICP41 Mo ppm 1	ME-ICP41 Na % 0.01	ME-ICP41 Ni ppm 1	ME-ICP41 P ppm 10	ME-ICP41 Pb ppm 2	ME-ICP41 S % 0.01	ME-ICP41 Sb ppm 2	ME-ICP41 Sc ppm 1	ME-ICP41 Sr ppm 1
K941649		<10	2	0.33	20	0.29	479	2	0.02	37	360	17	0.13	19	5	51
K941650		<10	<1	0.05	10	11.85	240	<1	0.01	2	260	<2	0.03	<2	<1	45
K941651		<10	2	0.33	10	0.06	60	2	0.01	22	730	33	0.15	21	3	312
K941652		<10	1	0.34	20	0.06	161	1	0.01	25	360	13	0.07	14	3	73
K941653		<10	1	0.42	20	0.34	1015	1	0.01	28	230	4	0.18	15	4	80
K941654		<10	1	0.36	20	0.06	355	1	0.01	22	310	12	0.10	16	4	63
K941655		10	6	0.32	30	0.08	3960	7	0.01	87	4040	505	0.15	145	6	596
K941656		<10	5	0.32	30	0.09	3490	6	0.01	75	5510	440	0.17	125	6	737
K941657		<10	1	0.27	20	0.07	1565	2	<0.01	53	1070	50	0.06	34	5	114
K941658		<10	2	0.22	20	0.14	1850	<1	<0.01	23	220	14	0.07	17	6	57
K941659		<10	2	0.22	20	0.41	1115	1	<0.01	25	100	17	0.24	24	4	116
K941660		10	3	0.16	10	0.45	343	466	0.08	29	450	962	1.16	158	4	59
K941661		<10	2	0.23	10	0.85	1145	<1	0.01	19	80	394	0.55	77	4	258
K941662		<10	2	0.28	10	1.11	1075	<1	0.01	18	80	252	1.05	55	4	272
K941663		<10	2	0.34	20	0.54	1105	<1	0.01	27	100	52	0.65	24	4	188
K941664		<10	1	0.30	20	0.25	959	<1	0.01	33	100	47	0.40	24	4	108
K941665		<10	1	0.35	20	0.07	117	<1	0.01	29	180	38	0.07	19	3	30
K941666		<10	<1	0.34	20	0.08	399	<1	0.01	27	200	37	0.15	16	3	34
K941667		<10	1	0.30	20	0.06	427	<1	0.01	23	180	13	0.16	22	3	53
K941668		<10	1	0.31	20	0.05	17	<1	0.01	2	200	18	0.19	14	1	79
K941669		<10	1	0.28	20	0.05	15	1	0.01	2	700	21	0.23	12	1	281
K941670		<10	<1	0.02	<10	12.50	228	<1	0.01	<1	180	<2	0.03	2	<1	48
K941671		<10	2	0.20	10	0.05	38	2	<0.01	6	1000	36	0.22	25	2	334
K941672		<10	7	0.24	30	0.37	826	2	0.01	18	1660	37	0.24	61	7	327
K941673		<10	7	0.20	30	0.32	809	1	0.01	18	1300	39	0.24	61	7	305
K941674		<10	1	0.02	<10	12.70	229	<1	0.01	<1	190	<2	0.02	<2	<1	54
K941675		10	3	0.56	30	0.26	470	8	0.01	100	>10000	47	0.14	53	8	519
K941676		10	3	0.48	30	0.37	487	15	0.01	87	6910	44	0.12	48	9	540



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: GOLDEN PREDATOR CANADA CORP.
 888 DUNSMUIR STREET
 11TH FLOOR
 VANCOUVER BC V6C 3K4

Page: 2 - C
 Total # Pages: 2 (A - C)
 Finalized Date: 26-SEP-2011
 Account: GOPRED

Project: Brewery Creek

CERTIFICATE OF ANALYSIS WH11160279

Sample Description	Method Analyte Units LOR	ME-ICP41 Th ppm 20	ME-ICP41 Ti % 0.01	ME-ICP41 Ti ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2	Ag-OG46 Ag ppm 1
K941649		<20	0.03	<10	<10	42	10	376	
K941650		<20	<0.01	<10	<10	4	<10	16	
K941651		<20	<0.01	<10	<10	28	<10	219	
K941652		<20	<0.01	<10	<10	18	<10	186	
K941653		<20	<0.01	<10	<10	11	<10	251	
K941654		<20	<0.01	<10	<10	10	<10	237	
K941655		<20	<0.01	<10	<10	57	<10	1025	
K941656		<20	<0.01	<10	<10	64	<10	850	
K941657		<20	<0.01	<10	<10	31	<10	429	
K941658		<20	<0.01	<10	<10	15	<10	176	
K941659		<20	<0.01	<10	<10	12	<10	283	
K941660		<20	0.09	<10	<10	60	30	3020	101
K941661		<20	<0.01	<10	<10	10	<10	270	
K941662		<20	<0.01	<10	<10	11	<10	330	
K941663		<20	<0.01	<10	<10	11	<10	300	
K941664		<20	<0.01	<10	<10	9	<10	332	
K941665		<20	<0.01	<10	<10	11	<10	327	
K941666		<20	<0.01	<10	<10	13	<10	334	
K941667		<20	<0.01	<10	<10	12	<10	231	
K941668		<20	<0.01	<10	<10	11	<10	27	
K941669		<20	<0.01	<10	<10	38	<10	17	
K941670		<20	<0.01	<10	<10	2	<10	14	
K941671		<20	<0.01	<10	<10	46	<10	88	
K941672		<20	<0.01	<10	<10	34	<10	169	
K941673		<20	<0.01	<10	<10	28	<10	172	
K941674		<20	<0.01	<10	<10	2	<10	18	
K941675		<20	0.01	<10	<10	130	<10	446	
K941676		<20	<0.01	<10	<10	136	<10	457	