



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: TARSIS RESOURCES LTD.
1103 - 750 W PENDER ST.
VANCOUVER BC V6C 2T8

Page: 1
Finalized Date: 25-AUG-2011
Account: TARCAP

CERTIFICATE WH11141078

Project: R-11

P.O. No.:

This report is for 51 Soil samples submitted to our lab in Whitehorse, YT, Canada on 24-JUL-2011.

The following have access to data associated with this certificate:

MARC BLYTHE

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
SCR-41	Screen to -180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
ME-MS41	51 anal. aqua regia ICPMS	

To: TARSIS RESOURCES LTD.
ATTN: MARC BLYTHE
1103 - 750 W PENDER ST.
VANCOUVER BC V6C 2T8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:


Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: TARSIS RESOURCES LTD.
1103 - 750 W PENDER ST.
VANCOUVER BC V6C 2T8

Page: 2 - A
Total # Pages: 3 (A - D)
Plus Appendix Pages
Finalized Date: 25-AUG-2011
Account: TARCAP

Project: R-11

CERTIFICATE OF ANALYSIS WH11141078

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg .02	Au-AA23 Au ppm 0.005	ME-MS41 Ag ppm 0.01	ME-MS41 Al % 0.01	ME-MS41 As ppm 0.1	ME-MS41 Au ppm 0.2	ME-MS41 B ppm 10	ME-MS41 Ba ppm 10	ME-MS41 Be ppm 0.05	ME-MS41 Bi ppm 0.01	ME-MS41 Ca % 0.01	ME-MS41 Cd ppm 0.01	ME-MS41 Ce ppm 0.02	ME-MS41 Co ppm 0.1	ME-MS41 Cr ppm 1
L44000E 33900N		0.50	<0.005	0.15	0.38	0.7	<0.2	<10	40	0.16	0.04	0.20	0.09	17.20	3.6	4
L44000E 33950N	Not Recvd															
L44000E 34000N	Not Recvd															
L44000E 34050N		0.56	<0.005	0.09	0.60	1.7	<0.2	<10	30	0.32	0.10	0.19	0.24	43.0	5.1	9
L44000E 34100N		0.59	<0.005	0.13	1.07	33.5	<0.2	<10	50	0.86	0.19	0.22	0.65	91.9	7.8	16
L44000E 34150N		0.76	<0.005	0.18	2.11	9.8	<0.2	<10	110	1.46	0.30	0.24	0.51	110.5	12.1	32
L44000E 34200N		0.66	<0.005	0.08	0.79	2.4	<0.2	<10	40	0.38	0.11	0.19	0.25	33.5	5.3	11
L44000E 34250N		0.73	<0.005	0.07	2.22	9.4	<0.2	<10	90	1.05	0.39	0.26	0.45	70.3	12.6	39
L44000E 34300N		0.75	<0.005	0.17	2.35	8.3	<0.2	<10	120	2.39	0.59	0.41	0.55	174.0	14.6	48
L44000E 34350N		0.72	<0.005	0.15	1.55	7.9	<0.2	<10	110	0.79	0.20	0.35	0.33	45.6	9.8	31
L44000E 34400N		0.69	<0.005	0.18	1.70	5.0	<0.2	<10	120	1.02	0.28	0.30	0.35	119.0	10.4	34
L44000E 34450N		0.85	<0.005	0.16	2.03	8.4	<0.2	<10	90	1.10	0.31	0.42	0.49	102.5	13.3	48
L44000E 34500N		0.80	<0.005	0.51	2.62	10.3	<0.2	<10	160	1.59	0.36	0.58	0.52	116.5	16.7	54
L44000E 34550N		0.60	<0.005	0.18	1.78	10.5	<0.2	<10	100	3.12	0.27	0.42	0.39	202	12.8	32
L44000E 34600N		0.74	<0.005	0.26	3.09	12.2	<0.2	<10	160	2.35	0.49	0.39	0.37	256	15.9	59
L44000E 34650N		0.70	<0.005	0.11	2.20	9.1	<0.2	<10	90	1.15	0.30	0.27	0.45	63.4	13.5	45
L44000E 34700N		0.68	<0.005	0.14	2.16	8.5	<0.2	<10	100	1.41	1.23	0.36	0.27	128.0	12.6	41
L44000E 34750N		0.67	<0.005	0.08	1.42	10.4	<0.2	<10	70	0.64	0.34	0.21	0.29	59.3	9.4	28
L44000E 34800N		0.72	<0.005	0.18	2.11	11.2	<0.2	<10	80	1.69	0.37	0.40	0.24	139.0	14.7	47
L44000E 34850N		0.85	0.006	0.07	2.23	10.6	<0.2	<10	80	1.35	0.30	0.22	0.37	111.5	12.7	45
L44000E 34900N		0.81	<0.005	0.11	2.14	8.2	<0.2	<10	80	1.20	0.33	0.26	0.24	78.2	13.5	53
L44000E 34950N		0.81	<0.005	0.10	2.19	8.0	<0.2	<10	90	1.45	0.43	0.32	0.25	83.4	14.5	49
L44000E 35000N		0.71	<0.005	0.15	2.38	11.7	<0.2	<10	110	1.72	0.30	0.38	0.37	79.6	18.8	57
L44000E 35050N		0.69	0.005	0.20	2.21	8.9	<0.2	<10	90	1.22	0.24	0.23	0.22	55.0	16.3	52
L44000E 35100N		0.74	<0.005	0.11	2.31	9.9	<0.2	<10	80	1.84	0.44	0.23	0.35	116.5	13.0	36
L44000E 35150N		0.79	<0.005	0.03	1.96	7.6	<0.2	<10	70	0.96	0.17	0.23	0.23	66.8	12.6	35
L44000E 35200N		0.72	<0.005	0.08	2.23	9.6	<0.2	<10	110	1.28	0.25	0.23	0.28	41.0	15.8	51
L44000E 35250N		0.64	<0.005	0.11	1.45	11.1	<0.2	<10	110	0.53	0.29	0.23	0.29	18.40	11.2	35
L44000E 35300N		0.52	<0.005	0.07	0.98	5.1	<0.2	<10	50	0.34	0.15	0.14	0.14	16.10	6.2	17
L44000E 35350N	Not Recvd															
L44000E 35400N	Not Recvd															
L44000E 35450N	Not Recvd															
L44000E 35500N		0.77	<0.005	0.13	2.63	10.4	<0.2	<10	110	2.33	0.38	0.33	0.31	104.0	20.2	74
L44000E 35550N		0.68	<0.005	0.08	1.74	6.8	<0.2	<10	80	1.65	0.28	0.35	0.26	83.5	13.7	59
L44000E 35600N		0.71	<0.005	0.24	1.59	11.3	<0.2	<10	60	2.11	0.66	0.48	0.50	62.4	11.0	23
L44000E 35650N	Not Recvd															
L44000E 35700N	Not Recvd															
L44000E 35750N	Not Recvd															
L44000E 35800N	Not Recvd															
L44000E 35850N	Not Recvd															



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: TARSIS RESOURCES LTD.
1103 - 750 W PENDER ST.
VANCOUVER BC V6C 2T8

Page: 2 - B
Total # Pages: 3 (A - D)
Plus Appendix Pages
Finalized Date: 25-AUG-2011
Account: TARCAP

Project: R-11

CERTIFICATE OF ANALYSIS WH11141078

Sample Description	Method Analyte Units LOR	ME-MS41 Cs ppm 0.05	ME-MS41 Cu ppm 0.2	ME-MS41 Fe % 0.01	ME-MS41 Ga ppm 0.05	ME-MS41 Ge ppm 0.05	ME-MS41 Hf ppm 0.02	ME-MS41 Hg ppm 0.01	ME-MS41 In ppm 0.005	ME-MS41 K % 0.01	ME-MS41 La ppm 0.2	ME-MS41 Li ppm 0.1	ME-MS41 Mg % 0.01	ME-MS41 Mn ppm 5	ME-MS41 Mo ppm 0.05	ME-MS41 Na % 0.01
L44000E 33900N		0.19	12.6	1.12	2.23	<0.05	<0.02	0.02	0.007	0.03	6.3	1.6	0.11	80	0.28	0.02
L44000E 33950N																
L44000E 34000N																
L44000E 34050N		0.51	18.7	1.72	3.32	0.06	0.02	0.03	0.014	0.03	12.3	4.4	0.18	138	1.28	0.02
L44000E 34100N		1.55	19.0	2.14	4.65	0.15	0.06	0.06	0.028	0.04	27.8	11.5	0.29	278	1.55	0.02
L44000E 34150N		2.41	25.8	3.07	7.10	0.10	0.06	0.04	0.042	0.06	23.9	20.5	0.56	550	2.02	0.02
L44000E 34200N		0.95	14.4	1.52	3.58	0.07	0.02	0.02	0.015	0.05	13.4	8.4	0.21	168	0.75	0.03
L44000E 34250N		2.86	21.1	3.66	8.80	0.09	0.07	0.03	0.047	0.06	17.8	34.6	0.68	386	1.88	0.02
L44000E 34300N		5.25	33.4	3.58	9.31	0.22	0.12	0.03	0.077	0.15	76.6	33.1	0.92	845	2.51	0.02
L44000E 34350N		1.32	22.0	2.74	6.45	0.07	0.02	0.03	0.024	0.09	14.1	23.4	0.54	391	1.41	0.02
L44000E 34400N		1.92	19.2	2.42	6.29	0.11	0.04	0.03	0.025	0.06	25.0	31.5	0.65	425	0.91	0.02
L44000E 34450N		2.79	21.2	3.26	8.96	0.12	0.04	0.03	0.038	0.09	36.8	35.1	0.91	567	1.83	0.02
L44000E 34500N		3.30	30.6	3.68	10.00	0.14	0.04	0.03	0.040	0.12	35.4	58.1	1.04	787	1.69	0.02
L44000E 34550N		2.59	35.1	2.85	7.61	0.62	0.27	0.08	0.053	0.10	114.0	19.1	0.62	742	1.97	0.03
L44000E 34600N		5.77	28.2	4.19	10.70	0.17	0.07	0.04	0.061	0.10	43.3	51.1	1.11	775	1.85	0.02
L44000E 34650N		2.92	21.5	3.44	8.55	0.09	0.04	0.04	0.035	0.09	19.1	41.3	0.81	482	1.83	0.02
L44000E 34700N		3.13	25.7	3.06	8.15	0.13	0.07	0.02	0.043	0.08	27.5	32.5	0.82	516	1.01	0.02
L44000E 34750N		2.04	23.8	3.39	8.87	0.07	0.05	0.03	0.050	0.05	13.9	23.9	0.43	340	2.09	0.02
L44000E 34800N		4.36	30.7	3.23	9.28	0.21	0.07	0.03	0.044	0.07	64.5	41.6	0.90	586	1.78	0.02
L44000E 34850N		2.55	25.1	3.42	8.98	0.13	0.05	0.03	0.046	0.06	32.3	38.9	0.78	428	1.51	0.01
L44000E 34900N		4.13	22.2	3.20	9.09	0.11	0.04	0.03	0.037	0.08	24.6	50.8	0.91	403	1.78	0.01
L44000E 34950N		4.32	25.6	3.29	9.02	0.11	0.05	0.03	0.036	0.06	19.6	49.4	0.94	569	1.80	0.01
L44000E 35000N		3.05	29.8	3.79	10.60	0.10	0.03	0.04	0.045	0.07	23.1	41.7	0.98	1140	3.06	0.02
L44000E 35050N		4.31	32.7	3.37	7.47	0.10	0.04	0.02	0.032	0.09	17.0	40.1	0.90	456	1.78	0.02
L44000E 35100N		5.70	24.1	3.57	8.02	0.09	0.03	0.04	0.065	0.08	19.2	31.8	0.62	682	3.27	0.01
L44000E 35150N		1.78	24.7	2.84	6.03	0.09	0.05	0.02	0.032	0.06	19.4	17.2	0.59	475	1.24	0.02
L44000E 35200N		4.56	31.3	3.79	9.24	0.11	0.04	0.05	0.037	0.17	16.1	49.2	0.96	594	2.45	0.02
L44000E 35250N		1.99	30.6	3.38	7.84	0.06	0.03	0.06	0.030	0.06	8.2	13.9	0.44	475	3.46	0.02
L44000E 35300N		1.06	27.8	2.16	4.66	0.05	0.02	0.04	0.016	0.04	7.3	6.0	0.21	131	1.47	0.02
L44000E 35350N																
L44000E 35400N																
L44000E 35450N																
L44000E 35500N		8.09	38.3	4.19	10.60	0.21	0.07	0.02	0.053	0.37	46.8	60.4	1.28	733	2.83	0.02
L44000E 35550N		5.92	26.4	3.39	8.57	0.19	0.11	0.03	0.049	0.44	34.2	46.0	0.79	618	3.86	0.02
L44000E 35600N		4.42	28.1	4.32	8.01	0.11	<0.02	0.05	0.072	0.12	30.4	22.0	0.45	1000	6.58	0.01
L44000E 35650N																
L44000E 35700N																
L44000E 35750N																
L44000E 35800N																
L44000E 35850N																



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: TARSIS RESOURCES LTD.
1103 - 750 W PENDER ST.
VANCOUVER BC V6C 2T8

Page: 2 - C
Total # Pages: 3 (A - D)
Plus Appendix Pages
Finalized Date: 25-AUG-2011
Account: TARCAP

Project: R-11

CERTIFICATE OF ANALYSIS WH11141078

Sample Description	Method Analyte Units LOR	ME-MS41 Nb ppm 0.05	ME-MS41 Ni ppm 0.2	ME-MS41 P ppm 10	ME-MS41 Pb ppm 0.2	ME-MS41 Rb ppm 0.1	ME-MS41 Re ppm 0.001	ME-MS41 S % 0.01	ME-MS41 Sb ppm 0.05	ME-MS41 Sc ppm 0.1	ME-MS41 Se ppm 0.2	ME-MS41 Sn ppm 0.2	ME-MS41 Sr ppm 0.2	ME-MS41 Ta ppm 0.01	ME-MS41 Te ppm 0.01	ME-MS41 Th ppm 0.2
L44000E 33900N		0.33	3.1	490	3.9	2.2	<0.001	<0.01	0.09	0.5	<0.2	0.2	13.8	<0.01	0.01	0.5
L44000E 33950N																
L44000E 34000N																
L44000E 34050N		0.54	6.6	540	6.7	5.3	<0.001	0.01	0.16	0.8	0.2	0.4	14.1	<0.01	0.01	1.7
L44000E 34100N		1.36	13.2	550	21.4	8.2	<0.001	0.01	0.33	1.8	0.8	0.4	14.6	0.01	0.03	4.0
L44000E 34150N		1.88	25.8	530	30.8	14.5	<0.001	0.02	0.52	2.9	0.7	0.7	20.9	0.01	0.04	5.5
L44000E 34200N		0.79	7.5	550	11.2	6.6	<0.001	<0.01	0.14	1.0	0.2	0.3	13.5	<0.01	0.02	1.2
L44000E 34250N		2.60	30.3	590	31.3	14.2	<0.001	0.01	0.43	3.5	0.6	1.1	17.2	0.01	0.03	6.8
L44000E 34300N		2.13	35.0	1070	55.5	28.2	<0.001	<0.01	0.43	4.3	1.4	1.4	22.8	0.01	0.03	20.3
L44000E 34350N		0.98	20.5	760	22.5	16.5	<0.001	0.05	0.45	1.5	0.4	0.5	27.5	<0.01	0.03	0.6
L44000E 34400N		1.27	24.5	540	23.0	12.4	<0.001	0.03	0.26	2.1	0.4	0.6	24.1	<0.01	0.03	2.7
L44000E 34450N		1.52	32.4	830	28.4	22.4	<0.001	0.03	0.50	2.6	0.6	1.1	27.1	<0.01	0.04	3.5
L44000E 34500N		1.46	37.5	730	74.0	21.6	<0.001	0.03	0.53	3.7	0.9	0.9	46.1	0.01	0.06	3.7
L44000E 34550N		2.39	26.2	1070	32.7	16.9	0.001	0.06	0.62	3.2	7.7	0.7	27.1	0.04	0.04	9.3
L44000E 34600N		2.01	41.6	540	53.4	21.3	<0.001	0.02	0.57	4.7	1.1	1.2	31.4	0.01	0.06	7.6
L44000E 34650N		1.96	31.8	550	31.5	23.7	<0.001	0.01	0.48	3.8	0.5	0.9	21.5	0.01	0.04	4.5
L44000E 34700N		2.03	31.8	650	22.6	14.9	<0.001	<0.01	0.38	4.2	0.7	1.0	23.9	0.01	0.03	6.6
L44000E 34750N		2.04	19.6	400	21.5	11.3	<0.001	0.02	0.59	2.3	0.4	1.2	19.4	<0.01	0.04	2.5
L44000E 34800N		1.64	33.2	750	53.7	14.1	<0.001	0.03	0.50	3.9	1.4	1.1	26.2	0.01	0.04	4.9
L44000E 34850N		2.14	31.8	370	22.1	14.6	<0.001	0.01	0.53	3.3	0.7	1.0	18.2	0.01	0.04	5.1
L44000E 34900N		1.95	34.0	500	25.4	15.1	<0.001	0.02	0.43	3.1	0.5	0.9	19.0	<0.01	0.03	3.4
L44000E 34950N		1.88	40.4	480	38.3	12.5	<0.001	0.03	0.43	3.1	0.5	0.9	22.8	<0.01	0.04	2.4
L44000E 35000N		1.28	37.4	1110	27.0	20.8	<0.001	0.09	0.88	2.6	0.8	0.8	34.3	<0.01	0.05	1.5
L44000E 35050N		1.85	41.8	390	19.0	18.4	<0.001	0.02	0.36	3.4	0.5	0.7	18.0	<0.01	0.03	2.6
L44000E 35100N		1.28	26.3	440	30.2	19.9	<0.001	0.03	0.54	2.7	0.6	1.3	20.5	0.01	0.03	1.1
L44000E 35150N		1.87	29.7	360	11.9	9.4	<0.001	0.01	0.39	3.3	0.5	0.6	17.7	0.01	0.03	3.1
L44000E 35200N		3.33	31.2	610	19.0	34.0	<0.001	0.03	0.71	4.0	0.8	1.1	19.0	0.01	0.04	2.8
L44000E 35250N		1.39	25.0	830	14.4	15.3	<0.001	0.07	1.45	1.8	0.5	0.8	22.6	<0.01	0.06	0.4
L44000E 35300N		0.78	12.4	600	6.4	7.0	<0.001	0.04	0.51	1.3	0.5	0.4	14.9	0.01	0.03	0.3
L44000E 35350N																
L44000E 35400N																
L44000E 35450N																
L44000E 35500N		3.21	42.5	680	36.7	48.2	<0.001	0.01	0.32	6.2	1.1	1.2	17.6	0.01	0.04	8.4
L44000E 35550N		3.39	30.9	650	27.4	56.3	<0.001	0.02	0.31	5.5	1.1	1.1	20.0	0.01	0.02	9.6
L44000E 35600N		0.55	16.1	1410	36.6	21.6	<0.001	0.05	0.63	3.7	0.9	0.7	27.0	<0.01	0.07	0.8
L44000E 35650N																
L44000E 35700N																
L44000E 35750N																
L44000E 35800N																
L44000E 35850N																



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: TARSIS RESOURCES LTD.
1103 - 750 W PENDER ST.
VANCOUVER BC V6C 2T8

Page: 2 - D
Total # Pages: 3 (A - D)
Plus Appendix Pages
Finalized Date: 25-AUG-2011
Account: TARCAP

Project: R-11

CERTIFICATE OF ANALYSIS WH11141078

Sample Description	Method Analyte Units LOR	ME-MS41 Ti %	ME-MS41 Ti ppm	ME-MS41 U ppm	ME-MS41 V ppm	ME-MS41 W ppm	ME-MS41 Y ppm	ME-MS41 Zn ppm	ME-MS41 Zr ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
L44000E 33900N		0.053	0.02	0.31	32	<0.05	2.72	23	<0.5
L44000E 33950N									
L44000E 34000N									
L44000E 34050N		0.069	0.05	0.60	46	0.09	4.51	48	0.5
L44000E 34100N		0.070	0.07	1.27	44	0.35	8.85	94	1.2
L44000E 34150N		0.083	0.14	1.38	61	0.72	11.20	113	1.5
L44000E 34200N		0.062	0.05	0.54	36	0.22	5.50	48	0.5
L44000E 34250N		0.110	0.15	1.23	71	0.77	9.34	124	2.5
L44000E 34300N		0.110	0.27	3.63	66	0.89	27.4	190	3.7
L44000E 34350N		0.071	0.10	0.67	57	0.35	6.00	92	0.7
L44000E 34400N		0.086	0.12	1.08	53	0.60	8.33	99	1.3
L44000E 34450N		0.111	0.18	1.69	73	1.56	11.20	118	1.1
L44000E 34500N		0.105	0.23	2.16	81	0.82	16.15	138	1.1
L44000E 34550N		0.064	0.15	8.72	51	0.78	180.0	147	1.8
L44000E 34600N		0.113	0.20	2.08	85	0.91	17.90	160	1.9
L44000E 34650N		0.118	0.17	1.08	74	0.67	7.97	86	1.5
L44000E 34700N		0.120	0.15	1.41	65	0.44	13.65	93	2.4
L44000E 34750N		0.099	0.13	0.80	71	0.36	5.77	80	1.7
L44000E 34800N		0.097	0.17	2.38	68	1.91	29.1	120	1.4
L44000E 34850N		0.112	0.17	1.27	70	0.58	13.05	92	1.5
L44000E 34900N		0.125	0.18	1.39	74	1.88	8.89	100	1.3
L44000E 34950N		0.126	0.13	1.22	73	2.04	8.62	103	1.8
L44000E 35000N		0.061	0.18	1.58	74	0.50	9.21	145	0.7
L44000E 35050N		0.121	0.20	1.21	65	0.68	8.13	95	1.3
L44000E 35100N		0.076	0.20	1.26	65	1.33	10.55	144	0.8
L44000E 35150N		0.104	0.11	1.03	60	0.27	9.26	89	1.6
L44000E 35200N		0.129	0.26	1.20	80	1.03	12.20	99	1.1
L44000E 35250N		0.073	0.16	1.01	77	0.25	4.33	91	1.0
L44000E 35300N		0.064	0.08	0.66	55	0.15	3.78	44	0.7
L44000E 35350N									
L44000E 35400N									
L44000E 35450N									
L44000E 35500N		0.172	0.45	2.39	77	0.82	23.4	155	2.2
L44000E 35550N		0.156	0.38	2.37	64	0.45	26.7	142	3.4
L44000E 35600N		0.058	0.31	2.28	74	1.00	15.90	145	<0.5
L44000E 35650N									
L44000E 35700N									
L44000E 35750N									
L44000E 35800N									
L44000E 35850N									



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: TARSIS RESOURCES LTD.
 1103 - 750 W PENDER ST.
 VANCOUVER BC V6C 2T8

Page: 3 - A
 Total # Pages: 3 (A - D)
 Plus Appendix Pages
 Finalized Date: 25-AUG-2011
 Account: TARCAP

Project: R-11

CERTIFICATE OF ANALYSIS WH11141078

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg .02	Au-AA23 Au ppm 0.005	ME-MS41 Ag ppm 0.01	ME-MS41 Al % 0.01	ME-MS41 As ppm 0.1	ME-MS41 Au ppm 0.2	ME-MS41 B ppm 10	ME-MS41 Ba ppm 10	ME-MS41 Be ppm 0.05	ME-MS41 Bi ppm 0.01	ME-MS41 Ca % 0.01	ME-MS41 Cd ppm 0.01	ME-MS41 Ce ppm 0.02	ME-MS41 Co ppm 0.1	ME-MS41 Cr ppm 1
L44000E 35900N		0.62	<0.005	0.10	0.48	3.0	<0.2	<10	40	0.14	0.07	0.14	0.15	8.59	2.8	9
L44000E 35950N		0.72	0.006	0.35	0.88	107.5	<0.2	<10	100	0.80	0.24	0.28	0.42	60.2	7.3	19
L44000E 36000N		0.85	<0.005	0.27	1.64	140.0	<0.2	<10	150	1.73	0.39	0.24	1.12	130.0	12.0	31
L44000E 36050N		0.92	0.013	0.44	1.65	139.5	<0.2	<10	130	2.06	0.47	0.35	1.15	206	11.9	31
L44000E 36100N		0.86	0.011	0.45	1.07	43.1	<0.2	<10	160	1.54	0.41	0.31	0.95	183.0	9.0	23
L44000E 36150N		0.65	<0.005	0.43	1.60	20.0	<0.2	<10	140	1.52	0.43	0.30	0.99	156.5	10.6	25
L44000E 36200N		0.66	<0.005	0.20	1.03	16.9	<0.2	<10	80	0.35	0.26	0.12	0.23	22.1	6.2	18
L44000E 36250N		0.63	<0.005	0.17	1.13	13.8	<0.2	<10	50	0.26	0.32	0.09	0.15	19.85	5.3	21
L44000E 36300N		0.39	<0.005	0.23	0.83	12.6	<0.2	<10	90	0.39	0.20	0.14	0.46	42.7	5.2	17
L44000E 36350N		0.44	<0.005	0.41	0.46	4.9	<0.2	<10	110	0.13	0.11	0.15	0.37	8.86	4.1	9
L44000E 36400N		0.52	<0.005	0.35	1.42	15.1	<0.2	<10	130	1.03	0.29	0.19	0.89	124.0	8.6	26



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: TARSIS RESOURCES LTD.
 1103 - 750 W PENDER ST.
 VANCOUVER BC V6C 2T8

Page: 3 - B
 Total # Pages: 3 (A - D)
 Plus Appendix Pages
 Finalized Date: 25-AUG-2011
 Account: TARCAP

Project: R-11

CERTIFICATE OF ANALYSIS WH11141078

Sample Description	Method Analyte Units LOR	ME-MS41 Cs ppm 0.05	ME-MS41 Cu ppm 0.2	ME-MS41 Fe % 0.01	ME-MS41 Ga ppm 0.05	ME-MS41 Ge ppm 0.05	ME-MS41 Hf ppm 0.02	ME-MS41 Hg ppm 0.01	ME-MS41 In ppm 0.005	ME-MS41 K % 0.01	ME-MS41 La ppm 0.2	ME-MS41 Li ppm 0.1	ME-MS41 Mg % 0.01	ME-MS41 Mn ppm 5	ME-MS41 Mo ppm 0.05	ME-MS41 Na % 0.01
L44000E 35900N		0.58	11.6	1.21	2.31	<0.05	<0.02	0.03	0.010	0.03	3.8	1.6	0.09	68	0.77	0.02
L44000E 35950N		1.69	35.9	2.17	4.48	0.07	0.02	0.08	0.029	0.06	29.3	8.0	0.26	372	4.79	0.02
L44000E 36000N		3.23	45.6	3.55	6.10	0.11	0.02	0.06	0.056	0.09	73.2	20.2	0.50	875	6.10	0.02
L44000E 36050N		3.77	48.4	3.54	6.30	0.27	0.07	0.06	0.062	0.10	121.5	20.9	0.54	1030	5.75	0.02
L44000E 36100N		4.12	53.5	3.24	4.82	0.15	0.15	0.02	0.060	0.17	68.0	16.7	0.41	750	4.28	0.02
L44000E 36150N		2.09	40.4	3.02	5.50	0.09	0.04	0.06	0.059	0.07	53.3	16.6	0.42	727	4.00	0.01
L44000E 36200N		1.12	21.3	2.91	7.47	<0.05	0.03	0.04	0.022	0.05	8.9	8.1	0.21	433	3.14	0.01
L44000E 36250N		1.29	20.2	3.09	9.25	<0.05	0.05	0.04	0.024	0.04	9.2	10.3	0.21	148	3.77	<0.01
L44000E 36300N		1.26	20.8	2.18	5.00	<0.05	0.02	0.07	0.022	0.05	21.5	8.0	0.21	218	2.37	0.01
L44000E 36350N		0.77	13.9	1.47	3.25	<0.05	<0.02	0.04	0.009	0.05	3.5	2.0	0.09	174	1.39	0.01
L44000E 36400N		1.75	32.3	2.98	6.20	0.06	0.02	0.06	0.046	0.07	27.7	13.2	0.37	380	4.39	0.01



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: TARSIS RESOURCES LTD.
 1103 - 750 W PENDER ST.
 VANCOUVER BC V6C 2T8

Page: 3 - C
 Total # Pages: 3 (A - D)
 Plus Appendix Pages
 Finalized Date: 25-AUG-2011
 Account: TARCAP

Project: R-11

CERTIFICATE OF ANALYSIS WH11141078

Sample Description	Method Analyte Units LOR	ME-MS41 Nb ppm 0.05	ME-MS41 Ni ppm 0.2	ME-MS41 P ppm 10	ME-MS41 Pb ppm 0.2	ME-MS41 Rb ppm 0.1	ME-MS41 Re ppm 0.001	ME-MS41 S % 0.01	ME-MS41 Sb ppm 0.05	ME-MS41 Sc ppm 0.1	ME-MS41 Se ppm 0.2	ME-MS41 Sn ppm 0.2	ME-MS41 Sr ppm 0.2	ME-MS41 Ta ppm 0.01	ME-MS41 Te ppm 0.01	ME-MS41 Th ppm 0.2
L44000E 35900N		0.09	5.2	540	3.8	3.4	<0.001	0.06	0.30	0.2	0.3	0.2	12.7	<0.01	0.01	<0.2
L44000E 35950N		0.72	19.1	810	22.0	9.3	<0.001	0.10	1.05	1.1	1.4	0.4	22.0	<0.01	0.05	0.6
L44000E 36000N		0.93	35.1	820	51.8	14.5	<0.001	0.11	1.50	2.2	2.0	0.7	28.0	<0.01	0.05	1.6
L44000E 36050N		1.49	36.9	1070	66.4	14.5	0.001	0.06	1.24	4.0	3.1	0.7	25.6	0.01	0.06	9.0
L44000E 36100N		1.46	24.3	870	50.9	14.7	<0.001	0.21	1.18	3.4	2.2	0.7	33.1	0.01	0.11	11.6
L44000E 36150N		1.53	26.4	720	76.6	9.4	<0.001	0.05	0.78	2.2	1.3	0.6	23.1	<0.01	0.07	4.2
L44000E 36200N		1.70	14.7	300	16.1	10.5	<0.001	0.02	0.82	1.6	0.4	0.7	16.3	<0.01	0.03	1.4
L44000E 36250N		1.79	16.7	200	16.8	7.8	<0.001	0.01	1.02	2.0	0.2	0.9	12.1	<0.01	0.05	2.0
L44000E 36300N		0.96	14.9	460	13.1	5.6	<0.001	0.04	0.83	1.5	0.4	0.5	15.0	<0.01	0.02	0.9
L44000E 36350N		0.37	8.9	450	4.4	6.1	<0.001	0.05	0.64	0.5	<0.2	0.3	19.1	<0.01	0.03	<0.2
L44000E 36400N		1.52	26.4	500	48.8	9.6	0.001	0.04	1.26	2.1	1.0	0.5	20.1	<0.01	0.06	2.9



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: TARSIS RESOURCES LTD.
 1103 - 750 W PENDER ST.
 VANCOUVER BC V6C 2T8

Page: 3 - D
 Total # Pages: 3 (A - D)
 Plus Appendix Pages
 Finalized Date: 25-AUG-2011
 Account: TARCAP

Project: R-11

CERTIFICATE OF ANALYSIS WH11141078

Sample Description	Method Analyte Units LOR	ME-MS41 Ti %	ME-MS41 Ti ppm	ME-MS41 U ppm	ME-MS41 V ppm	ME-MS41 W ppm	ME-MS41 Y ppm	ME-MS41 Zn ppm	ME-MS41 Zr ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
L44000E 35900N		0.026	0.04	0.38	33	0.06	1.96	27	<0.5
L44000E 35950N		0.040	0.14	2.40	42	0.27	23.4	84	0.5
L44000E 36000N		0.054	0.22	3.16	60	0.38	29.5	233	<0.5
L44000E 36050N		0.076	0.20	6.12	58	0.38	76.7	334	1.6
L44000E 36100N		0.065	0.29	3.35	44	1.58	28.8	185	4.6
L44000E 36150N		0.060	0.15	2.20	49	0.34	17.85	198	1.2
L44000E 36200N		0.082	0.10	0.58	71	0.22	3.47	72	1.0
L44000E 36250N		0.092	0.14	0.55	89	0.17	2.63	57	1.8
L44000E 36300N		0.057	0.09	0.75	56	0.17	7.60	66	0.5
L44000E 36350N		0.045	0.04	0.34	44	0.10	1.42	62	<0.5
L44000E 36400N		0.051	0.13	1.25	58	0.20	8.68	164	1.1



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: TARSIS RESOURCES LTD.
1103 - 750 W PENDER ST.
VANCOUVER BC V6C 2T8

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 25-AUG-2011
Account: TARCAP

Project: R-11

CERTIFICATE OF ANALYSIS WH11141078

Method	CERTIFICATE COMMENTS
ME-MS41	Gold determinations by this method are semi-quantitative due to the small sample weight used (0.5g).