



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: TARSIS RESOURCES LTD.
1103 - 750 W PENDER ST.
VANCOUVER BC V6C 2T8

Page: 1
Finalized Date: 28-AUG-2011
Account: TARCAP

CERTIFICATE WH11141270

Project: R-11

P.O. No.:

This report is for 51 Soil samples submitted to our lab in Whitehorse, YT, Canada on 24-JUL-2011.

The following have access to data associated with this certificate:

MARC BLYTHE

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
SCR-41	Screen to -180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
ME-MS41	51 anal. aqua regia ICPMS	

To: TARSIS RESOURCES LTD.
ATTN: MARC BLYTHE
1103 - 750 W PENDER ST.
VANCOUVER BC V6C 2T8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:


Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: TARSIS RESOURCES LTD.
1103 - 750 W PENDER ST.
VANCOUVER BC V6C 2T8

Page: 2 - A
Total # Pages: 3 (A - D)
Plus Appendix Pages
Finalized Date: 28-AUG-2011
Account: TARCAP

Project: R-11

CERTIFICATE OF ANALYSIS WH11141270

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg .02	Au-AA23 Au ppm 0.005	ME-MS41 Ag ppm 0.01	ME-MS41 Al % 0.01	ME-MS41 As ppm 0.1	ME-MS41 Au ppm 0.2	ME-MS41 B ppm 10	ME-MS41 Ba ppm 10	ME-MS41 Be ppm 0.05	ME-MS41 Bi ppm 0.01	ME-MS41 Ca % 0.01	ME-MS41 Cd ppm 0.01	ME-MS41 Ce ppm 0.02	ME-MS41 Co ppm 0.1	ME-MS41 Cr ppm 1
L44400E 33900N		0.43	<0.005	0.11	0.69	6.2	<0.2	<10	50	0.21	0.16	0.12	0.36	9.56	6.6	14
L44400E 33950N		0.56	<0.005	0.11	1.32	11.5	<0.2	<10	70	0.42	0.26	0.13	0.47	18.20	12.3	26
L44400E 34000N		0.56	0.007	0.07	1.28	9.9	<0.2	<10	140	0.36	0.25	0.22	0.41	21.0	9.8	24
L44400E 34050N		0.54	<0.005	0.05	1.85	11.4	<0.2	<10	180	0.60	0.28	0.24	0.28	27.9	12.0	35
L44400E 34100N		0.50	<0.005	0.13	1.60	12.6	<0.2	<10	100	0.72	0.30	0.22	0.65	29.0	11.7	33
L44400E 34150N		0.50	<0.005	0.08	0.55	3.9	<0.2	<10	90	0.19	0.12	0.22	0.30	8.43	5.8	12
L44400E 34200N		0.45	0.035	0.11	1.60	9.8	<0.2	<10	120	0.57	0.27	0.22	0.41	22.1	11.0	38
L44400E 34250N		0.53	<0.005	0.10	2.09	10.2	<0.2	<10	80	0.74	0.21	0.19	0.25	39.5	8.8	34
L44400E 34300N		0.58	<0.005	0.07	2.10	11.9	<0.2	<10	80	0.76	0.20	0.21	0.22	34.4	9.5	38
L44400E 34350N		0.65	<0.005	0.10	2.19	14.3	<0.2	<10	70	0.86	0.40	0.18	0.26	33.3	9.6	44
L44400E 34400N		0.63	<0.005	0.09	1.24	7.0	<0.2	<10	60	0.36	0.18	0.15	0.14	19.90	9.3	29
L44400E 34450N		0.42	<0.005	0.09	1.61	10.5	<0.2	<10	150	0.71	0.23	0.34	0.39	52.3	10.7	28
L44400E 34500N		0.40	<0.005	0.28	0.94	5.7	<0.2	<10	90	0.41	0.18	0.30	0.20	22.9	6.2	18
L44400E 34550N		0.34	<0.005	0.19	1.22	8.1	<0.2	<10	170	0.42	0.19	0.49	0.36	40.1	9.0	31
L44400E 34600N		0.42	<0.005	0.11	0.45	2.4	<0.2	<10	40	0.12	0.07	0.19	0.18	7.29	4.6	10
L44400E 34650N		0.36	<0.005	0.07	0.34	1.0	<0.2	<10	50	0.09	0.03	0.26	0.26	6.45	2.6	5
L44400E 34700N		Not Recvd														
L44400E 34750N		Not Recvd														
L44400E 34800N		0.28	<0.005	0.13	0.85	4.4	<0.2	<10	110	0.34	0.12	0.71	0.19	20.2	8.0	21
L44400E 34850N		0.24	<0.005	0.07	0.40	1.2	<0.2	<10	40	0.18	0.05	0.27	0.16	14.50	4.2	9
L44400E 34900N		0.41	<0.005	0.30	0.49	2.2	<0.2	<10	50	0.19	0.07	0.19	0.27	16.80	4.8	13
L44400E 34950N		Not Recvd														
L44400E 35000N		0.35	<0.005	0.21	1.58	10.9	<0.2	<10	150	0.94	0.23	0.75	0.44	68.4	13.7	40
L44400E 35050N		Not Recvd														
L44400E 35100N		0.45	<0.005	0.50	0.91	14.6	<0.2	<10	70	0.86	0.17	0.36	0.48	59.7	7.3	28
L44400E 35150N		Not Recvd														
L44400E 35200N		0.39	<0.005	0.15	1.30	7.3	<0.2	<10	140	0.45	0.20	0.42	0.24	32.8	9.7	38
L44400E 35250N		Not Recvd														
L44400E 35300N		0.25	<0.005	0.33	1.24	10.1	<0.2	<10	110	0.70	0.30	0.49	0.57	61.8	12.1	29
L44400E 35350N		0.39	<0.005	0.07	0.28	0.7	<0.2	<10	20	0.05	0.02	0.13	0.09	4.13	2.1	4
L44400E 35400N		0.57	0.005	0.14	1.97	8.5	<0.2	<10	70	0.89	0.22	0.21	0.21	76.2	11.4	42
L44400E 35450N		0.51	<0.005	0.16	2.15	9.1	<0.2	<10	70	0.50	0.21	0.15	0.10	27.1	13.1	74
L44400E 35500N		0.45	0.005	0.11	1.40	9.6	<0.2	<10	80	0.47	0.26	0.20	0.19	23.7	8.5	35
L44400E 35550N		Not Recvd														
L44400E 35600N		0.30	0.010	0.13	0.46	2.6	<0.2	<10	40	0.21	0.09	0.26	0.91	15.10	3.8	15
L44400E 35650N		0.36	<0.005	0.35	0.40	1.8	<0.2	<10	40	0.20	0.06	0.20	0.64	17.30	2.5	9
L44400E 35700N		Not Recvd														
L44400E 35750N		Not Recvd														
L44400E 35800N		Not Recvd														
L44400E 35850N		0.44	<0.005	0.16	1.89	17.9	<0.2	<10	100	1.37	0.37	0.35	0.57	71.6	14.6	38



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: TARSIS RESOURCES LTD.
1103 - 750 W PENDER ST.
VANCOUVER BC V6C 2T8

Page: 2 - B
Total # Pages: 3 (A - D)
Plus Appendix Pages
Finalized Date: 28-AUG-2011
Account: TARCAP

Project: R-11

CERTIFICATE OF ANALYSIS WH11141270

Sample Description	Method Analyte Units LOR	ME-MS41 Cs ppm 0.05	ME-MS41 Cu ppm 0.2	ME-MS41 Fe % 0.01	ME-MS41 Ga ppm 0.05	ME-MS41 Ge ppm 0.05	ME-MS41 Hf ppm 0.02	ME-MS41 Hg ppm 0.01	ME-MS41 In ppm 0.005	ME-MS41 K % 0.01	ME-MS41 La ppm 0.2	ME-MS41 Li ppm 0.1	ME-MS41 Mg % 0.01	ME-MS41 Mn ppm 5	ME-MS41 Mo ppm 0.05	ME-MS41 Na % 0.01
L44400E 33900N		0.82	17.4	2.44	5.68	<0.05	<0.02	0.10	0.016	0.03	4.3	6.5	0.19	238	1.74	0.01
L44400E 33950N		1.44	24.0	3.25	8.16	0.05	0.03	0.03	0.026	0.05	8.9	12.9	0.35	566	3.11	<0.01
L44400E 34000N		1.21	21.6	3.12	8.00	0.05	0.02	0.02	0.024	0.07	8.5	12.1	0.38	566	2.43	0.01
L44400E 34050N		1.45	28.3	3.62	9.16	0.06	0.02	0.03	0.030	0.05	10.4	21.6	0.58	763	2.51	0.01
L44400E 34100N		2.04	26.5	3.71	9.24	0.06	0.02	0.04	0.033	0.07	12.2	21.9	0.55	586	2.87	0.01
L44400E 34150N		0.58	15.8	1.82	3.85	<0.05	<0.02	0.05	0.011	0.03	3.8	3.1	0.19	363	0.97	0.01
L44400E 34200N		2.58	22.1	3.62	9.92	<0.05	<0.02	0.05	0.055	0.06	9.2	26.6	0.61	797	2.42	0.01
L44400E 34250N		1.38	24.3	3.16	6.88	<0.05	0.02	0.05	0.032	0.04	13.0	20.0	0.52	288	1.31	0.02
L44400E 34300N		3.10	20.3	3.46	7.76	0.05	0.02	0.04	0.036	0.06	12.9	26.5	0.78	328	1.22	0.01
L44400E 34350N		2.92	23.2	3.96	8.99	<0.05	0.02	0.06	0.038	0.06	12.1	40.3	0.86	386	1.59	0.01
L44400E 34400N		1.76	20.3	2.98	7.00	<0.05	0.02	0.04	0.018	0.04	7.6	16.2	0.53	468	1.46	0.02
L44400E 34450N		2.06	24.6	2.91	6.81	<0.05	0.02	0.04	0.037	0.06	14.9	19.0	0.55	741	1.77	0.02
L44400E 34500N		0.94	17.8	1.99	4.49	<0.05	<0.02	0.05	0.021	0.04	8.8	7.8	0.34	408	1.31	0.02
L44400E 34550N		1.37	19.9	2.73	6.24	<0.05	<0.02	0.08	0.025	0.06	10.5	15.1	0.53	510	1.49	0.02
L44400E 34600N		0.60	13.7	1.77	3.11	<0.05	<0.02	0.04	0.008	0.03	3.1	3.2	0.18	156	0.49	0.02
L44400E 34650N		0.27	8.1	0.95	1.93	<0.05	<0.02	0.03	0.005	0.03	2.9	1.1	0.10	107	0.33	0.03
L44400E 34700N																
L44400E 34750N																
L44400E 34800N		1.41	14.6	1.79	4.25	<0.05	0.02	0.09	0.015	0.05	6.2	11.3	0.42	412	0.94	0.03
L44400E 34850N		0.61	12.2	1.64	2.81	<0.05	<0.02	0.03	0.007	0.03	11.2	2.1	0.14	100	0.39	0.02
L44400E 34900N		1.00	10.7	1.28	2.86	<0.05	<0.02	0.05	0.008	0.03	7.0	4.2	0.18	327	0.86	0.03
L44400E 34950N																
L44400E 35000N		2.74	24.5	2.80	6.59	<0.05	0.02	0.09	0.032	0.10	13.9	34.4	0.72	697	1.64	0.02
L44400E 35050N																
L44400E 35100N		2.46	19.9	1.87	4.08	0.08	0.02	0.07	0.026	0.07	29.8	11.2	0.35	466	1.75	0.02
L44400E 35150N																
L44400E 35200N		1.99	22.5	2.73	6.33	<0.05	<0.02	0.06	0.023	0.08	10.5	17.9	0.55	681	1.92	0.02
L44400E 35250N																
L44400E 35300N		2.97	29.8	2.53	5.47	0.06	0.02	0.07	0.026	0.09	21.8	18.0	0.58	768	1.79	0.02
L44400E 35350N		0.17	7.5	0.80	1.67	<0.05	<0.02	0.02	<0.005	0.02	1.8	0.7	0.09	45	0.26	0.02
L44400E 35400N		2.13	29.6	3.19	6.66	0.06	0.03	0.04	0.034	0.09	16.6	29.0	0.78	450	1.04	0.02
L44400E 35450N		3.85	36.2	4.32	9.70	0.05	0.02	0.05	0.031	0.19	11.8	29.5	1.08	435	2.37	0.02
L44400E 35500N		2.03	26.8	3.17	6.71	<0.05	<0.02	0.06	0.024	0.07	9.3	18.5	0.50	256	1.87	0.02
L44400E 35550N																
L44400E 35600N		0.88	12.6	1.22	2.33	<0.05	<0.02	0.05	0.011	0.06	7.4	3.4	0.15	86	0.80	0.02
L44400E 35650N		0.54	14.2	0.95	1.59	<0.05	<0.02	0.09	0.009	0.04	10.5	1.2	0.09	48	0.90	0.02
L44400E 35700N																
L44400E 35750N																
L44400E 35800N																
L44400E 35850N		5.68	34.0	3.90	7.65	0.07	0.02	0.04	0.043	0.09	18.7	41.6	0.71	967	3.84	0.02



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: TARSIS RESOURCES LTD.
1103 - 750 W PENDER ST.
VANCOUVER BC V6C 2T8

Page: 2 - C
Total # Pages: 3 (A - D)
Plus Appendix Pages
Finalized Date: 28-AUG-2011
Account: TARCAP

Project: R-11

CERTIFICATE OF ANALYSIS WH11141270

Sample Description	Method Analyte Units LOR	ME-MS41 Nb ppm 0.05	ME-MS41 Ni ppm 0.2	ME-MS41 P ppm 10	ME-MS41 Pb ppm 0.2	ME-MS41 Rb ppm 0.1	ME-MS41 Re ppm 0.001	ME-MS41 S % 0.01	ME-MS41 Sb ppm 0.05	ME-MS41 Sc ppm 0.1	ME-MS41 Se ppm 0.2	ME-MS41 Sn ppm 0.2	ME-MS41 Sr ppm 0.2	ME-MS41 Ta ppm 0.01	ME-MS41 Te ppm 0.01	ME-MS41 Th ppm 0.2
L44400E 33900N		1.12	11.4	240	11.4	9.7	<0.001	0.02	0.51	1.5	0.4	0.5	13.2	<0.01	0.04	1.1
L44400E 33950N		2.01	17.2	340	18.2	24.4	<0.001	0.01	0.78	2.4	0.4	0.8	16.5	<0.01	0.07	2.4
L44400E 34000N		1.24	18.2	460	16.2	21.1	<0.001	0.02	0.69	2.2	0.3	0.7	22.3	<0.01	0.06	1.1
L44400E 34050N		1.51	26.7	380	19.2	11.8	<0.001	0.03	0.84	3.1	0.5	0.8	24.6	<0.01	0.07	1.5
L44400E 34100N		1.49	26.6	480	25.9	20.1	<0.001	0.04	1.01	2.6	0.5	0.9	23.2	<0.01	0.07	1.5
L44400E 34150N		0.40	10.0	420	6.0	6.3	<0.001	0.04	0.46	0.7	<0.2	0.3	18.6	<0.01	0.01	<0.2
L44400E 34200N		1.22	27.1	500	20.6	14.4	<0.001	0.05	0.90	2.5	0.2	2.7	21.6	<0.01	0.05	1.3
L44400E 34250N		1.35	25.9	490	18.1	7.8	<0.001	0.04	0.59	2.4	0.2	0.7	17.4	0.01	0.03	1.6
L44400E 34300N		1.50	30.5	410	21.6	11.9	<0.001	0.03	0.54	3.0	0.3	0.9	18.1	<0.01	0.02	2.5
L44400E 34350N		1.56	29.7	470	26.4	14.1	<0.001	0.04	0.73	3.0	0.2	1.7	18.0	<0.01	0.04	2.4
L44400E 34400N		1.23	21.3	370	16.8	18.6	<0.001	0.03	0.60	1.9	<0.2	0.6	17.0	<0.01	0.04	1.6
L44400E 34450N		1.04	27.2	500	30.1	12.9	<0.001	0.05	0.62	2.2	0.3	0.8	27.4	<0.01	0.04	1.3
L44400E 34500N		0.42	14.1	770	19.3	6.9	<0.001	0.07	0.48	0.8	<0.2	0.5	23.9	<0.01	0.02	0.3
L44400E 34550N		0.83	23.1	770	18.2	12.8	<0.001	0.09	0.61	1.5	0.2	0.6	35.5	<0.01	0.04	0.5
L44400E 34600N		0.30	7.3	490	4.0	4.6	<0.001	0.05	0.20	0.6	<0.2	0.2	15.0	<0.01	<0.01	<0.2
L44400E 34650N		0.20	3.5	460	1.9	3.3	<0.001	0.05	0.09	0.3	<0.2	<0.2	19.7	<0.01	<0.01	<0.2
L44400E 34700N																
L44400E 34750N																
L44400E 34800N		0.60	17.2	890	8.9	9.6	<0.001	0.08	0.42	1.0	0.2	0.4	46.6	<0.01	0.03	0.4
L44400E 34850N		0.26	5.8	630	3.6	4.0	<0.001	0.05	0.13	0.6	<0.2	0.2	17.5	<0.01	<0.01	0.2
L44400E 34900N		0.25	8.1	440	8.8	8.2	<0.001	0.05	0.20	0.5	<0.2	0.2	15.8	<0.01	0.01	<0.2
L44400E 34950N																
L44400E 35000N		1.03	30.5	1120	31.4	30.9	<0.001	0.13	0.60	1.5	0.3	0.5	52.5	<0.01	0.03	0.9
L44400E 35050N																
L44400E 35100N		0.83	19.0	660	18.0	16.5	<0.001	0.07	0.33	1.2	0.9	0.4	24.5	<0.01	0.02	1.3
L44400E 35150N																
L44400E 35200N		0.98	24.4	720	21.7	17.7	<0.001	0.07	0.48	1.7	0.3	0.7	29.1	<0.01	0.01	0.7
L44400E 35250N																
L44400E 35300N		0.98	25.0	690	37.3	18.5	<0.001	0.07	0.47	1.8	0.4	0.5	31.6	<0.01	0.02	1.4
L44400E 35350N		0.16	2.4	380	2.6	1.1	<0.001	0.03	0.06	0.2	<0.2	<0.2	11.6	<0.01	<0.01	<0.2
L44400E 35400N		1.72	31.4	340	16.9	11.9	<0.001	0.03	0.37	3.1	0.3	0.7	15.4	<0.01	0.02	4.0
L44400E 35450N		3.43	34.7	460	22.4	30.9	<0.001	0.04	0.61	4.7	0.3	0.7	14.3	<0.01	0.05	1.4
L44400E 35500N		1.03	24.4	460	17.7	12.2	<0.001	0.06	0.69	2.1	0.5	0.6	17.3	<0.01	0.04	0.8
L44400E 35550N																
L44400E 35600N		0.45	10.5	570	7.5	8.4	<0.001	0.09	0.24	0.7	0.2	0.2	17.5	<0.01	<0.01	<0.2
L44400E 35650N		0.24	6.4	690	5.0	3.7	<0.001	0.10	0.21	0.4	<0.2	0.2	17.2	<0.01	0.01	<0.2
L44400E 35700N																
L44400E 35750N																
L44400E 35800N																
L44400E 35850N		1.06	33.4	740	31.8	16.1	<0.001	0.05	0.64	3.4	0.5	0.7	31.8	<0.01	0.05	1.4



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: TARSIS RESOURCES LTD.
 1103 - 750 W PENDER ST.
 VANCOUVER BC V6C 2T8

Page: 2 - D
 Total # Pages: 3 (A - D)
 Plus Appendix Pages
 Finalized Date: 28-AUG-2011
 Account: TARCAP

Project: R-11

CERTIFICATE OF ANALYSIS WH11141270

Sample Description	Method Analyte Units LOR	ME-MS41 Ti %	ME-MS41 Ti ppm	ME-MS41 U ppm	ME-MS41 V ppm	ME-MS41 W ppm	ME-MS41 Y ppm	ME-MS41 Zn ppm	ME-MS41 Zr ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
L44400E 33900N		0.086	0.08	0.37	66	0.16	1.65	53	0.6
L44400E 33950N		0.109	0.13	0.56	77	0.23	3.23	69	1.3
L44400E 34000N		0.094	0.12	0.54	78	0.20	3.09	88	0.6
L44400E 34050N		0.093	0.16	0.75	84	0.24	4.12	120	0.7
L44400E 34100N		0.095	0.13	0.91	82	0.27	4.67	133	0.7
L44400E 34150N		0.061	0.06	0.34	51	0.13	1.63	50	<0.5
L44400E 34200N		0.104	0.15	0.86	87	0.26	3.95	143	0.6
L44400E 34250N		0.101	0.10	0.81	67	0.19	5.46	76	0.7
L44400E 34300N		0.113	0.12	0.95	68	0.25	6.46	85	0.9
L44400E 34350N		0.115	0.14	1.07	75	0.40	5.09	102	0.7
L44400E 34400N		0.118	0.11	0.65	71	0.89	3.08	77	0.6
L44400E 34450N		0.077	0.10	1.08	57	0.26	6.07	122	0.6
L44400E 34500N		0.044	0.09	0.77	44	0.15	3.24	66	<0.5
L44400E 34550N		0.071	0.10	0.75	62	0.18	3.93	93	0.5
L44400E 34600N		0.069	0.03	0.29	51	0.05	1.43	37	<0.5
L44400E 34650N		0.043	0.03	0.22	27	<0.05	1.15	22	<0.5
L44400E 34700N									
L44400E 34750N									
L44400E 34800N		0.051	0.07	0.58	39	0.10	2.82	70	<0.5
L44400E 34850N		0.068	0.03	0.30	49	0.09	2.58	31	<0.5
L44400E 34900N		0.044	0.06	0.60	31	0.19	2.55	33	<0.5
L44400E 34950N									
L44400E 35000N		0.053	0.16	1.15	53	0.77	5.41	135	0.6
L44400E 35050N									
L44400E 35100N		0.045	0.11	2.25	34	0.53	19.25	70	0.5
L44400E 35150N									
L44400E 35200N		0.068	0.11	0.69	56	5.17	4.54	82	0.5
L44400E 35250N									
L44400E 35300N		0.061	0.13	1.03	43	0.19	8.80	101	0.5
L44400E 35350N		0.040	0.02	0.13	22	<0.05	0.77	16	<0.5
L44400E 35400N		0.121	0.16	1.00	65	0.25	7.33	92	0.8
L44400E 35450N		0.192	0.25	0.78	105	1.06	5.59	83	0.6
L44400E 35500N		0.090	0.13	0.70	67	0.30	3.97	76	0.5
L44400E 35550N									
L44400E 35600N		0.042	0.05	0.56	28	0.06	3.07	40	<0.5
L44400E 35650N		0.026	0.09	0.93	21	0.05	5.02	23	<0.5
L44400E 35700N									
L44400E 35750N									
L44400E 35800N									
L44400E 35850N		0.085	0.17	1.42	72	1.15	10.90	123	0.6



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: TARSIS RESOURCES LTD.
 1103 - 750 W PENDER ST.
 VANCOUVER BC V6C 2T8

Page: 3 - A
 Total # Pages: 3 (A - D)
 Plus Appendix Pages
 Finalized Date: 28-AUG-2011
 Account: TARCAP

Project: R-11

CERTIFICATE OF ANALYSIS WH11141270

Sample Description	Method Analyte Units LOR	WEI-21	Au-AA23	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Recvd Wt.	Au	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
		kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
		.02	0.005	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
L44400E 35900N	Not Recvd															
L44400E 35950N	0.35	<0.005	0.33	1.36	12.5	<0.2	<10	90	1.24	0.26	0.49	0.81	80.9	9.7	30	
L44400E 36000N	Not Recvd															
L44400E 36050N	Not Recvd															
L44400E 36100N	0.37	<0.005	0.19	0.23	1.9	<0.2	<10	20	<0.05	0.05	0.07	0.07	3.05	2.2	6	
L44400E 36150N		0.34	<0.005	0.31	0.55	14.3	<0.2	<10	80	0.19	0.11	0.28	0.64	8.40	5.8	13
L44400E 36200N		0.41	<0.005	0.37	1.62	122.0	<0.2	<10	110	0.98	0.40	0.13	0.37	32.8	13.9	29
L44400E 36250N		0.23	0.005	0.10	0.16	2.2	<0.2	<10	10	<0.05	0.04	0.05	0.06	2.48	2.0	4
L44400E 36300N	Not Recvd															
L44400E 36350N	0.45	<0.005	0.32	1.22	8.3	<0.2	<10	880	0.48	0.15	0.74	3.81	32.8	12.2	26	
L44400E 36400N		0.33	<0.005	1.40	1.85	17.6	<0.2	<10	700	0.63	0.18	0.30	1.69	21.8	15.1	68



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: TARSIS RESOURCES LTD.
 1103 - 750 W PENDER ST.
 VANCOUVER BC V6C 2T8

Page: 3 - B
 Total # Pages: 3 (A - D)
 Plus Appendix Pages
 Finalized Date: 28-AUG-2011
 Account: TARCAP

Project: R-11

CERTIFICATE OF ANALYSIS WH11141270

Sample Description	Method Analyte Units LOR	ME-MS41 Cs ppm 0.05	ME-MS41 Cu ppm 0.2	ME-MS41 Fe % 0.01	ME-MS41 Ga ppm 0.05	ME-MS41 Ge ppm 0.05	ME-MS41 Hf ppm 0.02	ME-MS41 Hg ppm 0.01	ME-MS41 In ppm 0.005	ME-MS41 K % 0.01	ME-MS41 La ppm 0.2	ME-MS41 Li ppm 0.1	ME-MS41 Mg % 0.01	ME-MS41 Mn ppm 5	ME-MS41 Mo ppm 0.05	ME-MS41 Na % 0.01
L44400E 35900N																
L44400E 35950N		3.29	35.8	2.87	5.47	0.13	0.03	0.04	0.035	0.12	42.1	24.4	0.57	573	2.52	0.03
L44400E 36000N																
L44400E 36050N																
L44400E 36100N		0.37	7.0	1.04	2.17	<0.05	<0.02	0.03	0.005	0.02	1.5	0.9	0.06	66	0.71	0.02
L44400E 36150N		0.75	18.8	1.61	3.50	<0.05	<0.02	0.09	0.012	0.06	3.7	2.6	0.16	527	1.60	0.02
L44400E 36200N		3.74	49.5	3.91	6.43	<0.05	<0.02	0.04	0.034	0.07	12.3	24.4	0.34	928	5.53	0.02
L44400E 36250N		0.35	5.0	0.99	1.64	<0.05	<0.02	0.03	<0.005	0.02	1.2	0.6	0.04	56	0.52	0.03
L44400E 36300N																
L44400E 36350N		1.68	38.6	2.00	3.94	0.06	<0.02	0.07	0.017	0.08	16.7	11.1	0.36	764	2.56	0.03
L44400E 36400N		4.13	50.6	3.67	6.86	0.05	<0.02	0.04	0.029	0.11	10.8	25.0	0.72	567	7.84	0.02



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: TARSIS RESOURCES LTD.
 1103 - 750 W PENDER ST.
 VANCOUVER BC V6C 2T8

Page: 3 - C
 Total # Pages: 3 (A - D)
 Plus Appendix Pages
 Finalized Date: 28-AUG-2011
 Account: TARCAP

Project: R-11

CERTIFICATE OF ANALYSIS WH11141270

Sample Description	Method Analyte Units LOR	ME-MS41 Nb ppm 0.05	ME-MS41 Ni ppm 0.2	ME-MS41 P ppm 10	ME-MS41 Pb ppm 0.2	ME-MS41 Rb ppm 0.1	ME-MS41 Re ppm 0.001	ME-MS41 S % 0.01	ME-MS41 Sb ppm 0.05	ME-MS41 Sc ppm 0.1	ME-MS41 Se ppm 0.2	ME-MS41 Sn ppm 0.2	ME-MS41 Sr ppm 0.2	ME-MS41 Ta ppm 0.01	ME-MS41 Te ppm 0.01	ME-MS41 Th ppm 0.2
L44400E 35900N																
L44400E 35950N		1.25	27.3	980	30.5	16.1	<0.001	0.04	0.54	3.3	1.4	0.6	32.9	<0.01	0.03	3.9
L44400E 36000N																
L44400E 36050N																
L44400E 36100N		0.14	4.5	290	2.3	2.2	<0.001	0.02	0.19	0.3	<0.2	0.2	9.2	<0.01	<0.01	<0.2
L44400E 36150N		0.60	12.4	620	8.8	9.9	<0.001	0.07	0.42	0.6	0.2	0.3	24.2	<0.01	0.02	<0.2
L44400E 36200N		1.24	34.7	570	25.5	11.1	<0.001	0.06	2.09	2.8	0.9	0.7	16.6	<0.01	0.12	2.3
L44400E 36250N		0.20	2.8	220	2.0	1.5	<0.001	0.02	0.12	0.4	<0.2	<0.2	7.8	<0.01	<0.01	<0.2
L44400E 36300N																
L44400E 36350N		0.49	23.8	1690	7.5	9.0	0.001	0.16	1.23	0.7	0.9	0.3	54.1	<0.01	0.04	<0.2
L44400E 36400N		1.10	54.7	1150	9.5	13.6	<0.001	0.12	4.61	3.1	2.3	0.5	29.6	<0.01	0.07	0.5



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: TARSIS RESOURCES LTD.
 1103 - 750 W PENDER ST.
 VANCOUVER BC V6C 2T8

Page: 3 - D
 Total # Pages: 3 (A - D)
 Plus Appendix Pages
 Finalized Date: 28-AUG-2011
 Account: TARCAP

Project: R-11

CERTIFICATE OF ANALYSIS WH11141270

Sample Description	Method Analyte Units LOR	ME-MS41 Ti %	ME-MS41 Ti ppm	ME-MS41 U ppm	ME-MS41 V ppm	ME-MS41 W ppm	ME-MS41 Y ppm	ME-MS41 Zn ppm	ME-MS41 Zr ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
L44400E 35900N L44400E 35950N L44400E 36000N L44400E 36050N L44400E 36100N		0.080	0.18	2.58	55	0.54	28.6	139	0.8
L44400E 36150N L44400E 36200N L44400E 36250N L44400E 36300N L44400E 36350N		0.042	0.04	0.19	32	<0.05	0.64	21	<0.5
L44400E 36400N		0.050	0.05	0.63	39	0.13	1.75	60	<0.5
		0.059	0.27	1.36	78	1.97	7.62	112	<0.5
		0.041	0.03	0.20	32	0.11	0.70	17	<0.5
		0.033	0.11	1.49	51	0.22	11.35	134	<0.5
		0.099	0.21	2.06	130	0.42	5.66	192	0.5



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: TARSIS RESOURCES LTD.
1103 - 750 W PENDER ST.
VANCOUVER BC V6C 2T8

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 28-AUG-2011
Account: TARCAP

Project: R-11

CERTIFICATE OF ANALYSIS WH11141270

Method	CERTIFICATE COMMENTS
ME-MS41	Gold determinations by this method are semi-quantitative due to the small sample weight used (0.5g).