



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: TARSIS RESOURCES LTD.
1103 - 750 W PENDER ST.
VANCOUVER BC V6C 2T8

Page: 1
Finalized Date: 26-AUG-2011
Account: TARCAP

CERTIFICATE WH11141273

Project: R-11

P.O. No.:

This report is for 51 Soil samples submitted to our lab in Whitehorse, YT, Canada on 24-JUL-2011.

The following have access to data associated with this certificate:

MARC BLYTHE

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
SCR-41	Screen to -180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
ME-MS41	51 anal. aqua regia ICPMS	

To: TARSIS RESOURCES LTD.
ATTN: MARC BLYTHE
1103 - 750 W PENDER ST.
VANCOUVER BC V6C 2T8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:


Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: TARSIS RESOURCES LTD.
1103 - 750 W PENDER ST.
VANCOUVER BC V6C 2T8

Page: 2 - A
Total # Pages: 3 (A - D)
Plus Appendix Pages
Finalized Date: 26-AUG-2011
Account: TARCAP

Project: R-11

CERTIFICATE OF ANALYSIS WH11141273

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg .02	Au-AA23 Au ppm 0.005	ME-MS41 Ag ppm 0.01	ME-MS41 Al % 0.01	ME-MS41 As ppm 0.1	ME-MS41 Au ppm 0.2	ME-MS41 B ppm 10	ME-MS41 Ba ppm 10	ME-MS41 Be ppm 0.05	ME-MS41 Bi ppm 0.01	ME-MS41 Ca % 0.01	ME-MS41 Cd ppm 0.01	ME-MS41 Ce ppm 0.02	ME-MS41 Co ppm 0.1	ME-MS41 Cr ppm 1
L44200E 33900N		Not Recvd														
L44200E 33950N		0.61	<0.005	0.21	1.78	12.2	<0.2	<10	100	0.55	0.26	0.30	0.42	38.7	8.0	40
L44200E 34000N		0.67	<0.005	0.13	2.16	12.6	<0.2	<10	80	0.70	0.36	0.31	0.51	45.5	10.8	50
L44200E 34050N		0.60	<0.005	0.20	2.19	13.8	<0.2	<10	130	0.68	0.26	0.29	0.48	37.8	10.1	40
L44200E 34100N		0.52	<0.005	0.13	1.91	13.4	<0.2	<10	140	0.44	0.29	0.22	0.39	22.6	11.1	37
L44200E 34150N		0.81	<0.005	0.09	2.34	10.9	<0.2	<10	80	0.76	0.21	0.28	0.51	60.1	11.5	36
L44200E 34200N		0.58	<0.005	0.13	2.29	14.6	<0.2	<10	110	0.59	0.27	0.22	0.41	28.0	9.7	43
L44200E 34250N		0.64	<0.005	0.20	2.05	16.0	<0.2	<10	130	0.73	0.26	0.34	0.43	37.7	9.3	41
L44200E 34300N		0.53	<0.005	0.39	1.72	11.5	<0.2	<10	120	0.56	0.26	0.28	0.43	38.9	9.1	36
L44200E 34350N		0.70	<0.005	0.19	2.16	13.7	<0.2	<10	110	0.83	0.24	0.29	0.38	44.9	9.3	41
L44200E 34400N		0.62	<0.005	0.54	1.89	10.9	<0.2	<10	120	1.01	0.25	0.28	0.47	66.6	12.1	39
L44200E 34450N		0.59	<0.005	0.19	1.86	11.6	<0.2	<10	90	0.84	0.28	0.26	0.23	44.9	11.6	36
L44200E 34500N		0.73	<0.005	0.09	1.87	9.9	<0.2	<10	70	0.77	0.24	0.24	0.31	43.3	9.9	34
L44200E 34550N		0.64	<0.005	0.11	1.59	9.9	<0.2	<10	90	0.55	0.29	0.28	0.18	26.6	10.3	40
L44200E 34600N		0.80	<0.005	0.13	1.96	11.5	<0.2	<10	70	0.85	0.28	0.20	0.24	60.4	11.6	40
L44200E 34650N		0.74	0.187	1.07	1.94	11.3	<0.2	<10	70	0.88	0.28	0.38	0.59	45.0	12.8	57
L44200E 34700N		0.70	<0.005	0.18	2.55	11.4	<0.2	<10	90	1.78	0.37	0.29	0.34	82.2	15.7	55
L44200E 34750N		0.67	<0.005	0.09	2.04	10.1	<0.2	<10	150	1.42	0.20	0.34	0.27	96.8	12.8	35
L44200E 34800N		0.70	<0.005	0.13	1.27	18.8	<0.2	<10	50	8.98	0.15	0.18	0.39	69.4	13.4	16
L44200E 34850N		Not Recvd														
L44200E 34900N		0.55	<0.005	0.05	0.47	1.6	<0.2	<10	40	0.24	0.05	0.18	0.03	9.19	4.2	6
L44200E 34950N		Not Recvd														
L44200E 35000N		0.76	<0.005	0.08	1.36	10.1	<0.2	<10	70	1.68	0.29	0.33	0.11	79.3	12.2	39
L44200E 35050N		0.45	<0.005	0.20	0.34	1.1	<0.2	<10	30	0.13	0.04	0.15	0.16	14.75	4.5	6
L44200E 35100N		Not Recvd														
L44200E 35150N		Not Recvd														
L44200E 35200N		0.92	<0.005	0.60	2.57	7.4	1.7	<10	130	3.78	0.29	0.38	0.17	118.0	23.1	62
L44200E 35250N		0.69	<0.005	0.19	2.20	10.7	<0.2	<10	100	1.56	0.24	0.19	0.19	76.3	17.0	48
L44200E 35300N		0.43	<0.005	0.08	0.24	0.7	<0.2	<10	20	0.07	0.04	0.10	0.03	5.51	3.9	6
L44200E 35350N		0.52	<0.005	0.17	1.14	5.6	<0.2	<10	70	0.99	0.19	0.24	0.21	81.7	10.0	23
L44200E 35400N		0.41	<0.005	0.25	1.33	6.4	<0.2	<10	80	1.05	0.26	0.39	0.55	79.8	10.2	30
L44200E 35450N		0.64	<0.005	0.11	1.19	6.0	<0.2	<10	60	1.22	0.20	0.24	0.27	87.7	10.3	28
L44200E 35500N		0.52	<0.005	0.19	1.72	8.0	<0.2	<10	90	1.82	0.30	0.29	0.23	197.0	12.7	40
L44200E 35550N		0.45	<0.005	0.12	1.00	5.8	<0.2	<10	40	0.72	0.16	0.18	0.23	45.6	7.6	24
L44200E 35600N		0.51	<0.005	0.14	0.75	3.3	<0.2	<10	50	0.63	0.13	0.23	0.15	46.8	6.9	13
L44200E 35650N		0.56	0.006	0.08	0.26	0.9	<0.2	<10	20	0.10	0.05	0.15	0.15	5.78	2.9	5
L44200E 35700N		0.68	<0.005	0.21	1.30	12.6	<0.2	<10	80	2.76	0.37	0.47	0.73	143.5	11.2	19
L44200E 35750N		0.55	<0.005	0.93	1.91	13.3	<0.2	<10	90	2.11	0.39	0.34	1.18	108.5	15.4	37
L44200E 35800N		Not Recvd														
L44200E 35850N		Not Recvd														



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: TARSIS RESOURCES LTD.
1103 - 750 W PENDER ST.
VANCOUVER BC V6C 2T8

Page: 2 - B
Total # Pages: 3 (A - D)
Plus Appendix Pages
Finalized Date: 26-AUG-2011
Account: TARCAP

Project: R-11

CERTIFICATE OF ANALYSIS WH11141273

Sample Description	Method Analyte Units LOR	ME-MS41 Cs ppm 0.05	ME-MS41 Cu ppm 0.2	ME-MS41 Fe % 0.01	ME-MS41 Ga ppm 0.05	ME-MS41 Ge ppm 0.05	ME-MS41 Hf ppm 0.02	ME-MS41 Hg ppm 0.01	ME-MS41 In ppm 0.005	ME-MS41 K % 0.01	ME-MS41 La ppm 0.2	ME-MS41 Li ppm 0.1	ME-MS41 Mg % 0.01	ME-MS41 Mn ppm 5	ME-MS41 Mo ppm 0.05	ME-MS41 Na % 0.01
L44200E 33900N																
L44200E 33950N		2.35	17.8	3.60	9.15	0.09	0.06	0.04	0.041	0.09	11.9	34.0	0.69	398	1.69	0.01
L44200E 34000N		3.43	17.7	3.75	10.05	0.10	0.05	0.04	0.040	0.09	17.3	50.9	0.86	429	1.86	0.01
L44200E 34050N		2.03	19.9	3.52	8.08	0.08	0.03	0.04	0.039	0.08	11.5	20.9	0.62	459	2.00	0.01
L44200E 34100N		1.74	24.4	3.85	10.25	0.07	0.02	0.04	0.029	0.05	9.7	15.7	0.51	979	3.10	0.01
L44200E 34150N		1.45	20.3	2.76	6.09	0.08	0.06	0.03	0.032	0.07	15.7	21.3	0.60	444	0.93	0.01
L44200E 34200N		2.06	20.1	4.04	9.54	0.09	0.04	0.04	0.035	0.06	10.6	23.8	0.64	469	2.50	0.01
L44200E 34250N		1.82	23.9	3.94	10.35	0.08	0.03	0.07	0.037	0.06	10.9	26.2	0.62	632	2.25	0.01
L44200E 34300N		2.04	22.8	3.27	9.05	0.08	0.03	0.05	0.037	0.06	11.9	20.4	0.59	426	1.99	0.01
L44200E 34350N		2.07	22.8	3.57	9.13	0.08	0.03	0.04	0.042	0.07	12.8	30.4	0.71	414	1.51	0.01
L44200E 34400N		2.69	26.2	3.10	9.03	0.14	0.04	0.04	0.041	0.07	23.9	26.1	0.70	511	1.48	0.02
L44200E 34450N		1.69	28.9	3.38	10.10	0.10	0.02	0.05	0.037	0.05	13.5	22.8	0.62	511	2.53	0.02
L44200E 34500N		1.84	24.7	3.01	8.44	0.10	0.03	0.04	0.036	0.06	14.0	21.7	0.55	288	1.64	0.02
L44200E 34550N		3.97	25.2	3.53	10.50	0.11	0.03	0.03	0.027	0.05	12.8	41.6	0.66	336	2.63	0.02
L44200E 34600N		2.34	29.4	3.43	9.72	0.13	0.03	0.04	0.039	0.07	19.1	28.3	0.69	432	2.24	0.02
L44200E 34650N		3.05	46.7	3.29	10.45	0.14	0.03	0.04	0.035	0.08	19.9	58.3	1.18	407	1.20	0.02
L44200E 34700N		6.31	29.1	4.09	11.80	0.19	0.05	0.03	0.058	0.13	34.2	73.7	1.05	593	2.17	0.02
L44200E 34750N		1.59	27.6	3.16	7.61	0.13	0.04	0.04	0.040	0.07	20.9	16.2	0.64	571	1.34	0.02
L44200E 34800N		1.14	16.9	4.23	4.93	0.22	0.09	0.03	0.150	0.07	31.2	9.4	0.29	851	2.21	0.01
L44200E 34850N																
L44200E 34900N		0.28	18.0	1.20	3.02	<0.05	<0.02	0.05	0.007	0.03	4.6	3.1	0.15	105	0.34	0.04
L44200E 34950N																
L44200E 35000N		4.24	18.2	2.96	8.60	0.26	0.08	0.03	0.049	0.12	39.5	35.5	0.75	462	2.13	0.02
L44200E 35050N		0.45	12.4	1.37	2.82	0.06	<0.02	0.03	0.007	0.02	7.8	1.6	0.13	149	0.38	0.03
L44200E 35100N																
L44200E 35150N																
L44200E 35200N		10.90	38.5	4.79	11.45	0.34	0.09	0.03	0.050	0.56	50.3	74.9	1.13	1000	1.14	0.02
L44200E 35250N		5.99	44.2	3.86	9.62	0.18	0.03	0.05	0.038	0.17	29.3	47.1	0.95	725	1.56	0.02
L44200E 35300N		0.29	11.7	1.54	2.57	<0.05	<0.02	0.04	0.005	0.03	2.5	1.2	0.09	101	0.34	0.03
L44200E 35350N		2.70	31.3	2.46	6.09	0.24	0.06	0.04	0.030	0.07	43.4	15.6	0.43	431	1.88	0.03
L44200E 35400N		3.73	35.4	2.51	6.68	0.23	0.06	0.06	0.037	0.14	44.5	20.3	0.55	389	2.13	0.03
L44200E 35450N		3.70	27.8	2.58	6.47	0.25	0.07	0.04	0.038	0.12	47.2	21.2	0.50	413	1.77	0.02
L44200E 35500N		4.34	44.8	2.85	9.25	0.57	0.14	0.05	0.052	0.13	124.5	23.7	0.71	657	2.74	0.03
L44200E 35550N		2.49	22.6	2.15	5.46	0.13	0.03	0.03	0.023	0.09	21.0	17.2	0.38	279	1.42	0.03
L44200E 35600N		1.50	20.9	1.67	4.51	0.14	0.03	0.03	0.020	0.07	21.4	9.3	0.27	262	0.93	0.03
L44200E 35650N		0.47	9.2	1.12	2.37	<0.05	<0.02	0.02	0.005	0.03	2.9	1.0	0.09	79	0.38	0.03
L44200E 35700N		4.29	26.9	3.53	7.33	0.29	0.12	0.04	0.066	0.11	37.9	19.8	0.40	922	4.04	0.02
L44200E 35750N		6.03	46.3	3.24	9.06	0.36	0.13	0.05	0.051	0.09	59.7	39.3	0.72	848	3.74	0.02
L44200E 35800N																
L44200E 35850N																



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: TARSIS RESOURCES LTD.
1103 - 750 W PENDER ST.
VANCOUVER BC V6C 2T8

Page: 2 - C
Total # Pages: 3 (A - D)
Plus Appendix Pages
Finalized Date: 26-AUG-2011
Account: TARCAP

Project: R-11

CERTIFICATE OF ANALYSIS WH11141273

Sample Description	Method Analyte Units LOR	ME-MS41 Nb ppm 0.05	ME-MS41 Ni ppm 0.2	ME-MS41 P ppm 10	ME-MS41 Pb ppm 0.2	ME-MS41 Rb ppm 0.1	ME-MS41 Re ppm 0.001	ME-MS41 S % 0.01	ME-MS41 Sb ppm 0.05	ME-MS41 Sc ppm 0.1	ME-MS41 Se ppm 0.2	ME-MS41 Sn ppm 0.2	ME-MS41 Sr ppm 0.2	ME-MS41 Ta ppm 0.01	ME-MS41 Te ppm 0.01	ME-MS41 Th ppm 0.2
L44200E 33900N																
L44200E 33950N		2.46	27.7	400	25.1	22.5	<0.001	0.03	0.43	3.5	0.6	1.0	21.1	<0.01	0.04	5.1
L44200E 34000N		2.59	31.0	390	33.5	19.7	<0.001	0.02	0.50	4.1	0.7	1.2	25.0	<0.01	0.08	4.8
L44200E 34050N		1.93	28.8	450	32.3	20.0	<0.001	0.04	0.67	3.5	0.7	0.9	23.6	<0.01	0.06	2.5
L44200E 34100N		1.43	25.4	570	22.6	13.5	<0.001	0.05	0.92	2.7	0.6	1.0	20.4	<0.01	0.06	0.7
L44200E 34150N		2.04	30.7	470	23.1	10.7	<0.001	0.03	0.39	3.7	0.7	0.8	19.6	0.01	0.04	3.7
L44200E 34200N		2.17	28.9	400	22.3	16.0	<0.001	0.03	0.82	3.7	0.6	0.9	18.9	<0.01	0.06	2.7
L44200E 34250N		1.71	28.4	710	28.6	15.2	<0.001	0.07	0.91	2.5	0.8	0.8	29.8	<0.01	0.09	1.4
L44200E 34300N		1.54	26.4	590	29.8	15.6	<0.001	0.05	0.70	2.2	0.7	1.0	25.1	<0.01	0.05	0.8
L44200E 34350N		1.92	32.1	570	34.5	14.4	<0.001	0.05	0.63	3.0	0.7	1.0	23.1	<0.01	0.05	1.8
L44200E 34400N		1.34	34.9	620	54.4	14.9	<0.001	0.05	0.53	3.0	0.7	0.8	24.1	<0.01	0.05	1.4
L44200E 34450N		1.39	30.9	610	26.5	12.5	<0.001	0.06	0.73	2.7	0.6	1.0	22.5	<0.01	0.07	1.2
L44200E 34500N		1.64	25.8	380	21.3	16.3	<0.001	0.03	0.50	3.5	0.5	0.9	20.3	0.01	0.06	2.0
L44200E 34550N		1.67	33.2	530	19.2	15.2	<0.001	0.04	0.80	3.1	0.4	1.0	26.0	<0.01	0.07	2.1
L44200E 34600N		1.32	30.7	460	29.9	17.1	<0.001	0.04	0.60	3.0	0.5	0.9	18.3	<0.01	0.06	1.8
L44200E 34650N		1.66	44.7	840	165.5	17.2	<0.001	0.03	0.88	3.8	0.5	0.8	23.7	<0.01	0.11	5.2
L44200E 34700N		1.68	39.9	490	27.5	29.2	<0.001	0.03	0.56	5.1	0.9	1.3	21.9	0.01	0.06	4.1
L44200E 34750N		1.17	35.8	660	19.7	12.8	<0.001	0.06	0.50	3.2	0.7	0.6	23.9	0.01	0.06	3.2
L44200E 34800N		1.22	15.4	540	16.9	12.1	<0.001	0.01	0.30	8.2	1.5	0.7	11.8	0.02	0.02	4.8
L44200E 34850N																
L44200E 34900N		0.23	5.7	510	2.7	3.7	<0.001	0.03	0.11	0.6	0.2	0.2	13.9	<0.01	0.01	<0.2
L44200E 34950N																
L44200E 35000N		1.90	29.0	650	23.2	25.8	0.001	0.04	0.36	3.6	1.4	0.7	20.9	0.01	0.03	5.5
L44200E 35050N		0.23	5.3	350	2.5	4.5	<0.001	0.04	0.10	0.7	0.2	0.2	13.9	<0.01	0.01	<0.2
L44200E 35100N																
L44200E 35150N																
L44200E 35200N		0.77	55.4	650	29.0	50.8	0.001	0.02	0.28	6.8	1.7	1.1	21.1	0.02	0.04	14.9
L44200E 35250N		1.68	37.3	460	51.4	21.6	<0.001	0.04	0.43	3.9	0.6	1.1	13.3	<0.01	0.05	2.8
L44200E 35300N		0.14	4.1	270	2.4	3.0	<0.001	0.03	0.07	0.5	<0.2	0.2	9.6	<0.01	0.01	<0.2
L44200E 35350N		0.80	19.7	580	25.3	12.9	0.001	0.05	0.32	2.2	1.2	0.5	17.9	0.01	0.04	2.0
L44200E 35400N		1.21	25.0	770	24.7	22.1	<0.001	0.09	0.35	2.4	1.2	0.6	24.0	0.01	0.05	2.2
L44200E 35450N		1.40	25.0	650	19.9	18.6	<0.001	0.04	0.26	2.8	1.2	0.7	15.0	0.01	0.03	4.1
L44200E 35500N		1.53	31.4	730	31.9	20.5	0.001	0.06	0.44	3.9	2.8	0.7	20.5	0.02	0.06	6.2
L44200E 35550N		0.80	17.3	510	15.6	13.4	<0.001	0.05	0.25	1.6	0.6	0.4	13.0	<0.01	0.03	1.5
L44200E 35600N		0.74	10.3	650	12.7	11.3	<0.001	0.04	0.18	1.4	0.6	0.4	15.7	<0.01	0.02	1.1
L44200E 35650N		0.18	3.6	440	2.8	3.6	<0.001	0.03	0.10	0.4	<0.2	<0.2	11.3	<0.01	0.01	<0.2
L44200E 35700N		2.51	18.2	1070	51.4	16.0	0.001	0.06	0.50	3.7	2.4	0.6	23.1	0.02	0.04	4.9
L44200E 35750N		1.49	46.5	840	38.6	18.9	0.001	0.05	0.69	4.3	2.8	0.9	24.3	0.02	0.07	4.0
L44200E 35800N																
L44200E 35850N																



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: TARSIS RESOURCES LTD.
 1103 - 750 W PENDER ST.
 VANCOUVER BC V6C 2T8

Page: 2 - D
 Total # Pages: 3 (A - D)
 Plus Appendix Pages
 Finalized Date: 26-AUG-2011
 Account: TARCAP

Project: R-11

CERTIFICATE OF ANALYSIS WH11141273

Sample Description	Method Analyte Units LOR	ME-MS41 Ti %	ME-MS41 Ti ppm	ME-MS41 U ppm	ME-MS41 V ppm	ME-MS41 W ppm	ME-MS41 Y ppm	ME-MS41 Zn ppm	ME-MS41 Zr ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
L44200E 33900N									
L44200E 33950N		0.138	0.12	1.00	74	0.46	4.86	121	2.2
L44200E 34000N		0.146	0.20	1.07	84	0.46	5.85	127	2.2
L44200E 34050N		0.107	0.13	0.78	76	0.33	4.35	101	1.2
L44200E 34100N		0.097	0.16	0.90	97	0.23	3.22	137	0.7
L44200E 34150N		0.111	0.09	0.96	59	0.27	5.45	75	1.6
L44200E 34200N		0.120	0.15	0.82	88	0.31	3.80	172	1.3
L44200E 34250N		0.096	0.13	0.93	81	0.24	4.34	116	1.0
L44200E 34300N		0.085	0.13	1.01	75	0.30	4.99	116	0.9
L44200E 34350N		0.110	0.13	0.99	76	0.39	4.51	110	1.1
L44200E 34400N		0.089	0.14	2.58	68	0.33	8.68	113	0.8
L44200E 34450N		0.084	0.15	1.04	75	0.29	5.75	108	0.8
L44200E 34500N		0.103	0.12	0.83	67	0.35	6.00	76	1.1
L44200E 34550N		0.129	0.29	0.96	84	1.17	4.34	72	1.0
L44200E 34600N		0.103	0.15	1.07	71	0.32	6.35	108	0.8
L44200E 34650N		0.143	0.14	1.15	72	0.60	6.44	163	0.9
L44200E 34700N		0.111	0.34	1.81	80	1.31	13.15	144	1.2
L44200E 34750N		0.080	0.12	1.39	65	0.41	11.75	110	0.9
L44200E 34800N		0.029	0.15	13.10	48	7.74	35.5	210	0.9
L44200E 34850N									
L44200E 34900N		0.049	0.03	0.34	31	0.07	5.24	22	<0.5
L44200E 34950N									
L44200E 35000N		0.094	0.19	2.57	58	1.06	30.6	106	1.2
L44200E 35050N		0.058	0.04	0.27	38	0.06	3.13	27	<0.5
L44200E 35100N									
L44200E 35150N									
L44200E 35200N		0.079	0.54	2.50	55	1.40	36.9	137	1.4
L44200E 35250N		0.115	0.25	1.05	59	0.58	11.10	96	0.7
L44200E 35300N		0.063	0.02	0.19	47	0.05	1.28	24	<0.5
L44200E 35350N		0.076	0.16	1.96	49	0.56	22.3	81	0.6
L44200E 35400N		0.072	0.20	1.73	41	0.86	19.80	90	0.9
L44200E 35450N		0.078	0.19	2.17	45	1.92	26.8	104	0.8
L44200E 35500N		0.082	0.23	4.10	46	0.43	56.6	120	1.3
L44200E 35550N		0.074	0.16	1.08	45	0.31	9.53	62	<0.5
L44200E 35600N		0.065	0.09	1.12	37	0.27	11.50	55	<0.5
L44200E 35650N		0.046	0.02	0.31	31	0.05	2.00	22	<0.5
L44200E 35700N		0.048	0.17	4.91	48	1.98	53.9	207	0.9
L44200E 35750N		0.069	0.27	4.40	110	1.25	63.5	251	1.0
L44200E 35800N									
L44200E 35850N									



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: TARSIS RESOURCES LTD.
 1103 - 750 W PENDER ST.
 VANCOUVER BC V6C 2T8

Page: 3 - A
 Total # Pages: 3 (A - D)
 Plus Appendix Pages
 Finalized Date: 26-AUG-2011
 Account: TARCAP

Project: R-11

CERTIFICATE OF ANALYSIS WH11141273

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-MS41 Ag ppm	ME-MS41 Al %	ME-MS41 As ppm	ME-MS41 Au ppm	ME-MS41 B ppm	ME-MS41 Ba ppm	ME-MS41 Be ppm	ME-MS41 Bi ppm	ME-MS41 Ca %	ME-MS41 Cd ppm	ME-MS41 Ce ppm	ME-MS41 Co ppm	ME-MS41 Cr ppm
		.02	0.005	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
L44200E 35900N	Not Recvd															
L44200E 35950N	0.54	0.005	0.41	0.87	11.1	<0.2	<10	90	0.52	0.21	0.18	0.42	21.9	10.1	15	
L44200E 36000N	0.52	<0.005	0.18	0.92	74.6	<0.2	<10	120	0.38	0.40	0.18	0.33	21.0	12.3	28	
L44200E 36050N	Not Recvd															
L44200E 36100N	Not Recvd															
L44200E 36150N	Not Recvd															
L44200E 36200N	Not Recvd															
L44200E 36250N	Not Recvd															
L44200E 36300N	Not Recvd															
L44200E 36350N	Not Recvd															
L44200E 36400N		0.37	<0.005	0.44	0.75	3.9	<0.2	<10	90	0.23	0.10	0.24	0.73	10.35	8.4	18



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: TARSIS RESOURCES LTD.
 1103 - 750 W PENDER ST.
 VANCOUVER BC V6C 2T8

Page: 3 - B
 Total # Pages: 3 (A - D)
 Plus Appendix Pages
 Finalized Date: 26-AUG-2011
 Account: TARCAP

Project: R-11

CERTIFICATE OF ANALYSIS WH11141273

Sample Description	Method Analyte Units LOR	ME-MS41 Cs ppm 0.05	ME-MS41 Cu ppm 0.2	ME-MS41 Fe % 0.01	ME-MS41 Ga ppm 0.05	ME-MS41 Ge ppm 0.05	ME-MS41 Hf ppm 0.02	ME-MS41 Hg ppm 0.01	ME-MS41 In ppm 0.005	ME-MS41 K % 0.01	ME-MS41 La ppm 0.2	ME-MS41 Li ppm 0.1	ME-MS41 Mg % 0.01	ME-MS41 Mn ppm 5	ME-MS41 Mo ppm 0.05	ME-MS41 Na % 0.01
L44200E 35900N																
L44200E 35950N		1.39	29.2	2.55	5.32	0.07	<0.02	0.05	0.028	0.04	7.3	6.7	0.21	786	3.21	0.03
L44200E 36000N		2.28	39.0	3.38	8.73	0.09	0.02	0.06	0.027	0.07	9.8	5.7	0.26	1290	6.45	0.02
L44200E 36050N																
L44200E 36100N																
L44200E 36150N																
L44200E 36200N																
L44200E 36250N																
L44200E 36300N																
L44200E 36350N																
L44200E 36400N		0.90	21.1	1.79	4.42	0.05	<0.02	0.04	0.012	0.06	5.3	5.0	0.25	407	1.36	0.03



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: TARSIS RESOURCES LTD.
 1103 - 750 W PENDER ST.
 VANCOUVER BC V6C 2T8

Page: 3 - C
 Total # Pages: 3 (A - D)
 Plus Appendix Pages
 Finalized Date: 26-AUG-2011
 Account: TARCAP

Project: R-11

CERTIFICATE OF ANALYSIS WH11141273

Sample Description	Method Analyte Units LOR	ME-MS41 Nb ppm 0.05	ME-MS41 Ni ppm 0.2	ME-MS41 P ppm 10	ME-MS41 Pb ppm 0.2	ME-MS41 Rb ppm 0.1	ME-MS41 Re ppm 0.001	ME-MS41 S % 0.01	ME-MS41 Sb ppm 0.05	ME-MS41 Sc ppm 0.1	ME-MS41 Se ppm 0.2	ME-MS41 Sn ppm 0.2	ME-MS41 Sr ppm 0.2	ME-MS41 Ta ppm 0.01	ME-MS41 Te ppm 0.01	ME-MS41 Th ppm 0.2
L44200E 35900N L44200E 35950N L44200E 36000N L44200E 36050N L44200E 36100N		0.49 0.94	17.0 27.3	770 900	17.5 15.6	10.7 20.3	<0.001 <0.001	0.07 0.10	0.46 1.91	1.2 2.1	0.5 0.7	0.4 1.0	14.8 23.0	<0.01 <0.01	0.05 0.11	0.3 0.4
L44200E 36150N L44200E 36200N L44200E 36250N L44200E 36300N L44200E 36350N																
L44200E 36400N		0.29	14.0	640	5.1	10.7	<0.001	0.07	0.36	0.7	0.3	0.3	19.4	<0.01	0.03	<0.2



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: TARSIS RESOURCES LTD.
 1103 - 750 W PENDER ST.
 VANCOUVER BC V6C 2T8

Page: 3 - D
 Total # Pages: 3 (A - D)
 Plus Appendix Pages
 Finalized Date: 26-AUG-2011
 Account: TARCAP

Project: R-11

CERTIFICATE OF ANALYSIS WH11141273

Sample Description	Method Analyte Units LOR	ME-MS41 Ti %	ME-MS41 Ti ppm	ME-MS41 U ppm	ME-MS41 V ppm	ME-MS41 W ppm	ME-MS41 Y ppm	ME-MS41 Zn ppm	ME-MS41 Zr ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
L44200E 35900N									
L44200E 35950N		0.051	0.11	1.14	53	0.35	5.80	97	<0.5
L44200E 36000N		0.076	0.23	1.04	91	0.40	4.01	85	0.5
L44200E 36050N									
L44200E 36100N									
L44200E 36150N									
L44200E 36200N									
L44200E 36250N									
L44200E 36300N									
L44200E 36350N									
L44200E 36400N		0.048	0.07	0.50	48	0.12	2.74	49	<0.5



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: TARSIS RESOURCES LTD.
1103 - 750 W PENDER ST.
VANCOUVER BC V6C 2T8

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 26-AUG-2011
Account: TARCAP

Project: R-11

CERTIFICATE OF ANALYSIS WH11141273

Method	CERTIFICATE COMMENTS
ME-MS41	Gold determinations by this method are semi-quantitative due to the small sample weight used (0.5g).