



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: TARSIS RESOURCES LTD.
1103 - 750 W PENDER ST.
VANCOUVER BC V6C 2T8

Page: 1
Finalized Date: 26-AUG-2011
Account: TARCAP

CERTIFICATE WH11141276

Project: R-11

P.O. No.:

This report is for 51 Soil samples submitted to our lab in Whitehorse, YT, Canada on 24-JUL-2011.

The following have access to data associated with this certificate:

MARC BLYTHE

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
SCR-41	Screen to -180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
ME-MS41	51 anal. aqua regia ICPMS	

To: TARSIS RESOURCES LTD.
ATTN: MARC BLYTHE
1103 - 750 W PENDER ST.
VANCOUVER BC V6C 2T8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: TARSIS RESOURCES LTD.
1103 - 750 W PENDER ST.
VANCOUVER BC V6C 2T8

Page: 2 - A
Total # Pages: 3 (A - D)
Plus Appendix Pages
Finalized Date: 26-AUG-2011
Account: TARCAP

Project: R-11

CERTIFICATE OF ANALYSIS WH11141276

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg .02	Au-AA23 Au ppm 0.005	ME-MS41 Ag ppm 0.01	ME-MS41 Al % 0.01	ME-MS41 As ppm 0.1	ME-MS41 Au ppm 0.2	ME-MS41 B ppm 10	ME-MS41 Ba ppm 10	ME-MS41 Be ppm 0.05	ME-MS41 Bi ppm 0.01	ME-MS41 Ca % 0.01	ME-MS41 Cd ppm 0.01	ME-MS41 Ce ppm 0.02	ME-MS41 Co ppm 0.1	ME-MS41 Cr ppm 1
44100E 33900N		0.82	<0.005	0.22	2.43	8.9	<0.2	<10	90	1.60	0.34	0.32	0.54	154.5	13.0	49
44100E 33950N		0.64	<0.005	0.29	1.85	8.1	<0.2	<10	120	1.05	0.32	0.38	0.46	135.0	11.2	37
44100E 34000N		0.78	<0.005	0.15	2.48	12.6	<0.2	<10	140	0.97	0.25	0.29	0.78	56.3	14.6	50
44100E 34050N		0.57	<0.005	0.13	0.66	2.5	<0.2	<10	110	0.14	0.09	0.17	0.21	11.15	5.0	10
44100E 34100N		0.81	<0.005	0.14	1.82	13.9	<0.2	<10	130	0.85	0.41	0.21	0.63	51.3	12.1	39
44100E 34150N		0.58	<0.005	0.19	1.70	14.0	<0.2	<10	120	0.91	0.35	0.32	0.54	102.5	11.5	34
44100E 34200N		0.76	<0.005	0.21	2.02	12.1	<0.2	<10	120	1.19	0.36	0.36	0.82	106.5	12.7	44
44100E 34250N		0.60	<0.005	0.33	2.03	11.1	<0.2	<10	110	0.87	0.29	0.34	0.38	44.8	11.0	47
44100E 34300N		0.69	<0.005	0.20	1.99	10.1	<0.2	<10	90	0.85	0.26	0.35	0.34	45.4	11.7	53
44100E 34350N		0.74	<0.005	0.16	1.94	11.2	<0.2	<10	150	0.90	0.22	0.33	0.53	53.8	11.0	43
44100E 34400N		0.72	<0.005	0.20	2.04	11.5	<0.2	<10	110	1.33	0.31	0.33	0.71	145.5	10.8	42
44100E 34450N		0.70	<0.005	0.17	2.11	9.4	<0.2	<10	100	1.09	0.40	0.38	0.52	71.9	9.6	42
44100E 34500N		0.82	<0.005	0.28	2.02	10.3	<0.2	<10	110	1.07	0.37	0.30	0.50	81.3	10.9	45
44100E 34550N		0.72	0.269	0.23	2.23	10.2	<0.2	<10	90	1.44	0.40	0.33	0.54	123.0	11.9	52
44100E 34600N		0.60	0.020	0.44	1.75	11.4	<0.2	<10	90	0.91	0.29	0.26	0.48	49.3	9.3	39
44100E 34650N		0.66	<0.005	0.11	1.82	9.8	<0.2	<10	130	1.45	0.22	0.35	0.37	96.6	10.4	33
44100E 34700N		0.59	<0.005	0.13	1.55	10.8	<0.2	<10	160	0.54	0.30	0.29	0.27	29.5	12.8	39
44100E 34750N		0.66	<0.005	0.42	1.76	9.2	<0.2	<10	70	0.94	0.23	0.21	0.22	43.1	10.0	44
44100E 34800N		0.54	<0.005	0.12	1.25	11.5	<0.2	<10	120	0.45	0.33	0.17	0.22	20.6	11.1	32
44100E 34850N		Not Recvd														
44100E 34900N		Not Recvd														
44100E 34950N		Not Recvd														
44100E 35000N		0.69	<0.005	0.19	1.95	9.2	<0.2	<10	70	0.81	0.23	0.20	0.20	91.3	9.7	46
44100E 35050N		0.50	<0.005	0.22	0.27	0.8	<0.2	<10	20	0.11	0.03	0.14	0.04	11.40	3.7	5
44100E 35100N		0.43	<0.005	0.19	0.45	2.1	<0.2	<10	40	0.20	0.06	0.15	0.13	42.6	4.6	7
44100E 35150N		0.55	0.005	0.29	1.61	11.2	<0.2	<10	130	0.78	0.33	0.30	0.56	31.6	14.5	40
44100E 35200N		0.76	<0.005	0.14	1.74	11.6	<0.2	<10	90	0.85	0.31	0.20	0.26	39.6	11.9	40
44100E 35250N		0.76	0.011	0.10	1.41	7.3	<0.2	<10	50	1.43	0.35	0.31	0.69	148.5	9.3	31
44100E 35300N		0.67	<0.005	0.10	1.37	7.9	<0.2	<10	70	0.89	0.28	0.27	0.36	67.7	11.2	41
44100E 35350N		0.85	<0.005	0.08	2.39	7.6	<0.2	<10	90	1.52	0.25	0.37	0.40	101.5	19.3	72
44100E 35400N		0.50	<0.005	0.09	0.56	2.4	<0.2	<10	30	0.33	0.09	0.20	0.29	37.2	7.0	14
44100E 35450N		0.48	<0.005	0.13	1.24	6.3	<0.2	<10	60	0.97	0.20	0.28	0.29	131.0	9.4	25
44100E 35500N		0.71	<0.005	0.08	1.62	12.6	<0.2	<10	70	1.09	0.24	0.26	0.21	86.2	12.4	46
44100E 35550N		Not Recvd														
44100E 35600N		0.43	<0.005	0.28	1.39	8.7	<0.2	<10	60	1.89	0.51	0.50	1.41	210	10.1	34
44100E 35650N		Not Recvd														
44100E 35700N		0.76	<0.005	0.25	1.29	11.4	<0.2	<10	70	1.45	0.71	0.31	0.51	143.5	12.0	29
44100E 35750N		0.61	<0.005	0.17	1.61	11.2	<0.2	<10	70	0.79	0.50	0.14	0.19	35.7	10.3	26
44100E 35800N		0.68	<0.005	0.39	1.34	31.7	<0.2	<10	230	0.36	0.29	0.19	0.21	21.7	9.1	31
44100E 35850N		Not Recvd														



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: TARSIS RESOURCES LTD.
1103 - 750 W PENDER ST.
VANCOUVER BC V6C 2T8

Page: 2 - B
Total # Pages: 3 (A - D)
Plus Appendix Pages
Finalized Date: 26-AUG-2011
Account: TARCAP

Project: R-11

CERTIFICATE OF ANALYSIS WH11141276

Sample Description	Method Analyte Units LOR	ME-MS41 Cs ppm 0.05	ME-MS41 Cu ppm 0.2	ME-MS41 Fe % 0.01	ME-MS41 Ga ppm 0.05	ME-MS41 Ge ppm 0.05	ME-MS41 Hf ppm 0.02	ME-MS41 Hg ppm 0.01	ME-MS41 In ppm 0.005	ME-MS41 K % 0.01	ME-MS41 La ppm 0.2	ME-MS41 Li ppm 0.1	ME-MS41 Mg % 0.01	ME-MS41 Mn ppm 5	ME-MS41 Mo ppm 0.05	ME-MS41 Na % 0.01
44100E 33900N		4.18	22.0	3.60	9.18	0.06	0.05	0.03	0.039	0.10	22.2	56.8	0.87	524	1.67	0.01
44100E 33950N		2.85	26.5	2.89	7.09	0.07	0.02	0.04	0.038	0.05	31.6	28.5	0.66	652	1.57	0.01
44100E 34000N		3.30	21.4	3.79	8.97	0.05	0.05	0.03	0.036	0.07	17.0	33.3	0.84	610	1.85	0.01
44100E 34050N		0.52	11.9	1.58	3.36	<0.05	<0.02	0.03	0.009	0.02	4.3	4.3	0.17	498	0.63	0.01
44100E 34100N		2.23	27.7	3.82	9.36	<0.05	0.02	0.03	0.045	0.06	13.1	23.6	0.64	982	3.66	0.01
44100E 34150N		2.24	28.6	3.69	8.73	0.06	0.04	0.05	0.043	0.07	21.0	16.7	0.51	885	4.92	0.01
44100E 34200N		3.29	25.0	3.53	8.74	0.07	0.05	0.06	0.045	0.07	26.4	37.8	0.79	753	2.27	0.01
44100E 34250N		3.17	19.8	3.57	8.76	<0.05	0.03	0.04	0.028	0.07	14.8	38.4	0.80	451	1.99	0.01
44100E 34300N		3.84	19.3	3.61	10.05	0.05	0.04	0.04	0.038	0.08	15.2	61.3	0.94	469	1.65	0.01
44100E 34350N		2.37	26.0	3.34	8.70	0.05	0.02	0.05	0.032	0.06	18.1	33.8	0.73	747	2.05	0.01
44100E 34400N		3.82	23.0	3.20	7.68	0.07	0.06	0.02	0.043	0.07	28.9	35.7	0.79	414	1.74	0.01
44100E 34450N		2.84	20.7	3.79	9.94	0.06	0.04	0.02	0.038	0.06	16.8	49.2	0.73	321	1.37	0.01
44100E 34500N		2.90	23.7	3.48	8.90	0.07	0.03	0.03	0.038	0.08	26.8	48.4	0.77	413	1.50	0.01
44100E 34550N		3.46	27.8	3.49	8.72	0.12	0.05	0.03	0.042	0.09	59.0	51.4	0.90	582	1.43	0.01
44100E 34600N		2.50	23.1	3.39	8.55	0.07	0.03	0.04	0.035	0.07	20.9	28.3	0.56	502	2.87	0.01
44100E 34650N		1.71	23.1	3.00	6.66	0.06	0.03	0.01	0.036	0.05	19.6	18.2	0.56	542	1.40	0.01
44100E 34700N		2.59	23.8	3.69	8.96	0.05	0.02	0.03	0.029	0.06	12.6	22.6	0.61	1140	2.95	0.01
44100E 34750N		3.26	22.5	3.18	8.19	0.05	0.02	0.04	0.029	0.10	17.9	34.6	0.71	474	1.74	0.01
44100E 34800N		2.49	26.9	3.75	9.44	<0.05	0.02	0.03	0.026	0.05	8.6	16.6	0.41	887	3.96	0.01
44100E 34850N																
44100E 34900N																
44100E 34950N																
44100E 35000N		2.67	26.0	3.43	9.60	0.06	0.04	0.05	0.044	0.05	20.4	37.0	0.68	407	1.48	0.01
44100E 35050N		0.21	12.5	1.59	2.50	<0.05	<0.02	0.03	0.006	0.02	4.2	1.7	0.10	99	0.37	0.02
44100E 35100N		0.35	17.5	1.33	2.66	<0.05	<0.02	0.02	0.010	0.02	11.2	3.0	0.15	183	0.61	0.01
44100E 35150N		3.02	36.6	3.68	7.39	<0.05	<0.02	0.07	0.026	0.08	13.5	21.0	0.55	813	2.85	0.01
44100E 35200N		3.12	33.3	3.54	8.72	0.05	0.02	0.05	0.043	0.09	12.2	30.6	0.65	638	3.03	0.01
44100E 35250N		5.47	26.4	2.82	5.49	0.18	0.09	0.03	0.043	0.10	71.6	20.8	0.50	592	3.50	0.01
44100E 35300N		3.14	27.2	3.01	6.29	0.08	0.03	0.06	0.034	0.10	28.1	24.8	0.58	488	2.28	0.01
44100E 35350N		6.81	38.4	3.76	9.71	0.19	0.05	0.02	0.046	0.34	52.3	48.2	1.25	619	2.60	0.02
44100E 35400N		0.88	21.1	2.32	4.29	0.07	0.02	0.04	0.015	0.05	19.5	5.3	0.20	218	0.87	0.03
44100E 35450N		2.53	36.8	2.08	5.62	0.19	0.05	0.05	0.030	0.08	76.8	14.1	0.44	392	2.12	0.02
44100E 35500N		5.15	30.8	3.11	7.63	0.17	0.03	0.03	0.032	0.29	54.6	34.2	0.72	456	2.03	0.02
44100E 35550N																
44100E 35600N		5.04	40.7	2.90	6.88	0.41	0.14	0.07	0.067	0.17	137.0	25.9	0.56	813	5.42	0.03
44100E 35650N																
44100E 35700N		6.06	33.2	3.20	6.46	0.17	0.05	0.04	0.057	0.12	52.8	22.9	0.46	852	5.55	0.02
44100E 35750N		2.47	35.4	3.83	8.47	0.07	0.02	0.05	0.034	0.06	11.0	21.8	0.47	771	3.72	0.01
44100E 35800N		2.19	39.1	3.50	7.78	0.05	<0.02	0.08	0.031	0.09	11.0	10.9	0.40	434	7.49	0.02
44100E 35850N																



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: TARSIS RESOURCES LTD.
1103 - 750 W PENDER ST.
VANCOUVER BC V6C 2T8

Page: 2 - C
Total # Pages: 3 (A - D)
Plus Appendix Pages
Finalized Date: 26-AUG-2011
Account: TARCAP

Project: R-11

CERTIFICATE OF ANALYSIS WH11141276

Sample Description	Method Analyte Units LOR	ME-MS41 Nb ppm 0.05	ME-MS41 Ni ppm 0.2	ME-MS41 P ppm 10	ME-MS41 Pb ppm 0.2	ME-MS41 Rb ppm 0.1	ME-MS41 Re ppm 0.001	ME-MS41 S % 0.01	ME-MS41 Sb ppm 0.05	ME-MS41 Sc ppm 0.1	ME-MS41 Se ppm 0.2	ME-MS41 Sn ppm 0.2	ME-MS41 Sr ppm 0.2	ME-MS41 Ta ppm 0.01	ME-MS41 Te ppm 0.01	ME-MS41 Th ppm 0.2
44100E 33900N		1.96	40.1	510	37.5	20.4	<0.001	0.03	0.42	3.5	0.3	1.0	26.3	<0.01	0.04	6.1
44100E 33950N		0.83	27.0	640	39.6	14.3	<0.001	0.05	0.41	2.0	0.5	0.8	33.5	<0.01	0.04	1.5
44100E 34000N		1.93	37.2	370	49.4	22.3	<0.001	0.02	0.57	4.0	0.4	0.8	27.6	<0.01	0.04	5.8
44100E 34050N		0.35	7.3	340	5.5	4.6	<0.001	0.03	0.21	0.6	0.2	0.2	19.8	<0.01	0.01	<0.2
44100E 34100N		1.25	32.1	580	44.9	18.7	<0.001	0.04	0.92	2.2	0.5	1.0	24.4	<0.01	0.05	1.8
44100E 34150N		1.54	28.2	560	36.8	20.2	<0.001	0.04	0.91	2.3	0.6	0.9	27.7	<0.01	0.07	3.0
44100E 34200N		1.53	36.1	520	48.6	22.0	<0.001	0.03	0.63	3.4	0.4	1.1	31.3	<0.01	0.04	5.4
44100E 34250N		1.59	33.6	590	19.3	20.9	<0.001	0.04	0.54	2.7	0.3	0.8	30.0	<0.01	0.06	1.9
44100E 34300N		1.89	37.1	620	31.6	24.6	<0.001	0.04	0.49	2.9	0.3	0.9	29.8	<0.01	0.04	3.4
44100E 34350N		1.35	32.9	790	25.9	13.6	<0.001	0.06	0.66	2.3	0.4	0.7	27.0	<0.01	0.03	1.7
44100E 34400N		2.07	34.6	500	65.1	13.2	<0.001	0.02	0.36	3.1	0.6	1.2	24.1	<0.01	0.04	5.2
44100E 34450N		2.20	33.0	430	35.1	17.0	<0.001	0.02	0.48	3.1	0.5	1.1	26.6	<0.01	0.04	3.0
44100E 34500N		1.48	33.9	540	40.5	17.1	<0.001	0.04	0.52	2.6	0.7	0.9	27.6	<0.01	0.05	1.8
44100E 34550N		1.68	36.4	750	102.5	17.8	<0.001	0.03	0.48	3.5	0.9	0.9	22.5	<0.01	0.07	5.1
44100E 34600N		1.41	27.7	520	43.9	20.0	<0.001	0.04	0.61	2.3	0.7	0.9	23.8	<0.01	0.05	1.2
44100E 34650N		1.73	29.8	500	23.1	10.4	<0.001	0.05	0.47	2.2	1.0	0.8	27.8	<0.01	0.04	2.3
44100E 34700N		1.14	28.4	700	18.4	22.8	<0.001	0.05	0.73	2.1	0.4	0.9	32.9	<0.01	0.05	0.7
44100E 34750N		1.20	29.2	610	19.5	22.4	<0.001	0.05	0.54	2.0	0.3	0.7	18.8	<0.01	0.04	0.8
44100E 34800N		1.22	26.4	500	13.4	16.8	<0.001	0.04	1.02	1.8	0.4	0.9	20.5	<0.01	0.08	0.8
44100E 34850N																
44100E 34900N																
44100E 34950N																
44100E 35000N		1.67	30.2	430	16.7	11.7	<0.001	0.04	0.50	2.2	0.8	1.4	18.3	<0.01	0.04	1.1
44100E 35050N		0.22	3.4	480	1.9	1.7	<0.001	0.01	0.06	0.4	<0.2	<0.2	11.8	<0.01	0.01	0.3
44100E 35100N		0.26	5.9	460	5.3	2.3	<0.001	0.03	0.13	0.4	0.2	0.2	13.7	<0.01	0.01	0.5
44100E 35150N		0.87	29.3	890	44.4	19.8	<0.001	0.09	0.85	1.4	0.7	0.6	26.8	<0.01	0.08	0.3
44100E 35200N		1.32	27.3	950	19.4	18.0	<0.001	0.08	0.75	2.0	0.6	0.9	18.9	<0.01	0.05	0.7
44100E 35250N		1.70	22.6	760	54.0	14.6	<0.001	0.01	0.33	3.3	1.0	0.7	20.0	<0.01	0.04	7.9
44100E 35300N		1.22	28.8	660	30.7	13.9	<0.001	0.04	0.41	2.2	1.0	0.6	19.4	<0.01	0.04	2.4
44100E 35350N		3.62	48.0	900	27.3	37.8	<0.001	0.04	0.33	5.5	0.9	0.9	19.5	0.01	0.03	8.2
44100E 35400N		0.50	8.7	640	9.2	6.6	<0.001	0.05	0.17	1.0	0.6	0.3	14.0	<0.01	0.02	0.9
44100E 35450N		1.09	19.3	680	18.6	14.0	<0.001	0.07	0.42	2.1	1.3	0.4	21.9	0.01	0.03	3.2
44100E 35500N		1.81	29.7	710	26.3	37.5	<0.001	0.05	0.30	3.3	0.9	0.6	16.3	<0.01	0.03	4.6
44100E 35550N																
44100E 35600N		2.29	25.0	940	52.4	24.7	0.001	0.06	0.47	3.9	2.6	0.7	31.4	0.02	0.05	9.6
44100E 35650N																
44100E 35700N		1.37	23.5	660	41.1	19.1	<0.001	0.06	0.49	2.4	1.2	0.9	23.7	0.01	0.04	2.6
44100E 35750N		1.06	19.6	630	48.0	14.6	<0.001	0.06	0.71	2.0	0.9	0.7	16.3	<0.01	0.08	0.5
44100E 35800N		0.91	26.0	930	14.4	15.9	<0.001	0.17	2.24	1.7	1.5	0.7	28.6	<0.01	0.11	0.4
44100E 35850N																



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: TARSIS RESOURCES LTD.
1103 - 750 W PENDER ST.
VANCOUVER BC V6C 2T8

Page: 2 - D
Total # Pages: 3 (A - D)
Plus Appendix Pages
Finalized Date: 26-AUG-2011
Account: TARCAP

Project: R-11

CERTIFICATE OF ANALYSIS WH11141276

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Ti %	Ti ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm
		0.005	0.02	0.05	1	0.05	0.05	2
44100E 33900N		0.118	0.20	1.17	71	0.75	6.78	130
44100E 33950N		0.065	0.13	1.53	58	0.33	12.35	123
44100E 34000N		0.126	0.17	0.95	82	0.31	5.56	115
44100E 34050N		0.063	0.05	0.30	44	0.08	1.66	59
44100E 34100N		0.079	0.17	1.08	78	0.28	5.09	174
44100E 34150N		0.078	0.17	1.53	76	0.34	9.85	133
44100E 34200N		0.100	0.19	1.54	71	0.50	10.25	133
44100E 34250N		0.110	0.15	1.09	77	0.40	5.10	89
44100E 34300N		0.131	0.19	0.98	79	0.44	4.88	107
44100E 34350N		0.090	0.16	0.97	70	0.34	5.67	133
44100E 34400N		0.102	0.13	1.27	64	0.63	10.00	132
44100E 34450N		0.122	0.16	0.90	77	0.81	6.44	110
44100E 34500N		0.104	0.16	1.17	73	0.79	9.46	106
44100E 34550N		0.127	0.18	1.90	75	1.57	19.10	160
44100E 34600N		0.096	0.17	1.17	75	0.49	7.22	112
44100E 34650N		0.073	0.13	1.83	62	0.48	19.30	115
44100E 34700N		0.096	0.15	0.80	84	0.38	4.49	112
44100E 34750N		0.087	0.17	0.96	68	0.75	5.86	83
44100E 34800N		0.095	0.18	0.73	90	2.53	2.83	95
44100E 34850N								
44100E 34900N								
44100E 34950N								
44100E 35000N		0.120	0.12	1.08	76	1.18	8.31	92
44100E 35050N		0.071	0.02	0.18	51	0.15	1.56	26
44100E 35100N		0.054	0.03	0.43	37	0.64	3.04	33
44100E 35150N		0.064	0.20	0.84	68	0.24	5.67	98
44100E 35200N		0.068	0.20	1.01	70	0.39	5.30	128
44100E 35250N		0.103	0.17	2.68	54	0.93	29.7	200
44100E 35300N		0.093	0.15	1.20	60	0.59	12.40	106
44100E 35350N		0.161	0.35	1.71	69	0.62	20.2	143
44100E 35400N		0.097	0.05	0.80	67	0.12	7.98	62
44100E 35450N		0.066	0.13	2.40	40	0.22	33.0	77
44100E 35500N		0.120	0.31	1.78	52	0.75	16.60	113
44100E 35550N								
44100E 35600N		0.096	0.28	6.65	48	0.54	74.5	232
44100E 35650N								
44100E 35700N		0.076	0.21	3.01	52	2.23	22.2	194
44100E 35750N		0.081	0.24	0.88	70	1.32	5.42	95
44100E 35800N		0.061	0.24	1.25	82	0.50	4.06	88
44100E 35850N								



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: TARSIS RESOURCES LTD.
 1103 - 750 W PENDER ST.
 VANCOUVER BC V6C 2T8

Page: 3 - A
 Total # Pages: 3 (A - D)
 Plus Appendix Pages
 Finalized Date: 26-AUG-2011
 Account: TARCAP

Project: R-11

CERTIFICATE OF ANALYSIS WH11141276

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg .02	Au-AA23 Au ppm 0.005	ME-MS41 Ag ppm 0.01	ME-MS41 Al % 0.01	ME-MS41 As ppm 0.1	ME-MS41 Au ppm 0.2	ME-MS41 B ppm 10	ME-MS41 Ba ppm 10	ME-MS41 Be ppm 0.05	ME-MS41 Bi ppm 0.01	ME-MS41 Ca % 0.01	ME-MS41 Cd ppm 0.01	ME-MS41 Ce ppm 0.02	ME-MS41 Co ppm 0.1	ME-MS41 Cr ppm 1
44100E 35900N		Not Recvd														
44100E 35950N		Not Recvd														
44100E 36000N		Not Recvd														
44100E 36050N		0.60	<0.005	0.08	0.45	2.3	<0.2	<10	40	0.12	0.06	0.14	0.16	8.88	3.9	8
44100E 36100N		0.53	<0.005	0.11	0.50	6.4	<0.2	<10	40	0.18	0.10	0.08	0.10	10.50	3.9	9
44100E 36150N		0.81	0.005	0.63	0.94	28.8	<0.2	<10	160	0.58	0.29	0.17	1.03	62.0	11.0	22
44100E 36200N		0.63	<0.005	0.67	1.39	22.4	<0.2	<10	120	0.58	0.43	0.15	0.47	41.1	9.8	29
44100E 36250N		0.76	<0.005	0.38	1.70	25.3	<0.2	<10	90	0.89	0.32	0.27	0.34	35.6	9.1	29
44100E 36300N		0.32	0.007	0.10	0.94	19.6	<0.2	<10	60	0.53	0.22	0.17	0.33	32.9	9.5	19
44100E 36350N		Not Recvd														
44100E 36400N		0.38	0.016	0.15	0.24	0.6	<0.2	<10	60	0.05	0.02	0.10	0.67	2.23	3.3	4



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: TARSIS RESOURCES LTD.
 1103 - 750 W PENDER ST.
 VANCOUVER BC V6C 2T8

Page: 3 - B
 Total # Pages: 3 (A - D)
 Plus Appendix Pages
 Finalized Date: 26-AUG-2011
 Account: TARCAP

Project: R-11

CERTIFICATE OF ANALYSIS WH11141276

Sample Description	Method Analyte Units LOR	ME-MS41 Cs ppm 0.05	ME-MS41 Cu ppm 0.2	ME-MS41 Fe % 0.01	ME-MS41 Ga ppm 0.05	ME-MS41 Ge ppm 0.05	ME-MS41 Hf ppm 0.02	ME-MS41 Hg ppm 0.01	ME-MS41 In ppm 0.005	ME-MS41 K % 0.01	ME-MS41 La ppm 0.2	ME-MS41 Li ppm 0.1	ME-MS41 Mg % 0.01	ME-MS41 Mn ppm 5	ME-MS41 Mo ppm 0.05	ME-MS41 Na % 0.01
44100E 35900N																
44100E 35950N																
44100E 36000N																
44100E 36050N		0.41	16.7	1.37	2.78	<0.05	<0.02	0.03	0.008	0.03	3.8	2.1	0.13	113	0.68	0.02
44100E 36100N		0.62	25.4	1.61	3.30	<0.05	<0.02	0.04	0.010	0.03	5.0	2.2	0.11	121	2.29	0.02
44100E 36150N		2.83	111.5	3.98	4.08	0.14	0.03	0.06	0.047	0.14	32.9	9.0	0.25	524	21.6	0.04
44100E 36200N		2.68	62.9	4.36	7.73	0.08	0.02	0.06	0.034	0.11	22.2	10.9	0.30	509	24.7	0.02
44100E 36250N		2.18	31.3	3.35	6.68	0.06	0.09	0.04	0.053	0.07	17.0	19.6	0.41	328	3.41	0.02
44100E 36300N		1.43	27.4	2.51	4.80	0.05	0.03	0.02	0.034	0.06	13.1	10.8	0.28	486	2.51	0.02
44100E 36350N																
44100E 36400N		0.15	8.2	1.24	2.12	<0.05	<0.02	0.02	<0.005	0.02	1.1	0.5	0.06	105	0.23	0.03



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: TARSIS RESOURCES LTD.
 1103 - 750 W PENDER ST.
 VANCOUVER BC V6C 2T8

Page: 3 - C
 Total # Pages: 3 (A - D)
 Plus Appendix Pages
 Finalized Date: 26-AUG-2011
 Account: TARCAP

Project: R-11

CERTIFICATE OF ANALYSIS WH11141276

Sample Description	Method Analyte Units LOR	ME-MS41 Nb ppm 0.05	ME-MS41 Ni ppm 0.2	ME-MS41 P ppm 10	ME-MS41 Pb ppm 0.2	ME-MS41 Rb ppm 0.1	ME-MS41 Re ppm 0.001	ME-MS41 S % 0.01	ME-MS41 Sb ppm 0.05	ME-MS41 Sc ppm 0.1	ME-MS41 Se ppm 0.2	ME-MS41 Sn ppm 0.2	ME-MS41 Sr ppm 0.2	ME-MS41 Ta ppm 0.01	ME-MS41 Te ppm 0.01	ME-MS41 Th ppm 0.2
44100E 35900N																
44100E 35950N																
44100E 36000N																
44100E 36050N		0.28	5.3	500	3.9	3.9	<0.001	0.05	0.21	0.6	0.5	0.2	12.7	<0.01	0.02	<0.2
44100E 36100N		0.27	9.6	450	5.2	5.0	<0.001	0.06	0.54	0.5	0.7	0.2	11.2	<0.01	0.04	<0.2
44100E 36150N		0.79	27.3	1920	61.7	12.5	0.003	0.41	3.85	1.8	5.7	0.4	23.1	0.01	0.22	2.5
44100E 36200N		1.23	25.4	840	21.4	27.1	<0.001	0.13	2.02	2.0	1.5	0.7	32.4	<0.01	0.17	1.1
44100E 36250N		2.77	24.0	630	32.6	12.3	<0.001	0.06	0.79	3.1	0.9	0.8	22.5	0.01	0.05	4.8
44100E 36300N		1.35	17.1	520	21.0	9.4	<0.001	0.05	0.76	2.0	0.7	0.5	16.1	<0.01	0.03	1.9
44100E 36350N																
44100E 36400N		0.13	2.6	240	0.9	1.5	<0.001	0.04	0.08	0.4	0.3	<0.2	14.3	<0.01	0.01	<0.2



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: TARSIS RESOURCES LTD.
 1103 - 750 W PENDER ST.
 VANCOUVER BC V6C 2T8

Page: 3 - D
 Total # Pages: 3 (A - D)
 Plus Appendix Pages
 Finalized Date: 26-AUG-2011
 Account: TARCAP

Project: R-11

CERTIFICATE OF ANALYSIS WH11141276

Sample Description	Method Analyte Units LOR	ME-MS41 Ti %	ME-MS41 Ti ppm	ME-MS41 U ppm	ME-MS41 V ppm	ME-MS41 W ppm	ME-MS41 Y ppm	ME-MS41 Zn ppm	ME-MS41 Zr ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
44100E 35900N									
44100E 35950N									
44100E 36000N									
44100E 36050N		0.053	0.03	0.34	37	0.39	2.00	29	<0.5
44100E 36100N		0.041	0.06	0.81	38	0.13	2.40	37	<0.5
44100E 36150N		0.042	0.30	5.56	51	1.80	24.0	117	<0.5
44100E 36200N		0.057	0.34	2.07	82	0.34	6.94	100	0.5
44100E 36250N		0.093	0.15	1.17	56	0.29	9.35	122	3.4
44100E 36300N		0.083	0.10	0.99	52	0.21	7.35	98	1.2
44100E 36350N									
44100E 36400N		0.052	<0.02	0.15	39	<0.05	0.52	24	<0.5



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: TARSIS RESOURCES LTD.
1103 - 750 W PENDER ST.
VANCOUVER BC V6C 2T8

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 26-AUG-2011
Account: TARCAP

Project: R-11

CERTIFICATE OF ANALYSIS WH11141276

Method	CERTIFICATE COMMENTS
ME-MS41	Gold determinations by this method are semi-quantitative due to the small sample weight used (0.5g).