

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 West Hastings Street
Vancouver, B.C. V6B1L8

Telephone: 604-688-2568

Fax: 604-688-2578

ASSESSMENT REPORT

describing

GEOCHEMICAL SAMPLING

at the

KING PROPERTY

KING 1-72 YD33993-YD34064
73-82 YD31659-YD31668

NTS 115H/09

Latitude 61°43'N; Longitude 136°08'W

located in the

Whitehorse Mining District
Yukon Territory

prepared by

Archer, Cathro & Associates (1981) Limited

for

STRATEGIC METALS LTD.

by

K. Unger, B.Sc., GIT

April 2012

CONTENTS

INTRODUCTION	1
PROPERTY LOCATION, CLAIM DATA AND ACCESS	1
HISTORY AND PREVIOUS WORK	1
GEOMORPHOLOGY AND CLIMATE	3
REGIONAL GEOLOGY	4
PROPERTY GEOLOGY	5
MINERALIZATION	5
STREAM SEDIMENT AND SOIL GEOCHEMISTRY	5
AIRBORNE GEOPHYSICAL SURVEYS	7
DISCUSSION AND CONCLUSIONS	7
REFERENCES	9

APPENDICES

I	STATEMENT OF QUALIFICATIONS
II	CERTIFICATES OF ANALYSIS

FIGURES

<u>No.</u>	<u>Description</u>	<u>Follows Page</u>
1	Property Location	1
2	Claim Locations	1
3	Tectonic Setting	4
4	Regional Geology	4
5	Property Geology	5
6	Sample Locations	In pocket
7	Historical Gold Soil Geochemistry	5
8	Historical Copper Soil Geochemistry	5
9	Historical Arsenic Soil Geochemistry	5
10	Historical Antimony Soil Geochemistry	5
11	Gold Soil Geochemistry	6
12	Copper Soil Geochemistry	6
13	Arsenic Soil Geochemistry	6
14	Antimony Soil Geochemistry	6
15	Total Magnetic Intensity	7

INTRODUCTION

The King property covers a number of gold±copper±arsenic±antimony anomalies that lie within the Stikinia geological terrane in southern Yukon. It is owned 100% by Strategic Metals Ltd.

This report describes a close-spaced grid soil sampling program that was conducted at the King property between August 7 and August 23, 2011 by Archer, Cathro & Associates (1981) Limited. The author interpreted the results from this work and his Statement of Qualifications appears in Appendix I.

PROPERTY LOCATION, CLAIM DATA AND ACCESS

The King property consists of 82 contiguous mineral claims, which are located on NTS map sheet 115H/09 at latitude 61°43' north and longitude 136°08' west (Figure 1). The property covers an area of approximately 1710 ha (17.1 sq km). The claims are registered with the Whitehorse Mining Recorder in the name of Archer Cathro, which holds them in trust for Strategic. Specifics concerning claim registration are tabulated below, while the locations of individual claims are shown on Figure 2.

<u>Claim Name</u>	<u>Grant Number</u>	<u>Expiry Date*</u>
KING 1-72	YD33993-YD34064	April 7, 2020
73-82	YD31659-YD31668	April 7, 2020

* Expiry date includes 2011 work that has been filed for assessment credit.

The King property is located 40 km southwest of the community of Carmacks and six kilometres southwest of the Klondike Highway. Access to and from the King property was provided by a Bell 206B helicopter owned and operated by Trans North helicopters from its year-round base in Carmacks.

HISTORY AND PREVIOUS WORK

The King property hosts two Minfile occurrences (AH and Orloff) that comprise four work targets (AH, NAT, Spock and Orloff), as illustrated on Figure 2 and described in the following paragraphs.

AH Occurrence

The AH occurrence (AH target) lies about two kilometres south of Kirkland Creek. It was originally staked in 1966 by Empress Mines Limited (Atlas Explorations Limited and Nippon Mining Limited) to cover aeromagnetic highs. In 1966, a number of stream sediment samples were collected on the AH claims. In 1967, follow up stream sediment sampling was done and a small soil sample grid comprising 257 samples was completed. Samples from the soil grid returned background to strongly anomalous copper values to a peak of 350 ppm (Darney, 1967). Geological mapping performed during the 1967 program is discussed in the Property Geology section below.

STRATEGIC METALS LTD.


FIGURE 1
ARCHER, CATHRO & ASSOCIATES (1981) LIMITED


PROPERTY LOCATION KING PROPERTY

0 50 100 150 200 250 km

FILE: ...2011/KING/FIGURES/LOCATION

DATE: APRIL 2012





In 1972, the area currently covered by the King property was sampled by Archer Cathro as part of a regional soil and stream sediment survey performed for South Yukon Joint Venture. Samples were analyzed for copper, molybdenum and silver. The best results were near the AH occurrence where samples returned 160 and 129 ppm copper-in-soil and 300 ppm copper-in-silt (Archer and Cathro, 1972). Values for molybdenum and silver were low.

In 1980, Archer Cathro performed gold exploration in various parts of the Dawson Range as part of the NAT Joint Venture (NAT JV), which comprised Chevron Canada Limited and Armco Mineral Exploration Ltd. During that program two more stream sediment samples were collected from the King property. One of those samples were taken within the AH target, and it returned 42 ppb gold (Archer and Onasick, 1980).

In 1985, the Geological Survey of Canada (GSC) performed regional stream sediment sampling as part of Open File 1219. Two stream sediment samples were collected from the current King property. These samples returned up to 3 ppb gold, 17 ppm arsenic, 110 ppm copper and 0.3 ppm antimony (Friske et al., 1986).

In 1986, prospecting and geochemical sampling were carried out by Nordac Resources Ltd. (later reorganized to become Strategic) to follow up the historical copper soil anomalies and to evaluate gold potential in the AH area. Fifty-four soil and four stream sediment samples were collected and analyzed for gold, arsenic, copper and antimony. Soil samples returned up to 77 ppb gold, 60 ppm arsenic, 130 ppm copper and 5 ppm antimony. Stream sediment samples yielded maximum values of 6 ppb gold, 10 ppm arsenic, 113 ppm copper and 5 ppm antimony (Carne, 1986). Minor pyrite and malachite staining were noted in weakly altered basalt.

Orloff Occurrence

The Orloff Occurrence encompasses the NAT, Spock and Orloff targets. The NAT target lies on the south side of Kirkland Creek and was identified in 1980 during the NAT JV regional exploration program when a silt sample returned 125 ppm arsenic and 235 ppb gold (Archer and Onasick, 1980) surprisingly NAT JV did not follow up this anomaly. In 1986, prospecting and geochemical sampling were carried out by Nordac on a knoll that was identified as a possible source for the 235 ppb gold-in-silt anomaly. Soil samples from this area returned peak values of 47 ppb gold, 166 ppm arsenic and 172 ppm copper (Carne, 1986).

The Spock target lies on the north bank of Kirkland Creek and can only be accessed when water levels are low. This target comprises a 125 m wide, gossanous alteration zone that trends northeasterly and cuts volcanic rocks. Alteration varies from moderately to extremely pervasive, propylitic to advanced argillic. White gypsum is present as thin stockwork veinlets and as secondary bladed crystals. Massive accumulations of vitreous blue-green sulphate crystals are also scattered throughout the alteration zone. The western edge of the zone is obscured by a massive landslide. Eight rock samples were collected from the Spock target by Nordac in 1986. Those samples returned low gold values (up to 7 ppb), strongly anomalous arsenic values (exceeding 1%), moderately anomalous copper values (up to 210 ppm) and strongly anomalous antimony values (up to 90 ppm) (Carne, 1986).

The Orloff target was originally staked as the King Orloff and Wisner claims in 1921. These claims were reportedly staked for gold potential. No work was reported from this time. In 1981,

an independent prospector staked the Kirk claims, which partially covered the old King Orloff and Wisner claims, but again no work was reported. In 1986, Nordac revisited the Orloff target and made the following observations: 1) the target comprises banded chalcedonic and opaline quartz rubble exposed in an old hand pit at the top of a prominent gossan; 2) no sulphides were present, but iron staining was noted; and 3) the gossan and quartz rubble occur along the western edge of a 60 m wide, north-trending fracture and shear zone cutting volcanics. Rock samples collected from the Orloff target by Nordac returned background to weakly anomalous gold values (up to 30 ppb), background to weakly anomalous copper values (up to 80 ppm), background to moderately anomalous arsenic values (up to 2430 ppm), and weakly anomalous antimony values (up to 10 ppm) (Carne, 1986).

In spring, 2010, Strategic staked the King 1-72 claims to cover the AH and Orloff occurrences (Smith, 2011). Later that year, 57 soil samples were collected and a total of 231 line kilometres of helicopter-borne magnetics and radiometric surveys were flown over the property. Sampling near the AH target returned some strongly anomalous copper and gold values (up to 350 ppm and 62 ppb respectively), with moderately anomalous arsenic (up to 88 ppm) and weakly anomalous antimony. Rock samples from the Spock target returned arsenic values (over 1%), strongly anomalous copper and antimony values (up to 354 and 120 ppm respectively), but low gold values (Smith, 2011). Results from the radiometric and magnetic surveys identified a pronounced bulbous magnetic anomaly in the southeast corner of the corner of the claim block and strong northeast-trending magnetic highs and lows on the remainder of the property. A number of northwest trending breaks in the magnetic trends are attributed to demagnetized fault zones (Smith, 2011).

In 2011, Strategic staked the King 73-82 claims to cover an area immediately east of the large magnetic body identified in 2010.

GEOMORPHOLOGY AND CLIMATE

The King property is located on a plateau in the southern part of the Dawson Range. Kirkland Creek, part of the Yukon River watershed, flows east through the northern half of the property (Figure 2).

Elevations range from 670 m at Kirkland Creek to 1060 m above sea level (asl) in the northwest corner of the property. Topography on the King property has been influenced by numerous glacial events. Evidence of McConnell age glacial and glaciofluvial deposits predominate. These deposits generally comprise moraine colluvial blankets and moraine veneers along meltwater channels and topographic lows. A major, north-trending meltwater channel parallels Kirkland Creek, 15 km west of the property. Several minor meltwater channels on the eastern side of the property also trend north (Hughes, 1989).

The King property lies below treeline. Vegetation comprises thick stands of black spruce, willow and poplar trees. There is at least one old forest fire burn in the southern part of the property. On the plateau away from the creek, local topographic lows are occupied by swamps. Outcrop occurs on steep slopes and cliffs, mostly along Kirkland Creek. Infrequent bedrock exposures can also be found on glacially scoured hummocks south of Kirkland Creek.

The climate in the King area is typical of northern continental regions with long, cold winters, truncated fall and spring seasons and short, mild summers. Although summers are relatively mild, arctic cold fronts often cover the area and snowfall can occur in any month. The property is mostly snow free from mid-May to mid-October.

REGIONAL GEOLOGY

The King property is located within the Stikinia geological terrane as shown on Figure 3. Stikinia represents an exotic terrane accreted to the ancestral North American continent in Early Mesozoic. Rocks making up this terrane are almost exclusively of intra-oceanic arc affinity (Anderson, 1993). Stikinia is overlain by the Whitehorse Trough, which is an elongate northwest-trending Mesozoic marine sedimentary basin that extends from north of Carmacks to near Dease Lake, British Columbia. The western edge of the Whitehorse Trough is bound by the Braeburn Fault, which is a dextral strike-slip fault with an estimated eight kilometres of displacement (White et al., 2006).

In 1974, the Geological Survey of Canada published a geological map of the Aishihik Lake area (NTS map sheet 115H) at 1:250,000 scale (Templeman-Kluit, 1974). Gordey and Makepeace (2003) later completed a Yukon-wide geological compilation, which updated the lithological unit names in the King area. Figure 4 illustrates regional geology and the following lithological descriptions are based on the 2003 compilation.


The King property lies five kilometres southwest of the Braeburn Fault. Basement rocks in the area are composed of Upper Triassic arc volcanic and sedimentary rocks of the Lewes River Group. Near the King property, the Upper Triassic Povoas Formation (uTrP) is the primary suite of the Lewes River Group. The Povoas Formation is comprised of augite or feldspar phyric, locally pillowed andesitic basalt flows, breccia, tuff, sandstone and argillite, local dacite breccia and tuff with minor limestone, greenstone, chlorite schist, chlorite-augite-feldspar gneiss and amphibolite.

Eight kilometres northeast of the King property, Early Jurassic sediments of the Laberge Group (JL), consisting of poorly sorted arkosic sandstone and minor shale with interbeds of resistant, heterolithic pebble and boulder conglomerate and dark brown weathering, thin bedded silty shale are local basement rocks east of the Braeburn fault.

Five kilometres west of the King property, a batholith of Early Jurassic Aishihik Suite (EJgA), intrudes the Povoas Formation. The Aishihik Suite consists of medium to coarse grained, foliated biotite-hornblende granodiorite and foliated hornblende diorite to monzonite with local potassium feldspar megacrysts.

The Upper Cretaceous Carmacks Group (uKC) unconformably overlies both Povoas Formation and Laberge Group rocks, and consists of intermediate to mafic flows and related clastic sediments.

A 700 m wide by 1200 m long body of Tertiary and Quaternary Selkirk Group volcanics (TQS) lies about eight kilometres southeast of the property in an area of thick glacial overburden.




STRATEGIC METALS LTD.

FIGURE 4 ARCHER, CATHRO & ASSOCIATES (1981) LIMITED REGIONAL GEOLOGY KING PROPERTY

0 1 2 3 4 5 km
UTM ZONE 8, NAD 83, 115H/09

FILE: ...2011/KING/FIGURES/REGIONAL

DATE: APRIL 2012



- | | |
|--|---|
| <div style="background-color: yellow; border: 1px solid black; width: 30px; height: 20px; margin-bottom: 5px; display: flex; align-items: center; justify-content: center;">Q</div> <div style="background-color: yellow; border: 1px solid black; width: 30px; height: 20px; margin-bottom: 5px; display: flex; align-items: center; justify-content: center;">TQS</div> <div style="background-color: orange; border: 1px solid black; width: 30px; height: 20px; margin-bottom: 5px; display: flex; align-items: center; justify-content: center;">uKC</div> <div style="background-color: lightgreen; border: 1px solid black; width: 30px; height: 20px; margin-bottom: 5px; display: flex; align-items: center; justify-content: center;">JL</div> <div style="background-color: orange; border: 1px solid black; width: 30px; height: 20px; margin-bottom: 5px; display: flex; align-items: center; justify-content: center;">EJgA</div> <div style="background-color: lightgreen; border: 1px solid black; width: 30px; height: 20px; margin-bottom: 5px; display: flex; align-items: center; justify-content: center;">uTrP</div> | <p>QUATERNARY
Q: OVERBURDEN
Unconsolidated glacial, glaciofluvial and glaciolacustrine deposits; fluvial silt, sand, and gravel, and local volcanic ash, in part with cover of soil and organic deposits</p> <p>TERTIARY AND QUATERNARY
TQS: SELKIRK GROUP
Resistant, brown weathering, columnar jointed, vossicular to massive basalt flows; minor pillow basalts; basaltic tuff and breccia</p> <p>UPPER CRETACEOUS
uKC: CARMACKS GROUP
Augite-olivine basalt and breccia; hornblende-feldspar porphyry, andesitic and dacitic flows; vesicular, augite pyric andesite and trachyte; minor sandy tuff, granite boulder</p> <p>EARLY JURASSIC
JL: LABERGE GROUP
Poorly sorted, medium bedded to massive arkosic sandstone and minor shale with interbeds and thick members of resistant heterolithic pebble and boulder conglomerate; recessive, dark brown weathering, thin bedded silty shale.</p> <p>EARLY JURASSIC
EJgA: AISHIHIK SUITE
Medium to coarse grained, foliated biotite-hornblende granodiorite; foliated hornblende diorite to monzonite with local potassium feldspar megacrysts.</p> <p>UPPER TRIASSIC
uTrP: POVOAS
Augite or feldspar phyric, locally pillowed andesitic basalt flows, breccia, tuff, sandstone and argillite; local dacitic breccia and tuff with minor limestone; greenstone, chlorite schist, chlorite-augite-feldspar gneiss and amphibolite.</p> |
|--|---|

Selkirk Group rocks are comprised of resistant, brown weathering, columnar jointed, vesicular to massive basalt flows and minor pillow basalts, basaltic tuff and breccia.

There are a number of small faults in the area that generally splay northeast or northwest off the Braeburn Fault. Sense of motion and magnitude of offset are not known for these secondary structures.

PROPERTY GEOLOGY

Property-scale mapping on the King property has been done along creek cuts and glacially carved hummocks near the AH target (Figure 5). Based on mapping done by Darney (1967), the main lithological unit is a dark green, porphyritic, equigranular or brecciated basalt, which weathers white to rusty (uTrP). The matrix is dark grey to black or green and aphanitic. Phenocrysts are 1-2 mm, dark green-black augite crystals that comprise 30% of the rock. Epidote is common in veins and fracture fillings. Exposures of volcanic breccia were mapped, but no details on composition were reported. Calcite filled joints were noted in uTrP and the volcanic breccia. A small diorite plug and related dykes, which may belong to the Aishihik Suite, have been mapped intruding uTrP in the vicinity of the AH target.

Several small faults have been mapped. These faults typically trend north or northeast and are associated with intense shearing, fracturing and alteration that are marked by gossans.

MINERALIZATION


In 1980, 13 rock samples were collected from the AH and NAT targets (Archer and Onasick, 1980). Another two rock samples were collected in 1986 from the current King property and nine more were collected in 2010. Historical rock sample locations are shown on Figure 6.


Results from all rock samples collected returned background to moderately anomalous gold values (up to 287 ppb), background to moderately anomalous copper values (up to 7220 ppm), background to strongly anomalous arsenic values (exceeding 17%) and background to weakly anomalous values for antimony (up to 36 ppm) (Smith, 2011). The most anomalous gold and copper results are from the AH target, while strongly elevated arsenic and antimony are clustered at the Spock target and to a lesser degree at the Orloff target.


STREAM SEDIMENT AND SOIL GEOCHEMISTRY

Historically, the King property has received a moderate amount of soil and stream sediment sampling. Programs run intermittently between 1967 and 2010 yielded encouraging peak values of 235 ppb gold, 350 ppm copper, greater than 1% arsenic and 5 ppm antimony. Historical results from soil and stream sediment sampling for gold, copper, arsenic and antimony are plotted on Figures 7 to 10, respectively.

In 2011, 1904 grid soil samples were collected on the King property. All 2011 soil sample locations were recorded using hand-held GPS units (Figure 6). Sample sites are marked by aluminum tags inscribed with the sample numbers and affixed to 0.5 m wooden lath that were







2010 Sb (ppm)
Soils

- $\geq 10 \leq 120$
- $\geq 5 < 10$
- $\geq 2 < 5$
- $\geq 1 < 2$
- $\geq 0 < 1$

1986 Sb (ppm)

(1986 analysis did not
exceed 10 ppm
detection limit)

- Soil Sample
- ▲ Silt Sample

✚ 1985 Silt Sample*

▼ 1980 Soil Sample*

◆ 1980 Silt Sample*

■ 1967 Silt Sample*

*No Au values reported

KING PROPERTY BOUNDARY

FIRST NATION
SETTLEMENT LAND

INSET A

6 844 000 mN

3000

2500


6 842 000 mN

3000

2500

438 000 mE

442 000 mE



STRATEGIC METALS LTD.

FIGURE 10
ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

**HISTORICAL ANTIMONY
GEOCHEMISTRY
KING PROPERTY**


0 0.5 1.0 1.5 2.0 km

UTM ZONE 8, NAD 83, 115H/09 Contour Interval: 100 ft.

FILE: ...2011/KING/FIGURES/HISTORIC-Sb

DATE: APRIL 2012

INSET A:



driven into the ground. A hand held soil auger was used to collect material from as deep in the soil profile as ground conditions allowed, which was typically about 30 to 60 cm depth. Samples were placed into individually pre-numbered Kraft paper bags. The soil samples were sent to ALS Chemex, where they were dried, screened to -180 microns, dissolved in aqua regia solution and then analyzed for 35 elements using the inductively coupled plasma with atomic emission spectroscopy technique (ME-ICP41). An additional 50 g charge was further analysed for gold by fire assay with inductively coupled plasma-atomic emissions spectroscopy finish (Au-AA24). Certificates of Analysis are in Appendix II.

The 2011 soil sampling returned scattered, strongly anomalous values for gold (up to 500 ppb), copper (up to 512 ppm), and arsenic (up to 2400 ppm) and moderately anomalous antimony values (up to 18 ppm). The results for gold, arsenic, copper and antimony are plotted on Figures 11 to 14, respectively.

Although results are somewhat erratically distributed, 2011 soil sampling confirmed historical results from the AH, NAD and Spock targets and defined new gold, copper and arsenic anomalies.

The AH anomaly is defined by weakly to strongly anomalous copper (up to 512 ppm) and background to strongly anomalous gold (up to 254 ppb). It encompasses an area about 1200 m by 200 m. The anomaly is open to the southeast off the property. Arsenic and antimony values are subdued in the AH anomaly.


The NAD anomaly is characterized by elevated copper and arsenic results that extends south over 1 km from the historical NAD target. It is defined by weakly to moderately anomalous copper (up to 400 ppm) and background to weakly anomalous arsenic (up to 82 ppm) geochemistry. Low gold and antimony values are found within this anomaly.


The Spock anomaly is primarily outlined by weakly to strongly anomalous values (up to 2080 ppm), extending 600 m north from the historical Spock target. Gold values are background in this anomaly, copper values range from background to weakly anomalous (up to 109.5 ppm) and antimony values are background to moderately anomalous (up to 18 ppm).


Two new soil anomalies were defined by 2011 soil sampling on the King property. The Khan anomaly is centred 800 m northwest of the Spock target and trends northeasterly over 1 km before projecting off the property. The Khan anomaly features background to moderately anomalous copper values (up to 230 ppm) and weakly to strongly anomalous arsenic (up to 1520 ppm). A single strongly anomalous gold value (417 ppb) lies within this anomaly, but all other gold and antimony results are near background.


The Karl anomaly is a narrow, 870 m long area of weakly to strongly anomalous arsenic (up to 256 ppm) values. It trends northeast from a point 1.4 km east of the NAD target. Copper, gold and antimony values are low within the Karl anomaly.

In addition, soil sampling identified several isolated, strong, single-element anomalies in widely separated parts of the property.









AIRBORNE GEOPHYSICAL SURVEYS

In 2010, a helicopter-borne geophysical survey totaling 231 line kilometres was flown over the King property. The results of that survey showed a strong northeast trend to magnetic highs and lows on the King property interpreted to represent layering in volcanic stratigraphy, plus a large, pronounced magnetic high in the southeastern part of the property (Smith, 2011). A number of northwest trending breaks in the magnetic trends and are interpreted to be demagnetized fault zones (Smith, 2011). Total field magnetics (TMI) and soil anomalies are presented on Figure 15.

The AH target and soil anomaly, which has a strong copper-in-soil signature, is associated with the pronounced magnetic high in the southeast corner of the property.

The NAD soil anomaly, with moderate copper and weak arsenic in-soil values, lies on the northeastern margin of the main magnetic high, along the southeasterly projection of a demagnetized zone that also crosses the Spock target.

The Karl and Khan arsenic±copper soil anomalies are located along northeast trending magnetic troughs, and are centred where breaks in magnetic highs bisect northeast trends.


The Spock target and soil anomaly covers a northwest trending break in a northeast trending magnetic high. Copper, arsenic and antimony values in this anomaly are highest where strongly sheared and altered rocks are exposed on north bank of the Kirkland Creek. This exposure is considered to be the best evidence for demagnetized faults.

DISCUSSION AND CONCLUSIONS

Much of the King property has not been properly evaluated due to thick glacial overburden and swampy terrain. As such, a deposit model for the King property has not been conclusively established. Geological, geochemical and geophysical data suggest copper-gold porphyry and structurally controlled epithermal-style gold mineralization are reasonable possibilities.

Future work on the King property should initially include close-spaced grid soil sampling east of the magnetic high in the southeast corner of the property and over the magnetic trough southeast of the Karl anomaly. Follow up mapping and prospecting should be conducted in the vicinity of all the main geochemical anomalies, with later hand pitting or percussion drilling to test below glacial till cover. An induced polarization geophysical survey should be carried out over the AH target to determine its porphyry potential.

Epithermal gold deposits are often capped by non-gold bearing arsenic-rich, argillic altered zones; therefore, diamond drilling may be required to test for a buried gold deposit beneath the gossanous alteration zone at the Spock target. This drilling should wait until results of soil sampling and percussion drilling are received in case an outcropping gold-rich zone is discovered elsewhere along the altered and demagnetized structural corridors.



Respectfully submitted,

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

K. Unger, B.Sc., GIT

REFERENCES

- Anderson, R.G.
1993 A Mesozoic stratigraphic and plutonic framework for northwestern Stikinia, Canada; in Pacific Section SEMP, volume 71, p. 477-494.
- Archer, A. and Cathro, R.
1972 South Yukon Joint Venture Final Report; private report.
- Archer, A and Onasick, E.
1980 Final Report for Nat Joint Venture; private report.
- Carne, R.C.
1986 Daily traverse reports from Nordac Resources Limited 1986 field season.
- Darney, R.J.
1967 Report on the Geology and Geochemistry of the AH Mineral Claims; Report prepared for Atlas Explorations Limited; Assessment Report 017949
- Friske, P.W.B., Hornbrook, E.H.W., Lynch, J.J., McCurdy, M.W., Gross, H., Galletta, A.C. and Durham, C.C.
1986 Regional stream sediment and water geochemical reconnaissance data (115H); Geological Survey of Canada, Open File 1219.
- Gordey, S.P. and Makepeace, A.J. (compilers)
2003 Yukon digital geology, version 2.0; Geological Survey of Canada, Open File 1749 and Yukon Geological Survey, Open File 2003-9 (D).
- Hughes, O.L.
1989 Surficial geology, Little Buffalo Lake, Yukon Territory; Geological Survey of Canada, Map 23-1987, scale 1:100,000.
- Smith, H.
2011 Assessment report describing geochemical sampling and airborne surveys at the King property, prepared for Strategic Metals, Ltd. by Archer, Cathro & Associates (1981) Ltd.
- Templeman-Kluit, D.J.
1974 Reconnaissance Geology of Aishihik Lake area (115H), Yukon Territory; Geological Survey of Canada Open File 17-1975.
- White, D., Colpron, M., Buffett, G., and Roberts, B.
2006 Structural constraints for oil and gas assessment in the Whitehorse Trough: New results from seismic profiling; Yukon Exploration and Geology 2005, p. 315-323.

APPENDIX I
STATEMENT OF QUALIFICATIONS

STATEMENT OF QUALIFICATIONS

I, Kirk Unger, geologist, with business addresses in Whitehorse, Yukon Territory and Vancouver, British Columbia and residential address in Vancouver, British Columbia, hereby certify that:

1. I graduated from the University of Waterloo in 2009 with a B.Sc., Honours in Science with a Minor in Earth Sciences.
2. From 2006 to present, I have been actively engaged in mineral exploration in Yukon Territory and British Columbia.
3. I am a Geoscientist in Training (GIT) with the Association of Professional Geoscientists of Ontario (Member Number 7128).
4. I have personally participated in the field work reported herein and have interpreted all data resulting from this work.

K. Unger, B.Sc., GIT

APPENDIX II
CERTIFICATES OF ANALYSIS



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**

C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

**1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8**

Page: 1
Finalized Date: 3- OCT- 2011
Account: MTT

CERTIFICATE WH11163813

Project: KING

P.O. No.:

This report is for 190 Soil samples submitted to our lab in Whitehorse, YT, Canada on 18- AUG- 2011.

The following have access to data associated with this certificate:

MATT DUMALA
JOAN MARIACHER

DOUG EATON
BRUCE YOUNGMAN

SARAH EATON

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
SCR- 41	Screen to - 180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- ICP21	Au 30g FA ICP- AES Finish	ICP- AES
ME- ICP41	35 Element Aqua Regia ICP- AES	ICP- AES

To: **STRATEGIC METALS LTD.**
ATTN: JOAN MARIACHER
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - A
Total # Pages: 6 (A - C)
Plus Appendix Pages
Finalized Date: 3- OCT- 2011
Account: MTT

Project: KING

CERTIFICATE OF ANALYSIS WH11163813

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg	Au- ICP21 Au ppm	ME- ICP41 Ag ppm	ME- ICP41 Al %	ME- ICP41 As ppm	ME- ICP41 B ppm	ME- ICP41 Ba ppm	ME- ICP41 Be ppm	ME- ICP41 Bi ppm	ME- ICP41 Ca %	ME- ICP41 Cd ppm	ME- ICP41 Co ppm	ME- ICP41 Cr ppm	ME- ICP41 Cu ppm	ME- ICP41 Fe %
		0.02	0.001	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
DD016001		0.28	0.007	<0.2	1.75	6	<10	150	<0.5	<2	0.67	<0.5	9	38	48	3.38
DD016002		0.30	<0.001	<0.2	1.33	4	<10	150	<0.5	<2	0.56	<0.5	6	23	19	1.95
DD016003		0.28	0.010	<0.2	1.15	6	<10	120	<0.5	<2	0.60	<0.5	8	15	60	2.32
DD016004		0.28	0.001	<0.2	1.30	7	<10	150	<0.5	<2	0.60	<0.5	7	20	15	2.32
DD016005		0.22	0.001	<0.2	1.47	8	<10	130	<0.5	<2	0.67	<0.5	8	24	20	2.43
DD016006		0.20	0.021	<0.2	1.32	9	<10	130	<0.5	<2	0.69	<0.5	14	14	88	3.31
DD016007		0.20	0.003	<0.2	1.02	7	<10	90	<0.5	<2	0.49	<0.5	11	19	32	2.91
DD016008		0.26	0.024	<0.2	0.50	7	<10	40	<0.5	<2	0.44	<0.5	15	24	61	5.51
DD016009		0.28	0.025	<0.2	0.96	9	<10	80	<0.5	<2	0.61	<0.5	22	21	71	6.56
DD016010		0.26	0.011	<0.2	0.96	7	<10	180	<0.5	<2	1.35	<0.5	18	27	97	4.52
DD016011		0.22	0.010	<0.2	1.34	4	<10	90	<0.5	<2	0.94	<0.5	26	34	148	6.64
DD016012		0.18	0.005	<0.2	0.84	7	<10	90	<0.5	<2	0.98	<0.5	13	34	80	3.91
DD016013		0.16	0.011	<0.2	0.67	9	<10	140	<0.5	<2	1.02	<0.5	16	34	111	2.58
DD016014		0.30	0.083	0.2	2.91	24	<10	350	<0.5	<2	4.36	<0.5	43	30	202	5.05
DD016015		0.20	0.011	<0.2	2.55	2	<10	120	0.9	<2	1.18	<0.5	22	97	262	7.23
DD016016		0.24	0.005	<0.2	1.36	8	<10	120	<0.5	<2	0.34	<0.5	7	19	21	2.48
DD016017		0.26	0.003	0.2	2.00	4	<10	190	<0.5	<2	0.66	<0.5	12	23	32	3.48
DD016018		0.22	0.008	<0.2	1.57	9	<10	160	0.5	<2	0.41	<0.5	8	30	19	2.67
DD016019		0.26	0.002	<0.2	1.54	6	<10	230	0.5	<2	0.88	<0.5	9	19	32	2.68
DD016020		0.24	0.004	<0.2	1.81	6	<10	140	<0.5	<2	0.47	<0.5	10	23	25	2.99
DD016021		0.24	0.001	<0.2	1.28	11	<10	150	0.5	<2	0.59	<0.5	9	18	27	2.73
DD016022		0.24	0.013	<0.2	1.42	12	<10	140	<0.5	<2	0.53	<0.5	11	18	48	3.40
DD016023		0.24	0.001	<0.2	1.43	8	<10	120	<0.5	<2	0.36	<0.5	7	21	29	2.39
DD016024		0.28	0.002	<0.2	1.54	11	<10	190	0.5	<2	0.49	<0.5	9	26	31	2.83
DD016025		0.30	0.004	<0.2	1.19	10	<10	140	<0.5	<2	0.49	<0.5	8	21	22	2.52
DD016026		0.22	0.002	<0.2	1.85	9	<10	70	0.5	<2	0.60	<0.5	10	29	29	2.82
DD016027		0.26	0.002	<0.2	2.55	8	<10	70	0.5	<2	0.83	<0.5	12	35	71	3.26
DD016028		0.30	0.003	<0.2	2.04	10	<10	40	0.5	<2	4.19	<0.5	20	27	100	4.33
DD016029		0.20	0.010	<0.2	1.40	8	<10	140	<0.5	<2	1.40	<0.5	8	24	33	2.27
DD016030		0.30	0.005	<0.2	1.27	7	<10	120	<0.5	<2	0.27	<0.5	6	18	10	2.46
DD016031		0.22	0.002	<0.2	1.30	8	<10	140	<0.5	<2	0.44	<0.5	6	22	16	2.28
DD016032		0.28	0.002	<0.2	1.37	11	<10	110	<0.5	<2	0.62	<0.5	10	15	35	2.81
DD016033		0.20	0.011	<0.2	0.87	7	<10	150	<0.5	<2	1.72	<0.5	7	12	24	1.67
DD016034		0.24	0.027	<0.2	0.45	4	<10	50	<0.5	<2	0.68	<0.5	3	6	16	1.02
DD016035		0.28	0.003	<0.2	2.01	7	<10	190	<0.5	<2	1.07	<0.5	21	37	109	4.33
DD016036		0.18	0.027	<0.2	1.72	16	<10	120	0.5	<2	2.34	<0.5	21	17	193	4.57
DD016037		0.30	0.002	<0.2	1.78	6	<10	160	<0.5	<2	1.82	<0.5	12	29	130	3.22
DD016038		0.28	0.011	<0.2	2.64	7	<10	150	<0.5	<2	1.25	<0.5	23	35	223	5.68
DD016039		0.26	0.050	<0.2	1.98	16	<10	90	<0.5	<2	2.51	<0.5	11	30	57	3.34
DD016040		0.28	0.009	<0.2	1.63	11	<10	120	0.6	<2	0.39	<0.5	8	24	26	2.80



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - B
Total # Pages: 6 (A - C)
Plus Appendix Pages
Finalized Date: 3- OCT- 2011
Account: MTT

Project: KING

CERTIFICATE OF ANALYSIS WH11163813

Sample Description	Method Analyte Units LOR	ME- ICP41 Ga ppm 10	ME- ICP41 Hg ppm 1	ME- ICP41 K % 0.01	ME- ICP41 La ppm 10	ME- ICP41 Mg % 0.01	ME- ICP41 Mn ppm 5	ME- ICP41 Mo ppm 1	ME- ICP41 Na % 0.01	ME- ICP41 Ni ppm 1	ME- ICP41 P ppm 10	ME- ICP41 Pb ppm 2	ME- ICP41 S % 0.01	ME- ICP41 Sb ppm 2	ME- ICP41 Sc ppm 1	ME- ICP41 Sr ppm 1
DD016001		10	<1	0.07	10	0.96	1160	<1	0.06	18	260	3	0.01	<2	10	53
DD016002		<10	<1	0.11	10	0.44	402	<1	0.04	11	280	4	<0.01	<2	4	39
DD016003		<10	<1	0.08	10	0.39	555	<1	0.05	7	350	2	<0.01	<2	5	47
DD016004		<10	<1	0.08	10	0.40	461	<1	0.04	10	310	6	<0.01	<2	5	56
DD016005		<10	<1	0.10	10	0.51	374	<1	0.04	11	260	4	<0.01	<2	5	44
DD016006		<10	<1	0.06	10	0.45	806	<1	0.04	9	310	3	<0.01	<2	9	57
DD016007		<10	<1	0.07	10	0.34	372	<1	0.04	8	190	3	<0.01	<2	8	51
DD016008		<10	<1	0.06	10	0.11	364	<1	0.02	7	150	<2	<0.01	<2	11	29
DD016009		10	<1	0.06	10	0.22	433	<1	0.03	9	310	2	0.01	<2	20	55
DD016010		<10	<1	0.05	10	0.26	697	<1	0.04	15	590	3	0.03	<2	10	129
DD016011		<10	<1	0.07	<10	0.39	1335	<1	0.03	15	450	3	0.01	<2	18	59
DD016012		<10	<1	0.06	<10	0.37	692	<1	0.03	14	570	3	0.02	<2	11	77
DD016013		<10	<1	0.04	10	0.33	710	<1	0.03	21	420	5	0.03	<2	12	88
DD016014		10	<1	0.23	10	1.27	1090	1	0.05	9	590	<2	0.06	<2	17	77
DD016015		10	<1	0.11	20	1.35	1660	<1	0.03	30	1260	2	0.01	<2	21	70
DD016016		<10	<1	0.10	10	0.31	191	<1	0.03	8	160	4	<0.01	<2	5	33
DD016017		10	<1	0.21	10	0.48	859	<1	0.04	11	250	4	<0.01	<2	7	45
DD016018		<10	<1	0.11	10	0.40	277	<1	0.04	13	180	5	<0.01	<2	6	47
DD016019		<10	<1	0.18	10	0.42	720	<1	0.05	10	350	6	<0.01	<2	6	65
DD016020		10	<1	0.14	10	0.48	272	<1	0.04	9	190	4	<0.01	<2	6	42
DD016021		<10	<1	0.11	10	0.34	467	<1	0.04	10	460	6	<0.01	<2	7	60
DD016022		<10	<1	0.09	10	0.39	512	<1	0.04	10	300	4	<0.01	<2	8	46
DD016023		<10	<1	0.13	<10	0.30	229	<1	0.03	16	140	10	<0.01	<2	4	30
DD016024		<10	1	0.11	10	0.39	343	<1	0.03	15	190	6	<0.01	<2	7	43
DD016025		<10	<1	0.10	10	0.35	412	<1	0.03	12	280	4	<0.01	<2	6	48
DD016026		10	<1	0.05	10	0.44	356	<1	0.03	12	230	3	<0.01	<2	7	30
DD016027		10	<1	0.05	10	0.53	398	<1	0.04	14	120	4	<0.01	<2	12	28
DD016028		10	<1	0.07	10	1.37	1175	<1	0.04	13	710	<2	<0.01	<2	12	107
DD016029		<10	<1	0.10	10	0.62	272	<1	0.06	14	590	2	<0.01	<2	5	77
DD016030		<10	<1	0.04	10	0.36	215	<1	0.03	8	130	3	<0.01	<2	3	28
DD016031		<10	<1	0.07	10	0.36	233	<1	0.04	10	290	4	<0.01	<2	6	41
DD016032		<10	<1	0.06	10	0.50	517	<1	0.04	7	180	3	<0.01	<2	7	66
DD016033		<10	<1	0.06	10	0.35	502	<1	0.04	8	670	2	0.05	<2	3	121
DD016034		<10	<1	0.06	<10	0.17	148	<1	0.05	4	430	<2	0.01	<2	2	39
DD016035		10	<1	0.05	<10	0.76	759	<1	0.09	20	330	<2	<0.01	<2	14	66
DD016036		<10	<1	0.06	10	0.85	669	<1	0.04	13	1220	2	0.07	<2	12	99
DD016037		<10	<1	0.07	10	0.95	610	<1	0.06	13	340	2	0.02	<2	9	109
DD016038		10	<1	0.08	10	1.13	819	<1	0.07	18	410	<2	<0.01	<2	19	56
DD016039		10	<1	0.06	10	0.82	469	<1	0.07	14	230	<2	0.01	<2	8	125
DD016040		<10	<1	0.08	20	0.41	365	<1	0.04	16	120	6	<0.01	2	8	51



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - C
Total # Pages: 6 (A - C)
Plus Appendix Pages
Finalized Date: 3- OCT- 2011
Account: MTT

Project: KING

CERTIFICATE OF ANALYSIS WH11163813

Sample Description	Method Analyte Units LOR	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41
		Th	Ti	Ti	U	V	W	Zn
		ppm 20	% 0.01	ppm 10	ppm 10	ppm 1	ppm 10	ppm 2
DD016001		<20	0.12	<10	<10	81	<10	45
DD016002		<20	0.08	<10	<10	43	<10	33
DD016003		<20	0.04	<10	<10	52	<10	30
DD016004		<20	0.05	<10	<10	53	<10	35
DD016005		<20	0.08	<10	<10	53	<10	35
DD016006		<20	0.02	<10	<10	72	<10	36
DD016007		<20	0.04	<10	<10	70	<10	33
DD016008		<20	0.05	<10	<10	148	<10	18
DD016009		<20	0.07	<10	<10	193	<10	30
DD016010		<20	0.03	<10	<10	136	<10	38
DD016011		<20	0.01	<10	<10	189	<10	64
DD016012		<20	0.01	<10	<10	112	<10	52
DD016013		<20	0.01	<10	<10	104	<10	61
DD016014		<20	0.02	<10	<10	121	<10	50
DD016015		<20	0.01	<10	<10	115	<10	48
DD016016		<20	0.04	<10	<10	57	<10	30
DD016017		<20	0.04	<10	<10	71	<10	50
DD016018		<20	0.05	<10	<10	58	<10	38
DD016019		<20	0.05	<10	<10	58	<10	43
DD016020		<20	0.05	<10	<10	65	<10	35
DD016021		<20	0.03	<10	<10	60	<10	40
DD016022		<20	0.04	<10	<10	70	<10	37
DD016023		<20	0.06	<10	<10	52	<10	33
DD016024		<20	0.07	<10	<10	62	<10	42
DD016025		<20	0.06	<10	<10	56	<10	37
DD016026		<20	0.07	<10	<10	65	<10	30
DD016027		<20	0.12	<10	<10	98	<10	33
DD016028		<20	0.01	<10	<10	86	<10	58
DD016029		<20	0.07	<10	<10	51	<10	36
DD016030		<20	0.07	<10	<10	59	<10	38
DD016031		<20	0.07	<10	<10	52	<10	33
DD016032		<20	0.03	<10	<10	59	<10	35
DD016033		<20	0.03	<10	<10	37	<10	29
DD016034		<20	0.03	<10	<10	26	<10	25
DD016035		<20	0.07	<10	<10	116	<10	42
DD016036		<20	0.03	<10	<10	90	<10	62
DD016037		<20	0.07	<10	<10	78	<10	34
DD016038		<20	0.13	<10	<10	161	<10	62
DD016039		<20	0.05	<10	<10	83	<10	39
DD016040		<20	0.06	<10	<10	65	<10	38



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 3 - A
Total # Pages: 6 (A - C)
Plus Appendix Pages
Finalized Date: 3- OCT- 2011
Account: MTT

Project: KING

CERTIFICATE OF ANALYSIS WH11163813

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg	Au- ICP21 Au ppm	ME- ICP41 Ag ppm	ME- ICP41 Al %	ME- ICP41 As ppm	ME- ICP41 B ppm	ME- ICP41 Ba ppm	ME- ICP41 Be ppm	ME- ICP41 Bi ppm	ME- ICP41 Ca %	ME- ICP41 Cd ppm	ME- ICP41 Co ppm	ME- ICP41 Cr ppm	ME- ICP41 Cu ppm	ME- ICP41 Fe %
		0.02	0.001	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
DD016041		0.28	0.002	<0.2	2.03	15	<10	190	0.6	<2	0.49	<0.5	10	22	26	3.22
DD016042		0.34	0.006	<0.2	1.59	9	<10	130	<0.5	2	0.53	<0.5	8	19	25	2.64
DD016043		0.34	0.064	<0.2	1.66	8	<10	170	<0.5	<2	0.69	<0.5	10	17	89	3.37
DD016044		0.32	0.003	<0.2	1.48	5	<10	120	<0.5	<2	0.46	<0.5	7	25	19	2.22
DD016045		0.42	0.016	<0.2	1.31	9	<10	130	<0.5	<2	0.59	<0.5	7	23	24	2.45
DD016046		0.28	0.001	<0.2	1.67	6	<10	130	<0.5	<2	0.64	<0.5	7	24	14	2.24
DD016047		0.20	0.014	<0.2	1.22	7	<10	120	<0.5	<2	0.85	<0.5	8	13	63	2.58
DD016048		0.28	0.011	<0.2	1.41	8	<10	170	<0.5	2	0.80	<0.5	10	16	19	2.62
DD016049		0.28	0.006	<0.2	1.65	8	<10	140	<0.5	<2	0.48	<0.5	8	18	27	2.97
DD016050		0.26	0.006	<0.2	1.22	8	<10	90	<0.5	<2	0.34	<0.5	5	21	13	2.02
DD016051		0.18	0.006	<0.2	1.49	2	<10	210	<0.5	<2	1.40	<0.5	10	10	54	2.39
DD016052		0.26	0.018	<0.2	2.70	7	<10	360	<0.5	<2	1.34	<0.5	15	9	117	4.18
DD016053		0.20	0.010	<0.2	2.89	7	<10	230	<0.5	<2	1.03	<0.5	16	19	90	3.93
DD016054		0.20	0.001	<0.2	1.43	5	<10	130	<0.5	<2	0.90	<0.5	9	18	47	1.88
DD016055		0.20	0.004	<0.2	1.59	5	<10	160	<0.5	<2	0.72	<0.5	8	25	46	2.37
DD016056		0.28	0.006	<0.2	1.43	6	<10	170	<0.5	<2	0.81	<0.5	11	24	99	2.39
DD016057		0.12	0.013	<0.2	0.80	5	10	140	<0.5	<2	2.38	<0.5	15	6	48	1.96
DD016058		0.14	0.015	<0.2	1.22	4	<10	110	<0.5	<2	1.33	<0.5	10	17	49	2.56
DD016059		0.22	0.030	<0.2	1.01	6	<10	80	<0.5	<2	1.06	<0.5	16	18	84	4.18
DD016060		0.24	0.040	<0.2	0.51	3	<10	50	<0.5	<2	0.56	<0.5	22	35	91	5.51
DD016061		0.16	0.018	<0.2	0.57	<2	<10	90	<0.5	<2	1.11	<0.5	16	20	104	3.42
DD016062		0.26	0.015	<0.2	0.72	6	<10	70	<0.5	<2	0.54	<0.5	18	28	89	5.12
DD016063		0.24	0.002	<0.2	2.03	<2	<10	220	<0.5	<2	0.64	<0.5	19	23	55	2.83
DD016064		0.20	0.002	<0.2	2.80	<2	<10	290	<0.5	<2	1.17	<0.5	11	30	41	2.22
DD016065		0.26	0.003	<0.2	1.36	7	<10	180	<0.5	<2	0.49	<0.5	8	15	24	2.24
DD016066		0.28	0.001	<0.2	1.71	5	<10	180	<0.5	<2	0.41	<0.5	11	25	29	2.92
DD016067		0.30	0.004	<0.2	1.22	5	<10	110	<0.5	<2	0.30	<0.5	11	20	27	2.96
DD016068		0.18	0.010	<0.2	1.32	7	<10	190	<0.5	<2	1.27	<0.5	11	18	35	2.82
DD016069		0.20	0.003	<0.2	1.62	6	<10	180	<0.5	<2	0.77	<0.5	12	18	48	2.92
DD016070		0.16	<0.001	<0.2	0.56	<2	<10	50	<0.5	<2	0.56	<0.5	4	4	25	0.73
DD016071		0.18	0.003	<0.2	2.79	6	<10	200	0.5	<2	1.11	<0.5	19	43	48	4.09
DD016072		0.22	0.004	<0.2	2.23	9	<10	140	0.5	<2	2.11	<0.5	21	22	105	4.22
DD016073		0.16	0.004	<0.2	2.43	8	<10	150	0.5	<2	1.58	<0.5	21	26	89	4.07
DD016074		0.20	0.004	<0.2	1.87	5	<10	100	<0.5	<2	2.33	<0.5	20	22	108	4.05
DD016075		0.20	0.003	<0.2	4.15	11	<10	110	0.7	<2	6.58	<0.5	22	46	184	5.06
DD016076		0.22	0.005	<0.2	2.46	2	10	120	0.5	<2	3.66	<0.5	30	24	259	6.43
DD016077		0.20	0.004	<0.2	1.91	82	<10	200	<0.5	<2	1.89	<0.5	35	21	51	5.38
DD016078		0.20	0.003	<0.2	1.90	6	<10	170	<0.5	<2	0.81	<0.5	27	20	156	6.24
DD016079		0.22	0.003	<0.2	1.66	<2	<10	230	<0.5	<2	1.41	<0.5	23	26	188	3.61
DD016080		0.20	0.003	<0.2	2.89	4	<10	230	<0.5	<2	1.09	<0.5	26	40	207	5.68



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 3 - B
Total # Pages: 6 (A - C)
Plus Appendix Pages
Finalized Date: 3- OCT- 2011
Account: MTT

Project: KING

CERTIFICATE OF ANALYSIS WH11163813

Sample Description	Method Analyte Units LOR	ME- ICP41 Ga ppm 10	ME- ICP41 Hg ppm 1	ME- ICP41 K % 0.01	ME- ICP41 La ppm 10	ME- ICP41 Mg % 0.01	ME- ICP41 Mn ppm 5	ME- ICP41 Mo ppm 1	ME- ICP41 Na % 0.01	ME- ICP41 Ni ppm 1	ME- ICP41 P ppm 10	ME- ICP41 Pb ppm 2	ME- ICP41 S % 0.01	ME- ICP41 Sb ppm 2	ME- ICP41 Sc ppm 1	ME- ICP41 Sr ppm 1
DD016041		10	<1	0.09	10	0.49	504	<1	0.04	13	210	4	<0.01	<2	8	54
DD016042		<10	<1	0.14	10	0.39	493	<1	0.04	7	240	2	<0.01	<2	5	38
DD016043		<10	<1	0.06	10	0.48	1215	<1	0.07	13	280	3	<0.01	<2	8	58
DD016044		<10	<1	0.08	10	0.46	312	<1	0.04	12	320	3	<0.01	<2	5	33
DD016045		<10	<1	0.06	10	0.50	352	<1	0.06	13	340	2	<0.01	<2	6	50
DD016046		<10	<1	0.05	10	0.47	238	<1	0.04	10	180	3	<0.01	<2	4	47
DD016047		<10	<1	0.06	10	0.36	449	<1	0.04	14	270	2	<0.01	<2	6	47
DD016048		<10	<1	0.05	10	0.46	782	<1	0.06	7	350	<2	<0.01	<2	6	70
DD016049		<10	<1	0.05	10	0.43	498	1	0.03	8	220	5	0.01	<2	6	49
DD016050		<10	<1	0.08	10	0.41	209	<1	0.03	9	180	2	<0.01	<2	4	26
DD016051		<10	<1	0.10	<10	0.41	1130	<1	0.06	6	600	<2	0.01	<2	5	95
DD016052		10	<1	0.10	<10	0.83	923	<1	0.11	11	360	<2	0.01	<2	10	87
DD016053		10	<1	0.06	<10	0.64	384	<1	0.10	10	250	2	<0.01	<2	6	68
DD016054		10	<1	0.11	<10	0.40	487	<1	0.05	7	460	2	0.01	<2	3	70
DD016055		<10	<1	0.12	10	0.60	400	<1	0.05	12	310	3	<0.01	<2	5	49
DD016056		<10	<1	0.12	10	0.59	404	<1	0.05	17	540	4	<0.01	<2	6	48
DD016057		<10	<1	0.05	<10	0.48	321	<1	0.05	4	760	<2	0.09	<2	3	169
DD016058		<10	<1	0.09	10	0.57	328	<1	0.05	7	690	2	0.02	<2	5	89
DD016059		<10	1	0.06	10	0.39	318	<1	0.04	7	370	3	0.03	<2	9	74
DD016060		<10	1	0.04	10	0.14	612	<1	0.02	10	200	<2	0.02	<2	11	42
DD016061		<10	<1	0.04	10	0.20	419	<1	0.03	9	530	2	0.05	<2	7	79
DD016062		<10	1	0.05	10	0.19	615	<1	0.03	10	320	2	0.01	<2	12	40
DD016063		10	1	0.14	10	0.41	934	<1	0.05	12	350	5	0.01	<2	9	53
DD016064		10	<1	0.12	<10	0.73	354	<1	0.09	8	230	3	0.02	<2	10	62
DD016065		<10	1	0.10	10	0.33	407	<1	0.04	9	260	5	0.01	<2	6	58
DD016066		10	1	0.14	10	0.43	578	<1	0.03	12	200	6	0.01	<2	7	42
DD016067		<10	<1	0.11	10	0.30	431	1	0.04	10	170	5	0.01	<2	7	37
DD016068		<10	1	0.09	10	0.43	550	<1	0.04	13	450	6	0.03	<2	6	79
DD016069		10	1	0.16	10	0.45	580	<1	0.04	12	300	4	0.02	<2	6	63
DD016070		<10	<1	0.04	<10	0.10	239	1	0.04	4	500	<2	0.03	<2	<1	31
DD016071		10	<1	0.02	<10	1.34	754	<1	0.06	15	200	<2	0.02	<2	14	43
DD016072		10	1	0.06	10	1.18	1080	<1	0.04	15	760	2	0.05	<2	10	75
DD016073		10	1	0.07	10	0.97	1255	<1	0.04	15	650	3	0.03	<2	12	64
DD016074		10	1	0.08	10	0.90	1070	<1	0.04	15	710	2	0.05	<2	12	63
DD016075		10	1	0.07	<10	1.21	1220	<1	0.06	15	830	<2	0.04	<2	25	89
DD016076		10	<1	0.06	10	1.41	1735	<1	0.06	17	930	4	0.03	<2	23	135
DD016077		10	<1	0.08	<10	0.79	1730	<1	0.10	24	660	3	0.03	<2	22	104
DD016078		10	<1	0.05	10	0.61	1230	<1	0.07	20	380	3	0.01	<2	22	60
DD016079		10	1	0.05	10	0.62	1465	<1	0.07	21	1030	4	0.05	<2	9	74
DD016080		10	1	0.12	<10	0.79	753	<1	0.05	21	400	<2	0.02	<2	22	64



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 3 - C
Total # Pages: 6 (A - C)
Plus Appendix Pages
Finalized Date: 3- OCT- 2011
Account: MTT

Project: KING

CERTIFICATE OF ANALYSIS WH11163813

Sample Description	Method Analyte Units LOR	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41
		Th	Ti	Ti	U	V	W	Zn
		ppm 20	% 0.01	ppm 10	ppm 10	ppm 1	ppm 10	ppm 2
DD016041		<20	0.05	<10	<10	65	<10	42
DD016042		<20	0.05	<10	<10	67	<10	37
DD016043		<20	0.04	<10	<10	79	<10	30
DD016044		<20	0.09	<10	<10	53	<10	33
DD016045		<20	0.07	<10	<10	55	<10	35
DD016046		<20	0.09	<10	<10	57	<10	26
DD016047		<20	0.04	<10	<10	58	<10	29
DD016048		<20	0.04	<10	<10	64	<10	27
DD016049		<20	0.03	<10	<10	66	<10	30
DD016050		<20	0.09	<10	<10	48	<10	25
DD016051		<20	0.02	<10	<10	65	<10	31
DD016052		<20	0.02	<10	<10	118	<10	33
DD016053		<20	0.05	<10	<10	122	<10	27
DD016054		<20	0.06	<10	<10	51	<10	25
DD016055		<20	0.09	<10	<10	57	<10	66
DD016056		<20	0.08	<10	<10	52	<10	48
DD016057		<20	0.01	<10	<10	46	<10	20
DD016058		<20	0.05	<10	<10	56	<10	30
DD016059		<20	0.02	<10	<10	132	<10	32
DD016060		<20	0.03	<10	<10	159	<10	22
DD016061		<20	0.02	<10	<10	88	<10	23
DD016062		<20	0.04	<10	<10	145	<10	29
DD016063		<20	0.03	<10	<10	82	<10	40
DD016064		<20	0.02	<10	<10	87	<10	26
DD016065		<20	0.03	<10	<10	55	<10	40
DD016066		<20	0.05	<10	<10	70	<10	45
DD016067		<20	0.04	<10	<10	64	<10	37
DD016068		<20	0.03	<10	<10	62	<10	50
DD016069		<20	0.04	<10	<10	66	<10	46
DD016070		<20	0.02	<10	<10	20	<10	17
DD016071		<20	0.13	<10	<10	142	<10	47
DD016072		<20	0.01	<10	<10	92	<10	71
DD016073		<20	0.02	<10	<10	88	<10	64
DD016074		<20	0.02	<10	<10	84	<10	61
DD016075		<20	0.11	<10	<10	175	<10	58
DD016076		<20	0.03	<10	<10	169	<10	61
DD016077		<20	0.02	<10	<10	199	<10	83
DD016078		<20	0.14	<10	<10	271	<10	43
DD016079		<20	0.07	<10	<10	109	<10	143
DD016080		<20	0.09	<10	<10	156	<10	58



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 4 - A
Total # Pages: 6 (A - C)
Plus Appendix Pages
Finalized Date: 3- OCT- 2011
Account: MTT

Project: KING

CERTIFICATE OF ANALYSIS WH11163813

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg	Au- ICP21 Au ppm	ME- ICP41 Ag ppm	ME- ICP41 Al %	ME- ICP41 As ppm	ME- ICP41 B ppm	ME- ICP41 Ba ppm	ME- ICP41 Be ppm	ME- ICP41 Bi ppm	ME- ICP41 Ca %	ME- ICP41 Cd ppm	ME- ICP41 Co ppm	ME- ICP41 Cr ppm	ME- ICP41 Cu ppm	ME- ICP41 Fe %
		0.02	0.001	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
DD016081		0.26	0.003	<0.2	1.68	2	<10	400	<0.5	<2	0.86	<0.5	16	23	86	3.59
DD016082		0.22	0.007	<0.2	1.39	5	<10	110	<0.5	<2	0.41	<0.5	8	17	23	2.48
DD016083		0.30	0.003	<0.2	1.43	5	<10	110	<0.5	<2	0.38	<0.5	8	21	16	2.23
DD016084		0.28	0.002	<0.2	1.20	3	<10	150	<0.5	<2	0.40	<0.5	8	15	16	1.95
DD016085		0.22	0.002	<0.2	0.57	2	<10	100	<0.5	<2	0.66	<0.5	5	6	34	1.02
DD016086		0.20	0.016	<0.2	1.70	35	<10	140	<0.5	<2	0.91	<0.5	17	14	195	3.51
DD016087		0.20	0.074	<0.2	1.40	13	<10	70	<0.5	<2	3.49	<0.5	23	14	349	3.80
DD016088		0.24	0.054	<0.2	2.95	33	<10	90	<0.5	<2	1.03	<0.5	40	21	312	4.91
DD016089		0.12	0.014	<0.2	1.12	6	<10	80	<0.5	<2	1.69	<0.5	10	10	61	2.26
DD016090		0.18	0.098	<0.2	1.24	20	<10	150	<0.5	<2	2.21	<0.5	20	11	151	2.61
DD016091		0.12	0.004	<0.2	1.26	5	<10	80	<0.5	<2	1.23	<0.5	15	10	106	2.59
DD016092		0.26	0.019	<0.2	1.88	3	<10	90	<0.5	<2	1.76	<0.5	14	16	44	4.05
DD016093		0.22	0.006	<0.2	1.06	3	<10	90	<0.5	<2	0.83	<0.5	7	14	47	1.55
DD016094		0.14	0.006	<0.2	1.00	44	<10	260	<0.5	<2	2.00	<0.5	8	9	44	7.05
DD016095		0.18	0.003	<0.2	2.30	9	<10	160	<0.5	<2	0.57	<0.5	12	27	45	3.81
DD016096		0.18	0.005	<0.2	2.48	12	<10	160	<0.5	<2	3.82	<0.5	15	17	99	4.14
DD016097		0.20	0.002	<0.2	0.97	9	<10	90	<0.5	<2	0.67	<0.5	6	12	25	1.71
DD016098		0.24	0.003	<0.2	1.45	9	<10	160	0.5	<2	0.86	<0.5	7	19	36	2.42
DD016099		0.34	0.002	<0.2	1.29	8	<10	150	<0.5	<2	0.58	<0.5	7	16	24	2.23
DD016100		0.26	0.004	<0.2	1.35	9	<10	130	<0.5	<2	0.47	<0.5	11	15	38	2.82
DD016101		0.24	0.003	<0.2	1.48	6	<10	190	<0.5	<2	0.62	<0.5	12	21	36	2.23
DD016102		0.20	0.003	<0.2	1.40	5	<10	80	<0.5	<2	0.36	<0.5	6	19	17	2.02
DD016103		0.18	0.007	<0.2	1.30	9	<10	160	<0.5	<2	1.56	<0.5	9	13	46	2.16
DD016104		0.28	0.003	<0.2	1.36	12	<10	100	<0.5	<2	0.37	<0.5	6	17	21	2.51
DD016105		0.26	0.003	<0.2	1.53	10	<10	130	<0.5	<2	0.85	<0.5	8	18	35	2.56
DD016106		0.24	0.003	<0.2	1.39	8	<10	140	<0.5	<2	0.90	<0.5	6	17	29	2.20
DD016107		0.24	0.004	<0.2	1.17	7	<10	100	<0.5	<2	0.41	<0.5	7	20	17	2.24
DD016108		0.28	0.004	<0.2	1.50	10	<10	100	<0.5	<2	0.38	<0.5	9	22	30	2.38
DD016109		0.24	0.006	<0.2	1.62	8	<10	150	<0.5	<2	0.63	<0.5	7	23	27	2.38
DD016110		0.18	0.001	<0.2	1.14	6	<10	130	<0.5	<2	0.34	<0.5	7	17	16	1.80
DD016111		0.26	0.001	<0.2	0.76	5	<10	50	<0.5	<2	0.24	<0.5	4	9	9	1.42
DD016112		0.42	0.009	<0.2	1.43	9	<10	110	<0.5	<2	0.37	<0.5	7	22	23	2.32
DD016113		0.32	0.002	<0.2	0.93	6	<10	120	<0.5	<2	0.49	<0.5	5	13	15	1.80
DD016114		0.34	0.003	<0.2	1.69	11	<10	190	0.5	<2	0.55	<0.5	9	22	24	2.91
DD016115		0.22	0.002	<0.2	1.26	7	<10	120	<0.5	<2	0.49	<0.5	6	15	18	2.16
DD016116		0.32	0.011	<0.2	1.81	6	<10	140	<0.5	<2	0.42	<0.5	12	27	31	3.36
DD016117		0.20	0.009	<0.2	1.52	10	<10	110	<0.5	<2	0.39	<0.5	14	23	47	3.81
DD016118		0.30	0.002	<0.2	1.58	7	<10	120	<0.5	<2	0.45	<0.5	8	27	16	2.61
DD016119		0.18	0.007	<0.2	1.67	6	<10	150	<0.5	<2	0.53	<0.5	8	22	29	2.35
DD016120		0.36	0.002	<0.2	1.56	10	<10	100	<0.5	<2	0.40	<0.5	8	27	18	2.46



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 4 - B
Total # Pages: 6 (A - C)
Plus Appendix Pages
Finalized Date: 3- OCT- 2011
Account: MTT

Project: KING

CERTIFICATE OF ANALYSIS WH11163813

Sample Description	Method Analyte Units LOR	ME- ICP41 Ga ppm 10	ME- ICP41 Hg ppm 1	ME- ICP41 K % 0.01	ME- ICP41 La ppm 10	ME- ICP41 Mg % 0.01	ME- ICP41 Mn ppm 5	ME- ICP41 Mo ppm 1	ME- ICP41 Na % 0.01	ME- ICP41 Ni ppm 1	ME- ICP41 P ppm 10	ME- ICP41 Pb ppm 2	ME- ICP41 S % 0.01	ME- ICP41 Sb ppm 2	ME- ICP41 Sc ppm 1	ME- ICP41 Sr ppm 1
DD016081		10	1	0.09	<10	0.53	619	<1	0.09	13	440	2	0.02	<2	11	122
DD016082		<10	1	0.08	10	0.37	386	<1	0.03	8	250	5	0.01	<2	5	39
DD016083		<10	1	0.11	<10	0.39	222	1	0.04	10	210	6	0.01	<2	3	32
DD016084		<10	1	0.09	<10	0.33	497	<1	0.04	7	240	4	0.01	<2	3	37
DD016085		<10	1	0.05	<10	0.16	316	<1	0.05	5	430	2	0.03	<2	2	42
DD016086		10	1	0.06	10	0.35	866	7	0.06	9	430	3	0.02	<2	6	40
DD016087		10	1	0.08	10	1.12	524	2	0.05	10	680	<2	0.07	<2	11	84
DD016088		10	1	0.05	10	0.65	399	3	0.13	20	190	3	0.02	<2	16	47
DD016089		<10	1	0.05	<10	0.41	451	<1	0.05	7	720	2	0.17	<2	5	70
DD016090		<10	1	0.05	10	0.41	528	1	0.05	13	820	2	0.08	<2	5	108
DD016091		<10	1	0.06	<10	0.47	593	<1	0.06	10	440	<2	0.04	<2	5	58
DD016092		10	<1	0.09	10	0.84	365	<1	0.04	10	290	3	0.03	<2	9	65
DD016093		<10	1	0.07	10	0.36	249	<1	0.04	9	490	4	0.04	<2	4	58
DD016094		<10	1	0.05	<10	0.37	2760	1	0.05	6	800	2	0.15	<2	4	104
DD016095		10	<1	0.12	10	0.64	561	<1	0.05	16	180	6	<0.01	<2	8	35
DD016096		10	<1	0.10	10	1.11	434	<1	0.06	12	360	<2	<0.01	<2	9	72
DD016097		<10	<1	0.07	10	0.26	356	<1	0.06	10	410	2	<0.01	<2	3	48
DD016098		<10	<1	0.09	10	0.41	346	<1	0.04	13	350	4	<0.01	<2	5	71
DD016099		<10	<1	0.10	10	0.34	502	<1	0.05	11	340	4	<0.01	<2	5	56
DD016100		<10	<1	0.10	10	0.30	641	<1	0.04	9	450	4	<0.01	<2	5	47
DD016101		<10	<1	0.07	10	0.38	681	<1	0.05	11	440	4	<0.01	<2	4	44
DD016102		<10	<1	0.08	10	0.38	156	<1	0.04	8	150	5	<0.01	<2	3	26
DD016103		<10	<1	0.10	10	0.46	477	<1	0.05	11	520	3	0.02	<2	4	78
DD016104		<10	<1	0.06	10	0.28	198	<1	0.04	9	180	2	<0.01	<2	5	37
DD016105		<10	<1	0.09	10	0.48	484	<1	0.06	13	470	3	<0.01	<2	6	70
DD016106		<10	<1	0.07	10	0.39	409	<1	0.05	9	370	2	0.01	<2	4	67
DD016107		<10	<1	0.13	10	0.32	283	<1	0.04	11	230	4	<0.01	<2	4	42
DD016108		<10	<1	0.07	10	0.38	273	<1	0.05	9	280	4	<0.01	<2	5	33
DD016109		<10	<1	0.07	10	0.51	248	<1	0.05	10	470	3	<0.01	<2	5	47
DD016110		<10	<1	0.07	10	0.30	456	<1	0.03	7	360	3	<0.01	<2	2	29
DD016111		<10	<1	0.05	<10	0.17	125	<1	0.05	4	190	<2	<0.01	<2	2	25
DD016112		<10	<1	0.05	10	0.42	270	<1	0.04	10	250	3	<0.01	<2	4	30
DD016113		<10	<1	0.04	10	0.29	405	<1	0.05	7	230	3	<0.01	<2	4	46
DD016114		<10	<1	0.10	10	0.43	448	<1	0.05	12	280	5	<0.01	<2	7	58
DD016115		<10	<1	0.07	10	0.35	259	<1	0.05	6	220	3	<0.01	<2	4	40
DD016116		<10	<1	0.06	10	0.41	470	<1	0.04	12	200	4	<0.01	<2	6	39
DD016117		<10	<1	0.06	10	0.29	415	<1	0.04	10	300	5	<0.01	<2	7	43
DD016118		<10	<1	0.09	10	0.49	293	<1	0.04	11	290	4	<0.01	<2	5	34
DD016119		<10	<1	0.05	10	0.43	353	<1	0.05	10	280	3	<0.01	<2	4	41
DD016120		<10	<1	0.09	10	0.48	292	<1	0.04	12	260	4	<0.01	<2	5	29



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 4 - C
Total # Pages: 6 (A - C)
Plus Appendix Pages
Finalized Date: 3- OCT- 2011
Account: MTT

Project: KING

CERTIFICATE OF ANALYSIS WH11163813

Sample Description	Method Analyte Units LOR	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41
		Th	Ti	Ti	U	V	W	Zn
		ppm 20	% 0.01	ppm 10	ppm 10	ppm 1	ppm 10	ppm 2
DD016081		<20	0.04	<10	<10	99	<10	41
DD016082		<20	0.04	<10	<10	59	<10	30
DD016083		<20	0.07	<10	<10	52	<10	33
DD016084		<20	0.05	<10	<10	50	<10	30
DD016085		<20	0.03	<10	<10	25	<10	22
DD016086		<20	0.02	<10	<10	68	<10	30
DD016087		<20	0.01	<10	<10	93	<10	30
DD016088		<20	0.06	<10	<10	113	<10	24
DD016089		<20	0.02	<10	<10	42	<10	45
DD016090		<20	0.01	<10	<10	54	<10	18
DD016091		<20	0.03	<10	<10	62	<10	27
DD016092		<20	0.02	<10	<10	71	<10	32
DD016093		<20	0.04	<10	<10	45	<10	39
DD016094		<20	0.02	<10	<10	52	<10	60
DD016095		<20	0.07	<10	<10	84	<10	34
DD016096		<20	0.03	<10	<10	89	<10	26
DD016097		<20	0.04	<10	<10	41	<10	28
DD016098		<20	0.04	<10	<10	58	<10	41
DD016099		<20	0.04	<10	<10	51	<10	36
DD016100		<20	0.03	<10	<10	65	<10	39
DD016101		<20	0.07	<10	<10	55	<10	34
DD016102		<20	0.09	<10	<10	56	<10	30
DD016103		<20	0.04	<10	<10	51	<10	43
DD016104		<20	0.06	<10	<10	62	<10	26
DD016105		<20	0.06	<10	<10	61	<10	44
DD016106		<20	0.05	<10	<10	52	<10	34
DD016107		<20	0.06	<10	<10	53	<10	35
DD016108		<20	0.07	<10	<10	58	<10	29
DD016109		<20	0.08	<10	<10	54	<10	31
DD016110		<20	0.07	<10	<10	47	<10	29
DD016111		<20	0.04	<10	<10	35	<10	19
DD016112		<20	0.08	<10	<10	57	<10	30
DD016113		<20	0.04	<10	<10	42	<10	24
DD016114		<20	0.05	<10	<10	62	<10	40
DD016115		<20	0.05	<10	<10	49	<10	25
DD016116		<20	0.05	<10	<10	84	<10	36
DD016117		<20	0.03	<10	<10	99	<10	37
DD016118		<20	0.10	<10	<10	64	<10	33
DD016119		<20	0.07	<10	<10	59	<10	33
DD016120		<20	0.10	<10	<10	58	<10	35



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 5 - A
Total # Pages: 6 (A - C)
Plus Appendix Pages
Finalized Date: 3- OCT- 2011
Account: MTT

Project: KING

CERTIFICATE OF ANALYSIS WH11163813

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg	Au- ICP21 Au ppm	ME- ICP41 Ag ppm	ME- ICP41 Al %	ME- ICP41 As ppm	ME- ICP41 B ppm	ME- ICP41 Ba ppm	ME- ICP41 Be ppm	ME- ICP41 Bi ppm	ME- ICP41 Ca %	ME- ICP41 Cd ppm	ME- ICP41 Co ppm	ME- ICP41 Cr ppm	ME- ICP41 Cu ppm	ME- ICP41 Fe %
		0.02	0.001	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
DD016121		0.20	0.003	<0.2	1.79	11	<10	140	<0.5	2	0.43	<0.5	10	22	20	3.01
DD016122		0.20	0.002	<0.2	1.54	7	<10	160	<0.5	<2	0.58	<0.5	9	20	25	2.88
DD016123		0.30	0.002	<0.2	1.81	8	<10	160	<0.5	<2	0.52	<0.5	9	31	21	2.82
DD016124		0.18	0.002	0.2	2.01	8	<10	230	<0.5	<2	0.56	<0.5	12	24	37	2.94
DD016125		0.28	0.002	<0.2	1.37	6	<10	110	<0.5	<2	0.39	<0.5	8	26	17	2.32
DD016126		0.22	0.001	<0.2	1.50	5	<10	120	<0.5	<2	0.40	<0.5	7	26	17	2.32
DD016127		0.32	0.008	<0.2	1.48	7	<10	80	<0.5	<2	0.44	<0.5	7	25	28	2.05
DD016128		0.18	0.020	0.2	1.21	6	<10	90	<0.5	<2	1.56	<0.5	4	11	324	0.89
DD016129		0.18	0.003	<0.2	1.01	10	<10	110	<0.5	<2	1.06	<0.5	6	13	43	1.97
DD016130		0.20	0.002	<0.2	0.86	6	<10	80	<0.5	<2	0.83	<0.5	6	12	29	1.61
DD016131		0.20	0.004	0.2	1.20	8	<10	150	<0.5	<2	1.87	<0.5	9	15	39	2.17
DD016132		0.22	0.006	<0.2	1.13	8	<10	150	<0.5	<2	0.92	<0.5	8	16	39	2.21
DD016133		0.24	0.002	0.2	2.41	2	<10	80	<0.5	<2	0.52	<0.5	15	30	74	4.01
DD016134		0.22	0.002	<0.2	1.92	4	<10	140	<0.5	<2	0.68	<0.5	12	38	66	3.00
DD016135		0.26	0.002	<0.2	1.93	3	<10	160	<0.5	<2	0.47	<0.5	16	28	48	3.27
DD016136		0.30	0.002	0.2	2.41	<2	<10	100	<0.5	<2	0.97	<0.5	32	44	151	6.21
DD016137		0.16	0.002	<0.2	1.61	40	20	100	<0.5	<2	3.86	<0.5	17	24	100	3.51
DD016138		0.20	0.001	0.2	2.66	7	<10	80	<0.5	<2	0.60	<0.5	17	24	56	4.30
DD016139		0.22	0.001	0.2	4.81	4	10	210	<0.5	<2	1.60	<0.5	26	88	146	5.35
DD016140		0.16	NSS	<0.2	4.66	6	<10	250	<0.5	<2	1.74	<0.5	22	76	104	5.20
DD016141		0.24	0.001	<0.2	0.85	5	<10	90	<0.5	<2	2.20	<0.5	6	12	78	1.17
DD016142		0.22	0.007	<0.2	1.02	7	<10	100	<0.5	<2	1.64	<0.5	9	14	42	2.63
DD016143		0.26	0.002	<0.2	1.26	5	<10	110	<0.5	<2	0.38	<0.5	6	20	16	2.04
DD016144		0.18	0.002	<0.2	1.59	3	<10	120	<0.5	<2	1.16	<0.5	11	33	75	2.88
DD016145		0.20	0.002	<0.2	1.44	6	<10	170	<0.5	<2	0.53	<0.5	9	20	33	2.79
DD016146		0.22	0.001	<0.2	1.34	3	<10	170	<0.5	<2	0.40	<0.5	8	21	19	2.29
DD016147		0.34	0.001	<0.2	1.57	5	<10	160	<0.5	<2	0.50	<0.5	9	29	15	2.54
DD016148		0.32	0.005	<0.2	1.57	8	<10	210	<0.5	<2	0.77	<0.5	10	24	73	2.71
DD016149		0.24	0.002	<0.2	2.36	18	<10	100	<0.5	<2	0.72	<0.5	14	27	43	3.86
DD016150		0.24	0.002	<0.2	1.79	8	<10	90	<0.5	<2	0.42	<0.5	9	29	25	2.93
DD016151		0.24	0.027	<0.2	1.26	10	<10	130	0.5	<2	0.51	<0.5	20	17	76	3.91
DD016152		0.26	0.002	<0.2	1.61	6	<10	140	<0.5	<2	0.45	<0.5	9	27	20	2.52
DD016153		0.24	0.002	<0.2	1.53	3	<10	160	<0.5	<2	0.49	<0.5	7	24	20	2.25
DD016154		0.26	0.006	<0.2	1.07	8	<10	120	<0.5	<2	0.71	<0.5	15	26	74	3.36
DD016155		0.24	0.005	0.2	1.34	8	<10	130	<0.5	<2	0.71	<0.5	8	16	31	2.70
DD016156		0.16	0.008	<0.2	1.20	3	<10	140	<0.5	<2	0.80	<0.5	5	23	31	2.36
DD016157		0.26	0.002	<0.2	1.33	4	<10	130	<0.5	<2	0.60	<0.5	8	24	17	2.27
DD016158		0.34	0.001	<0.2	2.21	2	<10	80	<0.5	<2	0.48	<0.5	15	38	35	3.78
DD016159		0.26	0.002	<0.2	2.32	6	<10	400	<0.5	<2	1.04	<0.5	13	42	37	3.12
DD016160		0.18	0.003	<0.2	2.33	5	10	280	0.5	<2	3.93	0.5	9	18	130	2.40



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 5 - B
Total # Pages: 6 (A - C)
Plus Appendix Pages
Finalized Date: 3- OCT- 2011
Account: MTT

Project: KING

CERTIFICATE OF ANALYSIS WH11163813

Sample Description	Method Analyte Units LOR	ME- ICP41 Ga ppm 10	ME- ICP41 Hg ppm 1	ME- ICP41 K % 0.01	ME- ICP41 La ppm 10	ME- ICP41 Mg % 0.01	ME- ICP41 Mn ppm 5	ME- ICP41 Mo ppm 1	ME- ICP41 Na % 0.01	ME- ICP41 Ni ppm 1	ME- ICP41 P ppm 10	ME- ICP41 Pb ppm 2	ME- ICP41 S % 0.01	ME- ICP41 Sb ppm 2	ME- ICP41 Sc ppm 1	ME- ICP41 Sr ppm 1
DD016121		<10	<1	0.05	10	0.41	356	<1	0.04	9	190	4	<0.01	<2	5	42
DD016122		<10	<1	0.06	10	0.32	603	<1	0.03	11	420	4	<0.01	<2	5	46
DD016123		<10	<1	0.12	10	0.54	294	<1	0.04	13	240	4	<0.01	<2	5	37
DD016124		10	<1	0.07	10	0.41	949	<1	0.04	13	260	4	<0.01	<2	4	37
DD016125		<10	<1	0.14	10	0.41	367	<1	0.04	10	110	4	<0.01	<2	4	24
DD016126		<10	<1	0.13	10	0.41	208	<1	0.03	14	210	3	<0.01	<2	4	26
DD016127		<10	<1	0.07	10	0.36	210	<1	0.05	11	210	2	<0.01	<2	6	27
DD016128		<10	<1	0.06	10	0.29	71	<1	0.06	11	550	2	0.10	<2	5	62
DD016129		<10	<1	0.05	10	0.32	476	<1	0.06	7	760	2	0.05	<2	4	69
DD016130		<10	<1	0.04	10	0.36	265	<1	0.04	7	640	<2	0.05	<2	4	54
DD016131		<10	<1	0.06	10	0.42	936	<1	0.06	13	830	6	0.03	2	6	93
DD016132		<10	<1	0.07	10	0.38	1055	<1	0.05	12	690	7	0.03	2	5	63
DD016133		10	<1	0.05	10	0.57	326	<1	0.05	19	160	3	<0.01	2	13	24
DD016134		10	<1	0.03	10	0.51	1015	1	0.04	18	200	5	<0.01	2	12	29
DD016135		10	1	0.02	<10	0.60	548	1	0.04	19	220	3	<0.01	2	4	29
DD016136		10	<1	0.04	10	0.93	1060	1	0.07	30	590	3	0.01	3	8	42
DD016137		<10	<1	0.06	10	0.82	695	<1	0.04	28	950	<2	0.06	<2	11	134
DD016138		10	1	0.04	10	0.62	561	1	0.04	18	150	2	<0.01	<2	12	23
DD016139		10	<1	0.12	<10	1.85	834	<1	0.04	38	190	<2	0.01	2	25	74
DD016140		10	1	0.15	<10	1.42	671	<1	0.06	34	200	<2	0.01	<2	21	75
DD016141		<10	<1	0.04	<10	0.46	551	<1	0.05	13	670	2	0.11	<2	3	90
DD016142		<10	<1	0.05	10	0.44	375	<1	0.03	11	180	4	0.01	2	6	78
DD016143		<10	<1	0.08	10	0.34	191	1	0.03	11	240	4	<0.01	<2	3	33
DD016144		10	<1	0.08	10	0.58	168	1	0.05	17	590	3	0.05	<2	7	68
DD016145		<10	<1	0.10	10	0.39	493	1	0.03	12	250	5	0.01	2	7	51
DD016146		<10	<1	0.08	10	0.31	477	1	0.03	11	180	6	<0.01	<2	3	31
DD016147		<10	<1	0.09	10	0.49	348	<1	0.03	15	420	6	<0.01	<2	5	40
DD016148		<10	<1	0.08	10	0.53	413	1	0.04	18	550	4	0.01	2	8	53
DD016149		10	<1	0.06	10	0.51	443	1	0.04	15	140	4	<0.01	<2	7	30
DD016150		10	<1	0.10	10	0.48	249	1	0.03	16	220	5	<0.01	<2	5	28
DD016151		<10	<1	0.06	10	0.34	631	<1	<0.01	12	240	4	<0.01	<2	11	49
DD016152		10	<1	0.09	10	0.46	481	<1	<0.01	13	290	4	<0.01	<2	5	34
DD016153		<10	<1	0.07	10	0.45	309	<1	0.03	15	210	5	<0.01	<2	5	38
DD016154		<10	<1	0.07	10	0.33	659	1	0.03	18	550	6	0.01	2	10	68
DD016155		<10	<1	0.08	10	0.45	529	1	0.04	12	470	5	0.01	<2	6	66
DD016156		<10	1	0.09	10	0.44	189	<1	0.03	12	420	4	0.01	<2	6	63
DD016157		<10	<1	0.09	10	0.44	279	<1	0.03	13	250	4	<0.01	2	6	54
DD016158		10	1	0.03	10	0.98	433	1	0.02	16	250	2	<0.01	2	7	28
DD016159		10	<1	0.12	10	0.96	562	<1	0.04	18	470	3	0.01	2	10	89
DD016160		10	1	0.16	10	0.47	1780	2	0.16	18	1940	3	0.12	2	7	223



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 5 - C
Total # Pages: 6 (A - C)
Plus Appendix Pages
Finalized Date: 3- OCT- 2011
Account: MTT

Project: KING

CERTIFICATE OF ANALYSIS WH11163813

Sample Description	Method Analyte Units LOR	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41
		Th	Ti	Ti	U	V	W	Zn
		ppm 20	% 0.01	ppm 10	ppm 10	ppm 1	ppm 10	ppm 2
DD016121		<20	0.04	<10	<10	71	<10	32
DD016122		<20	0.04	<10	<10	64	<10	34
DD016123		<20	0.11	<10	<10	68	<10	42
DD016124		<20	0.07	<10	<10	72	<10	58
DD016125		<20	0.11	<10	<10	57	<10	34
DD016126		<20	0.11	<10	<10	56	<10	37
DD016127		<20	0.09	<10	<10	52	<10	27
DD016128		<20	0.03	<10	<10	22	<10	21
DD016129		<20	0.04	<10	<10	43	<10	44
DD016130		<20	0.04	<10	<10	41	<10	43
DD016131		<20	0.05	<10	<10	46	<10	66
DD016132		<20	0.05	<10	<10	46	<10	59
DD016133		<20	0.12	<10	<10	123	<10	32
DD016134		<20	0.09	<10	<10	100	<10	36
DD016135		<20	0.08	<10	<10	80	<10	39
DD016136		<20	0.11	<10	<10	160	<10	42
DD016137		<20	0.02	<10	<10	78	<10	59
DD016138		<20	0.10	<10	<10	133	<10	50
DD016139		<20	0.14	<10	<10	169	<10	54
DD016140		<20	0.10	<10	<10	136	<10	67
DD016141		<20	0.03	<10	<10	26	<10	28
DD016142		<20	0.04	<10	<10	60	<10	28
DD016143		<20	0.07	<10	<10	49	<10	29
DD016144		<20	0.09	<10	<10	90	<10	47
DD016145		<20	0.06	<10	<10	64	<10	41
DD016146		<20	0.07	<10	<10	56	<10	37
DD016147		<20	0.10	<10	<10	58	<10	39
DD016148		<20	0.06	<10	<10	59	<10	40
DD016149		<20	0.06	<10	<10	92	<10	33
DD016150		<20	0.09	<10	<10	69	<10	34
DD016151		<20	0.03	<10	<10	94	<10	33
DD016152		<20	0.09	<10	<10	59	<10	38
DD016153		<20	0.08	<10	<10	55	<10	35
DD016154		<20	0.02	<10	<10	85	<10	55
DD016155		<20	0.04	<10	<10	57	<10	50
DD016156		<20	0.05	<10	<10	55	<10	36
DD016157		<20	0.07	<10	<10	55	<10	32
DD016158		<20	0.06	<10	<10	104	<10	40
DD016159		<20	0.13	<10	<10	95	<10	46
DD016160		<20	0.05	<10	<10	55	<10	49



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 6 - A
Total # Pages: 6 (A - C)
Plus Appendix Pages
Finalized Date: 3- OCT- 2011
Account: MTT

Project: KING

CERTIFICATE OF ANALYSIS WH11163813

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg	Au- ICP21 Au ppm	ME- ICP41 Ag ppm	ME- ICP41 Al %	ME- ICP41 As ppm	ME- ICP41 B ppm	ME- ICP41 Ba ppm	ME- ICP41 Be ppm	ME- ICP41 Bi ppm	ME- ICP41 Ca %	ME- ICP41 Cd ppm	ME- ICP41 Co ppm	ME- ICP41 Cr ppm	ME- ICP41 Cu ppm	ME- ICP41 Fe %
		0.02	0.001	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
DD016161		0.20	0.009	<0.2	1.74	7	<10	120	0.5	<2	1.12	<0.5	16	21	138	4.23
DD016162		0.22	0.002	<0.2	1.82	8	<10	150	0.5	<2	0.43	<0.5	11	23	31	3.07
DD016163		0.18	0.001	<0.2	1.51	8	<10	130	<0.5	<2	0.31	<0.5	7	17	17	2.34
DD016164		0.22	0.002	<0.2	1.55	9	<10	140	0.5	<2	0.63	<0.5	9	22	28	2.83
DD016165		0.18	0.003	<0.2	1.14	7	<10	150	<0.5	<2	0.58	<0.5	9	17	35	2.63
DD016166		0.22	<0.001	<0.2	1.54	11	<10	160	<0.5	<2	0.48	<0.5	10	21	29	2.89
DD016167		0.24	0.002	<0.2	1.62	12	<10	130	0.6	<2	0.49	<0.5	12	22	36	3.31
DD016168		0.26	0.002	<0.2	1.40	7	<10	210	0.5	<2	0.81	<0.5	9	18	48	2.27
DD016169		0.24	0.002	<0.2	2.14	4	<10	70	<0.5	<2	0.41	<0.5	8	34	44	2.57
DD016170		0.38	0.009	<0.2	2.28	16	<10	160	<0.5	<2	1.13	<0.5	15	25	44	4.39
DD016171		0.18	<0.001	<0.2	1.72	4	<10	70	<0.5	<2	0.45	<0.5	7	28	16	2.31
DD016172		0.22	0.003	<0.2	1.48	9	<10	120	<0.5	<2	0.62	<0.5	10	28	29	2.29
DD016173		0.24	0.001	<0.2	2.27	7	<10	60	0.5	<2	0.99	<0.5	31	54	33	5.69
DD016174		0.20	<0.001	<0.2	1.81	4	<10	110	0.6	<2	0.88	<0.5	11	33	54	2.75
DD016175		0.28	0.002	<0.2	2.85	7	<10	180	<0.5	<2	1.58	<0.5	27	57	129	5.23
DD016176		0.24	0.003	<0.2	2.54	23	10	140	0.9	<2	3.61	<0.5	30	44	426	5.56
DD016177		0.22	0.002	0.6	2.27	7	10	110	0.7	<2	1.03	<0.5	27	42	198	5.74
DD016178		0.22	0.002	<0.2	1.91	9	<10	90	0.6	<2	0.43	<0.5	8	38	50	2.52
DD016179		0.26	0.002	<0.2	1.78	6	<10	220	<0.5	<2	0.89	<0.5	10	34	115	2.83
DD016180		0.22	<0.001	<0.2	2.91	9	<10	150	<0.5	<2	0.78	<0.5	21	37	55	4.49
DD016181		0.28	0.002	<0.2	1.05	7	<10	100	<0.5	<2	0.49	<0.5	7	15	24	2.17
DD016182		0.30	0.002	<0.2	1.35	9	<10	110	<0.5	<2	0.68	<0.5	10	25	20	2.32
DD016183		0.20	<0.001	<0.2	1.22	3	<10	120	0.5	<2	0.92	<0.5	9	23	58	1.89
DD016184		0.30	0.010	<0.2	2.47	20	<10	160	0.5	<2	0.56	<0.5	11	28	52	3.76
DD016185		0.28	0.004	<0.2	1.34	6	<10	60	<0.5	<2	0.29	<0.5	6	24	21	1.89
DD016186		0.28	0.001	<0.2	1.57	8	<10	100	<0.5	<2	0.51	<0.5	7	27	30	2.16
DD016187		0.28	0.001	<0.2	1.77	10	<10	160	<0.5	<2	0.39	<0.5	9	28	18	2.42
DD016188		0.28	0.001	<0.2	1.72	8	<10	130	<0.5	<2	0.42	<0.5	6	29	16	2.25
DD016189		0.36	<0.001	<0.2	2.93	4	<10	130	<0.5	<2	0.74	<0.5	16	58	62	3.81
DD016190		0.22	<0.001	<0.2	1.60	7	<10	110	<0.5	<2	0.47	<0.5	7	29	19	2.21



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 6 - B
Total # Pages: 6 (A - C)
Plus Appendix Pages
Finalized Date: 3- OCT- 2011
Account: MTT

Project: KING

CERTIFICATE OF ANALYSIS WH11163813

Sample Description	Method Analyte Units LOR	ME- ICP41 Ga ppm 10	ME- ICP41 Hg ppm 1	ME- ICP41 K % 0.01	ME- ICP41 La ppm 10	ME- ICP41 Mg % 0.01	ME- ICP41 Mn ppm 5	ME- ICP41 Mo ppm 1	ME- ICP41 Na % 0.01	ME- ICP41 Ni ppm 1	ME- ICP41 P ppm 10	ME- ICP41 Pb ppm 2	ME- ICP41 S % 0.01	ME- ICP41 Sb ppm 2	ME- ICP41 Sc ppm 1	ME- ICP41 Sr ppm 1
DD016161		10	<1	0.11	10	0.60	447	2	0.03	15	800	3	0.04	2	11	59
DD016162		<10	<1	0.06	10	0.44	391	1	0.04	12	100	5	<0.01	2	7	45
DD016163		<10	<1	0.04	10	0.29	223	1	0.03	9	90	5	<0.01	<2	4	35
DD016164		<10	<1	0.15	10	0.52	488	1	0.05	14	100	7	<0.01	2	7	62
DD016165		<10	<1	0.06	10	0.30	576	1	0.03	13	210	5	<0.01	2	7	58
DD016166		<10	<1	0.10	10	0.32	495	1	0.03	12	240	6	<0.01	<2	7	49
DD016167		<10	<1	0.10	10	0.37	448	1	0.02	16	190	11	0.02	<2	9	46
DD016168		<10	<1	0.06	10	0.35	609	<1	0.04	17	430	7	0.03	<2	5	74
DD016169		10	1	0.03	10	0.56	203	<1	0.02	17	90	5	0.02	<2	4	25
DD016170		10	<1	0.10	10	0.92	998	<1	0.05	12	880	7	0.04	<2	11	75
DD016171		10	<1	0.06	10	0.40	175	<1	0.04	11	100	5	0.02	<2	5	21
DD016172		<10	1	0.09	10	0.50	337	<1	0.04	18	260	6	0.02	<2	5	35
DD016173		10	2	0.04	10	1.15	1335	<1	0.04	21	190	4	0.02	<2	21	48
DD016174		10	1	0.04	10	0.78	462	<1	0.04	15	270	5	0.03	<2	8	44
DD016175		10	1	0.06	<10	1.50	1335	<1	0.05	23	500	4	0.03	<2	21	67
DD016176		10	<1	0.10	<10	1.67	1435	<1	0.04	24	1090	5	0.05	<2	22	140
DD016177		10	2	0.19	10	0.63	1740	<1	0.03	22	680	3	0.03	<2	22	43
DD016178		10	1	0.05	10	0.45	217	<1	0.02	20	210	6	0.02	<2	10	27
DD016179		10	<1	0.09	10	0.68	701	<1	0.04	18	620	8	0.02	3	8	46
DD016180		10	1	0.04	<10	1.05	905	<1	0.05	20	240	6	0.02	<2	11	36
DD016181		<10	1	0.05	10	0.29	467	<1	0.04	8	280	4	0.02	<2	5	46
DD016182		<10	1	0.10	10	0.61	460	<1	0.03	13	400	6	0.03	<2	5	49
DD016183		<10	<1	0.08	10	0.42	393	<1	0.04	24	440	6	0.04	<2	3	60
DD016184		10	1	0.08	10	0.54	324	<1	0.02	14	210	7	0.02	<2	7	43
DD016185		<10	<1	0.03	10	0.42	172	<1	0.02	11	150	4	0.01	<2	3	18
DD016186		<10	<1	0.07	10	0.38	188	<1	0.04	14	180	5	0.02	<2	5	29
DD016187		10	1	0.07	10	0.44	257	1	0.02	13	140	7	0.02	<2	4	27
DD016188		10	<1	0.06	10	0.42	174	1	0.03	13	200	6	0.02	<2	4	26
DD016189		10	2	0.06	10	0.76	846	<1	0.03	26	260	6	0.02	<2	13	32
DD016190		<10	<1	0.06	10	0.47	174	<1	0.03	14	350	5	0.02	<2	4	28



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 6 - C
Total # Pages: 6 (A - C)
Plus Appendix Pages
Finalized Date: 3- OCT- 2011
Account: MTT

Project: KING

CERTIFICATE OF ANALYSIS WH11163813

Sample Description	Method Analyte Units LOR	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41
		Th	Ti	Ti	U	V	W	Zn
		ppm 20	% 0.01	ppm 10	ppm 10	ppm 1	ppm 10	ppm 2
DD016161		<20	0.03	<10	<10	92	<10	51
DD016162		<20	0.05	<10	<10	71	<10	39
DD016163		<20	0.04	<10	<10	57	<10	31
DD016164		<20	0.05	<10	<10	63	<10	38
DD016165		<20	0.03	<10	<10	59	<10	41
DD016166		<20	0.04	<10	<10	68	<10	37
DD016167		<20	0.04	<10	<10	75	<10	45
DD016168		<20	0.03	<10	<10	54	<10	39
DD016169		<20	0.12	<10	<10	73	<10	39
DD016170		<20	0.03	<10	<10	101	<10	59
DD016171		<20	0.10	<10	<10	63	<10	35
DD016172		<20	0.11	<10	<10	56	<10	34
DD016173		<20	0.14	<10	<10	122	<10	47
DD016174		<20	0.09	<10	<10	66	<10	29
DD016175		<20	0.09	<10	<10	130	<10	52
DD016176		<20	0.05	<10	<10	149	<10	140
DD016177		<20	0.04	<10	<10	144	<10	95
DD016178		<20	0.12	<10	<10	66	<10	35
DD016179		<20	0.10	<10	<10	62	<10	58
DD016180		<20	0.17	<10	<10	129	<10	66
DD016181		<20	0.05	<10	<10	54	<10	30
DD016182		<20	0.08	<10	<10	50	<10	52
DD016183		<20	0.07	<10	<10	39	<10	36
DD016184		<20	0.04	<10	<10	85	<10	42
DD016185		<20	0.09	<10	<10	52	<10	30
DD016186		<20	0.09	<10	<10	51	<10	34
DD016187		<20	0.10	<10	<10	60	<10	45
DD016188		<20	0.10	<10	<10	57	<10	30
DD016189		<20	0.11	<10	<10	107	<10	52
DD016190		<20	0.10	<10	<10	54	<10	32



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: KING

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 3- OCT- 2011
Account: MTT

CERTIFICATE OF ANALYSIS WH11163813

Method	CERTIFICATE COMMENTS
ALL METHODS	NSS is non- sufficient sample.



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 1
Finalized Date: 30- SEP- 2011
Account: MTT

CERTIFICATE WH11163814

Project: KING

P.O. No.:

This report is for 190 Soil samples submitted to our lab in Whitehorse, YT, Canada on 18- AUG- 2011.

The following have access to data associated with this certificate:

MATT DUMALA
JOAN MARIACHER

DOUG EATON
BRUCE YOUNGMAN

SARAH EATON

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
SCR- 41	Screen to - 180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- ICP21	Au 30g FA ICP- AES Finish	ICP- AES
ME- ICP41	35 Element Aqua Regia ICP- AES	ICP- AES

To: **STRATEGIC METALS LTD.**
ATTN: JOAN MARIACHER
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:


Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - A
Total # Pages: 6 (A - C)
Finalized Date: 30- SEP- 2011
Account: MTT

Project: KING

CERTIFICATE OF ANALYSIS WH11163814

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg	Au- ICP21 Au ppm	ME- ICP41 Ag ppm	ME- ICP41 Al %	ME- ICP41 As ppm	ME- ICP41 B ppm	ME- ICP41 Ba ppm	ME- ICP41 Be ppm	ME- ICP41 Bi ppm	ME- ICP41 Ca %	ME- ICP41 Cd ppm	ME- ICP41 Co ppm	ME- ICP41 Cr ppm	ME- ICP41 Cu ppm	ME- ICP41 Fe %
		0.02	0.001	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
DD016191		0.26	0.001	<0.2	0.99	24	<10	20	<0.5	<2	1.68	<0.5	8	16	68	2.18
DD016192		0.24	0.008	<0.2	1.75	24	<10	90	<0.5	<2	1.40	<0.5	16	21	97	3.62
DD016193		0.42	0.002	<0.2	1.40	7	<10	70	<0.5	<2	0.37	<0.5	7	21	17	2.45
DD016194		0.34	0.003	<0.2	1.63	7	<10	170	<0.5	<2	1.67	<0.5	7	22	19	2.59
DD016195		0.32	0.007	<0.2	1.37	8	<10	110	<0.5	<2	0.46	<0.5	9	23	32	2.82
DD016196		0.36	0.009	<0.2	1.27	7	<10	150	<0.5	<2	0.67	<0.5	8	19	29	2.81
DD016197		0.30	0.001	<0.2	1.58	5	<10	160	<0.5	<2	0.60	<0.5	10	28	41	2.61
DD016198		0.32	0.002	<0.2	2.13	7	<10	50	0.5	<2	0.38	<0.5	10	34	87	3.29
DD016199		0.22	0.003	<0.2	1.59	28	<10	100	<0.5	<2	0.85	<0.5	16	17	123	4.73
DD016200		0.24	0.006	<0.2	1.00	31	<10	120	<0.5	<2	1.84	<0.5	8	19	50	2.08
DD016201		0.16	0.003	0.2	1.56	7	<10	290	0.5	<2	1.16	<0.5	8	18	80	2.43
DD016202		0.24	0.005	<0.2	0.89	11	<10	120	<0.5	<2	1.05	<0.5	6	13	23	2.17
DD016203		0.24	0.005	<0.2	1.02	9	<10	150	<0.5	<2	0.50	<0.5	7	14	17	2.40
DD016204		0.26	0.002	<0.2	1.12	7	<10	130	<0.5	<2	0.52	<0.5	7	19	14	2.17
DD016205		0.18	0.011	<0.2	1.33	10	<10	120	<0.5	<2	0.82	<0.5	10	18	36	3.13
DD016206		0.22	0.023	<0.2	2.43	3	<10	390	<0.5	<2	1.61	<0.5	11	18	176	3.18
DD016207		0.16	0.037	<0.2	1.73	6	<10	230	0.5	<2	1.39	<0.5	16	24	184	3.77
DD016208		0.20	0.044	<0.2	1.31	5	<10	130	<0.5	<2	0.90	<0.5	17	17	127	3.27
DD016209		0.18	0.031	<0.2	2.12	3	<10	390	<0.5	<2	1.26	<0.5	18	13	157	4.73
DD016210		0.20	0.046	<0.2	1.01	<2	<10	70	<0.5	<2	0.68	<0.5	19	15	138	4.30
DD016211		0.26	0.016	<0.2	1.11	7	<10	100	<0.5	<2	1.12	<0.5	14	22	74	3.47
DD016212		0.24	0.034	<0.2	0.76	3	<10	50	<0.5	<2	0.78	<0.5	19	39	105	5.56
DD016213		0.28	0.011	<0.2	1.26	3	<10	60	<0.5	<2	0.55	<0.5	18	26	55	5.08
DD016214		0.26	0.013	<0.2	1.48	6	<10	110	<0.5	<2	1.21	<0.5	24	43	131	6.20
DD016215		0.12	0.009	<0.2	0.31	<2	<10	40	<0.5	<2	0.93	<0.5	5	5	43	0.34
DD016216		0.18	0.013	<0.2	3.87	5	<10	610	<0.5	<2	3.74	<0.5	14	23	68	3.14
DD016217		0.20	0.028	<0.2	1.53	6	<10	220	<0.5	<2	1.36	<0.5	14	10	77	1.73
DD016218		0.14	0.005	<0.2	0.36	2	10	20	<0.5	<2	1.11	<0.5	2	4	18	0.62
DD016219		0.18	0.001	<0.2	0.41	<2	<10	40	<0.5	<2	0.38	<0.5	2	2	17	0.58
DD016220		0.16	0.006	<0.2	2.18	10	10	200	<0.5	<2	2.45	<0.5	12	13	48	2.25
DD016221		0.18	0.005	<0.2	1.82	8	10	150	<0.5	<2	5.19	<0.5	9	5	167	2.22
DD016222		0.14	0.003	<0.2	1.48	7	<10	110	<0.5	<2	3.80	<0.5	9	19	67	2.42
DD016223		0.14	0.001	<0.2	2.16	11	<10	140	<0.5	<2	1.41	<0.5	8	11	38	2.09
DD016224		0.14	<0.001	<0.2	1.38	6	<10	140	<0.5	<2	0.98	<0.5	8	12	79	1.91
DD016225		0.12	<0.001	<0.2	0.35	2	<10	40	<0.5	<2	0.67	<0.5	2	5	31	0.57
DD016226		0.10	<0.001	<0.2	0.55	5	<10	120	<0.5	<2	3.81	<0.5	5	7	53	0.84
DD016227		0.10	0.016	<0.2	0.31	6	20	120	<0.5	<2	4.99	<0.5	4	5	47	0.74
DD016228		0.20	0.001	<0.2	1.58	7	<10	80	<0.5	<2	0.79	<0.5	8	16	27	2.35
DD016229		0.22	<0.001	<0.2	3.04	25	<10	190	0.5	<2	1.24	<0.5	23	41	75	5.45
DD016230		0.18	0.008	<0.2	2.36	33	10	70	<0.5	<2	8.9	<0.5	35	34	281	5.01



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - B
Total # Pages: 6 (A - C)
Finalized Date: 30- SEP- 2011
Account: MTT

Project: KING

CERTIFICATE OF ANALYSIS WH11163814

Sample Description	Method Analyte Units LOR	ME- ICP41 Ga ppm 10	ME- ICP41 Hg ppm 1	ME- ICP41 K % 0.01	ME- ICP41 La ppm 10	ME- ICP41 Mg % 0.01	ME- ICP41 Mn ppm 5	ME- ICP41 Mo ppm 1	ME- ICP41 Na % 0.01	ME- ICP41 Ni ppm 1	ME- ICP41 P ppm 10	ME- ICP41 Pb ppm 2	ME- ICP41 S % 0.01	ME- ICP41 Sb ppm 2	ME- ICP41 Sc ppm 1	ME- ICP41 Sr ppm 1
DD016191		<10	<1	0.05	<10	0.58	260	<1	0.06	13	340	<2	0.05	<2	6	65
DD016192		<10	<1	0.08	10	0.57	468	<1	0.06	11	150	4	0.03	<2	8	66
DD016193		<10	<1	0.07	<10	0.40	174	<1	0.03	9	180	5	0.02	<2	3	29
DD016194		<10	1	0.09	10	0.77	437	<1	0.05	10	220	5	0.03	<2	4	98
DD016195		<10	1	0.05	10	0.32	403	<1	0.04	12	330	4	0.02	<2	7	48
DD016196		<10	<1	0.05	10	0.32	388	<1	0.05	11	280	4	0.02	<2	7	58
DD016197		<10	<1	0.06	10	0.45	902	<1	0.06	14	320	6	0.02	<2	4	39
DD016198		10	<1	0.03	10	0.56	339	<1	0.04	17	150	7	0.01	<2	10	21
DD016199		<10	1	0.04	10	0.48	1010	<1	0.03	10	650	4	0.03	<2	10	42
DD016200		<10	1	0.06	10	0.63	886	<1	0.05	15	920	4	0.13	<2	5	83
DD016201		<10	1	0.08	10	0.42	1210	<1	0.06	18	590	5	0.05	<2	5	88
DD016202		<10	<1	0.11	10	0.26	369	<1	0.05	9	280	5	0.02	<2	5	68
DD016203		<10	<1	0.08	10	0.33	549	<1	0.05	8	380	6	0.02	<2	5	73
DD016204		<10	<1	0.08	10	0.36	342	<1	0.05	8	260	5	0.02	<2	5	57
DD016205		<10	<1	0.08	10	0.51	490	<1	0.05	7	490	5	0.03	<2	7	73
DD016206		<10	1	0.09	10	0.58	494	<1	0.18	14	370	5	0.04	<2	8	149
DD016207		<10	<1	0.08	10	0.52	958	<1	0.06	18	540	4	0.04	<2	8	116
DD016208		<10	<1	0.08	10	0.56	667	<1	0.05	11	530	<2	0.02	<2	8	68
DD016209		10	<1	0.07	<10	0.60	849	<1	0.09	5	470	<2	0.03	<2	9	103
DD016210		<10	<1	0.06	10	0.40	677	<1	0.04	8	230	2	0.02	<2	9	48
DD016211		<10	1	0.08	10	0.45	530	<1	0.05	12	410	4	0.02	<2	8	73
DD016212		<10	<1	0.06	10	0.22	591	<1	0.03	18	270	<2	0.02	<2	13	40
DD016213		10	<1	0.07	10	0.35	596	<1	0.03	11	170	2	0.02	<2	13	43
DD016214		10	1	0.09	10	0.45	1410	<1	0.03	20	760	3	0.03	<2	17	65
DD016215		<10	<1	0.04	<10	0.18	49	<1	0.06	5	510	<2	0.25	<2	1	51
DD016216		10	<1	0.15	<10	1.67	530	<1	0.09	5	570	<2	0.07	<2	13	122
DD016217		<10	<1	0.07	<10	0.47	511	<1	0.09	5	490	2	0.05	<2	4	54
DD016218		<10	<1	0.03	<10	0.15	68	<1	0.06	2	360	<2	0.07	<2	<1	54
DD016219		<10	<1	0.04	<10	0.08	66	<1	0.06	6	520	3	0.01	<2	<1	20
DD016220		10	<1	0.34	<10	0.67	815	<1	0.04	10	930	3	0.06	<2	3	65
DD016221		10	<1	0.12	<10	0.57	816	<1	0.06	6	900	<2	0.08	<2	5	79
DD016222		<10	<1	0.07	10	0.62	495	<1	0.05	14	720	4	0.03	<2	5	74
DD016223		10	<1	0.10	<10	0.48	622	<1	0.06	8	430	2	0.02	<2	4	63
DD016224		<10	<1	0.05	<10	0.25	896	<1	0.06	10	340	5	0.02	<2	3	40
DD016225		<10	<1	0.04	<10	0.07	85	<1	0.05	9	260	<2	0.01	<2	1	29
DD016226		<10	<1	0.02	<10	0.13	439	<1	0.04	8	1080	2	0.13	<2	1	76
DD016227		<10	<1	0.02	<10	0.29	458	<1	0.04	8	940	2	0.26	<2	1	139
DD016228		<10	<1	0.05	<10	0.35	387	<1	0.05	7	190	2	0.01	<2	6	29
DD016229		10	<1	0.09	10	1.04	1260	<1	0.10	17	220	6	0.01	<2	17	56
DD016230		10	<1	0.05	<10	1.05	980	<1	0.05	21	1100	<2	0.10	<2	15	138



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - C
Total # Pages: 6 (A - C)
Finalized Date: 30- SEP- 2011
Account: MTT

Project: KING

CERTIFICATE OF ANALYSIS WH11163814

Sample Description	Method Analyte Units LOR	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41
		Th	Ti	Ti	U	V	W	Zn
		ppm 20	% 0.01	ppm 10	ppm 10	ppm 1	ppm 10	ppm 2
DD016191		<20	0.03	<10	<10	43	<10	16
DD016192		<20	0.05	<10	<10	76	<10	22
DD016193		<20	0.06	<10	<10	61	<10	31
DD016194		<20	0.06	<10	<10	59	<10	28
DD016195		<20	0.05	<10	<10	66	<10	23
DD016196		<20	0.04	<10	<10	62	<10	26
DD016197		<20	0.09	<10	<10	59	<10	71
DD016198		<20	0.11	<10	<10	89	<10	38
DD016199		<20	0.03	<10	<10	98	<10	62
DD016200		<20	0.05	<10	<10	45	<10	27
DD016201		<20	0.03	<10	<10	53	<10	25
DD016202		<20	0.03	<10	<10	44	<10	23
DD016203		<20	0.03	<10	<10	47	<10	29
DD016204		<20	0.05	<10	<10	46	<10	22
DD016205		<20	0.03	<10	<10	79	<10	32
DD016206		<20	0.03	<10	<10	107	<10	15
DD016207		<20	0.02	<10	<10	73	<10	19
DD016208		<20	0.02	<10	<10	71	<10	17
DD016209		<20	0.04	<10	<10	143	<10	28
DD016210		<20	0.01	<10	<10	115	<10	25
DD016211		<20	0.05	<10	<10	91	<10	29
DD016212		<20	0.04	<10	<10	154	<10	19
DD016213		<20	0.03	<10	<10	124	<10	23
DD016214		<20	0.01	<10	<10	183	<10	63
DD016215		<20	0.02	<10	<10	12	<10	17
DD016216		<20	0.03	<10	<10	140	<10	23
DD016217		<20	0.03	<10	<10	49	<10	11
DD016218		<20	0.03	<10	<10	19	<10	5
DD016219		<20	0.03	<10	<10	16	<10	12
DD016220		<20	0.03	<10	<10	46	<10	40
DD016221		<20	0.02	<10	<10	51	<10	36
DD016222		<20	0.06	<10	<10	56	<10	32
DD016223		<20	0.06	<10	<10	48	<10	31
DD016224		<20	0.06	<10	<10	39	<10	27
DD016225		<20	0.03	<10	<10	14	<10	10
DD016226		<20	0.02	<10	<10	18	<10	15
DD016227		<20	0.01	<10	<10	14	<10	11
DD016228		<20	0.08	<10	<10	59	<10	17
DD016229		<20	0.14	<10	<10	134	<10	51
DD016230		<20	0.08	<10	<10	113	<10	39



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 3 - A
Total # Pages: 6 (A - C)
Finalized Date: 30- SEP- 2011
Account: MTT

Project: KING

CERTIFICATE OF ANALYSIS WH11163814

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg	Au- ICP21 Au ppm	ME- ICP41 Ag ppm	ME- ICP41 Al %	ME- ICP41 As ppm	ME- ICP41 B ppm	ME- ICP41 Ba ppm	ME- ICP41 Be ppm	ME- ICP41 Bi ppm	ME- ICP41 Ca %	ME- ICP41 Cd ppm	ME- ICP41 Co ppm	ME- ICP41 Cr ppm	ME- ICP41 Cu ppm	ME- ICP41 Fe %
		0.02	0.001	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
DD016231		0.18	<0.001	<0.2	3.32	23	<10	130	0.5	<2	1.42	<0.5	20	34	67	4.52
DD016232		0.18	<0.001	<0.2	1.70	11	<10	140	<0.5	<2	0.98	<0.5	11	27	52	2.65
DD016233		0.24	0.007	<0.2	1.54	7	<10	200	0.5	<2	1.13	<0.5	10	23	29	2.34
DD016234		0.20	<0.001	<0.2	1.48	9	<10	140	<0.5	<2	0.76	<0.5	9	25	23	2.33
DD016235		0.24	0.002	<0.2	2.64	8	<10	90	<0.5	<2	3.33	<0.5	21	41	107	4.48
DD016236		0.24	<0.001	<0.2	2.06	14	<10	120	<0.5	<2	0.69	<0.5	18	26	49	4.10
DD016237		0.14	<0.001	<0.2	0.51	3	<10	70	<0.5	<2	0.61	<0.5	4	7	25	0.95
DD016238		0.18	0.001	<0.2	2.19	5	<10	170	<0.5	<2	0.97	<0.5	16	21	120	4.46
DD016239		0.20	0.009	<0.2	1.26	10	<10	140	<0.5	<2	0.53	<0.5	8	23	36	2.67
DD016240		0.18	<0.001	<0.2	3.43	7	<10	90	0.5	<2	0.93	<0.5	24	8	40	7.11
DD016241		0.18	<0.001	<0.2	2.48	5	<10	230	<0.5	<2	0.63	<0.5	20	40	90	4.27
DD016242		0.22	<0.001	<0.2	2.61	6	<10	370	<0.5	<2	1.15	<0.5	32	65	267	6.66
DD016243		0.16	<0.001	<0.2	2.22	10	<10	120	<0.5	<2	0.51	<0.5	15	43	54	3.49
DD016244		0.16	0.005	<0.2	3.49	7	<10	230	<0.5	<2	3.94	<0.5	25	8	38	5.94
DD016245		0.26	0.039	<0.2	1.50	47	<10	170	<0.5	<2	0.75	<0.5	16	12	94	3.32
DD016246		0.20	<0.001	<0.2	1.91	10	<10	90	<0.5	<2	0.31	<0.5	9	17	22	2.77
DD016247		0.26	0.002	<0.2	1.31	5	<10	140	<0.5	<2	0.53	<0.5	7	18	25	1.87
DD016248		0.26	0.007	<0.2	1.36	8	<10	140	<0.5	<2	0.60	<0.5	6	18	30	2.39
DD016249		0.24	0.010	<0.2	2.00	7	<10	180	<0.5	<2	0.72	<0.5	11	22	59	3.81
DD016250		0.22	0.001	<0.2	1.23	5	<10	110	<0.5	<2	0.31	<0.5	6	17	15	1.86
DD016251		0.26	<0.001	<0.2	1.61	8	<10	100	<0.5	<2	0.47	<0.5	7	26	37	2.57
DD016252		0.26	0.006	<0.2	1.84	6	<10	140	<0.5	<2	0.52	<0.5	9	22	67	2.79
DD016253		0.26	0.004	<0.2	2.02	6	<10	130	<0.5	<2	0.61	<0.5	9	26	62	2.85
DD016254		0.26	0.005	<0.2	2.12	10	<10	110	<0.5	<2	0.47	<0.5	9	29	57	3.36
DD016255		0.24	<0.001	<0.2	3.31	8	<10	260	<0.5	<2	1.12	<0.5	10	10	41	4.57
DD016256		0.32	0.008	<0.2	2.93	8	<10	230	<0.5	<2	1.21	<0.5	13	14	84	4.98
DD016257		0.30	0.079	<0.2	1.75	9	<10	180	<0.5	<2	2.16	<0.5	11	13	48	3.41
DD016258		0.30	0.001	<0.2	1.79	8	<10	140	<0.5	<2	1.40	<0.5	10	12	54	2.69
DD016259		0.26	<0.001	<0.2	1.60	6	<10	120	<0.5	<2	0.97	<0.5	7	16	39	2.31
DD016260		0.22	0.010	<0.2	1.44	14	10	210	<0.5	<2	1.47	<0.5	11	16	64	1.63
DD016261		0.28	0.018	<0.2	2.47	6	<10	200	<0.5	<2	0.78	<0.5	10	54	44	4.95
DD016262		0.30	<0.001	<0.2	1.34	12	<10	140	<0.5	<2	0.23	<0.5	12	31	31	2.43
DD016263		0.22	<0.001	<0.2	1.54	8	<10	100	<0.5	<2	1.53	<0.5	10	17	47	3.05
DD016264		0.20	0.009	<0.2	1.08	13	<10	180	<0.5	<2	0.50	<0.5	21	53	92	3.64
DD016265		0.26	0.006	<0.2	0.69	9	<10	100	<0.5	<2	0.30	<0.5	18	55	123	1.53
DD016266		0.32	0.001	<0.2	0.96	11	<10	100	<0.5	<2	0.31	<0.5	11	35	23	2.54
DD016267		0.32	0.002	<0.2	1.54	10	<10	170	<0.5	<2	0.35	<0.5	14	31	23	3.11
DD016268		0.32	<0.001	<0.2	1.50	6	<10	130	<0.5	<2	0.38	<0.5	8	30	13	2.36
DD016269		0.28	<0.001	<0.2	1.53	8	<10	120	<0.5	<2	0.47	<0.5	8	30	15	2.51
DD016270		0.26	<0.001	<0.2	1.49	6	<10	180	0.5	<2	0.60	<0.5	9	31	42	2.55



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 3 - B
Total # Pages: 6 (A - C)
Finalized Date: 30- SEP- 2011
Account: MTT

Project: KING

CERTIFICATE OF ANALYSIS WH11163814

Sample Description	Method Analyte Units LOR	ME- ICP41 Ga ppm 10	ME- ICP41 Hg ppm 1	ME- ICP41 K % 0.01	ME- ICP41 La ppm 10	ME- ICP41 Mg % 0.01	ME- ICP41 Mn ppm 5	ME- ICP41 Mo ppm 1	ME- ICP41 Na % 0.01	ME- ICP41 Ni ppm 1	ME- ICP41 P ppm 10	ME- ICP41 Pb ppm 2	ME- ICP41 S % 0.01	ME- ICP41 Sb ppm 2	ME- ICP41 Sc ppm 1	ME- ICP41 Sr ppm 1
DD016231		10	<1	0.05	10	0.68	821	<1	0.08	20	200	2	0.02	<2	16	51
DD016232		10	<1	0.07	10	0.60	395	<1	0.04	13	690	2	0.01	<2	9	39
DD016233		<10	<1	0.09	10	0.60	646	<1	0.03	20	470	6	0.02	<2	5	92
DD016234		<10	<1	0.09	10	0.65	437	<1	0.04	15	450	4	0.01	<2	6	51
DD016235		10	<1	0.04	<10	1.11	865	<1	0.04	22	320	2	0.02	<2	19	49
DD016236		10	<1	0.07	10	0.55	562	<1	0.02	14	330	3	0.01	<2	6	37
DD016237		<10	<1	0.13	<10	0.16	263	<1	0.04	7	380	<2	0.02	<2	1	36
DD016238		10	<1	0.16	10	0.55	1120	<1	0.05	13	400	3	0.03	<2	11	59
DD016239		<10	<1	0.08	10	0.46	380	<1	0.04	18	270	6	0.01	2	6	54
DD016240		10	<1	0.06	<10	1.41	1115	<1	0.03	13	590	<2	0.01	<2	19	38
DD016241		10	<1	0.05	10	0.56	1165	1	0.05	25	320	5	0.01	<2	12	34
DD016242		10	<1	0.05	10	1.35	802	<1	0.08	35	520	<2	0.01	<2	29	93
DD016243		10	<1	0.07	10	0.64	443	<1	0.04	19	170	6	0.01	<2	12	31
DD016244		10	<1	0.12	<10	1.15	1110	<1	0.12	8	1160	2	0.01	<2	13	122
DD016245		10	<1	0.04	<10	0.45	402	<1	0.06	9	230	<2	0.01	<2	11	68
DD016246		10	<1	0.06	10	0.52	365	<1	0.07	12	120	5	<0.01	<2	7	40
DD016247		<10	<1	0.06	10	0.39	388	<1	0.04	13	360	4	0.01	<2	4	41
DD016248		<10	1	0.09	10	0.51	236	<1	0.04	11	400	4	<0.01	<2	7	51
DD016249		10	<1	0.08	10	0.57	665	<1	0.06	14	290	4	<0.01	<2	10	54
DD016250		<10	<1	0.04	<10	0.30	203	<1	0.04	10	180	4	<0.01	<2	3	26
DD016251		<10	<1	0.14	10	0.46	275	<1	0.04	16	380	4	<0.01	<2	7	31
DD016252		10	<1	0.08	10	0.47	269	<1	0.03	13	250	5	<0.01	<2	5	34
DD016253		10	<1	0.17	10	0.47	302	<1	0.04	14	320	4	<0.01	<2	8	42
DD016254		10	<1	0.15	10	0.54	248	<1	0.06	15	110	4	<0.01	<2	10	27
DD016255		10	<1	0.12	10	0.56	519	<1	0.11	14	210	5	0.01	<2	11	69
DD016256		10	<1	0.11	10	0.65	522	<1	0.08	12	550	3	0.01	<2	13	62
DD016257		10	<1	0.08	10	0.74	777	<1	0.04	12	580	5	0.02	<2	8	58
DD016258		10	<1	0.09	10	0.74	480	<1	0.05	10	500	4	0.05	<2	7	63
DD016259		<10	<1	0.06	10	0.44	573	<1	0.04	11	330	3	0.02	<2	4	56
DD016260		10	<1	0.08	<10	0.54	300	<1	0.07	14	870	2	0.14	<2	6	81
DD016261		10	<1	0.08	<10	1.02	403	<1	0.03	10	560	<2	0.01	<2	11	29
DD016262		<10	<1	0.10	10	0.36	484	<1	0.04	20	280	6	0.01	<2	8	56
DD016263		10	<1	0.08	10	0.89	447	<1	0.06	14	440	3	0.04	<2	8	90
DD016264		<10	<1	0.04	10	0.28	527	<1	0.04	48	550	6	0.06	<2	15	120
DD016265		<10	<1	0.05	10	0.11	203	<1	0.01	37	250	7	0.02	<2	13	117
DD016266		<10	<1	0.07	10	0.20	337	<1	0.03	19	190	6	0.01	<2	7	49
DD016267		<10	1	0.08	10	0.37	394	<1	0.03	17	140	6	0.01	<2	7	39
DD016268		10	<1	0.11	10	0.45	270	<1	0.03	18	240	7	0.01	<2	4	31
DD016269		<10	<1	0.17	10	0.49	265	<1	0.03	16	240	6	<0.01	<2	5	37
DD016270		<10	<1	0.11	20	0.61	302	<1	0.04	20	460	7	0.01	<2	6	39



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 3 - C
Total # Pages: 6 (A - C)
Finalized Date: 30- SEP- 2011
Account: MTT

Project: KING

CERTIFICATE OF ANALYSIS WH11163814

Sample Description	Method Analyte Units LOR	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41
		Th	Ti	Ti	U	V	W	Zn
		ppm 20	% 0.01	ppm 10	ppm 10	ppm 1	ppm 10	ppm 2
DD016231		<20	0.09	<10	<10	129	<10	36
DD016232		<20	0.06	<10	<10	69	<10	34
DD016233		<20	0.05	<10	<10	45	<10	39
DD016234		<20	0.08	<10	<10	53	<10	36
DD016235		<20	0.11	<10	<10	131	<10	46
DD016236		<20	0.12	<10	<10	82	<10	41
DD016237		<20	0.04	<10	<10	25	<10	19
DD016238		<20	0.11	<10	<10	128	<10	46
DD016239		<20	0.05	<10	<10	62	<10	39
DD016240		<20	0.10	<10	<10	130	<10	77
DD016241		<20	0.11	<10	<10	111	<10	129
DD016242		<20	0.13	<10	<10	182	<10	51
DD016243		<20	0.11	<10	<10	86	<10	40
DD016244		<20	0.08	<10	<10	184	<10	84
DD016245		<20	0.04	<10	<10	113	<10	30
DD016246		<20	0.07	<10	<10	68	<10	33
DD016247		<20	0.07	<10	<10	44	<10	31
DD016248		<20	0.07	<10	<10	58	<10	31
DD016249		<20	0.05	<10	<10	85	<10	33
DD016250		<20	0.06	<10	<10	49	<10	24
DD016251		<20	0.10	<10	<10	62	<10	27
DD016252		<20	0.09	<10	<10	66	<10	57
DD016253		<20	0.11	<10	<10	74	<10	32
DD016254		<20	0.12	<10	<10	76	<10	35
DD016255		<20	0.12	<10	<10	135	<10	38
DD016256		<20	0.07	<10	<10	149	<10	31
DD016257		<20	0.03	<10	<10	72	<10	47
DD016258		<20	0.03	<10	<10	57	<10	48
DD016259		<20	0.05	<10	<10	47	<10	36
DD016260		<20	0.04	<10	<10	124	<10	25
DD016261		<20	0.04	<10	<10	190	<10	24
DD016262		<20	0.04	<10	<10	66	<10	47
DD016263		<20	0.01	<10	<10	68	<10	32
DD016264		<20	0.02	<10	<10	123	<10	87
DD016265		<20	0.01	<10	<10	86	<10	42
DD016266		<20	0.04	<10	<10	68	<10	29
DD016267		<20	0.06	<10	<10	74	<10	41
DD016268		<20	0.10	<10	<10	58	<10	40
DD016269		<20	0.11	<10	<10	56	<10	45
DD016270		<20	0.12	<10	<10	56	<10	43



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 4 - A
Total # Pages: 6 (A - C)
Finalized Date: 30- SEP- 2011
Account: MTT

Project: KING

CERTIFICATE OF ANALYSIS WH11163814

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg	Au- ICP21 Au ppm	ME- ICP41 Ag ppm	ME- ICP41 Al %	ME- ICP41 As ppm	ME- ICP41 B ppm	ME- ICP41 Ba ppm	ME- ICP41 Be ppm	ME- ICP41 Bi ppm	ME- ICP41 Ca %	ME- ICP41 Cd ppm	ME- ICP41 Co ppm	ME- ICP41 Cr ppm	ME- ICP41 Cu ppm	ME- ICP41 Fe %
		0.02	0.001	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
DD016271		0.26	0.002	<0.2	1.16	9	<10	160	<0.5	<2	0.82	<0.5	8	17	30	2.40
DD016272		0.30	0.002	<0.2	1.66	7	<10	100	<0.5	<2	1.40	<0.5	14	20	48	3.31
DD016273		0.28	0.002	<0.2	1.51	12	<10	110	<0.5	<2	0.40	<0.5	9	18	24	2.70
DD016274		0.18	<0.001	<0.2	2.85	8	<10	300	<0.5	<2	1.06	<0.5	12	31	46	3.24
DD016275		0.22	0.004	<0.2	2.61	13	<10	90	<0.5	<2	0.70	<0.5	12	28	56	3.89
DD016276		0.24	<0.001	<0.2	3.05	9	<10	110	0.5	<2	0.67	<0.5	14	29	86	4.32
DD016277		0.32	0.004	<0.2	3.62	19	<10	160	0.5	<2	1.39	<0.5	18	23	80	4.84
DD016278		0.28	0.003	<0.2	1.86	7	<10	140	<0.5	<2	5.15	<0.5	11	23	53	2.59
DD016279		0.24	0.002	<0.2	1.57	9	<10	110	<0.5	<2	0.80	<0.5	10	26	64	2.70
DD016280		0.30	0.005	<0.2	2.20	13	<10	120	<0.5	<2	2.63	<0.5	13	26	137	3.17
DD016281		0.24	0.003	<0.2	2.04	12	<10	160	0.5	<2	0.49	<0.5	12	33	46	3.12
DD016282		0.28	0.002	<0.2	1.45	10	<10	180	<0.5	<2	0.66	<0.5	7	25	22	2.31
DD016283		0.20	0.004	<0.2	1.16	11	<10	110	<0.5	<2	0.51	<0.5	8	22	30	2.40
DD016284		0.22	0.004	<0.2	1.73	11	<10	140	<0.5	<2	1.03	<0.5	10	27	41	2.88
DD016285		0.20	0.003	<0.2	2.43	13	<10	140	<0.5	<2	0.60	<0.5	13	31	62	3.44
DD016286		0.24	0.003	<0.2	1.42	11	<10	140	<0.5	<2	0.54	<0.5	8	25	30	2.36
DD016287		0.30	0.005	<0.2	2.18	17	<10	140	<0.5	<2	0.90	<0.5	14	21	85	3.68
DD016288		0.22	0.002	<0.2	2.18	60	10	590	0.5	<2	1.02	<0.5	23	85	42	3.94
DD016289		0.22	0.002	<0.2	2.23	15	<10	150	<0.5	<2	0.65	<0.5	11	37	21	3.11
DD016290		0.30	0.001	<0.2	2.10	22	<10	120	0.5	<2	0.68	<0.5	14	59	20	3.75
DD016291		0.30	0.001	<0.2	1.96	21	10	130	0.7	<2	0.42	<0.5	24	37	26	6.45
DD016292		0.22	0.002	<0.2	1.30	8	<10	190	<0.5	<2	0.28	<0.5	7	20	20	2.37
DD016293		0.20	0.007	<0.2	1.06	8	<10	110	<0.5	<2	0.26	<0.5	7	16	14	2.20
DD016294		0.22	0.002	<0.2	1.60	8	<10	240	<0.5	<2	0.45	<0.5	11	25	29	2.65
DD016295		0.30	0.005	<0.2	1.31	11	<10	150	<0.5	<2	0.51	<0.5	7	18	22	2.07
DD016296		0.44	0.008	<0.2	1.77	10	<10	200	<0.5	<2	0.70	<0.5	8	23	40	2.78
DD016297		0.30	0.005	<0.2	1.90	8	<10	240	0.6	<2	0.67	<0.5	10	27	33	2.66
DD016298		0.32	0.006	<0.2	1.37	10	<10	170	<0.5	<2	0.63	<0.5	8	24	32	2.63
DD016299		0.30	0.003	<0.2	1.53	6	<10	160	<0.5	<2	0.60	<0.5	9	26	21	2.30
DD016300		0.24	0.003	<0.2	1.19	6	<10	100	<0.5	<2	0.51	<0.5	6	22	13	1.88
DD016301		0.22	0.009	<0.2	2.04	10	<10	130	<0.5	<2	0.53	<0.5	9	31	65	3.03
DD016302		0.14	0.012	<0.2	2.82	6	<10	540	<0.5	<2	1.52	<0.5	13	7	433	2.87
DD016303		0.14	0.005	<0.2	2.54	7	10	180	<0.5	<2	6.44	<0.5	20	5	226	3.79
DD016304		0.14	0.039	<0.2	2.83	7	<10	160	<0.5	<2	0.90	<0.5	11	12	61	3.73
DD016305		0.14	0.017	<0.2	2.97	6	<10	190	<0.5	<2	3.79	<0.5	12	5	206	3.62
DD016306		0.18	0.003	<0.2	2.54	4	<10	160	<0.5	<2	0.73	<0.5	7	19	29	2.69
DD016307		0.16	0.004	<0.2	2.81	5	<10	170	<0.5	<2	0.61	<0.5	8	17	37	2.84
DD016308		0.22	0.026	<0.2	3.28	4	<10	710	<0.5	<2	1.39	<0.5	15	28	122	5.22
DD016309		0.20	0.006	<0.2	2.42	9	<10	210	<0.5	<2	0.92	<0.5	14	21	50	3.88
DD016310		0.16	0.004	<0.2	1.87	7	<10	280	0.5	<2	1.01	<0.5	14	25	101	2.85



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 4 - B
Total # Pages: 6 (A - C)
Finalized Date: 30- SEP- 2011
Account: MTT

Project: KING

CERTIFICATE OF ANALYSIS WH11163814

Sample Description	Method Analyte Units LOR	ME- ICP41 Ga ppm 10	ME- ICP41 Hg ppm 1	ME- ICP41 K % 0.01	ME- ICP41 La ppm 10	ME- ICP41 Mg % 0.01	ME- ICP41 Mn ppm 5	ME- ICP41 Mo ppm 1	ME- ICP41 Na % 0.01	ME- ICP41 Ni ppm 1	ME- ICP41 P ppm 10	ME- ICP41 Pb ppm 2	ME- ICP41 S % 0.01	ME- ICP41 Sb ppm 2	ME- ICP41 Sc ppm 1	ME- ICP41 Sr ppm 1
DD016271		<10	<1	0.06	10	0.40	528	<1	0.04	12	290	4	0.02	<2	5	65
DD016272		10	<1	0.10	10	0.94	467	<1	0.03	16	560	4	0.02	<2	8	94
DD016273		<10	<1	0.08	10	0.34	344	<1	0.03	13	160	6	0.01	<2	7	44
DD016274		10	<1	0.12	10	0.68	375	<1	0.05	19	130	4	<0.01	<2	9	41
DD016275		10	1	0.21	<10	0.68	320	<1	0.04	15	130	4	0.01	<2	8	24
DD016276		10	<1	0.09	10	0.82	432	<1	0.04	21	130	4	0.01	<2	11	31
DD016277		10	<1	0.08	<10	1.07	633	<1	0.05	18	250	3	0.01	<2	11	61
DD016278		10	<1	0.07	10	0.77	546	<1	0.05	16	520	4	0.03	<2	6	65
DD016279		10	<1	0.11	10	0.60	328	<1	0.04	16	390	5	0.01	<2	7	46
DD016280		10	<1	0.08	10	0.78	568	<1	0.04	19	500	5	0.03	<2	8	62
DD016281		10	<1	0.13	10	0.67	350	<1	0.05	20	120	6	0.01	<2	9	43
DD016282		<10	<1	0.08	10	0.50	309	<1	0.04	14	430	5	0.01	<2	5	48
DD016283		<10	<1	0.09	10	0.42	270	<1	0.03	17	330	4	<0.01	<2	6	42
DD016284		10	<1	0.12	10	0.76	436	<1	0.05	17	640	5	0.02	<2	7	58
DD016285		10	<1	0.07	10	0.60	538	<1	0.04	17	160	6	0.01	<2	9	38
DD016286		<10	<1	0.09	10	0.46	338	<1	0.03	15	350	5	<0.01	<2	6	32
DD016287		10	<1	0.06	10	0.78	540	<1	0.05	15	220	3	0.01	<2	9	47
DD016288		<10	<1	0.05	20	0.41	463	3	0.18	99	830	3	0.07	<2	14	119
DD016289		10	<1	0.07	10	0.70	304	<1	0.07	23	440	4	0.01	<2	8	48
DD016290		<10	<1	0.04	20	0.48	855	<1	0.08	39	890	4	0.01	<2	12	62
DD016291		<10	<1	0.02	10	0.53	1200	<1	0.07	52	420	8	0.01	<2	11	81
DD016292		<10	<1	0.06	10	0.29	324	<1	0.03	12	140	7	<0.01	<2	4	34
DD016293		<10	<1	0.07	<10	0.26	193	<1	0.03	9	170	5	<0.01	<2	3	29
DD016294		10	<1	0.08	10	0.38	1430	1	0.04	16	290	7	0.01	<2	5	38
DD016295		<10	<1	0.05	10	0.33	386	<1	0.04	13	280	5	0.01	<2	4	39
DD016296		10	<1	0.06	10	0.49	510	<1	0.05	15	290	5	0.01	<2	6	52
DD016297		10	<1	0.11	10	0.48	742	<1	0.04	20	480	8	0.01	<2	6	51
DD016298		<10	<1	0.07	10	0.46	416	<1	0.04	17	290	6	0.01	<2	6	47
DD016299		<10	<1	0.10	10	0.49	501	<1	0.03	16	250	6	0.01	<2	4	44
DD016300		<10	<1	0.07	10	0.44	243	<1	0.04	14	330	4	<0.01	<2	4	37
DD016301		10	<1	0.22	10	0.50	249	<1	0.03	16	190	5	<0.01	<2	8	38
DD016302		10	<1	0.17	<10	0.64	333	<1	0.08	6	290	2	0.01	2	6	181
DD016303		10	<1	0.12	<10	0.88	991	<1	0.08	9	1000	2	0.07	<2	10	170
DD016304		10	<1	0.15	<10	0.43	495	<1	0.05	9	290	3	0.01	<2	6	39
DD016305		10	<1	0.13	<10	0.63	487	<1	0.07	7	420	<2	0.02	<2	10	80
DD016306		10	<1	0.19	<10	0.45	203	<1	0.06	11	310	4	0.01	<2	3	51
DD016307		10	<1	0.06	<10	0.37	178	<1	0.07	10	140	3	0.01	<2	3	42
DD016308		10	<1	0.09	<10	0.93	280	<1	0.13	11	240	<2	0.01	<2	15	164
DD016309		10	<1	0.11	10	0.77	1020	<1	0.04	15	250	5	0.01	<2	9	48
DD016310		10	<1	0.12	10	0.58	1075	<1	0.04	24	370	7	0.01	<2	6	49



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 4 - C
Total # Pages: 6 (A - C)
Finalized Date: 30- SEP- 2011
Account: MTT

Project: KING

CERTIFICATE OF ANALYSIS WH11163814

Sample Description	Method Analyte Units LOR	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41
		Th	Ti	Ti	U	V	W	Zn
		ppm 20	% 0.01	ppm 10	ppm 10	ppm 1	ppm 10	ppm 2
DD016271		<20	0.04	<10	<10	48	<10	30
DD016272		<20	0.01	<10	<10	60	<10	35
DD016273		<20	0.04	<10	<10	55	<10	30
DD016274		<20	0.11	<10	<10	76	<10	26
DD016275		<20	0.14	<10	<10	103	<10	27
DD016276		<20	0.13	<10	<10	108	<10	33
DD016277		<20	0.09	<10	<10	103	<10	46
DD016278		<20	0.08	<10	<10	57	<10	40
DD016279		<20	0.09	<10	<10	59	<10	38
DD016280		<20	0.06	<10	<10	66	<10	40
DD016281		<20	0.11	<10	<10	71	<10	39
DD016282		<20	0.07	<10	<10	50	<10	29
DD016283		<20	0.08	<10	<10	52	<10	34
DD016284		<20	0.09	<10	<10	58	<10	42
DD016285		<20	0.10	<10	<10	84	<10	37
DD016286		<20	0.09	<10	<10	55	<10	29
DD016287		<20	0.07	<10	<10	79	<10	32
DD016288		<20	0.03	<10	<10	73	<10	46
DD016289		<20	0.10	<10	<10	62	<10	38
DD016290		<20	0.04	<10	<10	68	<10	36
DD016291		<20	0.04	<10	<10	66	<10	47
DD016292		<20	0.06	<10	<10	55	<10	29
DD016293		<20	0.05	<10	<10	51	<10	24
DD016294		<20	0.08	<10	<10	57	<10	33
DD016295		<20	0.05	<10	<10	52	<10	34
DD016296		<20	0.06	<10	<10	61	<10	38
DD016297		<20	0.07	<10	<10	55	<10	44
DD016298		<20	0.06	<10	<10	54	<10	35
DD016299		<20	0.09	<10	<10	51	<10	42
DD016300		<20	0.08	<10	<10	42	<10	31
DD016301		<20	0.12	<10	<10	72	<10	30
DD016302		<20	0.03	<10	<10	57	<10	18
DD016303		<20	0.07	<10	<10	101	<10	34
DD016304		<20	0.08	<10	<10	92	<10	25
DD016305		<20	0.06	<10	<10	123	<10	20
DD016306		<20	0.07	<10	<10	80	<10	27
DD016307		<20	0.06	<10	<10	93	<10	22
DD016308		<20	0.03	<10	<10	146	<10	26
DD016309		<20	0.05	<10	<10	82	<10	46
DD016310		<20	0.08	<10	<10	62	<10	53



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 5 - A
Total # Pages: 6 (A - C)
Finalized Date: 30- SEP- 2011
Account: MTT

Project: KING

CERTIFICATE OF ANALYSIS WH11163814

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg	Au- ICP21 Au ppm	ME- ICP41 Ag ppm	ME- ICP41 Al %	ME- ICP41 As ppm	ME- ICP41 B ppm	ME- ICP41 Ba ppm	ME- ICP41 Be ppm	ME- ICP41 Bi ppm	ME- ICP41 Ca %	ME- ICP41 Cd ppm	ME- ICP41 Co ppm	ME- ICP41 Cr ppm	ME- ICP41 Cu ppm	ME- ICP41 Fe %
		0.02	0.001	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
DD016311		0.30	0.019	<0.2	1.58	8	<10	130	<0.5	<2	1.35	<0.5	10	17	73	2.65
DD016312		0.18	0.010	<0.2	1.73	7	<10	120	<0.5	<2	6.69	<0.5	11	30	106	3.12
DD016313		0.16	0.003	<0.2	2.38	7	<10	310	0.5	<2	0.80	<0.5	14	38	83	2.49
DD016314		0.24	0.008	<0.2	1.81	10	<10	200	0.5	<2	0.58	<0.5	12	38	60	2.96
DD016315		0.28	0.021	<0.2	1.74	11	<10	230	0.5	<2	0.53	<0.5	10	25	32	3.22
DD016316		0.16	0.021	<0.2	0.82	6	<10	100	<0.5	<2	0.31	<0.5	5	17	12	2.07
DD016317		0.16	0.002	<0.2	1.31	6	<10	120	<0.5	<2	0.35	<0.5	8	23	17	2.48
DD016318		0.24	0.002	<0.2	1.25	8	<10	160	<0.5	<2	0.41	<0.5	8	22	21	2.38
DD016319		0.20	0.001	<0.2	0.98	5	<10	130	<0.5	<2	0.27	<0.5	6	19	13	2.23
DD016320		0.22	0.002	<0.2	1.87	11	<10	190	<0.5	<2	0.52	<0.5	12	26	35	3.45
DD016321		0.26	0.007	<0.2	1.83	15	<10	170	0.5	<2	0.45	<0.5	13	28	34	3.66
DD016322		0.24	0.003	<0.2	1.55	9	<10	170	<0.5	<2	0.37	<0.5	12	24	31	3.23
DD016323		0.18	0.006	<0.2	1.26	6	<10	150	<0.5	<2	0.38	<0.5	7	21	19	2.64
DD016324		0.22	0.173	<0.2	1.82	9	<10	210	<0.5	<2	0.46	<0.5	11	27	26	3.01
DD016325		0.16	0.002	<0.2	2.06	11	<10	180	<0.5	<2	0.46	<0.5	10	34	30	3.18
DD016326		0.16	0.003	<0.2	2.14	15	<10	160	0.5	<2	0.49	<0.5	14	65	47	3.43
DD016327		0.16	0.003	0.2	3.24	12	10	180	0.5	<2	1.15	<0.5	14	25	44	4.76
DD016328		0.22	0.003	<0.2	3.17	36	10	150	0.7	<2	1.54	<0.5	24	25	176	6.26
DD016329		0.24	0.013	0.2	1.60	42	10	150	<0.5	<2	4.52	<0.5	12	20	74	3.23
DD016330		0.20	0.009	<0.2	1.49	31	10	150	<0.5	<2	1.51	<0.5	16	14	64	2.93
DD016331		0.18	0.005	<0.2	2.85	25	10	140	0.7	<2	2.11	<0.5	22	11	237	5.21
DD016332		0.16	0.009	0.3	2.77	19	10	50	0.7	<2	6.43	<0.5	28	19	384	6.10
DD016333		0.38	0.006	<0.2	5.16	19	10	150	0.5	2	3.58	<0.5	23	16	173	7.19
DD016334		0.24	0.006	<0.2	2.83	14	10	130	<0.5	<2	3.64	<0.5	23	28	80	5.30
DD016335		0.22	0.005	<0.2	2.12	10	10	100	0.5	<2	1.44	<0.5	14	25	101	3.60
DD016336		0.10	0.003	<0.2	0.75	2	<10	60	<0.5	<2	0.63	<0.5	4	8	34	1.04
DD016337		0.26	0.006	<0.2	2.62	14	<10	440	<0.5	<2	1.22	<0.5	29	31	400	6.19
DD016338		0.22	0.004	<0.2	2.47	7	<10	240	<0.5	<2	1.14	<0.5	28	28	131	6.90
DD016339		0.38	0.004	<0.2	1.61	10	<10	160	<0.5	<2	0.45	<0.5	9	22	25	2.55
DD016340		0.32	0.004	<0.2	1.59	6	<10	110	0.5	<2	0.51	<0.5	7	24	14	2.36
DD016341		0.18	0.002	<0.2	1.32	4	<10	200	<0.5	<2	0.51	<0.5	7	22	21	1.85
DD016342		0.28	0.004	<0.2	1.48	5	<10	150	<0.5	<2	0.49	<0.5	7	22	22	2.39
DD016343		0.28	0.004	<0.2	1.09	5	<10	110	<0.5	<2	0.52	<0.5	6	21	19	1.83
DD016344		0.32	0.002	<0.2	1.58	4	<10	220	<0.5	<2	0.49	<0.5	8	25	29	2.50
DD016345		0.30	0.003	<0.2	1.58	5	<10	150	<0.5	<2	0.43	<0.5	6	29	15	2.40
DD016346		0.28	0.003	<0.2	1.37	3	<10	130	<0.5	<2	0.53	<0.5	6	18	19	2.51
DD016347		0.24	0.003	<0.2	1.41	4	<10	140	<0.5	<2	0.46	<0.5	5	20	14	2.31
DD016348		0.16	0.002	<0.2	1.62	4	<10	180	<0.5	<2	0.46	<0.5	9	21	39	2.94
DD016349		0.18	0.015	<0.2	1.53	8	<10	210	<0.5	<2	0.66	<0.5	15	21	78	3.97
DD016350		0.22	0.008	<0.2	1.58	5	<10	140	<0.5	<2	0.65	<0.5	9	19	44	2.98



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 5 - B
Total # Pages: 6 (A - C)
Finalized Date: 30- SEP- 2011
Account: MTT

Project: KING

CERTIFICATE OF ANALYSIS WH11163814

Sample Description	Method Analyte Units LOR	ME- ICP41 Ga ppm 10	ME- ICP41 Hg ppm 1	ME- ICP41 K % 0.01	ME- ICP41 La ppm 10	ME- ICP41 Mg % 0.01	ME- ICP41 Mn ppm 5	ME- ICP41 Mo ppm 1	ME- ICP41 Na % 0.01	ME- ICP41 Ni ppm 1	ME- ICP41 P ppm 10	ME- ICP41 Pb ppm 2	ME- ICP41 S % 0.01	ME- ICP41 Sb ppm 2	ME- ICP41 Sc ppm 1	ME- ICP41 Sr ppm 1
DD016311		<10	<1	0.10	10	0.67	428	<1	0.05	11	650	2	0.04	<2	6	76
DD016312		<10	<1	0.08	10	1.38	785	<1	0.06	11	720	3	0.05	<2	10	460
DD016313		10	<1	0.05	10	0.39	947	<1	0.08	30	630	6	0.01	<2	8	83
DD016314		10	<1	0.11	10	0.59	443	<1	0.03	29	310	6	0.01	<2	10	71
DD016315		10	<1	0.11	10	0.40	647	<1	0.03	16	260	7	0.01	<2	8	62
DD016316		<10	<1	0.08	<10	0.25	283	<1	0.03	8	210	4	<0.01	<2	2	29
DD016317		<10	<1	0.12	<10	0.36	301	<1	0.03	12	260	6	<0.01	<2	4	29
DD016318		<10	<1	0.10	<10	0.35	441	<1	0.02	14	240	6	<0.01	<2	3	33
DD016319		<10	<1	0.08	<10	0.33	274	<1	0.02	9	110	5	<0.01	<2	2	23
DD016320		10	<1	0.16	10	0.52	307	<1	0.03	14	280	5	0.01	<2	7	47
DD016321		10	<1	0.12	10	0.49	416	<1	0.03	17	300	7	<0.01	<2	8	47
DD016322		<10	<1	0.16	<10	0.41	595	<1	0.03	13	300	7	<0.01	<2	6	37
DD016323		<10	<1	0.09	<10	0.36	299	<1	0.03	12	280	6	<0.01	<2	3	32
DD016324		10	<1	0.07	10	0.48	625	<1	0.03	18	200	5	<0.01	<2	5	37
DD016325		10	<1	0.07	10	0.63	270	<1	0.06	21	130	6	<0.01	<2	5	36
DD016326		10	<1	0.07	10	0.73	377	<1	0.03	42	130	5	<0.01	<2	8	36
DD016327		10	<1	0.20	10	0.85	988	<1	0.03	13	360	5	0.02	<2	9	52
DD016328		10	1	0.13	10	0.99	1415	<1	0.04	17	600	4	0.04	<2	16	64
DD016329		<10	1	0.25	10	0.79	577	1	0.04	18	770	5	0.05	<2	7	133
DD016330		<10	<1	0.15	10	0.44	875	1	0.03	10	590	4	0.04	2	7	59
DD016331		10	<1	0.09	10	1.05	1575	<1	0.02	8	760	5	0.04	<2	14	59
DD016332		10	<1	0.03	10	1.17	1500	<1	0.02	7	980	<2	0.06	<2	16	70
DD016333		10	<1	0.13	<10	1.31	1285	<1	0.04	5	570	2	0.03	<2	20	82
DD016334		10	<1	0.09	10	1.39	2060	<1	0.03	17	800	2	0.03	<2	14	59
DD016335		10	<1	0.06	10	0.95	401	<1	0.04	15	680	2	0.28	<2	13	51
DD016336		<10	<1	0.05	<10	0.25	123	<1	0.05	4	390	<2	0.05	<2	3	27
DD016337		10	<1	0.10	10	0.69	1250	<1	0.08	18	390	<2	0.02	<2	23	123
DD016338		10	<1	0.10	<10	0.72	1310	<1	0.06	14	640	2	0.02	<2	22	62
DD016339		<10	<1	0.07	10	0.42	369	1	0.03	12	180	5	0.01	<2	5	51
DD016340		<10	<1	0.11	10	0.42	319	<1	0.02	10	300	5	0.01	<2	5	39
DD016341		<10	<1	0.07	10	0.35	421	<1	0.03	12	390	5	0.01	2	3	36
DD016342		<10	<1	0.09	10	0.40	476	<1	0.03	11	270	3	0.01	<2	5	35
DD016343		<10	<1	0.09	10	0.38	317	<1	0.03	11	460	3	0.01	<2	4	32
DD016344		<10	<1	0.07	10	0.40	508	<1	0.02	12	200	5	0.01	<2	4	37
DD016345		<10	<1	0.11	10	0.49	313	<1	0.02	14	160	6	0.01	2	4	30
DD016346		<10	<1	0.07	<10	0.38	239	<1	0.04	8	230	3	0.01	2	5	41
DD016347		<10	<1	0.09	10	0.36	210	<1	0.02	9	210	5	0.01	<2	4	36
DD016348		<10	<1	0.06	10	0.42	535	1	0.03	11	210	5	0.01	<2	4	41
DD016349		<10	1	0.05	10	0.41	1195	1	0.03	10	300	3	0.02	<2	8	54
DD016350		<10	<1	0.08	<10	0.41	400	<1	0.02	9	230	4	0.02	2	6	45



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 5 - C
Total # Pages: 6 (A - C)
Finalized Date: 30- SEP- 2011
Account: MTT

Project: KING

CERTIFICATE OF ANALYSIS WH11163814

Sample Description	Method Analyte Units LOR	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41
		Th	Ti	Ti	U	V	Zn
		ppm 20	% 0.01	ppm 10	ppm 10	ppm 1	ppm 10
DD016311		<20	0.05	<10	<10	71	<10
DD016312		<20	0.01	<10	<10	96	<10
DD016313		<20	0.03	<10	<10	68	<10
DD016314		<20	0.06	<10	<10	73	<10
DD016315		<20	0.05	<10	<10	74	<10
DD016316		<20	0.06	<10	<10	54	<10
DD016317		<20	0.08	<10	<10	57	<10
DD016318		<20	0.07	<10	<10	55	<10
DD016319		<20	0.08	<10	<10	58	<10
DD016320		<20	0.07	<10	<10	72	<10
DD016321		<20	0.06	<10	<10	75	<10
DD016322		<20	0.06	<10	<10	69	<10
DD016323		<20	0.06	<10	<10	60	<10
DD016324		<20	0.07	<10	<10	70	<10
DD016325		<20	0.08	<10	<10	73	<10
DD016326		<20	0.09	<10	<10	72	<10
DD016327		<20	0.07	<10	<10	89	<10
DD016328		<20	0.14	<10	<10	158	<10
DD016329		<20	0.05	<10	<10	69	<10
DD016330		<20	0.06	<10	<10	69	<10
DD016331		<20	0.01	<10	<10	112	<10
DD016332		<20	0.09	<10	<10	157	<10
DD016333		<20	0.16	<10	<10	159	<10
DD016334		<20	0.02	<10	<10	108	<10
DD016335		<20	0.01	<10	<10	84	<10
DD016336		<20	0.02	<10	<10	21	<10
DD016337		<20	0.07	<10	<10	223	<10
DD016338		<20	0.09	<10	<10	219	<10
DD016339		<20	0.07	<10	<10	68	<10
DD016340		<20	0.06	<10	<10	54	<10
DD016341		<20	0.07	<10	<10	42	<10
DD016342		<20	0.08	<10	<10	57	<10
DD016343		<20	0.07	<10	<10	43	<10
DD016344		<20	0.06	<10	<10	57	<10
DD016345		<20	0.09	<10	<10	51	<10
DD016346		<20	0.05	<10	<10	60	<10
DD016347		<20	0.07	<10	<10	53	<10
DD016348		<20	0.05	<10	<10	69	<10
DD016349		<20	0.02	<10	<10	81	<10
DD016350		<20	0.03	<10	<10	66	<10



2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Fax: 604 984 0218 www.alsglobal.com

1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

CERTIFICATE OF ANALYSIS WH11163814

Account: MTT

Sample Description	Method Analyte Units LOR	WEI- 21	Au- ICP21	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41
		Recvd Wt.	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
		kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
		0.02	0.001	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
DD016351		0.28	0.008	<0.2	2.39	5	<10	170	<0.5	<2	7.1	<0.5	14	27	179	4.08
DD016352		0.24	0.254	<0.2	3.11	6	10	220	<0.5	<2	1.62	<0.5	14	8	96	4.51
DD016353		0.18	0.042	<0.2	3.20	4	<10	320	<0.5	<2	1.43	<0.5	11	4	109	3.72
DD016354		0.20	0.049	<0.2	3.16	4	<10	150	<0.5	<2	1.22	<0.5	13	3	207	4.11
DD016355		0.16	0.007	<0.2	3.08	4	<10	320	<0.5	<2	1.18	<0.5	12	5	62	5.10
DD016356		0.16	0.008	<0.2	2.44	3	<10	280	<0.5	<2	1.62	<0.5	12	3	151	4.06
DD016357		0.20	0.001	<0.2	2.54	<2	<10	90	<0.5	<2	0.74	<0.5	12	10	14	3.75
DD016358		0.30	0.004	<0.2	2.86	5	<10	210	<0.5	<2	0.56	<0.5	13	22	48	4.08
DD016359		0.18	0.012	<0.2	2.46	4	<10	240	<0.5	<2	0.95	<0.5	12	9	146	4.53
DD016360		0.32	0.008	<0.2	1.56	5	<10	160	<0.5	<2	0.94	<0.5	11	20	56	2.94
DD016361		0.26	0.002	<0.2	1.28	3	<10	130	<0.5	<2	1.25	<0.5	5	20	16	2.02
DD016362		0.16	0.002	<0.2	1.00	3	10	150	<0.5	<2	2.31	<0.5	6	9	27	1.49
DD016363		0.16	0.005	<0.2	0.95	5	20	400	<0.5	2	4.82	<0.5	10	18	77	3.20
DD016364		0.34	0.013	<0.2	2.54	7	<10	390	<0.5	<2	0.77	<0.5	11	28	26	3.43
DD016365		0.22	0.002	<0.2	1.39	8	<10	120	<0.5	2	0.16	<0.5	8	26	20	2.61
DD016366		0.40	0.002	<0.2	1.16	5	<10	100	<0.5	<2	0.33	<0.5	9	25	18	2.18
DD016367		0.20	0.002	<0.2	1.28	6	<10	100	<0.5	<2	0.37	<0.5	7	26	15	2.26
DD016368		0.26	0.004	<0.2	1.09	3	<10	120	<0.5	2	0.24	<0.5	7	20	12	2.10
DD016369		0.22	0.001	<0.2	1.10	4	<10	170	<0.5	2	0.44	<0.5	7	19	21	2.14
DD016370		0.28	0.002	<0.2	1.07	2	<10	150	<0.5	<2	0.30	<0.5	7	18	11	1.97
DD016371		0.18	0.001	<0.2	1.17	<2	<10	120	<0.5	2	0.40	<0.5	7	19	14	2.05
DD016372		0.34	0.002	<0.2	1.61	7	<10	140	<0.5	<2	0.49	<0.5	10	26	27	2.75
DD016373		0.18	0.001	<0.2	1.01	2	<10	130	<0.5	2	0.32	<0.5	8	19	20	1.89
DD016374		0.28	0.002	<0.2	1.31	5	<10	180	<0.5	<2	0.42	<0.5	9	21	19	2.38
DD016375		0.36	0.004	<0.2	1.66	6	<10	220	<0.5	2	0.53	<0.5	9	23	30	2.58
DD016376		0.28	0.001	<0.2	1.31	7	<10	160	<0.5	<2	0.30	<0.5	6	20	17	2.14
DD016377		0.22	0.002	<0.2	1.65	8	<10	100	<0.5	3	0.30	<0.5	6	20	21	2.32
DD016378		0.14	0.006	<0.2	1.51	12	<10	120	<0.5	2	0.39	<0.5	7	20	24	2.56
DD016379		0.40	0.003	<0.2	1.61	8	<10	130	<0.5	2	0.41	<0.5	9	24	23	2.51
DD016380		0.30	0.001	<0.2	1.67	5	<10	180	<0.5	<2	0.47	<0.5	8	27	19	2.35



2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

Project: KING

Total # Pages: 6 (A - C)
Finalized Date: 30- SEP- 2011
Account: MTT

CERTIFICATE OF ANALYSIS WH11163814

Sample Description	Method Analyte Units LOR	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	
		Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
		ppm 10	ppm 1	% 0.01	ppm 10	% 0.01	ppm 5	ppm 1	% 0.01	ppm 1	ppm 10	ppm 2	% 0.01	ppm 2	ppm 1	ppm 1
DD016351		10	<1	0.14	<10	0.87	831	<1	0.04	15	500	2	0.04	2	12	130
DD016352		10	<1	0.16	<10	0.99	556	<1	0.05	6	540	<2	0.04	<2	9	117
DD016353		10	<1	0.16	<10	0.68	302	<1	0.07	4	400	<2	0.02	<2	9	100
DD016354		10	<1	0.07	<10	0.46	395	<1	0.06	2	330	<2	0.01	2	8	46
DD016355		10	<1	0.12	<10	0.71	383	<1	0.10	4	220	2	0.01	<2	10	105
DD016356		10	<1	0.11	<10	0.53	690	<1	0.05	3	590	<2	0.02	<2	10	103
DD016357		10	<1	0.10	<10	1.29	592	<1	0.03	5	870	3	0.04	<2	6	49
DD016358		10	<1	0.17	10	0.63	458	<1	0.06	11	110	4	0.01	<2	8	46
DD016359		10	<1	0.07	<10	0.43	327	<1	0.08	7	350	<2	0.01	<2	7	63
DD016360		<10	<1	0.08	10	0.52	335	<1	0.04	10	490	3	0.02	<2	6	50
DD016361		<10	1	0.13	10	0.56	180	<1	0.03	9	570	3	0.06	<2	3	76
DD016362		<10	<1	0.06	<10	0.45	430	<1	0.03	5	560	<2	0.08	<2	3	102
DD016363		<10	<1	0.08	<10	0.70	290	1	0.13	18	780	6	0.26	<2	6	268
DD016364		10	<1	0.20	10	0.71	384	<1	0.05	13	300	2	<0.01	<2	8	45
DD016365		<10	1	0.06	10	0.30	208	1	0.03	12	120	5	<0.01	<2	5	34
DD016366		<10	<1	0.15	10	0.37	305	<1	0.02	12	190	3	<0.01	<2	5	34
DD016367		<10	<1	0.10	10	0.43	192	1	0.03	12	150	5	0.01	2	4	32
DD016368		<10	<1	0.07	10	0.31	201	1	0.02	10	110	4	<0.01	<2	3	24
DD016369		<10	<1	0.10	10	0.31	458	1	0.02	10	260	5	<0.01	<2	3	35
DD016370		<10	<1	0.10	<10	0.27	446	<1	0.02	9	400	5	<0.01	<2	2	25
DD016371		<10	<1	0.08	<10	0.32	272	1	0.03	9	220	4	0.01	<2	3	28
DD016372		10	<1	0.17	10	0.50	406	<1	0.03	13	320	5	0.01	2	6	38
DD016373		<10	<1	0.07	<10	0.27	447	1	0.03	8	210	4	0.01	<2	2	27
DD016374		<10	<1	0.07	10	0.37	412	<1	0.03	11	160	5	<0.01	<2	4	35
DD016375		10	<1	0.11	10	0.35	633	1	0.03	11	440	5	0.01	<2	3	41
DD016376		<10	<1	0.05	<10	0.29	169	<1	0.04	8	100	3	<0.01	<2	3	26
DD016377		<10	<1	0.04	10	0.38	183	<1	0.04	12	130	4	0.01	<2	3	25
DD016378		<10	<1	0.06	<10	0.33	229	1	0.04	13	210	4	0.01	<2	3	29
DD016379		<10	<1	0.06	10	0.41	341	1	0.02	13	170	4	<0.01	<2	5	28
DD016380		<10	<1	0.11	10	0.44	368	<1	0.04	13	340	4	<0.01	<2	4	34



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 6 - C
 Total # Pages: 6 (A - C)
 Finalized Date: 30- SEP- 2011
 Account: MTT

Project: KING

CERTIFICATE OF ANALYSIS WH11163814

Sample Description	Method Analyte Units LOR	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41
		Th	Ti	Ti	U	V	W	Zn
		ppm 20	% 0.01	ppm 10	ppm 10	ppm 1	ppm 10	ppm 2
DD016351		<20	0.05	<10	<10	132	<10	25
DD016352		<20	0.02	<10	<10	103	<10	28
DD016353		<20	0.07	<10	<10	104	<10	15
DD016354		<20	0.06	<10	<10	78	<10	15
DD016355		<20	0.10	<10	<10	126	<10	23
DD016356		<20	0.05	<10	<10	103	<10	27
DD016357		<20	0.05	<10	<10	62	<10	88
DD016358		<20	0.06	<10	<10	111	<10	36
DD016359		<20	0.03	<10	<10	136	<10	17
DD016360		<20	0.06	<10	<10	84	<10	26
DD016361		<20	0.08	<10	<10	43	<10	50
DD016362		<20	0.02	<10	<10	31	<10	36
DD016363		<20	0.02	<10	<10	119	<10	27
DD016364		<20	0.08	<10	<10	112	<10	35
DD016365		<20	0.05	<10	<10	65	<10	32
DD016366		<20	0.09	<10	<10	52	<10	31
DD016367		<20	0.09	<10	<10	52	<10	33
DD016368		<20	0.07	<10	<10	50	<10	36
DD016369		<20	0.06	<10	<10	47	<10	34
DD016370		<20	0.07	<10	<10	42	<10	36
DD016371		<20	0.08	<10	<10	46	<10	26
DD016372		<20	0.09	<10	<10	61	<10	35
DD016373		<20	0.07	<10	<10	46	<10	26
DD016374		<20	0.07	<10	<10	57	<10	27
DD016375		<20	0.06	<10	<10	59	<10	25
DD016376		<20	0.06	<10	<10	50	<10	24
DD016377		<20	0.04	<10	<10	52	<10	26
DD016378		<20	0.05	<10	<10	57	<10	28
DD016379		<20	0.07	<10	<10	57	<10	28
DD016380		<20	0.10	<10	<10	54	<10	29



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**

C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

**1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8**

Page: 1
Finalized Date: 3- OCT- 2011
Account: MTT

CERTIFICATE WH11163815

Project: KING

P.O. No.:

This report is for 191 Soil samples submitted to our lab in Whitehorse, YT, Canada on 18- AUG- 2011.

The following have access to data associated with this certificate:

MATT DUMALA
JOAN MARIACHER

DOUG EATON
BRUCE YOUNGMAN

SARAH EATON

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
SCR- 41	Screen to - 180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- ICP21	Au 30g FA ICP- AES Finish	ICP- AES
ME- ICP41	35 Element Aqua Regia ICP- AES	ICP- AES

To: **STRATEGIC METALS LTD.**
ATTN: JOAN MARIACHER
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - A
Total # Pages: 6 (A - C)
Plus Appendix Pages
Finalized Date: 3- OCT- 2011
Account: MTT

Project: KING

CERTIFICATE OF ANALYSIS WH11163815

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg	Au- ICP21 Au ppm	ME- ICP41 Ag ppm	ME- ICP41 Al %	ME- ICP41 As ppm	ME- ICP41 B ppm	ME- ICP41 Ba ppm	ME- ICP41 Be ppm	ME- ICP41 Bi ppm	ME- ICP41 Ca %	ME- ICP41 Cd ppm	ME- ICP41 Co ppm	ME- ICP41 Cr ppm	ME- ICP41 Cu ppm	ME- ICP41 Fe %
		0.02	0.001	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
DD016381		0.28	0.001	<0.2	1.76	8	<10	130	<0.5	<2	0.44	<0.5	12	27	20	2.63
DD016382		0.36	0.001	<0.2	1.35	11	<10	110	<0.5	<2	0.32	<0.5	8	20	18	2.33
DD016383		0.34	0.002	<0.2	1.37	13	<10	150	<0.5	<2	0.45	<0.5	12	23	25	2.67
DD016384		0.30	<0.001	<0.2	1.05	9	<10	120	<0.5	<2	0.52	<0.5	8	16	22	2.08
DD016385		0.14	0.001	<0.2	2.08	9	<10	210	<0.5	<2	1.36	<0.5	16	21	73	3.39
DD016386		0.24	0.002	<0.2	2.29	8	<10	160	<0.5	<2	2.41	<0.5	12	27	157	3.59
DD016387		0.26	0.004	<0.2	3.61	52	10	370	0.7	2	2.11	<0.5	30	12	129	6.06
DD016388		0.24	0.004	<0.2	1.70	27	10	70	0.6	<2	0.70	<0.5	28	61	47	4.85
DD016389		0.18	0.002	<0.2	0.86	35	20	210	0.8	<2	0.84	<0.5	45	38	48	8.18
DD016390		0.20	<0.001	<0.2	1.47	15	<10	90	0.5	<2	0.74	<0.5	17	47	27	3.21
DD016391		0.16	<0.001	<0.2	2.12	8	<10	130	0.5	<2	0.56	<0.5	18	45	30	3.82
DD016392		0.14	0.001	<0.2	1.16	26	30	200	0.7	<2	1.32	<0.5	20	21	24	3.81
DD016393		0.20	<0.001	<0.2	1.66	11	<10	140	0.6	<2	0.62	<0.5	12	47	32	3.56
DD016394		0.16	0.001	<0.2	1.31	8	<10	200	<0.5	<2	0.59	<0.5	11	20	20	2.59
DD016395		0.20	0.028	<0.2	1.23	9	<10	180	<0.5	<2	0.48	<0.5	11	20	24	2.68
DD016396		0.16	0.019	<0.2	3.18	5	<10	90	<0.5	<2	1.09	<0.5	11	8	97	3.06
DD016397		0.10	0.002	<0.2	0.19	<2	<10	40	<0.5	<2	1.05	<0.5	3	1	12	0.20
DD016398		0.26	0.172	0.3	1.52	4	<10	110	<0.5	<2	1.00	<0.5	14	11	512	2.57
DD016399		0.34	0.012	<0.2	2.63	7	<10	140	<0.5	<2	1.18	<0.5	15	17	152	3.25
DD016400		0.28	0.013	<0.2	3.23	4	<10	200	<0.5	<2	1.12	<0.5	16	10	69	4.19
DD016401		0.18	0.012	<0.2	2.08	12	<10	210	<0.5	<2	0.64	<0.5	14	15	30	3.75
DD016402		0.24	0.001	<0.2	1.72	7	<10	210	<0.5	<2	0.92	<0.5	11	25	26	2.66
DD016403		0.18	<0.001	<0.2	1.36	3	<10	140	<0.5	<2	0.42	<0.5	8	13	21	2.22
DD016404		0.24	<0.001	<0.2	2.20	8	<10	160	<0.5	<2	0.51	<0.5	14	37	22	3.70
DD016405		0.26	<0.001	<0.2	1.75	2	<10	160	<0.5	2	0.48	<0.5	10	21	15	2.50
DD016406		0.26	0.004	<0.2	1.67	7	<10	140	<0.5	<2	0.62	<0.5	11	22	26	2.82
DD016407		0.28	0.009	<0.2	1.43	3	<10	220	<0.5	<2	0.65	<0.5	9	15	52	2.25
DD016408		0.14	0.001	<0.2	0.21	<2	10	90	<0.5	<2	2.14	<0.5	4	2	14	0.47
DD016409		0.20	0.001	<0.2	1.40	6	<10	110	<0.5	2	1.66	<0.5	10	11	26	2.40
DD016410		0.22	<0.001	<0.2	1.73	10	<10	100	<0.5	<2	0.51	<0.5	11	12	20	2.98
DD016411		0.28	<0.001	<0.2	2.09	2	<10	200	<0.5	<2	0.69	<0.5	11	19	31	3.29
DD016412		0.24	0.006	0.4	1.61	9	<10	160	<0.5	<2	1.02	<0.5	13	23	62	3.81
DD016413		0.18	0.007	<0.2	1.67	<2	10	140	<0.5	<2	2.33	<0.5	19	28	88	5.03
DD016414		0.24	0.003	<0.2	1.61	2	<10	110	<0.5	<2	0.42	<0.5	16	27	47	3.58
DD016415		0.22	0.004	<0.2	1.34	<2	<10	110	<0.5	<2	1.17	<0.5	15	24	72	3.99
DD016416		0.20	0.009	<0.2	2.15	21	10	260	0.5	<2	1.24	<0.5	42	36	109	7.81
DD016417		0.26	0.002	<0.2	0.73	7	<10	80	<0.5	<2	0.30	<0.5	9	18	22	1.99
DD016418		0.18	0.001	<0.2	1.31	6	<10	110	<0.5	<2	0.37	<0.5	12	33	27	2.43
DD016419		0.28	0.002	<0.2	1.52	4	<10	150	<0.5	<2	0.68	<0.5	12	31	25	2.41
DD016420		0.18	0.004	<0.2	1.01	5	20	210	<0.5	<2	1.76	<0.5	6	17	75	1.63



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - B
Total # Pages: 6 (A - C)
Plus Appendix Pages
Finalized Date: 3- OCT- 2011
Account: MTT

Project: KING

CERTIFICATE OF ANALYSIS WH11163815

Sample Description	Method Analyte Units LOR	ME- ICP41 Ga ppm 10	ME- ICP41 Hg ppm 1	ME- ICP41 K % 0.01	ME- ICP41 La ppm 10	ME- ICP41 Mg % 0.01	ME- ICP41 Mn ppm 5	ME- ICP41 Mo ppm 1	ME- ICP41 Na % 0.01	ME- ICP41 Ni ppm 1	ME- ICP41 P ppm 10	ME- ICP41 Pb ppm 2	ME- ICP41 S % 0.01	ME- ICP41 Sb ppm 2	ME- ICP41 Sc ppm 1	ME- ICP41 Sr ppm 1
DD016381		10	<1	0.05	10	0.39	544	1	0.02	14	200	4	0.03	<2	5	27
DD016382		<10	<1	0.06	<10	0.37	207	1	0.02	10	160	4	0.03	<2	3	28
DD016383		10	<1	0.11	10	0.41	573	1	0.02	13	340	4	0.03	<2	5	36
DD016384		<10	<1	0.08	10	0.25	265	1	0.03	9	290	4	0.03	<2	5	43
DD016385		10	<1	0.07	10	0.77	1075	<1	0.04	16	700	4	0.06	<2	8	73
DD016386		10	<1	0.03	10	0.73	598	<1	0.06	16	520	<2	0.06	<2	8	73
DD016387		10	1	0.13	10	0.69	1820	1	0.05	13	480	<2	0.06	<2	18	81
DD016388		<10	<1	0.03	20	0.47	947	1	0.07	80	550	6	0.04	<2	14	65
DD016389		<10	<1	0.03	10	0.58	2890	2	0.04	162	700	3	0.05	<2	23	79
DD016390		<10	<1	0.04	20	0.34	771	<1	0.07	37	1350	3	0.03	<2	10	62
DD016391		10	<1	0.04	10	0.35	833	<1	0.06	32	530	3	0.03	<2	10	56
DD016392		<10	<1	0.05	20	0.60	884	3	0.05	68	550	4	0.06	<2	8	144
DD016393		<10	<1	0.03	10	0.43	525	<1	0.06	31	770	3	0.03	<2	12	60
DD016394		<10	<1	0.09	10	0.31	744	<1	0.02	12	240	4	0.04	<2	5	52
DD016395		<10	<1	0.12	10	0.32	522	<1	0.03	15	390	4	0.04	<2	6	53
DD016396		10	<1	0.06	<10	0.53	150	<1	0.06	6	210	<2	0.04	<2	7	41
DD016397		<10	<1	0.05	<10	0.10	75	<1	0.05	2	320	<2	0.08	<2	<1	46
DD016398		<10	<1	0.08	<10	0.47	276	1	0.04	8	500	<2	0.06	<2	5	47
DD016399		10	<1	0.16	10	0.81	520	<1	0.08	10	240	<2	0.05	<2	9	94
DD016400		10	<1	0.17	<10	0.67	677	<1	0.05	6	190	<2	0.04	<2	10	46
DD016401		10	<1	0.09	<10	0.61	592	<1	0.03	8	250	3	0.04	<2	7	64
DD016402		10	<1	0.13	10	0.62	465	<1	0.03	15	470	4	0.04	<2	6	46
DD016403		10	<1	0.08	<10	0.33	521	<1	0.02	7	250	2	0.03	<2	3	26
DD016404		10	<1	0.07	10	0.51	443	1	0.03	16	210	3	0.03	<2	6	34
DD016405		10	<1	0.06	10	0.40	468	<1	0.02	10	200	4	0.03	<2	3	28
DD016406		10	<1	0.11	10	0.55	493	<1	0.02	13	390	3	0.03	<2	7	41
DD016407		<10	<1	0.07	10	0.39	370	<1	0.04	9	230	2	0.04	<2	4	54
DD016408		<10	<1	0.02	<10	0.12	101	<1	0.05	3	530	<2	0.34	<2	<1	96
DD016409		<10	<1	0.13	10	0.51	514	<1	0.03	7	340	2	0.05	<2	5	49
DD016410		10	<1	0.05	10	0.49	584	<1	0.03	7	300	3	0.04	<2	6	26
DD016411		10	<1	0.09	10	0.53	870	1	0.03	18	270	12	0.01	<2	5	32
DD016412		<10	<1	0.08	10	0.68	745	<1	0.03	16	520	7	0.03	<2	11	63
DD016413		<10	<1	0.12	<10	1.16	1190	<1	0.09	22	570	2	0.02	<2	12	108
DD016414		<10	<1	0.07	<10	0.49	817	<1	0.03	15	250	3	0.01	<2	9	35
DD016415		<10	<1	0.08	<10	0.49	894	<1	0.02	19	570	3	0.02	<2	9	54
DD016416		<10	<1	0.06	<10	0.67	1170	2	0.09	62	1110	4	0.56	<2	15	94
DD016417		<10	<1	0.05	<10	0.21	290	<1	0.03	11	180	4	0.01	<2	3	40
DD016418		<10	<1	0.10	10	0.42	325	<1	0.03	20	150	4	0.01	<2	7	39
DD016419		<10	<1	0.08	10	0.55	349	<1	0.06	18	230	5	0.01	<2	6	48
DD016420		<10	<1	0.05	10	0.57	156	<1	0.07	17	660	3	0.17	<2	4	131



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - C
Total # Pages: 6 (A - C)
Plus Appendix Pages
Finalized Date: 3- OCT- 2011
Account: MTT

Project: KING

CERTIFICATE OF ANALYSIS WH11163815

Sample Description	Method Analyte Units LOR	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41
		Th	Ti	Ti	U	V	W	Zn
		ppm 20	% 0.01	ppm 10	ppm 10	ppm 1	ppm 10	ppm 2
DD016381		<20	0.07	<10	<10	66	<10	36
DD016382		<20	0.07	<10	<10	56	<10	32
DD016383		<20	0.07	<10	<10	58	<10	34
DD016384		<20	0.04	<10	<10	43	<10	31
DD016385		<20	0.05	<10	<10	73	<10	71
DD016386		<20	0.08	<10	<10	75	<10	39
DD016387		<20	0.06	<10	<10	114	<10	55
DD016388		<20	0.02	<10	<10	82	<10	41
DD016389		<20	0.01	<10	<10	120	<10	104
DD016390		<20	0.04	<10	<10	54	<10	42
DD016391		<20	0.05	<10	<10	62	<10	46
DD016392		<20	0.01	<10	<10	39	<10	46
DD016393		<20	0.03	<10	<10	58	<10	32
DD016394		<20	0.04	<10	<10	52	<10	41
DD016395		<20	0.04	<10	<10	56	<10	48
DD016396		<20	0.09	<10	<10	96	<10	17
DD016397		<20	0.01	<10	<10	5	<10	25
DD016398		<20	0.05	<10	<10	67	<10	26
DD016399		<20	0.05	<10	<10	103	<10	34
DD016400		<20	0.03	<10	<10	152	<10	35
DD016401		<20	0.04	<10	<10	87	<10	37
DD016402		<20	0.08	<10	<10	59	<10	47
DD016403		<20	0.05	<10	<10	48	<10	32
DD016404		<20	0.05	<10	<10	76	<10	47
DD016405		<20	0.06	<10	<10	58	<10	52
DD016406		<20	0.07	<10	<10	59	<10	42
DD016407		<20	0.06	<10	<10	49	<10	26
DD016408		<20	0.02	<10	<10	10	<10	6
DD016409		<20	0.03	<10	<10	46	<10	36
DD016410		<20	0.03	<10	<10	55	<10	35
DD016411		<20	0.05	<10	<10	65	<10	69
DD016412		<20	0.03	<10	<10	74	<10	58
DD016413		<20	<0.01	<10	<10	112	<10	62
DD016414		<20	0.02	<10	<10	88	<10	39
DD016415		<20	0.01	<10	<10	95	<10	50
DD016416		<20	0.01	<10	<10	154	<10	82
DD016417		<20	0.04	<10	<10	59	<10	24
DD016418		<20	0.09	<10	<10	71	<10	41
DD016419		<20	0.07	<10	<10	60	<10	36
DD016420		<20	0.05	<10	<10	41	<10	22



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 3 - A
Total # Pages: 6 (A - C)
Plus Appendix Pages
Finalized Date: 3- OCT- 2011
Account: MTT

Project: KING

CERTIFICATE OF ANALYSIS WH11163815

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg	Au- ICP21 Au ppm	ME- ICP41 Ag ppm	ME- ICP41 Al %	ME- ICP41 As ppm	ME- ICP41 B ppm	ME- ICP41 Ba ppm	ME- ICP41 Be ppm	ME- ICP41 Bi ppm	ME- ICP41 Ca %	ME- ICP41 Cd ppm	ME- ICP41 Co ppm	ME- ICP41 Cr ppm	ME- ICP41 Cu ppm	ME- ICP41 Fe %
		0.02	0.001	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
DD016421		0.16	0.008	<0.2	1.19	<2	20	90	<0.5	<2	3.58	<0.5	8	8	72	1.78
DD016422		0.20	0.002	<0.2	1.11	5	<10	110	<0.5	<2	1.04	<0.5	6	21	33	1.98
DD016423		0.26	0.002	<0.2	1.82	5	<10	160	<0.5	<2	0.44	<0.5	8	19	27	2.54
DD016424		0.16	0.002	<0.2	0.22	2	<10	30	<0.5	<2	0.84	<0.5	1	2	12	0.44
DD016425		0.16	0.002	<0.2	1.82	<2	10	200	<0.5	<2	2.99	<0.5	11	13	82	2.16
DD016426		0.20	0.002	<0.2	2.83	2	<10	110	<0.5	<2	0.87	<0.5	12	21	110	3.35
DD016427		0.16	0.007	<0.2	3.57	18	10	50	0.7	<2	1.40	<0.5	23	30	300	13.90
DD016428		0.10	<0.001	<0.2	0.27	2	10	110	<0.5	<2	3.27	<0.5	3	3	33	0.52
DD016429		0.22	0.005	<0.2	4.29	10	10	140	<0.5	<2	2.76	<0.5	29	41	207	4.93
DD016430		0.14	0.002	<0.2	1.77	6	<10	80	<0.5	<2	0.51	<0.5	12	23	82	2.70
DD016431		0.22	0.001	<0.2	2.29	2	<10	100	<0.5	<2	0.61	<0.5	10	17	34	2.90
DD016432		0.20	<0.001	<0.2	2.09	2	<10	200	<0.5	2	0.70	<0.5	10	24	42	2.81
DD016433		0.22	0.002	<0.2	1.57	7	<10	110	<0.5	<2	0.57	<0.5	9	20	25	2.45
DD016434		0.22	0.001	<0.2	1.61	6	<10	140	<0.5	<2	0.73	<0.5	9	27	15	2.55
DD016435		0.22	0.026	<0.2	1.56	5	<10	110	<0.5	<2	0.62	<0.5	8	23	15	2.26
DD016436		0.14	NSS	<0.2	1.58	4	30	80	<0.5	<2	3.59	<0.5	10	13	157	1.81
DD016437		0.12	0.007	<0.2	0.79	<2	20	90	<0.5	<2	2.74	<0.5	5	9	128	1.02
DD016438		0.16	0.002	<0.2	3.88	6	<10	110	<0.5	<2	2.02	<0.5	29	15	51	3.47
DD016439		0.16	<0.001	<0.2	1.09	4	<10	120	<0.5	<2	0.27	<0.5	7	18	16	2.25
DD016440		0.16	<0.001	<0.2	1.26	7	<10	120	<0.5	2	0.37	<0.5	7	20	18	2.46
DD016441		0.18	0.001	<0.2	0.98	34	<10	140	<0.5	<2	0.60	<0.5	7	16	18	2.01
DD016442		0.20	0.001	<0.2	1.59	14	10	160	0.5	<2	0.80	<0.5	18	41	19	3.53
DD016443		0.14	0.013	<0.2	1.56	5	<10	120	0.5	<2	0.38	<0.5	14	33	20	3.03
DD016444		0.20	0.001	<0.2	1.53	5	<10	130	<0.5	<2	0.29	<0.5	7	19	16	2.39
DD016445		0.16	0.001	<0.2	1.18	<2	<10	120	<0.5	<2	0.42	<0.5	7	12	32	2.03
DD016446		0.16	0.001	<0.2	1.19	7	<10	140	<0.5	<2	0.45	<0.5	6	15	20	2.12
DD016447		0.24	0.006	<0.2	1.93	29	<10	160	<0.5	<2	0.58	<0.5	11	20	45	3.08
DD016448		0.16	0.006	<0.2	1.59	26	<10	140	<0.5	<2	0.50	<0.5	8	19	24	2.63
DD016449		0.22	0.007	<0.2	1.51	6	<10	230	<0.5	2	1.60	<0.5	10	17	69	2.52
DD016450		0.22	0.006	<0.2	1.09	9	<10	150	<0.5	<2	0.78	<0.5	8	17	23	2.48
DD016451		0.16	0.003	<0.2	1.47	7	<10	140	<0.5	<2	0.51	<0.5	11	15	37	3.08
DD016452		0.18	0.003	<0.2	1.55	3	<10	250	0.6	<2	1.00	<0.5	10	21	58	2.42
DD016453		0.20	0.006	<0.2	1.33	6	<10	160	<0.5	<2	0.64	<0.5	11	17	21	3.21
DD016454		0.18	0.006	<0.2	1.72	6	<10	170	<0.5	<2	0.82	<0.5	9	18	32	2.82
DD016455		0.22	0.002	<0.2	1.62	6	<10	190	0.5	<2	0.63	<0.5	9	19	29	2.77
DD016456		0.18	0.006	<0.2	1.28	3	<10	90	<0.5	2	2.89	<0.5	14	24	68	3.37
DD016457		0.18	0.013	<0.2	1.21	9	<10	130	<0.5	<2	0.49	<0.5	19	35	92	3.53
DD016458		0.16	0.006	<0.2	1.23	2	<10	110	<0.5	<2	0.40	<0.5	15	22	77	1.60
DD016459		0.18	0.002	<0.2	0.62	<2	<10	50	<0.5	<2	0.11	<0.5	5	15	26	2.05
DD016460		0.20	0.004	<0.2	1.02	6	<10	130	<0.5	<2	0.45	<0.5	16	29	60	3.98



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 3 - B
Total # Pages: 6 (A - C)
Plus Appendix Pages
Finalized Date: 3- OCT- 2011
Account: MTT

Project: KING

CERTIFICATE OF ANALYSIS WH11163815

Sample Description	Method Analyte Units LOR	ME- ICP41 Ga ppm 10	ME- ICP41 Hg ppm 1	ME- ICP41 K % 0.01	ME- ICP41 La ppm 10	ME- ICP41 Mg % 0.01	ME- ICP41 Mn ppm 5	ME- ICP41 Mo ppm 1	ME- ICP41 Na % 0.01	ME- ICP41 Ni ppm 1	ME- ICP41 P ppm 10	ME- ICP41 Pb ppm 2	ME- ICP41 S % 0.01	ME- ICP41 Sb ppm 2	ME- ICP41 Sc ppm 1	ME- ICP41 Sr ppm 1
DD016421		<10	1	0.05	<10	0.77	141	<1	0.07	8	570	<2	0.61	<2	4	182
DD016422		<10	<1	0.08	10	0.48	236	<1	0.05	16	250	3	0.02	<2	4	55
DD016423		<10	1	0.06	10	0.46	288	<1	0.03	10	140	3	0.01	<2	5	30
DD016424		<10	<1	0.03	<10	0.13	53	<1	0.07	1	420	<2	0.05	<2	<1	45
DD016425		<10	1	0.09	<10	1.04	237	<1	0.10	13	530	2	0.27	<2	5	173
DD016426		10	<1	0.07	<10	0.91	344	<1	0.07	15	220	2	0.02	<2	9	65
DD016427		10	<1	0.04	<10	0.79	2000	<1	0.05	27	250	4	0.02	2	33	34
DD016428		<10	<1	0.02	<10	0.36	327	<1	0.06	3	780	<2	0.34	<2	1	178
DD016429		10	1	0.25	<10	1.15	1255	<1	0.10	22	420	3	0.03	<2	13	155
DD016430		<10	<1	0.07	<10	0.46	325	<1	0.04	13	180	2	0.01	<2	6	29
DD016431		10	1	0.03	<10	0.57	510	<1	0.04	10	210	3	0.01	<2	4	24
DD016432		<10	<1	0.06	<10	0.60	393	<1	0.03	13	260	4	0.01	<2	5	99
DD016433		<10	<1	0.08	10	0.48	358	<1	0.03	10	250	3	0.01	<2	5	30
DD016434		<10	<1	0.14	10	0.60	443	<1	0.03	13	350	4	0.01	<2	5	36
DD016435		<10	<1	0.11	10	0.49	376	<1	0.04	11	150	3	0.01	<2	4	35
DD016436		<10	<1	0.03	<10	0.81	429	<1	0.04	9	550	<2	0.15	<2	4	139
DD016437		<10	<1	0.04	<10	0.66	162	<1	0.06	9	660	<2	0.22	<2	2	145
DD016438		10	<1	0.16	10	1.09	684	<1	0.04	9	380	4	0.04	<2	7	57
DD016439		<10	<1	0.10	10	0.26	361	<1	0.02	9	110	4	0.01	<2	4	26
DD016440		<10	<1	0.10	10	0.32	276	<1	0.02	10	320	5	0.01	<2	5	36
DD016441		<10	<1	0.07	10	0.33	333	1	0.05	12	330	4	0.04	<2	4	56
DD016442		<10	<1	0.07	20	0.50	959	<1	0.07	56	1090	3	0.02	<2	11	75
DD016443		<10	<1	0.18	10	0.51	540	<1	0.05	27	230	3	0.01	<2	7	47
DD016444		<10	<1	0.06	10	0.32	203	<1	0.03	10	150	4	0.01	<2	4	36
DD016445		<10	<1	0.06	<10	0.41	294	<1	0.06	8	240	2	0.01	<2	4	37
DD016446		<10	<1	0.07	<10	0.28	258	<1	0.04	8	240	4	0.01	<2	3	43
DD016447		<10	<1	0.08	<10	0.41	390	1	0.03	12	220	6	0.02	<2	6	53
DD016448		<10	<1	0.09	<10	0.34	153	<1	0.02	7	110	3	0.01	<2	4	36
DD016449		<10	1	0.08	10	0.50	749	<1	0.05	15	400	3	0.03	<2	5	128
DD016450		<10	<1	0.07	10	0.40	651	1	0.03	12	370	7	0.02	2	6	84
DD016451		<10	<1	0.05	10	0.34	654	<1	0.02	8	230	4	0.01	<2	6	43
DD016452		<10	<1	0.07	10	0.44	1115	<1	0.04	19	600	5	0.03	<2	5	70
DD016453		<10	<1	0.06	10	0.36	771	1	0.02	8	420	3	0.02	2	5	56
DD016454		<10	<1	0.09	10	0.57	583	<1	0.02	10	370	6	0.02	<2	8	65
DD016455		<10	<1	0.12	10	0.35	555	<1	0.03	13	260	5	0.02	<2	6	50
DD016456		<10	1	0.09	<10	0.61	776	<1	0.02	16	670	<2	0.03	2	10	117
DD016457		<10	<1	0.05	10	0.36	882	<1	0.02	18	240	3	0.02	<2	12	55
DD016458		<10	<1	0.08	10	0.20	300	<1	0.01	12	140	3	0.02	<2	12	56
DD016459		<10	<1	0.05	<10	0.07	93	<1	0.02	3	180	<2	0.02	<2	6	33
DD016460		<10	<1	0.03	10	0.14	507	<1	0.02	9	280	3	0.02	<2	14	75



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 3 - C
Total # Pages: 6 (A - C)
Plus Appendix Pages
Finalized Date: 3- OCT- 2011
Account: MTT

Project: KING

CERTIFICATE OF ANALYSIS WH11163815

Sample Description	Method Analyte Units LOR	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41
		Th	Ti	Ti	U	V	W	Zn
		ppm	%	ppm	ppm	ppm	ppm	ppm
		20	0.01	10	10	1	10	2
DD016421		<20	0.06	<10	<10	36	<10	12
DD016422		<20	0.07	<10	<10	46	<10	28
DD016423		<20	0.07	<10	<10	57	<10	20
DD016424		<20	0.02	<10	<10	14	<10	7
DD016425		<20	0.06	<10	<10	59	<10	26
DD016426		<20	0.11	<10	<10	92	<10	33
DD016427		<20	0.04	<10	<10	141	<10	48
DD016428		<20	0.02	<10	<10	11	<10	10
DD016429		<20	0.10	<10	<10	139	<10	45
DD016430		<20	0.08	<10	<10	66	<10	26
DD016431		<20	0.10	<10	<10	52	<10	40
DD016432		<20	0.09	<10	<10	71	<10	31
DD016433		<20	0.07	<10	<10	56	<10	27
DD016434		<20	0.10	<10	<10	56	<10	32
DD016435		<20	0.09	<10	<10	52	<10	27
DD016436		<20	0.06	<10	<10	55	<10	19
DD016437		<20	0.04	<10	<10	32	<10	12
DD016438		<20	0.08	<10	<10	77	<10	41
DD016439		<20	0.06	<10	<10	50	<10	25
DD016440		<20	0.05	<10	<10	50	<10	28
DD016441		<20	0.03	<10	<10	42	<10	28
DD016442		<20	0.02	<10	<10	60	<10	33
DD016443		<20	0.08	<10	<10	60	<10	41
DD016444		<20	0.04	<10	<10	49	<10	29
DD016445		<20	0.05	<10	<10	46	<10	22
DD016446		<20	0.04	<10	<10	44	<10	23
DD016447		<20	0.04	<10	<10	78	<10	34
DD016448		<20	0.07	<10	<10	66	<10	21
DD016449		<20	0.04	<10	<10	56	<10	37
DD016450		<20	0.02	<10	<10	50	<10	33
DD016451		<20	0.03	<10	<10	69	<10	30
DD016452		<20	0.06	<10	<10	50	<10	39
DD016453		<20	0.04	<10	<10	87	<10	32
DD016454		<20	0.03	<10	<10	66	<10	40
DD016455		<20	0.04	<10	<10	60	<10	49
DD016456		<20	0.01	<10	<10	96	<10	51
DD016457		<20	0.01	<10	<10	108	<10	48
DD016458		<20	0.01	<10	<10	79	<10	29
DD016459		<20	0.02	<10	<10	96	<10	11
DD016460		<20	0.02	<10	<10	157	<10	28



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 4 - A
Total # Pages: 6 (A - C)
Plus Appendix Pages
Finalized Date: 3- OCT- 2011
Account: MTT

Project: KING

CERTIFICATE OF ANALYSIS WH11163815

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg	Au- ICP21 Au ppm	ME- ICP41 Ag ppm	ME- ICP41 Al %	ME- ICP41 As ppm	ME- ICP41 B ppm	ME- ICP41 Ba ppm	ME- ICP41 Be ppm	ME- ICP41 Bi ppm	ME- ICP41 Ca %	ME- ICP41 Cd ppm	ME- ICP41 Co ppm	ME- ICP41 Cr ppm	ME- ICP41 Cu ppm	ME- ICP41 Fe %
		0.02	0.001	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
DD016461		0.24	0.002	<0.2	1.88	3	<10	120	<0.5	<2	0.79	<0.5	16	28	35	4.36
DD016462		0.20	0.001	<0.2	1.26	5	<10	130	<0.5	<2	0.37	<0.5	5	14	19	2.22
DD016463		0.20	0.002	<0.2	2.16	5	<10	130	0.5	<2	0.45	<0.5	11	24	31	3.43
DD016464		0.24	0.004	<0.2	2.14	6	<10	140	0.5	<2	0.55	<0.5	14	27	32	3.67
DD016465		0.22	0.008	<0.2	1.68	2	<10	190	<0.5	<2	0.58	<0.5	9	18	36	2.39
DD016466		0.20	0.004	<0.2	1.68	7	<10	160	<0.5	<2	0.62	<0.5	8	23	26	2.95
DD016467		0.20	0.004	<0.2	1.67	4	<10	170	<0.5	<2	0.33	<0.5	6	16	21	2.66
DD016468		0.20	0.002	<0.2	1.69	6	<10	190	<0.5	<2	0.52	<0.5	10	23	24	2.91
DD016469		0.40	0.002	<0.2	1.39	8	<10	230	<0.5	<2	0.73	<0.5	8	19	20	2.56
DD016470		0.20	0.002	<0.2	1.34	11	<10	110	<0.5	<2	1.37	<0.5	8	17	96	2.78
DD016471		0.18	0.005	<0.2	1.12	7	<10	130	<0.5	<2	0.83	<0.5	9	17	37	2.78
DD016472		0.28	0.005	<0.2	2.55	11	<10	190	0.7	2	3.58	<0.5	24	27	146	5.27
DD016473		0.16	0.002	<0.2	1.34	6	<10	100	<0.5	<2	0.27	<0.5	6	18	22	2.54
DD016474		0.20	0.003	<0.2	1.40	12	<10	110	<0.5	<2	0.42	<0.5	9	15	46	3.08
DD016475		0.16	0.003	<0.2	1.45	9	10	120	0.5	<2	3.28	<0.5	14	27	230	3.14
DD016476		0.16	0.002	<0.2	2.22	3	<10	200	<0.5	<2	0.66	<0.5	11	24	32	3.08
DD016477		0.26	0.002	<0.2	1.72	2	<10	120	<0.5	<2	0.42	<0.5	8	24	20	2.45
DD016478		0.20	0.002	<0.2	1.76	<2	<10	150	<0.5	<2	0.45	<0.5	9	22	27	2.39
DD016479		0.22	0.002	<0.2	1.48	7	<10	130	<0.5	<2	0.47	<0.5	8	28	16	2.27
DD016480		0.22	0.002	<0.2	2.35	7	<10	140	<0.5	<2	1.53	<0.5	14	21	69	3.06
DD016481		0.14	0.001	<0.2	0.60	2	<10	90	<0.5	<2	1.06	<0.5	3	4	33	0.72
DD016482		0.12	0.001	<0.2	2.54	18	<10	230	<0.5	<2	1.16	<0.5	22	31	68	4.80
DD016483		0.30	0.001	<0.2	1.39	6	<10	100	<0.5	<2	0.37	<0.5	7	22	21	2.24
DD016484		0.18	0.002	<0.2	1.55	3	<10	500	<0.5	<2	0.53	<0.5	11	23	36	2.36
DD016485		0.22	0.001	<0.2	1.42	7	<10	170	<0.5	<2	0.69	<0.5	8	20	39	2.37
DD016486		0.20	0.002	<0.2	1.90	14	<10	130	<0.5	<2	0.51	<0.5	8	27	35	2.97
DD016487		0.30	0.007	<0.2	1.43	49	<10	180	<0.5	<2	1.12	<0.5	9	17	45	2.86
DD016488		0.18	0.002	<0.2	1.74	13	<10	180	<0.5	<2	0.58	<0.5	9	20	37	3.00
DD016489		0.16	0.002	<0.2	1.50	10	<10	140	<0.5	<2	0.66	<0.5	8	20	57	2.22
DD016490		0.12	0.003	<0.2	1.12	8	<10	270	<0.5	<2	1.96	<0.5	7	13	46	2.07
DD016491		0.20	0.004	<0.2	1.25	9	<10	120	<0.5	<2	0.50	<0.5	7	14	27	2.28
DD016492		0.22	0.002	<0.2	1.38	9	<10	190	<0.5	<2	0.69	<0.5	8	25	38	2.56
DD016493		0.26	0.002	<0.2	2.15	11	<10	180	<0.5	<2	0.58	<0.5	11	24	30	3.61
DD016494		0.24	0.003	<0.2	1.61	8	<10	230	<0.5	<2	0.59	<0.5	10	22	28	2.71
DD016495		0.22	0.005	<0.2	2.56	17	<10	250	0.5	<2	0.65	<0.5	16	23	43	4.49
DD016496		0.28	0.006	0.2	2.39	15	<10	280	0.5	<2	0.52	<0.5	14	27	33	3.99
DD016497		0.18	0.002	<0.2	1.44	8	<10	180	<0.5	<2	0.49	<0.5	8	20	26	2.55
DD016498		0.22	0.003	<0.2	2.28	28	<10	210	<0.5	<2	0.73	<0.5	14	30	32	3.76
DD016499		0.18	0.014	<0.2	1.64	17	<10	170	<0.5	<2	0.95	<0.5	13	19	42	3.71
DD016500		0.22	0.006	<0.2	0.96	7	<10	90	<0.5	<2	1.06	<0.5	9	11	31	2.16



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 4 - B
Total # Pages: 6 (A - C)
Plus Appendix Pages
Finalized Date: 3- OCT- 2011
Account: MTT

Project: KING

CERTIFICATE OF ANALYSIS WH11163815

Sample Description	Method Analyte Units LOR	ME- ICP41 Ga ppm 10	ME- ICP41 Hg ppm 1	ME- ICP41 K % 0.01	ME- ICP41 La ppm 10	ME- ICP41 Mg % 0.01	ME- ICP41 Mn ppm 5	ME- ICP41 Mo ppm 1	ME- ICP41 Na % 0.01	ME- ICP41 Ni ppm 1	ME- ICP41 P ppm 10	ME- ICP41 Pb ppm 2	ME- ICP41 S % 0.01	ME- ICP41 Sb ppm 2	ME- ICP41 Sc ppm 1	ME- ICP41 Sr ppm 1
DD016461		10	<1	0.10	10	0.55	520	<1	0.02	10	210	4	0.02	<2	13	55
DD016462		<10	<1	0.11	10	0.30	257	<1	0.02	6	170	4	0.01	<2	4	38
DD016463		10	1	0.11	10	0.49	531	<1	0.03	9	180	4	0.01	<2	8	33
DD016464		10	1	0.12	10	0.55	553	<1	0.02	10	270	2	0.01	<2	8	37
DD016465		<10	<1	0.09	10	0.32	490	<1	0.03	11	300	5	0.01	<2	5	50
DD016466		<10	<1	0.08	10	0.59	403	<1	0.03	12	220	3	0.01	<2	8	62
DD016467		<10	<1	0.07	<10	0.42	312	<1	0.02	8	140	4	0.01	2	4	32
DD016468		<10	<1	0.11	10	0.36	481	<1	0.01	11	290	4	0.01	3	6	41
DD016469		<10	<1	0.07	10	0.31	549	<1	0.02	10	290	5	0.02	<2	5	62
DD016470		<10	<1	0.06	10	0.54	168	1	0.03	10	940	4	0.15	<2	7	84
DD016471		<10	<1	0.06	10	0.33	408	<1	0.02	14	300	5	0.02	<2	6	56
DD016472		10	<1	0.05	20	1.08	1705	<1	0.01	13	910	3	0.04	<2	19	60
DD016473		<10	<1	0.04	<10	0.26	201	<1	0.02	8	140	3	0.01	<2	4	29
DD016474		<10	<1	0.04	10	0.31	347	<1	0.02	6	190	4	0.01	<2	7	39
DD016475		<10	<1	0.03	10	0.68	927	<1	0.04	21	1120	3	0.11	<2	7	112
DD016476		10	<1	0.09	10	0.48	901	<1	0.03	12	180	3	<0.01	<2	6	39
DD016477		10	<1	0.06	10	0.39	313	<1	0.02	10	180	3	<0.01	<2	5	25
DD016478		<10	<1	0.08	10	0.38	643	<1	0.04	10	200	3	<0.01	<2	4	26
DD016479		<10	<1	0.09	10	0.43	330	<1	0.03	13	360	3	<0.01	<2	5	32
DD016480		10	<1	0.12	<10	0.66	1350	<1	0.04	12	510	<2	0.03	<2	9	62
DD016481		<10	<1	0.05	<10	0.14	407	<1	0.05	2	950	<2	0.05	<2	1	51
DD016482		10	<1	0.07	<10	0.93	1405	<1	0.05	14	290	<2	0.01	<2	18	65
DD016483		<10	<1	0.06	10	0.33	242	1	0.03	13	120	8	0.01	<2	3	23
DD016484		10	<1	0.06	10	0.35	2700	1	0.03	17	490	6	0.01	<2	4	37
DD016485		<10	<1	0.05	10	0.37	631	<1	0.04	11	330	4	0.01	<2	5	39
DD016486		10	<1	0.06	10	0.43	236	1	0.03	13	170	4	0.01	<2	7	34
DD016487		<10	<1	0.05	10	0.46	541	<1	0.05	11	330	5	0.02	<2	7	60
DD016488		10	<1	0.06	10	0.40	486	1	0.04	10	270	5	0.01	<2	4	30
DD016489		<10	<1	0.05	10	0.37	620	<1	0.04	10	310	5	0.01	<2	4	32
DD016490		<10	<1	0.04	10	0.39	635	<1	0.04	9	440	3	0.06	<2	3	63
DD016491		<10	<1	0.08	10	0.29	337	<1	0.03	8	130	3	<0.01	<2	5	34
DD016492		<10	<1	0.08	10	0.44	533	<1	0.04	17	370	7	0.01	<2	6	39
DD016493		10	<1	0.07	10	0.49	456	1	0.03	12	240	7	0.01	<2	5	39
DD016494		10	<1	0.06	10	0.42	918	1	0.03	12	410	5	0.01	<2	5	40
DD016495		10	<1	0.15	10	0.61	827	<1	0.04	13	480	6	0.01	<2	9	46
DD016496		10	<1	0.15	10	0.54	762	<1	0.03	15	590	6	0.01	<2	7	37
DD016497		<10	<1	0.08	10	0.37	512	<1	0.03	11	200	5	0.01	<2	4	29
DD016498		10	<1	0.18	10	0.64	679	<1	0.04	16	380	5	0.01	<2	8	46
DD016499		10	<1	0.10	10	0.51	745	<1	0.05	11	620	5	0.02	<2	8	52
DD016500		<10	<1	0.06	<10	0.37	467	<1	0.05	6	550	3	0.04	<2	5	53



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
 C/ O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016- 510 W HASTINGS ST
 VANCOUVER BC V6B 1L8

Page: 4 - C
 Total # Pages: 6 (A - C)
 Plus Appendix Pages
 Finalized Date: 3- OCT- 2011
 Account: MTT

Project: KING

CERTIFICATE OF ANALYSIS WH11163815

Sample Description	Method Analyte Units LOR	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41
		Th	Ti	Ti	U	V	W	Zn
		ppm 20	% 0.01	ppm 10	ppm 10	ppm 1	ppm 10	ppm 2
DD016461		<20	0.02	<10	<10	101	<10	45
DD016462		<20	0.04	<10	<10	49	<10	27
DD016463		<20	0.04	<10	<10	77	<10	37
DD016464		<20	0.04	<10	<10	81	<10	42
DD016465		<20	0.04	<10	<10	57	<10	28
DD016466		<20	0.04	<10	<10	64	<10	35
DD016467		<20	0.03	<10	<10	60	<10	31
DD016468		<20	0.04	<10	<10	67	<10	36
DD016469		<20	0.04	<10	<10	56	<10	37
DD016470		<20	0.03	<10	<10	66	<10	47
DD016471		<20	0.04	<10	<10	60	<10	38
DD016472		<20	0.01	<10	<10	96	<10	65
DD016473		<20	0.03	<10	<10	56	<10	25
DD016474		<20	0.03	<10	<10	68	<10	33
DD016475		<20	0.03	<10	<10	61	<10	40
DD016476		<20	0.06	<10	<10	75	<10	38
DD016477		<20	0.07	<10	<10	63	<10	32
DD016478		<20	0.07	<10	<10	58	<10	35
DD016479		<20	0.09	<10	<10	53	<10	33
DD016480		<20	0.04	<10	<10	77	<10	62
DD016481		<20	0.02	<10	<10	18	<10	42
DD016482		<20	0.07	<10	<10	107	<10	59
DD016483		<20	0.08	<10	<10	55	<10	30
DD016484		<20	0.09	<10	<10	51	<10	80
DD016485		<20	0.08	<10	<10	54	<10	52
DD016486		<20	0.08	<10	<10	72	<10	37
DD016487		<20	0.03	<10	<10	62	<10	47
DD016488		<20	0.07	<10	<10	73	<10	36
DD016489		<20	0.08	<10	<10	52	<10	44
DD016490		<20	0.03	<10	<10	44	<10	34
DD016491		<20	0.05	<10	<10	51	<10	31
DD016492		<20	0.07	<10	<10	52	<10	39
DD016493		<20	0.06	<10	<10	82	<10	52
DD016494		<20	0.06	<10	<10	62	<10	49
DD016495		<20	0.05	<10	<10	97	<10	60
DD016496		<20	0.07	<10	<10	87	<10	97
DD016497		<20	0.07	<10	<10	58	<10	36
DD016498		<20	0.08	<10	<10	80	<10	58
DD016499		<20	0.03	<10	<10	78	<10	40
DD016500		<20	0.03	<10	<10	52	<10	47



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 5 - A
Total # Pages: 6 (A - C)
Plus Appendix Pages
Finalized Date: 3- OCT- 2011
Account: MTT

Project: KING

CERTIFICATE OF ANALYSIS WH11163815

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg	Au- ICP21 Au ppm	ME- ICP41 Ag ppm	ME- ICP41 Al %	ME- ICP41 As ppm	ME- ICP41 B ppm	ME- ICP41 Ba ppm	ME- ICP41 Be ppm	ME- ICP41 Bi ppm	ME- ICP41 Ca %	ME- ICP41 Cd ppm	ME- ICP41 Co ppm	ME- ICP41 Cr ppm	ME- ICP41 Cu ppm	ME- ICP41 Fe %
		0.02	0.001	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
DD016501		0.20	0.006	<0.2	1.43	3	<10	140	<0.5	<2	0.39	<0.5	6	14	15	2.40
DD016502		0.26	0.003	<0.2	1.09	5	<10	130	<0.5	<2	0.44	<0.5	5	15	17	1.96
DD016503		0.26	0.004	<0.2	1.20	3	<10	150	<0.5	<2	0.76	<0.5	5	16	28	1.94
DD016504		0.30	0.018	<0.2	1.72	8	<10	120	<0.5	<2	0.43	<0.5	8	25	25	2.55
DD016505		0.20	<0.001	<0.2	1.23	3	<10	160	<0.5	<2	0.41	<0.5	6	16	18	2.14
DD016506		0.28	0.008	<0.2	1.32	3	<10	130	<0.5	<2	0.42	<0.5	8	16	20	2.47
DD016507		0.28	0.010	<0.2	1.56	11	<10	150	<0.5	<2	0.51	<0.5	12	20	50	3.50
DD016508		0.22	0.004	<0.2	1.56	5	<10	190	<0.5	<2	0.67	<0.5	9	28	32	2.54
DD016509		0.24	0.001	<0.2	1.46	5	<10	120	<0.5	<2	0.57	<0.5	5	18	26	2.29
DD016510		0.26	0.001	<0.2	1.62	4	<10	130	<0.5	<2	0.39	<0.5	8	26	21	2.43
DD016511		0.20	0.002	<0.2	1.58	7	<10	110	<0.5	<2	0.40	<0.5	7	18	16	2.64
DD016512		0.18	0.002	<0.2	1.21	5	<10	110	<0.5	<2	0.40	<0.5	7	13	20	2.13
DD016513		0.18	<0.001	0.2	1.38	3	<10	170	<0.5	<2	0.37	<0.5	8	22	23	2.19
DD016514		0.20	0.002	<0.2	1.67	6	<10	200	<0.5	<2	0.73	<0.5	7	24	27	2.54
DD016515		0.16	0.002	<0.2	1.40	8	<10	170	<0.5	<2	0.67	<0.5	7	23	18	2.29
DD016516		0.22	0.002	<0.2	1.45	4	<10	140	<0.5	<2	0.49	<0.5	7	24	13	2.26
DD016517		0.20	0.002	<0.2	1.74	9	<10	210	0.5	<2	0.78	<0.5	10	21	32	2.91
DD016518		0.20	0.002	<0.2	1.36	5	<10	190	<0.5	<2	0.89	<0.5	6	22	37	2.23
DD016519		0.14	0.003	<0.2	0.64	12	<10	90	<0.5	<2	1.47	<0.5	7	8	86	1.91
DD016520		0.20	0.008	<0.2	1.48	10	<10	120	<0.5	<2	7.30	<0.5	10	17	186	3.05
DD016521		0.16	0.004	<0.2	1.05	3	<10	110	<0.5	<2	3.65	<0.5	7	14	87	1.54
DD016522		0.24	0.007	<0.2	1.79	7	<10	250	0.5	<2	0.65	<0.5	13	23	43	3.53
DD016523		0.22	0.001	<0.2	1.35	5	<10	140	<0.5	<2	0.30	<0.5	7	20	14	2.17
DD016524		0.26	0.002	<0.2	1.09	5	<10	130	<0.5	<2	0.31	<0.5	7	16	17	1.93
DD016525		0.22	0.002	<0.2	1.70	5	<10	170	<0.5	<2	0.43	<0.5	8	30	18	2.53
DD016526		0.32	0.006	<0.2	1.22	9	<10	130	<0.5	<2	0.55	<0.5	10	17	30	2.65
DD016527		0.24	0.003	1.9	1.35	6	<10	130	<0.5	4	0.39	<0.5	9	19	20	2.29
DD016528		0.22	0.002	<0.2	1.51	8	<10	190	<0.5	<2	0.63	<0.5	9	23	21	2.71
DD016529		0.24	0.001	<0.2	1.74	5	<10	70	<0.5	<2	0.28	<0.5	10	26	16	3.00
DD016530		0.18	0.002	<0.2	1.59	<2	<10	70	<0.5	<2	0.30	<0.5	10	21	27	2.39
DD016531		0.20	0.002	<0.2	1.60	3	<10	70	<0.5	<2	0.46	<0.5	13	12	84	3.57
DD016532		0.14	0.002	<0.2	3.36	6	<10	170	<0.5	<2	1.95	<0.5	27	56	121	5.77
DD016533		0.20	0.014	<0.2	2.55	15	<10	360	0.5	<2	0.55	<0.5	21	36	68	5.46
DD016534		0.18	0.002	<0.2	1.72	6	<10	160	<0.5	<2	0.34	<0.5	9	24	19	2.74
DD016535		0.24	0.019	<0.2	1.11	11	<10	140	<0.5	<2	0.60	<0.5	9	15	32	2.40
DD016536		0.18	0.003	<0.2	2.27	5	<10	140	<0.5	<2	0.72	<0.5	13	23	45	2.88
DD016537		0.18	<0.001	<0.2	2.37	4	<10	120	<0.5	<2	0.46	<0.5	14	36	36	2.94
DD016538		0.18	0.006	<0.2	3.47	63	<10	90	<0.5	<2	1.05	<0.5	34	60	133	5.31
DD016539		0.16	<0.001	<0.2	0.90	5	<10	100	<0.5	<2	0.94	<0.5	8	18	31	1.63
DD016540		0.10	<0.001	<0.2	0.89	3	<10	100	<0.5	<2	1.28	<0.5	7	13	22	1.38



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 5 - B
Total # Pages: 6 (A - C)
Plus Appendix Pages
Finalized Date: 3- OCT- 2011
Account: MTT

Project: KING

CERTIFICATE OF ANALYSIS WH11163815

Sample Description	Method Analyte Units LOR	ME- ICP41 Ga ppm 10	ME- ICP41 Hg ppm 1	ME- ICP41 K % 0.01	ME- ICP41 La ppm 10	ME- ICP41 Mg % 0.01	ME- ICP41 Mn ppm 5	ME- ICP41 Mo ppm 1	ME- ICP41 Na % 0.01	ME- ICP41 Ni ppm 1	ME- ICP41 P ppm 10	ME- ICP41 Pb ppm 2	ME- ICP41 S % 0.01	ME- ICP41 Sb ppm 2	ME- ICP41 Sc ppm 1	ME- ICP41 Sr ppm 1
DD016501		<10	<1	0.04	<10	0.35	235	<1	0.02	8	250	5	0.01	<2	3	34
DD016502		<10	<1	0.05	10	0.35	268	<1	0.05	8	310	4	0.01	<2	4	34
DD016503		<10	<1	0.05	10	0.41	255	<1	0.07	9	410	5	0.01	<2	4	56
DD016504		10	<1	0.09	10	0.48	383	<1	0.03	12	220	5	0.01	<2	5	32
DD016505		<10	<1	0.08	<10	0.30	370	<1	0.04	8	450	2	0.01	<2	3	30
DD016506		<10	<1	0.06	10	0.29	390	1	0.04	7	320	3	0.01	<2	5	36
DD016507		<10	<1	0.05	10	0.35	445	1	0.05	11	220	4	0.01	<2	9	45
DD016508		10	<1	0.09	10	0.56	425	<1	0.05	16	490	5	0.02	<2	5	43
DD016509		10	<1	0.12	<10	0.42	229	1	0.04	7	500	4	0.02	<2	3	39
DD016510		10	<1	0.10	10	0.46	325	<1	0.03	14	240	5	0.01	<2	5	25
DD016511		10	<1	0.10	<10	0.37	268	1	0.03	9	810	5	0.01	<2	3	28
DD016512		<10	<1	0.08	<10	0.25	230	<1	0.04	7	300	3	0.01	<2	3	27
DD016513		<10	<1	0.10	10	0.34	389	<1	0.03	14	200	5	0.01	<2	3	26
DD016514		10	<1	0.11	10	0.51	693	<1	0.05	11	290	5	0.01	<2	6	44
DD016515		<10	<1	0.07	10	0.49	442	<1	0.04	12	390	5	0.02	<2	5	46
DD016516		10	<1	0.12	10	0.46	291	<1	0.03	12	280	4	0.01	<2	4	33
DD016517		10	<1	0.09	10	0.36	673	1	0.04	15	310	8	0.02	<2	6	61
DD016518		<10	<1	0.08	10	0.42	284	<1	0.05	18	430	4	0.02	<2	5	66
DD016519		<10	<1	0.05	10	0.22	228	<1	0.05	9	700	2	0.18	<2	3	66
DD016520		<10	<1	0.07	10	0.80	572	1	0.04	13	760	4	0.18	<2	6	282
DD016521		<10	<1	0.06	10	0.47	189	<1	0.05	10	640	3	0.17	<2	5	133
DD016522		<10	<1	0.06	10	0.45	527	<1	0.04	20	340	6	0.03	<2	5	57
DD016523		<10	<1	0.05	10	0.33	193	<1	0.02	9	120	5	0.01	<2	3	29
DD016524		<10	<1	0.06	10	0.28	235	<1	0.02	8	160	4	0.01	<2	3	33
DD016525		<10	<1	0.11	10	0.52	286	<1	0.03	14	180	4	0.01	<2	7	34
DD016526		<10	<1	0.07	10	0.34	491	<1	0.03	12	240	6	0.01	<2	7	51
DD016527		<10	<1	0.08	10	0.35	323	1	0.04	9	200	45	0.01	<2	5	34
DD016528		<10	<1	0.10	10	0.44	411	<1	0.02	12	340	5	0.01	<2	6	57
DD016529		10	<1	0.04	10	0.41	201	<1	0.02	12	160	3	0.01	<2	3	22
DD016530		<10	<1	0.03	10	0.41	408	<1	0.04	11	160	4	0.01	<2	4	18
DD016531		10	<1	0.06	10	0.36	337	<1	0.03	9	270	3	0.01	<2	9	19
DD016532		10	<1	0.07	<10	1.77	1790	<1	0.04	23	600	2	0.02	<2	25	48
DD016533		10	<1	0.07	10	0.92	548	<1	0.04	12	170	3	0.01	<2	16	36
DD016534		<10	<1	0.06	10	0.40	195	<1	0.02	9	100	5	0.01	<2	5	32
DD016535		<10	<1	0.06	10	0.33	483	<1	0.03	9	330	5	0.01	<2	6	61
DD016536		<10	<1	0.04	<10	0.75	367	<1	0.06	16	210	<2	0.01	<2	8	45
DD016537		10	<1	0.04	<10	0.71	336	<1	0.03	19	180	3	0.01	<2	8	25
DD016538		10	<1	0.04	<10	1.49	831	<1	0.10	40	140	2	0.01	<2	21	39
DD016539		<10	<1	0.09	10	0.40	256	<1	0.05	10	730	3	0.03	<2	3	42
DD016540		<10	<1	0.06	<10	0.30	348	<1	0.04	7	520	3	0.04	<2	2	53



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 5 - C
Total # Pages: 6 (A - C)
Plus Appendix Pages
Finalized Date: 3- OCT- 2011
Account: MTT

Project: KING

CERTIFICATE OF ANALYSIS WH11163815

Sample Description	Method Analyte Units LOR	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41
		Th	Ti	Ti	U	V	W	Zn
		ppm 20	% 0.01	ppm 10	ppm 10	ppm 1	ppm 10	ppm 2
DD016501		<20	0.04	<10	<10	58	<10	33
DD016502		<20	0.07	<10	<10	45	<10	29
DD016503		<20	0.06	<10	<10	43	<10	30
DD016504		<20	0.10	<10	<10	61	<10	35
DD016505		<20	0.06	<10	<10	61	<10	24
DD016506		<20	0.03	<10	<10	58	<10	24
DD016507		<20	0.04	<10	<10	88	<10	33
DD016508		<20	0.10	<10	<10	58	<10	47
DD016509		<20	0.06	<10	<10	59	<10	39
DD016510		<20	0.09	<10	<10	58	<10	43
DD016511		<20	0.06	<10	<10	60	<10	52
DD016512		<20	0.04	<10	<10	47	<10	25
DD016513		<20	0.09	<10	<10	55	<10	33
DD016514		<20	0.09	<10	<10	61	<10	30
DD016515		<20	0.08	<10	<10	52	<10	35
DD016516		<20	0.11	<10	<10	52	<10	35
DD016517		<20	0.04	<10	<10	65	<10	40
DD016518		<20	0.06	<10	<10	49	<10	41
DD016519		<20	0.02	<10	<10	32	<10	26
DD016520		<20	0.07	<10	<10	57	<10	53
DD016521		<20	0.04	<10	<10	41	<10	49
DD016522		<20	0.05	<10	<10	64	<10	34
DD016523		<20	0.06	<10	<10	52	<10	27
DD016524		<20	0.05	<10	<10	47	<10	26
DD016525		<20	0.10	<10	<10	54	<10	35
DD016526		<20	0.03	<10	<10	57	<10	34
DD016527		<20	0.05	<10	<10	51	<10	27
DD016528		<20	0.05	<10	<10	59	<10	38
DD016529		<20	0.10	<10	<10	69	<10	43
DD016530		<20	0.08	<10	<10	61	<10	40
DD016531		<20	0.09	<10	<10	111	<10	33
DD016532		<20	0.08	<10	<10	152	<10	69
DD016533		<20	0.02	<10	<10	131	<10	47
DD016534		<20	0.05	<10	<10	65	<10	31
DD016535		<20	0.03	<10	<10	54	<10	36
DD016536		<20	0.08	<10	<10	70	<10	31
DD016537		<20	0.09	<10	<10	79	<10	44
DD016538		<20	0.08	<10	<10	125	<10	48
DD016539		<20	0.07	<10	<10	40	<10	30
DD016540		<20	0.05	<10	<10	34	<10	24



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 6 - A
Total # Pages: 6 (A - C)
Plus Appendix Pages
Finalized Date: 3- OCT- 2011
Account: MTT

Project: KING

CERTIFICATE OF ANALYSIS WH11163815

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg	Au- ICP21 Au ppm	ME- ICP41 Ag ppm	ME- ICP41 Al %	ME- ICP41 As ppm	ME- ICP41 B ppm	ME- ICP41 Ba ppm	ME- ICP41 Be ppm	ME- ICP41 Bi ppm	ME- ICP41 Ca %	ME- ICP41 Cd ppm	ME- ICP41 Co ppm	ME- ICP41 Cr ppm	ME- ICP41 Cu ppm	ME- ICP41 Fe %
		0.02	0.001	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
DD016541		0.18	0.014	<0.2	2.08	3	<10	160	<0.5	<2	2.91	<0.5	13	15	126	2.80
DD016542		0.20	<0.001	<0.2	1.40	4	<10	100	<0.5	<2	0.37	<0.5	8	22	15	2.05
DD016543		0.28	<0.001	<0.2	1.76	4	<10	170	<0.5	<2	0.74	<0.5	11	32	37	2.72
DD016544		0.20	<0.001	<0.2	0.65	4	<10	70	<0.5	<2	1.21	<0.5	8	10	53	1.47
DD016545		0.18	0.002	<0.2	1.84	7	<10	150	<0.5	<2	1.68	<0.5	13	20	68	3.13
DD016546		0.18	<0.001	<0.2	1.59	4	<10	50	<0.5	<2	0.30	<0.5	8	26	35	2.19
DD016547		0.24	<0.001	<0.2	1.64	5	<10	60	<0.5	<2	0.35	<0.5	8	29	30	2.39
DD016548		0.22	0.001	<0.2	1.90	5	<10	50	<0.5	<2	0.33	<0.5	12	28	58	2.89
DD016549		0.18	<0.001	<0.2	1.69	2	<10	80	<0.5	<2	0.34	<0.5	10	21	26	2.68
DD016550		0.22	0.002	<0.2	1.10	6	<10	150	<0.5	<2	0.34	<0.5	8	12	27	1.86
DD016551		0.30	0.002	<0.2	0.87	7	<10	90	<0.5	<2	0.59	<0.5	7	13	21	2.16
DD016552		0.26	0.001	<0.2	0.88	7	<10	100	<0.5	<2	0.56	<0.5	9	15	25	2.37
DD016553		0.28	<0.001	<0.2	1.47	7	<10	130	<0.5	<2	0.42	<0.5	9	21	23	2.59
DD016554		0.30	0.004	<0.2	1.43	6	<10	200	<0.5	<2	0.45	<0.5	10	19	21	2.40
DD016555		0.34	0.001	<0.2	1.47	8	<10	120	<0.5	2	0.72	<0.5	7	16	29	2.46
DD016556		0.36	0.001	<0.2	1.28	7	<10	110	<0.5	<2	0.37	<0.5	10	18	26	2.98
DD016557		0.22	0.003	<0.2	1.50	9	<10	130	<0.5	2	0.46	<0.5	8	20	18	2.41
DD016558		0.30	0.002	<0.2	1.37	5	<10	130	<0.5	<2	0.38	<0.5	8	16	16	2.64
DD016559		0.26	0.001	<0.2	1.65	9	<10	160	<0.5	<2	0.42	<0.5	9	21	24	3.26
DD016560		0.26	<0.001	<0.2	1.52	7	<10	170	<0.5	2	0.43	<0.5	10	19	19	2.60
DD016561		0.30	<0.001	<0.2	1.43	8	<10	140	<0.5	<2	0.42	<0.5	8	21	15	2.41
DD016562		0.44	0.001	<0.2	1.19	7	<10	140	<0.5	<2	0.98	<0.5	7	19	15	2.08
DD016563		0.30	<0.001	<0.2	1.43	7	<10	100	<0.5	<2	0.40	<0.5	6	23	13	2.23
DD016564		0.20	<0.001	<0.2	1.97	5	<10	270	<0.5	<2	0.59	<0.5	11	11	22	3.66
DD016565		0.38	<0.001	<0.2	1.40	6	<10	70	<0.5	<2	0.34	<0.5	5	20	23	1.92
DD016566		0.22	<0.001	<0.2	0.28	<2	<10	20	<0.5	<2	0.09	<0.5	1	<1	4	0.42
DD016567		0.24	<0.001	<0.2	2.59	5	<10	110	<0.5	<2	0.74	<0.5	17	32	106	4.11
DD016568		0.22	<0.001	<0.2	2.54	8	<10	100	<0.5	<2	0.65	<0.5	19	31	93	4.37
DD016569		0.18	<0.001	<0.2	1.83	4	<10	60	<0.5	<2	0.37	<0.5	7	23	35	2.69
DD016570		0.26	<0.001	<0.2	1.45	6	<10	140	<0.5	<2	0.71	<0.5	9	21	35	2.32
DD016571		0.26	0.001	<0.2	1.59	7	<10	220	0.5	<2	0.92	<0.5	10	25	57	2.44



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 6 - B
Total # Pages: 6 (A - C)
Plus Appendix Pages
Finalized Date: 3- OCT- 2011
Account: MTT

Project: KING

CERTIFICATE OF ANALYSIS WH11163815

Sample Description	Method Analyte Units LOR	ME- ICP41 Ga ppm 10	ME- ICP41 Hg ppm 1	ME- ICP41 K % 0.01	ME- ICP41 La ppm 10	ME- ICP41 Mg % 0.01	ME- ICP41 Mn ppm 5	ME- ICP41 Mo ppm 1	ME- ICP41 Na % 0.01	ME- ICP41 Ni ppm 1	ME- ICP41 P ppm 10	ME- ICP41 Pb ppm 2	ME- ICP41 S % 0.01	ME- ICP41 Sb ppm 2	ME- ICP41 Sc ppm 1	ME- ICP41 Sr ppm 1
DD016541		<10	<1	0.11	<10	1.04	650	<1	0.05	11	540	<2	0.08	<2	9	103
DD016542		<10	<1	0.04	10	0.42	250	<1	0.02	10	150	3	<0.01	<2	3	23
DD016543		10	<1	0.07	10	0.72	531	<1	0.04	18	220	6	0.01	<2	7	38
DD016544		<10	<1	0.06	<10	0.30	341	<1	0.05	7	490	2	0.04	<2	4	38
DD016545		10	<1	0.16	10	0.65	560	<1	0.04	11	370	4	0.01	<2	9	67
DD016546		<10	<1	0.03	10	0.46	178	<1	0.04	12	110	3	0.01	<2	5	20
DD016547		<10	<1	0.05	10	0.58	204	<1	0.04	13	170	4	0.01	<2	4	19
DD016548		10	<1	0.03	10	0.55	331	<1	0.04	14	110	3	0.01	<2	7	29
DD016549		10	<1	0.03	<10	0.40	266	<1	0.04	12	190	3	0.01	<2	3	22
DD016550		<10	<1	0.06	<10	0.26	430	<1	0.04	7	320	3	0.01	<2	3	34
DD016551		<10	<1	0.06	10	0.30	331	<1	0.03	8	580	4	0.02	<2	4	47
DD016552		<10	<1	0.05	10	0.31	366	<1	0.03	9	570	5	0.02	<2	4	45
DD016553		<10	<1	0.11	10	0.33	381	<1	0.02	10	300	4	0.01	<2	6	43
DD016554		<10	<1	0.10	<10	0.38	476	<1	0.02	9	310	4	0.01	<2	3	31
DD016555		<10	<1	0.18	10	0.40	291	1	0.05	16	180	9	0.01	<2	6	48
DD016556		<10	<1	0.08	<10	0.32	312	<1	0.03	11	250	4	<0.01	<2	5	34
DD016557		<10	<1	0.09	10	0.38	327	1	0.03	12	170	5	<0.01	<2	4	34
DD016558		<10	<1	0.06	<10	0.30	350	1	0.03	10	300	5	<0.01	<2	4	32
DD016559		<10	<1	0.09	<10	0.34	422	1	0.03	12	220	5	0.01	<2	6	42
DD016560		<10	<1	0.10	10	0.35	710	1	0.02	12	390	5	0.01	<2	5	38
DD016561		<10	<1	0.17	10	0.37	410	<1	0.03	13	280	4	<0.01	<2	5	29
DD016562		<10	<1	0.10	10	0.43	315	<1	0.04	14	450	4	0.01	<2	4	45
DD016563		<10	<1	0.09	10	0.44	244	<1	0.03	12	240	4	0.01	<2	5	25
DD016564		10	<1	0.10	10	0.52	875	<1	0.03	11	210	2	0.01	2	5	22
DD016565		<10	<1	0.04	10	0.37	156	<1	0.03	11	170	4	0.01	<2	3	18
DD016566		<10	<1	0.03	<10	0.06	26	<1	0.04	2	290	<2	0.01	<2	<1	11
DD016567		10	<1	0.05	10	0.62	531	<1	0.05	20	250	3	0.01	<2	11	58
DD016568		10	<1	0.07	10	0.62	774	<1	0.05	19	230	3	0.01	<2	11	47
DD016569		10	<1	0.03	10	0.43	189	<1	0.03	13	140	4	0.01	<2	3	23
DD016570		<10	<1	0.06	10	0.44	636	<1	0.03	13	350	4	0.01	<2	5	32
DD016571		<10	1	0.06	10	0.50	828	<1	0.04	21	580	5	0.01	<2	6	47



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 6 - C
Total # Pages: 6 (A - C)
Plus Appendix Pages
Finalized Date: 3- OCT- 2011
Account: MTT

Project: KING

CERTIFICATE OF ANALYSIS WH11163815

Sample Description	Method Analyte Units LOR	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41
		Th	Ti	Ti	U	V	W	Zn
		ppm 20	% 0.01	ppm 10	ppm 10	ppm 1	ppm 10	ppm 2
DD016541		<20	0.04	<10	<10	67	<10	79
DD016542		<20	0.08	<10	<10	55	<10	28
DD016543		<20	0.11	<10	<10	63	<10	42
DD016544		<20	0.03	<10	<10	33	<10	22
DD016545		<20	0.05	<10	<10	71	<10	42
DD016546		<20	0.08	<10	<10	58	<10	29
DD016547		<20	0.10	<10	<10	64	<10	37
DD016548		<20	0.10	<10	<10	76	<10	42
DD016549		<20	0.08	<10	<10	75	<10	51
DD016550		<20	0.05	<10	<10	44	<10	24
DD016551		<20	0.04	<10	<10	49	<10	38
DD016552		<20	0.04	<10	<10	57	<10	41
DD016553		<20	0.04	<10	<10	62	<10	39
DD016554		<20	0.06	<10	<10	58	<10	44
DD016555		<20	0.05	<10	<10	53	<10	42
DD016556		<20	0.05	<10	<10	77	<10	33
DD016557		<20	0.07	<10	<10	59	<10	34
DD016558		<20	0.05	<10	<10	61	<10	32
DD016559		<20	0.04	<10	<10	67	<10	32
DD016560		<20	0.06	<10	<10	59	<10	50
DD016561		<20	0.09	<10	<10	57	<10	35
DD016562		<20	0.08	<10	<10	48	<10	39
DD016563		<20	0.09	<10	<10	51	<10	30
DD016564		<20	0.01	<10	<10	46	<10	30
DD016565		<20	0.08	<10	<10	47	<10	26
DD016566		<20	0.02	<10	<10	11	<10	7
DD016567		<20	0.09	<10	<10	92	<10	38
DD016568		<20	0.11	<10	<10	97	<10	47
DD016569		<20	0.09	<10	<10	75	<10	36
DD016570		<20	0.08	<10	<10	48	<10	43
DD016571		<20	0.09	<10	<10	50	<10	69



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: KING

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 3- OCT- 2011
Account: MTT

CERTIFICATE OF ANALYSIS WH11163815

Method	CERTIFICATE COMMENTS
ALL METHODS	NSS is non- sufficient sample.



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**

C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

**1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8**

Page: 1
Finalized Date: 1- OCT- 2011
Account: MTT

CERTIFICATE WH11163816

Project: KING

P.O. No.:

This report is for 87 Soil samples submitted to our lab in Whitehorse, YT, Canada on 18- AUG- 2011.

The following have access to data associated with this certificate:

MATT DUMALA
JOAN MARIACHER

DOUG EATON
BRUCE YOUNGMAN

SARAH EATON

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
SCR- 41	Screen to - 180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- ICP21	Au 30g FA ICP- AES Finish	ICP- AES
ME- ICP41	35 Element Aqua Regia ICP- AES	ICP- AES

To: **STRATEGIC METALS LTD.**
ATTN: JOAN MARIACHER
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - A
Total # Pages: 4 (A - C)
Finalized Date: 1- OCT- 2011
Account: MTT

Project: KING

CERTIFICATE OF ANALYSIS WH11163816

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg	Au- ICP21 Au ppm	ME- ICP41 Ag ppm	ME- ICP41 Al %	ME- ICP41 As ppm	ME- ICP41 B ppm	ME- ICP41 Ba ppm	ME- ICP41 Be ppm	ME- ICP41 Bi ppm	ME- ICP41 Ca %	ME- ICP41 Cd ppm	ME- ICP41 Co ppm	ME- ICP41 Cr ppm	ME- ICP41 Cu ppm	ME- ICP41 Fe %
		0.02	0.001	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
DD016763		0.18	0.001	<0.2	0.83	14	<10	100	<0.5	<2	0.85	<0.5	8	14	27	2.27
DD016764		0.16	0.001	<0.2	0.66	11	<10	100	<0.5	3	0.83	<0.5	6	13	31	2.35
DD016765		0.14	0.006	<0.2	1.16	12	<10	120	<0.5	<2	1.33	<0.5	8	17	57	1.93
DD016766		0.18	<0.001	<0.2	0.64	7	<10	80	<0.5	<2	0.58	<0.5	5	9	17	1.61
DD016767		0.16	<0.001	<0.2	1.60	18	<10	130	<0.5	<2	0.94	<0.5	12	14	58	3.07
DD016768		0.20	0.001	<0.2	1.30	19	<10	130	<0.5	<2	0.51	<0.5	9	14	26	2.42
DD016769		0.30	0.002	<0.2	1.75	12	<10	150	<0.5	<2	0.76	<0.5	8	21	26	2.66
DD016770		0.24	0.005	<0.2	2.43	25	<10	200	<0.5	<2	0.59	<0.5	17	22	44	4.29
DD016771		0.26	<0.001	<0.2	1.54	21	<10	110	<0.5	<2	0.68	<0.5	8	17	31	2.83
DD016772		0.32	<0.001	<0.2	1.44	49	<10	110	<0.5	<2	0.69	<0.5	9	15	49	2.84
DD016773		0.30	0.001	<0.2	0.93	41	<10	90	<0.5	<2	1.05	<0.5	9	12	37	2.20
DD016774		0.46	0.005	<0.2	1.47	58	<10	140	<0.5	<2	0.94	<0.5	10	23	56	3.05
DD016775		0.30	<0.001	<0.2	1.84	44	<10	140	<0.5	<2	0.60	<0.5	11	25	36	3.25
DD016776		0.34	0.002	<0.2	1.23	79	<10	90	<0.5	2	0.91	<0.5	10	23	61	2.86
DD016777		0.28	<0.001	<0.2	1.12	56	<10	120	<0.5	2	0.59	<0.5	8	16	36	2.13
DD016778		0.26	<0.001	<0.2	1.44	21	<10	70	<0.5	3	0.41	<0.5	6	23	53	2.08
DD016779		0.32	0.002	<0.2	1.81	256	<10	110	<0.5	<2	0.70	<0.5	16	26	98	4.87
DD016780		0.26	<0.001	<0.2	1.44	24	<10	150	<0.5	<2	0.46	<0.5	10	25	20	2.42
DD016781		0.24	0.010	<0.2	1.94	176	<10	140	<0.5	<2	0.53	<0.5	14	21	59	4.21
DD016782		0.26	0.004	<0.2	1.55	11	<10	70	<0.5	3	0.69	<0.5	13	37	80	3.30
DD016783		0.30	0.002	<0.2	1.51	52	<10	100	<0.5	2	0.73	<0.5	8	23	56	3.08
DD016784		0.24	<0.001	<0.2	1.89	25	<10	170	<0.5	<2	0.43	<0.5	9	23	23	2.83
DD016785		0.28	0.001	<0.2	1.76	10	<10	130	0.5	2	0.43	<0.5	9	23	28	3.05
DD016786		0.24	<0.001	<0.2	1.63	14	<10	110	<0.5	2	0.39	<0.5	8	23	22	2.87
DD016787		0.26	0.002	<0.2	1.37	16	<10	140	<0.5	2	1.07	<0.5	10	24	52	2.30
DD016788		0.32	<0.001	<0.2	2.21	19	<10	70	0.5	2	0.50	<0.5	12	32	36	3.35
DD016789		0.22	0.002	<0.2	1.55	39	<10	110	<0.5	2	0.85	<0.5	11	22	74	3.24
DD016790		0.26	0.002	<0.2	1.57	12	<10	170	<0.5	2	0.76	<0.5	10	27	52	2.52
DD016791		0.24	<0.001	<0.2	1.57	13	<10	170	<0.5	<2	0.61	<0.5	9	28	31	2.42
DD016792		0.24	<0.001	<0.2	1.71	22	<10	120	<0.5	2	0.36	<0.5	8	23	22	2.91
DD016793		0.26	<0.001	<0.2	1.72	21	<10	180	<0.5	<2	0.64	<0.5	9	26	24	2.63
DD016794		0.24	0.002	<0.2	1.48	18	<10	190	<0.5	3	0.50	<0.5	9	22	34	2.97
DD016795		0.22	<0.001	<0.2	1.40	30	<10	100	<0.5	2	0.35	<0.5	8	18	23	2.73
DD016796		0.32	0.003	<0.2	1.61	50	<10	100	<0.5	<2	0.62	<0.5	11	23	88	3.81
DD016797		0.28	0.001	<0.2	2.62	86	<10	100	0.5	3	0.33	<0.5	19	23	110	5.69
DD016798		0.26	0.001	<0.2	1.84	21	<10	190	0.6	2	0.72	<0.5	10	27	38	2.73
DD016799		0.32	0.002	<0.2	1.29	23	<10	160	<0.5	<2	0.92	<0.5	7	20	31	2.14
DD016800		0.28	0.004	<0.2	1.38	50	<10	150	<0.5	<2	0.96	<0.5	10	25	43	2.46
DD016801		0.28	0.009	<0.2	1.86	10	<10	180	<0.5	2	0.47	<0.5	11	24	23	3.10
DD016802		0.28	0.016	<0.2	2.03	19	<10	240	<0.5	<2	0.51	<0.5	15	21	49	4.18



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - B
Total # Pages: 4 (A - C)
Finalized Date: 1- OCT- 2011
Account: MTT

Project: KING

CERTIFICATE OF ANALYSIS WH11163816

Sample Description	Method Analyte Units LOR	ME- ICP41 Ga ppm 10	ME- ICP41 Hg ppm 1	ME- ICP41 K % 0.01	ME- ICP41 La ppm 10	ME- ICP41 Mg % 0.01	ME- ICP41 Mn ppm 5	ME- ICP41 Mo ppm 1	ME- ICP41 Na % 0.01	ME- ICP41 Ni ppm 1	ME- ICP41 P ppm 10	ME- ICP41 Pb ppm 2	ME- ICP41 S % 0.01	ME- ICP41 Sb ppm 2	ME- ICP41 Sc ppm 1	ME- ICP41 Sr ppm 1
DD016763		<10	<1	0.06	10	0.37	597	<1	0.04	11	650	5	0.03	<2	4	59
DD016764		<10	<1	0.06	10	0.37	344	<1	0.04	17	660	6	0.02	<2	4	50
DD016765		<10	<1	0.09	10	0.50	195	<1	0.05	16	700	7	0.08	<2	7	71
DD016766		<10	<1	0.05	10	0.29	191	<1	0.05	9	580	4	0.01	<2	3	43
DD016767		<10	<1	0.05	10	0.43	574	<1	0.05	11	350	7	0.02	<2	8	46
DD016768		<10	<1	0.09	<10	0.36	340	<1	0.05	10	370	3	0.01	<2	4	33
DD016769		10	<1	0.09	10	0.56	329	<1	0.04	12	320	3	0.01	<2	6	41
DD016770		10	<1	0.08	10	0.66	734	1	0.04	14	260	3	0.01	<2	10	42
DD016771		<10	<1	0.05	<10	0.43	242	1	0.03	11	250	7	0.02	<2	4	38
DD016772		10	<1	0.04	10	0.37	367	1	0.03	11	310	3	0.01	<2	5	41
DD016773		<10	<1	0.06	<10	0.37	445	1	0.04	10	590	4	0.04	<2	5	51
DD016774		<10	<1	0.08	10	0.59	386	1	0.04	19	340	6	0.02	<2	7	58
DD016775		10	<1	0.08	10	0.55	404	1	0.03	16	310	7	0.01	<2	7	46
DD016776		<10	<1	0.07	10	0.62	429	1	0.05	21	640	4	0.02	2	7	49
DD016777		<10	<1	0.04	10	0.39	518	<1	0.05	12	360	3	0.02	<2	4	34
DD016778		<10	<1	0.07	10	0.41	157	<1	0.03	13	150	4	<0.01	<2	4	22
DD016779		10	<1	0.04	10	0.55	695	1	0.04	19	300	3	0.01	<2	13	44
DD016780		<10	<1	0.11	10	0.41	559	<1	0.03	15	200	4	<0.01	<2	5	29
DD016781		10	<1	0.05	<10	0.57	509	2	0.03	16	340	4	0.01	2	8	40
DD016782		<10	<1	0.08	10	0.74	504	1	0.03	28	240	8	0.01	<2	9	32
DD016783		<10	<1	0.05	10	0.48	371	1	0.03	15	240	5	0.01	<2	8	47
DD016784		10	<1	0.06	10	0.39	429	1	0.02	14	390	5	<0.01	<2	4	36
DD016785		10	<1	0.05	10	0.41	268	1	0.03	16	210	8	<0.01	<2	5	35
DD016786		10	<1	0.03	10	0.36	341	1	0.02	12	210	6	<0.01	<2	4	26
DD016787		<10	<1	0.06	10	0.51	492	<1	0.03	14	890	4	0.04	<2	5	53
DD016788		10	<1	0.03	10	0.49	484	<1	0.02	17	140	7	0.01	<2	7	30
DD016789		<10	<1	0.05	10	0.59	598	<1	0.04	14	350	5	0.01	<2	8	48
DD016790		<10	<1	0.05	10	0.52	467	<1	0.03	16	570	4	0.01	<2	6	40
DD016791		<10	<1	0.05	10	0.49	420	<1	0.03	14	330	4	0.01	<2	6	37
DD016792		10	<1	0.05	10	0.44	229	1	0.02	11	190	5	<0.01	<2	4	29
DD016793		10	<1	0.07	10	0.55	612	<1	0.03	13	600	5	0.01	<2	5	40
DD016794		<10	<1	0.05	10	0.41	551	<1	0.03	14	400	5	0.01	<2	6	56
DD016795		<10	<1	0.08	<10	0.33	292	1	0.02	9	310	3	<0.01	2	4	27
DD016796		<10	<1	0.08	10	0.47	488	<1	0.03	14	420	5	<0.01	<2	11	47
DD016797		10	<1	0.06	10	0.50	1140	<1	0.03	14	340	4	0.01	<2	13	27
DD016798		10	<1	0.07	10	0.47	799	<1	0.04	20	250	6	0.01	2	7	41
DD016799		<10	<1	0.07	10	0.43	442	<1	0.04	13	520	5	0.01	<2	4	50
DD016800		<10	<1	0.08	10	0.50	417	<1	0.03	19	610	5	0.02	<2	5	60
DD016801		10	<1	0.09	10	0.41	421	<1	0.03	13	250	5	<0.01	<2	6	30
DD016802		10	<1	0.11	10	0.51	868	<1	0.03	13	610	5	<0.01	<2	8	46



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
 C/ O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016- 510 W HASTINGS ST
 VANCOUVER BC V6B 1L8

Page: 2 - C
 Total # Pages: 4 (A - C)
 Finalized Date: 1- OCT- 2011
 Account: MTT

Project: KING

CERTIFICATE OF ANALYSIS WH11163816

Sample Description	Method Analyte Units LOR	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41
		Th	Ti	Ti	U	V	W	Zn
		ppm 20	% 0.01	ppm 10	ppm 10	ppm 1	ppm 10	ppm 2
DD016763		<20	0.05	<10	<10	51	<10	35
DD016764		<20	0.06	<10	<10	58	<10	40
DD016765		<20	0.05	<10	<10	53	<10	52
DD016766		<20	0.05	<10	<10	36	<10	30
DD016767		<20	0.03	<10	<10	67	<10	37
DD016768		<20	0.06	<10	<10	55	<10	37
DD016769		<20	0.06	<10	<10	61	<10	40
DD016770		<20	0.04	<10	<10	93	<10	42
DD016771		<20	0.04	<10	<10	65	<10	46
DD016772		<20	0.06	<10	<10	72	<10	38
DD016773		<20	0.05	<10	<10	53	<10	46
DD016774		<20	0.07	<10	<10	66	<10	54
DD016775		<20	0.07	<10	<10	70	<10	54
DD016776		<20	0.06	<10	<10	62	<10	49
DD016777		<20	0.05	<10	<10	48	<10	31
DD016778		<20	0.09	<10	<10	54	<10	30
DD016779		<20	0.06	<10	<10	105	<10	56
DD016780		<20	0.10	<10	<10	58	<10	52
DD016781		<20	0.06	<10	<10	99	<10	52
DD016782		<20	0.08	<10	<10	71	<10	48
DD016783		<20	0.06	<10	<10	67	<10	41
DD016784		<20	0.06	<10	<10	71	<10	50
DD016785		<20	0.03	<10	<10	60	<10	40
DD016786		<20	0.05	<10	<10	69	<10	38
DD016787		<20	0.06	<10	<10	51	<10	46
DD016788		<20	0.08	<10	<10	79	<10	50
DD016789		<20	0.06	<10	<10	73	<10	46
DD016790		<20	0.08	<10	<10	59	<10	49
DD016791		<20	0.09	<10	<10	55	<10	43
DD016792		<20	0.04	<10	<10	71	<10	37
DD016793		<20	0.08	<10	<10	60	<10	46
DD016794		<20	0.05	<10	<10	63	<10	37
DD016795		<20	0.06	<10	<10	71	<10	37
DD016796		<20	0.04	<10	<10	82	<10	41
DD016797		<20	0.05	<10	<10	141	<10	80
DD016798		<20	0.07	<10	<10	62	<10	57
DD016799		<20	0.06	<10	<10	48	<10	40
DD016800		<20	0.06	<10	<10	53	<10	46
DD016801		<20	0.06	<10	<10	70	<10	51
DD016802		<20	0.03	<10	<10	91	<10	44



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 3 - A
Total # Pages: 4 (A - C)
Finalized Date: 1- OCT- 2011
Account: MTT

Project: KING

CERTIFICATE OF ANALYSIS WH11163816

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg	Au- ICP21 Au ppm	ME- ICP41 Ag ppm	ME- ICP41 Al %	ME- ICP41 As ppm	ME- ICP41 B ppm	ME- ICP41 Ba ppm	ME- ICP41 Be ppm	ME- ICP41 Bi ppm	ME- ICP41 Ca %	ME- ICP41 Cd ppm	ME- ICP41 Co ppm	ME- ICP41 Cr ppm	ME- ICP41 Cu ppm	ME- ICP41 Fe %
		0.02	0.001	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
DD016803		0.20	0.006	0.2	2.15	53	<10	120	<0.5	2	0.40	<0.5	10	26	29	3.41
DD016804		0.32	0.004	<0.2	1.46	18	<10	160	<0.5	2	0.43	<0.5	10	19	33	3.35
DD016805		0.28	<0.001	<0.2	1.62	50	<10	160	<0.5	2	0.63	<0.5	10	27	29	2.80
DD016806		0.24	0.003	<0.2	0.83	11	<10	100	<0.5	2	0.77	<0.5	7	16	45	2.22
DD016807		0.28	0.003	<0.2	1.33	7	<10	150	<0.5	2	0.96	<0.5	9	25	29	2.23
DD016808		0.34	0.001	<0.2	1.61	8	<10	200	<0.5	<2	0.80	<0.5	9	23	35	2.39
DD016809		0.20	0.003	<0.2	1.06	8	<10	160	<0.5	<2	1.57	<0.5	8	17	61	1.81
DD016810		0.28	0.003	<0.2	1.47	9	<10	120	<0.5	<2	0.57	<0.5	8	26	19	2.27
DD016811		0.26	<0.001	<0.2	1.49	5	<10	160	<0.5	<2	0.63	<0.5	8	26	16	2.25
DD016812		0.14	0.001	<0.2	1.15	2	<10	90	<0.5	<2	0.35	<0.5	5	17	18	2.03
DD016813		0.22	<0.001	<0.2	1.17	3	<10	70	<0.5	2	0.31	<0.5	5	18	11	1.92
DD016814		0.34	0.003	<0.2	1.47	10	<10	150	<0.5	2	0.62	<0.5	8	28	31	2.39
DD016815		0.28	0.001	<0.2	1.92	10	<10	80	<0.5	2	0.36	<0.5	8	26	24	2.67
DD016816		0.28	0.001	<0.2	1.46	5	<10	90	<0.5	<2	0.31	<0.5	6	25	17	2.16
DD016817		0.38	0.001	<0.2	1.46	8	<10	110	<0.5	<2	0.51	<0.5	7	24	19	2.17
DD016818		0.18	0.001	<0.2	1.30	9	<10	160	<0.5	<2	0.75	<0.5	10	20	52	2.13
DD016819		0.28	0.001	<0.2	1.56	10	<10	140	<0.5	2	0.50	<0.5	8	19	25	2.47
DD016820		0.26	0.002	<0.2	0.67	6	<10	70	<0.5	<2	0.22	<0.5	4	8	20	1.26
DD016821		0.28	0.004	<0.2	1.06	9	<10	190	<0.5	<2	0.58	<0.5	8	16	21	2.21
DD016822		0.32	0.001	<0.2	1.38	9	<10	100	<0.5	<2	0.30	<0.5	7	20	25	2.38
DD016823		0.28	0.003	<0.2	1.71	12	<10	110	0.5	<2	0.38	<0.5	10	25	26	2.88
DD016824		0.32	<0.001	<0.2	1.31	9	<10	90	<0.5	<2	0.31	<0.5	6	20	15	2.18
DD016825		0.40	0.001	<0.2	1.64	9	<10	100	<0.5	<2	0.35	<0.5	8	22	22	2.54
DD016826		0.34	0.001	0.2	1.28	6	<10	130	<0.5	<2	0.52	<0.5	6	16	26	2.01
DD016827		0.30	0.001	<0.2	1.21	8	<10	100	<0.5	<2	0.41	<0.5	7	21	16	2.03
DD016828		0.22	0.004	<0.2	1.27	9	<10	100	<0.5	<2	2.38	<0.5	8	19	43	2.12
DD016829		0.34	0.004	<0.2	1.34	10	<10	120	<0.5	<2	2.23	<0.5	8	19	48	2.52
DD016830		0.24	0.001	<0.2	1.50	10	<10	100	<0.5	<2	0.39	<0.5	9	22	24	2.76
DD016831		0.36	0.002	<0.2	1.42	6	<10	110	<0.5	<2	0.45	<0.5	8	23	19	2.41
DD016832		0.30	<0.001	<0.2	1.10	9	<10	80	<0.5	<2	0.32	<0.5	5	17	17	1.98
DD016833		0.28	<0.001	<0.2	1.17	7	<10	100	<0.5	<2	0.41	<0.5	7	19	13	1.94
DD016834		0.30	0.001	<0.2	1.45	7	<10	80	<0.5	<2	0.28	<0.5	7	21	14	2.43
DD016835		0.30	<0.001	<0.2	1.30	6	<10	100	<0.5	<2	0.38	<0.5	7	21	13	2.10
DD016836		0.40	0.005	<0.2	1.33	9	<10	70	<0.5	<2	0.24	<0.5	8	19	22	2.47
DD016837		0.30	0.001	<0.2	1.22	3	<10	130	<0.5	<2	0.33	<0.5	8	15	23	2.24
DD016838		0.18	0.002	<0.2	0.95	4	<10	70	<0.5	<2	0.25	<0.5	5	14	12	1.69
DD016839		0.30	0.003	<0.2	1.45	9	<10	100	<0.5	<2	0.41	<0.5	7	21	18	2.16
DD016840		0.28	0.001	<0.2	0.88	5	<10	120	<0.5	<2	0.38	<0.5	4	13	13	1.54
DD016841		0.28	0.001	<0.2	1.30	4	<10	170	<0.5	<2	0.69	<0.5	7	19	22	1.82
DD016842		0.28	0.001	<0.2	1.18	8	<10	80	<0.5	<2	0.28	<0.5	5	18	14	1.92



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 3 - B
Total # Pages: 4 (A - C)
Finalized Date: 1- OCT- 2011
Account: MTT

Project: KING

CERTIFICATE OF ANALYSIS WH11163816

Sample Description	Method Analyte Units LOR	ME- ICP41 Ga ppm 10	ME- ICP41 Hg ppm 1	ME- ICP41 K % 0.01	ME- ICP41 La ppm 10	ME- ICP41 Mg % 0.01	ME- ICP41 Mn ppm 5	ME- ICP41 Mo ppm 1	ME- ICP41 Na % 0.01	ME- ICP41 Ni ppm 1	ME- ICP41 P ppm 10	ME- ICP41 Pb ppm 2	ME- ICP41 S % 0.01	ME- ICP41 Sb ppm 2	ME- ICP41 Sc ppm 1	ME- ICP41 Sr ppm 1
DD016803		10	<1	0.11	<10	0.47	345	1	0.03	12	180	4	<0.01	<2	5	27
DD016804		<10	<1	0.06	10	0.36	410	<1	0.02	9	350	4	<0.01	<2	6	35
DD016805		10	<1	0.08	10	0.45	684	<1	0.03	14	210	4	<0.01	<2	5	36
DD016806		<10	<1	0.05	10	0.33	270	<1	0.04	11	600	3	0.02	<2	6	51
DD016807		<10	<1	0.09	10	0.50	340	1	0.03	15	860	5	0.02	<2	4	54
DD016808		10	<1	0.08	10	0.43	697	<1	0.03	14	320	6	0.01	<2	4	56
DD016809		<10	<1	0.06	10	0.36	664	<1	0.04	16	640	5	0.04	<2	3	84
DD016810		<10	<1	0.10	10	0.45	424	<1	0.03	15	350	6	<0.01	<2	4	37
DD016811		10	<1	0.09	10	0.42	448	<1	0.03	14	260	5	0.01	<2	4	37
DD016812		<10	<1	0.04	<10	0.30	127	1	0.03	9	140	5	<0.01	<2	2	29
DD016813		<10	<1	0.05	10	0.30	170	1	0.02	8	110	4	<0.01	<2	2	23
DD016814		<10	<1	0.11	10	0.51	313	<1	0.03	15	650	5	<0.01	<2	5	35
DD016815		10	<1	0.05	10	0.49	231	<1	0.02	12	230	6	<0.01	<2	4	28
DD016816		<10	<1	0.09	10	0.36	171	1	0.03	12	110	5	<0.01	<2	4	23
DD016817		<10	<1	0.09	10	0.40	254	<1	0.03	12	200	5	<0.01	<2	4	32
DD016818		<10	<1	0.07	10	0.41	862	1	0.04	22	470	11	0.01	<2	4	43
DD016819		10	<1	0.08	<10	0.45	295	1	0.03	13	290	7	<0.01	<2	4	35
DD016820		<10	<1	0.04	<10	0.16	121	<1	0.03	7	220	4	0.01	<2	2	21
DD016821		<10	<1	0.04	10	0.32	1080	1	0.03	15	630	5	0.01	<2	4	32
DD016822		<10	<1	0.09	10	0.38	202	1	0.02	13	270	5	<0.01	<2	4	26
DD016823		10	<1	0.16	10	0.47	312	1	0.03	17	210	8	<0.01	<2	6	30
DD016824		<10	<1	0.11	10	0.37	173	<1	0.02	12	230	5	<0.01	<2	3	23
DD016825		10	<1	0.09	10	0.45	217	<1	0.03	14	140	7	<0.01	<2	5	26
DD016826		<10	<1	0.06	10	0.36	377	<1	0.04	10	190	6	0.01	<2	3	39
DD016827		<10	<1	0.11	10	0.40	366	<1	0.04	13	350	4	<0.01	<2	4	30
DD016828		<10	<1	0.11	10	0.66	283	<1	0.05	16	520	5	0.04	<2	5	124
DD016829		<10	<1	0.10	10	0.77	415	<1	0.05	17	640	6	0.03	<2	5	104
DD016830		10	<1	0.16	10	0.49	346	1	0.03	14	330	6	<0.01	<2	5	29
DD016831		<10	<1	0.11	10	0.41	357	<1	0.02	15	370	7	<0.01	<2	4	32
DD016832		<10	<1	0.08	<10	0.31	144	1	0.02	14	140	5	<0.01	2	3	23
DD016833		<10	<1	0.08	10	0.35	408	<1	0.03	12	310	3	<0.01	<2	3	25
DD016834		10	<1	0.08	10	0.42	202	1	0.02	12	240	5	<0.01	<2	3	25
DD016835		<10	<1	0.12	10	0.36	215	<1	0.02	13	280	4	<0.01	<2	3	26
DD016836		<10	<1	0.10	10	0.40	245	1	0.03	13	170	7	<0.01	2	4	23
DD016837		<10	<1	0.05	10	0.28	384	1	0.03	8	240	4	<0.01	2	3	24
DD016838		<10	<1	0.08	<10	0.25	135	<1	0.03	9	210	4	<0.01	<2	2	19
DD016839		<10	<1	0.06	10	0.37	204	<1	0.03	12	220	5	<0.01	<2	4	30
DD016840		<10	<1	0.05	10	0.27	201	<1	0.04	9	400	2	<0.01	<2	3	28
DD016841		<10	<1	0.08	10	0.44	324	<1	0.04	11	650	4	0.01	<2	3	34
DD016842		<10	<1	0.06	<10	0.34	155	<1	0.03	11	140	3	<0.01	<2	3	20



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 3 - C
Total # Pages: 4 (A - C)
Finalized Date: 1- OCT- 2011
Account: MTT

Project: KING

CERTIFICATE OF ANALYSIS WH11163816

Sample Description	Method Analyte Units LOR	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41
		Th	Ti	Ti	U	V	W	Zn
		ppm 20	% 0.01	ppm 10	ppm 10	ppm 1	ppm 10	ppm 2
DD016803		<20	0.07	<10	<10	80	<10	40
DD016804		<20	0.03	<10	<10	79	<10	39
DD016805		<20	0.07	<10	<10	62	<10	46
DD016806		<20	0.04	<10	<10	50	<10	34
DD016807		<20	0.08	<10	<10	49	<10	48
DD016808		<20	0.07	<10	<10	54	<10	43
DD016809		<20	0.04	<10	<10	39	<10	41
DD016810		<20	0.09	<10	<10	51	<10	40
DD016811		<20	0.09	<10	<10	53	<10	59
DD016812		<20	0.05	<10	<10	53	<10	27
DD016813		<20	0.07	<10	<10	48	<10	27
DD016814		<20	0.10	<10	<10	54	<10	41
DD016815		<20	0.07	<10	<10	66	<10	46
DD016816		<20	0.09	<10	<10	50	<10	28
DD016817		<20	0.08	<10	<10	50	<10	40
DD016818		<20	0.06	<10	<10	45	<10	65
DD016819		<20	0.07	<10	<10	59	<10	49
DD016820		<20	0.03	<10	<10	29	<10	26
DD016821		<20	0.05	<10	<10	44	<10	38
DD016822		<20	0.07	<10	<10	51	<10	37
DD016823		<20	0.08	<10	<10	57	<10	45
DD016824		<20	0.08	<10	<10	50	<10	35
DD016825		<20	0.07	<10	<10	55	<10	35
DD016826		<20	0.05	<10	<10	44	<10	30
DD016827		<20	0.09	<10	<10	46	<10	43
DD016828		<20	0.06	<10	<10	44	<10	46
DD016829		<20	0.07	<10	<10	49	<10	60
DD016830		<20	0.08	<10	<10	54	<10	46
DD016831		<20	0.09	<10	<10	52	<10	73
DD016832		<20	0.07	<10	<10	48	<10	38
DD016833		<20	0.08	<10	<10	43	<10	37
DD016834		<20	0.07	<10	<10	54	<10	50
DD016835		<20	0.09	<10	<10	48	<10	42
DD016836		<20	0.07	<10	<10	49	<10	35
DD016837		<20	0.05	<10	<10	59	<10	30
DD016838		<20	0.06	<10	<10	41	<10	25
DD016839		<20	0.08	<10	<10	52	<10	36
DD016840		<20	0.06	<10	<10	34	<10	34
DD016841		<20	0.08	<10	<10	38	<10	58
DD016842		<20	0.08	<10	<10	46	<10	29



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
 C/ O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016- 510 W HASTINGS ST
 VANCOUVER BC V6B 1L8

Page: 4 - A
 Total # Pages: 4 (A - C)
 Finalized Date: 1- OCT- 2011
 Account: MTT

Project: KING

CERTIFICATE OF ANALYSIS WH11163816

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- ICP21 Au ppm 0.001	ME- ICP41 Ag ppm 0.2	ME- ICP41 Al % 0.01	ME- ICP41 As ppm 2	ME- ICP41 B ppm 10	ME- ICP41 Ba ppm 10	ME- ICP41 Be ppm 0.5	ME- ICP41 Bi ppm 2	ME- ICP41 Ca % 0.01	ME- ICP41 Cd ppm 0.5	ME- ICP41 Co ppm 1	ME- ICP41 Cr ppm 1	ME- ICP41 Cu ppm 1	ME- ICP41 Fe % 0.01
DD016843		0.34	0.003	<0.2	1.19	8	<10	130	<0.5	<2	0.61	<0.5	6	20	14	1.97
DD016844		0.20	<0.001	<0.2	1.43	30	<10	140	<0.5	2	0.31	<0.5	7	16	19	2.37
DD016845		0.28	0.002	<0.2	2.16	86	<10	100	<0.5	2	0.49	<0.5	14	28	52	4.16
DD016846		0.24	0.003	<0.2	1.39	37	<10	120	<0.5	<2	0.68	<0.5	9	21	37	2.71
DD016847		0.22	<0.001	<0.2	1.57	18	<10	130	<0.5	<2	0.55	<0.5	8	22	20	2.55
DD016848		0.22	0.001	<0.2	1.66	13	<10	120	<0.5	<2	0.44	<0.5	11	23	27	2.74
DD016849		0.24	0.002	<0.2	1.01	10	<10	90	<0.5	<2	0.37	<0.5	6	15	16	1.81



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 4 - B
Total # Pages: 4 (A - C)
Finalized Date: 1- OCT- 2011
Account: MTT

Project: KING

CERTIFICATE OF ANALYSIS WH11163816

Sample Description	Method Analyte Units LOR	ME- ICP41 Ga ppm 10	ME- ICP41 Hg ppm 1	ME- ICP41 K % 0.01	ME- ICP41 La ppm 10	ME- ICP41 Mg % 0.01	ME- ICP41 Mn ppm 5	ME- ICP41 Mo ppm 1	ME- ICP41 Na % 0.01	ME- ICP41 Ni ppm 1	ME- ICP41 P ppm 10	ME- ICP41 Pb ppm 2	ME- ICP41 S % 0.01	ME- ICP41 Sb ppm 2	ME- ICP41 Sc ppm 1	ME- ICP41 Sr ppm 1
DD016843		<10	<1	0.08	10	0.46	328	<1	0.04	13	600	3	<0.01	<2	4	31
DD016844		10	<1	0.04	<10	0.39	203	1	0.03	9	140	4	<0.01	<2	3	23
DD016845		10	<1	0.11	10	0.49	383	1	0.03	16	160	4	<0.01	<2	11	32
DD016846		<10	<1	0.08	10	0.50	365	1	0.04	17	640	6	0.01	<2	6	43
DD016847		10	<1	0.06	10	0.40	328	1	0.03	14	280	6	0.01	2	5	35
DD016848		10	<1	0.09	10	0.49	344	1	0.03	16	320	6	<0.01	2	4	33
DD016849		<10	<1	0.06	10	0.31	246	<1	0.03	11	330	4	<0.01	<2	3	29



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 4 - C
 Total # Pages: 4 (A - C)
 Finalized Date: 1- OCT- 2011
 Account: MTT

Project: KING

CERTIFICATE OF ANALYSIS WH11163816

Sample Description	Method Analyte Units LOR	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41
		Th	Ti	Tl	U	V	W	Zn
		ppm	%	ppm	ppm	ppm	ppm	ppm
		20	0.01	10	10	1	10	2
DD016843		<20	0.09	<10	<10	44	<10	33
DD016844		<20	0.05	<10	<10	59	<10	31
DD016845		<20	0.06	<10	<10	94	<10	33
DD016846		<20	0.07	<10	<10	59	<10	48
DD016847		<20	0.06	<10	<10	58	<10	54
DD016848		<20	0.07	<10	<10	59	<10	52
DD016849		<20	0.06	<10	<10	40	<10	30



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**

C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

**1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8**

Page: 1
Finalized Date: 3- OCT- 2011
Account: MTT

CERTIFICATE WH11163817

Project: KING

P.O. No.:

This report is for 174 Soil samples submitted to our lab in Whitehorse, YT, Canada on 18- AUG- 2011.

The following have access to data associated with this certificate:

MATT DUMALA
JOAN MARIACHER

DOUG EATON
BRUCE YOUNGMAN

SARAH EATON

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
SCR- 41	Screen to - 180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- ICP21	Au 30g FA ICP- AES Finish	ICP- AES
ME- ICP41	35 Element Aqua Regia ICP- AES	ICP- AES

To: **STRATEGIC METALS LTD.**
ATTN: JOAN MARIACHER
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - A
Total # Pages: 6 (A - C)
Finalized Date: 3- OCT- 2011
Account: MTT

Project: KING

CERTIFICATE OF ANALYSIS WH11163817

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg	Au- ICP21 Au ppm	ME- ICP41 Ag ppm	ME- ICP41 Al %	ME- ICP41 As ppm	ME- ICP41 B ppm	ME- ICP41 Ba ppm	ME- ICP41 Be ppm	ME- ICP41 Bi ppm	ME- ICP41 Ca %	ME- ICP41 Cd ppm	ME- ICP41 Co ppm	ME- ICP41 Cr ppm	ME- ICP41 Cu ppm	ME- ICP41 Fe %
		0.02	0.001	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
DD016851		0.22	0.001	<0.2	1.31	9	<10	150	<0.5	<2	0.59	<0.5	7	20	19	1.93
DD016852		0.36	0.001	<0.2	1.66	71	<10	160	<0.5	<2	0.61	<0.5	11	23	56	3.15
DD016853		0.26	0.002	<0.2	1.60	21	<10	140	<0.5	<2	0.56	<0.5	9	21	20	2.65
DD016854		0.18	0.003	<0.2	1.21	24	<10	180	<0.5	<2	0.58	<0.5	8	17	38	2.41
DD016855		0.24	0.001	<0.2	1.40	38	<10	130	<0.5	<2	0.49	<0.5	10	26	26	2.33
DD016856		0.16	0.005	<0.2	1.72	14	<10	210	<0.5	<2	0.55	<0.5	12	26	26	2.58
DD016857		0.38	0.001	<0.2	1.65	21	<10	140	<0.5	<2	0.47	<0.5	11	27	19	2.46
DD016858		0.26	0.005	<0.2	1.33	89	<10	130	<0.5	<2	0.95	<0.5	11	23	55	2.74
DD016859		0.18	0.002	<0.2	1.54	90	<10	100	<0.5	<2	1.22	<0.5	16	27	112	3.43
DD016860		0.30	0.004	<0.2	1.20	86	<10	110	<0.5	<2	1.13	<0.5	12	24	61	2.35
DD016861		0.32	0.002	<0.2	1.33	76	<10	130	<0.5	<2	0.94	<0.5	13	26	50	2.49
DD016862		0.24	0.003	<0.2	1.61	28	<10	90	<0.5	<2	0.37	<0.5	7	25	13	2.31
DD016863		0.24	0.001	<0.2	1.77	9	<10	150	<0.5	<2	0.34	<0.5	9	26	26	2.48
DD016864		0.18	0.054	<0.2	1.66	17	<10	130	<0.5	<2	0.43	<0.5	11	26	21	3.15
DD016865		0.16	0.002	<0.2	2.01	12	<10	180	<0.5	<2	0.53	<0.5	10	27	21	3.01
DD016866		0.44	0.009	<0.2	0.69	11	<10	90	<0.5	<2	1.06	<0.5	8	16	23	2.31
DD016867		0.42	0.020	<0.2	0.70	9	<10	100	<0.5	<2	0.63	<0.5	8	14	19	2.02
DD016868		0.32	0.008	<0.2	0.70	7	<10	70	<0.5	<2	0.60	<0.5	7	15	10	2.03
DD016869		0.52	<0.001	<0.2	0.79	11	<10	100	<0.5	<2	0.58	<0.5	9	17	19	2.44
DD016870		0.24	0.001	<0.2	0.83	4	<10	100	<0.5	<2	0.48	<0.5	8	15	15	1.91
DD016871		0.22	0.001	<0.2	0.84	5	<10	130	<0.5	<2	0.78	<0.5	7	16	41	1.79
DD016872		0.18	0.002	<0.2	1.01	8	<10	130	<0.5	<2	0.84	<0.5	9	19	21	2.02
DD016873		0.32	0.003	<0.2	1.07	14	<10	130	<0.5	<2	0.57	<0.5	10	21	35	2.77
DD016874		0.26	0.013	<0.2	1.40	11	<10	160	<0.5	<2	0.58	<0.5	10	23	31	2.67
DD016875		0.22	0.002	<0.2	1.15	8	<10	160	<0.5	<2	1.53	<0.5	9	20	47	1.90
DD016876		0.18	0.008	<0.2	1.56	8	<10	180	<0.5	<2	0.38	<0.5	9	19	27	2.22
DD016877		0.16	<0.001	<0.2	1.30	4	<10	100	<0.5	<2	0.22	<0.5	7	18	11	2.30
DD016878		0.32	0.001	<0.2	1.67	11	<10	130	<0.5	<2	0.35	<0.5	9	22	23	2.52
DD016879		0.32	0.002	<0.2	1.51	15	<10	130	<0.5	<2	1.06	<0.5	11	23	51	2.64
DD016880		0.28	0.001	<0.2	1.20	14	<10	100	<0.5	<2	0.69	<0.5	10	17	16	2.30
DD016881		0.34	0.001	<0.2	1.52	33	<10	140	<0.5	<2	0.88	<0.5	13	26	40	2.87
DD016882		0.26	0.001	<0.2	1.63	10	<10	110	<0.5	2	0.43	<0.5	8	22	13	2.20
DD016883		0.26	0.002	<0.2	1.91	11	<10	250	<0.5	<2	0.46	<0.5	11	30	30	2.97
DD016884		0.30	<0.001	<0.2	1.64	8	<10	150	<0.5	<2	0.34	<0.5	8	24	14	2.54
DD016885		0.40	0.004	<0.2	1.28	16	<10	140	<0.5	<2	0.62	<0.5	12	22	44	3.25
DD016886		0.24	<0.001	<0.2	0.60	2	<10	70	<0.5	<2	0.75	<0.5	5	8	13	1.03
DD016887		0.30	0.008	<0.2	0.85	9	<10	140	<0.5	<2	0.85	<0.5	9	17	31	2.10
DD016888		0.34	0.002	<0.2	0.89	6	<10	100	<0.5	<2	0.55	<0.5	7	20	15	1.99
DD016889		0.18	0.002	<0.2	1.17	11	<10	120	<0.5	<2	0.34	<0.5	8	17	24	2.24
DD016890		0.22	0.004	<0.2	1.02	8	<10	160	<0.5	<2	0.28	<0.5	9	16	16	2.31



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - B
Total # Pages: 6 (A - C)
Finalized Date: 3- OCT- 2011
Account: MTT

Project: KING

CERTIFICATE OF ANALYSIS WH11163817

Sample Description	Method Analyte Units LOR	ME- ICP41 Ga ppm 10	ME- ICP41 Hg ppm 1	ME- ICP41 K % 0.01	ME- ICP41 La ppm 10	ME- ICP41 Mg % 0.01	ME- ICP41 Mn ppm 5	ME- ICP41 Mo ppm 1	ME- ICP41 Na % 0.01	ME- ICP41 Ni ppm 1	ME- ICP41 P ppm 10	ME- ICP41 Pb ppm 2	ME- ICP41 S % 0.01	ME- ICP41 Sb ppm 2	ME- ICP41 Sc ppm 1	ME- ICP41 Sr ppm 1
DD016851		<10	<1	0.06	10	0.41	288	<1	0.04	14	550	3	0.01	<2	3	33
DD016852		<10	<1	0.04	10	0.41	797	1	0.04	16	260	5	0.01	<2	6	36
DD016853		10	<1	0.05	10	0.41	355	<1	0.03	13	410	4	<0.01	<2	4	39
DD016854		<10	<1	0.08	10	0.33	544	1	0.03	13	650	6	0.01	<2	4	45
DD016855		10	<1	0.06	10	0.42	309	<1	0.03	16	420	6	0.03	<2	5	34
DD016856		10	<1	0.06	10	0.40	1015	1	0.03	16	240	5	0.03	<2	5	36
DD016857		10	<1	0.07	10	0.48	263	1	0.03	14	320	5	0.03	<2	4	32
DD016858		<10	<1	0.05	10	0.50	356	<1	0.04	15	620	3	0.05	<2	7	54
DD016859		10	<1	0.05	10	0.83	491	<1	0.05	28	590	4	0.05	<2	8	53
DD016860		<10	<1	0.06	10	0.55	457	1	0.04	22	680	3	0.06	<2	6	51
DD016861		10	<1	0.05	10	0.60	607	<1	0.04	22	570	2	0.04	<2	5	48
DD016862		10	<1	0.06	<10	0.42	144	1	0.02	12	330	5	0.03	<2	3	24
DD016863		10	<1	0.07	10	0.45	346	<1	0.02	13	320	5	0.03	<2	3	29
DD016864		10	1	0.08	10	0.44	327	1	0.02	14	500	5	0.03	<2	5	40
DD016865		10	<1	0.10	<10	0.47	300	1	0.02	16	380	7	0.04	<2	4	45
DD016866		<10	<1	0.06	10	0.34	390	1	0.03	11	530	4	0.04	<2	4	52
DD016867		<10	<1	0.05	10	0.29	370	<1	0.03	10	500	5	0.03	<2	4	51
DD016868		<10	<1	0.06	10	0.29	196	1	0.03	7	630	4	0.04	<2	3	43
DD016869		<10	<1	0.06	10	0.34	363	1	0.03	9	730	4	0.03	<2	4	49
DD016870		<10	<1	0.06	10	0.29	252	1	0.03	11	720	4	0.03	<2	3	51
DD016871		<10	<1	0.06	10	0.35	200	1	0.04	14	630	4	0.05	<2	4	67
DD016872		<10	<1	0.08	10	0.40	376	1	0.03	12	710	6	0.05	<2	4	66
DD016873		<10	<1	0.08	10	0.41	453	<1	0.03	13	480	5	0.04	<2	5	52
DD016874		10	<1	0.08	10	0.48	351	<1	0.03	15	560	4	0.03	<2	6	44
DD016875		<10	<1	0.07	10	0.46	222	<1	0.03	14	640	3	0.07	<2	4	76
DD016876		10	<1	0.05	10	0.30	305	<1	0.03	12	270	4	0.03	<2	3	36
DD016877		10	<1	0.06	<10	0.29	135	1	0.02	10	160	5	0.03	<2	2	23
DD016878		10	<1	0.05	10	0.37	261	1	0.03	13	210	4	0.03	<2	3	32
DD016879		10	1	0.10	10	0.59	293	1	0.03	14	820	4	0.06	<2	6	60
DD016880		<10	<1	0.08	10	0.49	231	<1	0.03	9	490	2	0.04	<2	4	42
DD016881		<10	<1	0.08	10	0.62	397	1	0.03	17	780	5	0.04	<2	6	50
DD016882		10	<1	0.06	<10	0.46	178	1	0.02	12	250	4	0.03	<2	3	25
DD016883		10	<1	0.08	10	0.51	546	1	0.02	18	220	5	0.03	<2	4	43
DD016884		10	<1	0.05	<10	0.44	195	<1	0.02	12	170	5	0.03	<2	3	30
DD016885		<10	<1	0.07	10	0.43	487	1	0.03	14	390	4	0.04	<2	5	50
DD016886		<10	<1	0.06	<10	0.20	124	<1	0.05	6	390	3	0.05	<2	1	44
DD016887		<10	<1	0.06	10	0.34	545	<1	0.04	13	730	5	0.05	<2	4	64
DD016888		<10	<1	0.07	10	0.41	194	1	0.03	14	560	4	0.03	<2	3	54
DD016889		<10	<1	0.06	10	0.24	241	1	0.02	11	290	4	0.03	<2	4	39
DD016890		<10	<1	0.08	<10	0.24	362	1	0.02	9	520	5	0.03	<2	2	33



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
 C/ O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016- 510 W HASTINGS ST
 VANCOUVER BC V6B 1L8

Page: 2 - C
 Total # Pages: 6 (A - C)
 Finalized Date: 3- OCT- 2011
 Account: MTT

Project: KING

CERTIFICATE OF ANALYSIS WH11163817

Sample Description	Method Analyte Units LOR	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41
		Th	Ti	Ti	U	V	W	Zn
		ppm 20	% 0.01	ppm 10	ppm 10	ppm 1	ppm 10	ppm 2
DD016851		<20	0.07	<10	<10	43	<10	40
DD016852		<20	0.05	<10	<10	75	<10	36
DD016853		<20	0.06	<10	<10	62	<10	40
DD016854		<20	0.04	<10	<10	49	<10	41
DD016855		<20	0.08	<10	<10	53	<10	39
DD016856		<20	0.09	<10	<10	63	<10	56
DD016857		<20	0.09	<10	<10	57	<10	42
DD016858		<20	0.06	<10	<10	58	<10	41
DD016859		<20	0.06	<10	<10	78	<10	50
DD016860		<20	0.06	<10	<10	52	<10	45
DD016861		<20	0.06	<10	<10	61	<10	46
DD016862		<20	0.08	<10	<10	59	<10	44
DD016863		<20	0.08	<10	<10	62	<10	50
DD016864		<20	0.06	<10	<10	74	<10	39
DD016865		<20	0.06	<10	<10	74	<10	50
DD016866		<20	0.05	<10	<10	57	<10	35
DD016867		<20	0.05	<10	<10	47	<10	29
DD016868		<20	0.06	<10	<10	52	<10	34
DD016869		<20	0.06	<10	<10	61	<10	40
DD016870		<20	0.06	<10	<10	47	<10	33
DD016871		<20	0.05	<10	<10	43	<10	36
DD016872		<20	0.06	<10	<10	47	<10	47
DD016873		<20	0.06	<10	<10	68	<10	44
DD016874		<20	0.08	<10	<10	60	<10	39
DD016875		<20	0.06	<10	<10	41	<10	47
DD016876		<20	0.06	<10	<10	55	<10	35
DD016877		<20	0.07	<10	<10	66	<10	59
DD016878		<20	0.06	<10	<10	63	<10	41
DD016879		<20	0.07	<10	<10	64	<10	51
DD016880		<20	0.06	<10	<10	57	<10	39
DD016881		<20	0.08	<10	<10	67	<10	56
DD016882		<20	0.07	<10	<10	58	<10	50
DD016883		<20	0.08	<10	<10	74	<10	63
DD016884		<20	0.07	<10	<10	64	<10	45
DD016885		<20	0.05	<10	<10	79	<10	42
DD016886		<20	0.04	<10	<10	26	<10	34
DD016887		<20	0.05	<10	<10	54	<10	42
DD016888		<20	0.06	<10	<10	46	<10	36
DD016889		<20	0.03	<10	<10	49	<10	30
DD016890		<20	0.04	<10	<10	57	<10	34



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 3 - A
Total # Pages: 6 (A - C)
Finalized Date: 3- OCT- 2011
Account: MTT

Project: KING

CERTIFICATE OF ANALYSIS WH11163817

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg	Au- ICP21 Au ppm	ME- ICP41 Ag ppm	ME- ICP41 Al %	ME- ICP41 As ppm	ME- ICP41 B ppm	ME- ICP41 Ba ppm	ME- ICP41 Be ppm	ME- ICP41 Bi ppm	ME- ICP41 Ca %	ME- ICP41 Cd ppm	ME- ICP41 Co ppm	ME- ICP41 Cr ppm	ME- ICP41 Cu ppm	ME- ICP41 Fe %
		0.02	0.001	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
DD016891		0.24	0.001	<0.2	1.07	6	<10	130	<0.5	<2	0.24	<0.5	6	20	14	2.32
DD016892		0.22	0.001	<0.2	1.50	14	<10	200	<0.5	<2	0.49	<0.5	9	24	22	2.57
DD016893		0.26	0.003	<0.2	1.65	49	<10	100	<0.5	<2	0.37	<0.5	9	21	30	2.94
DD016894		0.22	0.009	<0.2	1.52	24	<10	110	<0.5	<2	0.39	<0.5	8	21	29	2.74
DD016895		0.20	<0.001	<0.2	1.20	6	<10	150	<0.5	<2	0.31	<0.5	6	18	18	2.14
DD016896		0.16	0.012	<0.2	0.85	8	<10	80	<0.5	<2	0.20	<0.5	6	14	14	2.31
DD016897		0.18	0.004	<0.2	1.23	39	<10	120	<0.5	<2	3.07	<0.5	8	13	55	2.31
DD016898		0.18	0.016	<0.2	1.55	15	<10	100	<0.5	<2	0.28	<0.5	8	20	30	2.83
DD016899		0.20	0.103	<0.2	1.28	8	<10	200	<0.5	<2	0.57	<0.5	7	19	20	2.27
DD016900		0.26	0.001	<0.2	1.65	10	<10	170	<0.5	<2	0.66	<0.5	8	28	26	2.35
DD016901		0.34	0.010	<0.2	1.64	70	<10	160	<0.5	<2	1.30	<0.5	16	20	102	3.72
DD016902		0.24	0.004	<0.2	0.29	5	10	60	<0.5	<2	2.18	<0.5	3	4	39	0.70
DD016903		0.36	0.009	<0.2	1.41	55	<10	130	<0.5	<2	2.14	<0.5	17	17	177	3.65
DD016904		0.30	0.001	<0.2	0.78	5	<10	110	<0.5	<2	0.86	<0.5	7	13	18	1.19
DD016905		0.26	0.001	<0.2	0.89	12	<10	120	<0.5	<2	0.84	<0.5	7	22	23	2.56
DD016906		0.26	0.004	<0.2	1.36	6	<10	70	<0.5	<2	0.30	<0.5	6	23	13	2.30
DD016907		0.34	0.001	<0.2	1.68	6	<10	120	<0.5	<2	0.41	<0.5	7	28	16	2.30
DD016908		0.24	0.004	<0.2	1.51	35	<10	120	<0.5	<2	0.33	<0.5	8	26	15	2.54
DD016909		0.30	0.009	<0.2	1.75	23	<10	100	0.5	<2	0.45	<0.5	10	29	32	2.88
DD016910		0.28	0.002	<0.2	1.29	18	<10	140	<0.5	<2	0.36	<0.5	7	22	16	2.41
DD016911		0.26	0.002	<0.2	2.03	25	<10	180	0.5	<2	0.47	<0.5	11	27	31	3.59
DD016912		0.24	0.003	<0.2	1.40	7	<10	120	<0.5	<2	0.42	<0.5	6	26	12	2.19
DD016913		0.30	0.020	<0.2	0.89	9	<10	130	<0.5	<2	0.21	<0.5	6	18	15	2.36
DD016914		0.22	0.001	<0.2	1.09	4	<10	100	<0.5	<2	0.31	<0.5	5	18	10	1.92
DD016915		0.34	0.002	<0.2	1.50	7	<10	180	<0.5	<2	0.37	<0.5	7	22	23	2.69
DD016916		0.26	0.002	<0.2	1.50	9	<10	190	<0.5	<2	0.49	<0.5	9	25	20	2.67
DD016917		0.28	0.007	<0.2	1.37	23	<10	110	<0.5	<2	0.64	<0.5	11	24	51	2.93
DD016918		0.24	0.004	<0.2	1.44	13	<10	140	<0.5	<2	0.61	<0.5	10	22	33	2.48
DD016919		0.18	0.003	<0.2	0.64	11	<10	60	<0.5	<2	1.17	<0.5	5	13	26	1.21
DD016920		0.32	0.004	0.4	1.22	86	<10	120	<0.5	<2	0.81	<0.5	9	19	39	3.02
DD016921		0.24	0.003	<0.2	1.33	56	<10	130	<0.5	<2	0.77	<0.5	12	21	46	2.94
DD016922		0.26	0.004	<0.2	2.33	89	<10	160	0.6	<2	0.82	<0.5	15	30	76	4.39
DD016923		0.24	0.004	<0.2	1.38	19	<10	150	0.5	<2	0.94	<0.5	12	24	32	2.87
DD016924		0.38	0.004	0.2	1.15	35	<10	130	<0.5	<2	0.98	<0.5	10	18	33	2.51
DD016925		0.30	0.004	<0.2	1.20	45	<10	130	<0.5	<2	1.21	<0.5	10	19	47	2.42
DD016926		0.36	0.008	<0.2	1.65	36	<10	160	<0.5	<2	0.68	<0.5	11	27	34	2.95
DD016927		0.28	0.019	<0.2	1.43	16	<10	120	<0.5	<2	0.51	<0.5	9	27	27	2.60
DD016928		0.24	0.002	<0.2	1.38	8	<10	120	<0.5	<2	0.42	<0.5	7	25	18	2.32
DD016929		0.30	0.001	<0.2	1.95	9	<10	130	<0.5	<2	0.40	<0.5	9	24	29	3.09
DD016930		0.26	0.002	<0.2	1.79	6	<10	320	<0.5	<2	0.65	<0.5	11	29	34	2.77



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 3 - B
Total # Pages: 6 (A - C)
Finalized Date: 3- OCT- 2011
Account: MTT

Project: KING

CERTIFICATE OF ANALYSIS WH11163817

Sample Description	Method Analyte Units LOR	ME- ICP41 Ga ppm 10	ME- ICP41 Hg ppm 1	ME- ICP41 K % 0.01	ME- ICP41 La ppm 10	ME- ICP41 Mg % 0.01	ME- ICP41 Mn ppm 5	ME- ICP41 Mo ppm 1	ME- ICP41 Na % 0.01	ME- ICP41 Ni ppm 1	ME- ICP41 P ppm 10	ME- ICP41 Pb ppm 2	ME- ICP41 S % 0.01	ME- ICP41 Sb ppm 2	ME- ICP41 Sc ppm 1	ME- ICP41 Sr ppm 1
DD016891		<10	<1	0.06	<10	0.26	188	<1	0.02	9	330	3	<0.01	<2	3	28
DD016892		<10	<1	0.06	10	0.35	720	<1	0.02	12	270	4	<0.01	<2	4	37
DD016893		<10	<1	0.05	<10	0.34	315	<1	0.03	11	280	2	<0.01	<2	5	33
DD016894		<10	<1	0.08	10	0.37	353	<1	0.03	11	300	4	0.01	<2	4	39
DD016895		<10	<1	0.06	<10	0.29	213	<1	0.02	9	290	4	<0.01	<2	2	29
DD016896		<10	<1	0.05	<10	0.19	150	<1	0.03	6	170	3	<0.01	<2	2	21
DD016897		<10	<1	0.10	10	0.39	488	<1	0.04	10	550	3	0.05	<2	5	89
DD016898		<10	1	0.06	10	0.34	262	<1	0.03	9	160	6	<0.01	<2	4	26
DD016899		<10	<1	0.06	10	0.28	925	<1	0.03	12	730	4	0.01	<2	4	41
DD016900		<10	<1	0.06	10	0.47	324	<1	0.03	16	410	4	<0.01	<2	5	38
DD016901		<10	<1	0.07	10	0.52	839	<1	0.04	15	440	3	0.03	<2	10	59
DD016902		<10	<1	0.04	<10	0.19	231	<1	0.05	4	540	<2	0.09	<2	1	78
DD016903		<10	1	0.06	10	0.57	746	<1	0.04	17	620	3	0.07	<2	8	99
DD016904		<10	<1	0.07	10	0.29	162	<1	0.04	12	630	3	0.07	<2	3	52
DD016905		<10	<1	0.09	10	0.39	432	<1	0.04	13	710	4	0.01	<2	4	73
DD016906		<10	<1	0.09	10	0.40	172	<1	0.03	11	120	2	<0.01	<2	3	26
DD016907		<10	<1	0.12	10	0.47	228	<1	0.03	14	240	3	<0.01	<2	4	29
DD016908		<10	<1	0.10	10	0.44	285	<1	0.02	12	300	4	<0.01	<2	4	28
DD016909		<10	<1	0.12	10	0.45	358	<1	0.03	16	190	5	<0.01	<2	7	42
DD016910		<10	<1	0.10	10	0.36	403	<1	0.02	11	480	4	<0.01	<2	4	37
DD016911		<10	<1	0.07	10	0.38	444	<1	0.02	14	270	4	<0.01	<2	8	46
DD016912		<10	<1	0.09	10	0.47	232	<1	0.02	12	420	4	<0.01	<2	4	30
DD016913		<10	<1	0.06	<10	0.20	217	<1	0.02	10	150	6	<0.01	<2	3	39
DD016914		<10	<1	0.07	<10	0.31	164	<1	0.02	8	150	3	<0.01	<2	2	27
DD016915		<10	<1	0.07	10	0.29	460	<1	0.02	11	340	5	<0.01	<2	5	34
DD016916		<10	<1	0.05	10	0.36	530	<1	0.03	13	220	7	0.01	2	4	35
DD016917		<10	<1	0.05	10	0.47	488	<1	0.04	15	510	5	0.01	2	8	45
DD016918		<10	<1	0.05	10	0.40	386	<1	0.03	13	370	6	0.01	<2	4	40
DD016919		<10	<1	0.03	<10	0.30	112	<1	<0.01	6	430	<2	0.01	<2	3	43
DD016920		<10	<1	0.06	10	0.47	369	<1	0.03	11	690	4	0.01	2	7	55
DD016921		<10	<1	0.06	10	0.49	609	<1	0.03	14	430	4	<0.01	2	7	49
DD016922		10	1	0.08	10	0.71	571	<1	0.06	20	120	5	<0.01	<2	14	66
DD016923		<10	<1	0.10	10	0.58	404	<1	0.03	16	460	6	<0.01	<2	7	67
DD016924		<10	<1	0.07	10	0.40	423	<1	0.03	12	740	3	0.01	<2	7	66
DD016925		<10	<1	0.05	10	0.42	488	<1	0.03	11	710	4	0.02	<2	6	70
DD016926		<10	<1	0.08	10	0.60	439	<1	0.03	17	240	6	0.02	2	6	68
DD016927		<10	<1	0.12	10	0.47	441	<1	0.03	22	370	7	0.02	<2	6	40
DD016928		<10	<1	0.13	10	0.49	318	<1	0.02	14	360	6	0.01	<2	5	28
DD016929		10	<1	0.11	10	0.43	257	<1	0.03	13	230	5	0.02	<2	4	34
DD016930		<10	<1	0.10	10	0.43	1285	<1	0.03	18	390	5	0.02	<2	6	39



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
 C/ O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016- 510 W HASTINGS ST
 VANCOUVER BC V6B 1L8

Page: 3 - C
 Total # Pages: 6 (A - C)
 Finalized Date: 3- OCT- 2011
 Account: MTT

Project: KING

CERTIFICATE OF ANALYSIS WH11163817

Sample Description	Method Analyte Units LOR	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41
		Th	Ti	Ti	U	V	W	Zn
		ppm 20	% 0.01	ppm 10	ppm 10	ppm 1	ppm 10	ppm 2
DD016891		<20	0.05	<10	<10	55	<10	32
DD016892		<20	0.06	<10	<10	62	<10	45
DD016893		<20	0.04	<10	<10	70	<10	31
DD016894		<20	0.05	<10	<10	64	<10	40
DD016895		<20	0.04	<10	<10	50	<10	34
DD016896		<20	0.03	<10	<10	55	<10	36
DD016897		<20	0.04	<10	<10	52	<10	46
DD016898		<20	0.05	<10	<10	64	<10	32
DD016899		<20	0.04	<10	<10	49	<10	68
DD016900		<20	0.08	<10	<10	54	<10	53
DD016901		<20	0.03	<10	<10	75	<10	44
DD016902		<20	0.02	<10	<10	18	<10	14
DD016903		<20	0.03	<10	<10	72	<10	39
DD016904		<20	0.05	<10	<10	40	<10	31
DD016905		<20	0.06	<10	<10	67	<10	41
DD016906		<20	0.08	<10	<10	54	<10	32
DD016907		<20	0.11	<10	<10	53	<10	38
DD016908		<20	0.09	<10	<10	60	<10	41
DD016909		<20	0.08	<10	<10	65	<10	40
DD016910		<20	0.06	<10	<10	55	<10	35
DD016911		<20	0.05	<10	<10	80	<10	40
DD016912		<20	0.10	<10	<10	51	<10	42
DD016913		<20	0.03	<10	<10	50	<10	36
DD016914		<20	0.06	<10	<10	49	<10	29
DD016915		<20	0.05	<10	<10	60	<10	37
DD016916		<20	0.06	<10	<10	59	<10	48
DD016917		<20	0.06	<10	<10	61	<10	44
DD016918		<20	0.05	<10	<10	57	<10	40
DD016919		<20	0.04	<10	<10	29	<10	21
DD016920		<20	0.05	<10	<10	66	<10	52
DD016921		<20	0.06	<10	<10	65	<10	56
DD016922		<20	0.08	<10	<10	103	<10	49
DD016923		<20	0.07	<10	<10	62	<10	58
DD016924		<20	0.05	<10	<10	60	<10	49
DD016925		<20	0.05	<10	<10	58	<10	42
DD016926		<20	0.07	<10	<10	67	<10	47
DD016927		<20	0.09	<10	<10	59	<10	49
DD016928		<20	0.10	<10	<10	52	<10	34
DD016929		<20	0.06	<10	<10	74	<10	41
DD016930		<20	0.08	<10	<10	61	<10	67



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 4 - A
Total # Pages: 6 (A - C)
Finalized Date: 3- OCT- 2011
Account: MTT

Project: KING

CERTIFICATE OF ANALYSIS WH11163817

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg	Au- ICP21 Au ppm	ME- ICP41 Ag ppm	ME- ICP41 Al %	ME- ICP41 As ppm	ME- ICP41 B ppm	ME- ICP41 Ba ppm	ME- ICP41 Be ppm	ME- ICP41 Bi ppm	ME- ICP41 Ca %	ME- ICP41 Cd ppm	ME- ICP41 Co ppm	ME- ICP41 Cr ppm	ME- ICP41 Cu ppm	ME- ICP41 Fe %
		0.02	0.001	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
DD016931		0.28	0.003	<0.2	2.11	8	<10	130	0.5	<2	0.46	<0.5	9	30	25	2.87
DD016932		0.22	0.005	<0.2	1.77	9	<10	230	<0.5	<2	0.49	<0.5	9	26	22	2.72
DD016933		0.26	0.001	<0.2	1.85	9	<10	200	<0.5	<2	0.38	<0.5	9	25	18	2.82
DD016934		0.26	0.001	<0.2	0.87	2	<10	90	<0.5	<2	0.27	<0.5	4	12	9	1.23
DD016935		0.32	0.002	<0.2	1.77	6	<10	120	<0.5	<2	0.32	<0.5	7	23	21	2.52
DD016936		0.20	0.003	<0.2	0.70	6	<10	140	<0.5	<2	2.24	<0.5	6	14	120	1.43
DD016937		0.32	0.006	<0.2	0.77	8	<10	100	<0.5	<2	0.88	<0.5	7	15	22	1.72
DD016938		0.24	0.003	<0.2	0.80	4	<10	140	<0.5	<2	0.57	<0.5	6	15	24	2.00
DD016939		0.22	0.006	<0.2	0.87	7	<10	140	<0.5	<2	0.67	<0.5	7	15	20	2.05
DD016940		0.20	0.010	<0.2	0.75	6	<10	100	<0.5	<2	0.50	<0.5	7	18	15	2.12
DD016941		0.14	0.007	<0.2	0.71	2	<10	210	<0.5	<2	2.53	<0.5	3	14	47	0.98
DD016942		0.24	0.009	<0.2	0.99	8	<10	80	<0.5	<2	0.48	<0.5	7	16	13	2.39
DD016943		0.28	0.002	<0.2	2.06	10	<10	220	<0.5	<2	0.50	<0.5	9	26	25	3.04
DD016944		0.30	0.004	<0.2	1.76	8	<10	200	<0.5	<2	0.41	<0.5	10	29	23	2.73
DD016945		0.28	0.001	0.2	2.07	9	<10	190	<0.5	<2	0.49	<0.5	11	27	22	3.13
DD016946		0.22	0.018	<0.2	2.08	16	<10	140	<0.5	<2	1.08	<0.5	12	19	38	3.54
DD016947		0.32	0.006	<0.2	1.92	14	<10	170	<0.5	<2	0.92	<0.5	11	22	40	3.16
DD016948		0.32	0.005	<0.2	1.28	23	<10	90	<0.5	<2	0.57	<0.5	8	19	20	2.99
DD016949		0.30	0.007	<0.2	1.29	16	<10	200	0.5	<2	0.95	<0.5	8	21	131	2.26
DD016950		0.22	0.002	<0.2	1.72	234	<10	150	<0.5	<2	1.52	<0.5	10	29	45	3.59
DD016951		0.26	0.001	<0.2	1.83	8	<10	140	<0.5	<2	0.43	<0.5	8	26	20	2.58
DD016952		0.22	0.001	<0.2	1.27	7	<10	140	<0.5	<2	0.29	<0.5	6	18	15	2.24
DD016953		0.28	0.004	<0.2	1.23	7	<10	150	<0.5	<2	0.41	<0.5	9	17	26	2.27
DD016954		0.20	0.001	<0.2	0.94	<2	<10	110	<0.5	<2	0.35	<0.5	5	16	10	1.55
DD016955		0.26	0.005	<0.2	1.11	8	<10	110	<0.5	<2	0.63	<0.5	8	21	30	2.72
DD016956		0.18	<0.001	<0.2	0.95	5	<10	110	<0.5	<2	0.40	<0.5	5	12	16	1.63
DD016957		0.24	<0.001	<0.2	1.60	8	<10	130	<0.5	<2	0.45	<0.5	7	25	13	2.39
DD016958		0.22	0.001	<0.2	1.74	7	<10	80	<0.5	2	0.44	<0.5	7	31	31	2.27
DD016959		0.24	0.011	0.4	3.25	8	<10	120	0.5	<2	1.21	<0.5	20	15	367	6.16
DD016960		0.24	0.003	<0.2	1.30	77	<10	60	<0.5	<2	0.37	<0.5	19	13	139	4.80
DD016961		0.18	<0.001	<0.2	1.17	5	<10	150	<0.5	<2	0.43	<0.5	7	17	30	2.11
DD016962		0.14	0.001	0.2	1.05	2	<10	70	<0.5	<2	0.25	<0.5	4	12	18	1.77
DD016963		0.22	0.002	0.2	1.58	8	<10	180	<0.5	<2	0.53	<0.5	10	21	31	2.83
DD016964		0.18	0.004	<0.2	1.19	9	<10	130	<0.5	<2	1.38	<0.5	9	14	39	2.15
DD016965		0.24	0.009	0.2	1.34	11	<10	140	<0.5	<2	1.70	<0.5	10	16	54	2.40
DD016966		0.18	0.003	<0.2	1.66	14	<10	160	<0.5	<2	0.75	<0.5	11	15	47	2.72
DD016967		0.24	0.009	0.2	1.19	9	<10	230	<0.5	<2	2.94	<0.5	10	15	140	2.30
DD016968		0.20	0.005	0.2	2.07	17	<10	170	0.5	<2	0.80	<0.5	14	18	55	3.97
DD016969		0.24	0.011	<0.2	1.75	17	<10	130	<0.5	<2	0.72	<0.5	11	22	49	3.18
DD016970		0.20	0.009	<0.2	1.83	22	<10	110	<0.5	<2	1.19	<0.5	17	19	52	3.84



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 4 - B
Total # Pages: 6 (A - C)
Finalized Date: 3- OCT- 2011
Account: MTT

Project: KING

CERTIFICATE OF ANALYSIS WH11163817

Sample Description	Method Analyte Units LOR	ME- ICP41 Ga ppm 10	ME- ICP41 Hg ppm 1	ME- ICP41 K % 0.01	ME- ICP41 La ppm 10	ME- ICP41 Mg % 0.01	ME- ICP41 Mn ppm 5	ME- ICP41 Mo ppm 1	ME- ICP41 Na % 0.01	ME- ICP41 Ni ppm 1	ME- ICP41 P ppm 10	ME- ICP41 Pb ppm 2	ME- ICP41 S % 0.01	ME- ICP41 Sb ppm 2	ME- ICP41 Sc ppm 1	ME- ICP41 Sr ppm 1
DD016931		10	<1	0.07	10	0.53	245	<1	0.04	18	160	6	0.02	<2	6	35
DD016932		<10	<1	0.06	10	0.46	545	<1	0.03	15	260	4	0.01	<2	4	34
DD016933		10	<1	0.07	10	0.42	518	<1	0.03	13	260	5	0.01	<2	4	28
DD016934		<10	<1	0.04	<10	0.22	179	<1	0.03	7	340	2	0.01	<2	2	19
DD016935		<10	<1	0.04	10	0.42	212	<1	0.02	14	220	4	0.01	2	3	31
DD016936		<10	<1	0.04	10	0.28	458	<1	0.03	15	650	4	0.08	<2	3	107
DD016937		<10	<1	0.06	10	0.33	319	1	0.03	10	650	5	0.04	<2	3	60
DD016938		<10	1	0.05	10	0.34	923	<1	0.03	14	690	4	0.02	<2	4	51
DD016939		<10	<1	0.07	10	0.35	524	<1	0.04	11	780	6	0.02	<2	4	59
DD016940		<10	<1	0.06	10	0.35	381	1	0.03	12	670	4	0.01	<2	3	47
DD016941		<10	1	0.05	<10	0.21	481	<1	0.04	12	710	3	0.13	<2	2	139
DD016942		<10	<1	0.05	10	0.34	206	<1	0.03	10	510	5	0.02	<2	3	52
DD016943		10	<1	0.04	10	0.49	328	<1	0.04	16	260	6	0.02	<2	5	44
DD016944		<10	<1	0.06	10	0.44	544	<1	0.02	17	280	5	0.01	<2	6	34
DD016945		10	<1	0.11	10	0.47	469	<1	0.03	14	310	5	0.01	<2	6	35
DD016946		10	<1	0.07	<10	0.75	456	<1	0.05	12	460	4	0.04	<2	10	63
DD016947		<10	<1	0.08	10	0.62	482	<1	0.04	14	330	4	0.04	2	8	52
DD016948		<10	<1	0.06	<10	0.44	408	<1	0.03	9	360	4	0.02	<2	5	42
DD016949		<10	1	0.05	10	0.38	306	<1	0.03	23	500	4	0.10	<2	9	52
DD016950		10	<1	0.08	<10	0.54	651	1	0.04	15	750	6	0.08	<2	5	71
DD016951		10	<1	0.06	10	0.43	225	<1	0.03	14	120	6	0.02	<2	5	30
DD016952		<10	<1	0.06	<10	0.29	217	<1	0.03	9	140	5	0.01	<2	3	34
DD016953		<10	1	0.06	10	0.28	607	<1	0.03	10	330	4	0.02	<2	4	39
DD016954		<10	<1	0.07	10	0.28	209	<1	0.03	7	380	4	0.01	<2	2	24
DD016955		<10	<1	0.07	10	0.44	348	<1	0.03	13	590	5	0.02	<2	6	44
DD016956		<10	<1	0.06	<10	0.23	164	<1	0.04	7	180	3	0.02	<2	2	103
DD016957		<10	<1	0.08	10	0.41	321	<1	0.03	12	140	5	0.02	<2	4	27
DD016958		<10	<1	0.04	10	0.46	263	<1	0.03	14	160	5	0.02	<2	5	23
DD016959		10	<1	0.09	10	1.19	2120	<1	0.04	9	370	5	0.04	<2	19	45
DD016960		<10	<1	0.04	10	0.40	606	<1	0.04	9	230	4	0.02	6	14	20
DD016961		<10	<1	0.06	10	0.30	337	<1	0.04	8	200	3	0.02	2	4	40
DD016962		<10	<1	0.04	<10	0.23	128	<1	0.04	7	340	3	0.01	<2	2	18
DD016963		<10	<1	0.05	10	0.44	517	1	0.02	19	200	13	0.01	<2	5	42
DD016964		<10	<1	0.06	10	0.50	599	<1	0.04	12	490	4	0.04	3	5	69
DD016965		<10	1	0.05	<10	0.56	329	<1	0.03	10	590	3	0.04	2	5	80
DD016966		<10	<1	0.04	<10	0.50	363	<1	0.05	10	240	3	0.01	2	6	44
DD016967		<10	<1	0.05	10	0.46	657	<1	0.04	14	720	3	0.05	3	5	99
DD016968		<10	1	0.06	10	0.53	581	<1	0.03	13	220	5	0.01	4	9	47
DD016969		<10	<1	0.13	10	0.52	402	<1	0.02	14	210	4	0.01	3	9	40
DD016970		10	<1	0.10	10	0.86	619	<1	0.03	12	590	5	0.03	2	10	60



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 4 - C
Total # Pages: 6 (A - C)
Finalized Date: 3- OCT- 2011
Account: MTT

Project: KING

CERTIFICATE OF ANALYSIS WH11163817

Sample Description	Method Analyte Units LOR	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41
		Th	Ti	Ti	U	V	Zn
		ppm 20	% 0.01	ppm 10	ppm 10	ppm 1	ppm 10
DD016931		<20	0.08	<10	<10	64	<10
DD016932		<20	0.08	<10	<10	63	<10
DD016933		<20	0.07	<10	<10	65	<10
DD016934		<20	0.05	<10	<10	28	<10
DD016935		<20	0.06	<10	<10	60	<10
DD016936		<20	0.04	<10	<10	31	<10
DD016937		<20	0.05	<10	<10	41	<10
DD016938		<20	0.05	<10	<10	46	<10
DD016939		<20	0.06	<10	<10	46	<10
DD016940		<20	0.06	<10	<10	52	<10
DD016941		<20	0.03	<10	<10	19	<10
DD016942		<20	0.06	<10	<10	60	<10
DD016943		<20	0.07	<10	<10	72	<10
DD016944		<20	0.08	<10	<10	62	<10
DD016945		<20	0.07	<10	<10	68	<10
DD016946		<20	0.03	<10	<10	79	<10
DD016947		<20	0.05	<10	<10	70	<10
DD016948		<20	0.05	<10	<10	70	<10
DD016949		<20	0.05	<10	<10	55	<10
DD016950		<20	0.05	<10	<10	74	<10
DD016951		<20	0.09	<10	<10	66	<10
DD016952		<20	0.05	<10	<10	54	<10
DD016953		<20	0.05	<10	<10	51	<10
DD016954		<20	0.08	<10	<10	40	<10
DD016955		<20	0.06	<10	<10	58	<10
DD016956		<20	0.06	<10	<10	42	<10
DD016957		<20	0.09	<10	<10	58	<10
DD016958		<20	0.10	<10	<10	57	<10
DD016959		<20	0.17	<10	<10	176	<10
DD016960		<20	0.03	<10	<10	133	<10
DD016961		<20	0.05	<10	<10	51	<10
DD016962		<20	0.06	<10	<10	46	<10
DD016963		<20	0.05	<10	<10	65	<10
DD016964		<20	0.04	<10	<10	53	<10
DD016965		<20	0.04	<10	<10	58	<10
DD016966		<20	0.04	<10	<10	68	<10
DD016967		<20	0.03	<10	<10	50	<10
DD016968		<20	0.03	<10	<10	88	<10
DD016969		<20	0.05	<10	<10	70	<10
DD016970		<20	0.06	<10	<10	86	<10



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 5 - A
Total # Pages: 6 (A - C)
Finalized Date: 3- OCT- 2011
Account: MTT

Project: KING

CERTIFICATE OF ANALYSIS WH11163817

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg	Au- ICP21 Au ppm	ME- ICP41 Ag ppm	ME- ICP41 Al %	ME- ICP41 As ppm	ME- ICP41 B ppm	ME- ICP41 Ba ppm	ME- ICP41 Be ppm	ME- ICP41 Bi ppm	ME- ICP41 Ca %	ME- ICP41 Cd ppm	ME- ICP41 Co ppm	ME- ICP41 Cr ppm	ME- ICP41 Cu ppm	ME- ICP41 Fe %
		0.02	0.001	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
DD016971		0.20	0.007	0.2	2.01	39	<10	110	<0.5	<2	1.26	<0.5	13	20	53	4.02
DD016972		0.16	0.007	0.3	0.88	9	10	210	<0.5	<2	5.03	<0.5	8	14	101	1.72
DD016973		0.14	0.002	0.3	0.76	5	<10	190	<0.5	<2	2.92	<0.5	6	11	55	1.26
DD016974		0.20	0.002	0.2	1.79	18	<10	140	<0.5	<2	0.60	<0.5	12	22	31	3.11
DD016975		0.16	<0.001	0.2	0.81	8	<10	170	<0.5	<2	3.17	<0.5	5	12	24	1.35
DD016976		0.14	0.001	<0.2	1.11	13	<10	90	<0.5	<2	0.43	<0.5	5	15	24	2.11
DD016977		0.16	<0.001	0.2	1.23	4	<10	120	<0.5	<2	0.54	<0.5	7	21	18	1.75
DD016978		0.24	0.002	0.2	1.33	7	<10	90	<0.5	<2	0.38	<0.5	6	25	20	2.17
DD016979		0.22	0.002	<0.2	1.39	6	<10	160	<0.5	<2	0.52	<0.5	8	24	19	2.21
DD016980		0.24	0.003	0.2	1.17	8	<10	130	<0.5	<2	0.89	<0.5	7	20	31	1.86
DD016981		0.26	0.019	0.2	1.20	6	<10	90	<0.5	<2	0.70	<0.5	7	19	29	2.01
DD016982		0.18	0.002	<0.2	1.24	6	<10	120	<0.5	<2	0.81	<0.5	6	21	30	1.91
DD016983		0.20	<0.001	<0.2	1.44	7	<10	120	<0.5	<2	0.41	<0.5	6	23	17	2.31
DD016984		0.28	0.001	<0.2	1.12	3	<10	120	<0.5	<2	0.50	<0.5	8	21	22	1.75
DD016985		0.22	0.002	<0.2	1.47	7	<10	110	<0.5	<2	0.44	<0.5	8	29	19	2.39
DD016986		0.18	<0.001	0.2	1.31	7	<10	90	<0.5	<2	0.42	<0.5	8	20	15	2.00
DD016987		0.18	0.001	<0.2	1.15	7	<10	90	<0.5	<2	0.35	<0.5	6	19	14	2.06
DD016988		0.20	0.002	<0.2	1.28	9	<10	100	<0.5	<2	0.48	<0.5	6	22	17	1.95
DD016989		0.22	0.001	<0.2	1.29	4	<10	150	<0.5	<2	0.75	<0.5	9	24	20	1.92
DD016990		0.20	0.005	0.2	1.40	11	<10	160	<0.5	<2	1.46	<0.5	11	26	60	2.14
DD016991		0.20	0.006	0.2	1.33	11	<10	90	<0.5	<2	0.87	<0.5	10	23	33	2.32
DD016992		0.28	0.002	<0.2	1.20	79	<10	80	<0.5	<2	0.57	<0.5	9	22	40	2.59
DD016993		0.26	0.003	<0.2	1.32	145	<10	110	<0.5	<2	0.55	<0.5	7	23	18	2.22
DD016994		0.24	0.001	0.2	1.46	30	<10	190	<0.5	<2	0.76	<0.5	9	25	22	2.30
DD016995		0.14	0.001	<0.2	1.21	8	<10	70	<0.5	<2	0.37	<0.5	5	19	15	1.88
DD016996		0.18	0.002	<0.2	1.20	11	<10	80	<0.5	<2	0.26	<0.5	5	19	16	2.27
DD016997		0.18	0.001	<0.2	0.90	6	<10	120	<0.5	<2	0.37	<0.5	6	14	13	1.57
DD016998		0.28	0.008	<0.2	1.05	37	<10	110	<0.5	<2	0.55	<0.5	7	20	35	2.20
DD016999		0.16	0.010	<0.2	1.38	10	<10	150	<0.5	<2	0.75	<0.5	7	25	42	2.06
DD017000		0.22	0.002	<0.2	1.36	17	<10	100	<0.5	3	0.28	<0.5	7	21	22	2.24
DD017001		0.20	<0.001	<0.2	1.20	6	<10	140	<0.5	2	0.40	<0.5	7	22	14	2.17
DD017002		0.10	0.001	<0.2	1.25	6	<10	240	<0.5	2	0.59	<0.5	9	18	31	2.42
DD017003		0.14	0.001	<0.2	1.36	5	<10	180	0.5	3	1.25	<0.5	9	19	59	2.49
DD017004		0.30	0.002	<0.2	1.37	7	<10	100	<0.5	<2	0.41	<0.5	7	24	16	2.20
DD017005		0.12	0.001	<0.2	1.71	5	<10	170	<0.5	2	0.49	<0.5	10	22	26	2.86
DD017006		0.12	0.007	<0.2	1.50	12	<10	120	<0.5	2	0.59	<0.5	11	17	38	3.09
DD017251		0.12	0.002	<0.2	0.68	30	<10	110	<0.5	2	1.05	<0.5	5	10	35	1.24
DD017252		0.26	0.005	0.2	1.20	16	<10	110	<0.5	2	1.76	<0.5	8	20	85	1.98
DD017253		0.18	0.002	<0.2	1.23	102	<10	170	<0.5	<2	2.61	<0.5	11	16	64	2.44
DD017254		0.18	0.004	<0.2	1.17	13	<10	140	<0.5	<2	2.21	<0.5	8	21	68	1.91



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 5 - B
Total # Pages: 6 (A - C)
Finalized Date: 3- OCT- 2011
Account: MTT

Project: KING

CERTIFICATE OF ANALYSIS WH11163817

Sample Description	Method Analyte Units LOR	ME- ICP41 Ga ppm 10	ME- ICP41 Hg ppm 1	ME- ICP41 K % 0.01	ME- ICP41 La ppm 10	ME- ICP41 Mg % 0.01	ME- ICP41 Mn ppm 5	ME- ICP41 Mo ppm 1	ME- ICP41 Na % 0.01	ME- ICP41 Ni ppm 1	ME- ICP41 P ppm 10	ME- ICP41 Pb ppm 2	ME- ICP41 S % 0.01	ME- ICP41 Sb ppm 2	ME- ICP41 Sc ppm 1	ME- ICP41 Sr ppm 1
DD016971		<10	<1	0.10	10	0.80	540	<1	0.03	11	410	5	0.04	2	11	60
DD016972		<10	1	0.07	10	0.46	681	<1	0.03	15	1380	3	0.11	2	3	208
DD016973		<10	1	0.03	<10	0.34	635	<1	0.04	16	600	3	0.09	2	2	123
DD016974		<10	<1	0.07	10	0.62	539	<1	0.03	15	330	3	0.01	2	6	41
DD016975		<10	<1	0.04	<10	0.34	238	<1	0.03	8	810	4	0.11	2	2	119
DD016976		<10	<1	0.04	<10	0.26	144	<1	0.01	14	150	5	<0.01	<2	2	36
DD016977		<10	1	0.08	10	0.44	347	<1	0.03	10	280	4	0.01	2	3	36
DD016978		<10	<1	0.08	10	0.41	171	<1	0.02	13	90	4	<0.01	<2	4	27
DD016979		<10	<1	0.04	10	0.34	588	<1	0.02	11	280	6	<0.01	3	4	34
DD016980		<10	<1	0.07	10	0.48	340	<1	0.03	12	680	4	0.02	2	4	56
DD016981		<10	<1	0.06	10	0.42	242	<1	0.03	11	270	5	0.01	3	4	49
DD016982		<10	<1	0.06	10	0.48	232	<1	0.03	14	430	4	0.01	3	5	52
DD016983		<10	<1	0.08	10	0.50	228	<1	0.01	11	220	6	<0.01	3	3	34
DD016984		<10	<1	0.12	10	0.38	468	<1	0.03	11	570	3	0.01	2	3	34
DD016985		<10	<1	0.16	10	0.45	255	<1	0.02	13	320	6	<0.01	2	5	30
DD016986		<10	<1	0.09	<10	0.32	356	<1	0.03	10	340	5	0.01	2	3	25
DD016987		<10	<1	0.07	<10	0.32	200	<1	0.02	9	230	5	<0.01	2	3	25
DD016988		<10	<1	0.07	10	0.44	248	<1	0.02	12	420	4	<0.01	<2	4	31
DD016989		<10	<1	0.07	10	0.45	478	<1	0.03	13	450	5	0.01	2	4	41
DD016990		<10	1	0.06	10	0.56	643	<1	0.03	18	710	5	0.03	<2	5	75
DD016991		<10	1	0.08	10	0.61	325	<1	0.03	14	760	4	0.02	2	6	50
DD016992		<10	<1	0.05	10	0.46	322	<1	0.02	14	470	3	0.01	4	7	37
DD016993		<10	1	0.08	10	0.43	261	1	0.02	12	450	5	0.02	6	4	37
DD016994		<10	<1	0.08	10	0.52	663	<1	0.03	14	620	5	0.01	4	5	46
DD016995		<10	<1	0.04	10	0.31	127	<1	0.01	8	180	5	<0.01	2	3	26
DD016996		<10	<1	0.02	<10	0.34	135	<1	0.02	8	110	6	<0.01	<2	3	23
DD016997		<10	<1	0.05	<10	0.27	240	<1	0.02	7	450	3	<0.01	2	2	27
DD016998		<10	<1	0.04	10	0.41	318	<1	0.02	14	370	5	<0.01	3	5	36
DD016999		<10	<1	0.07	10	0.47	272	<1	0.03	14	560	6	0.01	<2	4	39
DD017000		<10	<1	0.04	10	0.32	192	<1	0.03	12	120	5	<0.01	<2	4	28
DD017001		<10	<1	0.13	10	0.35	427	<1	0.02	11	400	4	<0.01	<2	4	32
DD017002		<10	<1	0.07	10	0.29	855	1	0.03	11	400	5	0.01	<2	3	49
DD017003		<10	<1	0.06	10	0.37	466	<1	0.05	16	410	5	0.02	<2	5	85
DD017004		<10	<1	0.07	10	0.38	276	<1	0.02	12	380	5	<0.01	<2	5	24
DD017005		<10	<1	0.14	10	0.40	708	1	0.03	12	280	4	<0.01	<2	5	27
DD017006		<10	<1	0.06	10	0.38	521	<1	0.04	10	430	3	<0.01	<2	7	36
DD017251		<10	<1	0.03	10	0.23	219	<1	0.04	7	730	2	0.12	<2	3	54
DD017252		<10	<1	0.06	10	0.47	376	<1	0.02	18	520	5	0.05	<2	5	87
DD017253		<10	<1	0.04	10	0.39	920	1	0.03	14	870	4	0.08	<2	4	150
DD017254		<10	<1	0.06	10	0.45	343	<1	0.03	21	720	5	0.06	<2	3	116



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 5 - C
Total # Pages: 6 (A - C)
Finalized Date: 3- OCT- 2011
Account: MTT

Project: KING

CERTIFICATE OF ANALYSIS WH11163817

Sample Description	Method Analyte Units LOR	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41
		Th	Ti	Ti	U	V	W	Zn
		ppm 20	% 0.01	ppm 10	ppm 10	ppm 1	ppm 10	ppm 2
DD016971		<20	0.03	<10	<10	86	<10	48
DD016972		<20	0.03	<10	<10	38	<10	38
DD016973		<20	0.03	<10	<10	27	<10	20
DD016974		<20	0.06	<10	<10	66	<10	38
DD016975		<20	0.04	<10	<10	28	<10	30
DD016976		<20	0.04	<10	<10	53	<10	30
DD016977		<20	0.08	<10	<10	40	<10	38
DD016978		<20	0.09	<10	<10	51	<10	30
DD016979		<20	0.06	<10	<10	56	<10	47
DD016980		<20	0.06	<10	<10	41	<10	43
DD016981		<20	0.05	<10	<10	44	<10	34
DD016982		<20	0.06	<10	<10	42	<10	40
DD016983		<20	0.07	<10	<10	55	<10	38
DD016984		<20	0.07	<10	<10	43	<10	46
DD016985		<20	0.11	<10	<10	55	<10	38
DD016986		<20	0.08	<10	<10	45	<10	34
DD016987		<20	0.07	<10	<10	48	<10	33
DD016988		<20	0.08	<10	<10	45	<10	36
DD016989		<20	0.08	<10	<10	42	<10	72
DD016990		<20	0.07	<10	<10	49	<10	48
DD016991		<20	0.08	<10	<10	54	<10	47
DD016992		<20	0.08	<10	<10	61	<10	39
DD016993		<20	0.08	<10	<10	50	<10	36
DD016994		<20	0.08	<10	<10	50	<10	63
DD016995		<20	0.06	<10	<10	48	<10	25
DD016996		<20	0.05	<10	<10	59	<10	26
DD016997		<20	0.05	<10	<10	35	<10	28
DD016998		<20	0.05	<10	<10	48	<10	34
DD016999		<20	0.07	<10	<10	48	<10	45
DD017000		<20	0.05	<10	<10	50	<10	25
DD017001		<20	0.07	<10	<10	49	<10	33
DD017002		<20	0.05	<10	<10	55	<10	39
DD017003		<20	0.04	<10	<10	53	<10	43
DD017004		<20	0.07	<10	<10	52	<10	36
DD017005		<20	0.06	<10	<10	62	<10	57
DD017006		<20	0.02	<10	<10	61	<10	33
DD017251		<20	0.03	<10	<10	30	<10	32
DD017252		<20	0.05	<10	<10	42	<10	41
DD017253		<20	0.03	<10	<10	54	<10	33
DD017254		<20	0.05	<10	<10	38	<10	39



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 6 - A
 Total # Pages: 6 (A - C)
 Finalized Date: 3- OCT- 2011
 Account: MTT

Project: KING

CERTIFICATE OF ANALYSIS WH11163817

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg	Au- ICP21 Au ppm	ME- ICP41 Ag ppm	ME- ICP41 Al %	ME- ICP41 As ppm	ME- ICP41 B ppm	ME- ICP41 Ba ppm	ME- ICP41 Be ppm	ME- ICP41 Bi ppm	ME- ICP41 Ca %	ME- ICP41 Cd ppm	ME- ICP41 Co ppm	ME- ICP41 Cr ppm	ME- ICP41 Cu ppm	ME- ICP41 Fe %
		0.02	0.001	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
DD017255		0.18	0.005	<0.2	1.12	6	<10	130	<0.5	3	0.69	<0.5	6	18	19	2.00
DD017256		0.26	0.001	<0.2	2.13	51	<10	190	<0.5	<2	0.56	<0.5	15	30	46	3.75
DD017257		0.22	0.004	<0.2	1.64	29	<10	140	<0.5	2	0.51	<0.5	10	28	36	2.94
DD017258		0.20	0.083	<0.2	1.38	32	<10	100	<0.5	<2	0.55	<0.5	8	19	36	2.92
DD017259		0.26	0.005	<0.2	1.51	26	<10	120	<0.5	<2	0.53	<0.5	10	17	51	2.97
DD017260		0.24	0.003	<0.2	1.19	8	<10	90	<0.5	<2	0.22	<0.5	7	19	19	2.45
DD017261		0.20	0.003	<0.2	2.20	49	<10	110	<0.5	<2	0.48	<0.5	13	28	49	3.69
DD017262		0.18	0.005	<0.2	2.30	24	<10	90	<0.5	2	0.49	<0.5	14	26	69	3.69
DD017263		0.24	<0.001	<0.2	2.11	25	<10	150	<0.5	2	0.47	<0.5	9	29	26	2.89
DD017264		0.22	<0.001	<0.2	1.74	19	<10	130	<0.5	<2	0.41	<0.5	9	22	34	2.45
DD017265		0.24	0.002	<0.2	0.86	16	<10	70	<0.5	2	0.34	<0.5	5	12	34	1.74
DD017266		0.28	0.002	<0.2	1.12	11	<10	170	<0.5	<2	0.67	<0.5	7	20	28	2.12
DD017267		0.26	0.003	<0.2	1.31	25	<10	100	<0.5	2	1.18	<0.5	10	19	59	2.65
DD017268		0.28	0.005	<0.2	0.94	<2	<10	80	<0.5	2	0.48	<0.5	5	16	15	1.96



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 6 - B
 Total # Pages: 6 (A - C)
 Finalized Date: 3- OCT- 2011
 Account: MTT

Project: KING

CERTIFICATE OF ANALYSIS WH11163817

Sample Description	Method Analyte Units LOR	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41
		Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc
		ppm 10	ppm 1	% 0.01	ppm 10	% 0.01	ppm 5	ppm 1	% 0.01	ppm 1	ppm 10	ppm 2	% 0.01	ppm 2	ppm 1
DD017255		<10	<1	0.03	10	0.38	247	<1	0.03	10	320	5	0.01	<2	3
DD017256		10	<1	0.06	10	0.50	833	1	0.02	18	170	6	<0.01	<2	7
DD017257		10	<1	0.07	10	0.49	437	<1	0.02	15	500	3	<0.01	<2	7
DD017258		<10	<1	0.06	10	0.38	355	<1	0.03	10	340	3	0.01	<2	7
DD017259		<10	<1	0.03	10	0.39	541	<1	0.03	10	240	5	<0.01	<2	7
DD017260		<10	<1	0.04	10	0.30	241	<1	0.01	9	160	4	<0.01	<2	3
DD017261		10	<1	0.05	10	0.46	664	<1	0.02	15	200	5	<0.01	<2	9
DD017262		10	<1	0.04	10	0.42	1225	<1	0.03	15	310	5	0.01	<2	6
DD017263		10	<1	0.05	10	0.48	250	<1	0.03	14	170	5	<0.01	<2	6
DD017264		10	<1	0.03	10	0.36	870	1	0.02	11	300	4	<0.01	<2	4
DD017265		<10	<1	0.04	<10	0.24	179	<1	0.03	7	250	3	<0.01	<2	3
DD017266		<10	<1	0.05	10	0.35	458	<1	0.03	13	410	4	0.01	<2	4
DD017267		<10	<1	0.06	10	0.55	313	<1	0.04	13	700	3	0.03	<2	7
DD017268		<10	<1	0.06	10	0.33	140	<1	0.02	9	380	4	0.01	<2	3



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 6 - C
 Total # Pages: 6 (A - C)
 Finalized Date: 3- OCT- 2011
 Account: MTT

Project: KING

CERTIFICATE OF ANALYSIS WH11163817

Sample Description	Method Analyte Units LOR	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41
		Th	Ti	Ti	U	V	W	Zn
		ppm 20	% 0.01	ppm 10	ppm 10	ppm 1	ppm 10	ppm 2
DD017255		<20	0.04	<10	<10	46	<10	29
DD017256		<20	0.07	<10	<10	91	<10	46
DD017257		<20	0.07	<10	<10	72	<10	43
DD017258		<20	0.04	<10	<10	67	<10	37
DD017259		<20	0.04	<10	<10	71	<10	35
DD017260		<20	0.05	<10	<10	62	<10	34
DD017261		<20	0.06	<10	<10	90	<10	43
DD017262		<20	0.07	<10	<10	88	<10	66
DD017263		<20	0.07	<10	<10	71	<10	37
DD017264		<20	0.06	<10	<10	62	<10	54
DD017265		<20	0.05	<10	<10	41	<10	25
DD017266		<20	0.05	<10	<10	48	<10	35
DD017267		<20	0.06	<10	<10	64	<10	48
DD017268		<20	0.05	<10	<10	51	<10	30



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**

C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

**1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8**

Page: 1
Finalized Date: 4- OCT- 2011
Account: MTT

CERTIFICATE WH11163818

Project: KING

P.O. No.:

This report is for 189 Soil samples submitted to our lab in Whitehorse, YT, Canada on 18- AUG- 2011.

The following have access to data associated with this certificate:

MATT DUMALA
JOAN MARIACHER

DOUG EATON
BRUCE YOUNGMAN

SARAH EATON

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
SCR- 41	Screen to - 180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- ICP21	Au 30g FA ICP- AES Finish	ICP- AES
ME- ICP41	35 Element Aqua Regia ICP- AES	ICP- AES

To: **STRATEGIC METALS LTD.**
ATTN: JOAN MARIACHER
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - A
Total # Pages: 6 (A - C)
Finalized Date: 4- OCT- 2011
Account: MTT

Project: KING

CERTIFICATE OF ANALYSIS WH11163818

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg	Au- ICP21 Au ppm	ME- ICP41 Ag ppm	ME- ICP41 Al %	ME- ICP41 As ppm	ME- ICP41 B ppm	ME- ICP41 Ba ppm	ME- ICP41 Be ppm	ME- ICP41 Bi ppm	ME- ICP41 Ca %	ME- ICP41 Cd ppm	ME- ICP41 Co ppm	ME- ICP41 Cr ppm	ME- ICP41 Cu ppm	ME- ICP41 Fe %
		0.02	0.001	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
DD017301		0.36	0.002	<0.2	2.10	76	<10	160	<0.5	<2	0.69	<0.5	12	24	52	3.65
DD017302		0.18	0.172	<0.2	1.80	15	<10	110	<0.5	<2	0.47	<0.5	8	23	22	2.88
DD017303		0.26	0.001	<0.2	1.71	15	<10	180	<0.5	<2	0.52	<0.5	8	30	15	2.51
DD017304		0.24	0.002	<0.2	2.03	39	<10	150	<0.5	<2	0.49	<0.5	11	23	39	3.08
DD017305		0.22	0.003	<0.2	1.27	49	<10	110	<0.5	<2	0.82	<0.5	10	19	52	2.75
DD017306		0.18	0.001	<0.2	1.05	16	<10	120	<0.5	<2	0.86	<0.5	7	15	35	1.89
DD017307		0.30	0.003	<0.2	1.44	26	<10	140	<0.5	<2	1.03	<0.5	10	22	39	2.57
DD017308		0.28	0.003	<0.2	1.08	55	<10	100	<0.5	<2	0.70	<0.5	9	18	34	2.61
DD017309		0.30	0.004	<0.2	1.38	74	<10	120	<0.5	<2	0.67	<0.5	9	21	41	3.33
DD017310		0.32	0.003	<0.2	1.33	53	<10	150	<0.5	<2	1.22	<0.5	10	18	51	2.91
DD017311		0.24	0.004	<0.2	1.09	39	<10	130	<0.5	<2	1.18	<0.5	7	16	28	2.44
DD017312		0.22	0.001	<0.2	1.88	233	<10	140	<0.5	<2	0.38	<0.5	11	31	33	3.39
DD017313		0.14	0.003	<0.2	1.86	15	<10	170	<0.5	<2	0.46	<0.5	11	32	31	2.84
DD017314		0.18	0.001	<0.2	1.46	10	<10	110	<0.5	<2	0.41	<0.5	7	25	19	2.36
DD017315		0.16	0.005	<0.2	1.40	14	<10	170	<0.5	<2	0.42	<0.5	7	20	23	2.38
DD017316		0.28	0.001	0.2	1.48	8	<10	150	<0.5	<2	0.48	<0.5	7	26	17	2.32
DD017317		0.28	<0.001	<0.2	1.24	6	<10	170	<0.5	<2	0.28	<0.5	6	18	16	1.85
DD017318		0.18	0.005	<0.2	2.05	9	<10	180	<0.5	<2	0.43	<0.5	10	24	21	3.30
DD017319		0.32	0.001	0.2	1.78	7	<10	290	<0.5	<2	0.58	<0.5	10	26	41	2.94
DD017320		0.34	<0.001	<0.2	2.15	9	<10	170	<0.5	<2	0.40	<0.5	8	29	23	2.89
DD017321		0.26	<0.001	0.2	1.70	7	<10	170	<0.5	<2	0.39	<0.5	9	22	23	2.68
DD017322		0.18	0.001	<0.2	1.88	6	<10	260	<0.5	<2	0.43	<0.5	10	27	40	2.71
DD017323		0.22	0.001	<0.2	1.45	7	<10	280	<0.5	<2	0.51	<0.5	9	25	20	2.44
DD017324		0.30	0.003	<0.2	1.09	12	<10	120	<0.5	<2	0.46	<0.5	8	22	27	2.33
DD017325		0.22	0.005	0.2	2.39	17	<10	150	<0.5	<2	1.84	<0.5	28	48	183	5.78
DD017326		0.16	0.002	<0.2	1.17	5	<10	160	<0.5	<2	0.65	<0.5	17	27	120	3.26
DD017327		0.22	0.003	0.3	2.56	4	<10	230	<0.5	<2	1.51	<0.5	29	41	226	6.33
DD017328		0.18	0.001	0.2	2.54	5	<10	120	<0.5	<2	1.01	<0.5	25	47	94	5.63
DD017329		0.22	0.002	<0.2	1.82	6	<10	100	<0.5	<2	0.86	<0.5	25	40	113	5.38
DD017330		0.20	0.002	0.2	1.66	12	<10	60	0.5	<2	3.63	<0.5	13	27	64	3.75
DD017331		0.22	0.002	<0.2	1.86	11	<10	70	0.7	<2	0.65	<0.5	17	32	103	3.88
DD017332		0.14	0.002	<0.2	1.78	11	<10	130	<0.5	<2	2.49	<0.5	15	25	66	3.72
DD017333		0.20	0.028	<0.2	2.73	9	<10	210	<0.5	<2	0.76	<0.5	19	29	87	5.27
DD017334		0.16	0.002	0.2	1.27	5	<10	200	<0.5	<2	0.82	0.5	10	17	60	2.53
DD017335		0.18	0.001	<0.2	1.57	12	<10	200	<0.5	<2	0.48	<0.5	10	28	33	2.88
DD017336		0.18	0.001	<0.2	1.02	8	<10	80	<0.5	<2	0.29	<0.5	7	20	20	2.08
DD017337		0.16	0.001	0.2	0.85	4	<10	100	<0.5	<2	0.26	<0.5	6	17	16	2.00
DD017338		0.16	0.002	0.2	1.51	5	<10	210	<0.5	<2	0.45	<0.5	8	24	29	2.55
DD017339		0.16	0.002	<0.2	1.55	2	<10	210	<0.5	<2	0.92	<0.5	4	25	42	0.86
DD017340		0.14	0.001	<0.2	1.32	5	<10	140	<0.5	<2	0.77	<0.5	7	22	25	2.25



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - B
Total # Pages: 6 (A - C)
Finalized Date: 4- OCT- 2011
Account: MTT

Project: KING

CERTIFICATE OF ANALYSIS WH11163818

Sample Description	Method Analyte Units LOR	ME- ICP41 Ga ppm 10	ME- ICP41 Hg ppm 1	ME- ICP41 K % 0.01	ME- ICP41 La ppm 10	ME- ICP41 Mg % 0.01	ME- ICP41 Mn ppm 5	ME- ICP41 Mo ppm 1	ME- ICP41 Na % 0.01	ME- ICP41 Ni ppm 1	ME- ICP41 P ppm 10	ME- ICP41 Pb ppm 2	ME- ICP41 S % 0.01	ME- ICP41 Sb ppm 2	ME- ICP41 Sc ppm 1	ME- ICP41 Sr ppm 1
DD017301		10	1	0.03	<10	0.52	406	<1	0.03	13	280	2	0.01	<2	8	67
DD017302		<10	<1	0.04	10	0.40	225	1	0.02	12	180	10	<0.01	<2	4	30
DD017303		10	<1	0.06	10	0.50	279	<1	0.02	17	230	5	<0.01	<2	4	33
DD017304		10	<1	0.05	10	0.46	362	<1	0.02	14	270	4	0.01	<2	5	42
DD017305		<10	<1	0.05	10	0.43	529	<1	0.04	16	440	3	0.01	<2	7	46
DD017306		<10	<1	0.05	10	0.36	401	<1	0.04	10	580	<2	0.02	<2	4	43
DD017307		<10	1	0.06	10	0.55	427	<1	0.03	13	690	4	0.02	<2	6	50
DD017308		<10	1	0.06	10	0.42	363	1	0.04	11	510	3	0.01	<2	5	45
DD017309		<10	<1	0.07	10	0.51	495	1	0.03	11	350	3	0.01	<2	7	45
DD017310		<10	1	0.07	10	0.49	778	<1	0.04	13	490	4	0.03	<2	7	67
DD017311		<10	<1	0.05	10	0.42	463	1	0.03	8	600	2	0.04	<2	6	63
DD017312		10	<1	0.09	10	0.42	327	3	0.03	21	200	4	0.04	2	6	32
DD017313		10	<1	0.08	10	0.49	502	<1	0.03	18	250	4	<0.01	<2	6	34
DD017314		<10	1	0.13	10	0.39	284	<1	0.03	13	350	4	0.01	<2	4	30
DD017315		<10	<1	0.06	10	0.34	267	<1	0.02	13	400	2	<0.01	<2	4	36
DD017316		<10	<1	0.08	10	0.40	298	<1	0.02	13	400	3	<0.01	<2	5	33
DD017317		<10	<1	0.04	<10	0.29	537	<1	0.03	10	320	3	<0.01	<2	2	25
DD017318		10	1	0.12	10	0.45	298	<1	0.03	13	320	4	<0.01	<2	5	35
DD017319		10	<1	0.15	10	0.44	603	<1	0.03	15	350	3	<0.01	<2	6	39
DD017320		10	<1	0.05	10	0.46	383	<1	0.02	15	340	2	<0.01	<2	4	35
DD017321		<10	<1	0.06	10	0.41	473	<1	0.02	13	350	3	<0.01	<2	4	31
DD017322		10	<1	0.04	10	0.46	793	1	0.03	18	290	4	0.01	<2	4	32
DD017323		<10	<1	0.06	10	0.37	938	<1	0.03	15	310	4	<0.01	<2	4	31
DD017324		<10	<1	0.10	10	0.40	402	<1	0.05	15	400	5	0.01	<2	5	37
DD017325		10	<1	0.11	10	0.99	1225	<1	0.05	25	730	2	0.01	<2	24	76
DD017326		<10	<1	0.04	<10	0.53	718	<1	0.05	14	450	<2	0.02	<2	10	54
DD017327		10	<1	0.18	<10	1.08	1485	<1	0.05	24	820	2	0.02	<2	21	70
DD017328		10	1	0.04	10	0.89	743	<1	0.08	23	240	<2	0.01	<2	24	39
DD017329		10	<1	0.07	<10	0.79	863	<1	0.10	20	320	<2	<0.01	<2	23	53
DD017330		10	<1	0.11	10	0.77	1100	<1	0.03	7	650	<2	0.01	<2	12	71
DD017331		10	<1	0.08	10	0.70	356	<1	0.03	16	430	3	<0.01	<2	14	30
DD017332		10	<1	0.20	10	0.72	755	<1	0.03	15	550	3	0.03	<2	10	66
DD017333		10	<1	0.17	10	0.78	997	<1	0.04	19	250	3	0.01	<2	17	41
DD017334		<10	<1	0.25	10	0.43	922	<1	0.03	13	690	3	0.04	<2	6	55
DD017335		<10	1	0.09	10	0.51	583	<1	0.03	19	270	7	0.01	<2	6	41
DD017336		<10	<1	0.14	<10	0.32	247	<1	0.05	9	160	5	0.01	<2	3	27
DD017337		<10	1	0.06	<10	0.28	245	<1	0.04	6	200	4	<0.01	<2	2	20
DD017338		<10	<1	0.09	10	0.45	701	<1	0.03	14	290	5	0.01	<2	5	34
DD017339		10	<1	0.10	10	0.28	64	<1	0.02	11	1970	4	0.06	<2	6	56
DD017340		<10	<1	0.12	10	0.54	344	<1	0.06	11	430	3	0.02	<2	5	50



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - C
Total # Pages: 6 (A - C)
Finalized Date: 4- OCT- 2011
Account: MTT

Project: KING

CERTIFICATE OF ANALYSIS WH11163818

Sample Description	Method Analyte Units LOR	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41
		Th	Ti	Ti	U	V	W	Zn
		ppm 20	% 0.01	ppm 10	ppm 10	ppm 1	ppm 10	ppm 2
DD017301		<20	0.05	<10	<10	87	<10	38
DD017302		<20	0.05	<10	<10	69	<10	35
DD017303		<20	0.10	<10	<10	62	<10	48
DD017304		<20	0.05	<10	<10	78	<10	41
DD017305		<20	0.05	<10	<10	68	<10	43
DD017306		<20	0.05	<10	<10	46	<10	34
DD017307		<20	0.07	<10	<10	63	<10	49
DD017308		<20	0.06	<10	<10	60	<10	47
DD017309		<20	0.06	<10	<10	76	<10	55
DD017310		<20	0.05	<10	<10	68	<10	52
DD017311		<20	0.05	<10	<10	60	<10	47
DD017312		<20	0.06	<10	<10	78	<10	43
DD017313		<20	0.07	<10	<10	63	<10	40
DD017314		<20	0.08	<10	<10	55	<10	39
DD017315		<20	0.06	<10	<10	54	<10	32
DD017316		<20	0.08	<10	<10	55	<10	36
DD017317		<20	0.06	<10	<10	46	<10	39
DD017318		<20	0.05	<10	<10	77	<10	60
DD017319		<20	0.08	<10	<10	65	<10	68
DD017320		<20	0.07	<10	<10	77	<10	57
DD017321		<20	0.06	<10	<10	66	<10	51
DD017322		<20	0.08	<10	<10	67	<10	58
DD017323		<20	0.08	<10	<10	54	<10	42
DD017324		<20	0.06	<10	<10	52	<10	39
DD017325		<20	0.07	<10	<10	153	<10	65
DD017326		<20	0.05	<10	<10	90	<10	40
DD017327		<20	0.06	<10	<10	151	<10	77
DD017328		<20	0.10	<10	<10	145	<10	47
DD017329		<20	0.06	<10	<10	145	<10	38
DD017330		<20	0.01	<10	<10	58	<10	69
DD017331		<20	0.08	<10	<10	96	<10	64
DD017332		<20	0.04	<10	<10	81	<10	60
DD017333		<20	0.03	<10	<10	116	<10	74
DD017334		<20	0.05	<10	<10	58	<10	100
DD017335		<20	0.06	<10	<10	60	<10	55
DD017336		<20	0.06	<10	<10	46	<10	29
DD017337		<20	0.07	<10	<10	49	<10	39
DD017338		<20	0.07	<10	<10	56	<10	45
DD017339		<20	0.08	<10	<10	36	<10	28
DD017340		<20	0.07	<10	<10	49	<10	43



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 3 - A
Total # Pages: 6 (A - C)
Finalized Date: 4- OCT- 2011
Account: MTT

Project: KING

CERTIFICATE OF ANALYSIS WH11163818

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg	Au- ICP21 Au ppm	ME- ICP41 Ag ppm	ME- ICP41 Al %	ME- ICP41 As ppm	ME- ICP41 B ppm	ME- ICP41 Ba ppm	ME- ICP41 Be ppm	ME- ICP41 Bi ppm	ME- ICP41 Ca %	ME- ICP41 Cd ppm	ME- ICP41 Co ppm	ME- ICP41 Cr ppm	ME- ICP41 Cu ppm	ME- ICP41 Fe %
		0.02	0.001	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
DD017341		0.16	0.002	<0.2	1.47	12	<10	140	0.5	<2	0.69	<0.5	10	31	42	2.95
DD017342		0.14	0.001	0.2	1.43	5	<10	180	<0.5	<2	0.90	<0.5	8	23	37	2.00
DD017343		0.20	0.001	<0.2	1.45	5	<10	150	<0.5	<2	0.63	<0.5	6	23	17	2.21
DD017344		0.18	0.001	<0.2	1.27	5	<10	170	<0.5	<2	0.67	<0.5	7	20	25	2.15
DD017345		0.20	0.002	<0.2	2.08	14	<10	190	0.5	<2	0.44	<0.5	12	39	37	3.67
DD017346		0.18	0.001	<0.2	1.37	4	<10	210	<0.5	<2	0.47	<0.5	9	20	25	2.41
DD017347		0.22	0.001	<0.2	1.35	3	<10	280	<0.5	<2	0.53	<0.5	9	23	23	2.29
DD017348		0.14	0.001	<0.2	1.54	5	<10	200	<0.5	<2	0.45	<0.5	10	27	31	2.60
DD017349		0.28	0.003	<0.2	1.29	6	<10	240	<0.5	<2	0.47	<0.5	10	19	35	2.56
DD017350		0.22	0.001	<0.2	1.30	6	<10	130	<0.5	<2	0.36	<0.5	8	24	16	2.23
DD017351		0.30	0.002	<0.2	1.32	9	<10	130	<0.5	<2	0.57	<0.5	8	23	19	2.09
DD017352		0.32	0.002	<0.2	1.44	14	<10	150	<0.5	<2	0.62	<0.5	7	26	36	2.28
DD017353		0.20	0.001	<0.2	1.00	2	<10	100	<0.5	<2	0.51	<0.5	4	20	9	1.52
DD017354		0.26	0.002	<0.2	1.56	11	<10	260	<0.5	<2	0.38	<0.5	9	23	18	2.76
DD017355		0.26	0.015	<0.2	2.75	22	<10	210	0.6	<2	0.44	<0.5	13	29	34	4.09
DD017356		0.30	0.004	0.2	1.92	12	<10	240	<0.5	<2	0.56	<0.5	11	24	29	3.39
DD017357		0.20	0.001	0.2	1.98	10	<10	220	0.5	<2	0.65	<0.5	12	26	26	3.02
DD017358		0.28	0.003	<0.2	0.65	11	<10	100	<0.5	<2	1.10	<0.5	5	10	26	1.54
DD017359		0.24	0.054	0.2	1.58	24	<10	140	0.5	<2	0.73	<0.5	14	23	48	4.01
DD017360		0.22	0.003	<0.2	1.30	13	<10	180	0.5	<2	1.58	<0.5	9	24	61	2.51
DD017361		0.22	0.005	<0.2	0.90	5	<10	90	<0.5	<2	0.71	<0.5	5	17	11	2.07
DD017362		0.20	0.009	0.2	0.89	9	<10	150	<0.5	<2	1.31	<0.5	7	19	32	2.29
DD017363		0.26	0.002	<0.2	0.80	31	<10	100	<0.5	<2	0.54	<0.5	10	25	26	2.74
DD017364		0.26	0.003	<0.2	0.94	8	<10	110	<0.5	<2	0.88	<0.5	6	16	24	2.04
DD017365		0.24	0.002	<0.2	0.92	12	<10	120	<0.5	<2	0.64	<0.5	7	16	30	2.30
DD017366		0.30	0.003	<0.2	0.82	8	<10	130	<0.5	<2	1.04	<0.5	7	15	25	1.98
DD017367		0.30	0.003	<0.2	0.58	5	<10	80	<0.5	<2	1.12	<0.5	4	11	38	1.39
DD017368		0.36	<0.001	0.2	1.85	9	<10	230	<0.5	<2	0.43	<0.5	9	25	24	2.79
DD017369		0.20	0.012	<0.2	1.79	15	<10	190	<0.5	<2	0.49	<0.5	9	26	25	2.94
DD017370		0.26	0.004	<0.2	2.12	17	<10	210	<0.5	<2	0.42	<0.5	10	29	25	3.13
DD017371		0.20	0.002	0.2	1.24	13	<10	170	<0.5	<2	1.82	<0.5	6	22	53	1.87
DD017372		0.28	<0.001	<0.2	1.17	30	<10	120	<0.5	<2	0.68	<0.5	7	19	28	1.97
DD017373		0.28	0.001	0.2	1.38	60	<10	140	<0.5	<2	1.05	<0.5	8	25	62	2.48
DD017374		0.26	0.001	<0.2	1.29	57	<10	140	<0.5	<2	0.74	<0.5	9	20	96	2.86
DD017375		0.34	0.004	<0.2	1.38	58	<10	90	<0.5	<2	0.47	<0.5	8	21	50	2.74
DD017376		0.24	0.021	<0.2	1.41	10	<10	190	<0.5	<2	0.32	<0.5	8	24	23	3.35
DD017377		0.28	0.010	<0.2	1.48	<2	<10	230	<0.5	<2	0.55	<0.5	8	19	49	1.48
DD017378		0.28	0.064	<0.2	1.27	<2	<10	90	<0.5	<2	0.66	<0.5	4	15	21	1.03
DD017379		0.20	0.003	<0.2	1.12	12	<10	110	<0.5	<2	1.34	<0.5	6	15	30	2.41
DD017380		0.22	0.002	0.2	1.46	32	10	90	<0.5	<2	1.45	<0.5	14	8	104	4.11



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 3 - B
Total # Pages: 6 (A - C)
Finalized Date: 4- OCT- 2011
Account: MTT

Project: KING

CERTIFICATE OF ANALYSIS WH11163818

Sample Description	Method Analyte Units LOR	ME- ICP41 Ga ppm 10	ME- ICP41 Hg ppm 1	ME- ICP41 K % 0.01	ME- ICP41 La ppm 10	ME- ICP41 Mg % 0.01	ME- ICP41 Mn ppm 5	ME- ICP41 Mo ppm 1	ME- ICP41 Na % 0.01	ME- ICP41 Ni ppm 1	ME- ICP41 P ppm 10	ME- ICP41 Pb ppm 2	ME- ICP41 S % 0.01	ME- ICP41 Sb ppm 2	ME- ICP41 Sc ppm 1	ME- ICP41 Sr ppm 1
DD017341		<10	<1	0.10	20	0.60	394	1	0.04	18	290	7	0.01	<2	7	65
DD017342		<10	<1	0.09	10	0.48	287	<1	0.07	15	570	4	0.02	<2	4	61
DD017343		<10	<1	0.12	10	0.47	286	<1	0.04	10	230	5	0.01	<2	4	45
DD017344		<10	<1	0.10	10	0.41	402	<1	0.05	11	280	5	0.01	<2	4	46
DD017345		10	<1	0.05	10	0.52	330	1	0.03	17	210	7	0.01	<2	6	40
DD017346		<10	<1	0.08	10	0.28	826	1	0.03	11	480	6	0.01	<2	3	39
DD017347		<10	<1	0.11	10	0.35	978	<1	0.04	14	580	6	0.01	<2	4	37
DD017348		<10	<1	0.09	10	0.39	939	<1	0.03	16	300	5	0.01	<2	6	35
DD017349		<10	<1	0.07	10	0.30	1780	1	0.04	14	540	5	0.01	<2	5	41
DD017350		<10	1	0.11	10	0.39	364	<1	0.04	11	340	6	0.01	<2	4	26
DD017351		<10	<1	0.08	10	0.46	365	<1	0.04	12	420	5	0.01	<2	4	36
DD017352		<10	<1	0.07	10	0.53	306	<1	0.04	17	530	5	0.01	<2	5	39
DD017353		<10	<1	0.08	10	0.43	195	<1	0.03	8	370	5	0.02	<2	3	30
DD017354		10	<1	0.06	10	0.40	784	<1	0.03	11	440	6	0.01	<2	4	35
DD017355		10	<1	0.05	10	0.66	386	<1	0.04	16	270	7	0.01	<2	6	54
DD017356		10	1	0.06	10	0.51	661	<1	0.03	12	290	5	0.01	<2	5	48
DD017357		10	<1	0.05	10	0.47	694	1	0.04	16	380	7	0.01	<2	5	44
DD017358		<10	<1	0.06	10	0.26	326	<1	0.05	7	460	3	0.02	<2	3	63
DD017359		10	<1	0.10	10	0.58	747	<1	0.04	16	400	7	0.02	<2	8	67
DD017360		<10	<1	0.13	20	0.45	529	1	0.04	21	470	8	0.04	<2	5	96
DD017361		<10	<1	0.08	10	0.37	239	<1	0.02	9	760	7	0.02	<2	3	54
DD017362		<10	<1	0.07	10	0.39	453	1	0.03	14	780	5	0.05	<2	4	106
DD017363		<10	<1	0.06	10	0.47	319	<1	0.02	25	580	5	0.02	<2	4	47
DD017364		<10	<1	0.08	10	0.34	373	<1	0.03	9	590	5	0.03	<2	5	68
DD017365		<10	<1	0.06	10	0.30	433	<1	0.03	11	560	5	0.02	<2	5	59
DD017366		<10	<1	0.07	10	0.30	543	<1	0.03	10	500	5	0.03	<2	4	74
DD017367		<10	1	0.05	10	0.24	180	<1	0.03	9	540	2	0.05	<2	3	63
DD017368		10	<1	0.05	10	0.43	655	1	0.02	12	280	6	0.02	<2	4	37
DD017369		10	<1	0.06	10	0.50	416	<1	0.02	13	320	6	0.02	<2	4	41
DD017370		10	<1	0.07	10	0.56	411	<1	0.02	17	280	7	0.02	<2	5	37
DD017371		<10	<1	0.06	10	0.52	266	<1	0.02	15	860	4	0.08	<2	5	92
DD017372		<10	<1	0.05	10	0.45	339	<1	0.03	13	560	4	0.02	<2	3	41
DD017373		<10	<1	0.06	10	0.53	393	<1	0.03	20	570	3	0.03	<2	6	59
DD017374		<10	<1	0.07	10	0.42	504	<1	0.04	14	460	6	0.02	<2	8	57
DD017375		<10	<1	0.04	10	0.40	368	<1	0.03	12	320	4	0.02	<2	5	34
DD017376		10	<1	0.06	10	0.34	279	<1	0.02	12	360	6	0.01	<2	3	32
DD017377		<10	<1	0.08	<10	0.47	116	<1	0.02	17	290	4	0.04	<2	3	30
DD017378		<10	<1	0.07	<10	0.40	123	<1	0.02	7	250	5	0.05	<2	3	45
DD017379		<10	<1	0.06	10	0.50	185	<1	0.03	7	610	4	0.09	<2	5	71
DD017380		10	<1	0.08	10	0.58	1060	1	0.02	8	530	2	0.05	<2	8	67



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 3 - C
Total # Pages: 6 (A - C)
Finalized Date: 4- OCT- 2011
Account: MTT

Project: KING

CERTIFICATE OF ANALYSIS WH11163818

Sample Description	Method Analyte Units LOR	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41
		Th	Ti	Ti	U	V	Zn
		ppm 20	% 0.01	ppm 10	ppm 10	ppm 1	ppm 10
DD017341		<20	0.06	<10	<10	57	<10
DD017342		<20	0.06	<10	<10	45	<10
DD017343		<20	0.09	<10	<10	49	<10
DD017344		<20	0.07	<10	<10	46	<10
DD017345		<20	0.06	<10	<10	83	<10
DD017346		<20	0.06	<10	<10	53	<10
DD017347		<20	0.07	<10	<10	47	<10
DD017348		<20	0.07	<10	<10	59	<10
DD017349		<20	0.05	<10	<10	55	<10
DD017350		<20	0.09	<10	<10	50	<10
DD017351		<20	0.08	<10	<10	46	<10
DD017352		<20	0.09	<10	<10	51	<10
DD017353		<20	0.08	<10	<10	35	<10
DD017354		<20	0.06	<10	<10	65	<10
DD017355		<20	0.04	<10	<10	90	<10
DD017356		<20	0.05	<10	<10	77	<10
DD017357		<20	0.07	<10	<10	71	<10
DD017358		<20	0.04	<10	<10	36	<10
DD017359		<20	0.06	<10	<10	86	<10
DD017360		<20	0.07	<10	<10	59	<10
DD017361		<20	0.06	<10	<10	49	<10
DD017362		<20	0.05	<10	<10	55	<10
DD017363		<20	0.05	<10	<10	57	<10
DD017364		<20	0.05	<10	<10	50	<10
DD017365		<20	0.05	<10	<10	53	<10
DD017366		<20	0.04	<10	<10	47	<10
DD017367		<20	0.04	<10	<10	33	<10
DD017368		<20	0.07	<10	<10	69	<10
DD017369		<20	0.07	<10	<10	71	<10
DD017370		<20	0.08	<10	<10	79	<10
DD017371		<20	0.06	<10	<10	42	<10
DD017372		<20	0.07	<10	<10	46	<10
DD017373		<20	0.07	<10	<10	58	<10
DD017374		<20	0.05	<10	<10	64	<10
DD017375		<20	0.06	<10	<10	66	<10
DD017376		<20	0.07	<10	<10	89	<10
DD017377		<20	0.08	<10	<10	38	<10
DD017378		<20	0.06	<10	<10	27	<10
DD017379		<20	0.04	<10	<10	57	<10
DD017380		<20	0.01	<10	<10	63	<10



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 4 - A
Total # Pages: 6 (A - C)
Finalized Date: 4- OCT- 2011
Account: MTT

Project: KING

CERTIFICATE OF ANALYSIS WH11163818

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg	Au- ICP21 Au ppm	ME- ICP41 Ag ppm	ME- ICP41 Al %	ME- ICP41 As ppm	ME- ICP41 B ppm	ME- ICP41 Ba ppm	ME- ICP41 Be ppm	ME- ICP41 Bi ppm	ME- ICP41 Ca %	ME- ICP41 Cd ppm	ME- ICP41 Co ppm	ME- ICP41 Cr ppm	ME- ICP41 Cu ppm	ME- ICP41 Fe %
		0.02	0.001	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
DD017381		0.20	<0.001	0.2	2.09	6	<10	250	<0.5	<2	0.65	<0.5	13	27	35	3.11
DD017382		0.20	0.001	0.2	1.49	7	<10	140	<0.5	<2	0.70	<0.5	8	25	18	2.32
DD017383		0.28	<0.001	<0.2	1.66	5	<10	120	<0.5	<2	0.41	<0.5	8	22	40	2.51
DD017384		0.26	<0.001	<0.2	1.64	6	<10	90	<0.5	<2	0.43	<0.5	6	28	55	2.11
DD017385		0.20	0.001	<0.2	1.22	4	<10	120	<0.5	<2	0.32	<0.5	6	19	14	2.08
DD017386		0.30	0.002	<0.2	1.75	14	<10	170	0.6	<2	0.57	<0.5	12	34	39	3.19
DD017387		0.26	0.001	<0.2	1.20	8	<10	110	<0.5	<2	0.91	<0.5	7	15	29	2.18
DD017388		0.20	0.001	<0.2	1.30	7	<10	170	<0.5	<2	0.87	<0.5	6	21	21	2.55
DD017389		0.30	0.001	<0.2	1.55	6	<10	100	<0.5	<2	0.63	<0.5	7	25	21	2.32
DD017390		0.30	0.005	<0.2	1.56	9	<10	180	<0.5	<2	0.60	<0.5	10	21	31	2.74
DD017391		0.22	<0.001	<0.2	1.53	6	<10	130	<0.5	<2	0.79	<0.5	8	28	67	2.42
DD017392		0.22	0.001	0.3	2.52	12	<10	90	0.6	<2	0.59	<0.5	16	31	101	4.63
DD017393		0.28	<0.001	<0.2	1.82	7	<10	140	0.5	<2	0.73	<0.5	7	30	54	2.39
DD017394		0.32	0.003	<0.2	1.42	8	<10	130	<0.5	<2	0.92	<0.5	8	24	49	2.35
DD017395		0.26	0.005	<0.2	0.85	5	<10	80	<0.5	<2	1.08	<0.5	6	11	28	1.65
DD017396		0.20	0.002	<0.2	0.81	<2	<10	70	<0.5	<2	0.70	<0.5	7	11	64	1.13
DD017397		0.24	<0.001	<0.2	2.38	8	<10	100	<0.5	<2	0.50	<0.5	12	29	62	3.94
DD017398		0.30	0.002	<0.2	1.50	28	<10	140	<0.5	<2	1.15	<0.5	10	18	57	2.94
DD017399		0.26	0.002	<0.2	0.92	2	<10	70	<0.5	<2	0.42	<0.5	4	13	6	1.06
DD017400		0.30	0.002	<0.2	0.93	2	<10	80	<0.5	<2	0.45	<0.5	4	13	8	0.89
DD017401		0.40	0.001	<0.2	1.34	16	<10	100	<0.5	<2	0.27	<0.5	7	19	16	2.34
DD017402		0.20	0.004	<0.2	2.01	17	<10	150	0.5	<2	0.46	<0.5	10	21	32	3.00
DD017403		0.26	<0.001	<0.2	1.09	6	<10	80	<0.5	<2	0.30	<0.5	5	19	11	1.78
DD017404		0.22	0.004	<0.2	1.96	53	<10	140	<0.5	<2	0.51	<0.5	12	22	49	3.61
DD017405		0.32	<0.001	<0.2	1.41	4	<10	90	<0.5	<2	0.34	<0.5	4	19	7	1.34
DD017406		0.32	0.003	<0.2	1.26	18	<10	100	<0.5	<2	0.36	<0.5	8	22	23	2.36
DD017407		0.42	0.003	<0.2	1.56	16	<10	110	<0.5	<2	0.37	<0.5	8	23	22	2.46
DD017408		0.30	<0.001	0.2	1.71	63	<10	160	<0.5	<2	0.66	<0.5	9	20	53	2.99
DD017409		0.28	<0.001	<0.2	1.46	23	<10	90	<0.5	<2	0.38	<0.5	7	20	23	2.41
DD017410		0.26	<0.001	<0.2	1.63	26	<10	130	<0.5	<2	0.42	<0.5	9	24	31	2.80
DD017411		0.16	0.008	<0.2	2.17	15	<10	220	<0.5	<2	0.59	<0.5	12	41	30	3.68
DD017412		0.32	<0.001	<0.2	1.37	14	<10	140	<0.5	<2	0.39	<0.5	7	21	20	2.23
DD017413		0.24	0.002	<0.2	1.76	22	<10	90	<0.5	<2	0.26	<0.5	7	23	26	2.74
DD017414		0.28	0.002	<0.2	2.04	81	<10	140	0.5	<2	0.80	<0.5	13	25	71	3.87
DD017415		0.20	0.001	<0.2	1.26	31	<10	90	<0.5	<2	0.72	<0.5	8	10	76	2.54
DD017416		0.14	0.002	0.2	1.05	22	<10	110	<0.5	<2	0.97	<0.5	7	14	36	1.95
DD017417		0.32	0.002	0.2	1.10	21	<10	100	<0.5	<2	0.96	<0.5	8	19	50	2.22
DD017418		0.22	0.001	<0.2	1.46	14	<10	160	<0.5	<2	0.58	<0.5	7	23	26	2.23
DD017419		0.22	0.001	<0.2	0.69	46	<10	70	<0.5	<2	1.29	<0.5	5	10	24	1.72
DD017420		0.26	0.008	<0.2	0.89	25	<10	100	<0.5	<2	1.45	<0.5	6	15	32	1.62



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 4 - B
Total # Pages: 6 (A - C)
Finalized Date: 4- OCT- 2011
Account: MTT

Project: KING

CERTIFICATE OF ANALYSIS WH11163818

Sample Description	Method Analyte Units LOR	ME- ICP41 Ga ppm 10	ME- ICP41 Hg ppm 1	ME- ICP41 K % 0.01	ME- ICP41 La ppm 10	ME- ICP41 Mg % 0.01	ME- ICP41 Mn ppm 5	ME- ICP41 Mo ppm 1	ME- ICP41 Na % 0.01	ME- ICP41 Ni ppm 1	ME- ICP41 P ppm 10	ME- ICP41 Pb ppm 2	ME- ICP41 S % 0.01	ME- ICP41 Sb ppm 2	ME- ICP41 Sc ppm 1	ME- ICP41 Sr ppm 1
DD017381		10	<1	0.05	10	0.46	857	<1	0.03	13	170	7	0.02	<2	5	38
DD017382		<10	1	0.07	10	0.52	393	<1	0.03	11	490	4	0.02	<2	5	43
DD017383		10	<1	0.03	10	0.40	669	<1	0.02	11	190	5	0.02	<2	4	23
DD017384		<10	<1	0.04	10	0.47	167	<1	0.02	12	390	5	0.01	<2	5	23
DD017385		<10	1	0.03	<10	0.29	179	<1	0.02	8	90	6	0.01	<2	3	25
DD017386		10	1	0.13	20	0.64	568	<1	0.03	24	250	8	0.01	<2	8	44
DD017387		<10	<1	0.05	10	0.43	267	<1	0.06	10	140	4	0.03	<2	5	50
DD017388		<10	<1	0.05	10	0.37	218	<1	0.03	9	200	5	0.03	<2	5	57
DD017389		<10	<1	0.09	10	0.65	299	<1	0.03	11	130	4	0.02	<2	5	40
DD017390		10	<1	0.09	10	0.52	608	<1	0.03	11	230	4	0.02	<2	7	59
DD017391		<10	<1	0.08	10	0.59	324	<1	0.03	14	320	6	0.02	<2	5	39
DD017392		10	<1	0.04	10	0.54	953	<1	0.02	15	230	6	0.02	<2	13	29
DD017393		10	<1	0.04	10	0.53	435	<1	0.03	14	340	5	0.02	<2	5	37
DD017394		<10	<1	0.06	10	0.56	313	<1	0.03	11	390	4	0.03	<2	6	50
DD017395		<10	<1	0.05	<10	0.35	332	<1	0.03	5	640	2	0.05	<2	3	57
DD017396		<10	<1	0.03	<10	0.37	142	<1	0.05	10	530	2	0.07	<2	4	33
DD017397		10	<1	0.03	10	0.52	743	<1	0.05	14	180	6	0.01	<2	7	21
DD017398		10	1	0.08	10	0.53	633	<1	0.05	10	750	4	0.03	<2	6	61
DD017399		<10	<1	0.05	10	0.33	109	<1	0.03	7	500	6	0.01	<2	2	38
DD017400		<10	<1	0.05	10	0.29	92	<1	0.02	5	430	5	0.02	<2	3	33
DD017401		<10	<1	0.07	<10	0.35	186	1	0.03	10	260	5	0.01	18	3	28
DD017402		10	<1	0.07	10	0.38	334	<1	0.03	11	220	5	0.01	<2	7	44
DD017403		<10	<1	0.05	<10	0.32	179	<1	0.02	8	200	4	0.01	<2	2	21
DD017404		10	<1	0.05	<10	0.47	420	<1	0.04	11	200	4	0.01	<2	7	41
DD017405		10	<1	0.11	10	0.43	121	<1	0.02	9	490	6	0.02	<2	3	23
DD017406		<10	<1	0.08	10	0.37	295	<1	0.02	9	210	5	0.01	<2	4	29
DD017407		<10	<1	0.07	10	0.38	256	<1	0.04	12	300	7	0.01	<2	5	27
DD017408		10	<1	0.04	10	0.38	316	1	0.03	9	340	6	0.02	<2	4	35
DD017409		<10	<1	0.06	<10	0.38	206	<1	0.03	9	190	4	0.01	<2	4	30
DD017410		10	1	0.06	10	0.39	467	<1	0.03	11	210	5	0.01	<2	5	31
DD017411		10	<1	0.17	10	0.85	359	<1	0.07	14	360	4	0.01	<2	6	129
DD017412		<10	<1	0.04	10	0.35	524	<1	0.03	9	270	4	0.01	<2	3	28
DD017413		10	<1	0.02	10	0.42	207	<1	0.03	11	210	5	0.01	<2	4	25
DD017414		10	<1	0.04	10	0.48	687	<1	0.04	12	420	5	0.01	<2	10	56
DD017415		<10	<1	0.04	10	0.29	534	<1	0.05	7	440	3	0.02	2	6	40
DD017416		<10	<1	0.05	10	0.36	288	<1	0.05	8	470	3	0.03	<2	4	50
DD017417		<10	<1	0.06	10	0.44	346	<1	0.05	11	630	4	0.03	<2	5	50
DD017418		<10	<1	0.06	10	0.38	361	<1	0.04	11	270	5	0.01	<2	4	38
DD017419		<10	<1	0.04	<10	0.28	364	<1	0.04	6	440	2	0.05	<2	3	58
DD017420		<10	<1	0.05	10	0.36	271	<1	0.04	9	700	4	0.10	<2	4	71



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
 C/ O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016- 510 W HASTINGS ST
 VANCOUVER BC V6B 1L8

Page: 4 - C
 Total # Pages: 6 (A - C)
 Finalized Date: 4- OCT- 2011
 Account: MTT

Project: KING

CERTIFICATE OF ANALYSIS WH11163818

Sample Description	Method Analyte Units LOR	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41
		Th	Ti	Ti	U	V	W	Zn
		ppm 20	% 0.01	ppm 10	ppm 10	ppm 1	ppm 10	ppm 2
DD017381		<20	0.08	<10	<10	78	<10	61
DD017382		<20	0.09	<10	<10	56	<10	38
DD017383		<20	0.10	<10	<10	70	<10	52
DD017384		<20	0.10	<10	<10	53	<10	33
DD017385		<20	0.07	<10	<10	57	<10	31
DD017386		<20	0.09	<10	<10	60	<10	53
DD017387		<20	0.05	<10	<10	49	<10	25
DD017388		<20	0.06	<10	<10	55	<10	32
DD017389		<20	0.11	<10	<10	52	<10	41
DD017390		<20	0.05	<10	<10	61	<10	43
DD017391		<20	0.10	<10	<10	56	<10	72
DD017392		<20	0.08	<10	<10	121	<10	125
DD017393		<20	0.10	<10	<10	61	<10	42
DD017394		<20	0.07	<10	<10	50	<10	35
DD017395		<20	0.04	<10	<10	43	<10	25
DD017396		<20	0.04	<10	<10	32	<10	40
DD017397		<20	0.11	<10	<10	104	<10	58
DD017398		<20	0.05	<10	<10	52	<10	51
DD017399		<20	0.06	<10	<10	29	<10	29
DD017400		<20	0.05	<10	<10	21	<10	22
DD017401		<20	0.05	<10	<10	53	<10	34
DD017402		<20	0.04	<10	<10	68	<10	33
DD017403		<20	0.08	<10	<10	47	<10	27
DD017404		<20	0.04	<10	<10	82	<10	36
DD017405		<20	0.07	<10	<10	31	<10	34
DD017406		<20	0.07	<10	<10	59	<10	31
DD017407		<20	0.06	<10	<10	55	<10	38
DD017408		<20	0.05	<10	<10	73	<10	49
DD017409		<20	0.06	<10	<10	59	<10	34
DD017410		<20	0.08	<10	<10	70	<10	37
DD017411		<20	0.19	<10	<10	81	<10	47
DD017412		<20	0.07	<10	<10	54	<10	31
DD017413		<20	0.05	<10	<10	73	<10	36
DD017414		<20	0.06	<10	<10	91	<10	43
DD017415		<20	0.04	<10	<10	55	<10	34
DD017416		<20	0.04	<10	<10	46	<10	41
DD017417		<20	0.06	<10	<10	51	<10	42
DD017418		<20	0.08	<10	<10	54	<10	41
DD017419		<20	0.04	<10	<10	42	<10	36
DD017420		<20	0.04	<10	<10	45	<10	47



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 5 - A
Total # Pages: 6 (A - C)
Finalized Date: 4- OCT- 2011
Account: MTT

Project: KING

CERTIFICATE OF ANALYSIS WH11163818

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg	Au- ICP21 Au ppm	ME- ICP41 Ag ppm	ME- ICP41 Al %	ME- ICP41 As ppm	ME- ICP41 B ppm	ME- ICP41 Ba ppm	ME- ICP41 Be ppm	ME- ICP41 Bi ppm	ME- ICP41 Ca %	ME- ICP41 Cd ppm	ME- ICP41 Co ppm	ME- ICP41 Cr ppm	ME- ICP41 Cu ppm	ME- ICP41 Fe %
		0.02	0.001	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
DD017421		0.20	0.002	0.2	1.03	102	<10	140	<0.5	<2	1.28	<0.5	9	18	46	2.82
DD017422		0.30	0.001	<0.2	1.76	45	<10	130	<0.5	<2	0.44	<0.5	10	24	36	3.05
DD017423		0.22	<0.001	0.2	1.44	9	<10	200	<0.5	<2	0.47	<0.5	9	26	17	2.23
DD017424		0.26	<0.001	<0.2	1.36	8	<10	200	<0.5	<2	0.44	<0.5	8	22	24	2.11
DD017425		0.28	0.005	<0.2	1.59	15	<10	130	0.5	<2	0.61	<0.5	10	27	47	2.93
DD017426		0.32	0.003	0.2	1.63	12	<10	170	<0.5	<2	0.83	<0.5	9	25	35	2.72
DD017427		0.18	<0.001	<0.2	1.04	4	<10	150	<0.5	<2	0.34	<0.5	5	13	15	1.63
DD017428		0.18	0.003	0.3	2.51	18	<10	230	0.5	<2	0.52	<0.5	12	26	36	3.81
DD017429		0.22	0.011	<0.2	2.05	20	<10	170	0.5	<2	0.52	<0.5	12	23	36	3.70
DD017430		0.20	0.005	0.2	1.60	6	<10	210	<0.5	<2	0.38	<0.5	9	21	17	2.61
DD017431		0.28	<0.001	<0.2	1.58	10	<10	140	<0.5	<2	0.52	<0.5	7	27	23	2.39
DD017432		0.22	<0.001	0.2	1.24	7	<10	150	<0.5	<2	0.58	<0.5	8	23	19	2.02
DD017433		0.28	0.003	<0.2	1.76	14	<10	230	<0.5	<2	0.46	<0.5	11	23	24	3.04
DD017434		0.24	<0.001	<0.2	1.13	12	<10	170	<0.5	<2	0.68	<0.5	7	19	36	2.37
DD017435		0.22	<0.001	<0.2	0.60	4	<10	70	<0.5	<2	0.69	<0.5	3	4	37	0.25
DD017436		0.20	0.011	<0.2	1.18	18	<10	100	<0.5	<2	0.36	<0.5	8	22	39	2.43
DD017437		0.28	<0.001	<0.2	1.56	12	<10	160	<0.5	<2	0.36	<0.5	10	28	25	2.43
DD017438		0.32	<0.001	<0.2	1.39	18	<10	150	<0.5	<2	0.43	<0.5	7	23	18	2.29
DD017439		0.34	<0.001	<0.2	2.67	26	<10	120	0.7	<2	0.42	<0.5	9	42	44	3.77
DD017440		0.26	<0.001	0.2	1.38	31	<10	160	<0.5	<2	0.51	<0.5	8	23	30	2.46
DD017441		0.30	0.002	0.2	1.37	33	<10	180	<0.5	<2	0.88	<0.5	10	20	44	2.51
DD017442		0.32	<0.001	<0.2	1.71	14	<10	160	<0.5	<2	0.39	<0.5	9	23	32	2.61
DD017443		0.22	<0.001	<0.2	1.49	27	<10	140	<0.5	<2	0.42	<0.5	7	22	20	2.50
DD017444		0.20	<0.001	0.2	1.91	37	<10	100	<0.5	<2	0.52	<0.5	10	25	37	3.25
DD017445		0.22	0.002	<0.2	1.60	14	<10	100	<0.5	<2	0.38	<0.5	8	21	27	2.58
DD017446		0.22	<0.001	<0.2	1.54	39	<10	100	<0.5	<2	0.42	<0.5	12	18	57	3.48
DD017447		0.42	0.002	0.2	1.28	34	<10	120	<0.5	<2	1.19	<0.5	9	22	81	2.76
DD017448		0.28	<0.001	0.2	1.22	136	<10	140	<0.5	<2	1.61	<0.5	7	21	39	2.35
DD017449		0.16	<0.001	<0.2	0.56	23	<10	100	<0.5	<2	1.41	<0.5	4	8	25	0.94
DD017450		0.38	0.002	<0.2	1.17	30	<10	140	<0.5	<2	2.31	<0.5	8	21	41	2.53
DD017451		0.28	0.003	<0.2	1.22	126	<10	140	<0.5	<2	1.55	<0.5	12	22	59	3.10
DD017452		0.34	0.001	<0.2	1.37	94	<10	160	<0.5	<2	1.12	<0.5	11	27	43	2.63
DD017453		0.38	0.001	<0.2	1.56	19	<10	180	<0.5	<2	1.02	<0.5	10	29	38	2.49
DD017454		0.24	0.002	<0.2	1.82	18	<10	170	0.5	<2	0.68	<0.5	11	30	37	3.03
DD017455		0.38	0.002	<0.2	1.40	7	<10	160	<0.5	<2	0.62	<0.5	8	30	20	2.03
DD017456		0.36	0.001	<0.2	1.55	7	<10	160	<0.5	<2	0.64	<0.5	7	28	29	2.44
DD017457		0.20	0.024	0.2	2.51	18	<10	200	<0.5	<2	0.62	<0.5	11	26	32	3.63
DD017458		0.20	<0.001	<0.2	2.05	15	<10	190	0.5	<2	0.46	<0.5	9	29	28	3.17
DD017459		0.40	0.026	<0.2	1.38	6	<10	200	<0.5	<2	0.40	<0.5	9	21	23	2.16
DD017460		0.24	0.029	<0.2	2.02	12	<10	190	<0.5	<2	0.55	<0.5	12	22	26	3.95



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 5 - B
Total # Pages: 6 (A - C)
Finalized Date: 4- OCT- 2011
Account: MTT

Project: KING

CERTIFICATE OF ANALYSIS WH11163818

Sample Description	Method Analyte Units LOR	ME- ICP41 Ga ppm 10	ME- ICP41 Hg ppm 1	ME- ICP41 K % 0.01	ME- ICP41 La ppm 10	ME- ICP41 Mg % 0.01	ME- ICP41 Mn ppm 5	ME- ICP41 Mo ppm 1	ME- ICP41 Na % 0.01	ME- ICP41 Ni ppm 1	ME- ICP41 P ppm 10	ME- ICP41 Pb ppm 2	ME- ICP41 S % 0.01	ME- ICP41 Sb ppm 2	ME- ICP41 Sc ppm 1	ME- ICP41 Sr ppm 1
DD017421		<10	<1	0.05	10	0.42	634	1	0.04	13	810	4	0.10	<2	5	68
DD017422		10	<1	0.07	10	0.46	332	<1	0.04	12	170	6	0.01	<2	6	36
DD017423		<10	<1	0.08	10	0.41	665	<1	0.03	15	410	6	0.01	<2	4	33
DD017424		<10	<1	0.08	10	0.36	742	<1	0.04	13	280	5	<0.01	<2	4	34
DD017425		<10	<1	0.08	20	0.57	474	<1	0.05	19	410	9	0.01	<2	8	54
DD017426		10	<1	0.08	10	0.52	292	<1	0.04	14	280	6	0.02	<2	5	53
DD017427		<10	<1	0.05	<10	0.22	329	<1	0.04	6	350	3	0.01	<2	2	29
DD017428		10	<1	0.06	10	0.60	419	<1	0.04	14	340	6	0.01	<2	7	53
DD017429		10	<1	0.08	10	0.51	382	<1	0.03	12	460	6	0.01	<2	6	52
DD017430		10	<1	0.03	10	0.39	473	1	0.03	12	280	6	0.01	<2	3	30
DD017431		<10	1	0.06	10	0.47	213	<1	0.04	14	440	4	0.01	<2	4	38
DD017432		<10	<1	0.07	10	0.39	496	1	0.03	14	450	5	0.01	<2	4	34
DD017433		<10	<1	0.08	10	0.45	580	<1	0.02	15	480	3	0.01	<2	5	43
DD017434		<10	<1	0.04	10	0.35	235	<1	0.04	17	200	4	0.01	<2	6	51
DD017435		<10	<1	0.01	<10	0.08	20	<1	0.04	3	950	<2	0.20	<2	1	32
DD017436		<10	<1	0.05	10	0.28	392	<1	0.03	14	220	3	0.01	<2	6	36
DD017437		<10	<1	0.04	10	0.41	390	<1	0.02	13	150	4	0.01	<2	4	23
DD017438		<10	<1	0.06	10	0.43	282	<1	0.02	12	510	3	0.01	<2	3	27
DD017439		10	1	0.08	10	0.52	335	<1	0.03	24	160	5	0.01	<2	11	37
DD017440		<10	<1	0.07	10	0.36	509	<1	0.03	14	470	4	0.01	<2	5	36
DD017441		<10	<1	0.06	10	0.44	507	<1	0.04	12	850	3	0.02	<2	6	55
DD017442		<10	<1	0.03	<10	0.39	428	<1	0.03	15	130	4	0.01	<2	4	36
DD017443		<10	<1	0.05	10	0.38	262	<1	0.02	12	370	3	0.01	<2	4	32
DD017444		<10	<1	0.10	10	0.45	280	1	0.03	14	200	4	0.01	<2	6	36
DD017445		10	<1	0.03	<10	0.32	424	<1	0.03	11	270	3	0.01	<2	4	23
DD017446		<10	<1	0.05	10	0.39	526	1	0.03	9	400	<2	0.01	<2	7	34
DD017447		<10	<1	0.07	10	0.54	367	<1	0.04	16	620	3	0.03	<2	8	58
DD017448		<10	<1	0.05	10	0.47	553	<1	0.04	13	820	5	0.08	<2	5	73
DD017449		<10	<1	0.04	<10	0.19	363	<1	0.04	5	710	<2	0.12	<2	2	58
DD017450		<10	<1	0.07	10	0.61	462	<1	0.04	15	730	4	0.02	<2	6	81
DD017451		<10	<1	0.07	10	0.66	617	1	0.05	19	640	4	0.03	<2	7	86
DD017452		<10	<1	0.09	10	0.58	448	1	0.04	28	580	4	0.04	<2	6	76
DD017453		<10	<1	0.10	10	0.62	476	<1	0.03	21	650	5	0.03	<2	5	62
DD017454		10	1	0.12	10	0.61	481	<1	0.04	19	210	5	0.01	<2	7	58
DD017455		<10	<1	0.08	10	0.50	433	<1	0.04	15	590	2	0.01	<2	5	40
DD017456		<10	1	0.11	10	0.57	395	<1	0.04	19	470	3	0.01	<2	5	46
DD017457		10	<1	0.13	<10	0.61	371	1	0.03	15	460	4	0.02	<2	5	56
DD017458		10	1	0.05	10	0.54	373	1	0.03	16	270	3	0.01	<2	5	42
DD017459		<10	<1	0.08	10	0.36	636	<1	0.02	11	560	2	0.01	<2	3	30
DD017460		10	<1	0.10	<10	0.56	366	<1	0.04	11	1070	3	0.01	<2	6	47



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 5 - C
Total # Pages: 6 (A - C)
Finalized Date: 4- OCT- 2011
Account: MTT

Project: KING

CERTIFICATE OF ANALYSIS WH11163818

Sample Description	Method Analyte Units LOR	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41
		Th	Ti	Ti	U	V	W	Zn
		ppm 20	% 0.01	ppm 10	ppm 10	ppm 1	ppm 10	ppm 2
DD017421		<20	0.04	<10	<10	55	<10	44
DD017422		<20	0.06	<10	<10	69	<10	39
DD017423		<20	0.08	<10	<10	51	<10	46
DD017424		<20	0.07	<10	<10	49	<10	35
DD017425		<20	0.06	<10	<10	64	<10	45
DD017426		<20	0.06	<10	<10	65	<10	48
DD017427		<20	0.05	<10	<10	40	<10	34
DD017428		<20	0.04	<10	<10	89	<10	53
DD017429		<20	0.04	<10	<10	85	<10	42
DD017430		<20	0.06	<10	<10	64	<10	54
DD017431		<20	0.09	<10	<10	56	<10	34
DD017432		<20	0.08	<10	<10	47	<10	47
DD017433		<20	0.06	<10	<10	70	<10	51
DD017434		<20	0.03	<10	<10	50	<10	40
DD017435		<20	0.02	<10	<10	11	<10	12
DD017436		<20	0.03	<10	<10	52	<10	33
DD017437		<20	0.09	<10	<10	61	<10	36
DD017438		<20	0.08	<10	<10	56	<10	35
DD017439		<20	0.09	<10	<10	81	<10	46
DD017440		<20	0.05	<10	<10	52	<10	37
DD017441		<20	0.05	<10	<10	60	<10	47
DD017442		<20	0.04	<10	<10	64	<10	36
DD017443		<20	0.07	<10	<10	64	<10	40
DD017444		<20	0.08	<10	<10	79	<10	36
DD017445		<20	0.07	<10	<10	69	<10	35
DD017446		<20	0.06	<10	<10	83	<10	37
DD017447		<20	0.06	<10	<10	63	<10	54
DD017448		<20	0.04	<10	<10	53	<10	50
DD017449		<20	0.03	<10	<10	22	<10	28
DD017450		<20	0.07	<10	<10	55	<10	50
DD017451		<20	0.06	<10	<10	71	<10	56
DD017452		<20	0.06	<10	<10	54	<10	48
DD017453		<20	0.08	<10	<10	56	<10	49
DD017454		<20	0.08	<10	<10	67	<10	51
DD017455		<20	0.09	<10	<10	49	<10	33
DD017456		<20	0.09	<10	<10	52	<10	48
DD017457		<20	0.04	<10	<10	81	<10	46
DD017458		<20	0.06	<10	<10	76	<10	46
DD017459		<20	0.07	<10	<10	50	<10	51
DD017460		<20	0.04	<10	<10	94	<10	38



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 6 - A
Total # Pages: 6 (A - C)
Finalized Date: 4- OCT- 2011
Account: MTT

Project: KING

CERTIFICATE OF ANALYSIS WH11163818

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg	Au- ICP21 Au ppm	ME- ICP41 Ag ppm	ME- ICP41 Al %	ME- ICP41 As ppm	ME- ICP41 B ppm	ME- ICP41 Ba ppm	ME- ICP41 Be ppm	ME- ICP41 Bi ppm	ME- ICP41 Ca %	ME- ICP41 Cd ppm	ME- ICP41 Co ppm	ME- ICP41 Cr ppm	ME- ICP41 Cu ppm	ME- ICP41 Fe %
		0.02	0.001	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
DD017461		0.24	<0.001	<0.2	1.44	5	<10	260	<0.5	<2	0.43	<0.5	10	20	22	2.33
DD017462		0.38	0.002	0.2	1.80	8	<10	180	<0.5	<2	0.36	<0.5	8	23	13	2.53
DD017463		0.30	<0.001	<0.2	1.70	10	<10	180	<0.5	<2	0.36	<0.5	8	27	20	2.64
DD017464		0.28	0.002	<0.2	1.56	7	<10	200	<0.5	<2	0.52	<0.5	9	27	21	2.54
DD017465		0.26	0.001	<0.2	1.45	11	<10	190	<0.5	<2	0.50	<0.5	10	37	31	2.69
DD017466		0.28	0.001	0.2	1.31	7	<10	150	<0.5	<2	0.64	<0.5	9	23	26	2.60
DD017467		0.24	<0.001	<0.2	1.24	4	<10	110	<0.5	<2	0.46	<0.5	7	17	25	2.30
DD017468		0.22	<0.001	<0.2	1.22	4	<10	180	<0.5	<2	0.32	<0.5	8	20	25	2.08
DD017469		0.24	<0.001	<0.2	1.36	4	<10	260	<0.5	<2	0.68	<0.5	9	24	23	2.18
DD017470		0.24	0.004	<0.2	1.13	9	<10	150	<0.5	<2	1.00	<0.5	8	21	39	2.52
DD017471		0.20	<0.001	<0.2	1.94	17	<10	120	<0.5	<2	0.54	<0.5	11	25	29	3.45
DD017472		0.22	<0.001	<0.2	1.61	10	<10	120	<0.5	<2	0.42	<0.5	9	26	26	2.74
DD017473		0.26	0.003	<0.2	2.03	13	<10	120	<0.5	<2	0.61	<0.5	11	22	37	3.44
DD017485		0.18	<0.001	<0.2	1.94	4	<10	90	<0.5	<2	0.68	<0.5	19	38	95	4.57
DD017486		0.22	<0.001	<0.2	2.74	35	<10	160	0.6	<2	0.90	<0.5	37	70	302	6.35
DD017487		0.20	0.006	<0.2	2.09	14	<10	160	0.5	<2	0.67	<0.5	13	35	58	3.44
DD017488		0.14	<0.001	<0.2	1.82	14	<10	160	0.5	<2	0.59	<0.5	10	39	29	3.00
DD017489		0.26	0.011	<0.2	1.34	4	<10	70	<0.5	<2	0.32	<0.5	8	27	29	2.29
DD017490		0.14	0.001	<0.2	1.95	4	<10	130	<0.5	<2	0.36	<0.5	10	23	31	3.03
DD017491		0.26	<0.001	<0.2	1.88	9	<10	110	<0.5	<2	0.58	<0.5	10	36	40	2.84
DD017492		0.22	0.002	<0.2	2.32	22	10	70	<0.5	<2	1.75	<0.5	18	12	58	5.50
DD017493		0.28	0.005	<0.2	2.73	10	<10	170	0.5	<2	0.78	<0.5	20	31	125	5.01
DD017494		0.18	0.002	<0.2	2.15	12	<10	140	<0.5	<2	0.41	<0.5	12	28	69	3.54
DD017495		0.28	<0.001	<0.2	1.74	9	<10	170	<0.5	<2	0.73	<0.5	11	26	42	3.29
DD017496		0.24	0.002	<0.2	2.24	12	<10	140	0.6	<2	0.36	<0.5	10	36	46	3.56
DD017497		0.22	0.001	<0.2	1.36	6	<10	140	<0.5	<2	0.37	<0.5	8	17	21	2.57
DD017498		0.18	0.004	<0.2	1.55	6	<10	220	<0.5	<2	1.32	<0.5	10	24	111	2.56
DD017499		0.16	0.005	<0.2	1.18	7	<10	130	<0.5	<2	0.39	<0.5	6	22	17	2.11
DD017500		0.30	<0.001	<0.2	1.44	8	<10	160	<0.5	<2	0.47	<0.5	7	19	24	2.14



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 6 - B
Total # Pages: 6 (A - C)
Finalized Date: 4- OCT- 2011
Account: MTT

Project: KING

CERTIFICATE OF ANALYSIS WH11163818

Sample Description	Method Analyte Units LOR	ME- ICP41 Ga ppm 10	ME- ICP41 Hg ppm 1	ME- ICP41 K % 0.01	ME- ICP41 La ppm 10	ME- ICP41 Mg % 0.01	ME- ICP41 Mn ppm 5	ME- ICP41 Mo ppm 1	ME- ICP41 Na % 0.01	ME- ICP41 Ni ppm 1	ME- ICP41 P ppm 10	ME- ICP41 Pb ppm 2	ME- ICP41 S % 0.01	ME- ICP41 Sb ppm 2	ME- ICP41 Sc ppm 1	ME- ICP41 Sr ppm 1
DD017461		<10	<1	0.05	10	0.32	1140	<1	0.03	11	340	3	0.01	<2	3	32
DD017462		<10	<1	0.09	<10	0.43	457	<1	0.02	13	780	3	0.01	<2	4	31
DD017463		<10	<1	0.08	10	0.43	223	<1	0.02	16	310	3	0.01	<2	4	34
DD017464		<10	<1	0.06	10	0.44	427	<1	0.03	12	280	4	0.01	<2	5	36
DD017465		<10	<1	0.14	10	0.52	489	1	0.04	23	300	5	0.02	<2	7	36
DD017466		<10	<1	0.08	10	0.48	487	<1	0.04	13	360	<2	0.02	<2	6	50
DD017467		<10	<1	0.08	10	0.28	306	<1	0.03	10	380	2	0.01	<2	4	30
DD017468		<10	<1	0.09	10	0.30	504	1	0.04	10	300	4	<0.01	<2	3	26
DD017469		<10	<1	0.08	10	0.43	950	<1	0.03	17	450	5	<0.01	2	4	45
DD017470		<10	<1	0.09	10	0.43	488	<1	0.03	16	440	3	<0.01	<2	6	55
DD017471		10	<1	0.09	10	0.55	486	<1	0.02	14	220	4	<0.01	<2	8	33
DD017472		<10	<1	0.09	10	0.43	350	<1	0.02	14	240	4	<0.01	2	7	24
DD017473		10	<1	0.06	10	0.54	490	<1	0.03	14	270	2	<0.01	2	8	36
DD017485		10	<1	0.08	<10	0.99	784	<1	0.04	19	590	<2	<0.01	<2	14	39
DD017486		10	<1	0.11	<10	1.60	1695	<1	0.02	34	460	2	0.01	2	27	40
DD017487		10	<1	0.09	10	0.61	552	<1	0.02	22	170	5	<0.01	3	10	38
DD017488		10	<1	0.12	10	0.49	307	1	0.02	23	260	7	<0.01	<2	7	33
DD017489		10	<1	0.04	10	0.47	274	<1	0.03	13	150	3	<0.01	<2	6	21
DD017490		10	<1	0.04	10	0.47	412	<1	0.02	12	260	4	<0.01	<2	5	21
DD017491		10	<1	0.06	10	0.61	520	<1	0.02	15	310	3	<0.01	<2	9	32
DD017492		10	<1	0.11	<10	1.06	1190	<1	0.02	13	840	<2	0.04	<2	15	60
DD017493		10	<1	0.09	10	0.70	1920	1	0.02	19	1650	7	0.06	2	10	52
DD017494		10	<1	0.08	10	0.61	904	<1	0.01	18	920	5	<0.01	<2	10	25
DD017495		10	<1	0.08	10	0.59	771	<1	0.03	16	480	3	<0.01	<2	9	49
DD017496		10	<1	0.07	10	0.52	307	1	0.03	21	210	6	<0.01	<2	9	27
DD017497		<10	<1	0.06	<10	0.34	356	1	0.02	9	230	5	<0.01	2	3	25
DD017498		10	<1	0.07	10	0.59	787	<1	0.04	19	980	3	0.02	<2	7	66
DD017499		<10	<1	0.09	10	0.34	210	<1	0.04	10	150	3	<0.01	<2	4	32
DD017500		<10	<1	0.05	<10	0.38	486	<1	0.04	10	310	4	<0.01	<2	3	32



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
 C/ O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016- 510 W HASTINGS ST
 VANCOUVER BC V6B 1L8

Page: 6 - C
 Total # Pages: 6 (A - C)
 Finalized Date: 4- OCT- 2011
 Account: MTT

Project: KING

CERTIFICATE OF ANALYSIS WH11163818

Sample Description	Method Analyte Units LOR	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41
		Th	Ti	Ti	U	V	W	Zn
		ppm 20	% 0.01	ppm 10	ppm 10	ppm 1	ppm 10	ppm 2
DD017461		<20	0.06	<10	<10	55	<10	66
DD017462		<20	0.06	<10	<10	61	<10	48
DD017463		<20	0.08	<10	<10	67	<10	37
DD017464		<20	0.08	<10	<10	60	<10	38
DD017465		<20	0.09	<10	<10	63	<10	39
DD017466		<20	0.07	<10	<10	57	<10	37
DD017467		<20	0.06	<10	<10	54	<10	30
DD017468		<20	0.08	<10	<10	49	<10	42
DD017469		<20	0.07	<10	<10	43	<10	82
DD017470		<20	0.05	<10	<10	53	<10	36
DD017471		<20	0.05	<10	<10	72	<10	42
DD017472		<20	0.07	<10	<10	63	<10	51
DD017473		<20	0.05	<10	<10	76	<10	40
DD017485		<20	0.05	<10	<10	100	<10	69
DD017486		<20	0.07	<10	<10	148	<10	121
DD017487		<20	0.07	<10	<10	73	<10	45
DD017488		<20	0.09	<10	<10	65	<10	49
DD017489		<20	0.09	<10	<10	61	<10	37
DD017490		<20	0.11	<10	<10	83	<10	71
DD017491		<20	0.11	<10	<10	70	<10	42
DD017492		<20	0.05	<10	<10	119	<10	113
DD017493		<20	0.13	<10	<10	130	<10	120
DD017494		<20	0.10	<10	<10	89	<10	74
DD017495		<20	0.06	<10	<10	72	<10	51
DD017496		<20	0.06	<10	<10	77	<10	45
DD017497		<20	0.06	<10	<10	61	<10	35
DD017498		<20	0.06	<10	<10	57	<10	44
DD017499		<20	0.09	<10	<10	49	<10	27
DD017500		<20	0.06	<10	<10	50	<10	34



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**

C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

**1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8**

Page: 1
Finalized Date: 3- OCT- 2011
Account: MTT

CERTIFICATE WH11163982

Project: KING

P.O. No.:

This report is for 190 Soil samples submitted to our lab in Whitehorse, YT, Canada on 18- AUG- 2011.

The following have access to data associated with this certificate:

MATT DUMALA
JOAN MARIACHER

DOUG EATON
BRUCE YOUNGMAN

SARAH EATON

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
SCR- 41	Screen to - 180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- TL43	Trace Level Au - 25g AR	ICP- MS
ME- MS41	51 anal. aqua regia ICPMS	

To: **STRATEGIC METALS LTD.**
ATTN: JOAN MARIACHER
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - A
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 3- OCT- 2011
Account: MTT

Project: KING

CERTIFICATE OF ANALYSIS WH11163982

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg	Au- TL43 Au ppm	ME- MS41 Ag ppm	ME- MS41 Al %	ME- MS41 As ppm	ME- MS41 Au ppm	ME- MS41 B ppm	ME- MS41 Ba ppm	ME- MS41 Be ppm	ME- MS41 Bi ppm	ME- MS41 Ca %	ME- MS41 Cd ppm	ME- MS41 Ce ppm	ME- MS41 Co ppm	ME- MS41 Cr ppm
		0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
DD016572		0.18	<0.001	0.04	1.40	4.4	<0.2	<10	130	0.23	0.07	0.38	0.05	8.73	7.4	14
DD016573		0.24	<0.001	0.03	3.16	3.6	<0.2	<10	100	0.23	0.04	0.70	0.04	9.79	22.7	49
DD016574		0.26	0.002	0.05	1.58	8.3	<0.2	<10	170	0.46	0.08	0.81	0.04	16.60	8.1	23
DD016575		0.38	0.003	0.10	1.25	10.4	<0.2	<10	120	0.42	0.09	0.95	0.12	19.30	8.3	22
DD016576		0.22	0.135	0.05	2.13	15.8	<0.2	<10	180	0.29	0.09	0.58	0.08	9.30	14.2	26
DD016577		0.18	0.001	0.10	2.20	17.9	<0.2	<10	230	0.25	0.04	2.36	0.09	14.30	25.4	57
DD016578		0.34	0.021	0.06	2.65	4.2	<0.2	<10	330	0.39	0.08	0.64	0.04	16.85	18.7	36
DD016579		0.18	<0.001	0.08	1.84	8.4	<0.2	<10	220	0.38	0.11	0.62	0.07	13.55	11.3	26
DD016580		0.20	<0.001	0.06	1.87	6.2	<0.2	<10	120	0.42	0.11	0.61	0.09	12.35	10.0	23
DD016581		0.26	<0.001	0.05	2.07	10.2	<0.2	<10	170	0.32	0.09	0.58	0.04	11.65	11.9	21
DD016582		0.32	0.001	0.05	2.16	10.5	<0.2	<10	120	0.34	0.10	0.46	0.07	13.50	12.5	23
DD016583		0.20	0.014	0.03	1.79	7.2	<0.2	<10	110	0.26	0.06	0.47	0.03	9.87	10.0	15
DD016584		0.30	<0.001	0.01	2.32	10.4	<0.2	<10	150	0.59	0.10	0.30	0.03	20.6	10.1	24
DD016585		0.32	0.003	0.03	1.70	8.8	<0.2	<10	170	0.49	0.08	0.42	0.03	24.5	11.0	24
DD016586		0.26	<0.001	0.03	1.54	6.9	<0.2	<10	160	0.37	0.09	0.50	0.04	19.80	8.8	26
DD016587		0.26	<0.001	0.02	1.30	5.6	<0.2	<10	120	0.28	0.07	0.41	0.03	11.45	6.6	21
DD016588		0.36	<0.001	0.05	1.70	4.0	<0.2	<10	120	0.33	0.10	0.48	0.05	13.85	8.5	26
DD016589		0.34	<0.001	0.05	2.03	4.6	<0.2	<10	130	0.34	0.13	0.48	0.05	14.55	10.6	33
DD016590		0.28	0.006	0.06	2.00	10.4	<0.2	<10	140	0.35	0.11	0.45	0.07	13.75	11.7	29
DD016591		0.22	0.002	0.03	1.79	13.9	<0.2	<10	140	0.33	0.10	0.33	0.05	8.53	9.9	18
DD016592		0.32	0.002	0.02	1.18	8.9	<0.2	<10	110	0.42	0.08	0.49	0.03	18.75	8.7	21
DD016593		0.50	0.002	0.07	1.37	8.1	<0.2	<10	190	0.40	0.09	0.71	0.06	18.75	8.4	22
DD016594		0.28	0.002	0.03	2.18	25.1	<0.2	<10	110	0.41	0.11	0.50	0.04	16.50	11.6	31
DD016595		0.28	0.001	0.13	2.41	7.1	<0.2	<10	130	0.47	0.12	0.33	0.12	18.80	11.1	31
DD016596		0.32	0.001	0.05	2.46	7.8	<0.2	<10	220	0.43	0.10	0.77	0.05	20.4	14.5	26
DD016597		0.20	0.004	0.13	1.16	5.4	<0.2	<10	120	0.29	0.08	1.25	0.08	17.30	8.1	21
DD016598		0.38	0.001	0.04	2.34	7.2	<0.2	<10	80	0.37	0.09	0.61	0.04	12.20	11.5	27
DD016599		0.20	0.001	0.03	1.81	10.2	<0.2	<10	120	0.47	0.09	0.49	0.05	21.5	11.1	27
DD016600		0.22	0.001	0.05	1.93	7.3	<0.2	<10	200	0.40	0.11	0.48	0.06	18.10	10.1	30
DD016601		0.36	0.001	0.08	2.45	7.2	<0.2	<10	110	0.69	0.13	0.49	0.09	23.0	13.6	34
DD016602		0.34	0.007	0.04	1.57	11.4	<0.2	<10	180	0.42	0.07	0.61	0.04	21.8	13.2	22
DD016603		0.26	0.005	0.07	1.43	7.9	<0.2	<10	200	0.32	0.07	1.28	0.06	15.75	9.6	21
DD016604		0.26	0.008	0.05	2.15	21.4	<0.2	<10	230	0.49	0.10	0.66	0.05	25.1	15.3	27
DD016605		0.24	0.005	0.06	2.21	18.7	<0.2	<10	220	0.51	0.09	0.75	0.06	24.4	18.1	23
DD016606		0.34	0.013	0.05	2.36	20.5	<0.2	<10	150	0.43	0.09	0.93	0.05	20.9	17.4	20
DD016607		0.30	0.016	0.07	1.85	16.6	<0.2	<10	130	0.39	0.08	1.27	0.06	19.15	15.5	21
DD016608		0.22	0.001	0.05	1.03	7.7	<0.2	<10	140	0.23	0.06	0.98	0.07	15.80	8.0	17
DD016609		0.28	0.003	0.02	2.47	21.7	<0.2	<10	140	0.63	0.11	0.54	0.04	28.1	14.8	30
DD016610		0.22	0.002	0.05	1.53	35.3	<0.2	<10	150	0.38	0.07	1.26	0.10	22.0	18.1	21
DD016611		0.22	0.003	0.06	2.45	24.5	<0.2	<10	170	0.44	0.08	0.90	0.06	20.5	21.0	24



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - B
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 3- OCT- 2011
Account: MTT

Project: KING

CERTIFICATE OF ANALYSIS WH11163982

Sample Description	Method Analyte Units LOR	ME- MS41 Cs ppm 0.05	ME- MS41 Cu ppm 0.2	ME- MS41 Fe % 0.01	ME- MS41 Ga ppm 0.05	ME- MS41 Ge ppm 0.05	ME- MS41 Hf ppm 0.02	ME- MS41 Hg ppm 0.01	ME- MS41 In ppm 0.005	ME- MS41 K % 0.01	ME- MS41 La ppm 0.2	ME- MS41 Li ppm 0.1	ME- MS41 Mg % 0.01	ME- MS41 Mn ppm 5	ME- MS41 Mo ppm 0.05	ME- MS41 Na % 0.01
DD016572		0.40	20.4	1.91	4.48	<0.05	0.07	0.01	0.012	0.03	4.3	4.7	0.24	251	0.52	0.04
DD016573		0.85	56.7	4.84	8.42	0.08	0.14	0.01	0.029	0.03	4.3	12.4	1.35	401	0.36	0.05
DD016574		0.54	24.3	2.79	4.78	0.07	0.11	0.04	0.025	0.05	10.1	7.6	0.44	304	0.67	0.04
DD016575		0.68	33.4	2.47	4.23	0.09	0.12	0.08	0.022	0.09	10.6	7.4	0.47	357	0.52	0.04
DD016576		0.50	43.4	3.36	6.05	0.05	0.06	0.01	0.040	0.06	4.3	6.5	0.47	669	0.68	0.03
DD016577		0.26	85.0	4.70	7.02	0.10	0.15	0.01	0.033	0.06	6.3	8.1	1.12	1340	0.73	0.05
DD016578		0.63	44.7	3.98	7.17	0.07	0.05	0.01	0.025	0.06	7.6	12.6	0.94	506	0.67	0.05
DD016579		0.61	31.3	2.76	5.83	0.05	0.08	0.01	0.023	0.06	7.5	7.9	0.45	673	0.68	0.04
DD016580		0.50	20.6	2.66	5.85	0.05	0.05	0.01	0.020	0.05	6.7	7.9	0.51	371	0.69	0.08
DD016581		0.44	35.3	3.12	6.02	0.05	0.08	0.01	0.024	0.06	5.9	7.4	0.50	584	0.76	0.04
DD016582		0.50	25.9	3.45	6.88	0.06	0.11	0.01	0.026	0.06	7.6	8.2	0.59	412	0.65	0.04
DD016583		0.36	21.4	2.74	4.92	0.05	0.11	0.01	0.019	0.06	5.0	6.7	0.49	247	0.43	0.05
DD016584		0.35	30.8	3.50	6.54	0.06	0.16	0.02	0.030	0.05	10.2	9.3	0.49	303	0.85	0.03
DD016585		0.40	33.7	3.27	5.00	0.08	0.24	0.04	0.026	0.06	11.7	6.0	0.39	391	0.65	0.03
DD016586		0.45	16.3	2.44	4.55	0.06	0.05	0.02	0.021	0.06	9.7	8.8	0.41	340	0.51	0.03
DD016587		0.36	16.1	2.20	3.71	0.05	0.05	0.01	0.017	0.08	5.9	7.4	0.35	227	0.62	0.03
DD016588		0.41	25.9	2.25	4.69	<0.05	0.06	0.01	0.019	0.05	6.8	8.4	0.40	353	0.40	0.03
DD016589		0.90	23.8	2.63	6.00	0.05	0.08	0.01	0.023	0.05	7.3	8.5	0.48	731	0.46	0.03
DD016590		0.89	27.0	2.94	5.73	0.05	0.12	0.01	0.022	0.07	7.2	10.5	0.52	388	0.76	0.04
DD016591		0.50	22.2	2.83	4.97	<0.05	0.02	0.01	0.023	0.07	4.2	8.5	0.40	303	0.80	0.03
DD016592		0.41	30.4	2.83	3.68	0.08	0.09	0.06	0.021	0.06	11.9	5.3	0.32	367	0.60	0.04
DD016593		0.45	32.5	2.49	4.12	0.06	0.06	0.05	0.022	0.07	10.8	9.5	0.40	386	0.67	0.03
DD016594		0.74	30.1	3.01	5.53	0.06	0.13	0.01	0.026	0.06	8.1	10.0	0.51	323	0.62	0.03
DD016595		1.30	63.8	3.18	6.59	0.06	0.18	0.01	0.026	0.04	8.9	11.2	0.57	804	0.64	0.03
DD016596		0.50	36.1	3.57	6.95	0.07	0.13	0.01	0.025	0.04	10.1	13.6	0.80	1120	0.62	0.06
DD016597		0.89	103.5	1.93	3.53	0.08	0.06	0.02	0.017	0.07	9.2	8.5	0.49	405	0.54	0.03
DD016598		2.17	41.4	3.78	7.28	0.07	0.24	0.01	0.031	0.04	6.2	11.4	0.65	313	0.40	0.02
DD016599		0.46	32.6	3.08	5.20	0.07	0.09	0.02	0.026	0.09	10.0	9.3	0.46	352	0.85	0.03
DD016600		0.80	43.0	2.62	5.43	0.05	0.07	0.01	0.023	0.07	9.3	9.3	0.49	653	0.59	0.03
DD016601		0.85	37.4	3.12	6.65	0.05	0.09	0.01	0.027	0.04	10.3	9.8	0.43	938	0.69	0.03
DD016602		0.40	47.9	3.48	4.43	0.07	0.10	0.01	0.027	0.06	7.9	6.0	0.44	711	0.64	0.03
DD016603		0.43	35.4	2.58	4.25	0.07	0.07	0.02	0.022	0.07	9.0	9.0	0.48	456	0.47	0.03
DD016604		0.57	51.0	4.00	6.67	0.09	0.15	0.03	0.034	0.09	11.5	10.4	0.64	676	0.57	0.04
DD016605		0.42	54.2	4.37	7.22	0.10	0.20	0.04	0.034	0.06	12.8	8.3	0.62	814	0.61	0.04
DD016606		0.43	87.0	4.28	7.36	0.09	0.19	0.06	0.037	0.07	11.5	9.1	0.76	679	0.61	0.05
DD016607		0.40	88.6	3.84	6.11	0.09	0.15	0.06	0.032	0.05	12.0	7.8	0.60	589	0.52	0.05
DD016608		0.35	32.1	1.97	3.67	0.07	0.04	0.02	0.016	0.08	7.9	8.1	0.40	432	0.34	0.06
DD016609		0.55	32.0	3.75	7.60	0.08	0.27	0.02	0.033	0.07	11.5	10.8	0.61	368	0.71	0.04
DD016610		0.51	69.2	3.71	5.09	0.10	0.18	0.04	0.033	0.08	10.7	6.4	0.60	847	0.40	0.04
DD016611		0.59	156.5	5.22	7.66	0.10	0.17	0.02	0.041	0.10	7.9	9.4	0.84	867	0.73	0.05



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - C
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 3- OCT- 2011
Account: MTT

Project: KING

CERTIFICATE OF ANALYSIS WH11163982

Sample Description	Method Analyte Units LOR	ME- MS41 Nb ppm 0.05	ME- MS41 Ni ppm 0.2	ME- MS41 P ppm 10	ME- MS41 Pb ppm 0.2	ME- MS41 Rb ppm 0.1	ME- MS41 Re ppm 0.001	ME- MS41 S % 0.01	ME- MS41 Sb ppm 0.05	ME- MS41 Sc ppm 0.1	ME- MS41 Se ppm 0.2	ME- MS41 Sn ppm 0.2	ME- MS41 Sr ppm 0.2	ME- MS41 Ta ppm 0.01	ME- MS41 Te ppm 0.01	ME- MS41 Th ppm 0.2
DD016572		0.86	7.3	180	2.8	5.1	<0.001	0.02	0.15	2.5	0.2	0.2	23.7	<0.01	0.02	0.8
DD016573		0.54	34.5	130	1.9	3.2	<0.001	0.02	0.10	10.6	0.3	0.3	30.0	<0.01	0.02	0.9
DD016574		0.92	12.0	210	4.8	6.1	<0.001	0.02	0.40	6.9	0.6	0.3	67.0	<0.01	0.02	2.2
DD016575		1.00	15.3	720	4.6	8.2	<0.001	0.04	0.40	7.1	0.6	0.3	73.2	<0.01	0.02	2.3
DD016576		0.72	15.9	220	3.5	7.5	<0.001	0.02	0.27	5.2	0.2	0.4	42.1	<0.01	0.03	0.8
DD016577		0.49	25.1	350	2.7	5.1	<0.001	0.05	0.24	21.4	0.8	0.3	78.5	<0.01	0.03	0.8
DD016578		0.97	24.4	510	3.2	7.1	<0.001	0.02	0.19	6.1	0.3	0.4	71.0	<0.01	0.02	1.6
DD016579		1.46	13.8	210	4.9	8.6	<0.001	0.02	0.27	5.2	0.4	0.4	36.0	<0.01	0.03	1.8
DD016580		1.39	11.3	170	4.8	7.0	<0.001	0.02	0.23	4.1	0.3	0.4	33.8	<0.01	0.02	1.1
DD016581		0.89	10.8	240	4.3	7.0	<0.001	0.02	0.23	5.2	0.3	0.4	33.5	<0.01	0.02	1.2
DD016582		0.94	12.3	180	7.6	8.2	<0.001	0.02	0.28	5.9	0.3	0.4	26.5	<0.01	0.03	1.6
DD016583		0.52	8.9	200	2.6	5.8	<0.001	0.02	0.20	4.8	0.2	0.2	30.9	<0.01	0.02	1.1
DD016584		0.60	13.1	180	6.6	4.8	<0.001	0.01	0.39	7.0	0.4	0.4	33.8	<0.01	0.02	3.8
DD016585		0.54	13.6	170	5.1	5.7	<0.001	0.01	0.39	9.5	0.5	0.3	40.5	<0.01	0.02	2.8
DD016586		1.34	13.7	290	4.7	6.4	<0.001	0.02	0.28	5.1	0.4	0.4	34.8	<0.01	0.02	2.5
DD016587		1.15	10.0	270	3.2	7.1	<0.001	0.02	0.21	4.0	0.3	0.3	31.5	<0.01	0.01	1.6
DD016588		1.47	12.9	170	4.3	6.0	<0.001	0.02	0.18	4.5	0.3	0.4	24.6	<0.01	0.02	1.8
DD016589		1.52	14.9	200	5.4	5.7	<0.001	0.02	0.20	5.3	0.3	0.5	31.3	<0.01	0.02	2.0
DD016590		1.40	15.3	120	4.8	11.1	<0.001	0.02	0.25	5.3	0.3	0.4	29.8	<0.01	0.02	1.8
DD016591		0.85	11.1	340	4.2	9.0	<0.001	0.02	0.27	3.8	0.3	0.3	35.6	<0.01	0.03	0.7
DD016592		0.78	12.6	270	4.7	5.6	<0.001	0.02	0.35	6.8	0.5	0.2	49.4	<0.01	0.02	2.1
DD016593		1.11	14.3	350	4.7	6.7	<0.001	0.03	0.31	5.5	0.6	0.3	56.7	<0.01	0.02	1.9
DD016594		1.29	17.2	220	3.9	6.6	<0.001	0.01	0.22	5.9	0.4	0.4	30.5	<0.01	0.03	2.3
DD016595		1.46	17.8	300	5.2	5.8	<0.001	0.01	0.33	6.7	0.5	0.5	19.4	<0.01	0.03	2.8
DD016596		1.27	16.6	580	4.9	3.9	<0.001	0.01	0.24	5.8	0.5	0.4	51.2	<0.01	0.03	4.3
DD016597		1.38	12.6	830	3.2	6.7	0.001	0.04	0.22	5.3	1.0	0.3	53.4	<0.01	0.02	1.8
DD016598		0.75	13.1	160	3.7	4.4	<0.001	0.01	0.22	8.2	0.4	0.5	26.8	<0.01	0.02	2.3
DD016599		1.21	15.1	150	4.5	8.7	<0.001	0.02	0.29	7.1	0.5	0.4	34.4	<0.01	0.02	2.5
DD016600		1.54	14.9	250	5.1	7.4	<0.001	0.02	0.23	5.6	0.4	0.4	34.7	<0.01	0.02	2.2
DD016601		1.69	17.0	240	6.2	5.7	<0.001	0.02	0.28	6.1	0.5	0.5	34.1	<0.01	0.03	2.9
DD016602		0.43	12.4	440	3.6	8.6	<0.001	0.01	0.29	7.9	0.4	0.3	38.3	<0.01	0.03	2.4
DD016603		0.88	13.0	440	3.4	7.3	<0.001	0.02	0.27	6.3	0.6	0.3	50.2	<0.01	0.02	1.6
DD016604		0.64	17.1	330	6.0	9.4	<0.001	0.02	0.33	11.1	0.6	0.5	47.8	0.01	0.03	2.9
DD016605		0.56	16.5	210	5.5	8.7	<0.001	0.02	0.28	11.7	0.6	0.4	51.6	0.01	0.02	2.7
DD016606		0.49	15.2	170	5.3	6.3	<0.001	0.03	0.29	13.8	0.8	0.4	58.7	0.01	0.03	2.1
DD016607		0.60	16.0	270	4.5	5.3	<0.001	0.03	0.30	11.2	0.8	0.4	55.1	0.01	0.02	1.8
DD016608		0.96	12.5	570	3.0	6.8	<0.001	0.03	0.20	4.7	0.4	0.3	41.5	<0.01	0.02	1.3
DD016609		0.79	17.2	130	5.6	8.2	<0.001	0.02	0.36	9.1	0.4	0.6	35.0	<0.01	0.02	3.3
DD016610		0.43	16.8	350	5.2	6.3	<0.001	0.03	0.41	12.2	0.7	0.4	47.5	0.01	0.02	2.2
DD016611		0.43	16.8	330	4.4	9.7	<0.001	0.02	0.26	13.6	0.5	0.4	47.5	0.01	0.03	2.0



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - D
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 3- OCT- 2011
Account: MTT

Project: KING

CERTIFICATE OF ANALYSIS WH11163982

Sample Description	Method Analyte Units LOR	ME- MS41 Ti %	ME- MS41 Ti ppm	ME- MS41 U ppm	ME- MS41 V ppm	ME- MS41 W ppm	ME- MS41 Y ppm	ME- MS41 Zn ppm	ME- MS41 Zr ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
DD016572		0.056	0.05	0.23	51	0.07	2.42	22	3.0
DD016573		0.135	0.03	0.26	135	0.07	4.23	47	6.3
DD016574		0.040	0.07	0.57	64	0.09	8.16	37	3.6
DD016575		0.051	0.12	0.59	57	0.11	10.70	50	4.1
DD016576		0.048	0.07	0.42	79	0.06	3.28	38	2.0
DD016577		0.061	0.03	0.46	160	0.05	14.50	45	3.9
DD016578		0.077	0.05	0.36	99	0.10	5.62	42	1.8
DD016579		0.079	0.08	0.30	70	0.12	4.72	46	3.1
DD016580		0.065	0.08	0.39	70	0.11	3.99	48	1.9
DD016581		0.049	0.08	0.29	77	0.07	3.89	41	2.8
DD016582		0.061	0.08	0.36	81	0.08	5.93	46	3.8
DD016583		0.047	0.05	0.22	66	0.05	3.45	29	3.6
DD016584		0.039	0.10	0.59	79	0.08	4.12	39	6.0
DD016585		0.055	0.07	0.51	76	0.08	9.24	34	9.4
DD016586		0.080	0.06	0.48	57	0.14	5.70	35	1.8
DD016587		0.071	0.06	0.34	51	0.11	3.11	30	1.7
DD016588		0.083	0.06	0.37	58	0.12	3.24	36	2.5
DD016589		0.098	0.08	0.41	71	0.17	3.99	48	3.1
DD016590		0.089	0.09	0.32	70	0.11	4.06	37	4.4
DD016591		0.045	0.07	0.25	64	0.17	2.47	33	0.5
DD016592		0.051	0.07	0.53	63	0.08	12.10	37	3.2
DD016593		0.060	0.08	0.74	57	0.12	9.76	39	1.9
DD016594		0.092	0.07	0.44	74	0.12	5.35	37	5.1
DD016595		0.129	0.10	0.60	94	0.16	5.64	98	7.9
DD016596		0.126	0.08	0.67	91	0.13	5.87	65	5.5
DD016597		0.079	0.06	1.15	47	0.16	9.11	37	1.9
DD016598		0.080	0.06	0.36	121	0.09	3.64	56	7.0
DD016599		0.072	0.08	0.40	72	0.10	8.49	37	3.4
DD016600		0.092	0.08	0.48	66	0.19	5.42	44	2.6
DD016601		0.106	0.09	0.58	79	0.15	5.45	55	3.5
DD016602		0.044	0.05	0.54	82	0.12	6.55	38	3.6
DD016603		0.050	0.06	0.40	59	0.20	8.30	42	1.9
DD016604		0.070	0.09	0.60	89	0.08	9.87	49	4.3
DD016605		0.046	0.06	0.46	98	<0.05	12.50	46	6.1
DD016606		0.038	0.08	0.45	99	0.05	19.65	41	5.6
DD016607		0.037	0.07	0.44	86	0.05	21.0	39	4.3
DD016608		0.061	0.05	0.31	44	0.17	7.71	33	1.3
DD016609		0.063	0.08	0.44	83	0.05	8.25	40	8.4
DD016610		0.030	0.09	0.50	77	<0.05	17.10	47	5.7
DD016611		0.045	0.09	0.44	108	<0.05	9.18	53	5.0



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 3 - A
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 3- OCT- 2011
Account: MTT

Project: KING

CERTIFICATE OF ANALYSIS WH11163982

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg	Au- TL43 Au ppm	ME- MS41 Ag ppm	ME- MS41 Al %	ME- MS41 As ppm	ME- MS41 Au ppm	ME- MS41 B ppm	ME- MS41 Ba ppm	ME- MS41 Be ppm	ME- MS41 Bi ppm	ME- MS41 Ca %	ME- MS41 Cd ppm	ME- MS41 Ce ppm	ME- MS41 Co ppm	ME- MS41 Cr ppm
		0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
DD016612		0.18	0.021	0.02	0.87	3.9	<0.2	<10	110	0.18	0.06	0.88	0.07	13.65	5.3	16
DD016613		0.22	0.002	0.04	0.66	5.3	<0.2	<10	110	0.23	0.06	0.77	0.07	16.80	4.7	11
DD016614		0.26	0.003	0.03	2.62	413	<0.2	<10	50	0.56	0.05	0.91	0.05	18.00	30.5	57
DD016615		0.24	0.002	0.02	2.38	15.4	<0.2	<10	160	0.72	0.11	0.60	0.05	22.4	11.3	32
DD016616		0.26	<0.001	0.02	1.45	6.0	<0.2	<10	120	0.33	0.09	0.36	0.04	15.40	8.0	23
DD016617		0.30	0.001	0.04	1.55	4.7	<0.2	<10	150	0.27	0.10	0.40	0.05	13.10	8.1	25
DD016618		0.34	0.013	0.04	1.63	7.5	<0.2	<10	160	0.41	0.11	0.41	0.16	21.2	10.4	27
DD016619		0.26	0.002	0.04	1.58	7.5	<0.2	<10	140	0.36	0.10	0.46	0.08	12.60	8.7	21
DD016620		0.30	0.002	0.04	1.48	8.3	<0.2	<10	120	0.41	0.11	0.44	0.07	19.85	8.2	26
DD016621		0.28	0.004	0.06	1.29	26.4	<0.2	<10	110	0.31	0.05	2.43	0.09	15.65	14.1	24
DD016622		0.14	0.002	0.11	0.34	2.8	<0.2	30	170	0.10	0.04	4.17	0.47	4.74	3.9	5
DD016623		0.30	0.003	0.04	2.64	18.4	<0.2	<10	130	0.70	0.11	0.50	0.04	34.7	15.2	36
DD016624		0.22	<0.001	0.04	0.74	9.4	<0.2	<10	80	0.17	0.04	0.36	0.04	10.75	5.0	12
DD016625		0.34	0.002	0.03	1.73	9.8	<0.2	<10	100	0.39	0.10	0.43	0.05	16.25	8.3	27
DD016626		0.26	0.001	0.05	1.45	19.3	<0.2	<10	140	0.39	0.09	0.70	0.05	21.6	8.6	23
DD016627		0.28	0.002	0.05	1.31	10.6	<0.2	<10	120	0.42	0.09	0.67	0.09	16.05	7.3	19
DD016628		0.34	0.001	0.03	1.91	21.0	<0.2	<10	120	0.68	0.12	0.41	0.05	29.8	10.7	31
DD016629		0.28	0.003	0.07	1.96	46.4	<0.2	<10	180	0.47	0.10	0.69	0.06	21.2	11.4	27
DD016630		0.34	0.001	0.03	1.44	12.9	<0.2	<10	140	0.35	0.08	0.31	0.04	15.55	7.6	21
DD016631		0.32	0.003	0.02	1.44	6.5	<0.2	<10	150	0.26	0.08	0.29	0.07	10.60	6.8	18
DD016632		0.28	0.001	0.01	1.92	14.2	<0.2	<10	100	0.50	0.10	0.25	0.05	12.50	7.6	27
DD016633		0.36	0.002	0.01	1.34	9.5	<0.2	<10	80	0.30	0.08	0.37	0.03	13.60	6.3	21
DD016634		0.22	0.002	0.03	1.79	54.9	<0.2	<10	80	0.34	0.08	0.23	0.04	12.45	8.2	19
DD016635		0.32	0.003	0.12	1.17	36.4	<0.2	<10	140	0.38	0.08	1.60	0.16	17.25	9.1	17
DD016636		0.16	0.002	0.07	1.16	53.9	<0.2	<10	90	0.31	0.07	1.47	0.10	17.35	9.8	16
DD016637		0.32	0.005	0.08	1.77	14.2	<0.2	<10	200	0.43	0.10	0.64	0.10	17.40	12.0	25
DD016638		0.30	0.007	0.11	1.52	24.1	<0.2	<10	110	0.36	0.09	1.88	0.14	20.7	13.1	25
DD016639		0.18	0.006	0.14	1.34	16.7	<0.2	<10	240	0.36	0.08	2.29	0.28	16.50	11.8	19
DD016640		0.26	0.011	0.03	1.86	22.0	<0.2	<10	160	0.41	0.12	0.60	0.05	20.8	11.1	30
DD016641		0.32	0.002	0.05	1.92	12.9	<0.2	<10	180	0.41	0.10	0.50	0.09	15.45	12.7	23
DD016642		0.28	0.017	0.06	2.24	28.0	<0.2	<10	180	0.52	0.10	0.64	0.08	19.60	17.4	24
DD016643		0.26	0.003	0.05	2.13	20.6	<0.2	<10	200	0.42	0.11	0.43	0.04	15.45	12.4	27
DD016644		0.26	0.011	0.04	2.02	16.0	<0.2	<10	270	0.53	0.13	0.69	0.11	26.8	14.8	26
DD016645		0.22	0.008	0.06	1.08	42.3	<0.2	<10	90	0.23	0.06	1.47	0.07	14.30	11.5	15
DD016646		0.26	0.002	0.08	0.76	29.2	<0.2	<10	80	0.25	0.07	1.67	0.10	17.15	10.0	14
DD016647		0.34	0.005	0.05	0.88	11.0	<0.2	<10	90	0.33	0.09	0.68	0.06	22.2	9.2	24
DD016648		0.18	0.003	0.06	1.05	17.1	<0.2	<10	150	0.35	0.11	1.10	0.16	24.2	10.5	20
DD016649		0.18	0.002	0.04	0.81	6.7	<0.2	<10	100	0.29	0.08	0.64	0.08	21.3	6.0	20
DD016650		0.24	0.001	0.04	0.70	8.5	<0.2	<10	110	0.24	0.07	0.89	0.08	15.65	5.6	11
DD016651		0.24	0.005	0.06	1.70	24.0	<0.2	<10	150	0.47	0.11	0.71	0.08	21.9	11.4	25



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 3 - B
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 3- OCT- 2011
Account: MTT

Project: KING

CERTIFICATE OF ANALYSIS WH11163982

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
DD016612		0.36	10.5	1.71	3.68	0.05	0.08	0.03	0.018	0.04	7.1	11.1	0.31	162	0.37
DD016613		0.34	30.0	1.46	2.78	0.06	0.05	0.04	0.013	0.05	8.5	4.5	0.24	374	0.35
DD016614		0.69	79.7	5.97	8.42	0.11	0.31	0.03	0.041	0.04	8.4	12.9	1.52	1240	0.44
DD016615		0.99	37.3	3.17	7.17	0.07	0.18	0.02	0.034	0.09	10.2	18.0	0.67	403	0.87
DD016616		0.72	19.3	2.30	5.22	0.05	0.13	0.01	0.019	0.07	7.2	12.1	0.40	303	0.84
DD016617		0.52	20.4	2.21	5.97	0.05	0.09	0.01	0.018	0.05	7.1	10.2	0.37	392	0.63
DD016618		0.52	16.3	2.52	5.81	0.06	0.05	0.02	0.025	0.13	8.6	11.8	0.42	662	0.99
DD016619		0.54	23.3	2.41	6.17	0.05	0.04	0.02	0.021	0.05	7.2	11.2	0.38	582	0.86
DD016620		0.60	27.0	2.33	5.65	0.06	0.12	0.02	0.022	0.07	10.3	12.6	0.41	270	0.74
DD016621		0.57	51.0	3.00	4.25	0.09	0.10	0.06	0.024	0.05	7.9	6.9	0.63	659	0.41
DD016622		0.22	46.2	0.49	1.12	0.05	0.04	0.05	<0.005	0.02	2.3	1.6	0.43	365	0.43
DD016623		1.13	64.6	4.12	8.20	0.11	0.40	0.06	0.038	0.07	16.3	11.9	0.59	431	0.73
DD016624		0.49	20.7	1.29	2.73	0.05	0.03	0.02	0.010	0.05	5.7	4.9	0.23	204	0.25
DD016625		1.35	24.8	2.62	6.17	0.06	0.10	0.02	0.023	0.05	7.7	12.4	0.44	212	0.84
DD016626		0.56	24.9	2.34	4.94	0.08	0.07	0.03	0.022	0.07	11.0	12.8	0.52	304	0.41
DD016627		0.52	29.2	1.96	4.94	0.05	0.05	0.02	0.021	0.06	9.6	10.9	0.40	349	0.61
DD016628		0.73	35.9	3.05	6.67	0.07	0.23	0.02	0.031	0.12	11.9	15.8	0.63	320	1.69
DD016629		0.99	48.7	3.32	6.62	0.08	0.24	0.03	0.029	0.10	10.9	12.6	0.58	457	1.10
DD016630		0.60	19.5	2.36	4.73	0.05	0.13	0.02	0.020	0.07	6.6	7.6	0.29	223	0.71
DD016631		0.50	17.7	2.21	5.12	<0.05	0.02	0.01	0.016	0.03	5.4	8.4	0.33	324	0.62
DD016632		0.85	27.6	2.60	6.17	0.05	0.07	0.01	0.024	0.04	6.4	13.4	0.46	209	0.70
DD016633		0.68	16.9	2.09	4.77	0.05	0.13	0.02	0.018	0.04	6.7	8.8	0.36	155	0.68
DD016634		0.95	57.9	2.98	6.20	0.06	0.08	0.02	0.026	0.03	6.4	9.5	0.32	205	0.84
DD016635		0.54	67.9	2.41	4.18	0.07	0.07	0.06	0.024	0.05	9.2	8.1	0.42	379	0.61
DD016636		0.74	34.3	2.48	4.55	0.07	0.08	0.04	0.023	0.06	8.5	8.1	0.47	302	0.73
DD016637		0.74	32.3	2.86	5.65	0.06	0.06	0.02	0.025	0.11	7.5	10.1	0.46	795	0.65
DD016638		0.99	85.0	2.96	5.24	0.09	0.13	0.08	0.027	0.12	10.4	10.1	0.70	468	0.58
DD016639		0.40	56.5	2.45	4.40	0.08	0.08	0.04	0.022	0.09	7.8	9.2	0.51	790	0.81
DD016640		0.63	27.5	3.12	5.39	<0.05	0.13	0.02	0.031	0.08	9.8	9.5	0.55	463	0.66
DD016641		0.35	26.1	3.41	6.07	<0.05	0.12	0.02	0.030	0.07	6.8	7.6	0.47	590	0.80
DD016642		0.57	64.0	4.63	6.84	<0.05	0.18	0.04	0.041	0.10	9.5	8.0	0.59	711	0.84
DD016643		0.64	33.0	3.64	6.31	<0.05	0.16	0.04	0.032	0.08	6.5	8.6	0.52	349	0.86
DD016644		0.39	29.6	3.42	6.31	<0.05	0.13	0.01	0.029	0.05	10.7	8.8	0.54	1060	0.71
DD016645		0.70	39.6	3.34	3.51	0.05	0.09	0.07	0.025	0.07	6.7	4.4	0.48	366	0.33
DD016646		0.42	38.7	2.36	2.64	0.06	0.05	0.04	0.018	0.05	8.2	3.6	0.34	318	0.52
DD016647		0.57	16.0	2.64	3.43	0.08	0.07	0.03	0.020	0.07	9.8	5.5	0.43	298	0.54
DD016648		0.78	21.1	2.53	3.68	0.08	0.07	0.05	0.021	0.09	11.4	6.5	0.46	745	0.89
DD016649		0.43	27.2	2.01	3.08	0.05	0.10	0.04	0.021	0.07	11.0	5.4	0.35	231	0.50
DD016650		0.51	13.4	1.74	2.31	<0.05	0.15	0.03	0.017	0.06	7.5	3.9	0.35	246	0.53
DD016651		0.67	40.6	2.75	5.15	0.05	0.05	0.02	0.027	0.06	9.7	9.3	0.54	614	0.45



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 3 - C
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 3- OCT- 2011
Account: MTT

Project: KING

CERTIFICATE OF ANALYSIS WH11163982

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
DD016612		0.88	7.9	460	4.6	7.0	<0.001	0.05	0.20	3.4	0.3	0.4	54.9	<0.01	0.01
DD016613		0.63	7.8	710	3.4	5.2	<0.001	0.06	0.21	3.3	0.5	0.3	47.4	<0.01	0.01
DD016614		0.20	50.5	160	3.0	5.8	<0.001	0.02	0.18	18.7	0.6	0.5	29.7	0.01	0.01
DD016615		2.86	24.0	280	8.7	10.1	<0.001	0.02	0.53	6.7	0.5	0.5	52.6	<0.01	0.03
DD016616		1.52	12.4	140	5.7	12.5	<0.001	0.02	0.31	4.0	0.3	0.5	28.3	<0.01	0.02
DD016617		1.30	12.7	150	5.7	7.2	<0.001	0.01	0.24	4.3	0.3	0.5	31.6	<0.01	0.02
DD016618		1.52	15.2	340	6.5	12.2	<0.001	0.02	0.35	5.3	0.4	0.5	31.6	<0.01	0.03
DD016619		1.22	11.5	290	7.5	5.9	<0.001	0.02	0.37	4.4	0.3	0.5	33.7	<0.01	0.02
DD016620		1.50	16.1	240	7.9	8.1	<0.001	0.01	0.39	5.7	0.5	0.5	43.9	<0.01	0.02
DD016621		0.68	18.2	580	3.7	4.9	<0.001	0.03	0.29	9.8	0.6	0.3	65.9	<0.01	0.02
DD016622		0.31	7.3	1060	1.2	2.1	0.004	0.48	0.83	0.9	5.4	<0.2	270	<0.01	0.02
DD016623		0.66	24.0	130	7.6	9.2	<0.001	0.02	0.42	15.0	0.8	0.6	39.4	0.01	0.02
DD016624		0.66	8.0	320	2.3	5.5	<0.001	0.02	0.19	3.5	0.3	0.2	24.8	<0.01	0.01
DD016625		1.52	13.9	160	6.6	8.2	<0.001	0.02	0.33	5.0	0.3	0.5	32.8	<0.01	0.02
DD016626		1.42	14.2	430	4.5	7.7	<0.001	0.03	0.24	5.8	0.5	0.5	44.6	<0.01	0.02
DD016627		0.98	12.6	310	6.3	5.4	<0.001	0.03	0.46	4.6	0.5	0.4	45.4	<0.01	0.02
DD016628		1.59	19.7	180	8.7	12.3	<0.001	0.02	0.55	8.1	0.6	0.5	40.8	<0.01	0.03
DD016629		1.14	16.8	230	6.4	10.2	<0.001	0.02	0.63	9.1	0.6	0.5	39.0	<0.01	0.02
DD016630		1.07	11.3	140	4.6	10.0	<0.001	0.01	0.28	5.1	0.3	0.4	28.1	<0.01	0.02
DD016631		1.03	9.7	240	4.7	3.9	<0.001	0.01	0.22	3.0	0.3	0.4	26.4	<0.01	0.02
DD016632		1.08	16.5	170	7.1	6.1	<0.001	0.01	0.44	4.1	0.3	0.5	24.9	<0.01	0.03
DD016633		1.46	11.4	70	4.7	6.0	<0.001	0.01	0.27	4.3	0.3	0.4	29.1	<0.01	0.02
DD016634		1.20	10.7	190	4.9	7.0	<0.001	0.02	0.49	5.4	0.3	0.5	26.7	<0.01	0.02
DD016635		0.95	12.9	800	4.0	6.5	0.001	0.07	0.58	6.2	1.2	0.3	77.0	<0.01	0.03
DD016636		1.08	10.4	770	4.5	8.1	<0.001	0.06	0.72	5.6	0.8	0.4	65.2	<0.01	0.02
DD016637		1.24	15.3	450	4.9	18.8	<0.001	0.02	0.24	6.3	0.4	0.5	38.1	<0.01	0.02
DD016638		1.11	19.1	850	4.2	14.1	<0.001	0.03	0.44	8.5	0.7	0.4	63.3	<0.01	0.02
DD016639		0.97	17.8	570	4.0	9.6	0.001	0.11	0.47	6.2	1.5	0.3	87.4	0.01	0.02
DD016640		1.05	17.1	270	5.6	8.8	<0.001	0.01	0.39	6.9	0.6	0.5	34.8	<0.01	0.03
DD016641		0.73	13.0	230	5.5	6.7	<0.001	0.01	0.43	6.4	0.4	0.5	34.6	<0.01	0.02
DD016642		0.38	17.6	340	5.5	9.4	<0.001	0.01	0.51	12.0	0.5	0.5	44.5	<0.01	0.04
DD016643		0.53	15.3	290	4.9	7.9	<0.001	0.01	0.42	7.3	0.4	0.5	33.3	<0.01	0.04
DD016644		0.76	16.9	190	6.4	4.0	<0.001	0.01	0.38	8.1	0.3	0.6	38.5	<0.01	0.03
DD016645		0.46	10.0	670	3.5	5.0	0.001	0.05	0.38	6.5	0.5	0.3	61.3	<0.01	0.02
DD016646		0.48	11.3	460	3.7	3.7	0.001	0.06	0.53	5.3	0.4	0.2	62.0	<0.01	0.03
DD016647		0.68	16.5	600	4.9	5.6	<0.001	0.02	0.29	4.6	0.4	0.4	46.8	<0.01	0.02
DD016648		0.93	15.0	800	6.7	8.4	0.001	0.05	0.35	4.9	0.5	0.4	68.0	<0.01	0.02
DD016649		0.74	13.7	470	4.8	5.6	0.001	0.03	0.33	3.9	0.4	0.4	41.4	<0.01	0.01
DD016650		0.51	8.8	540	4.8	3.7	<0.001	0.01	0.27	3.4	0.5	0.3	53.7	<0.01	0.01
DD016651		1.25	15.3	370	5.4	6.4	<0.001	0.02	0.42	6.6	0.5	0.5	38.9	<0.01	0.03



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 3 - D
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 3- OCT- 2011
Account: MTT

Project: KING

CERTIFICATE OF ANALYSIS WH11163982

Sample Description	Method Analyte Units LOR	ME- MS41 Ti %	ME- MS41 Ti ppm	ME- MS41 U ppm	ME- MS41 V ppm	ME- MS41 W ppm	ME- MS41 Y ppm	ME- MS41 Zn ppm	ME- MS41 Zr ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
DD016612		0.051	0.05	0.60	48	0.07	3.92	29	2.6
DD016613		0.048	0.04	0.47	41	0.07	6.41	30	1.8
DD016614		0.023	0.04	0.42	108	<0.05	14.60	110	8.3
DD016615		0.114	0.11	0.55	71	0.21	5.90	49	6.2
DD016616		0.093	0.09	0.36	53	0.11	3.28	31	4.6
DD016617		0.087	0.08	0.32	59	0.22	3.45	33	3.5
DD016618		0.094	0.10	0.39	57	0.16	3.75	80	1.7
DD016619		0.057	0.09	0.40	59	0.17	3.74	42	1.4
DD016620		0.090	0.10	0.58	55	0.16	6.39	46	4.5
DD016621		0.049	0.05	0.43	66	0.06	10.05	42	3.2
DD016622		0.017	0.02	3.89	14	0.05	1.80	29	1.5
DD016623		0.072	0.12	0.83	93	0.08	17.00	43	13.4
DD016624		0.046	0.04	0.42	30	0.07	4.63	25	1.0
DD016625		0.078	0.10	0.48	63	0.13	4.03	39	3.4
DD016626		0.085	0.07	0.52	52	0.18	8.19	40	2.3
DD016627		0.052	0.07	0.37	45	0.15	7.33	40	1.6
DD016628		0.086	0.13	0.68	63	0.14	7.47	46	8.0
DD016629		0.087	0.14	0.38	76	0.09	10.20	50	8.0
DD016630		0.073	0.07	0.29	52	0.08	3.70	29	4.6
DD016631		0.061	0.08	0.28	56	0.08	2.07	47	0.6
DD016632		0.064	0.10	0.36	60	0.13	2.87	38	2.8
DD016633		0.077	0.08	0.40	55	0.08	3.43	27	4.2
DD016634		0.067	0.12	0.34	77	0.06	3.23	37	3.1
DD016635		0.051	0.12	1.07	55	0.11	9.68	41	2.0
DD016636		0.059	0.09	0.64	57	0.10	6.80	40	2.1
DD016637		0.078	0.08	0.38	62	0.12	4.49	47	1.9
DD016638		0.066	0.17	0.50	63	0.08	11.40	52	3.7
DD016639		0.050	0.04	1.22	51	0.10	8.70	35	2.3
DD016640		0.086	0.07	0.60	70	0.15	7.31	49	3.8
DD016641		0.055	0.07	0.55	76	0.09	3.91	50	4.2
DD016642		0.048	0.08	0.47	97	0.07	9.16	46	5.7
DD016643		0.066	0.09	0.42	82	0.10	4.16	43	5.0
DD016644		0.064	0.08	0.36	74	0.10	7.86	59	4.1
DD016645		0.041	0.07	0.40	61	0.06	8.41	43	2.7
DD016646		0.039	0.09	0.73	50	0.08	8.80	36	1.8
DD016647		0.063	0.06	0.41	67	0.13	6.80	39	2.4
DD016648		0.060	0.08	0.68	50	0.16	8.35	60	2.2
DD016649		0.061	0.04	0.74	57	0.16	7.54	39	3.2
DD016650		0.048	0.05	0.44	36	0.08	5.62	34	4.7
DD016651		0.080	0.08	0.42	61	0.15	6.71	40	1.6



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 4 - A
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 3- OCT- 2011
Account: MTT

Project: KING

CERTIFICATE OF ANALYSIS WH11163982

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg	Au- TL43 Au ppm	ME- MS41 Ag ppm	ME- MS41 Al %	ME- MS41 As ppm	ME- MS41 Au ppm	ME- MS41 B ppm	ME- MS41 Ba ppm	ME- MS41 Be ppm	ME- MS41 Bi ppm	ME- MS41 Ca %	ME- MS41 Cd ppm	ME- MS41 Ce ppm	ME- MS41 Co ppm	ME- MS41 Cr ppm
		0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
DD016652		0.26	0.001	0.03	1.37	26.7	<0.2	<10	80	0.36	0.09	0.51	0.02	21.3	7.6	26
DD016653		0.22	0.034	0.04	1.99	19.2	<0.2	<10	110	0.43	0.11	0.73	0.02	17.10	11.2	27
DD016654		0.30	0.011	0.03	1.99	16.2	<0.2	<10	150	0.30	0.10	0.56	0.05	13.45	11.5	27
DD016655		0.28	0.019	0.05	1.74	17.6	<0.2	<10	190	0.43	0.09	5.39	0.09	22.9	13.5	21
DD016656		0.20	0.005	0.04	1.67	8.2	<0.2	<10	120	0.33	0.11	0.38	0.07	13.00	7.4	27
DD016657		0.28	0.004	0.04	1.10	9.1	<0.2	<10	150	0.39	0.08	0.56	0.05	19.25	8.2	19
DD016658		0.26	0.001	0.04	1.95	9.2	<0.2	<10	150	0.37	0.10	0.46	0.07	13.90	9.5	26
DD016659		0.36	0.002	0.02	1.46	3.6	<0.2	<10	70	0.22	0.07	0.69	0.06	12.60	6.7	23
DD016660		0.24	0.001	0.05	1.34	4.9	<0.2	<10	80	0.18	0.06	0.93	0.05	9.69	5.3	18
DD016661		0.22	0.002	0.06	2.70	27.1	<0.2	<10	210	0.56	0.13	0.56	0.09	17.95	19.2	33
DD016662		0.28	0.010	0.13	2.01	11.7	<0.2	<10	460	0.42	0.12	0.75	0.19	17.55	15.9	25
DD016663		0.30	0.003	0.08	2.11	18.8	<0.2	<10	200	0.47	0.11	0.56	0.10	16.95	14.2	30
DD016664		0.30	0.012	0.07	2.85	25.5	<0.2	<10	230	0.51	0.15	0.63	0.07	20.3	19.7	29
DD016665		0.38	0.007	0.05	1.59	16.2	<0.2	<10	140	0.30	0.09	0.59	0.08	17.80	10.9	25
DD016666		0.28	0.003	0.09	1.54	21.9	<0.2	<10	170	0.39	0.11	1.28	0.10	22.8	14.3	25
DD016667		0.40	0.004	0.06	1.68	66.6	<0.2	<10	130	0.30	0.11	0.99	0.10	17.90	17.8	22
DD016668		0.30	0.003	0.03	1.41	15.1	<0.2	<10	80	0.28	0.10	0.44	0.06	10.65	6.8	17
DD016669		0.24	0.002	0.04	0.96	8.5	<0.2	<10	130	0.36	0.10	0.63	0.04	23.9	7.1	17
DD016670		0.24	0.001	0.09	0.62	2.6	<0.2	<10	80	0.13	0.06	0.88	0.31	8.36	4.2	10
DD016671		0.28	<0.001	0.10	1.51	5.4	<0.2	<10	130	0.42	0.14	0.84	0.08	19.65	8.9	26
DD016672		0.28	0.001	0.06	1.26	5.4	<0.2	<10	110	0.32	0.09	0.53	0.06	14.25	7.3	20
DD016673		0.28	0.002	0.10	1.66	7.0	<0.2	<10	210	0.46	0.13	0.89	0.08	24.5	10.7	29
DD016674		0.32	0.002	0.07	1.50	7.0	<0.2	<10	140	0.42	0.10	0.60	0.03	18.70	5.7	28
DD016675		0.40	0.001	0.04	1.43	6.2	<0.2	<10	160	0.35	0.11	0.41	0.06	11.90	7.7	21
DD016676		0.28	0.001	0.09	1.39	5.8	<0.2	<10	110	0.38	0.09	1.95	0.10	14.90	7.2	20
DD016677		0.34	0.001	0.05	0.96	3.1	<0.2	<10	100	0.20	0.07	0.32	0.05	9.30	5.9	15
DD016678		0.24	<0.001	0.06	1.59	5.0	<0.2	<10	120	0.34	0.10	0.50	0.03	14.40	7.2	24
DD016679		0.40	0.001	0.02	1.36	7.8	<0.2	<10	100	0.43	0.09	0.49	0.03	30.4	7.5	25
DD016680		0.30	0.002	0.08	1.47	7.2	<0.2	<10	120	0.42	0.10	0.57	0.09	21.9	9.5	26
DD016681		0.38	0.002	0.03	1.55	11.2	<0.2	<10	100	0.38	0.08	0.24	0.03	11.95	9.7	23
DD016682		0.32	0.004	0.03	1.59	7.2	<0.2	<10	110	0.38	0.09	0.43	0.04	16.65	7.4	26
DD016683		0.28	0.002	0.07	2.38	18.2	<0.2	<10	140	0.56	0.08	0.42	0.06	21.0	12.7	31
DD016684		0.32	0.001	0.03	1.29	5.0	<0.2	<10	170	0.27	0.09	0.32	0.05	10.95	7.0	17
DD016685		0.30	0.001	0.03	1.26	6.2	<0.2	<10	130	0.33	0.09	0.63	0.03	24.2	6.5	23
DD016686		0.18	0.003	0.12	0.51	2440	<0.2	<10	140	0.10	0.03	0.55	0.07	15.30	13.1	28
DD016687		0.34	0.002	0.02	1.46	15.2	<0.2	<10	120	0.29	0.11	0.29	0.05	11.80	8.6	23
DD016688		0.30	0.001	0.04	1.53	18.4	<0.2	<10	160	0.52	0.13	0.66	0.09	23.0	10.1	27
DD016689		0.28	0.002	0.04	1.78	15.0	<0.2	<10	80	0.36	0.11	0.56	0.05	16.80	9.0	27
DD016690		0.28	0.001	0.05	2.30	9.6	<0.2	<10	70	0.51	0.11	0.21	0.04	16.75	9.0	31
DD016691		0.36	0.002	0.02	2.03	8.4	<0.2	<10	50	0.48	0.10	0.31	0.03	21.1	7.1	31



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 4 - B
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 3- OCT- 2011
Account: MTT

Project: KING

CERTIFICATE OF ANALYSIS WH11163982

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
DD016652		1.17	21.7	2.32	4.27	<0.05	0.08	<0.01	0.019	0.06	9.0	9.8	0.43	241	0.41
DD016653		1.04	73.1	3.40	5.89	<0.05	0.18	0.01	0.033	0.05	8.3	8.1	0.55	379	0.55
DD016654		0.95	37.1	3.25	5.75	<0.05	0.10	0.01	0.030	0.07	6.3	9.5	0.49	420	0.55
DD016655		0.70	62.9	3.18	5.19	0.06	0.12	0.05	0.029	0.06	13.0	8.3	0.77	467	0.46
DD016656		0.56	15.3	2.52	5.35	<0.05	0.13	0.01	0.019	0.03	6.5	7.7	0.41	201	0.57
DD016657		0.45	23.9	2.55	3.64	<0.05	0.05	0.04	0.023	0.07	7.8	5.1	0.33	429	0.68
DD016658		1.39	38.1	2.80	6.04	<0.05	0.13	0.01	0.025	0.04	6.8	10.0	0.49	390	0.69
DD016659		0.85	16.2	1.91	4.85	<0.05	0.08	<0.01	0.022	0.09	6.3	16.0	0.61	206	0.18
DD016660		2.78	32.6	1.58	5.21	<0.05	0.06	0.01	0.019	0.09	4.9	8.6	0.54	149	0.20
DD016661		0.85	34.8	4.68	7.95	<0.05	0.19	0.02	0.038	0.10	7.3	10.5	0.76	702	1.03
DD016662		0.61	31.8	3.47	6.64	<0.05	0.11	0.02	0.034	0.14	7.1	9.7	0.54	1990	0.88
DD016663		0.63	37.6	3.98	6.38	<0.05	0.22	0.02	0.036	0.10	9.5	8.5	0.57	620	0.87
DD016664		0.56	46.5	4.81	8.13	<0.05	0.09	0.02	0.042	0.13	7.2	10.0	0.75	766	0.85
DD016665		0.54	32.9	2.83	5.03	<0.05	0.08	0.01	0.029	0.10	8.1	8.7	0.50	584	0.41
DD016666		0.53	59.3	3.03	5.08	0.06	0.06	0.04	0.032	0.09	11.1	10.5	0.65	759	0.36
DD016667		1.00	60.2	4.21	5.49	0.05	0.08	0.03	0.038	0.08	5.8	9.3	0.70	1140	0.80
DD016668		0.38	16.8	2.63	4.56	<0.05	0.09	0.01	0.020	0.04	5.4	6.3	0.32	189	0.73
DD016669		0.59	20.3	2.39	3.44	0.05	0.08	0.05	0.021	0.06	11.6	5.8	0.34	357	0.56
DD016670		0.46	35.0	0.97	2.15	<0.05	<0.02	0.01	0.012	0.05	4.2	3.6	0.27	248	0.20
DD016671		0.62	24.2	2.22	5.59	<0.05	0.03	0.02	0.024	0.06	10.1	9.2	0.48	238	0.42
DD016672		0.59	19.4	2.01	4.10	<0.05	0.03	0.01	0.025	0.06	6.2	8.8	0.39	240	0.44
DD016673		0.71	34.1	2.59	5.40	<0.05	0.04	0.03	0.027	0.09	13.3	12.1	0.61	602	0.44
DD016674		0.60	19.3	2.39	4.69	<0.05	0.11	0.02	0.025	0.08	9.9	11.1	0.55	197	0.32
DD016675		0.61	20.6	2.24	5.08	<0.05	0.02	0.01	0.021	0.06	5.6	10.6	0.39	465	0.86
DD016676		0.55	29.7	2.15	4.85	0.06	0.07	0.02	0.020	0.07	7.9	11.1	0.38	243	0.72
DD016677		0.30	13.0	1.44	4.01	0.05	0.02	0.01	0.011	0.05	4.3	7.5	0.26	273	0.48
DD016678		0.62	15.6	2.11	5.27	0.06	0.05	0.01	0.019	0.05	7.3	11.0	0.44	268	0.48
DD016679		0.58	22.6	2.20	4.41	0.09	0.15	0.02	0.021	0.06	16.6	12.5	0.46	268	0.47
DD016680		0.67	31.0	2.26	5.50	0.09	0.08	0.04	0.023	0.10	11.3	21.9	0.57	298	0.46
DD016681		0.85	18.6	2.72	5.59	0.07	0.14	0.01	0.020	0.06	5.7	11.6	0.42	229	0.79
DD016682		0.66	16.9	2.39	5.15	0.07	0.11	0.01	0.021	0.11	7.9	12.4	0.49	266	0.69
DD016683		0.73	37.2	3.67	7.57	0.10	0.18	0.03	0.032	0.06	9.7	8.0	0.50	383	0.76
DD016684		0.47	21.6	2.18	4.65	0.06	0.06	0.01	0.016	0.04	5.7	8.0	0.32	515	0.81
DD016685		0.50	25.9	2.08	4.09	0.10	0.07	0.01	0.018	0.07	13.3	6.4	0.44	310	0.32
DD016686		0.42	61.1	10.60	2.55	0.14	0.03	0.01	0.056	0.71	7.3	6.3	0.21	238	2.94
DD016687		0.53	18.7	2.57	5.07	0.07	0.09	0.01	0.020	0.07	5.9	11.2	0.40	250	1.10
DD016688		0.95	20.2	2.50	5.35	0.08	0.10	0.01	0.018	0.10	10.8	10.3	0.44	368	0.44
DD016689		1.84	47.7	2.80	5.66	0.07	0.11	0.01	0.028	0.06	8.6	10.1	0.49	377	0.61
DD016690		1.13	66.4	3.06	7.63	0.08	0.22	0.01	0.025	0.03	8.3	13.2	0.55	263	0.68
DD016691		1.05	88.5	2.50	6.37	0.08	0.18	0.01	0.023	0.03	10.4	11.2	0.44	184	0.52



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 4 - C
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 3- OCT- 2011
Account: MTT

Project: KING

CERTIFICATE OF ANALYSIS WH11163982

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
DD016652		1.23	12.9	450	4.3	4.6	<0.001	0.01	0.39	5.4	0.4	0.5	27.7	<0.01	0.03
DD016653		0.95	13.8	220	4.9	4.3	<0.001	0.01	0.58	7.8	0.7	0.5	37.7	<0.01	0.04
DD016654		0.98	14.0	320	4.4	7.5	<0.001	0.01	0.34	6.9	0.7	0.5	37.6	<0.01	0.04
DD016655		0.82	19.4	280	4.3	4.7	<0.001	0.03	0.60	9.8	0.8	0.4	128.5	<0.01	0.03
DD016656		1.25	13.4	160	5.5	3.9	<0.001	0.01	0.37	4.1	0.2	0.6	26.1	<0.01	0.04
DD016657		0.67	11.3	380	5.7	4.5	<0.001	0.02	0.46	6.2	0.4	0.4	50.4	<0.01	0.02
DD016658		1.26	15.1	200	5.3	6.2	<0.001	0.01	0.32	4.7	0.2	0.6	28.2	<0.01	0.03
DD016659		1.49	11.7	270	4.6	11.8	0.001	0.05	0.13	4.3	0.3	0.5	34.0	<0.01	0.02
DD016660		1.12	8.8	340	4.2	23.1	0.001	0.05	0.11	4.4	0.3	0.5	47.5	<0.01	0.02
DD016661		0.56	20.3	390	6.8	14.5	<0.001	0.01	0.49	9.7	0.5	0.6	39.2	<0.01	0.04
DD016662		0.87	18.5	530	6.3	17.1	<0.001	0.01	0.42	7.1	0.3	0.6	52.3	<0.01	0.04
DD016663		0.53	17.1	300	6.2	10.4	<0.001	0.01	0.50	9.1	0.6	0.5	36.6	<0.01	0.03
DD016664		0.48	18.6	480	5.8	10.3	<0.001	0.01	0.48	11.4	0.7	0.5	44.3	<0.01	0.04
DD016665		1.04	16.1	320	4.3	9.3	0.001	0.01	0.32	7.3	0.2	0.5	30.8	<0.01	0.02
DD016666		1.02	18.1	450	4.9	7.8	<0.001	0.03	0.39	8.1	0.8	0.5	52.9	<0.01	0.03
DD016667		0.56	15.1	420	5.3	6.5	0.001	0.04	0.65	9.3	0.6	0.4	54.2	<0.01	0.04
DD016668		0.77	8.5	120	5.4	4.9	<0.001	0.01	0.25	3.5	0.3	0.4	27.8	<0.01	0.02
DD016669		0.78	12.2	540	5.6	5.2	<0.001	0.02	0.29	4.5	0.4	0.4	55.0	<0.01	0.03
DD016670		0.59	9.1	720	2.5	4.6	<0.001	0.05	0.19	1.6	0.6	0.2	48.2	<0.01	0.01
DD016671		1.61	14.0	330	7.3	6.3	<0.001	0.03	0.34	4.1	0.7	0.6	48.9	<0.01	0.02
DD016672		1.16	11.3	280	5.1	6.1	<0.001	0.03	0.33	3.2	0.5	0.4	42.2	<0.01	0.02
DD016673		1.61	20.9	510	7.3	8.1	<0.001	0.03	0.53	5.4	1.1	0.6	56.9	<0.01	0.03
DD016674		1.14	16.2	490	6.2	7.5	0.001	0.01	0.33	5.5	0.4	0.5	39.8	<0.01	0.02
DD016675		1.05	12.3	300	6.2	7.3	<0.001	0.01	0.41	3.4	0.3	0.5	30.3	<0.01	0.04
DD016676		1.03	12.0	270	6.7	8.9	<0.001	0.01	0.61	4.2	0.5	0.4	68.0	<0.01	0.04
DD016677		0.85	9.0	240	3.8	5.3	<0.001	<0.01	0.22	2.7	<0.2	0.3	23.3	<0.01	0.02
DD016678		1.33	12.6	170	6.2	8.5	<0.001	<0.01	0.28	3.6	<0.2	0.5	32.0	<0.01	0.02
DD016679		1.18	16.3	200	5.4	6.4	<0.001	<0.01	0.43	5.5	0.4	0.5	35.9	0.01	0.03
DD016680		1.22	19.5	590	5.8	10.1	<0.001	<0.01	0.43	5.8	0.4	0.5	40.7	<0.01	0.02
DD016681		0.69	12.7	70	6.2	11.9	<0.001	<0.01	0.46	4.7	<0.2	0.4	21.8	<0.01	0.03
DD016682		1.23	13.9	290	5.5	13.9	<0.001	<0.01	0.31	4.8	0.2	0.5	31.4	<0.01	0.02
DD016683		0.73	17.1	170	4.9	8.5	<0.001	<0.01	0.55	10.7	0.4	0.5	42.2	<0.01	0.03
DD016684		0.86	10.1	260	5.0	8.9	<0.001	<0.01	0.29	3.2	<0.2	0.4	26.6	<0.01	0.02
DD016685		1.09	13.0	590	4.1	7.2	<0.001	<0.01	0.22	4.8	0.3	0.4	36.1	<0.01	0.01
DD016686		0.21	15.0	650	2.5	15.7	<0.001	2.53	1.90	6.0	0.5	<0.2	141.5	<0.01	0.07
DD016687		0.98	12.1	150	6.7	8.9	<0.001	<0.01	0.46	3.9	0.2	0.5	28.1	<0.01	0.03
DD016688		1.02	16.2	270	6.7	12.5	<0.001	<0.01	0.40	6.1	0.2	0.4	30.6	<0.01	0.02
DD016689		1.41	13.0	230	5.4	7.3	<0.001	<0.01	0.43	6.4	0.5	0.6	29.7	<0.01	0.03
DD016690		1.04	19.1	100	5.2	5.4	<0.001	<0.01	0.40	6.3	0.2	0.7	14.8	<0.01	0.03
DD016691		1.18	16.3	170	4.8	3.8	<0.001	<0.01	0.33	7.1	0.3	0.5	17.3	<0.01	0.02



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 4 - D
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 3- OCT- 2011
Account: MTT

Project: KING

CERTIFICATE OF ANALYSIS WH11163982

Sample Description	Method Analyte Units LOR	ME- MS41 Ti %	ME- MS41 Ti ppm	ME- MS41 U ppm	ME- MS41 V ppm	ME- MS41 W ppm	ME- MS41 Y ppm	ME- MS41 Zn ppm	ME- MS41 Zr ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
DD016652		0.096	0.05	0.56	54	0.18	5.65	31	2.9
DD016653		0.067	0.07	0.41	77	0.11	6.73	39	5.5
DD016654		0.082	0.06	0.44	74	0.14	3.94	36	3.0
DD016655		0.047	0.05	0.64	70	0.09	16.15	36	3.6
DD016656		0.086	0.08	0.35	62	0.15	3.04	38	3.7
DD016657		0.044	0.06	0.55	56	0.09	5.62	42	1.7
DD016658		0.089	0.09	0.40	70	0.16	3.36	49	3.9
DD016659		0.099	0.07	0.36	43	0.09	3.23	53	2.5
DD016660		0.079	0.05	0.32	37	0.08	2.81	139	1.7
DD016661		0.074	0.10	0.47	103	0.08	5.28	69	5.8
DD016662		0.067	0.09	0.45	74	0.11	4.99	85	3.3
DD016663		0.065	0.07	0.51	85	0.12	8.02	57	6.2
DD016664		0.050	0.09	0.45	104	0.08	5.24	59	3.2
DD016665		0.079	0.06	0.44	64	0.11	6.03	45	2.4
DD016666		0.060	0.07	0.66	64	0.39	13.00	45	1.8
DD016667		0.043	0.13	0.49	88	0.07	5.69	57	2.3
DD016668		0.051	0.07	0.43	64	0.09	2.81	32	2.8
DD016669		0.065	0.05	0.53	57	0.11	8.68	37	2.5
DD016670		0.044	0.04	0.66	21	0.07	2.68	29	0.5
DD016671		0.089	0.06	0.76	58	0.20	6.14	47	0.9
DD016672		0.068	0.05	0.68	46	0.15	3.74	35	0.9
DD016673		0.096	0.08	0.59	56	0.18	10.35	55	1.5
DD016674		0.092	0.07	0.64	51	0.19	6.79	39	3.7
DD016675		0.067	0.08	0.35	53	0.19	2.89	42	0.9
DD016676		0.055	0.09	0.31	48	0.21	6.10	52	2.0
DD016677		0.058	0.05	0.24	36	0.13	2.18	38	0.8
DD016678		0.081	0.08	0.42	52	0.29	3.56	36	1.5
DD016679		0.096	0.06	0.49	50	0.26	12.90	40	4.5
DD016680		0.094	0.09	0.45	50	0.18	9.27	47	2.5
DD016681		0.059	0.09	0.31	61	0.10	3.05	30	4.5
DD016682		0.096	0.08	0.50	51	0.18	4.71	42	3.9
DD016683		0.062	0.07	0.50	84	0.10	7.88	49	7.7
DD016684		0.056	0.07	0.27	50	0.13	2.76	35	2.2
DD016685		0.093	0.06	0.56	46	0.23	10.75	35	1.8
DD016686		<0.005	0.22	0.24	117	0.09	4.72	46	1.1
DD016687		0.075	0.08	0.47	61	0.16	2.74	39	3.0
DD016688		0.095	0.11	0.40	56	0.18	5.30	50	2.4
DD016689		0.089	0.10	0.71	70	0.17	6.32	50	3.8
DD016690		0.131	0.10	0.44	93	0.16	4.83	56	8.2
DD016691		0.099	0.07	0.65	68	0.17	6.18	35	5.9



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 5 - A
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 3- OCT- 2011
Account: MTT

Project: KING

CERTIFICATE OF ANALYSIS WH11163982

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg	Au- TL43 Au ppm	ME- MS41 Ag ppm	ME- MS41 Al %	ME- MS41 As ppm	ME- MS41 Au ppm	ME- MS41 B ppm	ME- MS41 Ba ppm	ME- MS41 Be ppm	ME- MS41 Bi ppm	ME- MS41 Ca %	ME- MS41 Cd ppm	ME- MS41 Ce ppm	ME- MS41 Co ppm	ME- MS41 Cr ppm
		0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
DD016692		0.32	0.002	0.08	1.70	7.8	<0.2	<10	150	0.46	0.11	0.42	0.04	24.0	10.8	28
DD016693		0.30	0.014	0.04	1.12	9.7	<0.2	<10	150	0.46	0.07	0.50	0.03	21.2	7.9	17
DD016694		0.24	0.003	0.09	1.79	9.8	<0.2	<10	140	0.27	0.09	0.64	0.05	12.75	10.2	24
DD016695		0.28	0.010	0.10	2.08	32.8	<0.2	<10	200	0.49	0.08	1.43	0.08	24.9	15.9	22
DD016696		0.28	0.007	0.04	1.85	13.7	<0.2	<10	180	0.53	0.11	0.45	0.04	17.40	10.4	26
DD016697		0.28	0.004	0.05	2.38	8.6	<0.2	<10	130	0.41	0.08	0.83	0.02	18.90	20.4	22
DD016698		0.28	0.012	0.08	2.55	28.6	<0.2	<10	210	0.52	0.08	0.81	0.04	22.7	20.0	24
DD016699		0.30	0.004	0.05	1.73	15.0	<0.2	<10	150	0.49	0.08	0.52	0.04	22.1	9.9	28
DD016700		0.28	0.003	0.09	2.10	20.4	<0.2	<10	280	0.54	0.12	0.72	0.21	20.1	19.6	25
DD016701		0.26	0.002	0.06	1.07	9.0	<0.2	<10	130	0.43	0.11	0.68	0.15	26.0	8.1	19
DD016702		0.14	0.001	0.07	0.95	8.8	<0.2	<10	160	0.35	0.09	1.10	0.13	19.20	9.2	15
DD016703		0.18	0.002	0.09	1.99	8.8	<0.2	<10	130	0.47	0.11	0.54	0.05	19.70	10.2	28
DD016704		0.38	0.005	0.03	1.97	11.8	<0.2	<10	140	0.64	0.12	0.53	0.05	28.2	9.4	32
DD016705		0.26	0.001	0.07	1.74	9.3	<0.2	<10	100	0.37	0.10	0.45	0.12	14.10	7.1	26
DD016706		0.28	0.001	0.03	1.98	14.1	<0.2	<10	150	0.54	0.12	0.42	0.06	20.4	8.9	35
DD016707		0.30	0.002	0.07	1.54	10.7	<0.2	<10	150	0.52	0.10	0.50	0.09	17.65	9.2	22
DD016708		0.26	0.001	0.05	1.46	7.0	<0.2	<10	160	0.39	0.11	0.72	0.05	15.15	7.9	24
DD016709		0.32	0.001	0.06	1.42	5.0	<0.2	<10	130	0.37	0.11	0.72	0.05	18.00	7.9	25
DD016710		0.22	<0.001	0.06	1.95	14.9	<0.2	<10	130	0.42	0.09	0.51	0.09	15.60	11.2	27
DD016711		0.40	0.001	0.06	1.64	6.5	<0.2	<10	180	0.50	0.11	0.62	0.08	19.40	8.6	28
DD016712		0.30	0.001	0.04	1.79	31.4	<0.2	<10	150	0.35	0.09	0.72	0.07	14.85	16.6	28
DD016713		0.14	0.001	0.11	1.03	5.6	<0.2	<10	150	0.25	0.09	0.89	0.12	11.20	6.5	17
DD016714		0.10	0.001	0.04	0.22	10.8	<0.2	40	100	0.06	0.03	6.35	0.08	2.99	2.5	3
DD016715		0.28	0.001	0.10	1.59	6.7	<0.2	<10	210	0.42	0.10	1.35	0.15	18.20	10.3	26
DD016716		0.20	0.001	0.07	2.13	22.3	<0.2	<10	100	0.43	0.09	0.32	0.11	17.55	10.8	23
DD016717		0.18	0.001	0.04	2.05	10.3	<0.2	<10	120	0.45	0.12	0.43	0.06	14.45	11.5	28
DD016718		0.26	0.003	0.03	1.49	9.2	<0.2	<10	120	0.36	0.09	0.28	0.05	16.65	9.4	22
DD016719		0.20	0.001	0.03	1.71	12.3	<0.2	<10	130	0.37	0.20	0.45	0.04	15.70	8.2	24
DD016720		0.18	0.001	0.04	1.46	22.9	<0.2	<10	100	0.36	0.07	0.58	0.05	17.75	7.3	24
DD016721		0.22	0.003	0.06	1.29	69.3	<0.2	<10	140	0.24	0.06	1.17	0.07	14.95	9.6	19
DD016722		0.18	0.006	0.08	1.80	22.8	<0.2	<10	150	0.52	0.07	0.60	0.08	34.5	13.8	21
DD016723		0.18	0.003	0.03	1.94	10.9	<0.2	<10	130	0.35	0.08	0.40	0.09	13.50	13.5	22
DD016724		0.20	0.003	0.08	1.73	18.6	<0.2	<10	240	0.44	0.08	0.56	0.08	20.0	14.5	26
DD016725		0.18	0.001	0.05	1.59	13.8	<0.2	<10	150	0.41	0.09	0.57	0.08	17.70	11.0	25
DD016726		0.22	0.005	0.10	1.42	10.8	<0.2	<10	150	0.33	0.07	0.91	0.08	18.35	10.5	24
DD016727		0.18	0.004	0.07	1.46	7.7	<0.2	<10	240	0.41	0.09	2.15	0.29	16.35	11.8	26
DD016728		0.14	0.003	0.02	1.95	1.9	<0.2	<10	110	0.15	0.03	0.63	0.04	9.23	9.2	18
DD016729		0.20	0.005	0.12	1.85	12.0	<0.2	<10	240	0.37	0.07	0.72	0.08	14.90	13.0	23
DD016730		0.26	0.007	0.08	2.20	18.4	<0.2	<10	220	0.44	0.07	0.51	0.05	13.75	14.9	23
DD016731		0.20	0.008	0.04	1.83	21.7	<0.2	<10	180	0.35	0.05	1.14	0.06	17.15	15.7	18



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 5 - B
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 3- OCT- 2011
Account: MTT

Project: KING

CERTIFICATE OF ANALYSIS WH11163982

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
DD016692		1.75	36.9	2.71	5.52	0.08	0.12	0.02	0.025	0.06	11.8	9.6	0.43	463	0.56
DD016693		0.36	25.2	2.42	4.05	0.10	0.11	0.06	0.018	0.04	12.7	5.9	0.28	350	0.51
DD016694		0.60	18.4	2.71	5.68	0.08	0.08	0.02	0.026	0.09	6.2	13.4	0.60	342	0.56
DD016695		0.39	56.1	4.16	6.91	0.13	0.13	0.04	0.037	0.09	12.9	8.4	0.70	781	0.71
DD016696		0.59	25.4	3.02	6.17	0.09	0.13	0.02	0.026	0.08	7.7	11.8	0.51	483	0.77
DD016697		0.51	67.7	4.11	8.53	0.13	0.35	0.04	0.036	0.09	8.9	11.6	1.07	435	0.33
DD016698		0.50	72.3	4.79	8.17	0.13	0.16	0.03	0.035	0.07	12.5	9.2	0.77	881	0.54
DD016699		0.74	31.5	2.90	5.51	0.10	0.12	0.02	0.026	0.14	13.0	11.1	0.48	320	0.53
DD016700		0.53	48.3	3.91	7.30	0.10	0.08	0.03	0.029	0.10	7.7	9.6	0.51	1520	0.80
DD016701		0.81	25.2	2.33	3.87	0.10	0.15	0.04	0.019	0.09	12.5	6.4	0.40	364	0.78
DD016702		0.48	21.6	2.08	3.58	0.09	0.06	0.04	0.017	0.08	9.7	5.9	0.36	770	0.94
DD016703		0.53	23.9	2.91	6.06	0.08	0.06	0.02	0.025	0.39	9.6	8.9	0.42	471	0.62
DD016704		0.67	27.2	2.89	6.66	0.09	0.13	0.02	0.030	0.08	12.2	14.1	0.53	225	0.84
DD016705		0.62	13.9	2.53	6.38	0.07	0.06	0.01	0.022	0.07	7.2	9.5	0.45	254	0.94
DD016706		0.69	22.5	2.88	6.50	0.07	0.14	0.02	0.027	0.09	9.4	15.4	0.53	245	0.99
DD016707		0.60	21.6	2.35	5.44	0.07	0.03	0.02	0.022	0.09	7.5	12.0	0.40	447	0.91
DD016708		0.65	15.7	2.19	5.29	0.07	0.05	0.02	0.018	0.08	7.2	13.8	0.50	195	0.49
DD016709		0.58	15.3	2.17	4.79	0.08	0.07	0.01	0.017	0.10	8.8	11.4	0.51	281	0.29
DD016710		2.12	41.1	3.02	6.36	0.07	0.06	0.01	0.024	0.06	7.2	9.6	0.45	658	0.70
DD016711		0.64	18.2	2.40	5.63	0.07	0.07	0.01	0.021	0.07	9.7	9.0	0.42	638	0.63
DD016712		0.67	47.3	3.60	5.63	0.09	0.07	0.02	0.031	0.05	6.2	8.0	0.55	680	0.56
DD016713		0.46	27.5	1.51	3.71	0.06	0.03	0.01	0.014	0.04	5.4	9.7	0.37	351	0.30
DD016714		0.07	24.5	0.47	0.76	<0.05	0.04	0.03	<0.005	0.02	1.4	1.0	0.57	226	0.84
DD016715		0.62	26.5	2.32	5.76	0.07	0.07	0.01	0.024	0.09	9.0	9.6	0.64	763	0.70
DD016716		1.14	70.1	2.96	7.57	0.06	0.10	0.01	0.026	0.05	7.9	8.7	0.47	489	1.05
DD016717		0.67	21.8	2.77	7.96	0.06	0.07	<0.01	0.024	0.03	7.2	9.9	0.49	316	0.95
DD016718		0.69	32.4	2.58	5.35	0.07	0.16	0.02	0.020	0.05	8.1	7.8	0.38	303	0.78
DD016719		0.42	20.8	2.46	5.76	0.05	0.17	0.01	0.027	0.04	7.6	10.1	0.45	210	0.67
DD016720		0.50	41.8	2.37	4.27	0.05	0.08	0.03	0.018	0.08	9.6	8.5	0.45	293	0.43
DD016721		0.68	32.5	2.55	4.53	0.06	0.06	0.03	0.023	0.07	7.4	7.0	0.53	539	0.99
DD016722		0.55	78.0	2.97	6.02	0.09	0.08	0.01	0.030	0.05	16.1	8.1	0.52	475	0.66
DD016723		0.37	23.5	3.41	6.92	0.06	0.09	0.01	0.027	0.03	6.1	6.0	0.51	325	0.86
DD016724		0.78	33.9	3.01	6.06	0.07	0.12	0.01	0.027	0.11	8.6	8.1	0.50	673	0.63
DD016725		0.71	19.4	2.45	5.69	0.05	0.10	<0.01	0.025	0.06	8.5	7.4	0.39	428	0.75
DD016726		0.52	39.7	2.59	5.06	0.08	0.08	0.02	0.021	0.07	10.0	8.9	0.56	514	0.49
DD016727		0.65	32.7	2.35	5.03	0.06	0.06	0.01	0.023	0.08	7.3	8.8	0.46	432	0.48
DD016728		0.51	16.0	2.07	7.12	0.05	0.10	<0.01	0.024	0.09	4.5	10.1	0.69	263	0.29
DD016729		0.46	30.8	3.11	5.71	0.07	0.10	0.01	0.026	0.10	6.8	7.4	0.49	737	0.60
DD016730		0.53	37.1	3.72	6.74	0.05	0.12	0.01	0.031	0.10	5.7	7.7	0.54	680	0.78
DD016731		0.34	56.4	3.75	5.94	0.08	0.09	0.02	0.032	0.08	7.2	7.4	0.58	565	0.61



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 5 - C
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 3- OCT- 2011
Account: MTT

Project: KING

CERTIFICATE OF ANALYSIS WH11163982

Sample Description	Method Analyte Units LOR	ME- MS41 Nb ppm 0.05	ME- MS41 Ni ppm 0.2	ME- MS41 P ppm 10	ME- MS41 Pb ppm 0.2	ME- MS41 Rb ppm 0.1	ME- MS41 Re ppm 0.001	ME- MS41 S % 0.01	ME- MS41 Sb ppm 0.05	ME- MS41 Sc ppm 0.1	ME- MS41 Se ppm 0.2	ME- MS41 Sn ppm 0.2	ME- MS41 Sr ppm 0.2	ME- MS41 Ta ppm 0.01	ME- MS41 Te ppm 0.01	ME- MS41 Th ppm 0.2
DD016692		0.92	16.2	120	5.6	8.6	<0.001	<0.01	0.37	6.7	0.3	0.5	26.7	<0.01	0.03	3.2
DD016693		0.64	11.9	220	5.2	4.8	<0.001	<0.01	0.43	7.2	0.4	0.3	54.8	<0.01	0.02	2.9
DD016694		1.23	13.2	330	3.9	12.3	<0.001	0.01	0.26	5.8	0.2	0.5	37.9	<0.01	0.03	1.7
DD016695		0.70	18.8	300	4.9	9.3	<0.001	0.01	0.59	11.6	0.7	0.4	71.0	0.01	0.05	1.9
DD016696		0.73	15.6	220	5.3	10.6	<0.001	<0.01	0.40	7.3	0.2	0.5	28.9	<0.01	0.03	2.7
DD016697		0.32	18.4	290	4.5	7.4	<0.001	0.01	0.42	14.2	0.4	0.5	42.7	0.01	0.03	1.8
DD016698		0.31	18.0	270	4.8	11.3	<0.001	<0.01	0.41	16.8	0.6	0.4	50.7	0.01	0.04	2.6
DD016699		0.90	18.5	400	3.9	16.4	<0.001	<0.01	0.38	7.6	0.4	0.5	36.2	<0.01	0.03	3.0
DD016700		0.57	19.8	290	6.1	11.9	<0.001	<0.01	0.39	10.2	0.3	0.4	41.4	<0.01	0.04	2.5
DD016701		0.84	11.3	790	7.6	9.5	<0.001	0.01	0.35	5.3	0.2	0.4	46.3	<0.01	0.02	3.2
DD016702		0.77	12.0	700	5.5	8.9	<0.001	0.04	0.27	4.1	0.4	0.3	67.1	<0.01	0.03	1.8
DD016703		1.13	14.7	290	6.7	11.8	<0.001	<0.01	0.41	7.0	0.2	0.5	34.1	<0.01	0.03	2.3
DD016704		1.60	20.5	120	7.7	10.8	<0.001	<0.01	0.63	7.7	0.5	0.6	38.9	<0.01	0.03	3.6
DD016705		1.23	12.5	190	7.5	8.9	<0.001	<0.01	0.47	3.9	<0.2	0.6	34.2	<0.01	0.03	1.4
DD016706		1.16	16.7	200	10.0	9.8	<0.001	<0.01	0.64	6.1	0.3	0.6	35.6	<0.01	0.03	2.7
DD016707		0.89	14.1	370	7.4	10.6	<0.001	<0.01	0.50	5.2	0.2	0.4	41.1	<0.01	0.03	1.6
DD016708		1.29	13.7	440	6.3	8.7	<0.001	0.02	0.40	4.3	0.2	0.5	43.7	<0.01	0.02	1.9
DD016709		1.34	12.9	260	5.7	10.8	<0.001	0.02	0.24	4.5	0.3	0.5	41.0	<0.01	0.02	2.3
DD016710		0.87	15.8	370	5.8	11.2	<0.001	0.01	0.33	6.9	0.2	0.5	31.9	<0.01	0.03	1.6
DD016711		1.42	15.6	220	6.2	10.5	<0.001	<0.01	0.30	4.6	0.3	0.6	39.3	<0.01	0.02	2.1
DD016712		0.86	17.3	320	4.4	7.6	<0.001	0.01	0.27	10.2	0.4	0.5	46.8	<0.01	0.01	1.4
DD016713		1.02	10.7	390	4.7	5.8	<0.001	0.04	0.19	3.0	0.5	0.5	48.9	<0.01	<0.01	0.9
DD016714		0.23	3.9	650	0.7	0.6	0.001	0.52	0.37	0.5	1.0	0.2	156.5	<0.01	<0.01	<0.2
DD016715		1.63	17.1	350	6.4	10.7	<0.001	0.03	0.48	5.2	0.6	0.5	71.0	<0.01	0.02	1.8
DD016716		1.29	15.3	320	5.8	5.4	<0.001	0.01	0.47	6.1	0.5	0.5	24.1	<0.01	0.02	1.8
DD016717		1.81	14.8	220	7.9	4.5	<0.001	<0.01	0.43	4.4	0.3	0.7	27.6	<0.01	0.03	1.9
DD016718		1.00	12.2	130	6.0	7.7	<0.001	<0.01	0.45	4.9	0.4	0.5	23.3	<0.01	0.02	2.1
DD016719		1.48	13.3	160	6.3	4.8	<0.001	<0.01	0.37	4.4	0.3	0.5	36.0	<0.01	0.03	2.0
DD016720		1.37	12.4	370	4.1	8.8	<0.001	0.01	0.29	4.1	0.3	0.4	26.9	<0.01	0.01	1.9
DD016721		0.94	10.0	690	3.8	5.7	0.001	0.03	0.60	4.8	0.5	0.4	49.2	<0.01	0.02	0.9
DD016722		0.96	16.1	220	4.0	7.5	<0.001	0.01	0.34	8.3	0.6	0.5	38.6	<0.01	0.02	1.7
DD016723		0.62	11.9	140	5.4	3.7	<0.001	<0.01	0.36	5.3	0.2	0.5	27.5	<0.01	0.02	1.4
DD016724		0.83	16.7	530	4.5	15.5	<0.001	<0.01	0.31	7.6	0.3	0.5	37.4	<0.01	0.02	2.3
DD016725		1.47	13.7	150	6.0	7.9	<0.001	<0.01	0.30	5.1	0.3	0.5	34.5	<0.01	0.02	2.2
DD016726		1.23	16.1	720	4.3	8.3	<0.001	0.03	0.27	7.3	0.6	0.4	41.7	<0.01	0.02	2.0
DD016727		1.36	20.0	350	5.7	11.9	<0.001	0.02	0.45	4.4	0.6	0.4	59.7	<0.01	0.01	1.2
DD016728		0.58	9.6	570	3.3	10.1	<0.001	0.01	0.09	5.8	<0.2	0.4	29.6	<0.01	<0.01	0.7
DD016729		0.88	14.8	370	4.1	10.1	<0.001	<0.01	0.30	6.7	0.3	0.4	45.0	<0.01	0.02	1.7
DD016730		0.68	15.8	700	4.8	11.2	<0.001	<0.01	0.33	7.0	0.2	0.4	37.7	<0.01	0.02	1.9
DD016731		0.46	12.8	520	3.3	7.4	<0.001	0.02	0.37	10.1	0.5	0.3	61.7	<0.01	0.03	1.1



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 5 - D
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 3- OCT- 2011
Account: MTT

Project: KING

CERTIFICATE OF ANALYSIS WH11163982

Sample Description	Method Analyte Units LOR	ME- MS41 Ti %	ME- MS41 Ti ppm	ME- MS41 U ppm	ME- MS41 V ppm	ME- MS41 W ppm	ME- MS41 Y ppm	ME- MS41 Zn ppm	ME- MS41 Zr ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
DD016692		0.086	0.07	0.39	63	0.16	10.00	34	4.1
DD016693		0.048	0.06	0.58	57	0.10	14.65	34	3.9
DD016694		0.071	0.07	0.31	61	0.11	3.59	44	2.6
DD016695		0.038	0.06	0.32	87	0.09	17.35	50	4.0
DD016696		0.069	0.08	0.63	64	0.21	4.75	42	4.1
DD016697		0.073	0.06	0.42	108	<0.05	12.75	56	9.4
DD016698		0.029	0.07	0.34	105	0.07	15.00	45	4.7
DD016699		0.082	0.09	0.39	64	0.19	11.25	40	4.2
DD016700		0.054	0.08	0.35	84	0.12	7.55	67	2.6
DD016701		0.068	0.10	0.82	56	0.14	7.51	51	4.5
DD016702		0.053	0.06	0.90	44	0.11	7.14	45	1.9
DD016703		0.073	0.08	0.48	69	0.17	6.15	39	1.7
DD016704		0.092	0.10	0.65	66	0.21	7.80	41	4.4
DD016705		0.072	0.09	0.31	61	0.19	3.47	52	2.3
DD016706		0.089	0.13	0.49	68	0.22	5.35	47	4.8
DD016707		0.053	0.11	0.50	50	0.17	5.30	51	1.1
DD016708		0.084	0.08	0.82	51	0.16	4.36	47	1.5
DD016709		0.096	0.07	0.46	49	0.24	5.15	45	1.9
DD016710		0.062	0.09	0.39	74	0.10	5.40	50	2.2
DD016711		0.094	0.08	0.44	56	0.18	6.44	45	2.3
DD016712		0.060	0.06	0.42	84	0.08	6.42	48	2.6
DD016713		0.059	0.05	0.32	37	0.13	3.48	42	0.9
DD016714		0.014	0.02	1.99	9	0.05	0.91	25	1.4
DD016715		0.083	0.06	0.41	53	0.20	5.54	50	1.8
DD016716		0.078	0.08	0.43	81	0.13	4.13	79	3.4
DD016717		0.079	0.07	0.36	72	0.20	3.00	49	2.3
DD016718		0.074	0.06	0.38	65	0.12	3.86	36	4.5
DD016719		0.066	0.07	0.39	59	0.14	3.57	35	4.0
DD016720		0.090	0.06	0.46	55	0.10	6.43	36	2.1
DD016721		0.059	0.08	0.61	59	0.09	5.05	50	1.4
DD016722		0.052	0.08	0.46	69	0.10	13.95	38	1.9
DD016723		0.047	0.06	0.26	83	0.07	2.65	44	2.8
DD016724		0.075	0.07	0.35	69	0.09	5.75	50	3.4
DD016725		0.068	0.09	0.35	59	0.12	3.47	45	3.0
DD016726		0.069	0.06	0.94	56	0.11	10.50	46	1.9
DD016727		0.063	0.05	0.32	51	0.13	4.79	87	1.6
DD016728		0.060	0.04	0.23	52	<0.05	3.27	42	2.7
DD016729		0.056	0.06	0.29	70	0.07	4.31	54	3.0
DD016730		0.047	0.06	0.30	81	0.07	3.25	52	3.7
DD016731		0.024	0.05	0.28	85	0.06	8.84	40	2.0



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 6 - A
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 3- OCT- 2011
Account: MTT

Project: KING

CERTIFICATE OF ANALYSIS WH11163982

Sample Description	Method Analyte Units LOR	WEI- 21	Au- TL43	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Recvd Wt.	Au	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
		kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
		0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
DD016732		0.24	0.005	0.05	1.68	48.4	<0.2	<10	110	0.42	0.07	1.10	0.12	17.90	16.9	19
DD016733		0.24	0.005	0.07	1.21	45.4	<0.2	<10	130	0.37	0.06	1.55	0.09	17.85	14.2	18
DD016734		0.30	0.007	0.08	1.16	29.8	<0.2	<10	190	0.34	0.05	1.75	0.21	16.00	14.0	14
DD016735		0.24	0.002	0.13	1.01	5.6	<0.2	<10	120	0.37	0.08	1.13	0.11	22.8	6.9	18
DD016736		0.26	0.003	0.08	1.91	41.9	<0.2	<10	190	0.57	0.08	0.77	0.20	21.2	15.8	23
DD016737		0.24	<0.001	0.06	2.24	54.4	<0.2	<10	140	0.35	0.08	0.44	0.05	14.15	14.3	22
DD016738		0.30	<0.001	0.06	2.01	27.0	<0.2	<10	160	0.36	0.09	0.50	0.14	13.75	11.9	27
DD016739		0.26	0.001	0.06	1.58	19.5	<0.2	<10	160	0.39	0.09	0.57	0.08	17.55	10.8	26
DD016740		0.22	0.001	0.18	1.88	7.3	<0.2	<10	330	0.52	0.10	0.56	0.15	15.30	13.0	24
DD016741		0.38	0.002	0.04	1.81	14.5	<0.2	<10	170	0.43	0.08	0.63	0.04	25.7	10.6	30
DD016742		0.28	0.001	0.07	1.69	11.3	<0.2	<10	150	0.29	0.08	0.53	0.09	12.85	8.7	22
DD016743		0.18	0.001	0.04	0.70	4.1	<0.2	<10	90	0.14	0.03	0.69	0.06	8.40	4.9	11
DD016744		0.22	<0.001	0.03	1.86	19.7	<0.2	<10	130	0.24	0.07	0.49	0.04	10.60	8.8	28
DD016745		0.24	0.001	0.04	1.44	17.2	<0.2	<10	130	0.30	0.07	0.79	0.03	19.35	9.5	26
DD016746		0.28	0.001	0.04	1.77	21.5	<0.2	<10	140	0.35	0.08	0.66	0.06	15.75	11.7	30
DD016747		0.20	0.002	0.05	1.37	9.8	<0.2	<10	160	0.35	0.08	1.02	0.06	19.70	8.6	23
DD016748		0.28	0.003	0.03	2.05	24.6	<0.2	<10	120	0.37	0.09	0.55	0.06	12.25	9.1	26
DD016749		0.26	<0.001	0.05	1.77	54.3	<0.2	<10	140	0.31	0.08	0.56	0.09	15.20	12.8	23
DD016750		0.30	<0.001	0.07	1.98	19.2	<0.2	<10	160	0.40	0.09	0.61	0.06	13.65	12.8	38
DD016751		0.20	0.001	0.03	1.59	8.3	<0.2	<10	170	0.37	0.09	0.52	0.06	22.1	9.2	27
DD016752		0.16	0.002	0.08	1.04	11.6	<0.2	<10	100	0.28	0.06	1.09	0.05	14.00	7.1	14
DD016753		0.22	0.016	0.04	0.87	14.0	<0.2	<10	100	0.21	0.06	1.19	0.05	13.20	7.1	13
DD016754		0.20	0.005	0.05	2.00	44.1	<0.2	<10	120	0.42	0.08	0.56	0.08	20.1	15.1	23
DD016755		0.20	0.007	0.09	2.54	42.7	<0.2	<10	150	0.43	0.10	0.55	0.17	12.65	20.0	25
DD016756		0.24	0.003	0.04	2.09	19.1	<0.2	<10	160	0.49	0.10	0.46	0.03	19.20	12.5	31
DD016757		0.16	0.001	0.08	1.17	38.4	<0.2	<10	110	0.24	0.06	0.50	0.06	10.30	7.2	14
DD016758		0.20	0.009	0.06	1.76	20.1	<0.2	<10	180	0.43	0.07	0.86	0.04	18.75	16.0	21
DD016759		0.20	0.010	0.04	1.58	16.4	<0.2	<10	140	0.42	0.06	0.67	0.04	26.3	14.6	19
DD016760		0.20	0.015	0.05	2.36	36.7	<0.2	<10	130	0.42	0.06	0.98	0.04	17.65	17.3	21
DD016761		0.20	0.010	0.08	2.08	26.4	<0.2	<10	190	0.42	0.07	1.36	0.09	21.5	20.4	21



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 6 - B
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 3- OCT- 2011
Account: MTT

Project: KING

CERTIFICATE OF ANALYSIS WH11163982

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
DD016732		0.53	91.4	3.71	5.46	0.08	0.06	0.02	0.031	0.05	9.9	5.9	0.52	745	0.67
DD016733		0.56	85.4	2.84	3.95	0.09	0.09	0.11	0.027	0.06	9.1	4.4	0.45	505	0.62
DD016734		0.66	101.5	3.05	3.99	0.08	0.08	0.15	0.029	0.06	8.6	4.9	0.54	1600	0.47
DD016735		0.47	24.4	1.97	3.80	0.07	0.09	0.03	0.019	0.10	11.6	6.0	0.43	234	0.32
DD016736		0.90	76.2	3.90	6.87	0.08	0.14	0.04	0.034	0.14	10.7	8.8	0.56	918	0.89
DD016737		0.85	38.0	3.85	7.31	0.06	0.11	0.02	0.033	0.06	5.8	8.2	0.53	544	1.00
DD016738		0.82	19.6	3.39	6.50	0.05	0.08	<0.01	0.027	0.06	6.2	6.9	0.45	641	0.79
DD016739		0.76	27.2	2.62	5.46	0.06	0.04	<0.01	0.024	0.07	8.2	9.1	0.45	614	0.85
DD016740		1.01	38.9	3.06	6.94	0.05	0.05	0.03	0.026	0.06	8.4	8.6	0.38	1300	1.30
DD016741		0.76	21.8	2.67	6.00	0.07	0.14	<0.01	0.027	0.07	12.4	11.6	0.61	371	0.50
DD016742		0.82	29.1	2.74	6.00	0.06	0.06	0.01	0.023	0.06	6.9	10.6	0.46	275	0.67
DD016743		0.39	15.6	1.16	2.82	<0.05	0.03	0.03	0.009	0.04	4.2	3.8	0.23	716	0.55
DD016744		0.84	27.0	2.68	5.85	<0.05	0.04	<0.01	0.023	0.05	5.1	10.1	0.44	196	0.73
DD016745		0.81	28.9	2.35	5.02	0.07	0.04	0.02	0.021	0.06	9.3	11.5	0.58	384	0.54
DD016746		0.84	32.7	2.83	5.71	0.06	0.06	0.01	0.026	0.06	8.0	9.7	0.56	392	0.41
DD016747		0.65	41.1	2.20	4.72	0.06	0.04	0.03	0.022	0.05	10.3	11.0	0.50	301	0.50
DD016748		1.02	33.3	3.02	6.60	0.07	0.06	0.01	0.025	0.06	6.1	11.9	0.48	236	0.89
DD016749		1.24	54.1	2.87	6.83	0.09	0.02	0.02	0.021	0.06	7.7	9.5	0.70	494	0.76
DD016750		1.20	27.6	2.87	6.13	0.07	0.03	0.02	0.023	0.05	6.3	12.1	0.73	420	0.69
DD016751		0.63	18.5	2.28	5.52	0.08	0.08	0.01	0.021	0.05	10.8	8.9	0.42	350	0.52
DD016752		0.47	69.4	1.79	3.58	0.07	0.04	0.03	0.013	0.04	6.8	6.5	0.31	262	0.12
DD016753		0.48	36.7	1.59	3.09	0.07	0.04	0.03	0.011	0.05	6.6	5.9	0.34	323	0.48
DD016754		0.68	40.4	4.13	6.56	0.11	0.08	0.02	0.032	0.13	6.6	6.9	0.54	519	0.66
DD016755		0.87	33.5	4.31	8.43	0.10	0.11	0.10	0.036	0.13	4.9	10.2	0.62	993	0.88
DD016756		0.70	31.8	3.14	6.73	0.11	0.19	0.01	0.027	0.14	7.7	11.6	0.57	383	0.68
DD016757		0.63	21.3	2.13	3.54	0.06	0.04	0.01	0.014	0.06	4.9	3.2	0.28	451	0.65
DD016758		0.41	80.8	3.73	6.08	0.11	0.11	0.05	0.028	0.06	11.4	7.8	0.59	624	0.52
DD016759		0.50	51.4	3.36	5.50	0.12	0.18	0.03	0.025	0.06	14.3	7.4	0.50	610	0.51
DD016760		0.68	72.6	3.94	7.07	0.12	0.11	0.02	0.031	0.09	12.4	7.6	0.62	607	0.50
DD016761		0.62	92.9	3.98	7.05	0.12	0.08	0.04	0.037	0.09	10.5	7.9	0.63	1250	0.66



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 6 - C
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 3- OCT- 2011
Account: MTT

Project: KING

CERTIFICATE OF ANALYSIS WH11163982

Sample Description	Method Analyte Units LOR	ME- MS41 Nb ppm 0.05	ME- MS41 Ni ppm 0.2	ME- MS41 P ppm 10	ME- MS41 Pb ppm 0.2	ME- MS41 Rb ppm 0.1	ME- MS41 Re ppm 0.001	ME- MS41 S % 0.01	ME- MS41 Sb ppm 0.05	ME- MS41 Sc ppm 0.1	ME- MS41 Se ppm 0.2	ME- MS41 Sn ppm 0.2	ME- MS41 Sr ppm 0.2	ME- MS41 Ta ppm 0.01	ME- MS41 Te ppm 0.01	ME- MS41 Th ppm 0.2
DD016732		0.69	14.4	320	4.6	5.2	<0.001	0.02	0.47	9.6	0.6	0.4	46.4	0.01	0.02	1.0
DD016733		0.64	14.9	690	3.8	6.2	0.001	0.05	0.52	9.0	1.1	0.3	80.1	<0.01	0.03	1.0
DD016734		0.45	14.7	620	3.7	5.3	0.002	0.07	0.51	10.3	1.1	0.3	77.9	<0.01	0.03	0.8
DD016735		1.12	11.3	620	5.9	8.6	<0.001	0.05	0.24	4.7	0.4	0.4	64.9	<0.01	0.02	2.3
DD016736		0.97	19.6	460	7.3	10.2	<0.001	0.03	0.77	10.2	0.7	0.5	62.1	<0.01	0.03	1.7
DD016737		0.82	14.5	210	4.8	7.3	<0.001	0.01	0.70	7.2	0.4	0.5	29.4	<0.01	0.02	1.5
DD016738		1.07	14.3	230	6.6	7.9	<0.001	0.01	0.55	5.4	0.3	0.5	28.9	<0.01	0.01	1.7
DD016739		1.25	14.4	410	5.1	9.9	<0.001	<0.01	0.40	4.7	0.4	0.5	38.1	<0.01	0.02	1.8
DD016740		1.24	17.4	330	8.4	8.6	<0.001	0.02	0.44	4.6	0.5	0.5	49.6	<0.01	0.02	1.2
DD016741		1.30	17.5	400	5.0	6.5	<0.001	0.01	0.35	6.5	0.6	0.6	40.6	<0.01	0.02	3.4
DD016742		1.27	12.6	180	5.6	8.6	<0.001	0.01	0.43	4.6	0.2	0.5	36.5	<0.01	0.02	1.4
DD016743		0.66	6.1	480	1.8	4.9	<0.001	0.04	0.17	2.3	0.4	0.2	39.1	<0.01	0.01	0.5
DD016744		1.31	15.1	220	4.0	7.1	<0.001	0.01	0.37	4.3	0.2	0.4	28.4	<0.01	0.02	1.1
DD016745		1.45	14.7	690	4.3	6.4	<0.001	0.02	0.26	5.3	0.6	0.4	42.2	<0.01	0.01	1.6
DD016746		1.47	17.5	250	4.7	7.2	<0.001	0.01	0.38	6.0	0.4	0.5	42.3	<0.01	0.01	1.6
DD016747		1.25	15.1	650	5.1	5.5	<0.001	0.03	0.37	5.1	0.5	0.4	56.0	<0.01	0.01	1.4
DD016748		1.14	16.6	210	6.6	10.9	<0.001	<0.01	0.57	5.7	0.2	0.5	36.5	<0.01	0.04	1.6
DD016749		0.84	24.8	420	4.4	8.8	<0.001	<0.01	0.41	5.7	0.3	0.4	35.6	<0.01	0.03	0.8
DD016750		0.93	39.7	260	5.8	6.2	<0.001	<0.01	0.39	5.7	0.2	0.4	36.0	<0.01	0.03	1.4
DD016751		1.53	16.2	190	5.5	7.2	<0.001	<0.01	0.30	5.2	0.3	0.6	32.6	<0.01	0.03	2.7
DD016752		0.89	12.6	510	3.0	3.1	<0.001	0.01	0.17	4.3	0.7	0.3	48.0	<0.01	0.02	1.2
DD016753		0.70	9.4	690	2.8	5.0	<0.001	0.03	0.31	2.9	0.4	0.3	51.0	<0.01	0.03	0.8
DD016754		0.47	14.4	600	5.1	11.3	<0.001	<0.01	0.47	10.1	0.2	0.4	40.8	<0.01	0.04	2.3
DD016755		0.51	16.5	850	6.0	18.1	<0.001	<0.01	0.42	8.7	<0.2	0.5	35.3	<0.01	0.04	1.9
DD016756		0.74	19.2	450	5.3	13.0	<0.001	<0.01	0.27	8.7	0.2	0.5	29.5	<0.01	0.03	3.8
DD016757		0.52	8.3	260	2.8	6.8	<0.001	<0.01	0.27	3.6	0.2	0.3	24.2	<0.01	0.02	1.1
DD016758		0.50	19.6	300	5.5	4.9	<0.001	<0.01	0.39	12.4	0.6	0.4	45.4	0.01	0.03	2.4
DD016759		0.58	16.6	270	4.3	7.0	<0.001	<0.01	0.36	10.5	0.6	0.4	38.1	0.01	0.03	2.5
DD016760		0.39	18.5	230	3.8	8.1	<0.001	<0.01	0.36	14.3	0.8	0.4	50.5	0.01	0.03	2.1
DD016761		0.48	18.8	440	4.4	10.3	<0.001	<0.01	0.40	13.1	0.8	0.4	59.9	0.01	0.04	1.2



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
 C/ O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016- 510 W HASTINGS ST
 VANCOUVER BC V6B 1L8

Page: 6 - D
 Total # Pages: 6 (A - D)
 Plus Appendix Pages
 Finalized Date: 3- OCT- 2011
 Account: MTT

Project: KING

CERTIFICATE OF ANALYSIS WH11163982

Sample Description	Method Analyte Units LOR	ME- MS41 Ti %	ME- MS41 Ti ppm	ME- MS41 U ppm	ME- MS41 V ppm	ME- MS41 W ppm	ME- MS41 Y ppm	ME- MS41 Zn ppm	ME- MS41 Zr ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
DD016732		0.035	0.07	0.50	79	0.06	14.45	45	1.4
DD016733		0.033	0.10	0.74	60	0.05	12.55	44	2.4
DD016734		0.021	0.12	0.41	53	0.06	18.90	47	2.0
DD016735		0.063	0.05	0.50	50	0.11	7.36	42	2.7
DD016736		0.057	0.07	0.42	85	0.14	12.30	72	3.7
DD016737		0.060	0.09	0.32	93	0.10	3.84	45	3.5
DD016738		0.073	0.09	0.31	83	0.13	2.99	67	2.4
DD016739		0.075	0.07	0.49	63	0.20	4.27	48	1.2
DD016740		0.050	0.08	0.33	74	0.16	4.73	53	1.6
DD016741		0.107	0.06	0.98	62	0.16	7.76	46	4.0
DD016742		0.069	0.08	0.37	69	0.13	3.45	49	2.0
DD016743		0.039	0.03	0.47	27	0.06	3.08	25	0.8
DD016744		0.068	0.06	0.27	70	0.14	2.43	30	1.3
DD016745		0.085	0.05	0.52	56	0.29	6.23	40	1.0
DD016746		0.078	0.06	0.44	72	0.11	4.97	44	1.8
DD016747		0.061	0.06	0.64	51	0.12	7.53	43	1.2
DD016748		0.071	0.12	0.40	75	0.14	3.66	43	2.4
DD016749		0.080	0.10	0.42	76	0.13	6.64	46	0.6
DD016750		0.072	0.11	0.40	69	0.15	3.58	42	0.8
DD016751		0.098	0.08	0.43	55	0.18	6.41	43	3.3
DD016752		0.064	0.05	0.46	39	0.09	7.03	26	1.5
DD016753		0.051	0.07	0.47	38	0.08	4.77	28	1.1
DD016754		0.045	0.11	0.40	93	0.07	5.51	60	2.7
DD016755		0.049	0.13	0.30	94	0.07	3.38	147	4.1
DD016756		0.085	0.11	0.45	72	0.13	4.08	41	6.9
DD016757		0.046	0.08	0.24	47	0.06	3.26	32	1.3
DD016758		0.044	0.06	0.39	83	0.08	21.4	40	3.7
DD016759		0.052	0.07	0.52	75	0.08	16.55	36	6.0
DD016760		0.048	0.13	0.57	90	0.06	20.9	35	3.3
DD016761		0.032	0.11	0.44	92	0.10	19.60	43	2.1



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: KING

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 3- OCT- 2011
Account: MTT

CERTIFICATE OF ANALYSIS WH11163982

Method	CERTIFICATE COMMENTS
ME- MS41	Gold determinations by this method are semi- quantitative due to the small sample weight used (0.5g).



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**

C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

**1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8**

Page: 1
Finalized Date: 6- OCT- 2011
Account: MTT

CERTIFICATE WH11170114

Project: KING

P.O. No.:

This report is for 192 Soil samples submitted to our lab in Whitehorse, YT, Canada on 24- AUG- 2011.

The following have access to data associated with this certificate:

MATT DUMALA
JOAN MARIACHER

DOUG EATON
BRUCE YOUNGMAN

SARAH EATON

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
SCR- 41	Screen to - 180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- TL43	Trace Level Au - 25g AR	ICP- MS
ME- MS41	51 anal. aqua regia ICPMS	

To: **STRATEGIC METALS LTD.**
ATTN: JOAN MARIACHER
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - A
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 6- OCT- 2011
Account: MTT

Project: KING

CERTIFICATE OF ANALYSIS WH11170114

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg	Au- TL43 Au ppm	ME- MS41 Ag ppm	ME- MS41 Al %	ME- MS41 As ppm	ME- MS41 Au ppm	ME- MS41 B ppm	ME- MS41 Ba ppm	ME- MS41 Be ppm	ME- MS41 Bi ppm	ME- MS41 Ca %	ME- MS41 Cd ppm	ME- MS41 Ce ppm	ME- MS41 Co ppm	ME- MS41 Cr ppm
		0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
DD017007		0.30	0.003	0.05	1.61	30.8	<0.2	<10	120	0.44	0.10	0.67	0.07	23.1	14.1	51
DD017008		0.16	0.001	0.06	1.51	13.3	<0.2	<10	110	0.36	0.09	0.34	0.03	14.30	8.9	28
DD017009		0.26	0.002	0.09	3.18	15.0	<0.2	<10	100	0.29	0.05	0.95	0.10	9.58	39.9	252
DD017010		0.28	0.002	0.06	2.55	40.5	<0.2	<10	130	0.39	0.09	0.66	0.07	18.00	25.7	120
DD017011		0.20	0.002	0.05	1.83	52.0	<0.2	<10	120	0.37	0.09	0.69	0.06	16.55	18.1	84
DD017012		0.18	0.003	0.15	3.87	13.1	<0.2	<10	60	0.28	0.04	0.86	0.08	8.48	58.1	266
DD017013		0.26	0.003	0.06	2.07	171.0	<0.2	<10	60	0.29	0.03	1.03	0.11	9.69	75.8	240
DD017014		0.26	0.003	0.05	1.26	444	<0.2	<10	40	0.36	0.03	0.80	0.10	10.75	94.2	186
DD017015		0.14	0.003	0.07	1.42	69.0	<0.2	<10	90	0.43	0.08	1.09	0.09	17.50	15.5	51
DD017016		0.20	0.001	0.05	1.54	33.6	<0.2	<10	120	0.35	0.08	0.59	0.05	17.45	19.3	72
DD017017		0.20	0.001	0.05	1.70	29.4	<0.2	<10	110	0.39	0.09	0.63	0.06	17.35	19.1	71
DD017018		0.22	0.001	0.13	1.96	41.6	<0.2	<10	140	0.49	0.11	0.54	0.04	19.60	20.5	75
DD017019		0.16	0.001	0.08	1.94	23.6	<0.2	<10	160	0.43	0.10	0.67	0.06	17.15	17.4	62
DD017020		0.16	0.001	0.13	1.91	113.5	<0.2	<10	70	0.39	0.06	0.91	0.07	12.75	49.8	188
DD017021		0.22	0.001	0.09	3.66	15.2	<0.2	<10	110	0.27	0.05	1.20	0.07	10.70	53.6	181
DD017022		0.18	0.002	0.12	2.30	13.2	<0.2	<10	150	0.31	0.08	0.79	0.07	11.30	28.8	100
DD017023		0.18	0.002	0.07	1.60	53.8	<0.2	<10	130	0.34	0.09	0.58	0.03	18.60	19.2	74
DD017024		0.22	0.002	0.07	1.55	35.9	<0.2	<10	110	0.26	0.10	0.48	0.05	12.85	15.0	58
DD017025		0.20	0.001	0.12	1.35	10.0	<0.2	<10	300	0.34	0.11	0.60	0.09	15.45	10.6	35
DD017026		0.26	0.001	0.04	1.62	18.0	<0.2	<10	160	0.36	0.11	0.43	0.03	19.00	11.3	35
DD017027		0.20	0.001	0.07	2.01	8.2	<0.2	<10	170	0.33	0.10	0.69	0.05	16.85	18.8	87
DD017028		0.18	0.002	0.10	2.13	45.5	<0.2	<10	110	0.39	0.10	0.67	0.06	15.80	31.2	111
DD017029		0.24	0.001	0.08	3.26	12.4	<0.2	<10	80	0.26	0.07	0.91	0.06	11.30	42.7	157
DD017030		0.20	0.001	0.08	1.93	55.9	<0.2	<10	120	0.38	0.09	0.84	0.09	14.65	27.4	102
DD017031		0.20	0.003	0.08	1.83	106.5	<0.2	<10	100	0.39	0.08	0.68	0.04	16.20	29.2	104
DD017032		0.16	0.002	0.04	1.29	151.5	<0.2	<10	50	0.32	0.06	0.72	0.03	10.55	31.7	111
DD017033		0.20	0.001	0.15	1.86	53.8	<0.2	<10	110	0.35	0.11	0.59	0.09	18.20	23.5	86
DD017034		0.16	0.001	0.11	1.62	14.8	<0.2	<10	210	0.36	0.12	0.46	0.11	13.30	12.8	48
DD017035		0.20	0.001	0.04	1.82	58.5	<0.2	<10	140	0.40	0.11	0.70	0.05	18.70	20.0	76
DD017036		0.16	0.002	0.06	1.56	76.4	<0.2	<10	150	0.52	0.12	0.67	0.07	25.0	16.6	52
DD017037		0.16	0.002	0.05	1.95	132.0	<0.2	<10	60	0.29	0.06	0.83	0.06	9.68	63.0	204
DD017038		0.30	0.009	0.07	1.51	102.0	<0.2	<10	70	0.27	0.05	1.04	0.07	11.90	35.0	124
DD017039		0.22	<0.001	0.06	0.93	113.5	<0.2	<10	90	0.20	0.05	1.02	0.14	10.50	25.0	69
DD017040		0.44	0.002	0.05	1.20	75.5	<0.2	<10	110	0.35	0.08	1.83	0.06	17.50	15.9	51
DD017041		0.18	0.001	0.04	2.02	22.2	<0.2	<10	120	0.33	0.09	0.63	0.05	15.55	18.1	60
DD017042		0.16	0.001	0.07	2.10	12.1	<0.2	<10	100	0.28	0.08	0.51	0.03	10.30	16.3	57
DD017043		0.20	0.002	0.10	1.78	7.1	<0.2	<10	200	0.34	0.11	0.69	0.08	21.3	14.9	45
DD017044		0.30	0.002	0.03	1.42	14.9	<0.2	<10	130	0.36	0.11	0.43	0.05	18.10	9.2	31
DD017045		0.18	0.001	0.12	1.47	21.6	<0.2	<10	170	0.35	0.08	1.38	0.09	13.25	11.5	65
DD017046		0.26	0.011	0.08	2.18	56.0	<0.2	<10	150	0.44	0.11	0.52	0.07	16.85	15.8	59



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - B
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 6- OCT- 2011
Account: MTT

Project: KING

CERTIFICATE OF ANALYSIS WH11170114

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
DD017007		0.92	34.1	2.80	5.09	0.10	0.09	0.02	0.023	0.09	13.6	11.7	0.71	440	0.60
DD017008		0.70	25.8	2.25	4.80	0.06	0.14	0.02	0.021	0.08	6.3	8.9	0.43	212	1.03
DD017009		2.76	104.0	4.96	8.85	0.17	0.19	0.01	0.026	0.11	5.2	10.2	3.76	793	0.88
DD017010		1.69	50.6	4.11	7.34	0.10	0.20	0.02	0.028	0.09	8.2	9.9	1.58	657	1.21
DD017011		1.00	35.1	3.20	5.31	0.09	0.09	0.02	0.024	0.10	9.0	9.7	1.15	563	1.03
DD017012		2.89	136.0	5.96	11.30	0.22	0.19	0.02	0.029	0.05	4.3	10.8	5.21	874	1.16
DD017013		1.82	124.0	5.94	5.44	0.17	0.14	0.02	0.032	0.04	3.7	6.6	2.97	1530	1.65
DD017014		3.03	141.5	5.86	3.29	0.17	0.08	0.02	0.040	0.05	4.7	4.1	1.30	1770	1.40
DD017015		1.65	71.0	3.22	4.64	0.11	0.11	0.06	0.027	0.07	9.9	10.6	0.82	422	1.15
DD017016		0.94	25.2	2.83	4.51	0.09	0.07	0.01	0.023	0.10	6.9	8.2	0.79	480	0.91
DD017017		1.47	25.3	3.07	4.83	0.10	0.16	0.01	0.023	0.12	6.8	8.7	0.73	471	1.13
DD017018		1.96	33.3	3.52	5.69	0.10	0.20	0.01	0.029	0.12	8.8	8.5	0.64	459	1.29
DD017019		1.41	25.8	3.23	5.44	0.08	0.12	0.01	0.026	0.13	7.2	9.1	0.63	611	0.81
DD017020		8.63	56.1	5.45	4.59	0.13	0.14	0.01	0.033	0.10	5.4	4.6	1.05	1140	1.19
DD017021		6.25	65.2	5.50	8.76	0.22	0.15	0.02	0.025	0.12	5.5	14.0	4.44	1010	0.92
DD017022		5.01	37.6	4.19	6.26	0.10	0.14	0.01	0.027	0.07	4.9	7.8	1.63	696	0.96
DD017023		2.51	35.1	3.25	4.65	0.12	0.16	<0.01	0.026	0.12	7.0	8.0	0.85	552	0.71
DD017024		1.99	24.0	3.01	4.48	0.08	0.13	0.01	0.021	0.06	4.9	5.8	0.51	643	1.04
DD017025		0.92	32.0	2.51	4.20	0.09	0.09	0.01	0.019	0.11	6.4	6.2	0.42	1030	0.57
DD017026		0.76	45.9	2.87	4.92	0.08	0.19	0.01	0.025	0.09	6.8	8.6	0.48	539	0.77
DD017027		4.44	41.8	3.12	5.29	0.08	0.09	<0.01	0.021	0.07	8.0	10.4	1.17	1060	1.11
DD017028		4.52	40.7	4.12	5.70	0.09	0.10	<0.01	0.023	0.09	6.0	8.0	1.22	1040	1.08
DD017029		5.92	48.4	4.58	8.00	0.10	0.12	<0.01	0.020	0.05	4.6	13.2	3.87	699	1.97
DD017030		2.01	45.6	3.85	5.22	0.10	0.13	0.01	0.022	0.08	6.1	8.0	1.18	866	1.42
DD017031		2.17	40.9	3.97	5.45	0.11	0.14	0.04	0.028	0.10	7.1	8.0	1.01	748	0.91
DD017032		2.80	68.2	4.08	3.64	0.11	0.12	0.03	0.026	0.05	4.6	5.4	1.07	608	0.64
DD017033		1.29	39.2	3.54	5.42	0.09	0.14	<0.01	0.024	0.13	7.5	8.9	0.89	619	0.94
DD017034		0.73	20.2	2.83	5.44	0.07	0.11	<0.01	0.020	0.09	5.9	7.2	0.50	614	0.90
DD017035		1.04	32.7	3.32	5.40	0.10	0.11	<0.01	0.025	0.12	7.9	11.1	0.85	664	1.11
DD017036		0.81	40.5	3.14	5.12	0.09	0.09	<0.01	0.023	0.09	9.2	10.1	0.65	776	0.94
DD017037		1.87	108.0	5.17	5.54	0.11	0.02	0.02	0.030	0.04	4.0	7.9	2.26	1230	1.45
DD017038		1.70	85.1	3.60	4.62	0.10	0.10	0.01	0.021	0.06	5.6	6.7	1.52	661	2.13
DD017039		0.88	76.9	3.20	2.94	0.09	0.08	0.02	0.015	0.04	4.7	4.2	0.75	519	2.10
DD017040		0.90	53.5	2.97	3.88	0.11	0.13	0.04	0.019	0.06	8.5	5.8	0.97	570	0.99
DD017041		1.25	42.5	3.77	5.93	0.09	0.20	<0.01	0.022	0.07	5.5	11.0	0.98	592	0.73
DD017042		1.63	42.3	3.63	6.11	0.08	0.19	0.01	0.025	0.08	4.2	9.0	0.91	369	0.99
DD017043		2.02	56.1	3.07	5.49	0.08	0.12	<0.01	0.022	0.08	8.7	8.2	0.56	1850	1.15
DD017044		0.73	22.3	2.47	4.36	0.09	0.16	<0.01	0.020	0.09	7.3	8.5	0.40	383	0.78
DD017045		1.05	58.3	2.82	4.36	0.08	0.08	<0.01	0.020	0.08	6.3	7.4	0.99	287	0.47
DD017046		1.01	37.0	3.80	6.36	0.10	0.14	0.01	0.035	0.14	8.3	8.9	0.63	545	1.77



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - C
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 6- OCT- 2011
Account: MTT

Project: KING

CERTIFICATE OF ANALYSIS WH11170114

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
DD017007		1.07	44.6	690	5.6	10.8	<0.001	<0.01	0.36	7.7	0.7	0.4	42.9	0.01	0.02
DD017008		1.06	17.8	140	6.4	8.6	<0.001	<0.01	0.49	4.6	0.4	0.4	29.0	<0.01	0.02
DD017009		0.51	224	430	2.9	8.1	<0.001	0.02	0.18	12.8	0.5	0.3	40.9	<0.01	0.02
DD017010		0.60	106.5	250	5.0	15.8	<0.001	<0.01	0.35	9.0	0.5	0.5	34.5	<0.01	0.02
DD017011		1.10	64.0	390	4.5	14.6	<0.001	<0.01	0.47	7.7	0.6	0.4	41.9	<0.01	0.02
DD017012		0.42	317	640	1.9	6.4	<0.001	0.01	0.12	11.8	0.6	0.3	35.9	<0.01	0.02
DD017013		0.24	405	790	2.2	2.9	<0.001	0.01	1.82	15.1	0.5	0.2	30.3	<0.01	0.02
DD017014		0.17	587	600	2.3	4.0	0.001	0.01	3.58	18.4	0.7	0.2	25.3	0.01	0.01
DD017015		0.93	67.2	780	5.9	8.7	<0.001	0.02	1.34	7.9	0.7	0.4	64.2	<0.01	0.02
DD017016		0.84	57.5	470	4.1	13.3	<0.001	<0.01	0.39	6.5	0.4	0.4	34.3	<0.01	0.02
DD017017		0.70	55.7	680	4.6	19.2	<0.001	<0.01	0.41	7.4	0.3	0.4	34.0	<0.01	0.02
DD017018		0.63	60.1	270	6.4	19.5	<0.001	<0.01	0.56	9.3	0.4	0.5	32.0	<0.01	0.02
DD017019		1.01	49.9	370	6.0	17.8	<0.001	<0.01	0.42	7.5	0.4	0.4	36.1	<0.01	0.02
DD017020		0.33	227	500	3.2	19.5	<0.001	<0.01	0.87	16.9	0.4	0.3	27.7	<0.01	0.01
DD017021		0.36	313	1080	2.4	16.4	<0.001	<0.01	0.17	11.0	0.5	0.3	33.7	<0.01	0.02
DD017022		0.67	104.5	390	3.9	13.9	<0.001	<0.01	0.39	8.8	0.3	0.4	30.5	<0.01	0.02
DD017023		0.44	69.8	550	5.5	17.8	<0.001	<0.01	0.63	9.2	0.2	0.4	38.2	<0.01	0.02
DD017024		0.38	46.0	260	5.3	7.8	<0.001	<0.01	0.57	6.0	<0.2	0.4	23.8	<0.01	<0.01
DD017025		0.79	24.3	610	5.5	11.7	<0.001	<0.01	0.34	5.5	<0.2	0.4	41.5	<0.01	0.01
DD017026		0.49	21.0	300	5.3	8.9	<0.001	<0.01	0.35	6.8	<0.2	0.5	33.0	<0.01	0.01
DD017027		0.62	87.1	620	5.0	9.8	<0.001	<0.01	0.32	6.3	0.3	0.4	33.2	<0.01	<0.01
DD017028		0.52	119.0	540	4.3	18.6	<0.001	<0.01	0.67	10.5	<0.2	0.4	29.7	<0.01	0.01
DD017029		0.38	262	860	2.3	8.4	<0.001	<0.01	0.22	7.0	<0.2	0.3	32.1	<0.01	<0.01
DD017030		0.51	139.0	560	5.2	8.5	<0.001	<0.01	0.58	8.4	0.5	0.4	35.7	<0.01	<0.01
DD017031		0.44	124.0	460	4.2	13.7	<0.001	<0.01	0.87	10.9	0.4	0.4	31.7	<0.01	<0.01
DD017032		0.23	182.5	510	2.4	7.0	<0.001	<0.01	1.49	13.7	0.4	0.3	32.6	<0.01	0.01
DD017033		0.68	82.7	300	5.1	13.4	<0.001	<0.01	0.56	9.6	0.4	0.5	34.7	<0.01	0.01
DD017034		0.70	35.0	330	6.7	10.4	<0.001	<0.01	0.38	5.5	0.2	0.5	30.4	<0.01	0.03
DD017035		0.93	67.4	580	5.1	14.2	<0.001	<0.01	0.63	7.9	<0.2	0.4	42.7	<0.01	0.03
DD017036		0.91	52.7	540	7.5	8.2	<0.001	0.01	0.78	7.9	0.5	0.4	48.2	<0.01	0.02
DD017037		0.25	289	670	5.7	4.8	<0.001	0.01	0.69	13.0	0.3	0.3	41.5	<0.01	0.01
DD017038		0.45	187.5	520	3.5	6.1	<0.001	0.02	0.82	10.3	0.2	0.3	47.8	<0.01	<0.01
DD017039		0.47	134.5	590	3.3	4.1	0.002	0.25	0.93	6.5	0.3	0.2	51.2	<0.01	<0.01
DD017040		0.65	66.0	620	4.6	5.8	<0.001	0.01	0.65	7.3	0.8	0.3	91.9	<0.01	0.01
DD017041		0.36	42.5	150	4.6	9.1	<0.001	<0.01	0.31	9.5	0.3	0.4	38.7	<0.01	<0.01
DD017042		0.43	43.0	290	4.2	9.0	<0.001	<0.01	0.24	8.3	<0.2	0.4	30.5	<0.01	0.01
DD017043		0.73	37.9	500	5.7	10.2	<0.001	<0.01	0.32	7.7	<0.2	0.4	37.8	<0.01	<0.01
DD017044		0.88	17.9	210	5.7	10.6	0.002	<0.01	0.35	5.1	0.3	0.5	31.5	<0.01	0.01
DD017045		0.87	73.2	470	3.6	10.6	<0.001	0.02	0.80	6.7	0.4	0.4	67.7	<0.01	<0.01
DD017046		0.62	43.4	300	5.7	14.0	0.001	<0.01	0.67	9.4	0.4	0.5	34.2	<0.01	0.01



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - D
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 6- OCT- 2011
Account: MTT

Project: KING

CERTIFICATE OF ANALYSIS WH11170114

Sample Description	Method Analyte Units LOR	ME- MS41 Ti %	ME- MS41 Ti ppm	ME- MS41 U ppm	ME- MS41 V ppm	ME- MS41 W ppm	ME- MS41 Y ppm	ME- MS41 Zn ppm	ME- MS41 Zr ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
DD017007		0.086	0.08	0.70	57	0.16	12.45	50	3.3
DD017008		0.063	0.08	0.37	48	0.15	3.22	29	5.0
DD017009		0.080	0.04	0.28	103	0.07	8.26	66	6.5
DD017010		0.094	0.07	0.36	86	0.09	6.36	46	7.4
DD017011		0.074	0.07	0.55	66	0.15	7.34	43	2.7
DD017012		0.100	0.03	0.35	132	0.06	8.79	72	7.3
DD017013		0.028	0.22	0.26	88	<0.05	8.14	71	4.9
DD017014		0.011	0.56	0.34	80	0.05	12.05	64	2.7
DD017015		0.046	0.09	0.49	60	0.13	10.20	54	3.5
DD017016		0.071	0.08	0.40	57	0.11	3.99	48	2.8
DD017017		0.073	0.10	0.32	58	0.09	3.54	41	5.5
DD017018		0.072	0.11	0.35	69	0.10	5.74	37	7.1
DD017019		0.074	0.11	0.31	59	0.10	4.29	43	4.5
DD017020		0.041	0.21	0.30	90	<0.05	6.58	60	5.1
DD017021		0.093	0.05	0.32	96	0.08	7.35	79	6.4
DD017022		0.073	0.21	0.25	82	0.05	3.22	50	4.6
DD017023		0.067	0.17	0.38	64	0.07	5.24	40	6.1
DD017024		0.057	0.15	0.28	59	0.07	3.23	34	3.9
DD017025		0.058	0.07	0.30	48	0.08	4.37	49	2.9
DD017026		0.071	0.07	0.35	63	0.07	3.86	37	6.3
DD017027		0.067	0.06	0.39	58	0.09	6.42	48	3.2
DD017028		0.070	0.22	0.32	74	0.06	4.60	49	4.1
DD017029		0.072	0.06	0.26	81	0.08	4.83	54	5.1
DD017030		0.064	0.17	0.35	66	0.05	5.39	62	4.1
DD017031		0.064	0.24	0.31	70	0.07	6.00	40	5.5
DD017032		0.032	0.25	0.28	67	<0.05	6.78	35	5.0
DD017033		0.077	0.13	0.36	68	0.09	4.92	53	5.7
DD017034		0.064	0.08	0.28	57	0.11	3.47	45	3.8
DD017035		0.081	0.13	0.53	64	0.11	4.88	55	4.1
DD017036		0.058	0.10	0.67	58	0.12	7.72	55	3.0
DD017037		0.022	0.04	0.32	76	0.05	6.89	54	0.9
DD017038		0.030	0.07	0.38	59	0.07	7.61	52	3.6
DD017039		0.029	0.06	0.38	49	0.09	6.69	49	2.9
DD017040		0.050	0.09	0.46	58	0.09	9.45	41	4.9
DD017041		0.076	0.05	0.28	96	0.06	4.77	37	7.1
DD017042		0.078	0.06	0.26	87	0.05	2.78	35	6.6
DD017043		0.073	0.06	0.31	61	0.17	7.44	69	3.9
DD017044		0.082	0.10	0.35	55	0.10	4.38	37	4.8
DD017045		0.050	0.07	0.30	43	0.08	6.10	46	2.3
DD017046		0.069	0.10	0.41	81	0.07	8.64	50	4.9



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 3 - A
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 6- OCT- 2011
Account: MTT

Project: KING

CERTIFICATE OF ANALYSIS WH11170114

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg	Au- TL43 Au ppm	ME- MS41 Ag ppm	ME- MS41 Al %	ME- MS41 As ppm	ME- MS41 Au ppm	ME- MS41 B ppm	ME- MS41 Ba ppm	ME- MS41 Be ppm	ME- MS41 Bi ppm	ME- MS41 Ca %	ME- MS41 Cd ppm	ME- MS41 Ce ppm	ME- MS41 Co ppm	ME- MS41 Cr ppm
		0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
DD017047		0.16	0.001	0.04	1.58	23.1	<0.2	<10	100	0.35	0.08	0.41	0.05	16.85	12.8	45
DD017048		0.18	0.001	0.07	1.49	42.6	<0.2	<10	110	0.34	0.09	0.43	0.05	14.10	12.6	42
DD017049		0.14	0.001	0.11	1.84	69.0	<0.2	<10	170	0.41	0.10	0.59	0.07	15.85	16.8	60
DD017050		0.18	0.001	0.07	1.65	46.6	<0.2	<10	150	0.41	0.11	0.49	0.09	17.10	14.0	48
DD017051		0.22	0.003	0.08	1.27	7.3	<0.2	<10	110	0.25	0.07	0.97	0.08	11.10	6.8	22
DD017052		0.20	0.002	0.14	1.92	11.3	<0.2	<10	110	0.36	0.10	0.44	0.05	12.25	10.6	30
DD017053		0.24	0.003	0.10	1.96	9.9	<0.2	<10	180	0.41	0.09	1.41	0.15	14.90	14.1	26
DD017054		0.22	0.001	0.03	1.04	12.1	<0.2	<10	100	0.26	0.08	0.35	0.04	10.60	7.3	19
DD017055		0.26	0.006	0.04	0.73	6.8	<0.2	<10	90	0.29	0.08	2.07	0.07	16.45	5.7	14
DD017056		0.20	0.001	0.01	1.18	5.8	<0.2	<10	90	0.33	0.10	0.36	0.03	16.45	5.6	19
DD017057		0.20	0.001	0.04	1.12	7.7	<0.2	<10	200	0.36	0.09	0.39	0.09	17.75	7.4	19
DD017058		0.30	0.009	0.03	1.05	8.1	<0.2	<10	140	0.28	0.09	0.32	0.04	14.95	6.9	17
DD017059		0.24	0.125	0.12	2.48	18.5	<0.2	<10	210	0.59	0.19	1.63	0.10	43.3	14.3	41
DD017060		0.30	0.003	0.04	0.81	3.1	<0.2	<10	70	0.13	0.06	0.41	0.07	6.57	4.8	10
DD017061		0.12	0.001	0.05	2.07	13.0	<0.2	<10	190	0.38	0.09	0.83	0.11	15.55	13.8	26
DD017062		0.20	0.005	0.05	2.06	13.1	<0.2	<10	190	0.38	0.09	0.82	0.12	15.95	14.3	26
DD017063		0.20	0.005	0.06	1.31	6.6	<0.2	<10	130	0.33	0.10	0.32	0.05	17.25	9.2	27
DD017064		0.26	0.002	0.07	1.14	6.7	<0.2	<10	100	0.30	0.09	0.33	0.04	13.75	7.8	24
DD017065		0.20	0.001	0.05	1.33	7.6	<0.2	<10	110	0.30	0.09	0.52	0.03	15.65	8.9	25
DD017066		0.24	0.004	0.07	1.56	7.5	<0.2	<10	120	0.35	0.09	0.49	0.04	19.45	11.7	32
DD017067		0.26	0.002	0.12	2.03	11.8	<0.2	<10	180	0.31	0.08	0.83	0.11	14.80	16.4	43
DD017068		0.18	0.001	0.08	2.95	9.6	<0.2	<10	120	0.31	0.08	0.70	0.08	12.50	23.4	64
DD017069		0.22	0.001	0.05	1.43	6.4	<0.2	<10	150	0.34	0.11	0.49	0.08	14.00	9.3	29
DD017070		0.24	0.002	0.06	1.85	16.7	<0.2	<10	170	0.39	0.11	0.75	0.05	22.1	14.4	45
DD017071		0.28	0.002	0.08	2.14	9.1	<0.2	<10	180	0.42	0.08	0.97	0.21	20.2	16.7	47
DD017072		0.24	0.002	0.11	2.94	7.6	<0.2	<10	150	0.28	0.05	1.35	0.13	13.85	25.3	75
DD017073		0.28	0.002	0.07	1.95	13.3	<0.2	<10	130	0.33	0.08	0.56	0.04	16.25	15.1	45
DD017074		0.34	0.001	0.10	2.19	17.7	<0.2	<10	110	0.34	0.09	0.81	0.06	19.70	18.4	62
DD017075		0.22	0.003	0.06	1.57	9.3	<0.2	<10	120	0.32	0.10	0.43	0.05	18.25	11.9	36
DD017076		0.28	0.006	0.04	1.10	8.0	<0.2	<10	110	0.32	0.08	0.35	0.04	16.00	8.3	24
DD017077		0.22	0.002	0.08	1.56	6.2	<0.2	<10	140	0.37	0.11	0.55	0.08	19.40	12.3	29
DD017078		0.20	0.080	0.07	1.46	10.2	<0.2	<10	110	0.35	0.10	0.49	0.08	15.35	10.4	22
DD017079		0.26	0.002	0.03	1.02	8.1	<0.2	<10	130	0.35	0.09	0.29	0.06	16.80	6.9	17
DD017080		0.22	0.001	0.03	1.03	5.6	<0.2	<10	140	0.23	0.09	0.28	0.05	10.50	6.3	18
DD017081		0.22	0.002	0.06	1.11	14.5	<0.2	<10	110	0.34	0.10	1.16	0.08	22.6	9.9	19
DD017082		0.20	0.003	0.03	0.81	14.8	<0.2	<10	80	0.26	0.07	0.51	0.08	16.60	8.2	18
DD017083		0.26	0.001	0.08	1.39	13.8	<0.2	<10	120	0.36	0.10	0.53	0.08	14.35	12.0	46
DD017084		0.30	0.003	0.06	1.56	23.0	<0.2	<10	110	0.32	0.08	0.83	0.03	17.00	17.7	83
DD017085		0.24	0.001	0.17	1.75	17.5	<0.2	<10	190	0.37	0.12	0.54	0.15	14.85	21.1	77
DD017086		0.16	0.001	0.05	1.93	25.2	<0.2	<10	110	0.30	0.09	0.59	0.04	11.90	17.3	64



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 3 - B
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 6- OCT- 2011
Account: MTT

Project: KING

CERTIFICATE OF ANALYSIS WH11170114

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
DD017047		1.03	26.2	2.78	4.95	0.09	0.14	<0.01	0.022	0.20	6.3	9.1	0.56	353	0.79
DD017048		0.88	26.2	2.86	4.63	0.10	0.11	<0.01	0.024	0.15	5.9	9.1	0.54	439	0.80
DD017049		0.91	35.7	3.50	5.58	0.08	0.17	0.02	0.024	0.13	6.6	7.6	0.60	647	0.82
DD017050		1.02	39.6	3.06	5.27	0.08	0.12	<0.01	0.024	0.15	6.1	9.3	0.54	821	1.46
DD017051		0.63	39.0	2.19	3.79	0.08	0.06	<0.01	0.015	0.16	4.6	7.7	0.47	239	0.86
DD017052		0.67	33.6	3.11	5.82	0.07	0.13	<0.01	0.021	0.05	5.6	6.7	0.43	314	0.93
DD017053		1.03	77.0	3.36	5.71	0.09	0.11	<0.01	0.029	0.19	7.0	8.9	0.82	738	0.50
DD017054		0.39	14.5	2.43	3.28	0.09	0.08	<0.01	0.019	0.10	4.3	7.3	0.44	343	0.89
DD017055		0.43	24.6	1.87	2.56	0.10	0.08	0.01	0.016	0.07	7.6	4.2	0.48	263	0.34
DD017056		0.53	18.0	2.19	3.68	0.08	0.08	0.01	0.015	0.04	7.6	6.4	0.33	144	0.99
DD017057		0.52	18.3	2.45	3.83	0.08	0.04	<0.01	0.016	0.11	7.5	6.1	0.35	550	0.68
DD017058		0.38	18.8	2.30	3.62	0.08	0.07	<0.01	0.015	0.04	6.4	4.8	0.32	300	0.73
DD017059		0.75	40.0	5.25	8.00	0.15	0.22	0.05	0.044	0.16	20.2	13.9	1.03	607	1.25
DD017060		0.30	16.4	1.69	3.13	0.05	0.04	0.01	0.011	0.08	3.3	5.3	0.46	152	0.39
DD017061		0.92	71.5	3.82	6.29	0.13	0.16	0.02	0.033	0.19	9.0	7.9	0.72	630	0.50
DD017062		0.96	73.8	3.79	6.49	0.13	0.15	0.04	0.033	0.20	9.4	8.2	0.71	625	0.48
DD017063		0.71	21.7	2.52	4.45	0.08	0.12	0.01	0.019	0.15	6.8	7.9	0.37	402	0.68
DD017064		0.51	15.1	2.25	3.88	0.08	0.10	0.01	0.017	0.18	6.3	8.4	0.36	276	0.52
DD017065		0.58	30.0	2.35	4.23	0.10	0.14	0.01	0.020	0.09	7.2	8.4	0.48	318	0.32
DD017066		0.97	36.9	2.71	4.91	0.10	0.10	0.01	0.022	0.13	9.4	8.3	0.51	507	0.49
DD017067		0.81	68.8	3.47	6.22	0.12	0.12	0.01	0.030	0.15	6.5	11.4	0.80	727	0.64
DD017068		1.91	43.5	4.37	7.87	0.10	0.17	0.01	0.029	0.06	5.6	9.6	1.52	617	0.54
DD017069		0.83	21.5	2.50	4.69	0.08	0.04	0.01	0.021	0.12	6.3	8.6	0.44	430	0.55
DD017070		0.79	49.9	3.16	5.74	0.12	0.16	0.02	0.027	0.12	11.1	12.1	0.67	504	0.49
DD017071		0.91	90.9	3.28	6.58	0.13	0.13	0.02	0.028	0.11	9.9	8.9	0.83	866	0.46
DD017072		2.57	131.5	4.53	8.65	0.19	0.21	0.02	0.032	0.13	6.4	11.1	1.68	881	0.37
DD017073		1.10	46.0	3.35	5.90	0.11	0.26	0.01	0.026	0.12	7.4	7.9	0.62	510	0.43
DD017074		1.43	106.5	4.24	6.98	0.15	0.21	0.02	0.035	0.14	8.9	9.3	0.74	707	0.67
DD017075		0.85	37.2	2.82	5.15	0.09	0.16	0.01	0.023	0.16	8.0	9.3	0.49	375	0.62
DD017076		0.59	27.0	2.08	3.62	0.08	0.10	0.01	0.016	0.12	6.2	7.3	0.33	339	0.54
DD017077		0.88	30.9	2.88	5.15	0.11	0.09	0.02	0.025	0.21	7.7	9.2	0.48	673	0.50
DD017078		0.89	50.5	2.81	4.86	0.11	0.10	0.02	0.026	0.19	7.6	9.2	0.41	470	0.48
DD017079		0.48	18.5	2.33	3.48	0.07	0.09	0.01	0.018	0.07	7.2	4.6	0.22	269	0.58
DD017080		0.31	15.6	2.40	3.78	0.06	0.03	0.01	0.016	0.05	5.2	5.8	0.24	230	0.73
DD017081		0.86	43.5	2.74	3.99	0.11	0.12	0.02	0.022	0.14	11.1	7.0	0.50	460	0.66
DD017082		0.68	14.8	2.55	3.24	0.10	0.08	0.02	0.018	0.05	7.8	5.2	0.44	314	0.90
DD017083		0.75	27.7	2.51	4.92	0.08	0.05	0.01	0.019	0.10	6.8	8.9	0.54	344	0.71
DD017084		0.82	49.8	2.70	4.82	0.10	0.07	0.02	0.021	0.06	9.2	9.0	1.07	338	0.32
DD017085		1.14	31.4	3.30	6.20	0.09	0.10	0.01	0.023	0.07	7.4	6.6	0.81	750	0.81
DD017086		0.79	35.2	3.27	5.88	0.09	0.11	0.02	0.026	0.07	5.4	8.9	0.89	358	0.70



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 3 - C
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 6- OCT- 2011
Account: MTT

Project: KING

CERTIFICATE OF ANALYSIS WH11170114

Sample Description	Method Analyte Units LOR	ME- MS41 Nb ppm 0.05	ME- MS41 Ni ppm 0.2	ME- MS41 P ppm 10	ME- MS41 Pb ppm 0.2	ME- MS41 Rb ppm 0.1	ME- MS41 Re ppm 0.001	ME- MS41 S % 0.01	ME- MS41 Sb ppm 0.05	ME- MS41 Sc ppm 0.1	ME- MS41 Se ppm 0.2	ME- MS41 Sn ppm 0.2	ME- MS41 Sr ppm 0.2	ME- MS41 Ta ppm 0.01	ME- MS41 Te ppm 0.01	ME- MS41 Th ppm 0.2
DD017047		0.73	31.8	350	4.6	17.6	<0.001	<0.01	0.38	6.3	<0.2	0.4	27.2	<0.01	0.01	2.4
DD017048		0.81	30.8	310	5.3	13.6	<0.001	<0.01	0.56	5.9	<0.2	0.4	28.2	<0.01	0.02	1.9
DD017049		0.81	42.8	230	6.0	10.4	<0.001	0.01	0.57	8.6	<0.2	0.5	41.8	<0.01	<0.01	1.9
DD017050		0.82	36.7	440	6.5	13.5	0.001	<0.01	0.50	6.9	0.2	0.4	35.2	<0.01	<0.01	2.4
DD017051		0.80	13.3	390	3.2	10.5	<0.001	0.02	0.25	4.8	<0.2	0.3	56.9	0.01	<0.01	0.9
DD017052		0.96	15.8	190	5.0	6.1	<0.001	<0.01	0.32	5.8	<0.2	0.5	28.2	<0.01	<0.01	1.7
DD017053		0.78	18.4	750	3.9	11.0	<0.001	0.04	0.31	8.0	0.5	0.4	62.7	<0.01	<0.01	1.0
DD017054		0.77	9.0	300	4.7	11.3	<0.001	0.01	0.27	3.5	<0.2	0.4	41.0	<0.01	<0.01	1.5
DD017055		0.55	10.0	680	4.4	5.4	<0.001	0.02	0.21	3.5	0.3	0.3	97.5	<0.01	<0.01	1.8
DD017056		0.83	10.4	330	5.7	5.1	<0.001	<0.01	0.21	3.5	<0.2	0.4	40.0	<0.01	<0.01	2.2
DD017057		0.70	11.5	540	6.1	11.0	<0.001	<0.01	0.24	4.3	<0.2	0.4	45.2	<0.01	<0.01	2.1
DD017058		0.48	10.3	340	5.4	4.1	<0.001	<0.01	0.25	3.8	<0.2	0.4	36.4	<0.01	0.01	1.8
DD017059		1.51	20.3	720	11.4	9.7	0.001	0.04	0.47	9.0	0.7	0.9	122.5	0.01	0.04	4.1
DD017060		0.57	6.1	240	2.6	5.0	<0.001	0.02	0.17	2.7	0.2	0.2	35.0	<0.01	0.02	0.6
DD017061		0.61	19.7	470	4.3	10.6	<0.001	0.03	0.36	10.9	0.6	0.4	61.5	0.01	0.03	1.8
DD017062		0.63	20.4	460	4.3	10.8	0.001	0.03	0.38	11.4	0.6	0.5	62.9	0.01	0.03	1.9
DD017063		0.83	14.4	180	5.2	13.2	<0.001	<0.01	0.30	5.5	0.3	0.4	24.0	<0.01	0.02	2.3
DD017064		0.80	12.7	430	4.5	11.7	<0.001	0.01	0.25	4.6	0.3	0.4	24.6	<0.01	0.02	2.1
DD017065		0.85	15.2	240	4.2	8.3	<0.001	0.01	0.22	6.4	0.4	0.4	34.0	<0.01	0.02	2.5
DD017066		0.77	22.7	430	4.2	14.7	<0.001	0.01	0.21	7.5	0.4	0.4	31.0	<0.01	0.02	2.3
DD017067		0.81	35.5	370	3.5	11.4	<0.001	0.01	0.30	9.2	0.5	0.4	55.1	<0.01	0.03	1.5
DD017068		0.71	60.7	410	3.3	6.6	<0.001	0.01	0.23	10.5	0.4	0.4	33.7	<0.01	0.03	1.5
DD017069		1.09	16.6	430	5.0	16.9	<0.001	0.01	0.23	5.0	0.3	0.4	30.0	<0.01	0.02	1.9
DD017070		1.01	34.2	510	5.1	9.8	<0.001	0.01	0.41	9.0	0.6	0.5	45.2	0.01	0.03	3.3
DD017071		0.98	34.1	460	4.6	8.1	<0.001	0.02	0.31	10.1	0.6	0.5	60.2	0.01	0.03	1.9
DD017072		0.71	60.3	460	2.7	9.0	<0.001	0.03	0.19	13.2	0.6	0.5	64.7	0.01	0.03	1.2
DD017073		0.50	29.9	540	3.5	9.2	<0.001	0.01	0.24	10.2	0.4	0.4	33.1	<0.01	0.02	2.4
DD017074		0.74	35.6	710	4.2	10.5	<0.001	0.01	0.32	12.8	0.6	0.5	38.0	0.01	0.02	2.5
DD017075		0.81	21.4	310	4.4	15.9	<0.001	0.01	0.28	7.6	0.4	0.5	28.6	<0.01	0.02	2.5
DD017076		0.89	14.0	360	4.0	9.7	<0.001	0.01	0.24	4.8	0.3	0.4	25.3	<0.01	0.02	2.3
DD017077		0.97	17.5	460	5.3	13.9	<0.001	0.01	0.26	7.3	0.4	0.5	40.6	<0.01	0.02	2.5
DD017078		0.79	16.5	390	4.8	13.6	<0.001	0.01	0.34	7.2	0.4	0.4	35.1	<0.01	0.02	1.8
DD017079		0.40	10.2	470	5.0	9.0	<0.001	<0.01	0.27	4.4	0.3	0.3	31.1	<0.01	0.02	2.4
DD017080		0.66	9.5	260	4.7	5.2	<0.001	0.01	0.28	3.0	0.2	0.4	28.1	<0.01	0.02	1.4
DD017081		0.77	15.8	550	5.3	8.9	<0.001	0.02	0.36	6.4	0.6	0.4	68.2	0.01	0.02	2.8
DD017082		0.61	13.5	610	3.9	7.0	<0.001	0.02	0.39	5.0	0.4	0.3	49.1	<0.01	0.02	1.9
DD017083		0.94	34.9	320	5.3	11.3	<0.001	0.01	0.38	4.7	0.3	0.4	36.7	<0.01	0.02	1.3
DD017084		0.83	82.9	540	3.4	6.1	<0.001	0.02	0.32	7.4	0.5	0.4	47.5	<0.01	0.02	1.8
DD017085		0.76	64.2	360	6.0	12.3	<0.001	0.01	0.37	6.9	0.4	0.5	31.4	<0.01	0.02	1.9
DD017086		0.71	59.6	540	4.7	10.2	<0.001	0.01	0.32	6.1	0.3	0.4	34.1	<0.01	0.03	1.5



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
 C/ O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016- 510 W HASTINGS ST
 VANCOUVER BC V6B 1L8

Page: 3 - D
 Total # Pages: 6 (A - D)
 Plus Appendix Pages
 Finalized Date: 6- OCT- 2011
 Account: MTT

Project: KING

CERTIFICATE OF ANALYSIS WH11170114

Sample Description	Method Analyte Units LOR	ME- MS41 Ti %	ME- MS41 Ti ppm	ME- MS41 U ppm	ME- MS41 V ppm	ME- MS41 W ppm	ME- MS41 Y ppm	ME- MS41 Zn ppm	ME- MS41 Zr ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
DD017047		0.087	0.10	0.30	60	0.10	3.89	38	5.4
DD017048		0.076	0.09	0.31	60	0.08	4.37	37	4.3
DD017049		0.068	0.08	0.30	73	0.06	4.98	44	5.3
DD017050		0.068	0.11	0.33	59	0.10	3.81	44	4.6
DD017051		0.053	0.04	0.37	47	0.11	3.69	34	1.7
DD017052		0.062	0.06	0.32	76	0.14	4.36	36	4.8
DD017053		0.056	0.09	0.30	76	0.06	9.34	62	3.2
DD017054		0.050	0.06	0.32	56	0.08	2.34	33	2.7
DD017055		0.044	0.07	0.39	46	0.09	6.43	29	2.7
DD017056		0.056	0.06	0.66	54	0.37	3.93	31	2.8
DD017057		0.058	0.06	0.52	58	0.09	4.40	42	1.5
DD017058		0.043	0.05	0.38	55	0.15	3.78	32	2.3
DD017059		0.103	0.11	0.93	134	0.22	11.25	69	6.5
DD017060		0.046	0.04	0.46	40	0.06	1.73	25	1.5
DD017061		0.050	0.10	0.37	87	0.08	11.10	61	4.2
DD017062		0.054	0.10	0.37	89	0.08	11.35	62	4.3
DD017063		0.094	0.07	0.32	56	0.13	3.49	40	4.5
DD017064		0.083	0.06	0.27	48	0.12	3.29	32	3.6
DD017065		0.081	0.05	0.27	51	0.13	5.07	30	4.8
DD017066		0.089	0.06	0.34	60	0.12	7.12	35	3.4
DD017067		0.079	0.05	0.41	72	0.08	6.67	42	4.2
DD017068		0.144	0.05	0.38	104	0.09	4.81	67	8.1
DD017069		0.088	0.07	0.42	51	0.15	3.67	44	1.5
DD017070		0.111	0.07	0.44	72	0.15	9.26	46	6.0
DD017071		0.104	0.06	0.63	82	0.11	10.50	64	4.7
DD017072		0.138	0.03	0.31	127	0.11	9.87	81	8.5
DD017073		0.107	0.05	0.40	77	0.18	7.55	48	10.1
DD017074		0.125	0.06	0.57	101	0.11	9.65	58	8.4
DD017075		0.103	0.07	0.32	65	0.16	5.04	41	5.7
DD017076		0.080	0.07	0.32	46	0.11	3.20	30	3.6
DD017077		0.086	0.08	0.44	57	0.11	5.40	42	3.2
DD017078		0.067	0.09	0.53	58	0.09	6.35	36	3.3
DD017079		0.053	0.05	0.36	52	0.10	3.55	39	4.0
DD017080		0.060	0.05	0.31	60	0.10	2.23	34	1.3
DD017081		0.065	0.09	0.57	61	0.12	9.42	44	4.2
DD017082		0.050	0.06	0.50	56	0.17	5.52	37	3.0
DD017083		0.072	0.07	0.34	52	0.16	3.49	37	2.1
DD017084		0.069	0.05	0.54	50	0.10	8.15	39	2.0
DD017085		0.087	0.07	0.36	66	0.13	4.98	64	4.0
DD017086		0.078	0.06	0.32	70	0.11	3.03	38	4.5



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 4 - A
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 6- OCT- 2011
Account: MTT

Project: KING

CERTIFICATE OF ANALYSIS WH11170114

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg	Au- TL43 Au ppm	ME- MS41 Ag ppm	ME- MS41 Al %	ME- MS41 As ppm	ME- MS41 Au ppm	ME- MS41 B ppm	ME- MS41 Ba ppm	ME- MS41 Be ppm	ME- MS41 Bi ppm	ME- MS41 Ca %	ME- MS41 Cd ppm	ME- MS41 Ce ppm	ME- MS41 Co ppm	ME- MS41 Cr ppm
		0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
DD017087		0.26	0.001	0.07	1.75	47.0	<0.2	<10	150	0.42	0.11	0.64	0.04	17.80	15.5	61
DD017088		0.28	0.003	0.05	1.71	57.0	<0.2	<10	80	0.35	0.09	0.48	0.03	13.25	16.4	69
DD017089		0.30	0.002	0.07	2.00	42.5	<0.2	<10	140	0.38	0.10	0.55	0.06	20.3	18.8	69
DD017090		0.24	0.001	0.07	1.64	32.2	<0.2	<10	200	0.34	0.11	0.72	0.06	20.2	15.6	42
DD017091		0.22	0.002	0.03	0.95	7.4	<0.2	<10	80	0.18	0.06	0.24	0.03	7.45	6.0	20
DD017092		0.24	0.001	0.06	1.48	69.9	<0.2	<10	110	0.33	0.07	0.40	0.05	14.10	13.2	36
DD017093		0.22	0.001	0.02	1.22	71.0	<0.2	<10	80	0.32	0.09	0.48	0.02	17.15	9.8	29
DD017094		0.20	0.001	0.08	1.51	26.5	<0.2	<10	100	0.34	0.09	0.54	0.04	15.40	13.7	38
DD017095		0.30	0.001	0.13	1.73	31.4	<0.2	<10	150	0.45	0.12	0.71	0.05	25.8	11.3	40
DD017096		0.20	0.001	0.06	1.24	16.3	<0.2	<10	140	0.27	0.09	0.38	0.04	11.95	7.7	25
DD017097		0.28	0.001	0.04	1.57	22.4	<0.2	<10	120	0.43	0.10	0.50	0.02	16.80	9.2	30
DD017098		0.24	0.002	0.05	1.74	13.8	<0.2	<10	110	0.39	0.09	0.41	0.03	17.15	10.9	38
DD017099		0.20	0.001	0.04	1.79	30.6	<0.2	<10	110	0.50	0.08	0.35	0.03	15.90	9.7	30
DD017100		0.18	0.018	0.11	1.43	19.9	<0.2	<10	130	0.32	0.07	0.92	0.15	13.85	10.9	21
DD017101		0.28	0.002	0.02	1.46	61.6	<0.2	<10	100	0.39	0.08	0.47	0.02	17.20	10.9	25
DD017102		0.18	0.002	0.09	1.81	20.1	<0.2	<10	130	0.41	0.09	0.41	0.04	15.40	11.2	31
DD017103		0.22	0.004	0.02	1.35	31.2	<0.2	<10	160	0.39	0.08	0.45	0.03	25.3	9.9	29
DD017104		0.22	0.002	0.06	1.31	3.4	<0.2	<10	130	0.30	0.07	0.90	0.11	14.90	7.2	31
DD017105		0.28	0.006	0.08	1.29	11.9	<0.2	<10	120	0.28	0.07	7.72	0.13	15.65	9.8	23
DD017106		0.22	0.004	0.05	2.95	50.6	<0.2	<10	60	0.40	0.06	0.88	0.03	14.45	46.4	277
DD017107		0.22	0.002	0.09	2.45	51.3	<0.2	<10	80	0.46	0.08	0.78	0.06	16.15	37.1	214
DD017108		0.24	0.001	0.07	2.98	35.3	<0.2	<10	100	0.33	0.06	0.88	0.08	14.65	54.9	310
DD017109		0.24	0.010	0.07	3.18	78.7	<0.2	<10	80	0.42	0.07	0.99	0.05	16.60	57.4	262
DD017110		0.22	0.001	0.09	2.93	33.5	<0.2	<10	120	0.48	0.08	0.83	0.13	14.40	46.1	272
DD017111		0.30	<0.001	0.14	2.75	27.7	<0.2	<10	170	0.47	0.10	0.73	0.14	13.50	34.0	164
DD017112		0.30	0.001	0.12	2.27	26.1	<0.2	<10	110	0.33	0.07	0.69	0.07	11.85	26.3	118
DD017113		0.24	0.001	0.10	2.43	38.3	<0.2	<10	130	0.33	0.09	0.74	0.06	14.05	34.9	193
DD017114		0.26	0.001	0.03	1.60	51.7	<0.2	<10	100	0.35	0.09	0.60	0.03	19.90	17.9	94
DD017115		0.24	<0.001	0.06	1.68	30.1	<0.2	<10	130	0.36	0.10	0.63	0.05	17.70	16.4	72
DD017116		0.22	0.001	0.07	1.83	55.4	<0.2	<10	100	0.41	0.09	0.59	0.04	20.7	20.7	96
DD017117		0.34	0.001	0.06	1.50	77.9	<0.2	<10	130	0.36	0.09	0.66	0.06	19.60	17.6	74
DD017118		0.30	<0.001	0.04	2.11	81.1	<0.2	<10	130	0.38	0.10	0.70	0.04	17.60	25.5	111
DD017119		0.18	0.003	0.04	1.83	2080	<0.2	<10	80	0.35	0.05	0.59	0.02	8.37	13.6	173
DD017120		0.22	0.002	0.13	1.04	1740	<0.2	<10	150	0.26	0.38	0.46	0.04	16.20	14.5	95
DD017121		0.24	0.002	0.07	1.24	466	<0.2	<10	120	0.33	0.06	0.95	0.08	12.35	23.5	90
DD017122		0.32	0.001	0.08	1.90	47.9	<0.2	<10	200	0.37	0.09	0.52	0.06	12.60	12.3	45
DD017123		0.24	0.001	0.11	1.77	54.2	<0.2	<10	190	0.32	0.09	0.47	0.07	14.65	11.5	36
DD017124		0.30	<0.001	0.07	1.27	14.8	<0.2	<10	130	0.28	0.09	0.40	0.07	14.50	8.8	29
DD017125		0.24	0.002	0.09	1.55	100.5	<0.2	<10	140	0.39	0.08	0.78	0.07	18.20	11.3	33
DD017126		0.28	0.005	0.15	1.77	57.8	<0.2	<10	160	0.41	0.10	0.50	0.08	18.55	14.3	34



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 4 - B
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 6- OCT- 2011
Account: MTT

Project: KING

CERTIFICATE OF ANALYSIS WH11170114

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
DD017087		0.91	25.9	2.83	5.83	0.09	0.10	0.01	0.025	0.05	8.4	9.5	0.80	396	0.59
DD017088		1.06	27.6	3.09	5.58	0.09	0.13	0.01	0.024	0.06	6.4	8.0	0.74	338	1.05
DD017089		1.13	35.2	3.46	6.33	0.10	0.22	0.02	0.030	0.07	7.6	7.9	0.77	673	0.86
DD017090		0.79	30.3	2.65	5.30	0.09	0.07	0.01	0.023	0.07	8.9	9.0	0.63	780	0.52
DD017091		0.31	16.6	1.67	3.14	0.05	0.07	0.01	0.011	0.05	3.8	6.3	0.32	147	0.38
DD017092		0.81	33.1	2.85	4.72	0.08	0.07	0.02	0.022	0.10	5.4	6.4	0.46	368	0.86
DD017093		1.38	21.9	2.43	4.16	0.10	0.15	0.01	0.020	0.09	9.0	11.1	0.42	261	0.48
DD017094		2.22	32.9	2.58	4.79	0.08	0.14	0.01	0.021	0.08	6.9	7.0	0.43	474	0.56
DD017095		0.68	24.9	2.99	5.56	0.12	0.14	0.03	0.028	0.10	11.6	10.6	0.59	462	0.65
DD017096		0.44	20.5	2.27	3.97	0.09	0.13	0.02	0.018	0.07	5.4	6.2	0.35	347	0.52
DD017097		0.72	31.7	2.65	4.84	0.09	0.20	0.03	0.022	0.05	8.0	7.2	0.44	357	0.40
DD017098		1.58	73.6	2.96	5.62	0.10	0.17	0.02	0.025	0.09	8.3	7.5	0.48	449	0.51
DD017099		0.75	36.9	3.02	5.58	0.10	0.17	0.03	0.028	0.08	7.6	6.4	0.40	276	0.85
DD017100		1.27	90.5	2.87	4.77	0.10	0.10	0.03	0.023	0.11	6.7	5.9	0.56	673	0.43
DD017101		0.72	44.6	2.76	4.95	0.09	0.20	0.03	0.027	0.07	7.4	6.4	0.41	375	0.46
DD017102		0.95	34.3	2.79	5.72	0.08	0.19	0.02	0.025	0.07	6.1	6.8	0.43	383	0.50
DD017103		0.72	24.1	2.69	4.33	0.11	0.22	0.02	0.021	0.12	9.0	7.8	0.42	400	0.49
DD017104		0.46	31.4	1.41	4.93	0.09	0.12	0.03	0.018	0.10	7.6	14.7	0.59	146	0.19
DD017105		0.76	50.7	2.32	4.09	0.11	0.11	0.06	0.018	0.09	7.2	8.3	0.90	533	0.33
DD017106		1.10	119.5	5.21	7.58	0.11	0.24	0.04	0.025	0.03	8.8	9.6	2.92	804	0.51
DD017107		1.15	90.6	4.91	7.19	0.14	0.25	0.04	0.026	0.11	9.3	11.1	2.14	736	0.46
DD017108		1.29	88.6	5.54	7.89	0.13	0.16	0.03	0.029	0.06	6.7	9.6	2.72	1100	0.53
DD017109		1.08	131.0	6.25	10.30	0.14	0.20	0.04	0.025	0.10	7.1	13.6	3.26	1040	0.75
DD017110		0.67	60.7	5.24	8.49	0.09	0.10	0.03	0.031	0.05	7.7	11.6	2.19	1000	0.63
DD017111		0.70	38.2	4.53	7.99	0.08	0.17	0.02	0.028	0.06	5.5	10.0	1.62	934	1.16
DD017112		0.76	37.6	3.81	7.00	0.09	0.09	0.03	0.025	0.08	5.1	8.3	1.20	635	0.76
DD017113		1.55	50.6	4.31	6.50	0.11	0.17	0.03	0.024	0.09	6.4	9.0	1.95	1050	0.75
DD017114		1.09	40.9	3.06	4.94	0.13	0.19	0.02	0.020	0.09	9.8	8.6	0.91	465	0.45
DD017115		0.86	28.9	2.96	5.29	0.11	0.15	0.01	0.023	0.17	7.5	8.9	0.69	470	0.54
DD017116		3.62	47.4	3.47	5.65	0.14	0.20	0.03	0.023	0.14	10.4	8.4	0.88	521	0.51
DD017117		1.10	37.3	3.03	4.89	0.12	0.16	0.03	0.020	0.10	9.1	8.4	0.77	542	0.49
DD017118		1.23	37.9	3.74	5.96	0.11	0.21	0.03	0.025	0.12	7.5	10.4	1.07	638	0.90
DD017119		1.67	79.9	5.30	3.57	0.10	0.09	0.03	0.031	0.05	4.8	4.1	0.37	134	1.10
DD017120		1.40	109.5	6.60	4.09	0.10	0.10	0.02	0.042	0.14	8.0	2.8	0.26	317	1.96
DD017121		1.63	82.7	4.03	3.81	0.11	0.09	0.03	0.027	0.07	6.0	5.2	0.77	603	0.52
DD017122		0.68	37.4	3.16	5.44	0.08	0.14	0.02	0.022	0.08	6.0	7.0	0.50	570	0.89
DD017123		1.28	27.3	2.98	5.62	0.08	0.17	0.02	0.025	0.08	5.7	6.9	0.41	654	1.04
DD017124		0.67	14.0	2.53	4.31	0.10	0.14	0.01	0.021	0.15	6.8	6.5	0.38	348	0.50
DD017125		0.97	36.2	3.12	4.95	0.12	0.11	0.04	0.022	0.25	7.8	6.4	0.45	508	0.52
DD017126		2.25	57.1	3.68	5.78	0.10	0.17	0.03	0.028	0.25	7.7	7.2	0.50	819	0.56



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 4 - C
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 6- OCT- 2011
Account: MTT

Project: KING

CERTIFICATE OF ANALYSIS WH11170114

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
DD017087		1.05	50.8	260	4.9	6.3	<0.001	0.01	0.63	7.0	0.4	0.5	39.9	<0.01	0.02
DD017088		0.71	55.9	280	4.7	8.8	<0.001	0.02	0.83	7.1	0.3	0.5	26.8	<0.01	0.02
DD017089		0.55	60.9	280	5.5	10.2	<0.001	0.01	0.61	9.5	0.4	0.5	34.7	<0.01	0.03
DD017090		1.07	36.2	640	4.8	9.2	<0.001	0.02	0.59	6.7	0.4	0.5	49.1	<0.01	0.02
DD017091		0.64	13.5	140	3.1	5.0	<0.001	0.02	0.24	2.8	0.2	0.3	17.9	<0.01	0.01
DD017092		0.71	26.2	300	3.9	8.5	<0.001	0.03	0.62	6.5	0.3	0.4	36.0	<0.01	0.02
DD017093		0.79	25.6	410	4.5	9.6	<0.001	0.03	0.57	6.1	0.4	0.4	31.8	<0.01	0.02
DD017094		0.88	26.7	320	4.2	7.4	<0.001	0.02	0.45	7.5	0.3	0.4	30.9	<0.01	0.02
DD017095		1.17	22.8	460	6.6	9.0	0.001	<0.01	0.52	6.3	0.2	0.5	43.0	<0.01	0.04
DD017096		0.70	12.8	280	3.9	5.7	0.001	<0.01	0.28	3.7	<0.2	0.4	25.7	<0.01	0.03
DD017097		0.42	16.5	420	4.0	5.9	<0.001	<0.01	0.33	6.2	0.3	0.4	33.3	<0.01	0.01
DD017098		0.69	17.8	370	3.9	10.7	0.001	<0.01	0.27	7.9	0.2	0.5	22.6	<0.01	0.02
DD017099		0.61	15.5	230	4.9	7.7	<0.001	<0.01	0.49	7.6	0.3	0.4	34.9	<0.01	0.03
DD017100		0.53	15.5	750	3.4	7.8	<0.001	0.04	0.38	6.1	0.2	0.4	42.9	<0.01	0.02
DD017101		0.55	13.6	550	3.9	7.5	<0.001	<0.01	0.78	6.9	0.3	0.4	29.5	<0.01	0.02
DD017102		0.58	15.4	380	4.7	8.5	<0.001	<0.01	0.35	6.3	<0.2	0.5	25.7	<0.01	0.01
DD017103		0.38	14.8	450	4.4	12.9	<0.001	<0.01	0.44	6.0	0.3	0.4	32.9	<0.01	0.01
DD017104		1.15	15.6	570	4.6	11.2	0.001	0.10	0.25	5.7	0.4	0.4	49.2	<0.01	0.01
DD017105		0.76	18.9	630	3.3	8.5	<0.001	0.09	0.35	5.5	0.2	0.3	281	<0.01	0.03
DD017106		0.28	257	210	3.4	3.3	<0.001	0.01	0.25	14.4	0.6	0.4	31.4	<0.01	0.01
DD017107		0.30	207	240	5.0	9.6	<0.001	0.01	0.35	13.5	0.4	0.4	34.0	<0.01	0.02
DD017108		0.23	261	330	4.0	7.0	<0.001	<0.01	0.26	13.1	0.4	0.4	31.4	<0.01	0.01
DD017109		0.28	266	270	4.0	6.1	<0.001	<0.01	0.29	13.8	0.6	0.4	47.3	<0.01	<0.01
DD017110		0.44	204	300	4.4	4.4	<0.001	<0.01	0.24	11.1	0.5	0.4	34.4	<0.01	0.02
DD017111		0.37	114.0	370	5.8	6.5	<0.001	<0.01	0.26	7.3	0.2	0.5	33.2	<0.01	0.02
DD017112		0.60	86.4	360	4.4	8.8	<0.001	<0.01	0.22	7.5	<0.2	0.4	33.5	<0.01	0.03
DD017113		0.39	157.0	890	3.9	14.5	<0.001	0.01	0.22	8.4	<0.2	0.4	30.8	<0.01	0.01
DD017114		0.49	79.6	420	4.2	9.1	<0.001	<0.01	0.32	8.0	0.4	0.4	31.3	<0.01	0.01
DD017115		0.76	46.4	660	4.8	14.3	0.001	<0.01	0.32	6.4	0.3	0.5	34.5	<0.01	0.01
DD017116		0.43	83.6	370	4.7	18.4	<0.001	0.01	0.39	9.2	0.3	0.4	33.4	<0.01	0.03
DD017117		0.46	64.6	510	4.3	10.0	<0.001	0.01	0.45	7.6	0.4	0.4	35.0	<0.01	0.04
DD017118		0.41	78.1	360	5.0	11.7	<0.001	0.01	0.51	9.3	0.3	0.5	34.3	<0.01	0.02
DD017119		0.22	55.8	440	3.7	3.2	<0.001	0.10	12.10	9.5	0.3	0.3	50.3	<0.01	0.02
DD017120		0.14	39.8	860	3.4	5.2	<0.001	0.80	8.99	10.5	0.3	0.4	157.0	<0.01	0.01
DD017121		0.36	96.2	780	2.8	7.9	0.001	0.07	3.81	9.5	0.4	0.3	57.0	<0.01	0.02
DD017122		0.65	25.3	330	4.5	7.7	<0.001	0.01	0.53	5.3	0.2	0.5	30.8	<0.01	0.01
DD017123		0.58	19.6	210	4.7	10.0	<0.001	0.01	1.09	5.8	<0.2	0.5	34.0	<0.01	0.01
DD017124		0.54	14.3	500	4.7	12.2	<0.001	<0.01	0.35	4.3	<0.2	0.4	22.6	<0.01	0.02
DD017125		0.73	19.9	420	4.6	10.6	<0.001	0.02	0.68	7.3	0.4	0.4	47.4	<0.01	0.02
DD017126		0.47	21.0	390	5.2	17.2	0.001	0.01	0.46	8.6	0.3	0.5	35.2	<0.01	0.02



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 4 - D
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 6- OCT- 2011
Account: MTT

Project: KING

CERTIFICATE OF ANALYSIS WH11170114

Sample Description	Method Analyte Units LOR	ME- MS41 Ti %	ME- MS41 Ti ppm	ME- MS41 U ppm	ME- MS41 V ppm	ME- MS41 W ppm	ME- MS41 Y ppm	ME- MS41 Zn ppm	ME- MS41 Zr ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
DD017087		0.080	0.05	0.41	57	0.14	5.48	38	3.5
DD017088		0.085	0.06	0.33	70	0.11	3.47	36	5.0
DD017089		0.085	0.07	0.38	74	0.09	5.02	39	7.7
DD017090		0.077	0.06	0.69	56	0.13	5.97	57	2.4
DD017091		0.056	0.06	0.22	40	0.07	1.81	21	2.7
DD017092		0.067	0.06	0.32	65	0.09	3.32	32	2.9
DD017093		0.078	0.06	0.42	52	0.11	6.63	30	5.1
DD017094		0.078	0.05	0.37	59	0.09	4.47	38	4.8
DD017095		0.105	0.07	0.44	68	0.14	7.38	59	4.8
DD017096		0.071	0.05	0.27	55	0.08	2.73	36	3.7
DD017097		0.070	0.05	0.51	62	0.08	5.32	31	6.0
DD017098		0.091	0.05	0.55	72	0.06	6.14	51	6.3
DD017099		0.064	0.05	0.43	71	0.06	4.21	37	6.6
DD017100		0.057	0.03	0.35	65	0.06	7.76	70	2.9
DD017101		0.065	0.05	0.53	66	0.05	4.63	38	6.3
DD017102		0.072	0.05	0.35	70	0.08	3.23	49	5.4
DD017103		0.075	0.08	0.40	64	0.09	5.50	37	6.5
DD017104		0.082	0.06	0.72	42	<0.05	5.12	50	3.7
DD017105		0.056	0.06	0.63	52	0.07	7.35	39	3.0
DD017106		0.089	0.04	0.48	94	0.05	10.40	51	9.1
DD017107		0.083	0.07	0.32	99	0.12	11.15	55	9.2
DD017108		0.079	0.05	0.32	111	<0.05	7.47	66	6.2
DD017109		0.096	0.05	0.34	115	0.07	7.51	69	7.9
DD017110		0.077	0.05	0.60	106	0.06	7.03	82	3.8
DD017111		0.092	0.07	0.30	98	0.06	3.25	88	5.3
DD017112		0.093	0.05	0.25	94	0.06	3.57	48	3.7
DD017113		0.093	0.05	0.38	79	0.08	4.65	66	5.8
DD017114		0.084	0.07	0.65	64	0.09	7.46	41	6.0
DD017115		0.093	0.08	0.37	66	0.10	4.29	47	4.9
DD017116		0.094	0.10	0.42	75	0.08	7.82	45	7.0
DD017117		0.079	0.07	0.45	67	0.09	7.53	50	5.7
DD017118		0.097	0.06	0.45	82	0.08	4.85	50	7.0
DD017119		0.016	0.31	0.35	71	<0.05	3.93	37	3.7
DD017120		0.013	0.19	0.38	109	<0.05	6.86	48	3.2
DD017121		0.027	0.07	0.64	77	<0.05	7.76	48	2.9
DD017122		0.067	0.05	0.31	74	0.07	3.48	45	4.3
DD017123		0.067	0.06	0.24	67	0.18	3.16	41	5.0
DD017124		0.080	0.06	0.29	58	0.14	3.87	50	4.4
DD017125		0.066	0.09	0.33	69	0.06	6.59	47	3.6
DD017126		0.059	0.07	0.31	82	0.05	6.50	57	5.1



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 5 - A
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 6- OCT- 2011
Account: MTT

Project: KING

CERTIFICATE OF ANALYSIS WH11170114

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg	Au- TL43 Au ppm	ME- MS41 Ag ppm	ME- MS41 Al %	ME- MS41 As ppm	ME- MS41 Au ppm	ME- MS41 B ppm	ME- MS41 Ba ppm	ME- MS41 Be ppm	ME- MS41 Bi ppm	ME- MS41 Ca %	ME- MS41 Cd ppm	ME- MS41 Ce ppm	ME- MS41 Co ppm	ME- MS41 Cr ppm
		0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
DD017127		0.24	0.003	0.05	1.63	56.3	<0.2	<10	160	0.42	0.09	0.58	0.05	20.9	12.6	32
DD017128		0.18	0.194	0.03	1.17	9.8	<0.2	<10	110	0.29	0.08	0.69	0.03	16.85	7.4	34
DD017129		0.20	0.009	0.03	1.72	10.0	<0.2	<10	110	0.33	0.10	0.44	0.04	15.20	9.3	41
DD017130		0.18	0.002	0.06	1.67	13.7	<0.2	<10	150	0.54	0.09	0.47	0.03	22.6	9.5	34
DD017131		0.20	0.011	0.10	3.59	32.1	<0.2	<10	50	0.33	0.01	2.25	0.09	6.15	39.2	124
DD017132		0.18	0.004	0.11	2.54	23.4	<0.2	<10	110	0.35	0.06	1.12	0.13	14.10	25.2	99
DD017133		0.20	<0.001	0.11	2.56	21.2	<0.2	<10	110	0.32	0.05	1.17	0.09	14.20	22.1	65
DD017134		0.22	0.001	0.13	1.68	6.7	<0.2	<10	140	0.37	0.09	0.65	0.08	17.75	12.8	45
DD017135		0.20	<0.001	0.07	1.64	13.1	<0.2	<10	70	0.37	0.10	0.45	0.06	15.15	18.3	38
DD017136		0.18	0.016	0.03	1.70	13.8	<0.2	<10	120	0.29	0.09	0.42	0.03	14.85	9.1	41
DD017137		0.16	<0.001	0.04	2.77	9.3	<0.2	<10	180	0.34	0.06	0.60	0.02	11.45	11.8	85
DD017138		0.18	0.001	0.05	1.79	14.1	<0.2	<10	110	0.33	0.08	0.39	0.04	16.40	12.4	36
DD017139		0.24	0.001	0.11	2.44	11.2	<0.2	<10	130	0.31	0.08	0.69	0.07	14.55	20.7	91
DD017140		0.24	0.002	0.12	1.91	14.1	<0.2	<10	120	0.35	0.08	0.72	0.07	15.10	17.6	60
DD017141		0.24	0.001	0.17	2.46	14.1	<0.2	<10	110	0.29	0.06	1.25	0.14	16.00	26.5	79
DD017142		0.20	0.002	0.12	1.82	18.9	<0.2	<10	80	0.29	0.07	0.80	0.09	17.05	18.0	60
DD017143		0.22	0.001	0.09	1.69	13.3	<0.2	<10	150	0.44	0.09	0.47	0.05	21.3	10.3	31
DD017144		0.22	0.002	0.02	1.56	12.9	<0.2	<10	110	0.39	0.08	0.44	0.04	22.4	10.6	35
DD017145		0.24	0.004	0.05	1.33	6.2	<0.2	<10	120	0.34	0.08	0.39	0.06	18.25	7.7	25
DD017146		0.26	0.001	0.04	1.46	6.0	<0.2	<10	120	0.28	0.08	0.78	0.03	17.50	7.7	32
DD017147		0.24	<0.001	0.05	1.57	18.6	<0.2	<10	120	0.36	0.08	0.42	0.04	18.80	10.2	36
DD017148		0.22	0.003	0.07	2.03	27.5	<0.2	<10	160	0.37	0.07	0.65	0.08	16.10	20.8	72
DD017149		0.18	<0.001	0.05	1.28	7.7	<0.2	<10	140	0.28	0.07	0.32	0.04	14.10	7.7	24
DD017150		0.22	<0.001	0.02	1.18	8.4	<0.2	<10	90	0.24	0.07	0.30	0.03	14.05	7.5	31
DD017151		0.14	0.008	0.04	1.03	26.5	<0.2	<10	70	0.19	0.07	0.30	0.05	11.30	6.8	30
DD017152		0.14	0.011	0.04	1.61	36.9	<0.2	<10	150	0.36	0.10	0.41	0.10	15.30	12.4	45
DD017153		0.14	0.003	0.06	1.54	30.8	<0.2	<10	90	0.44	0.08	1.54	0.09	22.8	14.9	50
DD017154		0.20	0.001	0.04	1.28	676	<0.2	<10	110	0.28	0.04	0.68	0.04	14.60	39.8	108
DD017155		0.26	0.002	0.06	1.55	1520	<0.2	10	100	0.38	0.03	0.57	0.06	14.30	59.7	248
DD017156		0.20	0.002	0.07	3.16	37.6	<0.2	<10	60	0.21	0.05	1.03	0.04	10.00	46.1	297
DD017157		0.26	0.002	0.08	2.46	87.9	<0.2	<10	40	0.17	0.03	1.45	0.04	6.29	44.9	286
DD017158		0.16	<0.001	0.03	1.84	23.0	<0.2	<10	60	0.17	0.05	0.58	0.12	6.87	19.4	80
DD017159		0.24	<0.001	0.05	2.71	11.2	<0.2	<10	100	0.29	0.07	0.61	0.09	12.05	27.0	129
DD017160		0.20	0.008	0.37	3.38	261	<0.2	<10	40	0.26	0.03	1.13	0.08	6.14	48.8	345
DD017161		0.20	0.001	0.13	2.71	141.5	<0.2	<10	140	0.29	0.21	0.79	0.07	12.75	32.5	201
DD017162		0.26	0.001	0.03	2.02	50.4	<0.2	<10	120	0.44	0.07	0.53	0.04	16.55	16.9	78
DD017163		0.32	0.005	0.08	1.33	61.3	<0.2	<10	90	0.33	0.07	0.66	0.06	20.1	15.7	54
DD017164		0.18	<0.001	0.08	1.94	12.9	<0.2	<10	100	0.20	0.05	0.58	0.05	10.10	20.1	139
DD017165		0.18	<0.001	0.06	2.51	50.5	<0.2	<10	130	0.31	0.14	0.69	0.07	12.35	32.4	234
DD017166		0.24	<0.001	0.05	3.00	85.4	<0.2	<10	100	0.31	0.06	0.73	0.08	14.20	37.1	267



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 5 - B
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 6- OCT- 2011
Account: MTT

Project: KING

CERTIFICATE OF ANALYSIS WH11170114

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
DD017127		0.68	40.0	3.08	5.51	0.10	0.22	0.03	0.029	0.13	8.8	7.2	0.44	470	0.68
DD017128		0.46	22.8	2.42	3.72	0.10	0.05	0.03	0.018	0.09	9.1	8.0	0.52	208	0.44
DD017129		0.64	20.6	2.83	5.25	0.09	0.09	0.01	0.026	0.16	6.9	9.6	0.56	213	0.55
DD017130		0.57	33.6	2.85	5.38	0.11	0.27	0.03	0.025	0.08	11.1	8.1	0.42	265	0.49
DD017131		2.16	172.0	7.16	8.71	0.18	0.26	0.02	0.042	0.05	2.4	10.7	2.33	1380	0.39
DD017132		1.19	143.5	4.74	7.10	0.11	0.18	0.02	0.035	0.10	6.8	10.6	1.51	898	0.84
DD017133		1.96	185.0	5.34	8.34	0.17	0.24	0.01	0.043	0.21	6.2	7.7	0.98	1040	0.75
DD017134		1.04	71.8	2.98	5.45	0.05	0.19	0.02	0.028	0.10	7.8	7.2	0.53	856	0.73
DD017135		1.27	34.6	2.68	5.07	<0.05	0.17	0.01	0.024	0.11	6.9	8.2	0.50	306	0.87
DD017136		0.81	25.9	2.61	5.10	0.05	0.17	0.01	0.026	0.16	7.1	10.8	0.53	341	0.86
DD017137		0.71	24.8	2.21	6.59	<0.05	0.13	0.01	0.018	0.05	5.9	13.8	0.65	203	0.68
DD017138		0.86	37.8	3.01	5.47	0.07	0.16	0.01	0.027	0.19	7.1	9.6	0.55	322	0.68
DD017139		2.10	100.5	4.19	7.19	0.06	0.18	0.01	0.029	0.06	7.1	8.0	0.92	736	0.74
DD017140		1.38	75.4	3.42	5.54	0.06	0.16	0.01	0.027	0.09	7.8	6.8	0.85	630	0.44
DD017141		1.64	136.5	4.28	7.93	0.10	0.13	0.01	0.029	0.10	7.2	9.6	1.71	1010	0.50
DD017142		1.26	60.0	3.29	5.40	0.08	0.12	0.02	0.026	0.12	8.0	8.1	0.88	715	0.43
DD017143		1.02	25.5	2.79	5.13	0.06	0.19	0.02	0.029	0.27	7.9	7.4	0.39	575	0.52
DD017144		0.78	24.1	2.60	4.73	0.05	0.14	0.02	0.026	0.19	7.9	9.2	0.45	318	0.47
DD017145		0.71	17.9	2.32	4.38	<0.05	0.15	0.01	0.020	0.15	7.8	6.4	0.30	390	0.64
DD017146		0.91	44.7	2.41	4.51	0.06	0.08	0.01	0.021	0.18	8.1	9.3	0.73	173	0.20
DD017147		0.89	31.6	2.61	4.69	0.05	0.18	0.02	0.024	0.15	8.0	8.5	0.46	369	0.45
DD017148		1.35	81.8	3.91	6.53	0.06	0.15	0.01	0.030	0.18	7.2	7.5	0.83	827	0.53
DD017149		0.49	19.7	2.25	3.96	<0.05	0.13	0.02	0.018	0.07	5.8	6.0	0.35	326	0.73
DD017150		0.54	16.9	2.05	3.85	<0.05	0.14	0.01	0.018	0.12	6.7	8.8	0.43	219	0.59
DD017151		0.43	13.7	1.98	3.58	<0.05	0.09	0.01	0.015	0.07	5.7	7.7	0.40	173	0.63
DD017152		0.81	35.2	2.76	4.93	<0.05	0.12	0.01	0.024	0.08	6.8	8.8	0.48	590	1.16
DD017153		0.94	63.3	2.88	4.60	0.05	0.15	0.06	0.027	0.08	11.8	9.9	0.91	388	0.78
DD017154		2.16	112.5	5.65	3.39	0.08	0.04	0.02	0.031	0.10	6.8	4.0	0.67	828	1.76
DD017155		1.94	163.0	7.38	3.42	0.10	0.08	0.01	0.042	0.14	6.3	2.4	1.26	913	1.18
DD017156		1.64	146.5	5.39	7.52	0.10	0.08	0.02	0.026	0.03	4.9	9.3	4.17	851	0.47
DD017157		1.58	103.0	5.05	5.80	0.10	0.08	0.02	0.017	0.03	3.2	6.5	3.82	873	0.38
DD017158		2.28	54.2	2.71	5.09	0.07	0.08	0.01	0.014	0.06	2.8	7.8	1.51	529	0.28
DD017159		2.24	59.2	3.39	6.85	0.07	0.07	0.01	0.019	0.08	5.2	12.9	2.61	709	0.54
DD017160		1.48	221	6.78	9.35	0.17	0.15	0.04	0.029	0.04	3.0	9.4	4.35	1020	1.23
DD017161		2.70	76.0	4.61	7.74	0.09	0.13	0.01	0.028	0.08	5.4	7.8	2.15	872	1.02
DD017162		0.65	39.4	3.32	5.81	0.05	0.05	0.02	0.030	0.04	6.6	8.5	0.82	547	1.54
DD017163		0.82	42.7	3.10	4.06	0.06	0.12	0.03	0.024	0.06	8.7	5.6	0.80	565	0.65
DD017164		3.29	55.0	2.76	5.04	0.07	0.10	0.02	0.016	0.09	5.0	8.6	2.03	485	0.91
DD017165		3.12	68.9	4.10	6.78	0.09	0.13	0.01	0.024	0.11	6.0	8.3	2.14	832	0.95
DD017166		1.99	61.9	4.80	7.67	0.08	0.15	0.01	0.026	0.08	6.1	9.9	2.94	921	1.28



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 5 - C
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 6- OCT- 2011
Account: MTT

Project: KING

CERTIFICATE OF ANALYSIS WH11170114

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
DD017127		0.46	18.5	390	4.8	11.6	<0.001	<0.01	0.69	7.9	<0.2	0.5	36.3	<0.01	0.03
DD017128		0.80	24.0	470	4.0	8.7	<0.001	0.01	0.32	4.5	<0.2	0.3	38.9	<0.01	0.02
DD017129		1.17	21.8	240	4.9	15.5	<0.001	<0.01	0.26	5.5	<0.2	0.5	25.5	<0.01	0.01
DD017130		0.51	19.0	310	5.5	10.1	<0.001	<0.01	0.36	7.2	0.3	0.4	30.2	<0.01	0.03
DD017131		0.27	88.8	620	1.1	3.0	<0.001	0.02	0.08	24.0	0.4	0.3	68.5	<0.01	0.02
DD017132		0.70	66.5	620	3.2	8.2	<0.001	0.03	0.22	14.6	0.4	0.4	46.0	<0.01	0.03
DD017133		0.55	36.5	800	2.8	11.9	<0.001	0.01	0.17	15.9	0.3	0.5	45.5	<0.01	0.02
DD017134		0.55	28.9	430	4.7	11.3	<0.001	<0.01	0.27	8.5	0.2	0.4	32.1	<0.01	0.02
DD017135		0.73	20.7	340	3.7	10.1	<0.001	<0.01	0.30	7.9	0.2	0.4	26.6	<0.01	0.01
DD017136		0.75	20.9	410	5.0	14.5	<0.001	<0.01	0.30	5.9	0.2	0.5	27.5	<0.01	0.02
DD017137		0.66	24.3	280	4.3	6.1	<0.001	<0.01	0.20	4.5	0.2	0.3	57.6	<0.01	0.02
DD017138		0.70	18.7	210	3.9	19.4	<0.001	<0.01	0.28	8.4	0.2	0.4	30.1	<0.01	0.02
DD017139		0.71	54.7	300	3.8	6.4	<0.001	<0.01	0.26	12.5	0.3	0.4	31.7	<0.01	0.03
DD017140		0.58	49.1	340	3.9	8.9	<0.001	<0.01	0.34	10.4	0.3	0.4	30.2	<0.01	0.02
DD017141		0.77	75.6	520	3.4	9.0	<0.001	0.01	0.27	13.0	0.4	0.4	39.2	<0.01	0.04
DD017142		0.82	57.8	510	3.8	10.9	<0.001	<0.01	0.40	9.6	0.3	0.4	38.8	<0.01	0.02
DD017143		0.65	18.3	190	6.2	22.8	<0.001	<0.01	0.33	7.5	<0.2	0.5	36.8	<0.01	0.02
DD017144		0.94	20.5	480	5.0	13.7	<0.001	<0.01	0.35	7.0	0.2	0.4	32.5	<0.01	0.02
DD017145		0.68	14.3	340	4.9	15.5	<0.001	<0.01	0.26	5.0	<0.2	0.4	29.7	<0.01	0.01
DD017146		1.23	24.3	460	4.4	18.8	<0.001	0.01	0.21	5.6	0.3	0.4	42.6	<0.01	0.01
DD017147		0.62	20.4	340	4.1	16.5	<0.001	<0.01	0.39	7.1	<0.2	0.4	30.4	<0.01	0.02
DD017148		0.67	47.1	830	4.2	17.2	<0.001	0.01	0.22	11.3	0.2	0.4	37.7	<0.01	0.02
DD017149		0.82	12.7	140	4.4	9.5	<0.001	<0.01	0.29	4.3	<0.2	0.4	30.7	<0.01	0.02
DD017150		1.08	17.0	140	4.4	12.8	<0.001	<0.01	0.37	3.7	0.2	0.4	24.1	<0.01	0.02
DD017151		0.98	20.4	230	4.0	7.8	<0.001	<0.01	0.31	3.1	<0.2	0.4	21.3	<0.01	0.01
DD017152		0.80	30.1	300	6.4	8.5	<0.001	<0.01	0.50	5.4	0.2	0.4	31.0	<0.01	0.03
DD017153		0.84	61.9	470	6.6	6.7	<0.001	0.01	0.70	8.4	0.4	0.3	53.9	<0.01	0.03
DD017154		0.25	213	760	2.9	5.4	<0.001	0.25	1.65	11.2	0.2	0.2	63.1	<0.01	0.02
DD017155		0.09	327	910	2.1	3.2	<0.001	0.37	4.70	18.3	0.3	<0.2	110.5	<0.01	0.02
DD017156		0.42	341	580	2.8	4.1	<0.001	0.02	0.18	9.9	0.3	0.2	38.1	<0.01	0.02
DD017157		0.31	302	590	1.8	3.3	<0.001	0.06	0.19	8.9	0.4	<0.2	45.6	<0.01	0.02
DD017158		0.53	111.5	490	1.6	9.0	<0.001	0.02	0.11	4.2	0.2	0.2	26.1	<0.01	0.02
DD017159		0.65	159.5	580	3.1	7.3	<0.001	0.01	0.18	5.2	0.3	0.2	31.2	<0.01	0.02
DD017160		0.28	329	440	2.8	3.4	<0.001	0.04	0.74	15.0	0.5	0.2	27.2	<0.01	0.03
DD017161		0.52	159.0	750	3.5	9.5	<0.001	0.01	0.46	11.6	0.3	0.3	31.6	<0.01	0.02
DD017162		0.67	62.7	360	4.7	4.2	<0.001	<0.01	0.34	7.2	0.2	0.4	36.1	<0.01	0.02
DD017163		0.67	56.7	490	5.5	6.9	<0.001	0.01	0.49	8.4	0.2	0.3	44.4	<0.01	0.02
DD017164		0.54	129.0	400	2.5	9.7	<0.001	0.02	0.16	5.0	0.3	0.2	30.7	<0.01	0.02
DD017165		0.50	177.5	400	3.7	16.3	<0.001	0.01	0.20	9.1	0.3	0.3	33.7	<0.01	0.02
DD017166		0.40	219	410	3.8	9.6	<0.001	0.01	0.20	9.5	0.3	0.3	27.5	<0.01	0.03



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
 C/ O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016- 510 W HASTINGS ST
 VANCOUVER BC V6B 1L8

Page: 5 - D
 Total # Pages: 6 (A - D)
 Plus Appendix Pages
 Finalized Date: 6- OCT- 2011
 Account: MTT

Project: KING

CERTIFICATE OF ANALYSIS WH11170114

Sample Description	Method Analyte Units LOR	ME- MS41 Ti %	ME- MS41 Ti ppm	ME- MS41 U ppm	ME- MS41 V ppm	ME- MS41 W ppm	ME- MS41 Y ppm	ME- MS41 Zn ppm	ME- MS41 Zr ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
DD017127		0.063	0.07	0.37	74	0.06	6.05	41	7.6
DD017128		0.058	0.05	0.57	55	0.09	6.11	29	1.7
DD017129		0.107	0.07	0.35	66	0.11	3.36	37	3.2
DD017130		0.078	0.06	0.42	65	0.09	7.26	35	9.0
DD017131		0.122	0.02	0.24	146	<0.05	9.52	91	9.7
DD017132		0.120	0.03	0.40	126	0.07	11.50	81	6.1
DD017133		0.142	0.04	0.42	154	0.06	12.20	85	10.0
DD017134		0.097	0.07	0.46	69	0.11	7.24	50	7.1
DD017135		0.094	0.06	0.40	65	0.11	5.18	44	6.0
DD017136		0.102	0.09	0.40	61	0.13	4.14	39	5.6
DD017137		0.118	0.06	0.48	70	0.12	3.16	27	4.3
DD017138		0.089	0.08	0.39	76	0.11	5.70	36	5.3
DD017139		0.110	0.05	0.49	96	0.08	8.47	46	7.1
DD017140		0.093	0.05	0.46	73	0.09	9.08	50	5.7
DD017141		0.125	0.04	0.39	99	0.08	9.24	73	5.1
DD017142		0.103	0.05	0.41	74	0.27	8.91	44	4.4
DD017143		0.066	0.11	0.29	59	0.07	5.85	34	6.5
DD017144		0.089	0.10	0.41	59	0.12	5.52	34	5.2
DD017145		0.080	0.08	0.31	53	0.08	4.90	35	5.0
DD017146		0.081	0.11	0.43	44	0.08	7.02	41	2.5
DD017147		0.091	0.09	0.38	61	0.10	5.55	39	6.1
DD017148		0.091	0.06	0.47	92	0.05	8.01	69	5.9
DD017149		0.070	0.07	0.37	55	0.08	3.08	30	4.4
DD017150		0.101	0.08	0.40	51	0.12	3.11	30	4.4
DD017151		0.076	0.06	0.29	50	0.13	2.60	32	2.9
DD017152		0.077	0.08	0.36	58	0.14	3.75	58	4.4
DD017153		0.065	0.10	0.57	67	0.14	13.80	45	5.9
DD017154		0.020	0.13	0.41	75	0.05	8.58	56	1.7
DD017155		0.010	0.87	0.36	80	<0.05	8.84	79	3.4
DD017156		0.060	0.04	0.36	80	0.05	7.08	62	2.5
DD017157		0.041	0.03	0.41	62	<0.05	5.96	59	2.4
DD017158		0.060	0.03	0.34	50	<0.05	3.18	64	2.4
DD017159		0.069	0.04	0.45	66	0.08	4.36	54	2.0
DD017160		0.058	0.07	0.32	128	0.05	10.90	82	5.2
DD017161		0.096	0.08	0.31	103	0.06	7.13	69	5.3
DD017162		0.076	0.07	0.46	81	0.09	4.29	41	1.9
DD017163		0.058	0.07	0.60	63	0.07	6.26	37	4.8
DD017164		0.060	0.04	0.32	64	0.06	5.34	39	3.2
DD017165		0.082	0.05	0.39	79	0.08	7.16	55	4.9
DD017166		0.100	0.06	0.32	97	0.08	6.88	65	6.0



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 6 - A
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 6- OCT- 2011
Account: MTT

Project: KING

CERTIFICATE OF ANALYSIS WH11170114

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg	Au- TL43 Au ppm	ME- MS41 Ag ppm	ME- MS41 Al %	ME- MS41 As ppm	ME- MS41 Au ppm	ME- MS41 B ppm	ME- MS41 Ba ppm	ME- MS41 Be ppm	ME- MS41 Bi ppm	ME- MS41 Ca %	ME- MS41 Cd ppm	ME- MS41 Ce ppm	ME- MS41 Co ppm	ME- MS41 Cr ppm
		0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
DD017167		0.32	<0.001	0.04	1.59	48.2	<0.2	<10	110	0.41	0.09	0.43	0.04	17.90	15.3	54
DD017168		0.16	0.002	0.15	2.07	38.3	<0.2	<10	190	0.45	0.08	0.68	0.17	14.10	31.0	154
DD017169		0.18	0.006	0.15	2.97	761	<0.2	<10	90	0.42	0.05	0.88	0.06	8.61	62.0	281
DD017170		0.24	0.002	0.08	2.94	91.8	<0.2	10	50	0.17	0.04	1.19	0.08	5.62	47.6	257
DD017171		0.30	0.002	0.05	3.25	12.5	<0.2	<10	60	0.15	0.04	0.83	0.04	6.17	50.0	255
DD017172		0.18	0.002	0.06	4.13	7.8	<0.2	<10	80	0.21	0.05	1.17	0.08	7.66	56.4	275
DD017173		0.16	0.012	0.15	1.64	20.0	<0.2	<10	160	0.46	0.09	0.66	0.12	15.50	14.2	53
DD017174		0.30	0.001	0.08	1.76	16.4	<0.2	<10	160	0.38	0.10	0.49	0.10	13.70	13.1	47
DD017175		0.14	0.001	0.10	1.97	10.8	<0.2	<10	190	0.48	0.10	0.51	0.08	15.40	16.6	56
DD017176		0.22	0.002	0.09	2.75	20.2	<0.2	<10	170	0.44	0.09	0.78	0.07	15.95	29.1	131
DD017177		0.20	0.001	0.07	2.33	10.1	<0.2	<10	150	0.32	0.05	0.83	0.09	10.30	23.7	92
DD017178		0.18	0.002	0.05	2.20	23.1	<0.2	<10	130	0.33	0.06	0.74	0.06	11.65	25.4	102
DD017179		0.24	0.002	0.05	1.60	12.2	<0.2	<10	160	0.46	0.09	0.69	0.08	17.90	13.5	42
DD017180		0.22	0.002	0.04	0.81	9.8	<0.2	<10	70	0.20	0.05	1.14	0.06	11.00	7.8	24
DD017181		0.20	0.004	0.10	1.51	29.6	<0.2	10	150	0.43	0.09	1.09	0.15	18.20	17.4	44
DD017182		0.20	0.001	0.05	1.97	7.9	<0.2	<10	120	0.37	0.08	0.52	0.05	13.40	20.0	71
DD017183		0.22	0.002	0.10	3.50	4.8	<0.2	<10	150	0.24	0.06	1.33	0.08	10.85	51.4	146
DD017184		0.22	0.003	0.07	2.79	7.5	<0.2	<10	130	0.26	0.06	0.82	0.13	10.60	33.3	131
DD017185		0.20	0.003	0.09	1.85	14.1	<0.2	<10	230	0.53	0.11	0.51	0.09	15.50	16.2	53
DD017186		0.22	<0.001	0.10	1.78	17.6	<0.2	<10	140	0.34	0.09	0.43	0.07	15.35	13.3	56
DD017187		0.12	0.001	0.09	1.14	10.1	<0.2	<10	120	0.29	0.08	0.45	0.07	12.55	8.5	26
DD017188		0.16	0.001	0.09	1.95	18.7	<0.2	<10	200	0.42	0.10	0.62	0.17	12.70	19.6	81
DD017189		0.26	0.003	0.09	2.49	150.0	<0.2	<10	50	0.33	0.05	2.37	0.08	7.44	48.1	262
DD017190		0.48	0.002	0.05	3.73	321	<0.2	<10	40	0.20	0.04	1.06	0.06	5.17	66.2	413
DD017191		0.36	0.004	0.08	3.99	185.0	<0.2	<10	20	0.28	0.04	1.17	0.07	2.29	121.5	525
DD017192		0.26	0.002	0.06	3.35	195.0	<0.2	<10	100	0.27	0.06	0.79	0.07	8.88	56.1	344
DD017193		0.16	0.001	0.11	2.65	125.0	<0.2	<10	130	0.47	0.07	0.70	0.06	14.15	36.1	198
DD017194		0.18	0.001	0.11	2.33	129.0	<0.2	<10	160	0.38	0.10	0.59	0.11	14.85	34.5	167
DD017195		0.28	0.002	0.10	1.63	38.2	<0.2	<10	180	0.46	0.11	0.74	0.07	18.15	14.6	49
DD017196		0.18	0.001	0.08	2.95	99.2	<0.2	<10	140	0.36	0.07	0.86	0.07	10.95	40.2	278
DD017197		0.18	0.001	0.06	2.70	120.0	<0.2	<10	120	0.31	0.06	0.90	0.14	9.92	40.9	270
DD017198		0.20	0.001	0.10	1.44	25.0	<0.2	<10	110	0.25	0.07	0.63	0.08	10.95	18.1	86



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 6 - B
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 6- OCT- 2011
Account: MTT

Project: KING

CERTIFICATE OF ANALYSIS WH11170114

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
DD017167		0.72	31.4	2.66	5.15	0.05	0.11	0.02	0.025	0.12	6.9	10.2	0.62	351	0.83
DD017168		1.55	63.3	4.13	5.97	<0.05	0.11	0.01	0.028	0.15	7.0	6.6	1.28	1120	0.70
DD017169		2.86	163.0	7.28	8.60	0.08	0.15	0.02	0.033	0.05	4.8	8.0	2.60	1230	1.60
DD017170		2.38	123.0	4.45	7.06	0.12	0.12	0.01	0.017	0.08	3.1	11.0	4.53	732	1.20
DD017171		3.14	114.0	4.37	7.88	0.11	0.14	0.02	0.015	0.05	3.2	12.7	5.21	687	0.17
DD017172		2.78	112.5	5.49	10.20	0.09	0.07	0.02	0.021	0.03	3.8	16.3	5.80	953	1.16
DD017173		0.88	34.0	3.09	5.43	0.05	0.11	0.02	0.025	0.10	7.9	9.1	0.65	454	0.64
DD017174		0.74	38.2	2.91	5.63	<0.05	0.12	<0.01	0.026	0.08	6.3	8.9	0.58	441	0.66
DD017175		0.91	35.3	3.12	6.18	<0.05	0.10	0.02	0.024	0.10	6.2	8.9	0.67	756	0.98
DD017176		1.85	103.5	4.41	8.14	0.08	0.16	0.01	0.034	0.12	8.1	8.7	1.47	1010	0.56
DD017177		2.03	86.4	3.24	6.64	0.09	0.15	0.01	0.017	0.10	5.6	6.6	2.06	549	0.35
DD017178		1.43	55.9	3.68	6.41	0.06	0.12	0.01	0.022	0.10	5.3	7.2	1.40	491	0.53
DD017179		0.96	43.0	2.63	4.78	0.07	0.11	0.02	0.019	0.20	9.6	7.0	0.95	504	0.43
DD017180		0.63	32.4	1.61	2.80	<0.05	0.05	0.04	0.014	0.04	5.9	4.6	0.64	424	0.25
DD017181		1.45	69.6	2.91	4.84	0.08	0.11	0.04	0.021	0.10	10.1	6.8	1.23	569	0.59
DD017182		1.06	40.8	3.26	5.56	<0.05	0.15	0.02	0.024	0.08	6.9	8.5	1.28	509	0.66
DD017183		3.37	158.0	5.27	9.77	0.10	0.12	0.01	0.024	0.14	5.0	11.6	4.02	1020	0.79
DD017184		2.87	107.5	3.74	8.01	0.07	0.12	0.02	0.022	0.10	5.6	8.5	3.25	700	0.57
DD017185		0.91	37.4	3.12	5.85	<0.05	0.10	0.03	0.025	0.14	7.1	9.0	0.68	988	0.99
DD017186		0.76	26.6	2.87	5.26	0.05	0.13	0.01	0.018	0.15	6.4	9.3	0.65	478	0.94
DD017187		0.53	37.9	2.06	4.04	<0.05	0.08	0.03	0.018	0.10	6.7	8.1	0.40	341	0.61
DD017188		0.50	32.5	3.30	6.24	<0.05	0.11	0.01	0.024	0.06	5.8	7.8	0.91	646	0.68
DD017189		1.47	154.5	5.11	6.76	0.10	0.10	0.01	0.027	0.04	3.9	8.7	3.90	996	0.53
DD017190		1.31	174.0	6.20	9.12	0.13	0.12	0.01	0.020	0.02	2.5	10.4	5.33	977	0.63
DD017191		0.99	230	8.07	9.87	0.10	0.10	0.01	0.021	0.01	0.9	10.9	6.77	1700	0.81
DD017192		2.70	120.0	5.43	9.10	0.11	0.13	0.01	0.020	0.09	4.6	10.1	3.77	1020	0.91
DD017193		1.97	66.1	4.96	7.67	0.06	0.11	0.01	0.026	0.09	6.8	8.7	1.92	824	0.79
DD017194		0.78	46.2	4.09	6.82	0.05	0.08	<0.01	0.026	0.07	7.0	7.4	1.35	905	0.84
DD017195		0.80	44.1	2.86	5.66	0.05	0.06	0.02	0.024	0.09	9.0	10.6	0.61	747	1.10
DD017196		2.28	84.9	4.89	7.78	0.07	0.11	0.03	0.026	0.10	6.2	9.0	2.48	859	0.59
DD017197		3.34	97.3	4.44	7.50	0.10	0.17	<0.01	0.025	0.13	5.2	7.7	2.43	1030	0.40
DD017198		1.18	40.5	2.41	4.35	0.05	0.09	<0.01	0.018	0.16	5.4	5.9	0.90	509	0.34



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 6 - C
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 6- OCT- 2011
Account: MTT

Project: KING

CERTIFICATE OF ANALYSIS WH11170114

Sample Description	Method Analyte Units LOR	ME- MS41 Nb ppm 0.05	ME- MS41 Ni ppm 0.2	ME- MS41 P ppm 10	ME- MS41 Pb ppm 0.2	ME- MS41 Rb ppm 0.1	ME- MS41 Re ppm 0.001	ME- MS41 S % 0.01	ME- MS41 Sb ppm 0.05	ME- MS41 Sc ppm 0.1	ME- MS41 Se ppm 0.2	ME- MS41 Sn ppm 0.2	ME- MS41 Sr ppm 0.2	ME- MS41 Ta ppm 0.01	ME- MS41 Te ppm 0.01	ME- MS41 Th ppm 0.2
DD017167		0.84	41.3	370	6.7	11.7	0.001	0.02	0.49	6.2	0.4	0.4	35.9	<0.01	0.03	3.0
DD017168		0.35	111.5	400	5.3	12.9	<0.001	0.02	0.57	11.2	0.2	0.4	37.3	<0.01	0.02	1.8
DD017169		0.15	288	590	3.0	4.9	<0.001	0.04	0.64	18.7	0.5	0.4	37.5	<0.01	0.02	0.9
DD017170		0.24	329	680	1.5	6.1	0.002	0.05	0.21	6.3	0.2	0.2	45.4	<0.01	0.02	0.4
DD017171		0.17	330	510	1.4	4.6	<0.001	0.03	0.13	5.3	0.4	0.2	39.2	<0.01	0.02	0.6
DD017172		0.30	397	820	2.1	4.0	0.002	0.03	0.16	5.7	0.4	0.3	53.3	<0.01	0.03	0.5
DD017173		0.73	47.5	540	6.4	8.7	<0.001	0.02	0.57	6.9	<0.2	0.4	46.3	<0.01	0.04	2.1
DD017174		0.73	34.3	240	6.0	7.4	0.001	0.02	0.53	5.9	0.3	0.5	33.9	<0.01	0.01	1.9
DD017175		0.62	47.7	360	6.9	8.9	0.001	0.01	0.48	6.3	<0.2	0.5	37.9	<0.01	0.03	2.1
DD017176		0.47	116.5	520	5.1	10.1	0.001	0.02	0.54	12.4	0.3	0.5	36.1	<0.01	0.04	2.4
DD017177		0.54	121.0	850	2.5	8.8	0.001	0.07	0.33	5.5	0.2	0.3	40.6	<0.01	0.01	0.9
DD017178		0.32	109.0	880	2.9	10.0	<0.001	0.02	0.66	8.8	0.3	0.4	36.4	<0.01	0.04	1.4
DD017179		0.58	52.8	470	5.0	12.5	0.001	0.03	0.38	5.6	0.5	0.4	54.8	<0.01	0.02	2.0
DD017180		0.53	27.2	690	2.9	5.3	0.002	0.10	0.27	3.0	<0.2	0.3	67.1	<0.01	0.03	0.9
DD017181		0.52	69.7	830	4.8	8.1	<0.001	0.05	0.79	6.2	0.2	0.4	74.7	<0.01	0.04	1.2
DD017182		0.34	99.0	460	4.1	8.8	0.001	0.02	0.34	7.0	<0.2	0.4	31.3	<0.01	0.03	2.2
DD017183		0.23	272	1030	5.2	14.1	0.001	0.02	0.19	9.0	<0.2	0.3	53.9	<0.01	0.02	1.2
DD017184		0.55	184.0	740	3.1	9.0	0.001	0.06	0.26	5.7	<0.2	0.3	43.0	<0.01	0.03	1.0
DD017185		0.59	48.6	400	7.1	10.1	<0.001	0.01	0.62	6.9	0.5	0.5	35.0	<0.01	0.04	2.2
DD017186		0.73	40.3	420	5.8	11.5	0.001	0.02	0.44	5.5	<0.2	0.5	30.9	<0.01	0.05	2.3
DD017187		0.72	20.9	300	5.4	7.1	<0.001	0.02	0.51	4.0	0.4	0.4	35.8	<0.01	0.01	1.4
DD017188		0.60	72.6	530	5.4	6.0	0.001	0.02	0.47	5.8	<0.2	0.4	41.3	<0.01	0.04	1.9
DD017189		0.25	307	710	2.3	3.4	<0.001	0.05	0.56	11.9	0.4	0.2	59.0	<0.01	0.03	0.5
DD017190		0.23	478	650	1.3	2.6	<0.001	0.05	0.29	10.4	<0.2	0.2	32.2	<0.01	0.04	0.4
DD017191		<0.05	700	290	1.2	0.8	<0.001	0.02	0.18	17.3	<0.2	0.2	33.7	<0.01	0.04	0.2
DD017192		0.20	340	370	3.0	8.7	<0.001	0.03	0.37	10.1	0.5	0.3	29.4	<0.01	0.01	1.1
DD017193		0.34	168.0	480	4.4	9.2	<0.001	0.02	0.35	10.6	0.2	0.4	33.9	<0.01	0.06	1.8
DD017194		0.58	119.5	240	5.1	7.2	0.001	0.02	0.41	8.3	<0.2	0.5	30.9	<0.01	0.02	2.3
DD017195		0.84	45.2	560	7.5	7.8	0.003	0.02	0.62	6.8	0.3	0.4	52.4	<0.01	0.03	2.0
DD017196		0.46	212	370	3.9	11.5	0.001	0.03	0.28	11.2	0.3	0.3	36.2	<0.01	0.04	1.4
DD017197		0.41	240	600	2.9	11.5	<0.001	0.05	0.22	9.8	<0.2	0.3	39.5	<0.01	0.04	1.0
DD017198		0.61	84.5	390	3.2	9.6	<0.001	0.03	0.23	5.0	0.5	0.3	34.5	<0.01	0.02	1.1



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 6 - D
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 6- OCT- 2011
Account: MTT

Project: KING

CERTIFICATE OF ANALYSIS WH11170114

Sample Description	Method Analyte Units LOR	ME- MS41 Ti %	ME- MS41 Ti ppm	ME- MS41 U ppm	ME- MS41 V ppm	ME- MS41 W ppm	ME- MS41 Y ppm	ME- MS41 Zn ppm	ME- MS41 Zr ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
DD017167		0.085	0.09	0.44	58	0.13	3.77	41	4.3
DD017168		0.066	0.07	0.27	77	0.08	6.27	79	3.8
DD017169		0.083	0.21	0.31	123	0.05	10.60	81	5.9
DD017170		0.067	0.04	0.24	78	<0.05	5.62	63	3.9
DD017171		0.076	0.03	0.18	81	0.05	5.38	61	4.5
DD017172		0.072	0.03	0.28	104	0.06	6.06	78	2.2
DD017173		0.064	0.09	0.37	70	0.11	7.03	56	4.0
DD017174		0.074	0.08	0.28	72	0.12	3.89	43	4.4
DD017175		0.072	0.10	0.32	69	0.12	4.04	60	3.9
DD017176		0.114	0.06	0.48	109	0.09	9.49	72	6.3
DD017177		0.086	0.05	0.36	68	0.06	5.75	61	5.3
DD017178		0.083	0.07	0.26	80	0.06	5.47	57	5.2
DD017179		0.057	0.08	0.33	64	0.10	8.63	49	3.7
DD017180		0.045	0.05	0.53	38	0.08	5.09	38	1.7
DD017181		0.040	0.13	0.39	66	0.09	10.95	56	3.7
DD017182		0.077	0.04	0.32	70	0.08	5.15	49	6.0
DD017183		0.112	0.04	0.25	102	0.07	7.63	101	5.9
DD017184		0.085	0.04	0.36	81	0.07	6.09	85	3.8
DD017185		0.078	0.09	0.32	67	0.13	5.29	61	4.4
DD017186		0.087	0.10	0.29	68	0.15	3.71	50	4.1
DD017187		0.060	0.08	0.24	47	0.12	5.38	38	2.9
DD017188		0.064	0.09	0.28	74	0.13	3.65	79	3.8
DD017189		0.034	0.03	0.24	97	<0.05	9.05	69	3.0
DD017190		0.082	0.09	0.25	106	<0.05	7.71	77	4.8
DD017191		0.029	0.04	0.13	134	<0.05	3.82	85	4.5
DD017192		0.077	0.08	0.30	98	0.07	7.75	74	5.1
DD017193		0.073	0.08	0.32	98	0.07	6.87	70	4.3
DD017194		0.080	0.09	0.25	84	0.13	4.73	63	3.7
DD017195		0.065	0.09	0.54	67	0.16	7.81	51	2.5
DD017196		0.086	0.05	0.32	97	0.06	8.51	69	4.3
DD017197		0.078	0.06	0.32	88	0.05	7.22	75	5.8
DD017198		0.061	0.05	0.19	49	0.07	4.94	44	3.2



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: KING

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 6- OCT- 2011
Account: MTT

CERTIFICATE OF ANALYSIS WH11170114

Method	CERTIFICATE COMMENTS
ME- MS41	Gold determinations by this method are semi- quantitative due to the small sample weight used (0.5g).



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**

C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

**1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8**

Page: 1
Finalized Date: 5- OCT- 2011
Account: MTT

CERTIFICATE WH11170115

Project: KING

P.O. No.:

This report is for 95 Soil samples submitted to our lab in Whitehorse, YT, Canada on 24- AUG- 2011.

The following have access to data associated with this certificate:

MATT DUMALA
JOAN MARIACHER

DOUG EATON
BRUCE YOUNGMAN

SARAH EATON

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
SCR- 41	Screen to - 180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- TL43	Trace Level Au - 25g AR	ICP- MS
ME- MS41	51 anal. aqua regia ICPMS	

To: **STRATEGIC METALS LTD.**
ATTN: JOAN MARIACHER
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - A
Total # Pages: 4 (A - D)
Plus Appendix Pages
Finalized Date: 5- OCT- 2011
Account: MTT

Project: KING

CERTIFICATE OF ANALYSIS WH11170115

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg	Au- TL43 Au ppm	ME- MS41 Ag ppm	ME- MS41 Al %	ME- MS41 As ppm	ME- MS41 Au ppm	ME- MS41 B ppm	ME- MS41 Ba ppm	ME- MS41 Be ppm	ME- MS41 Bi ppm	ME- MS41 Ca %	ME- MS41 Cd ppm	ME- MS41 Ce ppm	ME- MS41 Co ppm	ME- MS41 Cr ppm
		0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
DD017200		0.28	<0.001	0.05	1.55	34.9	<0.2	<10	100	0.28	0.10	0.38	0.09	10.80	10.0	44
DD017201		0.26	<0.001	0.04	1.75	12.3	<0.2	<10	140	0.47	0.11	0.37	0.06	14.65	9.6	35
DD017202		0.22	0.001	0.06	1.14	9.1	<0.2	<10	120	0.37	0.08	0.62	0.03	18.85	6.4	24
DD017203		0.22	0.001	0.05	1.35	9.5	<0.2	<10	160	0.42	0.12	0.62	0.05	20.8	9.6	29
DD017204		0.26	<0.001	0.03	1.26	7.3	<0.2	<10	110	0.32	0.08	0.38	0.04	13.20	8.3	29
DD017205		0.20	0.003	0.07	1.69	11.5	<0.2	<10	120	0.36	0.06	0.73	0.03	13.35	18.3	59
DD017206		0.20	<0.001	0.03	1.56	10.9	<0.2	<10	130	0.39	0.10	0.53	0.07	14.60	10.5	33
DD017207		0.22	0.001	0.02	1.63	18.9	<0.2	<10	110	0.47	0.10	0.48	0.04	22.9	10.8	35
DD017208		0.22	<0.001	0.03	1.60	16.5	<0.2	<10	120	0.40	0.10	0.43	0.04	18.25	10.4	33
DD017209		0.22	<0.001	0.08	1.32	9.0	<0.2	<10	120	0.29	0.10	0.43	0.08	11.45	9.2	28
DD017210		0.18	0.004	0.03	1.61	12.0	<0.2	<10	100	0.35	0.10	0.49	0.11	13.55	9.4	28
DD017211		0.20	0.007	0.03	1.11	12.0	<0.2	<10	90	0.32	0.07	0.67	0.02	17.95	7.2	23
DD017212		0.20	0.001	0.03	1.39	10.3	<0.2	<10	100	0.35	0.09	0.28	0.03	15.20	9.0	23
DD017213		0.26	0.001	0.01	1.47	36.5	<0.2	<10	110	0.39	0.10	0.53	0.03	22.2	11.0	32
DD017214		0.22	0.001	0.10	1.95	42.3	<0.2	<10	110	0.48	0.10	0.64	0.04	19.95	19.5	55
DD017215		0.22	0.002	0.08	2.84	31.5	<0.2	<10	70	0.40	0.07	0.99	0.07	11.65	31.2	95
DD017216		0.26	0.006	0.15	3.04	47.4	<0.2	<10	120	0.39	0.06	1.57	0.23	10.35	39.9	101
DD017217		0.26	0.003	0.11	2.42	20.7	<0.2	<10	80	0.35	0.07	1.44	0.13	12.95	27.1	99
DD017218		0.22	0.002	0.11	2.62	34.2	<0.2	<10	120	0.43	0.06	1.57	0.23	11.95	29.9	97
DD017219		0.24	0.003	0.09	1.73	17.2	<0.2	<10	140	0.52	0.10	0.52	0.05	21.0	10.7	34
DD017220		0.26	0.002	0.09	2.73	73.5	<0.2	10	80	0.32	0.05	1.79	0.16	8.75	38.8	130
DD017221		0.28	0.003	0.07	2.57	72.7	<0.2	<10	80	0.39	0.06	1.42	0.16	9.35	30.3	83
DD017222		0.20	0.001	0.09	1.85	62.6	<0.2	<10	80	0.40	0.08	0.84	0.14	16.10	19.1	44
DD017223		0.18	0.009	0.03	1.45	59.4	<0.2	<10	80	0.41	0.08	0.50	0.02	22.8	12.0	31
DD017224		0.22	0.001	0.15	1.98	79.2	<0.2	<10	140	0.53	0.08	0.79	0.08	16.80	23.8	60
DD017225		0.22	0.002	0.09	2.12	40.9	<0.2	<10	110	0.49	0.09	0.61	0.05	18.60	18.2	59
DD017226		0.26	0.003	0.03	1.37	15.3	<0.2	<10	120	0.47	0.10	0.47	0.03	24.4	11.0	26
DD017227		0.22	0.001	0.08	1.37	8.8	<0.2	<10	170	0.27	0.09	0.46	0.06	12.40	6.5	21
DD017228		0.26	0.001	0.08	1.66	8.5	<0.2	<10	230	0.46	0.09	0.90	0.08	19.70	10.9	24
DD017229		0.24	0.001	0.09	1.77	25.0	<0.2	<10	220	0.40	0.10	0.51	0.11	15.90	15.0	44
DD017230		0.24	0.002	0.04	1.83	32.9	<0.2	<10	120	0.40	0.09	0.59	0.05	22.1	17.3	66
DD017231		0.22	0.001	0.05	2.04	20.1	<0.2	<10	70	0.35	0.06	0.77	0.05	15.10	27.8	100
DD017232		0.18	0.001	0.13	2.43	53.9	<0.2	<10	100	0.30	0.06	0.93	0.05	11.65	35.9	132
DD017233		0.24	0.001	0.10	1.97	9.3	<0.2	<10	170	0.36	0.10	0.77	0.07	16.05	20.1	61
DD017234		0.18	0.002	0.03	1.38	18.0	<0.2	<10	120	0.33	0.08	0.54	0.06	18.75	13.0	40
DD017235		0.20	0.001	0.05	1.39	11.5	<0.2	<10	110	0.32	0.09	0.41	0.07	15.90	9.9	33
DD017236		0.22	0.002	0.05	1.62	12.6	<0.2	<10	150	0.38	0.11	0.57	0.04	17.95	11.4	36
DD017237		0.20	0.001	0.05	1.26	11.4	<0.2	<10	120	0.33	0.10	0.29	0.12	14.40	10.0	31
DD017238		0.22	0.001	0.06	1.34	6.1	<0.2	<10	80	0.31	0.08	0.33	0.05	13.20	7.5	26
DD017239		0.22	0.004	0.20	2.69	10.7	<0.2	10	70	0.25	0.05	5.27	0.18	9.30	30.8	212



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - B
Total # Pages: 4 (A - D)
Plus Appendix Pages
Finalized Date: 5- OCT- 2011
Account: MTT

Project: KING

CERTIFICATE OF ANALYSIS WH11170115

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
DD017200		0.55	20.1	2.82	5.65	0.09	<0.02	0.01	0.020	0.06	5.6	11.4	0.69	219	0.94
DD017201		0.66	21.9	2.81	5.61	0.08	0.08	<0.01	0.025	0.10	6.8	8.8	0.47	243	0.80
DD017202		0.47	36.7	2.14	3.77	0.11	0.07	0.01	0.018	0.10	10.0	8.8	0.45	205	0.35
DD017203		0.65	25.1	2.50	4.69	0.11	0.11	0.04	0.023	0.12	10.3	9.5	0.54	442	0.37
DD017204		0.48	17.8	2.22	4.20	0.08	0.13	0.01	0.016	0.08	6.3	8.0	0.48	263	0.45
DD017205		0.66	66.3	3.39	5.16	0.15	0.21	0.03	0.024	0.04	8.7	8.8	1.24	370	0.35
DD017206		0.57	24.6	2.70	5.19	0.10	0.12	<0.01	0.022	0.10	6.2	8.8	0.54	296	0.53
DD017207		0.77	22.1	2.75	4.89	0.10	0.15	0.01	0.026	0.19	7.6	10.1	0.59	259	0.54
DD017208		0.72	26.6	2.65	5.28	0.10	0.16	0.01	0.024	0.14	7.5	9.3	0.48	288	0.58
DD017209		0.55	18.6	2.43	4.62	0.07	0.10	0.01	0.015	0.12	5.6	6.4	0.41	338	0.58
DD017210		0.62	30.9	2.69	5.33	0.08	0.11	0.03	0.020	0.09	6.6	8.0	0.46	245	0.69
DD017211		0.70	45.9	2.21	3.92	0.12	0.07	0.03	0.017	0.10	9.7	8.1	0.54	247	0.26
DD017212		0.48	25.7	2.47	4.63	0.08	0.16	0.01	0.021	0.08	6.1	5.9	0.39	253	0.71
DD017213		0.64	26.3	2.55	4.80	0.11	0.20	0.01	0.022	0.09	9.3	9.7	0.53	319	0.40
DD017214		1.22	50.3	3.80	6.23	0.11	0.23	0.01	0.029	0.07	8.7	8.5	0.68	593	0.58
DD017215		2.61	107.0	5.23	8.93	0.14	0.32	<0.01	0.037	0.06	6.1	9.4	1.39	858	0.46
DD017216		2.46	128.0	6.17	10.00	0.15	0.28	0.01	0.040	0.07	4.9	9.8	1.99	1080	0.34
DD017217		1.92	107.5	4.45	7.56	0.18	0.18	0.02	0.030	0.08	6.9	11.3	2.07	676	0.41
DD017218		2.35	136.0	5.07	8.45	0.14	0.17	0.01	0.036	0.12	5.9	9.1	1.18	1060	0.51
DD017219		0.85	33.3	3.24	5.62	0.13	0.16	0.02	0.026	0.13	11.2	7.5	0.50	366	0.56
DD017220		3.72	145.5	5.57	8.86	0.17	0.21	0.01	0.031	0.09	4.6	9.8	2.33	906	0.43
DD017221		4.05	148.0	5.42	9.08	0.16	0.18	<0.01	0.034	0.08	4.9	8.1	1.89	902	0.41
DD017222		1.22	61.0	3.80	5.93	0.11	0.17	0.01	0.031	0.05	7.7	7.9	0.69	740	0.36
DD017223		0.94	58.7	2.66	4.76	0.12	0.21	0.02	0.028	0.04	9.6	6.8	0.42	345	0.38
DD017224		1.89	63.4	4.28	6.19	0.10	0.16	0.02	0.034	0.11	7.7	4.8	0.50	1360	0.61
DD017225		1.98	59.3	3.67	7.22	0.11	0.25	0.02	0.034	0.08	8.9	8.0	0.59	647	0.43
DD017226		0.70	48.0	3.04	4.72	0.10	0.09	0.03	0.023	0.07	11.1	5.3	0.36	390	0.58
DD017227		0.54	24.9	2.33	5.22	0.08	0.08	<0.01	0.018	0.06	6.7	6.7	0.34	198	0.66
DD017228		1.01	32.9	2.76	5.79	0.12	0.06	0.01	0.022	0.09	8.2	8.4	0.66	489	0.44
DD017229		0.86	32.6	3.02	5.86	0.09	0.20	0.01	0.025	0.13	7.4	7.3	0.53	749	0.67
DD017230		1.02	34.4	3.45	5.47	0.15	0.21	0.02	0.028	0.14	8.8	9.3	0.89	451	0.59
DD017231		1.62	66.2	4.01	5.96	0.15	0.25	0.05	0.025	0.11	8.1	9.1	1.53	441	0.33
DD017232		3.24	78.1	4.47	6.83	0.07	0.18	0.02	0.031	0.11	4.7	7.1	1.42	931	0.54
DD017233		1.22	23.3	3.10	5.90	0.06	0.15	0.01	0.027	0.17	6.8	9.2	1.06	862	0.43
DD017234		0.69	25.6	2.47	4.80	0.05	0.10	0.02	0.024	0.07	9.3	7.8	0.56	377	0.43
DD017235		0.60	19.8	2.47	4.45	0.05	0.12	0.01	0.020	0.17	6.3	8.1	0.43	377	0.71
DD017236		0.71	23.0	2.46	5.54	0.05	0.10	0.02	0.025	0.12	7.5	12.2	0.56	244	0.46
DD017237		0.58	15.6	2.30	4.83	<0.05	0.08	0.02	0.022	0.10	6.6	8.9	0.39	227	0.65
DD017238		0.58	14.1	2.27	4.67	<0.05	0.12	0.02	0.019	0.05	6.2	6.3	0.36	143	0.69
DD017239		0.95	179.5	4.04	7.58	0.08	0.08	0.02	0.021	0.10	4.6	10.4	3.40	932	0.29



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - C
Total # Pages: 4 (A - D)
Plus Appendix Pages
Finalized Date: 5- OCT- 2011
Account: MTT

Project: KING

CERTIFICATE OF ANALYSIS WH11170115

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
DD017200		0.87	35.2	260	7.0	7.1	<0.001	0.02	0.33	3.3	0.7	0.5	29.4	<0.01	<0.01
DD017201		0.92	24.7	310	6.3	10.2	<0.001	0.01	0.35	4.3	<0.2	0.4	30.4	<0.01	<0.01
DD017202		1.03	18.6	440	7.3	7.4	0.001	0.01	0.17	5.0	0.6	0.3	37.8	<0.01	<0.01
DD017203		1.23	20.7	290	5.7	13.4	<0.001	0.01	0.24	5.9	0.5	0.5	40.4	<0.01	0.01
DD017204		0.79	18.0	290	4.2	10.6	<0.001	0.01	0.20	3.9	0.3	0.4	28.0	<0.01	<0.01
DD017205		0.34	74.7	340	3.7	3.5	<0.001	0.01	0.23	9.1	0.7	0.3	51.9	<0.01	<0.01
DD017206		0.98	23.3	350	5.0	9.9	<0.001	0.01	0.23	5.6	0.3	0.4	40.6	<0.01	<0.01
DD017207		0.86	21.2	360	5.3	17.5	<0.001	0.01	0.26	6.4	<0.2	0.4	34.1	<0.01	0.01
DD017208		0.75	19.1	260	5.4	12.8	<0.001	0.01	0.27	6.1	0.4	0.5	31.3	<0.01	<0.01
DD017209		0.86	16.0	310	4.8	8.4	<0.001	0.01	0.27	4.1	0.6	0.4	28.6	<0.01	0.01
DD017210		1.07	18.7	210	5.0	9.2	<0.001	0.01	0.33	4.6	0.5	0.4	33.2	<0.01	0.01
DD017211		1.03	16.6	610	4.0	9.3	<0.001	0.02	0.21	4.8	0.5	0.4	43.4	<0.01	0.02
DD017212		0.61	14.4	110	4.9	9.2	<0.001	0.01	0.27	5.2	0.5	0.4	29.9	<0.01	0.01
DD017213		0.81	21.2	400	5.0	8.4	<0.001	0.01	0.29	6.4	0.8	0.4	32.3	<0.01	0.01
DD017214		0.64	43.4	400	4.5	8.8	<0.001	0.01	0.65	11.2	0.4	0.5	31.5	<0.01	0.02
DD017215		0.30	79.5	550	3.0	7.9	<0.001	0.01	0.30	21.5	0.7	0.5	33.1	<0.01	0.01
DD017216		0.41	100.5	570	2.8	6.9	<0.001	0.01	0.24	22.2	0.6	0.4	42.7	<0.01	<0.01
DD017217		0.61	124.0	620	3.2	5.5	<0.001	0.03	0.32	14.6	1.0	0.4	48.5	<0.01	0.03
DD017218		0.69	69.8	730	3.2	9.2	<0.001	0.05	0.64	17.1	0.7	0.4	54.8	<0.01	0.04
DD017219		0.55	22.8	390	5.9	9.9	<0.001	0.01	0.28	8.2	0.6	0.5	44.6	<0.01	0.03
DD017220		0.39	173.5	570	2.2	6.8	<0.001	0.04	1.31	17.3	0.8	0.3	51.4	<0.01	<0.01
DD017221		0.50	90.4	580	2.5	7.7	0.001	0.04	2.01	17.5	1.0	0.4	50.3	<0.01	<0.01
DD017222		0.65	38.3	430	3.7	4.8	<0.001	0.02	0.98	10.9	0.4	0.4	46.4	<0.01	0.01
DD017223		0.56	24.5	310	3.9	4.5	<0.001	0.01	1.89	8.4	0.6	0.4	36.7	<0.01	<0.01
DD017224		0.32	43.4	530	4.2	13.6	<0.001	0.01	1.16	14.1	0.8	0.4	48.8	<0.01	<0.01
DD017225		0.65	36.1	360	4.4	8.9	<0.001	0.01	0.58	12.4	0.9	0.5	40.6	<0.01	0.01
DD017226		0.51	20.7	450	5.8	8.1	0.001	0.01	0.34	8.5	0.9	0.4	51.0	<0.01	0.01
DD017227		0.87	11.1	180	5.5	8.5	<0.001	0.01	0.22	4.2	0.4	0.5	40.1	<0.01	0.02
DD017228		1.19	15.6	390	5.1	15.7	<0.001	0.02	0.22	5.3	0.5	0.5	82.5	<0.01	<0.01
DD017229		0.45	29.6	420	4.5	13.5	0.001	0.01	0.21	7.7	0.5	0.5	35.2	<0.01	<0.01
DD017230		0.54	50.5	520	4.3	12.0	<0.001	0.01	0.27	9.3	0.8	0.4	42.0	<0.01	<0.01
DD017231		0.31	132.0	390	3.3	10.1	<0.001	0.01	0.15	10.8	0.4	0.4	44.3	<0.01	<0.01
DD017232		0.38	114.5	440	3.0	10.9	<0.001	0.01	0.17	12.2	<0.2	0.3	31.4	<0.01	<0.01
DD017233		0.74	50.0	660	4.9	30.3	<0.001	<0.01	0.27	6.1	<0.2	0.4	41.5	<0.01	0.02
DD017234		0.79	36.1	750	4.1	8.2	<0.001	<0.01	0.28	6.1	<0.2	0.4	40.4	<0.01	0.01
DD017235		1.06	19.3	210	4.8	13.9	<0.001	<0.01	0.25	4.3	<0.2	0.4	25.1	<0.01	<0.01
DD017236		1.50	22.6	200	5.6	13.3	<0.001	<0.01	0.32	5.2	0.2	0.5	35.6	<0.01	0.01
DD017237		1.06	22.2	250	5.2	15.6	<0.001	<0.01	1.50	3.4	<0.2	0.4	23.9	<0.01	0.01
DD017238		1.04	13.7	120	6.0	7.0	<0.001	<0.01	0.33	3.6	<0.2	0.4	20.8	<0.01	0.02
DD017239		0.51	125.0	820	2.6	7.7	<0.001	0.05	0.15	8.7	<0.2	0.3	112.5	<0.01	0.01



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - D
Total # Pages: 4 (A - D)
Plus Appendix Pages
Finalized Date: 5- OCT- 2011
Account: MTT

Project: KING

CERTIFICATE OF ANALYSIS WH11170115

Sample Description	Method Analyte Units LOR	ME- MS41 Ti %	ME- MS41 Ti ppm	ME- MS41 U ppm	ME- MS41 V ppm	ME- MS41 W ppm	ME- MS41 Y ppm	ME- MS41 Zn ppm	ME- MS41 Zr ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
DD017200		0.068	0.08	0.31	65	0.20	2.92	41	0.6
DD017201		0.075	0.08	0.38	61	0.14	3.64	48	2.8
DD017202		0.075	0.07	0.45	46	0.13	8.77	32	2.3
DD017203		0.087	0.08	0.41	53	0.10	8.12	40	3.3
DD017204		0.089	0.07	0.31	55	0.09	3.26	30	4.1
DD017205		0.073	0.05	0.38	95	0.06	12.30	36	8.2
DD017206		0.078	0.07	0.42	61	0.09	3.87	42	4.0
DD017207		0.092	0.09	0.36	62	0.11	4.34	37	4.6
DD017208		0.094	0.09	0.31	60	0.10	3.99	34	5.3
DD017209		0.077	0.08	0.31	55	0.09	2.94	32	3.6
DD017210		0.072	0.07	0.36	61	0.09	3.91	39	3.2
DD017211		0.071	0.10	0.47	46	0.16	11.05	31	2.0
DD017212		0.064	0.09	0.39	57	0.06	3.66	27	5.2
DD017213		0.090	0.07	0.45	53	0.09	7.54	36	6.3
DD017214		0.101	0.05	0.54	78	0.06	9.08	41	7.9
DD017215		0.188	0.05	0.43	121	0.05	12.30	64	14.4
DD017216		0.188	0.04	0.33	138	<0.05	11.10	91	10.9
DD017217		0.141	0.05	0.47	100	0.08	11.10	68	6.4
DD017218		0.135	0.04	0.40	122	0.06	11.05	77	5.8
DD017219		0.076	0.08	0.45	76	0.08	10.15	43	5.9
DD017220		0.139	0.03	0.26	123	<0.05	10.90	79	7.1
DD017221		0.133	0.04	0.30	126	<0.05	12.00	81	6.9
DD017222		0.082	0.04	0.46	79	0.05	11.45	52	5.2
DD017223		0.072	0.04	0.66	60	0.07	8.94	29	6.8
DD017224		0.047	0.04	0.47	80	<0.05	12.05	64	4.9
DD017225		0.092	0.05	0.49	86	0.05	8.85	52	8.4
DD017226		0.050	0.10	0.74	63	0.05	9.55	44	3.6
DD017227		0.064	0.06	0.39	55	0.07	3.83	36	2.7
DD017228		0.072	0.07	1.02	59	0.09	6.64	38	2.4
DD017229		0.089	0.07	0.32	67	0.05	5.36	62	7.1
DD017230		0.087	0.09	0.52	77	0.06	7.14	40	6.9
DD017231		0.082	0.05	0.35	83	<0.05	10.40	40	8.5
DD017232		0.087	0.04	0.29	89	<0.05	5.69	49	6.4
DD017233		0.097	0.07	0.50	57	0.07	4.25	49	4.8
DD017234		0.078	0.05	0.45	58	0.09	6.34	49	3.5
DD017235		0.094	0.07	0.27	61	0.07	3.24	35	3.8
DD017236		0.098	0.07	0.56	57	0.19	3.97	39	3.3
DD017237		0.086	0.06	0.28	59	0.10	2.89	44	3.0
DD017238		0.079	0.07	0.29	58	0.11	3.08	27	3.5
DD017239		0.086	0.03	0.20	109	0.06	7.55	65	2.3



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 3 - A
Total # Pages: 4 (A - D)
Plus Appendix Pages
Finalized Date: 5- OCT- 2011
Account: MTT

Project: KING

CERTIFICATE OF ANALYSIS WH11170115

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg	Au- TL43 Au ppm	ME- MS41 Ag ppm	ME- MS41 Al %	ME- MS41 As ppm	ME- MS41 Au ppm	ME- MS41 B ppm	ME- MS41 Ba ppm	ME- MS41 Be ppm	ME- MS41 Bi ppm	ME- MS41 Ca %	ME- MS41 Cd ppm	ME- MS41 Ce ppm	ME- MS41 Co ppm	ME- MS41 Cr ppm
		0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
DD017240		0.32	0.003	0.05	1.44	8.6	<0.2	<10	130	0.41	0.11	0.55	0.06	19.70	8.4	28
DD017241		0.28	0.001	0.02	1.49	11.4	<0.2	<10	120	0.44	0.10	0.41	0.04	25.3	9.9	29
DD017242		0.28	0.002	0.05	1.61	11.2	<0.2	<10	140	0.51	0.11	0.77	0.08	22.5	10.2	28
DD017243		0.26	0.002	0.03	1.16	8.2	<0.2	<10	110	0.37	0.09	0.55	0.05	22.2	8.0	23
DD017244		0.26	0.001	0.06	1.25	7.5	<0.2	<10	110	0.35	0.10	0.40	0.04	19.55	7.6	26
DD017245		0.24	0.002	0.02	1.55	14.2	<0.2	<10	120	0.39	0.10	0.40	0.04	14.35	10.4	26
DD017246		0.20	0.003	0.02	1.55	14.0	<0.2	<10	110	0.54	0.10	0.37	0.03	32.8	11.1	30
DD017247		0.18	0.001	0.11	1.52	8.9	<0.2	<10	130	0.42	0.10	0.38	0.09	17.50	11.4	32
DD017248		0.26	0.002	0.09	1.38	6.4	<0.2	<10	120	0.35	0.10	0.45	0.04	17.25	8.4	26
DD017249		0.28	0.001	0.04	1.44	6.3	<0.2	<10	170	0.39	0.12	0.46	0.05	22.9	8.4	24
DD017250		0.24	0.001	0.08	1.51	5.7	<0.2	<10	170	0.35	0.11	0.41	0.07	13.20	9.1	27
DD017269		0.28	0.004	0.13	3.16	79.6	<0.2	<10	40	0.22	0.03	1.21	0.09	6.29	62.4	298
DD017270		0.24	0.002	0.07	3.18	20.7	<0.2	<10	60	0.24	0.03	1.13	0.09	7.08	59.7	326
DD017271		0.36	0.002	0.06	4.50	24.4	<0.2	<10	20	0.20	0.03	1.08	0.05	5.80	77.3	552
DD017272		0.28	0.001	0.04	3.10	424	<0.2	<10	30	0.26	0.03	1.03	0.09	7.45	88.3	445
DD017273		0.28	0.002	0.10	2.60	226	<0.2	<10	50	0.26	0.03	1.55	0.07	6.24	70.9	315
DD017274		0.26	0.002	0.11	1.97	41.2	<0.2	<10	100	0.28	0.06	1.34	0.14	13.55	37.6	167
DD017275		0.32	<0.001	0.08	2.29	61.9	<0.2	<10	120	0.40	0.08	0.76	0.07	19.20	32.6	150
DD017276		0.24	0.001	0.06	1.63	63.7	<0.2	<10	100	0.40	0.08	0.46	0.05	17.60	15.5	61
DD017277		0.26	0.001	0.09	1.52	52.1	<0.2	<10	110	0.41	0.09	0.47	0.04	19.90	17.5	61
DD017278		0.20	0.005	0.11	1.97	127.5	<0.2	<10	130	0.49	0.10	0.67	0.07	19.15	21.8	76
DD017279		0.20	<0.001	0.09	2.10	35.3	<0.2	<10	90	0.32	0.06	1.17	0.11	12.30	49.9	220
DD017280		0.30	0.002	0.08	1.76	161.5	<0.2	<10	160	0.42	0.08	0.65	0.05	19.15	25.8	92
DD017281		0.30	0.001	0.05	1.36	55.2	<0.2	<10	100	0.30	0.07	0.47	0.02	16.85	11.5	54
DD017282		0.28	0.005	0.04	1.80	66.1	<0.2	<10	140	0.41	0.08	0.53	0.05	19.85	16.1	48
DD017283		0.30	0.003	0.05	1.67	58.4	<0.2	<10	120	0.39	0.10	0.39	0.05	19.65	11.7	37
DD017284		0.24	0.001	0.16	2.01	108.5	<0.2	<10	140	0.34	0.08	0.53	0.07	14.40	23.2	59
DD017285		0.22	0.001	0.06	2.08	70.7	<0.2	<10	160	0.46	0.09	0.51	0.03	18.55	14.6	46
DD017286		0.28	0.009	0.05	0.98	35.9	<0.2	<10	120	0.30	0.05	1.46	0.09	18.10	12.9	24
DD017287		0.26	0.003	0.04	1.33	77.8	<0.2	<10	120	0.37	0.09	0.41	0.04	21.4	11.0	30
DD017288		0.26	0.002	0.03	1.36	98.8	<0.2	<10	120	0.36	0.08	0.50	0.03	23.7	13.3	37
DD017289		0.28	0.001	0.04	1.58	75.2	<0.2	<10	100	0.38	0.09	0.40	0.03	20.3	14.1	51
DD017290		0.24	0.001	0.08	1.48	32.6	<0.2	<10	140	0.32	0.11	0.44	0.07	16.65	11.9	35
DD017291		0.22	0.003	0.04	1.62	31.9	<0.2	<10	120	0.41	0.09	0.41	0.04	21.8	11.7	32
DD017292		0.22	0.002	0.05	1.47	19.6	<0.2	<10	140	0.37	0.09	0.54	0.03	19.90	9.4	41
DD017293		0.24	<0.001	0.09	2.66	20.7	<0.2	<10	60	0.27	0.03	1.30	0.07	8.93	53.6	286
DD017294		0.20	<0.001	0.10	1.60	47.6	<0.2	<10	170	0.35	0.10	0.46	0.07	19.90	16.2	70
DD017295		0.22	<0.001	0.19	1.80	187.0	<0.2	<10	140	0.46	0.09	0.54	0.07	17.75	21.6	102
DD017296		0.24	0.001	0.13	1.59	53.0	<0.2	<10	110	0.35	0.09	0.47	0.07	21.3	15.4	62
DD017297		0.24	0.001	0.08	2.04	32.8	<0.2	<10	120	0.42	0.08	0.52	0.05	15.85	16.8	75



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 3 - B
Total # Pages: 4 (A - D)
Plus Appendix Pages
Finalized Date: 5- OCT- 2011
Account: MTT

Project: KING

CERTIFICATE OF ANALYSIS WH11170115

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
DD017240		0.58	21.1	2.31	5.32	<0.05	0.07	0.03	0.023	0.07	11.0	10.2	0.43	370	0.72
DD017241		0.75	23.0	2.43	5.40	0.06	0.20	0.02	0.025	0.10	11.1	10.5	0.44	301	0.67
DD017242		0.77	31.3	2.63	5.96	0.06	0.08	0.04	0.028	0.09	11.1	11.9	0.60	343	0.73
DD017243		0.65	22.0	2.21	4.12	0.07	0.09	0.03	0.020	0.08	14.0	8.2	0.42	369	0.59
DD017244		0.70	13.9	2.04	4.45	<0.05	0.12	0.02	0.020	0.11	8.4	8.6	0.38	257	0.57
DD017245		0.69	24.9	2.64	5.38	<0.05	0.11	0.02	0.027	0.13	6.5	9.4	0.43	268	0.91
DD017246		0.91	26.6	2.68	5.60	0.05	0.28	0.03	0.028	0.14	10.6	10.6	0.50	321	0.85
DD017247		0.65	19.2	2.68	5.63	<0.05	0.13	0.02	0.023	0.12	7.2	8.8	0.46	481	1.07
DD017248		0.65	16.6	2.31	4.70	0.05	0.07	0.02	0.022	0.12	7.4	12.5	0.64	234	0.46
DD017249		0.52	16.1	2.23	5.58	0.05	0.07	0.01	0.022	0.06	11.9	9.2	0.48	226	0.86
DD017250		0.51	20.4	2.42	4.99	<0.05	0.12	0.01	0.020	0.05	5.9	6.4	0.36	396	0.65
DD017269		2.81	207	6.75	10.00	0.17	0.12	0.03	0.024	0.07	3.3	8.3	4.82	1080	0.32
DD017270		2.81	127.0	5.42	9.55	0.15	0.14	0.02	0.024	0.07	3.7	11.4	4.90	848	0.25
DD017271		1.47	206	7.53	10.75	0.15	0.12	0.01	0.019	0.01	3.4	11.7	7.59	1060	0.24
DD017272		1.92	166.5	7.45	8.82	0.14	0.08	0.02	0.026	0.03	3.3	8.1	4.77	1430	0.33
DD017273		2.64	171.5	6.18	7.10	0.10	0.10	0.02	0.021	0.06	3.1	7.7	3.98	1200	0.50
DD017274		1.73	97.6	3.39	5.84	0.07	0.10	0.03	0.017	0.11	6.6	8.2	2.17	693	0.43
DD017275		1.38	49.0	4.12	6.79	0.08	0.18	0.01	0.030	0.11	7.8	9.6	1.32	685	0.69
DD017276		1.11	30.5	2.86	5.20	0.05	0.11	0.01	0.024	0.09	6.5	7.5	0.53	339	0.61
DD017277		1.53	29.4	2.78	5.02	0.05	0.17	0.02	0.028	0.12	7.8	7.6	0.49	462	0.54
DD017278		1.38	57.2	3.59	6.48	0.06	0.16	0.02	0.032	0.13	10.0	10.0	0.70	562	0.53
DD017279		4.81	64.6	4.25	5.94	0.10	0.15	0.02	0.024	0.12	5.2	5.8	1.45	919	0.31
DD017280		1.92	45.3	3.69	5.49	0.07	0.22	0.01	0.027	0.14	8.0	7.8	0.71	681	0.62
DD017281		1.18	23.1	2.62	4.22	0.06	0.20	0.01	0.021	0.13	7.2	7.2	0.50	291	0.43
DD017282		1.03	39.2	3.30	5.54	0.05	0.18	0.01	0.033	0.17	7.7	8.2	0.58	516	0.63
DD017283		0.78	26.4	2.99	5.32	0.05	0.17	0.02	0.023	0.15	6.0	8.0	0.45	365	0.64
DD017284		2.58	41.5	3.98	6.84	<0.05	0.21	0.01	0.030	0.12	6.0	7.1	0.67	839	0.67
DD017285		1.03	30.7	3.52	5.94	0.05	0.21	0.01	0.030	0.16	7.1	9.3	0.58	458	0.69
DD017286		0.89	61.8	2.97	3.40	0.08	0.11	0.04	0.022	0.07	9.0	5.4	0.54	596	0.51
DD017287		0.65	31.2	2.78	4.20	0.08	0.18	0.02	0.022	0.11	10.4	7.1	0.40	345	0.59
DD017288		1.17	32.0	2.85	4.45	0.09	0.19	0.02	0.024	0.12	9.5	7.6	0.46	421	0.70
DD017289		2.58	30.0	2.98	5.07	0.08	0.20	0.02	0.024	0.17	8.4	9.2	0.53	348	0.70
DD017290		1.36	24.9	2.76	4.77	0.06	0.16	0.01	0.021	0.15	6.6	7.7	0.44	551	0.67
DD017291		0.76	31.5	2.91	5.15	0.08	0.16	0.02	0.024	0.14	7.7	9.3	0.46	413	0.71
DD017292		0.93	22.1	2.49	4.64	0.08	0.16	0.01	0.021	0.13	10.6	11.4	0.59	285	0.29
DD017293		7.84	105.5	6.09	6.36	0.26	0.19	0.01	0.032	0.13	4.2	10.3	2.27	850	0.32
DD017294		1.64	30.2	3.04	5.19	0.10	0.18	0.01	0.026	0.19	9.7	9.0	0.58	641	0.63
DD017295		1.88	37.9	3.66	5.54	0.09	0.11	0.02	0.027	0.11	7.6	7.7	0.49	637	1.52
DD017296		1.47	27.3	2.98	5.00	0.08	0.18	0.02	0.022	0.16	10.7	8.3	0.56	395	0.60
DD017297		0.73	32.7	3.49	6.08	0.07	0.14	0.01	0.024	0.07	6.9	8.5	0.75	333	0.66



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 3 - C
Total # Pages: 4 (A - D)
Plus Appendix Pages
Finalized Date: 5- OCT- 2011
Account: MTT

Project: KING

CERTIFICATE OF ANALYSIS WH11170115

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
DD017240		1.24	17.2	340	6.3	8.7	<0.001	<0.01	0.42	5.2	0.3	0.4	38.1	<0.01	0.01
DD017241		0.86	19.4	360	6.5	12.1	<0.001	<0.01	0.43	5.7	<0.2	0.4	32.3	<0.01	0.02
DD017242		1.40	20.1	230	7.7	8.6	<0.001	0.01	0.67	6.3	0.4	0.4	66.9	<0.01	0.02
DD017243		0.68	17.7	670	4.9	7.1	<0.001	<0.01	0.33	5.4	0.3	0.4	44.9	<0.01	0.01
DD017244		0.81	14.4	450	5.2	13.4	<0.001	<0.01	0.28	4.6	<0.2	0.4	31.9	<0.01	<0.01
DD017245		0.79	15.4	240	7.6	13.4	0.001	<0.01	0.46	5.7	<0.2	0.4	33.8	<0.01	<0.01
DD017246		0.45	20.8	240	7.9	11.3	<0.001	<0.01	0.57	6.9	<0.2	0.4	31.4	<0.01	0.02
DD017247		1.05	18.7	170	7.2	10.4	<0.001	<0.01	0.37	4.9	<0.2	0.5	29.3	<0.01	<0.01
DD017248		1.42	15.3	330	5.4	13.0	<0.001	0.01	0.30	4.1	0.2	0.4	39.4	<0.01	0.01
DD017249		1.45	15.7	280	6.1	6.5	<0.001	0.01	0.27	4.3	<0.2	0.5	35.9	<0.01	0.01
DD017250		1.07	14.5	240	6.4	7.5	<0.001	<0.01	0.28	3.6	<0.2	0.5	28.1	<0.01	0.02
DD017269		0.26	362	630	1.5	7.2	<0.001	0.03	0.29	9.5	0.2	0.2	42.6	<0.01	<0.01
DD017270		0.25	379	470	2.1	9.2	<0.001	0.02	0.15	9.5	0.3	0.2	41.6	<0.01	<0.01
DD017271		0.10	598	440	1.1	1.4	<0.001	0.01	0.07	10.1	0.2	0.2	29.5	<0.01	<0.01
DD017272		0.10	531	380	1.3	2.6	<0.001	0.02	0.27	16.9	<0.2	0.2	25.3	<0.01	<0.01
DD017273		0.19	406	500	2.0	4.8	<0.001	0.09	0.55	12.1	0.2	0.2	52.7	<0.01	<0.01
DD017274		0.58	187.0	620	4.4	7.9	<0.001	0.04	0.42	7.6	<0.2	0.2	57.9	<0.01	0.01
DD017275		0.48	119.5	710	5.2	13.9	<0.001	0.01	0.40	10.7	<0.2	0.4	41.1	<0.01	0.01
DD017276		0.74	43.0	400	5.0	11.6	<0.001	0.01	0.39	7.1	<0.2	0.4	30.5	<0.01	0.02
DD017277		0.52	40.9	340	5.2	14.4	<0.001	<0.01	0.42	7.9	<0.2	0.4	31.9	<0.01	<0.01
DD017278		0.94	61.4	270	6.9	12.6	<0.001	0.01	0.71	9.6	0.4	0.4	40.4	<0.01	0.02
DD017279		0.39	196.5	390	3.1	18.8	<0.001	0.01	0.28	15.0	0.2	0.3	39.3	<0.01	<0.01
DD017280		0.34	74.1	460	4.9	14.1	<0.001	0.03	1.38	11.1	<0.2	0.4	45.2	<0.01	<0.01
DD017281		0.28	40.4	470	4.2	12.9	<0.001	0.01	0.52	7.0	<0.2	0.3	32.6	<0.01	<0.01
DD017282		0.30	35.4	720	4.9	12.9	<0.001	<0.01	0.67	9.5	<0.2	0.4	39.2	<0.01	0.03
DD017283		0.66	20.9	250	5.1	13.4	<0.001	0.01	0.68	6.5	<0.2	0.4	30.4	<0.01	<0.01
DD017284		0.42	41.8	330	4.3	12.7	<0.001	0.01	1.30	10.8	<0.2	0.4	33.2	<0.01	0.01
DD017285		0.53	27.1	330	4.9	17.9	<0.001	0.01	0.70	7.7	0.3	0.4	35.2	<0.01	0.01
DD017286		0.29	29.2	640	4.7	5.0	<0.001	0.01	0.82	7.4	0.3	0.3	50.2	<0.01	0.03
DD017287		0.40	20.4	460	5.3	9.6	<0.001	<0.01	0.80	7.6	0.4	0.4	32.2	<0.01	0.03
DD017288		0.53	24.9	440	4.7	12.1	<0.001	<0.01	1.10	8.5	0.4	0.4	34.9	<0.01	0.03
DD017289		0.52	32.4	440	4.9	20.7	<0.001	<0.01	0.83	7.6	0.2	0.4	29.0	<0.01	0.03
DD017290		0.62	22.3	430	4.8	16.1	<0.001	<0.01	0.49	5.5	0.2	0.4	28.4	<0.01	0.02
DD017291		0.68	19.5	230	6.0	12.5	<0.001	<0.01	0.59	6.5	0.3	0.4	35.1	<0.01	0.03
DD017292		0.72	27.8	500	4.8	13.1	<0.001	<0.01	0.37	6.4	0.4	0.4	35.7	<0.01	0.02
DD017293		0.22	355	510	2.0	13.9	<0.001	0.01	0.19	21.7	0.4	0.3	43.7	<0.01	0.05
DD017294		0.56	47.0	570	5.4	23.1	<0.001	<0.01	0.45	7.3	0.4	0.5	31.0	<0.01	0.03
DD017295		0.78	66.5	540	6.2	15.9	<0.001	0.02	1.13	8.7	0.3	0.4	39.6	<0.01	0.03
DD017296		0.62	44.7	430	5.5	19.8	<0.001	<0.01	0.43	7.3	0.3	0.4	30.8	<0.01	0.03
DD017297		0.62	52.3	560	5.7	7.5	<0.001	<0.01	0.33	7.7	0.3	0.4	31.8	<0.01	0.02



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
 C/ O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016- 510 W HASTINGS ST
 VANCOUVER BC V6B 1L8

Page: 3 - D
 Total # Pages: 4 (A - D)
 Plus Appendix Pages
 Finalized Date: 5- OCT- 2011
 Account: MTT

Project: KING

CERTIFICATE OF ANALYSIS WH11170115

Sample Description	Method Analyte Units LOR	ME- MS41 Ti %	ME- MS41 Ti ppm	ME- MS41 U ppm	ME- MS41 V ppm	ME- MS41 W ppm	ME- MS41 Y ppm	ME- MS41 Zn ppm	ME- MS41 Zr ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
DD017240		0.080	0.07	0.59	55	0.19	7.88	41	2.5
DD017241		0.095	0.08	0.48	59	0.17	6.58	44	6.3
DD017242		0.068	0.08	0.59	60	0.17	8.20	46	2.7
DD017243		0.082	0.07	0.76	52	0.15	11.85	36	3.9
DD017244		0.092	0.08	0.50	52	0.20	4.64	43	4.3
DD017245		0.074	0.08	0.38	67	0.10	3.50	42	3.7
DD017246		0.085	0.10	0.50	60	0.12	5.67	41	9.0
DD017247		0.086	0.06	0.35	69	0.10	4.10	41	4.5
DD017248		0.089	0.07	0.35	52	0.14	4.58	45	2.6
DD017249		0.083	0.05	0.72	53	0.17	6.21	41	2.4
DD017250		0.079	0.07	0.30	60	0.14	2.58	39	4.0
DD017269		0.067	0.05	0.23	121	<0.05	8.02	82	4.6
DD017270		0.091	0.03	0.18	108	<0.05	8.18	74	5.0
DD017271		0.078	<0.02	0.31	95	<0.05	8.88	78	5.0
DD017272		0.050	0.08	0.31	104	<0.05	10.35	76	2.9
DD017273		0.032	0.08	0.23	84	<0.05	7.57	70	3.3
DD017274		0.056	0.05	0.25	65	0.08	7.06	56	3.0
DD017275		0.087	0.08	0.37	84	0.07	5.81	53	6.5
DD017276		0.074	0.09	0.32	66	0.10	3.68	39	3.8
DD017277		0.078	0.08	0.37	64	0.10	5.26	40	5.6
DD017278		0.072	0.07	0.42	76	0.08	8.94	49	5.8
DD017279		0.081	0.04	0.30	92	<0.05	7.20	70	5.7
DD017280		0.070	0.07	0.34	77	0.09	5.68	52	7.1
DD017281		0.077	0.09	0.36	57	0.07	4.76	34	5.9
DD017282		0.061	0.09	0.38	78	0.06	5.39	43	5.6
DD017283		0.082	0.07	0.32	74	0.06	3.72	39	5.3
DD017284		0.081	0.18	0.35	96	<0.05	4.70	48	6.3
DD017285		0.088	0.08	0.34	82	0.05	5.39	42	6.6
DD017286		0.043	0.08	0.39	63	0.08	10.45	42	3.6
DD017287		0.063	0.08	0.38	63	0.11	7.89	35	6.1
DD017288		0.064	0.11	0.33	64	0.10	6.00	36	6.6
DD017289		0.084	0.12	0.35	66	0.11	5.18	38	6.4
DD017290		0.076	0.07	0.28	62	0.09	3.57	41	5.0
DD017291		0.083	0.09	0.36	66	0.10	4.43	36	5.9
DD017292		0.092	0.08	0.56	51	0.11	8.08	47	5.2
DD017293		0.057	0.02	0.22	122	<0.05	9.33	66	7.2
DD017294		0.093	0.09	0.35	65	0.12	5.88	48	5.9
DD017295		0.060	0.18	0.37	71	0.08	3.86	51	3.8
DD017296		0.085	0.10	0.38	65	0.10	7.76	50	6.1
DD017297		0.075	0.08	0.41	84	0.09	4.38	42	5.0



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 4 - A
Total # Pages: 4 (A - D)
Plus Appendix Pages
Finalized Date: 5- OCT- 2011
Account: MTT

Project: KING

CERTIFICATE OF ANALYSIS WH11170115

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg	Au- TL43 Au ppm	ME- MS41 Ag ppm	ME- MS41 Al %	ME- MS41 As ppm	ME- MS41 Au ppm	ME- MS41 B ppm	ME- MS41 Ba ppm	ME- MS41 Be ppm	ME- MS41 Bi ppm	ME- MS41 Ca %	ME- MS41 Cd ppm	ME- MS41 Ce ppm	ME- MS41 Co ppm	ME- MS41 Cr ppm
		0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
DD017298		0.32	0.003	0.04	1.41	41.4	<0.2	<10	100	0.37	0.08	0.54	0.04	21.2	15.7	65
DD017299		0.24	<0.001	0.11	2.26	95.6	<0.2	<10	100	0.34	0.07	0.75	0.07	17.40	38.7	200
DD017300		0.22	0.001	0.28	3.00	67.7	<0.2	<10	150	0.42	0.07	0.85	0.11	15.90	54.6	257
DD017474		0.22	0.001	0.04	1.33	9.8	<0.2	<10	130	0.30	0.07	0.42	0.06	13.35	7.4	24
DD017475		0.26	0.003	0.05	2.12	12.9	<0.2	<10	200	0.37	0.07	0.53	0.03	16.70	14.7	29
DD017476		0.12	0.001	0.17	1.84	6.9	<0.2	<10	260	0.37	0.10	0.49	0.09	14.95	11.1	26
DD017477		0.28	0.001	0.07	1.38	6.4	<0.2	<10	190	0.38	0.09	0.61	0.04	20.2	8.9	24
DD017478		0.26	0.001	0.08	1.59	9.2	<0.2	<10	170	0.43	0.09	0.40	0.04	20.1	10.9	26
DD017479		0.18	0.001	0.06	1.12	11.1	<0.2	<10	80	0.34	0.06	1.18	0.10	15.80	7.0	17
DD017480		0.26	0.001	0.04	1.43	8.4	<0.2	<10	110	0.39	0.09	0.54	0.04	19.75	8.5	25
DD017481		0.16	0.001	0.12	1.13	4.4	<0.2	<10	110	0.24	0.07	1.10	0.09	11.15	7.0	19
DD017482		0.24	0.001	0.03	1.22	17.6	<0.2	<10	80	0.34	0.08	0.42	0.04	23.5	9.1	29
DD017483		0.18	0.001	0.07	1.54	21.2	<0.2	<10	120	0.34	0.10	0.61	0.10	14.30	13.3	40
DD017484		0.28	0.001	0.03	1.21	10.7	<0.2	<10	100	0.26	0.08	0.54	0.03	18.30	7.8	25
DD017501		0.38	0.004	0.11	2.85	38.9	<0.2	<10	100	0.43	0.10	0.56	0.06	17.60	25.6	143



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
 C/ O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016- 510 W HASTINGS ST
 VANCOUVER BC V6B 1L8

Page: 4 - B
 Total # Pages: 4 (A - D)
 Plus Appendix Pages
 Finalized Date: 5- OCT- 2011
 Account: MTT

Project: KING

CERTIFICATE OF ANALYSIS WH11170115

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
DD017298		0.97	40.2	2.86	4.46	0.10	0.19	0.02	0.019	0.12	11.4	8.7	0.71	441	0.48
DD017299		1.59	70.5	4.51	6.77	0.13	0.20	0.02	0.026	0.12	8.7	9.7	1.91	665	0.74
DD017300		1.00	86.9	5.67	8.22	0.12	0.20	0.03	0.027	0.05	8.6	8.5	2.52	1650	0.87
DD017474		0.53	20.8	2.25	4.29	0.06	0.05	0.01	0.019	0.08	6.4	6.8	0.35	314	0.51
DD017475		0.85	37.5	3.61	6.47	0.08	0.13	0.01	0.024	0.07	7.0	8.2	0.55	327	0.61
DD017476		0.61	32.6	2.98	5.99	0.06	0.14	0.01	0.022	0.06	6.9	7.1	0.41	849	0.66
DD017477		0.58	28.3	2.34	4.60	0.07	0.07	0.01	0.022	0.08	9.3	9.0	0.45	524	0.61
DD017478		0.46	20.1	2.65	5.17	0.07	0.17	0.01	0.021	0.05	7.8	7.2	0.37	517	0.73
DD017479		0.40	79.7	2.17	3.63	0.08	0.09	0.04	0.018	0.12	8.7	8.6	0.57	320	0.55
DD017480		0.52	19.8	2.60	4.66	0.05	0.13	0.01	0.020	0.08	8.4	8.4	0.40	309	0.60
DD017481		0.54	53.2	1.85	3.75	0.06	0.05	0.02	0.013	0.09	5.2	10.2	0.54	353	0.52
DD017482		0.75	23.5	2.40	3.97	0.09	0.16	0.01	0.020	0.15	10.1	9.0	0.44	341	0.58
DD017483		0.89	27.3	2.81	5.26	0.08	0.09	0.01	0.021	0.17	6.2	10.5	0.68	624	0.50
DD017484		0.72	16.0	2.24	3.95	0.09	0.08	0.01	0.019	0.12	8.2	9.4	0.53	279	0.52
DD017501		1.80	58.2	4.19	8.66	0.08	0.06	0.01	0.027	0.06	8.4	10.1	1.51	994	0.99



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 4 - C
Total # Pages: 4 (A - D)
Plus Appendix Pages
Finalized Date: 5- OCT- 2011
Account: MTT

Project: KING

CERTIFICATE OF ANALYSIS WH11170115

Sample Description	Method Analyte Units LOR	ME- MS41 Nb ppm 0.05	ME- MS41 Ni ppm 0.2	ME- MS41 P ppm 10	ME- MS41 Pb ppm 0.2	ME- MS41 Rb ppm 0.1	ME- MS41 Re ppm 0.001	ME- MS41 S % 0.01	ME- MS41 Sb ppm 0.05	ME- MS41 Sc ppm 0.1	ME- MS41 Se ppm 0.2	ME- MS41 Sn ppm 0.2	ME- MS41 Sr ppm 0.2	ME- MS41 Ta ppm 0.01	ME- MS41 Te ppm 0.01	ME- MS41 Th ppm 0.2
DD017298		0.45	66.8	550	4.4	11.1	<0.001	<0.01	0.36	7.2	0.4	0.4	35.3	<0.01	0.03	2.9
DD017299		0.49	182.0	380	4.3	13.3	<0.001	<0.01	0.32	11.4	0.5	0.3	41.4	<0.01	0.04	2.3
DD017300		0.26	241	320	4.8	5.5	<0.001	<0.01	0.29	13.0	0.5	0.4	37.6	<0.01	0.05	1.8
DD017474		0.99	12.7	270	4.6	9.3	<0.001	<0.01	0.25	3.7	0.2	0.4	28.6	<0.01	0.03	1.6
DD017475		0.59	18.7	350	3.8	8.1	<0.001	<0.01	0.22	6.4	0.3	0.4	43.7	<0.01	0.03	1.7
DD017476		0.84	16.8	200	5.8	6.8	<0.001	<0.01	0.29	5.9	0.3	0.5	33.4	<0.01	0.03	1.9
DD017477		1.31	15.1	420	5.4	10.0	<0.001	0.01	0.24	4.4	0.4	0.4	42.0	<0.01	0.03	2.0
DD017478		0.70	15.6	180	5.8	6.3	<0.001	<0.01	0.30	5.4	0.3	0.5	29.9	<0.01	0.04	2.7
DD017479		0.78	20.4	470	5.6	9.0	<0.001	0.04	0.31	5.4	0.6	0.3	75.8	<0.01	0.03	1.4
DD017480		1.13	13.8	140	5.8	8.4	<0.001	<0.01	0.25	5.0	0.3	0.4	37.0	<0.01	0.03	2.4
DD017481		0.95	13.1	430	3.8	8.0	<0.001	0.04	0.30	3.2	0.5	0.3	69.4	<0.01	0.02	0.9
DD017482		0.73	21.0	420	4.7	12.6	<0.001	<0.01	0.25	5.5	0.3	0.4	33.7	<0.01	0.03	2.8
DD017483		1.08	25.9	640	4.8	18.2	<0.001	<0.01	0.20	5.3	0.2	0.4	36.3	<0.01	0.03	1.9
DD017484		1.20	14.0	500	4.5	14.8	<0.001	0.01	0.19	4.4	0.2	0.4	36.4	<0.01	0.03	2.2
DD017501		1.04	109.0	370	5.7	6.1	<0.001	0.01	0.28	7.9	0.4	0.5	29.8	<0.01	0.04	1.7



2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Fax: 604 984 0218 www.alsglobal.com

VANCOUVER BC V6B 1L8

CERTIFICATE OF ANALYSIS	WH11170115
-------------------------	------------

Account: MTT

--	--

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: KING

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 5- OCT- 2011
Account: MTT

CERTIFICATE OF ANALYSIS WH11170115

Method	CERTIFICATE COMMENTS
ME- MS41	Gold determinations by this method are semi- quantitative due to the small sample weight used (0.5g).



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**

C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

**1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8**

Page: 1
Finalized Date: 8- OCT- 2011
Account: MTT

CERTIFICATE WH11170116

Project: KING

P.O. No.:

This report is for 203 Soil samples submitted to our lab in Whitehorse, YT, Canada on 24- AUG- 2011.

The following have access to data associated with this certificate:

MATT DUMALA
JOAN MARIACHER

DOUG EATON
BRUCE YOUNGMAN

SARAH EATON

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
SCR- 41	Screen to - 180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- ICP21	Au 30g FA ICP- AES Finish	ICP- AES
ME- ICP41	35 Element Aqua Regia ICP- AES	ICP- AES

To: **STRATEGIC METALS LTD.**
ATTN: JOAN MARIACHER
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - A
Total # Pages: 7 (A - C)
Finalized Date: 8- OCT- 2011
Account: MTT

Project: KING

CERTIFICATE OF ANALYSIS WH11170116

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg .02	Au- ICP21 Au ppm 0.001	ME- ICP41 Ag ppm 0.2	ME- ICP41 Al % 0.01	ME- ICP41 As ppm 2	ME- ICP41 B ppm 10	ME- ICP41 Ba ppm 10	ME- ICP41 Be ppm 0.5	ME- ICP41 Bi ppm 2	ME- ICP41 Ca % 0.01	ME- ICP41 Cd ppm 0.5	ME- ICP41 Co ppm 1	ME- ICP41 Cr ppm 1	ME- ICP41 Cu ppm 1	ME- ICP41 Fe % 0.01
DD017503		0.22	0.417	<0.2	1.57	60	<10	150	<0.5	<2	0.65	<0.5	15	69	48	2.84
DD017504		0.36	0.005	<0.2	3.36	34	<10	60	<0.5	<2	1.29	<0.5	69	427	173	6.78
DD017505		0.48	0.006	0.3	3.45	42	<10	50	<0.5	<2	3.40	<0.5	69	433	228	6.75
DD017506		0.26	0.001	0.2	2.20	18	<10	210	<0.5	<2	0.56	<0.5	22	109	51	3.50
DD017507		0.24	0.001	<0.2	1.91	18	<10	190	<0.5	<2	0.57	<0.5	18	76	29	3.18
DD017508		0.16	0.002	0.2	2.08	57	<10	160	<0.5	<2	0.58	<0.5	18	75	44	3.63
DD017509		0.22	0.003	<0.2	2.16	47	10	130	<0.5	<2	1.42	<0.5	24	117	118	3.73
DD017510		0.24	0.001	0.2	2.37	14	<10	190	<0.5	<2	0.75	<0.5	26	113	57	4.11
DD017511		0.20	0.001	0.2	2.07	18	<10	130	<0.5	<2	0.62	<0.5	17	76	69	3.22
DD017512		0.18	0.003	<0.2	1.86	36	<10	130	<0.5	<2	0.69	<0.5	18	65	64	3.42
DD017513		0.20	0.001	<0.2	1.25	7	<10	180	<0.5	<2	0.44	<0.5	10	27	21	2.39
DD017514		0.22	0.001	<0.2	1.98	12	<10	190	<0.5	<2	0.63	<0.5	19	72	45	3.29
DD017515		0.20	0.002	<0.2	2.20	16	<10	110	<0.5	<2	0.57	<0.5	21	87	30	3.44
DD017516		0.20	0.006	0.2	2.40	30	<10	140	<0.5	<2	1.08	<0.5	39	155	76	4.49
DD017517		0.20	0.002	<0.2	2.59	63	<10	80	<0.5	<2	1.05	<0.5	48	210	112	5.69
DD017518		0.22	0.001	<0.2	1.92	22	<10	120	<0.5	<2	0.59	<0.5	19	82	37	3.17
DD017519		0.30	0.002	<0.2	1.63	17	<10	140	<0.5	<2	0.47	<0.5	12	50	26	2.75
DD017520		0.20	<0.001	<0.2	1.40	5	<10	160	<0.5	<2	0.45	<0.5	8	35	19	2.25
DD017521		0.20	0.001	0.3	1.90	14	<10	200	<0.5	<2	0.69	<0.5	22	110	41	3.27
DD017522		0.26	0.003	<0.2	1.29	40	<10	110	<0.5	<2	0.86	<0.5	12	46	49	2.73
DD017523		0.20	0.002	<0.2	2.73	42	<10	40	<0.5	<2	0.74	<0.5	43	228	149	5.42
DD017524		0.42	0.003	<0.2	2.08	92	<10	30	<0.5	<2	1.09	<0.5	50	284	166	5.91
DD017525		0.24	0.002	<0.2	2.36	83	<10	130	<0.5	<2	0.50	<0.5	26	132	55	4.07
DD017526		0.22	0.002	<0.2	2.71	45	<10	150	<0.5	<2	0.66	<0.5	24	155	57	4.08
DD017527		0.20	0.002	<0.2	1.80	50	<10	110	<0.5	<2	0.59	<0.5	16	76	54	3.36
DD017528		0.18	0.001	<0.2	1.29	33	<10	110	<0.5	<2	0.35	<0.5	9	47	19	2.45
DD017529		0.30	0.002	<0.2	1.74	42	<10	160	<0.5	<2	1.01	<0.5	15	66	54	3.10
DD017530		0.40	0.003	<0.2	0.84	8	<10	70	<0.5	<2	1.14	<0.5	5	19	26	1.49
DD017531		0.34	0.001	<0.2	1.40	7	<10	180	<0.5	<2	0.55	<0.5	7	25	17	1.93
DD017532		0.28	0.001	<0.2	1.40	14	<10	140	<0.5	<2	0.41	<0.5	8	31	17	2.46
DD017533		0.26	0.004	<0.2	1.09	9	<10	90	<0.5	<2	0.28	<0.5	5	22	12	2.00
DD017534		0.16	0.001	<0.2	1.39	11	<10	130	<0.5	<2	0.35	<0.5	9	26	30	2.43
DD017535		0.30	<0.001	<0.2	1.45	6	<10	120	<0.5	<2	0.34	<0.5	7	28	15	2.23
DD017536		0.26	0.001	<0.2	1.27	17	<10	90	<0.5	<2	0.30	<0.5	7	30	16	2.32
DD017537		0.22	0.002	<0.2	1.44	21	<10	160	<0.5	<2	0.46	<0.5	10	33	22	2.50
DD017538		0.20	0.002	<0.2	1.47	29	<10	120	<0.5	<2	0.54	<0.5	12	46	39	2.84
DD017539		0.14	0.002	<0.2	0.50	9	10	140	<0.5	<2	6.09	0.6	5	9	27	0.87
DD017540		0.26	0.005	<0.2	0.89	18	<10	130	<0.5	<2	2.49	<0.5	9	19	39	1.92
DD017541		0.18	0.001	<0.2	1.08	11	<10	140	<0.5	<2	0.50	<0.5	7	16	27	2.14
DD017542		0.24	0.005	<0.2	1.51	8	<10	160	<0.5	<2	0.48	<0.5	8	24	39	2.39



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - B
Total # Pages: 7 (A - C)
Finalized Date: 8- OCT- 2011
Account: MTT

Project: KING

CERTIFICATE OF ANALYSIS WH11170116

Sample Description	Method Analyte Units LOR	ME- ICP41 Ga ppm 10	ME- ICP41 Hg ppm 1	ME- ICP41 K % 0.01	ME- ICP41 La ppm 10	ME- ICP41 Mg % 0.01	ME- ICP41 Mn ppm 5	ME- ICP41 Mo ppm 1	ME- ICP41 Na % 0.01	ME- ICP41 Ni ppm 1	ME- ICP41 P ppm 10	ME- ICP41 Pb ppm 2	ME- ICP41 S % 0.01	ME- ICP41 Sb ppm 2	ME- ICP41 Sc ppm 1	ME- ICP41 Sr ppm 1
DD017503		<10	1	0.12	10	0.76	556	<1	0.03	63	310	3	<0.01	<2	7	51
DD017504		10	<1	0.04	<10	4.93	1395	<1	0.02	480	470	<2	<0.01	<2	15	40
DD017505		10	<1	0.04	<10	5.62	1500	<1	0.03	487	460	<2	<0.01	<2	15	56
DD017506		10	<1	0.08	10	1.22	1125	1	0.03	104	510	9	<0.01	<2	7	30
DD017507		10	<1	0.10	10	0.94	873	<1	0.03	70	390	6	<0.01	<2	6	34
DD017508		10	<1	0.15	10	0.76	571	<1	0.03	62	270	7	<0.01	<2	9	39
DD017509		10	1	0.14	10	2.13	723	<1	0.04	125	760	3	0.07	2	6	63
DD017510		10	<1	0.15	10	1.55	915	<1	0.03	117	870	3	<0.01	<2	9	40
DD017511		10	<1	0.14	10	1.17	587	<1	0.03	81	710	5	<0.01	<2	7	38
DD017512		10	<1	0.16	10	1.26	562	<1	0.03	87	440	3	<0.01	<2	8	42
DD017513		<10	<1	0.11	10	0.46	478	<1	0.04	21	360	5	<0.01	<2	5	30
DD017514		10	<1	0.07	10	1.29	731	<1	0.03	82	230	5	<0.01	<2	6	42
DD017515		10	<1	0.07	<10	1.42	459	<1	0.03	94	430	4	<0.01	<2	7	29
DD017516		10	<1	0.07	<10	2.07	1105	<1	0.03	231	720	3	<0.01	<2	10	48
DD017517		10	1	0.18	<10	2.28	967	<1	0.04	298	420	2	0.03	<2	14	50
DD017518		10	<1	0.11	10	1.05	393	<1	0.03	87	490	5	<0.01	<2	7	34
DD017519		<10	<1	0.13	10	0.60	408	<1	0.03	40	350	4	<0.01	<2	5	32
DD017520		<10	<1	0.07	<10	0.43	411	<1	0.03	25	410	6	<0.01	<2	3	27
DD017521		10	<1	0.15	10	1.03	960	<1	0.04	78	700	4	<0.01	<2	6	42
DD017522		<10	<1	0.07	10	0.65	455	<1	0.04	53	650	4	<0.01	<2	6	53
DD017523		10	1	0.05	<10	2.83	716	<1	0.04	250	340	3	<0.01	<2	12	31
DD017524		<10	1	0.03	<10	2.52	1280	<1	0.04	349	540	3	<0.01	<2	19	30
DD017525		10	<1	0.11	10	1.19	920	<1	0.03	102	230	3	<0.01	<2	10	32
DD017526		10	<1	0.06	<10	1.94	467	<1	0.04	142	330	4	<0.01	<2	8	37
DD017527		10	<1	0.13	10	0.75	626	<1	0.04	61	260	5	<0.01	<2	9	40
DD017528		<10	<1	0.03	<10	0.57	197	<1	0.03	32	120	4	<0.01	<2	3	22
DD017529		10	<1	0.05	10	0.85	839	<1	0.04	61	460	4	<0.01	<2	6	57
DD017530		<10	<1	0.04	10	0.54	244	<1	0.03	19	630	2	0.04	<2	3	42
DD017531		10	<1	0.06	10	0.36	250	<1	0.02	16	490	6	<0.01	<2	3	33
DD017532		<10	<1	0.07	<10	0.44	356	<1	0.03	21	240	5	<0.01	<2	3	26
DD017533		<10	<1	0.09	<10	0.34	194	<1	0.02	11	160	4	<0.01	<2	3	21
DD017534		<10	<1	0.10	10	0.41	363	<1	0.03	14	170	6	<0.01	<2	4	31
DD017535		<10	<1	0.10	10	0.41	248	<1	0.02	14	390	4	<0.01	<2	4	26
DD017536		<10	<1	0.08	<10	0.43	198	<1	0.03	17	160	<2	<0.01	<2	4	22
DD017537		<10	<1	0.05	10	0.49	473	<1	0.03	21	270	4	<0.01	<2	4	34
DD017538		<10	<1	0.18	10	0.60	441	<1	0.04	39	180	3	<0.01	<2	7	36
DD017539		<10	<1	0.06	<10	0.49	1010	<1	0.06	14	1020	<2	0.07	<2	1	172
DD017540		<10	<1	0.06	10	0.51	771	<1	0.05	23	960	2	0.03	<2	5	111
DD017541		<10	<1	0.04	10	0.39	273	<1	0.02	12	330	4	<0.01	<2	4	44
DD017542		10	<1	0.06	10	0.39	432	<1	0.04	17	320	7	<0.01	<2	3	31



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
 C/ O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016- 510 W HASTINGS ST
 VANCOUVER BC V6B 1L8

Page: 2 - C
 Total # Pages: 7 (A - C)
 Finalized Date: 8- OCT- 2011
 Account: MTT

Project: KING

CERTIFICATE OF ANALYSIS WH11170116

Sample Description	Method Analyte Units LOR	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41
		Th	Ti	Ti	U	V	W	Zn
		ppm 20	% 0.01	ppm 10	ppm 10	ppm 1	ppm 10	ppm 2
DD017503		<20	0.05	<10	<10	65	<10	38
DD017504		<20	0.04	<10	<10	103	<10	72
DD017505		<20	0.04	<10	<10	100	<10	73
DD017506		<20	0.08	<10	<10	73	<10	62
DD017507		<20	0.09	<10	<10	70	<10	61
DD017508		<20	0.09	<10	<10	82	<10	42
DD017509		<20	0.05	<10	<10	77	<10	68
DD017510		<20	0.09	<10	<10	82	<10	80
DD017511		<20	0.08	<10	<10	77	<10	51
DD017512		<20	0.06	<10	<10	78	<10	46
DD017513		<20	0.07	<10	<10	53	<10	32
DD017514		<20	0.08	<10	<10	71	<10	44
DD017515		<20	0.09	<10	<10	78	<10	43
DD017516		<20	0.08	<10	<10	87	<10	69
DD017517		<20	0.06	<10	<10	105	<10	74
DD017518		<20	0.09	<10	<10	69	<10	35
DD017519		<20	0.08	<10	<10	61	<10	42
DD017520		<20	0.07	<10	<10	50	<10	33
DD017521		<20	0.08	<10	<10	68	<10	77
DD017522		<20	0.07	<10	<10	60	<10	42
DD017523		<20	0.06	<10	<10	92	<10	61
DD017524		<20	0.02	<10	<10	88	<10	64
DD017525		<20	0.07	<10	<10	94	<10	52
DD017526		<20	0.09	<10	<10	94	<10	51
DD017527		<20	0.09	<10	<10	80	<10	38
DD017528		<20	0.08	<10	<10	63	<10	27
DD017529		<20	0.08	<10	<10	78	<10	44
DD017530		<20	0.03	<10	<10	30	<10	31
DD017531		<20	0.07	<10	<10	48	<10	48
DD017532		<20	0.07	<10	<10	59	<10	35
DD017533		<20	0.08	<10	<10	51	<10	30
DD017534		<20	0.08	<10	<10	58	<10	30
DD017535		<20	0.09	<10	<10	52	<10	45
DD017536		<20	0.09	<10	<10	60	<10	29
DD017537		<20	0.07	<10	<10	64	<10	32
DD017538		<20	0.06	<10	<10	65	<10	37
DD017539		<20	0.03	<10	<10	19	<10	59
DD017540		<20	0.05	<10	<10	47	<10	30
DD017541		<20	0.04	<10	<10	51	<10	29
DD017542		<20	0.06	<10	<10	60	<10	44



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 3 - A
Total # Pages: 7 (A - C)
Finalized Date: 8- OCT- 2011
Account: MTT

Project: KING

CERTIFICATE OF ANALYSIS WH11170116

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg .02	Au- ICP21 Au ppm 0.001	ME- ICP41 Ag ppm 0.2	ME- ICP41 Al % 0.01	ME- ICP41 As ppm 2	ME- ICP41 B ppm 10	ME- ICP41 Ba ppm 10	ME- ICP41 Be ppm 0.5	ME- ICP41 Bi ppm 2	ME- ICP41 Ca % 0.01	ME- ICP41 Cd ppm 0.5	ME- ICP41 Co ppm 1	ME- ICP41 Cr ppm 1	ME- ICP41 Cu ppm 1	ME- ICP41 Fe % 0.01
DD017543		0.38	0.001	<0.2	1.57	11	<10	100	<0.5	<2	0.40	<0.5	9	26	24	2.63
DD017544		0.20	0.002	<0.2	0.96	7	<10	90	<0.5	<2	0.64	<0.5	7	18	32	1.58
DD017545		0.24	0.002	<0.2	1.44	13	<10	190	0.6	<2	0.75	<0.5	10	27	95	2.47
DD017546		0.16	0.008	0.2	1.08	8	10	220	<0.5	<2	3.03	<0.5	9	26	94	1.98
DD017547		0.20	0.003	<0.2	1.42	18	<10	130	<0.5	<2	0.64	<0.5	11	34	53	2.72
DD017548		0.32	0.011	<0.2	1.06	10	<10	100	<0.5	<2	0.41	<0.5	8	17	20	2.34
DD017549		0.30	0.003	<0.2	1.04	6	<10	110	<0.5	<2	0.76	<0.5	7	21	26	1.75
DD017550		0.18	0.004	<0.2	1.18	17	<10	100	<0.5	<2	0.99	<0.5	10	34	41	2.31
DD017551		0.28	0.003	<0.2	1.59	8	<10	90	<0.5	<2	0.38	<0.5	7	30	12	2.30
DD017552		0.26	0.001	<0.2	1.50	6	<10	150	<0.5	<2	0.47	<0.5	9	28	16	2.34
DD017553		0.26	<0.001	<0.2	1.29	9	<10	120	<0.5	<2	0.42	<0.5	8	27	17	2.24
DD017554		0.26	0.002	<0.2	1.63	14	<10	180	0.5	<2	0.57	<0.5	11	31	34	3.20
DD017555		0.28	0.002	<0.2	2.06	8	<10	150	<0.5	<2	0.62	<0.5	16	74	42	3.30
DD017556		0.26	0.004	<0.2	1.25	13	<10	180	<0.5	<2	0.55	<0.5	10	27	29	2.79
DD017557		0.22	0.053	<0.2	1.42	14	<10	200	<0.5	<2	0.47	<0.5	10	29	29	2.92
DD017558		0.26	0.027	<0.2	2.78	9	<10	130	<0.5	<2	0.81	<0.5	26	120	90	4.30
DD017559		0.30	0.002	<0.2	1.77	12	<10	110	<0.5	<2	0.46	<0.5	12	58	36	3.00
DD017560		0.34	0.001	<0.2	1.53	7	<10	200	<0.5	<2	0.40	<0.5	9	30	17	2.46
DD017561		0.24	0.001	<0.2	1.32	6	<10	110	<0.5	<2	0.49	<0.5	7	26	14	2.18
DD017562		0.24	0.001	<0.2	2.48	26	<10	200	<0.5	<2	0.66	<0.5	17	79	45	3.87
DD017563		0.20	0.002	<0.2	2.32	10	<10	240	0.5	<2	0.43	<0.5	12	34	28	3.21
DD017564		0.28	0.009	<0.2	0.91	8	<10	100	<0.5	<2	0.61	<0.5	7	20	24	2.10
DD017565		0.22	0.005	<0.2	1.38	9	<10	100	<0.5	<2	0.36	<0.5	7	28	14	2.27
DD017566		0.28	0.002	<0.2	1.36	8	<10	130	<0.5	<2	0.50	<0.5	8	30	19	2.43
DD017567		0.24	0.004	<0.2	2.16	12	<10	150	0.7	<2	0.56	<0.5	13	34	43	3.44
DD017568		0.22	0.001	<0.2	1.20	9	<10	100	<0.5	<2	0.43	<0.5	7	24	17	2.28
DD017569		0.28	0.001	<0.2	1.26	9	<10	100	<0.5	<2	0.39	<0.5	8	24	26	2.33
DD017570		0.24	0.002	<0.2	1.53	11	<10	90	<0.5	<2	0.34	<0.5	10	27	23	2.51
DD017571		0.26	0.002	<0.2	1.33	6	<10	120	<0.5	<2	0.37	<0.5	8	26	11	2.15
DD017572		0.18	0.004	0.2	2.05	55	<10	140	<0.5	<2	3.38	<0.5	22	93	89	4.10
DD017573		0.20	0.006	0.2	1.88	18	<10	140	0.5	<2	0.94	<0.5	15	52	81	3.34
DD017574		0.24	0.002	0.2	1.45	24	<10	150	<0.5	<2	2.60	<0.5	10	40	44	2.73
DD017575		0.22	0.004	0.2	1.28	4	<10	170	<0.5	<2	0.76	0.8	6	35	125	0.87
DD017576		0.28	0.003	<0.2	1.90	12	<10	140	0.6	<2	0.44	<0.5	12	33	35	2.97
DD017577		0.32	0.001	<0.2	1.22	7	<10	120	<0.5	<2	0.55	<0.5	7	22	17	1.90
DD017578		0.26	0.001	0.2	2.35	10	<10	170	0.6	2	0.45	<0.5	9	39	34	3.22
DD017579		0.30	0.003	0.3	2.30	15	<10	180	0.5	2	0.64	<0.5	13	52	61	3.68
DD017580		0.24	0.001	0.2	1.00	7	<10	100	<0.5	<2	0.93	<0.5	8	26	29	1.76
DD017581		0.24	0.001	<0.2	1.22	8	<10	120	<0.5	2	0.41	<0.5	6	23	12	2.19
DD017582		0.32	<0.001	<0.2	1.72	7	<10	200	<0.5	<2	0.57	<0.5	8	25	22	2.53



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 3 - B
Total # Pages: 7 (A - C)
Finalized Date: 8- OCT- 2011
Account: MTT

Project: KING

CERTIFICATE OF ANALYSIS WH11170116

Sample Description	Method Analyte Units LOR	ME- ICP41 Ga ppm 10	ME- ICP41 Hg ppm 1	ME- ICP41 K % 0.01	ME- ICP41 La ppm 10	ME- ICP41 Mg % 0.01	ME- ICP41 Mn ppm 5	ME- ICP41 Mo ppm 1	ME- ICP41 Na % 0.01	ME- ICP41 Ni ppm 1	ME- ICP41 P ppm 10	ME- ICP41 Pb ppm 2	ME- ICP41 S % 0.01	ME- ICP41 Sb ppm 2	ME- ICP41 Sc ppm 1	ME- ICP41 Sr ppm 1
DD017543		<10	<1	0.09	10	0.37	226	<1	0.03	14	270	6	<0.01	<2	4	29
DD017544		<10	<1	0.09	10	0.38	403	<1	0.04	13	510	4	<0.01	<2	3	37
DD017545		<10	<1	0.12	10	0.47	859	<1	0.04	24	410	7	<0.01	<2	7	39
DD017546		<10	<1	0.06	10	0.62	671	<1	0.07	27	1500	5	0.08	<2	4	124
DD017547		10	<1	0.08	10	0.62	458	<1	0.05	26	570	7	<0.01	<2	7	41
DD017548		<10	<1	0.06	10	0.33	325	<1	0.03	10	480	6	<0.01	<2	4	34
DD017549		<10	<1	0.06	10	0.44	147	<1	0.04	14	540	5	0.02	<2	4	47
DD017550		<10	<1	0.09	10	0.69	387	<1	0.04	31	720	6	0.03	<2	5	59
DD017551		10	1	0.08	10	0.62	182	<1	0.04	19	240	4	<0.01	<2	3	26
DD017552		<10	<1	0.07	10	0.46	254	<1	0.03	17	380	6	<0.01	<2	4	35
DD017553		<10	<1	0.08	10	0.38	221	<1	0.04	15	480	6	<0.01	<2	4	30
DD017554		10	<1	0.14	10	0.62	548	<1	0.05	21	410	7	0.01	<2	6	60
DD017555		10	<1	0.10	10	1.22	497	<1	0.03	80	610	6	<0.01	<2	6	41
DD017556		<10	<1	0.11	10	0.58	570	<1	0.04	24	450	6	<0.01	<2	6	55
DD017557		<10	<1	0.18	10	0.50	497	<1	0.04	20	340	6	<0.01	<2	7	53
DD017558		10	<1	0.12	10	2.40	613	<1	0.03	146	690	4	<0.01	<2	8	46
DD017559		10	<1	0.17	10	0.63	298	<1	0.03	46	470	5	<0.01	<2	7	36
DD017560		<10	<1	0.09	10	0.45	330	<1	0.02	18	600	5	<0.01	<2	4	33
DD017561		<10	<1	0.11	10	0.52	492	<1	0.03	13	410	5	<0.01	<2	4	30
DD017562		10	<1	0.07	10	1.02	590	<1	0.04	69	230	7	<0.01	<2	10	45
DD017563		10	<1	0.05	10	0.53	500	<1	0.03	19	270	9	<0.01	<2	5	39
DD017564		<10	<1	0.07	10	0.48	192	<1	0.04	12	470	5	<0.01	<2	4	48
DD017565		<10	<1	0.13	10	0.47	209	<1	0.03	14	280	6	<0.01	<2	4	31
DD017566		<10	<1	0.15	10	0.50	297	<1	0.04	19	350	6	<0.01	<2	5	38
DD017567		10	<1	0.19	10	0.62	465	<1	0.03	22	250	11	<0.01	<2	9	46
DD017568		<10	<1	0.09	10	0.38	314	<1	0.03	15	530	5	<0.01	<2	5	39
DD017569		<10	<1	0.08	10	0.43	287	<1	0.03	15	170	5	<0.01	<2	5	36
DD017570		10	<1	0.15	10	0.47	342	<1	0.03	14	140	8	<0.01	<2	5	30
DD017571		<10	<1	0.10	10	0.41	259	<1	0.03	11	300	5	<0.01	<2	4	28
DD017572		10	<1	0.12	10	1.98	879	<1	0.04	83	640	6	0.02	<2	10	106
DD017573		10	<1	0.09	10	0.83	605	<1	0.04	36	590	7	0.02	<2	8	54
DD017574		<10	<1	0.12	10	0.79	354	<1	0.07	29	390	5	0.02	<2	6	85
DD017575		<10	<1	0.03	10	0.30	49	<1	0.05	27	1250	6	0.09	<2	7	53
DD017576		10	<1	0.11	10	0.56	381	1	0.03	18	250	10	<0.01	<2	6	42
DD017577		<10	<1	0.10	10	0.36	347	<1	0.04	11	320	4	<0.01	<2	4	37
DD017578		10	<1	0.09	10	0.57	246	<1	0.01	23	140	10	<0.01	<2	7	36
DD017579		10	<1	0.12	10	0.92	532	<1	0.03	34	340	7	0.01	<2	9	46
DD017580		<10	<1	0.04	10	0.51	347	<1	0.03	21	400	3	0.04	<2	4	67
DD017581		<10	<1	0.11	<10	0.38	200	<1	0.02	11	180	4	<0.01	<2	3	32
DD017582		10	<1	0.05	10	0.42	502	<1	0.02	14	300	5	0.01	<2	3	45



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 3 - C
Total # Pages: 7 (A - C)
Finalized Date: 8- OCT- 2011
Account: MTT

Project: KING

CERTIFICATE OF ANALYSIS WH11170116

Sample Description	Method Analyte Units LOR	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41
		Th	Ti	Ti	U	V	W	Zn
		ppm 20	% 0.01	ppm 10	ppm 10	ppm 1	ppm 10	ppm 2
DD017543		<20	0.06	<10	<10	63	<10	41
DD017544		<20	0.05	<10	<10	35	<10	38
DD017545		<20	0.07	<10	<10	57	<10	46
DD017546		<20	0.04	<10	<10	44	<10	53
DD017547		<20	0.07	<10	<10	62	<10	54
DD017548		<20	0.05	<10	<10	56	<10	47
DD017549		<20	0.05	<10	<10	41	<10	42
DD017550		<20	0.05	<10	<10	49	<10	55
DD017551		<20	0.09	<10	<10	53	<10	38
DD017552		<20	0.08	<10	<10	55	<10	41
DD017553		<20	0.09	<10	<10	57	<10	30
DD017554		<20	0.09	<10	<10	77	<10	47
DD017555		<20	0.09	<10	<10	73	<10	48
DD017556		<20	0.06	<10	<10	64	<10	47
DD017557		<20	0.07	<10	<10	67	<10	53
DD017558		<20	0.09	<10	<10	91	<10	64
DD017559		<20	0.09	<10	<10	68	<10	37
DD017560		<20	0.08	<10	<10	57	<10	40
DD017561		<20	0.08	<10	<10	47	<10	36
DD017562		<20	0.08	<10	<10	94	<10	40
DD017563		<20	0.08	<10	<10	81	<10	59
DD017564		<20	0.06	<10	<10	54	<10	34
DD017565		<20	0.10	<10	<10	54	<10	34
DD017566		<20	0.10	<10	<10	55	<10	39
DD017567		<20	0.09	<10	<10	68	<10	54
DD017568		<20	0.07	<10	<10	54	<10	33
DD017569		<20	0.07	<10	<10	54	<10	33
DD017570		<20	0.10	<10	<10	58	<10	37
DD017571		<20	0.10	<10	<10	52	<10	49
DD017572		<20	0.08	<10	<10	96	<10	67
DD017573		<20	0.07	<10	<10	70	<10	67
DD017574		<20	0.06	<10	<10	56	<10	37
DD017575		<20	0.05	<10	<10	38	<10	45
DD017576		<20	0.09	<10	<10	63	<10	48
DD017577		<20	0.08	<10	<10	45	<10	36
DD017578		<20	0.08	<10	<10	72	<10	47
DD017579		<20	0.08	<10	<10	78	<10	60
DD017580		<20	0.06	<10	<10	45	<10	37
DD017581		<20	0.08	<10	<10	53	<10	32
DD017582		<20	0.07	<10	<10	65	<10	44

Sample Description	Method Analyte Units LOR	WEI- 21	Au- ICP21	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41
		Recvd Wt.	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
		kg .02	ppm 0.001	ppm 0.2	% 0.01	ppm 2	ppm 10	ppm 10	ppm 0.5	ppm 2	% 0.01	ppm 0.5	ppm 1	ppm 1	ppm 1	% 0.01
DD017583		0.30	0.003	0.2	2.01	9	<10	200	<0.5	2	0.48	<0.5	9	30	31	3.05
DD017584		0.22	0.003	0.3	2.14	7	<10	220	0.6	2	0.49	<0.5	12	34	19	3.47
DD017585		0.30	<0.001	<0.2	2.00	8	<10	170	<0.5	2	0.38	<0.5	8	36	19	2.90
DD017586		0.26	0.002	0.2	1.45	4	<10	140	<0.5	<2	0.32	<0.5	8	23	16	2.47
DD017587		0.32	<0.001	<0.2	1.51	5	<10	110	<0.5	<2	0.31	<0.5	8	32	16	2.45
DD017588		0.28	0.008	0.3	1.13	11	10	160	0.5	<2	1.74	<0.5	7	33	271	2.02
DD017589		0.28	0.001	0.2	1.43	5	<10	130	<0.5	2	0.38	<0.5	8	27	28	2.64
DD017590		0.20	0.005	0.3	1.37	35	<10	120	<0.5	2	3.27	<0.5	11	19	77	3.35
DD017591		0.26	0.015	<0.2	1.99	9	<10	210	<0.5	2	0.57	<0.5	15	43	69	3.60
DD017592		0.26	0.012	0.2	2.23	22	<10	120	0.6	<2	0.44	<0.5	13	47	73	3.72
DD017593		0.26	<0.001	<0.2	1.55	8	<10	100	<0.5	2	0.39	<0.5	7	32	19	2.46
DD017594		0.30	0.016	0.2	2.31	10	<10	90	0.5	2	0.55	<0.5	14	49	43	3.83
DD017595		0.26	0.001	<0.2	2.13	13	<10	120	<0.5	2	0.58	<0.5	14	65	36	3.49
DD017596		0.26	0.001	0.2	1.92	12	<10	120	<0.5	<2	0.53	<0.5	12	59	41	3.57
DD017597		0.28	0.005	<0.2	0.68	3	10	90	<0.5	<2	2.33	<0.5	6	26	67	1.45
DD017598		0.40	0.003	<0.2	1.78	27	<10	60	<0.5	<2	0.92	<0.5	20	76	90	4.59
DD017599		0.28	0.002	<0.2	2.39	34	<10	90	0.5	2	0.75	<0.5	17	88	74	4.36
DD017600		0.28	0.003	<0.2	1.90	27	<10	90	<0.5	<2	0.64	<0.5	15	58	49	3.70
DD017601		0.26	0.001	<0.2	1.76	18	<10	170	<0.5	<2	0.51	<0.5	10	38	25	3.10
DD017602		0.32	0.002	0.2	1.94	41	<10	110	<0.5	2	0.49	<0.5	12	42	35	3.14
DD017603		0.18	0.001	0.2	1.95	36	<10	140	<0.5	<2	0.55	<0.5	14	58	41	3.45
DD017604		0.20	0.002	0.2	2.44	13	<10	110	<0.5	3	0.64	<0.5	20	117	50	4.01
DD017605		0.28	0.003	0.2	2.45	8	<10	110	<0.5	2	0.78	<0.5	25	128	33	3.92
DD017606		0.18	0.001	<0.2	2.30	20	<10	140	<0.5	2	0.41	<0.5	12	62	27	3.40
DD017607		0.30	0.003	<0.2	1.98	54	<10	140	<0.5	2	0.51	<0.5	14	57	31	3.16
DD017608		0.28	0.001	0.2	1.77	29	<10	110	<0.5	2	0.45	<0.5	12	49	21	2.78
DD017609		0.22	0.001	<0.2	1.36	23	<10	130	<0.5	2	0.43	<0.5	9	35	17	2.20
DD017610		0.30	0.003	0.2	2.19	67	<10	130	<0.5	2	0.66	<0.5	15	68	41	3.85
DD017611		0.20	0.114	<0.2	1.63	12	<10	140	<0.5	2	0.37	<0.5	9	32	28	2.70
DD017612		0.28	<0.001	<0.2	1.49	25	<10	130	<0.5	<2	0.42	<0.5	8	34	19	2.40
DD017613		0.30	0.003	<0.2	1.41	16	<10	100	<0.5	<2	0.39	<0.5	9	34	15	2.37
DD017614		0.18	0.001	<0.2	1.75	35	<10	130	<0.5	<2	0.46	<0.5	10	42	30	2.72
DD017615		0.26	0.002	<0.2	1.58	16	<10	120	<0.5	<2	0.46	<0.5	13	49	32	2.63
DD017616		0.28	0.002	<0.2	2.05	21	<10	180	<0.5	<2	0.62	<0.5	17	60	38	3.26
DD017617		0.26	0.001	<0.2	2.11	39	<10	110	<0.5	<2	0.63	<0.5	20	87	37	3.21
DD017618		0.24	0.006	<0.2	1.63	15	<10	130	<0.5	<2	0.50	<0.5	11	47	18	2.41
DD017619		0.20	0.002	<0.2	1.47	14	<10	120	<0.5	<2	0.32	<0.5	8	29	17	2.15
DD017620		0.24	0.002	<0.2	1.76	14	<10	150	<0.5	<2	0.46	<0.5	10	36	25	2.68
DD017621		0.28	0.005	<0.2	1.83	28	<10	170	<0.5	<2	0.63	<0.5	15	43	71	3.09
DD017622		Not Recvd														



Page: 4 - B
Total # Pages: 7 (A - C)
Finalized Date: 8- OCT- 2011
Account: MTT

CERTIFICATE OF ANALYSIS WH11170116

Sample Description	Method Analyte Units LOR	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	
		Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
		ppm 10	ppm 1	% 0.01	ppm 10	% 0.01	ppm 5	ppm 1	% 0.01	ppm 1	ppm 10	ppm 2	% 0.01	ppm 2	ppm 1	ppm 1
DD017583		10	<1	0.07	10	0.54	447	<1	0.02	17	290	6	0.01	<2	5	43
DD017584		10	<1	0.07	10	0.56	635	<1	0.02	19	490	7	<0.01	<2	4	42
DD017585		10	<1	0.11	10	0.54	286	<1	0.01	20	480	6	<0.01	<2	4	34
DD017586		<10	<1	0.05	<10	0.42	335	<1	0.02	12	270	5	<0.01	<2	3	25
DD017587		<10	<1	0.06	10	0.45	265	<1	<0.01	19	190	4	<0.01	<2	4	26
DD017588		<10	<1	0.07	10	0.85	394	<1	0.03	33	1420	3	0.07	<2	6	88
DD017589		<10	<1	0.18	10	0.43	411	<1	0.01	18	410	4	<0.01	<2	5	29
DD017590		<10	<1	0.07	10	0.64	599	<1	0.03	16	780	4	0.02	<2	7	90
DD017591		10	<1	0.12	10	0.77	1195	<1	0.03	30	650	5	<0.01	<2	5	40
DD017592		10	<1	0.06	10	0.68	431	<1	0.02	38	170	8	0.01	<2	11	39
DD017593		10	<1	0.07	10	0.45	218	<1	0.01	14	130	4	<0.01	<2	4	27
DD017594		10	<1	0.08	10	0.59	667	<1	0.01	24	260	6	<0.01	<2	8	29
DD017595		10	<1	0.08	10	0.70	334	<1	0.01	34	210	4	<0.01	<2	8	32
DD017596		10	<1	0.08	10	0.69	366	<1	0.02	33	230	5	<0.01	<2	10	35
DD017597		<10	<1	0.04	<10	0.59	241	<1	0.04	24	880	<2	0.11	<2	2	78
DD017598		10	<1	0.05	10	1.27	938	<1	0.02	62	670	2	0.01	<2	13	43
DD017599		10	<1	0.18	10	0.95	423	<1	0.02	56	250	4	0.01	<2	14	40
DD017600		10	<1	0.09	10	0.82	357	<1	0.04	39	170	5	0.01	<2	9	40
DD017601		10	<1	0.15	10	0.55	481	<1	0.02	17	350	5	<0.01	<2	7	36
DD017602		10	<1	0.10	10	0.56	307	<1	0.02	22	360	4	0.01	<2	7	36
DD017603		10	<1	0.13	10	0.69	527	<1	0.03	38	290	4	0.01	<2	10	45
DD017604		10	<1	0.06	10	1.52	456	<1	0.03	71	190	4	0.01	<2	11	35
DD017605		10	<1	0.04	10	1.69	797	<1	0.01	109	340	4	<0.01	<2	8	28
DD017606		10	<1	0.11	10	0.74	292	<1	0.01	38	250	5	<0.01	<2	6	28
DD017607		10	<1	0.05	10	0.80	434	<1	0.02	44	290	5	<0.01	<2	6	30
DD017608		10	<1	0.08	10	0.62	332	<1	0.02	31	330	4	<0.01	<2	6	29
DD017609		<10	<1	0.06	10	0.44	329	<1	0.02	21	360	3	<0.01	<2	4	30
DD017610		10	<1	0.06	10	0.94	420	<1	0.02	52	230	5	0.01	<2	8	43
DD017611		10	<1	0.06	10	0.54	396	<1	0.02	18	210	7	<0.01	<2	4	38
DD017612		10	<1	0.06	10	0.47	370	<1	0.02	22	340	5	<0.01	<2	3	28
DD017613		10	<1	0.07	<10	0.44	269	<1	0.01	19	330	4	<0.01	<2	4	26
DD017614		<10	<1	0.08	10	0.48	363	1	0.03	26	550	8	<0.01	2	5	34
DD017615		<10	<1	0.07	10	0.63	461	<1	0.03	36	320	3	<0.01	2	5	28
DD017616		10	1	0.05	10	0.59	889	1	0.03	45	340	6	<0.01	<2	6	35
DD017617		10	<1	0.07	10	1.12	459	<1	0.03	75	420	5	<0.01	<2	8	28
DD017618		<10	<1	0.06	10	0.74	425	<1	0.03	40	440	4	<0.01	<2	5	31
DD017619		<10	<1	0.04	10	0.43	224	<1	0.02	17	160	4	<0.01	<2	4	26
DD017620		10	<1	0.06	10	0.45	438	1	0.02	20	180	4	<0.01	<2	6	33
DD017621		10	<1	0.05	10	0.62	546	<1	0.04	33	270	5	<0.01	<2	8	53
DD017622																



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 4 - C
Total # Pages: 7 (A - C)
Finalized Date: 8- OCT- 2011
Account: MTT

Project: KING

CERTIFICATE OF ANALYSIS WH11170116

Sample Description	Method Analyte Units LOR	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41
		Th	Ti	Ti	U	V	W	Zn
		ppm 20	% 0.01	ppm 10	ppm 10	ppm 1	ppm 10	ppm 2
DD017583		<20	0.07	<10	<10	73	<10	51
DD017584		<20	0.09	<10	<10	79	<10	148
DD017585		<20	0.09	<10	<10	68	<10	53
DD017586		<20	0.07	<10	<10	58	<10	43
DD017587		<20	0.08	<10	<10	60	<10	33
DD017588		<20	0.05	<10	<10	44	<10	30
DD017589		<20	0.08	<10	<10	56	<10	41
DD017590		<20	0.04	<10	<10	75	<10	52
DD017591		<20	0.10	<10	<10	96	<10	56
DD017592		<20	0.06	<10	<10	76	<10	44
DD017593		<20	0.09	<10	<10	62	<10	31
DD017594		<20	0.08	<10	<10	90	<10	42
DD017595		<20	0.10	<10	<10	87	<10	40
DD017596		<20	0.08	<10	<10	80	<10	50
DD017597		<20	0.03	<10	<10	34	<10	23
DD017598		<20	0.05	<10	<10	75	<10	57
DD017599		<20	0.10	<10	<10	105	<10	43
DD017600		<20	0.10	<10	<10	87	<10	37
DD017601		<20	0.09	<10	<10	65	<10	46
DD017602		<20	0.09	<10	<10	73	<10	41
DD017603		<20	0.07	<10	<10	74	<10	48
DD017604		<20	0.09	<10	<10	94	<10	38
DD017605		<20	0.09	<10	<10	90	<10	45
DD017606		<20	0.09	<10	<10	70	<10	34
DD017607		<20	0.08	<10	<10	74	<10	39
DD017608		<20	0.09	<10	<10	63	<10	35
DD017609		<20	0.08	<10	<10	51	<10	28
DD017610		<20	0.07	<10	<10	85	<10	41
DD017611		<20	0.07	<10	<10	62	<10	36
DD017612		<20	0.07	<10	<10	54	<10	35
DD017613		<20	0.07	<10	<10	54	<10	31
DD017614		<20	0.06	<10	<10	60	<10	33
DD017615		<20	0.08	<10	<10	62	<10	32
DD017616		<20	0.08	<10	<10	74	<10	49
DD017617		<20	0.10	<10	<10	77	<10	45
DD017618		<20	0.08	<10	<10	54	<10	33
DD017619		<20	0.07	<10	<10	53	<10	26
DD017620		<20	0.08	<10	<10	63	<10	33
DD017621		<20	0.07	<10	<10	74	<10	49
DD017622								



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 5 - A
Total # Pages: 7 (A - C)
Finalized Date: 8- OCT- 2011
Account: MTT

Project: KING

CERTIFICATE OF ANALYSIS WH11170116

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg .02	Au- ICP21 Au ppm 0.001	ME- ICP41 Ag ppm 0.2	ME- ICP41 Al % 0.01	ME- ICP41 As ppm 2	ME- ICP41 B ppm 10	ME- ICP41 Ba ppm 10	ME- ICP41 Be ppm 0.5	ME- ICP41 Bi ppm 2	ME- ICP41 Ca % 0.01	ME- ICP41 Cd ppm 0.5	ME- ICP41 Co ppm 1	ME- ICP41 Cr ppm 1	ME- ICP41 Cu ppm 1	ME- ICP41 Fe % 0.01
DD017623		0.18	0.005	<0.2	1.92	24	<10	100	<0.5	<2	1.08	<0.5	15	60	99	3.23
DD017624		0.36	0.002	<0.2	1.56	14	<10	160	<0.5	<2	0.47	<0.5	9	36	25	2.32
DD017625		0.24	0.001	<0.2	1.36	21	<10	150	<0.5	<2	0.50	<0.5	9	25	27	2.45
DD017626		0.24	0.006	<0.2	1.94	20	<10	180	<0.5	<2	0.55	<0.5	11	32	44	3.20
DD017627		0.24	0.004	<0.2	2.01	34	<10	140	<0.5	<2	0.70	<0.5	15	23	78	3.69
DD017628		0.22	0.001	<0.2	1.72	43	<10	80	<0.5	<2	0.60	<0.5	13	41	53	3.04
DD017629		0.22	0.003	<0.2	1.48	16	<10	80	<0.5	<2	0.31	<0.5	7	23	27	2.04
DD017630		0.14	0.007	<0.2	1.73	7	<10	60	<0.5	<2	0.28	<0.5	6	23	31	2.26
DD017631		0.18	0.001	<0.2	1.27	12	<10	130	<0.5	<2	0.60	<0.5	6	22	18	2.07
DD017632		0.28	0.002	<0.2	1.76	25	<10	120	<0.5	<2	0.52	<0.5	11	28	51	3.07
DD017633		0.30	0.001	<0.2	2.11	23	<10	160	<0.5	<2	0.60	<0.5	16	66	46	3.43
DD017634		0.30	0.004	<0.2	1.75	18	<10	70	<0.5	<2	0.47	<0.5	11	48	47	2.76
DD017635		0.22	0.001	<0.2	1.32	11	<10	120	<0.5	<2	0.50	<0.5	8	28	22	2.18
DD017636		0.22	0.001	<0.2	1.81	17	<10	170	<0.5	<2	0.55	<0.5	11	36	21	2.72
DD017637		0.24	0.001	<0.2	1.88	28	<10	130	<0.5	<2	0.62	<0.5	15	49	37	2.98
DD017638		0.24	0.001	<0.2	1.54	25	<10	120	<0.5	<2	0.47	<0.5	9	36	17	2.44
DD017639		0.22	0.003	<0.2	1.48	21	<10	140	<0.5	<2	0.52	<0.5	11	38	24	2.53
DD017640		0.24	0.004	<0.2	1.32	16	<10	120	<0.5	<2	0.44	<0.5	9	34	22	2.16
DD017641		0.20	0.002	<0.2	1.66	21	<10	110	<0.5	<2	0.34	<0.5	9	36	25	2.61
DD017642		0.10	0.006	<0.2	2.12	16	<10	170	<0.5	<2	0.59	<0.5	16	78	80	3.49
DD017643		0.22	0.002	<0.2	1.16	10	<10	230	<0.5	<2	0.91	<0.5	9	25	51	1.85
DD017644		0.32	0.002	<0.2	1.67	11	<10	170	<0.5	<2	0.46	<0.5	8	27	26	2.52
DD017645		0.26	0.002	<0.2	1.26	8	<10	80	<0.5	<2	0.30	<0.5	7	24	17	1.96
DD017646		0.26	0.074	<0.2	1.94	15	<10	120	0.5	<2	0.39	<0.5	12	33	35	3.02
DD017647		0.30	0.003	<0.2	1.70	11	<10	190	<0.5	<2	0.71	<0.5	9	33	40	2.63
DD017648		0.32	0.005	<0.2	2.06	11	<10	140	0.5	<2	0.49	<0.5	12	46	43	3.24
DD017649		0.10	<0.001	<0.2	1.48	3	<10	180	<0.5	<2	0.35	<0.5	8	21	14	2.23
DD017650		0.22	0.001	<0.2	1.44	6	<10	180	<0.5	<2	0.35	<0.5	7	22	17	2.04
DD017651		0.18	0.004	<0.2	1.03	12	<10	100	<0.5	<2	1.13	<0.5	9	27	34	2.01
DD017652		0.32	0.001	<0.2	1.88	17	<10	50	<0.5	<2	0.39	<0.5	18	96	60	3.35
DD017653		0.24	0.006	0.2	2.82	8	<10	70	<0.5	<2	0.90	<0.5	36	224	98	4.03
DD017654		0.34	0.008	<0.2	3.82	11	<10	50	<0.5	<2	0.86	<0.5	47	201	119	5.50
DD017655		0.30	0.004	0.2	1.90	63	<10	140	<0.5	<2	0.69	<0.5	21	80	55	3.90
DD017656		0.24	<0.001	0.2	1.98	15	<10	160	<0.5	<2	0.70	<0.5	20	92	53	3.21
DD017657		0.22	<0.001	0.2	1.46	10	<10	150	<0.5	<2	0.44	<0.5	9	36	14	2.57
DD017658		0.36	<0.001	<0.2	1.25	8	<10	110	<0.5	<2	0.50	<0.5	8	26	15	2.19
DD017659		0.34	<0.001	<0.2	1.43	10	<10	140	<0.5	<2	0.70	<0.5	7	28	22	2.18
DD017660		0.20	<0.001	<0.2	0.88	17	<10	120	<0.5	<2	1.05	<0.5	6	23	24	1.46
DD017661		0.28	0.002	0.2	2.12	13	<10	140	<0.5	<2	0.64	<0.5	19	111	41	3.44
DD017662		0.30	0.002	0.2	2.66	11	<10	90	<0.5	<2	0.99	<0.5	31	290	104	4.12



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 5 - B
Total # Pages: 7 (A - C)
Finalized Date: 8- OCT- 2011
Account: MTT

Project: KING

CERTIFICATE OF ANALYSIS WH11170116

Sample Description	Method Analyte Units LOR	ME- ICP41 Ga ppm 10	ME- ICP41 Hg ppm 1	ME- ICP41 K % 0.01	ME- ICP41 La ppm 10	ME- ICP41 Mg % 0.01	ME- ICP41 Mn ppm 5	ME- ICP41 Mo ppm 1	ME- ICP41 Na % 0.01	ME- ICP41 Ni ppm 1	ME- ICP41 P ppm 10	ME- ICP41 Pb ppm 2	ME- ICP41 S % 0.01	ME- ICP41 Sb ppm 2	ME- ICP41 Sc ppm 1	ME- ICP41 Sr ppm 1
DD017623		<10	<1	0.05	10	1.54	289	<1	0.04	69	490	4	0.03	<2	7	77
DD017624		<10	<1	0.06	10	0.46	319	1	0.03	21	200	5	<0.01	<2	5	32
DD017625		<10	<1	0.13	10	0.39	458	<1	0.03	12	680	3	<0.01	2	5	39
DD017626		10	<1	0.10	10	0.43	643	<1	0.03	17	390	4	<0.01	<2	9	46
DD017627		10	<1	0.20	10	0.55	1165	<1	0.04	15	500	4	0.02	2	11	49
DD017628		10	<1	0.13	10	0.60	485	<1	0.03	27	550	4	<0.01	<2	8	39
DD017629		<10	<1	0.02	10	0.33	425	<1	0.02	10	420	6	<0.01	<2	3	21
DD017630		10	<1	0.04	10	0.34	296	<1	0.02	11	360	4	<0.01	2	3	21
DD017631		<10	<1	0.07	10	0.42	237	<1	0.03	11	410	6	0.01	<2	4	45
DD017632		10	<1	0.12	10	0.49	434	<1	0.03	16	220	5	<0.01	2	9	43
DD017633		10	<1	0.16	10	0.58	781	1	0.03	35	520	3	<0.01	<2	10	41
DD017634		<10	<1	0.07	10	0.56	401	<1	0.03	26	620	5	<0.01	<2	8	31
DD017635		<10	<1	0.10	10	0.40	359	<1	0.03	14	500	3	<0.01	<2	5	35
DD017636		<10	<1	0.16	10	0.48	411	1	0.02	20	650	5	<0.01	<2	4	41
DD017637		10	<1	0.11	10	0.65	525	<1	0.03	34	380	6	<0.01	<2	6	41
DD017638		<10	<1	0.11	10	0.51	268	<1	0.03	20	330	6	<0.01	<2	4	31
DD017639		<10	<1	0.13	10	0.52	528	1	0.03	24	400	6	<0.01	<2	5	38
DD017640		<10	<1	0.11	10	0.45	331	<1	0.03	21	420	5	<0.01	<2	5	31
DD017641		<10	<1	0.11	10	0.50	247	1	0.02	22	160	5	<0.01	2	4	30
DD017642		10	<1	0.09	10	0.78	912	<1	0.03	35	440	5	0.01	<2	10	36
DD017643		<10	<1	0.07	10	0.48	1450	1	0.04	21	600	4	0.02	<2	4	64
DD017644		<10	<1	0.08	10	0.46	426	1	0.02	15	330	8	<0.01	<2	5	42
DD017645		<10	<1	0.08	10	0.33	160	<1	0.02	12	170	5	<0.01	2	4	27
DD017646		10	<1	0.17	10	0.53	393	1	0.03	19	160	9	<0.01	<2	7	38
DD017647		10	<1	0.13	10	0.64	427	<1	0.03	21	410	5	0.01	<2	6	53
DD017648		10	<1	0.10	10	0.75	331	<1	0.03	32	130	4	<0.01	<2	8	36
DD017649		10	<1	0.03	10	0.29	515	1	0.02	10	250	6	<0.01	<2	3	28
DD017650		<10	<1	0.04	<10	0.30	357	<1	0.03	10	200	5	<0.01	<2	3	31
DD017651		<10	<1	0.07	10	0.62	676	<1	0.03	27	640	5	0.07	<2	4	64
DD017652		<10	<1	0.02	<10	1.15	249	<1	0.01	90	430	3	0.01	<2	6	25
DD017653		10	<1	0.13	<10	4.34	556	<1	0.03	268	620	<2	0.04	<2	4	43
DD017654		10	<1	0.05	<10	3.98	578	<1	0.03	267	430	2	0.01	<2	4	32
DD017655		10	<1	0.11	10	0.74	665	<1	0.03	63	270	4	0.01	2	10	49
DD017656		10	<1	0.13	10	1.39	523	<1	0.03	90	480	4	0.02	<2	5	46
DD017657		<10	<1	0.07	<10	0.51	388	<1	0.02	21	160	4	0.01	<2	4	36
DD017658		<10	<1	0.09	10	0.40	311	<1	0.02	16	640	4	0.01	<2	3	35
DD017659		<10	<1	0.06	10	0.44	402	<1	0.02	18	450	5	0.02	<2	4	45
DD017660		<10	<1	0.06	10	0.49	486	<1	0.04	19	650	2	0.08	<2	3	50
DD017661		10	<1	0.09	10	1.33	446	<1	0.03	84	260	4	0.01	2	7	37
DD017662		10	<1	0.09	<10	3.27	655	<1	0.03	209	580	3	0.04	<2	6	50



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 5 - C
Total # Pages: 7 (A - C)
Finalized Date: 8- OCT- 2011
Account: MTT

Project: KING

CERTIFICATE OF ANALYSIS WH11170116

Sample Description	Method Analyte Units LOR	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41
		Th	Ti	Ti	U	V	W	Zn
		ppm 20	% 0.01	ppm 10	ppm 10	ppm 1	ppm 10	ppm 2
DD017623		<20	0.07	<10	<10	71	<10	50
DD017624		<20	0.09	<10	<10	53	<10	36
DD017625		<20	0.07	<10	<10	55	<10	42
DD017626		<20	0.08	<10	<10	73	<10	54
DD017627		<20	0.08	<10	<10	70	<10	69
DD017628		<20	0.08	<10	<10	66	<10	45
DD017629		<20	0.07	<10	<10	52	<10	33
DD017630		<20	0.07	<10	<10	53	<10	65
DD017631		<20	0.07	<10	<10	48	<10	31
DD017632		<20	0.05	<10	<10	73	<10	42
DD017633		<20	0.10	<10	<10	83	<10	55
DD017634		<20	0.10	<10	<10	66	<10	39
DD017635		<20	0.09	<10	<10	51	<10	36
DD017636		<20	0.08	<10	<10	57	<10	37
DD017637		<20	0.08	<10	<10	67	<10	53
DD017638		<20	0.09	<10	<10	55	<10	54
DD017639		<20	0.09	<10	<10	56	<10	51
DD017640		<20	0.08	<10	<10	49	<10	36
DD017641		<20	0.08	<10	<10	59	<10	32
DD017642		<20	0.08	<10	<10	82	<10	58
DD017643		<20	0.06	<10	<10	42	<10	54
DD017644		<20	0.08	<10	<10	58	<10	52
DD017645		<20	0.08	<10	<10	49	<10	29
DD017646		<20	0.09	<10	<10	65	<10	44
DD017647		<20	0.07	<10	<10	49	<10	40
DD017648		<20	0.09	<10	<10	75	<10	42
DD017649		<20	0.07	<10	<10	56	<10	48
DD017650		<20	0.07	<10	<10	52	<10	40
DD017651		<20	0.05	<10	<10	42	<10	58
DD017652		<20	0.05	<10	<10	69	<10	38
DD017653		<20	0.07	<10	<10	78	<10	53
DD017654		<20	0.08	<10	<10	139	<10	63
DD017655		<20	0.08	<10	<10	89	<10	50
DD017656		<20	0.07	<10	<10	66	<10	52
DD017657		<20	0.07	<10	<10	62	<10	35
DD017658		<20	0.07	<10	<10	49	<10	48
DD017659		<20	0.07	<10	<10	51	<10	41
DD017660		<20	0.04	<10	<10	29	<10	39
DD017661		<20	0.08	<10	<10	74	<10	48
DD017662		<20	0.07	<10	<10	73	<10	58



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
 C/ O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016- 510 W HASTINGS ST
 VANCOUVER BC V6B 1L8

Page: 6 - A
 Total # Pages: 7 (A - C)
 Finalized Date: 8- OCT- 2011
 Account: MTT

Project: KING

CERTIFICATE OF ANALYSIS WH11170116

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg .02	Au- ICP21 Au ppm 0.001	ME- ICP41 Ag ppm 0.2	ME- ICP41 Al % 0.01	ME- ICP41 As ppm 2	ME- ICP41 B ppm 10	ME- ICP41 Ba ppm 10	ME- ICP41 Be ppm 0.5	ME- ICP41 Bi ppm 2	ME- ICP41 Ca % 0.01	ME- ICP41 Cd ppm 0.5	ME- ICP41 Co ppm 1	ME- ICP41 Cr ppm 1	ME- ICP41 Cu ppm 1	ME- ICP41 Fe % 0.01
DD017663		0.34	<0.001	0.2	3.13	9	<10	60	<0.5	<2	0.76	<0.5	36	286	51	4.60
DD017664		0.24	0.002	0.2	1.54	15	<10	130	<0.5	<2	0.75	<0.5	12	44	32	2.52
DD017665		0.30	<0.001	<0.2	1.26	27	<10	110	<0.5	<2	0.49	<0.5	10	37	22	2.49
DD017666		0.18	<0.001	0.2	1.67	16	<10	180	<0.5	<2	0.54	<0.5	15	55	24	2.93
DD017667		0.18	0.002	0.2	1.89	31	<10	120	<0.5	<2	1.10	<0.5	19	74	100	3.27
DD017668		0.20	0.002	<0.2	1.40	20	<10	140	<0.5	<2	0.62	<0.5	12	49	46	2.38
DD017669		0.20	0.002	0.2	2.99	137	<10	80	<0.5	<2	0.89	<0.5	39	270	162	5.84
DD017670		0.24	0.003	0.3	3.27	155	<10	50	<0.5	<2	2.12	<0.5	54	330	214	6.28
DD017671		0.26	<0.001	0.2	1.10	6	<10	50	<0.5	<2	1.01	<0.5	14	81	94	1.56
DD017672		0.20	<0.001	0.2	2.84	20	<10	50	<0.5	<2	0.82	<0.5	42	226	126	4.80
DD017673		0.22	0.005	0.3	2.88	220	<10	30	<0.5	<2	4.21	<0.5	53	307	201	5.40
DD017674		0.22	<0.001	0.2	2.96	61	<10	100	<0.5	<2	1.07	<0.5	41	257	125	4.85
DD017675		0.24	<0.001	<0.2	1.01	6	<10	70	<0.5	<2	1.04	<0.5	8	33	31	1.46
DD017676		0.22	0.003	<0.2	0.97	7	<10	100	<0.5	<2	0.30	<0.5	6	18	21	1.95
DD017677		0.30	<0.001	<0.2	0.70	10	<10	80	<0.5	<2	1.54	<0.5	6	14	19	1.93
DD017678		0.42	0.001	<0.2	0.96	27	<10	100	<0.5	<2	0.71	<0.5	10	17	26	3.14
DD017679		0.26	<0.001	0.2	1.26	16	<10	110	<0.5	<2	0.96	<0.5	10	33	64	2.36
DD017680		0.16	0.001	0.2	0.90	15	<10	90	<0.5	<2	1.28	<0.5	10	25	34	1.91
DD017681		0.30	0.001	0.2	1.18	8	<10	110	<0.5	<2	0.70	<0.5	7	25	22	2.21
DD017682		0.22	<0.001	<0.2	1.26	5	<10	90	<0.5	<2	0.35	<0.5	7	23	18	2.01
DD017683		0.24	0.001	<0.2	1.54	15	<10	80	<0.5	<2	0.47	<0.5	9	33	36	2.73
DD017684		0.36	<0.001	0.3	1.37	7	<10	140	<0.5	<2	1.02	<0.5	10	29	60	2.18
DD017685		0.30	0.001	<0.2	1.41	6	<10	140	<0.5	<2	0.60	<0.5	8	25	25	2.18
DD017686		0.24	<0.001	<0.2	1.13	6	<10	100	<0.5	<2	0.30	<0.5	7	18	15	2.11
DD017687		0.22	<0.001	<0.2	1.62	5	<10	130	<0.5	<2	0.38	<0.5	9	25	18	2.66
DD017688		0.16	<0.001	<0.2	1.24	5	<10	110	<0.5	<2	0.92	<0.5	7	21	33	2.42
DD017689		0.22	0.001	0.3	0.71	14	10	140	<0.5	<2	4.82	<0.5	5	15	36	1.19
DD017690		0.28	<0.001	<0.2	1.47	10	<10	120	<0.5	<2	0.52	<0.5	9	24	27	2.21
DD017691		0.26	<0.001	<0.2	1.31	5	<10	120	<0.5	<2	0.67	<0.5	8	24	22	2.26
DD017692		0.24	0.010	<0.2	1.23	6	<10	150	<0.5	<2	0.70	<0.5	8	21	21	2.10
DD017693		0.14	<0.001	<0.2	1.56	9	<10	160	<0.5	<2	0.77	<0.5	8	30	52	2.69
DD017694		0.16	<0.001	<0.2	1.70	7	<10	140	<0.5	<2	0.34	<0.5	8	32	24	2.51
DD017695		0.18	<0.001	<0.2	1.35	6	<10	170	<0.5	<2	0.41	<0.5	9	23	20	2.41
DD017696		0.18	<0.001	<0.2	1.21	5	<10	100	<0.5	<2	0.31	<0.5	7	21	23	2.10
DD017697		0.20	<0.001	<0.2	1.25	6	<10	140	<0.5	<2	0.31	<0.5	8	25	17	2.45
DD017698		0.26	<0.001	<0.2	1.40	8	<10	190	<0.5	<2	0.32	<0.5	8	26	13	2.25
DD017699		0.22	<0.001	<0.2	1.95	11	<10	170	<0.5	<2	0.55	<0.5	13	43	43	3.25
DD017700		0.24	0.002	<0.2	1.89	13	<10	180	<0.5	<2	0.58	<0.5	11	34	30	3.05
DD017701		0.22	<0.001	<0.2	1.46	4	<10	220	<0.5	<2	0.40	<0.5	9	20	24	2.17
DD017702		0.32	<0.001	<0.2	1.67	7	<10	130	<0.5	<2	0.37	<0.5	8	27	18	2.51



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 6 - B
Total # Pages: 7 (A - C)
Finalized Date: 8- OCT- 2011
Account: MTT

Project: KING

CERTIFICATE OF ANALYSIS WH11170116

Sample Description	Method Analyte Units LOR	ME- ICP41 Ga ppm 10	ME- ICP41 Hg ppm 1	ME- ICP41 K % 0.01	ME- ICP41 La ppm 10	ME- ICP41 Mg % 0.01	ME- ICP41 Mn ppm 5	ME- ICP41 Mo ppm 1	ME- ICP41 Na % 0.01	ME- ICP41 Ni ppm 1	ME- ICP41 P ppm 10	ME- ICP41 Pb ppm 2	ME- ICP41 S % 0.01	ME- ICP41 Sb ppm 2	ME- ICP41 Sc ppm 1	ME- ICP41 Sr ppm 1
DD017663		10	<1	0.05	<10	3.55	492	<1	0.02	236	320	2	0.01	2	7	25
DD017664		<10	<1	0.09	10	0.69	258	<1	0.03	34	650	5	0.02	<2	5	43
DD017665		<10	<1	0.07	10	0.53	288	<1	0.02	28	470	4	0.01	<2	5	40
DD017666		10	<1	0.08	10	0.67	949	<1	0.03	40	470	5	0.01	<2	5	36
DD017667		10	<1	0.09	10	1.41	607	<1	0.04	66	730	4	0.05	<2	6	48
DD017668		<10	<1	0.16	10	0.88	506	<1	0.04	48	560	3	0.03	<2	4	46
DD017669		10	<1	0.10	10	2.84	788	<1	0.02	198	560	3	0.02	2	14	37
DD017670		10	<1	0.07	<10	4.82	1070	<1	0.02	329	560	2	0.04	<2	13	65
DD017671		<10	<1	0.04	<10	1.38	298	<1	0.04	92	690	<2	0.04	<2	2	59
DD017672		10	<1	0.13	<10	3.76	721	<1	0.02	280	630	<2	0.03	2	9	37
DD017673		10	<1	0.06	<10	3.68	946	<1	0.03	309	650	<2	0.04	3	15	85
DD017674		10	<1	0.13	<10	2.53	907	<1	0.03	218	610	2	0.02	2	14	48
DD017675		<10	<1	0.05	<10	0.68	159	<1	0.04	35	400	2	0.05	<2	2	52
DD017676		<10	<1	0.07	10	0.28	222	<1	0.03	18	280	7	0.01	<2	3	28
DD017677		<10	<1	0.05	10	0.31	353	<1	0.04	10	600	4	0.01	<2	4	67
DD017678		<10	<1	0.07	10	0.48	368	<1	0.03	13	680	4	0.02	<2	4	49
DD017679		<10	<1	0.07	10	0.73	330	<1	0.03	23	620	5	0.04	<2	6	51
DD017680		<10	<1	0.05	<10	0.48	992	<1	0.04	19	570	3	0.11	<2	3	63
DD017681		<10	<1	0.07	10	0.53	256	<1	0.03	14	560	5	0.02	<2	5	46
DD017682		<10	<1	0.09	10	0.36	247	<1	0.02	12	240	5	0.01	<2	4	30
DD017683		<10	<1	0.08	10	0.52	237	<1	0.02	24	150	6	0.01	2	7	33
DD017684		<10	<1	0.09	10	0.53	240	<1	0.03	29	440	5	0.04	<2	5	62
DD017685		<10	<1	0.07	10	0.47	284	1	0.02	16	430	6	0.01	<2	5	43
DD017686		<10	<1	0.07	<10	0.35	215	1	0.02	10	470	5	0.01	<2	3	25
DD017687		<10	<1	0.08	10	0.38	444	1	0.02	14	210	7	0.01	<2	4	26
DD017688		<10	<1	0.10	10	0.47	304	1	0.03	13	280	7	0.02	2	4	51
DD017689		<10	<1	0.05	<10	0.63	433	<1	0.06	15	730	4	0.21	2	2	99
DD017690		<10	<1	0.07	10	0.46	439	1	0.02	14	180	7	0.01	<2	4	33
DD017691		<10	<1	0.11	10	0.63	204	1	0.03	14	320	6	0.01	<2	4	49
DD017692		<10	<1	0.07	10	0.59	600	<1	0.03	14	410	5	0.02	<2	3	44
DD017693		<10	1	0.10	10	0.79	294	1	0.03	23	420	6	0.02	2	6	51
DD017694		<10	<1	0.08	10	0.50	235	1	0.02	19	230	6	0.01	<2	4	30
DD017695		<10	<1	0.10	10	0.41	483	1	0.03	14	440	6	0.01	<2	3	35
DD017696		<10	<1	0.06	10	0.36	174	1	0.04	12	260	5	0.01	<2	3	24
DD017697		<10	<1	0.14	10	0.35	496	1	0.02	14	380	5	0.01	<2	4	25
DD017698		<10	<1	0.07	10	0.39	523	1	0.01	16	470	6	0.01	<2	3	29
DD017699		<10	<1	0.11	10	0.86	507	1	0.04	30	450	7	0.01	2	6	48
DD017700		10	<1	0.09	10	0.63	500	1	0.03	25	380	5	0.01	2	5	42
DD017701		<10	<1	0.04	10	0.31	828	<1	0.03	13	280	5	0.01	<2	3	31
DD017702		<10	<1	0.06	10	0.44	386	1	0.02	15	280	6	0.01	<2	4	26



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 6 - C
Total # Pages: 7 (A - C)
Finalized Date: 8- OCT- 2011
Account: MTT

Project: KING

CERTIFICATE OF ANALYSIS WH11170116

Sample Description	Method Analyte Units LOR	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41
		Th	Ti	Ti	U	V	W	Zn
		ppm 20	% 0.01	ppm 10	ppm 10	ppm 1	ppm 10	ppm 2
DD017663		<20	0.10	<10	<10	92	<10	54
DD017664		<20	0.09	<10	<10	58	<10	59
DD017665		<20	0.07	<10	<10	55	<10	34
DD017666		<20	0.08	<10	<10	58	<10	68
DD017667		<20	0.08	<10	<10	69	<10	56
DD017668		<20	0.06	<10	<10	53	<10	46
DD017669		<20	0.08	<10	<10	118	<10	62
DD017670		<20	0.06	<10	<10	124	<10	71
DD017671		<20	0.03	<10	<10	35	<10	30
DD017672		<20	0.05	<10	<10	96	<10	57
DD017673		<20	0.04	<10	<10	124	<10	62
DD017674		<20	0.07	<10	<10	114	<10	65
DD017675		<20	0.05	<10	<10	32	<10	31
DD017676		<20	0.06	<10	<10	46	<10	37
DD017677		<20	0.05	<10	<10	44	<10	33
DD017678		<20	0.05	<10	<10	52	<10	41
DD017679		<20	0.08	<10	<10	54	<10	48
DD017680		<20	0.04	<10	<10	39	<10	44
DD017681		<20	0.07	<10	<10	49	<10	42
DD017682		<20	0.08	<10	<10	47	<10	36
DD017683		<20	0.07	<10	<10	59	<10	31
DD017684		<20	0.08	<10	<10	49	<10	36
DD017685		<20	0.07	<10	<10	50	<10	45
DD017686		<20	0.05	<10	<10	46	<10	32
DD017687		<20	0.06	<10	<10	58	<10	35
DD017688		<20	0.07	<10	<10	53	<10	37
DD017689		<20	0.03	<10	<10	24	<10	30
DD017690		<20	0.07	<10	<10	52	<10	34
DD017691		<20	0.08	<10	<10	49	<10	34
DD017692		<20	0.07	<10	<10	46	<10	36
DD017693		<20	0.06	<10	<10	54	<10	43
DD017694		<20	0.08	<10	<10	61	<10	37
DD017695		<20	0.07	<10	<10	55	<10	44
DD017696		<20	0.07	<10	<10	52	<10	35
DD017697		<20	0.08	<10	<10	56	<10	34
DD017698		<20	0.07	<10	<10	49	<10	43
DD017699		<20	0.09	<10	<10	76	<10	49
DD017700		<20	0.08	<10	<10	70	<10	49
DD017701		<20	0.07	<10	<10	50	<10	44
DD017702		<20	0.08	<10	<10	58	<10	41



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 7 - A
Total # Pages: 7 (A - C)
Finalized Date: 8- OCT- 2011
Account: MTT

Project: KING

CERTIFICATE OF ANALYSIS WH11170116

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg	Au- ICP21 Au ppm	ME- ICP41 Ag ppm	ME- ICP41 Al %	ME- ICP41 As ppm	ME- ICP41 B ppm	ME- ICP41 Ba ppm	ME- ICP41 Be ppm	ME- ICP41 Bi ppm	ME- ICP41 Ca %	ME- ICP41 Cd ppm	ME- ICP41 Co ppm	ME- ICP41 Cr ppm	ME- ICP41 Cu ppm	ME- ICP41 Fe %
		.02	0.001	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
DD017703		0.18	<0.001	<0.2	1.58	6	<10	150	<0.5	<2	0.39	<0.5	8	25	20	2.48
DD017704		0.28	0.003	<0.2	1.51	7	<10	160	<0.5	<2	0.38	<0.5	9	27	19	2.48
DD017705		0.26	<0.001	<0.2	1.45	3	<10	290	<0.5	<2	0.61	<0.5	10	27	35	2.59



Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

Project: KING

Account: MTT

CERTIFICATE OF ANALYSIS WH11170116[illegible]



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 7 - C
 Total # Pages: 7 (A - C)
 Finalized Date: 8- OCT- 2011
 Account: MTT

Project: KING

CERTIFICATE OF ANALYSIS WH11170116

Sample Description	Method Analyte Units LOR	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41
		Th	Ti	Tl	U	V	W	Zn
		ppm	%	ppm	ppm	ppm	ppm	ppm
		20	0.01	10	10	1	10	2
DD017703		<20	0.07	<10	<10	57	<10	36
DD017704		<20	0.08	<10	<10	58	<10	46
DD017705		<20	0.07	<10	<10	54	<10	54



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 1
Finalized Date: 10- OCT- 2011
Account: MTT

CERTIFICATE WH11170117

Project: KING

P.O. No.:

This report is for 203 Soil samples submitted to our lab in Whitehorse, YT, Canada on 24- AUG- 2011.

The following have access to data associated with this certificate:

MATT DUMALA
JOAN MARIACHER

DOUG EATON
BRUCE YOUNGMAN

SARAH EATON

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
SCR- 41	Screen to - 180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- TL43	Trace Level Au - 25g AR	ICP- MS
ME- MS41	51 anal. aqua regia ICPMS	

To: **STRATEGIC METALS LTD.**
ATTN: JOAN MARIACHER
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:


Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - A
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 10- OCT- 2011
Account: MTT

Project: KING

CERTIFICATE OF ANALYSIS WH11170117

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg	Au- TL43 Au ppm	ME- MS41 Ag ppm	ME- MS41 Al %	ME- MS41 As ppm	ME- MS41 Au ppm	ME- MS41 B ppm	ME- MS41 Ba ppm	ME- MS41 Be ppm	ME- MS41 Bi ppm	ME- MS41 Ca %	ME- MS41 Cd ppm	ME- MS41 Ce ppm	ME- MS41 Co ppm	ME- MS41 Cr ppm
		0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
DD017706		0.24	0.005	0.11	1.03	38.8	<0.2	<10	140	0.30	0.06	2.28	0.17	17.95	8.8	17
DD017707		0.18	0.002	0.04	0.88	7.7	<0.2	<10	110	0.27	0.07	0.63	0.07	19.50	6.8	25
DD017708		0.28	0.008	0.07	0.90	11.0	<0.2	<10	110	0.31	0.07	1.47	0.16	20.8	8.9	18
DD017709		0.18	0.003	0.05	1.22	19.2	<0.2	<10	150	0.45	0.08	0.60	0.09	22.1	9.8	19
DD017710		0.26	0.005	0.05	1.61	10.1	<0.2	<10	130	0.41	0.10	0.35	0.06	17.00	7.9	26
DD017711		0.18	0.043	0.08	1.34	7.7	<0.2	<10	150	0.41	0.09	0.64	0.10	23.2	7.8	22
DD017712		0.26	0.005	0.05	1.81	18.5	<0.2	<10	100	0.37	0.10	0.84	0.14	11.75	12.0	50
DD017713		0.26	0.003	0.08	1.34	18.0	<0.2	<10	120	0.35	0.09	1.07	0.09	15.30	10.7	37
DD017714		0.18	0.002	0.07	0.94	12.3	<0.2	<10	90	0.31	0.07	1.16	0.15	13.30	7.9	25
DD017715		0.16	0.002	0.15	2.48	21.2	<0.2	<10	100	0.39	0.11	0.62	0.17	17.30	28.9	80
DD017716		0.24	0.001	0.05	1.23	7.5	<0.2	<10	100	0.35	0.10	0.36	0.06	17.35	8.1	30
DD017717		0.20	0.004	0.08	0.99	15.0	<0.2	<10	100	0.31	0.07	2.71	0.14	20.0	6.7	23
DD017718		0.40	0.002	0.04	1.66	12.4	<0.2	<10	110	0.54	0.11	0.27	0.05	25.7	10.2	31
DD017719		0.24	0.001	0.05	1.27	15.5	<0.2	<10	110	0.31	0.08	0.47	0.10	13.95	9.2	31
DD017720		0.30	0.001	0.11	1.11	10.5	<0.2	<10	130	0.37	0.08	0.84	0.12	17.75	8.1	24
DD017721		0.24	0.002	0.04	1.72	11.4	<0.2	<10	140	0.51	0.11	0.42	0.06	21.7	9.6	32
DD017722		0.28	0.001	0.06	1.34	8.7	<0.2	<10	100	0.39	0.09	0.46	0.08	19.60	8.7	29
DD017723		0.16	0.003	0.11	1.19	12.8	<0.2	<10	120	0.32	0.07	1.33	0.22	14.60	7.6	27
DD017724		0.32	0.002	0.08	1.00	22.2	<0.2	<10	80	0.31	0.08	2.01	0.13	16.75	7.0	22
DD017725		0.26	0.003	0.06	0.84	17.2	<0.2	<10	60	0.24	0.05	2.40	0.11	14.30	9.0	25
DD017726		0.18	0.001	0.07	0.78	17.9	<0.2	10	110	0.22	0.05	3.63	0.29	12.85	9.7	18
DD017727		0.26	0.002	0.10	0.92	12.1	<0.2	20	190	0.24	0.07	6.55	0.36	11.70	9.6	21
DD017728		0.18	0.002	0.06	1.12	13.4	<0.2	<10	110	0.23	0.09	1.19	0.16	9.20	9.9	24
DD017729		0.30	0.001	0.03	1.25	9.3	<0.2	<10	160	0.35	0.09	0.37	0.07	16.25	9.4	24
DD017730		0.28	0.004	0.04	1.63	9.8	<0.2	<10	110	0.39	0.11	0.37	0.08	17.25	9.5	30
DD017731		0.28	0.003	0.06	1.00	20.4	<0.2	<10	90	0.23	0.07	0.87	0.04	13.25	8.9	24
DD017732		0.26	0.001	0.03	1.44	4.5	<0.2	<10	60	0.24	0.08	0.38	0.04	11.40	11.5	42
DD017733		0.24	0.003	0.14	1.74	13.3	<0.2	<10	100	0.43	0.10	0.39	0.05	21.2	9.5	28
DD017734		0.24	0.008	0.03	1.73	16.5	<0.2	<10	130	0.36	0.09	0.36	0.03	13.75	11.5	40
DD017735		0.18	0.002	0.10	2.04	10.2	<0.2	<10	130	0.39	0.11	0.70	0.08	14.20	13.6	52
DD017736		0.24	0.001	0.23	1.40	5.0	<0.2	<10	170	0.21	0.11	0.53	0.05	15.95	8.7	29
DD017737		0.34	<0.001	0.10	1.48	6.4	<0.2	<10	130	0.33	0.11	0.44	0.05	18.40	8.7	29
DD017738		0.30	0.001	0.06	1.31	9.0	<0.2	<10	110	0.28	0.08	0.42	0.09	12.15	8.8	34
DD017739		0.24	0.001	0.07	2.07	15.6	<0.2	<10	190	0.50	0.10	0.67	0.07	20.7	14.6	57
DD017740		0.22	0.007	0.12	1.79	22.9	<0.2	<10	130	0.49	0.08	0.73	0.08	21.1	15.7	55
DD017741		0.28	0.001	0.08	1.85	18.0	<0.2	<10	170	0.40	0.10	0.57	0.07	20.3	13.2	48
DD017742		0.22	0.052	0.13	2.54	42.0	<0.2	<10	110	0.52	0.08	0.73	0.12	18.95	21.5	101
DD017743		0.26	0.012	0.11	2.30	9.7	<0.2	<10	200	0.44	0.10	0.53	0.11	16.75	17.2	89
DD017744		0.26	0.003	0.06	0.96	19.2	<0.2	<10	70	0.30	0.06	0.42	0.06	17.80	8.5	33
DD017745		0.32	0.002	0.06	3.24	19.8	<0.2	<10	60	0.53	0.08	0.65	0.04	24.4	34.2	193



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - B
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 10- OCT- 2011
Account: MTT

Project: KING

CERTIFICATE OF ANALYSIS WH11170117

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
DD017706		0.53	33.1	2.25	3.43	0.08	0.08	0.07	0.017	0.08	8.5	4.7	0.38	478	0.74
DD017707		0.39	19.7	1.95	3.30	0.07	0.06	0.02	0.015	0.07	9.4	6.1	0.44	231	0.54
DD017708		0.77	28.6	2.16	3.31	0.10	0.15	0.07	0.019	0.12	9.9	4.8	0.46	498	0.89
DD017709		0.64	29.1	2.46	4.36	0.09	0.17	0.03	0.023	0.13	11.2	6.5	0.40	523	0.74
DD017710		0.48	37.3	2.52	5.16	0.07	0.09	0.01	0.023	0.06	8.5	9.1	0.42	232	1.01
DD017711		0.55	25.9	2.37	4.64	0.06	0.09	0.02	0.020	0.13	7.7	9.3	0.37	367	0.65
DD017712		1.33	34.3	2.75	5.64	0.07	0.05	0.02	0.021	0.09	5.3	18.3	0.93	449	0.73
DD017713		0.63	43.7	2.34	4.69	0.07	0.06	0.04	0.021	0.06	7.6	8.0	0.67	622	0.81
DD017714		0.55	41.3	1.89	3.44	0.06	0.06	0.03	0.016	0.05	6.3	5.1	0.47	414	0.57
DD017715		3.92	67.8	5.49	8.57	0.12	0.16	0.02	0.031	0.06	7.4	10.2	0.72	779	1.58
DD017716		0.46	21.5	2.06	4.47	0.06	0.11	0.01	0.018	0.09	6.5	9.1	0.37	265	1.35
DD017717		0.60	31.3	2.00	3.53	0.08	0.11	0.07	0.017	0.06	10.4	7.5	0.59	299	0.67
DD017718		0.86	28.4	2.68	5.85	0.08	0.13	0.03	0.025	0.10	11.7	12.0	0.48	412	1.34
DD017719		0.92	23.4	2.28	4.29	0.07	0.09	0.02	0.019	0.10	6.0	7.8	0.48	346	0.70
DD017720		0.62	27.4	2.00	3.98	0.07	0.05	0.04	0.018	0.07	8.3	8.8	0.55	410	0.54
DD017721		0.72	26.8	2.73	5.93	0.07	0.15	0.02	0.025	0.09	8.1	11.4	0.48	365	1.06
DD017722		0.56	15.3	2.20	4.62	0.06	0.06	0.01	0.019	0.14	7.3	10.3	0.39	322	0.95
DD017723		0.70	41.0	1.87	4.13	0.07	0.06	0.03	0.017	0.06	6.9	7.6	0.68	379	0.33
DD017724		0.86	45.5	1.92	3.45	0.07	0.08	0.05	0.018	0.09	8.2	8.0	0.60	280	0.76
DD017725		0.99	36.3	1.76	2.93	0.08	0.09	0.04	0.015	0.06	6.5	5.3	0.59	269	0.39
DD017726		0.75	33.2	1.54	2.77	0.06	0.06	0.05	0.013	0.07	6.0	4.7	0.60	1230	0.57
DD017727		0.71	43.9	1.67	3.29	0.06	0.08	0.05	0.017	0.08	6.5	6.6	0.69	1200	0.32
DD017728		0.56	34.7	1.91	4.91	0.06	0.05	0.02	0.018	0.09	4.7	7.1	0.80	422	0.56
DD017729		0.41	21.2	2.25	4.70	0.06	0.06	0.01	0.019	0.05	8.9	5.4	0.33	358	0.66
DD017730		0.66	21.4	2.42	5.42	0.06	0.09	0.02	0.025	0.09	8.3	7.9	0.44	265	0.90
DD017731		0.51	23.6	2.26	3.75	0.07	0.06	0.04	0.017	0.06	7.0	5.7	0.47	385	0.59
DD017732		0.97	25.5	2.08	4.68	0.05	0.09	0.01	0.015	0.04	6.0	6.9	0.63	179	0.59
DD017733		0.67	33.9	2.65	5.43	0.07	0.06	0.01	0.027	0.04	11.6	6.9	0.45	224	0.80
DD017734		0.83	25.7	2.70	4.85	0.06	0.07	0.02	0.025	0.04	6.2	6.2	0.48	329	0.90
DD017735		1.54	45.2	3.20	5.84	0.06	0.09	0.01	0.027	0.08	7.1	8.0	0.58	440	1.01
DD017736		0.91	23.3	1.93	4.48	0.09	0.05	0.02	0.018	0.05	7.0	8.5	0.44	645	0.91
DD017737		0.76	16.9	2.25	4.69	0.09	0.06	0.02	0.020	0.07	7.8	9.3	0.43	300	0.73
DD017738		0.66	18.9	2.44	4.32	0.08	0.07	0.02	0.017	0.08	5.8	7.8	0.47	242	0.75
DD017739		0.83	44.0	3.34	6.37	0.10	0.17	0.01	0.026	0.07	9.0	8.9	0.70	552	0.98
DD017740		0.68	78.5	3.33	5.63	0.10	0.13	0.07	0.026	0.08	10.3	8.9	0.86	519	0.90
DD017741		0.92	39.6	3.19	5.84	0.10	0.16	0.02	0.029	0.09	8.4	9.3	0.58	532	0.92
DD017742		1.52	99.3	4.35	7.23	0.11	0.17	0.03	0.031	0.11	9.0	9.2	0.89	661	1.35
DD017743		2.39	41.6	3.48	6.57	0.09	0.14	0.02	0.023	0.09	7.1	9.9	1.02	806	1.03
DD017744		0.76	41.6	2.22	3.27	0.11	0.08	0.05	0.020	0.06	9.6	6.2	0.57	293	0.71
DD017745		1.23	109.5	5.00	8.78	0.10	0.16	0.03	0.033	0.04	9.6	13.0	2.12	576	0.82



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - C
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 10- OCT- 2011
Account: MTT

Project: KING

CERTIFICATE OF ANALYSIS WH11170117

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
DD017706		0.64	16.0	670	3.5	5.0	<0.001	0.03	0.61	5.6	0.7	0.3	85.0	<0.01	0.02
DD017707		0.70	21.3	740	3.5	5.4	<0.001	0.02	0.18	3.6	0.5	0.3	56.1	<0.01	0.01
DD017708		0.53	19.7	750	4.1	6.6	<0.001	0.02	0.40	5.0	0.5	0.3	90.7	<0.01	0.02
DD017709		0.72	18.9	280	4.8	8.3	<0.001	0.01	0.49	7.5	0.6	0.4	60.4	<0.01	0.02
DD017710		0.92	20.6	210	4.3	5.5	<0.001	0.01	0.32	5.0	0.4	0.5	31.1	<0.01	0.02
DD017711		0.98	16.7	340	4.4	15.0	<0.001	0.01	0.28	5.3	0.4	0.4	43.2	<0.01	0.02
DD017712		0.99	55.2	420	4.1	18.1	<0.001	0.03	0.28	4.9	0.5	0.4	47.6	<0.01	0.02
DD017713		1.02	33.4	630	4.7	6.8	<0.001	0.06	0.31	6.2	0.9	0.4	62.9	<0.01	0.02
DD017714		0.77	27.3	720	3.1	6.9	0.001	0.06	0.30	4.3	0.9	0.3	61.9	<0.01	0.02
DD017715		1.03	62.4	350	4.4	7.7	<0.001	0.02	0.37	13.4	0.6	0.6	31.1	<0.01	0.03
DD017716		1.19	20.6	210	4.6	7.9	<0.001	0.01	0.34	4.4	0.4	0.4	34.1	<0.01	0.02
DD017717		0.86	21.5	700	4.4	4.8	<0.001	0.04	0.49	4.5	1.1	0.3	115.0	<0.01	0.02
DD017718		1.03	23.6	100	7.4	10.0	<0.001	0.01	0.67	7.0	0.7	0.5	28.8	<0.01	0.02
DD017719		0.83	25.4	270	4.2	12.9	<0.001	0.01	0.29	5.4	0.4	0.3	32.2	<0.01	0.02
DD017720		0.96	20.2	780	4.0	7.1	<0.001	0.03	0.23	4.7	0.7	0.3	50.7	<0.01	0.02
DD017721		1.16	23.3	250	5.6	9.3	<0.001	0.01	0.48	6.9	0.5	0.5	37.8	<0.01	0.02
DD017722		1.31	20.7	370	4.3	11.5	<0.001	0.01	0.30	4.7	0.5	0.4	40.8	<0.01	0.02
DD017723		0.86	29.3	760	3.5	8.6	0.001	0.07	0.27	4.4	0.9	0.3	67.0	<0.01	0.02
DD017724		0.90	23.1	550	3.8	8.8	0.001	0.05	0.56	4.6	0.9	0.3	77.4	<0.01	0.02
DD017725		0.68	42.0	610	2.5	6.7	0.001	0.06	0.39	4.9	0.8	0.2	88.0	<0.01	0.01
DD017726		0.64	30.3	730	2.4	5.6	0.002	0.11	0.49	3.2	1.0	0.2	125.0	<0.01	0.03
DD017727		0.99	31.6	860	4.2	7.4	0.001	0.16	0.90	3.9	1.3	0.3	217	<0.01	0.03
DD017728		1.06	24.7	670	4.9	12.8	0.001	0.08	0.20	4.4	0.8	0.3	80.0	<0.01	0.03
DD017729		0.87	17.6	240	5.0	6.9	<0.001	0.01	0.28	5.6	0.4	0.4	36.5	<0.01	0.02
DD017730		1.15	20.6	280	5.4	10.5	<0.001	0.01	0.30	5.6	0.4	0.5	29.4	<0.01	0.02
DD017731		0.85	18.3	740	4.7	6.6	0.001	0.05	0.34	5.0	0.7	0.3	57.0	<0.01	0.02
DD017732		0.89	48.0	250	3.8	6.2	<0.001	0.01	0.20	4.4	0.3	0.4	24.8	<0.01	0.01
DD017733		0.77	18.4	290	5.5	4.2	<0.001	0.01	0.41	6.7	0.4	0.5	33.4	<0.01	0.03
DD017734		0.97	28.1	180	6.0	7.0	<0.001	0.01	0.40	5.2	0.3	0.4	34.8	<0.01	0.02
DD017735		1.06	38.3	220	6.0	11.6	<0.001	0.01	0.42	7.5	0.4	0.5	35.1	<0.01	0.03
DD017736		1.12	19.5	470	9.9	8.0	<0.001	0.03	0.21	3.6	0.6	0.5	31.1	<0.01	0.01
DD017737		1.04	17.3	540	5.6	9.2	<0.001	0.02	0.27	3.8	0.7	0.5	32.9	<0.01	0.01
DD017738		0.76	21.9	620	4.7	10.9	<0.001	0.02	0.36	3.9	0.4	0.3	29.3	<0.01	0.01
DD017739		0.83	37.8	250	5.7	7.6	<0.001	0.03	0.47	9.5	0.6	0.5	45.0	<0.01	0.05
DD017740		0.70	53.4	240	6.8	4.5	0.001	0.04	0.77	9.8	0.6	0.4	55.4	<0.01	0.04
DD017741		0.77	34.9	230	5.9	10.1	<0.001	0.02	0.46	9.0	0.5	0.4	37.8	<0.01	<0.01
DD017742		0.69	62.9	510	5.5	8.0	<0.001	0.03	0.48	15.7	0.5	0.5	37.6	<0.01	0.04
DD017743		0.74	67.6	570	5.7	11.5	<0.001	0.02	0.30	7.9	0.5	0.4	32.1	<0.01	0.03
DD017744		0.59	28.7	250	4.8	6.1	<0.001	0.03	0.47	5.9	0.7	0.3	36.3	<0.01	0.01
DD017745		0.38	153.0	240	4.6	3.8	<0.001	0.03	0.47	15.8	0.8	0.5	25.7	<0.01	0.03



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
 C/ O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016- 510 W HASTINGS ST
 VANCOUVER BC V6B 1L8

Page: 2 - D
 Total # Pages: 7 (A - D)
 Plus Appendix Pages
 Finalized Date: 10- OCT- 2011
 Account: MTT

Project: KING

CERTIFICATE OF ANALYSIS WH11170117

Sample Description	Method Analyte Units LOR	ME- MS41 Ti %	ME- MS41 Ti ppm	ME- MS41 U ppm	ME- MS41 V ppm	ME- MS41 W ppm	ME- MS41 Y ppm	ME- MS41 Zn ppm	ME- MS41 Zr ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
DD017706		0.043	0.11	0.34	51	0.10	8.06	41	2.6
DD017707		0.054	0.04	1.01	49	0.13	6.15	42	1.7
DD017708		0.044	0.11	0.52	49	0.08	8.12	46	5.6
DD017709		0.046	0.09	0.30	57	0.09	11.00	42	6.5
DD017710		0.067	0.08	0.49	61	0.12	4.54	41	3.1
DD017711		0.071	0.08	0.31	56	0.11	5.40	41	2.9
DD017712		0.066	0.07	0.35	59	0.09	3.59	61	1.3
DD017713		0.060	0.05	0.60	51	0.11	6.72	49	1.9
DD017714		0.051	0.05	0.43	42	0.14	5.12	38	1.9
DD017715		0.110	0.09	0.44	113	0.11	6.58	72	6.7
DD017716		0.078	0.06	0.29	48	0.13	3.47	35	3.8
DD017717		0.048	0.07	0.43	41	0.16	10.40	36	3.4
DD017718		0.074	0.11	0.42	55	0.17	8.58	37	5.0
DD017719		0.061	0.07	0.31	48	0.10	4.52	36	3.1
DD017720		0.056	0.06	0.35	42	0.11	6.75	39	1.3
DD017721		0.087	0.09	0.37	60	0.16	4.69	43	5.3
DD017722		0.085	0.07	0.38	50	0.15	4.24	44	2.1
DD017723		0.051	0.06	0.46	34	0.08	5.91	44	1.6
DD017724		0.055	0.09	0.32	40	0.14	7.06	39	2.4
DD017725		0.048	0.07	0.36	37	0.09	6.24	33	3.1
DD017726		0.037	0.08	0.49	30	0.08	5.10	43	2.0
DD017727		0.046	0.07	0.67	34	0.11	6.83	52	3.2
DD017728		0.059	0.06	0.66	36	0.10	4.64	41	1.8
DD017729		0.069	0.05	0.37	53	0.14	6.89	34	2.4
DD017730		0.091	0.08	0.48	59	0.14	5.84	42	3.7
DD017731		0.054	0.06	0.60	49	0.11	6.87	39	2.0
DD017732		0.072	0.05	0.37	56	0.11	4.28	29	4.1
DD017733		0.058	0.08	0.61	68	0.12	8.74	39	2.4
DD017734		0.058	0.08	0.41	63	0.10	3.49	29	3.0
DD017735		0.082	0.08	0.37	75	0.11	4.90	32	3.4
DD017736		0.087	<0.02	0.42	48	0.20	3.65	44	2.0
DD017737		0.091	0.02	0.39	56	0.23	4.25	48	2.4
DD017738		0.076	0.02	0.33	62	0.12	2.94	41	2.4
DD017739		0.090	0.03	0.46	87	0.12	8.01	55	6.4
DD017740		0.069	0.04	0.45	81	0.13	12.55	48	4.5
DD017741		0.088	0.03	0.34	77	0.11	6.67	43	5.5
DD017742		0.100	0.05	0.54	107	0.09	9.71	77	6.1
DD017743		0.080	0.03	0.39	86	0.10	5.82	58	4.8
DD017744		0.051	<0.02	0.29	48	0.11	7.42	34	2.8
DD017745		0.105	0.02	0.52	126	0.09	9.02	53	6.4



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 3 - A
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 10- OCT- 2011
Account: MTT

Project: KING

CERTIFICATE OF ANALYSIS WH11170117

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg	Au- TL43 Au ppm	ME- MS41 Ag ppm	ME- MS41 Al %	ME- MS41 As ppm	ME- MS41 Au ppm	ME- MS41 B ppm	ME- MS41 Ba ppm	ME- MS41 Be ppm	ME- MS41 Bi ppm	ME- MS41 Ca %	ME- MS41 Cd ppm	ME- MS41 Ce ppm	ME- MS41 Co ppm	ME- MS41 Cr ppm
		0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
DD017746		0.20	0.001	0.07	1.98	12.3	<0.2	<10	140	0.40	0.06	0.62	0.05	16.35	17.7	79
DD017747		0.26	<0.001	0.06	1.41	6.0	<0.2	<10	160	0.33	0.09	0.54	0.05	15.30	8.0	29
DD017748		0.28	0.001	0.05	0.87	14.7	<0.2	<10	80	0.29	0.07	0.50	0.05	14.75	6.5	20
DD017749		0.24	0.003	0.08	0.85	5.0	<0.2	10	80	0.32	0.06	1.56	0.25	12.80	4.8	22
DD017750		0.20	0.003	0.06	0.96	10.2	<0.2	<10	90	0.30	0.07	1.34	0.08	15.95	7.5	25
DD017751		0.34	0.003	0.05	2.24	22.5	<0.2	<10	100	0.41	0.08	0.76	0.05	16.60	16.5	72
DD017752		0.22	0.003	0.07	0.81	3.0	<0.2	<10	70	0.21	0.05	1.09	0.11	9.84	3.7	17
DD017753		0.36	0.003	0.05	1.23	15.3	<0.2	<10	80	0.33	0.07	0.75	0.06	13.75	9.9	38
DD017754		0.24	0.002	0.07	2.39	20.2	<0.2	<10	140	0.34	0.08	0.63	0.08	10.15	19.8	124
DD017755		0.26	0.001	0.04	1.31	13.1	<0.2	<10	80	0.32	0.08	0.48	0.03	20.8	9.9	47
DD017756		0.26	0.001	0.03	1.34	8.3	<0.2	<10	90	0.33	0.09	0.32	0.04	17.30	7.7	29
DD017757		0.30	<0.001	0.05	1.69	10.9	<0.2	<10	100	0.52	0.10	0.34	0.02	29.0	9.9	39
DD017758		0.26	0.002	0.03	1.18	9.9	<0.2	<10	150	0.35	0.09	0.36	0.04	17.90	7.3	21
DD017759		0.24	0.001	0.08	1.76	12.3	<0.2	<10	160	0.47	0.12	0.50	0.08	21.6	10.0	32
DD017760		0.30	0.003	0.10	2.02	15.1	<0.2	<10	190	0.63	0.13	0.60	0.11	25.1	12.3	34
DD017761		0.28	0.001	0.07	1.48	8.0	<0.2	<10	190	0.40	0.14	0.44	0.06	21.6	9.6	31
DD017762		0.26	0.011	0.14	1.76	8.5	<0.2	<10	160	0.39	0.10	0.74	0.13	21.1	12.7	49
DD017763		0.28	0.500	0.09	1.73	9.3	<0.2	<10	130	0.35	0.11	0.41	0.06	19.15	10.0	34
DD017764		0.30	0.006	0.05	1.54	8.3	<0.2	<10	100	0.41	0.09	0.35	0.04	21.0	8.4	36
DD017765		0.26	0.001	0.07	1.96	9.8	<0.2	<10	160	0.52	0.10	0.46	0.04	24.7	10.3	47
DD017766		0.28	0.001	0.04	1.42	12.3	<0.2	<10	90	0.48	0.10	0.39	0.03	27.7	8.7	29
DD017767		0.26	0.001	0.06	1.66	6.4	<0.2	<10	90	0.49	0.11	0.35	0.09	26.2	9.9	33
DD017768		0.26	<0.001	0.04	1.49	8.5	<0.2	<10	110	0.35	0.10	0.40	0.07	14.45	8.1	30
DD017769		0.28	0.001	0.07	1.15	6.5	<0.2	<10	140	0.36	0.09	0.80	0.07	19.50	7.8	24
DD017770		0.16	0.001	0.23	0.99	5.1	<0.2	<10	100	0.27	0.06	1.29	0.15	15.00	6.7	27
DD017771		0.26	0.001	0.08	2.81	12.5	<0.2	<10	70	0.21	0.05	1.26	0.06	7.62	32.2	208
DD017772		0.30	0.001	0.07	1.11	11.6	<0.2	<10	100	0.36	0.08	0.50	0.03	18.70	7.4	25
DD017773		0.32	0.001	0.06	1.67	8.3	<0.2	<10	110	0.43	0.11	0.41	0.04	19.45	9.2	34
DD017774		0.30	<0.001	0.03	1.25	7.1	<0.2	<10	120	0.24	0.08	0.34	0.03	11.20	7.0	26
DD017775		0.28	<0.001	0.05	1.54	8.4	<0.2	<10	100	0.43	0.11	0.43	0.03	29.8	8.6	31
DD017776		0.32	<0.001	0.08	1.78	9.4	<0.2	<10	110	0.38	0.08	0.49	0.05	17.25	12.1	47
DD017777		0.28	0.007	0.10	1.93	11.3	<0.2	<10	110	0.40	0.10	0.53	0.06	17.30	12.2	50
DD017778		0.22	0.003	0.14	2.88	17.3	<0.2	<10	120	0.42	0.08	1.10	0.08	13.60	29.9	153
DD017779		0.24	0.001	0.06	1.86	6.2	<0.2	<10	190	0.33	0.10	0.60	0.06	14.05	9.2	35
DD017780		0.24	0.001	0.03	1.41	8.2	<0.2	<10	140	0.34	0.09	0.39	0.05	17.25	8.4	29
DD017781		0.26	0.001	0.03	1.26	5.3	<0.2	<10	160	0.28	0.09	0.60	0.02	19.75	6.7	23
DD017782		0.40	<0.001	0.03	1.76	8.4	<0.2	<10	130	0.45	0.10	0.26	0.04	17.45	9.2	28
DD017783		0.24	0.001	0.14	1.55	9.1	<0.2	<10	130	0.56	0.10	0.66	0.08	22.1	9.2	31
DD017784		0.22	<0.001	0.04	1.18	7.3	<0.2	<10	110	0.27	0.08	0.30	0.05	12.25	6.9	24
DD017785		0.24	0.001	0.06	0.81	7.5	<0.2	<10	70	0.18	0.04	0.88	0.07	11.20	13.1	32



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 3 - B
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 10- OCT- 2011
Account: MTT

Project: KING

CERTIFICATE OF ANALYSIS WH11170117

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
DD017746		1.15	51.5	3.29	5.83	0.09	0.07	0.01	0.023	0.04	6.4	9.7	1.20	450	0.99
DD017747		0.53	21.6	2.09	4.29	0.08	0.06	0.01	0.017	0.08	6.8	8.8	0.53	518	0.67
DD017748		0.60	33.1	2.23	3.07	0.10	0.05	0.02	0.018	0.06	7.9	5.8	0.45	273	0.44
DD017749		0.69	85.9	1.38	2.62	0.10	0.04	0.04	0.015	0.06	6.6	4.0	0.62	391	0.28
DD017750		0.62	31.3	1.87	3.05	0.11	0.05	0.02	0.018	0.06	7.7	6.2	0.60	343	0.39
DD017751		1.11	54.7	3.52	6.29	0.09	0.16	0.03	0.028	0.05	6.6	10.2	0.98	412	0.69
DD017752		0.61	42.3	1.12	2.76	0.07	0.04	0.03	0.013	0.06	5.1	4.4	0.38	115	0.22
DD017753		1.04	67.3	2.60	3.80	0.10	0.08	0.03	0.020	0.06	7.6	8.2	0.70	299	0.69
DD017754		1.39	39.0	3.85	6.67	0.10	0.14	0.02	0.028	0.08	4.5	9.9	1.06	464	1.21
DD017755		0.97	39.9	2.56	4.07	0.10	0.05	0.01	0.020	0.06	9.8	7.3	0.58	264	0.69
DD017756		0.90	20.5	2.24	4.16	0.09	0.06	0.02	0.019	0.05	8.0	8.3	0.40	192	0.53
DD017757		1.12	31.6	2.59	4.75	0.11	0.24	0.02	0.027	0.12	8.0	8.3	0.46	259	0.53
DD017758		0.62	17.9	2.24	3.56	0.09	0.11	0.03	0.025	0.10	7.2	6.4	0.30	330	0.61
DD017759		0.84	23.5	2.85	5.35	0.10	0.19	0.02	0.022	0.16	9.0	10.4	0.45	424	0.82
DD017760		1.46	50.2	3.19	6.38	0.12	0.14	0.05	0.034	0.24	12.1	15.3	0.67	459	0.82
DD017761		0.75	29.4	2.48	4.47	0.11	0.17	0.03	0.025	0.12	10.9	8.5	0.41	616	0.48
DD017762		0.73	68.1	2.84	4.88	0.10	0.07	0.05	0.023	0.13	10.2	8.9	0.75	628	0.46
DD017763		1.06	28.0	2.98	4.84	0.09	0.14	<0.01	0.021	0.11	6.8	7.6	0.45	326	0.85
DD017764		0.76	19.1	2.38	4.46	0.09	0.14	0.01	0.019	0.11	8.2	7.4	0.40	224	0.57
DD017765		2.04	34.6	2.77	5.44	0.12	0.18	<0.01	0.028	0.13	9.7	9.1	0.54	307	0.56
DD017766		1.06	24.9	2.53	4.38	0.12	0.20	0.03	0.023	0.16	11.2	9.2	0.40	285	0.58
DD017767		0.77	18.3	2.53	5.18	0.09	0.18	0.02	0.022	0.19	9.2	9.8	0.41	274	0.69
DD017768		0.64	14.2	2.29	4.46	0.09	0.08	0.01	0.021	0.09	6.6	9.1	0.42	249	0.58
DD017769		0.62	28.3	2.13	3.60	0.11	0.08	0.06	0.018	0.10	9.5	8.7	0.52	323	0.46
DD017770		0.68	41.5	1.65	3.24	0.11	0.07	0.04	0.017	0.05	7.5	5.6	0.49	251	0.43
DD017771		0.88	114.0	5.31	7.01	0.14	0.07	0.02	0.025	0.04	3.7	15.2	3.72	448	0.39
DD017772		0.57	31.5	2.26	4.07	0.07	0.10	0.03	0.021	0.07	9.8	8.3	0.51	231	0.42
DD017773		0.67	20.7	2.61	5.33	0.06	0.20	0.02	0.023	0.06	12.0	8.6	0.46	245	0.73
DD017774		0.58	16.9	2.11	4.28	<0.05	0.10	0.01	0.018	0.05	5.9	7.0	0.37	276	0.63
DD017775		0.86	16.9	2.47	4.99	0.08	0.18	0.02	0.023	0.12	13.1	9.5	0.41	255	0.69
DD017776		1.60	33.2	2.98	5.53	0.06	0.14	0.02	0.024	0.09	6.7	7.3	0.52	354	0.67
DD017777		1.72	37.5	3.17	6.09	0.07	0.15	0.02	0.026	0.09	8.3	8.8	0.59	353	0.69
DD017778		2.26	130.5	5.37	9.39	0.13	0.18	0.02	0.032	0.12	6.6	10.9	1.50	853	0.57
DD017779		0.84	29.3	2.60	6.01	0.05	0.06	0.01	0.023	0.07	6.6	10.4	0.45	353	0.81
DD017780		0.59	18.3	2.29	4.74	<0.05	0.06	0.01	0.021	0.05	7.4	9.3	0.45	315	0.60
DD017781		0.43	15.1	1.97	4.27	0.06	0.06	0.02	0.019	0.04	9.5	8.5	0.46	240	0.23
DD017782		0.56	24.8	2.68	5.92	<0.05	0.02	0.02	0.026	0.03	8.1	9.4	0.41	269	0.66
DD017783		0.66	60.9	2.55	4.90	0.07	0.06	0.04	0.025	0.06	13.4	8.0	0.54	338	0.40
DD017784		0.69	14.2	2.37	4.21	<0.05	0.08	0.02	0.020	0.07	5.8	7.0	0.34	197	0.75
DD017785		0.54	35.5	1.82	3.17	0.05	0.04	0.02	0.015	0.03	5.3	3.4	0.48	389	0.25



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 3 - C
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 10- OCT- 2011
Account: MTT

Project: KING

CERTIFICATE OF ANALYSIS WH11170117

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
DD017746		0.57	86.6	380	4.7	6.4	<0.001	0.03	0.44	7.5	0.6	0.4	44.7	<0.01	0.01
DD017747		0.98	17.5	350	4.5	8.5	<0.001	0.03	0.22	4.5	0.3	0.4	35.3	<0.01	0.01
DD017748		0.54	17.8	480	4.4	7.2	<0.001	0.03	0.31	5.5	0.6	0.3	43.4	<0.01	<0.01
DD017749		0.56	24.7	890	3.3	6.7	0.001	0.15	0.27	3.9	1.3	0.3	70.9	<0.01	0.01
DD017750		0.65	22.1	820	4.0	5.7	0.001	0.09	0.32	4.2	0.8	0.3	68.7	<0.01	0.01
DD017751		0.72	51.2	240	4.8	5.2	<0.001	0.03	0.39	8.7	0.7	0.5	44.9	<0.01	0.02
DD017752		0.56	15.4	590	2.5	12.4	0.001	0.08	0.13	2.7	0.6	0.2	51.5	<0.01	<0.01
DD017753		0.64	33.9	480	4.0	6.7	<0.001	0.03	0.38	7.4	0.5	0.3	38.6	<0.01	0.01
DD017754		0.54	73.4	360	4.8	11.5	<0.001	0.03	0.34	8.4	0.7	0.4	35.3	<0.01	0.04
DD017755		0.64	38.9	360	4.0	8.3	<0.001	0.03	0.33	6.4	0.6	0.3	35.8	<0.01	0.02
DD017756		0.79	20.1	420	5.0	6.8	<0.001	0.02	0.30	4.0	0.5	0.4	31.6	<0.01	0.03
DD017757		0.60	30.4	610	5.4	16.0	<0.001	0.02	0.27	7.3	0.5	0.5	31.8	<0.01	0.02
DD017758		0.46	13.5	680	5.2	11.6	0.001	0.02	0.29	4.2	0.4	0.4	32.2	0.01	0.01
DD017759		0.69	18.3	200	7.1	16.0	<0.001	0.02	0.44	6.9	0.7	0.5	38.2	<0.01	0.02
DD017760		1.10	23.7	340	8.9	15.6	0.001	0.03	0.72	8.8	1.0	0.5	52.8	<0.01	0.03
DD017761		0.66	21.8	400	5.7	11.9	<0.001	0.02	0.32	6.7	0.6	0.4	33.2	<0.01	0.01
DD017762		0.85	32.9	560	5.2	8.3	<0.001	0.04	0.36	7.5	0.8	0.4	48.1	<0.01	0.01
DD017763		0.62	20.7	320	5.7	10.7	<0.001	0.02	0.28	5.2	0.5	0.4	31.4	<0.01	<0.01
DD017764		0.63	17.5	540	4.9	11.0	<0.001	0.02	0.24	5.2	0.3	0.4	25.7	<0.01	0.02
DD017765		0.79	33.8	500	5.0	17.5	<0.001	0.02	0.30	8.5	0.4	0.5	41.6	<0.01	0.01
DD017766		0.58	18.2	320	5.9	14.0	<0.001	0.02	0.39	7.1	0.3	0.4	34.8	<0.01	0.02
DD017767		0.79	17.9	230	6.2	18.4	0.001	0.02	0.33	5.8	0.6	0.5	25.6	<0.01	0.02
DD017768		1.04	16.0	320	5.3	11.3	<0.001	0.02	0.28	4.3	0.5	0.4	28.0	<0.01	0.01
DD017769		1.00	18.5	710	4.4	8.7	0.001	0.03	0.31	5.0	0.6	0.4	53.8	<0.01	0.02
DD017770		0.78	23.5	560	7.1	8.2	0.004	0.14	0.34	5.2	1.0	0.3	61.2	<0.01	<0.01
DD017771		0.48	194.5	370	2.4	5.3	0.002	0.07	0.19	8.5	1.2	0.3	45.8	<0.01	0.02
DD017772		0.89	18.0	370	4.4	7.1	<0.001	<0.01	0.24	5.3	0.5	0.3	35.5	<0.01	0.02
DD017773		0.91	18.5	120	6.0	8.0	<0.001	<0.01	0.38	6.0	0.6	0.5	27.0	<0.01	0.02
DD017774		0.82	14.3	140	4.3	9.1	<0.001	<0.01	0.20	3.9	0.4	0.4	24.2	<0.01	0.02
DD017775		1.00	16.1	260	5.6	15.6	<0.001	<0.01	0.28	5.9	0.5	0.4	29.4	<0.01	0.02
DD017776		0.86	25.7	420	4.8	14.8	<0.001	<0.01	0.33	7.1	0.5	0.4	24.9	<0.01	0.02
DD017777		0.87	29.5	370	5.1	15.4	<0.001	<0.01	0.31	7.6	0.5	0.4	31.9	<0.01	0.02
DD017778		0.44	81.4	420	4.6	12.3	<0.001	<0.01	0.25	17.7	0.6	0.4	37.5	<0.01	0.03
DD017779		1.07	18.3	420	5.9	13.9	<0.001	<0.01	0.34	4.2	0.4	0.4	34.4	<0.01	0.03
DD017780		1.07	17.3	390	5.2	8.1	<0.001	<0.01	0.28	4.7	0.4	0.4	27.5	<0.01	0.02
DD017781		1.16	12.5	690	4.3	4.8	<0.001	<0.01	0.19	4.8	0.5	0.4	36.6	<0.01	0.02
DD017782		0.92	15.9	230	6.5	4.9	<0.001	<0.01	0.45	4.5	0.5	0.4	26.7	<0.01	0.02
DD017783		1.15	27.6	330	5.6	7.7	<0.001	0.01	0.42	6.7	0.7	0.4	39.2	<0.01	0.02
DD017784		0.85	13.6	150	5.0	11.8	<0.001	<0.01	0.41	3.7	0.4	0.4	22.4	<0.01	0.02
DD017785		0.50	34.8	700	2.1	5.1	0.001	0.03	0.21	4.6	0.8	0.2	42.4	<0.01	0.01



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
 C/ O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016- 510 W HASTINGS ST
 VANCOUVER BC V6B 1L8

Page: 3 - D
 Total # Pages: 7 (A - D)
 Plus Appendix Pages
 Finalized Date: 10- OCT- 2011
 Account: MTT

Project: KING

CERTIFICATE OF ANALYSIS WH11170117

Sample Description	Method Analyte Units LOR	ME- MS41 Ti %	ME- MS41 Ti ppm	ME- MS41 U ppm	ME- MS41 V ppm	ME- MS41 W ppm	ME- MS41 Y ppm	ME- MS41 Zn ppm	ME- MS41 Zr ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
DD017746		0.066	0.02	0.36	81	0.24	5.03	39	2.9
DD017747		0.077	<0.02	0.32	51	0.15	4.22	41	1.8
DD017748		0.047	0.03	0.36	51	0.09	7.63	34	1.7
DD017749		0.040	<0.02	0.87	33	0.07	7.23	31	1.4
DD017750		0.051	0.02	0.44	41	0.22	6.31	40	1.6
DD017751		0.091	0.05	0.58	91	0.10	4.86	48	5.2
DD017752		0.044	<0.02	0.45	25	<0.05	3.89	21	1.0
DD017753		0.072	0.03	0.36	62	0.09	8.49	38	2.4
DD017754		0.067	0.04	0.26	89	0.08	3.23	47	4.3
DD017755		0.066	<0.02	0.56	60	0.14	8.11	32	1.7
DD017756		0.075	<0.02	0.40	58	0.12	3.88	33	2.4
DD017757		0.088	0.04	0.52	62	0.13	4.37	35	7.9
DD017758		0.063	<0.02	0.43	55	0.14	4.18	37	3.9
DD017759		0.090	0.05	0.31	67	0.13	6.85	47	6.0
DD017760		0.101	0.11	0.41	69	0.18	12.25	70	5.0
DD017761		0.090	0.04	0.36	60	0.12	8.26	39	5.7
DD017762		0.078	0.02	0.40	69	0.12	9.22	56	2.0
DD017763		0.080	0.05	0.38	75	0.10	4.09	47	4.2
DD017764		0.095	0.04	0.42	59	0.11	4.83	34	4.6
DD017765		0.093	0.06	0.44	65	0.13	6.78	39	5.6
DD017766		0.082	0.06	0.36	59	0.13	8.69	36	6.3
DD017767		0.114	0.04	0.38	61	0.17	5.48	56	5.7
DD017768		0.090	0.03	0.39	57	0.15	3.62	48	2.9
DD017769		0.077	0.04	0.57	51	0.13	8.31	39	2.6
DD017770		0.059	<0.02	0.84	44	0.08	7.00	34	2.6
DD017771		0.089	<0.02	0.46	114	0.07	5.60	42	2.6
DD017772		0.074	0.05	0.31	54	0.12	8.76	34	3.7
DD017773		0.099	0.06	0.64	63	0.15	8.64	37	7.0
DD017774		0.078	0.06	0.37	54	0.11	3.37	28	3.8
DD017775		0.105	0.08	0.55	59	0.16	8.15	35	5.7
DD017776		0.081	0.08	0.31	74	0.13	4.46	35	5.1
DD017777		0.099	0.08	0.51	79	0.13	6.32	42	5.5
DD017778		0.120	0.06	0.36	129	0.06	8.81	66	7.3
DD017779		0.072	0.09	0.32	67	0.14	2.89	40	2.4
DD017780		0.076	0.07	0.43	55	0.15	3.65	39	2.4
DD017781		0.082	0.03	0.51	46	0.12	6.87	33	2.1
DD017782		0.053	0.09	0.44	67	0.15	4.24	32	0.5
DD017783		0.069	0.07	0.74	52	0.11	13.80	41	1.9
DD017784		0.067	0.07	0.39	57	0.11	3.12	29	3.0
DD017785		0.047	0.05	0.56	46	0.06	4.87	26	1.3



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 4 - A
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 10- OCT- 2011
Account: MTT

Project: KING

CERTIFICATE OF ANALYSIS WH11170117

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg	Au- TL43 Au ppm	ME- MS41 Ag ppm	ME- MS41 Al %	ME- MS41 As ppm	ME- MS41 Au ppm	ME- MS41 B ppm	ME- MS41 Ba ppm	ME- MS41 Be ppm	ME- MS41 Bi ppm	ME- MS41 Ca %	ME- MS41 Cd ppm	ME- MS41 Ce ppm	ME- MS41 Co ppm	ME- MS41 Cr ppm
		0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
DD017786		0.24	0.001	0.03	1.45	13.0	<0.2	<10	130	0.36	0.12	0.46	0.08	17.10	11.2	38
DD017787		0.24	<0.001	0.07	2.06	22.7	<0.2	<10	110	0.39	0.10	0.54	0.06	16.40	15.0	70
DD017788		0.34	0.001	0.14	2.47	34.9	<0.2	<10	120	0.42	0.06	1.33	0.16	10.80	38.2	130
DD017789		0.30	<0.001	0.10	1.74	6.1	<0.2	<10	150	0.33	0.08	0.57	0.10	12.20	14.4	58
DD017790		0.20	0.001	0.07	1.44	7.5	<0.2	<10	120	0.33	0.09	0.61	0.07	14.80	10.1	39
DD017791		0.26	0.003	0.05	1.55	18.3	<0.2	<10	120	0.36	0.12	0.46	0.06	14.65	10.1	36
DD017792		0.26	0.001	0.04	1.34	13.8	<0.2	<10	100	0.45	0.10	0.46	0.05	18.90	7.8	24
DD017793		0.30	<0.001	0.03	1.56	13.1	<0.2	<10	120	0.46	0.10	0.60	0.05	23.9	8.1	33
DD017794		0.34	0.001	0.05	1.24	14.4	<0.2	<10	120	0.35	0.08	0.69	0.04	18.65	8.7	29
DD017795		0.30	<0.001	0.01	1.45	11.9	<0.2	<10	110	0.35	0.09	0.37	0.03	13.05	7.8	33
DD017796		0.32	<0.001	0.05	1.21	4.8	<0.2	<10	100	0.23	0.09	0.50	0.07	10.90	6.1	23
DD017797		0.22	<0.001	0.02	1.40	6.8	<0.2	<10	90	0.32	0.09	0.38	0.03	13.50	6.8	26
DD017798		0.30	<0.001	0.03	1.55	7.5	<0.2	<10	100	0.44	0.11	0.42	0.04	21.4	7.8	29
DD017799		0.34	0.004	0.07	1.59	13.3	<0.2	<10	110	0.56	0.12	0.46	0.04	28.6	10.0	25
DD017800		0.36	0.003	0.04	1.90	15.9	<0.2	<10	130	0.58	0.13	0.43	0.04	28.3	10.5	32
DD017801		0.22	0.002	0.09	1.70	12.2	<0.2	<10	190	0.44	0.11	0.73	0.16	25.5	12.2	36
DD017802		0.24	0.001	0.04	1.39	16.9	<0.2	<10	160	0.41	0.10	0.41	0.08	21.4	9.3	23
DD017803		0.18	0.001	0.05	1.00	6.8	<0.2	<10	140	0.30	0.08	0.52	0.09	21.5	8.3	19
DD017804		0.22	0.004	0.14	1.05	13.2	0.2	<10	90	0.33	0.07	0.54	0.04	17.70	9.6	28
DD017805		0.18	<0.001	0.08	1.64	5.5	<0.2	<10	130	0.30	0.10	0.33	0.11	11.85	11.6	40
DD017806		0.18	<0.001	0.05	1.37	4.6	<0.2	<10	120	0.22	0.13	0.73	0.12	14.50	7.1	25
DD017807		0.26	<0.001	0.09	1.29	6.0	<0.2	<10	210	0.56	0.11	0.81	0.18	28.4	9.1	23
DD017808		0.14	0.002	0.03	1.00	3.3	<0.2	<10	90	0.16	0.09	0.26	0.11	10.75	6.2	18
DD017809		0.26	<0.001	0.20	1.33	6.1	<0.2	<10	160	0.35	0.12	0.58	0.10	13.90	7.2	24
DD017810		0.30	0.001	0.10	1.04	7.2	<0.2	<10	110	0.23	0.08	0.83	0.08	13.60	7.3	19
DD017811		0.14	0.001	0.10	1.13	4.6	<0.2	<10	120	0.27	0.09	0.92	0.10	14.95	6.9	21
DD017812		0.18	0.001	0.03	1.56	9.6	<0.2	<10	110	0.45	0.10	0.38	0.03	25.6	9.0	31
DD017813		0.24	0.001	0.09	1.48	8.5	<0.2	<10	110	0.35	0.10	0.40	0.07	20.2	9.2	30
DD017814		0.16	<0.001	0.05	1.28	4.6	<0.2	<10	110	0.22	0.07	0.37	0.05	10.65	9.0	31
DD017815		0.24	<0.001	0.03	1.07	4.3	<0.2	<10	150	0.16	0.08	0.34	0.06	10.25	6.7	19
DD017816		0.34	0.002	0.04	1.34	6.5	<0.2	<10	130	0.32	0.11	0.44	0.05	17.20	8.6	25
DD017817		0.22	0.002	0.08	1.04	14.9	<0.2	<10	80	0.27	0.08	0.90	0.13	14.85	8.1	26
DD017818		0.28	0.001	0.05	1.17	7.0	<0.2	<10	110	0.28	0.08	0.92	0.08	15.05	7.8	20
DD017819		0.22	0.004	0.07	1.37	9.8	<0.2	<10	120	0.29	0.10	0.37	0.08	14.45	9.1	27
DD017820		0.16	0.002	0.07	1.98	20.2	<0.2	10	130	0.38	0.10	0.67	0.05	20.3	14.3	49
DD017821		0.16	0.002	0.09	2.22	15.2	<0.2	<10	150	0.42	0.09	0.57	0.07	18.20	18.0	91
DD017822		0.28	0.003	0.12	1.47	10.2	<0.2	<10	160	0.37	0.10	0.76	0.12	19.15	10.2	31
DD017823		0.18	0.003	0.11	1.38	16.5	<0.2	<10	120	0.35	0.10	1.15	0.10	21.3	10.0	31
DD017824		0.22	0.001	0.05	0.84	9.6	<0.2	<10	70	0.17	0.05	1.11	0.09	11.95	7.9	22
DD017825		0.40	0.001	0.03	1.30	5.7	<0.2	<10	120	0.32	0.09	0.42	0.03	20.5	7.7	29



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 4 - B
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 10- OCT- 2011
Account: MTT

Project: KING

CERTIFICATE OF ANALYSIS WH11170117

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
DD017786		0.84	27.6	2.66	5.01	0.06	0.08	0.01	0.023	0.15	7.8	8.2	0.47	526	0.67
DD017787		1.87	40.6	3.61	6.35	0.08	0.15	0.02	0.031	0.14	7.2	8.9	0.65	329	0.65
DD017788		2.95	135.0	5.63	8.47	0.14	0.14	0.02	0.040	0.11	5.1	7.7	1.09	1280	0.50
DD017789		1.34	32.0	3.28	5.88	0.06	0.14	0.01	0.024	0.09	5.7	7.1	0.59	646	0.66
DD017790		0.83	39.2	2.62	4.83	0.06	0.10	0.02	0.023	0.08	6.6	10.1	0.56	309	0.55
DD017791		0.51	21.6	2.68	4.90	0.05	0.08	0.02	0.023	0.07	6.2	6.9	0.57	318	0.64
DD017792		0.63	24.6	2.57	4.50	0.05	0.11	0.03	0.025	0.08	8.5	9.4	0.38	226	0.89
DD017793		0.59	23.1	2.58	5.03	0.07	0.10	0.02	0.026	0.10	12.3	11.1	0.57	228	0.64
DD017794		0.57	20.5	2.20	4.29	0.06	0.09	0.03	0.021	0.08	9.0	9.6	0.62	376	0.45
DD017795		0.47	19.5	2.41	4.71	<0.05	0.11	0.02	0.023	0.05	6.6	9.9	0.49	187	0.87
DD017796		0.55	14.1	2.09	4.55	<0.05	0.05	0.01	0.018	0.11	5.7	9.1	0.45	179	0.76
DD017797		0.62	12.6	2.21	4.42	0.05	0.11	0.01	0.022	0.11	6.4	9.6	0.42	208	0.67
DD017798		0.72	15.8	2.44	4.88	0.06	0.12	0.02	0.022	0.12	9.4	9.8	0.43	232	0.58
DD017799		0.86	34.1	2.70	5.20	0.08	0.16	0.03	0.027	0.13	15.6	10.5	0.43	292	0.68
DD017800		1.23	34.3	3.30	5.70	0.08	0.16	0.06	0.032	0.16	13.9	11.6	0.55	427	1.11
DD017801		1.04	46.4	2.74	5.18	0.07	0.08	0.04	0.021	0.17	14.1	10.5	0.68	586	0.69
DD017802		0.62	21.8	2.79	4.53	0.05	0.17	0.02	0.026	0.13	7.3	7.1	0.36	323	0.79
DD017803		0.65	26.5	1.98	3.46	0.06	0.06	0.02	0.017	0.13	8.6	6.2	0.40	519	0.45
DD017804		0.46	29.5	2.53	3.46	0.07	0.12	0.06	0.020	0.08	10.5	5.6	0.47	336	0.53
DD017805		0.65	13.8	2.69	5.60	<0.05	0.07	0.01	0.020	0.06	5.8	9.2	0.62	462	0.74
DD017806		0.44	21.4	2.33	6.02	<0.05	0.03	0.02	0.017	0.05	7.5	9.7	0.43	243	1.14
DD017807		0.53	60.6	2.08	4.18	0.08	0.05	0.01	0.020	0.08	22.4	8.4	0.56	761	0.54
DD017808		0.40	14.2	1.87	4.49	<0.05	0.02	0.01	0.013	0.05	5.4	9.0	0.32	205	0.59
DD017809		0.50	32.2	2.15	4.56	0.06	0.05	0.02	0.020	0.07	7.6	7.2	0.59	337	0.55
DD017810		0.42	23.3	1.87	3.54	0.06	0.06	0.03	0.016	0.06	6.5	7.8	0.52	338	0.46
DD017811		0.78	22.9	2.00	3.70	0.07	0.05	0.01	0.018	0.10	7.4	7.5	0.50	217	0.25
DD017812		0.72	21.9	2.52	4.63	0.07	0.18	0.01	0.023	0.11	9.2	8.1	0.38	250	0.71
DD017813		0.85	16.6	2.49	4.61	0.07	0.12	0.01	0.023	0.15	8.2	8.0	0.38	260	0.73
DD017814		2.74	15.8	2.11	4.02	0.05	0.05	0.01	0.016	0.06	4.3	5.9	0.40	375	0.57
DD017815		0.54	16.7	1.79	3.68	0.05	0.02	0.01	0.014	0.04	4.9	5.4	0.28	578	0.69
DD017816		0.75	16.8	2.20	4.59	0.06	0.06	<0.01	0.021	0.06	8.5	8.6	0.40	327	1.02
DD017817		0.91	35.0	2.29	3.40	0.08	0.08	0.03	0.019	0.07	7.9	6.9	0.55	333	0.64
DD017818		0.51	29.5	2.02	3.80	0.06	0.05	0.02	0.018	0.07	8.1	8.6	0.49	342	0.45
DD017819		0.63	17.5	2.36	4.62	0.05	0.11	<0.01	0.020	0.08	6.0	7.9	0.35	333	0.89
DD017820		0.86	35.4	3.41	5.57	0.07	0.18	0.01	0.027	0.11	7.4	10.8	0.67	565	1.11
DD017821		0.93	41.0	3.79	6.22	0.08	0.18	0.01	0.031	0.11	7.6	11.2	0.98	600	1.01
DD017822		0.71	42.6	2.41	4.57	0.06	0.09	0.02	0.025	0.11	8.5	11.8	0.63	475	0.81
DD017823		0.75	52.1	2.50	4.22	0.08	0.06	0.04	0.024	0.07	10.9	8.8	0.64	520	0.48
DD017824		0.62	33.0	1.63	3.15	0.06	0.04	0.03	0.013	0.04	5.8	4.9	0.47	467	0.28
DD017825		0.51	14.3	2.07	3.89	0.06	0.06	0.01	0.018	0.06	9.6	8.9	0.42	258	0.57



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 4 - C
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 10- OCT- 2011
Account: MTT

Project: KING

CERTIFICATE OF ANALYSIS WH11170117

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
DD017786		1.06	23.5	430	4.6	14.9	<0.001	<0.01	0.29	6.5	0.5	0.4	29.3	<0.01	0.02
DD017787		0.60	36.2	330	4.9	21.3	<0.001	<0.01	0.34	11.8	0.5	0.4	26.1	<0.01	0.02
DD017788		0.45	82.3	590	4.0	10.7	<0.001	0.02	0.22	24.1	0.7	0.3	41.5	<0.01	0.02
DD017789		0.51	30.4	540	4.2	13.1	<0.001	<0.01	0.22	8.9	0.4	0.3	23.8	<0.01	0.02
DD017790		0.97	26.9	270	4.3	10.5	<0.001	<0.01	0.30	5.8	0.7	0.3	27.3	<0.01	0.02
DD017791		1.02	22.0	300	4.6	9.4	<0.001	<0.01	0.34	5.4	0.6	0.4	26.2	<0.01	0.02
DD017792		1.05	15.5	170	7.3	11.9	<0.001	<0.01	0.50	5.6	0.5	0.3	33.0	<0.01	0.02
DD017793		1.37	22.5	220	5.5	11.5	<0.001	<0.01	0.38	6.2	0.6	0.4	33.7	<0.01	0.02
DD017794		1.13	20.6	350	5.0	7.5	<0.001	0.01	0.34	5.4	0.5	0.3	37.1	<0.01	0.02
DD017795		0.89	19.5	120	5.7	6.8	<0.001	<0.01	0.41	4.2	0.5	0.4	31.4	<0.01	0.02
DD017796		1.20	13.7	330	5.3	16.3	<0.001	0.01	0.27	3.1	0.4	0.4	26.4	<0.01	0.02
DD017797		1.06	12.5	190	4.8	13.7	<0.001	<0.01	0.24	4.3	0.4	0.4	26.4	<0.01	0.02
DD017798		1.16	15.0	290	5.9	15.6	<0.001	<0.01	0.29	4.9	0.5	0.4	26.5	<0.01	0.02
DD017799		0.99	18.6	190	7.3	13.6	<0.001	<0.01	0.63	6.9	0.7	0.4	32.1	<0.01	0.02
DD017800		0.71	19.5	340	8.2	13.8	<0.001	<0.01	0.66	8.9	0.8	0.4	32.8	<0.01	0.03
DD017801		0.77	29.2	830	5.6	12.3	<0.001	0.04	0.27	5.5	0.7	0.3	51.8	<0.01	0.03
DD017802		0.67	13.2	250	6.3	16.1	<0.001	<0.01	0.33	5.6	0.4	0.4	36.3	<0.01	0.02
DD017803		0.68	16.3	390	4.4	11.3	<0.001	0.01	0.22	3.8	0.5	0.3	46.6	<0.01	0.02
DD017804		0.54	26.9	350	4.1	5.9	<0.001	<0.01	0.35	5.9	0.5	0.3	37.8	<0.01	0.02
DD017805		0.95	25.8	400	5.3	9.4	<0.001	<0.01	0.25	3.5	0.4	0.4	21.2	<0.01	0.02
DD017806		1.11	13.1	340	6.3	8.5	<0.001	0.01	0.31	2.8	0.5	0.5	45.7	<0.01	0.02
DD017807		1.06	20.8	430	5.2	8.5	<0.001	0.01	0.30	4.8	1.0	0.3	67.2	<0.01	0.02
DD017808		0.86	11.5	280	4.3	6.1	<0.001	<0.01	0.22	2.4	0.2	0.4	22.2	<0.01	0.01
DD017809		1.16	15.2	370	6.2	8.0	<0.001	0.03	0.21	3.6	0.6	0.4	59.0	<0.01	0.02
DD017810		0.97	13.4	420	4.5	6.3	<0.001	0.05	0.35	3.3	0.7	0.3	40.1	<0.01	0.02
DD017811		1.06	13.0	440	5.2	12.2	<0.001	0.05	0.27	4.0	0.7	0.4	60.0	<0.01	0.01
DD017812		1.01	17.4	200	5.7	12.6	<0.001	0.02	0.38	6.2	0.5	0.5	30.8	<0.01	0.02
DD017813		1.17	16.6	260	5.6	15.4	<0.001	0.02	0.35	5.1	0.4	0.5	29.7	<0.01	0.02
DD017814		0.94	22.7	380	3.9	11.3	<0.001	0.02	0.21	3.0	0.2	0.4	24.4	<0.01	0.01
DD017815		0.94	10.1	310	4.7	5.4	<0.001	0.02	0.17	2.4	0.2	0.4	25.2	<0.01	0.01
DD017816		1.04	13.6	480	6.2	9.1	<0.001	0.02	0.34	3.9	0.4	0.5	32.6	<0.01	0.02
DD017817		0.83	21.8	680	6.0	6.8	<0.001	0.04	0.53	4.5	0.6	0.4	50.3	<0.01	0.02
DD017818		1.12	14.2	350	5.1	7.6	<0.001	0.04	0.31	4.0	0.7	0.4	46.3	<0.01	0.02
DD017819		0.95	16.0	260	5.8	8.4	<0.001	0.02	0.31	4.0	0.3	0.5	25.7	<0.01	0.02
DD017820		0.93	31.9	140	6.4	14.1	<0.001	0.02	0.39	7.1	0.4	0.5	48.0	<0.01	0.03
DD017821		0.71	36.3	170	5.9	12.7	<0.001	0.02	0.48	11.3	0.5	0.5	42.6	<0.01	0.03
DD017822		1.13	20.5	230	6.5	10.6	<0.001	0.03	0.52	5.1	0.8	0.5	57.5	<0.01	0.03
DD017823		1.10	24.5	760	6.2	8.8	<0.001	0.06	0.42	5.0	0.9	0.5	58.9	<0.01	0.02
DD017824		0.67	20.0	660	3.1	8.2	0.002	0.10	0.23	3.6	0.9	0.3	54.3	<0.01	0.01
DD017825		1.02	14.8	400	5.3	6.9	<0.001	0.01	0.28	4.0	0.4	0.5	30.2	<0.01	0.01



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 4 - D
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 10- OCT- 2011
Account: MTT

Project: KING

CERTIFICATE OF ANALYSIS WH11170117

Sample Description	Method Analyte Units LOR	ME- MS41 Ti %	ME- MS41 Ti ppm	ME- MS41 U ppm	ME- MS41 V ppm	ME- MS41 W ppm	ME- MS41 Y ppm	ME- MS41 Zn ppm	ME- MS41 Zr ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
DD017786		0.091	0.09	0.39	59	0.12	5.40	41	3.1
DD017787		0.094	0.12	0.38	86	0.09	5.43	46	5.5
DD017788		0.087	0.13	0.37	139	0.05	10.30	76	4.2
DD017789		0.086	0.07	0.41	75	0.06	4.08	49	5.4
DD017790		0.075	0.07	0.29	63	0.10	5.00	37	3.9
DD017791		0.069	0.06	0.42	61	0.10	3.51	39	2.9
DD017792		0.062	0.09	0.48	53	0.18	5.81	37	3.9
DD017793		0.089	0.07	0.42	57	0.16	9.28	36	3.6
DD017794		0.074	0.06	0.33	51	0.16	7.17	33	3.1
DD017795		0.077	0.07	0.41	58	0.12	3.44	31	4.1
DD017796		0.072	0.07	0.45	48	0.30	3.08	35	1.5
DD017797		0.097	0.07	0.40	53	0.13	3.31	32	3.8
DD017798		0.102	0.08	0.44	58	0.15	5.41	41	4.0
DD017799		0.071	0.10	0.38	56	0.16	13.70	35	5.9
DD017800		0.079	0.13	0.62	68	0.16	9.86	48	6.0
DD017801		0.078	0.12	0.65	64	0.12	11.40	52	2.4
DD017802		0.070	0.08	0.38	69	0.09	4.75	39	5.9
DD017803		0.055	0.07	0.28	45	0.09	5.93	35	2.2
DD017804		0.047	0.05	0.34	58	0.08	11.15	29	4.3
DD017805		0.077	0.07	0.34	63	0.10	2.53	53	2.9
DD017806		0.068	0.06	0.64	62	0.12	2.87	44	1.0
DD017807		0.060	0.05	0.45	46	0.14	17.50	31	1.4
DD017808		0.067	0.06	0.29	48	0.12	2.39	36	0.9
DD017809		0.069	0.05	0.63	45	0.13	5.59	46	1.6
DD017810		0.055	0.05	0.42	41	0.14	5.30	33	2.2
DD017811		0.062	0.07	0.56	39	0.11	5.23	42	1.9
DD017812		0.089	0.08	0.46	56	0.16	5.38	33	6.9
DD017813		0.087	0.08	0.31	54	0.17	4.55	44	4.5
DD017814		0.068	0.09	0.26	48	0.10	2.11	31	2.3
DD017815		0.069	0.05	0.30	44	0.14	2.56	35	0.9
DD017816		0.079	0.07	0.62	51	0.18	4.92	51	2.5
DD017817		0.059	0.09	0.47	48	0.15	6.58	51	2.6
DD017818		0.064	0.07	0.47	44	0.16	6.55	36	1.5
DD017819		0.079	0.07	0.29	51	0.14	3.26	41	4.3
DD017820		0.086	0.09	0.30	75	0.13	4.39	36	6.6
DD017821		0.088	0.07	0.56	90	0.11	5.49	51	6.3
DD017822		0.071	0.07	0.43	54	0.15	5.74	40	3.0
DD017823		0.065	0.07	0.62	51	0.13	8.69	51	2.1
DD017824		0.047	0.05	0.47	35	0.13	5.44	38	1.6
DD017825		0.094	0.06	0.61	50	0.20	5.88	39	2.5



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 5 - A
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 10- OCT- 2011
Account: MTT

Project: KING

CERTIFICATE OF ANALYSIS WH11170117

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg	Au- TL43 Au ppm	ME- MS41 Ag ppm	ME- MS41 Al %	ME- MS41 As ppm	ME- MS41 Au ppm	ME- MS41 B ppm	ME- MS41 Ba ppm	ME- MS41 Be ppm	ME- MS41 Bi ppm	ME- MS41 Ca %	ME- MS41 Cd ppm	ME- MS41 Ce ppm	ME- MS41 Co ppm	ME- MS41 Cr ppm
		0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
DD017826		0.20	<0.001	0.06	1.14	6.1	<0.2	<10	90	0.26	0.09	0.31	0.08	11.25	5.5	21
DD017827		0.18	0.001	0.04	1.20	6.8	<0.2	<10	130	0.24	0.09	0.35	0.05	10.30	6.7	22
DD017828		0.16	0.004	0.05	1.51	8.5	<0.2	<10	110	0.36	0.10	0.36	0.04	17.35	7.9	29
DD017829		0.12	0.003	0.06	1.63	7.8	<0.2	<10	120	0.35	0.10	0.44	0.08	16.30	10.8	41
DD017830		0.14	<0.001	0.06	1.41	4.7	<0.2	<10	160	0.29	0.11	0.36	0.07	12.35	8.0	23
DD017831		0.22	0.002	0.12	1.13	7.1	<0.2	<10	140	0.35	0.08	2.09	0.30	18.50	10.7	30
DD017832		0.22	0.002	0.10	1.47	8.5	<0.2	<10	140	0.34	0.11	1.57	0.09	20.7	9.1	33
DD017833		0.16	<0.001	0.04	1.31	5.6	<0.2	<10	80	0.20	0.10	0.42	0.13	9.06	6.5	21
DD017834		0.34	0.003	0.10	1.33	33.5	<0.2	<10	100	0.41	0.09	2.04	0.22	22.4	13.4	23
DD017835		0.34	0.001	0.03	1.27	13.4	<0.2	<10	130	0.25	0.07	0.36	0.05	11.55	6.7	24
DD017836		0.20	0.002	0.05	1.40	6.9	<0.2	<10	120	0.22	0.09	0.33	0.07	10.90	8.3	32
DD017837		0.20	0.001	0.07	1.66	10.8	<0.2	<10	120	0.32	0.09	0.32	0.07	15.15	12.5	43
DD017838		0.22	0.001	0.12	2.17	8.6	<0.2	<10	100	0.37	0.08	0.72	0.09	18.00	25.1	99
DD017839		0.32	0.001	0.03	0.98	6.8	<0.2	<10	160	0.33	0.07	0.45	0.05	19.90	6.7	23
DD017840		0.22	0.002	0.09	1.20	12.6	<0.2	<10	120	0.28	0.09	0.64	0.06	14.65	6.3	26
DD017841		0.24	<0.001	0.04	1.57	5.6	<0.2	<10	140	0.22	0.12	0.33	0.06	14.40	8.0	28
DD017842		0.18	0.001	0.06	1.54	5.1	<0.2	<10	170	0.33	0.11	0.52	0.08	15.30	9.0	27
DD017843		0.24	0.001	0.02	1.31	10.4	<0.2	<10	70	0.21	0.08	0.27	0.03	10.50	6.0	26
DD017844		0.22	0.001	0.12	1.31	6.9	<0.2	<10	130	0.27	0.09	0.86	0.15	13.55	9.1	29
DD017845		0.20	0.002	0.08	1.12	16.0	<0.2	<10	120	0.25	0.06	1.12	0.11	15.80	18.0	38
DD017846		0.14	<0.001	0.06	1.57	12.2	<0.2	<10	150	0.45	0.11	0.85	0.19	18.45	13.3	30
DD017847		0.18	<0.001	0.05	1.25	7.6	<0.2	<10	130	0.27	0.08	0.75	0.16	11.25	9.5	22
DD017848		0.20	0.002	0.07	1.09	13.4	<0.2	<10	110	0.27	0.07	2.06	0.09	16.10	9.2	24
DD017849		0.24	0.001	0.11	1.15	8.9	<0.2	<10	130	0.29	0.08	0.90	0.09	15.85	8.7	21
DD017850		0.18	0.004	0.15	1.40	9.6	0.3	<10	140	0.41	0.10	0.72	0.08	21.1	9.8	21
DD017851		0.28	0.003	0.06	0.98	10.4	<0.2	<10	80	0.26	0.06	1.19	0.10	14.70	8.9	27
DD017852		0.24	0.002	0.11	1.39	14.1	<0.2	<10	130	0.47	0.09	1.26	0.16	21.9	11.6	38
DD017853		0.20	0.003	0.04	1.61	8.3	<0.2	<10	130	0.42	0.09	0.39	0.08	20.7	9.9	29
DD017854		0.22	0.008	0.04	1.50	8.5	<0.2	<10	90	0.33	0.08	0.32	0.04	15.15	7.8	29
DD017855		0.22	0.002	0.05	1.70	12.2	<0.2	<10	150	0.39	0.09	0.49	0.08	19.30	12.4	43
DD017856		0.20	<0.001	0.12	1.71	10.8	<0.2	<10	150	0.31	0.08	0.60	0.08	13.70	13.6	57
DD017857		0.26	0.001	0.11	2.16	15.0	<0.2	<10	150	0.47	0.09	0.57	0.08	20.5	15.9	61
DD017858		0.30	<0.001	0.02	1.20	6.6	<0.2	<10	110	0.22	0.07	0.36	0.06	10.10	6.8	26
DD017859		0.26	<0.001	0.05	1.43	4.6	<0.2	<10	110	0.33	0.10	0.38	0.10	16.60	9.4	29
DD017860		0.28	0.001	0.04	1.57	8.8	<0.2	<10	130	0.29	0.09	0.41	0.08	14.80	10.2	34
DD017861		0.32	<0.001	0.05	1.00	1.7	<0.2	<10	80	0.10	0.09	0.43	0.05	9.26	5.0	22
DD017862		0.18	0.001	0.03	1.73	8.2	<0.2	<10	50	0.41	0.09	0.25	0.05	21.3	8.1	37
DD017863		0.22	<0.001	0.01	1.33	11.5	<0.2	<10	100	0.27	0.08	0.43	0.04	14.05	9.6	35
DD017864		0.30	0.001	0.07	2.50	16.2	<0.2	<10	110	0.49	0.11	0.43	0.10	19.50	15.0	57
DD017865		0.28	0.001	0.08	1.88	15.1	<0.2	<10	90	0.44	0.09	0.40	0.03	17.05	11.7	41



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 5 - B
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 10- OCT- 2011
Account: MTT

Project: KING

CERTIFICATE OF ANALYSIS WH11170117

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
DD017826		0.49	17.6	1.99	3.69	<0.05	0.06	0.02	0.017	0.06	5.5	6.7	0.29	212	0.81
DD017827		0.69	16.4	2.01	3.45	<0.05	0.10	0.01	0.016	0.07	4.8	5.4	0.29	311	0.60
DD017828		0.65	22.1	2.37	4.34	0.06	0.16	0.01	0.024	0.11	6.9	8.6	0.36	197	0.79
DD017829		0.66	19.8	2.51	4.57	0.06	0.14	0.01	0.021	0.10	6.7	8.0	0.57	344	0.85
DD017830		0.75	21.3	2.41	4.28	0.05	0.11	0.01	0.018	0.08	5.8	5.6	0.32	372	0.97
DD017831		0.49	51.4	1.92	3.55	0.07	0.07	0.05	0.020	0.06	9.2	6.6	0.63	374	0.31
DD017832		0.60	25.1	2.58	4.73	0.09	0.10	0.05	0.027	0.09	10.2	9.8	0.85	433	0.35
DD017833		0.50	9.4	2.23	4.60	<0.05	0.04	<0.01	0.016	0.06	4.5	14.8	0.45	227	0.58
DD017834		1.07	55.2	3.15	4.36	0.09	0.14	0.10	0.026	0.09	11.4	7.5	0.64	611	1.01
DD017835		0.46	15.5	2.03	3.85	0.05	0.05	<0.01	0.017	0.05	5.7	7.0	0.40	329	0.63
DD017836		0.42	16.5	2.36	4.27	0.05	0.02	<0.01	0.016	0.04	5.4	5.5	0.48	346	0.59
DD017837		1.15	23.7	2.59	5.16	0.06	0.14	0.01	0.022	0.09	6.8	7.4	0.60	397	0.85
DD017838		3.71	54.7	3.79	5.54	0.10	0.09	0.01	0.023	0.12	8.4	10.5	1.54	612	0.66
DD017839		0.47	16.7	2.18	3.23	0.07	0.09	0.01	0.017	0.09	9.4	4.6	0.31	364	0.47
DD017840		0.62	43.0	2.14	3.80	0.06	0.05	0.03	0.020	0.08	7.5	10.9	0.46	187	0.46
DD017841		0.39	10.9	2.29	4.87	0.05	0.04	<0.01	0.020	0.06	6.9	8.6	0.40	245	0.81
DD017842		0.53	18.4	2.33	4.57	0.05	0.05	0.01	0.021	0.04	8.0	6.0	0.35	634	0.68
DD017843		0.64	16.5	2.17	3.60	0.05	0.05	<0.01	0.016	0.05	5.4	6.7	0.34	137	0.63
DD017844		0.97	31.2	2.05	4.45	0.06	0.04	0.01	0.021	0.09	6.8	11.5	0.57	325	0.39
DD017845		0.35	48.4	2.12	3.78	0.07	0.06	0.03	0.023	0.04	7.6	5.8	0.59	476	0.33
DD017846		0.59	65.0	2.57	5.17	0.07	0.08	0.01	0.023	0.08	10.8	11.8	0.47	952	0.66
DD017847		0.66	25.8	2.00	4.15	0.06	0.04	0.01	0.019	0.08	5.4	11.3	0.39	468	0.47
DD017848		0.73	29.1	2.07	3.60	0.07	0.08	0.03	0.018	0.08	8.1	8.9	0.64	404	0.33
DD017849		0.60	31.9	2.07	4.01	0.06	0.06	0.04	0.020	0.07	7.7	9.9	0.52	295	0.41
DD017850		0.55	32.4	2.31	4.66	0.07	0.06	0.03	0.023	0.06	10.4	11.1	0.52	383	0.58
DD017851		0.58	40.0	1.96	3.42	0.08	0.06	0.04	0.019	0.05	7.5	6.1	0.60	363	0.31
DD017852		0.62	73.3	2.76	4.47	0.08	0.07	0.04	0.025	0.05	11.1	6.9	0.74	452	0.47
DD017853		0.64	31.0	2.46	5.34	0.07	0.14	0.02	0.023	0.08	9.8	9.7	0.44	300	0.66
DD017854		0.63	17.9	2.44	4.75	0.06	0.12	0.01	0.021	0.10	6.6	6.8	0.37	157	0.66
DD017855		0.72	28.9	3.01	5.39	0.07	0.14	0.02	0.024	0.15	8.9	8.2	0.59	456	0.65
DD017856		1.26	42.5	3.05	5.51	0.07	0.11	0.02	0.022	0.10	6.0	7.4	0.60	600	0.55
DD017857		0.82	39.0	3.58	6.95	0.08	0.15	0.02	0.030	0.09	10.3	10.6	0.92	515	0.75
DD017858		0.44	15.4	2.04	4.31	<0.05	0.07	0.01	0.017	0.04	5.2	7.1	0.36	189	0.70
DD017859		0.88	11.6	2.30	5.24	0.05	0.05	0.01	0.019	0.05	8.3	8.0	0.39	229	0.84
DD017860		0.64	25.0	2.53	5.53	0.05	0.04	0.02	0.021	0.05	6.6	10.0	0.50	354	0.84
DD017861		0.49	7.2	1.28	4.92	<0.05	0.04	0.01	0.014	0.03	4.8	14.1	0.52	128	0.27
DD017862		0.98	24.7	2.49	5.45	0.06	0.09	0.02	0.023	0.05	10.4	10.6	0.51	198	0.55
DD017863		0.84	28.9	2.34	4.17	0.07	0.13	0.01	0.019	0.11	6.2	7.8	0.47	280	0.70
DD017864		2.23	42.0	3.68	7.91	0.07	0.03	0.01	0.029	0.08	8.8	11.0	0.65	492	0.88
DD017865		1.51	35.0	3.16	5.80	0.07	0.18	0.02	0.031	0.10	6.8	12.4	0.59	301	0.95



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 5 - C
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 10- OCT- 2011
Account: MTT

Project: KING

CERTIFICATE OF ANALYSIS WH11170117

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
DD017826		0.91	10.7	230	5.5	7.4	<0.001	0.01	0.30	2.6	0.2	0.4	26.0	<0.01	0.02
DD017827		0.90	10.7	230	5.1	10.2	<0.001	0.02	0.25	3.0	0.2	0.4	24.5	<0.01	0.01
DD017828		1.13	14.9	110	5.8	9.8	<0.001	0.02	0.37	4.7	0.3	0.5	29.7	<0.01	0.02
DD017829		1.08	26.1	160	6.3	9.4	<0.001	0.02	0.44	4.5	0.3	0.5	33.1	<0.01	0.02
DD017830		0.81	11.8	150	6.5	9.5	<0.001	0.02	0.31	3.2	0.2	0.5	24.4	<0.01	0.02
DD017831		1.02	31.7	860	4.8	7.1	0.001	0.10	0.61	4.7	1.5	0.4	102.0	<0.01	0.02
DD017832		1.30	23.1	910	7.4	8.8	0.001	0.10	0.40	6.1	1.5	0.4	72.3	<0.01	0.03
DD017833		1.10	11.0	250	5.3	8.7	<0.001	0.03	0.25	2.3	0.3	0.5	24.8	<0.01	0.02
DD017834		0.66	20.6	770	6.3	6.6	<0.001	0.03	0.85	8.0	0.7	0.4	72.0	<0.01	0.02
DD017835		0.81	18.4	560	4.6	7.0	<0.001	0.02	0.21	2.8	0.2	0.4	31.9	<0.01	0.01
DD017836		0.86	23.5	220	4.5	5.2	<0.001	0.02	0.25	2.7	0.2	0.5	24.6	<0.01	0.01
DD017837		0.84	36.0	130	5.1	11.1	<0.001	0.02	0.34	5.1	0.3	0.5	25.6	<0.01	0.02
DD017838		0.70	130.5	420	4.0	13.1	<0.001	0.02	0.24	6.7	0.5	0.4	37.2	<0.01	0.02
DD017839		0.60	15.0	360	5.2	7.3	<0.001	0.02	0.22	3.7	0.4	0.4	44.1	<0.01	0.01
DD017840		1.17	18.5	310	5.0	12.0	<0.001	0.03	0.34	4.3	0.6	0.5	41.4	<0.01	0.02
DD017841		1.41	11.9	250	6.6	9.2	<0.001	0.02	0.26	3.0	0.2	0.6	24.5	<0.01	0.02
DD017842		1.17	14.5	300	6.4	6.1	<0.001	0.02	0.29	3.6	0.4	0.6	31.1	<0.01	0.02
DD017843		1.03	14.0	100	5.4	8.3	<0.001	0.02	0.39	2.9	0.2	0.4	23.0	<0.01	0.02
DD017844		1.22	21.5	380	4.9	14.4	<0.001	0.04	0.24	4.0	0.5	0.4	51.0	<0.01	0.02
DD017845		0.78	44.4	710	3.7	4.9	<0.001	0.05	0.29	6.2	0.7	0.3	59.3	<0.01	0.02
DD017846		1.15	38.2	290	5.7	8.1	<0.001	0.03	0.50	6.5	0.5	0.4	40.2	<0.01	0.02
DD017847		0.95	17.8	470	4.9	10.5	<0.001	0.03	0.35	3.5	0.3	0.3	35.8	<0.01	0.02
DD017848		0.99	20.8	420	4.1	8.8	0.002	0.05	0.36	4.3	1.2	0.3	48.1	<0.01	0.02
DD017849		1.05	17.0	560	4.8	7.6	0.001	0.04	0.37	4.3	0.7	0.3	48.7	<0.01	0.02
DD017850		1.20	14.9	470	6.6	5.8	<0.001	0.03	0.44	4.5	0.6	0.4	46.6	<0.01	0.02
DD017851		0.77	27.4	720	3.8	7.0	0.001	0.07	0.36	4.8	0.6	0.3	59.6	<0.01	0.01
DD017852		1.07	37.9	720	6.0	6.5	0.001	0.06	0.41	7.3	0.9	0.3	61.6	0.01	0.03
DD017853		1.27	18.4	160	5.2	6.7	<0.001	0.02	0.31	5.7	0.3	0.4	30.8	<0.01	0.02
DD017854		0.90	17.1	200	4.8	9.5	<0.001	0.02	0.25	4.9	0.3	0.4	24.3	<0.01	0.01
DD017855		0.89	30.4	300	5.5	10.1	<0.001	0.02	0.37	7.0	0.4	0.4	38.0	<0.01	0.02
DD017856		0.95	30.5	390	4.6	11.1	<0.001	0.02	0.31	7.1	0.3	0.3	30.4	<0.01	0.02
DD017857		1.14	48.1	370	6.4	10.8	<0.001	0.03	0.47	8.9	0.4	0.4	41.3	<0.01	0.02
DD017858		1.06	15.5	250	4.8	8.1	<0.001	0.02	0.28	3.3	0.2	0.4	24.1	<0.01	0.01
DD017859		1.16	16.9	180	5.8	10.9	<0.001	0.02	0.30	3.8	0.3	0.5	30.3	<0.01	0.02
DD017860		1.23	25.3	330	5.7	7.7	<0.001	0.02	0.36	4.3	0.2	0.4	34.9	<0.01	0.02
DD017861		1.16	16.2	160	5.5	4.9	<0.001	0.03	0.12	2.6	0.3	0.5	27.7	<0.01	0.01
DD017862		1.22	20.0	180	5.2	6.2	<0.001	0.02	0.39	5.9	0.3	0.5	17.8	<0.01	0.02
DD017863		0.94	21.1	510	3.8	11.3	<0.001	0.02	0.31	4.9	0.3	0.3	29.4	<0.01	0.02
DD017864		1.32	34.6	580	6.1	9.8	<0.001	0.03	0.45	6.7	0.4	0.5	25.8	<0.01	0.03
DD017865		0.98	25.2	220	6.1	11.5	<0.001	0.02	0.64	6.9	0.4	0.4	33.1	<0.01	0.02



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 5 - D
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 10- OCT- 2011
Account: MTT

Project: KING

CERTIFICATE OF ANALYSIS WH11170117

Sample Description	Method Analyte Units LOR	ME- MS41 Ti %	ME- MS41 Ti ppm	ME- MS41 U ppm	ME- MS41 V ppm	ME- MS41 W ppm	ME- MS41 Y ppm	ME- MS41 Zn ppm	ME- MS41 Zr ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
DD017826		0.067	0.06	0.32	51	0.16	2.68	46	2.6
DD017827		0.075	0.08	0.33	47	0.13	2.49	30	3.9
DD017828		0.088	0.08	0.34	56	0.19	3.44	36	5.4
DD017829		0.082	0.08	0.38	58	0.15	3.46	49	5.0
DD017830		0.066	0.07	0.27	56	0.13	2.67	30	4.2
DD017831		0.050	0.07	1.13	41	0.12	8.47	42	2.3
DD017832		0.066	0.08	0.53	46	0.17	8.42	59	3.5
DD017833		0.062	0.06	0.42	50	0.13	1.84	52	1.5
DD017834		0.050	0.09	0.49	68	0.13	10.70	58	5.0
DD017835		0.051	0.05	0.37	46	0.21	3.21	31	1.9
DD017836		0.070	0.06	0.29	56	0.12	2.13	38	0.7
DD017837		0.078	0.07	0.34	64	0.10	3.69	39	5.6
DD017838		0.080	0.05	0.30	77	0.08	6.14	44	3.6
DD017839		0.053	0.04	0.33	49	0.11	5.94	32	3.6
DD017840		0.072	0.08	0.41	47	0.11	5.12	34	1.9
DD017841		0.090	0.07	0.34	59	0.20	2.87	49	1.5
DD017842		0.073	0.07	0.36	55	0.16	4.92	37	2.0
DD017843		0.075	0.07	0.29	52	0.14	2.18	24	2.0
DD017844		0.072	0.06	0.99	42	0.09	4.32	45	1.2
DD017845		0.041	0.05	0.65	46	0.07	6.56	33	1.7
DD017846		0.063	0.08	0.33	56	0.15	11.05	59	2.6
DD017847		0.056	0.07	0.35	41	0.12	3.28	36	1.4
DD017848		0.057	0.07	0.39	40	0.11	6.51	30	2.7
DD017849		0.057	0.06	0.44	44	0.13	6.13	37	2.0
DD017850		0.059	0.06	0.57	51	0.17	7.37	41	1.9
DD017851		0.048	0.06	0.64	42	0.09	7.27	35	1.9
DD017852		0.054	0.06	0.45	61	0.13	11.50	40	2.3
DD017853		0.081	0.08	0.37	58	0.14	5.54	37	5.6
DD017854		0.073	0.07	0.32	61	0.11	3.78	29	4.7
DD017855		0.078	0.09	0.41	72	0.11	7.33	42	5.4
DD017856		0.081	0.06	0.31	71	0.10	4.02	43	4.6
DD017857		0.080	0.10	0.59	84	0.15	8.98	54	6.0
DD017858		0.063	0.07	0.30	53	0.12	2.66	31	2.8
DD017859		0.082	0.09	0.38	59	0.16	4.47	43	1.9
DD017860		0.068	0.08	0.34	63	0.16	3.46	40	1.8
DD017861		0.064	0.05	0.28	31	0.10	2.02	23	1.5
DD017862		0.088	0.08	0.51	60	0.17	5.09	38	3.6
DD017863		0.081	0.09	0.35	53	0.12	3.39	33	5.2
DD017864		0.090	0.11	0.55	89	0.16	5.25	65	1.2
DD017865		0.090	0.13	0.42	70	0.15	4.55	41	6.6



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 6 - A
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 10- OCT- 2011
Account: MTT

Project: KING

CERTIFICATE OF ANALYSIS WH11170117

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg	Au- TL43 Au ppm	ME- MS41 Ag ppm	ME- MS41 Al %	ME- MS41 As ppm	ME- MS41 Au ppm	ME- MS41 B ppm	ME- MS41 Ba ppm	ME- MS41 Be ppm	ME- MS41 Bi ppm	ME- MS41 Ca %	ME- MS41 Cd ppm	ME- MS41 Ce ppm	ME- MS41 Co ppm	ME- MS41 Cr ppm
		0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
DD017866		0.32	0.001	0.11	1.79	14.9	<0.2	<10	80	0.39	0.08	0.41	0.04	17.45	15.1	48
DD017867		0.30	<0.001	0.09	1.20	4.8	<0.2	<10	90	0.24	0.08	0.36	0.05	13.65	7.8	23
DD017868		0.22	0.001	0.02	1.36	6.9	<0.2	<10	90	0.25	0.08	0.24	0.04	11.85	6.6	22
DD017869		0.22	0.001	0.03	1.54	8.9	<0.2	<10	60	0.26	0.06	0.32	0.05	11.15	10.1	37
DD017870		0.12	0.002	0.11	1.13	4.3	<0.2	<10	170	0.31	0.07	1.09	0.11	14.65	7.3	20
DD017871		0.22	0.004	0.02	1.46	12.5	<0.2	<10	100	0.27	0.07	0.39	0.04	14.15	11.9	31
DD017872		0.26	0.002	0.03	1.30	7.0	<0.2	<10	130	0.29	0.07	0.50	0.04	16.75	7.7	24
DD017873		0.24	0.002	0.07	1.61	13.3	<0.2	<10	90	0.37	0.09	0.42	0.04	16.35	10.7	37
DD017874		0.20	0.004	0.07	1.76	17.3	<0.2	<10	80	0.42	0.09	0.48	0.04	21.1	12.5	44
DD017875		0.26	0.003	0.07	1.65	17.6	<0.2	<10	130	0.38	0.08	0.58	0.07	17.30	14.6	55
DD017876		0.18	0.001	0.07	1.58	9.9	<0.2	<10	120	0.33	0.08	0.42	0.06	16.50	9.9	37
DD017877		0.26	0.012	0.02	1.53	13.8	<0.2	<10	80	0.38	0.10	0.38	0.04	20.7	10.6	40
DD017878		0.26	0.001	0.04	1.41	5.3	<0.2	<10	150	0.35	0.10	0.42	0.11	16.15	10.1	27
DD017879		0.22	0.001	0.04	1.42	6.3	<0.2	<10	150	0.34	0.10	0.44	0.08	19.35	10.4	30
DD017880		0.28	0.004	0.23	1.96	31.7	<0.2	<10	130	0.59	0.11	0.68	0.14	23.6	15.2	41
DD017881		0.36	0.001	0.04	1.50	7.6	<0.2	<10	90	0.38	0.09	0.40	0.02	18.95	10.4	57
DD017882		0.26	0.001	0.05	1.26	7.4	<0.2	<10	170	0.32	0.10	0.45	0.12	14.00	9.5	29
DD017883		0.32	0.002	0.11	2.59	17.2	<0.2	<10	170	0.34	0.14	0.77	0.06	14.40	28.5	130
DD017884		0.20	0.002	0.04	1.76	15.2	<0.2	<10	130	0.53	0.11	0.48	0.04	24.3	12.7	33
DD017885		0.20	0.001	0.05	1.52	6.8	<0.2	<10	120	0.41	0.11	0.41	0.11	17.10	9.8	27
DD017886		0.14	0.002	0.06	1.09	5.3	<0.2	<10	110	0.32	0.09	0.57	0.03	18.95	6.4	21
DD017887		0.16	0.007	0.03	1.46	9.4	<0.2	<10	120	0.36	0.10	0.34	0.04	14.40	8.2	23
DD017888		0.16	0.001	0.03	1.15	6.9	<0.2	<10	90	0.32	0.08	0.49	0.03	17.95	7.5	24
DD017889		0.20	0.010	0.05	1.55	18.0	<0.2	<10	130	0.49	0.12	0.46	0.06	21.3	11.5	28
DD017890		0.22	0.005	0.04	1.43	17.3	<0.2	<10	90	0.43	0.11	0.33	0.03	21.6	10.9	27
DD017891		0.20	0.001	0.04	1.03	5.0	<0.2	<10	120	0.30	0.09	0.39	0.07	16.00	7.7	22
DD017892		0.22	0.002	0.09	1.87	13.9	<0.2	<10	110	0.44	0.09	0.46	0.07	21.0	14.2	62
DD017893		0.18	0.003	0.04	1.76	5.5	<0.2	<10	90	0.29	0.08	0.38	0.06	12.60	16.2	83
DD017894		0.16	0.001	0.05	1.25	6.9	<0.2	<10	120	0.26	0.09	0.27	0.05	11.25	7.1	29
DD017895		0.24	0.001	0.03	2.31	6.9	<0.2	<10	110	0.34	0.07	0.42	0.04	16.25	20.8	166
DD017896		0.14	0.001	0.06	1.43	11.0	<0.2	<10	120	0.24	0.08	0.36	0.07	9.80	10.6	53
DD017897		0.22	0.002	0.08	1.99	14.3	<0.2	<10	210	0.46	0.11	0.52	0.09	20.8	13.5	44
DD017898		0.16	0.002	0.08	1.46	7.8	<0.2	<10	160	0.33	0.09	0.33	0.06	11.50	8.8	29
DD017899		0.26	0.001	0.02	1.47	8.9	<0.2	<10	130	0.36	0.10	0.43	0.03	18.80	8.5	31
DD017900		0.28	0.003	0.07	1.20	12.6	<0.2	<10	150	0.36	0.09	0.60	0.05	19.45	9.1	27
DD017901		0.28	0.002	0.13	2.85	7.4	<0.2	<10	100	0.42	0.08	0.56	0.08	15.50	28.3	156
DD017902		0.24	0.001	0.06	2.58	5.8	<0.2	<10	110	0.34	0.09	0.64	0.08	11.00	24.2	113
DD017903		0.24	0.001	0.03	1.08	8.0	<0.2	<10	100	0.29	0.08	0.33	0.06	14.75	8.9	21
DD017904		0.26	0.001	0.05	1.51	13.2	<0.2	<10	100	0.41	0.10	0.44	0.05	19.15	9.3	24
DD017905		0.28	<0.001	0.06	1.47	8.5	<0.2	<10	130	0.42	0.11	0.40	0.08	21.5	9.9	26



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 6 - B
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 10- OCT- 2011
Account: MTT

Project: KING

CERTIFICATE OF ANALYSIS WH11170117

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
DD017866		2.26	40.1	3.35	6.01	0.07	0.12	0.02	0.027	0.07	6.2	8.2	0.56	443	0.78
DD017867		1.33	21.7	1.98	4.52	0.05	0.04	0.01	0.015	0.05	6.5	7.0	0.34	234	0.55
DD017868		1.09	15.8	2.15	5.12	<0.05	0.03	0.01	0.017	0.03	5.9	10.1	0.36	166	0.58
DD017869		1.00	32.8	2.38	5.08	0.05	0.09	0.02	0.018	0.05	5.4	6.3	0.44	219	0.53
DD017870		0.71	34.5	1.54	4.03	0.05	0.04	0.04	0.017	0.04	7.7	6.2	0.38	314	0.31
DD017871		0.70	30.5	2.45	5.17	0.06	0.09	0.02	0.021	0.05	6.5	7.5	0.45	307	0.54
DD017872		0.59	19.5	2.09	4.27	0.07	0.05	0.02	0.020	0.06	8.5	9.1	0.45	281	0.38
DD017873		1.14	26.6	2.77	5.25	0.07	0.16	0.02	0.025	0.06	9.7	7.2	0.40	370	0.71
DD017874		0.83	40.7	3.17	5.80	0.09	0.19	0.04	0.029	0.09	10.6	8.7	0.52	296	0.70
DD017875		1.10	49.7	2.99	5.73	0.10	0.14	0.03	0.025	0.12	9.2	7.6	0.58	482	0.63
DD017876		1.04	20.8	2.68	5.23	0.07	0.13	0.01	0.024	0.14	6.8	8.7	0.44	316	0.67
DD017877		1.08	22.6	2.79	5.19	0.09	0.20	0.02	0.024	0.18	7.9	10.9	0.53	244	0.73
DD017878		0.80	12.9	2.34	4.83	0.06	0.09	0.01	0.021	0.16	6.6	8.3	0.36	580	0.60
DD017879		0.67	30.0	2.43	5.06	0.07	0.10	0.02	0.021	0.10	8.9	8.7	0.42	532	0.71
DD017880		1.17	70.5	3.34	6.73	0.11	0.13	0.06	0.031	0.14	12.2	13.3	0.69	603	0.80
DD017881		1.72	37.9	2.40	5.01	0.10	0.15	0.02	0.020	0.12	7.9	8.8	0.65	206	0.48
DD017882		0.71	15.7	2.28	4.82	0.06	0.08	0.01	0.018	0.10	6.0	7.3	0.40	528	0.73
DD017883		4.18	46.2	3.77	7.30	0.10	0.12	0.02	0.021	0.08	6.0	12.8	2.38	707	0.62
DD017884		0.82	33.2	2.87	6.01	0.08	0.09	0.03	0.027	0.08	9.8	12.7	0.60	355	0.97
DD017885		0.78	15.6	2.40	5.45	0.07	0.08	0.02	0.022	0.10	6.8	10.7	0.53	415	0.64
DD017886		0.66	16.8	1.96	4.07	0.08	0.07	0.02	0.018	0.09	8.9	9.3	0.55	216	0.25
DD017887		0.59	17.0	2.35	5.14	0.06	0.09	0.02	0.021	0.06	6.0	8.4	0.37	286	0.81
DD017888		0.79	22.2	2.22	4.25	0.08	0.10	0.02	0.019	0.12	8.2	8.5	0.45	267	0.54
DD017889		0.86	33.3	2.99	5.56	0.08	0.15	0.02	0.028	0.13	8.3	10.4	0.48	546	1.39
DD017890		1.11	29.9	2.75	4.94	0.09	0.14	0.03	0.024	0.14	7.7	8.6	0.46	386	1.01
DD017891		0.54	15.7	2.04	3.81	0.06	0.06	0.01	0.016	0.12	6.8	6.2	0.32	503	0.83
DD017892		1.72	39.1	3.17	6.24	0.08	0.13	0.02	0.025	0.09	9.3	8.2	0.78	544	0.77
DD017893		2.40	35.5	2.82	6.10	0.07	0.07	0.11	0.019	0.04	5.6	8.3	1.03	410	0.79
DD017894		0.91	16.8	2.22	4.61	0.05	0.12	0.01	0.017	0.05	5.7	9.0	0.44	186	0.72
DD017895		1.13	36.2	3.38	7.01	0.09	0.08	0.01	0.025	0.04	6.0	11.0	2.04	330	0.56
DD017896		0.88	22.2	2.47	4.95	0.06	0.04	0.01	0.015	0.04	4.9	7.3	0.77	222	0.61
DD017897		0.87	25.7	3.15	6.62	0.08	0.15	0.02	0.027	0.06	7.2	9.2	0.70	451	0.87
DD017898		1.41	21.5	2.51	5.08	0.06	0.06	0.01	0.020	0.04	5.1	7.3	0.37	430	0.71
DD017899		0.72	18.7	2.37	4.84	0.08	0.16	0.02	0.020	0.11	8.3	9.8	0.48	277	0.82
DD017900		0.61	32.2	2.15	4.39	0.08	0.04	0.05	0.018	0.05	10.1	6.7	0.41	418	0.64
DD017901		2.58	98.2	5.00	8.56	0.12	0.15	0.02	0.029	0.14	7.0	11.8	1.93	643	0.68
DD017902		3.88	63.5	4.50	8.18	0.09	0.05	0.02	0.034	0.07	4.6	14.8	1.49	640	0.82
DD017903		0.72	21.0	2.24	4.06	0.07	0.08	0.02	0.018	0.10	6.1	7.2	0.33	384	0.83
DD017904		0.76	28.2	2.62	5.39	0.07	0.11	0.02	0.023	0.12	8.0	9.3	0.43	307	0.85
DD017905		0.95	22.5	2.60	5.14	0.08	0.14	0.02	0.023	0.18	8.3	9.6	0.42	578	0.76



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 6 - C
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 10- OCT- 2011
Account: MTT

Project: KING

CERTIFICATE OF ANALYSIS WH11170117

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
DD017866		0.90	28.4	300	5.4	11.5	<0.001	0.02	0.47	9.2	0.3	0.4	27.4	<0.01	0.02
DD017867		1.27	14.3	350	4.4	10.6	<0.001	0.02	0.22	3.3	0.2	0.4	23.1	<0.01	0.02
DD017868		1.13	13.5	200	4.6	5.6	<0.001	0.02	0.31	3.1	0.2	0.4	21.2	<0.01	0.02
DD017869		0.82	24.4	130	3.4	5.7	<0.001	0.02	0.28	5.1	0.2	0.3	16.6	<0.01	0.01
DD017870		0.95	14.6	810	3.8	5.2	0.001	0.06	0.28	3.2	0.8	0.3	59.7	<0.01	0.01
DD017871		1.06	23.5	150	4.3	5.7	<0.001	0.02	0.42	4.9	0.3	0.4	32.0	<0.01	0.02
DD017872		1.08	17.4	450	3.9	8.8	<0.001	0.02	0.31	4.7	0.3	0.3	36.2	<0.01	0.01
DD017873		0.78	23.6	210	5.3	8.8	<0.001	0.01	0.50	6.9	0.4	0.4	26.8	<0.01	0.02
DD017874		0.89	27.5	210	5.7	8.3	<0.001	0.02	0.62	9.0	0.5	0.4	32.3	<0.01	0.02
DD017875		0.94	38.8	380	4.7	8.7	<0.001	0.02	0.47	9.0	0.5	0.4	39.0	<0.01	0.02
DD017876		1.21	20.4	220	4.5	18.1	<0.001	0.02	0.29	6.0	0.3	0.4	27.3	<0.01	0.02
DD017877		1.24	23.0	380	5.0	16.1	<0.001	0.02	0.39	6.7	0.4	0.4	28.2	<0.01	0.02
DD017878		1.09	16.2	1160	5.3	15.8	<0.001	0.02	0.26	4.4	0.2	0.4	28.5	<0.01	0.02
DD017879		1.09	20.2	380	5.1	12.0	<0.001	0.02	0.29	5.1	0.3	0.4	28.7	<0.01	0.02
DD017880		0.67	35.3	340	8.0	11.4	<0.001	<0.01	0.69	8.8	0.6	0.5	44.3	<0.01	0.06
DD017881		0.46	48.3	600	4.2	17.4	<0.001	<0.01	0.24	5.9	<0.2	0.4	26.9	<0.01	0.03
DD017882		0.71	20.3	490	4.9	12.1	<0.001	<0.01	0.23	3.7	<0.2	0.4	29.8	<0.01	0.02
DD017883		0.35	168.0	460	3.8	13.7	<0.001	<0.01	0.22	6.1	<0.2	0.4	40.0	<0.01	0.03
DD017884		0.89	23.5	160	7.7	11.1	<0.001	<0.01	0.60	6.9	0.4	0.4	36.6	<0.01	0.03
DD017885		0.99	15.9	240	6.1	14.5	<0.001	<0.01	0.28	4.6	<0.2	0.5	24.5	<0.01	0.03
DD017886		0.84	13.9	470	4.3	12.1	<0.001	<0.01	0.23	4.2	0.2	0.4	36.0	<0.01	0.02
DD017887		0.79	13.4	130	6.4	8.5	<0.001	<0.01	0.42	4.5	<0.2	0.4	26.6	<0.01	0.03
DD017888		0.77	16.3	450	4.9	11.9	<0.001	<0.01	0.31	5.1	<0.2	0.4	34.4	<0.01	0.02
DD017889		0.53	21.5	380	7.7	12.9	<0.001	<0.01	0.55	7.0	0.2	0.4	38.0	<0.01	0.04
DD017890		0.55	16.0	220	6.6	15.4	<0.001	<0.01	0.54	6.1	0.2	0.4	28.7	<0.01	0.03
DD017891		0.64	13.2	470	4.9	12.2	<0.001	<0.01	0.24	3.5	<0.2	0.4	25.7	<0.01	0.02
DD017892		0.41	49.7	570	5.6	15.4	<0.001	<0.01	0.32	6.9	<0.2	0.4	28.8	<0.01	0.03
DD017893		0.45	68.9	280	4.0	7.3	<0.001	<0.01	0.23	4.5	<0.2	0.4	20.2	<0.01	0.03
DD017894		0.66	17.8	120	5.1	11.6	<0.001	<0.01	0.24	3.5	<0.2	0.4	20.4	<0.01	0.02
DD017895		0.40	133.5	310	3.2	7.3	<0.001	<0.01	0.19	9.3	<0.2	0.4	27.5	<0.01	0.02
DD017896		0.57	46.9	340	4.1	8.7	<0.001	<0.01	0.19	3.1	<0.2	0.4	23.0	<0.01	0.02
DD017897		0.57	37.6	220	6.1	7.5	<0.001	<0.01	0.34	6.4	<0.2	0.5	45.0	<0.01	0.04
DD017898		0.65	19.7	250	5.8	8.0	<0.001	<0.01	0.29	4.1	<0.2	0.4	25.0	<0.01	0.03
DD017899		0.85	17.4	520	5.0	13.5	<0.001	<0.01	0.29	5.1	0.2	0.4	29.3	<0.01	0.02
DD017900		0.64	24.8	560	5.1	5.8	<0.001	<0.01	0.36	4.9	0.2	0.3	41.8	<0.01	0.02
DD017901		0.46	121.0	510	4.2	15.7	<0.001	<0.01	0.26	11.2	0.3	0.4	30.7	<0.01	0.03
DD017902		0.64	68.9	840	3.9	14.3	<0.001	<0.01	0.25	7.9	0.2	0.5	30.2	<0.01	0.04
DD017903		0.64	13.1	380	5.3	11.4	<0.001	<0.01	0.39	3.7	<0.2	0.3	23.3	<0.01	0.02
DD017904		0.65	15.4	190	6.6	14.2	<0.001	<0.01	0.45	5.5	0.2	0.4	30.6	<0.01	0.03
DD017905		0.65	17.0	350	6.4	16.4	<0.001	<0.01	0.41	5.6	0.2	0.4	31.8	<0.01	0.03



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 6 - D
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 10- OCT- 2011
Account: MTT

Project: KING

CERTIFICATE OF ANALYSIS WH11170117

Sample Description	Method Analyte Units LOR	ME- MS41 Ti %	ME- MS41 Ti ppm	ME- MS41 U ppm	ME- MS41 V ppm	ME- MS41 W ppm	ME- MS41 Y ppm	ME- MS41 Zn ppm	ME- MS41 Zr ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
DD017866		0.082	0.09	0.42	86	0.11	4.17	38	4.8
DD017867		0.073	0.06	0.30	51	0.12	3.09	26	1.7
DD017868		0.068	0.07	0.32	59	0.17	2.72	29	1.5
DD017869		0.061	0.07	0.30	59	0.09	3.63	27	3.5
DD017870		0.046	0.05	1.12	35	0.12	6.46	33	1.2
DD017871		0.062	0.07	0.37	60	0.10	3.82	30	3.8
DD017872		0.063	0.05	0.51	46	0.11	6.20	33	1.6
DD017873		0.069	0.08	0.51	67	0.11	7.90	30	6.1
DD017874		0.080	0.08	0.47	73	0.13	9.13	35	7.3
DD017875		0.076	0.08	0.67	76	0.11	9.37	45	5.4
DD017876		0.093	0.09	0.30	63	0.12	3.98	39	4.9
DD017877		0.112	0.13	0.42	65	0.16	4.02	42	7.0
DD017878		0.080	0.08	0.35	49	0.13	3.45	51	3.8
DD017879		0.089	0.07	0.33	57	0.25	4.87	47	4.1
DD017880		0.056	0.10	0.40	79	0.13	13.40	50	4.0
DD017881		0.077	0.09	0.50	56	0.13	5.37	29	5.4
DD017882		0.072	0.07	0.27	53	0.11	2.98	51	2.9
DD017883		0.071	0.06	0.37	69	0.08	5.66	51	4.2
DD017884		0.071	0.10	0.60	64	0.15	6.93	39	3.0
DD017885		0.090	0.08	0.33	52	0.14	3.86	39	2.9
DD017886		0.067	0.07	0.34	44	0.17	6.32	30	2.1
DD017887		0.068	0.08	0.41	54	0.13	3.48	31	3.3
DD017888		0.077	0.09	0.55	50	0.12	6.10	44	3.5
DD017889		0.067	0.12	0.38	65	0.16	5.68	38	5.3
DD017890		0.071	0.12	0.35	63	0.13	4.78	37	5.2
DD017891		0.072	0.06	0.31	47	0.14	3.56	36	2.0
DD017892		0.074	0.09	0.50	76	0.10	6.68	44	4.2
DD017893		0.068	0.06	0.28	68	0.09	3.52	44	3.0
DD017894		0.087	0.08	0.31	57	0.11	3.05	35	4.4
DD017895		0.058	0.06	0.27	91	0.09	3.85	40	2.6
DD017896		0.062	0.06	0.25	63	0.10	2.44	37	1.6
DD017897		0.076	0.10	0.39	76	0.12	4.76	49	5.2
DD017898		0.054	0.10	0.31	60	0.11	2.76	37	2.5
DD017899		0.097	0.09	0.52	54	0.16	4.97	37	5.6
DD017900		0.059	0.06	0.47	48	0.17	8.81	35	1.1
DD017901		0.096	0.07	0.38	114	0.09	8.51	56	5.7
DD017902		0.113	0.06	0.31	112	0.23	3.78	38	2.1
DD017903		0.064	0.07	0.31	47	0.20	3.38	34	3.1
DD017904		0.066	0.10	0.36	59	0.13	5.28	34	3.6
DD017905		0.084	0.11	0.42	59	0.17	4.99	43	5.1



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 7 - A
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 10- OCT- 2011
Account: MTT

Project: KING

CERTIFICATE OF ANALYSIS WH11170117

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	Au- TL43 Au ppm 0.001	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1
DD017906		0.28	0.002	0.07	1.47	14.6	<0.2	<10	100	0.35	0.09	0.43	0.05	19.25	10.9	42
DD017907		0.20	<0.001	0.08	1.69	8.7	<0.2	<10	220	0.39	0.10	0.50	0.07	19.10	10.6	33
DD017908		0.18	0.001	0.05	1.32	12.8	<0.2	<10	110	0.39	0.09	0.33	0.07	17.85	10.6	35



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 7 - B
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 10- OCT- 2011
Account: MTT

Project: KING

CERTIFICATE OF ANALYSIS WH11170117

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
DD017906		0.79	18.3	2.57	4.85	0.09	0.16	0.02	0.021	0.15	7.5	8.1	0.50	368	0.62
DD017907		0.80	25.2	2.72	5.58	0.08	0.14	0.02	0.023	0.12	7.8	8.5	0.55	519	0.59
DD017908		0.52	20.5	2.31	4.61	0.07	0.11	0.01	0.020	0.06	7.9	7.1	0.46	483	0.58



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 7 - C
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 10- OCT- 2011
Account: MTT

Project: KING

CERTIFICATE OF ANALYSIS WH11170117

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
DD017906		0.72	28.4	150	4.9	15.0	<0.001	<0.01	0.29	6.1	<0.2	0.4	31.2	<0.01	0.03	2.6
DD017907		0.56	23.1	280	5.2	14.1	<0.001	<0.01	0.27	6.0	<0.2	0.4	47.1	<0.01	0.03	2.4
DD017908		0.47	25.8	310	5.2	5.2	<0.001	<0.01	0.24	5.2	<0.2	0.4	24.0	<0.01	0.02	2.4



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 7 - D
 Total # Pages: 7 (A - D)
 Plus Appendix Pages
 Finalized Date: 10- OCT- 2011
 Account: MTT

Project: KING

CERTIFICATE OF ANALYSIS WH11170117

Sample Description	Method Analyte Units LOR	ME- MS41 Ti %	ME- MS41 Ti ppm	ME- MS41 U ppm	ME- MS41 V ppm	ME- MS41 W ppm	ME- MS41 Y ppm	ME- MS41 Zn ppm	ME- MS41 Zr ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
DD017906		0.083	0.09	0.28	62	0.14	4.98	33	5.4
DD017907		0.079	0.09	0.34	62	0.12	5.12	47	4.9
DD017908		0.057	0.06	0.36	54	0.09	4.96	36	4.1



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: KING

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 10- OCT- 2011
Account: MTT

CERTIFICATE OF ANALYSIS WH11170117

Method	CERTIFICATE COMMENTS
ME- MS41	Gold determinations by this method are semi- quantitative due to the small sample weight used (0.5g).



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 1
Finalized Date: 5- JAN- 2012
Account: MTT

CERTIFICATE WH11262487

Project: KING

P.O. No.:

This report is for 203 Soil samples submitted to our lab in Whitehorse, YT, Canada on 13- DEC- 2011.

The following have access to data associated with this certificate:

MATT DUMALA
JOAN MARIACHER

DOUG EATON
BRUCE YOUNGMAN

SARAH EATON

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
FND- 02	Find Sample for Addn Analysis

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- ICP21	Au 30g FA ICP- AES Finish	ICP- AES
ME- ICP41	35 Element Aqua Regia ICP- AES	ICP- AES

To: **STRATEGIC METALS LTD.**
ATTN: JOAN MARIACHER
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - A
Total # Pages: 7 (A - C)
Plus Appendix Pages
Finalized Date: 5- JAN- 2012
Account: MTT

Project: KING

CERTIFICATE OF ANALYSIS WH11262487

Sample Description	Method Analyte Units LOR	Au- ICP21 Au ppm 0.001	Au- ICP21 Au Check ppm 0.001	ME- ICP41 Ag ppm 0.2	ME- ICP41 Al % 0.01	ME- ICP41 As ppm 2	ME- ICP41 B ppm 10	ME- ICP41 Ba ppm 10	ME- ICP41 Be ppm 0.5	ME- ICP41 Bi ppm 2	ME- ICP41 Ca % 0.01	ME- ICP41 Cd ppm 0.5	ME- ICP41 Co ppm 1	ME- ICP41 Cr ppm 1	ME- ICP41 Cu ppm 1	ME- ICP41 Fe % 0.01
DD017706		0.012		<0.2	1.14	39	<10	150	<0.5	<2	2.44	<0.5	9	17	39	2.37
DD017707		0.002		<0.2	1.00	6	<10	110	<0.5	<2	0.70	<0.5	8	28	25	2.15
DD017708		0.004		<0.2	1.02	9	<10	120	<0.5	<2	1.58	<0.5	9	20	33	2.34
DD017709		0.008		<0.2	1.32	16	<10	160	<0.5	<2	0.65	<0.5	10	20	32	2.72
DD017710		0.003		<0.2	1.74	8	<10	140	<0.5	<2	0.38	<0.5	9	28	40	2.72
DD017711		0.011		<0.2	1.45	8	<10	150	<0.5	<2	0.68	<0.5	8	24	28	2.52
DD017712		0.008		<0.2	1.96	17	<10	100	<0.5	<2	0.89	<0.5	13	52	40	2.97
DD017713		0.002		<0.2	1.62	18	<10	130	<0.5	<2	1.22	<0.5	12	43	55	2.71
DD017714		0.012		<0.2	1.02	9	<10	90	<0.5	<2	1.19	<0.5	8	25	46	1.95
DD017715		NSS		<0.2	2.73	17	<10	100	<0.5	<2	0.65	<0.5	26	87	75	5.80
DD017716		0.002		<0.2	1.33	7	<10	110	<0.5	<2	0.38	<0.5	8	31	23	2.15
DD017717		0.007		<0.2	1.10	13	<10	110	<0.5	<2	2.80	<0.5	8	25	36	2.09
DD017718		0.003		<0.2	1.94	11	<10	120	0.6	<2	0.30	<0.5	11	35	35	2.99
DD017719		0.003		<0.2	1.35	12	<10	110	<0.5	<2	0.49	<0.5	10	32	26	2.40
DD017720		0.004		<0.2	1.12	9	<10	120	<0.5	<2	0.84	<0.5	8	23	28	1.94
DD017721		0.002		<0.2	1.81	9	<10	140	0.5	<2	0.44	<0.5	10	33	29	2.85
DD017722		0.002		<0.2	1.47	7	<10	110	<0.5	<2	0.50	<0.5	9	31	19	2.37
DD017723		0.006		<0.2	1.30	12	<10	130	<0.5	<2	1.39	<0.5	8	28	45	1.96
DD017724		0.003		<0.2	1.08	20	<10	90	<0.5	<2	2.08	<0.5	8	23	53	1.99
DD017725		0.002		<0.2	0.94	14	<10	70	<0.5	<2	2.51	<0.5	9	27	43	1.87
DD017726		0.003		<0.2	0.83	16	10	110	<0.5	<2	3.83	<0.5	10	18	38	1.54
DD017727		0.003		<0.2	0.97	10	10	190	<0.5	<2	7.1	<0.5	9	20	46	1.67
DD017728		0.004		<0.2	1.13	6	<10	110	<0.5	<2	1.14	<0.5	8	23	29	1.90
DD017729		0.002		<0.2	1.23	5	<10	160	<0.5	<2	0.35	<0.5	8	23	19	2.18
DD017730		0.001		<0.2	1.71	7	<10	110	<0.5	<2	0.39	<0.5	9	31	21	2.55
DD017731		0.004		<0.2	1.07	17	<10	90	<0.5	<2	0.92	<0.5	8	24	23	2.36
DD017732		0.003		<0.2	1.62	2	<10	70	<0.5	<2	0.42	<0.5	11	45	27	2.27
DD017733		0.002		<0.2	1.94	10	<10	100	0.5	<2	0.44	<0.5	10	29	37	2.91
DD017734		0.004		<0.2	1.83	12	<10	130	<0.5	<2	0.38	<0.5	12	43	27	2.92
DD017735		0.002		<0.2	2.15	7	<10	130	<0.5	<2	0.73	<0.5	12	53	47	3.39
DD017736		0.003		<0.2	1.42	2	<10	160	<0.5	<2	0.51	<0.5	9	29	15	1.93
DD017737		0.006		<0.2	1.51	3	<10	120	<0.5	<2	0.43	<0.5	9	29	16	2.30
DD017738		0.002		<0.2	1.24	8	<10	110	<0.5	2	0.42	<0.5	8	34	20	2.48
DD017739		0.002		<0.2	2.01	13	<10	190	<0.5	<2	0.68	<0.5	13	55	40	3.36
DD017740		0.008		<0.2	1.73	21	<10	130	0.5	<2	0.76	<0.5	15	53	72	3.32
DD017741		0.001		<0.2	1.76	17	<10	170	<0.5	<2	0.56	<0.5	12	47	35	3.20
DD017742		0.002		<0.2	2.41	38	<10	110	0.5	<2	0.74	<0.5	20	98	90	4.14
DD017743		0.009		<0.2	2.20	9	<10	200	<0.5	2	0.53	<0.5	16	89	38	3.40
DD017744		0.003		<0.2	0.92	18	<10	70	<0.5	2	0.42	<0.5	9	34	38	2.28
DD017745		0.012		<0.2	3.14	20	<10	60	0.5	<2	0.66	<0.5	31	188	104	4.93



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - B
Total # Pages: 7 (A - C)
Plus Appendix Pages
Finalized Date: 5- JAN- 2012
Account: MTT

Project: KING

CERTIFICATE OF ANALYSIS WH11262487

Sample Description	Method Analyte Units LOR	ME- ICP41 Ga ppm 10	ME- ICP41 Hg ppm 1	ME- ICP41 K % 0.01	ME- ICP41 La ppm 10	ME- ICP41 Mg % 0.01	ME- ICP41 Mn ppm 5	ME- ICP41 Mo ppm 1	ME- ICP41 Na % 0.01	ME- ICP41 Ni ppm 1	ME- ICP41 P ppm 10	ME- ICP41 Pb ppm 2	ME- ICP41 S % 0.01	ME- ICP41 Sb ppm 2	ME- ICP41 Sc ppm 1	ME- ICP41 Sr ppm 1
DD017706		<10	<1	0.09	10	0.42	495	<1	0.04	15	680	6	0.04	<2	5	88
DD017707		<10	<1	0.08	10	0.51	248	<1	0.04	22	780	5	0.02	<2	4	55
DD017708		<10	<1	0.15	10	0.53	519	1	0.05	19	770	6	0.02	<2	5	92
DD017709		<10	<1	0.14	10	0.44	538	<1	0.04	17	280	5	0.01	<2	7	56
DD017710		<10	<1	0.06	10	0.45	231	1	0.02	18	200	5	0.01	<2	5	29
DD017711		<10	1	0.15	10	0.40	371	<1	0.03	17	350	4	0.01	<2	5	39
DD017712		10	1	0.10	10	1.01	450	<1	0.03	54	420	5	0.03	<2	5	45
DD017713		10	<1	0.07	10	0.81	693	<1	0.04	35	690	7	0.06	<2	7	68
DD017714		<10	<1	0.06	10	0.51	407	<1	0.05	25	690	2	0.06	<2	4	58
DD017715		10	<1	0.06	10	0.78	785	1	0.02	58	350	<2	0.02	<2	13	28
DD017716		<10	<1	0.10	10	0.40	269	1	0.03	18	200	4	0.01	<2	4	31
DD017717		<10	<1	0.06	10	0.66	299	<1	0.04	21	710	7	0.05	<2	5	122
DD017718		10	<1	0.12	10	0.55	444	1	0.03	23	100	10	0.01	<2	7	29
DD017719		<10	<1	0.11	10	0.51	350	<1	0.04	23	260	6	0.01	<2	5	31
DD017720		<10	<1	0.07	10	0.56	386	<1	0.04	17	730	6	0.03	<2	4	45
DD017721		10	<1	0.10	10	0.51	357	1	0.03	21	250	7	0.01	2	6	35
DD017722		<10	<1	0.16	10	0.43	334	<1	0.03	21	380	7	0.01	<2	4	38
DD017723		<10	<1	0.07	10	0.75	398	<1	0.04	26	770	4	0.08	<2	4	66
DD017724		<10	<1	0.10	10	0.65	282	1	0.05	23	530	6	0.05	<2	4	76
DD017725		<10	1	0.07	10	0.66	276	<1	0.05	40	620	5	0.07	2	5	87
DD017726		<10	<1	0.08	10	0.65	1205	<1	0.05	28	700	3	0.11	<2	3	126
DD017727		<10	1	0.09	10	0.74	1170	<1	0.04	30	840	4	0.16	<2	3	232
DD017728		<10	<1	0.10	10	0.82	405	<1	0.04	19	630	3	0.07	<2	3	71
DD017729		<10	<1	0.06	10	0.33	333	<1	0.02	15	220	4	0.01	<2	5	32
DD017730		<10	1	0.10	10	0.47	260	<1	0.02	19	270	5	0.01	<2	5	27
DD017731		<10	1	0.06	10	0.51	384	<1	0.03	17	730	4	0.05	<2	4	54
DD017732		<10	<1	0.04	10	0.70	190	<1	0.03	48	250	3	0.01	<2	4	24
DD017733		10	1	0.04	10	0.51	231	<1	0.03	18	280	5	0.01	<2	7	35
DD017734		<10	<1	0.05	10	0.52	333	<1	0.03	28	190	5	0.01	<2	5	34
DD017735		10	1	0.09	10	0.62	435	<1	0.03	38	200	6	0.01	<2	7	34
DD017736		<10	<1	0.06	10	0.45	635	1	0.03	16	430	4	0.01	<2	3	31
DD017737		<10	1	0.07	10	0.45	292	<1	0.03	17	530	4	0.01	<2	4	32
DD017738		<10	1	0.07	<10	0.47	237	1	0.02	25	610	6	<0.01	<2	3	27
DD017739		10	1	0.07	10	0.68	544	1	0.03	37	240	5	<0.01	<2	8	43
DD017740		<10	1	0.07	10	0.85	515	1	0.03	52	220	6	0.01	<2	8	50
DD017741		10	1	0.08	10	0.56	521	<1	0.03	33	210	5	<0.01	<2	7	33
DD017742		10	1	0.09	10	0.86	640	1	0.02	60	480	6	<0.01	<2	13	33
DD017743		10	1	0.08	10	1.01	799	1	0.02	66	550	4	<0.01	<2	7	30
DD017744		<10	1	0.05	10	0.57	292	<1	0.03	29	240	3	<0.01	<2	5	34
DD017745		10	1	0.03	10	2.12	588	1	0.02	153	230	2	<0.01	<2	15	26



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - C
Total # Pages: 7 (A - C)
Plus Appendix Pages
Finalized Date: 5- JAN- 2012
Account: MTT

Project: KING

CERTIFICATE OF ANALYSIS WH11262487

Sample Description	Method Analyte Units LOR	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41
		Th	Ti	Ti	U	V	W	Zn
		ppm 20	% 0.01	ppm 10	ppm 10	ppm 1	ppm 10	ppm 2
DD017706		<20	0.05	<10	<10	55	<10	44
DD017707		<20	0.06	<10	<10	55	<10	47
DD017708		<20	0.05	<10	<10	54	<10	51
DD017709		<20	0.05	<10	<10	61	<10	46
DD017710		<20	0.07	<10	<10	65	<10	44
DD017711		<20	0.08	<10	<10	59	<10	43
DD017712		<20	0.07	<10	<10	65	<10	65
DD017713		<20	0.07	<10	<10	61	<10	57
DD017714		<20	0.05	<10	<10	44	<10	40
DD017715		<20	0.12	<10	<10	122	<10	78
DD017716		<20	0.08	<10	<10	51	<10	37
DD017717		<20	0.05	<10	<10	44	<10	39
DD017718		<20	0.09	<10	<10	64	<10	42
DD017719		<20	0.07	<10	<10	51	<10	37
DD017720		<20	0.06	<10	<10	41	<10	39
DD017721		<20	0.09	<10	<10	63	<10	44
DD017722		<20	0.09	<10	<10	54	<10	47
DD017723		<20	0.06	<10	<10	36	<10	48
DD017724		<20	0.06	<10	<10	42	<10	41
DD017725		<20	0.05	<10	<10	41	<10	35
DD017726		<20	0.04	<10	<10	31	<10	43
DD017727		<20	0.05	<10	<10	34	<10	52
DD017728		<20	0.06	<10	<10	36	<10	41
DD017729		<20	0.07	<10	<10	51	<10	33
DD017730		<20	0.09	<10	<10	61	<10	43
DD017731		<20	0.06	<10	<10	51	<10	41
DD017732		<20	0.08	<10	<10	62	<10	33
DD017733		<20	0.06	<10	<10	73	<10	39
DD017734		<20	0.06	<10	<10	68	<10	32
DD017735		<20	0.08	<10	<10	78	<10	33
DD017736		<20	0.09	<10	<10	47	<10	42
DD017737		<20	0.10	<10	<10	56	<10	47
DD017738		<20	0.07	<10	<10	61	<10	40
DD017739		<20	0.08	<10	<10	85	<10	51
DD017740		<20	0.07	<10	<10	79	<10	44
DD017741		<20	0.09	<10	<10	76	<10	40
DD017742		<20	0.09	<10	<10	102	<10	72
DD017743		<20	0.08	<10	<10	83	<10	54
DD017744		<20	0.05	<10	<10	50	<10	32
DD017745		<20	0.10	<10	<10	125	<10	51



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 3 - A
Total # Pages: 7 (A - C)
Plus Appendix Pages
Finalized Date: 5- JAN- 2012
Account: MTT

Project: KING

CERTIFICATE OF ANALYSIS WH11262487

Sample Description	Method Analyte Units LOR	Au- ICP21 Au ppm 0.001	Au- ICP21 Au Check ppm 0.001	ME- ICP41 Ag ppm 0.2	ME- ICP41 Al % 0.01	ME- ICP41 As ppm 2	ME- ICP41 B ppm 10	ME- ICP41 Ba ppm 10	ME- ICP41 Be ppm 0.5	ME- ICP41 Bi ppm 2	ME- ICP41 Ca % 0.01	ME- ICP41 Cd ppm 0.5	ME- ICP41 Co ppm 1	ME- ICP41 Cr ppm 1	ME- ICP41 Cu ppm 1	ME- ICP41 Fe % 0.01
DD017746		0.007		<0.2	1.89	10	<10	140	<0.5	2	0.62	<0.5	16	79	47	3.32
DD017747		0.001		<0.2	1.34	7	<10	160	<0.5	2	0.53	<0.5	8	30	21	2.11
DD017748		0.002		<0.2	0.86	14	<10	80	<0.5	2	0.52	<0.5	7	22	32	2.34
DD017749		0.003		<0.2	0.84	6	<10	80	<0.5	2	1.64	<0.5	5	23	86	1.40
DD017750		0.003		<0.2	0.95	11	<10	90	<0.5	2	1.39	<0.5	7	26	31	1.90
DD017751		0.002		<0.2	2.14	21	<10	100	<0.5	<2	0.74	<0.5	16	69	51	3.39
DD017752		0.002		<0.2	0.77	2	<10	70	<0.5	<2	1.09	<0.5	4	17	39	1.11
DD017753		0.007		<0.2	1.21	15	<10	90	<0.5	3	0.78	<0.5	10	40	66	2.68
DD017754		0.001		<0.2	2.38	20	<10	140	<0.5	2	0.64	<0.5	19	121	37	3.83
DD017755		0.002		<0.2	1.30	14	<10	80	<0.5	3	0.49	<0.5	10	49	38	2.68
DD017756		0.003		<0.2	1.27	7	<10	90	<0.5	3	0.30	<0.5	7	28	18	2.23
DD017757		0.001		<0.2	1.59	11	<10	100	0.5	2	0.32	<0.5	10	38	29	2.60
DD017758		0.004		<0.2	1.14	9	<10	150	<0.5	<2	0.36	<0.5	8	22	17	2.28
DD017759		0.001		<0.2	1.68	9	<10	160	<0.5	2	0.50	<0.5	10	33	22	2.85
DD017760		0.004		<0.2	1.99	14	<10	190	0.5	<2	0.59	<0.5	11	32	46	3.18
DD017761		0.003		0.5	1.39	9	<10	180	<0.5	<2	0.43	<0.5	9	31	27	2.47
DD017762		0.010		<0.2	1.70	9	<10	160	<0.5	<2	0.77	<0.5	13	49	67	2.89
DD017763		0.002		<0.2	1.65	8	<10	130	<0.5	<2	0.41	<0.5	10	34	28	3.04
DD017764		0.001		<0.2	1.51	8	<10	100	<0.5	<2	0.35	<0.5	8	35	18	2.42
DD017765		0.002		<0.2	1.92	10	<10	160	0.5	<2	0.46	<0.5	10	47	33	2.85
DD017766		0.001		<0.2	1.39	11	<10	90	<0.5	<2	0.39	<0.5	9	30	25	2.62
DD017767		0.002		<0.2	1.63	4	<10	90	0.5	3	0.35	<0.5	10	34	17	2.62
DD017768		0.003		<0.2	1.47	8	<10	120	<0.5	2	0.40	<0.5	8	30	17	2.37
DD017769		0.005		<0.2	1.14	4	<10	140	<0.5	<2	0.84	<0.5	8	25	28	2.17
DD017770		0.004		<0.2	1.00	5	<10	100	<0.5	2	1.33	<0.5	7	27	38	1.70
DD017771		0.006		<0.2	2.85	13	<10	70	<0.5	<2	1.32	<0.5	31	212	117	5.32
DD017772		0.002		<0.2	1.13	10	<10	100	<0.5	<2	0.51	<0.5	7	28	33	2.27
DD017773		0.001		<0.2	1.67	9	<10	110	<0.5	<2	0.41	<0.5	9	36	23	2.62
DD017774		0.001		<0.2	1.18	8	<10	120	<0.5	<2	0.33	<0.5	6	25	20	2.03
DD017775		0.002		0.2	1.41	8	<10	100	<0.5	<2	0.39	<0.5	8	30	17	2.31
DD017776		0.002		0.2	1.71	6	<10	100	<0.5	<2	0.48	<0.5	11	46	34	2.90
DD017777		0.001		0.2	1.84	9	<10	100	<0.5	<2	0.51	<0.5	11	48	38	3.07
DD017778		0.007		0.2	2.87	20	<10	120	<0.5	<2	1.09	<0.5	27	150	132	5.24
DD017779		0.001		0.2	1.78	4	<10	190	<0.5	<2	0.59	<0.5	9	32	32	2.56
DD017780		0.001		<0.2	1.41	7	<10	150	<0.5	<2	0.40	<0.5	8	30	20	2.32
DD017781		0.002		<0.2	1.25	5	<10	160	<0.5	<2	0.61	<0.5	7	24	16	2.01
DD017782		0.003		<0.2	1.71	7	<10	130	<0.5	<2	0.26	<0.5	8	27	27	2.68
DD017783		0.002		0.3	1.52	9	<10	130	0.5	<2	0.65	<0.5	9	31	64	2.56
DD017784		0.002		0.2	1.12	7	<10	110	<0.5	<2	0.28	<0.5	6	23	15	2.28
DD017785		0.002		<0.2	0.81	7	<10	70	<0.5	<2	0.91	<0.5	12	32	37	1.79



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 3 - B
Total # Pages: 7 (A - C)
Plus Appendix Pages
Finalized Date: 5- JAN- 2012
Account: MTT

Project: KING

CERTIFICATE OF ANALYSIS WH11262487

Sample Description	Method Analyte Units LOR	ME- ICP41 Ga ppm 10	ME- ICP41 Hg ppm 1	ME- ICP41 K % 0.01	ME- ICP41 La ppm 10	ME- ICP41 Mg % 0.01	ME- ICP41 Mn ppm 5	ME- ICP41 Mo ppm 1	ME- ICP41 Na % 0.01	ME- ICP41 Ni ppm 1	ME- ICP41 P ppm 10	ME- ICP41 Pb ppm 2	ME- ICP41 S % 0.01	ME- ICP41 Sb ppm 2	ME- ICP41 Sc ppm 1	ME- ICP41 Sr ppm 1
DD017746		10	1	0.04	10	1.20	444	1	0.03	85	360	4	<0.01	<2	6	40
DD017747		<10	1	0.07	10	0.53	520	<1	0.03	19	320	4	<0.01	<2	4	34
DD017748		<10	1	0.06	10	0.46	270	<1	0.03	19	480	4	0.01	<2	5	42
DD017749		<10	1	0.06	10	0.64	398	<1	0.05	27	880	3	0.13	<2	3	72
DD017750		<10	1	0.06	10	0.62	346	<1	0.04	23	800	4	0.07	<2	4	68
DD017751		10	1	0.04	10	0.95	405	1	0.03	49	220	4	<0.01	<2	8	42
DD017752		<10	<1	0.05	<10	0.37	115	<1	0.05	15	580	<2	0.06	<2	2	50
DD017753		<10	1	0.06	10	0.69	298	<1	0.04	34	460	3	0.01	<2	7	40
DD017754		10	1	0.07	<10	1.06	462	1	0.03	72	360	4	0.01	<2	7	32
DD017755		<10	<1	0.06	10	0.59	267	<1	0.03	41	360	3	0.02	<2	6	34
DD017756		<10	<1	0.04	10	0.40	191	<1	0.02	20	390	3	0.01	<2	3	27
DD017757		<10	1	0.10	10	0.46	257	<1	0.02	30	580	3	<0.01	<2	6	28
DD017758		<10	1	0.09	10	0.31	340	<1	0.02	14	660	4	<0.01	<2	4	31
DD017759		<10	1	0.15	10	0.44	418	1	0.02	18	180	6	0.01	<2	6	36
DD017760		10	1	0.22	10	0.66	458	<1	0.03	22	330	7	0.02	<2	8	48
DD017761		<10	1	0.11	10	0.41	603	<1	0.03	22	390	5	0.01	<2	6	31
DD017762		<10	<1	0.12	10	0.75	635	<1	0.03	35	540	4	0.02	<2	7	47
DD017763		<10	1	0.10	10	0.45	324	1	0.03	21	310	6	<0.01	<2	5	32
DD017764		<10	1	0.11	10	0.41	224	<1	0.02	17	530	4	<0.01	<2	5	25
DD017765		10	1	0.12	10	0.55	300	<1	0.03	34	490	4	0.01	<2	8	38
DD017766		<10	1	0.15	10	0.40	286	<1	0.03	19	300	7	0.01	<2	7	33
DD017767		10	1	0.17	10	0.42	275	<1	0.02	18	220	6	<0.01	<2	5	25
DD017768		<10	1	0.09	10	0.43	252	<1	0.02	19	300	6	0.01	<2	4	27
DD017769		<10	1	0.09	10	0.54	321	<1	0.03	19	700	5	0.02	<2	5	53
DD017770		<10	1	0.05	10	0.51	250	<1	0.03	22	560	<2	0.12	<2	5	61
DD017771		10	1	0.04	<10	3.84	457	<1	0.02	204	370	<2	0.05	<2	8	50
DD017772		<10	<1	0.06	10	0.52	241	<1	0.03	19	370	4	0.01	<2	5	38
DD017773		<10	1	0.06	10	0.47	251	<1	0.03	21	120	5	0.01	<2	6	29
DD017774		<10	<1	0.05	10	0.36	269	<1	0.02	16	140	5	0.01	<2	3	27
DD017775		<10	<1	0.12	10	0.39	239	<1	0.02	14	240	4	0.01	<2	5	31
DD017776		<10	<1	0.09	10	0.51	338	<1	0.02	25	420	4	0.01	<2	7	28
DD017777		10	<1	0.09	10	0.58	339	<1	0.02	27	360	4	0.01	<2	7	35
DD017778		10	<1	0.12	10	1.45	820	<1	0.03	78	410	<2	0.02	<2	16	43
DD017779		10	<1	0.07	10	0.45	341	<1	0.04	18	400	4	0.02	<2	4	40
DD017780		<10	<1	0.06	10	0.47	317	<1	0.03	16	390	4	0.01	<2	4	31
DD017781		<10	<1	0.04	10	0.47	240	<1	0.03	12	720	3	0.01	<2	4	41
DD017782		10	<1	0.03	10	0.42	274	<1	0.02	15	230	5	0.01	<2	4	30
DD017783		<10	<1	0.06	10	0.55	336	<1	0.04	27	340	4	0.02	<2	6	44
DD017784		<10	<1	0.07	10	0.34	185	<1	0.02	13	150	4	0.01	<2	3	24
DD017785		<10	<1	0.03	10	0.49	384	<1	0.04	34	690	<2	0.04	<2	4	46



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 3 - C
Total # Pages: 7 (A - C)
Plus Appendix Pages
Finalized Date: 5- JAN- 2012
Account: MTT

Project: KING

CERTIFICATE OF ANALYSIS WH11262487

Sample Description	Method Analyte Units LOR	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41
		Th	Ti	Ti	U	V	W	Zn
		ppm 20	% 0.01	ppm 10	ppm 10	ppm 1	ppm 10	ppm 2
DD017746		<20	0.06	<10	<10	80	<10	36
DD017747		<20	0.07	<10	<10	50	<10	38
DD017748		<20	0.05	<10	<10	55	<10	32
DD017749		<20	0.04	<10	<10	33	<10	30
DD017750		<20	0.05	<10	<10	41	<10	38
DD017751		<20	0.09	<10	<10	87	<10	44
DD017752		<20	0.04	<10	<10	25	<10	18
DD017753		<20	0.07	<10	<10	63	<10	36
DD017754		<20	0.06	<10	<10	89	<10	45
DD017755		<20	0.07	<10	<10	64	<10	31
DD017756		<20	0.07	<10	<10	55	<10	30
DD017757		<20	0.08	<10	<10	62	<10	33
DD017758		<20	0.06	<10	<10	55	<10	34
DD017759		<20	0.09	<10	<10	67	<10	46
DD017760		<20	0.09	<10	<10	66	<10	65
DD017761		<20	0.08	<10	<10	59	<10	36
DD017762		<20	0.08	<10	<10	69	<10	53
DD017763		<20	0.08	<10	<10	74	<10	44
DD017764		<20	0.09	<10	<10	58	<10	32
DD017765		<20	0.09	<10	<10	66	<10	37
DD017766		<20	0.08	<10	<10	62	<10	35
DD017767		<20	0.11	<10	<10	63	<10	56
DD017768		<20	0.09	<10	<10	58	<10	47
DD017769		<20	0.08	<10	<10	51	<10	37
DD017770		<20	0.06	<10	<10	44	<10	32
DD017771		<20	0.09	<10	<10	117	<10	41
DD017772		<20	0.07	<10	<10	55	<10	30
DD017773		<20	0.10	<10	<10	65	<10	36
DD017774		<20	0.07	<10	<10	51	<10	29
DD017775		<20	0.10	<10	<10	56	<10	33
DD017776		<20	0.08	<10	<10	72	<10	34
DD017777		<20	0.09	<10	<10	75	<10	41
DD017778		<20	0.12	<10	<10	126	<10	65
DD017779		<20	0.07	<10	<10	63	<10	38
DD017780		<20	0.07	<10	<10	56	<10	40
DD017781		<20	0.08	<10	<10	46	<10	33
DD017782		<20	0.05	<10	<10	65	<10	33
DD017783		<20	0.07	<10	<10	52	<10	41
DD017784		<20	0.06	<10	<10	54	<10	28
DD017785		<20	0.04	<10	<10	44	<10	26



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 4 - A
Total # Pages: 7 (A - C)
Plus Appendix Pages
Finalized Date: 5- JAN- 2012
Account: MTT

Project: KING

CERTIFICATE OF ANALYSIS WH11262487

Sample Description	Method Analyte Units LOR	Au- ICP21 Au ppm 0.001	Au- ICP21 Au Check ppm 0.001	ME- ICP41 Ag ppm 0.2	ME- ICP41 Al % 0.01	ME- ICP41 As ppm 2	ME- ICP41 B ppm 10	ME- ICP41 Ba ppm 10	ME- ICP41 Be ppm 0.5	ME- ICP41 Bi ppm 2	ME- ICP41 Ca % 0.01	ME- ICP41 Cd ppm 0.5	ME- ICP41 Co ppm 1	ME- ICP41 Cr ppm 1	ME- ICP41 Cu ppm 1	ME- ICP41 Fe % 0.01
DD017786		0.004		<0.2	1.42	12	<10	130	<0.5	<2	0.46	<0.5	10	37	29	2.66
DD017787		0.003		<0.2	2.02	23	<10	110	<0.5	<2	0.54	<0.5	14	66	45	3.69
DD017788		0.004		0.2	2.54	34	<10	120	<0.5	<2	1.37	<0.5	37	133	146	5.77
DD017789		0.002		0.2	1.79	6	<10	150	<0.5	<2	0.59	<0.5	14	59	37	3.37
DD017790		0.002		0.2	1.44	6	<10	120	<0.5	<2	0.61	<0.5	9	39	42	2.65
DD017791		0.003		<0.2	1.46	20	<10	120	<0.5	<2	0.44	<0.5	9	35	23	2.61
DD017792		0.004		<0.2	1.28	14	<10	100	<0.5	<2	0.45	<0.5	8	23	26	2.53
DD017793		0.003		0.2	1.49	14	<10	120	<0.5	<2	0.57	<0.5	8	32	24	2.51
DD017794		0.006		<0.2	1.20	17	<10	120	<0.5	<2	0.66	<0.5	8	28	22	2.17
DD017795		0.002		<0.2	1.37	13	<10	100	<0.5	<2	0.36	<0.5	8	32	21	2.35
DD017796		0.003		<0.2	1.18	5	<10	90	<0.5	<2	0.51	<0.5	6	24	16	2.07
DD017797		0.002		<0.2	1.35	4	<10	90	<0.5	<2	0.37	<0.5	7	25	13	2.18
DD017798		0.002		<0.2	1.49	7	<10	90	<0.5	<2	0.41	<0.5	8	29	17	2.40
DD017799		0.003		0.2	1.63	13	<10	110	0.5	<2	0.48	<0.5	10	27	39	2.74
DD017800		0.003		<0.2	1.90	15	<10	130	0.6	<2	0.44	<0.5	10	32	40	3.32
DD017801		0.004		0.2	1.68	13	<10	200	<0.5	<2	0.73	<0.5	12	36	53	2.73
DD017802		0.002		<0.2	1.38	16	<10	160	<0.5	<2	0.41	<0.5	9	23	24	2.78
DD017803		0.003		<0.2	0.96	4	<10	140	<0.5	<2	0.52	<0.5	8	19	29	1.92
DD017804		0.006		0.2	1.04	15	<10	90	<0.5	<2	0.55	<0.5	9	28	33	2.48
DD017805		NSS		NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS
DD017806		0.006		<0.2	1.28	5	<10	120	<0.5	<2	0.71	<0.5	7	22	23	2.27
DD017807		0.003		<0.2	1.28	6	<10	210	0.5	<2	0.82	<0.5	9	23	64	2.07
DD017808		0.002		<0.2	1.01	2	<10	90	<0.5	<2	0.25	<0.5	6	19	15	1.89
DD017809		0.002		0.2	1.35	5	<10	160	<0.5	<2	0.60	<0.5	7	23	28	2.11
DD017810		0.005		0.2	1.00	7	<10	110	<0.5	<2	0.81	<0.5	7	19	25	1.79
DD017811		0.003		0.2	1.09	4	<10	120	<0.5	<2	0.90	<0.5	6	21	20	1.91
DD017812		0.002		<0.2	1.46	7	<10	110	<0.5	<2	0.35	<0.5	8	28	20	2.34
DD017813		0.002		0.2	1.39	7	<10	100	<0.5	<2	0.37	<0.5	8	27	15	2.31
DD017814		0.004		<0.2	1.22	3	<10	110	<0.5	<2	0.34	<0.5	8	30	14	1.98
DD017815		0.001		<0.2	1.00	3	<10	150	<0.5	<2	0.31	<0.5	6	18	15	1.66
DD017816		0.002		<0.2	1.27	5	<10	120	<0.5	<2	0.42	<0.5	7	24	15	2.07
DD017817		0.005		<0.2	1.04	13	<10	80	<0.5	<2	0.91	<0.5	8	25	33	2.25
DD017818		0.002		0.2	1.10	4	<10	110	<0.5	<2	0.88	<0.5	7	20	27	1.88
DD017819		0.001		<0.2	1.32	10	<10	120	<0.5	<2	0.35	<0.5	8	26	15	2.26
DD017820		0.002		0.2	1.89	19	10	130	<0.5	<2	0.64	<0.5	12	48	33	3.32
DD017821		0.004		0.2	2.31	15	<10	150	<0.5	<2	0.58	<0.5	16	91	40	3.88
DD017822		0.002		0.2	1.47	8	<10	160	<0.5	<2	0.77	<0.5	9	29	41	2.39
DD017823		0.003		0.2	1.31	12	<10	120	<0.5	<2	1.10	<0.5	9	30	49	2.36
DD017824		0.002		<0.2	0.81	8	<10	70	<0.5	<2	1.08	<0.5	7	22	28	1.56
DD017825		0.003		<0.2	1.36	3	<10	130	<0.5	<2	0.45	<0.5	8	28	14	2.13



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 4 - B
Total # Pages: 7 (A - C)
Plus Appendix Pages
Finalized Date: 5- JAN- 2012
Account: MTT

Project: KING

CERTIFICATE OF ANALYSIS WH11262487

Sample Description	Method Analyte Units LOR	ME- ICP41 Ga ppm 10	ME- ICP41 Hg ppm 1	ME- ICP41 K % 0.01	ME- ICP41 La ppm 10	ME- ICP41 Mg % 0.01	ME- ICP41 Mn ppm 5	ME- ICP41 Mo ppm 1	ME- ICP41 Na % 0.01	ME- ICP41 Ni ppm 1	ME- ICP41 P ppm 10	ME- ICP41 Pb ppm 2	ME- ICP41 S % 0.01	ME- ICP41 Sb ppm 2	ME- ICP41 Sc ppm 1	ME- ICP41 Sr ppm 1
DD017786		<10	<1	0.15	10	0.48	514	<1	0.03	22	430	2	0.01	<2	6	32
DD017787		10	<1	0.14	10	0.66	331	<1	0.02	36	330	4	0.01	<2	11	30
DD017788		10	<1	0.12	10	1.13	1280	<1	0.03	84	600	4	0.04	<2	23	51
DD017789		10	<1	0.10	10	0.61	662	<1	0.02	31	550	3	0.01	<2	9	29
DD017790		<10	<1	0.08	10	0.57	307	<1	0.03	26	260	4	0.02	<2	5	31
DD017791		<10	<1	0.07	10	0.56	301	<1	0.02	21	300	3	0.02	<2	5	29
DD017792		<10	<1	0.08	10	0.38	226	<1	0.02	16	160	5	0.02	<2	5	34
DD017793		<10	<1	0.10	10	0.56	219	<1	0.03	22	230	4	0.02	<2	6	37
DD017794		<10	<1	0.08	10	0.62	365	<1	0.03	21	340	4	0.03	<2	5	41
DD017795		<10	<1	0.04	10	0.48	177	<1	0.02	19	120	3	0.01	<2	4	34
DD017796		<10	<1	0.11	10	0.45	174	<1	0.02	14	340	4	0.02	<2	3	30
DD017797		<10	<1	0.11	10	0.42	206	<1	0.03	12	190	4	0.01	<2	4	29
DD017798		<10	<1	0.12	10	0.43	228	<1	0.02	15	290	4	0.01	<2	4	30
DD017799		<10	<1	0.13	10	0.44	301	<1	0.03	20	180	7	0.02	<2	7	36
DD017800		10	<1	0.16	10	0.56	432	1	0.03	21	330	6	0.01	<2	9	39
DD017801		10	<1	0.18	10	0.70	580	<1	0.04	31	810	4	0.06	<2	5	58
DD017802		<10	<1	0.13	10	0.37	319	<1	0.03	14	250	4	0.02	<2	5	41
DD017803		<10	<1	0.12	10	0.39	499	<1	0.04	17	390	3	0.03	<2	3	49
DD017804		<10	<1	0.08	10	0.48	336	<1	0.03	28	360	3	0.01	<2	6	42
DD017805		NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS
DD017806		10	<1	0.05	10	0.43	238	<1	0.03	12	330	5	0.03	<2	2	49
DD017807		<10	<1	0.08	20	0.57	753	<1	0.05	21	450	3	0.03	<2	4	70
DD017808		<10	<1	0.05	<10	0.32	212	<1	0.03	11	300	4	0.02	<2	2	22
DD017809		<10	<1	0.06	10	0.62	333	<1	0.03	13	400	5	0.03	<2	4	60
DD017810		<10	<1	0.06	10	0.54	322	1	0.03	16	430	6	0.03	<2	3	40
DD017811		<10	<1	0.10	10	0.51	211	<1	0.03	13	440	5	0.02	<2	3	57
DD017812		<10	<1	0.11	10	0.38	237	<1	0.02	17	200	5	<0.01	<2	6	30
DD017813		<10	<1	0.15	10	0.38	245	<1	0.02	15	260	4	<0.01	<2	5	29
DD017814		<10	<1	0.05	<10	0.40	357	<1	0.02	22	390	3	<0.01	<2	3	24
DD017815		<10	<1	0.04	<10	0.28	538	<1	0.02	9	310	5	<0.01	<2	2	25
DD017816		<10	<1	0.05	10	0.40	304	1	0.02	12	460	4	<0.01	<2	3	31
DD017817		<10	<1	0.06	10	0.59	332	<1	0.03	22	690	4	0.02	<2	4	51
DD017818		<10	<1	0.06	10	0.49	318	<1	0.03	13	330	5	0.01	<2	3	45
DD017819		<10	<1	0.08	10	0.37	318	<1	0.02	14	270	5	<0.01	<2	4	25
DD017820		<10	<1	0.11	10	0.68	540	1	0.03	30	140	5	<0.01	<2	6	47
DD017821		10	<1	0.11	10	1.04	602	<1	0.02	35	180	4	<0.01	2	11	45
DD017822		<10	<1	0.11	10	0.68	475	<1	0.03	20	250	6	0.01	<2	5	61
DD017823		<10	<1	0.07	10	0.65	490	<1	0.03	23	750	5	0.03	<2	5	58
DD017824		<10	<1	0.04	10	0.48	450	<1	0.03	18	670	2	0.07	<2	3	50
DD017825		<10	<1	0.06	10	0.46	269	<1	0.02	16	430	4	<0.01	<2	4	33



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 4 - C
Total # Pages: 7 (A - C)
Plus Appendix Pages
Finalized Date: 5- JAN- 2012
Account: MTT

Project: KING

CERTIFICATE OF ANALYSIS WH11262487

Sample Description	Method Analyte Units LOR	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41
		Th	Ti	Ti	U	V	W	Zn
		ppm 20	% 0.01	ppm 10	ppm 10	ppm 1	ppm 10	ppm 2
DD017786		<20	0.09	<10	<10	58	<10	42
DD017787		<20	0.09	<10	<10	84	<10	46
DD017788		<20	0.09	<10	<10	144	<10	80
DD017789		<20	0.09	<10	<10	77	<10	52
DD017790		<20	0.07	<10	<10	62	<10	36
DD017791		<20	0.06	<10	<10	60	<10	37
DD017792		<20	0.06	<10	<10	50	<10	37
DD017793		<20	0.08	<10	<10	55	<10	36
DD017794		<20	0.07	<10	<10	49	<10	33
DD017795		<20	0.07	<10	<10	56	<10	30
DD017796		<20	0.07	<10	<10	48	<10	36
DD017797		<20	0.09	<10	<10	52	<10	31
DD017798		<20	0.09	<10	<10	56	<10	40
DD017799		<20	0.07	<10	<10	58	<10	37
DD017800		<20	0.08	<10	<10	67	<10	48
DD017801		<20	0.07	<10	<10	61	<10	53
DD017802		<20	0.07	<10	<10	67	<10	38
DD017803		<20	0.05	<10	<10	43	<10	34
DD017804		<20	0.04	<10	<10	55	<10	29
DD017805		NSS	NSS	NSS	NSS	NSS	NSS	NSS
DD017806		<20	0.06	<10	<10	60	<10	45
DD017807		<20	0.06	<10	<10	45	<10	31
DD017808		<20	0.07	<10	<10	49	<10	38
DD017809		<20	0.07	<10	<10	46	<10	45
DD017810		<20	0.05	<10	<10	39	<10	36
DD017811		<20	0.06	<10	<10	37	<10	42
DD017812		<20	0.08	<10	<10	52	<10	32
DD017813		<20	0.08	<10	<10	51	<10	42
DD017814		<20	0.06	<10	<10	46	<10	30
DD017815		<20	0.06	<10	<10	41	<10	33
DD017816		<20	0.07	<10	<10	47	<10	48
DD017817		<20	0.05	<10	<10	46	<10	50
DD017818		<20	0.06	<10	<10	41	<10	32
DD017819		<20	0.07	<10	<10	51	<10	42
DD017820		<20	0.08	<10	<10	74	<10	36
DD017821		<20	0.09	<10	<10	89	<10	52
DD017822		<20	0.07	<10	<10	52	<10	40
DD017823		<20	0.06	<10	<10	50	<10	51
DD017824		<20	0.04	<10	<10	34	<10	38
DD017825		<20	0.09	<10	<10	50	<10	39



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 5 - A
Total # Pages: 7 (A - C)
Plus Appendix Pages
Finalized Date: 5- JAN- 2012
Account: MTT

Project: KING

CERTIFICATE OF ANALYSIS WH11262487

Sample Description	Method Analyte Units LOR	Au- ICP21 Au ppm 0.001	Au- ICP21 Au Check ppm 0.001	ME- ICP41 Ag ppm 0.2	ME- ICP41 Al % 0.01	ME- ICP41 As ppm 2	ME- ICP41 B ppm 10	ME- ICP41 Ba ppm 10	ME- ICP41 Be ppm 0.5	ME- ICP41 Bi ppm 2	ME- ICP41 Ca % 0.01	ME- ICP41 Cd ppm 0.5	ME- ICP41 Co ppm 1	ME- ICP41 Cr ppm 1	ME- ICP41 Cu ppm 1	ME- ICP41 Fe % 0.01
DD017826		0.002		0.2	1.17	6	<10	90	<0.5	<2	0.32	<0.5	6	21	20	2.01
DD017827		0.002		<0.2	1.15	6	<10	120	<0.5	<2	0.34	<0.5	7	21	16	1.94
DD017828		0.001		0.2	1.48	8	<10	110	<0.5	<2	0.36	<0.5	7	28	20	2.35
DD017829		0.003		0.2	1.55	7	<10	120	<0.5	<2	0.44	<0.5	10	39	18	2.51
DD017830		0.004		<0.2	1.34	2	<10	160	<0.5	<2	0.35	<0.5	8	22	20	2.34
DD017831		0.006		0.3	1.10	7	<10	140	<0.5	<2	2.04	<0.5	10	29	47	1.85
DD017832		0.004		0.2	1.42	7	<10	140	<0.5	<2	1.52	<0.5	8	32	24	2.48
DD017833		0.001		<0.2	1.26	3	<10	80	<0.5	<2	0.41	<0.5	6	21	9	2.14
DD017834		0.006		0.3	1.27	32	<10	100	<0.5	<2	1.99	<0.5	11	23	52	3.13
DD017835		0.001		<0.2	1.26	13	<10	130	<0.5	<2	0.37	<0.5	7	24	15	2.03
DD017836		0.003		<0.2	1.39	6	<10	120	<0.5	<2	0.33	<0.5	8	32	16	2.30
DD017837		0.002		<0.2	1.69	10	<10	130	<0.5	<2	0.32	<0.5	11	42	21	2.75
DD017838		0.001		<0.2	2.28	10	<10	110	<0.5	<2	0.73	<0.5	22	99	53	3.89
DD017839		0.002		0.2	0.92	5	<10	150	<0.5	<2	0.43	<0.5	7	20	15	2.03
DD017840		0.002		<0.2	1.17	9	<10	120	<0.5	<2	0.63	<0.5	6	25	40	2.08
DD017841		0.002		<0.2	1.48	4	<10	140	<0.5	<2	0.31	<0.5	7	27	10	2.18
DD017842		0.002		0.2	1.50	6	<10	170	<0.5	<2	0.52	<0.5	9	27	18	2.25
DD017843		0.001		<0.2	1.26	12	<10	70	<0.5	<2	0.26	<0.5	6	26	16	2.08
DD017844		0.004		0.2	1.33	7	<10	130	<0.5	<2	0.90	<0.5	9	30	31	2.12
DD017845		0.004		<0.2	1.06	16	<10	110	<0.5	<2	1.11	<0.5	16	35	44	2.06
DD017846		<0.001		<0.2	1.62	14	<10	150	0.5	<2	0.88	<0.5	13	33	67	2.62
DD017847		0.001		<0.2	1.28	9	<10	130	<0.5	<2	0.74	<0.5	9	23	24	2.05
DD017848		0.002		<0.2	1.12	14	<10	110	<0.5	<2	2.06	<0.5	9	26	29	2.11
DD017849		0.003		<0.2	1.20	10	<10	130	<0.5	<2	0.94	<0.5	8	23	30	2.12
DD017850		0.003		<0.2	1.49	13	<10	140	<0.5	<2	0.76	<0.5	10	23	33	2.42
DD017851		0.004		<0.2	1.00	11	<10	80	<0.5	<2	1.26	<0.5	9	28	40	1.99
DD017852		0.003		<0.2	1.41	17	<10	130	0.5	<2	1.29	<0.5	12	40	74	2.81
DD017853		0.001		<0.2	1.58	11	<10	130	<0.5	<2	0.38	<0.5	9	29	29	2.43
DD017854		0.001		<0.2	1.53	11	<10	90	<0.5	<2	0.32	<0.5	8	29	16	2.43
DD017855		0.003		<0.2	1.66	13	<10	150	<0.5	<2	0.50	<0.5	12	44	28	3.00
DD017856		0.003		<0.2	1.72	12	<10	150	<0.5	<2	0.63	<0.5	13	59	41	3.05
DD017857		0.002		<0.2	2.25	14	<10	160	0.5	<2	0.59	<0.5	15	64	38	3.61
DD017858		<0.001		<0.2	1.28	6	<10	110	<0.5	<2	0.38	<0.5	7	26	14	2.08
DD017859		0.001		<0.2	1.46	5	<10	110	<0.5	<2	0.38	<0.5	9	29	11	2.29
DD017860		0.002		<0.2	1.69	11	<10	140	<0.5	<2	0.44	<0.5	10	37	24	2.64
DD017861		0.002		<0.2	1.02	4	<10	80	<0.5	<2	0.45	<0.5	5	24	7	1.30
DD017862		0.003		<0.2	1.80	9	<10	60	<0.5	<2	0.27	<0.5	8	40	25	2.62
DD017863		<0.001		<0.2	1.33	13	<10	90	<0.5	<2	0.44	<0.5	9	34	27	2.36
DD017864		0.002		<0.2	2.44	16	<10	110	0.5	<2	0.42	<0.5	14	57	40	3.49
DD017865		0.001		<0.2	1.85	16	<10	90	<0.5	<2	0.41	<0.5	11	41	35	3.11



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 5 - B
Total # Pages: 7 (A - C)
Plus Appendix Pages
Finalized Date: 5- JAN- 2012
Account: MTT

Project: KING

CERTIFICATE OF ANALYSIS WH11262487

Sample Description	Method Analyte Units LOR	ME- ICP41 Ga ppm 10	ME- ICP41 Hg ppm 1	ME- ICP41 K % 0.01	ME- ICP41 La ppm 10	ME- ICP41 Mg % 0.01	ME- ICP41 Mn ppm 5	ME- ICP41 Mo ppm 1	ME- ICP41 Na % 0.01	ME- ICP41 Ni ppm 1	ME- ICP41 P ppm 10	ME- ICP41 Pb ppm 2	ME- ICP41 S % 0.01	ME- ICP41 Sb ppm 2	ME- ICP41 Sc ppm 1	ME- ICP41 Sr ppm 1
DD017826		<10	<1	0.06	10	0.32	220	<1	0.02	14	250	3	<0.01	<2	2	27
DD017827		<10	<1	0.07	<10	0.30	299	<1	0.02	12	250	3	<0.01	<2	3	27
DD017828		<10	<1	0.10	10	0.38	194	<1	0.02	14	110	4	<0.01	<2	4	29
DD017829		<10	<1	0.10	10	0.59	335	<1	0.02	25	160	4	<0.01	<2	4	34
DD017830		<10	<1	0.08	10	0.33	361	1	0.03	11	160	5	<0.01	<2	3	27
DD017831		<10	<1	0.06	10	0.65	360	<1	0.03	28	850	5	0.07	<2	4	101
DD017832		<10	<1	0.09	10	0.88	417	<1	0.03	22	920	6	0.07	<2	6	73
DD017833		<10	<1	0.06	<10	0.46	221	<1	0.02	11	270	4	<0.01	<2	2	26
DD017834		<10	<1	0.09	10	0.67	587	1	0.03	18	790	5	<0.01	<2	7	75
DD017835		<10	<1	0.05	10	0.43	326	<1	0.02	19	600	3	<0.01	<2	3	33
DD017836		<10	<1	0.04	10	0.50	339	<1	0.02	24	230	3	<0.01	<2	3	27
DD017837		<10	<1	0.09	10	0.65	407	<1	0.03	36	140	4	<0.01	<2	5	26
DD017838		10	<1	0.13	10	1.62	616	<1	0.02	128	440	3	<0.01	<2	6	39
DD017839		<10	<1	0.08	10	0.31	340	<1	0.02	17	350	4	<0.01	<2	3	43
DD017840		<10	<1	0.08	10	0.48	180	<1	0.02	18	320	3	0.01	<2	4	42
DD017841		<10	<1	0.06	10	0.41	236	<1	0.02	12	260	5	<0.01	<2	3	25
DD017842		10	<1	0.04	10	0.37	606	<1	0.02	15	310	4	<0.01	<2	4	33
DD017843		<10	<1	0.05	<10	0.34	130	<1	0.02	14	100	5	<0.01	<2	3	25
DD017844		<10	<1	0.07	10	0.59	333	<1	0.03	21	390	2	0.01	<2	4	56
DD017845		<10	<1	0.03	10	0.57	452	<1	0.03	40	700	3	0.02	<2	5	59
DD017846		<10	1	0.09	10	0.48	977	<1	0.03	42	290	5	0.02	<2	6	46
DD017847		<10	1	0.09	10	0.40	482	<1	0.04	19	460	4	0.01	<2	3	41
DD017848		<10	1	0.08	10	0.65	409	<1	0.05	22	410	4	0.04	<2	4	54
DD017849		<10	<1	0.07	10	0.53	308	<1	0.04	17	580	4	0.02	<2	4	55
DD017850		10	<1	0.06	10	0.54	412	<1	0.04	16	480	6	0.01	<2	5	56
DD017851		<10	<1	0.06	10	0.61	380	<1	0.03	28	720	4	0.06	<2	5	68
DD017852		10	<1	0.06	10	0.76	467	<1	0.04	41	710	6	0.05	<2	7	68
DD017853		10	<1	0.09	10	0.43	303	<1	0.03	19	160	4	<0.01	<2	5	33
DD017854		<10	<1	0.10	10	0.37	154	<1	0.03	17	200	5	<0.01	<2	5	28
DD017855		10	<1	0.15	10	0.59	468	<1	0.03	31	310	5	0.01	<2	7	41
DD017856		10	<1	0.11	10	0.62	626	<1	0.03	30	390	4	0.01	<2	7	34
DD017857		10	<1	0.10	10	0.96	541	<1	0.03	50	390	5	0.01	<2	9	47
DD017858		<10	1	0.05	10	0.37	190	<1	0.02	17	240	4	<0.01	<2	3	29
DD017859		10	<1	0.05	10	0.39	231	<1	0.02	15	170	5	<0.01	<2	4	33
DD017860		10	<1	0.05	10	0.53	371	<1	0.03	26	330	5	<0.01	<2	4	39
DD017861		10	<1	0.03	<10	0.53	132	<1	0.02	17	170	5	0.02	<2	2	32
DD017862		10	<1	0.05	10	0.54	208	<1	0.03	21	180	5	<0.01	<2	6	22
DD017863		<10	<1	0.11	10	0.47	282	<1	0.04	21	500	3	<0.01	<2	5	33
DD017864		10	<1	0.08	10	0.64	485	<1	0.02	35	560	5	<0.01	<2	6	28
DD017865		10	<1	0.10	10	0.60	312	<1	0.03	27	220	6	<0.01	<2	7	36



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 5 - C
Total # Pages: 7 (A - C)
Plus Appendix Pages
Finalized Date: 5- JAN- 2012
Account: MTT

Project: KING

CERTIFICATE OF ANALYSIS WH11262487

Sample Description	Method Analyte Units LOR	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41
		Th	Ti	Ti	U	V	W	Zn
		ppm 20	% 0.01	ppm 10	ppm 10	ppm 1	ppm 10	ppm 2
DD017826		<20	0.06	<10	<10	49	<10	46
DD017827		<20	0.07	<10	<10	46	<10	29
DD017828		<20	0.08	<10	<10	53	<10	35
DD017829		<20	0.07	<10	<10	55	<10	47
DD017830		<20	0.06	<10	<10	54	<10	30
DD017831		<20	0.05	<10	<10	39	<10	41
DD017832		<20	0.06	<10	<10	46	<10	59
DD017833		<20	0.06	<10	<10	49	<10	52
DD017834		<20	0.04	<10	<10	67	<10	58
DD017835		<20	0.05	<10	<10	47	<10	32
DD017836		<20	0.07	<10	<10	56	<10	38
DD017837		<20	0.07	<10	<10	63	<10	39
DD017838		<20	0.08	<10	<10	78	<10	44
DD017839		<20	0.05	<10	<10	46	<10	31
DD017840		<20	0.07	<10	<10	46	<10	33
DD017841		<20	0.08	<10	<10	57	<10	48
DD017842		<20	0.07	<10	<10	54	<10	37
DD017843		<20	0.07	<10	<10	51	<10	24
DD017844		<20	0.07	<10	<10	43	<10	40
DD017845		<20	0.04	<10	<10	43	<10	32
DD017846		<20	0.07	<10	<10	58	<10	63
DD017847		<20	0.06	<10	<10	42	<10	36
DD017848		<20	0.06	<10	<10	41	<10	31
DD017849		<20	0.06	<10	<10	44	<10	37
DD017850		<20	0.07	<10	<10	54	<10	42
DD017851		<20	0.05	<10	<10	42	<10	35
DD017852		<20	0.06	<10	<10	61	<10	40
DD017853		<20	0.08	<10	<10	57	<10	36
DD017854		<20	0.07	<10	<10	59	<10	27
DD017855		<20	0.08	<10	<10	71	<10	40
DD017856		<20	0.08	<10	<10	71	<10	42
DD017857		<20	0.08	<10	<10	86	<10	54
DD017858		<20	0.07	<10	<10	54	<10	30
DD017859		<20	0.08	<10	<10	58	<10	41
DD017860		<20	0.07	<10	<10	65	<10	41
DD017861		<20	0.06	<10	<10	30	<10	22
DD017862		<20	0.10	<10	<10	64	<10	39
DD017863		<20	0.08	<10	<10	52	<10	32
DD017864		<20	0.09	<10	<10	87	<10	63
DD017865		<20	0.09	<10	<10	69	<10	39



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 6 - A
Total # Pages: 7 (A - C)
Plus Appendix Pages
Finalized Date: 5- JAN- 2012
Account: MTT

Project: KING

CERTIFICATE OF ANALYSIS WH11262487

Sample Description	Method Analyte Units LOR	Au- ICP21 Au ppm 0.001	Au- ICP21 Au Check ppm 0.001	ME- ICP41 Ag ppm 0.2	ME- ICP41 Al % 0.01	ME- ICP41 As ppm 2	ME- ICP41 B ppm 10	ME- ICP41 Ba ppm 10	ME- ICP41 Be ppm 0.5	ME- ICP41 Bi ppm 2	ME- ICP41 Ca % 0.01	ME- ICP41 Cd ppm 0.5	ME- ICP41 Co ppm 1	ME- ICP41 Cr ppm 1	ME- ICP41 Cu ppm 1	ME- ICP41 Fe % 0.01
DD017866		0.004		<0.2	1.77	15	<10	90	<0.5	<2	0.42	<0.5	14	49	39	3.28
DD017867		0.002		<0.2	1.23	6	<10	90	<0.5	<2	0.37	<0.5	8	24	20	2.03
DD017868		<0.001		<0.2	1.41	8	<10	90	<0.5	<2	0.25	<0.5	6	23	15	2.20
DD017869		0.001		<0.2	1.50	12	<10	50	<0.5	<2	0.37	<0.5	8	37	31	2.35
DD017870		0.002		<0.2	1.06	4	<10	150	<0.5	<2	1.07	<0.5	6	20	30	1.49
DD017871		0.002		<0.2	1.52	13	<10	100	<0.5	<2	0.40	<0.5	11	33	28	2.57
DD017872		0.009		<0.2	1.39	7	<10	140	<0.5	<2	0.54	<0.5	8	26	19	2.21
DD017873		0.003		<0.2	1.66	15	<10	100	<0.5	<2	0.44	<0.5	11	38	26	2.88
DD017874		0.002		<0.2	1.67	16	<10	80	<0.5	<2	0.47	<0.5	11	43	37	3.02
DD017875		0.003		<0.2	1.80	18	<10	140	<0.5	<2	0.62	<0.5	14	56	47	3.17
DD017876		<0.001		<0.2	1.60	11	<10	120	<0.5	<2	0.43	<0.5	9	38	19	2.68
DD017877		0.005		<0.2	1.54	16	<10	90	<0.5	<2	0.39	<0.5	10	42	21	2.79
DD017878		0.011		<0.2	1.40	5	<10	150	<0.5	<2	0.42	<0.5	10	28	12	2.32
DD017879		0.002		<0.2	1.40	7	<10	140	<0.5	<2	0.44	<0.5	10	31	28	2.36
DD017880		0.005		<0.2	2.08	32	<10	130	0.5	<2	0.69	<0.5	15	41	70	3.41
DD017881		0.001		<0.2	1.60	10	<10	90	<0.5	<2	0.41	<0.5	10	60	36	2.50
DD017882		0.002		<0.2	1.19	10	<10	150	<0.5	<2	0.43	<0.5	8	28	14	2.19
DD017883		0.002		<0.2	2.48	18	<10	150	<0.5	2	0.73	<0.5	24	119	43	3.49
DD017884		0.002		<0.2	1.74	15	<10	110	0.5	2	0.47	<0.5	11	33	32	2.84
DD017885		0.001		<0.2	1.56	7	<10	110	<0.5	<2	0.42	<0.5	9	27	15	2.44
DD017886		0.002		<0.2	1.11	4	<10	100	<0.5	<2	0.59	<0.5	6	22	16	1.98
DD017887		0.001		<0.2	1.49	13	<10	110	<0.5	<2	0.35	<0.5	8	25	17	2.45
DD017888		0.005		<0.2	1.13	7	<10	80	<0.5	<2	0.48	<0.5	7	22	20	2.18
DD017889		0.002		<0.2	1.38	17	<10	100	<0.5	<2	0.43	<0.5	9	25	29	2.82
DD017890		0.005		<0.2	1.43	19	<10	80	<0.5	<2	0.32	<0.5	10	26	29	2.72
DD017891		0.002		<0.2	1.00	5	<10	100	<0.5	<2	0.37	<0.5	7	22	15	1.99
DD017892		0.001		<0.2	1.71	14	<10	80	<0.5	<2	0.43	<0.5	12	57	35	2.97
DD017893		0.001		<0.2	1.80	6	<10	80	<0.5	<2	0.38	<0.5	14	81	33	2.82
DD017894		0.001		<0.2	1.25	7	<10	110	<0.5	<2	0.27	<0.5	7	28	16	2.25
DD017895		0.002		<0.2	2.46	10	<10	100	<0.5	<2	0.44	<0.5	19	171	38	3.48
DD017896		0.002		<0.2	1.56	12	<10	120	<0.5	<2	0.38	<0.5	10	54	23	2.64
DD017897		0.001		<0.2	2.19	17	<10	210	<0.5	<2	0.56	<0.5	12	46	26	3.26
DD017898		0.001		<0.2	1.49	8	<10	150	<0.5	2	0.34	<0.5	8	30	21	2.57
DD017899		0.002		<0.2	1.48	10	<10	120	<0.5	<2	0.43	<0.5	8	31	18	2.38
DD017900		0.003		<0.2	1.16	13	<10	130	<0.5	<2	0.59	<0.5	7	26	29	2.03
DD017901		0.004		0.2	2.92	8	<10	90	<0.5	<2	0.58	<0.5	26	155	100	5.01
DD017902		0.003		<0.2	2.56	8	<10	100	<0.5	<2	0.64	<0.5	21	103	63	4.40
DD017903		0.004		<0.2	1.07	6	<10	90	<0.5	<2	0.32	<0.5	8	19	20	2.22
DD017904		1.275	0.002	<0.2	1.52	14	<10	90	<0.5	<2	0.44	<0.5	9	25	28	2.71
DD017905		0.001		0.3	1.48	9	<10	120	<0.5	<2	0.41	<0.5	10	26	23	2.70



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 6 - B
Total # Pages: 7 (A - C)
Plus Appendix Pages
Finalized Date: 5- JAN- 2012
Account: MTT

Project: KING

CERTIFICATE OF ANALYSIS WH11262487

Sample Description	Method Analyte Units LOR	ME- ICP41 Ga ppm 10	ME- ICP41 Hg ppm 1	ME- ICP41 K % 0.01	ME- ICP41 La ppm 10	ME- ICP41 Mg % 0.01	ME- ICP41 Mn ppm 5	ME- ICP41 Mo ppm 1	ME- ICP41 Na % 0.01	ME- ICP41 Ni ppm 1	ME- ICP41 P ppm 10	ME- ICP41 Pb ppm 2	ME- ICP41 S % 0.01	ME- ICP41 Sb ppm 2	ME- ICP41 Sc ppm 1	ME- ICP41 Sr ppm 1
DD017866		10	<1	0.07	10	0.57	456	<1	0.03	28	310	4	0.01	<2	9	31
DD017867		<10	<1	0.06	10	0.35	245	<1	0.03	13	350	4	<0.01	<2	3	26
DD017868		10	1	0.03	10	0.37	170	<1	0.02	13	200	4	<0.01	<2	3	24
DD017869		<10	<1	0.05	<10	0.44	212	<1	0.02	23	120	4	<0.01	<2	5	17
DD017870		<10	1	0.04	10	0.37	297	<1	0.03	13	790	4	0.04	<2	3	58
DD017871		<10	<1	0.05	10	0.46	320	<1	0.03	23	150	4	<0.01	<2	5	34
DD017872		<10	<1	0.07	10	0.47	298	<1	0.03	17	470	4	0.01	<2	5	41
DD017873		10	<1	0.07	10	0.42	396	<1	0.03	24	220	4	<0.01	<2	7	30
DD017874		10	<1	0.09	10	0.50	290	<1	0.03	27	200	5	<0.01	<2	9	36
DD017875		10	<1	0.12	10	0.64	534	<1	0.03	38	410	4	0.01	<2	9	42
DD017876		10	<1	0.14	10	0.45	324	<1	0.03	21	220	5	<0.01	<2	6	29
DD017877		10	<1	0.19	10	0.54	250	<1	0.02	22	390	4	<0.01	<2	6	31
DD017878		10	<1	0.17	10	0.36	587	<1	0.03	16	1140	5	<0.01	<2	4	31
DD017879		<10	<1	0.10	10	0.41	526	<1	0.03	19	370	4	<0.01	<2	5	30
DD017880		10	<1	0.14	10	0.69	633	<1	0.03	33	350	6	0.01	<2	9	50
DD017881		<10	<1	0.12	10	0.65	212	<1	0.02	45	630	4	<0.01	<2	6	30
DD017882		<10	<1	0.09	<10	0.38	505	<1	0.02	18	460	4	<0.01	<2	3	29
DD017883		10	1	0.07	<10	2.19	658	<1	0.03	149	440	3	<0.01	<2	5	37
DD017884		<10	<1	0.08	10	0.58	347	1	0.02	23	160	7	<0.01	<2	6	37
DD017885		<10	<1	0.10	10	0.54	424	<1	0.02	14	250	5	<0.01	<2	4	26
DD017886		<10	<1	0.09	10	0.56	216	<1	0.03	12	490	5	0.01	<2	4	38
DD017887		<10	<1	0.06	10	0.38	295	1	0.03	13	120	6	<0.01	<2	4	28
DD017888		<10	<1	0.11	10	0.45	269	<1	0.02	16	430	4	<0.01	<2	5	34
DD017889		<10	<1	0.12	10	0.41	435	1	0.02	17	350	6	<0.01	<2	6	36
DD017890		<10	<1	0.14	10	0.46	380	1	0.02	16	210	7	<0.01	<2	6	29
DD017891		<10	<1	0.12	10	0.32	497	1	0.02	12	440	3	<0.01	<2	3	26
DD017892		<10	<1	0.08	10	0.70	489	<1	0.02	43	520	4	<0.01	<2	6	28
DD017893		<10	<1	0.04	10	1.04	408	<1	0.02	61	280	4	<0.01	<2	4	21
DD017894		<10	<1	0.05	<10	0.45	187	1	0.02	17	130	5	<0.01	<2	3	21
DD017895		10	<1	0.04	10	2.12	343	<1	0.02	134	320	3	<0.01	<2	9	30
DD017896		10	<1	0.04	<10	0.82	233	<1	0.02	48	360	4	<0.01	<2	3	26
DD017897		10	<1	0.06	10	0.73	464	<1	0.03	36	230	6	<0.01	<2	6	47
DD017898		<10	<1	0.04	<10	0.37	436	<1	0.02	20	250	5	<0.01	<2	4	26
DD017899		<10	<1	0.11	10	0.49	281	<1	0.02	17	540	4	<0.01	<2	5	30
DD017900		<10	<1	0.05	10	0.39	401	<1	0.03	21	540	4	0.01	<2	4	42
DD017901		10	<1	0.14	10	1.91	646	<1	0.02	118	530	4	0.01	<2	11	32
DD017902		10	<1	0.08	<10	1.42	619	<1	0.02	60	840	4	0.01	<2	7	30
DD017903		<10	<1	0.10	10	0.33	381	<1	0.03	12	390	6	<0.01	<2	3	24
DD017904		<10	<1	0.12	10	0.43	312	<1	0.02	14	180	6	<0.01	<2	5	33
DD017905		<10	<1	0.18	10	0.42	579	<1	0.02	17	360	6	<0.01	<2	5	34



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 6 - C
Total # Pages: 7 (A - C)
Plus Appendix Pages
Finalized Date: 5- JAN- 2012
Account: MTT

Project: KING

CERTIFICATE OF ANALYSIS WH11262487

Sample Description	Method Analyte Units LOR	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41
		Th	Ti	Ti	U	V	W	Zn
		ppm 20	% 0.01	ppm 10	ppm 10	ppm 1	ppm 10	ppm 2
DD017866		<20	0.08	<10	<10	85	<10	37
DD017867		<20	0.07	<10	<10	51	<10	24
DD017868		<20	0.07	<10	<10	59	<10	29
DD017869		<20	0.06	<10	<10	58	<10	29
DD017870		<20	0.04	<10	<10	34	<10	32
DD017871		<20	0.06	<10	<10	63	<10	30
DD017872		<20	0.07	<10	<10	49	<10	34
DD017873		<20	0.07	<10	<10	67	<10	29
DD017874		<20	0.08	<10	<10	71	<10	34
DD017875		<20	0.08	<10	<10	76	<10	44
DD017876		<20	0.09	<10	<10	62	<10	38
DD017877		<20	0.11	<10	<10	65	<10	41
DD017878		<20	0.08	<10	<10	49	<10	51
DD017879		<20	0.09	<10	<10	57	<10	45
DD017880		<20	0.06	<10	<10	79	<10	50
DD017881		<20	0.08	<10	<10	57	<10	30
DD017882		<20	0.07	<10	<10	50	<10	51
DD017883		<20	0.06	<10	<10	63	<10	47
DD017884		<20	0.07	<10	<10	63	<10	39
DD017885		<20	0.09	<10	<10	53	<10	41
DD017886		<20	0.07	<10	<10	44	<10	31
DD017887		<20	0.07	<10	<10	56	<10	32
DD017888		<20	0.07	<10	<10	47	<10	33
DD017889		<20	0.06	<10	<10	58	<10	35
DD017890		<20	0.07	<10	<10	61	<10	37
DD017891		<20	0.07	<10	<10	45	<10	35
DD017892		<20	0.07	<10	<10	69	<10	40
DD017893		<20	0.06	<10	<10	65	<10	42
DD017894		<20	0.09	<10	<10	57	<10	36
DD017895		<20	0.05	<10	<10	91	<10	41
DD017896		<20	0.07	<10	<10	65	<10	40
DD017897		<20	0.08	<10	<10	78	<10	51
DD017898		<20	0.06	<10	<10	60	<10	38
DD017899		<20	0.09	<10	<10	53	<10	37
DD017900		<20	0.06	<10	<10	45	<10	33
DD017901		<20	0.10	<10	<10	112	<10	57
DD017902		<20	0.11	<10	<10	106	<10	40
DD017903		<20	0.06	<10	<10	45	<10	33
DD017904		<20	0.07	<10	<10	60	<10	35
DD017905		<20	0.08	<10	<10	60	<10	44



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
 C/ O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016- 510 W HASTINGS ST
 VANCOUVER BC V6B 1L8

Page: 7 - A
 Total # Pages: 7 (A - C)
 Plus Appendix Pages
 Finalized Date: 5- JAN- 2012
 Account: MTT

Project: KING

CERTIFICATE OF ANALYSIS WH11262487

Sample Description	Method Analyte Units LOR	Au- ICP21 Au ppm 0.001	Au- ICP21 Au Check ppm 0.001	ME- ICP41 Ag ppm 0.2	ME- ICP41 Al % 0.01	ME- ICP41 As ppm 2	ME- ICP41 B ppm 10	ME- ICP41 Ba ppm 10	ME- ICP41 Be ppm 0.5	ME- ICP41 Bi ppm 2	ME- ICP41 Ca % 0.01	ME- ICP41 Cd ppm 0.5	ME- ICP41 Co ppm 1	ME- ICP41 Cr ppm 1	ME- ICP41 Cu ppm 1	ME- ICP41 Fe % 0.01
DD017906		0.001		<0.2	1.53	17	<10	90	<0.5	<2	0.45	<0.5	10	43	18	2.67
DD017907		<0.001		<0.2	1.81	9	<10	220	<0.5	<2	0.55	<0.5	10	35	25	2.94
DD017908		0.001		<0.2	1.36	16	<10	100	<0.5	<2	0.34	<0.5	10	36	20	2.40



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: KING

Page: 7 - B
Total # Pages: 7 (A - C)
Plus Appendix Pages
Finalized Date: 5- JAN- 2012
Account: MTT

CERTIFICATE OF ANALYSIS WH11262487

Sample Description	Method Analyte Units LOR	ME- ICP41 Ga ppm 10	ME- ICP41 Hg ppm 1	ME- ICP41 K % 0.01	ME- ICP41 La ppm 10	ME- ICP41 Mg % 0.01	ME- ICP41 Mn ppm 5	ME- ICP41 Mo ppm 1	ME- ICP41 Na % 0.01	ME- ICP41 Ni ppm 1	ME- ICP41 P ppm 10	ME- ICP41 Pb ppm 2	ME- ICP41 S % 0.01	ME- ICP41 Sb ppm 2	ME- ICP41 Sc ppm 1	ME- ICP41 Sr ppm 1
DD017906		<10	<1	0.15	10	0.52	378	<1	0.03	26	160	5	<0.01	<2	6	34
DD017907		<10	<1	0.12	10	0.59	544	<1	0.03	23	290	5	<0.01	<2	6	52
DD017908		<10	1	0.06	10	0.46	496	<1	0.03	25	310	6	<0.01	<2	5	27



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 7 - C
 Total # Pages: 7 (A - C)
 Plus Appendix Pages
 Finalized Date: 5- JAN- 2012
 Account: MTT

Project: KING

CERTIFICATE OF ANALYSIS WH11262487

Sample Description	Method Analyte Units LOR	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41
		Th	Ti	Tl	U	V	W	Zn
		ppm	%	ppm	ppm	ppm	ppm	ppm
		20	0.01	10	10	1	10	2
DD017906		<20	0.09	<10	<10	62	<10	33
DD017907		<20	0.09	<10	<10	64	<10	50
DD017908		<20	0.06	<10	<10	53	<10	36



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: KING

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 5- JAN- 2012
Account: MTT

CERTIFICATE OF ANALYSIS WH11262487

Method	CERTIFICATE COMMENTS
ALL METHODS	NSS is non- sufficient sample.



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**

C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

**1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8**

Page: 1
Finalized Date: 5- JAN- 2012
Account: MTT

CERTIFICATE WH11262488

Project: KING

P.O. No.:

This report is for 95 Soil samples submitted to our lab in Whitehorse, YT, Canada on 13- DEC- 2011.

The following have access to data associated with this certificate:

MATT DUMALA
JOAN MARIACHER

DOUG EATON
BRUCE YOUNGMAN

SARAH EATON

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
FND- 02	Find Sample for Addn Analysis


ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- ICP21	Au 30g FA ICP- AES Finish	ICP- AES
ME- ICP41	35 Element Aqua Regia ICP- AES	ICP- AES

To: **STRATEGIC METALS LTD.**
ATTN: JOAN MARIACHER
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:



Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - A
Total # Pages: 4 (A - C)
Finalized Date: 5- JAN- 2012
Account: MTT

Project: KING

CERTIFICATE OF ANALYSIS WH11262488

Sample Description	Method Analyte Units LOR	Au- ICP21 Au ppm 0.001	ME- ICP41 Ag ppm 0.2	ME- ICP41 Al % 0.01	ME- ICP41 As ppm 2	ME- ICP41 B ppm 10	ME- ICP41 Ba ppm 10	ME- ICP41 Be ppm 0.5	ME- ICP41 Bi ppm 2	ME- ICP41 Ca % 0.01	ME- ICP41 Cd ppm 0.5	ME- ICP41 Co ppm 1	ME- ICP41 Cr ppm 1	ME- ICP41 Cu ppm 1	ME- ICP41 Fe % 0.01	ME- ICP41 Ga ppm 10
DD017200		0.001	<0.2	1.51	33	<10	80	<0.5	<2	0.37	<0.5	8	44	18	2.74	10
DD017201		0.001	<0.2	1.82	13	<10	130	<0.5	<2	0.37	<0.5	9	35	20	2.71	<10
DD017202		0.003	<0.2	1.10	11	<10	100	<0.5	<2	0.60	<0.5	6	23	27	2.00	<10
DD017203		0.002	<0.2	1.45	11	<10	160	<0.5	<2	0.68	<0.5	9	30	26	2.52	<10
DD017204		0.001	<0.2	1.26	7	<10	100	<0.5	<2	0.38	<0.5	8	28	16	2.14	<10
DD017205		0.006	<0.2	2.22	14	<10	140	<0.5	<2	0.94	<0.5	24	70	74	4.20	10
DD017206		0.002	<0.2	1.63	10	<10	120	<0.5	<2	0.56	<0.5	9	33	22	2.72	<10
DD017207		0.002	<0.2	1.68	16	<10	90	<0.5	<2	0.50	<0.5	10	37	21	2.75	<10
DD017208		0.001	<0.2	1.68	16	<10	110	<0.5	<2	0.46	<0.5	10	36	24	2.68	<10
DD017209		0.004	<0.2	1.39	9	<10	120	<0.5	<2	0.43	<0.5	8	27	18	2.43	<10
DD017210		0.002	<0.2	1.69	12	<10	100	<0.5	<2	0.48	<0.5	9	29	30	2.73	10
DD017211		0.008	<0.2	1.16	11	<10	90	<0.5	<2	0.66	<0.5	6	23	42	2.13	<10
DD017212		0.002	<0.2	1.55	13	<10	100	<0.5	<2	0.28	<0.5	8	25	24	2.58	<10
DD017213		0.001	<0.2	1.55	35	<10	100	<0.5	<2	0.53	<0.5	10	33	25	2.57	<10
DD017214		0.003	<0.2	2.09	42	<10	100	<0.5	<2	0.63	<0.5	17	56	49	3.77	10
DD017215		0.002	<0.2	3.06	30	<10	70	<0.5	<2	0.99	<0.5	26	97	105	5.15	10
DD017216		0.001	<0.2	3.10	44	<10	110	<0.5	<2	1.51	<0.5	31	99	123	5.89	10
DD017217		0.002	<0.2	2.59	21	<10	80	<0.5	<2	1.45	<0.5	23	101	108	4.46	10
DD017218		0.008	<0.2	2.76	33	<10	110	<0.5	<2	1.51	<0.5	24	94	128	4.89	10
DD017219		0.001	<0.2	1.81	15	<10	140	<0.5	<2	0.53	<0.5	10	35	34	3.30	10
DD017220		0.003	<0.2	2.73	65	10	70	<0.5	<2	1.66	<0.5	30	133	137	5.17	10
DD017221		0.001	<0.2	2.67	66	<10	80	<0.5	<2	1.37	<0.5	25	82	142	5.28	10
DD017222		0.002	<0.2	1.97	62	<10	80	<0.5	<2	0.82	<0.5	17	43	60	3.78	10
DD017223		0.007	<0.2	1.57	55	<10	70	<0.5	<2	0.50	<0.5	11	32	56	2.70	<10
DD017224		0.003	<0.2	1.81	75	<10	130	<0.5	<2	0.69	<0.5	20	60	61	3.73	10
DD017225		0.002	<0.2	2.27	39	<10	110	<0.5	<2	0.60	<0.5	16	59	57	3.68	10
DD017226		0.006	<0.2	1.42	17	<10	120	<0.5	<2	0.44	<0.5	10	25	45	2.88	<10
DD017227		0.001	<0.2	1.48	11	<10	170	<0.5	<2	0.48	<0.5	6	21	23	2.40	10
DD017228		0.002	<0.2	1.74	6	<10	220	<0.5	<2	0.89	<0.5	9	24	31	2.82	10
DD017229		0.002	<0.2	1.87	23	<10	220	<0.5	<2	0.51	<0.5	13	46	30	3.00	10
DD017230		0.001	<0.2	1.59	31	<10	100	<0.5	<2	0.49	<0.5	16	65	33	2.86	<10
DD017231		<0.001	<0.2	2.23	19	<10	70	<0.5	<2	0.77	<0.5	25	108	65	4.06	10
DD017232		0.002	<0.2	2.43	51	<10	90	<0.5	<2	0.88	<0.5	31	132	80	4.52	10
DD017233		0.001	<0.2	2.01	9	<10	170	<0.5	<2	0.75	<0.5	17	60	25	3.20	10
DD017234		0.002	<0.2	1.44	18	<10	120	<0.5	<2	0.51	<0.5	11	40	25	2.52	<10
DD017235		0.002	<0.2	1.44	13	<10	100	<0.5	<2	0.41	<0.5	9	32	21	2.49	<10
DD017236		0.001	<0.2	1.65	13	<10	150	<0.5	<2	0.54	<0.5	9	34	22	2.50	<10
DD017237		<0.001	<0.2	1.45	10	<10	130	<0.5	<2	0.32	<0.5	8	31	15	2.52	<10
DD017238		0.017	<0.2	1.38	6	<10	70	<0.5	<2	0.33	<0.5	7	27	14	2.27	<10
DD017239		0.005	<0.2	2.61	11	10	70	<0.5	<2	4.88	<0.5	23	189	165	3.99	10



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - B
Total # Pages: 4 (A - C)
Finalized Date: 5- JAN- 2012
Account: MTT

Project: KING

CERTIFICATE OF ANALYSIS WH11262488

Sample Description	Method Analyte Units LOR	ME- ICP41 Hg ppm 1	ME- ICP41 K % 0.01	ME- ICP41 La ppm 10	ME- ICP41 Mg % 0.01	ME- ICP41 Mn ppm 5	ME- ICP41 Mo ppm 1	ME- ICP41 Na % 0.01	ME- ICP41 Ni ppm 1	ME- ICP41 P ppm 10	ME- ICP41 Pb ppm 2	ME- ICP41 S % 0.01	ME- ICP41 Sb ppm 2	ME- ICP41 Sc ppm 1	ME- ICP41 Sr ppm 1	ME- ICP41 Th ppm 20
DD017200		1	0.05	10	0.64	218	1	0.01	30	260	7	<0.01	<2	3	25	<20
DD017201		<1	0.11	10	0.46	245	<1	0.02	22	310	5	<0.01	2	4	27	<20
DD017202		<1	0.09	10	0.42	202	<1	0.03	14	440	4	<0.01	<2	5	35	<20
DD017203		1	0.12	10	0.55	458	1	0.03	21	290	8	0.01	<2	6	40	<20
DD017204		<1	0.08	10	0.45	257	<1	0.02	17	280	3	<0.01	<2	4	25	<20
DD017205		<1	0.05	10	1.85	632	<1	0.06	101	400	4	0.02	<2	9	58	<20
DD017206		<1	0.10	10	0.53	301	<1	0.02	19	350	3	<0.01	<2	5	37	<20
DD017207		<1	0.19	10	0.57	266	<1	0.02	20	360	4	<0.01	<2	6	34	<20
DD017208		<1	0.15	10	0.48	297	<1	0.02	17	270	5	<0.01	<2	6	30	<20
DD017209		<1	0.12	10	0.40	343	<1	0.04	15	310	5	0.01	2	4	26	<20
DD017210		<1	0.10	10	0.44	252	<1	0.04	19	200	4	0.01	<2	4	30	<20
DD017211		<1	0.10	10	0.51	245	<1	0.05	15	610	3	0.01	<2	5	40	<20
DD017212		<1	0.08	10	0.38	266	<1	0.05	13	120	4	0.01	<2	5	28	<20
DD017213		<1	0.09	10	0.51	325	<1	0.04	19	390	3	0.01	<2	6	30	<20
DD017214		<1	0.07	10	0.66	606	<1	0.04	39	400	4	0.01	<2	11	30	<20
DD017215		<1	0.07	10	1.37	876	<1	0.04	70	540	<2	0.01	<2	20	31	<20
DD017216		<1	0.07	<10	1.87	1040	<1	0.05	88	560	<2	0.02	<2	20	40	<20
DD017217		<1	0.08	10	2.05	691	<1	0.05	116	640	3	0.03	<2	14	46	<20
DD017218		<1	0.12	10	1.15	1045	<1	0.05	59	730	4	0.05	2	16	53	<20
DD017219		<1	0.14	10	0.49	382	<1	0.04	21	400	7	0.01	<2	8	41	<20
DD017220		<1	0.08	<10	2.11	863	<1	0.05	160	530	2	0.04	3	15	45	<20
DD017221		<1	0.08	<10	1.80	899	<1	0.04	79	590	2	0.04	3	16	46	<20
DD017222		<1	0.05	10	0.67	754	<1	0.04	35	420	4	0.01	2	11	43	<20
DD017223		<1	0.04	10	0.41	355	<1	0.04	21	300	4	0.01	3	8	34	<20
DD017224		<1	0.11	10	0.44	1215	<1	0.05	38	480	2	<0.01	<2	12	42	<20
DD017225		<1	0.08	10	0.58	678	<1	0.04	32	370	3	0.01	<2	11	36	<20
DD017226		<1	0.07	10	0.34	381	<1	0.04	18	430	5	<0.01	<2	8	46	<20
DD017227		<1	0.06	10	0.34	206	<1	0.04	10	180	5	0.01	<2	4	37	<20
DD017228		<1	0.09	10	0.64	505	<1	0.07	13	400	4	0.02	<2	5	79	<20
DD017229		<1	0.14	10	0.51	758	<1	0.05	27	420	3	<0.01	2	7	33	<20
DD017230		<1	0.14	10	0.75	412	<1	0.03	44	470	3	<0.01	<2	8	36	<20
DD017231		1	0.12	10	1.53	468	<1	0.05	128	400	3	0.01	<2	10	40	<20
DD017232		<1	0.11	<10	1.39	922	<1	0.05	106	420	2	0.01	<2	12	32	<20
DD017233		<1	0.17	10	1.06	875	<1	0.05	47	650	4	0.01	<2	6	42	<20
DD017234		<1	0.07	10	0.55	369	<1	0.04	31	740	3	<0.01	<2	5	36	<20
DD017235		<1	0.17	10	0.42	376	<1	0.04	20	210	5	<0.01	<2	4	27	<20
DD017236		<1	0.11	10	0.55	242	<1	0.04	18	200	5	0.01	<2	5	34	<20
DD017237		<1	0.10	10	0.42	245	<1	0.04	19	260	4	0.01	3	3	23	<20
DD017238		<1	0.05	10	0.35	143	<1	0.04	12	120	6	0.01	<2	3	21	<20
DD017239		<1	0.10	<10	3.22	891	<1	0.05	107	770	<2	0.05	<2	9	112	<20



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
 C/ O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016- 510 W HASTINGS ST
 VANCOUVER BC V6B 1L8

Page: 2 - C
 Total # Pages: 4 (A - C)
 Finalized Date: 5- JAN- 2012
 Account: MTT

Project: KING

CERTIFICATE OF ANALYSIS WH11262488

Sample Description	Method Analyte Units LOR	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41
		Ti	Ti	U	V	W	Zn
		%	ppm	ppm	ppm	ppm	ppm
		0.01	10	10	1	10	2
DD017200		0.07	<10	<10	64	<10	40
DD017201		0.08	<10	<10	61	<10	49
DD017202		0.07	<10	<10	44	<10	31
DD017203		0.10	<10	<10	55	<10	44
DD017204		0.09	<10	<10	54	<10	29
DD017205		0.09	<10	<10	142	<10	45
DD017206		0.09	<10	<10	63	<10	43
DD017207		0.10	<10	<10	65	<10	38
DD017208		0.11	<10	<10	63	<10	36
DD017209		0.08	<10	<10	56	<10	32
DD017210		0.08	<10	<10	63	<10	42
DD017211		0.08	<10	<10	46	<10	30
DD017212		0.07	<10	<10	59	<10	28
DD017213		0.09	<10	<10	53	<10	36
DD017214		0.11	<10	<10	80	<10	41
DD017215		0.19	<10	<10	122	<10	64
DD017216		0.19	<10	<10	136	<10	86
DD017217		0.14	<10	<10	101	<10	67
DD017218		0.13	<10	<10	117	<10	73
DD017219		0.08	<10	<10	80	<10	44
DD017220		0.14	<10	<10	123	<10	75
DD017221		0.13	<10	<10	123	<10	78
DD017222		0.08	<10	<10	80	<10	50
DD017223		0.08	<10	<10	63	<10	29
DD017224		0.05	<10	<10	80	<10	63
DD017225		0.09	<10	<10	85	<10	51
DD017226		0.05	<10	<10	64	<10	42
DD017227		0.07	<10	<10	57	<10	37
DD017228		0.08	<10	<10	61	<10	38
DD017229		0.09	<10	<10	70	<10	62
DD017230		0.09	<10	<10	75	<10	39
DD017231		0.09	<10	<10	89	<10	42
DD017232		0.09	<10	<10	89	<10	48
DD017233		0.10	<10	<10	57	<10	47
DD017234		0.08	<10	<10	58	<10	46
DD017235		0.09	<10	<10	58	<10	32
DD017236		0.09	<10	<10	53	<10	35
DD017237		0.09	<10	<10	57	<10	41
DD017238		0.08	<10	<10	58	<10	26
DD017239		0.08	<10	<10	101	<10	57



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
 C/ O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016- 510 W HASTINGS ST
 VANCOUVER BC V6B 1L8

Page: 3 - A
 Total # Pages: 4 (A - C)
 Finalized Date: 5- JAN- 2012
 Account: MTT

Project: KING

CERTIFICATE OF ANALYSIS WH11262488

Sample Description	Method Analyte Units LOR	Au- ICP21 Au ppm 0.001	ME- ICP41 Ag ppm 0.2	ME- ICP41 Al % 0.01	ME- ICP41 As ppm 2	ME- ICP41 B ppm 10	ME- ICP41 Ba ppm 10	ME- ICP41 Be ppm 0.5	ME- ICP41 Bi ppm 2	ME- ICP41 Ca % 0.01	ME- ICP41 Cd ppm 0.5	ME- ICP41 Co ppm 1	ME- ICP41 Cr ppm 1	ME- ICP41 Cu ppm 1	ME- ICP41 Fe % 0.01	ME- ICP41 Ga ppm 10
DD017240		0.002	<0.2	1.55	8	<10	130	<0.5	<2	0.54	<0.5	7	28	22	2.40	<10
DD017241		<0.001	<0.2	1.67	10	<10	120	<0.5	<2	0.45	<0.5	8	30	23	2.66	<10
DD017242		0.003	<0.2	1.81	13	<10	150	0.5	<2	0.81	<0.5	9	30	33	2.84	10
DD017243		0.002	<0.2	1.19	9	<10	110	<0.5	<2	0.52	<0.5	6	23	21	2.22	<10
DD017244		0.001	<0.2	1.43	8	<10	110	<0.5	<2	0.44	<0.5	7	26	14	2.26	<10
DD017245		0.001	<0.2	1.60	12	<10	120	<0.5	<2	0.40	<0.5	9	26	28	2.75	<10
DD017246		0.002	<0.2	1.63	11	<10	110	0.5	<2	0.39	<0.5	10	31	27	2.79	<10
DD017247		0.002	<0.2	1.58	6	<10	130	<0.5	<2	0.39	<0.5	10	30	20	2.74	10
DD017248		0.002	<0.2	1.33	6	<10	120	<0.5	<2	0.43	<0.5	7	26	16	2.20	<10
DD017249		0.001	<0.2	1.56	6	<10	170	<0.5	<2	0.48	<0.5	7	27	16	2.31	<10
DD017250		0.001	<0.2	1.53	5	<10	170	<0.5	<2	0.40	<0.5	7	26	21	2.44	10
DD017269		0.004	0.2	3.44	73	<10	40	<0.5	<2	1.28	<0.5	56	301	212	7.11	10
DD017270		0.002	<0.2	3.60	19	<10	60	<0.5	<2	1.22	<0.5	48	305	122	5.82	10
DD017271		0.007	<0.2	4.28	20	<10	20	<0.5	<2	0.99	<0.5	64	489	191	7.17	10
DD017272		<0.001	<0.2	3.30	403	<10	30	<0.5	<2	1.07	<0.5	74	417	163	7.75	10
DD017273		0.004	<0.2	2.60	215	<10	40	<0.5	<2	1.55	<0.5	60	304	172	6.40	10
DD017274		0.003	<0.2	1.93	37	<10	100	<0.5	<2	1.31	<0.5	32	162	97	3.41	10
DD017275		0.002	<0.2	2.27	56	<10	120	<0.5	<2	0.74	<0.5	27	146	49	4.15	10
DD017276		0.123	<0.2	1.65	55	<10	100	<0.5	<2	0.46	<0.5	13	61	29	2.90	<10
DD017277		<0.001	<0.2	1.57	46	<10	110	<0.5	<2	0.48	<0.5	14	60	30	2.91	<10
DD017278		0.001	<0.2	2.08	121	<10	140	0.5	<2	0.70	<0.5	19	70	61	3.86	10
DD017279		0.005	<0.2	2.27	30	<10	100	<0.5	<2	1.24	<0.5	42	227	65	4.69	10
DD017280		0.005	<0.2	1.81	154	<10	160	<0.5	<2	0.66	<0.5	21	91	46	3.84	10
DD017281		0.005	<0.2	1.36	53	<10	100	<0.5	<2	0.46	<0.5	10	54	24	2.58	<10
DD017282		0.004	<0.2	1.92	62	<10	150	<0.5	<2	0.55	<0.5	14	48	41	3.60	10
DD017283		0.001	<0.2	1.70	58	<10	120	<0.5	<2	0.39	<0.5	11	37	27	3.03	<10
DD017284		0.005	<0.2	1.91	98	<10	120	<0.5	<2	0.48	<0.5	18	55	40	3.73	10
DD017285		0.003	<0.2	1.98	65	<10	150	<0.5	<2	0.47	<0.5	13	43	32	3.37	10
DD017286		0.005	<0.2	1.05	38	<10	120	<0.5	<2	1.48	<0.5	11	24	56	3.04	<10
DD017287		0.004	<0.2	1.46	77	<10	130	<0.5	<2	0.42	<0.5	10	31	31	2.90	<10
DD017288		0.003	<0.2	1.57	101	<10	130	<0.5	<2	0.55	<0.5	12	41	32	3.11	<10
DD017289		0.002	<0.2	1.67	75	<10	100	<0.5	<2	0.41	<0.5	12	53	28	2.99	<10
DD017290		0.002	<0.2	1.52	33	<10	140	<0.5	<2	0.44	<0.5	10	35	23	2.71	<10
DD017291		0.005	<0.2	1.73	30	<10	120	<0.5	<2	0.43	<0.5	11	33	31	2.98	10
DD017292		0.001	<0.2	1.56	23	<10	140	<0.5	<2	0.55	<0.5	8	42	22	2.54	<10
DD017293		0.001	<0.2	2.94	21	<10	60	<0.5	<2	1.36	<0.5	50	303	110	6.51	10
DD017294		0.010	<0.2	1.68	48	<10	180	<0.5	<2	0.47	<0.5	15	67	29	3.11	10
DD017295		<0.001	<0.2	2.01	196	<10	150	<0.5	<2	0.58	<0.5	20	108	38	3.87	10
DD017296		0.003	<0.2	1.69	54	<10	120	<0.5	<2	0.50	<0.5	14	64	27	3.03	10
DD017297		0.001	<0.2	2.21	33	<10	120	<0.5	<2	0.55	<0.5	15	76	33	3.56	10



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 3 - B
Total # Pages: 4 (A - C)
Finalized Date: 5- JAN- 2012
Account: MTT

Project: KING

CERTIFICATE OF ANALYSIS WH11262488

Sample Description	Method Analyte Units LOR	ME- ICP41 Hg ppm 1	ME- ICP41 K % 0.01	ME- ICP41 La ppm 10	ME- ICP41 Mg % 0.01	ME- ICP41 Mn ppm 5	ME- ICP41 Mo ppm 1	ME- ICP41 Na % 0.01	ME- ICP41 Ni ppm 1	ME- ICP41 P ppm 10	ME- ICP41 Pb ppm 2	ME- ICP41 S % 0.01	ME- ICP41 Sb ppm 2	ME- ICP41 Sc ppm 1	ME- ICP41 Sr ppm 1	ME- ICP41 Th ppm 20
DD017240		<1	0.08	10	0.43	379	<1	0.04	16	340	5	0.01	<2	5	39	<20
DD017241		<1	0.11	10	0.47	327	<1	0.05	18	370	5	0.01	<2	6	34	<20
DD017242		<1	0.10	10	0.65	374	<1	0.05	19	230	7	0.02	2	6	69	<20
DD017243		<1	0.08	10	0.41	366	<1	0.05	16	630	5	0.01	<2	5	42	<20
DD017244		<1	0.11	10	0.41	278	<1	0.04	13	490	3	0.01	<2	4	31	<20
DD017245		<1	0.13	10	0.45	276	1	0.02	15	240	9	0.03	<2	5	32	<20
DD017246		<1	0.14	10	0.51	342	1	0.03	18	250	8	0.03	<2	7	31	<20
DD017247		<1	0.12	10	0.47	507	1	0.02	17	180	7	0.03	<2	5	29	<20
DD017248		<1	0.12	10	0.61	227	1	0.03	13	330	6	0.04	<2	4	38	<20
DD017249		<1	0.07	10	0.50	240	1	0.03	14	290	6	0.03	<2	4	35	<20
DD017250		<1	0.05	10	0.35	401	1	0.02	13	230	6	0.03	<2	4	27	<20
DD017269		<1	0.07	<10	4.94	1105	<1	0.02	358	650	<2	0.07	<2	9	46	<20
DD017270		<1	0.07	<10	5.10	886	<1	0.03	359	490	<2	0.06	<2	9	42	<20
DD017271		<1	0.01	<10	6.77	986	<1	0.02	541	400	<2	0.04	<2	9	30	<20
DD017272		<1	0.03	<10	4.79	1430	<1	0.02	499	380	<2	0.06	<2	16	26	<20
DD017273		<1	0.06	<10	4.02	1195	1	0.04	394	510	<2	0.13	<2	11	52	<20
DD017274		<1	0.11	10	2.10	694	<1	0.04	174	610	3	0.07	<2	7	58	<20
DD017275		<1	0.11	10	1.27	694	<1	0.03	107	700	5	0.04	<2	10	38	<20
DD017276		<1	0.10	10	0.52	342	1	0.03	38	390	4	0.04	<2	7	29	<20
DD017277		<1	0.12	10	0.50	480	1	0.03	37	330	5	0.04	<2	8	31	<20
DD017278		<1	0.14	10	0.72	608	<1	0.03	58	280	6	0.04	<2	10	42	<20
DD017279		<1	0.12	<10	1.53	991	<1	0.03	191	410	2	0.05	<2	15	39	<20
DD017280		<1	0.15	10	0.71	695	<1	0.04	66	460	4	0.06	<2	10	43	<20
DD017281		<1	0.13	10	0.48	295	1	0.03	38	450	4	0.03	<2	7	32	<20
DD017282		<1	0.17	10	0.60	554	1	0.04	31	740	4	0.03	<2	9	40	<20
DD017283		<1	0.15	10	0.44	370	1	0.03	19	260	4	0.03	<2	6	31	<20
DD017284		<1	0.12	10	0.61	788	1	0.03	36	300	3	0.03	<2	10	32	<20
DD017285		<1	0.15	10	0.53	439	1	0.03	25	300	4	0.03	<2	8	33	<20
DD017286		<1	0.07	10	0.54	617	1	0.04	26	630	4	0.04	<2	7	58	<20
DD017287		<1	0.11	10	0.41	369	1	0.03	18	480	5	0.03	<2	7	32	<20
DD017288		<1	0.13	10	0.50	471	1	0.03	23	480	5	0.03	<2	8	41	<20
DD017289		<1	0.17	10	0.53	364	1	0.03	29	440	4	0.04	<2	7	28	<20
DD017290		<1	0.15	10	0.42	555	1	0.02	20	430	4	0.03	<2	5	27	<20
DD017291		<1	0.15	10	0.47	437	1	0.03	18	240	5	0.03	<2	6	35	<20
DD017292		<1	0.14	10	0.60	301	<1	0.04	26	510	4	0.03	<2	6	36	<20
DD017293		<1	0.14	<10	2.37	893	<1	0.05	359	530	<2	0.04	<2	22	44	<20
DD017294		<1	0.20	10	0.58	674	1	0.03	44	590	5	0.03	<2	7	30	<20
DD017295		<1	0.12	10	0.52	702	2	0.03	63	570	7	0.06	<2	8	39	<20
DD017296		<1	0.17	10	0.56	422	1	0.03	42	430	5	0.03	<2	7	31	<20
DD017297		<1	0.08	10	0.76	353	1	0.03	49	570	6	0.04	<2	7	31	<20



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
 C/ O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016- 510 W HASTINGS ST
 VANCOUVER BC V6B 1L8

Page: 3 - C
 Total # Pages: 4 (A - C)
 Finalized Date: 5- JAN- 2012
 Account: MTT

Project: KING

CERTIFICATE OF ANALYSIS WH11262488

Sample Description	Method Analyte Units LOR	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41
		Ti	Ti	U	V	W	Zn
		% 0.01	ppm 10	ppm 10	ppm 1	ppm 10	ppm 2
DD017240		0.08	<10	<10	55	<10	40
DD017241		0.10	<10	<10	59	<10	42
DD017242		0.07	<10	<10	61	<10	44
DD017243		0.08	<10	<10	49	<10	32
DD017244		0.09	<10	<10	51	<10	40
DD017245		0.07	<10	<10	63	<10	43
DD017246		0.09	<10	<10	59	<10	41
DD017247		0.08	<10	<10	65	<10	39
DD017248		0.09	<10	<10	48	<10	43
DD017249		0.09	<10	<10	57	<10	43
DD017250		0.08	<10	<10	57	<10	37
DD017269		0.07	<10	<10	122	<10	81
DD017270		0.09	<10	<10	102	<10	69
DD017271		0.07	<10	<10	85	<10	70
DD017272		0.05	<10	<10	99	<10	71
DD017273		0.03	<10	<10	82	<10	69
DD017274		0.06	<10	<10	63	<10	54
DD017275		0.09	<10	<10	83	<10	52
DD017276		0.08	<10	<10	65	<10	38
DD017277		0.08	<10	<10	61	<10	39
DD017278		0.08	<10	<10	79	<10	50
DD017279		0.08	<10	<10	93	<10	68
DD017280		0.07	<10	<10	77	<10	50
DD017281		0.08	<10	<10	56	<10	32
DD017282		0.06	<10	<10	77	<10	42
DD017283		0.08	<10	<10	72	<10	37
DD017284		0.08	<10	<10	89	<10	44
DD017285		0.08	<10	<10	76	<10	38
DD017286		0.04	<10	<10	65	<10	38
DD017287		0.07	<10	<10	66	<10	36
DD017288		0.07	<10	<10	69	<10	38
DD017289		0.09	<10	<10	67	<10	38
DD017290		0.08	<10	<10	61	<10	40
DD017291		0.09	<10	<10	68	<10	37
DD017292		0.10	<10	<10	53	<10	48
DD017293		0.06	<10	<10	128	<10	68
DD017294		0.09	<10	<10	66	<10	50
DD017295		0.06	<10	<10	75	<10	53
DD017296		0.09	<10	<10	67	<10	51
DD017297		0.08	<10	<10	86	<10	42



2103 Dollarton Hwy

Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

C/ O ARCHER, CATHRO & ASSOCIATES (1981)

1016- 510 W HASTINGS ST

VANCOUVER BC V6B 1L8

Project: KING

Total # Pages: 4 (A - C)

Finalized Date: 5- JAN- 2012

Account: MTT

CERTIFICATE OF ANALYSIS WH11262488[illegible]



2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221

Fax: 604 984 0218

www.alsglobal.com

TO: STRATEGIC METALS LTD.

C/ O ARCHER, CATHRO & ASSOCIATES (1981)

LIMITED

1016- 510 W HASTINGS ST

VANCOUVER BC V6B 1L8

Project: KING

Page: 4 - B

Total # Pages: 4 (A - C)

Finalized Date: 5- JAN- 2012

Account: MTT

CERTIFICATE OF ANALYSIS WH11262488

[illegible]



2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Fax: 604 984 0218 www.alsglobal.com

VANCOUVER BC V6B 1L8

CERTIFICATE OF ANALYSIS WH11262488

Account: MTT

Sample Description	Method Analyte Units LOR	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41
		Ti	Tl	U	V	W	Zn
		%	ppm	ppm	ppm	ppm	ppm
		0.01	10	10	1	10	2
DD017298		0.09	<10	<10	61	<10	41
DD017299		0.09	<10	<10	88	<10	56
DD017300		0.08	<10	<10	97	<10	84
DD017474		0.07	<10	<10	54	<10	34
DD017475		0.07	<10	<10	92	<10	31
DD017476		0.07	<10	<10	69	<10	45
DD017477		0.08	<10	<10	54	<10	40
DD017478		0.07	<10	<10	64	<10	33
DD017479		0.05	<10	<10	43	<10	35
DD017480		0.08	<10	<10	63	<10	36
DD017481		0.06	<10	<10	43	<10	30
DD017482		0.08	<10	<10	57	<10	34
DD017483		0.08	<10	<10	59	<10	50
DD017484		0.08	<10	<10	51	<10	32
DD017501		0.09	<10	<10	96	<10	52



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 1
Finalized Date: 5- JAN- 2012
Account: MTT

CERTIFICATE WH11262489

Project: KING

P.O. No.:

This report is for 192 Soil samples submitted to our lab in Whitehorse, YT, Canada on 13- DEC- 2011.

The following have access to data associated with this certificate:

MATT DUMALA
JOAN MARIACHER

DOUG EATON
BRUCE YOUNGMAN

SARAH EATON

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
FND- 02	Find Sample for Addn Analysis

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- ICP21	Au 30g FA ICP- AES Finish	ICP- AES
ME- ICP41	35 Element Aqua Regia ICP- AES	ICP- AES

To: **STRATEGIC METALS LTD.**
ATTN: JOAN MARIACHER
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - A
Total # Pages: 6 (A - C)
Plus Appendix Pages
Finalized Date: 5- JAN- 2012
Account: MTT

Project: KING

CERTIFICATE OF ANALYSIS WH11262489

Sample Description	Method Analyte Units LOR	Au- ICP21 Au ppm 0.001	ME- ICP41 Ag ppm 0.2	ME- ICP41 Al % 0.01	ME- ICP41 As ppm 2	ME- ICP41 B ppm 10	ME- ICP41 Ba ppm 10	ME- ICP41 Be ppm 0.5	ME- ICP41 Bi ppm 2	ME- ICP41 Ca % 0.01	ME- ICP41 Cd ppm 0.5	ME- ICP41 Co ppm 1	ME- ICP41 Cr ppm 1	ME- ICP41 Cu ppm 1	ME- ICP41 Fe % 0.01	ME- ICP41 Ga ppm 10
DD017007		0.002	<0.2	1.65	31	<10	100	0.5	<2	0.66	<0.5	13	55	33	2.88	10
DD017008		<0.001	<0.2	1.50	13	<10	80	<0.5	<2	0.34	<0.5	8	29	25	2.20	<10
DD017009		0.002	<0.2	3.32	15	<10	90	<0.5	<2	0.99	<0.5	36	271	111	5.09	10
DD017010		0.002	<0.2	2.32	36	<10	100	<0.5	<2	0.62	<0.5	21	111	49	3.89	10
DD017011		0.002	<0.2	1.73	50	<10	100	<0.5	<2	0.64	<0.5	15	79	35	3.04	10
DD017012		0.004	0.2	3.98	11	<10	40	<0.5	<2	0.86	<0.5	50	274	138	6.00	10
DD017013		0.001	<0.2	2.11	184	<10	40	<0.5	<2	1.06	<0.5	71	257	132	6.09	10
DD017014		<0.001	<0.2	1.45	490	<10	20	<0.5	<2	0.85	<0.5	94	214	154	6.29	<10
DD017015		0.012	0.2	1.50	73	<10	80	<0.5	<2	1.14	<0.5	15	56	74	3.40	10
DD017016		0.002	<0.2	1.67	36	<10	110	<0.5	<2	0.61	<0.5	18	81	28	3.00	<10
DD017017		0.002	<0.2	1.80	28	<10	90	<0.5	<2	0.64	<0.5	17	79	26	3.18	<10
DD017018		0.002	0.2	2.00	44	<10	130	0.5	<2	0.55	<0.5	19	81	35	3.68	10
DD017019		0.001	0.2	2.00	26	<10	150	<0.5	<2	0.68	<0.5	16	69	28	3.42	10
DD017020		NSS	0.3	1.96	122	<10	50	<0.5	<2	0.92	<0.5	47	206	59	5.61	10
DD017021		<0.001	<0.2	3.71	16	<10	90	<0.5	<2	1.23	<0.5	47	190	67	5.56	10
DD017022		0.003	<0.2	2.36	13	<10	140	<0.5	<2	0.80	<0.5	27	110	39	4.37	10
DD017023		0.001	<0.2	1.83	61	<10	120	<0.5	<2	0.64	<0.5	20	96	38	3.65	10
DD017024		<0.001	<0.2	1.81	43	<10	100	<0.5	<2	0.54	<0.5	17	72	28	3.34	10
DD017025		0.003	<0.2	1.50	16	<10	230	<0.5	<2	0.60	<0.5	11	44	26	2.78	<10
DD017026		0.002	<0.2	1.76	16	<10	150	<0.5	<2	0.47	<0.5	11	39	48	3.05	10
DD017027		0.002	<0.2	2.06	10	<10	160	<0.5	<2	0.70	<0.5	19	95	44	3.22	10
DD017028		0.002	<0.2	2.31	48	<10	100	<0.5	<2	0.72	<0.5	30	131	42	4.32	10
DD017029		0.009	<0.2	3.47	13	<10	60	<0.5	<2	0.94	<0.5	40	171	51	4.78	10
DD017030		0.002	0.3	2.07	63	<10	110	<0.5	<2	0.87	<0.5	28	117	48	4.13	10
DD017031		0.003	<0.2	1.92	112	<10	80	<0.5	<2	0.69	<0.5	27	115	40	4.08	10
DD017032		0.012	<0.2	1.36	153	<10	30	<0.5	<2	0.72	<0.5	31	123	66	4.12	<10
DD017033		0.001	0.2	1.88	56	<10	90	<0.5	<2	0.60	<0.5	22	92	38	3.70	10
DD017034		0.002	<0.2	1.76	14	<10	200	<0.5	<2	0.50	<0.5	12	54	21	3.02	10
DD017035		0.002	0.2	1.12	3	<10	120	<0.5	<2	0.33	<0.5	1	13	6	1.96	<10
DD017036		0.002	<0.2	1.65	81	<10	140	0.5	<2	0.70	<0.5	16	56	40	3.29	10
DD017037		NSS	0.2	2.05	137	<10	30	<0.5	<2	0.84	<0.5	59	233	108	5.45	10
DD017038		0.003	<0.2	1.55	102	<10	50	<0.5	<2	1.06	<0.5	30	127	81	3.71	<10
DD017039		0.007	<0.2	0.97	116	<10	70	<0.5	<2	1.04	<0.5	23	69	73	3.30	<10
DD017040		0.004	0.2	1.29	79	<10	90	<0.5	<2	1.92	<0.5	15	54	53	3.12	<10
DD017041		0.001	<0.2	2.21	27	<10	110	<0.5	<2	0.70	<0.5	18	70	44	3.91	10
DD017042		0.003	0.2	2.13	12	<10	80	<0.5	<2	0.53	<0.5	14	60	40	3.70	10
DD017043		0.001	<0.2	1.92	8	<10	180	<0.5	<2	0.71	<0.5	15	53	54	3.38	10
DD017044		0.001	<0.2	1.49	18	<10	110	<0.5	<2	0.46	<0.5	9	32	22	2.55	<10
DD017045		0.003	0.3	1.58	25	<10	170	<0.5	<2	1.47	<0.5	12	72	60	3.00	<10
DD017046		0.005	<0.2	2.11	64	<10	130	0.5	<2	0.52	<0.5	15	63	36	3.85	10



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - B
Total # Pages: 6 (A - C)
Plus Appendix Pages
Finalized Date: 5- JAN- 2012
Account: MTT

Project: KING

CERTIFICATE OF ANALYSIS WH11262489

Sample Description	Method Analyte Units LOR	ME- ICP41 Hg ppm 1	ME- ICP41 K % 0.01	ME- ICP41 La ppm 10	ME- ICP41 Mg % 0.01	ME- ICP41 Mn ppm 5	ME- ICP41 Mo ppm 1	ME- ICP41 Na % 0.01	ME- ICP41 Ni ppm 1	ME- ICP41 P ppm 10	ME- ICP41 Pb ppm 2	ME- ICP41 S % 0.01	ME- ICP41 Sb ppm 2	ME- ICP41 Sc ppm 1	ME- ICP41 Sr ppm 1	ME- ICP41 Th ppm 20
DD017007		<1	0.09	10	0.74	471	<1	0.03	45	680	6	<0.01	2	7	45	<20
DD017008		<1	0.08	10	0.42	206	1	0.04	17	140	6	<0.01	<2	4	31	<20
DD017009		<1	0.12	10	3.91	826	<1	0.03	237	460	4	0.02	<2	12	45	<20
DD017010		<1	0.08	10	1.46	626	<1	0.04	98	250	6	<0.01	<2	8	36	<20
DD017011		<1	0.09	10	1.09	530	<1	0.04	59	370	5	0.01	<2	7	42	<20
DD017012		<1	0.05	<10	5.24	899	<1	0.03	322	650	2	0.02	<2	10	37	<20
DD017013		<1	0.04	<10	3.09	1585	1	0.02	426	800	3	0.01	<2	14	33	<20
DD017014		1	0.05	<10	1.43	1820	1	0.02	646	660	3	0.01	2	19	30	<20
DD017015		<1	0.08	10	0.86	463	1	0.04	73	820	6	0.03	3	8	70	<20
DD017016		<1	0.10	10	0.84	501	<1	0.03	60	490	5	<0.01	<2	6	38	<20
DD017017		<1	0.13	10	0.76	490	1	0.03	56	700	5	<0.01	<2	7	38	<20
DD017018		<1	0.12	10	0.66	482	1	0.03	62	270	6	<0.01	<2	9	35	<20
DD017019		<1	0.14	10	0.66	647	<1	0.03	52	370	7	<0.01	<2	7	41	<20
DD017020		<1	0.10	<10	1.09	1185	1	0.04	240	530	5	0.01	<2	16	32	<20
DD017021		<1	0.12	10	4.52	1020	<1	0.02	326	1110	4	0.01	<2	10	36	<20
DD017022		<1	0.08	<10	1.72	743	1	0.03	109	390	4	<0.01	<2	8	34	<20
DD017023		<1	0.13	10	0.97	625	1	0.04	81	570	4	<0.01	2	9	43	<20
DD017024		<1	0.07	10	0.58	697	1	0.03	54	280	5	<0.01	2	7	30	<20
DD017025		<1	0.12	10	0.47	791	<1	0.04	25	570	5	<0.01	<2	6	43	<20
DD017026		<1	0.10	10	0.52	573	1	0.04	20	300	4	<0.01	<2	7	35	<20
DD017027		<1	0.08	10	1.18	1100	1	0.03	90	650	5	<0.01	<2	6	37	<20
DD017028		<1	0.10	10	1.32	1110	1	0.03	127	580	5	0.01	2	10	32	<20
DD017029		<1	0.05	10	4.12	745	2	0.03	283	920	6	<0.01	<2	7	35	<20
DD017030		<1	0.08	10	1.26	936	1	0.03	149	600	5	<0.01	<2	9	40	<20
DD017031		<1	0.10	10	1.05	787	1	0.03	124	470	4	<0.01	<2	10	32	<20
DD017032		<1	0.05	<10	1.11	620	<1	0.03	188	540	3	<0.01	2	12	34	<20
DD017033		<1	0.14	10	0.92	652	1	0.03	84	310	4	<0.01	<2	9	35	<20
DD017034		1	0.10	10	0.54	672	1	0.03	37	350	7	<0.01	<2	5	32	<20
DD017035		<1	0.02	<10	0.36	433	1	<0.01	9	230	4	<0.01	<2	3	22	<20
DD017036		<1	0.10	10	0.69	831	1	0.03	55	550	7	0.01	<2	8	52	<20
DD017037		<1	0.05	<10	2.36	1280	1	0.02	316	700	4	0.01	<2	12	41	<20
DD017038		<1	0.06	10	1.53	655	1	0.04	183	550	3	0.03	<2	9	47	<20
DD017039		<1	0.04	10	0.78	520	1	0.04	134	620	4	0.25	<2	6	51	<20
DD017040		<1	0.07	10	1.01	587	<1	0.05	62	650	4	0.02	<2	7	96	<20
DD017041		<1	0.08	10	1.08	641	1	0.04	46	160	4	<0.01	<2	9	42	<20
DD017042		<1	0.09	<10	0.91	366	<1	0.04	39	300	3	<0.01	<2	7	32	<20
DD017043		<1	0.09	10	0.63	1790	1	0.03	39	510	5	<0.01	<2	8	39	<20
DD017044		<1	0.09	10	0.42	400	<1	0.03	17	220	5	<0.01	<2	5	33	<20
DD017045		<1	0.09	10	1.06	309	<1	0.04	78	500	4	0.02	<2	7	70	<20
DD017046		<1	0.14	10	0.64	546	2	0.03	44	310	5	<0.01	2	8	34	<20



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - C
Total # Pages: 6 (A - C)
Plus Appendix Pages
Finalized Date: 5- JAN- 2012
Account: MTT

Project: KING

CERTIFICATE OF ANALYSIS WH11262489

Sample Description	Method Analyte Units LOR	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41
		Ti	Ti	U	V	W	Zn
		%	ppm	ppm	ppm	ppm	ppm
		0.01	10	10	1	10	2
DD017007		0.09	<10	<10	61	<10	51
DD017008		0.07	<10	<10	50	<10	30
DD017009		0.09	<10	<10	111	<10	69
DD017010		0.09	<10	<10	82	<10	44
DD017011		0.07	<10	<10	64	<10	42
DD017012		0.11	<10	<10	137	<10	75
DD017013		0.03	<10	<10	93	<10	75
DD017014		0.01	<10	<10	90	<10	70
DD017015		0.05	<10	<10	66	<10	59
DD017016		0.08	<10	<10	62	<10	54
DD017017		0.08	<10	<10	63	<10	43
DD017018		0.08	<10	<10	76	<10	40
DD017019		0.08	<10	<10	65	<10	47
DD017020		0.04	<10	<10	97	<10	64
DD017021		0.10	<10	<10	101	<10	84
DD017022		0.08	<10	<10	89	<10	53
DD017023		0.08	<10	<10	74	<10	43
DD017024		0.07	<10	<10	68	<10	39
DD017025		0.07	<10	<10	57	<10	49
DD017026		0.09	<10	<10	68	<10	41
DD017027		0.08	<10	<10	64	<10	53
DD017028		0.08	<10	<10	82	<10	54
DD017029		0.08	<10	<10	88	<10	61
DD017030		0.07	<10	<10	72	<10	66
DD017031		0.07	<10	<10	74	<10	43
DD017032		0.04	<10	<10	74	<10	39
DD017033		0.09	<10	<10	72	<10	57
DD017034		0.08	<10	<10	64	<10	50
DD017035		0.02	<10	<10	16	<10	11
DD017036		0.06	<10	<10	61	<10	55
DD017037		0.03	<10	<10	83	<10	58
DD017038		0.04	<10	<10	63	<10	54
DD017039		0.03	<10	<10	52	<10	52
DD017040		0.06	<10	<10	62	<10	43
DD017041		0.09	<10	<10	105	<10	41
DD017042		0.09	<10	<10	91	<10	38
DD017043		0.09	<10	<10	70	<10	75
DD017044		0.09	<10	<10	58	<10	38
DD017045		0.06	<10	<10	47	<10	51
DD017046		0.07	<10	<10	84	<10	52



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 3 - A
Total # Pages: 6 (A - C)
Plus Appendix Pages
Finalized Date: 5- JAN- 2012
Account: MTT

Project: KING

CERTIFICATE OF ANALYSIS WH11262489

Sample Description	Method Analyte Units LOR	Au- ICP21 Au ppm 0.001	ME- ICP41 Ag ppm 0.2	ME- ICP41 Al % 0.01	ME- ICP41 As ppm 2	ME- ICP41 B ppm 10	ME- ICP41 Ba ppm 10	ME- ICP41 Be ppm 0.5	ME- ICP41 Bi ppm 2	ME- ICP41 Ca % 0.01	ME- ICP41 Cd ppm 0.5	ME- ICP41 Co ppm 1	ME- ICP41 Cr ppm 1	ME- ICP41 Cu ppm 1	ME- ICP41 Fe % 0.01	ME- ICP41 Ga ppm 10
DD017047		0.001	<0.2	1.72	26	<10	80	<0.5	<2	0.45	<0.5	13	51	26	3.02	10
DD017048		0.004	0.2	1.57	49	<10	100	<0.5	<2	0.46	<0.5	13	48	27	3.05	10
DD017049		0.001	0.2	1.98	76	<10	160	<0.5	<2	0.63	<0.5	16	70	37	3.74	10
DD017050		0.002	<0.2	1.79	54	<10	140	<0.5	<2	0.54	<0.5	14	57	41	3.36	10
DD017051		0.004	<0.2	1.47	8	<10	100	<0.5	<2	1.03	<0.5	8	27	42	2.54	<10
DD017052		0.010	0.2	2.09	12	<10	100	<0.5	<2	0.49	<0.5	11	35	35	3.39	10
DD017053		0.005	<0.2	2.08	13	<10	170	<0.5	<2	1.55	<0.5	15	30	81	3.56	10
DD017054		0.003	<0.2	1.17	15	<10	80	<0.5	<2	0.38	<0.5	8	23	15	2.68	<10
DD017055		0.017	0.2	0.78	7	<10	80	<0.5	<2	2.17	<0.5	6	16	27	1.93	<10
DD017056		0.002	<0.2	1.29	7	<10	80	<0.5	<2	0.40	<0.5	6	24	19	2.36	<10
DD017057		0.004	<0.2	1.20	8	<10	190	<0.5	<2	0.42	<0.5	7	21	19	2.62	<10
DD017058		0.013	<0.2	1.12	6	<10	120	<0.5	<2	0.34	<0.5	7	18	18	2.38	<10
DD017059		0.048	<0.2	1.48	13	<10	70	<0.5	<2	0.30	<0.5	8	24	20	3.09	<10
DD017060		0.008	<0.2	0.99	8	<10	90	<0.5	<2	1.29	<0.5	6	16	20	2.28	<10
DD017061		0.006	<0.2	0.90	<2	<10	50	<0.5	<2	0.45	<0.5	5	12	15	1.88	<10
DD017062		0.010	<0.2	2.20	11	<10	180	<0.5	<2	0.90	<0.5	13	28	75	3.97	10
DD017063		0.003	<0.2	1.33	6	<10	100	<0.5	<2	0.33	<0.5	8	27	19	2.45	<10
DD017064		0.001	<0.2	1.14	4	<10	80	<0.5	<2	0.35	<0.5	7	24	12	2.14	<10
DD017065		0.002	<0.2	1.44	<2	<10	110	<0.5	<2	0.56	<0.5	8	28	34	2.43	<10
DD017066		0.009	<0.2	1.62	4	<10	120	<0.5	2	0.53	<0.5	10	34	35	2.79	<10
DD017067		0.307	<0.2	2.05	6	<10	180	<0.5	2	0.86	<0.5	15	44	68	3.48	10
DD017068		0.006	<0.2	3.25	5	<10	120	<0.5	4	0.76	<0.5	23	72	48	4.54	10
DD017069		0.001	<0.2	1.58	4	<10	160	<0.5	3	0.54	<0.5	10	32	22	2.58	<10
DD017070		0.007	<0.2	1.96	12	<10	180	<0.5	2	0.78	<0.5	13	48	50	3.25	10
DD017071		0.007	0.2	2.24	4	<10	190	<0.5	3	1.05	<0.5	14	51	88	3.41	10
DD017072		0.007	0.2	3.17	6	<10	150	<0.5	4	1.43	<0.5	23	82	131	4.52	10
DD017073		0.013	<0.2	1.98	8	<10	120	<0.5	3	0.57	<0.5	13	47	45	3.29	10
DD017074		0.008	0.2	2.23	16	<10	110	<0.5	3	0.84	<0.5	18	64	106	4.08	10
DD017075		0.002	<0.2	1.66	5	<10	120	<0.5	3	0.46	<0.5	11	39	38	2.85	<10
DD017076		0.003	<0.2	1.19	2	<10	110	<0.5	2	0.39	<0.5	7	26	24	2.12	<10
DD017077		0.003	<0.2	1.57	<2	<10	130	<0.5	3	0.56	<0.5	11	30	27	2.80	<10
DD017078		0.007	<0.2	1.54	5	<10	110	<0.5	<2	0.53	<0.5	9	24	47	2.84	<10
DD017079		0.004	<0.2	1.09	5	<10	130	<0.5	<2	0.31	<0.5	6	18	17	2.31	<10
DD017080		0.001	<0.2	1.04	<2	<10	130	<0.5	<2	0.30	<0.5	5	18	13	2.37	<10
DD017081		0.003	<0.2	1.13	11	<10	110	<0.5	<2	1.20	<0.5	8	20	40	2.76	<10
DD017082		0.002	<0.2	0.84	10	<10	90	<0.5	<2	0.53	<0.5	6	19	13	2.51	<10
DD017083		0.002	<0.2	1.37	7	<10	110	<0.5	3	0.53	<0.5	10	45	23	2.39	<10
DD017084		0.003	<0.2	1.48	15	<10	100	<0.5	<2	0.82	<0.5	14	81	46	2.56	<10
DD017085		0.003	0.2	1.88	15	<10	190	<0.5	2	0.57	<0.5	19	84	30	3.36	10
DD017086		0.011	<0.2	2.00	22	<10	110	<0.5	3	0.61	<0.5	16	69	33	3.36	10



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 3 - B
Total # Pages: 6 (A - C)
Plus Appendix Pages
Finalized Date: 5- JAN- 2012
Account: MTT

Project: KING

CERTIFICATE OF ANALYSIS WH11262489

Sample Description	Method Analyte Units LOR	ME- ICP41 Hg ppm 1	ME- ICP41 K % 0.01	ME- ICP41 La ppm 10	ME- ICP41 Mg % 0.01	ME- ICP41 Mn ppm 5	ME- ICP41 Mo ppm 1	ME- ICP41 Na % 0.01	ME- ICP41 Ni ppm 1	ME- ICP41 P ppm 10	ME- ICP41 Pb ppm 2	ME- ICP41 S % 0.01	ME- ICP41 Sb ppm 2	ME- ICP41 Sc ppm 1	ME- ICP41 Sr ppm 1	ME- ICP41 Th ppm 20
DD017047		<1	0.21	10	0.62	393	1	0.03	36	370	4	<0.01	<2	6	30	<20
DD017048		<1	0.16	10	0.56	482	1	0.03	32	320	4	0.01	<2	6	33	<20
DD017049		<1	0.14	10	0.65	694	1	0.03	43	240	6	0.01	<2	8	44	<20
DD017050		<1	0.16	10	0.59	904	1	0.03	41	460	7	0.01	<2	7	38	<20
DD017051		<1	0.18	<10	0.53	272	1	0.05	15	400	4	0.02	<2	5	62	<20
DD017052		<1	0.05	10	0.48	354	1	0.04	17	190	5	<0.01	<2	6	31	<20
DD017053		<1	0.20	10	0.87	786	<1	0.05	19	770	3	0.05	<2	9	70	<20
DD017054		<1	0.11	10	0.48	380	1	0.03	9	310	5	0.01	<2	4	44	<20
DD017055		<1	0.07	10	0.50	265	<1	0.04	10	700	6	0.03	<2	4	106	<20
DD017056		<1	0.05	10	0.36	156	1	0.04	12	340	5	<0.01	<2	4	44	<20
DD017057		<1	0.11	10	0.36	572	<1	0.04	11	590	6	<0.01	<2	4	48	<20
DD017058		<1	0.04	10	0.32	309	<1	0.03	9	330	4	<0.01	<2	4	38	<20
DD017059		<1	0.08	10	0.45	333	<1	0.03	9	250	7	<0.01	<2	4	32	<20
DD017060		<1	0.08	10	0.54	244	<1	0.04	8	500	6	0.03	<2	4	88	<20
DD017061		<1	0.08	<10	0.51	164	<1	0.06	5	280	3	0.01	2	2	38	<20
DD017062		<1	0.21	10	0.78	619	<1	0.05	17	510	4	0.02	<2	10	67	<20
DD017063		<1	0.14	10	0.38	380	<1	0.03	11	190	5	<0.01	<2	4	25	<20
DD017064		<1	0.18	10	0.37	250	<1	0.03	10	450	4	<0.01	2	3	27	<20
DD017065		1	0.10	10	0.54	321	<1	0.04	20	250	5	0.01	<2	5	35	<20
DD017066		1	0.13	10	0.55	492	<1	0.03	20	440	2	0.01	<2	6	30	<20
DD017067		<1	0.15	10	0.83	693	<1	0.03	32	390	3	0.01	<2	8	54	<20
DD017068		1	0.06	10	1.73	630	<1	0.03	60	450	3	0.01	<2	11	36	<20
DD017069		<1	0.13	10	0.50	452	<1	0.03	16	480	4	0.01	<2	4	32	<20
DD017070		<1	0.12	10	0.73	490	<1	0.04	31	550	3	0.01	2	8	47	<20
DD017071		<1	0.11	10	0.90	854	<1	0.04	30	500	4	0.02	<2	9	60	<20
DD017072		1	0.13	10	1.82	854	<1	0.04	56	500	2	0.02	<2	11	64	<20
DD017073		1	0.12	10	0.66	488	<1	0.03	26	560	3	0.01	<2	9	32	<20
DD017074		1	0.14	10	0.78	667	<1	0.02	32	730	4	0.01	<2	12	35	<20
DD017075		<1	0.17	10	0.54	356	<1	0.03	19	320	3	0.01	2	7	28	<20
DD017076		<1	0.12	10	0.37	326	<1	0.03	12	390	3	0.01	<2	4	26	<20
DD017077		1	0.21	10	0.50	620	<1	0.03	13	470	4	0.01	<2	6	39	<20
DD017078		1	0.20	10	0.45	457	<1	0.03	14	420	3	0.01	<2	6	35	<20
DD017079		1	0.08	10	0.24	262	<1	0.02	9	500	4	0.01	<2	4	32	<20
DD017080		1	0.05	10	0.25	220	<1	0.03	7	270	3	0.01	<2	2	27	<20
DD017081		1	0.14	10	0.53	438	<1	0.03	12	590	4	0.02	<2	5	69	<20
DD017082		<1	0.05	10	0.48	315	<1	0.03	11	660	3	0.02	<2	4	49	<20
DD017083		<1	0.09	10	0.57	324	<1	0.03	28	340	5	0.01	2	4	33	<20
DD017084		1	0.05	10	1.08	308	<1	0.04	68	540	3	0.02	<2	6	42	<20
DD017085		<1	0.07	10	0.88	718	<1	0.03	59	380	5	0.01	<2	6	32	<20
DD017086		<1	0.08	10	0.96	350	<1	0.03	52	580	3	0.01	<2	5	32	<20



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 3 - C
Total # Pages: 6 (A - C)
Plus Appendix Pages
Finalized Date: 5- JAN- 2012
Account: MTT

Project: KING

CERTIFICATE OF ANALYSIS WH11262489

Sample Description	Method Analyte Units LOR	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41
		Ti	Ti	U	V	W	Zn
		%	ppm	ppm	ppm	ppm	ppm
		0.01	10	10	1	10	2
DD017047		0.10	<10	<10	66	<10	42
DD017048		0.09	<10	<10	65	<10	40
DD017049		0.08	<10	<10	81	<10	49
DD017050		0.08	<10	<10	66	<10	50
DD017051		0.07	<10	<10	56	<10	38
DD017052		0.08	<10	<10	85	<10	40
DD017053		0.07	<10	<10	82	<10	66
DD017054		0.06	<10	<10	63	<10	38
DD017055		0.05	<10	<10	49	<10	31
DD017056		0.06	<10	<10	59	<10	34
DD017057		0.06	<10	<10	63	<10	45
DD017058		0.05	<10	<10	57	<10	33
DD017059		0.06	<10	<10	82	<10	32
DD017060		0.06	<10	<10	55	<10	34
DD017061		0.05	<10	<10	50	<10	28
DD017062		0.06	<10	<10	94	<10	65
DD017063		0.09	<10	<10	57	<10	39
DD017064		0.08	<10	<10	50	<10	31
DD017065		0.09	<10	<10	58	<10	40
DD017066		0.10	<10	<10	67	<10	37
DD017067		0.08	<10	<10	76	<10	42
DD017068		0.16	<10	<10	115	<10	71
DD017069		0.09	<10	<10	58	<10	48
DD017070		0.11	<10	<10	77	<10	47
DD017071		0.11	<10	<10	89	<10	66
DD017072		0.14	<10	<10	135	<10	83
DD017073		0.11	<10	<10	79	<10	47
DD017074		0.13	<10	<10	106	<10	60
DD017075		0.11	<10	<10	70	<10	42
DD017076		0.09	<10	<10	51	<10	32
DD017077		0.09	<10	<10	60	<10	42
DD017078		0.07	<10	<10	61	<10	37
DD017079		0.06	<10	<10	56	<10	39
DD017080		0.06	<10	<10	63	<10	34
DD017081		0.07	<10	<10	66	<10	45
DD017082		0.05	<10	<10	58	<10	38
DD017083		0.07	<10	<10	53	<10	35
DD017084		0.07	<10	<10	49	<10	37
DD017085		0.09	<10	<10	72	<10	66
DD017086		0.08	<10	<10	76	<10	40



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 4 - A
Total # Pages: 6 (A - C)
Plus Appendix Pages
Finalized Date: 5- JAN- 2012
Account: MTT

Project: KING

CERTIFICATE OF ANALYSIS WH11262489

Sample Description	Method Analyte Units LOR	Au- ICP21 Au ppm 0.001	ME- ICP41 Ag ppm 0.2	ME- ICP41 Al % 0.01	ME- ICP41 As ppm 2	ME- ICP41 B ppm 10	ME- ICP41 Ba ppm 10	ME- ICP41 Be ppm 0.5	ME- ICP41 Bi ppm 2	ME- ICP41 Ca % 0.01	ME- ICP41 Cd ppm 0.5	ME- ICP41 Co ppm 1	ME- ICP41 Cr ppm 1	ME- ICP41 Cu ppm 1	ME- ICP41 Fe % 0.01	ME- ICP41 Ga ppm 10
DD017087		0.001	<0.2	1.84	37	<10	150	<0.5	2	0.67	<0.5	13	65	23	2.87	<10
DD017088		0.002	<0.2	1.87	53	<10	90	<0.5	2	0.53	<0.5	15	75	26	3.30	<10
DD017089		0.004	<0.2	2.12	36	<10	150	<0.5	3	0.57	<0.5	17	77	33	3.63	10
DD017090		0.002	0.2	1.69	28	<10	200	<0.5	2	0.76	<0.5	13	46	28	2.71	<10
DD017091		0.030	<0.2	1.21	6	<10	90	<0.5	<2	0.32	<0.5	6	26	18	2.04	<10
DD017092		0.009	<0.2	1.47	64	<10	110	<0.5	2	0.40	<0.5	11	36	30	2.84	<10
DD017093		0.006	<0.2	1.30	64	<10	80	<0.5	2	0.51	<0.5	8	31	19	2.44	<10
DD017094		0.014	<0.2	1.60	25	<10	100	<0.5	3	0.57	<0.5	12	41	32	2.69	<10
DD017095		0.002	<0.2	1.71	28	<10	150	<0.5	2	0.67	<0.5	10	37	23	2.90	<10
DD017096		0.001	<0.2	1.27	12	<10	130	<0.5	2	0.38	<0.5	7	24	20	2.26	<10
DD017097		0.004	<0.2	1.52	18	<10	110	<0.5	2	0.48	<0.5	9	28	31	2.56	<10
DD017098		0.006	<0.2	1.71	5	<10	110	<0.5	<2	0.39	<0.5	10	36	72	2.86	<10
DD017099		0.003	<0.2	1.73	26	<10	100	<0.5	2	0.33	<0.5	9	28	34	2.96	<10
DD017100		0.005	0.2	1.44	17	<10	130	<0.5	3	0.90	<0.5	11	20	89	3.04	<10
DD017101		0.002	<0.2	1.37	65	<10	90	<0.5	<2	0.41	<0.5	10	23	46	2.65	<10
DD017102		0.004	<0.2	1.87	21	<10	130	<0.5	<2	0.40	<0.5	11	29	35	2.98	10
DD017103		0.003	<0.2	1.32	32	<10	160	<0.5	<2	0.42	<0.5	9	25	23	2.64	<10
DD017104		0.006	<0.2	1.32	2	<10	120	<0.5	<2	0.91	<0.5	7	28	31	1.41	<10
DD017105		0.007	<0.2	1.28	12	<10	110	<0.5	<2	6.83	<0.5	9	21	52	2.21	<10
DD017106		0.010	<0.2	2.90	55	<10	60	<0.5	<2	0.82	<0.5	40	263	121	5.21	10
DD017107		0.012	<0.2	2.49	54	<10	70	<0.5	<2	0.74	<0.5	34	200	90	5.00	10
DD017108		0.013	<0.2	3.00	36	<10	100	<0.5	<2	0.84	<0.5	48	270	90	5.58	10
DD017109		0.013	<0.2	3.26	72	<10	80	<0.5	<2	0.94	<0.5	46	228	119	6.16	10
DD017110		0.003	<0.2	3.07	34	<10	110	<0.5	<2	0.81	<0.5	43	246	63	5.35	10
DD017111		0.002	<0.2	2.75	29	<10	160	<0.5	<2	0.68	<0.5	30	149	39	4.49	10
DD017112		0.007	<0.2	2.35	27	<10	110	<0.5	<2	0.65	<0.5	23	110	37	3.97	10
DD017113		0.004	<0.2	2.52	42	<10	120	<0.5	<2	0.70	<0.5	34	182	55	4.39	10
DD017114		0.003	<0.2	1.58	53	<10	90	<0.5	<2	0.55	<0.5	17	84	41	3.06	10
DD017115		0.004	<0.2	1.64	31	<10	130	<0.5	<2	0.57	<0.5	15	62	27	2.89	10
DD017116		0.003	<0.2	1.77	55	<10	90	<0.5	<2	0.52	<0.5	19	83	45	3.36	10
DD017117		0.004	<0.2	1.48	76	<10	130	<0.5	<2	0.60	<0.5	17	65	37	3.05	10
DD017118		0.012	<0.2	2.02	83	<10	120	<0.5	<2	0.63	<0.5	22	97	36	3.67	10
DD017119		0.005	0.2	1.73	2020	<10	70	<0.5	<2	0.56	<0.5	12	147	81	5.34	<10
DD017120		0.004	0.2	1.07	1720	<10	140	<0.5	<2	0.43	<0.5	14	86	111	6.67	10
DD017121		0.003	<0.2	1.26	461	<10	120	<0.5	<2	0.93	<0.5	24	85	85	4.14	<10
DD017122		0.009	<0.2	1.93	58	<10	200	<0.5	<2	0.50	<0.5	13	43	42	3.21	10
DD017123		0.003	<0.2	1.79	57	<10	180	<0.5	<2	0.44	<0.5	11	34	27	3.05	10
DD017124		0.004	<0.2	1.28	16	<10	130	<0.5	<2	0.38	<0.5	8	26	14	2.48	<10
DD017125		0.003	<0.2	1.56	103	<10	130	<0.5	<2	0.73	<0.5	11	31	36	3.12	10
DD017126		0.003	<0.2	1.72	60	<10	150	<0.5	<2	0.45	<0.5	14	30	57	3.61	10



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 4 - B
Total # Pages: 6 (A - C)
Plus Appendix Pages
Finalized Date: 5- JAN- 2012
Account: MTT

Project: KING

CERTIFICATE OF ANALYSIS WH11262489

Sample Description	Method Analyte Units LOR	ME- ICP41 Hg ppm 1	ME- ICP41 K % 0.01	ME- ICP41 La ppm 10	ME- ICP41 Mg % 0.01	ME- ICP41 Mn ppm 5	ME- ICP41 Mo ppm 1	ME- ICP41 Na % 0.01	ME- ICP41 Ni ppm 1	ME- ICP41 P ppm 10	ME- ICP41 Pb ppm 2	ME- ICP41 S % 0.01	ME- ICP41 Sb ppm 2	ME- ICP41 Sc ppm 1	ME- ICP41 Sr ppm 1	ME- ICP41 Th ppm 20
DD017087		<1	0.05	10	0.87	382	<1	0.03	42	290	2	0.01	<2	6	38	<20
DD017088		1	0.07	10	0.84	343	1	0.02	50	310	3	0.01	<2	6	28	<20
DD017089		1	0.08	10	0.84	664	1	0.03	57	290	5	0.01	<2	8	33	<20
DD017090		<1	0.07	10	0.68	736	<1	0.03	32	670	5	0.01	<2	5	46	<20
DD017091		1	0.06	10	0.43	180	<1	0.03	14	200	2	0.01	<2	3	22	<20
DD017092		1	0.09	10	0.49	348	<1	0.03	22	300	2	0.01	<2	5	33	<20
DD017093		<1	0.09	10	0.46	264	<1	0.03	20	420	3	0.01	<2	5	32	<20
DD017094		1	0.08	10	0.48	470	<1	0.03	23	330	3	0.01	2	6	31	<20
DD017095		1	0.09	10	0.58	437	<1	0.03	21	440	5	0.01	<2	6	45	<20
DD017096		1	0.08	10	0.36	325	<1	0.03	12	290	2	0.01	<2	4	28	<20
DD017097		1	0.05	10	0.43	337	<1	0.03	16	410	3	0.01	<2	6	35	<20
DD017098		1	0.09	10	0.47	422	<1	0.03	17	350	2	0.01	2	8	24	<20
DD017099		1	0.07	10	0.39	253	1	0.04	13	210	3	0.01	<2	7	34	<20
DD017100		1	0.11	10	0.57	673	<1	0.05	15	730	2	0.04	2	7	49	<20
DD017101		<1	0.07	10	0.37	350	1	0.02	14	530	5	0.01	2	6	30	<20
DD017102		<1	0.07	10	0.42	393	<1	0.02	15	390	5	0.01	<2	6	27	<20
DD017103		<1	0.12	10	0.40	382	<1	0.02	13	430	4	0.01	<2	6	34	<20
DD017104		<1	0.10	10	0.56	140	<1	0.03	14	560	5	0.12	<2	6	56	<20
DD017105		<1	0.09	10	0.84	505	<1	0.05	17	600	3	0.09	<2	5	267	<20
DD017106		1	0.03	10	2.73	787	<1	0.02	272	210	4	0.01	2	14	35	<20
DD017107		<1	0.11	10	2.12	733	<1	0.02	216	230	6	0.02	<2	13	37	<20
DD017108		<1	0.05	10	2.70	1060	<1	0.02	260	330	4	0.01	<2	13	33	<20
DD017109		1	0.10	10	3.05	972	<1	0.02	261	270	5	0.01	<2	12	47	<20
DD017110		<1	0.05	10	2.19	984	<1	0.02	207	310	5	0.01	2	11	37	<20
DD017111		<1	0.06	10	1.55	884	1	0.02	111	370	6	0.01	<2	7	37	<20
DD017112		<1	0.08	<10	1.20	647	1	0.02	84	360	4	0.01	<2	7	36	<20
DD017113		<1	0.09	10	1.97	1005	<1	0.02	158	920	4	0.01	<2	9	36	<20
DD017114		<1	0.09	10	0.86	459	<1	0.03	79	420	3	0.01	<2	8	35	<20
DD017115		<1	0.16	10	0.64	447	<1	0.02	43	650	4	0.01	<2	6	35	<20
DD017116		<1	0.13	10	0.81	493	<1	0.02	78	350	3	0.01	<2	9	33	<20
DD017117		1	0.09	10	0.74	535	<1	0.03	64	500	4	0.02	2	7	37	<20
DD017118		1	0.11	10	1.00	612	<1	0.03	74	360	4	0.02	3	9	35	<20
DD017119		<1	0.05	<10	0.35	127	1	0.05	55	460	4	0.11	22	9	55	<20
DD017120		<1	0.14	10	0.25	308	2	0.22	40	880	3	0.81	16	11	162	<20
DD017121		<1	0.07	10	0.75	609	<1	0.04	95	820	3	0.08	6	10	65	<20
DD017122		<1	0.08	10	0.48	578	<1	0.02	27	320	4	0.01	<2	6	35	<20
DD017123		1	0.08	10	0.40	655	1	0.03	19	210	4	0.01	3	6	35	<20
DD017124		<1	0.14	10	0.36	336	<1	0.02	13	510	4	0.01	<2	4	25	<20
DD017125		<1	0.25	10	0.43	494	<1	0.04	20	420	5	0.03	2	8	50	<20
DD017126		1	0.24	10	0.46	790	<1	0.03	20	380	4	0.01	<2	9	36	<20



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
 C/ O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016- 510 W HASTINGS ST
 VANCOUVER BC V6B 1L8

Page: 4 - C
 Total # Pages: 6 (A - C)
 Plus Appendix Pages
 Finalized Date: 5- JAN- 2012
 Account: MTT

Project: KING

CERTIFICATE OF ANALYSIS WH11262489

Sample Description	Method Analyte Units LOR	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41
		Ti	Ti	U	V	W	Zn
		% 0.01	ppm 10	ppm 10	ppm 1	ppm 10	ppm 2
DD017087		0.08	<10	<10	62	<10	39
DD017088		0.09	<10	<10	78	<10	38
DD017089		0.09	<10	<10	82	<10	42
DD017090		0.08	<10	<10	60	<10	58
DD017091		0.07	<10	<10	53	<10	28
DD017092		0.06	<10	<10	68	<10	32
DD017093		0.08	<10	<10	57	<10	31
DD017094		0.08	<10	<10	65	<10	40
DD017095		0.10	<10	<10	65	<10	50
DD017096		0.07	<10	<10	54	<10	34
DD017097		0.07	<10	<10	59	<10	28
DD017098		0.09	<10	<10	71	<10	49
DD017099		0.06	<10	<10	66	<10	33
DD017100		0.06	<10	<10	66	<10	65
DD017101		0.06	<10	<10	60	<10	36
DD017102		0.07	<10	<10	66	<10	46
DD017103		0.07	<10	<10	59	<10	33
DD017104		0.08	<10	<10	39	<10	45
DD017105		0.05	<10	<10	48	<10	37
DD017106		0.08	<10	<10	91	<10	48
DD017107		0.08	<10	<10	95	<10	51
DD017108		0.07	<10	<10	100	<10	59
DD017109		0.09	<10	<10	103	<10	60
DD017110		0.07	<10	<10	99	<10	75
DD017111		0.09	<10	<10	92	<10	80
DD017112		0.09	<10	<10	91	<10	44
DD017113		0.09	<10	<10	75	<10	61
DD017114		0.08	<10	<10	59	<10	36
DD017115		0.08	<10	<10	58	<10	41
DD017116		0.08	<10	<10	67	<10	39
DD017117		0.07	<10	<10	61	<10	44
DD017118		0.09	<10	<10	75	<10	43
DD017119		0.02	<10	<10	64	<10	33
DD017120		0.01	<10	<10	102	<10	44
DD017121		0.03	<10	<10	74	<10	44
DD017122		0.07	<10	<10	72	<10	43
DD017123		0.07	<10	<10	65	<10	39
DD017124		0.07	<10	<10	53	<10	46
DD017125		0.06	<10	<10	66	<10	44
DD017126		0.06	<10	<10	77	<10	52



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 5 - A
Total # Pages: 6 (A - C)
Plus Appendix Pages
Finalized Date: 5- JAN- 2012
Account: MTT

Project: KING

CERTIFICATE OF ANALYSIS WH11262489

Sample Description	Method Analyte Units LOR	Au- ICP21 Au ppm 0.001	ME- ICP41 Ag ppm 0.2	ME- ICP41 Al % 0.01	ME- ICP41 As ppm 2	ME- ICP41 B ppm 10	ME- ICP41 Ba ppm 10	ME- ICP41 Be ppm 0.5	ME- ICP41 Bi ppm 2	ME- ICP41 Ca % 0.01	ME- ICP41 Cd ppm 0.5	ME- ICP41 Co ppm 1	ME- ICP41 Cr ppm 1	ME- ICP41 Cu ppm 1	ME- ICP41 Fe % 0.01	ME- ICP41 Ga ppm 10
DD017127		0.004	<0.2	1.55	54	<10	150	<0.5	2	0.52	<0.5	11	27	36	3.03	10
DD017128		0.010	<0.2	1.21	11	<10	100	<0.5	<2	0.65	<0.5	7	31	25	2.36	<10
DD017129		0.003	<0.2	1.63	9	<10	100	<0.5	<2	0.40	<0.5	8	36	20	2.59	10
DD017130		0.009	<0.2	1.61	14	<10	140	0.5	<2	0.42	<0.5	9	31	32	2.81	10
DD017131		0.019	<0.2	3.91	33	<10	50	<0.5	<2	2.34	<0.5	40	127	177	7.54	10
DD017132		0.012	<0.2	2.82	24	<10	110	<0.5	<2	1.21	<0.5	28	104	157	5.21	10
DD017133		0.007	<0.2	2.82	20	<10	110	<0.5	<2	1.23	<0.5	24	66	192	5.74	10
DD017134		0.003	<0.2	1.84	7	<10	150	<0.5	<2	0.70	<0.5	13	45	77	3.22	10
DD017135		0.003	<0.2	1.87	12	<10	80	<0.5	<2	0.51	<0.5	19	39	37	3.23	10
DD017136		0.001	<0.2	1.87	14	<10	130	<0.5	<2	0.46	<0.5	9	43	28	2.85	10
DD017137		0.002	<0.2	3.05	4	<10	190	<0.5	3	0.65	<0.5	11	80	29	2.40	10
DD017138		0.003	<0.2	1.98	10	<10	120	<0.5	<2	0.45	<0.5	12	38	39	3.49	10
DD017139		0.003	<0.2	2.81	5	<10	140	<0.5	3	0.81	<0.5	21	98	106	4.73	10
DD017140		0.002	0.2	1.97	10	<10	120	<0.5	3	0.77	<0.5	17	63	75	3.65	10
DD017141		0.005	<0.2	2.77	10	<10	110	<0.5	3	1.39	<0.5	27	83	137	4.65	10
DD017142		0.004	0.2	1.92	12	<10	90	<0.5	3	0.85	<0.5	18	63	62	3.53	10
DD017143		0.004	<0.2	1.82	7	<10	160	<0.5	<2	0.54	<0.5	10	34	27	3.08	10
DD017144		0.003	<0.2	1.61	7	<10	120	<0.5	3	0.48	<0.5	10	35	23	2.71	<10
DD017145		0.003	<0.2	1.39	<2	<10	120	<0.5	<2	0.43	<0.5	8	26	18	2.46	<10
DD017146		0.005	<0.2	1.52	2	<10	130	<0.5	2	0.83	<0.5	7	34	45	2.52	<10
DD017147		0.003	<0.2	1.64	11	<10	130	<0.5	2	0.47	<0.5	10	36	30	2.74	<10
DD017148		0.005	<0.2	2.41	22	<10	180	<0.5	3	0.75	<0.5	21	79	84	4.36	10
DD017149		0.002	<0.2	1.46	2	<10	150	<0.5	2	0.38	<0.5	9	28	22	2.54	<10
DD017150		0.003	<0.2	1.28	2	<10	100	<0.5	3	0.35	<0.5	8	32	17	2.23	<10
DD017151		0.003	<0.2	1.17	24	<10	80	<0.5	<2	0.35	<0.5	7	33	14	2.19	<10
DD017152		0.002	<0.2	1.78	32	<10	160	<0.5	2	0.48	<0.5	13	49	37	3.05	10
DD017153		0.007	0.2	1.62	24	<10	90	<0.5	2	1.64	<0.5	15	52	65	3.11	<10
DD017154		0.038	0.2	1.35	648	<10	110	<0.5	2	0.73	<0.5	40	115	112	5.93	<10
DD017155		0.003	0.2	1.62	1500	<10	110	<0.5	3	0.61	<0.5	62	252	163	7.76	<10
DD017156		0.012	0.2	3.34	65	<10	60	<0.5	2	1.09	<0.5	48	314	148	5.68	10
DD017157		0.012	0.2	2.70	87	<10	40	<0.5	3	1.55	<0.5	48	310	114	5.45	10
DD017158		0.004	<0.2	2.03	18	<10	70	<0.5	2	0.65	<0.5	21	90	60	3.01	<10
DD017159		0.002	0.2	3.08	7	<10	110	<0.5	2	0.70	<0.5	28	143	66	3.80	10
DD017160		0.025	0.4	3.55	248	<10	40	<0.5	4	1.22	<0.5	50	367	216	7.19	10
DD017161		0.011	0.2	2.97	143	<10	150	<0.5	2	0.87	<0.5	34	219	83	5.09	10
DD017162		0.002	<0.2	2.16	46	<10	130	<0.5	2	0.59	<0.5	17	83	43	3.56	10
DD017163		0.004	<0.2	1.43	50	<10	100	<0.5	2	0.72	<0.5	16	59	45	3.43	<10
DD017164		0.008	<0.2	1.97	8	<10	100	<0.5	2	0.60	<0.5	20	138	55	2.86	<10
DD017165		0.004	<0.2	2.65	44	<10	140	<0.5	3	0.73	<0.5	33	248	71	4.38	10
DD017166		0.004	<0.2	3.12	80	<10	110	<0.5	<2	0.76	<0.5	39	274	66	5.02	10



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 5 - B
Total # Pages: 6 (A - C)
Plus Appendix Pages
Finalized Date: 5- JAN- 2012
Account: MTT

Project: KING

CERTIFICATE OF ANALYSIS WH11262489

Sample Description	Method Analyte Units LOR	ME- ICP41 Hg ppm 1	ME- ICP41 K % 0.01	ME- ICP41 La ppm 10	ME- ICP41 Mg % 0.01	ME- ICP41 Mn ppm 5	ME- ICP41 Mo ppm 1	ME- ICP41 Na % 0.01	ME- ICP41 Ni ppm 1	ME- ICP41 P ppm 10	ME- ICP41 Pb ppm 2	ME- ICP41 S % 0.01	ME- ICP41 Sb ppm 2	ME- ICP41 Sc ppm 1	ME- ICP41 Sr ppm 1	ME- ICP41 Th ppm 20
DD017127		<1	0.13	10	0.40	444	<1	0.03	16	380	4	0.01	3	7	34	<20
DD017128		<1	0.09	10	0.49	202	<1	0.03	26	480	4	0.10	<2	5	42	<20
DD017129		<1	0.15	10	0.49	192	<1	0.02	21	220	5	0.05	<2	5	26	<20
DD017130		<1	0.08	10	0.39	252	<1	0.02	18	300	5	0.04	2	7	31	<20
DD017131		<1	0.05	<10	2.42	1400	<1	0.02	89	610	3	0.05	3	24	76	<20
DD017132		<1	0.11	10	1.59	914	<1	0.03	72	650	3	0.06	<2	16	53	<20
DD017133		<1	0.22	10	1.03	1045	<1	0.03	38	810	2	0.04	2	16	52	<20
DD017134		<1	0.10	10	0.55	889	<1	0.03	27	450	5	0.02	<2	8	34	<20
DD017135		<1	0.12	10	0.55	338	<1	0.02	21	360	3	0.02	<2	8	27	<20
DD017136		<1	0.16	10	0.56	373	<1	0.02	22	430	5	0.02	<2	6	28	<20
DD017137		1	0.06	10	0.70	211	<1	0.09	26	300	5	0.01	<2	4	58	<20
DD017138		<1	0.20	10	0.63	340	<1	0.03	18	210	3	0.01	<2	8	31	<20
DD017139		1	0.06	10	1.07	791	<1	0.04	54	320	4	0.01	<2	13	34	<20
DD017140		<1	0.10	10	0.92	618	<1	0.03	45	330	2	0.01	<2	10	30	<20
DD017141		<1	0.10	10	1.91	1045	<1	0.03	73	540	2	0.02	<2	13	41	<20
DD017142		1	0.13	10	0.96	721	<1	0.03	55	530	3	0.01	<2	10	39	<20
DD017143		<1	0.28	10	0.44	595	<1	0.02	17	190	5	0.01	<2	7	40	<20
DD017144		1	0.19	10	0.49	313	<1	0.02	18	480	3	0.01	<2	7	31	<20
DD017145		<1	0.16	10	0.34	390	<1	0.02	13	340	4	<0.01	<2	5	29	<20
DD017146		<1	0.19	10	0.79	176	<1	0.03	23	450	2	0.02	<2	5	46	<20
DD017147		1	0.15	10	0.49	366	<1	0.02	19	330	3	<0.01	2	7	32	<20
DD017148		1	0.19	10	0.95	873	<1	0.02	45	850	3	0.02	<2	12	43	<20
DD017149		<1	0.08	10	0.41	350	1	0.03	13	140	3	0.01	<2	5	34	<20
DD017150		<1	0.12	10	0.49	229	<1	0.02	16	140	4	0.01	<2	4	25	<20
DD017151		1	0.07	10	0.46	187	<1	0.03	19	240	2	0.01	<2	3	23	<20
DD017152		<1	0.09	10	0.56	614	1	0.03	29	310	6	0.01	<2	6	33	<20
DD017153		1	0.08	10	1.00	391	<1	0.03	58	460	5	0.01	<2	8	59	<20
DD017154		1	0.10	10	0.74	807	1	0.06	204	760	2	0.25	3	12	68	<20
DD017155		<1	0.15	10	1.37	913	1	0.07	317	900	2	0.37	6	19	118	<20
DD017156		1	0.04	10	4.55	843	<1	0.02	338	550	3	0.03	<2	10	40	<20
DD017157		1	0.03	10	4.20	891	<1	0.03	304	590	<2	0.07	<2	9	53	<20
DD017158		1	0.07	<10	1.72	560	<1	0.06	114	500	2	0.02	<2	4	27	<20
DD017159		1	0.08	10	2.99	755	<1	0.07	166	610	<2	0.02	<2	5	34	<20
DD017160		1	0.04	<10	4.82	1020	1	0.02	324	430	3	0.05	<2	16	29	<20
DD017161		1	0.08	10	2.37	912	1	0.04	164	770	3	0.02	<2	12	33	<20
DD017162		1	0.04	10	0.91	559	1	0.03	63	360	3	0.01	<2	7	38	<20
DD017163		<1	0.06	10	0.89	576	<1	0.04	54	500	4	0.01	<2	8	50	<20
DD017164		<1	0.09	10	2.13	477	<1	0.04	119	370	2	0.02	<2	5	29	<20
DD017165		<1	0.11	10	2.27	831	1	0.03	178	390	<2	0.01	<2	9	35	<20
DD017166		1	0.08	10	3.12	923	1	0.02	211	380	3	0.01	<2	10	28	<20



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 5 - C
Total # Pages: 6 (A - C)
Plus Appendix Pages
Finalized Date: 5- JAN- 2012
Account: MTT

Project: KING

CERTIFICATE OF ANALYSIS WH11262489

Sample Description	Method Analyte Units LOR	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41
		Ti	Ti	U	V	W	Zn
		%	ppm	ppm	ppm	ppm	ppm
		0.01	10	10	1	10	2
DD017127		0.06	<10	<10	67	<10	36
DD017128		0.06	<10	<10	52	<10	28
DD017129		0.10	<10	<10	59	<10	33
DD017130		0.07	<10	<10	60	<10	31
DD017131		0.12	<10	<10	148	<10	89
DD017132		0.13	<10	<10	135	<10	83
DD017133		0.14	<10	<10	156	<10	84
DD017134		0.10	<10	<10	73	<10	51
DD017135		0.10	<10	<10	66	<10	45
DD017136		0.11	<10	<10	64	<10	39
DD017137		0.12	<10	<10	72	<10	34
DD017138		0.10	<10	<10	82	<10	37
DD017139		0.12	<10	<10	102	<10	48
DD017140		0.10	<10	<10	77	<10	51
DD017141		0.13	<10	<10	104	<10	75
DD017142		0.11	<10	<10	77	<10	45
DD017143		0.07	<10	<10	63	<10	37
DD017144		0.09	<10	<10	60	<10	34
DD017145		0.08	<10	<10	54	<10	37
DD017146		0.09	<10	<10	46	<10	41
DD017147		0.09	<10	<10	62	<10	38
DD017148		0.10	<10	<10	100	<10	71
DD017149		0.08	<10	<10	63	<10	33
DD017150		0.11	<10	<10	55	<10	32
DD017151		0.08	<10	<10	55	<10	35
DD017152		0.08	<10	<10	63	<10	61
DD017153		0.07	<10	<10	69	<10	45
DD017154		0.02	<10	<10	80	<10	55
DD017155		0.01	<10	<10	83	<10	81
DD017156		0.06	<10	<10	86	<10	64
DD017157		0.05	<10	<10	69	<10	63
DD017158		0.07	<10	<10	56	<10	70
DD017159		0.08	<10	<10	74	<10	58
DD017160		0.06	<10	<10	137	<10	83
DD017161		0.11	<10	<10	113	<10	74
DD017162		0.08	<10	<10	87	<10	43
DD017163		0.06	<10	<10	69	<10	38
DD017164		0.06	<10	<10	67	<10	40
DD017165		0.09	<10	<10	85	<10	59
DD017166		0.10	<10	<10	98	<10	64



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 6 - A
Total # Pages: 6 (A - C)
Plus Appendix Pages
Finalized Date: 5- JAN- 2012
Account: MTT

Project: KING

CERTIFICATE OF ANALYSIS WH11262489

Sample Description	Method Analyte Units LOR	Au- ICP21 Au ppm 0.001	ME- ICP41 Ag ppm 0.2	ME- ICP41 Al % 0.01	ME- ICP41 As ppm 2	ME- ICP41 B ppm 10	ME- ICP41 Ba ppm 10	ME- ICP41 Be ppm 0.5	ME- ICP41 Bi ppm 2	ME- ICP41 Ca % 0.01	ME- ICP41 Cd ppm 0.5	ME- ICP41 Co ppm 1	ME- ICP41 Cr ppm 1	ME- ICP41 Cu ppm 1	ME- ICP41 Fe % 0.01	ME- ICP41 Ga ppm 10
DD017167		0.008	<0.2	1.65	44	<10	110	<0.5	2	0.46	<0.5	14	59	29	2.81	<10
DD017168		0.007	0.3	2.17	35	<10	200	<0.5	2	0.73	<0.5	28	152	59	4.35	10
DD017169		0.005	<0.2	2.98	659	<10	90	<0.5	2	0.89	<0.5	52	274	145	7.11	10
DD017170		0.005	<0.2	3.01	77	<10	50	<0.5	3	1.17	<0.5	41	243	110	4.55	10
DD017171		0.003	<0.2	3.24	6	<10	60	<0.5	4	0.86	<0.5	41	244	103	4.44	10
DD017172		0.020	<0.2	4.00	<2	<10	70	<0.5	3	1.18	<0.5	49	259	103	5.44	10
DD017173		0.003	<0.2	1.65	19	<10	150	<0.5	<2	0.72	<0.5	12	48	34	3.10	10
DD017174		0.009	<0.2	1.85	15	<10	160	<0.5	<2	0.52	<0.5	12	46	36	2.99	10
DD017175		0.006	<0.2	2.00	8	<10	190	<0.5	<2	0.53	<0.5	14	55	33	3.14	10
DD017176		0.003	<0.2	2.78	19	<10	160	<0.5	<2	0.82	<0.5	27	129	99	4.56	10
DD017177		0.009	<0.2	2.35	10	<10	140	<0.5	<2	0.84	<0.5	21	88	80	3.33	10
DD017178		0.009	<0.2	2.27	20	<10	130	<0.5	<2	0.78	<0.5	21	101	51	3.78	10
DD017179		0.003	<0.2	1.70	11	<10	160	<0.5	<2	0.74	<0.5	13	42	41	2.78	<10
DD017180		0.006	<0.2	0.86	9	<10	70	<0.5	<2	1.17	<0.5	7	25	30	1.77	<10
DD017181		0.159	<0.2	1.55	27	10	150	<0.5	<2	1.11	<0.5	14	43	63	2.89	<10
DD017182		0.002	<0.2	1.99	5	<10	120	<0.5	<2	0.52	<0.5	17	67	35	3.23	10
DD017183		0.007	<0.2	3.40	5	<10	140	<0.5	<2	1.31	<0.5	44	136	143	5.20	10
DD017184		0.002	<0.2	2.77	5	<10	120	<0.5	<2	0.84	<0.5	30	125	103	3.82	10
DD017185		0.002	<0.2	1.92	13	<10	230	<0.5	<2	0.54	<0.5	14	54	34	3.15	10
DD017186		0.002	<0.2	1.81	16	<10	130	<0.5	<2	0.45	<0.5	12	54	25	2.89	10
DD017187		0.003	<0.2	1.14	8	<10	110	<0.5	<2	0.45	<0.5	8	25	33	2.08	<10
DD017188		0.002	<0.2	1.95	17	<10	190	<0.5	<2	0.62	<0.5	17	77	29	3.24	10
DD017189		0.004	<0.2	2.47	133	<10	50	<0.5	<2	2.24	<0.5	40	245	139	4.98	10
DD017190		0.003	<0.2	3.64	286	<10	40	<0.5	<2	1.07	<0.5	55	388	158	6.14	10
DD017191		0.009	<0.2	3.85	161	<10	20	<0.5	<2	1.10	<0.5	106	489	205	7.87	10
DD017192		0.005	<0.2	3.36	179	<10	90	<0.5	<2	0.82	<0.5	47	328	112	5.50	10
DD017193		0.004	<0.2	2.70	120	<10	130	<0.5	<2	0.75	<0.5	31	196	65	5.10	10
DD017194		0.001	<0.2	2.54	129	<10	170	<0.5	<2	0.66	<0.5	32	174	47	4.42	10
DD017195		0.003	<0.2	1.70	37	<10	180	<0.5	<2	0.78	<0.5	13	48	41	2.91	10
DD017196		0.006	<0.2	2.90	95	<10	130	<0.5	<2	0.86	<0.5	34	268	79	4.90	10
DD017197		0.002	<0.2	2.72	112	<10	110	<0.5	<2	0.91	<0.5	34	255	88	4.61	10
DD017198		0.001	<0.2	1.44	23	<10	110	<0.5	<2	0.65	<0.5	16	84	37	2.48	<10



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 6 - B
Total # Pages: 6 (A - C)
Plus Appendix Pages
Finalized Date: 5- JAN- 2012
Account: MTT

Project: KING

CERTIFICATE OF ANALYSIS WH11262489

Sample Description	Method Analyte Units LOR	ME- ICP41 Hg ppm 1	ME- ICP41 K % 0.01	ME- ICP41 La ppm 10	ME- ICP41 Mg % 0.01	ME- ICP41 Mn ppm 5	ME- ICP41 Mo ppm 1	ME- ICP41 Na % 0.01	ME- ICP41 Ni ppm 1	ME- ICP41 P ppm 10	ME- ICP41 Pb ppm 2	ME- ICP41 S % 0.01	ME- ICP41 Sb ppm 2	ME- ICP41 Sc ppm 1	ME- ICP41 Sr ppm 1	ME- ICP41 Th ppm 20
DD017167		<1	0.12	10	0.69	352	<1	0.02	39	380	4	0.01	<2	6	34	<20
DD017168		<1	0.16	10	1.37	1095	<1	0.03	102	410	3	0.01	<2	11	40	<20
DD017169		<1	0.05	10	2.67	1160	1	0.03	264	560	3	0.03	2	17	36	<20
DD017170		<1	0.08	10	4.75	698	<1	0.02	300	650	2	0.04	<2	6	41	<20
DD017171		1	0.05	10	5.47	651	<1	0.03	301	500	<2	0.02	<2	5	37	<20
DD017172		1	0.03	10	6.13	893	1	0.02	358	800	2	0.02	<2	5	53	<20
DD017173		<1	0.10	10	0.65	455	1	0.03	43	550	7	0.03	<2	6	45	<20
DD017174		<1	0.08	10	0.60	443	1	0.03	31	250	5	0.03	<2	5	34	<20
DD017175		<1	0.10	10	0.68	746	1	0.03	42	360	6	0.03	<2	6	37	<20
DD017176		<1	0.12	10	1.48	966	1	0.03	106	520	4	0.03	<2	12	38	<20
DD017177		<1	0.10	10	2.05	543	<1	0.04	108	850	2	0.07	<2	5	39	<20
DD017178		<1	0.10	<10	1.44	499	<1	0.04	97	890	3	0.03	<2	8	36	<20
DD017179		<1	0.22	10	0.98	515	1	0.04	50	480	4	0.04	<2	6	56	<20
DD017180		<1	0.05	10	0.66	426	<1	0.04	24	700	3	0.11	<2	3	66	<20
DD017181		<1	0.11	10	1.23	560	1	0.04	59	810	4	0.06	<2	6	70	<20
DD017182		<1	0.08	10	1.26	498	1	0.05	85	450	4	0.02	<2	6	29	<20
DD017183		<1	0.15	<10	3.85	953	<1	0.03	243	990	2	0.03	<2	8	54	<20
DD017184		<1	0.11	10	3.19	688	<1	0.04	166	730	2	0.07	<2	6	46	<20
DD017185		<1	0.15	10	0.70	953	1	0.03	41	400	6	0.03	<2	7	35	<20
DD017186		<1	0.15	10	0.66	469	1	0.03	36	420	5	0.03	<2	6	31	<20
DD017187		<1	0.10	10	0.40	332	1	0.04	18	300	4	0.03	<2	4	35	<20
DD017188		<1	0.06	10	0.90	630	1	0.03	61	510	4	0.03	<2	5	38	<20
DD017189		<1	0.04	<10	3.70	896	1	0.03	269	670	<2	0.05	<2	11	58	<20
DD017190		<1	0.02	<10	5.32	912	1	0.03	433	630	<2	0.05	<2	10	31	<20
DD017191		<1	0.01	<10	6.49	1560	<1	0.02	623	280	<2	0.03	<2	15	30	<20
DD017192		<1	0.09	<10	3.70	962	1	0.03	304	370	2	0.04	<2	10	30	<20
DD017193		<1	0.09	10	1.93	824	1	0.03	153	480	3	0.03	<2	10	34	<20
DD017194		<1	0.08	10	1.43	904	1	0.03	114	250	4	0.02	<2	8	33	<20
DD017195		<1	0.09	10	0.63	732	1	0.03	42	580	7	0.03	<2	7	53	<20
DD017196		<1	0.10	10	2.44	839	<1	0.03	200	360	3	0.04	<2	10	35	<20
DD017197		<1	0.13	<10	2.44	992	<1	0.04	219	610	3	0.06	<2	9	39	<20
DD017198		<1	0.16	10	0.92	510	<1	0.03	74	390	2	0.04	<2	5	33	<20



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 6 - C
Total # Pages: 6 (A - C)
Plus Appendix Pages
Finalized Date: 5- JAN- 2012
Account: MTT

Project: KING

CERTIFICATE OF ANALYSIS WH11262489

Sample Description	Method Analyte Units LOR	ME- ICP41 Ti %	ME- ICP41 Ti ppm	ME- ICP41 U ppm	ME- ICP41 V ppm	ME- ICP41 W ppm	ME- ICP41 Zn ppm
		0.01	10	10	1	10	2
DD017167		0.09	<10	<10	61	<10	40
DD017168		0.07	<10	<10	78	<10	75
DD017169		0.09	<10	<10	118	<10	76
DD017170		0.08	<10	<10	78	<10	58
DD017171		0.09	<10	<10	82	<10	57
DD017172		0.07	<10	<10	101	<10	71
DD017173		0.07	<10	<10	67	<10	54
DD017174		0.08	<10	<10	71	<10	42
DD017175		0.08	<10	<10	67	<10	57
DD017176		0.12	<10	<10	107	<10	68
DD017177		0.09	<10	<10	70	<10	59
DD017178		0.09	<10	<10	79	<10	54
DD017179		0.07	<10	<10	67	<10	48
DD017180		0.05	<10	<10	41	<10	38
DD017181		0.05	<10	<10	65	<10	52
DD017182		0.08	<10	<10	67	<10	45
DD017183		0.11	<10	<10	96	<10	91
DD017184		0.09	<10	<10	79	<10	78
DD017185		0.09	<10	<10	67	<10	58
DD017186		0.09	<10	<10	66	<10	47
DD017187		0.07	<10	<10	46	<10	36
DD017188		0.07	<10	<10	70	<10	72
DD017189		0.03	<10	<10	91	<10	59
DD017190		0.09	<10	<10	102	<10	68
DD017191		0.03	<10	<10	124	<10	75
DD017192		0.08	<10	<10	96	<10	68
DD017193		0.08	<10	<10	98	<10	65
DD017194		0.09	<10	<10	87	<10	62
DD017195		0.07	<10	<10	67	<10	49
DD017196		0.09	<10	<10	92	<10	63
DD017197		0.08	<10	<10	85	<10	69
DD017198		0.07	<10	<10	49	<10	42



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: KING

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 5- JAN- 2012
Account: MTT

CERTIFICATE OF ANALYSIS WH11262489

Method	CERTIFICATE COMMENTS
ALL METHODS	NSS is non- sufficient sample.



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 1
Finalized Date: 5- JAN- 2012
Account: MTT

CERTIFICATE WH11263500

Project: KING

P.O. No.:

This report is for 190 Soil samples submitted to our lab in Whitehorse, YT, Canada on 13- DEC- 2011.

The following have access to data associated with this certificate:

MATT DUMALA
JOAN MARIACHER

DOUG EATON
BRUCE YOUNGMAN

SARAH EATON

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
FND- 02	Find Sample for Addn Analysis

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- ICP21	Au 30g FA ICP- AES Finish	ICP- AES
ME- ICP41	35 Element Aqua Regia ICP- AES	ICP- AES

To: **STRATEGIC METALS LTD.**
ATTN: JOAN MARIACHER
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - A
Total # Pages: 6 (A - C)
Plus Appendix Pages
Finalized Date: 5- JAN- 2012
Account: MTT

Project: KING

CERTIFICATE OF ANALYSIS WH11263500

Sample Description	Method Analyte Units LOR	Au- ICP21 Au ppm 0.001	ME- ICP41 Ag ppm 0.2	ME- ICP41 Al % 0.01	ME- ICP41 As ppm 2	ME- ICP41 B ppm 10	ME- ICP41 Ba ppm 10	ME- ICP41 Be ppm 0.5	ME- ICP41 Bi ppm 2	ME- ICP41 Ca % 0.01	ME- ICP41 Cd ppm 0.5	ME- ICP41 Co ppm 1	ME- ICP41 Cr ppm 1	ME- ICP41 Cu ppm 1	ME- ICP41 Fe % 0.01	ME- ICP41 Ga ppm 10
DD016572		0.008	<0.2	1.42	3	<10	130	<0.5	<2	0.38	<0.5	6	13	20	1.93	<10
DD016573		0.003	<0.2	3.13	3	<10	90	<0.5	<2	0.71	<0.5	21	48	59	4.79	10
DD016574		0.016	<0.2	1.65	5	<10	180	0.5	<2	0.84	<0.5	7	23	24	2.84	<10
DD016575		0.005	<0.2	1.21	10	<10	120	<0.5	<2	0.89	<0.5	7	20	31	2.31	<10
DD016576		0.009	<0.2	2.31	15	<10	190	<0.5	<2	0.61	<0.5	14	27	48	3.45	10
DD016577		0.011	<0.2	2.38	19	<10	240	<0.5	<2	2.45	<0.5	25	59	96	4.99	10
DD016578		0.003	<0.2	2.70	5	<10	320	<0.5	<2	0.65	<0.5	17	34	47	4.03	10
DD016579		0.005	<0.2	1.87	7	<10	220	<0.5	<2	0.61	<0.5	9	25	32	2.71	10
DD016580		<0.001	<0.2	1.91	6	<10	110	<0.5	<2	0.61	<0.5	8	22	21	2.60	10
DD016581		0.012	<0.2	2.11	7	<10	170	<0.5	<2	0.56	<0.5	10	22	36	3.05	10
DD016582		0.004	<0.2	1.90	11	<10	110	<0.5	2	0.43	<0.5	10	21	26	3.38	10
DD016583		0.001	<0.2	1.60	5	<10	100	<0.5	<2	0.45	<0.5	8	14	21	2.64	<10
DD016584		0.003	<0.2	2.17	9	<10	150	0.6	2	0.30	<0.5	9	22	31	3.43	10
DD016585		0.002	<0.2	1.62	11	<10	170	0.5	<2	0.42	<0.5	10	23	34	3.23	10
DD016586		0.002	<0.2	1.46	6	<10	160	<0.5	2	0.48	<0.5	8	25	16	2.43	<10
DD016587		0.001	<0.2	1.21	4	<10	110	<0.5	2	0.39	<0.5	6	19	16	2.15	<10
DD016588		<0.001	<0.2	1.55	4	<10	110	<0.5	<2	0.45	<0.5	7	23	25	2.17	<10
DD016589		0.002	<0.2	1.81	4	<10	130	<0.5	<2	0.45	<0.5	9	29	23	2.50	10
DD016590		0.002	<0.2	1.73	11	<10	130	<0.5	2	0.41	<0.5	10	26	26	2.84	10
DD016591		0.005	<0.2	2.45	26	<10	190	0.5	<2	0.49	<0.5	15	28	33	4.32	10
DD016592		0.003	<0.2	1.06	11	<10	100	<0.5	2	0.45	<0.5	7	18	29	2.73	<10
DD016593		0.003	<0.2	1.31	6	<10	190	<0.5	<2	0.69	<0.5	7	20	32	2.45	<10
DD016594		0.021	<0.2	2.01	25	<10	110	<0.5	2	0.48	<0.5	10	28	30	2.99	10
DD016595		0.001	0.2	2.49	8	<10	140	0.5	<2	0.34	<0.5	11	31	67	3.26	10
DD016596		0.002	<0.2	2.29	7	<10	210	<0.5	2	0.75	<0.5	13	24	37	3.55	10
DD016597		0.003	0.2	1.16	7	<10	120	<0.5	2	1.27	<0.5	7	20	109	1.95	<10
DD016598		0.001	<0.2	2.21	6	<10	80	<0.5	3	0.60	<0.5	10	25	43	3.76	10
DD016599		0.006	0.2	1.71	11	<10	120	0.5	2	0.47	<0.5	10	25	33	3.15	10
DD016600		0.003	<0.2	1.79	8	<10	190	<0.5	<2	0.47	<0.5	9	27	42	2.58	10
DD016601		0.002	<0.2	2.24	6	<10	110	0.7	<2	0.47	<0.5	12	32	38	3.11	10
DD016602		0.006	<0.2	1.41	9	<10	170	<0.5	<2	0.56	<0.5	12	19	47	3.31	<10
DD016603		0.008	0.2	1.43	7	<10	200	<0.5	<2	1.31	<0.5	8	20	37	2.63	<10
DD016604		0.015	0.2	2.05	22	<10	230	0.5	<2	0.67	<0.5	14	26	50	4.04	10
DD016605		0.008	<0.2	2.13	19	<10	230	0.5	2	0.77	<0.5	16	24	53	4.43	10
DD016606		0.016	0.2	2.25	19	<10	160	<0.5	2	0.95	<0.5	16	19	89	4.39	10
DD016607		0.036	<0.2	1.74	16	<10	130	<0.5	2	1.30	<0.5	14	21	88	3.93	10
DD016608		0.004	0.2	1.00	7	<10	140	<0.5	<2	0.98	<0.5	7	16	32	1.98	<10
DD016609		0.001	<0.2	2.27	19	<10	140	0.6	2	0.52	<0.5	13	29	30	3.76	10
DD016610		0.008	0.2	1.50	34	<10	150	<0.5	2	1.30	<0.5	16	20	69	3.82	<10
DD016611		0.028	0.2	2.33	25	<10	170	<0.5	2	0.93	<0.5	18	22	150	5.08	10



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - B
Total # Pages: 6 (A - C)
Plus Appendix Pages
Finalized Date: 5- JAN- 2012
Account: MTT

Project: KING

CERTIFICATE OF ANALYSIS WH11263500

Sample Description	Method Analyte Units LOR	ME- ICP41 Hg ppm 1	ME- ICP41 K % 0.01	ME- ICP41 La ppm 10	ME- ICP41 Mg % 0.01	ME- ICP41 Mn ppm 5	ME- ICP41 Mo ppm 1	ME- ICP41 Na % 0.01	ME- ICP41 Ni ppm 1	ME- ICP41 P ppm 10	ME- ICP41 Pb ppm 2	ME- ICP41 S % 0.01	ME- ICP41 Sb ppm 2	ME- ICP41 Sc ppm 1	ME- ICP41 Sr ppm 1	ME- ICP41 Th ppm 20
DD016572		<1	0.03	<10	0.24	242	1	0.05	6	190	2	0.03	<2	2	23	<20
DD016573		<1	0.03	<10	1.30	380	<1	0.05	32	130	2	0.03	<2	11	28	<20
DD016574		<1	0.05	10	0.45	305	1	0.05	11	220	4	0.04	<2	7	66	<20
DD016575		<1	0.09	10	0.45	327	<1	0.05	14	670	3	0.06	<2	6	68	<20
DD016576		<1	0.06	<10	0.50	673	1	0.04	16	230	3	0.03	<2	6	43	<20
DD016577		<1	0.07	10	1.20	1370	1	0.06	25	370	2	0.06	<2	23	81	<20
DD016578		1	0.07	10	0.96	492	1	0.05	22	510	4	0.03	<2	6	68	<20
DD016579		<1	0.07	10	0.45	655	1	0.04	13	210	4	0.03	<2	5	36	<20
DD016580		<1	0.05	10	0.51	354	1	0.09	11	170	5	0.03	<2	4	33	<20
DD016581		<1	0.06	10	0.49	556	1	0.04	11	230	5	0.03	<2	5	33	<20
DD016582		<1	0.06	10	0.57	375	1	0.04	11	170	7	0.02	<2	5	25	<20
DD016583		<1	0.06	<10	0.47	227	<1	0.05	7	200	3	0.02	<2	4	31	<20
DD016584		<1	0.05	10	0.49	286	1	0.03	11	180	5	0.02	<2	7	35	<20
DD016585		<1	0.06	10	0.40	374	1	0.04	12	170	5	0.01	<2	9	41	<20
DD016586		<1	0.06	10	0.42	321	<1	0.03	12	290	5	0.02	<2	5	34	<20
DD016587		<1	0.08	<10	0.35	214	1	0.03	8	270	4	0.02	<2	4	30	<20
DD016588		<1	0.05	10	0.39	324	<1	0.03	11	160	5	0.02	<2	4	23	<20
DD016589		<1	0.04	10	0.46	666	<1	0.03	13	180	4	0.02	<2	5	30	<20
DD016590		<1	0.07	10	0.51	353	1	0.03	12	120	3	0.01	<2	4	26	<20
DD016591		<1	0.09	10	0.69	516	<1	0.03	17	430	5	0.02	<2	6	63	<20
DD016592		1	0.05	10	0.31	335	1	0.03	10	260	4	0.02	<2	6	47	<20
DD016593		<1	0.07	10	0.40	356	1	0.03	13	340	5	0.03	<2	5	56	<20
DD016594		<1	0.06	10	0.52	306	1	0.03	15	210	4	0.02	<2	5	29	<20
DD016595		<1	0.04	10	0.62	817	1	0.03	17	310	5	0.02	<2	7	21	<20
DD016596		<1	0.03	10	0.81	1070	1	0.06	14	570	5	0.02	<2	5	48	<20
DD016597		<1	0.07	10	0.51	393	1	0.03	11	850	3	0.04	<2	5	57	<20
DD016598		<1	0.03	<10	0.66	300	1	0.02	11	170	4	0.01	<2	8	26	<20
DD016599		<1	0.09	10	0.47	341	1	0.03	13	150	4	0.02	<2	6	33	<20
DD016600		<1	0.06	10	0.49	614	<1	0.03	13	250	5	0.02	<2	5	34	<20
DD016601		<1	0.04	10	0.43	885	1	0.03	15	250	6	0.02	<2	5	33	<20
DD016602		<1	0.06	10	0.42	639	1	0.03	10	430	3	0.01	<2	7	36	<20
DD016603		<1	0.07	10	0.50	438	1	0.04	12	460	4	0.03	<2	6	52	<20
DD016604		<1	0.09	10	0.66	667	1	0.04	14	340	4	0.02	<2	10	51	<20
DD016605		<1	0.06	10	0.64	808	1	0.04	14	210	5	0.02	<2	11	55	<20
DD016606		<1	0.07	10	0.78	676	1	0.05	13	170	6	0.03	<2	13	62	<20
DD016607		<1	0.05	10	0.62	588	1	0.05	13	270	4	0.03	<2	10	58	<20
DD016608		<1	0.08	10	0.41	422	<1	0.05	11	570	3	0.02	<2	4	42	<20
DD016609		<1	0.06	10	0.62	358	1	0.04	15	120	4	0.01	<2	8	34	<20
DD016610		<1	0.08	10	0.63	846	1	0.03	14	350	5	0.02	<2	11	49	<20
DD016611		1	0.10	10	0.83	767	1	0.04	13	290	3	0.02	<2	12	49	<20



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - C
Total # Pages: 6 (A - C)
Plus Appendix Pages
Finalized Date: 5- JAN- 2012
Account: MTT

Project: KING

CERTIFICATE OF ANALYSIS WH11263500

Sample Description	Method Analyte Units LOR	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41
		Ti	Ti	U	V	W	Zn
		%	ppm	ppm	ppm	ppm	ppm
		0.01	10	10	1	10	2
DD016572		0.06	<10	<10	50	<10	21
DD016573		0.15	<10	<10	135	<10	45
DD016574		0.04	<10	<10	64	<10	38
DD016575		0.06	<10	<10	53	<10	46
DD016576		0.06	<10	<10	82	<10	38
DD016577		0.07	<10	<10	167	<10	46
DD016578		0.09	<10	<10	95	<10	41
DD016579		0.09	<10	<10	69	<10	44
DD016580		0.07	<10	<10	69	<10	48
DD016581		0.06	<10	<10	75	<10	39
DD016582		0.06	<10	<10	73	<10	43
DD016583		0.04	<10	<10	59	<10	27
DD016584		0.03	<10	<10	75	<10	37
DD016585		0.05	<10	<10	71	<10	34
DD016586		0.08	<10	<10	53	<10	34
DD016587		0.07	<10	<10	47	<10	28
DD016588		0.08	<10	<10	52	<10	33
DD016589		0.09	<10	<10	63	<10	43
DD016590		0.08	<10	<10	64	<10	35
DD016591		0.06	<10	<10	95	<10	48
DD016592		0.05	<10	<10	56	<10	34
DD016593		0.06	<10	<10	53	<10	38
DD016594		0.09	<10	<10	68	<10	35
DD016595		0.13	<10	<10	94	<10	100
DD016596		0.12	<10	<10	86	<10	61
DD016597		0.08	<10	<10	44	<10	36
DD016598		0.07	<10	<10	112	<10	52
DD016599		0.07	<10	<10	69	<10	36
DD016600		0.09	<10	<10	61	<10	42
DD016601		0.10	<10	<10	74	<10	52
DD016602		0.04	<10	<10	73	<10	35
DD016603		0.05	<10	<10	58	<10	43
DD016604		0.06	<10	<10	85	<10	49
DD016605		0.04	<10	<10	97	<10	47
DD016606		0.04	<10	<10	98	<10	42
DD016607		0.04	<10	<10	86	<10	40
DD016608		0.05	<10	<10	42	<10	34
DD016609		0.05	<10	<10	81	<10	40
DD016610		0.03	<10	<10	76	<10	47
DD016611		0.04	<10	<10	102	<10	50



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 3 - A
Total # Pages: 6 (A - C)
Plus Appendix Pages
Finalized Date: 5- JAN- 2012
Account: MTT

Project: KING

CERTIFICATE OF ANALYSIS WH11263500

Sample Description	Method Analyte Units LOR	Au- ICP21 Au ppm 0.001	ME- ICP41 Ag ppm 0.2	ME- ICP41 Al % 0.01	ME- ICP41 As ppm 2	ME- ICP41 B ppm 10	ME- ICP41 Ba ppm 10	ME- ICP41 Be ppm 0.5	ME- ICP41 Bi ppm 2	ME- ICP41 Ca % 0.01	ME- ICP41 Cd ppm 0.5	ME- ICP41 Co ppm 1	ME- ICP41 Cr ppm 1	ME- ICP41 Cu ppm 1	ME- ICP41 Fe % 0.01	ME- ICP41 Ga ppm 10
DD016612		0.020	<0.2	0.85	3	<10	110	<0.5	2	0.91	<0.5	5	15	11	1.75	<10
DD016613		0.002	<0.2	0.66	6	<10	120	<0.5	2	0.80	<0.5	4	12	30	1.50	<10
DD016614		0.007	<0.2	2.59	418	<10	50	0.5	<2	0.93	<0.5	29	57	84	6.21	10
DD016615		0.003	<0.2	2.20	19	<10	150	0.7	<2	0.58	<0.5	10	31	36	3.14	10
DD016616		0.002	<0.2	1.41	6	<10	120	<0.5	2	0.36	<0.5	7	23	18	2.35	<10
DD016617		0.001	<0.2	1.55	3	<10	160	<0.5	2	0.42	<0.5	7	25	19	2.34	10
DD016618		0.001	<0.2	1.61	6	<10	160	<0.5	<2	0.39	<0.5	9	26	18	2.55	10
DD016619		0.001	<0.2	1.54	7	<10	140	<0.5	2	0.45	<0.5	8	21	23	2.41	10
DD016620		0.002	<0.2	1.59	6	<10	130	<0.5	<2	0.47	<0.5	8	26	26	2.52	10
DD016621		0.004	<0.2	1.40	26	<10	110	<0.5	<2	2.58	<0.5	13	25	53	3.29	<10
DD016622		NSS	0.2	0.36	2	30	180	<0.5	<2	4.22	0.5	4	5	49	0.52	<10
DD016623		0.007	<0.2	2.57	18	<10	130	0.7	2	0.47	<0.5	13	35	60	4.14	10
DD016624		0.001	<0.2	0.74	9	<10	70	<0.5	<2	0.34	<0.5	5	11	19	1.35	<10
DD016625		0.001	<0.2	1.63	9	<10	90	<0.5	<2	0.40	<0.5	7	26	23	2.51	10
DD016626		0.002	<0.2	1.39	19	<10	140	<0.5	<2	0.65	<0.5	8	23	24	2.27	<10
DD016627		0.001	<0.2	1.22	11	<10	110	<0.5	<2	0.62	<0.5	7	18	26	1.90	<10
DD016628		0.001	<0.2	1.88	20	<10	120	0.6	<2	0.40	<0.5	10	31	34	3.02	10
DD016629		0.002	<0.2	2.03	47	<10	190	0.5	<2	0.70	<0.5	11	27	51	3.51	10
DD016630		0.001	<0.2	1.45	12	<10	150	<0.5	2	0.31	<0.5	7	21	20	2.45	<10
DD016631		0.259	<0.2	1.55	6	<10	160	<0.5	<2	0.31	<0.5	6	19	18	2.39	10
DD016632		0.001	<0.2	1.97	14	<10	100	0.5	2	0.25	<0.5	7	27	27	2.71	10
DD016633		0.004	<0.2	1.41	9	<10	80	<0.5	<2	0.38	<0.5	6	21	16	2.24	<10
DD016634		0.002	<0.2	1.77	50	<10	80	<0.5	<2	0.22	<0.5	7	18	52	3.16	10
DD016635		0.001	0.2	1.16	34	<10	140	<0.5	<2	1.57	<0.5	8	16	65	2.36	<10
DD016636		0.004	<0.2	1.15	49	<10	90	<0.5	2	1.45	<0.5	9	16	33	2.46	<10
DD016637		0.003	<0.2	1.75	14	<10	200	<0.5	<2	0.63	<0.5	11	25	32	2.97	10
DD016638		0.012	<0.2	1.51	22	<10	100	<0.5	<2	1.85	<0.5	12	24	86	2.94	10
DD016639		NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS
DD016640		0.004	<0.2	1.82	20	<10	150	<0.5	<2	0.56	<0.5	10	27	28	2.96	10
DD016641		0.002	<0.2	1.86	11	<10	170	<0.5	<2	0.47	<0.5	11	21	27	3.25	10
DD016642		0.012	<0.2	2.31	26	<10	180	0.5	<2	0.61	<0.5	15	23	66	4.58	10
DD016643		0.004	<0.2	2.14	18	<10	200	<0.5	<2	0.41	<0.5	11	25	35	3.55	10
DD016644		0.003	<0.2	1.98	14	<10	260	0.5	<2	0.66	<0.5	14	24	30	3.29	10
DD016645		0.018	<0.2	1.03	37	<10	80	<0.5	<2	1.36	<0.5	11	13	39	3.04	<10
DD016646		0.004	<0.2	0.78	27	<10	80	<0.5	<2	1.59	<0.5	10	13	39	2.27	<10
DD016647		0.020	<0.2	0.85	9	<10	80	<0.5	2	0.62	<0.5	8	23	15	2.61	<10
DD016648		0.003	<0.2	1.08	15	<10	140	<0.5	<2	1.07	<0.5	9	19	21	2.38	<10
DD016649		0.002	0.2	0.83	5	<10	100	<0.5	<2	0.62	<0.5	6	19	28	1.90	<10
DD016650		0.001	<0.2	0.72	7	<10	100	<0.5	<2	0.87	<0.5	6	11	14	1.70	<10
DD016651		0.002	<0.2	1.64	21	<10	140	<0.5	<2	0.67	<0.5	10	24	40	2.62	10



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 3 - B
Total # Pages: 6 (A - C)
Plus Appendix Pages
Finalized Date: 5- JAN- 2012
Account: MTT

Project: KING

CERTIFICATE OF ANALYSIS WH11263500

Sample Description	Method Analyte Units LOR	ME- ICP41 Hg ppm 1	ME- ICP41 K % 0.01	ME- ICP41 La ppm 10	ME- ICP41 Mg % 0.01	ME- ICP41 Mn ppm 5	ME- ICP41 Mo ppm 1	ME- ICP41 Na % 0.01	ME- ICP41 Ni ppm 1	ME- ICP41 P ppm 10	ME- ICP41 Pb ppm 2	ME- ICP41 S % 0.01	ME- ICP41 Sb ppm 2	ME- ICP41 Sc ppm 1	ME- ICP41 Sr ppm 1	ME- ICP41 Th ppm 20
DD016612		<1	0.04	10	0.32	161	<1	0.03	7	490	4	0.05	<2	3	55	<20
DD016613		<1	0.05	10	0.26	388	<1	0.04	7	710	3	0.05	<2	3	50	<20
DD016614		1	0.04	10	1.59	1250	1	0.03	49	170	3	0.02	<2	18	31	<20
DD016615		<1	0.08	10	0.67	384	1	0.05	21	270	8	0.02	<2	6	51	<20
DD016616		<1	0.07	10	0.42	309	1	0.03	11	140	5	0.01	<2	3	29	<20
DD016617		<1	0.05	10	0.39	399	<1	0.02	11	160	5	0.01	<2	3	31	<20
DD016618		<1	0.12	10	0.42	675	1	0.01	17	340	8	0.01	<2	5	30	<20
DD016619		<1	0.05	10	0.37	594	<1	0.01	11	290	7	0.01	<2	4	34	<20
DD016620		<1	0.07	10	0.43	290	<1	0.02	14	260	7	0.01	<2	5	42	<20
DD016621		<1	0.05	10	0.66	704	<1	0.03	17	620	3	0.02	2	9	71	<20
DD016622		<1	0.03	<10	0.44	374	<1	0.05	9	1090	<2	0.48	<2	1	280	<20
DD016623		1	0.07	10	0.57	414	<1	0.02	21	120	7	0.01	<2	13	37	<20
DD016624		<1	0.05	<10	0.22	203	<1	0.03	7	320	2	0.02	<2	3	25	<20
DD016625		<1	0.05	10	0.41	201	<1	0.01	11	150	6	0.01	<2	4	30	<20
DD016626		<1	0.07	10	0.50	287	<1	0.03	13	420	3	0.02	<2	5	42	<20
DD016627		<1	0.05	10	0.37	323	<1	0.03	11	290	5	0.02	<2	4	43	<20
DD016628		<1	0.11	10	0.62	312	1	0.02	18	170	8	0.01	2	7	38	<20
DD016629		<1	0.11	10	0.60	472	<1	0.02	16	220	7	0.02	3	9	41	<20
DD016630		<1	0.07	10	0.30	226	<1	0.02	10	150	5	0.01	<2	5	28	<20
DD016631		<1	0.03	<10	0.36	346	<1	0.02	8	260	4	0.01	<2	3	27	<20
DD016632		<1	0.04	10	0.47	218	<1	0.01	15	180	6	0.01	<2	4	24	<20
DD016633		<1	0.04	10	0.38	160	<1	0.05	10	80	5	0.01	<2	4	29	<20
DD016634		<1	0.03	10	0.32	203	<1	0.01	9	200	4	0.01	<2	4	25	<20
DD016635		<1	0.05	10	0.41	374	<1	0.03	11	790	3	0.06	<2	5	75	<20
DD016636		<1	0.06	10	0.46	297	<1	0.03	9	770	3	0.05	<2	5	65	<20
DD016637		<1	0.11	10	0.46	798	<1	0.02	14	470	5	0.01	<2	6	38	<20
DD016638		<1	0.12	10	0.69	460	<1	0.03	16	840	4	0.02	<2	8	63	<20
DD016639		NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS
DD016640		<1	0.07	10	0.51	439	<1	0.02	15	260	4	0.01	2	6	36	<20
DD016641		<1	0.06	10	0.44	568	<1	0.02	11	220	5	0.01	2	6	35	<20
DD016642		1	0.09	10	0.58	676	<1	0.03	15	340	6	0.01	2	11	47	<20
DD016643		<1	0.08	10	0.50	343	<1	0.03	14	290	5	0.01	2	7	34	<20
DD016644		<1	0.05	10	0.50	981	<1	0.02	15	180	5	0.01	<2	7	39	<20
DD016645		<1	0.06	10	0.43	327	<1	0.02	8	630	3	0.04	2	6	62	<20
DD016646		<1	0.05	10	0.33	307	<1	0.02	10	450	3	0.05	<2	5	65	<20
DD016647		<1	0.06	10	0.40	281	<1	0.02	15	620	4	0.02	<2	4	45	<20
DD016648		<1	0.09	10	0.44	699	<1	0.03	14	780	6	0.05	<2	4	71	<20
DD016649		<1	0.07	10	0.34	219	<1	0.02	13	460	4	0.02	<2	4	43	<20
DD016650		<1	0.06	10	0.35	241	<1	0.03	8	550	4	0.01	<2	3	59	<20
DD016651		<1	0.06	10	0.50	584	<1	0.02	13	340	4	0.02	2	6	39	<20



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 3 - C
Total # Pages: 6 (A - C)
Plus Appendix Pages
Finalized Date: 5- JAN- 2012
Account: MTT

Project: KING

CERTIFICATE OF ANALYSIS WH11263500

Sample Description	Method Analyte Units LOR	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41
		Ti	Ti	U	V	W	Zn
		%	ppm	ppm	ppm	ppm	ppm
		0.01	10	10	1	10	2
DD016612		0.05	<10	<10	47	<10	30
DD016613		0.05	<10	<10	42	<10	32
DD016614		0.02	<10	<10	111	<10	116
DD016615		0.10	<10	<10	69	<10	48
DD016616		0.08	<10	<10	53	<10	32
DD016617		0.08	<10	<10	58	<10	33
DD016618		0.08	<10	<10	55	<10	79
DD016619		0.05	<10	<10	57	<10	41
DD016620		0.08	<10	<10	55	<10	41
DD016621		0.05	<10	<10	70	<10	44
DD016622		0.02	<10	<10	14	<10	31
DD016623		0.06	<10	<10	89	<10	42
DD016624		0.04	<10	<10	29	<10	24
DD016625		0.07	<10	<10	58	<10	36
DD016626		0.07	<10	<10	49	<10	39
DD016627		0.04	<10	<10	41	<10	37
DD016628		0.08	<10	<10	63	<10	46
DD016629		0.08	<10	<10	77	<10	50
DD016630		0.07	<10	<10	54	<10	30
DD016631		0.06	<10	<10	60	<10	48
DD016632		0.06	<10	<10	61	<10	38
DD016633		0.07	<10	<10	55	<10	27
DD016634		0.06	<10	<10	74	<10	35
DD016635		0.05	<10	<10	53	<10	39
DD016636		0.05	<10	<10	56	<10	40
DD016637		0.07	<10	<10	63	<10	47
DD016638		0.06	<10	<10	61	<10	52
DD016639		NSS	NSS	NSS	NSS	NSS	NSS
DD016640		0.07	<10	<10	63	<10	43
DD016641		0.05	<10	<10	72	<10	45
DD016642		0.04	<10	<10	96	<10	42
DD016643		0.06	<10	<10	78	<10	40
DD016644		0.06	<10	<10	71	<10	54
DD016645		0.03	<10	<10	55	<10	38
DD016646		0.04	<10	<10	48	<10	34
DD016647		0.06	<10	<10	68	<10	36
DD016648		0.06	<10	<10	48	<10	57
DD016649		0.06	<10	<10	55	<10	37
DD016650		0.04	<10	<10	34	<10	32
DD016651		0.07	<10	<10	57	<10	36



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 4 - A
Total # Pages: 6 (A - C)
Plus Appendix Pages
Finalized Date: 5- JAN- 2012
Account: MTT

Project: KING

CERTIFICATE OF ANALYSIS WH11263500

Sample Description	Method Analyte Units LOR	Au- ICP21 Au ppm 0.001	ME- ICP41 Ag ppm 0.2	ME- ICP41 Al % 0.01	ME- ICP41 As ppm 2	ME- ICP41 B ppm 10	ME- ICP41 Ba ppm 10	ME- ICP41 Be ppm 0.5	ME- ICP41 Bi ppm 2	ME- ICP41 Ca % 0.01	ME- ICP41 Cd ppm 0.5	ME- ICP41 Co ppm 1	ME- ICP41 Cr ppm 1	ME- ICP41 Cu ppm 1	ME- ICP41 Fe % 0.01	ME- ICP41 Ga ppm 10
DD016652		0.002	<0.2	1.36	25	<10	70	<0.5	<2	0.48	<0.5	7	24	22	2.19	<10
DD016653		0.008	<0.2	1.90	17	<10	110	<0.5	<2	0.69	<0.5	10	25	73	3.18	10
DD016654		0.010	<0.2	1.96	13	<10	150	<0.5	<2	0.59	<0.5	10	26	38	3.21	10
DD016655		0.006	<0.2	1.71	16	<10	190	<0.5	<2	5.19	<0.5	12	21	64	3.12	10
DD016656		0.110	<0.2	1.74	8	<10	120	<0.5	<2	0.40	<0.5	7	27	17	2.57	10
DD016657		0.004	<0.2	1.14	7	<10	150	<0.5	<2	0.56	<0.5	8	19	25	2.48	<10
DD016658		0.001	<0.2	1.82	9	<10	140	<0.5	<2	0.43	<0.5	8	24	36	2.63	10
DD016659		0.002	<0.2	1.39	2	<10	70	<0.5	<2	0.65	<0.5	6	22	16	1.82	<10
DD016660		0.001	<0.2	1.34	3	<10	80	<0.5	<2	0.93	<0.5	4	18	30	1.57	10
DD016661		0.004	<0.2	2.63	23	<10	210	0.6	<2	0.54	<0.5	16	31	33	4.36	10
DD016662		0.003	<0.2	1.93	9	<10	440	<0.5	<2	0.71	<0.5	13	24	30	3.31	10
DD016663		0.004	<0.2	2.04	18	<10	190	0.5	<2	0.53	<0.5	13	29	37	3.90	10
DD016664		0.010	<0.2	2.77	21	<10	220	0.5	<2	0.59	<0.5	17	28	44	4.65	10
DD016665		0.004	<0.2	1.54	15	<10	140	<0.5	<2	0.56	<0.5	10	24	32	2.74	<10
DD016666		0.004	<0.2	1.60	21	<10	170	<0.5	<2	1.36	<0.5	13	25	60	3.13	10
DD016667		0.004	<0.2	1.66	66	<10	130	<0.5	<2	1.00	<0.5	16	23	61	4.23	10
DD016668		0.002	<0.2	1.31	13	<10	80	<0.5	<2	0.43	<0.5	6	16	17	2.50	<10
DD016669		0.002	<0.2	0.89	8	<10	120	<0.5	<2	0.58	<0.5	6	15	20	2.16	<10
DD016670		0.001	<0.2	0.65	<2	<10	80	<0.5	<2	0.89	<0.5	5	10	37	1.00	<10
DD016671		0.001	<0.2	1.47	4	<10	130	0.5	<2	0.84	<0.5	9	26	25	2.12	10
DD016672		0.001	<0.2	1.29	5	<10	110	<0.5	<2	0.53	<0.5	7	20	19	2.00	<10
DD016673		0.003	<0.2	1.58	7	<10	200	0.5	<2	0.84	<0.5	10	29	34	2.44	10
DD016674		0.003	<0.2	1.51	6	<10	140	0.5	<2	0.59	<0.5	5	27	20	2.31	10
DD016675		0.003	<0.2	1.45	6	<10	160	<0.5	<2	0.42	<0.5	7	21	21	2.22	10
DD016676		0.001	<0.2	1.39	7	<10	120	<0.5	<2	2.07	<0.5	7	20	29	2.19	<10
DD016677		0.001	<0.2	0.98	3	<10	110	<0.5	<2	0.33	<0.5	5	15	11	1.50	<10
DD016678		0.001	<0.2	1.58	5	<10	120	<0.5	<2	0.50	<0.5	7	24	18	2.07	<10
DD016679		0.003	<0.2	1.40	7	<10	100	<0.5	<2	0.51	<0.5	7	26	24	2.24	<10
DD016680		0.002	<0.2	1.48	7	<10	120	<0.5	<2	0.58	<0.5	8	27	29	2.27	<10
DD016681		<0.001	<0.2	1.52	13	<10	100	<0.5	<2	0.25	<0.5	8	23	18	2.81	<10
DD016682		0.003	<0.2	1.63	6	<10	110	<0.5	<2	0.44	<0.5	7	26	17	2.40	<10
DD016683		0.002	0.2	2.38	16	<10	140	0.5	<2	0.45	<0.5	11	31	36	3.67	10
DD016684		0.001	<0.2	1.28	5	<10	170	<0.5	<2	0.33	<0.5	7	17	21	2.18	<10
DD016685		0.002	<0.2	1.29	7	<10	130	<0.5	<2	0.64	<0.5	7	25	29	2.12	<10
DD016686		0.004	0.2	0.51	2320	<10	120	<0.5	<2	0.66	<0.5	11	27	66	9.99	<10
DD016687		0.003	<0.2	1.47	21	<10	120	<0.5	<2	0.30	<0.5	8	23	18	2.65	<10
DD016688		0.001	<0.2	1.50	19	<10	160	<0.5	<2	0.66	<0.5	8	27	19	2.48	<10
DD016689		0.002	<0.2	1.76	17	<10	80	<0.5	<2	0.57	<0.5	8	27	51	2.86	10
DD016690		0.005	<0.2	2.25	8	<10	70	0.5	<2	0.21	<0.5	7	30	62	3.05	10
DD016691		0.002	<0.2	2.10	8	<10	50	0.5	<2	0.33	<0.5	6	31	87	2.56	10



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 4 - B
Total # Pages: 6 (A - C)
Plus Appendix Pages
Finalized Date: 5- JAN- 2012
Account: MTT

Project: KING

CERTIFICATE OF ANALYSIS WH11263500

Sample Description	Method Analyte Units LOR	ME- ICP41 Hg ppm 1	ME- ICP41 K % 0.01	ME- ICP41 La ppm 10	ME- ICP41 Mg % 0.01	ME- ICP41 Mn ppm 5	ME- ICP41 Mo ppm 1	ME- ICP41 Na % 0.01	ME- ICP41 Ni ppm 1	ME- ICP41 P ppm 10	ME- ICP41 Pb ppm 2	ME- ICP41 S % 0.01	ME- ICP41 Sb ppm 2	ME- ICP41 Sc ppm 1	ME- ICP41 Sr ppm 1	ME- ICP41 Th ppm 20
DD016652		<1	0.06	10	0.40	231	<1	0.02	11	430	3	0.01	<2	5	29	<20
DD016653		<1	0.04	10	0.51	355	<1	0.03	11	210	4	0.01	<2	7	40	<20
DD016654		1	0.07	10	0.47	415	<1	0.02	11	320	3	<0.01	<2	6	38	<20
DD016655		<1	0.05	10	0.75	462	<1	0.05	16	280	3	0.01	<2	9	134	<20
DD016656		<1	0.03	10	0.41	211	<1	0.02	12	170	3	<0.01	<2	4	27	<20
DD016657		<1	0.07	10	0.33	435	<1	0.03	10	390	4	<0.01	<2	6	54	<20
DD016658		<1	0.04	10	0.45	361	<1	0.01	12	190	3	<0.01	<2	4	29	<20
DD016659		<1	0.08	10	0.57	193	<1	0.02	10	260	3	0.03	<2	4	34	<20
DD016660		<1	0.09	<10	0.52	145	<1	0.02	6	340	2	0.03	<2	4	46	<20
DD016661		<1	0.09	10	0.70	635	<1	0.04	16	370	4	<0.01	<2	8	39	<20
DD016662		<1	0.14	10	0.50	1890	<1	0.04	15	500	4	<0.01	<2	6	51	<20
DD016663		<1	0.09	10	0.54	593	1	0.03	15	300	4	<0.01	<2	8	39	<20
DD016664		<1	0.13	10	0.71	736	<1	0.02	15	470	4	<0.01	<2	10	43	<20
DD016665		<1	0.10	10	0.47	565	<1	0.02	13	320	2	<0.01	<2	6	31	<20
DD016666		<1	0.10	10	0.66	783	<1	0.03	16	470	3	0.02	<2	7	56	<20
DD016667		<1	0.08	10	0.69	1150	1	0.03	13	430	4	0.02	<2	8	58	<20
DD016668		<1	0.04	<10	0.30	183	<1	0.01	7	120	4	<0.01	<2	3	27	<20
DD016669		<1	0.05	10	0.31	337	<1	0.03	9	500	4	<0.01	<2	4	52	<20
DD016670		<1	0.05	<10	0.27	244	<1	0.04	9	720	2	0.03	<2	2	51	<20
DD016671		<1	0.06	10	0.46	234	<1	0.02	13	320	5	0.01	<2	4	50	<20
DD016672		<1	0.06	10	0.38	237	<1	0.03	10	290	3	0.01	<2	3	43	<20
DD016673		<1	0.08	10	0.57	555	<1	0.03	18	490	6	0.01	<2	5	58	<20
DD016674		<1	0.08	10	0.53	193	<1	0.02	15	490	4	<0.01	<2	5	44	<20
DD016675		<1	0.06	10	0.39	469	1	0.02	11	310	4	<0.01	<2	3	32	<20
DD016676		<1	0.07	10	0.38	249	<1	0.04	11	290	5	0.02	<2	4	74	<20
DD016677		<1	0.05	<10	0.26	287	<1	0.02	7	260	3	<0.01	<2	2	23	<20
DD016678		<1	0.06	10	0.45	257	<1	0.02	15	160	6	0.01	<2	3	34	<20
DD016679		<1	0.06	10	0.49	269	<1	0.03	16	210	4	<0.01	<2	5	40	<20
DD016680		<1	0.10	10	0.60	292	<1	0.02	18	570	5	0.01	<2	5	42	<20
DD016681		<1	0.06	10	0.44	229	1	0.02	11	80	4	<0.01	<2	4	24	<20
DD016682		<1	0.11	10	0.52	263	1	0.02	13	290	4	<0.01	<2	4	33	<20
DD016683		<1	0.06	10	0.53	374	1	0.02	16	160	4	0.01	<2	10	40	<20
DD016684		<1	0.04	10	0.33	513	1	0.02	9	260	4	<0.01	<2	3	28	<20
DD016685		<1	0.07	10	0.48	315	<1	0.03	15	590	3	<0.01	<2	5	41	<20
DD016686		<1	0.67	10	0.24	251	3	0.07	14	640	3	2.41	<2	6	154	<20
DD016687		<1	0.07	10	0.42	250	1	0.03	11	150	5	0.01	<2	3	32	<20
DD016688		<1	0.10	10	0.44	348	1	0.03	14	260	5	0.01	<2	5	40	<20
DD016689		<1	0.06	10	0.51	365	<1	0.03	13	240	5	0.01	<2	6	29	<20
DD016690		<1	0.02	10	0.56	253	1	0.07	16	100	4	<0.01	<2	5	15	<20
DD016691		<1	0.03	10	0.47	187	1	0.03	15	160	3	0.01	<2	7	18	<20



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 4 - C
Total # Pages: 6 (A - C)
Plus Appendix Pages
Finalized Date: 5- JAN- 2012
Account: MTT

Project: KING

CERTIFICATE OF ANALYSIS WH11263500

Sample Description	Method Analyte Units LOR	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41
		Ti	Ti	U	V	W	Zn
		% 0.01	ppm 10	ppm 10	ppm 1	ppm 10	ppm 2
DD016652		0.09	<10	<10	51	<10	28
DD016653		0.06	<10	<10	71	<10	35
DD016654		0.08	<10	<10	71	<10	36
DD016655		0.04	<10	<10	66	<10	34
DD016656		0.08	<10	<10	62	<10	39
DD016657		0.04	<10	<10	55	<10	42
DD016658		0.07	<10	<10	64	<10	45
DD016659		0.09	<10	<10	39	<10	50
DD016660		0.07	<10	<10	36	<10	134
DD016661		0.07	<10	<10	92	<10	64
DD016662		0.06	<10	<10	69	<10	79
DD016663		0.06	<10	<10	84	<10	54
DD016664		0.05	<10	<10	100	<10	56
DD016665		0.07	<10	<10	61	<10	42
DD016666		0.06	<10	<10	65	<10	46
DD016667		0.04	<10	<10	88	<10	57
DD016668		0.05	<10	<10	59	<10	30
DD016669		0.05	<10	<10	51	<10	34
DD016670		0.04	<10	<10	21	<10	29
DD016671		0.08	<10	<10	55	<10	45
DD016672		0.07	<10	<10	45	<10	34
DD016673		0.09	<10	<10	52	<10	52
DD016674		0.09	<10	<10	49	<10	37
DD016675		0.06	<10	<10	53	<10	42
DD016676		0.05	<10	<10	47	<10	51
DD016677		0.06	<10	<10	36	<10	36
DD016678		0.08	<10	<10	53	<10	38
DD016679		0.10	<10	<10	52	<10	39
DD016680		0.09	<10	<10	51	<10	48
DD016681		0.06	<10	<10	61	<10	30
DD016682		0.10	<10	<10	52	<10	41
DD016683		0.06	<10	<10	83	<10	47
DD016684		0.06	<10	<10	52	<10	34
DD016685		0.09	<10	<10	48	<10	36
DD016686		<0.01	<10	<10	115	<10	45
DD016687		0.07	<10	<10	62	<10	38
DD016688		0.09	<10	<10	56	<10	47
DD016689		0.09	<10	<10	69	<10	48
DD016690		0.13	<10	<10	93	<10	53
DD016691		0.10	<10	<10	69	<10	35



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 5 - A
Total # Pages: 6 (A - C)
Plus Appendix Pages
Finalized Date: 5- JAN- 2012
Account: MTT

Project: KING

CERTIFICATE OF ANALYSIS WH11263500

Sample Description	Method Analyte Units LOR	Au- ICP21	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41
		Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Ga
		ppm 0.001	ppm 0.2	% 0.01	ppm 2	ppm 10	ppm 10	ppm 0.5	ppm 2	% 0.01	ppm 0.5	ppm 1	ppm 1	ppm 1	% 0.01	ppm 10
DD016692		0.004	<0.2	1.71	9	<10	160	<0.5	<2	0.44	<0.5	10	28	38	2.82	<10
DD016693		0.004	<0.2	1.09	9	<10	140	<0.5	<2	0.51	<0.5	6	16	24	2.41	<10
DD016694		0.003	<0.2	1.85	10	<10	150	<0.5	<2	0.67	<0.5	9	24	19	2.82	10
DD016695		0.010	0.2	2.08	30	<10	210	0.5	<2	1.53	<0.5	14	22	56	4.19	10
DD016696		0.006	<0.2	1.92	13	<10	180	0.5	<2	0.48	<0.5	9	27	27	3.11	10
DD016697		0.195	<0.2	2.50	8	<10	140	<0.5	<2	0.87	<0.5	19	24	69	4.20	10
DD016698		0.012	0.2	2.55	30	<10	220	0.5	<2	0.85	<0.5	18	24	74	4.82	10
DD016699		0.008	<0.2	1.79	14	<10	160	<0.5	<2	0.55	<0.5	9	29	32	3.01	<10
DD016700		0.005	0.2	2.14	20	<10	290	0.5	<2	0.76	<0.5	17	25	46	3.98	10
DD016701		0.004	0.2	1.07	8	<10	140	<0.5	<2	0.71	<0.5	8	19	25	2.34	<10
DD016702		0.002	<0.2	0.99	8	<10	160	<0.5	<2	1.23	<0.5	9	16	22	2.15	<10
DD016703		<0.001	<0.2	2.09	11	<10	140	0.5	<2	0.59	<0.5	10	29	26	3.12	10
DD016704		0.002	<0.2	1.88	11	<10	140	0.6	<2	0.52	<0.5	8	32	26	2.82	10
DD016705		0.002	<0.2	1.77	8	<10	110	<0.5	<2	0.48	<0.5	7	27	14	2.62	10
DD016706		0.001	<0.2	1.96	18	<10	150	0.5	<2	0.44	<0.5	8	36	24	2.96	10
DD016707		0.002	<0.2	1.49	10	<10	150	<0.5	<2	0.51	<0.5	8	22	21	2.29	<10
DD016708		0.001	0.2	1.45	5	<10	160	<0.5	<2	0.73	<0.5	7	24	15	2.16	<10
DD016709		0.001	<0.2	1.37	6	<10	130	<0.5	<2	0.71	<0.5	7	25	15	2.11	<10
DD016710		0.001	<0.2	1.93	15	<10	130	<0.5	<2	0.53	<0.5	11	27	41	3.05	10
DD016711		<0.001	<0.2	1.60	4	<10	180	0.5	<2	0.62	<0.5	8	27	18	2.36	<10
DD016712		0.002	<0.2	1.79	29	<10	150	<0.5	<2	0.71	<0.5	13	27	44	3.55	<10
DD016713		0.001	<0.2	1.11	8	<10	150	<0.5	<2	0.88	<0.5	5	18	29	1.55	<10
DD016714		0.009	<0.2	0.23	10	40	100	<0.5	<2	5.88	<0.5	2	3	22	0.51	<10
DD016715		0.013	<0.2	1.71	8	<10	210	<0.5	<2	1.37	<0.5	9	26	26	2.45	10
DD016716		0.002	<0.2	2.25	21	<10	100	<0.5	<2	0.33	<0.5	9	23	66	3.04	10
DD016717		0.001	<0.2	2.20	12	<10	120	<0.5	<2	0.44	<0.5	10	29	21	2.89	10
DD016718		0.001	<0.2	1.63	10	<10	120	<0.5	<2	0.29	<0.5	8	23	31	2.71	<10
DD016719		0.003	<0.2	1.78	13	<10	130	<0.5	<2	0.44	<0.5	7	25	19	2.52	10
DD016720		0.004	<0.2	1.56	28	<10	110	<0.5	<2	0.56	<0.5	8	24	45	2.46	<10
DD016721		0.003	<0.2	1.40	76	<10	140	<0.5	<2	1.15	<0.5	9	19	35	2.67	<10
DD016722		NSS	<0.2	1.96	24	<10	150	0.5	<2	0.60	<0.5	12	21	77	3.06	10
DD016723		<0.001	<0.2	2.05	13	<10	130	<0.5	<2	0.39	<0.5	11	21	23	3.41	10
DD016724		0.005	<0.2	1.67	17	<10	230	<0.5	<2	0.50	<0.5	13	26	32	2.72	10
DD016725		0.001	<0.2	1.77	15	<10	160	<0.5	<2	0.59	<0.5	9	26	18	2.67	10
DD016726		0.005	<0.2	1.53	12	<10	150	<0.5	<2	0.89	<0.5	8	23	38	2.68	<10
DD016727		0.001	<0.2	1.63	9	<10	250	<0.5	<2	2.16	<0.5	11	26	32	2.48	10
DD016728		<0.001	<0.2	1.90	4	<10	100	<0.5	<2	0.58	<0.5	8	16	15	1.98	10
DD016729		0.005	<0.2	1.97	14	<10	240	<0.5	<2	0.72	<0.5	12	23	31	3.15	10
DD016730		0.006	<0.2	2.39	19	<10	220	<0.5	<2	0.52	<0.5	13	24	38	3.84	10
DD016731		0.034	<0.2	1.88	22	<10	170	<0.5	<2	1.08	<0.5	14	18	56	3.75	10



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 5 - B
Total # Pages: 6 (A - C)
Plus Appendix Pages
Finalized Date: 5- JAN- 2012
Account: MTT

Project: KING

CERTIFICATE OF ANALYSIS WH11263500

Sample Description	Method Analyte Units LOR	ME- ICP41 Hg ppm 1	ME- ICP41 K % 0.01	ME- ICP41 La ppm 10	ME- ICP41 Mg % 0.01	ME- ICP41 Mn ppm 5	ME- ICP41 Mo ppm 1	ME- ICP41 Na % 0.01	ME- ICP41 Ni ppm 1	ME- ICP41 P ppm 10	ME- ICP41 Pb ppm 2	ME- ICP41 S % 0.01	ME- ICP41 Sb ppm 2	ME- ICP41 Sc ppm 1	ME- ICP41 Sr ppm 1	ME- ICP41 Th ppm 20
DD016692		<1	0.06	10	0.46	451	1	0.03	15	120	5	<0.01	<2	6	26	<20
DD016693		<1	0.04	10	0.29	335	1	0.03	11	210	4	0.01	<2	6	56	<20
DD016694		<1	0.09	10	0.64	344	<1	0.03	13	340	3	0.02	<2	5	39	<20
DD016695		<1	0.10	10	0.73	780	<1	0.04	17	300	4	0.02	<2	11	74	<20
DD016696		<1	0.08	10	0.55	487	1	0.02	15	230	5	0.01	<2	7	32	<20
DD016697		<1	0.09	10	1.14	443	<1	0.05	18	310	4	0.03	<2	13	51	<20
DD016698		<1	0.07	10	0.81	893	<1	0.06	16	280	3	0.01	<2	15	56	<20
DD016699		<1	0.14	10	0.51	320	<1	0.03	17	400	4	0.01	<2	7	36	<20
DD016700		<1	0.10	10	0.55	1535	1	0.03	17	290	6	0.01	<2	9	46	<20
DD016701		<1	0.09	10	0.42	380	1	0.03	10	800	6	0.02	<2	5	58	<20
DD016702		<1	0.08	10	0.39	793	1	0.04	12	710	4	0.05	<2	4	79	<20
DD016703		<1	0.42	10	0.46	496	1	0.02	14	300	6	0.02	<2	7	42	<20
DD016704		<1	0.08	10	0.53	210	1	0.02	19	120	6	0.01	<2	7	40	<20
DD016705		<1	0.06	10	0.49	262	1	0.02	12	200	6	0.01	2	4	37	<20
DD016706		1	0.08	10	0.55	242	1	0.02	16	190	8	0.01	<2	6	38	<20
DD016707		<1	0.08	10	0.41	427	1	0.03	13	360	6	0.01	<2	4	43	<20
DD016708		<1	0.07	10	0.52	193	1	0.03	13	430	6	0.02	<2	4	48	<20
DD016709		<1	0.10	10	0.52	270	<1	0.03	12	240	5	0.02	<2	4	47	<20
DD016710		<1	0.05	10	0.47	640	1	0.03	15	370	4	0.01	<2	6	34	<20
DD016711		<1	0.06	10	0.43	621	<1	0.03	16	210	6	0.01	2	4	40	<20
DD016712		<1	0.05	10	0.56	657	<1	0.04	14	310	3	0.01	<2	9	48	<20
DD016713		<1	0.05	10	0.37	349	<1	0.06	14	400	5	0.04	<2	3	52	<20
DD016714		<1	0.02	<10	0.57	223	<1	0.07	4	680	<2	0.53	<2	<1	163	<20
DD016715		<1	0.09	10	0.64	786	<1	0.05	15	350	7	0.04	<2	5	72	<20
DD016716		<1	0.05	10	0.46	499	<1	0.05	14	330	5	0.03	2	6	23	<20
DD016717		<1	0.03	10	0.48	320	<1	0.05	14	230	8	0.02	<2	4	28	<20
DD016718		<1	0.06	10	0.38	309	<1	0.06	11	130	5	0.01	<2	4	24	<20
DD016719		<1	0.04	10	0.43	208	<1	0.05	12	160	6	0.01	<2	4	33	<20
DD016720		1	0.08	10	0.44	295	<1	0.05	14	360	4	0.01	<2	5	33	<20
DD016721		<1	0.07	10	0.52	543	<1	0.05	10	680	4	0.04	<2	6	54	<20
DD016722		<1	0.06	10	0.51	483	<1	0.05	15	220	3	0.02	<2	8	39	<20
DD016723		<1	0.03	10	0.49	324	<1	0.06	10	130	4	0.01	<2	5	27	<20
DD016724		<1	0.11	10	0.46	637	<1	0.04	15	500	4	0.01	<2	6	33	<20
DD016725		<1	0.06	10	0.39	448	<1	0.04	13	160	6	0.01	<2	4	32	<20
DD016726		<1	0.07	10	0.55	511	<1	0.05	14	720	4	0.04	<2	7	41	<20
DD016727		<1	0.09	10	0.46	446	<1	0.05	18	350	5	0.03	<2	4	61	<20
DD016728		<1	0.09	<10	0.61	243	<1	0.05	8	550	3	0.02	<2	5	30	<20
DD016729		<1	0.10	10	0.48	755	<1	0.06	14	380	4	0.01	2	6	46	<20
DD016730		<1	0.11	10	0.54	690	<1	0.04	16	710	5	0.01	<2	7	40	<20
DD016731		<1	0.08	10	0.56	550	<1	0.06	13	510	3	0.02	<2	9	58	<20



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 5 - C
Total # Pages: 6 (A - C)
Plus Appendix Pages
Finalized Date: 5- JAN- 2012
Account: MTT

Project: KING

CERTIFICATE OF ANALYSIS WH11263500

Sample Description	Method Analyte Units LOR	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41
		Ti	Ti	U	V	W	Zn
		%	ppm	ppm	ppm	ppm	ppm
		0.01	10	10	1	10	2
DD016692		0.09	<10	<10	66	<10	33
DD016693		0.05	<10	<10	56	<10	32
DD016694		0.07	<10	<10	63	<10	42
DD016695		0.04	<10	<10	88	<10	50
DD016696		0.07	<10	<10	66	<10	43
DD016697		0.07	<10	<10	112	<10	58
DD016698		0.03	<10	<10	106	<10	44
DD016699		0.08	<10	<10	66	<10	39
DD016700		0.06	<10	<10	85	<10	67
DD016701		0.07	<10	<10	57	<10	50
DD016702		0.05	<10	<10	46	<10	46
DD016703		0.07	<10	<10	72	<10	39
DD016704		0.09	<10	<10	65	<10	38
DD016705		0.07	<10	<10	62	<10	52
DD016706		0.09	<10	<10	68	<10	45
DD016707		0.05	<10	<10	49	<10	49
DD016708		0.08	<10	<10	50	<10	45
DD016709		0.09	<10	<10	48	<10	42
DD016710		0.06	<10	<10	73	<10	48
DD016711		0.09	<10	<10	55	<10	42
DD016712		0.06	<10	<10	82	<10	44
DD016713		0.07	<10	<10	38	<10	45
DD016714		0.02	<10	<10	10	<10	21
DD016715		0.09	<10	<10	54	<10	49
DD016716		0.08	<10	<10	82	<10	78
DD016717		0.09	<10	<10	74	<10	48
DD016718		0.08	<10	<10	66	<10	36
DD016719		0.08	<10	<10	63	<10	36
DD016720		0.09	<10	<10	56	<10	38
DD016721		0.06	<10	<10	59	<10	49
DD016722		0.06	<10	<10	69	<10	37
DD016723		0.05	<10	<10	80	<10	42
DD016724		0.08	<10	<10	69	<10	50
DD016725		0.07	<10	<10	60	<10	44
DD016726		0.07	<10	<10	57	<10	45
DD016727		0.07	<10	<10	52	<10	87
DD016728		0.06	<10	<10	50	<10	38
DD016729		0.06	<10	<10	71	<10	52
DD016730		0.05	<10	<10	82	<10	52
DD016731		0.02	<10	<10	86	<10	39



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 6 - A
Total # Pages: 6 (A - C)
Plus Appendix Pages
Finalized Date: 5- JAN- 2012
Account: MTT

Project: KING

CERTIFICATE OF ANALYSIS WH11263500

Sample Description	Method Analyte Units LOR	Au- ICP21 Au ppm 0.001	ME- ICP41 Ag ppm 0.2	ME- ICP41 Al % 0.01	ME- ICP41 As ppm 2	ME- ICP41 B ppm 10	ME- ICP41 Ba ppm 10	ME- ICP41 Be ppm 0.5	ME- ICP41 Bi ppm 2	ME- ICP41 Ca % 0.01	ME- ICP41 Cd ppm 0.5	ME- ICP41 Co ppm 1	ME- ICP41 Cr ppm 1	ME- ICP41 Cu ppm 1	ME- ICP41 Fe % 0.01	ME- ICP41 Ga ppm 10
DD016732		0.007	<0.2	1.79	50	<10	110	<0.5	<2	1.08	<0.5	15	20	92	3.76	10
DD016733		0.009	<0.2	1.30	48	<10	130	<0.5	<2	1.49	<0.5	12	18	85	2.86	<10
DD016734		0.007	<0.2	1.29	29	<10	190	<0.5	<2	1.74	<0.5	12	14	102	3.10	<10
DD016735		0.002	<0.2	1.11	7	<10	120	<0.5	<2	1.11	<0.5	6	19	25	2.09	<10
DD016736		0.008	<0.2	1.94	42	<10	180	0.5	<2	0.73	<0.5	13	22	75	3.87	10
DD016737		<0.001	<0.2	2.45	57	<10	140	<0.5	<2	0.44	<0.5	12	24	40	3.97	10
DD016738		0.002	<0.2	2.17	32	<10	160	<0.5	<2	0.51	<0.5	12	28	23	3.52	10
DD016739		0.001	<0.2	1.69	22	<10	160	<0.5	<2	0.55	<0.5	9	25	27	2.74	10
DD016740		0.006	0.2	1.93	9	<10	320	0.5	<2	0.52	<0.5	12	24	38	2.97	10
DD016741		0.001	<0.2	1.90	16	<10	160	<0.5	<2	0.62	<0.5	9	29	21	2.72	10
DD016742		0.001	<0.2	1.71	12	<10	140	<0.5	<2	0.50	<0.5	8	22	28	2.75	10
DD016743		0.001	<0.2	0.75	6	<10	90	<0.5	<2	0.67	<0.5	4	11	14	1.17	<10
DD016744		0.002	<0.2	1.97	22	<10	130	<0.5	<2	0.48	<0.5	8	28	27	2.80	10
DD016745		0.002	<0.2	1.55	20	<10	130	<0.5	<2	0.78	<0.5	8	25	28	2.40	<10
DD016746		0.001	<0.2	1.90	23	<10	140	<0.5	<2	0.66	<0.5	10	31	32	2.96	10
DD016747		0.002	<0.2	1.49	14	<10	160	<0.5	<2	1.01	<0.5	8	27	40	2.28	<10
DD016748		<0.001	<0.2	2.07	27	<10	120	<0.5	<2	0.55	<0.5	8	26	33	3.07	10
DD016749		0.001	0.2	1.75	49	<10	140	<0.5	<2	0.55	<0.5	11	24	56	2.88	10
DD016750		0.001	0.2	1.90	20	<10	150	<0.5	<2	0.60	<0.5	11	39	29	2.89	10
DD016751		0.001	0.2	1.57	10	<10	160	<0.5	<2	0.52	<0.5	8	28	18	2.29	<10
DD016752		0.002	<0.2	1.00	11	<10	100	<0.5	<2	1.06	<0.5	6	14	66	1.77	<10
DD016753		0.004	0.2	0.89	13	<10	100	<0.5	<2	1.22	<0.5	6	14	39	1.60	<10
DD016754		0.008	<0.2	1.98	44	<10	120	<0.5	<2	0.56	<0.5	13	23	41	4.04	10
DD016755		0.002	0.2	2.44	37	<10	150	<0.5	<2	0.54	<0.5	17	25	31	4.32	10
DD016756		0.003	<0.2	2.14	20	<10	160	0.5	<2	0.49	<0.5	11	32	31	3.35	10
DD016757		0.005	0.2	1.16	40	<10	110	<0.5	<2	0.50	<0.5	7	14	24	2.12	<10
DD016758		0.012	0.2	1.72	18	<10	170	<0.5	<2	0.85	<0.5	14	21	79	3.72	10
DD016759		0.010	<0.2	1.54	15	<10	140	<0.5	<2	0.67	<0.5	12	19	53	3.43	<10
DD016760		0.008	0.2	2.26	35	<10	130	<0.5	<2	0.97	<0.5	16	21	73	3.96	10
DD016761		0.027	0.2	2.03	25	<10	180	<0.5	<2	1.38	<0.5	18	21	90	4.02	10



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 6 - B
Total # Pages: 6 (A - C)
Plus Appendix Pages
Finalized Date: 5- JAN- 2012
Account: MTT

Project: KING

CERTIFICATE OF ANALYSIS WH11263500

Sample Description	Method Analyte Units LOR	ME- ICP41 Hg ppm 1	ME- ICP41 K % 0.01	ME- ICP41 La ppm 10	ME- ICP41 Mg % 0.01	ME- ICP41 Mn ppm 5	ME- ICP41 Mo ppm 1	ME- ICP41 Na % 0.01	ME- ICP41 Ni ppm 1	ME- ICP41 P ppm 10	ME- ICP41 Pb ppm 2	ME- ICP41 S % 0.01	ME- ICP41 Sb ppm 2	ME- ICP41 Sc ppm 1	ME- ICP41 Sr ppm 1	ME- ICP41 Th ppm 20
DD016732		<1	0.05	10	0.52	757	<1	0.07	14	320	4	0.03	<2	9	48	<20
DD016733		<1	0.06	10	0.43	498	<1	0.07	13	670	3	0.06	<2	8	82	<20
DD016734		<1	0.07	10	0.54	1660	<1	0.06	13	640	4	0.08	2	10	80	<20
DD016735		<1	0.10	10	0.42	239	<1	0.06	11	630	6	0.06	<2	5	67	<20
DD016736		<1	0.14	10	0.52	898	<1	0.04	19	440	7	0.04	<2	9	58	<20
DD016737		<1	0.06	10	0.51	552	<1	0.05	14	210	6	0.02	<2	7	32	<20
DD016738		<1	0.07	10	0.45	658	<1	0.04	15	240	8	0.01	<2	6	34	<20
DD016739		<1	0.07	10	0.44	618	<1	0.04	14	410	6	0.01	<2	5	39	<20
DD016740		<1	0.06	10	0.36	1240	1	0.04	15	320	7	0.01	<2	4	52	<20
DD016741		<1	0.07	10	0.58	368	<1	0.05	15	390	4	0.02	<2	6	41	<20
DD016742		<1	0.06	10	0.43	266	<1	0.04	12	170	6	0.02	<2	4	35	<20
DD016743		<1	0.04	<10	0.22	694	<1	0.07	5	470	<2	0.04	<2	2	39	<20
DD016744		<1	0.05	10	0.42	198	<1	0.05	15	210	3	0.01	<2	4	31	<20
DD016745		<1	0.06	10	0.56	384	<1	0.05	13	680	4	0.03	<2	5	43	<20
DD016746		<1	0.07	10	0.55	389	<1	0.05	18	250	5	0.02	<2	6	42	<20
DD016747		<1	0.05	10	0.48	299	<1	0.06	17	650	3	0.04	<2	5	57	<20
DD016748		<1	0.06	10	0.48	237	<1	0.04	14	200	5	0.01	2	5	39	<20
DD016749		<1	0.06	10	0.72	461	1	0.03	24	430	5	0.01	<2	5	34	<20
DD016750		<1	0.04	10	0.75	406	1	0.03	34	280	5	0.01	<2	5	40	<20
DD016751		<1	0.05	10	0.44	343	<1	0.03	14	200	4	<0.01	<2	5	31	<20
DD016752		<1	0.04	10	0.32	257	<1	0.04	10	510	2	0.02	<2	3	48	<20
DD016753		<1	0.05	10	0.36	318	1	0.04	8	700	<2	0.05	<2	3	55	<20
DD016754		<1	0.13	10	0.57	514	<1	0.03	12	610	3	0.01	<2	9	41	<20
DD016755		1	0.13	10	0.63	1035	<1	0.03	12	850	3	<0.01	<2	7	35	<20
DD016756		<1	0.14	10	0.62	389	<1	0.03	15	480	3	<0.01	<2	8	30	<20
DD016757		<1	0.06	10	0.29	451	1	0.03	9	260	2	<0.01	<2	4	28	<20
DD016758		<1	0.06	10	0.61	620	<1	0.05	17	280	4	0.01	<2	11	47	<20
DD016759		<1	0.06	10	0.52	612	<1	0.04	13	260	2	<0.01	<2	9	40	<20
DD016760		1	0.09	10	0.64	600	<1	0.07	15	230	<2	0.01	<2	12	53	<20
DD016761		<1	0.09	10	0.66	1265	<1	0.04	15	440	<2	0.02	<2	11	58	<20



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
 C/ O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016- 510 W HASTINGS ST
 VANCOUVER BC V6B 1L8

Page: 6 - C
 Total # Pages: 6 (A - C)
 Plus Appendix Pages
 Finalized Date: 5- JAN- 2012
 Account: MTT

Project: KING

CERTIFICATE OF ANALYSIS WH11263500

Sample Description	Method Analyte Units LOR	ME- ICP41 Ti %	ME- ICP41 Ti ppm	ME- ICP41 U ppm	ME- ICP41 V ppm	ME- ICP41 W ppm	ME- ICP41 Zn ppm
		0.01	10	10	1	10	2
DD016732		0.04	<10	<10	78	<10	43
DD016733		0.04	<10	<10	60	<10	41
DD016734		0.02	<10	<10	54	<10	44
DD016735		0.07	<10	<10	51	<10	42
DD016736		0.06	<10	<10	83	<10	68
DD016737		0.07	<10	<10	98	<10	45
DD016738		0.08	<10	<10	85	<10	67
DD016739		0.08	<10	<10	63	<10	47
DD016740		0.05	<10	<10	73	<10	52
DD016741		0.11	<10	<10	61	<10	44
DD016742		0.07	<10	<10	69	<10	47
DD016743		0.04	<10	<10	27	<10	24
DD016744		0.07	<10	<10	71	<10	30
DD016745		0.09	<10	<10	54	<10	38
DD016746		0.08	<10	<10	73	<10	44
DD016747		0.06	<10	<10	51	<10	41
DD016748		0.07	<10	<10	75	<10	40
DD016749		0.08	<10	<10	76	<10	49
DD016750		0.07	<10	<10	70	<10	41
DD016751		0.09	<10	<10	56	<10	43
DD016752		0.06	<10	<10	40	<10	24
DD016753		0.05	<10	<10	39	<10	27
DD016754		0.04	<10	<10	89	<10	60
DD016755		0.05	<10	<10	96	<10	154
DD016756		0.08	<10	<10	76	<10	44
DD016757		0.04	<10	<10	48	<10	31
DD016758		0.04	<10	<10	83	<10	39
DD016759		0.05	<10	<10	75	<10	35
DD016760		0.05	<10	<10	91	<10	34
DD016761		0.03	<10	<10	94	<10	42



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com


To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: KING

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 5- JAN- 2012
Account: MTT

CERTIFICATE OF ANALYSIS WH11263500

Method	CERTIFICATE COMMENTS
ALL METHODS	NSS is non- sufficient sample.



096046

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 West Hastings Street
Vancouver, B.C. V6B 1L8

Telephone: 604-688-2568

Fax: 604-688-2578

AFFIDAVIT



I, Joan Mariacher, of Vancouver, B.C. make oath and say:

That to the best of my knowledge the attached Statement of
Expenditures for exploration work on the King 1-82 mineral
claims on claim sheet 105H/9 is accurate.


Joan Mariacher

 Sworn before me at Vancouver, B.C.

this 16th day of February 2012.


Barrister & Solicitor

IAN J. TALBOT
Barrister & Solicitor
281 East 5th Street
North Vancouver
British Columbia
Canada V7L 1L8

096046

Statement of Expenditures
King 1-82 Mineral Claims
February 13, 2012

Expenses

ALS Chemex

\$61,394.44