NTS 115H/10
Lat: 61° 43” N
Long: 136° 38’ W

ASSESSMENT REPORT

on the

MINK PROPERTY

Mink 1 to 24 - YD154155 to YD154178

Whitehorse Mining District, Yukon, Canada

Reconnaissance Geological, Geochemical and Prospecting Surveys

Work Period: 10 July 2011

for

YES EXPLORATION SYNDICATE INC (Operator)
Suite 1018 – 475 Howe Street
Vancouver, BC V6C2B3
Phone: 604-986-5275

by

Edward Harrington, B.Sc., P.Geo.

RELIANCE GEOLOGICAL SERVICES INC
3476 Dartmoor Place, Vancouver, BC, V5S 4G2
Tel: 604-984-3663 Fax: 604-437-9531

18 June 2012

TABLE of CONTENTS

LIST of FIGURES

LIST of TABLES

LIST of APPENDICES

1.0 INTRODUCTION

This Assessment Report outlines work carried out on the MINK Property (the "Property"), which is located in the Whitehorse Mining District, Yukon.

This Assessment Report summarizes previous work, and describes geological, geochemical soil sampling, and prospecting surveys carried out on 10 July 2011. This report is based on geological and geochemical reports, a compilation of published and unpublished data, maps, and reports made by cited persons.

The author is a "qualified person" within the meaning of National Instrument 43-101 of the Canadian Securities Administrators.

2.0 DESCRIPTIONS, LOCATIONS, and OWNERSHIP of CLAIMS

The claims comprising the Property are located in the Whitehorse Mining District of Yukon, Canada, as shown on Map Sheet NTS 115H/10. The Property area is centered at latitude 61^{o} 43' North, longitude 136^{o} 38' West, and UTM 6844500 m North, and UTM 413500 m East (Figures 1 and 2).

The Property is located approximately 45 kilometers southwest of the village of Carmacks and 139 kilometers northwest of the city of Whitehorse. Whitehorse is the main regional supply center for personnel and equipment.

The assessment work area consists of a contiguous block of 24 quartz claims totaling approximately 501 hectares ("ha"). Claim information is presented in Appendix B.



YES EXPLORATION SYNDICATE

MINK Property

Regional Location

Scale: As shown	NTS: 115H/10	Drawn by: EH
Date: Nov 2011	QP: E. Harrington	Figure: 1

E. Harrington, B.Sc, P.Geo.



YES EXPLORATION SYNDICATE

MINK Property

Claim Location and Topography.

Scale: As shown	NTS: 115H/10	Drawn by: EH
Date: Nov 2011	QP: E. Harrington	Figure: 2

E. Harrington, B.Sc, P.Geo.

3.0 ACCESSIBILITY, CLIMATE, and PHYSIOGRAPHY

Access to the area is by helicopter from the village of Carmacks. Alternatively, a fuel cache can be established at the Mt Nansen mine site. The mine site is approximately 1 hour driving time from Carmacks. Personnel can access the mine site by road and then be disbursed by helicopter.

The Property is on rolling terrain with elevations ranging from 1,160 meters (3,800 feet) to 1,360 meters (4,450 feet). Vegetation cover is variable, ranging from relatively open grassed areas to areas with jack pine, alder, and scrub undergrowth. Summers are generally warm, while winters are cold. Depending on the type of work, the work season can be year round.

4.0 GEOLOGICAL SETTING

4.1 Regional Geology and Structure (Figure 3)

In general, Yukon geology consists of two lithological components, which are separated by the Tintina Trench. Rocks northeast of the Tintina Trench are predominantly sedimentary, from 300 million to >1 billion years old, and represent the ancient margin of North America. Rocks southwest of the Tintina Trench are mainly igneous and metamorphic, from 20 to 350 million years old, and represent numerous crustal fragments called accreted terranes that have an uncertain place of origin. The Dawson Mountain Range, which includes the subject Property, is located in the area southwest of the Tintina Trench.

The Yukon-Tanana Composite Terrane ("YTT") is the largest of Yukon's terranes and is composed of several metamorphic rock assemblages, which were originally sedimentary but have been metamorphosed at extremely high temperatures and pressures corresponding to crustal depths of 25 kilometers.





(After Geological Survey of Canada, 2005)

YES EXPLORATION SYNDICATE		
MINK Property		
Regional Geology		
Scale: As shown	NTS: 115H/10	Drawn by: EH
Date: Jan 2012	QP: E. Harrington	Figure: 3
E. Harrington, B.Sc, P.Geo.		

The Intermontane Superterrane is composed of five dissimilar terranes that were amalgamated approximately 180 million years ago: Stikinia, Quesnellia, Slide Mountain, Cache Creek, and Windy-McKinley. Stikinia is the largest terrane in the Cordillera, but in Yukon is restricted to the area of the Intermontane Belt.

The Dawson Range generally comprises rocks of the Yukon-Tanana Composite Terrane and Stikinia Intermontane Superterrane. The Dawson Range is part of the Yukon Plateau Physiographic Province, and is characterized by moderately rugged topography with elevations from 900 to over 2000 meters. The Dawson Range has extensive placer and lode gold production, and is commonly referred to as the "Dawson Range gold belt". This belt comprises a northwesterly trend of placer gold occurrences, porphyry copper-gold deposits, and gold-bearing polymetallic epithermal veins. The oldest rocks exposed in the Dawson Range Gold Belt are Paleozoic YTT rocks, consisting of an assemblage of Paleozoic Yukon Group schist, gneiss, and amphibolite, and a Triassic assemblage of andesite to basalt flows, tuffs, and breccias, which are intruded by granitic batholiths. Granitic rocks intruded during Early Jurassic metamorphic/plutonic events.

The Aishihik Batholith underlies much of the district. Triassic to Lower Jurassic in age, the Aishihik intrusive body ranges in composition from dark grey granodiorite to pink quartz monzonite and porphyritic quartz monzonite. Tertiary and Eocene volcanic rocks unconformably overlie the granitic bodies. Volcanic rocks consist primarily of felsic tuffs, flows and breccias, are cut by dark green mafic volcanic plugs and dikes. Cretaceous- to Tertiary-age volcanic rocks host lode gold deposits in the Dawson Range. Lode mineralization consists of epithermal to mesothermal gold-bearing quartz-chalcedony vein systems in faults and fracture zones associated with felsic intrusives. Ring dikes and fault zones were developed during caldera collapse.

In the Dawson Range, gold mineralization occurs in quartz veins and fractures formed during the intrusion of quartz feldspar porphyry and breccia bodies. Alteration zones vary from narrow seams of clay gouge along the margins of individual quartz veins to wide areas of propylitic and argillic alteration around intrusive breccias. Sericite and pyrite are common accessory minerals.

Cretaceous to Paleocene rocks of the region comprise two major plutonic-volcanic events:

1. The Cretaceous Mount Nansen event includes the Dawson Range Batholith, Casino Granodiorite, Coffee Creek Granite, and the Mount Nansen intermediate to felsic volcanic suite, and
2. The late Cretaceous to Paleocene Carmacks event is represented by subvolcanic and volcanic mafic to felsic rocks that intrude or unconformably overlie all other units.

Cretaceous to Paleocene Carmacks intrusives and volcanics have a close spatial relationship with the older granitoids and a spatial-temporal relationship with known gold mineralization. In Yukon, gold mineralization is generally related to Carmacks volcanic units and to same-age hydrothermal alteration, suggesting a genetic link between gold mineralization and hotspot-related hydrothermal activity.

4.2 Property Geology

Property lithology shows the target area occurring over Jurassic-age (145-199 million years ago) intrusive rocks. Felsic granitoids containing pegmatite and aplite dikes and K-spar megacrysts occur in the southwestern corner of the Property.

The Property is located on the east side of a northwest-trending structure.



EJgA Aishihik Suite: medium to coarse grained foliated biotite-hornblende granodiorite

EJqL Mesozoic - Early Jurassic
Long Lake Suite: felsic granitoids, pegmatite and aplite, K-spar megacrysts

YES EXPLORATION SYNDICATE		
MINK Property		
Property Geology		
Scale: As shown	NTS: 115H10	Drawn by: EH
Date: June 2012	QP: E. Harrington	Figure: 4
E. Harrington, B.Sc, P.Geo.		

A north-trending structure may exist in the creek canyon on the east side of the Property. Two minor northeast-trending structures appear to pass through the central part of the MINK claims.

5.0 HISTORY

5.1 Area History

In the late 1970s, an airborne geophysical magnetic survey and reconnaissance-style geological mapping and stream sediment sampling were conducted in the region. No detailed mapping has been carried out since.

5.2 Previous Work

The airborne magnetic survey showed that the Property is underlain by "bull's-eye" magnetic high anomaly. The GSC identified anomalous copper values in rock samples obtained from an area 1.5 km to the east of the Property.

In 1978, Noranda carried out a soil sampling program over the Tosh property, which contained portions of the current MINK claims (Yukon Assessment Report 090370). The survey returned anomalous values for copper (up to 49 ppm) and zinc (up to 2,600 ppm). The historical Tosh property covered a portion of the current MINK claims.

6.0 OBJECTIVES and SCOPE of WORK

The deposit models for the Property are epithermal gold-silver and/or porphyry copper-gold. The objectives of reported assessment work were to carry out reconnaissance-style geological and geochemical surveys to outline areas of alteration and mineralization that would suggest the presence of epithermal or porphyry deposits.

6.1 Survey Method and Equipment

A survey crew, consisting of a geologist, a prospector, and a geotechnician, carried out GPS-controlled traverses designed to provide reconnaissance-style coverage of ridge areas where outcrop was more likely to be encountered.

Soil samples were taken using a hand-powered ratcheting auger. Samples targeted the "C" horizon, with hole depth generally in the range of 0.4 to 0.6 meters. Samples were placed in uniquely identified kraft paper bags, and allowed to dry before being delivered to Inspectorate Labs, Whitehorse, Yukon, for preparation and analysis.

A Juno handheld field computer was used to enter both soil and geological data. Traverse details and mapping points are provided in Figures 4 and 5, and Appendix C.

6.2 Description of Surveys

During the 2011 work program, four soil samples were taken, and approximately 4.5 kilometers of prospecting traverses were carried out.

Table 1: Selected Soil Sampling Results

Sample	Au	Ag	Co	Cu	Mn	Pb	Zn
MINK-1	<0.005	<0.1	6	25	264	8	50
MINK-2	<0.005	0.5	6	22	249	7	152
MINK-3	<0.005	<0.1	3	14	286	5	61
MINK-4	0.005	<0.1	5	22	333	5	56

Soil sampling results were generally not significant. Mink-2 returned an anomalous silver value of 0.5 ppm and a highly anomalous zinc value of 152 ppm.



EJgA Aishihik Suite: medium to coarse grained foliated biotite-hornblende granodiorite

EJqL Mesozoic - Early Jurassic
Long Lake Suite: felsic granitoids, pegmatite and aplite, K-spar megacrysts

YES EXPLORATION SYNDICATE		
MINK Property		
Prospecting Traverses		
Scale: As shown	NTS: 115H/10	Drawn by: EH
Date: June 2012	QP: E. Harrington	Figure: 5
E. Harrington, B.Sc, P.Geo.		

7.0 INTERPRETATIONS and CONCLUSIONS

7.1 Interpretations

Based on Landsat interpretation, the MINK Property is situated on the east side of a northwest-trending structure. A north-trending structure may exist in the creek canyon on the east side of the Property. Two minor northeast-trending structures appear to pass through the central part of the claims.

The historical airborne magnetic survey shows that the Property is underlain by "bull's-eye" magnetic high anomaly. The GSC identified anomalous copper values in rock samples obtained from an area 1.5 km to the east of the Property.

In 1978, soil sampling program over the Tosh property, which contained portions of the current MINK claims, returned anomalous values for copper (up to 49 ppm) and zinc (up to 2,600 ppm). A soil sample, taken in 2011, returned an anomalous silver value of 0.5 ppm and a highly anomalous zinc value of 152 ppm.

7.2 Conclusions

Only a small portion of the Property area was covered by the reconnaissance surveys. The presence of plumbing system and elevated and anomalous pathfinder mineralization suggests that the MINK Property has potential to host an epithermal or porphyry mineral deposit.

8.0 REFERENCES

Hart, C. 2002:
The Geological Framework of the Yukon Territory. Yukon Geological Survey. http://www.geology.gov.yk.ca/

Tempelman-Kluit, D.J., and Currie, R., 1978:
Reconnaissance rock geochemistry of Aishihik Lake, Snag and Stewart River map-areas in the Yukon Chrystalline Terrance, Geological Survey of Canada, Paper 77-8.

Smuk., K.A., 1999:
Mettalogeny of Epithermal Gold and Base Metal Veins of the Southern Dawson Range, Yukon,.M.Sc. Thesis, McGill University.

Colpron, M., 2011:
Geological Compilation of Whitehorse Trough, Geoscience Map 2011-1, Yukon Geological Survey, Energy, Mines and Resources, Yukon.

Edward Harrington, B.Sc., P.Geo.
3476 Dartmoor Place, Vancouver, BC, V5S 4G2
Tel: (604) 437-9538 Email: ed.harrington.geo@gmail.com

CERTIFICATE OF AUTHOR

I, Edward D. Harrington, do hereby certify that:

1. I graduated with a B.Sc. degree in Geology from Acadia University, Wolfville, Nova Scotia in 1971.

2. I am a Member in good standing with the Association of Professional Engineers and Geoscientists of British Columbia, License #23328.

3. I have pursued my career as a geologist for over thirty years in Canada, the western United States, the Sultanate of Oman, Mexico, Argentina, Peru, and Australia.

4. I have read the definition of "qualified person" set out in National Instrument 43-101 ("NI 43-101") and certify that by reason of my education, affiliation with a professional association as defined in NI 43-101, and past relevant work experience, I fulfill the requirements to be a "qualified person" for the purposes of NI 43-101.

5. I am responsible for the preparation of the assessment report titled "Assessment Report on the MINK Property, Whitehorse Mining District, Yukon, Canada" and dated 18 June 2012 (the "Assessment Report")

Dated this 18th day of June 2012

Edward D. Harrington, B.Sc., P.Geo.

APPENDIX A

Cost Statement

MINK property - Mineral Exploration Expenditures - 2011

Supplier	Invoice #	Amount	Applied to Project
RELIANCE GEOLOGICAL SERVICES INC	A11-877-01	3,321.99	$ 3,321.99
NOKUYUKON HOLDINGS LTD	14	$ 10,500.00	721.63
TOTAL (INCLUDES GST)			**$ 4,043.62**

Nokuyukon Holdings Ltd

110 Falcon Drive
Whitehorse, Yukon Y1A 6C7
Canada

INVOICE

Invoice No.: 14
Date: 08/01/2011
Page: 1

Sold to:

YES Exploration Syndicate Inc
Tony Simon

Vancouver, BC

Ship to:

YES Exploration Syndicate Inc
Tony Simon

Vancouver, BC

Business No.: 87245 7015RP0001

Item No.	Unit	Quantity	Description	Tax	Unit Price	Amount
			OPERATIONAL PHASE: Project preparation and work conducted July 1- 31, 2011.	G		10,000.00
			Subtotal:			10,000.00
			G - GST 5% GST			500.00
Comment:					**Total Amount**	10,500.00

RELIANCE GEOLOGICAL SERVICES INC

3476 Dartmoor Place, Vancouver, BC
Canada V5S 4G2
info@reliancegeological.com www.RelianceGeological.com
Tel: 604-984-3663 Fax: 604-437-9531

INVOICE

No. A11-877-01

30 November 2011

YES Exploration Syndicate Inc
418 East 14th Street
North Vancouver, BC V7L 2N8
Attn: **T. Simon**

Re: J877 - MINK Property, Whitehorse MD, Yukon

Field Personnel:	Field Days Prospecting, Reconnaissance geology	Days	Rate	Sub-total		
Geologist:						
E. Harrington, PGeo	July 10	0.50	800.00	$ 400.00		
Prospector:						
J. Skailes	July 10	0.50	600.00	300.00	$	700.00
Office Personnel:						
General research:						
E. Harrington, PGeo		0.50	800.00	$ 400.00		
Report preparation:						
E. Harrington, PGeo		0.75	800.00	600.00		
Other:						
						1,000.00
Ground Exploration	included in Field Personnel totals					
Geological mapping:		-	-	$ -		
Reconnaissance:		-	-	-		
Prospecting:		-	-	-		-
Geochemical Surveying:						
Contract, per soil sample		4	48.00	$ 192.00		
Rock samples included in Field Personnel totals						
Lab costs, soils		4	25.99	103.96		
Lab costs, rocks		-	31.11	-		295.96

Mobe/Demobe Costs: in Yukon
(allocated among 33 properties)

Air transport				$	-	
Vehicle rental					148.22	
Time					151.52	
Food & accomm					43.94	
Other					-	343.68
Project Costs:						
Vehicle rental				$	-	
Fuel	Allocated among 33	1.00	51.16		51.16	
Helicopter	properties	0.20	1,032.47		206.49	
Heli Fuel	"	0.20	224.29		44.86	
Other					-	302.51
Food & Accomm: (day rate used for convenience)						
Hotel & meals (Hotel Carmacks)	incl M Lindsay of YES	0.50	435.00	$	217.50	217.50
Misc:						
Communications	Allocated among 33	-	-	$	-	
GPS and software	properties	1.50	10.00		15.00	
Other (security tags, supplies)	"	1.00	54.79		54.79	69.79
Sub-total						$ 2,929.44
Contractor markup						234.36
GST/HST 5% R# 13849 1303						158.19
Total Expenditures						$ 3,321.99

APPENDIX B

Claim Data

UTM Location		Claim Name	Grant Number	Owner Name	Staking Date	Expiry Date	District
Easting	Northing						
413952	6843182	MINK 1	YD154155	YES Exploration Syndicate	20-Jan-11	1-Feb-14	Whitehorse
414409	6843181	MINK 2	YD154156	YES Exploration Syndicate	20-Jan-11	1-Feb-14	Whitehorse
413954	6843639	MINK 3	YD154157	YES Exploration Syndicate	20-Jan-11	1-Feb-14	Whitehorse
414411	6843638	MINK 4	YD154158	YES Exploration Syndicate	20-Jan-11	1-Feb-14	Whitehorse
413955	6844096	MINK 5	YD154159	YES Exploration Syndicate	20-Jan-11	1-Feb-14	Whitehorse
414412	6844095	MINK 6	YD154160	YES Exploration Syndicate	20-Jan-11	1-Feb-14	Whitehorse
413956	6844553	MINK 7	YD154161	YES Exploration Syndicate	20-Jan-11	1-Feb-14	Whitehorse
414413	6844552	MINK 8	YD154162	YES Exploration Syndicate	20-Jan-11	1-Feb-14	Whitehorse
413957	6845010	MINK 9	YD154163	YES Exploration Syndicate	20-Jan-11	1-Feb-14	Whitehorse
414414	6845009	MINK 10	YD154164	YES Exploration Syndicate	20-Jan-11	1-Feb-14	Whitehorse
413958	6845467	MINK 11	YD154165	YES Exploration Syndicate	20-Jan-11	1-Feb-14	Whitehorse
414415	6845466	MINK 12	YD154166	YES Exploration Syndicate	20-Jan-11	1-Feb-14	Whitehorse
413038	6843184	MINK 13	YD154167	YES Exploration Syndicate	20-Jan-11	1-Feb-14	Whitehorse
413495	6843183	MINK 14	YD154168	YES Exploration Syndicate	20-Jan-11	1-Feb-14	Whitehorse
413039	6843641	MINK 15	YD154169	YES Exploration Syndicate	20-Jan-11	1-Feb-14	Whitehorse
413496	6843640	MINK 16	YD154170	YES Exploration Syndicate	20-Jan-11	1-Feb-14	Whitehorse
413040	6844098	MINK 17	YD154171	YES Exploration Syndicate	20-Jan-11	1-Feb-13	Whitehorse
413498	6844097	MINK 18	YD154172	YES Exploration Syndicate	20-Jan-11	1-Feb-13	Whitehorse
413042	6844555	MINK 19	YD154173	YES Exploration Syndicate	20-Jan-11	1-Feb-13	Whitehorse
413499	6844554	MINK 20	YD154174	YES Exploration Syndicate	20-Jan-11	1-Feb-13	Whitehorse
413043	6845012	MINK 21	YD154175	YES Exploration Syndicate	20-Jan-11	1-Feb-13	Whitehorse
413500	6845011	MINK 22	YD154176	YES Exploration Syndicate	20-Jan-11	1-Feb-13	Whitehorse
413044	6845469	MINK 23	YD154177	YES Exploration Syndicate	20-Jan-11	1-Feb-13	Whitehorse
413501	6845468	MINK 24	YD154178	YES Exploration Syndicate	20-Jan-11	1-Feb-13	Whitehorse

APPENDIX C

Reconnaissance Geological Traverses

LABEL	Easting	Northing	Alteration	Angular_Ro	Clay	Fault	Feat_Name
187	413954	6845464					GEO_MAPP
188	413423	6844240					GEO_MAPP
192	413960	6845456	None notice			Fault est as per Landsat	GEO_MAPP
193	413691	6845385	Weathering oxidation ? Mn stain			Fault est as per Landsat	GEO_MAPP
194	413275	6844795	None notice			None notice	GEO_MAPP
195	413412	6844302	None notice			Fault est as per Landat	GEO_MAPP
mink 1	413888	6845478		10	1		SOIL
mink 2	413320	6845570		10	1		SOIL
mink 3	413271	6844798		10	1		SOIL
mink 4	413397	6844376		10	1		SOIL

LABEL	Grain_Size	Gravel	Igneous_Ro	Mineraliza	Moisture_C	Organics	Parent_Mat	Rock_Color
187	Mixture		Volcanic					greenish grey
188	Mixture		Plutonic					buff
192	Mixture		Volcanic	None				Grey green
193	Mixture		Volcanic	None				Grey green
194	Mixture		Plutonic	None				White grey
195	Mixture		Plutonic	None				White grey
mink 1		1			Dry	1	Weathered Bedrock	
mink 2		1			Dry	1	Weathered Bedrock	
mink 3		1			Dry	1	Weathered Bedrock	
mink 4		1			Dry	1	Weathered Bedrock	

LABEL	Rock_Textu	Rock_Type	Sample_Col	Sample_Dep	Sample_Qua	Sample__ID
187	porphyritic	basalt				
188	massive	granite				
192	Porphyritic	Andesite porphyry				NO SAMPLE - Mapping
193	Crystalline porphyritic	Andesite porphyry				NO SAMPLE - Mapping
194	Crystalline	Granitic Intrusion				NO SAMPLE - Mapping
195	Crystalline	Granitic Intrusion				NO SAMPLE - Mapping
mink 1			Brown	20-30	5	
mink 2			Brown	20-30	5	
mink 3			Brown	20-31	5	
mink 4			Brown	20-30	5	

LABEL	Sand	Silt	Soil_Horiz	Topography	Vegetation	Veins
187						
188						
192				Ridge Top		None
193				Mid Slope		None
194				Ridge Top		None
195				Ridge Top		None
mink 1	40	50		Mid Slope	Buck Brush	
mink 2	40	50		Ridge Top	Buck Brush	
mink 3	40	50	C	Ridge Top	Buck Brush	
mink 4	40	50	C	Mid Slope	Buck Brush	

LABEL	
187	cavities; feld phenos <3mm 10-15%
188	med-course grained; biotite <10%; qtz 15-20%
192	
193	
194	
195	
mink 1	
mink 2	
mink 3	
mink 4	

APPENDIX D

Soil Assay Certificate

INSPECTORATE
A Bureau Veritas Group Company

Certificate of Analysis

11-360-05144-01

Inspectorate Exploration & Mining Services Ltd.
#200 - 11620 Horseshoe Way
Richmond, British Columbia V7A 4V5 Canada
Phone: 604-272-7818

Distribution List

Attention: Tony Simon
418 East 14th Street
North Vancouver, BC V7L 2N8
Phone: 604-984-3663
EMail: reliancegeo@telus.net

Submitted By: **Reliance Geological Services**
418 East 14th Street
North Vancouver, BC V7L 2N8

Attention: **Tony Simon**

Description: **Yes Exploration Syndicate**

Date Received: 07/18/2011
Date Completed: 08/03/2011
Invoice:

Location	Samples	Type	Preparation Description
Whitehorse, YT	134	Soil	SP-SS-1K/Soils, Humus Sediments 1kg dried, sieved and riffle split
Whitehorse, YT		Soil	SP-SS-RF/Save fraction +80 mesh on Soils/Humus/Sediment

Location	Method	Description
Vancouver, BC	30-AR-TR	30 Element, Aqua Regia, ICP, Trace Level
Vancouver, BC	Au-1AT-AA	Au, 1AT Fire Assay, AAS

By 
Mike Caron, Lab Manager

INSPECTORATE
A Bureau Veritas Group Company
#200 - 11620 Horseshoe Way
Richmond, British Columbia V7A 4V5
Canada

Certificate of Analysis

11-360-05144-01

Reliance Geological Services
418 East 14th Street
North Vancouver, BC V7L 2N8

Sample Description	Sample Type	Au Au-1AT-AA ppm 0.005	Ag 30-AR-TR ppm 0.1	Al 30-AR-TR % 0.01	As 30-AR-TR ppm 5	Ba 30-AR-TR ppm 10	Bi 30-AR-TR ppm 2	Ca 30-AR-TR % 0.01	Cd 30-AR-TR ppm 0.5	Co 30-AR-TR ppm 1	Cr 30-AR-TR ppm 1	Cu 30-AR-TR ppm 1	Fe 30-AR-TR % 0.01	Hg 30-AR-TR ppm 3	K 30-AR-TR % 0.01
MINK-1	Soil	<0.005	<0.1	1.54	<5	168	<2	0.10	<0.5	6	17	25	2.24	<3	0.09
MINK-2	Soil	<0.005	0.5	2.13	<5	158	<2	0.14	<0.5	6	20	22	2.62	<3	0.06
MINK-3	Soil	<0.005	<0.1	1.53	<5	86	<2	0.13	<0.5	3	7	14	1.85	<3	0.10
MINK-4	Soil	0.005	<0.1	1.95	<5	138	<2	0.12	<0.5	5	17	22	2.18	<3	0.11

INSPECTORATE
A Bureau Veritas Group Company
#200 - 11620 Horseshoe Way
Richmond, British Columbia V7A 4V5
Canada

Certificate of Analysis

11-360-05144-01

Reliance Geological Services
418 East 14th Street
North Vancouver, BC V7L 2N8

Sample Description	Sample Type	La 30-AR-TR ppm 2	Mg 30-AR-TR % 0.01	Mn 30-AR-TR ppm 5	Mo 30-AR-TR ppm 1	Na 30-AR-TR % 0.01	Ni 30-AR-TR ppm 1	P 30-AR-TR ppm 10	Pb 30-AR-TR ppm 2	Sb 30-AR-TR ppm 2	Sc 30-AR-TR ppm 1	Sr 30-AR-TR ppm 1	Ti 30-AR-TR % 0.01	Tl 30-AR-TR ppm 10	V 30-AR-TR ppm 1
MINK-1	Soil	5	0.28	264	<1	0.01	11	194	8	<2	2	10	0.01	<10	43
MINK-2	Soil	5	0.37	249	<1	0.02	13	379	7	<2	2	18	0.04	<10	54
MINK-3	Soil	3	0.22	286	<1	0.01	4	98	5	<2	3	18	0.02	<10	22
MINK-4	Soil	4	0.28	333	<1	0.01	12	280	5	<2	2	15	0.02	<10	36

INSPECTORATE
A Bureau Veritas Group Company
#200 - 11620 Horseshoe Way
Richmond, British Columbia V7A 4V5
Canada

Certificate of Analysis

11-360-05144-01

Reliance Geological Services
418 East 14th Street
North Vancouver, BC V7L 2N8

Sample Description	Sample Type	W 30-AR-TR ppm 10	Zn 30-AR-TR ppm 2	Zr 30-AR-TR ppm 2
MINK-1	Soil	<10	50	<2
MINK-2	Soil	<10	152	<2
MINK-3	Soil	<10	61	2
MINK-4	Soil	<10	56	<2