

NTS 115H/10  
Lat: 61° 44" N  
Long: 136° 43' W

## **ASSESSMENT REPORT**

on the

### **FOX PROPERTY**

Fox 1 to 20 - YD154179 to YD154198

Whitehorse Mining District, Yukon, Canada

Reconnaissance Geological, Geochemical and Prospecting Surveys

Work Period: 10 July 2011

for

### **YES EXPLORATION SYNDICATE INC (Operator)**

Suite 1018 – 475 Howe Street  
Vancouver, BC V6C2B3  
Phone: 604-986-5275

by

Edward Harrington, B.Sc., P.Geo.

### **RELIANCE GEOLOGICAL SERVICES INC**

3476 Dartmoor Place, Vancouver, BC, V5S 4G2  
Tel: 604-984-3663 Fax: 604-437-9531

14 June 2012

## **TABLE of CONTENTS**

1.0	INTRODUCTION.....	1
2.0	DESCRIPTIONS, LOCATIONS and OWNERSHIP of CLAIMS.....	1
3.0	ACCESSIBILITY, CLIMATE, and PHYSIOGRAPHY .....	4
4.0	GEOLOGICAL SETTING .....	4
4.1	Regional Geology and Structure.....	4
4.2	Property Geology.....	7
5.0	HISTORY.....	9
5.1	Area History .....	9
5.2	Previous Work .....	9
6.0	OBJECTIVES and SCOPE of WORK .....	9
6.1	Survey Method and Equipment .....	9
6.2	Description of Surveys.....	10
7.0	INTERPRETATIONS and CONCLUSIONS .....	12
7.1	Interpretations.....	12
7.2	Conclusions .....	12
8.0	REFERENCES.....	13
	CERTIFICATE of QUALIFICATIONS.....	14

## **LIST of FIGURES**

Figure 1	Regional Location .....	2
Figure 2	Claim Location and Topography .....	3
Figure 3	Regional Geology.....	5
Figure 4	Property Geology .....	8
Figure 5	Prospecting Traverses .....	11

## **LIST of TABLES**

Table 1	Selected Soil Sample Results .....	10
---------	------------------------------------	----

## **LIST of APPENDICES**

APPENDIX A	Cost Statement
APPENDIX B	Claim Data
APPENDIX C	Reconnaissance Traverse Details
APPENDIX D	Soil Assay Certificate

## **1.0 INTRODUCTION**

This Assessment Report outlines work carried out on the FOX Property (the "Property"), which is located in the Whitehorse Mining District, Yukon.

This Assessment Report summarizes previous work, and describes geological, geochemical soil sampling, and prospecting surveys carried out on 10 July 2011. This report is based on geological and geochemical reports, a compilation of published and unpublished data, maps, and reports made by cited persons.


The author is a "qualified person" within the meaning of National Instrument 43-101 of the Canadian Securities Administrators.

## **2.0 DESCRIPTIONS, LOCATIONS, and OWNERSHIP of CLAIMS**

The claims comprising the Property are located in the Whitehorse Mining District of Yukon, Canada, as shown on Map Sheet NTS 115H/10. The Property area is centered at latitude 61°44' North, longitude 136°43' West, and UTM 6846000 m North, and UTM 409000 m East (Figures 1 and 2).

The Property is located approximately 46 kilometers southwest of the village of Carmacks and 143 kilometers northwest of the city of Whitehorse. Whitehorse is the main regional supply center for personnel and equipment.

The assessment work area consists of a contiguous block of 20 quartz claims totaling approximately 418 hectares ("ha"). Claim information is presented in Appendix B.



**YES EXPLORATION SYNDICATE**

**FOX Property  
Regional Location**

Scale: As shown	NTS: 115H/10	Drawn by: EH
Date: Nov 2011	QP: E. Harrington	Figure: 1
<b>E. Harrington, B.Sc, P. Geo.</b>		


136°45'0"W

07000

408000

409000

410000



**FOX Property**

0 1 kilometer

Yukon Energy Mines and Resources,  
NTS 115H/10, NAD 83 UTM Zone 8  
Contour interval 100 feet

<b>YES EXPLORATION SYNDICATE</b>		
<b>FOX Property</b>		
<b>Claim Location and Topography.</b>		
Scale: As shown	NTS: 115H/10	Drawn by: EH
Date: Nov 2011	QP: E. Harrington	Figure: 2
<i>E. Harrington, B.Sc, P.Geo.</i>		

### **3.0 ACCESSIBILITY, CLIMATE, and PHYSIOGRAPHY**

Access to the area is by helicopter from the village of Carmacks. Alternatively, a fuel cache can be established at the Mt Nansen mine site. The mine site is approximately 1 hour driving time from Carmacks. Personnel can access the mine site by road and then be disbursed by helicopter.



The Property is on rolling terrain with elevations ranging from 1,235 meters (4,050 feet) to 1,417 meters (4,650 feet). Vegetation cover is variable, ranging from relatively open grassed areas to areas with jack pine, alder, and scrub undergrowth. Summers are generally warm, while winters are cold. Depending on the type of work, the work season can be year round.

### **4.0 GEOLOGICAL SETTING**

#### **4.1 Regional Geology and Structure (Figure 3)**

In general, Yukon geology consists of two lithological components, which are separated by the Tintina Trench. Rocks northeast of the Tintina Trench are predominantly sedimentary, from 300 million to >1 billion years old, and represent the ancient margin of North America. Rocks southwest of the Tintina Trench are mainly igneous and metamorphic, from 20 to 350 million years old, and represent numerous crustal fragments called accreted terranes that have an uncertain place of origin. The Dawson Mountain Range, which includes the subject Property, is located in the area southwest of the Tintina Trench.

The Yukon-Tanana Composite Terrane ("YTT") is the largest of Yukon's terranes and is composed of several metamorphic rock assemblages, which were originally sedimentary but have been metamorphosed at extremely high temperatures and pressures corresponding to crustal depths of 25 kilometers.



(After Geological Survey of Canada, 2005)

YES EXPLORATION SYNDICATE		
FOX Property		
Regional Geology		
Scale: As shown	NTS: 115H/10	Drawn by: EH
Date: Jan 2012	QP: E. Harrington	Figure: 3
E. Harrington, B.Sc, P.Geo.		

The Intermontane Superterrane is composed of five dissimilar terranes that were amalgamated approximately 180 million years ago: Stikinia, Quesnellia, Slide Mountain, Cache Creek, and Windy-McKinley. Stikinia is the largest terrane in the Cordillera, but in Yukon is restricted to the area of the Intermontane Belt.

The Dawson Range generally comprises rocks of the Yukon-Tanana Composite Terrane and Stikinia Intermontane Superterrane. The Dawson Range is part of the Yukon Plateau Physiographic Province, and is characterized by moderately rugged topography with elevations from 900 to over 2000 meters. The Dawson Range has extensive placer and lode gold production, and is commonly referred to as the "Dawson Range gold belt". This belt comprises a northwesterly trend of placer gold occurrences, porphyry copper-gold deposits, and gold-bearing polymetallic epithermal veins. The oldest rocks exposed in the Dawson Range Gold Belt are Paleozoic YTT rocks, consisting of an assemblage of Paleozoic Yukon Group schist, gneiss, and amphibolite, and a Triassic assemblage of andesite to basalt flows, tuffs, and breccias, which are intruded by granitic batholiths. Granitic rocks intruded during Early Jurassic metamorphic/plutonic events.

The Aishihik Batholith underlies much of the district. Triassic to Lower Jurassic in age, the Aishihik intrusive body ranges in composition from dark grey granodiorite to pink quartz monzonite and porphyritic quartz monzonite. Tertiary and Eocene volcanic rocks unconformably overlie the granitic bodies. Volcanic rocks consist primarily of felsic tuffs, flows and breccias, are cut by dark green mafic volcanic plugs and dikes. Cretaceous- to Tertiary-age volcanic rocks host lode gold deposits in the Dawson Range. Lode mineralization consists of epithermal to mesothermal gold-bearing quartz-chalcedony vein systems in faults and fracture zones associated with felsic intrusives. Ring dikes and fault zones were developed during caldera collapse.

In the Dawson Range, gold mineralization occurs in quartz veins and fractures formed during the intrusion of quartz feldspar porphyry and breccia bodies. Alteration zones vary from narrow seams of clay gouge along the margins of individual quartz veins to wide areas of propylitic and argillic alteration around intrusive breccias. Sericite and pyrite are common accessory minerals.


Cretaceous to Paleocene rocks of the region comprise two major plutonic-volcanic events:

1. The Cretaceous Mount Nansen event includes the Dawson Range Batholith, Casino Granodiorite, Coffee Creek Granite, and the Mount Nansen intermediate to felsic volcanic suite, and
2. The late Cretaceous to Paleocene Carmacks event is represented by subvolcanic and volcanic mafic to felsic rocks that intrude or unconformably overlie all other units.

Cretaceous to Paleocene Carmacks intrusives and volcanics have a close spatial relationship with the older granitoids and a spatial-temporal relationship with known gold mineralization. In Yukon, gold mineralization is generally related to Carmacks volcanic units and to same-age hydrothermal alteration, suggesting a genetic link between gold mineralization and hotspot-related hydrothermal activity.

#### **4.2 Property Geology**

Property lithology consists primarily of medium to coarse grained foliated biotite-hornblende granodiorite. In the northeast corner of the Property, Mesozoic Early Jurassic felsic granitoids occur. Prospecting traverses show medium to coarse grained biotite-hornblende granite occasionally cut by pegmatite veins up to 20 cm wide. Foliation is generally weak and oriented at 286°/51°N. In the northern traverse area, porphyritic volcanic rocks were noted.



**EJgA** Aishihik Suite: medium to coarse grained foliated biotite-hornblende granodiorite

**EJqL** Mesozoic - Early Jurassic  
 Long Lake Suite: felsic granitoids, pegmatite and aplite, K-spar megacrysts

<b>YES EXPLORATION SYNDICATE</b>		
<b>FOX Property</b>		
<b>Property Geology</b>		
Scale: As shown	NTS: 115H/10	Drawn by: EH
Date: June 2012	QP: E. Harrington	Figure: 4
<i>E. Harrington, B.Sc, P.Geo.</i>		

The Property is located along a northwest-trending structure interpreted from Landsat images. A curvilinear structure is located immediately to the east. Minor northeast-trending structures pass through the northern and southern portions of the FOX claims.

## **5.0 HISTORY**

### **5.1 Area History**

In the late 1970s, an airborne geophysical magnetic survey and reconnaissance-style geological mapping and stream sediment sampling were conducted in the region. No detailed mapping has been carried out since.

### **5.2 Previous Work**

The airborne magnetic survey shows that the Property is underlain by a “bull’s-eye” magnetic high anomaly. No stream sediment geochemical anomalies were identified in streams draining the Property.

## **6.0 OBJECTIVES and SCOPE of WORK**

The deposit models for the Property are epithermal gold-silver and/or porphyry copper-gold. The objectives of reported assessment work were to carry out reconnaissance-style geological and geochemical surveys to outline areas of alteration and mineralization that would suggest the presence of epithermal or porphyry deposits.

### **6.1 Survey Method and Equipment**

A survey crew, consisting of a geologist, a prospector, and a geotechnician, carried out GPS-controlled traverses designed to provide reconnaissance-style coverage of ridge areas where outcrop was more likely to be encountered.

Soil samples were taken using a hand-powered ratcheting auger. Samples targeted the “C” horizon, with hole depth generally in the range of 0.4 to 0.6 meters.

Samples were placed in uniquely identified kraft paper bags, and allowed to dry before being delivered to Inspectorate Labs, Whitehorse, Yukon, for preparation and analysis.

Rock samples were selected to best show the desired geological occurrence. Samples were sealed in uniquely identified clear plastic bags and delivered to Inspectorate Labs, Whitehorse, Yukon, for preparation and analysis.

A Juno handheld field computer was used to enter both soil and geological data. Traverse details and mapping points are provided in Figures 4 and 5, and Appendix C.


## 6.2 Description of Surveys

Four soil samples were taken, and approximately 3 kilometers of prospecting traverses were carried out during the 2011 work program.

**Table 1: Selected Soil Sample Results**

Sample	Chemical Analysis (ppm)							
	Au	Ag	Ba	Co	Cr	Cu	Mn	Zn
FOX-1	<0.005	<0.1	323	14	25	15	1807	66
FOX-2	<0.005	<0.1	283	17	23	16	787	97
FOX-3	<0.005	<0.1	259	15	14	4	795	91
FOX-4	<0.005	<0.1	198	11	25	41	542	68

Gold and silver values from soil sampling were not significant. Values for barium, cobalt, manganese, and zinc were anomalous. Values for chromium and copper were elevated.



**FOX PROPERTY**

- EJgA
- EJqL
- Property Outline
- Traverse Line
- Geo Mapping Station
- Rock Sample Station
- Soil Sample Station

GEOLOGY 115H 10

**EJgA** Aishihik Suite: medium to coarse grained foliated biotite-hornblende granodiorite

**EJqL** Mesozoic - Early Jurassic  
 Long Lake Suite: felsic granitoids, pegmatite and aplite, K-spar megacrysts

<b>YES EXPLORATION SYNDICATE</b>		
<b>FOX Property</b>		
<b>Prospecting Traverses</b>		
Scale: As shown	NTS: 115H/10	Drawn by: EH
Date: June 2012	QP: E. Harrington	Figure: 5
<i>E. Harrington, B.Sc, P.Geo.</i>		

## **7.0 INTERPRETATIONS and CONCLUSIONS**

### **7.1 Interpretations**

Prospecting in the surveyed area shows generally granitic rocks, with minor porphyritic volcanic rocks in the northern survey area. Texture is generally massive.

### **7.2 Conclusions**

Only a small portion of the Property area was covered by the reconnaissance surveys. Soil sample results show indications of elevated to anomalous pathfinder elements. These pathfinder elements could indicate either hydrothermal- or porphyry-style mineralization.

The Property is located along a northwest-trending structure interpreted from Landsat images. A curvilinear structure is located immediately to the east. Minor northeast-trending structures pass through the northern and southern portions of the FOX claims. The Property area is underlain by a bulls eye magnetic high.

The presence of plumbing system and elevated to anomalous mineralization suggests that the FOX Property has potential to host an epithermal or porphyry mineral deposit.

## 8.0 REFERENCES

Hart, C. 2002:

The Geological Framework of the Yukon Territory. Yukon Geological Survey. <http://www.geology.gov.yk.ca/>

Tempelman-Kluit, D.J., and Currie, R., 1978:

Reconnaissance rock geochemistry of Aishihik Lake, Snag and Stewart River map-areas in the Yukon Crystalline Terrance, Geological Survey of Canada, Paper 77-8.

Smuk., K.A., 1999:

Mettalogeny of Epithermal Gold and Base Metal Veins of the Southern Dawson Range, Yukon,.M.Sc. Thesis, McGill University.

Colpron, M., 2011:

Geological Compilation of Whitehorse Trough, Geoscience Map 2011-1, Yukon Geological Survey, Energy, Mines and Resources, Yukon.

**Edward Harrington, B.Sc., P.Geol.**  
3476 Dartmoor Place, Vancouver, BC, V5S 4G2  
Tel: (604) 437-9538 Email: ed.harrington.geo@gmail.com

### **CERTIFICATE OF AUTHOR**

I, Edward D. Harrington, do hereby certify that:

1. I graduated with a B.Sc. degree in Geology from Acadia University, Wolfville, Nova Scotia in 1971.
2. I am a Member in good standing with the Association of Professional Engineers and Geoscientists of British Columbia, License #23328.
3. I have pursued my career as a geologist for over thirty years in Canada, the western United States, the Sultanate of Oman, Mexico, Argentina, Peru, and Australia.
4. I have read the definition of "qualified person" set out in National Instrument 43-101 ("NI 43-101") and certify that by reason of my education, affiliation with a professional association as defined in NI 43-101, and past relevant work experience, I fulfill the requirements to be a "qualified person" for the purposes of NI 43-101.
5. I am responsible for the preparation of the assessment report titled "Assessment Report on the FOX Property, Whitehorse Mining District, Yukon, Canada" and dated 14 June 2012 (the "Assessment Report")

Dated this 14<sup>th</sup> day of June 2012

A red circular professional seal for the Association of Professional Engineers and Geoscientists of British Columbia. The seal contains the text "ASSOCIATION OF PROFESSIONAL ENGINEERS AND GEOSCIENTISTS OF BRITISH COLUMBIA" around the perimeter and "E.D. HARRINGTON" in the center. A handwritten signature in black ink is written over the seal.

Edward D. Harrington, B.Sc., P.Geol.

**APPENDIX A**

**Cost Statement**

### FOX property - Mineral Exploration Expenditures - 2011

Supplier	Invoice #	Amount	Applied to Project
RELIANCE GEOLOGICAL SERVICES INC	A11-876-01	\$ 3,321.99	\$ 3,321.99
NOKUYUKON HOLDINGS LTD	14	\$ 10,500.00	\$ 721.63
<b>TOTAL (INCLUDES GST)</b>			<b>\$ 4,043.62</b>

# Nokuyukon Holdings Ltd

110 Falcon Drive  
Whitehorse, Yukon Y1A 6C7  
Canada

# INVOICE

Invoice No.: 14  
Date: 08/01/2011  
Page: 1

**Sold to:**

YES Exploration Syndicate Inc  
Tony Simon  
Vancouver, BC

**Ship to:**

YES Exploration Syndicate Inc  
Tony Simon  
Vancouver, BC

Business No.: 87245 7015RP0001

Item No.	Unit	Quantity	Description	Tax	Unit Price	Amount
			OPERATIONAL PHASE: Project preparation and work conducted July 1- 31, 2011.	G		10,000.00
			Subtotal:			10,000.00
			G - GST 5%			500.00
			GST			
<b>Comment:</b>					<b>Total Amount</b>	10,500.00

# RELIANCE GEOLOGICAL SERVICES INC

3476 Dartmoor Place, Vancouver, BC

Canada V5S 4G2

info@reliancegeological.com

www.RelianceGeological.com

Tel: 604-984-3663

Fax: 604-437-9531

## INVOICE

No. A11-876-01

30 November 2011

### YES Exploration Syndicate Inc

418 East 14th Street

North Vancouver, BC V7L 2N8

Attn: **T. Simon**

### Re: J876 - FOX Property, Whitehorse MD, Yukon

Field Personnel:	Field Days	Days	Rate	Sub-total	
	Prospecting, Reconnaissance geology				
Geologist:					
E. Harrington, PGeo	July 10	0.50	800.00	\$ 400.00	
Prospector:					
J. Skales	July 10	0.50	600.00	<u>300.00</u>	\$ 700.00
Office Personnel:					
General research:					
E. Harrington, PGeo		0.50	800.00	\$ 400.00	
Report preparation:					
E. Harrington, PGeo		0.75	800.00	600.00	
Other:					
					<u>1,000.00</u>
Ground Exploration	included in Field Personnel totals				
Geological mapping:		-	-	\$ -	
Reconnaissance:		-	-	-	
Prospecting:		-	-	<u>-</u>	-
Geochemical Surveying:					
Contract, per soil sample		4	48.00	\$ 192.00	
Rock samples included in Field Personnel totals					
Lab costs, soils		4	25.99	103.96	
Lab costs, rocks		-	31.11	<u>-</u>	295.96

Mobe/Demobe Costs: in Yukon  
(allocated among 33 properties)

Air transport				\$	-	
Vehicle rental					148.22	
Time					151.52	
Food & accomm					43.94	
Other					-	343.68
						<hr/>

Project Costs:

Vehicle rental				\$	-	
Fuel	Allocated among 33	1.00	51.16		51.16	
Helicopter	properties	0.20	1,032.47		206.49	
Heli Fuel	"	0.20	224.29		44.86	
Other					-	302.51
						<hr/>

Food & Accom: (day rate used for convenience)

Hotel & meals	incl M Lindsay of YES	0.50	435.00	\$	217.50	217.50
(Hotel Carmacks)						

Misc:

Communications	Allocated among 33	-	-	\$	-	
GPS and software	properties	1.50	10.00		15.00	
Other (security tags, supplies)	"	1.00	54.79		54.79	69.79
						<hr/>

Sub-total \$ 2,929.44

Contractor markup 234.36  
 GST/HST 5% R# 13849 1303 158.19

Total Expenditures \$ 3,321.99

**APPENDIX B**

**Claim Data**

UTM Location		Claim Name	Grant Nmber	Owner Name	Staking Date	Expiry Date	District
Easting	Northing						
409007	6845022	FOX 1	YD154179	YES Exploration Syndicate	1/21/2011	2/1/2014	Whitehorse
409464	6845019	FOX 2	YD154180	YES Exploration Syndicate	1/21/2011	2/1/2014	Whitehorse
409009	6845471	FOX 3	YD154181	YES Exploration Syndicate	1/21/2011	2/1/2014	Whitehorse
409466	6845469	FOX 4	YD154182	YES Exploration Syndicate	1/21/2011	2/1/2014	Whitehorse
409012	6845921	FOX 5	YD154183	YES Exploration Syndicate	1/21/2011	2/1/2014	Whitehorse
409469	6845919	FOX 6	YD154184	YES Exploration Syndicate	1/21/2011	2/1/2014	Whitehorse
409014	6846371	FOX 7	YD154185	YES Exploration Syndicate	1/21/2011	2/1/2014	Whitehorse
409471	6846368	FOX 8	YD154186	YES Exploration Syndicate	1/21/2011	2/1/2014	Whitehorse
409016	6846821	FOX 9	YD154187	YES Exploration Syndicate	1/21/2011	2/1/2014	Whitehorse
409474	6846818	FOX 10	YD154188	YES Exploration Syndicate	1/21/2011	2/1/2014	Whitehorse
408092	6845027	FOX 11	YD154189	YES Exploration Syndicate	1/21/2011	2/1/2014	Whitehorse
408550	6845024	FOX 12	YD154190	YES Exploration Syndicate	1/21/2011	2/1/2014	Whitehorse
408095	6845476	FOX 13	YD154191	YES Exploration Syndicate	1/21/2011	2/1/2014	Whitehorse
408552	6845474	FOX 14	YD154192	YES Exploration Syndicate	1/21/2011	2/1/2014	Whitehorse
408097	6845926	FOX 15	YD154193	YES Exploration Syndicate	1/21/2011	2/1/2014	Whitehorse
408554	6845924	FOX 16	YD154194	YES Exploration Syndicate	1/21/2011	2/1/2014	Whitehorse
408100	6846376	FOX 17	YD154195	YES Exploration Syndicate	1/21/2011	2/1/2014	Whitehorse
408557	6846374	FOX 18	YD154196	YES Exploration Syndicate	1/21/2011	2/1/2014	Whitehorse
408102	6846826	FOX 19	YD154197	YES Exploration Syndicate	1/21/2011	2/1/2014	Whitehorse
408559	6846823	FOX 20	YD154198	YES Exploration Syndicate	1/21/2011	2/1/2014	Whitehorse

**APPENDIX C**

**Reconnaissance Geological Traverses**

LABEL	Easting	Northing	Alteration	Angular_Ro	Clay	Fault	Feat_Name	Grain_Size	Gravel
181	409195	6846051					GEO_MAPP		
182	409197	6845986					GEO_MAPP	Fine	
183	409171	6845929					GEO_MAPP	Mixture	
184	409162	6845851					GEO_MAPP	Mixture	
185	408984	6845455					GEO_MAPP	Mixture	
186	409025	6845342					GEO_MAPP	Mixture	
190	409171	6845944	none notice			none notice	GEO_MAPP	Course	
191	409192	6846042	Weathering oxidation			None notice	GEO_MAPP	Mixture	
fox 1	409182	6845997		15	1		SOIL		1
fox 2	409142	6845771		15	1		SOIL		1
fox 3	408987	6845503		15	1		SOIL		1
fox 4	409053	6845341		15	1		SOIL		1

LABEL	Igneous_Ro	Mineraliza	Moisture_C	Organics	Rock_Color	Rock_Textu
181	Volcanic				grey purple	float
182					buff	float
183	Plutonic				salt and pepper	massive
184	Plutonic				salt and pepper	massive
185	Plutonic				salt and pepper	massive
186	Plutonic				salt and pepper	massive
190	Plutonic	None			Pink white	Coursev crystalline
191	Volcanic	None			Maroon brown	porphyritic
fox 1			Moist	1		
fox 2			Dry	1		
fox 3			Dry	1		
fox 4			Dry	1		

LABEL	Rock_Type	Sample_Co2	Sample_Col	Sample_Dep	Sample_Qua	Sample_ID
181	tuff					
182	qtzo-feldspathic 'granite'					
183	biotite hornblend granite					
184	biotite hornblend granite					
185	biotite hornblend granite					
186	biotite hornblend granite					
190	Granitic rock intruded by peg dikes					NO SAMPLE - Mapping
191	Volcanic					NO SAMPLE - Mapping
fox 1			Brown	20-Oct	5	
fox 2			Brown	20-Oct	5	
fox 3		Rusty	Brown	20-Oct	5	
fox 4		Rusty	Brown	20-30	5	

LABEL	Sand	Silt	Site__	Soil_Horiz	Sulfides_O	Topography	Vegetation	Veins
181								
182								
183								
184								
185								
186								
190					none notice	Ridge Top		Barren Quartz
191					None notice	Ridge Top		None
fox 1	40	45		C		Ridge Top	Moss	
fox 2	40	45		C		Ridge Top	Moss	
fox 3	40	45		C		Ridge Top	Moss	
fox 4	40	45		C		Ridge Top	Moss	

LABEL	
181	
182	
183	poorly developed foliation
184	poorly developed foliation
185	
186	
190	
191	
fox 1	
fox 2	
fox 3	
fox 4	

**APPENDIX D**

**Soil Assay Certificate**



**INSPECTORATE**

A Bureau Veritas Group Company

# Certificate of Analysis

**11-360-05144-01**

Inspectorate Exploration & Mining Services Ltd.  
#200 - 11620 Horseshoe Way  
Richmond, British Columbia V7A 4V5 Canada  
Phone: 604-272-7818

### Distribution List

Attention: Tony Simon  
418 East 14th Street  
North Vancouver, BC V7L 2N8  
Phone: 604-984-3663  
EMail: reliancegeo@telus.net

Submitted By: **Reliance Geological Services**  
**418 East 14th Street**  
**North Vancouver, BC V7L 2N8**

Date Received: 07/18/2011  
Date Completed: 08/03/2011  
Invoice:

Attention: **Tony Simon**

Description: **Yes Exploration Syndicate**

Location	Samples	Type	Preparation Description
Whitehorse, YT	134	Soil	SP-SS-1K/Soils, Humus Sediments 1kg dried, sieved and riffle split
Whitehorse, YT		Soil	SP-SS-RF/Save fraction +80 mesh on Soils/Humus/Sediment

Location	Method	Description
Vancouver, BC	30-AR-TR	30 Element, Aqua Regia, ICP, Trace Level
Vancouver, BC	Au-1AT-AA	Au, 1AT Fire Assay, AAS

The results of this assay were based solely upon the content of the sample submitted. Any decision to invest should be made only after the potential investment value of the claim or deposit has been determined based on the results of assays of multiple samples of geologic materials collected by the prospective investor or by a qualified person selected by him and based on an evaluation of all engineering data which is available concerning any proposed project. For our complete terms and conditions please see our website at [www.inspectorate.com](http://www.inspectorate.com).

By   
**Mike Caron, Lab Manager**



# INSPECTORATE

A Bureau Veritas Group Company

#200 - 11620 Horseshoe Way

Richmond, British Columbia V7A 4V5  
Canada

# Certificate of Analysis

## 11-360-05144-01

Reliance Geological Services  
418 East 14th Street  
North Vancouver, BC V7L 2N8

Sample Description	Sample Type	Au Au-1A T-AA ppm 0.005	Ag 30-AR-TR ppm 0.1	Al 30-AR-TR % 0.01	As 30-AR-TR ppm 5	Ba 30-AR-TR ppm 10	Bi 30-AR-TR ppm 2	Ca 30-AR-TR % 0.01	Cd 30-AR-TR ppm 0.5	Co 30-AR-TR ppm 1	Cr 30-AR-TR ppm 1	Cu 30-AR-TR ppm 1	Fe 30-AR-TR % 0.01	Hg 30-AR-TR ppm 3	K 30-AR-TR % 0.01
FOX-1	Soil	<0.005	<0.1	2.60	<5	323	<2	0.49	<0.5	14	25	15	3.16	<3	0.08
FOX-2	Soil	<0.005	<0.1	2.78	<5	283	<2	0.61	<0.5	17	23	16	4.28	<3	0.64
FOX-3	Soil	<0.005	<0.1	2.84	<5	259	2	0.67	<0.5	15	14	4	4.37	<3	0.67
FOX-4	Soil	<0.005	<0.1	1.97	<5	198	<2	0.21	<0.5	11	25	41	3.07	<3	0.16



# INSPECTORATE

A Bureau Veritas Group Company

#200 - 11620 Horseshoe Way

Richmond, British Columbia V7A 4V5  
Canada

# Certificate of Analysis

## 11-360-05144-01

Reliance Geological Services  
418 East 14th Street  
North Vancouver, BC V7L 2N8

Sample Description	Sample Type	La	Mg	Mn	Mo	Na	Ni	P	Pb	Sb	Sc	Sr	Ti	Tl	V
		30-AR-TR ppm	30-AR-TR %	30-AR-TR ppm	30-AR-TR ppm	30-AR-TR %	30-AR-TR ppm	30-AR-TR ppm	30-AR-TR ppm	30-AR-TR ppm	30-AR-TR ppm	30-AR-TR ppm	30-AR-TR ppm	30-AR-TR %	30-AR-TR ppm
		2	0.01	5	1	0.01	1	10	2	2	1	1	0.01	10	1
FOX-1	Soil	11	0.99	1807	<1	0.05	18	840	<2	<2	6	68	0.04	<10	73
FOX-2	Soil	10	1.29	787	<1	0.02	14	2164	<2	<2	7	26	0.15	<10	102
FOX-3	Soil	13	0.91	795	<1	0.01	6	2486	<2	<2	12	30	0.11	<10	104
FOX-4	Soil	9	0.61	542	<1	0.01	18	541	3	<2	5	15	0.09	<10	62



**INSPECTORATE**

A Bureau Veritas Group Company

#200 - 11620 Horseshoe Way

Richmond, British Columbia V7A 4V5  
Canada

# Certificate of Analysis

11-360-05144-01

Reliance Geological Services  
418 East 14th Street  
North Vancouver, BC V7L 2N8

Sample Description	Sample Type	W	Zn	Zr
		30-AR-TR ppm	30-AR-TR ppm	30-AR-TR ppm
		10	2	2
FOX-1	Soil	<10	66	3
FOX-2	Soil	<10	97	<2
FOX-3	Soil	<10	91	<2
FOX-4	Soil	<10	68	2