

NTS 115I/02
Lat: 62° 07" N
Long: 136° 58' W

ASSESSMENT REPORT
on the
BART PROPERTY

Bart 1 to 30 - YD127103 to YD127132

Whitehorse Mining District, Yukon, Canada

Reconnaissance Geology, Geochemical Soil Sampling, and Prospecting

Work Period: 3 July 2011

for

YES EXPLORATION SYNDICATE INC (Operator)

Suite 1018 – 475 Howe Street
Vancouver, BC V6C2B3

by

Edward Harrington, B.Sc., P.Geo.

RELIANCE GEOLOGICAL SERVICES INC

3476 Dartmoor Place, Vancouver, BC, V5S 4G2
Tel: 604-984-3663 Fax: 604-437-9531

3 July 2012

TABLE of CONTENTS

1.0	INTRODUCTION.....	1
2.0	DESCRIPTIONS, LOCATIONS and OWNERSHIP of CLAIMS.....	1
3.0	ACCESSIBILITY, CLIMATE, and PHYSIOGRAPHY	4
4.0	GEOLOGICAL SETTING	4
4.1	Regional Geology and Structure.....	4
4.2	Property Geology and Structure	7
5.0	HISTORY.....	9
5.1	Area History	9
5.2	Previous Work	9
6.0	OBJECTIVES and SCOPE of WORK	10
6.1	Survey Method and Equipment	10
6.2	Description of Surveys.....	10
7.0	INTERPRETATIONS and CONCLUSIONS	12
7.1	Interpretations.....	12
7.2	Conclusions	12
8.0	REFERENCES.....	13
	CERTIFICATE of QUALIFICATIONS.....	14

LIST of TABLES

Table 1	Selected Soil Results	12
---------	-----------------------------	----

LIST of FIGURES

Figure 1	Regional Location	2
Figure 2	Claim Location and Topography	3
Figure 3	Regional Geology.....	5
Figure 4	Property Geology	8
Figure 5	Prospecting Traverses	11

LIST of APPENDICES

APPENDIX A	Cost Statement
APPENDIX B	Claim Data
APPENDIX C	Reconnaissance Traverse Details
APPENDIX D	Soil Assay Certificate

1.0 INTRODUCTION

This Assessment Report outlines work carried out on the BART Property (the "Property"), which is located in the Whitehorse Mining District, Yukon.

This Assessment Report summarizes previous work, and describes geological, geochemical soil sampling, and prospecting surveys carried out on 3 July 2011. This report is based on geological and geochemical reports, a compilation of published and unpublished data, maps, and reports made by cited persons.


The author is a "qualified person" within the meaning of National Instrument 43-101 of the Canadian Securities Administrators.

2.0 DESCRIPTIONS, LOCATIONS, and OWNERSHIP of CLAIMS

The claims comprising the Property are located in the Whitehorse Mining District of Yukon, Canada, as shown on Map Sheets NTS 115I/02. The Property area is centered at latitude 61°54' North, longitude 137°10'30" West, and UTM 6889000 m North, and UTM 397000 m East (Figures 1 and 2).

The Property is approximately 35 kilometers west of the village of Carmacks and 186 kilometers northwest of the city of Whitehorse. Whitehorse is the main regional supply center for personnel and equipment.

The assessment work area consists of a contiguous block of 30 quartz claims totaling approximately 626 hectares ("ha"). Claim information is presented in Appendix B.



YES EXPLORATION SYNDICATE

BART Property

Regional Location

Scale: As shown	NTS: 1151/02	Drawn by: EH
Date: Nov 2011	QP: E. Harrington	Figure: 1

E. Harrington, B.Sc, P.Geo.

137°0'0"W

396000

397000


398000

6890000

6889000

6888000

6887000



BART Property

**MOUNT
McDADE**



Yukon Energy Mines and Resources,
 NTS 115/02, NAD 83 UTM Zone 8
 Contour interval 100 feet

YES EXPLORATION SYNDICATE

BART Property

Claim Location and Topography.

Scale: As shown	NTS: 115/02	Drawn by: EH
-----------------	-------------	--------------

Date: Nov 2011	QP: E. Harrington	Figure: 2
----------------	-------------------	-----------

E. Harrington, B.Sc, P.Geo.

3.0 ACCESSIBILITY, CLIMATE, and PHYSIOGRAPHY

Access to the area is by helicopter from the village of Carmacks. Alternatively, a fuel cache can be established at the Mt Nansen mine site. The mine site is approximately 1 hour driving time from Carmacks. Personnel can access the mine site by road and then be disbursed by helicopter.



The Property is on relatively flat to gently rolling terrain with elevations ranging from 1,160 meters (3,800 feet) to 1,495 meters (4,900 feet). Vegetation cover is variable, ranging from relatively open grassed areas to areas with jack pine, alder, and scrub undergrowth. Low areas can be covered by standing water and muskeg. Summers are generally warm, while winters are cold. Depending on the type of work, the work season can be year round.

4.0 GEOLOGICAL SETTING

4.1 Regional Geology and Structure (Figure 3)

In general, Yukon geology consists of two lithological components, which are separated by the Tintina Trench. Rocks northeast of the Tintina Trench are predominantly sedimentary, from 300 million to >1 billion years old, and represent the ancient margin of North America. Rocks southwest of the Tintina Trench are mainly igneous and metamorphic, from 20 to 350 million years old, and represent numerous crustal fragments called accreted terranes that have an uncertain place of origin. The Dawson Mountain Range, which includes the subject Property, is located in the area southwest of the Tintina Trench.

The Yukon-Tanana Composite Terrane ("YTT") is the largest of Yukon's terranes and is composed of several metamorphic rock assemblages, which were originally sedimentary but have been metamorphosed at extremely high temperatures and pressures corresponding to crustal depths of 25 kilometers.



(After Geological Survey of Canada, 2005)

YES EXPLORATION SYNDICATE		
BART Property		
Regional Geology		
Scale: As shown	NTS: 1151/02	Drawn by: EH
Date: Jan 2012	QP: E. Harrington	Figure: 3
E. Harrington, B.Sc, P.Geo.		

The Intermontane Superterrane is composed of five dissimilar terranes that were amalgamated approximately 180 million years ago: Stikinia, Quesnellia, Slide Mountain, Cache Creek, and Windy-McKinley. Stikinia is the largest terrane in the Cordillera, but in Yukon is restricted to the area of the Intermontane Belt.

The Dawson Range generally comprises rocks of the Yukon-Tanana Composite Terrane and Stikinia Intermontane Superterrane. The Dawson Range is part of the Yukon Plateau Physiographic Province, and is characterized by moderately rugged topography with elevations from 900 to over 2000 meters. The Dawson Range has extensive placer and lode gold production, and is commonly referred to as the "Dawson Range gold belt". This belt comprises a northwesterly trend of placer gold occurrences, porphyry copper-gold deposits, and gold-bearing polymetallic epithermal veins. The oldest rocks exposed in the Dawson Range Gold Belt are Paleozoic YTT rocks, consisting of an assemblage of Paleozoic Yukon Group schist, gneiss, and amphibolite, and a Triassic assemblage of andesite to basalt flows, tuffs, and breccias, which are intruded by granitic batholiths. Granitic rocks intruded during Early Jurassic metamorphic/plutonic events.

The Aishihik Batholith underlies much of the district. Triassic to Lower Jurassic in age, the Aishihik intrusive body ranges in composition from dark grey granodiorite to pink quartz monzonite and porphyritic quartz monzonite. Tertiary and Eocene volcanic rocks unconformably overlie the granitic bodies. Volcanic rocks consist primarily of felsic tuffs, flows and breccias, are cut by dark green mafic volcanic plugs and dikes. Cretaceous- to Tertiary-age volcanic rocks host lode gold deposits in the Dawson Range. Lode mineralization consists of epithermal to mesothermal gold-bearing quartz-chalcedony vein systems in faults and fracture zones associated with felsic intrusives. Ring dikes and fault zones were developed during caldera collapse.

In the Dawson Range, gold mineralization occurs in quartz veins and fractures formed during the intrusion of quartz feldspar porphyry and breccia bodies. Alteration zones vary from narrow seams of clay gouge along the margins of individual quartz veins to wide areas of propylitic and argillic alteration around intrusive breccias. Sericite and pyrite are common accessory minerals.


Cretaceous to Paleocene rocks of the region comprise two major plutonic-volcanic events:

1. The Cretaceous Mount Nansen event includes the Dawson Range Batholith, Casino Granodiorite, Coffee Creek Granite, and the Mount Nansen intermediate to felsic volcanic suite, and
2. The late Cretaceous to Paleocene Carmacks event is represented by subvolcanic and volcanic mafic to felsic rocks that intrude or unconformably overlie all other units.

Cretaceous to Paleocene Carmacks intrusives and volcanics have a close spatial relationship with the older granitoids and a spatial-temporal relationship with known gold mineralization. In Yukon, gold mineralization is generally related to Carmacks volcanic units and to same-age hydrothermal alteration, suggesting a genetic link between gold mineralization and hotspot-related hydrothermal activity.

4.2 Property Geology

Property lithology consists of Paleozoic meta-volcanics and metamorphic in contact with Cretaceous volcanics near the center of the Property. An elongated body of Cretaceous intrusive rock has been mapped in the southern part of the Property.



mKgW Mesozoic - Cretaceous
Plutonic rocks - granodiorite, quartz diorite

uKCv Mesozoic - Upper Cretaceous
Carmacks: volcanic - basalts, breccia, andesite, porphyry, dacite, trachyte, conglomerate, and agglomerate

MSR Paleozoic - Late Devonian to Mississippian
Metamorphic rocks - orthogneiss - amphibolite, quartz-mica-schist, phyllite

PPa Upper Proterozoic/Paleozoic
Metamorphic (mafic-ultramafic), chlorite-biotite schist, amphibolite, and hornblende gneiss

YES EXPLORATION SYNDICATE

BART Property

Property Geology

Scale: As shown	NTS: 115I/02	Drawn by: EH
Date: June 2012	QP: E. Harrington	Figure: 4

E. Harrington, B.Sc, P.Geo.

A northwest-trending fault structure is seen in Landsat images passing through the lower west corner of the Property. The Property appears to be a in a corridor of northeast-trending faults as well.

5.0 HISTORY

5.1 Area History

In the late 1970s, an airborne geophysical magnetic survey and reconnaissance-style geological mapping and stream sediment sampling were conducted by the GSC in the region.

5.2 Previous Work

The historical airborne magnetic survey shows that the southern part of the Property is situated over a strong "bull's-eye" magnetic high anomaly. The northern area is located over a magnetic low. Regional GSC stream sediment sampling shows anomalous manganese and mercury in creeks in the northwest part of the Property.

In 1974, a joint venture between Western Silver Mines, Cream Silver Mines, and Belmoral Mines carried out a grid-controlled soil sampling program and a ground magnetic survey (Assessment Report 061473). From 1986 to 1989, G. Dickson carried out bulldozer trenching and soil sampling (Assessment Reports 091918, 092133, and 092599). Exploration was directed toward gold-magnetite skarn deposits, but only a weak copper anomaly in the north central part of the claims was found. Dickson located two small quartz stockwork zones associated with brecciated and altered feldspar porphyry plugs. Quartz veinlets from the Lee Zone contained minor stibnite and returned high mercury values (up to 5000 ppb), but low gold and silver assays. Samples of quartz vein and altered gneiss and schist from the Wild Zone yielded up to 750 ppb gold.

6.0 OBJECTIVES and SCOPE of WORK

The deposit models for the Property are epithermal gold-silver and/or porphyry copper-gold. The objectives of reported assessment work were to carry out reconnaissance-style geological and geochemical surveys to outline areas of alteration and mineralization that would suggest the presence of epithermal or porphyry deposits.

6.1 Survey Method and Equipment

A survey crew, consisting of a geologist, a prospector, and a geotechnician, carried out GPS-controlled traverses designed to provide reconnaissance-style coverage of ridge areas where outcrop was more likely to be encountered.


Soil samples were taken using a hand-powered ratcheting auger. Samples targeted the "C" horizon, with hole depth generally in the range of 0.4 to 0.6 meters. Samples were placed in uniquely identified kraft paper bags, and allowed to dry before being delivered to Inspectorate Labs, Whitehorse, Yukon, for preparation and analysis.

A Juno handheld field computer was used to enter both soil and geological data. Traverse details and mapping points are provided in Figure 5 and Appendix C.

6.2 Description of Surveys

In 2011, a work program consisting of 5 soil samples and approximately 2 kilometers of prospecting traverses were carried out on the Property.

Silver results were not significant. Gold values showed elevated values to 0.016 ppm. A suite of pathfinder elements, including arsenic, cobalt, copper, manganese, molybdenum, and zinc, showed elevated to anomalous values.



MSR Paleozoic - Late Devonian to Mississippian
 Metamorphic rocks - orthogneiss - amphibolite, quartz-mica-schist, phyllite

YES EXPLORATION SYNDICATE

BART Property

Prospecting Traverses

Scale: As shown	NTS: 115I/02	Drawn by: EH
Date: June 2012	QP: E. Harrington	Figure: 5

E. Harrington, B.Sc, P.Geo.

Table 1: Selected Soil Sampling Results

Sample	Chemical Analysis (ppm)							
	Au	Ag	As	Co	Cu	Mn	Mo	Zn
Bart 1	0.007	<0.1	6	12	25	337	<1	46
Bart 2	0.006	<0.1	46	3	33	81	<1	27
Red Trench 1	<0.005	<0.1	19	5	25	130	<1	26
Red Trench 2	0.01	<0.1	104	8	49	451	5	58
Red Trench 3	0.016	<0.1	22	21	79	980	1	93

7.0 INTERPRETATIONS and CONCLUSIONS

7.1 Interpretations

A northwest-trending fault structure is seen in Landsat images passing through the lower west corner of the Property. The Property appears to be in a corridor of northeast-trending faults as well. The historical airborne magnetic survey shows that the southern part of the Property is situated over a strong “bull's-eye” magnetic high anomaly. The northern area is located over a magnetic low. Regional GSC stream sediment sampling shows anomalous manganese and mercury in creeks in the northwest part of the Property. Manganese may be reflecting the epithermal nature of the area.

Quartz stockwork zones associated with brecciated and altered feldspar porphyry plugs contained minor stibnite and returned high mercury values (up to 5000 ppb), but low gold and silver assays. Samples of quartz vein and altered gneiss and schist returned up to 750 ppb gold.

7.2 Conclusions

Only a small portion of the Property area was covered by the reconnaissance surveys. The presence of plumbing system, elevated gold values, and elevated to anomalous pathfinder mineralization suggests that the BART Property has potential to host an epithermal or porphyry mineral deposit.

8.0 REFERENCES

Hart, C. 2002:

The Geological Framework of the Yukon Territory. Yukon Geological Survey. <http://www.geology.gov.yk.ca/>

Tempelman-Kluit, D.J., and Currie, R., 1978:

Reconnaissance rock geochemistry of Aishihik Lake, Snag and Stewart River map-areas in the Yukon Crystalline Terrance, Geological Survey of Canada, Paper 77-8.

Smuk., K.A., 1999:

Mettalogeny of Epithermal Gold and Base Metal Veins of the Southern Dawson Range, Yukon,.M.Sc. Thesis, McGill University.

Colpron, M., 2011:

Geological Compilation of Whitehorse Trough, Geoscience Map 2011-1, Yukon Geological Survey, Energy, Mines and Resources, Yukon.

Edward Harrington, B.Sc., P.Geo.

3476 Dartmoor Place, Vancouver, BC, V5S 4G2
Tel: (604) 437-9538 Email: ed.harrington.geo@gmail.com

CERTIFICATE OF AUTHOR

I, Edward D. Harrington, do hereby certify that:

1. I graduated with a B.Sc. degree in Geology from Acadia University, Wolfville, Nova Scotia in 1971.
2. I am a Member in good standing with the Association of Professional Engineers and Geoscientists of British Columbia, License #23328.
3. I have pursued my career as a geologist for over thirty years in Canada, the western United States, the Sultanate of Oman, Mexico, Argentina, Peru, and Australia.
4. I have read the definition of “qualified person” set out in National Instrument 43-101 (“NI 43-101”) and certify that by reason of my education, affiliation with a professional association as defined in NI 43-101, and past relevant work experience, I fulfill the requirements to be a “qualified person” for the purposes of NI 43-101.
5. I am responsible for the preparation of the assessment report titled “Assessment Report on the BART Property, Whitehorse Mining District, Yukon, Canada” and dated 3 July 2012 (the “Assessment Report”)

Dated this 3rd day of July 2012

A red circular professional seal for the Association of Professional Engineers and Geoscientists of British Columbia. The seal contains the text "ASSOCIATION OF PROFESSIONAL ENGINEERS AND GEOSCIENTISTS OF BRITISH COLUMBIA" around the perimeter and "E.D. HARRINGTON" in the center. A handwritten signature in black ink is written over the seal.

Edward D. Harrington, B.Sc., P.Geo.

APPENDIX A

Cost Statement

BART property - Mineral Exploration Expenditures - 2011

Supplier	Invoice #	Amount	Applied to Project
RELIANCE GEOLOGICAL SERVICES INC	A11-891-01	\$ 4,831.06	\$ 4,831.06
NOKUYUKON HOLDINGS LTD	14	\$ 10,500.00	\$ 816.13
TOTAL (INCLUDES GST)			\$ 5,647.19

Nokuyukon Holdings Ltd

110 Falcon Drive
Whitehorse, Yukon Y1A 6C7
Canada

INVOICE

Invoice No.: 14
Date: 08/01/2011
Page: 1

Sold to:

YES Exploration Syndicate Inc
Tony Simon
Vancouver, BC

Ship to:

YES Exploration Syndicate Inc
Tony Simon
Vancouver, BC

Business No.: 87245 7015RP0001

Item No.	Unit	Quantity	Description	Tax	Unit Price	Amount
			OPERATIONAL PHASE: Project preparation and work conducted July 1- 31, 2011.	G		10,000.00
			Subtotal:			10,000.00
			G - GST 5%			500.00
			GST			
Comment:					Total Amount	10,500.00

RELIANCE GEOLOGICAL SERVICES INC

3476 Dartmoor Place, Vancouver, BC

Canada V5S 4G2

info@reliancegeological.com

www.RelianceGeological.com

Tel: 604-984-3663

Fax: 604-437-9531

INVOICE

No. A11-860-01

30 November 2011

YES Exploration Syndicate Inc

418 East 14th Street

North Vancouver, BC V7L 2N8

Attn: **T. Simon**

Re: J860 - BART Property, Whitehorse MD, Yukon

Field Personnel:	Field Days	Days	Rate	Sub-total
	Prospecting, Reconnaissance geology			
Geologist:				
E. Harrington, PGeo	July 3	0.50	800.00	\$ 400.00
Prospector:				
J. Skailes	July 3	0.50	600.00	<u>300.00</u> \$ 700.00
Office Personnel:				
General research:				
E. Harrington, PGeo		0.50	800.00	\$ 400.00
Report preparation:				
E. Harrington, PGeo		0.75	800.00	600.00
Other:				<u>1,000.00</u>
Ground Exploration	included in Field Personnel totals			
Geological mapping:		-	-	\$ -
Reconnaissance:		-	-	-
Prospecting:		-	-	<u>-</u> -
Geochemical Surveying:				
Contract, per soil sample		5	48.00	\$ 240.00
Rock samples included in Field Personnel totals				
Lab costs, soils		5	25.99	129.95
Lab costs, rocks		-	31.11	<u>-</u> 369.95

Mobe/Demobe Costs: in Yukon
(allocated among 33 properties)

APPENDIX B

Claim Data

UTM Location		Claim Name	Grant Number	Owner Name	Staking Date	Expiry Date	District
Easting	Northing						
395557	6887768	BART 1	YD127103	YES EXPLORATION SYNDICATE	08-Jan-11	02-Feb-14	Whitehorse
396014	6887766	BART 2	YD127104	YES EXPLORATION SYNDICATE	08-Jan-11	02-Feb-14	Whitehorse
395558	6888225	BART 3	YD127105	YES EXPLORATION SYNDICATE	08-Jan-11	02-Feb-14	Whitehorse
396016	6888223	BART 4	YD127106	YES EXPLORATION SYNDICATE	08-Jan-11	02-Feb-14	Whitehorse
395560	6888682	BART 5	YD127107	YES EXPLORATION SYNDICATE	08-Jan-11	02-Feb-14	Whitehorse
396017	6888680	BART 6	YD127108	YES EXPLORATION SYNDICATE	08-Jan-11	02-Feb-14	Whitehorse
395561	6889139	BART 7	YD127109	YES EXPLORATION SYNDICATE	08-Jan-11	02-Feb-14	Whitehorse
396019	6889137	BART 8	YD127110	YES EXPLORATION SYNDICATE	08-Jan-11	02-Feb-14	Whitehorse
395563	6889595	BART 9	YD127111	YES EXPLORATION SYNDICATE	08-Jan-11	02-Feb-14	Whitehorse
396020	6889594	BART 10	YD127112	YES EXPLORATION SYNDICATE	08-Jan-11	02-Feb-14	Whitehorse
396471	6887765	BART 11	YD127113	YES EXPLORATION SYNDICATE	08-Jan-11	02-Feb-14	Whitehorse
396929	6887763	BART 12	YD127114	YES EXPLORATION SYNDICATE	08-Jan-11	02-Feb-14	Whitehorse
396473	6888222	BART 13	YD127115	YES EXPLORATION SYNDICATE	08-Jan-11	02-Feb-13	Whitehorse
396930	6888220	BART 14	YD127116	YES EXPLORATION SYNDICATE	08-Jan-11	02-Feb-13	Whitehorse
396474	6888679	BART 15	YD127117	YES EXPLORATION SYNDICATE	08-Jan-11	02-Feb-13	Whitehorse
396932	6888677	BART 16	YD127118	YES EXPLORATION SYNDICATE	08-Jan-11	02-Feb-13	Whitehorse
396476	6889136	BART 17	YD127119	YES EXPLORATION SYNDICATE	08-Jan-11	02-Feb-14	Whitehorse
396933	6889134	BART 18	YD127120	YES EXPLORATION SYNDICATE	08-Jan-11	02-Feb-14	Whitehorse
396477	6889592	BART 19	YD127121	YES EXPLORATION SYNDICATE	08-Jan-11	02-Feb-14	Whitehorse
396935	6889591	BART 20	YD127122	YES EXPLORATION SYNDICATE	08-Jan-11	02-Feb-14	Whitehorse
397386	6887762	BART 21	YD127123	YES EXPLORATION SYNDICATE	08-Jan-11	02-Feb-14	Whitehorse
397843	6887760	BART 22	YD127124	YES EXPLORATION SYNDICATE	08-Jan-11	02-Feb-14	Whitehorse
397387	6888219	BART 23	YD127125	YES EXPLORATION SYNDICATE	08-Jan-11	02-Feb-14	Whitehorse
397845	6888217	BART 24	YD127126	YES EXPLORATION SYNDICATE	08-Jan-11	02-Feb-14	Whitehorse
397389	6888676	BART 25	YD127127	YES EXPLORATION SYNDICATE	08-Jan-11	02-Feb-14	Whitehorse
397846	6888674	BART 26	YD127128	YES EXPLORATION SYNDICATE	08-Jan-11	02-Feb-14	Whitehorse
397390	6889132	BART 27	YD127129	YES EXPLORATION SYNDICATE	08-Jan-11	02-Feb-14	Whitehorse
397848	6889131	BART 28	YD127130	YES EXPLORATION SYNDICATE	08-Jan-11	02-Feb-14	Whitehorse
397392	6889589	BART 29	YD127131	YES EXPLORATION SYNDICATE	08-Jan-11	02-Feb-14	Whitehorse
397849	6889588	BART 30	YD127132	YES EXPLORATION SYNDICATE	08-Jan-11	02-Feb-14	Whitehorse

APPENDIX C

Reconnaissance Traverse Details

LABEL	Easting	Northing	Angular_Ro	Clay	Feat_Name	Grain_Size	Gravel	Igneous_Ro	Moisture_C
49	397862	6889388			GEO_MAPP	Fine		Volcanic	
62	397829	6889232			GEO_MAPP				
63	397868	6889405			GEO_MAPP				
Bart 1	397867	6889580	15	1	SOIL		1		Moist
Bart 2	397868	6889403	10	70	SOIL		1		Moist
RT 1	397860	6889394	10	20	SOIL		1		Moist
RT 2	397836	6889278	20	1	SOIL		1		Moist
RT 3	397829	6889235	10	1	SOIL		1		Moist

LABEL	Organics	Parent_Mat	Rock_Color	Rock_Textu	Rock_Type	Sample_Co2	Sample_Col	Sample_Dep
49			black	massive	diabase			
62								
63								
Bart 1	1	Weathered Bedrock				Rusty	Brown	20-30
Bart 2	1	Weathered Bedrock				Orange/Red	Red/Brown	20-31
RT 1	1	Weathered Bedrock				Red/Brown	Lt Brown	80-90
RT 2	1	Weathered Bedrock					Lt Brown	80-90
RT 3	1	Weathered Bedrock					Brown	80-90

LABEL	Sample_Qua	Sand	Silt	Soil_Horiz	Topography	Vegetation	
49							red trench
62					Valley Bottom		
63					Valley Bottom		
Bart 1	5	60	25	C	Ridge Top	Moss	
Bart 2	5	1	20	C	Valley Bottom	Buck Brush	
RT 1	5	50	20	C	Valley Bottom	Buck Brush	
RT 2	5	50	30	C	Valley Bottom	Buck Brush	
RT 3	5	50	40	C	Valley Bottom	Buck Brush	

APPENDIX D

Soil Assay Certificate



INSPECTORATE

A Bureau Veritas Group Company

Certificate of Analysis

11-360-04919-01

Inspectorate Exploration & Mining Services Ltd.
#200 - 11620 Horseshoe Way
Richmond, British Columbia V7A 4V5 Canada
Phone: 604-272-7818

Distribution List

Attention: Ed Harrington
3476 Dartmoor Place
Vancouver, BC V5S 4G2
Phone: 604-437-9538
EMail: ed.harrington.geo@gmail.com

Submitted By: **Reliance Geological Services**
3476 Dartmoor Place
Vancouver, BC V5S 4G2

Date Received: 07/08/2011
Date Completed: 08/03/2011
Invoice:

Attention: **Ed Harrington**

Description: **Yes Exploration Syndicate**

Location	Samples	Type	Preparation Description
Whitehorse, YT	173	Soil	SP-SS-1K/Soils, Humus Sediments 1kg dried, sieved and riffle split
Whitehorse, YT		Soil	SP-SS-RF/Save fraction +80 mesh on Soils/Humus/Sediment

Location	Method	Description
Vancouver, BC	30-AR-TR	30 Element, Aqua Regia, ICP, Trace Level
Vancouver, BC	Au-IAT-AA	Au, IAT Fire Assay, AAS

The results of this assay were based solely upon the content of the sample submitted. Any decision to invest should be made only after the potential investment value of the claim or deposit has been determined based on the results of assays of multiple samples of geologic materials collected by the prospective investor or by a qualified person selected by him and based on an evaluation of all engineering data which is available concerning any proposed project. For our complete terms and conditions please see our website at www.inspectorate.com.

By 
Mike Caron, Lab Manager



INSPECTORATE

A Bureau Veritas Group Company

#200 - 11620 Horseshoe Way

Richmond, British Columbia V7A 4V5
Canada

Certificate of Analysis

11-360-04919-01

Reliance Geological Services

3476 Dartmoor Place

Vancouver, BC V5S 4G2

Sample Description	Sample Type	Au	Ag	Al	As	Ba	Bi	Ca	Cd	Co	Cr	Cu	Fe	Hg	K
		Au-1A T-AA ppm	30-AR-TR ppm	30-AR-TR %	30-AR-TR ppm	30-AR-TR ppm	30-AR-TR ppm	30-AR-TR ppm	30-AR-TR %	30-AR-TR ppm	30-AR-TR ppm	30-AR-TR ppm	30-AR-TR ppm	30-AR-TR %	30-AR-TR ppm
		0.005	0.1	0.01	5	10	2	0.01	0.5	1	1	1	0.01	3	0.01
Bart 1	Soil	0.007	<0.1	2.85	6	211	<2	0.26	<0.5	12	40	25	2.80	<3	0.09
Bart 2	Soil	0.006	<0.1	1.28	46	262	<2	0.51	<0.5	3	45	33	2.68	<3	0.09
Red Trench 1	Soil	<0.005	<0.1	1.49	19	313	<2	0.37	<0.5	5	32	25	1.84	<3	0.09
Red Trench 2	Soil	0.010	<0.1	0.73	104	107	<2	0.12	<0.5	8	14	49	4.44	<3	0.36
Red Trench 3	Soil	0.016	<0.1	1.50	22	129	<2	0.32	<0.5	21	45	79	4.90	<3	0.20



INSPECTORATE

A Bureau Veritas Group Company

#200 - 11620 Horseshoe Way

Richmond, British Columbia V7A 4V5
Canada

Certificate of Analysis

11-360-04919-01

Reliance Geological Services

3476 Dartmoor Place

Vancouver, BC V5S 4G2

Sample Description	Sample Type	La	Mg	Mn	Mo	Na	Ni	P	Pb	Sb	Sc	Sr	Ti	Tl	V
		30-AR-TR ppm	30-AR-TR %	30-AR-TR ppm	30-AR-TR ppm	30-AR-TR %	30-AR-TR ppm	30-AR-TR ppm	30-AR-TR ppm	30-AR-TR ppm	30-AR-TR ppm	30-AR-TR ppm	30-AR-TR ppm	30-AR-TR %	30-AR-TR ppm
		2	0.01	5	1	0.01	1	10	2	2	1	1	0.01	10	1
Bart 1	Soil	9	0.61	337	<1	0.02	36	434	<2	2	4	35	0.08	<10	59
Bart 2	Soil	12	0.23	81	<1	0.02	16	532	<2	<2	14	266	<0.01	<10	99
Red Trench 1	Soil	12	0.29	130	<1	0.02	12	666	<2	<2	6	176	0.02	<10	57
Red Trench 2	Soil	32	0.11	451	5	0.05	11	761	9	<2	3	21	<0.01	<10	25
Red Trench 3	Soil	19	0.42	980	1	0.01	36	1372	<2	<2	10	21	0.05	<10	102



INSPECTORATE

A Bureau Veritas Group Company

#200 - 11620 Horseshoe Way

Richmond, British Columbia V7A 4V5
Canada

Certificate of Analysis

11-360-04919-01

Reliance Geological Services

3476 Dartmoor Place

Vancouver, BC V5S 4G2

Sample Description	Sample Type	W	Zn	Zr
		30-AR-TR ppm 10	30-AR-TR ppm 2	30-AR-TR ppm 2
Bart 1	Soil	<10	46	2
Bart 2	Soil	<10	27	4
Red Trench 1	Soil	<10	26	<2
Red Trench 2	Soil	<10	58	<2
Red Trench 3	Soil	<10	93	<2