

NTS 115I/02  
Lat: 62° 02' 30" N  
Long: 136° 47' 30" W

## **ASSESSMENT REPORT**

on the

### **SAIL PROPERTY**

Sail 1 to 16 - YD127233 to YD127248

Whitehorse Mining District, Yukon, Canada

Reconnaissance Geological, Geochemical and Prospecting Surveys

Work Period: 4 July 2011

for

#### **YES EXPLORATION SYNDICATE INC (Operator)**

Suite 1018 – 475 Howe Street  
Vancouver, BC V6C2B3  
Phone: 604-986-5275

by

Edward Harrington, B.Sc., P.Geo.

#### **RELIANCE GEOLOGICAL SERVICES INC**

3476 Dartmoor Place, Vancouver, BC, V5S 4G2  
Tel: 604-984-3663 Fax: 604-437-9531

3 July 2012

## **TABLE of CONTENTS**

|     |  |    |
|-----|--|----|
| 1.0 | INTRODUCTION.....                                    | 1  |
| 2.0 | DESCRIPTIONS, LOCATIONS and OWNERSHIP of CLAIMS..... | 1  |
| 3.0 | ACCESSIBILITY, CLIMATE, and PHYSIOGRAPHY .....       | 4  |
| 4.0 | GEOLOGICAL SETTING .....                             | 4  |
| 4.1 | Regional Geology and Structure.....                  | 4  |
| 4.2 | Property Geology and Structure .....                 | 7  |
| 5.0 | HISTORY.....   | 9  |
| 5.1 | Area History .....                                   | 9  |
| 5.2 | Previous Work .....                                  | 9  |
| 6.0 | OBJECTIVES and SCOPE of WORK .....                   | 9  |
| 6.1 | Survey Method and Equipment .....                    | 9  |
| 6.2 | Description of Surveys.....                          | 11 |
| 7.0 | INTERPRETATIONS and CONCLUSIONS .....                | 11 |
| 7.1 | Interpretations.....                                 | 11 |
| 7.2 | Conclusions .....                                    | 12 |
| 8.0 | REFERENCES.....                                      | 13 |
|     | CERTIFICATE of QUALIFICATIONS.....                   | 14 |

## **LIST of TABLES**

|         |                             |    |
|---------|-----------------------------|----|
| Table 1 | Selected Soil Results ..... | 11 |
|---------|-----------------------------|----|

## **LIST of FIGURES**

|          |                                     |    |
|----------|-------------------------------------|----|
| Figure 1 | Regional Location .....             | 2  |
| Figure 2 | Claim Location and Topography ..... | 3  |
| Figure 3 | Regional Geology.....               | 5  |
| Figure 4 | Property Geology .....              | 8  |
| Figure 5 | Prospecting Traverses .....         | 10 |

## **LIST of APPENDICES**

|            |                                 |
|------------|---------------------------------|
| APPENDIX A | Cost Statement                  |
| APPENDIX B | Claim Data                      |
| APPENDIX C | Reconnaissance Traverse Details |
| APPENDIX D | Soil Assay Certificate          |

## **1.0 INTRODUCTION**

This Assessment Report outlines work carried out on the SAIL Property (the "Property"), which is located in the Whitehorse Mining District, Yukon:

This Assessment Report summarizes previous work, and describes geological, geochemical soil sampling, and prospecting surveys carried out on 4 July 2011. This report is based on geological and geochemical reports, a compilation of published and unpublished data, maps, and reports made by cited persons.


The author is a "qualified person" within the meaning of National Instrument 43-101 of the Canadian Securities Administrators.

## **2.0 DESCRIPTIONS, LOCATIONS, and OWNERSHIP of CLAIMS**

The claims comprising the Property are located in the Whitehorse Mining District of Yukon, Canada, as shown on Map Sheet NTS 115I/02. The Property area is centered at latitude 62° 02' 30" North, longitude 136° 47' 30" West, and UTM 6881500 m North, and UTM 406000 m East (Figures 1 and 2).

The Property is located approximately 27 kilometers southwest of the village of Carmacks and 174 kilometers northwest of the city of Whitehorse. Whitehorse is the main regional supply center for personnel and equipment.

The assessment work area consists of a contiguous block of 16 quartz claims totaling approximately 334 hectares ("ha"). Claim information is presented in Appendix B.




**YES EXPLORATION SYNDICATE**

**SAIL Property**

**Regional Location**

|                 |                   |              |
|-----------------|-------------------|--------------|
| Scale: As shown | NTS: 1151/02      | Drawn by: EH |
| Date: Nov 2011  | QP: E. Harrington | Figure: 1    |

**E. Harrington, B.Sc, P.Geo.**



### **3.0 ACCESSIBILITY, CLIMATE, and PHYSIOGRAPHY**

Access to the area is by helicopter from the village of Carmacks. Alternatively, a fuel cache can be established at the Mt Nansen mine site. The mine site is approximately 1 hour driving time from Carmacks. Personnel can access the mine site by road and then be disbursed by helicopter.



The Property is on relatively flat to gently rolling terrain with elevations ranging from 1,040 meters (3,400 feet) to 1,100 meters (3,600 feet). Vegetation cover is variable, ranging from relatively open grassed areas to areas with jack pine, alder, and scrub undergrowth. Summers are generally warm, while winters are cold. Depending on the type of work, the work season can be year round.

### **4.0 GEOLOGICAL SETTING**

#### **4.1 Regional Geology and Structure (Figure 3)**

In general, Yukon geology consists of two lithological components, which are separated by the Tintina Trench. Rocks northeast of the Tintina Trench are predominantly sedimentary, from 300 million to >1 billion years old, and represent the ancient margin of North America. Rocks southwest of the Tintina Trench are mainly igneous and metamorphic, from 20 to 350 million years old, and represent numerous crustal fragments called accreted terranes that have an uncertain place of origin. The Dawson Mountain Range, which includes the subject Property, is located in the area southwest of the Tintina Trench.

The Yukon-Tanana Composite Terrane ("YTT") is the largest of Yukon's terranes and is composed of several metamorphic rock assemblages, which were originally sedimentary but have been metamorphosed at extremely high temperatures and pressures corresponding to crustal depths of 25 kilometers.



(After Geological Survey of Canada, 2005)

|                             |                   |              |
|-----------------------------|-------------------|--------------|
| YES EXPLORATION SYNDICATE   |                   |              |
| SAIL Property               |                   |              |
| Regional Geology            |                   |              |
| Scale: As shown             | NTS: 1151/02      | Drawn by: EH |
| Date: July 2012             | QP: E. Harrington | Figure: 3    |
| E. Harrington, B.Sc, P.Geo. |                   |              |

The Intermontane Superterrane is composed of five dissimilar terranes that were amalgamated approximately 180 million years ago: Stikinia, Quesnellia, Slide Mountain, Cache Creek, and Windy-McKinley. Stikinia is the largest terrane in the Cordillera, but in Yukon is restricted to the area of the Intermontane Belt.

The Dawson Range generally comprises rocks of the Yukon-Tanana Composite Terrane and Stikinia Intermontane Superterrane. The Dawson Range is part of the Yukon Plateau Physiographic Province, and is characterized by moderately rugged topography with elevations from 900 to over 2000 meters. The Dawson Range has extensive placer and lode gold production, and is commonly referred to as the "Dawson Range gold belt". This belt comprises a northwesterly trend of placer gold occurrences, porphyry copper-gold deposits, and gold-bearing polymetallic epithermal veins. The oldest rocks exposed in the Dawson Range Gold Belt are Paleozoic YTT rocks, consisting of an assemblage of Paleozoic Yukon Group schist, gneiss, and amphibolite, and a Triassic assemblage of andesite to basalt flows, tuffs, and breccias, which are intruded by granitic batholiths. Granitic rocks intruded during Early Jurassic metamorphic/plutonic events.

The Aishihik Batholith underlies much of the district. Triassic to Lower Jurassic in age, the Aishihik intrusive body ranges in composition from dark grey granodiorite to pink quartz monzonite and porphyritic quartz monzonite. Tertiary and Eocene volcanic rocks unconformably overlie the granitic bodies. Volcanic rocks consist primarily of felsic tuffs, flows and breccias, are cut by dark green mafic volcanic plugs and dikes. Cretaceous- to Tertiary-age volcanic rocks host lode gold deposits in the Dawson Range. Lode mineralization consists of epithermal to mesothermal gold-bearing quartz-chalcedony vein systems in faults and fracture zones associated with felsic intrusives. Ring dikes and fault zones were developed during caldera collapse.

In the Dawson Range, gold mineralization occurs in quartz veins and fractures formed during the intrusion of quartz feldspar porphyry and breccia bodies. Alteration zones vary from narrow seams of clay gouge along the margins of individual quartz veins to wide areas of propylitic and argillic alteration around intrusive breccias. Sericite and pyrite are common accessory minerals. Cretaceous to Paleocene rocks of the region comprise two major plutonic-volcanic events:


1. The Cretaceous Mount Nansen event includes the Dawson Range Batholith, Casino Granodiorite, Coffee Creek Granite, and the Mount Nansen intermediate to felsic volcanic suite, and
2. The late Cretaceous to Paleocene Carmacks event is represented by subvolcanic and volcanic mafic to felsic rocks that intrude or unconformably overlie all other units.

Cretaceous to Paleocene Carmacks intrusives and volcanics have a close spatial relationship with the older granitoids and a spatial-temporal relationship with known gold mineralization. In Yukon, gold mineralization is generally related to Carmacks volcanic units and to same-age hydrothermal alteration, suggesting a genetic link between gold mineralization and hotspot-related hydrothermal activity.

#### **4.2 Property Geology**

Property lithology shows the target area existing at the contact of a Jurassic-age (145-199 million years ago) intrusive and Paleozoic-age (251-544 million years ago) meta-volcanic rocks.

The Property is situated over a prominent Landsat interpreted northwest-trending fault, which intersects a significant northeast-trending structure near the center of the Property.



**EJgA** Aishihik Suite: medium to coarse grained foliated biotite-hornblende granodiorite

**PPa** Upper Proterozoic/Paleozoic Metamorphic (mafic-ultramafic), chlorite-biotite schist, amphibolite, and hornblende gneiss

YES EXPLORATION SYNDICATE

SAIL Property

Property Geology

|                 |                   |              |
|-----------------|-------------------|--------------|
| Scale: As shown | NTS: 115I/02      | Drawn by: EH |
| Date: June 2012 | QP: E. Harrington | Figure: 4    |

*E. Harrington, B.Sc, P.Geo.*

## **5.0 HISTORY**

### **5.1 Area History**

In the late 1970s, an airborne geophysical magnetic survey and reconnaissance-style geological mapping and stream sediment sampling were conducted in the region by the GSC.

### **5.2 Previous Work**

The historical airborne magnetic survey shows that the Property is underlain by a “bulls-eye” magnetic high anomaly located at the junction of the two interpreted northwest- and northeast-trending structures. A 343 ppb stream sediment gold anomaly was identified in a creek draining the central part of the SAIL claims.

## **6.0 OBJECTIVES and SCOPE of WORK**


Deposit models are epithermal gold-silver and/or porphyry copper-gold. The objectives of reported assessment work were to carry out reconnaissance-style geological and geochemical surveys to outline areas of alteration and mineralization suggesting the presence of epithermal or porphyry deposits.

### **6.1 Survey Method and Equipment**

A survey crew, consisting of a geologist, a prospector, and a geotechnician, carried out GPS-controlled traverses designed to provide reconnaissance-style coverage of ridge areas where outcrop was more likely to be encountered. Soil samples were taken using a hand-powered ratcheting auger. Samples targeted the “C” horizon, with hole depth generally in the range of 0.4 to 0.6 meters. Samples were placed in uniquely identified kraft paper bags, and allowed to dry before being delivered to Inspectorate Labs, Whitehorse, Yukon, for preparation and analysis.

## SAIL PROPERTY

- EJgA
  - PPa
  - Property Outline
  - Traverse Line
  - Geo Mapping Station
  - Rock Sample Station
  - Soil Sample Station
- GEOLOGY 1151 02



**EJgA** Aishihik Suite: medium to coarse grained foliated biotite-hornblende granodiorite

**PPa** Upper Proterozoic/Paleozoic  
Metamorphic (mafic-ultramafic), chlorite-biotite schist, amphibolite, and hornblende gneiss

YES EXPLORATION SYNDICATE

SAIL Property

Prospecting Traverses

|                 |                   |              |
|-----------------|-------------------|--------------|
| Scale: As shown | NTS: 1151/02      | Drawn by: EH |
| Date: June 2012 | QP: E. Harrington | Figure: 5    |

*E. Harrington, B.Sc, P.Geo.*

A Juno handheld field computer was used to enter both soil and geological data. Traverse details and mapping points are provided in Figure 5 and Appendix C.

## 6.2 Description of Surveys

During the 2011 work program, five soil samples and approximately two kilometers of prospecting traverses were carried out on the Property.

**Table 1: Selected Soil Sample Results**

| Sample | Chemical Analysis (ppm) |      |    |    |      |    |    |     |
|--------|-------------------------|------|----|----|------|----|----|-----|
|        | Au                      | Ag   | As | Cu | Mn   | Pb | Sb | Zn  |
| Sail1  | <0.005                  | <0.1 | 11 | 27 | 421  | 8  | 4  | 78  |
| Sail2  | <0.005                  | <0.1 | 6  | 14 | 1588 | 6  | 4  | 172 |
| Sail3  | <0.005                  | <0.1 | 9  | 15 | 919  | 9  | 9  | 155 |
| Sail4  | <0.005                  | <0.1 | 12 | 12 | 791  | 10 | 3  | 125 |
| Sail5  | <0.005                  | <0.1 | <5 | 11 | 402  | 7  | 6  | 59  |

Gold and silver values were not significant. The pathfinder elements manganese, antimony, and zinc returned values that were elevated to anomalous.

Prospecting traverses showed oxidized granitic to dioritic rocks, occasionally cut by aplite dikes and veins of white quartz. There are also minor disseminations of pyrite.

## 7.0 INTERPRETATIONS and CONCLUSIONS

### 7.1 Interpretations

Based on Landsat interpretation, the Property is situated over a prominent northwest-trending fault, which intersects a significant northeast-trending structure near the center of the Property. The airborne magnetic survey shows that the Property is underlain by a “bulls-eye” magnetic high anomaly located at the junction of the two interpreted northwest- and northeast-trending structures.

An historical stream sediment 343 ppb gold anomaly was identified in a creek draining the central part of the SAIL claims.

Results from work carried out in 2011 shows the pathfinder elements manganese, antimony, and zinc returned values that were elevated to anomalous. Manganese mineralization may reflect the epithermal nature of the area.

## **7.2 Conclusions**

Only a small portion of the Property area was covered by the reconnaissance surveys. The presence of plumbing system and elevated to anomalous pathfinder mineralization suggests that the SAIL Property has potential to host an epithermal or porphyry mineral deposit.

## 8.0 REFERENCES

Hart, C. 2002:

The Geological Framework of the Yukon Territory. Yukon Geological Survey. <http://www.geology.gov.yk.ca/>

Tempelman-Kluit, D.J., and Currie, R., 1978:

Reconnaissance rock geochemistry of Aishihik Lake, Snag and Stewart River map-areas in the Yukon Crystalline Terrance, Geological Survey of Canada, Paper 77-8.

Smuk., K.A., 1999:

Mettalogeny of Epithermal Gold and Base Metal Veins of the Southern Dawson Range, Yukon,.M.Sc. Thesis, McGill University.

Colpron, M., 2011:

Geological Compilation of Whitehorse Trough, Geoscience Map 2011-1, Yukon Geological Survey, Energy, Mines and Resources, Yukon.

**Edward Harrington, B.Sc., P.Geo.**

3476 Dartmoor Place, Vancouver, BC, V5S 4G2  
Tel: (604) 437-9538 Email: ed.harrington.geo@gmail.com

**CERTIFICATE OF AUTHOR**

I, Edward D. Harrington, do hereby certify that:

1. I graduated with a B.Sc. degree in Geology from Acadia University, Wolfville, Nova Scotia in 1971.
2. I am a Member in good standing with the Association of Professional Engineers and Geoscientists of British Columbia, License #23328.
3. I have pursued my career as a geologist for over thirty years in Canada, the western United States, the Sultanate of Oman, Mexico, Argentina, Peru, and Australia.
4. I have read the definition of “qualified person” set out in National Instrument 43-101 (“NI 43-101”) and certify that by reason of my education, affiliation with a professional association as defined in NI 43-101, and past relevant work experience, I fulfill the requirements to be a “qualified person” for the purposes of NI 43-101.
5. I am responsible for the preparation of the assessment report titled “Assessment Report on the SAIL Property, Whitehorse Mining District, Yukon, Canada” and dated 3 July 2012 (the “Assessment Report”)

Dated this 3<sup>rd</sup> day of July 2012

Edward D. Harrington, B.Sc., P.Geo.

**APPENDIX A**

**Cost Statement**

### SAIL property - Mineral Exploration Expenditures - 2011

| Supplier                         | Invoice #  | Amount       | Applied to Project |
|----------------------------------|------------|--------------|--------------------|
| RELIANCE GEOLOGICAL SERVICES INC | A11-867-01 | \$ 2,697.91  | \$ 2,697.91        |
| NOKUYUKON HOLDINGS LTD           | 14         | \$ 10,500.00 | \$ 658.63          |
|                                  |            |              |                    |
|                                  |            |              |                    |
|                                  |            |              |                    |
|                                  |            |              |                    |
|                                  |            |              |                    |
| <b>TOTAL (INCLUDES GST)</b>      |            |              | <b>\$ 3,356.54</b> |

# Nokuyukon Holdings Ltd

110 Falcon Drive  
Whitehorse, Yukon Y1A 6C7  
Canada

# INVOICE

Invoice No.: 14  
Date: 08/01/2011  
Page: 1

**Sold to:**

YES Exploration Syndicate Inc  
Tony Simon  
Vancouver, BC

**Ship to:**

YES Exploration Syndicate Inc  
Tony Simon  
Vancouver, BC

Business No.: 87245 7015RP0001

| Item No.        | Unit | Quantity | Description   | Tax | Unit Price          | Amount    |
|-----------------|------|----------|---|-----|---------------------|-----------|
|                 |      |          | OPERATIONAL PHASE: Project preparation and work conducted July 1- 31, 2011. | G   |                     | 10,000.00 |
|                 |      |          | Subtotal:   |     |                     | 10,000.00 |
|                 |      |          | G - GST 5%  |     |                     | 500.00    |
|                 |      |          | GST   |     |                     |           |
| <b>Comment:</b> |      |          |   |     | <b>Total Amount</b> | 10,500.00 |

# RELIANCE GEOLOGICAL SERVICES INC

3476 Dartmoor Place, Vancouver, BC

Canada V5S 4G2

info@reliancegeological.com

www.RelianceGeological.com

Tel: 604-984-3663

Fax: 604-437-9531

## INVOICE

No. A11-867-01

30 November 2011

### YES Exploration Syndicate Inc

418 East 14th Street

North Vancouver, BC V7L 2N8

Attn: **T. Simon**

### Re: J867 - SAIL Property, Whitehorse MD, Yukon

| Field Personnel:                                | Field Days                             | Days | Rate   | Sub-total     |               |
|---|--|------|--------|---------------|---------------|
|   | Prospecting,<br>Reconnaissance geology |      |        |               |               |
| Geologist:                                      |  |      |        |               |               |
| E. Harrington, PGeo                             | July 4                                 | 0.25 | 800.00 | \$ 200.00     |               |
| Prospector:                                     |  |      |        |               |               |
| J. Skales                                       | July 4                                 | 0.25 | 600.00 | <u>150.00</u> | \$ 350.00     |
| Office Personnel:                               |  |      |        |               |               |
| General research:                               |  |      |        |               |               |
| E. Harrington, PGeo                             |  | 0.25 | 800.00 | \$ 200.00     |               |
| Report preparation:                             |  |      |        |               |               |
| E. Harrington, PGeo                             |  | 0.50 | 800.00 | 400.00        |               |
| Other:  |  |      |        |               | <u>600.00</u> |
| Ground Exploration                              | included in Field Personnel totals     |      |        |               |               |
| Geological mapping:                             |  | -    | -      | \$ -          |               |
| Reconnaissance:                                 |  | -    | -      | -             |               |
| Prospecting:                                    |  | -    | -      | <u>-</u>      | -             |
| Geochemical Surveying:                          |  |      |        |               |               |
| Contract, per soil sample                       |  | 5    | 48.00  | \$ 240.00     |               |
| Rock samples included in Field Personnel totals |  |      |        |               |               |
| Lab costs, soils                                |  | 5    | 25.99  | 129.95        |               |
| Lab costs, rocks                                |  | -    | 31.11  | <u>-</u>      | 369.95        |

Mobe/Demobe Costs: in Yukon  
(allocated among 33 properties)

|                |  |  |  |    |        |        |
|----------------|--|--|--|----|--------|--------|
| Air transport  |  |  |  | \$ | -      |        |
| Vehicle rental |  |  |  |    | 148.22 |        |
| Time           |  |  |  |    | 151.52 |        |
| Food & accomm  |  |  |  |    | 43.94  |        |
| Other          |  |  |  |    | -      | 343.68 |
|                |  |  |  |    |        | <hr/>  |

Project Costs:

|                |                    |      |          |    |        |        |
|----------------|--------------------|------|----------|----|--------|--------|
| Vehicle rental |                    |      |          | \$ | -      |        |
| Fuel           | Allocated among 33 | 1.00 | 51.16    |    | 51.16  |        |
| Helicopter     | properties         | 0.30 | 1,032.47 |    | 309.74 |        |
| Heli Fuel      | "                  | 0.30 | 224.29   |    | 67.29  |        |
| Other          |                    |      |          |    | -      | 428.19 |
|                |                    |      |          |    |        | <hr/>  |

Food & Accom: (day rate used for convenience)

|                  |                       |      |        |    |        |        |
|------------------|-----------------------|------|--------|----|--------|--------|
| Hotel & meals    | incl M Lindsay of YES | 0.50 | 435.00 | \$ | 217.50 | 217.50 |
| (Hotel Carmacks) |                       |      |        |    |        |        |

Misc:

|                                 |                    |      |       |    |       |       |
|---------------------------------|--------------------|------|-------|----|-------|-------|
| Communications                  | Allocated among 33 | -    | -     | \$ | -     |       |
| GPS and software                | properties         | 1.50 | 10.00 |    | 15.00 |       |
| Other (security tags, supplies) | "                  | 1.00 | 54.79 |    | 54.79 | 69.79 |
|                                 |                    |      |       |    |       | <hr/> |

Sub-total \$ 2,379.11

Contractor markup 190.33  
 GST/HST 5% R# 13849 1303 128.47

Total Expenditures \$ 2,697.91

**APPENDIX B**

**Claim Data**

| UTM Location |          | Claim Name | Grant Number | Owner Name                | Staking Date | Expiry Date | District   |
|--------------|----------|------------|--------------|---------------------------|--------------|-------------|------------|
| Eastings     | Northing |            |              |                           |              |             |            |
| 405439       | 6880563  | SAIL 1     | YD127233     | YES Exploration Syndicate | 12-Jan-11    | 2-Feb-14    | Whitehorse |
| 405896       | 6880563  | SAIL 2     | YD127234     | YES Exploration Syndicate | 12-Jan-11    | 2-Feb-14    | Whitehorse |
| 405439       | 6881020  | SAIL 3     | YD127235     | YES Exploration Syndicate | 12-Jan-11    | 2-Feb-14    | Whitehorse |
| 405896       | 6881020  | SAIL 4     | YD127236     | YES Exploration Syndicate | 12-Jan-11    | 2-Feb-14    | Whitehorse |
| 405439       | 6881477  | SAIL 5     | YD127237     | YES Exploration Syndicate | 12-Jan-11    | 2-Feb-14    | Whitehorse |
| 405897       | 6881477  | SAIL 6     | YD127238     | YES Exploration Syndicate | 12-Jan-11    | 2-Feb-14    | Whitehorse |
| 405440       | 6881934  | SAIL 7     | YD127239     | YES Exploration Syndicate | 12-Jan-11    | 2-Feb-14    | Whitehorse |
| 405897       | 6881934  | SAIL 8     | YD127240     | YES Exploration Syndicate | 12-Jan-11    | 2-Feb-14    | Whitehorse |
| 406353       | 6880563  | SAIL 9     | YD127241     | YES Exploration Syndicate | 12-Jan-11    | 2-Feb-14    | Whitehorse |
| 406810       | 6880562  | SAIL 10    | YD127242     | YES Exploration Syndicate | 12-Jan-11    | 2-Feb-14    | Whitehorse |
| 406353       | 6881020  | SAIL 11    | YD127243     | YES Exploration Syndicate | 12-Jan-11    | 2-Feb-14    | Whitehorse |
| 406811       | 6881019  | SAIL 12    | YD127244     | YES Exploration Syndicate | 12-Jan-11    | 2-Feb-14    | Whitehorse |
| 406354       | 6881476  | SAIL 13    | YD127245     | YES Exploration Syndicate | 12-Jan-11    | 2-Feb-14    | Whitehorse |
| 406811       | 6881476  | SAIL 14    | YD127246     | YES Exploration Syndicate | 12-Jan-11    | 2-Feb-14    | Whitehorse |
| 406354       | 6881933  | SAIL 15    | YD127247     | YES Exploration Syndicate | 12-Jan-11    | 2-Feb-14    | Whitehorse |
| 406811       | 6881933  | SAIL 16    | YD127248     | YES Exploration Syndicate | 12-Jan-11    | 2-Feb-14    | Whitehorse |

**APPENDIX C**

**Reconnaissance Traverse Details**

| LABEL | Easting | Northing | Alteration    | Angular_Ro | Clay | Fault                    | Fractures   | Grain_Size |
|-------|---------|----------|---------------|------------|------|--------------------------|-------------|------------|
| 71    | 405705  | 6881677  |               |            |      |                          |             | Fine       |
| 72    | 406101  | 6881403  |               |            |      |                          |             | Course     |
| 73    | 405935  | 6881532  |               |            |      |                          |             | Fine       |
| 74    | 405951  | 6881513  | fresh         |            |      |                          | 220/62s     | Mixture    |
| 84    | 405900  | 6881403  | none notice   |            |      | fault est as per Landsat | none notice | Mixture    |
| 85    | 405869  | 6881247  | oxidized rock |            |      | none notice              |             | Mixture    |
| 1     | 405714  | 6881732  |               | 25         | 1    |                          |             |            |
| 2     | 405735  | 6881635  |               | 25         | 1    |                          |             |            |
| 3     | 405764  | 6881549  |               | 35         | 1    |                          |             |            |
| 4     | 405831  | 6881412  |               | 25         | 1    |                          |             |            |

| LABEL | Gravel | Igneous_Ro | Mineraliza | Moisture_C | Organics | Parent_Mat        | Rock_Color                    |
|-------|--------|------------|------------|------------|----------|-------------------|-------------------------------|
| 71    |        | Plutonic   |            |            |          |                   | cream to plnk                 |
| 72    |        | Plutonic   |            |            |          |                   | pink                          |
| 73    |        | Plutonic   |            |            |          |                   | pink                          |
| 74    |        | Plutonic   |            |            |          |                   | greyish pink                  |
| 84    |        | Plutonic   | None       |            |          |                   | grey tan white                |
| 85    |        | Plutonic   | None       |            |          |                   | old-greywhite/young-greywhite |
| 1     | 1      |            |            | Moist      | 1        | Weathered Bedrock |                               |
| 2     | 1      |            |            | Moist      | 1        | Weathered Bedrock |                               |
| 3     | 1      |            |            | Moist      | 1        | Weathered Bedrock |                               |
| 4     | 1      |            |            | Moist      | 1        | Weathered Bedrock |                               |

| LABEL | Rock_Textu        | Rock_Type                              | Sample_Co2 | Sample_Col | Sample_Dep | Sample_Qua |
|-------|-------------------|--|------------|------------|------------|------------|
| 71    | cryptocrystalline | granite-granodiorite                   |            |            |            |            |
| 72    | massive           | granodiorite                           |            |            |            |            |
| 73    | massive           | aplite possible dike                   |            |            |            |            |
| 74    | massive           | diorite                                |            |            |            |            |
| 84    | crystalline       | Foliated Jurassic Granite              |            |            |            |            |
| 85    | crystalline       | Multiphase Intrusion - old/young/young |            |            |            |            |
| 1     |                   |  |            | Brown      | 30-40      | 5          |
| 2     |                   |  |            | Brown      | 60-70      | 5          |
| 3     |                   |  | Rusty      | Brown      | 40-50      | 5          |
| 4     |                   |  | Rusty      | Brown      | 40-50      | 5          |

| LABEL | Sand | Silt | Soil_Horiz | Sulfides_O  | Topography | Vegetation       | Veins       |
|-------|------|------|------------|-------------|------------|------------------|-------------|
| 71    |      |      |            |             | Mid Slope  |                  |             |
| 72    |      |      |            |             |            |                  |             |
| 73    |      |      |            |             |            |                  |             |
| 74    |      |      |            |             |            |                  |             |
| 84    |      |      |            | none notice | Ridge Top  |                  | Bull Quartz |
| 85    |      |      |            | py?         | Ridge Top  |                  | Bull Quartz |
| 1     | 60   | 15   | C          |             | Mid Slope  | Buck Brush       |             |
| 2     | 60   | 15   | C          |             | Mid Slope  | Buck Brush       |             |
| 3     | 50   | 15   | C          |             | Mid Slope  | Evergreen Forest |             |
| 4     | 60   | 15   | C          |             | Mid Slope  | Evergreen Forest |             |

| LABEL |                                    |
|-------|------------------------------------|
| 71    | foliated biotite 010/21w           |
| 72    |                                    |
| 73    |                                    |
| 74    |                                    |
| 84    |                                    |
| 85    | oxidized aplite dikes cutting area |
| 1     |                                    |
| 2     |                                    |
| 3     |                                    |
| 4     |                                    |

**APPENDIX D**

**Soil Assay Certificate**



**INSPECTORATE**

A Bureau Veritas Group Company

# Certificate of Analysis

**11-360-05031-01**

Inspectorate Exploration & Mining Services Ltd.  
#200 - 11620 Horseshoe Way  
Richmond, British Columbia V7A 4V5 Canada  
Phone: 604-272-7818

### Distribution List

Attention: Ed Harrington  
3476 Dartmoor Place  
Vancouver, BC V5S 4G2  
Phone: 604-437-9538  
EMail: ed.harrington.geo@gmail.com

Submitted By: **Reliance Geological Services**  
**3476 Dartmoor Place**  
**Vancouver, BC V5S 4G2**

Date Received: 07/08/2011  
Date Completed: 08/02/2011  
Invoice:

Attention: **Ed Harrington**

Description: **Yes Exploration Syndicate**

| Location       | Samples | Type | Preparation Description  |
|----------------|---------|------|--|
| Whitehorse, YT | 56      | Soil | SP-SS-1K/Soils, Humus Sediments 1kg dried, sieved and riffle split |

| Location      | Method    | Description                              |
|---------------|-----------|--|
| Vancouver, BC | 30-AR-TR  | 30 Element, Aqua Regia, ICP, Trace Level |
| Vancouver, BC | Au-1AT-AA | Au, 1AT Fire Assay, AAS                  |

The results of this assay were based solely upon the content of the sample submitted. Any decision to invest should be made only after the potential investment value of the claim or deposit has been determined based on the results of assays of multiple samples of geologic materials collected by the prospective investor or by a qualified person selected by him and based on an evaluation of all engineering data which is available concerning any proposed project. For our complete terms and conditions please see our website at [www.inspectorate.com](http://www.inspectorate.com).

By   
**Mike Caron, Lab Manager**



**INSPECTORATE**

A Bureau Veritas Group Company

#200 - 11620 Horseshoe Way

Richmond, British Columbia V7A 4V5  
Canada

# Certificate of Analysis

11-360-05031-01

Reliance Geological Services

3476 Dartmoor Place

Vancouver, BC V5S 4G2

| Sample Description | Sample Type | Au<br>Au-1A T-AA<br>ppm<br>0.005 | Ag<br>30-AR-TR<br>ppm<br>0.1 | Al<br>30-AR-TR<br>%<br>0.01 | As<br>30-AR-TR<br>ppm<br>5 | Ba<br>30-AR-TR<br>ppm<br>10 | Bi<br>30-AR-TR<br>ppm<br>2 | Ca<br>30-AR-TR<br>%<br>0.01 | Cd<br>30-AR-TR<br>ppm<br>0.5 | Co<br>30-AR-TR<br>ppm<br>1 | Cr<br>30-AR-TR<br>ppm<br>1 | Cu<br>30-AR-TR<br>ppm<br>1 | Fe<br>30-AR-TR<br>%<br>0.01 | Hg<br>30-AR-TR<br>ppm<br>3 | K<br>30-AR-TR<br>%<br>0.01 |
|--------------------|-------------|----------------------------------|------------------------------|-----------------------------|----------------------------|-----------------------------|----------------------------|-----------------------------|------------------------------|----------------------------|----------------------------|----------------------------|-----------------------------|----------------------------|----------------------------|
| Sail1              | Soil        | <0.005                           | <0.1                         | 2.53                        | 11                         | 152                         | 3                          | 0.17                        | <0.5                         | 12                         | 30                         | 27                         | 3.52                        | <3                         | 0.15                       |
| Sail2              | Soil        | <0.005                           | <0.1                         | 3.42                        | 6                          | 264                         | 3                          | 1.41                        | <0.5                         | 21                         | 20                         | 14                         | 5.79                        | <3                         | 0.61                       |
| Sail3              | Soil        | <0.005                           | <0.1                         | 3.82                        | 9                          | 231                         | 4                          | 0.98                        | <0.5                         | 21                         | 24                         | 15                         | 5.49                        | <3                         | 0.83                       |
| Sail4              | Soil        | <0.005                           | <0.1                         | 2.42                        | 12                         | 67                          | 2                          | 0.47                        | <0.5                         | 11                         | 15                         | 12                         | 3.85                        | <3                         | 0.37                       |
| Sail5              | Soil        | <0.005                           | <0.1                         | 2.05                        | <5                         | 50                          | 2                          | 0.22                        | <0.5                         | 7                          | 9                          | 11                         | 4.92                        | <3                         | 0.07                       |



# INSPECTORATE

A Bureau Veritas Group Company

#200 - 11620 Horseshoe Way

Richmond, British Columbia V7A 4V5  
Canada

# Certificate of Analysis

## 11-360-05031-01

Reliance Geological Services

3476 Dartmoor Place

Vancouver, BC V5S 4G2

| Sample Description | Sample Type | La              | Mg            | Mn              | Mo              | Na            | Ni              | P               | Pb              | Sb              | Sc              | Sr              | Ti              | Tl            | V               |
|--------------------|-------------|-----------------|---------------|-----------------|-----------------|---------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|---------------|-----------------|
|                    |             | 30-AR-TR<br>ppm | 30-AR-TR<br>% | 30-AR-TR<br>ppm | 30-AR-TR<br>ppm | 30-AR-TR<br>% | 30-AR-TR<br>ppm | 30-AR-TR<br>ppm | 30-AR-TR<br>ppm | 30-AR-TR<br>ppm | 30-AR-TR<br>ppm | 30-AR-TR<br>ppm | 30-AR-TR<br>ppm | 30-AR-TR<br>% | 30-AR-TR<br>ppm |
|                    |             | 2               | 0.01          | 5               | 1               | 0.01          | 1               | 10              | 2               | 2               | 1               | 1               | 0.01            | 10            | 1               |
| Sail1              | Soil        | 7               | 0.69          | 421             | <1              | 0.02          | 22              | 391             | 8               | 4               | 4               | 17              | 0.10            | <10           | 76              |
| Sail2              | Soil        | 29              | 2.47          | 1588            | <1              | 0.02          | 13              | 2432            | 6               | 4               | 12              | 58              | 0.11            | <10           | 135             |
| Sail3              | Soil        | 11              | 2.40          | 919             | <1              | 0.02          | 17              | 1997            | 9               | 9               | 7               | 41              | 0.18            | <10           | 135             |
| Sail4              | Soil        | 12              | 1.30          | 791             | <1              | 0.01          | 9               | 874             | 10              | 3               | 5               | 22              | 0.08            | <10           | 72              |
| Sail5              | Soil        | 6               | 0.75          | 402             | <1              | 0.02          | 5               | 225             | 7               | 6               | 3               | 16              | <0.01           | <10           | 98              |



**INSPECTORATE**

A Bureau Veritas Group Company

#200 - 11620 Horseshoe Way

Richmond, British Columbia V7A 4V5

Canada

# Certificate of Analysis

11-360-05031-01

Reliance Geological Services

3476 Dartmoor Place

Vancouver, BC V5S 4G2

| Sample Description | Sample Type | W                     | Zn                   | Zr                   |
|--------------------|-------------|-----------------------|----------------------|----------------------|
|                    |             | 30-AR-TR<br>ppm<br>10 | 30-AR-TR<br>ppm<br>2 | 30-AR-TR<br>ppm<br>2 |
| Sail1              | Soil        | <10                   | 78                   | 3                    |
| Sail2              | Soil        | <10                   | 172                  | <2                   |
| Sail3              | Soil        | <10                   | 155                  | <2                   |
| Sail4              | Soil        | <10                   | 125                  | <2                   |
| Sail5              | Soil        | <10                   | 59                   | <2                   |