NTS 115H/10
Lat: 61° 43” N
Long: 136° 53’ 30” W

ASSESSMENT REPORT

on the

LEO PROPERTY

Leo 1 to 36 - YD154199 to YD154234

Whitehorse Mining District, Yukon, Canada

Reconnaissance Geological, Geochemical and Prospecting Surveys

Work Period: 9 July 2011

for

YES EXPLORATION SYNDICATE INC (Operator)
Suite 1018 – 475 Howe Street
Vancouver, BC V6C2B3
Phone: 604-986-5275

by

Edward Harrington, B.Sc., P.Geo.

RELIANCE GEOLOGICAL SERVICES INC
3476 Dartmoor Place, Vancouver, BC, V5S 4G2
Tel: 604-984-3663 Fax: 604-437-9531

15 June 2012

TABLE of CONTENTS

1.0 INTRODUCTION 1
2.0 DESCRIPTIONS, LOCATIONS and OWNERSHIP of CLAIMS 1
3.0 ACCESSIBILITY, CLIMATE, and PHYSIOGRAPHY 4
4.0 GEOLOGICAL SETTING 4
4.1 Regional Geology and Structure 4
4.2 Property Geology 7
5.0 HISTORY 9
5.1 Area History 9
5.2 Previous Work 9
6.0 OBJECTIVES and SCOPE of WORK 9
6.1 Survey Method and Equipment 9
6.2 Description of Surveys 10
7.0 INTERPRETATIONS and CONCLUSIONS 12
7.1 Interpretations 12
7.2 Conclusions 12
8.0 REFERENCES 13
CERTIFICATE of QUALIFICATIONS 14

LIST of FIGURES

Figure 1 Regional Location 2
Figure 2 Claim Location and Topography 3
Figure 3 Regional Geology 5
Figure 4 Property Geology 8
Figure 5 Prospecting Traverses 11

LIST of TABLES

Table 1 Selected Soil Sample Results 10
Table 2 Rock Sample Description 12

LIST of APPENDICES

APPENDIX A Cost Statement
APPENDIX B Claim Data
APPENDIX C Reconnaissance Traverse Details
APPENDIX D Rock Assay Certificate
APPENDIX E Soil Assay Certificate

1.0 INTRODUCTION

This Assessment Report outlines work carried out on the LEO Property (the "Property"), which is located in the Whitehorse Mining District, Yukon.

This Assessment Report summarizes previous work, and describes geological, geochemical rock and soil sampling, and prospecting surveys carried out on 9 July 2011. This report is based on geological and geochemical reports, a compilation of published and unpublished data, maps, and reports made by cited persons.

The author is a "qualified person" within the meaning of National Instrument 43-101 of the Canadian Securities Administrators.

2.0 DESCRIPTIONS, LOCATIONS, and OWNERSHIP of CLAIMS

The claims comprising the Property are located in the Whitehorse Mining District of Yukon, Canada, as shown on Map Sheet NTS 115H/10. The Property area is centered at latitude 61^{o} 43' North, longitude 136^{o} 53' 30" West, and UTM 6845000 m North, and UTM 400250 m East (Figures 1 and 2).

The Property is located approximately 52 kilometers southwest of the village of Carmacks and 148 kilometers northwest of the city of Whitehorse. Whitehorse is the main regional supply center for personnel and equipment.

The assessment work area consists of a contiguous block of 36 quartz claims totaling approximately 751 hectares ("ha"). Claim information is presented in Appendix B.



0 100 kilometers

YES EXPLORATION SYNDICATE		
LEO Property		
Regional Location		
Scale: As shown	NTS: 115H/10	Drawn by: EH
Date: Nov 2011	QP: E. Harrington	Figure: 1

E. Harrington, B.Sc, P.Geo.



YES EXPLORATION SYNDICATE		
LEO Property		
Claim Location and Topography.		
Scale: As shown	NTS: 115H/10	Drawn by: EH
Date: Nov 2011	QP: E. Harrington	Figure: 2
E. Harrington, B.Sc, P.Geo.		

3.0 ACCESSIBILITY, CLIMATE, and PHYSIOGRAPHY

Access to the area is by helicopter from the village of Carmacks. Alternatively, a fuel cache can be established at the Mt Nansen mine site. The mine site is approximately 1 hour driving time from Carmacks. Personnel can access the mine site by road and then be disbursed by helicopter.

The Property is rolling terrain with elevations ranging from 1,145 meters (3,750 feet) to 1,435 meters (4,700 feet). Vegetation cover is variable, ranging from relatively open grassed areas to areas with jack pine, alder, and scrub undergrowth. Summers are generally warm, while winters are cold. Depending on the type of work, the work season can be year round.

4.0 GEOLOGICAL SETTING

4.1 Regional Geology and Structure (Figure 3)

In general, Yukon geology consists of two lithological components, which are separated by the Tintina Trench. Rocks northeast of the Tintina Trench are predominantly sedimentary, from 300 million to >1 billion years old, and represent the ancient margin of North America. Rocks southwest of the Tintina Trench are mainly igneous and metamorphic, from 20 to 350 million years old, and represent numerous crustal fragments called accreted terranes that have an uncertain place of origin. The Dawson Mountain Range, which includes the subject Property, is located in the area southwest of the Tintina Trench.

The Yukon-Tanana Composite Terrane ("YTT") is the largest of Yukon's terranes and is composed of several metamorphic rock assemblages, which were originally sedimentary but have been metamorphosed at extremely high temperatures and pressures corresponding to crustal depths of 25 kilometers.





(After Geological Survey of Canada, 2005)

YES EXPLORATION SYNDICATE		
LEO Property		
Regional Geology		
Scale: As shown	NTS: 115H/10	Drawn by: EH
Date: Jan 2012	QP: E. Harrington	Figure: 3
E. Harrington, B.Sc, P.Geo.		

The Intermontane Superterrane is composed of five dissimilar terranes that were amalgamated approximately 180 million years ago: Stikinia, Quesnellia, Slide Mountain, Cache Creek, and Windy-McKinley. Stikinia is the largest terrane in the Cordillera, but in Yukon is restricted to the area of the Intermontane Belt.

The Dawson Range generally comprises rocks of the Yukon-Tanana Composite Terrane and Stikinia Intermontane Superterrane. The Dawson Range is part of the Yukon Plateau Physiographic Province, and is characterized by moderately rugged topography with elevations from 900 to over 2000 meters. The Dawson Range has extensive placer and lode gold production, and is commonly referred to as the "Dawson Range gold belt". This belt comprises a northwesterly trend of placer gold occurrences, porphyry copper-gold deposits, and gold-bearing polymetallic epithermal veins. The oldest rocks exposed in the Dawson Range Gold Belt are Paleozoic YTT rocks, consisting of an assemblage of Paleozoic Yukon Group schist, gneiss, and amphibolite, and a Triassic assemblage of andesite to basalt flows, tuffs, and breccias, which are intruded by granitic batholiths. Granitic rocks intruded during Early Jurassic metamorphic/plutonic events.

The Aishihik Batholith underlies much of the district. Triassic to Lower Jurassic in age, the Aishihik intrusive body ranges in composition from dark grey granodiorite to pink quartz monzonite and porphyritic quartz monzonite. Tertiary and Eocene volcanic rocks unconformably overlie the granitic bodies. Volcanic rocks consist primarily of felsic tuffs, flows and breccias, are cut by dark green mafic volcanic plugs and dikes. Cretaceous- to Tertiary-age volcanic rocks host lode gold deposits in the Dawson Range. Lode mineralization consists of epithermal to mesothermal gold-bearing quartz-chalcedony vein systems in faults and fracture zones associated with felsic intrusives. Ring dikes and fault zones were developed during caldera collapse.

In the Dawson Range, gold mineralization occurs in quartz veins and fractures formed during the intrusion of quartz feldspar porphyry and breccia bodies. Alteration zones vary from narrow seams of clay gouge along the margins of individual quartz veins to wide areas of propylitic and argillic alteration around intrusive breccias. Sericite and pyrite are common accessory minerals.

Cretaceous to Paleocene rocks of the region comprise two major plutonic-volcanic events:

1. The Cretaceous Mount Nansen event includes the Dawson Range Batholith, Casino Granodiorite, Coffee Creek Granite, and the Mount Nansen intermediate to felsic volcanic suite, and
2. The late Cretaceous to Paleocene Carmacks event is represented by subvolcanic and volcanic mafic to felsic rocks that intrude or unconformably overlie all other units.

Cretaceous to Paleocene Carmacks intrusives and volcanics have a close spatial relationship with the older granitoids and a spatial-temporal relationship with known gold mineralization. In Yukon, gold mineralization is generally related to Carmacks volcanic units and to same-age hydrothermal alteration, suggesting a genetic link between gold mineralization and hotspot-related hydrothermal activity.

4.2 Property Geology

Property lithology consists primarily of medium to coarse-grained granodiorite of the Late Triassic to Early Jurassic Aishihik Suite. The granodiorite is generally foliated with biotite and hornblende components. In the northwest corner of the Property lithology consists of Paleozoic metamorphic rocks. The metamorphic rocks, map unit PPN1, comprise biotite-muscovite-quartz schists, quartzites, ortho-gneisses (gneisses derived from sedimentary rocks), and amphibolites.



EJgA Aishihik Suite: medium to coarse grained foliated biotite-hornblende granodiorite

PPN1 Upper Proterozoic/Paleozoic
Metamorphic, biotite-musc-qtz schist, quartzite, orthogneiss, and amphibolite

PPa Upper Proterozoic/Paleozoic
Metamorphic (mafic-ultramafic), chlorite-biotite schist, amphibolite, and hornblende gneiss

YES EXPLORATION SYNDICATE		
LEO Property		
Property Geology		
Scale: As shown	NTS: 115H/10	Drawn by: EH
Date: June 2012	QP: E. Harrington	Figure: 4
E. Harrington, B.Sc, P.Geo.		

The Property is located within a structurally complex area, which includes a circular structure interpreted from Landsat images.

5.0 HISTORY

5.1 Area History

In the late 1970s, an airborne geophysical magnetic survey and reconnaissance-style geological mapping and stream sediment sampling were conducted in the region. No stream sediment geochemical anomalies have been identified in streams draining the Property, and no detailed geological mapping has been carried out since.

5.2 Previous Work

The airborne magnetic survey shows that the Property is underlain by a “bull’s-eye” magnetic high anomaly. A strong stream sediment gold anomaly (844 ppb) occurs in a creek draining the northern part of the Property, and the GSC identified an area of anomalous copper in bedrock on the Property.

6.0 OBJECTIVES and SCOPE of WORK

The deposit models for the Property are epithermal gold-silver and/or porphyry copper-gold. The objectives of reported assessment work were to carry out reconnaissance-style geological and geochemical surveys to outline areas of alteration and mineralization that would suggest the presence of epithermal or porphyry deposits.

6.1 Survey Method and Equipment

A survey crew, consisting of a geologist, a prospector, and a geotechnician, carried out GPS-controlled traverses designed to provide reconnaissance-style coverage of ridge areas where outcrop was more likely to be encountered.

Soil samples were taken using a hand-powered ratcheting auger. Samples targeted the “C” horizon, with hole depth generally in the range of 0.4 to 0.6 meters.

Samples were placed in uniquely identified kraft paper bags, and allowed to dry before being delivered to Inspectorate Labs, Whitehorse, Yukon, for preparation and analysis. Rock samples were selected to best show the desired geological occurrence. Samples were sealed in uniquely identified clear plastic bags and delivered to Inspectorate Labs, Whitehorse, Yukon, for preparation and analysis.

A Juno handheld field computer was used to enter both soil and geological data. Traverse details and mapping points are provided in Figures 4 and 5, and Appendix C.

6.2 Description of Surveys

Four soil samples and one rock sample were taken, and approximately 3.5 kilometers of prospecting traverses were carried out during the 2011 work program.

Table 1: Selected Soil Sample Results

Sample	Chemical Analysis (ppm)								
	Au	Ag	Ba	Co	Cr	Cu	Mn	Mo	Zn
LEO-1	<0.005	<0.1	179	16	50	36	522	<1	66
LEO-2	<0.005	<0.1	194	14	44	28	418	<1	59
LEO-3	<0.005	<0.1	186	14	35	37	561	<1	64
LEO-4	0.007	<0.1	351	17	45	15	691	27	95

Gold and silver values are generally not significant, except for LEO-4, which returned a slightly elevated gold value of 0.007 ppm. Anomalous values were returned for cobalt, chromium, molybdenum, and zinc. Elevated values were returned for barium, copper, and manganese.



EJgA Aishihik Suite: medium to coarse grained foliated biotite-hornblende granodiorite

PPN1 Upper Proterozoic/Paleozoic
Metamorphic, biotite-musc-qtz schist, quartzite, orthogneiss, and amphibolite

PPa Upper Proterozoic/Paleozoic
Metamorphic (mafic-ultramafic), chlorite-biotite schist, amphibolite, and hornblende gneiss

YES EXPLORATION SYNDICATE		
LEO Property		
Prospecting Traverses		
Scale: As shown	NTS: 115H/10	Drawn by: EH
Date: June 2012	QP: E. Harrington	Figure: 5
E. Harrington, B.Sc, P.Geo.		

Table 2: Rock Sample Description

Sample	Location		Type	Description
	Easting	Northing		
E5239725	400247	6845287	Select	Plutonic. Coarsely crystalline quartz vein with rusty weathering. Disseminated pyrite.

In general, rock sampling results were not significant. Sample E5239725 returned a slightly elevated gold value of 0.015 ppm and a chromium value of 140 ppm.

7.0 INTERPRETATIONS and CONCLUSIONS

7.1 Interpretations

Prospecting in the surveyed area shows biotite-hornblende gneisses showing local rusty weathering and quartz veining. Foliation is poor to non-existent, and there appears to be some biotite alteration to chlorite.

7.2 Conclusions

Only a small portion of the Property area was covered by the reconnaissance surveys. Soil sample results show indications of elevated to anomalous pathfinder elements. Rock sampling showed slightly elevated gold and chromium values. These pathfinder elements could indicate either hydrothermal- or porphyry-style mineralization. The Property is located within a structurally complex area, which includes a circular structure interpreted from Landsat images. A bulls eye magnetic high underlies the Property. The magnetic features may be reflecting alteration around a volcanic vent.

The presence of plumbing system and elevated to anomalous mineralization suggests that the LEO Property has potential to host an epithermal or porphyry mineral deposit.

8.0 REFERENCES

Hart, C. 2002:
The Geological Framework of the Yukon Territory. Yukon Geological Survey. http://www.geology.gov.yk.ca/

Tempelman-Kluit, D.J., and Currie, R., 1978:
Reconnaissance rock geochemistry of Aishihik Lake, Snag and Stewart River map-areas in the Yukon Chrystalline Terrance, Geological Survey of Canada, Paper 77-8.

Smuk., K.A., 1999:
Mettalogeny of Epithermal Gold and Base Metal Veins of the Southern Dawson Range, Yukon,.M.Sc. Thesis, McGill University.

Colpron, M., 2011:
Geological Compilation of Whitehorse Trough, Geoscience Map 2011-1, Yukon Geological Survey, Energy, Mines and Resources, Yukon.

Edward Harrington, B.Sc., P.Geo.
3476 Dartmoor Place, Vancouver, BC, V5S 4G2
Tel: (604) 437-9538 Email: ed.harrington.geo@gmail.com

CERTIFICATE OF AUTHOR

I, Edward D. Harrington, do hereby certify that:

1. I graduated with a B.Sc. degree in Geology from Acadia University, Wolfville, Nova Scotia in 1971.

2. I am a Member in good standing with the Association of Professional Engineers and Geoscientists of British Columbia, License #23328.

3. I have pursued my career as a geologist for over thirty years in Canada, the western United States, the Sultanate of Oman, Mexico, Argentina, Peru, and Australia.

4. I have read the definition of "qualified person" set out in National Instrument 43-101 ("NI 43-101") and certify that by reason of my education, affiliation with a professional association as defined in NI 43-101, and past relevant work experience, I fulfill the requirements to be a "qualified person" for the purposes of NI 43-101.

5. I am responsible for the preparation of the assessment report titled "Assessment Report on the LEO Property, Whitehorse Mining District, Yukon, Canada" and dated 15 June 2012 (the "Assessment Report")

Dated this 15th day of June 2012

Edward D. Harrington, B.Sc., P.Geo.

APPENDIX A

Cost Statement

LEO property - Mineral Exploration Expenditures - 2011

Supplier	Invoice #	Amount	Applied to Project
RELIANCE GEOLOGICAL SERVICES INC	A11-874-01	$ 3,558.39	$ 3,558.39
NOKUYUKON HOLDINGS LTD	14	$ 10,500.00	$ 816.13
TOTAL (INCLUDES GST)			**$ 4,374.52**

Nokuyukon Holdings Ltd

110 Falcon Drive
Whitehorse, Yukon Y1A 6C7
Canada

INVOICE

Invoice No.: 14
Date: 08/01/2011
Page: 1

Sold to:

YES Exploration Syndicate Inc
Tony Simon

Vancouver, BC

Ship to:

YES Exploration Syndicate Inc
Tony Simon

Vancouver, BC

Business No.: 87245 7015RP0001

Item No.	Unit	Quantity	Description	Tax	Unit Price	Amount
			OPERATIONAL PHASE: Project preparation and work conducted July 1- 31, 2011.	G		10,000.00
			Subtotal:			10,000.00
			G - GST 5% GST			500.00
Comment:					**Total Amount**	10,500.00

RELIANCE GEOLOGICAL SERVICES INC

3476 Dartmoor Place, Vancouver, BC
Canada V5S 4G2
info@reliancegeological.com www.RelianceGeological.com
Tel: 604-984-3663 Fax: 604-437-9531

INVOICE

No. A11-874-01

30 November 2011

YES Exploration Syndicate Inc
418 East 14th Street
North Vancouver, BC V7L 2N8
Attn: **T. Simon**

Re: J874 - LEO Property, Whitehorse MD, Yukon

Field Personnel:	Field Days	Days	Rate		Sub-total		
	Prospecting, Reconnaissance geology						
Geologist:							
E. Harrington, PGeo	July 9	0.50	800.00	$	400.00		
Prospector:							
J. Skailes	July 9	0.50	600.00		300.00	$	700.00
Office Personnel:							
General research:							
E. Harrington, PGeo		0.50	800.00	$	400.00		
Report preparation:							
E. Harrington, PGeo		0.75	800.00		600.00		
Other:							
							1,000.00
Ground Exploration	included in Field Personnel totals						
Geological mapping:		-	-	$	-		
Reconnaissance:		-	-		-		
Prospecting:		-	-		-		-
Geochemical Surveying:							
Contract, per soil sample		3	48.00	$	144.00		
Rock samples included in Field Personnel totals							
Lab costs, soils		3	25.99		77.97		
Lab costs, rocks		1	31.11		31.11		253.08

Mobe/Demobe Costs: in Yukon						
(allocated among 33 properties)						
Air transport				$	-	
Vehicle rental					148.22	
Time					151.52	
Food & accomm					43.94	
Other					-	343.68
Project Costs:						
Vehicle rental				$	-	
Fuel	Allocated among 33	1.00	51.16		51.16	
Helicopter	properties	0.40	1,032.47		412.99	
Heli Fuel	"	0.40	224.29		89.72	
Other					-	553.86
Food & Accomm: (day rate used for convenience)						
Hotel & meals	incl M Lindsay of YES	0.50	435.00	$	217.50	217.50
(Hotel Carmacks)						
Misc:						
Communications	Allocated among 33	-	-	$	-	
GPS and software	properties	1.50	10.00		15.00	
Other (security tags, supplies)	"	1.00	54.79		54.79	69.79
Sub-total						$ 3,137.91
Contractor markup						251.03
GST/HST 5% R# 13849 1303						169.45
Total Expenditures						$ 3,558.39

APPENDIX B

Claim Data

UTM Location		Claim Number	Grant Number	Owner Name	Staking Date	Expiry Date	District
Easting	Northing						
400910	6843620	LEO 1	YD154199	YES Exploration Syndicate	20-Jan-11	1-Feb-13	Whitehorse
401367	6843619	LEO 2	YD154200	YES Exploration Syndicate	20-Jan-11	1-Feb-13	Whitehorse
400911	6844077	LEO 3	YD154201	YES Exploration Syndicate	20-Jan-11	1-Feb-13	Whitehorse
401368	6844076	LEO 4	YD154202	YES Exploration Syndicate	20-Jan-11	1-Feb-13	Whitehorse
400912	6844534	LEO 5	YD154203	YES Exploration Syndicate	20-Jan-11	1-Feb-13	Whitehorse
401369	6844533	LEO 6	YD154204	YES Exploration Syndicate	20-Jan-11	1-Feb-13	Whitehorse
400913	6844991	LEO 7	YD154205	YES Exploration Syndicate	20-Jan-11	1-Feb-13	Whitehorse
401370	6844990	LEO 8	YD154206	YES Exploration Syndicate	20-Jan-11	1-Feb-13	Whitehorse
400914	6845448	LEO 9	YD154207	YES Exploration Syndicate	20-Jan-11	1-Feb-13	Whitehorse
401371	6845447	LEO 10	YD154208	YES Exploration Syndicate	20-Jan-11	1-Feb-13	Whitehorse
400915	6845905	LEO 11	YD154209	YES Exploration Syndicate	20-Jan-11	1-Feb-13	Whitehorse
401372	6845904	LEO 12	YD154210	YES Exploration Syndicate	20-Jan-11	1-Feb-13	Whitehorse
399996	6843622	LEO 13	YD154211	YES Exploration Syndicate	21-Jan-11	1-Feb-13	Whitehorse
400453	6843621	LEO 14	YD154212	YES Exploration Syndicate	21-Jan-11	1-Feb-13	Whitehorse
399997	6844079	LEO 15	YD154213	YES Exploration Syndicate	21-Jan-11	1-Feb-13	Whitehorse
400454	6844078	LEO 16	YD154214	YES Exploration Syndicate	21-Jan-11	1-Feb-13	Whitehorse
399998	6844536	LEO 17	YD154215	YES Exploration Syndicate	21-Jan-11	1-Feb-13	Whitehorse
400455	6844535	LEO 18	YD154216	YES Exploration Syndicate	21-Jan-11	1-Feb-13	Whitehorse
399999	6844993	LEO 19	YD154217	YES Exploration Syndicate	21-Jan-11	1-Feb-13	Whitehorse
400456	6844992	LEO 20	YD154218	YES Exploration Syndicate	21-Jan-11	1-Feb-13	Whitehorse
400000	6845450	LEO 21	YD154219	YES Exploration Syndicate	21-Jan-11	1-Feb-13	Whitehorse
400457	6845449	LEO 22	YD154220	YES Exploration Syndicate	21-Jan-11	1-Feb-13	Whitehorse
400001	6845907	LEO 23	YD154221	YES Exploration Syndicate	21-Jan-11	1-Feb-14	Whitehorse
400458	6845906	LEO 24	YD154222	YES Exploration Syndicate	21-Jan-11	1-Feb-13	Whitehorse
399082	6843624	LEO 25	YD154223	YES Exploration Syndicate	21-Jan-11	1-Feb-13	Whitehorse
399539	6843623	LEO 26	YD154224	YES Exploration Syndicate	21-Jan-11	1-Feb-13	Whitehorse
399083	6844081	LEO 27	YD154225	YES Exploration Syndicate	21-Jan-11	1-Feb-13	Whitehorse
399540	6844080	LEO 28	YD154226	YES Exploration Syndicate	21-Jan-11	1-Feb-13	Whitehorse
399084	6844538	LEO 29	YD154227	YES Exploration Syndicate	21-Jan-11	1-Feb-14	Whitehorse
399541	6844537	LEO 30	YD154228	YES Exploration Syndicate	21-Jan-11	1-Feb-14	Whitehorse
399085	6844995	LEO 31	YD154229	YES Exploration Syndicate	21-Jan-11	1-Feb-14	Whitehorse
399542	6844994	LEO 32	YD154230	YES Exploration Syndicate	21-Jan-11	1-Feb-14	Whitehorse

399086	6845452	LEO 33	YD154231	YES Exploration Syndicate	21-Jan-11	1-Feb-14	Whitehorse
399543	6845451	LEO 34	YD154232	YES Exploration Syndicate	21-Jan-11	1-Feb-14	Whitehorse
399086	6845909	LEO 35	YD154233	YES Exploration Syndicate	21-Jan-11	1-Feb-13	Whitehorse
399544	6845908	LEO 36	YD154234	YES Exploration Syndicate	21-Jan-11	1-Feb-13	Whitehorse

APPENDIX C

Reconnaissance Geological Traverses

LABEL	Easting	Northing	Alteration	Angular_Ro	Clay	Color	Fault	Feat_Name
162	398971	6845743						GEO_MAPP
163	399290	6845554						GEO_MAPP
164	399369	6845550						GEO_MAPP
165	399870	6845418						GEO_MAPP
166	400070	6845332						GEO_MAPP
167	400117	6845311						GEO_MAPP
172	399123	6845544	None notice				Fault est as per Landsat	GEO_MAPP
173	399390	6845577	Weathering oxidation				Fault est as per Landsat	GEO_MAPP
174	400275	6845398	None notice				Fault est as per Landsat	GEO_MAPP
leo 1	399067	6845658		10	1			SOIL
leo 2	399285	6845583		10	1			SOIL
leo 3	399642	6845479		10	1			SOIL
leo 4	399963	6845386		10	1			SOIL
E5239725	400247	6845287	Rusty weathering				Fault est as per Landsat	GEO_MAPP

LABEL	Fractures	Grain_Size	Gravel	Igneous_Ro	Metamorphi	Mineraliza	Moisture_C	Organics
162					Gneiss			
163		Mixture		Volcanic				
164		Mixture			Gneiss			
165		Mixture			Gneiss			
166					Gneiss			
167								
172	None notice				Folded Schist	None		
173		Fine			Gneiss	None		
174	None notice				Gneiss	None		
leo 1			1				Dry	1
leo 2			1				Dry	1
leo 3			1				Dry	1
leo 4			1				Dry	1
E5239725	None notice	Course		Plutonic		Disseminated		

LABEL	Parent_Mat	Rock_Color	Rock_Textu	Rock_Type
162		grey		biot-hornblend sericite gneiss
163		medium brown	fg with qtz eyes <2mm	bleached volcanic
164		grey		biotite hornblend gbeiss
165		grey to green	float	biotite hornblend gneiss
166		grey green		biotite hornblend gneiss
167				pegmatite vein approximately 1m wide @ 040
172		White grey	Platy	Folded Gneiss
173		White grey	Sugary	Folded Gneiss
174		White grey	Crystalline	Gneiss
leo 1	Weathered Bedrock			
leo 2	Weathered Bedrock			
leo 3	Weathered Bedrock			
leo 4	Weathered Bedrock			
E5239725		Rusty white	Crystalline	Quartz vein

LABEL	Sample_Co2	Sample_Col	Sample_Dep	Sample_Qua	Sample__ID	Sand	Silt	Soil_Horiz
162								
163								
164								
165								
166								
167								
172					NO SAMPLE - Mapping			
173					NO SAMPLE - Mapping			
174					NO SAMPLE - Mapping			
leo 1		Brown	30-40	5		45	45	C
leo 2		Brown	30-40	5		45	45	C
leo 3	Rusty	Brown	40-50	5		45	45	C
leo 4	Rusty	Brown	40-50	5		45	45	C
E5239725					E5239725			

LABEL	Topography	Vegetation	Veins	
162				bedding 215/11n
163				possibly trending @ 220; approximately 30m wide
164				gneissic and foliated sections; bedding @ 040/38s
165	Ridge Top			more granular appearance with qtz and feldspar eyes
166				outcrop. grainy gtanitic looking; some biotite altered to chlorite
167				
172	Ridge Top		None	
173	Ridge Top		None	
174	Ridge Top		Barren Quartz	
leo 1	Ridge Top	Moss		
leo 2	Mid Slope	Moss		
leo 3	Mid Slope	Moss		
leo 4	Mid Slope	Moss		
E5239725	Ridge Top		Bull Quartz	

LABEL	
162	
163	
164	
165	some alteration to chlorite
166	
167	
172	
173	
174	
leo 1	
leo 2	
leo 3	
leo 4	
E5239725	

APPENDIX D

Rock Assay Certificate

INSPECTORATE
A Bureau Veritas Group Company

Certificate of Analysis

11-360-05387-01

Inspectorate Exploration & Mining Services Ltd.
#200 - 11620 Horseshoe Way
Richmond, British Columbia V7A 4V5 Canada
Phone: 604-272-7818

Distribution List

Attention: Ed Harrington
3476 Dartmoor Place
Vancouver, BC V5S 4G2
Phone: 604-437-9538
EMail: ed.harrington.geo@gmail.com

Submitted By: **Reliance Geological Services**
3476 Dartmoor Place
Vancouver, BC V5S 4G2

Attention: **Ed Harrington**

Description: **Yes Exploration Syndicate**

Date Received: 07/25/2011
Date Completed: 08/09/2011
Invoice:

Location	Samples	Type	Preparation Description
Whitehorse, YT	15	Rock	SP-RX-2K/Rock/Chips/Drill Core

Location	Method	Description
Vancouver, BC	30-AR-TR	30 Element, Aqua Regia, ICP, Trace Level
Vancouver, BC	Au-1AT-AA	Au, 1AT Fire Assay, AAS

By 
Mike Caron, Lab Manager

INSPECTORATE
A Bureau Veritas Group Company
#200 - 11620 Horseshoe Way
Richmond, British Columbia V7A 4V5
Canada

Certificate of Analysis

11-360-05387-01

Reliance Geological Services
3476 Dartmoor Place
Vancouver, BC V5S 4G2

Sample Description	Sample Type	Au Au-1AT-AA ppm 0.005	Ag 30-AR-TR ppm 0.1	Al 30-AR-TR % 0.01	As 30-AR-TR ppm 5	Ba 30-AR-TR ppm 10	Bi 30-AR-TR ppm 2	Ca 30-AR-TR % 0.01	Cd 30-AR-TR ppm 0.5	Co 30-AR-TR ppm 1	Cr 30-AR-TR ppm 1	Cu 30-AR-TR ppm 1	Fe 30-AR-TR % 0.01	Hg 30-AR-TR ppm 3	K 30-AR-TR % 0.01
E5239725	Rock	0.015	<0.1	0.06	<5	22	<2	<0.01	<0.5	<1	140	<1	0.92	<3	0.03

INSPECTORATE
A Bureau Veritas Group Company
#200 - 11620 Horseshoe Way
Richmond, British Columbia V7A 4V5
Canada

Certificate of Analysis

11-360-05387-01

Reliance Geological Services
3476 Dartmoor Place
Vancouver, BC V5S 4G2

Sample Description	Sample Type	La 30-AR-TR ppm 2	Mg 30-AR-TR % 0.01	Mn 30-AR-TR ppm 5	Mo 30-AR-TR ppm 1	Na 30-AR-TR % 0.01	Ni 30-AR-TR ppm 1	P 30-AR-TR ppm 10	Pb 30-AR-TR ppm 2	Sb 30-AR-TR ppm 2	Sc 30-AR-TR ppm 1	Sr 30-AR-TR ppm 1	Ti 30-AR-TR % 0.01	Tl 30-AR-TR ppm 10	V 30-AR-TR ppm 1
E5239725	Rock	<2	<0.01	24	14	<0.01	4	27	<2	<2	<1	1	<0.01	<10	1

INSPECTORATE
A Bureau Veritas Group Company
#200 - 11620 Horseshoe Way
Richmond, British Columbia V7A 4V5
Canada

Certificate of Analysis

11-360-05387-01

Reliance Geological Services
3476 Dartmoor Place
Vancouver, BC V5S 4G2

Sample Description	Sample Type	W 30-AR-TR ppm 10	Zn 30-AR-TR ppm 2	Zr 30-AR-TR ppm 2
E5239725	Rock	<10	<2	<2

APPENDIX E

Soil Assay Certificate

INSPECTORATE
A Bureau Veritas Group Company

Certificate of Analysis

11-360-05144-01

Inspectorate Exploration & Mining Services Ltd.
#200 - 11620 Horseshoe Way
Richmond, British Columbia V7A 4V5 Canada
Phone: 604-272-7818

Distribution List

Attention: Tony Simon
418 East 14th Street
North Vancouver, BC V7L 2N8
Phone: 604-984-3663
EMail: reliancegeo@telus.net

Submitted By: **Reliance Geological Services**
418 East 14th Street
North Vancouver, BC V7L 2N8

Attention: **Tony Simon**

Description: **Yes Exploration Syndicate**

Date Received: 07/18/2011
Date Completed: 08/03/2011
Invoice:

Location	Samples	Type	Preparation Description
Whitehorse, YT	134	Soil	SP-SS-1K/Soils, Humus Sediments 1kg dried, sieved and riffle split
Whitehorse, YT		Soil	SP-SS-RF/Save fraction +80 mesh on Soils/Humus/Sediment

Location	Method	Description
Vancouver, BC	30-AR-TR	30 Element, Aqua Regia, ICP, Trace Level
Vancouver, BC	Au-1AT-AA	Au, 1AT Fire Assay, AAS

By 
Mike Caron, Lab Manager

INSPECTORATE
A Bureau Veritas Group Company
#200 - 11620 Horseshoe Way
Richmond, British Columbia V7A 4V5
Canada

Certificate of Analysis

11-360-05144-01

Reliance Geological Services
418 East 14th Street
North Vancouver, BC V7L 2N8

Sample Description	Sample Type	Au Au-1AT-AA ppm 0.005	Ag 30-AR-TR ppm 0.1	Al 30-AR-TR % 0.01	As 30-AR-TR ppm 5	Ba 30-AR-TR ppm 10	Bi 30-AR-TR ppm 2	Ca 30-AR-TR % 0.01	Cd 30-AR-TR ppm 0.5	Co 30-AR-TR ppm 1	Cr 30-AR-TR ppm 1	Cu 30-AR-TR ppm 1	Fe 30-AR-TR % 0.01	Hg 30-AR-TR ppm 3	K 30-AR-TR % 0.01
LEO-1	Soil	<0.005	<0.1	2.49	13	179	<2	0.13	<0.5	16	50	36	3.61	<3	0.41
LEO-2	Soil	<0.005	<0.1	2.14	<5	194	<2	0.19	<0.5	14	44	28	3.29	<3	0.49
LEO-3	Soil	<0.005	<0.1	1.74	11	186	<2	0.29	<0.5	14	35	37	3.94	<3	0.40
LEO-4	Soil	0.007	<0.1	2.33	<5	351	<2	0.70	<0.5	17	45	15	4.82	<3	0.53

INSPECTORATE
A Bureau Veritas Group Company
#200 - 11620 Horseshoe Way
Richmond, British Columbia V7A 4V5
Canada

Certificate of Analysis

11-360-05144-01

Reliance Geological Services
418 East 14th Street
North Vancouver, BC V7L 2N8

Sample Description	Sample Type	La 30-AR-TR ppm 2	Mg 30-AR-TR % 0.01	Mn 30-AR-TR ppm 5	Mo 30-AR-TR ppm 1	Na 30-AR-TR % 0.01	Ni 30-AR-TR ppm 1	P 30-AR-TR ppm 10	Pb 30-AR-TR ppm 2	Sb 30-AR-TR ppm 2	Sc 30-AR-TR ppm 1	Sr 30-AR-TR ppm 1	Ti 30-AR-TR % 0.01	Tl 30-AR-TR ppm 10	V 30-AR-TR ppm 1
LEO-1	Soil	10	0.74	522	<1	0.01	31	426	5	<2	5	13	0.12	<10	75
LEO-2	Soil	8	0.87	418	<1	0.02	33	608	3	<2	6	16	0.12	<10	71
LEO-3	Soil	12	0.87	561	<1	0.01	22	392	<2	<2	9	16	0.14	<10	70
LEO-4	Soil	14	1.02	691	27	0.01	18	1917	<2	<2	9	36	0.12	<10	103

INSPECTORATE
A Bureau Veritas Group Company
#200 - 11620 Horseshoe Way
Richmond, British Columbia V7A 4V5
Canada

Certificate of Analysis

11-360-05144-01

Reliance Geological Services
418 East 14th Street
North Vancouver, BC V7L 2N8

Sample Description	Sample Type	W 30-AR-TR ppm 10	Zn 30-AR-TR ppm 2	Zr 30-AR-TR ppm 2
LE0-1	Soil	<10	66	<2
LE0-2	Soil	<10	59	2
LE0-3	Soil	<10	64	<2
LE0-4	Soil	<10	95	2