



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: TARSIS RESOURCES LTD.
1103 - 750 W PENDER ST.
VANCOUVER BC V6C 2T8

Page: 1
Finalized Date: 1-OCT-2011
Account: TARCAP

CERTIFICATE WH11161745

Project: Burn Property (Aishihik)

P.O. No.:

This report is for 189 Soil samples submitted to our lab in Whitehorse, YT, Canada on 16-AUG-2011.

The following have access to data associated with this certificate:

MARC BLYTHE

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
SCR-41	Screen to -180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
ME-MS41	51 anal. aqua regia ICPMS	

To: TARSIS RESOURCES LTD.
ATTN: MARC BLYTHE
1103 - 750 W PENDER ST.
VANCOUVER BC V6C 2T8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:


Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: TARSIS RESOURCES LTD.
1103 - 750 W PENDER ST.
VANCOUVER BC V6C 2T8

Page: 2 - A
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 1-OCT-2011
Account: TARCAP

Project: Burn Property (Aishihik)

CERTIFICATE OF ANALYSIS WH11161745

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg .02	Au-AA23 Au ppm 0.005	ME-MS41 Ag ppm 0.01	ME-MS41 Al % 0.01	ME-MS41 As ppm 0.1	ME-MS41 Au ppm 0.2	ME-MS41 B ppm 10	ME-MS41 Ba ppm 10	ME-MS41 Be ppm 0.05	ME-MS41 Bi ppm 0.01	ME-MS41 Ca % 0.01	ME-MS41 Cd ppm 0.01	ME-MS41 Ce ppm 0.02	ME-MS41 Co ppm 0.1	ME-MS41 Cr ppm 1
A01		0.74	<0.005	0.34	2.13	6.9	<0.2	<10	200	0.65	0.30	0.55	0.17	39.5	8.9	39
A02		0.60	0.005	0.27	2.07	9.6	<0.2	<10	230	0.67	0.32	0.61	0.20	42.0	12.1	41
A03		0.90	0.007	0.20	1.65	5.8	0.2	<10	150	0.44	0.19	0.52	0.15	29.7	10.1	38
A04		0.42	<0.005	0.09	0.56	2.2	<0.2	<10	60	0.18	0.10	0.27	0.36	9.43	4.5	13
A05		0.44	<0.005	0.11	0.91	4.6	<0.2	<10	70	0.20	0.17	0.26	0.37	11.50	5.8	20
A06		0.78	<0.005	0.13	1.73	8.2	<0.2	<10	130	0.50	0.33	0.50	0.24	30.7	9.3	33
A07		0.76	<0.005	0.06	2.01	10.6	<0.2	<10	150	0.47	0.39	0.46	0.21	37.0	12.6	39
A08		0.72	<0.005	0.20	2.20	5.3	<0.2	<10	230	0.53	0.16	0.43	0.15	21.7	9.7	30
A09		0.74	<0.005	0.17	2.00	5.1	<0.2	<10	110	0.68	0.28	0.56	0.16	31.9	7.9	24
A10		0.40	<0.005	0.17	1.53	8.3	<0.2	<10	110	0.63	0.31	0.55	0.28	37.1	9.6	31
A11		0.52	<0.005	0.21	1.49	6.9	<0.2	<10	90	1.25	0.45	0.67	0.30	89.3	8.2	25
A12		0.76	<0.005	0.44	2.18	18.1	<0.2	<10	120	1.78	0.75	0.96	0.62	111.0	14.2	34
A13		0.82	<0.005	0.17	1.52	2.3	<0.2	<10	10	0.89	0.16	0.62	0.29	163.5	0.8	4
A14		0.78	<0.005	0.11	1.61	6.7	<0.2	<10	90	0.82	0.39	0.45	0.29	59.6	10.3	32
A15		0.70	<0.005	0.38	1.56	6.7	<0.2	<10	110	0.60	0.67	0.67	0.41	30.4	9.7	27
A16		0.70	<0.005	0.14	1.83	9.8	<0.2	<10	90	0.84	0.31	0.40	0.43	33.6	13.0	35
A17		0.76	<0.005	0.10	1.51	6.6	<0.2	<10	90	0.82	0.28	0.50	0.32	68.4	9.0	26
A18		0.62	0.007	0.21	1.43	9.5	<0.2	<10	110	0.99	2.10	2.04	2.59	28.6	10.3	26
A19		0.68	<0.005	0.13	2.20	6.9	<0.2	<10	160	1.05	0.63	0.82	0.34	37.6	11.6	24
A20		0.54	<0.005	0.15	1.55	4.7	<0.2	<10	190	0.53	0.67	1.65	0.55	26.0	9.8	22
A21		0.66	<0.005	0.18	2.36	6.4	<0.2	<10	210	0.70	1.28	0.77	0.48	35.7	11.6	28
A22		0.60	0.026	0.25	1.47	7.9	<0.2	<10	40	0.66	4.46	1.07	0.74	27.8	11.2	33
A23		0.72	0.005	0.15	3.25	7.9	<0.2	<10	120	1.23	1.08	0.87	0.36	40.9	16.0	57
A24		0.48	0.008	0.32	1.45	7.8	<0.2	<10	70	0.52	3.20	4.02	0.67	22.8	11.5	31
A25		0.62	<0.005	0.38	2.18	10.0	<0.2	<10	90	0.86	2.67	1.35	1.42	45.9	15.1	42
A26		0.52	<0.005	0.14	1.61	4.8	<0.2	<10	150	0.48	0.57	0.67	0.31	24.0	11.2	29
A27		0.62	<0.005	0.11	1.99	5.2	<0.2	<10	330	0.48	0.64	0.52	0.29	22.1	11.5	31
A28		0.52	<0.005	0.14	1.65	5.7	<0.2	<10	170	0.58	1.42	1.17	1.41	22.8	12.4	33
A29		0.48	<0.005	0.14	1.65	6.2	<0.2	<10	80	0.59	1.54	0.32	0.36	20.4	9.3	35
A30		0.80	<0.005	0.23	2.22	5.6	<0.2	<10	130	1.20	0.73	0.89	1.12	45.3	13.3	46
A31		0.64	0.017	0.19	1.82	7.9	<0.2	<10	110	1.19	0.50	0.61	0.55	34.2	13.0	37
A32		0.44	<0.005	0.13	1.62	10.5	<0.2	<10	120	0.64	0.48	0.85	0.55	21.3	15.6	41
A33		0.50	<0.005	0.31	1.74	17.6	<0.2	<10	90	0.91	1.43	2.03	1.88	55.8	11.5	29
A34		0.46	<0.005	0.29	0.93	8.4	<0.2	<10	70	0.55	0.94	4.11	1.59	20.1	7.8	19
A35		0.40	<0.005	0.24	1.27	7.0	<0.2	<10	130	0.51	0.67	1.36	1.38	18.25	10.2	26
A36		0.54	<0.005	0.30	1.25	8.2	<0.2	<10	100	0.71	0.96	2.78	1.73	26.5	9.4	26
A37		0.50	<0.005	0.34	2.11	8.6	<0.2	<10	140	0.72	3.98	0.95	0.56	38.9	11.0	24
A38		0.60	0.016	0.72	1.84	13.3	<0.2	<10	130	0.72	2.87	0.71	1.03	38.2	9.5	25
A39		0.70	<0.005	0.19	2.12	15.6	<0.2	<10	160	1.05	0.88	0.75	0.62	46.2	8.3	20
A40		0.64	<0.005	0.13	1.93	7.4	<0.2	<10	170	0.68	0.32	0.56	0.24	34.7	10.8	30



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: TARSIS RESOURCES LTD.
1103 - 750 W PENDER ST.
VANCOUVER BC V6C 2T8

Page: 2 - B
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 1-OCT-2011
Account: TARCAP

Project: Burn Property (Aishihik)

CERTIFICATE OF ANALYSIS WH11161745

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
A01		5.55	21.6	2.98	9.52	0.14	0.04	0.01	0.033	0.39	22.5	30.1	0.76	380	0.62
A02		5.05	28.2	3.35	9.00	0.15	0.07	<0.01	0.040	0.43	20.9	33.5	0.80	589	0.72
A03		2.37	19.1	2.55	6.71	0.15	0.03	<0.01	0.031	0.20	14.9	25.2	0.65	364	0.69
A04		0.66	17.4	1.46	3.53	0.07	<0.02	0.03	0.009	0.06	4.7	3.4	0.15	114	0.62
A05		0.99	23.4	2.00	6.02	0.09	<0.02	0.01	0.015	0.05	5.6	8.1	0.25	135	0.85
A06		2.55	17.4	2.68	7.11	0.11	0.02	<0.01	0.032	0.19	14.7	25.0	0.67	392	0.57
A07		3.01	14.4	3.31	8.11	0.15	0.04	<0.01	0.030	0.25	14.5	33.1	0.76	485	0.58
A08		2.44	17.8	2.96	8.51	0.10	0.02	<0.01	0.023	0.28	10.5	39.3	0.82	325	0.61
A09		4.16	12.1	2.76	7.99	0.11	<0.02	<0.01	0.025	0.22	13.3	31.0	0.70	374	0.62
A10		2.61	18.4	2.53	5.91	0.12	0.03	0.04	0.026	0.15	16.2	22.1	0.55	419	0.80
A11		2.34	25.5	2.44	6.12	0.19	0.06	0.05	0.036	0.08	51.2	19.5	0.47	721	0.86
A12		3.70	32.7	3.18	9.15	0.20	0.07	0.07	0.049	0.12	41.7	31.4	0.75	1060	1.19
A13		1.30	5.6	0.96	4.97	0.10	0.07	0.01	0.048	0.06	49.4	5.9	0.28	390	0.25
A14		2.97	18.6	2.83	6.95	0.13	0.03	0.03	0.036	0.14	19.9	28.2	0.61	614	1.12
A15		1.82	20.5	2.72	5.91	0.10	0.03	0.03	0.029	0.07	11.5	19.0	0.52	863	0.93
A16		2.23	25.2	3.15	8.05	0.11	0.02	0.02	0.031	0.06	12.6	32.6	0.64	879	1.38
A17		3.22	15.6	2.61	6.97	0.13	0.03	0.03	0.036	0.10	21.2	24.5	0.51	512	0.89
A18		4.67	23.6	2.39	5.54	0.15	0.04	0.05	0.068	0.17	14.0	20.3	0.53	646	0.65
A19		10.60	18.3	2.93	9.55	0.14	0.04	0.02	0.026	0.38	13.9	33.9	0.79	516	1.25
A20		4.83	19.7	2.30	5.84	0.13	0.04	0.06	0.020	0.20	11.5	21.8	0.56	491	0.88
A21		6.23	22.4	3.09	9.06	0.16	0.03	0.04	0.022	0.25	11.6	33.7	0.76	491	0.91
A22		2.78	19.9	2.26	4.97	0.16	0.05	0.04	0.030	0.24	11.4	20.9	0.59	370	0.40
A23		11.05	24.6	3.23	12.05	0.21	0.05	0.02	0.032	0.41	16.8	67.9	1.20	383	0.42
A24		6.59	32.0	2.08	5.29	0.12	0.04	0.06	0.022	0.23	10.5	34.6	0.56	488	0.56
A25		7.46	39.1	2.93	9.71	0.19	0.05	0.03	0.038	0.23	19.4	50.5	0.75	534	0.92
A26		3.48	20.7	2.75	6.85	0.13	0.02	0.04	0.025	0.18	10.8	23.8	0.64	398	0.99
A27		3.13	22.3	2.97	7.95	0.13	0.02	0.04	0.024	0.18	10.1	20.8	0.73	416	1.22
A28		3.29	24.4	2.52	6.25	0.12	0.03	0.04	0.025	0.21	10.3	20.3	0.66	704	0.82
A29		2.73	20.2	2.78	7.35	0.11	0.02	0.05	0.028	0.21	8.0	17.2	0.61	420	1.07
A30		6.78	27.7	3.02	8.63	0.19	0.06	0.02	0.042	0.30	27.5	37.0	0.91	702	0.57
A31		3.70	34.6	3.00	7.88	0.12	0.03	0.03	0.036	0.12	13.5	27.3	0.67	516	1.27
A32		3.64	31.0	2.72	6.59	0.13	0.03	0.04	0.031	0.20	9.8	22.1	0.68	560	1.08
A33		2.65	33.3	2.66	6.29	0.12	0.04	0.06	0.047	0.11	20.2	27.1	0.53	583	1.22
A34		1.94	29.5	1.54	3.50	0.13	0.04	0.05	0.042	0.18	9.8	12.7	0.43	728	0.71
A35		2.07	27.0	2.11	4.89	0.11	0.03	0.07	0.034	0.19	8.3	14.7	0.51	837	1.03
A36		2.75	51.2	1.97	4.91	0.14	0.04	0.05	0.040	0.24	13.5	16.1	0.48	643	0.72
A37		6.18	39.5	2.96	9.61	0.17	0.04	0.03	0.041	0.30	17.1	42.0	0.65	562	1.41
A38		5.11	38.9	2.81	8.77	0.14	0.03	0.03	0.062	0.20	13.7	39.2	0.61	439	2.62
A39		4.05	20.0	2.49	8.06	0.13	0.05	0.03	0.049	0.33	16.0	37.3	0.57	459	0.54
A40		3.18	26.6	2.89	7.78	0.12	0.03	0.03	0.032	0.21	12.2	27.5	0.69	563	1.14



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: TARSIS RESOURCES LTD.
1103 - 750 W PENDER ST.
VANCOUVER BC V6C 2T8

Page: 2 - C
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 1-OCT-2011
Account: TARCAP

Project: Burn Property (Aishihik)

CERTIFICATE OF ANALYSIS WH11161745

Sample Description	Method Analyte Units LOR	ME-MS41 Nb ppm 0.05	ME-MS41 Ni ppm 0.2	ME-MS41 P ppm 10	ME-MS41 Pb ppm 0.2	ME-MS41 Rb ppm 0.1	ME-MS41 Re ppm 0.001	ME-MS41 S % 0.01	ME-MS41 Sb ppm 0.05	ME-MS41 Sc ppm 0.1	ME-MS41 Se ppm 0.2	ME-MS41 Sn ppm 0.2	ME-MS41 Sr ppm 0.2	ME-MS41 Ta ppm 0.01	ME-MS41 Te ppm 0.01	ME-MS41 Th ppm 0.2
A01		2.65	17.3	790	22.1	48.4	0.001	0.07	0.20	6.4	0.5	1.2	45.2	<0.01	0.02	3.5
A02		2.85	21.1	640	25.5	49.4	<0.001	0.05	0.19	6.6	0.6	1.2	50.3	<0.01	0.02	4.4
A03		1.86	19.5	590	9.3	26.2	<0.001	0.05	0.18	4.9	0.3	0.8	38.8	<0.01	0.02	2.0
A04		0.47	6.8	580	4.0	7.3	<0.001	0.08	0.18	0.8	0.7	0.4	25.6	<0.01	0.01	<0.2
A05		1.09	10.3	430	6.5	6.9	0.001	0.06	0.26	1.9	0.4	0.5	26.2	<0.01	0.02	0.3
A06		1.59	15.4	770	16.7	23.4	<0.001	0.03	0.19	4.4	0.3	0.8	38.2	<0.01	0.03	2.5
A07		2.45	20.7	630	17.4	30.4	<0.001	0.02	0.23	5.1	0.2	0.9	33.6	<0.01	0.01	4.0
A08		2.36	16.9	460	11.0	39.7	<0.001	0.03	0.18	3.6	0.4	0.7	60.3	<0.01	0.01	2.1
A09		2.16	12.8	510	10.5	35.6	<0.001	0.04	0.20	3.0	0.6	1.0	52.4	<0.01	0.01	1.7
A10		1.49	19.5	750	15.4	17.9	<0.001	0.04	0.27	3.8	0.6	0.6	53.3	<0.01	0.03	1.6
A11		0.75	14.5	1030	15.4	14.7	<0.001	0.07	0.32	3.4	1.2	0.6	57.4	0.01	0.04	1.1
A12		1.34	26.1	1140	21.2	18.5	<0.001	0.06	0.52	6.0	1.2	0.8	99.1	0.01	0.07	2.3
A13		1.14	1.4	200	5.6	4.4	<0.001	0.02	0.12	2.9	0.5	1.2	33.3	0.01	0.02	5.4
A14		1.05	18.1	760	10.1	17.8	<0.001	0.05	0.34	3.2	0.7	0.7	47.6	0.01	0.05	1.0
A15		0.80	16.4	750	8.2	9.7	<0.001	0.06	0.39	3.7	0.6	0.5	62.3	<0.01	0.07	0.8
A16		0.79	22.5	750	9.2	11.0	<0.001	0.05	0.47	2.9	0.6	0.6	45.4	<0.01	0.06	0.4
A17		1.10	16.6	590	8.8	15.8	<0.001	0.04	0.32	3.8	0.5	0.6	48.5	<0.01	0.04	1.4
A18		1.29	19.9	890	14.1	31.0	<0.001	0.11	0.69	2.3	0.9	1.9	102.0	0.01	0.07	0.8
A19		1.38	15.8	770	10.3	67.3	<0.001	0.07	0.43	3.4	0.7	0.8	113.5	0.01	0.05	1.7
A20		1.29	16.3	1110	12.6	32.6	<0.001	0.12	0.47	2.3	0.8	0.5	135.5	0.01	0.05	0.8
A21		1.30	18.8	1080	19.9	38.9	<0.001	0.11	0.46	2.8	0.7	0.6	88.5	0.01	0.10	0.9
A22		1.38	25.7	500	18.4	23.6	<0.001	0.05	0.90	3.7	0.5	0.6	77.4	0.01	0.09	1.9
A23		3.89	35.5	430	8.3	86.1	<0.001	0.04	0.35	8.9	0.7	1.1	216	0.01	0.04	6.4
A24		1.88	23.9	720	21.3	40.5	<0.001	0.14	0.41	2.9	0.9	0.6	243	0.01	0.08	1.4
A25		3.02	28.7	700	44.6	47.5	<0.001	0.09	0.45	4.9	0.9	1.5	102.0	0.01	0.14	4.0
A26		1.20	16.5	950	9.8	30.2	<0.001	0.08	0.33	2.6	0.6	0.7	67.7	<0.01	0.06	0.7
A27		1.00	18.0	1250	7.4	30.7	<0.001	0.08	0.36	1.9	0.7	0.6	49.0	<0.01	0.08	0.2
A28		1.26	20.6	1490	7.5	38.7	<0.001	0.12	0.34	2.2	0.7	0.5	94.1	0.01	0.11	0.5
A29		1.39	17.5	890	7.9	27.2	<0.001	0.11	0.37	1.9	0.6	0.7	29.7	<0.01	0.15	0.3
A30		1.94	28.2	830	10.5	42.4	<0.001	0.02	0.29	5.1	0.8	0.9	120.0	0.01	0.06	3.8
A31		1.43	24.7	750	16.5	21.7	<0.001	0.06	0.46	3.3	0.6	0.8	49.2	0.01	0.06	1.0
A32		1.54	30.9	1230	8.9	35.3	<0.001	0.10	0.51	2.4	0.7	0.8	53.4	0.01	0.06	0.5
A33		1.26	23.6	1360	9.9	15.8	<0.001	0.15	3.68	2.4	1.1	1.1	57.9	0.01	0.09	0.5
A34		1.12	17.2	1400	20.6	18.7	<0.001	0.17	0.54	1.3	0.9	1.2	135.0	0.01	0.08	0.6
A35		1.19	18.4	1530	11.2	26.0	<0.001	0.14	0.40	1.9	0.7	0.7	85.3	0.01	0.05	0.5
A36		1.35	24.0	3030	13.4	28.7	<0.001	0.14	0.57	1.8	1.0	0.9	86.0	0.01	0.07	0.8
A37		2.79	15.2	860	13.2	55.4	<0.001	0.11	0.38	3.7	0.9	1.4	59.8	0.01	0.06	3.5
A38		2.84	15.2	670	47.7	33.8	<0.001	0.07	0.26	3.7	0.7	1.5	58.9	0.01	0.04	3.2
A39		2.44	11.9	870	18.6	37.8	<0.001	0.04	0.20	4.1	0.6	2.3	359	0.01	0.04	4.3
A40		1.54	17.6	670	9.6	33.6	<0.001	0.05	0.28	3.8	0.6	0.8	65.5	<0.01	0.04	1.3



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: TARSIS RESOURCES LTD.
1103 - 750 W PENDER ST.
VANCOUVER BC V6C 2T8

Page: 2 - D
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 1-OCT-2011
Account: TARCAP

Project: Burn Property (Aishihik)

CERTIFICATE OF ANALYSIS WH11161745

Sample Description	Method Analyte Units LOR	ME-MS41 Ti %	ME-MS41 Ti ppm	ME-MS41 U ppm	ME-MS41 V ppm	ME-MS41 W ppm	ME-MS41 Y ppm	ME-MS41 Zn ppm	ME-MS41 Zr ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
A01		0.172	0.38	1.88	63	0.24	10.60	112	1.6
A02		0.194	0.41	1.88	76	0.30	12.35	118	2.2
A03		0.153	0.20	1.07	66	0.18	8.08	67	0.9
A04		0.057	0.06	0.45	42	0.09	2.33	41	<0.5
A05		0.098	0.06	0.45	60	0.14	2.83	46	0.5
A06		0.142	0.20	1.02	62	0.17	8.50	97	0.8
A07		0.196	0.26	0.78	77	0.31	8.03	79	1.6
A08		0.192	0.31	0.81	63	0.14	6.19	74	1.3
A09		0.134	0.30	0.77	52	0.16	6.71	70	<0.5
A10		0.101	0.15	1.82	57	0.21	10.60	75	0.6
A11		0.052	0.12	3.67	44	0.22	34.7	78	<0.5
A12		0.075	0.18	4.18	55	0.29	35.2	116	0.7
A13		0.005	0.04	0.48	7	0.12	21.1	77	1.1
A14		0.073	0.14	1.39	55	0.18	12.75	91	0.5
A15		0.062	0.10	0.73	48	0.13	6.89	90	0.5
A16		0.068	0.12	1.01	64	0.17	7.94	96	<0.5
A17		0.070	0.14	0.92	48	0.23	9.74	70	0.5
A18		0.066	0.24	2.02	41	0.18	10.60	249	0.9
A19		0.101	0.59	1.36	53	0.26	10.20	106	0.9
A20		0.083	0.30	1.06	43	0.21	8.75	92	0.8
A21		0.110	0.38	1.26	56	0.24	8.74	113	0.5
A22		0.095	0.16	0.70	48	0.24	8.46	127	1.4
A23		0.187	0.67	1.41	67	0.88	14.10	112	1.3
A24		0.084	0.35	1.14	40	0.39	10.25	93	0.9
A25		0.141	0.46	3.19	58	0.35	15.75	151	1.2
A26		0.112	0.22	1.38	63	0.19	7.21	84	0.6
A27		0.082	0.19	0.87	79	0.15	7.07	73	<0.5
A28		0.062	0.20	1.13	56	0.16	8.16	92	0.7
A29		0.082	0.17	1.02	64	0.18	5.69	75	<0.5
A30		0.122	0.39	3.80	57	0.41	17.80	155	1.0
A31		0.094	0.15	1.35	65	0.30	8.78	100	0.6
A32		0.077	0.20	1.61	63	0.18	7.35	90	0.6
A33		0.060	0.19	2.82	54	0.37	18.30	198	0.5
A34		0.041	0.13	1.19	30	0.21	10.20	119	1.0
A35		0.055	0.14	1.37	48	0.16	7.18	137	0.7
A36		0.052	0.18	4.27	60	0.47	13.45	145	0.8
A37		0.135	0.43	10.85	61	0.36	16.25	97	0.8
A38		0.136	0.30	3.07	58	0.40	9.96	138	0.7
A39		0.098	0.30	2.19	45	0.51	12.60	95	1.0
A40		0.119	0.25	1.61	61	0.34	7.85	76	0.5



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: TARSIS RESOURCES LTD.
1103 - 750 W PENDER ST.
VANCOUVER BC V6C 2T8

Page: 3 - A
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 1-OCT-2011
Account: TARCAP

Project: Burn Property (Aishihik)

CERTIFICATE OF ANALYSIS WH11161745

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg .02	Au-AA23 Au ppm 0.005	ME-MS41 Ag ppm 0.01	ME-MS41 Al % 0.01	ME-MS41 As ppm 0.1	ME-MS41 Au ppm 0.2	ME-MS41 B ppm 10	ME-MS41 Ba ppm 10	ME-MS41 Be ppm 0.05	ME-MS41 Bi ppm 0.01	ME-MS41 Ca % 0.01	ME-MS41 Cd ppm 0.01	ME-MS41 Ce ppm 0.02	ME-MS41 Co ppm 0.1	ME-MS41 Cr ppm 1
A41		0.62	<0.005	0.09	2.35	4.7	<0.2	<10	190	0.85	0.49	0.74	0.17	36.3	9.8	25
A42		0.56	<0.005	0.09	1.46	5.2	<0.2	<10	110	0.43	0.15	0.38	0.23	19.70	8.5	27
A43		0.72	<0.005	0.06	1.77	5.6	<0.2	<10	130	0.64	0.17	0.36	0.23	31.1	10.5	27
A44		0.64	<0.005	0.05	1.72	4.8	<0.2	<10	100	0.44	0.13	0.37	0.33	20.1	8.2	30
A45		0.62	<0.005	0.06	2.18	2.8	<0.2	<10	240	0.62	0.11	0.65	0.24	21.2	7.3	20
A46		0.62	<0.005	0.08	1.67	5.9	<0.2	<10	80	0.56	0.20	0.24	0.53	22.9	7.7	27
A47		0.62	<0.005	0.07	1.98	5.3	<0.2	<10	90	0.64	0.16	0.30	0.22	25.2	9.0	29
A48		0.42	<0.005	0.09	1.70	4.4	<0.2	<10	120	0.50	0.15	0.44	0.27	18.75	9.6	28
A49		0.62	<0.005	0.06	2.11	5.0	<0.2	<10	150	0.63	0.17	0.52	0.25	26.6	10.7	28
A50		0.48	<0.005	0.09	1.53	4.3	<0.2	<10	110	0.47	0.13	0.44	0.25	20.6	9.1	25
A51		0.52	<0.005	0.10	1.81	4.2	<0.2	<10	120	0.58	0.13	0.46	0.17	22.1	9.8	26
A52		0.50	<0.005	0.07	1.79	5.1	<0.2	<10	120	0.49	0.15	0.43	0.18	23.7	10.1	28
A53		0.54	<0.005	0.08	1.48	5.7	<0.2	<10	90	0.50	0.14	0.42	0.19	22.7	8.6	32
A54		0.80	0.020	0.04	2.10	1.9	<0.2	<10	160	0.83	0.09	0.68	0.28	37.6	9.2	16
A55		0.70	<0.005	0.06	1.71	4.7	<0.2	<10	120	0.44	0.19	0.50	0.27	21.7	9.4	27
A56		0.74	<0.005	0.13	2.38	4.9	<0.2	<10	180	0.75	0.26	0.54	0.25	37.4	10.7	24
A57		0.60	<0.005	0.11	1.71	6.0	<0.2	<10	130	0.52	0.15	0.56	0.24	20.5	10.5	30
A58		0.68	<0.005	0.12	1.97	5.6	<0.2	<10	150	0.52	0.48	0.44	0.23	24.6	11.2	27
A59		0.40	<0.005	0.10	1.47	5.6	<0.2	<10	140	0.39	0.19	0.74	0.54	19.95	11.8	29
A60		0.68	<0.005	0.13	2.47	6.2	<0.2	<10	140	0.81	0.23	0.64	0.20	41.2	12.4	37
A61		0.72	0.018	0.08	2.04	5.8	<0.2	<10	130	0.47	0.11	0.46	0.17	23.9	13.0	39
A62		0.68	<0.005	0.06	2.19	5.1	<0.2	<10	170	0.61	0.12	0.65	0.14	27.3	12.1	34
B01		0.76	<0.005	0.14	1.94	9.3	<0.2	<10	210	0.52	0.21	0.65	0.19	40.3	10.5	33
B02		0.58	<0.005	0.12	1.14	4.0	<0.2	<10	100	0.31	0.16	0.36	0.26	22.1	8.6	21
B03		0.62	<0.005	0.09	1.73	6.7	0.2	<10	140	0.56	0.20	0.51	0.22	33.2	9.8	32
B04		0.76	<0.005	0.15	1.81	10.7	<0.2	<10	120	0.64	0.23	0.36	0.22	41.6	10.2	31
B05		0.60	0.010	1.05	2.10	422	<0.2	<10	150	0.95	1.78	0.49	2.43	99.5	15.0	34
B06		0.66	<0.005	0.18	1.93	10.4	<0.2	<10	120	0.59	0.35	0.43	0.57	34.9	11.2	31
B07		0.54	<0.005	0.30	1.55	8.1	<0.2	<10	130	0.54	0.40	0.51	0.43	34.4	10.0	30
B08		0.56	<0.005	0.17	1.87	12.7	<0.2	<10	130	0.53	0.35	0.75	0.54	31.5	11.3	33
B09		0.56	<0.005	0.14	1.40	75.0	<0.2	<10	90	0.60	0.35	0.32	0.17	38.1	7.6	23
B10		0.54	0.008	0.41	2.11	16.3	<0.2	<10	120	1.56	0.72	0.93	0.43	84.8	8.8	27
B11		0.70	<0.005	0.15	1.94	248	<0.2	<10	130	0.77	0.51	0.54	0.22	36.5	11.8	30
B12		0.66	<0.005	0.16	2.01	9.7	<0.2	<10	90	0.64	0.55	0.41	0.29	29.9	10.0	35
B13		0.60	<0.005	0.28	1.93	7.5	<0.2	<10	110	1.02	0.81	0.68	0.69	89.5	10.3	30
B14		0.70	<0.005	0.35	1.93	7.4	<0.2	<10	80	0.89	0.34	0.54	0.31	48.8	10.2	35
B15		0.74	<0.005	0.21	1.80	7.0	<0.2	<10	80	0.73	0.42	0.36	0.26	47.4	10.8	33
B16		0.64	<0.005	0.12	1.42	5.2	<0.2	<10	90	0.47	0.34	0.51	0.28	28.0	8.7	28
B17		0.72	<0.005	0.13	1.70	7.4	<0.2	<10	130	0.72	1.08	0.97	0.55	45.1	10.7	32
B18		1.04	<0.005	0.10	2.35	6.7	<0.2	<10	170	0.69	0.49	0.63	0.31	32.8	11.8	35



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: TARSIS RESOURCES LTD.
1103 - 750 W PENDER ST.
VANCOUVER BC V6C 2T8

Page: 3 - B
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 1-OCT-2011
Account: TARCAP

Project: Burn Property (Aishihik)

CERTIFICATE OF ANALYSIS WH11161745

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
A41		5.51	22.4	2.78	8.92	0.13	0.03	0.02	0.029	0.34	13.6	38.0	0.79	433	0.66
A42		2.02	18.2	2.49	5.87	0.09	0.02	0.04	0.022	0.10	7.8	19.2	0.51	322	0.81
A43		3.17	19.9	2.68	6.95	0.12	0.02	0.03	0.024	0.14	12.3	25.0	0.61	531	0.82
A44		1.82	13.9	2.67	6.87	0.10	0.03	0.02	0.021	0.16	8.9	23.7	0.60	274	0.55
A45		2.48	10.6	2.44	7.75	0.09	0.02	0.04	0.020	0.36	9.1	28.7	0.68	343	0.55
A46		2.33	16.5	2.65	7.81	0.06	0.02	0.04	0.019	0.16	10.6	19.6	0.48	280	1.15
A47		3.19	14.1	2.95	7.57	0.07	0.02	0.03	0.026	0.27	10.8	28.5	0.66	311	0.62
A48		2.79	18.1	2.68	7.52	0.06	0.02	0.04	0.026	0.20	9.2	19.8	0.58	408	1.25
A49		4.01	15.7	3.15	8.14	0.08	0.02	0.01	0.031	0.27	11.2	32.1	0.72	503	0.65
A50		2.20	18.1	2.56	6.51	0.06	0.02	0.03	0.026	0.13	10.4	19.6	0.51	353	1.34
A51		3.06	18.0	2.90	7.56	0.06	<0.02	0.03	0.023	0.14	11.2	25.3	0.60	465	2.64
A52		3.01	18.5	2.89	7.06	0.06	<0.02	0.02	0.023	0.15	11.5	26.6	0.65	430	1.32
A53		1.39	17.1	2.66	6.38	0.05	0.02	0.01	0.024	0.11	10.0	18.7	0.58	359	1.16
A54		6.61	6.8	3.20	9.20	0.10	0.02	<0.01	0.026	0.71	19.6	34.6	0.78	514	0.29
A55		3.47	16.6	2.82	7.35	0.05	<0.02	0.01	0.030	0.20	10.6	24.4	0.63	497	1.56
A56		6.42	15.3	3.45	9.53	0.09	<0.02	0.01	0.035	0.45	15.3	49.1	0.84	559	1.25
A57		3.04	16.3	2.88	6.45	0.05	0.02	0.01	0.027	0.21	9.1	26.9	0.68	492	1.10
A58		5.12	24.4	3.28	8.00	0.09	0.02	0.02	0.032	0.40	10.1	40.0	0.78	500	0.82
A59		2.08	19.1	2.59	5.99	0.07	0.02	0.02	0.027	0.19	9.8	19.8	0.60	649	0.93
A60		3.50	24.7	3.47	8.74	0.09	0.02	0.02	0.039	0.27	20.7	43.2	0.83	511	1.24
A61		1.73	20.6	3.14	6.65	0.07	0.03	0.01	0.027	0.19	9.3	23.3	0.86	448	0.54
A62		5.07	15.9	3.34	7.89	0.08	0.03	0.01	0.029	0.36	12.3	40.4	0.86	494	0.64
B01		3.55	20.9	3.27	7.60	0.10	0.03	0.01	0.031	0.40	21.1	34.5	0.77	509	0.57
B02		1.65	20.6	2.29	4.82	0.05	0.02	0.01	0.019	0.12	9.3	13.8	0.38	346	0.56
B03		2.78	18.9	2.68	6.01	0.07	0.02	<0.01	0.025	0.25	14.8	26.8	0.65	473	0.64
B04		2.28	23.3	2.88	6.63	0.06	0.02	0.03	0.029	0.11	16.9	21.1	0.55	480	1.02
B05		3.69	43.7	3.43	7.75	0.12	0.02	0.05	0.054	0.20	42.4	27.0	0.71	759	1.80
B06		3.27	15.6	3.18	7.96	0.07	0.03	0.01	0.032	0.19	17.7	28.0	0.64	566	1.66
B07		2.22	20.1	2.83	6.97	0.06	<0.02	0.03	0.034	0.13	16.4	19.9	0.55	542	2.17
B08		2.27	20.4	2.95	6.58	0.06	0.02	0.04	0.031	0.19	11.8	22.5	0.66	600	1.13
B09		1.70	15.6	2.51	5.53	0.06	0.02	0.01	0.023	0.08	24.6	17.3	0.42	361	1.45
B10		3.31	28.5	3.03	7.71	0.16	0.02	0.02	0.043	0.15	51.9	23.3	0.54	894	1.03
B11		2.25	15.9	3.29	6.46	0.06	<0.02	0.01	0.030	0.15	18.8	22.4	0.58	561	1.29
B12		2.12	18.1	3.21	7.10	<0.05	0.02	<0.01	0.034	0.12	10.6	26.3	0.66	516	1.20
B13		3.35	20.4	3.06	7.06	0.10	0.02	0.02	0.040	0.15	26.7	29.6	0.58	969	1.05
B14		1.90	18.4	3.02	7.20	0.07	0.03	0.01	0.032	0.13	18.0	29.0	0.64	610	1.27
B15		2.00	23.0	2.94	6.88	0.09	0.02	0.01	0.031	0.10	21.1	22.6	0.57	436	1.33
B16		1.89	18.6	2.48	5.63	0.06	0.02	<0.01	0.026	0.12	10.2	18.8	0.50	359	0.76
B17		4.37	18.2	2.79	6.51	0.11	0.03	0.01	0.030	0.20	20.5	24.8	0.61	486	0.76
B18		3.46	18.5	3.26	7.86	0.06	0.03	<0.01	0.030	0.16	14.0	28.1	0.77	535	0.82



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: TARSIS RESOURCES LTD.
1103 - 750 W PENDER ST.
VANCOUVER BC V6C 2T8

Page: 3 - C
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 1-OCT-2011
Account: TARCAP

Project: Burn Property (Aishihik)

CERTIFICATE OF ANALYSIS WH11161745

Sample Description	Method Analyte Units LOR	ME-MS41 Nb ppm 0.05	ME-MS41 Ni ppm 0.2	ME-MS41 P ppm 10	ME-MS41 Pb ppm 0.2	ME-MS41 Rb ppm 0.1	ME-MS41 Re ppm 0.001	ME-MS41 S % 0.01	ME-MS41 Sb ppm 0.05	ME-MS41 Sc ppm 0.1	ME-MS41 Se ppm 0.2	ME-MS41 Sn ppm 0.2	ME-MS41 Sr ppm 0.2	ME-MS41 Ta ppm 0.01	ME-MS41 Te ppm 0.01	ME-MS41 Th ppm 0.2
A41		2.22	14.0	890	7.2	53.9	<0.001	0.03	0.18	5.0	0.5	1.2	175.5	<0.01	0.03	5.3
A42		1.08	15.8	620	5.7	17.7	<0.001	0.05	0.26	2.6	0.5	0.6	33.7	<0.01	0.04	0.6
A43		1.39	17.4	690	10.5	25.6	<0.001	0.03	0.29	3.8	0.5	0.8	41.4	0.01	0.04	1.6
A44		1.87	15.8	570	5.0	25.6	<0.001	0.04	0.21	3.2	0.5	0.7	33.2	<0.01	0.03	0.8
A45		1.51	9.9	710	5.9	41.3	<0.001	0.05	0.16	2.6	0.5	0.8	428	<0.01	0.03	1.1
A46		1.89	14.2	490	12.7	27.9	<0.001	0.04	0.43	2.3	0.2	0.9	34.1	<0.01	0.04	0.7
A47		2.45	15.7	360	10.2	32.5	<0.001	0.03	0.30	3.1	0.6	1.0	26.1	<0.01	0.02	1.6
A48		1.79	15.2	930	7.2	33.7	<0.001	0.08	0.37	2.2	0.4	0.7	42.9	<0.01	0.05	0.5
A49		2.45	17.1	790	8.6	37.6	<0.001	0.03	0.32	4.7	0.3	1.0	62.8	<0.01	0.03	1.8
A50		1.56	14.6	730	10.9	24.6	<0.001	0.06	0.33	2.4	0.3	0.7	44.4	<0.01	0.02	0.8
A51		1.49	13.5	830	7.0	25.5	<0.001	0.06	0.31	2.3	0.3	0.8	53.9	<0.01	0.03	0.8
A52		1.58	16.4	790	7.2	26.8	<0.001	0.06	0.37	2.8	0.5	0.7	40.7	<0.01	0.06	1.3
A53		1.39	16.5	590	5.9	16.5	<0.001	0.04	0.40	2.5	0.4	0.6	31.5	<0.01	0.03	0.5
A54		3.08	6.5	1140	7.0	84.1	0.001	0.01	0.15	4.5	0.7	1.3	86.1	<0.01	0.02	8.5
A55		1.49	14.5	680	6.9	29.8	<0.001	0.04	0.34	2.3	0.2	0.8	44.4	<0.01	0.03	0.9
A56		3.10	12.3	710	8.2	55.2	<0.001	0.05	0.33	4.3	0.5	1.3	78.9	<0.01	0.03	4.1
A57		1.82	15.6	730	6.5	28.8	<0.001	0.05	0.32	2.7	0.4	0.7	45.7	<0.01	0.02	1.5
A58		2.79	16.2	620	5.4	47.5	<0.001	0.04	0.31	4.1	0.4	1.3	55.0	<0.01	0.07	2.7
A59		1.77	17.3	970	5.1	27.4	<0.001	0.08	0.50	2.5	0.3	0.7	53.1	<0.01	0.04	0.7
A60		2.36	21.0	750	6.8	35.1	<0.001	0.05	0.34	4.1	0.9	1.3	46.7	<0.01	0.05	2.0
A61		2.21	24.8	370	4.3	17.6	<0.001	0.02	0.34	4.6	0.7	0.7	31.2	<0.01	0.05	1.6
A62		3.43	18.5	580	5.4	43.4	<0.001	0.03	0.31	4.4	0.4	1.1	45.8	<0.01	0.03	3.1
B01		3.39	16.7	960	11.4	42.9	<0.001	0.03	0.21	4.5	0.6	1.1	39.2	<0.01	0.05	3.5
B02		1.23	12.1	720	8.2	15.2	<0.001	0.03	0.22	2.0	0.5	0.5	25.4	<0.01	0.03	0.8
B03		2.31	17.6	840	18.8	29.4	<0.001	0.03	0.25	3.8	0.5	0.8	33.3	<0.01	0.03	2.3
B04		1.54	18.1	650	34.0	16.5	<0.001	0.05	0.38	2.7	0.6	0.8	27.6	<0.01	0.04	0.7
B05		2.00	22.8	1080	27.7	27.6	<0.001	0.05	0.50	4.5	0.8	0.9	34.6	<0.01	0.06	2.9
B06		3.01	15.7	380	20.9	26.7	<0.001	0.03	0.33	3.9	0.4	1.1	31.4	<0.01	0.04	1.9
B07		1.73	17.3	600	41.4	19.9	<0.001	0.06	0.48	2.9	0.5	0.8	38.7	<0.01	0.05	0.7
B08		1.78	20.5	800	23.1	21.9	<0.001	0.08	0.46	3.0	1.0	0.7	54.7	<0.01	0.05	0.8
B09		1.27	11.5	530	12.4	11.3	<0.001	0.03	0.31	2.6	0.4	0.6	23.3	<0.01	0.03	1.3
B10		1.01	16.0	1000	21.2	17.1	<0.001	0.06	0.53	4.4	1.5	0.8	64.0	<0.01	0.04	1.6
B11		1.76	15.1	410	20.4	16.0	<0.001	0.03	0.40	3.6	0.4	0.7	38.1	<0.01	0.04	2.0
B12		2.33	18.7	270	15.7	15.0	<0.001	0.02	0.42	4.1	0.6	0.8	28.5	<0.01	0.07	2.1
B13		1.69	17.7	700	11.0	14.7	<0.001	0.05	0.42	4.0	0.7	0.8	59.6	<0.01	0.06	2.0
B14		2.01	21.8	390	9.0	13.5	<0.001	0.03	0.48	5.9	0.4	0.9	46.6	<0.01	0.04	2.3
B15		1.73	20.3	390	10.9	13.3	<0.001	0.03	0.45	3.6	1.0	0.8	34.5	<0.01	0.05	1.9
B16		1.45	16.2	470	7.0	15.6	<0.001	0.03	0.39	2.5	0.5	0.7	37.3	<0.01	0.04	0.8
B17		1.80	20.3	760	9.9	29.9	<0.001	0.05	0.53	3.3	0.6	1.1	76.1	<0.01	0.06	1.7
B18		1.61	21.9	690	8.9	19.0	<0.001	0.03	0.47	4.2	0.5	0.8	68.3	<0.01	0.06	2.1



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: TARSIS RESOURCES LTD.
1103 - 750 W PENDER ST.
VANCOUVER BC V6C 2T8

Page: 3 - D
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 1-OCT-2011
Account: TARCAP

Project: Burn Property (Aishihik)

CERTIFICATE OF ANALYSIS WH11161745

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Ti %	Ti ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm
		0.005	0.02	0.05	1	0.05	0.05	2
A41		0.151	0.42	3.37	57	0.34	10.35	69
A42		0.103	0.13	0.75	59	0.38	5.05	54
A43		0.120	0.20	1.37	59	0.40	8.18	74
A44		0.133	0.16	0.73	65	0.17	5.99	48
A45		0.095	0.29	0.98	50	0.16	5.32	63
A46		0.120	0.16	1.33	66	0.29	5.26	55
A47		0.158	0.24	1.19	65	0.27	5.52	61
A48		0.093	0.23	1.61	62	0.23	4.95	65
A49		0.157	0.31	1.37	61	0.27	7.77	75
A50		0.105	0.18	1.81	60	0.22	5.33	58
A51		0.109	0.22	3.87	65	0.34	5.70	71
A52		0.119	0.23	2.99	63	0.53	5.84	69
A53		0.103	0.10	1.10	67	0.20	4.83	55
A54		0.205	0.65	3.23	51	0.32	13.35	79
A55		0.110	0.20	1.02	61	0.37	4.19	80
A56		0.183	0.47	3.33	64	0.89	7.94	92
A57		0.122	0.21	2.28	63	0.94	5.18	67
A58		0.187	0.38	2.49	66	0.27	7.91	75
A59		0.098	0.17	1.40	58	0.17	5.84	81
A60		0.146	0.24	5.01	75	0.99	15.05	86
A61		0.173	0.15	1.16	75	0.14	5.90	59
A62		0.205	0.33	2.82	73	0.22	8.17	70
B01		0.214	0.30	1.43	64	0.23	10.50	98
B02		0.112	0.14	0.91	59	0.11	4.80	60
B03		0.160	0.20	1.03	60	0.17	7.11	82
B04		0.117	0.16	0.83	64	0.21	6.58	98
B05		0.146	0.24	1.45	69	0.21	11.95	361
B06		0.173	0.23	0.86	70	0.26	5.96	121
B07		0.114	0.16	1.13	62	0.27	5.72	110
B08		0.110	0.17	0.82	63	0.15	6.48	106
B09		0.095	0.11	1.67	56	0.15	9.37	71
B10		0.047	0.14	2.98	45	0.24	30.1	115
B11		0.096	0.17	1.63	55	0.49	9.60	93
B12		0.131	0.13	0.64	64	0.23	4.99	88
B13		0.092	0.13	1.55	55	0.20	16.10	95
B14		0.113	0.12	0.95	62	0.19	9.81	75
B15		0.114	0.12	1.31	64	0.20	11.45	76
B16		0.106	0.12	0.66	57	0.19	4.82	71
B17		0.114	0.27	1.26	55	0.21	13.25	104
B18		0.140	0.23	0.85	67	0.25	7.13	86



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: TARSIS RESOURCES LTD.
1103 - 750 W PENDER ST.
VANCOUVER BC V6C 2T8

Page: 4 - A
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 1-OCT-2011
Account: TARCAP

Project: Burn Property (Aishihik)

CERTIFICATE OF ANALYSIS WH11161745

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg .02	Au-AA23 Au ppm 0.005	ME-MS41 Ag ppm 0.01	ME-MS41 Al % 0.01	ME-MS41 As ppm 0.1	ME-MS41 Au ppm 0.2	ME-MS41 B ppm 10	ME-MS41 Ba ppm 10	ME-MS41 Be ppm 0.05	ME-MS41 Bi ppm 0.01	ME-MS41 Ca % 0.01	ME-MS41 Cd ppm 0.01	ME-MS41 Ce ppm 0.02	ME-MS41 Co ppm 0.1	ME-MS41 Cr ppm 1
B19		0.70	<0.005	0.12	2.19	7.0	<0.2	<10	200	0.66	0.56	0.73	0.24	33.9	11.2	33
B20		0.82	<0.005	0.14	2.29	5.9	<0.2	<10	260	0.79	0.62	1.02	0.21	31.8	10.9	32
B21		0.64	<0.005	0.10	1.77	7.9	<0.2	<10	90	0.49	0.69	0.82	0.35	22.5	10.1	31
B22		0.84	<0.005	0.67	1.73	5.0	<0.2	10	150	0.59	2.53	4.38	1.40	32.3	13.5	41
B23		0.74	0.006	0.19	1.89	6.4	<0.2	<10	90	0.57	2.11	1.21	0.19	27.5	11.2	40
B24		0.56	0.006	0.15	1.47	7.2	<0.2	<10	80	0.46	2.56	1.74	0.56	27.2	10.3	31
B25		0.72	0.008	0.15	1.82	4.7	<0.2	<10	150	0.60	0.83	0.82	0.40	30.3	9.5	30
B26		1.12	<0.005	0.07	2.44	5.7	<0.2	<10	240	0.82	0.61	0.63	0.21	37.5	13.3	39
B27		0.82	<0.005	0.09	2.37	3.4	<0.2	<10	290	0.50	0.32	0.66	0.24	31.8	13.0	36
B28		0.94	<0.005	0.12	2.57	5.7	<0.2	<10	240	0.97	0.68	1.07	0.17	30.3	12.2	38
B29		0.84	<0.005	0.10	2.84	2.8	<0.2	<10	320	0.81	0.39	1.05	0.19	33.5	11.9	32
B30		0.52	<0.005	0.28	1.79	6.0	<0.2	<10	120	0.78	1.41	1.75	0.88	24.9	10.8	33
B31		0.90	<0.005	0.25	2.56	5.5	<0.2	<10	120	1.71	2.41	1.62	1.33	30.9	14.7	37
B32		0.54	<0.005	0.32	1.94	8.4	<0.2	<10	110	0.81	0.65	1.03	1.33	26.5	14.5	40
B33		0.66	<0.005	0.13	2.87	5.7	<0.2	<10	120	1.68	0.38	1.04	0.52	31.1	18.4	58
B34		0.82	<0.005	0.22	2.38	8.3	<0.2	<10	180	0.67	0.39	1.02	0.24	32.5	13.6	70
B35		0.52	<0.005	0.20	1.16	5.7	<0.2	<10	60	0.43	0.87	7.99	0.62	17.65	10.7	28
B36		0.84	<0.005	0.17	2.00	8.6	<0.2	<10	110	0.62	0.77	0.54	0.56	35.9	10.3	34
B37		0.58	<0.005	0.13	1.91	6.4	<0.2	<10	100	0.53	0.45	0.73	0.47	33.6	9.7	31
B38		Not Recvd														
B39		Not Recvd														
B40		Not Recvd														
B41		Not Recvd														
B42		Not Recvd														
B43		Not Recvd														
B44		0.50	<0.005	0.09	1.47	4.5	<0.2	<10	120	0.35	0.15	0.69	0.30	19.00	8.1	26
B45		0.70	<0.005	0.07	1.66	3.9	<0.2	<10	110	0.48	0.17	0.39	0.17	26.7	8.4	26
B46		0.76	0.007	0.06	1.73	3.7	<0.2	<10	100	0.77	0.13	0.46	0.21	36.1	7.3	22
B47		0.74	<0.005	0.07	1.71	3.6	<0.2	<10	110	0.57	0.14	0.43	0.21	27.7	8.1	23
B48		0.72	<0.005	0.10	1.99	4.9	<0.2	<10	120	0.66	0.28	0.61	0.39	22.8	10.2	28
B49		0.66	<0.005	0.10	1.75	5.3	<0.2	<10	130	0.51	0.17	0.65	0.48	21.0	10.5	31
B50		0.74	<0.005	0.09	2.30	5.6	<0.2	<10	110	0.77	0.17	0.74	0.24	36.0	8.6	28
B51		0.50	<0.005	0.08	1.66	4.4	<0.2	<10	120	0.58	0.17	0.62	0.27	33.9	9.9	24
B52		0.66	<0.005	0.14	1.68	4.8	<0.2	<10	120	0.49	0.24	0.43	0.29	18.40	9.0	27
B53		0.56	<0.005	0.22	1.64	18.2	<0.2	<10	120	0.60	0.49	0.78	0.86	29.2	9.4	23
B54		0.40	<0.005	0.11	1.47	7.6	<0.2	<10	160	0.43	0.32	1.28	0.55	24.5	9.0	22
B55		0.80	<0.005	0.34	2.63	5.2	<0.2	<10	210	0.94	1.88	0.79	1.05	35.1	11.0	21
B56		0.54	<0.005	0.13	1.73	5.6	<0.2	<10	120	0.45	0.20	0.67	0.37	19.20	10.2	34
B57		0.62	<0.005	0.21	1.92	6.5	<0.2	<10	130	0.61	0.26	0.61	0.42	25.4	11.0	32
B58		0.82	<0.005	0.15	2.04	13.4	<0.2	<10	140	0.62	0.46	0.43	0.21	37.9	11.4	32



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: TARSIS RESOURCES LTD.
1103 - 750 W PENDER ST.
VANCOUVER BC V6C 2T8

Page: 4 - B
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 1-OCT-2011
Account: TARCAP

Project: Burn Property (Aishihik)

CERTIFICATE OF ANALYSIS WH11161745

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
B19		5.88	16.9	3.16	7.40	0.08	0.03	<0.01	0.027	0.24	10.9	31.1	0.77	475	0.72
B20		6.21	18.2	3.24	8.94	0.15	0.06	0.02	0.025	0.39	14.9	32.4	0.85	500	0.66
B21		3.24	17.5	2.75	6.87	0.08	0.03	0.03	0.022	0.17	10.2	23.4	0.64	392	1.12
B22		7.94	33.5	2.43	6.20	0.14	0.05	0.05	0.018	0.37	16.1	36.7	0.88	432	0.79
B23		5.11	26.5	2.94	7.06	0.14	0.06	0.03	0.025	0.43	13.4	31.9	0.78	439	0.60
B24		3.30	21.5	2.44	6.21	0.11	0.05	0.05	0.027	0.16	13.4	26.0	0.52	408	0.91
B25		3.77	17.0	2.92	7.14	0.10	0.03	0.02	0.024	0.25	12.4	28.5	0.68	426	0.86
B26		4.39	20.3	3.44	8.97	0.14	0.05	0.01	0.026	0.35	15.3	35.2	0.99	556	0.92
B27		5.01	18.8	3.25	8.77	0.15	0.04	0.02	0.021	0.48	12.9	35.3	0.95	412	0.89
B28		5.53	19.2	3.42	8.90	0.15	0.08	0.02	0.051	0.45	14.3	33.8	1.04	529	0.55
B29		5.35	14.6	3.41	10.00	0.13	0.05	0.01	0.024	0.63	14.8	36.7	1.18	503	0.63
B30		3.77	38.4	2.64	6.35	0.11	0.04	0.05	0.042	0.28	13.3	25.2	0.70	608	0.81
B31		7.76	29.5	3.05	8.85	0.20	0.08	0.03	0.101	0.39	17.5	40.4	1.84	1000	0.58
B32		3.94	32.5	3.00	7.58	0.13	0.04	0.04	0.040	0.36	11.9	25.2	0.77	633	1.19
B33		5.67	32.8	3.33	9.28	0.14	0.05	0.04	0.029	0.60	14.8	36.5	1.11	524	0.71
B34		7.99	28.3	3.45	9.53	0.18	0.07	0.02	0.033	0.45	17.4	52.2	1.25	418	0.61
B35		3.23	29.6	1.72	4.25	0.08	0.03	0.04	0.027	0.26	8.7	20.0	0.53	472	0.69
B36		3.21	39.3	2.89	7.79	0.11	0.06	0.02	0.044	0.26	15.6	28.0	0.70	611	0.89
B37		5.16	22.6	2.94	7.75	0.13	0.04	0.03	0.026	0.39	14.1	32.0	0.71	418	0.83
B38															
B39															
B40															
B41															
B42															
B43															
B44		1.72	17.6	2.45	6.27	0.06	0.02	0.05	0.019	0.15	8.8	18.0	0.51	380	1.07
B45		3.19	13.7	2.70	7.18	0.09	0.03	0.03	0.022	0.22	12.8	30.6	0.60	416	1.12
B46		2.96	13.7	2.52	7.44	0.08	0.02	0.03	0.031	0.18	17.1	27.5	0.57	431	1.08
B47		3.29	15.1	2.52	7.31	0.09	0.03	0.02	0.023	0.23	13.8	27.4	0.59	394	0.79
B48		3.03	17.3	2.94	7.97	0.07	0.02	0.03	0.030	0.26	10.4	25.7	0.69	626	1.06
B49		3.33	17.5	2.79	7.08	0.07	0.02	0.03	0.024	0.20	10.3	24.8	0.65	615	1.11
B50		4.12	14.6	3.03	8.89	0.10	0.03	0.03	0.026	0.31	22.0	41.9	0.79	419	1.44
B51		3.37	16.0	2.65	6.93	0.10	0.03	0.05	0.025	0.25	15.5	31.5	0.65	541	1.12
B52		3.43	18.9	2.83	7.46	0.08	0.02	0.04	0.026	0.19	9.1	25.8	0.62	433	1.36
B53		4.74	20.2	2.64	7.10	0.10	0.03	0.04	0.034	0.29	13.5	32.9	0.60	533	1.25
B54		3.12	22.5	2.34	5.99	0.08	0.03	0.07	0.022	0.24	13.6	24.9	0.57	550	1.09
B55		7.09	47.8	3.62	10.90	0.13	0.03	0.03	0.067	0.71	17.0	52.3	0.96	614	1.38
B56		2.39	16.8	2.94	6.87	0.09	0.03	0.04	0.025	0.32	9.1	28.1	0.74	479	1.07
B57		3.95	22.0	3.09	7.99	0.09	0.03	0.02	0.029	0.24	12.0	31.5	0.70	535	1.79
B58		3.68	20.2	3.27	8.58	0.11	0.03	0.02	0.031	0.33	17.6	38.7	0.78	555	0.93



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: TARSIS RESOURCES LTD.
1103 - 750 W PENDER ST.
VANCOUVER BC V6C 2T8

Page: 4 - C
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 1-OCT-2011
Account: TARCAP

Project: Burn Property (Aishihik)

CERTIFICATE OF ANALYSIS WH11161745

Sample Description	Method Analyte Units LOR	ME-MS41 Nb ppm 0.05	ME-MS41 Ni ppm 0.2	ME-MS41 P ppm 10	ME-MS41 Pb ppm 0.2	ME-MS41 Rb ppm 0.1	ME-MS41 Re ppm 0.001	ME-MS41 S % 0.01	ME-MS41 Sb ppm 0.05	ME-MS41 Sc ppm 0.1	ME-MS41 Se ppm 0.2	ME-MS41 Sn ppm 0.2	ME-MS41 Sr ppm 0.2	ME-MS41 Ta ppm 0.01	ME-MS41 Te ppm 0.01	ME-MS41 Th ppm 0.2
B19		1.99	20.0	460	8.9	29.0	<0.001	0.03	0.42	4.0	0.6	0.8	75.7	<0.01	0.04	2.2
B20		1.59	19.7	1000	11.0	43.0	<0.001	0.02	0.34	5.4	0.5	0.7	128.5	0.01	0.04	3.6
B21		1.36	19.0	570	16.5	24.2	<0.001	0.05	0.35	3.2	0.4	0.6	65.0	<0.01	0.06	1.2
B22		1.90	28.9	950	66.9	44.8	<0.001	0.09	0.58	2.7	0.8	0.5	264	0.01	0.07	1.6
B23		2.27	23.6	490	11.4	41.2	<0.001	0.04	0.35	5.4	0.5	0.8	89.9	0.01	0.06	4.3
B24		2.08	20.2	590	15.1	25.5	<0.001	0.09	0.41	3.6	0.7	0.9	101.5	0.01	0.09	1.8
B25		1.65	17.8	830	10.2	33.3	<0.001	0.04	0.32	3.5	0.4	0.9	72.8	0.01	0.05	2.4
B26		1.60	23.5	910	6.7	40.8	<0.001	0.01	0.28	5.8	0.5	0.8	78.3	0.01	0.05	4.6
B27		1.91	17.1	930	5.3	48.7	<0.001	0.03	0.23	4.2	0.5	0.8	108.5	0.01	0.05	2.6
B28		1.55	22.5	980	9.0	43.8	<0.001	0.01	0.44	6.7	0.3	3.5	133.0	0.01	0.04	6.3
B29		1.67	15.5	1430	6.3	62.3	<0.001	0.02	0.20	4.8	0.4	0.9	198.0	0.01	0.04	3.8
B30		1.60	22.5	860	11.7	31.2	<0.001	0.08	0.44	3.2	0.6	2.1	102.5	0.01	0.07	1.5
B31		1.83	33.4	880	17.6	56.0	<0.001	0.03	1.58	6.6	0.5	3.9	204	0.01	0.06	7.1
B32		1.65	27.7	720	22.4	40.8	<0.001	0.07	0.55	3.9	0.6	0.9	66.7	0.01	0.08	1.4
B33		2.21	40.0	660	14.9	56.0	<0.001	0.06	0.34	6.2	0.6	0.8	148.5	0.01	0.07	4.1
B34		2.42	34.4	520	12.0	58.1	<0.001	0.02	0.36	7.7	0.7	1.2	79.7	0.01	0.04	6.8
B35		1.68	24.0	800	19.1	28.0	<0.001	0.12	0.44	2.4	0.5	0.8	209	0.01	0.06	0.9
B36		2.20	20.8	610	11.0	29.3	<0.001	0.02	0.27	5.6	0.4	1.3	50.2	0.01	0.06	5.5
B37		2.08	18.0	1180	8.8	37.8	<0.001	0.04	0.25	4.4	0.4	1.0	54.4	0.01	0.04	4.3
B38																
B39																
B40																
B41																
B42																
B43																
B44		1.28	14.9	830	6.8	25.3	<0.001	0.08	0.27	2.4	0.5	0.6	62.7	<0.01	0.06	0.6
B45		1.65	14.6	670	7.8	32.7	<0.001	0.05	0.24	3.2	0.4	0.9	39.2	<0.01	0.05	2.2
B46		1.35	11.8	580	8.1	26.8	<0.001	0.04	0.21	3.1	0.3	1.0	47.3	<0.01	0.04	2.0
B47		1.36	13.5	760	10.4	33.7	<0.001	0.03	0.22	3.6	0.3	0.8	60.3	<0.01	0.04	2.8
B48		1.34	16.0	640	14.6	33.5	<0.001	0.04	0.30	3.4	0.3	0.9	68.0	<0.01	0.05	1.4
B49		1.29	17.3	850	8.0	34.5	<0.001	0.06	0.30	2.8	0.4	0.8	54.4	<0.01	0.06	0.9
B50		1.64	13.7	530	8.8	45.8	<0.001	0.04	0.24	4.1	0.4	1.0	74.4	0.01	0.05	4.0
B51		1.55	15.1	780	7.5	35.3	<0.001	0.05	0.25	3.8	0.5	0.7	56.3	<0.01	0.06	3.8
B52		1.53	15.2	770	8.4	32.7	<0.001	0.07	0.29	2.8	0.4	0.9	39.1	<0.01	0.07	0.8
B53		1.65	14.0	890	33.0	42.6	<0.001	0.07	0.33	3.2	0.5	0.9	71.9	0.01	0.06	2.7
B54		1.69	13.3	1240	6.5	39.5	<0.001	0.12	0.25	2.5	0.6	0.7	89.7	0.01	0.06	1.5
B55		2.45	11.0	1080	13.0	86.4	<0.001	0.04	0.16	6.1	0.6	2.6	121.0	0.01	0.05	6.3
B56		1.87	18.9	590	6.2	28.9	<0.001	0.05	0.25	4.3	0.4	0.7	50.5	<0.01	0.05	1.7
B57		2.03	17.8	700	7.3	32.9	<0.001	0.06	0.36	4.0	0.5	1.1	52.6	0.01	0.06	2.1
B58		2.44	18.6	540	6.0	43.2	<0.001	0.04	0.27	5.2	0.5	1.3	42.0	0.01	0.05	3.2



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: TARSIS RESOURCES LTD.
 1103 - 750 W PENDER ST.
 VANCOUVER BC V6C 2T8

Page: 4 - D
 Total # Pages: 6 (A - D)
 Plus Appendix Pages
 Finalized Date: 1-OCT-2011
 Account: TARCAP

Project: Burn Property (Aishihik)

CERTIFICATE OF ANALYSIS WH11161745

Sample Description	Method Analyte Units LOR	ME-MS41 Ti %	ME-MS41 Ti ppm	ME-MS41 U ppm	ME-MS41 V ppm	ME-MS41 W ppm	ME-MS41 Y ppm	ME-MS41 Zn ppm	ME-MS41 Zr ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
B19		0.147	0.31	0.88	61	0.23	6.25	80	1.0
B20		0.151	0.55	2.58	62	0.23	10.35	91	1.5
B21		0.109	0.23	1.14	58	0.19	6.29	78	0.8
B22		0.121	0.45	0.88	41	0.36	11.95	130	1.3
B23		0.141	0.39	1.75	58	0.40	10.85	73	1.6
B24		0.102	0.24	1.91	50	0.50	8.12	64	1.3
B25		0.134	0.30	2.02	63	0.23	7.59	86	0.8
B26		0.178	0.40	2.00	78	0.25	9.75	81	1.3
B27		0.188	0.40	1.42	73	0.16	8.90	87	0.8
B28		0.151	0.46	5.00	63	0.39	9.77	114	2.6
B29		0.177	0.54	1.51	68	0.16	9.84	99	1.0
B30		0.086	0.30	1.91	50	0.27	9.62	137	0.9
B31		0.096	0.49	4.33	39	0.39	13.15	249	2.1
B32		0.098	0.32	1.78	59	0.32	7.57	177	0.8
B33		0.118	0.44	1.23	58	0.23	9.03	88	1.1
B34		0.205	0.63	1.32	73	0.26	13.80	89	1.7
B35		0.066	0.23	0.80	31	0.23	7.52	80	0.8
B36		0.148	0.31	1.46	59	0.45	12.40	90	1.5
B37		0.140	0.40	2.77	64	0.30	8.90	74	1.0
B38									
B39									
B40									
B41									
B42									
B43									
B44		0.092	0.16	1.10	56	0.21	4.97	61	0.5
B45		0.135	0.26	2.19	58	0.62	5.85	69	0.6
B46		0.102	0.23	2.78	51	0.36	6.97	58	<0.5
B47		0.121	0.28	2.90	53	0.26	6.80	67	0.5
B48		0.109	0.26	1.50	61	0.30	4.91	86	0.5
B49		0.100	0.26	1.79	60	0.28	5.55	72	0.5
B50		0.135	0.40	10.55	66	0.43	9.45	70	0.6
B51		0.125	0.28	5.34	56	0.41	8.25	74	0.6
B52		0.117	0.26	1.59	61	0.99	4.66	78	0.5
B53		0.113	0.34	5.93	53	0.49	7.67	115	0.5
B54		0.102	0.33	3.12	47	0.32	7.21	85	0.7
B55		0.216	0.75	3.54	63	2.68	11.30	130	0.5
B56		0.149	0.22	1.26	70	0.27	5.29	72	1.0
B57		0.146	0.31	4.54	69	0.82	8.16	83	0.6
B58		0.179	0.37	2.43	71	0.32	8.99	79	0.8



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: TARSIS RESOURCES LTD.
1103 - 750 W PENDER ST.
VANCOUVER BC V6C 2T8

Page: 5 - A
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 1-OCT-2011
Account: TARCAP

Project: Burn Property (Aishihik)

CERTIFICATE OF ANALYSIS WH11161745

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg .02	Au-AA23 Au ppm 0.005	ME-MS41 Ag ppm 0.01	ME-MS41 Al % 0.01	ME-MS41 As ppm 0.1	ME-MS41 Au ppm 0.2	ME-MS41 B ppm 10	ME-MS41 Ba ppm 10	ME-MS41 Be ppm 0.05	ME-MS41 Bi ppm 0.01	ME-MS41 Ca % 0.01	ME-MS41 Cd ppm 0.01	ME-MS41 Ce ppm 0.02	ME-MS41 Co ppm 0.1	ME-MS41 Cr ppm 1
B59		0.58	0.008	0.18	1.78	5.2	<0.2	<10	160	0.42	0.25	0.63	0.31	22.8	11.0	32
B60		0.72	0.007	0.06	1.87	3.8	<0.2	<10	120	0.58	0.19	0.43	0.17	22.0	9.5	29
B61		0.68	<0.005	0.17	2.35	4.0	<0.2	<10	170	0.68	0.12	0.53	0.23	25.3	11.5	28
B62		0.84	<0.005	0.07	2.18	7.3	<0.2	<10	120	0.58	0.13	0.40	0.17	28.9	11.4	37
B63		0.78	<0.005	0.08	1.94	3.0	<0.2	<10	80	1.34	0.23	0.75	0.13	74.5	2.9	10
C01		0.50	<0.005	0.13	1.68	6.4	<0.2	<10	160	0.52	0.32	0.41	0.22	37.6	8.2	28
C02		0.36	<0.005	0.14	1.05	3.5	<0.2	<10	100	0.33	0.19	0.36	0.47	19.35	7.3	20
C03		0.42	<0.005	0.24	2.70	11.3	<0.2	<10	230	0.95	0.46	0.57	0.49	51.3	13.1	43
C04		0.36	<0.005	0.16	1.91	10.4	<0.2	<10	140	0.50	0.36	0.48	0.76	32.5	10.6	32
C05		0.32	<0.005	0.16	1.56	8.7	<0.2	<10	130	0.42	0.26	0.53	0.46	24.8	8.3	31
C06		0.54	<0.005	0.60	1.87	27.8	<0.2	<10	160	0.83	0.55	0.52	1.93	77.1	11.5	32
C07		0.34	<0.005	0.14	1.51	6.2	<0.2	<10	150	0.58	0.37	0.65	0.72	45.6	8.9	24
C08		0.38	<0.005	0.08	1.45	5.9	<0.2	<10	190	0.41	0.24	0.76	0.25	30.2	8.2	23
C09		0.50	<0.005	0.11	1.81	7.7	<0.2	<10	180	0.62	0.25	0.58	0.29	38.7	10.1	25
C10		0.30	0.021	0.14	0.49	2.8	<0.2	<10	60	0.22	0.26	0.41	0.63	12.05	3.3	9
C11		Not Recvd														
C12		0.54	<0.005	0.08	0.90	5.2	<0.2	<10	110	0.30	0.31	0.39	0.52	25.8	4.2	11
C13		0.50	0.009	0.19	1.70	13.5	<0.2	<10	130	0.89	0.63	0.77	0.75	60.6	9.6	28
C14		0.68	0.006	0.52	1.93	6.7	<0.2	<10	200	0.70	0.59	0.73	0.55	50.3	10.2	27
C15		Not Recvd														
C16		0.30	<0.005	0.17	1.78	6.4	<0.2	<10	160	0.63	0.37	0.58	0.15	30.7	9.0	28
C17		0.50	<0.005	0.13	1.98	5.3	<0.2	<10	80	1.18	0.20	0.73	0.45	44.9	4.9	13
C18		Not Recvd														
C19		Not Recvd														
C20		0.42	<0.005	0.15	1.74	5.0	<0.2	<10	220	0.59	1.24	1.68	0.39	29.5	8.2	21
C21		0.36	<0.005	0.15	1.43	9.3	<0.2	<10	130	0.55	0.69	1.05	0.45	20.2	10.2	24
C22		0.48	<0.005	0.15	1.85	6.9	<0.2	<10	120	0.61	0.89	0.90	0.46	25.9	11.3	32
C23		0.38	<0.005	0.10	1.77	5.7	<0.2	<10	90	0.61	1.14	0.61	0.42	25.8	10.6	30
C24		Not Recvd														
C25		0.62	<0.005	0.07	2.11	8.0	<0.2	<10	190	0.87	0.80	0.88	0.14	32.2	8.8	26
C26		0.62	<0.005	0.06	2.96	2.7	<0.2	<10	490	0.93	0.50	1.20	0.35	34.3	13.2	27
C27		0.72	0.014	0.11	2.62	4.7	<0.2	<10	380	0.72	0.50	0.92	0.28	36.2	12.7	36
C28		0.52	<0.005	0.09	2.48	3.4	<0.2	<10	360	0.57	0.27	1.08	0.18	30.6	12.0	33
C29		0.58	<0.005	0.09	2.49	3.7	<0.2	<10	360	0.64	0.87	1.12	0.18	32.6	12.4	32
C30		0.70	0.006	0.16	2.88	4.2	<0.2	<10	150	1.05	0.47	0.83	0.24	38.4	10.7	30
C31		0.42	<0.005	0.18	2.15	6.2	<0.2	<10	150	0.96	0.65	1.27	0.78	30.4	13.7	36
C32		0.72	<0.005	0.23	2.94	7.0	<0.2	<10	170	1.65	0.66	0.99	0.21	30.9	19.0	59
C33		0.30	<0.005	0.14	1.97	10.3	<0.2	<10	110	0.73	0.43	1.52	0.49	20.5	16.8	50
C34		0.72	0.008	0.23	2.86	8.0	<0.2	<10	190	1.12	0.38	0.92	0.20	33.4	17.6	65
C35		0.34	<0.005	0.16	1.99	7.7	<0.2	<10	110	0.58	0.36	1.60	0.52	20.5	12.8	46



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: TARSIS RESOURCES LTD.
1103 - 750 W PENDER ST.
VANCOUVER BC V6C 2T8

Page: 5 - B
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 1-OCT-2011
Account: TARCAP

Project: Burn Property (Aishihik)

CERTIFICATE OF ANALYSIS WH11161745

Sample Description	Method Analyte Units LOR	ME-MS41 Cs ppm 0.05	ME-MS41 Cu ppm 0.2	ME-MS41 Fe % 0.01	ME-MS41 Ga ppm 0.05	ME-MS41 Ge ppm 0.05	ME-MS41 Hf ppm 0.02	ME-MS41 Hg ppm 0.01	ME-MS41 In ppm 0.005	ME-MS41 K % 0.01	ME-MS41 La ppm 0.2	ME-MS41 Li ppm 0.1	ME-MS41 Mg % 0.01	ME-MS41 Mn ppm 5	ME-MS41 Mo ppm 0.05	ME-MS41 Na % 0.01
B59		2.49	20.8	2.94	6.74	0.07	0.03	0.04	0.025	0.15	11.2	25.2	0.67	657	1.07	0.02
B60		2.76	17.6	2.91	7.43	0.08	0.03	0.02	0.024	0.18	13.4	28.5	0.63	463	0.90	0.02
B61		6.10	15.7	3.36	9.92	0.12	0.03	0.03	0.030	0.49	12.0	48.2	0.79	549	0.88	0.04
B62		2.75	21.2	3.08	7.25	0.13	0.03	0.04	0.027	0.17	9.4	31.1	0.80	440	0.63	<0.01
B63		11.35	12.1	2.31	7.08	0.20	0.02	0.04	0.075	0.43	21.7	73.6	0.22	480	0.70	0.02
C01		2.19	18.0	2.53	6.59	0.14	0.03	0.04	0.028	0.16	21.4	22.7	0.51	343	0.62	0.01
C02		1.32	21.9	2.01	4.89	0.11	<0.02	0.03	0.018	0.10	10.4	10.8	0.30	375	0.87	0.01
C03		4.30	26.1	3.78	10.20	0.13	0.05	0.04	0.038	0.28	30.3	41.2	0.85	611	0.98	0.01
C04		3.53	16.2	3.01	8.08	0.13	0.04	0.04	0.030	0.29	15.3	35.1	0.68	507	1.13	0.01
C05		1.77	17.4	2.62	6.71	0.11	0.02	0.06	0.021	0.17	10.4	21.5	0.54	302	1.25	<0.01
C06		3.59	33.5	3.21	7.38	0.13	0.02	0.08	0.033	0.29	30.4	31.3	0.65	769	1.58	<0.01
C07		2.24	18.6	2.59	6.10	0.15	0.02	0.06	0.026	0.22	15.4	27.8	0.53	564	0.82	0.01
C08		2.25	16.8	2.55	5.88	0.13	0.02	0.05	0.026	0.29	12.5	28.5	0.52	502	0.74	0.01
C09		2.98	22.5	2.91	7.05	0.14	0.02	0.05	0.027	0.32	13.8	35.8	0.59	548	0.73	0.01
C10		0.61	10.2	1.01	2.18	0.09	<0.02	0.07	0.008	0.07	5.8	3.3	0.14	97	0.52	0.01
C11																
C12		2.76	7.6	1.97	5.10	0.14	0.02	0.02	0.019	0.31	11.4	25.7	0.31	385	0.53	0.01
C13		3.92	23.0	2.86	7.02	0.17	0.03	0.07	0.035	0.32	23.4	27.8	0.64	688	0.78	0.01
C14		5.02	21.3	3.33	8.49	0.16	0.04	0.06	0.034	0.38	23.5	38.2	0.71	706	0.63	0.01
C15																
C16		2.83	18.7	2.73	7.04	0.12	0.02	0.05	0.027	0.23	16.6	24.9	0.60	481	0.88	0.01
C17		1.49	13.9	2.76	8.33	0.11	0.03	0.03	0.048	0.21	22.4	19.4	0.55	864	0.26	<0.01
C18																
C19																
C20		5.71	14.1	2.57	6.46	0.21	0.03	0.04	0.020	0.35	13.5	26.9	0.62	452	0.48	0.05
C21		2.39	19.8	2.30	5.67	0.12	0.02	0.05	0.026	0.20	8.6	17.3	0.52	602	0.88	0.01
C22		3.89	24.8	2.89	7.35	0.11	0.02	0.05	0.029	0.22	12.5	24.3	0.66	539	0.95	0.02
C23		4.34	14.9	2.81	7.40	0.17	0.05	0.04	0.026	0.43	11.2	28.2	0.70	392	0.61	0.02
C24																
C25		5.64	17.3	2.90	8.51	0.18	0.02	0.03	0.029	0.41	15.5	34.4	0.74	400	0.48	0.02
C26		6.20	11.2	3.30	9.19	0.17	0.05	0.03	0.025	0.61	14.5	34.0	1.13	517	0.41	0.02
C27		5.59	17.6	3.53	9.22	0.15	0.03	0.03	0.029	0.62	14.7	36.1	1.06	490	0.59	0.03
C28		5.60	15.3	3.19	9.25	0.16	0.02	0.04	0.022	0.51	12.3	36.4	0.99	421	0.64	0.04
C29		5.94	17.1	3.21	8.74	0.17	0.03	0.05	0.026	0.60	13.2	35.0	0.99	488	0.68	0.03
C30		5.18	16.8	3.56	11.05	0.13	0.02	0.04	0.033	0.49	14.8	36.8	1.01	445	0.82	0.01
C31		4.50	28.5	3.07	7.89	0.17	0.03	0.08	0.040	0.48	13.9	30.1	0.84	685	0.82	0.02
C32		8.58	55.3	3.94	9.70	0.16	0.03	0.04	0.031	0.63	15.6	46.7	1.11	423	1.18	0.03
C33		4.89	34.4	2.73	6.79	0.15	0.04	0.06	0.028	0.48	9.3	29.6	0.84	504	1.07	0.02
C34		6.61	45.4	3.92	9.71	0.18	0.05	0.04	0.032	0.67	15.9	43.0	1.20	544	0.94	0.05
C35		4.15	26.4	2.63	6.54	0.15	0.02	0.06	0.025	0.43	9.5	27.8	0.73	448	0.85	0.03



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: TARSIS RESOURCES LTD.
1103 - 750 W PENDER ST.
VANCOUVER BC V6C 2T8

Page: 5 - C
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 1-OCT-2011
Account: TARCAP

Project: Burn Property (Aishihik)

CERTIFICATE OF ANALYSIS WH11161745

Sample Description	Method Analyte Units LOR	ME-MS41 Nb ppm 0.05	ME-MS41 Ni ppm 0.2	ME-MS41 P ppm 10	ME-MS41 Pb ppm 0.2	ME-MS41 Rb ppm 0.1	ME-MS41 Re ppm 0.001	ME-MS41 S % 0.01	ME-MS41 Sb ppm 0.05	ME-MS41 Sc ppm 0.1	ME-MS41 Se ppm 0.2	ME-MS41 Sn ppm 0.2	ME-MS41 Sr ppm 0.2	ME-MS41 Ta ppm 0.01	ME-MS41 Te ppm 0.01	ME-MS41 Th ppm 0.2
B59		1.74	18.0	810	6.0	25.7	<0.001	0.08	0.33	3.2	0.6	0.8	44.3	0.01	0.07	1.3
B60		1.64	15.5	800	5.4	29.1	<0.001	0.04	0.19	3.5	0.3	0.8	35.9	<0.01	0.04	1.1
B61		3.31	15.5	620	6.3	63.4	<0.001	0.04	0.24	6.0	0.5	1.4	48.4	0.01	0.05	2.7
B62		2.58	23.9	290	4.9	21.3	0.001	0.01	0.24	5.0	0.3	0.9	32.0	<0.01	0.02	3.1
B63		9.54	5.5	250	8.1	99.0	<0.001	0.01	0.11	6.5	1.0	3.6	46.9	0.01	0.01	18.7
C01		2.37	15.4	450	8.5	20.9	<0.001	<0.01	0.18	4.2	0.6	0.9	31.0	<0.01	0.02	5.1
C02		1.24	10.7	490	6.1	14.0	<0.001	0.01	0.15	2.1	0.2	0.5	27.0	<0.01	<0.01	0.8
C03		3.72	24.5	510	23.0	39.8	<0.001	<0.01	0.20	6.5	0.3	1.3	40.4	<0.01	0.01	3.9
C04		3.12	16.1	710	33.4	35.9	<0.001	0.01	0.18	4.7	0.3	1.0	31.8	<0.01	0.02	4.3
C05		2.23	16.7	520	13.4	24.7	<0.001	0.04	0.27	3.3	0.4	0.8	38.7	<0.01	0.02	1.0
C06		2.00	16.8	900	169.0	40.6	0.001	0.04	0.42	3.8	0.8	0.8	41.3	<0.01	0.01	2.4
C07		1.79	13.9	850	14.8	24.5	<0.001	0.05	0.26	2.7	0.5	0.8	43.7	<0.01	0.02	0.7
C08		2.61	13.1	710	10.6	29.8	<0.001	0.06	0.23	3.3	0.7	0.8	48.5	<0.01	0.01	1.3
C09		2.48	15.0	840	9.1	32.5	<0.001	0.04	0.27	4.2	0.2	0.9	63.7	<0.01	0.01	1.7
C10		0.56	4.9	500	4.0	6.8	0.001	0.05	0.19	1.0	<0.2	0.3	28.7	<0.01	<0.01	0.2
C11		2.79	5.4	520	9.7	27.8	<0.001	0.01	0.14	3.2	0.4	0.9	23.3	<0.01	0.01	3.3
C12		1.79	17.4	990	22.9	30.7	<0.001	0.04	0.37	5.0	0.6	0.9	64.1	<0.01	0.02	3.1
C13		2.44	16.3	860	13.9	42.4	<0.001	0.02	0.28	6.1	0.6	1.1	77.0	<0.01	0.03	4.3
C14																
C15																
C16		1.66	15.4	990	7.6	30.5	<0.001	0.06	0.28	3.4	0.9	0.8	62.2	<0.01	0.03	1.2
C17		1.69	5.7	530	6.2	24.9	0.001	<0.01	0.14	7.1	0.4	0.7	88.1	<0.01	<0.01	10.9
C18																
C19																
C20		1.64	11.9	1070	10.4	42.1	<0.001	0.04	0.64	3.2	0.4	0.7	149.0	<0.01	0.02	2.1
C21		1.31	14.4	910	10.0	22.3	<0.001	0.07	0.32	2.3	0.3	0.7	92.5	<0.01	0.02	0.7
C22		1.30	18.4	890	14.9	26.1	0.001	0.05	0.42	2.8	0.4	0.8	78.1	<0.01	0.04	0.8
C23		2.77	15.8	510	8.2	49.6	<0.001	0.01	0.31	4.5	0.2	1.0	44.5	<0.01	0.02	3.6
C24																
C25		2.51	12.9	1050	6.9	51.7	<0.001	0.02	0.19	4.3	0.2	1.3	101.0	<0.01	0.02	4.3
C26		1.01	12.0	2090	4.9	53.9	0.001	0.01	0.17	6.1	0.4	0.7	208	<0.01	0.02	3.2
C27		1.99	16.0	1270	6.6	58.2	<0.001	0.02	0.25	5.1	0.8	1.0	123.0	<0.01	0.03	3.7
C28		2.04	14.9	1400	6.3	49.7	0.001	0.04	0.21	3.7	0.5	1.0	178.5	<0.01	0.01	2.3
C29		1.88	16.0	1540	6.5	57.4	<0.001	0.04	0.24	4.0	0.3	0.9	176.0	<0.01	0.06	2.7
C30		3.12	15.7	840	9.2	62.6	0.001	0.01	0.27	5.1	0.3	1.9	73.2	<0.01	0.03	6.0
C31		2.39	23.3	1110	14.1	52.6	<0.001	0.05	0.51	4.5	0.6	2.3	109.0	<0.01	0.04	3.2
C32		3.46	41.0	600	12.7	74.0	<0.001	0.04	0.31	6.3	0.6	1.0	111.0	<0.01	0.03	4.0
C33		3.16	35.2	720	13.2	56.0	<0.001	0.07	0.31	4.4	0.4	0.9	75.9	<0.01	0.03	2.4
C34		3.01	37.4	600	51.3	66.6	<0.001	0.01	0.28	7.8	0.7	1.3	90.7	<0.01	0.02	6.1
C35		2.42	27.7	890	12.7	47.4	<0.001	0.11	0.31	3.3	0.4	0.9	83.8	<0.01	0.02	1.2



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: TARSIS RESOURCES LTD.
1103 - 750 W PENDER ST.
VANCOUVER BC V6C 2T8

Page: 5 - D
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 1-OCT-2011
Account: TARCAP

Project: Burn Property (Aishihik)

CERTIFICATE OF ANALYSIS WH11161745

Sample Description	Method Analyte Units LOR	ME-MS41 Ti %	ME-MS41 Ti ppm	ME-MS41 U ppm	ME-MS41 V ppm	ME-MS41 W ppm	ME-MS41 Y ppm	ME-MS41 Zn ppm	ME-MS41 Zr ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
B59		0.131	0.23	1.75	65	0.19	6.97	76	0.7
B60		0.135	0.24	1.85	67	0.32	6.99	65	0.6
B61		0.201	0.58	2.07	69	0.34	8.78	91	0.7
B62		0.167	0.15	1.55	70	0.34	7.55	61	1.1
B63		0.115	0.52	4.42	16	0.34	36.5	101	<0.5
C01		0.140	0.12	1.99	57	0.22	10.90	63	1.1
C02		0.094	0.05	1.16	48	0.12	4.85	50	<0.5
C03		0.193	0.26	1.99	77	0.27	12.50	119	1.5
C04		0.184	0.20	1.05	62	0.29	7.09	122	1.5
C05		0.137	0.10	0.73	60	0.19	4.81	75	0.7
C06		0.138	0.26	2.55	58	0.19	12.20	247	0.7
C07		0.120	0.15	0.88	51	0.15	8.18	94	0.6
C08		0.124	0.18	1.02	47	0.13	9.45	75	0.8
C09		0.143	0.24	1.03	52	0.17	8.29	98	0.7
C10		0.045	<0.02	0.46	21	0.07	3.26	32	<0.5
C11									
C12		0.108	0.18	0.88	20	0.13	7.84	89	0.6
C13		0.116	0.22	1.93	49	0.21	17.85	115	1.0
C14		0.167	0.32	1.80	54	3.50	16.55	116	1.3
C15									
C16		0.101	0.19	1.52	53	0.22	11.35	76	0.5
C17		0.048	0.20	2.90	27	0.24	14.90	87	0.8
C18									
C19									
C20		0.123	0.36	1.32	42	1.31	9.60	95	1.0
C21		0.080	0.13	0.77	47	0.17	5.30	88	0.6
C22		0.099	0.19	1.12	58	0.33	7.02	87	0.5
C23		0.150	0.31	0.83	56	0.44	6.58	91	1.4
C24									
C25		0.156	0.36	4.16	57	0.34	11.25	75	0.9
C26		0.133	0.34	1.57	62	0.20	11.30	74	1.1
C27		0.184	0.39	1.84	71	0.20	10.45	90	0.9
C28		0.179	0.36	1.43	66	0.19	8.90	81	0.7
C29		0.160	0.39	1.54	64	0.24	9.76	84	0.8
C30		0.159	0.46	2.24	59	0.34	10.90	94	0.6
C31		0.123	0.32	2.76	55	0.26	9.59	138	0.9
C32		0.156	0.46	5.32	67	0.47	9.51	89	0.7
C33		0.125	0.27	1.39	53	0.35	5.95	75	1.3
C34		0.192	0.39	2.18	71	0.31	10.85	93	1.5
C35		0.108	0.22	1.03	50	0.39	6.82	88	0.7



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: TARSIS RESOURCES LTD.
1103 - 750 W PENDER ST.
VANCOUVER BC V6C 2T8

Page: 6 - A
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 1-OCT-2011
Account: TARCAP

Project: Burn Property (Aishihik)

CERTIFICATE OF ANALYSIS WH11161745

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg .02	Au-AA23 Au ppm 0.005	ME-MS41 Ag ppm 0.01	ME-MS41 Al % 0.01	ME-MS41 As ppm 0.1	ME-MS41 Au ppm 0.2	ME-MS41 B ppm 10	ME-MS41 Ba ppm 10	ME-MS41 Be ppm 0.05	ME-MS41 Bi ppm 0.01	ME-MS41 Ca % 0.01	ME-MS41 Cd ppm 0.01	ME-MS41 Ce ppm 0.02	ME-MS41 Co ppm 0.1	ME-MS41 Cr ppm 1
C36		0.60	<0.005	0.13	2.30	7.3	<0.2	<10	80	1.09	0.24	0.46	0.28	28.4	16.1	56
C37		0.52	<0.005	0.20	2.17	11.4	<0.2	<10	90	0.59	0.52	1.53	0.49	31.9	19.0	49
C38		Not Recvd														
C39		Not Recvd														
C40		Not Recvd														
C41		Not Recvd														
C42		Not Recvd														
C43		Not Recvd														
C44		Not Recvd														
C45		Not Recvd														
C46		Not Recvd														
C47		0.48	<0.005	0.11	1.78	4.8	<0.2	<10	140	0.53	0.19	0.59	0.16	34.4	8.5	24
C48		0.40	<0.005	0.18	1.67	10.1	<0.2	<10	70	0.50	0.31	0.28	0.45	19.40	6.7	30
C49		0.56	0.019	0.20	1.95	7.6	<0.2	<10	110	0.89	0.43	0.51	0.49	38.7	10.0	30
C50		0.52	<0.005	0.08	2.05	4.6	<0.2	<10	140	0.74	0.20	0.55	0.29	33.0	9.8	26
C51		0.50	<0.005	0.12	1.63	4.9	<0.2	<10	190	0.47	0.19	0.75	0.39	22.8	10.7	26
C52		0.60	<0.005	0.09	2.24	5.0	<0.2	<10	120	0.76	0.30	0.58	0.27	30.0	11.0	27
C53		0.52	<0.005	0.11	2.21	10.6	<0.2	<10	130	0.84	0.51	0.58	0.38	107.5	11.2	30
C54		0.48	<0.005	0.15	1.87	6.4	<0.2	<10	110	0.66	0.20	0.71	0.37	38.4	10.4	30
C55		0.50	0.009	0.11	2.10	6.2	<0.2	<10	110	0.74	0.29	0.44	0.46	39.6	9.7	26
C56		0.58	<0.005	0.14	2.03	7.6	<0.2	<10	80	0.63	0.41	0.35	0.21	36.6	9.8	32
C57		0.54	0.005	0.12	2.05	5.3	<0.2	<10	170	0.67	0.38	0.69	0.69	31.6	10.1	21
C58		0.70	<0.005	0.06	1.72	6.3	<0.2	<10	110	0.84	0.45	0.41	0.08	36.8	9.1	31
C59		Not Recvd														
C60		0.64	<0.005	0.09	2.08	3.6	<0.2	<10	200	0.72	0.23	0.72	0.13	36.1	10.0	25
C61		0.70	0.005	0.01	1.52	4.4	<0.2	<10	80	1.12	0.53	0.57	0.13	59.3	4.5	17
C62		0.64	<0.005	0.03	1.55	3.0	<0.2	<10	160	0.74	0.71	0.46	0.16	54.9	5.3	19
C63		0.60	<0.005	0.06	1.32	3.6	<0.2	<10	140	0.47	0.27	0.50	0.25	42.1	7.4	22
A63		0.60	<0.005	0.12	1.85	5.4	<0.2	<10	130	0.73	0.19	0.62	0.15	35.3	11.2	35



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: TARSIS RESOURCES LTD.
1103 - 750 W PENDER ST.
VANCOUVER BC V6C 2T8

Page: 6 - B
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 1-OCT-2011
Account: TARCAP

Project: Burn Property (Aishihik)

CERTIFICATE OF ANALYSIS WH11161745

Sample Description	Method Analyte Units LOR	ME-MS41 Cs ppm 0.05	ME-MS41 Cu ppm 0.2	ME-MS41 Fe % 0.01	ME-MS41 Ga ppm 0.05	ME-MS41 Ge ppm 0.05	ME-MS41 Hf ppm 0.02	ME-MS41 Hg ppm 0.01	ME-MS41 In ppm 0.005	ME-MS41 K % 0.01	ME-MS41 La ppm 0.2	ME-MS41 Li ppm 0.1	ME-MS41 Mg % 0.01	ME-MS41 Mn ppm 5	ME-MS41 Mo ppm 0.05	ME-MS41 Na % 0.01
C36		5.31	26.7	3.22	7.57	0.14	0.02	0.03	0.027	0.32	12.4	40.0	0.82	310	1.01	0.01
C37		5.53	35.6	3.12	8.25	0.20	0.03	0.04	0.052	0.54	13.9	44.4	0.82	459	0.84	0.04
C38																
C39																
C40																
C41																
C42																
C43																
C44																
C45																
C46																
C47		4.08	15.8	2.60	7.33	0.15	0.02	0.06	0.031	0.32	22.5	30.0	0.60	435	4.10	0.01
C48		2.32	24.8	2.87	8.12	0.10	0.02	0.05	0.029	0.12	9.5	25.2	0.48	254	4.07	<0.01
C49		3.93	22.5	2.85	8.48	0.09	0.04	0.03	0.031	0.23	19.1	34.8	0.68	480	2.58	0.02
C50		4.31	16.7	2.87	8.54	0.10	0.02	0.02	0.030	0.20	16.9	36.0	0.69	487	1.41	0.03
C51		3.72	19.2	2.64	7.46	0.10	0.02	0.04	0.030	0.19	11.2	29.0	0.60	479	0.98	0.03
C52		5.42	16.9	3.07	10.05	0.13	0.03	0.02	0.043	0.40	13.6	44.0	0.79	462	0.90	0.03
C53		5.25	28.3	3.26	10.55	0.16	0.04	0.02	0.057	0.40	29.5	48.2	0.73	731	1.62	0.03
C54		3.84	17.1	2.88	8.00	0.11	0.03	0.02	0.036	0.30	17.4	34.7	0.68	487	1.02	0.02
C55		6.32	16.7	3.02	10.05	0.13	0.04	0.02	0.039	0.35	14.9	50.4	0.74	441	1.12	0.03
C56		3.93	19.0	3.13	8.90	0.12	0.03	0.02	0.031	0.23	12.6	39.7	0.75	376	1.36	0.02
C57		5.30	15.7	3.07	9.58	0.16	0.03	0.02	0.055	0.61	17.1	42.7	0.82	565	1.09	0.03
C58		3.00	15.7	2.76	7.72	0.12	0.03	0.01	0.030	0.20	16.9	42.4	0.65	425	2.19	0.02
C59																
C60		5.32	13.9	3.10	9.46	0.16	0.04	0.02	0.034	0.57	17.7	49.9	0.81	523	0.66	0.03
C61		4.80	10.3	2.36	7.29	0.13	0.08	0.01	0.062	0.34	25.5	38.4	0.37	441	0.73	0.02
C62		8.76	18.9	2.77	8.05	0.15	0.11	0.02	0.073	0.39	23.0	64.4	0.36	484	1.14	0.03
C63		4.05	15.8	2.45	6.36	0.11	0.05	0.03	0.047	0.26	19.0	38.7	0.42	492	0.98	0.03
A63		2.91	18.9	2.98	7.48	0.11	0.06	0.03	0.028	0.24	20.4	41.0	0.74	460	0.95	0.03



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: TARSIS RESOURCES LTD.
 1103 - 750 W PENDER ST.
 VANCOUVER BC V6C 2T8

Page: 6 - C
 Total # Pages: 6 (A - D)
 Plus Appendix Pages
 Finalized Date: 1-OCT-2011
 Account: TARCAP

Project: Burn Property (Aishihik)

CERTIFICATE OF ANALYSIS WH11161745

Sample Description	Method Analyte Units LOR	ME-MS41 Nb ppm 0.05	ME-MS41 Ni ppm 0.2	ME-MS41 P ppm 10	ME-MS41 Pb ppm 0.2	ME-MS41 Rb ppm 0.1	ME-MS41 Re ppm 0.001	ME-MS41 S % 0.01	ME-MS41 Sb ppm 0.05	ME-MS41 Sc ppm 0.1	ME-MS41 Se ppm 0.2	ME-MS41 Sn ppm 0.2	ME-MS41 Sr ppm 0.2	ME-MS41 Ta ppm 0.01	ME-MS41 Te ppm 0.01	ME-MS41 Th ppm 0.2
C36		2.83	40.8	330	11.6	38.6	<0.001	0.03	0.21	5.0	0.5	1.0	37.1	<0.01	0.03	3.1
C37		3.26	34.5	710	11.9	71.0	<0.001	0.09	0.50	6.0	0.5	1.2	79.7	<0.01	0.03	2.7
C38																
C39																
C40																
C41																
C42																
C43																
C44																
C45																
C46																
C47		2.60	12.6	740	5.8	48.0	<0.001	0.05	0.24	4.0	0.3	1.2	45.7	<0.01	<0.01	2.7
C48		2.17	13.7	330	7.9	18.9	<0.001	0.03	0.35	3.2	0.3	1.0	22.4	<0.01	0.04	1.5
C49		2.35	15.8	550	11.0	39.9	<0.001	0.05	0.26	4.1	0.7	1.3	50.1	0.01	0.03	2.4
C50		2.17	14.6	630	11.0	38.0	<0.001	0.05	0.25	3.7	0.5	1.2	60.3	<0.01	0.03	2.8
C51		2.38	16.2	740	7.1	38.7	<0.001	0.07	0.29	3.3	0.5	1.1	76.9	<0.01	0.04	1.8
C52		3.39	15.8	440	8.5	60.7	<0.001	0.04	0.25	4.7	0.5	1.9	50.9	<0.01	0.03	4.0
C53		4.15	19.2	700	8.8	54.1	<0.001	0.07	0.34	5.0	0.8	1.9	44.4	0.01	0.04	5.1
C54		2.76	17.5	570	7.3	36.8	<0.001	0.06	0.28	4.4	0.6	1.2	48.8	<0.01	0.04	3.4
C55		5.04	16.1	430	8.5	61.2	<0.001	0.03	0.28	5.5	0.6	1.8	41.4	<0.01	0.03	5.3
C56		3.60	19.2	380	7.5	37.0	<0.001	0.03	0.34	4.8	0.6	1.3	29.7	<0.01	0.05	6.3
C57		3.84	10.9	1000	15.5	73.1	<0.001	0.03	0.19	5.9	0.6	1.9	90.5	0.01	0.02	8.7
C58		3.00	16.4	480	5.1	29.9	<0.001	0.02	0.24	4.5	0.5	1.2	33.7	<0.01	0.03	4.1
C59																
C60		4.79	13.3	920	5.1	71.6	<0.001	0.03	0.17	6.2	0.6	1.6	69.1	0.01	0.02	8.2
C61		7.73	9.6	360	8.6	51.5	<0.001	0.01	0.15	7.4	1.2	1.8	38.8	0.02	0.01	23.6
C62		11.70	11.5	510	8.1	81.7	0.001	0.02	0.14	7.8	1.4	2.9	109.5	0.02	0.02	16.8
C63		5.41	13.7	640	6.2	48.4	<0.001	0.06	0.22	4.1	1.0	1.6	41.2	0.01	0.02	4.1
A63		2.66	20.8	680	5.4	34.5	<0.001	0.05	0.25	4.7	0.9	0.9	45.4	0.01	0.03	3.3



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: TARSIS RESOURCES LTD.
 1103 - 750 W PENDER ST.
 VANCOUVER BC V6C 2T8

Page: 6 - D
 Total # Pages: 6 (A - D)
 Plus Appendix Pages
 Finalized Date: 1-OCT-2011
 Account: TARCAP

Project: Burn Property (Aishihik)

CERTIFICATE OF ANALYSIS WH11161745

Sample Description	Method Analyte Units LOR	ME-MS41 Ti %	ME-MS41 Ti ppm	ME-MS41 U ppm	ME-MS41 V ppm	ME-MS41 W ppm	ME-MS41 Y ppm	ME-MS41 Zn ppm	ME-MS41 Zr ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
C36		0.150	0.20	0.97	58	0.41	5.25	73	0.7
C37		0.158	0.33	1.45	63	0.34	10.50	76	1.0
C38									
C39									
C40									
C41									
C42									
C43									
C44									
C45									
C46									
C47		0.160	0.30	7.82	54	0.52	15.20	60	0.6
C48		0.144	0.12	2.58	70	0.37	5.01	64	0.6
C49		0.149	0.30	3.95	66	0.45	9.06	84	0.7
C50		0.136	0.33	5.37	62	0.38	8.14	77	0.5
C51		0.122	0.26	1.72	60	0.35	6.59	81	0.8
C52		0.168	0.46	2.09	62	0.47	6.30	75	0.7
C53		0.157	0.40	3.05	63	0.48	13.20	105	0.8
C54		0.147	0.26	2.08	64	0.32	7.90	87	0.7
C55		0.208	0.44	1.82	64	0.63	7.55	93	1.0
C56		0.188	0.30	3.20	71	0.72	6.42	80	0.8
C57		0.210	0.58	4.83	58	2.39	11.85	143	0.8
C58		0.163	0.23	3.96	64	0.59	10.90	63	0.6
C59									
C60		0.237	0.56	3.59	62	1.48	13.65	85	1.1
C61		0.118	0.43	6.57	31	0.34	37.6	103	0.8
C62		0.167	0.63	2.64	33	0.30	39.8	113	1.4
C63		0.130	0.33	1.70	41	0.18	17.05	83	0.7
A63		0.160	0.25	7.71	70	0.31	14.95	68	1.1



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: TARSIS RESOURCES LTD.
1103 - 750 W PENDER ST.
VANCOUVER BC V6C 2T8

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 1-OCT-2011
Account: TARCAP

Project: Burn Property (Aishihik)

CERTIFICATE OF ANALYSIS WH11161745

Method	CERTIFICATE COMMENTS
ME-MS41	Gold determinations by this method are semi-quantitative due to the small sample weight used (0.5g).