



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: TARSIS RESOURCES LTD.
1103 - 750 W PENDER ST.
VANCOUVER BC V6C 2T8

Page: 1
Finalized Date: 28-SEP-2011
Account: TARCAP

CERTIFICATE WH11161747

Project: Burn Property (Aishihik)

P.O. No.:

This report is for 123 Soil samples submitted to our lab in Whitehorse, YT, Canada on 16-AUG-2011.

The following have access to data associated with this certificate:

MARC BLYTHE

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
EXTRA-01	Extra Sample received in Shipment
SCR-41	Screen to -180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
ME-MS41	51 anal. aqua regia ICPMS	

To: TARSIS RESOURCES LTD.
ATTN: MARC BLYTHE
1103 - 750 W PENDER ST.
VANCOUVER BC V6C 2T8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: TARSIS RESOURCES LTD.
1103 - 750 W PENDER ST.
VANCOUVER BC V6C 2T8

Page: 2 - A
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 28-SEP-2011
Account: TARCAP

Project: Burn Property (Aishihik)

CERTIFICATE OF ANALYSIS WH11161747

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg .02	Au-AA23 Au ppm 0.005	ME-MS41 Ag ppm 0.01	ME-MS41 Al % 0.01	ME-MS41 As ppm 0.1	ME-MS41 Au ppm 0.2	ME-MS41 B ppm 10	ME-MS41 Ba ppm 10	ME-MS41 Be ppm 0.05	ME-MS41 Bi ppm 0.01	ME-MS41 Ca % 0.01	ME-MS41 Cd ppm 0.01	ME-MS41 Ce ppm 0.02	ME-MS41 Co ppm 0.1	ME-MS41 Cr ppm 1
G1		0.74	0.033	0.16	1.40	7.4	<0.2	<10	160	0.27	0.21	0.47	0.16	25.9	6.5	21
G1-RG		0.62	0.008	0.17	1.61	10.9	<0.2	<10	160	0.30	0.35	0.42	0.22	25.6	6.9	24
G2	Not Recvd															
G3		0.64	0.010	0.19	2.53	16.2	<0.2	<10	230	0.51	0.41	0.54	0.39	36.0	11.4	36
G4		0.46	<0.005	0.75	3.25	35.2	<0.2	<10	340	0.66	0.56	0.72	0.26	57.2	14.4	42
G5		0.44	0.007	0.34	2.68	27.5	<0.2	<10	260	0.52	0.48	0.64	0.27	34.3	12.1	38
G6		0.38	0.013	0.42	2.49	14.6	<0.2	<10	270	0.62	0.48	0.65	0.55	47.3	15.4	39
G7		0.42	0.006	0.52	2.86	21.3	<0.2	<10	320	0.65	0.47	0.83	0.27	49.3	12.5	40
G8		0.46	0.005	0.37	2.29	12.5	<0.2	<10	220	0.55	0.34	0.58	0.77	35.4	12.5	36
G9		0.48	0.007	0.22	1.93	15.6	<0.2	<10	150	0.45	0.32	0.78	0.80	35.6	9.4	31
G10	Not Recvd															
G11		0.60	<0.005	0.16	2.30	20.9	<0.2	<10	230	0.48	0.48	0.77	0.21	32.9	11.1	36
G12	Not Recvd															
G13		0.58	0.026	0.15	2.51	12.2	<0.2	<10	200	0.63	0.43	0.68	0.30	42.3	11.8	40
G14		0.58	0.010	0.10	2.57	10.6	<0.2	<10	180	0.59	0.41	0.81	0.32	36.5	11.9	39
G15		0.58	0.009	0.12	2.49	15.1	<0.2	<10	180	0.71	0.43	0.80	0.15	40.1	11.6	40
G16		0.60	0.016	0.08	2.44	115.0	<0.2	<10	190	0.49	0.73	0.70	0.13	28.4	11.6	40
G17		0.54	<0.005	0.07	2.07	15.0	<0.2	<10	80	0.49	0.22	0.39	0.38	24.9	10.9	36
G18		0.42	0.010	0.20	2.45	19.0	<0.2	<10	200	0.55	0.50	0.99	0.27	34.6	11.0	37
G19		0.42	0.006	0.21	2.28	13.2	<0.2	<10	180	0.67	0.41	0.67	0.58	30.6	11.0	40
G20		0.66	0.007	0.06	1.55	7.1	<0.2	<10	90	0.44	0.24	0.41	0.11	29.4	6.7	27
G21		0.34	0.006	0.08	1.39	4.6	<0.2	<10	90	0.39	0.27	0.27	0.63	17.10	7.2	27
G22		0.68	0.009	0.07	2.08	11.5	<0.2	<10	110	0.49	0.40	0.69	0.30	26.2	10.1	38
G23		0.46	0.010	0.08	2.18	12.1	<0.2	<10	160	0.70	0.49	1.01	0.15	28.5	11.0	41
G24		0.42	0.012	0.13	1.62	9.3	<0.2	<10	150	0.42	0.26	1.42	0.23	24.3	8.9	31
G25		0.34	<0.005	0.26	1.65	10.1	<0.2	<10	120	0.76	0.97	1.89	0.36	36.1	7.8	28
G26		0.62	0.006	0.09	1.66	9.9	<0.2	<10	160	0.41	0.18	0.75	0.08	26.6	9.6	35
G27		0.42	0.007	0.19	2.44	12.3	<0.2	<10	230	0.66	0.28	1.20	0.12	28.2	12.6	42
G28		0.40	<0.005	0.14	2.14	6.5	<0.2	<10	220	0.67	0.33	1.15	0.20	29.1	10.2	33
G29		0.44	0.005	0.08	1.46	6.9	<0.2	<10	150	0.34	0.14	1.04	0.10	19.95	7.9	33
G30		0.54	0.032	0.07	1.86	8.5	<0.2	<10	130	0.78	0.17	1.11	0.15	33.7	8.0	35
G31		0.76	<0.005	0.20	2.39	12.9	<0.2	<10	190	0.84	0.24	1.01	0.18	48.9	10.5	47
G32		0.20	<0.005	0.13	0.85	4.1	<0.2	<10	80	0.22	0.11	0.68	0.83	10.20	5.9	20
G33		0.62	<0.005	0.22	2.57	17.2	<0.2	<10	210	0.90	0.22	0.58	0.10	41.2	13.0	54
G34		0.32	0.005	0.10	1.74	5.8	<0.2	<10	130	0.37	0.13	0.54	0.33	24.0	9.0	36
G35		0.44	0.005	0.12	1.94	8.3	<0.2	<10	120	0.65	0.23	0.38	0.55	20.2	9.7	40
G36		0.54	0.007	0.06	1.95	8.1	<0.2	<10	150	0.48	0.20	0.69	0.45	21.7	10.7	45
G37		0.66	<0.005	0.05	1.73	11.2	<0.2	<10	210	0.36	0.12	0.63	0.08	19.45	8.1	45
G38		0.74	0.007	0.10	1.68	12.7	<0.2	<10	220	0.39	0.21	0.66	0.11	26.9	8.1	36
G39	Not Recvd															



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: TARSIS RESOURCES LTD.
1103 - 750 W PENDER ST.
VANCOUVER BC V6C 2T8

Page: 2 - B
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 28-SEP-2011
Account: TARCAP

Project: Burn Property (Aishihik)

CERTIFICATE OF ANALYSIS WH11161747

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
G1		2.11	11.1	2.19	5.42	0.11	0.02	0.01	0.022	0.25	12.8	19.6	0.48	324	0.58
G1-RG		2.68	12.3	2.56	6.79	0.11	0.03	0.01	0.024	0.25	11.9	23.5	0.55	316	0.68
G2															
G3		3.57	23.4	3.58	9.23	0.13	0.05	0.02	0.037	0.41	16.9	32.6	0.79	556	0.98
G4		4.94	26.8	4.24	11.30	0.16	0.05	0.03	0.047	0.50	31.5	40.0	0.95	666	1.35
G5		4.42	23.4	3.82	10.00	0.12	0.05	0.02	0.037	0.45	18.5	35.2	0.85	628	1.33
G6		4.13	36.6	3.71	10.25	0.15	0.06	0.02	0.041	0.43	28.2	30.2	0.78	697	1.57
G7		4.49	24.3	3.92	10.45	0.15	0.05	0.03	0.042	0.48	28.0	40.0	0.90	626	1.14
G8		2.88	31.8	3.38	8.46	0.12	0.03	0.02	0.034	0.34	18.1	23.4	0.68	686	0.78
G9		2.41	20.3	2.89	6.63	0.11	0.05	0.04	0.027	0.41	16.8	23.5	0.66	483	0.71
G10															
G11		3.71	18.9	3.29	8.63	0.13	0.03	0.02	0.040	0.36	15.8	34.8	0.80	620	0.85
G12															
G13		4.09	23.0	3.62	9.19	0.13	0.04	0.03	0.041	0.40	21.7	32.5	0.85	523	0.62
G14		3.98	23.0	3.69	9.37	0.11	0.04	0.01	0.037	0.39	18.6	32.1	0.85	547	0.63
G15		3.89	25.7	3.54	9.24	0.14	0.04	0.02	0.037	0.38	21.3	33.0	0.85	469	0.58
G16		3.32	21.0	3.45	8.40	0.11	0.03	0.02	0.034	0.29	13.7	35.4	0.85	473	0.45
G17		1.49	16.1	3.03	6.71	0.08	0.06	0.01	0.027	0.15	11.3	19.6	0.65	279	0.64
G18		3.71	24.2	3.37	8.42	0.12	0.04	0.02	0.034	0.36	17.7	33.0	0.81	514	0.56
G19		2.84	24.1	3.33	7.90	0.14	0.04	0.02	0.033	0.35	13.4	28.3	0.72	559	0.88
G20		2.06	13.9	2.22	5.60	0.13	0.07	<0.01	0.022	0.12	12.2	22.1	0.50	233	0.50
G21		1.34	28.8	2.51	5.83	0.10	0.02	0.05	0.021	0.08	8.4	11.2	0.39	168	0.86
G22		2.47	23.4	3.09	7.50	0.11	0.03	<0.01	0.030	0.21	12.0	31.2	0.69	315	0.73
G23		2.90	24.9	3.21	7.76	0.15	0.07	0.02	0.033	0.27	14.8	30.5	0.81	418	0.35
G24		2.31	27.1	2.38	6.17	0.14	0.03	0.02	0.025	0.23	12.5	24.3	0.57	392	0.47
G25		3.05	26.4	2.38	6.14	0.17	0.03	0.01	0.035	0.17	26.2	28.3	0.54	334	0.53
G26		2.60	23.5	2.54	6.50	0.17	0.05	<0.01	0.030	0.32	12.3	28.1	0.65	334	0.42
G27		3.50	37.1	3.39	8.48	0.16	0.05	0.02	0.032	0.39	15.7	37.8	0.85	532	1.05
G28		3.81	21.5	2.89	7.95	0.14	0.03	0.03	0.031	0.29	16.1	30.3	0.77	421	2.33
G29		1.84	17.7	2.39	5.08	0.14	0.04	<0.01	0.022	0.29	8.9	20.8	0.63	319	0.27
G30		1.72	20.3	2.98	7.18	0.17	0.05	0.01	0.039	0.23	18.0	28.9	0.70	354	0.35
G31		3.17	34.5	3.34	8.17	0.20	0.08	0.04	0.048	0.42	28.5	37.4	0.86	499	0.78
G32		0.98	18.2	1.71	3.51	0.07	0.02	0.03	0.015	0.18	5.0	9.1	0.32	315	0.69
G33		4.08	32.8	3.72	8.50	0.19	0.09	0.03	0.046	0.50	20.6	45.6	0.97	490	0.79
G34		2.12	19.6	2.50	5.43	0.12	0.03	0.02	0.023	0.36	11.0	24.5	0.62	271	0.88
G35		2.41	20.3	3.06	6.69	0.10	0.04	0.01	0.033	0.25	8.9	28.8	0.66	358	0.82
G36		2.83	18.3	3.09	6.15	0.13	0.05	0.02	0.031	0.43	8.6	27.5	0.76	597	0.61
G37		2.31	15.8	2.56	5.42	0.14	0.04	0.02	0.025	0.46	9.4	22.4	0.75	330	0.29
G38		3.32	21.8	2.66	5.97	0.14	0.04	0.02	0.029	0.49	12.8	29.7	0.71	383	0.33
G39															



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: TARSIS RESOURCES LTD.
1103 - 750 W PENDER ST.
VANCOUVER BC V6C 2T8

Page: 2 - C
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 28-SEP-2011
Account: TARCAP

Project: Burn Property (Aishihik)

CERTIFICATE OF ANALYSIS WH11161747

Sample Description	Method Analyte Units LOR	ME-MS41 Nb ppm 0.05	ME-MS41 Ni ppm 0.2	ME-MS41 P ppm 10	ME-MS41 Pb ppm 0.2	ME-MS41 Rb ppm 0.1	ME-MS41 Re ppm 0.001	ME-MS41 S % 0.01	ME-MS41 Sb ppm 0.05	ME-MS41 Sc ppm 0.1	ME-MS41 Se ppm 0.2	ME-MS41 Sn ppm 0.2	ME-MS41 Sr ppm 0.2	ME-MS41 Ta ppm 0.01	ME-MS41 Te ppm 0.01	ME-MS41 Th ppm 0.2
G1		2.43	10.8	770	6.7	24.5	<0.001	<0.01	0.11	3.4	0.3	0.9	27.8	<0.01	0.01	3.4
G1-RG		2.86	13.0	620	9.3	28.3	<0.001	<0.01	0.13	3.8	0.4	1.0	26.6	<0.01	0.01	3.3
G2																
G3		3.22	19.5	640	21.4	41.1	<0.001	<0.01	0.18	6.1	0.5	1.3	39.4	<0.01	0.02	5.4
G4		4.16	23.4	810	20.1	49.4	<0.001	0.02	0.22	7.8	0.7	1.7	49.8	<0.01	0.02	6.4
G5		3.60	19.8	690	12.8	45.3	<0.001	0.01	0.18	6.6	0.7	1.5	43.2	<0.01	0.03	5.6
G6		4.23	24.1	510	13.4	44.3	<0.001	<0.01	0.26	7.1	0.9	1.4	49.7	<0.01	0.03	5.4
G7		3.98	21.9	860	15.4	49.9	<0.001	0.02	0.24	7.6	0.7	1.5	60.0	<0.01	0.03	6.2
G8		2.98	21.0	570	9.1	33.0	<0.001	0.01	0.23	5.1	0.7	1.1	46.7	<0.01	0.02	2.9
G9		2.52	16.2	1030	9.4	27.9	<0.001	0.02	0.20	4.9	0.4	0.9	47.5	<0.01	0.02	4.4
G10																
G11		3.34	18.6	750	12.9	39.1	<0.001	0.01	0.17	6.0	0.5	1.3	48.4	<0.01	0.02	3.7
G12																
G13		3.17	20.5	660	11.5	41.4	0.001	0.01	0.22	6.6	0.5	1.5	47.0	<0.01	0.02	4.1
G14		3.29	19.9	590	10.8	39.2	<0.001	0.01	0.23	6.2	0.6	1.4	50.6	<0.01	0.03	3.9
G15		3.51	21.0	650	9.4	42.5	<0.001	0.01	0.28	6.9	0.6	1.4	52.1	<0.01	0.03	4.6
G16		2.99	20.8	630	8.1	30.3	<0.001	<0.01	0.18	5.8	0.4	1.2	54.6	<0.01	0.03	3.9
G17		2.15	20.6	220	6.3	17.2	<0.001	<0.01	0.31	4.5	0.5	0.8	26.3	<0.01	0.03	3.0
G18		2.99	19.8	690	15.6	37.7	<0.001	0.02	0.24	6.1	0.4	1.2	66.0	<0.01	0.02	5.2
G19		2.85	21.3	540	10.7	34.9	<0.001	0.01	0.47	6.2	0.4	2.2	46.3	<0.01	0.03	3.9
G20		2.02	14.5	640	5.5	15.0	<0.001	<0.01	0.20	4.7	0.5	0.7	28.2	<0.01	<0.01	4.7
G21		1.81	15.5	480	6.9	11.3	<0.001	0.01	0.33	3.7	0.2	0.7	19.9	<0.01	0.01	1.6
G22		2.73	20.8	380	10.3	28.1	<0.001	<0.01	0.30	6.3	0.3	1.0	39.1	<0.01	0.02	3.2
G23		3.09	22.0	570	10.1	29.5	<0.001	0.01	0.31	7.1	0.3	1.1	55.3	<0.01	0.03	4.8
G24		2.60	17.7	750	6.0	27.2	<0.001	0.05	0.24	4.4	0.8	0.8	72.7	<0.01	0.03	1.8
G25		2.50	16.9	770	19.6	25.0	<0.001	0.06	0.46	3.9	0.6	1.7	105.0	0.01	0.02	2.6
G26		2.88	21.4	760	5.2	34.0	<0.001	<0.01	0.21	6.2	0.5	0.9	49.4	<0.01	0.01	4.8
G27		3.56	25.3	740	7.8	41.8	<0.001	0.04	0.31	7.3	0.7	1.1	85.5	<0.01	0.02	4.6
G28		2.78	17.0	870	5.9	34.6	<0.001	0.05	0.25	5.2	0.6	1.0	106.0	<0.01	0.03	2.8
G29		2.35	17.4	770	3.7	24.7	<0.001	0.01	0.19	4.9	<0.2	0.8	58.4	<0.01	0.01	2.8
G30		2.75	17.8	730	6.5	18.0	<0.001	0.01	0.22	7.4	<0.2	1.1	91.3	<0.01	0.05	4.2
G31		3.62	24.2	790	7.8	38.3	<0.001	0.05	0.24	8.5	1.1	1.3	71.4	0.01	0.02	7.9
G32		1.54	11.5	370	4.0	17.9	<0.001	0.04	0.18	2.4	0.4	0.4	39.8	<0.01	0.02	1.3
G33		3.94	28.1	520	11.3	49.8	0.001	0.02	0.19	9.3	0.8	1.3	45.5	0.01	0.02	8.0
G34		2.44	22.5	660	4.8	33.7	<0.001	0.04	0.20	3.8	0.5	0.8	36.2	<0.01	0.02	2.1
G35		3.60	20.8	440	8.2	30.4	<0.001	0.02	0.25	4.9	0.5	1.0	23.9	<0.01	0.03	4.8
G36		3.37	21.6	600	7.3	39.8	<0.001	0.03	0.21	5.3	0.5	1.0	33.9	<0.01	0.03	4.3
G37		2.67	19.2	1070	3.3	32.1	<0.001	0.02	0.11	5.6	0.4	0.8	32.5	<0.01	0.02	3.5
G38		3.52	17.7	830	4.5	43.2	<0.001	0.02	0.14	5.4	0.6	1.2	31.1	<0.01	0.02	6.3
G39																



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: TARSIS RESOURCES LTD.
1103 - 750 W PENDER ST.
VANCOUVER BC V6C 2T8

Page: 2 - D
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 28-SEP-2011
Account: TARCAP

Project: Burn Property (Aishihik)

CERTIFICATE OF ANALYSIS WH11161747

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Ti	Ti	U	V	W	Y	Zn
		%	ppm	ppm	ppm	ppm	ppm	ppm
		0.005	0.02	0.05	1	0.05	0.05	2
G1		0.138	0.20	0.99	42	0.27	8.34	55
G1-RG		0.155	0.21	0.79	47	2.11	7.20	70
G2								
G3		0.207	0.30	2.17	66	0.38	10.65	99
G4		0.223	0.42	4.13	75	0.49	18.40	126
G5		0.211	0.36	2.75	72	0.44	11.10	106
G6		0.210	0.30	3.83	71	0.39	16.10	117
G7		0.212	0.35	3.26	71	0.48	17.75	117
G8		0.165	0.22	2.38	65	0.41	11.00	92
G9		0.146	0.23	3.65	55	0.35	11.55	117
G10								
G11		0.179	0.32	1.90	61	0.42	11.35	102
G12								
G13		0.193	0.33	2.50	67	0.40	14.60	104
G14		0.191	0.34	2.19	71	0.42	13.45	100
G15		0.187	0.31	3.34	67	0.50	17.90	86
G16		0.177	0.25	3.59	69	0.53	10.80	76
G17		0.152	0.14	1.39	67	0.33	6.34	62
G18		0.170	0.32	4.72	63	0.70	14.20	92
G19		0.168	0.24	3.71	71	0.88	9.52	101
G20		0.132	0.17	0.90	51	0.31	8.53	45
G21		0.116	0.12	0.72	61	0.21	5.50	61
G22		0.156	0.21	1.91	68	0.31	9.22	68
G23		0.170	0.28	2.50	69	0.50	14.30	74
G24		0.116	0.21	2.28	54	0.21	11.75	57
G25		0.106	0.21	6.43	43	0.28	17.85	90
G26		0.156	0.27	2.32	62	0.30	11.20	55
G27		0.173	0.33	3.56	75	0.49	16.75	68
G28		0.146	0.29	4.15	61	0.42	12.55	73
G29		0.136	0.19	0.91	60	0.30	8.08	50
G30		0.127	0.16	1.12	61	0.34	16.40	68
G31		0.162	0.29	5.65	78	0.97	23.9	82
G32		0.094	0.09	0.60	47	0.19	3.15	59
G33		0.216	0.35	3.25	89	0.80	16.70	80
G34		0.152	0.19	0.93	62	0.46	7.59	77
G35		0.167	0.21	0.94	75	0.55	5.99	75
G36		0.176	0.25	0.97	76	0.64	7.05	82
G37		0.164	0.23	0.74	73	0.29	8.08	56
G38		0.166	0.32	1.90	64	0.62	9.88	59
G39								



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: TARSIS RESOURCES LTD.
1103 - 750 W PENDER ST.
VANCOUVER BC V6C 2T8

Page: 3 - A
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 28-SEP-2011
Account: TARCAP

Project: Burn Property (Aishihik)

CERTIFICATE OF ANALYSIS WH11161747

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg .02	Au-AA23 Au ppm 0.005	ME-MS41 Ag ppm 0.01	ME-MS41 Al % 0.01	ME-MS41 As ppm 0.1	ME-MS41 Au ppm 0.2	ME-MS41 B ppm 10	ME-MS41 Ba ppm 10	ME-MS41 Be ppm 0.05	ME-MS41 Bi ppm 0.01	ME-MS41 Ca % 0.01	ME-MS41 Cd ppm 0.01	ME-MS41 Ce ppm 0.02	ME-MS41 Co ppm 0.1	ME-MS41 Cr ppm 1
G40		0.58	0.009	0.11	1.50	8.6	<0.2	<10	130	0.60	0.26	1.25	0.28	32.7	6.9	28
G41		0.76	0.006	0.05	1.96	9.6	<0.2	<10	160	0.44	0.15	0.52	0.08	27.1	9.7	44
G42		0.66	0.007	0.06	1.93	16.1	<0.2	<10	210	0.45	0.18	0.41	0.07	27.9	9.4	45
G43		0.74	<0.005	0.14	2.27	20.4	<0.2	<10	340	0.47	0.16	0.66	0.05	19.45	12.2	58
G44		0.58	0.012	0.12	2.30	19.5	<0.2	<10	330	0.40	0.16	2.13	0.13	20.8	12.8	57
G45		0.56	0.006	0.11	2.02	12.6	<0.2	<10	180	0.40	0.20	0.58	0.22	25.7	9.5	42
G46		0.40	0.007	0.07	1.73	5.2	<0.2	<10	160	0.71	0.31	0.52	0.23	39.9	6.8	23
G47		0.52	0.005	0.10	1.94	13.9	<0.2	<10	160	0.65	0.20	0.42	0.18	24.5	8.9	44
G48		0.54	<0.005	0.16	1.80	13.4	<0.2	<10	100	0.86	0.46	0.35	0.20	25.2	6.8	33
G49		0.58	<0.005	0.12	2.21	10.8	<0.2	<10	150	0.76	0.24	0.51	0.14	33.2	10.9	44
G50		0.42	<0.005	0.14	1.72	8.7	<0.2	<10	100	0.80	0.30	0.44	0.65	36.6	6.1	19
G51		0.38	<0.005	0.15	1.56	9.7	<0.2	<10	110	0.86	0.86	0.49	0.43	31.6	6.5	22
G52		0.58	<0.005	0.23	2.02	13.0	<0.2	<10	150	1.28	0.69	0.43	0.17	41.6	10.0	40
G53		0.62	0.007	0.06	2.02	19.6	<0.2	<10	170	0.47	0.18	0.51	0.07	21.0	10.4	47
G54		0.74	0.013	0.07	2.32	24.0	<0.2	<10	300	0.42	0.12	0.76	0.06	20.5	12.2	72
G55		0.46	0.009	0.16	1.82	8.8	<0.2	<10	140	0.73	0.36	0.61	0.51	41.3	7.5	22
G56		0.58	0.009	0.07	1.97	19.2	<0.2	<10	190	0.63	0.19	0.58	0.13	23.6	11.2	44
G57		0.62	0.024	0.06	1.74	13.7	<0.2	<10	160	0.60	0.15	0.59	0.06	19.60	10.3	39
G58		0.72	0.006	0.07	1.91	20.0	<0.2	<10	240	0.45	0.13	0.64	0.07	18.25	10.9	46
G59		0.72	0.010	0.08	1.72	21.5	<0.2	<10	210	0.39	0.11	1.64	0.11	16.95	11.2	41
H1		0.60	<0.005	0.06	1.72	9.9	<0.2	<10	120	0.42	0.21	0.34	0.20	19.05	8.0	32
H2		0.76	0.016	0.09	1.71	15.5	<0.2	<10	150	0.47	0.24	0.44	0.22	25.3	8.3	29
H3		0.54	0.006	0.35	2.64	26.3	<0.2	<10	240	0.85	0.48	0.56	0.47	42.7	11.4	37
H4		0.72	<0.005	0.07	1.33	13.4	<0.2	<10	120	0.28	0.18	0.50	0.15	24.4	6.6	22
H5		0.52	<0.005	0.35	1.83	49.3	<0.2	<10	150	0.58	0.54	0.44	0.33	31.3	8.9	29
H6		0.52	<0.005	0.17	2.09	13.9	<0.2	<10	160	0.60	0.32	0.55	0.29	31.1	8.7	35
H7		0.56	<0.005	0.08	1.55	9.9	<0.2	<10	160	0.35	0.24	0.48	0.14	24.2	7.4	27
H8		0.58	<0.005	0.18	1.80	13.3	<0.2	<10	180	0.49	0.29	0.57	0.14	26.5	7.9	28
H9		0.52	<0.005	0.20	2.70	22.4	<0.2	<10	260	0.80	0.61	0.80	0.27	32.1	12.0	41
H10		0.44	<0.005	0.07	2.49	30.6	<0.2	<10	180	0.70	0.63	0.59	0.22	24.1	11.3	38
H11		0.98	<0.005	0.04	1.23	7.8	<0.2	<10	120	0.33	0.15	0.48	0.08	29.3	5.5	21
H12		0.50	0.006	0.14	2.51	15.3	<0.2	<10	230	0.70	0.53	0.87	0.21	32.5	11.2	41
H13		0.46	<0.005	0.12	2.39	14.6	<0.2	<10	220	0.74	0.44	1.04	0.29	35.3	10.9	39
H14		0.66	<0.005	0.05	1.54	9.4	<0.2	<10	120	0.38	0.21	0.58	0.09	18.65	8.0	30
H15		0.38	<0.005	0.11	2.52	28.0	<0.2	<10	190	0.75	0.42	0.65	0.11	35.4	10.8	42
H16		0.32	<0.005	0.15	1.75	50.7	<0.2	<10	170	0.69	0.55	1.34	0.49	28.0	9.0	33
H17		0.30	0.047	0.07	0.49	1.8	<0.2	<10	50	0.22	0.26	0.63	2.85	7.61	3.3	10
H18		0.44	<0.005	0.17	2.65	22.1	<0.2	<10	210	0.87	0.44	0.98	0.25	34.8	11.8	43
H19		0.32	<0.005	0.13	2.49	13.1	<0.2	<10	160	0.77	0.53	0.87	0.30	29.0	11.0	42
H20		0.46	<0.005	0.14	2.21	10.3	<0.2	<10	160	0.68	0.58	0.84	0.23	31.4	11.1	39



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: TARSIS RESOURCES LTD.
1103 - 750 W PENDER ST.
VANCOUVER BC V6C 2T8

Page: 3 - B
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 28-SEP-2011
Account: TARCAP

Project: Burn Property (Aishihik)

CERTIFICATE OF ANALYSIS WH11161747

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
G40		4.77	16.4	2.59	5.72	0.19	0.08	0.02	0.047	0.45	14.8	36.8	0.59	423	0.69
G41		2.90	20.9	2.92	6.09	0.13	0.07	0.01	0.026	0.38	11.3	27.3	0.78	362	0.34
G42		3.23	22.9	2.89	6.42	0.17	0.05	0.02	0.030	0.52	15.5	30.3	0.79	356	0.44
G43		3.04	34.5	3.30	7.42	0.15	0.03	0.02	0.034	0.66	9.4	30.6	0.91	419	0.47
G44		2.97	38.9	3.39	7.24	0.16	0.08	0.03	0.036	0.75	10.2	28.3	1.08	445	0.41
G45		3.37	18.2	3.21	6.89	0.16	0.04	0.02	0.033	0.56	10.6	31.2	0.77	365	0.59
G46		4.10	12.8	2.68	6.36	0.14	0.04	0.03	0.036	0.37	19.6	33.0	0.57	577	1.36
G47		3.32	18.9	2.98	6.74	0.15	0.03	0.01	0.034	0.47	11.1	30.6	0.78	367	0.63
G48		4.30	14.7	3.07	6.78	0.13	0.05	0.03	0.049	0.33	11.5	30.9	0.61	290	0.89
G49		3.01	19.9	3.23	7.11	0.15	0.06	0.03	0.031	0.38	15.5	28.9	0.81	408	0.59
G50		4.00	16.4	2.51	6.55	0.11	0.03	0.04	0.033	0.26	18.6	30.3	0.50	431	1.18
G51		5.69	18.6	2.66	6.50	0.14	0.04	0.03	0.038	0.31	15.0	28.7	0.47	489	1.36
G52		4.21	33.5	3.13	7.58	0.21	0.07	0.03	0.044	0.38	19.3	29.7	0.65	463	1.23
G53		2.23	24.2	2.95	5.95	0.15	0.07	0.01	0.029	0.39	9.4	26.2	0.81	372	0.50
G54		2.45	30.8	3.35	6.98	0.17	0.06	0.02	0.033	0.66	10.2	28.9	1.02	375	0.49
G55		5.12	15.8	2.84	6.96	0.16	0.04	0.03	0.041	0.39	20.7	33.6	0.61	555	1.07
G56		2.55	26.8	3.03	6.98	0.17	0.04	<0.01	0.026	0.60	10.3	34.3	0.80	372	0.41
G57		2.09	21.6	2.70	6.32	0.14	0.04	0.01	0.025	0.34	8.7	32.9	0.69	346	0.46
G58		2.18	26.8	2.86	6.48	0.14	0.04	0.01	0.023	0.49	8.5	30.9	0.82	371	0.33
G59		1.63	30.3	2.63	6.05	0.15	0.08	0.01	0.020	0.42	8.0	25.1	0.82	361	0.33
H1		1.63	15.7	2.67	6.49	0.12	0.08	<0.01	0.020	0.23	8.1	28.6	0.57	230	0.99
H2		1.91	18.3	2.57	6.48	0.13	0.03	<0.01	0.024	0.24	11.2	32.2	0.56	289	0.58
H3		3.78	26.4	3.57	9.88	0.14	0.04	0.01	0.034	0.33	24.3	44.6	0.77	464	1.00
H4		1.84	10.0	2.07	5.17	0.12	0.06	<0.01	0.018	0.22	12.0	27.5	0.49	240	0.37
H5		2.13	25.1	2.80	7.34	0.13	0.04	0.01	0.024	0.19	18.5	25.0	0.51	260	1.19
H6		2.42	23.8	3.13	8.46	0.14	0.04	<0.01	0.029	0.29	18.7	39.7	0.68	322	1.05
H7		2.70	11.6	2.44	7.05	0.13	0.03	<0.01	0.021	0.29	12.6	31.0	0.59	325	0.52
H8		2.64	15.4	2.75	6.98	0.14	0.03	0.01	0.023	0.29	13.6	32.5	0.60	362	0.77
H9		4.85	22.8	3.81	10.60	0.10	0.06	0.02	0.047	0.39	18.8	43.0	0.88	565	0.92
H10		4.07	17.2	3.54	9.60	0.06	0.06	0.01	0.045	0.32	13.4	38.0	0.83	489	0.98
H11		1.94	12.3	1.92	4.50	0.08	0.05	<0.01	0.025	0.18	11.7	18.0	0.40	254	0.34
H12		3.90	22.8	3.48	8.92	0.10	0.05	0.02	0.045	0.37	18.2	35.9	0.84	539	0.69
H13		3.95	22.5	3.26	8.67	0.09	0.05	0.03	0.042	0.33	19.4	35.8	0.81	518	0.61
H14		2.22	13.5	2.45	5.35	0.07	0.03	0.01	0.025	0.22	8.9	25.1	0.60	296	0.43
H15		3.05	30.9	3.44	8.64	0.10	0.05	0.03	0.037	0.24	19.2	35.4	0.80	398	0.56
H16		2.89	21.2	2.63	6.14	0.08	0.03	0.04	0.028	0.23	14.7	25.0	0.64	539	0.62
H17		0.77	14.3	1.30	2.51	<0.05	<0.02	0.02	0.010	0.06	3.9	3.4	0.17	171	0.38
H18		4.26	28.4	3.62	9.57	0.09	0.04	0.02	0.041	0.36	19.4	38.3	0.87	539	0.82
H19		3.59	24.4	3.52	8.62	0.07	0.04	0.01	0.035	0.27	15.2	30.8	0.83	436	1.04
H20		3.89	26.8	3.22	7.64	0.09	0.04	0.04	0.037	0.35	16.3	30.8	0.80	478	0.70



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: TARSIS RESOURCES LTD.
1103 - 750 W PENDER ST.
VANCOUVER BC V6C 2T8

Page: 3 - C
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 28-SEP-2011
Account: TARCAP

Project: Burn Property (Aishihik)

CERTIFICATE OF ANALYSIS WH11161747

Sample Description	Method Analyte Units LOR	ME-MS41 Nb ppm 0.05	ME-MS41 Ni ppm 0.2	ME-MS41 P ppm 10	ME-MS41 Pb ppm 0.2	ME-MS41 Rb ppm 0.1	ME-MS41 Re ppm 0.001	ME-MS41 S % 0.01	ME-MS41 Sb ppm 0.05	ME-MS41 Sc ppm 0.1	ME-MS41 Se ppm 0.2	ME-MS41 Sn ppm 0.2	ME-MS41 Sr ppm 0.2	ME-MS41 Ta ppm 0.01	ME-MS41 Te ppm 0.01	ME-MS41 Th ppm 0.2
G40		6.80	14.6	760	7.7	51.4	<0.001	0.06	0.29	5.3	1.0	2.0	50.3	0.01	0.02	8.5
G41		2.50	21.9	790	4.3	36.3	<0.001	0.02	0.15	6.2	0.5	1.0	30.5	<0.01	0.02	5.7
G42		3.36	21.8	670	4.1	43.2	<0.001	0.02	0.13	6.9	0.7	1.1	27.0	<0.01	0.02	6.5
G43		3.40	30.4	860	3.7	44.3	<0.001	0.03	0.13	7.7	0.6	0.9	39.1	<0.01	0.03	2.3
G44		2.70	34.5	980	3.3	43.8	<0.001	0.03	0.16	8.6	0.6	0.9	56.9	<0.01	0.04	3.8
G45		3.95	20.4	530	5.7	45.9	<0.001	0.03	0.21	5.9	0.4	1.2	34.6	<0.01	0.03	5.0
G46		3.66	10.6	760	8.8	45.9	<0.001	0.04	0.20	4.1	0.7	1.4	34.4	<0.01	0.02	6.0
G47		3.72	20.2	790	5.8	40.8	<0.001	0.03	0.14	5.8	0.5	1.1	24.9	<0.01	0.02	5.0
G48		5.58	15.1	460	7.4	47.8	<0.001	0.02	0.20	5.0	0.6	1.6	22.0	<0.01	0.03	7.1
G49		3.36	22.5	570	6.4	38.9	<0.001	0.02	0.20	6.1	0.9	1.0	34.7	0.01	0.03	6.7
G50		3.64	8.8	640	8.4	41.2	<0.001	0.06	0.19	3.1	0.6	1.6	34.6	<0.01	0.03	4.3
G51		5.10	10.7	610	8.5	51.1	<0.001	0.06	0.19	3.5	0.8	1.6	31.0	0.01	0.03	3.6
G52		4.64	20.7	700	7.7	50.7	<0.001	0.05	0.20	5.7	1.5	1.3	31.4	0.01	0.03	6.2
G53		2.40	25.4	750	3.6	29.6	<0.001	0.02	0.16	6.2	0.5	0.8	29.4	<0.01	0.02	4.2
G54		2.34	32.6	700	3.1	38.2	<0.001	0.02	0.15	8.1	0.6	0.8	36.1	<0.01	0.03	3.0
G55		4.86	11.0	820	11.5	54.8	<0.001	0.06	0.20	4.4	0.9	1.5	49.3	0.01	0.03	7.4
G56		2.60	24.9	770	5.8	40.9	<0.001	<0.01	0.16	6.5	0.5	0.9	33.0	<0.01	0.02	4.7
G57		2.42	23.1	770	3.7	32.1	<0.001	<0.01	0.16	5.7	0.7	0.8	38.0	<0.01	0.02	4.1
G58		2.10	26.0	910	4.0	34.3	<0.001	<0.01	0.14	6.6	0.3	0.7	35.9	<0.01	0.01	3.2
G59		1.86	26.6	890	3.0	27.1	<0.001	<0.01	0.18	6.2	0.4	0.6	54.8	<0.01	0.03	2.4
H1		2.19	18.0	250	6.4	23.8	<0.001	<0.01	0.21	4.6	0.2	0.8	21.8	<0.01	0.02	3.4
H2		2.31	18.5	480	6.1	25.9	<0.001	<0.01	0.17	4.7	0.5	0.9	27.8	<0.01	0.01	3.9
H3		3.47	22.2	590	14.5	42.9	<0.001	0.01	0.20	7.1	0.7	1.4	43.5	<0.01	0.02	5.4
H4		2.20	12.7	800	3.7	24.4	<0.001	<0.01	0.13	4.0	0.2	0.9	28.9	<0.01	0.01	4.2
H5		2.63	15.9	420	7.5	24.6	<0.001	<0.01	0.16	4.6	0.6	0.9	29.2	<0.01	0.01	3.7
H6		3.15	18.9	280	7.6	30.7	<0.001	<0.01	0.23	5.5	0.6	1.1	38.1	<0.01	0.02	3.8
H7		2.44	13.8	550	4.6	35.9	<0.001	<0.01	0.12	4.3	0.3	1.0	33.7	<0.01	0.01	3.3
H8		2.37	14.6	730	6.3	31.8	<0.001	0.01	0.13	4.7	0.4	0.9	35.8	<0.01	0.03	3.8
H9		3.87	20.8	690	12.5	51.0	0.001	0.04	0.22	7.4	0.8	1.5	57.3	<0.01	0.03	4.5
H10		3.83	18.0	430	12.7	40.3	<0.001	0.02	0.15	7.0	0.7	1.6	37.7	<0.01	0.04	4.1
H11		2.05	11.0	660	3.4	19.3	<0.001	0.01	0.10	3.7	0.5	0.8	28.9	<0.01	0.03	4.8
H12		3.44	20.4	670	9.8	40.6	0.001	0.03	0.18	6.8	0.7	1.3	55.9	<0.01	0.03	4.1
H13		3.58	20.7	670	8.9	37.1	0.001	0.03	0.23	6.8	0.9	1.4	64.4	<0.01	0.02	3.7
H14		2.20	15.8	680	4.2	22.2	<0.001	0.01	0.15	4.3	0.4	0.8	34.5	<0.01	0.01	3.7
H15		3.28	21.3	520	7.1	26.1	<0.001	0.02	0.24	7.1	0.9	1.1	51.0	<0.01	0.03	4.2
H16		2.13	16.4	830	7.4	26.3	<0.001	0.05	0.33	4.1	0.8	0.9	80.5	<0.01	0.03	2.2
H17		0.65	6.3	350	2.9	7.0	0.001	0.02	0.13	0.8	0.3	0.4	39.8	<0.01	0.01	0.2
H18		3.18	21.7	720	10.3	42.3	0.001	0.02	0.29	7.4	0.7	1.3	71.9	<0.01	0.03	4.9
H19		3.01	20.4	660	10.7	30.4	0.001	0.02	0.24	6.4	0.9	1.2	58.1	<0.01	0.02	3.4
H20		2.58	19.8	800	10.6	39.6	<0.001	0.02	0.25	6.7	0.6	1.0	60.2	<0.01	0.04	5.2



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: TARSIS RESOURCES LTD.
1103 - 750 W PENDER ST.
VANCOUVER BC V6C 2T8

Page: 3 - D
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 28-SEP-2011
Account: TARCAP

Project: Burn Property (Aishihik)

CERTIFICATE OF ANALYSIS WH11161747

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Ti	Ti	U	V	W	Y	Zn
		%	ppm	ppm	ppm	ppm	ppm	ppm
		0.005	0.02	0.05	1	0.05	0.05	2
								0.5
G40		0.140	0.36	5.41	52	0.58	19.80	77
G41		0.188	0.29	0.74	77	0.41	7.71	56
G42		0.183	0.30	1.84	74	1.35	12.95	57
G43		0.195	0.29	1.00	96	0.36	7.13	66
G44		0.213	0.32	1.14	95	0.28	8.41	70
G45		0.196	0.31	0.77	78	0.80	6.02	70
G46		0.158	0.35	2.67	53	2.13	12.50	83
G47		0.181	0.30	1.36	78	0.85	8.17	65
G48		0.182	0.32	1.45	67	6.03	8.43	66
G49		0.194	0.26	2.72	81	0.55	18.40	65
G50		0.127	0.32	5.44	49	1.57	10.10	64
G51		0.133	0.34	5.06	51	2.73	14.80	84
G52		0.161	0.31	8.32	72	0.86	32.7	68
G53		0.169	0.24	0.89	81	0.33	8.79	52
G54		0.206	0.27	0.73	97	0.26	8.49	62
G55		0.151	0.41	6.29	54	1.46	18.65	90
G56		0.183	0.28	1.02	75	0.43	10.25	61
G57		0.161	0.22	1.27	67	0.28	16.00	50
G58		0.173	0.25	0.55	76	0.32	9.13	57
G59		0.158	0.19	0.44	69	0.28	7.70	51
H1		0.173	0.18	0.85	62	0.51	4.60	52
H2		0.154	0.21	0.92	57	0.24	7.09	54
H3		0.198	0.30	3.57	70	0.41	15.75	99
H4		0.148	0.20	0.60	46	0.23	7.80	44
H5		0.158	0.18	2.30	63	0.28	11.95	82
H6		0.189	0.22	2.36	68	0.52	12.65	73
H7		0.167	0.26	0.75	53	0.25	6.03	64
H8		0.159	0.24	1.84	58	0.34	8.88	71
H9		0.195	0.39	2.51	77	0.42	11.65	118
H10		0.201	0.29	1.45	72	0.50	8.59	99
H11		0.116	0.20	0.67	38	0.25	7.62	36
H12		0.184	0.35	2.58	72	0.41	12.05	92
H13		0.172	0.31	2.46	66	0.39	12.75	88
H14		0.140	0.22	0.71	54	0.24	5.82	52
H15		0.162	0.24	4.68	72	0.44	16.85	71
H16		0.115	0.22	4.16	51	0.32	11.10	90
H17		0.055	0.05	0.36	30	0.08	2.00	96
H18		0.170	0.33	14.95	72	1.08	16.40	94
H19		0.164	0.30	4.10	73	0.54	11.80	86
H20		0.163	0.29	2.55	67	0.40	12.15	88



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: TARSIS RESOURCES LTD.
1103 - 750 W PENDER ST.
VANCOUVER BC V6C 2T8

Page: 4 - A
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 28-SEP-2011
Account: TARCAP

Project: Burn Property (Aishihik)

CERTIFICATE OF ANALYSIS WH11161747

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg .02	Au-AA23 Au ppm 0.005	ME-MS41 Ag ppm 0.01	ME-MS41 Al % 0.01	ME-MS41 As ppm 0.1	ME-MS41 Au ppm 0.2	ME-MS41 B ppm 10	ME-MS41 Ba ppm 10	ME-MS41 Be ppm 0.05	ME-MS41 Bi ppm 0.01	ME-MS41 Ca % 0.01	ME-MS41 Cd ppm 0.01	ME-MS41 Ce ppm 0.02	ME-MS41 Co ppm 0.1	ME-MS41 Cr ppm 1
H21		0.38	<0.005	0.21	1.82	9.1	<0.2	<10	150	0.55	0.44	1.08	0.28	23.8	8.4	33
H22		0.46	0.006	0.04	1.88	9.6	<0.2	<10	90	0.61	0.31	0.59	0.34	30.8	9.8	36
H23		0.34	<0.005	0.10	1.60	9.4	<0.2	<10	140	0.47	0.28	1.25	0.37	24.4	8.3	30
H24		0.28	<0.005	0.32	1.47	6.1	<0.2	10	110	1.03	1.49	2.33	2.75	42.7	8.1	24
H25		0.48	<0.005	0.05	1.72	5.7	<0.2	<10	50	0.38	0.33	0.53	0.50	13.65	8.7	34
H26		0.56	<0.005	0.07	1.56	9.0	<0.2	<10	140	0.38	0.15	0.88	0.08	19.95	8.0	34
H27		0.40	<0.005	0.09	1.68	7.4	<0.2	<10	160	0.40	0.20	0.98	0.09	19.50	9.2	33
H28		0.44	<0.005	0.07	1.46	6.0	<0.2	<10	130	0.38	0.12	1.18	0.16	16.50	8.2	32
H29		0.28	<0.005	0.28	2.16	4.2	<0.2	<10	150	0.92	0.58	1.34	2.55	49.4	13.1	36
H30		0.46	<0.005	0.07	1.32	8.1	<0.2	<10	110	0.43	0.15	1.41	0.39	23.8	8.8	28
H31		0.62	<0.005	0.06	1.44	7.3	<0.2	<10	120	0.34	0.15	0.69	0.07	22.6	8.4	32
H32		0.72	0.009	0.06	1.44	7.4	<0.2	<10	130	0.28	0.13	0.72	0.11	22.2	8.4	33
H33		0.44	0.017	0.11	1.80	10.7	<0.2	<10	160	0.33	0.18	0.91	0.07	21.0	11.0	41
H34		0.66	<0.005	0.05	1.37	5.9	<0.2	<10	120	0.25	0.13	0.62	0.08	20.7	7.7	31
H35		0.82	0.032	0.03	1.35	7.5	<0.2	<10	130	0.27	0.11	0.63	0.05	21.0	8.0	32
H36		0.40	<0.005	0.09	1.98	12.6	<0.2	<10	270	0.47	0.17	1.17	0.12	21.4	10.9	45
H37		0.72	<0.005	0.10	1.59	9.9	<0.2	<10	180	0.42	0.16	0.83	0.13	24.4	10.3	36
H38		0.48	0.005	0.08	1.57	6.7	<0.2	<10	70	0.38	0.17	0.37	0.16	16.55	8.1	29
H39		0.54	<0.005	0.13	1.89	9.1	<0.2	<10	120	0.49	0.27	0.49	0.28	24.5	11.1	37
H40		0.52	<0.005	0.09	1.96	12.6	<0.2	<10	240	0.41	0.17	0.90	0.15	24.1	12.1	47
H41		0.46	<0.005	0.03	1.41	5.2	<0.2	<10	80	0.42	0.14	0.38	0.08	24.0	6.9	27
H42		0.66	<0.005	0.14	1.68	7.2	<0.2	<10	170	0.42	0.19	0.58	0.09	18.35	8.7	32
H43		0.58	0.007	0.10	1.51	6.4	<0.2	<10	120	0.30	0.17	0.65	0.07	27.6	9.0	31
H44		0.60	<0.005	0.11	1.90	21.0	<0.2	<10	280	0.38	0.18	0.74	0.12	20.1	10.4	46
H45		0.40	<0.005	0.13	2.53	17.2	<0.2	<10	280	0.71	0.32	0.73	0.22	34.8	13.7	51
H46		0.72	<0.005	0.06	1.54	5.0	<0.2	<10	130	0.36	0.17	1.96	0.12	25.9	10.3	31
H47		0.50	0.006	0.06	1.83	13.2	<0.2	<10	200	0.56	0.21	0.52	0.12	24.9	9.6	41
H48		0.52	<0.005	0.11	3.09	27.3	<0.2	<10	340	0.78	0.42	0.65	0.11	25.4	16.5	62
H49		0.64	<0.005	0.05	1.62	7.7	<0.2	<10	60	0.33	0.16	0.35	0.08	25.5	7.4	30
H50		0.50	<0.005	0.04	1.80	21.2	<0.2	<10	130	0.49	0.19	0.42	0.22	20.4	9.7	42
H51		0.64	0.008	0.05	2.00	20.3	<0.2	<10	170	0.41	0.21	0.41	0.08	20.3	12.0	48
H52		0.64	<0.005	0.07	1.94	11.3	<0.2	<10	90	0.41	0.15	0.53	0.08	30.5	10.1	41
H53		0.66	<0.005	0.04	1.65	8.1	<0.2	<10	160	0.45	0.14	0.69	0.08	23.1	11.1	39
H54		0.64	<0.005	0.14	1.69	10.3	<0.2	<10	150	0.32	0.18	1.67	0.13	23.1	11.6	41
H55		0.58	<0.005	0.09	1.74	16.0	<0.2	<10	210	0.33	0.18	0.69	0.12	20.6	10.3	42
H56		0.52	0.007	0.09	1.67	15.2	<0.2	<10	210	0.34	0.14	0.98	0.12	17.45	10.0	42
H57		0.68	<0.005	0.04	1.79	9.8	<0.2	<10	120	0.40	0.10	0.47	0.06	22.9	11.1	42
H58		0.60	<0.005	0.08	1.95	16.3	<0.2	<10	150	0.39	0.13	0.43	0.06	22.2	11.4	47
H59		0.64	<0.005	0.06	1.85	23.0	<0.2	<10	260	0.36	0.14	0.70	0.07	17.45	11.5	50
H60		0.40	<0.005	0.07	1.79	24.1	<0.2	<10	210	0.39	0.14	0.92	0.22	17.75	12.3	46



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: TARSIS RESOURCES LTD.
1103 - 750 W PENDER ST.
VANCOUVER BC V6C 2T8

Page: 4 - B
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 28-SEP-2011
Account: TARCAP

Project: Burn Property (Aishihik)

CERTIFICATE OF ANALYSIS WH11161747

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
H21		3.88	26.2	2.73	6.46	0.07	0.04	0.03	0.032	0.28	12.8	24.3	0.63	399	0.68
H22		2.04	26.1	2.84	6.38	0.09	0.05	0.02	0.028	0.16	17.1	23.0	0.60	279	0.54
H23		2.59	22.1	2.40	5.21	0.07	0.03	0.03	0.027	0.21	10.8	24.9	0.55	358	0.47
H24		3.38	30.7	2.32	5.67	0.14	0.05	0.04	0.049	0.21	27.9	23.0	0.51	559	0.36
H25		1.27	11.8	2.81	5.89	0.05	0.07	0.02	0.024	0.14	6.3	16.8	0.54	189	1.27
H26		2.11	20.6	2.42	5.19	0.09	0.03	0.01	0.024	0.25	9.3	22.3	0.63	274	0.65
H27		2.71	22.0	2.56	5.93	0.09	0.04	0.02	0.024	0.24	9.8	23.2	0.61	408	1.24
H28		1.93	20.5	2.29	5.05	0.08	0.03	0.02	0.024	0.22	8.2	19.5	0.58	370	0.73
H29		5.41	35.3	3.11	9.38	0.20	0.04	0.03	0.043	0.44	26.7	29.9	0.86	745	0.72
H30		1.82	24.1	2.11	5.36	0.14	0.02	0.02	0.028	0.24	11.0	19.4	0.50	358	0.43
H31		2.59	14.2	2.35	5.97	0.16	0.03	0.01	0.024	0.25	10.2	21.7	0.64	350	0.68
H32		2.52	17.2	2.37	5.82	0.15	0.04	0.01	0.023	0.26	10.3	24.9	0.64	331	0.53
H33		2.76	27.4	2.76	7.43	0.15	0.03	0.04	0.031	0.31	10.3	25.3	0.72	422	1.88
H34		2.46	13.9	2.27	5.56	0.15	0.04	0.01	0.021	0.28	9.4	24.3	0.60	285	0.50
H35		2.25	14.3	2.36	5.30	0.15	0.07	<0.01	0.026	0.26	9.3	21.8	0.60	307	0.41
H36		2.88	30.6	2.83	7.59	0.17	0.03	0.01	0.032	0.45	10.4	27.9	0.81	396	0.32
H37		2.44	24.6	2.50	6.83	0.18	0.03	0.01	0.028	0.34	10.9	25.8	0.67	386	0.52
H38		1.81	12.5	2.46	6.58	0.11	0.03	0.01	0.017	0.17	7.5	22.4	0.53	185	0.56
H39		2.86	16.6	2.88	7.86	0.12	0.05	0.01	0.035	0.26	9.7	32.0	0.67	343	0.78
H40		2.84	34.5	2.94	7.61	0.14	0.07	<0.01	0.030	0.48	11.1	30.5	0.84	428	0.46
H41		1.87	12.7	2.10	5.23	0.12	0.03	<0.01	0.021	0.20	8.7	20.3	0.48	197	0.34
H42		2.41	26.5	2.61	7.05	0.12	0.04	<0.01	0.024	0.28	8.0	27.7	0.56	273	0.56
H43		2.92	23.0	2.36	6.32	0.19	0.09	0.01	0.027	0.29	12.5	28.9	0.60	304	0.32
H44		2.79	27.3	2.89	7.18	0.15	0.03	<0.01	0.027	0.57	9.2	27.8	0.81	369	0.34
H45		4.81	28.4	3.50	10.55	0.17	0.04	<0.01	0.048	0.55	14.9	41.2	0.93	534	0.78
H46		2.83	23.3	2.52	6.38	0.18	0.16	0.01	0.031	0.30	11.9	29.3	0.74	402	0.36
H47		3.17	23.5	2.81	7.49	0.14	0.04	<0.01	0.029	0.41	10.9	30.5	0.74	337	0.40
H48		5.39	38.9	4.22	12.45	0.18	0.06	0.01	0.052	0.71	11.1	49.7	1.14	559	0.55
H49		2.07	11.4	2.32	5.88	0.12	0.03	<0.01	0.019	0.25	9.1	22.3	0.49	183	0.54
H50		3.06	20.4	2.71	8.08	0.16	0.02	<0.01	0.038	0.46	9.0	31.3	0.72	308	0.57
H51		2.87	21.4	2.94	8.20	0.14	0.05	<0.01	0.031	0.44	8.6	31.6	0.81	285	0.56
H52		2.76	24.3	2.84	7.56	0.15	0.05	<0.01	0.033	0.35	9.9	30.1	0.68	240	0.59
H53		2.36	21.9	2.73	6.49	0.20	0.10	<0.01	0.020	0.33	9.9	24.5	0.78	379	0.45
H54		2.43	32.0	2.72	7.08	0.18	0.09	<0.01	0.031	0.36	10.8	26.7	0.83	362	0.37
H55		2.31	24.7	2.68	6.62	0.14	0.03	<0.01	0.031	0.45	9.5	25.1	0.74	346	0.41
H56		2.22	27.9	2.58	6.39	0.20	0.04	<0.01	0.025	0.44	8.0	23.2	0.76	336	0.40
H57		1.83	22.7	2.66	6.55	0.16	0.07	<0.01	0.028	0.26	9.7	22.6	0.74	297	0.48
H58		2.37	23.5	2.83	7.54	0.15	0.05	<0.01	0.026	0.51	8.9	29.2	0.77	290	0.43
H59		2.20	23.4	2.73	6.92	0.18	0.03	<0.01	0.027	0.54	7.9	24.5	0.83	344	0.34
H60		2.25	27.5	2.76	7.15	0.16	0.04	<0.01	0.023	0.55	8.0	25.4	0.79	312	0.52



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: TARSIS RESOURCES LTD.
1103 - 750 W PENDER ST.
VANCOUVER BC V6C 2T8

Page: 4 - C
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 28-SEP-2011
Account: TARCAP

Project: Burn Property (Aishihik)

CERTIFICATE OF ANALYSIS WH11161747

Sample Description	Method Analyte Units LOR	ME-MS41 Nb ppm 0.05	ME-MS41 Ni ppm 0.2	ME-MS41 P ppm 10	ME-MS41 Pb ppm 0.2	ME-MS41 Rb ppm 0.1	ME-MS41 Re ppm 0.001	ME-MS41 S % 0.01	ME-MS41 Sb ppm 0.05	ME-MS41 Sc ppm 0.1	ME-MS41 Se ppm 0.2	ME-MS41 Sn ppm 0.2	ME-MS41 Sr ppm 0.2	ME-MS41 Ta ppm 0.01	ME-MS41 Te ppm 0.01	ME-MS41 Th ppm 0.2
H21		2.33	16.3	740	7.1	29.0	<0.001	0.03	0.21	5.1	0.7	0.9	64.2	<0.01	0.02	3.5
H22		2.54	18.2	400	6.8	17.9	0.001	0.01	0.23	5.7	0.7	0.8	34.2	<0.01	0.02	3.9
H23		2.18	16.3	730	5.0	24.6	0.001	0.04	0.22	4.1	0.9	0.8	60.7	<0.01	0.02	2.5
H24		2.28	16.3	900	30.4	25.6	0.001	0.06	0.59	4.0	0.9	2.2	133.0	<0.01	0.05	2.6
H25		2.03	17.5	200	7.8	14.2	0.001	0.01	0.30	4.0	0.3	0.8	25.9	<0.01	0.02	2.1
H26		2.14	15.8	770	3.7	24.6	0.001	0.03	0.17	4.4	0.4	0.8	51.5	<0.01	0.01	2.8
H27		2.18	15.6	760	4.3	28.1	<0.001	0.05	0.21	4.1	0.6	0.7	65.1	<0.01	0.01	2.2
H28		1.96	14.6	720	3.5	21.4	0.001	0.04	0.18	4.1	0.8	0.7	69.6	<0.01	0.02	2.0
H29		2.61	22.1	1000	19.9	44.6	0.001	0.04	0.35	5.2	0.9	1.0	117.0	<0.01	0.03	3.8
H30		1.90	16.4	620	4.4	19.6	0.001	0.04	0.21	4.1	<0.2	0.8	80.8	0.01	0.04	2.0
H31		2.38	15.2	910	4.5	28.3	<0.001	0.01	0.17	5.0	0.2	1.0	43.8	<0.01	<0.01	4.1
H32		2.49	17.2	890	3.4	28.0	<0.001	0.02	0.14	5.1	0.3	1.0	43.5	<0.01	0.01	4.2
H33		2.70	20.3	710	5.4	33.6	<0.001	0.04	0.17	6.1	<0.2	1.0	52.8	<0.01	0.01	3.3
H34		2.35	15.7	860	3.1	28.4	<0.001	0.01	0.17	4.8	0.5	0.9	35.9	<0.01	0.02	4.6
H35		2.41	15.8	500	3.1	26.3	<0.001	0.01	0.14	4.8	<0.2	1.0	35.1	<0.01	0.02	4.5
H36		3.10	24.4	830	4.4	37.4	<0.001	0.04	0.20	7.0	<0.2	1.1	64.9	<0.01	0.04	3.8
H37		2.50	20.4	950	4.0	31.0	<0.001	0.02	0.18	6.1	1.2	1.0	47.9	<0.01	0.02	3.3
H38		2.22	16.1	360	4.5	21.3	<0.001	<0.01	0.26	4.2	1.5	1.0	23.1	<0.01	<0.01	2.7
H39		3.11	20.4	430	6.8	33.4	<0.001	0.01	0.28	6.1	0.6	1.4	32.2	<0.01	0.03	4.3
H40		3.03	27.5	920	4.2	36.5	<0.001	0.02	0.22	7.9	1.4	1.2	48.9	<0.01	0.01	4.3
H41		1.92	14.6	490	3.3	21.9	<0.001	0.01	0.15	4.0	1.0	1.0	22.5	<0.01	0.02	4.3
H42		2.48	19.9	440	4.5	28.6	<0.001	0.02	0.21	5.0	<0.2	1.2	39.8	<0.01	0.01	3.1
H43		2.32	17.8	670	3.5	30.5	<0.001	0.01	0.19	6.1	0.6	1.3	35.3	<0.01	0.04	6.6
H44		2.98	24.0	940	3.4	38.9	0.001	0.02	0.13	7.0	0.5	0.9	40.5	<0.01	0.01	4.2
H45		4.66	26.8	800	7.0	58.5	<0.001	0.04	0.20	9.1	0.7	1.6	59.4	<0.01	0.05	8.8
H46		1.54	19.9	940	3.9	28.3	<0.001	0.01	0.23	6.5	0.7	1.3	73.0	<0.01	0.01	5.4
H47		3.38	20.8	790	4.9	39.8	<0.001	0.01	0.16	6.5	0.7	1.2	34.2	<0.01	0.05	6.0
H48		4.24	34.1	710	8.1	69.6	<0.001	0.02	0.22	12.2	<0.2	2.0	49.6	<0.01	0.07	12.9
H49		2.28	16.3	330	4.2	26.2	<0.001	0.01	0.19	4.1	0.5	0.9	23.4	<0.01	0.01	4.3
H50		3.26	21.7	510	3.8	44.1	<0.001	0.01	0.17	6.7	0.3	1.1	32.5	<0.01	0.06	3.3
H51		2.75	24.6	630	4.1	40.0	<0.001	0.01	0.16	7.7	<0.2	1.0	32.6	<0.01	0.05	3.8
H52		2.86	24.1	480	4.1	34.3	<0.001	0.01	0.22	6.7	0.2	1.2	32.0	<0.01	0.02	5.1
H53		1.75	22.7	1000	3.4	27.6	<0.001	0.01	0.20	6.8	<0.2	1.1	42.3	<0.01	0.01	4.0
H54		2.36	27.4	840	5.1	29.5	<0.001	0.01	0.24	7.3	0.7	1.0	66.4	<0.01	0.01	4.0
H55		2.59	21.5	900	3.4	32.2	<0.001	0.02	0.15	6.4	0.3	0.9	40.5	<0.01	0.04	3.3
H56		2.66	23.2	950	3.1	29.7	0.001	0.03	0.23	6.3	0.2	0.9	47.7	<0.01	0.03	3.1
H57		1.77	24.2	680	3.4	23.9	<0.001	0.01	0.16	6.5	0.8	0.7	30.0	<0.01	0.04	3.3
H58		2.40	27.2	570	3.3	34.5	<0.001	0.01	0.17	7.4	0.5	1.0	29.1	<0.01	0.05	3.5
H59		2.40	25.2	1060	2.6	33.2	<0.001	0.02	0.13	7.2	0.3	0.7	40.3	<0.01	0.05	2.4
H60		2.61	27.3	740	3.2	33.6	0.001	0.02	0.18	7.6	0.7	0.7	48.0	<0.01	0.05	2.2



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: TARSIS RESOURCES LTD.
1103 - 750 W PENDER ST.
VANCOUVER BC V6C 2T8

Page: 4 - D
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 28-SEP-2011
Account: TARCAP

Project: Burn Property (Aishihik)

CERTIFICATE OF ANALYSIS WH11161747

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Ti	Ti	U	V	W	Y	Zn
		%	ppm	ppm	ppm	ppm	ppm	ppm
		0.005	0.02	0.05	1	0.05	0.05	2
		0.05						0.5
H21		0.131	0.21	2.16	57	0.38	10.40	74
H22		0.141	0.17	3.21	65	0.32	13.20	57
H23		0.117	0.18	2.17	52	0.28	8.58	56
H24		0.085	0.24	2.53	33	0.34	16.70	220
H25		0.135	0.12	0.45	67	0.30	3.36	65
H26		0.131	0.20	2.89	60	0.24	7.65	49
H27		0.122	0.22	3.57	57	0.42	8.17	55
H28		0.116	0.19	3.04	55	0.23	7.54	53
H29		0.126	0.28	2.78	53	0.34	15.75	197
H30		0.110	0.14	1.03	52	0.18	9.06	67
H31		0.146	0.21	1.41	59	0.44	9.00	58
H32		0.158	0.20	1.52	60	0.34	9.87	54
H33		0.161	0.24	3.82	71	0.56	9.19	60
H34		0.152	0.20	1.05	58	0.33	8.24	50
H35		0.155	0.20	0.99	62	0.26	6.55	47
H36		0.172	0.27	1.71	72	0.32	12.10	69
H37		0.146	0.21	1.10	65	0.22	9.39	60
H38		0.147	0.15	0.49	62	0.33	4.59	48
H39		0.168	0.21	0.86	69	0.31	7.08	67
H40		0.187	0.27	2.16	78	0.26	11.50	67
H41		0.132	0.13	0.55	52	0.22	6.04	40
H42		0.152	0.16	1.42	65	0.32	8.94	52
H43		0.163	0.24	1.01	59	0.90	12.15	45
H44		0.179	0.21	1.41	76	0.44	14.35	71
H45		0.216	0.40	4.95	84	0.64	22.1	87
H46		0.166	0.21	0.74	61	0.30	12.25	56
H47		0.185	0.28	1.53	70	0.74	13.80	63
H48		0.258	0.45	3.42	105	0.66	16.05	101
H49		0.150	0.17	0.60	58	0.36	4.42	42
H50		0.177	0.24	0.99	71	0.44	8.57	64
H51		0.188	0.26	0.79	78	0.39	7.01	61
H52		0.183	0.25	1.03	74	0.28	7.77	53
H53		0.176	0.21	0.63	71	0.22	9.60	55
H54		0.174	0.23	0.79	72	0.22	11.40	67
H55		0.160	0.21	1.12	71	0.34	9.58	63
H56		0.158	0.17	2.48	70	0.22	10.90	65
H57		0.158	0.16	0.77	71	0.17	7.79	52
H58		0.181	0.22	0.73	76	0.21	7.81	57
H59		0.173	0.22	0.71	77	0.22	8.43	57
H60		0.163	0.20	0.57	75	0.25	7.15	56



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: TARSIS RESOURCES LTD.
 1103 - 750 W PENDER ST.
 VANCOUVER BC V6C 2T8

Page: 5 - A
 Total # Pages: 5 (A - D)
 Plus Appendix Pages
 Finalized Date: 28-SEP-2011
 Account: TARCAP

Project: Burn Property (Aishihik)

CERTIFICATE OF ANALYSIS WH11161747

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg .02	Au-AA23 Au ppm 0.005	ME-MS41 Ag ppm 0.01	ME-MS41 Al % 0.01	ME-MS41 As ppm 0.1	ME-MS41 Au ppm 0.2	ME-MS41 B ppm 10	ME-MS41 Ba ppm 10	ME-MS41 Be ppm 0.05	ME-MS41 Bi ppm 0.01	ME-MS41 Ca % 0.01	ME-MS41 Cd ppm 0.01	ME-MS41 Ce ppm 0.02	ME-MS41 Co ppm 0.1	ME-MS41 Cr ppm 1
H61		0.72	<0.005	0.03	2.12	28.4	<0.2	<10	270	0.36	0.14	0.54	0.06	23.6	14.4	53
H62		0.76	0.006	0.07	2.26	31.5	<0.2	<10	360	0.41	0.16	0.71	0.08	19.75	15.3	62
H63		0.58	<0.005	0.08	1.62	16.6	<0.2	<10	190	0.37	0.13	0.97	0.14	21.1	10.8	40



2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

**TO: TARSIS RESOURCES LTD.
1103 - 750 W PENDER ST.
VANCOUVER BC V6C 2T8**

Page: 5 - B
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 28-SEP-2011
Account: TARCAP

Project: Burn Property (Aishihik)

CERTIFICATE OF ANALYSIS WH11161747

[illegible]

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: TARSIS RESOURCES LTD.
 1103 - 750 W PENDER ST.
 VANCOUVER BC V6C 2T8

Page: 5 - C
 Total # Pages: 5 (A - D)
 Plus Appendix Pages
 Finalized Date: 28-SEP-2011
 Account: TARCAP

Project: Burn Property (Aishihik)

CERTIFICATE OF ANALYSIS WH11161747

Sample Description	Method Analyte Units LOR	ME-MS41 Nb ppm 0.05	ME-MS41 Ni ppm 0.2	ME-MS41 P ppm 10	ME-MS41 Pb ppm 0.2	ME-MS41 Rb ppm 0.1	ME-MS41 Re ppm 0.001	ME-MS41 S % 0.01	ME-MS41 Sb ppm 0.05	ME-MS41 Sc ppm 0.1	ME-MS41 Se ppm 0.2	ME-MS41 Sn ppm 0.2	ME-MS41 Sr ppm 0.2	ME-MS41 Ta ppm 0.01	ME-MS41 Te ppm 0.01	ME-MS41 Th ppm 0.2
H61		2.06	31.1	930	3.5	37.4	<0.001	0.01	0.17	8.8	<0.2	0.9	36.4	<0.01	0.02	3.3
H62		2.90	36.8	1080	3.1	44.2	0.001	0.01	0.17	10.0	0.6	1.0	44.3	<0.01	0.07	2.6
H63		2.67	23.9	850	3.1	29.1	<0.001	0.03	0.17	5.9	0.6	0.8	46.2	<0.01	0.02	3.2



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: TARSIS RESOURCES LTD.
 1103 - 750 W PENDER ST.
 VANCOUVER BC V6C 2T8

Page: 5 - D
 Total # Pages: 5 (A - D)
 Plus Appendix Pages
 Finalized Date: 28-SEP-2011
 Account: TARCAP

Project: Burn Property (Aishihik)

CERTIFICATE OF ANALYSIS WH11161747

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Ti	Ti	U	V	W	Y	Zn	Zr
		%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
H61		0.190	0.28	0.87	85	0.29	8.99	60	1.6
H62		0.217	0.24	0.77	96	0.39	8.05	75	1.9
H63		0.149	0.18	0.95	68	0.24	13.00	57	1.2



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: TARSIS RESOURCES LTD.
1103 - 750 W PENDER ST.
VANCOUVER BC V6C 2T8

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 28-SEP-2011
Account: TARCAP

Project: Burn Property (Aishihik)

CERTIFICATE OF ANALYSIS WH11161747

Method	CERTIFICATE COMMENTS
ME-MS41	Gold determinations by this method are semi-quantitative due to the small sample weight used (0.5g).