ASSESSMENT REPORT, 2011 GEOCHEMICAL SAMPLING PROGRAM OMTA PROPERTY

WATSON LAKE MINING DIVISION, YUKON, CANADA
NTS MAP SHEET: 105J/09 AND 105I/12, NAD83 ZONE 9
446000 E, 6944250 N (NAD83)

CLAIMS AND OWNER:

Claim Name	Number	Grant Number	Registered Owner
OMTA	1 - 2	YD143501 - YD143502	Golden Predator Canada Corp. - 100%
OMTA	3 - 24	YD83903 - YD83924	Golden Predator Canada Corp. - 100%
OMTA	25 - 38	YD84465 - YD84478	Golden Predator Canada Corp. - 100%
OMTA	39 - 102	YD83939 - YD84002	Golden Predator Canada Corp. - 100%
OMTA	103 - 160	YE03843 - YE03900	Golden Predator Canada Corp. - 100%

PERIOD OF WORK: AUGUST 26 AND 29TH, 2011

OWNER AND OPERATOR:
GOLDEN PREDATOR CANADA CORP.
1 Lindeman Road
Whitehorse, Yukon
Y1A 5Z7

September 27th, 2012

Prepared by:

Golden Predator Canada Corp.
Erin O'Brien, M.Sc., P.Geo.

TABLE OF CONTENTS

TABLE OF CONTENTS II
LIST OF FIGURES II
LIST OF TABLES III
LIST OF APPENDICES III
1.0 INTRODUCTION 1
2.0 PROPERTY LOCATION AND DESCRIPTION 1
3.0 INFRASTRUCTURE, CLIMATE AND PHYSIOGRAPHY 3
4.0 EXPLORATION HISTORY 3
5.0 GEOLOGY 4
5.1 Regional Geology 4
5.2 Property Geology 5
6.0 EXPLORATION 5
6.1 Exploration Program 5
6.2 Sampling Methodology and Protocols 7
Stream Geochemical Program 7
6.3 Results 8
Stream Sediments 8
7.0 CONCLUSIONS AND RECOMMENDATIONS 8
7.0 2011 EXPENDITURES 10
9.0 STATEMENT OF AUTHORSHIP 10
10.0 REFERENCES 11

LIST OF FIGURES

Figure 2-1. OMTA Property Location, Yukon Territory 1
Figure 2-2. OMTA Project Claim Map 2
Figure 5-1. Regional Geology of the Selwyn Basin. 5
Figure 5-2. Regional Geology with Sample Locations, OMTA Property. 6
Figure 6-1. Regional Geology with Gold Sample Locations, OMTA Property. 9

LIST OF TABLES

Table 2-1. OMTA Claim Information 1
Table 8-1. 2011 Expenditures 10

LIST OF APPENDICES

Appendix 1 Certificate of Author
Appendix 2 Analytical Summary and Sample Descriptions
Appendix 3 Assay Certificates
Appendix 4 Description of Analytical Methods and Detection Limits
Appendix 5 Silt Geochemical Plots for Select Elements

1.0 INTRODUCTION

The OMTA property consists of 160 contiguous mineral claims covering an area of 3,345 hectares, located in the Selwyn Basin in eastern central Yukon. Golden Predator Canada Corp. (Golden Predator) has a 100% undivided interest in the property and is targeting possible Carlin-style gold systems.

This report describes the work completed in the 2011 field season on August 26th and 29th which consisted of stream sediment sampling.

2.0 PROPERTY LOCATION AND DESCRIPTION

Figure 2-1. OMTA Property Location, Yukon Territory

The property is located on in eastern central Yukon. It lies 150 km east-northeast of Ross River, YT (Figure 2-1). It is accessed by 60 minute helicopter trip from Ross River. The North Canol Road lies 47 km northwest of the property. The property is located in the Watson Lake Mining District, and consists of 160 contiguous mineral claims covering an aggregate area of 3,345 hectares (Table 2-1, Figure 2-2).

Table 2-1. OMTA Claim Information

Claim Name	Number	Grant Number	Registered Owner	Expiry Date
OMTA	1 - 2	YD143501 - YD143502	Golden Predator Canada	15/06/2012
OMTA	3 - 24	YD83903 - YD83924	Golden Predator Canada	15/06/2012
OMTA	25 - 38	YD84465 - YD84478	Golden Predator Canada	15/06/2012
OMTA	39 - 102	YD83939 - YD84002	Golden Predator Canada	15/06/2012
OMTA	103 - 160	YE03843 - YE03900	Golden Predator Canada	15/06/2012

440,000 444,000 448,000 452,000

6,948,000

6,944,000

6,940,000

N



Legend

- GPD Property Outline
- Quartz Claim with Grant ID
- Stream Sediment Location
- Rock Sample Location
- Watercourse

Contour (20m)

- Elevation

GOLDEN PREDATOR

OMTA Project

Claim Map and Sample Locations

0 0.9 1.8 2.7

Kilometers

Scale:	1:50,000	Map ID:	--
Draw Date:	2012/03/21	Rev. Date:	--
Version:	1	Figure:	--
Author:	E. O'Brien	Office:	Vancouver
Location:	140 km ENE of Ross River, Yukon Territory		
Projection:	NAD 1983 UTM Zone 9N		
Filename:	OMTA_2011_Claims		

3.0 INFRASTRUCTURE, CLIMATE AND PHYSIOGRAPHY

The centre of the property is located at 446000 E, 6944250 N (NAD83, zone 9). The nearest settlement accessible by road is Ross River, which is located 150 km to the southwest along the North Canol gravel road. The road is maintained by the Yukon government in the summer months.

The property lies within the Taiga Cordillera ecoregion in the rugged Selwyn and southern Mackenzie mountains. The climate is continental modified by mountain setting. In the ecoregion, the mean annual temperature for major valley systems is approximately -4.5°C with a summer mean of 9.5°C and a winter mean of -19.5°C. Mean annual precipitation varies from 600 mm at lower elevations up to 750 mm at higher elevations (http://ecozones.ca/english/region/171.html).

The ecoregion is characterized by alpine tundra at upper elevations and by subalpine open woodland vegetation at lower elevations. Alpine vegetation occurs outside of talus slopes and includes lichens, dwarf willows, shrubs and grasses. Subalpine vegetation includes discontinuous stunted white spruce, and occasional alpine fir and lodgepole pine, with willow, dwarf birch, shrubs and grasses. (http://ecozones.ca/english/region/171.html).

The glaciated Selwyn Mountains are composed of broad, northwesterly-trending ranges and valleys. Alpine and valley glaciers occur, and there is extensive, discontinuous permafrost. Elevations on the property range from 1,120 to 1,580 metres above mean sea level.

4.0 EXPLORATION HISTORY

There is no known historical work on the OMTA. Minfile 105I038, the Abbey, is a SEDEX Zn-Pb-Ag drilled prospect. The claims were staked to cover a west-dipping sequence of Road River Formation shale bounded by Cambro-Ordovician Rabbitkettle Formation limestone and Devono-Mississippian clastic rocks. The holes tested conductive zones on three widely-spaced drill sections and confirmed that the Howard's Pass Formation shale. Assays of up to 0.3% combined Pb-Zn were obtained from graphitic and siliceous mudstone in drill core (http://servlet.gov.yk.ca/ygsmin/occurrence.do?occurrenceID=105I+038). Minfile is 105J14, located 4 km to the northwest of the OMTA claims is a tungsten skarn prospect. Scheelite occurs in quartz veins in a porphyritic quartz monzonite stock and in skarn at the contacts. The stock intrudes Ordovician to Lower Devonian shale and phyllite and underlying Cambro-Ordovician limestone. Minor sulphosalt veins have been found near the margins of the stock. Grab samples of quartz veins and greisen alteration from the intrusion assayed as high as 1.6% WO_3 (http://servlet.gov.yk.ca/ygsmin/occurrence.do?occurrenceID=105J+014).

5.0 GEOLOGY

5.1 Regional Geology

The property is located in the eastern edge of the Selwyn Basin. The Selwyn Basin is bound on the south by the Tintina Fault (and the Intermontane Superterrane) and bound on the north by the Dawson Thrust Fault and the North American Shelf (Figure 5-1).

The Selwyn Basin stratigraphy consists of late Proterozoic to Palaeozoic marginal basinal and platformal clastic and pelitic sediments from ancient North America. Various aged volcanic piles are stratabound within the sediments. The basin was subjected to rifting during the Proterozoic and again in the late Devonian. During periods of rifting, contemporaneous magmatic rocks were emplaced as volcanics and as thick sill sequences.

By late Jurassic, the rocks of the Intermontane Belt of the Cordillera collided with the passive margin of the North America Shelf, causing compressive tectonics (Murphy, 1997).This resulted in crustal shortening, tight folding, and failure along hinges. Three regionally stacked thrust panels were formed: the Robert Service, Tombstone and Dawson thrust sheets (from oldest to youngest; Murphy, 1997).

The Selwyn Basin is intruded by northwest-trending post-accretionary plutonic mid-Cretaceous suites including the Tungsten, Mayo and Tombstone. The Tungsten suite (97-94 Ma) consists of granitoids with associated sheelite skarn deposits including Mactung and Cantung. The granitoid Mayo Suite occurs northwest of the Tungsten suite and is associated with the intrusion-related gold systems of Dublin Gulch and Clear Creek. Tombstone plutonic suite (92-90 Ma) lies further to the west and closely to the Tintina Fault (Lang et al., 2000). The Tombstone rocks are more alkalic with monzonites and syenites and are associated with U-Th-REE mineralization and intrusion-related gold deposits (Israel et al., 2011).

Mineralization associated with the mid-Cretaceous plutonic suite intrusions includes veins, skarns, stockworks and breccias within, proximal or distal to the intrusions. The most predominant form of mineralization however, is sheeted quartz veins in the intrusions. More often than not, more than one style of mineralization will exist proximal to these intrusions (Abbott et al., 1986).



Figure 5-1. Regional Geology of the Selwyn Basin.

5.2 Property Geology

The property is underlain by Palaeozoic rocks comprised of Ordovician to Lower Devonian Road River Group black shale and chert (ORD) and Devonian to Mississippian Earn Group slate interbedded with chert-quartz arenite and wacke (DME1; Figure 5-2). Quaternary deposits blanket the northern part of the property.

6.0 EXPLORATION

6.1 Exploration Program

The 2011 exploration program at OMTA was carried out on August 26th and 29th. Golden Predator collected 18 silt samples from active stream beds. Crews of between 9 to 12 samplers, plus a cook and helicopter pilot were based in the Jeff Creek camp constructed by Golden Predator on the North Canol Road. All the work was helicopter assisted using a NOTAR supplied by Fireweed Helicopters of Whitehorse, YT, with daily flight times averaging about 4.6 hours/day for the program.


446,000
449,000
6,948,000
6,946,000
6,944,000
6,942,000
6,940,000
6,938,000
N
Bedrock Legend
QUATERNARY
Q: QUATERNARY: unconsolidated glacial, glaciofluvial and glaciolacustrine deposits; fluviatile silt, sand, and gravel, and local volcanic ash, in part with cover of soil and organic deposits
DEVONIAN AND MISSISSIPPIAN
DME1: EARN: thin bedded, laminated slate with thin to thickly interbedded fine to medium grained chert-quartz arenite and wacke; thick members of chert pebble conglomerate; black siliceous siltstone; nodular and bedded barite; rare limestone (Earn Gp., Portrait Lake and Prevost)
ORDOVICIAN TO LOWER DEVONIAN
ODR: ROAD RIVER - SELWYN: black shale and chert (1) overlain by orange siltstone (2) or buff platy limestone (3); locally contains beds as old as Middle Cambrian (4); correlations with basinal strata in Richardson Mountains include: ODR1 with CDR2 (upper part) and ODR2 with CDR4 (Road River Gp.)
Q
DME1
ODR
YUKON
Dawson City
Map Location
Faro
Whitehorse
Watson Lake
Legend
GPD Property Outline
Quartz Claim
Stream Sediment
Elevation (40 m)
Watercourse
GOLDEN PREDATOR
OMTA Property
Regional Geology with Sample Locations
0 0.5 1 1.5
Kilometers
Scale: 1:50,000
Map ID: --
Draw Date: 2012/05/11
Rev. Date: --
Version: 1
Figure: 5-1
Author: E. O'Brien
Office: Vancouver
Location: 150 km ENE of Ross River, Yukon Territory
Projection: NAD 1983 UTM Zone 9N
Filename: OMTA_2011_Bedrock

6.2 Sampling Methodology and Protocols

Stream Geochemical Program

Stream sediment samples were collected at intervals of approximately 750 m along first, second and third order streams, and immediately upstream of confluences. Samples were also collected in the vicinity of historical RGS stream anomalies, to test repeatability.

Each sample was collected from several points along the active stream bed to produce a representative composite sample. The uppermost sediment was discarded to avoid spurious high content of Fe and Mn oxide coating. The active silt and fine to medium sand that has been recently transported by the stream was the target sediment. This type of sediment was generally located: 1) in the lee of large boulders or logs; 2) in low energy pools at the tail-end of bars; and 3) infilling voids below the surface of cobble-gravel bars.

Samples were sieved in the field to a fraction of less than one-eight inch (<1/8" or 3.36 mm) and placed in labelled, double layered plastic sample bags. Sample sites were flagged and photographed. The sample weights varied between 4-12 kg. Large sample sizes were required to obtain sufficient fine material for the selected assay techniques.

If the drainage contained seasonal stream sediment deposition, but was currently dry, a sediment sample was collected by dry sieving the material. Occasionally the south-facing slopes had underground drainage that sporadically daylighted, in those situations sample spacing was more varied.

Sample data was recorded on data cards and included the following: geographic location, sample color, angularity of the clasts, sediment composition (percentage of gravel, sand, silt, clay and organics), slope direction, slope angle, stream flow, vegetation type and comments.

Samples were transported by air from Jeff Creek camp to Whitehorse by Alkan Air. Samples were delivered by in-house personnel or insured professional expeditors to ALS Chemex's ISO 9001 certified preparation facility in Whitehorse. Samples were dried and screened to 180 microns (80 mesh).

The pulps were analyzed at ALS Chemex's ISO 9001 certified laboratory in North Vancouver using the ultra-trace ME-MS41 package. A 0.5 g sample is digested by aqua regia techniques and 51 elements are analyzed through a combination of ICP-AES and ICP-MS.

The Au-ST44 method was used to analyze gold using a 50 g sample of <80 micron material. This method provides the lowest possible detection limit for gold of 0.0001 – 0.1 ppm, using aqua regia digestion with analysis by ICP-MS. The larger sample size for the gold analysis is used in an effort to reduce potential nugget effects. Samples exceeding the upper limit of Au detection (0.1 ppm) were re-analyzed using Au-OG44, an ore grade assay technique. A 50 g sample of 180 microns sediment is digested in an aqua regia solution and finished with ICP-MS methods to provide an Au detection range between 0.01 – 100 ppm.

ALS completes quality assurance/ quality control (QA/QC) data verification of their assays through internally inserted duplicates, standards and blanks. In addition, Golden Predator's QA/QC program included the insertion of field duplicates, blanks and standard reference material obtained from CDN Resource Laboratories of Langley, BC. Assay certificates are compiled in Appendix 3 and the detailed methodology and detection limits are in Appendix 4. Appendix 5 presents the sample locations geochemical plots for select elements for the stream sediment samples collected by Golden Predator in 2011.

This stream sediment sampling program was completed in conjunction with seven other Golden Predator properties south of the North Canol Road in the Selwyn Basin. Because the geology is fairly similar for all projects, samples from the entire stream sediment dataset were grouped together and were ranked by percentile to determine statistical anomalies for the region. The dataset consists of 104 stream samples. For elements where there was sufficient statistical spread, five divisions were used to plot the geochemical data. These were: 0-75th percentile; 75-90; 90-95; 95-98; and 98-100th percentiles. When there was insufficient statistical spread, the last two divisions were combined so that the uppermost division plotted values in the 95-100th percentile.

6.3 Results

Stream Sediments

Results from the stream sampling program outline several multi-element geochemical anomalies that warrant follow-up work. The geochemical plot for gold in stream sediments identified one anomalous sample relative to the overall dataset (Figure 6-1). Sample K735619 assayed 7.9 ppb Au but is not anomalous in other elements. Upstream is sample K735600 which had the highest mercury assay in the dataset at 1.06 ppm Hg and it was also anomalous in antimony at 13 ppm Sb (Appendix 5).

To the west are two other anomalies. Sample K735618 is anamlous in silver at 1.8 ppb Ag, arsenic 81.9 ppm As and antimony at 13.25 ppb Sb. Further west sample K735617, collected from a small tributary contained anomalous arsenic at 98.9 ppm As and antimony at 14.75 ppm Sb.

7.0 CONCLUSIONS AND RECOMMENDATIONS

The OMTA property consists of 160 contiguous mineral claims covering an area of 3,345 hectares in Earn Group and Road River Group sediments located in the Selwyn Basin of eastern Yukon. The property is in the grassroots stages of exploration and has perspective Carlin-style gold systems.

The 2011 field program included the collection of 18 stream samples. The stream sediment program highlighted several areas requiring follow-up from multi-element geochemical anomalies in drainages.


446,000
449,000
6,948,000
6,946,000
6,944,000
6,942,000
6,940,000
6,938,000
N
Bedrock Legend
QUATERNARY
Q: QUATERNARY: unconsolidated glacial, glaciofluvial and glaciolacustrine deposits; fluviatile silt, sand, and gravel, and local volcanic ash, in part with cover of soil and organic deposits
DEVONIAN AND MISSISSIPPIAN
DME1: EARN: thin bedded, laminated slate with thin to thickly interbedded fine to medium grained chert-quartz arenite and wacke; thick members of chert pebble conglomerate; black siliceous siltstone; nodular and bedded barite; rare limestone (Earn Gp., Portrait Lake and Prevost)
ORDOVICIAN TO LOWER DEVONIAN
ODR: ROAD RIVER - SELWYN: black shale and chert (1) overlain by orange siltstone (2) or buff platy limestone (3); locally contains beds as old as Middle Cambrian (4); correlations with basinal strata in Richardson Mountains include: ODR1 with CDR2 (upper part) and ODR2 with CDR4 (Road River Gp.)
Q
DME1
ODR
3
0.9
1
2.9
2.3
7.9
7.4
5.9
5.9
3.6
3.6
4
3.9
3.3
2.7
4
3.4
2.6
YUKON
Dawson City
Map Location
Faro
Whitehorse
Watson Lake
Legend
GPD Property Outline
Quartz Claim
Stream Sediment
Elevation (40 m)
Watercourse
Au (ppb) Silt
0.1 - 5.6
5.7 - 7.7
7.8 - 9.0
9.1 - 41.9
GOLDEN PREDATOR
OMTA Property
Regional Geology with Sample Locations
0 0.5 1 1.5
Kilometers
Scale: 1:50,000
Map ID: --
Draw Date: 2012/05/11
Rev. Date: --
Version: 1
Figure: 6-1
Author: E. O'Brien
Office: Vancouver
Location: 150 km ENE of Ross River, Yukon Territory
Projection: NAD 1983 UTM Zone 9N
Filename: OMTA_2011_BedrockWith Au

Systematic follow-up of the stream geochemical anomalies should include additional stream samples up-gradient of the anomalies. Ground truthing, including prospecting and ridge and spur soil sampling should be completed in the most perspective areas.

7.0 2011 EXPENDITURES

Expenditures for the 2011 exploration program were $16,126.80 as summarized in Table 8-1.

Table 7-1. 2011 Expenditures

Expenditure	Units	Unit Cost	Per	Cost
Wages				
Golden Predator	1.2	$2,700	day	$ 3,240.00
Report Writing	3	$500.00	day	$ 1,500.00
Transportation				
Helicopter	4.5	$1,100.00	hour	$ 4,950.00
Fuel	4.5	$300.00	hour	$ 1,350.00
Consumables				
Camp, fixed wing, food, supplies	1.2	$3,414	day	$ 4,096.80
Sample Assays				
Stream Sediment Samples	18	$55.00	sample	$ 990.00
Total Expenditures				**$ 16,126.80**

9.0 STATEMENT OF AUTHORSHIP

This Report titled "Assessment Report, 2011 Geochemical Sampling Program, OMTA Project, Watson Lake Mining Division, Yukon Territory, Canada", and dated September 27th, 2012 was prepared and signed by the following author:

Erin O'Brien, M.Sc., P.Geo.
Dated: September 27th, 2012
Vancouver, British Columbia

10.0 REFERENCES

Abbott, J.G., Gordey, S.P., & Tempelman-Kluit, D.J., 1986. Setting of stratiform, sediment hosted lead-zinc deposits in the Yukon and Northeastern British Columbia; Mineral Deposits of Northern Cordillera, ed. J.A. Morin, The Canadian Institute of Mining and Metallurgy, Special Volume 37, p. 1-18.

Goldfarb, R., Hart, C., Miller, M., Miller, L., Farmer, G.L., and Groves, D., 2000. The Tintina Gold Belt: A Global Perspective. *In*: The Tintina Gold Belt: Concepts, Exploration and Discoveries, British Columbia and Yukon Chamber of Mines, Special Volume 2. 5-34.

Gordey, S.P. and A.J. Makepeace (compilers), 2001. Bedrock Geology, Yukon Territory; Geological Survey of Canada. Open File 3754 and Exploration, Exploration and Geological Services Division, Yukon and Northern Affairs Canada, Open File 2001-1, scale 1: 1,000,000.

Israel, S., Colpron, M. and T. Fraser, 2011. Overview of Yukon Geology. www.geology.gov.yk.ca/pdf/Bedrock_Full_Overview.pdf

Murphy, D., 1997. Geology of the McQuesten River Region, Northern McQuesten and Mayo Map Area, Yukon Territory (115P/14, 15, 16; 105M/13, 14). Bulletin 6, Exploration and Geological Services Division, Yukon Region, Indian and Northern Affairs Canada.

Appendix 1
Certificate of Author

Erin Kathleen O'Brien
11th Floor, 888 Dunsmuir
Vancouver, British Columbia
Canada V6C 3K4
Telephone: 778-928-7232
E-mail: eobrien@goldenpredator.com

CERTIFICATE OF AUTHOR

I, Erin Kathleen O'Brien of 11th Floor, 888 Dunsmuir, Vancouver, British Columbia, certify that:

1. I am a graduate of McGill University of Quebec with a B.Sc. Joint Major in Geology and Environmental Studies, in 1994 and a M.Sc. in Geology from the University of New Brunswick in 1996;
2. I have practiced my profession as a mineral exploration or environmental geologist with Caracle Creek International Consultants Inc., Golder Associates Ltd., Morrow Environmental Consultants Inc. (SNC Lavalin Environment) and as a geological consultant for 15 years, where I have been involved with the geological exploration of precious and base metal properties and deposits in a variety of capacities;
3. I have been operating a business as a geological consultant under my own name since 1996, and consulted for Golden Predator Canada Corp. between September, 2009 and March 2010. I became a full time employee of Golden Predator Canada Corp. in April, 2010.
4. I am a Professional Geoscientist registered with the Association of Professional Geoscientists and Engineers of British Columbia and have been since 2001;
5. I am author of this report "Assessment Report, 2011 Geochemical Sampling Program OMTA, Watson Lake Mining Division, Yukon, Canada; dated September 27th, 2012;" and
6. I have reviewed the geological data and am not aware of any material facts or change in facts at the time this certification is dated.

Erin Kathleen O'Brien, M.Sc., P.Geo.

Vancouver, British Columbia
Dated this 27th Day of September 2012

Appendix 2
Analytical Summary

Sample Descriptions

Sample No.	Sample Type	Sample Date 2011	Datum - Zone	Easting	Northing	Elevation (m)	Angularity	Color	Gravel	Sand	Silt	Clay	Organics	Slope Dir	Slope Angl	Stream Flow	Comments	Au (ppb)
K735596	SS	Aug-29	UTM83-9	446892	6937962	1133	SA	GYD	60	20	20			S	3	3	sed rocks, Q- , Granite -	3.4
K735597	SS	Aug-29	UTM83-9	448034	6937654	1104	SA	GYD	60	20	20			SE	3	3	sed rocks, Q- , Granite -	2.6
K735598	SS	Aug-29	UTM83-9	448528	6938655	1114	SR	GYD	60	20	20			SE	3	3	sed rocks, Q- , Granite -	4
K735599	SS	Aug-29	UTM83-9	447222	6940894	1271	SA	GYD	60	20	20			E	2	3	sed rocks, Q- , Granite -	3.6
K735600	SS	Aug-29	UTM83-9	447819	6941542	1165	A	BRD	70	20	10			SW	3	3	sed rocks, metaseds	5.9
K735601	SS	Aug-29	UTM83-9	448630	6944656	1149	SA	GYD	40	50	10			SW	1	4	sed rocks	0.9
K735602	SS	Aug-29	UTM83-9	448502	6944660	1163	SA	GYD	40	50	10			SE	2	3	sed rocks	3
K735603	SS	Aug-29	UTM83-9	448385	6944518	1160	SA	GYD	60	20	20			SE	2	3	sed rocks	1
K735604	SS	Aug-29	UTM83-9	447332	6943396	1136	SA	GYD	60	20	20			SE	3	3	Quartz pebels, sed rocks	2.9
K735605	SS	Aug-29	UTM83-9	447002	6943216	1140	SA	GYD	60	20	20			S	3	3	metaseds, quartz +	2.3
K735611	SS	Aug-29	UTM83-9	448879	6940769	1182	SR	BRD	50	20	20	10		S	2	5	small silt stone/shale chips with larger granite boulders	4
K735612	SS	Aug-29	UTM83-9	448750	6940257	1164	SA	BRD	70	10	10			E	2	4	metaseds, porphyritic granite, 3%, qtz vn boulders	3.9
K735613	SS	Aug-29	UTM83-9	448860	6940104	1152	SA	BRD	50	30	20			W	2	4	metaseds, porphyritic granite, 4%, qtz vn frags	3.3
K735614	SS	Aug-29	UTM83-9	448631	6939579	1135	SA	BRD	50	30	20			E	2	4	metaseds, porphyritic granite, 3%, qtz vn frags	2.7
K735616	SS	Aug-29	UTM83-9	445573	6941321	1216	SA	BRD	60	30	10			N	3	5	metaseds with rounded intrusive boulders	3.6
K735617	SS	Aug-29	UTM83-9	445694	6941410	1211	SA	BR	70	20	10			N	3	4	siltstone, shales with fg sst and orange chips	5.9
K735618	SS	Aug-29	UTM83-9	446329	6941869	1182	SA	BR	70	20	10			NW	2	4	siltstone, shale with 2% qtz vn, minor oxide staining	7.4
K735619	SS	Aug-29	UTM83-9	447264	6942270	1140	SA	BR	60	20	10	10		W	3	4	siltstone, shale, 4% qtz vn with weak oxide staining	7.9

Stream Sediment (SS) Key

Color				
D	dark		YE	yellow
L	light		OR	orange
GY	grey		GR	green
BK	black		PK	pink
RD	red		TA	tan
BR	brown		CW	cream
RBR	red brown			

Clast angularity	
WR	well rounded
R	rounded
SR	subrounded
SA	subangular
A	angular

Slope Angle	
1	flat (<5°)
2	gentle (<5-15°)
3	moderate (<15-25°)
4	steep (>25°)

Stream Flow	
dry	1
stagnant	2
slow	3
moderate	4
fast	5

Appendix 3
Assay Certificates

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: GOLDEN PREDATOR CANADA CORP.
888 DUNSMUIR STREET
11TH FLOOR
VANCOUVER BC V6C 3K4

Finalized Date: 6-NOV-2011
Account: GOPRED

CERTIFICATE WH11177865

Project: Selwyn

P.O. No.: GPD2011SELWYN007

This report is for 77 Stream Sediment samples submitted to our lab in Whitehorse, YT, Canada on 2-SEP-2011.

The following have access to data associated with this certificate:

MIKE BURKE LINDA LEWIS	ANDREW CALDWELL MIKE MASLOWSKI	JACK COTE BRUCE OTTO

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-21d	Sample logging - ClientBarCode Dup
SPL-34	Pulp Splitting Charge
LOG-22	Sample login - Rcd w/o BarCode
LOG-23	Pulp Login - Rcvd with Barcode
SCR-41	Screen to -180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-OG44	Ore Grade Au - 50g AR	ICP-MS
Au-ST44	Super Trace Au - 50g AR	ICP-MS
ME-MS41	51 anal. aqua regia ICPMS	

To: GOLDEN PREDATOR CANADA CORP.
ATTN: JACK COTE
888 DUNSMUIR STREET
11TH FLOOR
VANCOUVER BC V6C 3K4

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: GOLDEN PREDATOR CANADA CORP.
888 DUNSMUIR STREET
11TH FLOOR
VANCOUVER BC V6C 3K4

Finalized Date: 6-NOV-2011
Account: GOPRED

Project: Selwyn

CERTIFICATE OF ANALYSIS WH11177865

Sample Description	Method	WEI-21	Au-ST44	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Recvd Wt.	Au	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.02	0.0001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
K735469		5.76	0.0042	2.96	0.84	35.5	<0.2	<10	1110	0.92	0.19	0.49	23.3	20.0	31.6	34
K735470		6.66	0.0044	0.87	0.91	20.3	<0.2	<10	1220	0.64	0.15	0.47	8.32	20.9	10.3	22
K735471		6.74	0.0037	0.45	0.92	17.3	<0.2	<10	450	0.66	0.14	0.35	2.33	22.3	11.4	22
K735472		7.18	0.0037	0.50	0.92	13.1	<0.2	<10	570	0.67	0.14	0.44	2.95	21.5	10.3	22
K735473		6.00	0.0037	1.91	0.83	33.8	<0.2	<10	1110	0.81	0.16	0.69	17.75	16.25	9.0	39
K735474		6.20	0.0034	0.83	0.98	23.3	<0.2	<10	640	0.78	0.16	0.52	9.31	15.20	9.0	21
K735475		5.58	0.0015	1.98	0.70	27.5	<0.2	<10	510	0.97	0.16	0.90	16.55	15.15	10.8	32
K735476		6.40	0.0044	2.17	0.96	310	<0.2	<10	810	1.11	0.15	0.35	12.20	13.00	24.0	67
K735477		6.08	0.0059	0.34	1.54	30.1	<0.2	<10	610	1.61	0.17	0.33	7.56	27.9	28.6	23
K735481		6.48	0.0056	0.73	1.24	13.0	<0.2	<10	670	0.67	0.14	0.58	3.88	25.7	8.7	23
K735479		6.74	0.0039	0.88	0.91	18.8	<0.2	<10	720	0.69	0.14	0.43	3.34	18.40	9.2	24
K735480		0.12	0.0326	0.11	1.21	46.7	0.2	10	110	0.21	0.09	1.35	0.37	11.40	6.8	28
K735478		6.82	0.0210	0.40	1.13	17.4	<0.2	<10	580	0.87	0.17	0.36	3.84	22.8	10.7	27
K735482		6.12	0.0071	0.80	1.17	32.0	<0.2	<10	970	1.43	0.20	0.45	17.15	18.50	29.1	26
K735483		7.64	0.0048	0.63	1.17	20.5	<0.2	<10	420	1.04	0.23	0.29	2.57	32.9	11.6	20
K735484		7.32	0.0056	1.62	0.96	27.8	<0.2	<10	610	0.87	0.22	0.38	5.26	16.45	9.4	25
K735485		5.94	0.0043	0.97	1.02	21.6	<0.2	<10	730	0.91	0.25	0.38	2.80	17.40	11.8	21
K735486		6.40	0.0039	0.35	0.75	16.2	<0.2	<10	550	0.64	0.18	0.52	1.88	21.2	10.9	18
K735487		7.14	0.0042	1.14	0.78	26.8	<0.2	<10	770	1.09	0.17	0.40	21.1	13.35	13.8	24
K735488		6.22	0.0042	0.67	1.36	24.7	<0.2	<10	550	1.16	0.21	0.24	15.25	22.9	42.8	23
K735489		5.88	0.0078	1.13	2.63	32.1	<0.2	<10	840	4.28	0.18	0.27	24.6	14.05	38.7	30
K735490		6.78	0.0039	0.90	0.84	21.3	<0.2	<10	880	1.16	0.19	0.36	7.92	11.80	9.5	26
K735491		6.72	0.0124	0.76	1.95	26.3	<0.2	<10	450	1.56	0.30	0.36	10.60	32.3	53.1	30
K735492		7.06	0.0037	0.47	1.00	23.0	<0.2	<10	740	0.75	0.19	0.41	3.38	26.7	22.9	24
K735493		8.44	0.0045	2.32	0.62	50.5	<0.2	<10	360	0.58	0.28	0.19	0.55	10.35	6.3	44
K735494		6.36	0.0077	0.65	1.03	22.5	<0.2	<10	500	0.73	0.22	0.45	2.66	22.4	13.0	23
K735495		0.14	0.0013	0.27	1.00	3.8	<0.2	<10	80	0.25	0.05	0.64	0.17	9.34	7.2	30
K735496		7.18	0.0063	0.73	0.71	24.6	<0.2	<10	430	0.58	0.17	0.23	1.08	21.7	8.5	19
K735497		7.54	0.0052	0.41	1.20	20.2	<0.2	<10	440	0.78	0.19	0.36	3.51	28.6	11.5	19
K735498		6.80	0.0055	0.64	1.33	29.2	<0.2	<10	640	0.70	0.18	0.42	2.27	26.3	10.6	19
K735499		7.62	0.0068	0.39	1.17	13.4	<0.2	<10	510	0.71	0.17	0.57	1.84	27.9	11.1	24
K735500		8.08	0.0067	0.48	1.31	14.9	<0.2	<10	790	0.78	0.17	0.52	5.73	22.2	10.5	25
K735586		8.28	0.0072	0.88	0.96	16.9	<0.2	<10	660	0.79	0.17	0.44	4.38	18.30	8.6	23
K735587		7.16	0.0053	0.68	0.99	19.8	<0.2	<10	1030	1.15	0.18	0.54	13.25	22.5	10.4	25
K735588		6.84	0.0047	0.96	1.12	24.6	<0.2	<10	840	0.93	0.22	0.47	8.28	23.4	11.3	25
K735589		6.52	0.0070	0.86	0.94	19.4	<0.2	<10	940	0.75	0.19	0.44	3.97	19.40	9.4	21
K735590		6.34	0.0042	1.17	1.10	14.9	<0.2	<10	800	0.93	0.15	0.63	9.79	25.8	12.6	36
K735591		6.42	0.0057	0.75	1.03	18.9	<0.2	<10	1130	0.77	0.18	0.63	7.88	23.2	10.9	26
K735592		6.98	0.0065	1.40	1.13	14.1	<0.2	<10	1040	0.77	0.13	0.32	4.05	15.30	9.7	17
K735593		6.66	0.0077	0.63	1.58	21.8	<0.2	<10	560	1.34	0.23	0.36	6.19	24.8	17.5	28

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: GOLDEN PREDATOR CANADA CORP.
888 DUNSMUIR STREET
11TH FLOOR
VANCOUVER BC V6C 3K4

Finalized Date: 6-NOV-2011
Account: GOPRED

Project: Selwyn

CERTIFICATE OF ANALYSIS WH11177865

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
K735469		1.31	205	3.25	2.89	0.10	0.02	0.69	0.036	0.13	11.1	7.7	0.22	2250	21.5	0.01
K735470		0.98	80.6	2.68	2.82	0.07	0.04	0.27	0.031	0.11	10.0	10.6	0.27	921	15.10	0.01
K735471		1.09	65.1	2.74	3.45	0.05	0.02	0.11	0.030	0.11	10.8	15.9	0.29	1200	7.64	<0.01
K735472		0.94	58.0	2.31	2.87	0.05	0.03	0.11	0.028	0.11	10.3	13.5	0.27	781	5.63	<0.01
K735473		0.87	131.0	2.79	3.17	0.07	0.02	0.24	0.033	0.11	9.0	7.9	0.26	395	25.4	0.01
K735474		1.09	81.1	3.00	2.68	0.07	0.03	0.25	0.031	0.11	7.4	10.9	0.24	977	13.10	0.01
K735475		0.89	112.0	2.57	2.47	0.06	0.02	0.41	0.035	0.12	8.2	4.8	0.36	1480	23.3	0.01
K735476		0.86	177.5	10.45	3.27	0.11	0.04	0.31	0.046	0.10	7.3	5.7	0.13	2170	57.2	0.01
K735477		3.15	127.5	4.34	3.95	0.06	0.04	0.21	0.037	0.14	12.1	18.8	0.32	3630	7.17	<0.01
K735481		1.18	72.3	2.85	3.36	0.06	0.04	0.25	0.029	0.13	11.9	17.4	0.39	522	5.03	0.01
K735479		1.39	82.8	2.93	3.16	0.06	0.02	0.22	0.029	0.13	8.6	11.9	0.36	796	8.19	0.01
K735480		0.45	47.1	2.96	4.27	0.07	0.29	0.34	0.019	0.10	5.3	8.2	0.57	412	9.43	0.07
K735478		1.91	78.3	3.23	4.17	0.05	0.02	0.20	0.035	0.14	10.6	17.2	0.44	1220	5.45	0.01
K735482		1.74	245	4.29	3.37	0.07	0.03	0.39	0.045	0.13	9.0	14.1	0.28	7650	19.00	0.01
K735483		2.47	81.3	3.35	4.25	0.07	0.04	0.22	0.036	0.13	17.9	20.8	0.38	1340	7.24	<0.01
K735484		1.07	105.0	3.49	3.43	0.06	0.02	0.62	0.041	0.13	8.7	8.3	0.24	763	16.35	0.01
K735485		1.51	101.0	3.58	3.34	0.05	0.04	0.37	0.037	0.12	8.7	14.2	0.28	838	12.25	<0.01
K735486		0.84	57.1	2.71	2.62	0.06	0.02	0.16	0.029	0.11	10.9	9.9	0.22	795	5.32	<0.01
K735487		0.87	111.5	3.19	2.90	0.05	0.02	0.45	0.036	0.13	7.0	8.4	0.19	5670	13.35	0.01
K735488		1.08	118.0	4.04	3.92	0.06	0.04	0.29	0.044	0.13	10.1	13.8	0.29	7200	12.40	<0.01
K735489		0.95	356	2.94	3.19	0.06	0.06	0.48	0.043	0.12	8.5	22.4	0.13	12050	8.78	0.01
K735490		1.02	111.0	2.75	2.92	0.05	0.04	0.43	0.036	0.13	6.8	8.0	0.16	2270	7.30	0.01
K735491		1.69	275	5.25	5.11	0.10	0.04	0.34	0.061	0.19	13.7	23.8	0.54	2520	12.70	0.01
K735492		0.88	98.4	3.84	3.60	0.05	0.02	0.20	0.036	0.12	13.3	11.8	0.37	1720	6.63	0.01
K735493		0.66	111.0	7.42	4.07	0.08	0.02	0.62	0.057	0.23	5.9	4.3	0.11	606	16.70	0.01
K735494		0.91	82.1	3.46	3.27	0.05	0.02	0.29	0.038	0.11	10.6	12.7	0.26	908	8.40	0.01
K735495		0.31	21.6	2.04	4.21	0.07	0.24	0.03	0.016	0.06	4.4	8.0	0.46	311	4.23	0.04
K735496		1.40	63.8	2.46	2.63	<0.05	0.02	0.29	0.030	0.10	11.6	9.4	0.19	819	5.65	<0.01
K735497		6.92	67.1	2.96	3.31	0.06	0.03	0.21	0.030	0.12	14.6	25.5	0.41	1460	4.56	<0.01
K735498		3.84	57.4	3.44	3.67	0.06	0.06	0.35	0.032	0.12	13.5	23.6	0.35	1520	4.55	<0.01
K735499		1.40	70.7	3.28	3.88	0.05	0.03	0.15	0.034	0.14	14.4	15.9	0.41	575	4.30	0.01
K735500		1.40	108.5	3.10	3.75	0.05	0.04	0.25	0.035	0.14	10.6	15.4	0.37	620	5.35	0.01
K735586		1.00	72.6	2.58	2.97	0.05	0.02	0.30	0.030	0.13	8.9	11.5	0.27	411	8.56	0.01
K735587		1.39	77.0	2.98	3.50	0.05	0.03	0.22	0.030	0.11	11.1	11.9	0.29	1320	11.60	0.01
K735588		1.29	80.8	3.19	3.43	0.06	0.04	0.21	0.030	0.11	11.1	13.8	0.29	1150	17.00	0.01
K735589		1.25	83.3	3.12	3.06	0.05	0.03	0.26	0.036	0.14	9.3	9.8	0.29	691	8.13	0.01
K735590		1.23	118.0	3.04	3.67	0.06	0.03	0.49	0.044	0.14	12.9	12.0	0.38	594	7.70	0.01
K735591		1.16	82.8	3.02	3.07	0.05	0.03	0.37	0.042	0.13	11.8	13.6	0.29	510	11.15	0.01
K735592		1.27	58.5	2.58	3.15	<0.05	0.02	0.35	0.025	0.08	6.9	13.7	0.16	980	5.65	0.01
K735593		1.56	122.5	4.47	4.35	0.06	0.05	0.18	0.044	0.14	12.4	21.1	0.34	1240	6.37	<0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: GOLDEN PREDATOR CANADA CORP.
888 DUNSMUIR STREET
11TH FLOOR
VANCOUVER BC V6C 3K4

Finalized Date: 6-NOV-2011
Account: GOPRED

Project: Selwyn

CERTIFICATE OF ANALYSIS WH11177865

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
K735469		0.11	312	2150	14.3	10.9	0.007	0.24	8.69	3.3	11.1	0.5	137.0	<0.01	0.20	1.1
K735470		0.15	130.5	1720	11.9	10.8	0.006	0.09	5.75	2.6	4.7	0.4	90.4	<0.01	0.11	1.4
K735471		0.22	62.9	1350	11.3	11.6	0.006	0.05	3.58	2.2	2.6	0.4	61.4	<0.01	0.11	1.3
K735472		0.20	54.6	1830	10.7	10.5	0.005	0.04	2.80	2.1	1.8	0.3	69.2	<0.01	0.08	1.4
K735473		0.14	242	1850	12.6	10.8	0.008	0.12	12.95	2.7	8.4	0.5	113.0	<0.01	0.15	0.9
K735474		0.19	248	1620	13.5	12.0	0.006	0.09	4.67	2.4	4.6	0.3	74.1	<0.01	0.14	1.0
K735475		0.12	187.0	2040	16.4	9.5	0.029	0.08	8.86	3.3	6.1	0.4	122.5	<0.01	0.14	1.1
K735476		0.15	154.0	>10000	20.2	8.9	0.012	0.30	17.55	3.4	19.0	0.3	110.5	<0.01	0.19	1.5
K735477		0.31	238	2340	12.0	15.3	0.003	0.10	2.12	3.5	3.2	0.4	60.8	<0.01	0.15	2.0
K735481		0.22	72.3	2250	10.9	11.4	0.005	0.04	2.29	3.2	1.8	0.4	83.6	<0.01	0.06	1.8
K735479		0.15	73.5	1800	11.8	11.5	0.005	0.10	3.27	2.3	3.5	0.3	79.1	<0.01	0.10	1.3
K735480		0.23	34.0	720	2.9	4.4	0.003	0.12	0.84	4.8	1.0	1.5	42.3	<0.01	0.07	1.1
K735478		0.23	95.4	1670	12.0	12.8	0.004	0.06	2.19	2.9	3.1	0.4	57.8	<0.01	0.10	1.4
K735482		0.16	415	1980	15.3	8.8	0.006	0.18	5.59	4.3	4.8	0.3	95.5	<0.01	0.14	2.0
K735483		0.22	88.7	1410	15.4	12.7	0.003	0.11	2.32	2.8	3.1	0.4	90.5	<0.01	0.17	2.0
K735484		0.17	76.2	1810	17.1	9.0	0.006	0.10	6.96	3.0	6.1	0.4	80.7	<0.01	0.12	1.2
K735485		0.19	73.0	1510	17.5	10.3	0.004	0.12	4.62	2.6	3.6	0.4	70.4	<0.01	0.16	0.9
K735486		0.16	50.3	2260	13.2	8.0	0.003	0.05	2.68	2.4	2.6	0.3	84.3	<0.01	0.08	1.6
K735487		0.12	277	1790	13.1	8.0	0.006	0.24	5.33	2.5	4.7	0.3	103.0	<0.01	0.14	1.2
K735488		0.17	244	1700	16.6	9.8	0.003	0.19	3.53	3.3	4.4	0.3	67.3	<0.01	0.11	1.8
K735489		0.15	583	3260	13.5	8.2	0.004	0.26	3.08	3.3	6.6	0.3	82.7	<0.01	0.16	1.3
K735490		0.12	193.0	1810	14.5	8.8	0.005	0.22	3.09	2.3	4.3	0.3	88.1	<0.01	0.15	0.9
K735491		0.19	197.0	1520	21.9	12.0	0.003	0.23	4.01	6.5	5.2	0.4	95.4	<0.01	0.16	3.8
K735492		0.34	83.7	1800	19.7	7.7	0.006	0.05	3.50	4.4	3.5	0.3	71.5	<0.01	0.09	3.8
K735493		0.11	29.0	4070	35.9	9.7	0.011	0.77	7.96	3.4	11.5	0.4	199.5	<0.01	0.28	1.5
K735494		0.23	63.8	1890	18.1	8.7	0.003	0.11	3.63	2.5	3.0	0.3	82.1	<0.01	0.11	0.9
K735495		0.21	21.0	480	2.2	2.8	0.001	0.05	0.34	4.2	1.0	0.4	28.9	<0.01	0.04	0.9
K735496		0.14	80.9	1160	12.0	8.0	0.003	0.15	2.15	1.9	2.8	0.3	93.2	<0.01	0.14	1.1
K735497		0.21	93.1	1280	12.8	11.1	0.004	0.04	2.11	2.9	1.6	0.3	65.8	<0.01	0.10	2.2
K735498		0.21	53.1	1780	12.1	13.3	0.005	0.05	1.68	3.1	2.5	0.3	73.9	<0.01	0.08	1.8
K735499		0.24	39.8	1810	12.3	10.5	0.004	0.05	2.07	3.5	2.0	0.4	68.2	<0.01	0.07	1.8
K735500		0.21	78.0	2010	11.9	11.0	0.003	0.05	2.33	3.5	2.2	0.4	79.0	<0.01	0.09	1.6
K735586		0.17	80.3	1680	13.8	8.5	0.003	0.13	3.25	2.9	2.8	0.3	94.0	<0.01	0.11	1.5
K735587		0.21	193.5	1780	13.0	10.5	0.008	0.09	4.32	2.5	3.5	0.4	79.0	<0.01	0.10	1.1
K735588		0.23	129.0	1760	14.7	10.2	0.002	0.07	4.24	2.8	3.5	0.4	77.2	<0.01	0.08	1.2
K735589		0.17	52.6	1970	14.7	9.6	0.004	0.15	3.17	3.0	3.1	0.3	103.0	<0.01	0.10	1.4
K735590		0.19	125.0	2170	13.2	8.4	0.005	0.12	4.20	4.2	4.5	0.4	130.0	<0.01	0.12	1.8
K735591		0.20	121.0	2310	13.5	9.5	0.005	0.11	3.95	3.9	3.4	0.6	114.5	<0.01	0.10	1.6
K735592		0.16	63.2	2040	8.7	10.1	0.007	0.09	1.85	1.5	2.8	0.3	52.2	<0.01	0.04	0.3
K735593		0.29	135.0	1940	16.8	10.8	0.001	0.08	2.78	4.3	2.9	0.4	79.4	<0.01	0.10	1.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: GOLDEN PREDATOR CANADA CORP.
888 DUNSMUIR STREET
11TH FLOOR
VANCOUVER BC V6C 3K4

Finalized Date: 6-NOV-2011
Account: GOPRED

Project: Selwyn

CERTIFICATE OF ANALYSIS WH11177865

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	Au-OG44
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr	Au
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5	0.01
K735469		<0.005	0.76	25.5	256	0.12	28.3	1700	0.9	
K735470		0.007	0.49	10.35	166	0.09	17.75	1260	1.1	
K735471		0.009	0.22	3.17	115	0.11	10.70	307	1.0	
K735472		0.007	0.20	5.36	96	0.15	11.80	367	0.8	
K735473		0.007	0.78	9.01	390	0.13	24.5	3510	0.9	
K735474		0.007	0.31	6.49	163	0.09	15.15	3410	1.2	
K735475		<0.005	0.60	12.00	285	0.13	27.5	1920	0.6	
K735476		0.008	0.55	31.9	561	0.17	26.1	1120	1.2	
K735477		0.011	0.34	2.75	112	0.08	19.55	753	1.0	
K735481		0.007	0.22	3.78	100	1.62	16.95	437	1.3	
K735479		0.008	0.28	5.25	129	0.07	14.45	394	0.7	
K735480		0.107	0.60	0.50	51	0.70	7.69	54	7.7	
K735478		0.016	0.18	3.94	94	0.08	12.50	643	0.6	
K735482		0.006	0.31	8.29	161	0.13	30.3	1340	1.3	
K735483		0.008	0.18	3.82	67	0.09	11.35	364	1.2	
K735484		0.007	0.30	6.05	252	0.15	17.35	613	0.6	
K735485		0.007	0.22	7.39	142	0.12	23.8	469	1.1	
K735486		0.006	0.15	2.22	80	0.12	13.60	272	0.7	
K735487		0.005	0.28	5.80	160	0.10	19.05	982	1.0	
K735488		0.006	0.26	4.64	115	0.11	26.5	691	1.3	
K735489		0.005	0.35	5.01	191	0.11	52.4	1210	2.3	
K735490		<0.005	0.20	6.22	131	0.10	19.00	596	1.1	
K735491		0.007	0.32	11.40	89	0.08	42.2	1230	1.5	
K735492		0.014	0.19	4.10	84	0.22	15.10	373	1.7	
K735493		<0.005	0.30	6.84	289	0.19	17.50	121	1.1	
K735494		0.008	0.19	4.43	113	0.35	15.05	380	0.7	
K735495		0.102	0.04	0.26	45	10.75	6.65	35	7.1	
K735496		0.006	0.14	2.24	73	0.08	8.83	233	0.7	
K735497		0.007	0.16	2.96	53	0.08	11.85	366	1.1	
K735498		0.005	0.20	2.42	68	0.08	12.40	250	1.7	
K735499		0.007	0.15	1.50	76	0.08	12.90	233	1.0	
K735500		0.005	0.20	3.10	98	0.13	17.85	635	1.1	
K735586		0.005	0.27	3.11	101	0.13	14.50	524	0.9	
K735587		0.008	0.40	5.09	162	0.12	14.55	2730	0.8	
K735588		0.008	0.34	10.15	137	0.11	17.30	1160	1.2	
K735589		0.005	0.20	4.71	97	0.07	16.10	327	0.9	
K735590		0.005	0.24	4.52	146	0.10	24.9	919	1.0	
K735591		0.005	0.34	4.30	120	0.11	20.8	697	0.9	
K735592		0.010	0.20	5.25	88	0.08	16.10	389	0.6	
K735593		0.008	0.23	3.39	100	0.09	23.4	751	1.2	

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: GOLDEN PREDATOR CANADA CORP.
888 DUNSMUIR STREET
11TH FLOOR
VANCOUVER BC V6C 3K4

Finalized Date: 6-NOV-2011
Account: GOPRED

Project: Selwyn

CERTIFICATE OF ANALYSIS WH11177865

Sample Description	Method	WEI-21	Au-ST44	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Recvd Wt.	Au	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.02	0.0001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
K735594		7.62	0.0093	0.51	1.64	9.8	<0.2	<10	570	0.92	0.18	0.67	2.23	32.4	13.8	28
K735595		<0.02	0.0091	0.44	1.60	9.3	<0.2	<10	560	0.92	0.19	0.65	2.03	33.7	13.0	27
K735596		6.82	0.0034	0.45	0.76	25.7	<0.2	<10	960	0.50	0.16	0.70	2.66	32.1	8.1	16
K735597		7.30	0.0026	0.80	0.88	52.4	<0.2	<10	1050	1.19	0.26	0.99	6.35	30.9	8.0	27
K735598		6.94	0.0040	0.67	0.85	44.1	<0.2	<10	890	0.70	0.17	0.73	4.07	31.9	8.4	17
K735599		7.50	0.0036	0.69	0.96	38.1	<0.2	<10	890	0.63	0.19	0.81	4.09	37.8	9.6	19
K735600		6.52	0.0059	1.32	0.64	35.2	<0.2	<10	770	0.52	0.22	0.89	7.12	38.3	8.2	14
K735601		6.32	0.0009	0.63	0.73	19.1	<0.2	<10	540	0.46	0.13	2.51	4.67	26.9	6.7	17
K735602		6.84	0.0030	0.93	0.99	28.3	<0.2	<10	1090	0.67	0.22	1.17	5.89	34.0	11.6	26
K735603		6.38	0.0010	0.71	0.85	24.3	<0.2	<10	1010	0.55	0.16	1.81	16.00	33.4	13.8	22
K735604		7.88	0.0029	0.58	0.91	20.1	<0.2	<10	980	0.53	0.19	1.37	4.62	40.3	9.8	20
K735605		6.58	0.0023	0.59	0.93	18.3	<0.2	<10	970	0.46	0.18	1.02	3.95	36.0	7.1	19
K735606		6.68	0.0039	0.71	0.94	21.2	<0.2	<10	1450	0.56	0.21	0.75	4.95	27.7	8.2	18
K735607		6.02	0.0061	0.97	0.90	21.1	<0.2	<10	1300	0.72	0.20	1.50	5.91	28.7	9.8	19
K735608		6.74	0.0020	0.69	1.27	39.7	<0.2	<10	1590	1.28	0.22	0.81	110.0	27.2	88.2	22
K735609		6.72	0.0012	0.73	0.82	17.6	<0.2	<10	970	0.48	0.27	0.74	7.52	28.9	9.5	19
K735610		6.06	0.0026	0.84	0.78	45.0	<0.2	<10	1580	0.71	0.22	1.17	7.32	34.1	15.3	20
K735611		6.06	0.0040	0.82	0.95	22.7	<0.2	<10	990	0.56	0.18	0.87	6.06	29.6	10.3	18
K735612		5.74	0.0039	0.94	0.99	39.6	<0.2	<10	1120	0.59	0.22	0.66	5.80	32.2	11.8	20
K735613		5.50	0.0033	0.72	0.90	28.3	<0.2	<10	1080	0.57	0.20	0.80	5.19	31.1	11.5	19
K735614		7.24	0.0027	0.64	0.87	30.1	<0.2	<10	1210	0.53	0.20	0.77	3.26	31.1	7.1	18
K735615		0.12	>0.1000	12.80	1.09	4070	2.0	<10	80	0.35	4.34	2.47	7.45	20.8	20.1	82
K735616		7.26	0.0036	0.70	1.00	37.5	<0.2	<10	630	0.71	0.21	0.57	5.79	30.8	11.6	19
K735617		5.78	0.0059	1.49	2.06	98.9	<0.2	<10	1230	1.79	0.24	0.74	54.2	29.7	113.0	22
K735618		5.82	0.0074	1.80	1.14	81.9	<0.2	<10	620	0.84	0.22	0.82	7.54	32.3	9.2	17
K735619		6.16	0.0079	1.18	1.23	27.2	<0.2	<10	1000	0.67	0.20	0.79	6.07	27.0	10.1	19
K735620		5.90	0.0042	1.52	0.96	30.0	<0.2	<10	1200	0.73	0.19	0.79	6.65	21.8	7.3	27
K735621		7.36	0.0052	0.98	0.90	32.1	<0.2	<10	790	0.85	0.20	0.83	5.40	25.8	18.4	23
K735622		6.74	0.0020	1.20	0.77	43.9	<0.2	<10	1340	0.74	0.17	1.27	7.49	18.30	6.3	31
K735623		7.74	0.0019	2.08	0.97	33.1	<0.2	<10	2200	0.86	0.18	1.19	11.15	17.80	5.1	55
K735625		6.56	0.0030	1.35	0.71	39.9	<0.2	<10	1390	0.58	0.23	1.37	7.20	36.8	16.2	15
K735626		6.44	0.0021	0.87	0.86	21.7	<0.2	<10	1150	0.48	0.23	0.95	7.59	32.3	9.1	21
K735627		6.14	0.0017	1.68	1.85	56.1	<0.2	<10	1410	0.85	0.18	0.44	55.5	27.3	34.5	40
K735628		6.82	0.0020	1.38	1.25	27.2	<0.2	<10	2080	0.93	0.18	0.85	62.8	33.5	25.1	22
K735629		9.62	0.0036	0.72	0.92	22.8	<0.2	<10	1300	0.66	0.20	1.43	5.99	36.6	9.2	29
K735630		<0.02	0.0034	0.72	0.90	24.7	<0.2	<10	1260	0.67	0.20	1.40	6.17	37.3	9.7	28
K735631		7.98	0.0029	0.97	0.81	29.3	<0.2	<10	1260	0.61	0.20	0.97	6.78	30.4	9.6	21

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: GOLDEN PREDATOR CANADA CORP.
888 DUNSMUIR STREET
11TH FLOOR
VANCOUVER BC V6C 3K4

Finalized Date: 6-NOV-2011
Account: GOPRED

Project: Selwyn

CERTIFICATE OF ANALYSIS WH11177865

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
K735594		1.75	70.3	3.30	4.96	0.08	0.06	0.21	0.048	0.16	17.3	24.6	0.48	415	2.85	0.01
K735595		1.57	66.4	3.25	4.68	0.06	0.05	0.19	0.036	0.16	17.6	23.3	0.47	378	2.73	<0.01
K735596		0.84	56.4	2.33	2.28	0.06	0.02	0.21	0.022	0.10	18.1	8.3	0.25	288	7.87	0.01
K735597		1.07	78.5	3.06	2.74	0.06	0.02	0.36	0.036	0.15	19.9	8.0	0.21	1080	12.00	0.01
K735598		1.14	79.0	2.65	2.37	0.06	0.02	0.20	0.030	0.11	19.4	10.5	0.26	358	12.00	0.01
K735599		1.37	54.7	2.48	2.72	0.06	0.02	0.19	0.028	0.12	21.8	11.7	0.31	813	7.35	0.01
K735600		0.76	137.5	2.78	1.96	0.07	0.02	1.06	0.037	0.10	24.3	6.8	0.37	228	42.4	0.01
K735601		1.02	66.6	2.00	2.25	0.08	0.05	0.17	0.022	0.15	15.2	9.1	0.78	220	10.20	<0.01
K735602		1.54	109.0	2.58	2.80	0.09	0.02	0.24	0.029	0.20	20.6	9.6	0.33	373	14.45	0.01
K735603		1.29	52.7	2.09	2.38	0.10	0.03	0.21	0.027	0.17	20.8	8.5	0.56	1360	15.00	0.01
K735604		1.06	64.2	2.28	2.75	0.08	0.03	0.18	0.023	0.14	23.7	11.1	0.40	378	9.61	0.01
K735605		0.96	56.6	2.32	2.75	0.08	0.04	0.24	0.026	0.14	20.3	11.8	0.42	229	9.95	0.01
K735606		1.31	79.6	2.46	2.49	0.06	0.03	0.28	0.027	0.13	16.8	11.5	0.30	174	8.61	0.01
K735607		1.49	140.0	2.82	2.46	0.09	0.02	0.41	0.030	0.18	17.3	8.6	0.43	233	16.80	0.01
K735608		1.61	149.0	4.39	1.94	0.10	0.05	0.16	0.029	0.12	16.1	6.9	0.21	3120	38.7	0.01
K735609		1.14	46.2	2.80	2.15	0.07	0.03	0.17	0.028	0.10	17.0	9.5	0.27	241	11.65	0.01
K735610		1.83	108.5	2.72	1.94	0.08	0.02	0.21	0.031	0.16	20.0	7.1	0.30	610	17.60	0.02
K735611		1.48	114.0	2.66	2.45	0.07	0.05	0.43	0.028	0.13	19.5	11.6	0.32	394	10.05	0.01
K735612		1.27	75.3	2.91	2.77	0.07	0.03	0.26	0.031	0.12	20.0	12.8	0.30	1600	12.40	0.01
K735613		1.20	70.5	2.81	2.51	0.07	0.02	0.27	0.026	0.12	18.1	10.5	0.32	463	8.12	0.01
K735614		1.14	69.5	2.39	2.45	0.07	0.03	0.21	0.027	0.12	19.1	10.3	0.31	256	7.54	0.01
K735615		0.99	323	6.02	4.03	0.06	0.40	1.63	0.541	0.19	10.3	7.1	1.22	918	11.25	0.05
K735616		1.34	79.3	2.94	2.57	0.07	0.03	0.25	0.031	0.11	18.9	10.6	0.24	626	9.91	0.01
K735617		2.32	224	5.13	2.88	0.09	0.08	0.53	0.038	0.19	18.7	11.6	0.23	7470	25.3	0.02
K735618		1.65	138.5	3.17	2.61	0.09	0.05	0.45	0.042	0.13	18.7	10.5	0.44	263	11.90	0.01
K735619		1.61	96.8	2.83	2.91	0.06	0.07	0.37	0.028	0.14	16.8	15.6	0.34	606	8.84	0.01
K735620		1.38	76.0	2.18	2.52	0.07	0.03	0.49	0.030	0.11	13.7	9.7	0.21	337	9.21	0.01
K735621		1.63	105.5	3.18	2.59	0.08	0.03	0.40	0.032	0.12	15.7	8.9	0.21	908	9.72	0.01
K735622		1.24	70.5	2.02	2.20	0.06	0.02	0.52	0.029	0.12	11.3	5.3	0.36	319	14.50	0.02
K735623		1.12	83.8	1.81	3.06	0.07	0.03	0.91	0.025	0.16	12.6	5.4	0.20	336	15.05	0.02
K735625		2.14	133.5	3.20	1.79	0.09	0.02	0.35	0.034	0.13	21.4	5.9	0.45	405	13.85	0.01
K735626		1.47	51.1	2.53	2.16	0.07	0.03	0.32	0.027	0.11	19.8	9.5	0.33	872	11.45	0.01
K735627		1.89	289	2.44	2.12	0.12	0.05	0.40	0.034	0.14	17.9	3.8	0.09	1260	41.2	0.02
K735628		1.93	166.5	2.73	1.98	0.11	0.07	0.36	0.035	0.12	20.6	5.7	0.16	711	20.7	0.02
K735629		1.22	82.8	2.24	2.53	0.09	0.02	0.23	0.027	0.18	22.2	8.5	0.31	244	11.05	0.01
K735630		1.26	86.8	2.25	2.66	0.09	0.02	0.25	0.027	0.17	21.7	8.8	0.31	248	11.45	0.02
K735631		1.50	89.9	2.65	2.29	0.07	0.02	0.30	0.034	0.13	17.6	8.1	0.25	212	12.95	0.02

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: GOLDEN PREDATOR CANADA CORP.
888 DUNSMUIR STREET
11TH FLOOR
VANCOUVER BC V6C 3K4

Finalized Date: 6-NOV-2011
Account: GOPRED

Project: Selwyn

CERTIFICATE OF ANALYSIS WH11177865

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
K735594		0.34	59.6	1980	12.8	14.6	0.004	0.06	1.46	4.5	2.8	0.5	83.6	<0.01	0.08	2.1
K735595		0.32	57.2	2020	13.0	14.2	0.004	0.06	1.42	4.2	2.6	0.5	85.6	<0.01	0.07	2.2
K735596		0.15	51.8	2810	12.9	7.5	0.003	0.03	4.57	2.6	2.3	0.3	113.0	<0.01	0.09	2.3
K735597		0.11	64.7	4350	21.6	11.1	0.007	0.12	6.92	3.3	4.0	0.4	273	<0.01	0.24	2.0
K735598		0.15	87.8	3220	13.5	8.3	0.003	0.07	10.70	3.0	3.6	0.3	147.0	<0.01	0.14	2.1
K735599		0.15	80.4	3640	13.3	9.8	0.006	0.04	7.22	2.6	2.9	0.3	131.0	<0.01	0.07	2.1
K735600		0.10	140.0	2050	16.8	7.5	0.002	0.05	13.00	3.0	5.3	0.3	120.5	<0.01	0.13	2.0
K735601		0.09	50.7	5140	10.8	8.1	0.016	0.29	4.87	2.8	5.4	0.2	224	<0.01	0.08	4.0
K735602		0.15	94.1	4600	15.7	13.2	0.008	0.04	9.08	3.0	5.2	0.3	136.0	<0.01	0.09	2.0
K735603		0.15	154.5	4840	15.5	11.5	0.019	0.07	8.61	2.9	4.8	0.3	177.0	<0.01	0.08	3.0
K735604		0.13	75.1	5460	16.7	10.5	0.006	0.03	6.28	2.9	2.9	0.3	169.5	<0.01	0.10	3.4
K735605		0.14	64.9	3900	15.3	11.4	0.006	0.05	5.04	2.6	3.1	0.3	157.0	<0.01	0.09	3.2
K735606		0.16	90.7	3260	14.9	10.2	0.005	0.07	4.49	2.4	3.1	0.3	142.0	<0.01	0.10	1.4
K735607		0.14	96.1	5270	16.7	11.5	0.011	0.08	6.41	3.7	5.2	0.4	262	0.02	0.12	2.1
K735608		0.22	590	3700	14.0	10.3	0.011	0.16	8.59	3.0	8.5	0.3	147.0	<0.01	0.14	2.5
K735609		0.23	172.5	2320	12.9	10.0	0.005	0.06	4.45	2.5	2.7	0.3	94.5	<0.01	0.07	2.1
K735610		0.11	173.0	4270	14.4	11.3	0.006	0.10	6.00	3.7	4.8	0.3	165.0	<0.01	0.12	2.9
K735611		0.15	122.0	3460	14.5	11.8	0.005	0.07	4.37	3.1	3.2	0.3	183.5	<0.01	0.09	2.1
K735612		0.18	119.5	2970	15.5	11.5	0.005	0.07	7.02	2.4	2.7	0.3	131.5	<0.01	0.12	1.4
K735613		0.18	93.9	3540	15.9	11.3	0.006	0.04	4.92	2.6	3.1	0.3	122.0	<0.01	0.09	1.8
K735614		0.16	59.7	3210	12.8	10.1	0.006	0.04	5.28	2.6	2.6	0.3	130.0	<0.01	0.08	1.9
K735615		0.08	73.8	620	691	8.1	0.006	2.43	146.5	6.8	2.3	4.9	102.5	<0.01	0.92	2.3
K735616		0.14	163.0	2610	14.9	9.9	0.003	0.09	6.56	2.1	3.2	0.3	116.5	<0.01	0.11	1.0
K735617		0.18	447	4380	20.4	13.3	0.005	0.29	14.25	3.9	5.6	0.3	213	<0.01	0.20	2.3
K735618		0.13	119.0	3150	15.0	10.1	0.010	0.08	13.25	3.7	4.9	0.3	148.0	<0.01	0.13	2.4
K735619		0.19	96.1	2750	13.0	14.7	0.007	0.05	5.31	3.0	3.2	0.3	141.5	<0.01	0.09	1.8
K735620		0.18	80.1	3320	13.5	11.3	0.006	0.05	6.00	2.3	3.3	0.4	127.5	<0.01	0.11	0.9
K735621		0.17	115.0	3780	14.0	10.3	0.005	0.06	6.05	3.5	3.0	0.4	141.0	<0.01	0.12	1.7
K735622		0.15	112.5	3650	13.5	9.5	0.012	0.07	6.27	2.9	3.9	0.4	160.0	<0.01	0.11	1.1
K735623		0.16	128.0	4480	12.0	13.4	0.007	0.09	9.21	2.8	5.3	0.5	162.0	<0.01	0.14	1.1
K735625		0.09	121.5	3900	17.0	9.4	0.011	0.12	7.00	4.1	5.4	0.3	244	<0.01	0.14	2.6
K735626		0.18	154.0	3350	13.7	11.0	0.004	0.05	5.28	2.2	3.1	0.3	114.0	<0.01	0.09	1.5
K735627		0.26	294	3670	16.6	11.4	0.010	0.27	16.20	2.7	14.8	0.5	176.5	<0.01	0.19	1.8
K735628		0.18	425	3510	14.9	13.0	0.010	0.19	9.54	3.6	8.6	0.4	204	<0.01	0.15	2.0
K735629		0.13	87.1	6040	13.5	11.4	0.010	0.05	6.32	3.1	4.5	0.4	222	<0.01	0.08	2.5
K735630		0.14	89.5	5850	13.8	11.4	0.011	0.05	6.64	3.1	4.7	0.4	218	<0.01	0.09	2.5
K735631		0.15	126.0	3740	15.0	10.5	0.007	0.08	6.18	3.2	4.1	0.3	188.0	<0.01	0.11	1.7

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: GOLDEN PREDATOR CANADA CORP.
888 DUNSMUIR STREET
11TH FLOOR
VANCOUVER BC V6C 3K4

Finalized Date: 6-NOV-2011
Account: GOPRED

Project: Selwyn

CERTIFICATE OF ANALYSIS WH11177865

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	Au-OG44
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr	Au
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5	0.01
K735594		0.009	0.16	2.01	65	0.07	21.0	322	1.6	
K735595		0.008	0.18	2.00	65	0.06	19.30	316	1.5	
K735596		0.005	0.19	2.99	82	0.15	14.05	369	0.8	
K735597		<0.005	0.33	8.66	182	0.13	21.3	464	0.9	
K735598		0.005	0.24	3.89	96	0.76	19.65	649	0.8	
K735599		0.006	0.22	4.55	87	1.19	17.55	554	0.9	
K735600		<0.005	0.61	6.30	110	0.14	18.45	871	0.8	
K735601		0.006	0.24	3.73	119	0.11	18.95	580	4.9	
K735602		0.007	0.42	4.75	190	0.17	19.00	608	0.7	
K735603		0.007	0.47	5.21	192	0.13	18.35	2590	1.8	
K735604		0.007	0.28	3.86	124	0.48	19.05	1030	1.5	
K735605		0.007	0.30	4.74	107	0.10	15.25	531	1.6	
K735606		0.007	0.31	3.70	101	0.23	14.55	552	0.7	
K735607		0.006	0.37	6.30	122	0.13	22.3	629	0.7	
K735608		0.008	1.21	7.47	254	5.52	39.4	9590	1.8	
K735609		0.008	0.47	2.84	134	1.05	12.75	1670	1.1	
K735610		0.005	0.40	5.22	117	0.11	18.80	1230	0.8	
K735611		0.006	0.33	5.44	87	0.10	16.40	805	1.7	
K735612		0.007	0.29	3.74	96	0.17	14.20	607	0.7	
K735613		0.007	0.29	4.29	97	1.44	14.95	564	0.7	
K735614		0.007	0.24	3.22	93	0.15	14.85	390	0.9	
K735615		0.027	0.52	0.89	44	9.86	7.21	1180	12.3	1.45
K735616		0.006	0.28	6.54	95	0.16	17.90	1700	0.8	
K735617		0.006	0.53	7.83	120	0.19	49.1	3060	2.3	
K735618		<0.005	0.31	11.90	82	0.11	17.60	1060	1.6	
K735619		0.006	0.33	3.75	112	0.13	13.65	723	2.4	
K735620		0.006	0.45	4.60	205	0.59	18.80	620	0.7	
K735621		0.006	0.31	6.08	172	0.16	21.1	770	0.8	
K735622		0.006	0.44	7.52	255	0.16	21.9	1070	0.7	
K735623		0.008	0.64	8.43	539	0.18	22.0	1430	1.0	
K735625		<0.005	0.27	4.77	79	0.08	18.75	1200	0.7	
K735626		0.007	0.50	3.56	127	0.41	16.05	1090	1.0	
K735627		0.013	1.92	17.80	509	0.24	25.9	3850	1.6	
K735628		0.007	1.06	10.45	233	0.13	54.9	4520	2.2	
K735629		0.008	0.34	4.89	163	0.23	21.6	797	1.1	
K735630		0.008	0.35	4.99	163	0.19	22.1	785	1.0	
K735631		0.006	0.35	3.95	107	0.20	18.00	996	0.8	

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: GOLDEN PREDATOR CANADA CORP.
888 DUNSMUIR STREET
11TH FLOOR
VANCOUVER BC V6C 3K4

Finalized Date: 6-NOV-2011
Account: GOPRED

Project: Selwyn

CERTIFICATE OF ANALYSIS WH11177865

Method	CERTIFICATE COMMENTS
ME-MS41	Gold determinations by this method are semi-quantitative due to the small sample weight used (0.5g).

Appendix 4
Analytical Methods and Detection Limits

PREP- 41

Standard Preparation: Dry sample and dry- sieve to -180 micron

Sample preparation is the most critical step in the entire laboratory operation. The purpose of preparation is to produce a homogeneous analytical sub-sample that is fully representative of the material submitted to the laboratory.

An entire sample is dried and then dry-sieved using a 180 micron (Tyler 80 mesh) screen. The plus fraction is retained unless disposal is requested. This method is appropriate for soil or sediment samples up to 1 kg in weight.

Method Code	Description
LOG-22	Sample is logged in tracking system and a bar code label is attached.
DRY-22	Low temperature drying of excessively wet samples where the oven temperature is not to exceed 60°C. This method is suitable for more soil and sediment samples that are analyzed for volatile elements.
SCR-41	Sample is dry-sieved to – 180 micron and both the plus and minus fractions are retained.

Sample Preparation Flowchart Package –PREP- 41



Geochemical Procedure

ME- MS41
Ultra- Trace Level Methods Using ICP- MS and ICP- AES

Sample Decomposition:

Aqua Regia Digestion (GEO-AR01)

Analytical Method:

Inductively Coupled Plasma-Atomic Emission Spectroscopy (ICP-AES) Inductively Coupled Plasma - Mass Spectrometry (ICP-MS)

A prepared sample (0.50 g) is digested with aqua regia in a graphite heating block. After cooling, the resulting solution is diluted to with deionized water, mixed and analyzed by inductively coupled plasma-atomic emission spectrometry. Following this analysis, the results are reviewed for high concentrations of bismuth, mercury, molybdenum, silver and tungsten and diluted accordingly. Samples are then analysed by ICP-MS for the remaining suite of elements. The analytical results are corrected for inter-element spectral interferences.

Element	Symbol	Units	Lower Limit	Upper Limit
Silver	Ag	ppm	0.01	100
Aluminum	Al	%	0.01	25
Arsenic	As	ppm	0.1	10 000
Gold	Au	ppm	0.2	25
Boron	B	ppm	10	10 000
Barium	Ba	ppm	10	10 000
Beryllium	Be	ppm	0.05	1 000
Bismuth	Bi	ppm	0.01	10 000
Calcium	Ca	%	0.01	25
Cadmium	Cd	ppm	0.01	1 000
Cerium	Ce	ppm	0.02	500
Cobalt	Co	ppm	0.1	10 000
Chromium	Cr	ppm	1	10 000

Geochemical Procedure

Element	Symbol	Units	Lower Limit	Upper Limit
Cesium	Cs	ppm	0.05	500
Copper	Cu	ppm	0.2	10 000
Iron	Fe	%	0.01	50
Gallium	Ga	ppm	0.05	10 000
Germanium	Ge	ppm	0.05	500
Hafnium	Hf	ppm	0.02	500
Mercury	Hg	ppm	0.01	10 000
Indium	In	ppm	0.005	500
Potassium	K	%	0.01	10
Lanthanum	La	ppm	0.2	10 000
Lithium	Li	ppm	0.1	10 000
Magnesium	Mg	%	0.01	25
Manganese	Mn	ppm	5	50 000
Molybdenum	Mo	ppm	0.05	10 000
Sodium	Na	%	0.01	10
Niobium	Nb	ppm	0.05	500
Nickel	Ni	ppm	0.2	10 000
Phosphorus	P	ppm	10	10 000
Lead	Pb	ppm	0.2	10 000
Rubidium	Rb	ppm	0.1	10 000
Rhenium	Re	ppm	0.001	50
Sulphur	S	%	0.01	10
Antimony	Sb	ppm	0.05	10 000
Scandium	Sc	ppm	0.1	10 000
Selenium	Se	ppm	0.2	1 000
Tin	Sn	ppm	0.2	500
Strontium	Sr	ppm	0.2	10 000

Element	Symbol	Units	Lower Limit	Upper Limit
Tantalum	Ta	ppm	0.01	500
Tellurium	Te	ppm	0.01	500
Thorium	Th	ppm	0.2	10000
Titanium	Ti	%	0.005	10
Thallium	Tl	ppm	0.02	10 000
Uranium	U	ppm	0.05	10 000
Vanadium	V	ppm	1	10 000
Tungsten	W	ppm	0.05	10 000
Yttrium	Y	ppm	0.05	500
Zinc	Zn	ppm	2	10 000
Zirconium	Zr	ppm	0.5	500

NOTE: In the majority of geological matrices, data reported from an aqua regia leach should be considered as representing only the leachable portion of the particular analyte.

Geochemical Procedure

Au- TL43, Au- TL44
Determination of Trace Level Gold by Solvent Extraction – Graphite furnace AAS or ICPMS finish

Sample Decomposition:

Aqua regia gold digestion (GEO-AuAR01/02)

Analytical Method:

Inductively coupled mass spectrometry (ICPMS) or Atomic absorption spectrometry (AAS)

A finely pulverised sample (25 – 50 g) is digested in a mixture of 3 parts hydrochloric acid and 1 part nitric acid (aqua regia). This acid mixture generates nascent chlorine and nitrosyl chloride, which will dissolve free gold and gold compounds such as calaverite, $AuTe_2$.

The dissolved gold is complexed and extracted either with diisobutyl ketone (DIBK) or Kerosene/DBS and determined by graphite furnace AAS. Alternatively gold is determined by ICPMS directly from the digestion liquor. This method allows for the simple and economical addition of extra elements by running the digestion liquor through the ICPAES or ICPMS.

Note: Samples high in sulphide or carbon content may lead to low gold recoveries unless they are roasted prior to digestion.

Method	Element	Sample Mass	Units	Lower Limit	Upper Limit	Default Overlimit Method
Au-TL43m	Gold	25 g	ppm	0.005	2	Au-OG43
Au-TL44m	Gold	50 g	ppm	0.005	2	Au-OG44

Appendix 5
Silt Geochemical Plots
for Select Elements



Legend

- GPD Property Outline
- Quartz Claim
- Stream Sediment
- Elevation (40 m)
- Watercourse

GOLDEN PREDATOR

OMTA Property

Sediment Sample Locations

0 0.5 1 1.5

Kilometers

Scale:	1:50,000	Map ID:	--
Draw Date:	2012/05/11	Rev. Date:	--
Version:	1	Figure:	Appendix 5-1
Author:	E. O'Brien	Office:	Vancouver
Location:	150 km ENE of Ross River, Yukon Territory		
Projection:	NAD 1983 UTM Zone 9N		
Filename:	OMTA_2011_Samples		


446,000
449,000
6,948,000
6,946,000
6,944,000
6,942,000
6,940,000
6,938,000
N
Bedrock Legend
QUATERNARY
Q: QUATERNARY: unconsolidated glacial, glaciofluvial and glaciolacustrine deposits; fluviatile silt, sand, and gravel, and local volcanic ash, in part with cover of soil and organic deposits
DEVONIAN AND MISSISSIPPIAN
DME1: EARN: thin bedded, laminated slate with thin to thickly interbedded fine to medium grained chert-quartz arenite and wacke; thick members of chert pebble conglomerate; black siliceous siltstone; nodular and bedded barite; rare limestone (Earn Gp., Portrait Lake and Prevost)
ORDOVICIAN TO LOWER DEVONIAN
ODR: ROAD RIVER - SELWYN: black shale and chert (1) overlain by orange siltstone (2) or buff platy limestone (3); locally contains beds as old as Middle Cambrian (4); correlations with basinal strata in Richardson Mountains include: ODR1 with CDR2 (upper part) and ODR2 with CDR4 (Road River Gp.)
Q
DME1
ODR
3
0.9
1
2.9
2.3
7.9
7.4
5.9
5.9
3.6
3.6
4
3.9
3.3
2.7
4
3.4
2.6
YUKON
Dawson City
Map Location
Faro
Whitehorse
Watson Lake
Legend
GPD Property Outline
Quartz Claim
Stream Sediment
Elevation (40 m)
Watercourse
Au (ppb) Silt
0.1 - 5.6
5.7 - 7.7
7.8 - 9.0
9.1 - 41.9
GOLDEN PREDATOR
OMTA Property
Stream Sediment Geochemistry with Regional Bedrock
0
0.5
1
1.5
Kilometers
Scale: 1:50,000
Map ID: --
Draw Date: 2012/05/11
Rev. Date: --
Version: 1
Figure: Appendix 5-2
Author: E. O'Brien
Office: Vancouver
Location: 150 km ENE of Ross River, Yukon Territory
Projection: NAD 1983 UTM Zone 9N
Filename: OMTA_2011_Au



Scale:	1:50,000	Map ID:	--
Draw Date:	2012/05/11	Rev. Date:	--
Version:	1	Figure:	Appendix 5-3
Author:	E. O'Brien	Office:	Vancouver
Location:	150 km ENE of Ross River, Yukon Territory		
Projection:	NAD 1983 UTM Zone 9N		
Filename:	OMTA_2011_Ag		


446,000
449,000
6,948,000
6,946,000
6,944,000
6,942,000
6,940,000
6,938,000
N
Bedrock Legend
QUATERNARY
Q: QUATERNARY: unconsolidated glacial, glaciofluvial and glaciolacustrine deposits; fluviatile silt, sand, and gravel, and local volcanic ash, in part with cover of soil and organic deposits
DEVONIAN AND MISSISSIPPIAN
DME1: EARN: thin bedded, laminated slate with thin to thickly interbedded fine to medium grained chert-quartz arenite and wacke; thick members of chert pebble conglomerate; black siliceous siltstone; nodular and bedded barite; rare limestone (Earn Gp., Portrait Lake and Prevost)
ORDOVICIAN TO LOWER DEVONIAN
ODR: ROAD RIVER - SELWYN: black shale and chert (1) overlain by orange siltstone (2) or buff platy limestone (3); locally contains beds as old as Middle Cambrian (4); correlations with basinal strata in Richardson Mountains include: ODR1 with CDR2 (upper part) and ODR2 with CDR4 (Road River Gp.)
Q
DME1
ODR
19.1
28.3
24.3
20.1
18.3
27.2
81.9
35.2
37.5
98.9
38.1
22.7
39.6
28.3
30.1
44.1
25.7
52.4
YUKON
Dawson City
Map Location
Faro
Whitehorse
Watson Lake
Legend
GPD Property Outline
Quartz Claim
Elevation (40 m)
Watercourse
As (ppm) Silts
3.5 - 39.4
39.5 - 60.8
60.9 - 80.8
80.9 - 207.3
207.4 - 310.0
GOLDEN PREDATOR
OMTA Property
Stream Sediment Geochemistry with Regional Bedrock
0 0.5 1 1.5
Kilometers
Scale: 1:50,000 Map ID: --
Draw Date: 2012/05/11 Rev. Date: --
Version: 1 Figure: Appendix 5-4
Author: E. O'Brien Office: Vancouver
Location: 150 km ENE of Ross River, Yukon Territory
Projection: NAD 1983 UTM Zone 9N
Filename: OMTA_2011_As



Legend

- GPD Property Outline
- Quartz Claim
- Elevation (40 m)
- Watercourse

Hg (ppm) Silts

- 0.01 - 0.40
- 0.41 - 0.53
- 0.54 - 0.62
- 0.63 - 1.06

GOLDEN PREDATOR

OMTA Property

Stream Sediment Geochemistry with Regional Bedrock

0 0.5 1 1.5

Kilometers

Scale:	1:50,000	Map ID:	--
Draw Date:	2012/05/11	Rev. Date:	--
Version:	1	Figure:	Appendix 5-5
Author:	E. O'Brien	Office:	Vancouver
Location:	150 km ENE of Ross River, Yukon Territory		
Projection:	NAD 1983 UTM Zone 9N		
Filename:	OMTA_2011_Hg		


446,000
449,000
6,948,000
6,946,000
6,944,000
6,942,000
6,940,000
6,938,000
N
Q
DME1
ODR
4.87
8.61
6.28
5.04
5.31
13.25
13
6.56
14.25
7.22
4.37
7.02
4.92
5.28
10.7
4.57
6.92
Bedrock Legend
QUATERNARY
Q: QUATERNARY: unconsolidated glacial, glaciofluvial and glaciolacustrine deposits; fluviatile silt, sand, and gravel, and local volcanic ash, in part with cover of soil and organic deposits
DEVONIAN AND MISSISSIPPIAN
DME1: EARN: thin bedded, laminated slate with thin to thickly interbedded fine to medium grained chert-quartz arenite and wacke; thick members of chert pebble conglomerate; black siliceous siltstone; nodular and bedded barite; rare limestone (Earn Gp., Portrait Lake and Prevost)
ORDOVICIAN TO LOWER DEVONIAN
ODR: ROAD RIVER - SELWYN: black shale and chert (1) overlain by orange siltstone (2) or buff platy limestone (3); locally contains beds as old as Middle Cambrian (4); correlations with basinal strata in Richardson Mountains include: ODR1 with CDR2 (upper part) and ODR2 with CDR4 (Road River Gp.)
YUKON
N
Dawson City
Map Location
Faro
Whitehorse
Watson Lake
Legend
GPD Property Outline
Quartz Claim
Elevation (40 m)
Watercourse
Sb (ppm)
0.29 - 6.90
6.91 - 9.50
9.51 - 14.10
14.11 - 34.30
GOLDEN PREDATOR
OMTA Property
Stream Sediment Geochemistry with Regional Bedrock
0 0.5 1 1.5
Kilometers
Scale: 1:50,000
Map ID: --
Draw Date: 2012/05/11
Rev. Date: --
Version: 1
Figure: Appendix 5-6
Author: E. O'Brien
Office: Vancouver
Location: 150 km ENE of Ross River, Yukon Territory
Projection: NAD 1983 UTM Zone 9N
Filename: OMTA_2011_Sb



Scale:	1:50,000	Map ID:	--
Draw Date:	2012/05/11	Rev. Date:	--
Version:	1	Figure:	Appendix 5-7
Author:	E. O'Brien	Office:	Vancouver
Location:	150 km ENE of Ross River, Yukon Territory		
Projection:	NAD 1983 UTM Zone 9N		
Filename:	OMTA_2011_Tl		



Legend

- GPD Property Outline
- Quartz Claim
- Elevation (40 m)
- Watercourse

Zn (ppm)

- 7 - 1200
- 1201 - 2772
- 2773 - 3799
- 3800 - 8577
- 8578 - 9590

GOLDEN PREDATOR

OMTA Property

Stream Sediment Geochemistry with Regional Bedrock

0 0.5 1 1.5

Kilometers

Scale:	1:50,000	Map ID:	--
Draw Date:	2012/05/11	Rev. Date:	--
Version:	1	Figure:	Appendix 5-8
Author:	E. O'Brien	Office:	Vancouver
Location:	150 km ENE of Ross River, Yukon Territory		
Projection:	NAD 1983 UTM Zone 9N		
Filename:	OMTA_2011_Zn		