ASSESSMENT REPORT, 2011 GEOCHEMICAL SAMPLING PROGRAM LCGA PROPERTY

WATSON LAKE MINING DIVISION, YUKON, CANADA
NTS MAP SHEET: 105J/08, NAD83 ZONE 9
435500 E, 6922550 N (NAD83)

CLAIMS AND OWNER:

Claim Name	Number	Grant Number	Registered Owner
LCGA	1 - 62	YD147931- YD147992	Golden Predator Canada Corp. - 100%

PERIOD OF WORK: AUGUST 26TH, 2011

OWNER AND OPERATOR:
GOLDEN PREDATOR CANADA CORP.
1 Lindeman Road
Whitehorse, Yukon
Y1A 5Z7

October 9th, 2012

Prepared by:

Golden Predator Canada Corp.
Erin O'Brien, M.Sc., P.Geo.

TABLE OF CONTENTS

LIST OF FIGURES

LIST OF TABLES

LIST OF APPENDICES

1.0 INTRODUCTION

The LCGA property consists of 62 contiguous mineral claims covering an area of 1,295hectares, located in the Selwyn Basin in eastern central Yukon. Golden Predator Canada Corp. (Golden Predator) has a 100% undivided interest in the property and is targeting possible Carlin-style gold systems.

This report describes the work completed in the 2011 field season on August 26th which consisted of stream sediment and grab rock sampling.

2.0 PROPERTY LOCATION AND DESCRIPTION

The property is located on in eastern central Yukon. It lies 125 km east of Ross River, YT (Figure 2-1). It is accessed by 60 minute helicopter trip from Ross River. The North Canol Road lies 61 km west of the property. The property is located in the Watson Lake Mining District, and consists of 62 contiguous mineral claims covering an aggregate area of 1,295 hectares (Table 2-1, Figure 2-2).

Figure 2-1. LCGA Property Location, Yukon Territory

Table 2-1. LCGA Claim Information

Claim Name	Number	Grant Number	Registered Owner	Expiry Date
LCGA	1 - 62	YD147931- YD147992	Golden Predator Canada	14/07/2012


434,000
437,000
6,924,000
6,920,000
LCGA 1 YD147931
LCGA 3 YD147933
LCGA 5 YD147935
LCGA 2 YD147932
LCGA 4 YD147934
LCGA 6 YD147936
LCGA 7 YD147937
LCGA 9 YD147939
LCGA 11 YD147941
LCGA 8 YD147938
LCGA 10 YD147940
LCGA 12 YD147942
LCGA 13 YD147943
LCGA 15 YD147945
LCGA 17 YD147947
LCGA 19 YD147949
LCGA 21 YD147951
LCGA 14 YD147944
LCGA 16 YD147946
LCGA 18 YD147948
LCGA 20 YD147950
LCGA 22 YD147952
LCGA 23 YD147953
LCGA 25 YD147955
LCGA 27 YD147957
LCGA 29 YD147959
LCGA 31 YD147961
LCGA 33 YD147963
LCGA 35 YD147965
LCGA 37 YD147967
LCGA 39 YD147969
LCGA 24 YD147954
LCGA 26 YD147956
LCGA 28 YD147958
LCGA 30 YD147960
LCGA 32 YD147962
LCGA 34 YD147964
LCGA 36 YD147966
LCGA 38 YD147968
LCGA 40 YD147970
LCGA 41 YD147971
LCGA 43 YD147973
LCGA 45 YD147975
LCGA 47 YD147977
LCGA 49 YD147979
LCGA 42 YD147972
LCGA 44 YD147974
LCGA 46 YD147976
LCGA 48 YD147978
LCGA 50 YD147980
LCGA 51 YD147981
LCGA 53 YD147983
LCGA 55 YD147985
LCGA 57 YD147987
LCGA 59 YD147989
LCGA 61 YD147991
LCGA 52 YD147982
LCGA 54 YD147984
LCGA 56 YD147986
LCGA 58 YD147988
LCGA 60 YD147990
LCGA 62 YD147992
N
YUKON
Dawson City
Map Location
Faro
Whitehorse
Watson Lake
Legend
GPD Property Outline
Quartz Claim
Stream Sediment
Elevation (100')
Watercourse
GOLDEN PREDATOR
LCGA Property
Claim Map and
Stream Sediment Locations
0 0.4 0.8 1.2
Kilometers
Scale: 1:40,000
Map ID: --
Draw Date: 2012/05/16
Rev. Date: --
Version: 1
Figure: 2-2
Author: E. O'Brien
Office: Vancouver
Location: 125 km E of Ross River, Yukon Territory
Projection: NAD 1983 UTM Zone 9N
Filename: LCGA_2011_Claims

3.0 INFRASTRUCTURE, CLIMATE AND PHYSIOGRAPHY

The centre of the property is located at 435500 E, 6922550 N (NAD83, zone 9). The nearest settlement accessible by road is Ross River, which is located 90 km to the southwest along the North Canol gravel road. The road is maintained by the Yukon government in the summer months.

The property lies within the Taiga Cordillera ecoregion in the rugged Selwyn and southern Mackenzie mountains. The climate is continental modified by mountain setting. In the ecoregion, the mean annual temperature for major valley systems is approximately -4.5°C with a summer mean of 9.5°C and a winter mean of -19.5°C. Mean annual precipitation varies from 600 mm at lower elevations up to 750 mm at higher elevations (http://ecozones.ca/english/region/171.html).

The ecoregion is characterized by alpine tundra at upper elevations and by subalpine open woodland vegetation at lower elevations. Alpine vegetation occurs outside of talus slopes and includes lichens, dwarf willows, shrubs and grasses. Subalpine vegetation includes discontinuous stunted white spruce, and occasional alpine fir and lodgepole pine, with willow, dwarf birch, shrubs and grasses. (http://ecozones.ca/english/region/171.html).

The glaciated Selwyn Mountains are composed of broad, northwesterly-trending ranges and valleys. Alpine and valley glaciers occur, and there is extensive, discontinuous permafrost. Elevations on the property range from 1,190 to 1,675 metres above mean sea level.

4.0 EXPLORATION HISTORY

There is no known historical work on the LCGA .Minfile 105J034, the Dyak, located 15 km northwest of the property is the closest Minfile occurrence. A weak SEDEX Pb-Zn-Ag-Ba soil anomaly was outlined in an area underlain by black chert and shale of the Ordovician-Silurian Road River Group.

5.0 GEOLOGY

5.1 Regional Geology

The property is located in the eastern edge of the Selwyn Basin. The Selwyn Basin is bound on the south by the Tintina Fault (and the Intermontane Superterrane) and bound on the north by the Dawson Thrust Fault and the North American Shelf.

The Selwyn Basin stratigraphy consists of late Proterozoic to Palaeozoic marginal basinal and platformal clastic and pelitic sediments from ancient North America. Various aged volcanic piles are stratabound within the sediments. The basin was subjected to rifting during the Proterozoic and again in the late Devonian. During periods of rifting, contemporaneous magmatic rocks were emplaced as volcanics and as thick sill sequences.

By late Jurassic, the rocks of the Intermontane Belt of the Cordillera collided with the passive margin of the North America Shelf, causing compressive tectonics (Murphy, 1997).This resulted in crustal shortening, tight folding, and failure along hinges. Three regionally stacked thrust panels were formed: the Robert Service, Tombstone and Dawson thrust sheets (from oldest to youngest; Murphy, 1997).

The Selwyn Basin is intruded by northwest-trending post-accretionary plutonic mid-Cretaceous suites including the Tungsten, Mayo and Tombstone. The Tungsten suite (97-94 Ma) consists of granitoids with associated sheelite skarn deposits including Mactung and Cantung. The granitoid Mayo Suite occurs northwest of the Tungsten suite and is associated with the intrusion-related gold systems of Dublin Gulch and Clear Creek. Tombstone plutonic suite (92-90 Ma) lies further to the west and closely to the Tintina Fault (Lang et al., 2000). The Tombstone rocks are more alkalic with monzonites and syenites and are associated with U-Th-REE mineralization and intrusion-related gold deposits (Israel et al., 2011).

Mineralization associated with the mid-Cretaceous plutonic suite intrusions includes veins, skarns, stockworks and breccias within, proximal or distal to the intrusions. The most predominant form of mineralization however, is sheeted quartz veins in the intrusions. More often than not, more than one style of mineralization will exist proximal to these intrusions (Abbott et al., 1986).

5.2 Property Geology

The property is underlain by Palaeozoic rocks comprised of Ordovician to Lower Devonian Road River Group black shale and chert (ORD; Figure 5-2).

6.0 EXPLORATION

6.1 Exploration Program

The 2011 exploration program at LCGA was carried out on August 26th. Golden Predator collected 8 silt samples from active stream beds. Crews of between 9 to 12 samplers, plus a cook and helicopter pilot were based in the Jeff Creek camp constructed by Golden Predator on the North Canol Road. All the work was helicopter assisted using a NOTAR supplied by Fireweed Helicopters of Whitehorse, YT, with daily flight times averaging about 4.6 hours/day for the program.


434,000
437,000
6,924,000
6,920,000
Bedrock Legend
ODR: ROAD RIVER - SELWYN: black shale and chert (1) overlain by orange siltstone (2) or buff platy limestone (3); locally contains beds as old as Middle Cambrian (4); correlations with basinal strata in Richardson Mountains include: ODR1 with CDR2 (upper part) and ODR2 with CDR4 (Road River Gp.)
ODR
N
YUKON
Dawson City
Map Location
Faro
Whitehorse
Watson Lake
Legend
GPD Property Outline
Quartz Claim
Stream Sediment
Elevation (100')
Watercourse
GOLDEN PREDATOR
LCGA Property
Regional Geology with Stream Sediment Locations
0 0.4 0.8 1.2
Kilometers
Scale: 1:40,000
Map ID: --
Draw Date: 2012/05/16
Rev. Date: --
Version: 1
Figure: 5-1
Author: E. O'Brien
Office: Vancouver
Location: 125 km E of Ross River, Yukon Territory
Projection: NAD 1983 UTM Zone 9N
Filename: LCGA_2011_Bedrock

6.2 Sampling Methodology and Protocols

Stream Geochemical Program

Stream sediment samples were collected at intervals of approximately 750 m along first, second and third order streams, and immediately upstream of confluences. Samples were also collected in the vicinity of historical RGS stream anomalies, to test repeatability.

Each sample was collected from several points along the active stream bed to produce a representative composite sample. The uppermost sediment was discarded to avoid spurious high content of Fe and Mn oxide coating. The active silt and fine to medium sand that has been recently transported by the stream was the target sediment. This type of sediment was generally located: 1) in the lee of large boulders or logs; 2) in low energy pools at the tail-end of bars; and 3) infilling voids below the surface of cobble-gravel bars.

Samples were sieved in the field to a fraction of less than one-eight inch (<1/8" or 3.36 mm) and placed in labelled, double layered plastic sample bags. Sample sites were flagged and photographed. The sample weights varied between 4-12 kg. Large sample sizes were required to obtain sufficient fine material for the selected assay techniques.

If the drainage contained seasonal stream sediment deposition, but was currently dry, a sediment sample was collected by dry sieving the material. Occasionally the south-facing slopes had underground drainage that sporadically daylighted, in those situations sample spacing was more varied.

Sample data was recorded on data cards and included the following: geographic location, sample color, angularity of the clasts, sediment composition (percentage of gravel, sand, silt, clay and organics), slope direction, slope angle, stream flow, vegetation type and comments.

Samples were transported by air from Jeff Creek camp to Whitehorse by Alkan Air. Samples were delivered by in-house personnel or insured professional expeditors to ALS Chemex's ISO 9001 certified preparation facility in Whitehorse. Samples were dried and screened to 180 microns (80 mesh).

The pulps were analyzed at ALS Chemex's ISO 9001 certified laboratory in North Vancouver using the ultra-trace ME-MS41 package. A 0.5 g sample is digested by aqua regia techniques and 51 elements are analyzed through a combination of ICP-AES and ICP-MS.

The Au-ST44 method was used to analyze gold using a 50 g sample of <80 micron material. This method provides the lowest possible detection limit for gold of 0.0001 – 0.1 ppm, using aqua regia digestion with analysis by ICP-MS. The larger sample size for the gold analysis is used in an effort to reduce potential nugget effects. Samples exceeding the upper limit of Au detection (0.1 ppm) were re-analyzed using Au-OG44, an ore grade assay technique. A 50 g sample of 180 microns sediment is digested in an aqua regia solution and finished with ICP-MS methods to provide an Au detection range between 0.01 – 100 ppm.

ALS completes quality assurance/ quality control (QA/QC) data verification of their assays through internally inserted duplicates, standards and blanks. In addition, Golden Predator's QA/QC program included the insertion of field duplicates, blanks and standard reference material obtained from CDN Resource Laboratories of Langley, BC. Assay certificates are compiled in Appendix 3 and the detailed methodology and detection limits are in Appendix 4. Appendix 5 presents the sample locations geochemical plots for select elements for the stream sediment samples collected by Golden Predator in 2011.

This stream sediment sampling program was completed in conjunction with seven other Golden Predator properties south of the North Canol Road in the Selwyn Basin. Because the geology is fairly similar for all projects, samples from the entire stream sediment dataset were grouped together and were ranked by percentile to determine statistical anomalies for the region. The dataset consists of 104 stream samples. For elements where there was sufficient statistical spread, five divisions were used to plot the geochemical data. These were: 0-75th percentile; 75-90; 90-95; 95-98; and 98-100th percentiles. When there was insufficient statistical spread, the last two divisions were combined so that the uppermost division plotted values in the 95-100th percentile.

6.3 Results

Stream Sediments

Results from the stream sampling program outline one multi-element geochemical anomaly and several isolated silver anomalies. Sample K735476 assayed 2.17 ppm Ag, 310 ppm As (the highest in the regional dataset), 177.5 ppm Cu, 57.2 ppm Mo (the highest in the regional dataset) and 17.55 ppm Sb. This anomaly might be attributed to Portrait Lake Formation rocks but follow-up work in warranted. Three other samples had silver in the upper 95th percentile with assays ranging from 1.91 ppm Ag to 2.96 ppm Ag.

7.0 CONCLUSIONS AND RECOMMENDATIONS

The LCGA property consists of 62 contiguous mineral claims covering an area of 1,295 hectares in Road River Group sediments located in the Selwyn Basin of eastern Yukon. The property is in the grassroots stages of exploration and has perspective Carlin-style gold systems.

The 2011 field program included the collection of 8 stream samples. The stream sediment program highlighted one area requiring follow-up from a multi-element geochemical anomaly in a single drainage.

Systematic follow-up of the stream geochemical anomaly should include additional stream samples up-gradient of the anomalies. Ground truthing, including prospecting and ridge and spur soil sampling should be completed in the most perspective areas.

8.0 2011 EXPENDITURES

Expenditures for the 2011 exploration program were $6,928.40 as summarized in Table 8-1.

Table 8-1. 2011 Expenditures

Expenditure	Units	Unit Cost	Per	Cost
Wages				
Golden Predator	0.6	$2,700	day	$1,620.00
Report Writing	2	$500.00	day	$1,000.00
Transportation				
Helicopter	1.3	$1,100.00	hour	$1,430.00
Fuel	1.3	$300.00	hour	$390.00
Consumables				
Camp, fixed wing, food, supplies	0.6	$3,414	day	$2,048.40
Sample Assays				
Stream Sediment Samples	8	$55.00	sample	$440.00
Total Expenditures				$6,928.40

9.0 STATEMENT OF AUTHORSHIP

This Report titled "Assessment Report, 2011 Geochemical Sampling Program, LCGA Project, Watson Lake Mining Division, Yukon Territory, Canada", and dated October 9th, 2012 was prepared and signed by the following author:



Erin O'Brien, M.Sc., P.Geo.
Dated: October 9th, 2012
Vancouver, British Columbia

10.0 REFERENCES

Abbott, J.G., Gordey, S.P., & Tempelman-Kluit, D.J., 1986. Setting of stratiform, sediment hosted lead-zinc deposits in the Yukon and Northeastern British Columbia; Mineral Deposits of Northern Cordillera, ed. J.A. Morin, The Canadian Institute of Mining and Metallurgy, Special Volume 37, p. 1-18.

Goldfarb, R., Hart, C., Miller, M., Miller, L., Farmer, G.L., and Groves, D., 2000. The Tintina Gold Belt: A Global Perspective. *In*: The Tintina Gold Belt: Concepts, Exploration and Discoveries, British Columbia and Yukon Chamber of Mines, Special Volume 2. 5-34.

Gordey, S.P. and A.J. Makepeace (compilers), 2001. Bedrock Geology, Yukon Territory; Geological Survey of Canada. Open File 3754 and Exploration, Exploration and Geological Services Division, Yukon and Northern Affairs Canada, Open File 2001-1, scale 1: 1,000,000.

Israel, S., Colpron, M. and T. Fraser, 2011. Overview of Yukon Geology. www.geology.gov.yk.ca/pdf/Bedrock_Full_Overview.pdf

Murphy, D., 1997. Geology of the McQuesten River Region, Northern McQuesten and Mayo Map Area, Yukon Territory (115P/14, 15, 16; 105M/13, 14). Bulletin 6, Exploration and Geological Services Division, Yukon Region, Indian and Northern Affairs Canada.

Appendix 1
Certificate of Author

Erin Kathleen O'Brien
11th Floor, 888 Dunsmuir
Vancouver, British Columbia
Canada V6C 3K4
Telephone: 778-928-7232
E-mail: eobrien@goldenpredator.com

CERTIFICATE OF AUTHOR

I, Erin Kathleen O'Brien of 11th Floor, 888 Dunsmuir, Vancouver, British Columbia, certify that:

1. I am a graduate of McGill University of Quebec with a B.Sc. Joint Major in Geology and Environmental Studies, in 1994 and a M.Sc. in Geology from the University of New Brunswick in 1996;
2. I have practiced my profession as a mineral exploration or environmental geologist with Caracle Creek International Consultants Inc., Golder Associates Ltd., Morrow Environmental Consultants Inc. (SNC Lavalin Environment) and as a geological consultant for 15 years, where I have been involved with the geological exploration of precious and base metal properties and deposits in a variety of capacities;
3. I have been operating a business as a geological consultant under my own name since 1996, and consulted for Golden Predator Canada Corp. between September, 2009 and March 2010. I became a full time employee of Golden Predator Canada Corp. in April, 2010.
4. I am a Professional Geoscientist registered with the Association of Professional Geoscientists and Engineers of British Columbia and have been since 2001;
5. I am author of this report "Assessment Report, 2011 Geochemical Sampling Program LCGA, Watson Lake Mining Division, Yukon, Canada; dated October 9th, 2012;" and
6. I have reviewed the geological data and am not aware of any material facts or change in facts at the time this certification is dated.

Erin Kathleen O'Brien, M.Sc., P.Geo.

Vancouver, British Columbia
Dated this 9th Day of October 2012

Appendix 2
Analytical Summary

Sample Descriptions

Sample No.	Sample Type	Sample Date 2011	Datum - Zone	Easting	Northing	Elevation (m)	Angularity	Color	Gravel	Sand	Silt	Clay	Organics	Slope Dir	Slope Angl	Stream Flow	Comments	Au (ppb)
K735469	SS	2011_08_26	UTM83-9	432875	6920910	1269	A	BK	70	20	10			NE	2	3	chert, metaseds	4.2
K735470	SS	2011_08_26	UTM83-9	432885	6920912	1277	A	BRD	60	30	10			W	2	3	chert,sed rocks	4.4
K735471	SS	2011_08_26	UTM83-9	434745	6921538	1244	A	BRD	60	30	10			NE	2	3	breciated chert, sed rocks	3.7
K735472	SS	2011_08_26	UTM83-9	434697	6921589	1245	SR	GYD	70	20	10			E	2	3	sed rocks , chert	3.7
K735473	SS	2011_08_26	UTM83-9	435342	6922421	1195	SA	GYD	60	30	10			W	2	3	sed rock	3.7
K735474	SS	2011_08_26	UTM83-9	436234	6923887	1218	SA	BRD	60	30	10			S	1	3	sed rock	3.4
K735475	SS	2011_08_26	UTM83-9	437409	6923359	1206	SA	GYD	60	30	10			NE	2	3	sed rock	1.5
K735476	SS	2011_08_26	UTM83-9	437425	6922678	1239	SA	BRR	70	20	10			E	3	3	sed rock , fe stains	4.4

Stream Sediment (SS) Key

Color				
D	dark		YE	yellow
L	light		OR	orange
GY	grey		GR	green
BK	black		PK	pink
RD	red		TA	tan
BR	brown		CW	cream
RBR	red brown			

Clast angularity	
WR	well rounded
R	rounded
SR	subrounded
SA	subangular
A	angular

Slope Angle	
1	flat (<5^{o})
2	gentle (<5-15^{o})
3	moderate (<15-25^{o})
4	steep (>25^{o})

Stream Flow	
dry	1
stagnant	2
slow	3
moderate	4
fast	5

Appendix 3
Assay Certificates

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: GOLDEN PREDATOR CANADA CORP.
888 DUNSMUIR STREET
11TH FLOOR
VANCOUVER BC V6C 3K4

Finalized Date: 25-OCT-2011
Account: GOPRED

CERTIFICATE WH11171440

Project: Selwyn

P.O. No.: GPD2011SELWYN004

This report is for 105 Stream Sediment samples submitted to our lab in Whitehorse, YT, Canada on 25-AUG-2011.

The following have access to data associated with this certificate:

MIKE BURKE LINDA LEWIS	ANDREW CALDWELL MIKE MASLOWSKI	JACK COTE BRUCE OTTO

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-21d	Sample logging - ClientBarCode Dup
SPL-34	Pulp Splitting Charge
LOG-22	Sample login - Rcd w/o BarCode
LOG-23	Pulp Login - Rcvd with Barcode
SCR-41	Screen to -180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-OG44	Ore Grade Au - 50g AR	ICP-MS
Au-ST44	Super Trace Au - 50g AR	ICP-MS
ME-MS41	51 anal. aqua regia ICPMS	

To: GOLDEN PREDATOR CANADA CORP.
ATTN: JACK COTE
888 DUNSMUIR STREET
11TH FLOOR
VANCOUVER BC V6C 3K4

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: GOLDEN PREDATOR CANADA CORP.
888 DUNSMUIR STREET
11TH FLOOR
VANCOUVER BC V6C 3K4

Finalized Date: 25-OCT-2011
Account: GOPRED

Project: Selwyn

CERTIFICATE OF ANALYSIS WH11171440

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg 0.02	Au-ST44 Au ppm 0.0001	ME-MS41 Ag ppm 0.01	ME-MS41 Al % 0.01	ME-MS41 As ppm 0.1	ME-MS41 Au ppm 0.2	ME-MS41 B ppm 10	ME-MS41 Ba ppm 10	ME-MS41 Be ppm 0.05	ME-MS41 Bi ppm 0.01	ME-MS41 Ca % 0.01	ME-MS41 Cd ppm 0.01	ME-MS41 Ce ppm 0.02	ME-MS41 Co ppm 0.1	ME-MS41 Cr ppm 1
K735402		5.16	0.0030	1.63	0.57	24.4	<0.2	<10	560	0.64	0.17	0.50	15.50	12.70	13.7	17
K735403		5.58	0.0033	1.21	0.73	17.5	<0.2	<10	700	0.48	0.14	0.55	11.10	15.40	7.9	19
K735404		5.42	0.0031	1.85	1.59	35.3	<0.2	<10	1530	1.05	0.12	0.49	35.5	13.20	15.3	26
K735405		6.30	0.0035	1.63	0.84	33.3	<0.2	<10	870	0.69	0.13	0.56	25.2	13.30	15.4	22
K735406		6.50	0.0036	1.23	0.70	25.5	<0.2	<10	1190	0.60	0.15	0.46	7.49	9.54	9.4	19
K735407		6.10	0.0037	0.63	2.38	28.9	<0.2	<10	790	1.66	0.14	0.51	56.3	26.4	344	15
K735408		6.96	0.0019	0.56	0.63	23.8	<0.2	<10	1330	0.46	0.11	0.58	27.4	10.80	13.5	17
K735409		5.38	0.0023	0.30	0.89	28.9	<0.2	<10	810	0.64	0.20	0.20	0.74	12.95	11.8	16
K735410		6.28	0.0026	0.63	0.36	108.0	<0.2	<10	760	0.27	0.09	0.06	0.55	10.95	2.6	11
K735411		6.44	0.0002	0.43	1.48	15.9	<0.2	<10	900	0.57	0.13	0.05	5.67	10.10	31.2	7
K735412		7.56	0.0030	0.39	0.67	12.3	<0.2	<10	860	0.35	0.17	0.24	0.46	5.79	8.2	13
K735413		6.54	0.0018	0.29	0.70	32.8	<0.2	<10	560	0.75	0.14	0.09	0.63	11.15	9.6	13
K735414		9.26	0.0030	0.43	1.04	86.8	<0.2	<10	770	0.61	0.20	0.20	0.39	8.64	11.0	17
K735416		<0.02	0.0023	0.43	1.01	87.3	<0.2	<10	710	0.58	0.20	0.19	0.38	8.34	11.2	17
K735417		6.12	0.0032	0.97	1.35	34.8	<0.2	<10	1030	0.82	0.21	0.34	0.68	7.18	10.9	21
K735418		6.70	0.0811	0.60	0.77	33.2	<0.2	<10	1540	0.38	0.14	0.25	2.40	8.28	23.9	13
K735419		6.38	0.0042	0.50	1.45	90.7	<0.2	<10	1250	1.05	0.14	0.25	3.29	8.85	39.7	15
K735420		6.62	0.0040	0.83	1.02	31.0	<0.2	<10	920	1.25	0.18	0.22	9.69	8.27	81.5	13
K735421		5.74	0.0027	0.84	0.31	27.9	<0.2	<10	70	0.11	0.09	0.02	0.21	3.62	2.2	24
K735422		5.26	0.0032	0.82	1.87	41.3	<0.2	<10	730	0.63	0.14	0.06	0.80	8.54	11.7	17
K735423		6.24	0.0032	0.73	1.17	35.4	<0.2	<10	720	1.14	0.19	0.18	3.45	8.00	21.4	15
K735424		6.24	0.0030	1.27	0.57	78.4	<0.2	<10	330	0.48	0.10	0.10	0.98	5.86	3.3	13
K735425		7.80	0.0021	0.31	0.73	40.1	<0.2	<10	570	0.57	0.18	0.09	0.30	6.49	10.3	14
K735426		4.82	0.0069	1.19	3.23	80.8	<0.2	<10	1450	2.11	0.17	0.07	1.50	7.95	27.6	13
K735427		7.04	0.0027	0.58	0.67	52.4	<0.2	<10	720	0.51	0.17	0.17	0.41	6.69	7.7	14
K735428		6.98	0.0036	1.28	0.62	17.0	<0.2	<10	750	0.29	0.14	0.03	0.18	4.23	7.8	14
K735429		7.30	0.0034	1.36	0.50	62.2	<0.2	<10	210	0.35	0.14	0.04	0.43	4.05	5.5	16
K735430		0.12	>0.1000	0.15	0.19	468	0.2	<10	1850	0.15	0.13	1.08	0.32	2.18	2.4	22
K735431		6.18	0.0031	0.71	0.87	32.6	<0.2	<10	770	0.53	0.15	0.29	4.14	4.36	4.0	11
K735432		5.84	0.0044	2.27	1.09	202	<0.2	<10	860	0.41	0.20	0.03	0.21	4.64	10.4	19
K735433		8.02	0.0038	0.80	0.98	39.0	<0.2	<10	1840	0.65	0.14	0.26	9.18	5.94	49.2	8
K735434		6.96	0.0248	0.42	0.87	16.1	<0.2	<10	1020	0.45	0.18	0.20	0.54	6.77	12.2	20
K735435		6.30	0.0036	3.89	0.58	37.3	<0.2	<10	460	0.39	0.16	0.04	0.41	7.36	1.0	24
K735436		6.60	0.0041	0.62	0.65	42.0	<0.2	<10	710	0.44	0.21	0.09	1.96	5.20	9.3	21
K735437		6.98	0.0055	2.13	0.53	36.8	<0.2	<10	450	0.35	0.19	0.04	1.96	5.66	15.7	13
K735438		6.56	0.0028	1.11	0.77	20.1	<0.2	<10	380	1.41	0.09	0.11	8.28	4.42	29.6	10
K735439		7.74	0.0041	0.98	1.97	47.4	<0.2	<10	1210	1.82	0.12	0.17	30.4	10.10	77.9	13
K735440		6.36	0.0037	0.44	0.59	13.6	<0.2	<10	480	0.40	0.14	0.50	1.12	10.10	8.2	14
K735441		5.40	0.0036	0.64	0.84	12.3	<0.2	<10	670	0.89	0.16	0.84	4.58	11.95	22.6	14
K735442		6.42	0.0057	1.24	4.16	17.8	<0.2	<10	270	0.95	0.16	0.04	0.70	5.28	17.3	28

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: GOLDEN PREDATOR CANADA CORP.
888 DUNSMUIR STREET
11TH FLOOR
VANCOUVER BC V6C 3K4

Finalized Date: 25-OCT-2011
Account: GOPRED

Project: Selwyn

CERTIFICATE OF ANALYSIS WH11171440

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
K735402		1.35	81.2	3.37	1.89	0.09	0.03	0.49	0.030	0.07	7.4	4.0	0.08	844	14.35	0.01
K735403		0.75	40.8	2.54	2.62	0.08	0.03	0.26	0.024	0.06	8.6	7.8	0.13	564	11.45	0.02
K735404		1.16	98.0	2.04	3.02	0.13	0.05	0.25	0.027	0.08	8.1	5.5	0.07	1680	40.1	0.02
K735405		1.04	75.9	2.60	2.37	0.11	0.03	0.37	0.023	0.08	8.0	3.9	0.08	1540	29.7	0.02
K735406		1.29	65.9	2.63	2.29	0.09	0.03	0.28	0.027	0.05	5.3	7.9	0.13	422	12.80	0.02
K735407		1.66	506	2.64	3.78	0.19	0.19	0.23	0.030	0.05	10.3	51.1	0.26	22000	62.0	0.02
K735408		0.66	37.3	2.20	2.31	0.08	0.03	0.25	0.021	0.05	6.1	6.2	0.11	632	10.50	0.02
K735409		1.11	30.8	3.34	2.82	0.07	0.02	0.12	0.035	0.05	6.0	13.9	0.21	387	4.35	0.02
K735410		1.23	20.9	3.82	1.57	0.08	<0.02	0.23	0.015	0.06	6.4	4.4	0.06	73	81.1	0.01
K735411		1.28	84.2	1.81	0.97	0.06	0.05	0.24	0.020	0.11	5.1	4.3	0.02	1680	17.50	0.01
K735412		1.47	40.8	2.74	1.81	0.05	0.03	0.09	0.029	0.04	2.7	10.4	0.15	355	1.99	0.01
K735413		1.47	32.7	2.75	1.99	0.06	0.02	0.07	0.025	0.04	5.2	15.9	0.17	435	2.11	0.01
K735414		1.81	37.7	2.97	3.05	0.06	0.04	0.12	0.032	0.04	3.8	22.4	0.22	662	1.61	0.01
K735416		1.69	37.4	2.89	3.03	0.06	0.04	0.12	0.032	0.04	3.6	22.2	0.22	664	1.60	0.01
K735417		3.21	67.2	3.30	3.32	0.07	0.07	0.25	0.042	0.05	3.4	31.6	0.23	495	2.65	0.01
K735418		1.51	33.6	3.23	2.26	0.07	0.03	0.25	0.023	0.04	3.9	12.9	0.17	2180	11.50	0.01
K735419		2.22	48.6	5.40	2.30	0.10	0.06	0.34	0.030	0.04	4.0	18.7	0.16	1800	9.40	0.01
K735420		2.56	135.5	5.34	2.13	0.13	0.06	0.38	0.047	0.06	4.0	10.6	0.11	6980	12.80	0.01
K735421		1.51	57.7	22.6	2.22	0.30	0.03	0.22	0.089	0.06	1.6	3.3	0.04	170	15.85	0.01
K735422		1.93	67.0	6.55	2.08	0.14	0.09	0.37	0.050	0.05	3.6	8.1	0.08	672	54.3	0.01
K735423		2.02	41.1	2.98	2.66	0.06	0.05	0.46	0.039	0.05	4.0	19.0	0.13	585	9.84	0.01
K735424		1.46	36.8	14.55	1.48	0.24	0.04	0.27	0.022	0.06	3.4	5.0	0.06	149	98.9	0.01
K735425		1.64	48.4	3.13	2.06	0.06	0.02	0.10	0.034	0.04	3.0	13.4	0.17	665	2.80	0.01
K735426		4.35	149.0	3.05	2.11	0.08	0.11	0.57	0.034	0.04	3.9	17.6	0.05	3690	4.96	0.01
K735427		2.45	43.1	3.02	2.04	0.06	0.02	0.32	0.039	0.04	3.3	9.4	0.10	411	2.50	<0.01
K735428		2.62	39.6	6.26	1.42	0.11	0.03	0.30	0.073	0.05	1.7	2.8	0.03	267	8.08	0.01
K735429		2.60	57.0	13.25	1.63	0.19	0.03	0.38	0.046	0.04	2.0	4.4	0.06	198	8.64	0.01
K735430		0.34	58.4	3.81	0.79	0.06	0.38	2.70	0.007	0.06	1.6	2.0	0.02	104	16.90	0.01
K735431		3.52	28.7	2.36	1.85	0.06	0.04	0.36	0.029	0.04	2.3	5.5	0.05	151	6.96	0.01
K735432		3.45	64.1	6.37	1.97	0.11	0.05	0.31	0.053	0.04	1.9	7.2	0.08	359	4.40	0.01
K735433		2.52	65.2	6.04	2.66	0.11	0.05	0.30	0.040	0.04	2.4	7.8	0.09	30800	11.35	0.01
K735434		1.89	70.1	2.90	2.66	0.07	0.04	0.11	0.031	0.05	3.1	16.3	0.22	947	2.96	0.01
K735435		3.75	41.5	2.66	2.78	0.08	0.04	0.96	0.045	0.06	3.9	2.6	0.03	37	20.6	0.01
K735436		2.58	60.8	4.23	2.32	0.07	0.02	0.17	0.052	0.04	2.4	6.5	0.09	547	2.41	0.01
K735437		3.50	36.9	8.21	1.78	0.13	0.03	0.44	0.043	0.06	2.8	6.1	0.04	698	5.69	0.01
K735438		2.18	72.0	0.97	1.29	<0.05	0.04	0.20	0.018	0.04	2.9	4.2	0.02	2360	10.05	0.01
K735439		2.88	80.2	3.22	1.98	0.09	0.08	0.29	0.033	0.04	4.6	11.7	0.08	4620	8.35	0.01
K735440		0.92	34.2	2.53	1.67	0.07	0.04	0.11	0.026	0.05	3.7	8.9	0.14	257	5.70	0.01
K735441		1.17	64.1	2.51	1.95	0.08	0.06	0.13	0.029	0.05	5.1	12.8	0.19	614	8.14	0.01
K735442		1.49	156.5	3.90	2.51	0.10	0.10	0.16	0.049	0.06	2.2	21.5	0.15	419	15.10	0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: GOLDEN PREDATOR CANADA CORP.
888 DUNSMUIR STREET
11TH FLOOR
VANCOUVER BC V6C 3K4

Finalized Date: 25-OCT-2011
Account: GOPRED

Project: Selwyn

CERTIFICATE OF ANALYSIS WH11171440

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
K735402		0.15	252	2220	17.8	7.2	0.006	0.11	5.01	3.1	7.4	0.4	147.0	<0.01	0.14	1.1
K735403		0.26	130.0	2320	15.5	8.8	0.005	0.10	4.32	2.3	6.0	0.4	138.0	<0.01	0.11	1.1
K735404		0.20	246	9220	16.9	12.3	0.005	0.16	7.96	2.3	18.7	0.4	191.0	<0.01	0.24	1.0
K735405		0.15	208	5170	17.4	8.7	0.007	0.13	7.06	2.8	11.1	0.4	191.5	<0.01	0.19	1.1
K735406		0.16	125.5	2720	15.9	6.7	0.005	0.08	4.32	3.0	5.7	0.3	127.5	<0.01	0.14	1.1
K735407		0.17	1285	2490	13.0	6.0	0.010	0.15	5.93	8.2	11.7	0.3	160.5	0.03	0.15	2.2
K735408		0.29	289	2330	8.9	7.9	0.003	0.07	5.76	2.4	6.2	0.3	88.7	<0.01	0.12	1.2
K735409		0.33	27.5	1030	13.9	7.3	0.003	0.05	1.45	3.9	2.2	0.4	31.9	<0.01	0.08	2.1
K735410		0.17	16.5	2250	17.4	5.2	0.006	0.14	17.15	1.9	5.2	0.2	36.4	<0.01	0.09	1.4
K735411		0.14	69.1	730	9.1	8.1	0.052	0.36	3.28	2.6	4.0	0.2	67.2	<0.01	0.08	1.7
K735412		0.22	36.1	600	12.7	5.9	0.002	0.06	0.88	3.0	1.5	0.2	43.1	<0.01	0.07	1.2
K735413		0.39	59.2	640	10.7	6.2	0.001	0.03	1.80	3.0	1.6	0.2	16.1	<0.01	0.05	2.3
K735414		0.36	39.9	590	13.5	8.6	0.001	0.03	1.08	3.2	2.6	0.3	34.8	<0.01	0.06	1.2
K735416		0.35	39.7	580	13.7	8.0	0.001	0.03	1.08	3.1	2.7	0.3	33.9	<0.01	0.06	1.1
K735417		0.33	57.2	940	17.0	12.5	0.002	0.06	1.17	4.4	3.6	0.4	99.5	<0.01	0.08	1.1
K735418		0.27	101.0	1450	10.5	8.0	0.003	0.07	3.33	2.4	2.7	0.3	59.2	<0.01	0.07	1.2
K735419		0.37	148.0	2580	11.1	8.2	0.005	0.10	3.25	3.9	3.7	0.3	47.9	0.01	0.07	1.7
K735420		0.17	527	1830	17.2	7.8	0.006	0.25	3.93	5.3	5.6	0.3	101.0	0.01	0.12	1.5
K735421		0.32	10.5	2820	15.4	5.2	0.006	1.87	6.46	5.7	10.0	0.3	42.2	<0.01	0.16	1.9
K735422		0.29	34.8	2330	13.0	8.6	0.010	0.37	17.05	5.6	10.4	0.3	61.3	0.01	0.12	1.6
K735423		0.31	105.0	1430	14.4	9.7	0.003	0.06	2.55	3.2	3.4	0.3	41.8	<0.01	0.10	1.0
K735424		0.32	24.4	>10000	10.3	7.3	0.005	0.71	39.8	3.1	10.1	0.2	74.3	0.01	0.18	1.1
K735425		0.25	30.1	630	11.7	5.9	0.002	0.03	1.86	4.0	1.9	0.3	19.3	<0.01	0.07	1.4
K735426		0.29	109.5	2420	14.1	9.2	0.003	0.22	1.05	5.0	5.0	0.3	46.3	0.01	0.10	1.2
K735427		0.21	44.9	850	12.9	7.0	0.002	0.05	1.03	3.2	2.9	0.3	41.7	<0.01	0.08	0.9
K735428		0.22	14.2	910	11.2	6.4	0.008	0.38	3.12	7.7	5.1	0.3	41.4	<0.01	0.11	1.3
K735429		0.25	17.9	1790	12.9	5.1	0.005	1.00	7.57	3.9	6.1	0.2	20.5	<0.01	0.15	1.2
K735430		0.20	15.7	60	15.8	3.2	0.001	0.15	27.0	0.9	1.8	2.5	34.2	<0.01	0.07	0.7
K735431		0.23	257	1220	11.8	8.5	0.004	0.06	3.76	2.0	2.8	0.3	32.1	<0.01	0.08	1.8
K735432		0.20	27.8	1520	18.0	6.1	0.003	0.23	2.07	7.8	4.7	0.3	36.2	<0.01	0.11	1.2
K735433		0.24	205	920	12.0	6.1	0.004	0.12	2.90	5.4	4.3	0.3	56.9	0.01	0.11	1.1
K735434		0.18	58.0	680	14.2	6.6	0.001	0.06	1.31	3.9	1.6	0.3	45.2	<0.01	0.09	1.4
K735435		0.21	7.4	2790	23.3	10.3	0.005	0.13	7.26	1.3	8.8	0.5	27.7	<0.01	0.10	0.3
K735436		0.21	36.4	720	17.3	5.8	0.002	0.06	1.24	4.0	3.7	0.3	27.2	<0.01	0.13	1.3
K735437		0.26	25.0	1970	16.6	8.4	0.002	0.64	3.61	4.8	4.7	0.3	30.2	<0.01	0.13	1.2
K735438		0.14	116.0	2360	8.7	6.5	0.006	0.05	2.51	2.3	3.4	0.2	10.3	<0.01	0.07	0.8
K735439		0.27	115.5	4020	10.6	7.8	0.003	0.14	2.83	4.6	6.0	0.3	46.7	0.01	0.10	1.3
K735440		0.15	35.4	1710	11.4	5.3	0.003	0.04	1.31	3.2	3.0	0.2	52.0	<0.01	0.05	1.8
K735441		0.24	155.0	1950	11.5	7.3	0.007	0.06	1.83	3.3	4.2	0.2	68.9	0.01	0.08	1.4
K735442		0.20	59.7	570	13.0	6.3	0.005	1.05	2.75	7.3	6.3	0.3	40.0	0.01	0.12	1.6

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: GOLDEN PREDATOR CANADA CORP.
888 DUNSMUIR STREET
11TH FLOOR
VANCOUVER BC V6C 3K4

Finalized Date: 25-OCT-2011
Account: GOPRED

Project: Selwyn

CERTIFICATE OF ANALYSIS WH11171440

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	Au-OG44
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr	Au
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5	0.01
K735402		0.005	0.42	6.13	125	0.13	14.80	2310	0.8	
K735403		0.009	0.52	5.54	128	0.15	10.40	1180	0.6	
K735404		0.008	2.14	5.86	214	0.22	16.70	838	1.2	
K735405		0.006	0.87	9.62	199	0.18	15.05	1390	0.9	
K735406		0.005	0.52	5.82	121	0.13	14.60	1200	0.6	
K735407		<0.005	0.57	7.96	109	0.18	114.0	5160	2.3	
K735408		0.009	0.49	4.74	166	0.13	9.86	4530	0.8	
K735409		0.005	0.14	1.21	39	0.15	7.70	184	0.5	
K735410		0.005	0.70	1.58	125	0.17	3.94	90	<0.5	
K735411		0.008	0.99	4.12	81	0.08	11.25	148	2.1	
K735412		0.009	0.08	0.65	25	0.07	6.34	136	0.6	
K735413		0.011	0.09	1.09	23	0.21	6.12	217	0.6	
K735414		0.010	0.09	0.61	32	0.11	7.28	130	0.8	
K735416		0.009	0.08	0.58	32	0.11	7.23	129	0.8	
K735417		0.008	0.13	1.00	34	0.09	10.80	211	1.5	
K735418		0.010	0.38	1.66	69	0.47	7.84	350	0.8	
K735419		0.011	1.02	3.40	80	0.13	13.40	653	1.4	
K735420		0.007	0.94	3.70	63	0.07	28.6	952	1.0	
K735421		0.008	0.71	1.78	201	0.12	3.46	65	1.5	
K735422		0.009	0.85	4.66	187	0.89	20.0	227	2.1	
K735423		0.009	0.59	1.90	68	0.11	10.00	543	1.0	
K735424		0.009	0.58	2.06	355	0.11	11.30	107	1.2	
K735425		0.009	0.08	0.71	25	0.36	6.26	143	<0.5	
K735426		0.008	0.13	1.27	24	0.08	20.0	311	2.9	
K735427		0.008	0.08	0.91	27	0.07	7.51	138	0.5	
K735428		0.010	0.24	2.05	47	0.08	6.08	75	0.8	
K735429		0.007	0.16	1.24	106	0.05	6.21	137	1.0	
K735430		0.016	10.35	1.05	11	3.38	2.20	18	12.4	0.20
K735431		0.010	0.22	2.13	44	0.07	4.98	1820	1.0	
K735432		0.007	0.09	1.84	32	0.05	8.12	151	1.5	
K735433		0.007	0.40	2.23	37	0.07	10.75	638	1.4	
K735434		0.008	0.08	1.01	28	0.08	9.22	177	0.8	
K735435		0.009	0.62	10.20	226	1.94	12.35	76	0.9	
K735436		0.009	0.06	1.06	37	0.05	5.55	188	0.5	
K735437		0.008	0.17	1.52	57	0.09	7.71	184	0.7	
K735438		0.007	0.15	2.67	32	0.07	9.38	394	1.1	
K735439		0.009	0.35	3.80	111	0.82	35.5	978	1.8	
K735440		0.008	0.19	0.86	25	<0.05	13.25	130	0.6	
K735441		0.010	0.26	1.07	28	0.07	19.65	677	1.0	
K735442		0.008	0.26	3.14	63	0.06	15.80	246	3.5	

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: GOLDEN PREDATOR CANADA CORP.
888 DUNSMUIR STREET
11TH FLOOR
VANCOUVER BC V6C 3K4

Finalized Date: 25-OCT-2011
Account: GOPRED

Project: Selwyn

CERTIFICATE OF ANALYSIS WH11171440

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg 0.02	Au-ST44 Au ppm 0.0001	ME-MS41 Ag ppm 0.01	ME-MS41 Al % 0.01	ME-MS41 As ppm 0.1	ME-MS41 Au ppm 0.2	ME-MS41 B ppm 10	ME-MS41 Ba ppm 10	ME-MS41 Be ppm 0.05	ME-MS41 Bi ppm 0.01	ME-MS41 Ca % 0.01	ME-MS41 Cd ppm 0.01	ME-MS41 Ce ppm 0.02	ME-MS41 Co ppm 0.1	ME-MS41 Cr ppm 1
K735443		6.12	0.0040	1.08	1.62	14.1	<0.2	<10	360	2.46	0.13	0.04	5.61	4.31	12.9	14
K735444		7.04	0.0035	0.49	0.26	10.0	<0.2	<10	610	0.39	0.12	0.12	2.13	2.93	6.1	9
K735445		0.14	0.0029	0.21	1.05	3.7	<0.2	<10	80	0.19	0.05	0.61	0.15	9.18	7.2	29
K735446		6.32	0.0047	0.69	0.76	12.1	<0.2	<10	660	0.38	0.15	0.46	1.25	9.66	6.4	15
K735447		6.10	0.0050	1.55	0.65	16.5	<0.2	<10	310	0.26	0.14	0.12	0.37	5.19	5.8	34
K735448		6.30	0.0033	0.82	2.36	14.2	<0.2	<10	1500	2.36	0.11	0.55	31.5	9.34	124.5	22
K735449		6.24	0.0053	0.60	1.53	13.2	<0.2	<10	1270	1.58	0.16	0.38	31.7	11.20	45.5	18
K735451		5.76	0.0051	1.03	1.23	65.1	<0.2	<10	530	2.22	0.20	0.14	8.23	5.74	149.5	14
K735452		7.00	0.0014	1.46	0.86	39.2	<0.2	<10	2590	0.78	0.13	0.38	39.0	13.45	9.5	26
K735453		6.46	0.0069	0.71	0.89	64.0	<0.2	<10	1120	1.31	0.16	0.40	20.3	9.71	49.6	12
K735454		5.40	0.0021	0.43	1.23	35.5	<0.2	<10	580	4.77	0.14	0.22	20.7	6.87	69.4	10
K735455		5.76	0.0009	0.51	0.28	25.6	<0.2	<10	150	0.26	0.14	0.03	0.32	2.68	15.4	5
K735456		5.60	0.0010	0.36	4.73	49.2	<0.2	<10	130	3.59	0.08	0.07	1.13	5.36	71.0	5
K735457		6.50	0.0030	0.55	1.65	65.6	<0.2	<10	1120	1.81	0.22	0.14	2.01	7.36	56.3	21
K735458		6.72	0.0019	0.75	0.86	41.8	<0.2	<10	1230	0.42	0.13	0.24	20.3	8.81	10.6	16
K735459		6.00	0.0014	1.88	0.82	33.4	<0.2	<10	1100	0.59	0.12	0.59	15.15	10.80	8.8	23
K919888		5.80	0.0020	1.66	0.83	34.0	<0.2	<10	480	0.45	0.20	0.02	0.24	4.08	4.0	29
K919889		5.72	0.0041	1.57	2.77	15.1	<0.2	<10	630	1.52	0.18	0.07	0.15	6.96	8.7	19
K919890		7.08	0.0020	0.62	1.07	23.2	<0.2	<10	750	0.57	0.17	0.06	0.21	7.91	5.9	18
K919891		6.24	0.0022	1.04	0.34	26.4	<0.2	<10	970	0.26	0.12	0.07	1.08	4.81	1.4	12
K919892		6.20	0.0025	0.46	0.84	27.0	<0.2	<10	1380	0.70	0.14	0.16	1.80	8.06	15.1	16
K919893		5.90	0.0030	0.22	1.37	21.8	<0.2	<10	1130	1.63	0.21	0.21	5.47	8.21	60.1	24
K919895		0.12	>0.1000	0.11	1.25	48.3	0.2	<10	110	0.21	0.10	1.36	0.35	10.50	6.6	28
K919896		6.26	0.0019	0.17	0.71	20.5	<0.2	<10	890	0.59	0.17	0.17	0.30	5.87	11.3	15
K919897		6.80	0.0016	0.41	1.88	30.2	<0.2	<10	870	2.92	0.19	0.26	1.97	13.45	72.9	19
K919898		6.64	0.0032	0.21	0.53	57.8	<0.2	<10	990	0.42	0.15	0.07	0.18	3.19	8.0	17
K919899		5.90	0.0030	0.86	1.11	21.7	<0.2	<10	1350	0.85	0.20	0.28	0.92	6.75	14.7	21
K919900		6.06	0.0031	1.67	0.38	33.4	<0.2	<10	160	0.32	0.13	0.06	0.14	3.04	3.6	11
K919958		7.24	0.0052	2.96	1.76	42.2	<0.2	<10	1050	3.62	0.15	0.43	124.0	12.50	255	21
K919959		6.66	0.0009	2.09	0.75	74.3	<0.2	<10	870	1.20	0.12	0.20	5.77	11.30	4.5	19
K919960		7.32	0.0014	3.92	0.45	23.7	<0.2	10	800	0.83	0.15	0.94	12.75	19.35	12.7	38
K919961		8.36	0.0017	2.21	0.58	39.0	<0.2	<10	760	0.93	0.17	0.75	33.1	26.7	12.6	26
K919962		7.40	0.0043	1.04	0.48	32.0	<0.2	<10	590	0.47	0.11	0.77	10.25	13.15	10.0	11
K919963		7.18	0.0054	1.35	0.66	17.9	<0.2	<10	530	1.09	0.18	0.39	21.7	17.35	63.7	19
K919964		7.94	0.0056	1.34	0.61	24.3	<0.2	<10	720	0.88	0.20	0.32	44.5	11.25	16.9	16
K919965		0.14	0.0010	0.15	1.00	3.3	<0.2	<10	80	0.20	0.04	0.64	0.17	8.49	6.3	28
K919966		7.50	0.0023	3.13	0.35	21.6	<0.2	<10	540	0.53	0.13	0.47	8.67	11.20	3.7	27
K919967		7.22	0.0025	2.05	0.52	50.4	<0.2	<10	490	0.87	0.16	0.63	45.9	19.85	11.4	25
K919968		7.90	0.0049	2.13	0.47	36.1	<0.2	<10	370	0.78	0.17	0.56	8.64	17.00	9.6	20
K919969		7.24	0.0018	0.56	0.56	12.0	<0.2	<10	2540	0.34	0.18	0.37	1.61	5.23	7.9	10

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: GOLDEN PREDATOR CANADA CORP.
888 DUNSMUIR STREET
11TH FLOOR
VANCOUVER BC V6C 3K4

Finalized Date: 25-OCT-2011
Account: GOPRED

Project: Selwyn

CERTIFICATE OF ANALYSIS WH11171440

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
K735443		1.06	130.5	2.85	1.39	0.05	0.07	0.21	0.028	0.06	2.2	2.6	0.03	944	2.85	0.01
K735444		1.05	48.9	2.44	0.89	<0.05	0.02	0.19	0.024	0.04	1.5	0.9	0.04	177	2.56	0.01
K735445		0.29	20.6	1.99	4.00	0.09	0.24	0.04	0.015	0.06	4.3	7.5	0.47	303	4.06	0.05
K735446		1.15	42.6	2.20	2.32	0.06	0.03	0.25	0.026	0.06	4.6	10.7	0.12	228	6.39	0.01
K735447		1.40	63.4	13.85	1.50	0.15	0.06	0.36	0.056	0.07	2.4	2.6	0.04	136	18.25	<0.01
K735448		1.82	87.9	5.56	1.84	0.13	0.06	0.30	0.034	0.08	4.4	13.4	0.13	6250	10.50	0.01
K735449		1.28	120.0	3.05	2.23	0.13	0.05	0.15	0.034	0.07	5.2	21.8	0.16	1440	7.06	0.01
K735451		2.93	179.5	7.64	2.33	0.14	<0.02	0.12	0.054	0.05	2.5	17.0	0.08	11900	17.95	0.01
K735452		0.90	116.5	1.87	2.28	0.19	<0.02	0.28	0.025	0.09	8.8	1.6	0.04	756	21.9	0.01
K735453		1.20	193.0	2.97	1.40	0.12	0.02	0.25	0.035	0.06	5.1	4.9	0.06	5240	16.60	0.01
K735454		2.56	146.5	4.45	1.64	0.12	0.03	0.39	0.049	0.05	3.1	9.1	0.04	2780	9.17	0.01
K735455		1.78	34.6	6.53	0.84	0.11	<0.02	0.22	0.032	0.04	0.9	1.1	0.02	629	13.90	0.01
K735456		1.35	74.1	5.01	1.26	0.14	0.06	0.09	0.018	0.03	1.5	20.7	0.04	3410	17.50	<0.01
K735457		3.05	70.7	4.28	3.29	0.12	0.02	0.18	0.031	0.05	3.4	34.9	0.20	2800	2.94	0.01
K735458		1.51	55.7	3.14	2.22	0.13	0.02	0.30	0.029	0.07	4.8	8.5	0.08	359	40.5	0.01
K735459		0.98	82.2	2.47	2.30	0.14	0.02	0.54	0.024	0.08	7.0	6.8	0.09	1000	32.0	0.01
K919888		2.33	58.0	6.34	2.59	0.11	0.02	0.22	0.054	0.05	2.0	9.1	0.08	107	2.53	0.01
K919889		2.40	69.8	2.52	2.91	0.11	0.06	0.28	0.036	0.06	3.2	38.1	0.10	307	1.90	0.01
K919890		1.94	45.7	3.45	2.43	0.11	0.03	0.19	0.045	0.04	3.8	18.0	0.11	172	2.40	0.01
K919891		0.98	45.4	1.54	1.39	0.13	<0.02	0.22	0.017	0.07	2.8	1.1	0.01	74	17.65	<0.01
K919892		1.57	40.9	3.07	2.28	0.11	<0.02	0.14	0.028	0.05	3.8	15.4	0.15	965	17.20	0.01
K919893		2.27	99.2	4.01	2.84	0.13	0.03	0.11	0.042	0.05	2.8	51.7	0.27	4010	4.24	0.01
K919895		0.45	48.1	2.96	4.36	0.15	0.29	0.34	0.020	0.10	5.0	9.3	0.57	410	9.56	0.08
K919896		0.97	38.4	3.22	2.21	0.11	<0.02	0.08	0.031	0.04	2.3	13.5	0.20	579	2.68	0.01
K919897		1.93	93.6	3.77	2.35	0.14	0.04	0.18	0.042	0.06	5.4	41.4	0.23	2080	2.62	0.01
K919898		1.72	76.2	2.92	1.66	0.10	<0.02	0.10	0.027	0.03	1.3	10.5	0.12	528	1.75	0.01
K919899		2.89	65.4	3.22	2.78	0.11	0.03	0.25	0.035	0.06	2.9	21.7	0.20	909	2.40	0.01
K919900		2.70	43.2	15.45	1.46	0.13	<0.02	0.15	0.038	0.05	1.5	2.8	0.03	85	10.50	<0.01
K919958		1.53	1005	3.66	2.08	0.16	0.03	0.69	0.027	0.10	7.1	3.8	0.06	18900	35.2	0.01
K919959		1.35	174.5	2.67	2.22	0.14	<0.02	0.42	0.024	0.11	6.3	1.5	0.02	209	25.6	<0.01
K919960		1.06	145.0	1.71	2.06	0.16	<0.02	0.60	0.026	0.13	12.0	2.7	0.07	1100	18.25	0.01
K919961		1.12	178.0	2.59	2.16	0.20	<0.02	0.62	0.029	0.11	17.7	4.7	0.09	1160	41.4	0.01
K919962		0.60	34.6	5.07	1.53	0.13	0.06	0.37	0.016	0.07	7.9	3.5	0.11	7450	27.6	0.01
K919963		1.46	110.5	2.17	1.80	0.14	0.03	0.49	0.027	0.10	9.4	3.1	0.07	2670	11.05	<0.01
K919964		1.99	92.3	2.41	1.95	0.12	0.02	0.48	0.024	0.09	6.2	3.5	0.05	9280	26.8	<0.01
K919965		0.28	18.9	1.92	3.70	0.16	0.27	0.03	0.016	0.06	4.1	7.8	0.45	311	3.85	0.05
K919966		1.19	101.0	1.57	1.52	0.14	<0.02	0.74	0.021	0.11	7.3	1.6	0.05	750	15.75	<0.01
K919967		1.12	157.5	2.92	2.07	0.15	<0.02	0.57	0.025	0.11	12.9	4.4	0.09	1080	42.2	<0.01
K919968		1.08	111.0	3.13	1.59	0.15	<0.02	1.03	0.029	0.11	9.1	2.5	0.06	490	22.6	0.01
K919969		2.87	35.9	6.49	1.64	0.11	0.03	0.19	0.026	0.06	2.5	7.8	0.09	556	5.83	0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: GOLDEN PREDATOR CANADA CORP.
888 DUNSMUIR STREET
11TH FLOOR
VANCOUVER BC V6C 3K4

Finalized Date: 25-OCT-2011
Account: GOPRED

Project: Selwyn

CERTIFICATE OF ANALYSIS WH11171440

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
K735443		0.22	104.0	770	10.9	7.1	0.001	0.10	2.39	4.8	3.3	0.2	25.6	0.01	0.09	0.8
K735444		0.16	48.6	420	8.9	5.8	0.001	0.03	1.80	2.9	1.7	0.2	20.5	<0.01	0.07	0.6
K735445		0.29	20.5	490	2.3	3.2	0.001	0.04	0.30	3.9	0.5	0.3	30.1	<0.01	0.03	0.9
K735446		0.29	41.4	1420	10.2	8.0	0.007	0.05	2.14	1.9	3.1	0.3	59.7	<0.01	0.07	0.6
K735447		0.15	18.6	1150	12.7	7.2	0.010	0.91	5.06	7.6	6.3	0.2	35.0	0.01	0.07	1.4
K735448		0.12	781	2000	9.4	8.7	0.011	0.14	3.29	4.9	4.3	0.3	93.9	<0.01	0.06	1.6
K735449		0.13	428	1300	11.6	8.6	0.008	0.08	1.98	4.3	3.9	0.3	60.9	<0.01	0.08	1.7
K735451		<0.05	297	4050	19.2	6.1	0.003	0.13	4.96	6.6	4.8	0.3	28.3	<0.01	0.20	1.7
K735452		0.06	218	5340	18.0	7.4	0.015	0.15	10.55	2.7	13.3	0.5	129.0	<0.01	0.25	1.7
K735453		<0.05	438	2900	16.8	5.4	0.006	0.11	4.11	5.1	4.4	0.3	56.2	<0.01	0.16	1.7
K735454		0.11	323	670	13.4	7.6	0.006	0.06	3.75	7.6	4.0	0.3	22.0	<0.01	0.04	1.2
K735455		<0.05	26.7	390	10.0	5.5	0.011	0.51	6.30	5.7	3.6	0.3	9.8	<0.01	0.05	0.9
K735456		0.07	218	640	6.4	5.2	0.004	1.19	4.24	2.1	5.4	0.2	15.5	<0.01	0.04	0.9
K735457		0.23	168.0	800	14.5	9.4	0.003	0.07	1.09	4.1	3.1	0.4	37.6	<0.01	0.07	1.4
K735458		0.12	69.6	5690	10.3	10.7	0.008	0.09	8.59	1.7	4.8	0.4	73.2	<0.01	0.10	0.8
K735459		0.12	148.0	4710	16.6	8.2	0.009	0.16	8.97	2.6	9.0	0.4	152.5	<0.01	0.21	1.0
K919888		0.12	17.8	820	17.2	6.1	0.005	0.18	1.11	5.1	4.8	0.4	25.8	<0.01	0.11	1.8
K919889		0.20	29.5	670	12.6	9.8	0.002	0.24	0.51	4.2	4.2	0.5	38.0	<0.01	0.08	1.5
K919890		0.23	24.6	670	11.8	6.6	0.004	0.09	1.07	3.7	2.7	0.4	26.0	<0.01	0.06	1.8
K919891		0.05	12.2	2750	13.5	6.8	0.018	0.13	6.94	1.5	8.9	0.3	65.8	<0.01	0.14	0.6
K919892		0.18	41.6	1330	11.9	7.2	0.007	0.05	3.27	2.6	2.3	0.3	34.9	<0.01	0.10	1.0
K919893		0.08	358	650	15.3	6.2	0.002	0.08	0.97	5.0	2.1	0.4	57.8	<0.01	0.08	1.7
K919895		0.18	31.4	740	3.0	4.1	0.006	0.12	0.96	4.8	0.7	1.7	38.3	<0.01	0.05	1.2
K919896		0.12	34.8	690	11.0	5.0	0.003	0.04	0.88	3.8	1.6	0.3	27.5	<0.01	0.04	1.5
K919897		0.20	248	780	14.3	6.5	0.001	0.10	1.04	7.3	2.9	0.4	48.5	<0.01	0.08	2.4
K919898		<0.05	37.6	370	12.7	4.0	0.003	0.06	2.54	3.4	1.9	0.2	28.6	<0.01	0.08	1.1
K919899		0.16	110.5	610	15.5	8.8	0.004	0.05	1.01	5.2	2.4	0.4	50.4	<0.01	0.05	1.3
K919900		0.05	13.8	2100	11.1	6.1	0.005	1.29	6.80	4.1	5.5	0.3	22.1	<0.01	0.13	1.0
K919958		0.07	1395	3900	12.2	7.1	0.010	0.25	9.78	4.5	8.8	0.4	167.5	<0.01	0.23	1.5
K919959		<0.05	57.6	5070	9.5	7.8	0.016	0.21	7.96	2.3	12.3	0.4	128.5	<0.01	0.11	1.2
K919960		0.07	157.0	4420	25.6	8.2	0.010	0.11	7.07	3.1	12.9	0.4	204	<0.01	0.20	1.6
K919961		0.11	262	2790	16.2	9.8	0.017	0.10	17.10	2.9	9.3	0.6	192.0	<0.01	0.13	1.3
K919962		0.17	709	2380	9.8	8.4	0.012	0.08	5.72	1.9	4.3	0.3	109.5	<0.01	0.08	1.1
K919963		0.10	355	2010	17.5	8.1	0.005	0.12	4.77	2.1	6.0	0.3	112.0	<0.01	0.13	0.9
K919964		0.09	671	2190	14.5	9.7	0.007	0.09	5.28	2.1	4.6	0.3	93.8	<0.01	0.17	0.6
K919965		0.20	19.6	470	2.2	2.6	0.002	0.04	0.33	3.7	0.4	0.3	26.5	<0.01	0.02	0.9
K919966		0.06	83.3	2520	13.9	7.0	0.011	0.15	6.36	2.0	7.8	0.4	165.0	<0.01	0.12	0.6
K919967		0.10	437	2480	16.5	9.3	0.009	0.14	15.15	2.5	12.3	0.5	165.0	<0.01	0.18	0.9
K919968		0.08	175.5	2390	18.6	8.1	0.005	0.14	7.82	2.8	6.9	0.3	182.0	<0.01	0.12	0.8
K919969		0.06	42.5	2100	12.8	8.0	0.001	0.12	0.80	2.6	2.3	0.3	78.0	<0.01	0.05	1.1

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: GOLDEN PREDATOR CANADA CORP.
888 DUNSMUIR STREET
11TH FLOOR
VANCOUVER BC V6C 3K4

Finalized Date: 25-OCT-2011
Account: GOPRED

Project: Selwyn

CERTIFICATE OF ANALYSIS WH11171440

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	Au-OG44
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr	Au
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5	0.01
K735443		0.009	0.17	0.83	45	<0.05	14.60	466	2.2	
K735444		0.008	0.10	0.59	37	<0.05	6.26	291	0.6	
K735445		0.100	0.05	0.26	44	10.75	6.67	36	7.1	
K735446		0.012	0.32	2.55	55	0.10	8.61	162	0.7	
K735447		<0.005	0.44	3.72	84	0.07	13.30	96	1.8	
K735448		<0.005	0.57	4.28	66	0.05	27.1	4800	2.0	
K735449		<0.005	0.40	3.47	47	0.06	31.0	1820	1.5	
K735451		<0.005	0.29	1.26	62	<0.05	16.00	757	0.7	
K735452		<0.005	1.34	6.52	235	0.19	18.75	3230	1.3	
K735453		<0.005	0.58	4.11	103	0.07	25.1	1800	0.8	
K735454		<0.005	0.54	5.05	41	0.05	22.4	2340	0.9	
K735455		<0.005	0.35	1.16	45	<0.05	5.92	179	1.0	
K735456		<0.005	0.28	2.55	30	<0.05	26.8	991	2.1	
K735457		<0.005	0.28	0.85	34	2.14	9.37	494	0.8	
K735458		0.005	0.94	1.83	152	0.11	8.07	376	0.5	
K735459		0.006	0.91	6.24	142	0.18	14.05	1100	0.8	
K919888		<0.005	0.10	1.23	40	<0.05	4.98	103	0.8	
K919889		<0.005	0.16	0.93	33	0.06	12.90	154	1.9	
K919890		0.005	0.12	1.14	33	0.10	7.28	125	0.8	
K919891		<0.005	0.84	2.43	147	0.14	6.68	59	<0.5	
K919892		0.005	0.20	1.05	59	0.36	6.29	205	<0.5	
K919893		<0.005	0.18	0.99	27	<0.05	24.4	568	0.9	
K919895		0.109	0.62	0.52	52	0.69	8.03	56	8.0	NSS
K919896		<0.005	0.08	0.55	21	0.05	6.80	110	<0.5	
K919897		<0.005	0.13	1.42	26	0.07	33.7	644	1.6	
K919898		<0.005	0.07	0.55	25	<0.05	4.74	154	0.5	
K919899		<0.005	0.14	1.18	27	0.05	11.30	290	0.8	
K919900		<0.005	0.28	1.10	94	<0.05	3.07	84	0.5	
K919958		<0.005	0.70	12.45	203	0.12	60.7	8690	1.5	
K919959		<0.005	0.68	9.34	250	0.14	20.1	356	0.6	
K919960		<0.005	0.71	7.14	193	0.13	27.9	736	0.8	
K919961		0.005	0.75	15.35	346	0.23	38.1	1640	0.7	
K919962		0.006	0.34	7.30	168	0.09	13.00	3870	1.7	
K919963		0.005	0.44	11.55	115	0.07	22.3	2230	0.8	
K919964		0.005	0.60	14.80	162	0.07	13.50	1840	0.7	
K919965		0.104	0.05	0.27	44	10.40	5.81	37	6.6	
K919966		<0.005	0.56	8.94	155	0.13	20.9	467	<0.5	
K919967		0.005	0.72	8.81	305	0.20	27.7	3580	<0.5	
K919968		<0.005	0.51	7.71	142	0.09	19.05	1400	<0.5	
K919969		<0.005	0.18	0.73	36	<0.05	7.69	135	0.7	

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: GOLDEN PREDATOR CANADA CORP.
888 DUNSMUIR STREET
11TH FLOOR
VANCOUVER BC V6C 3K4

Finalized Date: 25-OCT-2011
Account: GOPRED

Project: Selwyn

CERTIFICATE OF ANALYSIS WH11171440

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg 0.02	Au-ST44 Au ppm 0.0001	ME-MS41 Ag ppm 0.01	ME-MS41 Al % 0.01	ME-MS41 As ppm 0.1	ME-MS41 Au ppm 0.2	ME-MS41 B ppm 10	ME-MS41 Ba ppm 10	ME-MS41 Be ppm 0.05	ME-MS41 Bi ppm 0.01	ME-MS41 Ca % 0.01	ME-MS41 Cd ppm 0.01	ME-MS41 Ce ppm 0.02	ME-MS41 Co ppm 0.1	ME-MS41 Cr ppm 1
K919970		7.56	0.0046	0.75	1.27	17.5	<0.2	<10	2420	1.23	0.15	0.36	6.58	5.48	47.5	13
K919971		7.70	0.0061	0.76	0.28	11.7	<0.2	<10	260	0.13	0.13	0.02	0.17	2.86	1.9	29
K919972		7.66	0.0038	0.67	0.54	53.3	<0.2	<10	270	0.26	0.09	0.04	0.46	4.07	1.9	9
K919973		6.58	0.0034	1.65	3.13	64.1	<0.2	<10	790	1.66	0.12	0.28	39.3	14.15	193.5	32
K919974		10.02	0.0018	1.38	0.42	33.7	<0.2	<10	560	0.63	0.14	1.54	17.75	17.65	10.0	27
K919975		8.24	0.0008	0.48	0.83	45.8	<0.2	<10	560	1.48	0.21	0.15	0.81	6.98	56.9	14
K919976		7.86	0.0044	1.02	0.86	26.4	<0.2	<10	860	0.68	0.26	0.22	1.43	8.36	19.8	11
K919977		6.34	0.0048	1.36	0.73	255	<0.2	<10	5630	0.42	0.09	0.54	8.10	5.87	23.2	11
K919978		6.90	0.0019	0.60	0.45	72.7	<0.2	<10	1220	0.36	0.22	0.19	0.57	14.00	4.2	9
K919979		6.82	0.0041	1.04	0.66	72.0	<0.2	<10	830	0.15	0.16	0.02	0.05	4.15	2.1	18
K919980		11.10	0.0011	0.36	0.93	53.8	<0.2	<10	1940	0.36	0.13	0.51	2.38	7.73	13.0	12
K919981		<0.02	0.0015	0.37	0.93	53.5	<0.2	<10	1920	0.34	0.12	0.52	2.37	9.68	12.3	13
K919982		6.06	0.0019	0.57	1.30	21.3	<0.2	<10	1870	0.57	0.22	0.37	1.17	9.51	10.7	19
K919983		7.84	0.0031	0.58	1.20	59.1	<0.2	<10	1230	0.35	0.18	0.03	0.18	8.05	7.0	16
K919984		7.96	0.0032	1.93	0.66	39.5	<0.2	<10	2060	0.32	0.22	0.03	0.10	6.02	4.1	17
K919985		7.14	0.0019	1.18	0.82	25.0	<0.2	<10	2040	0.57	0.19	0.09	0.32	7.11	5.4	14
K919986		6.94	0.0030	0.95	0.55	29.5	<0.2	<10	1350	0.27	0.20	0.05	0.21	5.78	3.6	14
K919987		6.86	0.0027	1.02	5.54	13.2	<0.2	<10	550	1.49	0.13	0.09	0.91	8.72	67.0	16
K919988		7.24	0.0027	0.83	0.50	83.9	<0.2	<10	610	0.24	0.14	0.03	0.26	4.61	2.4	10
K919989		7.56	0.0017	0.91	0.71	36.8	<0.2	<10	1620	0.50	0.10	0.59	7.62	10.85	14.0	26
K919990		7.38	0.0025	0.74	3.48	14.7	<0.2	<10	1410	2.91	0.13	0.40	29.3	15.40	264	17
K919991		7.00	0.0025	0.95	0.77	67.2	<0.2	<10	770	0.42	0.14	0.11	0.43	5.51	4.1	15
K919992		7.22	0.0020	0.74	0.59	26.5	<0.2	<10	970	0.30	0.18	0.04	0.14	6.38	2.1	13
K919993		8.24	0.0021	1.59	0.46	38.6	<0.2	<10	910	0.39	0.13	0.15	0.64	7.94	1.5	24
K919994		8.30	0.0019	1.23	1.00	59.0	<0.2	<10	1070	1.11	0.12	0.25	6.54	10.40	91.9	20

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: GOLDEN PREDATOR CANADA CORP.
888 DUNSMUIR STREET
11TH FLOOR
VANCOUVER BC V6C 3K4

Finalized Date: 25-OCT-2011
Account: GOPRED

Project: Selwyn

CERTIFICATE OF ANALYSIS WH11171440

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
K919970		3.01	69.5	6.59	1.71	0.11	0.04	0.26	0.033	0.05	2.6	15.5	0.11	2750	5.84	0.01
K919971		2.20	45.2	10.85	1.34	0.11	<0.02	0.18	0.063	0.07	1.3	1.3	0.01	70	7.69	<0.01
K919972		1.68	15.2	18.40	0.89	0.23	0.03	0.31	0.017	0.05	2.1	1.0	0.01	56	65.2	<0.01
K919973		2.36	42.1	6.21	2.36	0.15	0.15	0.63	0.028	0.10	6.2	24.2	0.02	10150	108.5	0.01
K919974		0.78	91.8	2.23	1.45	0.12	0.03	1.73	0.023	0.08	10.4	1.3	0.35	419	18.45	0.01
K919975		2.44	54.5	3.96	2.07	0.07	0.04	0.13	0.048	0.05	3.3	11.6	0.12	3260	2.40	0.01
K919976		2.35	38.1	8.56	2.42	0.10	0.03	0.41	0.040	0.05	4.1	10.7	0.10	2940	4.03	0.01
K919977		2.38	25.2	12.15	1.71	0.16	0.06	0.26	0.016	0.06	3.1	2.4	0.06	5630	128.5	0.06
K919978		1.52	34.4	4.10	1.43	0.08	0.02	0.53	0.031	0.16	7.0	2.7	0.04	280	26.0	0.01
K919979		2.28	36.8	8.34	2.16	0.10	0.02	0.22	0.029	0.04	2.0	6.1	0.08	60	35.3	0.01
K919980		2.13	17.3	5.92	2.49	0.09	0.06	0.19	0.024	0.03	3.2	13.5	0.26	3660	21.6	0.02
K919981		2.05	17.0	5.96	2.48	0.08	0.07	0.17	0.023	0.03	4.1	13.0	0.26	3640	21.4	0.02
K919982		2.09	29.1	3.70	3.40	0.07	0.06	0.27	0.035	0.05	4.1	24.9	0.37	1290	8.86	0.02
K919983		1.98	55.4	5.65	1.97	0.09	0.06	0.33	0.033	0.06	3.6	7.2	0.08	395	30.2	0.01
K919984		1.97	30.5	3.76	2.38	0.07	0.02	0.95	0.034	0.05	3.1	4.6	0.06	198	9.68	0.02
K919985		2.32	28.1	2.57	2.07	0.06	0.02	0.71	0.033	0.05	3.8	8.7	0.09	182	4.50	0.02
K919986		2.21	26.3	4.29	1.97	0.08	0.02	0.58	0.036	0.05	2.9	5.0	0.07	117	6.66	0.01
K919987		1.79	147.0	2.23	2.31	0.07	0.16	0.27	0.023	0.04	3.3	42.3	0.20	1240	5.90	0.01
K919988		2.63	14.8	8.24	1.69	0.12	0.02	1.07	0.024	0.05	2.4	4.2	0.04	110	50.5	0.01
K919989		1.15	36.6	3.80	2.18	0.08	0.05	0.29	0.027	0.06	5.3	8.3	0.16	2040	17.50	0.02
K919990		1.08	169.0	3.99	1.99	0.12	0.18	0.27	0.028	0.06	6.6	34.1	0.11	7060	16.95	0.01
K919991		2.74	36.2	11.05	1.99	0.14	0.04	0.27	0.041	0.05	2.4	7.6	0.11	144	43.9	0.01
K919992		2.54	34.9	1.95	1.93	<0.05	0.03	0.96	0.026	0.07	3.0	3.6	0.06	79	20.5	0.01
K919993		1.15	61.3	2.97	2.38	0.12	0.02	0.41	0.034	0.08	4.8	2.3	0.04	40	26.5	0.01
K919994		1.64	127.0	3.64	2.24	0.11	0.04	0.38	0.025	0.08	5.9	4.0	0.04	4080	86.7	0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: GOLDEN PREDATOR CANADA CORP.
888 DUNSMUIR STREET
11TH FLOOR
VANCOUVER BC V6C 3K4

Finalized Date: 25-OCT-2011
Account: GOPRED

Project: Selwyn

CERTIFICATE OF ANALYSIS WH11171440

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
K919970		0.07	240	2320	11.9	7.6	0.003	0.12	1.09	3.0	3.1	0.3	97.0	<0.01	0.07	1.2
K919971		0.11	7.7	2200	10.4	6.9	0.003	0.93	5.06	2.2	3.6	0.2	36.5	<0.01	0.26	0.9
K919972		0.23	13.5	4240	7.9	5.6	0.008	0.77	18.70	1.4	12.4	0.2	33.8	<0.01	0.13	1.0
K919973		0.13	391	6800	13.2	9.6	0.007	0.39	18.45	3.1	8.9	0.4	98.0	0.02	0.18	1.8
K919974		0.09	148.0	4170	12.1	7.6	0.007	0.06	10.50	2.9	7.7	0.4	113.5	0.01	0.14	1.4
K919975		0.14	108.5	960	15.9	6.2	0.002	0.05	1.36	3.8	2.4	0.3	25.2	0.01	0.13	1.2
K919976		0.34	161.0	950	20.4	9.5	0.003	0.06	1.55	3.3	5.3	0.4	30.2	<0.01	0.21	1.0
K919977		0.23	183.0	>10000	8.0	12.2	0.008	0.07	24.9	1.5	5.9	0.3	209	<0.01	0.20	0.7
K919978		0.11	16.5	6520	13.7	13.2	0.008	0.35	4.70	1.8	5.1	0.4	45.1	<0.01	0.09	1.3
K919979		0.29	10.6	2280	10.4	6.9	0.003	0.36	1.40	3.3	3.5	0.3	24.1	<0.01	0.08	0.9
K919980		0.29	89.0	6180	8.7	14.8	0.009	0.06	2.54	2.3	2.3	0.3	82.9	<0.01	0.06	1.2
K919981		0.28	85.4	6230	8.7	14.4	0.009	0.06	2.50	2.2	2.3	0.3	83.3	<0.01	0.06	1.3
K919982		0.30	45.9	1500	13.7	13.7	0.005	0.06	1.23	3.1	2.7	0.4	55.2	<0.01	0.06	1.5
K919983		0.25	15.9	4090	12.0	9.0	0.005	0.18	3.17	3.2	4.7	0.3	29.1	<0.01	0.09	1.2
K919984		0.22	12.3	1180	18.3	8.6	0.005	0.09	3.13	2.3	6.7	0.5	52.2	<0.01	0.11	0.8
K919985		0.19	25.7	1410	13.9	9.1	0.003	0.08	2.23	2.7	4.0	0.3	28.4	<0.01	0.10	1.0
K919986		0.21	15.9	1110	15.2	8.4	0.005	0.13	2.13	2.6	6.0	0.4	27.0	<0.01	0.10	1.0
K919987		0.28	106.0	810	9.5	7.4	0.004	0.49	0.66	8.2	4.0	0.2	22.3	0.01	0.05	2.0
K919988		0.20	12.1	1710	12.1	8.8	0.006	0.35	15.05	1.7	11.3	0.3	20.8	<0.01	0.10	0.8
K919989		0.23	124.5	4160	7.1	11.7	0.007	0.10	4.94	3.9	3.7	0.3	141.0	<0.01	0.07	1.0
K919990		0.15	702	1310	9.0	8.1	0.007	0.17	2.74	5.3	7.1	0.2	65.9	0.02	0.07	2.0
K919991		0.20	21.3	7810	10.8	10.0	0.005	0.31	17.65	4.2	9.0	0.3	58.5	<0.01	0.11	1.3
K919992		0.13	12.3	1450	13.4	14.1	0.006	0.12	4.49	1.7	3.0	0.4	42.0	<0.01	0.07	0.5
K919993		0.16	13.4	4680	9.1	7.9	0.010	0.17	8.91	2.9	15.9	0.4	111.5	<0.01	0.15	0.7
K919994		0.13	118.0	5630	8.3	8.9	0.013	0.16	10.60	3.0	11.3	0.3	136.0	0.01	0.16	1.4

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: GOLDEN PREDATOR CANADA CORP.
888 DUNSMUIR STREET
11TH FLOOR
VANCOUVER BC V6C 3K4

Project: Selwyn

CERTIFICATE OF ANALYSIS WH11171440

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	Au-OG44
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr	Au
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5	0.01
K919970		<0.005	0.67	4.57	38	0.05	15.20	913	1.0	
K919971		<0.005	0.57	1.53	138	0.09	2.02	47	<0.5	
K919972		<0.005	0.93	3.13	338	0.10	5.77	167	0.9	
K919973		<0.005	3.00	13.10	440	0.24	72.9	2310	3.1	
K919974		<0.005	0.70	4.60	217	0.17	23.4	1800	<0.5	
K919975		<0.005	0.11	0.88	42	0.16	20.6	432	<0.5	
K919976		0.005	0.21	0.70	43	0.11	5.63	363	0.7	
K919977		0.006	2.01	1.59	293	0.16	6.48	489	1.8	
K919978		<0.005	1.12	3.87	85	0.10	5.79	66	<0.5	
K919979		0.005	0.16	0.78	39	0.10	3.07	51	0.5	
K919980		0.005	0.52	2.34	78	0.06	7.07	288	1.6	
K919981		0.005	0.50	2.25	78	0.06	7.25	290	1.6	
K919982		0.005	0.26	1.55	47	0.09	10.90	192	1.4	
K919983		<0.005	0.45	1.95	68	0.10	8.24	84	1.3	
K919984		<0.005	0.41	1.41	72	0.15	4.11	62	0.5	
K919985		<0.005	0.43	1.07	47	0.12	4.28	132	0.5	
K919986		<0.005	0.47	0.93	53	0.12	3.86	82	<0.5	
K919987		0.005	0.20	2.74	19	0.09	25.5	349	4.7	
K919988		<0.005	0.72	0.97	240	0.10	2.73	45	0.5	
K919989		0.005	0.28	4.82	137	0.09	12.15	664	1.0	
K919990		<0.005	0.52	5.27	54	0.12	117.0	2870	2.9	
K919991		<0.005	0.31	2.08	218	0.09	7.82	176	0.9	
K919992		<0.005	0.89	2.12	115	0.09	4.24	46	0.7	
K919993		0.006	0.59	5.39	199	0.18	10.80	65	<0.5	
K919994		<0.005	1.49	6.69	275	0.17	21.7	382	1.0	

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: GOLDEN PREDATOR CANADA CORP.
888 DUNSMUIR STREET
11TH FLOOR
VANCOUVER BC V6C 3K4

Finalized Date: 25-OCT-2011
Account: GOPRED

Project: Selwyn

CERTIFICATE OF ANALYSIS WH11171440

Method	CERTIFICATE COMMENTS
ALL METHODS	NSS is non-sufficient sample.
ME-MS41	Gold determinations by this method are semi-quantitative due to the small sample weight used (0.5g).

Appendix 4
Analytical Methods and Detection Limits

PREP- 41

Standard Preparation: Dry sample and dry- sieve to -180 micron

Sample preparation is the most critical step in the entire laboratory operation. The purpose of preparation is to produce a homogeneous analytical sub-sample that is fully representative of the material submitted to the laboratory.

An entire sample is dried and then dry-sieved using a 180 micron (Tyler 80 mesh) screen. The plus fraction is retained unless disposal is requested. This method is appropriate for soil or sediment samples up to 1 kg in weight.

Method Code	Description
LOG-22	Sample is logged in tracking system and a bar code label is attached.
DRY-22	Low temperature drying of excessively wet samples where the oven temperature is not to exceed 60°C. This method is suitable for more soil and sediment samples that are analyzed for volatile elements.
SCR-41	Sample is dry-sieved to – 180 micron and both the plus and minus fractions are retained.

Sample Preparation Flowchart Package –PREP- 41



Geochemical Procedure

ME- MS41
Ultra- Trace Level Methods Using ICP- MS and ICP- AES

Sample Decomposition:

Aqua Regia Digestion (GEO-AR01)

Analytical Method:

Inductively Coupled Plasma-Atomic Emission Spectroscopy (ICP-AES) Inductively Coupled Plasma - Mass Spectrometry (ICP-MS)

A prepared sample (0.50 g) is digested with aqua regia in a graphite heating block. After cooling, the resulting solution is diluted to with deionized water, mixed and analyzed by inductively coupled plasma-atomic emission spectrometry. Following this analysis, the results are reviewed for high concentrations of bismuth, mercury, molybdenum, silver and tungsten and diluted accordingly. Samples are then analysed by ICP-MS for the remaining suite of elements. The analytical results are corrected for inter-element spectral interferences.

Element	Symbol	Units	Lower Limit	Upper Limit
Silver	Ag	ppm	0.01	100
Aluminum	Al	%	0.01	25
Arsenic	As	ppm	0.1	10 000
Gold	Au	ppm	0.2	25
Boron	B	ppm	10	10 000
Barium	Ba	ppm	10	10 000
Beryllium	Be	ppm	0.05	1 000
Bismuth	Bi	ppm	0.01	10 000
Calcium	Ca	%	0.01	25
Cadmium	Cd	ppm	0.01	1 000
Cerium	Ce	ppm	0.02	500
Cobalt	Co	ppm	0.1	10 000
Chromium	Cr	ppm	1	10 000

Geochemical Procedure

Element	Symbol	Units	Lower Limit	Upper Limit
Cesium	Cs	ppm	0.05	500
Copper	Cu	ppm	0.2	10 000
Iron	Fe	%	0.01	50
Gallium	Ga	ppm	0.05	10 000
Germanium	Ge	ppm	0.05	500
Hafnium	Hf	ppm	0.02	500
Mercury	Hg	ppm	0.01	10 000
Indium	In	ppm	0.005	500
Potassium	K	%	0.01	10
Lanthanum	La	ppm	0.2	10 000
Lithium	Li	ppm	0.1	10 000
Magnesium	Mg	%	0.01	25
Manganese	Mn	ppm	5	50 000
Molybdenum	Mo	ppm	0.05	10 000
Sodium	Na	%	0.01	10
Niobium	Nb	ppm	0.05	500
Nickel	Ni	ppm	0.2	10 000
Phosphorus	P	ppm	10	10 000
Lead	Pb	ppm	0.2	10 000
Rubidium	Rb	ppm	0.1	10 000
Rhenium	Re	ppm	0.001	50
Sulphur	S	%	0.01	10
Antimony	Sb	ppm	0.05	10 000
Scandium	Sc	ppm	0.1	10 000
Selenium	Se	ppm	0.2	1 000
Tin	Sn	ppm	0.2	500
Strontium	Sr	ppm	0.2	10 000

Element	Symbol	Units	Lower Limit	Upper Limit
Tantalum	Ta	ppm	0.01	500
Tellurium	Te	ppm	0.01	500
Thorium	Th	ppm	0.2	10000
Titanium	Ti	%	0.005	10
Thallium	Tl	ppm	0.02	10 000
Uranium	U	ppm	0.05	10 000
Vanadium	V	ppm	1	10 000
Tungsten	W	ppm	0.05	10 000
Yttrium	Y	ppm	0.05	500
Zinc	Zn	ppm	2	10 000
Zirconium	Zr	ppm	0.5	500

NOTE: In the majority of geological matrices, data reported from an aqua regia leach should be considered as representing only the leachable portion of the particular analyte.

Geochemical Procedure

Au- TL43, Au- TL44
Determination of Trace Level Gold by Solvent Extraction – Graphite furnace AAS or ICPMS finish

Sample Decomposition:

Aqua regia gold digestion (GEO-AuAR01/02)

Analytical Method:

Inductively coupled mass spectrometry (ICPMS) or Atomic absorption spectrometry (AAS)

A finely pulverised sample (25 – 50 g) is digested in a mixture of 3 parts hydrochloric acid and 1 part nitric acid (aqua regia). This acid mixture generates nascent chlorine and nitrosyl chloride, which will dissolve free gold and gold compounds such as calaverite, $AuTe_2$.

The dissolved gold is complexed and extracted either with diisobutyl ketone (DIBK) or Kerosene/DBS and determined by graphite furnace AAS. Alternatively gold is determined by ICPMS directly from the digestion liquor. This method allows for the simple and economical addition of extra elements by running the digestion liquor through the ICPAES or ICPMS.

Note: Samples high in sulphide or carbon content may lead to low gold recoveries unless they are roasted prior to digestion.

Method	Element	Sample Mass	Units	Lower Limit	Upper Limit	Default Overlimit Method
Au-TL43m	Gold	25 g	ppm	0.005	2	Au-OG43
Au-TL44m	Gold	50 g	ppm	0.005	2	Au-OG44

Appendix 5
Silt Geochemical Plots
for Select Elements


434,000
437,000
6,924,000
6,920,000
Bedrock Legend
ODR: ROAD RIVER - SELWYN: black shale and chert (1) overlain by orange siltstone (2) or buff platy limestone (3); locally contains beds as old as Middle Cambrian (4); correlations with basinal strata in Richardson Mountains include: ODR1 with CDR2 (upper part) and ODR2 with CDR4 (Road River Gp.)
ODR
K735474
K735475
K735476
K735473
K735471
K735472
K735469
K735470
YUKON
Dawson City
Map Location
Faro
Whitehorse
Watson Lake
Legend
GPD Property Outline
Quartz Claim
Stream Sediment
Elevation (100')
Watercourse
GOLDEN PREDATOR
LCGA Property
Stream Sediment Locations with Regional Bedrock
0 0.4 0.8 1.2
Kilometers
Scale: 1:40,000
Map ID: --
Draw Date: 2012/05/16
Rev. Date: --
Version: 1
Figure: Appendix 5-1
Author: E. O'Brien
Office: Vancouver
Location: 125 km E of Ross River, Yukon Territory
Projection: NAD 1983 UTM Zone 9N
Filename: LCGA_2011_SampleLocations


434,000
437,000
6,924,000
6,920,000
Bedrock Legend
ODR: ROAD RIVER - SELWYN: black shale and chert (1) overlain by orange siltstone (2) or buff platy limestone (3); locally contains beds as old as Middle Cambrian (4); correlations with basinal strata in Richardson Mountains include: ODR1 with CDR2 (upper part) and ODR2 with CDR4 (Road River Gp.)
ODR
3.4
1.5
4.4
3.7
3.7
3.7
4.2
4.4
YUKON
Dawson City
Map Location
Faro
Whitehorse
Watson Lake
Legend
GPD Property Outline
Quartz Claim
Elevation (100')
Watercourse
Au (ppb) Silt
0.1 - 5.6
5.7 - 7.7
7.8 - 9.0
9.1 - 41.9
GOLDEN PREDATOR
LCGA Property
Stream Sediment Geochemistry with Regional Bedrock
0 0.4 0.8 1.2
Kilometers
Scale: 1:40,000 Map ID: --
Draw Date: 2012/05/16 Rev. Date: --
Version: 1 Figure: Appendix 5-2
Author: E. O'Brien Office: Vancouver
Location: 125 km E of Ross River, Yukon Territory
Projection: NAD 1983 UTM Zone 9N
Filename: LCGA_2011_Au


434,000
437,000
6,924,000
6,920,000
Bedrock Legend
ODR: ROAD RIVER - SELWYN: black shale and chert (1) overlain by orange siltstone (2) or buff platy limestone (3); locally contains beds as old as Middle Cambrian (4); correlations with basinal strata in Richardson Mountains include: ODR1 with CDR2 (upper part) and ODR2 with CDR4 (Road River Gp.)
ODR
0.83
1.98
2.17
1.91
0.5
2.96
0.87
YUKON
Dawson City
Map Location
Faro
Whitehorse
Watson Lake
Legend
GPD Property Outline
Quartz Claim
Elevation (100')
Watercourse
Ag (ppm) Silts
0.03 - 1.10
1.11 - 1.60
1.61 - 1.90
1.91 - 3.00
GOLDEN PREDATOR
LCGA Property
Stream Sediment Geochemistry with Regional Bedrock
0 0.4 0.8 1.2
Kilometers
Scale: 1:40,000
Map ID: --
Draw Date: 2012/05/16
Rev. Date: --
Version: 1
Figure: Appendix 5-3
Author: E. O'Brien
Office: Vancouver
Location: 125 km E of Ross River, Yukon Territory
Projection: NAD 1983 UTM Zone 9N
Filename: LCGA_2011_Ag



Scale:	1:40,000	Map ID:	--
Draw Date:	2012/05/16	Rev. Date:	--
Version:	1	Figure:	Appendix 5-4
Author:	E. O'Brien	Office:	Vancouver
Location:	125 km E of Ross River, Yukon Territory		
Projection:	NAD 1983 UTM Zone 9N		
Filename:	LCGA_2011_As		



Scale:	1:40,000	Map ID:	--
Draw Date:	2012/05/16	Rev. Date:	--
Version:	1	Figure:	Appendix 5-5
Author:	E. O'Brien	Office:	Vancouver
Location:	125 km E of Ross River, Yukon Territory		
Projection:	NAD 1983 UTM Zone 9N		
Filename:	LCGA_2011_Cu		



Scale:	1:40,000	Map ID:	--
Draw Date:	2012/05/16	Rev. Date:	--
Version:	1	Figure:	Appendix 5-6
Author:	E. O'Brien	Office:	Vancouver
Location:	125 km E of Ross River, Yukon Territory		
Projection:	NAD 1983 UTM Zone 9N		
Filename:	LCGA_2011_Hg		


434,000
437,000
6,924,000
6,920,000
Bedrock Legend
ODR: ROAD RIVER - SELWYN: black shale and chert (1) overlain by orange siltstone (2) or buff platy limestone (3); locally contains beds as old as Middle Cambrian (4); correlations with basinal strata in Richardson Mountains include: ODR1 with CDR2 (upper part) and ODR2 with CDR4 (Road River Gp.)
ODR
13.1
23.3
57.2
25.4
5.63
7.64
15.1
21.5
YUKON
Dawson City
Map Location
Faro
Whitehorse
Watson Lake
Legend
GPD Property Outline
Quartz Claim
Elevation (100')
Watercourse
Mo (ppm) Silts
0.5 - 15.3
15.4 - 24.7
24.8 - 38.2
38.3 - 57.2
GOLDEN PREDATOR
LCGA Property
Stream Sediment Geochemistry with Regional Bedrock
0 0.4 0.8 1.2
Kilometers
Scale: 1:40,000
Map ID: --
Draw Date: 2012/05/16
Rev. Date: --
Version: 1
Figure: Appendix 5-7
Author: E. O'Brien
Office: Vancouver
Location: 125 km E of Ross River, Yukon Territory
Projection: NAD 1983 UTM Zone 9N
Filename: LCGA_2011_Mo


434,000
437,000
6,924,000
6,920,000
Bedrock Legend
ODR: ROAD RIVER - SELWYN: black shale and chert (1) overlain by orange siltstone (2) or buff platy limestone (3); locally contains beds as old as Middle Cambrian (4); correlations with basinal strata in Richardson Mountains include: ODR1 with CDR2 (upper part) and ODR2 with CDR4 (Road River Gp.)
ODR
248
187
154
242
54.6
62.9
130.5
312
YUKON
Dawson City
Map Location
Faro
Whitehorse
Watson Lake
Legend
GPD Property Outline
Quartz Claim
Elevation (100')
Watercourse
Ni (ppm)
2 - 165
166 - 293
294 - 443
444 - 1100
GOLDEN PREDATOR
LCGA Property
Stream Sediment Geochemistry with Regional Bedrock
0 0.4 0.8 1.2
Kilometers
Scale: 1:40,000 Map ID: --
Draw Date: 2012/05/16 Rev. Date: --
Version: 1 Figure: Appendix 5-8
Author: E. O'Brien Office: Vancouver
Location: 125 km E of Ross River, Yukon Territory
Projection: NAD 1983 UTM Zone 9N
Filename: LCGA_2011_Ni


434,000
437,000
6,924,000
6,920,000
Bedrock Legend
ODR: ROAD RIVER - SELWYN: black shale and chert (1) overlain by orange siltstone (2) or buff platy limestone (3); locally contains beds as old as Middle Cambrian (4); correlations with basinal strata in Richardson Mountains include: ODR1 with CDR2 (upper part) and ODR2 with CDR4 (Road River Gp.)
ODR
4.67
8.86
17.55
12.95
2.8
3.58
8.69
5.75
YUKON
Dawson City
Map Location
Faro
Whitehorse
Watson Lake
Legend
GPD Property Outline
Quartz Claim
Elevation (100')
Watercourse
Sb (ppm)
0.29 - 6.90
6.91 - 9.50
9.51 - 14.10
14.11 - 34.30
GOLDEN PREDATOR
LCGA Property
Stream Sediment Geochemistry with Regional Bedrock
0 0.4 0.8 1.2
Kilometers
Scale: 1:40,000
Map ID: --
Draw Date: 2012/05/16
Rev. Date: --
Version: 1
Figure: Appendix 5-9
Author: E. O'Brien
Office: Vancouver
Location: 125 km E of Ross River, Yukon Territory
Projection: NAD 1983 UTM Zone 9N
Filename: LCGA_2011_Sb


434,000
437,000
6,924,000
6,920,000
Bedrock Legend
ODR: ROAD RIVER - SELWYN: black shale and chert (1) overlain by orange siltstone (2) or buff platy limestone (3); locally contains beds as old as Middle Cambrian (4); correlations with basinal strata in Richardson Mountains include: ODR1 with CDR2 (upper part) and ODR2 with CDR4 (Road River Gp.)
ODR
3410
1920
1120
3510
367
307
1700
1260
YUKON
Dawson City
Map Location
Faro
Whitehorse
Watson Lake
Legend
GPD Property Outline
Quartz Claim
Elevation (100')
Watercourse
Zn (ppm)
7 - 1200
1201 - 2772
2773 - 3799
3800 - 8577
8578 - 9590
GOLDEN PREDATOR
LCGA Property
Stream Sediment Geochemistry with Regional Bedrock
0 0.4 0.8 1.2
Kilometers
Scale: 1:40,000
Map ID: --
Draw Date: 2012/05/16
Rev. Date: --
Version: 1
Figure: Appendix 5-10
Author: E. O'Brien
Office: Vancouver
Location: 125 km E of Ross River, Yukon Territory
Projection: NAD 1983 UTM Zone 9N
Filename: LCGA_2011_Zn