096108

2011 Prospecting, Geological Survey and Geochemical Survey Report

Outpost Property

Claim Names:

Outpost 1 - 71

Grant Numbers:

YE33717-YE33787

Grouping Certificate: HW07200

NTS: 115B/16

Latitude 60^0 57' N Longitude 138^0 17' W

Whitehorse Mining District

Field Work Conducted June 20th to July 31st, 2011

Registered Owner: Solomon Resources Limited
PO Box 938,
Vernon, B.C.
V1T 6M8

Report written by: Randall S. Rogers, P.Geo.

November 1st, 2012

Table of Contents

Appendices:

List of Tables

List of Figures

Introduction

The Outpost Property comprises 71 mineral claims located under the *Yukon Quartz Mining Act* 50 kilometers west of Haines Junction.

The 2011 exploration program comprised prospecting traverses, preliminary geological mapping and stream sediment geochemical surveys on the properties to guide future exploration.

The present report is the summary of the Prospecting, Geological Survey and Geochemical Survey conducted in 2011 on the Outpost Claim Group.

Summary of Previous Investigations

The Outpost Claims are located in a poorly explored belt extending northwest from Haines Junction to the ghost town of Silver City. The property lies along the northern flank of Outpost Mountain and encompasses the drainages of Silver and Boutellier Creeks.

The Outpost Claim Group covers a highly prospective airborne geophysical anomaly in an area with anomalous stream sediment geochemical data. The airborne total magnetic and first vertical derivative anomalies trend sinuously northwesterly through the property and suggest that large scale favourable mineralizing structures or large mafic/ultramafic intrusives may underlie this underexplored geological package and the proximity of the Kluane Ranges Intrusive Suite makes this a compelling target for both epithermal gold and nickel-copper-platinum group mineralization.

The Outpost Mountain area has been intermittently explored since 1892 during which year Jack Dalton and E.J. Glave made an overland trip with four packhorses from the Chilkat River to the shores of Kluane Lake over a foot path which the Chilkat First Nations had used for the preceding two centuries as a trading route to the interior of the Yukon. Klondike prospectors used the Dalton Trail extensively during the 1898-1900 period enroute to the goldfields of the Klondike, but prospecting in the Front Ranges was not established until about 1903 when Silver City was settled at the eastern end of Kluane Lake and became the center of mining activity in the region. Silver City boasted a post office, N.W.M.P. post and Mining Recorder; a wagon road led east through the settlement of Champagne to Whitehorse. The threat of Japanese invasion sparked the building of the Alaska Highway in 1942 and the Haines Road followed in 1944. Improved access in the post war period brought on a brief exploration boom, although no lode mining production is known from the immediate area of the Outpost Claim Group.

This area has a rich history of placer gold mining, with early production reported from Silver and Boutellier Creeks.

A number of regional exploration programs focussed on the Kluane Front Ranges from 1966 through 1988, including programs conducted by the author on behalf of Noranda Exploration Company Ltd.

There are few MINFILE occurrences of note in the vicinity of the Outpost Claim Group.

The central portion of the Outpost Claims stretching from Boutellier Creek to Silver Creek was at one point part of the Ultra Property of Klondike Star Mineral Corporation. Bill Mann's 2006 Assessment Report on the Ultra Property describes work conducted in the 2005 field season

including ground geophysics and prospecting which targeted Cu-Zn massive sulphides, magmatic Ni-Cu-PGM and Cu-Ag veins.

To the east of the Outpost Claim Group a 1958 exploration program by the Gaymont Prospectors Syndicate led to the discovery of magmatic Ni-Cu-PGM mineralization in the headwaters of Cub Creek and a 1977 exploration program by Acquitane Oil led to the discovery of the Telluride Creek massive sulphide showing (MINFILE 115B008) in a cirque 4.5 kilometers south of Cub Creek. Massive sulphide boulders had been first observed by placer miners working Cub Creek during the early years of Silver City. The Frohberg and Telluride showings were worked intermittently by a variety of interests up until 1988, and are currently held by Tom Morgan.

List of Claims

Solomon Resources Limited owns 100% of the Outpost Claim Group.

Solomon geologist Monica Nordling filed an Application to Group Mineral Claims (YQMA Form 12) in respect of these claims on September 7th, 2011 and the writer filed an Application for a Certificate of Work (YQMA Form 4) on May 18th 2012.

The 71 mineral claims (see Figure 1) under Grouping Certificate HW07200 that are subject of this Assessment Report are:

Claims for renewal		Ownership	Expiry Date
Claim name	Grant number		(Current)
Outpost 1 - 71	YE33717-YE33787	Solomon Resources Limited	May 11th, 2015

Table 1: Claims for Renewal

Physiography and Location

The Outpost Claim Group is located 50 kilometers west of the town of Haines Junction. The claims generally occupy a sinuous belt extending north-northwesterly from the alpine uplands immediately southeast of Boutellier Creek and parallel the slope break on the north flank of Outpost Mountain across Silver Creek to the bank of a major unnamed creek draining the western flank of Outpost Mountain.

The Kluane Front Ranges in the vicinity of the claims form a narrow front facade to the St. Elias Mountains, rising steeply from the Shakwak Valley to a maximum elevation of 8500 feet. The slopes are steep and uniform with long talus screes; in general terms the Front Ranges comprise two or three major ridges parallel to the main front connected by high saddles and dissected within the claim group by transverse V-shaped valleys containing Boutellier Creek, Silver Creek and other unnamed drainages.

The forest cover of the property is light, with treeline at approximately 4000 feet elevation. Black spruce, white spruce, balsam, poplar and white poplar dominate the forested slopes; alder willow and sub-alpine flora are found at and above the timberline. Game is plentiful as the claims lie wholly within the Kluane Game Sanctuary.

The claim group is shielded from the Pacific Ocean by the high St. Elias Mountains and thus has a dry continental climate despite the proximity of tidewater. Summers are short and hot with temperatures up to 35 degrees Celsius; winters are severe with short daylight hours and temperatures down to -50 degrees Celsius.

The Alaska Highway runs parallel and approximately 5 kilometers northeast of the Outpost claim group. A four wheel drive road extends from the NW Tel microwave tower at Christmas Creek on the old Alaska Highway and a spur leads up Boutellier Creek to the claim group. From the town of Haines Junction, 50 kilometers to the east, the Haines Highway extends 243 kilometers south from Haines Junction to the deepwater port of Haines, Alaska.

Charter helicopter and fixed wing service is available at Haines Junction and seasonally at Silver City. Commercial accommodation is available in Haines Junction and Silver City, and the former remains the best venue for staging exploration on the Outpost Claims with most of the support services and casual labour pool available that early stage exploration requires.



Figure 2: Location Map

Geological Setting

The Outpost Claim Group is located within the Insular Superterrane which is primarily composed of two older terranes, Wrangellia and Alexandria, which were amalgamated about 320 million years ago. These terranes are composed of island arc and ocean floor volcanic rocks with thick assemblages of overlying oceanic sedimentary rocks that range in age from 400 to 220 million years old.

The Wrangellian Terrane is an extensive accreted oceanic plateau characterized by widespread Triassic flood basalts and complementary intrusive rocks. Flood basalts in this region are believed to have originated by in a mantle plume which erupted onto the extinct Pennsylvanian and Permian Sicker-Skolai island arc.



Figure 3. Terrane Map of Southwest Yukon Showing Outpost Mountain Area. (From Israel *et al* 2006)



Figure 4. Southwestern Yukon Exposure of the Triassic Nikolai Formation *(from Greene, A.R., S. Coates, J.S., Weiss, D., and Israel, S., 2005.)*

The Upper Triassic Nikolai Formation forms a discontinuous linear belt extending 300 kilometers across southwest Yukon and is characterized by basal conglomerate and/or volcanic breccia, amygdaloidal basalt and andesitic flows and local tuff, breccia, shale and limestone. The Nikolai Formation was initially mapped in the Kluane Front Ranges by Kindle (1976) as partly serpentinized peridotite, talc schist and green serpentine schist of Lower Cretaceous or later age, and reported upon by Read and Monger (1976) as Upper Triassic and "typically sparsely porphyritic (augite and plagioclase) meta-basalt with large amygdules of chlorite, pumpellyite, prehnite, quartz, albite, epidote and quartz."

Mafic rocks of similar age and composition to the Nikolai Formation occur in northwestern BC where they are referred to as the Tats Volcanic Complex.

Several stratigraphic sequences overlie the Alexander Terrane and Wrangellia in Southwest Yukon; the oldest of these overlap assemblages are the Upper Jurassic to Lower Cretaceous turbidites of the Dezadeash Formation, one of several packages of similar age that were deposited in basins that developed between the Insular and Intermontane superterranes during the middle Mesozoic.

The regional geological setting of the Outpost Claim Group appears in Figure 5 (in pocket) adapted from Israel *et al* 2006.

Early Cretaceous Kluane Ranges Suite granite and granodiorite at Outpost Mountain locally intrude well bedded siltstone and sandstone of the Upper Jurassic to Lower Cretaceous Dezadeash Formation which in turn overlies a Late Triassic package comprising Nikolai Formation basalt and massive to bedded Chitistone Limestone which appears to lie in fault contact with Permian Hasen Creek siltstone and carbonates.

Work Program: Prospecting, Geological Survey and Geochemical Survey

Solomon field crews conducted prospecting, geological surveys and geochemical exploration surveys on the Outpost Claims from June 20th to July 31st, 2011. Field personnel included: geologists Randy Rogers and Monica Nordling, project manager James Rogers and field assistant Susan Rogers. Corporate CFO Paul Maarschalk assisted in the early stages of the reconnaissance. Field work was staged out Haines Junction as well as a fly camp on the property and logistical support was provided by Trans North Helicopters based out of Haines Junction.

Prospecting

Preliminary prospecting traverses were conducted early in the field season by Randy Rogers and Susan Rogers (Figure 6) initially concentrating on the northern flank of Outpost Mountain from June 20th to June 25th, 2011. Prospecting traverses in late July along Boutellier and Silver Creeks were designed to examine a cross section of the property geology exposed in the stream cuts prior to the preliminary mapping and geochemical sampling which followed. No significant mineralization was encountered and the traverses were primarily for geological orientation.

Road access to the claim group along Boutellier Creek was improved by local First Nations interests and a placer miner during the 2011 field season, and this greatly facilitated access by ATV from the Alaska Highway to the central portion of the claim group.

An exploration fly camp was established on Boutellier Creek from July 25th to July 31st, 2011.

Figure 7 Prospecting Traverse on Northwestern Flank of Outpost Mountain

Figure 8 Prospecting Traverse at Headwaters of Boutellier Creek

Geological Survey

Preliminary geological mapping of the Outpost Claim Group was undertaken by geologist Monica Nordling with the assistance of project manager James Rogers from July 25th to July 31st, 2011

The Preliminary Geological Map prepared by Nordling for the 2011 program appears as Figure 9 (in pocket.)

The Upper Triassic Nikolai Formation was mapped by Nordling as comprising two discontinuous, subparallel bands straddling the eastern portion of the Outpost Claim Group, outcropping primarily in stream cutbanks. Locally, the Nikolai basalts are porphyritic or very fine grained and aphanitic. Porphyritic crystals include hornblende/tremolite, feldspar, chlorite, and quartz. The more schistose variation are observed to contain biotite and rarely muscovite mica. Fibrous serpentine appears as an alteration mineral along fracture surfaces. Albite veining/augens were also observed. The Nikolai greenstone may contain clean, unaltered, disseminated sulphides (primarily arsenopyrite), but large pyrite crystals (0.5-1.5 cm) were observed in more schistose variations. Malachite staining was seen in greenstone along an un-named tributary to Silver Creek, located in a very weathered, iron-stained rock. Weathering is usually red-orange and black with less common purple and brown variations.

The Upper Jurassic to Lower Cretaceous Dezadeash Formation is the dominant map unit of the western portion of the Outpost Claims, generally seen in contact with the Nikolai volcanics in stream cutbanks. Locally, the Dezadeash Formation appears as argillite or pelite with less common greywacke, sandstone and pebble conglomerate. Quartz-filled veins and vugs have been observed in the pelite variation with no visible sulphides. Locally, hydrothermal brecciation appears to follow the dominant fracture set with visible arsenopyrite and pyrite mineralization throughout. The Dezadeash Formation lies in unconformable contact over the Nikolai Formation. Where visible in the field, the contact ranges from unaltered to heavily altered orange and weathered rock.

Nordling mapped the contact between the Dezadeash Formation and the Early Cretaceous Kluane Ranges Suite of granodiorite on the northern flank of Outpost Mountain.

Israel (2006) identified an outlier of Late Triassic Chitistone Limestone in the cutbank of Boutellier Creek but this unit was not confirmed by Nordling in the 2011 program.

Geochemical Survey

Solomon Field crews conducted very preliminary stream sediment surveys on the Outpost Claims in the 2011 field season. A total of 25 stream sediment samples were taken and analyzed at ALS Minerals in North Vancouver, B.C. Silt samples were taken from active water courses free of organic debris and contamination and placed in numbered kraft envelopes. A typical stream sediment sample in this project weighed 0.5 kg (dry)

The stream sediment and soil sample locations are shown in Figure 10 and the gold and arsenic analyses appear in Figures 11 and 12.

The analytical data is summarized in Appendix I and the Certificates of Analysis appear in Appendix II.

Interpretation and Conclusions

Regional geology, regional stream sediment geochemistry and the exploration history of the Telluride and Frohberg showings combined with the preliminary exploration described herein make the Outpost Claims a fairly compelling exploration target.

The recent progress at the Wellgreen Pt-Pd-Ni-Cu project of Prophecy Platinum Corp. and the suggestion that the Wrangellian of southwest Yukon represents a underexplored Ni-Cu-PGE Metallogenic Terrane (Green et al 2004; Hulburt and Stone, 2006) and the as yet unexplained airborne total magnetic and first vertical derivative anomalies which trend northwesterly through the property suggest that large scale favourable mineralizing structures or large mafic/ultramafic intrusives may underlie the Outpost Claim Group. That and the proximity of the Kluane Ranges Intrusive Suite makes this a compelling target for both epithermal gold and nickel-copper-platinum group mineralization.

The very preliminary stream sediment survey suggests that an elevated level of arsenic exists in the un-named drainage on the northwest flank of Outpost Mountain and further exploration should be directed in this drainage to determine the source. There is excellent rock exposure in the western cliff face above this drainage that should provide some insight into underlying geology, but the severe topography here would require mountaineering equipment for a proper geological survey to be conducted. Gold values in stream sediments were unremarkable.

The geological mapping and prospecting traverses conducted in 2011 were very preliminary and served only to delineate the broad contacts of the Nikolai volcanics, Chitistone limestone and Dezadeash clastics. A more detailed mapping program is indicated for the 2013 field season. Particular attention should be paid to the contact of the Ruby Range granodiorite and the sedimentary rocks, and the outlier of Chitistone limestone identified by Israel and Cobbett (2006) should be carefully mapped.

Time constraints in the 2011 field program precluded any rock sampling or manual trenching for assay and this should be part of the 2013 program.

The results of the 2011 field program suggest that the 2013 field program should include ridge and spur reconnaissance soil geochemistry and the establishment of soil geochemical grids on the central portion of the property between Boutellier and Silver Creeks and on the northern flank of Outpost Mountain at the contact with the Ruby Range granodiorite with a sample spacing of 50 meters by 50 meters for a total of 1200 soil samples.

Detailed mapping of the drainage of Boutellier and Silver Creek and the northeastern and northwestern slopes of Outpost Mountain is recommended, with further prospecting traverses in the southern extremities of these drainages and the gorge of the un-named stream draining the northwestern flank of Outpost Mountain. Provision should be made for 100 rock samples for assay.

Depending on results of these inquiries, contingency planning might contemplate a program of ground geophysics and mechanical trenching late in the 2013 field season.

A budget of $ 48,000.00 is proposed for this followup program.

Item	Notes	Cost
Supervising Geologist	5 days @ 750	3,750.00
Project Geologist	15 days @ 400	6,000.00
Project Supervisor	15 days @ 350	4,750.00
Field Assistant	15 days @ 300	4,500.00
Helicopter Support	10 Hr @ 2200	22,000.00
Accommodation	Camp and Commercial	3,000.00
Analytical - Soils	1200 @ $25	3,000.00
Analytical - Rocks	100 @ $100	1,000.00
	TOTAL	**48,000.00**

Table 2: Proposed 2013 Exploration Budget

Statement of Qualifications

I, Randall Stewart Rogers, with business address at Solomon Resources Limited, PO Box 938, Vernon, B.C., V1T 6M8, hereby certify that:

- I am a practising Geologist, resident in Vernon, British Columbia;
- I am a member in good standing with the Association of Professional Engineers and Geoscientists of British Columbia (Licence 35584) and the Association of Professional Engineers, Geologists and Geophysicists of Alberta (Licence 36474);
- I hold a Bachelor of Science (Honours) degree in Geology (1980) from the University of British Columbia;
- I hold a Master of Science degree in Mineral Exploration (1981) from Queen's University at Kingston;
- I have practiced my profession as a geologist since graduation;
- I have a direct interest in the operations of Solomon Resources Ltd.: I am the Chief Executive Officer and President of the Company and a shareholder.
- I have based this report on:
    - Field work conducted by exploration contractors under my direct supervision
    - Historical research into past operations on and adjacent to the subject claims
- I consent to the use of this report for any Filing Statement, Statement of Material Facts, or support document.

Randall S. Rogers M.Sc., P.Geo.

2012-11-01



Statement of Expenditures

An Application for a Certificate of Work (Grouping Certificate HW07199) was filed at Whitehorse Mining Recorder allocating $ 21,300.000 in work to the renewal of these claims.

The Application for Certificate of Work and Cost Summary was registry stamped by the Whitehorse Mining Recorder on May 18th, 2012.

Item	Notes	Cost
Geologist	R.S. Rogers M.Sc., P.Geo.	$ 4,079.00
Geologist	M. Nordling	4,000.00
Field Assistant	S. Rogers	1,080.00
Field Assistant	J. Rogers	2,578.00
Field Assistant	P.Maarschalk	900.00
Helicopter Support	Trans North	3,975.00
Accommodation	Camp and Commercial Accommodation	3,945.00
Analytical	ALS Minerals	743.00
	TOTAL	**$ 21,300.00**

Table 3: Statement of Expenditures

Selected References

Cobbett, Rose Natalie (2011) Timing and kinematics of the Duke River fault : insights into the evolution of the Insular Terrane, southwest Yukon. Thesis Submitted in Partial Fulfillment of the Requirements for the Degree of Master of Science in the Faculty of Graduate Studies (Geology), The university of British Columbia.

Deklerk, R. and Traynor, S., (2005) Yukon MINFILE-A database of mineral occurrences. Yukon Geological Survey

Greene, A.R., S. Coates, J.S., Weiss, D., and Israel, S., (2005) Flood basalts of the Wrangellia Terrane, Southwest Yukon: Implications for the formation of oceanic plateaus, continental crust and Ni-Cu-PGE mineralization. In: Yukon Exploration and Geology 2005, D.S. Emond, L.L. Lewis and G.D. Bradshaw (eds.), Yukon Geological Survey, p. 109-120.

Hulbert, L. and W. Stone (2006) Geology and Metallogeny of the Kluane Mafic –Ultramafic Belt, Yukon Territory, Canada: Eastern Wrangellia – A New Ni-Cu-PGE Metallogenic Terrane. Geological Survey of Canada Bulletin 506, 265 p.

Israel, S. (2004) Geology of Southwestern Yukon (1:250,000 scale. Yukon Geological Survey. Open File 2004-16.

Israel, S. and Rosie Cobbett (2006) Update on Bedrock Mapping in the Kluane Ranges, Southwest Yukon (Yukon Geological Survey Poster Series)

Kindle, E.D. (1953) Dezadeash map-area, Yukon. Geological Survey of Canada, Memoir 268 (Map 1019A).

Mann, W. (2006) Prospecting, Rock Geochemistry and Geophysical Surveying Program on the Ultra Property; Assessment Report Prepared for Klondike Star Mineral Corporation

Muller, J.E., 1967. Kluane Lake map-area, Yukon Territory. Geological Survey of Canada, Memoir 340 (Map 1177A).

Read, P.B. and J.W.H. Monger 1976. Pre-Cenozoic volcanic assemblages of the Kluane and Alsek ranges, southwestern Yukon Territory; in: Read, P.B. and J.W.H. Monger 1976. Pre-Cenozoic volcanic assemblages of the Kluane and Alsek ranges, southwestern Yukon Territory, Geological Survey of Canada, Open File 381.

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SOLOMON RESOURCES LTD.
POX 938
VERNON BC V1T 6M8

Finalized Date: 28- SEP- 2011
This copy reported on
9- DEC- 2011
Account: NUN

CERTIFICATE WH11166373

Project: Outpost and Pacer

P.O. No.:

This report is for 56 Sediment samples submitted to our lab in Whitehorse, YT, Canada on 22- AUG- 2011.

The following have access to data associated with this certificate:

MONICA NORDLING RANDY ROGERS	RANDY ROGERS JAMES ROGERS	JAMES ROGERS

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
SCR- 41	Screen to - 180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- TL43	Trace Level Au - 25g AR	ICP- MS
ME- MS41	51 anal. aqua regia ICPMS	

To: SOLOMON RESOURCES LTD.
ATTN: RANDY ROGERS
POX 938
VERNON BC V1T 6M8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SOLOMON RESOURCES LTD.
POX 938
VERNON BC V1T 6M8

Finalized Date: 28- SEP- 2011
Account: NUN

Project: Outpost and Pacer

CERTIFICATE OF ANALYSIS WH11166373

Sample Description	Method	WEI- 21	Au- TL43	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Recvd Wt.	Au	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
L820001		0.68	0.006	0.09	1.87	7.0	<0.2	10	230	0.53	0.12	1.52	0.29	34.5	22.2	63
L820002		0.62	0.005	0.09	2.09	6.7	<0.2	10	290	0.62	0.12	1.64	0.30	36.2	23.9	69
L820003		0.70	0.003	0.08	1.82	6.2	<0.2	10	220	0.57	0.11	1.61	0.26	29.4	21.8	62
L820004		0.64	0.002	0.08	1.74	6.4	<0.2	10	190	0.48	0.11	1.56	0.24	28.8	19.9	59
L820005		0.68	0.002	0.07	1.73	6.3	<0.2	10	200	0.48	0.10	1.51	0.25	28.4	19.3	57
L820006		0.34	0.006	0.46	1.53	6.1	<0.2	<10	100	0.35	0.08	1.21	0.76	15.70	15.4	63
L820007		0.54	0.004	0.15	2.28	12.1	<0.2	<10	260	0.45	0.12	1.42	0.34	20.1	29.3	92
L820008		0.58	0.003	0.13	2.36	7.8	<0.2	10	330	0.70	0.14	1.95	0.31	33.6	25.7	75
L820009		0.60	0.001	0.09	2.13	7.6	<0.2	10	290	0.69	0.14	1.85	0.30	32.5	24.2	68
L820010		0.62	0.003	0.14	2.43	8.1	<0.2	10	320	0.74	0.16	2.04	0.33	35.9	26.1	80
L820011		0.72	0.002	0.12	2.44	7.9	<0.2	10	340	0.82	0.15	1.83	0.39	35.0	28.1	76
L820012		0.66	0.001	0.09	1.87	7.5	<0.2	10	230	0.65	0.12	1.69	0.28	30.6	22.1	60
L820013		0.50	0.005	0.09	1.20	4	<0.2	10	230	0.26	0.08	16.55	0.36	11.00	15.1	43
L820014		0.72	0.003	0.10	1.36	7.0	<0.2	10	190	0.35	0.09	7.15	0.34	15.65	19.4	52
L820015		0.36	0.003	0.12	1.52	10.2	<0.2	10	320	0.53	0.10	1.99	0.47	26.2	26.6	61
L820016		0.54	0.001	0.09	1.72	3.9	<0.2	10	50	0.38	0.09	3.78	0.11	11.80	12.7	35
L820017		0.60	0.005	0.12	2.58	8.3	<0.2	<10	60	0.46	0.16	2.20	0.16	12.75	27.8	79
L820018		0.54	0.003	0.12	2.42	9.7	<0.2	<10	50	0.57	0.14	2.65	1.27	15.95	21.1	49
L820019		0.64	0.002	0.29	2.44	19.0	<0.2	<10	130	0.48	0.19	1.91	4.01	19.15	41.3	48
L820020		0.62	0.002	0.08	1.36	6.8	<0.2	<10	30	0.23	0.07	9.38	0.63	10.75	20.7	65
L820021		0.56	0.003	0.07	1.30	17.1	<0.2	10	130	0.64	0.08	4.30	0.21	26.8	33.0	74
L820022		0.50	0.008	0.33	1.15	17.4	1.6	10	150	0.64	0.08	4.68	0.20	27.5	32.2	68
L820023		0.76	0.003	0.09	1.27	6.5	<0.2	<10	30	0.17	0.07	8.02	0.65	7.86	23.7	61
L820024		0.64	0.002	0.35	1.19	76.6	<0.2	<10	50	0.22	0.20	0.32	0.39	8.26	12.5	28
L820025		0.28	0.003	0.54	1.18	343	<0.2	<10	40	0.22	0.16	0.28	0.55	10.00	18.4	31
L820026		0.46	0.003	0.53	1.27	210	<0.2	<10	40	0.26	0.16	0.31	0.42	10.35	20.1	31
L820027		0.56	0.001	1.14	0.34	119.0	<0.2	<10	120	0.05	0.27	0.08	0.33	10.00	7.4	19
L820028		0.80	0.001	0.75	0.60	61.1	<0.2	<10	130	0.11	0.24	0.20	0.54	11.20	9.7	20
L820029		0.50	0.001	0.67	0.80	48.0	<0.2	<10	70	0.12	0.18	0.15	0.40	7.48	8.9	31
L820030		0.56	0.002	0.72	2.72	48.9	<0.2	<10	140	0.76	0.21	0.37	7.07	93.4	73.0	47
L820031		0.78	0.001	0.60	2.47	40.4	<0.2	<10	150	0.63	0.20	0.53	32.1	131.5	234	57
L820032		0.50	0.002	0.92	4.39	25.4	<0.2	<10	140	1.93	0.14	0.63	116.5	435	629	32
L820033		0.68	0.001	0.81	4.17	28.1	<0.2	<10	140	1.62	0.14	0.70	122.5	370	596	32
L820034		0.52	0.002	0.55	2.59	30.7	<0.2	<10	180	0.68	0.16	0.63	91.3	199.5	500	52
L820035		0.58	0.002	0.33	1.75	34.7	<0.2	<10	190	0.26	0.18	0.52	9.45	27.7	33.1	67
L820036		0.80	0.006	0.62	2.53	37.0	<0.2	<10	190	0.82	0.18	0.70	82.8	200	488	44
L820037		0.60	0.006	0.09	1.56	3.4	<0.2	10	50	0.34	0.06	3.61	0.09	12.70	13.2	31
L820038		0.78	0.003	0.09	1.72	3.8	<0.2	10	50	0.37	0.09	3.85	0.12	11.85	13.1	36
L820039		0.88	0.002	0.09	1.87	4.8	<0.2	10	50	0.44	0.11	3.96	0.12	13.10	14.3	37
L820040		0.74	0.002	0.07	1.68	3.7	<0.2	10	60	0.37	0.08	3.77	0.09	11.75	12.7	36

Comments: **Corrected copy with sample IDs L820051 to L820056 changed to L820951 to L820956**

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SOLOMON RESOURCES LTD.
POX 938
VERNON BC V1T 6M8

Finalized Date: 28- SEP- 2011
Account: NUN

Project: Outpost and Pacer

CERTIFICATE OF ANALYSIS WH11166373

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
L820001		0.84	58.8	4.00	6.79	0.17	0.12	0.03	0.037	0.11	16.8	18.4	1.27	735	1.00	0.03
L820002		0.90	65.0	4.43	6.96	0.16	0.14	0.03	0.043	0.13	18.1	18.3	1.39	853	0.94	0.04
L820003		0.74	53.8	4.10	6.33	0.17	0.13	0.03	0.034	0.11	14.7	17.0	1.30	726	0.98	0.03
L820004		0.69	50.6	3.89	6.11	0.16	0.14	0.02	0.033	0.11	14.6	16.2	1.27	669	1.04	0.03
L820005		0.63	49.0	3.82	5.72	0.14	0.13	0.02	0.032	0.10	14.7	15.4	1.17	678	0.82	0.03
L820006		0.67	305	2.92	4.20	0.14	0.06	0.17	0.018	0.07	11.0	13.5	1.03	499	1.90	0.02
L820007		0.65	79.0	6.12	7.34	0.13	0.07	0.06	0.037	0.08	9.0	21.1	1.91	3970	1.22	0.03
L820008		1.01	71.2	4.71	7.90	0.15	0.14	0.05	0.049	0.15	17.2	21.9	1.55	946	0.97	0.04
L820009		0.91	63.1	4.55	7.27	0.14	0.16	0.03	0.043	0.13	16.7	21.2	1.42	883	0.98	0.04
L820010		0.93	75.9	4.76	7.73	0.14	0.16	0.04	0.048	0.15	17.4	22.0	1.64	937	1.03	0.04
L820011		1.14	72.9	4.90	8.67	0.14	0.16	0.05	0.050	0.15	18.7	23.7	1.54	970	0.99	0.04
L820012		0.75	59.9	4.07	7.07	0.13	0.15	0.04	0.045	0.11	15.2	20.4	1.27	771	0.89	0.03
L820013		0.35	67.4	2.74	3.34	0.11	0.06	0.03	0.018	0.06	5.7	8.5	1.01	1320	0.83	0.04
L820014		0.38	69.5	3.51	4.20	0.14	0.08	0.03	0.033	0.08	7.6	10.2	1.17	1520	1.18	0.04
L820015		0.32	87.6	4.94	5.12	0.13	0.07	0.04	0.040	0.08	12.5	12.3	1.00	3760	1.80	0.04
L820016		0.97	49.4	3.08	5.90	0.21	0.14	0.02	0.019	0.13	5.9	18.5	1.16	452	0.81	0.04
L820017		0.78	166.0	4.86	7.71	0.18	0.27	0.02	0.022	0.08	6.0	27.8	1.85	777	1.27	0.02
L820018		0.72	92.3	4.72	7.51	0.21	0.27	0.02	0.046	0.08	7.4	29.5	1.61	687	1.54	0.02
L820019		0.91	118.0	5.16	7.11	0.16	0.24	0.06	0.044	0.10	9.3	29.7	1.52	1240	4.02	0.02
L820020		0.29	63.1	3.27	4.62	0.16	0.18	0.06	0.021	0.06	5.2	11.8	1.65	573	1.60	0.02
L820021		0.57	52.1	5.66	4.04	0.15	0.28	0.01	0.048	0.13	11.7	7.4	1.64	1200	1.31	0.08
L820022		0.53	51.0	5.37	3.54	0.15	0.26	0.03	0.042	0.12	12.8	6.2	1.36	1120	1.29	0.08
L820023		0.27	72.4	3.35	4.38	0.16	0.15	0.06	0.018	0.06	3.7	11.0	1.57	529	1.26	0.01
L820024		0.36	81.2	15.75	4.01	0.17	0.11	0.10	0.071	0.05	4.3	18.3	0.59	394	7.28	0.02
L820025		0.55	86.2	24.4	3.72	0.17	0.09	0.05	0.109	0.06	4.9	17.6	0.51	394	10.30	0.02
L820026		0.53	87.6	22.6	4.25	0.18	0.09	0.05	0.219	0.06	4.8	18.1	0.55	417	7.80	0.02
L820027		0.20	64.7	6.81	1.75	0.17	0.07	0.29	0.065	0.05	6.4	4.1	0.15	153	25.8	0.05
L820028		0.22	75.9	6.93	1.95	0.14	0.08	0.14	0.067	0.04	6.2	8.4	0.25	284	15.60	0.03
L820029		0.17	71.5	13.70	3.27	0.14	0.06	0.10	0.069	0.03	4.5	13.4	0.42	304	12.30	0.04
L820030		0.21	414	7.63	4.36	0.29	0.13	0.11	0.140	0.05	37.8	22.1	0.75	2090	12.15	0.02
L820031		0.21	454	7.25	5.06	0.34	0.11	0.07	0.094	0.05	57.1	26.3	0.90	8900	10.35	0.02
L820032		0.23	1085	9.13	7.51	0.95	0.15	0.05	0.147	0.04	212	37.6	0.51	22800	9.48	0.01
L820033		0.21	1095	8.36	7.16	0.86	0.13	0.05	0.158	0.05	195.0	34.3	0.53	24100	11.60	0.01
L820034		0.20	567	6.68	6.57	0.45	0.11	0.07	0.074	0.05	104.5	30.8	0.89	20800	10.45	0.01
L820035		0.23	170.5	4.97	4.55	0.21	0.03	0.05	0.060	0.06	29.5	17.1	0.95	1420	9.12	0.01
L820036		0.20	597	6.99	6.39	0.43	0.14	0.10	0.089	0.05	101.5	25.2	0.78	20700	11.40	0.01
L820037		0.88	50.9	2.93	5.16	0.17	0.12	0.02	0.013	0.14	5.9	18.4	1.07	417	0.76	0.03
L820038		0.93	52.0	3.13	5.87	0.21	0.13	0.02	0.019	0.14	5.6	15.0	1.15	438	0.78	0.04
L820039		1.09	57.2	3.26	5.98	0.18	0.18	0.03	0.021	0.13	6.3	16.1	1.21	486	0.79	0.04
L820040		0.94	54.7	3.11	5.74	0.20	0.13	0.04	0.021	0.14	5.6	15.1	1.14	428	0.79	0.04

Comments: **Corrected copy with sample IDs L820051 to L820056 changed to L820951 to L820956**

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SOLOMON RESOURCES LTD.
POX 938
VERNON BC V1T 6M8

Project: Outpost and Pacer

CERTIFICATE OF ANALYSIS WH11166373

Sample Description	Method Analyte Units LOR	ME- MS41 Nb ppm 0.05	ME- MS41 Ni ppm 0.2	ME- MS41 P ppm 10	ME- MS41 Pb ppm 0.2	ME- MS41 Rb ppm 0.1	ME- MS41 Re ppm 0.001	ME- MS41 S % 0.01	ME- MS41 Sb ppm 0.05	ME- MS41 Sc ppm 0.1	ME- MS41 Se ppm 0.2	ME- MS41 Sn ppm 0.2	ME- MS41 Sr ppm 0.2	ME- MS41 Ta ppm 0.01	ME- MS41 Te ppm 0.01	ME- MS41 Th ppm 0.2
L820001		0.51	43.8	910	6.1	11.6	<0.001	0.05	0.63	11.4	1.0	0.5	172.5	<0.01	0.04	4.7
L820002		0.52	45.1	930	6.6	13.6	0.001	0.06	0.58	12.2	0.9	0.5	208	<0.01	0.03	4.3
L820003		0.44	42.4	890	5.9	10.9	0.001	0.05	0.57	10.4	0.9	0.5	162.0	<0.01	0.04	3.7
L820004		0.43	39.6	910	5.4	10.6	0.001	0.05	0.50	9.6	0.9	0.4	146.5	<0.01	0.03	4.1
L820005		0.40	38.0	860	5.7	9.2	0.001	0.05	0.52	9.6	0.9	0.4	144.0	<0.01	0.02	3.7
L820006		0.63	53.7	920	4.9	8.9	0.003	0.07	2.05	6.8	4.0	1.2	45.7	0.01	0.07	0.6
L820007		0.68	58.3	970	7.7	7.1	0.002	0.05	0.44	9.3	1.5	0.4	79.9	<0.01	0.05	1.6
L820008		0.63	48.8	980	7.2	15.7	<0.001	0.04	0.49	13.6	1.0	0.6	231	<0.01	0.05	3.8
L820009		0.48	45.7	910	6.5	13.4	<0.001	0.04	0.48	12.2	1.0	0.5	196.5	<0.01	0.04	4.3
L820010		0.80	49.9	1010	7.1	15.4	<0.001	0.04	0.56	13.9	1.1	0.6	235	<0.01	0.04	3.6
L820011		0.72	49.5	960	7.1	17.5	<0.001	0.03	0.53	14.7	1.1	0.6	231	<0.01	0.04	4.0
L820012		0.43	43.2	850	5.6	11.1	<0.001	0.02	0.49	11.2	1.0	0.5	172.5	<0.01	0.03	3.7
L820013		0.49	32.2	610	3.1	4.2	0.001	0.09	0.33	5.5	1.0	0.2	220	<0.01	0.02	1.0
L820014		0.54	39.6	740	3.5	4.9	<0.001	0.07	0.44	7.2	0.7	0.3	139.0	<0.01	0.04	1.3
L820015		0.51	51.0	810	4.8	6.0	0.001	0.05	0.47	9.8	1.1	0.4	113.5	<0.01	0.04	2.1
L820016		0.34	21.9	920	4.8	6.0	0.001	0.13	0.31	5.9	0.4	0.3	119.5	<0.01	0.04	1.4
L820017		0.51	51.9	1060	9.6	3.5	<0.001	<0.01	0.54	6.7	0.8	0.4	86.1	<0.01	0.06	1.4
L820018		0.52	40.9	1040	8.2	3.4	0.001	0.01	0.56	6.9	1.2	0.4	104.0	<0.01	0.05	2.2
L820019		0.45	72.7	1070	9.7	4.4	0.011	0.10	1.30	8.2	4.2	0.5	92.5	0.01	0.09	2.1
L820020		0.18	40.2	770	5.0	3.5	0.001	0.23	0.57	6.2	0.7	0.3	145.5	<0.01	0.01	0.8
L820021		0.10	54.5	1320	3.0	8.5	0.003	0.12	0.20	14.6	1.1	0.5	221	<0.01	0.02	1.8
L820022		0.11	48.3	1400	3.9	7.7	0.004	0.13	0.20	13.9	0.8	0.5	249	<0.01	0.03	3.1
L820023		0.16	38.0	690	4.7	2.9	<0.001	0.45	0.51	5.3	1.2	0.2	124.0	<0.01	0.03	0.6
L820024		0.39	34.2	3720	11.8	1.7	0.007	1.56	2.63	3.2	8.1	0.2	45.8	<0.01	0.14	3.2
L820025		0.64	36.5	>10000	9.1	2.4	0.003	1.69	1.88	3.3	17.1	0.3	34.8	<0.01	0.15	5.9
L820026		0.60	34.9	9420	11.3	2.3	0.002	1.83	1.91	4.5	12.1	0.2	41.7	<0.01	0.14	10.1
L820027		0.06	37.9	2280	11.7	1.4	0.046	0.67	7.37	2.0	27.0	0.3	74.5	<0.01	0.20	1.9
L820028		0.15	37.3	1250	10.3	1.1	0.038	0.72	5.77	2.7	17.3	0.3	61.1	<0.01	0.16	1.7
L820029		0.44	28.9	2630	9.5	1.1	0.020	1.52	4.37	2.6	13.1	0.3	40.6	<0.01	0.14	1.5
L820030		0.30	90.7	910	10.5	1.6	0.035	0.53	4.66	12.9	13.8	0.3	39.5	0.01	0.15	3.4
L820031		0.29	203	860	8.5	1.7	0.031	0.28	3.92	10.0	11.5	0.3	44.1	0.01	0.12	2.5
L820032		0.15	565	540	8.6	1.7	0.016	0.43	2.55	18.5	21.6	0.2	56.3	0.02	0.07	2.7
L820033		0.20	585	580	7.2	1.7	0.016	0.33	2.61	18.4	20.4	0.2	64.3	0.02	0.08	2.7
L820034		0.36	559	720	7.1	1.8	0.016	0.20	2.89	9.6	11.3	0.3	51.5	0.01	0.11	1.9
L820035		0.66	136.0	950	7.9	2.1	0.013	0.07	2.44	7.0	9.7	0.4	45.0	0.01	0.09	1.8
L820036		0.33	457	780	7.8	1.7	0.020	0.21	3.33	10.9	13.0	0.3	57.0	0.01	0.11	2.2
L820037		0.36	23.9	910	3.6	5.9	0.001	0.20	0.27	6.8	0.6	0.3	109.0	0.01	0.04	1.3
L820038		0.30	22.2	960	3.6	6.1	<0.001	0.20	0.28	6.0	1.0	0.3	119.5	<0.01	0.03	1.3
L820039		0.35	24.5	990	4.6	5.9	<0.001	0.09	0.30	6.3	0.7	0.3	130.0	<0.01	0.05	1.5
L820040		0.30	21.5	930	3.9	6.3	<0.001	0.22	0.27	5.9	0.8	0.3	116.5	<0.01	0.06	1.4

Comments: **Corrected copy with sample IDs L820051 to L820056 changed to L820951 to L820956**

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SOLOMON RESOURCES LTD.
POX 938
VERNON BC V1T 6M8

Finalized Date: 28- SEP- 2011
Account: NUN

Project: Outpost and Pacer

CERTIFICATE OF ANALYSIS WH11166373

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
L820001		0.055	0.12	0.89	92	0.07	13.40	80	3.4
L820002		0.055	0.13	0.92	103	<0.05	13.75	89	3.7
L820003		0.057	0.10	0.74	90	0.05	11.40	79	3.5
L820004		0.060	0.09	0.70	86	<0.05	11.55	76	3.6
L820005		0.055	0.08	0.71	85	<0.05	11.00	75	3.7
L820006		0.079	0.11	1.02	62	0.11	23.9	125	1.0
L820007		0.103	0.09	0.28	95	0.07	9.84	109	2.5
L820008		0.056	0.14	0.88	110	<0.05	15.05	94	4.4
L820009		0.056	0.13	0.84	103	<0.05	13.75	89	4.7
L820010		0.053	0.14	0.96	111	<0.05	15.75	95	4.1
L820011		0.058	0.16	0.96	114	<0.05	15.55	98	4.9
L820012		0.050	0.10	0.71	90	<0.05	12.40	79	4.8
L820013		0.067	0.06	0.32	56	0.06	7.52	62	1.8
L820014		0.085	0.05	0.35	71	0.06	9.66	69	2.6
L820015		0.055	0.06	0.54	91	0.05	12.65	100	2.1
L820016		0.126	0.07	0.36	73	0.19	8.35	58	3.6
L820017		0.261	0.04	0.41	87	0.20	9.84	110	6.2
L820018		0.196	0.05	0.88	77	0.27	13.05	197	7.1
L820019		0.192	0.15	1.20	80	0.25	18.40	354	7.0
L820020		0.174	0.05	0.48	70	0.05	10.20	116	5.3
L820021		0.068	0.11	0.68	98	<0.05	20.0	84	15.3
L820022		0.051	0.10	0.75	92	<0.05	19.15	83	14.5
L820023		0.151	0.04	0.36	67	0.05	8.97	130	4.4
L820024		0.097	0.27	0.55	54	0.20	5.61	140	3.1
L820025		0.072	0.12	0.82	117	0.22	7.35	111	2.5
L820026		0.086	0.11	0.83	64	0.24	6.78	115	2.8
L820027		0.008	0.84	0.71	79	0.14	4.14	272	3.4
L820028		0.023	0.38	0.69	55	0.17	7.01	288	3.8
L820029		0.054	0.39	0.70	92	0.20	4.33	173	2.7
L820030		0.058	0.33	5.89	43	0.17	103.5	818	3.8
L820031		0.067	0.36	5.15	45	0.16	136.0	2110	3.3
L820032		0.046	0.63	9.57	26	0.18	>500	7150	2.2
L820033		0.046	0.52	7.74	26	0.18	445	8600	1.9
L820034		0.073	0.45	3.97	41	0.18	203	5310	2.7
L820035		0.095	0.24	1.95	50	0.16	52.9	1050	0.9
L820036		0.064	0.52	4.92	39	0.14	206	5270	2.9
L820037		0.118	0.07	0.35	76	0.18	8.36	54	2.9
L820038		0.132	0.07	0.35	79	0.20	8.62	58	3.4
L820039		0.143	0.07	0.40	77	0.21	8.97	64	4.2
L820040		0.131	0.07	0.34	79	0.18	8.16	55	3.3

Comments: **Corrected copy with sample IDs L820051 to L820056 changed to L820951 to L820956**

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SOLOMON RESOURCES LTD.
POX 938
VERNON BC V1T 6M8

Finalized Date: 28- SEP- 2011
Account: NUN

Project: Outpost and Pacer

CERTIFICATE OF ANALYSIS WH11166373

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg 0.02	Au-TL43 Au ppm 0.001	ME-MS41 Ag ppm 0.01	ME-MS41 Al % 0.01	ME-MS41 As ppm 0.1	ME-MS41 Au ppm 0.2	ME-MS41 B ppm 10	ME-MS41 Ba ppm 10	ME-MS41 Be ppm 0.05	ME-MS41 Bi ppm 0.01	ME-MS41 Ca % 0.01	ME-MS41 Cd ppm 0.01	ME-MS41 Ce ppm 0.02	ME-MS41 Co ppm 0.1	ME-MS41 Cr ppm 1
L820041		0.76	0.002	0.08	1.71	3.8	<0.2	10	60	0.31	0.09	3.79	0.08	11.95	12.8	35
L820042		0.94	0.001	0.07	1.77	4.1	<0.2	10	60	0.34	0.09	3.70	0.08	11.25	13.0	38
L820043		0.78	0.004	0.09	1.59	3.0	<0.2	10	50	0.33	0.09	3.50	0.08	13.35	13.2	35
L820044		0.72	0.004	0.09	1.82	3.8	<0.2	10	50	0.36	0.07	3.41	0.10	13.95	14.2	37
L820045		0.76	0.003	0.09	1.69	3.6	<0.2	10	50	0.34	0.05	3.64	0.08	14.30	13.9	37
L820046		0.76	0.002	0.11	2.45	6.6	<0.2	<10	40	0.47	0.10	3.81	0.16	17.20	18.2	44
L820047		0.84	0.001	0.36	1.06	36.5	<0.2	<10	120	0.27	0.17	4.80	1.48	16.30	29.2	62
L820048		0.76	0.002	0.35	1.05	36.7	<0.2	<10	90	0.26	0.15	4.94	1.46	15.50	31.7	71
L820049		0.72	0.002	0.33	2.22	13.1	<0.2	<10	270	0.54	0.10	4.19	1.47	28.7	35.7	115
L820050		0.92	0.001	0.28	2.03	10.9	<0.2	<10	210	0.50	0.09	4.38	1.31	25.7	28.8	104
L820951		0.92	0.001	0.35	1.29	36.3	<0.2	<10	100	0.32	0.16	4.66	1.39	19.10	34.7	83
L820952		0.88	0.001	0.42	1.34	36.9	<0.2	<10	100	0.32	0.17	4.69	1.83	19.60	35.9	86
L820953		0.72	0.001	0.31	1.23	27.5	<0.2	<10	140	0.26	0.13	4.63	1.09	16.40	25.9	67
L820954		0.68	0.001	0.36	1.27	33.1	<0.2	<10	130	0.31	0.15	5.02	1.36	19.45	30.9	74
L820955		0.94	0.001	0.34	1.29	34.2	<0.2	<10	110	0.28	0.15	5.02	1.27	18.30	32.8	83
L820956		0.74	0.001	0.34	1.33	27.7	<0.2	<10	130	0.30	0.13	4.96	1.19	18.90	28.5	82

Comments: **Corrected copy with sample IDs L820051 to L820056 changed to L820951 to L820956**

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SOLOMON RESOURCES LTD.
POX 938
VERNON BC V1T 6M8

Finalized Date: 28- SEP- 2011
Account: NUN

Project: Outpost and Pacer

CERTIFICATE OF ANALYSIS WH11166373

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
L820041		0.91	48.8	3.12	5.83	0.21	0.13	0.02	0.020	0.15	5.5	15.6	1.17	434	0.65	0.04
L820042		0.98	48.7	3.23	6.16	0.21	0.14	0.03	0.021	0.15	5.4	17.0	1.23	444	0.91	0.04
L820043		0.90	50.2	3.08	5.67	0.17	0.13	0.03	0.018	0.14	6.4	16.9	1.13	403	0.82	0.05
L820044		0.96	52.7	3.23	6.04	0.16	0.18	0.02	0.019	0.12	6.7	19.9	1.25	458	0.82	0.05
L820045		0.91	64.0	3.19	5.85	0.17	0.14	0.03	0.019	0.14	7.0	17.6	1.18	425	0.79	0.05
L820046		1.07	67.4	4.12	7.56	0.17	0.26	0.02	0.025	0.11	8.3	29.1	1.58	653	1.33	0.04
L820047		0.36	93.7	4.94	3.04	0.13	0.17	0.11	0.028	0.08	8.3	10.9	1.77	561	7.57	0.04
L820048		0.34	99.3	5.22	2.96	0.14	0.17	0.09	0.030	0.07	7.9	10.8	1.82	581	7.59	0.04
L820049		0.72	88.2	4.53	7.12	0.19	0.22	0.01	0.049	0.14	15.4	24.2	2.02	878	6.57	0.06
L820050		0.64	74.8	4.08	6.57	0.17	0.20	0.01	0.043	0.13	14.1	22.9	1.89	767	5.57	0.06
L820951		0.42	101.5	5.71	3.68	0.16	0.19	0.06	0.033	0.09	9.7	13.4	1.85	638	7.14	0.04
L820952		0.42	103.5	5.85	3.76	0.15	0.19	0.07	0.031	0.09	9.9	13.6	1.89	644	7.05	0.04
L820953		0.44	85.9	4.54	3.40	0.12	0.14	0.06	0.028	0.09	8.3	11.6	1.79	608	5.82	0.05
L820954		0.46	93.5	4.87	3.72	0.13	0.17	0.04	0.030	0.09	9.9	13.4	1.85	636	7.11	0.04
L820955		0.44	99.4	5.45	3.79	0.15	0.18	0.05	0.031	0.09	9.3	13.2	1.91	644	7.00	0.04
L820956		0.43	92.3	4.81	3.86	0.14	0.19	0.04	0.032	0.09	9.7	13.3	1.84	635	6.10	0.05

Comments: **Corrected copy with sample IDs L820051 to L820056 changed to L820951 to L820956**

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SOLOMON RESOURCES LTD.
POX 938
VERNON BC V1T 6M8

Finalized Date: 28- SEP- 2011
Account: NUN

Project: Outpost and Pacer

CERTIFICATE OF ANALYSIS WH11166373

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
L820041		0.29	22.6	900	3.7	6.6	<0.001	0.18	0.25	5.9	0.4	0.3	118.0	<0.01	0.04	1.5
L820042		0.31	22.3	850	3.7	7.2	0.001	0.17	0.26	6.1	0.5	0.3	118.0	<0.01	0.04	1.4
L820043		0.35	22.6	880	4.0	6.3	0.001	0.25	0.27	6.2	0.8	0.3	107.5	0.01	0.05	1.5
L820044		0.38	24.9	890	4.7	5.6	0.001	0.14	0.27	6.4	0.6	0.3	110.5	0.01	0.03	1.6
L820045		0.36	24.3	910	4.2	6.5	0.001	0.30	0.28	6.4	0.8	0.3	113.5	0.01	0.04	1.6
L820046		0.54	34.7	1000	7.5	5.4	0.001	0.04	0.37	7.9	0.6	0.4	135.5	0.02	0.04	2.0
L820047		0.19	108.0	980	13.1	3.9	0.010	1.19	3.44	6.1	4.2	<0.2	111.5	0.01	0.07	2.9
L820048		0.19	117.5	980	12.6	3.5	0.010	1.56	3.46	6.4	4.3	<0.2	112.5	0.01	0.07	2.8
L820049		0.15	99.5	1030	9.0	5.4	0.012	0.29	1.41	11.8	4.3	0.3	193.0	0.01	0.07	2.7
L820050		0.13	89.0	1000	7.5	4.9	0.010	0.27	1.21	10.2	3.6	0.3	169.5	0.01	0.07	2.1
L820951		0.16	116.5	1000	12.0	3.9	0.010	1.78	2.89	6.8	5.0	0.2	123.5	0.01	0.09	2.8
L820952		0.18	117.5	1080	23.4	4.1	0.010	1.80	3.05	6.8	5.1	0.2	125.5	0.01	0.08	3.3
L820953		0.19	92.3	930	10.9	4.7	0.007	0.71	2.47	6.1	2.9	<0.2	115.0	0.01	0.07	2.7
L820954		0.19	108.0	1010	12.0	4.4	0.010	1.00	3.00	6.8	4.0	0.2	127.0	0.01	0.08	3.0
L820955		0.19	113.5	990	12.2	4.0	0.009	1.49	2.96	7.1	4.6	0.2	126.5	0.01	0.08	2.7
L820956		0.18	101.0	930	19.1	3.9	0.008	1.12	2.47	7.0	4.0	0.2	134.0	0.01	0.07	2.6

Comments: **Corrected copy with sample IDs L820051 to L820056 changed to L820951 to L820956**

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SOLOMON RESOURCES LTD.
POX 938
VERNON BC V1T 6M8

Finalized Date: 28- SEP- 2011
Account: NUN

Project: Outpost and Pacer

CERTIFICATE OF ANALYSIS WH11166373

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
L820041		0.127	0.07	0.39	78	0.19	8.21	55	3.3
L820042		0.133	0.07	0.34	81	0.20	8.44	58	3.4
L820043		0.124	0.07	0.38	81	0.18	8.79	52	3.3
L820044		0.142	0.06	0.43	79	0.22	9.12	62	4.4
L820045		0.128	0.08	0.39	84	0.21	9.17	55	3.4
L820046		0.177	0.06	0.54	80	0.29	11.30	90	6.3
L820047		0.032	0.07	1.66	47	0.07	10.75	204	6.6
L820048		0.028	0.07	1.64	50	0.08	11.05	201	6.9
L820049		0.062	0.22	1.53	119	0.14	20.7	180	5.8
L820050		0.056	0.19	1.28	111	0.13	18.10	161	5.2
L820951		0.036	0.10	1.60	69	0.10	12.60	180	6.9
L820952		0.040	0.10	1.68	70	0.10	12.85	191	6.9
L820953		0.038	0.08	1.44	52	0.08	10.65	160	5.5
L820954		0.038	0.11	1.65	58	0.08	12.75	175	6.9
L820955		0.039	0.10	1.55	67	0.09	12.45	171	6.8
L820956		0.045	0.09	1.43	67	0.09	12.20	163	6.4

Comments: **Corrected copy with sample IDs L820051 to L820056 changed to L820951 to L820956**

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SOLOMON RESOURCES LTD.
POX 938
VERNON BC V1T 6M8

Finalized Date: 28- SEP- 2011
Account: NUN

Project: Outpost and Pacer

CERTIFICATE OF ANALYSIS WH11166373

Method	CERTIFICATE COMMENTS
ME- MS41	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown.
ME- MS41	Gold determinations by this method are semi- quantitative due to the small sample weight used (0.5g).

OUTPOST 2011 STREAM SEDIMENT GEOCHEM RESULTS WITH COORDINATES
PREPARED BY JAMES ROGERS | ASSAYS PREFORMED BY ALS WHITEHORSE
22-Dec-11
DATA FROM W/O #'S WH11166372 AND WH11166373

								Au-TL43	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
								Au	Ag	Al	As	Au	B	Ba	Be	Bi	Ca
SAMPLE ID	SHEET	mE	mN	DEPTH (CM)	COLOUR	APPEARANCE	COMMENTS	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%
L820001	7V	647358	6759121					0.009	0.09	1.87	7	<0.2	10	230	0.53	0.12	1.52
L820002	7V	647453	6759202					0.005	0.09	2.09	6.7	<0.2	10	290	0.62	0.12	1.64
L820003	7V	647562	6759414					0.003	0.08	1.82	8.2	<0.2	10	220	0.57	0.11	1.61
L820004	7V	647683	6759530					0.002	0.08	1.74	6.4	<0.2	10	190	0.48	0.11	1.56
L820005	7V	647912	6759614					0.002	0.07	1.73	6.3	<0.2	10	200	0.48	0.1	1.51
L820006	7V	648009	6760016					0.006	0.46	1.53	6.1	<0.2	<10	100	0.35	0.08	1.21
L820007	7V	648491	6759814					0.004	0.15	2.28	12.1	<0.2	<10	260	0.45	0.12	1.42
L820008	7V	648632	6760503					0.003	0.13	2.36	7.8	<0.2	10	330	0.7	0.14	1.95
L820009	7V	648662	6760367					0.001	0.09	2.13	7.6	<0.2	10	290	0.69	0.14	1.85
L820010	7V	648672	6760280					0.003	0.14	2.43	8.1	<0.2	10	320	0.74	0.16	2.04
L820011	7V	648632	6760185					0.002	0.12	2.44	7.9	<0.2	10	340	0.82	0.15	1.83
L820012	7V	648608	6759958					0.001	0.09	1.87	7.5	<0.2	10	230	0.65	0.12	1.69
L820013	7V	645746	6760498					0.005	0.09	1.2	4	<0.2	10	230	0.26	0.08	16.55
L820014	7V	645872	6760401					0.003	0.1	1.36	7	<0.2	10	190	0.35	0.09	7.15
L820015	7V	645925	6760278					0.003	0.12	1.52	10.2	<0.2	10	320	0.53	0.1	1.99
L820047	7V	641549	6760581					0.001	0.36	1.06	36.5	<0.2	<10	120	0.27	0.17	4.8
L820048	7V	641634	6760764					0.002	0.35	1.05	36.7	<0.2	<10	90	0.26	0.15	4.84
L820049	7V	641681	6760851					0.002	0.33	2.22	13.1	<0.2	<10	270	0.54	0.1	4.19
L820050	7V	641645	6760888					0.001	0.28	2.03	10.9	<0.2	<10	210	0.5	0.09	4.36
L820951	7V	641814	6760962					0.001	0.35	1.29	36.3	<0.2	<10	100	0.32	0.16	4.66
L820952	7V	641907	6761156					0.001	0.42	1.34	36.9	<0.2	<10	100	0.32	0.17	4.69
L820953	7V	641996	6761410					0.001	0.31	1.23	27.5	<0.2	<10	140	0.26	0.13	4.63
L820954	7V	642053	6761612					0.001	0.36	1.27	33.1	<0.2	<10	130	0.31	0.15	5.02
L820955	7V	642199	6761616					0.001	0.34	1.29	34.2	<0.2	<10	110	0.28	0.15	5.02
L820956	7V	642339	6762014					0.001	0.34	1.33	27.7	<0.2	<10	130	0.3	0.13	4.96

	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Cd	Ce	Co	Cr	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn
SAMPLE ID	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm
L820001	0.29	34.5	22.2	63	0.84	58.8	4	6.79	0.17	0.12	0.03	0.037	0.11	16.8	18.4	1.27	735
L820002	0.3	36.2	23.9	69	0.9	65	4.43	6.99	0.16	0.14	0.03	0.043	0.13	18.1	18.3	1.38	853
L820003	0.26	29.4	21.8	62	0.74	53.8	4.1	6.33	0.17	0.13	0.03	0.034	0.11	14.7	17	1.3	726
L820004	0.24	28.8	19.9	59	0.68	50.6	3.69	6.11	0.16	0.14	0.02	0.033	0.11	14.6	16.2	1.27	669
L820005	0.25	28.4	19.3	57	0.63	49	3.82	5.72	0.14	0.13	0.02	0.032	0.1	14.7	15.4	1.17	678
L820006	0.78	15.7	15.4	63	0.67	305	2.92	4.2	0.14	0.06	0.17	0.019	0.07	11	13.5	1.03	499
L820007	0.34	20.1	29.3	92	0.65	79	6.12	7.34	0.13	0.07	0.06	0.037	0.08	9	21.1	1.91	3970
L820008	0.31	33.6	25.7	75	1.01	71.2	4.71	7.9	0.15	0.14	0.05	0.049	0.15	17.2	21.9	1.55	946
L820009	0.3	32.5	24.2	68	0.91	63.1	4.55	7.27	0.14	0.16	0.03	0.043	0.13	16.7	21.2	1.42	683
L820010	0.33	35.9	26.1	60	0.93	75.9	4.76	7.73	0.14	0.16	0.04	0.048	0.15	17.4	22	1.64	937
L820011	0.39	35	28.1	76	1.14	72.9	4.9	8.67	0.14	0.16	0.05	0.05	0.15	18.7	23.7	1.54	970
L820012	0.28	30.6	22.1	60	0.75	59.9	4.07	7.07	0.13	0.15	0.04	0.045	0.11	15.2	20.4	1.27	771
L820013	0.36	11	15.1	43	0.35	67.4	2.74	3.34	0.11	0.06	0.03	0.018	0.06	5.7	8.5	1.01	1320
L820014	0.34	15.65	19.4	52	0.38	68.5	3.51	4.2	0.14	0.08	0.03	0.033	0.08	7.6	10.2	1.37	1520
L820015	0.47	26.2	26.6	61	0.32	87.6	4.94	5.12	0.13	0.07	0.04	0.04	0.06	12.5	12.3	1	3760
L820047	1.48	16.3	29.2	62	0.36	93.7	4.94	3.04	0.13	0.17	0.11	0.028	0.08	8.3	10.9	1.77	561
L820048	1.46	15.5	31.7	71	0.34	99.3	5.22	2.96	0.14	0.17	0.09	0.03	0.07	7.9	10.8	1.82	581
L820049	1.47	28.7	35.7	115	0.72	68.2	4.53	7.12	0.19	0.22	0.01	0.049	0.14	15.4	24.2	2.02	878
L820050	1.31	25.7	28.8	104	0.64	74.8	4.08	6.57	0.17	0.2	0.01	0.043	0.13	14.1	22.9	1.89	767
L820951	1.39	19.1	34.7	83	0.42	101.5	5.71	3.68	0.16	0.19	0.06	0.033	0.09	9.7	13.4	1.85	638
L820952	1.83	19.6	35.9	66	0.42	103.5	5.85	3.78	0.15	0.19	0.07	0.031	0.09	9.9	13.6	1.89	644
L820953	1.09	16.4	25.9	67	0.44	85.9	4.54	3.4	0.12	0.14	0.06	0.028	0.09	8.3	11.6	1.79	608
L820954	1.36	19.45	30.9	74	0.46	93.5	4.87	3.72	0.13	0.17	0.04	0.03	0.09	9.9	13.4	1.85	636
L820955	1.27	18.3	32.8	83	0.44	99.4	5.45	3.79	0.15	0.18	0.05	0.031	0.09	9.3	13.2	1.91	644
L820956	1.19	18.9	28.5	82	0.43	92.3	4.81	3.66	0.14	0.19	0.04	0.032	0.09	9.7	13.3	1.84	635

	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Mo	Na	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V	W	Y	Zn	Zr
SAMPLE ID	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
L820001	1	0.03	0.51	43.8	910	6.1	11.6	<0.001	0.05	0.63	11.4	1	0.5	172.5	<0.01	0.04	4.7	0.055	0.12	0.89	92	0.07	13.4	80	3.4
L820002	0.94	0.04	0.52	45.1	930	6.6	13.6	0.001	0.06	0.58	12.2	0.9	0.5	308	<0.01	0.03	4.3	0.055	0.13	0.92	103	<0.05	13.75	89	3.7
L820003	0.98	0.03	0.44	42.4	890	5.9	10.9	0.001	0.05	0.57	10.4	0.9	0.5	162	<0.01	0.04	3.7	0.057	0.1	0.74	90	0.05	11.4	79	3.5
L820004	1.04	0.03	0.43	39.6	910	5.4	10.6	0.001	0.05	0.5	9.6	0.9	0.4	146.5	<0.01	0.03	4.1	0.06	0.09	0.7	86	<0.05	11.55	78	3.6
L820005	0.82	0.03	0.4	38	860	5.7	9.2	0.001	0.05	0.53	9.6	0.9	0.4	144	<0.01	0.02	3.7	0.055	0.08	0.71	85	<0.05	11	75	3.7
L820006	1.9	0.02	0.63	53.7	920	4.9	8.9	0.003	0.07	2.05	6.8	4	1.2	45.7	0.01	0.07	0.6	0.079	0.11	1.02	62	0.11	23.9	125	1
L820007	1.22	0.03	0.68	58.3	970	7.7	7.1	0.002	0.05	0.64	9.3	1.5	0.4	79.9	<0.01	0.05	1.6	0.103	0.09	0.29	95	0.07	9.44	109	2.5
L820008	0.97	0.04	0.83	48.8	980	7.2	15.7	<0.001	0.04	0.49	13.6	1	0.6	231	<0.01	0.05	3.8	0.056	0.14	0.88	110	<0.05	15.05	94	4.4
L820009	0.98	0.04	0.68	45.7	910	6.5	13.4	<0.001	0.04	0.48	12.2	1	0.5	198.5	<0.01	0.04	4.3	0.056	0.13	0.84	103	<0.05	13.75	89	4.7
L820010	1.03	0.04	0.8	49.9	1010	7.1	15.4	<0.001	0.04	0.56	13.9	1.1	0.6	235	<0.01	0.04	3.6	0.053	0.14	0.96	111	<0.05	15.75	95	4.1
L820011	0.99	0.04	0.72	49.5	990	7.1	17.5	<0.001	0.03	0.53	14.7	1.1	0.6	231	<0.01	0.04	4	0.058	0.16	0.96	114	<0.05	15.55	98	4.9
L820012	0.93	0.03	0.63	43.2	850	5.6	11.1	<0.001	0.02	0.49	11.2	1	0.5	172.5	<0.01	0.03	3.7	0.05	0.1	0.71	90	<0.05	12.4	79	4.8
L820013	0.83	0.04	0.49	32.2	610	3.1	4.2	0.001	0.09	0.33	5.5	1	0.2	220	<0.01	0.02	1	0.067	0.06	0.32	56	0.06	7.52	62	1.8
L820014	1.18	0.04	0.54	39.6	740	3.5	4.9	<0.001	0.07	0.44	7.7	0.7	0.3	138	<0.01	0.04	1.3	0.085	0.05	0.35	71	0.06	9.66	69	2.6
L820015	1.8	0.04	0.51	51	810	4.6	6	0.001	0.05	0.47	9.6	1.1	0.4	113.5	<0.01	0.04	2.1	0.055	0.06	0.54	91	0.05	12.65	100	2.1
L820047	7.57	0.04	0.19	108	980	13.1	3.9	0.01	1.19	3.44	6.1	4.2	<0.2	111.5	0.01	0.07	2.9	0.032	0.07	1.66	47	0.07	10.75	204	6.6
L820048	7.59	0.04	0.19	117.5	930	12.6	3.5	0.01	1.56	3.46	6.4	4.3	<0.2	112.5	0.01	0.07	2.8	0.028	0.07	1.64	50	0.08	11.05	201	6.9
L820049	6.57	0.06	0.15	99.5	1030	8	5.4	0.012	0.29	1.41	11.8	4.3	0.3	193	0.01	0.07	2.7	0.062	0.22	1.53	119	0.14	20.7	180	5.8
L820050	5.57	0.06	0.13	89	1000	7.5	4.9	0.01	0.27	1.71	10.2	3.6	0.3	169.5	0.01	0.07	2.1	0.056	0.19	1.29	111	0.13	18.1	161	5.2
L820951	7.14	0.04	0.16	116.5	1000	12	3.9	0.01	1.78	2.89	6.8	5	0.2	123.5	0.01	0.09	2.8	0.036	0.1	1.6	69	0.1	12.6	180	6.9
L820952	7.05	0.04	0.18	117.5	1060	23.4	4.1	0.01	1.8	3.05	6.8	5.1	0.2	125.5	0.01	0.08	3.3	0.04	0.1	1.68	70	0.1	12.85	191	6.9
L820953	5.82	0.05	0.19	92.3	930	10.9	4.7	0.007	0.71	2.47	6.1	2.9	<0.2	115	0.01	0.07	2.7	0.038	0.08	1.44	52	0.06	10.85	160	5.5
L820954	7.11	0.04	0.19	108	1010	12	4.4	0.01	1	3	6.8	4	0.2	127	0.01	0.08	3	0.038	0.11	1.65	58	0.06	12.75	175	6.9
L820955	7	0.04	0.19	113.5	990	12.2	4	0.009	1.49	2.96	7.1	4.6	0.2	126.5	0.01	0.08	2.7	0.039	0.1	1.55	67	0.09	12.45	171	6.8
L820956	6.1	0.05	0.18	101	930	19.1	3.8	0.008	1.12	2.47	7	4	0.2	134	0.01	0.07	2.6	0.045	0.09	1.43	67	0.09	12.2	163	6.4

115B16


OUTPOST CLAIM GROUP
SHAKWAK (YUKON TRENCH PLATEAU)
OUTPOST MOUNTAIN
KLUANE WILDLIFE SANCTUARY
Kluane National Park OIC 2003/93
VULCAN MOUNTAIN
KLUANE LAKE
SLIMS RIVER
ALASKA HIGHWAY
HUNGRY LAKE
N
115B16
MINING CLAIMS
APPROXIMATE MEAN DECLINATION 2011 FOR THE CENTRE OF THE MAP
Annual change: 21.2' W
District: Whitehorse
Date: 06 Feb 2012
Coordinate System: NAD 1983 UTM Zone 7N
Projection: Transverse Mercator
Datum: North American 1983
Reference Scale: 1:30,000
Old Crow
Dawson City
Mayo
Faro
Beaver Creek
Carmacks
Haines Junction
Whitehorse
Watson Lake
115G02
115G01
115H04
115B15
115B16
115A13
115B10
115B09
115A12
Miles
Kilometres
FIG 1 CLAIM MAP

FIGURE 5: PRELIMINIARY BEDROCK GEOLOGY OF THE OUTPOST MOUNTAIN AREA

MAP BASE: ISRAEL AND COBBETT (2006)



Kluane Ranges Suite (Early Cretaceous)

Medium- to fine-grained, hornblende, biotite diorite, hornblende, pyroxene gabbro and biotite granite and granodiorite

Wrangell Lava (Miocene)

Rusty red, brown, phyric and non-phyric basalt and andesite flows and breccia

Amphitheatre Formation (Oligocene)

Coarse-grained sandstone, pebble to boulder conglomerate

Dezadeash Formation/Tatamagouche assemblage

Well-bedded siltstone, fine-grained sandstone rare pebble conglomerate

Wrangellia

Chitistone Limestone (Late Triassic)

White to light-grey evaporite

Light-grey to beige, massive to bedded limestone, limestone breccia

Nikolai formation (Late Triassic)

Dark green to maroon, amygdaloidal basalt, minor basalt breccia

Kluane mafic-ultramafic complex (Late Triassic)

Black to dark green peridotite, pyroxene gabbro, pyroxenite

Hasen Creek Formation (Permian)

Fine-grained laminated to thinly bedded dark grey to black siltstone, massive to thickly bedded light grey carbonate

Alexander Terrane

Icefield Ranges assemblage

Dark grey calcareous siltstone, carbonate, carbonate breccia

115B16



OUTPOST CLAIM GROUP
TRAVERSE 1: JUNE 20TH – 23RD 2011
TRAVERSE 2: JUNE 24TH – 25TH 2011
TRAVERSE 3: JULY 15TH – 16TH 2011
TRAVERSE 4: JULY 20TH – 25TH 2011
SHAKWAK (YUKON TRENCH PLATEAU)
KLUANE WILDLIFE SANCTUARY
OUTPOST MOUNTAIN
VULCAN MOUNTAIN
Kluane National Park OIC 2003/93
KLUANE LAKE
ALASKA HIGHWAY
HUNGRY LAKE
N
115B16
MINING CLAIMS
District: Whitehorse
Date: 06 Feb 2012
Coordinate System: NAD 1983 UTM Zone 7N
Projection: Transverse Mercator
FIG 6 PROSPECTING TRAVERSES
115G02 115G01 115H04
115B15 115B16 115A13
115B10 115B09 115A12
Miles
Kilometres

642000 mE
643000 mE
644000 mE
645000 mE
646000 mE
647000 mE
648000 mE
649000 mE
650000 mE

6763000 mN
6762000 mN
6761000 mN
6760000 mN
6759000 mN
6758000 mN
6757000 mN
6756000 mN

Legend
- Greenstone
- granodiorite
- schist
- undifined fault
- foliation/schistosity
- dyke

Silver Creek
Beautiful Creek

BASE LEGEND
- Topographic contours (contour interval = 40m)
- Creek / River
- Swamp / Marsh
- Lake / Pond
- Road
- Trail / Cut line
- Property Boundary

Base from Government 1:50,000 Topography

Projection : UTM
Datum : NAD83 Zone 7

0 1 km

Solomon Resources Ltd.

OUTPOST CLAIMS
Yukon

FIG 9 PRELIMINARY GEOLOGY

Scale: 1:15,000
Date: July 2011
Map Sheet: 115D/16
Map


642000 mE
643000 mE
644000 mE
645000 mE
646000 mE
647000 mE
648000 mE
649000 mE
650000 mE
6763000 mN
6762000 mN
6761000 mN
6760000 mN
6759000 mN
6758000 mN
6757000 mN
6756000 mN
Stone Creek
Boulder Creek
L 820956
L 820955
L 820954
L 820953
L 820952
L 820951
L 820950
L 820949
L 820948
L 820947
L 820913
L 820914
L 820915
L 820006
L 820008
L 820009
L 820010
L 820011
L 820012
L 820007
L 820005
L 820004
L 820003
L 820002
L 820001
SAMPLING LEGEND
Silt Sample
L 820006 Sample Number
BASE LEGEND
Topographic contours (contour interval = 40m)
Creek / River
Swamp / Marsh
Lake / Pond
Road
Trail / Cut line
Property Boundary
Base from Government 1:50,000 Topography
Projection : UTM
Datum : NAD83 Zone 7
0
1 km
Solomon Resources Ltd.
OUTPOST CLAIMS
Yukon
2011 SAMPLING
(Sample Number)
Scale: 1:10,000
Date: January 2012
Map Sheet 115B/16
Map 10


642000 mE
643000 mE
644000 mE
645000 mE
646000 mE
647000 mE
648000 mE
649000 mE
650000 mE
6763000 mN
6762000 mN
6761000 mN
6760000 mN
6759000 mN
6758000 mN
6757000 mN
6756000 mN
Silver Creek
Boulder Creek
Au (ppb)
Silt Sample
> 9
7 - 9
5 - 7
4 - 5
3 - 4
< 3
SAMPLING LEGEND
Silt Sample
BASE LEGEND
Topographic contours (contour interval = 40m)
Creek / River
Swamp / Marsh
Lake / Pond
Road
Trail / Cut line
Property Boundary
Base from Government 1:50,000 Topography
Projection - UTM
Datum - NAD83 Zone 7
0
1 km
Solomon Resources Ltd.
OUTPOST CLAIMS
Yukon
2011 SAMPLING
(Gold - ppb)
Scale: 1:10,000
Date: January 2012
Map Sheet 115B/16
Map 1


641000 mE
642000 mE
643000 mE
644000 mE
645000 mE
646000 mE
647000 mE
648000 mE
649000 mE
650000 mE
6763000 mN
6762000 mN
6761000 mN
6760000 mN
6759000 mN
6758000 mN
6757000 mN
6756000 mN
Silver Creek
Beaudette Creek
As (ppm)
Silt Sample
> 115
84 - 115
35 - 54
15 - 25
10 - 15
< 10
SAMPLING LEGEND
Silt Sample
BASE LEGEND
Topographic contours (contour interval = 40m)
Creek / River
Swamp / Marsh
Lake / Pond
Road
Trail / Cut line
Property Boundary
Base from Government 1:50,000 Topography
Projection : UTM
Datum : NAD83 Zone 7
0
1 km
Solomon Resources Ltd.
OUTPOST CLAIMS
Yukon
2011 SAMPLING
(Arsenic - ppm)
Scale: 1:10,000
Date: January 2012
Map Sheet: 115I/16
Map 12

115B16


OUTPOST CLAIM GROUP
SHAKWAK (YUKON TRENCH PLATEAU)
KLUANE WILDLIFE SANCTUARY
OUTPOST MOUNTAIN
VULCAN MOUNTAIN
Kluane National Park OIC 2003/93
KLUANE LAKE
SLIMS RIVER
ALASKA HIGHWAY
HUNGRY LAKE
N
115B16
MINING CLAIMS
District: Whitehorse
Date: 06 Feb 2012
APPROXIMATE MEAN DECLINATION 2011 FOR THE CENTRE OF THE MAP
Annual change: 21.2' W
Coordinate System: NAD 1983 UTM Zone 7N
Projection: Transverse Mercator
Datum: North American 1983
Reference Scale: 1:30,000
115G02 115G01 115H04
115B15 115B16 115A13
115B10 115B09 115A12
Miles
Kilometres
Old Crow
Dawson City
Mayo
Faro
Beaver Creek
Carmacks
Haines Junction
Whitehorse
Watson Lake
FIG 1 CLAIM MAP

FIGURE 5: PRELIMINIARY BEDROCK GEOLOGY OF THE OUTPOST MOUNTAIN AREA

MAP BASE: ISRAEL AND COBBETT (2006)



Kluane Ranges Suite (Early Cretaceous)

Medium- to fine-grained, hornblende, biotite diorite, hornblende, pyroxene gabbro and biotite granite and granodiorite

Wrangell Lava (Miocene)

Rusty red, brown, phyric and non-phyric basalt and andesite flows and breccia

Amphitheatre Formation (Oligocene)

Coarse-grained sandstone, pebble to boulder conglomerate

Dezadeash Formation/Tatamagouche assemblage

Well-bedded siltstone, fine-grained sandstone rare pebble conglomerate

Wrangellia

Chitistone Limestone (Late Triassic)

White to light-grey evaporite

Light-grey to beige, massive to bedded limestone, limestone breccia

Nikolai formation (Late Triassic)

Dark green to maroon, amygdaloidal basalt, minor basalt breccia

Kluane mafic-ultramafic complex (Late Triassic)

Black to dark green peridotite, pyroxene gabbro, pyroxenite

Hasen Creek Formation (Permian)

Fine-grained laminated to thinly bedded dark grey to black siltstone, massive to thickly bedded light grey carbonate

Alexander Terrane

Icefield Ranges assemblage

Dark grey calcareous siltstone, carbonate, carbonate breccia

115B16



138°30'0"W
138°25'0"W
138°20'0"W
138°15'0"W
138°10'0"W
61°0'0"N
60°55'0"N
TRAVERSE 1: JUNE 20TH – 23RD 2011
TRAVERSE 2: JUNE 24TH – 25TH 2011
TRAVERSE 3: JULY 15TH – 16TH 2011
TRAVERSE 4: JULY 20TH – 25TH 2011
OUTPOST CLAIM GROUP
KLUANE LAKE
SLIMS RIVER
ALASKA HIGHWAY
HUNGRY LAKE
SHAKWAK (YUKON TRENCH PLATEAU)
OUTPOST MOUNTAIN
KLUANE WILDLIFE SANCTUARY
Kluane National Park OIC 2003/93
VULCAN MOUNTAIN
N
1
2
3
4
115B16
MINING CLAIMS
District: Whitehorse
Date: 06 Feb 2012
Coordinate System: NAD 1983 UTM Zone 7N
Projection: Transverse Mercator
FIG 6 PROSPECTING TRAVERSES
Old Crow
Dawson City
Mayo
Beaver Creek
Carmacks
Faro
Haines Junction
Whitehorse
Watson Lake
115G02
115G01
115H04
115B15
115B16
115A13
115B10
115B09
115A12
Miles
Kilometres

642000 mE
643000 mE
644000 mE
645000 mE
646000 mE
647000 mE
648000 mE
649000 mE
650000 mE

6763000 mN
6762000 mN
6761000 mN
6760000 mN
6759000 mN
6758000 mN
6757000 mN
6756000 mN

Legend
- Greenstone
- granodiorite
- schist
- undifined fault
- foliation/schistosity
- dyke

Silver Creek
Beautiful Creek

BASE LEGEND
- Topographic contours (contour interval = 40m)
- Creek / River
- Swamp / Marsh
- Lake / Pond
- Road
- Trail / Cut line
- Property Boundary

Base from Government 1:50,000 Topography

Projection : UTM
Datum : NAD83 Zone 7

0 1 km

Solomon Resources Ltd.

OUTPOST CLAIMS
Yukon

FIG 9 PRELIMINARY GEOLOGY

Scale: 1:15,000
Date: July 2011
Map Sheet: 115D/16
Map


642000 mE
643000 mE
644000 mE
645000 mE
646000 mE
647000 mE
648000 mE
649000 mE
650000 mE
6763000 mN
6762000 mN
6761000 mN
6760000 mN
6759000 mN
6758000 mN
6757000 mN
6756000 mN
Stone Creek
Boulder Creek
L 820956
L 820955
L 820954
L 820953
L 820952
L 820951
L 820950
L 820949
L 820948
L 820947
L 820913
L 820914
L 820915
L 820006
L 820008
L 820009
L 820010
L 820011
L 820012
L 820007
L 820005
L 820004
L 820003
L 820002
L 820001
SAMPLING LEGEND
Silt Sample
L 820006 Sample Number
BASE LEGEND
Topographic contours (contour interval = 40m)
Creek / River
Swamp / Marsh
Lake / Pond
Road
Trail / Cut line
Property Boundary
Base from Government 1:50,000 Topography
Projection : UTM
Datum : NAD83 Zone 7
0
1 km
Solomon Resources Ltd.
OUTPOST CLAIMS
Yukon
2011 SAMPLING
(Sample Number)
Scale: 1:10,000
Date: January 2012
Map Sheet 115B/16
Map 10


642000 mE
643000 mE
644000 mE
645000 mE
646000 mE
647000 mE
648000 mE
649000 mE
650000 mE
6763000 mN
6762000 mN
6761000 mN
6760000 mN
6759000 mN
6758000 mN
6757000 mN
6756000 mN
Silver Creek
Boulder Creek
Au (ppb)
Silt Sample
> 9
7 - 9
5 - 7
4 - 5
3 - 4
< 3
SAMPLING LEGEND
Silt Sample
BASE LEGEND
Topographic contours (contour interval = 40m)
Creek / River
Swamp / Marsh
Lake / Pond
Road
Trail / Cut line
Property Boundary
Base from Government 1:50,000 Topography
Projection - UTM
Datum - NAD83 Zone 7
0
1 km
Solomon Resources Ltd.
OUTPOST CLAIMS
Yukon
2011 SAMPLING
(Gold - ppb)
Scale: 1:10,000
Date: January 2012
Map Sheet 115B/16
Map 1


641000 mE
642000 mE
643000 mE
644000 mE
645000 mE
646000 mE
647000 mE
648000 mE
649000 mE
650000 mE
6763000 mN
6762000 mN
6761000 mN
6760000 mN
6759000 mN
6758000 mN
6757000 mN
6756000 mN
Silver Creek
Beaudette Creek
As (ppm)
Silt Sample
> 115
84 - 115
35 - 54
15 - 25
10 - 15
< 10
SAMPLING LEGEND
Silt Sample
BASE LEGEND
Topographic contours (contour interval = 40m)
Creek / River
Swamp / Marsh
Lake / Pond
Road
Trail / Cut line
Property Boundary
Base from Government 1:50,000 Topography
Projection : UTM
Datum : NAD83 Zone 7
0
1 km
Solomon Resources Ltd.
OUTPOST CLAIMS
Yukon
2011 SAMPLING
(Arsenic - ppm)
Scale: 1:10,000
Date: January 2012
Map Sheet: 115I/16
Map 12