AGNICO-EAGLE MINES LTD.

2012 SOIL GEOCHEMICAL WORK REPORT ON THE JENNINGS PROJECT

September 21 – September 30 2012
Volume I – Text

Located 28 Kilometres SE of Rancheria, Yukon
Watson Lake Mining District
NTS 105 B/01
60˚ 00’ N Latitude; 130˚ 07' W Longitude

Grant Number	Claim Name
YA36789	HOT 1
YA36791	HOT 3
YA36793	HOT 5
YA36795	HOT 7
YA36797	HOT 9
YA36799	HOT 11
YA36805-YA36816	HOT 17-HOT28
YA36822	HOT 34
YA36824	HOT 36
YA36826	HOT 38
YA36828	HOT 40
YA36830	HOT 42
YA71565-YA71569	HOT 81-HOT 85
YC28702-YC28798	TOOZ 1-TOOZ 97
YC73950-YC73969	TOOZ 98-TOOZ 117
YC73970-YC73971	TOOZ Fr. 118-TOOZ Fr. 119

-prepared for-

AGNICO-EAGLE MINES LTD.
Suite 400, 543 Granville Street
Vancouver, BC, Canada
V6C 1X8

-prepared by-

Ryan Congdon, B.Sc.

EQUITY EXPLORATION CONSULTANTS LTD.
Suite 200, 900 West Hastings Street
Vancouver, British Columbia, Canada, V6C 1E5

November, 2012

EQUITY

SUMMARY

This report documents the methodology and results of a geochemical work program conducted on the Jennings property by Equity Exploration Consultants Ltd. in the period September 21 to 30, 2012. The property straddles the BC-Yukon border immediately east of the Tootsee River on NTS map sheet 105 B/01 and is centered approximately 28 kilometres (km) southeast of Rancheria, Yukon.

The Jennings property was originally staked and explored in the period 1979-1985 by Amax Minerals Exploration Ltd. / Canamax Resources Inc. In 2005-2006 it was explored by Cumberland Resources Ltd. and in 2007, Agnico-Eagle Mines Ltd. became owners of the project after a takeover of Cumberland Resources Ltd.

The Jennings project area is situated east of the Early to Mid-Cretaceous Cassiar Batholith and is underlain predominantly by miogeoclinal clastics and carbonates of the Cambrian to Ordovician Kechika Group and their hornfelsed equivalents. Quartz-feldspar porphyritic granite dykes and plugs of unknown age are poorly exposed at surface however are intersected in historic diamond drilling. Stratigraphy is folded but generally strikes north-northwest and dips moderately to steeply west. The principal exploration target on the property is a porphyry-style tungsten-molybdenum deposit with potential for peripheral carbonate-hosted silver-lead-zinc skarns or veins. Historic diamond drilling reportedly intersected fracture and vein controlled scheelite, wolframite and molybdenite mineralization on the Yukon side of the border.

A total of 432 soil samples were collected in September 2012. Sampling was accomplished along a grid with 200 meter line spacing and 50 meter sample spacing along the lines. The grid paralleled and extended to the north and west similar soil grids completed in 1980, 2009 and 2011. A total of 22 Quartz claims were staked to the west of the existing property boundary during the 2012 exploration program. Work was based from Rancheria, Mile 710 Alaska Hwy and access to the property was via a Bell 206 Long Ranger L4 helicopter.

Results from the 2012 exploration program on the Jennings property have identified a total of three significant Molybdenum and multi-element soil geochemical anomalies, located in the north-west portion of the Yukon Jennings property. Extending and infill sampling of the 2012 soil geochemical grid is recommended to ascertain the range of the soil anomalies, and further define targets for trenching and diamond drilling to test for further Molybdenum-Tungsten bedrock mineralization on the property.

TABLE OF CONTENTS

TABLE OF CONTENTS 1
LIST OF APPENDICES 1
LIST OF TABLES 1
LIST OF FIGURES 1
1.0 INTRODUCTION 2
2.0 RELIANCE ON OTHER EXPERTS 2
3.0 PROPERTY DESCRIPTION AND LOCATION 2
4.0 PROPERTY TENURE 2
5.0 HISTORY 7
5.1 2012 Exploration Program 7
6.0 REGIONAL GEOLOGY 8
7.0 PROPERTY GEOLOGY 8
8.0 GEOCHEMISTRY 10
8.1 Soil Geochemistry 10
9.0 INTERPRETATION AND CONCLUSIONS 18

LIST OF APPENDICES

Appendix A: References
Appendix B: Statement of Expenditures
Appendix C: Certificates of Analysis (Soil Samples)
Appendix D: Quality Control / Quality Assurance
Appendix E: Compact Disc
Appendix F: Geologist's Certificate
Appendix G: Figures

LIST OF TABLES

Table 1: Tenure Data 2
Table 2: Surface Samples Collected during the 2012 Program 7
Table 3: 2012 Soil Geochemistry Percentiles 10
Table 4: 2012 Soil Geochemistry Correlation Matrix 10

LIST OF FIGURES

Figure 1: Jennings Project Location Map 5
Figure 2: Jennings Project Tenure Map 6
Figure 3: Jennings Project Regional Geology 9
Figure 4: Jennings Project Geology and Sample Locations ..... Appendix G
Figure 5: Jennings Project As Geochemistry 12
Figure 6: Jennings Project Mo Geochemistry 13
Figure 7: Jennings Project Sb Geochemistry 14
Figure 8: Jennings Project U Geochemistry 15
Figure 9: Jennings Project W Geochemistry 16
Figure 10: Jennings Project Zn Geochemistry 17

1.0 INTRODUCTION

Equity Exploration Consultants Ltd. ("Equity") was contracted by Agnico-Eagle Mines Ltd. ("Agnico-Eagle") to carry out a soil sampling program during September of 2012. This program was carried out under the author's direction and Equity was requested by Agnico-Eagle to compile and interpret its results. The literature used in compiling this report consisted of assessment reports filed with the British Columbia Ministry of Energy, Mines and Petroleum Resources, government reports and maps, and private information supplied by Agnico-Eagle. Information on property ownership was acquired from the Yukon Mining Recorder online database. The author worked on the Jennings property during the 2012 exploration program and has first-hand knowledge of its geology and mineralization.

2.0 RELIANCE ON OTHER EXPERTS

The authors have not relied on a report, opinion or statement of an expert for information concerning legal, environmental, political or other issues.

3.0 PROPERTY DESCRIPTION AND LOCATION

The Jennings project is located 80 kilometres west of Watson Lake, Yukon (Figure 1) and in the past has been accessible by 32 kilometres of two and four-wheel drive road south and east from Rancheria on the Alaska Highway. The access route utilizes the Midway-Silvertip road south from the Alaska Highway with bridges in place at the Rancheria and Tootsee river crossings. The main river crossings along with other stream crossings were washed out during flooding in the summer of 2012; therefore there was no vehicle access during the 2012 exploration program and a helicopter had to be utilized.

Physiographically, the project is situated at the eastern limit of the Cassiar Mountain ranges with views to the east overlooking the Liard Plateau. Topography at Jennings is moderate to locally steep with elevations ranging from 1070 to 1515 metres. Vegetation is typically wooded with lodgepole pine and black spruce. Locally thick patches of birch and alder are common on south-facing slopes. North slopes are often underlain by permafrost. South slopes are characterized by reddish-brown silty talus and colluviated till. Valleys are mantled by glaciofluvial kame and kettle terrane with local small eskers.

4.0 PROPERTY TENURE

A total of 147 claims comprise the current Jennings Property in the Yukon Territory for a total of 2483 hectares (Figure 2). Claim data is provided below in Table 1.

Table 1: Tenure Data

Grant Number	Claim Name	Owner & Operator	Recorded Date	Expiry Date	Claim Size
YA36789	HOT 1	AGNICO-EAGLE MINES LIMITED	05/06/1979	22/01/2015	20.8
YA36791	HOT 3	AGNICO-EAGLE MINES LIMITED	05/06/1979	22/01/2015	20.7
YA36793	HOT 5	AGNICO-EAGLE MINES LIMITED	05/06/1979	22/01/2015	20.0
YA36795	HOT 7	AGNICO-EAGLE MINES LIMITED	05/06/1979	22/01/2015	18.7
YA36797	HOT 9	AGNICO-EAGLE MINES LIMITED	05/06/1979	22/01/2015	18.7
YA36799	HOT 11	AGNICO-EAGLE MINES LIMITED	05/06/1979	22/01/2015	20.2
YA36805	HOT 17	AGNICO-EAGLE MINES LIMITED	05/06/1979	22/01/2015	20.7
YA36806	HOT 18	AGNICO-EAGLE MINES LIMITED	05/06/1979	22/01/2015	20.7
YA36807	HOT 19	AGNICO-EAGLE MINES LIMITED	05/06/1979	22/01/2015	20.7
YA36808	HOT 20	AGNICO-EAGLE MINES LIMITED	05/06/1979	22/01/2015	20.7
YA36809	HOT 21	AGNICO-EAGLE MINES LIMITED	05/06/1979	22/01/2015	18.6
YA36810	HOT 22	AGNICO-EAGLE MINES LIMITED	05/06/1979	22/01/2015	20.1
YA36811	HOT 23	AGNICO-EAGLE MINES LIMITED	05/06/1979	22/01/2015	20.7
YA36812	HOT 24	AGNICO-EAGLE MINES LIMITED	05/06/1979	22/01/2015	19.0
YA36813	HOT 25	AGNICO-EAGLE MINES LIMITED	05/06/1979	22/01/2015	20.7

YA36814	HOT 26	AGNICO-EAGLE MINES LIMITED	05/06/1979	22/01/2015	19.0
YA36815	HOT 27	AGNICO-EAGLE MINES LIMITED	05/06/1979	22/01/2015	21.1
YA36816	HOT 28	AGNICO-EAGLE MINES LIMITED	05/06/1979	22/01/2015	20.4
YA36822	HOT 34	AGNICO-EAGLE MINES LIMITED	05/06/1979	22/01/2015	20.7
YA36824	HOT 36	AGNICO-EAGLE MINES LIMITED	05/06/1979	22/01/2015	20.7
YA36826	HOT 38	AGNICO-EAGLE MINES LIMITED	05/06/1979	22/01/2015	20.7
YA36828	HOT 40	AGNICO-EAGLE MINES LIMITED	05/06/1979	22/01/2015	20.7
YA36830	HOT 42	AGNICO-EAGLE MINES LIMITED	05/06/1979	22/01/2015	20.7
YA71565	HOT 81	AGNICO-EAGLE MINES LIMITED	31/08/1984	22/01/2015	2.0
YA71566	HOT 82	AGNICO-EAGLE MINES LIMITED	31/08/1984	22/01/2015	3.7
YA71567	HOT 83	AGNICO-EAGLE MINES LIMITED	31/08/1984	22/01/2015	1.3
YA71568	HOT 84	AGNICO-EAGLE MINES LIMITED	31/08/1984	22/01/2015	3.7
YA71569	HOT 85	AGNICO-EAGLE MINES LIMITED	31/08/1984	22/01/2015	1.2
YC28702	TOOZ 1	AGNICO-EAGLE MINES LIMITED	02/06/2005	22/01/2015	20.9
YC28703	TOOZ 2	AGNICO-EAGLE MINES LIMITED	02/06/2005	22/01/2015	20.9
YC28704	TOOZ 3	AGNICO-EAGLE MINES LIMITED	02/06/2005	22/01/2015	18.9
YC28705	TOOZ 4	AGNICO-EAGLE MINES LIMITED	02/06/2005	22/01/2015	18.9
YC28706	TOOZ 5	AGNICO-EAGLE MINES LIMITED	02/06/2005	22/01/2015	20.9
YC28707	TOOZ 6	AGNICO-EAGLE MINES LIMITED	02/06/2005	22/01/2015	20.9
YC28708	TOOZ 7	AGNICO-EAGLE MINES LIMITED	02/06/2005	22/01/2015	20.9
YC28709	TOOZ 8	AGNICO-EAGLE MINES LIMITED	02/06/2005	22/01/2015	20.9
YC28710	TOOZ 9	AGNICO-EAGLE MINES LIMITED	02/06/2005	22/01/2015	20.9
YC28711	TOOZ 10	AGNICO-EAGLE MINES LIMITED	02/06/2005	22/01/2015	20.9
YC28712	TOOZ 11	AGNICO-EAGLE MINES LIMITED	02/06/2005	22/01/2015	20.9
YC28713	TOOZ 12	AGNICO-EAGLE MINES LIMITED	02/06/2005	22/01/2015	20.9
YC28714	TOOZ 13	AGNICO-EAGLE MINES LIMITED	02/06/2005	22/01/2015	20.9
YC28715	TOOZ 14	AGNICO-EAGLE MINES LIMITED	02/06/2005	22/01/2015	16.3
YC28716	TOOZ 15	AGNICO-EAGLE MINES LIMITED	02/06/2005	22/01/2015	18.9
YC28717	TOOZ 16	AGNICO-EAGLE MINES LIMITED	02/06/2005	22/01/2015	14.7
YC28718	TOOZ 17	AGNICO-EAGLE MINES LIMITED	02/06/2005	22/01/2015	20.9
YC28719	TOOZ 18	AGNICO-EAGLE MINES LIMITED	02/06/2005	22/01/2015	16.3
YC28720	TOOZ 19	AGNICO-EAGLE MINES LIMITED	02/06/2005	22/01/2015	20.9
YC28721	TOOZ 20	AGNICO-EAGLE MINES LIMITED	02/06/2005	22/01/2015	16.3
YC28722	TOOZ 21	AGNICO-EAGLE MINES LIMITED	02/06/2005	22/01/2015	20.9
YC28723	TOOZ 22	AGNICO-EAGLE MINES LIMITED	02/06/2005	22/01/2015	16.2
YC28724	TOOZ 23	AGNICO-EAGLE MINES LIMITED	02/06/2005	22/01/2015	20.9
YC28725	TOOZ 24	AGNICO-EAGLE MINES LIMITED	02/06/2005	22/01/2015	16.2
YC28726	TOOZ 25	AGNICO-EAGLE MINES LIMITED	02/06/2005	22/01/2015	20.6
YC28727	TOOZ 26	AGNICO-EAGLE MINES LIMITED	02/06/2005	22/01/2015	20.9
YC28728	TOOZ 27	AGNICO-EAGLE MINES LIMITED	02/06/2005	22/01/2015	17.0
YC28729	TOOZ 28	AGNICO-EAGLE MINES LIMITED	02/06/2005	22/01/2015	18.9
YC28730	TOOZ 29	AGNICO-EAGLE MINES LIMITED	02/06/2005	22/01/2015	15.4
YC28731	TOOZ 30	AGNICO-EAGLE MINES LIMITED	02/06/2005	22/01/2015	20.9
YC28732	TOOZ 31	AGNICO-EAGLE MINES LIMITED	02/06/2005	22/01/2015	17.1
YC28733	TOOZ 32	AGNICO-EAGLE MINES LIMITED	02/06/2005	22/01/2015	20.9
YC28734	TOOZ 33	AGNICO-EAGLE MINES LIMITED	02/06/2005	22/01/2015	17.1
YC28735	TOOZ 34	AGNICO-EAGLE MINES LIMITED	02/06/2005	22/01/2015	20.9
YC28736	TOOZ 35	AGNICO-EAGLE MINES LIMITED	02/06/2005	22/01/2015	17.2
YC28737	TOOZ 36	AGNICO-EAGLE MINES LIMITED	02/06/2005	22/01/2015	20.9
YC28738	TOOZ 37	AGNICO-EAGLE MINES LIMITED	02/06/2005	22/01/2015	17.3
YC28739	TOOZ 38	AGNICO-EAGLE MINES LIMITED	02/06/2005	22/01/2015	20.9
YC28740	TOOZ 39	AGNICO-EAGLE MINES LIMITED	02/06/2005	22/01/2015	19.4
YC28741	TOOZ 40	AGNICO-EAGLE MINES LIMITED	02/06/2005	22/01/2015	18.9
YC28742	TOOZ 41	AGNICO-EAGLE MINES LIMITED	02/06/2005	22/01/2015	17.5
YC28743	TOOZ 42	AGNICO-EAGLE MINES LIMITED	02/06/2005	22/01/2015	20.9
YC28744	TOOZ 43	AGNICO-EAGLE MINES LIMITED	02/06/2005	22/01/2015	19.4
YC28745	TOOZ 44	AGNICO-EAGLE MINES LIMITED	02/06/2005	22/01/2015	20.9
YC28746	TOOZ 45	AGNICO-EAGLE MINES LIMITED	02/06/2005	22/01/2015	19.4
YC28747	TOOZ 46	AGNICO-EAGLE MINES LIMITED	02/06/2005	22/01/2015	20.9
YC28748	TOOZ 47	AGNICO-EAGLE MINES LIMITED	02/06/2005	22/01/2015	19.4
YC28749	TOOZ 48	AGNICO-EAGLE MINES LIMITED	02/06/2005	22/01/2015	20.9
YC28750	TOOZ 49	AGNICO-EAGLE MINES LIMITED	02/06/2005	22/01/2015	19.4
YC28751	TOOZ 50	AGNICO-EAGLE MINES LIMITED	02/06/2005	22/01/2015	19.4
YC28752	TOOZ 51	AGNICO-EAGLE MINES LIMITED	02/06/2005	22/01/2015	16.1
YC28753	TOOZ 52	AGNICO-EAGLE MINES LIMITED	02/06/2005	22/01/2015	20.9
YC28754	TOOZ 53	AGNICO-EAGLE MINES LIMITED	02/06/2005	22/01/2015	17.3
YC28755	TOOZ 54	AGNICO-EAGLE MINES LIMITED	02/06/2005	22/01/2015	20.9
YC28756	TOOZ 55	AGNICO-EAGLE MINES LIMITED	02/06/2005	22/01/2015	17.3

YC28757	TOOZ 56	AGNICO-EAGLE MINES LIMITED	02/06/2005	22/01/2015	20.9
YC28758	TOOZ 57	AGNICO-EAGLE MINES LIMITED	02/06/2005	22/01/2015	17.3
YC28759	TOOZ 58	AGNICO-EAGLE MINES LIMITED	02/06/2005	22/01/2015	20.9
YC28760	TOOZ 59	AGNICO-EAGLE MINES LIMITED	02/06/2005	22/01/2015	17.1
YC28761	TOOZ 60	AGNICO-EAGLE MINES LIMITED	02/06/2005	22/01/2015	20.9
YC28762	TOOZ 61	AGNICO-EAGLE MINES LIMITED	02/06/2005	22/01/2015	17.0
YC28763	TOOZ 62	AGNICO-EAGLE MINES LIMITED	02/06/2005	22/01/2015	20.9
YC28764	TOOZ 63	AGNICO-EAGLE MINES LIMITED	02/06/2005	22/01/2015	16.9
YC28765	TOOZ 64	AGNICO-EAGLE MINES LIMITED	02/06/2005	22/01/2015	20.9
YC28766	TOOZ 65	AGNICO-EAGLE MINES LIMITED	02/06/2005	22/01/2015	17.3
YC28767	TOOZ 66	AGNICO-EAGLE MINES LIMITED	02/06/2005	22/01/2015	20.9
YC28768	TOOZ 67	AGNICO-EAGLE MINES LIMITED	02/06/2005	22/01/2015	17.3
YC28769	TOOZ 68	AGNICO-EAGLE MINES LIMITED	02/06/2005	22/01/2015	20.9
YC28770	TOOZ 69	AGNICO-EAGLE MINES LIMITED	02/06/2005	22/01/2015	17.3
YC28771	TOOZ 70	AGNICO-EAGLE MINES LIMITED	02/06/2005	22/01/2015	20.9
YC28772	TOOZ 71	AGNICO-EAGLE MINES LIMITED	02/06/2005	22/01/2015	17.3
YC28773	TOOZ 72	AGNICO-EAGLE MINES LIMITED	02/06/2005	22/01/2015	20.9
YC28774	TOOZ 73	AGNICO-EAGLE MINES LIMITED	02/06/2005	22/01/2015	17.3
YC28775	TOOZ 74	AGNICO-EAGLE MINES LIMITED	02/06/2005	22/01/2015	19.4
YC28776	TOOZ 75	AGNICO-EAGLE MINES LIMITED	02/06/2005	22/01/2015	19.4
YC28777	TOOZ 76	AGNICO-EAGLE MINES LIMITED	02/06/2005	22/01/2015	20.9
YC28778	TOOZ 77	AGNICO-EAGLE MINES LIMITED	02/06/2005	22/01/2015	20.9
YC28779	TOOZ 78	AGNICO-EAGLE MINES LIMITED	02/06/2005	22/01/2015	20.9
YC28780	TOOZ 79	AGNICO-EAGLE MINES LIMITED	02/06/2005	22/01/2015	20.9
YC28781	TOOZ 80	AGNICO-EAGLE MINES LIMITED	02/06/2005	22/01/2015	20.9
YC28782	TOOZ 81	AGNICO-EAGLE MINES LIMITED	02/06/2005	22/01/2015	20.9
YC28783	TOOZ 82	AGNICO-EAGLE MINES LIMITED	02/06/2005	22/01/2015	20.9
YC28784	TOOZ 83	AGNICO-EAGLE MINES LIMITED	02/06/2005	22/01/2015	20.9
YC28785	TOOZ 84	AGNICO-EAGLE MINES LIMITED	02/06/2005	22/01/2015	20.9
YC28786	TOOZ 85	AGNICO-EAGLE MINES LIMITED	02/06/2005	22/01/2015	20.9
YC28787	TOOZ 86	AGNICO-EAGLE MINES LIMITED	02/06/2005	22/01/2015	20.9
YC28788	TOOZ 87	AGNICO-EAGLE MINES LIMITED	02/06/2005	22/01/2015	20.9
YC28789	TOOZ 88	AGNICO-EAGLE MINES LIMITED	02/06/2005	22/01/2015	20.9
YC28790	TOOZ 89	AGNICO-EAGLE MINES LIMITED	02/06/2005	22/01/2015	20.9
YC28791	TOOZ 90	AGNICO-EAGLE MINES LIMITED	02/06/2005	22/01/2015	20.9
YC28792	TOOZ 91	AGNICO-EAGLE MINES LIMITED	02/06/2005	22/01/2015	20.9
YC28793	TOOZ 92	AGNICO-EAGLE MINES LIMITED	02/06/2005	22/01/2015	20.9
YC28794	TOOZ 93	AGNICO-EAGLE MINES LIMITED	02/06/2005	22/01/2015	20.9
YC28795	TOOZ 94	AGNICO-EAGLE MINES LIMITED	02/06/2005	22/01/2015	20.9
YC28796	TOOZ 95	AGNICO-EAGLE MINES LIMITED	02/06/2005	22/01/2015	20.9
YC28797	TOOZ 96	AGNICO-EAGLE MINES LIMITED	02/06/2005	22/01/2015	20.9
YC28798	TOOZ 97	AGNICO-EAGLE MINES LIMITED	02/06/2005	22/01/2015	20.9
YC73950	TOOZ 98	AGNICO-EAGLE MINES LIMITED	30/09/2008	22/01/2015	5.7
YC73951	TOOZ 99	AGNICO-EAGLE MINES LIMITED	30/09/2008	22/01/2015	4.0
YC73952	TOOZ 100	AGNICO-EAGLE MINES LIMITED	30/09/2008	22/01/2015	5.7
YC73953	TOOZ 101	AGNICO-EAGLE MINES LIMITED	30/09/2008	22/01/2015	3.9
YC73954	TOOZ 102	AGNICO-EAGLE MINES LIMITED	30/09/2008	22/01/2015	5.7
YC73955	TOOZ 103	AGNICO-EAGLE MINES LIMITED	30/09/2008	22/01/2015	3.9
YC73956	TOOZ 104	AGNICO-EAGLE MINES LIMITED	30/09/2008	22/01/2015	5.6
YC73957	TOOZ 105	AGNICO-EAGLE MINES LIMITED	30/09/2008	22/01/2015	3.9
YC73958	TOOZ 106	AGNICO-EAGLE MINES LIMITED	30/09/2008	22/01/2015	5.6
YC73959	TOOZ 107	AGNICO-EAGLE MINES LIMITED	30/09/2008	22/01/2015	3.9
YC73960	TOOZ 108	AGNICO-EAGLE MINES LIMITED	30/09/2008	22/01/2015	5.6
YC73961	TOOZ 109	AGNICO-EAGLE MINES LIMITED	30/09/2008	22/01/2015	3.9
YC73962	TOOZ 110	AGNICO-EAGLE MINES LIMITED	30/09/2008	22/01/2015	5.6
YC73963	TOOZ 111	AGNICO-EAGLE MINES LIMITED	30/09/2008	22/01/2015	3.9
YC73964	TOOZ 112	AGNICO-EAGLE MINES LIMITED	30/09/2008	22/01/2015	5.5
YC73965	TOOZ 113	AGNICO-EAGLE MINES LIMITED	30/09/2008	22/01/2015	3.9
YC73966	TOOZ 114	AGNICO-EAGLE MINES LIMITED	30/09/2008	22/01/2015	5.5
YC73967	TOOZ 115	AGNICO-EAGLE MINES LIMITED	30/09/2008	22/01/2015	3.9
YC73968	TOOZ 116	AGNICO-EAGLE MINES LIMITED	30/09/2008	22/01/2015	5.5
YC73969	TOOZ 117	AGNICO-EAGLE MINES LIMITED	30/09/2008	22/01/2015	3.8
YC73970	TOOZ Fr. 118	AGNICO-EAGLE MINES LIMITED	30/09/2008	22/01/2015	5.1
YC73971	TOOZ Fr. 119	AGNICO-EAGLE MINES LIMITED	30/09/2008	22/01/2015	3.8
					2483.3

Agnico-Eagle Mines Ltd.

Jennings Project

Location Map

EQUITY	Date: NOV 2012	Scale: 1:7,000,000	Figure 1
	U.T.M. Zone UTM 9 - NAD83	Mining District Liard, Watson Lake	
	N.T.S. 104O/16, 105B/01	Province BC, Yukon	



2 km

N

Agnico-Eagle Mines Ltd.

Jennings Project
Tenure Map
Yukon

EQUITY

Date: NOV 2012	Scale: 1:35,000		Figure 2
U.T.M. Zone: UTM 9 - NAD83	Mining District: Liard, Watson Lake		
N.T.S.: 104O/16, 105B/01	Province: BC, Yukon		

5.0 HISTORY

Amax of Canada Limited identified elevated concentrations of scheelite in drainages east of the property in the course of 1978 regional exploration. Anomalous scheelite was traced west to a package of steeply dipping calc-silicate hornfels in the current project area. Claims were staked in 1979 followed by linecutting, geological mapping, panning, stream and soil geochemical surveys, UV lamp prospecting, VLF-EM and magnetic surveys through 1980 (Booth and Lebel, 1980). Diamond drilling in late 1983 consisted of two holes in the Yukon and one hole in British Columbia for a total of 787 metres (Hitchins, 1983; Hitchins, 1984a). A 1985 program consisted of 1:2,000 scale geological mapping, soil and rock geochemistry, a 162 line-kilometre airborne magnetic-EM survey and construction of 11.3 kilometres of access road, drill road and drill sites (Fleming, 1985). Cumberland Resources Ltd. staked the peripheral TOOZ (Yukon) and TOOTZ (BC) claims in May-June 2005 and optioned the core HOT claims from North American Tungsten Corp. in April 2006 and completed three diamond drill holes on the Yukon side of the property intersecting Mo-W fracture controlled mineralization (Fleming, 2007). In 2007 Cumberland Resources Ltd. was taken over by Agnico-Eagle and the project was renamed as the Jennings.

5.1 2012 Exploration Program

The 2012 Jennings exploration program in the Yukon Territory consisted of soil sampling and minor claim staking from September 21st to September 30th 2012. All fieldwork was based from the Rancheria Motel at Mile 710 on the Alaska Hwy. Access to the property was via a Bell 206 LongRanger L4 provided by Trans-North Helicopters of Whitehorse, Yukon Territory. Sampling totals for the program are shown in Table 2. A total of 22 Quartz claims were staked and filed on the western edge of the existing Jennings property. These claims named TOOZ120-TOOZ141 are not part of this assessment report. Equity Exploration Consultants Ltd. of Vancouver were contracted to manage and execute the exploration program and have been retained to report on the results as described herein.

Table 2: Surface Samples Collected during the 2012 Program

Sample Type	Total	ALS Chemex Analytical Codes
Soil	432	SCR-41; ME-MS61

Soil sample locations were marked in the field by orange flagging and a tyvex tag with the sample number written with a China Marker. All soil samples were located using a hand-held GPS. Soil sampling was conducted along grid lines parallel to the 1980, 2009 and 2011 grids, extending the existing grids to the west and north, with 200 m line spacing and samples taken every 50 m along the lines. Samples targeted the B-horizon and were taken between 10 and 60 cm depth. The soil profile encountered during sampling was generally moderately developed with a minor conspicuous glacial component locally; this may indicate the soil geochemistry is a good representation of underlying rock units and mineralization. Permafrost did not present an issues on the slopes sampled.

Samples were transported to the ALS Chemex Laboratories preparation facility in Whitehorse, Yukon Territory. All samples were analyzed for a multi-element analysis package that utilized a four acid digestion and an ICP-MS technique. Certificates of Analysis are presented in Appendix C. The procedures, results and conclusions of the sampling QA/QC program are summarized in Appendix D.

All maps and UTM coordinates are referenced to the 1983 North American Datum (NAD-83; Zone 9).

6.0 REGIONAL GEOLOGY

The Jennings project area occurs within carbonate and clastic rocks of the North American continental shelf (Nelson and Bradford, 1987). The miogeoclinal strata range from Lower Cambrian to Lower Mississippian in age and form the footwall of a regional north-east directed thrust fault. The hanging wall of the thrust west of the property is the Late Devonian to Late Triassic Sylvester Allochthon. Emplacement of the allochthon took place between Late Triassic and mid-Cretaceous at which time it was intruded by the Cassiar Batholith. Cryptic Late Cretaceous to Early Tertiary intrusives occur marginal to the Cassiar Batholith to the east.

Two major structural events are documented in the area. An Early Jurassic collisional event caused major shortening of the North American continental margin and emplacement of the Sylvester Allochthon. A younger structural event reflects Late Cretaceous to Early Tertiary wrench faulting between dextral Cassiar and Tintina Fault systems.

7.0 PROPERTY GEOLOGY

No geological mapping was conducted on the Jennings property during the 2012 Exploration program. Observations from previous work have determined the Jennings property is underlain predominantly by calcareous and pelitic sediments and minor limestone of the Cambrian-Ordivician Kechika Group (Figure 4). Kechika group sediments are flanked to the southwest by variably calcareous quartzite, shale and graphitic argillite with minor limestone of Silurian-Devonian age (Booth & Lebel, 1980). Although minor folding is observed, rocks generally strike north to northwesterly and dip moderately to steeply west. A broad area of calc-silicate and pelitic hornfels +/- disseminated pyrrhotite (trace-5%) has been mapped in the central and northwestern property area (Perk, 2009). Historic diamond drilling in the central area of the Yukon side of the property has intersected granitic and quartz-feldspar-porphyry dykes associated with mineralization, which are rarely exposed on surface.


PCGC
CDRC
DMEC
CDR
mKqC
TQE
Q
YUKON
B.C.
DTrS
DCRC
DME
EPd
DTrH
425,000 mE
435,000 mE
445,000 mE
455,000 mE
6,665,000 mN
6,655,000 mN
6,645,000 mN
6,635,000 mN
10 km
REGIONAL GEOLOGY
Quaternary
Q
Tertiary and Quaternary
TQE
Mid-Cretaceous
Cassiar Batholith
mKqC
Permian to Triassic
DTrH
Early Permian
EPd
Carboniferous to Permian
Slide Mountain Complex
Blue Dome Fault Zone
DTrS
DTrS
DTrS
DCRC
Upper Devonian to Lower Mississippian
Earn Group
DME
Silurian to Devonian
Ramhorn Group (BC)/Askin Group (YK)
CDRC
Ordovician to Silurian
Road River
CDRC
Cambrian to Ordovician
Kechika Group
CDR
Lower Cambrian
Rosella Formation
PCGC
Boya Formation
PCGC
Fault
Yukon Regional Geology 1:250 000 Gordey, S.P. and Makepeace, A.J. (comp.) 1999: Geological Survey of Canada Open File D3826
Massey, N.W.D., MacIntyre, D.G., Desjardins, P.J. and Cooney, R.T., 2005: Digital Geology Map of British Columbia: Tile NO9 North Central B.C., B.C. Ministry of Energy and Mines, GeoFile 2005-9, scale 1:250,000.
N
Agnico-Eagle Mines Ltd.
Jennings Project
Regional Geology
EQUITY
Date: NOV 2012
Scale: 1:200,000
Figure 3
U.T.M. Zone: UTM 9 - NAD83
Mining District: Liard, Watson Lake
N.T.S.: 104O/16, 105B/01
Province: BC, Yukon

8.0 GEOCHEMISTRY

8.1 Soil Geochemistry

During the 2012 program, 432 soil samples were collected from the Jennings Property. This total includes Quality Assurance/Quality Control (QAQC) samples; 8 Blanks and 20 field duplicates inserted into the sample stream. Figure 4 shows sample locations and Figures 5-9 display results from these samples for elements of most interest. Percentiles and the correlation matrix for the 2012 soil data are shown in Table 3 and Table 4.

Table 3: 2012 Soil Geochemistry Percentiles

Percentile	Ag (ppm)	As (ppm)	Cu (ppm)	Mo (ppm)	Pb (ppm)	Sb (ppm)	U (ppm)	W (ppm)	Zn (ppm)
50th	0.43	15.8	16.6	4.1	40.9	3.1	3.4	1.7	232
85th	0.70	26.7	26.2	8.7	69.3	5.1	6.1	2.4	441.7
90th	0.83	30.3	30.0	10.9	83.3	5.9	6.7	2.7	575.7
95th	1.0	36.7	35.4	14.2	111.9	8.4	7.9	3.5	900.2
98th	1.2	53.0	43.7	19.4	178.5	10.4	12.0	7.30	1,363
Max Value	8.06	1720	341	45.8	245	72.9	28.2	1,140	5,730
Population	424	424	424	424	424	424	424	424	424

Table 4: 2012 Soil Geochemistry Correlation Matrix

	Ag	As	Cu	Mo	Pb	Sb	U	W	Zn
Ag									
As	0.77								
Cu	0.71	0.86							
Mo	0.06	0.11	0.21						
Pb	0.45	0.31	0.28	0.11					
Sb	0.75	0.88	0.81	0.36	0.49				
U	0.23	0.06	0.36	0.50	0.06	0.30			
W	0.006	0.06	0.33	-0.003	0.00	0.06	-0.02		
Zn	0.68	0.65	0.57	0.08	0.41	0.67	0.16	-0.004	

A strong to moderate correlation exists between Ag-As-Cu-Sb and Zn values. However, these metals do not correlate well with either Molybdenum or Tungsten values. Molybdenum does correlate moderately well with both Vanadium and Uranium values

Molybdenum values ranged from 0.54 parts per million (ppm) to a maximum of 45.8 ppm. Several significant soil geochemical anomalies have been identified within the 2012 grid area and are summarized below (Figures 5-9). The thematic ranges and percentiles used to display the soil geochemical figures are calculated from a larger dataset of 2706 soil samples from 1980 to 2012, collected on the broader Jennings property, to allow for comparability and identification of significant anomalies.

Anomaly 1: This significant broad multi-element anomaly occurs in the northwest most part of the 2012 soil geochemical grid. Dominated by highly anomalous Molybdenum with Antimony-Uranium and scattered Silver, Lead and Zinc, the anomaly covers approximately 900 m x 900 m area. The second and third highest Molybdenum soil sample values (45.8 ppm & 42.3 ppm) on the entire property occur on the western boundary of this anomaly.

Anomaly 2: This predominately Molybdenum anomaly occurs on the eastern side of the 2012 soil geochemical grid and approximately 1 km to the southwest of the centre of the historic main Jennings Molybdenum soil anomaly. This anomaly, measuring approximately 850 m x 350 m and trending northwest, is dominated by highly anomalous (>15 ppm) Molybdenum with minor patchy elevated Antimony and Uranium.

Anomaly 3: This multi-element anomaly occurs in the southwest portion of the 2012 soil geochemical grid. The anomaly is outlined by strongly anomalous Lead-Antimony-Zinc accompanied with minor patchy Molybdenum over an area of 1.15 km x 250 m in a general northwest trend.


2012
Soil Sampling
Soil Geochemistry
Arsenic (ppm)
98th (>82 ppm)
95th (>55 ppm)
90th (>36 ppm)
50th (>15 ppm)
below 50th
(pre 2012)
Arsenic (ppm)
98th (>82 ppm)
95th (>55 ppm)
90th (>36 ppm)
50th (>15 ppm)
below 50th
Multi-Element
Soil Anomalies
6,655,000 mN
6,654,000 mN
6,653,000 mN
6,652,000 mN
435,000 mE
436,000 mE
1
2
3
Yukon
B.C.
500m
N
Agnico-Eagle Mines Ltd.
Jennings Project
As Soil Geochemistry
EQUITY
Date: NOV 2012
Scale: 1:15,000
Figure 5
U.T.M. Zone: UTM 9 - NAD83
Mining District: Liard, Watson Lake
N.T.S.: 104O/16, 105B/01
Province: BC, Yukon


2012
Soil Sampling
Soil Geochemistry
Molybdenum (ppm)
98th (>15 ppm)
95th (>10 ppm)
90th (>7 ppm)
50th (>2 ppm)
below 50th
(pre 2012)
Molybdenum (ppm)
98th (>15 ppm)
95th (>10 ppm)
90th (>7 ppm)
50th (>2 ppm)
below 50th
Multi-Element
Soil Anomalies
6,655,000 mN
6,654,000 mN
6,653,000 mN
6,652,000 mN
435,000 mE
436,000 mE
1
2
3
Yukon
B.C.
500m
N
Agnico-Eagle Mines Ltd.
Jennings Project
Mo Soil Geochemistry
EQUITY
Date: NOV 2012
Scale: 1:15,000
Figure 6
U.T.M. Zone: UTM 9 - NAD83
Mining District: Liard, Watson Lake
N.T.S.: 104O/16, 105B/01
Province: BC, Yukon


2012
Soil Sampling
Soil Geochemistry
Antimony (ppm)
98th (>9.2 ppm)
95th (>7 ppm)
90th (>5.8 ppm)
50th (>2.5 ppm)
below 50th
(pre 2012)
Antimony (ppm)
98th (>9.2 ppm)
95th (>7 ppm)
90th (>5.8 ppm)
50th (>2.5 ppm)
below 50th
Multi-Element
Soil Anomalies
6,655,000 mN
6,654,000 mN
6,653,000 mN
6,652,000 mN
435,000 mE
436,000 mE
1
2
3
Yukon
B.C.
500m
N
Agnico-Eagle Mines Ltd.
Jennings Project
Sb Soil Geochemistry
EQUITY
Date: NOV 2012
Scale: 1:15,000
Figure 7
U.T.M. Zone: UTM 9 - NAD83
Mining District: Liard, Watson Lake
N.T.S.: 104O/16, 105B/01
Province: BC, Yukon


2012
Soil Sampling
Soil Geochemistry
Uranium (ppm)
98th (>13.3 ppm)
95th (>7.7 ppm)
90th (>5.8 ppm)
50th (>4.7 ppm)
below 50th
(pre 2012)
Uranium (ppm)
95th (>7.7 ppm)
90th (>5.8 ppm)
50th (>4.7 ppm)
below 50th
Multi-Element
Soil Anomalies
6,655,000 mN
6,654,000 mN
6,653,000 mN
6,652,000 mN
435,000 mE
436,000 mE
1
2
3
Yukon
B.C.
500m
N
Agnico-Eagle Mines Ltd.
Jennings Project
U Soil Geochemistry
EQUITY
Date: NOV 2012
Scale: 1:15,000
Figure 8
U.T.M. Zone: UTM 9 - NAD83
Mining District: Liard, Watson Lake
N.T.S.: 104O/16, 105B/01
Province: BC, Yukon


2012
Soil Sampling
Soil Geochemistry
Tungsten (ppm)
98th (>198 ppm)
95th (>120 ppm)
90th (>63 ppm)
50th (>2 ppm)
below 50th
(pre 2012)
Tungsten (ppm)
98th (>198 ppm)
95th (>120 ppm)
90th (>63 ppm)
50th (>2 ppm)
below 50th
Multi-Element
Soil Anomalies
6,655,000 mN
6,654,000 mN
6,653,000 mN
6,652,000 mN
435,000 mE
436,000 mE
1
2
3
Yukon
B.C.
500m
N
Agnico-Eagle Mines Ltd.
Jennings Project
W Soil Geochemistry
EQUITY
Date: NOV 2012
Scale: 1:15,000
Figure 9
U.T.M. Zone UTM 9 - NAD83
Mining District Liard, Watson Lake
N.T.S. 104O/16, 105B/01
Province BC, Yukon


2012
Soil Sampling
Soil Geochemistry
Zinc (ppm)
98th (>879 ppm)
95th (>600 ppm)
90th (>435 ppm)
50th (>173 ppm)
below 50th
(pre 2012)
Zinc (ppm)
98th (>879 ppm)
95th (>600 ppm)
90th (>435 ppm)
50th (>173 ppm)
below 50th
Multi-Element
Soil Anomalies
6,655,000 mN
6,654,000 mN
6,653,000 mN
6,652,000 mN
435,000 mE
436,000 mE
1
2
3
Yukon
B.C.
500m
N
Agnico-Eagle Mines Ltd.
Jennings Project
Zn Soil Geochemistry
EQUITY
Date: NOV 2012
Scale: 1:15,000
Figure 10
U.T.M. Zone: UTM 9 - NAD83
Mining District: Liard, Watson Lake
N.T.S.: 104O/16, 105B/01
Province: BC, Yukon

9.0 INTERPRETATION AND CONCLUSIONS

The 2012 soil grid on the Jennings Property investigated previously geochemically untested ground on the western portion of the property and extended the limits of soil grids completed in the 1980's and 2011 towards to north and west. The goal was to identify further porphyry and/or skarn Molybdenum-Tungsten targets for future exploration. Several significant soil geochemical anomalies were identified from the current work program. The majority of the 2012 soil grid is in an area of poor exposure and very limited mapping; minor sub-crop may be exposed in the drainages of the northern portion of the grid which may aid in determining the source of the soil anomalies.

Anomaly 1 represents a new, broad, multi-element (Mo-Sb-U-Ag-Pb-Zn) soil anomaly located on the western boundary of the current Jennings property. The two highest Molybdenum values from the 2012 program occur adjacent to one another on the property border. Antimony and Uranium are moderately anomalous and form a similar distribution pattern with Molybdenum soil geochemistry values. Weakly anomalous Silver, Lead and Zinc occur scatted within the defined anomaly 1 area. A minor zone of elevated As occurs on the eastern edge of this anomaly.

Although smaller than anomaly 1, anomaly 2 also represents a strong Molybdenum anomaly with associated but scattered Antimony and Uranium values. Elevated Uranium values continue to the south linking multi-element anomalies identified in previous programs on the B.C. portion of the property. This anomaly occurs 1 km west of the main Jennings soil anomaly and bedrock Molybdenum-Tungsten mineralization. However, despite the proximity to the main zone this anomaly does not seem to originate from the same source, as the soils are derived from the opposing hill slope.

The third anomaly identified in the 2012 soil grid, is a coincident Lead-Antimony-Zinc anomaly with patchy anomalous Molybdenum. This anomaly trends to the northwest possibly indicating a weakening of multi-element anomalies identified in 2009-2011 soil geochemical sampling.

Tungsten values throughout the 2012 soil sampling grid are low and do not correlate well with Molybdenum, particularly when compared to the 1980 soil sampling grid results over the main Jennings deposit which average 100 ppm W (Booth & Lebel, 1980). The 2012 soil geochemical anomalies do not show the same high level of spatially associated multi-element assemblages (Ag, As, Cu, Pb and Zn) identified with the main Jennings zone and previously identified soil anomalies. Multi-element anomalies identified from 2009 and 2011 soil geochemistry sampling in the western B.C. part of the property are spatially associated with the contact between Silurian-Devonian aged calcareous quartzite and the calcareous and pelitic sediments of the Cambrian-Ordivician Kechika Group. Regional mapping and variations in soil sample texture and colour indicate this may be the case for anomalies 1 and 3 outlined in the 2012 program.

The Molybdenum values and anomalies identified in 2012 sampling are significant and compelling targets; the variation of associated pathfinder elements may reflect several styles and phases of mineralizing fluids.

Extending the 2012 soil geochemical grid to the west and north is recommended to ascertain the extent of the identified anomalies which remain open in these directions. Given the lack of bedrock exposure and the previous success of soil geochemistry to identify Molybdenum-Tungsten targets; infill sampling on the existing soil grid focusing on anomaly 1 will allow for a more defined target for potential follow up trenching and diamond drilling. Select soil samples extending across the 2012 soil anomalies should be tested for gold content, to allow detection of possible gold rich mineralization systems in the area.

Respectfully submitted,

_____

Ryan J F Congdon
EQUITY EXPLORATION CONSULTANTS LTD.
Vancouver, British Columbia
November 20, 2012

Appendix A: References

REFERENCES

Booth, G.W. and Lebel, J.L. (1980): Tootsee River Property Report – 1980 Property Report for Amax of Canada Limited; Yukon Mining Recorder, Assessment Report #090681, August 1980.

Fleming, D.B. (2007): Summary Report Jennings Project, Cumberland Resources; unpublished internal report, February 2007.

Gordey, S.P. and Makepeace, A.J. (comp.) 1999: Yukon Regional Geology 1:250 000, Geological Survey of Canada Open File D3826

Hitchins, A.C. (1983): Tootsee River Property Report – 1983 Property Report for Canamax Resources Inc.; unpublished report; August 1983

Hitchins, A.C. (1984a): Tootsee River Assessment Report – 1983 Drilling Assessment Report for Canamax Resources Inc.; Yukon Assessment Report # 91528; March 29, 1984

Hitchins, A.C. (1984b): Tootsee River Property Report – 1984 Geochemical and Physical Work Report for Canamax Resources Inc.; unpublished report; November 5, 1984

Lowey, G.W. and Lowey, J.F. (1986): Geology of Spencer Creek 105 B/1 & Daughney Lake 105 B/2, Rancheria District, Southeast Yukon; Text with 2 Maps; INAC Open File 1986-1

Massey, N.W.D., MacIntyre, D.G., Desjardins, P.J. and Cooney, R.T., 2005: Digital Geology Map of British Columbia: Tile NO9 North Central B.C., B.C. Ministry of Energy and Mines, Geofile 2005-9, scale 1:250,000.

Nelson, J. and Bradford, J (1987): Geology of the Midway Area, Northern British Columbia; BCGS Open File 1987-5; 5 maps @ 1:50,000 scale plus notes;

Perk, N. (2009): 2009 Geochemical Work Report on the Jennings Property, prepared for Angino-Eagle Mines Ltd.; Yukon Assessment Report, December 2009.

Watts, A.C. (1985): Interpretation Report; Addendum to Report on Combined Helicopter Borne Magnetic, Electromagnetic and VLF Survey; Tootsee River, British Columbia / Yukon; unpublished report; December 1985

Appendix B: Statement of Expenditures

STATEMENT OF EXPENDITURES

Jennings Project

September 21st- September 30th, 2012

PROFESSIONAL FEES AND WAGES:				
Hannah Cavallin, Sr. Sampler				
	6.5 days @	$325/day	$2,112.50	
Stewart Mclean, Sr. Sampler				
	6.5 Days @	$325hour	2,112.50	
Murray Jones, P.Geo.				
	0.5 days @	$700/day	350.0	
Danny McCreery, Sr. Sampler				
	6 days @	$525/day	3,150.00	
Scott Parker, GIS/Logistics				
	5 hours @	$75/hour	375.0	
Ryan Congdon, Project Geologist				
	3.5 days @	$700/day	2,450.00	
Agata Zurek, GIS				
	0.5 hours @	$75/hour	37.5	$10,587.50
EQUIPMENT RENTALS				
Field Computers				
	3 days @	$40/day	120.0	$120.00
EXPENSES:				
Chemical Analyses				
Soil samples				
	432 samples @	$24.95/sample	$10,780.46	
Helicopter				
	4.3 Hours @	$1485/Hour	6385.50	
Aviation Fuel			967.50	
Rancheria Accommodation and Meals				
	18 days @	$140/manday	2520.00	
Materials and Supplies			349.0	
Meals			84.91	
Truck Rental (Non-Equity)				
	6 days @	$60/day	360.00	
Automotive Fuel			51.0	
Freight			433.61	
Radio plus Repeater Rental (Non-Equity)				
	17 Days	$1.94/day	32.98	
	7 Days	$12.5/day	87.5	
Report (estimated)			5,000.00	$27,052.46

EQUITY

SUB-TOTAL:	$37,759.96
PROJECT SUPERVISION CHARGES: 12% on subtotal: ($38,282.46)	$4,531.20
TOTAL:	**$42,291.16**
GST 5% on Total	$2,114.56
GRAND TOTAL:	**$44,405.71**

Appendix C: Certificates of Analysis (Soil Samples)

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Finalized Date: 15-OCT-2012
Account: EIAAEM

CERTIFICATE WH12235054

Project: AEM12-01

P.O. No.: AEM12-01_3

This report is for 155 Soil samples submitted to our lab in Whitehorse, YT, Canada on 4-OCT-2012.

The following have access to data associated with this certificate:

HENRY CASTILLO	RYAN CONGDON	NEIL PERK

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
SCR-41	Screen to -180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION
ME-MS61	48 element four acid ICP-MS

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
ATTN: RYAN CONGDON
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Finalized Date: 15-OCT-2012
Account: EIAAEM

Project: AEM12-01

CERTIFICATE OF ANALYSIS WH12235054

Sample Description	Method	WEI-21	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Recvd Wt.	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs	Cu	Fe
	Units	kg	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	0.2	0.01
M653451		0.49	0.59	4.83	9.2	1450	1.43	0.57	1.93	2.31	62.7	6.0	52	7.75	32.2	1.49
M653452		0.40	0.22	6.91	13.5	1280	1.99	0.61	1.38	0.41	95.5	12.0	66	6.04	23.1	3.04
M653453		0.40	0.45	6.13	15.0	1100	1.89	0.86	0.65	0.77	77.2	9.0	58	5.02	15.6	2.69
M653454		0.34	0.28	5.64	16.3	980	1.62	1.37	0.42	0.63	62.7	9.6	56	5.26	16.3	2.70
M653455		0.29	0.23	7.30	13.7	1280	1.97	0.63	0.54	0.70	82.3	11.0	65	6.47	15.2	3.30
M653456		0.26	0.46	4.32	11.3	1360	1.17	0.46	3.33	0.58	38.2	5.7	53	4.13	19.8	2.23
M653457		0.27	0.30	5.69	12.2	1510	1.63	0.62	2.31	0.67	71.1	8.2	57	5.37	18.5	2.49
M653458		0.34	0.44	5.14	21.9	1200	1.46	0.46	2.51	0.64	50.4	7.3	59	5.09	20.2	2.53
M653459		0.41	0.28	4.93	23.8	1100	1.29	0.43	2.27	0.49	65.9	5.9	78	4.53	16.4	2.32
M653460		0.49	0.26	4.94	20.5	1080	1.31	0.47	1.95	0.37	69.6	5.4	56	4.41	16.9	2.27
M653461		0.36	0.64	4.68	24.5	1770	1.34	0.53	1.60	1.93	71.6	6.0	49	5.63	22.9	2.10
M653462		0.32	0.99	4.78	32.1	1110	1.28	0.50	1.83	1.23	56.8	4.1	55	8.84	25.7	1.54
M653463		0.33	1.33	4.00	9.4	1130	1.28	0.27	3.30	9.60	52.3	3.2	48	6.57	52.4	1.11
M653464		0.45	0.49	5.12	33.5	1880	1.44	0.36	1.35	3.49	62.1	5.7	60	5.10	30.8	2.39
M653465		0.36	0.21	6.18	6.1	1140	1.06	0.57	0.78	1.48	85.3	8.3	75	3.62	9.4	3.23
M653466		0.32	0.21	5.53	9.3	2450	1.29	0.62	0.71	0.85	77.0	5.4	60	6.92	17.8	2.44
M653467		0.42	0.42	5.99	10.6	1480	1.64	0.48	1.40	1.62	84.9	7.9	68	6.59	21.5	2.71
M653468		0.34	0.32	6.15	13.3	1540	1.49	0.50	1.21	0.92	62.0	8.5	67	7.36	15.5	3.07
M653469		0.37	0.96	5.27	17.4	1320	1.68	0.42	2.56	6.19	70.4	10.2	68	14.50	56.1	2.70
M653470		0.15	0.04	0.65	0.6	40	0.11	0.05	0.03	0.04	15.05	0.3	6	0.50	2.5	0.17
M653471		0.39	0.27	5.34	15.3	1090	1.20	0.37	0.58	0.35	71.6	3.7	58	4.71	14.1	2.10
M653472		0.31	0.25	6.04	13.4	1040	1.59	0.37	0.78	0.84	65.8	7.1	78	4.76	14.4	3.96
M653473		0.38	0.89	4.06	30.1	770	1.16	1.08	0.27	0.40	56.9	2.4	42	4.05	43.3	1.91
M653474		0.31	0.57	6.18	16.4	1050	1.43	0.36	0.82	0.62	67.4	7.0	71	4.31	16.2	3.72
M653475		0.42	0.36	4.96	22.0	1000	1.33	0.49	0.50	0.39	63.9	4.1	54	4.39	23.4	3.05
M653476		0.44	0.37	6.07	9.4	1200	1.54	0.81	0.98	0.43	70.6	5.4	67	8.83	14.6	2.36
M653477		0.33	0.57	6.17	14.3	1130	1.62	0.55	1.34	2.22	74.4	9.1	77	8.85	27.1	3.07
M653478		0.28	0.57	5.99	12.0	1240	1.88	0.63	1.23	2.08	63.7	8.7	76	7.72	29.8	3.17
M653479		0.23	0.31	5.61	3.5	1210	1.42	0.65	0.71	0.22	73.2	2.8	55	6.10	8.5	1.44
M653480		0.39	0.26	5.61	3.4	1210	1.48	0.50	0.73	0.19	73.9	2.8	53	6.02	7.7	1.40
M653481		0.44	0.24	5.14	11.7	990	1.25	0.64	0.56	0.27	70.9	3.7	52	4.11	11.8	2.13
M653482		0.50	0.50	5.83	12.8	1160	1.48	0.56	0.56	0.34	65.8	5.4	61	5.28	12.7	2.63
M653483		0.42	0.45	6.47	12.2	1290	1.91	0.58	0.87	0.81	73.5	7.4	67	4.60	15.0	3.17
M653484		0.30	2.80	4.09	12.3	600	1.25	0.20	0.25	0.47	40.5	5.3	36	2.17	12.8	2.59
M653485		0.34	0.40	4.56	14.6	940	1.45	1.07	0.50	0.26	69.9	3.8	40	3.39	17.1	2.13
M653486		0.34	0.54	4.96	13.5	1000	1.35	0.25	0.32	0.20	69.4	3.7	59	4.95	23.3	2.14
M653487		0.39	0.38	4.74	19.7	960	1.30	0.34	0.49	0.43	84.2	5.8	66	4.06	17.8	2.99
M653488		0.39	0.26	4.80	13.0	1070	1.59	0.20	0.44	0.29	75.4	5.6	48	3.90	15.3	2.37
M653489		0.49	0.10	4.39	13.7	970	1.40	0.19	0.61	0.26	87.1	5.6	43	3.06	16.1	1.98
M653490		0.47	0.49	5.30	32.9	1160	1.92	1.24	0.45	3.34	60.2	16.1	63	4.98	35.7	3.19

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Finalized Date: 15-OCT-2012
Account: EIAAEM

Project: AEM12-01

CERTIFICATE OF ANALYSIS WH12235054

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni	P	Pb
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10	0.5
M653451		11.75	0.22	1.9	0.059	1.53	36.0	30.6	0.97	260	6.06	0.53	10.3	33.9	1250	43.4
M653452		17.05	0.26	2.6	0.062	2.15	50.0	38.4	1.45	655	2.56	0.82	14.7	42.4	870	25.1
M653453		13.80	0.17	2.4	0.062	1.92	39.9	32.1	1.40	548	3.75	0.41	11.4	45.3	640	30.4
M653454		13.55	0.13	2.1	0.066	1.69	32.6	31.1	1.18	401	4.33	0.42	11.6	54.0	380	42.1
M653455		19.05	0.17	2.6	0.057	2.01	42.0	47.4	1.97	377	4.08	0.30	14.5	44.5	600	21.5
M653456		10.30	0.15	1.6	0.049	1.22	20.1	36.8	0.98	382	4.15	0.39	7.8	20.9	1940	22.3
M653457		13.90	0.16	2.2	0.050	1.83	38.4	38.6	1.39	316	3.76	0.49	11.9	38.6	890	27.5
M653458		13.45	0.19	2.0	0.062	1.52	26.0	33.6	0.96	771	8.77	0.61	10.3	30.8	1520	23.8
M653459		12.15	0.16	1.9	0.048	1.58	34.7	25.1	0.83	500	4.70	0.48	9.8	29.7	1130	23.8
M653460		12.30	0.17	2.0	0.058	1.66	37.2	24.9	0.79	334	4.47	0.48	10.2	23.6	1000	24.8
M653461		11.00	0.17	1.8	0.086	1.46	39.1	26.7	0.79	255	2.33	0.54	9.5	25.7	1220	49.3
M653462		10.50	0.19	1.9	0.063	1.39	33.6	30.5	0.73	169	1.48	0.52	9.4	25.5	1550	57.5
M653463		9.05	0.23	1.4	0.043	1.06	32.9	19.7	0.61	117	0.54	0.52	8.0	29.2	2210	23.8
M653464		13.85	0.16	1.7	0.058	1.72	33.4	24.0	0.51	389	3.89	0.74	12.4	25.2	1280	25.7
M653465		19.55	0.17	2.6	0.033	2.61	47.1	51.5	2.82	507	1.06	0.34	14.3	19.1	1000	11.2
M653466		16.15	0.16	1.9	0.049	2.23	40.8	26.1	0.55	302	3.74	0.86	17.3	21.7	660	22.9
M653467		16.40	0.16	2.3	0.055	1.91	45.6	36.1	1.42	429	2.37	0.64	14.3	32.2	700	25.0
M653468		16.80	0.14	2.6	0.058	1.84	33.7	50.5	1.75	455	2.25	0.49	13.2	31.1	810	27.2
M653469		12.70	0.18	1.7	0.067	1.57	37.6	29.3	0.79	789	2.51	0.90	12.8	45.5	1780	34.0
M653470		1.62	0.08	0.3	0.007	0.30	7.1	3.5	0.04	10	0.33	0.02	1.1	2.8	30	1.1
M653471		14.95	0.12	2.1	0.063	1.91	37.9	19.6	0.43	202	3.23	0.92	16.1	19.7	580	47.3
M653472		20.5	0.13	2.4	0.064	1.87	34.3	27.3	0.71	380	2.84	0.97	20.8	25.5	1280	44.9
M653473		11.80	0.10	1.5	0.082	1.37	31.7	17.2	0.30	83	5.06	0.42	9.3	21.2	510	44.1
M653474		17.45	0.13	2.0	0.063	1.79	35.1	28.6	0.64	445	2.97	1.07	18.5	22.0	1290	51.8
M653475		14.90	0.14	1.7	0.067	1.73	34.0	19.7	0.47	233	5.34	0.69	13.8	21.2	1420	47.3
M653476		18.30	0.14	2.5	0.060	2.18	38.0	28.9	0.92	329	4.52	1.03	19.3	25.6	660	37.7
M653477		19.10	0.14	2.1	0.071	1.96	39.6	35.8	0.77	511	4.70	1.30	21.9	27.4	800	49.7
M653478		16.70	0.13	1.9	0.060	1.98	33.0	30.2	0.88	734	3.39	1.04	17.0	29.1	1130	37.2
M653479		15.95	0.15	2.0	0.041	2.08	38.8	16.7	0.43	230	1.82	1.03	18.5	13.4	380	30.2
M653480		16.15	0.16	1.9	0.036	2.12	39.4	17.0	0.43	222	1.82	1.07	19.1	13.2	340	29.2
M653481		14.00	0.14	1.7	0.038	1.73	37.6	20.5	0.51	198	3.29	0.87	13.1	21.2	650	28.1
M653482		16.45	0.12	1.9	0.065	1.93	35.4	27.3	0.67	483	4.58	0.82	15.6	26.3	960	37.8
M653483		17.25	0.16	1.9	0.057	1.98	37.8	35.6	0.75	439	2.80	1.12	18.1	30.0	570	36.8
M653484		7.34	0.09	1.2	0.049	1.07	18.4	21.8	0.30	159	2.57	0.25	10.5	23.4	720	36.8
M653485		11.60	0.11	1.8	0.049	1.57	37.0	19.0	0.39	157	3.55	0.82	10.2	21.9	760	30.9
M653486		17.05	0.16	1.7	0.047	1.76	37.5	17.9	0.40	105	5.32	0.56	12.6	27.9	520	27.2
M653487		14.45	0.18	1.9	0.062	1.53	46.5	22.4	0.51	209	5.52	0.75	13.1	31.1	600	42.8
M653488		13.30	0.17	1.7	0.041	1.74	41.3	22.9	0.43	179	2.95	0.85	11.5	27.0	400	26.0
M653489		11.90	0.19	1.6	0.039	1.64	46.9	17.7	0.40	212	3.54	0.89	10.5	26.7	600	27.4
M653490		13.30	0.18	1.9	0.123	1.51	31.1	28.9	0.56	995	10.90	0.47	13.1	101.5	710	94.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Finalized Date: 15-OCT-2012
Account: EIAAEM

Project: AEM12-01

CERTIFICATE OF ANALYSIS WH12235054

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02	0.1	1
M653451		89.1	0.026	0.21	2.43	8.2	5	3.2	150.5	0.68	<0.05	9.8	0.256	1.37	16.5	115
M653452		89.1	0.002	0.02	2.12	11.0	1	2.9	193.0	1.02	<0.05	13.0	0.368	0.81	2.9	117
M653453		63.8	<0.002	0.02	2.68	9.0	1	2.9	119.5	0.79	<0.05	11.0	0.302	0.90	3.0	128
M653454		73.6	0.003	0.02	2.94	7.7	1	3.4	92.7	0.76	<0.05	8.2	0.311	1.16	2.7	150
M653455		60.8	0.002	0.03	2.42	10.7	1	2.9	117.5	1.02	<0.05	11.1	0.361	0.67	3.1	134
M653456		72.6	0.056	0.38	3.48	7.0	7	1.8	127.0	0.56	<0.05	7.1	0.224	0.66	12.9	95
M653457		74.9	0.005	0.10	2.80	8.7	2	2.5	153.5	0.82	<0.05	10.1	0.302	0.92	6.1	128
M653458		88.4	0.021	0.18	3.69	8.7	3	2.5	148.5	0.72	<0.05	8.7	0.285	0.94	12.8	127
M653459		76.2	0.019	0.14	2.71	7.9	4	2.3	156.0	0.67	0.05	9.9	0.283	0.87	6.4	118
M653460		76.7	0.016	0.11	2.84	8.0	3	2.4	147.0	0.73	0.05	10.5	0.289	0.86	5.8	124
M653461		68.1	0.008	0.11	2.60	7.4	2	4.9	146.0	0.70	0.06	10.4	0.267	1.27	6.2	114
M653462		82.2	0.006	0.15	2.55	8.4	4	3.5	120.5	0.65	<0.05	8.8	0.263	1.87	9.1	111
M653463		81.2	0.003	0.36	2.58	7.6	6	2.0	130.0	0.53	<0.05	8.0	0.213	1.16	22.5	70
M653464		134.0	0.003	0.08	2.37	8.4	2	2.5	142.0	0.91	0.05	9.1	0.352	0.93	7.1	141
M653465		86.5	0.002	0.03	0.65	12.0	1	3.7	96.5	1.01	<0.05	8.4	0.420	0.52	2.3	123
M653466		146.5	0.002	0.06	2.57	8.1	1	3.2	151.5	1.22	0.05	9.8	0.461	0.86	2.5	151
M653467		92.6	<0.002	0.04	2.06	10.0	1	2.9	144.0	0.97	<0.05	11.3	0.371	0.89	2.7	122
M653468		77.3	0.002	0.04	3.03	10.1	1	2.8	128.5	0.87	<0.05	8.5	0.371	0.68	2.9	111
M653469		122.5	0.002	0.09	2.26	9.9	2	2.8	172.0	0.89	0.06	11.6	0.343	1.01	5.2	110
M653470		8.7	<0.002	<0.01	0.54	0.8	<1	0.3	7.4	0.07	<0.05	2.5	0.043	0.07	0.4	6
M653471		146.0	<0.002	0.03	2.43	7.3	1	3.3	143.0	1.10	<0.05	10.3	0.422	1.21	2.4	143
M653472		124.5	0.002	0.02	2.10	9.9	1	3.3	154.0	1.40	0.06	9.8	0.535	0.89	2.4	171
M653473		107.0	0.002	0.02	6.88	5.5	1	4.5	75.4	0.65	0.05	7.6	0.267	1.60	2.8	143
M653474		107.5	0.002	0.02	2.14	8.7	1	3.0	165.0	1.23	0.05	10.1	0.462	0.89	2.5	145
M653475		130.5	<0.002	0.03	3.78	7.3	2	3.1	120.5	0.92	0.07	8.6	0.363	1.29	2.6	161
M653476		216	0.002	0.03	1.55	9.2	1	3.6	166.5	1.27	<0.05	9.9	0.468	1.41	3.3	174
M653477		203	<0.002	0.03	1.31	9.7	1	3.1	188.5	1.45	<0.05	11.8	0.497	1.15	4.8	142
M653478		183.0	<0.002	0.04	1.38	9.6	1	2.9	164.0	1.18	<0.05	10.4	0.437	1.12	3.7	151
M653479		142.0	0.002	0.02	1.29	8.1	1	3.1	171.0	1.29	<0.05	9.6	0.481	1.38	2.3	128
M653480		141.0	0.002	0.02	1.17	8.2	1	3.0	176.5	1.32	<0.05	9.9	0.478	1.38	2.3	127
M653481		113.5	0.002	0.02	1.88	6.7	1	2.3	139.0	0.87	<0.05	9.3	0.349	0.78	2.2	139
M653482		131.5	<0.002	0.02	2.38	8.0	1	3.4	137.5	1.08	0.05	9.4	0.405	1.17	2.6	197
M653483		109.5	0.002	0.02	2.56	9.4	1	3.2	192.0	1.50	0.08	10.6	0.432	1.14	2.5	173
M653484		54.1	<0.002	0.03	2.47	3.7	1	1.6	54.0	0.53	<0.05	6.5	0.187	0.56	2.1	85
M653485		84.7	<0.002	0.03	2.53	5.5	1	2.5	141.0	0.73	0.05	9.6	0.286	0.69	2.3	119
M653486		133.0	<0.002	0.02	2.73	8.4	2	2.7	107.0	0.91	0.05	9.8	0.335	1.10	2.6	181
M653487		102.0	<0.002	0.03	3.02	7.6	2	2.9	124.0	0.97	0.05	13.2	0.350	0.90	2.6	140
M653488		107.5	<0.002	0.02	1.93	6.7	2	2.0	141.5	0.94	<0.05	10.9	0.293	0.72	2.1	115
M653489		85.4	<0.002	0.02	2.12	5.9	3	1.9	157.5	0.82	<0.05	13.0	0.273	0.69	2.4	107
M653490		87.0	<0.002	0.04	8.95	8.7	3	7.1	87.2	0.93	0.10	9.1	0.307	4.19	4.7	195

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Finalized Date: 15-OCT-2012
Account: EIAAEM

Project: AEM12-01

CERTIFICATE OF ANALYSIS WH12235054

Sample Description	Method Analyte Units LOR	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5
M653451		1.6	23.0	254	68.5
M653452		1.7	18.6	134	92.9
M653453		1.6	17.0	182	84.2
M653454		1.8	11.7	245	77.4
M653455		1.5	14.0	160	92.0
M653456		1.2	12.6	187	54.0
M653457		1.4	15.2	173	77.2
M653458		2.4	11.6	169	71.7
M653459		1.3	11.9	126	70.9
M653460		1.2	12.3	122	70.8
M653461		1.8	17.4	169	59.5
M653462		1.9	28.1	193	67.2
M653463		1.2	33.9	160	53.0
M653464		1.4	15.0	133	64.8
M653465		1.2	14.2	305	95.2
M653466		1.6	11.8	199	81.8
M653467		1.3	14.0	234	90.0
M653468		1.7	13.4	393	83.9
M653469		1.2	19.5	503	64.1
M653470		0.2	1.2	10	7.9
M653471		1.9	10.0	103	76.0
M653472		1.7	11.8	270	87.7
M653473		2.0	8.8	124	59.1
M653474		1.7	10.8	178	74.2
M653475		1.5	9.7	114	67.3
M653476		1.8	12.6	109	97.4
M653477		1.6	12.6	305	81.3
M653478		1.4	11.2	304	74.7
M653479		1.8	10.9	63	71.9
M653480		1.7	10.9	59	71.3
M653481		1.3	9.0	95	69.0
M653482		2.0	10.2	177	71.5
M653483		1.8	11.8	323	71.7
M653484		0.9	5.9	75	42.8
M653485		1.3	9.3	106	65.5
M653486		1.4	10.4	82	65.2
M653487		1.6	12.7	120	65.9
M653488		1.2	10.3	87	59.2
M653489		1.2	13.1	91	57.3
M653490		2.4	27.4	1190	68.7

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Finalized Date: 15-OCT-2012
Account: EIAAEM

Project: AEM12-01

CERTIFICATE OF ANALYSIS WH12235054

Sample Description	Method	WEI-21	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Recvd Wt.	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs	Cu	Fe
	Units	kg	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	0.2	0.01
M653491		0.38	0.96	1.80	5	310	1.15	0.30	11.15	9.89	25.8	3.6	19	1.22	10.6	1.18
M653492		0.49	0.88	1.92	21.4	310	1.35	0.55	0.12	0.73	22.9	7.9	22	1.30	32.7	1.87
M653493		0.43	0.79	3.51	45.1	310	1.06	5.74	0.07	0.98	44.0	2.8	42	2.26	21.5	2.58
M653494		0.40	0.68	5.10	29.0	960	1.83	1.53	0.59	2.65	59.6	9.7	58	3.74	30.0	3.03
M653495		0.35	1.04	5.50	29.3	670	2.93	0.88	1.57	4.86	76.7	9.2	63	3.97	29.2	2.50
M653496		0.50	0.69	5.97	29.4	1000	2.51	0.54	0.45	1.50	85.9	9.3	96	4.54	32.5	2.62
M653497		0.42	0.43	3.39	23.9	730	1.03	0.25	0.20	0.48	53.1	3.4	43	3.38	19.8	2.73
M653498		0.53	0.46	4.33	24.2	820	1.60	0.33	0.28	1.34	70.1	9.7	51	3.80	24.3	3.19
M653499		0.46	0.34	5.04	13.8	810	1.51	0.52	0.80	1.51	59.3	7.3	58	5.74	15.2	2.60
M653500		0.51	0.14	5.95	5.7	740	1.40	0.64	0.79	0.55	59.9	11.3	70	9.10	11.1	2.79
M653501		0.46	0.16	6.45	21.3	1630	1.70	2.47	1.34	0.25	74.3	11.1	66	9.71	30.2	2.95
M653502		0.46	0.35	5.51	10.5	1110	1.69	1.85	1.42	1.23	65.0	11.4	63	8.08	25.1	2.64
M653503		0.43	0.28	6.25	9.8	1210	1.75	1.47	1.28	1.51	72.4	12.6	72	9.23	29.3	3.05
M653504		0.38	0.30	6.37	19.7	1260	2.04	1.57	0.74	0.83	90.9	10.6	65	7.73	19.0	2.95
M653505		0.56	0.54	5.51	25.1	1870	1.89	0.92	1.36	2.40	84.8	10.4	58	12.40	31.4	2.48
M653506		0.44	0.29	4.29	12.1	1220	1.21	0.66	0.28	0.56	69.0	2.4	49	6.02	21.5	1.92
M653507		0.37	0.25	5.73	28.8	1160	1.75	0.78	0.62	0.47	91.7	9.9	57	5.51	16.5	2.60
M653508		0.57	0.23	6.00	21.1	1710	1.97	0.67	1.19	0.64	82.5	11.6	62	6.51	34.0	2.53
M653509		0.51	0.64	5.99	21.5	2610	1.80	0.61	3.77	3.74	68.9	14.0	62	5.98	34.0	3.03
M653510		0.35	0.54	4.08	108.5	1430	1.33	0.47	1.77	2.95	49.8	12.7	51	7.47	14.8	7.25
M653511		0.46	0.32	5.82	8.9	1010	1.56	0.39	1.30	0.54	74.6	9.0	63	5.56	11.4	2.80
M653512		0.34	0.28	6.29	8.2	1310	1.76	0.42	1.36	2.18	83.0	11.0	69	5.57	14.8	3.11
M653513		0.30	0.18	4.64	6.2	930	1.19	0.25	1.03	1.61	58.4	6.9	49	5.33	8.3	2.15
M653514		0.33	0.30	4.44	7.4	830	1.23	0.29	1.25	3.85	60.5	12.7	53	5.03	14.6	2.26
M653515		0.39	0.29	6.13	11.5	1120	1.65	0.62	1.10	0.90	67.5	9.7	67	8.62	10.8	3.24
M653516		0.38	0.51	4.36	15.5	770	1.40	0.34	0.74	1.07	58.7	8.4	46	4.19	13.2	2.49
M653517		0.50	0.67	4.96	8.6	740	1.84	0.31	1.04	7.21	68.6	8.8	58	3.39	21.2	2.71
M653518		0.45	0.40	4.11	19.3	620	1.20	0.45	0.44	1.56	61.9	8.6	44	2.88	15.0	2.20
M653519		0.41	0.28	4.43	21.0	750	1.36	0.50	0.49	0.88	54.1	8.9	48	3.29	16.1	2.44
M653520		0.40	0.44	4.73	22.2	800	1.42	0.55	0.47	0.90	62.2	8.9	54	3.67	16.4	2.58
M653521		0.44	0.83	4.06	12.9	980	1.39	0.38	2.19	8.89	54.5	10.2	48	6.23	26.1	2.23
M653522		0.35	1.14	5.44	20.4	1010	2.00	0.57	1.48	6.03	58.5	8.7	57	4.27	26.7	2.79
M653523		0.46	0.87	5.66	6.4	1160	1.81	0.33	1.63	5.07	58.1	8.4	70	5.18	20.7	2.71
M653524		0.42	0.70	5.89	16.4	1320	1.98	0.52	1.05	3.13	60.7	9.5	92	6.77	31.1	3.16
M653525		0.43	0.56	5.84	13.2	1200	1.98	0.48	1.27	2.28	60.2	7.7	71	4.99	24.5	3.09
M653526		0.49	0.20	6.73	7.2	1120	1.74	0.93	1.29	0.72	78.2	13.0	65	8.79	16.1	3.42
M653527		0.29	0.48	4.74	13.9	910	1.77	1.81	2.98	4.58	35.9	9.0	54	19.15	34.3	2.18
M653528		0.43	0.13	6.65	5.5	1240	1.74	0.90	0.94	0.51	69.0	11.5	68	7.25	11.5	3.44
M653529		0.43	0.26	5.88	6.8	1020	1.59	1.50	1.55	2.30	39.0	8.1	64	9.15	18.4	2.17
M653530		0.18	0.01	1.87	1.6	70	0.30	0.05	0.01	<0.02	32.4	0.5	16	1.08	1.9	0.43

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Finalized Date: 15-OCT-2012
Account: EIAAEM

Project: AEM12-01

CERTIFICATE OF ANALYSIS WH12235054

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni	P	Pb
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10	0.5
M653491		4.42	0.07	0.8	0.045	0.30	14.3	10.2	7.18	686	2.50	0.09	5.3	144.0	260	132.0
M653492		4.60	0.08	1.1	0.048	0.52	15.0	9.0	0.15	649	2.42	0.13	6.4	68.1	320	132.5
M653493		7.91	0.12	2.0	0.192	0.44	26.3	19.7	0.19	208	2.75	0.08	7.6	43.4	500	98.4
M653494		12.45	0.20	2.1	0.271	1.17	35.7	20.9	0.55	599	3.91	0.56	13.2	164.5	540	235
M653495		11.50	0.24	3.5	0.189	1.13	44.0	28.5	1.03	1860	12.05	0.05	9.8	142.5	1220	192.5
M653496		14.65	0.24	3.2	0.128	1.87	51.7	29.4	0.68	346	18.70	0.26	12.3	108.5	590	66.6
M653497		8.84	0.15	1.5	0.061	1.11	29.3	17.8	0.38	138	10.90	0.26	8.1	25.1	490	40.1
M653498		9.90	0.19	2.0	0.142	1.28	38.0	18.7	0.42	566	9.11	0.27	9.2	51.8	680	66.7
M653499		12.25	0.18	2.2	0.078	1.48	33.6	26.4	0.83	579	6.26	0.60	13.1	50.0	810	47.2
M653500		15.90	0.21	2.1	0.042	1.36	31.4	37.9	3.16	469	2.43	0.52	13.9	50.9	720	20.8
M653501		17.40	0.23	2.6	0.109	2.27	39.0	40.5	2.14	365	6.07	0.37	14.2	52.3	560	19.8
M653502		14.40	0.21	2.0	0.081	1.93	35.2	33.3	1.24	1040	2.70	0.68	13.1	32.1	1220	19.9
M653503		16.00	0.22	2.4	0.064	1.98	40.6	42.4	1.71	704	3.49	0.64	16.9	42.1	700	22.1
M653504		15.65	0.24	2.8	0.109	2.23	46.9	39.4	2.07	380	8.74	0.37	16.0	59.4	570	28.7
M653505		14.25	0.28	3.0	0.059	2.65	47.7	40.5	2.25	200	15.05	0.26	19.0	104.0	980	30.7
M653506		13.10	0.19	1.6	0.042	1.79	37.5	14.4	0.37	107	10.30	0.51	12.2	19.7	680	32.3
M653507		13.55	0.26	2.4	0.098	2.25	48.0	28.3	1.48	310	7.16	0.46	13.7	59.6	520	37.7
M653508		15.20	0.26	2.9	0.055	1.73	44.4	35.4	3.12	333	12.50	0.48	15.6	94.5	790	29.8
M653509		15.20	0.26	2.8	0.069	2.37	38.8	32.0	3.45	350	12.40	0.18	12.0	107.5	1430	20.8
M653510		10.50	0.29	1.5	0.051	1.25	27.3	33.4	1.28	5920	26.8	0.35	8.9	34.3	1450	25.6
M653511		15.15	0.22	1.9	0.047	1.76	40.4	28.3	1.28	462	1.70	0.68	14.0	28.5	630	23.1
M653512		15.15	0.22	2.2	0.052	1.90	45.9	32.3	1.49	555	1.40	0.73	15.1	38.7	850	23.4
M653513		11.65	0.18	1.6	0.047	1.59	30.7	19.1	0.54	747	1.80	0.94	13.3	17.0	480	25.6
M653514		11.60	0.17	1.6	0.047	1.37	30.5	20.3	0.58	1440	1.72	0.78	13.1	21.7	930	25.3
M653515		16.35	0.20	2.2	0.054	1.97	36.3	39.9	1.67	431	1.44	0.64	14.7	30.8	600	26.6
M653516		10.35	0.18	1.6	0.064	1.29	30.7	20.5	0.66	513	2.49	0.59	10.3	45.3	400	41.2
M653517		12.55	0.21	1.9	0.077	1.36	38.2	22.3	0.61	897	1.48	0.86	14.6	55.3	620	34.4
M653518		9.36	0.18	1.8	0.165	1.07	33.8	19.7	0.39	558	3.75	0.47	11.1	49.4	380	83.3
M653519		9.78	0.17	1.8	0.199	1.26	28.9	22.1	0.49	389	3.66	0.53	12.0	40.2	370	91.1
M653520		9.88	0.19	2.0	0.221	1.43	35.0	22.7	0.54	437	4.31	0.47	10.6	47.7	440	98.4
M653521		9.66	0.18	1.5	0.116	1.16	28.0	18.3	0.59	1260	2.43	0.65	10.5	41.7	1460	47.9
M653522		12.45	0.14	2.0	0.197	1.47	32.3	24.1	0.65	1060	4.02	0.63	10.8	63.5	1360	89.5
M653523		15.65	0.13	1.9	0.075	1.62	31.0	27.1	0.75	675	2.23	0.93	15.3	28.4	1480	48.5
M653524		15.75	0.12	2.2	0.118	1.68	32.5	29.4	0.64	584	4.81	0.63	14.6	57.2	1020	84.4
M653525		15.60	0.13	2.1	0.095	1.64	32.1	25.0	0.71	510	3.26	0.89	16.3	43.7	700	70.9
M653526		17.30	0.12	2.4	0.050	2.64	39.0	44.2	2.13	620	1.78	0.39	12.4	33.4	660	31.3
M653527		12.80	0.16	2.0	0.039	0.96	19.8	49.7	2.78	666	4.09	0.29	9.9	73.0	1820	24.3
M653528		18.65	0.15	2.2	0.051	2.18	35.4	41.5	2.16	529	2.12	0.67	15.0	25.4	900	24.1
M653529		15.10	0.13	2.0	0.033	1.92	19.7	41.6	2.66	393	3.95	0.31	11.2	50.1	1320	20.1
M653530		4.51	0.08	0.4	0.009	0.89	14.6	6.8	0.09	10	0.31	0.03	1.7	3.1	60	1.9

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Finalized Date: 15-OCT-2012
Account: EIAAEM

Project: AEM12-01

CERTIFICATE OF ANALYSIS WH12235054

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02	0.1	1
M653491		19.1	0.002	0.03	3.02	5.0	2	2.6	80.7	0.34	<0.05	3.5	0.108	2.26	1.7	54
M653492		25.4	<0.002	0.02	7.17	3.5	2	3.2	26.3	0.38	<0.05	3.7	0.128	5.76	2.3	33
M653493		31.8	<0.002	0.02	8.85	4.3	2	9.7	19.6	0.52	0.12	5.5	0.199	3.15	2.8	87
M653494		62.1	<0.002	0.02	8.85	7.8	3	10.1	100.0	0.98	0.06	8.2	0.321	4.32	3.4	126
M653495		58.9	<0.002	0.04	12.20	12.5	4	6.0	31.5	0.68	0.08	11.9	0.248	3.78	4.7	169
M653496		97.2	<0.002	0.01	12.20	8.3	6	5.2	56.9	0.86	0.13	12.5	0.327	2.64	7.4	1140
M653497		69.7	<0.002	0.02	5.01	5.4	2	3.0	48.4	0.61	0.07	7.1	0.234	1.52	3.1	171
M653498		68.4	<0.002	0.02	6.34	7.0	3	4.7	57.3	0.67	0.07	9.0	0.255	2.26	3.9	180
M653499		106.0	<0.002	0.02	3.29	7.5	3	4.7	105.5	0.96	0.05	8.8	0.329	2.42	4.7	150
M653500		87.3	<0.002	0.01	1.23	8.9	3	3.1	85.5	1.00	0.05	9.6	0.359	1.77	3.3	227
M653501		71.6	<0.002	0.03	2.69	10.1	3	7.1	152.0	0.99	0.06	11.3	0.342	0.81	4.4	224
M653502		111.0	<0.002	0.05	1.38	9.0	3	4.4	169.5	0.95	<0.05	10.3	0.325	0.79	3.6	111
M653503		88.2	<0.002	0.03	1.40	9.9	3	3.5	165.5	1.20	0.05	11.5	0.373	0.94	4.5	163
M653504		82.1	<0.002	0.02	3.15	9.7	3	6.2	131.5	1.19	0.06	12.7	0.342	0.89	4.6	212
M653505		94.4	0.002	0.02	4.17	7.5	3	3.8	126.5	1.30	0.08	12.2	0.335	1.48	7.0	350
M653506		176.5	<0.002	0.05	3.59	6.2	4	2.9	91.5	0.89	0.05	8.7	0.329	1.14	2.9	186
M653507		86.1	<0.002	0.02	3.39	8.2	3	2.7	130.5	1.00	0.06	11.5	0.307	1.09	4.0	183
M653508		76.9	<0.002	0.01	5.19	8.7	3	2.6	125.5	1.09	0.07	11.7	0.350	1.43	5.9	350
M653509		74.8	<0.002	0.02	3.87	8.7	3	2.0	177.5	0.86	0.07	11.4	0.301	1.26	7.0	511
M653510		65.1	0.020	0.15	3.86	7.1	7	2.0	108.5	0.60	0.06	8.2	0.215	0.95	8.7	134
M653511		100.5	<0.002	0.03	1.20	8.7	2	2.5	163.0	1.03	<0.05	10.9	0.349	0.70	2.5	99
M653512		76.4	<0.002	0.03	1.25	9.9	3	2.6	174.0	1.13	<0.05	12.2	0.362	0.87	3.6	108
M653513		148.5	<0.002	0.02	1.56	6.4	2	2.8	160.0	0.99	<0.05	8.6	0.348	1.01	2.2	88
M653514		102.0	<0.002	0.04	1.57	7.0	2	2.3	131.0	0.97	<0.05	8.9	0.339	1.09	2.7	90
M653515		88.7	<0.002	0.03	1.41	9.7	2	2.7	154.0	1.10	<0.05	10.1	0.371	0.64	2.4	93
M653516		78.1	<0.002	0.02	2.80	5.8	2	3.9	101.5	0.79	<0.05	7.7	0.272	1.72	2.3	86
M653517		78.3	<0.002	0.03	2.26	7.6	3	4.1	135.0	1.03	<0.05	11.3	0.352	3.33	3.3	84
M653518		63.7	<0.002	0.02	4.66	5.0	2	7.8	79.3	0.80	<0.05	9.5	0.260	3.50	3.1	93
M653519		71.9	<0.002	0.01	6.34	5.7	2	8.6	90.6	0.98	0.05	7.3	0.270	1.76	3.0	105
M653520		78.8	<0.002	0.02	5.68	6.4	2	7.1	81.9	0.80	0.05	9.3	0.275	2.19	3.7	130
M653521		75.7	<0.002	0.10	2.41	7.0	3	3.8	130.5	0.79	<0.05	7.6	0.264	1.80	4.0	84
M653522		83.0	0.002	0.07	5.01	8.3	2	7.2	121.0	0.76	0.05	9.1	0.293	2.99	4.4	127
M653523		103.0	<0.002	0.06	1.99	9.9	1	3.1	157.5	1.11	<0.05	9.6	0.395	1.77	2.9	133
M653524		122.5	<0.002	0.04	4.85	10.0	2	5.3	111.0	1.01	<0.05	9.3	0.363	2.45	3.5	185
M653525		99.3	<0.002	0.03	3.58	9.0	1	4.6	139.0	1.10	0.05	9.6	0.390	1.98	3.3	171
M653526		81.0	0.002	0.04	1.39	10.0	2	3.8	112.0	0.91	<0.05	10.1	0.356	0.77	2.9	97
M653527		98.7	0.010	0.16	1.79	8.1	3	3.1	83.4	0.67	<0.05	7.1	0.252	2.36	9.8	237
M653528		100.5	<0.002	0.03	0.94	9.6	1	3.5	128.5	1.04	<0.05	9.5	0.393	0.80	2.5	128
M653529		91.1	0.003	0.09	1.26	8.6	2	3.1	76.1	0.76	<0.05	7.8	0.296	1.36	5.4	212
M653530		22.5	<0.002	<0.01	0.33	2.2	<1	0.4	15.6	0.11	<0.05	6.0	0.091	0.20	0.7	14

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Finalized Date: 15-OCT-2012
Account: EIAAEM

Project: AEM12-01

CERTIFICATE OF ANALYSIS WH12235054

Sample Description	Method Analyte Units LOR	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5
M653491		0.9	14.7	1660	30.7
M653492		1.3	30.0	385	39.6
M653493		3.3	10.7	712	69.4
M653494		2.6	23.6	2110	72.7
M653495		3.6	48.3	1400	124.0
M653496		3.2	23.6	688	111.0
M653497		1.5	9.5	221	52.3
M653498		2.0	17.0	638	69.2
M653499		2.1	17.2	588	73.4
M653500		1.3	16.8	400	71.8
M653501		7.0	16.8	174	91.0
M653502		3.7	15.5	181	68.2
M653503		2.1	20.7	263	83.1
M653504		4.2	22.1	183	94.3
M653505		2.9	30.6	419	106.0
M653506		1.5	10.3	91	58.5
M653507		1.8	23.3	196	81.0
M653508		1.7	29.7	336	101.0
M653509		1.4	26.0	680	96.5
M653510		1.6	15.2	302	57.0
M653511		1.8	14.1	115	67.5
M653512		1.4	17.4	189	73.8
M653513		1.5	10.8	207	53.4
M653514		1.4	12.1	357	54.0
M653515		1.3	12.9	270	73.7
M653516		1.6	12.0	520	55.2
M653517		1.8	18.5	1420	68.1
M653518		2.5	14.2	833	60.5
M653519		2.5	11.5	589	60.9
M653520		2.4	14.5	589	63.4
M653521		1.4	14.1	638	49.9
M653522		2.2	21.4	1060	73.1
M653523		1.4	15.3	818	65.7
M653524		1.8	17.1	904	77.8
M653525		1.6	15.6	987	81.7
M653526		1.3	13.7	211	83.5
M653527		1.3	23.1	434	72.2
M653528		2.0	11.9	317	80.6
M653529		1.3	12.5	336	70.2
M653530		0.3	2.0	3	10.9

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Finalized Date: 15-OCT-2012
Account: EIAAEM

Project: AEM12-01

CERTIFICATE OF ANALYSIS WH12235054

Sample Description	Method	WEI-21	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Recvd Wt.	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs	Cu	Fe
	Units	kg	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	0.2	0.01
M653531		0.45	0.34	5.63	26.7	1320	1.78	0.39	1.92	1.12	74.3	9.1	51	9.67	15.9	2.24
M653532		0.52	0.40	6.83	29.8	1240	2.11	0.52	2.06	0.29	78.8	11.3	59	12.75	21.0	3.21
M653533		0.47	0.29	4.92	11.4	1190	1.48	0.29	1.60	1.01	64.9	7.4	49	5.60	15.6	2.14
M653534		0.48	0.57	5.19	16.4	1220	1.90	0.37	1.88	1.63	59.3	7.3	60	7.75	22.2	2.17
M653535		0.42	0.49	5.51	15.0	1650	1.78	0.33	1.28	0.41	73.4	7.6	46	5.77	20.6	2.29
M653536		0.54	0.25	5.95	13.3	1420	1.70	0.42	1.25	0.43	69.0	9.2	66	5.01	14.9	2.70
M653537		0.40	0.84	5.41	16.4	1410	2.05	0.45	1.97	1.94	65.6	8.2	76	6.19	31.9	2.27
M653538		0.48	0.52	5.11	15.8	1310	1.75	0.42	1.08	0.76	66.9	7.2	62	5.05	22.4	2.14
M653539		0.37	1.01	5.64	24.8	1580	2.12	0.42	1.00	0.86	67.4	8.0	72	6.10	36.0	2.45
M653540		0.56	1.03	5.73	26.7	1520	2.16	0.43	1.07	0.63	77.0	8.1	72	6.16	35.1	2.48
M653541		0.60	0.64	5.78	22.3	1510	2.08	0.45	0.68	0.74	67.3	7.8	63	6.73	26.3	2.49
M653542		0.44	0.68	4.80	12.4	780	2.05	0.26	1.79	2.03	56.0	5.9	50	5.04	14.9	1.68
M653543		0.35	0.52	5.36	15.2	1030	2.13	0.32	1.59	1.45	54.0	7.2	58	6.18	20.9	1.98
M653544		0.33	0.38	4.23	10.1	570	1.71	0.23	1.85	1.93	46.3	5.9	42	3.19	16.0	1.35
M653545		0.43	0.51	4.79	15.2	810	1.56	0.38	1.69	2.38	56.9	7.0	62	4.74	16.8	1.82
M653546		0.60	0.42	6.03	11.6	920	1.86	0.33	1.53	1.81	61.8	9.3	66	4.50	13.6	2.61
M653547		0.48	0.43	6.04	11.5	870	1.87	0.34	1.42	1.80	57.5	7.3	69	4.72	11.5	2.65
M653548		0.50	0.56	4.88	30.6	840	1.58	0.50	1.22	1.21	57.1	6.2	57	4.46	18.8	2.04
M653549		0.59	0.71	4.22	30.6	590	1.17	0.53	0.84	0.59	52.0	3.9	48	4.75	11.1	1.66
M653550		0.50	0.53	4.40	20.1	580	1.46	0.39	3.62	0.56	57.7	6.0	49	3.92	13.3	1.98
M653551		0.56	0.11	6.32	8.8	1120	1.67	0.28	0.84	0.43	66.1	8.4	67	4.06	12.5	3.34
M653552		0.61	0.58	5.68	16.3	1070	1.66	0.29	0.42	0.49	67.7	4.3	55	5.15	25.6	3.08
M653553		0.51	0.33	5.89	11.1	1070	1.61	0.29	0.50	0.45	72.2	5.3	63	5.37	19.9	3.41
M653554		0.46	0.19	6.24	10.8	930	1.79	0.43	0.74	0.56	59.7	7.1	70	3.89	12.7	3.89
M653555		0.45	0.46	5.24	35.2	770	1.29	20.1	0.49	0.51	50.8	5.3	58	3.39	22.1	3.81
M653556		0.50	0.89	5.61	22.8	1030	1.79	3.44	0.46	0.59	72.4	5.4	60	4.42	20.5	2.91
M653557		0.59	0.31	4.91	19.3	1270	1.97	0.83	0.45	1.41	67.9	5.8	52	3.93	20.6	2.27
M653558		0.52	0.27	3.40	9.0	530	0.96	0.32	0.36	0.44	35.4	3.3	34	3.84	7.8	1.33
M653559		0.49	0.41	3.36	12.4	490	1.20	0.25	0.37	1.11	34.1	6.2	35	2.34	9.7	1.82
M653560		0.53	0.53	3.08	13.0	380	1.26	0.25	0.27	0.84	34.0	4.8	30	1.98	9.5	1.57
M653561		0.49	0.52	3.82	13.7	540	1.53	0.26	0.40	1.18	38.6	4.7	41	2.46	9.6	1.83
M653562		0.44	0.64	2.76	11.4	360	1.08	0.19	0.27	1.26	30.3	3.7	26	1.92	9.0	1.38
M653563		0.52	0.47	2.55	11.1	340	1.04	0.17	0.18	0.71	28.2	3.0	26	1.79	8.2	1.31
M653564		0.51	0.77	4.23	12.9	630	1.80	0.37	0.60	4.20	49.6	8.1	47	3.36	13.5	2.12
M653565		0.51	0.81	4.88	26.4	720	1.93	0.65	3.16	1.64	64.4	8.6	56	5.53	25.3	2.53
M653566		0.54	0.40	6.22	16.6	1000	1.78	0.68	0.99	1.28	72.0	9.2	65	6.02	10.3	3.07
M653567		0.53	0.54	4.89	20.6	740	1.84	1.02	2.70	2.68	70.3	9.1	57	4.86	19.1	2.45
M653568		0.47	0.30	5.75	20.8	1490	1.86	0.89	0.71	0.75	60.3	9.5	65	8.74	14.5	2.71
M653569		0.42	0.32	6.07	17.2	3680	1.96	0.62	1.77	0.76	46.6	10.3	72	8.81	22.1	2.77
M653570		0.28	0.03	0.79	1.1	40	0.15	<0.01	0.02	<0.02	15.90	0.5	9	0.56	1.4	0.21

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Finalized Date: 15-OCT-2012
Account: EIAAEM

Project: AEM12-01

CERTIFICATE OF ANALYSIS WH12235054

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni	P	Pb
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10	0.5
M653531		13.35	0.17	2.1	0.089	1.72	39.2	38.5	1.12	732	3.08	0.69	10.3	30.2	1110	39.5
M653532		17.70	0.18	2.4	0.122	1.75	41.1	54.2	1.75	474	2.41	0.83	12.6	36.8	720	42.1
M653533		12.05	0.16	1.6	0.058	1.46	33.5	30.5	0.96	516	2.84	0.69	9.9	28.4	900	29.5
M653534		12.90	0.17	2.0	0.071	1.80	32.2	33.1	1.05	457	3.61	0.51	10.1	34.0	1350	40.5
M653535		13.75	0.14	1.9	0.067	1.80	38.9	34.9	0.81	323	3.63	0.72	11.0	34.7	640	39.8
M653536		17.20	0.15	2.0	0.074	1.84	36.6	30.2	0.80	443	4.52	1.10	15.9	27.8	570	38.1
M653537		13.15	0.14	2.6	0.077	2.06	37.0	32.5	1.03	641	5.02	0.52	11.2	47.4	1610	56.5
M653538		12.90	0.16	2.4	0.071	1.95	35.9	28.7	0.82	455	5.81	0.62	11.6	36.3	1200	49.6
M653539		14.30	0.17	2.4	0.121	2.16	40.0	33.8	1.01	415	7.37	0.50	11.1	59.8	1270	80.7
M653540		14.15	0.15	2.5	0.100	2.20	46.0	33.2	1.06	406	8.07	0.48	11.3	64.0	1560	84.6
M653541		14.35	0.15	2.8	0.082	1.99	34.1	37.5	0.85	259	10.55	0.43	11.2	53.9	450	52.2
M653542		11.35	0.13	2.3	0.040	1.70	30.6	31.2	0.93	540	8.80	0.36	9.5	28.3	920	28.0
M653543		13.00	0.13	2.3	0.066	1.80	28.9	34.2	0.85	446	7.23	0.43	10.0	38.8	880	35.0
M653544		9.52	0.15	2.1	0.030	1.34	23.4	28.8	0.66	889	6.82	0.18	7.6	22.2	1000	20.6
M653545		11.85	0.14	2.5	0.073	1.76	31.2	26.8	0.77	586	5.38	0.38	11.6	33.0	1060	45.7
M653546		15.90	0.14	2.2	0.075	1.78	31.9	31.4	0.81	712	3.42	1.02	14.7	28.0	910	42.6
M653547		16.45	0.13	2.2	0.075	1.83	29.5	32.7	0.79	438	3.01	1.06	17.7	25.9	670	43.1
M653548		11.75	0.11	2.1	0.142	1.83	29.3	26.3	0.68	437	8.28	0.34	11.4	45.0	620	99.5
M653549		10.15	0.12	2.7	0.183	1.53	28.5	20.8	1.25	416	4.29	0.32	10.5	24.6	520	200
M653550		9.89	0.18	2.4	0.103	1.45	33.2	22.8	2.35	638	4.16	0.43	9.5	33.6	980	86.8
M653551		18.05	0.18	1.8	0.061	1.90	33.5	32.2	0.71	712	2.39	1.14	17.0	22.7	730	24.0
M653552		16.25	0.14	1.9	0.068	1.79	35.6	28.5	0.46	179	6.01	0.68	13.0	24.6	850	31.5
M653553		17.45	0.13	1.8	0.057	1.88	36.9	27.9	0.53	232	3.71	0.79	14.5	24.2	900	29.3
M653554		18.65	0.12	1.9	0.068	1.63	30.8	37.0	0.71	320	2.86	1.05	17.3	25.2	710	26.1
M653555		15.20	0.11	1.7	0.071	1.41	25.7	24.9	0.52	306	4.09	0.76	14.3	24.0	610	132.0
M653556		15.00	0.12	2.0	0.064	1.56	37.8	29.9	0.52	242	6.47	0.70	13.3	32.4	580	161.5
M653557		11.15	0.13	1.7	0.071	1.33	34.1	23.5	0.51	396	4.70	0.46	10.4	61.3	570	60.4
M653558		8.63	0.13	1.8	0.046	1.13	19.7	18.7	0.37	221	2.33	0.36	8.2	22.5	250	22.3
M653559		7.79	0.15	1.6	0.059	0.94	18.3	19.0	0.35	444	2.35	0.33	6.8	35.9	390	33.3
M653560		6.17	0.17	1.6	0.058	0.91	18.1	16.3	0.30	354	2.05	0.20	5.4	45.2	340	37.5
M653561		8.75	0.18	1.7	0.058	1.11	20.0	18.6	0.43	299	2.00	0.37	7.1	45.2	230	32.2
M653562		5.92	0.14	1.5	0.042	0.77	16.8	14.0	0.31	430	1.69	0.22	5.1	33.6	340	26.9
M653563		5.43	0.15	1.5	0.034	0.70	15.5	14.5	0.29	266	1.94	0.17	4.6	31.0	190	27.0
M653564		9.72	0.18	2.0	0.061	1.22	25.0	23.9	0.75	892	2.98	0.44	8.6	60.8	490	38.0
M653565		12.35	0.20	2.7	0.055	1.59	35.4	30.0	2.71	651	9.19	0.34	11.2	65.6	850	49.1
M653566		15.65	0.19	2.4	0.048	1.63	37.8	49.8	1.78	374	1.73	0.36	12.6	36.6	680	42.7
M653567		11.75	0.20	2.7	0.068	1.57	37.8	29.3	2.42	846	6.72	0.34	11.6	80.4	980	72.3
M653568		15.20	0.19	2.6	0.080	1.91	31.5	48.3	1.78	462	2.47	0.39	12.9	40.4	730	29.2
M653569		16.45	0.20	3.0	0.058	2.24	25.8	50.2	3.14	351	2.58	0.15	11.9	56.7	1800	10.0
M653570		2.03	0.14	0.3	0.005	0.37	6.6	3.8	0.05	11	0.29	0.02	1.0	2.6	40	1.2

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Finalized Date: 15-OCT-2012
Account: EIAAEM

Project: AEM12-01

CERTIFICATE OF ANALYSIS WH12235054

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02	0.1	1
M653531		79.1	0.004	0.06	2.51	7.6	3	3.0	196.0	0.77	<0.05	11.5	0.282	0.98	3.5	130
M653532		92.3	<0.002	0.01	2.33	10.6	1	3.7	254	0.93	0.06	13.6	0.358	0.96	2.4	105
M653533		70.2	<0.002	0.04	2.15	7.0	1	4.7	164.5	0.74	<0.05	10.1	0.278	0.76	2.8	110
M653534		91.1	0.006	0.08	3.17	8.4	3	2.8	121.5	0.74	<0.05	9.4	0.279	1.35	4.6	184
M653535		93.0	<0.002	0.02	2.89	8.0	2	2.6	150.5	0.86	<0.05	11.9	0.303	1.11	3.1	142
M653536		93.1	0.002	0.02	2.35	9.2	1	3.1	182.0	1.16	0.06	10.5	0.406	0.93	3.6	143
M653537		96.4	0.007	0.07	4.33	9.1	3	3.4	115.0	0.82	0.05	10.2	0.305	1.78	6.7	284
M653538		83.9	0.002	0.03	3.42	8.2	2	3.0	120.0	0.87	<0.05	10.2	0.305	1.35	5.8	222
M653539		98.4	0.002	0.03	5.64	10.3	2	4.0	100.0	0.81	<0.05	10.4	0.315	1.49	4.6	308
M653540		97.1	<0.002	0.02	5.96	10.2	2	4.0	98.8	0.80	0.06	12.4	0.318	1.52	4.9	317
M653541		92.8	0.003	0.02	5.55	8.6	1	3.4	86.4	0.84	0.08	10.8	0.320	1.68	5.3	244
M653542		72.3	<0.002	0.05	3.96	6.6	2	1.9	77.7	0.67	<0.05	8.5	0.275	1.44	8.0	102
M653543		79.2	<0.002	0.06	4.42	7.6	2	2.7	90.3	0.73	<0.05	8.3	0.289	1.93	6.5	180
M653544		52.1	<0.002	0.07	3.71	4.8	2	1.5	60.3	0.53	0.05	6.7	0.231	0.94	6.3	77
M653545		77.9	0.002	0.05	4.59	6.9	2	3.2	95.4	0.84	0.06	8.8	0.282	1.50	6.6	248
M653546		81.4	<0.002	0.03	2.88	9.1	1	3.0	188.5	1.07	<0.05	9.8	0.381	0.99	3.5	200
M653547		86.5	<0.002	0.03	2.59	8.9	1	3.3	179.5	1.23	0.06	8.9	0.414	0.88	3.3	216
M653548		82.1	0.002	0.04	6.61	6.9	2	5.5	76.9	0.75	<0.05	8.2	0.276	1.63	3.9	263
M653549		67.8	<0.002	0.02	5.92	4.9	1	4.9	63.8	0.76	<0.05	6.6	0.277	1.17	3.2	177
M653550		63.4	<0.002	0.03	4.32	7.0	1	4.1	113.5	0.68	<0.05	8.5	0.253	1.19	3.7	146
M653551		106.0	<0.002	0.02	1.74	9.0	1	2.9	190.5	1.25	0.05	10.3	0.458	0.82	2.3	145
M653552		119.0	<0.002	0.03	3.34	7.8	2	3.1	119.0	0.94	<0.05	10.6	0.369	0.98	2.7	186
M653553		125.0	<0.002	0.03	2.49	8.2	1	3.0	129.0	1.05	<0.05	11.5	0.398	0.94	2.4	173
M653554		87.7	<0.002	0.01	1.79	9.1	1	3.0	159.5	1.23	0.06	9.5	0.433	0.89	2.1	139
M653555		77.0	<0.002	0.02	6.97	6.7	1	3.2	118.0	1.02	0.09	7.5	0.386	1.18	2.4	174
M653556		92.6	<0.002	0.04	4.99	8.1	1	3.8	119.0	0.94	0.07	10.9	0.370	1.93	3.1	183
M653557		72.7	<0.002	0.03	4.26	7.2	2	4.6	81.9	0.71	<0.05	10.6	0.283	2.78	3.2	154
M653558		92.1	<0.002	0.01	2.15	4.0	1	3.5	64.3	0.73	<0.05	4.7	0.231	1.55	2.4	86
M653559		53.6	0.002	0.02	2.88	4.1	1	2.8	58.4	0.56	<0.05	4.6	0.193	1.42	2.2	66
M653560		46.1	<0.002	0.02	3.21	3.5	1	3.0	39.1	0.45	<0.05	5.0	0.163	1.65	2.4	53
M653561		55.3	0.002	0.01	2.95	4.6	1	2.9	65.0	0.59	<0.05	5.0	0.219	1.72	2.2	76
M653562		43.0	0.002	0.02	2.86	3.2	1	3.3	42.0	0.41	<0.05	4.1	0.157	1.82	1.9	52
M653563		36.6	0.002	0.01	2.76	2.8	1	2.7	33.1	0.38	<0.05	3.8	0.150	1.36	1.9	68
M653564		62.4	0.003	0.02	3.10	6.1	1	3.0	77.7	0.72	<0.05	6.1	0.258	1.80	2.7	99
M653565		70.9	0.002	0.03	5.42	8.0	2	3.1	87.1	0.82	0.05	8.6	0.270	1.66	3.6	191
M653566		57.8	0.003	0.02	5.74	9.0	1	2.3	125.5	0.87	<0.05	9.8	0.320	0.53	2.2	92
M653567		64.6	0.002	0.02	4.95	7.6	2	3.5	88.3	0.96	0.07	8.9	0.277	1.68	3.5	173
M653568		75.4	0.003	0.02	2.42	9.1	1	2.7	109.0	0.90	0.06	8.8	0.314	0.89	3.2	153
M653569		63.7	0.003	0.02	2.55	9.6	2	1.9	133.5	0.85	0.05	9.0	0.306	0.89	3.6	334
M653570		10.0	<0.002	<0.01	0.29	1.0	<1	0.2	7.4	0.07	<0.05	2.3	0.049	0.06	0.4	7

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Finalized Date: 15-OCT-2012
Account: EIAAEM

Project: AEM12-01

CERTIFICATE OF ANALYSIS WH12235054

Sample Description	Method Analyte Units LOR	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5
M653531		1.4	15.3	220	70.8
M653532		1.4	18.1	214	79.7
M653533		1.1	11.7	164	58.1
M653534		1.8	17.4	236	74.9
M653535		1.4	15.3	159	70.0
M653536		1.4	12.6	161	74.5
M653537		1.8	22.5	242	84.9
M653538		1.6	18.2	180	84.3
M653539		1.9	27.3	290	88.0
M653540		2.0	28.3	276	90.1
M653541		2.4	15.2	241	99.4
M653542		1.8	19.8	204	85.0
M653543		1.9	19.5	257	108.0
M653544		1.7	14.4	161	78.4
M653545		1.9	15.1	191	88.9
M653546		1.7	14.7	261	75.7
M653547		1.6	13.9	474	79.5
M653548		1.7	13.3	335	78.4
M653549		1.7	11.0	274	81.9
M653550		2.1	21.6	176	79.8
M653551		1.6	11.0	240	66.2
M653552		1.2	9.7	143	68.1
M653553		1.4	9.6	178	64.4
M653554		1.7	10.1	143	82.4
M653555		1.9	8.3	260	64.2
M653556		1.8	11.2	317	71.8
M653557		1.6	14.2	660	60.9
M653558		1.6	10.4	233	60.1
M653559		1.4	11.5	500	51.6
M653560		1.4	12.6	499	49.1
M653561		1.4	12.3	812	54.6
M653562		1.3	10.9	524	47.0
M653563		1.2	8.1	415	47.8
M653564		1.5	17.0	879	63.5
M653565		1.9	20.1	384	85.6
M653566		1.7	12.8	295	86.9
M653567		1.8	20.0	507	87.0
M653568		1.7	14.8	225	82.8
M653569		1.9	16.5	189	99.1
M653570		0.2	1.3	4	6.9

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Finalized Date: 15-OCT-2012
Account: EIAAEM

Project: AEM12-01

CERTIFICATE OF ANALYSIS WH12235054

Sample Description	Method	WEI-21	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Recvd Wt.	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs	Cu	Fe
	Units	kg	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	0.2	0.01
M653571		0.51	0.49	4.55	12.8	1050	1.42	0.33	0.76	0.65	57.3	6.8	56	4.53	10.6	2.12
M653572		0.52	0.63	4.79	9.7	950	1.56	0.30	0.92	1.64	59.0	8.0	58	4.03	9.7	2.31
M653573		0.50	0.35	5.78	16.8	1180	1.91	0.34	0.70	0.55	77.7	8.0	67	5.56	16.3	2.50
M653574		0.46	0.21	5.15	15.2	1130	1.44	0.23	0.77	0.47	64.4	7.3	56	6.14	14.2	1.88
M653575		0.49	0.21	5.76	16.5	1520	1.88	0.24	1.64	0.72	131.0	21.8	81	9.70	37.8	3.67
M653576		0.50	0.17	5.04	20.0	1080	1.74	0.40	0.42	0.91	74.0	7.4	57	5.24	22.3	2.01
M653577		0.48	0.26	5.52	32.2	1130	2.38	8.28	0.85	0.32	72.6	10.5	67	8.39	35.6	3.01
M653578		0.49	0.33	5.65	31.8	1040	3.15	14.45	1.30	0.44	85.3	11.4	66	15.05	77.6	3.56
M653579		0.47	0.44	6.52	24.1	2500	2.51	3.93	2.06	0.61	68.5	10.5	72	11.20	35.8	3.12
M653580		0.48	0.45	6.93	23.6	2640	2.43	4.73	2.08	0.65	67.5	10.5	71	11.70	36.0	3.28
M653581		0.53	0.54	6.18	34.3	1170	2.68	8.24	1.09	0.33	75.0	9.2	74	10.35	48.4	3.43
M653582		0.49	0.71	2.32	23.1	180	1.07	0.18	0.04	0.61	25.6	6.5	19	1.26	23.1	1.27
M653583		0.44	0.73	2.57	18.0	220	1.13	0.10	0.05	0.65	35.9	5.8	19	1.78	12.7	1.02
M653584		0.57	0.15	5.41	12.2	940	1.70	0.32	0.80	0.52	57.3	6.6	58	3.30	13.2	2.69
M653585		0.50	0.70	1.11	7.2	150	0.36	0.09	0.09	0.14	21.8	1.5	12	0.86	4.6	0.78
M653586		0.48	0.78	1.13	9.5	150	0.41	0.12	0.09	0.20	16.85	1.8	14	0.71	4.8	0.95
M653587		0.55	0.63	1.90	10.0	170	0.86	0.11	0.10	1.50	22.6	2.9	20	0.91	6.9	1.28
M653588		0.55	1.23	2.40	11.9	260	1.77	0.13	3.51	4.89	39.4	3.4	22	1.18	7.8	1.22
M653589		0.51	0.93	2.25	12.1	260	1.31	0.14	0.19	1.40	37.5	3.1	23	1.43	7.6	1.01
M653590		0.60	0.75	5.01	16.3	770	1.87	0.20	0.85	1.00	66.9	6.8	67	3.79	13.3	2.37
M653591		0.56	0.44	3.19	17.0	490	1.06	0.19	0.30	1.10	39.2	4.4	40	2.32	11.3	1.65
M653592		0.57	0.60	2.09	9.7	270	0.91	0.12	0.19	0.58	35.1	2.5	29	1.37	5.0	0.88
M653593		0.66	0.53	3.11	11.7	340	1.42	0.18	0.19	3.50	45.8	4.6	30	1.46	8.6	1.51
M653594		0.61	1.06	3.65	15.1	470	1.76	0.24	2.11	3.85	52.4	5.5	44	2.50	17.8	1.54
M653595		0.60	0.36	4.78	16.5	640	1.73	0.24	0.59	0.59	68.6	7.6	61	3.07	14.0	2.23
M653596		0.48	0.54	4.60	13.5	750	1.47	0.22	0.63	0.52	63.1	5.9	58	3.97	14.8	1.60
M653597		0.51	0.37	5.26	20.8	770	1.66	0.28	0.72	0.79	63.9	7.3	63	3.87	12.2	2.52
M653598		0.46	1.04	5.16	28.4	690	2.37	0.41	0.52	0.63	73.4	8.9	76	5.34	22.0	2.62
M653599		0.50	0.26	6.16	7.9	1040	1.73	0.31	1.33	0.85	71.2	10.8	75	4.62	8.3	2.98
M653600		0.52	0.47	5.84	9.9	990	1.69	0.33	1.38	1.10	72.1	11.3	74	4.83	9.8	2.91
M653601		0.38	<0.01	5.23	9.1	610	1.29	0.26	0.81	0.85	72.8	7.0	55	2.79	6.3	2.43
M653602		0.49	0.18	4.72	22.5	650	1.41	0.42	0.54	1.35	63.4	7.2	59	3.31	10.0	2.20
M653603		0.42	0.66	4.71	26.8	600	1.67	0.42	6.35	1.13	70.6	10.1	55	3.27	14.3	3.22
M653604		0.30	0.02	4.88	15.7	570	1.44	0.25	0.48	1.08	65.5	5.0	53	4.15	8.9	1.61
M653605		0.44	0.13	4.96	14.3	750	1.20	0.31	0.60	0.56	64.1	5.4	57	4.41	9.1	1.93

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Finalized Date: 15-OCT-2012
Account: EIAAEM

Project: AEM12-01

CERTIFICATE OF ANALYSIS WH12235054

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni	P	Pb
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10	0.5
M653571		12.00	0.20	2.3	0.051	1.57	30.5	26.9	1.18	401	3.94	0.46	10.4	42.7	480	27.0
M653572		12.40	0.19	2.3	0.062	1.43	30.3	26.0	0.97	421	3.94	0.71	12.6	38.6	590	32.0
M653573		14.90	0.22	3.0	0.059	1.94	42.6	40.3	1.72	362	9.95	0.55	18.7	66.2	440	30.2
M653574		14.80	0.24	3.3	0.041	2.09	36.3	39.4	3.08	371	16.35	0.19	20.8	78.6	520	21.1
M653575		15.75	0.28	3.7	0.060	2.59	69.3	55.8	3.84	653	17.75	0.20	67.0	108.0	1540	23.4
M653576		12.45	0.21	2.8	0.045	2.37	41.5	33.7	1.54	210	14.15	0.26	18.9	67.1	510	22.3
M653577		15.30	0.21	2.7	0.240	2.13	38.0	45.3	1.45	390	8.15	0.44	15.2	57.7	680	29.1
M653578		16.35	0.21	2.7	0.396	1.84	43.1	40.0	1.12	897	3.83	0.77	14.1	38.5	690	23.9
M653579		18.55	0.23	3.1	0.140	2.88	38.5	57.9	2.24	417	2.41	0.34	15.2	38.6	1320	16.7
M653580		18.10	0.22	3.1	0.137	2.91	38.0	57.8	2.32	432	2.33	0.34	14.5	38.7	1360	16.4
M653581		19.20	0.22	2.7	0.258	2.08	39.1	48.3	1.25	492	2.97	0.82	16.7	30.8	600	24.3
M653582		4.69	0.14	1.6	0.059	0.38	15.3	15.4	0.09	550	1.69	0.05	6.9	69.4	240	84.5
M653583		5.11	0.12	1.8	0.028	0.69	17.5	13.0	0.28	318	0.98	0.08	12.8	45.2	160	33.3
M653584		13.65	0.18	1.8	0.057	1.66	29.0	25.6	0.61	330	2.61	0.98	13.1	24.3	450	33.9
M653585		3.02	0.12	0.8	0.018	0.33	12.1	7.9	0.12	75	0.97	0.11	2.7	6.2	160	13.2
M653586		2.82	0.12	0.9	0.031	0.30	8.3	8.1	0.09	147	0.84	0.11	2.7	10.8	150	19.8
M653587		3.86	0.11	1.3	0.045	0.41	9.5	9.6	0.17	697	1.33	0.09	3.5	58.1	370	60.1
M653588		4.58	0.15	1.8	0.052	0.63	20.4	10.4	2.14	1060	1.49	0.11	3.7	95.9	390	58.8
M653589		4.68	0.14	2.0	0.040	0.79	17.9	11.6	0.25	727	3.75	0.07	3.7	54.2	270	64.1
M653590		11.70	0.20	2.3	0.070	1.48	36.2	24.0	0.69	634	3.42	0.63	11.0	49.9	780	44.7
M653591		7.12	0.12	2.0	0.055	0.93	18.4	16.5	0.32	610	2.79	0.25	5.4	43.6	460	40.1
M653592		5.12	0.15	1.8	0.044	0.78	18.6	12.0	0.23	300	2.68	0.15	4.4	29.8	350	31.5
M653593		6.05	0.14	2.5	0.073	0.75	19.2	13.4	0.26	2220	1.74	0.16	5.2	99.4	360	66.4
M653594		8.43	0.28	2.7	0.091	1.15	32.2	19.2	1.35	1320	4.60	0.16	8.3	110.0	940	68.5
M653595		12.15	0.24	2.4	0.089	1.33	35.6	25.3	0.58	343	5.73	0.54	11.7	50.5	680	51.8
M653596		11.75	0.21	2.7	0.051	1.49	35.2	28.5	0.61	240	6.13	0.36	12.1	38.7	1060	32.2
M653597		13.90	0.24	2.3	0.102	1.54	34.6	28.8	0.65	338	6.50	0.62	14.3	38.2	500	73.1
M653598		11.20	0.17	3.1	0.163	1.83	44.7	29.0	0.69	334	11.30	0.18	11.7	66.1	780	103.0
M653599		16.40	0.16	2.1	0.067	1.72	37.0	28.4	0.82	633	2.02	1.18	18.1	22.9	580	37.7
M653600		14.85	0.18	2.1	0.074	1.63	38.0	27.8	0.84	767	2.50	1.00	16.1	26.9	770	43.6
M653601		13.55	0.17	2.5	0.064	1.52	39.2	28.6	0.67	443	2.13	0.67	15.2	19.9	400	41.6
M653602		11.05	0.17	2.4	0.163	1.44	33.8	22.9	0.51	493	4.11	0.44	12.0	29.8	470	121.5
M653603		10.65	0.20	2.3	0.138	1.21	39.8	23.3	3.81	1480	3.17	0.47	12.0	32.6	1000	224
M653604		11.30	0.16	2.8	0.071	1.49	37.7	32.9	0.56	249	7.04	0.29	14.1	33.3	340	60.2
M653605		13.95	0.18	2.4	0.074	1.73	37.2	23.8	0.51	261	7.23	0.56	14.8	28.7	440	62.0

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Finalized Date: 15-OCT-2012
Account: EIAAEM

Project: AEM12-01

CERTIFICATE OF ANALYSIS WH12235054

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02	0.1	1
M653571		72.1	0.003	0.02	2.74	7.0	1	2.2	100.5	0.77	<0.05	7.5	0.281	0.88	2.8	167
M653572		74.2	0.003	0.02	1.95	7.3	1	2.6	126.0	0.90	<0.05	7.4	0.309	0.74	3.2	135
M653573		76.5	0.002	0.01	2.70	9.0	2	2.5	127.0	1.31	0.05	10.3	0.345	0.97	4.6	261
M653574		68.6	0.003	0.01	2.77	7.2	2	2.1	83.8	1.36	0.05	6.9	0.325	1.50	5.5	308
M653575		83.8	0.006	0.01	3.75	18.0	3	2.7	251	3.70	0.05	15.0	0.505	2.48	5.5	390
M653576		78.5	0.003	0.02	4.39	6.9	2	2.1	94.4	1.28	0.05	8.4	0.294	1.19	4.6	303
M653577		88.9	0.003	0.02	4.35	8.5	2	10.4	118.0	1.08	0.08	8.8	0.328	0.74	3.5	211
M653578		133.0	0.002	0.02	3.32	10.0	1	19.0	169.0	1.03	0.09	12.7	0.327	0.96	2.6	117
M653579		83.4	0.003	0.01	9.32	10.9	1	8.8	217	1.03	0.07	12.7	0.338	0.74	4.1	223
M653580		83.8	0.003	0.02	9.00	10.7	1	8.6	234	1.03	0.08	12.2	0.333	0.70	4.0	214
M653581		143.0	0.003	0.02	3.01	10.0	1	13.1	174.5	1.21	0.07	9.4	0.395	0.66	2.6	121
M653582		17.6	0.002	0.01	5.05	2.8	1	4.7	17.3	0.47	<0.05	3.9	0.124	3.16	2.6	34
M653583		29.0	0.003	0.01	6.24	3.2	1	1.9	20.6	0.72	<0.05	4.8	0.162	1.82	2.3	37
M653584		80.5	0.002	0.02	2.06	7.5	1	2.5	176.0	1.03	0.05	8.5	0.340	0.83	1.9	109
M653585		19.1	0.002	0.02	1.84	1.4	<1	2.0	20.1	0.23	<0.05	2.2	0.088	0.54	1.0	27
M653586		13.3	0.002	0.02	2.36	1.5	<1	2.5	22.9	0.21	<0.05	2.1	0.084	0.61	1.0	24
M653587		18.5	0.002	0.02	2.50	1.9	1	2.5	18.5	0.26	<0.05	2.8	0.102	1.18	1.8	32
M653588		26.4	0.003	0.03	3.12	4.1	1	3.3	42.7	0.30	<0.05	4.5	0.116	2.22	2.7	44
M653589		28.8	0.002	0.02	3.36	3.3	1	2.8	20.0	0.29	<0.05	4.5	0.117	2.73	2.7	84
M653590		68.0	0.002	0.02	3.73	9.6	2	3.3	111.5	0.79	<0.05	7.8	0.286	1.88	2.6	175
M653591		41.5	0.002	0.02	3.46	4.6	1	3.3	47.4	0.44	<0.05	5.0	0.170	3.29	2.6	110
M653592		32.2	<0.002	0.01	2.30	2.7	1	2.4	32.1	0.36	<0.05	4.4	0.139	1.80	2.4	88
M653593		30.1	0.002	0.02	2.83	3.5	1	5.4	31.6	0.42	<0.05	6.2	0.170	5.43	3.0	59
M653594		46.8	<0.002	0.02	5.01	7.6	2	5.8	51.5	0.57	<0.05	8.6	0.204	4.51	4.0	184
M653595		61.6	<0.002	0.01	4.56	7.4	2	3.9	92.7	0.84	0.05	10.2	0.289	1.37	3.7	188
M653596		66.4	<0.002	0.03	4.05	6.9	3	2.8	72.5	0.82	<0.05	8.5	0.277	1.99	6.4	260
M653597		71.0	<0.002	0.02	5.12	7.5	2	3.8	110.5	1.04	0.05	9.7	0.335	1.16	3.8	205
M653598		81.9	<0.002	0.02	9.19	10.4	3	5.8	47.7	0.87	0.07	12.3	0.281	2.03	6.2	348
M653599		88.6	<0.002	0.02	1.46	10.6	2	3.0	196.0	1.38	<0.05	11.5	0.435	0.83	3.6	120
M653600		83.4	<0.002	0.03	1.97	10.9	2	3.0	175.0	1.24	<0.05	11.9	0.401	0.87	4.1	125
M653601		59.5	<0.002	0.01	2.11	6.9	1	2.9	115.5	1.09	<0.05	8.8	0.354	0.69	3.4	105
M653602		59.9	<0.002	0.02	4.69	7.5	2	4.8	80.0	0.86	0.05	8.4	0.286	1.12	3.7	169
M653603		58.0	<0.002	0.05	4.98	8.3	2	5.9	118.0	0.94	0.05	9.5	0.270	1.35	4.8	131
M653604		67.4	<0.002	0.02	4.53	6.3	2	3.3	55.6	0.91	0.06	8.7	0.302	1.89	4.7	253
M653605		69.8	<0.002	0.02	4.61	6.8	2	4.2	96.9	1.07	0.06	8.6	0.367	1.26	4.0	278

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Finalized Date: 15-OCT-2012
Account: EIAAEM

Project: AEM12-01

CERTIFICATE OF ANALYSIS WH12235054

Sample Description	Method Analyte Units LOR	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5
M653571		1.5	14.2	220	76.6
M653572		1.4	13.6	187	75.7
M653573		1.6	21.2	259	97.2
M653574		1.1	23.6	202	108.0
M653575		1.4	26.8	361	129.5
M653576		2.0	19.1	243	99.6
M653577		8.1	16.5	209	87.1
M653578		12.6	18.5	148	82.6
M653579		12.8	20.8	155	103.5
M653580		6.0	20.6	162	101.0
M653581		9.7	15.0	189	84.6
M653582		3.5	22.5	224	55.0
M653583		3.7	8.5	376	58.7
M653584		1.5	11.2	281	50.8
M653585		0.8	3.4	58	31.2
M653586		0.9	3.3	89	35.3
M653587		1.0	5.3	650	43.7
M653588		1.3	19.4	1300	57.1
M653589		1.3	12.3	425	64.8
M653590		1.5	28.1	271	71.4
M653591		1.5	13.8	331	62.0
M653592		1.2	7.2	206	58.4
M653593		2.0	8.8	576	77.7
M653594		2.1	31.9	605	95.1
M653595		1.8	14.9	252	84.1
M653596		2.2	18.2	166	95.1
M653597		1.9	15.2	227	80.9
M653598		2.5	31.7	272	101.5
M653599		1.8	15.1	278	73.2
M653600		1.7	16.5	253	70.1
M653601		1.5	12.8	286	87.0
M653602		1.7	14.5	368	82.6
M653603		2.0	31.7	321	81.8
M653604		1.7	14.4	253	100.0
M653605		1.6	12.9	212	85.4

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Finalized Date: 15-OCT-2012
Account: EIAAEM

Project: AEM12-01

CERTIFICATE OF ANALYSIS WH12235054

Method	CERTIFICATE COMMENTS
ME-MS61	REE's may not be totally soluble in this method.
ME-MS61	Interference: Samples with Ca>10% on ICP-MS As. ICP-AES As results reported (5 ppm DL)

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Finalized Date: 16-OCT-2012
Account: EIAAEM

CERTIFICATE WH12235053

Project: AEM12-01

P.O. No.: AEM12-01_3

This report is for 122 Soil samples submitted to our lab in Whitehorse, YT, Canada on 4-OCT-2012.

The following have access to data associated with this certificate:

HENRY CASTILLO	RYAN CONGDON	NEIL PERK

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
SCR-41	Screen to -180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION
ME-MS61	48 element four acid ICP-MS

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
ATTN: RYAN CONGDON
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Finalized Date: 16-OCT-2012
Account: EIAAEM

Project: AEM12-01

CERTIFICATE OF ANALYSIS WH12235053

Sample Description	Method	WEI-21	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Recvd Wt.	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs	Cu	Fe
	Units	kg	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	0.2	0.01
M653840		0.35	0.24	5.39	21.1	1740	1.33	0.36	0.94	0.92	81.0	7.9	50	5.56	14.1	2.82
M653841		0.41	0.61	5.01	14.4	1740	1.51	0.27	1.89	1.70	65.9	7.7	52	6.27	27.4	2.18
M653842		0.51	0.54	5.69	22.4	1870	1.72	0.39	1.47	0.61	84.9	10.7	56	10.25	21.8	2.72
M653843		0.43	0.46	5.68	16.8	1830	1.46	0.33	1.90	1.46	68.7	10.7	63	6.59	25.1	2.77
M653844		0.49	0.12	6.62	10.4	1440	1.46	0.33	1.15	0.55	71.7	9.3	72	9.96	11.7	2.84
M653845		0.46	0.24	6.58	13.1	1120	1.55	0.62	2.81	1.02	77.1	12.7	59	15.75	17.9	3.28
M653846		0.32	0.37	5.82	89.4	950	1.47	3.13	2.82	0.90	60.5	11.9	53	20.1	24.3	3.23
M653847		0.46	0.09	6.68	6.9	690	1.47	2.53	3.53	0.25	82.4	11.2	55	27.1	14.3	3.16
M653848		0.33	0.50	6.80	44.6	810	1.59	5.61	1.90	0.42	75.3	13.0	61	27.4	15.2	3.41
M653849		0.42	0.79	7.03	47.3	870	1.69	4.26	0.88	0.41	69.6	14.1	64	20.7	16.0	3.58
M653850		0.30	0.28	7.81	25.6	710	1.55	2.19	1.62	1.23	85.6	14.6	64	23.5	12.6	3.79
M653851		0.33	0.20	5.21	12.4	1000	1.14	0.65	0.72	0.63	63.3	7.6	54	5.95	12.0	2.45
M653852		0.57	0.17	6.41	16.0	1140	1.32	0.94	1.08	0.34	68.4	10.9	65	21.2	10.7	3.25
M653853		0.34	0.15	7.93	12.5	950	1.73	1.83	1.68	0.40	86.8	15.7	64	19.25	11.8	4.05
M653854		0.49	0.26	6.88	28.7	1460	1.72	1.10	0.89	0.42	70.8	11.8	64	29.6	18.6	3.68
M653855		0.45	0.76	7.11	50.1	1400	1.81	2.65	1.28	0.99	79.5	12.7	68	31.7	33.7	3.66
M653856		0.39	0.22	7.91	11.7	860	1.76	0.70	3.80	0.57	56.5	23.1	67	34.2	50.2	4.80
M653857		0.36	8.06	6.93	1720	1310	2.38	39.2	1.51	16.00	123.0	32.0	68	18.60	341	8.86
M653858		0.45	0.32	5.57	19.4	1280	1.80	0.40	1.26	1.23	66.1	10.4	65	13.10	13.2	3.07
M653859		0.39	0.42	7.16	15.7	1300	2.46	0.30	0.66	0.52	88.8	14.8	74	8.61	10.3	3.27
M653860		0.35	0.50	6.65	16.9	1190	2.14	0.32	0.91	0.51	73.9	16.0	72	6.37	10.5	3.52
M653861		0.60	0.18	7.32	16.8	1210	2.16	0.28	1.10	0.20	79.3	13.8	67	19.85	13.3	4.63
M653862		0.49	0.21	6.76	16.0	1200	1.72	0.32	1.11	0.59	56.3	11.4	74	22.2	7.6	3.07
M653863		0.40	0.75	5.07	26.4	2300	1.93	0.35	2.99	9.39	114.5	12.6	60	11.35	28.2	2.41
M653864		0.43	0.81	4.30	27.7	2140	2.03	0.26	3.53	8.00	62.6	5.8	52	11.45	27.8	2.42
M653865		0.53	0.44	5.82	12.6	1560	1.88	0.41	1.22	0.68	76.8	10.7	63	5.94	15.9	2.89
M653866		0.48	0.20	5.89	17.4	1150	1.67	0.42	0.50	0.32	54.0	8.2	62	6.45	9.9	3.52
M653867		0.48	0.50	4.77	16.6	1700	1.66	0.34	2.34	0.58	60.4	7.0	53	5.66	19.7	2.28
M653868		0.47	0.16	5.97	11.7	1370	1.87	0.30	1.24	0.22	66.4	10.1	70	4.87	11.5	2.97
M653869		0.56	0.17	6.03	18.7	1210	1.79	0.43	0.73	0.33	60.2	10.7	64	8.45	14.5	2.91
M653870		0.39	0.01	1.70	1.2	70	0.28	0.04	0.01	<0.02	28.9	0.5	18	0.95	1.5	0.39
M653871		0.51	0.36	5.42	17.6	1320	1.70	0.48	1.43	0.45	58.6	7.7	62	6.94	17.4	2.50
M653776		0.38	0.59	4.91	14.4	810	1.63	0.32	2.22	1.10	63.0	7.4	63	3.90	12.4	2.25
M653777		0.43	1.01	4.85	25.2	750	1.62	0.44	1.30	1.37	57.9	7.3	68	4.38	17.3	2.36
M653778		0.58	0.69	4.04	33.5	570	1.54	0.44	4.10	1.62	60.1	6.5	57	3.83	18.9	2.05
M653779		0.43	0.63	4.74	18.5	710	1.58	0.36	2.06	1.50	58.5	7.3	64	3.48	15.3	2.29
M653780		0.42	0.62	4.55	21.7	690	1.47	0.39	2.51	1.60	61.9	7.0	60	3.48	16.3	2.22
M653781		0.47	0.21	5.01	15.4	750	1.44	0.35	0.91	2.78	61.4	7.4	72	8.51	20.4	2.45
M653782		0.41	0.58	4.66	14.8	660	1.54	0.26	1.15	1.30	60.6	6.0	61	3.35	12.1	2.23
M653783		0.36	0.15	5.51	9.3	850	1.46	0.30	0.93	0.83	58.0	6.1	67	3.28	7.5	2.38

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Finalized Date: 16-OCT-2012
Account: EIAAEM

Project: AEM12-01

CERTIFICATE OF ANALYSIS WH12235053

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni	P	Pb
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10	0.5
M653840		13.90	0.17	1.8	0.076	1.63	43.4	30.6	0.79	344	6.27	0.70	14.4	32.2	540	74.4
M653841		11.35	0.18	1.8	0.064	1.66	36.4	30.1	1.02	487	6.25	0.51	11.2	43.3	1670	45.0
M653842		13.85	0.20	2.3	0.082	1.97	44.4	34.7	1.15	708	12.25	0.55	13.7	53.5	1480	55.3
M653843		13.00	0.18	1.9	0.083	1.90	39.2	34.0	1.14	920	3.85	0.62	12.9	42.1	990	52.2
M653844		17.50	0.18	2.1	0.064	2.07	35.8	36.0	0.97	398	4.33	1.15	19.2	24.2	390	40.0
M653845		15.15	0.21	2.2	0.057	1.48	40.6	55.2	2.01	636	1.73	0.80	13.3	33.1	1050	33.3
M653846		13.90	0.16	1.7	0.107	0.95	36.0	122.5	1.66	572	1.61	0.42	11.4	29.4	930	44.8
M653847		16.10	0.19	2.1	0.047	1.02	39.9	78.9	2.00	548	0.66	0.71	12.6	22.1	880	14.3
M653848		16.55	0.18	2.2	0.078	1.35	34.7	59.1	1.86	780	1.31	0.74	14.5	27.7	380	70.6
M653849		17.20	0.19	2.2	0.083	1.46	34.3	59.8	1.64	593	1.93	0.78	16.1	31.9	270	56.0
M653850		18.65	0.22	2.3	0.090	1.24	44.9	77.7	2.21	569	0.77	0.75	15.2	32.4	410	28.0
M653851		12.65	0.18	1.7	0.060	1.71	33.3	25.8	0.54	343	4.30	0.94	15.2	26.9	340	39.8
M653852		15.25	0.21	1.8	0.075	1.94	36.0	37.2	0.83	388	3.05	1.23	17.7	25.7	200	41.3
M653853		18.40	0.22	2.3	0.056	1.55	44.4	65.4	2.02	583	0.98	0.81	15.4	33.6	410	24.7
M653854		15.75	0.20	2.3	0.074	1.83	29.1	77.0	1.51	631	2.27	0.51	14.0	37.8	630	54.4
M653855		16.30	0.21	2.2	0.169	1.83	44.2	82.9	1.56	660	2.42	0.61	15.0	38.7	1000	81.9
M653856		18.60	0.21	2.5	0.059	2.88	30.4	82.7	3.43	1580	1.94	0.30	13.9	37.7	1510	12.5
M653857		15.75	0.34	2.1	10.50	1.94	68.2	69.6	2.98	1060	12.65	0.23	10.7	77.1	2790	245
M653858		14.55	0.15	1.8	0.077	1.97	32.3	34.0	1.06	911	6.21	0.95	13.6	27.0	1230	67.7
M653859		16.25	0.15	2.3	0.086	2.41	38.9	43.7	1.60	685	2.50	0.72	14.8	38.9	290	54.6
M653860		15.05	0.14	2.1	0.076	1.98	34.1	36.2	1.09	486	3.59	1.05	15.7	40.9	380	67.2
M653861		17.85	0.16	2.6	0.060	2.28	40.5	86.2	4.26	624	3.67	0.23	12.4	36.3	660	25.2
M653862		17.15	0.13	2.5	0.062	2.46	30.7	71.4	1.46	392	7.90	0.45	13.8	29.1	590	27.9
M653863		12.75	0.24	2.1	0.058	2.05	61.5	33.9	1.88	416	12.55	0.40	10.0	337	4930	43.0
M653864		10.55	0.17	1.7	0.048	1.83	35.7	29.9	1.91	165	11.70	0.43	9.2	186.5	1620	42.6
M653865		15.70	0.15	2.0	0.069	1.79	44.7	33.5	0.83	692	3.88	1.01	16.2	20.7	660	56.2
M653866		14.60	0.13	2.0	0.078	1.69	29.1	45.1	1.40	379	3.72	0.59	13.3	28.6	360	54.0
M653867		12.00	0.15	1.9	0.075	1.81	33.2	30.9	1.43	419	5.86	0.57	11.1	36.0	690	59.1
M653868		15.15	0.16	1.9	0.065	1.88	34.1	30.9	0.91	478	3.72	1.14	15.7	27.8	420	41.9
M653869		15.50	0.15	2.3	0.082	2.23	31.7	45.4	1.46	541	7.87	0.56	13.0	38.3	520	52.3
M653870		3.89	0.10	0.3	0.008	0.81	14.2	6.0	0.08	8	0.44	0.03	1.6	3.5	40	1.8
M653871		13.80	0.14	2.3	0.074	1.91	34.3	36.5	1.25	396	5.85	0.51	12.5	37.7	620	52.1
M653776		11.40	0.16	2.3	0.062	1.68	33.5	26.2	1.29	694	4.45	0.62	12.1	31.1	830	53.5
M653777		11.50	0.14	2.4	0.106	1.71	33.3	24.7	1.01	607	7.57	0.50	13.3	40.7	950	111.5
M653778		9.13	0.15	2.5	0.136	1.63	35.2	22.8	2.77	582	7.92	0.22	12.5	45.0	1200	114.0
M653779		10.90	0.14	2.4	0.098	1.57	33.7	25.1	1.32	747	3.40	0.56	12.9	31.6	960	81.7
M653780		10.60	0.15	2.3	0.098	1.55	35.3	24.3	1.64	780	4.03	0.50	12.8	33.1	950	83.3
M653781		13.70	0.15	2.8	0.080	2.04	33.9	23.7	0.64	409	5.89	0.47	18.3	35.1	1350	47.4
M653782		10.35	0.15	2.2	0.072	1.48	32.6	22.3	0.74	578	4.47	0.53	11.6	33.6	1040	112.0
M653783		15.05	0.12	2.1	0.053	1.67	31.3	27.7	0.62	414	2.90	1.00	17.3	18.9	500	50.0

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Finalized Date: 16-OCT-2012
Account: EIAAEM

Project: AEM12-01

CERTIFICATE OF ANALYSIS WH12235053

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02	0.1	1
M653840		93.6	<0.002	0.02	4.31	6.5	1	3.0	134.5	1.06	0.05	12.8	0.331	1.03	3.3	152
M653841		90.6	<0.002	0.07	3.61	7.2	2	2.5	127.5	0.84	0.05	10.2	0.251	1.61	6.7	193
M653842		90.7	<0.002	0.04	5.07	8.0	2	3.0	129.5	1.05	0.06	12.8	0.313	1.72	6.9	236
M653843		96.5	<0.002	0.05	3.48	8.2	2	3.1	130.5	0.99	0.05	10.8	0.311	1.37	4.7	167
M653844		136.5	<0.002	0.02	1.73	8.5	1	3.3	191.5	1.44	0.05	9.9	0.451	1.30	3.3	162
M653845		75.0	<0.002	0.04	2.24	9.1	2	4.7	274	0.95	<0.05	12.9	0.322	0.90	3.4	91
M653846		59.5	<0.002	0.09	4.81	8.7	2	6.3	157.5	0.82	<0.05	11.6	0.274	0.94	3.9	74
M653847		74.9	<0.002	0.05	0.74	9.0	1	4.5	282	0.88	<0.05	13.5	0.310	0.78	1.8	53
M653848		94.3	<0.002	0.03	2.05	8.2	1	7.8	239	1.06	<0.05	11.2	0.347	0.87	2.1	79
M653849		101.0	<0.002	0.01	2.83	8.2	1	5.2	182.5	1.18	<0.05	9.9	0.372	0.91	1.9	90
M653850		76.4	<0.002	0.02	0.89	9.7	1	8.6	260	1.05	<0.05	12.5	0.363	0.82	1.7	69
M653851		113.0	<0.002	0.02	2.52	5.9	1	2.8	158.0	1.14	<0.05	9.1	0.350	0.91	2.4	128
M653852		149.0	<0.002	0.01	2.06	7.4	1	3.8	210	1.34	<0.05	9.0	0.414	0.92	2.0	122
M653853		109.0	<0.002	0.02	0.92	9.9	1	4.9	236	1.08	<0.05	13.1	0.357	0.87	2.1	72
M653854		114.0	<0.002	0.02	3.57	9.0	1	3.5	128.5	1.09	<0.05	11.7	0.344	1.22	2.8	110
M653855		109.5	<0.002	0.04	3.95	9.7	2	6.0	168.0	1.18	0.05	12.9	0.347	1.47	3.6	113
M653856		123.0	<0.002	0.05	1.60	11.1	1	3.5	262	0.97	0.05	13.1	0.349	1.10	3.1	157
M653857		85.9	0.003	0.10	72.9	11.8	5	22.3	94.9	0.77	0.08	12.6	0.289	5.40	13.6	216
M653858		96.2	0.005	0.03	3.58	9.3	2	2.8	181.0	1.01	<0.05	11.2	0.367	1.27	6.6	150
M653859		99.2	0.005	0.01	2.71	11.2	1	3.1	117.5	1.06	<0.05	14.3	0.381	1.15	2.8	111
M653860		97.5	0.005	0.02	3.26	9.2	1	3.0	172.0	1.15	<0.05	14.1	0.390	1.05	2.8	122
M653861		93.4	0.004	0.01	1.93	12.1	1	2.6	57.8	0.86	<0.05	12.4	0.357	1.46	4.6	81
M653862		115.0	0.006	0.03	2.00	10.5	2	2.9	94.8	1.10	<0.05	10.1	0.369	1.46	6.3	209
M653863		89.8	0.011	0.07	5.51	8.0	4	2.2	180.5	0.71	0.07	11.5	0.276	4.04	13.4	280
M653864		79.2	0.009	0.09	6.01	7.7	5	2.1	122.5	0.71	<0.05	9.0	0.250	2.52	7.4	211
M653865		106.0	0.005	0.02	2.25	8.8	2	3.3	171.5	1.20	<0.05	11.2	0.404	1.11	5.0	129
M653866		97.6	0.004	0.02	2.92	7.9	1	4.2	89.8	0.96	<0.05	8.7	0.344	1.12	2.4	138
M653867		97.3	0.007	0.05	3.89	7.9	2	3.2	117.0	0.82	0.05	10.1	0.288	1.30	4.3	170
M653868		94.8	0.006	0.02	2.11	9.4	1	2.8	192.5	1.18	<0.05	11.0	0.390	0.94	4.4	138
M653869		120.0	0.004	0.02	3.13	9.3	1	3.4	83.9	0.94	0.05	10.0	0.330	1.68	4.6	203
M653870		21.4	0.004	<0.01	0.35	2.1	<1	0.4	15.3	0.12	<0.05	4.9	0.087	0.16	0.6	13
M653871		109.5	0.005	0.04	3.42	8.4	2	3.7	101.0	0.89	<0.05	9.3	0.310	1.57	5.8	209
M653776		69.6	0.005	0.04	3.54	8.4	2	2.6	127.0	0.85	<0.05	9.7	0.310	1.04	4.1	185
M653777		69.2	0.003	0.03	5.17	8.2	2	3.7	104.5	0.91	<0.05	9.2	0.313	1.40	4.3	213
M653778		64.0	0.004	0.03	6.55	6.6	2	4.1	85.2	0.78	0.05	8.4	0.263	1.58	4.5	236
M653779		66.4	0.003	0.03	3.59	8.2	1	3.3	119.5	0.88	<0.05	8.6	0.314	1.18	3.3	150
M653780		64.7	0.004	0.03	4.13	7.8	2	3.3	115.5	0.87	<0.05	9.0	0.301	1.22	3.5	156
M653781		89.3	0.005	0.11	4.30	8.0	2	3.1	104.0	1.27	0.06	10.5	0.374	3.22	4.2	220
M653782		60.7	0.004	0.04	4.39	8.6	2	2.6	104.5	0.92	<0.05	8.5	0.294	1.04	3.5	198
M653783		74.5	0.005	0.02	2.27	7.6	1	2.9	163.0	1.18	<0.05	8.5	0.431	0.75	2.6	190

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Finalized Date: 16-OCT-2012
Account: EIAAEM

Project: AEM12-01

CERTIFICATE OF ANALYSIS WH12235053

Sample Description	Method Analyte Units LOR	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5
M653840		1.6	12.4	209	68.4
M653841		1.6	20.0	257	68.9
M653842		1.7	20.0	285	87.9
M653843		1.3	22.9	222	73.0
M653844		1.7	14.6	202	77.7
M653845		1.2	19.4	195	80.6
M653846		2.4	19.6	286	61.2
M653847		9.1	19.4	65	76.6
M653848		2.8	11.2	226	81.3
M653849		2.6	11.6	359	83.4
M653850		1.5	18.7	726	88.2
M653851		1.8	10.9	146	63.0
M653852		2.0	11.6	170	68.5
M653853		2.6	16.9	146	84.2
M653854		1.8	13.5	186	82.5
M653855		2.7	20.0	335	78.4
M653856		3.1	19.4	170	92.7
M653857		3.0	28.9	5730	80.8
M653858		2.7	13.0	289	55.4
M653859		1.3	11.6	168	69.8
M653860		1.9	11.9	215	64.0
M653861		1.1	15.9	141	85.0
M653862		1.5	10.5	270	79.4
M653863		1.3	30.8	2620	67.2
M653864		1.1	18.6	1160	54.5
M653865		1.5	17.2	220	58.9
M653866		1.5	9.1	172	62.1
M653867		1.4	15.6	186	61.7
M653868		1.6	13.6	128	59.7
M653869		1.5	11.7	176	71.5
M653870		0.3	1.9	<2	8.7
M653871		1.4	15.0	168	70.2
M653776		1.4	19.5	184	70.6
M653777		1.8	20.9	275	79.0
M653778		1.8	20.6	317	79.3
M653779		1.6	22.1	224	74.2
M653780		1.6	21.5	239	129.0
M653781		1.8	17.8	397	92.5
M653782		7.4	23.4	333	68.3
M653783		1.6	12.6	365	67.3

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Finalized Date: 16-OCT-2012
Account: EIAAEM

Project: AEM12-01

CERTIFICATE OF ANALYSIS WH12235053

Sample Description	Method	WEI-21	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Recvd Wt.	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs	Cu	Fe
	Units	kg	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	0.2	0.01
M653784		0.38	0.70	5.15	13.9	670	1.63	0.24	0.75	0.48	59.4	5.7	73	3.66	11.5	2.29
M653785		0.43	0.14	5.14	13.2	740	1.46	0.26	0.67	0.55	54.0	6.1	64	3.79	10.3	2.26
M653786		0.31	0.14	5.14	12.5	780	1.45	0.29	0.70	0.50	57.3	6.3	63	3.20	8.2	2.87
M653787		0.37	0.16	4.70	8.3	600	1.16	0.18	2.50	0.30	70.2	4.9	46	2.93	5.2	1.64
M653788		0.42	0.15	4.33	15.8	540	1.04	0.29	0.36	0.49	54.5	6.0	53	3.08	8.7	2.33
M653789		0.35	0.14	4.64	14.5	600	1.21	0.28	0.50	0.66	49.5	5.2	58	2.38	7.9	2.32
M653790		0.63	0.26	2.48	11.9	320	0.62	0.24	0.19	0.19	40.9	2.2	31	1.28	6.2	1.48
M653791		0.36	0.62	5.48	50.4	1010	2.66	0.95	3.97	1.19	71.6	9.9	60	15.65	44.1	2.83
M653792		0.51	0.54	5.18	28.6	1050	2.19	0.57	2.39	1.52	71.9	9.8	59	9.64	29.9	2.60
M653793		0.38	0.48	5.17	14.7	1380	1.71	0.47	1.48	1.23	66.6	8.0	69	8.12	16.0	2.18
M653794		0.43	0.86	5.31	22.3	1420	2.02	0.44	1.68	0.88	67.8	8.7	69	6.57	26.4	2.48
M653795		0.39	0.66	5.14	14.5	1370	1.85	0.35	2.18	1.50	58.1	6.8	72	13.30	23.1	2.19
M653796		0.35	0.69	5.66	17.3	1370	2.05	0.38	1.28	1.74	63.3	8.9	77	8.90	16.7	2.43
M653797		0.45	0.61	5.76	21.8	1570	2.19	0.38	1.42	1.05	68.5	9.0	79	9.03	18.6	2.85
M653798		0.55	0.55	5.02	12.4	1740	2.14	0.37	1.27	0.74	74.1	9.3	66	8.97	29.5	2.08
M653799		0.32	0.44	4.83	12.6	1360	1.55	0.29	1.62	0.93	56.4	10.5	57	5.40	16.9	2.47
M653800		0.40	0.44	5.15	12.6	1380	1.61	0.32	1.64	1.08	62.7	10.9	63	5.57	18.0	2.64
M653801		0.35	0.17	4.32	14.3	1120	1.29	0.29	0.44	0.51	57.0	4.2	50	5.13	8.4	1.74
M653802		0.44	0.31	4.35	14.8	1250	1.51	0.26	0.86	0.46	60.0	6.1	53	7.21	10.4	1.86
M653803		0.51	0.37	4.26	18.5	1340	1.72	0.26	0.75	0.30	69.1	6.8	49	4.12	17.0	1.98
M653804		0.41	0.52	5.10	15.9	1280	2.15	0.37	1.21	1.83	73.8	10.5	62	15.85	19.9	2.45
M653805		0.53	0.40	5.33	25.9	1390	2.20	0.34	0.82	0.60	85.5	9.8	63	7.42	19.4	2.63
M653806		0.49	0.41	5.06	18.5	1370	1.87	0.32	1.14	2.18	66.6	10.9	65	8.40	21.0	2.66
M653807		0.35	0.54	5.63	22.2	1590	2.36	0.41	1.40	1.93	63.8	12.0	65	11.75	25.8	2.85
M653808		0.38	0.52	5.21	29.9	1330	1.93	0.84	1.93	1.83	64.4	11.8	57	17.05	29.4	2.61
M653809		0.31	0.12	6.49	9.6	620	2.20	1.40	2.10	0.57	92.5	11.1	51	14.90	9.1	2.91
M653810		0.51	0.50	6.01	85.3	910	2.02	2.35	3.54	0.39	71.1	9.3	53	18.60	19.0	2.74
M653811		0.46	0.20	6.74	28.2	760	2.02	2.10	1.50	0.29	79.7	12.7	62	19.40	11.1	3.28
M653812		0.48	0.47	6.24	71.9	870	1.81	115.0	1.35	0.21	84.1	19.0	65	53.3	122.5	7.35
M653813		0.35	0.22	5.65	48.1	850	1.71	7.79	0.86	0.18	53.3	11.0	56	36.7	16.8	3.17
M653814		0.31	0.28	6.11	39.9	630	1.71	3.20	2.63	0.18	71.9	13.4	50	15.15	18.0	3.09
M653815		0.31	0.44	4.37	26.8	1120	2.42	1.19	0.66	0.93	51.4	8.8	50	11.45	20.6	2.02
M653816		0.53	0.56	4.32	25.7	1040	2.13	0.77	0.56	1.08	61.7	9.5	57	6.51	17.1	2.39
M653817		0.36	0.34	4.27	17.8	1250	1.71	0.60	0.72	0.75	58.7	7.0	48	6.99	14.2	2.13
M653818		0.33	0.43	3.64	19.5	1100	1.57	6.48	2.82	1.61	53.5	7.0	41	6.17	21.5	1.71
M653819		0.47	0.92	4.99	25.7	1590	2.01	0.50	0.77	1.19	59.8	10.8	53	7.38	19.9	2.68
M653820		0.48	1.12	5.26	30.2	1660	2.19	0.49	0.61	1.36	64.6	11.9	57	7.76	20.1	2.79
M653821		0.47	0.70	6.13	46.6	1350	2.36	0.78	1.39	0.47	106.0	19.0	62	15.70	35.4	4.17
M653822		0.52	0.47	6.34	18.2	2670	2.39	0.37	1.22	2.14	75.5	12.7	70	10.80	25.7	3.24
M653823		0.32	0.58	5.50	18.5	1980	2.08	0.39	1.57	1.44	56.0	10.3	59	8.52	19.3	2.65

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Finalized Date: 16-OCT-2012
Account: EIAAEM

Project: AEM12-01

CERTIFICATE OF ANALYSIS WH12235053

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni	P	Pb
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10	0.5
M653784		11.85	0.14	2.5	0.063	1.66	32.8	24.9	0.65	292	5.42	0.58	13.4	41.4	720	50.7
M653785		12.25	0.14	2.2	0.079	1.57	30.7	27.4	0.66	273	5.30	0.67	13.4	36.4	400	63.0
M653786		12.85	0.13	2.0	0.066	1.38	30.2	27.3	0.60	293	2.90	0.83	14.1	25.5	360	57.2
M653787		10.90	0.19	1.8	0.052	1.69	29.8	16.6	1.48	350	1.40	0.38	10.5	13.5	1400	34.0
M653788		10.55	0.12	2.3	0.093	1.23	29.0	23.2	0.39	327	3.55	0.44	13.8	22.8	340	72.7
M653789		10.80	0.12	2.3	0.102	0.99	27.0	25.5	0.53	253	3.08	0.51	12.2	30.1	240	69.4
M653790		7.25	0.11	1.5	0.063	0.75	22.1	10.1	0.19	123	2.26	0.28	8.5	11.2	320	27.4
M653791		14.75	0.18	3.4	0.051	1.94	41.1	60.8	3.39	695	45.8	0.13	15.5	143.5	1180	35.7
M653792		14.35	0.17	3.2	0.047	2.24	41.3	46.6	2.51	539	42.3	0.15	13.7	107.5	1030	35.6
M653793		12.70	0.16	2.4	0.066	2.13	37.4	32.8	1.11	616	5.83	0.43	13.8	43.0	1110	47.4
M653794		12.70	0.17	2.2	0.085	2.11	38.8	31.0	1.02	600	8.08	0.56	13.3	59.1	1180	67.6
M653795		12.40	0.15	2.3	0.076	2.04	34.0	30.4	1.18	526	6.34	0.49	13.0	48.2	1710	46.9
M653796		14.10	0.14	2.7	0.073	2.56	35.0	36.8	1.11	785	9.25	0.45	14.4	61.7	1520	48.8
M653797		14.25	0.16	2.6	0.076	2.40	37.9	38.8	1.14	430	11.55	0.44	14.7	71.3	1800	49.0
M653798		15.30	0.12	2.6	0.066	2.14	41.8	40.7	0.97	299	5.07	0.35	13.6	50.3	980	54.2
M653799		14.40	0.12	1.9	0.046	1.65	30.6	33.8	0.93	1060	8.31	0.64	11.9	36.6	970	34.6
M653800		15.35	0.11	2.0	0.048	1.77	33.8	33.5	0.92	1060	8.09	0.77	13.3	37.2	1030	36.0
M653801		14.95	0.08	1.7	0.057	1.61	30.9	25.3	0.53	213	6.36	0.64	12.8	20.2	310	33.6
M653802		13.45	0.09	1.8	0.051	1.83	32.5	35.2	0.71	275	7.83	0.57	11.1	36.9	430	34.4
M653803		11.75	0.12	1.8	0.067	1.61	39.9	26.3	0.61	297	4.93	0.59	10.0	39.2	540	54.0
M653804		15.75	0.15	2.3	0.063	1.87	40.3	49.0	1.27	381	9.11	0.59	12.9	65.3	1200	42.8
M653805		16.00	0.13	2.6	0.056	2.44	47.1	40.8	1.01	319	18.80	0.39	13.4	59.0	1310	38.2
M653806		15.30	0.12	2.1	0.056	1.91	34.4	42.8	1.40	731	10.15	0.55	12.6	55.1	880	47.9
M653807		17.20	0.14	2.3	0.058	1.90	34.3	54.2	1.94	563	9.80	0.47	13.2	61.7	1380	45.5
M653808		15.45	0.14	1.9	0.167	1.79	35.8	50.8	1.52	557	6.30	0.59	11.3	50.8	1030	44.4
M653809		19.70	0.19	2.0	0.047	0.92	44.5	70.6	1.79	550	1.17	1.01	12.8	22.5	400	24.6
M653810		17.15	0.18	2.2	0.103	1.33	39.8	65.3	1.94	404	1.69	0.72	12.0	31.8	500	57.4
M653811		19.80	0.16	2.3	0.056	1.48	38.4	79.0	1.99	520	1.04	0.74	13.3	31.0	190	38.9
M653812		18.00	0.22	1.9	0.070	2.07	58.7	50.8	1.12	367	1.52	0.70	12.5	42.3	470	39.5
M653813		18.10	0.13	2.1	0.063	1.68	28.0	55.0	1.12	272	2.49	0.83	13.7	33.3	250	38.8
M653814		18.35	0.18	2.2	0.042	1.33	36.6	62.5	1.91	578	0.92	0.80	10.2	30.0	400	25.6
M653815		14.00	0.10	2.0	0.078	1.76	26.6	83.1	0.55	771	6.14	0.41	14.3	47.8	410	58.4
M653816		13.05	0.09	1.9	0.090	1.51	29.5	41.2	0.58	464	6.06	0.52	11.9	48.4	350	73.7
M653817		12.95	0.10	1.8	0.059	1.56	31.9	35.8	0.51	329	4.67	0.67	12.1	34.3	380	55.3
M653818		10.00	0.13	1.5	0.045	1.28	28.6	34.5	1.36	534	3.83	0.47	8.6	34.5	760	40.6
M653819		15.15	0.11	1.9	0.064	1.81	30.3	43.8	0.74	752	9.42	0.54	11.8	49.4	690	205
M653820		15.25	0.12	1.9	0.068	2.01	31.4	43.0	0.80	989	12.65	0.52	13.3	53.2	630	220
M653821		17.85	0.20	2.2	0.046	2.76	57.3	62.7	1.46	1080	4.15	0.11	10.5	47.5	1200	136.5
M653822		18.70	0.17	2.3	0.049	2.79	42.2	54.7	2.52	475	7.00	0.22	12.5	104.5	1210	28.2
M653823		15.45	0.14	1.9	0.061	2.17	30.9	48.1	1.88	456	6.08	0.39	11.1	68.1	1000	85.2

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Finalized Date: 16-OCT-2012
Account: EIAAEM

Project: AEM12-01

CERTIFICATE OF ANALYSIS WH12235053

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02	0.1	1
M653784		68.7	0.005	0.02	4.27	7.8	2	3.0	105.5	0.93	<0.05	9.4	0.351	1.02	3.7	333
M653785		64.8	0.003	0.01	4.36	7.1	1	3.5	116.0	0.97	<0.05	7.5	0.357	1.01	3.3	267
M653786		57.4	0.004	0.02	3.03	7.1	1	2.9	137.5	1.00	<0.05	9.2	0.377	0.64	2.4	147
M653787		56.4	0.004	0.03	1.77	7.1	1	2.3	95.4	0.73	<0.05	6.9	0.290	0.78	2.5	69
M653788		63.5	0.004	0.02	3.80	5.2	1	4.9	68.4	0.89	<0.05	7.4	0.334	0.85	3.0	140
M653789		44.1	0.004	0.02	3.59	5.8	1	5.4	77.9	0.84	<0.05	7.4	0.326	0.93	2.6	136
M653790		34.1	0.004	0.02	2.62	3.1	1	3.4	46.8	0.60	<0.05	5.4	0.248	0.59	1.9	79
M653791		104.5	0.004	0.03	12.55	9.1	3	4.0	86.6	0.99	0.11	11.4	0.303	2.85	10.0	856
M653792		96.8	0.007	0.02	8.90	8.7	2	3.6	69.9	0.92	0.12	10.9	0.293	2.42	10.3	521
M653793		100.5	0.005	0.05	3.13	8.3	2	3.3	94.1	0.95	0.05	10.3	0.305	2.50	5.9	281
M653794		96.9	0.005	0.04	5.09	9.0	2	3.6	124.5	0.92	<0.05	10.6	0.322	1.85	6.5	259
M653795		90.5	0.006	0.06	3.74	9.2	3	3.2	115.0	0.94	<0.05	9.7	0.338	2.49	7.1	263
M653796		111.5	0.004	0.03	4.40	10.4	2	3.4	107.0	1.00	0.07	11.0	0.340	2.38	5.7	320
M653797		107.0	0.004	0.04	5.87	9.8	2	3.4	108.0	1.02	0.06	11.5	0.371	2.00	6.6	323
M653798		110.5	<0.002	0.04	3.37	10.5	3	3.5	87.8	0.97	0.05	12.0	0.289	2.43	6.5	267
M653799		78.3	<0.002	0.05	2.69	9.3	2	2.4	131.0	0.87	<0.05	9.8	0.290	0.96	3.4	130
M653800		83.0	<0.002	0.05	2.64	9.9	2	2.6	147.0	1.00	<0.05	10.9	0.329	1.05	3.9	138
M653801		113.5	<0.002	0.01	2.17	7.6	1	3.2	102.0	0.96	<0.05	7.4	0.317	1.07	2.5	146
M653802		98.0	<0.002	0.01	2.96	7.9	2	3.0	103.5	0.85	<0.05	7.9	0.298	1.88	3.6	203
M653803		77.0	<0.002	0.01	3.41	8.0	2	3.2	109.5	0.79	<0.05	10.1	0.261	1.13	3.5	150
M653804		97.0	0.004	0.04	3.51	10.5	4	3.2	124.0	0.94	<0.05	11.4	0.303	1.98	6.6	245
M653805		109.5	<0.002	0.02	5.96	10.1	3	2.9	90.9	0.94	0.06	12.0	0.305	2.04	7.5	310
M653806		98.9	0.002	0.03	3.00	10.1	3	2.7	111.0	0.92	<0.05	10.2	0.305	1.72	6.7	197
M653807		97.6	0.003	0.04	3.98	11.6	3	3.1	113.5	1.00	0.05	10.9	0.298	2.12	9.5	286
M653808		85.1	0.002	0.05	3.55	10.7	3	3.4	159.5	0.80	<0.05	10.8	0.288	1.47	5.7	181
M653809		61.7	<0.002	0.02	0.72	11.2	2	3.3	313	0.90	<0.05	13.6	0.318	0.53	1.9	61
M653810		68.3	<0.002	0.02	10.25	11.4	2	7.7	273	0.93	<0.05	13.3	0.293	0.96	2.2	77
M653811		97.6	<0.002	0.01	2.26	12.3	2	13.0	258	0.94	<0.05	13.1	0.345	0.92	2.0	73
M653812		133.0	<0.002	0.18	1.66	11.4	2	9.0	215	0.85	0.12	12.9	0.304	1.63	2.5	77
M653813		123.0	<0.002	0.02	2.17	9.3	2	4.1	180.5	1.05	<0.05	7.8	0.337	0.83	2.1	97
M653814		83.5	<0.002	0.03	0.88	11.4	2	2.6	338	0.74	<0.05	13.6	0.284	0.67	1.9	61
M653815		157.0	<0.002	0.03	4.19	9.0	2	6.0	73.5	2.26	<0.05	8.8	0.240	2.23	3.2	174
M653816		100.0	<0.002	0.02	4.29	8.2	2	4.0	90.6	1.14	<0.05	8.9	0.265	1.47	3.1	152
M653817		127.0	<0.002	0.03	3.55	7.9	2	3.2	119.5	1.05	<0.05	9.3	0.283	1.22	3.4	136
M653818		78.4	<0.002	0.06	3.11	6.8	2	5.1	134.0	0.87	<0.05	8.9	0.202	1.08	2.3	99
M653819		121.0	<0.002	0.03	5.76	8.4	2	3.6	110.5	0.95	0.05	9.2	0.298	2.31	3.8	202
M653820		122.5	<0.002	0.03	6.29	8.7	2	3.8	101.5	1.00	0.05	10.3	0.298	2.38	3.7	200
M653821		116.5	<0.002	0.09	9.86	13.7	2	3.5	61.3	0.75	<0.05	14.0	0.285	5.85	3.4	108
M653822		98.1	<0.002	0.03	4.42	13.1	3	2.9	78.0	0.84	<0.05	13.2	0.324	2.29	6.1	260
M653823		98.3	0.002	0.07	3.01	10.8	3	2.9	99.6	0.81	<0.05	10.1	0.279	1.81	6.4	190

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Finalized Date: 16-OCT-2012
Account: EIAAEM

Project: AEM12-01

CERTIFICATE OF ANALYSIS WH12235053

Sample Description	Method Analyte Units LOR	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5
M653784		2.0	19.7	226	78.1
M653785		1.5	13.1	265	70.1
M653786		1.5	11.9	210	63.7
M653787		1.3	23.6	89	56.9
M653788		1.6	10.7	212	73.6
M653789		1.7	10.0	448	67.1
M653790		1.2	6.2	110	49.3
M653791		1.9	27.0	320	123.0
M653792		1.8	25.0	296	111.0
M653793		1.5	17.1	249	76.6
M653794		1.5	22.7	229	74.6
M653795		1.5	23.6	245	70.8
M653796		1.5	18.3	349	83.1
M653797		1.7	18.7	347	77.3
M653798		2.1	20.6	200	89.2
M653799		1.7	11.6	175	64.4
M653800		1.4	12.7	210	65.4
M653801		1.5	9.2	114	59.7
M653802		1.5	9.2	219	60.5
M653803		1.3	15.3	149	58.5
M653804		1.7	18.8	361	78.6
M653805		2.4	17.4	285	90.9
M653806		1.7	14.3	256	71.5
M653807		1.6	18.6	319	77.5
M653808		1.3	18.0	465	68.0
M653809		1.2	18.3	128	69.8
M653810		2.3	17.4	227	71.0
M653811		9.3	13.2	220	78.8
M653812		48.9	23.1	117	64.0
M653813		3.6	9.2	144	71.7
M653814		1.2	17.9	84	76.4
M653815		2.6	14.6	227	60.8
M653816		1.8	11.1	234	64.3
M653817		1.7	13.0	170	60.4
M653818		1.9	13.7	181	49.8
M653819		1.9	10.6	305	64.6
M653820		2.7	11.1	389	66.3
M653821		2.8	21.3	121	75.1
M653822		1.4	17.4	659	84.6
M653823		1.4	14.0	509	67.8

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Finalized Date: 16-OCT-2012
Account: EIAAEM

Project: AEM12-01

CERTIFICATE OF ANALYSIS WH12235053

Sample Description	Method	WEI-21	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Recvd Wt.	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs	Cu	Fe
	Units	kg	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	0.2	0.01
M653824		0.42	0.65	5.32	28.8	1560	2.27	0.48	1.03	1.47	70.8	11.0	52	8.11	25.4	2.55
M653825		0.31	0.66	5.09	19.0	1390	2.51	0.37	1.53	3.49	70.3	10.3	61	13.10	21.8	2.19
M653826		0.40	0.33	5.49	14.1	1350	1.67	0.42	1.00	1.83	61.8	7.6	57	11.05	18.0	2.53
M653827		0.31	1.10	6.24	17.3	2210	2.09	0.34	1.53	1.14	72.4	13.7	59	7.48	16.2	3.41
M653828		0.33	1.95	4.51	13.3	1110	1.37	0.24	0.60	1.49	57.8	7.8	50	4.93	12.3	2.20
M653829		0.36	0.49	4.82	18.6	1760	1.85	0.38	1.71	1.67	69.2	8.8	50	6.35	20.5	2.16
M653830		0.36	0.01	1.62	0.9	60	0.26	0.03	0.01	<0.02	34.4	0.6	14	1.08	1.6	0.37
M653831		0.45	0.37	5.32	20.8	1070	1.96	0.42	1.28	0.68	83.7	9.5	58	7.65	27.0	2.39
M653435		0.55	0.62	4.40	19.8	850	1.79	1.53	0.51	1.44	53.7	5.5	50	4.30	18.6	2.14
M653436		0.56	0.77	4.63	35.9	1190	1.81	2.58	0.36	1.63	57.8	4.3	51	5.40	34.2	2.56
M653437		0.53	0.41	5.46	20.0	1040	1.53	0.82	0.55	0.61	63.2	8.2	63	5.40	18.8	2.57
M653438		0.53	0.53	5.80	12.6	890	1.78	1.26	3.87	0.92	60.6	10.3	54	5.61	22.4	2.91
M653439		0.42	1.33	4.96	17.2	620	2.35	0.35	1.65	2.59	53.3	6.7	44	2.56	16.6	2.31
M653440		0.52	1.60	4.67	17.9	570	2.28	0.34	2.53	2.82	45.9	7.2	39	2.39	16.9	2.27
M653441		0.50	0.61	4.37	16.1	540	1.50	0.36	0.37	1.92	44.4	4.1	40	2.69	13.4	1.86
M653442		0.52	0.44	6.13	5.6	1050	1.49	0.58	0.79	0.92	54.3	9.4	63	9.00	11.1	2.76
M653443		0.54	0.35	6.42	13.3	1250	1.71	1.15	0.77	2.85	54.6	9.5	68	8.58	15.2	2.53
M653444		0.66	0.35	5.58	13.7	1400	1.87	0.52	0.95	1.37	73.1	6.8	64	4.74	16.3	2.62
M653401		0.46	0.21	7.65	12.8	970	2.02	0.66	0.90	0.47	58.0	13.7	65	6.23	14.1	3.60
M653402		0.44	0.45	6.40	18.9	1430	1.63	0.47	1.54	0.66	82.3	10.3	66	7.54	21.4	2.81
M653403		0.56	0.19	6.53	13.7	1490	1.81	0.45	1.00	0.23	98.0	10.3	62	6.31	21.1	2.76
M653404		0.67	0.34	6.79	10.4	1290	1.73	0.50	1.19	0.23	82.1	11.3	72	6.86	15.2	3.17
M653405		0.54	0.40	7.51	14.2	1500	2.01	0.53	2.11	0.85	81.0	14.9	68	7.41	23.5	3.62
M653406		0.62	0.37	6.53	16.7	1320	1.78	0.48	2.14	0.79	87.4	11.6	69	6.33	27.6	3.01
M653407		0.61	0.32	6.36	13.3	1100	1.81	0.45	1.56	0.51	80.5	11.5	67	5.86	16.9	2.93
M653408		0.57	0.30	6.83	14.0	1110	1.55	0.52	0.97	0.21	82.3	11.2	74	8.92	14.7	3.36
M653409		0.52	0.64	7.05	14.5	1130	1.81	0.41	1.47	0.68	78.4	13.2	77	9.21	20.3	3.53
M653410		0.52	0.45	5.91	15.4	970	1.62	0.45	2.04	0.56	92.0	11.7	63	7.59	22.9	2.74
M653411		0.56	1.04	6.27	19.5	1240	1.92	0.42	1.61	0.39	79.4	13.1	70	4.98	39.4	3.28
M653412		0.60	0.34	4.37	18.5	1010	1.19	0.45	0.76	0.45	55.8	8.0	49	4.26	18.0	2.16
M653413		0.58	0.36	5.32	31.6	1070	1.44	0.65	0.45	0.35	69.0	7.8	54	7.49	25.5	2.83
M653414		0.56	0.29	5.11	17.6	1110	1.27	0.43	0.52	0.33	64.7	6.0	55	5.66	20.8	2.20
M653415		0.53	0.17	7.43	13.3	1090	2.03	0.59	2.54	0.21	116.5	11.8	60	6.28	18.6	2.99
M653416		0.57	0.78	5.29	42.0	1030	1.82	0.64	1.11	0.78	70.2	8.3	55	7.37	42.0	2.72
M653417		0.55	0.36	5.45	37.4	1140	1.44	0.39	0.73	0.83	85.7	7.9	70	6.62	26.0	2.74
M653418		0.51	0.28	5.39	25.9	1140	1.45	0.41	1.12	0.61	79.6	8.0	59	6.55	21.2	2.42
M653419		0.55	0.46	5.65	12.3	1050	1.27	0.40	0.74	0.53	69.4	5.4	68	4.70	16.6	2.65
M653420		0.47	0.44	5.44	17.8	1050	1.28	0.41	0.54	0.45	67.3	4.8	65	4.94	22.8	2.72
M653421		0.51	0.28	5.52	23.4	1100	1.49	0.31	0.71	0.38	75.4	5.8	67	7.05	19.9	2.56
M653422		0.55	0.52	5.72	62.5	1400	1.83	0.52	1.32	0.35	81.4	8.0	61	9.66	35.8	2.39

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Finalized Date: 16-OCT-2012
Account: EIAAEM

Project: AEM12-01

CERTIFICATE OF ANALYSIS WH12235053

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni	P	Pb
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10	0.5
M653824		15.30	0.15	2.0	0.075	2.33	35.7	45.0	1.01	558	7.30	0.53	11.0	61.2	940	97.0
M653825		15.10	0.15	2.0	0.064	2.01	39.0	42.0	1.01	493	6.85	0.60	11.9	143.5	1700	50.4
M653826		16.60	0.15	1.9	0.074	1.88	33.3	52.9	0.77	532	4.16	0.61	12.9	37.6	640	49.0
M653827		17.50	0.20	1.9	0.098	1.91	39.7	48.5	1.31	407	2.83	0.69	14.0	52.6	1000	147.5
M653828		11.50	0.12	1.9	0.098	1.46	28.6	30.5	0.50	704	3.44	0.83	9.6	27.1	1010	204
M653829		12.75	0.19	2.1	0.065	1.95	36.9	32.8	1.43	719	8.81	0.52	11.4	52.6	960	55.4
M653830		4.21	0.07	0.4	0.009	0.78	15.8	6.4	0.07	15	0.22	0.03	1.7	2.5	50	4.4
M653831		14.55	0.19	2.8	0.063	2.36	46.6	39.3	1.56	470	13.60	0.32	13.9	71.3	860	39.4
M653435		11.05	0.12	2.1	0.150	1.22	30.2	29.4	0.78	314	4.31	0.39	11.2	76.8	660	106.5
M653436		10.75	0.12	2.2	0.381	1.20	31.8	23.6	0.45	304	5.78	0.25	10.9	102.5	760	201
M653437		14.95	0.22	2.2	0.130	1.69	34.6	24.6	0.74	360	7.51	0.41	14.3	49.2	580	114.5
M653438		16.20	0.29	2.4	0.085	1.81	33.9	30.5	3.22	440	4.43	0.31	12.2	60.7	600	72.9
M653439		12.20	0.26	2.1	0.086	1.30	31.5	23.3	1.25	614	1.75	0.48	12.3	77.3	450	54.1
M653440		10.75	0.27	1.9	0.081	1.21	27.4	21.2	1.79	692	1.72	0.41	10.9	83.0	460	55.0
M653441		10.45	0.20	1.8	0.106	1.17	24.8	19.1	0.42	311	2.64	0.37	9.9	49.4	400	45.9
M653442		18.75	0.22	2.1	0.046	1.73	28.3	44.6	1.44	410	1.68	0.59	15.7	23.6	720	24.5
M653443		19.50	0.23	2.2	0.055	1.91	29.3	42.2	2.16	507	6.47	0.51	16.1	63.6	960	38.0
M653444		15.70	0.24	1.8	0.056	1.75	39.0	26.6	0.80	374	3.24	0.86	14.0	36.6	1020	35.8
M653401		18.25	0.26	2.1	0.052	1.70	30.2	45.5	2.17	391	2.43	0.29	12.7	32.4	1220	26.2
M653402		18.35	0.31	2.4	0.053	2.34	45.1	39.8	1.40	606	3.25	0.58	14.7	33.1	970	27.5
M653403		17.80	0.31	2.5	0.049	2.51	52.6	39.2	1.57	379	2.79	0.56	14.7	35.5	800	25.2
M653404		20.6	0.29	2.6	0.052	2.36	43.1	41.2	1.81	491	2.34	0.60	16.6	28.3	880	26.9
M653405		20.8	0.30	2.5	0.081	3.50	44.5	35.0	1.81	685	4.29	0.35	14.4	34.2	710	38.8
M653406		17.85	0.31	2.3	0.055	2.43	46.9	42.1	1.57	565	3.66	0.64	14.1	32.7	1100	29.8
M653407		17.95	0.31	2.4	0.054	1.90	41.0	44.9	1.47	448	3.85	0.73	14.3	33.4	590	27.9
M653408		19.80	0.29	2.7	0.063	2.02	43.8	56.4	1.96	452	2.96	0.45	16.1	33.0	560	27.6
M653409		20.8	0.29	2.6	0.057	1.94	42.5	57.7	1.95	677	4.54	0.55	16.7	30.5	830	26.8
M653410		16.15	0.28	2.2	0.049	1.71	48.3	58.5	1.28	745	5.29	0.56	13.0	28.5	1010	29.7
M653411		16.80	0.30	2.3	0.058	1.68	42.1	33.3	1.09	911	5.32	0.87	16.3	33.7	1220	42.4
M653412		13.20	0.21	1.7	0.050	1.51	30.3	27.9	0.64	521	5.38	0.49	11.5	24.1	540	35.1
M653413		15.00	0.24	1.9	0.059	1.61	37.2	46.6	1.00	219	4.71	0.42	11.8	30.8	330	47.3
M653414		15.90	0.22	1.8	0.044	1.80	34.4	20.5	0.44	334	5.51	0.67	14.8	20.4	470	38.3
M653415		19.00	0.33	2.6	0.044	1.99	61.4	40.5	1.77	377	1.86	0.96	15.1	29.9	840	19.6
M653416		13.00	0.27	1.8	0.079	1.58	36.3	46.1	0.53	520	6.63	0.61	10.3	38.6	1120	76.7
M653417		16.05	0.26	2.3	0.061	1.82	45.0	27.9	0.51	285	7.15	0.70	14.5	32.9	530	47.3
M653418		15.30	0.27	2.2	0.062	1.97	42.4	35.7	0.75	539	8.77	0.83	16.2	26.7	530	33.0
M653419		20.7	0.24	2.2	0.057	1.83	36.2	21.8	0.51	286	8.53	0.94	21.5	19.9	460	39.7
M653420		17.90	0.25	2.2	0.068	1.71	35.6	22.5	0.49	216	8.01	0.68	17.0	24.3	530	46.0
M653421		18.00	0.28	2.0	0.051	1.88	39.2	23.8	0.48	268	16.15	0.87	16.9	22.2	380	31.6
M653422		15.25	0.27	2.1	0.055	1.90	44.3	32.3	0.84	452	15.05	0.65	13.2	38.8	1080	44.0

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Finalized Date: 16-OCT-2012
Account: EIAAEM

Project: AEM12-01

CERTIFICATE OF ANALYSIS WH12235053

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02	0.1	1
M653824		116.0	<0.002	0.04	4.74	10.3	3	4.0	112.5	0.85	0.05	11.6	0.277	1.45	6.1	172
M653825		100.0	0.006	0.07	3.41	10.6	4	3.0	144.5	0.89	0.05	10.1	0.286	3.86	7.5	226
M653826		186.0	<0.002	0.04	2.78	8.7	2	4.2	109.5	1.19	<0.05	10.0	0.350	1.46	4.0	185
M653827		104.0	<0.002	0.06	3.20	13.9	3	3.4	138.0	1.16	<0.05	13.8	0.522	1.37	3.9	178
M653828		97.2	<0.002	0.03	2.88	6.2	2	3.3	96.2	0.84	<0.05	9.0	0.290	1.03	3.3	113
M653829		99.9	<0.002	0.05	3.93	8.0	2	3.0	107.0	1.03	0.05	11.0	0.274	1.70	4.9	219
M653830		22.9	<0.002	<0.01	0.35	2.4	1	0.3	15.7	0.12	<0.05	5.3	0.082	0.17	0.6	12
M653831		109.5	0.002	0.03	4.35	9.1	3	3.0	70.1	1.05	0.06	12.4	0.281	2.34	7.0	312
M653435		80.6	<0.002	0.02	5.07	8.1	2	6.2	69.2	0.87	0.05	8.6	0.273	2.84	3.5	152
M653436		98.6	<0.002	0.02	11.50	8.0	3	14.0	50.8	0.82	0.07	9.3	0.279	5.62	4.2	164
M653437		110.0	<0.002	0.02	5.94	8.1	2	6.2	80.1	0.91	0.05	8.8	0.334	3.40	3.9	215
M653438		75.2	<0.002	0.02	4.08	10.0	2	4.0	128.0	0.79	0.06	11.1	0.288	1.76	3.2	142
M653439		65.7	<0.002	0.03	4.50	7.3	2	6.5	82.6	0.83	<0.05	8.5	0.281	4.91	3.4	72
M653440		61.8	<0.002	0.03	4.65	6.8	2	6.4	79.5	0.80	<0.05	7.4	0.252	4.82	3.4	66
M653441		59.4	<0.002	0.02	3.89	5.2	2	6.5	63.8	0.65	<0.05	7.1	0.246	4.00	3.1	74
M653442		104.0	<0.002	0.02	1.06	9.5	2	3.0	136.0	1.09	<0.05	9.0	0.370	1.04	3.8	128
M653443		107.5	<0.002	0.02	1.35	11.2	2	4.3	87.6	1.10	0.05	9.9	0.370	2.01	4.3	264
M653444		96.7	<0.002	0.03	2.28	9.8	2	2.5	157.5	1.01	<0.05	12.5	0.342	1.26	3.6	151
M653401		56.8	<0.002	0.05	1.39	10.1	2	2.0	97.0	0.85	<0.05	11.5	0.292	0.46	3.0	118
M653402		113.5	<0.002	0.04	2.27	10.6	2	3.1	159.5	1.01	<0.05	13.0	0.355	0.79	5.3	124
M653403		96.9	<0.002	0.02	2.10	10.9	2	3.1	157.0	1.01	<0.05	13.9	0.350	0.81	3.1	123
M653404		104.5	<0.002	0.03	1.47	11.4	2	2.8	164.0	1.11	<0.05	12.5	0.389	0.61	5.9	113
M653405		106.5	0.002	0.04	1.86	11.3	3	2.6	207	0.96	<0.05	14.8	0.353	0.72	6.5	112
M653406		110.5	<0.002	0.05	2.62	11.3	3	3.0	184.0	0.94	<0.05	13.6	0.338	0.79	10.7	124
M653407		89.7	<0.002	0.02	1.81	10.7	2	3.0	191.5	0.98	<0.05	13.1	0.355	0.63	5.4	114
M653408		86.8	<0.002	0.02	1.97	12.1	2	2.9	147.5	1.09	<0.05	12.4	0.392	0.65	3.4	104
M653409		80.3	<0.002	0.04	1.55	12.4	2	2.4	166.0	1.12	<0.05	12.1	0.388	0.58	7.4	97
M653410		82.9	<0.002	0.06	2.17	10.1	3	2.2	170.5	0.90	<0.05	12.4	0.318	0.63	10.9	89
M653411		77.1	<0.002	0.04	2.12	11.8	3	2.3	166.0	1.15	<0.05	12.5	0.358	0.96	6.8	102
M653412		97.6	<0.002	0.03	3.20	7.2	2	2.7	100.5	0.79	<0.05	8.1	0.287	0.85	2.9	122
M653413		98.0	<0.002	0.02	4.37	8.1	2	3.6	96.5	0.80	<0.05	8.5	0.303	1.01	2.9	130
M653414		132.0	<0.002	0.03	2.93	7.6	2	3.1	117.0	1.04	0.05	9.1	0.363	1.11	2.6	152
M653415		90.6	<0.002	0.01	1.32	11.2	2	2.6	363	1.06	<0.05	15.6	0.356	0.58	2.6	86
M653416		86.0	<0.002	0.05	4.70	11.1	3	3.7	124.0	0.74	0.05	11.7	0.266	1.32	7.1	134
M653417		157.0	<0.002	0.04	3.75	9.1	3	3.4	125.0	0.99	0.05	11.7	0.362	1.36	5.7	169
M653418		160.5	<0.002	0.03	2.85	8.7	2	3.9	157.5	1.13	0.05	10.5	0.374	0.99	5.9	148
M653419		119.0	<0.002	0.02	2.20	9.1	2	3.3	153.5	1.54	0.05	10.8	0.481	1.02	2.6	149
M653420		120.0	<0.002	0.03	3.28	8.5	2	3.4	116.0	1.31	0.05	9.8	0.403	1.33	2.8	162
M653421		155.5	<0.002	0.02	2.92	9.1	2	3.1	151.0	1.24	0.05	11.1	0.409	1.14	2.9	146
M653422		103.5	<0.002	0.06	4.42	9.5	3	3.6	135.5	0.96	<0.05	12.0	0.324	1.21	28.2	137

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Finalized Date: 16-OCT-2012
Account: EIAAEM

Project: AEM12-01

CERTIFICATE OF ANALYSIS WH12235053

Sample Description	Method Analyte Units LOR	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5
M653824		1.5	16.6	347	67.7
M653825		1.8	19.4	1220	69.1
M653826		1.4	10.3	316	60.1
M653827		1.4	22.0	294	58.3
M653828		1.3	13.0	327	60.7
M653829		1.4	16.8	194	66.4
M653830		0.2	2.3	<2	11.5
M653831		1.4	18.7	192	89.9
M653435		2.2	16.7	1060	67.0
M653436		3.1	20.6	1320	72.0
M653437		2.9	14.7	519	83.5
M653438		3.8	21.1	393	91.5
M653439		2.6	25.3	1290	76.0
M653440		2.6	25.1	1280	72.1
M653441		2.3	13.3	907	69.3
M653442		1.5	11.6	385	77.3
M653443		2.0	14.4	697	79.4
M653444		1.6	14.5	429	64.6
M653401		1.2	12.9	152	76.5
M653402		1.8	19.4	167	88.0
M653403		1.8	17.1	129	87.9
M653404		1.5	16.2	153	96.1
M653405		1.4	20.4	381	90.5
M653406		1.6	21.6	155	86.4
M653407		1.4	15.5	140	86.5
M653408		1.7	14.9	201	97.8
M653409		1.3	18.1	266	95.1
M653410		1.6	18.9	135	77.3
M653411		1.6	27.0	105	82.9
M653412		1.6	11.7	137	61.7
M653413		2.1	12.3	147	68.9
M653414		1.8	10.6	99	69.1
M653415		1.6	20.8	84	92.2
M653416		1.9	32.1	190	61.1
M653417		1.9	14.9	214	83.3
M653418		1.9	14.7	213	76.8
M653419		2.0	12.2	143	82.3
M653420		1.9	11.8	146	79.2
M653421		2.0	11.7	92	70.7
M653422		1.8	21.0	113	72.2

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Finalized Date: 16-OCT-2012
Account: EIAAEM

Project: AEM12-01

CERTIFICATE OF ANALYSIS WH12235053

Sample Description	Method	WEI-21	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Recvd Wt.	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs	Cu	Fe
	Units	kg	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	0.2	0.01
M653423		0.45	0.49	5.64	4.3	1100	1.42	0.25	0.65	0.43	71.1	3.5	61	5.06	11.4	1.65
M653424		0.45	0.26	5.78	10.2	1000	1.37	0.29	0.56	0.36	72.1	5.3	60	5.07	16.0	2.71

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Finalized Date: 16-OCT-2012
Account: EIAAEM

Project: AEM12-01

CERTIFICATE OF ANALYSIS WH12235053

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni	P	Pb
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10	0.5
M653423		19.25	0.24	2.0	0.036	1.86	37.4	17.5	0.40	261	2.47	1.06	21.7	12.5	440	27.5
M653424		20.2	0.26	2.0	0.046	1.87	38.1	22.5	0.50	225	3.45	0.91	18.9	21.6	760	27.9

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Finalized Date: 16-OCT-2012
Account: EIAAEM

Project: AEM12-01

CERTIFICATE OF ANALYSIS WH12235053

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02	0.1	1
M653423		118.5	<0.002	0.01	1.11	8.5	2	2.9	163.5	1.53	<0.05	10.6	0.480	0.83	2.2	123
M653424		126.0	<0.002	0.02	2.00	9.0	2	2.9	148.0	1.32	0.05	11.3	0.438	0.80	2.5	153

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Finalized Date: 16-OCT-2012
Account: EIAAEM

Project: AEM12-01

CERTIFICATE OF ANALYSIS WH12235053

Sample Description	Method Analyte Units LOR	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5
M653423		1.8	12.0	81	74.8
M653424		1.6	11.6	102	78.1

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Finalized Date: 16-OCT-2012
Account: EIAAEM

Project: AEM12-01

CERTIFICATE OF ANALYSIS WH12235053

Method	CERTIFICATE COMMENTS
ME-MS61	REE's may not be totally soluble in this method.

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Finalized Date: 15-OCT-2012
Account: EIAAEM

CERTIFICATE WH12235055

Project: AEM12-01

P.O. No.: AEM12-01_3

This report is for 155 Soil samples submitted to our lab in Whitehorse, YT, Canada on 4-OCT-2012.

The following have access to data associated with this certificate:

HENRY CASTILLO	RYAN CONGDON	NEIL PERK

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
SCR-41	Screen to -180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION
ME-MS61	48 element four acid ICP-MS

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
ATTN: RYAN CONGDON
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Finalized Date: 15-OCT-2012
Account: EIAAEM

Project: AEM12-01

CERTIFICATE OF ANALYSIS WH12235055

Sample Description	Method	WEI-21	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Recvd Wt.	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs	Cu	Fe
	Units	kg	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	0.2	0.01
M653606		0.65	0.86	5.02	26.8	700	2.47	0.34	0.85	0.92	83.4	8.8	71	5.17	22.5	2.59
M653607		0.48	0.89	5.73	36.8	810	2.92	0.54	0.90	1.26	67.8	8.1	79	6.92	31.0	2.54
M653608		0.63	0.45	4.75	18.0	440	1.83	0.52	1.25	0.75	64.9	4.2	47	3.79	13.6	1.65
M653609		0.49	0.24	5.41	14.6	860	2.31	0.28	0.68	0.58	70.8	7.3	60	6.45	14.8	2.15
M653610		0.45	0.11	4.20	8.8	590	1.20	0.23	0.38	0.37	55.0	4.0	49	3.34	9.1	1.76
M653611		0.38	0.53	5.13	13.8	740	2.28	0.21	0.97	1.17	61.0	8.5	74	7.57	16.3	2.30
M653612		0.33	0.08	3.87	12.7	460	1.40	0.16	0.20	0.24	43.7	3.8	41	3.11	12.5	1.22
M653613		0.53	0.90	4.59	19.9	450	2.45	0.21	1.52	1.85	50.6	5.3	81	5.31	25.7	1.58
M653614		0.50	0.52	4.22	19.6	850	2.10	0.33	1.94	2.66	53.8	6.9	48	4.43	17.8	1.72
M653615		0.62	0.51	4.59	15.0	780	2.22	0.33	2.37	1.68	61.3	7.4	53	4.89	16.2	1.74
M653616		0.56	0.51	5.10	17.5	900	2.47	0.45	1.23	1.42	69.5	7.5	57	6.42	17.0	1.86
M653617		0.61	0.39	5.09	15.5	950	1.79	0.42	0.99	0.61	62.2	6.8	65	4.53	14.1	2.40
M653618		0.74	0.24	5.83	22.5	710	2.55	1.98	0.41	0.45	81.1	5.9	77	8.24	31.2	1.83
M653619		0.52	0.34	4.98	9.1	1010	1.64	0.47	0.92	1.35	66.4	5.1	59	6.25	9.5	1.51
M653620		0.67	0.33	5.27	16.8	1060	2.06	0.46	0.81	0.67	73.0	4.7	63	6.99	12.3	1.67
M653621		0.51	0.58	4.54	25.5	1310	2.33	0.36	1.27	0.64	76.2	8.1	52	5.59	26.7	2.31
M653622		0.55	0.32	4.81	11.5	1370	1.84	0.33	0.74	0.72	79.2	5.3	53	5.79	13.9	1.85
M653623		0.52	0.40	5.10	14.7	1400	2.09	0.47	1.56	1.26	58.4	7.9	65	6.53	25.0	2.14
M653624		0.60	0.55	4.95	14.9	1450	2.23	0.35	1.20	1.05	70.9	10.4	56	5.44	17.8	2.55
M653625		0.52	0.16	4.62	15.0	810	1.96	0.33	0.49	0.26	60.1	6.0	53	4.08	12.6	2.57
M653626		0.45	0.53	4.81	13.8	1810	2.18	0.30	1.22	0.86	74.8	9.5	55	5.67	19.8	2.23
M653627		0.50	0.40	4.42	14.4	1300	1.94	0.28	1.34	0.72	68.0	7.4	55	4.47	20.2	1.96
M653628		0.58	0.30	6.19	25.9	1210	2.29	0.34	1.85	1.72	81.4	11.9	53	12.85	15.9	2.95
M653629		0.72	0.31	6.19	13.2	1060	2.64	0.38	1.93	0.26	96.3	10.1	51	8.97	14.5	2.76
M653630		0.19	0.04	1.03	2.3	110	0.36	0.04	0.12	0.06	25.9	0.9	9	0.89	4.4	0.36
M653631		0.55	0.30	6.22	55.2	1110	2.47	0.43	1.94	0.33	87.2	12.1	53	14.15	13.5	2.97
M653632		0.62	0.44	7.14	9.4	1140	2.57	0.38	1.97	0.27	85.7	10.9	61	15.35	10.9	3.33
M653633		0.54	0.32	6.31	13.2	1060	2.48	0.41	1.79	0.23	83.7	11.1	61	11.40	10.6	2.98
M653634		0.41	0.44	6.32	35.3	890	2.56	1.85	1.54	1.18	88.3	12.8	54	24.7	13.9	3.08
M653635		0.44	0.46	6.49	63.0	1100	1.99	2.34	2.56	0.74	73.9	11.7	57	21.0	21.7	3.13
M653636		0.59	0.52	5.21	19.9	1110	1.74	0.43	1.39	1.33	70.3	9.6	65	4.51	17.5	2.40
M653637		0.59	0.82	5.66	31.1	1780	4.38	0.32	2.98	2.59	83.9	13.6	117	8.07	45.6	3.65
M653638		0.50	0.53	3.70	26.4	1050	1.81	0.29	7.19	0.66	58.2	8.7	61	8.03	25.0	2.16
M653639		0.51	0.24	1.73	6	390	0.66	0.14	14.90	1.03	26.8	3.7	17	3.09	9.3	1.71
M653640		0.53	0.26	1.98	6	470	0.77	0.16	14.85	1.30	28.6	4.0	21	3.27	10.4	1.69
M653641		0.75	0.42	4.14	22.0	1050	1.55	0.39	6.20	0.95	55.1	8.7	47	6.40	20.5	2.13
M653642		0.55	0.83	5.68	25.8	1370	2.49	0.40	1.14	1.01	70.5	11.9	81	12.95	40.5	3.07
M653643		0.52	0.86	5.46	28.5	1360	2.22	0.53	0.87	0.64	73.3	10.7	63	8.17	30.4	2.76
M653644		0.64	0.83	5.34	21.9	1120	1.99	0.42	1.23	1.18	66.5	8.1	62	6.70	17.7	2.15
M653645		0.79	0.63	5.32	24.4	1250	2.01	0.50	1.42	1.31	68.0	10.1	63	6.47	32.0	2.62

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Finalized Date: 15-OCT-2012
Account: EIAAEM

Project: AEM12-01

CERTIFICATE OF ANALYSIS WH12235055

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni	P	Pb
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10	0.5
M653606		11.80	0.19	2.8	0.168	1.87	45.1	30.7	0.87	528	13.85	0.22	11.6	71.0	990	158.0
M653607		14.50	0.22	3.0	0.167	2.56	41.4	34.3	0.94	387	15.50	0.36	14.2	74.2	640	157.5
M653608		10.45	0.21	2.6	1.070	1.60	39.8	29.2	0.73	1120	2.54	0.12	9.1	19.0	1590	63.5
M653609		13.80	0.21	2.5	0.066	2.52	40.5	30.2	0.73	250	13.30	0.57	12.5	53.0	470	54.3
M653610		13.55	0.18	2.2	0.034	1.60	31.0	21.4	0.40	159	5.91	0.55	15.9	26.6	230	25.6
M653611		12.35	0.19	2.7	0.072	2.27	34.9	29.4	0.76	511	9.69	0.47	15.2	60.5	810	49.6
M653612		9.67	0.16	2.6	0.024	1.86	24.8	21.1	0.41	84	10.35	0.23	11.3	34.3	210	23.5
M653613		10.55	0.18	2.8	0.057	2.00	31.2	33.8	0.91	317	13.85	0.15	12.0	59.4	830	35.1
M653614		10.25	0.18	2.3	0.059	1.53	29.7	31.3	1.17	760	8.11	0.32	9.7	40.3	750	53.8
M653615		12.10	0.21	2.6	0.053	1.58	34.4	37.1	1.37	693	7.00	0.41	12.2	34.5	780	48.2
M653616		13.35	0.21	3.0	0.061	2.01	39.9	39.3	0.81	439	12.35	0.45	13.4	44.9	550	43.1
M653617		13.90	0.19	2.3	0.056	1.77	34.9	33.6	0.79	317	6.17	0.73	16.3	36.1	420	35.4
M653618		14.95	0.22	3.7	0.051	2.54	49.1	50.8	0.78	214	8.17	0.14	15.5	57.7	920	32.0
M653619		13.90	0.21	2.1	0.054	2.00	37.3	37.0	0.87	682	3.84	0.60	15.9	24.2	690	40.9
M653620		13.80	0.21	2.5	0.059	2.38	42.7	37.6	1.04	252	4.15	0.45	15.7	34.6	870	46.1
M653621		11.95	0.24	2.2	0.071	1.75	44.1	34.1	0.92	353	7.55	0.54	11.9	54.5	1140	60.9
M653622		14.35	0.22	2.0	0.049	1.83	44.8	36.7	0.57	230	4.74	0.65	14.4	30.1	410	41.5
M653623		12.55	0.19	2.1	0.066	2.11	33.0	35.1	1.04	408	4.23	0.55	12.7	38.8	1220	41.2
M653624		13.45	0.21	1.8	0.064	1.71	37.9	39.4	0.95	590	5.76	0.73	13.9	38.2	600	70.5
M653625		14.40	0.20	1.9	0.046	1.56	33.6	30.6	0.50	254	5.43	0.64	14.4	28.6	590	31.9
M653626		12.75	0.23	2.0	0.058	1.64	41.8	38.7	0.81	562	5.80	0.63	12.7	43.3	940	43.7
M653627		11.05	0.21	1.9	0.050	1.85	37.5	29.6	0.73	460	4.65	0.56	11.0	35.3	1040	38.3
M653628		15.25	0.23	2.0	0.063	1.38	43.4	70.8	1.81	669	1.37	0.66	12.3	27.8	980	40.5
M653629		15.80	0.25	2.3	0.051	1.28	50.6	55.4	1.48	446	2.88	0.93	13.0	34.5	1270	32.1
M653630		2.78	0.12	0.4	0.006	0.44	12.9	6.6	0.10	36	0.45	0.07	1.7	4.2	100	4.2
M653631		16.30	0.26	2.3	0.082	1.41	45.0	82.0	1.71	829	2.03	0.66	12.9	34.9	550	48.2
M653632		17.75	0.25	2.2	0.081	1.50	43.8	88.1	2.27	508	1.74	0.65	14.5	33.4	490	36.6
M653633		16.55	0.24	2.2	0.064	1.34	42.8	62.3	1.48	472	1.49	0.96	15.7	27.4	680	41.1
M653634		16.40	0.24	2.0	0.064	1.27	40.9	84.2	1.71	713	1.44	0.64	11.8	31.8	520	70.7
M653635		16.05	0.20	2.1	0.083	1.43	37.8	75.0	1.71	613	2.06	0.72	13.1	34.0	690	71.2
M653636		13.95	0.19	2.1	0.091	1.67	36.0	33.9	0.78	1040	5.32	0.70	14.9	42.2	930	66.4
M653637		16.25	0.26	3.7	0.080	3.41	53.0	47.2	0.91	341	31.0	0.22	32.8	120.0	1020	59.3
M653638		9.45	0.17	2.2	0.064	1.68	35.8	24.8	4.31	381	15.75	0.23	11.4	80.9	3200	51.3
M653639		3.90	0.11	0.9	0.044	0.63	15.6	15.6	9.35	439	4.23	0.14	4.8	19.9	640	41.3
M653640		4.66	0.11	1.0	0.059	0.73	17.1	17.8	9.31	463	4.21	0.15	5.5	21.2	630	41.5
M653641		11.15	0.13	2.0	0.076	1.75	27.8	28.9	3.71	557	9.05	0.43	12.8	47.8	800	96.9
M653642		16.20	0.19	2.7	0.095	2.45	41.7	47.3	1.00	308	16.20	0.48	21.2	74.6	1110	63.3
M653643		14.85	0.20	2.1	0.097	2.19	38.0	40.3	1.14	529	10.80	0.45	14.5	60.6	970	162.0
M653644		13.85	0.17	2.3	0.098	2.30	33.6	33.4	0.88	654	7.01	0.58	16.6	40.8	1100	111.5
M653645		14.35	0.21	2.3	0.084	2.01	36.6	34.8	0.97	476	6.59	0.69	16.9	50.0	980	62.1

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Finalized Date: 15-OCT-2012
Account: EIAAEM

Project: AEM12-01

CERTIFICATE OF ANALYSIS WH12235055

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02	0.1	1
M653606		84.1	<0.002	0.03	8.84	9.1	2	5.6	58.8	0.76	0.07	11.0	0.291	1.99	5.7	342
M653607		104.0	<0.002	0.03	10.45	10.9	3	6.7	78.2	0.92	0.08	11.4	0.323	2.85	6.0	595
M653608		60.5	<0.002	0.03	2.79	7.9	2	12.3	60.8	0.61	<0.05	8.5	0.240	1.11	3.8	112
M653609		104.5	<0.002	0.02	5.75	8.1	2	2.9	116.5	0.83	0.07	9.8	0.316	1.76	4.7	495
M653610		63.6	<0.002	0.01	3.93	5.8	2	2.2	89.5	1.03	<0.05	7.8	0.353	1.20	3.5	248
M653611		83.7	<0.002	0.04	6.91	12.6	3	1.9	95.4	1.02	0.05	9.4	0.332	2.39	4.8	347
M653612		64.3	<0.002	0.01	5.14	4.8	2	1.6	50.1	0.75	<0.05	6.3	0.262	1.11	4.6	343
M653613		72.8	<0.002	0.04	10.10	8.7	3	2.6	51.6	0.77	0.07	8.0	0.277	2.15	6.2	647
M653614		64.0	<0.002	0.04	4.87	7.5	2	2.4	75.4	0.64	0.05	8.2	0.238	1.57	4.1	164
M653615		72.3	<0.002	0.03	3.84	8.4	2	2.8	91.3	0.81	<0.05	8.8	0.295	1.67	4.1	153
M653616		91.9	<0.002	0.03	4.98	8.8	3	3.0	97.5	0.88	0.06	10.4	0.304	1.93	6.3	250
M653617		81.5	<0.002	0.02	3.14	8.5	2	3.0	126.5	1.09	0.05	8.5	0.362	1.38	3.8	195
M653618		121.0	<0.002	0.02	4.41	9.6	3	6.8	103.5	0.99	0.07	11.0	0.319	4.25	7.6	302
M653619		108.0	<0.002	0.02	2.21	8.5	2	4.1	108.5	1.02	<0.05	11.1	0.339	1.73	3.9	205
M653620		118.0	<0.002	0.02	2.85	8.7	2	4.1	96.7	1.02	<0.05	10.2	0.326	1.90	4.8	244
M653621		88.7	<0.002	0.02	4.69	9.4	2	3.0	115.0	0.85	0.06	10.6	0.267	1.63	4.1	189
M653622		134.0	<0.002	0.02	2.55	8.8	2	2.9	119.5	1.10	<0.05	12.0	0.326	1.48	3.3	165
M653623		100.5	<0.002	0.06	3.08	9.6	2	3.2	119.0	0.85	0.05	9.3	0.291	1.79	4.8	197
M653624		104.5	<0.002	0.03	3.20	9.2	2	2.9	138.0	0.94	<0.05	10.4	0.323	1.14	3.5	148
M653625		84.5	<0.002	0.02	2.88	8.2	2	2.6	118.5	1.00	<0.05	9.1	0.326	0.88	2.9	155
M653626		96.0	0.002	0.04	3.18	9.5	2	2.6	128.0	0.90	0.05	10.7	0.297	1.42	4.4	162
M653627		81.0	0.002	0.05	2.63	8.4	3	2.3	119.5	0.76	<0.05	10.5	0.267	1.22	4.3	165
M653628		69.8	<0.002	0.03	1.78	10.7	2	2.6	213	0.83	<0.05	12.8	0.295	0.71	2.6	73
M653629		65.2	<0.002	0.01	2.62	10.6	2	3.9	239	0.91	<0.05	14.7	0.306	0.75	2.5	94
M653630		16.0	<0.002	<0.01	0.44	1.8	1	0.5	21.7	0.11	<0.05	4.3	0.058	0.15	0.7	14
M653631		78.4	<0.002	0.02	2.49	11.5	2	11.0	246	0.90	<0.05	12.8	0.302	1.16	2.4	82
M653632		73.3	<0.002	0.02	2.11	12.2	2	6.9	253	0.96	<0.05	14.6	0.336	0.84	2.2	85
M653633		80.4	<0.002	0.02	1.88	11.4	2	5.4	265	1.26	<0.05	13.5	0.350	0.75	2.5	88
M653634		123.5	<0.002	0.03	5.45	10.7	2	6.5	232	0.81	<0.05	12.6	0.297	0.83	2.0	72
M653635		100.5	<0.002	0.04	4.17	11.4	2	6.9	270	0.96	<0.05	12.9	0.311	1.02	2.2	89
M653636		82.7	<0.002	0.03	3.63	11.0	2	3.5	127.0	1.02	0.05	11.0	0.337	1.10	3.5	175
M653637		117.0	<0.002	0.04	14.35	14.1	5	3.2	116.5	2.21	0.15	10.2	0.944	3.98	15.6	778
M653638		74.6	<0.002	0.02	9.08	7.9	3	2.6	106.0	0.78	0.06	8.7	0.256	1.95	9.2	239
M653639		33.0	<0.002	0.02	3.58	3.2	2	1.5	117.0	0.33	<0.05	3.8	0.095	0.63	3.0	67
M653640		39.7	<0.002	0.02	3.49	3.8	2	1.8	118.0	0.36	<0.05	4.0	0.107	0.66	3.2	81
M653641		78.5	<0.002	0.02	4.39	7.5	2	3.0	121.0	0.90	0.05	9.5	0.267	1.67	4.1	179
M653642		120.0	<0.002	0.04	6.40	12.4	3	4.0	112.5	1.42	0.08	12.4	0.479	4.10	9.0	372
M653643		102.0	<0.002	0.02	5.14	10.9	2	3.9	100.0	1.05	0.06	12.1	0.322	1.66	4.6	227
M653644		109.0	<0.002	0.03	4.41	9.5	2	4.0	119.5	1.16	0.05	10.5	0.349	1.50	5.4	232
M653645		100.0	<0.002	0.03	4.20	11.1	3	3.5	135.0	1.21	0.05	11.1	0.330	1.63	5.8	198

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Finalized Date: 15-OCT-2012
Account: EIAAEM

Project: AEM12-01

CERTIFICATE OF ANALYSIS WH12235055

Sample Description	Method Analyte Units LOR	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5
M653606		1.9	27.8	304	102.0
M653607		2.1	30.2	419	110.0
M653608		2.5	32.8	324	89.4
M653609		1.5	17.2	209	90.3
M653610		1.7	10.4	126	83.9
M653611		1.3	27.7	225	97.4
M653612		2.1	11.4	74	92.5
M653613		2.5	24.2	196	101.0
M653614		2.0	17.4	225	84.5
M653615		2.1	19.6	253	95.4
M653616		2.8	22.5	329	108.0
M653617		2.2	12.7	249	84.7
M653618		7.2	21.2	86	135.0
M653619		2.0	13.2	227	77.5
M653620		2.1	15.4	166	93.2
M653621		1.8	20.4	208	80.8
M653622		1.6	11.9	174	73.9
M653623		1.7	16.7	216	80.8
M653624		1.6	13.6	276	70.5
M653625		1.7	11.1	130	69.4
M653626		1.9	16.9	194	73.5
M653627		1.4	16.4	169	69.1
M653628		1.2	16.1	300	72.3
M653629		1.8	22.9	133	82.2
M653630		0.3	2.7	13	13.7
M653631		1.5	18.9	148	81.4
M653632		1.2	16.5	131	75.4
M653633		1.5	15.8	130	83.0
M653634		1.6	15.3	237	70.4
M653635		2.1	19.7	233	78.1
M653636		2.2	18.3	303	81.1
M653637		2.0	36.2	317	150.5
M653638		1.9	28.7	226	90.4
M653639		1.0	16.6	223	33.9
M653640		1.0	17.6	300	38.6
M653641		1.6	16.7	210	73.8
M653642		2.9	26.4	250	103.5
M653643		2.0	19.0	237	81.3
M653644		2.0	17.5	325	84.6
M653645		2.0	24.1	218	88.9

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Finalized Date: 15-OCT-2012
Account: EIAAEM

Project: AEM12-01

CERTIFICATE OF ANALYSIS WH12235055

Sample Description	Method	WEI-21	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Recvd Wt.	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs	Cu	Fe
	Units	kg	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	0.2	0.01
M653646		0.42	1.15	5.32	22.5	1270	2.26	0.44	2.12	2.55	62.5	10.3	77	9.05	41.4	2.68
M653647		0.64	0.29	5.33	23.0	1330	1.99	0.38	1.15	0.66	65.1	8.9	69	7.97	18.5	2.41
M653648		0.67	0.31	5.81	21.9	1720	2.53	0.32	0.95	0.68	71.2	9.8	62	8.94	29.3	2.65
M653649		0.75	0.38	5.71	14.3	1420	2.00	0.36	1.10	0.78	79.1	8.9	60	5.87	14.4	2.50
M653650		0.51	0.26	5.04	21.2	1160	1.68	0.34	0.39	0.44	55.4	7.0	54	6.38	24.2	2.54
M653651		0.35	0.35	2.57	11.9	220	0.87	0.07	0.05	0.21	21.6	1.8	16	1.91	9.5	0.97
M653652		0.55	0.46	2.31	7.1	420	0.77	0.22	0.25	0.25	33.1	2.2	22	2.77	7.2	1.05
M653653		0.41	1.11	2.29	13.9	370	0.70	0.26	0.18	0.26	40.9	2.7	25	3.05	11.1	1.35
M653654		0.39	0.46	2.43	12.4	330	0.91	0.24	0.13	0.42	28.4	4.1	28	3.00	10.0	1.44
M653655		0.42	0.57	2.81	13.3	360	1.19	0.26	0.25	0.60	27.4	4.3	27	2.54	10.1	1.49
M653656		0.43	0.37	4.21	15.0	600	1.43	0.36	0.38	0.57	49.0	6.4	49	5.82	12.7	1.92
M653657		0.46	0.32	3.35	12.1	530	1.15	0.28	0.38	0.43	41.1	5.5	33	3.10	11.7	1.72
M653658		0.45	0.49	3.55	14.3	530	1.46	0.43	0.63	0.46	39.1	7.7	30	4.24	16.6	1.93
M653659		0.44	0.58	5.60	15.8	910	2.28	0.40	0.85	1.37	66.4	12.3	61	5.29	17.8	2.89
M653660		0.47	0.50	6.00	13.4	1000	2.14	0.42	0.94	1.40	66.4	11.4	64	5.52	17.0	3.01
M653661		0.41	0.27	4.32	14.0	660	1.49	0.52	0.25	1.18	44.7	16.0	45	4.20	11.4	2.68
M653662		0.44	0.27	5.45	15.7	1060	1.86	0.41	0.47	1.15	60.6	10.0	53	6.11	13.5	2.85
M653663		0.48	0.54	5.95	35.2	900	2.49	0.36	1.21	0.87	61.7	11.4	57	7.98	18.3	2.96
M653664		0.43	0.45	3.84	17.6	690	1.65	0.26	0.37	0.53	49.0	7.0	42	3.33	14.6	2.05
M653665		0.39	0.67	5.07	17.3	990	2.01	0.33	1.25	4.96	55.0	9.2	58	8.13	18.4	2.26
M653666		0.39	0.33	2.91	11.4	320	1.29	0.18	0.22	0.42	36.1	5.5	32	4.09	8.6	1.27
M653667		0.44	0.19	4.74	15.7	630	1.73	0.29	0.57	0.25	58.4	8.3	52	3.81	16.4	2.13
M653668		0.36	0.19	6.27	30.3	1260	1.76	0.40	0.52	0.53	67.6	8.6	61	8.73	12.6	2.95
M653669		0.52	0.15	4.91	80.7	900	2.38	0.56	0.33	0.66	91.3	14.5	47	6.91	31.6	2.97
M653670		0.14	0.04	0.86	3.0	50	0.22	0.03	0.03	0.49	19.70	0.7	8	0.70	2.8	0.29
M653671		0.44	0.74	4.41	14.4	570	1.52	0.21	1.31	0.42	61.2	5.9	52	4.14	12.7	1.95
M653672		0.37	0.26	4.91	17.1	830	1.38	0.27	0.29	0.60	53.7	7.1	58	5.11	13.7	2.37
M653673		0.70	0.28	5.82	10.1	1000	1.67	0.32	1.19	0.54	65.8	9.4	74	4.54	12.9	2.97
M653674		0.42	0.24	5.09	24.8	860	1.22	0.25	0.22	0.64	42.3	6.2	59	5.62	18.3	2.19
M653675		0.54	0.22	5.42	18.4	1440	1.68	0.35	0.64	0.97	58.0	9.1	60	8.75	21.8	2.37
M653676		0.44	0.44	6.73	19.8	2360	1.92	0.91	2.41	0.94	64.9	8.9	65	6.92	21.0	2.85
M653677		0.41	0.16	6.85	10.9	1580	1.77	0.46	0.81	0.44	68.4	9.4	72	9.59	12.7	3.42
M653678		0.46	0.37	6.57	25.8	1170	1.84	1.71	1.83	0.93	60.3	10.7	68	10.80	25.9	3.24
M653679		0.32	0.27	6.76	17.1	1630	1.70	1.38	0.75	0.40	91.1	12.7	67	7.36	21.4	3.66
M653680		0.35	0.23	6.87	20.0	1760	1.60	1.52	0.67	0.47	86.0	12.4	70	7.16	23.5	3.82
M653681		0.59	0.32	6.89	33.9	2520	1.67	1.27	1.67	0.30	61.6	12.5	74	10.40	25.1	3.43
M653682		0.41	0.33	6.73	8.9	1900	1.65	0.51	1.35	0.71	60.1	12.9	73	10.35	16.1	3.67
M653683		0.47	0.32	6.47	8.4	2090	1.45	0.35	1.20	0.41	62.6	10.5	70	7.84	11.3	3.10
M653684		0.35	0.46	6.68	9.4	2340	1.72	0.42	2.49	0.69	49.7	11.4	68	16.70	21.4	3.49
M653685		0.45	0.25	5.41	19.0	1170	1.92	0.26	0.86	0.97	77.0	8.1	62	5.34	27.5	2.30

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Finalized Date: 15-OCT-2012
Account: EIAAEM

Project: AEM12-01

CERTIFICATE OF ANALYSIS WH12235055

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni	P	Pb
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10	0.5
M653646		14.25	0.21	2.3	0.097	1.94	35.4	37.2	1.00	1020	6.84	0.64	16.6	51.8	1420	73.9
M653647		14.05	0.18	2.3	0.087	2.55	35.8	33.1	1.08	409	10.90	0.44	15.6	55.4	1440	46.3
M653648		16.10	0.21	2.3	0.075	2.51	38.1	41.6	1.05	410	14.20	0.59	16.0	66.2	900	52.2
M653649		16.30	0.20	2.0	0.076	2.04	40.0	35.4	0.76	403	4.85	0.90	17.0	34.8	580	50.7
M653650		15.15	0.18	1.8	0.067	1.84	28.9	30.0	0.53	207	8.64	0.60	13.9	43.3	550	47.0
M653651		5.99	0.11	1.4	0.017	0.94	13.0	11.2	0.15	67	1.50	0.09	7.3	15.2	130	13.4
M653652		7.86	0.12	1.0	0.026	0.85	16.9	11.9	0.18	126	2.45	0.39	8.7	9.4	230	19.5
M653653		8.37	0.14	1.1	0.039	0.75	21.5	10.8	0.15	79	2.50	0.28	12.8	11.7	350	35.9
M653654		6.83	0.13	1.5	0.038	0.83	15.0	19.7	0.39	253	3.63	0.17	7.2	20.9	310	29.3
M653655		6.12	0.13	1.3	0.043	0.87	14.6	21.5	0.49	364	2.44	0.15	6.1	39.7	250	29.1
M653656		11.65	0.15	2.0	0.046	1.64	26.2	28.8	0.83	222	4.40	0.21	10.3	29.5	540	26.7
M653657		9.23	0.16	1.5	0.046	1.14	21.3	21.3	0.46	295	4.71	0.40	9.1	24.5	370	27.6
M653658		8.90	0.16	1.6	0.041	1.09	20.8	27.2	0.85	407	2.90	0.25	7.6	48.8	420	27.2
M653659		15.00	0.22	2.1	0.065	1.78	34.2	37.5	1.18	697	4.35	0.66	14.4	64.1	610	36.3
M653660		15.40	0.20	2.1	0.064	1.89	34.0	39.1	1.43	693	3.97	0.71	15.2	62.0	690	35.4
M653661		12.15	0.17	1.8	0.056	1.32	22.6	42.1	1.22	1700	6.22	0.14	10.7	36.9	550	32.7
M653662		14.35	0.20	1.8	0.053	2.05	29.8	46.1	1.17	537	3.54	0.44	12.6	31.4	600	28.7
M653663		15.10	0.22	2.2	0.066	1.44	32.1	61.3	2.05	685	2.32	0.32	12.3	52.7	900	34.6
M653664		9.57	0.17	1.5	0.071	1.25	23.8	27.1	0.49	454	3.57	0.46	9.0	41.8	330	49.3
M653665		12.65	0.21	2.0	0.061	1.60	29.2	45.4	1.26	289	4.33	0.47	11.4	43.0	1320	34.9
M653666		6.44	0.14	1.7	0.056	0.97	17.7	19.5	0.35	541	3.00	0.15	6.6	42.2	230	29.9
M653667		11.60	0.19	2.4	0.051	1.55	31.0	31.6	1.00	236	4.64	0.30	11.1	54.1	340	25.1
M653668		19.05	0.22	2.4	0.054	2.00	33.9	56.2	1.84	257	12.20	0.53	18.7	56.2	380	27.1
M653669		12.45	0.23	2.5	0.103	1.29	45.4	46.1	1.78	253	32.0	0.18	18.8	128.5	760	48.0
M653670		2.41	0.11	0.3	0.005	0.38	10.4	4.9	0.07	19	0.78	0.02	1.3	5.3	60	3.5
M653671		9.92	0.11	2.7	0.060	1.55	37.0	25.6	1.37	319	5.34	0.16	9.0	40.0	700	35.3
M653672		11.35	0.10	2.7	0.115	1.80	30.7	30.1	1.10	182	7.48	0.22	11.7	57.2	320	50.8
M653673		14.80	0.12	2.6	0.055	1.91	37.3	30.6	1.05	487	2.84	1.00	16.8	36.6	740	28.8
M653674		12.25	0.11	2.7	0.062	2.49	24.4	35.7	1.57	152	15.05	0.16	12.5	63.5	420	23.5
M653675		15.00	0.13	3.6	0.060	1.77	33.8	51.9	3.04	362	19.50	0.22	14.4	69.2	700	33.6
M653676		16.70	0.14	2.9	0.063	2.84	36.5	54.1	2.35	381	5.33	0.27	15.5	40.5	1670	18.9
M653677		18.35	0.16	2.9	0.051	2.45	37.4	58.4	2.03	264	5.48	0.47	16.6	39.1	320	20.2
M653678		15.90	0.14	2.5	0.097	2.31	33.8	56.4	1.69	487	1.41	0.50	12.1	29.6	1010	19.3
M653679		16.30	0.17	2.8	0.131	2.62	49.9	43.6	1.84	291	2.35	0.34	12.2	39.4	1260	39.6
M653680		17.10	0.15	2.9	0.185	2.75	46.9	48.5	2.05	306	2.86	0.34	13.8	40.2	1100	46.3
M653681		16.45	0.14	3.4	0.190	2.64	34.5	48.6	2.97	420	2.68	0.34	13.1	46.0	2060	30.2
M653682		17.20	0.13	3.1	0.062	2.43	32.2	52.3	2.59	517	2.19	0.64	16.1	33.4	1160	19.9
M653683		16.95	0.15	2.9	0.060	2.51	34.5	44.7	2.50	503	1.99	0.47	14.5	27.6	580	24.1
M653684		18.20	0.15	3.0	0.040	2.58	29.7	54.9	4.75	455	2.63	0.13	12.2	38.9	850	25.8
M653685		14.05	0.18	3.5	0.040	1.97	44.6	40.1	2.89	290	25.2	0.36	20.5	90.9	870	24.8

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Finalized Date: 15-OCT-2012
Account: EIAAEM

Project: AEM12-01

CERTIFICATE OF ANALYSIS WH12235055

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02	0.1	1
M653646		104.0	<0.002	0.06	4.82	12.6	3	3.4	139.5	1.18	0.05	11.4	0.337	2.27	6.5	202
M653647		103.0	<0.002	0.03	4.93	10.0	2	3.2	101.0	1.07	0.06	10.7	0.329	1.82	5.9	309
M653648		123.5	<0.002	0.02	5.87	11.0	3	3.1	126.5	1.16	0.07	11.5	0.329	2.07	4.8	281
M653649		122.5	<0.002	0.02	2.73	10.4	2	3.1	162.0	1.24	0.05	11.6	0.380	1.16	3.5	172
M653650		105.0	<0.002	0.03	4.59	9.1	2	3.1	110.5	1.16	0.06	9.8	0.333	1.51	3.0	190
M653651		39.7	0.002	0.01	2.58	2.8	1	1.1	22.3	0.46	<0.05	3.7	0.145	1.48	3.1	29
M653652		52.1	<0.002	0.02	2.73	4.1	2	1.9	68.7	0.60	<0.05	5.6	0.212	0.66	1.3	60
M653653		47.1	<0.002	0.02	3.01	4.2	2	2.7	55.9	0.82	<0.05	6.0	0.228	0.73	1.9	73
M653654		62.8	<0.002	0.02	3.29	3.9	1	3.0	31.6	0.50	<0.05	4.8	0.164	0.93	2.4	95
M653655		51.2	<0.002	0.02	3.17	4.1	2	3.0	35.1	0.42	<0.05	4.8	0.152	1.69	2.3	78
M653656		112.5	<0.002	0.02	3.24	6.6	2	3.4	45.6	0.69	<0.05	7.8	0.249	1.22	3.3	166
M653657		70.9	<0.002	0.02	2.90	5.5	2	2.4	73.2	0.62	<0.05	6.9	0.216	0.89	2.4	110
M653658		51.3	<0.002	0.02	2.40	6.2	2	2.9	89.9	0.53	<0.05	7.1	0.185	1.47	2.5	77
M653659		81.1	<0.002	0.02	2.93	10.8	3	3.5	134.0	1.03	<0.05	11.3	0.341	2.05	3.9	138
M653660		82.1	<0.002	0.02	2.58	11.4	2	3.3	144.0	1.07	<0.05	11.1	0.358	1.60	3.6	144
M653661		72.8	<0.002	0.03	2.82	7.6	2	3.0	57.7	0.72	<0.05	6.6	0.236	0.89	3.1	155
M653662		113.0	<0.002	0.02	2.93	9.5	2	2.8	93.3	0.87	<0.05	9.7	0.296	0.84	2.6	123
M653663		60.0	<0.002	0.02	7.34	12.5	2	3.0	107.0	0.85	<0.05	11.4	0.278	1.10	2.8	116
M653664		65.5	<0.002	0.02	3.16	6.7	2	2.9	84.2	0.64	<0.05	8.6	0.220	1.63	2.5	107
M653665		82.4	0.008	0.08	3.02	10.5	4	2.5	112.5	0.77	<0.05	10.6	0.276	1.30	12.1	140
M653666		53.9	<0.002	0.02	2.88	4.3	1	3.2	36.4	0.44	<0.05	5.8	0.164	2.07	2.6	128
M653667		51.0	<0.002	0.01	3.91	8.5	2	2.5	85.7	0.74	<0.05	9.7	0.256	1.43	3.5	210
M653668		127.0	<0.002	0.01	3.95	11.0	3	2.8	109.0	1.25	0.05	9.3	0.419	0.99	4.1	220
M653669		55.0	<0.002	0.01	12.50	8.7	4	2.7	65.1	1.18	0.08	11.0	0.297	1.25	7.6	320
M653670		13.8	<0.002	<0.01	0.52	1.6	1	0.5	13.6	0.08	<0.05	3.8	0.050	0.12	0.8	13
M653671		73.7	0.002	0.02	3.44	7.4	2	2.1	55.8	0.68	<0.05	9.7	0.233	0.94	3.4	171
M653672		90.1	<0.002	0.01	3.76	6.0	1	2.6	56.2	0.86	<0.05	8.0	0.256	1.16	3.6	247
M653673		100.5	<0.002	0.02	1.91	9.7	1	2.4	179.0	1.20	<0.05	10.9	0.395	0.93	3.2	154
M653674		87.7	<0.002	0.01	5.29	6.0	1	1.7	62.0	0.88	<0.05	7.4	0.246	1.19	3.7	355
M653675		80.3	0.002	0.02	4.15	8.1	2	3.6	84.3	0.98	0.09	9.0	0.315	1.23	5.3	372
M653676		57.5	0.002	0.02	3.01	9.9	2	3.4	163.5	1.08	0.05	12.2	0.359	0.97	5.7	238
M653677		93.7	<0.002	0.01	1.80	9.7	1	3.3	147.5	1.18	<0.05	9.1	0.398	0.71	3.1	180
M653678		90.5	0.002	0.06	2.13	9.7	1	5.3	193.0	1.00	<0.05	11.3	0.342	0.59	4.3	95
M653679		78.7	<0.002	0.04	3.21	9.4	2	9.1	149.5	0.97	<0.05	11.4	0.336	0.64	2.8	119
M653680		79.7	0.002	0.04	3.37	9.7	2	10.2	152.5	0.99	<0.05	11.1	0.357	0.64	3.0	138
M653681		87.7	<0.002	0.02	2.53	9.8	1	10.0	184.0	1.03	<0.05	11.3	0.349	0.90	3.2	232
M653682		103.0	0.002	0.03	1.92	10.4	1	3.2	190.0	1.14	<0.05	11.4	0.395	0.75	3.5	154
M653683		88.0	0.002	0.03	1.98	9.9	1	3.0	162.5	1.04	<0.05	10.0	0.374	0.65	3.3	176
M653684		62.1	<0.002	0.04	2.85	11.1	2	3.1	133.5	0.92	<0.05	12.6	0.331	0.92	3.9	311
M653685		81.3	0.003	0.01	4.32	8.4	2	2.0	93.1	1.40	0.05	11.5	0.348	1.64	6.8	422

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Finalized Date: 15-OCT-2012
Account: EIAAEM

Project: AEM12-01

CERTIFICATE OF ANALYSIS WH12235055

Sample Description	Method Analyte Units LOR	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5
M653646		2.2	29.4	381	87.3
M653647		1.9	15.2	255	86.6
M653648		2.0	18.4	253	89.2
M653649		1.8	15.4	243	74.1
M653650		1.9	11.0	190	69.9
M653651		2.0	6.8	141	50.6
M653652		1.4	6.1	59	40.0
M653653		1.6	6.5	85	42.1
M653654		1.5	7.8	188	52.8
M653655		1.4	10.3	494	46.2
M653656		1.7	10.2	240	76.7
M653657		1.4	9.2	170	56.1
M653658		2.0	12.8	288	59.6
M653659		2.2	20.2	464	78.7
M653660		1.8	20.0	484	79.7
M653661		1.5	12.1	267	66.0
M653662		1.6	11.8	317	71.1
M653663		3.1	21.5	231	80.8
M653664		1.6	9.6	263	54.3
M653665		2.0	20.1	407	76.1
M653666		1.8	8.6	250	64.7
M653667		2.0	15.9	149	91.0
M653668		3.5	14.9	382	92.1
M653669		5.7	24.2	454	100.0
M653670		0.3	2.2	15	11.1
M653671		1.5	24.5	111	84.2
M653672		1.6	13.3	247	84.3
M653673		1.6	19.4	160	80.7
M653674		2.2	12.3	355	90.6
M653675		1.5	22.7	359	102.5
M653676		9.1	21.0	199	99.6
M653677		2.4	15.5	234	94.7
M653678		2.4	16.0	179	79.5
M653679		2.6	15.7	158	94.6
M653680		2.8	15.2	181	89.8
M653681		2.2	14.9	276	88.2
M653682		1.8	14.1	212	88.5
M653683		1.3	14.5	158	91.8
M653684		1.0	21.0	155	93.6
M653685		2.2	30.3	498	115.0

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Finalized Date: 15-OCT-2012
Account: EIAAEM

Project: AEM12-01

CERTIFICATE OF ANALYSIS WH12235055

Sample Description	Method	WEI-21	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Recvd Wt.	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs	Cu	Fe
	Units	kg	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	0.2	0.01
M653686		0.38	0.32	5.81	22.1	1100	1.97	0.31	0.67	0.72	72.7	6.0	61	9.45	23.6	2.26
M653687		0.41	0.22	5.64	11.1	1130	1.51	0.29	0.86	0.85	62.6	7.3	71	5.42	12.7	2.52
M653688		0.41	0.22	4.86	32.5	980	1.82	0.32	0.42	3.03	48.6	6.5	52	7.29	23.7	2.04
M653689		0.35	0.44	5.75	24.3	920	1.88	0.36	0.79	0.68	65.8	9.1	67	6.08	14.7	3.09
M653690		0.49	0.33	6.12	10.4	940	1.89	0.28	1.03	0.90	67.8	11.0	75	4.59	9.7	3.53
M653691		0.49	0.37	5.19	20.4	740	1.60	0.31	0.45	0.37	61.1	8.6	65	5.46	13.5	2.67
M653692		0.48	0.63	6.32	11.1	1000	1.83	0.29	1.57	1.08	68.8	9.7	85	4.64	15.1	3.41
M653693		0.46	0.62	6.11	9.7	890	1.78	0.33	1.24	0.38	62.0	9.2	71	4.62	10.7	3.21
M653694		0.45	0.09	6.32	11.9	890	1.65	0.31	0.85	0.46	64.4	9.2	74	6.33	9.1	3.47
M653695		0.43	0.12	5.89	16.0	1000	1.43	0.39	0.65	0.36	53.2	8.4	68	10.85	12.5	3.39
M653696		0.48	0.26	6.26	37.6	890	2.14	0.35	0.71	1.06	70.4	10.1	65	7.69	16.1	3.35
M653697		0.53	0.23	5.90	6.8	960	1.60	0.29	1.25	1.04	59.0	8.5	74	3.48	8.8	3.13
M653698		0.53	0.23	3.98	16.1	580	1.27	0.25	0.27	1.19	48.4	6.5	50	2.63	10.1	2.41
M653699		0.46	0.50	4.18	13.0	670	1.46	0.23	0.55	1.22	58.7	6.5	52	2.65	10.3	2.14
M653700		0.45	0.43	3.21	14.6	450	1.01	0.22	0.28	0.85	37.8	4.0	42	1.99	9.9	1.61
M653701		0.59	0.39	5.06	11.2	880	1.58	0.28	0.63	1.05	54.9	5.7	57	3.38	11.0	2.24
M653702		0.49	0.53	4.60	15.1	710	1.62	0.30	0.49	1.27	59.6	6.2	57	3.36	13.5	2.19
M653703		0.53	0.28	4.14	6.6	640	0.96	0.22	0.44	0.56	47.2	4.4	50	3.17	7.6	1.89
M653704		0.51	0.74	4.12	11.4	650	1.28	0.25	0.44	0.50	41.0	5.0	50	2.64	11.6	2.18
M653705		0.45	0.53	4.50	18.2	620	1.13	0.66	0.42	1.11	45.9	5.0	60	3.04	13.1	3.73
M653706		0.60	0.66	1.24	9.5	140	0.43	0.11	0.07	0.26	16.45	1.6	14	0.98	5.2	1.14
M653707		0.52	0.72	1.06	7.2	140	0.29	0.12	0.08	0.09	15.05	1.0	13	0.80	3.9	1.09
M653708		0.43	0.44	4.88	13.8	770	1.25	0.33	0.54	0.48	53.9	4.6	64	3.58	10.5	4.33
M653709		0.45	0.28	3.27	14.4	400	0.98	0.19	0.23	0.58	33.3	2.9	33	2.03	9.1	2.12
M653710		0.57	0.41	2.32	15.1	250	0.97	0.15	0.16	0.80	30.1	3.8	22	1.56	9.6	1.34
M653711		0.49	0.92	2.03	7	290	1.06	0.12	13.10	6.33	44.4	3.4	14	0.99	11.1	1.06
M653712		0.49	0.36	4.57	12.9	730	1.25	0.33	0.84	1.36	50.3	8.9	58	2.67	14.8	2.93
M653713		0.40	0.42	5.81	26.4	690	2.01	0.43	0.70	3.11	66.2	8.0	66	3.22	17.0	3.12
M653714		0.51	0.66	3.81	8.7	520	1.13	0.24	0.58	0.90	44.3	6.3	44	1.98	9.8	2.21
M653715		0.39	2.95	5.97	25.8	700	2.84	0.52	2.66	6.38	99.0	9.8	65	2.75	24.3	3.32
M653716		0.55	0.99	1.94	10.5	260	0.49	0.20	0.17	0.14	27.0	2.0	25	1.41	6.4	1.69
M653717		0.38	1.15	4.16	25.1	550	0.94	0.31	0.46	0.16	48.1	4.8	58	2.58	12.8	3.82
M653718		0.49	1.05	2.29	15.4	160	0.77	0.18	0.10	0.64	29.0	3.3	23	1.21	7.8	1.38
M653719		0.44	0.62	3.85	12.8	300	1.54	0.20	0.27	3.63	46.8	4.8	35	1.80	7.1	1.81
M653720		0.51	0.50	3.97	13.3	370	1.64	0.22	0.35	2.88	43.1	5.4	41	1.90	8.0	2.11
M653721		0.59	0.22	4.02	13.3	530	1.28	0.27	0.43	0.63	47.6	6.7	51	2.51	9.7	2.45
M653722		0.50	0.37	3.30	8.4	360	0.87	0.19	0.22	0.80	48.4	4.2	39	1.99	7.2	1.77
M653723		0.48	0.48	4.87	14.3	460	1.89	0.32	2.08	0.35	76.6	3.4	215	4.67	34.8	1.45
M653724		0.47	0.31	4.93	13.3	660	1.70	0.22	0.61	0.55	69.5	6.6	71	3.21	11.0	2.38
M653725		0.38	0.10	4.61	3.7	530	1.01	0.21	0.62	0.67	56.8	3.1	56	3.07	6.4	1.37

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Finalized Date: 15-OCT-2012
Account: EIAAEM

Project: AEM12-01

CERTIFICATE OF ANALYSIS WH12235055

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni	P	Pb
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10	0.5
M653686		16.55	0.16	4.5	0.038	2.60	47.0	42.9	2.31	148	36.2	0.15	30.5	99.5	590	31.7
M653687		15.55	0.15	2.6	0.060	1.97	36.2	36.0	1.28	387	6.62	0.76	17.1	32.8	560	31.5
M653688		13.80	0.14	3.3	0.038	1.17	28.4	46.5	3.12	166	35.4	0.13	13.9	96.6	600	22.9
M653689		14.15	0.16	2.6	0.082	1.78	40.4	40.9	1.14	322	6.05	0.53	14.2	52.3	480	50.6
M653690		16.40	0.16	2.3	0.061	1.68	36.8	35.9	1.09	607	2.65	0.98	17.6	30.6	590	31.8
M653691		12.45	0.12	2.7	0.099	1.78	35.8	35.4	0.95	292	6.38	0.36	13.1	46.1	380	61.3
M653692		16.50	0.14	2.4	0.070	1.66	38.5	33.2	0.95	661	2.03	1.16	20.1	32.1	1050	30.7
M653693		15.05	0.16	2.4	0.064	1.55	35.9	37.3	1.09	412	1.64	0.88	15.4	31.3	670	29.3
M653694		16.80	0.13	2.4	0.068	1.80	35.6	40.1	1.03	339	2.64	0.96	17.7	26.5	250	35.2
M653695		15.95	0.13	2.5	0.055	2.00	29.8	61.8	1.06	267	4.40	0.56	14.5	30.7	380	40.4
M653696		15.00	0.14	2.6	0.062	1.42	30.1	74.3	1.96	712	2.95	0.30	10.8	46.0	1060	24.3
M653697		16.75	0.14	2.0	0.054	1.60	31.8	30.2	0.77	543	1.48	1.19	18.6	22.6	670	26.7
M653698		8.64	0.10	2.0	0.073	1.13	23.5	23.0	0.46	651	4.11	0.30	8.4	39.1	710	59.0
M653699		9.71	0.14	2.3	0.070	1.19	29.8	22.0	0.50	482	3.30	0.52	10.6	39.2	550	50.1
M653700		6.58	0.10	2.1	0.073	0.96	21.7	17.4	0.35	469	3.63	0.23	6.7	35.5	510	52.9
M653701		11.90	0.13	2.4	0.062	1.54	31.0	31.1	0.62	379	4.69	0.69	12.1	38.2	510	37.2
M653702		10.85	0.14	2.4	0.060	1.54	31.0	30.0	0.57	451	5.29	0.49	9.6	48.0	510	43.9
M653703		11.75	0.12	2.1	0.039	1.36	26.2	22.2	0.42	454	2.92	0.67	15.1	18.5	360	25.7
M653704		9.39	0.11	1.7	0.043	1.37	22.3	24.1	0.46	215	3.21	0.54	9.8	31.6	470	34.2
M653705		15.45	0.11	2.2	0.059	1.32	25.2	20.5	0.46	360	3.12	0.62	17.5	27.2	800	51.0
M653706		2.78	0.06	0.9	0.040	0.30	9.0	9.5	0.11	117	1.35	0.08	2.8	12.3	170	27.7
M653707		3.26	0.06	0.8	0.026	0.28	7.9	6.6	0.08	67	1.16	0.09	3.2	5.4	260	17.1
M653708		17.15	0.11	2.0	0.053	1.45	28.1	20.6	0.48	315	4.01	0.68	15.8	16.9	1020	39.8
M653709		9.04	0.09	1.8	0.036	0.89	17.7	16.6	0.33	158	2.53	0.30	8.6	21.1	310	27.3
M653710		4.98	0.08	1.6	0.034	0.61	15.0	11.7	0.21	213	1.41	0.13	8.2	26.2	230	32.6
M653711		3.62	0.10	2.1	0.042	0.34	29.4	11.4	8.39	4650	0.66	0.07	3.2	45.6	730	18.2
M653712		11.85	0.12	1.8	0.079	1.16	25.2	24.5	0.62	566	2.97	0.70	11.9	28.4	410	56.0
M653713		12.90	0.15	2.2	0.157	1.33	35.1	28.4	0.61	760	4.20	0.54	13.4	89.9	480	85.4
M653714		9.45	0.12	1.8	0.047	1.04	23.2	19.6	0.49	417	1.85	0.58	9.7	18.8	280	28.0
M653715		12.40	0.17	3.3	0.086	1.22	63.1	43.4	1.68	2540	4.08	0.34	11.3	180.5	1120	60.2
M653716		6.31	0.09	1.1	0.030	0.53	21.4	10.0	0.25	146	1.19	0.22	6.1	8.0	390	22.8
M653717		13.30	0.11	1.8	0.073	1.11	25.6	19.5	0.46	318	2.49	0.50	11.7	20.6	640	56.8
M653718		4.28	0.09	2.0	0.082	0.45	15.3	13.3	0.17	288	1.20	0.11	3.7	53.0	220	64.7
M653719		7.26	0.11	1.9	0.076	1.07	20.6	15.1	0.33	632	1.78	0.23	6.3	53.1	340	74.8
M653720		8.41	0.11	2.2	0.057	1.00	20.0	17.3	0.40	485	1.71	0.34	7.5	54.8	300	67.1
M653721		10.45	0.11	2.0	0.082	1.01	25.7	22.5	0.44	342	2.98	0.49	10.2	31.8	370	59.1
M653722		7.54	0.10	1.8	0.047	0.87	25.0	20.4	0.28	217	1.77	0.31	6.8	37.2	300	38.0
M653723		12.05	0.19	2.0	0.042	1.85	67.6	30.1	0.63	79	5.50	0.20	6.3	60.8	7980	23.9
M653724		11.20	0.13	2.7	0.073	1.36	35.2	26.9	0.60	333	4.77	0.52	10.6	40.4	380	49.1
M653725		13.15	0.12	3.1	0.036	1.38	29.2	28.1	0.43	311	3.74	0.69	18.2	11.3	360	26.4

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Finalized Date: 15-OCT-2012
Account: EIAAEM

Project: AEM12-01

CERTIFICATE OF ANALYSIS WH12235055

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02	0.1	1
M653686		123.0	0.002	0.02	4.81	7.2	2	2.2	76.1	2.03	0.11	10.6	0.351	2.03	11.9	502
M653687		127.0	0.002	0.01	2.54	8.4	1	2.8	145.0	1.25	<0.05	9.5	0.391	1.03	3.2	177
M653688		71.5	0.002	0.01	7.91	7.1	3	2.0	56.7	0.92	0.09	7.7	0.289	1.50	7.1	368
M653689		98.2	0.002	0.02	4.00	8.2	2	3.1	106.5	0.99	<0.05	10.0	0.336	1.01	3.7	181
M653690		74.3	0.002	0.02	1.71	9.4	1	2.6	168.5	1.28	<0.05	11.1	0.415	0.70	2.7	121
M653691		99.5	<0.002	0.01	4.40	7.0	2	3.7	71.9	0.88	<0.05	8.7	0.304	1.10	3.5	221
M653692		88.8	<0.002	0.04	1.82	10.8	2	2.8	193.5	1.41	<0.05	11.2	0.440	0.85	2.8	145
M653693		81.2	0.002	0.02	1.57	9.3	1	2.5	156.0	1.12	<0.05	10.0	0.379	0.58	2.6	117
M653694		117.5	<0.002	0.01	2.18	8.6	1	2.7	148.5	1.26	<0.05	9.1	0.432	0.65	2.1	129
M653695		124.5	0.002	0.02	3.48	7.8	1	2.9	133.5	1.16	<0.05	7.8	0.379	0.62	2.8	134
M653696		71.9	<0.002	0.02	7.25	9.3	1	2.6	75.8	0.81	<0.05	10.8	0.298	0.90	3.1	142
M653697		74.1	<0.002	0.02	1.20	8.9	1	2.6	189.5	1.34	<0.05	9.6	0.467	0.76	2.6	114
M653698		54.3	0.002	0.02	3.29	4.7	1	2.8	54.3	0.64	<0.05	7.1	0.216	1.15	2.7	139
M653699		57.2	0.002	0.02	2.83	6.2	1	2.9	90.6	0.86	<0.05	8.7	0.262	1.25	2.9	129
M653700		44.9	<0.002	0.02	3.45	3.7	1	3.5	42.6	0.52	<0.05	6.3	0.191	1.88	2.7	151
M653701		78.4	<0.002	0.01	2.74	7.0	1	2.5	124.0	0.95	<0.05	9.3	0.322	1.19	3.5	147
M653702		77.1	<0.002	0.02	4.17	6.3	1	2.5	95.1	0.73	<0.05	8.9	0.263	1.27	3.2	182
M653703		79.3	<0.002	0.01	1.97	5.3	1	2.7	101.0	1.03	<0.05	7.0	0.340	1.11	2.3	120
M653704		68.6	<0.002	0.02	2.52	5.2	1	2.6	92.4	0.74	<0.05	7.2	0.262	1.02	2.7	105
M653705		69.6	<0.002	0.02	3.52	6.3	1	4.5	92.5	1.17	<0.05	7.5	0.398	1.75	2.1	134
M653706		17.0	<0.002	0.02	2.20	1.5	<1	3.2	15.2	0.22	<0.05	2.3	0.082	0.95	1.2	29
M653707		13.9	<0.002	0.02	1.90	1.4	<1	2.5	18.8	0.27	<0.05	2.1	0.098	0.59	1.0	29
M653708		69.2	<0.002	0.02	2.06	7.1	1	3.1	120.0	1.22	<0.05	9.2	0.433	1.34	1.9	143
M653709		37.4	<0.002	0.01	3.65	4.2	1	2.8	53.4	0.65	<0.05	4.9	0.233	2.13	2.2	66
M653710		27.9	<0.002	0.01	4.04	2.9	1	2.0	27.8	0.51	<0.05	3.9	0.161	1.90	2.2	40
M653711		14.3	<0.002	0.03	6.18	3.2	1	4.3	113.0	0.23	<0.05	3.9	0.103	2.63	3.4	30
M653712		59.3	<0.002	0.03	2.92	6.7	1	3.6	123.0	0.86	<0.05	7.1	0.341	1.66	2.2	108
M653713		62.3	<0.002	0.02	5.25	8.5	1	7.1	94.1	0.86	0.06	9.9	0.348	3.17	3.6	130
M653714		48.9	<0.002	0.02	2.13	5.1	1	2.6	93.0	0.78	<0.05	6.7	0.297	1.03	2.2	73
M653715		54.2	<0.002	0.06	6.28	11.2	3	5.9	72.4	0.79	0.05	12.3	0.339	7.48	4.6	151
M653716		26.2	<0.002	0.02	2.70	2.7	1	3.2	40.0	0.45	<0.05	3.7	0.186	0.71	1.3	48
M653717		51.6	<0.002	0.02	3.13	6.5	1	5.5	93.0	0.82	<0.05	7.6	0.353	1.57	2.2	101
M653718		21.1	<0.002	0.02	2.43	2.6	1	4.4	21.6	0.27	<0.05	5.2	0.119	3.11	2.0	37
M653719		41.1	<0.002	0.02	2.70	3.8	1	3.6	40.2	0.45	<0.05	6.6	0.190	2.49	2.9	62
M653720		42.7	<0.002	0.02	2.79	4.5	1	4.2	58.3	0.52	<0.05	6.2	0.221	2.42	3.0	68
M653721		47.3	<0.002	0.02	3.16	5.4	1	3.9	82.1	0.78	<0.05	7.1	0.288	1.10	2.3	113
M653722		39.6	<0.002	0.02	1.96	4.1	1	2.2	48.5	0.51	<0.05	6.6	0.215	1.47	2.1	79
M653723		83.1	0.002	0.01	1.25	6.9	4	1.3	107.0	0.39	0.10	7.1	0.145	1.62	7.7	976
M653724		61.7	<0.002	0.01	3.25	7.6	3	3.1	98.9	0.81	<0.05	10.0	0.308	1.11	3.3	236
M653725		60.3	0.002	0.02	1.75	5.4	1	2.1	91.5	1.20	<0.05	7.8	0.414	0.63	3.1	112

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Finalized Date: 15-OCT-2012
Account: EIAAEM

Project: AEM12-01

CERTIFICATE OF ANALYSIS WH12235055

Sample Description	Method Analyte Units LOR	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5
M653686		1.7	26.6	403	152.5
M653687		2.1	15.6	361	84.6
M653688		2.7	22.5	575	108.5
M653689		2.5	19.4	319	82.9
M653690		1.5	18.0	418	72.8
M653691		2.0	11.8	253	90.2
M653692		1.6	20.3	301	78.0
M653693		1.7	17.6	250	69.9
M653694		1.7	11.4	250	88.9
M653695		2.7	9.4	143	79.4
M653696		2.8	15.0	288	84.3
M653697		1.5	13.4	511	67.3
M653698		1.4	11.4	363	65.7
M653699		1.4	16.3	322	67.1
M653700		1.4	8.9	333	65.1
M653701		1.5	15.3	484	72.5
M653702		1.5	15.7	376	76.1
M653703		1.5	9.5	485	71.4
M653704		1.3	9.0	346	55.0
M653705		1.9	9.6	353	74.5
M653706		0.9	3.7	219	35.6
M653707		0.8	2.8	64	36.9
M653708		1.7	8.6	211	67.5
M653709		1.9	9.4	209	51.2
M653710		2.2	8.0	333	46.1
M653711		3.0	24.3	1160	64.8
M653712		1.4	10.0	1540	51.9
M653713		2.5	20.4	1760	70.3
M653714		1.5	8.6	479	52.9
M653715		3.5	55.3	2050	97.6
M653716		1.3	4.9	67	39.0
M653717		1.8	10.9	121	54.4
M653718		1.5	6.1	315	48.9
M653719		1.4	9.8	686	55.5
M653720		1.5	10.1	796	62.8
M653721		2.8	8.7	320	59.3
M653722		1.2	8.2	290	53.0
M653723		0.7	35.9	51	78.2
M653724		1.8	17.9	126	78.0
M653725		1.7	13.4	133	97.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Finalized Date: 15-OCT-2012
Account: EIAAEM

Project: AEM12-01

CERTIFICATE OF ANALYSIS WH12235055

Sample Description	Method	WEI-21	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Recvd Wt.	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs	Cu	Fe
	Units	kg	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	0.2	0.01
M653726		0.53	0.14	4.56	17.1	700	1.26	0.28	0.49	0.48	60.9	6.7	63	3.76	13.4	2.50
M653727		0.53	0.79	4.31	26.2	610	1.78	0.38	4.22	1.07	61.1	5.8	63	5.05	22.3	1.97
M653728		0.57	0.32	5.55	12.4	880	1.64	0.30	0.94	0.88	65.6	7.3	69	4.49	10.7	2.65
M653729		0.60	0.45	5.17	13.7	870	1.56	0.28	1.27	1.68	64.2	8.2	69	3.85	14.6	2.72
M653730		0.15	0.07	0.89	0.8	40	0.14	0.03	0.02	<0.02	22.2	0.3	9	0.55	1.5	0.24
M653731		0.37	0.37	4.49	15.9	790	1.51	0.32	3.18	1.20	66.0	8.7	57	6.23	20.4	2.43
M653732		0.35	0.75	3.70	21.1	620	1.35	0.30	1.61	0.93	60.6	5.5	55	3.44	15.4	1.93
M653733		0.50	0.27	6.61	11.7	930	1.88	0.43	2.00	1.19	56.0	12.3	69	8.14	14.3	3.54
M653734		0.50	0.27	7.17	38.9	910	2.12	0.38	1.23	0.25	58.7	11.6	70	11.75	21.1	3.58
M653735		0.42	0.28	6.60	24.9	890	1.98	0.53	1.50	0.39	59.3	12.6	65	14.30	25.7	3.47
M653736		0.40	0.31	5.96	10.5	770	1.78	0.31	2.00	0.49	49.5	9.1	66	8.77	16.8	2.94
M653737		0.48	0.33	5.74	17.2	800	1.82	0.35	1.51	0.45	60.3	9.7	62	9.72	16.9	2.92
M653738		0.64	0.59	5.05	14.3	1680	1.48	0.35	1.20	0.53	65.3	7.3	62	6.00	25.9	2.28
M653739		0.43	0.31	5.87	14.4	1350	1.90	0.38	1.77	0.44	70.1	8.9	64	8.11	25.9	2.78
M653740		0.35	0.29	5.95	15.2	1350	1.86	0.38	1.69	0.42	60.4	9.6	66	8.31	27.8	2.99
M653741		0.36	0.12	5.18	14.6	1140	1.34	0.32	0.57	0.42	63.7	7.0	68	5.12	18.2	2.61
M653742		0.47	0.08	5.01	14.4	1300	1.48	0.35	0.60	0.39	65.2	7.1	68	5.58	24.4	2.39
M653743		0.42	0.71	5.99	31.5	1080	2.07	0.56	0.99	1.57	81.0	9.0	73	6.88	29.3	2.49
M653744		0.58	0.46	4.79	21.1	1090	1.56	0.36	2.96	0.91	64.5	8.5	53	4.94	28.1	2.17
M653745		0.47	0.41	4.67	18.3	1060	1.42	0.31	2.97	0.46	62.0	7.5	47	4.50	19.4	1.90
M653746		0.42	0.38	4.24	17.9	850	1.50	0.29	4.87	1.10	56.1	6.5	42	5.71	14.8	1.66
M653747		0.30	0.61	4.88	18.0	890	1.43	0.35	2.41	1.13	58.0	7.0	71	9.46	19.9	2.00
M653748		0.30	0.61	4.78	23.9	820	1.43	0.32	1.87	1.80	61.2	7.1	71	6.25	20.4	2.05
M653749		0.33	0.62	4.80	22.1	800	1.43	0.32	1.95	1.41	60.4	6.7	72	4.62	22.4	2.08
M653750		0.48	0.42	4.33	19.8	660	1.10	0.38	1.69	0.63	60.2	6.0	52	3.44	11.1	1.88
M653751		0.54	1.45	6.32	29.8	790	1.84	0.39	1.68	0.59	68.7	10.9	69	7.57	23.6	3.12
M653752		0.57	0.46	6.28	29.8	850	1.84	0.40	0.78	0.52	81.9	12.0	74	7.67	21.4	3.26
M653753		0.61	0.23	7.05	13.9	1060	1.83	0.30	0.97	0.34	68.8	11.6	71	7.91	14.8	3.57
M653754		0.53	0.18	7.78	13.2	880	1.82	0.34	1.08	0.18	53.9	13.3	67	10.25	15.5	4.18
M653755		0.54	0.16	7.40	15.5	1110	1.59	0.44	1.35	0.24	85.9	13.6	70	8.67	16.0	3.73
M653756		0.46	0.05	7.93	11.6	1140	1.69	0.27	0.91	0.09	91.3	13.3	72	7.06	17.1	3.71
M653757		0.65	0.27	5.29	25.1	830	1.31	0.37	1.02	0.37	72.5	8.9	49	5.92	16.5	2.45
M653758		0.54	0.39	6.85	25.5	950	1.71	0.39	1.59	0.84	66.1	11.4	66	9.05	18.2	3.20
M653759		0.58	0.41	5.87	34.8	830	1.58	0.40	2.99	0.61	71.1	9.8	60	6.72	21.0	2.78
M653760		0.56	0.49	5.84	34.4	870	1.60	0.42	1.66	0.72	78.0	11.0	64	7.70	22.9	2.90

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Finalized Date: 15-OCT-2012
Account: EIAAEM

Project: AEM12-01

CERTIFICATE OF ANALYSIS WH12235055

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni	P	Pb
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10	0.5
M653726		11.20	0.13	2.7	0.094	1.41	35.9	26.9	0.57	262	7.86	0.49	12.0	38.4	640	63.5
M653727		10.30	0.19	3.2	0.133	1.90	36.9	25.2	2.70	475	13.30	0.15	9.5	55.5	1500	94.6
M653728		14.35	0.15	2.4	0.073	1.69	36.8	30.3	0.74	405	4.69	0.87	15.2	31.0	570	55.2
M653729		13.30	0.13	2.3	0.060	1.58	32.6	24.6	0.73	555	3.38	0.91	14.2	29.0	1070	45.7
M653730		2.19	0.07	0.3	<0.005	0.41	9.8	3.7	0.04	8	0.19	0.02	1.0	1.8	50	1.7
M653731		11.30	0.14	2.6	0.075	1.87	36.3	22.7	2.35	470	5.27	0.30	9.8	41.6	1440	52.0
M653732		9.06	0.15	2.6	0.101	1.42	35.8	19.9	1.03	464	7.70	0.27	9.5	40.5	1170	77.2
M653733		16.30	0.13	2.3	0.081	2.17	30.9	46.4	1.72	1100	2.84	0.41	10.3	32.7	930	24.9
M653734		17.55	0.15	2.6	0.081	2.15	34.2	61.8	1.82	633	3.78	0.35	11.2	38.2	700	63.6
M653735		17.20	0.17	2.4	0.055	2.06	41.1	60.0	1.72	543	2.20	0.38	11.2	34.0	650	30.9
M653736		14.80	0.13	2.2	0.052	1.69	27.1	47.0	1.70	552	3.24	0.47	10.6	29.2	890	28.8
M653737		14.30	0.15	2.6	0.080	1.83	33.1	49.0	1.74	472	4.08	0.40	10.7	37.5	690	42.7
M653738		13.55	0.14	2.2	0.070	1.78	36.0	32.3	0.77	521	4.03	0.69	12.5	32.5	780	47.1
M653739		15.00	0.18	2.7	0.062	1.93	39.7	44.3	1.82	491	4.43	0.46	11.2	41.6	710	31.2
M653740		15.10	0.17	2.6	0.064	1.81	33.9	46.9	1.94	497	4.53	0.42	10.9	45.1	720	33.8
M653741		14.10	0.14	2.2	0.068	1.64	34.7	33.8	0.87	284	4.48	0.64	13.3	35.3	560	40.7
M653742		13.30	0.13	2.1	0.072	1.65	35.4	36.4	0.75	291	4.47	0.60	10.5	38.3	640	41.0
M653743		14.35	0.15	2.9	0.162	2.29	42.3	38.4	0.95	525	19.35	0.29	12.9	73.9	1650	102.5
M653744		10.80	0.13	2.5	0.086	1.80	35.0	27.2	2.02	516	8.38	0.39	11.5	47.4	910	57.5
M653745		11.00	0.14	2.5	0.074	1.68	34.0	26.8	2.05	412	7.81	0.33	10.9	41.9	720	46.9
M653746		9.56	0.12	2.5	0.061	1.83	30.7	24.0	2.95	393	12.15	0.25	8.8	41.4	810	33.1
M653747		10.65	0.14	2.1	0.102	1.67	32.0	24.1	0.82	448	3.16	0.45	12.7	30.7	1580	61.1
M653748		10.55	0.16	2.3	0.111	1.68	34.7	22.1	0.78	450	5.28	0.42	12.9	33.8	1650	64.0
M653749		10.45	0.14	2.5	0.096	1.61	34.0	22.1	0.80	413	4.21	0.50	12.4	32.8	1470	59.1
M653750		9.36	0.15	2.4	0.103	1.65	32.9	20.0	1.11	326	5.18	0.36	11.3	31.5	990	69.1
M653751		14.90	0.21	2.8	0.119	1.85	42.9	39.5	2.03	582	7.85	0.24	14.4	57.0	880	68.7
M653752		14.30	0.17	2.8	0.133	1.82	44.1	37.6	1.26	504	9.31	0.39	15.8	58.6	420	76.2
M653753		17.05	0.18	2.4	0.075	1.98	36.5	45.2	1.71	517	2.67	0.68	16.0	37.1	580	37.8
M653754		18.15	0.18	2.5	0.066	1.89	25.5	59.2	2.71	586	1.70	0.36	18.0	35.3	480	20.5
M653755		17.00	0.20	2.9	0.079	2.43	44.8	43.9	2.10	485	1.99	0.48	15.1	36.2	480	28.5
M653756		17.40	0.20	2.8	0.059	2.68	46.3	42.0	2.00	460	1.11	0.65	14.7	34.8	350	16.3
M653757		11.55	0.18	2.4	0.152	1.67	39.4	32.5	1.16	310	2.97	0.47	12.0	28.5	850	51.0
M653758		15.55	0.18	2.7	0.105	2.12	36.3	44.3	1.91	561	2.53	0.47	14.7	35.1	940	45.6
M653759		12.70	0.20	2.6	0.121	2.03	38.7	35.7	2.41	494	5.17	0.42	13.6	42.5	880	61.9
M653760		13.85	0.20	2.4	0.116	1.91	41.9	35.8	1.50	548	4.60	0.50	13.9	43.0	840	57.9

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Finalized Date: 15-OCT-2012
Account: EIAAEM

Project: AEM12-01

CERTIFICATE OF ANALYSIS WH12235055

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02	0.1	1
M653726		59.9	0.002	0.01	5.34	5.7	2	3.6	84.5	0.88	<0.05	8.4	0.325	1.05	3.8	279
M653727		71.0	0.002	0.04	8.46	7.2	2	4.8	75.5	0.69	0.07	9.1	0.266	1.94	5.7	378
M653728		80.7	<0.002	0.02	3.20	8.4	1	3.3	149.5	1.06	<0.05	10.2	0.383	1.15	3.5	191
M653729		68.4	<0.002	0.03	2.58	9.3	1	2.7	160.5	1.04	<0.05	10.1	0.356	1.13	3.3	164
M653730		10.9	<0.002	<0.01	0.25	1.1	<1	0.3	9.1	0.07	<0.05	3.4	0.053	0.10	0.4	8
M653731		67.7	0.002	0.04	4.61	7.6	2	3.1	79.3	0.73	<0.05	9.3	0.270	1.59	4.1	189
M653732		58.8	<0.002	0.03	4.89	6.4	2	3.5	69.1	0.66	<0.05	8.5	0.247	1.32	4.6	197
M653733		93.5	0.002	0.03	1.70	10.7	1	2.3	129.0	0.75	<0.05	9.9	0.311	0.82	2.4	115
M653734		101.0	<0.002	0.02	4.06	11.3	1	3.3	98.8	0.85	<0.05	12.3	0.328	1.17	2.6	123
M653735		113.5	<0.002	0.03	2.59	11.0	1	2.8	108.5	0.80	<0.05	11.9	0.313	0.91	3.2	92
M653736		86.9	<0.002	0.05	2.08	9.7	1	2.3	114.0	0.78	<0.05	9.7	0.306	0.77	3.4	138
M653737		89.4	<0.002	0.02	3.05	9.6	1	2.8	97.7	0.78	0.05	10.3	0.297	0.97	3.0	160
M653738		86.6	<0.002	0.03	2.67	8.6	2	4.4	130.0	0.94	0.05	10.4	0.344	1.02	3.2	140
M653739		94.9	0.002	0.02	2.61	9.9	2	2.8	109.0	0.89	<0.05	11.4	0.316	1.08	3.2	153
M653740		87.0	<0.002	0.02	2.73	10.0	1	2.9	102.0	0.85	<0.05	10.6	0.311	0.99	3.1	156
M653741		83.4	0.003	0.01	2.34	8.6	1	2.5	105.0	0.92	<0.05	8.8	0.384	0.82	2.3	177
M653742		98.4	<0.002	0.01	2.53	8.3	1	2.7	100.0	0.93	0.05	9.2	0.325	0.95	2.5	171
M653743		92.9	<0.002	0.03	11.65	8.1	2	5.6	83.8	0.91	0.10	10.3	0.310	2.04	7.9	572
M653744		79.2	<0.002	0.02	5.21	7.4	1	3.0	100.5	0.83	0.05	10.1	0.266	1.45	4.1	213
M653745		76.7	<0.002	0.02	4.27	7.1	1	2.7	97.6	0.75	0.05	9.2	0.252	1.33	4.4	189
M653746		70.0	<0.002	0.03	4.69	6.0	1	2.3	89.8	0.61	0.05	8.3	0.219	1.23	5.6	177
M653747		85.9	0.006	0.10	3.38	7.4	4	3.3	109.5	0.83	<0.05	9.1	0.281	1.64	6.4	220
M653748		90.4	0.011	0.10	3.92	7.3	4	3.6	102.0	0.86	<0.05	9.5	0.278	1.79	7.2	238
M653749		79.8	0.009	0.09	3.57	7.0	3	3.2	120.5	0.87	<0.05	9.0	0.274	1.51	7.0	201
M653750		66.3	<0.002	0.02	4.15	5.7	1	2.9	89.6	0.80	<0.05	8.5	0.255	1.16	4.9	184
M653751		82.3	<0.002	0.02	5.57	10.6	2	3.9	76.4	0.97	0.06	12.0	0.302	1.58	4.2	217
M653752		84.9	<0.002	0.02	6.80	9.5	1	4.3	87.3	1.14	0.07	12.2	0.335	1.67	4.5	245
M653753		107.0	<0.002	0.01	2.31	10.8	1	3.0	132.5	1.13	<0.05	11.5	0.366	0.87	2.9	120
M653754		90.0	<0.002	0.01	1.57	11.5	1	2.6	121.5	1.15	<0.05	12.0	0.339	0.70	2.3	103
M653755		95.4	<0.002	0.02	2.41	10.1	1	3.3	172.0	1.06	<0.05	12.7	0.353	0.89	3.0	104
M653756		90.9	<0.002	0.01	1.53	10.9	1	2.7	172.0	1.09	<0.05	14.2	0.373	0.82	2.6	94
M653757		71.5	<0.002	0.02	3.19	6.8	1	2.7	125.0	0.85	<0.05	10.6	0.269	0.85	3.6	124
M653758		94.0	<0.002	0.03	2.91	9.6	1	3.3	157.5	1.04	<0.05	11.7	0.336	0.98	3.8	140
M653759		88.3	<0.002	0.01	4.94	8.2	1	3.4	110.0	0.98	0.05	10.7	0.310	1.30	3.6	191
M653760		94.9	<0.002	0.02	4.38	9.0	1	3.4	114.0	0.98	0.05	11.5	0.315	1.29	3.8	185

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Finalized Date: 15-OCT-2012
Account: EIAAEM

Project: AEM12-01

CERTIFICATE OF ANALYSIS WH12235055

Sample Description	Method Analyte Units LOR	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5
M653726		1.8	13.8	277	116.0
M653727		2.2	24.7	256	96.2
M653728		1.8	17.0	376	66.1
M653729		1.6	18.5	342	64.9
M653730		0.1	1.5	3	6.9
M653731		2.1	20.4	186	78.9
M653732		1.5	19.6	225	80.7
M653733		1.2	15.4	133	66.0
M653734		2.0	18.3	143	75.2
M653735		1.5	19.3	114	74.7
M653736		1.2	16.0	135	67.5
M653737		1.7	17.2	152	78.7
M653738		1.5	16.2	177	62.6
M653739		1.5	19.3	142	77.3
M653740		1.4	18.7	151	83.4
M653741		1.4	11.5	205	65.3
M653742		1.5	11.6	155	64.0
M653743		2.6	24.9	398	111.5
M653744		1.7	21.0	218	90.8
M653745		1.7	22.4	181	95.5
M653746		1.6	18.8	246	96.0
M653747		1.6	21.7	186	85.4
M653748		1.9	22.2	240	88.6
M653749		1.6	23.0	180	91.3
M653750		1.7	17.7	154	89.9
M653751		2.0	30.4	215	107.0
M653752		2.2	22.9	233	105.5
M653753		1.5	17.4	182	89.6
M653754		1.5	12.8	126	96.4
M653755		1.6	17.6	140	103.0
M653756		1.6	17.7	93	104.5
M653757		1.7	17.9	142	89.7
M653758		1.5	18.0	205	97.2
M653759		2.1	20.6	202	96.9
M653760		1.8	21.3	192	92.4

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Finalized Date: 15-OCT-2012
Account: EIAAEM

Project: AEM12-01

CERTIFICATE OF ANALYSIS WH12235055

Method	CERTIFICATE COMMENTS
ME-MS61	REE's may not be totally soluble in this method.
ME-MS61	Interference: Samples with Ca>10% on ICP-MS As. ICP-AES As results reported (5 ppm DL)

Appendix D: Quality Control / Quality Assurance

QUALITY CONTROL / QUALITY ASSURANCE

I Chain of Custody

All samples were packed in rice sacks and sealed with uniquely-numbered non-resealable security straps. Rice sacks were trucked to Watson Lake, Yukon by Equity personnel. Samples were then shipped via Manitoulin Transport to ALS Chemex Labs Ltd. in Whitehorse, Yukon Territory, an ISO 9001 registered laboratory. ALS Chemex reported that all bags were received in good condition, with all security straps intact, and with no evidence of tampering.

II Blanks

Blanks are samples which are known to be barren of mineralization and are inserted into the sample stream in the field to determine whether contamination has occurred after sample collection.

a. Soil Samples

A total of 8 soil blanks were inserted into the sample sequence (every sample tag number ending in the number 30 or 70) and submitted for analysis. Blank material for the program comprised commercially available silica silt from the same company that supplies ALS Chemex Labs with their blank material. Low analytical values indicate no contamination within the lab and no tampering of the samples.

Sample	Ag ppm	As ppm	Cu ppm	Mo ppm	Pb ppm	Sb ppm	U ppm	W ppm	Zn ppm
M653470	<0.05	<2	2.5	<1	<2	<1	<1	<0.5	<10
M653530	<0.05	<2	<2	<1	<2	<1	<1	<0.5	<10
M653570	<0.05	<2	<2	<1	<2	<1	<1	<0.5	<10
M653730	0.07	<2	<2	<1	<2	<1	<1	<0.5	<10
M653670	<0.05	3	2.8	<1	3.5	<1	<1	<0.5	15
M653630	<0.05	2.3	4.4	<1	4.2	<1	<1	<0.5	13
M653830	<0.05	<2	<2	<1	4.4	<1	<1	<0.5	<10
M653870	<0.05	<2	<2	<1	<2	<1	<1	<0.5	<10

III Field Duplicate Analysis

Field duplicates are collection and analysis of two separate samples from the same field location or core interval. They are used to measure the reproducibility of sampling, which includes both laboratory variation and sample variation. A total of 20 soil sample duplicates were collected during the 2012 program by collecting two samples from the same location every 20 soil samples. Reproducibility was generally good with less than 20% average difference for most elements of interest (Ag, As, Mo, Sb, U, W, Zn). As and Sb contained one sample above the 99% confidence line for 20% difference, with 59% and 39.4% difference respectively. Mo exhibited only two samples showing minor variance of 36% and 30%. The duplicate values above 20% difference remain at similar anomalous thresholds and therefore do not affect interpretation, or indicate significant variance.



The above graph shows an example for the reproducibility of Sb with all samples except 1 falling below the 99% confidence line for 20% precision.

IV Conclusions

- There is no evidence of tampering with the samples between collection and the laboratory.
- Low analytical values for the blank material submitted indicate no contamination within the lab for soil samples.
- Field and preparation duplicate analysis shows generally good reproducibility for the elements of interest.
- ALS Chemex carries out their own in-house laboratory QA/QC program, including blanks, duplicates and standards, and ensures that laboratory QA/QC is satisfactory prior to certifying their analyses.

Appendix E: Compact Disc

Report text, geochemical databases, drafting and plot files.

Appendix F: Geologist's Certificate

GEOLOGIST'S CERTIFICATE

Ryan J.F Congdon
1946 Victoria Drive
Vancouver, BC, Canada

I, Ryan J. F. Congdon, BSc, am a consulting Project Geologist with Equity Exploration Consultants Ltd., with offices at Suite 200-900 West Hastings Street, Vancouver, British Columbia, hereby certify that:

I am a graduate of the Curtin University of Perth, Australia having obtained the degree of Bachelor of Science in Applied Geology, 2005.

I am a graduate of the Curtin University of Perth, Australia having obtained the degree of Bachelor of Science in Environmental Biology, 2005.

I am a member of the Australian Institute of Mining and Metallurgy.

I have been employed in the mineral exploration and mining industry in Western Australia every field season (November-February) between 2003 and 2005.

I have been continuously employed as a geologist in the mineral exploration and mining industry since 2006.

I am the author of the report entitled "2012 Soil Geochemical Work Report on the Jennings Property" dated November 20, 2012.

I participated in the geological work reported herein.

Dated at Vancouver, British Columbia, this 20th day of November, 2012.



Ryan J.F. Congdon, B.Sc.

EQUITY

Appendix G: Figures


2012
Soil Sampling
YUKON
B.C.

Property Geology
COK - Kechika Gp.
Calcareous and pelitic seds - limestone
SDq - SiluroDevonian
quartzite, dolomitic arenite, shale
DME - Earn Gp.
mudstone, shale, siltstone, conglomerate
Outcrop Geology
Arenite
Quartzite
Quartzite/Silstone
Skarn
Siltstone
Siltstone/Limestone
Siltstone/Sandstone
Hornfelsed
Bedding inclined, vertical
Fold
2012 Soil Sample
historic Soil Sample
2012 Soil Sample
pre 2012 Soil Sample
500 m
YUKON
B.C.
Agnico-Eagle Mines Ltd.
Jennings Project
Geology and
Sample Locations
EQUITY
Date: NOV 2012
Scale: 1:5,000
Figure 4
UTM Zone 10 - NAD83
Survey Method: Land, Watson Lake
N:\7040\16_1058\07
Province: BC, Yukon


2012
Soil Sampling
YUKON
B.C.
1
2
3
YUKON
B.C.
Soil Geochemistry
Arsenic (ppm)
98th (>82 ppm)
95th (>55 ppm)
90th (>36 ppm)
50th (>15 ppm)
below 50th
(pre 2012)
Arsenic (ppm)
98th (>82 ppm)
95th (>55 ppm)
90th (>36 ppm)
50th (>15 ppm)
below 50th
Multi-Element
Soil Anomalies
N
500 m
Agnico-Eagle Mines Ltd.
Jennings Project
As Soil Geochemistry
EQUITY
Date: NOV 2012
Scale: 1:5,000
Figure 5
Mining District: Lion's, Watson Lake
Province: BC, Yukon
6,655,500 mN
6,654,500 mN
6,653,500 mN
6,652,500 mN
435,900 mE
436,900 mE
437,900 mE
435,000 mE
436,000 mE
437,000 mE


2012
Soil Sampling
YUKON
B.C.
1
2
3
YUKON
B.C.
6,655,500 mN
6,654,500 mN
6,653,500 mN
6,652,500 mN
435,000 mE
436,000 mE
437,000 mE
500 m
Soil Geochemistry
Molybdenum (ppm)
98th (>15 ppm)
95th (>10 ppm)
90th (>7 ppm)
50th (>2 ppm)
below 50th
(pre 2012)
Molybdenum (ppm)
98th (>15 ppm)
95th (>10 ppm)
90th (>7 ppm)
50th (>2 ppm)
below 50th
Multi-Element
Soil Anomalies
Agnico-Eagle Mines Ltd.
Jennings Project
Mo Soil Geochemistry
EQUITY
Date: NOV 2012
Scale: 1:5,000
Figure 6
Survey Datum: UTM 9 - NAD83
Province: BC, Yukon
Claim: Lion 1, Watson Lake
MTO/16, 1058/03


2012
Soil Sampling
YUKON
B.C.
1
2
3
YUKON
B.C.
6,655,500 mN
6,654,500 mN
6,653,500 mN
6,652,500 mN
435,000 mE
436,000 mE
437,000 mE
Soil Geochemistry
Antimony (ppm)
98th (>9.2 ppm)
95th (>7 ppm)
90th (>5.8 ppm)
50th (>2.5 ppm)
below 50th
(pre 2012)
Antimony (ppm)
98th (>9.2 ppm)
95th (>7 ppm)
90th (>5.8 ppm)
50th (>2.5 ppm)
below 50th
Multi-Element
Soil Anomalies
500 m
Agnico-Eagle Mines Ltd.
Jennings Project
Sb Soil Geochemistry
EQUITY
Date: NOV 2012
Scale: 1:5,000
Figure 7
Grid & Datum: UTM 9 - NAD83
Projection: Lcc1, Watson Lake
BC, Yukon
NTS: 104O/16, 105B/03


2012
Soil Sampling
YUKON
B.C.
1
2
3
YUKON
B.C.
6,655,500 mN
6,654,500 mN
6,653,500 mN
6,652,500 mN
435,000 mE
436,000 mE
437,000 mE
Soil Geochemistry
Uranium (ppm)
98th (>13.3 ppm)
95th (>7.7 ppm)
90th (>5.8 ppm)
50th (>4.7 ppm)
below 50th
(pre 2012)
Uranium (ppm)
98th (>13.3 ppm)
95th (>7.7 ppm)
90th (>5.8 ppm)
50th (>4.7 ppm)
below 50th
Multi-Element
Soil Anomalies
N
500 m
Agnico-Eagle Mines Ltd.
Jennings Project
U Soil Geochemistry
EQUITY
Date: NOV 2012
Scale: 1:5,000
Figure 8
Projection and Datum: UTM 9 - NAD83
Area: Lot 3, Watson Lake
NTS: 105O/16, 105B/03
Province: BC, Yukon


2012
Soil Sampling
YUKON
B.C.
1
2
3
YUKON
B.C.
6,655,500 mN
6,654,500 mN
6,653,500 mN
6,652,500 mN
435,500 mE
436,800 mE
437,800 mE
500 m
Soil Geochemistry
Tungsten (ppm)
98th (>198 ppm)
95th (>120 ppm)
90th (>63 ppm)
50th (>2 ppm)
below 50th
(pre 2012)
Tungsten (ppm)
98th (>198 ppm)
95th (>120 ppm)
90th (>63 ppm)
50th (>2 ppm)
below 50th
Multi-Element
Soil Anomalies
Agnico-Eagle Mines Ltd.
Jennings Project
W Soil Geochemistry
EQUITY
NOV 2012
UTM 9 - NAD83
104O/16, 105B/01
1:5,000
Liard, Watson Lake
BC, Yukon
9


2012
Soil Sampling
YUKON
B.C.
1
2
3
435,500 mE
436,000 mE
436,500 mE
437,000 mE
6,655,500 mN
6,654,500 mN
6,653,500 mN
6,652,500 mN
Soil Geochemistry
Zinc (ppm)
98th (>879 ppm)
95th (>600 ppm)
90th (>435 ppm)
50th (>173 ppm)
below 50th
(pre 2012)
Zinc (ppm)
98th (>879 ppm)
95th (>600 ppm)
90th (>435 ppm)
50th (>173 ppm)
below 50th
Multi-Element
Soil Anomalies
500 m
Agnico-Eagle Mines Ltd.
Jennings Project
Zn Soil Geochemistry
EQUITY
Date: NOV 2012
Scale: 1:5,000
Figure 10
Coord. System: UTM 9 - NAD83
Projection: Lon-0, Watson Lake
N.T.S.: 104O/16, 105B/01
Province: BC, Yukon