



**BERINGIA GOLD CORPORATION
MINERAL EXPLORATION SUMMARY
BAY PROJECT - YUKON TERRITORY**

**NTS MAPSHEET 115K 09
SEPTEMBER 2010**

By

Mark Lindsay
Nokuyukon Holdings Ltd
August 2010

TABLE of CONTENTS

	Page
BAY PROJECT EXECUTIVE SUMMARY -- -- -- -- -- --	4
LOCATION AND ACCESS -- -- -- -- -- -- --	5
PHYSIOGRAPHY, VEGETATION AND CLIMATE -- -- -- --	7
UNGLACIATED TERRAIN -- -- -- -- -- -- --	8
PROPERTY and CLAIM STATUS -- -- -- -- -- --	8
BAY PROJECT -- -- -- -- -- -- -- --	9
HISTORY -- -- -- -- -- -- -- -- --	10
GEOLOGY -- -- -- -- -- -- -- -- --	10
Regional -- -- -- -- -- -- -- -- --	11
Property -- -- -- -- -- -- -- -- --	11
Structure -- -- -- -- -- -- -- -- --	12
GEOCHEMISTRY -- -- -- -- -- -- -- -- --	13
Soil Sampling -- -- -- -- -- -- -- -- --	13
Stream sediment Sampling -- -- -- -- -- -- -- -- --	14
GEOPHYSICS -- -- -- -- -- -- -- -- --	15
Recent Surveys -- -- -- -- -- -- -- -- --	15
EXPLORATION RESULTS, ECONOMICS & DISCUSSION -- -- --	15
Gold -- -- -- -- -- -- -- -- --	19
INTERPRETATION AND CONCLUSIONS -- -- -- -- --	24
REFERENCES -- -- -- -- -- -- -- -- --	25
BAY SOIL SAMPLE ASSAY SHEETS (PDF) - ATTACHED TO BACK	

COVER PHOTO:

Large rusty quartz vein found on Bay Property while soil sampling 2010.

LIST of FIGURES

Figure No.									Page
1.	Canada/Yukon Map	--	--	--	--	--	--	--	5
2.	Yukon Territory	--	--	--	--	--	--	--	6
3.	Bay Project Location	--	--	--	--	--	--	--	7
4.	Bay Project Quartz Claims Status Sheet				--	--	--	--	8
5.	Bay Project Location Image	--	--	--	--	--	--	--	9
6.	Bay Project Picture Image	--	--	--	--	--	--	--	9
7.	Bay Geology - Murphy YGS	--	--	--	--	--	--	--	10
8.	Delta District Stratigraphic Column			--	--	--	--	--	13
9.	Bay Soil Sample Location Image	--	--	--	--	--	--	--	14
10.	GSC Stream Sample Location Image	--	--	--	--	--	--	--	14
11.	Bay Soil Sampling Maps	--	--	--	--	--	--	--	16
12.	Bay Soil Sampling Maps	--	--	--	--	--	--	--	17
13.	Bay Magnetic Map 2009	--	--	--	--	--	--	--	17
14.	Bay Magnetic Map 1966	--	--	--	--	--	--	--	17
15.	Bay Magnetic Map with EM Anomaly	--	--	--	--	--	--	--	18
16.	Murphy Geology Bay-Delta Map	--	--	--	--	--	--	--	19
17.	Bay Quartz Vein Photos	--	--	--	--	--	--	--	20
18.	Bay Quartz Vein Photos	--	--	--	--	--	--	--	21
19.	Bay Quartz Vein Photos	--	--	--	--	--	--	--	22
20.	Bay Quartz Vein Photos	--	--	--	--	--	--	--	23
21.	Bay Soil Survey Grid Image	--	--	--	--	--	--	--	26

EXECUTIVE SUMMARY

The 4,762 hectare Bay Project, NTS map sheet 115K 09, covers the upper levels of the O'Brien Creek drainage within the unglaciated Yukon Plateau. The property center is near UTM coordinate 536390E 6938497N.

The Bay Project has geological potential to host volcanogenic massive sulfide (VMS) mineralization similar to that found in the Delta District in east central Alaska. The Bay area is primarily underlain by rocks made up of the Windy-McKinley terrane. These rocks include meta-sedimentary and meta-volcanic schist and gabbro assemblages. Cretaceous granodiorite/tonalite intrusions are found immediately to the north.

Don Murphy of the Yukon Geological Survey (YGS) has stated that age dates for rocks over and within the vicinity of Bay correlate well with VMS hosting rocks in the Delta District. This correlation makes the Bay area prospective to host VMS deposits. The Delta District hosts more than 40 VMS occurrences with similarities to Kuroko-style VMS deposits.

O'Brien Creek was previously a placer producing stream. In 1912-13, placer gold was found on the creek. Local miners worked the gravels until the 1920's.

No previous hardrock exploration has been publically documented in the Bay area. A block of 44 claims was staked by Teck Corporation in 1999/2000 because of gold pathfinder elements discovered during regional geochemical stream sediment sampling. Teck was said to have found strong arsenic anomalies along the creek.

A VMS style soil anomaly was found on the Bay Property in 2010. The VMS Zone hosts highly coincidental (anomalous) elements that are typically associated with VMS deposits. The soil anomaly is also coincident with a large airborne magnetic anomaly that was identified in 2009. A 2008 Megatam airborne survey identified an (EM) anomaly immediately to the west of the VMS Zone. Unfortunately the Megatam survey did not cover the Bay Property.

A silver, cadmium and zinc anomaly occurs in stream sediments in a creek draining the immediate west side of the VMS Zone (1985 GSC Data).

The coincidental nature of the four sets of data over the VMS Zone make it a good target for further exploration.

The central and north-central parts of the Bay soil grid area host several gold anomalies. The anomalies may be associated with large quartz veins that were discovered in the area while soil sampling in 2010.

The Bay Claims completely surround the Pilot 1-12 Claims which were staked by well known Yukon prospector Shawn Ryan. Ryan staked the Pilot claims in 2009 to cover the old Teck gold property the was identified in 1999.

LOCATION and ACCESS



Figure 1

The Bay Project is located in the Yukon Territory in northern Canada (fig. 1).

The target area is located 40km NE of Beaver Creek in west-central Yukon in the vicinity of the northwestern edge of the Wellesley Lake Basin (fig. 2 & 3).

The project is located on NTS map-sheet 115K 09.

The Bay Property is within the Whitehorse Mining District.



Figure 2

Access to the Bay Project is from Beaver Creek, Yukon. Access is only by helicopter. Beaver Creek is approximately 425km northwest of Whitehorse, Yukon, by road (Alaska Highway).

Whitehorse is located roughly 275 kilometers to the north of the all season shipping port at Skagway, Alaska.




Figure 3

PHYSIOGRAPHY, VEGETATION and CLIMATE

The Bay Project is located in the dissected Yukon Plateau region which hosts barren to heavily forested areas that cover low rolling hills to slightly mountainous terrain. Elevation on the property ranges from 750m to 1320m. Vegetation in the upland areas is thick. The main trees found in the area (below tree line - 1250m) are black spruce (on north facing slopes) and trembling aspen and white spruce on south slopes. Undergrowth consists of willow, dwarf birch, crowberry, fern, blueberry, lichens, and mosses.

Drainage in the area is good, due to the fact that the property is located mainly along ridges. Local creeks have a continuous supply of water during the spring and summer months. Permafrost is present on most north facing slopes

The climate of the area is typical of the interior continental region at this latitude. Winters are long with short hours of daylight and average daily temperatures of –20 Celsius. Summers are pleasant and warm with long days (24 hours of daylight on June 21), although it can be quite rainy at times. The average summer temperature is 20 Celsius with highs ranging into the high 30's.

UNGLACIATED TERRAIN

The Bay Project is located in unglaciated terrain, which characteristically has deeply weathered bedrock and soil. Soil sampling, and interpretation in the upland areas of unglaciated regions is less complicated than in glaciated regions and valley bottoms because surficial materials (soil anomalies) are primarily derived from local weathered bedrock. The main complicating factor in these settings is that dilutive surface materials get mixed into underlying soil horizons through cryoturbation, which dilutes the geochemical signature (Bond and Sanborn, 2006). This is particularly common on, permafrost laden, north-facing slopes (Smith *et al.*, 2009).

Another important factor to consider in unglaciated areas is that local bedrock may have been exposed to extensive downward weathering. This type of condition could mask over the soil geochemical signature of an area because the geochemical profile is severely depleted (leached) in upper bedrock environment.

PROPERTY and CLAIM STATUS

The Bay Project covers an area of 228 claim blocks (47.6 sq km) in Yukon. The claims are owned by Beringia Gold Corporation, Nokuyukon Holdings Ltd and Dawsun Gold Mining Ltd. A total of 934 claims are held between the three parties in Yukon. A record of the claims and expiry dates, current to April 20, 2011, is listed below.

		Claim Status Report			20 April 2011
Claim Name and Nbr.	Grant No.	Expiry Date	Registered Owner	% Owned	NTS #'s
R BAY 1 - 68	YD19353 - YD19420	2014/02/08	Dawsun Gold Mining Ltd. Nokuyukon Holdings Ltd. Beringia Gold Corporation	25.00 25.00 50.00	115K09
R BAY 69 - 78	YD19421 - YD19430	2015/02/08	Dawsun Gold Mining Ltd. Nokuyukon Holdings Ltd. Beringia Gold Corporation	25.00 25.00 50.00	115K09
R BAY 79 - 82	YD19431 - YD19434	2014/02/08	Dawsun Gold Mining Ltd. Nokuyukon Holdings Ltd. Beringia Gold Corporation	25.00 25.00 50.00	115K09
R BAY 83	YD19435	2015/02/08	Dawsun Gold Mining Ltd. Nokuyukon Holdings Ltd. Beringia Gold Corporation	25.00 25.00 50.00	115K09
R BAY 84	YD19436	2014/02/08	Dawsun Gold Mining Ltd. Nokuyukon Holdings Ltd. Beringia Gold Corporation	25.00 25.00 50.00	115K09
R BAY 85 - 94	YD19437 - YD19446	2015/02/08	Dawsun Gold Mining Ltd. Nokuyukon Holdings Ltd. Beringia Gold Corporation	25.00 25.00 50.00	115K09
R BAY 95 - 228	YD19447 - YD19580	2014/02/08	Dawsun Gold Mining Ltd. Nokuyukon Holdings Ltd. Beringia Gold Corporation	25.00 25.00 50.00	115K09
R DAY 1 - 60	YD18738 - YD18797	2015/12/17	Dawsun Gold Mining Ltd. Nokuyukon Holdings Ltd. Beringia Gold Corporation	25.00 25.00 50.00	115J01, 115J08, 115I05
R HAY 1 - 54	YD18684 - YD18737	2015/12/17	Dawsun Gold Mining Ltd. Nokuyukon Holdings Ltd. Beringia Gold Corporation	25.00 25.00 50.00	115J08
R MAY 1 - 27	YD18798 - YD18824	2011/12/23	Dawsun Gold Mining Ltd. Nokuyukon Holdings Ltd. Beringia Gold Corporation	25.00 25.00 50.00	115J04
R MAY 28 - 32	YD18825 - YD18829	2012/12/23	Dawsun Gold Mining Ltd. Nokuyukon Holdings Ltd. Beringia Gold Corporation	25.00 25.00 50.00	115J04
R MAY 33 - 48	YD18830 - YD18845	2012/12/21	Dawsun Gold Mining Ltd. Nokuyukon Holdings Ltd. Beringia Gold Corporation	25.00 25.00 50.00	115J04
R MAY 49 - 110	YD18846 - YD18907	2012/12/23	Dawsun Gold Mining Ltd. Nokuyukon Holdings Ltd. Beringia Gold Corporation	25.00 25.00 50.00	115J04, 115G13
R MAY 111 - 298	YD19111 - YD19298	2013/02/08	Dawsun Gold Mining Ltd. Nokuyukon Holdings Ltd. Beringia Gold Corporation	25.00 25.00 50.00	115J04, 115G13, 115G14

Left column indicator legend:
R - Indicates the claim is on one or more pending renewal(s).
P - Indicates the claim is pending.


Right column indicator legend:
L - Indicates the Quartz Lease.
F - Indicates Full Quartz fraction (25+ acres)
P - Indicates Partial Quartz fraction (<25 acres)

Total claims selected : 934

D - Indicates Placer Discovery
C - Indicates Placer Codiscovery
B - Indicates Placer Fraction

Page 1 of 2

Figure 4



BAY PROJECT




Figure 5



Figure 6

HISTORY

The Bay Property has had no publically documented hardrock exploration conducted over it in the past. The property can be considered unexplored.

Some placer mining activities have been carried out on O'Brien Creek which drains the northern part of the Bay Property. O'Brien Creek was one of the few un-glaciated creeks, outside of the greater Klondike and Mayo gold fields, which had significant gold discovered in its surface gravels after the turn of the 20th century. In 1912-13, Antoine Boulay, while traveling along the White River, camped at the mouth of O'Brien Creek and subsequently found gold when he tested its gravels. Once news spread of this new discovery the creek was quickly staked up and people moved to the area to get ready for the next mining season. Over time a small establishment was built up in the area to service the needs of the local miners. The settlement was called Donjek City. Donjek was abandoned in the 1920's after mining operations ceased on O'Brien Creek.

Hardrock exploration in the Bay area has been very limited. The central ridge area of the O'Brien Creek drainage had staked 44 claims staked over it in 1999 by Teck Corporation. Teck found gold pathfinder elements (rumoured to be arsenic) along the watercourse while conducting a regional stream sediment sampling program (RGSS). The RGSS program was carried out primarily south of Dawson City along tributaries of the Yukon River and on upwards through the lower White River watershed. Information collected from the program encouraged Teck to stake three new areas in the 1999-2000 period. One of the areas staked was the White Gold Property of Underworld Resources.

The original claims over the Bay Property were allowed to lapse in late 2002 after Teck merged with Cominco Ltd.

GEOLOGY




Figure 7

Regional

The Bay Property is located in the western Stevenson Ridge (geological) area. Rocks in this zone have been assigned to the Paleozoic Windy McKinley terrane.

The area also includes rocks belonging to Yukon-Tanana terrane.

Windy McKinley (WM) terrane has been divided into a meta-sedimentary and meta-volcanic schist and gabbro assemblages. Murphy *et al.* (2008) divided the WM schist assemblage into two formations, the felsic (and lesser mafic) meta-volcanic and meta-sedimentary White River formation and the variably carbonaceous and calcareous meta-clastic Mirror Creek formation. Both of these rock units are spatially associated, but in unknown contact relationships, with a quartz-rich meta-clastic unit, called the Scottie Creek formation. The Scottie Creek formation is in mid-stratigraphic succession between the White River and Mirror Creek formations. These formations together are called the White River assemblage (WRA).

Cretaceous granodiorite/tonalite intrusions occur within 6-10km to the north and north-west of Bay.

Property

Property scale geological mapping has not been conducted on the Bay Property.

The Bay claims are almost entirely overlain by thick beds of moss and thick overburden. Bedrock outcrop in this part of the Yukon has always been considered relatively scarce.

For the duration of the 2010 soil sample survey it was found that outcropping bedrock talus hampered many soil sampling efforts. During the program coordinates for all bedrock outcrops that were encountered at soil locations were recorded. The GPS points for these bedrock sites will be helpful when bedrock mapping is carried out.

Don Murphy of YGS has been the only person to visit the Bay property to collect geological data. He completed one mapping traverse across the northwest corner of the Bay Property in 2007 (colored dots in figure 7). The geological data that was collected over the Bay property has led Murphy to believe the area is primarily underlain by rocks of the White River assemblage.

Along his traverse across the Bay property Murphy reported (in his daily log) finding the following rock types:

07dm105	Highly deformed siliceous schist. Fine grained. Lots of quartz pods and veins in various stages of boudinage.
07dm 130	Well foliated / lineated tan to grey siliceous schist laced with boudinaged quartz veins. Locally calcareous. Late N-vergent crenulations. Asymmetric boudinaged quartz veins.
07dm 131	Metagabbro - on top of siliceous schist. Not well folded, but has been recrystallized.
07dm 132	Float of siliceous schist

07dm 133	Siliceous schist as above
07dm 134	Small area of float of carbonaceous schist then platy siliceous schist; some w/ film of coarse patch muscovite.
07dm 135	Siliceous schist as above with lots of float of grey carbonaceous muscovite schist; lots of defined quartz veins
07dm 136	Grey carbonaceous schist. Light colored (rusty-white) siliceous schist. Felsic metavolcanic? Metaclastic? Not sure.

A stratigraphic description of the White River assemblage in the Bay area is as follows;

- White River formation (DPWWcs - carbonaceous schist / quartzite) overlying;
- Scottie Creek formation (PPWS - quartz psammite, grit, marble, pelite) overlying;
- Mirror Creek formation (DPWWg - felsic sub-volcanic intrusive rocks) overlying
- Mid Triassic gabbro intruding all other units.

Detrital zircon studies from the White River assemblage support the stratigraphic succession as described above. The WRA stratigraphy is similar to that of the Delta District, further supporting the proposed correlation.

The White River formation in the bay area is heavily eroded. The rocks that are intact are the lowest stratigraphic levels of the White River formation. Murphy has conducted some intense study of these rocks and has decisively correlated them (by age and composition) with an important ore hosting rock unit in the Delta District of Alaska.

In figure 8 a comparison of the stratigraphic levels of the Delta District are presented. The White River carbonaceous schist / quartzite on the Bay claims (grey polygon in figure 7) is purported to correlate with the Lagoon unit from the Delta District.

Murphy has also concluded that sections of the eastern (non-eroded) parts of the White River formation are coeval with the Drum unit of the Delta District in Alaska. The Drum unit as well hosts several volcanogenic massive sulfide (VMS) deposits. See figure 8.

Structure

From Murphy's field notes above, it appears the Bay area has been affected by at least two periods of structural deformation.

Murphy comments that rocks from the Bay area have late N-vergent crenulations and asymmetric boudinaged quartz veins. Murphy also alludes to the fact that the rocks near the headwaters of O'Brien Creek appear to have been recumbently folded.

These deformation structures are evidence that compressive stresses, potentially within a thrust faulting environment, would have existed in the Bay area during the Mesozoic period.




Figure 8

GEOCHEMISTRY

Soil Sampling

A total of 643 soil samples were collected (from 1743 sites) on the Bay Property between August 9 to August 28, 2010 (blue dots in figure 9). All samples were collected from the C horizon and at an average depth of 60cm. The samples were collected in Kraft type sample bags which were dried at camp. Samples were brought to Whitehorse when the Bay soils project was completed. All samples were prepared for assay at ACME (Prep) Labs in Whitehorse then sent to ACME Labs in Vancouver, B.C. and analyzed by ICP-MS Group 1DX2. The soil were assayed for 37 Elements. Soil samples were collected at 100m soil site intervals and along lines that were space 100m apart. In several areas soil sample collection was hampered by permafrost, thick moss and boulder fields. Soil locations with a "no soil" designation are marked with a normal dot in figure 8.

It should be noted that all soil samples were screened to 80 mesh size prior to assay. The results of using an 80 mesh sample may be that the full quantitative potential of the assay may not have been exercised, as there have been past reports published by the Yukon Geological Survey that stipulate that the best soil survey results are obtained from sampling residual soils in unglaciated terrain by screening to 200 mesh. This more detailed screening procedure apparently captures more of the courser gold grain fraction of the soil sample, more readily. It is recommended that all future soil sample surveys use 200 mesh screening.




Figure 9

Stream Sediment Sampling (GSC)

In 1985 the Geological Survey of Canada (GSC) conducted widespread stream sediment sampling across Yukon. Several creeks that drain the area around the Bay Project were sampled and a few key anomalies were discovered during the survey. Two potentially important anomalies were found in creeks draining the upper northwest part of the Bay claim block. One of the anomalies is typical of a geochemical signature from VMS related mineralization; that anomaly is marked with a red X (see below).




Figure 10

GEOPHYSICS

Recent Surveys

Two airborne geophysical surveys have been conducted over and around the Bay Property in recent years. Goldak Airborne Surveys was contracted by the Yukon Geological Survey to carry out an airborne magnetic survey in 2009 and Fugro Airborne Surveys conducted a Megatem electromagnetic and magnetic survey in the region in 2008.

The Goldak magnetic survey covered the entire Bay claim block and a large part of the area to the north, west and east of the Bay claims.

The Fugro survey covered a block of land about as large as the Goldak survey but it was focused to the west, south and southeast of the Bay area. Unfortunately the Fugro survey boundary did not include the Bay claim block

An interpretation of the Megatem survey data, by the Yukon Geological Survey, is underway and results should be published shortly.

EXPLORATION RESULTS, ECONOMICS & DISCUSSION

The Bay Project hosts what appears to be an important VMS related soil anomaly on the top of a ridge in the northwest corner of the property. The center of the VMS Zone, as the target area has been labeled, is located at UTM 535344E 6939606N. The soil anomaly within the VMS Zone is more than likely reflecting bedrock conditions. The Bay area has not been affected by glaciers and the anomaly occurs on a ridge; thus it is probably due to an occurrence of VMS type mineralization at depth. Soil anomalies in unglaciated terrain usually occur above the source unless the anomaly has been transported downhill due to being situated on a slope.

The VMS Zone hosts highly coincidental anomalies of copper, barium, cadmium, antimony, selenium, zinc, arsenic, mercury, lead, silver and iron. Soil values in the VMS Zone reached as high as 460ppm Cu, 1134ppm Ba, 2.7ppm Cd, 5ppm Sb, 2.6ppm Se, 338ppm Zn, 158ppm As, 210ppb Hg, 115ppm Pb, 1.3ppm Ag and 5.2% Fe. The coincidental nature of these anomalies is very important. The strength of a soil anomaly in unglaciated terrain may not truly represent the strength of mineralization in the underlying rock; deeply weathered surfaces sometimes mask geochemical signatures because the bedrock has been leached out. In Yukon deep weathering profiles can be carried to depths of up to 100m. The size and shape of the anomalous zone has almost certainly been affected by soil collection problems due to permafrost and large boulder fields. If permafrost did not exist in the area the VMS anomaly would undoubtedly be bigger, as the frozen ground condition has prevented sampling in many locations.

The concentration of elements in soil within the VMS Zone appears to have affected at least one creek in the area. A unnamed creek that drains the west side of the ridge that hosts the VMS Zone was found to be anomalous in zinc, silver and cadmium when tested by the GSC in 1985 (see figure 10). The creek also has a "lost-on-ignition" (LOI) anomaly, which usually signifies that the creek may be draining an area affected by alteration.

Images of the Bay Claims soil sites and the anomalous soil populations within the VMS Zone are shown in figures 11 & 12. The target VMS Zone is circled in orange.




Figure 11




Figure 12

The VMS soil anomaly is also coincident with a large airborne magnetic anomaly. The two anomalies together (Mag & VMS Zone) are approximately 1500m x 1900m in size (figure 13). The VMS Zone is at the contact between the White River & Scottie Creek formations.




Figure 13




Figure 14

The Goldak survey highlighted other interesting magnetic anomalies on the Bay claims as well. All of the anomalies are reflecting a source either magnetite or pyrrhotite in bedrock; magnetic minerals are often associated VMS deposits (~55%).

Figures 13 & 14 show the VMS Zone over two different magnetic surveys from 2009 and 1966. The VMS Zone appears to be in the center of a roughly circular feature in both images. The image from the 1966 GSC regional magnetic map (figure 14) shows this anomalous circular feature quite clearly. The feature may be reflecting a volcanic center under the VMS Zone. Volcanic centers are the heat engines that generate VMS deposits. The presence of the Mirror Creek formation to the east and potentially under the VMS Zone (at depth) lends credence to this idea; as Mirror Creek is a felsic sub-volcanic (porphyritic) intrusion and could be host to a volcanic center. Geological mapping of the area should be able to ground truth this idea. If this is a volcanic center it is a very important aspect of the project that will be used to guide further exploration.

VMS deposits are almost always associated with an electromagnetic conductors (~85%); if the VMS Zone has a massive sulfide body under it should have EM anomaly. The Fugro Megatem airborne survey system is designed to find such anomalies. A large Megatem (lower quality) EM conductor exists immediately to the west of the VMS Zone but it is cut off before it reaches the target; unfortunately the Fugro survey ended 400m west of the west side of the VMS Zone (figure 15). The shape of the Megatem anomaly is such that it appears to be opening up as it trends towards the VMS Zone. This assumption, roughly, suggests that there may be a EM anomaly (of unknown quality) over the VMS target.




Figure 15

One of the most important components to consider when searching for VMS deposits is finding a favorable environment. If you search in geological areas known to host deposits it increases the chances of discovery. Don Murphy of the Yukon Geological Survey noted the occurrence of felsic meta-volcanics, fine grained rock and quartz veins in rocks he randomly sampled over the VMS Zone. These are all characteristics of rocks that can found around volcanogenic massive sulfide deposits.

Murphy conducted a large amount of research on the rocks in and around the general Bay area and concluded that they are *exactly* the same age and made up of the same components as rocks in the VMS hosting Delta District in Alaska. This makes the Bay area, metallogenically, a significant exploration target for VMS deposits in Yukon.




Figure 16

In the map in figure 16 Murphy shows how interconnected the Bay area is with the Delta District. The rocks may be 180km apart, physically, but in the geological sense they are actually like next door neighbors. The entire group of rocks from Bay to Delta would one time have been undergoing the same geological evolution and development on a specific part of the ocean floor where volcanic vents (black smokers) spewed out hot water laden with metallic sulfides.

In reality the Bay and Delta district could have been side-by-side on the ocean floor, millions of years ago; only to be later shifted by tectonic forces and then reattached to the boundary of North America, but separated by 180km, at the locations where they are found today.

Gold

Several gold anomalies are found in the central and north-central parts of the Bay soil grid area. The anomalies appear to be related to arsenic anomalies found in the same general areas. The anomalies are potentially reflecting gold mineralization associated with quartz veins. Several large rusty (foliation-parallel?) massive quartz veins/bodies were seen in the soil survey grid area during the 2010 field season (see assay sheets and soils sample maps for gold anomaly locations).

The quartz veins appear to be following foliation in the host rocks (from pictures taken of the area). The veins occur in the area of contact between a gabbro and an underlying felsic - subvolcanic intrusion that has been recently mapped by Don Murphy (YGS).




Figure 17



Figure 18



Figure 19



Figure 20



INTERPRETATION AND CONCLUSIONS

The Bay Project constitutes a property of merit based on favourable geological setting, geochemistry, geology, magnetic geophysical signature, presence of a distal EM geophysical anomaly, and similarities and (relative) proximity to the VMS deposits of the Delta District, Alaska, which lies 180km northwest of the property. The known gold anomalies and (potentially related) quartz veins/bodies are also intriguing and favourable sites for further exploration.


The Bay property is underlain by meta-sedimentary and meta-volcanic schist and gabbro rocks of the White River assemblage. Intense study of these rocks has decisively correlated them, by age and composition, with an important VMS deposit hosting rock unit in the Delta District of Alaska. More specifically the White River formation is coeval with the Drum unit of the Delta District. The Drum unit hosts several volcanogenic massive sulfide (VMS) deposits.

The Bay Project hosts what appears to be a significant VMS related soil anomaly on the top of a ridge in the northwest corner of the property. The center of the VMS Zone is located at UTM 535344E 6939606N. The coincidental nature of the soil anomaly within the target zone is likely reflecting bedrock conditions. Gold anomalies in the central and north-central parts of the Bay soil grid are probably reflecting bedrock conditions, as well. It should be noted that in unglaciated terrain, small (but anomalous) gold values, using 80 mesh soils, could be reflecting significant gold mineralization in bedrock; as was the case in both the Underworld White Gold and Kaminak (Coffee) areas.

In conclusion, the Bay Project has potential to host VMS mineralization similar to that at the Delta District, Alaska. Both of the VMS and gold targets need to be followed up with prospecting and further field work, if deemed necessary, in 2011. 200 mesh soils should be used for further gold geochemical assaying.

REFERENCES

- Deklerk, R. (compiler), 2008. Yukon MINFILE 2008 - A database of mineral occurrences. Yukon Geological Survey.
- Dumont, R., 2008. Geophysical Series, parts of NTS 115J/5, 115K/7, 115K/8, 115K/9, 115K/10, 14-220 MEGATEM® II survey, Central Stevenson Ridge area, Yukon, Scale: 1:50,000 2009-2. *Also known as: GSC Open File 6082*
- Gordey, S.P. and Makepeace, A.J., (compilers), 2000. Yukon Digital Geology; Exploration and Geological Services Division (EGSD), Yukon Region, Indian and Northern Affairs Canada (DIAND) EGSD Open File 1999-1(D).
- GSC Open File, 1363, Regional Stream Sediment and Water Geochemical Reconnaissance Data (115J and 115K - East Half), 1986
- Kiss, F. and Coyle, M 2009. First vertical derivative of the magnetic field, Northern Stevenson Ridge Aeromagnetic Survey, NTS 115 J/9 and 115 J/10, Yukon, Scale: 1:50,000. *YGS open file 2009-29.*
- Murphy, D.C., van Staal, C. and Mortensen, J.K., 2008. Windy McKinley terrane, Stevenson Ridge area (115JK), western Yukon: composition and proposed correlations, with implications for mineral potential. *In: Yukon Exploration and Geology 2007*, D.S. Emond, L.R., Blackburn, R.P. Hill and L.H. Weston (eds.), Yukon Geological Survey, p. 225-235.
- Murphy, D.C., Mortensen, J.K. and van Staal, C., 2009. 'Windy-McKinley' terrane, western Yukon: new data bearing on its composition, age, correlation and paleotectonic settings. *In: Yukon Exploration and Geology 2008*, L.H. Weston, L.R. Blackburn and L.L. Lewis (eds.), Yukon Geological Survey, p. 195-209.
- Yukon Geological Survey - New mineral exploration opportunities highlighted by new geoscience data, Stevenson Ridge and northern Kluane Lake areas, southwestern Yukon. 2010 Vancouver Exploration Round-up Poster
- YGS Open File 2007- 9. Preliminary bedrock geology of part of Stevenson Ridge area, Yukon (NTS 115J/3, 4, 5, 6, 7, 8, parts of 11 and 12; 115K/1, 2, 7, 8, 9, 10, parts of 15 and 16) (1:125 000 scale) by Donald C. Murphy, Cees van Staal, and James K. Mortensen



LEGEND

ELEVATION
CONTOUR INTERVAL: 1M

OR

SOIL SAMPLES

- Sample
- No Sample
- No Data


Camp Location

STATION SEPARATION: 100 M

TOTAL SAMPLES COLLECTED ON THIS MAP: 646

TOTAL "NO SAMPLE" ON THIS MAP: 181

TOTAL "NO DATA" SAMPLE LOCATIONS THIS MAP: 187





1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: **Nokuyukon Holdings Inc.**

110 Falcon Dr.

Whitehorse YT Y1A 6C7 Canada

Submitted By: Mark Lindsay

Receiving Lab: Canada-Whitehorse

Received: July 28, 2010

Report Date: August 18, 2010

Page: 1 of 13

CERTIFICATE OF ANALYSIS

WHI10000148.1

CLIENT JOB INFORMATION

Project: NHL-10549-YT-BAY
Shipment ID: Bay Grid 1
P.O. Number
Number of Samples: 360

SAMPLE DISPOSAL

DISP-PLP Dispose of Pulp After 90 days
DISP-RJT-SOIL Immediate Disposal of Soil Reject

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Nokuyukon Holdings Inc.
110 Falcon Dr.
Whitehorse YT Y1A 6C7
Canada

CC: Phil Jackson

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
SS80	167	Dry at 60C sieve 100g to -80 mesh			WHI
Dry at 60C	167	Dry at 60C			WHI
SPLP	193	Sort, label and box pulps			VAN
1DX2	167	1:1:1 Aqua Regia digestion ICP-MS analysis	15	Completed	VAN

ADDITIONAL COMMENTS



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.
All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only.
** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: **Nokuyukon Holdings Inc.**
110 Falcon Dr.
Whitehorse YT Y1A 6C7 Canada

Project: NHL-10549-YT-BAY
Report Date: August 18, 2010

Page: 2 of 13 Part 1

CERTIFICATE OF ANALYSIS

WHI10000148.1

	Method Analyte Unit MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
		ppm 0.1	ppm 0.1	ppm 0.1	ppm 1	ppm 0.1	ppm 0.1	ppm 0.1	ppm 1	% 0.01	ppm 0.5	ppm 0.1	ppb 0.5	ppm 0.1	ppm 1	ppm 0.1	ppm 0.1	ppm 0.1	ppm 2	% 0.01	% 0.001
B L0000E 50000N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L0000E 50100N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L0000E 50200N	Soil	1.9	28.5	8.0	45	0.4	15.2	4.5	97	2.17	8.1	1.4	6.5	0.1	21	0.7	0.6	0.2	51	0.17	0.110
B L0000E 50300N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L0000E 50400N	Soil	3.0	49.7	12.1	121	0.6	34.0	13.3	419	3.63	66.1	1.1	4.0	1.6	48	1.0	4.6	0.2	70	0.35	0.122
B L0000E 50500N	Soil	1.5	64.1	16.0	158	0.2	43.4	17.1	716	4.46	158.8	1.0	5.1	3.4	29	0.5	3.8	0.2	96	0.38	0.064
B L0000E 50600N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L0000E 50700N	Soil	1.3	31.5	18.3	80	0.2	28.2	11.5	426	3.58	18.4	0.9	1.9	3.5	28	0.2	0.7	0.2	80	0.33	0.047
B L0000E 50800N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L0000E 50900N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L0000E 51000N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L0000E 51100N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L0000E 51200N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L0000E 51300N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L0000E 51400N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L0000E 51500N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L0000E 51600N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L0000E 51700N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L0000E 51800N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L0100E 50000N	Soil	0.6	46.7	11.3	76	0.1	33.4	12.6	332	3.28	9.4	0.8	2.2	3.2	32	0.2	0.5	0.1	79	0.48	0.090
B L0100E 50100N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L0100E 50200N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L0100E 50300N	Soil	1.4	26.9	9.7	50	<0.1	23.3	10.5	255	3.37	10.9	0.7	2.7	1.6	24	0.2	0.6	0.2	80	0.26	0.047
B L0100E 50400N	Soil	1.8	30.6	9.9	73	0.4	29.4	14.2	381	3.61	34.6	0.8	8.3	2.9	26	0.6	1.3	0.2	85	0.30	0.072
B L0100E 50500N	Soil	0.7	40.2	22.5	112	<0.1	32.4	11.5	463	3.35	35.3	0.6	2.1	3.7	31	0.2	1.2	0.2	80	0.41	0.052
B L0100E 50600N	Soil	0.8	33.7	57.6	171	0.2	21.4	8.9	415	3.37	22.5	0.7	2.8	3.8	24	0.3	1.1	0.2	66	0.31	0.059
B L0100E 50700N	Soil	0.9	28.8	11.4	55	<0.1	31.3	12.3	375	3.31	10.7	0.7	2.9	3.1	26	0.1	0.6	0.1	75	0.41	0.073
B L0100E 50800N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L0100E 50900N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L0100E 51000N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: Nokuyukon Holdings Inc.
110 Falcon Dr.
Whitehorse YT Y1A 6C7 Canada

Project: NHL-10549-YT-BAY
Report Date: August 18, 2010

Page: 2 of 13 **Part** 2

CERTIFICATE OF ANALYSIS

WHI10000148.1

	Method Analyte Unit MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
		ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
B L0000E 50000N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L0000E 50100N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L0000E 50200N	Soil	8	25	0.22	95	0.030	3	1.59	0.017	0.03	<0.1	0.09	0.7	<0.1	0.05	5	1.1	<0.2
B L0000E 50300N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L0000E 50400N	Soil	15	31	0.64	243	0.058	2	2.22	0.018	0.06	0.1	0.06	3.5	0.1	<0.05	6	1.3	<0.2
B L0000E 50500N	Soil	16	67	1.32	233	0.107	2	2.40	0.014	0.15	<0.1	0.03	8.7	0.1	<0.05	7	0.6	<0.2
B L0000E 50600N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L0000E 50700N	Soil	12	36	0.72	164	0.113	2	2.39	0.021	0.09	<0.1	0.02	4.3	0.1	<0.05	7	<0.5	<0.2
B L0000E 50800N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L0000E 50900N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L0000E 51000N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L0000E 51100N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L0000E 51200N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L0000E 51300N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L0000E 51400N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L0000E 51500N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L0000E 51600N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L0000E 51700N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L0000E 51800N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L0100E 50000N	Soil	14	35	0.90	212	0.138	2	2.30	0.032	0.06	0.1	0.02	5.2	<0.1	<0.05	6	<0.5	<0.2
B L0100E 50100N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L0100E 50200N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L0100E 50300N	Soil	9	34	0.56	140	0.102	2	2.43	0.022	0.04	<0.1	0.04	3.5	0.1	<0.05	8	<0.5	<0.2
B L0100E 50400N	Soil	10	40	0.68	176	0.114	2	2.97	0.017	0.05	0.1	0.06	5.5	<0.1	<0.05	7	0.7	<0.2
B L0100E 50500N	Soil	14	47	0.98	211	0.143	2	2.30	0.023	0.15	<0.1	0.03	6.4	0.1	<0.05	6	<0.5	<0.2
B L0100E 50600N	Soil	15	34	0.87	143	0.136	3	2.62	0.016	0.18	<0.1	0.03	5.1	0.2	<0.05	7	<0.5	<0.2
B L0100E 50700N	Soil	10	35	0.78	134	0.128	3	2.64	0.020	0.06	0.1	0.02	4.0	<0.1	<0.05	6	<0.5	<0.2
B L0100E 50800N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L0100E 50900N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L0100E 51000N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: **Nokuyukon Holdings Inc.**
110 Falcon Dr.
Whitehorse YT Y1A 6C7 Canada

Project: NHL-10549-YT-BAY
Report Date: August 18, 2010

Page: 3 of 13 Part 1

CERTIFICATE OF ANALYSIS

WHI10000148.1

Method Analyte Unit MDL		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Mo ppm 0.1	Cu ppm 0.1	Pb ppm 0.1	Zn ppm 1	Ag ppm 0.1	Ni ppm 0.1	Co ppm 0.1	Mn ppm 1	Fe % 0.01	As ppm 0.5	U ppm 0.1	Au ppb 0.5	Th ppm 0.1	Sr ppm 1	Cd ppm 0.1	Sb ppm 0.1	Bi ppm 0.1	V ppm 2	Ca % 0.01	P % 0.001
B L0100E 51100N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L0100E 51200N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L0100E 51300N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L0100E 51400N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L0100E 51500N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L0100E 51600N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L0100E 51700N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L0100E 51800N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L0200E 50000N	Soil	0.9	62.2	15.7	171	0.3	36.8	13.9	456	3.41	9.2	0.9	4.2	2.6	34	0.5	0.6	0.2	81	0.56	0.083
B L0200E 50100N	Soil	1.5	79.1	21.1	140	0.4	34.7	11.2	320	3.28	9.9	1.7	4.1	3.2	37	0.6	0.7	0.3	76	0.52	0.105
B L0200E 50200N	Soil	1.4	52.3	16.8	136	0.4	34.9	12.4	378	3.63	15.3	1.1	4.3	4.0	39	0.9	0.8	0.2	74	0.59	0.126
B L0200E 50300N	Soil	1.1	249.0	5.5	84	0.2	44.8	17.7	382	3.15	13.3	0.6	7.0	2.0	26	0.4	1.1	<0.1	72	0.42	0.080
B L0200E 50400N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L0200E 50500N	Soil	2.3	116.8	10.2	136	0.4	48.3	18.4	639	3.80	66.8	1.1	4.2	3.3	50	0.8	3.5	0.1	78	0.69	0.128
B L0200E 50600N	Soil	1.3	34.2	115.6	338	0.1	11.7	7.2	1015	3.62	10.9	0.7	0.9	8.1	18	0.4	1.0	0.4	38	0.20	0.034
B L0200E 50700N	Soil	1.1	23.5	28.6	88	<0.1	15.2	8.1	423	2.82	30.0	0.4	3.0	2.9	21	0.5	1.1	0.2	63	0.25	0.047
B L0200E 50800N	Soil	1.8	26.1	14.3	99	<0.1	27.5	17.5	892	3.91	43.9	0.7	2.9	3.8	23	0.3	1.3	0.3	94	0.32	0.065
B L0200E 50900N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L0200E 51000N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L0200E 51100N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L0200E 51200N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L0200E 51300N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L0200E 51400N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L0200E 51500N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L0200E 51600N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L0200E 51700N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L0200E 51800N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L0300E 50000N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L0300E 50100N	Soil	1.6	66.3	17.5	182	0.3	32.1	14.0	445	3.21	12.1	1.7	3.0	3.2	41	1.2	0.9	0.2	82	0.62	0.100
B L0300E 50200N	Soil	1.6	59.2	47.9	167	0.6	27.1	12.5	313	3.35	17.9	1.0	8.0	3.9	33	0.5	1.3	0.3	68	0.56	0.101



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: **Nokuyukon Holdings Inc.**
110 Falcon Dr.
Whitehorse YT Y1A 6C7 Canada

Project: NHL-10549-YT-BAY
Report Date: August 18, 2010

Page: 3 of 13 Part 2

CERTIFICATE OF ANALYSIS

WHI10000148.1

Method Analyte Unit MDL		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Ti	S	Ga	Se	Te
		ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
B L0100E 51100N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L0100E 51200N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L0100E 51300N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L0100E 51400N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L0100E 51500N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L0100E 51600N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L0100E 51700N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L0100E 51800N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L0200E 50000N	Soil	14	46	0.98	433	0.126	2	2.46	0.021	0.06	<0.1	0.04	6.4	<0.1	<0.05	7	<0.5	<0.2
B L0200E 50100N	Soil	16	38	0.81	206	0.115	2	2.37	0.021	0.06	0.1	0.06	5.8	<0.1	<0.05	6	0.6	<0.2
B L0200E 50200N	Soil	21	44	0.89	298	0.109	2	2.10	0.023	0.05	<0.1	0.05	6.1	<0.1	<0.05	6	0.6	<0.2
B L0200E 50300N	Soil	10	39	0.86	132	0.120	2	2.06	0.019	0.06	0.1	0.02	3.5	<0.1	<0.05	6	<0.5	0.2
B L0200E 50400N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L0200E 50500N	Soil	18	38	0.75	268	0.117	3	2.03	0.030	0.06	0.1	0.06	6.0	<0.1	<0.05	5	1.0	0.2
B L0200E 50600N	Soil	22	18	0.91	129	0.168	1	1.87	0.017	0.56	<0.1	0.04	4.8	0.3	<0.05	6	<0.5	<0.2
B L0200E 50700N	Soil	12	25	0.50	108	0.114	2	1.65	0.016	0.15	<0.1	0.04	2.9	0.1	<0.05	6	<0.5	<0.2
B L0200E 50800N	Soil	12	37	0.71	126	0.162	2	2.34	0.017	0.11	0.1	0.03	3.5	<0.1	<0.05	8	<0.5	<0.2
B L0200E 50900N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L0200E 51000N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L0200E 51100N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L0200E 51200N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L0200E 51300N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L0200E 51400N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L0200E 51500N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L0200E 51600N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L0200E 51700N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L0200E 51800N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L0300E 50000N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L0300E 50100N	Soil	18	39	0.88	269	0.112	2	2.45	0.018	0.05	<0.1	0.06	6.0	0.1	<0.05	7	1.1	<0.2
B L0300E 50200N	Soil	18	37	0.86	205	0.107	2	2.08	0.020	0.06	<0.1	0.09	4.7	0.1	<0.05	6	0.5	<0.2



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: **Nokuyukon Holdings Inc.**
110 Falcon Dr.
Whitehorse YT Y1A 6C7 Canada

Project: NHL-10549-YT-BAY
Report Date: August 18, 2010

Page: 4 of 13 Part 1

CERTIFICATE OF ANALYSIS

WHI10000148.1

	Method Analyte Unit MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
		ppm 0.1	ppm 0.1	ppm 0.1	ppm 1	ppm 0.1	ppm 0.1	ppm 0.1	ppm 1	% 0.01	ppm 0.5	ppm 0.1	ppb 0.5	ppm 0.1	ppm 1	ppm 0.1	ppm 0.1	ppm 0.1	ppm 2	% 0.01	% 0.001
B L0300E 50300N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L0300E 50400N	Soil	2.3	67.1	8.5	90	0.1	38.5	14.1	375	3.69	18.9	2.3	5.4	7.1	29	0.6	1.4	0.1	70	0.42	0.072
B L0300E 50500N	Soil	3.4	59.2	10.9	137	0.4	42.0	12.3	295	3.28	41.1	2.3	5.1	2.2	40	0.9	2.4	0.1	71	0.63	0.120
B L0300E 50600N	Soil	1.6	35.7	31.3	164	0.1	41.3	13.2	536	3.63	62.7	1.1	3.3	6.9	21	0.4	1.2	0.2	64	0.30	0.052
B L0300E 50700N	Soil	0.8	24.4	25.5	92	<0.1	27.5	13.0	480	3.49	11.2	0.5	1.2	3.3	24	0.3	0.5	0.2	77	0.34	0.045
B L0300E 50800N	Soil	1.1	17.9	55.0	277	<0.1	13.2	11.4	1155	4.49	63.9	0.8	0.7	8.1	14	0.5	1.2	0.3	47	0.17	0.049
B L0300E 50900N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L0300E 51000N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L0300E 51100N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L0300E 51200N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L0300E 51300N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L0300E 51400N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L0300E 51500N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L0300E 51600N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L0300E 51700N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L0300E 51800N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L0400E 50000N	Soil	0.7	41.1	13.1	95	0.2	25.0	13.4	349	2.45	6.6	0.7	1.8	1.2	50	0.6	0.4	0.1	61	0.86	0.087
B L0400E 50100N	Soil	1.1	44.5	9.1	103	0.1	25.6	14.5	468	2.90	18.7	0.9	3.3	2.1	38	0.5	1.3	0.1	70	0.69	0.090
B L0400E 50200N	Soil	1.2	45.4	9.1	85	0.2	27.5	12.3	300	3.10	11.7	1.4	5.6	5.1	37	0.4	1.0	0.1	77	0.66	0.075
B L0400E 50300N	Soil	1.6	50.2	13.3	103	0.2	29.2	10.9	409	3.06	21.8	1.2	3.0	3.2	38	1.0	1.5	0.1	74	0.64	0.102
B L0400E 50400N	Soil	1.1	59.3	7.4	54	0.3	23.7	9.1	454	1.98	7.3	1.2	3.6	0.9	25	0.4	0.6	0.1	42	0.45	0.107
B L0400E 50500N	Soil	1.1	60.4	7.5	56	0.3	24.3	9.4	448	1.96	7.8	1.2	3.0	0.9	24	0.4	0.7	0.1	43	0.43	0.102
B L0400E 50600N	Soil	1.2	18.8	7.4	44	0.2	13.9	6.2	191	2.10	8.8	0.6	2.4	0.5	20	0.4	0.5	0.1	52	0.22	0.055
B L0400E 50700N	Soil	4.3	87.4	16.7	93	1.3	39.1	9.7	187	3.89	20.1	3.8	5.0	1.0	46	1.7	4.5	0.2	58	0.46	0.223
B L0400E 50800N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L0400E 50900N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L0400E 51000N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L0400E 51100N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L0400E 51200N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L0400E 51300N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.



Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Nokuyukon Holdings Inc.**
110 Falcon Dr.
Whitehorse YT Y1A 6C7 Canada

Project: NHL-10549-YT-BAY
Report Date: August 18, 2010

Page: 4 of 13 Part 2

CERTIFICATE OF ANALYSIS

WHI10000148.1

	Method Analyte Unit MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Ti	S	Ga	Se	Te
		ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
B L0300E 50300N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L0300E 50400N	Soil	41	40	0.85	201	0.118	2	2.14	0.020	0.06	0.1	0.03	5.2	<0.1	<0.05	6	1.3	<0.2
B L0300E 50500N	Soil	12	38	0.75	375	0.093	11	2.36	0.025	0.05	0.1	0.07	4.5	<0.1	<0.05	6	1.7	<0.2
B L0300E 50600N	Soil	22	69	1.31	167	0.156	2	2.32	0.019	0.35	<0.1	0.03	6.3	0.2	<0.05	7	<0.5	<0.2
B L0300E 50700N	Soil	10	32	0.91	126	0.166	2	2.57	0.019	0.16	0.1	0.03	4.5	0.1	<0.05	7	<0.5	<0.2
B L0300E 50800N	Soil	21	20	0.87	103	0.146	1	2.33	0.012	0.37	<0.1	0.03	4.7	0.2	<0.05	7	<0.5	<0.2
B L0300E 50900N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L0300E 51000N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L0300E 51100N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L0300E 51200N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L0300E 51300N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L0300E 51400N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L0300E 51500N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L0300E 51600N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L0300E 51700N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L0300E 51800N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L0400E 50000N	Soil	7	34	0.71	195	0.091	3	1.74	0.038	0.05	0.2	0.03	3.6	<0.1	<0.05	5	<0.5	<0.2
B L0400E 50100N	Soil	11	39	0.82	234	0.098	2	2.18	0.021	0.05	0.1	0.05	4.6	<0.1	<0.05	6	0.6	<0.2
B L0400E 50200N	Soil	20	40	0.75	269	0.127	2	2.24	0.023	0.06	0.1	0.04	5.5	<0.1	<0.05	6	1.0	<0.2
B L0400E 50300N	Soil	15	36	0.72	277	0.123	2	2.09	0.026	0.06	0.1	0.04	4.8	<0.1	<0.05	6	0.9	<0.2
B L0400E 50400N	Soil	18	33	0.60	155	0.052	2	1.50	0.029	0.05	<0.1	0.06	2.7	<0.1	0.06	5	1.0	<0.2
B L0400E 50500N	Soil	18	34	0.59	154	0.055	<1	1.52	0.031	0.05	<0.1	0.07	2.4	<0.1	0.05	5	1.1	<0.2
B L0400E 50600N	Soil	7	20	0.32	141	0.062	1	1.35	0.024	0.04	<0.1	0.03	1.9	<0.1	<0.05	5	<0.5	<0.2
B L0400E 50700N	Soil	15	33	0.48	500	0.043	2	1.94	0.014	0.04	0.1	0.21	3.1	0.2	0.06	6	1.8	<0.2
B L0400E 50800N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L0400E 50900N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L0400E 51000N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L0400E 51100N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L0400E 51200N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L0400E 51300N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.



Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Nokuyukon Holdings Inc.**
110 Falcon Dr.
Whitehorse YT Y1A 6C7 Canada

Project: NHL-10549-YT-BAY
Report Date: August 18, 2010

Page: 5 of 13 Part 1

CERTIFICATE OF ANALYSIS

WHI10000148.1

Method Analyte Unit MDL		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
		ppm 0.1	ppm 0.1	ppm 0.1	ppm 1	ppm 0.1	ppm 0.1	ppm 0.1	ppm 1	% 0.01	ppm 0.5	ppm 0.1	ppb 0.5	ppm 0.1	ppm 1	ppm 0.1	ppm 0.1	ppm 0.1	ppm 2	% 0.01	% 0.001
B L0400E 51400N	Soil	0.8	14.8	14.3	53	0.2	9.1	4.1	211	1.90	6.6	0.6	0.9	1.2	12	0.2	0.3	0.2	36	0.13	0.044
B L0400E 51500N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L0400E 51600N	Soil	1.1	25.0	44.6	91	0.1	17.9	9.5	525	2.86	7.6	0.5	19.8	2.9	18	0.4	0.3	0.4	66	0.27	0.049
B L0400E 51700N	Soil	1.5	30.2	95.3	94	0.2	14.0	15.7	1385	2.66	9.2	0.6	4.5	1.9	14	0.3	0.3	0.2	62	0.16	0.045
B L0500E 50000N	Soil	1.5	47.7	11.0	116	0.2	29.1	13.5	612	2.85	7.8	0.8	1.7	0.8	44	0.5	0.4	0.1	73	0.69	0.094
B L0500E 50100N	Soil	1.1	58.5	8.5	101	0.2	25.3	11.6	442	2.75	11.1	0.5	4.7	0.8	41	0.4	0.6	0.1	73	0.80	0.080
B L0500E 50200N	Soil	1.2	39.7	7.1	77	0.2	24.0	12.9	637	2.52	8.6	0.7	5.9	1.2	39	0.4	0.5	0.1	67	0.79	0.077
B L0500E 50300N	Soil	1.5	35.4	8.8	78	0.2	24.1	15.1	711	3.00	19.0	0.8	4.1	1.2	30	0.4	1.0	0.1	72	0.52	0.091
B L0500E 50400N	Soil	1.9	53.7	11.7	89	0.2	29.3	14.2	502	3.18	10.3	1.5	3.8	4.8	30	0.5	0.8	0.1	73	0.63	0.077
B L0500E 50500N	Soil	1.5	62.9	8.9	79	0.3	30.8	12.9	351	3.06	9.2	1.2	5.2	2.7	35	0.4	1.1	0.1	75	0.54	0.110
B L0500E 50600N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L0500E 50700N	Soil	1.9	69.2	9.5	99	0.6	44.6	15.3	404	3.59	82.2	1.7	6.8	1.8	31	1.2	5.0	0.2	85	0.50	0.153
B L0500E 50800N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L0500E 50900N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L0500E 51000N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L0500E 51100N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L0500E 51200N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L0500E 51300N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L0500E 51400N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L0500E 51500N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L0500E 51600N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L0500E 51700N	Soil	1.2	19.0	32.1	95	0.2	17.1	7.0	313	2.53	8.5	0.5	3.0	1.5	19	0.3	0.3	0.3	58	0.26	0.057
B L0600E 50000N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L0600E 50100N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L0600E 50200N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L0600E 50300N	Soil	1.5	40.8	10.5	104	0.2	30.1	12.7	515	3.01	10.7	1.3	3.3	2.8	31	0.5	0.7	0.1	73	0.55	0.089
B L0600E 50400N	Soil	1.8	31.7	9.4	94	0.3	33.2	19.4	891	3.03	14.2	1.0	3.4	1.5	38	0.5	1.3	0.1	74	0.71	0.110
B L0600E 50500N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L0600E 50600N	Soil	1.1	55.3	5.7	64	0.2	42.6	18.6	653	3.54	7.0	0.6	2.5	1.3	23	0.2	0.4	<0.1	87	0.40	0.086
B L0600E 50700N	Soil	1.1	88.9	6.8	71	0.2	40.8	15.2	461	3.62	8.5	0.6	3.8	1.3	31	0.3	0.8	0.1	96	0.52	0.058



Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Nokuyukon Holdings Inc.**
110 Falcon Dr.
Whitehorse YT Y1A 6C7 Canada

Project: NHL-10549-YT-BAY
Report Date: August 18, 2010

Page: 5 of 13 Part 2

CERTIFICATE OF ANALYSIS

WHI10000148.1

Method Analyte Unit MDL		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Ti	S	Ga	Se	Te
		ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.01	0.1	0.05	1	0.5	0.2
B L0400E 51400N	Soil	9	25	0.46	58	0.084	1	1.33	0.016	0.12	<0.1	0.04	1.9	0.2	0.08	6	<0.5	<0.2
B L0400E 51500N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L0400E 51600N	Soil	10	26	0.59	90	0.104	2	1.49	0.020	0.12	0.1	0.02	2.2	<0.1	<0.05	4	<0.5	<0.2
B L0400E 51700N	Soil	8	24	0.45	74	0.080	<1	1.37	0.022	0.10	<0.1	0.04	1.8	<0.1	<0.05	6	<0.5	<0.2
B L0500E 50000N	Soil	8	37	0.68	208	0.063	<1	1.83	0.019	0.06	0.1	0.04	3.0	<0.1	<0.05	6	0.9	<0.2
B L0500E 50100N	Soil	8	35	0.65	188	0.080	1	1.90	0.022	0.06	0.1	0.03	3.0	<0.1	0.06	6	0.5	<0.2
B L0500E 50200N	Soil	10	32	0.58	216	0.074	2	1.87	0.027	0.06	<0.1	0.03	3.5	<0.1	<0.05	6	1.1	<0.2
B L0500E 50300N	Soil	10	34	0.57	230	0.066	1	1.91	0.020	0.05	<0.1	0.04	3.5	<0.1	<0.05	6	1.1	<0.2
B L0500E 50400N	Soil	23	39	0.77	240	0.104	<1	2.23	0.019	0.07	0.1	0.04	5.4	<0.1	<0.05	6	1.2	<0.2
B L0500E 50500N	Soil	15	38	0.70	354	0.104	1	2.06	0.030	0.06	0.1	0.03	4.4	<0.1	<0.05	6	1.0	<0.2
B L0500E 50600N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L0500E 50700N	Soil	11	39	0.76	150	0.088	2	2.84	0.019	0.07	0.2	0.12	3.7	0.1	<0.05	7	1.6	<0.2
B L0500E 50800N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L0500E 50900N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L0500E 51000N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L0500E 51100N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L0500E 51200N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L0500E 51300N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L0500E 51400N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L0500E 51500N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L0500E 51600N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L0500E 51700N	Soil	9	26	0.61	109	0.080	1	1.72	0.022	0.09	0.1	0.05	2.5	0.1	<0.05	6	<0.5	<0.2
B L0600E 50000N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L0600E 50100N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L0600E 50200N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L0600E 50300N	Soil	19	38	0.70	268	0.097	2	2.35	0.020	0.07	0.1	0.05	4.7	<0.1	<0.05	6	1.3	<0.2
B L0600E 50400N	Soil	11	43	0.78	326	0.080	1	2.33	0.028	0.05	0.1	0.05	4.1	<0.1	<0.05	6	1.3	<0.2
B L0600E 50500N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L0600E 50600N	Soil	10	65	1.28	184	0.086	<1	2.48	0.016	0.06	<0.1	0.03	3.9	<0.1	<0.05	7	0.7	<0.2
B L0600E 50700N	Soil	11	48	0.80	219	0.090	<1	2.79	0.017	0.06	<0.1	0.03	6.0	<0.1	<0.05	8	0.5	<0.2



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: **Nokuyukon Holdings Inc.**
110 Falcon Dr.
Whitehorse YT Y1A 6C7 Canada

Project: NHL-10549-YT-BAY
Report Date: August 18, 2010

Page: 6 of 13 Part 1

CERTIFICATE OF ANALYSIS

WHI10000148.1

Method Analyte Unit MDL		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
B L0600E 50800N	Soil	4.4	74.2	11.5	82	0.2	27.0	8.5	395	3.14	9.3	1.8	3.1	6.1	40	0.4	1.6	0.2	69	0.44	0.131
B L0600E 50900N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L0600E 51000N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L0600E 51100N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L0600E 51200N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L0600E 51300N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L0600E 51400N	Soil	1.2	13.9	11.3	66	0.2	10.1	5.3	327	2.28	5.1	0.5	2.4	1.8	16	0.2	0.3	0.2	42	0.17	0.049
B L0600E 51500N	Soil	1.2	16.0	10.8	61	<0.1	72.6	12.1	403	2.61	4.5	0.5	1.6	1.9	21	0.1	0.6	0.1	55	0.26	0.056
B L0600E 51600N	Soil	1.0	24.8	26.8	198	0.2	87.8	11.7	862	2.48	12.5	0.8	11.7	2.0	24	0.6	1.7	0.2	45	0.28	0.044
B L0600E 51700N	Soil	1.0	19.2	13.8	91	0.2	18.6	9.8	529	3.44	5.8	0.6	1.4	2.2	22	0.2	0.3	0.2	66	0.26	0.032
B L0600E 51800N	Soil	1.2	22.5	16.2	87	0.2	24.5	10.0	493	3.33	6.2	0.7	3.9	2.0	27	0.3	0.3	0.2	70	0.36	0.060
B L0700E 50000N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L0700E 50100N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L0700E 50200N	Soil	1.6	43.3	8.7	107	0.3	29.6	15.2	597	2.89	8.4	1.0	2.8	1.8	38	0.6	0.8	0.1	73	0.71	0.091
B L0700E 50300N	Soil	3.1	90.8	7.4	106	0.2	32.7	22.4	920	3.79	11.8	0.9	4.9	0.8	33	0.4	0.5	0.1	86	0.48	0.105
B L0700E 50400N	Soil	1.6	87.8	6.6	86	0.1	30.5	13.9	563	3.89	9.2	0.6	5.8	1.5	31	0.4	0.5	0.1	92	0.50	0.083
B L0700E 50500N	Soil	1.9	252.3	7.8	107	0.3	41.2	21.9	851	5.22	15.6	1.1	7.6	1.7	45	0.5	0.7	0.2	103	0.63	0.110
B L0700E 50600N	Soil	1.2	53.4	7.5	72	<0.1	27.6	13.0	468	3.69	10.6	0.5	4.0	1.8	29	0.3	0.5	0.1	92	0.49	0.076
B L0700E 50700N	Soil	1.2	94.2	7.2	68	<0.1	38.5	21.1	538	3.99	14.2	0.4	2.7	1.7	30	0.3	0.5	<0.1	87	0.46	0.082
B L0700E 50800N	Soil	0.8	24.6	5.9	29	0.1	8.1	4.8	151	1.74	7.5	0.3	1.7	0.2	18	0.2	0.3	<0.1	43	0.25	0.051
B L0700E 50900N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L0700E 51000N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L0700E 51100N	Soil	1.0	55.3	20.6	181	0.2	24.2	14.9	800	3.80	6.6	0.7	2.5	3.4	26	0.6	0.4	0.2	79	0.44	0.068
B L0700E 51200N	Soil	1.0	27.8	20.9	128	0.3	18.2	11.9	788	3.70	6.7	0.9	2.7	3.4	25	0.3	0.3	0.2	62	0.34	0.066
B L0700E 51300N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L0700E 51400N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L0700E 51500N	Soil	0.6	9.0	5.8	29	0.1	5.3	2.7	193	1.16	1.9	0.3	3.2	0.4	12	0.1	0.3	<0.1	24	0.12	0.044
B L0700E 51600N	Soil	1.0	16.5	26.6	66	0.2	10.9	3.6	179	1.95	5.9	0.6	4.0	1.1	16	0.2	0.7	0.2	26	0.19	0.061
B L0700E 51700N	Soil	0.9	15.5	12.5	80	0.1	19.4	8.6	436	3.22	4.1	0.5	1.1	2.7	24	0.1	0.4	0.2	57	0.33	0.046
B L0700E 51800N	Soil	1.2	19.6	13.7	82	0.2	20.8	8.8	390	3.22	5.2	0.7	1.7	2.1	30	0.2	0.3	0.2	64	0.43	0.048



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: Nokuyukon Holdings Inc.
110 Falcon Dr.
Whitehorse YT Y1A 6C7 Canada

Project: NHL-10549-YT-BAY
Report Date: August 18, 2010

Page: 6 of 13 **Part** 2

CERTIFICATE OF ANALYSIS

WHI10000148.1

Method Analyte Unit MDL		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Ti	S	Ga	Se	Te
		ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
B L0600E 50800N	Soil	22	33	0.71	1134	0.082	1	1.95	0.017	0.08	0.1	0.03	3.8	<0.1	<0.05	5	1.8	<0.2
B L0600E 50900N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L0600E 51000N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L0600E 51100N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L0600E 51200N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L0600E 51300N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L0600E 51400N	Soil	11	20	0.56	64	0.090	<1	1.32	0.020	0.26	<0.1	0.03	2.3	0.2	<0.05	6	0.6	<0.2
B L0600E 51500N	Soil	11	155	1.19	81	0.096	<1	1.74	0.019	0.17	<0.1	0.04	2.7	0.1	<0.05	7	<0.5	<0.2
B L0600E 51600N	Soil	12	191	1.21	131	0.084	<1	1.45	0.020	0.18	<0.1	0.03	2.9	0.1	<0.05	5	0.5	<0.2
B L0600E 51700N	Soil	8	31	0.92	118	0.141	1	2.11	0.028	0.31	<0.1	0.03	3.9	0.2	<0.05	8	<0.5	<0.2
B L0600E 51800N	Soil	9	42	0.94	129	0.129	1	2.29	0.021	0.27	<0.1	0.04	4.0	0.1	<0.05	8	<0.5	<0.2
B L0700E 50000N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L0700E 50100N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L0700E 50200N	Soil	16	39	0.71	343	0.092	<1	2.29	0.023	0.09	<0.1	0.06	4.3	<0.1	<0.05	6	1.3	<0.2
B L0700E 50300N	Soil	10	50	0.85	277	0.082	2	2.64	0.019	0.09	0.1	0.05	4.1	<0.1	<0.05	8	0.8	<0.2
B L0700E 50400N	Soil	10	43	0.86	360	0.117	2	2.41	0.017	0.10	0.1	0.02	3.8	<0.1	<0.05	8	0.9	<0.2
B L0700E 50500N	Soil	14	55	1.08	733	0.107	2	3.94	0.025	0.18	0.1	0.06	6.8	0.1	<0.05	10	1.1	<0.2
B L0700E 50600N	Soil	8	46	0.90	213	0.141	2	2.25	0.016	0.09	0.1	0.03	3.1	<0.1	<0.05	7	<0.5	<0.2
B L0700E 50700N	Soil	8	83	1.16	208	0.138	<1	2.74	0.018	0.14	0.1	0.02	3.2	0.2	<0.05	7	<0.5	<0.2
B L0700E 50800N	Soil	5	13	0.21	111	0.055	<1	1.06	0.036	0.04	<0.1	0.02	1.1	<0.1	<0.05	4	<0.5	<0.2
B L0700E 50900N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L0700E 51000N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L0700E 51100N	Soil	11	29	1.15	166	0.177	1	2.21	0.017	0.38	<0.1	0.03	4.7	0.2	<0.05	7	0.7	<0.2
B L0700E 51200N	Soil	11	27	0.98	113	0.163	<1	2.20	0.017	0.48	<0.1	0.05	4.6	0.4	<0.05	8	<0.5	<0.2
B L0700E 51300N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L0700E 51400N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L0700E 51500N	Soil	5	13	0.22	45	0.046	<1	0.67	0.025	0.09	<0.1	0.03	1.0	<0.1	<0.05	4	<0.5	<0.2
B L0700E 51600N	Soil	9	19	0.41	73	0.074	2	1.20	0.021	0.16	<0.1	0.06	2.3	0.1	<0.05	5	<0.5	<0.2
B L0700E 51700N	Soil	9	33	1.20	99	0.151	1	2.14	0.019	0.47	<0.1	0.02	4.3	0.2	<0.05	8	<0.5	<0.2
B L0700E 51800N	Soil	8	36	1.12	103	0.138	1	2.11	0.026	0.39	<0.1	0.04	4.1	0.2	<0.05	9	<0.5	<0.2



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: **Nokuyukon Holdings Inc.**
110 Falcon Dr.
Whitehorse YT Y1A 6C7 Canada

Project: NHL-10549-YT-BAY
Report Date: August 18, 2010

Page: 7 of 13 Part 1

CERTIFICATE OF ANALYSIS

WHI10000148.1

	Method Analyte Unit MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca
		ppm 0.1	ppm 0.1	ppm 0.1	ppm 1	ppm 0.1	ppm 0.1	ppm 0.1	ppm 1	% 0.01	ppm 0.5	ppm 0.1	ppb 0.5	ppm 0.1	ppm 1	ppm 0.1	ppm 0.1	ppm 0.1	ppm 2	% 0.01
B L0800E 50000N	Soil	1.0	17.7	6.0	43	0.2	22.7	8.4	300	1.87	6.8	0.3	2.4	1.0	14	0.3	0.3	<0.1	46	0.19
B L0800E 50100N	Soil	1.1	47.7	14.1	97	0.2	21.6	12.4	545	3.23	6.7	0.6	2.6	2.3	33	0.3	0.3	0.1	75	0.64
B L0800E 50200N	Soil	1.2	83.7	18.4	117	0.2	22.4	13.9	716	3.48	5.1	0.8	3.5	2.2	35	0.6	0.4	0.2	78	0.51
B L0800E 50300N	Soil	1.4	87.8	7.3	87	0.2	25.8	12.2	376	3.27	6.4	0.6	3.9	1.7	30	0.6	0.4	0.1	72	0.43
B L0800E 50400N	Soil	1.3	76.7	6.9	59	0.2	19.4	8.9	510	2.04	4.6	0.5	2.1	0.6	28	0.6	0.3	0.1	47	0.39
B L0800E 50500N	Soil	1.4	119.7	7.2	65	0.1	36.3	15.6	478	3.63	7.9	0.5	4.0	1.8	29	0.1	0.5	0.1	86	0.49
B L0800E 50600N	Soil	0.8	149.6	4.6	51	0.1	32.9	11.8	301	2.88	6.2	0.4	5.4	1.3	23	0.1	0.5	0.1	67	0.42
B L0800E 50700N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L0800E 50800N	Soil	0.8	17.6	4.6	26	<0.1	6.0	4.4	145	1.45	4.1	0.3	0.8	0.6	13	<0.1	0.2	<0.1	40	0.17
B L0800E 50900N	Soil	1.2	459.5	9.8	58	0.4	36.6	15.9	290	4.00	15.0	1.0	7.6	0.7	26	0.1	0.7	0.1	77	0.36
B L0800E 51000N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L0800E 51100N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L0800E 51200N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L0800E 51300N	Soil	0.8	23.0	13.4	58	0.2	48.7	10.0	520	2.19	4.1	0.7	1.5	1.5	20	0.2	0.4	0.1	45	0.23
B L0800E 51400N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L0800E 51500N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L0800E 51600N	Soil	1.3	14.5	19.9	72	0.1	10.6	4.6	221	2.19	5.3	0.5	2.3	1.7	17	0.1	0.6	0.2	46	0.18
B L0800E 51700N	Soil	1.2	16.0	17.6	65	0.1	17.6	11.6	499	3.27	8.2	0.6	1.8	4.0	24	0.2	0.3	0.2	69	0.33
B L0800E 51800N	Soil	1.0	15.1	20.9	74	0.1	17.1	9.2	425	3.18	6.4	0.5	2.3	6.3	16	0.1	0.3	0.2	58	0.22
B L0900E 50000N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L0900E 50100N	Soil	1.5	29.9	15.7	91	0.3	22.0	10.1	555	3.42	7.6	1.5	1.3	3.2	42	0.2	0.4	0.3	71	0.62
B L0900E 50200N	Soil	1.2	27.0	19.5	97	0.2	29.9	9.9	598	3.24	5.5	1.0	0.6	3.3	45	0.3	0.5	0.3	65	0.65
B L0900E 50300N	Soil	1.0	32.9	18.7	106	0.2	151.8	19.9	648	3.44	4.9	0.8	<0.5	2.7	46	0.2	1.8	0.3	75	0.75
B L0900E 50400N	Soil	1.2	25.4	14.3	102	<0.1	25.5	11.4	503	3.18	7.3	0.6	4.1	4.4	29	0.3	0.4	0.1	71	0.43
B L0900E 50500N	Soil	1.6	41.2	10.6	108	<0.1	32.7	13.5	564	3.36	8.6	0.9	3.8	2.0	33	0.5	0.5	0.1	84	0.46
B L0900E 50600N	Soil	2.3	40.4	7.1	68	0.2	17.3	8.0	301	2.30	7.6	0.8	2.4	0.6	19	0.8	0.4	0.1	63	0.22
B L0900E 50700N	Soil	1.8	65.4	13.0	140	<0.1	41.0	12.5	315	3.26	7.2	0.8	3.1	2.0	26	1.2	0.4	0.1	90	0.44
B L0900E 50800N	Soil	3.4	101.0	10.5	222	0.4	61.8	17.0	545	4.85	14.7	1.6	3.0	2.5	37	2.7	0.5	0.1	129	0.45
B L0900E 50900N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L0900E 51000N	Soil	1.3	24.8	17.4	126	0.2	161.0	21.0	522	4.01	16.5	0.7	0.6	5.1	44	0.3	0.7	0.2	81	0.65



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: **Nokuyukon Holdings Inc.**
110 Falcon Dr.
Whitehorse YT Y1A 6C7 Canada

Project: NHL-10549-YT-BAY
Report Date: August 18, 2010

Page: 7 of 13 Part 2

CERTIFICATE OF ANALYSIS

WHI10000148.1

Method Analyte Unit MDL		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Ti	S	Ga	Se	Te
		ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.01	0.1	0.05	1	0.5	0.2
B L0800E 50000N	Soil	5	49	0.40	72	0.069	<1	1.07	0.022	0.08	<0.1	0.03	1.6	<0.1	<0.05	4	<0.5	<0.2
B L0800E 50100N	Soil	11	33	0.93	263	0.119	1	2.13	0.018	0.17	<0.1	0.04	3.8	<0.1	<0.05	7	<0.5	<0.2
B L0800E 50200N	Soil	13	30	1.09	408	0.123	2	2.48	0.019	0.27	<0.1	0.03	5.6	0.1	0.06	8	0.7	<0.2
B L0800E 50300N	Soil	8	38	0.83	432	0.112	3	2.69	0.027	0.11	0.1	0.03	4.6	<0.1	<0.05	8	<0.5	<0.2
B L0800E 50400N	Soil	6	25	0.44	257	0.050	3	1.45	0.034	0.07	<0.1	0.03	2.9	<0.1	0.05	5	<0.5	<0.2
B L0800E 50500N	Soil	8	46	1.00	294	0.112	2	2.80	0.018	0.07	0.1	0.03	4.6	<0.1	<0.05	8	0.7	<0.2
B L0800E 50600N	Soil	6	41	0.82	208	0.105	2	2.18	0.019	0.06	0.1	0.03	4.1	<0.1	<0.05	6	0.5	<0.2
B L0800E 50700N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L0800E 50800N	Soil	5	10	0.17	67	0.058	<1	0.87	0.036	0.04	<0.1	0.02	1.4	<0.1	<0.05	4	<0.5	<0.2
B L0800E 50900N	Soil	12	46	0.78	318	0.068	2	3.16	0.015	0.08	0.1	0.07	4.3	0.1	0.08	7	1.0	<0.2
B L0800E 51000N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L0800E 51100N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L0800E 51200N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L0800E 51300N	Soil	8	103	0.90	90	0.080	1	1.32	0.026	0.20	<0.1	0.03	3.1	0.2	<0.05	5	<0.5	<0.2
B L0800E 51400N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L0800E 51500N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L0800E 51600N	Soil	9	19	0.46	74	0.093	4	1.26	0.022	0.15	0.1	0.06	2.3	<0.1	<0.05	5	<0.5	<0.2
B L0800E 51700N	Soil	11	27	0.86	110	0.131	1	2.32	0.024	0.19	0.1	0.02	3.7	0.2	<0.05	7	<0.5	<0.2
B L0800E 51800N	Soil	16	28	1.15	78	0.162	1	2.15	0.023	0.41	<0.1	0.01	3.6	0.3	<0.05	8	<0.5	<0.2
B L0900E 50000N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L0900E 50100N	Soil	20	33	0.84	203	0.128	2	2.38	0.021	0.28	<0.1	0.04	5.0	0.1	<0.05	8	0.9	<0.2
B L0900E 50200N	Soil	19	54	0.95	182	0.138	2	2.09	0.026	0.21	<0.1	0.03	4.7	0.1	<0.05	7	<0.5	<0.2
B L0900E 50300N	Soil	14	276	2.30	221	0.142	2	2.67	0.025	0.28	<0.1	0.02	4.6	0.1	<0.05	8	0.5	<0.2
B L0900E 50400N	Soil	14	39	0.92	167	0.150	2	2.12	0.016	0.28	0.1	0.02	4.0	0.1	<0.05	6	<0.5	<0.2
B L0900E 50500N	Soil	13	39	0.74	207	0.104	2	2.25	0.021	0.08	<0.1	0.03	4.0	<0.1	<0.05	7	0.6	<0.2
B L0900E 50600N	Soil	6	25	0.42	122	0.075	<1	1.31	0.024	0.06	<0.1	0.03	2.0	<0.1	<0.05	6	0.8	<0.2
B L0900E 50700N	Soil	9	38	0.78	172	0.130	2	2.34	0.023	0.08	0.1	0.02	3.7	<0.1	<0.05	7	1.3	<0.2
B L0900E 50800N	Soil	15	76	1.30	400	0.123	2	2.59	0.021	0.14	0.1	0.05	7.2	0.2	<0.05	8	2.6	<0.2
B L0900E 50900N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L0900E 51000N	Soil	16	300	2.40	164	0.163	<1	2.68	0.025	0.28	<0.1	0.03	4.1	0.2	<0.05	8	0.8	<0.2



Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Nokuyukon Holdings Inc.**
110 Falcon Dr.
Whitehorse YT Y1A 6C7 Canada

Project: NHL-10549-YT-BAY
Report Date: August 18, 2010

Page: 8 of 13 Part 1

CERTIFICATE OF ANALYSIS

WHI10000148.1

Method Analyte Unit MDL		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
B L0900E 51100N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L0900E 51200N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L0900E 51300N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L0900E 51400N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L0900E 51500N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L0900E 51600N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L0900E 51700N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L0900E 51800N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L1000E 50000N	Soil	1.9	30.8	38.0	113	0.2	15.3	9.0	384	3.17	16.1	0.7	2.1	3.4	22	0.5	0.4	0.3	62	0.28	0.031
B L1000E 50100N	Soil	1.4	25.7	19.4	90	0.2	20.8	14.2	951	4.19	8.1	0.8	3.1	5.5	28	0.2	0.4	0.3	79	0.37	0.062
B L1000E 50200N	Soil	1.1	22.6	14.8	76	<0.1	16.8	10.7	574	3.24	5.3	0.7	2.5	3.8	29	0.1	0.3	0.2	70	0.48	0.033
B L1000E 50300N	Soil	1.1	23.2	13.2	70	<0.1	19.6	10.8	505	3.30	5.2	0.6	4.3	4.0	25	0.2	0.3	0.2	70	0.37	0.048
B L1000E 50400N	Soil	1.2	23.3	14.6	75	<0.1	19.8	10.1	504	3.31	5.9	0.5	4.7	3.9	22	0.2	0.3	0.2	71	0.35	0.048
B L1000E 50500N	Soil	1.4	16.0	13.1	54	0.1	10.9	6.8	348	2.39	6.2	0.4	1.8	2.1	16	0.1	0.3	0.2	54	0.19	0.033
B L1000E 50600N	Soil	1.8	26.3	20.6	91	0.2	15.6	9.3	532	3.78	7.7	0.6	1.3	4.3	19	0.2	0.4	0.6	69	0.18	0.033
B L1000E 50700N	Soil	1.3	20.5	47.1	137	0.2	15.8	9.4	686	3.63	5.9	0.6	2.4	8.1	21	0.2	0.4	0.3	57	0.25	0.034
B L1000E 50800N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L1000E 50900N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L1000E 51000N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L1000E 51100N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L1000E 51200N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L1000E 51300N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L1000E 51400N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L1000E 51500N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L1000E 51600N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L1000E 51700N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L1000E 51800N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L1100E 50000N	Soil	1.7	33.1	49.3	195	0.4	21.6	9.2	566	3.28	9.2	1.1	3.9	3.6	36	0.3	0.4	0.3	56	0.49	0.052
B L1100E 50100N	Soil	2.4	25.3	46.1	127	0.2	18.0	8.6	573	3.32	7.3	0.8	0.7	4.1	27	0.2	0.4	0.3	67	0.33	0.033
B L1100E 50200N	Soil	2.1	24.9	25.8	92	0.2	16.5	10.5	642	3.72	6.0	1.1	1.1	4.1	31	0.1	0.3	0.3	68	0.45	0.063



Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Nokuyukon Holdings Inc.**
110 Falcon Dr.
Whitehorse YT Y1A 6C7 Canada

Project: NHL-10549-YT-BAY
Report Date: August 18, 2010

Page: 8 of 13 Part 2

CERTIFICATE OF ANALYSIS

WHI10000148.1

Method Analyte Unit MDL		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
		ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
B L0900E 51100N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L0900E 51200N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L0900E 51300N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L0900E 51400N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L0900E 51500N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L0900E 51600N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L0900E 51700N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L0900E 51800N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L1000E 50000N	Soil	13	25	0.65	154	0.116	1	2.01	0.033	0.20	0.1	0.03	3.7	0.1	<0.05	7	<0.5	<0.2
B L1000E 50100N	Soil	17	34	0.94	200	0.188	2	2.60	0.055	0.37	<0.1	<0.01	5.9	0.2	<0.05	10	<0.5	<0.2
B L1000E 50200N	Soil	13	28	0.89	174	0.156	2	1.96	0.022	0.32	0.1	0.02	4.7	0.2	<0.05	7	<0.5	<0.2
B L1000E 50300N	Soil	17	30	0.87	145	0.163	1	2.26	0.019	0.31	0.1	0.02	4.4	0.1	<0.05	7	<0.5	<0.2
B L1000E 50400N	Soil	12	32	0.79	114	0.146	2	2.07	0.019	0.22	<0.1	0.02	3.6	0.1	<0.05	7	<0.5	<0.2
B L1000E 50500N	Soil	8	19	0.39	78	0.102	1	1.31	0.035	0.12	<0.1	0.01	2.4	<0.1	<0.05	6	<0.5	<0.2
B L1000E 50600N	Soil	14	26	0.65	119	0.133	<1	1.95	0.014	0.26	<0.1	0.02	3.3	0.2	<0.05	8	<0.5	<0.2
B L1000E 50700N	Soil	20	26	1.04	114	0.179	1	2.13	0.017	0.61	<0.1	0.03	4.7	0.4	<0.05	7	<0.5	<0.2
B L1000E 50800N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L1000E 50900N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L1000E 51000N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L1000E 51100N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L1000E 51200N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L1000E 51300N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L1000E 51400N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L1000E 51500N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L1000E 51600N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L1000E 51700N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L1000E 51800N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L1100E 50000N	Soil	14	32	0.89	143	0.122	2	2.23	0.025	0.31	<0.1	0.05	4.5	0.2	<0.05	8	0.6	<0.2
B L1100E 50100N	Soil	14	29	0.76	145	0.145	2	2.01	0.023	0.26	<0.1	0.02	3.9	0.2	<0.05	7	<0.5	<0.2
B L1100E 50200N	Soil	18	27	1.03	177	0.151	1	2.22	0.025	0.42	<0.1	0.03	5.1	0.2	<0.05	8	<0.5	<0.2



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: **Nokuyukon Holdings Inc.**
110 Falcon Dr.
Whitehorse YT Y1A 6C7 Canada

Project: NHL-10549-YT-BAY
Report Date: August 18, 2010

Page: 9 of 13 Part 1

CERTIFICATE OF ANALYSIS

WHI10000148.1

	Method Analyte Unit MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
		ppm 0.1	ppm 0.1	ppm 0.1	ppm 1	ppm 0.1	ppm 0.1	ppm 0.1	ppm 1	% 0.01	ppm 0.5	ppm 0.1	ppb 0.5	ppm 0.1	ppm 1	ppm 0.1	ppm 0.1	ppm 0.1	ppm 2	% 0.01	% 0.001
B L1100E 50300N	Soil	1.3	26.6	17.6	85	0.2	16.3	12.4	612	3.57	4.1	1.1	1.2	3.4	39	0.2	0.3	0.2	78	0.74	0.053
B L1100E 50400N	Soil	1.1	23.8	14.0	91	<0.1	19.3	11.7	547	3.65	4.8	0.4	1.2	4.2	23	0.1	0.3	0.2	85	0.34	0.036
B L1100E 50500N	Soil	1.2	29.1	11.5	67	<0.1	24.4	10.4	417	3.41	7.0	0.8	2.2	4.5	23	0.1	0.4	0.2	75	0.30	0.043
B L1100E 50600N	Soil	0.8	23.8	13.1	77	<0.1	21.9	10.7	447	3.46	6.1	0.5	0.7	5.8	21	<0.1	0.4	0.2	73	0.28	0.019
B L1100E 50700N	Soil	1.0	16.4	16.4	71	<0.1	12.7	9.3	609	2.75	4.1	0.4	3.1	3.6	18	0.1	0.4	0.2	52	0.22	0.038
B L1100E 50800N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L1100E 50900N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L1100E 51000N	Soil	1.5	20.9	30.6	139	0.3	12.0	8.9	816	3.47	5.2	0.8	3.4	4.7	21	0.2	0.5	0.5	48	0.23	0.050
B L1100E 51100N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L1100E 51200N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L1100E 51300N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L1100E 51400N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L1100E 51500N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L1100E 51600N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L1100E 51700N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L1100E 51800N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L1200E 50000N	Soil	1.1	15.9	13.2	61	0.1	14.9	8.3	364	2.71	7.1	0.5	2.3	3.9	15	<0.1	0.4	0.2	47	0.19	0.020
B L1200E 50100N	Soil	1.4	18.5	19.9	118	0.1	18.6	8.5	638	2.95	5.6	0.7	3.5	4.1	20	0.2	0.4	0.2	51	0.28	0.040
B L1200E 50200N	Soil	1.9	27.3	30.8	93	0.4	14.8	6.1	355	2.60	6.5	0.7	2.3	2.3	19	0.2	0.3	0.3	42	0.22	0.056
B L1200E 50300N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L1200E 50400N	Soil	1.6	18.4	12.5	57	0.1	16.0	7.9	360	3.31	6.1	0.4	1.4	2.8	16	0.1	0.4	0.2	74	0.22	0.023
B L1200E 50500N	Soil	1.0	22.6	11.7	68	0.1	22.0	15.4	645	3.64	5.2	0.4	1.8	3.7	17	0.1	0.3	0.1	77	0.30	0.046
B L1200E 50600N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L1200E 50700N	Soil	1.2	12.6	26.8	58	<0.1	10.5	5.0	287	2.73	4.5	0.4	3.1	6.6	12	0.2	0.2	0.1	33	0.14	0.030
B L1200E 50800N	Soil	0.7	26.4	14.0	74	<0.1	23.2	10.1	429	3.10	5.6	0.5	1.5	4.5	19	<0.1	0.3	0.1	63	0.28	0.026
B L1200E 50900N	Soil	1.4	20.1	48.4	175	<0.1	8.5	6.6	430	3.31	6.1	0.6	1.9	8.9	22	0.6	0.4	0.3	47	0.15	0.045
B L1200E 51000N	Soil	1.8	15.2	23.0	124	<0.1	11.5	9.1	643	3.20	4.6	0.4	6.4	5.1	18	0.5	0.4	0.2	56	0.17	0.038
B L1200E 51100N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L1200E 51200N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L1200E 51300N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: **Nokuyukon Holdings Inc.**
110 Falcon Dr.
Whitehorse YT Y1A 6C7 Canada

Project: NHL-10549-YT-BAY
Report Date: August 18, 2010

Page: 9 of 13 Part 2

CERTIFICATE OF ANALYSIS

WHI10000148.1

	Method Analyte Unit MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Ti	S	Ga	Se	Te
		ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
B L1100E 50300N	Soil	16	26	1.19	235	0.167	<1	2.40	0.027	0.38	<0.1	0.04	6.4	0.2	<0.05	8	<0.5	<0.2
B L1100E 50400N	Soil	12	32	1.20	168	0.192	2	2.46	0.017	0.48	<0.1	0.02	5.3	0.2	<0.05	8	<0.5	<0.2
B L1100E 50500N	Soil	15	32	0.74	137	0.141	2	2.48	0.026	0.15	<0.1	0.02	3.8	0.1	<0.05	8	<0.5	<0.2
B L1100E 50600N	Soil	15	29	0.96	164	0.180	2	2.65	0.028	0.30	<0.1	0.02	5.0	0.2	<0.05	7	<0.5	<0.2
B L1100E 50700N	Soil	13	27	0.87	109	0.126	1	2.00	0.029	0.33	<0.1	0.02	3.4	0.3	<0.05	6	<0.5	<0.2
B L1100E 50800N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L1100E 50900N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L1100E 51000N	Soil	12	23	0.87	98	0.115	2	1.86	0.016	0.54	<0.1	0.03	3.9	0.4	0.17	7	<0.5	<0.2
B L1100E 51100N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L1100E 51200N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L1100E 51300N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L1100E 51400N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L1100E 51500N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L1100E 51600N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L1100E 51700N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L1100E 51800N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L1200E 50000N	Soil	10	25	0.59	94	0.096	2	1.65	0.020	0.24	<0.1	0.01	3.0	0.2	<0.05	6	<0.5	<0.2
B L1200E 50100N	Soil	10	26	0.84	90	0.099	1	1.70	0.009	0.34	<0.1	0.01	3.5	0.2	<0.05	6	<0.5	<0.2
B L1200E 50200N	Soil	9	22	0.53	97	0.072	1	1.68	0.018	0.18	<0.1	0.05	2.7	0.1	<0.05	6	0.6	<0.2
B L1200E 50300N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L1200E 50400N	Soil	9	29	0.72	120	0.112	1	1.93	0.012	0.13	0.1	0.02	3.3	0.1	<0.05	8	<0.5	<0.2
B L1200E 50500N	Soil	10	35	0.96	135	0.149	1	2.24	0.013	0.24	0.1	0.02	4.3	0.2	<0.05	8	<0.5	<0.2
B L1200E 50600N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L1200E 50700N	Soil	17	15	0.47	71	0.084	<1	1.33	0.009	0.37	<0.1	0.02	2.3	0.3	0.08	5	<0.5	<0.2
B L1200E 50800N	Soil	16	30	0.81	141	0.120	2	2.10	0.015	0.24	0.1	0.02	4.4	0.2	<0.05	6	<0.5	<0.2
B L1200E 50900N	Soil	35	15	0.81	126	0.136	1	1.57	0.012	0.68	0.1	0.02	3.4	0.3	0.10	6	<0.5	<0.2
B L1200E 51000N	Soil	18	21	0.74	110	0.125	1	1.57	0.014	0.48	0.1	0.02	2.8	0.2	0.08	6	<0.5	<0.2
B L1200E 51100N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L1200E 51200N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L1200E 51300N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: **Nokuyukon Holdings Inc.**
110 Falcon Dr.
Whitehorse YT Y1A 6C7 Canada

Project: NHL-10549-YT-BAY
Report Date: August 18, 2010

Page: 10 of 13 Part 1

CERTIFICATE OF ANALYSIS

WHI10000148.1

Method Analyte Unit MDL		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
B L1200E 51400N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L1200E 51500N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L1200E 51600N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L1200E 51700N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L1200E 51800N	Soil	1.0	17.7	18.6	76	0.2	16.6	8.4	375	2.64	5.4	0.9	1.7	3.4	23	0.2	0.3	0.2	54	0.35	0.042
B L1300E 50000N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L1300E 50100N	Soil	1.4	18.4	14.3	63	0.1	20.8	9.3	445	3.04	23.4	0.6	0.8	4.2	22	0.1	0.4	0.1	59	0.35	0.033
B L1300E 50200N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L1300E 50300N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L1300E 50400N	Soil	1.5	29.9	64.8	111	0.1	16.7	7.6	549	3.09	7.3	0.4	3.7	4.4	21	0.2	0.3	0.2	50	0.23	0.040
B L1300E 50500N	Soil	1.6	24.3	10.8	58	0.1	23.8	11.9	414	3.47	7.3	0.5	3.2	4.2	17	0.1	0.4	0.2	77	0.22	0.035
B L1300E 50600N	Soil	2.1	22.4	9.8	67	0.2	23.0	11.6	319	4.02	10.1	0.5	5.6	2.6	17	0.1	0.7	0.2	95	0.20	0.029
B L1300E 50700N	Soil	0.8	13.4	6.1	37	<0.1	10.5	6.5	413	3.25	2.8	0.4	1.0	5.4	11	<0.1	0.2	0.1	55	0.14	0.026
B L1300E 50800N	Soil	1.2	21.7	10.8	50	<0.1	18.3	9.3	527	3.56	4.8	0.5	1.3	4.4	16	<0.1	0.3	0.2	60	0.19	0.029
B L1300E 50900N	Soil	2.5	26.5	16.5	45	0.1	15.7	8.0	375	4.09	6.1	0.5	2.4	5.5	18	0.1	0.4	0.3	61	0.17	0.033
B L1300E 51000N	Soil	2.0	17.3	19.3	55	0.2	12.1	8.3	646	3.35	3.4	0.7	2.3	5.5	19	<0.1	0.3	0.2	48	0.22	0.041
B L1300E 51100N	Soil	2.0	10.4	17.0	59	<0.1	10.2	5.4	473	2.66	3.3	0.3	0.8	3.5	14	<0.1	0.2	0.2	41	0.15	0.030
B L1300E 51200N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L1300E 51300N	Soil	1.7	9.8	28.5	81	<0.1	14.5	7.7	769	2.56	3.8	0.3	1.7	2.4	13	0.2	0.2	0.2	52	0.17	0.037
B L1300E 51400N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L1300E 51500N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L1300E 51600N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L1300E 51700N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L1300E 51800N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L1400E 50000N	Soil	1.9	28.2	129.5	139	0.2	11.5	4.4	377	2.58	8.3	0.6	4.2	5.2	19	0.4	0.5	0.3	36	0.22	0.026
B L1400E 50100N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L1400E 50200N	Soil	1.8	24.2	16.9	65	0.1	23.2	11.0	640	3.47	26.4	1.0	2.0	4.8	21	<0.1	0.5	0.2	64	0.29	0.027
B L1400E 50300N	Soil	0.7	11.1	13.2	72	<0.1	14.4	7.2	352	3.27	3.9	0.3	1.1	4.3	12	<0.1	0.4	0.2	40	0.17	0.018
B L1400E 50400N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L1400E 50500N	Soil	1.3	30.6	102.7	79	<0.1	19.1	8.8	410	3.35	6.6	0.5	3.3	3.2	17	<0.1	0.4	0.3	69	0.25	0.049



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: **Nokuyukon Holdings Inc.**
110 Falcon Dr.
Whitehorse YT Y1A 6C7 Canada

Project: NHL-10549-YT-BAY
Report Date: August 18, 2010

Page: 10 of 13 Part 2

CERTIFICATE OF ANALYSIS

WHI10000148.1

Method Analyte Unit MDL		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Ti	S	Ga	Se	Te
		ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
B L1200E 51400N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L1200E 51500N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L1200E 51600N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L1200E 51700N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L1200E 51800N	Soil	16	24	0.71	119	0.097	1	1.86	0.017	0.21	0.1	0.03	3.3	0.2	<0.05	7	<0.5	<0.2
B L1300E 50000N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L1300E 50100N	Soil	11	30	0.78	97	0.119	1	1.83	0.014	0.30	0.1	0.01	3.5	0.2	<0.05	6	<0.5	<0.2
B L1300E 50200N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L1300E 50300N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L1300E 50400N	Soil	10	23	0.80	113	0.099	<1	1.92	0.014	0.25	0.1	0.03	3.1	0.2	0.07	6	<0.5	<0.2
B L1300E 50500N	Soil	11	34	0.80	136	0.106	1	2.55	0.013	0.12	<0.1	0.03	3.8	0.1	<0.05	7	<0.5	<0.2
B L1300E 50600N	Soil	9	38	0.57	111	0.068	<1	2.72	0.013	0.06	<0.1	0.03	3.6	0.2	<0.05	9	<0.5	<0.2
B L1300E 50700N	Soil	17	18	0.91	133	0.122	1	2.09	0.010	0.38	<0.1	0.01	4.4	0.2	<0.05	8	<0.5	<0.2
B L1300E 50800N	Soil	17	27	0.72	105	0.115	1	2.08	0.011	0.40	<0.1	0.02	3.6	0.2	<0.05	7	<0.5	<0.2
B L1300E 50900N	Soil	17	26	0.70	100	0.130	1	2.11	0.011	0.47	0.1	0.03	3.3	0.3	0.08	8	<0.5	<0.2
B L1300E 51000N	Soil	23	22	0.75	111	0.125	1	1.72	0.013	0.50	<0.1	0.03	3.6	0.3	<0.05	7	<0.5	<0.2
B L1300E 51100N	Soil	14	19	0.65	79	0.127	2	1.39	0.012	0.46	<0.1	0.03	2.7	0.3	<0.05	7	<0.5	<0.2
B L1300E 51200N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L1300E 51300N	Soil	10	28	0.84	70	0.114	<1	1.62	0.014	0.31	0.1	0.02	3.3	0.3	<0.05	7	<0.5	<0.2
B L1300E 51400N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L1300E 51500N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L1300E 51600N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L1300E 51700N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L1300E 51800N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L1400E 50000N	Soil	11	16	0.55	104	0.087	<1	1.17	0.014	0.38	<0.1	0.02	2.3	0.2	0.13	4	<0.5	<0.2
B L1400E 50100N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L1400E 50200N	Soil	13	33	0.77	149	0.101	2	2.40	0.017	0.28	0.2	0.03	4.4	0.2	<0.05	7	<0.5	<0.2
B L1400E 50300N	Soil	8	23	1.40	75	0.149	<1	2.47	0.010	0.63	<0.1	<0.01	3.6	0.4	<0.05	7	<0.5	<0.2
B L1400E 50400N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L1400E 50500N	Soil	12	28	0.71	140	0.111	1	2.14	0.014	0.20	<0.1	0.02	3.8	0.1	<0.05	7	0.5	<0.2



Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Nokuyukon Holdings Inc.**
110 Falcon Dr.
Whitehorse YT Y1A 6C7 Canada

Project: NHL-10549-YT-BAY
Report Date: August 18, 2010

Page: 11 of 13 Part 1

CERTIFICATE OF ANALYSIS

WHI10000148.1

Method Analyte Unit MDL		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca
		ppm 0.1	ppm 0.1	ppm 0.1	ppm 1	ppm 0.1	ppm 0.1	ppm 0.1	ppm 1	% 0.01	ppm 0.5	ppm 0.1	ppb 0.5	ppm 0.1	ppm 1	ppm 0.1	ppm 0.1	ppm 0.1	ppm 2	% 0.01
B L1400E 50600N	Soil	1.1	21.7	18.9	42	<0.1	13.3	6.4	356	3.39	2.9	0.4	0.9	5.7	17	<0.1	0.2	0.2	45	0.21
B L1400E 50700N	Soil	1.1	19.9	11.5	48	<0.1	20.6	10.0	347	3.10	5.5	0.4	2.9	2.9	17	<0.1	0.3	0.1	63	0.27
B L1400E 50800N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L1400E 50900N	Soil	1.5	19.1	18.4	63	<0.1	14.5	7.5	515	3.24	3.8	0.6	2.8	5.8	18	0.2	0.3	0.3	49	0.21
B L1400E 51000N	Soil	1.7	18.9	20.9	77	0.2	10.5	7.2	555	3.47	4.3	0.7	7.0	5.8	16	0.1	0.3	0.3	45	0.15
B L1400E 51100N	Soil	1.8	14.4	37.2	107	0.2	14.4	10.1	659	3.04	5.3	0.4	2.8	3.5	18	0.2	0.3	0.3	54	0.20
B L1400E 51200N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L1400E 51300N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L1400E 51400N	Soil	0.7	14.6	10.2	70	0.1	19.5	14.9	694	3.18	3.2	0.3	0.7	2.0	17	<0.1	0.2	0.1	96	0.32
B L1400E 51500N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L1400E 51600N	Soil	1.2	7.4	18.1	52	<0.1	10.8	5.9	495	1.98	3.7	0.4	2.1	2.4	14	<0.1	0.2	0.2	49	0.20
B L1400E 51700N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L1400E 51800N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L1500E 50000N	Soil	2.1	22.3	52.3	95	0.2	17.7	7.9	490	2.85	8.6	1.0	1.9	3.3	26	0.2	0.6	0.3	55	0.40
B L1500E 50100N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L1500E 50200N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L1500E 50300N	Soil	1.3	14.3	8.4	41	0.2	15.6	9.0	366	2.72	7.0	0.4	1.2	1.4	14	0.1	0.4	0.1	60	0.21
B L1500E 50400N	Soil	1.9	17.6	14.5	55	0.2	14.7	8.7	420	2.87	7.1	0.4	3.1	1.8	16	0.1	0.5	0.2	67	0.19
B L1500E 50500N	Soil	1.3	24.9	17.2	89	<0.1	26.3	9.9	329	3.43	10.7	0.5	2.0	4.6	15	0.2	0.4	0.2	67	0.20
B L1500E 50600N	Soil	1.7	32.3	29.9	69	0.1	25.4	11.6	418	3.22	9.4	0.8	2.7	4.1	20	0.1	0.4	0.3	64	0.23
B L1500E 50700N	Soil	1.0	23.8	107.3	86	<0.1	10.7	5.3	438	2.53	4.0	0.3	1.5	5.0	17	0.2	0.2	0.3	33	0.18
B L1500E 50800N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L1500E 50900N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L1500E 51000N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L1500E 51100N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L1500E 51200N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L1500E 51300N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L1500E 51400N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L1500E 51500N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L1500E 51600N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: **Nokuyukon Holdings Inc.**
110 Falcon Dr.
Whitehorse YT Y1A 6C7 Canada

Project: NHL-10549-YT-BAY
Report Date: August 18, 2010

Page: 11 of 13 Part 2

CERTIFICATE OF ANALYSIS

WHI10000148.1

Method Analyte Unit MDL		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
		ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.01	0.1	0.05	1	0.5	0.2
B L1400E 50600N	Soil	20	20	1.35	117	0.142	<1	2.32	0.011	0.64	0.1	0.02	4.3	0.3	<0.05	8	<0.5	<0.2
B L1400E 50700N	Soil	11	25	0.73	130	0.104	1	2.12	0.014	0.15	0.1	0.02	3.3	0.1	<0.05	7	<0.5	<0.2
B L1400E 50800N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L1400E 50900N	Soil	17	21	0.67	99	0.105	1	1.59	0.023	0.36	0.1	0.02	3.1	0.2	0.05	6	<0.5	<0.2
B L1400E 51000N	Soil	18	21	0.90	110	0.115	1	1.77	0.011	0.52	<0.1	0.03	3.9	0.3	0.09	7	<0.5	<0.2
B L1400E 51100N	Soil	13	24	0.77	113	0.107	<1	1.71	0.013	0.29	0.1	0.05	2.7	0.2	<0.05	6	<0.5	<0.2
B L1400E 51200N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L1400E 51300N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L1400E 51400N	Soil	6	48	1.86	94	0.139	1	2.34	0.018	0.40	<0.1	0.03	4.3	0.3	<0.05	7	<0.5	<0.2
B L1400E 51500N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L1400E 51600N	Soil	7	20	0.52	55	0.094	<1	1.18	0.014	0.21	0.1	0.02	2.1	0.2	<0.05	5	<0.5	<0.2
B L1400E 51700N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L1400E 51800N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L1500E 50000N	Soil	11	26	0.74	135	0.088	<1	1.74	0.019	0.25	0.1	0.03	2.8	0.1	0.06	6	<0.5	<0.2
B L1500E 50100N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L1500E 50200N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L1500E 50300N	Soil	7	23	0.47	104	0.075	<1	1.44	0.016	0.07	0.1	0.02	2.1	<0.1	<0.05	5	<0.5	<0.2
B L1500E 50400N	Soil	8	26	0.50	101	0.083	<1	1.54	0.015	0.12	<0.1	0.02	2.4	0.1	<0.05	8	<0.5	<0.2
B L1500E 50500N	Soil	14	34	0.73	136	0.105	<1	2.40	0.010	0.24	<0.1	0.02	3.4	0.2	<0.05	7	<0.5	<0.2
B L1500E 50600N	Soil	12	31	0.67	180	0.095	1	2.19	0.013	0.10	0.1	0.03	3.9	0.1	<0.05	6	<0.5	<0.2
B L1500E 50700N	Soil	11	16	0.54	125	0.111	<1	1.26	0.014	0.35	<0.1	<0.01	3.0	0.2	0.15	5	<0.5	<0.2
B L1500E 50800N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L1500E 50900N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L1500E 51000N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L1500E 51100N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L1500E 51200N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L1500E 51300N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L1500E 51400N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L1500E 51500N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L1500E 51600N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: **Nokuyukon Holdings Inc.**
110 Falcon Dr.
Whitehorse YT Y1A 6C7 Canada

Project: NHL-10549-YT-BAY
Report Date: August 18, 2010

Page: 12 of 13 Part 1

CERTIFICATE OF ANALYSIS

WHI10000148.1

	Method Analyte Unit MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
		ppm 0.1	ppm 0.1	ppm 0.1	ppm 1	ppm 0.1	ppm 0.1	ppm 0.1	ppm 1	% 0.01	ppm 0.5	ppm 0.1	ppb 0.5	ppm 0.1	ppm 1	ppm 0.1	ppm 0.1	ppm 0.1	ppm 2	% 0.01	% 0.001
B L1500E 51700N	Soil	1.1	12.4	16.1	57	0.1	12.5	10.0	649	2.44	3.4	0.9	2.6	3.2	22	<0.1	0.2	0.2	44	0.32	0.039
B L1500E 51800N	Soil	0.8	11.1	17.0	58	0.1	11.6	9.3	709	2.29	3.7	0.7	1.6	3.1	18	0.1	0.2	0.2	46	0.22	0.036
B L1700E 50000N	Soil	0.8	17.6	13.3	62	0.1	14.4	7.7	407	2.46	4.5	0.5	1.5	3.2	26	0.2	0.3	0.2	47	0.34	0.034
B L1700E 50100N	Soil	0.9	22.1	14.1	65	0.1	18.4	8.8	475	2.89	4.7	0.8	3.9	4.5	26	<0.1	0.3	0.2	54	0.38	0.039
B L1700E 50200N	Soil	1.3	29.9	15.2	58	0.3	19.0	9.4	498	2.91	10.1	1.4	1.4	2.6	27	0.2	0.4	0.2	60	0.37	0.042
B L1700E 50300N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L1700E 50400N	Soil	1.1	27.3	10.0	51	0.1	23.7	10.4	339	3.05	7.8	0.5	3.5	2.7	20	<0.1	0.4	0.2	76	0.29	0.031
B L1700E 50500N	Soil	0.9	9.7	8.3	19	<0.1	4.9	2.7	90	1.32	3.3	0.2	<0.5	1.3	11	<0.1	0.3	0.1	33	0.10	0.020
B L1700E 50600N	Soil	0.4	21.1	9.5	59	<0.1	22.3	25.9	1156	4.94	1.1	0.1	<0.5	3.4	16	0.2	<0.1	<0.1	167	0.27	0.039
B L1700E 50700N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L1700E 50800N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L1700E 50900N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L1700E 51000N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L1700E 51100N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L1700E 51200N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L1700E 51300N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L1700E 51400N	Soil	0.9	11.4	11.5	52	<0.1	9.5	6.6	485	2.34	4.0	0.3	2.0	2.6	13	0.1	0.3	0.1	37	0.22	0.034
B L1700E 51500N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L1700E 51600N	Soil	0.8	11.0	15.8	81	<0.1	15.1	12.6	711	3.39	2.8	0.4	<0.5	5.7	18	<0.1	0.2	0.2	58	0.30	0.027
B L1700E 51700N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L1700E 51800N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L1800E 50000N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L1800E 50100N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L1800E 50200N	Soil	0.6	23.5	10.8	57	<0.1	20.8	9.2	351	2.80	5.6	0.5	<0.5	3.5	25	<0.1	0.3	0.1	65	0.35	0.033
B L1800E 50300N	Soil	1.3	19.8	11.4	48	<0.1	16.7	7.1	288	2.59	7.5	0.5	2.6	2.4	21	<0.1	0.4	0.2	60	0.28	0.036
B L1800E 50400N	Soil	0.7	30.2	10.5	49	0.1	23.4	10.1	321	3.01	6.9	0.7	1.1	3.0	28	0.1	0.3	0.1	70	0.36	0.041
B L1800E 50500N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L1800E 50600N	Soil	0.9	13.5	18.7	47	<0.1	13.7	7.0	260	2.90	5.6	0.5	0.6	4.5	14	0.1	0.3	0.2	52	0.17	0.024
B L1800E 50700N	Soil	0.6	31.8	16.4	70	0.2	20.7	18.8	525	3.80	3.2	0.9	<0.5	7.3	18	0.1	0.2	0.2	103	0.39	0.032
B L1800E 50800N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: **Nokuyukon Holdings Inc.**
110 Falcon Dr.
Whitehorse YT Y1A 6C7 Canada

Project: NHL-10549-YT-BAY
Report Date: August 18, 2010

Page: 12 of 13 Part 2

CERTIFICATE OF ANALYSIS

WHI10000148.1

Method Analyte Unit MDL		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Ti	S	Ga	Se	Te
		ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.01	0.1	0.05	1	0.5	0.2
B L1500E 51700N	Soil	11	20	0.66	96	0.110	<1	1.49	0.018	0.22	<0.1	0.04	3.4	0.2	<0.05	5	<0.5	<0.2
B L1500E 51800N	Soil	12	22	0.50	71	0.099	1	1.28	0.018	0.13	<0.1	0.03	2.6	0.1	<0.05	6	<0.5	<0.2
B L1700E 50000N	Soil	10	22	0.66	113	0.127	<1	1.57	0.018	0.28	<0.1	0.01	3.4	0.2	<0.05	6	<0.5	0.2
B L1700E 50100N	Soil	13	33	0.84	110	0.137	2	1.82	0.016	0.30	0.1	0.03	4.6	0.2	<0.05	6	<0.5	<0.2
B L1700E 50200N	Soil	9	27	0.56	136	0.097	1	1.77	0.023	0.13	0.1	0.02	3.8	0.2	<0.05	6	<0.5	<0.2
B L1700E 50300N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L1700E 50400N	Soil	9	31	0.64	132	0.114	2	2.35	0.015	0.09	<0.1	0.03	4.1	0.1	<0.05	7	<0.5	<0.2
B L1700E 50500N	Soil	9	11	0.22	61	0.064	<1	0.78	0.015	0.08	<0.1	0.02	1.3	<0.1	<0.05	4	<0.5	0.2
B L1700E 50600N	Soil	6	64	4.94	199	0.309	<1	5.00	0.017	2.45	<0.1	<0.01	20.4	1.0	<0.05	11	<0.5	<0.2
B L1700E 50700N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L1700E 50800N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L1700E 50900N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L1700E 51000N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L1700E 51100N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L1700E 51200N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L1700E 51300N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L1700E 51400N	Soil	7	14	0.48	59	0.113	<1	1.19	0.020	0.27	<0.1	0.03	2.2	0.2	<0.05	5	<0.5	0.2
B L1700E 51500N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L1700E 51600N	Soil	16	21	1.62	142	0.202	<1	2.38	0.018	0.75	<0.1	0.02	5.7	0.3	<0.05	8	<0.5	0.2
B L1700E 51700N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L1700E 51800N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L1800E 50000N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L1800E 50100N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L1800E 50200N	Soil	11	33	0.73	130	0.143	2	1.94	0.016	0.12	0.4	0.02	4.0	0.1	<0.05	7	<0.5	<0.2
B L1800E 50300N	Soil	9	25	0.51	112	0.109	2	1.69	0.019	0.09	0.1	0.02	3.0	0.1	<0.05	6	<0.5	<0.2
B L1800E 50400N	Soil	11	32	0.70	156	0.125	<1	2.28	0.017	0.07	0.1	0.02	4.6	0.1	<0.05	7	<0.5	<0.2
B L1800E 50500N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L1800E 50600N	Soil	14	29	0.89	97	0.136	<1	1.87	0.010	0.23	<0.1	0.02	3.1	0.2	<0.05	8	<0.5	0.2
B L1800E 50700N	Soil	18	45	2.36	132	0.198	1	3.14	0.013	0.84	<0.1	0.01	7.4	0.7	<0.05	8	<0.5	0.5
B L1800E 50800N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.



Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Nokuyukon Holdings Inc.**
110 Falcon Dr.
Whitehorse YT Y1A 6C7 Canada

Project: NHL-10549-YT-BAY
Report Date: August 18, 2010

Page: 13 of 13 Part 1

CERTIFICATE OF ANALYSIS

WHI10000148.1

Method Analyte Unit MDL		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
B L1800E 50900N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L1800E 51000N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L1800E 51100N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L1800E 51200N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L1800E 51300N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L1800E 51400N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L1800E 51500N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L1800E 51600N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L1800E 51700N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L1800E 51800N	Soil	1.2	10.7	13.5	52	<0.1	8.4	3.9	239	2.07	3.6	0.5	1.1	3.1	13	<0.1	0.3	0.2	36	0.14	0.025
B L1900E 50000N	Soil	1.0	21.1	33.0	68	0.3	12.7	10.0	546	2.94	4.8	0.7	<0.5	4.9	22	0.1	0.4	0.3	41	0.28	0.036
B L1900E 50100N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L1900E 50200N	Soil	0.8	20.0	10.2	65	<0.1	20.0	10.3	487	2.87	8.8	0.5	0.9	4.7	23	0.2	0.4	0.2	52	0.32	0.042
B L1900E 50300N	Soil	0.6	23.9	10.7	57	<0.1	21.1	10.5	401	2.85	6.0	0.7	1.2	3.5	30	<0.1	0.3	0.2	63	0.44	0.050
B L1900E 50400N	Soil	1.0	25.0	10.4	50	0.1	22.6	9.9	300	3.08	7.9	0.5	1.1	2.8	25	0.1	0.4	0.2	70	0.33	0.045
B L1900E 50500N	Soil	0.5	25.3	10.8	56	<0.1	20.8	9.7	343	2.81	5.1	0.6	3.3	4.6	28	<0.1	0.3	0.2	57	0.36	0.046
B L1900E 50600N	Soil	0.5	16.5	14.4	61	<0.1	16.5	8.3	400	2.84	4.8	0.4	<0.5	5.5	17	<0.1	0.2	0.2	47	0.26	0.037
B L1900E 50700N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L1900E 50800N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L1900E 50900N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L1900E 51000N	Soil	0.4	11.9	19.2	71	0.1	14.6	6.2	244	1.98	2.9	0.7	4.2	6.1	22	<0.1	0.4	0.2	37	0.33	0.030
B L1900E 51100N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L1900E 51200N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L1900E 51300N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L1900E 51400N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L1900E 51500N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L1900E 51600N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L1900E 51700N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L1900E 51800N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L2000E 50000N	Soil	1.9	23.5	22.8	46	0.2	13.5	20.4	1115	3.37	10.2	0.6	<0.5	2.7	18	0.2	0.5	0.2	68	0.21	0.034



Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Nokuyukon Holdings Inc.**
110 Falcon Dr.
Whitehorse YT Y1A 6C7 Canada

Project: NHL-10549-YT-BAY
Report Date: August 18, 2010

Page: 13 of 13 Part 2

CERTIFICATE OF ANALYSIS

WHI10000148.1

Method Analyte Unit MDL		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Ti	S	Ga	Se	Te
		ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
B L1800E 50900N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L1800E 51000N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L1800E 51100N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L1800E 51200N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L1800E 51300N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L1800E 51400N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L1800E 51500N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L1800E 51600N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L1800E 51700N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L1800E 51800N	Soil	12	21	0.95	81	0.114	<1	1.64	0.010	0.29	<0.1	0.02	2.3	0.1	<0.05	9	<0.5	<0.2
B L1900E 50000N	Soil	10	22	1.14	106	0.155	<1	1.97	0.017	0.60	<0.1	0.02	3.2	0.2	<0.05	7	<0.5	<0.2
B L1900E 50100N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L1900E 50200N	Soil	12	25	0.80	138	0.150	1	1.88	0.017	0.29	<0.1	0.02	3.8	0.3	<0.05	6	<0.5	0.2
B L1900E 50300N	Soil	12	36	0.76	160	0.139	<1	2.19	0.019	0.11	0.1	0.02	5.2	0.1	<0.05	6	<0.5	<0.2
B L1900E 50400N	Soil	10	33	0.67	145	0.133	2	2.25	0.016	0.08	<0.1	0.03	3.9	0.1	<0.05	7	<0.5	<0.2
B L1900E 50500N	Soil	15	28	0.76	148	0.149	2	2.13	0.015	0.17	<0.1	0.02	4.6	0.2	<0.05	6	<0.5	<0.2
B L1900E 50600N	Soil	17	24	0.89	102	0.149	1	1.90	0.012	0.27	<0.1	0.01	3.5	0.3	<0.05	6	<0.5	0.2
B L1900E 50700N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L1900E 50800N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L1900E 50900N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L1900E 51000N	Soil	15	28	0.61	102	0.120	<1	1.57	0.016	0.24	<0.1	0.03	3.5	0.3	<0.05	6	<0.5	0.2
B L1900E 51100N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L1900E 51200N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L1900E 51300N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L1900E 51400N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L1900E 51500N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L1900E 51600N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L1900E 51700N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L1900E 51800N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L2000E 50000N	Soil	9	28	0.35	98	0.088	<1	2.14	0.020	0.09	<0.1	0.03	2.7	0.1	<0.05	8	<0.5	<0.2



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Nokuyukon Holdings Inc.**

110 Falcon Dr.

Whitehorse YT Y1A 6C7 Canada

Project: NHL-10549-YT-BAY

Report Date: August 18, 2010

Page: 1 of 2 Part 1

QUALITY CONTROL REPORT

WHI10000148.1

	Method Analyte Unit MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	0.1	2	0.01
Pulp Duplicates																					
B L0200E 50500N	Soil	2.3	116.8	10.2	136	0.4	48.3	18.4	639	3.80	66.8	1.1	4.2	3.3	50	0.8	3.5	0.1	78	0.69	0.128
REP B L0200E 50500N	QC	2.3	119.4	10.2	135	0.5	48.3	18.8	642	3.85	68.6	1.1	7.5	3.3	49	0.9	3.5	0.1	79	0.72	0.130
B L0300E 50700N	Soil	0.8	24.4	25.5	92	<0.1	27.5	13.0	480	3.49	11.2	0.5	1.2	3.3	24	0.3	0.5	0.2	77	0.34	0.045
REP B L0300E 50700N	QC	0.8	23.4	25.6	90	<0.1	26.7	13.1	480	3.47	11.2	0.5	1.4	3.3	23	0.4	0.5	0.2	76	0.35	0.044
B L0500E 50500N	Soil	1.5	62.9	8.9	79	0.3	30.8	12.9	351	3.06	9.2	1.2	5.2	2.7	35	0.4	1.1	0.1	75	0.54	0.110
REP B L0500E 50500N	QC	1.6	63.4	8.5	79	0.3	30.9	12.8	367	3.13	9.1	1.1	5.0	2.6	36	0.4	1.3	0.1	76	0.55	0.106
B L0600E 51800N	Soil	1.2	22.5	16.2	87	0.2	24.5	10.0	493	3.33	6.2	0.7	3.9	2.0	27	0.3	0.3	0.2	70	0.36	0.060
REP B L0600E 51800N	QC	1.2	21.1	15.5	87	0.2	23.3	9.0	466	3.24	5.8	0.7	2.3	2.2	27	0.3	0.4	0.2	72	0.34	0.056
B L0800E 50600N	Soil	0.8	149.6	4.6	51	0.1	32.9	11.8	301	2.88	6.2	0.4	5.4	1.3	23	0.1	0.5	0.1	67	0.42	0.070
REP B L0800E 50600N	QC	0.8	154.0	4.8	54	0.1	34.0	12.5	321	3.05	6.6	0.4	10.2	1.4	24	0.1	0.5	<0.1	71	0.45	0.074
B L1000E 50500N	Soil	1.4	16.0	13.1	54	0.1	10.9	6.8	348	2.39	6.2	0.4	1.8	2.1	16	0.1	0.3	0.2	54	0.19	0.033
REP B L1000E 50500N	QC	1.4	14.8	12.6	51	0.1	10.0	6.7	331	2.26	5.7	0.4	33.0	2.1	16	0.1	0.3	0.1	49	0.18	0.031
B L1200E 50200N	Soil	1.9	27.3	30.8	93	0.4	14.8	6.1	355	2.60	6.5	0.7	2.3	2.3	19	0.2	0.3	0.3	42	0.22	0.056
REP B L1200E 50200N	QC	1.9	25.1	30.8	91	0.3	14.4	5.8	339	2.48	6.6	0.7	2.3	2.4	19	0.2	0.3	0.2	43	0.24	0.053
B L1400E 50900N	Soil	1.5	19.1	18.4	63	<0.1	14.5	7.5	515	3.24	3.8	0.6	2.8	5.8	18	0.2	0.3	0.3	49	0.21	0.043
REP B L1400E 50900N	QC	1.5	16.9	16.5	59	<0.1	13.7	7.0	482	3.13	3.3	0.5	1.6	5.5	19	0.2	0.3	0.3	48	0.21	0.044
B L1800E 50600N	Soil	0.9	13.5	18.7	47	<0.1	13.7	7.0	260	2.90	5.6	0.5	0.6	4.5	14	0.1	0.3	0.2	52	0.17	0.024
REP B L1800E 50600N	QC	0.9	14.0	18.1	47	<0.1	14.6	7.4	268	2.89	5.5	0.4	16.2	4.4	14	0.1	0.3	0.2	52	0.16	0.026
Reference Materials																					
STD DS7	Standard	21.8	110.9	60.9	409	1.1	61.3	11.0	702	2.65	48.6	4.5	73.2	4.3	79	6.0	5.4	4.2	89	1.03	0.086
STD DS7	Standard	20.5	97.9	57.9	372	1.0	53.8	9.7	617	2.35	42.8	4.0	77.5	3.8	66	5.3	5.4	3.9	83	0.93	0.071
STD DS7	Standard	21.6	107.7	65.2	408	1.0	57.3	9.2	639	2.48	54.0	5.3	75.7	4.8	76	6.7	5.9	4.6	82	0.96	0.079
STD DS7	Standard	21.6	108.6	65.9	396	1.0	53.1	9.1	645	2.36	49.7	4.6	71.7	4.7	80	6.1	6.1	4.7	87	1.00	0.078
STD DS7	Standard	20.8	106.5	69.6	382	1.1	51.0	9.3	609	2.37	48.4	5.0	73.7	4.6	74	6.0	5.6	4.7	80	0.94	0.075
STD DS7 Expected		20.5	109	70.6	411	0.9	56	9.7	627	2.39	48.2	4.9	70	4.4	69	6.4	4.6	4.5	84	0.93	0.08
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Nokuyukon Holdings Inc.

110 Falcon Dr.

Whitehorse YT Y1A 6C7 Canada

Project: NHL-10549-YT-BAY

Report Date: August 18, 2010

Page: 1 of 2 Part 2

QUALITY CONTROL REPORT

WHI10000148.1

	Method Analyte Unit MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Ti	S	Ga	Se	Te
		ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
Pulp Duplicates																		
B L0200E 50500N	Soil	18	38	0.75	268	0.117	3	2.03	0.030	0.06	0.1	0.06	6.0	<0.1	<0.05	5	1.0	0.2
REP B L0200E 50500N	QC	18	38	0.75	277	0.119	3	2.07	0.030	0.06	0.1	0.06	5.9	<0.1	<0.05	5	0.7	<0.2
B L0300E 50700N	Soil	10	32	0.91	126	0.166	2	2.57	0.019	0.16	0.1	0.03	4.5	0.1	<0.05	7	<0.5	<0.2
REP B L0300E 50700N	QC	10	32	0.86	129	0.164	3	2.38	0.020	0.15	<0.1	0.02	4.3	0.1	<0.05	7	<0.5	<0.2
B L0500E 50500N	Soil	15	38	0.70	354	0.104	1	2.06	0.030	0.06	0.1	0.03	4.4	<0.1	<0.05	6	1.0	<0.2
REP B L0500E 50500N	QC	15	40	0.67	333	0.108	1	2.01	0.027	0.06	0.2	0.04	4.5	<0.1	<0.05	6	0.9	<0.2
B L0600E 51800N	Soil	9	42	0.94	129	0.129	1	2.29	0.021	0.27	<0.1	0.04	4.0	0.1	<0.05	8	<0.5	<0.2
REP B L0600E 51800N	QC	9	41	0.87	124	0.120	<1	2.23	0.018	0.26	<0.1	0.04	4.0	0.1	<0.05	8	<0.5	0.2
B L0800E 50600N	Soil	6	41	0.82	208	0.105	2	2.18	0.019	0.06	0.1	0.03	4.1	<0.1	<0.05	6	0.5	<0.2
REP B L0800E 50600N	QC	7	43	0.88	211	0.116	2	2.26	0.023	0.07	0.1	0.04	3.9	<0.1	<0.05	7	<0.5	<0.2
B L1000E 50500N	Soil	8	19	0.39	78	0.102	1	1.31	0.035	0.12	<0.1	0.01	2.4	<0.1	<0.05	6	<0.5	<0.2
REP B L1000E 50500N	QC	7	18	0.39	76	0.098	1	1.30	0.032	0.12	<0.1	0.02	2.1	<0.1	<0.05	6	<0.5	<0.2
B L1200E 50200N	Soil	9	22	0.53	97	0.072	1	1.68	0.018	0.18	<0.1	0.05	2.7	0.1	<0.05	6	0.6	<0.2
REP B L1200E 50200N	QC	9	21	0.53	99	0.073	<1	1.64	0.019	0.16	0.1	0.05	2.7	0.1	<0.05	6	<0.5	<0.2
B L1400E 50900N	Soil	17	21	0.67	99	0.105	1	1.59	0.023	0.36	0.1	0.02	3.1	0.2	0.05	6	<0.5	<0.2
REP B L1400E 50900N	QC	17	19	0.66	95	0.102	<1	1.53	0.021	0.38	<0.1	0.03	2.9	0.1	0.05	5	<0.5	<0.2
B L1800E 50600N	Soil	14	29	0.89	97	0.136	<1	1.87	0.010	0.23	<0.1	0.02	3.1	0.2	<0.05	8	<0.5	0.2
REP B L1800E 50600N	QC	14	29	0.98	98	0.140	<1	1.97	0.010	0.23	<0.1	0.02	3.1	0.2	<0.05	7	<0.5	<0.2
Reference Materials																		
STD DS7	Standard	13	250	1.11	434	0.118	42	1.13	0.112	0.50	3.6	0.21	2.4	4.0	0.17	5	3.4	1.1
STD DS7	Standard	11	232	0.97	373	0.105	38	1.01	0.102	0.47	4.4	0.20	2.1	4.4	0.19	5	3.1	1.4
STD DS7	Standard	14	202	1.06	398	0.128	42	1.04	0.113	0.50	3.7	0.22	2.6	3.9	0.17	5	2.9	1.3
STD DS7	Standard	14	226	1.08	419	0.129	37	1.14	0.128	0.50	3.9	0.22	2.6	4.1	0.20	5	3.4	1.1
STD DS7	Standard	13	225	1.03	426	0.128	36	1.03	0.094	0.45	3.8	0.21	2.4	4.2	0.18	5	2.9	0.5
STD DS7 Expected		12	179	1.05	410	0.124	39	0.959	0.089	0.44	3.4	0.2	2.5	4.2	0.19	5	3.5	1.08
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Nokuyukon Holdings Inc.**

110 Falcon Dr.

Whitehorse YT Y1A 6C7 Canada

Project: NHL-10549-YT-BAY

Report Date: August 18, 2010

Page: 2 of 2 Part 1

QUALITY CONTROL REPORT

WHI10000148.1

		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: **Nokuyukon Holdings Inc.**
110 Falcon Dr.
Whitehorse YT Y1A 6C7 Canada

Project: NHL-10549-YT-BAY

Report Date: August 18, 2010

Page: 2 of 2 **Part** 2

QUALITY CONTROL REPORT

WHI10000148.1

		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se
		ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm
		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5



1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: **Nokuyukon Holdings Inc.**

110 Falcon Dr.

Whitehorse YT Y1A 6C7 Canada

Submitted By: Mark Lindsay

Receiving Lab: Canada-Whitehorse

Received: July 28, 2010

Report Date: August 18, 2010

Page: 1 of 8

CERTIFICATE OF ANALYSIS

WHI10000176.1

CLIENT JOB INFORMATION

Project: NHL-10549-YT-BAY
Shipment ID: Bay Grid 1
P.O. Number
Number of Samples: 194

SAMPLE DISPOSAL

DISP-PLP Dispose of Pulp After 90 days
DISP-RJT-SOIL Immediate Disposal of Soil Reject

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Nokuyukon Holdings Inc.
110 Falcon Dr.
Whitehorse YT Y1A 6C7
Canada

CC: Phil Jackson

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
SS80	82	Dry at 60C sieve 100g to -80 mesh			WHI
Dry at 60C	82	Dry at 60C			WHI
SPLP	112	Sort, label and box pulps			VAN
1DX2	82	1:1:1 Aqua Regia digestion ICP-MS analysis	15	Completed	VAN

ADDITIONAL COMMENTS



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.
All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only.
** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: **Nokuyukon Holdings Inc.**
110 Falcon Dr.
Whitehorse YT Y1A 6C7 Canada

Project: NHL-10549-YT-BAY
Report Date: August 18, 2010

Page: 2 of 8 Part 1

CERTIFICATE OF ANALYSIS

WHI10000176.1

	Method Analyte Unit MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
		ppm 0.1	ppm 0.1	ppm 0.1	ppm 1	ppm 0.1	ppm 0.1	ppm 0.1	ppm 1	% 0.01	ppm 0.5	ppm 0.1	ppb 0.5	ppm 0.1	ppm 1	ppm 0.1	ppm 0.1	ppm 0.1	ppm 2	% 0.01	% 0.001
B L2000E 50100N	Soil	1.2	20.4	12.4	59	<0.1	15.3	7.5	323	2.95	5.7	0.5	<0.5	3.4	22	0.1	0.4	0.2	61	0.26	0.022
B L2000E 50200N	Soil	0.8	22.1	14.0	65	<0.1	17.2	11.4	443	3.19	4.5	0.5	<0.5	5.3	20	<0.1	0.3	0.2	68	0.29	0.033
B L2000E 50300N	Soil	0.7	19.2	9.6	48	0.1	16.5	7.9	338	2.40	6.3	0.5	2.1	2.4	19	<0.1	0.3	0.1	52	0.27	0.042
B L2000E 50400N	Soil	1.1	25.0	16.7	55	0.1	17.4	13.9	615	2.84	5.5	0.5	<0.5	3.3	25	0.1	0.3	0.2	50	0.33	0.040
B L2000E 50500N	Soil	1.0	18.5	18.8	48	<0.1	13.0	5.9	175	2.43	5.7	0.4	<0.5	1.8	19	<0.1	0.3	0.2	64	0.23	0.035
B L2000E 50600N	Soil	0.9	26.5	14.1	51	0.1	22.1	8.5	219	2.78	6.0	0.7	0.8	5.1	25	<0.1	0.4	0.2	58	0.33	0.042
B L2000E 50700N	Soil	2.1	19.4	64.3	51	0.2	13.4	7.2	188	3.04	8.2	0.4	1.0	2.0	14	0.2	0.5	0.3	94	0.20	0.018
B L2000E 50800N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L2000E 50900N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L2000E 51000N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L2000E 51100N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L2000E 51200N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L2000E 51300N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L2000E 51400N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L2000E 51500N	Soil	1.0	11.8	11.1	49	<0.1	13.3	5.9	235	1.89	3.6	0.4	<0.5	1.7	18	0.2	0.4	0.1	45	0.25	0.046
B L2000E 51600N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L2000E 51700N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L2000E 51800N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L2100E 50000N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L2100E 50100N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L2100E 50200N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L2100E 50300N	Soil	0.6	18.3	9.4	50	<0.1	19.9	9.5	368	2.79	10.8	0.5	<0.5	4.0	27	<0.1	0.5	0.1	64	0.36	0.035
B L2100E 50400N	Soil	1.3	30.1	23.2	109	0.1	24.6	9.9	490	3.11	8.6	0.7	<0.5	5.4	25	0.1	0.5	0.2	63	0.29	0.039
B L2100E 50500N	Soil	0.4	17.1	16.4	78	<0.1	16.1	7.5	304	2.64	3.4	0.4	<0.5	5.9	19	<0.1	0.3	0.1	45	0.25	0.028
B L2100E 50600N	Soil	0.5	22.5	14.3	75	<0.1	18.1	8.9	338	2.99	4.3	0.4	<0.5	5.2	19	<0.1	0.3	0.2	55	0.28	0.036
B L2100E 50700N	Soil	1.1	17.7	34.8	98	0.1	17.2	8.8	480	3.19	4.5	0.5	2.1	4.6	17	0.2	0.4	0.2	59	0.21	0.030
B L2100E 50800N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L2100E 50900N	Soil	1.3	18.4	26.4	106	0.3	14.6	6.0	671	2.37	3.0	0.7	2.1	3.4	26	0.4	0.8	0.4	32	0.36	0.050
B L2100E 51000N	Soil	0.6	16.8	19.6	83	0.2	13.9	5.6	327	2.21	2.3	0.6	0.5	2.7	24	0.3	0.3	0.3	34	0.42	0.038
B L2100E 51100N	Soil	0.4	13.3	14.9	85	<0.1	15.7	7.3	339	3.04	5.0	0.6	2.2	5.1	22	0.1	0.4	0.2	43	0.35	0.037



Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Nokuyukon Holdings Inc.**
110 Falcon Dr.
Whitehorse YT Y1A 6C7 Canada

Project: NHL-10549-YT-BAY
Report Date: August 18, 2010

Page: 2 of 8 Part 2

CERTIFICATE OF ANALYSIS

WHI10000176.1

	Method Analyte Unit MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Ti	S	Ga	Se	Te
		ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
B L2000E 50100N	Soil	9	28	0.67	90	0.125	1	1.69	0.015	0.16	<0.1	<0.01	3.6	0.1	<0.05	7	<0.5	<0.2
B L2000E 50200N	Soil	13	32	1.14	109	0.167	1	2.17	0.014	0.46	<0.1	<0.01	6.4	0.2	<0.05	7	<0.5	<0.2
B L2000E 50300N	Soil	9	24	0.65	96	0.107	1	1.66	0.021	0.12	<0.1	<0.01	3.3	0.2	<0.05	5	<0.5	<0.2
B L2000E 50400N	Soil	10	28	0.70	102	0.123	1	1.84	0.019	0.20	<0.1	<0.01	4.2	0.1	<0.05	6	<0.5	<0.2
B L2000E 50500N	Soil	8	21	0.50	91	0.109	2	1.73	0.017	0.07	<0.1	<0.01	3.1	0.1	<0.05	7	<0.5	<0.2
B L2000E 50600N	Soil	14	37	0.70	145	0.124	1	2.32	0.016	0.13	<0.1	<0.01	6.1	0.1	<0.05	6	<0.5	0.4
B L2000E 50700N	Soil	8	31	0.35	94	0.073	1	1.99	0.014	0.05	<0.1	<0.01	3.0	<0.1	<0.05	11	<0.5	<0.2
B L2000E 50800N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L2000E 50900N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L2000E 51000N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L2000E 51100N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L2000E 51200N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L2000E 51300N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L2000E 51400N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L2000E 51500N	Soil	9	25	0.48	63	0.089	2	1.18	0.026	0.09	<0.1	0.02	2.4	<0.1	<0.05	5	<0.5	<0.2
B L2000E 51600N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L2000E 51700N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L2000E 51800N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L2100E 50000N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L2100E 50100N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L2100E 50200N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L2100E 50300N	Soil	12	35	0.78	112	0.136	1	2.01	0.026	0.09	<0.1	<0.01	4.9	<0.1	<0.05	5	<0.5	<0.2
B L2100E 50400N	Soil	15	31	0.79	135	0.116	1	2.37	0.019	0.13	<0.1	<0.01	4.5	<0.1	<0.05	6	<0.5	0.3
B L2100E 50500N	Soil	16	33	1.01	98	0.148	2	2.16	0.015	0.23	<0.1	<0.01	4.7	0.2	<0.05	6	<0.5	<0.2
B L2100E 50600N	Soil	18	33	1.00	102	0.150	1	2.40	0.019	0.23	<0.1	<0.01	4.6	0.2	<0.05	7	<0.5	<0.2
B L2100E 50700N	Soil	14	30	0.89	89	0.135	1	2.10	0.014	0.33	<0.1	<0.01	5.1	0.3	<0.05	7	<0.5	<0.2
B L2100E 50800N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L2100E 50900N	Soil	11	31	0.88	103	0.102	3	1.80	0.028	0.47	<0.1	0.04	4.2	0.2	0.07	6	<0.5	<0.2
B L2100E 51000N	Soil	10	26	0.71	126	0.092	1	1.82	0.026	0.34	<0.1	0.03	4.6	0.2	<0.05	6	<0.5	<0.2
B L2100E 51100N	Soil	13	29	0.84	118	0.143	1	1.94	0.021	0.42	<0.1	0.01	5.4	0.2	<0.05	7	<0.5	<0.2



Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Nokuyukon Holdings Inc.**
110 Falcon Dr.
Whitehorse YT Y1A 6C7 Canada

Project: NHL-10549-YT-BAY
Report Date: August 18, 2010

Page: 3 of 8 Part 1

CERTIFICATE OF ANALYSIS

WHI10000176.1

Method Analyte Unit MDL		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Mo ppm 0.1	Cu ppm 0.1	Pb ppm 0.1	Zn ppm 1	Ag ppm 0.1	Ni ppm 0.1	Co ppm 0.1	Mn ppm 1	Fe % 0.01	As ppm 0.5	U ppm 0.1	Au ppb 0.5	Th ppm 0.1	Sr ppm 1	Cd ppm 0.1	Sb ppm 0.1	Bi ppm 0.1	V ppm 2	Ca % 0.01	P % 0.001
B L2100E 51200N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L2100E 51300N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L2100E 51400N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L2100E 51500N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L2100E 51600N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L2100E 51700N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L2100E 51800N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L2200E 50000N	Soil	1.3	62.1	203.0	588	0.2	15.8	6.8	899	3.35	3.1	0.4	1.9	9.4	19	0.5	0.3	0.8	34	0.23	0.044
B L2200E 50100N	Soil	0.6	17.2	13.8	74	0.1	16.2	8.4	344	3.12	4.9	0.4	<0.5	5.5	18	0.1	0.3	0.2	52	0.33	0.038
B L2200E 50200N	Soil	0.7	21.0	16.1	81	0.2	15.7	7.2	431	2.86	8.8	0.6	<0.5	4.6	25	0.2	0.3	0.2	53	0.38	0.052
B L2200E 50300N	Soil	1.0	11.6	15.8	57	0.1	9.9	6.6	422	2.31	7.0	0.5	3.4	3.4	18	0.1	0.4	0.2	44	0.24	0.040
B L2200E 50400N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L2200E 50500N	Soil	0.6	19.2	24.0	94	<0.1	17.8	7.3	353	3.05	3.7	0.4	<0.5	5.6	20	0.1	0.3	0.2	43	0.26	0.034
B L2200E 50600N	Soil	0.9	21.1	13.4	62	<0.1	19.7	8.3	398	2.81	5.2	0.4	0.9	3.5	21	0.2	0.4	0.2	58	0.26	0.031
B L2200E 50700N	Soil	0.6	15.6	11.4	83	<0.1	35.3	8.2	585	3.11	4.0	0.3	1.9	8.2	7	<0.1	0.4	0.1	24	0.08	0.015
B L2200E 50800N	Soil	0.9	14.6	12.2	59	<0.1	20.3	6.6	268	2.59	4.2	0.3	2.7	3.3	16	0.1	0.4	0.2	45	0.18	0.032
B L2200E 50900N	Soil	0.5	10.4	8.5	45	0.1	8.3	4.9	303	1.95	3.7	0.3	1.4	2.4	16	0.1	0.3	<0.1	29	0.23	0.030
B L2200E 51000N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L2200E 51100N	Soil	0.8	10.7	10.7	61	<0.1	11.4	7.2	449	2.50	3.6	0.4	<0.5	4.1	18	0.1	0.6	0.2	44	0.24	0.048
B L2200E 51200N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L2200E 51300N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L2200E 51400N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L2200E 51500N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L2200E 51600N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L2200E 51700N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L2200E 51800N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L2300E 50000N	Soil	1.3	22.1	18.7	94	0.1	16.4	8.9	425	3.32	7.8	0.5	<0.5	3.8	20	0.4	0.5	0.2	71	0.26	0.044
B L2300E 50100N	Soil	1.0	23.0	27.6	116	0.2	18.2	8.7	534	3.06	6.6	0.7	<0.5	5.1	26	0.2	0.4	0.3	58	0.35	0.049
B L2300E 50200N	Soil	1.0	21.7	15.0	79	0.2	19.8	10.6	497	3.25	6.3	1.0	2.0	4.9	29	<0.1	0.4	0.2	64	0.35	0.051
B L2300E 50300N	Soil	0.8	17.4	23.2	106	0.3	15.1	7.5	393	3.00	5.7	0.8	2.7	4.6	21	0.2	0.5	0.2	44	0.31	0.048



Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Nokuyukon Holdings Inc.**
110 Falcon Dr.
Whitehorse YT Y1A 6C7 Canada

Project: NHL-10549-YT-BAY
Report Date: August 18, 2010

Page: 3 of 8 Part 2

CERTIFICATE OF ANALYSIS

WHI10000176.1

Method Analyte Unit MDL		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Ti	S	Ga	Se	Te
		ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
B L2100E 51200N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L2100E 51300N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L2100E 51400N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L2100E 51500N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L2100E 51600N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L2100E 51700N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L2100E 51800N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L2200E 50000N	Soil	19	29	0.91	129	0.192	2	1.86	0.016	0.80	<0.1	0.02	5.0	0.4	<0.05	6	0.8	<0.2
B L2200E 50100N	Soil	14	30	1.01	97	0.161	1	2.25	0.019	0.36	<0.1	<0.01	4.5	0.2	<0.05	7	<0.5	<0.2
B L2200E 50200N	Soil	14	27	0.78	96	0.137	1	1.75	0.022	0.31	<0.1	<0.01	3.8	0.3	<0.05	6	<0.5	<0.2
B L2200E 50300N	Soil	12	18	0.44	69	0.108	1	1.35	0.025	0.19	<0.1	0.01	2.4	0.2	<0.05	5	<0.5	<0.2
B L2200E 50400N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L2200E 50500N	Soil	15	26	1.05	122	0.149	1	2.28	0.020	0.41	<0.1	<0.01	4.8	0.2	<0.05	7	<0.5	<0.2
B L2200E 50600N	Soil	12	33	0.89	115	0.115	1	2.36	0.018	0.18	<0.1	0.02	4.8	0.2	<0.05	7	<0.5	<0.2
B L2200E 50700N	Soil	14	85	1.04	83	0.062	<1	1.94	0.008	0.45	<0.1	<0.01	3.9	0.2	<0.05	5	<0.5	<0.2
B L2200E 50800N	Soil	15	47	0.77	101	0.122	1	1.48	0.019	0.38	<0.1	0.02	3.3	0.2	<0.05	6	<0.5	<0.2
B L2200E 50900N	Soil	9	15	0.41	81	0.076	<1	1.12	0.035	0.21	<0.1	<0.01	2.4	0.1	<0.05	4	<0.5	<0.2
B L2200E 51000N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L2200E 51100N	Soil	12	25	0.80	69	0.127	2	1.55	0.028	0.35	<0.1	0.01	3.4	0.2	0.06	5	<0.5	<0.2
B L2200E 51200N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L2200E 51300N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L2200E 51400N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L2200E 51500N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L2200E 51600N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L2200E 51700N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L2200E 51800N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L2300E 50000N	Soil	12	31	0.68	120	0.142	1	1.77	0.023	0.18	<0.1	0.02	3.4	<0.1	<0.05	7	<0.5	<0.2
B L2300E 50100N	Soil	15	33	1.00	113	0.155	2	2.07	0.021	0.39	<0.1	0.01	4.2	0.2	<0.05	7	<0.5	<0.2
B L2300E 50200N	Soil	15	37	0.96	136	0.157	<1	2.46	0.022	0.29	<0.1	0.02	5.3	0.2	<0.05	7	<0.5	<0.2
B L2300E 50300N	Soil	13	31	0.91	110	0.158	2	2.21	0.024	0.48	<0.1	0.03	4.6	0.2	<0.05	7	<0.5	<0.2



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: **Nokuyukon Holdings Inc.**
110 Falcon Dr.
Whitehorse YT Y1A 6C7 Canada

Project: NHL-10549-YT-BAY
Report Date: August 18, 2010

Page: 4 of 8 Part 1

CERTIFICATE OF ANALYSIS

WHI10000176.1

Method Analyte Unit MDL		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
		ppm 0.1	ppm 0.1	ppm 0.1	ppm 1	ppm 0.1	ppm 0.1	ppm 0.1	ppm 1	% 0.01	ppm 0.5	ppm 0.1	ppb 0.5	ppm 0.1	ppm 1	ppm 0.1	ppm 0.1	ppm 0.1	ppm 2	% 0.01	% 0.001
B L2300E 50400N	Soil	1.1	21.0	14.5	93	<0.1	21.1	12.5	793	3.81	7.6	0.4	<0.5	4.1	23	0.3	0.5	0.2	73	0.34	0.037
B L2300E 50500N	Soil	1.7	30.0	18.2	99	0.1	17.5	8.2	372	3.26	6.6	0.9	3.1	6.9	24	0.2	0.4	0.4	63	0.24	0.044
B L2300E 50600N	Soil	0.8	22.6	63.6	125	0.2	15.4	6.6	399	3.17	4.8	0.7	0.6	5.4	23	0.1	0.4	0.7	54	0.28	0.026
B L2300E 50700N	Soil	0.7	15.9	17.5	118	<0.1	13.5	7.2	425	3.04	4.7	0.5	0.8	7.8	15	0.3	0.4	0.3	39	0.21	0.026
B L2300E 50800N	Soil	1.2	14.4	49.2	145	<0.1	11.0	7.5	691	3.16	7.0	0.7	<0.5	7.2	19	0.4	0.5	0.4	32	0.20	0.033
B L2300E 50900N	Soil	0.9	16.0	50.9	161	0.3	8.7	4.9	493	3.20	5.1	0.7	0.6	10.1	16	0.2	0.4	0.6	27	0.13	0.031
B L2300E 51000N	Soil	1.3	15.9	45.7	167	0.1	11.5	14.3	1773	3.58	7.0	0.7	1.4	8.5	19	0.3	0.5	0.7	39	0.17	0.046
B L2300E 51100N	Soil	1.6	23.8	48.5	124	0.1	12.5	6.5	340	2.84	15.2	0.5	2.4	5.9	24	0.2	0.5	1.3	52	0.22	0.043
B L2300E 51200N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L2300E 51300N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L2300E 51400N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L2300E 51500N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L2300E 51600N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L2300E 51700N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L2300E 51800N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L2400E 50000N	Soil	0.8	21.9	16.1	161	<0.1	18.1	9.1	502	2.92	14.1	0.7	3.1	6.4	21	0.6	0.5	0.3	62	0.29	0.059
B L2400E 50100N	Soil	1.5	25.0	35.6	131	0.3	19.8	12.3	753	3.29	7.9	1.1	3.1	5.4	29	0.3	0.7	0.4	60	0.39	0.061
B L2400E 50200N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L2400E 50300N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L2400E 50400N	Soil	1.0	23.5	22.8	120	<0.1	18.5	9.6	522	3.17	9.2	0.5	0.6	5.7	19	0.2	0.6	0.2	55	0.23	0.033
B L2400E 50500N	Soil	0.9	25.2	16.1	96	<0.1	23.3	11.8	510	3.54	12.9	0.5	1.5	5.2	23	0.2	0.6	0.2	71	0.28	0.037
B L2400E 50600N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L2400E 50700N	Soil	1.3	65.8	53.6	123	0.2	25.1	11.3	285	3.33	38.4	0.5	2.2	4.2	21	0.3	0.8	0.4	77	0.26	0.040
B L2400E 50800N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L2400E 50900N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L2400E 51000N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L2400E 51100N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L2400E 51200N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L2400E 51300N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L2400E 51400N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: **Nokuyukon Holdings Inc.**
110 Falcon Dr.
Whitehorse YT Y1A 6C7 Canada

Project: NHL-10549-YT-BAY
Report Date: August 18, 2010

Page: 4 of 8 Part 2

CERTIFICATE OF ANALYSIS

WHI10000176.1

	Method Analyte Unit MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
		ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
B L2300E 50400N	Soil	12	35	0.99	116	0.197	2	2.45	0.020	0.29	<0.1	<0.01	4.7	0.1	<0.05	7	<0.5	<0.2
B L2300E 50500N	Soil	16	30	1.12	124	0.162	1	2.22	0.019	0.38	<0.1	<0.01	4.2	0.2	<0.05	7	0.6	<0.2
B L2300E 50600N	Soil	16	31	0.87	110	0.173	1	1.93	0.022	0.38	<0.1	0.02	4.7	0.3	<0.05	5	<0.5	<0.2
B L2300E 50700N	Soil	22	24	0.99	74	0.158	1	2.05	0.018	0.39	<0.1	<0.01	3.7	0.3	<0.05	6	<0.5	<0.2
B L2300E 50800N	Soil	21	18	0.79	87	0.134	1	1.62	0.020	0.43	<0.1	<0.01	3.2	0.3	0.08	5	<0.5	<0.2
B L2300E 50900N	Soil	22	16	0.85	91	0.144	1	1.85	0.017	0.55	<0.1	0.02	3.3	0.3	0.07	6	<0.5	<0.2
B L2300E 51000N	Soil	20	20	1.14	109	0.161	2	2.00	0.019	0.66	<0.1	0.03	3.7	0.4	0.08	7	<0.5	<0.2
B L2300E 51100N	Soil	16	22	0.81	123	0.129	2	1.71	0.022	0.31	0.1	0.03	3.7	0.2	0.09	6	<0.5	<0.2
B L2300E 51200N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L2300E 51300N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L2300E 51400N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L2300E 51500N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L2300E 51600N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L2300E 51700N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L2300E 51800N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L2400E 50000N	Soil	20	24	0.78	160	0.153	2	1.63	0.017	0.42	0.1	0.02	4.5	0.2	<0.05	6	<0.5	<0.2
B L2400E 50100N	Soil	21	33	0.96	179	0.134	2	2.12	0.023	0.44	0.1	0.03	5.7	0.2	<0.05	7	<0.5	<0.2
B L2400E 50200N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L2400E 50300N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L2400E 50400N	Soil	14	33	1.11	130	0.166	2	2.18	0.014	0.47	<0.1	<0.01	5.5	0.3	<0.05	7	<0.5	<0.2
B L2400E 50500N	Soil	11	34	1.15	139	0.166	2	2.61	0.019	0.31	<0.1	0.02	5.2	0.2	<0.05	7	<0.5	<0.2
B L2400E 50600N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L2400E 50700N	Soil	13	36	0.90	160	0.138	1	2.41	0.016	0.19	0.1	0.03	4.9	0.2	<0.05	8	<0.5	<0.2
B L2400E 50800N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L2400E 50900N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L2400E 51000N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L2400E 51100N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L2400E 51200N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L2400E 51300N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L2400E 51400N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: **Nokuyukon Holdings Inc.**
110 Falcon Dr.
Whitehorse YT Y1A 6C7 Canada

Project: NHL-10549-YT-BAY
Report Date: August 18, 2010

Page: 5 of 8 Part 1

CERTIFICATE OF ANALYSIS

WHI10000176.1

	Method Analyte Unit MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
		ppm 0.1	ppm 0.1	ppm 0.1	ppm 1	ppm 0.1	ppm 0.1	ppm 0.1	ppm 1	% 0.01	ppm 0.5	ppm 0.1	ppb 0.5	ppm 0.1	ppm 1	ppm 0.1	ppm 0.1	ppm 0.1	ppm 2	% 0.01	% 0.001
B L2400E 51500N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L2400E 51600N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L2400E 51700N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L2400E 51800N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L2500E 50000N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L2500E 50100N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L2500E 50200N	Soil	1.0	26.8	15.8	110	0.2	17.2	8.4	498	3.01	7.7	0.9	2.8	6.1	25	0.2	0.4	0.5	55	0.30	0.047
B L2500E 50300N	Soil	1.1	23.3	22.0	103	0.1	13.1	6.9	460	2.64	7.9	0.8	1.9	5.3	24	0.3	0.4	0.4	47	0.29	0.047
B L2500E 50400N	Soil	1.2	18.6	21.1	54	0.3	11.4	10.0	490	2.01	6.5	0.5	2.0	1.7	19	0.1	0.4	0.2	51	0.20	0.041
B L2500E 50500N	Soil	1.3	27.7	15.6	80	0.1	28.2	13.5	370	3.69	12.7	0.5	2.3	2.8	25	0.2	0.6	0.2	85	0.26	0.031
B L2500E 50600N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L2500E 50700N	Soil	1.8	42.8	24.2	120	0.3	24.6	13.2	558	3.15	99.0	0.9	3.4	3.3	32	0.7	1.5	0.3	73	0.35	0.046
B L2500E 50800N	Soil	1.1	46.8	12.2	65	<0.1	27.1	11.5	334	3.03	9.2	0.8	3.2	6.0	31	<0.1	0.5	0.3	65	0.39	0.039
B L2500E 50900N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L2500E 51000N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L2500E 51100N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L2500E 51200N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L2500E 51300N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L2500E 51400N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L2500E 51500N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L2500E 51600N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L2500E 51700N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L2500E 51800N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L2600E 50000N	Soil	1.6	36.0	13.0	101	0.3	30.5	12.7	519	3.00	17.2	1.9	15.4	4.1	40	0.4	1.3	0.2	71	0.80	0.064
B L2600E 50100N	Soil	1.5	36.7	12.7	77	0.2	29.1	11.3	406	3.00	12.6	1.4	2.4	4.7	33	0.3	0.7	0.2	67	0.49	0.059
B L2600E 50200N	Soil	1.4	40.7	13.6	92	0.4	24.1	16.1	771	2.89	18.0	0.9	3.4	2.5	34	1.3	0.6	0.2	65	0.42	0.053
B L2600E 50300N	Soil	1.1	25.0	16.1	115	0.1	15.9	9.6	587	2.62	22.6	0.6	1.2	3.8	26	0.4	0.6	0.2	59	0.27	0.039
B L2600E 50400N	Soil	1.2	38.1	41.2	104	0.1	19.7	10.2	442	3.20	8.8	0.9	5.1	5.3	33	0.1	0.5	3.2	66	0.35	0.048
B L2600E 50500N	Soil	1.0	30.1	14.5	71	<0.1	15.8	9.0	458	3.23	7.1	0.4	0.7	6.8	22	0.1	0.5	3.1	53	0.24	0.027
B L2600E 50600N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.



Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Nokuyukon Holdings Inc.**
110 Falcon Dr.
Whitehorse YT Y1A 6C7 Canada

Project: NHL-10549-YT-BAY
Report Date: August 18, 2010

Page: 5 of 8 Part 2

CERTIFICATE OF ANALYSIS

WHI10000176.1

Method Analyte Unit MDL		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
		ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
B L2400E 51500N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L2400E 51600N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L2400E 51700N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L2400E 51800N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L2500E 50000N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L2500E 50100N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L2500E 50200N	Soil	20	26	0.84	166	0.142	1	1.94	0.020	0.36	<0.1	0.03	5.2	0.2	<0.05	7	<0.5	<0.2
B L2500E 50300N	Soil	19	22	0.77	108	0.125	<1	1.76	0.018	0.33	<0.1	0.02	4.3	0.2	<0.05	6	<0.5	<0.2
B L2500E 50400N	Soil	9	21	0.42	121	0.098	<1	1.46	0.023	0.09	<0.1	0.02	3.0	<0.1	<0.05	6	<0.5	<0.2
B L2500E 50500N	Soil	9	40	0.80	155	0.139	2	2.73	0.017	0.13	0.1	0.02	4.8	0.1	<0.05	8	<0.5	<0.2
B L2500E 50600N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L2500E 50700N	Soil	15	33	0.69	177	0.106	2	2.34	0.021	0.10	0.1	0.04	4.5	0.2	<0.05	7	<0.5	<0.2
B L2500E 50800N	Soil	18	37	0.78	161	0.139	1	1.91	0.026	0.18	0.1	0.02	6.0	0.1	<0.05	6	<0.5	<0.2
B L2500E 50900N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L2500E 51000N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L2500E 51100N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L2500E 51200N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L2500E 51300N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L2500E 51400N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L2500E 51500N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L2500E 51600N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L2500E 51700N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L2500E 51800N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L2600E 50000N	Soil	25	45	0.75	203	0.101	1	1.96	0.024	0.17	<0.1	0.04	5.9	0.1	0.06	6	0.6	<0.2
B L2600E 50100N	Soil	21	33	0.59	224	0.107	<1	2.05	0.024	0.14	<0.1	0.04	5.1	<0.1	0.06	6	<0.5	<0.2
B L2600E 50200N	Soil	18	29	0.58	287	0.116	1	1.97	0.031	0.16	<0.1	0.02	4.7	<0.1	<0.05	7	<0.5	<0.2
B L2600E 50300N	Soil	16	28	0.59	193	0.114	1	1.69	0.026	0.18	0.1	0.02	4.3	0.1	<0.05	6	<0.5	<0.2
B L2600E 50400N	Soil	17	30	0.94	173	0.142	1	2.14	0.023	0.23	0.1	0.03	5.7	0.1	0.06	7	<0.5	0.6
B L2600E 50500N	Soil	16	23	0.95	145	0.163	1	2.18	0.017	0.46	<0.1	0.01	4.5	0.2	<0.05	7	<0.5	<0.2
B L2600E 50600N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client:

Nokuyukon Holdings Inc.

110 Falcon Dr.

Whitehorse YT Y1A 6C7 Canada

Project:

NHL-10549-YT-BAY

Report Date:

August 18, 2010

Page:

6 of 8

Part 1

CERTIFICATE OF ANALYSIS

WHI10000176.1

	Method Analyte Unit MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
		ppm 0.1	ppm 0.1	ppm 0.1	ppm 1	ppm 0.1	ppm 0.1	ppm 0.1	ppm 1	% 0.01	ppm 0.5	ppm 0.1	ppb 0.5	ppm 0.1	ppm 1	ppm 0.1	ppm 0.1	ppm 0.1	ppm 2	% 0.01	% 0.001
B L2600E 50700N	Soil	0.7	55.2	15.2	67	<0.1	27.2	10.7	307	2.86	7.0	0.6	2.2	3.5	38	<0.1	0.5	0.2	74	0.51	0.057
B L2600E 50800N	Soil	0.5	125.9	6.4	52	<0.1	33.9	15.0	354	2.88	8.5	0.6	3.7	1.8	38	<0.1	0.4	0.1	83	0.53	0.067
B L2600E 50900N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L2600E 51000N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L2600E 51100N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L2600E 51200N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L2600E 51300N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L2600E 51400N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L2600E 51500N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L2600E 51600N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L2600E 51700N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L2600E 51800N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L2700E 50000N	Soil	4.3	33.7	11.4	105	0.3	24.7	10.1	330	3.66	19.4	1.3	1.1	3.6	31	0.8	0.6	0.2	102	0.29	0.060
B L2700E 50100S NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L2700E 50200S NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L2700E 50300S	Soil	0.9	144.2	6.2	61	0.3	26.9	17.4	632	3.12	10.0	0.5	7.3	1.3	42	0.3	0.6	0.1	74	0.52	0.053
B L2700E 50400S NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L2700E 50500S NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L2700E 50600S NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L2700E 50700S	Soil	0.6	60.2	8.1	62	<0.1	33.5	17.1	407	2.83	8.8	0.5	2.4	2.2	35	0.1	0.6	0.1	90	0.86	0.069
B L2700E 50800S NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L2700E 50100N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L2700E 50200N	Soil	1.7	31.1	12.4	75	<0.1	24.7	13.1	496	3.10	21.5	1.1	4.8	3.6	37	0.2	0.7	0.2	77	0.53	0.057
B L2700E 50300N	Soil	2.1	30.4	11.6	95	0.1	26.4	13.8	451	3.38	27.0	0.7	4.0	4.0	34	0.4	3.9	0.2	89	0.39	0.034
B L2700E 51400N	Soil	1.6	24.3	15.6	82	0.1	19.9	12.0	489	3.42	59.4	0.4	2.2	2.6	26	0.4	0.7	0.2	93	0.30	0.028
B L2700E 50500N	Soil	1.5	40.0	17.0	71	0.2	20.7	13.1	586	2.92	23.7	0.8	4.3	3.6	36	0.2	0.9	0.3	71	0.34	0.048
B L2700E 50600N	Soil	0.9	40.4	14.3	78	0.1	22.8	10.1	314	2.94	22.5	0.5	2.2	2.9	32	0.2	0.7	0.4	75	0.39	0.044
B L2700E 50700N	Soil	0.4	66.9	8.5	53	<0.1	26.6	12.4	211	2.74	12.5	0.7	5.1	2.7	37	0.2	0.7	0.1	88	0.55	0.051
B L2700E 50800N	Soil	1.0	24.4	8.0	70	0.1	17.5	10.1	523	2.32	8.2	0.3	0.9	0.7	29	0.9	0.5	0.2	66	0.28	0.036
B L2700E 50900N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.



Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Nokuyukon Holdings Inc.**
110 Falcon Dr.
Whitehorse YT Y1A 6C7 Canada

Project: NHL-10549-YT-BAY
Report Date: August 18, 2010

Page: 6 of 8 Part 2

CERTIFICATE OF ANALYSIS

WHI10000176.1

Method Analyte Unit MDL		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Ti	S	Ga	Se	Te
		ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
B L2600E 50700N	Soil	14	39	0.81	190	0.156	2	2.17	0.026	0.09	0.1	0.02	6.1	<0.1	<0.05	6	<0.5	<0.2
B L2600E 50800N	Soil	9	47	0.75	177	0.137	1	2.05	0.032	0.06	0.1	0.03	5.3	<0.1	<0.05	6	<0.5	<0.2
B L2600E 50900N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L2600E 51000N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L2600E 51100N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L2600E 51200N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L2600E 51300N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L2600E 51400N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L2600E 51500N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L2600E 51600N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L2600E 51700N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L2600E 51800N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L2700E 50000N	Soil	13	31	0.79	737	0.171	<1	1.78	0.024	0.23	<0.1	0.03	7.2	0.3	0.10	8	0.9	<0.2
B L2700E 50100S NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L2700E 50200S NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L2700E 50300S	Soil	9	39	0.56	207	0.113	<1	2.30	0.033	0.11	<0.1	0.03	4.8	<0.1	<0.05	7	<0.5	<0.2
B L2700E 50400S NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L2700E 50500S NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L2700E 50600S NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L2700E 50700S	Soil	9	64	0.91	248	0.125	<1	1.82	0.027	0.14	0.1	0.03	5.8	<0.1	<0.05	6	<0.5	<0.2
B L2700E 50800S NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L2700E 50100N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L2700E 50200N	Soil	15	32	0.64	171	0.124	1	2.02	0.032	0.11	0.1	0.02	4.8	<0.1	<0.05	7	<0.5	<0.2
B L2700E 50300N	Soil	15	38	0.73	171	0.141	<1	2.19	0.022	0.13	0.1	0.03	4.7	<0.1	<0.05	8	<0.5	<0.2
B L2700E 51400N	Soil	9	30	0.58	125	0.136	1	1.89	0.018	0.10	<0.1	0.02	3.6	<0.1	<0.05	8	<0.5	<0.2
B L2700E 50500N	Soil	13	33	0.58	202	0.118	1	2.03	0.022	0.12	0.1	0.03	4.8	0.1	<0.05	6	<0.5	<0.2
B L2700E 50600N	Soil	10	37	0.77	177	0.144	1	2.16	0.023	0.09	0.1	0.02	5.0	<0.1	<0.05	7	<0.5	<0.2
B L2700E 50700N	Soil	11	41	0.68	195	0.129	1	2.02	0.030	0.05	0.1	0.04	6.1	<0.1	<0.05	6	<0.5	<0.2
B L2700E 50800N	Soil	5	24	0.34	161	0.079	<1	1.49	0.027	0.03	<0.1	0.01	2.3	<0.1	<0.05	6	<0.5	<0.2
B L2700E 50900N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.



Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Nokuyukon Holdings Inc.**
110 Falcon Dr.
Whitehorse YT Y1A 6C7 Canada

Project: NHL-10549-YT-BAY
Report Date: August 18, 2010

Page: 7 of 8 Part 1

CERTIFICATE OF ANALYSIS

WHI10000176.1

Method Analyte Unit MDL		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
B L2700E 51000N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L2700E 51100N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L2700E 51200N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L2700E 51300N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L2700E 51400N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L2700E 51500N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L2700E 51600N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L2700E 51700N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L2700E 51800N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L2800E 50000N	Soil	1.6	85.5	5.8	71	0.2	32.1	12.4	263	2.76	10.0	0.7	6.8	1.4	41	0.4	0.4	0.1	86	0.47	0.065
B L2800E 50100N	Soil	7.3	109.8	9.1	133	1.9	31.6	8.1	206	3.19	31.2	4.5	3.6	2.1	37	4.9	0.5	0.2	92	0.37	0.082
B L2800E 50200N	Soil	1.0	56.9	7.6	66	<0.1	17.5	7.7	274	2.64	32.4	0.9	3.5	6.9	22	0.2	0.7	0.5	50	0.27	0.025
B L2800E 50300N	Soil	1.1	31.2	9.3	76	0.1	25.6	11.9	420	2.87	20.9	1.0	4.0	3.9	40	0.2	0.5	0.2	69	0.50	0.056
B L2800E 50400N	Soil	1.2	28.4	10.7	64	<0.1	25.4	13.3	444	3.04	19.3	0.6	1.8	3.9	36	0.2	0.5	0.2	76	0.39	0.042
B L2800E 50500N	Soil	1.2	31.9	8.8	59	<0.1	30.4	12.5	351	3.36	35.3	0.6	5.2	4.1	27	0.1	0.6	0.2	81	0.35	0.037
B L2800E 50600N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L2800E 50700N	Soil	0.6	67.4	7.6	56	<0.1	25.1	13.9	316	3.04	7.5	0.7	11.4	2.7	33	0.2	0.5	0.1	77	0.51	0.060
B L2800E 50800N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L2800E 50900N	Soil	1.2	20.4	7.7	41	<0.1	11.2	4.5	101	2.20	7.1	0.3	5.1	0.7	20	0.1	0.6	0.1	64	0.24	0.024
B L2800E 51000N	Soil	0.6	94.5	7.4	53	<0.1	34.2	15.3	301	3.22	7.1	0.3	2.9	2.2	35	0.2	0.4	0.1	83	0.37	0.018
B L2800E 51100N	Soil	0.4	42.9	3.9	36	<0.1	15.8	7.9	227	1.90	3.5	0.3	36.2	1.0	25	<0.1	0.2	<0.1	58	0.33	0.051
B L2800E 51200N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L2800E 51300N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L2800E 51400N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L2800E 51500N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L2800E 51600N	Soil	1.5	33.0	5.6	48	0.2	12.7	7.9	297	1.93	6.7	0.8	1.7	0.6	20	0.5	0.4	0.1	67	0.22	0.048
B L2800E 51700N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L2800E 51800N	Soil	2.3	30.4	6.9	87	0.2	34.7	8.1	218	2.61	4.9	1.5	2.4	3.6	27	0.3	0.4	0.5	63	0.30	0.065
B L2800E 51900N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L2800E 52000N	Soil	2.7	38.7	8.9	88	0.2	36.0	12.5	397	3.41	6.6	1.0	3.2	4.0	26	0.4	0.4	0.4	88	0.32	0.056



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: **Nokuyukon Holdings Inc.**
110 Falcon Dr.
Whitehorse YT Y1A 6C7 Canada

Project: NHL-10549-YT-BAY
Report Date: August 18, 2010

Page: 7 of 8 Part 2

CERTIFICATE OF ANALYSIS

WHI10000176.1

Method Analyte Unit MDL		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
		ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
B L2700E 51000N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L2700E 51100N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L2700E 51200N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L2700E 51300N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L2700E 51400N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L2700E 51500N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L2700E 51600N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L2700E 51700N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L2700E 51800N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L2800E 50000N	Soil	8	45	0.71	254	0.133	1	1.92	0.024	0.09	<0.1	0.02	4.3	<0.1	<0.05	6	<0.5	<0.2
B L2800E 50100N	Soil	13	31	0.50	615	0.094	1	2.15	0.023	0.11	<0.1	0.11	5.3	0.2	<0.05	8	2.4	<0.2
B L2800E 50200N	Soil	22	22	0.70	169	0.127	<1	1.69	0.017	0.28	<0.1	0.01	4.0	0.2	<0.05	6	<0.5	<0.2
B L2800E 50300N	Soil	15	33	0.64	176	0.118	1	2.01	0.024	0.10	<0.1	0.03	4.8	<0.1	<0.05	6	<0.5	<0.2
B L2800E 50400N	Soil	12	34	0.67	174	0.120	1	2.23	0.023	0.08	0.1	0.01	4.5	<0.1	<0.05	7	<0.5	<0.2
B L2800E 50500N	Soil	10	35	0.76	180	0.123	2	2.58	0.021	0.07	0.1	0.02	4.3	<0.1	<0.05	7	0.6	<0.2
B L2800E 50600N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L2800E 50700N	Soil	10	36	0.66	160	0.122	1	2.00	0.025	0.06	0.2	0.03	4.6	<0.1	<0.05	6	0.8	<0.2
B L2800E 50800N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L2800E 50900N	Soil	4	17	0.20	71	0.056	<1	1.23	0.020	0.03	<0.1	<0.01	1.4	<0.1	<0.05	7	<0.5	0.2
B L2800E 51000N	Soil	7	50	0.72	168	0.132	1	3.07	0.017	0.05	0.1	<0.01	4.3	<0.1	<0.05	7	<0.5	<0.2
B L2800E 51100N	Soil	6	21	0.35	75	0.096	<1	1.16	0.029	0.04	<0.1	0.02	2.2	<0.1	<0.05	4	<0.5	<0.2
B L2800E 51200N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L2800E 51300N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L2800E 51400N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L2800E 51500N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L2800E 51600N	Soil	6	19	0.36	212	0.085	<1	1.04	0.025	0.06	<0.1	0.03	2.5	0.2	<0.05	4	1.4	0.2
B L2800E 51700N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L2800E 51800N	Soil	18	36	0.81	225	0.102	<1	1.81	0.019	0.29	0.2	0.04	4.1	0.2	<0.05	7	1.5	0.9
B L2800E 51900N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L2800E 52000N	Soil	14	39	0.84	222	0.127	<1	2.21	0.022	0.21	0.1	0.02	3.7	0.2	<0.05	7	0.7	<0.2



Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Nokuyukon Holdings Inc.**
110 Falcon Dr.
Whitehorse YT Y1A 6C7 Canada

Project: NHL-10549-YT-BAY
Report Date: August 18, 2010

Page: 8 of 8 Part 1

CERTIFICATE OF ANALYSIS

WHI10000176.1

	Method Analyte Unit MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
B L2800E 52100N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L2800E 52200N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L2800E 52300N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L2800E 52400N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L2800E 52500N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L2800E 52600N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L2800E 50100S NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L2800E 50200S NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L2800E 50300S	Soil	1.1	56.1	11.4	61	0.2	21.4	10.2	384	2.97	77.9	0.6	2.8	2.5	28	0.1	1.2	0.1	73	0.45	0.040
B L2800E 50400S	Soil	1.1	47.6	10.5	73	0.2	31.6	14.4	455	3.25	38.6	0.6	2.3	3.0	25	0.2	0.5	0.2	82	0.49	0.046
B L2800E 50500S NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L2800E 50600S NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L2800E 50700S NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L2800E 50800S NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: **Nokuyukon Holdings Inc.**
110 Falcon Dr.
Whitehorse YT Y1A 6C7 Canada

Project: NHL-10549-YT-BAY
Report Date: August 18, 2010

Page: 8 of 8 **Part** 2

CERTIFICATE OF ANALYSIS

WHI10000176.1

	Method Analyte Unit MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
		ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
B L2800E 52100N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L2800E 52200N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L2800E 52300N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L2800E 52400N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L2800E 52500N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L2800E 52600N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L2800E 50100S NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L2800E 50200S NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L2800E 50300S	Soil	10	34	0.64	174	0.108	<1	2.08	0.022	0.12	0.1	0.02	4.1	<0.1	<0.05	7	0.5	<0.2
B L2800E 50400S	Soil	10	56	0.85	227	0.122	<1	1.99	0.021	0.22	0.2	0.02	4.3	0.1	<0.05	7	<0.5	<0.2
B L2800E 50500S NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L2800E 50600S NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L2800E 50700S NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L2800E 50800S NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Nokuyukon Holdings Inc.

110 Falcon Dr.

Whitehorse YT Y1A 6C7 Canada

Project: NHL-10549-YT-BAY

Report Date: August 18, 2010

Page: 1 of 1 Part 1

QUALITY CONTROL REPORT

WHI10000176.1

	Method Analyte Unit MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
Pulp Duplicates																					
B L2100E 50600N	Soil	0.5	22.5	14.3	75	<0.1	18.1	8.9	338	2.99	4.3	0.4	<0.5	5.2	19	<0.1	0.3	0.2	55	0.28	0.036
REP B L2100E 50600N	QC	0.5	19.6	13.6	77	<0.1	16.5	8.6	336	2.84	4.0	0.4	<0.5	5.2	20	0.1	0.3	0.2	52	0.27	0.036
B L2300E 50500N	Soil	1.7	30.0	18.2	99	0.1	17.5	8.2	372	3.26	6.6	0.9	3.1	6.9	24	0.2	0.4	0.4	63	0.24	0.044
REP B L2300E 50500N	QC	1.8	29.3	19.6	102	0.1	18.0	9.0	398	3.40	6.1	0.9	<0.5	6.9	23	0.1	0.4	0.4	59	0.23	0.042
B L2400E 50400N	Soil	1.0	23.5	22.8	120	<0.1	18.5	9.6	522	3.17	9.2	0.5	0.6	5.7	19	0.2	0.6	0.2	55	0.23	0.033
REP B L2400E 50400N	QC	0.9	22.9	22.0	114	<0.1	17.9	9.8	509	3.10	8.5	0.5	1.6	6.0	19	0.2	0.6	0.2	54	0.23	0.034
B L2700E 50600N	Soil	0.9	40.4	14.3	78	0.1	22.8	10.1	314	2.94	22.5	0.5	2.2	2.9	32	0.2	0.7	0.4	75	0.39	0.044
REP B L2700E 50600N	QC	0.9	41.7	14.4	78	<0.1	23.6	10.1	312	3.05	22.6	0.5	3.4	3.0	33	0.1	0.7	0.4	77	0.40	0.046
B L2800E 50900N	Soil	1.2	20.4	7.7	41	<0.1	11.2	4.5	101	2.20	7.1	0.3	5.1	0.7	20	0.1	0.6	0.1	64	0.24	0.024
REP B L2800E 50900N	QC	1.1	18.4	7.8	37	0.1	11.1	4.5	101	2.19	6.7	0.3	1.9	0.7	19	0.2	0.5	0.1	62	0.24	0.022
Reference Materials																					
STD DS7	Standard	19.9	98.4	65.3	362	1.0	52.7	9.0	588	2.29	46.7	4.4	57.7	4.3	67	5.9	5.4	4.8	77	0.89	0.063
STD DS7	Standard	21.3	121.5	65.5	406	1.0	57.6	10.4	613	2.42	58.6	4.7	71.0	4.6	72	7.1	6.6	4.9	93	0.95	0.087
STD DS7	Standard	21.5	111.2	71.2	408	1.0	58.4	9.8	632	2.46	51.0	4.9	82.4	4.8	79	5.9	5.6	4.6	87	0.96	0.074
STD DS7 Expected		20.5	109	70.6	411	0.9	56	9.7	627	2.39	48.2	4.9	70	4.4	69	6.4	4.6	4.5	84	0.93	0.08
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Nokuyukon Holdings Inc.

110 Falcon Dr.

Whitehorse YT Y1A 6C7 Canada

Project: NHL-10549-YT-BAY

Report Date: August 18, 2010

Page: 1 of 1 Part 2

QUALITY CONTROL REPORT

WHI10000176.1

	Method Analyte Unit MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Ti	S	Ga	Se	Te
		ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
Pulp Duplicates																		
B L2100E 50600N	Soil	18	33	1.00	102	0.150	1	2.40	0.019	0.23	<0.1	<0.01	4.6	0.2	<0.05	7	<0.5	<0.2
REP B L2100E 50600N	QC	17	32	1.05	103	0.138	<1	2.45	0.022	0.22	<0.1	<0.01	5.1	0.2	<0.05	7	<0.5	<0.2
B L2300E 50500N	Soil	16	30	1.12	124	0.162	1	2.22	0.019	0.38	<0.1	<0.01	4.2	0.2	<0.05	7	0.6	<0.2
REP B L2300E 50500N	QC	19	28	1.04	133	0.155	1	2.39	0.017	0.35	<0.1	0.01	4.5	0.2	<0.05	7	0.7	0.3
B L2400E 50400N	Soil	14	33	1.11	130	0.166	2	2.18	0.014	0.47	<0.1	<0.01	5.5	0.3	<0.05	7	<0.5	<0.2
REP B L2400E 50400N	QC	15	33	1.03	125	0.163	1	2.10	0.013	0.45	<0.1	0.01	5.2	0.3	<0.05	7	<0.5	<0.2
B L2700E 50600N	Soil	10	37	0.77	177	0.144	1	2.16	0.023	0.09	0.1	0.02	5.0	<0.1	<0.05	7	<0.5	<0.2
REP B L2700E 50600N	QC	10	36	0.77	173	0.149	1	2.28	0.022	0.09	0.1	0.02	5.2	0.1	<0.05	7	<0.5	<0.2
B L2800E 50900N	Soil	4	17	0.20	71	0.056	<1	1.23	0.020	0.03	<0.1	<0.01	1.4	<0.1	<0.05	7	<0.5	0.2
REP B L2800E 50900N	QC	4	15	0.19	74	0.054	<1	1.18	0.019	0.03	<0.1	<0.01	1.4	<0.1	<0.05	6	0.5	<0.2
Reference Materials																		
STD DS7	Standard	12	183	0.94	343	0.124	35	0.89	0.097	0.46	3.4	0.20	2.6	3.6	0.17	5	3.4	2.0
STD DS7	Standard	13	187	1.01	413	0.138	42	1.02	0.105	0.47	3.8	0.22	2.8	4.0	0.19	5	3.2	1.0
STD DS7	Standard	14	221	1.10	406	0.131	38	1.09	0.103	0.49	4.0	0.23	2.5	4.3	0.20	5	3.6	1.4
STD DS7 Expected		12	179	1.05	410	0.124	39	0.959	0.089	0.44	3.4	0.2	2.5	4.2	0.19	5	3.5	1.08
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2



1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: **Nokuyukon Holdings Inc.**

110 Falcon Dr.

Whitehorse YT Y1A 6C7 Canada

Submitted By: Mark Lindsay

Receiving Lab: Canada-Whitehorse

Received: August 06, 2010

Report Date: August 27, 2010

Page: 1 of 13

CERTIFICATE OF ANALYSIS

WHI10000212.1

CLIENT JOB INFORMATION

Project: Bay Grid-2
Shipment ID: Bay Grid 2
P.O. Number: NHL-10549-YT-BAY
Number of Samples: 360

SAMPLE DISPOSAL

DISP-PLP Dispose of Pulp After 90 days
DISP-RJT-SOIL Immediate Disposal of Soil Reject

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Nokuyukon Holdings Inc.
110 Falcon Dr.
Whitehorse YT Y1A 6C7
Canada

CC: Phil Jackson

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
SS80	138	Dry at 60C sieve 100g to -80 mesh			WHI
Dry at 60C	138	Dry at 60C			WHI
SPLP	222	Sort, label and box pulps			VAN
1DX2	138	1:1:1 Aqua Regia digestion ICP-MS analysis	15	Completed	VAN

ADDITIONAL COMMENTS



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.
All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only.
** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: **Nokuyukon Holdings Inc.**
110 Falcon Dr.
Whitehorse YT Y1A 6C7 Canada

Project: Bay Grid-2
Report Date: August 27, 2010

Page: 2 of 13 Part 1

CERTIFICATE OF ANALYSIS

WHI10000212.1

	Method Analyte Unit MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
		ppm 0.1	ppm 0.1	ppm 0.1	ppm 1	ppm 0.1	ppm 0.1	ppm 0.1	ppm 1	% 0.01	ppm 0.5	ppm 0.1	ppb 0.5	ppm 0.1	ppm 1	ppm 0.1	ppm 0.1	ppm 0.1	ppm 2	% 0.01	% 0.001
B L6100E 50000N	Soil	0.7	36.8	6.5	49	0.2	35.1	11.3	324	2.79	4.4	0.8	7.4	2.1	45	0.1	0.2	0.2	63	0.68	0.051
B L6100E 50100N	Soil	1.3	26.0	8.7	68	0.1	25.9	13.2	473	3.46	6.1	0.8	9.2	3.2	23	0.1	0.3	0.2	67	0.29	0.033
B L6100E 50200N	Soil	1.0	17.8	16.7	108	<0.1	13.5	11.7	235	4.47	5.1	0.5	1.4	2.5	16	0.1	0.3	0.2	48	0.27	0.072
B L6100E 50300N	Soil	1.1	16.7	7.5	39	<0.1	45.9	12.1	207	2.89	4.3	0.6	2.2	2.8	17	<0.1	0.2	0.2	68	0.26	0.041
B L6100E 50400N	Soil	0.5	20.5	3.3	42	<0.1	56.1	16.2	283	3.47	3.2	0.6	1.4	3.6	18	<0.1	0.2	<0.1	81	0.26	0.025
B L6100E 50500N	Soil	2.4	26.3	9.1	49	<0.1	21.8	13.6	283	3.97	9.1	1.1	5.2	3.8	26	<0.1	0.5	0.2	90	0.31	0.069
B L6100E 50600N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L6100E 50700N	Soil	0.4	15.2	2.8	32	<0.1	15.1	9.7	296	3.12	2.5	0.8	2.4	6.4	17	<0.1	0.2	<0.1	59	0.25	0.032
B L6100E 50800N	Soil	0.8	15.5	5.4	52	<0.1	48.7	15.8	262	3.64	4.3	0.5	1.7	3.4	19	<0.1	0.2	0.1	83	0.37	0.091
B L6100E 50900N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L6100E 51000N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L6100E 51100N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L6100E 51200N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L6100E 51300N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L6100E 51400N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L6200E 50000N	Soil	0.9	38.4	8.1	52	<0.1	40.2	16.2	326	3.78	12.7	0.6	10.7	3.4	28	<0.1	0.2	0.2	68	0.27	0.023
B L6200E 50100N	Soil	1.4	30.6	9.4	52	0.2	30.2	14.4	398	3.40	5.8	0.9	3.3	2.8	33	<0.1	0.3	0.2	83	0.44	0.045
B L6200E 50200N	Soil	1.5	26.4	8.2	56	0.1	26.0	11.7	263	3.22	4.1	0.7	2.7	2.6	20	<0.1	0.3	0.2	76	0.21	0.020
B L6200E 50300N	Soil	1.1	32.8	6.9	76	<0.1	34.5	16.4	286	4.25	6.3	0.6	1.1	3.3	27	<0.1	0.4	0.2	88	0.26	0.023
B L6200E 50400N	Soil	1.0	9.4	7.3	29	<0.1	9.5	4.6	153	1.87	5.4	0.4	4.1	1.8	15	<0.1	0.3	0.1	49	0.18	0.023
B L6200E 50500N	Soil	1.0	26.6	6.0	32	<0.1	27.3	10.5	197	2.47	4.8	0.8	3.0	2.8	22	<0.1	0.3	0.1	57	0.22	0.034
B L6200E 50600N	Soil	1.3	42.3	8.1	40	0.2	33.0	11.5	229	3.66	5.7	1.2	4.4	2.2	42	<0.1	0.4	0.3	72	0.47	0.058
B L6200E 50700N	Soil	0.6	23.7	3.9	46	<0.1	83.8	20.0	287	3.64	3.7	0.7	1.2	4.1	27	<0.1	0.2	<0.1	81	0.52	0.112
B L6200E 50800N	Soil	0.9	30.9	7.1	74	<0.1	30.7	15.7	377	3.67	5.6	0.9	2.2	4.1	25	<0.1	0.2	0.2	84	0.30	0.046
B L6200E 50900N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L6200E 51000N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L6200E 51100N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L6200E 51200N	Soil	2.1	21.9	9.2	57	0.2	30.6	13.3	405	3.10	61.2	0.7	43.0	2.3	19	<0.1	0.2	0.3	86	0.17	0.041
B L6200E 51300N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L6200E 51400N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client:

Nokuyukon Holdings Inc.

110 Falcon Dr.

Whitehorse YT Y1A 6C7 Canada

Project:

Bay Grid-2

Report Date:

August 27, 2010

Page:

2 of 13

Part 2

CERTIFICATE OF ANALYSIS

WHI10000212.1

	Method Analyte Unit MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Ti	S	Ga	Se	Te
		ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.01	0.1	0.05	1	0.5	0.2
B L6100E 50000N	Soil	9	37	0.69	144	0.117	2	1.86	0.023	0.27	0.1	0.03	4.5	0.2	<0.05	6	0.5	<0.2
B L6100E 50100N	Soil	11	43	0.74	165	0.157	2	2.15	0.021	0.32	0.1	0.01	4.8	0.2	<0.05	8	<0.5	<0.2
B L6100E 50200N	Soil	7	17	0.70	215	0.299	1	2.32	0.017	0.71	0.1	0.01	4.9	0.4	<0.05	10	<0.5	<0.2
B L6100E 50300N	Soil	8	72	1.00	145	0.211	2	1.93	0.016	0.29	0.2	0.02	4.2	0.2	<0.05	9	<0.5	<0.2
B L6100E 50400N	Soil	10	68	1.31	147	0.242	<1	2.60	0.014	0.45	<0.1	<0.01	6.3	0.2	<0.05	8	<0.5	<0.2
B L6100E 50500N	Soil	12	42	0.75	170	0.148	1	2.37	0.017	0.09	0.1	0.03	5.1	0.2	<0.05	8	<0.5	<0.2
B L6100E 50600N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L6100E 50700N	Soil	17	26	0.89	196	0.247	<1	1.89	0.014	0.67	0.2	<0.01	8.9	0.3	<0.05	8	<0.5	<0.2
B L6100E 50800N	Soil	9	68	1.16	178	0.285	1	2.34	0.014	0.62	0.2	0.01	4.9	0.2	<0.05	9	<0.5	<0.2
B L6100E 50900N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L6100E 51000N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L6100E 51100N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L6100E 51200N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L6100E 51300N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L6100E 51400N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L6200E 50000N	Soil	8	61	1.09	172	0.236	<1	2.70	0.020	0.87	0.1	0.01	5.2	0.5	<0.05	8	<0.5	<0.2
B L6200E 50100N	Soil	10	38	0.72	149	0.158	1	2.48	0.023	0.27	0.2	0.02	4.5	0.2	<0.05	8	<0.5	<0.2
B L6200E 50200N	Soil	8	37	0.76	156	0.173	<1	2.30	0.022	0.44	0.2	0.01	5.4	0.3	<0.05	9	<0.5	<0.2
B L6200E 50300N	Soil	8	41	0.98	233	0.193	2	3.34	0.019	0.45	0.2	0.01	6.5	0.3	<0.05	10	<0.5	<0.2
B L6200E 50400N	Soil	6	18	0.33	86	0.078	1	1.31	0.020	0.07	<0.1	0.01	2.0	<0.1	<0.05	6	<0.5	<0.2
B L6200E 50500N	Soil	11	40	0.55	170	0.128	1	1.82	0.021	0.19	<0.1	0.03	4.1	0.1	<0.05	7	<0.5	<0.2
B L6200E 50600N	Soil	12	43	0.63	269	0.110	2	3.19	0.019	0.30	<0.1	0.06	6.1	0.2	<0.05	9	<0.5	<0.2
B L6200E 50700N	Soil	11	151	1.58	290	0.310	1	2.90	0.021	0.86	0.2	<0.01	5.4	0.4	<0.05	10	<0.5	<0.2
B L6200E 50800N	Soil	13	41	0.86	201	0.194	1	2.69	0.019	0.36	0.2	0.01	6.4	0.2	<0.05	9	<0.5	<0.2
B L6200E 50900N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L6200E 51000N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L6200E 51100N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L6200E 51200N	Soil	8	40	0.64	115	0.172	1	1.92	0.021	0.29	0.3	0.03	3.8	0.2	<0.05	8	<0.5	<0.2
B L6200E 51300N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L6200E 51400N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client:

Nokuyukon Holdings Inc.

110 Falcon Dr.

Whitehorse YT Y1A 6C7 Canada

Project:

Bay Grid-2

Report Date:

August 27, 2010

Page:

3 of 13

Part 1

CERTIFICATE OF ANALYSIS

WHI10000212.1

	Method Analyte Unit MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
B L6300E 50000N	Soil	0.8	41.1	7.7	50	<0.1	37.8	13.8	313	3.78	4.0	0.5	1.9	2.4	25	<0.1	0.2	0.3	69	0.27	0.020
B L6300E 50100N	Soil	1.1	19.3	7.6	40	0.1	19.8	12.4	310	2.79	6.7	0.5	1.1	2.1	26	0.1	0.4	0.2	59	0.27	0.035
B L6300E 50200N	Soil	1.2	15.4	7.8	48	0.1	15.8	9.7	508	2.55	5.9	0.3	1.6	1.5	18	0.1	0.4	0.2	71	0.20	0.020
B L6300E 50300N	Soil	1.1	30.3	9.7	79	<0.1	37.6	17.6	372	4.38	8.4	0.7	2.0	4.8	21	0.1	0.4	0.2	94	0.26	0.025
B L6300E 50400N	Soil	0.7	29.6	7.2	81	<0.1	24.0	13.5	265	3.97	4.2	0.9	3.4	4.2	19	<0.1	0.3	0.2	99	0.22	0.032
B L6300E 50500N	Soil	1.3	18.5	9.1	67	<0.1	17.5	9.5	337	3.79	6.5	0.6	2.6	3.7	17	<0.1	0.4	0.2	84	0.21	0.033
B L6300E 50600N	Soil	0.7	22.1	5.9	61	<0.1	37.0	14.1	291	3.75	2.4	0.8	0.6	3.7	17	<0.1	0.2	0.2	87	0.24	0.049
B L6300E 50700N	Soil	0.7	24.3	3.3	37	<0.1	71.7	24.9	1061	3.21	3.4	1.0	1.1	3.6	33	<0.1	0.2	0.1	73	0.62	0.164
B L6300E 50800N	Soil	0.8	21.2	5.4	61	<0.1	60.1	16.1	346	3.21	3.9	0.7	1.2	2.5	25	<0.1	0.2	0.1	79	0.44	0.110
B L6300E 50900N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L6300E 51000N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L6300E 51100N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L6300E 51200N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L6300E 51300N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L6300E 51400N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L6400E 50000N	Soil	0.8	25.6	6.5	51	<0.1	29.3	13.0	384	3.15	6.3	0.5	2.2	2.7	37	<0.1	0.3	0.1	82	0.50	0.048
B L6400E 50100N	Soil	1.2	37.9	10.8	73	<0.1	38.2	16.1	333	3.99	7.2	0.6	0.7	3.9	30	<0.1	0.4	0.3	83	0.20	0.023
B L6400E 50200N	Soil	10.0	55.8	16.6	140	0.4	38.6	11.4	319	3.15	3.7	2.8	3.8	2.7	65	0.3	0.2	0.2	205	0.29	0.060
B L6400E 50300N	Soil	1.2	37.4	8.3	55	<0.1	22.3	11.1	264	3.38	5.1	0.9	1.8	4.2	21	0.1	0.3	0.2	66	0.16	0.030
B L6400E 50400N	Soil	1.0	18.2	7.3	27	0.1	13.7	5.5	102	1.99	3.5	0.6	2.6	0.8	22	<0.1	0.3	0.1	47	0.22	0.045
B L6400E 50500N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L6400E 50600N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L6400E 50700N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L6400E 50800N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L6400E 50900N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L6400E 51000N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L6400E 51100N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L6400E 51200N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L6400E 51300N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L6400E 51400N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: **Nokuyukon Holdings Inc.**
110 Falcon Dr.
Whitehorse YT Y1A 6C7 Canada

Project: Bay Grid-2
Report Date: August 27, 2010

Page: 3 of 13 Part 2

CERTIFICATE OF ANALYSIS

WHI10000212.1

	Method Analyte Unit MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
		ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
B L6300E 50000N	Soil	7	53	0.97	164	0.217	1	2.63	0.022	0.68	<0.1	<0.01	4.7	0.4	<0.05	8	<0.5	<0.2
B L6300E 50100N	Soil	6	28	0.51	127	0.122	1	1.84	0.022	0.25	<0.1	0.01	2.5	0.1	<0.05	6	<0.5	<0.2
B L6300E 50200N	Soil	5	24	0.43	126	0.106	<1	1.62	0.022	0.10	<0.1	0.02	2.4	0.1	<0.05	7	<0.5	<0.2
B L6300E 50300N	Soil	9	68	1.04	170	0.204	2	3.16	0.018	0.27	0.2	<0.01	8.0	0.2	<0.05	11	<0.5	<0.2
B L6300E 50400N	Soil	14	39	0.94	210	0.201	<1	2.82	0.015	0.70	<0.1	0.01	8.3	0.3	<0.05	11	<0.5	<0.2
B L6300E 50500N	Soil	9	29	0.78	141	0.187	1	2.08	0.017	0.35	0.1	0.02	6.2	0.2	<0.05	10	<0.5	<0.2
B L6300E 50600N	Soil	12	61	1.05	248	0.232	<1	2.63	0.017	0.66	<0.1	0.01	8.3	0.2	<0.05	10	<0.5	<0.2
B L6300E 50700N	Soil	14	103	1.09	238	0.220	<1	2.38	0.021	0.51	0.2	0.03	5.7	0.3	<0.05	9	<0.5	<0.2
B L6300E 50800N	Soil	9	82	1.20	199	0.232	<1	2.16	0.017	0.54	0.2	0.01	4.8	0.2	<0.05	9	<0.5	<0.2
B L6300E 50900N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L6300E 51000N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L6300E 51100N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L6300E 51200N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L6300E 51300N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L6300E 51400N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L6400E 50000N	Soil	8	42	0.79	154	0.160	2	2.23	0.025	0.11	0.1	<0.01	3.9	0.1	<0.05	6	<0.5	<0.2
B L6400E 50100N	Soil	9	54	1.04	158	0.217	1	3.45	0.016	0.38	0.1	<0.01	4.4	0.3	<0.05	9	<0.5	<0.2
B L6400E 50200N	Soil	13	82	1.39	230	0.179	<1	3.12	0.014	0.44	<0.1	0.02	9.6	0.3	<0.05	10	1.8	<0.2
B L6400E 50300N	Soil	9	44	0.73	166	0.173	<1	2.53	0.020	0.51	<0.1	0.02	3.7	0.4	<0.05	8	<0.5	<0.2
B L6400E 50400N	Soil	7	23	0.32	99	0.072	1	1.45	0.021	0.06	<0.1	0.05	2.5	0.1	<0.05	5	<0.5	<0.2
B L6400E 50500N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L6400E 50600N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L6400E 50700N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L6400E 50800N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L6400E 50900N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L6400E 51000N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L6400E 51100N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L6400E 51200N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L6400E 51300N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L6400E 51400N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client:

Nokuyukon Holdings Inc.

110 Falcon Dr.

Whitehorse YT Y1A 6C7 Canada

Project:

Bay Grid-2

Report Date:

August 27, 2010

Page:

4 of 13

Part 1

CERTIFICATE OF ANALYSIS

WHI10000212.1

	Method Analyte Unit MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
		ppm 0.1	ppm 0.1	ppm 0.1	ppm 1	ppm 0.1	ppm 0.1	ppm 0.1	ppm 1	% 0.01	ppm 0.5	ppm 0.1	ppb 0.5	ppm 0.1	ppm 1	ppm 0.1	ppm 0.1	ppm 0.1	ppm 2	% 0.01	% 0.001
B L6500E 50000N	Soil	1.3	24.2	9.8	53	0.1	27.5	11.8	366	3.39	7.8	0.5	3.2	2.5	27	<0.1	0.4	0.2	90	0.33	0.024
B L6500E 50100N	Soil	0.7	35.5	6.8	49	<0.1	28.5	13.1	357	3.01	5.9	0.7	6.5	3.3	35	<0.1	0.4	0.1	78	0.48	0.050
B L6500E 50200N	Soil	1.2	32.6	9.8	58	<0.1	44.2	16.3	457	3.53	6.2	0.7	8.6	4.5	39	<0.1	0.4	0.2	86	0.40	0.017
B L6500E 50300N	Soil	1.9	32.8	10.5	47	0.2	30.8	14.4	241	3.49	9.0	0.5	2.7	2.4	21	0.1	0.6	0.2	94	0.21	0.029
B L6500E 50400N	Soil	0.6	17.4	4.1	32	0.2	16.4	7.5	186	1.52	1.5	0.5	1.8	1.0	19	<0.1	0.1	0.1	35	0.17	0.035
B L6500E 50500N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L6500E 50600N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L6500E 50700N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L6500E 50800N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L6500E 50900N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L6500E 51000N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L6500E 51100N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L6500E 51200N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L6500E 51300N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L6500E 51400N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L6600E 50000N	Soil	1.3	35.1	10.0	51	<0.1	35.7	18.4	459	3.48	4.4	0.7	1.1	2.6	21	<0.1	0.3	0.2	76	0.23	0.023
B L6600E 50100N	Soil	0.6	50.6	7.5	59	<0.1	44.7	21.0	361	4.18	2.6	0.7	1.4	3.0	27	<0.1	0.2	0.2	99	0.26	0.027
B L6600E 50200N	Soil	1.0	41.5	8.7	69	<0.1	47.2	20.1	329	4.04	5.7	0.9	2.2	4.1	22	<0.1	0.3	0.2	101	0.22	0.027
B L6600E 50300N	Soil	1.4	28.8	9.6	46	<0.1	24.4	11.4	201	3.14	7.7	0.6	3.3	2.4	20	<0.1	0.5	0.2	80	0.20	0.022
B L6600E 50400N	Soil	1.1	39.6	9.8	49	0.2	36.3	12.1	226	3.19	4.4	0.9	3.6	1.9	28	0.1	0.2	0.3	65	0.26	0.039
B L6600E 50500N	Soil	1.0	39.9	8.5	75	<0.1	95.8	31.0	748	3.86	4.5	0.6	1.7	3.2	27	<0.1	0.2	0.3	80	0.36	0.073
B L6600E 50600N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L6600E 50700N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L6600E 50800N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L6600E 50900N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L6600E 51000N	Soil	0.6	18.1	6.3	44	<0.1	16.3	5.5	123	1.74	1.4	0.6	5.4	1.2	18	0.1	0.2	0.1	37	0.20	0.033
B L6600E 51100N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L6600E 51200N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L6600E 51300N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L6600E 51400N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: **Nokuyukon Holdings Inc.**
110 Falcon Dr.
Whitehorse YT Y1A 6C7 Canada

Project: Bay Grid-2
Report Date: August 27, 2010

Page: 4 of 13 Part 2

CERTIFICATE OF ANALYSIS

WHI10000212.1

	Method Analyte Unit MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
		ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.01	0.1	0.05	1	0.5	0.2
B L6500E 50000N	Soil	8	46	0.76	156	0.144	1	2.34	0.017	0.09	<0.1	0.02	3.7	0.1	<0.05	8	<0.5	<0.2
B L6500E 50100N	Soil	12	44	0.79	182	0.161	2	2.18	0.030	0.07	0.1	0.03	5.0	<0.1	<0.05	6	<0.5	<0.2
B L6500E 50200N	Soil	10	59	0.84	163	0.182	1	2.88	0.023	0.12	<0.1	0.01	4.2	0.1	<0.05	8	<0.5	<0.2
B L6500E 50300N	Soil	9	43	0.43	146	0.106	<1	2.63	0.017	0.05	<0.1	0.04	3.2	0.1	<0.05	9	<0.5	<0.2
B L6500E 50400N	Soil	5	23	0.33	73	0.084	<1	1.11	0.024	0.14	<0.1	0.03	2.0	0.1	<0.05	4	<0.5	<0.2
B L6500E 50500N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L6500E 50600N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L6500E 50700N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L6500E 50800N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L6500E 50900N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L6500E 51000N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L6500E 51100N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L6500E 51200N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L6500E 51300N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L6500E 51400N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L6600E 50000N	Soil	7	51	0.88	143	0.203	<1	2.52	0.018	0.47	0.1	0.01	4.4	0.3	<0.05	7	<0.5	<0.2
B L6600E 50100N	Soil	8	65	1.30	225	0.294	<1	3.21	0.021	0.88	0.1	0.02	7.2	0.5	0.05	9	<0.5	<0.2
B L6600E 50200N	Soil	10	60	1.07	282	0.222	1	3.66	0.020	0.32	0.3	0.02	6.1	0.3	<0.05	10	<0.5	<0.2
B L6600E 50300N	Soil	7	39	0.57	127	0.126	1	2.25	0.026	0.08	<0.1	0.03	3.5	0.1	<0.05	7	<0.5	<0.2
B L6600E 50400N	Soil	9	48	0.72	178	0.147	1	2.31	0.016	0.37	<0.1	0.03	3.9	0.2	<0.05	7	<0.5	<0.2
B L6600E 50500N	Soil	8	102	1.13	196	0.217	<1	2.79	0.016	0.42	0.9	0.02	4.3	0.3	<0.05	9	<0.5	<0.2
B L6600E 50600N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L6600E 50700N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L6600E 50800N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L6600E 50900N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L6600E 51000N	Soil	6	28	0.41	74	0.138	4	1.38	0.026	0.15	0.1	0.04	2.4	0.2	<0.05	6	<0.5	0.3
B L6600E 51100N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L6600E 51200N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L6600E 51300N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L6600E 51400N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: **Nokuyukon Holdings Inc.**
110 Falcon Dr.
Whitehorse YT Y1A 6C7 Canada

Project: Bay Grid-2
Report Date: August 27, 2010

Page: 5 of 13 Part 1

CERTIFICATE OF ANALYSIS

WHI10000212.1

	Method Analyte Unit MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
		ppm 0.1	ppm 0.1	ppm 0.1	ppm 1	ppm 0.1	ppm 0.1	ppm 0.1	ppm 1	% 0.01	ppm 0.5	ppm 0.1	ppb 0.5	ppm 0.1	ppm 1	ppm 0.1	ppm 0.1	ppm 0.1	ppm 2	% 0.01	% 0.001
B L6700E 50000N	Soil	1.0	29.9	8.9	48	<0.1	30.1	13.3	275	3.15	6.4	0.6	4.1	2.3	21	<0.1	0.3	0.2	79	0.24	0.020
B L6700E 50100N	Soil	1.2	33.3	8.2	39	<0.1	25.0	12.2	303	2.79	5.0	0.8	1.5	2.2	21	<0.1	0.3	0.2	69	0.22	0.026
B L6700E 50200N	Soil	1.2	34.3	9.2	50	<0.1	35.1	16.0	322	3.97	4.9	0.7	1.3	2.9	22	<0.1	0.3	0.2	89	0.23	0.026
B L6700E 50300N	Soil	0.7	37.4	7.7	47	<0.1	30.4	12.5	213	3.13	5.0	0.8	2.9	3.1	31	<0.1	0.3	0.2	78	0.39	0.036
B L6700E 50400N	Soil	0.8	34.9	8.6	58	<0.1	31.8	14.6	259	3.16	4.0	0.8	6.6	2.7	25	<0.1	0.2	0.2	68	0.27	0.033
B L6700E 50500N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L6700E 50600N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L6700E 50700N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L6700E 50800N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L6700E 50900N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L6700E 51000N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L6700E 51100N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L6700E 51200N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L6700E 51300N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L6700E 51400N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L6800E 50000N	Soil	0.8	30.0	9.4	49	<0.1	35.1	13.9	323	3.24	2.8	0.6	0.8	3.8	21	<0.1	0.2	0.2	69	0.29	0.021
B L6800E 50100N	Soil	0.9	37.5	9.0	51	0.1	32.2	13.7	304	3.49	3.6	1.3	1.6	3.2	25	<0.1	0.3	0.2	79	0.30	0.027
B L6800E 50200N	Soil	1.1	35.7	9.1	53	<0.1	30.0	15.8	519	3.42	6.2	1.2	2.1	3.0	26	<0.1	0.4	0.2	82	0.28	0.031
B L6800E 50300N	Soil	0.6	39.9	7.4	65	<0.1	45.0	18.7	319	3.95	3.1	0.7	4.2	3.3	26	<0.1	0.2	0.2	90	0.25	0.022
B L6800E 50400N	Soil	0.8	12.9	5.0	17	0.1	7.1	3.0	60	1.00	1.5	0.4	6.7	0.2	14	<0.1	0.2	0.1	29	0.13	0.025
B L6800E 50500N	Soil	1.3	44.7	11.4	55	0.2	33.8	15.1	368	3.47	9.4	1.1	3.2	2.4	24	<0.1	0.2	0.3	77	0.24	0.037
B L6800E 50600N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L6800E 50700N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L6800E 50800N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L6800E 50900N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L6800E 51000N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L6800E 51100N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L6800E 51200N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L6800E 51300N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L6800E 51400N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: **Nokuyukon Holdings Inc.**
110 Falcon Dr.
Whitehorse YT Y1A 6C7 Canada

Project: Bay Grid-2
Report Date: August 27, 2010

Page: 5 of 13 Part 2

CERTIFICATE OF ANALYSIS

WHI10000212.1

	Method Analyte Unit MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Ti	S	Ga	Se	Te
		ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.01	0.1	0.05	1	0.5	0.2
B L6700E 50000N	Soil	7	45	0.81	142	0.188	<1	2.38	0.018	0.26	0.1	0.01	4.1	0.2	<0.05	7	<0.5	<0.2
B L6700E 50100N	Soil	7	38	0.58	147	0.153	<1	2.19	0.021	0.20	<0.1	0.03	3.8	0.2	<0.05	7	<0.5	<0.2
B L6700E 50200N	Soil	9	49	0.93	185	0.211	<1	2.89	0.017	0.39	0.1	0.02	5.3	0.3	<0.05	8	<0.5	<0.2
B L6700E 50300N	Soil	11	45	0.78	170	0.168	<1	2.37	0.020	0.14	0.1	0.03	5.3	0.1	<0.05	7	<0.5	<0.2
B L6700E 50400N	Soil	10	43	0.77	144	0.190	<1	2.38	0.019	0.35	0.1	0.02	4.3	0.2	<0.05	7	<0.5	<0.2
B L6700E 50500N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L6700E 50600N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L6700E 50700N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L6700E 50800N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L6700E 50900N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L6700E 51000N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L6700E 51100N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L6700E 51200N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L6700E 51300N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L6700E 51400N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L6800E 50000N	Soil	8	57	0.85	183	0.201	<1	2.42	0.018	0.50	0.2	0.01	4.5	0.3	<0.05	7	<0.5	<0.2
B L6800E 50100N	Soil	11	49	0.83	166	0.204	<1	2.70	0.018	0.41	0.1	0.03	5.6	0.3	<0.05	8	<0.5	<0.2
B L6800E 50200N	Soil	10	45	0.67	177	0.144	1	2.56	0.020	0.13	<0.1	0.03	5.2	0.1	<0.05	7	<0.5	<0.2
B L6800E 50300N	Soil	10	66	1.09	210	0.235	<1	2.93	0.022	0.66	<0.1	<0.01	6.2	0.4	<0.05	9	<0.5	<0.2
B L6800E 50400N	Soil	4	13	0.15	62	0.051	<1	0.64	0.019	0.04	<0.1	0.03	1.1	<0.1	<0.05	3	<0.5	<0.2
B L6800E 50500N	Soil	9	45	0.74	182	0.164	<1	2.45	0.016	0.39	<0.1	0.03	4.6	0.2	<0.05	8	<0.5	<0.2
B L6800E 50600N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L6800E 50700N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L6800E 50800N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L6800E 50900N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L6800E 51000N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L6800E 51100N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L6800E 51200N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L6800E 51300N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L6800E 51400N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: **Nokuyukon Holdings Inc.**
110 Falcon Dr.
Whitehorse YT Y1A 6C7 Canada

Project: Bay Grid-2
Report Date: August 27, 2010

Page: 6 of 13 Part 1

CERTIFICATE OF ANALYSIS

WHI10000212.1

Method Analyte Unit MDL		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
		ppm 0.1	ppm 0.1	ppm 0.1	ppm 1	ppm 0.1	ppm 0.1	ppm 0.1	ppm 1	% 0.01	ppm 0.5	ppm 0.1	ppb 0.5	ppm 0.1	ppm 1	ppm 0.1	ppm 0.1	ppm 0.1	ppm 2	% 0.01	% 0.001
B L6900E 50000N	Soil	1.0	46.7	8.4	54	0.3	45.3	16.1	646	3.13	5.5	1.2	3.2	2.0	40	0.2	0.3	0.4	63	0.49	0.058
B L6900E 50100N	Soil	0.5	38.0	7.1	56	<0.1	40.6	16.5	357	3.63	3.8	0.7	<0.5	3.4	9	<0.1	0.1	0.2	56	0.16	0.036
B L6900E 50200N	Soil	0.8	37.8	11.3	70	<0.1	33.5	14.9	369	3.53	4.4	0.8	1.4	3.7	18	<0.1	0.2	0.2	76	0.20	0.023
B L6900E 50300N	Soil	0.6	40.1	10.3	60	<0.1	45.5	15.4	275	3.46	3.5	0.5	<0.5	3.1	11	<0.1	0.2	0.2	74	0.15	0.016
B L6900E 50400N	Soil	2.3	25.4	12.6	50	<0.1	26.8	14.1	470	3.58	8.5	0.6	4.8	2.9	16	0.1	0.4	0.2	98	0.23	0.030
B L6900E 50500N	Soil	0.8	31.8	9.1	55	0.2	28.5	9.6	251	2.93	2.6	0.9	1.5	2.7	19	<0.1	0.2	0.2	60	0.24	0.045
B L6900E 50600N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L6900E 50700N	Soil	0.8	18.8	7.0	58	<0.1	26.4	11.5	317	2.62	3.3	0.7	1.6	2.5	22	<0.1	0.2	0.2	63	0.31	0.032
B L6900E 50800N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L6900E 50900N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L6900E 51000N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L6900E 51100N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L6900E 51200N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L6900E 51300N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L6900E 51400N	Soil	1.3	22.6	7.5	57	<0.1	23.4	19.1	715	3.02	4.6	0.6	1.6	1.9	19	0.1	0.2	0.2	99	0.21	0.037
B L7000E 50000N	Soil	1.0	41.9	9.3	58	0.2	36.2	12.7	410	3.07	10.0	0.9	1.5	2.1	44	0.2	0.3	0.3	67	0.83	0.041
B L7000E 50100N	Soil	1.4	39.1	13.0	65	<0.1	41.0	17.5	439	3.73	8.3	1.1	1.5	4.5	18	<0.1	0.2	0.2	79	0.26	0.025
B L7000E 50200N	Soil	1.0	50.7	10.2	63	0.1	47.0	18.7	507	4.19	19.4	1.4	6.7	4.3	27	<0.1	0.4	0.3	84	0.40	0.052
B L7000E 50300N	Soil	1.8	40.0	10.6	59	0.1	86.6	20.7	572	4.13	7.9	0.8	3.4	3.1	32	<0.1	0.3	0.3	96	0.38	0.047
B L7000E 50400N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L7000E 50500N	Soil	1.3	46.9	7.2	41	0.3	30.3	27.4	785	3.49	4.0	1.3	3.1	1.3	36	<0.1	0.3	0.2	55	0.48	0.070
B L7000E 50600E NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L7000E 50700N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L7000E 50800N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L7000E 50900N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L7000E 51000N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L7000E 51100N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L7000E 51200N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L7000E 51300N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L7000E 51400N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client:

Nokuyukon Holdings Inc.

110 Falcon Dr.

Whitehorse YT Y1A 6C7 Canada

Project:

Bay Grid-2

Report Date:

August 27, 2010

Page:

6 of 13

Part 2

CERTIFICATE OF ANALYSIS

WHI10000212.1

	Method Analyte Unit MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
		ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
B L6900E 50000N	Soil	12	61	0.70	272	0.130	<1	2.79	0.020	0.30	0.2	0.05	4.8	0.2	<0.05	8	<0.5	<0.2
B L6900E 50100N	Soil	9	50	1.00	145	0.262	<1	2.61	0.010	1.04	0.2	<0.01	4.6	0.5	<0.05	8	<0.5	<0.2
B L6900E 50200N	Soil	10	49	0.83	179	0.186	<1	2.76	0.017	0.37	0.1	0.02	4.6	0.3	<0.05	8	<0.5	<0.2
B L6900E 50300N	Soil	8	63	1.02	140	0.161	<1	2.77	0.011	0.37	0.1	0.01	4.3	0.2	<0.05	9	<0.5	<0.2
B L6900E 50400N	Soil	8	45	0.67	101	0.154	<1	1.91	0.015	0.14	0.1	0.01	4.3	<0.1	<0.05	9	<0.5	<0.2
B L6900E 50500N	Soil	9	42	0.68	152	0.155	<1	2.15	0.018	0.43	<0.1	0.03	4.1	0.2	<0.05	7	<0.5	<0.2
B L6900E 50600N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L6900E 50700N	Soil	8	42	0.65	110	0.171	<1	2.00	0.021	0.21	0.1	0.02	3.8	0.2	<0.05	7	<0.5	<0.2
B L6900E 50800N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L6900E 50900N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L6900E 51000N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L6900E 51100N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L6900E 51200N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L6900E 51300N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L6900E 51400N	Soil	8	40	0.60	103	0.207	<1	1.86	0.021	0.28	0.2	0.04	4.0	0.2	<0.05	7	<0.5	<0.2
B L7000E 50000N	Soil	9	46	0.64	192	0.132	<1	2.76	0.022	0.30	0.1	0.04	4.6	0.1	<0.05	7	<0.5	<0.2
B L7000E 50100N	Soil	13	62	0.83	131	0.178	<1	2.54	0.016	0.47	0.2	0.01	5.8	0.2	<0.05	8	<0.5	<0.2
B L7000E 50200N	Soil	18	63	0.99	245	0.192	<1	3.25	0.019	0.34	0.1	0.02	6.6	0.2	<0.05	9	<0.5	<0.2
B L7000E 50300N	Soil	10	129	1.15	180	0.162	<1	2.97	0.024	0.16	<0.1	0.02	5.5	0.2	<0.05	9	<0.5	<0.2
B L7000E 50400N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L7000E 50500N	Soil	16	36	0.49	192	0.105	<1	2.05	0.031	0.14	0.1	0.06	6.0	0.1	<0.05	6	<0.5	<0.2
B L7000E 50600E NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L7000E 50700N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L7000E 50800N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L7000E 50900N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L7000E 51000N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L7000E 51100N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L7000E 51200N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L7000E 51300N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L7000E 51400N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: **Nokuyukon Holdings Inc.**
110 Falcon Dr.
Whitehorse YT Y1A 6C7 Canada

Project: Bay Grid-2
Report Date: August 27, 2010

Page: 7 of 13 Part 1

CERTIFICATE OF ANALYSIS

WHI10000212.1

	Method Analyte Unit MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
		ppm 0.1	ppm 0.1	ppm 0.1	ppm 1	ppm 0.1	ppm 0.1	ppm 0.1	ppm 1	% 0.01	ppm 0.5	ppm 0.1	ppb 0.5	ppm 0.1	ppm 1	ppm 0.1	ppm 0.1	ppm 0.1	ppm 2	% 0.01	% 0.001
B L7100E 50000N	Soil	1.1	33.8	8.0	58	<0.1	30.5	18.0	643	3.43	9.0	0.6	1.4	2.6	20	0.1	0.3	0.2	82	0.21	0.025
B L7100E 50100N	Soil	1.2	29.8	9.0	53	<0.1	29.2	12.6	353	3.23	7.3	0.6	3.9	2.7	23	<0.1	0.3	0.2	77	0.29	0.022
B L7100E 50200N	Soil	0.9	27.0	7.7	55	<0.1	31.1	13.5	367	3.22	5.5	0.6	1.2	2.8	23	<0.1	0.3	0.1	76	0.31	0.023
B L7100E 50300N	Soil	0.9	33.3	7.5	55	<0.1	33.4	14.0	345	3.37	4.8	0.7	2.1	3.0	23	<0.1	0.2	0.3	78	0.29	0.025
B L7100E 50400N	Soil	0.6	38.5	7.1	64	<0.1	154.3	21.9	405	3.97	3.4	0.6	2.6	2.5	70	<0.1	0.2	0.7	83	0.59	0.096
B L7100E 50500N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L7100E 50600N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L7100E 50700N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L7100E 50800N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L7100E 50900N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L7100E 51000N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L7100E 51100N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L7100E 51200N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L7100E 51300N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L7100E 51400N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L7200E 50000N	Soil	0.8	29.7	6.8	55	<0.1	25.4	12.8	397	3.47	14.7	0.6	1.3	2.2	22	0.1	0.3	0.2	77	0.28	0.024
B L7200E 50100N	Soil	0.8	32.8	6.0	57	<0.1	27.2	12.8	402	3.35	8.2	0.6	1.5	2.3	22	<0.1	0.2	0.2	71	0.31	0.024
B L7200E 50200N	Soil	1.1	32.1	9.1	62	<0.1	33.8	14.0	359	3.50	5.2	0.6	1.2	2.2	25	<0.1	0.2	0.2	76	0.35	0.030
B L7200E 50300N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L7200E 50400N	Soil	1.3	29.0	7.5	46	0.1	27.2	11.4	389	3.12	7.3	0.5	3.3	1.5	26	<0.1	0.3	0.2	71	0.34	0.043
B L7200E 50500N	Soil	0.9	22.1	5.6	36	<0.1	17.5	7.1	230	2.23	5.3	0.4	16.6	1.1	19	<0.1	0.2	0.1	54	0.23	0.035
B L7200E 50600E NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L7200E 50700N	Soil	0.9	26.5	6.7	64	<0.1	27.1	16.6	566	3.07	4.7	0.5	1.6	2.2	22	<0.1	0.2	0.2	72	0.31	0.036
B L7200E 50800N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L7200E 50900N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L7200E 51000N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L7200E 51100N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L7200E 51200N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L7200E 51300N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L7200E 51400N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client:

Nokuyukon Holdings Inc.

110 Falcon Dr.

Whitehorse YT Y1A 6C7 Canada

Project:

Bay Grid-2

Report Date:

August 27, 2010

Page:

7 of 13

Part 2

CERTIFICATE OF ANALYSIS

WHI10000212.1

Method Analyte Unit MDL		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
		ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.01	0.1	0.05	1	0.5	0.2
B L7100E 50000N	Soil	9	48	0.73	159	0.195	<1	2.69	0.018	0.27	<0.1	0.02	4.5	0.2	<0.05	8	<0.5	<0.2
B L7100E 50100N	Soil	8	48	0.74	139	0.204	<1	2.43	0.021	0.30	0.1	0.01	4.2	0.2	<0.05	8	<0.5	<0.2
B L7100E 50200N	Soil	8	49	0.77	131	0.211	<1	2.27	0.016	0.34	0.1	0.01	4.2	0.2	<0.05	7	<0.5	<0.2
B L7100E 50300N	Soil	9	51	0.82	141	0.208	<1	2.49	0.016	0.30	0.2	0.02	4.5	0.2	<0.05	7	<0.5	<0.2
B L7100E 50400N	Soil	13	217	2.08	174	0.157	2	2.88	0.025	0.51	0.1	0.02	5.7	0.3	<0.05	9	<0.5	<0.2
B L7100E 50500N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L7100E 50600N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L7100E 50700N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L7100E 50800N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L7100E 50900N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L7100E 51000N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L7100E 51100N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L7100E 51200N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L7100E 51300N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L7100E 51400N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L7200E 50000N	Soil	7	40	0.75	146	0.166	1	2.47	0.018	0.30	0.1	0.02	4.5	0.2	<0.05	8	<0.5	<0.2
B L7200E 50100N	Soil	7	43	0.76	148	0.178	1	2.43	0.018	0.44	0.1	0.01	4.6	0.2	<0.05	8	<0.5	<0.2
B L7200E 50200N	Soil	7	52	0.88	133	0.188	1	2.39	0.017	0.45	0.1	0.02	4.7	0.2	<0.05	8	<0.5	<0.2
B L7200E 50300N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L7200E 50400N	Soil	6	37	0.54	161	0.113	2	2.59	0.021	0.15	0.1	0.03	4.0	0.1	<0.05	8	<0.5	<0.2
B L7200E 50500N	Soil	5	26	0.42	106	0.094	2	1.56	0.029	0.09	0.1	0.03	2.7	<0.1	<0.05	6	<0.5	<0.2
B L7200E 50600E NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L7200E 50700N	Soil	7	43	0.71	118	0.157	2	2.08	0.019	0.26	0.2	0.02	4.5	0.2	<0.05	7	<0.5	<0.2
B L7200E 50800N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L7200E 50900N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L7200E 51000N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L7200E 51100N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L7200E 51200N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L7200E 51300N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L7200E 51400N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: **Nokuyukon Holdings Inc.**
110 Falcon Dr.
Whitehorse YT Y1A 6C7 Canada

Project: Bay Grid-2
Report Date: August 27, 2010

Page: 8 of 13 Part 1

CERTIFICATE OF ANALYSIS

WHI10000212.1

Method Analyte Unit MDL		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Mo ppm 0.1	Cu ppm 0.1	Pb ppm 0.1	Zn ppm 1	Ag ppm 0.1	Ni ppm 0.1	Co ppm 0.1	Mn ppm 1	Fe % 0.01	As ppm 0.5	U ppm 0.1	Au ppb 0.5	Th ppm 0.1	Sr ppm 1	Cd ppm 0.1	Sb ppm 0.1	Bi ppm 0.1	V ppm 2	Ca % 0.01	P % 0.001
B L7300E 50000N	Soil	0.7	28.7	6.2	64	<0.1	29.8	12.7	381	3.52	18.1	0.5	1.7	2.8	23	<0.1	0.2	0.2	73	0.33	0.026
B L7300E 50100N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L7300E 50200N	Soil	1.0	35.4	6.5	67	<0.1	33.1	13.5	448	3.58	5.8	0.5	1.2	2.1	24	<0.1	0.2	0.2	78	0.35	0.030
B L7300E 50300N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L7300E 50400N	Soil	0.8	16.7	4.1	27	0.1	10.6	4.3	116	1.47	3.5	0.4	3.1	0.6	19	<0.1	0.2	0.1	35	0.22	0.027
B L7300E 50500N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L7300E 50600N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L7300E 50700N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L7300E 50800N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L7300E 50900N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L7300E 51000N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L7300E 51100N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L7300E 51200N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L7300E 51300N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L7300E 51400N	Soil	1.1	27.0	7.4	59	<0.1	38.2	14.2	396	2.61	2.7	0.6	2.3	1.4	20	<0.1	0.2	0.2	58	0.24	0.038
B L7400E 50000N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L7400E 50100N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L7400E 50200N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L7400E 50300N	Soil	0.7	21.8	5.0	38	0.2	18.3	6.8	230	2.08	4.8	0.4	2.1	0.6	26	0.2	0.2	0.1	48	0.36	0.048
B L7400E 50400N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L7400E 50500N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L7400E 50600N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L7400E 50700N	Soil	0.9	42.8	8.4	74	0.3	40.4	17.3	407	3.92	6.5	1.0	5.5	2.9	31	<0.1	0.2	0.2	100	0.43	0.047
B L7400E 50800N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L7400E 50900N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L7400E 51000N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L7400E 51100N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L7400E 51200N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L7400E 51300N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L7400E 51400N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: Nokuyukon Holdings Inc.
110 Falcon Dr.
Whitehorse YT Y1A 6C7 Canada

Project: Bay Grid-2
Report Date: August 27, 2010

Page: 8 of 13 **Part** 2

CERTIFICATE OF ANALYSIS

WHI10000212.1

Method Analyte Unit MDL		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
		ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
B L7300E 50000N	Soil	8	45	0.83	154	0.189	1	2.33	0.021	0.42	0.1	<0.01	5.1	0.2	<0.05	8	<0.5	0.3
B L7300E 50100N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L7300E 50200N	Soil	7	48	0.85	149	0.188	<1	2.39	0.026	0.45	0.1	0.01	4.8	0.3	<0.05	8	<0.5	<0.2
B L7300E 50300N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L7300E 50400N	Soil	4	17	0.24	83	0.058	<1	1.09	0.029	0.06	<0.1	0.02	1.8	<0.1	<0.05	4	<0.5	<0.2
B L7300E 50500N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L7300E 50600N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L7300E 50700N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L7300E 50800N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L7300E 50900N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L7300E 51000N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L7300E 51100N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L7300E 51200N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L7300E 51300N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L7300E 51400N	Soil	6	59	0.65	99	0.149	1	1.90	0.020	0.23	0.2	0.03	3.4	0.2	<0.05	7	<0.5	<0.2
B L7400E 50000N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L7400E 50100N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L7400E 50200N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L7400E 50300N	Soil	5	23	0.32	116	0.073	<1	1.46	0.025	0.15	<0.1	0.03	2.3	<0.1	<0.05	5	<0.5	<0.2
B L7400E 50400N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L7400E 50500N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L7400E 50600N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L7400E 50700N	Soil	12	51	0.95	201	0.178	2	3.02	0.028	0.47	0.2	0.03	8.1	0.2	<0.05	9	0.6	<0.2
B L7400E 50800N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L7400E 50900N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L7400E 51000N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L7400E 51100N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L7400E 51200N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L7400E 51300N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L7400E 51400N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client:

Nokuyukon Holdings Inc.

110 Falcon Dr.

Whitehorse YT Y1A 6C7 Canada

Project:

Bay Grid-2

Report Date:

August 27, 2010

Page:

9 of 13

Part 1

CERTIFICATE OF ANALYSIS

WHI10000212.1

	Method Analyte Unit MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
		ppm 0.1	ppm 0.1	ppm 0.1	ppm 1	ppm 0.1	ppm 0.1	ppm 0.1	ppm 1	% 0.01	ppm 0.5	ppm 0.1	ppb 0.5	ppm 0.1	ppm 1	ppm 0.1	ppm 0.1	ppm 0.1	ppm 2	% 0.01	% 0.001
B L7500E 50000N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L7500E 50100N	Soil	1.2	36.8	7.6	67	0.1	30.5	12.9	470	3.77	5.3	0.6	1.9	2.1	28	0.1	0.3	0.2	85	0.31	0.024
B L7500E 50200N	Soil	1.1	32.1	7.7	62	<0.1	30.2	13.5	429	3.37	10.9	0.6	2.0	2.4	28	0.1	0.3	0.2	84	0.40	0.025
B L7500E 50300N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L7500E 50400N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L7500E 50500N	Soil	0.8	29.6	5.5	49	<0.1	24.7	10.4	305	2.97	5.6	0.6	7.1	1.9	23	<0.1	0.3	0.1	70	0.30	0.029
B L7500E 50600N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L7500E 50700N	Soil	1.0	18.1	4.5	36	0.1	20.1	7.8	188	2.21	4.8	0.5	1.4	0.9	22	<0.1	0.2	0.1	55	0.27	0.035
B L7500E 50800N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L7500E 50900N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L7500E 51000N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L7500E 51100N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L7500E 51200N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L7500E 51300N	Soil	1.0	25.0	7.6	64	0.2	25.6	10.9	399	3.25	5.7	0.6	3.9	1.5	23	0.1	0.2	0.3	70	0.31	0.044
B L7500E 51400N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L7600E 50000N	Soil	1.2	35.0	8.5	60	0.1	33.8	13.3	378	3.56	6.0	0.5	2.4	1.9	20	<0.1	0.2	0.2	83	0.32	0.029
B L7600E 50100N	Soil	0.9	39.9	7.1	71	<0.1	33.4	14.3	431	3.90	7.1	0.6	2.7	2.5	28	0.1	0.2	0.2	92	0.33	0.022
B L7600E 50200N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L7600E 50300N	Soil	1.1	35.5	6.9	64	<0.1	37.9	15.5	432	3.93	6.5	0.5	2.6	2.3	29	<0.1	0.3	0.2	93	0.31	0.021
B L7600E 50400N	Soil	0.9	31.7	3.2	68	<0.1	250.6	33.6	349	4.04	1.8	0.4	2.1	1.6	42	<0.1	<0.1	0.3	100	0.67	0.091
B L7600E 50500N	Soil	1.0	16.1	6.1	35	<0.1	16.1	10.0	307	2.48	5.8	0.3	1.1	1.2	16	<0.1	0.3	0.1	61	0.17	0.014
B L7600E 50600N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L7600E 50700N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L7600E 50800N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L7600E 50900N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L7600E 51000N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L7600E 51100N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L7600E 51200N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L7600E 51300N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L7600E 51400E NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client:

Nokuyukon Holdings Inc.

110 Falcon Dr.

Whitehorse YT Y1A 6C7 Canada

Project:

Bay Grid-2

Report Date:

August 27, 2010

Page:

9 of 13

Part 2

CERTIFICATE OF ANALYSIS

WHI10000212.1

	Method Analyte Unit MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
		ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
B L7500E 50000N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L7500E 50100N	Soil	7	50	0.86	158	0.213	1	2.52	0.034	0.52	0.1	0.01	5.8	0.3	<0.05	9	<0.5	<0.2
B L7500E 50200N	Soil	7	46	0.80	128	0.165	<1	2.25	0.018	0.22	0.1	0.02	4.9	0.2	<0.05	7	<0.5	<0.2
B L7500E 50300N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L7500E 50400N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L7500E 50500N	Soil	8	38	0.68	123	0.138	2	2.03	0.022	0.15	0.1	0.02	4.2	0.1	<0.05	6	<0.5	<0.2
B L7500E 50600N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L7500E 50700N	Soil	5	30	0.46	100	0.099	1	1.38	0.024	0.14	<0.1	0.02	2.6	<0.1	<0.05	5	<0.5	<0.2
B L7500E 50800N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L7500E 50900N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L7500E 51000N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L7500E 51100N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L7500E 51200N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L7500E 51300N	Soil	6	43	0.59	116	0.151	2	2.26	0.016	0.27	0.1	0.05	4.8	0.2	<0.05	7	<0.5	<0.2
B L7500E 51400N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L7600E 50000N	Soil	6	49	0.72	135	0.176	2	2.74	0.021	0.38	0.2	0.02	5.3	0.3	<0.05	9	<0.5	<0.2
B L7600E 50100N	Soil	8	55	0.97	150	0.235	1	2.54	0.027	0.56	0.1	<0.01	7.0	0.3	<0.05	8	<0.5	<0.2
B L7600E 50200N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L7600E 50300N	Soil	7	54	0.89	159	0.191	1	2.78	0.022	0.34	0.1	0.01	5.8	0.2	<0.05	9	<0.5	<0.2
B L7600E 50400N	Soil	7	444	3.35	236	0.304	<1	3.34	0.015	0.82	0.2	<0.01	6.0	0.6	<0.05	9	<0.5	<0.2
B L7600E 50500N	Soil	5	21	0.43	101	0.093	2	1.67	0.023	0.08	<0.1	0.02	2.4	<0.1	<0.05	6	<0.5	<0.2
B L7600E 50600N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L7600E 50700N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L7600E 50800N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L7600E 50900N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L7600E 51000N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L7600E 51100N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L7600E 51200N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L7600E 51300N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L7600E 51400E NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: **Nokuyukon Holdings Inc.**
110 Falcon Dr.
Whitehorse YT Y1A 6C7 Canada

Project: Bay Grid-2
Report Date: August 27, 2010

Page: 10 of 13 Part 1

CERTIFICATE OF ANALYSIS

WHI10000212.1

	Method Analyte Unit MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca
		ppm 0.1	ppm 0.1	ppm 0.1	ppm 1	ppm 0.1	ppm 0.1	ppm 0.1	ppm 1	% 0.01	ppm 0.5	ppm 0.1	ppb 0.5	ppm 0.1	ppm 1	ppm 0.1	ppm 0.1	ppm 0.1	ppm 2	% 0.01
B L7700E 50000N	Soil	0.9	32.0	7.1	71	<0.1	30.7	12.6	373	3.51	5.8	0.6	0.8	2.3	23	<0.1	0.2	0.2	82	0.26
B L7700E 50100N	Soil	0.7	24.2	8.4	48	<0.1	27.8	11.5	276	2.95	7.3	0.4	1.1	1.9	22	0.1	0.3	0.2	74	0.29
B L7700E 50200N	Soil	0.8	38.5	6.8	66	<0.1	41.5	16.3	471	3.83	7.2	0.6	1.6	2.5	30	0.1	0.3	0.2	93	0.37
B L7700E 50300N	Soil	0.9	33.1	6.0	56	<0.1	28.2	13.7	483	3.45	5.3	0.6	6.4	2.4	29	0.1	0.3	0.2	87	0.37
B L7700E 50400N	Soil	0.9	29.9	6.7	64	<0.1	31.6	15.9	519	3.71	7.1	0.5	2.1	2.2	29	0.1	0.3	0.2	91	0.42
B L7700E 50500N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L7700E 50600N	Soil	1.8	22.7	8.7	74	0.1	21.8	18.7	780	3.20	7.6	0.6	3.4	2.3	21	<0.1	0.5	0.2	80	0.29
B L7700E 50700N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L7700E 50800N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L7700E 50900N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L7700E 51000N	Soil	1.0	35.5	6.8	68	<0.1	30.3	16.2	373	3.41	4.4	0.7	3.2	2.4	26	<0.1	0.2	0.2	76	0.30
B L7700E 51100N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L7700E 51200N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L7700E 51300N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L7700E 51400N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L7800E 50000N	Soil	1.1	16.8	5.5	38	<0.1	15.1	9.1	592	2.17	3.3	0.5	0.8	1.9	21	0.1	0.2	0.2	49	0.26
B L7800E 50100N	Soil	0.9	28.7	6.8	50	0.1	25.0	11.4	303	2.91	6.1	0.6	1.8	1.9	22	<0.1	0.3	0.1	71	0.27
B L7800E 50200N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L7800E 50300N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L7800E 50400N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L7800E 50500N	Soil	1.0	33.6	6.3	49	0.1	26.3	13.0	319	3.18	6.2	0.7	1.6	2.4	31	0.1	0.3	0.1	79	0.42
B L7800E 50600N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L7800E 50700N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L7800E 50800N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L7800E 50900N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L7800E 51000N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L7800E 51100N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L7800E 51200N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L7800E 51300N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L7800E 51400N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client:

Nokuyukon Holdings Inc.

110 Falcon Dr.

Whitehorse YT Y1A 6C7 Canada

Project:

Bay Grid-2

Report Date:

August 27, 2010

Page:

10 of 13 Part 2

CERTIFICATE OF ANALYSIS

WHI10000212.1

Method Analyte Unit MDL		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Ti	S	Ga	Se	Te
		ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
B L7700E 50000N	Soil	7	52	0.87	138	0.208	2	2.33	0.024	0.59	0.1	0.01	5.7	0.3	<0.05	8	<0.5	<0.2
B L7700E 50100N	Soil	6	39	0.64	124	0.150	2	2.22	0.028	0.18	0.1	0.01	3.9	0.1	<0.05	7	<0.5	<0.2
B L7700E 50200N	Soil	7	59	0.99	168	0.223	1	2.61	0.024	0.43	0.2	<0.01	5.8	0.3	<0.05	8	<0.5	<0.2
B L7700E 50300N	Soil	8	47	0.80	162	0.193	1	2.38	0.027	0.29	0.1	0.01	6.1	0.2	<0.05	7	<0.5	<0.2
B L7700E 50400N	Soil	7	46	0.88	180	0.175	2	2.79	0.020	0.27	0.1	0.02	5.1	0.2	<0.05	8	<0.5	<0.2
B L7700E 50500N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L7700E 50600N	Soil	8	29	0.41	244	0.111	1	2.24	0.038	0.07	<0.1	<0.01	3.2	0.2	<0.05	8	<0.5	<0.2
B L7700E 50700N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L7700E 50800N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L7700E 50900N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L7700E 51000N	Soil	8	43	0.76	130	0.181	3	2.52	0.021	0.30	0.2	0.02	5.2	0.2	<0.05	8	<0.5	<0.2
B L7700E 51100N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L7700E 51200N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L7700E 51300N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L7700E 51400N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L7800E 50000N	Soil	8	25	0.50	156	0.122	1	1.42	0.026	0.26	0.1	0.02	3.6	0.1	<0.05	6	<0.5	<0.2
B L7800E 50100N	Soil	7	36	0.61	137	0.133	<1	2.02	0.021	0.16	0.1	0.02	4.2	0.1	<0.05	7	<0.5	0.3
B L7800E 50200N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L7800E 50300N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L7800E 50400N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L7800E 50500N	Soil	9	35	0.68	184	0.156	2	2.26	0.025	0.13	<0.1	0.02	4.1	0.1	<0.05	7	<0.5	<0.2
B L7800E 50600N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L7800E 50700N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L7800E 50800N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L7800E 50900N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L7800E 51000N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L7800E 51100N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L7800E 51200N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L7800E 51300N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L7800E 51400N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: **Nokuyukon Holdings Inc.**
110 Falcon Dr.
Whitehorse YT Y1A 6C7 Canada

Project: Bay Grid-2
Report Date: August 27, 2010

Page: 11 of 13 Part 1

CERTIFICATE OF ANALYSIS

WHI10000212.1

	Method Analyte Unit MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
		ppm 0.1	ppm 0.1	ppm 0.1	ppm 1	ppm 0.1	ppm 0.1	ppm 0.1	ppm 1	% 0.01	ppm 0.5	ppm 0.1	ppb 0.5	ppm 0.1	ppm 1	ppm 0.1	ppm 0.1	ppm 0.1	ppm 2	% 0.01	% 0.001
B L7900E 50000N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L7900E 50100N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L7900E 50200N	Soil	0.9	29.1	6.8	56	<0.1	28.1	12.1	304	3.07	3.9	0.6	2.0	2.3	24	0.1	0.2	0.2	81	0.34	0.034
B L7900E 50300N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L7900E 50400N	Soil	0.9	38.5	6.8	62	0.1	31.2	16.2	445	3.61	5.3	0.9	1.5	3.1	29	<0.1	0.3	0.2	88	0.41	0.032
B L7900E 50500N	Soil	0.9	32.5	7.1	62	<0.1	31.9	13.8	386	3.67	6.1	0.5	2.2	2.4	27	0.1	0.3	0.2	88	0.39	0.033
B L7900E 50600N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L7900E 50700N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L7900E 50800N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L7900E 50900N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L7900E 51000N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L7900E 51100N	Soil	0.9	24.0	8.8	76	<0.1	29.5	12.2	289	2.89	2.5	0.7	2.9	2.4	27	<0.1	0.3	0.2	68	0.29	0.029
B L7900E 51200N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L7900E 51300N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L7900E 51400N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L8000E 50000N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L8000E 50100N	Soil	1.1	46.7	6.7	61	0.1	34.9	14.6	381	3.25	3.4	1.1	1.1	2.9	32	0.1	0.3	0.3	79	0.43	0.042
B L8000E 50200N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L8000E 50300N	Soil	1.3	53.6	8.0	80	0.2	44.5	17.1	459	4.09	3.4	1.0	13.6	2.7	41	0.1	0.3	0.3	96	0.44	0.037
B L8000E 50400N	Soil	1.4	41.7	8.4	75	0.1	34.3	14.9	441	3.90	4.5	0.8	3.0	2.6	37	0.1	0.3	0.2	90	0.39	0.040
B L8000E 50500N	Soil	0.8	35.9	6.9	70	<0.1	30.7	13.4	409	3.63	4.1	0.6	2.3	2.6	35	<0.1	0.3	0.2	90	0.36	0.021
B L8000E 50600N	Soil	1.2	58.9	8.4	67	0.3	39.7	15.7	473	3.59	5.3	1.1	2.0	2.2	38	0.3	0.4	0.2	81	0.42	0.043
B L8000E 50700N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L8000E 50800N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L8000E 50900N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L8000E 51000N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L8000E 51100N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L8000E 51200N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L8000E 51300N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L8000E 51400N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.



Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Nokuyukon Holdings Inc.**
110 Falcon Dr.
Whitehorse YT Y1A 6C7 Canada

Project: Bay Grid-2
Report Date: August 27, 2010

Page: 11 of 13 Part 2

CERTIFICATE OF ANALYSIS

WHI10000212.1

Method Analyte Unit MDL		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Ti	S	Ga	Se	Te
		ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
B L7900E 5000N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L7900E 50100N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L7900E 50200N	Soil	7	42	0.76	128	0.171	1	2.10	0.021	0.28	0.1	0.01	4.6	0.2	<0.05	7	<0.5	<0.2
B L7900E 50300N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L7900E 50400N	Soil	9	45	0.91	191	0.192	1	2.55	0.024	0.31	0.1	0.01	5.3	0.2	<0.05	8	0.5	<0.2
B L7900E 50500N	Soil	7	47	0.85	173	0.169	2	2.70	0.025	0.20	0.1	0.02	5.1	0.2	<0.05	7	<0.5	<0.2
B L7900E 50600N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L7900E 50700N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L7900E 50800N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L7900E 50900N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L7900E 51000N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L7900E 51100N	Soil	8	54	0.69	123	0.238	<1	2.38	0.026	0.34	0.1	0.04	6.3	0.2	<0.05	8	<0.5	<0.2
B L7900E 51200N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L7900E 51300N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L7900E 51400N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L8000E 50000N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L8000E 50100N	Soil	10	47	0.76	153	0.204	1	2.21	0.027	0.32	0.3	0.02	6.3	0.2	<0.05	7	<0.5	<0.2
B L8000E 50200N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L8000E 50300N	Soil	9	71	1.02	180	0.255	1	2.75	0.037	0.53	0.2	0.01	7.8	0.3	0.10	9	<0.5	<0.2
B L8000E 50400N	Soil	9	60	0.89	173	0.238	1	2.78	0.033	0.40	0.2	0.02	7.3	0.2	0.09	9	<0.5	<0.2
B L8000E 50500N	Soil	9	52	0.89	144	0.241	1	2.47	0.029	0.31	0.1	0.02	6.5	0.2	<0.05	8	<0.5	<0.2
B L8000E 50600N	Soil	10	52	0.71	174	0.176	2	2.44	0.028	0.19	<0.1	0.03	6.4	0.2	<0.05	8	<0.5	<0.2
B L8000E 50700N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L8000E 50800N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L8000E 50900N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L8000E 51000N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L8000E 51100N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L8000E 51200N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L8000E 51300N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L8000E 51400N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: **Nokuyukon Holdings Inc.**
110 Falcon Dr.
Whitehorse YT Y1A 6C7 Canada

Project: Bay Grid-2
Report Date: August 27, 2010

Page: 12 of 13 Part 1

CERTIFICATE OF ANALYSIS

WHI10000212.1

	Method Analyte Unit MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
		ppm 0.1	ppm 0.1	ppm 0.1	ppm 1	ppm 0.1	ppm 0.1	ppm 0.1	ppm 1	% 0.01	ppm 0.5	ppm 0.1	ppb 0.5	ppm 0.1	ppm 1	ppm 0.1	ppm 0.1	ppm 0.1	ppm 2	% 0.01	% 0.001
B L8100E 50000N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L8100E 50100N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L8100E 50200N	Soil	1.2	51.4	8.1	72	0.2	40.5	15.2	436	3.55	3.4	1.4	3.3	3.4	36	0.2	0.3	0.3	79	0.50	0.043
B L8100E 50300N	Soil	1.4	33.0	10.6	71	0.1	38.9	16.5	434	3.83	2.0	1.0	2.6	3.4	25	<0.1	0.2	0.4	91	0.31	0.026
B L8100E 50400N	Soil	2.1	37.5	11.8	86	<0.1	51.3	18.3	544	3.93	3.0	0.7	1.6	2.3	31	<0.1	0.3	0.3	91	0.25	0.031
B L8100E 50500N	Soil	1.4	43.5	10.2	67	0.2	40.0	15.0	385	4.02	7.6	0.9	3.8	2.7	32	0.1	0.6	0.3	97	0.34	0.026
B L8100E 50600N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L8100E 50700N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L8100E 50800N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L8100E 50900N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L8100E 51000N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L8100E 51100N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L8100E 51200N	Soil	0.8	18.8	8.6	71	<0.1	21.9	9.4	286	2.69	1.9	0.7	2.1	2.4	25	<0.1	0.2	0.3	56	0.30	0.044
B L8100E 51300N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L8100E 51400N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L8200E 50000N	Soil	1.0	44.0	6.6	54	0.1	29.5	15.2	379	3.22	3.2	1.1	4.1	3.1	26	0.1	0.3	0.2	81	0.34	0.032
B L8200E 50100N	Soil	0.9	39.4	6.3	48	<0.1	29.3	14.5	543	2.94	3.8	0.7	3.1	3.3	30	<0.1	0.4	0.2	72	0.41	0.022
B L8200E 50200N	Soil	0.8	38.4	6.9	50	<0.1	34.0	14.7	373	3.14	5.1	0.8	3.8	4.3	37	<0.1	0.4	0.3	81	0.59	0.027
B L8200E 50300N	Soil	0.6	33.1	5.8	43	<0.1	31.4	11.3	315	2.68	4.8	0.6	4.7	2.8	30	<0.1	0.3	0.1	81	0.47	0.037
B L8200E 50400N	Soil	1.2	21.4	6.3	48	<0.1	24.5	11.4	313	3.10	3.9	0.5	<0.5	2.0	19	<0.1	0.3	0.2	82	0.24	0.018
B L8200E 50500N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L8200E 50600N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L8200E 50700N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L8200E 50800N	Soil	0.8	30.6	8.8	53	0.1	24.2	10.7	292	2.24	2.9	0.7	2.1	1.1	23	0.1	0.2	0.3	53	0.23	0.037
B L8200E 50900N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L8200E 51000N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L8200E 51100N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L8200E 51200N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L8200E 51300N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L8200E 51400N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.



Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Nokuyukon Holdings Inc.**
110 Falcon Dr.
Whitehorse YT Y1A 6C7 Canada

Project: Bay Grid-2
Report Date: August 27, 2010

Page: 12 of 13 Part 2

CERTIFICATE OF ANALYSIS

WHI10000212.1

Method Analyte Unit MDL		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
		ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
B L8100E 5000N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L8100E 50100N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L8100E 50200N	Soil	12	55	0.84	175	0.215	3	2.35	0.031	0.38	0.3	0.02	7.3	0.2	<0.05	8	<0.5	0.2
B L8100E 50300N	Soil	9	55	1.00	159	0.283	2	2.47	0.024	0.68	0.2	<0.01	8.4	0.3	<0.05	9	<0.5	<0.2
B L8100E 50400N	Soil	8	78	0.94	164	0.247	1	2.81	0.029	0.45	0.1	0.01	6.5	0.3	0.07	9	<0.5	<0.2
B L8100E 50500N	Soil	10	61	0.81	178	0.180	2	3.05	0.024	0.15	<0.1	0.02	6.0	0.1	<0.05	9	<0.5	<0.2
B L8100E 50600N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L8100E 50700N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L8100E 50800N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L8100E 50900N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L8100E 51000N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L8100E 51100N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L8100E 51200N	Soil	9	40	0.60	106	0.192	2	2.01	0.027	0.25	0.1	0.05	4.9	0.2	<0.05	8	<0.5	<0.2
B L8100E 51300N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L8100E 51400N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L8200E 50000N	Soil	11	46	0.73	122	0.204	2	2.28	0.031	0.28	0.2	0.03	5.7	0.2	<0.05	7	<0.5	<0.2
B L8200E 50100N	Soil	11	44	0.71	148	0.187	2	2.02	0.038	0.30	0.2	0.02	5.7	0.1	<0.05	7	<0.5	<0.2
B L8200E 50200N	Soil	11	55	0.77	136	0.210	1	2.27	0.052	0.40	0.3	0.02	7.1	0.2	<0.05	7	<0.5	<0.2
B L8200E 50300N	Soil	8	42	0.74	128	0.168	2	1.67	0.029	0.08	0.2	0.01	4.1	<0.1	<0.05	5	<0.5	<0.2
B L8200E 50400N	Soil	6	56	0.85	137	0.220	2	1.99	0.026	0.56	0.2	0.01	6.6	0.2	<0.05	8	<0.5	<0.2
B L8200E 50500N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L8200E 50600N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L8200E 50700N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L8200E 50800N	Soil	5	39	0.47	101	0.130	2	1.73	0.027	0.16	0.1	0.04	3.7	0.1	0.06	6	<0.5	<0.2
B L8200E 50900N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L8200E 51000N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L8200E 51100N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L8200E 51200N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L8200E 51300N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L8200E 51400N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client:

Nokuyukon Holdings Inc.

110 Falcon Dr.

Whitehorse YT Y1A 6C7 Canada

Project:

Bay Grid-2

Report Date:

August 27, 2010

Page:

13 of 13 Part 1

CERTIFICATE OF ANALYSIS

WHI10000212.1

	Method Analyte Unit MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
		ppm 0.1	ppm 0.1	ppm 0.1	ppm 1	ppm 0.1	ppm 0.1	ppm 0.1	ppm 1	% 0.01	ppm 0.5	ppm 0.1	ppb 0.5	ppm 0.1	ppm 1	ppm 0.1	ppm 0.1	ppm 0.1	ppm 2	% 0.01	% 0.001
B L8300E 50000N	Soil	0.9	36.2	7.4	54	<0.1	32.5	16.0	479	3.17	7.0	0.8	2.0	4.5	27	<0.1	0.4	0.2	82	0.46	0.036
B L8300E 50100N	Soil	0.8	74.3	7.2	55	0.1	38.4	14.4	536	2.80	3.9	0.6	3.8	2.7	37	0.2	0.3	0.2	62	0.53	0.215
B L8300E 50200N	Soil	0.6	17.8	4.0	66	<0.1	23.8	16.3	570	4.06	3.0	0.6	<0.5	4.5	11	<0.1	<0.1	0.2	111	0.14	0.025
B L8300E 50300N	Soil	1.0	24.5	6.3	30	<0.1	20.2	10.2	188	2.14	5.6	0.3	0.8	1.1	18	<0.1	0.3	0.2	63	0.21	0.014
B L8300E 50400N	Soil	0.8	24.3	4.7	31	<0.1	26.5	10.0	207	1.98	4.8	0.7	1.3	2.5	18	<0.1	0.2	0.2	55	0.24	0.034
B L8300E 50500N	Soil	1.5	17.2	8.9	58	<0.1	17.2	11.7	632	3.36	5.9	0.4	1.9	1.8	14	0.1	0.4	0.3	94	0.16	0.030
B L8300E 50600N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L8300E 50700N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L8300E 50800N	Soil	1.0	37.8	9.7	70	0.2	36.9	20.7	620	3.30	4.2	0.9	4.8	1.8	26	<0.1	0.2	0.2	81	0.25	0.047
B L8300E 50900N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L8300E 51000N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L8300E 51100N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L8300E 51200N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L8300E 51300N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L8300E 51400N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L8400E 50000N	Soil	0.9	44.2	6.6	62	<0.1	43.6	17.5	368	4.01	7.3	1.0	1.2	5.3	27	<0.1	0.4	0.3	93	0.33	0.015
B L8400E 50100N	Soil	0.9	33.7	4.3	36	<0.1	28.6	15.1	216	2.80	3.3	0.4	<0.5	3.2	12	<0.1	0.2	<0.1	80	0.19	0.015
B L8400E 50200N	Soil	0.8	25.6	6.2	54	<0.1	24.5	13.6	388	3.42	3.8	0.7	3.9	5.3	19	<0.1	0.2	0.3	89	0.28	0.019
B L8400E 50300N	Soil	0.8	44.4	6.2	36	<0.1	24.5	11.3	298	2.34	5.2	0.5	3.4	1.6	27	<0.1	0.3	0.1	66	0.39	0.024
B L8400E 50400N	Soil	0.9	44.3	6.2	37	<0.1	24.6	11.0	230	2.35	5.0	0.6	1.9	1.8	23	<0.1	0.3	0.1	68	0.31	0.027
B L8400E 50500N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L8400E 50600N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L8400E 50700N	Soil	1.0	31.0	7.2	58	0.1	33.4	13.0	230	2.64	2.9	0.7	1.8	1.6	19	<0.1	0.2	0.3	77	0.21	0.031
B L8400E 50800N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L8400E 50900N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L8400E 51000N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L8400E 51100N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L8400E 51200N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L8400E 51300N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L8400E 51400N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client:

Nokuyukon Holdings Inc.

110 Falcon Dr.

Whitehorse YT Y1A 6C7 Canada

Project:

Bay Grid-2

Report Date:

August 27, 2010

Page:

13 of 13 Part 2

CERTIFICATE OF ANALYSIS

WHI10000212.1

	Method Analyte Unit MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
		ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
B L8300E 50000N	Soil	12	50	0.77	139	0.207	2	2.00	0.038	0.51	0.1	0.01	6.3	0.2	<0.05	6	<0.5	<0.2
B L8300E 50100N	Soil	10	40	0.59	203	0.139	2	1.70	0.040	0.31	0.1	0.02	5.5	0.1	<0.05	6	<0.5	<0.2
B L8300E 50200N	Soil	6	74	1.52	114	0.337	<1	2.61	0.010	1.36	0.3	<0.01	14.3	0.7	<0.05	11	<0.5	<0.2
B L8300E 50300N	Soil	4	30	0.44	115	0.100	<1	1.73	0.019	0.03	0.1	0.01	2.3	<0.1	<0.05	6	<0.5	<0.2
B L8300E 50400N	Soil	9	30	0.50	112	0.128	1	1.35	0.031	0.10	0.1	0.02	3.1	<0.1	<0.05	5	<0.5	<0.2
B L8300E 50500N	Soil	6	31	0.51	121	0.202	<1	1.77	0.019	0.22	0.1	0.01	4.1	0.1	<0.05	9	<0.5	<0.2
B L8300E 50600N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L8300E 50700N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L8300E 50800N	Soil	7	58	0.73	119	0.193	1	2.46	0.024	0.30	0.3	0.03	5.0	0.2	0.05	8	<0.5	<0.2
B L8300E 50900N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L8300E 51000N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L8300E 51100N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L8300E 51200N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L8300E 51300N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L8300E 51400N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L8400E 50000N	Soil	12	63	0.88	134	0.248	2	2.70	0.025	0.54	0.2	0.02	10.4	0.3	<0.05	9	<0.5	<0.2
B L8400E 50100N	Soil	8	56	1.05	156	0.297	1	1.74	0.013	0.67	0.1	<0.01	2.9	0.3	<0.05	6	<0.5	<0.2
B L8400E 50200N	Soil	9	57	1.01	132	0.263	<1	2.30	0.022	0.54	0.2	<0.01	6.9	0.3	<0.05	8	<0.5	<0.2
B L8400E 50300N	Soil	8	34	0.53	147	0.114	<1	1.86	0.023	0.07	0.1	0.02	3.6	<0.1	<0.05	6	<0.5	<0.2
B L8400E 50400N	Soil	7	34	0.53	119	0.134	1	1.82	0.025	0.06	0.1	0.01	3.1	<0.1	<0.05	6	<0.5	<0.2
B L8400E 50500N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L8400E 50600N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L8400E 50700N	Soil	6	48	0.64	116	0.193	1	1.95	0.024	0.27	0.2	0.03	4.6	0.2	<0.05	8	<0.5	<0.2
B L8400E 50800N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L8400E 50900N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L8400E 51000N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L8400E 51100N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L8400E 51200N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L8400E 51300N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L8400E 51400N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Nokuyukon Holdings Inc.**
110 Falcon Dr.
Whitehorse YT Y1A 6C7 Canada

Project: Bay Grid-2
Report Date: August 27, 2010

Page: 1 of 1 Part 1

QUALITY CONTROL REPORT

WHI10000212.1

	Method Analyte Unit MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
Pulp Duplicates																					
B L6200E 50600N	Soil	1.3	42.3	8.1	40	0.2	33.0	11.5	229	3.66	5.7	1.2	4.4	2.2	42	<0.1	0.4	0.3	72	0.47	0.058
REP B L6200E 50600N	QC	1.2	42.4	7.3	38	0.2	31.2	12.1	241	3.83	6.0	1.3	2.6	2.1	40	<0.1	0.4	0.2	73	0.46	0.056
B L6400E 50200N	Soil	10.0	55.8	16.6	140	0.4	38.6	11.4	319	3.15	3.7	2.8	3.8	2.7	65	0.3	0.2	0.2	205	0.29	0.060
REP B L6400E 50200N	QC	9.9	55.0	17.0	144	0.4	37.2	10.8	338	3.18	3.7	2.8	3.1	2.7	65	0.2	0.2	0.2	194	0.29	0.063
B L6800E 50300N	Soil	0.6	39.9	7.4	65	<0.1	45.0	18.7	319	3.95	3.1	0.7	4.2	3.3	26	<0.1	0.2	0.2	90	0.25	0.022
REP B L6800E 50300N	QC	0.5	38.8	7.5	64	<0.1	45.2	18.3	320	3.93	3.0	0.7	1.0	3.2	26	<0.1	0.2	0.2	89	0.24	0.022
B L7000E 50100N	Soil	1.4	39.1	13.0	65	<0.1	41.0	17.5	439	3.73	8.3	1.1	1.5	4.5	18	<0.1	0.2	0.2	79	0.26	0.025
REP B L7000E 50100N	QC	1.2	37.6	12.9	61	<0.1	39.7	17.1	430	3.64	7.9	1.1	1.3	4.6	18	<0.1	0.2	0.2	76	0.26	0.024
B L7100E 50400N	Soil	0.6	38.5	7.1	64	<0.1	154.3	21.9	405	3.97	3.4	0.6	2.6	2.5	70	<0.1	0.2	0.7	83	0.59	0.096
REP B L7100E 50400N	QC	0.6	40.5	7.2	64	<0.1	153.2	22.7	408	4.10	3.6	0.6	3.3	2.6	70	<0.1	0.2	0.7	84	0.62	0.097
B L7700E 50600N	Soil	1.8	22.7	8.7	74	0.1	21.8	18.7	780	3.20	7.6	0.6	3.4	2.3	21	<0.1	0.5	0.2	80	0.29	0.035
REP B L7700E 50600N	QC	1.6	22.1	9.5	72	0.1	20.5	18.9	777	3.17	7.6	0.6	3.0	2.3	22	0.2	0.5	0.2	81	0.29	0.035
B L8100E 50300N	Soil	1.4	33.0	10.6	71	0.1	38.9	16.5	434	3.83	2.0	1.0	2.6	3.4	25	<0.1	0.2	0.4	91	0.31	0.026
REP B L8100E 50300N	QC	1.5	32.6	10.5	71	0.1	38.8	16.4	426	3.87	2.1	1.0	0.8	3.3	24	0.1	0.2	0.4	90	0.32	0.027
B L8300E 50800N	Soil	1.0	37.8	9.7	70	0.2	36.9	20.7	620	3.30	4.2	0.9	4.8	1.8	26	<0.1	0.2	0.2	81	0.25	0.047
REP B L8300E 50800N	QC	1.1	37.7	9.7	72	0.2	37.1	20.8	623	3.29	4.3	0.9	3.4	1.7	26	0.1	0.2	0.2	80	0.25	0.047
Reference Materials																					
STD DS7	Standard	23.1	116.7	65.0	414	1.0	58.7	9.6	665	2.56	54.9	4.7	74.3	4.7	71	6.3	5.8	4.4	92	1.01	0.081
STD DS7	Standard	22.2	120.2	70.8	414	1.1	56.3	9.3	657	2.43	50.9	5.0	330.9	4.7	73	5.9	6.3	4.9	85	0.98	0.079
STD DS7	Standard	22.4	128.8	67.7	400	1.0	61.7	10.2	630	2.39	49.6	5.2	96.0	4.9	70	6.6	6.2	4.7	91	0.97	0.074
STD DS7	Standard	22.6	151.4	66.8	397	0.9	60.2	10.4	620	2.36	50.4	5.1	65.4	4.9	68	6.7	5.8	4.9	94	0.95	0.076
STD DS7	Standard	22.5	132.5	73.0	446	1.1	63.8	10.7	694	2.62	55.4	5.6	71.4	5.2	86	7.3	7.4	5.3	96	1.04	0.082
STD DS7 Expected		20.5	109	70.6	411	0.9	56	9.7	627	2.39	48.2	4.9	70	4.4	69	6.4	4.6	4.5	84	0.93	0.08
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Nokuyukon Holdings Inc.**
110 Falcon Dr.
Whitehorse YT Y1A 6C7 Canada

Project: Bay Grid-2
Report Date: August 27, 2010

Page: 1 of 1 Part 2

QUALITY CONTROL REPORT

WHI10000212.1

	Method Analyte Unit MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Ti	S	Ga	Se	Te
		ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
Pulp Duplicates																		
B L6200E 50600N	Soil	12	43	0.63	269	0.110	2	3.19	0.019	0.30	<0.1	0.06	6.1	0.2	<0.05	9	<0.5	<0.2
REP B L6200E 50600N	QC	12	45	0.58	275	0.115	2	3.21	0.020	0.29	0.1	0.05	6.1	0.2	<0.05	9	0.7	<0.2
B L6400E 50200N	Soil	13	82	1.39	230	0.179	<1	3.12	0.014	0.44	<0.1	0.02	9.6	0.3	<0.05	10	1.8	<0.2
REP B L6400E 50200N	QC	13	84	1.40	248	0.185	1	3.23	0.014	0.44	<0.1	0.02	9.7	0.4	<0.05	10	2.0	<0.2
B L6800E 50300N	Soil	10	66	1.09	210	0.235	<1	2.93	0.022	0.66	<0.1	<0.01	6.2	0.4	<0.05	9	<0.5	<0.2
REP B L6800E 50300N	QC	10	66	1.07	208	0.243	<1	2.91	0.022	0.65	<0.1	0.01	6.3	0.4	<0.05	9	<0.5	<0.2
B L7000E 50100N	Soil	13	62	0.83	131	0.178	<1	2.54	0.016	0.47	0.2	0.01	5.8	0.2	<0.05	8	<0.5	<0.2
REP B L7000E 50100N	QC	14	59	0.82	133	0.174	<1	2.48	0.020	0.47	0.2	0.02	5.6	0.2	<0.05	8	<0.5	<0.2
B L7100E 50400N	Soil	13	217	2.08	174	0.157	2	2.88	0.025	0.51	0.1	0.02	5.7	0.3	<0.05	9	<0.5	<0.2
REP B L7100E 50400N	QC	14	224	2.12	182	0.166	<1	3.04	0.025	0.51	0.1	0.02	6.0	0.3	<0.05	9	<0.5	<0.2
B L7700E 50600N	Soil	8	29	0.41	244	0.111	1	2.24	0.038	0.07	<0.1	<0.01	3.2	0.2	<0.05	8	<0.5	<0.2
REP B L7700E 50600N	QC	8	30	0.44	240	0.122	2	2.26	0.028	0.07	<0.1	0.01	3.0	0.2	<0.05	8	<0.5	<0.2
B L8100E 50300N	Soil	9	55	1.00	159	0.283	2	2.47	0.024	0.68	0.2	<0.01	8.4	0.3	<0.05	9	<0.5	<0.2
REP B L8100E 50300N	QC	9	56	0.96	156	0.278	1	2.41	0.024	0.68	0.1	<0.01	8.2	0.3	<0.05	9	<0.5	<0.2
B L8300E 50800N	Soil	7	58	0.73	119	0.193	1	2.46	0.024	0.30	0.3	0.03	5.0	0.2	0.05	8	<0.5	<0.2
REP B L8300E 50800N	QC	7	58	0.71	123	0.189	2	2.48	0.024	0.30	0.1	0.05	5.2	0.2	0.05	8	<0.5	<0.2
Reference Materials																		
STD DS7	Standard	13	202	1.10	399	0.125	43	1.08	0.103	0.49	3.7	0.23	2.7	4.0	0.20	5	3.2	1.2
STD DS7	Standard	13	196	1.09	396	0.129	37	1.01	0.092	0.47	3.8	0.21	2.6	4.4	0.19	5	3.6	1.8
STD DS7	Standard	14	202	1.06	396	0.143	36	1.06	0.094	0.47	3.6	0.22	2.7	4.0	0.20	5	3.2	1.6
STD DS7	Standard	13	200	1.05	374	0.141	36	1.03	0.095	0.45	3.8	0.22	2.7	4.1	0.23	5	3.2	1.4
STD DS7	Standard	14	215	1.12	412	0.156	40	1.10	0.102	0.50	3.5	0.22	2.8	4.1	0.22	5	3.3	1.8
STD DS7 Expected		12	179	1.05	410	0.124	39	0.959	0.089	0.44	3.4	0.2	2.5	4.2	0.19	5	3.5	1.08
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2



1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: **Nokuyukon Holdings Inc.**

110 Falcon Dr.
Whitehorse YT Y1A 6C7 Canada

Submitted By: Mark Lindsay

Receiving Lab: Canada-Whitehorse

Received: August 06, 2010

Report Date: August 30, 2010

Page: 1 of 14

CERTIFICATE OF ANALYSIS

WHI10000213.1

CLIENT JOB INFORMATION

Project: Bay Grid-2
Shipment ID:
P.O. Number NHL-10549-YT-BAY
Number of Samples: 362

SAMPLE DISPOSAL

DISP-PLP Dispose of Pulp After 90 days
DISP-RJT-SOIL Immediate Disposal of Soil Reject

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Nokuyukon Holdings Inc.
110 Falcon Dr.
Whitehorse YT Y1A 6C7
Canada

CC: Phil Jackson

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
SS80	134	Dry at 60C sieve 100g to -80 mesh			WHI
Dry at 60C	134	Dry at 60C			WHI
SPLP	223	Sort, label and box pulps			VAN
1DX2	134	1:1:1 Aqua Regia digestion ICP-MS analysis	15	Completed	VAN

ADDITIONAL COMMENTS



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.
All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only.
** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: **Nokuyukon Holdings Inc.**
110 Falcon Dr.
Whitehorse YT Y1A 6C7 Canada

Project: Bay Grid-2
Report Date: August 30, 2010

Page: 2 of 14 Part 1

CERTIFICATE OF ANALYSIS

WHI10000213.1

	Method Analyte Unit MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
		ppm 0.1	ppm 0.1	ppm 0.1	ppm 1	ppm 0.1	ppm 0.1	ppm 0.1	ppm 1	% 0.01	ppm 0.5	ppm 0.1	ppb 0.5	ppm 0.1	ppm 1	ppm 0.1	ppm 0.1	ppm 0.1	ppm 2	% 0.01	% 0.001
B L5600E 50100S	Soil	0.9	22.3	6.5	53	0.2	18.8	12.7	454	2.73	9.2	1.2	1.3	2.5	30	0.2	0.3	0.2	54	0.45	0.053
B L5600E 50200S	Soil	0.9	23.7	6.1	45	0.2	20.5	8.4	297	2.20	13.4	0.8	1.7	1.8	34	0.1	0.3	0.2	48	0.51	0.042
B L5600E 50300S NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L5600E 50400S NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L5600E 50900N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L5600E 51000N	Soil	0.8	19.3	6.1	56	<0.1	55.0	16.6	304	3.54	8.9	0.6	0.5	3.3	20	<0.1	0.1	0.1	81	0.37	0.081
B L5600E 51100N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L5600E 51200N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L5600E 51300N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L5600E 51400N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L5700E 50900N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L5700E 51000N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L5700E 51100N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L5700E 51200N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L5700E 51300N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L5700E 51400N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L5800E 50000N	Soil	1.1	25.8	19.4	81	<0.1	29.3	12.6	354	3.78	5.2	0.8	<0.5	4.7	17	0.1	0.3	0.3	61	0.20	0.018
B L5800E 50100N	Soil	0.8	38.1	4.8	106	0.2	72.3	17.0	366	3.53	5.7	1.1	2.9	3.2	41	0.2	0.2	0.1	78	0.66	0.118
B L5800E 50200N	Soil	1.0	22.8	6.7	80	<0.1	31.9	12.2	471	3.91	8.7	0.7	1.0	3.7	22	<0.1	0.3	0.2	68	0.28	0.030
B L5800E 50300N	Soil	0.7	22.2	4.3	47	<0.1	61.6	17.0	340	3.63	23.7	0.7	1.9	3.8	24	<0.1	0.2	0.1	79	0.39	0.059
B L5800E 50400N	Soil	1.0	34.8	7.6	61	0.1	31.8	16.4	580	3.54	51.1	1.0	15.2	3.8	24	<0.1	0.3	0.2	78	0.31	0.026
B L5800E 50500N	Soil	1.4	34.0	11.1	77	0.2	36.5	15.8	263	4.71	34.0	0.8	7.2	3.4	24	<0.1	0.4	0.2	84	0.18	0.030
B L5800E 50600N	Soil	1.1	36.0	21.9	92	<0.1	28.4	15.3	384	4.29	12.5	0.9	5.3	3.3	21	<0.1	0.2	0.3	97	0.17	0.031
B L5800E 50700N	Soil	1.3	34.8	9.4	54	0.1	27.1	13.0	329	4.13	22.0	0.7	15.2	3.0	25	<0.1	0.2	0.3	81	0.22	0.034
B L5800E 50800N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L5800E 50900N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L5800E 51000N	Soil	1.3	20.4	8.3	53	<0.1	58.7	16.3	227	3.80	8.0	0.6	2.0	3.0	18	<0.1	0.3	0.2	85	0.25	0.040
B L5800E 51100N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L5800E 51200N	Soil	1.1	23.1	5.4	54	<0.1	65.7	20.6	305	4.33	11.0	0.7	<0.5	3.7	22	<0.1	0.2	0.1	97	0.35	0.047
B L5800E 51300N	Soil	1.0	21.9	6.6	71	<0.1	43.2	19.3	492	5.09	5.7	0.6	<0.5	4.9	18	<0.1	0.2	0.1	103	0.26	0.036



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: Nokuyukon Holdings Inc.
110 Falcon Dr.
Whitehorse YT Y1A 6C7 Canada

Project: Bay Grid-2
Report Date: August 30, 2010

Page: 2 of 14 **Part** 2

CERTIFICATE OF ANALYSIS

WHI10000213.1

Method Analyte Unit MDL		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
		ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
B L5600E 50100S	Soil	12	30	0.65	194	0.130	<1	1.89	0.028	0.13	0.3	0.04	5.2	0.1	<0.05	7	<0.5	<0.2
B L5600E 50200S	Soil	9	29	0.58	148	0.110	<1	1.52	0.034	0.10	0.1	0.03	4.0	<0.1	<0.05	6	<0.5	<0.2
B L5600E 50300S NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L5600E 50400S NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L5600E 50900N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L5600E 51000N	Soil	10	79	1.30	168	0.256	<1	2.34	0.022	0.77	0.3	0.02	5.7	0.3	<0.05	10	<0.5	<0.2
B L5600E 51100N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L5600E 51200N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L5600E 51300N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L5600E 51400N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L5700E 50900N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L5700E 51000N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L5700E 51100N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L5700E 51200N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L5700E 51300N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L5700E 51400N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L5800E 50000N	Soil	10	46	0.94	185	0.181	<1	2.49	0.018	0.72	<0.1	0.02	5.8	0.3	<0.05	9	<0.5	<0.2
B L5800E 50100N	Soil	13	87	1.23	231	0.231	<1	2.36	0.029	0.63	0.2	0.03	5.2	0.2	<0.05	8	<0.5	0.2
B L5800E 50200N	Soil	9	51	0.96	217	0.192	<1	2.75	0.021	0.79	0.2	0.02	8.1	0.3	<0.05	10	<0.5	<0.2
B L5800E 50300N	Soil	12	92	1.32	174	0.269	<1	2.53	0.024	0.56	0.2	0.02	5.0	0.3	<0.05	9	<0.5	<0.2
B L5800E 50400N	Soil	12	50	0.95	153	0.192	<1	2.77	0.022	0.32	0.2	0.02	5.8	0.2	<0.05	9	<0.5	0.2
B L5800E 50500N	Soil	10	50	1.00	180	0.214	<1	3.42	0.020	0.77	0.2	0.03	6.2	0.4	<0.05	12	<0.5	0.2
B L5800E 50600N	Soil	11	39	1.08	211	0.222	<1	3.07	0.025	0.83	0.2	<0.01	7.9	0.4	<0.05	11	<0.5	<0.2
B L5800E 50700N	Soil	9	44	1.00	189	0.224	<1	2.88	0.029	0.78	0.1	0.02	5.8	0.4	0.14	9	<0.5	<0.2
B L5800E 50800N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L5800E 50900N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L5800E 51000N	Soil	9	86	1.31	146	0.262	1	2.38	0.020	0.42	0.2	0.01	5.3	0.2	<0.05	11	<0.5	0.4
B L5800E 51100N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L5800E 51200N	Soil	11	105	1.53	207	0.316	1	2.94	0.021	0.65	0.1	0.02	6.4	0.3	<0.05	12	<0.5	<0.2
B L5800E 51300N	Soil	11	85	1.49	197	0.336	<1	3.42	0.018	1.08	0.4	<0.01	10.4	0.4	<0.05	13	<0.5	<0.2



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: **Nokuyukon Holdings Inc.**
110 Falcon Dr.
Whitehorse YT Y1A 6C7 Canada

Project: Bay Grid-2
Report Date: August 30, 2010

Page: 3 of 14 Part 1

CERTIFICATE OF ANALYSIS

WHI10000213.1

Method Analyte Unit MDL		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Mo ppm 0.1	Cu ppm 0.1	Pb ppm 0.1	Zn ppm 1	Ag ppm 0.1	Ni ppm 0.1	Co ppm 0.1	Mn ppm 1	Fe % 0.01	As ppm 0.5	U ppm 0.1	Au ppb 0.5	Th ppm 0.1	Sr ppm 1	Cd ppm 0.1	Sb ppm 0.1	Bi ppm 0.1	V ppm 2	Ca % 0.01	P % 0.001
B L5800E 51400N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L5900E 50000N	Soil	0.9	30.4	7.5	63	0.1	23.0	12.5	311	3.63	4.4	0.7	3.2	3.5	26	<0.1	0.2	0.2	70	0.30	0.031
B L5900E 50100N	Soil	0.8	15.6	4.3	36	<0.1	16.7	6.7	154	1.81	3.4	0.5	1.0	1.4	18	0.1	0.2	0.1	40	0.20	0.025
B L5900E 50200N	Soil	0.9	28.6	6.0	58	0.2	50.0	17.2	336	3.75	6.4	0.7	5.8	4.0	25	<0.1	0.2	0.2	88	0.42	0.059
B L5900E 50300N	Soil	0.7	21.4	4.5	44	<0.1	56.0	16.2	311	3.43	5.0	0.6	<0.5	3.1	32	<0.1	0.2	0.1	71	0.52	0.074
B L5900E 50400N	Soil	1.1	24.5	6.3	46	<0.1	28.6	13.3	389	3.33	7.3	0.7	2.9	3.7	31	<0.1	0.3	0.1	76	0.45	0.036
B L5900E 50500N	Soil	1.2	26.4	6.9	70	<0.1	32.0	15.9	372	4.10	49.9	0.6	2.1	4.1	23	<0.1	0.4	0.2	92	0.26	0.021
B L5900E 50600N	Soil	1.0	37.4	8.2	73	<0.1	38.2	19.1	386	4.35	90.6	1.4	25.0	4.4	33	<0.1	0.3	0.2	94	0.33	0.033
B L5900E 50700N	Soil	1.8	32.2	8.8	104	<0.1	36.4	21.5	681	5.49	119.4	0.9	44.4	4.2	34	0.2	0.3	0.3	92	0.28	0.057
B L5900E 50800N	Soil	1.2	23.5	7.9	53	<0.1	23.1	10.7	259	3.00	12.8	0.6	6.1	2.7	25	<0.1	0.3	0.2	66	0.27	0.031
B L5900E 50900N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L5900E 51000N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L5900E 51100N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L5900E 51200N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L5900E 51300N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L5900E 51400N	Soil	1.7	23.6	10.9	53	<0.1	23.7	10.3	230	3.67	14.4	0.7	5.2	3.0	25	0.1	0.5	0.2	89	0.26	0.030
B L6000E 50000N	Soil	0.9	26.6	8.8	88	<0.1	28.5	14.3	400	3.98	5.0	0.8	2.9	5.0	24	<0.1	0.2	0.2	71	0.30	0.025
B L6000E 50100N	Soil	1.3	28.8	7.9	58	0.1	26.3	13.9	436	3.18	6.4	0.9	3.5	3.3	32	<0.1	0.3	0.2	65	0.36	0.025
B L6000E 50200N	Soil	1.1	24.1	6.0	73	<0.1	32.9	13.9	359	3.98	5.2	0.7	<0.5	4.1	23	<0.1	0.2	0.2	77	0.31	0.032
B L6000E 50300N	Soil	0.8	20.0	5.0	37	<0.1	28.9	12.6	370	3.11	4.6	0.7	1.7	4.2	23	<0.1	0.2	0.1	72	0.27	0.023
B L6000E 50400N	Soil	0.8	25.6	5.8	47	<0.1	31.0	13.4	373	3.36	6.5	0.8	3.4	5.3	30	<0.1	0.3	0.1	79	0.40	0.031
B L6000E 50500N	Soil	0.9	27.3	6.7	52	<0.1	39.3	14.7	332	3.53	10.9	0.5	0.9	3.0	30	0.1	0.4	0.2	81	0.36	0.045
B L6000E 50600N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L6000E 50700N	Soil	0.6	33.6	5.4	55	<0.1	50.5	18.9	388	3.50	7.8	0.8	2.6	4.5	35	<0.1	0.3	0.1	76	0.48	0.048
B L6000E 50800N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L6000E 50900N	Soil	1.4	29.0	12.9	69	<0.1	27.8	13.6	304	4.17	10.7	0.8	6.4	4.2	23	<0.1	0.3	0.3	83	0.25	0.034
B L6000E 51000N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L6000E 51100N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L6000E 51200N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L6000E 51300N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: **Nokuyukon Holdings Inc.**
110 Falcon Dr.
Whitehorse YT Y1A 6C7 Canada

Project: Bay Grid-2
Report Date: August 30, 2010

Page: 3 of 14 Part 2

CERTIFICATE OF ANALYSIS

WHI10000213.1

Method Analyte Unit MDL		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
		ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
B L5800E 51400N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L5900E 50000N	Soil	10	37	0.90	159	0.194	<1	2.41	0.024	0.70	0.1	<0.01	5.9	0.3	<0.05	9	<0.5	<0.2
B L5900E 50100N	Soil	6	25	0.45	86	0.106	<1	1.34	0.031	0.16	<0.1	0.01	2.6	<0.1	<0.05	5	<0.5	<0.2
B L5900E 50200N	Soil	12	73	1.26	208	0.256	<1	2.51	0.029	0.61	0.2	0.02	6.2	0.2	<0.05	9	<0.5	<0.2
B L5900E 50300N	Soil	10	82	1.25	182	0.246	<1	2.55	0.035	0.48	0.2	<0.01	4.9	0.2	<0.05	8	<0.5	<0.2
B L5900E 50400N	Soil	11	45	0.86	159	0.171	1	2.24	0.028	0.11	0.2	0.02	5.0	<0.1	<0.05	7	<0.5	<0.2
B L5900E 50500N	Soil	11	49	1.02	176	0.232	1	3.31	0.020	0.43	0.3	<0.01	7.2	0.3	<0.05	10	<0.5	<0.2
B L5900E 50600N	Soil	16	61	1.20	213	0.246	2	3.61	0.030	0.56	0.5	0.03	9.2	0.3	<0.05	11	<0.5	<0.2
B L5900E 50700N	Soil	13	51	1.07	203	0.274	<1	3.47	0.030	0.69	0.5	0.02	8.0	0.4	0.10	12	<0.5	<0.2
B L5900E 50800N	Soil	9	34	0.62	127	0.164	1	2.10	0.026	0.22	0.1	0.03	4.1	0.2	<0.05	7	<0.5	<0.2
B L5900E 50900N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L5900E 51000N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L5900E 51100N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L5900E 51200N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L5900E 51300N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L5900E 51400N	Soil	11	40	0.57	148	0.150	2	2.59	0.022	0.11	<0.1	0.04	4.6	0.1	<0.05	9	<0.5	0.4
B L6000E 50000N	Soil	15	55	1.06	171	0.228	1	2.62	0.024	0.66	0.1	0.01	7.6	0.3	<0.05	10	<0.5	<0.2
B L6000E 50100N	Soil	12	38	0.73	167	0.160	1	2.30	0.031	0.32	<0.1	0.04	4.2	0.2	<0.05	7	<0.5	<0.2
B L6000E 50200N	Soil	10	54	1.06	167	0.264	1	2.54	0.020	0.64	0.1	<0.01	7.0	0.2	<0.05	10	<0.5	<0.2
B L6000E 50300N	Soil	12	46	0.86	139	0.208	<1	2.14	0.023	0.31	0.1	0.02	5.2	0.2	<0.05	8	<0.5	<0.2
B L6000E 50400N	Soil	15	47	0.94	156	0.209	1	2.44	0.028	0.21	<0.1	0.02	6.1	0.2	<0.05	8	<0.5	<0.2
B L6000E 50500N	Soil	9	44	0.88	118	0.173	2	2.74	0.023	0.18	<0.1	<0.01	4.4	<0.1	<0.05	8	<0.5	<0.2
B L6000E 50600N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L6000E 50700N	Soil	15	64	1.13	175	0.245	1	2.74	0.039	0.56	0.2	0.02	6.9	0.3	<0.05	8	<0.5	<0.2
B L6000E 50800N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L6000E 50900N	Soil	13	46	0.79	150	0.196	1	2.88	0.018	0.42	0.2	0.02	5.6	0.2	<0.05	10	<0.5	<0.2
B L6000E 51000N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L6000E 51100N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L6000E 51200N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L6000E 51300N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: **Nokuyukon Holdings Inc.**
110 Falcon Dr.
Whitehorse YT Y1A 6C7 Canada

Project: Bay Grid-2
Report Date: August 30, 2010

Page: 4 of 14 Part 1

CERTIFICATE OF ANALYSIS

WHI10000213.1

	Method Analyte Unit MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
		ppm 0.1	ppm 0.1	ppm 0.1	ppm 1	ppm 0.1	ppm 0.1	ppm 0.1	ppm 1	% 0.01	ppm 0.5	ppm 0.1	ppb 0.5	ppm 0.1	ppm 1	ppm 0.1	ppm 0.1	ppm 0.1	ppm 2	% 0.01	% 0.001
B L6000E 51400N	Soil	0.8	16.4	4.3	44	<0.1	62.9	19.4	340	3.52	4.1	0.7	<0.5	3.5	21	<0.1	0.1	0.1	72	0.34	0.042
B L5000E 50100S	Soil	1.4	20.8	7.7	57	0.1	20.2	10.3	421	4.42	117.0	0.5	5.5	3.4	24	<0.1	0.5	0.2	71	0.30	0.022
B L5000E 50200S	Soil	1.3	21.4	7.2	42	<0.1	32.4	12.7	277	3.42	74.4	1.1	0.8	4.6	29	<0.1	0.4	0.2	65	0.36	0.020
B L5000E 50300S	Soil	1.5	16.0	6.8	54	<0.1	18.9	8.6	544	3.27	14.7	0.6	<0.5	3.4	27	0.2	0.4	0.1	46	0.33	0.038
B L5000E 50400S	Soil	1.0	17.0	6.6	48	0.2	18.5	11.1	555	3.13	11.6	0.7	11.5	3.0	19	0.1	0.3	0.2	63	0.29	0.019
B L5000E 50900N	Soil	1.2	13.9	6.9	58	<0.1	16.9	12.9	612	3.26	30.0	0.6	3.6	2.3	15	0.1	0.2	0.1	71	0.26	0.050
B L5000E 51000N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L5000E 51100N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L5000E 51200N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L5000E 51300N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L5000E 51400N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L5000E 51900N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L5000E 52000N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L5000E 52100N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L5000E 52200N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L5000E 52300N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L5000E 52400N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L5100E 50100S NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L5100E 50200S	Soil	1.2	16.5	7.7	54	<0.1	17.6	10.6	631	2.88	7.4	0.4	2.1	1.9	21	0.2	0.3	0.1	64	0.31	0.021
B L5100E 50300S NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L5100E 50400S	Soil	1.0	11.2	6.0	33	<0.1	11.9	8.8	391	1.99	5.4	0.3	1.5	1.2	18	<0.1	0.3	0.1	47	0.23	0.013
B L5100E 50900N	Soil	0.9	12.9	5.1	56	<0.1	14.7	10.1	429	3.05	15.6	0.5	3.0	2.1	14	0.1	0.2	0.1	63	0.23	0.043
B L5100E 51000N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L5100E 51100N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L5100E 51200N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L5100E 51300N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L5100E 51900N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L5100E 52000N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L5100E 52100N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L5100E 52200N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: **Nokuyukon Holdings Inc.**
110 Falcon Dr.
Whitehorse YT Y1A 6C7 Canada

Project: Bay Grid-2
Report Date: August 30, 2010

Page: 4 of 14 Part 2

CERTIFICATE OF ANALYSIS

WHI10000213.1

Method Analyte Unit MDL		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
		ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
B L6000E 51400N	Soil	10	100	1.27	161	0.282	<1	2.59	0.025	0.74	0.1	<0.01	4.5	0.3	<0.05	8	<0.5	<0.2
B L5000E 50100S	Soil	10	34	0.77	178	0.195	1	2.88	0.020	0.52	0.2	0.02	7.7	0.3	<0.05	10	<0.5	<0.2
B L5000E 50200S	Soil	15	46	0.83	173	0.157	<1	2.55	0.022	0.28	0.3	0.02	5.0	0.1	<0.05	9	<0.5	<0.2
B L5000E 50300S	Soil	10	26	0.52	182	0.139	1	2.09	0.022	0.28	0.3	0.02	5.2	0.1	<0.05	9	<0.5	<0.2
B L5000E 50400S	Soil	9	30	0.62	149	0.129	2	1.95	0.021	0.27	0.1	<0.01	4.6	0.1	<0.05	8	<0.5	<0.2
B L5000E 50900N	Soil	8	27	0.72	110	0.135	2	1.97	0.020	0.29	0.3	<0.01	5.4	0.2	0.12	8	<0.5	<0.2
B L5000E 51000N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L5000E 51100N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L5000E 51200N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L5000E 51300N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L5000E 51400N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L5000E 51900N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L5000E 52000N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L5000E 52100N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L5000E 52200N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L5000E 52300N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L5000E 52400N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L5100E 50100S NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L5100E 50200S	Soil	7	27	0.44	163	0.086	2	1.67	0.021	0.10	<0.1	<0.01	3.1	<0.1	<0.05	7	0.5	<0.2
B L5100E 50300S NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L5100E 50400S	Soil	4	18	0.33	116	0.070	1	1.13	0.030	0.11	<0.1	<0.01	2.1	<0.1	<0.05	4	<0.5	<0.2
B L5100E 50900N	Soil	7	28	0.68	98	0.137	2	1.90	0.019	0.23	0.2	0.03	5.2	0.1	0.07	8	<0.5	<0.2
B L5100E 51000N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L5100E 51100N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L5100E 51200N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L5100E 51300N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L5100E 51900N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L5100E 52000N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L5100E 52100N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L5100E 52200N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client:

Nokuyukon Holdings Inc.

110 Falcon Dr.

Whitehorse YT Y1A 6C7 Canada

Project:

Bay Grid-2

Report Date:

August 30, 2010

Page:

5 of 14

Part 1

CERTIFICATE OF ANALYSIS

WHI10000213.1

	Method Analyte Unit MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
		ppm 0.1	ppm 0.1	ppm 0.1	ppm 1	ppm 0.1	ppm 0.1	ppm 0.1	ppm 1	% 0.01	ppm 0.5	ppm 0.1	ppb 0.5	ppm 0.1	ppm 1	ppm 0.1	ppm 0.1	ppm 0.1	ppm 2	% 0.01	% 0.001
B L5100E 52300N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L5100E 52400N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L5200E 50100S NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L5200E 50200S	Soil	1.1	14.6	6.5	43	<0.1	18.1	8.0	300	2.83	7.8	0.5	3.3	2.9	14	<0.1	0.1	<0.1	52	0.20	0.027
B L5200E 50300S	Soil	1.0	14.0	6.1	31	<0.1	14.9	6.3	153	2.03	6.5	0.3	1.8	1.4	13	<0.1	0.2	<0.1	48	0.17	0.025
B L5200E 50400S NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L5200E 50900N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L5200E 51000N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L5200E 51100N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L5200E 51200N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L5200E 51300N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L5200E 51900N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L5200E 52000N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L5200E 52100N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L5200E 52200N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L5200E 52300N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L5200E 52400N	Soil	0.4	25.6	5.1	46	<0.1	21.9	9.5	330	2.64	6.2	0.4	3.4	2.1	38	<0.1	0.3	<0.1	70	0.78	0.065
B L5300E 50100S	Soil	0.8	19.9	5.9	51	<0.1	19.4	9.7	297	3.26	9.8	0.7	4.2	3.3	22	<0.1	0.2	0.1	67	0.34	0.031
B L5300E 50200S	Soil	1.1	16.7	6.5	41	<0.1	18.4	9.6	465	2.78	8.1	0.5	2.5	2.6	21	<0.1	0.3	0.1	70	0.32	0.018
B L5300E 50300S NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L5300E 50400S	Soil	1.1	22.9	10.2	48	<0.1	27.2	11.2	320	3.30	6.8	0.6	10.9	3.5	21	<0.1	0.3	0.2	74	0.32	0.025
B L5400E 50100S	Soil	0.8	19.1	6.1	45	0.1	18.8	9.0	269	2.91	7.8	0.8	4.2	2.8	23	<0.1	0.3	0.2	66	0.35	0.031
B L5400E 50200S	Soil	0.8	21.7	6.7	50	<0.1	24.8	10.7	406	3.25	16.7	0.8	7.3	4.2	28	0.1	0.2	0.2	72	0.48	0.035
B L5400E 50300S	Soil	0.9	28.7	6.4	56	<0.1	33.0	14.4	602	3.15	7.9	0.8	2.3	3.1	33	0.1	0.2	0.1	74	0.59	0.044
B L5400E 50400S NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L5400E 50900N	Soil	0.7	17.7	7.9	53	<0.1	42.0	12.8	282	2.97	5.9	0.8	3.5	3.1	21	<0.1	0.1	0.2	65	0.39	0.052
B L5400E 51000N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L5400E 51100N	Soil	1.8	18.8	8.2	56	<0.1	50.7	14.9	349	3.66	13.2	0.9	10.5	4.5	18	<0.1	0.2	0.2	74	0.33	0.047
B L5400E 51200N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L5400E 51300N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: **Nokuyukon Holdings Inc.**
110 Falcon Dr.
Whitehorse YT Y1A 6C7 Canada

Project: Bay Grid-2
Report Date: August 30, 2010

Page: 5 of 14 Part 2

CERTIFICATE OF ANALYSIS

WHI10000213.1

	Method Analyte Unit MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
		ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
B L5100E 52300N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L5100E 52400N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L5200E 50100S NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L5200E 50200S	Soil	7	28	0.59	118	0.124	1	1.97	0.017	0.21	0.1	<0.01	4.3	0.1	<0.05	7	<0.5	<0.2
B L5200E 50300S	Soil	5	19	0.39	90	0.080	2	1.37	0.023	0.07	<0.1	<0.01	2.0	<0.1	<0.05	5	<0.5	<0.2
B L5200E 50400S NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L5200E 50900N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L5200E 51000N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L5200E 51100N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L5200E 51200N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L5200E 51300N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L5200E 51900N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L5200E 52000N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L5200E 52100N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L5200E 52200N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L5200E 52300N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L5200E 52400N	Soil	8	29	0.69	116	0.110	3	1.64	0.060	0.07	0.1	<0.01	3.6	<0.1	<0.05	5	0.8	<0.2
B L5300E 50100S	Soil	9	31	0.74	127	0.153	2	2.20	0.018	0.16	0.1	<0.01	5.5	0.1	<0.05	8	<0.5	<0.2
B L5300E 50200S	Soil	8	29	0.63	136	0.134	1	1.93	0.022	0.11	<0.1	<0.01	4.6	0.1	<0.05	7	<0.5	<0.2
B L5300E 50300S NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L5300E 50400S	Soil	10	42	0.73	186	0.126	2	2.45	0.019	0.16	0.1	0.02	4.5	0.1	<0.05	8	<0.5	<0.2
B L5400E 50100S	Soil	9	26	0.67	157	0.127	1	2.21	0.023	0.13	0.1	0.02	5.1	<0.1	<0.05	8	<0.5	<0.2
B L5400E 50200S	Soil	12	40	0.83	172	0.147	<1	2.22	0.023	0.21	0.3	0.01	6.4	0.1	<0.05	7	<0.5	<0.2
B L5400E 50300S	Soil	11	42	0.87	190	0.140	<1	2.10	0.032	0.25	0.1	0.02	4.9	0.1	<0.05	8	<0.5	<0.2
B L5400E 50400S NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L5400E 50900N	Soil	10	61	0.92	153	0.158	<1	2.08	0.022	0.28	0.2	0.02	5.0	0.2	<0.05	8	<0.5	<0.2
B L5400E 51000N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L5400E 51100N	Soil	12	73	1.18	176	0.189	<1	2.69	0.022	0.68	0.2	0.01	6.4	0.3	<0.05	9	0.5	<0.2
B L5400E 51200N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L5400E 51300N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client:

Nokuyukon Holdings Inc.

110 Falcon Dr.

Whitehorse YT Y1A 6C7 Canada

Project:

Bay Grid-2

Report Date:

August 30, 2010

Page:

6 of 14

Part 1

CERTIFICATE OF ANALYSIS

WHI10000213.1

	Method Analyte Unit MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
		ppm 0.1	ppm 0.1	ppm 0.1	ppm 1	ppm 0.1	ppm 0.1	ppm 0.1	ppm 1	% 0.01	ppm 0.5	ppm 0.1	ppb 0.5	ppm 0.1	ppm 1	ppm 0.1	ppm 0.1	ppm 0.1	ppm 2	% 0.01	% 0.001
B L5400E 51400N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L5400E 51500N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L5400E 51600N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L5400E 51700N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L5500E 50100S	Soil	0.9	23.8	10.8	58	0.1	23.5	12.0	419	3.18	10.5	0.9	5.4	3.4	22	0.1	0.2	0.1	70	0.42	0.048
B L5500E 50200S	Soil	0.9	22.4	6.7	62	<0.1	30.1	13.3	500	3.31	33.0	0.8	4.0	3.5	30	0.1	0.2	0.2	73	0.58	0.053
B L5500E 50300S	Soil	0.8	35.2	6.9	60	<0.1	49.6	15.5	401	3.31	11.8	0.8	5.3	3.0	34	0.1	0.2	0.2	73	0.77	0.072
B L5500E 50400S	Soil	0.6	35.6	5.1	63	<0.1	33.1	13.6	490	3.01	13.9	0.9	11.0	2.7	41	0.2	0.3	0.1	69	0.95	0.057
B L4400E 50100S NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L4400E 50200S NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L4400E 50300S NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L4400E 50400S NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L4400E 50500S NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L4400E 50600S	Soil	0.9	32.2	6.9	59	<0.1	47.1	17.5	534	2.81	9.8	0.8	2.3	1.8	74	<0.1	0.2	0.1	70	1.44	0.058
B L4400E 50700S NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L4400E 50800S NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L4400E 51900N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L4400E 52000N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L4400E 52100N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L4400E 52200N	Soil	0.8	48.7	11.6	62	0.1	34.6	13.5	412	3.50	50.6	1.4	20.0	6.7	31	<0.1	0.3	0.2	71	0.58	0.039
B L4400E 52300N	Soil	1.0	33.2	9.1	52	<0.1	28.5	12.0	292	3.23	52.9	0.8	13.9	3.7	28	<0.1	0.2	0.2	73	0.42	0.035
B L4400E 52400N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L4400E 52500N	Soil	0.9	50.7	9.9	50	<0.1	40.1	16.9	282	3.44	20.1	1.0	13.1	4.7	24	<0.1	0.2	0.3	68	0.32	0.038
B L4400E 52600N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L4500E 50100S NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L4500E 50200S	Soil	0.9	31.0	8.1	62	<0.1	56.2	19.1	585	3.08	24.6	0.9	3.9	3.4	53	<0.1	1.3	0.2	77	0.93	0.060
B L4500E 50300S NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L4500E 50400S	Soil	0.9	29.4	6.9	62	<0.1	43.7	15.6	545	2.64	27.6	0.8	4.9	1.9	80	<0.1	0.3	0.1	66	1.72	0.052
B L4500E 50500S NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L4500E 50600S	Soil	0.9	24.9	6.5	62	<0.1	42.4	17.0	505	2.78	30.1	0.8	7.1	2.3	66	0.1	0.2	0.1	65	1.28	0.057



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client:

Nokuyukon Holdings Inc.

110 Falcon Dr.

Whitehorse YT Y1A 6C7 Canada

Project:

Bay Grid-2

Report Date:

August 30, 2010

Page:

6 of 14

Part 2

CERTIFICATE OF ANALYSIS

WHI10000213.1

	Method Analyte Unit MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
		ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
B L5400E 51400N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L5400E 51500N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L5400E 51600N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L5400E 51700N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L5500E 50100S	Soil	11	35	0.72	153	0.142	1	2.09	0.022	0.23	0.2	0.01	5.5	0.1	<0.05	7	<0.5	<0.2
B L5500E 50200S	Soil	12	42	0.88	188	0.164	1	2.04	0.032	0.37	0.2	0.02	5.7	0.2	<0.05	8	<0.5	<0.2
B L5500E 50300S	Soil	11	57	1.01	203	0.152	1	2.18	0.033	0.19	0.1	0.02	5.1	0.1	<0.05	7	<0.5	<0.2
B L5500E 50400S	Soil	11	39	0.91	173	0.146	1	1.98	0.040	0.31	0.2	0.02	5.4	0.1	0.06	7	0.6	<0.2
B L4400E 50100S NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L4400E 50200S NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L4400E 50300S NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L4400E 50400S NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L4400E 50500S NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L4400E 50600S	Soil	8	71	1.00	150	0.117	2	2.07	0.076	0.17	0.1	0.02	4.3	0.2	0.08	7	1.1	<0.2
B L4400E 50700S NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L4400E 50800S NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L4400E 51900N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L4400E 52000N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L4400E 52100N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L4400E 52200N	Soil	22	45	0.79	163	0.170	<1	2.99	0.038	0.41	0.1	0.02	5.7	0.2	<0.05	8	<0.5	<0.2
B L4400E 52300N	Soil	11	42	0.71	135	0.146	<1	2.69	0.023	0.19	<0.1	0.02	4.4	0.1	<0.05	7	<0.5	<0.2
B L4400E 52400N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L4400E 52500N	Soil	16	39	0.95	132	0.150	<1	2.78	0.023	0.44	0.1	0.01	4.4	0.4	<0.05	8	<0.5	<0.2
B L4400E 52600N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L4500E 50100S NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L4500E 50200S	Soil	12	79	1.05	133	0.126	2	2.24	0.049	0.31	0.2	0.01	5.0	0.2	<0.05	8	0.8	<0.2
B L4500E 50300S NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L4500E 50400S	Soil	9	59	0.84	133	0.099	2	1.84	0.064	0.19	0.1	0.03	4.0	0.1	0.09	7	0.8	<0.2
B L4500E 50500S NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L4500E 50600S	Soil	9	66	0.91	133	0.108	2	1.96	0.064	0.19	0.2	0.02	4.2	0.1	0.07	7	0.8	<0.2



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: **Nokuyukon Holdings Inc.**
110 Falcon Dr.
Whitehorse YT Y1A 6C7 Canada

Project: Bay Grid-2
Report Date: August 30, 2010

Page: 7 of 14 Part 1

CERTIFICATE OF ANALYSIS

WHI10000213.1

	Method Analyte Unit MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
		ppm 0.1	ppm 0.1	ppm 0.1	ppm 1	ppm 0.1	ppm 0.1	ppm 0.1	ppm 1	% 0.01	ppm 0.5	ppm 0.1	ppb 0.5	ppm 0.1	ppm 1	ppm 0.1	ppm 0.1	ppm 0.1	ppm 2	% 0.01	% 0.001
B L4500E 52100N	Soil	0.8	33.2	7.4	60	<0.1	35.1	16.2	539	3.20	25.1	0.9	12.8	3.7	51	0.1	0.2	0.2	71	1.03	0.046
B L4500E 52200N	Soil	0.6	40.1	8.9	66	<0.1	44.7	16.8	584	3.21	14.5	1.0	22.7	3.8	65	0.2	0.2	0.1	69	1.22	0.058
B L4500E 52300N	Soil	0.9	22.8	7.1	47	<0.1	22.9	11.2	595	2.25	16.1	0.9	37.3	2.2	68	0.3	0.3	0.1	46	1.68	0.048
B L4500E 52400N	Soil	0.8	28.7	7.8	50	<0.1	27.9	12.4	336	2.98	19.4	0.8	13.1	3.5	29	<0.1	0.2	0.1	69	0.48	0.040
B L4500E 52500N	Soil	0.9	27.9	8.3	52	<0.1	30.1	13.7	314	3.13	10.4	0.6	4.1	3.3	26	<0.1	0.2	0.2	69	0.41	0.039
B L4500E 52600N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L4500E 50700E NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L4500E 50800S NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L4500E 51900N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L4500E 52000N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L4600E 50100S NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L4600E 50200S NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L4600E 50300S NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L4600E 50400S NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L4600E 50500S	Soil	0.9	24.9	6.3	58	<0.1	40.4	16.0	484	2.79	15.9	0.7	2.6	2.1	59	<0.1	0.2	0.1	65	1.13	0.049
B L4600E 50600S NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L4600E 50700S NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L4600E 50800S NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L4600E 51900N	Soil	0.8	32.3	10.6	60	<0.1	34.1	13.2	491	2.59	6.7	0.9	3.6	2.4	71	0.2	0.3	0.2	58	1.65	0.041
B L4600E 52000N	Soil	0.9	30.0	8.9	56	0.1	28.6	13.5	539	2.52	68.1	1.1	12.2	2.6	60	0.2	0.4	0.2	57	1.40	0.041
B L4600E 52100N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L4600E 52200N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L4600E 52300N	Soil	0.6	32.6	7.4	47	<0.1	32.2	14.5	537	2.69	9.4	0.9	3.4	2.5	79	0.1	0.3	0.1	64	1.66	0.043
B L4600E 52400N	Soil	0.8	31.5	8.5	56	<0.1	30.6	14.0	535	2.70	10.3	1.1	9.9	3.6	62	0.1	0.3	0.2	60	0.96	0.057
B L4600E 52500N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L4600E 52600N	Soil	0.7	41.6	7.6	61	<0.1	44.9	18.2	420	3.50	4.6	1.1	1.7	3.7	58	<0.1	0.3	0.2	85	1.02	0.057
B L4700E 50100S	Soil	1.4	22.9	8.3	50	<0.1	39.7	15.8	391	3.74	34.9	1.2	4.9	7.2	28	<0.1	0.4	0.2	71	0.34	0.028
B L4700E 50200S	Soil	0.7	12.3	4.6	52	<0.1	12.9	8.4	330	3.80	17.5	0.8	1.6	4.5	26	<0.1	0.3	0.1	36	0.34	0.030
B L4700E 50300S	Soil	0.9	18.8	6.4	59	<0.1	14.9	9.8	371	3.48	23.9	0.7	3.7	3.7	24	<0.1	0.3	0.1	46	0.31	0.028
B L4700E 50400S NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: **Nokuyukon Holdings Inc.**
110 Falcon Dr.
Whitehorse YT Y1A 6C7 Canada

Project: Bay Grid-2
Report Date: August 30, 2010

Page: 7 of 14 Part 2

CERTIFICATE OF ANALYSIS

WHI10000213.1

	Method Analyte Unit MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
		ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
B L4500E 52100N	Soil	11	51	0.87	128	0.162	1	2.31	0.057	0.27	0.2	0.01	5.1	0.2	<0.05	7	0.5	<0.2
B L4500E 52200N	Soil	13	54	0.96	134	0.152	1	2.27	0.062	0.35	0.2	0.02	5.4	0.2	0.07	7	0.9	<0.2
B L4500E 52300N	Soil	10	31	0.53	133	0.103	2	1.67	0.033	0.15	<0.1	0.03	3.6	0.1	0.10	5	0.9	<0.2
B L4500E 52400N	Soil	11	37	0.70	132	0.146	<1	2.12	0.028	0.14	<0.1	0.03	4.0	0.1	<0.05	6	<0.5	<0.2
B L4500E 52500N	Soil	10	38	0.69	123	0.135	<1	2.39	0.027	0.15	<0.1	0.01	3.8	0.1	<0.05	7	<0.5	<0.2
B L4500E 52600N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L4500E 50700E NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L4500E 50800S NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L4500E 51900N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L4500E 52000N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L4600E 50100S NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L4600E 50200S NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L4600E 50300S NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L4600E 50400S NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L4600E 50500S	Soil	9	57	0.80	120	0.110	2	1.79	0.055	0.15	0.1	0.02	4.2	0.1	0.08	6	0.5	<0.2
B L4600E 50600S NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L4600E 50700S NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L4600E 50800S NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L4600E 51900N	Soil	11	43	0.67	129	0.122	2	1.84	0.049	0.21	0.1	0.04	4.1	0.1	0.05	6	0.6	<0.2
B L4600E 52000N	Soil	11	38	0.62	121	0.116	2	1.86	0.046	0.23	0.2	0.03	4.1	0.1	0.09	6	0.7	<0.2
B L4600E 52100N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L4600E 52200N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L4600E 52300N	Soil	10	40	0.65	130	0.117	2	1.89	0.042	0.13	<0.1	0.03	4.4	<0.1	0.08	6	0.6	<0.2
B L4600E 52400N	Soil	12	42	0.68	142	0.137	3	1.94	0.042	0.13	0.1	0.03	3.7	0.1	<0.05	5	<0.5	<0.2
B L4600E 52500N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L4600E 52600N	Soil	11	74	1.04	160	0.228	2	2.24	0.040	0.19	0.1	0.02	5.1	0.1	<0.05	9	<0.5	0.5
B L4700E 50100S	Soil	16	61	1.04	190	0.208	<1	2.70	0.024	0.41	0.4	<0.01	5.2	0.2	<0.05	8	<0.5	<0.2
B L4700E 50200S	Soil	10	17	0.76	184	0.232	1	2.26	0.024	0.74	0.3	0.01	6.9	0.2	<0.05	9	<0.5	0.2
B L4700E 50300S	Soil	9	23	0.65	155	0.198	1	2.03	0.028	0.49	0.2	<0.01	6.1	0.2	<0.05	8	<0.5	<0.2
B L4700E 50400S NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: **Nokuyukon Holdings Inc.**
110 Falcon Dr.
Whitehorse YT Y1A 6C7 Canada

Project: Bay Grid-2
Report Date: August 30, 2010

Page: 8 of 14 Part 1

CERTIFICATE OF ANALYSIS

WHI10000213.1

Method Analyte Unit MDL		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
		ppm 0.1	ppm 0.1	ppm 0.1	ppm 1	ppm 0.1	ppm 0.1	ppm 0.1	ppm 1	% 0.01	ppm 0.5	ppm 0.1	ppb 0.5	ppm 0.1	ppm 1	ppm 0.1	ppm 0.1	ppm 0.1	ppm 2	% 0.01	% 0.001
B L4700E 50500S NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L4700E 50600S	Soil	1.0	24.0	7.8	65	<0.1	38.0	16.0	526	2.80	45.4	1.0	6.2	2.6	71	0.2	0.3	0.2	63	1.10	0.053
B L4700E 50700S NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L4700E 50800S	Soil	1.1	23.8	7.0	59	<0.1	24.5	13.8	588	3.49	102.4	0.9	6.0	3.5	38	0.1	0.3	0.2	72	0.57	0.059
B L4700E 51900N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L4700E 52000N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L4700E 52100N	Soil	0.8	36.5	9.6	49	<0.1	43.6	16.6	544	2.92	18.3	1.1	6.9	3.5	111	0.1	0.2	0.2	63	1.62	0.040
B L4700E 52200N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L4700E 52300N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L4700E 52400N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L4700E 52500N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L4700E 52600N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L4800E 50100S NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L4800E 50200S	Soil	0.9	20.3	6.0	61	<0.1	17.0	10.3	464	3.50	60.6	0.8	3.4	2.8	38	0.2	0.4	0.2	50	0.67	0.043
B L4800E 50300S NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L4800E 50400S NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L4800E 50900N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L4800E 51000N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L4800E 51100N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L4800E 51200N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L4800E 51300N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L4800E 51400N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L4800E 51900N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L4800E 52000N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L4800E 52100N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L4800E 52200N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L4800E 52300N	Soil	0.8	52.6	9.4	62	0.1	62.1	21.1	581	3.67	8.8	1.4	5.9	4.7	102	0.1	0.3	0.3	87	1.66	0.064
B L4800E 52400N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L4800E 52500N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L4800E 52600N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: **Nokuyukon Holdings Inc.**
110 Falcon Dr.
Whitehorse YT Y1A 6C7 Canada

Project: Bay Grid-2
Report Date: August 30, 2010

Page: 8 of 14 Part 2

CERTIFICATE OF ANALYSIS

WHI10000213.1

Method Analyte Unit MDL		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
		ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
B L4700E 50500S NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L4700E 50600S	Soil	10	56	0.79	128	0.138	2	1.77	0.055	0.17	0.4	0.02	4.0	0.1	0.06	6	<0.5	<0.2
B L4700E 50700S NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L4700E 50800S	Soil	11	40	0.79	151	0.171	2	2.05	0.034	0.33	0.3	0.02	5.4	0.1	<0.05	7	<0.5	<0.2
B L4700E 51900N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L4700E 52000N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L4700E 52100N	Soil	11	57	0.81	114	0.157	2	1.99	0.073	0.18	0.2	0.02	4.2	0.1	0.06	7	<0.5	<0.2
B L4700E 52200N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L4700E 52300N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L4700E 52400N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L4700E 52500N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L4700E 52600N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L4800E 50100S NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L4800E 50200S	Soil	9	24	0.65	199	0.192	1	2.01	0.035	0.44	0.3	0.01	6.0	0.1	<0.05	8	<0.5	0.2
B L4800E 50300S NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L4800E 50400S NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L4800E 50900N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L4800E 51000N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L4800E 51100N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L4800E 51200N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L4800E 51300N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L4800E 51400N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L4800E 51900N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L4800E 52000N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L4800E 52100N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L4800E 52200N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L4800E 52300N	Soil	14	82	1.18	163	0.204	2	2.67	0.076	0.23	0.1	0.02	5.9	0.2	0.07	8	0.6	<0.2
B L4800E 52400N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L4800E 52500N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L4800E 52600N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client:

Nokuyukon Holdings Inc.

110 Falcon Dr.

Whitehorse YT Y1A 6C7 Canada

Project:

Bay Grid-2

Report Date:

August 30, 2010

Page:

9 of 14

Part 1

CERTIFICATE OF ANALYSIS

WHI10000213.1

	Method Analyte Unit MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
		ppm 0.1	ppm 0.1	ppm 0.1	ppm 1	ppm 0.1	ppm 0.1	ppm 0.1	ppm 1	% 0.01	ppm 0.5	ppm 0.1	ppb 0.5	ppm 0.1	ppm 1	ppm 0.1	ppm 0.1	ppm 0.1	ppm 2	% 0.01	% 0.001
B L4900E 50100S	Soil	1.3	22.9	10.3	53	<0.1	21.7	11.2	417	3.49	63.3	1.0	9.2	4.7	34	<0.1	0.4	0.2	67	0.52	0.032
B L4900E 50200S NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L4900E 50300S	Soil	0.9	31.7	8.6	44	0.2	29.8	18.5	961	3.32	50.8	1.5	4.5	4.6	30	0.2	0.4	0.2	57	0.33	0.040
B L4900E 50400S	Soil	0.8	15.6	6.3	37	<0.1	15.2	8.3	380	2.31	9.3	0.5	1.5	3.6	19	<0.1	0.3	0.1	43	0.22	0.023
B L4900E 50900N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L4900E 51000N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L4900E 51100N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L4900E 51200N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L4900E 51300N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L4900E 51400N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L4900E 51900N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L4900E 52000N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L4900E 52100N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L4900E 52200N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L4900E 52300N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L4900E 52400N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L4000E 50800S	Soil	0.9	58.5	4.5	218	<0.1	121.8	19.9	313	3.71	8.2	0.6	0.6	2.5	24	0.1	0.2	0.2	79	0.53	0.063
B L4000E 50700S	Soil	2.4	51.6	12.1	104	<0.1	43.7	18.6	616	5.60	5.0	1.5	0.5	9.7	69	0.1	0.3	0.6	106	0.27	0.036
B L4000E 50600S	Soil	1.7	46.9	10.4	68	0.2	39.2	17.8	314	3.98	14.0	0.9	3.4	4.4	30	0.2	0.6	0.3	79	0.32	0.026
B L4000E 50500S	Soil	2.0	38.3	12.3	74	<0.1	40.4	17.4	320	3.99	24.0	1.1	10.1	6.7	33	0.1	0.4	0.3	77	0.23	0.030
B L4000E 50400S	Soil	4.8	82.9	15.6	103	0.4	49.7	20.3	415	4.66	46.6	3.1	5.3	8.0	102	0.2	0.5	0.3	132	0.43	0.071
B L4000E 50300S NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L4000E 50200S	Soil	1.1	58.0	13.0	81	0.1	45.9	19.2	449	3.97	87.2	2.1	8.9	10.0	55	<0.1	0.6	0.3	76	0.65	0.041
B L4000E 50100S	Soil	1.0	56.5	13.7	79	0.1	42.3	18.9	652	3.42	165.9	2.0	37.4	4.8	83	0.1	0.8	0.4	64	1.22	0.053
B L4000E 50900N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L4000E 51000N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L4000E 51100N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L4000E 51200N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L4000E 51300N	Soil	1.1	42.5	9.1	67	<0.1	38.5	16.7	567	3.33	26.1	1.4	9.9	4.1	54	0.1	0.4	0.3	74	0.79	0.055
B L4000E 51400N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: **Nokuyukon Holdings Inc.**
110 Falcon Dr.
Whitehorse YT Y1A 6C7 Canada

Project: Bay Grid-2
Report Date: August 30, 2010

Page: 9 of 14 Part 2

CERTIFICATE OF ANALYSIS

WHI10000213.1

	Method Analyte Unit MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Ti	S	Ga	Se	Te
		ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
B L4900E 50100S	Soil	14	35	0.69	179	0.182	2	2.34	0.034	0.19	0.2	<0.01	6.1	0.1	<0.05	8	<0.5	<0.2
B L4900E 50200S NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L4900E 50300S	Soil	32	37	0.58	201	0.121	2	2.53	0.035	0.19	0.2	0.02	5.6	0.1	<0.05	8	<0.5	<0.2
B L4900E 50400S	Soil	8	21	0.49	103	0.122	<1	1.50	0.027	0.19	0.3	<0.01	3.5	0.1	<0.05	6	<0.5	<0.2
B L4900E 50900N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L4900E 51000N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L4900E 51100N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L4900E 51200N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L4900E 51300N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L4900E 51400N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L4900E 51900N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L4900E 52000N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L4900E 52100N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L4900E 52200N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L4900E 52300N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L4900E 52400N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L4000E 50800S	Soil	8	230	1.42	183	0.305	1	2.37	0.025	0.38	0.2	<0.01	3.1	0.2	<0.05	7	<0.5	<0.2
B L4000E 50700S	Soil	24	70	1.68	196	0.201	1	3.78	0.071	0.98	0.1	<0.01	6.9	0.3	0.33	13	0.9	<0.2
B L4000E 50600S	Soil	11	42	0.82	127	0.159	1	2.64	0.023	0.24	<0.1	0.02	3.3	0.2	<0.05	7	<0.5	0.2
B L4000E 50500S	Soil	17	41	0.87	124	0.163	1	2.83	0.025	0.41	0.1	0.01	3.4	0.3	<0.05	8	<0.5	0.2
B L4000E 50400S	Soil	18	60	1.40	233	0.170	<1	3.97	0.057	0.34	0.1	0.03	6.0	0.3	0.16	10	0.6	<0.2
B L4000E 50300S NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L4000E 50200S	Soil	26	51	1.08	190	0.166	<1	2.87	0.038	0.49	<0.1	0.02	5.5	0.3	<0.05	8	<0.5	<0.2
B L4000E 50100S	Soil	17	48	0.89	164	0.127	2	2.56	0.048	0.38	0.2	0.04	4.9	0.2	<0.05	7	<0.5	<0.2
B L4000E 50900N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L4000E 51000N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L4000E 51100N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L4000E 51200N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L4000E 51300N	Soil	14	52	0.90	198	0.164	1	2.28	0.037	0.26	0.2	0.02	4.9	0.2	<0.05	7	<0.5	<0.2
B L4000E 51400N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: **Nokuyukon Holdings Inc.**
110 Falcon Dr.
Whitehorse YT Y1A 6C7 Canada

Project: Bay Grid-2
Report Date: August 30, 2010

Page: 10 of 14 Part 1

CERTIFICATE OF ANALYSIS

WHI10000213.1

Method Analyte Unit MDL		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
B L4000E 51500N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L4000E 51600N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L4000E 51700N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L4000E 51800N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L4000E 51900N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L4000E 52000N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L4000E 52100N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L4000E 52200N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L4000E 52300N	Soil	1.6	46.0	54.5	132	0.2	34.8	13.9	1257	3.07	5.9	1.6	2.0	5.0	75	0.3	0.4	0.4	51	1.11	0.065
B L4000E 52400N	Soil	0.7	41.0	28.3	76	<0.1	35.2	16.9	460	4.15	6.4	1.5	2.9	8.9	32	<0.1	0.2	0.3	59	0.40	0.032
B L4000E 52500N	Soil	0.4	41.3	24.4	101	<0.1	38.1	15.8	501	3.93	4.7	1.5	1.7	11.8	38	<0.1	0.3	0.3	60	0.48	0.037
B L4000E 52600N	Soil	0.6	36.0	14.1	68	<0.1	31.9	13.3	378	3.30	5.8	1.8	1.4	7.8	33	<0.1	0.3	0.3	67	0.42	0.035
B L4100E 5100S	Soil	2.3	49.4	16.4	59	0.2	32.6	15.5	441	3.72	10.4	2.0	3.3	4.9	42	0.1	0.5	0.3	89	0.36	0.043
B L4100E 5200S	Soil	1.5	39.3	12.0	61	0.1	27.9	14.3	383	3.16	103.9	1.2	21.9	3.5	46	<0.1	0.7	0.2	82	0.45	0.065
B L4100E 5300S NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L4100E 5400S	Soil	2.3	39.0	10.8	67	0.2	34.9	15.7	301	3.98	22.3	1.1	3.4	4.8	41	0.2	0.6	0.2	102	0.38	0.069
B L4100E 5500S	Soil	4.6	44.8	12.4	77	0.4	29.9	11.9	284	4.14	32.8	2.0	5.6	4.9	50	0.2	0.6	0.2	100	0.34	0.055
B L4100E 5600S	Soil	2.0	59.1	23.3	85	<0.1	72.8	30.6	1243	5.00	13.4	2.3	0.8	10.8	73	0.1	0.5	0.3	93	0.61	0.042
B L4100E 5700S	Soil	1.5	41.7	10.9	61	0.2	31.5	15.6	517	3.42	19.6	1.4	1.9	4.5	61	0.1	0.5	0.3	82	0.91	0.043
B L4100E 50800S NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L4100E 50900N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L4100E 51100N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L4100E 51000N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L4100E 51200N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L4100E 51300N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L4100E 51400N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L4100E 51500N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L4100E 51600N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L4100E 51700N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L4100E 51800N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: **Nokuyukon Holdings Inc.**
110 Falcon Dr.
Whitehorse YT Y1A 6C7 Canada

Project: Bay Grid-2
Report Date: August 30, 2010

Page: 10 of 14 Part 2

CERTIFICATE OF ANALYSIS

WHI10000213.1

Method Analyte Unit MDL		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
		ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
B L4000E 51500N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L4000E 51600N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L4000E 51700N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L4000E 51800N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L4000E 51900N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L4000E 52000N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L4000E 52100N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L4000E 52200N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L4000E 52300N	Soil	27	45	0.62	192	0.145	2	2.58	0.031	0.42	0.1	0.08	4.7	0.2	0.09	7	0.5	0.2
B L4000E 52400N	Soil	23	44	0.98	157	0.247	<1	2.85	0.024	0.79	0.1	0.02	4.3	0.5	<0.05	8	<0.5	<0.2
B L4000E 52500N	Soil	25	51	0.99	190	0.278	<1	3.29	0.034	0.89	0.2	0.02	5.7	0.5	<0.05	10	<0.5	<0.2
B L4000E 52600N	Soil	20	45	0.79	146	0.233	1	2.75	0.026	0.34	<0.1	0.02	4.6	0.3	<0.05	8	<0.5	<0.2
B L4100E 5100S	Soil	19	46	0.81	175	0.128	<1	2.87	0.027	0.23	0.1	0.03	4.1	0.2	<0.05	9	<0.5	<0.2
B L4100E 5200S	Soil	11	41	1.01	203	0.129	<1	2.73	0.049	0.19	<0.1	0.02	4.2	0.1	<0.05	8	<0.5	0.2
B L4100E 5300S NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L4100E 5400S	Soil	11	54	1.01	166	0.145	2	3.46	0.034	0.09	0.1	0.03	4.6	0.1	<0.05	8	<0.5	<0.2
B L4100E 5500S	Soil	11	46	0.80	159	0.122	1	2.78	0.034	0.13	<0.1	0.03	3.7	0.1	0.07	8	<0.5	0.2
B L4100E 5600S	Soil	24	63	1.37	241	0.150	<1	4.77	0.068	0.26	0.1	0.03	8.6	0.3	<0.05	12	<0.5	<0.2
B L4100E 5700S	Soil	13	47	0.94	193	0.136	1	2.43	0.053	0.17	<0.1	0.05	5.3	0.2	<0.05	8	<0.5	<0.2
B L4100E 50800S NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L4100E 50900N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L4100E 51100N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L4100E 51000N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L4100E 51200N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L4100E 51300N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L4100E 51400N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L4100E 51500N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L4100E 51600N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L4100E 51700N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L4100E 51800N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: **Nokuyukon Holdings Inc.**
110 Falcon Dr.
Whitehorse YT Y1A 6C7 Canada

Project: Bay Grid-2
Report Date: August 30, 2010

Page: 11 of 14 Part 1

CERTIFICATE OF ANALYSIS

WHI10000213.1

	Method Analyte Unit MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
		ppm 0.1	ppm 0.1	ppm 0.1	ppm 1	ppm 0.1	ppm 0.1	ppm 0.1	ppm 1	% 0.01	ppm 0.5	ppm 0.1	ppb 0.5	ppm 0.1	ppm 1	ppm 0.1	ppm 0.1	ppm 0.1	ppm 2	% 0.01	% 0.001
B L4100E 51900N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L4100E 52000N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L4100E 51700N	Soil	0.8	33.4	16.7	60	<0.1	35.5	15.9	434	3.52	22.0	0.9	6.8	5.5	39	0.2	0.3	0.3	62	0.56	0.039
B L4100E 52100N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L4100E 52200N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L4100E 52300N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L4100E 52400N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L4100E 52500N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L4200E 52600N	Soil	0.9	45.2	11.5	117	<0.1	27.7	11.7	417	3.31	6.8	1.4	3.4	7.5	33	<0.1	0.3	0.4	67	0.44	0.030
B L4200E 5800S	Soil	0.7	47.6	8.9	55	<0.1	40.8	15.2	453	3.24	10.9	0.7	6.3	3.2	74	0.1	0.5	0.2	85	1.33	0.074
B L4200E 50700S NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L4200E 5600S	Soil	0.7	49.4	7.1	61	<0.1	55.3	19.5	454	3.77	8.2	1.1	1.4	4.6	47	<0.1	0.3	0.2	96	0.61	0.058
B L4200E 50500S NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L4200E 5400S	Soil	1.4	47.0	11.2	55	<0.1	37.6	15.1	319	3.20	19.8	1.6	6.2	4.0	51	<0.1	0.4	0.3	76	0.69	0.058
B L4200E 50300S NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L4200E 50200S NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L4200E 50100S NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L4200E 50900N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L4200E 51000N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L4200E 51100N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L4200E 51200N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L4200E 51300N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L4200E 51400N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L4200E 51500N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L4200E 51600N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L4200E 51700N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L4200E 51800N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L4200E 51900N	Soil	0.9	42.0	28.5	109	<0.1	31.0	14.6	348	3.22	3.5	0.8	3.4	4.8	27	0.2	0.2	0.3	61	0.37	0.032
B L4200E 52000N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L4200E 52100N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client:

Nokuyukon Holdings Inc.

110 Falcon Dr.

Whitehorse YT Y1A 6C7 Canada

Project:

Bay Grid-2

Report Date:

August 30, 2010

Page:

11 of 14 Part 2

CERTIFICATE OF ANALYSIS

WHI10000213.1

	Method Analyte Unit MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
		ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
B L4100E 51900N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L4100E 52000N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L4100E 51700N	Soil	14	41	0.94	140	0.187	<1	2.45	0.029	0.43	0.1	0.01	3.8	0.3	<0.05	7	<0.5	<0.2
B L4100E 52100N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L4100E 52200N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L4100E 52300N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L4100E 52400N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L4100E 52500N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L4200E 52600N	Soil	17	39	0.73	161	0.162	<1	2.73	0.029	0.15	0.1	0.02	5.2	0.1	<0.05	8	<0.5	<0.2
B L4200E 5800S	Soil	13	49	0.89	156	0.161	1	1.97	0.064	0.20	0.1	0.02	4.8	<0.1	<0.05	6	<0.5	<0.2
B L4200E 50700S NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L4200E 5600S	Soil	13	85	1.30	247	0.228	2	2.62	0.038	0.46	0.1	0.02	6.0	0.2	<0.05	9	<0.5	<0.2
B L4200E 50500S NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L4200E 5400S	Soil	15	43	0.85	165	0.141	1	2.40	0.042	0.13	0.1	0.04	4.9	0.1	<0.05	7	<0.5	<0.2
B L4200E 50300S NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L4200E 50200S NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L4200E 50100S NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L4200E 50900N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L4200E 51000N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L4200E 51100N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L4200E 51200N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L4200E 51300N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L4200E 51400N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L4200E 51500N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L4200E 51600N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L4200E 51700N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L4200E 51800N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L4200E 51900N	Soil	13	37	0.83	144	0.162	1	2.39	0.020	0.29	0.1	0.02	3.3	0.3	<0.05	7	<0.5	<0.2
B L4200E 52000N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L4200E 52100N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: **Nokuyukon Holdings Inc.**
110 Falcon Dr.
Whitehorse YT Y1A 6C7 Canada

Project: Bay Grid-2
Report Date: August 30, 2010

Page: 12 of 14 Part 1

CERTIFICATE OF ANALYSIS

WHI10000213.1

Method Analyte Unit MDL		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca
		ppm 0.1	ppm 0.1	ppm 0.1	ppm 1	ppm 0.1	ppm 0.1	ppm 0.1	ppm 1	% 0.01	ppm 0.5	ppm 0.1	ppb 0.5	ppm 0.1	ppm 1	ppm 0.1	ppm 0.1	ppm 0.1	ppm 2	% 0.01
B L4200E 52200N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L4200E 52300N	Soil	1.9	24.2	20.4	62	0.1	31.3	13.9	268	3.96	11.3	0.4	1.9	2.7	19	0.2	0.7	0.2	97	0.17
B L4200E 52400N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L4200E 52500N	Soil	1.2	30.6	17.7	57	<0.1	30.2	13.8	263	3.08	9.0	0.5	6.2	2.3	29	<0.1	0.4	0.3	65	0.33
B L4200E 52600N	Soil	0.7	45.7	29.0	105	<0.1	31.5	14.7	452	3.56	15.5	1.3	4.0	7.4	32	<0.1	0.3	0.3	63	0.32
B L4300E 50800S	Soil	0.6	38.3	7.8	54	<0.1	46.0	16.5	510	3.03	12.2	0.8	1.8	2.1	72	0.1	0.3	0.2	78	1.62
B L4300E 50700S	Soil	0.9	51.0	8.9	67	<0.1	88.2	25.0	479	3.93	13.2	0.9	1.7	2.7	65	<0.1	0.3	0.2	102	1.22
B L4300E 50600S NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L4300E 50500S NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L4300E 50400S NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L4300E 50300S NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L4300E 50200S	Soil	0.9	63.7	19.7	88	0.1	96.3	31.2	950	4.97	24.4	1.3	6.8	5.1	117	0.3	0.3	0.2	122	1.29
B L4300E 5100S	Soil	1.1	55.2	7.5	73	0.1	80.7	23.3	593	3.78	26.8	1.2	6.3	4.1	57	<0.1	0.7	0.2	97	0.92
B L4300E 50900N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L4300E 51000N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L4300E 51100N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L4300E 51200N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L4300E 51300N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L4300E 51400N	Soil	0.9	37.7	10.1	63	<0.1	37.8	18.1	727	3.25	17.0	1.0	2.8	3.0	60	0.2	0.3	0.2	75	0.95
B L4300E 51500N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L4300E 51600N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L4300E 51700N	Soil	0.9	39.0	10.2	61	0.1	35.8	16.1	554	3.47	7.9	1.3	4.4	4.6	48	0.2	0.8	0.2	74	0.83
B L4300E 51800N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L4300E 51900N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L4300E 52000N	Soil	0.9	48.4	46.9	174	0.2	33.1	14.3	488	3.29	14.7	1.1	4.5	4.3	51	0.2	0.5	0.4	65	0.80
B L4300E 52100N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L4300E 52200N	Soil	1.2	38.2	12.4	64	<0.1	44.1	22.0	310	4.37	13.1	0.7	23.4	4.6	24	<0.1	0.3	0.3	94	0.26
B L4300E 52300N	Soil	1.0	19.2	6.9	30	0.1	11.2	6.5	138	1.78	4.6	0.5	2.3	1.6	16	<0.1	0.3	0.1	44	0.17
B L4300E 52400N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L4300E 52500N	Soil	1.9	45.4	13.2	77	<0.1	37.4	18.0	372	4.11	171.3	0.7	80.0	4.6	40	<0.1	0.4	0.4	84	0.27



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client:

Nokuyukon Holdings Inc.

110 Falcon Dr.

Whitehorse YT Y1A 6C7 Canada

Project:

Bay Grid-2

Report Date:

August 30, 2010

Page:

12 of 14 Part 2

CERTIFICATE OF ANALYSIS

WHI10000213.1

Method Analyte Unit MDL		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
		ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
B L4200E 52200N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L4200E 52300N	Soil	7	45	0.64	111	0.100	<1	2.89	0.014	0.06	<0.1	0.02	2.8	<0.1	<0.05	9	<0.5	<0.2
B L4200E 52400N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L4200E 52500N	Soil	8	37	0.55	126	0.119	3	1.92	0.023	0.12	<0.1	0.02	2.3	0.1	<0.05	6	<0.5	<0.2
B L4200E 52600N	Soil	20	44	0.84	119	0.205	<1	2.51	0.024	0.45	0.1	0.03	4.5	0.3	<0.05	8	<0.5	<0.2
B L4300E 50800S	Soil	9	66	0.91	172	0.130	2	1.99	0.048	0.22	0.1	0.04	4.4	0.1	<0.05	6	<0.5	<0.2
B L4300E 50700S	Soil	11	131	1.43	278	0.187	1	2.68	0.037	0.25	0.1	0.03	5.1	0.1	<0.05	9	<0.5	<0.2
B L4300E 50600S NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L4300E 50500S NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L4300E 50400S NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L4300E 50300S NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L4300E 50200S	Soil	17	115	1.77	218	0.196	1	3.38	0.077	0.39	0.2	0.02	10.1	0.2	<0.05	11	<0.5	<0.2
B L4300E 5100S	Soil	13	102	1.39	221	0.169	2	2.67	0.036	0.47	0.2	0.03	6.3	0.2	<0.05	9	0.7	<0.2
B L4300E 50900N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L4300E 51000N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L4300E 51100N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L4300E 51200N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L4300E 51300N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L4300E 51400N	Soil	12	55	0.86	159	0.139	1	2.15	0.041	0.22	0.2	0.03	4.9	0.1	<0.05	7	0.6	0.2
B L4300E 51500N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L4300E 51600N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L4300E 51700N	Soil	16	47	0.83	192	0.159	1	2.40	0.034	0.24	0.1	0.02	4.8	0.2	<0.05	7	<0.5	<0.2
B L4300E 51800N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L4300E 51900N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L4300E 52000N	Soil	14	42	0.74	156	0.169	1	2.59	0.036	0.27	0.2	0.03	4.1	0.2	<0.05	8	<0.5	<0.2
B L4300E 52100N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L4300E 52200N	Soil	11	54	1.03	213	0.219	2	3.22	0.018	0.61	0.1	<0.01	5.0	0.3	<0.05	10	<0.5	<0.2
B L4300E 52300N	Soil	7	17	0.24	106	0.079	<1	1.29	0.028	0.07	<0.1	0.02	1.9	<0.1	<0.05	5	<0.5	<0.2
B L4300E 52400N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L4300E 52500N	Soil	13	46	0.97	175	0.212	<1	2.95	0.023	0.79	0.1	0.01	4.0	0.4	<0.05	10	<0.5	<0.2



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client:

Nokuyukon Holdings Inc.

110 Falcon Dr.

Whitehorse YT Y1A 6C7 Canada

Project:

Bay Grid-2

Report Date:

August 30, 2010

Page:

13 of 14 Part 1

CERTIFICATE OF ANALYSIS

WHI10000213.1

Method Analyte Unit MDL		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
		ppm 0.1	ppm 0.1	ppm 0.1	ppm 1	ppm 0.1	ppm 0.1	ppm 0.1	ppm 1	% 0.01	ppm 0.5	ppm 0.1	ppb 0.5	ppm 0.1	ppm 1	ppm 0.1	ppm 0.1	ppm 0.1	ppm 2	% 0.01	% 0.001
B L4300E 52600N	Soil	2.4	59.6	11.2	70	0.3	36.0	14.9	335	3.50	56.2	2.1	17.6	3.9	47	0.1	0.5	0.3	115	0.51	0.074
B L3600E 50100S NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L3600E 50200S	Soil	1.3	63.7	6.2	79	0.2	56.5	22.0	495	3.89	7.1	0.9	3.5	1.7	31	0.2	0.3	0.2	104	0.76	0.060
B L3600E 50300S	Soil	1.0	38.8	8.9	75	0.2	35.7	16.9	553	3.25	13.2	0.9	4.5	3.4	33	0.1	0.3	0.2	76	0.67	0.049
B L3600E 50400S	Soil	0.9	38.0	10.1	68	0.2	36.2	15.3	538	3.12	68.5	1.1	13.9	3.6	70	0.2	0.7	0.4	68	1.22	0.045
B L3600E 50500S	Soil	1.1	50.1	12.4	69	0.1	44.0	15.7	356	3.13	84.4	2.0	5.2	4.4	56	<0.1	0.5	0.3	56	1.01	0.053
B L3600E 50600S NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L3600E 50700S NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L3600E 50800S	Soil	3.2	66.6	14.7	102	0.4	38.7	14.4	466	3.70	7.0	3.5	4.6	6.8	67	0.4	0.3	0.3	94	0.59	0.090
B L3600E 50900N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L3600E 51000N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L3600E 51100N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L3600E 51200N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L3600E 51300N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L3600E 51400N	Soil	1.6	31.6	6.3	67	<0.1	40.6	14.8	382	3.10	13.0	0.5	1.6	1.6	21	0.1	0.3	0.1	90	0.31	0.044
B L3600E 51500N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L3600E 51600N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L3600E 51700N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L3600E 51800N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L3600E 51900E NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L3600E 52000N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L3600E 52100N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L3600E 52200N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L3600E 52300N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L3600E 52400N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L3600E 52500N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L3600E 52600N	Soil	0.6	41.3	12.4	67	<0.1	47.3	16.0	343	3.09	2.5	0.9	1.3	4.1	35	0.1	0.2	0.2	55	0.47	0.035
B L3700E 50100S	Soil	1.0	60.5	5.5	58	0.2	52.2	18.3	368	3.19	7.4	0.5	2.6	1.4	25	0.2	0.2	0.1	86	0.68	0.059
B L3700E 50200S	Soil	0.9	27.5	11.7	92	0.2	24.0	10.7	609	3.04	22.6	0.9	5.2	5.6	46	0.3	0.4	0.2	54	0.76	0.036
B L3700E 50300S	Soil	1.0	38.9	13.6	73	<0.1	37.2	18.8	729	3.83	60.7	1.1	7.6	3.7	66	0.2	0.5	0.5	78	1.30	0.041



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: **Nokuyukon Holdings Inc.**
110 Falcon Dr.
Whitehorse YT Y1A 6C7 Canada

Project: Bay Grid-2
Report Date: August 30, 2010

Page: 13 of 14 Part 2

CERTIFICATE OF ANALYSIS

WHI10000213.1

Method Analyte Unit MDL		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
		ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.01	0.1	0.05	1	0.5	0.2
B L4300E 52600N	Soil	13	48	0.92	203	0.143	1	3.08	0.024	0.21	0.1	0.04	4.9	0.2	<0.05	9	0.5	<0.2
B L3600E 50100S NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L3600E 50200S	Soil	8	99	1.39	669	0.131	1	2.73	0.033	0.23	0.2	0.02	6.0	<0.1	<0.05	8	<0.5	0.2
B L3600E 50300S	Soil	12	65	1.11	353	0.128	<1	2.30	0.027	0.28	0.1	0.04	5.1	0.2	<0.05	8	<0.5	<0.2
B L3600E 50400S	Soil	15	46	0.82	205	0.110	2	2.35	0.032	0.29	0.2	0.05	4.4	0.2	<0.05	8	<0.5	<0.2
B L3600E 50500S	Soil	17	45	0.80	125	0.100	2	2.20	0.031	0.38	0.2	0.03	3.6	0.2	<0.05	7	<0.5	<0.2
B L3600E 50600S NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L3600E 50700S NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L3600E 50800S	Soil	24	47	1.14	204	0.120	<1	2.94	0.028	0.53	0.1	0.03	5.2	0.3	0.05	9	<0.5	<0.2
B L3600E 50900N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L3600E 51000N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L3600E 51100N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L3600E 51200N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L3600E 51300N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L3600E 51400N	Soil	7	83	1.03	172	0.194	1	1.88	0.027	0.17	0.1	0.04	3.3	<0.1	<0.05	8	<0.5	<0.2
B L3600E 51500N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L3600E 51600N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L3600E 51700N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L3600E 51800N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L3600E 51900E NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L3600E 52000N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L3600E 52100N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L3600E 52200N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L3600E 52300N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L3600E 52400N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L3600E 52500N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L3600E 52600N	Soil	12	63	0.99	166	0.161	<1	2.63	0.030	0.31	<0.1	0.03	3.7	0.2	<0.05	8	<0.5	<0.2
B L3700E 50100S	Soil	8	90	1.18	340	0.129	1	2.36	0.046	0.13	<0.1	0.03	4.4	<0.1	<0.05	7	0.6	<0.2
B L3700E 50200S	Soil	17	30	0.94	209	0.126	1	2.40	0.033	0.41	0.2	0.02	5.3	0.2	<0.05	8	<0.5	<0.2
B L3700E 50300S	Soil	13	49	0.94	227	0.126	<1	2.58	0.045	0.32	0.2	0.03	5.0	0.2	<0.05	9	<0.5	<0.2



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: **Nokuyukon Holdings Inc.**
110 Falcon Dr.
Whitehorse YT Y1A 6C7 Canada

Project: Bay Grid-2
Report Date: August 30, 2010

Page: 14 of 14 Part 1

CERTIFICATE OF ANALYSIS

WHI10000213.1

	Method Analyte Unit MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
B L3700E 50400S	Soil	1.1	45.5	9.8	75	0.1	33.6	15.0	515	2.99	33.4	1.6	3.9	3.6	76	0.2	0.5	0.3	56	1.54	0.053
B L3700E 50500S NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: **Nokuyukon Holdings Inc.**
110 Falcon Dr.
Whitehorse YT Y1A 6C7 Canada

Project: Bay Grid-2
Report Date: August 30, 2010

Page: 14 of 14 Part 2

CERTIFICATE OF ANALYSIS

WHI10000213.1

	Method Analyte Unit MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
		ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
B L3700E 50400S	Soil	18	39	0.76	139	0.098	2	2.00	0.037	0.37	<0.1	0.04	3.4	0.2	0.07	6	0.6	<0.2
B L3700E 50500S NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Nokuyukon Holdings Inc.

110 Falcon Dr.

Whitehorse YT Y1A 6C7 Canada

Project: Bay Grid-2

Report Date: August 30, 2010

Page: 1 of 1 Part 1

QUALITY CONTROL REPORT

WHI10000213.1

	Method Analyte Unit MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
Pulp Duplicates																					
B L5800E 50400N	Soil	1.0	34.8	7.6	61	0.1	31.8	16.4	580	3.54	51.1	1.0	15.2	3.8	24	<0.1	0.3	0.2	78	0.31	0.026
REP B L5800E 50400N	QC	1.0	31.6	7.2	57	0.1	29.8	16.4	587	3.63	51.3	1.1	10.4	4.0	27	<0.1	0.3	0.1	79	0.31	0.027
B L5000E 50200S	Soil	1.3	21.4	7.2	42	<0.1	32.4	12.7	277	3.42	74.4	1.1	0.8	4.6	29	<0.1	0.4	0.2	65	0.36	0.020
REP B L5000E 50200S	QC	1.2	20.7	7.4	37	0.1	31.9	11.5	272	3.30	72.0	1.1	7.0	4.4	28	<0.1	0.3	0.2	66	0.35	0.020
B L5200E 52400N	Soil	0.4	25.6	5.1	46	<0.1	21.9	9.5	330	2.64	6.2	0.4	3.4	2.1	38	<0.1	0.3	<0.1	70	0.78	0.065
REP B L5200E 52400N	QC	0.4	25.3	5.3	47	<0.1	22.6	9.5	314	2.46	6.1	0.4	3.0	2.1	37	0.1	0.3	0.1	67	0.76	0.061
B L4500E 50200S	Soil	0.9	31.0	8.1	62	<0.1	56.2	19.1	585	3.08	24.6	0.9	3.9	3.4	53	<0.1	1.3	0.2	77	0.93	0.060
REP B L4500E 50200S	QC	0.8	30.7	8.0	59	<0.1	55.3	18.6	574	3.08	23.6	0.9	7.5	3.2	52	0.1	1.2	0.2	74	0.91	0.057
B L4700E 50100S	Soil	1.4	22.9	8.3	50	<0.1	39.7	15.8	391	3.74	34.9	1.2	4.9	7.2	28	<0.1	0.4	0.2	71	0.34	0.028
REP B L4700E 50100S	QC	1.4	23.6	8.1	47	<0.1	42.8	15.7	390	3.75	34.6	1.2	6.3	7.4	27	<0.1	0.4	0.2	73	0.33	0.029
B L4200E 5400S	Soil	1.4	47.0	11.2	55	<0.1	37.6	15.1	319	3.20	19.8	1.6	6.2	4.0	51	<0.1	0.4	0.3	76	0.69	0.058
REP B L4200E 5400S	QC	1.4	46.8	11.9	56	<0.1	36.8	15.4	317	3.28	20.3	1.6	3.7	4.1	51	<0.1	0.4	0.2	77	0.69	0.055
B L4300E 52200N	Soil	1.2	38.2	12.4	64	<0.1	44.1	22.0	310	4.37	13.1	0.7	23.4	4.6	24	<0.1	0.3	0.3	94	0.26	0.029
REP B L4300E 52200N	QC	1.2	39.5	12.8	59	<0.1	43.5	21.2	310	4.35	12.8	0.7	5.3	4.7	24	<0.1	0.3	0.3	94	0.28	0.030
B L3700E 50100S	Soil	1.0	60.5	5.5	58	0.2	52.2	18.3	368	3.19	7.4	0.5	2.6	1.4	25	0.2	0.2	0.1	86	0.68	0.059
REP B L3700E 50100S	QC	0.9	59.2	5.3	56	0.2	53.4	18.2	372	3.18	7.2	0.6	2.6	1.4	25	0.1	0.2	0.1	86	0.68	0.060
Reference Materials																					
STD DS7	Standard	19.9	109.6	68.7	398	1.0	51.4	9.1	625	2.29	49.2	4.8	66.7	4.4	73	5.8	5.6	4.4	79	0.93	0.073
STD DS7	Standard	24.3	130.0	75.8	440	1.0	63.7	10.8	709	2.68	55.6	5.1	66.2	5.2	83	6.6	6.2	5.2	97	1.06	0.083
STD DS7	Standard	22.4	125.7	80.4	420	1.0	59.2	9.7	649	2.50	53.6	5.9	65.4	5.3	84	6.4	7.0	5.2	90	1.00	0.081
STD DS7	Standard	20.9	108.9	70.6	403	1.0	53.3	9.0	632	2.32	47.9	4.9	72.1	4.5	63	6.5	4.8	4.0	85	0.94	0.074
STD DS7 Expected		20.5	109	70.6	411	0.9	56	9.7	627	2.39	48.2	4.9	70	4.4	69	6.4	4.6	4.5	84	0.93	0.08
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Nokuyukon Holdings Inc.

110 Falcon Dr.

Whitehorse YT Y1A 6C7 Canada

Project: Bay Grid-2

Report Date: August 30, 2010

Page: 1 of 1 Part 2

QUALITY CONTROL REPORT

WHI10000213.1

	Method Analyte Unit MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Ti	S	Ga	Se	Te
		ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
Pulp Duplicates																		
B L5800E 50400N	Soil	12	50	0.95	153	0.192	<1	2.77	0.022	0.32	0.2	0.02	5.8	0.2	<0.05	9	<0.5	0.2
REP B L5800E 50400N	QC	12	50	0.92	159	0.203	<1	2.72	0.023	0.31	0.3	0.02	6.0	0.2	<0.05	8	<0.5	<0.2
B L5000E 50200S	Soil	15	46	0.83	173	0.157	<1	2.55	0.022	0.28	0.3	0.02	5.0	0.1	<0.05	9	<0.5	<0.2
REP B L5000E 50200S	QC	15	45	0.80	166	0.153	2	2.56	0.022	0.28	0.3	<0.01	4.7	0.1	<0.05	8	<0.5	<0.2
B L5200E 52400N	Soil	8	29	0.69	116	0.110	3	1.64	0.060	0.07	0.1	<0.01	3.6	<0.1	<0.05	5	0.8	<0.2
REP B L5200E 52400N	QC	8	28	0.65	115	0.103	2	1.53	0.060	0.07	0.2	0.02	3.6	<0.1	0.06	5	0.6	<0.2
B L4500E 50200S	Soil	12	79	1.05	133	0.126	2	2.24	0.049	0.31	0.2	0.01	5.0	0.2	<0.05	8	0.8	<0.2
REP B L4500E 50200S	QC	12	76	0.99	130	0.127	<1	2.11	0.046	0.28	0.2	0.01	4.9	0.2	<0.05	7	0.7	<0.2
B L4700E 50100S	Soil	16	61	1.04	190	0.208	<1	2.70	0.024	0.41	0.4	<0.01	5.2	0.2	<0.05	8	<0.5	<0.2
REP B L4700E 50100S	QC	16	60	1.06	189	0.202	1	2.68	0.024	0.41	0.3	0.01	5.1	0.2	<0.05	8	<0.5	<0.2
B L4200E 5400S	Soil	15	43	0.85	165	0.141	1	2.40	0.042	0.13	0.1	0.04	4.9	0.1	<0.05	7	<0.5	<0.2
REP B L4200E 5400S	QC	14	44	0.85	170	0.141	1	2.49	0.040	0.13	0.2	0.04	5.1	0.1	<0.05	7	<0.5	0.4
B L4300E 52200N	Soil	11	54	1.03	213	0.219	2	3.22	0.018	0.61	0.1	<0.01	5.0	0.3	<0.05	10	<0.5	<0.2
REP B L4300E 52200N	QC	12	54	1.03	216	0.227	<1	3.30	0.019	0.62	0.1	0.01	4.9	0.3	<0.05	10	<0.5	<0.2
B L3700E 50100S	Soil	8	90	1.18	340	0.129	1	2.36	0.046	0.13	<0.1	0.03	4.4	<0.1	<0.05	7	0.6	<0.2
REP B L3700E 50100S	QC	8	90	1.21	338	0.132	2	2.40	0.042	0.13	<0.1	0.03	4.5	<0.1	<0.05	7	<0.5	<0.2
Reference Materials																		
STD DS7	Standard	13	182	1.10	378	0.121	41	1.03	0.097	0.48	3.5	0.24	2.7	3.9	0.17	5	3.6	0.9
STD DS7	Standard	14	220	1.17	437	0.142	44	1.15	0.106	0.53	4.0	0.24	2.6	4.6	0.21	6	3.5	1.7
STD DS7	Standard	13	206	1.15	422	0.145	39	1.11	0.106	0.50	4.1	0.22	2.3	4.1	0.22	5	3.6	1.6
STD DS7	Standard	12	193	1.05	382	0.111	39	1.05	0.095	0.46	3.4	0.22	2.5	4.0	0.18	4	3.6	2.1
STD DS7 Expected		12	179	1.05	410	0.124	39	0.959	0.089	0.44	3.4	0.2	2.5	4.2	0.19	5	3.5	1.08
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2



1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: **Nokuyukon Holdings Inc.**

110 Falcon Dr.

Whitehorse YT Y1A 6C7 Canada

Submitted By: Mark Lindsay

Receiving Lab: Canada-Whitehorse

Received: August 06, 2010

Report Date: August 31, 2010

Page: 1 of 11

CERTIFICATE OF ANALYSIS

WHI10000214.1

CLIENT JOB INFORMATION

Project: Bay Grid-2
Shipment ID: Bat Grid 2
P.O. Number: NHL-10549-YT-BAY
Number of Samples: 283

SAMPLE DISPOSAL

DISP-PLP Dispose of Pulp After 90 days
DISP-RJT-SOIL Immediate Disposal of Soil Reject

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Nokuyukon Holdings Inc.
110 Falcon Dr.
Whitehorse YT Y1A 6C7
Canada

CC: Phil Jackson

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
SS80	124	Dry at 60C sieve 100g to -80 mesh			WHI
Dry at 60C	124	Dry at 60C			WHI
SPLP	159	Sort, label and box pulps			VAN
1DX2	124	1:1:1 Aqua Regia digestion ICP-MS analysis	15	Completed	VAN

ADDITIONAL COMMENTS



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.
All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only.
** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: **Nokuyukon Holdings Inc.**
110 Falcon Dr.
Whitehorse YT Y1A 6C7 Canada

Project: Bay Grid-2
Report Date: August 31, 2010

Page: 2 of 11 Part 1

CERTIFICATE OF ANALYSIS

WHI10000214.1

	Method Analyte Unit MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
		ppm 0.1	ppm 0.1	ppm 0.1	ppm 1	ppm 0.1	ppm 0.1	ppm 0.1	ppm 1	% 0.01	ppm 0.5	ppm 0.1	ppb 0.5	ppm 0.1	ppm 1	ppm 0.1	ppm 0.1	ppm 0.1	ppm 2	% 0.01	% 0.001
B L3700E 50600S	Soil	1.9	49.6	16.5	89	0.2	39.1	17.4	490	3.95	32.1	2.4	3.7	8.2	53	<0.1	0.3	0.4	101	0.55	0.071
B L3700E 50700S	Soil	1.7	36.1	12.0	63	0.2	27.6	12.4	368	2.87	9.1	1.6	1.5	4.9	36	0.2	0.2	0.3	73	0.43	0.043
B L3700E 50800S	Soil	1.4	34.8	16.2	64	0.1	31.9	16.8	374	3.30	25.4	1.1	6.7	5.9	36	<0.1	0.3	0.4	65	0.49	0.033
B L3700E 50900N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L3700E 51000E NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L3700E 51100N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L3700E 51200N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L3700E 51300N	Soil	1.1	33.1	7.9	75	0.1	33.8	12.2	372	2.75	6.6	0.6	4.9	1.7	22	0.2	0.2	0.2	81	0.27	0.045
B L3700E 51400N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L3700E 51500N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L3700E 51600N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L3700E 51700N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L3700E 51800N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L3700E 51900E NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L3700E 52000N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L3700E 52100N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L3700E 52200N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L3700E 52300N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L3700E 52400N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L3700E 52500N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L3700E 52600N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L3800E 50800S NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L3800E 50700S	Soil	3.7	69.8	16.8	120	0.2	40.7	13.9	559	3.77	5.8	3.0	2.4	8.8	67	0.4	0.3	0.3	121	0.59	0.106
B L3800E 50600S	Soil	4.7	65.0	13.6	134	0.3	37.7	15.5	602	4.05	5.6	3.7	3.3	8.3	95	0.4	0.2	0.3	121	0.63	0.118
B L3800E 50500S	Soil	1.2	42.7	13.1	72	0.1	37.5	19.5	452	3.89	176.2	1.6	14.5	7.9	43	0.1	0.3	0.4	77	0.44	0.046
B L3800E 50400S	Soil	1.1	36.8	21.4	75	0.1	34.4	15.2	451	3.45	61.1	1.1	7.2	7.3	45	<0.1	0.3	0.3	75	0.51	0.042
B L3800E 50300S	Soil	0.9	58.2	15.0	81	0.1	64.8	24.6	564	3.67	24.4	1.3	3.9	6.2	42	<0.1	0.4	0.3	81	0.52	0.035
B L3800E 50200S NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L3800E 50100S	Soil	0.7	31.8	10.9	61	0.1	31.7	14.6	523	3.20	20.0	1.1	3.0	4.2	47	0.2	0.4	0.3	69	0.62	0.031
B L3800E 50900N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: **Nokuyukon Holdings Inc.**
110 Falcon Dr.
Whitehorse YT Y1A 6C7 Canada

Project: Bay Grid-2
Report Date: August 31, 2010

Page: 2 of 11 Part 2

CERTIFICATE OF ANALYSIS

WHI10000214.1

	Method Analyte Unit MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Ti	S	Ga	Se	Te
		ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.01	0.1	0.05	1	0.5	0.2
B L3700E 50600S	Soil	20	55	1.18	244	0.140	<1	2.99	0.025	0.75	0.1	0.03	5.7	0.3	0.07	9	0.9	0.3
B L3700E 50700S	Soil	18	37	0.82	148	0.108	2	2.17	0.028	0.34	0.1	0.02	3.2	0.2	<0.05	7	<0.5	<0.2
B L3700E 50800S	Soil	15	36	0.79	132	0.100	2	2.17	0.028	0.39	0.1	0.02	2.9	0.2	<0.05	7	<0.5	<0.2
B L3700E 50900N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L3700E 51000E NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L3700E 51100N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L3700E 51200N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L3700E 51300N	Soil	8	63	0.85	179	0.124	<1	1.81	0.025	0.11	0.1	0.05	3.0	0.1	0.06	7	<0.5	0.2
B L3700E 51400N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L3700E 51500N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L3700E 51600N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L3700E 51700N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L3700E 51800N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L3700E 51900E NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L3700E 52000N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L3700E 52100N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L3700E 52200N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L3700E 52300N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L3700E 52400N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L3700E 52500N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L3700E 52600N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L3800E 50800S NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L3800E 50700S	Soil	25	52	1.34	260	0.126	1	2.97	0.024	0.66	0.1	0.02	5.7	0.3	0.07	9	1.0	<0.2
B L3800E 50600S	Soil	24	48	1.44	264	0.115	<1	3.07	0.046	0.74	0.1	0.03	5.8	0.3	0.23	9	1.9	0.2
B L3800E 50500S	Soil	18	43	0.94	127	0.111	<1	2.49	0.021	0.47	0.1	0.02	3.7	0.3	<0.05	7	<0.5	<0.2
B L3800E 50400S	Soil	16	50	0.94	160	0.138	1	2.55	0.023	0.42	0.1	0.03	3.8	0.2	<0.05	8	<0.5	<0.2
B L3800E 50300S	Soil	18	72	1.07	171	0.124	1	2.71	0.027	0.32	0.1	0.02	5.0	0.2	<0.05	8	0.6	0.2
B L3800E 50200S NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L3800E 50100S	Soil	13	36	0.77	200	0.103	1	2.27	0.028	0.18	0.2	0.03	4.2	0.1	<0.05	7	<0.5	<0.2
B L3800E 50900N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: **Nokuyukon Holdings Inc.**
110 Falcon Dr.
Whitehorse YT Y1A 6C7 Canada

Project: Bay Grid-2
Report Date: August 31, 2010

Page: 3 of 11 Part 1

CERTIFICATE OF ANALYSIS

WHI10000214.1

	Method Analyte Unit MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
		ppm 0.1	ppm 0.1	ppm 0.1	ppm 1	ppm 0.1	ppm 0.1	ppm 0.1	ppm 1	% 0.01	ppm 0.5	ppm 0.1	ppb 0.5	ppm 0.1	ppm 1	ppm 0.1	ppm 0.1	ppm 0.1	ppm 2	% 0.01	% 0.001
B L3800E 51000N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L3800E 51100N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L3800E 51200N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L3800E 51300N	Soil	1.4	34.3	10.1	67	0.2	36.2	19.9	722	3.18	12.6	0.8	2.4	2.0	28	0.2	0.3	0.2	87	0.39	0.049
B L3800E 51400N	Soil	1.1	40.8	12.0	81	0.1	44.4	20.4	716	3.41	164.3	0.9	10.7	2.8	33	0.1	0.4	0.3	84	0.45	0.049
B L3800E 51500N	Soil	1.2	47.2	10.9	96	<0.1	64.1	21.1	409	3.75	24.1	0.6	2.6	2.9	26	0.2	0.3	0.2	98	0.45	0.050
B L3800E 51600N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L3800E 51700N	Soil	0.5	46.1	30.9	375	<0.1	62.6	27.3	642	4.64	27.6	0.9	2.8	4.7	54	<0.1	0.3	0.2	104	0.63	0.074
B L3800E 51800N	Soil	0.9	41.4	11.8	86	0.1	43.3	19.6	528	3.62	56.4	1.0	10.1	3.9	37	<0.1	0.4	0.2	84	0.52	0.048
B L3800E 51900N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L3800E 52000N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L3800E 52100N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L3800E 52200N	Soil	1.0	25.4	9.5	57	<0.1	26.1	16.4	775	3.20	5.4	1.0	1.6	5.4	38	<0.1	0.3	0.3	62	0.59	0.041
B L3800E 52300N	Soil	0.7	37.3	8.5	60	0.1	26.6	14.4	764	2.99	4.0	1.0	1.4	4.1	39	0.1	0.3	0.3	55	0.55	0.042
B L3800E 52400N	Soil	0.6	31.4	20.7	92	0.1	28.2	13.6	451	3.39	4.0	1.1	2.4	5.5	28	0.1	0.2	0.3	64	0.35	0.043
B L3800E 52500N	Soil	0.9	39.2	13.8	93	0.1	50.1	16.6	434	3.68	6.5	1.5	3.5	7.1	41	0.1	0.2	0.3	65	0.50	0.039
B L3800E 52600N	Soil	1.0	33.5	10.4	60	<0.1	52.2	16.4	387	3.05	5.0	0.5	1.6	2.3	33	0.1	0.3	0.1	68	0.47	0.026
B L3900E 50100S NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L3900E 50200S	Soil	1.1	57.5	10.3	74	0.2	33.2	13.1	347	2.92	11.4	0.8	5.2	3.4	37	0.1	0.3	0.3	61	0.53	0.037
B L3900E 50300S	Soil	1.4	36.8	14.4	65	0.2	32.5	16.0	595	3.43	302.4	1.7	13.0	5.6	41	<0.1	0.5	0.3	80	0.42	0.047
B L3900E 50400S	Soil	1.3	45.6	14.0	64	0.2	39.4	18.6	503	4.01	42.8	1.9	5.8	7.2	52	0.1	0.4	0.3	73	0.63	0.048
B L3900E 50500S	Soil	2.0	50.1	21.9	87	0.2	40.1	18.0	496	4.31	29.9	1.8	5.2	7.0	64	0.2	0.4	0.3	97	0.57	0.056
B L3900E 50600S	Soil	3.3	40.5	13.2	92	0.2	35.5	15.0	450	4.25	9.4	1.0	1.6	3.7	54	0.2	0.5	0.2	126	0.42	0.069
B L3900E 50700S NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L3900E 50800S	Soil	4.8	83.1	93.3	125	0.3	78.8	27.7	2533	6.84	72.1	2.5	7.5	13.6	160	0.5	0.4	1.8	116	1.31	0.073
B L3900E 50900N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L3900E 51000N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L3900E 51100N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L3900E 51200N	Soil	1.4	51.1	24.3	100	0.2	43.7	19.6	821	3.96	28.1	1.3	3.1	5.9	37	0.2	0.3	0.3	90	0.47	0.070
B L3900E 51300N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: **Nokuyukon Holdings Inc.**
110 Falcon Dr.
Whitehorse YT Y1A 6C7 Canada

Project: Bay Grid-2
Report Date: August 31, 2010

Page: 3 of 11 Part 2

CERTIFICATE OF ANALYSIS

WHI10000214.1

	Method Analyte Unit MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
		ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
B L3800E 51000N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L3800E 51100N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L3800E 51200N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L3800E 51300N	Soil	10	60	0.87	196	0.135	<1	1.92	0.025	0.12	<0.1	0.04	3.3	0.1	<0.05	7	<0.5	<0.2
B L3800E 51400N	Soil	11	62	0.94	230	0.142	2	2.45	0.029	0.15	0.4	0.03	4.4	0.2	<0.05	9	0.5	<0.2
B L3800E 51500N	Soil	8	96	1.45	250	0.189	<1	2.66	0.032	0.29	0.2	0.02	5.4	0.2	<0.05	10	<0.5	<0.2
B L3800E 51600N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L3800E 51700N	Soil	14	73	1.66	339	0.267	<1	3.71	0.062	0.82	0.2	0.02	8.2	0.3	<0.05	12	<0.5	<0.2
B L3800E 51800N	Soil	15	51	1.03	274	0.170	<1	2.70	0.031	0.31	0.1	0.04	6.2	0.2	<0.05	9	<0.5	<0.2
B L3800E 51900N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L3800E 52000N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L3800E 52100N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L3800E 52200N	Soil	14	37	0.68	358	0.129	2	1.93	0.023	0.26	0.2	0.03	3.7	0.2	<0.05	7	<0.5	<0.2
B L3800E 52300N	Soil	15	37	0.63	153	0.137	1	2.38	0.024	0.30	0.1	0.05	4.5	0.2	<0.05	7	<0.5	<0.2
B L3800E 52400N	Soil	16	40	0.75	148	0.170	1	2.40	0.019	0.50	<0.1	0.05	4.3	0.3	<0.05	8	<0.5	<0.2
B L3800E 52500N	Soil	18	62	1.02	200	0.200	<1	2.87	0.025	0.60	<0.1	0.03	4.6	0.3	<0.05	8	<0.5	<0.2
B L3800E 52600N	Soil	7	82	0.97	156	0.155	2	2.33	0.026	0.12	0.1	0.03	2.9	0.1	<0.05	8	<0.5	<0.2
B L3900E 50100S NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L3900E 50200S	Soil	14	36	0.75	140	0.104	<1	2.05	0.027	0.15	0.1	0.03	2.9	0.1	<0.05	6	<0.5	0.3
B L3900E 50300S	Soil	16	37	0.77	212	0.115	<1	2.64	0.032	0.29	0.2	0.04	4.0	0.2	<0.05	8	0.6	<0.2
B L3900E 50400S	Soil	22	43	1.01	155	0.118	<1	2.69	0.024	0.52	0.1	0.03	4.7	0.3	<0.05	9	<0.5	0.5
B L3900E 50500S	Soil	19	50	1.17	209	0.154	<1	3.07	0.031	0.43	0.1	0.03	5.4	0.3	<0.05	9	<0.5	<0.2
B L3900E 50600S	Soil	12	54	1.22	209	0.139	1	3.20	0.028	0.18	<0.1	0.02	4.8	0.1	<0.05	9	<0.5	<0.2
B L3900E 50700S NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L3900E 50800S	Soil	20	61	2.57	278	0.148	<1	4.57	0.159	1.02	0.2	0.03	9.9	0.6	<0.05	15	0.8	<0.2
B L3900E 50900N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L3900E 51000N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L3900E 51100N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L3900E 51200N	Soil	19	61	1.01	249	0.182	1	2.79	0.030	0.60	0.2	0.03	5.3	0.3	<0.05	9	<0.5	<0.2
B L3900E 51300N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client:

Nokuyukon Holdings Inc.

110 Falcon Dr.

Whitehorse YT Y1A 6C7 Canada

Project:

Bay Grid-2

Report Date:

August 31, 2010

Page:

4 of 11

Part 1

CERTIFICATE OF ANALYSIS

WHI10000214.1

Method Analyte Unit MDL		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
B L3900E 51400N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L3900E 51500N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L3900E 51600N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L3900E 51700N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L3900E 51800N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L3900E 51900N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L3900E 52000N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L3900E 52100N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L3900E 52200N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L3900E 52300N	Soil	0.7	38.6	9.8	76	0.2	28.7	14.7	417	3.33	4.0	1.0	0.9	5.0	35	<0.1	0.2	0.4	64	0.41	0.043
B L3900E 52400N	Soil	0.5	31.6	23.0	76	0.1	28.8	13.1	431	3.14	5.4	1.0	4.2	5.8	30	0.1	0.2	0.3	66	0.37	0.037
B L3900E 52500N	Soil	0.6	32.6	27.6	97	0.1	34.9	13.2	431	3.45	5.7	1.1	1.6	7.3	36	0.1	0.3	0.3	62	0.50	0.032
B L3900E 52600N	Soil	0.7	28.0	9.7	66	0.1	27.2	11.2	371	2.92	5.0	0.9	3.0	4.1	37	0.2	0.3	0.2	62	0.52	0.037
B L3200E 50100S	Soil	2.1	35.6	13.1	79	0.3	32.4	9.9	381	2.97	18.3	0.8	6.1	3.5	36	0.3	0.5	0.4	71	0.49	0.046
B L3200E 50200S	Soil	1.3	43.0	8.7	71	0.2	44.1	14.5	370	3.33	13.0	0.6	2.3	2.6	31	0.1	0.4	0.2	94	0.50	0.042
B L3200E 50300S	Soil	1.1	48.2	9.9	82	0.5	43.5	16.5	548	3.24	6.3	0.9	2.0	2.3	32	0.3	0.3	0.2	83	0.56	0.049
B L3200E 50400S	Soil	0.9	67.6	6.0	54	0.2	37.3	17.6	440	2.60	107.9	0.7	3.7	1.4	30	0.3	0.3	0.1	77	0.68	0.053
B L3200E 50500S NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L3200E 50600S	Soil	0.7	50.0	6.6	44	<0.1	25.1	10.0	241	2.62	9.7	0.4	1.4	2.0	23	<0.1	0.3	<0.1	73	0.38	0.025
B L3200E 50700S	Soil	0.5	8.5	3.3	24	0.1	4.2	3.2	212	0.98	3.4	0.2	2.0	1.3	13	<0.1	0.1	<0.1	20	0.20	0.042
B L3200E 50800S	Soil	1.6	12.3	7.8	57	<0.1	13.5	8.4	326	2.70	7.3	0.4	0.8	3.1	23	0.2	0.3	0.2	54	0.24	0.019
B L3200E 50900N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L3200E 51000N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L3200E 51100N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L3200E 51200N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L3200E 51300N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L3200E 51400N	Soil	1.7	45.0	9.4	81	0.2	21.8	15.2	985	3.21	20.9	0.8	6.6	2.4	29	0.1	0.6	0.4	65	0.36	0.070
B L3200E 51500N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L3200E 51600N	Soil	1.1	23.9	7.1	102	<0.1	22.6	11.0	495	3.47	8.0	0.6	7.6	5.3	26	0.2	0.2	0.4	80	0.36	0.058
B L3200E 51700N	Soil	0.8	35.8	6.8	38	0.2	16.7	4.0	149	1.51	4.2	1.0	2.1	0.6	41	0.5	0.3	0.2	23	0.52	0.073



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: **Nokuyukon Holdings Inc.**
110 Falcon Dr.
Whitehorse YT Y1A 6C7 Canada

Project: Bay Grid-2
Report Date: August 31, 2010

Page: 4 of 11 Part 2

CERTIFICATE OF ANALYSIS

WHI10000214.1

Method Analyte Unit MDL		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
		ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
B L3900E 51400N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L3900E 51500N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L3900E 51600N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L3900E 51700N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L3900E 51800N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L3900E 51900N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L3900E 52000N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L3900E 52100N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L3900E 52200N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L3900E 52300N	Soil	14	38	0.75	138	0.168	<1	2.47	0.027	0.45	<0.1	0.05	4.1	0.3	<0.05	8	<0.5	<0.2
B L3900E 52400N	Soil	15	40	0.79	140	0.181	2	2.40	0.021	0.45	<0.1	0.04	4.0	0.3	<0.05	8	<0.5	<0.2
B L3900E 52500N	Soil	17	55	0.92	177	0.207	2	2.63	0.030	0.59	0.1	0.02	4.5	0.3	<0.05	9	<0.5	<0.2
B L3900E 52600N	Soil	13	37	0.69	142	0.165	<1	2.20	0.027	0.24	0.1	0.03	3.9	0.2	<0.05	7	<0.5	<0.2
B L3200E 50100S	Soil	15	44	0.61	197	0.081	2	1.97	0.026	0.10	0.1	0.03	3.8	<0.1	<0.05	7	<0.5	<0.2
B L3200E 50200S	Soil	9	89	1.20	218	0.145	1	2.37	0.023	0.11	0.1	0.04	5.0	0.1	<0.05	8	<0.5	<0.2
B L3200E 50300S	Soil	12	78	1.07	298	0.129	2	2.12	0.026	0.14	0.2	0.05	4.5	0.1	<0.05	8	<0.5	<0.2
B L3200E 50400S	Soil	7	54	0.74	268	0.094	2	1.53	0.028	0.11	<0.1	0.03	3.6	<0.1	<0.05	5	0.9	<0.2
B L3200E 50500S NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L3200E 50600S	Soil	6	49	0.86	112	0.119	2	1.98	0.020	0.06	<0.1	0.02	3.3	<0.1	<0.05	6	<0.5	<0.2
B L3200E 50700S	Soil	6	8	0.22	46	0.053	<1	0.63	0.037	0.08	<0.1	0.01	1.0	<0.1	<0.05	3	<0.5	<0.2
B L3200E 50800S	Soil	9	24	0.62	123	0.118	2	1.73	0.027	0.19	<0.1	<0.01	2.9	<0.1	<0.05	7	<0.5	<0.2
B L3200E 50900N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L3200E 51000N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L3200E 51100N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L3200E 51200N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L3200E 51300N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L3200E 51400N	Soil	12	35	0.62	191	0.091	2	2.02	0.032	0.14	0.1	0.05	4.6	0.1	0.07	7	<0.5	<0.2
B L3200E 51500N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L3200E 51600N	Soil	16	30	0.96	200	0.191	2	2.24	0.024	0.37	0.2	0.01	6.2	0.2	<0.05	9	0.6	<0.2
B L3200E 51700N	Soil	24	16	0.28	226	0.046	2	1.22	0.035	0.06	<0.1	0.05	2.6	<0.1	0.10	3	0.6	<0.2



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client:

Nokuyukon Holdings Inc.

110 Falcon Dr.

Whitehorse YT Y1A 6C7 Canada

Project:

Bay Grid-2

Report Date:

August 31, 2010

Page:

5 of 11

Part 1

CERTIFICATE OF ANALYSIS

WHI10000214.1

	Method Analyte Unit MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca
		ppm 0.1	ppm 0.1	ppm 0.1	ppm 1	ppm 0.1	ppm 0.1	ppm 0.1	ppm 1	% 0.01	ppm 0.5	ppm 0.1	ppb 0.5	ppm 0.1	ppm 1	ppm 0.1	ppm 0.1	ppm 0.1	ppm 2	% 0.01
B L3200E 51800N	Soil	0.8	22.5	6.5	74	<0.1	22.2	9.8	402	3.89	5.9	0.8	2.0	7.3	29	0.2	0.3	0.2	71	0.45
B L3200E 51900N	Soil	1.2	31.6	7.5	105	<0.1	31.7	14.6	422	3.69	15.0	0.6	3.5	5.1	23	0.2	0.3	0.2	77	0.33
B L3200E 52000N	Soil	1.1	24.1	8.8	81	<0.1	25.0	10.9	296	3.26	10.4	0.7	4.6	4.9	22	0.2	0.3	0.3	68	0.33
B L3200E 52100N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L3200E 52200N	Soil	0.5	24.5	8.8	73	<0.1	22.0	9.0	227	2.68	6.1	0.7	3.3	3.1	27	0.2	0.4	0.2	67	0.39
B L3200E 52300N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L3200E 52400N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L3200E 52500N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L3200E 52600N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L3300E 50100S	Soil	1.2	41.1	13.8	105	0.4	39.6	15.0	422	3.86	17.5	0.6	5.1	2.6	29	0.1	0.3	0.1	80	0.46
B L3300E 50200S	Soil	1.1	40.4	5.6	69	0.3	39.5	14.5	428	3.17	7.4	0.6	3.3	2.0	33	0.2	0.3	0.1	77	0.58
B L3300E 50300S	Soil	0.9	37.8	7.6	58	0.2	32.4	10.3	310	2.85	14.7	0.6	4.2	1.9	29	0.1	0.3	0.1	69	0.42
B L3300E 50400S	Soil	0.6	57.5	7.8	77	0.2	80.6	20.8	653	3.81	29.5	0.7	5.8	3.1	41	0.3	0.3	0.1	110	0.75
B L3300E 50500S	Soil	0.7	32.0	9.4	66	0.1	86.1	16.2	386	3.18	37.1	0.4	1.8	2.6	38	0.2	0.3	0.2	80	0.62
B L3300E 50600S	Soil	0.9	38.2	8.4	62	<0.1	114.2	20.9	440	3.55	38.7	0.4	2.1	2.4	42	0.1	0.4	0.1	96	0.58
B L3300E 50700S	Soil	0.6	39.6	7.0	64	<0.1	65.3	14.8	435	3.10	24.8	0.6	2.3	3.7	47	0.1	0.3	0.1	73	0.78
B L3300E 50800S	Soil	0.7	49.9	9.6	71	0.2	93.6	20.5	749	3.39	73.7	1.1	2.8	4.5	50	0.2	0.4	0.3	75	0.82
B L3300E 5900N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L3300E 51000N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L3300E 51100N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L3300E 51200N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L3300E 51300N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L3300E 51400N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L3300E 51500N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L3300E 51600N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L3300E 51700N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L3300E 51800N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L3300E 51900N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L3300E 52000N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L3300E 52100N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: Nokuyukon Holdings Inc.
110 Falcon Dr.
Whitehorse YT Y1A 6C7 Canada

Project: Bay Grid-2
Report Date: August 31, 2010

Page: 5 of 11 **Part** 2

CERTIFICATE OF ANALYSIS

WHI10000214.1

Method Analyte Unit MDL		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
		ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
B L3200E 51800N	Soil	29	36	1.03	267	0.188	2	2.51	0.032	0.42	0.1	0.01	9.4	0.2	<0.05	10	<0.5	<0.2
B L3200E 51900N	Soil	16	35	0.83	168	0.183	2	2.64	0.029	0.29	0.1	0.02	4.9	0.2	<0.05	7	<0.5	<0.2
B L3200E 52000N	Soil	16	33	0.81	147	0.151	2	2.39	0.024	0.20	0.1	0.02	5.3	0.2	<0.05	8	<0.5	<0.2
B L3200E 52100N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L3200E 52200N	Soil	11	36	0.66	150	0.131	2	2.02	0.036	0.09	0.1	0.04	5.2	0.1	<0.05	7	<0.5	<0.2
B L3200E 52300N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L3200E 52400N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L3200E 52500N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L3200E 52600N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L3300E 50100S	Soil	10	72	1.29	219	0.225	1	2.52	0.028	0.33	<0.1	0.02	5.1	0.3	<0.05	9	<0.5	<0.2
B L3300E 50200S	Soil	9	77	1.01	334	0.153	1	2.17	0.037	0.20	<0.1	0.02	4.3	0.1	<0.05	7	0.5	<0.2
B L3300E 50300S	Soil	9	61	0.74	209	0.124	2	2.13	0.035	0.09	<0.1	0.03	4.5	<0.1	<0.05	8	<0.5	<0.2
B L3300E 50400S	Soil	14	165	1.65	331	0.143	<1	2.83	0.047	0.23	<0.1	0.03	10.3	0.1	<0.05	8	<0.5	<0.2
B L3300E 50500S	Soil	9	189	1.50	172	0.144	1	2.28	0.030	0.09	<0.1	0.03	5.4	<0.1	<0.05	8	<0.5	<0.2
B L3300E 50600S	Soil	8	268	1.80	181	0.125	<1	2.43	0.024	0.07	0.1	<0.01	6.2	<0.1	<0.05	8	<0.5	<0.2
B L3300E 50700S	Soil	12	147	1.37	192	0.138	1	2.24	0.038	0.16	<0.1	0.02	5.9	<0.1	<0.05	7	<0.5	<0.2
B L3300E 50800S	Soil	17	164	1.33	230	0.136	2	2.37	0.042	0.17	0.1	0.03	7.0	0.1	<0.05	7	0.6	<0.2
B L3300E 5900N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L3300E 51000N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L3300E 51100N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L3300E 51200N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L3300E 51300N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L3300E 51400N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L3300E 51500N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L3300E 51600N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L3300E 51700N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L3300E 51800N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L3300E 51900N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L3300E 52000N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L3300E 52100N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client:

Nokuyukon Holdings Inc.

110 Falcon Dr.

Whitehorse YT Y1A 6C7 Canada

Project:

Bay Grid-2

Report Date:

August 31, 2010

Page:

6 of 11

Part 1

CERTIFICATE OF ANALYSIS

WHI10000214.1

	Method Analyte Unit MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
		ppm 0.1	ppm 0.1	ppm 0.1	ppm 1	ppm 0.1	ppm 0.1	ppm 0.1	ppm 1	% 0.01	ppm 0.5	ppm 0.1	ppb 0.5	ppm 0.1	ppm 1	ppm 0.1	ppm 0.1	ppm 0.1	ppm 2	% 0.01	% 0.001
B L3300E 52200N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L3300E 52300N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L3300E 52400N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L3300E 52500N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L3300E 52600N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L3400E 50100S NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L3400E 50200S	Soil	1.3	42.1	5.8	69	0.3	33.9	16.5	594	3.20	16.7	0.6	6.3	1.7	36	0.2	0.3	0.1	81	0.80	0.063
B L3400E 50300S NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L3400E 50400S	Soil	0.8	34.9	5.8	73	<0.1	33.4	16.6	496	3.88	8.5	0.5	1.9	3.3	32	0.2	0.2	<0.1	95	0.57	0.073
B L3400E 50500S	Soil	0.7	40.5	4.8	68	0.1	31.3	15.7	572	3.84	7.6	0.6	2.6	3.3	37	0.1	0.2	<0.1	96	0.78	0.080
B L3400E 50600S	Soil	0.8	34.6	6.1	53	0.1	30.2	13.2	526	2.74	10.4	0.5	2.0	1.7	38	0.3	0.3	<0.1	67	0.89	0.061
B L3400E 50700S	Soil	0.7	40.3	7.0	63	0.1	52.0	15.8	407	3.12	15.8	0.6	3.2	2.8	43	0.1	0.4	0.1	82	0.81	0.055
B L3400E 50800S	Soil	1.0	36.9	6.3	52	0.1	33.6	13.2	473	2.90	12.8	0.6	3.4	2.4	46	0.2	0.3	0.1	74	0.77	0.054
B L3400E 5900N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L3400E 51100N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L3400E 51000N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L3400E 51200N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L3400E 51300N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L3400E 51400N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L3400E 51500N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L3400E 51600N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L3400E 51700N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L3400E 51800N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L3400E 51900N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L3400E 52000N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L3400E 52100N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L3400E 52200N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L3400E 52300N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L3400E 52400N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L3400E 52500N	Soil	1.9	15.7	7.4	44	<0.1	29.5	8.3	143	1.99	3.0	0.4	2.2	0.6	21	0.1	0.2	0.1	55	0.33	0.047



Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Nokuyukon Holdings Inc.**
110 Falcon Dr.
Whitehorse YT Y1A 6C7 Canada

Project: Bay Grid-2
Report Date: August 31, 2010

Page: 6 of 11 Part 2

CERTIFICATE OF ANALYSIS

WHI10000214.1

		Method Analyte Unit MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	
			La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
			ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
			1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
B L3300E 52200N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
B L3300E 52300N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
B L3300E 52400N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
B L3300E 52500N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
B L3300E 52600N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
B L3400E 50100S NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
B L3400E 50200S	Soil	9	58	0.96	253	0.143	1	2.11	0.035	0.17	0.1	0.03	5.1	0.1	<0.05	8	<0.5	<0.2	
B L3400E 50300S NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
B L3400E 50400S	Soil	10	64	1.49	230	0.173	<1	2.78	0.035	0.40	<0.1	0.01	7.8	0.2	<0.05	9	<0.5	<0.2	
B L3400E 50500S	Soil	12	55	1.54	236	0.140	1	2.78	0.045	0.28	<0.1	0.02	8.9	<0.1	<0.05	8	<0.5	<0.2	
B L3400E 50600S	Soil	10	62	0.90	189	0.098	1	1.80	0.038	0.10	<0.1	0.03	4.7	<0.1	<0.05	6	<0.5	<0.2	
B L3400E 50700S	Soil	11	100	1.11	200	0.155	2	2.27	0.046	0.13	0.1	0.03	6.2	<0.1	<0.05	7	<0.5	<0.2	
B L3400E 50800S	Soil	12	51	0.75	184	0.129	2	1.89	0.044	0.12	0.1	0.02	4.8	<0.1	<0.05	6	<0.5	<0.2	
B L3400E 5900N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
B L3400E 51100N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
B L3400E 51000N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
B L3400E 51200N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
B L3400E 51300N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
B L3400E 51400N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
B L3400E 51500N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
B L3400E 51600N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
B L3400E 51700N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
B L3400E 51800N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
B L3400E 51900N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
B L3400E 52000N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
B L3400E 52100N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
B L3400E 52200N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
B L3400E 52300N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
B L3400E 52400N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
B L3400E 52500N	Soil	5	68	0.70	123	0.113	<1	1.42	0.049	0.07	<0.1	0.03	2.8	<0.1	<0.05	6	<0.5	<0.2	



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client:

Nokuyukon Holdings Inc.

110 Falcon Dr.

Whitehorse YT Y1A 6C7 Canada

Project:

Bay Grid-2

Report Date:

August 31, 2010

Page:

7 of 11

Part 1

CERTIFICATE OF ANALYSIS

WHI10000214.1

	Method Analyte Unit MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
		ppm 0.1	ppm 0.1	ppm 0.1	ppm 1	ppm 0.1	ppm 0.1	ppm 0.1	ppm 1	% 0.01	ppm 0.5	ppm 0.1	ppb 0.5	ppm 0.1	ppm 1	ppm 0.1	ppm 0.1	ppm 0.1	ppm 2	% 0.01	% 0.001
B L3400E 52600N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L3500E 50800S NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L3500E 50700S	Soil	1.1	36.6	6.2	61	0.1	31.4	13.4	453	3.25	22.3	0.7	8.1	2.6	37	0.2	0.3	0.2	85	0.70	0.067
B L3500E 50600S	Soil	0.9	30.5	7.4	59	0.2	27.3	10.1	326	2.72	17.1	0.7	3.3	2.7	26	0.2	0.2	0.1	66	0.39	0.046
B L3500E 50500S	Soil	0.9	36.6	9.0	86	0.1	32.0	12.3	429	3.55	24.1	0.6	1.8	4.2	32	0.2	0.3	0.2	84	0.51	0.050
B L3500E 50400S	Soil	1.0	38.0	5.3	75	0.2	28.6	12.4	399	3.27	15.1	0.5	2.5	2.1	36	0.2	0.2	0.1	80	0.69	0.066
B L3500E 50300S	Soil	1.3	35.3	8.6	63	0.3	26.2	10.5	291	2.92	11.8	0.6	17.6	1.4	38	0.2	0.3	0.1	67	0.71	0.064
B L3500E 50200S	Soil	0.7	30.2	7.3	88	<0.1	25.1	12.6	434	3.57	11.9	0.5	1.9	4.4	25	0.2	0.2	0.1	84	0.44	0.037
B L3500E 50100S NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L3500E 50900N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L3500E 51000N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L3500E 51100N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L3500E 51200N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L3500E 51300N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L3500E 51400N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L3500E 51500N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L3500E 51600N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L3500E 51700N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L3500E 51800N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L3500E 51900N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L3500E 52000N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L3400E 52100N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L3500E 52200N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L3500E 52300N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L3500E 52400N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L3500E 52500N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L3500E 52600N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L1600E 50000N	Soil	0.9	21.2	14.8	81	0.2	17.2	8.5	562	3.18	5.9	1.4	1.8	4.2	36	0.2	0.5	0.2	48	0.52	0.052
B L1600E 50100N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L1600E 50200N	Soil	0.9	22.9	20.1	81	0.2	22.2	9.0	498	3.36	7.4	1.1	2.0	4.9	46	0.2	0.5	0.2	64	0.69	0.066



Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Nokuyukon Holdings Inc.**
110 Falcon Dr.
Whitehorse YT Y1A 6C7 Canada

Project: Bay Grid-2
Report Date: August 31, 2010

Page: 7 of 11 Part 2

CERTIFICATE OF ANALYSIS

WHI10000214.1

Method Analyte Unit MDL		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
		ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
B L3400E 52600N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L3500E 50800S NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L3500E 50700S	Soil	11	51	0.96	180	0.133	2	2.13	0.038	0.18	0.2	0.02	5.4	0.1	<0.05	7	<0.5	<0.2
B L3500E 50600S	Soil	9	40	0.79	143	0.105	<1	1.82	0.023	0.15	0.2	0.03	4.0	<0.1	<0.05	6	<0.5	<0.2
B L3500E 50500S	Soil	14	61	1.09	207	0.158	2	2.38	0.032	0.30	0.2	0.02	5.7	0.1	<0.05	9	0.5	<0.2
B L3500E 50400S	Soil	9	52	1.06	238	0.133	1	2.32	0.037	0.18	0.1	0.03	5.9	0.1	<0.05	8	0.5	<0.2
B L3500E 50300S	Soil	9	45	0.82	226	0.101	2	1.95	0.038	0.11	0.2	0.04	5.5	<0.1	0.06	7	<0.5	<0.2
B L3500E 50200S	Soil	12	54	1.22	258	0.173	1	2.64	0.032	0.38	0.1	<0.01	7.1	0.2	<0.05	9	<0.5	<0.2
B L3500E 50100S NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L3500E 50900N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L3500E 51000N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L3500E 51100N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L3500E 51200N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L3500E 51300N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L3500E 51400N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L3500E 51500N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L3500E 51600N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L3500E 51700N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L3500E 51800N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L3500E 51900N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L3500E 52000N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L3400E 52100N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L3500E 52200N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L3500E 52300N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L3500E 52400N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L3500E 52500N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L3500E 52600N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L1600E 50000N	Soil	17	32	0.97	131	0.146	<1	2.08	0.031	0.50	<0.1	0.04	5.5	0.2	<0.05	7	<0.5	<0.2
B L1600E 50100N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L1600E 50200N	Soil	15	29	0.91	114	0.174	2	2.07	0.041	0.42	0.1	0.02	4.8	0.3	<0.05	6	<0.5	<0.2



Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Nokuyukon Holdings Inc.**
110 Falcon Dr.
Whitehorse YT Y1A 6C7 Canada

Project: Bay Grid-2
Report Date: August 31, 2010

Page: 8 of 11 Part 1

CERTIFICATE OF ANALYSIS

WHI10000214.1

Method Analyte Unit MDL		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Mo ppm 0.1	Cu ppm 0.1	Pb ppm 0.1	Zn ppm 1	Ag ppm 0.1	Ni ppm 0.1	Co ppm 0.1	Mn ppm 1	Fe % 0.01	As ppm 0.5	U ppm 0.1	Au ppb 0.5	Th ppm 0.1	Sr ppm 1	Cd ppm 0.1	Sb ppm 0.1	Bi ppm 0.1	V ppm 2	Ca % 0.01	P % 0.001
B L1600E 50300N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L1600E 50400N	Soil	0.7	27.4	10.1	62	<0.1	24.0	11.5	446	3.26	8.2	0.5	2.5	4.7	28	<0.1	0.4	0.1	66	0.37	0.036
B L1600E 50500N	Soil	0.6	16.0	13.6	72	<0.1	13.7	8.3	329	3.49	4.2	0.3	3.6	5.7	19	<0.1	0.3	0.2	48	0.24	0.042
B L1600E 50600N	Soil	0.5	19.0	16.3	80	<0.1	21.5	10.5	446	3.58	4.7	0.4	1.6	6.6	20	0.1	0.3	0.2	55	0.25	0.032
B L1600E 50700N	Soil	1.3	16.2	13.3	74	<0.1	17.3	9.5	403	3.94	8.0	0.3	3.2	4.3	19	0.3	0.4	0.2	70	0.19	0.020
B L1600E 50800N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L1600E 50900N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L1600E 51000N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L1600E 51100N	Soil	0.6	17.3	10.4	53	<0.1	11.6	5.7	191	2.40	5.4	0.5	2.2	2.2	16	0.2	0.3	0.2	48	0.20	0.048
B L1600E 51200N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L1600E 51300N	Soil	1.5	16.9	20.6	53	<0.1	16.5	13.0	576	2.84	8.7	0.4	1.4	5.5	12	<0.1	0.5	0.3	59	0.15	0.030
B L1600E 51400N	Soil	1.8	16.1	16.3	46	<0.1	12.8	7.6	315	3.08	8.1	0.4	2.2	2.4	15	<0.1	0.6	0.2	77	0.14	0.023
B L1600E 51500N	Soil	1.2	13.6	11.3	47	<0.1	12.1	6.4	210	3.18	7.8	0.3	2.1	3.2	10	0.1	0.5	0.2	65	0.09	0.018
B L1600E 51600N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L1600E 51700N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L1600E 51800N	Soil	0.8	8.5	11.4	63	<0.1	12.0	9.3	634	2.55	3.3	0.4	1.4	4.8	18	0.1	0.2	0.2	42	0.24	0.034
B L2900E 50800S	Soil	0.7	65.4	11.9	83	0.1	17.1	9.0	395	2.73	6.2	0.6	3.3	6.0	24	0.1	0.2	0.2	55	0.42	0.031
B L2900E 50700S NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L2900E 50600S	Soil	1.1	54.4	5.6	73	0.1	39.6	18.8	641	3.36	12.1	0.6	1.3	2.0	30	0.2	0.3	0.1	81	0.77	0.054
B L2900E 50500S NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L2900E 50400S	Soil	1.2	47.2	8.3	77	0.2	38.1	14.3	361	3.10	10.7	0.7	2.0	2.7	29	0.2	0.4	0.2	74	0.53	0.044
B L2900E 50300S NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L2900E 50200S	Soil	1.2	50.0	10.5	64	0.2	18.0	9.7	419	3.04	150.9	0.6	3.8	3.8	34	0.1	1.0	0.2	67	0.49	0.042
B L2900E 50100S NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L2900E 50000N	Soil	0.9	97.1	5.3	52	0.2	29.0	12.6	258	3.20	6.6	0.4	4.4	1.4	40	0.1	0.4	0.1	118	0.52	0.027
B L2900E 50100N	Soil	0.9	93.0	5.3	58	0.2	32.0	13.9	637	2.61	5.9	0.7	3.4	1.1	61	0.5	0.3	0.1	64	0.73	0.049
B L2900E 50200N	Soil	2.1	126.8	7.0	58	0.2	32.8	13.7	420	3.32	8.8	0.9	3.4	1.5	43	0.1	0.4	0.2	90	0.53	0.065
B L2900E 50300N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L2900E 50400N	Soil	0.8	6.6	4.5	27	<0.1	5.7	6.4	401	1.37	3.7	0.2	3.6	0.5	14	<0.1	0.2	0.1	38	0.15	0.017
B L2900E 50500N	Soil	0.9	33.8	8.8	61	<0.1	31.0	13.0	392	3.22	7.8	0.6	3.3	4.4	32	<0.1	0.4	0.2	73	0.39	0.039



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client:

Nokuyukon Holdings Inc.

110 Falcon Dr.

Whitehorse YT Y1A 6C7 Canada

Project:

Bay Grid-2

Report Date:

August 31, 2010

Page:

8 of 11

Part 2

CERTIFICATE OF ANALYSIS

WHI10000214.1

Method Analyte Unit MDL		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
		ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
B L1600E 50300N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L1600E 50400N	Soil	15	33	0.90	158	0.169	2	2.31	0.026	0.19	<0.1	0.02	5.3	0.2	<0.05	7	<0.5	<0.2
B L1600E 50500N	Soil	16	21	1.01	107	0.209	1	2.23	0.015	0.61	<0.1	0.02	5.8	0.4	<0.05	7	<0.5	<0.2
B L1600E 50600N	Soil	19	43	1.19	117	0.203	1	2.67	0.019	0.64	<0.1	0.02	6.6	0.4	<0.05	9	<0.5	<0.2
B L1600E 50700N	Soil	15	38	0.96	93	0.196	2	2.35	0.018	0.23	<0.1	0.02	4.8	0.2	<0.05	9	<0.5	<0.2
B L1600E 50800N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L1600E 50900N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L1600E 51000N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L1600E 51100N	Soil	8	20	0.44	77	0.090	2	1.30	0.020	0.09	<0.1	0.02	2.4	0.1	<0.05	4	<0.5	<0.2
B L1600E 51200N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L1600E 51300N	Soil	10	27	0.47	74	0.106	1	1.58	0.014	0.16	0.1	0.02	2.5	0.2	<0.05	6	<0.5	<0.2
B L1600E 51400N	Soil	7	25	0.35	80	0.099	2	1.41	0.013	0.11	0.1	0.04	2.1	0.1	<0.05	8	<0.5	<0.2
B L1600E 51500N	Soil	8	19	0.35	72	0.111	<1	1.60	0.014	0.12	<0.1	0.02	2.3	0.1	<0.05	8	<0.5	0.3
B L1600E 51600N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L1600E 51700N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L1600E 51800N	Soil	13	20	0.61	79	0.102	1	1.30	0.016	0.22	0.1	<0.01	2.7	0.2	<0.05	5	<0.5	<0.2
B L2900E 50800S	Soil	17	27	0.87	131	0.138	1	1.83	0.021	0.40	0.1	0.02	4.4	0.2	<0.05	7	0.6	<0.2
B L2900E 50700S NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L2900E 50600S	Soil	9	80	1.22	308	0.133	1	2.05	0.025	0.29	0.2	0.02	4.4	0.1	<0.05	7	0.7	<0.2
B L2900E 50500S NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L2900E 50400S	Soil	10	66	0.89	240	0.134	1	1.97	0.025	0.15	0.1	0.02	3.9	<0.1	<0.05	7	<0.5	<0.2
B L2900E 50300S NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L2900E 50200S	Soil	13	29	0.58	217	0.104	2	1.90	0.024	0.19	0.1	0.02	4.0	<0.1	<0.05	7	0.5	<0.2
B L2900E 50100S NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L2900E 50000N	Soil	6	33	0.60	180	0.131	1	2.34	0.031	0.10	0.1	0.02	3.7	<0.1	<0.05	7	<0.5	<0.2
B L2900E 50100N	Soil	9	55	0.64	204	0.083	2	2.29	0.030	0.07	0.1	0.04	4.4	<0.1	<0.05	6	<0.5	<0.2
B L2900E 50200N	Soil	8	50	0.64	370	0.112	2	2.68	0.025	0.10	0.1	0.03	4.4	<0.1	<0.05	8	0.6	<0.2
B L2900E 50300N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L2900E 50400N	Soil	3	11	0.18	63	0.065	<1	0.59	0.034	0.03	<0.1	<0.01	0.9	<0.1	<0.05	4	<0.5	<0.2
B L2900E 50500N	Soil	13	39	0.73	164	0.137	2	2.42	0.024	0.09	<0.1	0.02	4.3	<0.1	<0.05	6	<0.5	<0.2



Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Nokuyukon Holdings Inc.**
110 Falcon Dr.
Whitehorse YT Y1A 6C7 Canada

Project: Bay Grid-2
Report Date: August 31, 2010

Page: 9 of 11 Part 1

CERTIFICATE OF ANALYSIS

WHI10000214.1

Method Analyte Unit MDL		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
B L2900E 50600N	Soil	0.9	37.9	7.8	56	<0.1	28.9	11.4	361	3.06	6.5	0.6	2.2	3.5	35	<0.1	0.5	0.2	74	0.44	0.051
B L2900E 50700N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L2900E 50800N	Soil	0.6	34.2	5.4	41	<0.1	27.6	11.2	211	2.81	7.0	0.3	9.6	1.3	18	0.2	0.5	0.1	78	0.25	0.021
B L2900E 50900N	Soil	0.4	9.0	2.9	20	<0.1	4.1	3.3	99	1.12	3.4	0.2	10.6	0.4	9	<0.1	0.3	<0.1	26	0.10	0.013
B L2900E 51000N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L2900E 51100N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L2900E 51200N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L2900E 51300N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L2900E 51400N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L2900E 51500N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L2900E 51600N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L2900E 51700N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L2900E 51800N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L2900E 51900N	Soil	0.7	7.8	4.0	20	<0.1	5.1	3.6	105	1.30	5.2	0.2	2.6	0.6	11	<0.1	0.3	0.1	31	0.12	0.024
B L2900E 52000N	Soil	1.2	30.2	7.6	68	<0.1	25.5	11.2	393	3.18	6.7	0.7	3.1	3.0	27	0.1	0.4	0.3	74	0.32	0.034
B L2900E 52100N	Soil	1.7	22.4	10.5	90	<0.1	14.8	7.4	369	4.20	9.6	0.5	3.9	3.8	17	0.3	0.6	0.3	78	0.15	0.029
B L2900E 52200N	Soil	1.5	25.0	30.7	262	0.1	9.5	9.6	1432	3.57	3.4	0.5	0.7	5.1	16	0.2	0.2	0.6	44	0.13	0.031
B L2900E 52300N	Soil	1.0	44.8	50.4	100	0.3	12.2	5.2	268	2.30	36.2	0.7	5.5	2.1	25	0.2	0.4	0.3	37	0.29	0.062
B L2900E 52400N	Soil	1.9	49.3	11.5	68	0.2	37.2	22.7	484	3.73	141.8	1.1	6.8	4.5	28	<0.1	0.5	0.3	99	0.26	0.023
B L2900E 52500N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L2900E 52600N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L3000E 50100S	Soil	1.3	55.1	14.2	74	0.2	19.9	9.8	432	3.00	25.0	0.7	2.1	4.2	34	0.2	0.5	0.3	65	0.50	0.033
B L3000E 50200S	Soil	2.2	59.5	15.6	166	0.2	66.5	18.7	536	4.31	39.9	1.2	4.9	8.7	42	0.2	0.4	0.4	108	0.40	0.067
B L3000E 50300S NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L3000E 50400S	Soil	1.0	53.8	5.9	96	0.1	54.2	17.7	569	4.21	13.8	0.7	2.7	3.5	28	0.2	0.3	<0.1	77	0.66	0.063
B L3000E 50500S NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L3000E 50600S NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L3000E 50700S	Soil	1.1	79.9	9.1	64	0.1	19.4	9.0	402	2.76	7.8	0.6	2.7	3.9	35	0.2	0.3	0.2	58	0.60	0.036
B L3000E 50800S	Soil	1.3	43.8	11.6	72	0.1	21.4	8.4	290	2.88	13.1	0.8	1.4	5.4	31	0.2	0.3	0.2	59	0.45	0.031
B L3000E 50900N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client:

Nokuyukon Holdings Inc.

110 Falcon Dr.

Whitehorse YT Y1A 6C7 Canada

Project:

Bay Grid-2

Report Date:

August 31, 2010

Page:

9 of 11

Part 2

CERTIFICATE OF ANALYSIS

WHI10000214.1

Method Analyte Unit MDL		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
		ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
B L2900E 50600N	Soil	11	37	0.77	171	0.138	2	2.33	0.025	0.08	0.1	0.01	4.1	<0.1	<0.05	7	<0.5	<0.2
B L2900E 50700N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L2900E 50800N	Soil	5	37	0.50	76	0.108	1	1.93	0.024	0.04	0.2	0.01	2.6	<0.1	<0.05	6	<0.5	<0.2
B L2900E 50900N	Soil	2	8	0.13	23	0.056	1	0.62	0.030	0.03	<0.1	<0.01	0.6	<0.1	<0.05	4	<0.5	<0.2
B L2900E 51000N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L2900E 51100N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L2900E 51200N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L2900E 51300N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L2900E 51400N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L2900E 51500N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L2900E 51600N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L2900E 51700N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L2900E 51800N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L2900E 51900N	Soil	3	10	0.15	35	0.059	<1	0.82	0.034	0.04	<0.1	0.01	0.9	<0.1	<0.05	3	<0.5	<0.2
B L2900E 52000N	Soil	11	34	0.63	192	0.132	3	2.36	0.026	0.13	<0.1	0.02	4.0	<0.1	<0.05	7	<0.5	<0.2
B L2900E 52100N	Soil	10	28	0.42	113	0.139	2	2.46	0.014	0.11	0.1	0.01	3.3	0.1	<0.05	10	<0.5	0.3
B L2900E 52200N	Soil	17	22	1.16	162	0.185	1	2.09	0.018	0.87	0.1	0.03	5.9	0.3	0.09	11	<0.5	<0.2
B L2900E 52300N	Soil	15	19	0.52	133	0.100	1	1.40	0.023	0.27	0.1	0.05	3.1	0.2	0.08	5	<0.5	<0.2
B L2900E 52400N	Soil	15	47	0.79	302	0.138	2	2.90	0.032	0.10	<0.1	0.03	4.7	0.2	<0.05	9	<0.5	<0.2
B L2900E 52500N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L2900E 52600N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L3000E 50100S	Soil	15	30	0.62	211	0.115	1	2.03	0.024	0.14	0.1	0.02	4.0	<0.1	<0.05	7	<0.5	<0.2
B L3000E 50200S	Soil	22	128	1.82	351	0.135	2	2.86	0.032	0.51	0.2	0.02	6.8	0.3	0.12	10	0.7	<0.2
B L3000E 50300S NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L3000E 50400S	Soil	11	105	1.62	424	0.205	<1	2.55	0.027	0.72	0.2	0.02	4.9	0.2	<0.05	9	<0.5	<0.2
B L3000E 50500S NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L3000E 50600S NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L3000E 50700S	Soil	13	29	0.76	173	0.113	2	1.98	0.027	0.25	<0.1	0.03	4.1	0.1	<0.05	6	<0.5	<0.2
B L3000E 50800S	Soil	15	31	0.91	136	0.124	<1	2.00	0.028	0.28	<0.1	0.03	3.7	0.2	<0.05	7	<0.5	<0.2
B L3000E 50900N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client:

Nokuyukon Holdings Inc.

110 Falcon Dr.

Whitehorse YT Y1A 6C7 Canada

Project:

Bay Grid-2

Report Date:

August 31, 2010

Page:

10 of 11 Part 1

CERTIFICATE OF ANALYSIS

WHI10000214.1

	Method Analyte Unit MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
		ppm 0.1	ppm 0.1	ppm 0.1	ppm 1	ppm 0.1	ppm 0.1	ppm 0.1	ppm 1	% 0.01	ppm 0.5	ppm 0.1	ppb 0.5	ppm 0.1	ppm 1	ppm 0.1	ppm 0.1	ppm 0.1	ppm 2	% 0.01	% 0.001
B L3000E 51000N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L3000E 51100N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L3000E 51200N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L3000E 51300N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L3000E 51400N	Soil	0.7	79.9	7.3	67	<0.1	26.1	10.6	217	3.30	14.2	0.7	22.3	2.7	30	0.1	0.5	0.1	82	0.43	0.057
B L3000E 51500N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L3000E 51600N	Soil	1.2	39.3	8.4	62	<0.1	23.1	10.2	257	4.00	10.4	1.1	2.9	4.1	26	0.1	0.5	1.0	79	0.34	0.055
B L3000E 51700N	Soil	1.8	24.0	8.1	70	<0.1	30.9	12.1	383	3.32	9.0	0.7	3.7	4.2	23	0.2	0.4	0.4	80	0.29	0.048
B L3000E 51800N	Soil	1.7	33.3	8.9	67	<0.1	43.0	20.2	424	4.25	12.1	0.7	3.0	4.3	22	0.3	0.6	0.4	102	0.25	0.039
B L3000E 51900N	Soil	1.3	27.7	6.8	61	<0.1	24.4	8.6	183	2.63	5.2	1.1	4.0	3.2	26	0.2	0.5	0.4	67	0.34	0.048
B L3000E 52000N	Soil	1.1	22.2	15.4	105	<0.1	21.6	10.0	775	3.40	5.5	0.5	1.6	4.9	27	0.1	0.3	0.2	60	0.32	0.037
B L3000E 52100N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L3000E 52200N	Soil	1.2	26.0	25.7	214	0.2	20.2	9.6	650	3.46	54.4	0.6	10.1	8.1	22	0.3	0.3	0.2	59	0.25	0.029
B L3000E 52300N	Soil	0.7	56.7	15.2	72	0.3	19.6	7.5	167	2.35	17.5	1.0	3.6	2.4	25	0.2	0.3	0.4	53	0.29	0.066
B L3000E 52400N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L3000E 52500N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L3000E 52600N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L3100E 50100S	Soil	1.0	25.9	8.5	53	0.2	18.8	6.6	223	2.49	8.9	0.5	1.4	2.4	30	0.1	0.3	0.3	60	0.43	0.021
B L3100E 50200S	Soil	1.0	68.3	3.8	65	0.2	95.2	32.7	395	2.99	24.9	0.5	1.3	1.5	19	0.2	0.2	<0.1	71	0.54	0.089
B L3100E 50300S	Soil	1.3	23.1	10.3	85	0.3	28.3	13.7	489	3.89	7.5	0.7	2.9	2.3	26	0.3	0.3	0.1	83	0.49	0.064
B L3100E 50400S	Soil	0.8	97.8	4.2	66	0.2	79.4	28.9	653	3.95	11.1	0.7	1.6	1.3	23	0.1	0.3	<0.1	115	0.78	0.058
B L3100E 50500S	Soil	1.4	23.9	13.7	67	0.1	17.5	11.1	514	2.96	23.1	0.5	1.5	3.8	22	0.2	0.3	0.2	67	0.37	0.019
B L3100E 50600S NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L3100E 50700S	Soil	1.3	51.3	10.3	63	0.1	22.1	12.9	387	3.07	9.4	0.6	2.2	4.1	29	0.1	0.3	0.1	71	0.47	0.025
B L3100E 50800S	Soil	1.9	18.7	17.5	106	0.2	17.0	8.2	272	3.11	6.1	0.6	2.0	6.0	20	0.3	0.3	0.2	73	0.19	0.020
B L3100E 50900N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L3100E 51000N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L3100E 51100N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L3100E 51200N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L3100E 51300N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: **Nokuyukon Holdings Inc.**
110 Falcon Dr.
Whitehorse YT Y1A 6C7 Canada

Project: Bay Grid-2
Report Date: August 31, 2010

Page: 10 of 11 Part 2

CERTIFICATE OF ANALYSIS

WHI10000214.1

Method Analyte Unit MDL		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
		ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
B L3000E 51000N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L3000E 51100N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L3000E 51200N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L3000E 51300N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L3000E 51400N	Soil	9	34	0.63	227	0.145	3	2.25	0.028	0.11	0.1	0.04	4.5	0.1	<0.05	7	<0.5	<0.2
B L3000E 51500N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L3000E 51600N	Soil	16	34	0.72	181	0.132	2	2.20	0.021	0.12	0.1	0.03	4.7	0.1	<0.05	7	0.7	0.7
B L3000E 51700N	Soil	11	35	0.76	152	0.136	<1	2.09	0.019	0.17	<0.1	0.02	3.3	<0.1	<0.05	7	0.5	<0.2
B L3000E 51800N	Soil	10	49	0.92	199	0.142	1	3.47	0.023	0.12	<0.1	0.02	4.8	0.1	<0.05	8	<0.5	<0.2
B L3000E 51900N	Soil	11	31	0.63	145	0.115	2	2.03	0.022	0.08	0.1	0.05	4.0	0.1	<0.05	6	0.6	<0.2
B L3000E 52000N	Soil	14	31	0.82	151	0.160	2	2.21	0.021	0.29	<0.1	0.02	5.2	0.2	<0.05	8	0.6	<0.2
B L3000E 52100N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L3000E 52200N	Soil	21	30	1.16	115	0.171	2	2.30	0.021	0.60	0.1	0.02	4.6	0.4	<0.05	8	<0.5	0.3
B L3000E 52300N	Soil	13	34	0.61	158	0.113	1	1.90	0.024	0.16	0.1	0.05	3.8	0.2	<0.05	7	0.6	<0.2
B L3000E 52400N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L3000E 52500N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L3000E 52600N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L3100E 50100S	Soil	8	26	0.58	180	0.103	1	1.87	0.022	0.10	0.1	0.03	3.5	<0.1	<0.05	7	<0.5	<0.2
B L3100E 50200S	Soil	5	128	1.13	218	0.117	<1	1.81	0.025	0.19	<0.1	0.02	3.0	0.2	<0.05	6	<0.5	<0.2
B L3100E 50300S	Soil	9	55	1.21	280	0.189	1	2.35	0.021	0.36	0.1	0.03	5.5	0.2	<0.05	10	<0.5	<0.2
B L3100E 50400S	Soil	6	154	1.79	424	0.135	1	2.53	0.021	0.15	0.1	0.03	5.6	0.2	<0.05	8	<0.5	<0.2
B L3100E 50500S	Soil	10	34	0.82	155	0.127	1	1.80	0.026	0.18	0.1	0.01	3.9	0.1	<0.05	8	<0.5	<0.2
B L3100E 50600S NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L3100E 50700S	Soil	12	31	1.04	146	0.129	2	2.22	0.023	0.20	<0.1	0.02	3.8	0.1	<0.05	7	<0.5	<0.2
B L3100E 50800S	Soil	18	22	1.26	135	0.147	2	2.23	0.016	0.43	<0.1	0.02	4.6	0.3	<0.05	8	<0.5	<0.2
B L3100E 50900N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L3100E 51000N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L3100E 51100N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L3100E 51200N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L3100E 51300N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.



Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Nokuyukon Holdings Inc.**
110 Falcon Dr.
Whitehorse YT Y1A 6C7 Canada

Project: Bay Grid-2
Report Date: August 31, 2010

Page: 11 of 11 Part 1

CERTIFICATE OF ANALYSIS

WHI10000214.1

	Method Analyte Unit MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
B L3100E 51400N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L3100E 51500N	Soil	1.6	31.1	11.4	75	<0.1	23.7	11.6	352	3.33	8.7	0.7	4.1	3.3	26	0.1	0.4	0.5	80	0.32	0.059
B L3100E 51600N	Soil	2.2	28.4	11.2	74	<0.1	30.2	14.2	525	3.28	14.2	0.7	2.0	3.5	27	0.2	0.4	0.5	88	0.35	0.057
B L3100E 51700N	Soil	1.3	33.6	7.7	132	<0.1	28.7	13.2	794	3.95	4.9	0.8	2.2	6.5	27	0.3	0.2	0.5	82	0.37	0.047
B L3100E 51800N	Soil	1.7	20.7	11.0	84	<0.1	21.1	10.0	481	3.53	8.2	0.5	2.5	3.4	24	0.1	0.4	0.4	89	0.28	0.034
B L3100E 51900N	Soil	0.8	30.7	10.1	82	<0.1	29.0	12.7	368	3.41	6.3	0.6	2.5	3.9	27	0.2	0.3	0.2	87	0.39	0.052
B L3100E 52000N	Soil	0.6	8.1	3.9	16	<0.1	3.5	2.4	74	1.10	2.1	0.3	2.0	0.7	11	<0.1	0.1	<0.1	28	0.09	0.009
B L3100E 52100N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L3100E 52200N	Soil	1.0	24.6	19.3	106	<0.1	20.9	12.2	775	3.56	6.1	0.7	1.6	6.6	21	0.2	0.3	0.3	68	0.29	0.042
B L3100E 52300N	Soil	0.9	65.7	6.7	78	0.1	89.8	29.2	341	3.23	7.1	0.8	1.2	2.6	23	0.2	0.2	<0.1	96	0.47	0.058
B L3100E 52400N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L3100E 52500N	Soil	1.3	64.0	3.7	84	<0.1	68.2	27.4	395	4.17	3.0	2.4	1.9	2.7	20	<0.1	0.2	<0.1	128	0.45	0.054
B L3100E 52600N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: **Nokuyukon Holdings Inc.**
110 Falcon Dr.
Whitehorse YT Y1A 6C7 Canada

Project: Bay Grid-2
Report Date: August 31, 2010

Page: 11 of 11 Part 2

CERTIFICATE OF ANALYSIS

WHI10000214.1

Method Analyte Unit MDL		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
		ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
B L3100E 51400N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L3100E 51500N	Soil	12	33	0.80	174	0.145	1	2.20	0.019	0.15	0.2	0.02	4.3	0.1	<0.05	8	<0.5	<0.2
B L3100E 51600N	Soil	13	35	0.73	178	0.141	2	2.26	0.020	0.13	0.1	0.03	4.1	0.2	<0.05	8	<0.5	<0.2
B L3100E 51700N	Soil	21	37	1.36	373	0.188	1	3.09	0.032	0.59	0.2	0.01	8.2	0.2	<0.05	9	<0.5	<0.2
B L3100E 51800N	Soil	13	31	0.81	155	0.176	2	2.29	0.020	0.17	0.1	0.03	4.6	0.1	<0.05	9	<0.5	<0.2
B L3100E 51900N	Soil	12	47	1.05	150	0.200	1	2.69	0.024	0.20	0.1	0.03	5.5	0.2	<0.05	8	<0.5	<0.2
B L3100E 52000N	Soil	7	9	0.10	51	0.055	<1	0.71	0.025	0.02	<0.1	0.01	1.1	<0.1	<0.05	3	<0.5	<0.2
B L3100E 52100N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L3100E 52200N	Soil	18	38	0.85	125	0.160	1	2.31	0.018	0.22	0.1	0.03	5.4	0.2	<0.05	8	<0.5	<0.2
B L3100E 52300N	Soil	10	131	1.35	436	0.168	<1	2.43	0.036	0.19	0.1	0.02	4.9	0.2	<0.05	7	0.5	<0.2
B L3100E 52400N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
B L3100E 52500N	Soil	11	164	1.74	375	0.297	<1	2.90	0.043	0.67	<0.1	0.02	7.0	0.3	<0.05	10	0.6	<0.2
B L3100E 52600N NS	Soil	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Nokuyukon Holdings Inc.

110 Falcon Dr.

Whitehorse YT Y1A 6C7 Canada

Project: Bay Grid-2

Report Date: August 31, 2010

Page: 1 of 1 Part 1

QUALITY CONTROL REPORT

WHI10000214.1

	Method Analyte Unit MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
Pulp Duplicates																					
B L3800E 50100S	Soil	0.7	31.8	10.9	61	0.1	31.7	14.6	523	3.20	20.0	1.1	3.0	4.2	47	0.2	0.4	0.3	69	0.62	0.031
REP B L3800E 50100S	QC	0.8	32.1	10.7	66	0.1	35.7	15.9	538	3.34	21.2	1.0	3.7	4.6	51	0.1	0.4	0.3	72	0.68	0.037
B L3900E 52500N	Soil	0.6	32.6	27.6	97	0.1	34.9	13.2	431	3.45	5.7	1.1	1.6	7.3	36	0.1	0.3	0.3	62	0.50	0.032
REP B L3900E 52500N	QC	0.6	34.7	29.1	103	<0.1	34.6	13.8	443	3.44	5.9	1.0	2.4	7.2	35	0.2	0.2	0.3	61	0.48	0.032
B L3200E 51800N	Soil	0.8	22.5	6.5	74	<0.1	22.2	9.8	402	3.89	5.9	0.8	2.0	7.3	29	0.2	0.3	0.2	71	0.45	0.068
REP B L3200E 51800N	QC	0.8	21.8	6.5	72	<0.1	21.4	9.4	389	3.86	6.0	0.8	3.8	7.0	29	0.1	0.3	0.2	71	0.45	0.063
B L3500E 50300S	Soil	1.3	35.3	8.6	63	0.3	26.2	10.5	291	2.92	11.8	0.6	17.6	1.4	38	0.2	0.3	0.1	67	0.71	0.064
REP B L3500E 50300S	QC	1.3	35.1	8.1	62	0.2	24.9	9.7	291	2.79	12.0	0.6	3.3	1.4	38	0.2	0.3	0.1	66	0.69	0.060
B L1600E 51800N	Soil	0.8	8.5	11.4	63	<0.1	12.0	9.3	634	2.55	3.3	0.4	1.4	4.8	18	0.1	0.2	0.2	42	0.24	0.034
REP B L1600E 51800N	QC	0.8	8.9	11.2	63	<0.1	11.8	9.1	641	2.53	3.2	0.4	1.7	4.7	18	0.1	0.2	0.2	41	0.23	0.035
B L3000E 50400S	Soil	1.0	53.8	5.9	96	0.1	54.2	17.7	569	4.21	13.8	0.7	2.7	3.5	28	0.2	0.3	<0.1	77	0.66	0.063
REP B L3000E 50400S	QC	1.1	54.3	5.9	98	0.1	51.4	17.8	557	4.10	13.3	0.8	2.6	3.6	28	0.2	0.3	0.1	75	0.64	0.061
B L3100E 50800S	Soil	1.9	18.7	17.5	106	0.2	17.0	8.2	272	3.11	6.1	0.6	2.0	6.0	20	0.3	0.3	0.2	73	0.19	0.020
REP B L3100E 50800S	QC	1.7	18.9	17.8	104	0.2	16.9	8.4	277	3.13	5.7	0.6	0.9	5.8	20	0.3	0.3	0.2	73	0.19	0.021
Reference Materials																					
STD DS7	Standard	21.8	114.3	76.3	427	1.0	59.3	9.8	668	2.57	55.4	5.4	78.4	5.3	80	6.5	6.6	5.3	93	0.98	0.083
STD DS7	Standard	22.3	111.8	72.7	392	1.0	57.5	9.5	631	2.40	50.2	5.2	104.4	5.0	76	6.0	6.2	4.8	89	0.94	0.075
STD DS7	Standard	23.2	121.5	72.3	423	1.0	61.6	10.2	658	2.52	53.8	5.0	64.6	5.0	85	6.5	6.7	5.1	92	1.02	0.078
STD DS7	Standard	22.1	123.0	63.0	425	1.1	60.0	10.3	678	2.64	57.9	4.7	78.7	4.6	84	6.9	6.4	4.5	90	1.05	0.083
STD DS7	Standard	23.4	114.2	68.4	401	1.0	58.5	9.5	627	2.44	52.8	4.9	82.0	4.9	82	6.0	6.6	4.7	88	0.90	0.078
STD DS7 Expected		20.5	109	70.6	411	0.9	56	9.7	627	2.39	48.2	4.9	70	4.4	69	6.4	4.6	4.5	84	0.93	0.08
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Nokuyukon Holdings Inc.

110 Falcon Dr.

Whitehorse YT Y1A 6C7 Canada

Project: Bay Grid-2

Report Date: August 31, 2010

Page: 1 of 1 Part 2

QUALITY CONTROL REPORT

WHI10000214.1

	Method Analyte Unit MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Ti	S	Ga	Se	Te
		ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
Pulp Duplicates																		
B L3800E 50100S	Soil	13	36	0.77	200	0.103	1	2.27	0.028	0.18	0.2	0.03	4.2	0.1	<0.05	7	<0.5	<0.2
REP B L3800E 50100S	QC	13	38	0.82	209	0.113	<1	2.35	0.034	0.18	0.1	0.02	4.5	0.1	<0.05	7	<0.5	0.2
B L3900E 52500N	Soil	17	55	0.92	177	0.207	2	2.63	0.030	0.59	0.1	0.02	4.5	0.3	<0.05	9	<0.5	<0.2
REP B L3900E 52500N	QC	17	51	0.95	179	0.207	2	2.69	0.025	0.58	<0.1	0.03	4.4	0.3	<0.05	9	<0.5	<0.2
B L3200E 51800N	Soil	29	36	1.03	267	0.188	2	2.51	0.032	0.42	0.1	0.01	9.4	0.2	<0.05	10	<0.5	<0.2
REP B L3200E 51800N	QC	30	35	1.01	274	0.189	3	2.45	0.031	0.42	0.1	0.02	9.5	0.2	<0.05	10	<0.5	<0.2
B L3500E 50300S	Soil	9	45	0.82	226	0.101	2	1.95	0.038	0.11	0.2	0.04	5.5	<0.1	0.06	7	<0.5	<0.2
REP B L3500E 50300S	QC	9	44	0.78	230	0.101	1	2.00	0.036	0.10	0.2	0.05	5.4	<0.1	<0.05	7	<0.5	<0.2
B L1600E 51800N	Soil	13	20	0.61	79	0.102	1	1.30	0.016	0.22	0.1	<0.01	2.7	0.2	<0.05	5	<0.5	<0.2
REP B L1600E 51800N	QC	14	20	0.61	78	0.105	2	1.34	0.018	0.22	<0.1	0.02	2.7	0.1	<0.05	5	<0.5	<0.2
B L3000E 50400S	Soil	11	105	1.62	424	0.205	<1	2.55	0.027	0.72	0.2	0.02	4.9	0.2	<0.05	9	<0.5	<0.2
REP B L3000E 50400S	QC	11	103	1.62	412	0.200	<1	2.58	0.026	0.70	0.1	0.02	4.6	0.3	<0.05	9	<0.5	<0.2
B L3100E 50800S	Soil	18	22	1.26	135	0.147	2	2.23	0.016	0.43	<0.1	0.02	4.6	0.3	<0.05	8	<0.5	<0.2
REP B L3100E 50800S	QC	19	22	1.27	139	0.145	<1	2.26	0.016	0.44	0.1	0.01	4.5	0.2	<0.05	8	<0.5	<0.2
Reference Materials																		
STD DS7	Standard	14	197	1.12	427	0.135	38	1.12	0.102	0.51	3.9	0.25	2.4	4.2	0.20	5	3.6	1.8
STD DS7	Standard	13	199	1.06	422	0.138	41	1.05	0.093	0.46	3.9	0.25	2.5	4.3	0.13	5	3.1	1.4
STD DS7	Standard	14	210	1.07	431	0.137	40	1.07	0.105	0.49	3.9	0.22	2.5	4.1	0.18	5	3.7	2.5
STD DS7	Standard	15	190	1.17	452	0.149	44	1.17	0.113	0.52	4.1	0.23	3.0	4.3	0.20	5	3.7	1.7
STD DS7	Standard	14	198	1.06	426	0.126	42	1.06	0.103	0.46	3.7	0.24	2.5	4.4	0.17	5	3.4	1.2
STD DS7 Expected		12	179	1.05	410	0.124	39	0.959	0.089	0.44	3.4	0.2	2.5	4.2	0.19	5	3.5	1.08
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2