

					Lithology				
Hole ID	Depth_From	Depth_To	Wthg	STRAT	Lith1	Lith2	Lith2pc	Colour	Gsize
Hole ID/Site ID	Depth from	Depth To	Weathering	Stratigraphic Unit	Primary Lith	Secondary Lith	must be <50%	lith colour	grain size
AN 11 - 135	0.00	1.00	mw	Ogv	Sst			gy	fgmg
AN 11 - 135	1.00	2.00	mw	Ogv	Sst			gy	fgmg
AN 11 - 135	2.00	3.00	mw	Ogv	Sst			gy	fgmg
AN 11 - 135	3.00	3.15	mw	Ogv	Sst			gy	fgmg
AN 11 - 135	3.15	4.00	ww	Sls	Sls	Sms	15	Lgy	vf
AN 11 - 135	4.00	5.00	ww	Sls	Sls	Sms	15	Lgy	vf
AN 11 - 135	5.00	6.00	ww	Sls	Sls	Sms	15	Lgy	vf
AN 11 - 135	6.00	7.00	ww	Sls	Sls	Sms	15	Lgy	vf
AN 11 - 135	7.00	8.00	ww	Sls	Sls	Sms	15	Lgy	vf
AN 11 - 135	8.00	9.00	ww	Sls	Sls	Sms	15	Lgy	vf
AN 11 - 135	9.00	10.00	ww	Sls	Sls	Sms	15	Lgy	vf
AN 11 - 135	10.00	11.00	ww	Sls	Sls	Sms	15	Lgy	vf
AN 11 - 135	11.00	12.00	ww	Sls	Sls	Sms	15	Lgy	vf
AN 11 - 135	12.00	13.00	ww	Sls	Sls	Sms	15	Lgy	vf
AN 11 - 135	13.00	14.00	ww	Sls	Sls	Sms	15	Lgy	vf
AN 11 - 135	14.00	15.00	ww	Sls	Sls	Sms	15	Lgy	vf
AN 11 - 135	15.00	16.00	ww	Sls	Sls	Sms	15	Lgy	vf
AN 11 - 135	16.00	17.00	ww	Sls	Sls	Sms	15	Lgy	vf

					Lithology				
Hole ID	Depth_From	Depth_To	Wthg	STRAT	Lith1	Lith2	Lith2pc	Colour	Gsize
Hole ID/Site ID	Depth from	Depth To	Weathering	Stratigraphic Unit	Primary Lith	Secondary Lith	must be <50%	lith colour	grain size
AN 11 - 135	17.00	18.00	ww	Sls	Sls	Sms	15	Lgy	vf
AN 11 - 135	18.00	19.00	ww	Sls	Sls	Sms	15	Lgy	vf
AN 11 - 135	19.00	20.20	ww	Sls	Sls	Sms	15	Lgy	vf
AN 11 - 135	20.20	21.00	ww	Sst	Sst	Sms	10	gy	fg
AN 11 - 135	21.00	22.00	ww	Sst	Sst	Sms	10	gy	fg
AN 11 - 135	22.00	23.00	ww	Sst	Sst	Sms	10	gy	fg
AN 11 - 135	23.00	24.00	ww	Sst	Sst	Sms	10	gy	fg
AN 11 - 135	24.00	25.00	ww	Sst	Sst	Sms	10	gy	fg
AN 11 - 135	25.00	26.00	ww	Sst	Sst	Sms	10	gy	fg
AN 11 - 135	26.00	27.00	ww	Sst	Sst	Sms	10	gy	fg
AN 11 - 135	27.00	28.00	ww	Sst	Sst	Sms	10	gy	fg
AN 11 - 135	28.00	29.00	ww	Sst	Sst	Sms	10	gy	fg
AN 11 - 135	29.00	30.00	ww	Sst	Sst	Sms	10	gy	fg
AN 11 - 135	30.00	31.00	ww	Sst	Sst	Sms	10	gy	fg
AN 11 - 135	31.00	32.00	ww	Sst	Sst	Sms	10	gy	fg
AN 11 - 135	32.00	33.00	ww	Sst	Sst	Sms	10	gy	fg
AN 11 - 135	33.00	34.20	ww	Sst	Sst	Sms	10	gy	fg

					Lithology				
Hole ID	Depth_From	Depth_To	Wthg	STRAT	Lith1	Lith2	Lith2pc	Colour	Gsize
Hole ID/Site ID	Depth from	Depth To	Weathering	Stratigraphic Unit	Primary Lith	Secondary Lith	must be <50%	lith colour	grain size
AN 11 - 135	34.20	35.00	ww	Sls	Sls	Sms	15	gy	vf
AN 11 - 135	35.00	36.00	ww	Sls	Sls	Sms	15	gy	vf
AN 11 - 135	36.00	37.00	ww	Sls	Sls	Sms	15	gy	vf
AN 11 - 135	37.00	38.00	ww	Sls	Sls	Sms	15	gy	vf
AN 11 - 135	38.00	39.00	ww	Sls	Sls	Sms	15	gy	vf
AN 11 - 135	39.00	40.00	ww	Sls	Sls	Sms	15	gy	vf
AN 11 - 135	40.00	41.00	ww	Sls	Sls	Sms	15	gy	vf
AN 11 - 135	41.00	42.00	ww	Sls	Sls	Sms	15	gy	vf
AN 11 - 135	42.00	43.00	ww	Sls	Sls	Sms	15	gy	vf
AN 11 - 135	43.00	44.00	ww	Sls	Sls	Sms	15	gy	vf
AN 11 - 135	44.00	45.00	ww	Sls	Sls	Sms	15	gy	vf
AN 11 - 135	45.00	46.00	ww	Sls	Sls	Sms	15	gy	vf
AN 11 - 135	46.00	47.00	ww	Sls	Sls	Sms	15	gy	vf
AN 11 - 135	47.00	48.00	ww	Sls	Sls	Sms	15	gy	vf
AN 11 - 135	48.00	49.00	ww	Sls	Sls	Sms	15	gy	vf
AN 11 - 135	49.00	49.50	ww	Sls	Sls	Sms	15	gy	vf
AN 11 - 135	49.50	50.00	ww	Sls	Sls	Sms	15	gy	vf
AN 11 - 135	50.00	51.00	ww	Sls	Sls	Sms	15	gy	vf
AN 11 - 135	51.00	52.00	ww	Sls	Sls	Sms	15	gy	vf
AN 11 - 135	52.00	53.00	ww	Sls	Sls	Sms	15	gy	vf
AN 11 - 135	53.00	54.00	ww	Sls	Sls	Sms	15	gy	vf

					Lithology				
Hole ID	Depth_From	Depth_To	Wthg	STRAT	Lith1	Lith2	Lith2pc	Colour	Gsize
Hole ID/Site ID	Depth from	Depth To	Weathering	Stratigraphic Unit	Primary Lith	Secondary Lith	must be <50%	lith colour	grain size
AN 11 - 135	54.00	55.45	ww	Sst	Sst	Sms	10	gy	vf
AN 11 - 135	55.45	56.00	ww	Sst	Sst	Sls	10	gy	fgmg
AN 11 - 135	56.00	57.00	ww	Sst	Sst	Sls	10	gy	fgmg
AN 11 - 135	57.00	58.00	ww	Sst	Sst	Sls	10	gy	fgmg
AN 11 - 135	58.00	59.00	ww	Sst	Sst	Sls	10	gy	fgmg
AN 11 - 135	59.00	60.00	ww	Sst	Sst	Sls	10	gy	fgmg
AN 11 - 135	60.00	61.00	ww	Sst	Sst	Sls	10	gy	fgmg
AN 11 - 135	61.00	62.00	ww	Sst	Sst	Sls	10	gy	fgmg
AN 11 - 135	62.00	63.00	ww	Sst	Sst	Sls	10	gy	fgmg
AN 11 - 135	63.00	64.00	ww	Sst	Sst	Sls	10	gy	fgmg
AN 11 - 135	64.00	65.00	ww	Sst	Sst	Sls	10	gy	fgmg
AN 11 - 135	65.00	66.00	ww	Sst	Sst	Sls	10	gy	fgmg
AN 11 - 135	66.00	67.00	ww	Sst	Sst	Sls	10	gy	fgmg
AN 11 - 135	67.00	68.00	ww	Sst	Sst	Sls	10	gy	fgmg
AN 11 - 135	68.00	69.00	ww	Sst	Sst	Sls	10	gy	fgmg
AN 11 - 135	69.00	70.00	ww	Sst	Sst	Sls	10	gy	fgmg
AN 11 - 135	70.00	71.00	ww	Sst	Sst	Sls	10	gy	fgmg
AN 11 - 135	71.00	72.00	ww	Sst	Sst	Sls	10	gy	fgmg
AN 11 - 135	72.00	73.00	ww	Sst	Sst	Sls	10	gy	fgmg
AN 11 - 135	73.00	74.00	ww	Sst	Sst	Sls	10	gy	fgmg

					Lithology				
Hole ID	Depth_From	Depth_To	Wthg	STRAT	Lith1	Lith2	Lith2pc	Colour	Gsize
Hole ID/Site ID	Depth from	Depth To	Weathering	Stratigraphic Unit	Primary Lith	Secondary Lith	must be <50%	lith colour	grain size
AN 11 - 135	74.00	75.00	ww	Sst	Sst	Sls	10	gy	fgmg
AN 11 - 135	75.00	76.00	ww	Sst	Sst	Sls	10	gy	fgmg
AN 11 - 135	76.00	77.00	ww	Sst	Sst	Sls	10	gy	fgmg
AN 11 - 135	77.00	78.00	ww	Sst	Sst	Sls	10	gy	fgmg
AN 11 - 135	78.00	79.00	ww	Sst	Sst	Sls	10	gy	fgmg
AN 11 - 135	79.00	80.00	ww	Sst	Sst	Sls	10	gy	fgmg
AN 11 - 135	80.00	81.00	ww	Sst	Sst	Sls	10	gy	fgmg
AN 11 - 135	81.00	82.00	ww	Sst	Sst	Sls	10	gy	fgmg
AN 11 - 135	82.00	83.00	ww	Sst	Sst	Sls	10	gy	fgmg
AN 11 - 135	83.00	84.00	ww	Sst	Sst	Sls	10	gy	fgmg
AN 11 - 135	84.00	84.25	ww	Sst	Sst	Sls	10	gy	fgmg
AN 11 - 135	84.25	85.00	ww	Sst	Sst	Sms	20	gy	fg
AN 11 - 135	85.00	86.00	ww	Sst	Sst	Sms	20	gy	fg
AN 11 - 135	86.00	87.00	ww	Sst	Sst	Sms	20	gy	fg
AN 11 - 135	87.00	88.00	ww	Sst	Sst	Sms	20	gy	fg
AN 11 - 135	88.00	89.00	ww	Sst	Sst	Sms	20	gy	fg
AN 11 - 135	89.00	90.00	ww	Sst	Sst	Sms	20	gy	fg
AN 11 - 135	90.00	90.90	ww	Sst	Sst	Sms	20	gy	fg
AN 11 - 135	90.90	91.00	ww	Sst	Sst	Sms	20	gy	fg

					Lithology				
Hole ID	Depth_From	Depth_To	Wthg	STRAT	Lith1	Lith2	Lith2pc	Colour	Gsize
Hole ID/Site ID	Depth from	Depth To	Weathering	Stratigraphic Unit	Primary Lith	Secondary Lith	must be <50%	lith colour	grain size
AN 11 - 135	91.00	92.00	ww	Sst	Sst	Sms	20	gy	fg
AN 11 - 135	92.00	93.00	ww	Sst	Sst	Sms	20	gy	fg
AN 11 - 135	93.00	94.00	ww	Sst	Sst	Sms	20	gy	fg
AN 11 - 135	94.00	95.00	ww	Sst	Sst	Sms	20	gy	fg
AN 11 - 135	95.00	96.00	ww	Sst	Sst	Sms	20	gy	fg
AN 11 - 135	96.00	97.00	ww	Sst	Sst	Sms	20	gy	fg
AN 11 - 135	97.00	98.00	ww	Sst	Sst	Sms	20	gy	fg
AN 11 - 135	98.00	98.20	ww	Sst	Sst	Sms	20	gy	fg
AN 11 - 135	98.20	99.00	ww	Sst	Sst	Sms	20	gy	fg
AN 11 - 135	99.00	100.00	ww	Sst	Sst	Sms	20	gy	fg
AN 11 - 135	100.00	101.00	ww	Sst	Sst	Sms	20	gy	fg
AN 11 - 135	101.00	102.00	ww	Sst	Sst	Sms	20	gy	fg
AN 11 - 135	102.00	102.30	ww	Sst	Sst	Sms	20	gy	fg
AN 11 - 135	102.30	103.00	ww	Sst	Sst	Sms	20	gy	fg
AN 11 - 135	103.00	104.00	ww	Sst	Sst	Sms	20	gy	fg
AN 11 - 135	104.00	105.00	ww	Sst	Sst	Sms	20	gy	fg
AN 11 - 135	105.00	106.00	ww	Sst	Sst	Sms	20	gy	mg
AN 11 - 135	106.00	107.00	ww	Sst	Sst	Sms	20	gy	mg
AN 11 - 135	107.00	108.00	ww	Sst	Sst	Sms	20	gy	mg
AN 11 - 135	108.00	108.50	ww	Sst	Sst	Sms	20	gy	mg
AN 11 - 135	108.50	109.00	ww	Sms	Sms	Sst	30	bk	fg
AN 11 - 135	109.00	110.00	ww	Sms	Sms	Sst	30	bk	fg
AN 11 - 135	110.00	111.00	ww	Sms	Sms	Sst	30	bk	fg
AN 11 - 135	111.00	112.00	ww	Sms	Sms	Sst	30	bk	fg
AN 11 - 135	112.00	113.00	ww	Sms	Sms	Sst	30	bk	fg
AN 11 - 135	113.00	114.00	ww	Sms	Sms	Sst	30	bk	fg

					Lithology				
Hole ID	Depth_From	Depth_To	Wthg	STRAT	Lith1	Lith2	Lith2pc	Colour	Gsize
Hole ID/Site ID	Depth from	Depth To	Weathering	Stratigraphic Unit	Primary Lith	Secondary Lith	must be <50%	lith colour	grain size
AN 11 - 135	114.00	115.00	ww	Sms	Sms	Sst	30	bk	fg
AN 11 - 135	115.00	116.00	ww	Sms	Sms	Sst	30	bk	fg
AN 11 - 135	116.00	117.00	ww	Sms	Sms	Sst	30	bk	fg
AN 11 - 135	117.00	118.00	ww	Sms	Sms	Sst	30	bk	fg
AN 11 - 135	118.00	119.00	ww	Sms	Sms	Sst	30	bk	fg
AN 11 - 135	119.00	120.00	ww	Sms	Sms	Sst	30	bk	fg
AN 11 - 135	120.00	121.00	ww	Sms	Sms	Sst	30	bk	fg
AN 11 - 135	121.00	122.00	ww	Sms	Sms	Sst	30	bk	fg
AN 11 - 135	122.00	123.00	ww	Sms	Sms	Sst	30	bk	fg
AN 11 - 135	123.00	124.00	ww	Sms	Sms	Sst	30	bk	fg
AN 11 - 135	124.00	125.00	ww	Sms	Sms	Sst	30	bk	fg
AN 11 - 135	125.00	126.00	ww	SlS	SlS	Sms	20	Lgy	vf
AN 11 - 135	126.00	127.00	ww	SlS	SlS	Sms	20	Lgy	vf
AN 11 - 135	127.00	128.00	ww	SlS	SlS	Sms	20	Lgy	vf
AN 11 - 135	128.00	129.00	ww	SlS	SlS	Sms	20	Lgy	vf
AN 11 - 135	129.00	129.80	ww	SlS	SlS	Sms	20	Lgy	vf
AN 11 - 135	129.80	130.00	ww	Sms	Sms	Sst	10	bk	fg
AN 11 - 135	130.00	131.00	ww	Sms	Sms	Sst	10	bk	fg
AN 11 - 135	131.00	132.00	ww	Sms	Sms	Sst	10	bk	fg
AN 11 - 135	132.00	133.00	ww	Sms	Sms	Sst	10	bk	fg
AN 11 - 135	133.00	134.00	ww	Sms	Sms	Sst	10	bk	fg
AN 11 - 135	134.00	135.00	ww	Sms	Sms	Sst	10	bk	fg
AN 11 - 135	135.00	135.90	ww	Sms	Sms	Sst	10	bk	fg
AN 11 - 135	135.90	136.00	ww	Sms	Sms	Sms	5	rd	fg
AN 11 - 135	136.00	137.00	ww	Sms	Sms	Sms	5	rd	fg

					Lithology				
Hole ID	Depth_From	Depth_To	Wthg	STRAT	Lith1	Lith2	Lith2pc	Colour	Gsize
Hole ID/Site ID	Depth from	Depth To	Weathering	Stratigraphic Unit	Primary Lith	Secondary Lith	must be <50%	lith colour	grain size
AN 11 - 135	137.00	138.00	ww	Sms	Sms	Sms	5	rd	fg
AN 11 - 135	138.00	138.10	ww	Sms	Sms	Sms	5	rd	fg
AN 11 - 135	138.10	139.00	ww	Sms	Sms	Sst	1	bk	fg
AN 11 - 135	139.00	140.00	ww	Sms	Sms	Sst	1	bk	fg
AN 11 - 135	140.00	141.00	ww	Sms	Sms	Sst	1	bk	fg
AN 11 - 135	141.00	142.00	ww	Sms	Sms	Sst	1	bk	fg
AN 11 - 135	142.00	143.00	ww	Sms	Sms	Sst	1	bk	fg
AN 11 - 135	143.00	144.00	ww	Sms	Sms	Sst	1	bk	fg
AN 11 - 135	144.00	145.00	ww	Sms	Sms	Sst	1	bk	fg
AN 11 - 135	145.00	146.00	ww	Sms	Sms	Sst	1	bk	fg
AN 11 - 135	146.00	147.00	ww	Sms	Sms	Sst	1	bk	fg
AN 11 - 135	147.00	148.00	ww	Sms	Sms	Sst	1	bk	fg
AN 11 - 135	148.00	149.00	ww	Sms	Sms	Sst	1	bk	fg
AN 11 - 135	149.00	150.00	ww	Sms	Sms	Sst	1	bk	fg
AN 11 - 135	150.00	151.00	ww	Sms	Sms	Sst	1	bk	fg
AN 11 - 135	151.00	152.00	ww	Sms	Sms	Sst	1	bk	fg
AN 11 - 135	152.00	153.00	ww	Sms	Sms	Sst	1	bk	fg
AN 11 - 135	153.00	153.62	ww	Sms	Sms	Sst	1	bk	fg
AN 11 - 135	153.62	154.00	ww	Zfzg	Sms	Sct	20	bk	vf
AN 11 - 135	154.00	155.00	ww	Zfzg	Sms	Sct	20	bk	vf
AN 11 - 135	155.00	156.00	ww	Zfzg	Sms	Sct	20	bk	vf
AN 11 - 135	156.00	157.00	ww	Zfzg	Sms	Sct	20	bk	vf
AN 11 - 135	157.00	158.00	ww	Zfzg	Sms	Sct	20	bk	vf



					Lithology				
Hole ID	Depth_From	Depth_To	Wthg	STRAT	Lith1	Lith2	Lith2pc	Colour	Gsize
Hole ID/Site ID	Depth from	Depth To	Weathering	Stratigraphic Unit	Primary Lith	Secondary Lith	must be <50%	lith colour	grain size
AN 11 - 135	158.00	159.00	ww	Zfzg	Sms	Sct	20	bk	vf
AN 11 - 135	159.00	160.00	ww	Zfzg	Sms	Sct	20	bk	vf
AN 11 - 135	160.00	161.00	ww	Zfzg	Sms	Sct	20	bk	vf
AN 11 - 135	161.00	162.00	ww	Zfzg	Sms	Sct	20	bk	vf
AN 11 - 135	162.00	163.00	ww	Zfzg	Sms	Sct	20	bk	vf
AN 11 - 135	163.00	164.00	ww	Zfzg	Sms	Sct	20	bk	vf
AN 11 - 135	164.00	164.60	ww	Zfzg	Sms	Sct	20	bk	vf
AN 11 - 135	164.60	166.00	ww	Sct	Sct	Scg	15	bk	vf
AN 11 - 135	166.00	167.00	ww	Sct	Sct	Scg	15	bk	vf
AN 11 - 135	167.00	168.00	ww	Sct	Sct	Scg	15	bk	vf
AN 11 - 135	168.00	169.00	ww	Sct	Sct	Scg	15	bk	vf
AN 11 - 135	169.00	170.00	ww	Sct	Sct	Scg	15	bk	vf
AN 11 - 135	170.00	171.00	ww	Sct	Sct	Scg	15	bk	vf
AN 11 - 135	171.00	172.00	ww	Sct	Sct	Scg	15	bk	vf
AN 11 - 135	172.00	172.50	ww	Sct	Sct	Scg	15	bk	vf
AN 11 - 135	172.50	173.00	hw	Sct	Sct	Scg	15	bk	vf
AN 11 - 135	173.00	174.00	hw	Sct	Sct	Scg	15	bk	vf
AN 11 - 135	174.00	175.00	hw	Sct	Sct	Scg	15	bk	vf
AN 11 - 135	175.00	176.00	hw	Sct	Sct	Scg	15	bk	vf
AN 11 - 135	176.00	177.00	hw	Sct	Sct	Scg	15	bk	vf
AN 11 - 135	177.00	178.00	hw	Sct	Sct	Scg	15	bk	vf
AN 11 - 135	178.00	179.00	hw	Sct	Sct	Scg	15	bk	vf
AN 11 - 135	179.00	179.50	hw	Sct	Sct	Scg	15	bk	vf

					Lithology				
Hole ID	Depth_From	Depth_To	Wthg	STRAT	Lith1	Lith2	Lith2pc	Colour	Gsize
Hole ID/Site ID	Depth from	Depth To	Weathering	Stratigraphic Unit	Primary Lith	Secondary Lith	must be <50%	lith colour	grain size
AN 11 - 135	179.50	180.00	mw	Sct	Sct	Scg	15	bk	vf
AN 11 - 135	180.00	181.00	mw	Sct	Sct	Scg	15	bk	vf
AN 11 - 135	181.00	182.00	mw	Sct	Sct	Scg	15	bk	vf
AN 11 - 135	182.00	183.00	mw	Sct	Sct	Scg	15	bk	vf
AN 11 - 135	183.00	184.00	mw	Sct	Sct	Scg	15	bk	vfm
AN 11 - 135	184.00	185.00	mw	Sct	Sct	Scg	15	bk	vfm
AN 11 - 135	185.00	186.00	mw	Sct	Sct	Scg	15	bk	vfm
AN 11 - 135	186.00	187.00	mw	Sct	Sct	Scg	15	bk	vf
AN 11 - 135	187.00	188.00	mw	Sct	Sct	Scg	15	bk	vf
AN 11 - 135	188.00	189.30	mw	Sct	Sct	Scg	15	bk	vf
AN 11 - 135	189.30	190.00	mw	Scg	Sms	Sms	30	bk	cg
AN 11 - 135	190.00	191.00	mw	Scg	Sms	Sms	30	bk	cg
AN 11 - 135	191.00	192.00	mw	Scg	Sms	Sms	30	bk	cg
AN 11 - 135	192.00	193.00	mw	Scg	Sms	Sms	30	bk	cg
AN 11 - 135	193.00	194.00	mw	Scg	Sms	Sms	30	bk	cg
AN 11 - 135	194.00	195.00	mw	Scg	Sms	Sms	30	bk	cg
AN 11 - 135	195.00	196.00	mw	Scg	Sms	Sms	30	bk	cg
AN 11 - 135	196.00	197.00	mw	Scg	Sms	Sms	30	bk	cg
AN 11 - 135	197.00	198.00	mw	Scg	Sms	Sms	30	bk	cg
AN 11 - 135	198.00	199.00	mw	Scg	Sms	Sms	30	bk	cg
AN 11 - 135	199.00	199.50	mw	Scg	Sms	Sms	30	bk	cg
AN 11 - 135	199.50	200.00	mw	Sct	Sct	Sms	10	bk	mg
AN 11 - 135	200.00	201.00	mw	Sct	Sct	Sms	10	bk	mg
AN 11 - 135	201.00	202.00	mw	Sct	Sct	Sms	10	bk	mg
AN 11 - 135	202.00	203.00	mw	Sct	Sct	Sms	10	bk	mg

					Lithology				
Hole ID	Depth_From	Depth_To	Wthg	STRAT	Lith1	Lith2	Lith2pc	Colour	Gsize
Hole ID/Site ID	Depth from	Depth To	Weathering	Stratigraphic Unit	Primary Lith	Secondary Lith	must be <50%	lith colour	grain size
AN 11 - 135	203.00	204.00	mw	Sct	Sct	Sms	10	bk	mg
AN 11 - 135	204.00	205.00	mw	Zbx	Sms	Sct	20	bk	mg
AN 11 - 135	205.00	206.00	mw	Zbx	Sms	Sct	20	bk	mg
AN 11 - 135	206.00	207.00	mw	Zbx	Sms	Sct	20	bk	mg
AN 11 - 135	207.00	208.00	mw	Zbx	Sms	Sct	20	bk	mg
AN 11 - 135	208.00	209.00	mw	Zbx	Sms	Sct	20	bk	mg
AN 11 - 135	209.00	210.00	mw	Zbx	Sms	Sct	20	bk	mg
AN 11 - 135	210.00	211.00	mw	Zbx	Sms	Sct	20	bk	mg
AN 11 - 135	211.00	212.00	mw	Zbx	Sms	Sct	20	bk	mg
AN 11 - 135	212.00	212.40	mw	Zbx	Sms	Sct	20	bk	mg
AN 11 - 135	212.40	213.00	hw	Sct	Sct	Sms	10	gy	mg
AN 11 - 135	213.00	214.00	hw	Sct	Sct	Sms	10	gy	mg
AN 11 - 135	214.00	215.00	hw	Sct	Sct	Sms	10	gy	mg
AN 11 - 135	215.00	216.00	hw	Sct	Sct	Sms	10	gy	mg
AN 11 - 135	216.00	216.30	hw	Sct	Sct	Sms	10	gy	mg
AN 11 - 135	216.30	217.00	hw	Sct	Sct	Scg	10	bk	vf
AN 11 - 135	217.00	218.00	hw	Sct	Sct	Scg	10	bk	vf

					Lithology				
Hole ID	Depth_From	Depth_To	Wthg	STRAT	Lith1	Lith2	Lith2pc	Colour	Gsize
Hole ID/Site ID	Depth from	Depth To	Weathering	Stratigraphic Unit	Primary Lith	Secondary Lith	must be <50%	lith colour	grain size
AN 11 - 135	218.00	219.00	hw	Sct	Sct	Scg	10	bk	vf
AN 11 - 135	219.00	220.00	hw	Sct	Sct	Scg	10	bk	vf
AN 11 - 135	220.00	221.00	hw	Sct	Sct	Scg	10	bk	vf
AN 11 - 135	221.00	222.00	hw	Sct	Sct	Scg	10	bk	vf
AN 11 - 135	222.00	223.00	hw	Sct	Sct	Scg	10	bk	vf
AN 11 - 135	223.00	224.00	hw	Sct	Sct	Scg	10	bk	vf
AN 11 - 135	224.00	225.00	hw	Sct	Sct	Scg	10	bk	vf
AN 11 - 135	225.00	226.00	hw	Sct	Sct	Scg	10	bk	vf
AN 11 - 135	226.00	227.00	hw	Sct	Sct	Scg	10	bk	vf
AN 11 - 135	227.00	228.00	hw	Sct	Sct	Scg	10	bk	vf
AN 11 - 135	228.00	229.00	hw	Sct	Sct	Scg	10	bk	vf
AN 11 - 135	229.00	230.00	hw	Sct	Sct	Scg	10	bk	vf
AN 11 - 135	230.00	231.00	hw	Sct	Sct	Scg	10	bk	vf
AN 11 - 135	231.00	232.00	hw	Sct	Sct	Scg	10	bk	vf
AN 11 - 135	232.00	233.00	hw	Sct	Sct	Scg	10	bk	vf
AN 11 - 135	233.00	234.00	hw	Sct	Sct	Scg	10	bk	vf
AN 11 - 135	234.00	235.00	hw	Sct	Sct	Scg	10	bk	vf
AN 11 - 135	235.00	236.00	hw	Sct	Sct	Scg	10	bk	vf
AN 11 - 135	236.00	236.92	hw	Sct	Sct	Scg	10	bk	vf
AN 11 - 135	236.92	237.00	mw	Sct	Sct	Sms	40	gy	vf
AN 11 - 135	237.00	238.00	mw	Sct	Sct	Sms	40	gy	vf
AN 11 - 135	238.00	239.00	mw	Sct	Sct	Sms	40	gy	vf
AN 11 - 135	239.00	240.00	mw	Sct	Sct	Sms	40	gy	vf
AN 11 - 135	240.00	241.00	mw	Sct	Sct	Sms	40	gy	vf
AN 11 - 135	241.00	242.00	mw	Sct	Sct	Sms	40	gy	vf

					Lithology				
Hole ID	Depth_From	Depth_To	Wthg	STRAT	Lith1	Lith2	Lith2pc	Colour	Gsize
Hole ID/Site ID	Depth from	Depth To	Weathering	Stratigraphic Unit	Primary Lith	Secondary Lith	must be <50%	lith colour	grain size
AN 11 - 135	242.00	243.00	mw	Sct	Sct	Sms	40	gy	vf
AN 11 - 135	243.00	244.00	mw	Sct	Sct	Sms	40	gy	vf
AN 11 - 135	244.00	245.00	mw	Sct	Sct	Sms	40	gy	vf
AN 11 - 135	245.00	246.00	hw	Sct	Sct	Sms	5	bk	mg
AN 11 - 135	246.00	247.00	hw	Sct	Sct	Sms	5	bk	mg
AN 11 - 135	247.00	248.00	hw	Sct	Sct	Sms	5	bk	mg
AN 11 - 135	248.00	248.50	hw	Sct	Sct	Sms	5	bk	mg
AN 11 - 135	248.50	249.00	mw	Sct	Sct	Sms	5	gy	mg
AN 11 - 135	249.00	250.00	mw	Sct	Sct	Sms	5	gy	mg
AN 11 - 135	250.00	251.00	mw	Sct	Sct	Sms	5	gy	mg
AN 11 - 135	251.00	252.00	mw	Sct	Sct	Sms	5	gy	mg
AN 11 - 135	252.00	253.00	mw	Sct	Sct	Sms	5	gy	mg
AN 11 - 135	253.00	254.00	mw	Sct	Sct	Sms	5	gy	mg
AN 11 - 135	254.00	255.00	mw	Sct	Sct	Sms	5	gy	mg
AN 11 - 135	255.00	256.00	mw	Sct	Sct	Sms	5	gy	mg
AN 11 - 135	256.00	257.00	mw	Sct	Sct	Sms	5	gy	mg
AN 11 - 135	257.00	258.00	mw	Sct	Sct	Sms	5	gy	mg
AN 11 - 135	258.00	259.00	mw	Sct	Sct	Sms	5	gy	mg
AN 11 - 135	259.00	260.00	hw	Sct	Sct	Sms	40	gy	mg
AN 11 - 135	260.00	261.00	hw	Sct	Sct	Sms	40	gy	mg
AN 11 - 135	261.00	262.00	hw	Sct	Sct	Sms	40	gy	mg
AN 11 - 135	262.00	263.00	hw	Sct	Sct	Sms	40	gy	mg
AN 11 - 135	263.00	264.00	hw	Sct	Sct	Sms	40	gy	mg
AN 11 - 135	264.00	265.00	hw	Sct	Sct	Sms	40	gy	mg
AN 11 - 135	265.00	266.00	hw	Sct	Sct	Sms	40	gy	mg

					Lithology				
Hole ID	Depth_From	Depth_To	Wthg	STRAT	Lith1	Lith2	Lith2pc	Colour	Gsize
Hole ID/Site ID	Depth from	Depth To	Weathering	Stratigraphic Unit	Primary Lith	Secondary Lith	must be <50%	lith colour	grain size
AN 11 - 135	266.00	267.00	hw	Sct	Sct	Sms	40	gy	mg
AN 11 - 135	267.00	268.00	hw	Sct	Sct	Sms	40	gy	mg
AN 11 - 135	268.00	269.00	hw	Sct	Sct	Sms	40	gy	mg
AN 11 - 135	269.00	270.00	hw	Sct	Sct	Sms	40	gy	mg
AN 11 - 135	270.00	271.00	hw	Sct	Sct	Sms	40	gy	mg
AN 11 - 135	271.00	272.00	hw	Sct	Sct	Sms	40	gy	mg
AN 11 - 135	272.00	273.00	hw	Sct	Sct	Sms	40	gy	mg
AN 11 - 135	273.00	274.00	hw	Sct	Sct	Sms	40	gy	mg
AN 11 - 135	274.00	275.00	hw	Sct	Sct	Sms	40	gy	mg
AN 11 - 135	275.00	276.00	ww	Sct	Sct			gy	mg
AN 11 - 135	276.00	277.00	ww	Sct	Sct			gy	mg
AN 11 - 135	277.00	278.00	ww	Sct	Sct			gy	mg
AN 11 - 135	278.00	278.50	ww	Sct	Sct			gy	mg
AN 11 - 135	278.50	279.00	hw	zbx	Sct	Sms	30	gy	mg
AN 11 - 135	279.00	280.00	hw	zbx	Sct	Sms	30	gy	mg
AN 11 - 135	280.00	281.00	hw	zbx	Sct	Sms	30	gy	mg
AN 11 - 135	281.00	282.00	hw	zbx	Sct	Sms	30	gy	mg
AN 11 - 135	282.00	283.00	hw	zbx	Sct	Sms	30	gy	mg
AN 11 - 135	283.00	284.00	hw	zbx	Sct	Sms	30	gy	mg
AN 11 - 135	284.00	285.00	hw	zbx	Sct	Sms	30	gy	mg
AN 11 - 135	285.00	286.00	hw	zbx	Sct	Sms	30	gy	mg
AN 11 - 135	286.00	287.00	hw	zbx	Sct	Sms	30	gy	mg
AN 11 - 135	287.00	288.00	hw	zbx	Sct	Sms	30	gy	mg
AN 11 - 135	288.00	289.00	hw	zbx	Sct	Sms	30	gy	mg
AN 11 - 135	289.00	290.00	hw	zbx	Sct	Sms	30	gy	mg
AN 11 - 135	290.00	291.00	hw	zbx	Sct	Sms	30	gy	mg

					Lithology				
Hole ID	Depth_From	Depth_To	Wthg	STRAT	Lith1	Lith2	Lith2pc	Colour	Gsize
Hole ID/Site ID	Depth from	Depth To	Weathering	Stratigraphic Unit	Primary Lith	Secondary Lith	must be <50%	lith colour	grain size
AN 11 - 135	291.00	292.00	hw	zbx	Sct	Sms	30	gy	mg
AN 11 - 135	292.00	293.00	mw	zbx	Sct	Sms	30	gy	mg
AN 11 - 135	293.00	294.00	mw	zbx	Sct	Sms	30	gy	mg
AN 11 - 135	294.00	295.00	mw	zbx	Sct	Sms	30	gy	mg
AN 11 - 135	295.00	296.00	mw	zbx	Sct	Sms	30	gy	mg
AN 11 - 135	296.00	296.60	mw	zbx	Sct	Sms	30	gy	mg
AN 11 - 135	296.60	298.00	mw	Sms	Sms	Sst	20	Dgy	vffg
AN 11 - 135	298.00	299.00	mw	Sms	Sms	Sst	20	Dgy	vffg
AN 11 - 135	299.00	300.00	mw	Sms	Sms	Sst	20	Dgy	vffg
AN 11 - 135	300.00	301.00	ww	Sms	Sms	Sst	20	Dgy	vffg
AN 11 - 135	301.00	302.00	ww	Sms	Sms	Sst	20	Dgy	vffg
AN 11 - 135	302.00	303.00	ww	Sms	Sms	Sst	20	Dgy	vffg
AN 11 - 135	303.00	304.00	ww	Sms	Sms	Sst	20	Dgy	vffg
AN 11 - 135	304.00	305.00	ww	Sms	Sms	Sst	20	Dgy	vffg
AN 11 - 135	305.00	306.00	ww	Sms	Sms	Sst	20	Dgy	vffg
AN 11 - 135	306.00	307.00	ww	Sms	Sms	Sst	20	Dgy	vffg
AN 11 - 135	307.00	308.00	ww	Sms	Sms	Sst	20	Dgy	vffg
AN 11 - 135	308.00	309.00	ww	Sms	Sms	Sst	20	Dgy	vffg
AN 11 - 135	309.00	310.00	ww	Sms	Sms	Sst	20	Dgy	vffg
AN 11 - 135	310.00	310.90	ww	Sms	Sms	Sst	20	Dgy	vffg
AN 11 - 135	310.90	311.00	ww	Sct	Sct	Sms	10	bk	fg
AN 11 - 135	311.00	312.00	ww	Sct	Sct	Sms	10	bk	fg
AN 11 - 135	312.00	313.00	ww	Sct	Sct	Sms	10	bk	fg

					Lithology				
Hole ID	Depth_From	Depth_To	Wthg	STRAT	Lith1	Lith2	Lith2pc	Colour	Gsize
Hole ID/Site ID	Depth from	Depth To	Weathering	Stratigraphic Unit	Primary Lith	Secondary Lith	must be <50%	lith colour	grain size
AN 11 - 135	313.00	314.00	ww	Sct	Sct	Sms	10	bk	fg
AN 11 - 135	314.00	315.00	ww	Sct	Sct	Sms	10	bk	fg
AN 11 - 135	315.00	315.90	ww	Sct	Sct	Sms	10	bk	fg
AN 11 - 135	315.90	316.00	ww	Sms	Sms	Sct	20	gy	fg
AN 11 - 135	316.00	317.00	ww	Sms	Sms	Sct	20	gy	fg
AN 11 - 135	317.00	318.00	ww	Sms	Sct	Sms	5	gy	fg
AN 11 - 135	318.00	319.00	ww	Sms	Sms	Sct	20	gy	fg
AN 11 - 135	319.00	320.00	ww	Sms	Sms	Sct	20	gy	fg
AN 11 - 135	320.00	321.00	ww	Sms	Sms	Sct	20	gy	fg
AN 11 - 135	321.00	321.60	ww	Sms	Sms	Sct	20	gy	fg
AN 11 - 135	321.60	322.00	mw	Sst	Sst	Sct	15	gy	mg
AN 11 - 135	322.00	323.00	mw	Sst	Sst	Sct	15	gy	mg
AN 11 - 135	323.00	323.20	mw	Sst	Sst	Sct	15	gy	mg
AN 11 - 135	323.20	323.00	mw	Sst	Sst	Sct	15	gy	mg
AN 11 - 135	323.00	323.2	mw	Sst	Sst	Sct	15	gy	mg
AN 11 - 135	323.20	324.00	mw	Sms	Sms	Sst	40	gn	vf
AN 11 - 135	324.00	325.00	mw	Sms	Sms	Sst	40	gn	vf
AN 11 - 135	325.00	326.00	mw	Sms	Sms	Sst	40	gn	vf
AN 11 - 135	326.00	327.00	mw	Sms	Sms	Sst	40	gn	vf
AN 11 - 135	327.00	328.00	mw	Sms	Sms	Sst	40	gn	vf
AN 11 - 135	328.00	329.00	mw	Sms	Sms	Sst	40	gn	vf
AN 11 - 135	329.00	330.00	mw	Sms	Sms	Sst	40	gn	vf
AN 11 - 135	330.00	331.00	mw	Sms	Sms	Sst	40	gn	vf



					Lithology				
Hole ID	Depth_From	Depth_To	Wthg	STRAT	Lith1	Lith2	Lith2pc	Colour	Gsize
Hole ID/Site ID	Depth from	Depth To	Weathering	Stratigraphic Unit	Primary Lith	Secondary Lith	must be <50%	lith colour	grain size
AN 11 - 135	331.00	332.00	mw	Sms	Sms	Sst	40	gn	vf
AN 11 - 135	332.00	332.23	mw	Sms	Sms	Sst	40	gn	vf
AN 11 - 135	332.23	333.00	mw	Sst	Sst	Sms	2	gy	fgmg
AN 11 - 135	333.00	334.00	mw	Sst	Sst	Sms	2	gy	fgmg
AN 11 - 135	334.00	335.00	mw	Sst	Sst	Sms	2	gy	fgmg
AN 11 - 135	335.00	336.00	mw	Sst	Sst	Sms	2	gy	fgmg
AN 11 - 135	336.00	337.00	mw	Sst	Sst	Sms	2	gy	fgmg
AN 11 - 135	337.00	338.00	mw	Sst	Sst	Sms	2	gy	fgmg
AN 11 - 135	338.00	339.00	mw	Sst	Sst	Sms	2	gy	fgmg
AN 11 - 135	339.00	340.00	mw	Sst	Sst	Sms	2	gy	fgmg
AN 11 - 135	340.00	341.00	mw	Sst	Sst	Sms	2	gy	fgmg
AN 11 - 135	341.00	342.00	mw	Sst	Sst	Sms	2	gy	fgmg
AN 11 - 135	342.00	343.00	mw	Sst	Sst	Sms	2	gy	fgmg
AN 11 - 135	343.00	344.00	mw	Sst	Sst	Sms	2	gy	fgmg
AN 11 - 135	344.00	345.00	mw	Sst	Sst	Sms	2	gy	fgmg
AN 11 - 135	345.00	346.00	mw	Sst	Sst	Sms	2	gy	fgmg
AN 11 - 135	346.00	347.00	mw	Sst	Sst	Sms	2	gy	fgmg
AN 11 - 135	347.00	348.00	mw	Sst	Sst	Sms	2	gy	fgmg
AN 11 - 135	348.00	349.00	mw	Sst	Sms	Sst	30	gy	fgmg
AN 11 - 135	349.00	350.00	mw	Sst	Sst	Sms	2	gy	fgmg
AN 11 - 135	350.00	351.00	mw	Sst	Sst	Sms	2	gy	fgmg
AN 11 - 135	351.00	352.00	mw	Sst	Sst	Sms	2	gy	fgmg
AN 11 - 135	352.00	353.00	mw	Sst	Sst	Sms	2	gy	fgmg

					Lithology				
Hole ID	Depth_From	Depth_To	Wthg	STRAT	Lith1	Lith2	Lith2pc	Colour	Gsize
Hole ID/Site ID	Depth from	Depth To	Weathering	Stratigraphic Unit	Primary Lith	Secondary Lith	must be <50%	lith colour	grain size
AN 11 - 135	353.00	354.00	mw	Sst	Sst	Sms	2	gy	fgmg
AN 11 - 135	354.00	355.00	mw	Sst	Sst	Sms	2	gy	fgmg
AN 11 - 135	355.00	356.00	mw	Sst	Sst	Sms	2	gy	fgmg
AN 11 - 135	356.00	357.00	mw	Sst	Sst	Sms	2	gy	fgmg
AN 11 - 135	357.00	358.00	mw	Sst	Sst	Sms	2	gy	fgmg
AN 11 - 135	358.00	358.70	mw	Sst	Sst	Sms	2	gy	fgmg
AN 11 - 135	358.70	359.00	ww	Sms	Sms			gn	fg
AN 11 - 135	359.00	360.00	ww	Sms	Sms			gn	fg
AN 11 - 135	360.00	361.00	ww	Sms	Sms			gn	fg
AN 11 - 135	361.00	362.00	ww	Sms	Sms			gn	fg
AN 11 - 135	362.00	363.00	ww	Sms	Sms			gn	fg
AN 11 - 135	363.00	364.00	ww	Sms	Sms			gn	fg
AN 11 - 135	364.00	365.00	ww	Sms	Sms			gn	fg
AN 11 - 135	365.00	366.00	ww	Sms	Sms			gn	fg
AN 11 - 135	366.00	367.00	ww	Sms	Sms			gn	fg
AN 11 - 135	367.00	368.00	ww	Sms	Sms			gn	fg
AN 11 - 135	368.00	369.00	ww	Sms	Sms			gn	fg
AN 11 - 135	369.00	370.00	ww	Sms	Sms			gn	fg
AN 11 - 135	370.00	371.00	ww	Sms	Sms			gn	fg
AN 11 - 135	371.00	371.40	ww	Sms	Sms			gn	fg
AN 11 - 135	371.40	372.00	ww	Sst	Sst			gn	cg
AN 11 - 135	372.00	373.00	ww	Sst	Sst			gn	cg
AN 11 - 135	373.00	374.00	ww	Sst	Sst			gn	cg
AN 11 - 135	374.00	375.00	ww	Sst	Sst			gn	cg
AN 11 - 135	375.00	375.60	ww	Sst	Sst			gn	cg
AN 11 - 135	375.60	376.00	ww	Sms	Sms			gn	fg
AN 11 - 135	376.00	377.00	ww	Sms	Sms			gn	fg

					Lithology				
Hole ID	Depth_From	Depth_To	Wthg	STRAT	Lith1	Lith2	Lith2pc	Colour	Gsize
Hole ID/Site ID	Depth from	Depth To	Weathering	Stratigraphic Unit	Primary Lith	Secondary Lith	must be <50%	lith colour	grain size
AN 11 - 135	377.00	378.00	ww	Sms	Sms			gn	fg
AN 11 - 135	378.00	379.00	ww	Sms	Sms			gn	fg
AN 11 - 135	379.00	380.00	ww	Sms	Sms			gn	fg
AN 11 - 135	380.00	381.00	ww	Sms	Sms			gn	fg
AN 11 - 135	381.00	382.00	ww	Sms	Sms			gn	fg
AN 11 - 135	382.00	383.00	ww	Sms	Sms			gn	fg
AN 11 - 135	383.00	384.00	ww	Sms	Sms			gn	fg
AN 11 - 135	384.00	385.00	ww	Sms	Sms			gn	fg
AN 11 - 135	385.00	386.00	ww	Sms	Sms			gn	fg
AN 11 - 135	386.00	387.00	ww	Sms	Sms			gn	fg
AN 11 - 135	387.00	388.00	ww	Sms	Sms			gn	fg
AN 11 - 135	388.00	388.40	ww	Sms	Sms			gn	fg
AN 11 - 135	388.40	389.00	ww	Sst	Sst	Sms	1	gy	cg
AN 11 - 135	389.00	390.00	ww	Sst	Sst	Sms	1	gy	cg
AN 11 - 135	390.00	391.00	ww	Sst	Sst	Sms	1	gy	cg
AN 11 - 135	391.00	392.00	ww	Sst	Sst	Sms	1	gy	cg
AN 11 - 135	392.00	393.00	ww	Sst	Sst	Sms	45	gy	cg
AN 11 - 135	393.00	394.00	ww	Sst	Sst	Sms	45	gy	cg
AN 11 - 135	394.00	395.00	ww	Sst	Sst	Sms	45	gy	cg
AN 11 - 135	395.00	396.00	ww	Sst	Sst	Sms	1	gy	cg
AN 11 - 135	396.00	397.00	ww	Sst	Sst	Sms	1	gy	cg
AN 11 - 135	397.00	398.00	ww	Sst	Sst	Sms	1	gy	cg
AN 11 - 135	398.00	399.00	ww	Sst	Sst	Sms	45	gy	cg
AN 11 - 135	399.00	400.00	ww	Sst	Sst	Sms	45	gy	cg

					Lithology				
Hole ID	Depth_From	Depth_To	Wthg	STRAT	Lith1	Lith2	Lith2pc	Colour	Gsize
Hole ID/Site ID	Depth from	Depth To	Weathering	Stratigraphic Unit	Primary Lith	Secondary Lith	must be <50%	lith colour	grain size
AN 11 - 135	400.00	401.00	ww	Sst	Sst	Sms	45	gy	cg
AN 11 - 135	401.00	402.00	ww	Sst	Sst	Sms	45	gy	cg
AN 11 - 135	402.00	403.00	ww	Sst	Sst	Sms	1	gy	cg
AN 11 - 135	403.00	404.00	ww	Sst	Sst	Sms	1	gy	cg
AN 11 - 135	404.00	405.00	ww	Sst	Sst	Sms	1	gy	cg
AN 11 - 135	405.00	406.00	ww	Sst	Sst	Sms	1	gy	cg
AN 11 - 135	406.00	407.00	ww	Sst	Sst	Sms	1	gy	cg
AN 11 - 135	407.00	408.00	ww	Sst	Sst	Sms	1	gy	cg
AN 11 - 135	408.00	409.00	ww	Sst	Sst	Sms	1	gy	cg
AN 11 - 135	409.00	409.50	ww	Sst	Sst	Sms	1	gy	cg
AN 11 - 135	409.50	410.00	hw	Zbxv	Sst			gy	mg
AN 11 - 135	410.00	411.00	hw	Zbxv	Sst			gy	mg
AN 11 - 135	411.00	412.00	hw	Zbxv	Sst			gy	mg
AN 11 - 135	412.00	413.00	hw	Zbxv	Sst			gy	mg
AN 11 - 135	413.00	414.00	hw	Zbxv	Sst			gy	mg
AN 11 - 135	414.00	415.00	hw	Zbxv	Sst			gy	mg
AN 11 - 135	415.00	416.00	hw	Zbxv	Sst			gy	mg
AN 11 - 135	416.00	416.2	hw	Zbxv	Sst			gy	mg
AN 11 - 135	416.20	417.00	mw	Sms	Sms	Sms	30	rd	fg
AN 11 - 135	417.00	418.00	mw	Sms	Sms	Sms	30	rd	fg
AN 11 - 135	418.00	419.00	mw	Sms	Sms	Sms	30	rd	fg
AN 11 - 135	419.00	420.00	mw	Sms	Sms	Sms	30	rd	fg
AN 11 - 135	420.00	421.00	mw	Sms	Sms	Sms	30	rd	fg
AN 11 - 135	421.00	422.00	mw	Sms	Sms	Sms	30	rd	fg
AN 11 - 135	422.00	423.00	mw	Sms	Sms	Sms	30	rd	fg

					Lithology				
Hole ID	Depth_From	Depth_To	Wthg	STRAT	Lith1	Lith2	Lith2pc	Colour	Gsize
Hole ID/Site ID	Depth from	Depth To	Weathering	Stratigraphic Unit	Primary Lith	Secondary Lith	must be <50%	lith colour	grain size
AN 11 - 135	423.00	424.00	mw	Sms	Sms	Sms	30	rd	fg
AN 11 - 135	424.00	425.00	mw	Sms	Sms	Sms	30	rd	fg
AN 11 - 135	425.00	426.00	hw	Zbx	Sms	Sst	30	bk	mg
AN 11 - 135	426.00	427.00	hw	Zbx	Sms	Sst	30	bk	mg
AN 11 - 135	427.00	428.00	hw	Zbx	Sms	Sst	30	bk	mg
AN 11 - 135	428.00	429.00	hw	Zbx	Sms	Sst	30	bk	mg
AN 11 - 135	429.00	430.00	hw	Zbx	Sms	Sst	30	bk	mg
AN 11 - 135	430.00	431.00	hw	Zbx	Sms	Sst	30	bk	mg
AN 11 - 135	431.00	432.00	hw	Zbx	Sms	Sst	30	bk	mg
AN 11 - 135	432.00	433.00	hw	Zbx	Sms	Sst	30	bk	mg
AN 11 - 135	433.00	434.00	hw	Zbx	Sms	Sst	30	bk	mg
AN 11 - 135	434.00	434.50	hw	Zbx	Sms	Sst	30	bk	mg
AN 11 - 135	434.50	435.00	mw	Zbx	Sst			gy	mg
AN 11 - 135	435.00	436.00	mw	Zbx	Sst			gy	mg
AN 11 - 135	436.00	437.00	mw	Zbx	Sst			gy	mg
AN 11 - 135	437.00	437.90	mw	Zbx	Sst			gy	mg
AN 11 - 135	437.90	438.00	mw	Zbx	Sms	SSt	20	bk	fg
AN 11 - 135	438.00	439.00	mw	Zbx	Sms	SSt	20	bk	fg
AN 11 - 135	439.00	440.00	mw	Zbx	Sms	SSt	20	bk	fg
AN 11 - 135	440.00	441.00	mw	Zbx	Sms	SSt	20	bk	fg
AN 11 - 135	441.00	442.00	mw	Zbx	Sms	SSt	20	bk	fg
AN 11 - 135	442.00	443.00	mw	Zbx	Sms	SSt	20	bk	fg
AN 11 - 135	443.00	444.00	mw	Zbx	Sms	SSt	20	bk	fg
AN 11 - 135	444.00	445.00	mw	Zbx	Sms	SSt	20	bk	fg
AN 11 - 135	445.00	446.00	mw	Zbx	Sms	SSt	20	bk	fg

					Lithology				
Hole ID	Depth_From	Depth_To	Wthg	STRAT	Lith1	Lith2	Lith2pc	Colour	Gsize
Hole ID/Site ID	Depth from	Depth To	Weathering	Stratigraphic Unit	Primary Lith	Secondary Lith	must be <50%	lith colour	grain size
AN 11 - 135	446.00	447.00	mw	Zbx	Sms	SSt	20	bk	fg
AN 11 - 135	447.00	448.00	mw	Zbx	Sms	SSt	20	bk	fg
AN 11 - 135	448.00	449.00	mw	Zbx	Sms	SSt	20	bk	fg
AN 11 - 135	449.00	450.00	mw	Zbx	Sms	SSt	20	bk	fg
AN 11 - 135	450.00	451.00	mw	Zbx	Sms	SSt	20	bk	fg
AN 11 - 135	451.00	451.10	mw	Zbx	Sms	SSt	20	bk	fg
AN 11 - 135	451.10	452.00	mw	Sls	Sls			gy	fg
AN 11 - 135	452.00	453.00	mw	Sst	Sst	Sms	30	gy	cg
AN 11 - 135	453.00	454.00	mw	Sst	Sst	Sms	30	gy	cg
AN 11 - 135	454.00	455.00	mw	Sst	Sst	Sms	30	gy	cg
AN 11 - 135	455.00	456.00	mw	Sms	Sms	Sst	35	gn	fg
AN 11 - 135	456.00	457.00	mw	Sms	Sms	Sst	35	gn	fg
AN 11 - 135	457.00	458.00	mw	Sms	Sms	Sst	35	gn	fg
AN 11 - 135	458.00	459.00	mw	Sms	Sms	Sst	35	gn	fg
AN 11 - 135	459.00	460.00	mw	Sms	Sms	Sst	35	gn	fg
AN 11 - 135	460.00	461.00	mw	Sms	Sms	Sst	35	gn	fg
AN 11 - 135	461.00	461.70	mw	Sms	Sms	Sst	35	gn	fg
AN 11 - 135	461.70	462.00	mw	Sst	Sst	Sms	5	gy	mg
AN 11 - 135	462.00	463.00	mw	Sst	Sst	Sms	5	gy	mg
AN 11 - 135	463.00	464.00	mw	Sst	Sst	Sms	5	gy	mg
AN 11 - 135	464.00	465.00	mw	Sst	Sst	Sms	5	gy	mg
AN 11 - 135	465.00	466.00	mw	Sst	Sst	Sms	5	gy	mg
AN 11 - 135	466.00	467.00	mw	Sst	Sst	Sms	45	gy	mg
AN 11 - 135	467.00	468.00	mw	Sst	Sst	Sms	45	gy	mg
AN 11 - 135	468.00	469.00	mw	Sst	Sst	Sms	45	gy	mg

					Lithology				
Hole ID	Depth_From	Depth_To	Wthg	STRAT	Lith1	Lith2	Lith2pc	Colour	Gsize
Hole ID/Site ID	Depth from	Depth To	Weathering	Stratigraphic Unit	Primary Lith	Secondary Lith	must be <50%	lith colour	grain size
AN 11 - 135	469.00	469.9	mw	Sst	Sst	Sms	45	gy	mg
AN 11 - 135	469.90	470.00	mw	Sms	Sms	Sms	45	bk	mg
AN 11 - 135	470.00	471.00	mw	Sms	Sms	Sms	45	bk	mg
AN 11 - 135	471.00	472.00	mw	Sms	Sms	Sms	45	bk	mg
AN 11 - 135	472.00	473.00	mw	Sms	Sms	Sms	45	bk	mg
AN 11 - 135	473.00	474.00	mw	Sms	Sms	Sms	45	bk	mg
AN 11 - 135	474.00	474.8	mw	Sms	Sms	Sms	45	bk	mg
AN 11 - 135	474.80	475.00	mw	Sst	Sst	Sms	10	bk	mg
AN 11 - 135	475.00	476.00	mw	Sst	Sst	Sms	10	bk	mg
AN 11 - 135	476.00	477.00	mw	Sst	Sst	Sms	10	bk	mg
AN 11 - 135	477.00	478.00	mw	Sst	Sst	Sms	10	bk	mg
AN 11 - 135	478.00	478.54	mw	Sst	Sst	Sms	10	bk	mg

			Fabric							
Hole ID	Depth_From	Depth_To	Texture	Struc	StrucInt	Spl%	Gln%	Ccp%	Pyr%	Comp1
Hole ID/Site ID	Depth from	Depth To	texture	Structure	Structural Intensity	Components of the lith type. I.e. clasts, matrix, phe additional sulfides				
AN 11 - 135	0.00	1.00	grn							
AN 11 - 135	1.00	2.00	grn							
AN 11 - 135	2.00	3.00	grn							
AN 11 - 135	3.00	3.15	grn							
AN 11 - 135	3.15	4.00		mas	M					cal
AN 11 - 135	4.00	5.00		mas	M					cal
AN 11 - 135	5.00	6.00		mas	M					cal
AN 11 - 135	6.00	7.00		mas	M					cal
AN 11 - 135	7.00	8.00		mas	M					cal
AN 11 - 135	8.00	9.00		mas	M					cal
AN 11 - 135	9.00	10.00		mas	M					cal
AN 11 - 135	10.00	11.00		mas	M					cal
AN 11 - 135	11.00	12.00		mas	M					cal
AN 11 - 135	12.00	13.00		mas	M					cal
AN 11 - 135	13.00	14.00		mas	M					cal
AN 11 - 135	14.00	15.00		mas	M					cal
AN 11 - 135	15.00	16.00		mas	M					cal
AN 11 - 135	16.00	17.00		mas	M					cal



			Fabric							
Hole ID	Depth_From	Depth_To	Texture	Struc	StrucInt	Spl%	Gln%	Ccp%	Pyr%	Comp1
Hole ID/Site ID	Depth from	Depth To	texture	Structure	Structural Intensity	Components of the lith type. I.e. clasts, matrix, phe additional sulfides				
AN 11 - 135	17.00	18.00		mas	M					cal
AN 11 - 135	18.00	19.00		mas	M					cal
AN 11 - 135	19.00	20.20		mas	M					cal
AN 11 - 135	20.20	21.00		mas	M					cal
AN 11 - 135	21.00	22.00		mas	M					cal
AN 11 - 135	22.00	23.00		mas	M					cal
AN 11 - 135	23.00	24.00		mas	M					cal
AN 11 - 135	24.00	25.00		mas	M					cal
AN 11 - 135	25.00	26.00		mas	M					cal
AN 11 - 135	26.00	27.00		mas	M					cal
AN 11 - 135	27.00	28.00		mas	M					cal
AN 11 - 135	28.00	29.00		mas	M					cal
AN 11 - 135	29.00	30.00		mas	M					cal
AN 11 - 135	30.00	31.00		mas	M					cal
AN 11 - 135	31.00	32.00		mas	M					cal
AN 11 - 135	32.00	33.00		mas	M					cal
AN 11 - 135	33.00	34.20		mas	M					cal

			Fabric							
Hole ID	Depth_From	Depth_To	Texture	Struc	StrucInt	Spl%	Gln%	Ccp%	Pyr%	Comp1
Hole ID/Site ID	Depth from	Depth To	texture	Structure	Structural Intensity	Components of the lith type. I.e. clasts, matrix, phe additional sulfides				
AN 11 - 135	34.20	35.00		mas	M					cal
AN 11 - 135	35.00	36.00		mas	M					cal
AN 11 - 135	36.00	37.00		mas	M					cal
AN 11 - 135	37.00	38.00		mas	M					cal
AN 11 - 135	38.00	39.00		mas	M					cal
AN 11 - 135	39.00	40.00		mas	M					cal
AN 11 - 135	40.00	41.00		mas	M					cal
AN 11 - 135	41.00	42.00		mas	M					cal
AN 11 - 135	42.00	43.00	bed	mas	M					
AN 11 - 135	43.00	44.00	bed	mas	M					
AN 11 - 135	44.00	45.00	bed	mas	M					
AN 11 - 135	45.00	46.00	bed	mas	M					
AN 11 - 135	46.00	47.00	bed	mas	M					
AN 11 - 135	47.00	48.00	bed	mas	M					
AN 11 - 135	48.00	49.00	bed	mas	M					
AN 11 - 135	49.00	49.50	bed	mas	M					
AN 11 - 135	49.50	50.00		mas	M					
AN 11 - 135	50.00	51.00		mas	M					
AN 11 - 135	51.00	52.00		mas	M					
AN 11 - 135	52.00	53.00		mas	M					
AN 11 - 135	53.00	54.00		mas	M					

			Fabric							
Hole ID	Depth_From	Depth_To	Texture	Struc	StrucInt	Spl%	Gln%	Ccp%	Pyr%	Comp1
Hole ID/Site ID	Depth from	Depth To	texture	Structure	Structural Intensity	Components of the lith type. I.e. clasts, matrix, phe additional sulfides				
AN 11 - 135	54.00	55.45		mas	M					
AN 11 - 135	55.45	56.00	grn	mas	M					cal
AN 11 - 135	56.00	57.00	grn	mas	M					
AN 11 - 135	57.00	58.00	grn	mas	M					
AN 11 - 135	58.00	59.00	grn	mas	M					
AN 11 - 135	59.00	60.00	grn	mas	M					
AN 11 - 135	60.00	61.00	grn	mas	M					
AN 11 - 135	61.00	62.00	grn	mas	M					
AN 11 - 135	62.00	63.00	grn	mas	M					
AN 11 - 135	63.00	64.00	grn	mas	M					
AN 11 - 135	64.00	65.00	grn	mas	M					
AN 11 - 135	65.00	66.00	grn	mas	M					
AN 11 - 135	66.00	67.00	grn	mas	M					
AN 11 - 135	67.00	68.00	grn	mas	M					
AN 11 - 135	68.00	69.00	grn	mas	M					
AN 11 - 135	69.00	70.00	grn	mas	M					
AN 11 - 135	70.00	71.00	grn	mas	M					
AN 11 - 135	71.00	72.00	grn	mas	M					
AN 11 - 135	72.00	73.00	grn	mas	M					
AN 11 - 135	73.00	74.00	grn	mas	M					

			Fabric							
Hole ID	Depth_From	Depth_To	Texture	Struc	StrucInt	Spl%	Gln%	Ccp%	Pyr%	Comp1
Hole ID/Site ID	Depth from	Depth To	texture	Structure	Structural Intensity	Components of the lith type. I.e. clasts, matrix, phe additional sulfides				
AN 11 - 135	74.00	75.00	grn	mas	M					
AN 11 - 135	75.00	76.00	grn	mas	M					
AN 11 - 135	76.00	77.00	grn	mas	M					
AN 11 - 135	77.00	78.00	grn	mas	M					
AN 11 - 135	78.00	79.00	grn	mas	M					
AN 11 - 135	79.00	80.00	grn	mas	M					
AN 11 - 135	80.00	81.00	grn	mas	M					
AN 11 - 135	81.00	82.00	grn	mas	M					
AN 11 - 135	82.00	83.00	grn	mas	M					
AN 11 - 135	83.00	84.00	grn	mas	M					
AN 11 - 135	84.00	84.25	grn	mas	M					
AN 11 - 135	84.25	85.00	fis	fol	M					
AN 11 - 135	85.00	86.00	fis	fol	M					
AN 11 - 135	86.00	87.00	fis	fol	M					
AN 11 - 135	87.00	88.00	fis	fol	M					
AN 11 - 135	88.00	89.00	fis	fol	M					
AN 11 - 135	89.00	90.00	fis	fol	M					
AN 11 - 135	90.00	90.90	fis	fol	M					
AN 11 - 135	90.90	91.00	grn	mas	I					

			Fabric							
Hole ID	Depth_From	Depth_To	Texture	Struc	StrucInt	Spl%	Gln%	Ccp%	Pyr%	Comp1
Hole ID/Site ID	Depth from	Depth To	texture	Structure	Structural Intensity	Components of the lith type. I.e. clasts, matrix, phe additional sulfides				
AN 11 - 135	91.00	92.00	grn	mas	I					
AN 11 - 135	92.00	93.00	grn	mas	I					
AN 11 - 135	93.00	94.00	grn	mas	I					
AN 11 - 135	94.00	95.00	grn	mas	I					
AN 11 - 135	95.00	96.00	grn	mas	I					
AN 11 - 135	96.00	97.00	grn	mas	I					
AN 11 - 135	97.00	98.00	grn	mas	I					
AN 11 - 135	98.00	98.20	grn	mas	I					
AN 11 - 135	98.20	99.00	bed	mas	M					
AN 11 - 135	99.00	100.00	bed	mas	M					
AN 11 - 135	100.00	101.00	bed	mas	M					
AN 11 - 135	101.00	102.00	bed	mas	M					
AN 11 - 135	102.00	102.30	bed	mas	M					
AN 11 - 135	102.30	103.00	grn	mas	I					
AN 11 - 135	103.00	104.00	grn	mas	I					
AN 11 - 135	104.00	105.00	grn	mas	I					
AN 11 - 135	105.00	106.00	grn	mas	I					
AN 11 - 135	106.00	107.00	grn	mas	I					
AN 11 - 135	107.00	108.00	grn	mas	I					
AN 11 - 135	108.00	108.50	grn	mas	I					
AN 11 - 135	108.50	109.00	bed	fol	I					
AN 11 - 135	109.00	110.00	bed	fol	I					
AN 11 - 135	110.00	111.00	bed	fol	I					
AN 11 - 135	111.00	112.00	bed	fol	I					
AN 11 - 135	112.00	113.00	bed	fol	I					
AN 11 - 135	113.00	114.00	bed	fol	I					

			Fabric							
Hole ID	Depth_From	Depth_To	Texture	Struc	StrucInt	Spl%	Gln%	Ccp%	Pyr%	Comp1
Hole ID/Site ID	Depth from	Depth To	texture	Structure	Structural Intensity	Components of the lith type. I.e. clasts, matrix, phe additional sulfides				
AN 11 - 135	114.00	115.00	bed	fol	I					
AN 11 - 135	115.00	116.00	bed	fol	I					
AN 11 - 135	116.00	117.00	bed	fol	I					
AN 11 - 135	117.00	118.00	bed	fol	I					
AN 11 - 135	118.00	119.00	bed	fol	I					
AN 11 - 135	119.00	120.00	bed	fol	I					
AN 11 - 135	120.00	121.00	bed	fol	I					
AN 11 - 135	121.00	122.00	bed	fol	I					
AN 11 - 135	122.00	123.00	bed	fol	I					
AN 11 - 135	123.00	124.00	bed	fol	I					
AN 11 - 135	124.00	125.00	bed	fol	I					
AN 11 - 135	125.00	126.00	lam	mas	M					cal
AN 11 - 135	126.00	127.00	lam	mas	M					cal
AN 11 - 135	127.00	128.00	lam	mas	M					cal
AN 11 - 135	128.00	129.00	lam	mas	M					cal
AN 11 - 135	129.00	129.80	lam	mas	M					cal
AN 11 - 135	129.80	130.00	mas	mas	M					
AN 11 - 135	130.00	131.00	mas	mas	M					
AN 11 - 135	131.00	132.00	mas	mas	M					
AN 11 - 135	132.00	133.00	mas	mas	M					
AN 11 - 135	133.00	134.00	mas	mas	M					
AN 11 - 135	134.00	135.00	mas	mas	M					
AN 11 - 135	135.00	135.90	mas	mas	M					
AN 11 - 135	135.90	136.00	mas	fol	M					
AN 11 - 135	136.00	137.00	mas	fol	M					

			Fabric							
Hole ID	Depth_From	Depth_To	Texture	Struc	StrucInt	Spl%	Gln%	Ccp%	Pyr%	Comp1
Hole ID/Site ID	Depth from	Depth To	texture	Structure	Structural Intensity	Components of the lith type. I.e. clasts, matrix, phe additional sulfides				
AN 11 - 135	137.00	138.00	mas	fol	M					
AN 11 - 135	138.00	138.10	mas	fol	M					
AN 11 - 135	138.10	139.00	bed	sch	M					cal
AN 11 - 135	139.00	140.00	bed	sch	M					cal
AN 11 - 135	140.00	141.00	bed	sch	M					cal
AN 11 - 135	141.00	142.00	bed	sch	M					cal
AN 11 - 135	142.00	143.00	bed	sch	M					cal
AN 11 - 135	143.00	144.00	bed	sch	M					cal
AN 11 - 135	144.00	145.00	bed	sch	M					cal
AN 11 - 135	145.00	146.00	bed	sch	M					cal
AN 11 - 135	146.00	147.00	bed	sch	M					cal
AN 11 - 135	147.00	148.00	bed	sch	M					cal
AN 11 - 135	148.00	149.00	bed	sch	M					cal
AN 11 - 135	149.00	150.00	bed	sch	M					cal
AN 11 - 135	150.00	151.00	bed	sch	M					cal
AN 11 - 135	151.00	152.00	bed	sch	M					cal
AN 11 - 135	152.00	153.00	bed	sch	M					cal
AN 11 - 135	153.00	153.62	bed	sch	M					
AN 11 - 135	153.62	154.00	sag	fau	M				0.1	qtz
AN 11 - 135	154.00	155.00	sag	fau	M				0.1	qtz
AN 11 - 135	155.00	156.00	sag	fau	M				0.1	qtz
AN 11 - 135	156.00	157.00	sag	fau	M				0.1	qtz
AN 11 - 135	157.00	158.00	sag	fau	M				0.1	qtz

			Fabric							
Hole ID	Depth_From	Depth_To	Texture	Struc	StrucInt	Spl%	Gln%	Ccp%	Pyr%	Comp1
Hole ID/Site ID	Depth from	Depth To	texture	Structure	Structural Intensity	Components of the lith type. I.e. clasts, matrix, phe additional sulfides				
AN 11 - 135	158.00	159.00	sag	fau	M				0.1	qtz
AN 11 - 135	159.00	160.00	sag	fau	M				0.1	qtz
AN 11 - 135	160.00	161.00	sag	fau	M				0.1	qtz
AN 11 - 135	161.00	162.00	sag	fau	M				0.1	qtz
AN 11 - 135	162.00	163.00	sag	fau	M					qtz
AN 11 - 135	163.00	164.00	sag	fau	M					qtz
AN 11 - 135	164.00	164.60	sag	fau	M					qtz
AN 11 - 135	164.60	166.00	mxs	bxx	M				0.1	qtz
AN 11 - 135	166.00	167.00	mxs	bxx	M					qtz
AN 11 - 135	167.00	168.00	mxs	bxx	M					qtz
AN 11 - 135	168.00	169.00	mxs	bxx	M					qtz
AN 11 - 135	169.00	170.00	mxs	bxx	M					qtz
AN 11 - 135	170.00	171.00	mxs	bxx	M					qtz
AN 11 - 135	171.00	172.00	mxs	bxx	M					qtz
AN 11 - 135	172.00	172.50	mxs	bxx	M					qtz
AN 11 - 135	172.50	173.00	Blk	cbx	M					
AN 11 - 135	173.00	174.00	Blk	cbx	M					
AN 11 - 135	174.00	175.00	Blk	cbx	M					
AN 11 - 135	175.00	176.00	Blk	cbx	M					
AN 11 - 135	176.00	177.00	Blk	cbx	M					
AN 11 - 135	177.00	178.00	Blk	cbx	M					
AN 11 - 135	178.00	179.00	Blk	cbx	M					
AN 11 - 135	179.00	179.50	Blk	cbx	M					



			Fabric							
Hole ID	Depth_From	Depth_To	Texture	Struc	StrucInt	Spl%	Gln%	Ccp%	Pyr%	Comp1
Hole ID/Site ID	Depth from	Depth To	texture	Structure	Structural Intensity	Components of the lith type. I.e. clasts, matrix, phe additional sulfides				
AN 11 - 135	179.50	180.00	mbd	mas	M					
AN 11 - 135	180.00	181.00	mbd	mas	M					
AN 11 - 135	181.00	182.00	mbd	mas	M					
AN 11 - 135	182.00	183.00	mbd	mas	M					
AN 11 - 135	183.00	184.00	cgl	mas	M				2	
AN 11 - 135	184.00	185.00	cgl	mas	M				2	
AN 11 - 135	185.00	186.00	cgl	mas	M					
AN 11 - 135	186.00	187.00	mbd	mas	M					
AN 11 - 135	187.00	188.00	mbd	mas	M				0.2	
AN 11 - 135	188.00	189.30	mbd	mas	M					
AN 11 - 135	189.30	190.00	mxs	mas	M					
AN 11 - 135	190.00	191.00	mxs	mas	M	0.1		0.1	0.2	
AN 11 - 135	191.00	192.00	mxs	mas	M	0.1		0.1	0.2	
AN 11 - 135	192.00	193.00	mxs	mas	M	0.1		0.1	0.1	
AN 11 - 135	193.00	194.00	mxs	mas	M			0.5		
AN 11 - 135	194.00	195.00	mxs	mas	M			0.5		
AN 11 - 135	195.00	196.00	mxs	mas	M			0.5		
AN 11 - 135	196.00	197.00	mxs	mas	M			0.5		
AN 11 - 135	197.00	198.00	mxs	mas	M			0.5		
AN 11 - 135	198.00	199.00	mxs	mas	M			0.5		
AN 11 - 135	199.00	199.50	mxs	mas	M					
AN 11 - 135	199.50	200.00	cla	cta	M				0.5	
AN 11 - 135	200.00	201.00	cla	cta	M				0.5	
AN 11 - 135	201.00	202.00	cla	cta	M				0.5	
AN 11 - 135	202.00	203.00	cla	cta	M				0.5	

			Fabric							
Hole ID	Depth_From	Depth_To	Texture	Struc	StrucInt	Spl%	Gln%	Ccp%	Pyr%	Comp1
Hole ID/Site ID	Depth from	Depth To	texture	Structure	Structural Intensity	Components of the lith type. I.e. clasts, matrix, phe additional sulfides				
AN 11 - 135	203.00	204.00	cla	cta	M				0.5	
AN 11 - 135	204.00	205.00	dsr	bxx	M	0.5			1	
AN 11 - 135	205.00	206.00	dsr	bxx	M	0.5			1	
AN 11 - 135	206.00	207.00	dsr	bxx	M	0.5			1	
AN 11 - 135	207.00	208.00	dsr	bxx	M	0.5			1	
AN 11 - 135	208.00	209.00	dsr	bxx	M	0.5			1	
AN 11 - 135	209.00	210.00	dsr	bxx	M	0.5			1	
AN 11 - 135	210.00	211.00	dsr	bxx	M	0.5			1	
AN 11 - 135	211.00	212.00	dsr	bxx	M	0.5			1	
AN 11 - 135	212.00	212.40	dsr	bxx	M	0.5			1	
AN 11 - 135	212.40	213.00	mos	cbx	I					
AN 11 - 135	213.00	214.00	mos	cbx	I					
AN 11 - 135	214.00	215.00	mos	cbx	I					
AN 11 - 135	215.00	216.00	mos	cbx	I					
AN 11 - 135	216.00	216.30	mos	cbx	I					
AN 11 - 135	216.30	217.00	mas	frc	M				2	
AN 11 - 135	217.00	218.00	mas	frc	M				2	

			Fabric							
Hole ID	Depth_From	Depth_To	Texture	Struc	StrucInt	Spl%	Gln%	Ccp%	Pyr%	Comp1
Hole ID/Site ID	Depth from	Depth To	texture	Structure	Structural Intensity	Components of the lith type. I.e. clasts, matrix, phe additional sulfides				
AN 11 - 135	218.00	219.00	mas	frc	M				2	
AN 11 - 135	219.00	220.00	mas	frc	M				2	
AN 11 - 135	220.00	221.00	mas	frc	M				2	
AN 11 - 135	221.00	222.00	mas	frc	M				2	
AN 11 - 135	222.00	223.00	mas	frc	M				2	
AN 11 - 135	223.00	224.00	mas	frc	M				2	
AN 11 - 135	224.00	225.00	mas	frc	M				2	
AN 11 - 135	225.00	226.00	mas	frc	M				2	
AN 11 - 135	226.00	227.00	mas	frc	M				2	
AN 11 - 135	227.00	228.00	mas	frc	M				2	
AN 11 - 135	228.00	229.00	mas	frc	M				2	
AN 11 - 135	229.00	230.00	mas	frc	M				2	
AN 11 - 135	230.00	231.00	mas	frc	M				2	
AN 11 - 135	231.00	232.00	mas	frc	M				2	
AN 11 - 135	232.00	233.00	mas	frc	M				2	
AN 11 - 135	233.00	234.00	mas	frc	M				2	
AN 11 - 135	234.00	235.00	mas	frc	M				2	
AN 11 - 135	235.00	236.00	mas	frc	M				2	
AN 11 - 135	236.00	236.92	mas	frc	M				2	
AN 11 - 135	236.92	237.00	mos	cbx	M	10			1	
AN 11 - 135	237.00	238.00	mos	cbx	M	10			1	
AN 11 - 135	238.00	239.00	mos	cbx	M	15			1	
AN 11 - 135	239.00	240.00	mos	cbx	M	10			1	
AN 11 - 135	240.00	241.00	mos	cbx	M	1			1	
AN 11 - 135	241.00	242.00	mos	cbx	M	0.5			1	

			Fabric							
Hole ID	Depth_From	Depth_To	Texture	Struc	StrucInt	Spl%	Gln%	Ccp%	Pyr%	Comp1
Hole ID/Site ID	Depth from	Depth To	texture	Structure	Structural Intensity	Components of the lith type. I.e. clasts, matrix, phe additional sulfides				
AN 11 - 135	242.00	243.00	mos	cbx	M	0.5			1	
AN 11 - 135	243.00	244.00	mos	cbx	M	0.5			1	
AN 11 - 135	244.00	245.00	mos	cbx	M	0.5			1	
AN 11 - 135	245.00	246.00	dsr	cta	M	0.1			1	
AN 11 - 135	246.00	247.00	dsr	cta	M	0.1			1	
AN 11 - 135	247.00	248.00	dsr	cta	M	0.1			1	
AN 11 - 135	248.00	248.50	dsr	cta	M	0.1			1	
AN 11 - 135	248.50	249.00	dsr	cbx	M				0.5	
AN 11 - 135	249.00	250.00	dsr	cbx	M				0.5	cal
AN 11 - 135	250.00	251.00	dsr	cbx	M				0.5	cal
AN 11 - 135	251.00	252.00	dsr	cbx	M				3	cal
AN 11 - 135	252.00	253.00	dsr	cbx	M	3			0.5	cal
AN 11 - 135	253.00	254.00	dsr	cbx	M	0.1			0.5	cal
AN 11 - 135	254.00	255.00	dsr	cbx	M	0.1			0.5	cal
AN 11 - 135	255.00	256.00	dsr	cbx	M	0.1			0.5	cal
AN 11 - 135	256.00	257.00	dsr	cbx	M	0.1			0.5	cal
AN 11 - 135	257.00	258.00	dsr	cbx	M	0.1			0.5	cal
AN 11 - 135	258.00	259.00	dsr	cbx	M	0.1			1	cal
AN 11 - 135	259.00	260.00	blk	fau	I				0.1	cal
AN 11 - 135	260.00	261.00	blk	fau	I				0.1	cal
AN 11 - 135	261.00	262.00	blk	fau	I				0.1	cal
AN 11 - 135	262.00	263.00	blk	fau	I				0.1	cal
AN 11 - 135	263.00	264.00	blk	fau	I				0.1	cal
AN 11 - 135	264.00	265.00	blk	fau	I				0.2	cal
AN 11 - 135	265.00	266.00	blk	fau	I				0.1	cal

			Fabric							
Hole ID	Depth_From	Depth_To	Texture	Struc	StrucInt	Spl%	Gln%	Ccp%	Pyr%	Comp1
Hole ID/Site ID	Depth from	Depth To	texture	Structure	Structural Intensity	Components of the lith type. I.e. clasts, matrix, phe additional sulfides				
AN 11 - 135	266.00	267.00	blk	fau	I	0.5			0.1	cal
AN 11 - 135	267.00	268.00	blk	fau	I				0.1	cal
AN 11 - 135	268.00	269.00	blk	fau	I				0.1	cal
AN 11 - 135	269.00	270.00	blk	fau	I				0.1	cal
AN 11 - 135	270.00	271.00	blk	fau	I				0.1	cal
AN 11 - 135	271.00	272.00	blk	fau	I				0.1	cal
AN 11 - 135	272.00	273.00	blk	fau	I				0.1	cal
AN 11 - 135	273.00	274.00	blk	fau	I				0.1	cal
AN 11 - 135	274.00	275.00	blk	fau	I					cal
AN 11 - 135	275.00	276.00	mas	cbx	I				0.1	
AN 11 - 135	276.00	277.00	mas	cbx	I				0.1	
AN 11 - 135	277.00	278.00	mas	cbx	I				0.2	
AN 11 - 135	278.00	278.50	mas	cbx	I				0.2	
AN 11 - 135	278.50	279.00	blk	cbx	I	0.2		5	0.1	
AN 11 - 135	279.00	280.00	blk	cbx	I					
AN 11 - 135	280.00	281.00	blk	cbx	I					
AN 11 - 135	281.00	282.00	blk	cbx	I					
AN 11 - 135	282.00	283.00	blk	cbx	I					
AN 11 - 135	283.00	284.00	blk	cbx	I					
AN 11 - 135	284.00	285.00	blk	cbx	I					
AN 11 - 135	285.00	286.00	blk	cbx	I					
AN 11 - 135	286.00	287.00	blk	cbx	I					
AN 11 - 135	287.00	288.00	blk	cbx	I					
AN 11 - 135	288.00	289.00	blk	cbx	I					
AN 11 - 135	289.00	290.00	blk	cbx	I					
AN 11 - 135	290.00	291.00	blk	cbx	I					

			Fabric							
Hole ID	Depth_From	Depth_To	Texture	Struc	StrucInt	Spl%	Gln%	Ccp%	Pyr%	Comp1
Hole ID/Site ID	Depth from	Depth To	texture	Structure	Structural Intensity	Components of the lith type. I.e. clasts, matrix, phe additional sulfides				
AN 11 - 135	291.00	292.00	blk	cbx	I	0.1			0.1	
AN 11 - 135	292.00	293.00	Blk	cbx	M					Qtz
AN 11 - 135	293.00	294.00	Blk	cbx	M					Qtz
AN 11 - 135	294.00	295.00	Blk	cbx	M					Qtz
AN 11 - 135	295.00	296.00	Blk	cbx	M					Qtz
AN 11 - 135	296.00	296.60	Blk	cbx	M					Qtz
AN 11 - 135	296.60	298.00	ttd	cbx	M					Qtz
AN 11 - 135	298.00	299.00	ttd	cbx	M					Qtz
AN 11 - 135	299.00	300.00	ttd	cbx	M					Qtz
AN 11 - 135	300.00	301.00	ttd	ctt	M					
AN 11 - 135	301.00	302.00	ttd	ctt	M					
AN 11 - 135	302.00	303.00	ttd	ctt	M					
AN 11 - 135	303.00	304.00	ttd	ctt	M					
AN 11 - 135	304.00	305.00	ttd	ctt	M					
AN 11 - 135	305.00	306.00	ttd	ctt	M					
AN 11 - 135	306.00	307.00	ttd	ctt	M					
AN 11 - 135	307.00	308.00	ttd	ctt	M					
AN 11 - 135	308.00	309.00	ttd	ctt	M					
AN 11 - 135	309.00	310.00	ttd	ctt	M					
AN 11 - 135	310.00	310.90	ttd	ctt	W					
AN 11 - 135	310.90	311.00	mas	bxx	M					
AN 11 - 135	311.00	312.00	mas	bxx	M					
AN 11 - 135	312.00	313.00	mas	bxx	M					

			Fabric							
Hole ID	Depth_From	Depth_To	Texture	Struc	StrucInt	Spl%	Gln%	Ccp%	Pyr%	Comp1
Hole ID/Site ID	Depth from	Depth To	texture	Structure	Structural Intensity	Components of the lith type. I.e. clasts, matrix, phe additional sulfides				
AN 11 - 135	313.00	314.00	mas	bxx	M					
AN 11 - 135	314.00	315.00	mas	bxx	M					
AN 11 - 135	315.00	315.90	mas	bxx	M					
AN 11 - 135	315.90	316.00	dsr	frc	M					
AN 11 - 135	316.00	317.00	dsr	frc	M					
AN 11 - 135	317.00	318.00	dsr	frc	M					
AN 11 - 135	318.00	319.00	dsr	frc	M					
AN 11 - 135	319.00	320.00	dsr	frc	M					
AN 11 - 135	320.00	321.00	dsr	frc	M					
AN 11 - 135	321.00	321.60	dsr	frc	M					
AN 11 - 135	321.60	322.00	grn	bxx	I					
AN 11 - 135	322.00	323.00	grn	bxx	I					
AN 11 - 135	323.00	323.20	grn	bxx	I					
AN 11 - 135	323.20	323.00	grn	bxx	I					
AN 11 - 135	323.00	323.2	grn	bxx	I					
AN 11 - 135	323.20	324.00	ttd	mas	M				0.5	
AN 11 - 135	324.00	325.00	ttd	mas	M					
AN 11 - 135	325.00	326.00	ttd	mas	M					
AN 11 - 135	326.00	327.00	ttd	mas	M					
AN 11 - 135	327.00	328.00	ttd	mas	M					
AN 11 - 135	328.00	329.00	ttd	mas	M					
AN 11 - 135	329.00	330.00	ttd	mas	M					
AN 11 - 135	330.00	331.00	ttd	mas	M					

			Fabric							
Hole ID	Depth_From	Depth_To	Texture	Struc	StrucInt	Spl%	Gln%	Ccp%	Pyr%	Comp1
Hole ID/Site ID	Depth from	Depth To	texture	Structure	Structural Intensity	Components of the lith type. I.e. clasts, matrix, phe additional sulfides				
AN 11 - 135	331.00	332.00	ttd	mas	M					
AN 11 - 135	332.00	332.23	ttd	mas	M					
AN 11 - 135	332.23	333.00	grn	mas	M	5				grp
AN 11 - 135	333.00	334.00	grn	mas	M					grp
AN 11 - 135	334.00	335.00	grn	mas	M					grp
AN 11 - 135	335.00	336.00	grn	mas	M					grp
AN 11 - 135	336.00	337.00	grn	mas	M					grp
AN 11 - 135	337.00	338.00	grn	mas	M					grp
AN 11 - 135	338.00	339.00	grn	mas	M					grp
AN 11 - 135	339.00	340.00	grn	mas	M					grp
AN 11 - 135	340.00	341.00	grn	mas	M					grp
AN 11 - 135	341.00	342.00	grn	mas	M					cbn
AN 11 - 135	342.00	343.00	grn	mas	M					
AN 11 - 135	343.00	344.00	grn	mas	M					
AN 11 - 135	344.00	345.00	grn	mas	M					
AN 11 - 135	345.00	346.00	grn	mas	M					
AN 11 - 135	346.00	347.00	grn	mas	M					
AN 11 - 135	347.00	348.00	grn	mas	M					
AN 11 - 135	348.00	349.00	grn	mas	M					
AN 11 - 135	349.00	350.00	grn	mas	M					
AN 11 - 135	350.00	351.00	grn	mas	M					
AN 11 - 135	351.00	352.00	grn	mas	M					
AN 11 - 135	352.00	353.00	grn	mas	M					



			Fabric							
Hole ID	Depth_From	Depth_To	Texture	Struc	StrucInt	Spl%	Gln%	Ccp%	Pyr%	Comp1
Hole ID/Site ID	Depth from	Depth To	texture	Structure	Structural Intensity	Components of the lith type. I.e. clasts, matrix, phe additional sulfides				
AN 11 - 135	353.00	354.00	grn	mas	M					
AN 11 - 135	354.00	355.00	grn	mas	M					
AN 11 - 135	355.00	356.00	grn	mas	M					
AN 11 - 135	356.00	357.00	grn	mas	M		1			
AN 11 - 135	357.00	358.00	grn	mas	M		2			
AN 11 - 135	358.00	358.70	grn	mas	M					
AN 11 - 135	358.70	359.00	bed	mas	I					
AN 11 - 135	359.00	360.00	bed	mas	I					
AN 11 - 135	360.00	361.00	bed	mas	I					
AN 11 - 135	361.00	362.00	bed	mas	I					
AN 11 - 135	362.00	363.00	bed	mas	I					
AN 11 - 135	363.00	364.00	bed	mas	I					
AN 11 - 135	364.00	365.00	bed	mas	I					
AN 11 - 135	365.00	366.00	bed	mas	I					
AN 11 - 135	366.00	367.00	bed	mas	I					
AN 11 - 135	367.00	368.00	bed	mas	I					
AN 11 - 135	368.00	369.00	bed	mas	I					
AN 11 - 135	369.00	370.00	bed	mas	I					
AN 11 - 135	370.00	371.00	bed	mas	I					
AN 11 - 135	371.00	371.40	bed	mas	I					
AN 11 - 135	371.40	372.00	grn	mas	M					
AN 11 - 135	372.00	373.00	grn	mas	M					
AN 11 - 135	373.00	374.00	grn	mas	M					
AN 11 - 135	374.00	375.00	grn	mas	M					
AN 11 - 135	375.00	375.60	grn	mas	M					
AN 11 - 135	375.60	376.00	bed	mas	I					
AN 11 - 135	376.00	377.00	bed	mas	I					

			Fabric							
Hole ID	Depth_From	Depth_To	Texture	Struc	StrucInt	Spl%	Gln%	Ccp%	Pyr%	Comp1
Hole ID/Site ID	Depth from	Depth To	texture	Structure	Structural Intensity	Components of the lith type. I.e. clasts, matrix, phe additional sulfides				
AN 11 - 135	377.00	378.00	bed	mas		3				
AN 11 - 135	378.00	379.00	bed	mas						
AN 11 - 135	379.00	380.00	bed	mas						
AN 11 - 135	380.00	381.00	bed	mas						
AN 11 - 135	381.00	382.00	bed	mas						
AN 11 - 135	382.00	383.00	bed	mas						
AN 11 - 135	383.00	384.00	bed	mas						
AN 11 - 135	384.00	385.00	bed	mas						
AN 11 - 135	385.00	386.00	bed	mas						
AN 11 - 135	386.00	387.00	bed	mas						
AN 11 - 135	387.00	388.00	bed	mas						
AN 11 - 135	388.00	388.40	bed	mas						
AN 11 - 135	388.40	389.00	grn	mas						Pyo
AN 11 - 135	389.00	390.00	grn	mas						
AN 11 - 135	390.00	391.00	grn	mas						
AN 11 - 135	391.00	392.00	grn	mas						
AN 11 - 135	392.00	393.00	grn	mas						
AN 11 - 135	393.00	394.00	grn	mas						
AN 11 - 135	394.00	395.00	grn	mas						
AN 11 - 135	395.00	396.00	grn	mas						
AN 11 - 135	396.00	397.00	grn	mas						
AN 11 - 135	397.00	398.00	grn	mas						
AN 11 - 135	398.00	399.00	grn	mas						
AN 11 - 135	399.00	400.00	grn	mas						

			Fabric							
Hole ID	Depth_From	Depth_To	Texture	Struc	StrucInt	Spl%	Gln%	Ccp%	Pyr%	Comp1
Hole ID/Site ID	Depth from	Depth To	texture	Structure	Structural Intensity	Components of the lith type. I.e. clasts, matrix, phe additional sulfides				
AN 11 - 135	400.00	401.00	grn	mas	I					
AN 11 - 135	401.00	402.00	grn	mas	I					
AN 11 - 135	402.00	403.00	grn	mas	I					
AN 11 - 135	403.00	404.00	grn	mas	I					
AN 11 - 135	404.00	405.00	grn	mas	I					
AN 11 - 135	405.00	406.00	grn	mas	I					
AN 11 - 135	406.00	407.00	grn	mas	I					
AN 11 - 135	407.00	408.00	grn	mas	I					
AN 11 - 135	408.00	409.00	grn	mas	I					
AN 11 - 135	409.00	409.50	grn	mas	I					
AN 11 - 135	409.50	410.00	dsr	bxx	I					pyo
AN 11 - 135	410.00	411.00	dsr	bxx	I					pyo
AN 11 - 135	411.00	412.00	dsr	bxx	I					pyo
AN 11 - 135	412.00	413.00	dsr	bxx	I					pyo
AN 11 - 135	413.00	414.00	dsr	bxx	I					pyo
AN 11 - 135	414.00	415.00	dsr	bxx	I					pyo
AN 11 - 135	415.00	416.00	dsr	bxx	I					pyo
AN 11 - 135	416.00	416.2	dsr	bxx	I					pyo
AN 11 - 135	416.20	417.00	flb	sch	M					
AN 11 - 135	417.00	418.00	flb	sch	M					
AN 11 - 135	418.00	419.00	flb	sch	M					
AN 11 - 135	419.00	420.00	flb	sch	M					
AN 11 - 135	420.00	421.00	flb	sch	M					
AN 11 - 135	421.00	422.00	flb	sch	M				0.1	
AN 11 - 135	422.00	423.00	flb	sch	M				0.1	

			Fabric							
Hole ID	Depth_From	Depth_To	Texture	Struc	StrucInt	Spl%	Gln%	Ccp%	Pyr%	Comp1
Hole ID/Site ID	Depth from	Depth To	texture	Structure	Structural Intensity	Components of the lith type. I.e. clasts, matrix, phe additional sulfides				
AN 11 - 135	423.00	424.00	flb	sch	M				0.1	
AN 11 - 135	424.00	425.00	flb	sch	M				0.1	
AN 11 - 135	425.00	426.00	dsr	bxx	I					
AN 11 - 135	426.00	427.00	dsr	bxx	I					
AN 11 - 135	427.00	428.00	dsr	bxx	I					
AN 11 - 135	428.00	429.00	dsr	bxx	I					
AN 11 - 135	429.00	430.00	dsr	bxx	I					
AN 11 - 135	430.00	431.00	dsr	bxx	I					
AN 11 - 135	431.00	432.00	dsr	bxx	I					
AN 11 - 135	432.00	433.00	dsr	bxx	I					
AN 11 - 135	433.00	434.00	dsr	bxx	I					
AN 11 - 135	434.00	434.50	dsr	bxx	I					
AN 11 - 135	434.50	435.00	grn	mas	M					
AN 11 - 135	435.00	436.00	grn	mas	M					
AN 11 - 135	436.00	437.00	grn	mas	M					
AN 11 - 135	437.00	437.90	grn	mas	M					
AN 11 - 135	437.90	438.00	dsr	bxx	I					
AN 11 - 135	438.00	439.00	dsr	bxx	I					
AN 11 - 135	439.00	440.00	dsr	bxx	I					
AN 11 - 135	440.00	441.00	dsr	bxx	I					
AN 11 - 135	441.00	442.00	dsr	bxx	I					
AN 11 - 135	442.00	443.00	dsr	bxx	I					
AN 11 - 135	443.00	444.00	dsr	bxx	I					
AN 11 - 135	444.00	445.00	dsr	bxx	I					
AN 11 - 135	445.00	446.00	dsr	bxx	I				5	pyo pyo

			Fabric							
Hole ID	Depth_From	Depth_To	Texture	Struc	StrucInt	Spl%	Gln%	Ccp%	Pyr%	Comp1
Hole ID/Site ID	Depth from	Depth To	texture	Structure	Structural Intensity	Components of the lith type. I.e. clasts, matrix, phe additional sulfides				
AN 11 - 135	446.00	447.00	dsr	bxx	l					
AN 11 - 135	447.00	448.00	dsr	bxx	l					
AN 11 - 135	448.00	449.00	dsr	bxx	l					
AN 11 - 135	449.00	450.00	dsr	bxx	l					
AN 11 - 135	450.00	451.00	dsr	bxx	l					
AN 11 - 135	451.00	451.10	dsr	bxx	l					
AN 11 - 135	451.10	452.00	dsr	bxx	l					
AN 11 - 135	452.00	453.00	grn	bxx	m					
AN 11 - 135	453.00	454.00	grn	bxx	m					
AN 11 - 135	454.00	455.00	grn	bxx	m					
AN 11 - 135	455.00	456.00	bed	mas	m					
AN 11 - 135	456.00	457.00	bed	mas	m					
AN 11 - 135	457.00	458.00	bed	mas	m					
AN 11 - 135	458.00	459.00	bed	mas	m					
AN 11 - 135	459.00	460.00	bed	mas	m					
AN 11 - 135	460.00	461.00	bed	mas	m					
AN 11 - 135	461.00	461.70	bed	mas	m					
AN 11 - 135	461.70	462.00	grn	bxx	m					
AN 11 - 135	462.00	463.00	grn	bxx	m					
AN 11 - 135	463.00	464.00	grn	bxx	m					
AN 11 - 135	464.00	465.00	grn	bxx	m					
AN 11 - 135	465.00	466.00	grn	bxx	m					
AN 11 - 135	466.00	467.00	grn	bxx	m					
AN 11 - 135	467.00	468.00	grn	bxx	m					
AN 11 - 135	468.00	469.00	grn	bxx	m					

			Fabric							
Hole ID	Depth_From	Depth_To	Texture	Struc	StrucInt	Spl%	Gln%	Ccp%	Pyr%	Comp1
Hole ID/Site ID	Depth from	Depth To	texture	Structure	Structural Intensity	Components of the lith type. I.e. clasts, matrix, phe additional sulfides				
AN 11 - 135	469.00	469.9	grn	bxx	m					
AN 11 - 135	469.90	470.00	bed	bxx	m					
AN 11 - 135	470.00	471.00	bed	bxx	m					
AN 11 - 135	471.00	472.00	bed	bxx	m					
AN 11 - 135	472.00	473.00	bed	bxx	m					
AN 11 - 135	473.00	474.00	bed	bxx	m					
AN 11 - 135	474.00	474.8	bed	bxx	m					
AN 11 - 135	474.80	475.00	grn	mas	l					
AN 11 - 135	475.00	476.00	grn	mas	l					
AN 11 - 135	476.00	477.00	grn	mas	l					
AN 11 - 135	477.00	478.00	grn	mas	l					
AN 11 - 135	478.00	478.54	grn	mas	l					

						Alteration1			Alteration2		
Hole ID	Depth_From	Depth_To	Comp1%	Comp2	Comp2%	Alt1 Assemblage	Alt1Int	Alt1Style	Alt2 Assemblage	Alt2Int	Alt2Style
Hole ID/Site ID	Depth from	Depth To	Phenocrysts, wallrock inclusions,			Alt assemblage	Alt Intensity	Style of Alteration	Alt assemblage	Alt Intensity	Style of Alteration
AN 11 - 135	0.00	1.00									
AN 11 - 135	1.00	2.00									
AN 11 - 135	2.00	3.00									
AN 11 - 135	3.00	3.15									
AN 11 - 135	3.15	4.00	5								
AN 11 - 135	4.00	5.00	5								
AN 11 - 135	5.00	6.00	5								
AN 11 - 135	6.00	7.00	5								
AN 11 - 135	7.00	8.00	5								
AN 11 - 135	8.00	9.00	5								
AN 11 - 135	9.00	10.00	5								
AN 11 - 135	10.00	11.00	5								
AN 11 - 135	11.00	12.00	5								
AN 11 - 135	12.00	13.00	5								
AN 11 - 135	13.00	14.00	5								
AN 11 - 135	14.00	15.00	5								
AN 11 - 135	15.00	16.00	5								
AN 11 - 135	16.00	17.00	5								

						Alteration1			Alteration2		
Hole ID	Depth_From	Depth_To	Comp1%	Comp2	Comp2%	Alt1 Assemblage	Alt1Int	Alt1Style	Alt2 Assemblage	Alt2Int	Alt2Style
Hole ID/Site ID	Depth from	Depth To	Phenocrysts, wallrock inclusions,			Alt assemblage	Alt Intensity	Style of Alteration	Alt assemblage	Alt Intensity	Style of Alteration
AN 11 - 135	17.00	18.00	5								
AN 11 - 135	18.00	19.00	5								
AN 11 - 135	19.00	20.20	5								
AN 11 - 135	20.20	21.00	5								
AN 11 - 135	21.00	22.00	5								
AN 11 - 135	22.00	23.00	5								
AN 11 - 135	23.00	24.00	5								
AN 11 - 135	24.00	25.00	5								
AN 11 - 135	25.00	26.00	5								
AN 11 - 135	26.00	27.00	5								
AN 11 - 135	27.00	28.00	5								
AN 11 - 135	28.00	29.00	5								
AN 11 - 135	29.00	30.00	5								
AN 11 - 135	30.00	31.00	5								
AN 11 - 135	31.00	32.00	5								
AN 11 - 135	32.00	33.00	5								
AN 11 - 135	33.00	34.20	5								





						Alteration1			Alteration2		
Hole ID	Depth_From	Depth_To	Comp1%	Comp2	Comp2%	Alt1 Assemblage	Alt1Int	Alt1Style	Alt2 Assemblage	Alt2Int	Alt2Style
Hole ID/Site ID	Depth from	Depth To	Phenocrysts, wallrock inclusions,			Alt assemblage	Alt Intensity	Style of Alteration	Alt assemblage	Alt Intensity	Style of Alteration
AN 11 - 135	54.00	55.45									
AN 11 - 135	55.45	56.00	40								
AN 11 - 135	56.00	57.00									
AN 11 - 135	57.00	58.00									
AN 11 - 135	58.00	59.00									
AN 11 - 135	59.00	60.00									
AN 11 - 135	60.00	61.00									
AN 11 - 135	61.00	62.00									
AN 11 - 135	62.00	63.00									
AN 11 - 135	63.00	64.00									
AN 11 - 135	64.00	65.00									
AN 11 - 135	65.00	66.00									
AN 11 - 135	66.00	67.00									
AN 11 - 135	67.00	68.00									
AN 11 - 135	68.00	69.00									
AN 11 - 135	69.00	70.00									
AN 11 - 135	70.00	71.00									
AN 11 - 135	71.00	72.00									
AN 11 - 135	72.00	73.00									
AN 11 - 135	73.00	74.00									

[illegible]

						Alteration1			Alteration2		
Hole ID	Depth_From	Depth_To	Comp1%	Comp2	Comp2%	Alt1 Assemblage	Alt1Int	Alt1Style	Alt2 Assemblage	Alt2Int	Alt2Style
Hole ID/Site ID	Depth from	Depth To	phocysts, wallrock inclusions,			Alt assemblage	Alt Intensity	Style of Alteration	Alt assemblage	Alt Intensity	Style of Alteration
AN 11 - 135	91.00	92.00									
AN 11 - 135	92.00	93.00									
AN 11 - 135	93.00	94.00									
AN 11 - 135	94.00	95.00									
AN 11 - 135	95.00	96.00									
AN 11 - 135	96.00	97.00									
AN 11 - 135	97.00	98.00									
AN 11 - 135	98.00	98.20									
AN 11 - 135	98.20	99.00									
AN 11 - 135	99.00	100.00									
AN 11 - 135	100.00	101.00									
AN 11 - 135	101.00	102.00									
AN 11 - 135	102.00	102.30									
AN 11 - 135	102.30	103.00									
AN 11 - 135	103.00	104.00									
AN 11 - 135	104.00	105.00									
AN 11 - 135	105.00	106.00									
AN 11 - 135	106.00	107.00									
AN 11 - 135	107.00	108.00									
AN 11 - 135	108.00	108.50									
AN 11 - 135	108.50	109.00									
AN 11 - 135	109.00	110.00									
AN 11 - 135	110.00	111.00									
AN 11 - 135	111.00	112.00									
AN 11 - 135	112.00	113.00									
AN 11 - 135	113.00	114.00									



						Alteration1			Alteration2		
Hole ID	Depth_From	Depth_To	Comp1%	Comp2	Comp2%	Alt1 Assemblage	Alt1Int	Alt1Style	Alt2 Assemblage	Alt2Int	Alt2Style
Hole ID/Site ID	Depth from	Depth To	Phenocrysts, wallrock inclusions,			Alt assemblage	Alt Intensity	Style of Alteration	Alt assemblage	Alt Intensity	Style of Alteration
AN 11 - 135	137.00	138.00									
AN 11 - 135	138.00	138.10									
AN 11 - 135	138.10	139.00	0.5								
AN 11 - 135	139.00	140.00	0.5								
AN 11 - 135	140.00	141.00	0.5								
AN 11 - 135	141.00	142.00	0.5								
AN 11 - 135	142.00	143.00	0.5								
AN 11 - 135	143.00	144.00	0.5								
AN 11 - 135	144.00	145.00	0.5								
AN 11 - 135	145.00	146.00	0.5								
AN 11 - 135	146.00	147.00	0.5								
AN 11 - 135	147.00	148.00	0.5								
AN 11 - 135	148.00	149.00	0.5								
AN 11 - 135	149.00	150.00	0.5								
AN 11 - 135	150.00	151.00	0.5								
AN 11 - 135	151.00	152.00	0.5								
AN 11 - 135	152.00	153.00	0.5								
AN 11 - 135	153.00	153.62									
AN 11 - 135	153.62	154.00	1								
AN 11 - 135	154.00	155.00	1								
AN 11 - 135	155.00	156.00	1								
AN 11 - 135	156.00	157.00	1								
AN 11 - 135	157.00	158.00	1								











						Alteration1			Alteration2		
Hole ID	Depth_From	Depth_To	Comp1%	Comp2	Comp2%	Alt1 Assemblage	Alt1Int	Alt1Style	Alt2 Assemblage	Alt2Int	Alt2Style
Hole ID/Site ID	Depth from	Depth To	Phenocrysts, wallrock inclusions,			Alt assemblage	Alt Intensity	Style of Alteration	Alt assemblage	Alt Intensity	Style of Alteration
AN 11 - 135	242.00	243.00									
AN 11 - 135	243.00	244.00									
AN 11 - 135	244.00	245.00									
AN 11 - 135	245.00	246.00									
AN 11 - 135	246.00	247.00									
AN 11 - 135	247.00	248.00									
AN 11 - 135	248.00	248.50									
AN 11 - 135	248.50	249.00									
AN 11 - 135	249.00	250.00									
AN 11 - 135	250.00	251.00	1								
AN 11 - 135	251.00	252.00	1								
AN 11 - 135	252.00	253.00	2								
AN 11 - 135	253.00	254.00	5								
AN 11 - 135	254.00	255.00	3								
AN 11 - 135	255.00	256.00	3								
AN 11 - 135	256.00	257.00	2								
AN 11 - 135	257.00	258.00	2								
AN 11 - 135	258.00	259.00	2								
AN 11 - 135	259.00	260.00	0.1								
AN 11 - 135	260.00	261.00	0.1								
AN 11 - 135	261.00	262.00	0.1								
AN 11 - 135	262.00	263.00	0.1								
AN 11 - 135	263.00	264.00	0.1								
AN 11 - 135	264.00	265.00	0.1								
AN 11 - 135	265.00	266.00	0.1								







[illegible]





						Alteration1			Alteration2		
Hole ID	Depth_From	Depth_To	Comp1%	Comp2	Comp2%	Alt1 Assemblage	Alt1Int	Alt1Style	Alt2 Assemblage	Alt2Int	Alt2Style
Hole ID/Site ID	Depth from	Depth To	Phenocrysts, wallrock inclusions,			Alt assemblage	Alt Intensity	Style of Alteration	Alt assemblage	Alt Intensity	Style of Alteration
AN 11 - 135	377.00	378.00									
AN 11 - 135	378.00	379.00									
AN 11 - 135	379.00	380.00									
AN 11 - 135	380.00	381.00									
AN 11 - 135	381.00	382.00									
AN 11 - 135	382.00	383.00									
AN 11 - 135	383.00	384.00									
AN 11 - 135	384.00	385.00									
AN 11 - 135	385.00	386.00									
AN 11 - 135	386.00	387.00									
AN 11 - 135	387.00	388.00									
AN 11 - 135	388.00	388.40									
AN 11 - 135	388.40	389.00	0.2								
AN 11 - 135	389.00	390.00									
AN 11 - 135	390.00	391.00									
AN 11 - 135	391.00	392.00									
AN 11 - 135	392.00	393.00									
AN 11 - 135	393.00	394.00									
AN 11 - 135	394.00	395.00									
AN 11 - 135	395.00	396.00									
AN 11 - 135	396.00	397.00									
AN 11 - 135	397.00	398.00									
AN 11 - 135	398.00	399.00									
AN 11 - 135	399.00	400.00									



						Alteration1			Alteration2		
Hole ID	Depth_From	Depth_To	Comp1%	Comp2	Comp2%	Alt1 Assemblage	Alt1Int	Alt1Style	Alt2 Assemblage	Alt2Int	Alt2Style
Hole ID/Site ID	Depth from	Depth To	Phenocrysts, wallrock inclusions,			Alt assemblage	Alt Intensity	Style of Alteration	Alt assemblage	Alt Intensity	Style of Alteration
AN 11 - 135	423.00	424.00									
AN 11 - 135	424.00	425.00									
AN 11 - 135	425.00	426.00									
AN 11 - 135	426.00	427.00									
AN 11 - 135	427.00	428.00									
AN 11 - 135	428.00	429.00									
AN 11 - 135	429.00	430.00									
AN 11 - 135	430.00	431.00									
AN 11 - 135	431.00	432.00									
AN 11 - 135	432.00	433.00									
AN 11 - 135	433.00	434.00									
AN 11 - 135	434.00	434.50									
AN 11 - 135	434.50	435.00									
AN 11 - 135	435.00	436.00									
AN 11 - 135	436.00	437.00									
AN 11 - 135	437.00	437.90									
AN 11 - 135	437.90	438.00		cbn	40						
AN 11 - 135	438.00	439.00		cbn	40						
AN 11 - 135	439.00	440.00		cbn	40						
AN 11 - 135	440.00	441.00		cbn	40						
AN 11 - 135	441.00	442.00		cbn	40						
AN 11 - 135	442.00	443.00		cbn	40						
AN 11 - 135	443.00	444.00		cbn	40						
AN 11 - 135	444.00	445.00	1	cbn	40						
AN 11 - 135	445.00	446.00	2	cbn	40						





			Veining						
Hole ID	Depth_From	Depth_To	Vein1	Vn1pc	Vn1form	Vein2	Vn2pc	Vn2Form	Geologist
Hole ID/Site ID	Depth from	Depth To	Primary vein assemblage	percentage of interval	Vein Form	Secondary vein assemblage	percentage of interval	Vein Form	Person who logged the interval
AN 11 - 135	0.00	1.00							E.Gantiva
AN 11 - 135	1.00	2.00							E.Gantiva
AN 11 - 135	2.00	3.00							E.Gantiva
AN 11 - 135	3.00	3.15							E.Gantiva
AN 11 - 135	3.15	4.00	cal	2	par				S.Newman
AN 11 - 135	4.00	5.00	cal	2	par				S.Newman
AN 11 - 135	5.00	6.00	cal	2	par				S.Newman
AN 11 - 135	6.00	7.00	cal	2	par				S.Newman
AN 11 - 135	7.00	8.00	cal	2	par				S.Newman
AN 11 - 135	8.00	9.00	cal	2	par				S.Newman
AN 11 - 135	9.00	10.00	cal	2	par				S.Newman
AN 11 - 135	10.00	11.00	cal	2	par				S.Newman
AN 11 - 135	11.00	12.00	cal	2	par				S.Newman
AN 11 - 135	12.00	13.00	cal	2	par				S.Newman
AN 11 - 135	13.00	14.00	cal	2	par				S.Newman
AN 11 - 135	14.00	15.00	cal	2	par				S.Newman
AN 11 - 135	15.00	16.00	cal	2	par				S.Newman
AN 11 - 135	16.00	17.00	cal	2	par				S.Newman

			Veining						
Hole ID	Depth_From	Depth_To	Vein1	Vn1pc	Vn1form	Vein2	Vn2pc	Vn2Form	Geologist
Hole ID/Site ID	Depth from	Depth To	Primary vein assemblage	percentage of interval	Vein Form	Secondary vein assemblage	percentage of interval	Vein Form	Person who logged the interval
AN 11 - 135	17.00	18.00	cal	2	par				S.Newman
AN 11 - 135	18.00	19.00	cal	2	par				S.Newman
AN 11 - 135	19.00	20.20	cal	2	par				S.Newman
AN 11 - 135	20.20	21.00							S.Newman
AN 11 - 135	21.00	22.00							S.Newman
AN 11 - 135	22.00	23.00							S.Newman
AN 11 - 135	23.00	24.00							S.Newman
AN 11 - 135	24.00	25.00							S.Newman
AN 11 - 135	25.00	26.00							S.Newman
AN 11 - 135	26.00	27.00							S.Newman
AN 11 - 135	27.00	28.00							S.Newman
AN 11 - 135	28.00	29.00							S.Newman
AN 11 - 135	29.00	30.00							S.Newman
AN 11 - 135	30.00	31.00							S.Newman
AN 11 - 135	31.00	32.00							S.Newman
AN 11 - 135	32.00	33.00							S.Newman
AN 11 - 135	33.00	34.20							S.Newman

			Veining						
Hole ID	Depth_From	Depth_To	Vein1	Vn1pc	Vn1form	Vein2	Vn2pc	Vn2Form	Geologist
Hole ID/Site ID	Depth from	Depth To	Primary vein assemblage	percentage of interval	Vein Form	Secondary vein assemblage	percentage of interval	Vein Form	Person who logged the interval
AN 11 - 135	34.20	35.00							S.Newman
AN 11 - 135	35.00	36.00							S.Newman
AN 11 - 135	36.00	37.00							S.Newman
AN 11 - 135	37.00	38.00							S.Newman
AN 11 - 135	38.00	39.00							S.Newman
AN 11 - 135	39.00	40.00							S.Newman
AN 11 - 135	40.00	41.00							S.Newman
AN 11 - 135	41.00	42.00							S.Newman
AN 11 - 135	42.00	43.00							S.Newman
AN 11 - 135	43.00	44.00							S.Newman
AN 11 - 135	44.00	45.00							S.Newman
AN 11 - 135	45.00	46.00							S.Newman
AN 11 - 135	46.00	47.00							S.Newman
AN 11 - 135	47.00	48.00							S.Newman
AN 11 - 135	48.00	49.00							S.Newman
AN 11 - 135	49.00	49.50							S.Newman
AN 11 - 135	49.50	50.00	cal	5	par				S.Newman
AN 11 - 135	50.00	51.00	cal	5	par				S.Newman
AN 11 - 135	51.00	52.00	cal	5	par				S.Newman
AN 11 - 135	52.00	53.00	cal	5	par				S.Newman
AN 11 - 135	53.00	54.00	cal	5	par				S.Newman



			Veining						
Hole ID	Depth_From	Depth_To	Vein1	Vn1pc	Vn1form	Vein2	Vn2pc	Vn2Form	Geologist
Hole ID/Site ID	Depth from	Depth To	Primary vein assemblage	percentage of interval	Vein Form	Secondary vein assemblage	percentage of interval	Vein Form	Person who logged the interval
AN 11 - 135	54.00	55.45	cal	5	par				S.Newman
AN 11 - 135	55.45	56.00	cal	5	par				S.Newman
AN 11 - 135	56.00	57.00	cal	5	par				S.Newman
AN 11 - 135	57.00	58.00	cal	5	par				S.Newman
AN 11 - 135	58.00	59.00	cal	5	par				S.Newman
AN 11 - 135	59.00	60.00	cal	5	par				S.Newman
AN 11 - 135	60.00	61.00	cal	5	par				S.Newman
AN 11 - 135	61.00	62.00	cal	5	par				S.Newman
AN 11 - 135	62.00	63.00	cal	5	par				S.Newman
AN 11 - 135	63.00	64.00	cal	40	par				S.Newman
AN 11 - 135	64.00	65.00	cal	5	par				S.Newman
AN 11 - 135	65.00	66.00	cal	5	par				S.Newman
AN 11 - 135	66.00	67.00	cal	5	par				S.Newman
AN 11 - 135	67.00	68.00	cal	5	par				S.Newman
AN 11 - 135	68.00	69.00	cal	5	par				S.Newman
AN 11 - 135	69.00	70.00	cal	5	par				S.Newman
AN 11 - 135	70.00	71.00	cal	5	par				S.Newman
AN 11 - 135	71.00	72.00	cal	5	par				S.Newman
AN 11 - 135	72.00	73.00	cal	5	par				S.Newman
AN 11 - 135	73.00	74.00	cal	5	par				S.Newman

			Veining						
Hole ID	Depth_From	Depth_To	Vein1	Vn1pc	Vn1form	Vein2	Vn2pc	Vn2Form	Geologist
Hole ID/Site ID	Depth from	Depth To	Primary vein assemblage	percentage of interval	Vein Form	Secondary vein assemblage	percentage of interval	Vein Form	Person who logged the interval
AN 11 - 135	74.00	75.00	cal	5	par				S.Newman
AN 11 - 135	75.00	76.00	cal	5	par				S.Newman
AN 11 - 135	76.00	77.00	cal	5	par				S.Newman
AN 11 - 135	77.00	78.00	cal	5	par				S.Newman
AN 11 - 135	78.00	79.00	cal	5	par				S.Newman
AN 11 - 135	79.00	80.00	cal	5	par				S.Newman
AN 11 - 135	80.00	81.00	cal	5	par				S.Newman
AN 11 - 135	81.00	82.00	cal	5	par				S.Newman
AN 11 - 135	82.00	83.00	cal	5	par				S.Newman
AN 11 - 135	83.00	84.00	cal	5	par				S.Newman
AN 11 - 135	84.00	84.25	cal	5	par				S.Newman
AN 11 - 135	84.25	85.00							S.Newman
AN 11 - 135	85.00	86.00							S.Newman
AN 11 - 135	86.00	87.00							S.Newman
AN 11 - 135	87.00	88.00							S.Newman
AN 11 - 135	88.00	89.00							S.Newman
AN 11 - 135	89.00	90.00							S.Newman
AN 11 - 135	90.00	90.90							S.Newman
AN 11 - 135	90.90	91.00							S.Newman

			Veining						
Hole ID	Depth_From	Depth_To	Vein1	Vn1pc	Vn1form	Vein2	Vn2pc	Vn2Form	Geologist
Hole ID/Site ID	Depth from	Depth To	Primary vein assemblage	percentage of interval	Vein Form	Secondary vein assemblage	percentage of interval	Vein Form	Person who logged the interval
AN 11 - 135	91.00	92.00							S.Newman
AN 11 - 135	92.00	93.00							S.Newman
AN 11 - 135	93.00	94.00							S.Newman
AN 11 - 135	94.00	95.00							S.Newman
AN 11 - 135	95.00	96.00							S.Newman
AN 11 - 135	96.00	97.00							S.Newman
AN 11 - 135	97.00	98.00							S.Newman
AN 11 - 135	98.00	98.20							S.Newman
AN 11 - 135	98.20	99.00							S.Newman
AN 11 - 135	99.00	100.00							S.Newman
AN 11 - 135	100.00	101.00							S.Newman
AN 11 - 135	101.00	102.00							S.Newman
AN 11 - 135	102.00	102.30							S.Newman
AN 11 - 135	102.30	103.00	cal	2	par				S.Newman
AN 11 - 135	103.00	104.00	cal	2	par				S.Newman
AN 11 - 135	104.00	105.00	cal	2	par				S.Newman
AN 11 - 135	105.00	106.00	cal	2	par				S.Newman
AN 11 - 135	106.00	107.00	cal	2	par				S.Newman
AN 11 - 135	107.00	108.00	cal	2	par				S.Newman
AN 11 - 135	108.00	108.50	cal	2	par				S.Newman
AN 11 - 135	108.50	109.00	cal	1	crs				E.Gantiva
AN 11 - 135	109.00	110.00	cal	1	crs				E.Gantiva
AN 11 - 135	110.00	111.00	cal	1	crs				E.Gantiva
AN 11 - 135	111.00	112.00	cal	1	crs				E.Gantiva
AN 11 - 135	112.00	113.00	cal	1	crs				E.Gantiva
AN 11 - 135	113.00	114.00	cal	1	crs				E.Gantiva

			Veining						
Hole ID	Depth_From	Depth_To	Vein1	Vn1pc	Vn1form	Vein2	Vn2pc	Vn2Form	Geologist
Hole ID/Site ID	Depth from	Depth To	Primary vein assemblage	percentage of interval	Vein Form	Secondary vein assemblage	percentage of interval	Vein Form	Person who logged the interval
AN 11 - 135	114.00	115.00	cal	1	crs				E.Gantiva
AN 11 - 135	115.00	116.00	cal	1	crs				E.Gantiva
AN 11 - 135	116.00	117.00	cal	1	crs				E.Gantiva
AN 11 - 135	117.00	118.00	cal	1	crs				E.Gantiva
AN 11 - 135	118.00	119.00	cal	1	crs				E.Gantiva
AN 11 - 135	119.00	120.00	cal	1	crs				E.Gantiva
AN 11 - 135	120.00	121.00	cal	1	crs				E.Gantiva
AN 11 - 135	121.00	122.00	cal	1	crs				E.Gantiva
AN 11 - 135	122.00	123.00	cal	1	crs				E.Gantiva
AN 11 - 135	123.00	124.00	cal	1	crs				E.Gantiva
AN 11 - 135	124.00	125.00	cal	1	crs				E.Gantiva
AN 11 - 135	125.00	126.00							S.Newman
AN 11 - 135	126.00	127.00							S.Newman
AN 11 - 135	127.00	128.00							S.Newman
AN 11 - 135	128.00	129.00							S.Newman
AN 11 - 135	129.00	129.80							S.Newman
AN 11 - 135	129.80	130.00							E.Gantiva
AN 11 - 135	130.00	131.00							E.Gantiva
AN 11 - 135	131.00	132.00							E.Gantiva
AN 11 - 135	132.00	133.00							E.Gantiva
AN 11 - 135	133.00	134.00							E.Gantiva
AN 11 - 135	134.00	135.00							E.Gantiva
AN 11 - 135	135.00	135.90							E.Gantiva
AN 11 - 135	135.90	136.00							E.Gantiva
AN 11 - 135	136.00	137.00							E.Gantiva

			Veining						
Hole ID	Depth_From	Depth_To	Vein1	Vn1pc	Vn1form	Vein2	Vn2pc	Vn2Form	Geologist
Hole ID/Site ID	Depth from	Depth To	Primary vein assemblage	percentage of interval	Vein Form	Secondary vein assemblage	percentage of interval	Vein Form	Person who logged the interval
AN 11 - 135	137.00	138.00							E.Gantiva
AN 11 - 135	138.00	138.10							E.Gantiva
AN 11 - 135	138.10	139.00							E.Gantiva
AN 11 - 135	139.00	140.00							E.Gantiva
AN 11 - 135	140.00	141.00							E.Gantiva
AN 11 - 135	141.00	142.00							E.Gantiva
AN 11 - 135	142.00	143.00							E.Gantiva
AN 11 - 135	143.00	144.00							E.Gantiva
AN 11 - 135	144.00	145.00							E.Gantiva
AN 11 - 135	145.00	146.00							E.Gantiva
AN 11 - 135	146.00	147.00							E.Gantiva
AN 11 - 135	147.00	148.00							E.Gantiva
AN 11 - 135	148.00	149.00							E.Gantiva
AN 11 - 135	149.00	150.00							E.Gantiva
AN 11 - 135	150.00	151.00							E.Gantiva
AN 11 - 135	151.00	152.00							E.Gantiva
AN 11 - 135	152.00	153.00							E.Gantiva
AN 11 - 135	153.00	153.62							E.Gantiva
AN 11 - 135	153.62	154.00							S.Newman
AN 11 - 135	154.00	155.00							S.Newman
AN 11 - 135	155.00	156.00							S.Newman
AN 11 - 135	156.00	157.00							S.Newman
AN 11 - 135	157.00	158.00							S.Newman

			Veining						
Hole ID	Depth_From	Depth_To	Vein1	Vn1pc	Vn1form	Vein2	Vn2pc	Vn2Form	Geologist
Hole ID/Site ID	Depth from	Depth To	Primary vein assemblage	percentage of interval	Vein Form	Secondary vein assemblage	percentage of interval	Vein Form	Person who logged the interval
AN 11 - 135	158.00	159.00							S.Newman
AN 11 - 135	159.00	160.00							S.Newman
AN 11 - 135	160.00	161.00							S.Newman
AN 11 - 135	161.00	162.00							S.Newman
AN 11 - 135	162.00	163.00							S.Newman
AN 11 - 135	163.00	164.00							S.Newman
AN 11 - 135	164.00	164.60							S.Newman
AN 11 - 135	164.60	166.00							S.Newman
AN 11 - 135	166.00	167.00							S.Newman
AN 11 - 135	167.00	168.00							S.Newman
AN 11 - 135	168.00	169.00							S.Newman
AN 11 - 135	169.00	170.00							S.Newman
AN 11 - 135	170.00	171.00							S.Newman
AN 11 - 135	171.00	172.00							S.Newman
AN 11 - 135	172.00	172.50							S.Newman
AN 11 - 135	172.50	173.00							S.Newman
AN 11 - 135	173.00	174.00							S.Newman
AN 11 - 135	174.00	175.00							S.Newman
AN 11 - 135	175.00	176.00							S.Newman
AN 11 - 135	176.00	177.00							S.Newman
AN 11 - 135	177.00	178.00							S.Newman
AN 11 - 135	178.00	179.00							S.Newman
AN 11 - 135	179.00	179.50							S.Newman

			Veining						
Hole ID	Depth_From	Depth_To	Vein1	Vn1pc	Vn1form	Vein2	Vn2pc	Vn2Form	Geologist
Hole ID/Site ID	Depth from	Depth To	Primary vein assemblage	percentage of interval	Vein Form	Secondary vein assemblage	percentage of interval	Vein Form	Person who logged the interval
AN 11 - 135	179.50	180.00							S.Newman
AN 11 - 135	180.00	181.00							S.Newman
AN 11 - 135	181.00	182.00							S.Newman
AN 11 - 135	182.00	183.00							S.Newman
AN 11 - 135	183.00	184.00							S.Newman
AN 11 - 135	184.00	185.00							S.Newman
AN 11 - 135	185.00	186.00							S.Newman
AN 11 - 135	186.00	187.00							S.Newman
AN 11 - 135	187.00	188.00							S.Newman
AN 11 - 135	188.00	189.30							S.Newman
AN 11 - 135	189.30	190.00							E.Gantiva
AN 11 - 135	190.00	191.00							E.Gantiva
AN 11 - 135	191.00	192.00							E.Gantiva
AN 11 - 135	192.00	193.00							E.Gantiva
AN 11 - 135	193.00	194.00							E.Gantiva
AN 11 - 135	194.00	195.00							E.Gantiva
AN 11 - 135	195.00	196.00							E.Gantiva
AN 11 - 135	196.00	197.00							E.Gantiva
AN 11 - 135	197.00	198.00							E.Gantiva
AN 11 - 135	198.00	199.00							E.Gantiva
AN 11 - 135	199.00	199.50							E.Gantiva
AN 11 - 135	199.50	200.00							E.Gantiva
AN 11 - 135	200.00	201.00							E.Gantiva
AN 11 - 135	201.00	202.00							E.Gantiva
AN 11 - 135	202.00	203.00							E.Gantiva

			Veining						
Hole ID	Depth_From	Depth_To	Vein1	Vn1pc	Vn1form	Vein2	Vn2pc	Vn2Form	Geologist
Hole ID/Site ID	Depth from	Depth To	Primary vein assemblage	percentage of interval	Vein Form	Secondary vein assemblage	percentage of interval	Vein Form	Person who logged the interval
AN 11 - 135	203.00	204.00							E.Gantiva
AN 11 - 135	204.00	205.00							S.Newman
AN 11 - 135	205.00	206.00							S.Newman
AN 11 - 135	206.00	207.00							S.Newman
AN 11 - 135	207.00	208.00							S.Newman
AN 11 - 135	208.00	209.00							S.Newman
AN 11 - 135	209.00	210.00							S.Newman
AN 11 - 135	210.00	211.00							S.Newman
AN 11 - 135	211.00	212.00							S.Newman
AN 11 - 135	212.00	212.40							S.Newman
AN 11 - 135	212.40	213.00							E.Gantiva
AN 11 - 135	213.00	214.00							E.Gantiva
AN 11 - 135	214.00	215.00							E.Gantiva
AN 11 - 135	215.00	216.00							E.Gantiva
AN 11 - 135	216.00	216.30							E.Gantiva
AN 11 - 135	216.30	217.00							S.Newman
AN 11 - 135	217.00	218.00							S.Newman



			Veining						
Hole ID	Depth_From	Depth_To	Vein1	Vn1pc	Vn1form	Vein2	Vn2pc	Vn2Form	Geologist
Hole ID/Site ID	Depth from	Depth To	Primary vein assemblage	percentage of interval	Vein Form	Secondary vein assemblage	percentage of interval	Vein Form	Person who logged the interval
AN 11 - 135	218.00	219.00							S.Newman
AN 11 - 135	219.00	220.00							S.Newman
AN 11 - 135	220.00	221.00							S.Newman
AN 11 - 135	221.00	222.00							S.Newman
AN 11 - 135	222.00	223.00							S.Newman
AN 11 - 135	223.00	224.00							S.Newman
AN 11 - 135	224.00	225.00							S.Newman
AN 11 - 135	225.00	226.00							S.Newman
AN 11 - 135	226.00	227.00							S.Newman
AN 11 - 135	227.00	228.00							S.Newman
AN 11 - 135	228.00	229.00							S.Newman
AN 11 - 135	229.00	230.00							S.Newman
AN 11 - 135	230.00	231.00							S.Newman
AN 11 - 135	231.00	232.00							S.Newman
AN 11 - 135	232.00	233.00							S.Newman
AN 11 - 135	233.00	234.00							S.Newman
AN 11 - 135	234.00	235.00							S.Newman
AN 11 - 135	235.00	236.00							S.Newman
AN 11 - 135	236.00	236.92							S.Newman
AN 11 - 135	236.92	237.00							S.Newman
AN 11 - 135	237.00	238.00							S.Newman
AN 11 - 135	238.00	239.00							S.Newman
AN 11 - 135	239.00	240.00							S.Newman
AN 11 - 135	240.00	241.00							S.Newman
AN 11 - 135	241.00	242.00							S.Newman

			Veining						
Hole ID	Depth_From	Depth_To	Vein1	Vn1pc	Vn1form	Vein2	Vn2pc	Vn2Form	Geologist
Hole ID/Site ID	Depth from	Depth To	Primary vein assemblage	percentage of interval	Vein Form	Secondary vein assemblage	percentage of interval	Vein Form	Person who logged the interval
AN 11 - 135	242.00	243.00							S.Newman
AN 11 - 135	243.00	244.00							S.Newman
AN 11 - 135	244.00	245.00							S.Newman
AN 11 - 135	245.00	246.00							E.Gantiva
AN 11 - 135	246.00	247.00							E.Gantiva
AN 11 - 135	247.00	248.00							E.Gantiva
AN 11 - 135	248.00	248.50							E.Gantiva
AN 11 - 135	248.50	249.00	cal	5					E.Gantiva
AN 11 - 135	249.00	250.00	cal	5					E.Gantiva
AN 11 - 135	250.00	251.00	cal	5					E.Gantiva
AN 11 - 135	251.00	252.00	cal	5					E.Gantiva
AN 11 - 135	252.00	253.00	cal	5					E.Gantiva
AN 11 - 135	253.00	254.00	cal	5					E.Gantiva
AN 11 - 135	254.00	255.00	cal	5					E.Gantiva
AN 11 - 135	255.00	256.00	cal	5					E.Gantiva
AN 11 - 135	256.00	257.00	cal	5					E.Gantiva
AN 11 - 135	257.00	258.00	cal	5					E.Gantiva
AN 11 - 135	258.00	259.00	cal	5					E.Gantiva
AN 11 - 135	259.00	260.00							E.Gantiva
AN 11 - 135	260.00	261.00							E.Gantiva
AN 11 - 135	261.00	262.00							E.Gantiva
AN 11 - 135	262.00	263.00							E.Gantiva
AN 11 - 135	263.00	264.00							E.Gantiva
AN 11 - 135	264.00	265.00							E.Gantiva
AN 11 - 135	265.00	266.00							E.Gantiva

			Veining						
Hole ID	Depth_From	Depth_To	Vein1	Vn1pc	Vn1form	Vein2	Vn2pc	Vn2Form	Geologist
Hole ID/Site ID	Depth from	Depth To	Primary vein assemblage	percentage of interval	Vein Form	Secondary vein assemblage	percentage of interval	Vein Form	Person who logged the interval
AN 11 - 135	266.00	267.00							E.Gantiva
AN 11 - 135	267.00	268.00							E.Gantiva
AN 11 - 135	268.00	269.00							E.Gantiva
AN 11 - 135	269.00	270.00							E.Gantiva
AN 11 - 135	270.00	271.00							E.Gantiva
AN 11 - 135	271.00	272.00							E.Gantiva
AN 11 - 135	272.00	273.00							E.Gantiva
AN 11 - 135	273.00	274.00							E.Gantiva
AN 11 - 135	274.00	275.00							E.Gantiva
AN 11 - 135	275.00	276.00							E.Gantiva
AN 11 - 135	276.00	277.00							E.Gantiva
AN 11 - 135	277.00	278.00							E.Gantiva
AN 11 - 135	278.00	278.50							E.Gantiva
AN 11 - 135	278.50	279.00							E.Gantiva
AN 11 - 135	279.00	280.00							E.Gantiva
AN 11 - 135	280.00	281.00							E.Gantiva
AN 11 - 135	281.00	282.00							E.Gantiva
AN 11 - 135	282.00	283.00							E.Gantiva
AN 11 - 135	283.00	284.00							E.Gantiva
AN 11 - 135	284.00	285.00							E.Gantiva
AN 11 - 135	285.00	286.00							E.Gantiva
AN 11 - 135	286.00	287.00							E.Gantiva
AN 11 - 135	287.00	288.00							E.Gantiva
AN 11 - 135	288.00	289.00							E.Gantiva
AN 11 - 135	289.00	290.00							E.Gantiva
AN 11 - 135	290.00	291.00							E.Gantiva

			Veining						
Hole ID	Depth_From	Depth_To	Vein1	Vn1pc	Vn1form	Vein2	Vn2pc	Vn2Form	Geologist
Hole ID/Site ID	Depth from	Depth To	Primary vein assemblage	percentage of interval	Vein Form	Secondary vein assemblage	percentage of interval	Vein Form	Person who logged the interval
AN 11 - 135	291.00	292.00							E.Gantiva
AN 11 - 135	292.00	293.00	cal	1					E.Gantiva
AN 11 - 135	293.00	294.00	cal	1					E.Gantiva
AN 11 - 135	294.00	295.00	cal	1					E.Gantiva
AN 11 - 135	295.00	296.00	cal	1					E.Gantiva
AN 11 - 135	296.00	296.60	cal	1					E.Gantiva
AN 11 - 135	296.60	298.00	cal	1					S.Newman
AN 11 - 135	298.00	299.00	cal	1					S.Newman
AN 11 - 135	299.00	300.00	cal	1					S.Newman
AN 11 - 135	300.00	301.00							S.Newman
AN 11 - 135	301.00	302.00							S.Newman
AN 11 - 135	302.00	303.00							S.Newman
AN 11 - 135	303.00	304.00							S.Newman
AN 11 - 135	304.00	305.00							S.Newman
AN 11 - 135	305.00	306.00							S.Newman
AN 11 - 135	306.00	307.00							S.Newman
AN 11 - 135	307.00	308.00							S.Newman
AN 11 - 135	308.00	309.00							S.Newman
AN 11 - 135	309.00	310.00							S.Newman
AN 11 - 135	310.00	310.90							S.Newman
AN 11 - 135	310.90	311.00							E.Gantiva
AN 11 - 135	311.00	312.00							E.Gantiva
AN 11 - 135	312.00	313.00							E.Gantiva

			Veining						
Hole ID	Depth_From	Depth_To	Vein1	Vn1pc	Vn1form	Vein2	Vn2pc	Vn2Form	Geologist
Hole ID/Site ID	Depth from	Depth To	Primary vein assemblage	percentage of interval	Vein Form	Secondary vein assemblage	percentage of interval	Vein Form	Person who logged the interval
AN 11 - 135	313.00	314.00							E.Gantiva
AN 11 - 135	314.00	315.00							E.Gantiva
AN 11 - 135	315.00	315.90							E.Gantiva
AN 11 - 135	315.90	316.00	Cal	1	crt				E.Gantiva
AN 11 - 135	316.00	317.00	Cal	1	crt				E.Gantiva
AN 11 - 135	317.00	318.00	Cal	1	crt				E.Gantiva
AN 11 - 135	318.00	319.00	Cal	1	crt				E.Gantiva
AN 11 - 135	319.00	320.00	Cal	1	crt				E.Gantiva
AN 11 - 135	320.00	321.00	Cal	1	crt				E.Gantiva
AN 11 - 135	321.00	321.60	Cal	1	crt				E.Gantiva
AN 11 - 135	321.60	322.00	Cal	0.5	crt				E.Gantiva
AN 11 - 135	322.00	323.00	Cal	0.5	crt				E.Gantiva
AN 11 - 135	323.00	323.20	Cal	0.5	crt				E.Gantiva
AN 11 - 135	323.20	323.00	Cal	0.5	crt				E.Gantiva
AN 11 - 135	323.00	323.2	Cal	0.5	crt				E.Gantiva
AN 11 - 135	323.20	324.00							S.Newman
AN 11 - 135	324.00	325.00							S.Newman
AN 11 - 135	325.00	326.00							S.Newman
AN 11 - 135	326.00	327.00							S.Newman
AN 11 - 135	327.00	328.00							S.Newman
AN 11 - 135	328.00	329.00							S.Newman
AN 11 - 135	329.00	330.00							S.Newman
AN 11 - 135	330.00	331.00							S.Newman

			Veining						
Hole ID	Depth_From	Depth_To	Vein1	Vn1pc	Vn1form	Vein2	Vn2pc	Vn2Form	Geologist
Hole ID/Site ID	Depth from	Depth To	Primary vein assemblage	percentage of interval	Vein Form	Secondary vein assemblage	percentage of interval	Vein Form	Person who logged the interval
AN 11 - 135	331.00	332.00							S.Newman
AN 11 - 135	332.00	332.23							S.Newman
AN 11 - 135	332.23	333.00							E.Gantiva
AN 11 - 135	333.00	334.00							E.Gantiva
AN 11 - 135	334.00	335.00							E.Gantiva
AN 11 - 135	335.00	336.00							E.Gantiva
AN 11 - 135	336.00	337.00							E.Gantiva
AN 11 - 135	337.00	338.00							E.Gantiva
AN 11 - 135	338.00	339.00							E.Gantiva
AN 11 - 135	339.00	340.00							E.Gantiva
AN 11 - 135	340.00	341.00							E.Gantiva
AN 11 - 135	341.00	342.00							E.Gantiva
AN 11 - 135	342.00	343.00							E.Gantiva
AN 11 - 135	343.00	344.00							E.Gantiva
AN 11 - 135	344.00	345.00							E.Gantiva
AN 11 - 135	345.00	346.00							E.Gantiva
AN 11 - 135	346.00	347.00							E.Gantiva
AN 11 - 135	347.00	348.00							E.Gantiva
AN 11 - 135	348.00	349.00							E.Gantiva
AN 11 - 135	349.00	350.00							E.Gantiva
AN 11 - 135	350.00	351.00							E.Gantiva
AN 11 - 135	351.00	352.00							E.Gantiva
AN 11 - 135	352.00	353.00							E.Gantiva

			Veining						
Hole ID	Depth_From	Depth_To	Vein1	Vn1pc	Vn1form	Vein2	Vn2pc	Vn2Form	Geologist
Hole ID/Site ID	Depth from	Depth To	Primary vein assemblage	percentage of interval	Vein Form	Secondary vein assemblage	percentage of interval	Vein Form	Person who logged the interval
AN 11 - 135	353.00	354.00							E.Gantiva
AN 11 - 135	354.00	355.00							E.Gantiva
AN 11 - 135	355.00	356.00							E.Gantiva
AN 11 - 135	356.00	357.00							E.Gantiva
AN 11 - 135	357.00	358.00							E.Gantiva
AN 11 - 135	358.00	358.70							E.Gantiva
AN 11 - 135	358.70	359.00				cal	0.1		E.Gantiva
AN 11 - 135	359.00	360.00				cal	0.1		E.Gantiva
AN 11 - 135	360.00	361.00				cal	0.1		E.Gantiva
AN 11 - 135	361.00	362.00				cal	0.1		E.Gantiva
AN 11 - 135	362.00	363.00				cal	0.1		E.Gantiva
AN 11 - 135	363.00	364.00				cal	0.1		E.Gantiva
AN 11 - 135	364.00	365.00				cal	0.1		E.Gantiva
AN 11 - 135	365.00	366.00				cal	0.1		E.Gantiva
AN 11 - 135	366.00	367.00				cal	0.1		E.Gantiva
AN 11 - 135	367.00	368.00				cal	0.1		E.Gantiva
AN 11 - 135	368.00	369.00	qtz	90		cal	0.1		E.Gantiva
AN 11 - 135	369.00	370.00	qtz	90		cal	0.1		E.Gantiva
AN 11 - 135	370.00	371.00				cal	0.1		E.Gantiva
AN 11 - 135	371.00	371.40				cal	0.1		E.Gantiva
AN 11 - 135	371.40	372.00	qtz	1	crs				E.Gantiva
AN 11 - 135	372.00	373.00	qtz	1	crs				E.Gantiva
AN 11 - 135	373.00	374.00	qtz	1	crs				E.Gantiva
AN 11 - 135	374.00	375.00	qtz	1	crs				E.Gantiva
AN 11 - 135	375.00	375.60	qtz	1	crs				E.Gantiva
AN 11 - 135	375.60	376.00	qtz	1	crs				E.Gantiva
AN 11 - 135	376.00	377.00	qtz	1	crs				E.Gantiva

			Veining						
Hole ID	Depth_From	Depth_To	Vein1	Vn1pc	Vn1form	Vein2	Vn2pc	Vn2Form	Geologist
Hole ID/Site ID	Depth from	Depth To	Primary vein assemblage	percentage of interval	Vein Form	Secondary vein assemblage	percentage of interval	Vein Form	Person who logged the interval
AN 11 - 135	377.00	378.00	qtz	1	crs				E.Gantiva
AN 11 - 135	378.00	379.00	qtz	1	crs				E.Gantiva
AN 11 - 135	379.00	380.00	qtz	1	crs				E.Gantiva
AN 11 - 135	380.00	381.00	qtz	1	crs				E.Gantiva
AN 11 - 135	381.00	382.00	qtz	1	crs				E.Gantiva
AN 11 - 135	382.00	383.00	qtz	1	crs				E.Gantiva
AN 11 - 135	383.00	384.00	qtz	1	crs				E.Gantiva
AN 11 - 135	384.00	385.00	qtz	1	crs				E.Gantiva
AN 11 - 135	385.00	386.00	qtz	1	crs				E.Gantiva
AN 11 - 135	386.00	387.00	qtz	1	crs				E.Gantiva
AN 11 - 135	387.00	388.00	qtz	1	crs				E.Gantiva
AN 11 - 135	388.00	388.40	qtz	1	crs				E.Gantiva
AN 11 - 135	388.40	389.00	cal	10	crs	qtz	5	crs	E.Gantiva
AN 11 - 135	389.00	390.00	cal	10	crs	qtz	5	crs	E.Gantiva
AN 11 - 135	390.00	391.00	cal	10	crs	qtz	5	crs	E.Gantiva
AN 11 - 135	391.00	392.00	cal	10	crs	qtz	5	crs	E.Gantiva
AN 11 - 135	392.00	393.00	cal	10	crs	qtz	5	crs	E.Gantiva
AN 11 - 135	393.00	394.00	cal	10	crs	qtz	5	crs	E.Gantiva
AN 11 - 135	394.00	395.00	cal	10	crs	qtz	5	crs	E.Gantiva
AN 11 - 135	395.00	396.00	cal	10	crs	qtz	5	crs	E.Gantiva
AN 11 - 135	396.00	397.00	cal	10	crs	qtz	5	crs	E.Gantiva
AN 11 - 135	397.00	398.00	cal	10	crs	qtz	5	crs	E.Gantiva
AN 11 - 135	398.00	399.00	cal	10	crs	qtz	5	crs	E.Gantiva
AN 11 - 135	399.00	400.00	cal	10	crs	qtz	5	crs	E.Gantiva



			Veining						
Hole ID	Depth_From	Depth_To	Vein1	Vn1pc	Vn1form	Vein2	Vn2pc	Vn2Form	Geologist
Hole ID/Site ID	Depth from	Depth To	Primary vein assemblage	percentage of interval	Vein Form	Secondary vein assemblage	percentage of interval	Vein Form	Person who logged the interval
AN 11 - 135	400.00	401.00	cal	10	crs	qtz	5	crs	E.Gantiva
AN 11 - 135	401.00	402.00	cal	10	crs	qtz	5	crs	E.Gantiva
AN 11 - 135	402.00	403.00	cal	10	crs	qtz	5	crs	E.Gantiva
AN 11 - 135	403.00	404.00	cal	10	crs	qtz	5	crs	E.Gantiva
AN 11 - 135	404.00	405.00	cal	10	crs	qtz	5	crs	E.Gantiva
AN 11 - 135	405.00	406.00	cal	10	crs	qtz	5	crs	E.Gantiva
AN 11 - 135	406.00	407.00	cal	10	crs	qtz	5	crs	E.Gantiva
AN 11 - 135	407.00	408.00	cal	10	crs	qtz	5	crs	E.Gantiva
AN 11 - 135	408.00	409.00	cal	10	crs	qtz	5	crs	E.Gantiva
AN 11 - 135	409.00	409.50	cal	10	crs	qtz	5	crs	E.Gantiva
AN 11 - 135	409.50	410.00							E.Gantiva
AN 11 - 135	410.00	411.00							E.Gantiva
AN 11 - 135	411.00	412.00							E.Gantiva
AN 11 - 135	412.00	413.00							E.Gantiva
AN 11 - 135	413.00	414.00							E.Gantiva
AN 11 - 135	414.00	415.00							E.Gantiva
AN 11 - 135	415.00	416.00							E.Gantiva
AN 11 - 135	416.00	416.2							E.Gantiva
AN 11 - 135	416.20	417.00							E.Gantiva
AN 11 - 135	417.00	418.00							E.Gantiva
AN 11 - 135	418.00	419.00							E.Gantiva
AN 11 - 135	419.00	420.00							E.Gantiva
AN 11 - 135	420.00	421.00							E.Gantiva
AN 11 - 135	421.00	422.00							E.Gantiva
AN 11 - 135	422.00	423.00							E.Gantiva

			Veining						
Hole ID	Depth_From	Depth_To	Vein1	Vn1pc	Vn1form	Vein2	Vn2pc	Vn2Form	Geologist
Hole ID/Site ID	Depth from	Depth To	Primary vein assemblage	percentage of interval	Vein Form	Secondary vein assemblage	percentage of interval	Vein Form	Person who logged the interval
AN 11 - 135	423.00	424.00							E.Gantiva
AN 11 - 135	424.00	425.00							E.Gantiva
AN 11 - 135	425.00	426.00							E.Gantiva
AN 11 - 135	426.00	427.00							E.Gantiva
AN 11 - 135	427.00	428.00							E.Gantiva
AN 11 - 135	428.00	429.00							E.Gantiva
AN 11 - 135	429.00	430.00							E.Gantiva
AN 11 - 135	430.00	431.00							E.Gantiva
AN 11 - 135	431.00	432.00							E.Gantiva
AN 11 - 135	432.00	433.00							E.Gantiva
AN 11 - 135	433.00	434.00							E.Gantiva
AN 11 - 135	434.00	434.50							E.Gantiva
AN 11 - 135	434.50	435.00	qtz	3	crs	cal	1	crs	E.Gantiva
AN 11 - 135	435.00	436.00	qtz	3	crs	cal	1	crs	E.Gantiva
AN 11 - 135	436.00	437.00	qtz	3	crs	cal	1	crs	E.Gantiva
AN 11 - 135	437.00	437.90	qtz	3	crs	cal	1	crs	E.Gantiva
AN 11 - 135	437.90	438.00	qtz	30	crs				E.Gantiva
AN 11 - 135	438.00	439.00	qtz	30	crs				E.Gantiva
AN 11 - 135	439.00	440.00	qtz	30	crs				E.Gantiva
AN 11 - 135	440.00	441.00	qtz	30	crs				E.Gantiva
AN 11 - 135	441.00	442.00	qtz	30	crs				E.Gantiva
AN 11 - 135	442.00	443.00	qtz	30	crs				E.Gantiva
AN 11 - 135	443.00	444.00	qtz	30	crs				E.Gantiva
AN 11 - 135	444.00	445.00	qtz	30	crs				E.Gantiva
AN 11 - 135	445.00	446.00	qtz	30	crs				E.Gantiva

			Veining						
Hole ID	Depth_From	Depth_To	Vein1	Vn1pc	Vn1form	Vein2	Vn2pc	Vn2Form	Geologist
Hole ID/Site ID	Depth from	Depth To	Primary vein assemblage	percentage of interval	Vein Form	Secondary vein assemblage	percentage of interval	Vein Form	Person who logged the interval
AN 11 - 135	446.00	447.00	qtz	30	crs				E.Gantiva
AN 11 - 135	447.00	448.00	qtz	30	crs				E.Gantiva
AN 11 - 135	448.00	449.00	qtz	30	crs				E.Gantiva
AN 11 - 135	449.00	450.00	qtz	30	crs				E.Gantiva
AN 11 - 135	450.00	451.00	qtz	30	crs				E.Gantiva
AN 11 - 135	451.00	451.10	qtz	30	crs				E.Gantiva
AN 11 - 135	451.10	452.00							E.Gantiva
AN 11 - 135	452.00	453.00							E.Gantiva
AN 11 - 135	453.00	454.00							E.Gantiva
AN 11 - 135	454.00	455.00							E.Gantiva
AN 11 - 135	455.00	456.00							E.Gantiva
AN 11 - 135	456.00	457.00							E.Gantiva
AN 11 - 135	457.00	458.00							E.Gantiva
AN 11 - 135	458.00	459.00							E.Gantiva
AN 11 - 135	459.00	460.00							E.Gantiva
AN 11 - 135	460.00	461.00							E.Gantiva
AN 11 - 135	461.00	461.70							E.Gantiva
AN 11 - 135	461.70	462.00	cal	0.5	crs				E.Gantiva
AN 11 - 135	462.00	463.00	cal	0.5	crs				E.Gantiva
AN 11 - 135	463.00	464.00	cal	0.5	crs				E.Gantiva
AN 11 - 135	464.00	465.00	cal	0.5	crs				E.Gantiva
AN 11 - 135	465.00	466.00	cal	0.5	crs				E.Gantiva
AN 11 - 135	466.00	467.00	cal	0.5	crs				E.Gantiva
AN 11 - 135	467.00	468.00	cal	0.5	crs				E.Gantiva
AN 11 - 135	468.00	469.00	cal	0.5	crs				E.Gantiva

			Veining						
Hole ID	Depth_From	Depth_To	Vein1	Vn1pc	Vn1form	Vein2	Vn2pc	Vn2Form	Geologist
Hole ID/Site ID	Depth from	Depth To	Primary vein assemblage	percentage of interval	Vein Form	Secondary vein assemblage	percentage of interval	Vein Form	Person who logged the interval
AN 11 - 135	469.00	469.9	cal	0.5	crs				E.Gantiva
AN 11 - 135	469.90	470.00							E.Gantiva
AN 11 - 135	470.00	471.00							E.Gantiva
AN 11 - 135	471.00	472.00							E.Gantiva
AN 11 - 135	472.00	473.00							E.Gantiva
AN 11 - 135	473.00	474.00							E.Gantiva
AN 11 - 135	474.00	474.8							E.Gantiva
AN 11 - 135	474.80	475.00	qtz	3					E.Gantiva
AN 11 - 135	475.00	476.00	qtz	3					E.Gantiva
AN 11 - 135	476.00	477.00	qtz	3					E.Gantiva
AN 11 - 135	477.00	478.00	qtz	3					E.Gantiva
AN 11 - 135	478.00	478.54	qtz	3					E.Gantiva

Hole ID	Depth_From	Depth_To	Comments
Hole ID/Site ID	Depth from	Depth To	Comments regarding geology
AN 11 - 135	0.00	1.00	Overburden.Sandstone fragments moderately weathering; oxidated fractures.
AN 11 - 135	1.00	2.00	
AN 11 - 135	2.00	3.00	
AN 11 - 135	3.00	3.15	
AN 11 - 135	3.15	4.00	Sls. Very fine grained grey limestone with moderate carbonate stockwork veining. Small hairline fractures throughout the interval are filled with black mudstone, very little movement is apparent from the tight fitting angular fragments, fractures within the Sls disrupt some of the stockwork veining. The limestone is thickly interbedded with finely laminated, often fractured black mudstone (15%), laminations have an average orientation of 50 degrees to core axis.
AN 11 - 135	4.00	5.00	
AN 11 - 135	5.00	6.00	
AN 11 - 135	6.00	7.00	
AN 11 - 135	7.00	8.00	
AN 11 - 135	8.00	9.00	
AN 11 - 135	9.00	10.00	
AN 11 - 135	10.00	11.00	
AN 11 - 135	11.00	12.00	
AN 11 - 135	12.00	13.00	
AN 11 - 135	13.00	14.00	
AN 11 - 135	14.00	15.00	
AN 11 - 135	15.00	16.00	
AN 11 - 135	16.00	17.00	

Hole ID	Depth_From	Depth_To	Comments
Hole ID/Site ID	Depth from	Depth To	Comments regarding geology
AN 11 - 135	17.00	18.00	
AN 11 - 135	18.00	19.00	
AN 11 - 135	19.00	20.20	
AN 11 - 135	20.20	21.00	<p>Sst. Fine to medium grained massive grey sandstone with minor carbonate veining (1-3%) interbedded with thin beds (2-10cm) of very fine graiend dary grey mudstone. Sandstone in this interval has a very dark matrix and quartz mega crystals yelding a speckled appearnace. Bedding averages 40 degrees to core axis. Towards the lower contact from 20m onwards, periodic 10-20cm beds of very fine graiend aphanitic grey mudstone.</p>
AN 11 - 135	21.00	22.00	
AN 11 - 135	22.00	23.00	
AN 11 - 135	23.00	24.00	
AN 11 - 135	24.00	25.00	
AN 11 - 135	25.00	26.00	
AN 11 - 135	26.00	27.00	
AN 11 - 135	27.00	28.00	
AN 11 - 135	28.00	29.00	
AN 11 - 135	29.00	30.00	
AN 11 - 135	30.00	31.00	
AN 11 - 135	31.00	32.00	
AN 11 - 135	32.00	33.00	
AN 11 - 135	33.00	34.20	

Hole ID	Depth_From	Depth_To	Comments
Hole ID/Site ID	Depth from	Depth To	Comments regarding geology
AN 11 - 135	34.20	35.00	Sls. Massive very fine grained grey limestone, does not have stockwork veining like the above interval. This limestone has frequent zones of thin mudstone laminations (45 degrees TCA), 2-5% carbonate veining throughout and periodic 5-20cm beds of both black and grey mudstone increase in frequency with depth. Minor isolated zones of deformation are observed in the mudstone rich zones. No minerlization.
AN 11 - 135	35.00	36.00	
AN 11 - 135	36.00	37.00	
AN 11 - 135	37.00	38.00	
AN 11 - 135	38.00	39.00	
AN 11 - 135	39.00	40.00	
AN 11 - 135	40.00	41.00	
AN 11 - 135	41.00	42.00	
AN 11 - 135	42.00	43.00	
AN 11 - 135	43.00	44.00	
AN 11 - 135	44.00	45.00	
AN 11 - 135	45.00	46.00	
AN 11 - 135	46.00	47.00	
AN 11 - 135	47.00	48.00	
AN 11 - 135	48.00	49.00	
AN 11 - 135	49.00	49.50	
AN 11 - 135	49.50	50.00	
AN 11 - 135	50.00	51.00	
AN 11 - 135	51.00	52.00	
AN 11 - 135	52.00	53.00	
AN 11 - 135	53.00	54.00	

Hole ID	Depth_From	Depth_To	Comments
Hole ID/Site ID	Depth from	Depth To	Comments regarding geology
AN 11 - 135	54.00	55.45	
AN 11 - 135	55.45	56.00	Sst-Sls. Massive fine to medium grained sandstone with quartz mega crystals and dark grey matrix is interbedded with grey moderatly to strongly calcareous limstone beds. The limstone occurs mainly from 55.45-64m, as the interval grades into a massive bed os sandstone with minor thin mudstone laminations. 2-4% carbonate stringers throuhout the interval decreasing in intensity with depth. Where observed bedding averages 50 degrees TCA.
AN 11 - 135	56.00	57.00	
AN 11 - 135	57.00	58.00	
AN 11 - 135	58.00	59.00	
AN 11 - 135	59.00	60.00	
AN 11 - 135	60.00	61.00	
AN 11 - 135	61.00	62.00	
AN 11 - 135	62.00	63.00	
AN 11 - 135	63.00	64.00	
AN 11 - 135	64.00	65.00	
AN 11 - 135	65.00	66.00	
AN 11 - 135	66.00	67.00	
AN 11 - 135	67.00	68.00	
AN 11 - 135	68.00	69.00	
AN 11 - 135	69.00	70.00	
AN 11 - 135	70.00	71.00	
AN 11 - 135	71.00	72.00	
AN 11 - 135	72.00	73.00	
AN 11 - 135	73.00	74.00	



Hole ID	Depth_From	Depth_To	Comments
Hole ID/Site ID	Depth from	Depth To	Comments regarding geology
AN 11 - 135	74.00	75.00	
AN 11 - 135	75.00	76.00	
AN 11 - 135	76.00	77.00	
AN 11 - 135	77.00	78.00	
AN 11 - 135	78.00	79.00	
AN 11 - 135	79.00	80.00	
AN 11 - 135	80.00	81.00	
AN 11 - 135	81.00	82.00	
AN 11 - 135	82.00	83.00	
AN 11 - 135	83.00	84.00	
AN 11 - 135	84.00	84.25	
AN 11 - 135	84.25	85.00	Sst-Sms. Massive grey sandstone becomes coarser grained with depth: fg 84-105, mg 105-108.40. Upper interval is weakly deformed from 91-96m, hairline fractures in the rock are filled with black mudstone, some weak brecciation is observed. From 100-102.5m the rock is tightly laminated 30 degrees TCA. Sst is very fine grained with a brown-grey color, interbedded with 1mm-1m thick black mudstone bands. Sms throughout this interval is black, massive, very fine grained, aphanitic; Sms occurs both as matrix and mudstone beds.
AN 11 - 135	85.00	86.00	
AN 11 - 135	86.00	87.00	
AN 11 - 135	87.00	88.00	
AN 11 - 135	88.00	89.00	
AN 11 - 135	89.00	90.00	
AN 11 - 135	90.00	90.90	
AN 11 - 135	90.90	91.00	

Hole ID	Depth_From	Depth_To	Comments
Hole ID/Site ID	Depth from	Depth To	Comments regarding geology
AN 11 - 135	91.00	92.00	
AN 11 - 135	92.00	93.00	
AN 11 - 135	93.00	94.00	
AN 11 - 135	94.00	95.00	
AN 11 - 135	95.00	96.00	
AN 11 - 135	96.00	97.00	
AN 11 - 135	97.00	98.00	
AN 11 - 135	98.00	98.20	
AN 11 - 135	98.20	99.00	
AN 11 - 135	99.00	100.00	
AN 11 - 135	100.00	101.00	
AN 11 - 135	101.00	102.00	
AN 11 - 135	102.00	102.30	
AN 11 - 135	102.30	103.00	
AN 11 - 135	103.00	104.00	
AN 11 - 135	104.00	105.00	
AN 11 - 135	105.00	106.00	
AN 11 - 135	106.00	107.00	
AN 11 - 135	107.00	108.00	
AN 11 - 135	108.00	108.50	
AN 11 - 135	108.50	109.00	Black carbonaceous Sms interbedded with green Sms . Intercalations of Sst ( 111-111.5 m ; 117.2 - 118.8 m).
AN 11 - 135	109.00	110.00	
AN 11 - 135	110.00	111.00	
AN 11 - 135	111.00	112.00	
AN 11 - 135	112.00	113.00	
AN 11 - 135	113.00	114.00	

Hole ID	Depth_From	Depth_To	Comments
Hole ID/Site ID	Depth from	Depth To	Comments regarding geology
AN 11 - 135	114.00	115.00	
AN 11 - 135	115.00	116.00	
AN 11 - 135	116.00	117.00	
AN 11 - 135	117.00	118.00	
AN 11 - 135	118.00	119.00	
AN 11 - 135	119.00	120.00	
AN 11 - 135	120.00	121.00	
AN 11 - 135	121.00	122.00	
AN 11 - 135	122.00	123.00	
AN 11 - 135	123.00	124.00	
AN 11 - 135	124.00	125.00	
AN 11 - 135	125.00	126.00	Sl. Light grey to cream colored massive very fine grained limestone with thin 1-3mm of black limestone 75 degrees to core axis, mudstone beds increase in abundance with depth.
AN 11 - 135	126.00	127.00	
AN 11 - 135	127.00	128.00	
AN 11 - 135	128.00	129.00	
AN 11 - 135	129.00	129.80	
AN 11 - 135	129.80	130.00	Black - gray Sms.
AN 11 - 135	130.00	131.00	
AN 11 - 135	131.00	132.00	
AN 11 - 135	132.00	133.00	
AN 11 - 135	133.00	134.00	
AN 11 - 135	134.00	135.00	
AN 11 - 135	135.00	135.90	
AN 11 - 135	135.90	136.00	Red Sms with green Sms intercalations.
AN 11 - 135	136.00	137.00	

Hole ID	Depth_From	Depth_To	Comments
Hole ID/Site ID	Depth from	Depth To	Comments regarding geology
AN 11 - 135	137.00	138.00	
AN 11 - 135	138.00	138.10	
AN 11 - 135	138.10	139.00	Black Sms, moderately carbonaceous, and calcite in less proportions.
AN 11 - 135	139.00	140.00	
AN 11 - 135	140.00	141.00	
AN 11 - 135	141.00	142.00	
AN 11 - 135	142.00	143.00	
AN 11 - 135	143.00	144.00	
AN 11 - 135	144.00	145.00	
AN 11 - 135	145.00	146.00	
AN 11 - 135	146.00	147.00	
AN 11 - 135	147.00	148.00	
AN 11 - 135	148.00	149.00	
AN 11 - 135	149.00	150.00	
AN 11 - 135	150.00	151.00	
AN 11 - 135	151.00	152.00	
AN 11 - 135	152.00	153.00	
AN 11 - 135	153.00	153.62	
AN 11 - 135	153.62	154.00	Zfzg-Sms. Fault zone with frequent zones of fault gouge of variable lengths (5cm-3m), non-gouge zones are brecciated and moderately to heavily deformed. Interval is dominated by moderately weathered black carbonaceous mudstone with thin beds and small fragments of black and grey very fine grained carbonaceous chert.
AN 11 - 135	154.00	155.00	
AN 11 - 135	155.00	156.00	
AN 11 - 135	156.00	157.00	
AN 11 - 135	157.00	158.00	

Hole ID	Depth_From	Depth_To	Comments
Hole ID/Site ID	Depth from	Depth To	Comments regarding geology
AN 11 - 135	158.00	159.00	
AN 11 - 135	159.00	160.00	
AN 11 - 135	160.00	161.00	
AN 11 - 135	161.00	162.00	
AN 11 - 135	162.00	163.00	
AN 11 - 135	163.00	164.00	
AN 11 - 135	164.00	164.60	
AN 11 - 135	164.60	166.00	Sct. Black and grey chert with minor moderatly conglomeritic zones from 182-185m. Minor interbeds of black carbonaceous mudstone. Chert is strongly fractured from 169-177m, becomes more strongly carbonaous and massive with depth. Minor pyrite miernalization, no veining.
AN 11 - 135	166.00	167.00	
AN 11 - 135	167.00	168.00	
AN 11 - 135	168.00	169.00	
AN 11 - 135	169.00	170.00	
AN 11 - 135	170.00	171.00	
AN 11 - 135	171.00	172.00	
AN 11 - 135	172.00	172.50	
AN 11 - 135	172.50	173.00	
AN 11 - 135	173.00	174.00	
AN 11 - 135	174.00	175.00	
AN 11 - 135	175.00	176.00	
AN 11 - 135	176.00	177.00	
AN 11 - 135	177.00	178.00	
AN 11 - 135	178.00	179.00	
AN 11 - 135	179.00	179.50	

Hole ID	Depth_From	Depth_To	Comments
Hole ID/Site ID	Depth from	Depth To	Comments regarding geology
AN 11 - 135	179.50	180.00	
AN 11 - 135	180.00	181.00	
AN 11 - 135	181.00	182.00	
AN 11 - 135	182.00	183.00	
AN 11 - 135	183.00	184.00	
AN 11 - 135	184.00	185.00	
AN 11 - 135	185.00	186.00	
AN 11 - 135	186.00	187.00	
AN 11 - 135	187.00	188.00	
AN 11 - 135	188.00	189.30	
AN 11 - 135	189.30	190.00	Bk carbonaceous Scg, with chert, and Qtz clasts. Clasts are in a Carbonaceous matrix. Matriz 70%, clasts 30%. bk Sms interbedded (191 - 193.1 m)
AN 11 - 135	190.00	191.00	
AN 11 - 135	191.00	192.00	
AN 11 - 135	192.00	193.00	
AN 11 - 135	193.00	194.00	
AN 11 - 135	194.00	195.00	
AN 11 - 135	195.00	196.00	
AN 11 - 135	196.00	197.00	
AN 11 - 135	197.00	198.00	
AN 11 - 135	198.00	199.00	
AN 11 - 135	199.00	199.50	
AN 11 - 135	199.50	200.00	Bk - gy Sct in angular fragments.
AN 11 - 135	200.00	201.00	
AN 11 - 135	201.00	202.00	
AN 11 - 135	202.00	203.00	

Hole ID	Depth_From	Depth_To	Comments
Hole ID/Site ID	Depth from	Depth To	Comments regarding geology
AN 11 - 135	203.00	204.00	
AN 11 - 135	204.00	205.00	Zbx-Sms/Sct. Fault brecciated mudstone and chert, black, highly deofrmed, moderate carbonate veining (~5%), trace pyrite, storngly carobnacous. Difficult to distinguish black chert and mudstone, both very fine grained and black, chert tned to be slightly less strongly brecciated. Moderate fracturing throughout the interval.
AN 11 - 135	205.00	206.00	
AN 11 - 135	206.00	207.00	
AN 11 - 135	207.00	208.00	
AN 11 - 135	208.00	209.00	
AN 11 - 135	209.00	210.00	
AN 11 - 135	210.00	211.00	
AN 11 - 135	211.00	212.00	
AN 11 - 135	212.00	212.40	
AN 11 - 135	212.40	213.00	Gy - bk Sct highly fractured.
AN 11 - 135	213.00	214.00	
AN 11 - 135	214.00	215.00	
AN 11 - 135	215.00	216.00	
AN 11 - 135	216.00	216.30	
AN 11 - 135	216.30	217.00	Sct. Black chert, heavily fractured and crackle brecciated, rare small sections of Scg (5-20cm) were later brecciated. Chert is very hard and strongly carbonaceous, minor py and sph mineralization, only trace carbonate veining near the lower contact. Rock was likely massive before deformation took place. No mudstone interbeds observed.
AN 11 - 135	217.00	218.00	

Hole ID	Depth_From	Depth_To	Comments
Hole ID/Site ID	Depth from	Depth To	Comments regarding geology
AN 11 - 135	218.00	219.00	
AN 11 - 135	219.00	220.00	
AN 11 - 135	220.00	221.00	
AN 11 - 135	221.00	222.00	
AN 11 - 135	222.00	223.00	
AN 11 - 135	223.00	224.00	
AN 11 - 135	224.00	225.00	
AN 11 - 135	225.00	226.00	
AN 11 - 135	226.00	227.00	
AN 11 - 135	227.00	228.00	
AN 11 - 135	228.00	229.00	
AN 11 - 135	229.00	230.00	
AN 11 - 135	230.00	231.00	
AN 11 - 135	231.00	232.00	
AN 11 - 135	232.00	233.00	
AN 11 - 135	233.00	234.00	
AN 11 - 135	234.00	235.00	
AN 11 - 135	235.00	236.00	
AN 11 - 135	236.00	236.92	
AN 11 - 135	236.92	237.00	Sct-Sms. Interbedded and fractured grey chert and black carbonaceous mudstone with minor splarite mineralization and trace pyrite.
AN 11 - 135	237.00	238.00	
AN 11 - 135	238.00	239.00	
AN 11 - 135	239.00	240.00	
AN 11 - 135	240.00	241.00	
AN 11 - 135	241.00	242.00	



Hole ID	Depth_From	Depth_To	Comments
Hole ID/Site ID	Depth from	Depth To	Comments regarding geology
AN 11 - 135	242.00	243.00	
AN 11 - 135	243.00	244.00	
AN 11 - 135	244.00	245.00	
AN 11 - 135	245.00	246.00	Chert broken in small fragments.
AN 11 - 135	246.00	247.00	
AN 11 - 135	247.00	248.00	
AN 11 - 135	248.00	248.50	
AN 11 - 135	248.50	249.00	Sct moderately fractured.
AN 11 - 135	249.00	250.00	
AN 11 - 135	250.00	251.00	
AN 11 - 135	251.00	252.00	
AN 11 - 135	252.00	253.00	
AN 11 - 135	253.00	254.00	
AN 11 - 135	254.00	255.00	
AN 11 - 135	255.00	256.00	
AN 11 - 135	256.00	257.00	
AN 11 - 135	257.00	258.00	
AN 11 - 135	258.00	259.00	
AN 11 - 135	259.00	260.00	Gy - bk Chert interbedded with carbonaceous Sms (shale), Rock strongly fractured. Possible fault zone. Traces of Spl 0.5% (262.2 - 262.85 m).
AN 11 - 135	260.00	261.00	
AN 11 - 135	261.00	262.00	
AN 11 - 135	262.00	263.00	
AN 11 - 135	263.00	264.00	
AN 11 - 135	264.00	265.00	
AN 11 - 135	265.00	266.00	

Hole ID	Depth_From	Depth_To	Comments
Hole ID/Site ID	Depth from	Depth To	Comments regarding geology
AN 11 - 135	266.00	267.00	
AN 11 - 135	267.00	268.00	
AN 11 - 135	268.00	269.00	
AN 11 - 135	269.00	270.00	
AN 11 - 135	270.00	271.00	
AN 11 - 135	271.00	272.00	
AN 11 - 135	272.00	273.00	
AN 11 - 135	273.00	274.00	
AN 11 - 135	274.00	275.00	
AN 11 - 135	275.00	276.00	Light gray Chert moderately fractured.
AN 11 - 135	276.00	277.00	
AN 11 - 135	277.00	278.00	
AN 11 - 135	278.00	278.50	
AN 11 - 135	278.50	279.00	Chert with intercalations of carbonaceous Sms, highly broken rock. Concentration of Cpy 5% @ 282.3 m, and Spl 0.1% @ 282.1
AN 11 - 135	279.00	280.00	
AN 11 - 135	280.00	281.00	
AN 11 - 135	281.00	282.00	
AN 11 - 135	282.00	283.00	
AN 11 - 135	283.00	284.00	
AN 11 - 135	284.00	285.00	
AN 11 - 135	285.00	286.00	
AN 11 - 135	286.00	287.00	
AN 11 - 135	287.00	288.00	
AN 11 - 135	288.00	289.00	
AN 11 - 135	289.00	290.00	
AN 11 - 135	290.00	291.00	

Hole ID	Depth_From	Depth_To	Comments
Hole ID/Site ID	Depth from	Depth To	Comments regarding geology
AN 11 - 135	291.00	292.00	
AN 11 - 135	292.00	293.00	
AN 11 - 135	293.00	294.00	
AN 11 - 135	294.00	295.00	
AN 11 - 135	295.00	296.00	
AN 11 - 135	296.00	296.60	
AN 11 - 135	296.60	298.00	Sms. Dark grey massive to weakly deformed mudstone is thickly interbedded with massive fine grained grey sandstone. No bedding observed. Minor carbonate and siderite stringers throughout (trace to 2%). Fault gouge from 297.45-297.80.
AN 11 - 135	298.00	299.00	
AN 11 - 135	299.00	300.00	
AN 11 - 135	300.00	301.00	
AN 11 - 135	301.00	302.00	
AN 11 - 135	302.00	303.00	
AN 11 - 135	303.00	304.00	
AN 11 - 135	304.00	305.00	
AN 11 - 135	305.00	306.00	
AN 11 - 135	306.00	307.00	
AN 11 - 135	307.00	308.00	
AN 11 - 135	308.00	309.00	
AN 11 - 135	309.00	310.00	
AN 11 - 135	310.00	310.90	
AN 11 - 135	310.90	311.00	Bk Sct with intercalations of bk carbonaceous Sms; wide of the intercalations (3-7 cm), Spl traces @ 311.1 m -320 m.
AN 11 - 135	311.00	312.00	
AN 11 - 135	312.00	313.00	

Hole ID	Depth_From	Depth_To	Comments
Hole ID/Site ID	Depth from	Depth To	Comments regarding geology
AN 11 - 135	313.00	314.00	
AN 11 - 135	314.00	315.00	
AN 11 - 135	315.00	315.90	
AN 11 - 135	315.90	316.00	Black Sms interbedded with Chert, Sst, and gn Sms. Chert (317 - 317.4 m ).
AN 11 - 135	316.00	317.00	
AN 11 - 135	317.00	318.00	
AN 11 - 135	318.00	319.00	
AN 11 - 135	319.00	320.00	
AN 11 - 135	320.00	321.00	
AN 11 - 135	321.00	321.60	
AN 11 - 135	321.60	322.00	Gy Sst interbedded with Sct.
AN 11 - 135	322.00	323.00	
AN 11 - 135	323.00	323.20	
AN 11 - 135	323.20	323.00	
AN 11 - 135	323.00	323.2	
AN 11 - 135	323.20	324.00	Sms-Sst. Massive, very fine grained, greeny-grey mudstone is thickly interbedded with massive fine grained grey sandstone. Small (20-30cm) deformed zones of Sms and Sst breccia throughout have black Sms matrix.
AN 11 - 135	324.00	325.00	
AN 11 - 135	325.00	326.00	
AN 11 - 135	326.00	327.00	
AN 11 - 135	327.00	328.00	
AN 11 - 135	328.00	329.00	
AN 11 - 135	329.00	330.00	
AN 11 - 135	330.00	331.00	

Hole ID	Depth_From	Depth_To	Comments
Hole ID/Site ID	Depth from	Depth To	Comments regarding geology
AN 11 - 135	331.00	332.00	
AN 11 - 135	332.00	332.23	
			Gy - Gn Sst, calcite lamines, carbonaceous material. Fault gauge (332.8 - 333.2 m). Vspl (336.3 - 337.1) Highly calcareous area with carbonaceous material, and Sst with brecciated texture. Spl 5% (337 - 338 m), with 6 cm of Spl @ 337 m. Bk Sms intercalations @ (348.8 - 349.3 m). Gal 1% @ 356.55 - 356.62 m.
AN 11 - 135	332.23	333.00	
AN 11 - 135	333.00	334.00	
AN 11 - 135	334.00	335.00	
AN 11 - 135	335.00	336.00	
AN 11 - 135	336.00	337.00	
AN 11 - 135	337.00	338.00	
AN 11 - 135	338.00	339.00	
AN 11 - 135	339.00	340.00	
AN 11 - 135	340.00	341.00	
AN 11 - 135	341.00	342.00	
AN 11 - 135	342.00	343.00	
AN 11 - 135	343.00	344.00	
AN 11 - 135	344.00	345.00	
AN 11 - 135	345.00	346.00	
AN 11 - 135	346.00	347.00	
AN 11 - 135	347.00	348.00	
AN 11 - 135	348.00	349.00	
AN 11 - 135	349.00	350.00	
AN 11 - 135	350.00	351.00	
AN 11 - 135	351.00	352.00	
AN 11 - 135	352.00	353.00	

Hole ID	Depth_From	Depth_To	Comments
Hole ID/Site ID	Depth from	Depth To	Comments regarding geology
AN 11 - 135	353.00	354.00	
AN 11 - 135	354.00	355.00	
AN 11 - 135	355.00	356.00	
AN 11 - 135	356.00	357.00	
AN 11 - 135	357.00	358.00	
AN 11 - 135	358.00	358.70	
AN 11 - 135	358.70	359.00	Gn Sms, interbedded with rd Sms specially @ 364.1 - 364.7 m.
AN 11 - 135	359.00	360.00	
AN 11 - 135	360.00	361.00	
AN 11 - 135	361.00	362.00	
AN 11 - 135	362.00	363.00	
AN 11 - 135	363.00	364.00	
AN 11 - 135	364.00	365.00	
AN 11 - 135	365.00	366.00	
AN 11 - 135	366.00	367.00	
AN 11 - 135	367.00	368.00	
AN 11 - 135	368.00	369.00	
AN 11 - 135	369.00	370.00	
AN 11 - 135	370.00	371.00	
AN 11 - 135	371.00	371.40	
AN 11 - 135	371.40	372.00	Gn Sst, Qtz veins randomly distributed into the rock.
AN 11 - 135	372.00	373.00	
AN 11 - 135	373.00	374.00	
AN 11 - 135	374.00	375.00	
AN 11 - 135	375.00	375.60	
AN 11 - 135	375.60	376.00	Gn Sms, presence of Spl 3% aprox, between 384 - 385 m.
AN 11 - 135	376.00	377.00	

Hole ID	Depth_From	Depth_To	Comments
Hole ID/Site ID	Depth from	Depth To	Comments regarding geology
AN 11 - 135	377.00	378.00	
AN 11 - 135	378.00	379.00	
AN 11 - 135	379.00	380.00	
AN 11 - 135	380.00	381.00	
AN 11 - 135	381.00	382.00	
AN 11 - 135	382.00	383.00	
AN 11 - 135	383.00	384.00	
AN 11 - 135	384.00	385.00	
AN 11 - 135	385.00	386.00	
AN 11 - 135	386.00	387.00	
AN 11 - 135	387.00	388.00	
AN 11 - 135	388.00	388.40	
AN 11 - 135	388.40	389.00	Gy Sst, with Qtz, and calcite veins randomly oriented. Green Sms intercalated between 393.4 - 393.8; 394.15 - 395.7. Intercalations 3 cm wide between green Sms, and white Sst. Carbon lamines interbedded into Sst. Sst is calcarous from 401.60-404.10m.
AN 11 - 135	389.00	390.00	
AN 11 - 135	390.00	391.00	
AN 11 - 135	391.00	392.00	
AN 11 - 135	392.00	393.00	
AN 11 - 135	393.00	394.00	
AN 11 - 135	394.00	395.00	
AN 11 - 135	395.00	396.00	
AN 11 - 135	396.00	397.00	
AN 11 - 135	397.00	398.00	
AN 11 - 135	398.00	399.00	
AN 11 - 135	399.00	400.00	

Hole ID	Depth_From	Depth_To	Comments
Hole ID/Site ID	Depth from	Depth To	Comments regarding geology
AN 11 - 135	400.00	401.00	
AN 11 - 135	401.00	402.00	
AN 11 - 135	402.00	403.00	
AN 11 - 135	403.00	404.00	
AN 11 - 135	404.00	405.00	
AN 11 - 135	405.00	406.00	
AN 11 - 135	406.00	407.00	
AN 11 - 135	407.00	408.00	
AN 11 - 135	408.00	409.00	
AN 11 - 135	409.00	409.50	
AN 11 - 135	409.50	410.00	Zbxv. gy Sst, Fault gouge (415.95 - 416.1 m), Pyo disseminated 0.1%, and concentrated (2%) 414.9 - 415.10 m .
AN 11 - 135	410.00	411.00	
AN 11 - 135	411.00	412.00	
AN 11 - 135	412.00	413.00	
AN 11 - 135	413.00	414.00	
AN 11 - 135	414.00	415.00	
AN 11 - 135	415.00	416.00	
AN 11 - 135	416.00	416.2	
AN 11 - 135	416.20	417.00	Red Sms interbedded with green Sms, in general the rock is moderately fractured. Py in less proportion 0.1% ( 421 - 425 m).
AN 11 - 135	417.00	418.00	
AN 11 - 135	418.00	419.00	
AN 11 - 135	419.00	420.00	
AN 11 - 135	420.00	421.00	
AN 11 - 135	421.00	422.00	
AN 11 - 135	422.00	423.00	



Hole ID	Depth_From	Depth_To	Comments
Hole ID/Site ID	Depth from	Depth To	Comments regarding geology
AN 11 - 135	423.00	424.00	
AN 11 - 135	424.00	425.00	
AN 11 - 135	425.00	426.00	Bk carbonaceous Sms, interbedded with Sst. Calcareous clasts, and chert clasts into the matrix. Fault gouge in some sectors.
AN 11 - 135	426.00	427.00	
AN 11 - 135	427.00	428.00	
AN 11 - 135	428.00	429.00	
AN 11 - 135	429.00	430.00	
AN 11 - 135	430.00	431.00	
AN 11 - 135	431.00	432.00	
AN 11 - 135	432.00	433.00	
AN 11 - 135	433.00	434.00	
AN 11 - 135	434.00	434.50	
AN 11 - 135	434.50	435.00	Light gray Sst. Calcite, and Qtz veins randoly oriented.
AN 11 - 135	435.00	436.00	
AN 11 - 135	436.00	437.00	
AN 11 - 135	437.00	437.90	
AN 11 - 135	437.90	438.00	Black Carbonaceous Sms. Brecciated area, with Qtz angular clasts. Matrix 70%, clasts 30%.
AN 11 - 135	438.00	439.00	
AN 11 - 135	439.00	440.00	
AN 11 - 135	440.00	441.00	
AN 11 - 135	441.00	442.00	
AN 11 - 135	442.00	443.00	
AN 11 - 135	443.00	444.00	
AN 11 - 135	444.00	445.00	
AN 11 - 135	445.00	446.00	

Hole ID	Depth_From	Depth_To	Comments
Hole ID/Site ID	Depth from	Depth To	Comments regarding geology
AN 11 - 135	446.00	447.00	
AN 11 - 135	447.00	448.00	
AN 11 - 135	448.00	449.00	
AN 11 - 135	449.00	450.00	
AN 11 - 135	450.00	451.00	
AN 11 - 135	451.00	451.10	
AN 11 - 135	451.10	452.00	Gray Limestone
AN 11 - 135	452.00	453.00	Gy Sst interbedded with Sms.
AN 11 - 135	453.00	454.00	
AN 11 - 135	454.00	455.00	
AN 11 - 135	455.00	456.00	Green Sms interbedded with black carbonaceous Sms, and fine Sst. Brecciated carbonaceous Sms between 461 - 461.7 m.
AN 11 - 135	456.00	457.00	
AN 11 - 135	457.00	458.00	
AN 11 - 135	458.00	459.00	
AN 11 - 135	459.00	460.00	
AN 11 - 135	460.00	461.00	
AN 11 - 135	461.00	461.70	
AN 11 - 135	461.70	462.00	Black - dark gray Sst. Intercalations of green Sms since 466.4 m. Highly content of carbonaceous material in the matrix.
AN 11 - 135	462.00	463.00	
AN 11 - 135	463.00	464.00	
AN 11 - 135	464.00	465.00	
AN 11 - 135	465.00	466.00	
AN 11 - 135	466.00	467.00	
AN 11 - 135	467.00	468.00	
AN 11 - 135	468.00	469.00	

Hole ID	Depth_From	Depth_To	Comments
Hole ID/Site ID	Depth from	Depth To	Comments regarding geology
AN 11 - 135	469.00	469.9	
AN 11 - 135	469.90	470.00	Green Sms interbedded with bk carbonaceous Sms. The rock is highly broken in the carbonaceous area. Intercalation of Sst, and Chert in lesser proportions.
AN 11 - 135	470.00	471.00	
AN 11 - 135	471.00	472.00	
AN 11 - 135	472.00	473.00	
AN 11 - 135	473.00	474.00	
AN 11 - 135	474.00	474.8	
AN 11 - 135	474.80	475.00	Bk carbonaceous Sst, with small carbonaceous intercalations.
AN 11 - 135	475.00	476.00	
AN 11 - 135	476.00	477.00	
AN 11 - 135	477.00	478.00	
AN 11 - 135	478.00	478.54	