

					Lithology				
Hole ID	Depth_From	Depth_To	Wthg	STRAT	Lith1	Lith2	Lith2pc	Colour	Gsize
Hole ID/Site ID	Depth from	Depth To	Weathering	Stratigraphic Unit	Primary Lith	Secondary Lith	must be <50%	lith colour	grain size
BL11-02	0.00	1.00	hw	Sms	Sms			cm	mg
BL11-02	1.00	2.00	hw	Sms	Sms			cm	mg
BL11-02	2.00	3.00	hw	Sms	Sms			cm	mg
BL11-02	3.00	4.00	hw	Sms	Sms			cm	mg
BL11-02	4.00	5.00	hw	Sms	Sms			cm	mg
BL11-02	5.00	5.80	hw	Sms	Sms			cm	mg
BL11-02	5.80	6.00	mw	Sms	Sms	Sms	1	rd	fg
BL11-02	6.00	7.00	mw	Sms	Sms	Sms	1	rd	fg
BL11-02	7.00	8.00	mw	Sms	Sms	Sms	1	rd	fg
BL11-02	8.00	9.00	mw	Sms	Sms	Sms	1	rd	fg
BL11-02	9.00	10.00	mw	Sms	Sms	Sms	1	rd	fg
BL11-02	10.00	11.00	hw	Sms	Sms	Sms	1	rd	fg
BL11-02	11.00	12.00	hw	Sms	Sms	Sms	1	rd	fg
BL11-02	12.00	13.00	hw	Sms	Sms	Sms	1	rd	fg
BL11-02	13.00	14.00	hw	Sms	Sms	Sms	1	rd	fg
BL11-02	14.00	15.00	hw	Sms	Sms	Sms	1	rd	fg
BL11-02	15.00	16.00	mw	Sms	Sms	Sms	1	rd	fg
BL11-02	16.00	17.00	mw	Sms	Sms	Sms	1	rd	fg
BL11-02	17.00	18.00	mw	Sms	Sms	Sms	1	rd	fg
BL11-02	18.00	19.00	mw	Sms	Sms	Sms	1	rd	fg
BL11-02	19.00	20.00	mw	Sms	Sms	Sms	1	rd	fg
BL11-02	20.00	21.00	mw	Sms	Sms	Sms	1	rd	fg

					Lithology				
Hole ID	Depth_From	Depth_To	Wthg	STRAT	Lith1	Lith2	Lith2pc	Colour	Gsize
Hole ID/Site ID	Depth from	Depth To	Weathering	Stratigraphic Unit	Primary Lith	Secondary Lith	must be <50%	lith colour	grain size
BL11-02	21.00	22.00	mw	Sms	Sms	Sms	1	rd	fg
BL11-02	22.00	23.00	mw	Sms	Sms	Sms	1	rd	fg
BL11-02	23.00	24.00	mw	Sms	Sms	Sms	1	rd	fg
BL11-02	24.00	25.00	mw	Sms	Sms	Sms	1	rd	fg
BL11-02	25.00	26.00	mw	Sms	Sms	Sms	1	rd	fg
BL11-02	26.00	27.00	mw	Sms	Sms	Sms	1	rd	fg
BL11-02	27.00	28.00	mw	Sms	Sms	Sms	1	rd	fg
BL11-02	28.00	29.00	mw	Sms	Sms	Sms	1	rd	fg
BL11-02	29.00	30.00	mw	Sms	Sms	Sms	1	rd	fg
BL11-02	30.00	31.00	mw	Sms	Sms	Sms	1	rd	fg
BL11-02	31.00	32.00	hw	Sms	Sms	Sms	1	rd	fg
BL11-02	32.00	33.00	hw	Sms	Sms	Sms	1	rd	fg
BL11-02	33.00	34.00	hw	Sms	Sms	Sms	1	rd	fg
BL11-02	34.00	35.00	hw	Sms	Sms	Sms	1	rd	fg
BL11-02	35.00	36.00	mw	Sms	Sms	Sms	1	rd	fg
BL11-02	36.00	37.00	mw	Sms	Sms	Sms	1	rd	fg
BL11-02	37.00	38.00	mw	Sms	Sms	Sms	1	rd	fg
BL11-02	38.00	39.00	hw	Sms	Sms	Sms	1	rd	fg
BL11-02	39.00	40.00	hw	Sms	Sms	Sms	1	rd	fg
BL11-02	40.00	41.00	hw	Sms	Sms	Sms	1	rd	fg
BL11-02	41.00	42.00	mw	Sms	Sms	Sms	1	rd	fg
BL11-02	42.00	43.00	mw	Sms	Sms	Sms	1	rd	fg
BL11-02	43.00	44.00	mw	Sms	Sms	Sms	1	rd	fg
BL11-02	44.00	45.00	mw	Sms	Sms	Sms	1	rd	fg
BL11-02	45.00	46.00	mw	Sms	Sms	Sms	1	rd	fg
BL11-02	46.00	47.00	mw	Sms	Sms	Sms	1	rd	fg
BL11-02	47.00	48.00	mw	Sms	Sms	Sms	1	rd	fg

					Lithology				
Hole ID	Depth_From	Depth_To	Wthg	STRAT	Lith1	Lith2	Lith2pc	Colour	Gsize
Hole ID/Site ID	Depth from	Depth To	Weathering	Stratigraphic Unit	Primary Lith	Secondary Lith	must be <50%	lith colour	grain size
BL11-02	48.00	49.00	mw	Sms	Sms	Sms	1	rd	fg
BL11-02	49.00	50.00	hw	Xsz	Sms	Sms	2	rd	fg
BL11-02	50.00	51.00	hw	Xsz	Sms	Sms	2	rd	fg
BL11-02	51.00	52.00	hw	Xsz	Sms	Sms	2	rd	fg
BL11-02	52.00	53.00	hw	Xsz	Sms	Sms	2	rd	fg
BL11-02	53.00	54.00	hw	Xsz	Sms	Sms	2	rd	fg
BL11-02	54.00	55.00	hw	Xsz	Sms	Sms	2	rd	fg
BL11-02	55.00	56.00	hw	Xsz	Sms	Sms	2	rd	fg
BL11-02	56.00	57.00	hw	Xsz	Sms	Sms	2	rd	fg
BL11-02	57.00	58.00	hw	Xsz	Sms	Sms	2	rd	fg
BL11-02	58.00	59.00	hw	Xsz	Sms	Sms	2	rd	fg
BL11-02	59.00	60.00	hw	Xsz	Sms	Sms	2	rd	fg
BL11-02	60.00	61.00	hw	Xsz	Sms	Sms	2	rd	fg
BL11-02	61.00	62.00	hw	Xsz	Sms	Sms	2	rd	fg
BL11-02	62.00	63.00	hw	Xsz	Sms	Sms	2	rd	fg
BL11-02	63.00	64.00	hw	Xsz	Sms	Sms	2	rd	fg
BL11-02	64.00	64.01	hw	Xsz	Sms	Sms	2	rd	fg
		EOH							

			Fabric							
Hole ID	Depth_From	Depth_To	Texture	Struc	StrucInt	Spl%	Gln%	Ccp%	Pyr%	Comp1
Hole ID/Site ID	Depth from	Depth To	texture	Structure	Structural Intensity	Components of the lith type. I.e. clasts, matrix, phe additional sulfides				
BL11-02	0.00	1.00	mas	frc	M					
BL11-02	1.00	2.00	mas	frc	M					
BL11-02	2.00	3.00	mas	frc	M					
BL11-02	3.00	4.00	mas	frc	M					
BL11-02	4.00	5.00	mas	frc	M					
BL11-02	5.00	5.80	mas	frc	M					
BL11-02	5.80	6.00	mas	sch	M					
BL11-02	6.00	7.00	mas	sch	M					
BL11-02	7.00	8.00	mas	sch	M					
BL11-02	8.00	9.00	mas	sch	M					
BL11-02	9.00	10.00	mas	sch	M					
BL11-02	10.00	11.00	mas	sch	M					
BL11-02	11.00	12.00	mas	sch	M					
BL11-02	12.00	13.00	mas	sch	M					
BL11-02	13.00	14.00	mas	sch	M					
BL11-02	14.00	15.00	mas	sch	M					
BL11-02	15.00	16.00	mas	sch	M					
BL11-02	16.00	17.00	mas	sch	M					
BL11-02	17.00	18.00	mas	sch	M					
BL11-02	18.00	19.00	mas	sch	M					
BL11-02	19.00	20.00	mas	sch	M					
BL11-02	20.00	21.00	mas	sch	M					

			Fabric							
Hole ID	Depth_From	Depth_To	Texture	Struc	StrucInt	Spl%	Gln%	Ccp%	Pyr%	Comp1
Hole ID/Site ID	Depth from	Depth To	texture	Structure	Structural Intensity	Components of the lith type. I.e. clasts, matrix, phe additional sulfides				
BL11-02	21.00	22.00	mas	sch	M					
BL11-02	22.00	23.00	mas	sch	M					
BL11-02	23.00	24.00	mas	sch	M					
BL11-02	24.00	25.00	mas	sch	M					
BL11-02	25.00	26.00	mas	sch	M					
BL11-02	26.00	27.00	mas	sch	M					
BL11-02	27.00	28.00	mas	sch	M					
BL11-02	28.00	29.00	mas	sch	M					
BL11-02	29.00	30.00	mas	sch	M					
BL11-02	30.00	31.00	mas	sch	M					
BL11-02	31.00	32.00	mas	sch	M					
BL11-02	32.00	33.00	mas	sch	M					
BL11-02	33.00	34.00	mas	sch	M					
BL11-02	34.00	35.00	mas	sch	M					
BL11-02	35.00	36.00	mas	sch	M					
BL11-02	36.00	37.00	mas	sch	M					
BL11-02	37.00	38.00	mas	sch	M					
BL11-02	38.00	39.00	mas	sch	M					
BL11-02	39.00	40.00	mas	sch	M					
BL11-02	40.00	41.00	mas	sch	M					
BL11-02	41.00	42.00	mas	sch	M					
BL11-02	42.00	43.00	mas	sch	M					
BL11-02	43.00	44.00	mas	sch	M					
BL11-02	44.00	45.00	mas	sch	M					
BL11-02	45.00	46.00	mas	sch	M					
BL11-02	46.00	47.00	mas	sch	M					
BL11-02	47.00	48.00	mas	sch	M					

			Fabric							
Hole ID	Depth_From	Depth_To	Texture	Struc	StrucInt	Spl%	Gln%	Ccp%	Pyr%	Comp1
Hole ID/Site ID	Depth from	Depth To	texture	Structure	Structural Intensity	Components of the lith type. I.e. clasts, matrix, phe additional sulfides				
BL11-02	48.00	49.00	mas	sch	M					
BL11-02	49.00	50.00	fis	sch	M					
BL11-02	50.00	51.00	fis	sch	M					
BL11-02	51.00	52.00	fis	sch	M					
BL11-02	52.00	53.00	fis	sch	M					
BL11-02	53.00	54.00	fis	sch	M					
BL11-02	54.00	55.00	fis	sch	M					
BL11-02	55.00	56.00	fis	sch	M					
BL11-02	56.00	57.00	fis	sch	M					
BL11-02	57.00	58.00	fis	sch	M					
BL11-02	58.00	59.00	fis	sch	M					
BL11-02	59.00	60.00	fis	sch	M					
BL11-02	60.00	61.00	fis	sch	M					
BL11-02	61.00	62.00	fis	sch	M					
BL11-02	62.00	63.00	fis	sch	M					
BL11-02	63.00	64.00	fis	sch	M					
BL11-02	64.00	64.01	fis	sch	M					
		EOH								

[illegible]

			Veining						
Hole ID	Depth_From	Depth_To	Vein1	Vn1pc	Vn1form	Vein2	Vn2pc	Vn2Form	Geologist
Hole ID/Site ID	Depth from	Depth To	Primary vein assemblage	percentage of interval	Vein Form	Secondary vein assemblage	percentage of interval	Vein Form	Person who logged the interval
BL11-02	0.00	1.00							E. Gantiva
BL11-02	1.00	2.00							E. Gantiva
BL11-02	2.00	3.00							E. Gantiva
BL11-02	3.00	4.00							E. Gantiva
BL11-02	4.00	5.00							E. Gantiva
BL11-02	5.00	5.80							E. Gantiva
BL11-02	5.80	6.00							E. Gantiva
BL11-02	6.00	7.00							E. Gantiva
BL11-02	7.00	8.00							E. Gantiva
BL11-02	8.00	9.00							E. Gantiva
BL11-02	9.00	10.00							E. Gantiva
BL11-02	10.00	11.00							E. Gantiva
BL11-02	11.00	12.00							E. Gantiva
BL11-02	12.00	13.00							E. Gantiva
BL11-02	13.00	14.00							E. Gantiva
BL11-02	14.00	15.00							E. Gantiva
BL11-02	15.00	16.00							E. Gantiva
BL11-02	16.00	17.00							E. Gantiva
BL11-02	17.00	18.00							E. Gantiva
BL11-02	18.00	19.00							E. Gantiva
BL11-02	19.00	20.00							E. Gantiva
BL11-02	20.00	21.00							E. Gantiva

			Veining						
Hole ID	Depth_From	Depth_To	Vein1	Vn1pc	Vn1form	Vein2	Vn2pc	Vn2Form	Geologist
Hole ID/Site ID	Depth from	Depth To	Primary vein assemblage	percentage of interval	Vein Form	Secondary vein assemblage	percentage of interval	Vein Form	Person who logged the interval
BL11-02	21.00	22.00							E. Gantiva
BL11-02	22.00	23.00							E. Gantiva
BL11-02	23.00	24.00							E. Gantiva
BL11-02	24.00	25.00							E. Gantiva
BL11-02	25.00	26.00							E. Gantiva
BL11-02	26.00	27.00							E. Gantiva
BL11-02	27.00	28.00							E. Gantiva
BL11-02	28.00	29.00							E. Gantiva
BL11-02	29.00	30.00							E. Gantiva
BL11-02	30.00	31.00							E. Gantiva
BL11-02	31.00	32.00							E. Gantiva
BL11-02	32.00	33.00							E. Gantiva
BL11-02	33.00	34.00							E. Gantiva
BL11-02	34.00	35.00							E. Gantiva
BL11-02	35.00	36.00							E. Gantiva
BL11-02	36.00	37.00							E. Gantiva
BL11-02	37.00	38.00							E. Gantiva
BL11-02	38.00	39.00							E. Gantiva
BL11-02	39.00	40.00							E. Gantiva
BL11-02	40.00	41.00							E. Gantiva
BL11-02	41.00	42.00							E. Gantiva
BL11-02	42.00	43.00							E. Gantiva
BL11-02	43.00	44.00							E. Gantiva
BL11-02	44.00	45.00							E. Gantiva
BL11-02	45.00	46.00							E. Gantiva
BL11-02	46.00	47.00							E. Gantiva
BL11-02	47.00	48.00							E. Gantiva

			Veining						
Hole ID	Depth_From	Depth_To	Vein1	Vn1pc	Vn1form	Vein2	Vn2pc	Vn2Form	Geologist
Hole ID/Site ID	Depth from	Depth To	Primary vein assemblage	percentage of interval	Vein Form	Secondary vein assemblage	percentage of interval	Vein Form	Person who logged the interval
BL11-02	48.00	49.00							E. Gantiva
BL11-02	49.00	50.00							E. Gantiva
BL11-02	50.00	51.00							E. Gantiva
BL11-02	51.00	52.00							E. Gantiva
BL11-02	52.00	53.00							E. Gantiva
BL11-02	53.00	54.00							E. Gantiva
BL11-02	54.00	55.00							E. Gantiva
BL11-02	55.00	56.00							E. Gantiva
BL11-02	56.00	57.00							E. Gantiva
BL11-02	57.00	58.00							E. Gantiva
BL11-02	58.00	59.00							E. Gantiva
BL11-02	59.00	60.00							E. Gantiva
BL11-02	60.00	61.00							E. Gantiva
BL11-02	61.00	62.00							E. Gantiva
BL11-02	62.00	63.00							E. Gantiva
BL11-02	63.00	64.00							E. Gantiva
BL11-02	64.00	64.01							E. Gantiva
		EOH							

Hole ID	Depth_From	Depth_To	Comments
Hole ID/Site ID	Depth from	Depth To	Comments regarding geology
BL11-02	0.00	1.00	Sms. Cream medium grain size Sms, fractured rock, and some sectors fault gouge. Traces of pyrite.
BL11-02	1.00	2.00	
BL11-02	2.00	3.00	
BL11-02	3.00	4.00	
BL11-02	4.00	5.00	
BL11-02	5.00	5.80	
BL11-02	5.80	6.00	Sms. Red Sms moderately fractured in some sectors, with thin intercalations of green Sms. Highly fractured rock between 11.5 – 15, with fault gouge in sectors in this interval. Highly fractured between 31 – 35m; 39.5 – 40.4 m.
BL11-02	6.00	7.00	
BL11-02	7.00	8.00	
BL11-02	8.00	9.00	
BL11-02	9.00	10.00	
BL11-02	10.00	11.00	
BL11-02	11.00	12.00	
BL11-02	12.00	13.00	
BL11-02	13.00	14.00	
BL11-02	14.00	15.00	
BL11-02	15.00	16.00	
BL11-02	16.00	17.00	
BL11-02	17.00	18.00	
BL11-02	18.00	19.00	
BL11-02	19.00	20.00	
BL11-02	20.00	21.00	

Hole ID	Depth_From	Depth_To	Comments
Hole ID/Site ID	Depth from	Depth To	Comments regarding geology
BL11-02	21.00	22.00	
BL11-02	22.00	23.00	
BL11-02	23.00	24.00	
BL11-02	24.00	25.00	
BL11-02	25.00	26.00	
BL11-02	26.00	27.00	
BL11-02	27.00	28.00	
BL11-02	28.00	29.00	
BL11-02	29.00	30.00	
BL11-02	30.00	31.00	
BL11-02	31.00	32.00	
BL11-02	32.00	33.00	
BL11-02	33.00	34.00	
BL11-02	34.00	35.00	
BL11-02	35.00	36.00	
BL11-02	36.00	37.00	
BL11-02	37.00	38.00	
BL11-02	38.00	39.00	
BL11-02	39.00	40.00	
BL11-02	40.00	41.00	
BL11-02	41.00	42.00	
BL11-02	42.00	43.00	
BL11-02	43.00	44.00	
BL11-02	44.00	45.00	
BL11-02	45.00	46.00	
BL11-02	46.00	47.00	
BL11-02	47.00	48.00	

Hole ID	Depth_From	Depth_To	Comments
Hole ID/Site ID	Depth from	Depth To	Comments regarding geology
BL11-02	48.00	49.00	
BL11-02	49.00	50.00	Xsz. Red Sms. Highly fractured red Sms, fault gouge in different sectors in this interval, especially between 58 – 64 m. Thin green Sms interbedded 2%.
BL11-02	50.00	51.00	
BL11-02	51.00	52.00	
BL11-02	52.00	53.00	
BL11-02	53.00	54.00	
BL11-02	54.00	55.00	
BL11-02	55.00	56.00	
BL11-02	56.00	57.00	
BL11-02	57.00	58.00	
BL11-02	58.00	59.00	
BL11-02	59.00	60.00	
BL11-02	60.00	61.00	
BL11-02	61.00	62.00	
BL11-02	62.00	63.00	
BL11-02	63.00	64.00	
BL11-02	64.00	64.01	
		EOH	