

					Lithology				
Hole ID	Depth_From	Depth_To	Wthg	STRAT	Lith1	Lith2	Lith2pc	Colour	Gsize
Hole ID/Site ID	Depth from	Depth To	Weathering	Stratigraphic Unit	Primary Lith	Secondary Lith	must be <50%	lith colour	grain size
BL11-03	0.00	1.00	hw	Sms	Sms			bn	mg
BL11-03	1.00	2.00	hw	Sms	Sms			bn	mg
BL11-03	2.00	3.00	hw	Sms	Sms			bn	mg
BL11-03	3.00	4.00	hw	Sms	Sms			bn	mg
BL11-03	4.00	4.57	hw	Sms	Sms			bn	mg
BL11-03	4.57	5.00	mw	Sst	Sst	Sms	5	gn	cg
BL11-03	5.00	6.00	mw	Sst	Sst	Sms	5	gn	cg
BL11-03	6.00	7.00	mw	Sst	Sst	Sms	5	gn	cg
BL11-03	7.00	8.00	mw	Sst	Sst	Sms	5	gn	cg
BL11-03	8.00	9.00	mw	Sst	Sst	Sms	5	gn	cg
BL11-03	9.00	10.00	mw	Sst	Sst	Sms	5	gn	cg
BL11-03	10.00	11.00	mw	Sst	Sst	Sms	5	gn	cg
BL11-03	11.00	12.00	mw	Sst	Sst	Sms	5	gn	cg
BL11-03	12.00	13.00	mw	Sst	Sst	Sms	5	gn	cg
BL11-03	13.00	14.00	mw	Sst	Sst	Sms	5	gn	cg
BL11-03	14.00	15.00	mw	Sst	Sst	Sms	5	gn	cg
BL11-03	15.00	16.00	mw	Sst	Sst	Sms	5	gn	cg
BL11-03	16.00	17.00	mw	Sst	Sst	Sms	5	gn	cg
BL11-03	17.00	18.00	mw	Sst	Sst	Sms	5	gn	cg
BL11-03	18.00	19.00	mw	Sms	Sms	SlS	45	gn	cg
BL11-03	19.00	19.10	mw	Sms	Sms	SlS	45	gn	cg

					Lithology				
Hole ID	Depth_From	Depth_To	Wthg	STRAT	Lith1	Lith2	Lith2pc	Colour	Gsize
Hole ID/Site ID	Depth from	Depth To	Weathering	Stratigraphic Unit	Primary Lith	Secondary Lith	must be <50%	lith colour	grain size
BL11-03	19.10	20.00	mw	Sms	Sms	Sms	2	rd	fg
BL11-03	20.00	21.00	mw	Sms	Sms	Sms	2	rd	fg
BL11-03	21.00	22.00	mw	Sms	Sms	Sms	2	rd	fg
BL11-03	22.00	23.00	mw	Sms	Sms	Sms	2	rd	fg
BL11-03	23.00	24.00	mw	Sms	Sms	Sms	2	rd	fg
BL11-03	24.00	25.00	mw	Sms	Sms	Sms	2	rd	fg
BL11-03	25.00	26.00	mw	Sms	Sms	Sms	2	rd	fg
BL11-03	26.00	27.00	hw	Sms	Sms	Sms	2	rd	fg
BL11-03	27.00	28.00	hw	Sms	Sms	Sms	2	rd	fg
BL11-03	28.00	29.00	hw	Sms	Sms	Sms	2	rd	fg
BL11-03	29.00	30.00	hw	Sms	Sms	Sms	2	rd	fg
BL11-03	30.00	31.00	mw	Sms	Sms	Sms	2	rd	fg
BL11-03	31.00	32.00	mw	Sms	Sms	Sms	2	rd	fg
BL11-03	32.00	33.00	mw	Sms	Sms	Sms	2	rd	fg
BL11-03	33.00	34.00	mw	Sms	Sms	Sms	2	rd	fg
BL11-03	34.00	35.00	mw	Sms	Sms	Sms	2	rd	fg
BL11-03	35.00	36.00	mw	Sms	Sms	Sms	2	rd	fg
BL11-03	36.00	37.00	mw	Sms	Sms	Sms	2	rd	fg
BL11-03	37.00	38.00	mw	Sms	Sms	Sms	2	rd	fg
BL11-03	38.00	39.00	mw	Sms	Sms	Sms	2	rd	fg
BL11-03	39.00	40.00	mw	Sms	Sms	Sms	2	rd	fg
BL11-03	40.00	41.00	mw	Sms	Sms	Sms	2	rd	fg
BL11-03	41.00	42.00	mw	Sms	Sms	Sms	2	rd	fg
BL11-03	42.00	43.00	mw	Sms	Sms	Sms	2	rd	fg

					Lithology				
Hole ID	Depth_From	Depth_To	Wthg	STRAT	Lith1	Lith2	Lith2pc	Colour	Gsize
Hole ID/Site ID	Depth from	Depth To	Weathering	Stratigraphic Unit	Primary Lith	Secondary Lith	must be <50%	lith colour	grain size
BL11-03	43.00	44.00	mw	Sms	Sms	Sms	2	rd	fg
BL11-03	44.00	45.00	mw	Sms	Sms	Sms	2	rd	fg
BL11-03	45.00	46.00	mw	Sms	Sms	Sms	2	rd	fg
BL11-03	46.00	47.00	mw	Sms	Sms	Sms	2	rd	fg
BL11-03	47.00	47.40	mw	Sms	Sms	Sms	2	rd	fg
BL11-03	47.40	48.00	mw	Sct	Sms	Sct	5	gn	fg
BL11-03	48.00	49.00	mw	Sct	Sms	Sct	5	gn	fg
BL11-03	49.00	50.00	mw	Sct	Sms	Sct	5	gn	fg
BL11-03	50.00	51.00	mw	Sct	Sct	Sms	2	gy	fg
BL11-03	51.00	52.00	mw	Sct	Sct	Sms	2	gy	fg
BL11-03	52.00	53.00	mw	Sct	Sct	Sms	2	gy	fg
BL11-03	53.00	54.00	mw	Sct	Sct	Sms	2	gy	fg
BL11-03	54.00	55.00	mw	Sct	Sct	Sms	2	gy	fg
BL11-03	55.00	56.00	mw	Sct	Sct	Sms	2	gy	fg
BL11-03	56.00	57.00	mw	Sct	Sct	Sms	2	gy	fg
BL11-03	57.00	58.00	mw	Sct	Sms	Sct	5	gn	fg
BL11-03	58.00	59.00	mw	Sct	Sms	Sct	5	gn	fg
BL11-03	59.00	59.20	mw	Sct	Sms	Sct	5	gn	fg
BL11-03	59.20	60.00	hw	Sms	Sms	Sms	1	rd	fg
BL11-03	60.00	61.00	hw	Sms	Sms	Sms	1	rd	fg
BL11-03	61.00	62.00	hw	Sms	Sms	Sms	1	rd	fg
BL11-03	62.00	63.00	hw	Sms	Sms	Sms	1	rd	fg

					Lithology				
Hole ID	Depth_From	Depth_To	Wthg	STRAT	Lith1	Lith2	Lith2pc	Colour	Gsize
Hole ID/Site ID	Depth from	Depth To	Weathering	Stratigraphic Unit	Primary Lith	Secondary Lith	must be <50%	lith colour	grain size
BL11-03	63.00	64.00	hw	Sms	Sms	Sms	1	rd	fg
BL11-03	64.00	65.00	hw	Sms	Sms	Sms	1	rd	fg
BL11-03	65.00	66.00	hw	Sms	Sms	Sms	1	rd	fg
BL11-03	66.00	67.00	hw	Sms	Sms	Sms	1	rd	fg
BL11-03	67.00	68.00	hw	Sms	Sms	Sms	1	rd	fg
BL11-03	68.00	69.00	hw	Sms	Sms	Sms	1	rd	fg
BL11-03	69.00	70.00	hw	Sms	Sms	Sms	1	rd	fg
BL11-03	70.00	71.00	hw	Sms	Sms	Sms	1	rd	fg
BL11-03	71.00	72.00	hw	Sms	Sms	Sms	1	rd	fg
BL11-03	72.00	73.00	hw	Sms	Sms	Sms	1	rd	fg
BL11-03	73.00	74.00	hw	Sms	Sms	Sms	1	rd	fg
BL11-03	74.00	75.00	hw	Sms	Sms	Sms	1	rd	fg
BL11-03	75.00	76.00	hw	Sms	Sms	Sms	1	rd	fg
BL11-03	76.00	77.00	hw	Sms	Sms	Sms	1	rd	fg
BL11-03	77.00	78.00	hw	Sms	Sms	Sms	1	rd	fg
BL11-03	78.00	79.00	hw	Sms	Sms	Sms	1	rd	fg
BL11-03	79.00	80.00	hw	Sms	Sms	Sms	1	rd	fg
BL11-03	80.00	80.16	hw	Sms	Sms	Sms	1	rd	fg
		EOH							

			Fabric							
Hole ID	Depth_From	Depth_To	Texture	Struc	StrucInt	Spl%	Gln%	Ccp%	Pyr%	Comp1
Hole ID/Site ID	Depth from	Depth To	texture	Structure	Structural Intensity	Components of the lith type. I.e. clasts, matrix, phenocrysts, w				
BL11-03	0.00	1.00	fis	frc	I					
BL11-03	1.00	2.00	fis	frc	I					
BL11-03	2.00	3.00	fis	frc	I					
BL11-03	3.00	4.00	fis	frc	I					
BL11-03	4.00	4.57	fis	frc	I					
BL11-03	4.57	5.00	grn	frc	M					
BL11-03	5.00	6.00	grn	frc	M					
BL11-03	6.00	7.00	grn	frc	M					
BL11-03	7.00	8.00	grn	frc	M					
BL11-03	8.00	9.00	grn	frc	M					
BL11-03	9.00	10.00	grn	frc	M					
BL11-03	10.00	11.00	grn	frc	M					
BL11-03	11.00	12.00	grn	frc	M					
BL11-03	12.00	13.00	grn	frc	M					
BL11-03	13.00	14.00	grn	frc	M					
BL11-03	14.00	15.00	grn	frc	M					
BL11-03	15.00	16.00	grn	frc	M					
BL11-03	16.00	17.00	grn	frc	M					
BL11-03	17.00	18.00	grn	frc	M					
BL11-03	18.00	19.00	grn	frc	M					
BL11-03	19.00	19.10	grn	frc	M					

			Fabric							
Hole ID	Depth_From	Depth_To	Texture	Struc	StrucInt	Spl%	Gln%	Ccp%	Pyr%	Comp1
Hole ID/Site ID	Depth from	Depth To	texture	Structure	Structural Intensity	Components of the lith type. I.e. clasts, matrix, phenocrysts, v				
BL11-03	19.10	20.00	fis	frc	M					
BL11-03	20.00	21.00	fis	frc	M					
BL11-03	21.00	22.00	fis	frc	M					
BL11-03	22.00	23.00	fis	frc	M					
BL11-03	23.00	24.00	fis	frc	M					
BL11-03	24.00	25.00	fis	frc	M					
BL11-03	25.00	26.00	fis	frc	M					
BL11-03	26.00	27.00	fis	frc	M					
BL11-03	27.00	28.00	fis	frc	M					
BL11-03	28.00	29.00	fis	frc	M					
BL11-03	29.00	30.00	fis	frc	M					
BL11-03	30.00	31.00	fis	frc	M					
BL11-03	31.00	32.00	fis	frc	M					
BL11-03	32.00	33.00	fis	frc	M					
BL11-03	33.00	34.00	fis	frc	M					
BL11-03	34.00	35.00	fis	frc	M					
BL11-03	35.00	36.00	fis	frc	M					
BL11-03	36.00	37.00	fis	frc	M					
BL11-03	37.00	38.00	fis	frc	M					
BL11-03	38.00	39.00	fis	frc	M					
BL11-03	39.00	40.00	fis	frc	M					
BL11-03	40.00	41.00	fis	frc	M					
BL11-03	41.00	42.00	fis	frc	M					
BL11-03	42.00	43.00	fis	frc	M					

			Fabric							
Hole ID	Depth_From	Depth_To	Texture	Struc	StrucInt	Spl%	Gln%	Ccp%	Pyr%	Comp1
Hole ID/Site ID	Depth from	Depth To	texture	Structure	Structural Intensity	Components of the lith type. I.e. clasts, matrix, phenocrysts, w				
BL11-03	43.00	44.00	fis	frc	M					
BL11-03	44.00	45.00	fis	frc	M					
BL11-03	45.00	46.00	fis	frc	M					
BL11-03	46.00	47.00	fis	frc	M					
BL11-03	47.00	47.40	fis	frc	M					
BL11-03	47.40	48.00	mas	cbx	M					
BL11-03	48.00	49.00	mas	cbx	M					
BL11-03	49.00	50.00	mas	cbx	M					
BL11-03	50.00	51.00	mas	cbx	M					
BL11-03	51.00	52.00	mas	cbx	M					
BL11-03	52.00	53.00	mas	cbx	M					
BL11-03	53.00	54.00	mas	cbx	M					
BL11-03	54.00	55.00	mas	cbx	M					
BL11-03	55.00	56.00	mas	cbx	M					
BL11-03	56.00	57.00	mas	cbx	M					
BL11-03	57.00	58.00	mas	cbx	M					
BL11-03	58.00	59.00	mas	cbx	M					
BL11-03	59.00	59.20	mas	cbx	M					
BL11-03	59.20	60.00	fis	sch	M					
BL11-03	60.00	61.00	fis	sch	M					
BL11-03	61.00	62.00	fis	sch	M					
BL11-03	62.00	63.00	fis	sch	M					

			Fabric							
Hole ID	Depth_From	Depth_To	Texture	Struc	StrucInt	Spl%	Gln%	Ccp%	Pyr%	Comp1
Hole ID/Site ID	Depth from	Depth To	texture	Structure	Structural Intensity	Components of the lith type. I.e. clasts, matrix, phenocrysts, w				
BL11-03	63.00	64.00	fis	sch	M					
BL11-03	64.00	65.00	fis	sch	M					
BL11-03	65.00	66.00	fis	sch	M					
BL11-03	66.00	67.00	fis	sch	M					
BL11-03	67.00	68.00	fis	sch	M					
BL11-03	68.00	69.00	fis	sch	M					
BL11-03	69.00	70.00	fis	sch	M					
BL11-03	70.00	71.00	fis	sch	M					
BL11-03	71.00	72.00	fis	sch	M					
BL11-03	72.00	73.00	fis	sch	M					
BL11-03	73.00	74.00	fis	sch	M					
BL11-03	74.00	75.00	fis	sch	M					
BL11-03	75.00	76.00	fis	sch	M					
BL11-03	76.00	77.00	fis	sch	M					
BL11-03	77.00	78.00	fis	sch	M					
BL11-03	78.00	79.00	fis	sch	M					
BL11-03	79.00	80.00	fis	sch	M					
BL11-03	80.00	80.16	fis	sch	M					
		EOH								

			Veining						
Hole ID	Depth_From	Depth_To	Vein1	Vn1pc	Vn1form	Vein2	Vn2pc	Vn2Form	Geologist
Hole ID/Site ID	Depth from	Depth To	Primary vein assemblage	percentage of interval	Vein Form	Secondary vein assemblage	percentage of interval	Vein Form	Person who logged the interval
BL11-03	0.00	1.00							E.gantiva
BL11-03	1.00	2.00							E.gantiva
BL11-03	2.00	3.00							E.gantiva
BL11-03	3.00	4.00							E.gantiva
BL11-03	4.00	4.57							E.gantiva
BL11-03	4.57	5.00	cal	2	crs	qtz	1	crs	E.gantiva
BL11-03	5.00	6.00	cal	2	crs	qtz	1	crs	E.gantiva
BL11-03	6.00	7.00	cal	2	crs	qtz	1	crs	E.gantiva
BL11-03	7.00	8.00	cal	2	crs	qtz	1	crs	E.gantiva
BL11-03	8.00	9.00	cal	2	crs	qtz	1	crs	E.gantiva
BL11-03	9.00	10.00	cal	2	crs	qtz	1	crs	E.gantiva
BL11-03	10.00	11.00	cal	2	crs	qtz	1	crs	E.gantiva
BL11-03	11.00	12.00	cal	2	crs	qtz	1	crs	E.gantiva
BL11-03	12.00	13.00	cal	2	crs	qtz	1	crs	E.gantiva
BL11-03	13.00	14.00	cal	2	crs	qtz	1	crs	E.gantiva
BL11-03	14.00	15.00	cal	2	crs	qtz	1	crs	E.gantiva
BL11-03	15.00	16.00	cal	2	crs	qtz	1	crs	E.gantiva
BL11-03	16.00	17.00	cal	2	crs	qtz	1	crs	E.gantiva
BL11-03	17.00	18.00	cal	2	crs	qtz	1	crs	E.gantiva
BL11-03	18.00	19.00	cal	40	par				E.gantiva
BL11-03	19.00	19.10	cal	40	par				E.gantiva

			Veining						
Hole ID	Depth_From	Depth_To	Vein1	Vn1pc	Vn1form	Vein2	Vn2pc	Vn2Form	Geologist
Hole ID/Site ID	Depth from	Depth To	Primary vein assemblage	percentage of interval	Vein Form	Secondary vein assemblage	percentage of interval	Vein Form	Person who logged the interval
BL11-03	19.10	20.00	cal	10	par				E.gantiva
BL11-03	20.00	21.00	cal	10	par				E.gantiva
BL11-03	21.00	22.00	cal	10	par				E.gantiva
BL11-03	22.00	23.00	cal	10	par				E.gantiva
BL11-03	23.00	24.00	cal	10	par				E.gantiva
BL11-03	24.00	25.00	cal	10	par				E.gantiva
BL11-03	25.00	26.00	cal	10	par				E.gantiva
BL11-03	26.00	27.00							E.gantiva
BL11-03	27.00	28.00							E.gantiva
BL11-03	28.00	29.00							E.gantiva
BL11-03	29.00	30.00							E.gantiva
BL11-03	30.00	31.00							E.gantiva
BL11-03	31.00	32.00							E.gantiva
BL11-03	32.00	33.00							E.gantiva
BL11-03	33.00	34.00							E.gantiva
BL11-03	34.00	35.00							E.gantiva
BL11-03	35.00	36.00							E.gantiva
BL11-03	36.00	37.00							E.gantiva
BL11-03	37.00	38.00							E.gantiva
BL11-03	38.00	39.00							E.gantiva
BL11-03	39.00	40.00							E.gantiva
BL11-03	40.00	41.00							E.gantiva
BL11-03	41.00	42.00							E.gantiva
BL11-03	42.00	43.00							E.gantiva

			Veining						
Hole ID	Depth_From	Depth_To	Vein1	Vn1pc	Vn1form	Vein2	Vn2pc	Vn2Form	Geologist
Hole ID/Site ID	Depth from	Depth To	Primary vein assemblage	percentage of interval	Vein Form	Secondary vein assemblage	percentage of interval	Vein Form	Person who logged the interval
BL11-03	43.00	44.00							E.gantiva
BL11-03	44.00	45.00							E.gantiva
BL11-03	45.00	46.00							E.gantiva
BL11-03	46.00	47.00							E.gantiva
BL11-03	47.00	47.40							E.gantiva
BL11-03	47.40	48.00	cal	3	crs	qtz	1	crs	E.gantiva
BL11-03	48.00	49.00	cal	3	crs	qtz	1	crs	E.gantiva
BL11-03	49.00	50.00	cal	3	crs	qtz	1	crs	E.gantiva
BL11-03	50.00	51.00	cal	3	crs	qtz	1	crs	E.gantiva
BL11-03	51.00	52.00	cal	3	crs	qtz	1	crs	E.gantiva
BL11-03	52.00	53.00	cal	3	crs	qtz	1	crs	E.gantiva
BL11-03	53.00	54.00	cal	3	crs	qtz	1	crs	E.gantiva
BL11-03	54.00	55.00	cal	3	crs	qtz	1	crs	E.gantiva
BL11-03	55.00	56.00	cal	3	crs	qtz	1	crs	E.gantiva
BL11-03	56.00	57.00	cal	3	crs	qtz	1	crs	E.gantiva
BL11-03	57.00	58.00	cal	3	crs	qtz	1	crs	E.gantiva
BL11-03	58.00	59.00	cal	3	crs	qtz	1	crs	E.gantiva
BL11-03	59.00	59.20	cal	3	crs	qtz	1	crs	E.gantiva
BL11-03	59.20	60.00							E.gantiva
BL11-03	60.00	61.00							E.gantiva
BL11-03	61.00	62.00							E.gantiva
BL11-03	62.00	63.00							E.gantiva

			Veining						
Hole ID	Depth_From	Depth_To	Vein1	Vn1pc	Vn1form	Vein2	Vn2pc	Vn2Form	Geologist
Hole ID/Site ID	Depth from	Depth To	Primary vein assemblage	percentage of interval	Vein Form	Secondary vein assemblage	percentage of interval	Vein Form	Person who logged the interval
BL11-03	63.00	64.00							E.gantiva
BL11-03	64.00	65.00							E.gantiva
BL11-03	65.00	66.00							E.gantiva
BL11-03	66.00	67.00							E.gantiva
BL11-03	67.00	68.00							E.gantiva
BL11-03	68.00	69.00							E.gantiva
BL11-03	69.00	70.00							E.gantiva
BL11-03	70.00	71.00							E.gantiva
BL11-03	71.00	72.00							E.gantiva
BL11-03	72.00	73.00							E.gantiva
BL11-03	73.00	74.00							E.gantiva
BL11-03	74.00	75.00							E.gantiva
BL11-03	75.00	76.00							E.gantiva
BL11-03	76.00	77.00							E.gantiva
BL11-03	77.00	78.00							E.gantiva
BL11-03	78.00	79.00							E.gantiva
BL11-03	79.00	80.00							E.gantiva
BL11-03	80.00	80.16							E.gantiva
		EOH							

Hole ID	Depth_From	Depth_To	Comments
Hole ID/Site ID	Depth from	Depth To	Comments regarding geology
BL11-03	0.00	1.00	Sms. Brown Sms, highly weathered, fractures parallel to the bedding.
BL11-03	1.00	2.00	
BL11-03	2.00	3.00	
BL11-03	3.00	4.00	
BL11-03	4.00	4.57	
BL11-03	4.57	5.00	Sst. Green – Grey, coarse grain size Sst. Thin calcite lamines randomly oriented. Surface of the fractures is covered with oxides. Intercalations of gray Sms. Chert between 14.4 – 14.75 m. green Sms intercalated with limestone between 18 - 19.10m
BL11-03	5.00	6.00	
BL11-03	6.00	7.00	
BL11-03	7.00	8.00	
BL11-03	8.00	9.00	
BL11-03	9.00	10.00	
BL11-03	10.00	11.00	
BL11-03	11.00	12.00	
BL11-03	12.00	13.00	
BL11-03	13.00	14.00	
BL11-03	14.00	15.00	
BL11-03	15.00	16.00	
BL11-03	16.00	17.00	
BL11-03	17.00	18.00	
BL11-03	18.00	19.00	
BL11-03	19.00	19.10	

Hole ID	Depth_From	Depth_To	Comments
Hole ID/Site ID	Depth from	Depth To	Comments regarding geology
BL11-03	19.10	20.00	Sms. Red Sms, moderately weathered. 10cm wide calcite veins intercalations in the beginning, between 19.10 – 26 m. Pale green Sms, between 19.9 – 21 m. Fault gouge between 25.9 – 29.5 m with intercalations of highly fractured red Sms.
BL11-03	20.00	21.00	
BL11-03	21.00	22.00	
BL11-03	22.00	23.00	
BL11-03	23.00	24.00	
BL11-03	24.00	25.00	
BL11-03	25.00	26.00	
BL11-03	26.00	27.00	
BL11-03	27.00	28.00	
BL11-03	28.00	29.00	
BL11-03	29.00	30.00	
BL11-03	30.00	31.00	
BL11-03	31.00	32.00	
BL11-03	32.00	33.00	
BL11-03	33.00	34.00	
BL11-03	34.00	35.00	
BL11-03	35.00	36.00	
BL11-03	36.00	37.00	
BL11-03	37.00	38.00	
BL11-03	38.00	39.00	
BL11-03	39.00	40.00	
BL11-03	40.00	41.00	
BL11-03	41.00	42.00	
BL11-03	42.00	43.00	

Hole ID	Depth_From	Depth_To	Comments
Hole ID/Site ID	Depth from	Depth To	Comments regarding geology
BL11-03	43.00	44.00	
BL11-03	44.00	45.00	
BL11-03	45.00	46.00	
BL11-03	46.00	47.00	
BL11-03	47.00	47.40	
BL11-03	47.40	48.00	Sct. Grey - Black Sct moderately fractured with qtz 1% veins, and calcite 3%veins. In the beginning, and in the end of the interval there is green - gray Sms with small intercalations of chert. There are intercalations of highly calcareous Sms into the chert.
BL11-03	48.00	49.00	
BL11-03	49.00	50.00	
BL11-03	50.00	51.00	
BL11-03	51.00	52.00	
BL11-03	52.00	53.00	
BL11-03	53.00	54.00	
BL11-03	54.00	55.00	
BL11-03	55.00	56.00	
BL11-03	56.00	57.00	
BL11-03	57.00	58.00	
BL11-03	58.00	59.00	
BL11-03	59.00	59.20	
BL11-03	59.20	60.00	Sms. Red Sms with thin intercalations of green Sms parallel to the bedding. In general the rock is highly broken in this interval. Fault gouge between 57.9 – 58.2 m, 67.2 – 67.4 m, and 72.65 – 72.9 m.
BL11-03	60.00	61.00	
BL11-03	61.00	62.00	
BL11-03	62.00	63.00	

Hole ID	Depth_From	Depth_To	Comments
Hole ID/Site ID	Depth from	Depth To	Comments regarding geology
BL11-03	63.00	64.00	
BL11-03	64.00	65.00	
BL11-03	65.00	66.00	
BL11-03	66.00	67.00	
BL11-03	67.00	68.00	
BL11-03	68.00	69.00	
BL11-03	69.00	70.00	
BL11-03	70.00	71.00	
BL11-03	71.00	72.00	
BL11-03	72.00	73.00	
BL11-03	73.00	74.00	
BL11-03	74.00	75.00	
BL11-03	75.00	76.00	
BL11-03	76.00	77.00	
BL11-03	77.00	78.00	
BL11-03	78.00	79.00	
BL11-03	79.00	80.00	
BL11-03	80.00	80.16	
		EOH	