

					Lithology				
Hole ID	Depth_From	Depth_To	Wthg	STRAT	Lith1	Lith2	Lith2pc	Colour	Gsize
Hole ID/Site ID	Depth from	Depth To	Weathering	Stratigraphic Unit	Primary Lith	Secondary Lith	must be <50%	lith colour	grain size
BH11-03	0.00	1.00	mw	Ogv	Sst			bngy	fgcg
BH11-03	1.00	2.00	fr	Ogv	Sst			bngy	fgcg
BH11-03	2.00	3.00	fr	Ogv	Sst			bngy	fgcg
BH11-03	3.00	3.35	fr	Ogv	Sst			bngy	fgcg
BH11-03	3.35	4.00	fr	Sst	Sst			Lgy	fg
BH11-03	4.00	5.00	fr	Sst	Sst			Lgy	fg
BH11-03	5.00	6.00	fr	Sst	Sst			Lgy	fg
BH11-03	6.00	7.00	fr	Sst	Sst			Lgy	fg
BH11-03	7.00	8.00	fr	Sst	Sst			Lgy	fg
BH11-03	8.00	9.00	fr	Sst	Sst			Lgy	fg
BH11-03	9.00	9.42	fr	Sst	Sst			Lgy	fg
BH11-03	9.42	10.00	fr	Sst	Sst	Sms	8	Lgy	vffg
BH11-03	10.00	11.00	fr	Sst	Sst	Sms	8	Lgy	vffg
BH11-03	11.00	12.00	fr	Sst	Sst	Sms	8	Lgy	vffg
BH11-03	12.00	13.00	fr	Sst	Sst	Sms	8	Lgy	vffg
BH11-03	13.00	14.00	fr	Sst	Sst	Sms	8	Lgy	vffg
BH11-03	14.00	15.00	fr	Sst	Sst	Sms	8	Lgy	vffg
BH11-03	15.00	15.24	fr	Sst	Sst	Sms	8	Lgy	vffg
BH11-03	15.24	16.00	fr	Sms	Sms	Sst	25	Lgy	vffg
BH11-03	16.00	17.00	fr	Sms	Sms	Sst	25	Lgy	vffg
BH11-03	17.00	18.29	fr	Sms	Sms	Sst	25	Lgy	vffg
BH11-03	18.29	19.00	fr	Sms	Sms	Sst	25	Lgy	vffg
BH11-03	19.00	19.65	fr	Sms	Sms	Sst	25	Lgy	vffg
		EOH							

			Fabric							
Hole ID	Depth_From	Depth_To	Texture	Struc	StrucInt	Spl%	Gln%	Ccp%	Pyr%	Comp1
Hole ID/Site ID	Depth from	Depth To	texture	Structure	Structural Intensity	Components of the lith type. I.e. clasts, matrix, phe additional sulfides				
BH11-03	0.00	1.00	frg	frc	H					
BH11-03	1.00	2.00	frg	frc	H					
BH11-03	2.00	3.00	frg	frc	H					
BH11-03	3.00	3.35	frg	frc	H					
BH11-03	3.35	4.00	frg	frc	W					
BH11-03	4.00	5.00	frg	frc	W					
BH11-03	5.00	6.00	frg	frc	W					
BH11-03	6.00	7.00	frg	frc	W					
BH11-03	7.00	8.00	frg	frc	W					
BH11-03	8.00	9.00	frg	frc	W					
BH11-03	9.00	9.42	frg	frc	W					
BH11-03	9.42	10.00	fis	frc	W					
BH11-03	10.00	11.00	fis	frc	W					
BH11-03	11.00	12.00	fis	frc	W					
BH11-03	12.00	13.00	fis	frc	W					
BH11-03	13.00	14.00	fis	frc	W					
BH11-03	14.00	15.00	fis	aug	M					
BH11-03	15.00	15.24	fis	frc	W					
BH11-03	15.24	16.00	fis	frc	W					
BH11-03	16.00	17.00	fis	frc	W					
BH11-03	17.00	18.29	fis	frc	W					
BH11-03	18.29	19.00	fis	frc	W					
BH11-03	19.00	19.65	fis	frc	W					
		EOH								

[illegible]

			Veining						
Hole ID	Depth_From	Depth_To	Vein1	Vn1pc	Vn1form	Vein2	Vn2pc	Vn2Form	Geologist
Hole ID/Site ID	Depth from	Depth To	Primary vein assemblage	percentage of interval	Vein Form	Secondary vein assemblage	percentage of interval	Vein Form	Person who logged the interval
BH11-03	0.00	1.00							J.Logan
BH11-03	1.00	2.00							J.Logan
BH11-03	2.00	3.00							J.Logan
BH11-03	3.00	3.35							J.Logan
BH11-03	3.35	4.00							J.Logan
BH11-03	4.00	5.00							J.Logan
BH11-03	5.00	6.00							J.Logan
BH11-03	6.00	7.00	qtz	2		cal	2		J.Logan
BH11-03	7.00	8.00	qtz	1		cal	1		J.Logan
BH11-03	8.00	9.00	qtz	1		cal	1		J.Logan
BH11-03	9.00	9.42	qtz	1		cal	1		J.Logan
BH11-03	9.42	10.00	qtz	1		cal	1		J.Logan
BH11-03	10.00	11.00	qtz	1		cal	0.5		J.Logan
BH11-03	11.00	12.00	qtz	0.1		cal	0.1		J.Logan
BH11-03	12.00	13.00	qtz	0.1		cal	0.1		J.Logan
BH11-03	13.00	14.00	qtz	3		cal	0.1		J.Logan
BH11-03	14.00	15.00							J.Logan
BH11-03	15.00	15.24	qtz	2		cal	1		J.Logan
BH11-03	15.24	16.00							J.Logan
BH11-03	16.00	17.00	qtz	2		cal	1		J.Logan
BH11-03	17.00	18.29							J.Logan
BH11-03	18.29	19.00							J.Logan
BH11-03	19.00	19.65							J.Logan
		EOH							

Hole ID	Depth_From	Depth_To	Comments
Hole ID/Site ID	Depth from	Depth To	Comments regarding geology
BH11-03	0.00	1.00	colluvium and soil with fragments or boulders of sst weak-medium oxidation
BH11-03	1.00	2.00	
BH11-03	2.00	3.00	
BH11-03	3.00	3.35	
BH11-03	3.35	4.00	Light-gray fine-grained Sst. Weakly oxidized. Fractured/Broken. Quartz arenite with quartz matrix. Minimal quartz and calcite veining
BH11-03	4.00	5.00	
BH11-03	5.00	6.00	
BH11-03	6.00	7.00	
BH11-03	7.00	8.00	
BH11-03	8.00	9.00	
BH11-03	9.00	9.42	
BH11-03	9.42	10.00	Sst is same as previous Sst. Interbeds of Sms (light gray) Sms is fractured/broken and fissile. 14.00-14.24: fault gouge (zfzg)
BH11-03	10.00	11.00	
BH11-03	11.00	12.00	
BH11-03	12.00	13.00	
BH11-03	13.00	14.00	
BH11-03	14.00	15.00	
BH11-03	15.00	15.24	
BH11-03	15.24	16.00	Sms is same as previous Sms. Sst (same as previous Sst) found as 25% total interbedding
BH11-03	16.00	17.00	
BH11-03	17.00	18.29	
BH11-03	18.29	19.00	
BH11-03	19.00	19.65	
		EOH	