

					Lithology				
Hole ID	Depth_From	Depth_To	Wthg	STRAT	Lith1	Lith2	Lith2pc	Colour	Gsize
Hole ID/Site ID	Depth from	Depth To	Weathering	Stratigraphic Unit	Primary Lith	Secondary Lith	must be <50%	lith colour	grain size
BH11-10A	0.00	1.00	MW	Ogv	Sms			LgyDgy	vf
BH11-10A	1.00	2.00	MW	Ogv	Sms			LgyDgy	vf
BH11-10A	2.00	3.00	MW	Ogv	Sms			LgyDgy	vf
BH11-10A	3.00	4.00	MW	Ogv	Sms			LgyDgy	vf
BH11-10A	4.00	4.25	MW	Ogv	Sms			LgyDgy	vf
BH11-10A	4.25	5.00	HW	Ogv	Sct			gygn	vf
BH11-10A	5.00	6.00	HW	Ogv	Sct			gygn	vf
BH11-10A	6.00	7.00	HW	Ogv	Sct			gygn	vf
BH11-10A	7.00	8.00	HW	Ogv	Sct			gygn	vf
BH11-10A	8.00	9.00	HW	Ogv	Sct			gygn	vf
BH11-10A	9.00	10.00	HW	Ogv	Sct			gygn	vf
BH11-10A	10.00	11.00	HW	Ogv	Sct			gygn	vf
BH11-10A	11.00	12.00	HW	Ogv	Sct			gygn	vf
BH11-10A	12.00	13.00	HW	Ogv	Sct			gygn	vf
BH11-10A	13.00	14.00	HW	Ogv	Sct			gygn	vf
BH11-10A	14.00	15.00	HW	Ogv	Sct			gygn	vf
BH11-10A	15.00	16.00	HW	Ogv	Sct			gygn	vf
BH11-10A	16.00	17.00	HW	Ogv	Sct			gygn	vf
BH11-10A	17.00	18.00	HW	Ogv	Sct			gygn	vf
BH11-10A	18.00	18.75	HW	Ogv	Sct			gygn	vf
		EOH							

			Fabric							
Hole ID	Depth_From	Depth_To	Texture	Struc	StrucInt	Spl%	Gln%	Ccp%	Pyr%	Comp1
Hole ID/Site ID	Depth from	Depth To	texture	Structure	Structural Intensity	Components of the lith type. I.e. clasts, matrix, phe additional sulfides				
BH11-10A	0.00	1.00	blk	frc	I					
BH11-10A	1.00	2.00	blk	frc	I					
BH11-10A	2.00	3.00	blk	frc	I					
BH11-10A	3.00	4.00	blk	frc	I					
BH11-10A	4.00	4.25	blk	frc	I					
BH11-10A	4.25	5.00	frg	frc	I					
BH11-10A	5.00	6.00	frg	frc	I					
BH11-10A	6.00	7.00	frg	frc	I					
BH11-10A	7.00	8.00	frg	frc	I					
BH11-10A	8.00	9.00	frg	frc	I					
BH11-10A	9.00	10.00	frg	frc	I					
BH11-10A	10.00	11.00	frg	frc	I					
BH11-10A	11.00	12.00	frg	frc	I					
BH11-10A	12.00	13.00	frg	frc	I					
BH11-10A	13.00	14.00	frg	frc	I					
BH11-10A	14.00	15.00	frg	frc	I					
BH11-10A	15.00	16.00	frg	frc	I					
BH11-10A	16.00	17.00	frg	frc	I					
BH11-10A	17.00	18.00	frg	frc	I					
BH11-10A	18.00	18.75	frg	frc	I					
		EOH								

						Veining				
Hole ID	Depth_From	Depth_To	Comp1%	Comp2	Comp2%	Vein1	Vn1pc	Vn1form	Vein2	Vn2pc
Hole ID/Site ID	Depth from	Depth To	Phenocrysts, wallrock inclusions,			Primary vein assemblage	percentage of interval	Vein Form	Secondary vein assemblage	percentage of interval
BH11-10A	0.00	1.00								
BH11-10A	1.00	2.00								
BH11-10A	2.00	3.00								
BH11-10A	3.00	4.00								
BH11-10A	4.00	4.25				VQtz	6	mas		
BH11-10A	4.25	5.00				VQtz	6	mas		
BH11-10A	5.00	6.00								
BH11-10A	6.00	7.00								
BH11-10A	7.00	8.00								
BH11-10A	8.00	9.00								
BH11-10A	9.00	10.00								
BH11-10A	10.00	11.00								
BH11-10A	11.00	12.00								
BH11-10A	12.00	13.00								
BH11-10A	13.00	14.00								
BH11-10A	14.00	15.00								
BH11-10A	15.00	16.00								
BH11-10A	16.00	17.00								
BH11-10A	17.00	18.00								
BH11-10A	18.00	18.75								
		EOH								

Hole ID	Depth_From	Depth_To	Vn2Form	Geologist
Hole ID/Site ID	Depth from	Depth To	Vein Form	Person who logged the interval
BH11-10A	0.00	1.00		J.Logan
BH11-10A	1.00	2.00		J.Logan
BH11-10A	2.00	3.00		J.Logan
BH11-10A	3.00	4.00		J.Logan
BH11-10A	4.00	4.25		J.Logan
BH11-10A	4.25	5.00		J.Logan
BH11-10A	5.00	6.00		J.Logan
BH11-10A	6.00	7.00		J.Logan
BH11-10A	7.00	8.00		J.Logan
BH11-10A	8.00	9.00		J.Logan
BH11-10A	9.00	10.00		J.Logan
BH11-10A	10.00	11.00		J.Logan
BH11-10A	11.00	12.00		J.Logan
BH11-10A	12.00	13.00		J.Logan
BH11-10A	13.00	14.00		J.Logan
BH11-10A	14.00	15.00		J.Logan
BH11-10A	15.00	16.00		J.Logan
BH11-10A	16.00	17.00		J.Logan
BH11-10A	17.00	18.00		J.Logan
BH11-10A	18.00	18.75		J.Logan
		EOH		J.Logan
				J.Logan
				J.Logan

Hole ID	Depth_From	Depth_To	Comments
Hole ID/Site ID	Depth from	Depth To	Comments regarding geology
BH11-10A	0.00	1.00	Entire 18.75m can be classified as overburden.
BH11-10A	1.00	2.00	All recovered rock is very-extremely oxidized, intensely fractured, fragmented, and blocky.
BH11-10A	2.00	3.00	There are extensive zones of crushed rock. Rock is brittle. No fresh rock in entire sample.
BH11-10A	3.00	4.00	0-4.25m - dark grey Sms. Fragmented, frc, blocky.
BH11-10A	4.00	4.25	
BH11-10A	4.25	5.00	4.25-18.75m - Chert (Sct), light brow-ight green. Heavily fragmented and oxidized.
BH11-10A	5.00	6.00	4.77-4.93 - Vqtz
BH11-10A	6.00	7.00	12.21-12.27 - lense of sedimentary breccia
BH11-10A	7.00	8.00	Chert has randomly oriented, highly oxidized, and weathered to red/brown stringer veins. Composition undeterm
BH11-10A	8.00	9.00	Zones of crushed and intensely fractured rock
BH11-10A	9.00	10.00	
BH11-10A	10.00	11.00	
BH11-10A	11.00	12.00	
BH11-10A	12.00	13.00	
BH11-10A	13.00	14.00	
BH11-10A	14.00	15.00	
BH11-10A	15.00	16.00	
BH11-10A	16.00	17.00	
BH11-10A	17.00	18.00	
BH11-10A	18.00	18.75	
		EOH	