

					Lithology				
Hole ID	Depth_From	Depth_To	Wthg	STRAT	Lith1	Lith2	Lith2pc	Colour	Gsize
Hole ID/Site ID	Depth from	Depth To	Weathering	Stratigraphic Unit	Primary Lith	Secondary Lith	must be <50%	lith colour	grain size
BH11-10B	0.00	1.00	HW	Ogv	Sms			Dgybn	vf
BH11-10B	1.00	2.00	HW	Ogv	Sms			Dgybn	vf
BH11-10B	2.00	3.00	HW	Ogv	Sms			Dgybn	vf
BH11-10B	3.00	4.00	HW	Ogv	Sms			Dgybn	vf
BH11-10B	4.00	4.15	HW	Ogv	Sms			Dgybn	vf
BH11-10B	4.15	5.00	MW	Ogv	Sct			Gy	vf
BH11-10B	5.00	6.00	MW	Ogv	Sct			Gy	vf
BH11-10B	6.00	7.00	HW	Ogv	Sct			Dgybn	vf
BH11-10B	7.00	8.00	HW	Ogv	Sct			Dgybn	vf
BH11-10B	8.00	9.00	HW	Ogv	Sct			Dgybn	vf
BH11-10B	9.00	10.00	HW	Ogv	Sct			Dgybn	vf
BH11-10B	10.00	10.66 EOH	HW	Ogv	Sct			Dgybn	vf

			Fabric							
Hole ID	Depth_From	Depth_To	Texture	Struc	StrucInt	Spl%	Gln%	Ccp%	Pyr%	Comp1
Hole ID/Site ID	Depth from	Depth To	texture	Structure	Structural Intensity	Components of the lith type. I.e. clasts, matrix, phe additional sulfides				
BH11-10B	0.00	1.00	frg	frc	h					
BH11-10B	1.00	2.00	frg	frc	h					
BH11-10B	2.00	3.00	frg	frc	h					
BH11-10B	3.00	4.00	frg	frc	h					
BH11-10B	4.00	4.15	frg	vnd	h					
BH11-10B	4.15	5.00	frg	vnd	h					
BH11-10B	5.00	6.00	frg	frc	h					
BH11-10B	6.00	7.00	frg	frc	h					
BH11-10B	7.00	8.00	frg	frc	h					
BH11-10B	8.00	9.00	frg	frc	h					
BH11-10B	9.00	10.00	frg	frc	h					
BH11-10B	10.00	10.66 EOH	frg	frc	h					

			Veining						
Hole ID	Depth_From	Depth_To	Vein1	Vn1pc	Vn1form	Vein2	Vn2pc	Vn2Form	Geologist
Hole ID/Site ID	Depth from	Depth To	Primary vein assemblage	percentage of interval	Vein Form	Secondary vein assemblage	percentage of interval	Vein Form	Person who logged the interval
BH11-10B	0.00	1.00							J.Logan
BH11-10B	1.00	2.00							J.Logan
BH11-10B	2.00	3.00							J.Logan
BH11-10B	3.00	4.00							J.Logan
BH11-10B	4.00	4.15	Vqtz	25	mas				J.Logan
BH11-10B	4.15	5.00	Vqtz	25	mas				J.Logan
BH11-10B	5.00	6.00	Vqtz	11	mas				J.Logan
BH11-10B	6.00	7.00							J.Logan
BH11-10B	7.00	8.00							J.Logan
BH11-10B	8.00	9.00							J.Logan
BH11-10B	9.00	10.00							J.Logan
BH11-10B	10.00	10.66							J.Logan
		EOH							

Hole ID	Depth_From	Depth_To	Comments
Hole ID/Site ID	Depth from	Depth To	Comments regarding geology
BH11-10B	0.00	1.00	Entire 10.66m of hole can be classified as overburden as rock is highly fractured, blocky, oxidize with zones of crushed rock Dark grey Sms until 4.15m Rock is not fresh, all joints are weathered/oxidized.
BH11-10B	1.00	2.00	
BH11-10B	2.00	3.00	
BH11-10B	3.00	4.00	
BH11-10B	4.00	4.15	
BH11-10B	4.15	5.00	Chert light-gray-green from 4.15-10.67m Qtz veins from 4.20-4.57, qtz veinlets from 5.03-5.16m and 5.45-5.68m Randomly oriented stringer veins evident along Sct but heavily oxidized and brown in colour - composition variable No bedding or structure evident throughout lith group Zones of crushed rock: 1.66-3.05, 3.08-4.21, 5.68-6.15, 6.50-7.62, 8.42-9.14m.
BH11-10B	5.00	6.00	
BH11-10B	6.00	7.00	
BH11-10B	7.00	8.00	
BH11-10B	8.00	9.00	
BH11-10B	9.00	10.00	
BH11-10B	10.00	10.66	
		EOH	