

					Lithology				
Hole ID	Depth_From	Depth_To	Wthg	STRAT	Lith1	Lith2	Lith2pc	Colour	Gsize
Hole ID/Site ID	Depth from	Depth To	Weathering	Stratigraphic Unit	Primary Lith	Secondary Lith	must be <50%	lith colour	grain size
BH11-19	0.00	1.00	fr	Ogv	Ogv				
BH11-19	1.00	1.52	fr	Ogv	Ogv				
BH11-19	1.52	3.00	fr	Sms	Sms			rd	vfg
BH11-19	3.00	4.00	fr	Sms	Sms			rd	vfg
BH11-19	4.00	5.00	fr	Sms	Sms			rd	vfg
BH11-19	5.00	6.00	fr	Sms	Sms			rd	vfg
BH11-19	6.00	7.00	fr	Sms	Sms			rd	vfg
BH11-19	7.00	8.00	fr	Sms	Sms			rd	vfg
BH11-19	8.00	9.00	fr	Sms	Sms			rd	vfg
BH11-19	9.00	10.00	fr	Sms	Sms			rd	vfg
BH11-19	10.00	11.00	fr	Sms	Sms			rd	vfg
BH11-19	11.00	12.00	fr	Sms	Sms			rd	vfg
BH11-19	12.00	13.00	fr	Sms	Sms			rd	vfg
BH11-19	13.00	14.00	fr	Sms	Sms			rd	vfg
BH11-19	14.00	15.00	fr	Sms	Sms			rd	vfg
BH11-19	15.00	16.00	fr	Sms	Sms			rd	vfg
BH11-19	16.00	17.00	fr	Sms	Sms			rd	vfg
BH11-19	17.00	18.00	fr	Sms	Sms			rd	vfg
BH11-19	18.00	19.00	fr	Sms	Sms			rd	vfg
BH11-19	19.00	20.00	fr	Sms	Sms			rd	vfg
BH11-19	20.00	21.00	fr	Sms	Sms			rd	vfg
BH11-19	21.00	22.00	fr	Sms	Sms			rd	vfg
BH11-19	22.00	23.00	fr	Sms	Sms			rd	vfg
BH11-19	23.00	24.00	fr	Sms	Sms			rd	vfg
BH11-19	24.00	25.00	fr	Sms	Sms			rd	vfg

					Lithology				
Hole ID	Depth_From	Depth_To	Wthg	STRAT	Lith1	Lith2	Lith2pc	Colour	Gsize
Hole ID/Site ID	Depth from	Depth To	Weathering	Stratigraphic Unit	Primary Lith	Secondary Lith	must be <50%	lith colour	grain size
BH11-19	25.00	26.00	fr	Sms	Sms			rd	vfg
BH11-19	26.00	27.00	fr	Sms	Sms			rd	vfg
BH11-19	27.00	28.00	fr	Sms	Sms			rd	vfg
BH11-19	28.00	29.00	fr	Sms	Sms			rd	vfg
BH11-19	29.00	30.00	fr	Sms	Sms			rd	vfg
BH11-19	30.00	31.00	fr	Sms	Sms			rd	vfg
BH11-19	31.00	32.00	fr	Sms	Sms			rd	vfg
BH11-19	32.00	33.00	fr	Sms	Sms			rd	vfg
BH11-19	33.00	34.00	fr	Sms	Sms			rd	vfg
BH11-19	34.00	35.00	fr	Sms	Sms			rd	vfg
BH11-19	35.00	36.00	fr	Sms	Sms			rd	vfg
BH11-19	36.00	37.00	fr	Sms	Sms			rd	vfg
BH11-19	37.00	38.00	fr	Sms	Sms			rd	vfg
BH11-19	38.00	39.00	fr	Sms	Sms			rd	vfg
BH11-19	39.00	40.00	fr	Sms	Sms			rd	vfg
BH11-19	40.00	41.00	fr	Sms	Sms			rd	vfg
BH11-19	41.00	42.00	fr	Sms	Sms			rd	vfg
BH11-19	42.00	43.00	fr	Sms	Sms			rd	vfg
BH11-19	43.00	44.00	fr	Sms	Sms			rd	vfg
BH11-19	44.00	45.00	fr	Sms	Sms			rd	vfg
BH11-19	45.00	46.00	fr	Sms	Sms			rd	vfg
BH11-19	46.00	47.00	fr	Sms	Sms			rd	vfg
BH11-19	47.00	48.00	fr	Sms	Sms			rd	vfg
BH11-19	48.00	49.00	fr	Sms	Sms			rd	vfg
BH11-19	49.00	50.00	fr	Sms	Sms			rd	vfg
BH11-19	50.00	51.00	fr	Sms	Sms			rd	vfg
BH11-19	51.00	52.00	fr	Sms	Sms			rd	vfg

					Lithology				
Hole ID	Depth_From	Depth_To	Wthg	STRAT	Lith1	Lith2	Lith2pc	Colour	Gsize
Hole ID/Site ID	Depth from	Depth To	Weathering	Stratigraphic Unit	Primary Lith	Secondary Lith	must be <50%	lith colour	grain size
BH11-19	52.00	53.00	fr	Sms	Sms			rd	vfg
BH11-19	53.00	54.00	fr	Sms	Sms			rd	vfg
BH11-19	54.00	55.00	fr	Sms	Sms			rd	vfg
BH11-19	55.00	56.00	fr	Sms	Sms			rd	vfg
BH11-19	56.00	57.00	fr	Sms	Sms			rd	vfg
BH11-19	57.00	58.00	fr	Sms	Sms			rd	vfg
BH11-19	58.00	59.00	fr	Sms	Sms			rd	vfg
BH11-19	59.00	60.00	fr	Sms	Sms			rd	vfg
BH11-19	60.00	60.96	fr	Sms	Sms			rd	vfg
		EOH							

			Fabric							
Hole ID	Depth_From	Depth_To	Texture	Struc	StrucInt	Spl%	Gln%	Ccp%	Pyr%	Comp1
Hole ID/Site ID	Depth from	Depth To	texture	Structure	Structural Intensity	Components of the lith type. I.e. clasts, matrix, phe additional sulfides				
BH11-19	0.00	1.00								
BH11-19	1.00	1.52								
BH11-19	1.52	3.00	aph	frc	W					
BH11-19	3.00	4.00	aph	frc	W					
BH11-19	4.00	5.00	aph	frc	W					
BH11-19	5.00	6.00	aph	frc	W					
BH11-19	6.00	7.00	aph	frc	W					
BH11-19	7.00	8.00	aph	frc	W					
BH11-19	8.00	9.00	aph	frc	W					
BH11-19	9.00	10.00	aph	frc	W					
BH11-19	10.00	11.00	aph	frc	W					
BH11-19	11.00	12.00	aph	frc	W					
BH11-19	12.00	13.00	aph	frc	W					
BH11-19	13.00	14.00	aph	frc	W					
BH11-19	14.00	15.00	aph	frc	W					
BH11-19	15.00	16.00	aph	frc	W					
BH11-19	16.00	17.00	aph	frc	W					
BH11-19	17.00	18.00	aph	frc	W					
BH11-19	18.00	19.00	aph	frc	W					
BH11-19	19.00	20.00	aph	frc	W					
BH11-19	20.00	21.00	aph	frc	W					
BH11-19	21.00	22.00	aph	frc	W					
BH11-19	22.00	23.00	aph	frc	W					
BH11-19	23.00	24.00	aph	frc	W					
BH11-19	24.00	25.00	aph	frc	W					

			Fabric							
Hole ID	Depth_From	Depth_To	Texture	Struc	StrucInt	Spl%	Gln%	Ccp%	Pyr%	Comp1
Hole ID/Site ID	Depth from	Depth To	texture	Structure	Structural Intensity	Components of the lith type. I.e. clasts, matrix, phe additional sulfides				
BH11-19	25.00	26.00	aph	frc	W					
BH11-19	26.00	27.00	aph	frc	W					
BH11-19	27.00	28.00	aph	frc	W					
BH11-19	28.00	29.00	aph	frc	W					
BH11-19	29.00	30.00	aph	frc	W					
BH11-19	30.00	31.00	aph	frc	W					
BH11-19	31.00	32.00	aph	frc	W					
BH11-19	32.00	33.00	aph	frc	W					
BH11-19	33.00	34.00	aph	frc	W					
BH11-19	34.00	35.00	aph	frc	W					
BH11-19	35.00	36.00	aph	frc	W					
BH11-19	36.00	37.00	aph	frc	W					
BH11-19	37.00	38.00	aph	frc	W					
BH11-19	38.00	39.00	aph	frc	W					
BH11-19	39.00	40.00	aph	frc	W					
BH11-19	40.00	41.00	aph	frc	W					
BH11-19	41.00	42.00	aph	frc	W					
BH11-19	42.00	43.00	aph	frc	W					
BH11-19	43.00	44.00	aph	frc	W					
BH11-19	44.00	45.00	aph	frc	W					
BH11-19	45.00	46.00	aph	frc	W					
BH11-19	46.00	47.00	aph	frc	W					
BH11-19	47.00	48.00	aph	frc	W					
BH11-19	48.00	49.00	aph	frc	W					
BH11-19	49.00	50.00	aph	frc	W					
BH11-19	50.00	51.00	aph	frc	W					
BH11-19	51.00	52.00	aph	frc	W					

			Fabric							
Hole ID	Depth_From	Depth_To	Texture	Struc	StrucInt	Spl%	Gln%	Ccp%	Pyr%	Comp1
Hole ID/Site ID	Depth from	Depth To	texture	Structure	Structural Intensity	Components of the lith type. I.e. clasts, matrix, phe additional sulfides				
BH11-19	52.00	53.00	aph	frc	W					
BH11-19	53.00	54.00	aph	frc	W					
BH11-19	54.00	55.00	aph	frc	W					
BH11-19	55.00	56.00	aph	frc	W					
BH11-19	56.00	57.00	aph	frc	W					
BH11-19	57.00	58.00	aph	frc	W					
BH11-19	58.00	59.00	aph	frc	W					
BH11-19	59.00	60.00	aph	frc	W					
BH11-19	60.00	60.96	aph	frc	W					
		EOH								

						Veining					
Hole ID	Depth_From	Depth_To	Comp1%	Comp2	Comp2%	Vein1	Vn1pc	Vn1form	Vein2	Vn2pc	Vn2Form
Hole ID/Site ID	Depth from	Depth To	Phenocrysts, wallrock inclusions,			Primary vein assemblage	percentage of interval	Vein Form	Secondary vein assemblage	percentage of interval	Vein Form
BH11-19	52.00	53.00									
BH11-19	53.00	54.00									
BH11-19	54.00	55.00									
BH11-19	55.00	56.00									
BH11-19	56.00	57.00									
BH11-19	57.00	58.00									
BH11-19	58.00	59.00									
BH11-19	59.00	60.00									
BH11-19	60.00	60.96									
		EOH									

Hole ID	Depth_From	Depth_To	Geologist
Hole ID/Site ID	Depth from	Depth To	Person who logged the interval
BH11-19	0.00	1.00	
BH11-19	1.00	1.52	
BH11-19	1.52	3.00	
BH11-19	3.00	4.00	
BH11-19	4.00	5.00	
BH11-19	5.00	6.00	
BH11-19	6.00	7.00	
BH11-19	7.00	8.00	
BH11-19	8.00	9.00	
BH11-19	9.00	10.00	
BH11-19	10.00	11.00	
BH11-19	11.00	12.00	
BH11-19	12.00	13.00	
BH11-19	13.00	14.00	
BH11-19	14.00	15.00	
BH11-19	15.00	16.00	
BH11-19	16.00	17.00	
BH11-19	17.00	18.00	
BH11-19	18.00	19.00	
BH11-19	19.00	20.00	
BH11-19	20.00	21.00	
BH11-19	21.00	22.00	
BH11-19	22.00	23.00	
BH11-19	23.00	24.00	
BH11-19	24.00	25.00	

Hole ID	Depth_From	Depth_To	Geologist
Hole ID/Site ID	Depth from	Depth To	Person who logged the interval
BH11-19	25.00	26.00	
BH11-19	26.00	27.00	
BH11-19	27.00	28.00	
BH11-19	28.00	29.00	
BH11-19	29.00	30.00	
BH11-19	30.00	31.00	
BH11-19	31.00	32.00	
BH11-19	32.00	33.00	
BH11-19	33.00	34.00	
BH11-19	34.00	35.00	
BH11-19	35.00	36.00	
BH11-19	36.00	37.00	
BH11-19	37.00	38.00	
BH11-19	38.00	39.00	
BH11-19	39.00	40.00	
BH11-19	40.00	41.00	
BH11-19	41.00	42.00	
BH11-19	42.00	43.00	
BH11-19	43.00	44.00	
BH11-19	44.00	45.00	
BH11-19	45.00	46.00	
BH11-19	46.00	47.00	
BH11-19	47.00	48.00	
BH11-19	48.00	49.00	
BH11-19	49.00	50.00	
BH11-19	50.00	51.00	
BH11-19	51.00	52.00	

Hole ID	Depth_From	Depth_To	Geologist
Hole ID/Site ID	Depth from	Depth To	Person who logged the interval
BH11-19	52.00	53.00	
BH11-19	53.00	54.00	
BH11-19	54.00	55.00	
BH11-19	55.00	56.00	
BH11-19	56.00	57.00	
BH11-19	57.00	58.00	
BH11-19	58.00	59.00	
BH11-19	59.00	60.00	
BH11-19	60.00	60.96	
		EOH	

Hole ID	Depth_From	Depth_To	Comments
Hole ID/Site ID	Depth from	Depth To	Comments regarding geology
BH11-19	0.00	1.00	0.0-1.52: Ovg- Overburden, no recovery.
BH11-19	1.00	1.52	
BH11-19	1.52	3.00	1.52-60.96: Massive to weakly bedded (60 deg TCA) red mudstone. Weakly fissile throughout interval with frequent breaks along bedding. Very minor sandy green mudstone beds throught the interval, 2-3% overall. No veining or mineralization.
BH11-19	3.00	4.00	
BH11-19	4.00	5.00	
BH11-19	5.00	6.00	
BH11-19	6.00	7.00	
BH11-19	7.00	8.00	
BH11-19	8.00	9.00	
BH11-19	9.00	10.00	
BH11-19	10.00	11.00	
BH11-19	11.00	12.00	
BH11-19	12.00	13.00	
BH11-19	13.00	14.00	
BH11-19	14.00	15.00	
BH11-19	15.00	16.00	
BH11-19	16.00	17.00	
BH11-19	17.00	18.00	
BH11-19	18.00	19.00	
BH11-19	19.00	20.00	
BH11-19	20.00	21.00	
BH11-19	21.00	22.00	
BH11-19	22.00	23.00	
BH11-19	23.00	24.00	
BH11-19	24.00	25.00	

Hole ID	Depth_From	Depth_To	Comments
Hole ID/Site ID	Depth from	Depth To	Comments regarding geology
BH11-19	25.00	26.00	
BH11-19	26.00	27.00	
BH11-19	27.00	28.00	
BH11-19	28.00	29.00	
BH11-19	29.00	30.00	
BH11-19	30.00	31.00	
BH11-19	31.00	32.00	
BH11-19	32.00	33.00	
BH11-19	33.00	34.00	
BH11-19	34.00	35.00	
BH11-19	35.00	36.00	
BH11-19	36.00	37.00	
BH11-19	37.00	38.00	
BH11-19	38.00	39.00	
BH11-19	39.00	40.00	
BH11-19	40.00	41.00	
BH11-19	41.00	42.00	
BH11-19	42.00	43.00	
BH11-19	43.00	44.00	
BH11-19	44.00	45.00	
BH11-19	45.00	46.00	
BH11-19	46.00	47.00	
BH11-19	47.00	48.00	
BH11-19	48.00	49.00	
BH11-19	49.00	50.00	
BH11-19	50.00	51.00	
BH11-19	51.00	52.00	

Hole ID	Depth_From	Depth_To	Comments
Hole ID/Site ID	Depth from	Depth To	Comments regarding geology
BH11-19	52.00	53.00	
BH11-19	53.00	54.00	
BH11-19	54.00	55.00	
BH11-19	55.00	56.00	
BH11-19	56.00	57.00	
BH11-19	57.00	58.00	
BH11-19	58.00	59.00	
BH11-19	59.00	60.00	
BH11-19	60.00	60.96	
		EOH	