

					Lithology				
Hole ID	Depth_From	Depth_To	Wthg	STRAT	Lith1	Lith2	Lith2pc	Colour	Gsize
Hole ID/Site ID	Depth from	Depth To	Weathering	Stratigraphic Unit	Primary Lith	Secondary Lith	must be <50%	lith colour	grain size
DY11-49	0.00	1.00	hw	ogv	Sst			bn	mg
DY11-49	1.00	2.00	hw	ogv	Sst			bn	mg
DY11-49	2.00	3.00	hw	ogv	Sst			bn	mg
DY11-49	3.00	3.50	hw	ogv	Sst			bn	mg
DY11-49	3.50	4.00	hw	Sms	Sms			gn	fg
DY11-49	4.00	5.00	hw	Sms	Sms			gn	fg
DY11-49	5.00	6.00	hw	Sms	Sms			gn	fg
DY11-49	6.00	7.00	hw	Sms	Sms			gn	fg
DY11-49	7.00	8.00	mw	Sms	Sms	Sst	20	bk	mg
DY11-49	8.00	9.00	mw	Sms	Sms	Sst	20	bk	mg
DY11-49	9.00	10.00	mw	Sms	Sms	Sst	20	bk	mg
DY11-49	10.00	11.00	mw	Sms	Sms	Sst	20	bk	mg
DY11-49	11.00	12.00	mw	Sms	Sms			bk	mg
DY11-49	12.00	13.00	mw	Sms	Sms			bk	mg
DY11-49	13.00	14.00	mw	Sms	Sms			bk	mg
DY11-49	14.00	15.00	mw	Sms	Sms			bk	mg
DY11-49	15.00	16.00	mw	Sms	Sms			bk	mg
DY11-49	16.00	17.00	mw	Sms	Sms			bk	mg
DY11-49	17.00	18.00	ww	Sms	Sms			bk	mg
DY11-49	18.00	19.00	ww	Sms	Sms			bk	mg
DY11-49	19.00	20.00	ww	Sms	Sms			bk	mg

					Lithology				
Hole ID	Depth_From	Depth_To	Wthg	STRAT	Lith1	Lith2	Lith2pc	Colour	Gsize
Hole ID/Site ID	Depth from	Depth To	Weathering	Stratigraphic Unit	Primary Lith	Secondary Lith	must be <50%	lith colour	grain size
DY11-49	20.00	21.00	ww	Sms	Sms			bk	mg
DY11-49	21.00	22.00	ww	Sms	Sms			bk	mg
DY11-49	22.00	23.00	ww	Sms	Sms			bk	mg
DY11-49	23.00	24.00	ww	Sms	Sms			bk	mg
DY11-49	24.00	25.00	ww	Sms	Sms			bk	mg
DY11-49	25.00	26.00	ww	Sms	Sms			bk	mg
DY11-49	26.00	27.00	ww	Sms	Sms			bk	mg
DY11-49	27.00	28.00	ww	Sms	Sms			bk	mg
DY11-49	28.00	29.00	ww	Sms	Sms			bk	mg
DY11-49	29.00	30.00	ww	Sms	Sms			bk	mg
DY11-49	30.00	31.00	ww	Sms	Sms			bk	mg
DY11-49	31.00	32.00	ww	Sms	Sst	Sms	30	bk	mg
DY11-49	32.00	33.00	ww	Sms	Sst	Sms	31	bk	mg
DY11-49	33.00	34.00	ww	Sms	Sms	Sst	5	bk	mg
DY11-49	34.00	35.00	ww	Sms	Sms	Sst	5	bk	mg
DY11-49	35.00	36.00	ww	Sms	Sms	Sst	5	bk	mg
DY11-49	36.00	37.00	ww	Sms	Sms	Sst	5	bk	mg
DY11-49	37.00	38.00	ww	Sms	Sms	Sst	5	bk	mg
DY11-49	38.00	39.00	ww	Sms	Sms	Sst	5	bk	mg
DY11-49	39.00	40.00	ww	Sms	Sms	Sst	5	bk	mg
DY11-49	40.00	41.00	ww	Sms	Sms	Sst	5	bk	mg
DY11-49	41.00	42.00	mw	Sms	Sms	Sst	5	bk	mg
DY11-49	42.00	43.00	mw	Sms	Sms	Sst	5	bk	mg
DY11-49	43.00	44.00	mw	Sms	Sms	Sst	5	bk	mg
DY11-49	44.00	45.00	mw	Sms	Sms	Sst	5	bk	mg
DY11-49	45.00	46.00	mw	Sms	Sms	Sst	5	bk	mg
DY11-49	46.00	47.00	mw	Sms	Sms	Sst	5	bk	mg

					Lithology				
Hole ID	Depth_From	Depth_To	Wthg	STRAT	Lith1	Lith2	Lith2pc	Colour	Gsize
Hole ID/Site ID	Depth from	Depth To	Weathering	Stratigraphic Unit	Primary Lith	Secondary Lith	must be <50%	lith colour	grain size
DY11-49	47.00	48.00	mw	Sms	Sms	Sst	5	bk	mg
DY11-49	48.00	49.00	mw	Sms	Sms	Sst	30	bk	mg
DY11-49	49.00	50.00	mw	Sms	Sms	Sst	25	bk	mg
DY11-49	50.00	51.00	mw	Sms	Sms	Sst	10	bk	mg
DY11-49	51.00	51.75	mw	Sms	Sms	Sst	15	bk	mg
DY11-49	51.75	52.00	ww	Sst	Sst			gy	cg
DY11-49	52.00	53.00	ww	Sst	Sst			gy	cg
DY11-49	53.00	53.34	ww	Sst	Sst			gy	cg
DY11-49	53.34	54.00	mw	Sms	Sms			bk	mg
DY11-49	54.00	55.00	mw	Sms	Sms			bk	mg
DY11-49	55.00	56.00	mw	Sms	Sms			bk	mg
DY11-49	56.00	57.00	mw	Sms	Sms			bk	mg
DY11-49	57.00	58.00	mw	Sms	Sms			bk	mg
DY11-49	58.00	59.00	mw	Sms	Sms			bk	mg
DY11-49	59.00	60.00	mw	Sms	Sms			bk	mg
DY11-49	60.00	61.00	hw	Sms	Sms			bk	mg
DY11-49	61.00	62.00	hw	Sms	Sms			gy	mg
DY11-49	62.00	62.30	hw	Sms	Sms			gy	mg
DY11-49	62.30	63.00	hw	Sst	Sst			gy	mg

					Lithology				
Hole ID	Depth_From	Depth_To	Wthg	STRAT	Lith1	Lith2	Lith2pc	Colour	Gsize
Hole ID/Site ID	Depth from	Depth To	Weathering	Stratigraphic Unit	Primary Lith	Secondary Lith	must be <50%	lith colour	grain size
DY11-49	63.00	64.00	hw	Sst	Sst			gy	mg
DY11-49	64.00	65.00	hw	Sst	Sst			gy	mg
DY11-49	65.00	66.00	mw	Sst	Sst			gy	mg
DY11-49	66.00	67.00	mw	Sst	Sst			gy	mg
DY11-49	67.00	68.00	mw	Sst	Sst	Sms	15	gy	mg
DY11-49	68.00	69.00	ww	Sst	Sst	Sms	15	gy	mg
DY11-49	69.00	70.00	ww	Sst	Sst			gy	mg
DY11-49	70.00	71.00	ww	Sst	Sst			gy	mg
DY11-49	71.00	72.00	ww	Sst	Sst			gy	mg
DY11-49	72.00	73.00	ww	Sst	Sst	Sms	10	gy	mg
DY11-49	73.00	74.00	mw	Sst	Sst	Sms	15	gy	mg
DY11-49	74.00	75.00	mw	Sst	Sst	Sms	10	gy	mg
DY11-49	75.00	76.00	mw	Sst	Sst	Sms	5	gy	mg
DY11-49	76.00	77.00	mw	Sst	Sst	Sms	5	gy	mg
DY11-49	77.00	78.00	mw	Sms	Sms	Sst	5	gn	mg
DY11-49	78.00	79.00	mw	Sms	Sms	Sst	5	gn	mg
DY11-49	79.00	80.00	mw	Sms	Sms	Sst	5	gn	mg
DY11-49	80.00	80.77	mw	Sms	Sms	Sst	5	gn	mg
DY11-49	80.77	81.00	mw	Sst	Sst	Sms	45	bk	fg
DY11-49	81.00	82.00	mw	Sst	Sst	Sms	45	bk	fg

					Lithology				
Hole ID	Depth_From	Depth_To	Wthg	STRAT	Lith1	Lith2	Lith2pc	Colour	Gsize
Hole ID/Site ID	Depth from	Depth To	Weathering	Stratigraphic Unit	Primary Lith	Secondary Lith	must be <50%	lith colour	grain size
DY11-49	82.00	83.00	mw	Sst	Sst	Sms	45	bk	fg
DY11-49	83.00	84.00	mw	Sst	Sst	Sms	45	bk	fg
DY11-49	84.00	85.00	mw	Sst	Sst	Sms	45	bk	fg
DY11-49	85.00	86.00	mw	Sst	Sst	Sms	45	bk	fg
DY11-49	86.00	87.00	mw	Sst	Sst	Sms	45	bk	fg
DY11-49	87.00	88.00	mw	Sst	Sst	Sms	45	bk	fg
DY11-49	88.00	89.00	mw	Sst	Sst	Sms	45	bk	fg
DY11-49	89.00	90.00	mw	Sst	Sst	Sms	45	bk	fg
DY11-49	90.00	91.00	mw	Sst	Sst	Sms	45	bk	fg
DY11-49	91.00	92.00	mw	Sst	Sst	Sms	45	bk	fg
DY11-49	92.00	93.00	mw	Sst	Sst	Sms	45	bk	fg
DY11-49	93.00	93.30	mw	Sst	Sst	Sms	45	bk	fg
DY11-49	93.30	94.00	mw	Sms	Sms	sst	20	bk	mg
DY11-49	94.00	95.00	mw	Sms	Sms	sst	20	bk	mg
DY11-49	95.00	96.00	hw	Sms	Sms	sst	20	bk	mg
DY11-49	96.00	97.00	hw	Sms	Sms	sst	20	bk	mg
DY11-49	97.00	97.80	hw	Sms	Sms	sst	20	bk	mg
DY11-49	97.80	98.00	ww	V	V			wh	fg
DY11-49	98.00	99.00	ww	V	V			wh	fg
DY11-49	99.00	100.00	ww	V	V			wh	fg
DY11-49	100.00	101.00	ww	Vspl	Vspl	Sms	20	gy	mg
DY11-49	101.00	102.00	ww	Vspl	Vspl	Sms	20	gy	mg

					Lithology				
Hole ID	Depth_From	Depth_To	Wthg	STRAT	Lith1	Lith2	Lith2pc	Colour	Gsize
Hole ID/Site ID	Depth from	Depth To	Weathering	Stratigraphic Unit	Primary Lith	Secondary Lith	must be <50%	lith colour	grain size
DY11-49	102.00	103.00	ww	Vspl	Vspl	Sms	20	gy	mg
DY11-49	103.00	104.00	ww	Vspl	Vspl	Sms	5	gy	mg
DY11-49	104.00	105.00	ww	Vspl	Vspl	Sms	5	gy	mg
DY11-49	105.00	106.00	ww	Vspl	Vspl	Sms	10	gy	mg
DY11-49	106.00	107.00	ww	Vspl	Vspl	Sms	10	gy	mg
DY11-49	107.00	107.80	ww	Vspl	Vspl	Sms	10	gy	mg
DY11-49	107.80	108.00	mw	Sst	Sst	Sct	15	bk	fg
DY11-49	108.00	109.00	mw	Sst	Sst	Sct	15	bk	fg
DY11-49	109.00	110.00	mw	Sst	Sst	Sct	15	bk	fg
DY11-49	110.00	111.00	mw	Sst	Sst	Sct	15	bk	fg
DY11-49	111.00	112.00	mw	Sst	Sst	Sct	15	bk	fg
DY11-49	112.00	113.00	mw	Sst	Sst	Sct	15	bk	fg
DY11-49	113.00	113.20	mw	Sst	Sst	Sct	15	bk	fg
DY11-49	113.20	114.00	mw	Sst	Sst	Sms	5	gy	mg
DY11-49	114.00	115.00	mw	Sst	Sst	Sms	5	gy	mg
DY11-49	115.00	116.00	mw	Sst	Sst	Sms	5	gy	mg
DY11-49	116.00	117.00	mw	Sst	Sst	Sms	5	gy	mg
DY11-49	117.00	118.00	mw	Sst	Sst	Sms	5	gy	mg
DY11-49	118.00	119.00	mw	Sst	Sst	Sms	5	gy	mg
DY11-49	119.00	120.00	mw	Sst	Sst	Sms	5	gy	mg
DY11-49	120.00	121.00	mw	Sst	Sst	Sms	5	gy	mg
DY11-49	121.00	122.00	mw	Sst	Sst	Sms	5	gy	mg

					Lithology				
Hole ID	Depth_From	Depth_To	Wthg	STRAT	Lith1	Lith2	Lith2pc	Colour	Gsize
Hole ID/Site ID	Depth from	Depth To	Weathering	Stratigraphic Unit	Primary Lith	Secondary Lith	must be <50%	lith colour	grain size
DY11-49	122.00	122.40	mw	Sst	Sst	Sms	5	gy	mg
DY11-49	122.40	123.00	ww	Sms	Sms	Sst	5	gy	mg
DY11-49	123.00	124.00	ww	Sms	Sms	Sst	5	gy	mg
DY11-49	124.00	125.00	ww	Sms	Sms	Sst	20	gy	mg
DY11-49	125.00	126.00	ww	Sms	Sms	Sst	20	gy	mg
DY11-49	126.00	127.00	ww	Sms	Sms	Sst	5	gy	mg
DY11-49	127.00	127.55	ww	Sms	Sms	Sst	5	gy	mg
DY11-49	127.55	128.00	ww	Sst	Sst	Sms	20	gy	cg
DY11-49	128.00	129.00	ww	Sst	Sst	Sms	15	gy	cg
DY11-49	129.00	130.00	ww	Sst	Sst	Sms	10	gy	cg
DY11-49	130.00	131.00	ww	Sst	Sst	Sms	10	gy	cg
DY11-49	131.00	132.00	ww	Sst	Sst	Sms	2	gy	cg
DY11-49	132.00	132.39	ww	Sst	Sst	Sms	2	gy	cg
DY11-49	132.39	133.00	ww	Sms	Sms			gn	mg
DY11-49	133.00	134.00	ww	Sms	Sms			gn	mg
DY11-49	134.00	135.00	ww	Sms	Sms			gn	mg
DY11-49	135.00	136.00	ww	Sms	Sms			gn	mg

					Lithology				
Hole ID	Depth_From	Depth_To	Wthg	STRAT	Lith1	Lith2	Lith2pc	Colour	Gsize
Hole ID/Site ID	Depth from	Depth To	Weathering	Stratigraphic Unit	Primary Lith	Secondary Lith	must be <50%	lith colour	grain size
DY11-49	136.00	137.00	ww	Sms	Sms			gn	mg
DY11-49	137.00	138.00	ww	Sms	Sms	Sms	40	gn	mg
DY11-49	138.00	139.00	ww	Sms	Sms			gn	mg
DY11-49	139.00	140.00	ww	Sms	Sms	Sms	15	gn	mg
DY11-49	140.00	141.00	ww	Sms	Sms			gn	mg
DY11-49	141.00	142.00	ww	Sms	Sms	Sms	15	gn	mg
DY11-49	142.00	143.00	ww	Sms	Sms	Sms	49	gn	mg
DY11-49	143.00	144.00	ww	Sms	Sms			gn	mg
DY11-49	144.00	145.00	ww	Sms	Sms			gn	mg
DY11-49	145.00	146.00	ww	Sms	Sms	Sms	30	gn	mg
DY11-49	146.00	147.00	ww	Sms	Sms	Sms	30	gn	mg
DY11-49	147.00	148.00	ww	Sms	Sms	Sms	5	gn	mg
DY11-49	148.00	149.00	ww	Sms	Sms	Sms	5	gn	mg
DY11-49	149.00	150.00	ww	Sms	Sms	Sms	25	gn	mg
DY11-49	150.00	150.88	ww	Sms	Sms	Sms	5	gn	mg
		EOH							



			Fabric							
Hole ID	Depth_From	Depth_To	Texture	Struc	StrucInt	Spl%	Gln%	Ccp%	Pyr%	Comp1
Hole ID/Site ID	Depth from	Depth To	texture	Structure	Structural Intensity	Components of the lith type. I.e. clasts, matrix, phe additional sulfides				
DY11-49	0.00	1.00	blk							
DY11-49	1.00	2.00	blk							
DY11-49	2.00	3.00	blk							
DY11-49	3.00	3.50	blk							
DY11-49	3.50	4.00	fis	frc	I					
DY11-49	4.00	5.00	fis	frc	I					
DY11-49	5.00	6.00	fis	frc	I					
DY11-49	6.00	7.00	fis	frc	I					
DY11-49	7.00	8.00	cla	bxx	M					
DY11-49	8.00	9.00	cla	bxx	M					
DY11-49	9.00	10.00	cla	bxx	M					
DY11-49	10.00	11.00	cla	bxx	M					
DY11-49	11.00	12.00	cla	bxx	M					
DY11-49	12.00	13.00	cla	bxx	M					
DY11-49	13.00	14.00	cla	bxx	M					
DY11-49	14.00	15.00	cla	bxx	M					
DY11-49	15.00	16.00	cla	bxx	M					
DY11-49	16.00	17.00	cla	bxx	M					
DY11-49	17.00	18.00	cla	bxx	M					
DY11-49	18.00	19.00	cla	bxx	M					
DY11-49	19.00	20.00	cla	bxx	M					

			Fabric							
Hole ID	Depth_From	Depth_To	Texture	Struc	StrucInt	Spl%	Gln%	Ccp%	Pyr%	Comp1
Hole ID/Site ID	Depth from	Depth To	texture	Structure	Structural Intensity	Components of the lith type. I.e. clasts, matrix, phe additional sulfides				
DY11-49	20.00	21.00	cla	bxx	M	0.2				
DY11-49	21.00	22.00	cla	bxx	M					
DY11-49	22.00	23.00	cla	bxx	M					
DY11-49	23.00	24.00	cla	bxx	M					
DY11-49	24.00	25.00	cla	bxx	M					
DY11-49	25.00	26.00	cla	bxx	M					
DY11-49	26.00	27.00	cla	bxx	M					
DY11-49	27.00	28.00	cla	bxx	M					
DY11-49	28.00	29.00	cla	bxx	M					
DY11-49	29.00	30.00	cla	bxx	M					
DY11-49	30.00	31.00	cla	bxx	M					
DY11-49	31.00	32.00	grn	bxx	M					
DY11-49	32.00	33.00	grn	bxx	M					
DY11-49	33.00	34.00	cla	bxx	M					
DY11-49	34.00	35.00	cla	bxx	M					
DY11-49	35.00	36.00	cla	bxx	M					
DY11-49	36.00	37.00	cla	bxx	M					
DY11-49	37.00	38.00	cla	bxx	M					
DY11-49	38.00	39.00	cla	bxx	M					
DY11-49	39.00	40.00	cla	bxx	M					
DY11-49	40.00	41.00	cla	bxx	M					
DY11-49	41.00	42.00	cla	bxx	M					
DY11-49	42.00	43.00	cla	bxx	M					
DY11-49	43.00	44.00	cla	bxx	M					
DY11-49	44.00	45.00	cla	bxx	M					
DY11-49	45.00	46.00	cla	bxx	M					
DY11-49	46.00	47.00	cla	bxx	M					

			Fabric							
Hole ID	Depth_From	Depth_To	Texture	Struc	StrucInt	Spl%	Gln%	Ccp%	Pyr%	Comp1
Hole ID/Site ID	Depth from	Depth To	texture	Structure	Structural Intensity	Components of the lith type. I.e. clasts, matrix, phe additional sulfides				
DY11-49	47.00	48.00	cla	bxx	M					
DY11-49	48.00	49.00	cla	bxx	M					
DY11-49	49.00	50.00	cla	bxx	M					
DY11-49	50.00	51.00	cla	bxx	M					
DY11-49	51.00	51.75	cla	bxx	M					
DY11-49	51.75	52.00	grn	mas	I					
DY11-49	52.00	53.00	grn	mas	I					
DY11-49	53.00	53.34	grn	mas	I					
DY11-49	53.34	54.00	cla	bxx	I	3				
DY11-49	54.00	55.00	cla	bxx	I					
DY11-49	55.00	56.00	cla	bxx	I					
DY11-49	56.00	57.00	cla	bxx	I					
DY11-49	57.00	58.00	cla	bxx	I					
DY11-49	58.00	59.00	cla	bxx	I					
DY11-49	59.00	60.00	cla	bxx	I	2				
DY11-49	60.00	61.00	cla	bxx	I					
DY11-49	61.00	62.00	lam	bxx	W					
DY11-49	62.00	62.30	lam	bxx	W					
DY11-49	62.30	63.00	grn	frc	I	2				

			Fabric							
Hole ID	Depth_From	Depth_To	Texture	Struc	StrucInt	Spl%	Gln%	Ccp%	Pyr%	Comp1
Hole ID/Site ID	Depth from	Depth To	texture	Structure	Structural Intensity	Components of the lith type. I.e. clasts, matrix, phe additional sulfides				
DY11-49	63.00	64.00	grn	frc	I		1			
DY11-49	64.00	65.00	grn	frc	I					
DY11-49	65.00	66.00	grn	frc	I					
DY11-49	66.00	67.00	grn	frc	I					
DY11-49	67.00	68.00	grn	frc	I					
DY11-49	68.00	69.00	grn	frc	I					
DY11-49	69.00	70.00	grn	mas	M					
DY11-49	70.00	71.00	grn	mas	M					
DY11-49	71.00	72.00	grn	mas	M					
DY11-49	72.00	73.00	grn	mas	M					
DY11-49	73.00	74.00	grn	frc	M					
DY11-49	74.00	75.00	grn	frc	M					
DY11-49	75.00	76.00	grn	frc	M					
DY11-49	76.00	77.00	grn	frc	M					
DY11-49	77.00	78.00	dsr	frc	M					
DY11-49	78.00	79.00	dsr	frc	M					
DY11-49	79.00	80.00	dsr	frc	M					
DY11-49	80.00	80.77	dsr	frc	M					
DY11-49	80.77	81.00	grn	bxx	W					
DY11-49	81.00	82.00	grn	bxx	W					

			Fabric							
Hole ID	Depth_From	Depth_To	Texture	Struc	StrucInt	Spl%	Gln%	Ccp%	Pyr%	Comp1
Hole ID/Site ID	Depth from	Depth To	texture	Structure	Structural Intensity	Components of the lith type. I.e. clasts, matrix, phe additional sulfides				
DY11-49	82.00	83.00	grn	bxx	W					
DY11-49	83.00	84.00	grn	bxx	W					
DY11-49	84.00	85.00	grn	bxx	W					
DY11-49	85.00	86.00	grn	bxx	W					
DY11-49	86.00	87.00	grn	bxx	W					
DY11-49	87.00	88.00	grn	bxx	W					
DY11-49	88.00	89.00	grn	bxx	W					
DY11-49	89.00	90.00	grn	bxx	W					
DY11-49	90.00	91.00	grn	bxx	W					
DY11-49	91.00	92.00	grn	bxx	W					
DY11-49	92.00	93.00	grn	bxx	W					
DY11-49	93.00	93.30	grn	bxx	W					
DY11-49	93.30	94.00	fis	fau	M					
DY11-49	94.00	95.00	fis	fau	M					
DY11-49	95.00	96.00	fis	fau	M					
DY11-49	96.00	97.00	fis	fau	M					
DY11-49	97.00	97.80	fis	fau	M					
DY11-49	97.80	98.00	mas	mas	I					
DY11-49	98.00	99.00	mas	mas	I					
DY11-49	99.00	100.00	mas	mas	I					
DY11-49	100.00	101.00	dsr	bxx	M	10				
DY11-49	101.00	102.00	dsr	bxx	M	15				

			Fabric							
Hole ID	Depth_From	Depth_To	Texture	Struc	StrucInt	Spl%	Gln%	Ccp%	Pyr%	Comp1
Hole ID/Site ID	Depth from	Depth To	texture	Structure	Structural Intensity	Components of the lith type. I.e. clasts, matrix, phe additional sulfides				
DY11-49	102.00	103.00	dsr	bxx	M	15				
DY11-49	103.00	104.00	dsr	bxx	M	8				
DY11-49	104.00	105.00	dsr	bxx	M	7				
DY11-49	105.00	106.00	dsr	bxx	M	3				
DY11-49	106.00	107.00	dsr	bxx	M	0.5				
DY11-49	107.00	107.80	dsr	bxx	M	0.5				
DY11-49	107.80	108.00	cla	bxx	M					
DY11-49	108.00	109.00	cla	bxx	M					
DY11-49	109.00	110.00	cla	bxx	M					
DY11-49	110.00	111.00	cla	bxx	M					
DY11-49	111.00	112.00	cla	bxx	M					
DY11-49	112.00	113.00	cla	bxx	M					
DY11-49	113.00	113.20	cla	bxx	M					
DY11-49	113.20	114.00	grn	mas	I					
DY11-49	114.00	115.00	grn	mas	I					
DY11-49	115.00	116.00	grn	mas	I					
DY11-49	116.00	117.00	grn	mas	I					
DY11-49	117.00	118.00	grn	mas	I					
DY11-49	118.00	119.00	grn	mas	I					
DY11-49	119.00	120.00	grn	mas	I					
DY11-49	120.00	121.00	grn	mas	I					
DY11-49	121.00	122.00	grn	mas	I					

			Fabric							
Hole ID	Depth_From	Depth_To	Texture	Struc	StrucInt	Spl%	Gln%	Ccp%	Pyr%	Comp1
Hole ID/Site ID	Depth from	Depth To	texture	Structure	Structural Intensity	Components of the lith type. I.e. clasts, matrix, phe additional sulfides				
DY11-49	122.00	122.40	grn	mas	I					
DY11-49	122.40	123.00	lam	lin	M					
DY11-49	123.00	124.00	lam	lin	M					
DY11-49	124.00	125.00	flu	bxx	M					
DY11-49	125.00	126.00	flu	bxx	M					
DY11-49	126.00	127.00	flu	bxx	M					
DY11-49	127.00	127.55	flu	bxx	M					
DY11-49	127.55	128.00	grn	bxx	W					
DY11-49	128.00	129.00	grn	bxx	W					
DY11-49	129.00	130.00	grn	bxx	W					
DY11-49	130.00	131.00	grn	bxx	W					
DY11-49	131.00	132.00	grn	bxx	W					
DY11-49	132.00	132.39	grn	bxx	W					
DY11-49	132.39	133.00	lam	mas	M					
DY11-49	133.00	134.00	lam	mas	M					
DY11-49	134.00	135.00	lam	mas	M					
DY11-49	135.00	136.00	lam	mas	M					

			Fabric							
Hole ID	Depth_From	Depth_To	Texture	Struc	StrucInt	Spl%	Gln%	Ccp%	Pyr%	Comp1
Hole ID/Site ID	Depth from	Depth To	texture	Structure	Structural Intensity	Components of the lith type. I.e. clasts, matrix, phe additional sulfides				
DY11-49	136.00	137.00	lam	mas	M					
DY11-49	137.00	138.00	lam	mas	M					
DY11-49	138.00	139.00	lam	mas	M					
DY11-49	139.00	140.00	lam	mas	M					
DY11-49	140.00	141.00	lam	mas	M					
DY11-49	141.00	142.00	lam	mas	M					
DY11-49	142.00	143.00	lam	mas	M					
DY11-49	143.00	144.00	lam	mas	M					
DY11-49	144.00	145.00	lam	mas	M					
DY11-49	145.00	146.00	lam	mas	M					
DY11-49	146.00	147.00	lam	mas	M					
DY11-49	147.00	148.00	lam	mas	M					
DY11-49	148.00	149.00	lam	mas	M					
DY11-49	149.00	150.00	lam	mas	M					
DY11-49	150.00	150.88	lam	mas	M					
		EOH								





						Alteration1			Alteration2		
Hole ID	Depth_From	Depth_To	Comp1%	Comp2	Comp2%	Alt1 Assemblage	Alt1Int	Alt1Style	Alt2 Assemblage	Alt2Int	Alt2Style
Hole ID/Site ID	Depth from	Depth To	Phenocrysts, wallrock inclusions,			Alt assemblage	Alt Intensity	Style of Alteration	Alt assemblage	Alt Intensity	Style of Alteration
DY11-49	20.00	21.00									
DY11-49	21.00	22.00									
DY11-49	22.00	23.00									
DY11-49	23.00	24.00									
DY11-49	24.00	25.00									
DY11-49	25.00	26.00									
DY11-49	26.00	27.00									
DY11-49	27.00	28.00									
DY11-49	28.00	29.00									
DY11-49	29.00	30.00									
DY11-49	30.00	31.00									
DY11-49	31.00	32.00									
DY11-49	32.00	33.00									
DY11-49	33.00	34.00									
DY11-49	34.00	35.00									
DY11-49	35.00	36.00									
DY11-49	36.00	37.00									
DY11-49	37.00	38.00									
DY11-49	38.00	39.00									
DY11-49	39.00	40.00									
DY11-49	40.00	41.00									
DY11-49	41.00	42.00									
DY11-49	42.00	43.00									
DY11-49	43.00	44.00									
DY11-49	44.00	45.00									
DY11-49	45.00	46.00									
DY11-49	46.00	47.00									











[illegible]



			Veining						
Hole ID	Depth_From	Depth_To	Vein1	Vn1pc	Vn1form	Vein2	Vn2pc	Vn2Form	Geologist
Hole ID/Site ID	Depth from	Depth To	Primary vein assemblage	percentage of interval	Vein Form	Secondary vein assemblage	percentage of interval	Vein Form	Person who logged the interval
DY11-49	0.00	1.00							E.Gantiva
DY11-49	1.00	2.00							E.Gantiva
DY11-49	2.00	3.00							E.Gantiva
DY11-49	3.00	3.50							E.Gantiva
DY11-49	3.50	4.00							E.Gantiva
DY11-49	4.00	5.00							E.Gantiva
DY11-49	5.00	6.00							E.Gantiva
DY11-49	6.00	7.00							E.Gantiva
DY11-49	7.00	8.00	cal	1	crs				E.Gantiva
DY11-49	8.00	9.00	cal	1	crs				E.Gantiva
DY11-49	9.00	10.00	cal	1	crs				E.Gantiva
DY11-49	10.00	11.00	cal	1	crs				E.Gantiva
DY11-49	11.00	12.00	cal	1	crs				E.Gantiva
DY11-49	12.00	13.00	cal	1	crs				E.Gantiva
DY11-49	13.00	14.00	cal	1	crs				E.Gantiva
DY11-49	14.00	15.00	cal	1	crs				E.Gantiva
DY11-49	15.00	16.00	cal	1	crs				E.Gantiva
DY11-49	16.00	17.00	cal	1	crs				E.Gantiva
DY11-49	17.00	18.00	cal	1	crs				E.Gantiva
DY11-49	18.00	19.00	cal	1	crs				E.Gantiva
DY11-49	19.00	20.00	cal	1	crs				E.Gantiva

			Veining						
Hole ID	Depth_From	Depth_To	Vein1	Vn1pc	Vn1form	Vein2	Vn2pc	Vn2Form	Geologist
Hole ID/Site ID	Depth from	Depth To	Primary vein assemblage	percentage of interval	Vein Form	Secondary vein assemblage	percentage of interval	Vein Form	Person who logged the interval
DY11-49	20.00	21.00	cal	1	crs				E.Gantiva
DY11-49	21.00	22.00	cal	1	crs				E.Gantiva
DY11-49	22.00	23.00	cal	1	crs				E.Gantiva
DY11-49	23.00	24.00	cal	1	crs				E.Gantiva
DY11-49	24.00	25.00	cal	1	crs				E.Gantiva
DY11-49	25.00	26.00	cal	1	crs				E.Gantiva
DY11-49	26.00	27.00	cal	1	crs				E.Gantiva
DY11-49	27.00	28.00	cal	1	crs				E.Gantiva
DY11-49	28.00	29.00	cal	1	crs				E.Gantiva
DY11-49	29.00	30.00	cal	1	crs				E.Gantiva
DY11-49	30.00	31.00	cal	1	crs				E.Gantiva
DY11-49	31.00	32.00	cal	1	crs				E.Gantiva
DY11-49	32.00	33.00	cal	1	crs				E.Gantiva
DY11-49	33.00	34.00	cal	1	crs				E.Gantiva
DY11-49	34.00	35.00	cal	1	crs				E.Gantiva
DY11-49	35.00	36.00	cal	1	crs				E.Gantiva
DY11-49	36.00	37.00	cal	1	crs				E.Gantiva
DY11-49	37.00	38.00	cal	1	crs				E.Gantiva
DY11-49	38.00	39.00	cal	1	crs				E.Gantiva
DY11-49	39.00	40.00	cal	1	crs				E.Gantiva
DY11-49	40.00	41.00	cal	1	crs				E.Gantiva
DY11-49	41.00	42.00	cal	1	crs				E.Gantiva
DY11-49	42.00	43.00	cal	1	crs				E.Gantiva
DY11-49	43.00	44.00	cal	1	crs				E.Gantiva
DY11-49	44.00	45.00	cal	1	crs				E.Gantiva
DY11-49	45.00	46.00	cal	1	crs				E.Gantiva
DY11-49	46.00	47.00	cal	1	crs				E.Gantiva

			Veining						
Hole ID	Depth_From	Depth_To	Vein1	Vn1pc	Vn1form	Vein2	Vn2pc	Vn2Form	Geologist
Hole ID/Site ID	Depth from	Depth To	Primary vein assemblage	percentage of interval	Vein Form	Secondary vein assemblage	percentage of interval	Vein Form	Person who logged the interval
DY11-49	47.00	48.00	cal	1	crs				E.Gantiva
DY11-49	48.00	49.00	cal	1	crs				E.Gantiva
DY11-49	49.00	50.00	cal	1	crs				E.Gantiva
DY11-49	50.00	51.00	cal	1	crs				E.Gantiva
DY11-49	51.00	51.75	cal	1	crs				E.Gantiva
DY11-49	51.75	52.00	cal	5	par				E.Gantiva
DY11-49	52.00	53.00	cal	5	par				E.Gantiva
DY11-49	53.00	53.34	cal	5	par				E.Gantiva
DY11-49	53.34	54.00	cal	10	crs				E.Gantiva
DY11-49	54.00	55.00	cal	10	crs				E.Gantiva
DY11-49	55.00	56.00	cal	10	crs				E.Gantiva
DY11-49	56.00	57.00	cal	10	crs				E.Gantiva
DY11-49	57.00	58.00	cal	10	crs				E.Gantiva
DY11-49	58.00	59.00	cal	10	crs				E.Gantiva
DY11-49	59.00	60.00	cal	10	crs				E.Gantiva
DY11-49	60.00	61.00	cal	10	crs				E.Gantiva
DY11-49	61.00	62.00	cal	10	crs				E.Gantiva
DY11-49	62.00	62.30	cal	10	crs				E.Gantiva
DY11-49	62.30	63.00	cal	3	crs	qtz	2	crs	E.Gantiva

			Veining						
Hole ID	Depth_From	Depth_To	Vein1	Vn1pc	Vn1form	Vein2	Vn2pc	Vn2Form	Geologist
Hole ID/Site ID	Depth from	Depth To	Primary vein assemblage	percentage of interval	Vein Form	Secondary vein assemblage	percentage of interval	Vein Form	Person who logged the interval
DY11-49	63.00	64.00	cal	3	crs	qtz	2	crs	E.Gantiva
DY11-49	64.00	65.00	cal	3	crs	qtz	2	crs	E.Gantiva
DY11-49	65.00	66.00	cal	3	crs	qtz	2	crs	E.Gantiva
DY11-49	66.00	67.00	cal	3	crs	qtz	2	crs	E.Gantiva
DY11-49	67.00	68.00	cal	3	crs	qtz	2	crs	E.Gantiva
DY11-49	68.00	69.00	cal	3	crs	qtz	2	crs	E.Gantiva
DY11-49	69.00	70.00	qtz	5	crs	cal	2	crs	E.Gantiva
DY11-49	70.00	71.00	qtz	5	crs	cal	2	crs	E.Gantiva
DY11-49	71.00	72.00	qtz	5	crs	cal	2	crs	E.Gantiva
DY11-49	72.00	73.00	qtz	5	crs	cal	2	crs	E.Gantiva
DY11-49	73.00	74.00	qtz	5	crs	cal	2	crs	E.Gantiva
DY11-49	74.00	75.00	qtz	5	crs	cal	2	crs	E.Gantiva
DY11-49	75.00	76.00	qtz	5	crs	cal	2	crs	E.Gantiva
DY11-49	76.00	77.00	qtz	5	crs	cal	2	crs	E.Gantiva
DY11-49	77.00	78.00	qtz	10	crs				E.Gantiva
DY11-49	78.00	79.00	qtz	10	crs				E.Gantiva
DY11-49	79.00	80.00	qtz	10	crs				E.Gantiva
DY11-49	80.00	80.77	qtz	10	crs				E.Gantiva
DY11-49	80.77	81.00	qtz	10	crs	cal	2	crs	E.Gantiva
DY11-49	81.00	82.00	qtz	10	crs	cal	2	crs	E.Gantiva

			Veining						
Hole ID	Depth_From	Depth_To	Vein1	Vn1pc	Vn1form	Vein2	Vn2pc	Vn2Form	Geologist
Hole ID/Site ID	Depth from	Depth To	Primary vein assemblage	percentage of interval	Vein Form	Secondary vein assemblage	percentage of interval	Vein Form	Person who logged the interval
DY11-49	82.00	83.00	qtz	10	crs	cal	2	crs	E.Gantiva
DY11-49	83.00	84.00	qtz	10	crs	cal	2	crs	E.Gantiva
DY11-49	84.00	85.00	qtz	10	crs	cal	2	crs	E.Gantiva
DY11-49	85.00	86.00	qtz	10	crs	cal	2	crs	E.Gantiva
DY11-49	86.00	87.00	qtz	10	crs	cal	2	crs	E.Gantiva
DY11-49	87.00	88.00	qtz	10	crs	cal	2	crs	E.Gantiva
DY11-49	88.00	89.00	qtz	10	crs	cal	2	crs	E.Gantiva
DY11-49	89.00	90.00	qtz	10	crs	cal	2	crs	E.Gantiva
DY11-49	90.00	91.00	qtz	10	crs	cal	2	crs	E.Gantiva
DY11-49	91.00	92.00	qtz	10	crs	cal	2	crs	E.Gantiva
DY11-49	92.00	93.00	qtz	10	crs	cal	2	crs	E.Gantiva
DY11-49	93.00	93.30	qtz	10	crs	cal	2	crs	E.Gantiva
DY11-49	93.30	94.00	qtz	7	crs	cal	2	crs	E.Gantiva
DY11-49	94.00	95.00	qtz	7	crs	cal	2	crs	E.Gantiva
DY11-49	95.00	96.00	qtz	7	crs	cal	2	crs	E.Gantiva
DY11-49	96.00	97.00	qtz	7	crs	cal	2	crs	E.Gantiva
DY11-49	97.00	97.80	qtz	7	crs	cal	2	crs	E.Gantiva
DY11-49	97.80	98.00	qtz	100	mas				E.Gantiva
DY11-49	98.00	99.00	qtz	90	mas				E.Gantiva
DY11-49	99.00	100.00	qtz	90	mas				E.Gantiva
DY11-49	100.00	101.00							E.Gantiva
DY11-49	101.00	102.00							E.Gantiva

			Veining						
Hole ID	Depth_From	Depth_To	Vein1	Vn1pc	Vn1form	Vein2	Vn2pc	Vn2Form	Geologist
Hole ID/Site ID	Depth from	Depth To	Primary vein assemblage	percentage of interval	Vein Form	Secondary vein assemblage	percentage of interval	Vein Form	Person who logged the interval
DY11-49	102.00	103.00							E.Gantiva
DY11-49	103.00	104.00							E.Gantiva
DY11-49	104.00	105.00							E.Gantiva
DY11-49	105.00	106.00							E.Gantiva
DY11-49	106.00	107.00							E.Gantiva
DY11-49	107.00	107.80							E.Gantiva
DY11-49	107.80	108.00	cal	5	crs				E.Gantiva
DY11-49	108.00	109.00	cal	5	crs				E.Gantiva
DY11-49	109.00	110.00	cal	10	crs				E.Gantiva
DY11-49	110.00	111.00	cal	10	crs				E.Gantiva
DY11-49	111.00	112.00	cal	2	crs				E.Gantiva
DY11-49	112.00	113.00	cal	2	crs				E.Gantiva
DY11-49	113.00	113.20	cal	2	crs				E.Gantiva
DY11-49	113.20	114.00							E.Gantiva
DY11-49	114.00	115.00							E.Gantiva
DY11-49	115.00	116.00							E.Gantiva
DY11-49	116.00	117.00							E.Gantiva
DY11-49	117.00	118.00							E.Gantiva
DY11-49	118.00	119.00							E.Gantiva
DY11-49	119.00	120.00							E.Gantiva
DY11-49	120.00	121.00							E.Gantiva
DY11-49	121.00	122.00							E.Gantiva

			Veining						
Hole ID	Depth_From	Depth_To	Vein1	Vn1pc	Vn1form	Vein2	Vn2pc	Vn2Form	Geologist
Hole ID/Site ID	Depth from	Depth To	Primary vein assemblage	percentage of interval	Vein Form	Secondary vein assemblage	percentage of interval	Vein Form	Person who logged the interval
DY11-49	122.00	122.40							E.Gantiva
DY11-49	122.40	123.00							E.Gantiva
DY11-49	123.00	124.00							E.Gantiva
DY11-49	124.00	125.00							E.Gantiva
DY11-49	125.00	126.00	cal	10	crs				E.Gantiva
DY11-49	126.00	127.00	cal	10	crs				E.Gantiva
DY11-49	127.00	127.55	cal	10	crs				E.Gantiva
DY11-49	127.55	128.00	cal	0.5	crs				E.Gantiva
DY11-49	128.00	129.00	cal	0.5	crs				E.Gantiva
DY11-49	129.00	130.00	cal	2	crs				E.Gantiva
DY11-49	130.00	131.00	cal	2	crs				E.Gantiva
DY11-49	131.00	132.00							E.Gantiva
DY11-49	132.00	132.39							E.Gantiva
DY11-49	132.39	133.00							E.Gantiva
DY11-49	133.00	134.00							E.Gantiva
DY11-49	134.00	135.00							E.Gantiva
DY11-49	135.00	136.00							E.Gantiva

			Veining						
Hole ID	Depth_From	Depth_To	Vein1	Vn1pc	Vn1form	Vein2	Vn2pc	Vn2Form	Geologist
Hole ID/Site ID	Depth from	Depth To	Primary vein assemblage	percentage of interval	Vein Form	Secondary vein assemblage	percentage of interval	Vein Form	Person who logged the interval
DY11-49	136.00	137.00							E.Gantiva
DY11-49	137.00	138.00							E.Gantiva
DY11-49	138.00	139.00							E.Gantiva
DY11-49	139.00	140.00							E.Gantiva
DY11-49	140.00	141.00							E.Gantiva
DY11-49	141.00	142.00							E.Gantiva
DY11-49	142.00	143.00							E.Gantiva
DY11-49	143.00	144.00							E.Gantiva
DY11-49	144.00	145.00							E.Gantiva
DY11-49	145.00	146.00							E.Gantiva
DY11-49	146.00	147.00							E.Gantiva
DY11-49	147.00	148.00							E.Gantiva
DY11-49	148.00	149.00							E.Gantiva
DY11-49	149.00	150.00							E.Gantiva
DY11-49	150.00	150.88							E.Gantiva
		EOH							



Hole ID	Depth_From	Depth_To	Comments
Hole ID/Site ID	Depth from	Depth To	Comments regarding geology
DY11-49	0.00	1.00	Ogv. Brown fragments of Sst, highly weathered.
DY11-49	1.00	2.00	
DY11-49	2.00	3.00	
DY11-49	3.00	3.50	
DY11-49	3.50	4.00	Sms. Pale green Sms, finely laminated, and highly oxidised.
DY11-49	4.00	5.00	
DY11-49	5.00	6.00	
DY11-49	6.00	7.00	
DY11-49	7.00	8.00	Sms. Black – dark gray brecciated Sms, intercalated with gray mudstone, and black fine grain size Sst. Gray, angular clasts of Sms into a black Sms matrix. Highly fractured between 12 -17 m. Massive gray Sms between 23.10 – 25.5 m. Black brecciated Sst between 31.6 – 32.75 m. Spl 0.2% in 4.6 m.
DY11-49	8.00	9.00	
DY11-49	9.00	10.00	
DY11-49	10.00	11.00	
DY11-49	11.00	12.00	
DY11-49	12.00	13.00	
DY11-49	13.00	14.00	
DY11-49	14.00	15.00	
DY11-49	15.00	16.00	
DY11-49	16.00	17.00	
DY11-49	17.00	18.00	
DY11-49	18.00	19.00	
DY11-49	19.00	20.00	

Hole ID	Depth_From	Depth_To	Comments
Hole ID/Site ID	Depth from	Depth To	Comments regarding geology
DY11-49	20.00	21.00	
DY11-49	21.00	22.00	
DY11-49	22.00	23.00	
DY11-49	23.00	24.00	
DY11-49	24.00	25.00	
DY11-49	25.00	26.00	
DY11-49	26.00	27.00	
DY11-49	27.00	28.00	
DY11-49	28.00	29.00	
DY11-49	29.00	30.00	
DY11-49	30.00	31.00	
DY11-49	31.00	32.00	
DY11-49	32.00	33.00	
DY11-49	33.00	34.00	
DY11-49	34.00	35.00	
DY11-49	35.00	36.00	
DY11-49	36.00	37.00	
DY11-49	37.00	38.00	
DY11-49	38.00	39.00	
DY11-49	39.00	40.00	
DY11-49	40.00	41.00	
DY11-49	41.00	42.00	
DY11-49	42.00	43.00	
DY11-49	43.00	44.00	
DY11-49	44.00	45.00	
DY11-49	45.00	46.00	
DY11-49	46.00	47.00	

Hole ID	Depth_From	Depth_To	Comments
Hole ID/Site ID	Depth from	Depth To	Comments regarding geology
DY11-49	47.00	48.00	
DY11-49	48.00	49.00	
DY11-49	49.00	50.00	
DY11-49	50.00	51.00	
DY11-49	51.00	51.75	
DY11-49	51.75	52.00	Sst. Gray, coarse grain size sandstones, with calcite veins 5% with sub – parallel vein form.
DY11-49	52.00	53.00	
DY11-49	53.00	53.34	
DY11-49	53.34	54.00	Sms. Black carbonaceous brecciated Sms. Angular clasts of Sms, and calcite into a carbonaceous matrix. Spl 3% between 54 – 55 m. Spl 2% between 60 - 61m
DY11-49	54.00	55.00	
DY11-49	55.00	56.00	
DY11-49	56.00	57.00	
DY11-49	57.00	58.00	
DY11-49	58.00	59.00	
DY11-49	59.00	60.00	
DY11-49	60.00	61.00	
DY11-49	61.00	62.00	
DY11-49	62.00	62.30	
DY11-49	62.30	63.00	Sst. Gray - Black, medium grain size Sst, with calcite veins 3%, and Qtz veins 2%, with crs vein form. Spl 1.5% between 62.3 – 63 m, and galena 1% between 64 – 65 m. In sectors there are intercalations of gray mudstones.

Hole ID	Depth_From	Depth_To	Comments
Hole ID/Site ID	Depth from	Depth To	Comments regarding geology
DY11-49	63.00	64.00	
DY11-49	64.00	65.00	
DY11-49	65.00	66.00	
DY11-49	66.00	67.00	
DY11-49	67.00	68.00	
DY11-49	68.00	69.00	
DY11-49	69.00	70.00	
DY11-49	70.00	71.00	
DY11-49	71.00	72.00	
DY11-49	72.00	73.00	
DY11-49	73.00	74.00	
DY11-49	74.00	75.00	
DY11-49	75.00	76.00	
DY11-49	76.00	77.00	
DY11-49	77.00	78.00	Sms. Green, medium grain size Sms, intercalated with gray Sst. Qtz veins 10% with crs vein form.
DY11-49	78.00	79.00	
DY11-49	79.00	80.00	
DY11-49	80.00	80.77	
DY11-49	80.77	81.00	Sst. Black – dark gray, fine grain size Sst, intercalated with black Sms. Qtz 10% veins randomly distributed, and calcite veins 2%, with crs vein form. The rock is brecciated in some sectors. Traces of Spl into the qtz veins at 86.1 m, and 88.6 m.
DY11-49	81.00	82.00	

Hole ID	Depth_From	Depth_To	Comments
Hole ID/Site ID	Depth from	Depth To	Comments regarding geology
DY11-49	82.00	83.00	
DY11-49	83.00	84.00	
DY11-49	84.00	85.00	
DY11-49	85.00	86.00	
DY11-49	86.00	87.00	
DY11-49	87.00	88.00	
DY11-49	88.00	89.00	
DY11-49	89.00	90.00	
DY11-49	90.00	91.00	
DY11-49	91.00	92.00	
DY11-49	92.00	93.00	
DY11-49	93.00	93.30	
DY11-49	93.30	94.00	Sms. Black, carbonaceous, medium grain size Sms, intercalated with black, fine grain size Sst. Qtz veins 7 % , and calcite veins 2% with crs vein form.
DY11-49	94.00	95.00	
DY11-49	95.00	96.00	
DY11-49	96.00	97.00	
DY11-49	97.00	97.80	
DY11-49	97.80	98.00	Quartz vein, with little content of calcite.
DY11-49	98.00	99.00	
DY11-49	99.00	100.00	
DY11-49	100.00	101.00	Gray, brecciated Qtz vein, with Sphalerite 12%, calcite in lesser proportions 2% with concentrations of 10% between 105 – 106 m, and intercalations of gray, brecciated Sms.
DY11-49	101.00	102.00	

Hole ID	Depth_From	Depth_To	Comments
Hole ID/Site ID	Depth from	Depth To	Comments regarding geology
DY11-49	102.00	103.00	
DY11-49	103.00	104.00	
DY11-49	104.00	105.00	
DY11-49	105.00	106.00	
DY11-49	106.00	107.00	
DY11-49	107.00	107.80	
DY11-49	107.80	108.00	Black, fine grain size Sst, moderately carbonaceous, with intercalations of Black, and gray chert. Calcite veins randomly distributed. The rock is highly calcareous between 110.5 – 111 m.
DY11-49	108.00	109.00	
DY11-49	109.00	110.00	
DY11-49	110.00	111.00	
DY11-49	111.00	112.00	
DY11-49	112.00	113.00	
DY11-49	113.00	113.20	
DY11-49	113.20	114.00	Gray, medium grain size Sst, with thin intercalations of gray Sms.
DY11-49	114.00	115.00	
DY11-49	115.00	116.00	
DY11-49	116.00	117.00	
DY11-49	117.00	118.00	
DY11-49	118.00	119.00	
DY11-49	119.00	120.00	
DY11-49	120.00	121.00	
DY11-49	121.00	122.00	

Hole ID	Depth_From	Depth_To	Comments
Hole ID/Site ID	Depth from	Depth To	Comments regarding geology
DY11-49	122.00	122.40	
DY11-49	122.40	123.00	Sms. Gray, medium grain size Sms, finely laminated, intercalated with gray, coarse grain size Sst. Sst between, 123.80 -125.9 m, after 125.9 m the mudstones are brecciated, and highly calcareous.
DY11-49	123.00	124.00	
DY11-49	124.00	125.00	
DY11-49	125.00	126.00	
DY11-49	126.00	127.00	
DY11-49	127.00	127.55	
DY11-49	127.55	128.00	Gray, coarse grain size Sst, with thin carbonaceous lamines into the matrix. The matrix is weakly calcareous. Intercalations of black carbonaceous, and calcareous mudstones. After 130.10 m the sandstone changes to green color, there are green chlorite? Grains into the matrix.
DY11-49	128.00	129.00	
DY11-49	129.00	130.00	
DY11-49	130.00	131.00	
DY11-49	131.00	132.00	
DY11-49	132.00	132.39	
DY11-49	132.39	133.00	Pale green, medium grain size Sms, intercalated with red Sms.
DY11-49	133.00	134.00	
DY11-49	134.00	135.00	
DY11-49	135.00	136.00	

Hole ID	Depth_From	Depth_To	Comments
Hole ID/Site ID	Depth from	Depth To	Comments regarding geology
DY11-49	136.00	137.00	
DY11-49	137.00	138.00	
DY11-49	138.00	139.00	
DY11-49	139.00	140.00	
DY11-49	140.00	141.00	
DY11-49	141.00	142.00	
DY11-49	142.00	143.00	
DY11-49	143.00	144.00	
DY11-49	144.00	145.00	
DY11-49	145.00	146.00	
DY11-49	146.00	147.00	
DY11-49	147.00	148.00	
DY11-49	148.00	149.00	
DY11-49	149.00	150.00	
DY11-49	150.00	150.88	

EOH