

					Lithology				
Hole ID	Depth_From	Depth_To	Wthg	STRAT	Lith1	Lith2	Lith2pc	Colour	Gsize
Hole ID/Site ID	Depth from	Depth To	Weathering	Stratigraphic Unit	Primary Lith	Secondary Lith	must be <50%	lith colour	grain size
MB 11 - 01	0.00	1.00	hw	Ogv	Sst			gy	
MB 11 - 01	1.00	2.00	hw	Ogv	Sst			gy	
MB 11 - 01	2.00	3.00	hw	Ogv	Sst			gy	
MB 11 - 01	3.00	4.00	hw	Ogv	Sst			gy	
MB 11 - 01	4.00	5.00	hw	Ogv	Sst			gy	
MB 11 - 01	5.00	6.00	hw	Sst	Sst			gn	mg
MB 11 - 01	6.00	7.00	hw	Sst	Sst			gn	mg
MB 11 - 01	7.00	8.00	hw	Sst	Sst			gn	mg
MB 11 - 01	8.00	9.00	hw	Sst	Sst			gn	mg
MB 11 - 01	9.00	10.00	hw	Sst	Sst			gn	mg
MB 11 - 01	10.00	10.30	hw	Sst	Sst			gn	mg
MB 11 - 01	10.30	11.00	hw	Sms	Sms	Sst	30	gn	fg
MB 11 - 01	11.00	12.00	hw	Sms	Sms	Sst	30	gn	fg
MB 11 - 01	12.00	13.00	hw	Sms	Sms	Sst	30	gn	fg
MB 11 - 01	13.00	13.10	hw	Sms	Sms	Sst	30	gn	fg
MB 11 - 01	13.10	14.00	mw	Zbx	Sms			gn	
MB 11 - 01	14.00	15.00	mw	Zbx	Sms			gn	
MB 11 - 01	15.00	15.60	mw	Zbx	Sms			gn	
MB 11 - 01	15.60	16.00	mw	Sst	Sst			gn	mg
MB 11 - 01	16.00	17.00	mw	Sst	Sst			gn	mg
MB 11 - 01	17.00	18.00	mw	Sst	Sst			gn	mg
MB 11 - 01	18.00	18.20	mw	Sst	Sst			gn	mg
MB 11 - 01	18.20	19.00	hw	Zfzg	Sst			gy	mg
MB 11 - 01	19.00	20.00	hw	Zfzg	Sst			gy	mg
MB 11 - 01	20.00	21.00	hw	Zfzg	Sst			gy	mg

					Lithology				
Hole ID	Depth_From	Depth_To	Wthg	STRAT	Lith1	Lith2	Lith2pc	Colour	Gsize
Hole ID/Site ID	Depth from	Depth To	Weathering	Stratigraphic Unit	Primary Lith	Secondary Lith	must be <50%	lith colour	grain size
MB 11 - 01	21.00	22.00	hw	Zfzg	Sst			gy	mg
MB 11 - 01	22.00	22.60	hw	Zfzg	Sst			gy	mg
MB 11 - 01	22.60	23.00	mw	Sst	Sst			gy	mg
MB 11 - 01	23.00	24.00	mw	Sst	Sst			gy	mg
MB 11 - 01	24.00	24.40	mw	Sst	Sst			gy	mg
MB 11 - 01	24.40	25.00	mw	Sms	Sms	Sst	2	gn	mg
MB 11 - 01	25.00	26.00	mw	Sms	Sms	Sst	2	gn	mg
MB 11 - 01	26.00	27.00	mw	Sms	Sms	Sst	2	gn	mg
MB 11 - 01	27.00	28.00	mw	Sms	Sms	Sst	2	gn	mg
MB 11 - 01	28.00	29.00	mw	Sms	Sms	Sst	2	gn	mg
MB 11 - 01	29.00	30.00	mw	Sms	Sms	Sst	30	gn	mg
MB 11 - 01	30.00	31.00	mw	Sms	Sms	Sst	30	gn	mg
MB 11 - 01	31.00	31.20	mw	Sms	Sms	Sst	30	gn	mg
MB 11 - 01	31.20	32.00	mw	Sst	Sst	Sms	10	gn	mg
MB 11 - 01	32.00	33.00	mw	Sst	Sst	Sms	10	gn	mg
MB 11 - 01	33.00	34.00	mw	Sst	Sst	Sms	10	gn	mg
MB 11 - 01	34.00	35.00	mw	Sst	Sst	Sms	10	gn	mg
MB 11 - 01	35.00	36.00	mw	Sst	Sst	Sms	45	gn	mg
MB 11 - 01	36.00	36.70	hw	Sst	Sst	Sms	10	gy	mg
MB 11 - 01	36.70	37.00	hw	Zbx	Sst			gy	mg
MB 11 - 01	37.00	38.00	hw	Zbx	Sst			gy	mg
MB 11 - 01	38.00	39.00	hw	Zbx	Sst			gy	mg

					Lithology				
Hole ID	Depth_From	Depth_To	Wthg	STRAT	Lith1	Lith2	Lith2pc	Colour	Gsize
Hole ID/Site ID	Depth from	Depth To	Weathering	Stratigraphic Unit	Primary Lith	Secondary Lith	must be <50%	lith colour	grain size
MB 11 - 01	39.00	40.00	hw	Zbx	Sst			gy	mg
MB 11 - 01	40.00	41.00	mw	Sst	Sst	Sms	15	gy	mg
MB 11 - 01	41.00	42.00	mw	Sst	Sst	Sms	15	gy	mg
MB 11 - 01	42.00	43.00	mw	Sst	Sst	Sms	15	gy	mg
MB 11 - 01	43.00	44.00	mw	Sst	Sst	Sms	15	gy	mg
MB 11 - 01	44.00	44.80	mw	Sst	Sst	Sms	15	gy	mg
MB 11 - 01	44.80	45.00	hw	Zfzg	Sst			gy	mg
MB 11 - 01	45.00	46.00	hw	Zfzg	Sst			gy	mg
MB 11 - 01	46.00	47.00	hw	Zfzg	Sst			gy	mg
MB 11 - 01	47.00	48.00	hw	Zfzg	Sst			gy	mg
MB 11 - 01	48.00	49.00	hw	Zfzg	Sst			gy	mg
MB 11 - 01	49.00	50.00	hw	Zfzg	Sst			gy	mg
MB 11 - 01	50.00	51.00	hw	Zfzg	Sst			gy	mg
MB 11 - 01	51.00	52.00	hw	Zfzg	Sst			gy	mg
MB 11 - 01	52.00	53.00	hw	Zfzg	Sst			gy	mg
MB 11 - 01	53.00	54.00	hw	Zfzg	Sst			gy	mg
MB 11 - 01	54.00	54.25	hw	Zfzg	Sst			gy	mg
MB 11 - 01	54.25	55.00	mw	Sms	Sms	Sst	5	gn	fg
MB 11 - 01	55.00	56.00	mw	Sms	Sms	Sst	5	gn	fg
MB 11 - 01	56.00	57.00	mw	Sms	Sms	Sst	5	gn	fg
MB 11 - 01	57.00	58.00	mw	Sms	Sms	Sst	5	gn	fg
MB 11 - 01	58.00	59.00	mw	Sms	Sms	Sst	30	gn	fg
MB 11 - 01	59.00	60.00	mw	Sms	Sms	Sst	30	gn	fg
MB 11 - 01	60.00	61.00	mw	Sms	Sms	Sst	30	gn	fg
MB 11 - 01	61.00	61.50	mw	Sms	Sms	Sst	30	gn	fg

					Lithology				
Hole ID	Depth_From	Depth_To	Wthg	STRAT	Lith1	Lith2	Lith2pc	Colour	Gsize
Hole ID/Site ID	Depth from	Depth To	Weathering	Stratigraphic Unit	Primary Lith	Secondary Lith	must be <50%	lith colour	grain size
MB 11 - 01	61.50	62.00	hw	Sst	Sst			bk	fg
MB 11 - 01	62.00	63.00	hw	Sst	Sst			bk	fg
MB 11 - 01	63.00	63.10	hw	Sst	Sst			bk	fg
MB 11 - 01	63.10	64.00	hw	Vglnspl	Sqt	Sct	10	gy	mg
MB 11 - 01	64.00	65.00	hw	Vglnspl	Sqt	Sct	10	gy	mg
MB 11 - 01	65.00	66.00	hw	Vglnspl	Sqt	Sct	10	gy	mg
MB 11 - 01	66.00	67.00	hw	Vglnspl	Sqt	Sct	10	gy	mg
MB 11 - 01	67.00	68.00	hw	Vglnspl	Sqt	Sct	10	gy	mg
MB 11 - 01	68.00	69.00	hw	Vglnspl	Sqt	Sct	10	gy	mg
MB 11 - 01	69.00	70.00	hw	Vglnspl	Sqt	Sct	10	gy	mg
MB 11 - 01	70.00	71.00	hw	Vglnspl	Sqt	Sct	10	gy	mg
MB 11 - 01	71.00	72.00	hw	Vglnspl	Sqt	Sct	10	gy	mg
MB 11 - 01	72.00	73.00	hw	Vglnspl	Sqt	Sct	10	gy	mg
MB 11 - 01	73.00	74.00	hw	Vglnspl	Sqt	Sct	10	gy	mg
MB 11 - 01	74.00	75.00	hw	Vglnspl	Sqt	Sct	10	gy	mg
MB 11 - 01	75.00	76.00	hw	Vglnspl	Sqt	Sct	10	gy	mg
MB 11 - 01	76.00	77.00	hw	Vglnspl	Sqt	Sct	10	gy	mg
MB 11 - 01	77.00	78.00	hw	Vglnspl	Sqt	Sct	10	gy	mg

					Lithology				
Hole ID	Depth_From	Depth_To	Wthg	STRAT	Lith1	Lith2	Lith2pc	Colour	Gsize
Hole ID/Site ID	Depth from	Depth To	Weathering	Stratigraphic Unit	Primary Lith	Secondary Lith	must be <50%	lith colour	grain size
MB 11 - 01	78.00	79.00	mw	Sst	Sst	Sms	40	bk	fg
MB 11 - 01	79.00	80.00	mw	Sst	Sst	Sms	41	bk	fg
MB 11 - 01	80.00	81.00	mw	Sst	Sst	Sms	42	bk	fg
MB 11 - 01	81.00	81.30	mw	Sst	Sst	Sms	43	bk	fg
MB 11 - 01	81.30	82.00	mw	Sst	Sst	Sms	1	gn	mg
MB 11 - 01	82.00	83.00	mw	Sst	Sst	Sms	1	gn	mg
MB 11 - 01	83.00	84.00	mw	Sst	Sst	Sms	1	gn	mg
MB 11 - 01	84.00	85.00	mw	Sst	Sst	Sms	10	gn	mg
MB 11 - 01	85.00	86.00	mw	Sst	Sst	Sms	10	gn	mg
MB 11 - 01	86.00	87.00	mw	Sst	Sst	Sms	2	gn	mg
MB 11 - 01	87.00	88.00	mw	Sst	Sst	Sms	2	gn	mg
MB 11 - 01	88.00	89.00	mw	Sst	Sst	Sms	2	gn	mg
MB 11 - 01	89.00	90.00	mw	Sst	Sst	Sms	2	gn	mg
MB 11 - 01	90.00	91.00	mw	Sst	Sst	Sms	2	gn	mg
MB 11 - 01	91.00	92.00	mw	Sst	Sst	Sms	2	gn	mg
MB 11 - 01	92.00	93.00	mw	Sst	Sst	Sms	2	gn	mg
MB 11 - 01	93.00	94.00	mw	Sst	Sst	Sms	2	gn	mg
MB 11 - 01	94.00	95.00	mw	Sst	Sst	Sms	2	gn	mg
MB 11 - 01	95.00	96.00	mw	Sst	Sst	Sms	2	gn	mg
MB 11 - 01	96.00	97.00	mw	Sst	Sst	Sms	2	gn	mg

					Lithology				
Hole ID	Depth_From	Depth_To	Wthg	STRAT	Lith1	Lith2	Lith2pc	Colour	Gsize
Hole ID/Site ID	Depth from	Depth To	Weathering	Stratigraphic Unit	Primary Lith	Secondary Lith	must be <50%	lith colour	grain size
MB 11 - 01	97.00	98.00	mw	Sst	Sst	Sms	2	gn	mg
MB 11 - 01	98.00	99.00	mw	Sst	Sst	Sms	2	gn	mg
MB 11 - 01	99.00	100.00	mw	Sst	Sst	Sms	2	gn	mg
MB 11 - 01	100.00	101.00	mw	Sst	Sst	Sms	2	gn	mg
MB 11 - 01	101.00	102.00	mw	Sst	Sst	Sms	2	gn	mg
MB 11 - 01	102.00	103.00	mw	Sst	Sst	Sms	2	gn	mg
MB 11 - 01	103.00	104.00	mw	Sst	Sst	Sms	2	gn	mg
MB 11 - 01	104.00	105.00	mw	Sst	Sst	Sms	2	gn	mg
MB 11 - 01	105.00	106.00	mw	Sst	Sst	Sms	2	gn	mg
MB 11 - 01	106.00	106.70	mw	Sst	Sst	Sms	2	gn	mg
MB 11 - 01	106.70	108.00	ww	Sms	Sms			rd	mg
MB 11 - 01	108.00	109.00	ww	Sms	Sms			rd	mg
MB 11 - 01	109.00	110.00	ww	Sms	Sms			rd	mg
MB 11 - 01	110.00	111.00	ww	Sms	Sms			rd	mg
MB 11 - 01	111.00	112.00	ww	Sms	Sms			rd	mg
MB 11 - 01	112.00	113.00	ww	Sms	Sms			rd	mg
MB 11 - 01	113.00	114.00	ww	Sms	Sms			rd	mg
MB 11 - 01	114.00	115.00	ww	Sms	Sms			rd	mg
MB 11 - 01	115.00	116.00	ww	Sms	Sms			rd	mg
MB 11 - 01	116.00	117.00	ww	Sms	Sms			rd	mg
MB 11 - 01	117.00	118.00	ww	Sms	Sms			rd	mg
MB 11 - 01	118.00	119.00	ww	Sms	Sms			rd	mg
MB 11 - 01	119.00	120.00	ww	Sms	Sms			rd	mg
MB 11 - 01	120.00	121.00	ww	Sms	Sms			rd	mg
MB 11 - 01	121.00	122.00	ww	Sms	Sms			rd	mg

					Lithology				
Hole ID	Depth_From	Depth_To	Wthg	STRAT	Lith1	Lith2	Lith2pc	Colour	Gsize
Hole ID/Site ID	Depth from	Depth To	Weathering	Stratigraphic Unit	Primary Lith	Secondary Lith	must be <50%	lith colour	grain size
MB 11 - 01	122.00	123.00	ww	Scg	Scg	Sms	45	bk	mg
MB 11 - 01	123.00	124.00	ww	Scg	Scg	Sms	45	bk	mg
MB 11 - 01	124.00	125.00	ww	Scg	Scg	Sms	45	bk	mg
MB 11 - 01	125.00	126.00	ww	Scg	Scg	Sms	45	bk	mg
MB 11 - 01	126.00	127.00	ww	Scg	Scg	Sms	45	bk	mg
MB 11 - 01	127.00	128.00	ww	Scg	Scg	Sms	45	bk	mg
MB 11 - 01	128.00	129.00	ww	Scg	Scg	Sms	45	bk	mg
MB 11 - 01	129.00	130.00	ww	Scg	Scg	Sms	45	bk	mg
MB 11 - 01	130.00	130.20	ww	Scg	Scg	Sms	45	bk	mg
MB 11 - 01	130.20	131.00	ww	Sct	Sct			gy	fg
MB 11 - 01	131.00	132.00	ww	Sct	Sct			gy	fg
MB 11 - 01	132.00	133.00	ww	Sct	Sct			gy	fg
MB 11 - 01	133.00	134.00	ww	Sct	Sct			gy	fg
MB 11 - 01	134.00	135.00	ww	Sct	Sct			gy	fg
MB 11 - 01	135.00	136.00	mw	Sms	Sms	Scg	40	bk	mg
MB 11 - 01	136.00	137.00	mw	Sms	Sms	Scg	40	bk	mg
MB 11 - 01	137.00	138.00	mw	Sms	Sms	Scg	40	bk	mg
MB 11 - 01	138.00	139.00	mw	Sms	Sms	Scg	40	bk	mg
MB 11 - 01	139.00	140.00	mw	Sms	Sms	Scg	40	bk	mg
MB 11 - 01	140.00	141.00	mw	Sms	Sms	Scg	40	bk	mg
MB 11 - 01	141.00	142.00	mw	Sms	Sms	Scg	40	bk	mg

					Lithology				
Hole ID	Depth_From	Depth_To	Wthg	STRAT	Lith1	Lith2	Lith2pc	Colour	Gsize
Hole ID/Site ID	Depth from	Depth To	Weathering	Stratigraphic Unit	Primary Lith	Secondary Lith	must be <50%	lith colour	grain size
MB 11 - 01	142.00	143.00	mw	Sms	Sms	Scg	40	bk	mg
MB 11 - 01	143.00	144.00	mw	Sms	Sms	Scg	40	bk	mg
MB 11 - 01	144.00	144.35	mw	Sms	Sms	Scg	40	bk	mg
MB 11 - 01	144.35	145.00	ww	Sms	Sms			gn	fg
MB 11 - 01	145.00	146.00	ww	Sms	Sms			gn	fg
MB 11 - 01	146.00	147.00	ww	Sms	Sms			gn	fg
MB 11 - 01	147.00	148.00	ww	Sms	Sms			gn	fg
MB 11 - 01	148.00	149.00	ww	Sms	Sms			gn	fg
MB 11 - 01	149.00	149.50	ww	Sms	Sms			gn	fg
MB 11 - 01	149.50	150.00	mw	Sms	Sms			rd	fg
MB 11 - 01	150.00	151.00	mw	Sms	Sms			rd	fg
MB 11 - 01	151.00	152.00	mw	Sms	Sms			rd	fg
MB 11 - 01	152.00	153.00	mw	Sms	Sms			rd	fg
MB 11 - 01	153.00	154.00	mw	Sms	Sms			rd	fg
MB 11 - 01	154.00	155.00	mw	Sms	Sms			rd	fg
MB 11 - 01	155.00	156.00	mw	Sms	Sms			rd	fg
MB 11 - 01	156.00	157.00	mw	Sms	Sms			rd	fg
MB 11 - 01	157.00	158.00	mw	Sms	Sms			rd	fg
MB 11 - 01	158.00	159.00	mw	Sms	Sms			rd	fg
MB 11 - 01	159.00	160.00	mw	Sms	Sms			rd	fg
MB 11 - 01	160.00	161.00	mw	Sms	Sms			rd	fg
MB 11 - 01	161.00	162.00	mw	Sms	Sms			rd	fg
MB 11 - 01	162.00	163.00	mw	Sms	Sms			rd	fg
MB 11 - 01	163.00	164.00	mw	Sms	Sms			rd	fg



					Lithology				
Hole ID	Depth_From	Depth_To	Wthg	STRAT	Lith1	Lith2	Lith2pc	Colour	Gsize
Hole ID/Site ID	Depth from	Depth To	Weathering	Stratigraphic Unit	Primary Lith	Secondary Lith	must be <50%	lith colour	grain size
MB 11 - 01	164.00	165.00	mw	Sms	Sms			rd	fg
MB 11 - 01	165.00	166.00	mw	Sms	Sms			rd	fg
MB 11 - 01	166.00	167.00	mw	Sms	Sms			rd	fg
MB 11 - 01	167.00	168.00	mw	Sms	Sms			rd	fg
MB 11 - 01	168.00	169.00	mw	Sms	Sms			rd	fg
MB 11 - 01	169.00	170.00	mw	Sms	Sms			rd	fg
MB 11 - 01	170.00	171.00	mw	Sms	Sms			rd	fg
MB 11 - 01	171.00	172.00	mw	Sms	Sms			rd	fg
MB 11 - 01	172.00	173.00	mw	Sms	Sms			rd	fg
MB 11 - 01	173.00	174.00	mw	Sms	Sms			rd	fg
MB 11 - 01	174.00	175.00	mw	Sms	Sms			rd	fg
MB 11 - 01	175.00	176.00	mw	Sms	Sms			rd	fg
MB 11 - 01	176.00	177.00	mw	Sms	Sms			rd	fg
MB 11 - 01	177.00	178.00	mw	Sms	Sms			rd	fg
MB 11 - 01	178.00	178.31	mw	Sms	Sms			rd	fg
		EOH							

			Fabric							
Hole ID	Depth_From	Depth_To	Texture	Struc	StrucInt	Spl%	Gln%	Ccp%	Pyr%	Comp1
Hole ID/Site ID	Depth from	Depth To	texture	Structure	Structural Intensity	Components of the lith type. I.e. clasts, matrix, phe additional sulfides				
MB 11 - 01	0.00	1.00								
MB 11 - 01	1.00	2.00								
MB 11 - 01	2.00	3.00								
MB 11 - 01	3.00	4.00								
MB 11 - 01	4.00	5.00								
MB 11 - 01	5.00	6.00	grn	frc	M					fpr
MB 11 - 01	6.00	7.00	grn	frc	M					fpr
MB 11 - 01	7.00	8.00	grn	frc	M					fpr
MB 11 - 01	8.00	9.00	grn	frc	M					fpr
MB 11 - 01	9.00	10.00	grn	frc	M					fpr
MB 11 - 01	10.00	10.30	grn	frc	M					fpr
MB 11 - 01	10.30	11.00	bed	sch	M					
MB 11 - 01	11.00	12.00	bed	sch	M					
MB 11 - 01	12.00	13.00	bed	sch	M					
MB 11 - 01	13.00	13.10	bed	sch	M					
MB 11 - 01	13.10	14.00	fis	myl	M					
MB 11 - 01	14.00	15.00	fis	myl	M					
MB 11 - 01	15.00	15.60	fis	myl	M					
MB 11 - 01	15.60	16.00	grn	mas	M					fpr
MB 11 - 01	16.00	17.00	grn	mas	M					fpr
MB 11 - 01	17.00	18.00	grn	mas	M					fpr
MB 11 - 01	18.00	18.20	grn	mas	M					fpr
MB 11 - 01	18.20	19.00	cla	myl	M					
MB 11 - 01	19.00	20.00	cla	myl	M					
MB 11 - 01	20.00	21.00	cla	myl	M					

			Fabric							
Hole ID	Depth_From	Depth_To	Texture	Struc	StrucInt	Spl%	Gln%	Ccp%	Pyr%	Comp1
Hole ID/Site ID	Depth from	Depth To	texture	Structure	Structural Intensity	Components of the lith type. I.e. clasts, matrix, phe additional sulfides				
MB 11 - 01	21.00	22.00	cla	myl	M					
MB 11 - 01	22.00	22.60	cla	myl	M					
MB 11 - 01	22.60	23.00	grn	mas	M					fpr
MB 11 - 01	23.00	24.00	grn	mas	M					fpr
MB 11 - 01	24.00	24.40	grn	mas	M					fpr
MB 11 - 01	24.40	25.00	bed	mas	M					
MB 11 - 01	25.00	26.00	bed	mas	M					
MB 11 - 01	26.00	27.00	bed	mas	M					
MB 11 - 01	27.00	28.00	bed	mas	M					
MB 11 - 01	28.00	29.00	bed	mas	M					
MB 11 - 01	29.00	30.00	bed	mas	M					
MB 11 - 01	30.00	31.00	bed	mas	M					
MB 11 - 01	31.00	31.20	bed	mas	M					
MB 11 - 01	31.20	32.00	grn	mas	M					
MB 11 - 01	32.00	33.00	grn	mas	M					
MB 11 - 01	33.00	34.00	grn	mas	M					
MB 11 - 01	34.00	35.00	grn	mas	M					
MB 11 - 01	35.00	36.00	grn	mas	M					
MB 11 - 01	36.00	36.70	blk	frc	H					
MB 11 - 01	36.70	37.00	blk	frc	H					
MB 11 - 01	37.00	38.00	blk	frc	H					
MB 11 - 01	38.00	39.00	blk	frc	H					

			Fabric							
Hole ID	Depth_From	Depth_To	Texture	Struc	StrucInt	Spl%	Gln%	Ccp%	Pyr%	Comp1
Hole ID/Site ID	Depth from	Depth To	texture	Structure	Structural Intensity	Components of the lith type. I.e. clasts, matrix, phe additional sulfides				
MB 11 - 01	39.00	40.00	blk	frc	H					
MB 11 - 01	40.00	41.00	grn	mas	M					
MB 11 - 01	41.00	42.00	grn	mas	M					
MB 11 - 01	42.00	43.00	grn	mas	M					
MB 11 - 01	43.00	44.00	grn	mas	M					
MB 11 - 01	44.00	44.80	grn	mas	M					
MB 11 - 01	44.80	45.00	dsr	bxx	M					
MB 11 - 01	45.00	46.00	dsr	bxx	M					
MB 11 - 01	46.00	47.00	dsr	bxx	M					
MB 11 - 01	47.00	48.00	dsr	bxx	M					
MB 11 - 01	48.00	49.00	dsr	bxx	M					
MB 11 - 01	49.00	50.00	dsr	bxx	M					
MB 11 - 01	50.00	51.00	dsr	bxx	M					
MB 11 - 01	51.00	52.00	dsr	bxx	M					
MB 11 - 01	52.00	53.00	dsr	bxx	M					
MB 11 - 01	53.00	54.00	dsr	bxx	M					
MB 11 - 01	54.00	54.25	dsr	bxx	M					
MB 11 - 01	54.25	55.00	bed	mas	M					
MB 11 - 01	55.00	56.00	bed	mas	M					
MB 11 - 01	56.00	57.00	bed	mas	M					
MB 11 - 01	57.00	58.00	bed	mas	M					
MB 11 - 01	58.00	59.00	bed	mas	M					
MB 11 - 01	59.00	60.00	bed	mas	M					
MB 11 - 01	60.00	61.00	bed	mas	M					
MB 11 - 01	61.00	61.50	bed	mas	M					

			Fabric							
Hole ID	Depth_From	Depth_To	Texture	Struc	StrucInt	Spl%	Gln%	Ccp%	Pyr%	Comp1
Hole ID/Site ID	Depth from	Depth To	texture	Structure	Structural Intensity	Components of the lith type. I.e. clasts, matrix, phe additional sulfides				
MB 11 - 01	61.50	62.00	blk	fau	I					qtz
MB 11 - 01	62.00	63.00	blk	fau	I					qtz
MB 11 - 01	63.00	63.10	blk	fau	I					qtz
MB 11 - 01	63.10	64.00	cry	frc	M	2	0.1		1	pyo
MB 11 - 01	64.00	65.00	cry	frc	M				1	
MB 11 - 01	65.00	66.00	cry	frc	M				1	
MB 11 - 01	66.00	67.00	cry	frc	M				1	
MB 11 - 01	67.00	68.00	cry	frc	M				1	
MB 11 - 01	68.00	69.00	cry	frc	M				1	
MB 11 - 01	69.00	70.00	cry	frc	M				1	
MB 11 - 01	70.00	71.00	cry	frc	M				1	
MB 11 - 01	71.00	72.00	cry	frc	M				1	
MB 11 - 01	72.00	73.00	cry	frc	M				1	
MB 11 - 01	73.00	74.00	cry	frc	M				5	
MB 11 - 01	74.00	75.00	cry	frc	M				4	
MB 11 - 01	75.00	76.00	cry	frc	M				4	
MB 11 - 01	76.00	77.00	cry	frc	M				4	
MB 11 - 01	77.00	78.00	cry	frc	M					

			Fabric							
Hole ID	Depth_From	Depth_To	Texture	Struc	StrucInt	Spl%	Gln%	Ccp%	Pyr%	Comp1
Hole ID/Site ID	Depth from	Depth To	texture	Structure	Structural Intensity	Components of the lith type. I.e. clasts, matrix, phe additional sulfides				
MB 11 - 01	78.00	79.00	dsr	bxx	M				0.1	
MB 11 - 01	79.00	80.00	dsr	bxx	M					
MB 11 - 01	80.00	81.00	dsr	bxx	M					
MB 11 - 01	81.00	81.30	dsr	bxx	M					
MB 11 - 01	81.30	82.00	grn	mas	I				0.1	
MB 11 - 01	82.00	83.00	grn	mas	I				0.1	
MB 11 - 01	83.00	84.00	grn	mas	I				0.1	
MB 11 - 01	84.00	85.00	grn	mas	I					
MB 11 - 01	85.00	86.00	grn	mas	I					
MB 11 - 01	86.00	87.00	grn	mas	I					
MB 11 - 01	87.00	88.00	grn	mas	I					
MB 11 - 01	88.00	89.00	grn	mas	I					
MB 11 - 01	89.00	90.00	grn	mas	I					
MB 11 - 01	90.00	91.00	grn	mas	I					
MB 11 - 01	91.00	92.00	grn	mas	I					
MB 11 - 01	92.00	93.00	grn	mas	I					
MB 11 - 01	93.00	94.00	grn	mas	I					
MB 11 - 01	94.00	95.00	grn	mas	I					
MB 11 - 01	95.00	96.00	grn	mas	I					
MB 11 - 01	96.00	97.00	grn	mas	I					

			Fabric							
Hole ID	Depth_From	Depth_To	Texture	Struc	StrucInt	Spl%	Gln%	Ccp%	Pyr%	Comp1
Hole ID/Site ID	Depth from	Depth To	texture	Structure	Structural Intensity	Components of the lith type. I.e. clasts, matrix, phe additional sulfides				
MB 11 - 01	97.00	98.00	grn	mas	l					
MB 11 - 01	98.00	99.00	grn	mas	l					
MB 11 - 01	99.00	100.00	grn	mas	l					
MB 11 - 01	100.00	101.00	grn	mas	l					
MB 11 - 01	101.00	102.00	grn	mas	l					
MB 11 - 01	102.00	103.00	grn	mas	l					
MB 11 - 01	103.00	104.00	grn	mas	l					
MB 11 - 01	104.00	105.00	grn	mas	l					
MB 11 - 01	105.00	106.00	grn	mas	l					
MB 11 - 01	106.00	106.70	grn	mas	l					
MB 11 - 01	106.70	108.00	tur	bxx	m					
MB 11 - 01	108.00	109.00	tur	bxx	m					
MB 11 - 01	109.00	110.00	tur	bxx	m					
MB 11 - 01	110.00	111.00	tur	bxx	m					
MB 11 - 01	111.00	112.00	tur	bxx	m					
MB 11 - 01	112.00	113.00	tur	bxx	m					
MB 11 - 01	113.00	114.00	tur	bxx	m					
MB 11 - 01	114.00	115.00	tur	bxx	m					
MB 11 - 01	115.00	116.00	tur	bxx	m					
MB 11 - 01	116.00	117.00	tur	bxx	m					
MB 11 - 01	117.00	118.00	tur	bxx	m					
MB 11 - 01	118.00	119.00	tur	bxx	m					
MB 11 - 01	119.00	120.00	tur	bxx	m					
MB 11 - 01	120.00	121.00	tur	bxx	m					
MB 11 - 01	121.00	122.00	tur	bxx	m					

			Fabric							
Hole ID	Depth_From	Depth_To	Texture	Struc	StrucInt	Spl%	Gln%	Ccp%	Pyr%	Comp1
Hole ID/Site ID	Depth from	Depth To	texture	Structure	Structural Intensity	Components of the lith type. I.e. clasts, matrix, phe additional sulfides				
MB 11 - 01	122.00	123.00	cgl	bxx	m				0.1	cal
MB 11 - 01	123.00	124.00	cgl	bxx	m				0.1	cal
MB 11 - 01	124.00	125.00	cgl	bxx	m				0.1	cal
MB 11 - 01	125.00	126.00	cgl	bxx	m				1	cal
MB 11 - 01	126.00	127.00	cgl	bxx	m				0.1	cal
MB 11 - 01	127.00	128.00	cgl	bxx	m				0.1	cal
MB 11 - 01	128.00	129.00	cgl	bxx	m				0.1	cal
MB 11 - 01	129.00	130.00	cgl	bxx	m				0.1	cal
MB 11 - 01	130.00	130.20	cgl	bxx	m				0.1	cal
MB 11 - 01	130.20	131.00	Shd	cbx	l	0.1				
MB 11 - 01	131.00	132.00	Shd	cbx	l					
MB 11 - 01	132.00	133.00	Shd	cbx	l					
MB 11 - 01	133.00	134.00	Shd	cbx	l					
MB 11 - 01	134.00	135.00	Shd	cbx	l					
MB 11 - 01	135.00	136.00	dsr	bxx	M					Pyo Pyo Pyo
MB 11 - 01	136.00	137.00	dsr	bxx	M					
MB 11 - 01	137.00	138.00	dsr	bxx	M					
MB 11 - 01	138.00	139.00	dsr	bxx	M					
MB 11 - 01	139.00	140.00	dsr	bxx	M					
MB 11 - 01	140.00	141.00	dsr	bxx	M					
MB 11 - 01	141.00	142.00	dsr	bxx	M					



			Fabric							
Hole ID	Depth_From	Depth_To	Texture	Struc	StrucInt	Spl%	Gln%	Ccp%	Pyr%	Comp1
Hole ID/Site ID	Depth from	Depth To	texture	Structure	Structural Intensity	Components of the lith type. I.e. clasts, matrix, phe additional sulfides				
MB 11 - 01	142.00	143.00	dsr	bxx	M					
MB 11 - 01	143.00	144.00	dsr	bxx	M					
MB 11 - 01	144.00	144.35	dsr	bxx	M					
MB 11 - 01	144.35	145.00	fis	sch	W					
MB 11 - 01	145.00	146.00	fis	sch	W					
MB 11 - 01	146.00	147.00	fis	sch	W					
MB 11 - 01	147.00	148.00	fis	sch	W					
MB 11 - 01	148.00	149.00	fis	sch	W					
MB 11 - 01	149.00	149.50	fis	sch	W					
MB 11 - 01	149.50	150.00	fis	sch	M					
MB 11 - 01	150.00	151.00	fis	sch	M					
MB 11 - 01	151.00	152.00	fis	sch	M					
MB 11 - 01	152.00	153.00	fis	sch	M					
MB 11 - 01	153.00	154.00	fis	sch	M					
MB 11 - 01	154.00	155.00	fis	sch	M					
MB 11 - 01	155.00	156.00	fis	sch	M					
MB 11 - 01	156.00	157.00	fis	sch	M					
MB 11 - 01	157.00	158.00	fis	sch	M					
MB 11 - 01	158.00	159.00	fis	sch	M					
MB 11 - 01	159.00	160.00	fis	sch	M					
MB 11 - 01	160.00	161.00	fis	sch	M					
MB 11 - 01	161.00	162.00	fis	sch	M					
MB 11 - 01	162.00	163.00	fis	sch	M					
MB 11 - 01	163.00	164.00	fis	sch	M					

			Fabric							
Hole ID	Depth_From	Depth_To	Texture	Struc	StrucInt	Spl%	Gln%	Ccp%	Pyr%	Comp1
Hole ID/Site ID	Depth from	Depth To	texture	Structure	Structural Intensity	Components of the lith type. I.e. clasts, matrix, phe additional sulfides				
MB 11 - 01	164.00	165.00	fis	sch	M					
MB 11 - 01	165.00	166.00	fis	sch	M					
MB 11 - 01	166.00	167.00	fis	sch	M					
MB 11 - 01	167.00	168.00	fis	sch	M					
MB 11 - 01	168.00	169.00	fis	sch	M					
MB 11 - 01	169.00	170.00	fis	sch	M					
MB 11 - 01	170.00	171.00	fis	sch	M					
MB 11 - 01	171.00	172.00	fis	sch	M					
MB 11 - 01	172.00	173.00	fis	sch	M					
MB 11 - 01	173.00	174.00	fis	sch	M					
MB 11 - 01	174.00	175.00	fis	sch	M					
MB 11 - 01	175.00	176.00	fis	sch	M					
MB 11 - 01	176.00	177.00	fis	sch	M					
MB 11 - 01	177.00	178.00	fis	sch	M					
MB 11 - 01	178.00	178.31	fis	sch	M					
		EOH								







						Alteration1			Alteration2		
Hole ID	Depth_From	Depth_To	Comp1%	Comp2	Comp2%	Alt1 Assemblage	Alt1Int	Alt1Style	Alt2 Assemblage	Alt2Int	Alt2Style
Hole ID/Site ID	Depth from	Depth To	Phenocrysts, wallrock inclusions,			Alt assemblage	Alt Intensity	Style of Alteration	Alt assemblage	Alt Intensity	Style of Alteration
MB 11 - 01	61.50	62.00	10								
MB 11 - 01	62.00	63.00	10								
MB 11 - 01	63.00	63.10	10								
MB 11 - 01	63.10	64.00									
MB 11 - 01	64.00	65.00									
MB 11 - 01	65.00	66.00									
MB 11 - 01	66.00	67.00									
MB 11 - 01	67.00	68.00									
MB 11 - 01	68.00	69.00									
MB 11 - 01	69.00	70.00	1								
MB 11 - 01	70.00	71.00	1								
MB 11 - 01	71.00	72.00	1								
MB 11 - 01	72.00	73.00	1								
MB 11 - 01	73.00	74.00	1								
MB 11 - 01	74.00	75.00	0.5								
MB 11 - 01	75.00	76.00	0.5								
MB 11 - 01	76.00	77.00	0.5								
MB 11 - 01	77.00	78.00	0.5								











[illegible]

			Veining						
Hole ID	Depth_From	Depth_To	Vein1	Vn1pc	Vn1form	Vein2	Vn2pc	Vn2Form	Geologist
Hole ID/Site ID	Depth from	Depth To	Primary vein assemblage	percentage of interval	Vein Form	Secondary vein assemblage	percentage of interval	Vein Form	Person who logged the interval
MB 11 - 01	0.00	1.00							E.Gantiva
MB 11 - 01	1.00	2.00							E.Gantiva
MB 11 - 01	2.00	3.00							E.Gantiva
MB 11 - 01	3.00	4.00							E.Gantiva
MB 11 - 01	4.00	5.00							E.Gantiva
MB 11 - 01	5.00	6.00	qtz	3					E.Gantiva
MB 11 - 01	6.00	7.00	qtz	3					E.Gantiva
MB 11 - 01	7.00	8.00	qtz	3					E.Gantiva
MB 11 - 01	8.00	9.00	qtz	3					E.Gantiva
MB 11 - 01	9.00	10.00	qtz	3					E.Gantiva
MB 11 - 01	10.00	10.30	qtz	3					E.Gantiva
MB 11 - 01	10.30	11.00							E.Gantiva
MB 11 - 01	11.00	12.00							E.Gantiva
MB 11 - 01	12.00	13.00							E.Gantiva
MB 11 - 01	13.00	13.10							E.Gantiva
MB 11 - 01	13.10	14.00							E.Gantiva
MB 11 - 01	14.00	15.00							E.Gantiva
MB 11 - 01	15.00	15.60							E.Gantiva
MB 11 - 01	15.60	16.00							E.Gantiva
MB 11 - 01	16.00	17.00							E.Gantiva
MB 11 - 01	17.00	18.00							E.Gantiva
MB 11 - 01	18.00	18.20							E.Gantiva
MB 11 - 01	18.20	19.00							E.Gantiva
MB 11 - 01	19.00	20.00							E.Gantiva
MB 11 - 01	20.00	21.00							E.Gantiva

			Veining						
Hole ID	Depth_From	Depth_To	Vein1	Vn1pc	Vn1form	Vein2	Vn2pc	Vn2Form	Geologist
Hole ID/Site ID	Depth from	Depth To	Primary vein assemblage	percentage of interval	Vein Form	Secondary vein assemblage	percentage of interval	Vein Form	Person who logged the interval
MB 11 - 01	21.00	22.00							E.Gantiva
MB 11 - 01	22.00	22.60							E.Gantiva
MB 11 - 01	22.60	23.00							E.Gantiva
MB 11 - 01	23.00	24.00							E.Gantiva
MB 11 - 01	24.00	24.40							E.Gantiva
MB 11 - 01	24.40	25.00							E.Gantiva
MB 11 - 01	25.00	26.00							E.Gantiva
MB 11 - 01	26.00	27.00							E.Gantiva
MB 11 - 01	27.00	28.00							E.Gantiva
MB 11 - 01	28.00	29.00							E.Gantiva
MB 11 - 01	29.00	30.00							E.Gantiva
MB 11 - 01	30.00	31.00							E.Gantiva
MB 11 - 01	31.00	31.20							E.Gantiva
MB 11 - 01	31.20	32.00							E.Gantiva
MB 11 - 01	32.00	33.00							E.Gantiva
MB 11 - 01	33.00	34.00							E.Gantiva
MB 11 - 01	34.00	35.00							E.Gantiva
MB 11 - 01	35.00	36.00							E.Gantiva
MB 11 - 01	36.00	36.70							E.Gantiva
MB 11 - 01	36.70	37.00	qtz	10	crs				E.Gantiva
MB 11 - 01	37.00	38.00	qtz	10	crs				E.Gantiva
MB 11 - 01	38.00	39.00	qtz	10	crs				E.Gantiva

			Veining						
Hole ID	Depth_From	Depth_To	Vein1	Vn1pc	Vn1form	Vein2	Vn2pc	Vn2Form	Geologist
Hole ID/Site ID	Depth from	Depth To	Primary vein assemblage	percentage of interval	Vein Form	Secondary vein assemblage	percentage of interval	Vein Form	Person who logged the interval
MB 11 - 01	39.00	40.00	qtz	10	crs				E.Gantiva
MB 11 - 01	40.00	41.00							E.Gantiva
MB 11 - 01	41.00	42.00							E.Gantiva
MB 11 - 01	42.00	43.00							E.Gantiva
MB 11 - 01	43.00	44.00							E.Gantiva
MB 11 - 01	44.00	44.80							E.Gantiva
MB 11 - 01	44.80	45.00	qtz	5	crs				E.Gantiva
MB 11 - 01	45.00	46.00	qtz	5	crs				E.Gantiva
MB 11 - 01	46.00	47.00	qtz	5	crs				E.Gantiva
MB 11 - 01	47.00	48.00	qtz	5	crs				E.Gantiva
MB 11 - 01	48.00	49.00	qtz	5	crs				E.Gantiva
MB 11 - 01	49.00	50.00	qtz	5	crs				E.Gantiva
MB 11 - 01	50.00	51.00	qtz	5	crs				E.Gantiva
MB 11 - 01	51.00	52.00	qtz	5	crs				E.Gantiva
MB 11 - 01	52.00	53.00	qtz	5	crs				E.Gantiva
MB 11 - 01	53.00	54.00	qtz	5	crs				E.Gantiva
MB 11 - 01	54.00	54.25	qtz	5	crs				E.Gantiva
MB 11 - 01	54.25	55.00							E.Gantiva
MB 11 - 01	55.00	56.00							E.Gantiva
MB 11 - 01	56.00	57.00							E.Gantiva
MB 11 - 01	57.00	58.00							E.Gantiva
MB 11 - 01	58.00	59.00							E.Gantiva
MB 11 - 01	59.00	60.00							E.Gantiva
MB 11 - 01	60.00	61.00							E.Gantiva
MB 11 - 01	61.00	61.50							E.Gantiva

			Veining						
Hole ID	Depth_From	Depth_To	Vein1	Vn1pc	Vn1form	Vein2	Vn2pc	Vn2Form	Geologist
Hole ID/Site ID	Depth from	Depth To	Primary vein assemblage	percentage of interval	Vein Form	Secondary vein assemblage	percentage of interval	Vein Form	Person who logged the interval
MB 11 - 01	61.50	62.00							E.Gantiva
MB 11 - 01	62.00	63.00							E.Gantiva
MB 11 - 01	63.00	63.10							E.Gantiva
MB 11 - 01	63.10	64.00	qtz	80					E.Gantiva
MB 11 - 01	64.00	65.00	qtz	81					E.Gantiva
MB 11 - 01	65.00	66.00	qtz	82					E.Gantiva
MB 11 - 01	66.00	67.00	qtz	83					E.Gantiva
MB 11 - 01	67.00	68.00	qtz	84					E.Gantiva
MB 11 - 01	68.00	69.00	qtz	85					E.Gantiva
MB 11 - 01	69.00	70.00	qtz	86					E.Gantiva
MB 11 - 01	70.00	71.00	qtz	87					E.Gantiva
MB 11 - 01	71.00	72.00	qtz	88					E.Gantiva
MB 11 - 01	72.00	73.00	qtz	89					E.Gantiva
MB 11 - 01	73.00	74.00	qtz	90					E.Gantiva
MB 11 - 01	74.00	75.00	qtz	91					E.Gantiva
MB 11 - 01	75.00	76.00	qtz	92					E.Gantiva
MB 11 - 01	76.00	77.00	qtz	93					E.Gantiva
MB 11 - 01	77.00	78.00	qtz	94					E.Gantiva

			Veining						
Hole ID	Depth_From	Depth_To	Vein1	Vn1pc	Vn1form	Vein2	Vn2pc	Vn2Form	Geologist
Hole ID/Site ID	Depth from	Depth To	Primary vein assemblage	percentage of interval	Vein Form	Secondary vein assemblage	percentage of interval	Vein Form	Person who logged the interval
MB 11 - 01	78.00	79.00	cal	15					E.Gantiva
MB 11 - 01	79.00	80.00	cal	15					E.Gantiva
MB 11 - 01	80.00	81.00	cal	10					E.Gantiva
MB 11 - 01	81.00	81.30	cal	10					E.Gantiva
MB 11 - 01	81.30	82.00	cal	5	crs				E.Gantiva
MB 11 - 01	82.00	83.00	cal	5	crs				E.Gantiva
MB 11 - 01	83.00	84.00	cal	5	crs				E.Gantiva
MB 11 - 01	84.00	85.00	cal	5	crs				E.Gantiva
MB 11 - 01	85.00	86.00	cal	5	crs				E.Gantiva
MB 11 - 01	86.00	87.00	cal	5	crs				E.Gantiva
MB 11 - 01	87.00	88.00	cal	5	crs				E.Gantiva
MB 11 - 01	88.00	89.00	cal	5	crs				E.Gantiva
MB 11 - 01	89.00	90.00	cal	5	crs				E.Gantiva
MB 11 - 01	90.00	91.00	cal	5	crs				E.Gantiva
MB 11 - 01	91.00	92.00	cal	5	crs				E.Gantiva
MB 11 - 01	92.00	93.00	cal	5	crs				E.Gantiva
MB 11 - 01	93.00	94.00	cal	5	crs				E.Gantiva
MB 11 - 01	94.00	95.00	cal	5	crs				E.Gantiva
MB 11 - 01	95.00	96.00	cal	5	crs				E.Gantiva
MB 11 - 01	96.00	97.00	cal	5	crs				E.Gantiva



			Veining						
Hole ID	Depth_From	Depth_To	Vein1	Vn1pc	Vn1form	Vein2	Vn2pc	Vn2Form	Geologist
Hole ID/Site ID	Depth from	Depth To	Primary vein assemblage	percentage of interval	Vein Form	Secondary vein assemblage	percentage of interval	Vein Form	Person who logged the interval
MB 11 - 01	97.00	98.00	cal	5	crs				E.Gantiva
MB 11 - 01	98.00	99.00	cal	5	crs				E.Gantiva
MB 11 - 01	99.00	100.00	cal	5	crs				E.Gantiva
MB 11 - 01	100.00	101.00	cal	5	crs				E.Gantiva
MB 11 - 01	101.00	102.00	cal	5	crs				E.Gantiva
MB 11 - 01	102.00	103.00	cal	5	crs				E.Gantiva
MB 11 - 01	103.00	104.00	cal	5	crs				E.Gantiva
MB 11 - 01	104.00	105.00	cal	5	crs				E.Gantiva
MB 11 - 01	105.00	106.00	cal	5	crs				E.Gantiva
MB 11 - 01	106.00	106.70	cal	5	crs				E.Gantiva
MB 11 - 01	106.70	108.00	cal	5	crs				E.Gantiva
MB 11 - 01	108.00	109.00	cal	5	crs				E.Gantiva
MB 11 - 01	109.00	110.00	cal	5	crs				E.Gantiva
MB 11 - 01	110.00	111.00	cal	5	crs				E.Gantiva
MB 11 - 01	111.00	112.00	cal	5	crs				E.Gantiva
MB 11 - 01	112.00	113.00	cal	2	crs				E.Gantiva
MB 11 - 01	113.00	114.00	cal	2	crs				E.Gantiva
MB 11 - 01	114.00	115.00	cal	2	crs				E.Gantiva
MB 11 - 01	115.00	116.00	cal	2	crs				E.Gantiva
MB 11 - 01	116.00	117.00	cal	2	crs				E.Gantiva
MB 11 - 01	117.00	118.00	cal	2	crs				E.Gantiva
MB 11 - 01	118.00	119.00	cal	2	crs				E.Gantiva
MB 11 - 01	119.00	120.00	cal	2	crs				E.Gantiva
MB 11 - 01	120.00	121.00	cal	2	crs				E.Gantiva
MB 11 - 01	121.00	122.00	cal	2	crs				E.Gantiva

			Veining						
Hole ID	Depth_From	Depth_To	Vein1	Vn1pc	Vn1form	Vein2	Vn2pc	Vn2Form	Geologist
Hole ID/Site ID	Depth from	Depth To	Primary vein assemblage	percentage of interval	Vein Form	Secondary vein assemblage	percentage of interval	Vein Form	Person who logged the interval
MB 11 - 01	122.00	123.00							E.Gantiva
MB 11 - 01	123.00	124.00							E.Gantiva
MB 11 - 01	124.00	125.00							E.Gantiva
MB 11 - 01	125.00	126.00							E.Gantiva
MB 11 - 01	126.00	127.00							E.Gantiva
MB 11 - 01	127.00	128.00							E.Gantiva
MB 11 - 01	128.00	129.00							E.Gantiva
MB 11 - 01	129.00	130.00							E.Gantiva
MB 11 - 01	130.00	130.20							E.Gantiva
MB 11 - 01	130.20	131.00	cal	5	crs				E.Gantiva
MB 11 - 01	131.00	132.00	cal	5	crs				E.Gantiva
MB 11 - 01	132.00	133.00	cal	5	crs				E.Gantiva
MB 11 - 01	133.00	134.00	cal	5	crs				E.Gantiva
MB 11 - 01	134.00	135.00	cal	5	crs				E.Gantiva
MB 11 - 01	135.00	136.00	cal	5	crs				E.Gantiva
MB 11 - 01	136.00	137.00	cal	5	crs				E.Gantiva
MB 11 - 01	137.00	138.00	cal	5	crs				E.Gantiva
MB 11 - 01	138.00	139.00	cal	5	crs				E.Gantiva
MB 11 - 01	139.00	140.00	cal	5	crs				E.Gantiva
MB 11 - 01	140.00	141.00	cal	5	crs				E.Gantiva
MB 11 - 01	141.00	142.00	cal	5	crs				E.Gantiva

			Veining						
Hole ID	Depth_From	Depth_To	Vein1	Vn1pc	Vn1form	Vein2	Vn2pc	Vn2Form	Geologist
Hole ID/Site ID	Depth from	Depth To	Primary vein assemblage	percentage of interval	Vein Form	Secondary vein assemblage	percentage of interval	Vein Form	Person who logged the interval
MB 11 - 01	142.00	143.00	cal	5	crs				E.Gantiva
MB 11 - 01	143.00	144.00	cal	5	crs				E.Gantiva
MB 11 - 01	144.00	144.35	cal	5	crs				E.Gantiva
MB 11 - 01	144.35	145.00							E.Gantiva
MB 11 - 01	145.00	146.00							E.Gantiva
MB 11 - 01	146.00	147.00							E.Gantiva
MB 11 - 01	147.00	148.00							E.Gantiva
MB 11 - 01	148.00	149.00							E.Gantiva
MB 11 - 01	149.00	149.50							E.Gantiva
MB 11 - 01	149.50	150.00							E.Gantiva
MB 11 - 01	150.00	151.00							E.Gantiva
MB 11 - 01	151.00	152.00							E.Gantiva
MB 11 - 01	152.00	153.00							E.Gantiva
MB 11 - 01	153.00	154.00							E.Gantiva
MB 11 - 01	154.00	155.00							E.Gantiva
MB 11 - 01	155.00	156.00							E.Gantiva
MB 11 - 01	156.00	157.00							E.Gantiva
MB 11 - 01	157.00	158.00							E.Gantiva
MB 11 - 01	158.00	159.00							E.Gantiva
MB 11 - 01	159.00	160.00							E.Gantiva
MB 11 - 01	160.00	161.00							E.Gantiva
MB 11 - 01	161.00	162.00							E.Gantiva
MB 11 - 01	162.00	163.00							E.Gantiva
MB 11 - 01	163.00	164.00							E.Gantiva

			Veining						
Hole ID	Depth_From	Depth_To	Vein1	Vn1pc	Vn1form	Vein2	Vn2pc	Vn2Form	Geologist
Hole ID/Site ID	Depth from	Depth To	Primary vein assemblage	percentage of interval	Vein Form	Secondary vein assemblage	percentage of interval	Vein Form	Person who logged the interval
MB 11 - 01	164.00	165.00							E.Gantiva
MB 11 - 01	165.00	166.00							E.Gantiva
MB 11 - 01	166.00	167.00							E.Gantiva
MB 11 - 01	167.00	168.00							E.Gantiva
MB 11 - 01	168.00	169.00							E.Gantiva
MB 11 - 01	169.00	170.00							E.Gantiva
MB 11 - 01	170.00	171.00							E.Gantiva
MB 11 - 01	171.00	172.00							E.Gantiva
MB 11 - 01	172.00	173.00							E.Gantiva
MB 11 - 01	173.00	174.00							E.Gantiva
MB 11 - 01	174.00	175.00							E.Gantiva
MB 11 - 01	175.00	176.00							E.Gantiva
MB 11 - 01	176.00	177.00							E.Gantiva
MB 11 - 01	177.00	178.00							E.Gantiva
MB 11 - 01	178.00	178.31							E.Gantiva
		EOH							

Hole ID	Depth_From	Depth_To	Comments
Hole ID/Site ID	Depth from	Depth To	Comments regarding geology
MB 11 - 01	0.00	1.00	Fragments of Sst, highly oxidated and mylonite
MB 11 - 01	1.00	2.00	
MB 11 - 01	2.00	3.00	
MB 11 - 01	3.00	4.00	
MB 11 - 01	4.00	5.00	
MB 11 - 01	5.00	6.00	Green Sst, with feldspar grains randomly distributed , and altered. Fractures oxidated.
MB 11 - 01	6.00	7.00	
MB 11 - 01	7.00	8.00	
MB 11 - 01	8.00	9.00	
MB 11 - 01	9.00	10.00	
MB 11 - 01	10.00	10.30	
MB 11 - 01	10.30	11.00	Green Sms, fine graine size, qith structure schistose.
MB 11 - 01	11.00	12.00	
MB 11 - 01	12.00	13.00	
MB 11 - 01	13.00	13.10	
MB 11 - 01	13.10	14.00	Dark green Sms, highly broken, and fault gouge in sectors.
MB 11 - 01	14.00	15.00	
MB 11 - 01	15.00	15.60	
MB 11 - 01	15.60	16.00	Green sst, massive texture with coarse feldspar grains distributed around the matrix.
MB 11 - 01	16.00	17.00	
MB 11 - 01	17.00	18.00	
MB 11 - 01	18.00	18.20	
MB 11 - 01	18.20	19.00	Highly broken, green Sst, with intervals of fault gauge.
MB 11 - 01	19.00	20.00	
MB 11 - 01	20.00	21.00	

Hole ID	Depth_From	Depth_To	Comments
Hole ID/Site ID	Depth from	Depth To	Comments regarding geology
MB 11 - 01	21.00	22.00	
MB 11 - 01	22.00	22.60	
MB 11 - 01	22.60	23.00	Green Sst moderately weathered, medium gary size, in a massive structure.
MB 11 - 01	23.00	24.00	
MB 11 - 01	24.00	24.40	
MB 11 - 01	24.40	25.00	Sms. Green - gray Sms, medium grain size, with intercalations of Sst (25.3 - 25.9 m), (27.5 - 27.9 m), Highly fractured rock between 39 - 31 m. Bedding @70° tCA in 31.1 m.
MB 11 - 01	25.00	26.00	
MB 11 - 01	26.00	27.00	
MB 11 - 01	27.00	28.00	
MB 11 - 01	28.00	29.00	
MB 11 - 01	29.00	30.00	
MB 11 - 01	30.00	31.00	
MB 11 - 01	31.00	31.20	
MB 11 - 01	31.20	32.00	Sst. Green - gray Sst with medium grain size, and Qtz lamines (1mm) parallel, intercalations of sms with brecciated texture (35.9-36.3 m), bedding @40° tCA (34.6 m )
MB 11 - 01	32.00	33.00	
MB 11 - 01	33.00	34.00	
MB 11 - 01	34.00	35.00	
MB 11 - 01	35.00	36.00	
MB 11 - 01	36.00	36.70	
MB 11 - 01	36.70	37.00	Zbx. Highly fractured Sst with Qtz veins 10% randomly oriented.
MB 11 - 01	37.00	38.00	
MB 11 - 01	38.00	39.00	

Hole ID	Depth_From	Depth_To	Comments
Hole ID/Site ID	Depth from	Depth To	Comments regarding geology
MB 11 - 01	39.00	40.00	
MB 11 - 01	40.00	41.00	Light gray - green Sst, with Sms intercalations.
MB 11 - 01	41.00	42.00	
MB 11 - 01	42.00	43.00	
MB 11 - 01	43.00	44.00	
MB 11 - 01	44.00	44.80	
MB 11 - 01	44.80	45.00	Highly fractured Sst, intercalated with fault gouge, Qtz veins randomly oriented into the fragments.
MB 11 - 01	45.00	46.00	
MB 11 - 01	46.00	47.00	
MB 11 - 01	47.00	48.00	
MB 11 - 01	48.00	49.00	
MB 11 - 01	49.00	50.00	
MB 11 - 01	50.00	51.00	
MB 11 - 01	51.00	52.00	
MB 11 - 01	52.00	53.00	
MB 11 - 01	53.00	54.00	
MB 11 - 01	54.00	54.25	
MB 11 - 01	54.25	55.00	Light green Sms, moderately fractured, with fault gouge (59.4 - 59.87 m; 61.2 - 61.5 m).
MB 11 - 01	55.00	56.00	
MB 11 - 01	56.00	57.00	
MB 11 - 01	57.00	58.00	
MB 11 - 01	58.00	59.00	
MB 11 - 01	59.00	60.00	
MB 11 - 01	60.00	61.00	
MB 11 - 01	61.00	61.50	

Hole ID	Depth_From	Depth_To	Comments
Hole ID/Site ID	Depth from	Depth To	Comments regarding geology
MB 11 - 01	61.50	62.00	Highly broken black Sst, with small Qtz lamines. In general the rock is highly weathered.
MB 11 - 01	62.00	63.00	
MB 11 - 01	63.00	63.10	
MB 11 - 01	63.10	64.00	Vglnspl. Qtz vein highly weathered, strong tectonic activity, fragments of rock (66.5-67), fault gouge in some sectors, galena distributed in traces randomly 0.5% specially between (68.528-69.3, 70.65). Spl 2% (67.3 m), and 0.5% (74-75%). Py randomly distributed especially concentrated between 73 - 74 m, intercalations of chert between 69.4 - 70.68; 71 - 73.25m. Sms interbedded with chert between 77.4 - 78 m.
MB 11 - 01	64.00	65.00	
MB 11 - 01	65.00	66.00	
MB 11 - 01	66.00	67.00	
MB 11 - 01	67.00	68.00	
MB 11 - 01	68.00	69.00	
MB 11 - 01	69.00	70.00	
MB 11 - 01	70.00	71.00	
MB 11 - 01	71.00	72.00	
MB 11 - 01	72.00	73.00	
MB 11 - 01	73.00	74.00	
MB 11 - 01	74.00	75.00	
MB 11 - 01	75.00	76.00	
MB 11 - 01	76.00	77.00	
MB 11 - 01	77.00	78.00	



Hole ID	Depth_From	Depth_To	Comments
Hole ID/Site ID	Depth from	Depth To	Comments regarding geology
MB 11 - 01	78.00	79.00	Black Sst with carbonaceous matrix, fine grain size, with brecciated texture, calcite veins 10% randomly oriented. Intercalations of Sms.
MB 11 - 01	79.00	80.00	
MB 11 - 01	80.00	81.00	
MB 11 - 01	81.00	81.30	
MB 11 - 01	81.30	82.00	Light green Sandstone, medium to coarse grain size. Highly content of feldspar grains (15%) moderately altered. Calcite veins randomly oriented 5%. Calcareous matrix. There are intercalations of black Sst with carbonaceous matrix that gives the dark color to the rock. Py disseminated between 81.3 - 84 m 0.1%.
MB 11 - 01	82.00	83.00	
MB 11 - 01	83.00	84.00	
MB 11 - 01	84.00	85.00	
MB 11 - 01	85.00	86.00	
MB 11 - 01	86.00	87.00	
MB 11 - 01	87.00	88.00	
MB 11 - 01	88.00	89.00	
MB 11 - 01	89.00	90.00	
MB 11 - 01	90.00	91.00	
MB 11 - 01	91.00	92.00	
MB 11 - 01	92.00	93.00	
MB 11 - 01	93.00	94.00	
MB 11 - 01	94.00	95.00	
MB 11 - 01	95.00	96.00	
MB 11 - 01	96.00	97.00	

Hole ID	Depth_From	Depth_To	Comments
Hole ID/Site ID	Depth from	Depth To	Comments regarding geology
MB 11 - 01	97.00	98.00	
MB 11 - 01	98.00	99.00	
MB 11 - 01	99.00	100.00	
MB 11 - 01	100.00	101.00	
MB 11 - 01	101.00	102.00	
MB 11 - 01	102.00	103.00	
MB 11 - 01	103.00	104.00	
MB 11 - 01	104.00	105.00	
MB 11 - 01	105.00	106.00	
MB 11 - 01	106.00	106.70	
MB 11 - 01	106.70	108.00	Dark red Sms, mg - cg grain size with brecciated structure, and calcareous lamines randomly oriented (5%). Intercalations of green Sms.
MB 11 - 01	108.00	109.00	
MB 11 - 01	109.00	110.00	
MB 11 - 01	110.00	111.00	
MB 11 - 01	111.00	112.00	
MB 11 - 01	112.00	113.00	
MB 11 - 01	113.00	114.00	
MB 11 - 01	114.00	115.00	
MB 11 - 01	115.00	116.00	
MB 11 - 01	116.00	117.00	
MB 11 - 01	117.00	118.00	
MB 11 - 01	118.00	119.00	
MB 11 - 01	119.00	120.00	
MB 11 - 01	120.00	121.00	
MB 11 - 01	121.00	122.00	

Hole ID	Depth_From	Depth_To	Comments
Hole ID/Site ID	Depth from	Depth To	Comments regarding geology
MB 11 - 01	122.00	123.00	Black conglomerate, with carbonaceous matrix; Qtz, and chert clasts 20%. Intercalations of black carbonaceous Shale. In general the rock is highly brecciated . Py in less concentrations randomly distributed with some concentrations in 125.5 m (1%).
MB 11 - 01	123.00	124.00	
MB 11 - 01	124.00	125.00	
MB 11 - 01	125.00	126.00	
MB 11 - 01	126.00	127.00	
MB 11 - 01	127.00	128.00	
MB 11 - 01	128.00	129.00	
MB 11 - 01	129.00	130.00	
MB 11 - 01	130.00	130.20	Gray Chert weakly weathered, with calcite veins randomly oriented (5%), small concentrations of Spl 0.1% in 132 m.
MB 11 - 01	130.20	131.00	
MB 11 - 01	131.00	132.00	
MB 11 - 01	132.00	133.00	
MB 11 - 01	133.00	134.00	
MB 11 - 01	134.00	135.00	Black carbonaceous Sms, conglomeratic and brecciated; mg - cg grain size. Chert intercalations between 141.2 - 142 m, Pyo in sectors 1% (137.7 - 137.8 m; 138 - 141.2 m). Calcite veins 5%.
MB 11 - 01	135.00	136.00	
MB 11 - 01	136.00	137.00	
MB 11 - 01	137.00	138.00	
MB 11 - 01	138.00	139.00	
MB 11 - 01	139.00	140.00	
MB 11 - 01	140.00	141.00	
MB 11 - 01	141.00	142.00	

Hole ID	Depth_From	Depth_To	Comments
Hole ID/Site ID	Depth from	Depth To	Comments regarding geology
MB 11 - 01	142.00	143.00	
MB 11 - 01	143.00	144.00	
MB 11 - 01	144.00	144.35	
MB 11 - 01	144.35	145.00	Green Sms, fine grain size , fissil, and schistose structure. Intercalations of red Sms.
MB 11 - 01	145.00	146.00	
MB 11 - 01	146.00	147.00	
MB 11 - 01	147.00	148.00	
MB 11 - 01	148.00	149.00	
MB 11 - 01	149.00	149.50	
MB 11 - 01	149.50	150.00	Red Sms intercalated with green Sms, fine grain size. The rock shows a fissil texture, in some sectors is possible to see slikendside.
MB 11 - 01	150.00	151.00	
MB 11 - 01	151.00	152.00	
MB 11 - 01	152.00	153.00	
MB 11 - 01	153.00	154.00	
MB 11 - 01	154.00	155.00	
MB 11 - 01	155.00	156.00	
MB 11 - 01	156.00	157.00	
MB 11 - 01	157.00	158.00	
MB 11 - 01	158.00	159.00	
MB 11 - 01	159.00	160.00	
MB 11 - 01	160.00	161.00	
MB 11 - 01	161.00	162.00	
MB 11 - 01	162.00	163.00	
MB 11 - 01	163.00	164.00	

Hole ID	Depth_From	Depth_To	Comments
Hole ID/Site ID	Depth from	Depth To	Comments regarding geology
MB 11 - 01	164.00	165.00	
MB 11 - 01	165.00	166.00	
MB 11 - 01	166.00	167.00	
MB 11 - 01	167.00	168.00	
MB 11 - 01	168.00	169.00	
MB 11 - 01	169.00	170.00	
MB 11 - 01	170.00	171.00	
MB 11 - 01	171.00	172.00	
MB 11 - 01	172.00	173.00	
MB 11 - 01	173.00	174.00	
MB 11 - 01	174.00	175.00	
MB 11 - 01	175.00	176.00	
MB 11 - 01	176.00	177.00	
MB 11 - 01	177.00	178.00	
MB 11 - 01	178.00	178.31	
		EOH	