

					Lithology				
Hole ID	Depth_From	Depth_To	Wthg	STRAT	Lith1	Lith2	Lith2pc	Colour	Gsize
Hole ID/Site ID	Depth from	Depth To	Weathering	Stratigraphic Unit	Primary Lith	Secondary Lith	must be <50%	lith colour	grain size
MB11-09	0.00	1.00	hw	Ogv	Sst			bn	mg
MB11-09	1.00	2.00	hw	Ogv	Sst			bn	mg
MB11-09	2.00	3.00	hw	Ogv	Sst			bn	mg
MB11-09	3.00	4.00	hw	Ogv	Sst			bn	mg
MB11-09	4.00	5.00	hw	Ogv	Sst			bn	mg
MB11-09	5.00	6.00	hw	Ogv	Sst			bn	mg
MB11-09	6.00	6.09	hw	Ogv	Sst			bn	mg
MB11-09	6.09	7.00	hw	Zbxv	V			gy	mg
MB11-09	7.00	8.00	hw	Zbxv	V	Sms	40	gy	mg
MB11-09	8.00	9.00	hw	Zbxv	V	Sms	45	gy	mg
MB11-09	9.00	10.00	hw	Zbxv	V	Sms	5	gy	mg
MB11-09	10.00	11.00	hw	Zbxv	V	Sms	5	gy	mg
MB11-09	11.00	12.00	hw	Zbxv	V	Sms	5	gy	mg
MB11-09	12.00	13.00	hw	Zbxv	V	Sms	5	gy	mg
MB11-09	13.00	14.00	hw	Zbxv	V			gy	mg
MB11-09	14.00	15.00	hw	Zbxv	V			gy	mg
MB11-09	15.00	16.00	hw	Zbxv	V			gy	mg
MB11-09	16.00	16.50	hw	Zbxv	V			gy	mg
MB11-09	16.50	17.00	mw	Sls	Sls	Sst	10	gy	mg
MB11-09	17.00	18.00	mw	Sls	Sls	Sst	10	gy	mg
MB11-09	18.00	19.00	mw	Sls	Sls	Sst	10	gy	mg
MB11-09	19.00	19.50	mw	Sls	Sls	Sst	10	gy	mg
MB11-09	19.50	20.00	mw	Sst	Sst	Sms	5	gn	mg
MB11-09	20.00	21.00	mw	Sst	Sst	Sms	5	gn	mg

					Lithology				
Hole ID	Depth_From	Depth_To	Wthg	STRAT	Lith1	Lith2	Lith2pc	Colour	Gsize
Hole ID/Site ID	Depth from	Depth To	Weathering	Stratigraphic Unit	Primary Lith	Secondary Lith	must be <50%	lith colour	grain size
MB11-09	21.00	22.00	mw	Sst	Sst	Sms	5	gn	mg
MB11-09	22.00	23.00	mw	Sms	Sms	Sms	10	rd	fg
MB11-09	23.00	24.00	mw	Sms	Sms	Sms	10	rd	fg
MB11-09	24.00	25.00	mw	Sms	Sms	Sms	10	rd	fg
MB11-09	25.00	26.00	mw	Sms	Sms	Sms	10	rd	fg
MB11-09	26.00	27.00	mw	Sms	Sms	Sms	10	rd	fg
MB11-09	27.00	28.00	mw	Sms	Sms	Sms	10	rd	fg
MB11-09	28.00	29.00	mw	Sms	Sms	Sms	10	rd	fg
MB11-09	29.00	30.00	mw	Sms	Sms	Sms	10	rd	fg
MB11-09	30.00	31.00	mw	Sms	Sms	Sms	10	rd	fg
MB11-09	31.00	32.00	mw	Sms	Sms	Sms	10	rd	fg
MB11-09	32.00	33.00	mw	Sms	Sms	Sms	10	rd	fg
MB11-09	33.00	34.00	mw	Sms	Sms	Sms	10	rd	fg
MB11-09	34.00	35.00	mw	Sms	Sms	Sms	10	rd	fg
MB11-09	35.00	36.00	mw	Sms	Sms	Sms	10	rd	fg
MB11-09	36.00	37.00	mw	Sms	Sms	Sms	10	rd	fg
MB11-09	37.00	38.00	mw	Sms	Sms	Sms	10	rd	fg
MB11-09	38.00	39.00	mw	Sms	Sms	Sms	10	rd	fg
MB11-09	39.00	40.00	mw	Sms	Sms	Sms	10	rd	fg
MB11-09	40.00	41.00	mw	Sms	Sms	Sms	10	rd	fg
MB11-09	41.00	42.00	mw	Sms	Sms	Sms	10	rd	fg
MB11-09	42.00	43.00	hw	Sms	Sms	Sms	10	rd	fg
MB11-09	43.00	44.00	hw	Sms	Sms	Sms	10	rd	fg
MB11-09	44.00	45.00	hw	Sms	Sms	Sms	10	rd	fg

					Lithology				
Hole ID	Depth_From	Depth_To	Wthg	STRAT	Lith1	Lith2	Lith2pc	Colour	Gsize
Hole ID/Site ID	Depth from	Depth To	Weathering	Stratigraphic Unit	Primary Lith	Secondary Lith	must be <50%	lith colour	grain size
MB11-09	45.00	46.00	hw	Sms	Sms	Sms	10	rd	fg
MB11-09	46.00	47.00	hw	Sms	Sms	Sms	10	rd	fg
MB11-09	47.00	48.00	hw	Sms	Sms	Sms	10	rd	fg
MB11-09	48.00	49.00	hw	Sms	Sms	Sms	10	rd	fg
MB11-09	49.00	50.00	hw	Sms	Sms	Sms	10	rd	fg
MB11-09	50.00	51.00	hw	Sms	Sms	Sms	10	rd	fg
MB11-09	51.00	52.00	hw	Sms	Sms	Sms	10	rd	fg
MB11-09	52.00	53.00	hw	Sms	Sms	Sms	10	rd	fg
MB11-09	53.00	54.00	hw	Sms	Sms	Sms	10	rd	fg
MB11-09	54.00	54.86	hw	Sms	Sms	Sms	10	rd	fg
MB11-09	54.86	55.00	mw	Sst	Sst	Sls	49	gy	mg
MB11-09	55.00	56.00	mw	Sst	Sst	Sls	40	gy	mg
MB11-09	56.00	56.80	mw	Sst	Sst			gy	mg
MB11-09	56.80	57.00	mw	Sms	Sms	Sms	2	rd	fg
MB11-09	57.00	58.00	mw	Sms	Sms	Sms	2	rd	fg
MB11-09	58.00	59.00	mw	Sms	Sms	Sms	2	rd	fg
MB11-09	59.00	60.00	mw	Sms	Sms	Sms	2	rd	fg
MB11-09	60.00	61.00	mw	Sms	Sms	Sms	2	rd	fg
MB11-09	61.00	62.00	mw	Sms	Sms	Sms	2	rd	fg
MB11-09	62.00	63.00	mw	Sms	Sms	Sms	15	rd	fg

					Lithology				
Hole ID	Depth_From	Depth_To	Wthg	STRAT	Lith1	Lith2	Lith2pc	Colour	Gsize
Hole ID/Site ID	Depth from	Depth To	Weathering	Stratigraphic Unit	Primary Lith	Secondary Lith	must be <50%	lith colour	grain size
MB11-09	63.00	64.00	mw	Sms	Sms	Sms	49	rd	fg
MB11-09	64.00	65.00	mw	Sms	Sms	Sms	49	rd	fg
MB11-09	65.00	66.00	mw	Sms	Sms	Sms	30	rd	fg
MB11-09	66.00	67.00	mw	Sms	Sms	Sms	30	rd	fg
MB11-09	67.00	67.50	mw	Sms	Sms	Sms	30	rd	fg
MB11-09	67.50	68.00	mw	Sst	Sst	Sms	2	gn	mg
MB11-09	68.00	69.00	mw	Sst	Sst	Sms	2	gn	mg
MB11-09	69.00	70.00	mw	Sst	Sst	Sms	2	gn	mg
MB11-09	70.00	70.10	mw	Sst	Sst	Sms	2	gn	mg
MB11-09	70.10	71.00	mw	Sms	Sms			bk	cg
MB11-09	71.00	72.00	mw	Sms	Sms			bk	cg
MB11-09	72.00	73.00	mw	Sms	Sms			bk	cg
MB11-09	73.00	73.45	mw	Sms	Sms			bk	cg
		EOH							

			Fabric							
Hole ID	Depth_From	Depth_To	Texture	Struc	StrucInt	Spl%	Gln%	Ccp%	Pyr%	Comp1
Hole ID/Site ID	Depth from	Depth To	texture	Structure	Structural Intensity	Components of the lith type. I.e. clasts, matrix, phe additional sulfides				
MB11-09	0.00	1.00	grn	frc	I					
MB11-09	1.00	2.00	grn	frc	I					
MB11-09	2.00	3.00	grn	frc	I					
MB11-09	3.00	4.00	grn	frc	I					
MB11-09	4.00	5.00	grn	frc	I					
MB11-09	5.00	6.00	grn	frc	I					
MB11-09	6.00	6.09	grn	frc	I					
MB11-09	6.09	7.00	grn	vnd	I	2 0.1			1	
MB11-09	7.00	8.00	grn	vnd	I					
MB11-09	8.00	9.00	grn	vnd	I					
MB11-09	9.00	10.00	grn	vnd	I					
MB11-09	10.00	11.00	grn	vnd	I					
MB11-09	11.00	12.00	grn	vnd	I					
MB11-09	12.00	13.00	grn	vnd	I					
MB11-09	13.00	14.00	grn	vnd	I					
MB11-09	14.00	15.00	grn	vnd	I					
MB11-09	15.00	16.00	grn	vnd	I					
MB11-09	16.00	16.50	grn	vnd	I					
MB11-09	16.50	17.00	grn	cbx	M					
MB11-09	17.00	18.00	grn	cbx	M					
MB11-09	18.00	19.00	grn	cbx	M					
MB11-09	19.00	19.50	grn	cbx	M					
MB11-09	19.50	20.00	grn	mas	W					
MB11-09	20.00	21.00	grn	mas	W					

			Fabric							
Hole ID	Depth_From	Depth_To	Texture	Struc	StrucInt	Spl%	Gln%	Ccp%	Pyr%	Comp1
Hole ID/Site ID	Depth from	Depth To	texture	Structure	Structural Intensity	Components of the lith type. I.e. clasts, matrix, phe additional sulfides				
MB11-09	21.00	22.00	grn	mas	W					
MB11-09	22.00	23.00	lam	frc	M					
MB11-09	23.00	24.00	lam	frc	M					
MB11-09	24.00	25.00	lam	frc	M					
MB11-09	25.00	26.00	lam	frc	M					
MB11-09	26.00	27.00	lam	frc	M					
MB11-09	27.00	28.00	lam	frc	M					
MB11-09	28.00	29.00	lam	frc	M					
MB11-09	29.00	30.00	lam	frc	M					
MB11-09	30.00	31.00	lam	frc	M					
MB11-09	31.00	32.00	lam	frc	M					
MB11-09	32.00	33.00	lam	frc	M					
MB11-09	33.00	34.00	lam	frc	M					
MB11-09	34.00	35.00	lam	frc	M					
MB11-09	35.00	36.00	lam	frc	M					
MB11-09	36.00	37.00	lam	frc	M					
MB11-09	37.00	38.00	lam	frc	M					
MB11-09	38.00	39.00	lam	frc	M					
MB11-09	39.00	40.00	lam	frc	M					
MB11-09	40.00	41.00	lam	frc	M					
MB11-09	41.00	42.00	lam	frc	M					
MB11-09	42.00	43.00	lam	frc	M					
MB11-09	43.00	44.00	lam	frc	M					
MB11-09	44.00	45.00	lam	frc	M					

			Fabric							
Hole ID	Depth_From	Depth_To	Texture	Struc	StrucInt	Spl%	Gln%	Ccp%	Pyr%	Comp1
Hole ID/Site ID	Depth from	Depth To	texture	Structure	Structural Intensity	Components of the lith type. I.e. clasts, matrix, phe additional sulfides				
MB11-09	45.00	46.00	lam	frc	M					
MB11-09	46.00	47.00	lam	frc	M					
MB11-09	47.00	48.00	lam	frc	M					
MB11-09	48.00	49.00	lam	frc	M					
MB11-09	49.00	50.00	lam	frc	M					
MB11-09	50.00	51.00	lam	frc	M					
MB11-09	51.00	52.00	lam	frc	M					
MB11-09	52.00	53.00	lam	frc	M					
MB11-09	53.00	54.00	lam	frc	M					
MB11-09	54.00	54.86	lam	frc	M					
MB11-09	54.86	55.00	grn	frc	M					
MB11-09	55.00	56.00	grn	frc	M					Pyo
MB11-09	56.00	56.80	grn	frc	M					
MB11-09	56.80	57.00	lam	mas	M					
MB11-09	57.00	58.00	lam	mas	M					
MB11-09	58.00	59.00	lam	mas	M					
MB11-09	59.00	60.00	lam	mas	M					
MB11-09	60.00	61.00	lam	mas	M					
MB11-09	61.00	62.00	lam	mas	M					
MB11-09	62.00	63.00	lam	mas	M					

			Fabric							
Hole ID	Depth_From	Depth_To	Texture	Struc	StrucInt	Spl%	Gln%	Ccp%	Pyr%	Comp1
Hole ID/Site ID	Depth from	Depth To	texture	Structure	Structural Intensity	Components of the lith type. I.e. clasts, matrix, phe additional sulfides				
MB11-09	63.00	64.00	lam	mas	M					
MB11-09	64.00	65.00	lam	mas	M					
MB11-09	65.00	66.00	lam	mas	M					
MB11-09	66.00	67.00	lam	mas	M					
MB11-09	67.00	67.50	lam	mas	M					
MB11-09	67.50	68.00	grn	frc	M					
MB11-09	68.00	69.00	grn	frc	M					
MB11-09	69.00	70.00	grn	frc	M					
MB11-09	70.00	70.10	grn	frc	M					
MB11-09	70.10	71.00	grn	frc	M					
MB11-09	71.00	72.00	grn	frc	M					
MB11-09	72.00	73.00	grn	frc	M					
MB11-09	73.00	73.45	grn	frc	M					
		EOH								

						Alteration1			Alteration2		
Hole ID	Depth_From	Depth_To	Comp1%	Comp2	Comp2%	Alt1 Assemblage	Alt1Int	Alt1Style	Alt2 Assemblage	Alt2Int	Alt2Style
Hole ID/Site ID	Depth from	Depth To	Phenocrysts, wallrock inclusions,			Alt assemblage	Alt Intensity	Style of Alteration	Alt assemblage	Alt Intensity	Style of Alteration
MB11-09	0.00	1.00									
MB11-09	1.00	2.00									
MB11-09	2.00	3.00									
MB11-09	3.00	4.00									
MB11-09	4.00	5.00									
MB11-09	5.00	6.00									
MB11-09	6.00	6.09									
MB11-09	6.09	7.00									
MB11-09	7.00	8.00									
MB11-09	8.00	9.00									
MB11-09	9.00	10.00									
MB11-09	10.00	11.00									
MB11-09	11.00	12.00									
MB11-09	12.00	13.00									
MB11-09	13.00	14.00									
MB11-09	14.00	15.00									
MB11-09	15.00	16.00									
MB11-09	16.00	16.50									
MB11-09	16.50	17.00									
MB11-09	17.00	18.00									
MB11-09	18.00	19.00									
MB11-09	19.00	19.50									
MB11-09	19.50	20.00									
MB11-09	20.00	21.00									

						Alteration1			Alteration2		
Hole ID	Depth_From	Depth_To	Comp1%	Comp2	Comp2%	Alt1 Assemblage	Alt1Int	Alt1Style	Alt2 Assemblage	Alt2Int	Alt2Style
Hole ID/Site ID	Depth from	Depth To	Chlorite, sericite, quartz, calcite, pyrite, hematite, magnetite, ilmenite, zircon, apatite, monazite, xenotime, titanite, rutile, staurolite, kyanite, sillimanite, cordierite, garnet, biotite, hornblende, plagioclase, orthopyroxene, clinopyroxene, amphibole, olivine, spinel, chromite, magnetite, hematite, goethite, limonite, malachite, azurite, chrysocolla, turquoise, opal, chalcedony, agate, jasper, obsidian, flint, chert, limestone, dolomite, marble, gneiss, schist, migmatite, granite, diorite, gabbro, basalt, andesite, rhyolite, tuff, sandstone, shale, siltstone, mudstone, conglomerate, breccia, and various metamorphic rocks.			Alt assemblage	Alt Intensity	Style of Alteration	Alt assemblage	Alt Intensity	Style of Alteration
MB11-09	45.00	46.00	0.1								
MB11-09	46.00	47.00									
MB11-09	47.00	48.00									
MB11-09	48.00	49.00									
MB11-09	49.00	50.00									
MB11-09	50.00	51.00									
MB11-09	51.00	52.00									
MB11-09	52.00	53.00									
MB11-09	53.00	54.00									
MB11-09	54.00	54.86									
MB11-09	54.86	55.00	0.1								
MB11-09	55.00	56.00									
MB11-09	56.00	56.80									
MB11-09	56.80	57.00									
MB11-09	57.00	58.00									
MB11-09	58.00	59.00									
MB11-09	59.00	60.00									
MB11-09	60.00	61.00									
MB11-09	61.00	62.00									
MB11-09	62.00	63.00									

			Veining						
Hole ID	Depth_From	Depth_To	Vein1	Vn1pc	Vn1form	Vein2	Vn2pc	Vn2Form	Geologist
Hole ID/Site ID	Depth from	Depth To	Primary vein assemblage	percentage of interval	Vein Form	Secondary vein assemblage	percentage of interval	Vein Form	Person who logged the interval
MB11-09	0.00	1.00							E.Gantiva
MB11-09	1.00	2.00							E.Gantiva
MB11-09	2.00	3.00							E.Gantiva
MB11-09	3.00	4.00							E.Gantiva
MB11-09	4.00	5.00							E.Gantiva
MB11-09	5.00	6.00							E.Gantiva
MB11-09	6.00	6.09							E.Gantiva
MB11-09	6.09	7.00	qtz	85	mas				E.Gantiva
MB11-09	7.00	8.00	qtz	85	mas				E.Gantiva
MB11-09	8.00	9.00	qtz	85	mas				E.Gantiva
MB11-09	9.00	10.00	qtz	85	mas				E.Gantiva
MB11-09	10.00	11.00	qtz	85	mas				E.Gantiva
MB11-09	11.00	12.00	qtz	85	mas				E.Gantiva
MB11-09	12.00	13.00	qtz	85	mas				E.Gantiva
MB11-09	13.00	14.00	qtz	85	mas				E.Gantiva
MB11-09	14.00	15.00	qtz	85	mas				E.Gantiva
MB11-09	15.00	16.00	qtz	85	mas				E.Gantiva
MB11-09	16.00	16.50	qtz	85	mas				E.Gantiva
MB11-09	16.50	17.00	cal	20	crs				E.Gantiva
MB11-09	17.00	18.00	cal	20	crs				E.Gantiva
MB11-09	18.00	19.00	cal	20	crs				E.Gantiva
MB11-09	19.00	19.50	cal	20	crs				E.Gantiva
MB11-09	19.50	20.00							E.Gantiva
MB11-09	20.00	21.00							E.Gantiva

			Veining						
Hole ID	Depth_From	Depth_To	Vein1	Vn1pc	Vn1form	Vein2	Vn2pc	Vn2Form	Geologist
Hole ID/Site ID	Depth from	Depth To	Primary vein assemblage	percentage of interval	Vein Form	Secondary vein assemblage	percentage of interval	Vein Form	Person who logged the interval
MB11-09	21.00	22.00							E.Gantiva
MB11-09	22.00	23.00							E.Gantiva
MB11-09	23.00	24.00							E.Gantiva
MB11-09	24.00	25.00							E.Gantiva
MB11-09	25.00	26.00							E.Gantiva
MB11-09	26.00	27.00							E.Gantiva
MB11-09	27.00	28.00							E.Gantiva
MB11-09	28.00	29.00							E.Gantiva
MB11-09	29.00	30.00							E.Gantiva
MB11-09	30.00	31.00							E.Gantiva
MB11-09	31.00	32.00							E.Gantiva
MB11-09	32.00	33.00							E.Gantiva
MB11-09	33.00	34.00							E.Gantiva
MB11-09	34.00	35.00							E.Gantiva
MB11-09	35.00	36.00							E.Gantiva
MB11-09	36.00	37.00							E.Gantiva
MB11-09	37.00	38.00							E.Gantiva
MB11-09	38.00	39.00							E.Gantiva
MB11-09	39.00	40.00							E.Gantiva
MB11-09	40.00	41.00							E.Gantiva
MB11-09	41.00	42.00							E.Gantiva
MB11-09	42.00	43.00							E.Gantiva
MB11-09	43.00	44.00							E.Gantiva
MB11-09	44.00	45.00							E.Gantiva

			Veining						
Hole ID	Depth_From	Depth_To	Vein1	Vn1pc	Vn1form	Vein2	Vn2pc	Vn2Form	Geologist
Hole ID/Site ID	Depth from	Depth To	Primary vein assemblage	percentage of interval	Vein Form	Secondary vein assemblage	percentage of interval	Vein Form	Person who logged the interval
MB11-09	45.00	46.00							E.Gantiva
MB11-09	46.00	47.00							E.Gantiva
MB11-09	47.00	48.00							E.Gantiva
MB11-09	48.00	49.00							E.Gantiva
MB11-09	49.00	50.00							E.Gantiva
MB11-09	50.00	51.00							E.Gantiva
MB11-09	51.00	52.00							E.Gantiva
MB11-09	52.00	53.00							E.Gantiva
MB11-09	53.00	54.00							E.Gantiva
MB11-09	54.00	54.86							E.Gantiva
MB11-09	54.86	55.00	cal	40	crs				E.Gantiva
MB11-09	55.00	56.00	cal	40	crs				E.Gantiva
MB11-09	56.00	56.80	cal	40	crs				E.Gantiva
MB11-09	56.80	57.00							E.Gantiva
MB11-09	57.00	58.00							E.Gantiva
MB11-09	58.00	59.00							E.Gantiva
MB11-09	59.00	60.00							E.Gantiva
MB11-09	60.00	61.00							E.Gantiva
MB11-09	61.00	62.00							E.Gantiva
MB11-09	62.00	63.00							E.Gantiva

			Veining						
Hole ID	Depth_From	Depth_To	Vein1	Vn1pc	Vn1form	Vein2	Vn2pc	Vn2Form	Geologist
Hole ID/Site ID	Depth from	Depth To	Primary vein assemblage	percentage of interval	Vein Form	Secondary vein assemblage	percentage of interval	Vein Form	Person who logged the interval
MB11-09	63.00	64.00							E.Gantiva
MB11-09	64.00	65.00							E.Gantiva
MB11-09	65.00	66.00							E.Gantiva
MB11-09	66.00	67.00							E.Gantiva
MB11-09	67.00	67.50							E.Gantiva
MB11-09	67.50	68.00	cal	0.5	par				E.Gantiva
MB11-09	68.00	69.00	cal	0.5	par				E.Gantiva
MB11-09	69.00	70.00	cal	0.5	par				E.Gantiva
MB11-09	70.00	70.10	cal	0.5	par				E.Gantiva
MB11-09	70.10	71.00	cal	0.1	par				E.Gantiva
MB11-09	71.00	72.00	cal	0.1	par				E.Gantiva
MB11-09	72.00	73.00	cal	0.1	par				E.Gantiva
MB11-09	73.00	73.45	cal	0.1	par				
		EOH							

Hole ID	Depth_From	Depth_To	Comments
Hole ID/Site ID	Depth from	Depth To	Comments regarding geology
MB11-09	0.00	1.00	Ogv. Overburden. Fragments of Sst highly weathered.
MB11-09	1.00	2.00	
MB11-09	2.00	3.00	
MB11-09	3.00	4.00	
MB11-09	4.00	5.00	
MB11-09	5.00	6.00	
MB11-09	6.00	6.09	
MB11-09	6.09	7.00	Zbxv. Qtz vein highly fractured, interbedded with gray Sms. Spl 2%, and py 1%, between 8.8 – 9.36 m.
MB11-09	7.00	8.00	
MB11-09	8.00	9.00	
MB11-09	9.00	10.00	
MB11-09	10.00	11.00	
MB11-09	11.00	12.00	
MB11-09	12.00	13.00	
MB11-09	13.00	14.00	
MB11-09	14.00	15.00	
MB11-09	15.00	16.00	
MB11-09	16.00	16.50	
MB11-09	16.50	17.00	SlS. Gray limestone moderately fractured, calcite veins randomly distributed 20%, with crs vein form.
MB11-09	17.00	18.00	
MB11-09	18.00	19.00	
MB11-09	19.00	19.50	
MB11-09	19.50	20.00	Sst. Green, medium grain size Sst, moderately fractured.
MB11-09	20.00	21.00	

Hole ID	Depth_From	Depth_To	Comments
Hole ID/Site ID	Depth from	Depth To	Comments regarding geology
MB11-09	21.00	22.00	
MB11-09	22.00	23.00	Sms. Red Sms, interbedded with pale green Sms parallel to the bedding. Rock highly fractured between 42.7 – 54.86 m. Fault gouge between 43 – 43.45; 45.5 – 45.9 m; 52.5 – 54.86.
MB11-09	23.00	24.00	
MB11-09	24.00	25.00	
MB11-09	25.00	26.00	
MB11-09	26.00	27.00	
MB11-09	27.00	28.00	
MB11-09	28.00	29.00	
MB11-09	29.00	30.00	
MB11-09	30.00	31.00	
MB11-09	31.00	32.00	
MB11-09	32.00	33.00	
MB11-09	33.00	34.00	
MB11-09	34.00	35.00	
MB11-09	35.00	36.00	
MB11-09	36.00	37.00	
MB11-09	37.00	38.00	
MB11-09	38.00	39.00	
MB11-09	39.00	40.00	
MB11-09	40.00	41.00	
MB11-09	41.00	42.00	
MB11-09	42.00	43.00	
MB11-09	43.00	44.00	
MB11-09	44.00	45.00	

Hole ID	Depth_From	Depth_To	Comments
Hole ID/Site ID	Depth from	Depth To	Comments regarding geology
MB11-09	45.00	46.00	
MB11-09	46.00	47.00	
MB11-09	47.00	48.00	
MB11-09	48.00	49.00	
MB11-09	49.00	50.00	
MB11-09	50.00	51.00	
MB11-09	51.00	52.00	
MB11-09	52.00	53.00	
MB11-09	53.00	54.00	
MB11-09	54.00	54.86	
MB11-09	54.86	55.00	Sst. Gray – green calcareous Sst, at the beginning of this interval, there are Sls, and then the Sst is highly calcareous. Traces of pyrotine at 55.18 m (0.1%).
MB11-09	55.00	56.00	
MB11-09	56.00	56.80	
MB11-09	56.80	57.00	Sms. Red Sms, interbedded with pale green Sms. At the beginning of this interval until 62.59 the Sms is predominately red; then the green Sms is intercalated with the red Sms.
MB11-09	57.00	58.00	
MB11-09	58.00	59.00	
MB11-09	59.00	60.00	
MB11-09	60.00	61.00	
MB11-09	61.00	62.00	
MB11-09	62.00	63.00	

Hole ID	Depth_From	Depth_To	Comments
Hole ID/Site ID	Depth from	Depth To	Comments regarding geology
MB11-09	63.00	64.00	
MB11-09	64.00	65.00	
MB11-09	65.00	66.00	
MB11-09	66.00	67.00	
MB11-09	67.00	67.50	
MB11-09	67.50	68.00	Sst. Green, medium grain size Sst, with thin calcite lamines 0.5%, the matrix is moderately calcareous.
MB11-09	68.00	69.00	
MB11-09	69.00	70.00	
MB11-09	70.00	70.10	
MB11-09	70.10	71.00	Black, coarse grain size, carbonaceous Sms, with thin calcite lamines, with subparallel orientation in two directions.
MB11-09	71.00	72.00	
MB11-09	72.00	73.00	
MB11-09	73.00	73.45	
		EOH	