



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATAGOLD CORPORATION  
1066 WEST HASTINGS STREET, SUITE 680  
VANCOUVER BC V6E 3X2

Page: 1  
Finalized Date: 25-JUN-2010  
Account: STRGOL

## CERTIFICATE WH10077538

Project: Eagle Gold

P.O. No.: EGP-013

This report is for 55 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 16-JUN-2010.

The following have access to data associated with this certificate:

ALLAN JACOBS

ANDY RANDELL

## SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-24	Pulp Login - Rcd w/o Barcode
LOG-22	Sample login - Rcd w/o BarCode
BAG-01	Bulk Master for Storage
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
CRU-36	Fine Crushing - 85% <2mm
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
LOG-22d	Sample login - Rcd w/o BarCode dup
SPL-21d	Split sample - duplicate
PUL-32d	Pulverize Split -Dup 85% <75um

## ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA24	Au 50g FA AA finish	AAS
ME-ICP61	33 element four acid ICP-AES	ICP-AES

To: STRATAGOLD CORPORATION  
ATTN: ANDY RANDELL  
1066 WEST HASTINGS STREET, SUITE 680  
VANCOUVER BC V6E 3X2

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATAGOLD CORPORATION  
1066 WEST HASTINGS STREET, SUITE 680  
VANCOUVER BC V6E 3X2

Page: 2 - A  
Total # Pages: 3 (A - C)  
Finalized Date: 25-JUN-2010  
Account: STRGOL

Project: Eagle Gold

## CERTIFICATE OF ANALYSIS WH10077538

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA24 Au ppm	ME-ICP61 Ag ppm	ME-ICP61 Al %	ME-ICP61 As ppm	ME-ICP61 Ba ppm	ME-ICP61 Be ppm	ME-ICP61 Bi ppm	ME-ICP61 Ca %	ME-ICP61 Cd ppm	ME-ICP61 Co ppm	ME-ICP61 Cr ppm	ME-ICP61 Cu ppm	ME-ICP61 Fe %	ME-ICP61 Ga ppm
		0.02	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	10
G320101		4.53	0.100	0.7	7.52	939	1350	3.3	3	2.41	<0.5	9	55	38	2.61	20
G320102		4.89	0.043	1.0	7.07	440	1340	3.0	<2	2.43	<0.5	9	51	26	2.78	20
G320103		4.59	0.221	<0.5	7.56	1040	1500	3.0	7	2.40	<0.5	11	56	33	2.79	20
G320104		5.77	2.13	<0.5	7.00	1305	1050	2.0	52	2.07	<0.5	13	46	17	2.58	20
G320105		5.00	1.275	<0.5	6.94	1290	740	2.3	34	2.47	<0.5	15	58	38	3.10	20
G320106		5.06	0.088	<0.5	7.30	210	900	2.3	2	2.19	<0.5	11	75	28	3.19	20
G320107		5.47	0.911	<0.5	6.98	507	1160	2.3	39	2.44	<0.5	10	64	37	2.75	20
G320108		5.60	0.241	<0.5	6.58	167	1020	2.3	13	2.40	<0.5	8	31	37	2.06	20
G320109		6.26	0.892	<0.5	7.28	250	1680	2.9	15	1.93	<0.5	7	28	33	2.21	10
G320110		0.16	1.020	<0.5	7.51	1730	250	1.0	<2	5.28	<0.5	37	174	65	7.52	20
G320111		5.64	0.275	<0.5	7.30	716	1450	2.8	14	2.55	<0.5	9	38	46	2.41	20
G320112		5.72	0.099	<0.5	7.63	231	1350	2.8	8	3.02	<0.5	8	58	35	2.96	20
G320113		5.77	0.750	<0.5	7.55	160	1420	2.8	61	2.66	<0.5	8	55	47	3.03	20
G320114		6.08	0.112	<0.5	7.39	199	1400	2.5	6	2.74	<0.5	12	74	25	3.16	20
G320115		5.81	0.195	<0.5	7.33	250	1280	2.6	7	2.23	<0.5	10	72	25	3.13	20
G320116		0.80	<0.005	<0.5	0.10	7	20	<0.5	<2	20.4	<0.5	<1	2	1	0.43	<10
G320117		6.25	0.042	<0.5	7.34	52	1320	2.4	<2	2.36	<0.5	13	72	18	3.47	20
G320118		5.53	0.090	<0.5	7.22	66	1260	2.3	2	2.11	<0.5	13	76	20	3.62	20
G320119		5.14	7.29	<0.5	7.29	97	1210	2.3	226	2.72	<0.5	12	65	21	3.24	10
G320120		5.89	0.111	<0.5	7.27	80	1280	2.3	6	2.34	<0.5	12	72	22	3.36	20
G320121		5.40	0.173	<0.5	5.63	45	560	2.3	4	2.46	<0.5	14	68	27	3.03	10
G320122		5.64	0.135	<0.5	7.43	39	710	2.5	6	2.58	<0.5	10	72	24	3.36	20
G320123		5.38	0.148	<0.5	6.97	66	950	2.3	7	2.40	<0.5	11	66	29	3.01	20
G320124		6.16	0.163	<0.5	7.64	53	1350	2.4	8	2.47	<0.5	12	78	14	3.78	20
G320125		5.91	0.489	<0.5	7.40	293	1340	2.2	15	2.08	<0.5	14	75	36	3.59	20
G320126		5.66	0.050	<0.5	7.30	84	1350	2.4	4	2.48	<0.5	14	80	17	3.60	20
G320127		6.61	0.252	<0.5	7.25	87	1300	2.3	19	2.38	<0.5	13	78	25	3.51	20
G320128		4.68	0.119	<0.5	7.62	64	1290	2.5	10	2.72	<0.5	11	69	26	3.23	20
G320129PD		<0.02	0.051	<0.5	7.26	53	1250	2.5	9	2.62	<0.5	12	69	23	3.15	20
G320130		6.57	0.014	<0.5	7.20	39	1370	2.6	<2	2.33	<0.5	12	73	32	3.42	20
G320131		5.06	0.120	<0.5	7.20	232	1250	2.5	5	2.46	<0.5	12	73	23	3.43	20
G320132		5.81	0.355	<0.5	7.13	101	1150	2.4	16	2.53	<0.5	10	61	45	3.08	20
G320133		5.51	0.056	<0.5	7.40	56	1250	2.6	5	2.35	<0.5	9	55	39	2.99	20
G320134		5.89	0.098	<0.5	7.58	168	1410	2.7	7	2.43	<0.5	13	55	82	3.17	20
G320135		5.50	0.116	<0.5	7.44	107	1470	2.6	7	2.63	<0.5	12	56	72	3.26	20
G320136		6.00	0.066	<0.5	7.27	117	1130	2.6	3	2.43	<0.5	11	63	34	3.07	20
G320137		5.84	0.183	<0.5	6.98	196	1120	2.7	12	2.25	<0.5	12	62	34	3.10	10
G320138		4.87	0.135	<0.5	6.90	224	1290	2.7	5	2.42	<0.5	9	42	51	2.73	20
G320139		5.28	0.062	<0.5	7.05	101	1340	3.0	5	2.22	<0.5	8	33	38	2.38	20
G320140		5.41	0.103	<0.5	7.04	239	1440	2.8	5	2.25	<0.5	11	35	68	2.74	20



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATAGOLD CORPORATION  
1066 WEST HASTINGS STREET, SUITE 680  
VANCOUVER BC V6E 3X2

Page: 2 - B  
Total # Pages: 3 (A - C)  
Finalized Date: 25-JUN-2010  
Account: STRGOL

Project: Eagle Gold

## CERTIFICATE OF ANALYSIS WH10077538

Sample Description	Method Analyte Units LOR	ME-ICP61 K %	ME-ICP61 La ppm	ME-ICP61 Mg %	ME-ICP61 Mn ppm	ME-ICP61 Mo ppm	ME-ICP61 Na %	ME-ICP61 Ni ppm	ME-ICP61 P ppm	ME-ICP61 Pb ppm	ME-ICP61 S %	ME-ICP61 Sb ppm	ME-ICP61 Sc ppm	ME-ICP61 Sr ppm	ME-ICP61 Th ppm	ME-ICP61 Ti %
		0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20	0.01
G320101		2.63	40	1.17	204	1	1.57	15	730	10	0.04	<5	8	470	20	0.32
G320102		2.58	30	1.20	242	<1	1.53	13	770	9	0.01	<5	9	484	<20	0.34
G320103		2.89	40	1.24	212	1	1.61	17	810	10	0.04	<5	9	512	<20	0.35
G320104		3.04	40	0.94	299	3	1.30	14	830	16	0.16	7	9	337	<20	0.32
G320105		2.86	40	1.16	353	3	1.11	19	760	33	0.28	11	9	357	20	0.32
G320106		2.98	30	1.12	423	2	1.15	33	740	25	0.20	34	11	330	<20	0.37
G320107		3.22	30	0.94	310	2	1.19	25	640	17	0.16	17	9	352	<20	0.33
G320108		3.29	40	0.79	250	3	1.60	14	590	19	0.18	17	6	364	<20	0.25
G320109		3.79	40	0.67	191	2	1.41	18	600	20	0.14	6	5	360	20	0.27
G320110		0.62	20	3.89	1260	1	2.10	130	1410	2	0.56	<5	19	373	<20	0.97
G320111		3.71	40	0.82	263	2	1.45	14	630	15	0.24	<5	7	421	<20	0.28
G320112		3.10	50	1.09	356	1	1.50	13	700	12	0.18	5	9	455	20	0.30
G320113		3.10	40	1.10	331	2	1.54	14	750	14	0.25	6	9	510	20	0.33
G320114		3.03	30	1.23	409	2	1.56	25	720	15	0.15	<5	10	458	<20	0.35
G320115		3.06	30	1.25	388	2	1.46	32	710	21	0.11	<5	10	397	<20	0.37
G320116		0.03	10	12.80	202	1	0.01	3	150	2	0.01	<5	<1	47	<20	<0.01
G320117		2.83	30	1.44	438	3	1.46	33	750	17	0.06	<5	11	441	<20	0.41
G320118		2.80	30	1.46	449	2	1.58	39	800	24	0.09	<5	11	367	<20	0.45
G320119		2.79	40	1.30	397	7	1.46	29	710	20	0.09	9	10	387	<20	0.37
G320120		2.99	40	1.17	395	3	1.34	32	720	23	0.23	12	11	355	<20	0.37
G320121		2.78	30	1.02	382	2	0.88	31	650	32	0.45	25	9	303	<20	0.34
G320122		2.94	30	1.15	427	3	1.17	31	740	36	0.45	29	11	333	<20	0.36
G320123		2.84	30	0.99	377	2	1.20	32	720	16	0.20	18	10	332	<20	0.35
G320124		2.63	30	1.42	420	6	1.55	37	780	17	0.08	<5	11	414	<20	0.41
G320125		3.09	30	1.39	400	3	1.40	40	760	14	0.19	<5	11	409	<20	0.40
G320126		2.96	30	1.39	428	2	1.64	35	790	13	0.07	<5	11	455	<20	0.43
G320127		2.91	30	1.42	402	3	1.46	38	760	13	0.08	5	11	393	<20	0.41
G320128		3.00	40	1.13	376	3	1.43	34	760	21	0.10	6	11	361	<20	0.39
G320129PD		2.87	40	1.10	370	3	1.35	31	740	22	0.10	6	11	341	<20	0.38
G320130		3.09	30	1.33	377	4	1.57	31	760	16	0.11	<5	11	407	<20	0.41
G320131		2.79	30	1.29	395	3	1.60	32	740	14	0.11	<5	10	440	<20	0.39
G320132		2.78	40	1.20	360	12	1.51	25	660	13	0.17	<5	9	422	<20	0.33
G320133		3.25	40	1.12	349	1	1.56	19	640	16	0.19	<5	9	467	20	0.30
G320134		3.54	40	1.15	290	3	1.63	16	710	12	0.39	<5	9	506	<20	0.32
G320135		3.62	40	1.19	356	3	1.60	17	730	12	0.34	<5	9	521	<20	0.33
G320136		2.86	40	1.22	348	2	1.46	23	680	13	0.14	<5	10	381	20	0.34
G320137		2.86	30	1.13	374	2	1.53	25	650	19	0.19	<5	9	400	<20	0.33
G320138		3.26	40	0.96	342	1	1.52	15	630	20	0.26	<5	8	466	<20	0.28
G320139		3.39	40	0.71	287	1	1.59	20	600	18	0.18	<5	6	430	20	0.29
G320140		3.56	40	0.77	269	2	1.56	20	650	18	0.42	<5	6	440	<20	0.31



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATAGOLD CORPORATION  
1066 WEST HASTINGS STREET, SUITE 680  
VANCOUVER BC V6E 3X2


Page: 2 - C  
Total # Pages: 3 (A - C)  
Finalized Date: 25-JUN-2010  
Account: STRGOL

Project: Eagle Gold

## CERTIFICATE OF ANALYSIS WH10077538

Sample Description	Method Analyte Units LOR	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		Tl	U	V	W	Zn
		ppm 10	ppm 10	ppm 1	ppm 10	ppm 2
G320101		<10	<10	55	20	46
G320102		<10	<10	58	10	55
G320103		<10	<10	61	20	55
G320104		<10	<10	58	50	39
G320105		<10	<10	64	30	48
G320106		<10	<10	94	30	92
G320107		<10	<10	77	30	66
G320108		<10	<10	44	30	37
G320109		<10	<10	32	40	37
G320110		<10	<10	147	<10	115
G320111		<10	<10	39	50	36
G320112		<10	<10	54	20	44
G320113		<10	<10	57	40	42
G320114		<10	<10	77	40	70
G320115		<10	<10	88	30	81
G320116		<10	10	3	<10	16
G320117		<10	<10	96	30	98
G320118		<10	<10	112	20	99
G320119		<10	10	87	200	79
G320120		<10	<10	92	30	76
G320121		<10	<10	89	30	84
G320122		<10	<10	94	30	95
G320123		<10	<10	90	30	84
G320124		<10	<10	100	10	107
G320125		<10	<10	96	50	92
G320126		<10	<10	102	20	102
G320127		<10	<10	99	20	93
G320128		<10	<10	94	20	88
G320129PD		<10	<10	92	20	85
G320130		<10	<10	98	10	90
G320131		<10	<10	90	10	85
G320132		<10	<10	73	20	65
G320133		<10	<10	61	30	54
G320134		<10	<10	59	10	34
G320135		<10	<10	61	50	43
G320136		<10	<10	75	20	74
G320137		<10	<10	73	20	77
G320138		<10	<10	49	20	49
G320139		<10	<10	36	20	48
G320140		<10	<10	38	20	42



[illegible]

