



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATAGOLD CORPORATION**
1066 WEST HASTINGS STREET, SUITE 680
VANCOUVER BC V6E 3X2

Page: 1
Finalized Date: 5-AUG-2010
Account: STRGOL

CERTIFICATE WH10094734

Project: Eagle Gold

P.O. No.: EGP10-026

This report is for 89 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 12-JUL-2010.

The following have access to data associated with this certificate:

ALLAN JACOBS

ANDY RANDELL

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-24	Pulp Login - Rcd w/o Barcode
LOG-22	Sample login - Rcd w/o BarCode
BAG-01	Bulk Master for Storage
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
CRU-36	Fine Crushing - 85% <2mm
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
LOG-22d	Sample login - Rcd w/o BarCode dup
SPL-21d	Split sample - duplicate
PUL-32d	Pulverize Split -Dup 85% <75um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA24	Au 50g FA AA finish	AAS
ME-ICP61	33 element four acid ICP-AES	ICP-AES
Ag-OG62	Ore Grade Ag - Four Acid	VARIABLE
ME-OG62	Ore Grade Elements - Four Acid	ICP-AES

To: **STRATAGOLD CORPORATION**
ATTN: ANDY RANDELL
1066 WEST HASTINGS STREET, SUITE 680
VANCOUVER BC V6E 3X2

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:


Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
1066 WEST HASTINGS STREET, SUITE 680
VANCOUVER BC V6E 3X2

Page: 2 - A
Total # Pages: 4 (A - C)
Finalized Date: 5-AUG-2010
Account: STRGOL

Project: Eagle Gold

CERTIFICATE OF ANALYSIS WH10094734

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA24 Au ppm	Au-AA24 Au Check ppm	ME-ICP61 Ag ppm	ME-ICP61 Al %	ME-ICP61 As ppm	ME-ICP61 Ba ppm	ME-ICP61 Be ppm	ME-ICP61 Bi ppm	ME-ICP61 Ca %	ME-ICP61 Cd ppm	ME-ICP61 Co ppm	ME-ICP61 Cr ppm	ME-ICP61 Cu ppm	ME-ICP61 Fe %
		0.02	0.005	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01
I016721		6.31	0.016		<0.5	7.56	67	1790	3.2	<2	2.72	<0.5	6	31	4	2.39
I016722		6.25	0.030		<0.5	7.30	125	1780	3.2	<2	2.71	<0.5	7	32	4	2.30
I016723		2.03	3.52		<0.5	7.64	1080	1390	2.6	<2	1.58	0.6	6	27	18	2.97
I016724		0.74	0.007		<0.5	0.09	<5	40	<0.5	<2	21.9	<0.5	<1	<1	2	0.49
I016725		3.73	1.090		1.3	1.93	1540	220	0.6	4	0.15	<0.5	1	53	31	1.47
I016726		6.96	1.695		0.9	7.53	256	1660	2.7	<2	2.10	0.5	8	32	27	3.12
I016727		0.09	0.093		<0.5	5.82	49	540	1.8	<2	0.01	<0.5	3	68	18	3.39
I016728		3.76	2.89		<0.5	6.64	257	1680	2.5	<2	1.94	<0.5	4	32	7	2.39
I016729CD		<0.02	3.06		0.6	6.58	217	1640	2.4	<2	1.92	<0.5	3	30	8	2.51
I016730		5.22	0.081		<0.5	7.39	7	1800	3.2	<2	2.61	<0.5	7	31	3	2.31
I016731		6.93	1.290		<0.5	7.34	116	1310	2.9	<2	2.35	<0.5	5	29	36	3.51
I016732		5.18	0.014		<0.5	7.42	16	1740	3.1	<2	2.47	<0.5	7	29	7	2.46
I016733		6.72	0.011		<0.5	7.52	47	1640	3.2	<2	2.69	<0.5	7	34	5	2.59
I016734		5.88	<0.005		<0.5	7.46	5	1670	3.2	<2	2.70	<0.5	7	32	2	2.43
I016735		5.96	1.315		<0.5	7.24	8390	1280	2.9	<2	2.49	<0.5	10	29	7	3.24
I016736		5.76	0.195		<0.5	7.25	1600	2020	3.0	<2	2.18	<0.5	7	27	4	2.36
I016737		5.68	0.161		<0.5	8.00	64	1100	2.0	<2	0.35	<0.5	8	29	3	2.32
I016738		5.43	0.051		<0.5	8.58	825	1030	1.8	<2	0.38	<0.5	10	28	2	1.71
I016739		5.55	0.280		<0.5	7.58	418	1620	3.0	<2	1.63	0.7	6	28	6	2.75
I016740		5.94	0.208		<0.5	7.61	84	1340	2.2	<2	1.19	<0.5	9	26	12	2.92
I016741		7.34	0.200		3.7	7.64	94	630	2.9	<2	0.27	4.6	5	26	49	4.62
I016742		0.63	<0.005		<0.5	0.11	5	20	<0.5	<2	21.8	<0.5	<1	<1	1	0.49
I016743		2.90	0.868		>100	0.27	1320	40	<0.5	<2	0.15	135.0	<1	2	1840	20.3
I016744		4.73	0.808		9.0	4.73	968	270	2.1	8	0.15	8.0	3	20	295	12.45
I016745		0.09	2.40		5.4	8.16	15	540	1.1	<2	3.08	0.9	16	12	115	4.41
I016746		2.56	1.465		7.5	1.52	>10000	120	0.7	55	0.05	1.6	2	15	270	26.5
I016747		2.43	0.888		2.6	5.12	>10000	330	2.2	9	0.12	<0.5	2	22	202	14.40
I016748		2.62	1.410		6.1	4.31	>10000	290	1.9	18	0.10	0.9	3	18	217	17.75
I016749		5.43	1.315		6.2	4.48	>10000	230	1.9	2	0.11	5.9	15	20	148	11.65
I016750		0.09	1.030		1.0	7.88	1810	270	1.0	<2	5.62	0.5	39	180	67	8.26
I016751		5.02	0.350		4.2	6.10	1350	430	2.6	<2	0.27	3.1	5	22	121	10.15
I016752		5.87	0.205		2.0	7.68	72	600	2.8	<2	0.22	3.7	5	27	67	6.44
I016753		7.01	0.351		2.9	6.64	5770	380	2.5	<2	0.14	2.5	3	24	106	11.20
I016754		7.75	2.34		5.5	4.68	>10000	240	1.9	25	0.09	3.2	7	24	228	20.4
I016755		6.45	0.542		1.7	6.97	883	450	2.9	<2	0.15	<0.5	1	29	197	11.10
I016756		0.70	<0.005		<0.5	0.29	23	90	<0.5	<2	20.7	<0.5	3	2	3	0.51
I016757		7.05	3.06		3.4	6.43	1015	290	2.5	<2	0.20	1.2	10	23	115	7.67
I016758		5.52	0.127		1.1	5.77	100	410	1.8	<2	0.20	<0.5	5	26	32	4.08
I016759		5.54	0.010		0.7	7.16	51	200	1.2	<2	0.24	1.3	6	26	7	3.14
I016760		6.01	0.006		<0.5	8.19	26	240	1.5	<2	0.26	0.9	5	28	3	2.54

Comments: Additional Au-AA24 check result for sample I016784 is 0.141 ppm.



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
1066 WEST HASTINGS STREET, SUITE 680
VANCOUVER BC V6E 3X2

Page: 2 - B
Total # Pages: 4 (A - C)
Finalized Date: 5-AUG-2010
Account: STRGOL

Project: Eagle Gold

CERTIFICATE OF ANALYSIS WH10094734

Sample Description	Method Analyte Units LOR	ME-ICP61 Ga ppm 10	ME-ICP61 K % 0.01	ME-ICP61 La ppm 10	ME-ICP61 Mg % 0.01	ME-ICP61 Mn ppm 5	ME-ICP61 Mo ppm 1	ME-ICP61 Na % 0.01	ME-ICP61 Ni ppm 1	ME-ICP61 P ppm 10	ME-ICP61 Pb ppm 2	ME-ICP61 S % 0.01	ME-ICP61 Sb ppm 5	ME-ICP61 Sc ppm 1	ME-ICP61 Sr ppm 1	ME-ICP61 Th ppm 20
I016721		20	3.76	30	0.75	301	2	1.84	20	650	27	0.04	5	6	516	20
I016722		20	3.73	30	0.76	294	2	1.85	20	650	28	0.07	6	6	506	20
I016723		20	3.37	40	0.60	432	7	0.67	19	660	80	0.62	62	7	272	20
I016724		<10	0.03	<10	13.35	230	1	0.01	<1	160	131	0.01	100	<1	45	<20
I016725		<10	0.88	10	0.14	98	42	0.01	3	160	104	0.81	11	2	4	<20
I016726		20	3.62	40	0.73	405	6	1.01	19	660	60	0.49	15	7	359	20
I016727		10	1.72	30	0.29	67	1	0.13	19	150	20	0.01	22	10	37	<20
I016728		20	3.17	30	0.71	294	33	1.43	16	570	25	0.12	7	6	292	20
I016729CD		20	3.03	30	0.70	307	9	1.40	16	560	26	0.12	7	6	289	20
I016730		20	3.67	30	0.77	310	1	1.84	20	640	27	0.02	<5	7	497	20
I016731		20	3.09	30	0.90	361	5	1.53	18	620	33	0.38	7	7	328	20
I016732		20	3.56	30	0.81	320	2	1.79	21	650	32	0.06	5	6	467	20
I016733		20	3.51	30	0.82	354	2	1.79	19	660	96	0.04	60	7	485	20
I016734		20	3.60	30	0.78	352	1	1.74	19	650	28	0.01	<5	6	490	20
I016735		20	3.07	30	0.73	344	2	1.10	20	610	41	0.59	20	6	354	20
I016736		20	3.73	30	0.65	299	16	1.54	18	620	32	0.14	14	6	441	20
I016737		20	2.62	60	0.32	579	3	0.11	24	740	33	0.13	33	7	119	20
I016738		20	2.18	40	0.27	355	1	0.12	22	780	29	0.09	23	7	116	20
I016739		20	3.64	40	0.73	449	18	0.95	19	650	87	0.11	34	7	308	20
I016740		20	2.93	40	0.54	581	3	0.33	22	680	45	0.22	65	7	192	20
I016741		20	3.12	50	0.44	1950	6	0.03	19	700	440	0.88	236	7	9	20
I016742		<10	0.03	<10	13.40	235	1	0.01	<1	170	6	0.01	<5	<1	41	<20
I016743		<10	0.10	<10	0.46	17350	<1	<0.01	6	30	>10000	8.62	>10000	1	4	<20
I016744		10	2.10	20	0.24	1945	1	0.02	16	370	4490	>10.0	3760	5	4	<20
I016745		10	2.31	20	1.43	1025	9	1.69	43	1100	65	0.81	44	16	415	<20
I016746		10	0.65	<10	0.11	1370	<1	0.01	5	90	9090	>10.0	7900	2	3	<20
I016747		20	2.34	20	0.20	572	1	0.02	11	440	831	>10.0	740	5	5	<20
I016748		10	1.93	20	0.17	859	1	0.02	9	350	4080	>10.0	3430	4	4	<20
I016749		10	2.06	30	0.20	1655	20	0.02	12	390	4220	9.98	3580	4	6	<20
I016750		20	0.65	10	4.01	1285	<1	2.16	135	1460	9	0.59	15	18	394	<20
I016751		20	2.80	40	0.51	2920	5	0.03	13	530	367	4.35	184	9	9	<20
I016752		20	3.42	40	0.61	2360	<1	0.03	13	640	419	2.18	133	7	8	<20
I016753		20	3.01	40	0.30	1700	3	0.03	17	520	416	9.39	316	6	7	<20
I016754		20	2.18	30	0.18	1125	<1	0.02	18	370	716	>10.0	499	4	6	<20
I016755		10	3.19	30	0.29	1180	<1	0.03	11	590	68	8.79	87	7	7	<20
I016756		10	0.14	<10	12.90	212	<1	0.02	<1	230	8	0.04	19	<1	33	30
I016757		20	2.74	40	0.42	1255	<1	0.02	23	550	230	4.97	155	5	7	<20
I016758		20	1.40	30	0.30	984	1	0.02	13	570	23	1.55	57	8	15	<20
I016759		20	0.79	40	0.27	993	<1	0.01	12	640	84	0.16	63	7	28	20
I016760		20	1.05	50	0.27	838	<1	0.01	13	730	55	0.05	50	8	29	20

Comments: Additional Au-AA24 check result for sample I016784 is 0.141 ppm.



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
1066 WEST HASTINGS STREET, SUITE 680
VANCOUVER BC V6E 3X2

Page: 2 - C
Total # Pages: 4 (A - C)
Finalized Date: 5-AUG-2010
Account: STRGOL

Project: Eagle Gold

CERTIFICATE OF ANALYSIS WH10094734

Sample Description	Method Analyte Units LOR	ME-ICP61 Ti %	ME-ICP61 Ti ppm	ME-ICP61 U ppm	ME-ICP61 V ppm	ME-ICP61 W ppm	ME-ICP61 Zn ppm	Ag-OG62 Ag ppm
		0.01	10	10	1	10	2	1
I016721		0.31	<10	<10	36	40	49	
I016722		0.32	<10	10	37	30	54	
I016723		0.27	<10	<10	35	30	130	
I016724		<0.01	<10	<10	<1	<10	36	
I016725		0.06	<10	<10	7	20	67	
I016726		0.31	<10	<10	35	20	128	
I016727		0.31	<10	<10	75	<10	48	
I016728		0.23	<10	10	32	60	34	
I016729CD		0.23	<10	<10	31	60	31	
I016730		0.32	<10	10	37	20	55	
I016731		0.28	<10	<10	34	30	52	
I016732		0.30	<10	10	37	40	64	
I016733		0.32	<10	10	38	30	69	
I016734		0.33	<10	10	39	<10	68	
I016735		0.28	<10	10	34	20	75	
I016736		0.28	<10	<10	34	590	51	
I016737		0.31	<10	<10	38	50	76	
I016738		0.35	<10	<10	41	30	67	
I016739		0.29	<10	<10	36	40	165	
I016740		0.29	<10	<10	36	20	91	
I016741		0.27	<10	<10	35	40	804	
I016742		<0.01	<10	<10	<1	<10	16	
I016743		0.01	<10	<10	1	<10	>10000	168
I016744		0.12	<10	<10	20	30	1125	
I016745		0.42	<10	<10	137	<10	111	
I016746		0.05	<10	<10	7	20	66	
I016747		0.13	<10	<10	22	30	48	
I016748		0.12	<10	<10	19	30	60	
I016749		0.09	<10	<10	16	20	727	
I016750		1.00	10	<10	152	<10	120	
I016751		0.13	<10	<10	27	50	488	
I016752		0.23	<10	<10	32	20	583	
I016753		0.18	<10	<10	29	120	350	
I016754		0.11	<10	10	19	30	474	
I016755		0.19	<10	<10	32	50	24	
I016756		0.01	<10	<10	5	<10	20	
I016757		0.19	10	<10	27	20	191	
I016758		0.18	<10	<10	27	30	61	
I016759		0.26	<10	<10	31	50	192	
I016760		0.30	<10	<10	36	20	132	

Comments: Additional Au-AA24 check result for sample I016784 is 0.141 ppm.



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
1066 WEST HASTINGS STREET, SUITE 680
VANCOUVER BC V6E 3X2

Page: 3 - A
Total # Pages: 4 (A - C)
Finalized Date: 5-AUG-2010
Account: STRGOL

Project: Eagle Gold

CERTIFICATE OF ANALYSIS WH10094734

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au ppm 0.005	Au-AA24 Au Check ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01
I016761		4.97	0.066		3.1	7.32	270	480	2.6	<2	0.19	4.9	5	24	65	6.26
I016762		5.32	0.029		3.5	7.41	78	530	2.7	<2	0.19	4.7	5	25	62	5.80
I016763		4.65	0.016		0.8	8.37	31	400	2.1	<2	0.24	1.5	6	29	5	2.37
I016764		4.57	0.029		0.7	5.51	25	240	1.2	<2	0.15	0.5	6	26	3	1.46
I016765		4.15	<0.005		<0.5	7.82	28	140	1.2	<2	0.26	<0.5	6	28	2	2.65
I016766		5.68	0.005		0.7	7.98	26	210	1.3	<2	0.25	0.9	9	29	4	2.34
I016767		5.11	0.025		0.7	7.68	83	320	1.6	<2	0.22	0.6	9	30	6	2.43
I016768		5.57	0.031		0.6	7.88	47	70	0.7	<2	0.22	<0.5	8	32	3	3.20
I016769CD		<0.02	0.033		<0.5	7.81	44	70	0.7	<2	0.21	<0.5	9	30	3	3.09
I016770		4.59	0.439		0.7	6.52	430	360	1.7	<2	0.20	2.4	6	32	14	2.56
I016771		4.77	0.005		<0.5	8.68	130	120	1.4	<2	0.33	<0.5	8	32	4	3.44
I016772		4.59	0.018		0.6	9.16	28	1080	1.5	<2	0.35	<0.5	9	32	7	2.31
I016773		4.36	0.185		0.5	8.30	339	360	1.6	<2	0.44	<0.5	8	30	7	2.85
I016774		5.78	0.076		<0.5	8.10	49	1740	2.7	<2	0.91	<0.5	7	29	10	2.18
I016775		5.53	0.006		<0.5	8.21	56	1930	3.3	<2	2.67	<0.5	8	35	2	2.35
I016776		5.36	<0.005		<0.5	7.82	30	1640	2.9	<2	2.49	<0.5	6	34	4	2.44
I016777		5.96	0.041		<0.5	7.49	28	1460	2.9	<2	2.65	<0.5	6	30	3	1.99
I016778		5.67	0.169		<0.5	7.09	52	1710	3.0	<2	2.84	<0.5	6	26	4	1.26
I016779		4.34	0.017		<0.5	7.63	31	1520	3.2	<2	2.69	<0.5	8	29	5	1.84
I016780		6.40	0.376		2.0	7.37	24	1330	2.6	<2	2.31	0.6	6	26	9	2.89
I016781		4.87	<0.005		<0.5	7.61	10	1680	3.1	<2	2.63	<0.5	7	32	3	2.37
I016782		5.43	<0.005		0.6	8.23	13	1800	3.4	<2	2.76	<0.5	7	35	4	2.43
I016783		6.20	<0.005		0.6	7.75	10	1590	2.9	<2	2.88	<0.5	6	27	4	2.37
I016784		5.19	0.332	0.131	<0.5	7.58	572	1790	3.1	<2	2.91	<0.5	7	29	5	2.07
I016785		5.23	0.175	0.126	<0.5	7.50	325	1720	3.3	<2	2.72	<0.5	8	40	7	2.52
I016786		5.52	<0.005	<0.005	<0.5	7.39	14	1570	3.3	<2	2.68	<0.5	8	43	4	2.36
I016787		6.53	1.785		21.1	6.11	8910	890	2.4	2	2.06	30.0	5	31	352	8.55
I016788		5.86	0.079		<0.5	7.42	617	1750	3.2	<2	2.46	<0.5	8	35	3	2.26
I016789		5.52	0.232		<0.5	7.37	313	1710	3.2	<2	2.52	<0.5	7	34	4	2.45
I016790		0.09	0.362		1.0	8.25	10	790	2.0	<2	2.43	<0.5	14	50	3770	5.20
I016791		5.60	0.214		<0.5	7.32	1695	2270	3.1	3	2.09	<0.5	9	36	3	2.31
I016792		4.96	0.024		<0.5	6.99	78	1610	2.9	<2	2.32	<0.5	7	33	2	2.24
I016793		5.84	0.177		<0.5	7.45	19	1650	3.0	<2	2.36	<0.5	7	36	2	2.14
I016794		4.74	1.435		<0.5	7.54	107	1920	3.2	<2	2.47	<0.5	7	39	2	2.44
I016795		5.99	0.008		<0.5	7.45	26	1920	2.9	<2	2.39	<0.5	7	35	3	2.07
I016796		0.51	<0.005		<0.5	0.11	<5	40	<0.5	<2	20.4	<0.5	4	4	46	0.54
I016797		5.63	<0.005		<0.5	6.78	14	1620	3.1	<2	2.50	<0.5	9	37	3	2.23
I016798		5.01	0.069		<0.5	6.77	17	1820	3.1	<2	2.66	<0.5	8	37	2	2.06
I016799		5.53	0.099		<0.5	6.88	66	2180	3.0	<2	2.29	<0.5	8	38	2	2.25
I016800		5.51	<0.005		<0.5	7.07	10	1610	3.2	<2	2.41	<0.5	9	44	2	2.30

Comments: Additional Au-AA24 check result for sample I016784 is 0.141 ppm.



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
1066 WEST HASTINGS STREET, SUITE 680
VANCOUVER BC V6E 3X2

Page: 3 - B
Total # Pages: 4 (A - C)
Finalized Date: 5-AUG-2010
Account: STRGOL

Project: Eagle Gold

CERTIFICATE OF ANALYSIS WH10094734

Sample Description	Method Analyte Units LOR	ME-ICP61 Ga ppm 10	ME-ICP61 K % 0.01	ME-ICP61 La ppm 10	ME-ICP61 Mg % 0.01	ME-ICP61 Mn ppm 5	ME-ICP61 Mo ppm 1	ME-ICP61 Na % 0.01	ME-ICP61 Ni ppm 1	ME-ICP61 P ppm 10	ME-ICP61 Pb ppm 2	ME-ICP61 S % 0.01	ME-ICP61 Sb ppm 5	ME-ICP61 Sc ppm 1	ME-ICP61 Sr ppm 1	ME-ICP61 Th ppm 20
I016761		20	2.75	40	0.40	1540	<1	0.02	14	600	461	3.85	122	6	13	<20
I016762		20	2.91	50	0.41	1565	<1	0.02	18	600	487	3.43	111	6	10	20
I016763		30	1.70	40	0.28	949	<1	0.02	18	720	119	0.31	42	8	19	20
I016764		20	0.91	30	0.11	208	<1	0.02	13	480	28	0.85	35	3	16	<20
I016765		20	0.63	50	0.25	1030	3	0.01	16	740	22	0.08	43	8	37	20
I016766		20	0.73	40	0.23	792	1	0.01	17	760	50	0.07	39	8	28	30
I016767		20	1.14	40	0.21	652	<1	0.01	19	690	53	0.94	60	7	17	<20
I016768		20	0.23	50	0.13	569	<1	0.01	22	740	26	1.99	49	7	19	20
I016769CD		20	0.23	40	0.13	559	<1	0.01	22	730	22	1.98	57	7	15	20
I016770		20	1.41	40	0.21	624	1	0.01	15	570	214	0.78	88	6	18	20
I016771		30	0.55	50	0.30	1065	1	0.02	22	900	24	0.20	23	8	23	20
I016772		20	2.43	50	0.22	607	<1	0.11	28	820	27	0.07	19	8	136	20
I016773		20	1.09	50	0.26	680	16	0.02	22	1420	30	0.12	23	9	35	20
I016774		20	3.54	50	0.44	346	18	0.68	20	710	40	0.12	32	7	263	20
I016775		20	3.72	30	0.77	331	<1	1.79	20	700	20	0.02	10	7	484	30
I016776		10	3.55	30	0.75	358	<1	1.72	19	640	23	0.02	<5	6	491	20
I016777		20	3.34	30	0.56	306	<1	1.47	15	640	21	0.02	<5	7	428	20
I016778		20	3.65	20	0.34	230	<1	1.41	16	590	18	0.04	5	6	420	20
I016779		30	3.21	30	0.47	285	<1	1.63	15	660	20	0.05	<5	6	450	20
I016780		20	3.01	40	0.73	364	18	0.73	17	590	63	0.23	9	6	275	30
I016781		30	3.44	30	0.75	305	<1	1.85	21	670	24	0.02	<5	7	497	20
I016782		20	3.68	40	0.82	331	1	1.91	20	720	19	0.02	<5	7	528	20
I016783		20	3.62	30	0.71	325	3	1.53	18	630	22	0.04	5	6	426	20
I016784		20	3.55	30	0.66	290	<1	1.60	19	670	18	0.04	<5	6	471	20
I016785		20	3.62	30	0.80	356	2	1.75	26	660	29	0.03	6	7	493	20
I016786		20	3.58	30	0.80	350	2	1.87	21	660	30	0.01	<5	7	509	20
I016787		20	2.43	30	0.75	4760	1	1.31	19	490	>10000	3.82	>10000	6	341	20
I016788		20	3.69	30	0.80	303	5	1.83	22	640	85	0.05	51	7	505	20
I016789		20	3.61	30	0.79	385	1	1.71	20	650	112	0.05	77	6	459	20
I016790		20	3.20	20	1.54	536	281	2.54	24	1090	18	0.50	<5	14	482	<20
I016791		20	3.61	30	0.78	366	<1	1.67	25	660	29	0.10	13	6	462	20
I016792		20	3.62	30	0.80	327	3	1.76	16	630	26	0.01	10	6	526	20
I016793		20	3.85	30	0.82	298	6	1.71	18	640	24	0.01	8	7	501	20
I016794		20	3.85	30	0.80	344	2	1.82	20	670	27	0.02	7	7	507	20
I016795		20	4.37	30	0.85	278	2	1.67	22	650	25	0.01	9	7	499	20
I016796		<10	0.05	<10	11.95	236	<1	0.02	<1	150	5	0.05	<5	<1	54	<20
I016797		20	3.56	30	0.79	284	3	1.59	19	630	23	0.02	7	7	466	20
I016798		20	4.15	30	0.77	288	<1	1.63	18	630	21	0.02	<5	7	497	20
I016799		20	4.33	30	0.76	269	<1	1.69	17	630	23	0.01	5	6	507	20
I016800		20	3.66	30	0.77	292	<1	1.72	18	640	26	0.01	<5	7	500	20

Comments: Additional Au-AA24 check result for sample I016784 is 0.141 ppm.



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
1066 WEST HASTINGS STREET, SUITE 680
VANCOUVER BC V6E 3X2

Page: 3 - C
Total # Pages: 4 (A - C)
Finalized Date: 5-AUG-2010
Account: STRGOL

Project: Eagle Gold

CERTIFICATE OF ANALYSIS WH10094734

Sample Description	Method Analyte Units LOR	ME-ICP61 Ti %	ME-ICP61 Ti ppm	ME-ICP61 U ppm	ME-ICP61 V ppm	ME-ICP61 W ppm	ME-ICP61 Zn ppm	Ag-OG62 Ag ppm
I016761		0.24	10	<10	32	20	741	
I016762		0.24	<10	<10	33	20	733	
I016763		0.30	<10	<10	38	30	271	
I016764		0.22	<10	<10	25	20	91	
I016765		0.29	<10	<10	36	30	62	
I016766		0.31	<10	<10	38	50	162	
I016767		0.28	<10	<10	35	40	111	
I016768		0.32	<10	<10	37	50	76	
I016769CD		0.32	<10	<10	36	50	72	
I016770		0.25	<10	<10	33	30	355	
I016771		0.33	<10	<10	42	50	102	
I016772		0.36	<10	<10	42	30	83	
I016773		0.30	<10	<10	47	60	91	
I016774		0.31	<10	<10	38	40	92	
I016775		0.33	<10	<10	40	20	66	
I016776		0.31	<10	<10	36	10	75	
I016777		0.30	<10	<10	36	10	60	
I016778		0.28	<10	<10	34	30	41	
I016779		0.31	<10	<10	36	10	62	
I016780		0.27	<10	<10	33	80	133	
I016781		0.32	<10	<10	37	10	59	
I016782		0.35	<10	<10	40	<10	73	
I016783		0.29	<10	<10	35	20	60	
I016784		0.31	<10	<10	36	20	56	
I016785		0.32	<10	10	39	10	77	
I016786		0.32	<10	10	39	30	76	
I016787		0.23	<10	10	28	160	3880	
I016788		0.31	<10	10	38	120	69	
I016789		0.31	<10	10	37	240	94	
I016790		0.38	<10	10	141	10	81	
I016791		0.32	<10	<10	38	30	136	
I016792		0.29	<10	10	37	80	63	
I016793		0.29	<10	10	38	70	65	
I016794		0.32	<10	10	40	150	72	
I016795		0.30	<10	10	39	80	67	
I016796		<0.01	<10	<10	2	<10	14	
I016797		0.30	<10	10	37	20	56	
I016798		0.30	<10	10	40	270	46	
I016799		0.29	<10	10	38	160	42	
I016800		0.31	<10	10	38	30	58	

Comments: Additional Au-AA24 check result for sample I016784 is 0.141 ppm.



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
 1066 WEST HASTINGS STREET, SUITE 680
 VANCOUVER BC V6E 3X2

Page: 4 - A
 Total # Pages: 4 (A - C)
 Finalized Date: 5-AUG-2010
 Account: STRGOL

Project: Eagle Gold

CERTIFICATE OF ANALYSIS WH10094734

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au ppm 0.005	Au-AA24 Au Check ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01
I016801		6.97	0.033		<0.5	6.72	19	1630	3.2	<2	2.50	<0.5	9	39	5	2.41
I016802		5.51	0.042		<0.5	7.47	29	1750	3.4	<2	2.62	<0.5	13	46	13	2.57
I016803		6.14	0.146		<0.5	7.53	38	1840	4.0	<2	3.74	<0.5	7	41	4	1.59
I016804		4.32	0.082		<0.5	6.95	891	2410	2.7	<2	2.67	<0.5	12	46	6	1.84
I016805		5.62	0.008		<0.5	6.98	103	1850	3.4	<2	2.46	<0.5	11	43	7	2.51
I016806		5.18	0.090		<0.5	6.76	879	1740	3.0	<2	2.44	<0.5	11	37	4	2.27
I016807		5.30	0.257		<0.5	6.84	65	1610	2.8	<2	2.24	<0.5	11	40	5	2.24
I016808		4.39	<0.005		<0.5	7.40	16	210	1.7	<2	1.86	<0.5	10	39	3	3.11
I016809		4.75	0.023		<0.5	6.78	21	1010	1.8	<2	2.66	<0.5	10	36	5	2.94

Comments: Additional Au-AA24 check result for sample I016784 is 0.141 ppm.



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
 1066 WEST HASTINGS STREET, SUITE 680
 VANCOUVER BC V6E 3X2

Page: 4 - B
 Total # Pages: 4 (A - C)
 Finalized Date: 5-AUG-2010
 Account: STRGOL

Project: Eagle Gold

CERTIFICATE OF ANALYSIS WH10094734

Sample Description	Method Analyte Units LOR	ME-ICP61 Ga ppm 10	ME-ICP61 K % 0.01	ME-ICP61 La ppm 10	ME-ICP61 Mg % 0.01	ME-ICP61 Mn ppm 5	ME-ICP61 Mo ppm 1	ME-ICP61 Na % 0.01	ME-ICP61 Ni ppm 1	ME-ICP61 P ppm 10	ME-ICP61 Pb ppm 2	ME-ICP61 S % 0.01	ME-ICP61 Sb ppm 5	ME-ICP61 Sc ppm 1	ME-ICP61 Sr ppm 1	ME-ICP61 Th ppm 20
I016801		20	3.66	30	0.75	307	<1	1.68	18	640	24	0.05	5	6	474	20
I016802		20	3.62	30	0.83	335	<1	1.73	23	680	25	0.03	<5	7	497	20
I016803		20	4.50	40	0.67	296	6	1.93	15	680	17	0.01	<5	7	613	20
I016804		20	5.31	30	0.76	265	<1	1.49	20	660	21	0.05	<5	7	536	20
I016805		20	3.71	30	0.75	331	<1	1.76	19	650	27	0.02	<5	7	493	20
I016806		20	3.58	30	0.70	302	<1	1.58	18	610	25	0.06	6	7	471	20
I016807		20	3.44	30	0.62	325	<1	1.31	37	620	25	0.02	9	6	413	20
I016808		20	0.82	50	0.85	495	<1	0.03	11	620	24	0.02	24	7	55	20
I016809		20	2.42	40	0.84	469	2	0.10	17	590	23	0.04	10	6	149	20

Comments: Additional Au-AA24 check result for sample I016784 is 0.141 ppm.



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
 1066 WEST HASTINGS STREET, SUITE 680
 VANCOUVER BC V6E 3X2

Page: 4 - C
 Total # Pages: 4 (A - C)
 Finalized Date: 5-AUG-2010
 Account: STRGOL

Project: Eagle Gold

CERTIFICATE OF ANALYSIS WH10094734

Sample Description	Method Analyte Units LOR	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	Ag-OG62
		Ti	Ti	U	V	W	Zn	Ag
		% 0.01	ppm 10	ppm 10	ppm 1	ppm 10	ppm 2	ppm 1
I016801		0.30	<10	10	38	50	55	
I016802		0.33	<10	10	44	20	66	
I016803		0.33	<10	10	38	1340	36	
I016804		0.28	<10	10	41	90	39	
I016805		0.31	<10	10	40	20	63	
I016806		0.29	<10	10	38	50	59	
I016807		0.30	<10	10	39	20	62	
I016808		0.29	<10	<10	37	30	69	
I016809		0.28	<10	<10	36	40	44	

Comments: Additional Au-AA24 check result for sample I016784 is 0.141 ppm.